







The Cylinder Book



TM

The Cylinder Book



© Copyright Christiaan Robert Thonus 2005-2006

© Christiaan Robert Thonus 2006
All rights reserved
ISBN 90-810634-2-1
ISBN13-9789081063425
EAN 9789081063425
NUR 919
Contact: volume_cylindrical_segment@hotmail.com

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the author.

This book is sold subject to the condition that it shall not, by way of trade or otherwise, be lent, re-sold, hired out, or otherwise circulated without the author's prior consent in any form of binding or cover other than that in which it is published, and without a similar condition including this condition being imposed on the subsequent purchaser.

The information in this book is provided by C R Thonus "as is" and any express or implied warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose are disclaimed.
In no event shall the author be liable for any direct, indirect, incidental, special, exemplary, or consequential damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of the information in this book, even if advised of the possibility of such damage.

PREFACE

Why a book about cylinders? About 15 years ago my father-in-law had a problem with his fuel tank. The fuel gauge did not work properly. He had to measure the amount of fuel in the tank with a dip-stick. As this was not an accurate way to determine the amount of fuel in the tank he asked me if I knew a way to calculate the fuel volume.

After a while I came up with a formula which proved to be correct. When he filled his tank using my calibrated dip-stick, he found that the volumes calculated were correct. A few months ago I was thinking that a book with the calculations already done could be useful for people who need to calculate the volume of a cylindrical segment.

In this book I am calculating the volume of a cylindrical segment of a HORIZONTAL CYLINDER of length l and radius R . I assume the cylinder being perfectly cylindrical.

I used following formula to do the calculation:

$$V \text{ segment} = ((\pi * R * R * \text{angle} / 360) - (0.5 * R * R * \sin \text{angle})) / (\pi * R * R / \text{volume cylinder in litre})$$

(this is the simplified version of the original formula)

All measurements are metric, the radius, length and depth being in centimetre and the resulting volume in litre.

C R Thonus 2005

PREFACE TO THE SECOND EDITION

This edition contains the same information as my first book but I added 725 smaller cylinders in order to have a larger choice of the most common cylinder dimensions.

In appendix A I added some information on the formula used to calculate the segments.

For each cylinder I added the percentage of the liquid volume and the air volume corresponding to each liquid level.

In appendix D a simple method to determine the maximum cylinder volume in a right square prism.

Readers who are interested in cylinders which are not in this book, or who want more information, please contact me.

C R Thonus 2006

CONTENTS

Preface (page 3)

Cylinders (pages 24-3418)

Appendix A: Formula (page 3419)

Appendix B: Practical example (page 3423)

Appendix C: Miscellaneous (page 3429)

Appendix D: Maximum cylinder (page 3432)

Appendix E: Unit solids (page 3493)

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
1	2000-----	500-----	24
2	1900-----	450-----	43
3	1800-----	400-----	61
4	1700-----	350-----	77
5	1600-----	300-----	91
6	1500-----	250-----	103
7	1400-----	200-----	113
8	1300-----	150-----	121
9	1200-----	150-----	127
10	1100-----	150-----	133
11	1000-----	150-----	139
12	1000-----	145-----	145
13	1000-----	140-----	151
14	1000-----	135-----	157
15	1000-----	130-----	163
16	1000-----	125-----	168
17	1000-----	120-----	173
18	1000-----	115-----	181
19	1000-----	110-----	183
20	1000-----	105-----	188
21	1000-----	100-----	192
22	1000-----	95-----	196
23	1000-----	90-----	200
24	1000-----	85-----	204
25	1000-----	80-----	208
26	1000-----	75-----	212
27	1000-----	70-----	215
28	1000-----	65-----	218
29	1000-----	60-----	221
30	1000-----	55-----	224
31	1000-----	50-----	227
32	900-----	150-----	229
33	900-----	145-----	235
34	900-----	140-----	241
35	900-----	135-----	247
36	900-----	130-----	253
37	900-----	125-----	258
38	900-----	120-----	263
39	900-----	115-----	268
40	900-----	110-----	273
41	900-----	105-----	278
42	900-----	100-----	282
43	900-----	95-----	286
44	900-----	90-----	290
45	900-----	85-----	294

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
46	900-----	80-----	298
47	900-----	75-----	302
48	900-----	70-----	305
49	900-----	65-----	308
50	900-----	60-----	311
51	900-----	55-----	314
52	900-----	50-----	317
53	800-----	150-----	319
54	800-----	145-----	325
55	800-----	140-----	331
56	800-----	135-----	337
57	800-----	130-----	343
58	800-----	125-----	348
59	800-----	120-----	353
60	800-----	115-----	358
61	800-----	110-----	363
62	800-----	105-----	368
63	800-----	100-----	372
64	800-----	95-----	376
65	800-----	90-----	380
66	800-----	85-----	384
67	800-----	80-----	388
68	800-----	75-----	392
69	800-----	70-----	395
70	800-----	65-----	398
71	800-----	60-----	401
72	800-----	55-----	404
73	800-----	50-----	407
74	700-----	150-----	409
75	700-----	145-----	415
76	700-----	140-----	421
77	700-----	135-----	427
78	700-----	130-----	433
79	700-----	125-----	438
80	700-----	120-----	443
81	700-----	115-----	448
82	700-----	110-----	453
83	700-----	105-----	458
84	700-----	100-----	462
85	700-----	95-----	466
86	700-----	90-----	470
87	700-----	85-----	474
88	700-----	80-----	478
89	700-----	75-----	482
90	700-----	70-----	485

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
91	700-----	65-----	488
92	700-----	60-----	491
93	700-----	55-----	494
94	700-----	50-----	497
95	600-----	150-----	499
96	600-----	145-----	505
97	600-----	140-----	511
98	600-----	135-----	517
99	600-----	130-----	523
100	600-----	125-----	528
101	600-----	120-----	533
102	600-----	115-----	538
103	600-----	110-----	543
104	600-----	105-----	548
105	600-----	100-----	552
106	600-----	95-----	556
107	600-----	90-----	560
108	600-----	85-----	564
109	600-----	80-----	568
110	600-----	75-----	572
111	600-----	70-----	575
112	600-----	65-----	578
113	600-----	60-----	581
114	600-----	55-----	584
115	600-----	50-----	587
116	500-----	150-----	589
117	500-----	145-----	595
118	500-----	140-----	601
119	500-----	135-----	607
120	500-----	130-----	613
121	500-----	125-----	618
122	500-----	120-----	623
123	500-----	115-----	628
124	500-----	110-----	633
125	500-----	105-----	638
126	500-----	100-----	642
127	500-----	95-----	646
128	500-----	90-----	650
129	500-----	85-----	654
130	500-----	80-----	658
131	500-----	75-----	662
132	500-----	70-----	665
133	500-----	65-----	668
134	500-----	60-----	671
135	500-----	55-----	674

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
136	500-----	50-----	677
137	490-----	150-----	679
138	490-----	145-----	685
139	490-----	140-----	691
140	490-----	135-----	697
141	490-----	130-----	703
142	490-----	125-----	708
143	490-----	120-----	713
144	490-----	115-----	718
145	490-----	110-----	723
146	490-----	105-----	728
147	490-----	100-----	732
148	490-----	95-----	736
149	490-----	90-----	740
150	490-----	85-----	744
151	490-----	80-----	748
152	490-----	75-----	752
153	490-----	70-----	755
154	490-----	65-----	758
155	490-----	60-----	761
156	490-----	55-----	764
157	490-----	50-----	767
158	480-----	150-----	769
159	480-----	145-----	775
160	480-----	140-----	781
161	480-----	135-----	787
162	480-----	130-----	793
163	480-----	125-----	798
164	480-----	120-----	803
165	480-----	115-----	808
166	480-----	110-----	813
167	480-----	105-----	818
168	480-----	100-----	822
169	480-----	95-----	826
170	480-----	90-----	830
171	480-----	85-----	834
172	480-----	80-----	838
173	480-----	75-----	842
174	480-----	70-----	845
175	480-----	65-----	848
176	480-----	60-----	851
177	480-----	55-----	854
178	480-----	50-----	857
179	470-----	150-----	859
180	470-----	145-----	865

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
181	470-----	140-----	871
182	470-----	135-----	877
183	470-----	130-----	883
184	470-----	125-----	888
185	470-----	120-----	893
186	470-----	115-----	898
187	470-----	110-----	903
188	470-----	105-----	908
189	470-----	100-----	912
190	470-----	95-----	916
191	470-----	90-----	920
192	470-----	85-----	924
193	470-----	80-----	928
194	470-----	75-----	932
195	470-----	70-----	935
196	470-----	65-----	938
197	470-----	60-----	941
198	470-----	55-----	944
199	470-----	50-----	947
200	460-----	150-----	949
201	460-----	145-----	955
202	460-----	140-----	961
203	460-----	135-----	967
204	460-----	130-----	973
205	460-----	125-----	978
206	460-----	120-----	983
207	460-----	115-----	988
208	460-----	110-----	993
209	460-----	105-----	998
210	460-----	100-----	1002
211	460-----	95-----	1006
212	460-----	90-----	1010
213	460-----	85-----	1014
214	460-----	80-----	1018
215	460-----	75-----	1022
216	460-----	70-----	1025
217	460-----	65-----	1028
218	460-----	60-----	1031
219	460-----	55-----	1034
220	460-----	50-----	1037
221	450-----	150-----	1039
222	450-----	145-----	1045
223	450-----	140-----	1051
224	450-----	135-----	1057
225	450-----	130-----	1063

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
226	450-----	125-----	1068
227	450-----	120-----	1073
228	450-----	115-----	1078
229	450-----	110-----	1083
230	450-----	105-----	1088
231	450-----	100-----	1092
232	450-----	95-----	1096
233	450-----	90-----	1100
234	450-----	85-----	1104
235	450-----	80-----	1108
236	450-----	75-----	1112
237	450-----	70-----	1115
238	450-----	65-----	1118
239	450-----	60-----	1121
240	450-----	55-----	1124
241	450-----	50-----	1127
242	440-----	150-----	1129
243	440-----	145-----	1135
244	440-----	140-----	1141
245	440-----	135-----	1147
246	440-----	130-----	1153
247	440-----	125-----	1158
248	440-----	120-----	1163
249	440-----	115-----	1168
250	440-----	110-----	1173
251	440-----	105-----	1178
252	440-----	100-----	1182
253	440-----	95-----	1186
254	440-----	90-----	1190
255	440-----	85-----	1194
256	440-----	80-----	1198
257	440-----	75-----	1202
258	440-----	70-----	1205
259	440-----	65-----	1208
260	440-----	60-----	1211
261	440-----	55-----	1214
262	440-----	50-----	1217
263	430-----	150-----	1219
264	430-----	145-----	1225
265	430-----	140-----	1231
266	430-----	135-----	1237
267	430-----	130-----	1243
268	430-----	125-----	1248
269	430-----	120-----	1253
270	430-----	115-----	1258

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
271	430-----	110-----	1263
272	430-----	105-----	1268
273	430-----	100-----	1272
274	430-----	95-----	1276
275	430-----	90-----	1280
276	430-----	85-----	1284
277	430-----	80-----	1288
278	430-----	75-----	1292
279	430-----	70-----	1295
280	430-----	65-----	1298
281	430-----	60-----	1301
282	430-----	55-----	1304
283	430-----	50-----	1307
284	420-----	150-----	1309
285	420-----	145-----	1315
286	420-----	140-----	1321
287	420-----	135-----	1327
288	420-----	130-----	1333
289	420-----	125-----	1338
290	420-----	120-----	1343
291	420-----	115-----	1348
292	420-----	110-----	1353
293	420-----	105-----	1358
294	420-----	100-----	1362
295	420-----	95-----	1366
296	420-----	90-----	1370
297	420-----	85-----	1374
298	420-----	80-----	1378
299	420-----	75-----	1382
300	420-----	70-----	1385
301	420-----	65-----	1388
302	420-----	60-----	1391
303	420-----	55-----	1394
304	420-----	50-----	1397
305	410-----	150-----	1399
306	410-----	145-----	1405
307	410-----	140-----	1411
308	410-----	135-----	1417
309	410-----	130-----	1423
310	410-----	125-----	1428
311	410-----	120-----	1433
312	410-----	115-----	1438
313	410-----	110-----	1443
314	410-----	105-----	1448
315	410-----	100-----	1452

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
316	410-----	95-----	1456
317	410-----	90-----	1460
318	410-----	85-----	1464
319	410-----	80-----	1468
320	410-----	75-----	1472
321	410-----	70-----	1475
322	410-----	65-----	1478
323	410-----	60-----	1481
324	410-----	55-----	1484
325	410-----	50-----	1487
326	400-----	150-----	1489
327	400-----	145-----	1495
328	400-----	140-----	1501
329	400-----	135-----	1507
330	400-----	130-----	1513
331	400-----	125-----	1518
332	400-----	120-----	1523
333	400-----	115-----	1528
334	400-----	110-----	1533
335	400-----	105-----	1538
336	400-----	100-----	1542
337	400-----	95-----	1546
338	400-----	90-----	1550
339	400-----	85-----	1554
340	400-----	80-----	1558
341	400-----	75-----	1562
342	400-----	70-----	1565
343	400-----	65-----	1568
344	400-----	60-----	1571
345	400-----	55-----	1574
346	400-----	50-----	1577
347	390-----	150-----	1579
348	390-----	145-----	1585
349	390-----	140-----	1591
350	390-----	135-----	1597
351	390-----	130-----	1603
352	390-----	125-----	1608
353	390-----	120-----	1613
354	390-----	115-----	1618
355	390-----	110-----	1623
356	390-----	105-----	1628
357	390-----	100-----	1632
358	390-----	95-----	1636
359	390-----	90-----	1640
360	390-----	85-----	1644

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
361	390	80	1648
362	390	75	1652
363	390	70	1655
364	390	65	1658
365	390	60	1661
366	390	55	1664
367	390	50	1667
368	380	150	1669
369	380	145	1675
370	380	140	1681
371	380	135	1687
372	380	130	1693
373	380	125	1698
374	380	120	1703
375	380	115	1708
376	380	110	1713
377	380	105	1718
378	380	100	1722
379	380	95	1726
380	380	90	1730
381	380	85	1734
382	380	80	1738
383	380	75	1742
384	380	70	1745
385	380	65	1748
386	380	60	1751
387	380	55	1754
388	380	50	1757
389	370	150	1759
390	370	145	1765
391	370	140	1771
392	370	135	1777
393	370	130	1783
394	370	125	1788
395	370	120	1793
396	370	115	1798
397	370	110	1803
398	370	105	1808
399	370	100	1812
400	370	95	1816
401	370	90	1820
402	370	85	1824
403	370	80	1828
404	370	75	1832
405	370	70	1835

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
406	370-----	65-----	1838
407	370-----	60-----	1841
408	370-----	55-----	1844
409	370-----	50-----	1847
410	360-----	150-----	1849
411	360-----	145-----	1855
412	360-----	140-----	1861
413	360-----	135-----	1867
414	360-----	130-----	1873
415	360-----	125-----	1878
416	360-----	120-----	1883
417	360-----	115-----	1888
418	360-----	110-----	1893
419	360-----	105-----	1898
420	360-----	100-----	1902
421	360-----	95-----	1906
422	360-----	90-----	1910
423	360-----	85-----	1914
424	360-----	80-----	1918
425	360-----	75-----	1922
426	360-----	70-----	1925
427	360-----	65-----	1928
428	360-----	60-----	1931
429	360-----	55-----	1934
430	360-----	50-----	1937
431	350-----	150-----	1939
432	350-----	145-----	1945
433	350-----	140-----	1951
434	350-----	135-----	1957
435	350-----	130-----	1963
436	350-----	125-----	1968
437	350-----	120-----	1973
438	350-----	115-----	1978
439	350-----	110-----	1983
440	350-----	105-----	1988
441	350-----	100-----	1992
442	350-----	95-----	1996
443	350-----	90-----	2000
444	350-----	85-----	2004
445	350-----	80-----	2008
446	350-----	75-----	2012
447	350-----	70-----	2015
448	350-----	65-----	2018
449	350-----	60-----	2021
450	350-----	55-----	2024

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
451	350-----	50-----	2027
452	340-----	150-----	2029
453	340-----	145-----	2035
454	340-----	140-----	2041
455	340-----	135-----	2047
456	340-----	130-----	2053
457	340-----	125-----	2058
458	340-----	120-----	2063
459	340-----	115-----	2068
460	340-----	110-----	2073
461	340-----	105-----	2078
462	340-----	100-----	2082
463	340-----	95-----	2086
464	340-----	90-----	2090
465	340-----	85-----	2094
466	340-----	80-----	2098
467	340-----	75-----	2102
468	340-----	70-----	2105
469	340-----	65-----	2108
470	340-----	60-----	2111
471	340-----	55-----	2114
472	340-----	50-----	2117
473	330-----	150-----	2119
474	330-----	145-----	2125
475	330-----	140-----	2131
476	330-----	135-----	2137
477	330-----	130-----	2143
478	330-----	125-----	2148
479	330-----	120-----	2153
480	330-----	115-----	2158
481	330-----	110-----	2163
482	330-----	105-----	2168
483	330-----	100-----	2172
484	330-----	95-----	2176
485	330-----	90-----	2180
486	330-----	85-----	2184
487	330-----	80-----	2188
488	330-----	75-----	2192
489	330-----	70-----	2195
490	330-----	65-----	2198
491	330-----	60-----	2201
492	330-----	55-----	2204
493	330-----	50-----	2207
494	320-----	150-----	2209
495	320-----	145-----	2215

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
496	320-----	140-----	2221
497	320-----	135-----	2227
498	320-----	130-----	2233
499	320-----	125-----	2238
500	320-----	120-----	2243
501	320-----	115-----	2248
502	320-----	110-----	2253
503	320-----	105-----	2258
504	320-----	100-----	2262
505	320-----	95-----	2266
506	320-----	90-----	2270
507	320-----	85-----	2274
508	320-----	80-----	2278
509	320-----	75-----	2282
510	320-----	70-----	2285
511	320-----	65-----	2288
512	320-----	60-----	2291
513	320-----	55-----	2294
514	320-----	50-----	2297
515	310-----	150-----	2299
516	310-----	145-----	2305
517	310-----	140-----	2311
518	310-----	135-----	2317
519	310-----	130-----	2323
520	310-----	125-----	2328
521	310-----	120-----	2333
522	310-----	115-----	2338
523	310-----	110-----	2343
524	310-----	105-----	2348
525	310-----	100-----	2352
526	310-----	95-----	2356
527	310-----	90-----	2360
528	310-----	85-----	2364
529	310-----	80-----	2368
530	310-----	75-----	2372
531	310-----	70-----	2375
532	310-----	65-----	2378
533	310-----	60-----	2381
534	310-----	55-----	2384
535	310-----	50-----	2387
536	300-----	150-----	2389
537	300-----	145-----	2395
538	300-----	140-----	2401
539	300-----	135-----	2407
540	300-----	130-----	2413

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
541	300-----	125-----	2418
542	300-----	120-----	2423
543	300-----	115-----	2428
544	300-----	110-----	2433
545	300-----	105-----	2438
546	300-----	100-----	2442
547	300-----	95-----	2446
548	300-----	90-----	2450
549	300-----	85-----	2454
550	300-----	80-----	2458
551	300-----	75-----	2462
552	300-----	70-----	2465
553	300-----	65-----	2468
554	300-----	60-----	2471
555	300-----	55-----	2474
556	300-----	50-----	2477
557	290-----	125-----	2479
558	290-----	120-----	2484
559	290-----	115-----	2489
560	290-----	110-----	2494
561	290-----	105-----	2499
562	290-----	100-----	2503
563	290-----	95-----	2507
564	290-----	90-----	2511
565	290-----	85-----	2515
566	290-----	80-----	2519
567	290-----	75-----	2523
568	290-----	70-----	2526
569	290-----	65-----	2529
570	290-----	60-----	2532
571	290-----	55-----	2535
572	290-----	50-----	2538
573	280-----	125-----	2540
574	280-----	120-----	2545
575	280-----	115-----	2550
576	280-----	110-----	2555
577	280-----	105-----	2560
578	280-----	100-----	2564
579	280-----	95-----	2568
580	280-----	90-----	2572
581	280-----	85-----	2576
582	280-----	80-----	2580
583	280-----	75-----	2584
584	280-----	70-----	2587
585	280-----	65-----	2590

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
586	280-----	60-----	2593
587	280-----	55-----	2596
588	280-----	50-----	2599
589	270-----	125-----	2601
590	270-----	120-----	2606
591	270-----	115-----	2611
592	270-----	110-----	2616
593	270-----	105-----	2621
594	270-----	100-----	2625
595	270-----	95-----	2629
596	270-----	90-----	2633
597	270-----	85-----	2637
598	270-----	80-----	2641
599	270-----	75-----	2645
600	270-----	70-----	2648
601	270-----	65-----	2651
602	270-----	60-----	2654
603	270-----	55-----	2657
604	270-----	50-----	2660
605	260-----	125-----	2662
606	260-----	120-----	2667
607	260-----	115-----	2672
608	260-----	110-----	2677
609	260-----	105-----	2682
610	260-----	100-----	2686
611	260-----	95-----	2690
612	260-----	90-----	2694
613	260-----	85-----	2698
614	260-----	80-----	2702
615	260-----	75-----	2706
616	260-----	70-----	2709
617	260-----	65-----	2712
618	260-----	60-----	2715
619	260-----	55-----	2718
620	260-----	50-----	2721
621	250-----	125-----	2723
622	250-----	120-----	2728
623	250-----	115-----	2733
624	250-----	110-----	2738
625	250-----	105-----	2743
626	250-----	100-----	2747
627	250-----	95-----	2751
628	250-----	90-----	2755
629	250-----	85-----	2759
630	250-----	80-----	2763

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
631	250-----	75-----	2767
632	250-----	70-----	2770
633	250-----	65-----	2773
634	250-----	60-----	2776
635	250-----	55-----	2779
636	250-----	50-----	2782
637	240-----	100-----	2784
638	240-----	95-----	2788
639	240-----	90-----	2792
640	240-----	85-----	2796
641	240-----	80-----	2800
642	240-----	75-----	2804
643	240-----	70-----	2807
644	240-----	65-----	2810
645	240-----	60-----	2813
646	240-----	55-----	2816
647	240-----	50-----	2819
648	230-----	100-----	2821
649	230-----	95-----	2825
650	230-----	90-----	2829
651	230-----	85-----	2833
652	230-----	80-----	2837
653	230-----	75-----	2841
654	230-----	70-----	2844
655	230-----	65-----	2847
656	230-----	60-----	2850
657	230-----	55-----	2853
658	230-----	50-----	2856
659	220-----	100-----	2858
660	220-----	95-----	2862
661	220-----	90-----	2866
662	220-----	85-----	2870
663	220-----	80-----	2874
664	220-----	75-----	2878
665	220-----	70-----	2881
666	220-----	65-----	2884
667	220-----	60-----	2887
668	220-----	55-----	2890
669	220-----	50-----	2893
670	210-----	100-----	2895
671	210-----	95-----	2899
672	210-----	90-----	2903
673	210-----	85-----	2907
674	210-----	80-----	2911
675	210-----	75-----	2915

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
676	210-----	70-----	2918
677	210-----	65-----	2921
678	210-----	60-----	2924
679	210-----	55-----	2927
680	210-----	50-----	2930
681	200-----	100-----	2932
682	200-----	95-----	2940
683	200-----	90-----	2948
684	200-----	85-----	2955
685	200-----	80-----	2962
686	200-----	75-----	2969
687	200-----	70-----	2975
688	200-----	65-----	2981
689	200-----	60-----	2986
690	200-----	55-----	2991
691	200-----	50-----	2996
692	200-----	45-----	3000
693	200-----	40-----	3004
694	200-----	35-----	3008
695	200-----	30-----	3011
696	190-----	75-----	3014
697	190-----	70-----	3020
698	190-----	65-----	3026
699	190-----	60-----	3031
700	190-----	55-----	3036
701	190-----	50-----	3041
702	190-----	45-----	3045
703	190-----	40-----	3049
704	190-----	35-----	3053
705	190-----	30-----	3056
706	180-----	75-----	3059
707	180-----	70-----	3065
708	180-----	65-----	3071
709	180-----	60-----	3076
710	180-----	55-----	3081
711	180-----	50-----	3086
712	180-----	45-----	3090
713	180-----	40-----	3094
714	180-----	35-----	3098
715	180-----	30-----	3101
716	170-----	70-----	3104
717	170-----	65-----	3110
718	170-----	60-----	3115
719	170-----	55-----	3120
720	170-----	50-----	3125

CYLINDERS


	LENGTH cm	RADIUS cm	PAGE
721	170	45	3129
722	170	40	3133
723	170	35	3137
724	170	30	3140
725	170	25	3143
726	160	65	3145
727	160	60	3150
728	160	55	3155
729	160	50	3160
730	160	45	3164
731	160	40	3168
732	160	35	3172
733	160	30	3175
734	160	25	3178
735	150	65	3180
736	150	60	3185
737	150	55	3190
738	150	50	3195
739	150	45	3199
740	150	40	3203
741	150	35	3207
742	150	30	3210
743	150	25	3213
744	140	60	3215
745	140	55	3220
746	140	50	3225
747	140	45	3229
748	140	40	3233
749	140	35	3237
750	140	30	3240
751	140	25	3243
752	130	50	3245
753	130	45	3249
754	130	40	3253
755	130	35	3257
756	130	30	3260
757	130	25	3263
758	130	20	3265
759	120	50	3267
760	120	45	3271
761	120	40	3275
762	120	35	3279
763	120	30	3282
764	120	25	3285
765	120	20	3287

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
766	120-----	15-----	3289
767	110-----	50-----	3291
768	110-----	45-----	3295
769	110-----	40-----	3299
770	110-----	35-----	3303
771	110-----	30-----	3306
772	110-----	25-----	3309
773	110-----	20-----	3311
774	110-----	15-----	3313
775	100-----	50-----	3315
776	100-----	45-----	3319
777	100-----	40-----	3323
778	100-----	35-----	3327
779	100-----	30-----	3330
780	100-----	25-----	3333
781	100-----	20-----	3335
782	100-----	15-----	3337
783	100-----	10-----	3339
784	90-----	45-----	3340
785	90-----	40-----	3344
786	90-----	35-----	3348
787	90-----	30-----	3351
788	90-----	25-----	3354
789	90-----	20-----	3356
790	90-----	15-----	3358
791	90-----	10-----	3360
792	90-----	5-----	3361
793	80-----	40-----	3363
794	80-----	35-----	3367
795	80-----	30-----	3370
796	80-----	25-----	3373
797	80-----	20-----	3375
798	80-----	15-----	3377
799	80-----	10-----	3379
800	80-----	5-----	3380
801	70-----	35-----	3382
802	70-----	30-----	3385
803	70-----	25-----	3388
804	70-----	20-----	3390
805	70-----	15-----	3392
806	70-----	10-----	3394
807	70-----	5-----	3395
808	60-----	30-----	3397
809	60-----	25-----	3400
810	60-----	20-----	3402

CYLINDERS

	LENGTH cm	RADIUS cm	PAGE
811	60-----	15-----	3404
812	60-----	10-----	3406
813	60-----	5-----	3407
814	50-----	25-----	3409
815	50-----	20-----	3411
816	50-----	15-----	3413
817	50-----	10-----	3415
818	50-----	5-----	3416
819	50-----	2,5-----	3418



© Copyright Christiaan Robert Thonus 2005-2006

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
2000	CM	500	CM	1000 LEVEL CM	1570796,3268 litre	100,000 %	0,0000 litre	O
2000	CM	500	CM	999 LEVEL CM	1570712,0247 litre	99,995 %	84,3021 litre	O
2000	CM	500	CM	998 LEVEL CM	1570557,9560 litre	99,985 %	238,3708 litre	O
2000	CM	500	CM	997 LEVEL CM	1570358,5433 litre	99,972 %	437,7835 litre	O
2000	CM	500	CM	996 LEVEL CM	1570122,5177 litre	99,957 %	673,8091 litre	O
2000	CM	500	CM	995 LEVEL CM	1569854,9332 litre	99,940 %	941,3936 litre	O
2000	CM	500	CM	994 LEVEL CM	1569559,2054 litre	99,921 %	1237,1214 litre	O
2000	CM	500	CM	993 LEVEL CM	1569237,8452 litre	99,901 %	1558,4816 litre	O
2000	CM	500	CM	992 LEVEL CM	1568892,8015 litre	99,879 %	1903,5253 litre	O
2000	CM	500	CM	991 LEVEL CM	1568525,6443 litre	99,855 %	2270,6825 litre	O
2000	CM	500	CM	990 LEVEL CM	1568137,6745 litre	99,831 %	2658,6523 litre	O
2000	CM	500	CM	989 LEVEL CM	1567729,9933 litre	99,805 %	3066,3335 litre	O
2000	CM	500	CM	988 LEVEL CM	1567303,5491 litre	99,778 %	3492,7777 litre	O
2000	CM	500	CM	987 LEVEL CM	1566859,1698 litre	99,749 %	3937,1570 litre	O
2000	CM	500	CM	986 LEVEL CM	1566397,5867 litre	99,720 %	4398,7401 litre	O
2000	CM	500	CM	985 LEVEL CM	1565919,4521 litre	99,690 %	4876,8747 litre	O
2000	CM	500	CM	984 LEVEL CM	1565425,3528 litre	99,658 %	5370,9740 litre	O
2000	CM	500	CM	983 LEVEL CM	1564915,8202 litre	99,626 %	5880,5066 litre	O
2000	CM	500	CM	982 LEVEL CM	1564391,3389 litre	99,592 %	6404,9879 litre	O
2000	CM	500	CM	981 LEVEL CM	1563852,3532 litre	99,558 %	6943,9736 litre	O
2000	CM	500	CM	980 LEVEL CM	1563299,2722 litre	99,523 %	7497,0546 litre	O
2000	CM	500	CM	979 LEVEL CM	1562732,4747 litre	99,487 %	8063,8521 litre	O
2000	CM	500	CM	978 LEVEL CM	1562152,3125 litre	99,450 %	8644,0143 litre	O
2000	CM	500	CM	977 LEVEL CM	1561559,1137 litre	99,412 %	9237,2131 litre	O
2000	CM	500	CM	976 LEVEL CM	1560953,1851 litre	99,373 %	9843,1417 litre	O
2000	CM	500	CM	975 LEVEL CM	1560334,8146 litre	99,334 %	10461,5122 litre	O
2000	CM	500	CM	974 LEVEL CM	1559704,2731 litre	99,294 %	11092,0537 litre	O
2000	CM	500	CM	973 LEVEL CM	1559061,8160 litre	99,253 %	11734,5108 litre	O
2000	CM	500	CM	972 LEVEL CM	1558407,6849 litre	99,211 %	12388,6419 litre	O
2000	CM	500	CM	971 LEVEL CM	1557742,1085 litre	99,169 %	13054,2183 litre	O
2000	CM	500	CM	970 LEVEL CM	1557065,3040 litre	99,126 %	13731,0228 litre	O
2000	CM	500	CM	969 LEVEL CM	1556377,4779 litre	99,082 %	14418,8489 litre	O
2000	CM	500	CM	968 LEVEL CM	1555678,8270 litre	99,038 %	15117,4998 litre	O
2000	CM	500	CM	967 LEVEL CM	1554969,5391 litre	98,992 %	15826,7877 litre	O
2000	CM	500	CM	966 LEVEL CM	1554249,7935 litre	98,947 %	16546,5333 litre	O
2000	CM	500	CM	965 LEVEL CM	1553519,7620 litre	98,900 %	17276,5648 litre	O
2000	CM	500	CM	964 LEVEL CM	1552779,6091 litre	98,853 %	18016,7177 litre	O
2000	CM	500	CM	963 LEVEL CM	1552029,4928 litre	98,805 %	18766,8340 litre	O
2000	CM	500	CM	962 LEVEL CM	1551269,5646 litre	98,757 %	19526,7622 litre	O
2000	CM	500	CM	961 LEVEL CM	1550499,9706 litre	98,708 %	20296,3562 litre	O
2000	CM	500	CM	960 LEVEL CM	1549720,8511 litre	98,658 %	21075,4757 litre	O
2000	CM	500	CM	959 LEVEL CM	1548932,3415 litre	98,608 %	21863,9853 litre	O
2000	CM	500	CM	958 LEVEL CM	1548134,5723 litre	98,557 %	22661,7545 litre	O
2000	CM	500	CM	957 LEVEL CM	1547327,6697 litre	98,506 %	23468,6571 litre	O
2000	CM	500	CM	956 LEVEL CM	1546511,7555 litre	98,454 %	24284,5713 litre	O
2000	CM	500	CM	955 LEVEL CM	1545686,9475 litre	98,401 %	25109,3793 litre	O
2000	CM	500	CM	954 LEVEL CM	1544853,3599 litre	98,348 %	25942,9669 litre	O
2000	CM	500	CM	953 LEVEL CM	1544011,1031 litre	98,295 %	26785,2237 litre	O
2000	CM	500	CM	952 LEVEL CM	1543160,2843 litre	98,241 %	27636,0425 litre	O
2000	CM	500	CM	951 LEVEL CM	1542301,0074 litre	98,186 %	28495,3194 litre	O
2000	CM	500	CM	950 LEVEL CM	1541433,3734 litre	98,131 %	29362,9534 litre	O
2000	CM	500	CM	949 LEVEL CM	1540557,4801 litre	98,075 %	30238,8467 litre	O

2000	CM	500	CM	948 LEVEL CM	1539673,4228 litre	98,019 %	31122,9040 litre	O
2000	CM	500	CM	947 LEVEL CM	1538781,2943 litre	97,962 %	32015,0325 litre	O
2000	CM	500	CM	946 LEVEL CM	1537881,1847 litre	97,905 %	32915,1421 litre	O
2000	CM	500	CM	945 LEVEL CM	1536973,1816 litre	97,847 %	33823,1452 litre	O
2000	CM	500	CM	944 LEVEL CM	1536057,3707 litre	97,788 %	34738,9561 litre	O
2000	CM	500	CM	943 LEVEL CM	1535133,8352 litre	97,730 %	35662,4916 litre	O
2000	CM	500	CM	942 LEVEL CM	1534202,6565 litre	97,670 %	36593,6703 litre	O
2000	CM	500	CM	941 LEVEL CM	1533263,9137 litre	97,611 %	37532,4131 litre	O
2000	CM	500	CM	940 LEVEL CM	1532317,6844 litre	97,550 %	38478,6424 litre	O
2000	CM	500	CM	939 LEVEL CM	1531364,0439 litre	97,490 %	39432,2829 litre	O
2000	CM	500	CM	938 LEVEL CM	1530403,0661 litre	97,428 %	40393,2607 litre	O
2000	CM	500	CM	937 LEVEL CM	1529434,8232 litre	97,367 %	41361,5036 litre	O
2000	CM	500	CM	936 LEVEL CM	1528459,3857 litre	97,305 %	42336,9411 litre	O
2000	CM	500	CM	935 LEVEL CM	1527476,8225 litre	97,242 %	43319,5043 litre	O
2000	CM	500	CM	934 LEVEL CM	1526487,2011 litre	97,179 %	44309,1257 litre	O
2000	CM	500	CM	933 LEVEL CM	1525490,5875 litre	97,116 %	45305,7393 litre	O
2000	CM	500	CM	932 LEVEL CM	1524487,0464 litre	97,052 %	46309,2804 litre	O
2000	CM	500	CM	931 LEVEL CM	1523476,6412 litre	96,988 %	47319,6856 litre	O
2000	CM	500	CM	930 LEVEL CM	1522459,4338 litre	96,923 %	48336,8930 litre	O
2000	CM	500	CM	929 LEVEL CM	1521435,4851 litre	96,858 %	49360,8417 litre	O
2000	CM	500	CM	928 LEVEL CM	1520404,8547 litre	96,792 %	50391,4721 litre	O
2000	CM	500	CM	927 LEVEL CM	1519367,6011 litre	96,726 %	51428,7257 litre	O
2000	CM	500	CM	926 LEVEL CM	1518323,7816 litre	96,659 %	52472,5452 litre	O
2000	CM	500	CM	925 LEVEL CM	1517273,4526 litre	96,593 %	53522,8742 litre	O
2000	CM	500	CM	924 LEVEL CM	1516216,6691 litre	96,525 %	54579,6577 litre	O
2000	CM	500	CM	923 LEVEL CM	1515153,4856 litre	96,458 %	55642,8412 litre	O
2000	CM	500	CM	922 LEVEL CM	1514083,9551 litre	96,390 %	56712,3717 litre	O
2000	CM	500	CM	921 LEVEL CM	1513008,1301 litre	96,321 %	57788,1967 litre	O
2000	CM	500	CM	920 LEVEL CM	1511926,0620 litre	96,252 %	58870,2648 litre	O
2000	CM	500	CM	919 LEVEL CM	1510837,8012 litre	96,183 %	59958,5256 litre	O
2000	CM	500	CM	918 LEVEL CM	1509743,3975 litre	96,113 %	61052,9293 litre	O
2000	CM	500	CM	917 LEVEL CM	1508642,8996 litre	96,043 %	62153,4272 litre	O
2000	CM	500	CM	916 LEVEL CM	1507536,3556 litre	95,973 %	63259,9712 litre	O
2000	CM	500	CM	915 LEVEL CM	1506423,8127 litre	95,902 %	64372,5141 litre	O
2000	CM	500	CM	914 LEVEL CM	1505305,3174 litre	95,831 %	65491,0094 litre	O
2000	CM	500	CM	913 LEVEL CM	1504180,9155 litre	95,759 %	66615,4113 litre	O
2000	CM	500	CM	912 LEVEL CM	1503050,6518 litre	95,687 %	67745,6750 litre	O
2000	CM	500	CM	911 LEVEL CM	1501914,5709 litre	95,615 %	68881,7559 litre	O
2000	CM	500	CM	910 LEVEL CM	1500772,7163 litre	95,542 %	70023,6105 litre	O
2000	CM	500	CM	909 LEVEL CM	1499625,1311 litre	95,469 %	71171,1957 litre	O
2000	CM	500	CM	908 LEVEL CM	1498471,8575 litre	95,396 %	72324,4693 litre	O
2000	CM	500	CM	907 LEVEL CM	1497312,9373 litre	95,322 %	73483,3895 litre	O
2000	CM	500	CM	906 LEVEL CM	1496148,4116 litre	95,248 %	74647,9152 litre	O
2000	CM	500	CM	905 LEVEL CM	1494978,3209 litre	95,173 %	75818,0059 litre	O
2000	CM	500	CM	904 LEVEL CM	1493802,7053 litre	95,098 %	76993,6215 litre	O
2000	CM	500	CM	903 LEVEL CM	1492621,6040 litre	95,023 %	78174,7228 litre	O
2000	CM	500	CM	902 LEVEL CM	1491435,0560 litre	94,948 %	79361,2708 litre	O
2000	CM	500	CM	901 LEVEL CM	1490243,0995 litre	94,872 %	80553,2273 litre	O
2000	CM	500	CM	900 LEVEL CM	1489045,7724 litre	94,796 %	81750,5544 litre	O
2000	CM	500	CM	899 LEVEL CM	1487843,1119 litre	94,719 %	82953,2149 litre	O
2000	CM	500	CM	898 LEVEL CM	1486635,1548 litre	94,642 %	84161,1720 litre	O
2000	CM	500	CM	897 LEVEL CM	1485421,9374 litre	94,565 %	85374,3894 litre	O
2000	CM	500	CM	896 LEVEL CM	1484203,4956 litre	94,487 %	86592,8312 litre	O

2000	CM	500	CM	895 LEVEL CM	1482979,8648 litre	94,409 %	87816,4620 litre	O
2000	CM	500	CM	894 LEVEL CM	1481751,0798 litre	94,331 %	89045,2470 litre	O
2000	CM	500	CM	893 LEVEL CM	1480517,1753 litre	94,253 %	90279,1515 litre	O
2000	CM	500	CM	892 LEVEL CM	1479278,1851 litre	94,174 %	91518,1417 litre	O
2000	CM	500	CM	891 LEVEL CM	1478034,1431 litre	94,095 %	92762,1837 litre	O
2000	CM	500	CM	890 LEVEL CM	1476785,0824 litre	94,015 %	94011,2444 litre	O
2000	CM	500	CM	889 LEVEL CM	1475531,0359 litre	93,935 %	95265,2909 litre	O
2000	CM	500	CM	888 LEVEL CM	1474272,0361 litre	93,855 %	96524,2907 litre	O
2000	CM	500	CM	887 LEVEL CM	1473008,1149 litre	93,775 %	97788,2119 litre	O
2000	CM	500	CM	886 LEVEL CM	1471739,3042 litre	93,694 %	99057,0226 litre	O
2000	CM	500	CM	885 LEVEL CM	1470465,6352 litre	93,613 %	100330,6916 litre	O
2000	CM	500	CM	884 LEVEL CM	1469187,1389 litre	93,531 %	101609,1879 litre	O
2000	CM	500	CM	883 LEVEL CM	1467903,8460 litre	93,450 %	102892,4808 litre	O
2000	CM	500	CM	882 LEVEL CM	1466615,7867 litre	93,368 %	104180,5401 litre	O
2000	CM	500	CM	881 LEVEL CM	1465322,9909 litre	93,285 %	105473,3359 litre	O
2000	CM	500	CM	880 LEVEL CM	1464025,4884 litre	93,203 %	106770,8384 litre	O
2000	CM	500	CM	879 LEVEL CM	1462723,3084 litre	93,120 %	108073,0184 litre	O
2000	CM	500	CM	878 LEVEL CM	1461416,4798 litre	93,037 %	109379,8470 litre	O
2000	CM	500	CM	877 LEVEL CM	1460105,0314 litre	92,953 %	110691,2954 litre	O
2000	CM	500	CM	876 LEVEL CM	1458788,9915 litre	92,869 %	112007,3353 litre	O
2000	CM	500	CM	875 LEVEL CM	1457468,3883 litre	92,785 %	113327,9385 litre	O
2000	CM	500	CM	874 LEVEL CM	1456143,2495 litre	92,701 %	114653,0773 litre	O
2000	CM	500	CM	873 LEVEL CM	1454813,6025 litre	92,616 %	115982,7243 litre	O
2000	CM	500	CM	872 LEVEL CM	1453479,4747 litre	92,531 %	117316,8521 litre	O
2000	CM	500	CM	871 LEVEL CM	1452140,8930 litre	92,446 %	118655,4338 litre	O
2000	CM	500	CM	870 LEVEL CM	1450797,8840 litre	92,361 %	119998,4428 litre	O
2000	CM	500	CM	869 LEVEL CM	1449450,4743 litre	92,275 %	121345,8525 litre	O
2000	CM	500	CM	868 LEVEL CM	1448098,6899 litre	92,189 %	122697,6369 litre	O
2000	CM	500	CM	867 LEVEL CM	1446742,5567 litre	92,102 %	124053,7701 litre	O
2000	CM	500	CM	866 LEVEL CM	1445382,1005 litre	92,016 %	125414,2263 litre	O
2000	CM	500	CM	865 LEVEL CM	1444017,3466 litre	91,929 %	126778,9802 litre	O
2000	CM	500	CM	864 LEVEL CM	1442648,3203 litre	91,842 %	128148,0065 litre	O
2000	CM	500	CM	863 LEVEL CM	1441275,0464 litre	91,754 %	129521,2804 litre	O
2000	CM	500	CM	862 LEVEL CM	1439897,5497 litre	91,667 %	130898,7771 litre	O
2000	CM	500	CM	861 LEVEL CM	1438515,8546 litre	91,579 %	132280,4722 litre	O
2000	CM	500	CM	860 LEVEL CM	1437129,9855 litre	91,491 %	133666,3413 litre	O
2000	CM	500	CM	859 LEVEL CM	1435739,9664 litre	91,402 %	135056,3604 litre	O
2000	CM	500	CM	858 LEVEL CM	1434345,8210 litre	91,313 %	136450,5058 litre	O
2000	CM	500	CM	857 LEVEL CM	1432947,5731 litre	91,224 %	137848,7537 litre	O
2000	CM	500	CM	856 LEVEL CM	1431545,2460 litre	91,135 %	139251,0808 litre	O
2000	CM	500	CM	855 LEVEL CM	1430138,8629 litre	91,045 %	140657,4639 litre	O
2000	CM	500	CM	854 LEVEL CM	1428728,4469 litre	90,956 %	142067,8799 litre	O
2000	CM	500	CM	853 LEVEL CM	1427314,0208 litre	90,866 %	143482,3060 litre	O
2000	CM	500	CM	852 LEVEL CM	1425895,6071 litre	90,775 %	144900,7197 litre	O
2000	CM	500	CM	851 LEVEL CM	1424473,2283 litre	90,685 %	146323,0985 litre	O
2000	CM	500	CM	850 LEVEL CM	1423046,9067 litre	90,594 %	147749,4201 litre	O
2000	CM	500	CM	849 LEVEL CM	1421616,6643 litre	90,503 %	149179,6625 litre	O
2000	CM	500	CM	848 LEVEL CM	1420182,5229 litre	90,412 %	150613,8039 litre	O
2000	CM	500	CM	847 LEVEL CM	1418744,5044 litre	90,320 %	152051,8224 litre	O
2000	CM	500	CM	846 LEVEL CM	1417302,6301 litre	90,228 %	153493,6967 litre	O
2000	CM	500	CM	845 LEVEL CM	1415856,9214 litre	90,136 %	154939,4054 litre	O
2000	CM	500	CM	844 LEVEL CM	1414407,3996 litre	90,044 %	156388,9272 litre	O
2000	CM	500	CM	843 LEVEL CM	1412954,0857 litre	89,951 %	157842,2411 litre	O

2000	CM	500	CM	842 LEVEL CM	1411497,0004 litre	89,859 %	159299,3264 litre	O
2000	CM	500	CM	841 LEVEL CM	1410036,1645 litre	89,766 %	160760,1623 litre	O
2000	CM	500	CM	840 LEVEL CM	1408571,5985 litre	89,672 %	162224,7283 litre	O
2000	CM	500	CM	839 LEVEL CM	1407103,3228 litre	89,579 %	163693,0040 litre	O
2000	CM	500	CM	838 LEVEL CM	1405631,3576 litre	89,485 %	165164,9692 litre	O
2000	CM	500	CM	837 LEVEL CM	1404155,7230 litre	89,391 %	166640,6038 litre	O
2000	CM	500	CM	836 LEVEL CM	1402676,4389 litre	89,297 %	168119,8879 litre	O
2000	CM	500	CM	835 LEVEL CM	1401193,5250 litre	89,203 %	169602,8018 litre	O
2000	CM	500	CM	834 LEVEL CM	1399707,0010 litre	89,108 %	171089,3258 litre	O
2000	CM	500	CM	833 LEVEL CM	1398216,8864 litre	89,013 %	172579,4404 litre	O
2000	CM	500	CM	832 LEVEL CM	1396723,2005 litre	88,918 %	174073,1263 litre	O
2000	CM	500	CM	831 LEVEL CM	1395225,9625 litre	88,823 %	175570,3643 litre	O
2000	CM	500	CM	830 LEVEL CM	1393725,1914 litre	88,727 %	177071,1354 litre	O
2000	CM	500	CM	829 LEVEL CM	1392220,9064 litre	88,632 %	178575,4204 litre	O
2000	CM	500	CM	828 LEVEL CM	1390713,1260 litre	88,536 %	180083,2008 litre	O
2000	CM	500	CM	827 LEVEL CM	1389201,8690 litre	88,439 %	181594,4578 litre	O
2000	CM	500	CM	826 LEVEL CM	1387687,1540 litre	88,343 %	183109,1728 litre	O
2000	CM	500	CM	825 LEVEL CM	1386168,9993 litre	88,246 %	184627,3275 litre	O
2000	CM	500	CM	824 LEVEL CM	1384647,4232 litre	88,149 %	186148,9036 litre	O
2000	CM	500	CM	823 LEVEL CM	1383122,4440 litre	88,052 %	187673,8828 litre	O
2000	CM	500	CM	822 LEVEL CM	1381594,0796 litre	87,955 %	189202,2472 litre	O
2000	CM	500	CM	821 LEVEL CM	1380062,3479 litre	87,857 %	190733,9789 litre	O
2000	CM	500	CM	820 LEVEL CM	1378527,2669 litre	87,760 %	192269,0599 litre	O
2000	CM	500	CM	819 LEVEL CM	1376988,8542 litre	87,662 %	193807,4726 litre	O
2000	CM	500	CM	818 LEVEL CM	1375447,1273 litre	87,564 %	195349,1995 litre	O
2000	CM	500	CM	817 LEVEL CM	1373902,1038 litre	87,465 %	196894,2230 litre	O
2000	CM	500	CM	816 LEVEL CM	1372353,8009 litre	87,367 %	198442,5259 litre	O
2000	CM	500	CM	815 LEVEL CM	1370802,2360 litre	87,268 %	199994,0908 litre	O
2000	CM	500	CM	814 LEVEL CM	1369247,4261 litre	87,169 %	201548,9007 litre	O
2000	CM	500	CM	813 LEVEL CM	1367689,3883 litre	87,070 %	203106,9385 litre	O
2000	CM	500	CM	812 LEVEL CM	1366128,1395 litre	86,970 %	204668,1873 litre	O
2000	CM	500	CM	811 LEVEL CM	1364563,6965 litre	86,871 %	206232,6303 litre	O
2000	CM	500	CM	810 LEVEL CM	1362996,0760 litre	86,771 %	207800,2508 litre	O
2000	CM	500	CM	809 LEVEL CM	1361425,2948 litre	86,671 %	209371,0320 litre	O
2000	CM	500	CM	808 LEVEL CM	1359851,3691 litre	86,571 %	210944,9577 litre	O
2000	CM	500	CM	807 LEVEL CM	1358274,3156 litre	86,470 %	212522,0112 litre	O
2000	CM	500	CM	806 LEVEL CM	1356694,1505 litre	86,370 %	214102,1763 litre	O
2000	CM	500	CM	805 LEVEL CM	1355110,8900 litre	86,269 %	215685,4368 litre	O
2000	CM	500	CM	804 LEVEL CM	1353524,5502 litre	86,168 %	217271,7766 litre	O
2000	CM	500	CM	803 LEVEL CM	1351935,1472 litre	86,067 %	218861,1796 litre	O
2000	CM	500	CM	802 LEVEL CM	1350342,6969 litre	85,965 %	220453,6299 litre	O
2000	CM	500	CM	801 LEVEL CM	1348747,2152 litre	85,864 %	222049,1116 litre	O
2000	CM	500	CM	800 LEVEL CM	1347148,7178 litre	85,762 %	223647,6090 litre	O
2000	CM	500	CM	799 LEVEL CM	1345547,2204 litre	85,660 %	225249,1064 litre	O
2000	CM	500	CM	798 LEVEL CM	1343942,7386 litre	85,558 %	226853,5882 litre	O
2000	CM	500	CM	797 LEVEL CM	1342335,2878 litre	85,456 %	228461,0390 litre	O
2000	CM	500	CM	796 LEVEL CM	1340724,8835 litre	85,353 %	230071,4433 litre	O
2000	CM	500	CM	795 LEVEL CM	1339111,5411 litre	85,250 %	231684,7857 litre	O
2000	CM	500	CM	794 LEVEL CM	1337495,2756 litre	85,148 %	233301,0512 litre	O
2000	CM	500	CM	793 LEVEL CM	1335876,1024 litre	85,045 %	234920,2244 litre	O
2000	CM	500	CM	792 LEVEL CM	1334254,0364 litre	84,941 %	236542,2904 litre	O
2000	CM	500	CM	791 LEVEL CM	1332629,0927 litre	84,838 %	238167,2341 litre	O
2000	CM	500	CM	790 LEVEL CM	1331001,2862 litre	84,734 %	239795,0406 litre	O

2000	CM	500	CM	789 LEVEL CM	1329370,6318 litre	84,630 %	241425,6950 litre	O
2000	CM	500	CM	788 LEVEL CM	1327737,1441 litre	84,526 %	243059,1827 litre	O
2000	CM	500	CM	787 LEVEL CM	1326100,8379 litre	84,422 %	244695,4889 litre	O
2000	CM	500	CM	786 LEVEL CM	1324461,7278 litre	84,318 %	246334,5990 litre	O
2000	CM	500	CM	785 LEVEL CM	1322819,8282 litre	84,213 %	247976,4986 litre	O
2000	CM	500	CM	784 LEVEL CM	1321175,1538 litre	84,109 %	249621,1730 litre	O
2000	CM	500	CM	783 LEVEL CM	1319527,7188 litre	84,004 %	251268,6080 litre	O
2000	CM	500	CM	782 LEVEL CM	1317877,5376 litre	83,899 %	252918,7892 litre	O
2000	CM	500	CM	781 LEVEL CM	1316224,6244 litre	83,793 %	254571,7024 litre	O
2000	CM	500	CM	780 LEVEL CM	1314568,9934 litre	83,688 %	256227,3334 litre	O
2000	CM	500	CM	779 LEVEL CM	1312910,6587 litre	83,582 %	257885,6681 litre	O
2000	CM	500	CM	778 LEVEL CM	1311249,6343 litre	83,477 %	259546,6925 litre	O
2000	CM	500	CM	777 LEVEL CM	1309585,9341 litre	83,371 %	261210,3927 litre	O
2000	CM	500	CM	776 LEVEL CM	1307919,5722 litre	83,265 %	262876,7546 litre	O
2000	CM	500	CM	775 LEVEL CM	1306250,5623 litre	83,158 %	264545,7645 litre	O
2000	CM	500	CM	774 LEVEL CM	1304578,9182 litre	83,052 %	266217,4086 litre	O
2000	CM	500	CM	773 LEVEL CM	1302904,6535 litre	82,945 %	267891,6733 litre	O
2000	CM	500	CM	772 LEVEL CM	1301227,7820 litre	82,839 %	269568,5448 litre	O
2000	CM	500	CM	771 LEVEL CM	1299548,3172 litre	82,732 %	271248,0096 litre	O
2000	CM	500	CM	770 LEVEL CM	1297866,2726 litre	82,625 %	272930,0542 litre	O
2000	CM	500	CM	769 LEVEL CM	1296181,6616 litre	82,517 %	274614,6652 litre	O
2000	CM	500	CM	768 LEVEL CM	1294494,4977 litre	82,410 %	276301,8291 litre	O
2000	CM	500	CM	767 LEVEL CM	1292804,7941 litre	82,303 %	277991,5327 litre	O
2000	CM	500	CM	766 LEVEL CM	1291112,5642 litre	82,195 %	279683,7626 litre	O
2000	CM	500	CM	765 LEVEL CM	1289417,8211 litre	82,087 %	281378,5057 litre	O
2000	CM	500	CM	764 LEVEL CM	1287720,5780 litre	81,979 %	283075,7488 litre	O
2000	CM	500	CM	763 LEVEL CM	1286020,8479 litre	81,871 %	284775,4789 litre	O
2000	CM	500	CM	762 LEVEL CM	1284318,6440 litre	81,762 %	286477,6828 litre	O
2000	CM	500	CM	761 LEVEL CM	1282613,9792 litre	81,654 %	288182,3476 litre	O
2000	CM	500	CM	760 LEVEL CM	1280906,8664 litre	81,545 %	289889,4604 litre	O
2000	CM	500	CM	759 LEVEL CM	1279197,3184 litre	81,436 %	291599,0084 litre	O
2000	CM	500	CM	758 LEVEL CM	1277485,3482 litre	81,327 %	293310,9786 litre	O
2000	CM	500	CM	757 LEVEL CM	1275770,9684 litre	81,218 %	295025,3584 litre	O
2000	CM	500	CM	756 LEVEL CM	1274054,1917 litre	81,109 %	296742,1351 litre	O
2000	CM	500	CM	755 LEVEL CM	1272335,0308 litre	80,999 %	298461,2960 litre	O
2000	CM	500	CM	754 LEVEL CM	1270613,4983 litre	80,890 %	300182,8285 litre	O
2000	CM	500	CM	753 LEVEL CM	1268889,6067 litre	80,780 %	301906,7201 litre	O
2000	CM	500	CM	752 LEVEL CM	1267163,3685 litre	80,670 %	303632,9583 litre	O
2000	CM	500	CM	751 LEVEL CM	1265434,7962 litre	80,560 %	305361,5306 litre	O
2000	CM	500	CM	750 LEVEL CM	1263703,9021 litre	80,450 %	307092,4247 litre	O
2000	CM	500	CM	749 LEVEL CM	1261970,6987 litre	80,340 %	308825,6281 litre	O
2000	CM	500	CM	748 LEVEL CM	1260235,1981 litre	80,229 %	310561,1287 litre	O
2000	CM	500	CM	747 LEVEL CM	1258497,4127 litre	80,118 %	312298,9141 litre	O
2000	CM	500	CM	746 LEVEL CM	1256757,3546 litre	80,008 %	314038,9722 litre	O
2000	CM	500	CM	745 LEVEL CM	1255015,0359 litre	79,897 %	315781,2909 litre	O
2000	CM	500	CM	744 LEVEL CM	1253270,4689 litre	79,786 %	317525,8579 litre	O
2000	CM	500	CM	743 LEVEL CM	1251523,6654 litre	79,674 %	319272,6614 litre	O
2000	CM	500	CM	742 LEVEL CM	1249774,6376 litre	79,563 %	321021,6892 litre	O
2000	CM	500	CM	741 LEVEL CM	1248023,3974 litre	79,452 %	322772,9294 litre	O
2000	CM	500	CM	740 LEVEL CM	1246269,9567 litre	79,340 %	324526,3701 litre	O
2000	CM	500	CM	739 LEVEL CM	1244514,3274 litre	79,228 %	326281,9994 litre	O
2000	CM	500	CM	738 LEVEL CM	1242756,5213 litre	79,116 %	328039,8055 litre	O
2000	CM	500	CM	737 LEVEL CM	1240996,5502 litre	79,004 %	329799,7766 litre	O

2000	CM	500	CM	736 LEVEL CM	1239234,4258 litre	78,892 %	331561,9010 litre	O
2000	CM	500	CM	735 LEVEL CM	1237470,1599 litre	78,780 %	333326,1669 litre	O
2000	CM	500	CM	734 LEVEL CM	1235703,7641 litre	78,667 %	335092,5627 litre	O
2000	CM	500	CM	733 LEVEL CM	1233935,2499 litre	78,555 %	336861,0769 litre	O
2000	CM	500	CM	732 LEVEL CM	1232164,6290 litre	78,442 %	338631,6978 litre	O
2000	CM	500	CM	731 LEVEL CM	1230391,9130 litre	78,329 %	340404,4138 litre	O
2000	CM	500	CM	730 LEVEL CM	1228617,1132 litre	78,216 %	342179,2136 litre	O
2000	CM	500	CM	729 LEVEL CM	1226840,2411 litre	78,103 %	343956,0857 litre	O
2000	CM	500	CM	728 LEVEL CM	1225061,3082 litre	77,990 %	345735,0186 litre	O
2000	CM	500	CM	727 LEVEL CM	1223280,3258 litre	77,876 %	347516,0010 litre	O
2000	CM	500	CM	726 LEVEL CM	1221497,3052 litre	77,763 %	349299,0216 litre	O
2000	CM	500	CM	725 LEVEL CM	1219712,2578 litre	77,649 %	351084,0690 litre	O
2000	CM	500	CM	724 LEVEL CM	1217925,1947 litre	77,536 %	352871,1321 litre	O
2000	CM	500	CM	723 LEVEL CM	1216136,1273 litre	77,422 %	354660,1995 litre	O
2000	CM	500	CM	722 LEVEL CM	1214345,0666 litre	77,308 %	356451,2602 litre	O
2000	CM	500	CM	721 LEVEL CM	1212552,0239 litre	77,193 %	358244,3029 litre	O
2000	CM	500	CM	720 LEVEL CM	1210757,0101 litre	77,079 %	360039,3167 litre	O
2000	CM	500	CM	719 LEVEL CM	1208960,0365 litre	76,965 %	361836,2903 litre	O
2000	CM	500	CM	718 LEVEL CM	1207161,1139 litre	76,850 %	363635,2129 litre	O
2000	CM	500	CM	717 LEVEL CM	1205360,2535 litre	76,736 %	365436,0733 litre	O
2000	CM	500	CM	716 LEVEL CM	1203557,4661 litre	76,621 %	367238,8607 litre	O
2000	CM	500	CM	715 LEVEL CM	1201752,7627 litre	76,506 %	369043,5641 litre	O
2000	CM	500	CM	714 LEVEL CM	1199946,1541 litre	76,391 %	370850,1727 litre	O
2000	CM	500	CM	713 LEVEL CM	1198137,6513 litre	76,276 %	372658,6755 litre	O
2000	CM	500	CM	712 LEVEL CM	1196327,2651 litre	76,161 %	374469,0617 litre	O
2000	CM	500	CM	711 LEVEL CM	1194515,0062 litre	76,045 %	376281,3206 litre	O
2000	CM	500	CM	710 LEVEL CM	1192700,8853 litre	75,930 %	378095,4415 litre	O
2000	CM	500	CM	709 LEVEL CM	1190884,9133 litre	75,814 %	379911,4135 litre	O
2000	CM	500	CM	708 LEVEL CM	1189067,1008 litre	75,698 %	381729,2260 litre	O
2000	CM	500	CM	707 LEVEL CM	1187247,4584 litre	75,583 %	383548,8684 litre	O
2000	CM	500	CM	706 LEVEL CM	1185425,9968 litre	75,467 %	385370,3300 litre	O
2000	CM	500	CM	705 LEVEL CM	1183602,7266 litre	75,350 %	387193,6002 litre	O
2000	CM	500	CM	704 LEVEL CM	1181777,6582 litre	75,234 %	389018,6686 litre	O
2000	CM	500	CM	703 LEVEL CM	1179950,8024 litre	75,118 %	390845,5244 litre	O
2000	CM	500	CM	702 LEVEL CM	1178122,1694 litre	75,002 %	392674,1574 litre	O
2000	CM	500	CM	701 LEVEL CM	1176291,7699 litre	74,885 %	394504,5569 litre	O
2000	CM	500	CM	700 LEVEL CM	1174459,6142 litre	74,768 %	396336,7126 litre	O
2000	CM	500	CM	699 LEVEL CM	1172625,7128 litre	74,652 %	398170,6140 litre	O
2000	CM	500	CM	698 LEVEL CM	1170790,0760 litre	74,535 %	400006,2508 litre	O
2000	CM	500	CM	697 LEVEL CM	1168952,7142 litre	74,418 %	401843,6126 litre	O
2000	CM	500	CM	696 LEVEL CM	1167113,6377 litre	74,301 %	403682,6891 litre	O
2000	CM	500	CM	695 LEVEL CM	1165272,8568 litre	74,184 %	405523,4700 litre	O
2000	CM	500	CM	694 LEVEL CM	1163430,3817 litre	74,066 %	407365,9451 litre	O
2000	CM	500	CM	693 LEVEL CM	1161586,2227 litre	73,949 %	409210,1041 litre	O
2000	CM	500	CM	692 LEVEL CM	1159740,3900 litre	73,831 %	411055,9368 litre	O
2000	CM	500	CM	691 LEVEL CM	1157892,8937 litre	73,714 %	412903,4331 litre	O
2000	CM	500	CM	690 LEVEL CM	1156043,7440 litre	73,596 %	414752,5828 litre	O
2000	CM	500	CM	689 LEVEL CM	1154192,9511 litre	73,478 %	416603,3757 litre	O
2000	CM	500	CM	688 LEVEL CM	1152340,5250 litre	73,360 %	418455,8018 litre	O
2000	CM	500	CM	687 LEVEL CM	1150486,4758 litre	73,242 %	420309,8510 litre	O
2000	CM	500	CM	686 LEVEL CM	1148630,8136 litre	73,124 %	422165,5132 litre	O
2000	CM	500	CM	685 LEVEL CM	1146773,5482 litre	73,006 %	424022,7786 litre	O
2000	CM	500	CM	684 LEVEL CM	1144914,6899 litre	72,888 %	425881,6369 litre	O

2000	CM	500	CM	683 LEVEL CM	1143054,2484 litre	72,769 %	427742,0784 litre	O
2000	CM	500	CM	682 LEVEL CM	1141192,2338 litre	72,651 %	429604,0930 litre	O
2000	CM	500	CM	681 LEVEL CM	1139328,6559 litre	72,532 %	431467,6709 litre	O
2000	CM	500	CM	680 LEVEL CM	1137463,5247 litre	72,413 %	433332,8021 litre	O
2000	CM	500	CM	679 LEVEL CM	1135596,8500 litre	72,294 %	435199,4768 litre	O
2000	CM	500	CM	678 LEVEL CM	1133728,6416 litre	72,175 %	437067,6852 litre	O
2000	CM	500	CM	677 LEVEL CM	1131858,9094 litre	72,056 %	438937,4174 litre	O
2000	CM	500	CM	676 LEVEL CM	1129987,6632 litre	71,937 %	440808,6636 litre	O
2000	CM	500	CM	675 LEVEL CM	1128114,9127 litre	71,818 %	442681,4141 litre	O
2000	CM	500	CM	674 LEVEL CM	1126240,6676 litre	71,699 %	444555,6592 litre	O
2000	CM	500	CM	673 LEVEL CM	1124364,9378 litre	71,579 %	446431,3890 litre	O
2000	CM	500	CM	672 LEVEL CM	1122487,7328 litre	71,460 %	448308,5940 litre	O
2000	CM	500	CM	671 LEVEL CM	1120609,0624 litre	71,340 %	450187,2644 litre	O
2000	CM	500	CM	670 LEVEL CM	1118728,9362 litre	71,220 %	452067,3906 litre	O
2000	CM	500	CM	669 LEVEL CM	1116847,3639 litre	71,101 %	453948,9629 litre	O
2000	CM	500	CM	668 LEVEL CM	1114964,3550 litre	70,981 %	455831,9718 litre	O
2000	CM	500	CM	667 LEVEL CM	1113079,9191 litre	70,861 %	457716,4077 litre	O
2000	CM	500	CM	666 LEVEL CM	1111194,0659 litre	70,741 %	459602,2609 litre	O
2000	CM	500	CM	665 LEVEL CM	1109306,8048 litre	70,621 %	461489,5220 litre	O
2000	CM	500	CM	664 LEVEL CM	1107418,1453 litre	70,500 %	463378,1815 litre	O
2000	CM	500	CM	663 LEVEL CM	1105528,0970 litre	70,380 %	465268,2298 litre	O
2000	CM	500	CM	662 LEVEL CM	1103636,6694 litre	70,260 %	467159,6574 litre	O
2000	CM	500	CM	661 LEVEL CM	1101743,8719 litre	70,139 %	469052,4549 litre	O
2000	CM	500	CM	660 LEVEL CM	1099849,7139 litre	70,019 %	470946,6129 litre	O
2000	CM	500	CM	659 LEVEL CM	1097954,2048 litre	69,898 %	472842,1220 litre	O
2000	CM	500	CM	658 LEVEL CM	1096057,3541 litre	69,777 %	474738,9727 litre	O
2000	CM	500	CM	657 LEVEL CM	1094159,1712 litre	69,656 %	476637,1556 litre	O
2000	CM	500	CM	656 LEVEL CM	1092259,6653 litre	69,535 %	478536,6615 litre	O
2000	CM	500	CM	655 LEVEL CM	1090358,8459 litre	69,414 %	480437,4809 litre	O
2000	CM	500	CM	654 LEVEL CM	1088456,7222 litre	69,293 %	482339,6046 litre	O
2000	CM	500	CM	653 LEVEL CM	1086553,3036 litre	69,172 %	484243,0232 litre	O
2000	CM	500	CM	652 LEVEL CM	1084648,5992 litre	69,051 %	486147,7276 litre	O
2000	CM	500	CM	651 LEVEL CM	1082742,6185 litre	68,930 %	488053,7083 litre	O
2000	CM	500	CM	650 LEVEL CM	1080835,3706 litre	68,808 %	489960,9562 litre	O
2000	CM	500	CM	649 LEVEL CM	1078926,8648 litre	68,687 %	491869,4620 litre	O
2000	CM	500	CM	648 LEVEL CM	1077017,1102 litre	68,565 %	493779,2166 litre	O
2000	CM	500	CM	647 LEVEL CM	1075106,1161 litre	68,443 %	495690,2107 litre	O
2000	CM	500	CM	646 LEVEL CM	1073193,8916 litre	68,322 %	497602,4352 litre	O
2000	CM	500	CM	645 LEVEL CM	1071280,4459 litre	68,200 %	499515,8809 litre	O
2000	CM	500	CM	644 LEVEL CM	1069365,7880 litre	68,078 %	501430,5388 litre	O
2000	CM	500	CM	643 LEVEL CM	1067449,9273 litre	67,956 %	503346,3995 litre	O
2000	CM	500	CM	642 LEVEL CM	1065532,8726 litre	67,834 %	505263,4542 litre	O
2000	CM	500	CM	641 LEVEL CM	1063614,6332 litre	67,712 %	507181,6936 litre	O
2000	CM	500	CM	640 LEVEL CM	1061695,2180 litre	67,590 %	509101,1088 litre	O
2000	CM	500	CM	639 LEVEL CM	1059774,6362 litre	67,467 %	511021,6906 litre	O
2000	CM	500	CM	638 LEVEL CM	1057852,8967 litre	67,345 %	512943,4301 litre	O
2000	CM	500	CM	637 LEVEL CM	1055930,0086 litre	67,223 %	514866,3182 litre	O
2000	CM	500	CM	636 LEVEL CM	1054005,9809 litre	67,100 %	516790,3459 litre	O
2000	CM	500	CM	635 LEVEL CM	1052080,8226 litre	66,978 %	518715,5042 litre	O
2000	CM	500	CM	634 LEVEL CM	1050154,5426 litre	66,855 %	520641,7842 litre	O
2000	CM	500	CM	633 LEVEL CM	1048227,1500 litre	66,732 %	522569,1768 litre	O
2000	CM	500	CM	632 LEVEL CM	1046298,6535 litre	66,609 %	524497,6733 litre	O
2000	CM	500	CM	631 LEVEL CM	1044369,0622 litre	66,487 %	526427,2646 litre	O

2000	CM	500	CM	630 LEVEL CM	1042438,3850 litre	66,364 %	528357,9418 litre	O
2000	CM	500	CM	629 LEVEL CM	1040506,6307 litre	66,241 %	530289,6961 litre	O
2000	CM	500	CM	628 LEVEL CM	1038573,8083 litre	66,118 %	532222,5185 litre	O
2000	CM	500	CM	627 LEVEL CM	1036639,9265 litre	65,995 %	534156,4003 litre	O
2000	CM	500	CM	626 LEVEL CM	1034704,9943 litre	65,871 %	536091,3325 litre	O
2000	CM	500	CM	625 LEVEL CM	1032769,0205 litre	65,748 %	538027,3063 litre	O
2000	CM	500	CM	624 LEVEL CM	1030832,0139 litre	65,625 %	539964,3129 litre	O
2000	CM	500	CM	623 LEVEL CM	1028893,9833 litre	65,501 %	541902,3435 litre	O
2000	CM	500	CM	622 LEVEL CM	1026954,9376 litre	65,378 %	543841,3892 litre	O
2000	CM	500	CM	621 LEVEL CM	1025014,8853 litre	65,254 %	545781,4415 litre	O
2000	CM	500	CM	620 LEVEL CM	1023073,8355 litre	65,131 %	547722,4913 litre	O
2000	CM	500	CM	619 LEVEL CM	1021131,7967 litre	65,007 %	549664,5301 litre	O
2000	CM	500	CM	618 LEVEL CM	1019188,7778 litre	64,884 %	551607,5490 litre	O
2000	CM	500	CM	617 LEVEL CM	1017244,7874 litre	64,760 %	553551,5394 litre	O
2000	CM	500	CM	616 LEVEL CM	1015299,8343 litre	64,636 %	555496,4925 litre	O
2000	CM	500	CM	615 LEVEL CM	1013353,9271 litre	64,512 %	557442,3997 litre	O
2000	CM	500	CM	614 LEVEL CM	1011407,0747 litre	64,388 %	559389,2521 litre	O
2000	CM	500	CM	613 LEVEL CM	1009459,2855 litre	64,264 %	561337,0413 litre	O
2000	CM	500	CM	612 LEVEL CM	1007510,5683 litre	64,140 %	563285,7585 litre	O
2000	CM	500	CM	611 LEVEL CM	1005560,9318 litre	64,016 %	565235,3950 litre	O
2000	CM	500	CM	610 LEVEL CM	1003610,3846 litre	63,892 %	567185,9422 litre	O
2000	CM	500	CM	609 LEVEL CM	1001658,9352 litre	63,768 %	569137,3916 litre	O
2000	CM	500	CM	608 LEVEL CM	999706,5923 litre	63,643 %	571089,7345 litre	O
2000	CM	500	CM	607 LEVEL CM	997753,3646 litre	63,519 %	573042,9622 litre	O
2000	CM	500	CM	606 LEVEL CM	995799,2606 litre	63,395 %	574997,0662 litre	O
2000	CM	500	CM	605 LEVEL CM	993844,2888 litre	63,270 %	576952,0380 litre	O
2000	CM	500	CM	604 LEVEL CM	991888,4579 litre	63,146 %	578907,8689 litre	O
2000	CM	500	CM	603 LEVEL CM	989931,7763 litre	63,021 %	580864,5505 litre	O
2000	CM	500	CM	602 LEVEL CM	987974,2528 litre	62,896 %	582822,0740 litre	O
2000	CM	500	CM	601 LEVEL CM	986015,8956 litre	62,772 %	584780,4312 litre	O
2000	CM	500	CM	600 LEVEL CM	984056,7135 litre	62,647 %	586739,6133 litre	O
2000	CM	500	CM	599 LEVEL CM	982096,7149 litre	62,522 %	588699,6119 litre	O
2000	CM	500	CM	598 LEVEL CM	980135,9083 litre	62,397 %	590660,4185 litre	O
2000	CM	500	CM	597 LEVEL CM	978174,3021 litre	62,273 %	592622,0247 litre	O
2000	CM	500	CM	596 LEVEL CM	976211,9050 litre	62,148 %	594584,4218 litre	O
2000	CM	500	CM	595 LEVEL CM	974248,7252 litre	62,023 %	596547,6016 litre	O
2000	CM	500	CM	594 LEVEL CM	972284,7714 litre	61,898 %	598511,5554 litre	O
2000	CM	500	CM	593 LEVEL CM	970320,0519 litre	61,772 %	600476,2749 litre	O
2000	CM	500	CM	592 LEVEL CM	968354,5753 litre	61,647 %	602441,7515 litre	O
2000	CM	500	CM	591 LEVEL CM	966388,3498 litre	61,522 %	604407,9770 litre	O
2000	CM	500	CM	590 LEVEL CM	964421,3839 litre	61,397 %	606374,9429 litre	O
2000	CM	500	CM	589 LEVEL CM	962453,6861 litre	61,272 %	608342,6407 litre	O
2000	CM	500	CM	588 LEVEL CM	960485,2648 litre	61,146 %	610311,0620 litre	O
2000	CM	500	CM	587 LEVEL CM	958516,1283 litre	61,021 %	612280,1985 litre	O
2000	CM	500	CM	586 LEVEL CM	956546,2850 litre	60,896 %	614250,0418 litre	O
2000	CM	500	CM	585 LEVEL CM	954575,7433 litre	60,770 %	616220,5835 litre	O
2000	CM	500	CM	584 LEVEL CM	952604,5115 litre	60,645 %	618191,8153 litre	O
2000	CM	500	CM	583 LEVEL CM	950632,5981 litre	60,519 %	620163,7287 litre	O
2000	CM	500	CM	582 LEVEL CM	948660,0113 litre	60,394 %	622136,3155 litre	O
2000	CM	500	CM	581 LEVEL CM	946686,7595 litre	60,268 %	624109,5673 litre	O
2000	CM	500	CM	580 LEVEL CM	944712,8510 litre	60,142 %	626083,4758 litre	O
2000	CM	500	CM	579 LEVEL CM	942738,2942 litre	60,017 %	628058,0326 litre	O
2000	CM	500	CM	578 LEVEL CM	940763,0973 litre	59,891 %	630033,2295 litre	O

2000	CM	500	CM	577 LEVEL CM	938787,2687 litre	59,765 %	632009,0581 litre	O
2000	CM	500	CM	576 LEVEL CM	936810,8167 litre	59,639 %	633985,5101 litre	O
2000	CM	500	CM	575 LEVEL CM	934833,7495 litre	59,513 %	635962,5773 litre	O
2000	CM	500	CM	574 LEVEL CM	932856,0755 litre	59,387 %	637940,2513 litre	O
2000	CM	500	CM	573 LEVEL CM	930877,8028 litre	59,262 %	639918,5240 litre	O
2000	CM	500	CM	572 LEVEL CM	928898,9399 litre	59,136 %	641897,3869 litre	O
2000	CM	500	CM	571 LEVEL CM	926919,4948 litre	59,010 %	643876,8320 litre	O
2000	CM	500	CM	570 LEVEL CM	924939,4760 litre	58,883 %	645856,8508 litre	O
2000	CM	500	CM	569 LEVEL CM	922958,8916 litre	58,757 %	647837,4352 litre	O
2000	CM	500	CM	568 LEVEL CM	920977,7498 litre	58,631 %	649818,5770 litre	O
2000	CM	500	CM	567 LEVEL CM	918996,0590 litre	58,505 %	651800,2678 litre	O
2000	CM	500	CM	566 LEVEL CM	917013,8272 litre	58,379 %	653782,4996 litre	O
2000	CM	500	CM	565 LEVEL CM	915031,0628 litre	58,253 %	655765,2640 litre	O
2000	CM	500	CM	564 LEVEL CM	913047,7740 litre	58,126 %	657748,5528 litre	O
2000	CM	500	CM	563 LEVEL CM	911063,9689 litre	58,000 %	659732,3579 litre	O
2000	CM	500	CM	562 LEVEL CM	909079,6558 litre	57,874 %	661716,6710 litre	O
2000	CM	500	CM	561 LEVEL CM	907094,8428 litre	57,747 %	663701,4840 litre	O
2000	CM	500	CM	560 LEVEL CM	905109,5381 litre	57,621 %	665686,7887 litre	O
2000	CM	500	CM	559 LEVEL CM	903123,7499 litre	57,495 %	667672,5769 litre	O
2000	CM	500	CM	558 LEVEL CM	901137,4864 litre	57,368 %	669658,8404 litre	O
2000	CM	500	CM	557 LEVEL CM	899150,7558 litre	57,242 %	671645,5710 litre	O
2000	CM	500	CM	556 LEVEL CM	897163,5662 litre	57,115 %	673632,7606 litre	O
2000	CM	500	CM	555 LEVEL CM	895175,9257 litre	56,989 %	675620,4011 litre	O
2000	CM	500	CM	554 LEVEL CM	893187,8425 litre	56,862 %	677608,4843 litre	O
2000	CM	500	CM	553 LEVEL CM	891199,3248 litre	56,736 %	679597,0020 litre	O
2000	CM	500	CM	552 LEVEL CM	889210,3807 litre	56,609 %	681585,9461 litre	O
2000	CM	500	CM	551 LEVEL CM	887221,0183 litre	56,482 %	683575,3085 litre	O
2000	CM	500	CM	550 LEVEL CM	885231,2458 litre	56,356 %	685565,0810 litre	O
2000	CM	500	CM	549 LEVEL CM	883241,0713 litre	56,229 %	687555,2555 litre	O
2000	CM	500	CM	548 LEVEL CM	881250,5029 litre	56,102 %	689545,8239 litre	O
2000	CM	500	CM	547 LEVEL CM	879259,5487 litre	55,975 %	691536,7781 litre	O
2000	CM	500	CM	546 LEVEL CM	877268,2168 litre	55,849 %	693528,1100 litre	O
2000	CM	500	CM	545 LEVEL CM	875276,5153 litre	55,722 %	695519,8115 litre	O
2000	CM	500	CM	544 LEVEL CM	873284,4524 litre	55,595 %	697511,8744 litre	O
2000	CM	500	CM	543 LEVEL CM	871292,0361 litre	55,468 %	699504,2907 litre	O
2000	CM	500	CM	542 LEVEL CM	869299,2746 litre	55,341 %	701497,0522 litre	O
2000	CM	500	CM	541 LEVEL CM	867306,1758 litre	55,214 %	703490,1510 litre	O
2000	CM	500	CM	540 LEVEL CM	865312,7480 litre	55,088 %	705483,5788 litre	O
2000	CM	500	CM	539 LEVEL CM	863318,9991 litre	54,961 %	707477,3277 litre	O
2000	CM	500	CM	538 LEVEL CM	861324,9372 litre	54,834 %	709471,3896 litre	O
2000	CM	500	CM	537 LEVEL CM	859330,5705 litre	54,707 %	711465,7563 litre	O
2000	CM	500	CM	536 LEVEL CM	857335,9069 litre	54,580 %	713460,4199 litre	O
2000	CM	500	CM	535 LEVEL CM	855340,9546 litre	54,453 %	715455,3722 litre	O
2000	CM	500	CM	534 LEVEL CM	853345,7217 litre	54,326 %	717450,6051 litre	O
2000	CM	500	CM	533 LEVEL CM	851350,2160 litre	54,199 %	719446,1108 litre	O
2000	CM	500	CM	532 LEVEL CM	849354,4458 litre	54,072 %	721441,8810 litre	O
2000	CM	500	CM	531 LEVEL CM	847358,4191 litre	53,945 %	723437,9077 litre	O
2000	CM	500	CM	530 LEVEL CM	845362,1439 litre	53,817 %	725434,1829 litre	O
2000	CM	500	CM	529 LEVEL CM	843365,6283 litre	53,690 %	727430,6985 litre	O
2000	CM	500	CM	528 LEVEL CM	841368,8803 litre	53,563 %	729427,4465 litre	O
2000	CM	500	CM	527 LEVEL CM	839371,9079 litre	53,436 %	731424,4189 litre	O
2000	CM	500	CM	526 LEVEL CM	837374,7192 litre	53,309 %	733421,6076 litre	O
2000	CM	500	CM	525 LEVEL CM	835377,3222 litre	53,182 %	735419,0046 litre	O

2000	CM	500	CM	524 LEVEL CM	833379,7250 litre	53,055 %	737416,6018 litre	O
2000	CM	500	CM	523 LEVEL CM	831381,9356 litre	52,927 %	739414,3912 litre	O
2000	CM	500	CM	522 LEVEL CM	829383,9619 litre	52,800 %	741412,3649 litre	O
2000	CM	500	CM	521 LEVEL CM	827385,8121 litre	52,673 %	743410,5147 litre	O
2000	CM	500	CM	520 LEVEL CM	825387,4942 litre	52,546 %	745408,8326 litre	O
2000	CM	500	CM	519 LEVEL CM	823389,0161 litre	52,419 %	747407,3107 litre	O
2000	CM	500	CM	518 LEVEL CM	821390,3859 litre	52,291 %	749405,9409 litre	O
2000	CM	500	CM	517 LEVEL CM	819391,6116 litre	52,164 %	751404,7152 litre	O
2000	CM	500	CM	516 LEVEL CM	817392,7012 litre	52,037 %	753403,6256 litre	O
2000	CM	500	CM	515 LEVEL CM	815393,6628 litre	51,910 %	755402,6640 litre	O
2000	CM	500	CM	514 LEVEL CM	813394,5043 litre	51,782 %	757401,8225 litre	O
2000	CM	500	CM	513 LEVEL CM	811395,2338 litre	51,655 %	759401,0930 litre	O
2000	CM	500	CM	512 LEVEL CM	809395,8592 litre	51,528 %	761400,4676 litre	O
2000	CM	500	CM	511 LEVEL CM	807396,3886 litre	51,400 %	763399,9382 litre	O
2000	CM	500	CM	510 LEVEL CM	805396,8300 litre	51,273 %	765399,4968 litre	O
2000	CM	500	CM	509 LEVEL CM	803397,1914 litre	51,146 %	767399,1354 litre	O
2000	CM	500	CM	508 LEVEL CM	801397,4807 litre	51,019 %	769398,8461 litre	O
2000	CM	500	CM	507 LEVEL CM	799397,7061 litre	50,891 %	771398,6207 litre	O
2000	CM	500	CM	506 LEVEL CM	797397,8754 litre	50,764 %	773398,4514 litre	O
2000	CM	500	CM	505 LEVEL CM	795397,9967 litre	50,637 %	775398,3301 litre	O
2000	CM	500	CM	504 LEVEL CM	793398,0781 litre	50,509 %	777398,2487 litre	O
2000	CM	500	CM	503 LEVEL CM	791398,1274 litre	50,382 %	779398,1994 litre	O
2000	CM	500	CM	502 LEVEL CM	789398,1527 litre	50,255 %	781398,1741 litre	O
2000	CM	500	CM	501 LEVEL CM	787398,1621 litre	50,127 %	783398,1647 litre	O
2000	CM	500	CM	500 LEVEL CM	785398,1634 litre	50,000 %	785398,1634 litre	O
2000	CM	500	CM	499 LEVEL CM	783398,1647 litre	49,873 %	787398,1621 litre	O
2000	CM	500	CM	498 LEVEL CM	781398,1741 litre	49,745 %	789398,1527 litre	O
2000	CM	500	CM	497 LEVEL CM	779398,1994 litre	49,618 %	791398,1274 litre	O
2000	CM	500	CM	496 LEVEL CM	777398,2487 litre	49,491 %	793398,0781 litre	O
2000	CM	500	CM	495 LEVEL CM	775398,3301 litre	49,363 %	795397,9967 litre	O
2000	CM	500	CM	494 LEVEL CM	773398,4514 litre	49,236 %	797397,8754 litre	O
2000	CM	500	CM	493 LEVEL CM	771398,6207 litre	49,109 %	799397,7061 litre	O
2000	CM	500	CM	492 LEVEL CM	769398,8461 litre	48,981 %	801397,4807 litre	O
2000	CM	500	CM	491 LEVEL CM	767399,1354 litre	48,854 %	803397,1914 litre	O
2000	CM	500	CM	490 LEVEL CM	765399,4968 litre	48,727 %	805396,8300 litre	O
2000	CM	500	CM	489 LEVEL CM	763399,9382 litre	48,600 %	807396,3886 litre	O
2000	CM	500	CM	488 LEVEL CM	761400,4676 litre	48,472 %	809395,8592 litre	O
2000	CM	500	CM	487 LEVEL CM	759401,0930 litre	48,345 %	811395,2338 litre	O
2000	CM	500	CM	486 LEVEL CM	757401,8225 litre	48,218 %	813394,5043 litre	O
2000	CM	500	CM	485 LEVEL CM	755402,6640 litre	48,090 %	815393,6628 litre	O
2000	CM	500	CM	484 LEVEL CM	753403,6256 litre	47,963 %	817392,7012 litre	O
2000	CM	500	CM	483 LEVEL CM	751404,7152 litre	47,836 %	819391,6116 litre	O
2000	CM	500	CM	482 LEVEL CM	749405,9409 litre	47,709 %	821390,3859 litre	O
2000	CM	500	CM	481 LEVEL CM	747407,3107 litre	47,581 %	823389,0161 litre	O
2000	CM	500	CM	480 LEVEL CM	745408,8326 litre	47,454 %	825387,4942 litre	O
2000	CM	500	CM	479 LEVEL CM	743410,5147 litre	47,327 %	827385,8121 litre	O
2000	CM	500	CM	478 LEVEL CM	741412,3649 litre	47,200 %	829383,9619 litre	O
2000	CM	500	CM	477 LEVEL CM	739414,3912 litre	47,073 %	831381,9356 litre	O
2000	CM	500	CM	476 LEVEL CM	737416,6018 litre	46,945 %	833379,7250 litre	O
2000	CM	500	CM	475 LEVEL CM	735419,0046 litre	46,818 %	835377,3222 litre	O
2000	CM	500	CM	474 LEVEL CM	733421,6076 litre	46,691 %	837374,7192 litre	O
2000	CM	500	CM	473 LEVEL CM	731424,4189 litre	46,564 %	839371,9079 litre	O
2000	CM	500	CM	472 LEVEL CM	729427,4465 litre	46,437 %	841368,8803 litre	O

2000	CM	500	CM	471 LEVEL CM	727430,6985 litre	46,310 %	843365,6283 litre	O
2000	CM	500	CM	470 LEVEL CM	725434,1829 litre	46,183 %	845362,1439 litre	O
2000	CM	500	CM	469 LEVEL CM	723437,9077 litre	46,055 %	847358,4191 litre	O
2000	CM	500	CM	468 LEVEL CM	721441,8809 litre	45,928 %	849354,4459 litre	O
2000	CM	500	CM	467 LEVEL CM	719446,1108 litre	45,801 %	851350,2160 litre	O
2000	CM	500	CM	466 LEVEL CM	717450,6051 litre	45,674 %	853345,7217 litre	O
2000	CM	500	CM	465 LEVEL CM	715455,3722 litre	45,547 %	855340,9546 litre	O
2000	CM	500	CM	464 LEVEL CM	713460,4199 litre	45,420 %	857335,9069 litre	O
2000	CM	500	CM	463 LEVEL CM	711465,7563 litre	45,293 %	859330,5705 litre	O
2000	CM	500	CM	462 LEVEL CM	709471,3896 litre	45,166 %	861324,9372 litre	O
2000	CM	500	CM	461 LEVEL CM	707477,3277 litre	45,039 %	863318,9991 litre	O
2000	CM	500	CM	460 LEVEL CM	705483,5788 litre	44,912 %	865312,7480 litre	O
2000	CM	500	CM	459 LEVEL CM	703490,1510 litre	44,786 %	867306,1758 litre	O
2000	CM	500	CM	458 LEVEL CM	701497,0522 litre	44,659 %	869299,2746 litre	O
2000	CM	500	CM	457 LEVEL CM	699504,2906 litre	44,532 %	871292,0362 litre	O
2000	CM	500	CM	456 LEVEL CM	697511,8744 litre	44,405 %	873284,4524 litre	O
2000	CM	500	CM	455 LEVEL CM	695519,8114 litre	44,278 %	875276,5154 litre	O
2000	CM	500	CM	454 LEVEL CM	693528,1100 litre	44,151 %	877268,2168 litre	O
2000	CM	500	CM	453 LEVEL CM	691536,7781 litre	44,025 %	879259,5487 litre	O
2000	CM	500	CM	452 LEVEL CM	689545,8239 litre	43,898 %	881250,5029 litre	O
2000	CM	500	CM	451 LEVEL CM	687555,2555 litre	43,771 %	883241,0713 litre	O
2000	CM	500	CM	450 LEVEL CM	685565,0810 litre	43,644 %	885231,2458 litre	O
2000	CM	500	CM	449 LEVEL CM	683575,3084 litre	43,518 %	887221,0184 litre	O
2000	CM	500	CM	448 LEVEL CM	681585,9461 litre	43,391 %	889210,3807 litre	O
2000	CM	500	CM	447 LEVEL CM	679597,0020 litre	43,264 %	891199,3248 litre	O
2000	CM	500	CM	446 LEVEL CM	677608,4843 litre	43,138 %	893187,8425 litre	O
2000	CM	500	CM	445 LEVEL CM	675620,4011 litre	43,011 %	895175,9257 litre	O
2000	CM	500	CM	444 LEVEL CM	673632,7606 litre	42,885 %	897163,5662 litre	O
2000	CM	500	CM	443 LEVEL CM	671645,5710 litre	42,758 %	899150,7558 litre	O
2000	CM	500	CM	442 LEVEL CM	669658,8404 litre	42,632 %	901137,4864 litre	O
2000	CM	500	CM	441 LEVEL CM	667672,5769 litre	42,505 %	903123,7499 litre	O
2000	CM	500	CM	440 LEVEL CM	665686,7887 litre	42,379 %	905109,5381 litre	O
2000	CM	500	CM	439 LEVEL CM	663701,4840 litre	42,253 %	907094,8428 litre	O
2000	CM	500	CM	438 LEVEL CM	661716,6710 litre	42,126 %	909079,6558 litre	O
2000	CM	500	CM	437 LEVEL CM	659732,3579 litre	42,000 %	911063,9689 litre	O
2000	CM	500	CM	436 LEVEL CM	657748,5528 litre	41,874 %	913047,7740 litre	O
2000	CM	500	CM	435 LEVEL CM	655765,2639 litre	41,747 %	915031,0629 litre	O
2000	CM	500	CM	434 LEVEL CM	653782,4996 litre	41,621 %	917013,8272 litre	O
2000	CM	500	CM	433 LEVEL CM	651800,2678 litre	41,495 %	918996,0590 litre	O
2000	CM	500	CM	432 LEVEL CM	649818,5770 litre	41,369 %	920977,7498 litre	O
2000	CM	500	CM	431 LEVEL CM	647837,4352 litre	41,243 %	922958,8916 litre	O
2000	CM	500	CM	430 LEVEL CM	645856,8508 litre	41,117 %	924939,4760 litre	O
2000	CM	500	CM	429 LEVEL CM	643876,8319 litre	40,990 %	926919,4949 litre	O
2000	CM	500	CM	428 LEVEL CM	641897,3869 litre	40,864 %	928898,9399 litre	O
2000	CM	500	CM	427 LEVEL CM	639918,5239 litre	40,738 %	930877,8029 litre	O
2000	CM	500	CM	426 LEVEL CM	637940,2513 litre	40,613 %	932856,0755 litre	O
2000	CM	500	CM	425 LEVEL CM	635962,5773 litre	40,487 %	934833,7495 litre	O
2000	CM	500	CM	424 LEVEL CM	633985,5101 litre	40,361 %	936810,8167 litre	O
2000	CM	500	CM	423 LEVEL CM	632009,0580 litre	40,235 %	938787,2688 litre	O
2000	CM	500	CM	422 LEVEL CM	630033,2295 litre	40,109 %	940763,0973 litre	O
2000	CM	500	CM	421 LEVEL CM	628058,0326 litre	39,983 %	942738,2942 litre	O
2000	CM	500	CM	420 LEVEL CM	626083,4758 litre	39,858 %	944712,8510 litre	O
2000	CM	500	CM	419 LEVEL CM	624109,5673 litre	39,732 %	946686,7595 litre	O

2000	CM	500	CM	418 LEVEL CM	622136,3155 litre	39,606 %	948660,0113 litre	O
2000	CM	500	CM	417 LEVEL CM	620163,7287 litre	39,481 %	950632,5981 litre	O
2000	CM	500	CM	416 LEVEL CM	618191,8153 litre	39,355 %	952604,5115 litre	O
2000	CM	500	CM	415 LEVEL CM	616220,5835 litre	39,230 %	954575,7433 litre	O
2000	CM	500	CM	414 LEVEL CM	614250,0418 litre	39,104 %	956546,2850 litre	O
2000	CM	500	CM	413 LEVEL CM	612280,1985 litre	38,979 %	958516,1283 litre	O
2000	CM	500	CM	412 LEVEL CM	610311,0620 litre	38,854 %	960485,2648 litre	O
2000	CM	500	CM	411 LEVEL CM	608342,6407 litre	38,728 %	962453,6861 litre	O
2000	CM	500	CM	410 LEVEL CM	606374,9429 litre	38,603 %	964421,3839 litre	O
2000	CM	500	CM	409 LEVEL CM	604407,9770 litre	38,478 %	966388,3498 litre	O
2000	CM	500	CM	408 LEVEL CM	602441,7515 litre	38,353 %	968354,5753 litre	O
2000	CM	500	CM	407 LEVEL CM	600476,2749 litre	38,228 %	970320,0519 litre	O
2000	CM	500	CM	406 LEVEL CM	598511,5554 litre	38,102 %	972284,7714 litre	O
2000	CM	500	CM	405 LEVEL CM	596547,6016 litre	37,977 %	974248,7252 litre	O
2000	CM	500	CM	404 LEVEL CM	594584,4218 litre	37,852 %	976211,9050 litre	O
2000	CM	500	CM	403 LEVEL CM	592622,0247 litre	37,727 %	978174,3021 litre	O
2000	CM	500	CM	402 LEVEL CM	590660,4185 litre	37,603 %	980135,9083 litre	O
2000	CM	500	CM	401 LEVEL CM	588699,6119 litre	37,478 %	982096,7149 litre	O
2000	CM	500	CM	400 LEVEL CM	586739,6133 litre	37,353 %	984056,7135 litre	O
2000	CM	500	CM	399 LEVEL CM	584780,4312 litre	37,228 %	986015,8956 litre	O
2000	CM	500	CM	398 LEVEL CM	582822,0740 litre	37,104 %	987974,2528 litre	O
2000	CM	500	CM	397 LEVEL CM	580864,5505 litre	36,979 %	989931,7763 litre	O
2000	CM	500	CM	396 LEVEL CM	578907,8689 litre	36,854 %	991888,4579 litre	O
2000	CM	500	CM	395 LEVEL CM	576952,0380 litre	36,730 %	993844,2888 litre	O
2000	CM	500	CM	394 LEVEL CM	574997,0662 litre	36,605 %	995799,2606 litre	O
2000	CM	500	CM	393 LEVEL CM	573042,9622 litre	36,481 %	997753,3646 litre	O
2000	CM	500	CM	392 LEVEL CM	571089,7345 litre	36,357 %	999706,5923 litre	O
2000	CM	500	CM	391 LEVEL CM	569137,3916 litre	36,232 %	1001658,9352 litre	O
2000	CM	500	CM	390 LEVEL CM	567185,9422 litre	36,108 %	1003610,3846 litre	O
2000	CM	500	CM	389 LEVEL CM	565235,3950 litre	35,984 %	1005560,9318 litre	O
2000	CM	500	CM	388 LEVEL CM	563285,7585 litre	35,860 %	1007510,5683 litre	O
2000	CM	500	CM	387 LEVEL CM	561337,0413 litre	35,736 %	1009459,2855 litre	O
2000	CM	500	CM	386 LEVEL CM	559389,2521 litre	35,612 %	1011407,0747 litre	O
2000	CM	500	CM	385 LEVEL CM	557442,3997 litre	35,488 %	1013353,9271 litre	O
2000	CM	500	CM	384 LEVEL CM	555496,4925 litre	35,364 %	1015299,8343 litre	O
2000	CM	500	CM	383 LEVEL CM	553551,5394 litre	35,240 %	1017244,7874 litre	O
2000	CM	500	CM	382 LEVEL CM	551607,5490 litre	35,116 %	1019188,7778 litre	O
2000	CM	500	CM	381 LEVEL CM	549664,5301 litre	34,993 %	1021131,7967 litre	O
2000	CM	500	CM	380 LEVEL CM	547722,4913 litre	34,869 %	1023073,8355 litre	O
2000	CM	500	CM	379 LEVEL CM	545781,4415 litre	34,746 %	1025014,8853 litre	O
2000	CM	500	CM	378 LEVEL CM	543841,3892 litre	34,622 %	1026954,9376 litre	O
2000	CM	500	CM	377 LEVEL CM	541902,3435 litre	34,499 %	1028893,9833 litre	O
2000	CM	500	CM	376 LEVEL CM	539964,3129 litre	34,375 %	1030832,0139 litre	O
2000	CM	500	CM	375 LEVEL CM	538027,3063 litre	34,252 %	1032769,0205 litre	O
2000	CM	500	CM	374 LEVEL CM	536091,3325 litre	34,129 %	1034704,9943 litre	O
2000	CM	500	CM	373 LEVEL CM	534156,4003 litre	34,005 %	1036639,9265 litre	O
2000	CM	500	CM	372 LEVEL CM	532222,5185 litre	33,882 %	1038573,8083 litre	O
2000	CM	500	CM	371 LEVEL CM	530289,6961 litre	33,759 %	1040506,6307 litre	O
2000	CM	500	CM	370 LEVEL CM	528357,9418 litre	33,636 %	1042438,3850 litre	O
2000	CM	500	CM	369 LEVEL CM	526427,2646 litre	33,513 %	1044369,0622 litre	O
2000	CM	500	CM	368 LEVEL CM	524497,6733 litre	33,391 %	1046298,6535 litre	O
2000	CM	500	CM	367 LEVEL CM	522569,1768 litre	33,268 %	1048227,1500 litre	O
2000	CM	500	CM	366 LEVEL CM	520641,7842 litre	33,145 %	1050154,5426 litre	O

2000	CM	500	CM	365 LEVEL CM	518715,5042 litre	33,022 %	1052080,8226 litre	O
2000	CM	500	CM	364 LEVEL CM	516790,3459 litre	32,900 %	1054005,9809 litre	O
2000	CM	500	CM	363 LEVEL CM	514866,3182 litre	32,777 %	1055930,0086 litre	O
2000	CM	500	CM	362 LEVEL CM	512943,4301 litre	32,655 %	1057852,8967 litre	O
2000	CM	500	CM	361 LEVEL CM	511021,6906 litre	32,533 %	1059774,6362 litre	O
2000	CM	500	CM	360 LEVEL CM	509101,1088 litre	32,410 %	1061695,2180 litre	O
2000	CM	500	CM	359 LEVEL CM	507181,6936 litre	32,288 %	1063614,6332 litre	O
2000	CM	500	CM	358 LEVEL CM	505263,4542 litre	32,166 %	1065532,8726 litre	O
2000	CM	500	CM	357 LEVEL CM	503346,3995 litre	32,044 %	1067449,9273 litre	O
2000	CM	500	CM	356 LEVEL CM	501430,5388 litre	31,922 %	1069365,7880 litre	O
2000	CM	500	CM	355 LEVEL CM	499515,8809 litre	31,800 %	1071280,4459 litre	O
2000	CM	500	CM	354 LEVEL CM	497602,4352 litre	31,678 %	1073193,8916 litre	O
2000	CM	500	CM	353 LEVEL CM	495690,2107 litre	31,557 %	1075106,1161 litre	O
2000	CM	500	CM	352 LEVEL CM	493779,2166 litre	31,435 %	1077017,1102 litre	O
2000	CM	500	CM	351 LEVEL CM	491869,4620 litre	31,313 %	1078926,8648 litre	O
2000	CM	500	CM	350 LEVEL CM	489960,9562 litre	31,192 %	1080835,3706 litre	O
2000	CM	500	CM	349 LEVEL CM	488053,7083 litre	31,070 %	1082742,6185 litre	O
2000	CM	500	CM	348 LEVEL CM	486147,7276 litre	30,949 %	1084648,5992 litre	O
2000	CM	500	CM	347 LEVEL CM	484243,0232 litre	30,828 %	1086553,3036 litre	O
2000	CM	500	CM	346 LEVEL CM	482339,6046 litre	30,707 %	1088456,7222 litre	O
2000	CM	500	CM	345 LEVEL CM	480437,4809 litre	30,586 %	1090358,8459 litre	O
2000	CM	500	CM	344 LEVEL CM	478536,6615 litre	30,465 %	1092259,6653 litre	O
2000	CM	500	CM	343 LEVEL CM	476637,1556 litre	30,344 %	1094159,1712 litre	O
2000	CM	500	CM	342 LEVEL CM	474738,9727 litre	30,223 %	1096057,3541 litre	O
2000	CM	500	CM	341 LEVEL CM	472842,1220 litre	30,102 %	1097954,2048 litre	O
2000	CM	500	CM	340 LEVEL CM	470946,6129 litre	29,981 %	1099849,7139 litre	O
2000	CM	500	CM	339 LEVEL CM	469052,4549 litre	29,861 %	1101743,8719 litre	O
2000	CM	500	CM	338 LEVEL CM	467159,6574 litre	29,740 %	1103636,6694 litre	O
2000	CM	500	CM	337 LEVEL CM	465268,2298 litre	29,620 %	1105528,0970 litre	O
2000	CM	500	CM	336 LEVEL CM	463378,1815 litre	29,500 %	1107418,1453 litre	O
2000	CM	500	CM	335 LEVEL CM	461489,5220 litre	29,379 %	1109306,8048 litre	O
2000	CM	500	CM	334 LEVEL CM	459602,2609 litre	29,259 %	1111194,0659 litre	O
2000	CM	500	CM	333 LEVEL CM	457716,4077 litre	29,139 %	1113079,9191 litre	O
2000	CM	500	CM	332 LEVEL CM	455831,9718 litre	29,019 %	1114964,3550 litre	O
2000	CM	500	CM	331 LEVEL CM	453948,9629 litre	28,899 %	1116847,3639 litre	O
2000	CM	500	CM	330 LEVEL CM	452067,3906 litre	28,780 %	1118728,9362 litre	O
2000	CM	500	CM	329 LEVEL CM	450187,2644 litre	28,660 %	1120609,0624 litre	O
2000	CM	500	CM	328 LEVEL CM	448308,5940 litre	28,540 %	1122487,7328 litre	O
2000	CM	500	CM	327 LEVEL CM	446431,3890 litre	28,421 %	1124364,9378 litre	O
2000	CM	500	CM	326 LEVEL CM	444555,6592 litre	28,301 %	1126240,6676 litre	O
2000	CM	500	CM	325 LEVEL CM	442681,4141 litre	28,182 %	1128114,9127 litre	O
2000	CM	500	CM	324 LEVEL CM	440808,6636 litre	28,063 %	1129987,6632 litre	O
2000	CM	500	CM	323 LEVEL CM	438937,4174 litre	27,944 %	1131858,9094 litre	O
2000	CM	500	CM	322 LEVEL CM	437067,6852 litre	27,825 %	1133728,6416 litre	O
2000	CM	500	CM	321 LEVEL CM	435199,4768 litre	27,706 %	1135596,8500 litre	O
2000	CM	500	CM	320 LEVEL CM	433332,8021 litre	27,587 %	1137463,5247 litre	O
2000	CM	500	CM	319 LEVEL CM	431467,6709 litre	27,468 %	1139328,6559 litre	O
2000	CM	500	CM	318 LEVEL CM	429604,0930 litre	27,349 %	1141192,2338 litre	O
2000	CM	500	CM	317 LEVEL CM	427742,0784 litre	27,231 %	1143054,2484 litre	O
2000	CM	500	CM	316 LEVEL CM	425881,6369 litre	27,112 %	1144914,6899 litre	O
2000	CM	500	CM	315 LEVEL CM	424022,7786 litre	26,994 %	1146773,5482 litre	O
2000	CM	500	CM	314 LEVEL CM	422165,5132 litre	26,876 %	1148630,8136 litre	O
2000	CM	500	CM	313 LEVEL CM	420309,8510 litre	26,758 %	1150486,4758 litre	O

2000	CM	500	CM	312 LEVEL CM	418455,8018 litre	26,640 %	1152340,5250 litre	O
2000	CM	500	CM	311 LEVEL CM	416603,3757 litre	26,522 %	1154192,9511 litre	O
2000	CM	500	CM	310 LEVEL CM	414752,5827 litre	26,404 %	1156043,7441 litre	O
2000	CM	500	CM	309 LEVEL CM	412903,4331 litre	26,286 %	1157892,8937 litre	O
2000	CM	500	CM	308 LEVEL CM	411055,9368 litre	26,169 %	1159740,3900 litre	O
2000	CM	500	CM	307 LEVEL CM	409210,1041 litre	26,051 %	1161586,2227 litre	O
2000	CM	500	CM	306 LEVEL CM	407365,9451 litre	25,934 %	1163430,3817 litre	O
2000	CM	500	CM	305 LEVEL CM	405523,4700 litre	25,816 %	1165272,8568 litre	O
2000	CM	500	CM	304 LEVEL CM	403682,6891 litre	25,699 %	1167113,6377 litre	O
2000	CM	500	CM	303 LEVEL CM	401843,6126 litre	25,582 %	1168952,7142 litre	O
2000	CM	500	CM	302 LEVEL CM	400006,2508 litre	25,465 %	1170790,0760 litre	O
2000	CM	500	CM	301 LEVEL CM	398170,6140 litre	25,348 %	1172625,7128 litre	O
2000	CM	500	CM	300 LEVEL CM	396336,7126 litre	25,232 %	1174459,6142 litre	O
2000	CM	500	CM	299 LEVEL CM	394504,5569 litre	25,115 %	1176291,7699 litre	O
2000	CM	500	CM	298 LEVEL CM	392674,1574 litre	24,998 %	1178122,1694 litre	O
2000	CM	500	CM	297 LEVEL CM	390845,5244 litre	24,882 %	1179950,8024 litre	O
2000	CM	500	CM	296 LEVEL CM	389018,6686 litre	24,766 %	1181777,6582 litre	O
2000	CM	500	CM	295 LEVEL CM	387193,6002 litre	24,650 %	1183602,7266 litre	O
2000	CM	500	CM	294 LEVEL CM	385370,3300 litre	24,533 %	1185425,9968 litre	O
2000	CM	500	CM	293 LEVEL CM	383548,8684 litre	24,417 %	1187247,4584 litre	O
2000	CM	500	CM	292 LEVEL CM	381729,2260 litre	24,302 %	1189067,1008 litre	O
2000	CM	500	CM	291 LEVEL CM	379911,4135 litre	24,186 %	1190884,9133 litre	O
2000	CM	500	CM	290 LEVEL CM	378095,4414 litre	24,070 %	1192700,8854 litre	O
2000	CM	500	CM	289 LEVEL CM	376281,3206 litre	23,955 %	1194515,0062 litre	O
2000	CM	500	CM	288 LEVEL CM	374469,0617 litre	23,839 %	1196327,2651 litre	O
2000	CM	500	CM	287 LEVEL CM	372658,6755 litre	23,724 %	1198137,6513 litre	O
2000	CM	500	CM	286 LEVEL CM	370850,1727 litre	23,609 %	1199946,1541 litre	O
2000	CM	500	CM	285 LEVEL CM	369043,5641 litre	23,494 %	1201752,7627 litre	O
2000	CM	500	CM	284 LEVEL CM	367238,8607 litre	23,379 %	1203557,4661 litre	O
2000	CM	500	CM	283 LEVEL CM	365436,0733 litre	23,264 %	1205360,2535 litre	O
2000	CM	500	CM	282 LEVEL CM	363635,2129 litre	23,150 %	1207161,1139 litre	O
2000	CM	500	CM	281 LEVEL CM	361836,2903 litre	23,035 %	1208960,0365 litre	O
2000	CM	500	CM	280 LEVEL CM	360039,3167 litre	22,921 %	1210757,0101 litre	O
2000	CM	500	CM	279 LEVEL CM	358244,3029 litre	22,807 %	1212552,0239 litre	O
2000	CM	500	CM	278 LEVEL CM	356451,2602 litre	22,692 %	1214345,0666 litre	O
2000	CM	500	CM	277 LEVEL CM	354660,1995 litre	22,578 %	1216136,1273 litre	O
2000	CM	500	CM	276 LEVEL CM	352871,1321 litre	22,464 %	1217925,1947 litre	O
2000	CM	500	CM	275 LEVEL CM	351084,0690 litre	22,351 %	1219712,2578 litre	O
2000	CM	500	CM	274 LEVEL CM	349299,0216 litre	22,237 %	1221497,3052 litre	O
2000	CM	500	CM	273 LEVEL CM	347516,0010 litre	22,124 %	1223280,3258 litre	O
2000	CM	500	CM	272 LEVEL CM	345735,0186 litre	22,010 %	1225061,3082 litre	O
2000	CM	500	CM	271 LEVEL CM	343956,0857 litre	21,897 %	1226840,2411 litre	O
2000	CM	500	CM	270 LEVEL CM	342179,2136 litre	21,784 %	1228617,1132 litre	O
2000	CM	500	CM	269 LEVEL CM	340404,4138 litre	21,671 %	1230391,9130 litre	O
2000	CM	500	CM	268 LEVEL CM	338631,6978 litre	21,558 %	1232164,6290 litre	O
2000	CM	500	CM	267 LEVEL CM	336861,0769 litre	21,445 %	1233935,2499 litre	O
2000	CM	500	CM	266 LEVEL CM	335092,5627 litre	21,333 %	1235703,7641 litre	O
2000	CM	500	CM	265 LEVEL CM	333326,1669 litre	21,220 %	1237470,1599 litre	O
2000	CM	500	CM	264 LEVEL CM	331561,9010 litre	21,108 %	1239234,4258 litre	O
2000	CM	500	CM	263 LEVEL CM	329799,7766 litre	20,996 %	1240996,5502 litre	O
2000	CM	500	CM	262 LEVEL CM	328039,8055 litre	20,884 %	1242756,5213 litre	O
2000	CM	500	CM	261 LEVEL CM	326281,9994 litre	20,772 %	1244514,3274 litre	O
2000	CM	500	CM	260 LEVEL CM	324526,3701 litre	20,660 %	1246269,9567 litre	O

2000	CM	500	CM	259 LEVEL CM	322772,9294 litre	20,548 %	1248023,3974 litre	O
2000	CM	500	CM	258 LEVEL CM	321021,6892 litre	20,437 %	1249774,6376 litre	O
2000	CM	500	CM	257 LEVEL CM	319272,6614 litre	20,326 %	1251523,6654 litre	O
2000	CM	500	CM	256 LEVEL CM	317525,8579 litre	20,214 %	1253270,4689 litre	O
2000	CM	500	CM	255 LEVEL CM	315781,2909 litre	20,103 %	1255015,0359 litre	O
2000	CM	500	CM	254 LEVEL CM	314038,9722 litre	19,992 %	1256757,3546 litre	O
2000	CM	500	CM	253 LEVEL CM	312298,9141 litre	19,882 %	1258497,4127 litre	O
2000	CM	500	CM	252 LEVEL CM	310561,1287 litre	19,771 %	1260235,1981 litre	O
2000	CM	500	CM	251 LEVEL CM	308825,6281 litre	19,660 %	1261970,6987 litre	O
2000	CM	500	CM	250 LEVEL CM	307092,4247 litre	19,550 %	1263703,9021 litre	O
2000	CM	500	CM	249 LEVEL CM	305361,5306 litre	19,440 %	1265434,7962 litre	O
2000	CM	500	CM	248 LEVEL CM	303632,9583 litre	19,330 %	1267163,3685 litre	O
2000	CM	500	CM	247 LEVEL CM	301906,7201 litre	19,220 %	1268889,6067 litre	O
2000	CM	500	CM	246 LEVEL CM	300182,8285 litre	19,110 %	1270613,4983 litre	O
2000	CM	500	CM	245 LEVEL CM	298461,2960 litre	19,001 %	1272335,0308 litre	O
2000	CM	500	CM	244 LEVEL CM	296742,1351 litre	18,891 %	1274054,1917 litre	O
2000	CM	500	CM	243 LEVEL CM	295025,3584 litre	18,782 %	1275770,9684 litre	O
2000	CM	500	CM	242 LEVEL CM	293310,9786 litre	18,673 %	1277485,3482 litre	O
2000	CM	500	CM	241 LEVEL CM	291599,0084 litre	18,564 %	1279197,3184 litre	O
2000	CM	500	CM	240 LEVEL CM	289889,4604 litre	18,455 %	1280906,8664 litre	O
2000	CM	500	CM	239 LEVEL CM	288182,3476 litre	18,346 %	1282613,9792 litre	O
2000	CM	500	CM	238 LEVEL CM	286477,6828 litre	18,238 %	1284318,6440 litre	O
2000	CM	500	CM	237 LEVEL CM	284775,4789 litre	18,129 %	1286020,8479 litre	O
2000	CM	500	CM	236 LEVEL CM	283075,7488 litre	18,021 %	1287720,5780 litre	O
2000	CM	500	CM	235 LEVEL CM	281378,5057 litre	17,913 %	1289417,8211 litre	O
2000	CM	500	CM	234 LEVEL CM	279683,7626 litre	17,805 %	1291112,5642 litre	O
2000	CM	500	CM	233 LEVEL CM	277991,5327 litre	17,697 %	1292804,7941 litre	O
2000	CM	500	CM	232 LEVEL CM	276301,8291 litre	17,590 %	1294494,4977 litre	O
2000	CM	500	CM	231 LEVEL CM	274614,6652 litre	17,483 %	1296181,6616 litre	O
2000	CM	500	CM	230 LEVEL CM	272930,0542 litre	17,375 %	1297866,2726 litre	O
2000	CM	500	CM	229 LEVEL CM	271248,0096 litre	17,268 %	1299548,3172 litre	O
2000	CM	500	CM	228 LEVEL CM	269568,5448 litre	17,161 %	1301227,7820 litre	O
2000	CM	500	CM	227 LEVEL CM	267891,6733 litre	17,055 %	1302904,6535 litre	O
2000	CM	500	CM	226 LEVEL CM	266217,4086 litre	16,948 %	1304578,9182 litre	O
2000	CM	500	CM	225 LEVEL CM	264545,7645 litre	16,842 %	1306250,5623 litre	O
2000	CM	500	CM	224 LEVEL CM	262876,7546 litre	16,735 %	1307919,5722 litre	O
2000	CM	500	CM	223 LEVEL CM	261210,3927 litre	16,629 %	1309585,9341 litre	O
2000	CM	500	CM	222 LEVEL CM	259546,6925 litre	16,523 %	1311249,6343 litre	O
2000	CM	500	CM	221 LEVEL CM	257885,6681 litre	16,418 %	1312910,6587 litre	O
2000	CM	500	CM	220 LEVEL CM	256227,3334 litre	16,312 %	1314568,9934 litre	O
2000	CM	500	CM	219 LEVEL CM	254571,7024 litre	16,207 %	1316224,6244 litre	O
2000	CM	500	CM	218 LEVEL CM	252918,7892 litre	16,101 %	1317877,5376 litre	O
2000	CM	500	CM	217 LEVEL CM	251268,6080 litre	15,996 %	1319527,7188 litre	O
2000	CM	500	CM	216 LEVEL CM	249621,1730 litre	15,891 %	1321175,1538 litre	O
2000	CM	500	CM	215 LEVEL CM	247976,4986 litre	15,787 %	1322819,8282 litre	O
2000	CM	500	CM	214 LEVEL CM	246334,5990 litre	15,682 %	1324461,7278 litre	O
2000	CM	500	CM	213 LEVEL CM	244695,4889 litre	15,578 %	1326100,8379 litre	O
2000	CM	500	CM	212 LEVEL CM	243059,1827 litre	15,474 %	1327737,1441 litre	O
2000	CM	500	CM	211 LEVEL CM	241425,6950 litre	15,370 %	1329370,6318 litre	O
2000	CM	500	CM	210 LEVEL CM	239795,0406 litre	15,266 %	1331001,2862 litre	O
2000	CM	500	CM	209 LEVEL CM	238167,2341 litre	15,162 %	1332629,0927 litre	O
2000	CM	500	CM	208 LEVEL CM	236542,2904 litre	15,059 %	1334254,0364 litre	O
2000	CM	500	CM	207 LEVEL CM	234920,2244 litre	14,955 %	1335876,1024 litre	O

2000	CM	500	CM	206 LEVEL CM	233301,0512 litre	14,852 %	1337495,2756 litre	O
2000	CM	500	CM	205 LEVEL CM	231684,7857 litre	14,750 %	1339111,5411 litre	O
2000	CM	500	CM	204 LEVEL CM	230071,4433 litre	14,647 %	1340724,8835 litre	O
2000	CM	500	CM	203 LEVEL CM	228461,0390 litre	14,544 %	1342335,2878 litre	O
2000	CM	500	CM	202 LEVEL CM	226853,5882 litre	14,442 %	1343942,7386 litre	O
2000	CM	500	CM	201 LEVEL CM	225249,1064 litre	14,340 %	1345547,2204 litre	O
2000	CM	500	CM	200 LEVEL CM	223647,6090 litre	14,238 %	1347148,7178 litre	O
2000	CM	500	CM	199 LEVEL CM	222049,1116 litre	14,136 %	1348747,2152 litre	O
2000	CM	500	CM	198 LEVEL CM	220453,6299 litre	14,035 %	1350342,6969 litre	O
2000	CM	500	CM	197 LEVEL CM	218861,1796 litre	13,933 %	1351935,1472 litre	O
2000	CM	500	CM	196 LEVEL CM	217271,7766 litre	13,832 %	1353524,5502 litre	O
2000	CM	500	CM	195 LEVEL CM	215685,4368 litre	13,731 %	1355110,8900 litre	O
2000	CM	500	CM	194 LEVEL CM	214102,1763 litre	13,630 %	1356694,1505 litre	O
2000	CM	500	CM	193 LEVEL CM	212522,0112 litre	13,530 %	1358274,3156 litre	O
2000	CM	500	CM	192 LEVEL CM	210944,9576 litre	13,429 %	1359851,3692 litre	O
2000	CM	500	CM	191 LEVEL CM	209371,0320 litre	13,329 %	1361425,2948 litre	O
2000	CM	500	CM	190 LEVEL CM	207800,2507 litre	13,229 %	1362996,0761 litre	O
2000	CM	500	CM	189 LEVEL CM	206232,6303 litre	13,129 %	1364563,6965 litre	O
2000	CM	500	CM	188 LEVEL CM	204668,1873 litre	13,030 %	1366128,1395 litre	O
2000	CM	500	CM	187 LEVEL CM	203106,9385 litre	12,930 %	1367689,3883 litre	O
2000	CM	500	CM	186 LEVEL CM	201548,9007 litre	12,831 %	1369247,4261 litre	O
2000	CM	500	CM	185 LEVEL CM	199994,0908 litre	12,732 %	1370802,2360 litre	O
2000	CM	500	CM	184 LEVEL CM	198442,5259 litre	12,633 %	1372353,8009 litre	O
2000	CM	500	CM	183 LEVEL CM	196894,2230 litre	12,535 %	1373902,1038 litre	O
2000	CM	500	CM	182 LEVEL CM	195349,1995 litre	12,436 %	1375447,1273 litre	O
2000	CM	500	CM	181 LEVEL CM	193807,4726 litre	12,338 %	1376988,8542 litre	O
2000	CM	500	CM	180 LEVEL CM	192269,0599 litre	12,240 %	1378527,2669 litre	O
2000	CM	500	CM	179 LEVEL CM	190733,9788 litre	12,143 %	1380062,3480 litre	O
2000	CM	500	CM	178 LEVEL CM	189202,2472 litre	12,045 %	1381594,0796 litre	O
2000	CM	500	CM	177 LEVEL CM	187673,8828 litre	11,948 %	1383122,4440 litre	O
2000	CM	500	CM	176 LEVEL CM	186148,9036 litre	11,851 %	1384647,4232 litre	O
2000	CM	500	CM	175 LEVEL CM	184627,3275 litre	11,754 %	1386168,9993 litre	O
2000	CM	500	CM	174 LEVEL CM	183109,1728 litre	11,657 %	1387687,1540 litre	O
2000	CM	500	CM	173 LEVEL CM	181594,4578 litre	11,561 %	1389201,8690 litre	O
2000	CM	500	CM	172 LEVEL CM	180083,2008 litre	11,464 %	1390713,1260 litre	O
2000	CM	500	CM	171 LEVEL CM	178575,4204 litre	11,368 %	1392220,9064 litre	O
2000	CM	500	CM	170 LEVEL CM	177071,1353 litre	11,273 %	1393725,1915 litre	O
2000	CM	500	CM	169 LEVEL CM	175570,3643 litre	11,177 %	1395225,9625 litre	O
2000	CM	500	CM	168 LEVEL CM	174073,1263 litre	11,082 %	1396723,2005 litre	O
2000	CM	500	CM	167 LEVEL CM	172579,4404 litre	10,987 %	1398216,8864 litre	O
2000	CM	500	CM	166 LEVEL CM	171089,3258 litre	10,892 %	1399707,0010 litre	O
2000	CM	500	CM	165 LEVEL CM	169602,8018 litre	10,797 %	1401193,5250 litre	O
2000	CM	500	CM	164 LEVEL CM	168119,8879 litre	10,703 %	1402676,4389 litre	O
2000	CM	500	CM	163 LEVEL CM	166640,6038 litre	10,609 %	1404155,7230 litre	O
2000	CM	500	CM	162 LEVEL CM	165164,9692 litre	10,515 %	1405631,3576 litre	O
2000	CM	500	CM	161 LEVEL CM	163693,0040 litre	10,421 %	1407103,3228 litre	O
2000	CM	500	CM	160 LEVEL CM	162224,7283 litre	10,328 %	1408571,5985 litre	O
2000	CM	500	CM	159 LEVEL CM	160760,1623 litre	10,234 %	1410036,1645 litre	O
2000	CM	500	CM	158 LEVEL CM	159299,3264 litre	10,141 %	1411497,0004 litre	O
2000	CM	500	CM	157 LEVEL CM	157842,2411 litre	10,049 %	1412954,0857 litre	O
2000	CM	500	CM	156 LEVEL CM	156388,9272 litre	9,956 %	1414407,3996 litre	O
2000	CM	500	CM	155 LEVEL CM	154939,4054 litre	9,864 %	1415856,9214 litre	O
2000	CM	500	CM	154 LEVEL CM	153493,6967 litre	9,772 %	1417302,6301 litre	O

2000	CM	500	CM	153 LEVEL CM	152051,8224 litre	9,680 %	1418744,5044 litre	O
2000	CM	500	CM	152 LEVEL CM	150613,8039 litre	9,588 %	1420182,5229 litre	O
2000	CM	500	CM	151 LEVEL CM	149179,6625 litre	9,497 %	1421616,6643 litre	O
2000	CM	500	CM	150 LEVEL CM	147749,4201 litre	9,406 %	1423046,9067 litre	O
2000	CM	500	CM	149 LEVEL CM	146323,0985 litre	9,315 %	1424473,2283 litre	O
2000	CM	500	CM	148 LEVEL CM	144900,7197 litre	9,225 %	1425895,6071 litre	O
2000	CM	500	CM	147 LEVEL CM	143482,3060 litre	9,134 %	1427314,0208 litre	O
2000	CM	500	CM	146 LEVEL CM	142067,8799 litre	9,044 %	1428728,4469 litre	O
2000	CM	500	CM	145 LEVEL CM	140657,4639 litre	8,955 %	1430138,8629 litre	O
2000	CM	500	CM	144 LEVEL CM	139251,0808 litre	8,865 %	1431545,2460 litre	O
2000	CM	500	CM	143 LEVEL CM	137848,7537 litre	8,776 %	1432947,5731 litre	O
2000	CM	500	CM	142 LEVEL CM	136450,5058 litre	8,687 %	1434345,8210 litre	O
2000	CM	500	CM	141 LEVEL CM	135056,3604 litre	8,598 %	1435739,9664 litre	O
2000	CM	500	CM	140 LEVEL CM	133666,3413 litre	8,509 %	1437129,9855 litre	O
2000	CM	500	CM	139 LEVEL CM	132280,4722 litre	8,421 %	1438515,8546 litre	O
2000	CM	500	CM	138 LEVEL CM	130898,7771 litre	8,333 %	1439897,5497 litre	O
2000	CM	500	CM	137 LEVEL CM	129521,2804 litre	8,246 %	1441275,0464 litre	O
2000	CM	500	CM	136 LEVEL CM	128148,0065 litre	8,158 %	1442648,3203 litre	O
2000	CM	500	CM	135 LEVEL CM	126778,9802 litre	8,071 %	1444017,3466 litre	O
2000	CM	500	CM	134 LEVEL CM	125414,2263 litre	7,984 %	1445382,1005 litre	O
2000	CM	500	CM	133 LEVEL CM	124053,7701 litre	7,898 %	1446742,5567 litre	O
2000	CM	500	CM	132 LEVEL CM	122697,6369 litre	7,811 %	1448098,6899 litre	O
2000	CM	500	CM	131 LEVEL CM	121345,8525 litre	7,725 %	1449450,4743 litre	O
2000	CM	500	CM	130 LEVEL CM	119998,4428 litre	7,639 %	1450797,8840 litre	O
2000	CM	500	CM	129 LEVEL CM	118655,4338 litre	7,554 %	1452140,8930 litre	O
2000	CM	500	CM	128 LEVEL CM	117316,8521 litre	7,469 %	1453479,4747 litre	O
2000	CM	500	CM	127 LEVEL CM	115982,7243 litre	7,384 %	1454813,6025 litre	O
2000	CM	500	CM	126 LEVEL CM	114653,0773 litre	7,299 %	1456143,2495 litre	O
2000	CM	500	CM	125 LEVEL CM	113327,9385 litre	7,215 %	1457468,3883 litre	O
2000	CM	500	CM	124 LEVEL CM	112007,3352 litre	7,131 %	1458788,9916 litre	O
2000	CM	500	CM	123 LEVEL CM	110691,2954 litre	7,047 %	1460105,0314 litre	O
2000	CM	500	CM	122 LEVEL CM	109379,8470 litre	6,963 %	1461416,4798 litre	O
2000	CM	500	CM	121 LEVEL CM	108073,0184 litre	6,880 %	1462723,3084 litre	O
2000	CM	500	CM	120 LEVEL CM	106770,8384 litre	6,797 %	1464025,4884 litre	O
2000	CM	500	CM	119 LEVEL CM	105473,3359 litre	6,715 %	1465322,9909 litre	O
2000	CM	500	CM	118 LEVEL CM	104180,5401 litre	6,632 %	1466615,7867 litre	O
2000	CM	500	CM	117 LEVEL CM	102892,4808 litre	6,550 %	1467903,8460 litre	O
2000	CM	500	CM	116 LEVEL CM	101609,1879 litre	6,469 %	1469187,1389 litre	O
2000	CM	500	CM	115 LEVEL CM	100330,6916 litre	6,387 %	1470465,6352 litre	O
2000	CM	500	CM	114 LEVEL CM	99057,0226 litre	6,306 %	1471739,3042 litre	O
2000	CM	500	CM	113 LEVEL CM	97788,2119 litre	6,225 %	1473008,1149 litre	O
2000	CM	500	CM	112 LEVEL CM	96524,2907 litre	6,145 %	1474272,0361 litre	O
2000	CM	500	CM	111 LEVEL CM	95265,2909 litre	6,065 %	1475531,0359 litre	O
2000	CM	500	CM	110 LEVEL CM	94011,2444 litre	5,985 %	1476785,0824 litre	O
2000	CM	500	CM	109 LEVEL CM	92762,1837 litre	5,905 %	1478034,1431 litre	O
2000	CM	500	CM	108 LEVEL CM	91518,1417 litre	5,826 %	1479278,1851 litre	O
2000	CM	500	CM	107 LEVEL CM	90279,1515 litre	5,747 %	1480517,1753 litre	O
2000	CM	500	CM	106 LEVEL CM	89045,2470 litre	5,669 %	1481751,0798 litre	O
2000	CM	500	CM	105 LEVEL CM	87816,4620 litre	5,591 %	1482979,8648 litre	O
2000	CM	500	CM	104 LEVEL CM	86592,8312 litre	5,513 %	1484203,4956 litre	O
2000	CM	500	CM	103 LEVEL CM	85374,3894 litre	5,435 %	1485421,9374 litre	O
2000	CM	500	CM	102 LEVEL CM	84161,1720 litre	5,358 %	1486635,1548 litre	O
2000	CM	500	CM	101 LEVEL CM	82953,2149 litre	5,281 %	1487843,1119 litre	O

2000	CM	500	CM	100 LEVEL CM	81750,5544 litre	5,204 %	1489045,7724 litre	O
2000	CM	500	CM	99 LEVEL CM	80553,2273 litre	5,128 %	1490243,0995 litre	O
2000	CM	500	CM	98 LEVEL CM	79361,2708 litre	5,052 %	1491435,0560 litre	O
2000	CM	500	CM	97 LEVEL CM	78174,7228 litre	4,977 %	1492621,6040 litre	O
2000	CM	500	CM	96 LEVEL CM	76993,6215 litre	4,902 %	1493802,7053 litre	O
2000	CM	500	CM	95 LEVEL CM	75818,0059 litre	4,827 %	1494978,3209 litre	O
2000	CM	500	CM	94 LEVEL CM	74647,9152 litre	4,752 %	1496148,4116 litre	O
2000	CM	500	CM	93 LEVEL CM	73483,3895 litre	4,678 %	1497312,9373 litre	O
2000	CM	500	CM	92 LEVEL CM	72324,4693 litre	4,604 %	1498471,8575 litre	O
2000	CM	500	CM	91 LEVEL CM	71171,1957 litre	4,531 %	1499625,1311 litre	O
2000	CM	500	CM	90 LEVEL CM	70023,6105 litre	4,458 %	1500772,7163 litre	O
2000	CM	500	CM	89 LEVEL CM	68881,7559 litre	4,385 %	1501914,5709 litre	O
2000	CM	500	CM	88 LEVEL CM	67745,6749 litre	4,313 %	1503050,6519 litre	O
2000	CM	500	CM	87 LEVEL CM	66615,4113 litre	4,241 %	1504180,9155 litre	O
2000	CM	500	CM	86 LEVEL CM	65491,0094 litre	4,169 %	1505305,3174 litre	O
2000	CM	500	CM	85 LEVEL CM	64372,5141 litre	4,098 %	1506423,8127 litre	O
2000	CM	500	CM	84 LEVEL CM	63259,9712 litre	4,027 %	1507536,3556 litre	O
2000	CM	500	CM	83 LEVEL CM	62153,4272 litre	3,957 %	1508642,8996 litre	O
2000	CM	500	CM	82 LEVEL CM	61052,9293 litre	3,887 %	1509743,3975 litre	O
2000	CM	500	CM	81 LEVEL CM	59958,5255 litre	3,817 %	1510837,8013 litre	O
2000	CM	500	CM	80 LEVEL CM	58870,2648 litre	3,748 %	1511926,0620 litre	O
2000	CM	500	CM	79 LEVEL CM	57788,1966 litre	3,679 %	1513008,1302 litre	O
2000	CM	500	CM	78 LEVEL CM	56712,3717 litre	3,610 %	1514083,9551 litre	O
2000	CM	500	CM	77 LEVEL CM	55642,8412 litre	3,542 %	1515153,4856 litre	O
2000	CM	500	CM	76 LEVEL CM	54579,6577 litre	3,475 %	1516216,6691 litre	O
2000	CM	500	CM	75 LEVEL CM	53522,8742 litre	3,407 %	1517273,4526 litre	O
2000	CM	500	CM	74 LEVEL CM	52472,5452 litre	3,341 %	1518323,7816 litre	O
2000	CM	500	CM	73 LEVEL CM	51428,7257 litre	3,274 %	1519367,6011 litre	O
2000	CM	500	CM	72 LEVEL CM	50391,4721 litre	3,208 %	1520404,8547 litre	O
2000	CM	500	CM	71 LEVEL CM	49360,8417 litre	3,142 %	1521435,4851 litre	O
2000	CM	500	CM	70 LEVEL CM	48336,8930 litre	3,077 %	1522459,4338 litre	O
2000	CM	500	CM	69 LEVEL CM	47319,6856 litre	3,012 %	1523476,6412 litre	O
2000	CM	500	CM	68 LEVEL CM	46309,2804 litre	2,948 %	1524487,0464 litre	O
2000	CM	500	CM	67 LEVEL CM	45305,7393 litre	2,884 %	1525490,5875 litre	O
2000	CM	500	CM	66 LEVEL CM	44309,1257 litre	2,821 %	1526487,2011 litre	O
2000	CM	500	CM	65 LEVEL CM	43319,5043 litre	2,758 %	1527476,8225 litre	O
2000	CM	500	CM	64 LEVEL CM	42336,9411 litre	2,695 %	1528459,3857 litre	O
2000	CM	500	CM	63 LEVEL CM	41361,5035 litre	2,633 %	1529434,8233 litre	O
2000	CM	500	CM	62 LEVEL CM	40393,2606 litre	2,572 %	1530403,0662 litre	O
2000	CM	500	CM	61 LEVEL CM	39432,2829 litre	2,510 %	1531364,0439 litre	O
2000	CM	500	CM	60 LEVEL CM	38478,6424 litre	2,450 %	1532317,6844 litre	O
2000	CM	500	CM	59 LEVEL CM	37532,4131 litre	2,389 %	1533263,9137 litre	O
2000	CM	500	CM	58 LEVEL CM	36593,6703 litre	2,330 %	1534202,6565 litre	O
2000	CM	500	CM	57 LEVEL CM	35662,4916 litre	2,270 %	1535133,8352 litre	O
2000	CM	500	CM	56 LEVEL CM	34738,9561 litre	2,212 %	1536057,3707 litre	O
2000	CM	500	CM	55 LEVEL CM	33823,1452 litre	2,153 %	1536973,1816 litre	O
2000	CM	500	CM	54 LEVEL CM	32915,1421 litre	2,095 %	1537881,1847 litre	O
2000	CM	500	CM	53 LEVEL CM	32015,0325 litre	2,038 %	1538781,2943 litre	O
2000	CM	500	CM	52 LEVEL CM	31122,9039 litre	1,981 %	1539673,4229 litre	O
2000	CM	500	CM	51 LEVEL CM	30238,8467 litre	1,925 %	1540557,4801 litre	O
2000	CM	500	CM	50 LEVEL CM	29362,9534 litre	1,869 %	1541433,3734 litre	O
2000	CM	500	CM	49 LEVEL CM	28495,3193 litre	1,814 %	1542301,0075 litre	O
2000	CM	500	CM	48 LEVEL CM	27636,0425 litre	1,759 %	1543160,2843 litre	O

2000	CM	500	CM	47 LEVEL CM	26785,2237 litre	1,705 %	1544011,1031 litre	O
2000	CM	500	CM	46 LEVEL CM	25942,9669 litre	1,652 %	1544853,3599 litre	O
2000	CM	500	CM	45 LEVEL CM	25109,3793 litre	1,599 %	1545686,9475 litre	O
2000	CM	500	CM	44 LEVEL CM	24284,5713 litre	1,546 %	1546511,7555 litre	O
2000	CM	500	CM	43 LEVEL CM	23468,6571 litre	1,494 %	1547327,6697 litre	O
2000	CM	500	CM	42 LEVEL CM	22661,7545 litre	1,443 %	1548134,5723 litre	O
2000	CM	500	CM	41 LEVEL CM	21863,9853 litre	1,392 %	1548932,3415 litre	O
2000	CM	500	CM	40 LEVEL CM	21075,4757 litre	1,342 %	1549720,8511 litre	O
2000	CM	500	CM	39 LEVEL CM	20296,3562 litre	1,292 %	1550499,9706 litre	O
2000	CM	500	CM	38 LEVEL CM	19526,7622 litre	1,243 %	1551269,5646 litre	O
2000	CM	500	CM	37 LEVEL CM	18766,8340 litre	1,195 %	1552029,4928 litre	O
2000	CM	500	CM	36 LEVEL CM	18016,7177 litre	1,147 %	1552779,6091 litre	O
2000	CM	500	CM	35 LEVEL CM	17276,5648 litre	1,100 %	1553519,7620 litre	O
2000	CM	500	CM	34 LEVEL CM	16546,5333 litre	1,053 %	1554249,7935 litre	O
2000	CM	500	CM	33 LEVEL CM	15826,7877 litre	1,008 %	1554969,5391 litre	O
2000	CM	500	CM	32 LEVEL CM	15117,4998 litre	0,962 %	1555678,8270 litre	O
2000	CM	500	CM	31 LEVEL CM	14418,8489 litre	0,918 %	1556377,4779 litre	O
2000	CM	500	CM	30 LEVEL CM	13731,0228 litre	0,874 %	1557065,3040 litre	O
2000	CM	500	CM	29 LEVEL CM	13054,2183 litre	0,831 %	1557742,1085 litre	O
2000	CM	500	CM	28 LEVEL CM	12388,6419 litre	0,789 %	1558407,6849 litre	O
2000	CM	500	CM	27 LEVEL CM	11734,5107 litre	0,747 %	1559061,8161 litre	O
2000	CM	500	CM	26 LEVEL CM	11092,0537 litre	0,706 %	1559704,2731 litre	O
2000	CM	500	CM	25 LEVEL CM	10461,5122 litre	0,666 %	1560334,8146 litre	O
2000	CM	500	CM	24 LEVEL CM	9843,1417 litre	0,627 %	1560953,1851 litre	O
2000	CM	500	CM	23 LEVEL CM	9237,2131 litre	0,588 %	1561559,1137 litre	O
2000	CM	500	CM	22 LEVEL CM	8644,0143 litre	0,550 %	1562152,3125 litre	O
2000	CM	500	CM	21 LEVEL CM	8063,8521 litre	0,513 %	1562732,4747 litre	O
2000	CM	500	CM	20 LEVEL CM	7497,0546 litre	0,477 %	1563299,2722 litre	O
2000	CM	500	CM	19 LEVEL CM	6943,9736 litre	0,442 %	1563852,3532 litre	O
2000	CM	500	CM	18 LEVEL CM	6404,9879 litre	0,408 %	1564391,3389 litre	O
2000	CM	500	CM	17 LEVEL CM	5880,5066 litre	0,374 %	1564915,8202 litre	O
2000	CM	500	CM	16 LEVEL CM	5370,9740 litre	0,342 %	1565425,3528 litre	O
2000	CM	500	CM	15 LEVEL CM	4876,8747 litre	0,310 %	1565919,4521 litre	O
2000	CM	500	CM	14 LEVEL CM	4398,7401 litre	0,280 %	1566397,5867 litre	O
2000	CM	500	CM	13 LEVEL CM	3937,1570 litre	0,251 %	1566859,1698 litre	O
2000	CM	500	CM	12 LEVEL CM	3492,7777 litre	0,222 %	1567303,5491 litre	O
2000	CM	500	CM	11 LEVEL CM	3066,3335 litre	0,195 %	1567729,9933 litre	O
2000	CM	500	CM	10 LEVEL CM	2658,6523 litre	0,169 %	1568137,6745 litre	O
2000	CM	500	CM	9 LEVEL CM	2270,6825 litre	0,145 %	1568525,6443 litre	O
2000	CM	500	CM	8 LEVEL CM	1903,5253 litre	0,121 %	1568892,8015 litre	O
2000	CM	500	CM	7 LEVEL CM	1558,4816 litre	0,099 %	1569237,8452 litre	O
2000	CM	500	CM	6 LEVEL CM	1237,1214 litre	0,079 %	1569559,2054 litre	O
2000	CM	500	CM	5 LEVEL CM	941,3936 litre	0,060 %	1569854,9332 litre	O
2000	CM	500	CM	4 LEVEL CM	673,8091 litre	0,043 %	1570122,5177 litre	O
2000	CM	500	CM	3 LEVEL CM	437,7835 litre	0,028 %	1570358,5433 litre	O
2000	CM	500	CM	2 LEVEL CM	238,3708 litre	0,015 %	1570557,9560 litre	O
2000	CM	500	CM	1 LEVEL CM	84,3021 litre	0,005 %	1570712,0247 litre	O
2000	CM	500	CM	0 LEVEL CM	0,0000 litre	0,000 %	1570796,3268 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1900	CM	450	CM	900 LEVEL CM	1208727,7735 litre	100,000 %	0,0000 litre	O
1900	CM	450	CM	899 LEVEL CM	1208651,7988 litre	99,994 %	75,9747 litre	O
1900	CM	450	CM	898 LEVEL CM	1208512,9564 litre	99,982 %	214,8171 litre	O
1900	CM	450	CM	897 LEVEL CM	1208333,2610 litre	99,967 %	394,5125 litre	O
1900	CM	450	CM	896 LEVEL CM	1208120,5848 litre	99,950 %	607,1887 litre	O
1900	CM	450	CM	895 LEVEL CM	1207879,4852 litre	99,930 %	848,2883 litre	O
1900	CM	450	CM	894 LEVEL CM	1207613,0427 litre	99,908 %	1114,7308 litre	O
1900	CM	450	CM	893 LEVEL CM	1207323,5226 litre	99,884 %	1404,2509 litre	O
1900	CM	450	CM	892 LEVEL CM	1207012,6829 litre	99,858 %	1715,0906 litre	O
1900	CM	450	CM	891 LEVEL CM	1206681,9405 litre	99,831 %	2045,8330 litre	O
1900	CM	450	CM	890 LEVEL CM	1206332,4695 litre	99,802 %	2395,3040 litre	O
1900	CM	450	CM	889 LEVEL CM	1205965,2640 litre	99,771 %	2762,5095 litre	O
1900	CM	450	CM	888 LEVEL CM	1205581,1801 litre	99,740 %	3146,5934 litre	O
1900	CM	450	CM	887 LEVEL CM	1205180,9654 litre	99,707 %	3546,8081 litre	O
1900	CM	450	CM	886 LEVEL CM	1204765,2805 litre	99,672 %	3962,4930 litre	O
1900	CM	450	CM	885 LEVEL CM	1204334,7146 litre	99,637 %	4393,0589 litre	O
1900	CM	450	CM	884 LEVEL CM	1203889,7977 litre	99,600 %	4837,9758 litre	O
1900	CM	450	CM	883 LEVEL CM	1203431,0102 litre	99,562 %	5296,7633 litre	O
1900	CM	450	CM	882 LEVEL CM	1202958,7900 litre	99,523 %	5768,9835 litre	O
1900	CM	450	CM	881 LEVEL CM	1202473,5385 litre	99,483 %	6254,2350 litre	O
1900	CM	450	CM	880 LEVEL CM	1201975,6259 litre	99,441 %	6752,1476 litre	O
1900	CM	450	CM	879 LEVEL CM	1201465,3945 litre	99,399 %	7262,3790 litre	O
1900	CM	450	CM	878 LEVEL CM	1200943,1625 litre	99,356 %	7784,6110 litre	O
1900	CM	450	CM	877 LEVEL CM	1200409,2268 litre	99,312 %	8318,5467 litre	O
1900	CM	450	CM	876 LEVEL CM	1199863,8648 litre	99,267 %	8863,9087 litre	O
1900	CM	450	CM	875 LEVEL CM	1199307,3371 litre	99,221 %	9420,4364 litre	O
1900	CM	450	CM	874 LEVEL CM	1198739,8889 litre	99,174 %	9987,8846 litre	O
1900	CM	450	CM	873 LEVEL CM	1198161,7514 litre	99,126 %	10566,0221 litre	O
1900	CM	450	CM	872 LEVEL CM	1197573,1432 litre	99,077 %	11154,6303 litre	O
1900	CM	450	CM	871 LEVEL CM	1196974,2715 litre	99,028 %	11753,5020 litre	O
1900	CM	450	CM	870 LEVEL CM	1196365,3330 litre	98,977 %	12362,4405 litre	O
1900	CM	450	CM	869 LEVEL CM	1195746,5148 litre	98,926 %	12981,2587 litre	O
1900	CM	450	CM	868 LEVEL CM	1195117,9951 litre	98,874 %	13609,7784 litre	O
1900	CM	450	CM	867 LEVEL CM	1194479,9441 litre	98,821 %	14247,8294 litre	O
1900	CM	450	CM	866 LEVEL CM	1193832,5244 litre	98,768 %	14895,2491 litre	O
1900	CM	450	CM	865 LEVEL CM	1193175,8916 litre	98,713 %	15551,8819 litre	O
1900	CM	450	CM	864 LEVEL CM	1192510,1949 litre	98,658 %	16217,5786 litre	O
1900	CM	450	CM	863 LEVEL CM	1191835,5775 litre	98,602 %	16892,1960 litre	O
1900	CM	450	CM	862 LEVEL CM	1191152,1771 litre	98,546 %	17575,5964 litre	O
1900	CM	450	CM	861 LEVEL CM	1190460,1258 litre	98,489 %	18267,6477 litre	O
1900	CM	450	CM	860 LEVEL CM	1189759,5512 litre	98,431 %	18968,2223 litre	O
1900	CM	450	CM	859 LEVEL CM	1189050,5760 litre	98,372 %	19677,1975 litre	O
1900	CM	450	CM	858 LEVEL CM	1188333,3188 litre	98,313 %	20394,4547 litre	O
1900	CM	450	CM	857 LEVEL CM	1187607,8941 litre	98,253 %	21119,8794 litre	O
1900	CM	450	CM	856 LEVEL CM	1186874,4124 litre	98,192 %	21853,3611 litre	O
1900	CM	450	CM	855 LEVEL CM	1186132,9808 litre	98,131 %	22594,7927 litre	O
1900	CM	450	CM	854 LEVEL CM	1185383,7029 litre	98,069 %	23344,0706 litre	O
1900	CM	450	CM	853 LEVEL CM	1184626,6792 litre	98,006 %	24101,0943 litre	O
1900	CM	450	CM	852 LEVEL CM	1183862,0069 litre	97,943 %	24865,7666 litre	O
1900	CM	450	CM	851 LEVEL CM	1183089,7805 litre	97,879 %	25637,9930 litre	O
1900	CM	450	CM	850 LEVEL CM	1182310,0917 litre	97,814 %	26417,6818 litre	O
1900	CM	450	CM	849 LEVEL CM	1181523,0296 litre	97,749 %	27204,7439 litre	O

1900	CM	450	CM	848 LEVEL CM	1180728,6809 litre	97,684 %	27999,0926 litre	O
1900	CM	450	CM	847 LEVEL CM	1179927,1297 litre	97,617 %	28800,6438 litre	O
1900	CM	450	CM	846 LEVEL CM	1179118,4581 litre	97,550 %	29609,3154 litre	O
1900	CM	450	CM	845 LEVEL CM	1178302,7460 litre	97,483 %	30425,0275 litre	O
1900	CM	450	CM	844 LEVEL CM	1177480,0711 litre	97,415 %	31247,7024 litre	O
1900	CM	450	CM	843 LEVEL CM	1176650,5093 litre	97,346 %	32077,2642 litre	O
1900	CM	450	CM	842 LEVEL CM	1175814,1345 litre	97,277 %	32913,6390 litre	O
1900	CM	450	CM	841 LEVEL CM	1174971,0190 litre	97,207 %	33756,7545 litre	O
1900	CM	450	CM	840 LEVEL CM	1174121,2332 litre	97,137 %	34606,5403 litre	O
1900	CM	450	CM	839 LEVEL CM	1173264,8459 litre	97,066 %	35462,9276 litre	O
1900	CM	450	CM	838 LEVEL CM	1172401,9244 litre	96,995 %	36325,8491 litre	O
1900	CM	450	CM	837 LEVEL CM	1171532,5343 litre	96,923 %	37195,2392 litre	O
1900	CM	450	CM	836 LEVEL CM	1170656,7400 litre	96,850 %	38071,0335 litre	O
1900	CM	450	CM	835 LEVEL CM	1169774,6042 litre	96,777 %	38953,1693 litre	O
1900	CM	450	CM	834 LEVEL CM	1168886,1886 litre	96,704 %	39841,5849 litre	O
1900	CM	450	CM	833 LEVEL CM	1167991,5533 litre	96,630 %	40736,2202 litre	O
1900	CM	450	CM	832 LEVEL CM	1167090,7573 litre	96,555 %	41637,0162 litre	O
1900	CM	450	CM	831 LEVEL CM	1166183,8584 litre	96,480 %	42543,9151 litre	O
1900	CM	450	CM	830 LEVEL CM	1165270,9132 litre	96,405 %	43456,8603 litre	O
1900	CM	450	CM	829 LEVEL CM	1164351,9771 litre	96,329 %	44375,7964 litre	O
1900	CM	450	CM	828 LEVEL CM	1163427,1047 litre	96,252 %	45300,6688 litre	O
1900	CM	450	CM	827 LEVEL CM	1162496,3493 litre	96,175 %	46231,4242 litre	O
1900	CM	450	CM	826 LEVEL CM	1161559,7632 litre	96,098 %	47168,0103 litre	O
1900	CM	450	CM	825 LEVEL CM	1160617,3979 litre	96,020 %	48110,3756 litre	O
1900	CM	450	CM	824 LEVEL CM	1159669,3037 litre	95,941 %	49058,4698 litre	O
1900	CM	450	CM	823 LEVEL CM	1158715,5304 litre	95,862 %	50012,2431 litre	O
1900	CM	450	CM	822 LEVEL CM	1157756,1264 litre	95,783 %	50971,6471 litre	O
1900	CM	450	CM	821 LEVEL CM	1156791,1397 litre	95,703 %	51936,6338 litre	O
1900	CM	450	CM	820 LEVEL CM	1155820,6173 litre	95,623 %	52907,1562 litre	O
1900	CM	450	CM	819 LEVEL CM	1154844,6052 litre	95,542 %	53883,1683 litre	O
1900	CM	450	CM	818 LEVEL CM	1153863,1490 litre	95,461 %	54864,6245 litre	O
1900	CM	450	CM	817 LEVEL CM	1152876,2933 litre	95,379 %	55851,4802 litre	O
1900	CM	450	CM	816 LEVEL CM	1151884,0821 litre	95,297 %	56843,6914 litre	O
1900	CM	450	CM	815 LEVEL CM	1150886,5585 litre	95,215 %	57841,2150 litre	O
1900	CM	450	CM	814 LEVEL CM	1149883,7652 litre	95,132 %	58844,0083 litre	O
1900	CM	450	CM	813 LEVEL CM	1148875,7439 litre	95,048 %	59852,0296 litre	O
1900	CM	450	CM	812 LEVEL CM	1147862,5360 litre	94,965 %	60865,2375 litre	O
1900	CM	450	CM	811 LEVEL CM	1146844,1820 litre	94,880 %	61883,5915 litre	O
1900	CM	450	CM	810 LEVEL CM	1145820,7219 litre	94,796 %	62907,0516 litre	O
1900	CM	450	CM	809 LEVEL CM	1144792,1950 litre	94,711 %	63935,5785 litre	O
1900	CM	450	CM	808 LEVEL CM	1143758,6403 litre	94,625 %	64969,1332 litre	O
1900	CM	450	CM	807 LEVEL CM	1142720,0959 litre	94,539 %	66007,6776 litre	O
1900	CM	450	CM	806 LEVEL CM	1141676,5995 litre	94,453 %	67051,1740 litre	O
1900	CM	450	CM	805 LEVEL CM	1140628,1883 litre	94,366 %	68099,5852 litre	O
1900	CM	450	CM	804 LEVEL CM	1139574,8990 litre	94,279 %	69152,8745 litre	O
1900	CM	450	CM	803 LEVEL CM	1138516,7676 litre	94,191 %	70211,0059 litre	O
1900	CM	450	CM	802 LEVEL CM	1137453,8299 litre	94,103 %	71273,9436 litre	O
1900	CM	450	CM	801 LEVEL CM	1136386,1209 litre	94,015 %	72341,6526 litre	O
1900	CM	450	CM	800 LEVEL CM	1135313,6754 litre	93,926 %	73414,0981 litre	O
1900	CM	450	CM	799 LEVEL CM	1134236,5277 litre	93,837 %	74491,2458 litre	O
1900	CM	450	CM	798 LEVEL CM	1133154,7114 litre	93,748 %	75573,0621 litre	O
1900	CM	450	CM	797 LEVEL CM	1132068,2599 litre	93,658 %	76659,5136 litre	O
1900	CM	450	CM	796 LEVEL CM	1130977,2062 litre	93,568 %	77750,5673 litre	O

1900	CM	450	CM	795 LEVEL CM	1129881,5828 litre	93,477 %	78846,1907 litre	O
1900	CM	450	CM	794 LEVEL CM	1128781,4218 litre	93,386 %	79946,3517 litre	O
1900	CM	450	CM	793 LEVEL CM	1127676,7548 litre	93,295 %	81051,0187 litre	O
1900	CM	450	CM	792 LEVEL CM	1126567,6133 litre	93,203 %	82160,1602 litre	O
1900	CM	450	CM	791 LEVEL CM	1125454,0282 litre	93,111 %	83273,7453 litre	O
1900	CM	450	CM	790 LEVEL CM	1124336,0300 litre	93,018 %	84391,7435 litre	O
1900	CM	450	CM	789 LEVEL CM	1123213,6489 litre	92,925 %	85514,1246 litre	O
1900	CM	450	CM	788 LEVEL CM	1122086,9149 litre	92,832 %	86640,8586 litre	O
1900	CM	450	CM	787 LEVEL CM	1120955,8575 litre	92,738 %	87771,9160 litre	O
1900	CM	450	CM	786 LEVEL CM	1119820,5057 litre	92,645 %	88907,2678 litre	O
1900	CM	450	CM	785 LEVEL CM	1118680,8886 litre	92,550 %	90046,8849 litre	O
1900	CM	450	CM	784 LEVEL CM	1117537,0345 litre	92,456 %	91190,7390 litre	O
1900	CM	450	CM	783 LEVEL CM	1116388,9718 litre	92,361 %	92338,8017 litre	O
1900	CM	450	CM	782 LEVEL CM	1115236,7283 litre	92,265 %	93491,0452 litre	O
1900	CM	450	CM	781 LEVEL CM	1114080,3316 litre	92,170 %	94647,4419 litre	O
1900	CM	450	CM	780 LEVEL CM	1112919,8090 litre	92,074 %	95807,9645 litre	O
1900	CM	450	CM	779 LEVEL CM	1111755,1876 litre	91,977 %	96972,5859 litre	O
1900	CM	450	CM	778 LEVEL CM	1110586,4941 litre	91,881 %	98141,2794 litre	O
1900	CM	450	CM	777 LEVEL CM	1109413,7549 litre	91,784 %	99314,0186 litre	O
1900	CM	450	CM	776 LEVEL CM	1108236,9963 litre	91,686 %	100490,7772 litre	O
1900	CM	450	CM	775 LEVEL CM	1107056,2440 litre	91,589 %	101671,5295 litre	O
1900	CM	450	CM	774 LEVEL CM	1105871,5239 litre	91,491 %	102856,2496 litre	O
1900	CM	450	CM	773 LEVEL CM	1104682,8612 litre	91,392 %	104044,9123 litre	O
1900	CM	450	CM	772 LEVEL CM	1103490,2811 litre	91,294 %	105237,4924 litre	O
1900	CM	450	CM	771 LEVEL CM	1102293,8085 litre	91,195 %	106433,9650 litre	O
1900	CM	450	CM	770 LEVEL CM	1101093,4680 litre	91,095 %	107634,3055 litre	O
1900	CM	450	CM	769 LEVEL CM	1099889,2842 litre	90,996 %	108838,4893 litre	O
1900	CM	450	CM	768 LEVEL CM	1098681,2811 litre	90,896 %	110046,4924 litre	O
1900	CM	450	CM	767 LEVEL CM	1097469,4827 litre	90,795 %	111258,2908 litre	O
1900	CM	450	CM	766 LEVEL CM	1096253,9127 litre	90,695 %	112473,8608 litre	O
1900	CM	450	CM	765 LEVEL CM	1095034,5947 litre	90,594 %	113693,1788 litre	O
1900	CM	450	CM	764 LEVEL CM	1093811,5519 litre	90,493 %	114916,2216 litre	O
1900	CM	450	CM	763 LEVEL CM	1092584,8075 litre	90,391 %	116142,9660 litre	O
1900	CM	450	CM	762 LEVEL CM	1091354,3842 litre	90,290 %	117373,3893 litre	O
1900	CM	450	CM	761 LEVEL CM	1090120,3048 litre	90,187 %	118607,4687 litre	O
1900	CM	450	CM	760 LEVEL CM	1088882,5917 litre	90,085 %	119845,1818 litre	O
1900	CM	450	CM	759 LEVEL CM	1087641,2672 litre	89,982 %	121086,5063 litre	O
1900	CM	450	CM	758 LEVEL CM	1086396,3534 litre	89,879 %	122331,4201 litre	O
1900	CM	450	CM	757 LEVEL CM	1085147,8721 litre	89,776 %	123579,9014 litre	O
1900	CM	450	CM	756 LEVEL CM	1083895,8451 litre	89,672 %	124831,9284 litre	O
1900	CM	450	CM	755 LEVEL CM	1082640,2938 litre	89,569 %	126087,4797 litre	O
1900	CM	450	CM	754 LEVEL CM	1081381,2397 litre	89,464 %	127346,5338 litre	O
1900	CM	450	CM	753 LEVEL CM	1080118,7038 litre	89,360 %	128609,0697 litre	O
1900	CM	450	CM	752 LEVEL CM	1078852,7071 litre	89,255 %	129875,0664 litre	O
1900	CM	450	CM	751 LEVEL CM	1077583,2705 litre	89,150 %	131144,5030 litre	O
1900	CM	450	CM	750 LEVEL CM	1076310,4145 litre	89,045 %	132417,3590 litre	O
1900	CM	450	CM	749 LEVEL CM	1075034,1598 litre	88,939 %	133693,6137 litre	O
1900	CM	450	CM	748 LEVEL CM	1073754,5265 litre	88,833 %	134973,2470 litre	O
1900	CM	450	CM	747 LEVEL CM	1072471,5348 litre	88,727 %	136256,2387 litre	O
1900	CM	450	CM	746 LEVEL CM	1071185,2048 litre	88,621 %	137542,5687 litre	O
1900	CM	450	CM	745 LEVEL CM	1069895,5562 litre	88,514 %	138832,2173 litre	O
1900	CM	450	CM	744 LEVEL CM	1068602,6087 litre	88,407 %	140125,1648 litre	O
1900	CM	450	CM	743 LEVEL CM	1067306,3820 litre	88,300 %	141421,3915 litre	O

1900	CM	450	CM	742 LEVEL CM	1066006,8953 litre	88,192 %	142720,8782 litre	O
1900	CM	450	CM	741 LEVEL CM	1064704,1679 litre	88,085 %	144023,6056 litre	O
1900	CM	450	CM	740 LEVEL CM	1063398,2189 litre	87,977 %	145329,5546 litre	O
1900	CM	450	CM	739 LEVEL CM	1062089,0673 litre	87,868 %	146638,7062 litre	O
1900	CM	450	CM	738 LEVEL CM	1060776,7319 litre	87,760 %	147951,0416 litre	O
1900	CM	450	CM	737 LEVEL CM	1059461,2313 litre	87,651 %	149266,5422 litre	O
1900	CM	450	CM	736 LEVEL CM	1058142,5842 litre	87,542 %	150585,1893 litre	O
1900	CM	450	CM	735 LEVEL CM	1056820,8089 litre	87,432 %	151906,9646 litre	O
1900	CM	450	CM	734 LEVEL CM	1055495,9237 litre	87,323 %	153231,8498 litre	O
1900	CM	450	CM	733 LEVEL CM	1054167,9468 litre	87,213 %	154559,8267 litre	O
1900	CM	450	CM	732 LEVEL CM	1052836,8961 litre	87,103 %	155890,8774 litre	O
1900	CM	450	CM	731 LEVEL CM	1051502,7897 litre	86,993 %	157224,9838 litre	O
1900	CM	450	CM	730 LEVEL CM	1050165,6453 litre	86,882 %	158562,1282 litre	O
1900	CM	450	CM	729 LEVEL CM	1048825,4805 litre	86,771 %	159902,2930 litre	O
1900	CM	450	CM	728 LEVEL CM	1047482,3129 litre	86,660 %	161245,4606 litre	O
1900	CM	450	CM	727 LEVEL CM	1046136,1600 litre	86,549 %	162591,6135 litre	O
1900	CM	450	CM	726 LEVEL CM	1044787,0389 litre	86,437 %	163940,7346 litre	O
1900	CM	450	CM	725 LEVEL CM	1043434,9670 litre	86,325 %	165292,8065 litre	O
1900	CM	450	CM	724 LEVEL CM	1042079,9613 litre	86,213 %	166647,8122 litre	O
1900	CM	450	CM	723 LEVEL CM	1040722,0388 litre	86,101 %	168005,7347 litre	O
1900	CM	450	CM	722 LEVEL CM	1039361,2163 litre	85,988 %	169366,5572 litre	O
1900	CM	450	CM	721 LEVEL CM	1037997,5106 litre	85,875 %	170730,2629 litre	O
1900	CM	450	CM	720 LEVEL CM	1036630,9383 litre	85,762 %	172096,8352 litre	O
1900	CM	450	CM	719 LEVEL CM	1035261,5161 litre	85,649 %	173466,2574 litre	O
1900	CM	450	CM	718 LEVEL CM	1033889,2603 litre	85,535 %	174838,5132 litre	O
1900	CM	450	CM	717 LEVEL CM	1032514,1872 litre	85,422 %	176213,5863 litre	O
1900	CM	450	CM	716 LEVEL CM	1031136,3132 litre	85,308 %	177591,4603 litre	O
1900	CM	450	CM	715 LEVEL CM	1029755,6543 litre	85,193 %	178972,1192 litre	O
1900	CM	450	CM	714 LEVEL CM	1028372,2266 litre	85,079 %	180355,5469 litre	O
1900	CM	450	CM	713 LEVEL CM	1026986,0461 litre	84,964 %	181741,7274 litre	O
1900	CM	450	CM	712 LEVEL CM	1025597,1285 litre	84,849 %	183130,6450 litre	O
1900	CM	450	CM	711 LEVEL CM	1024205,4898 litre	84,734 %	184522,2837 litre	O
1900	CM	450	CM	710 LEVEL CM	1022811,1454 litre	84,619 %	185916,6281 litre	O
1900	CM	450	CM	709 LEVEL CM	1021414,1111 litre	84,503 %	187313,6624 litre	O
1900	CM	450	CM	708 LEVEL CM	1020014,4022 litre	84,387 %	188713,3713 litre	O
1900	CM	450	CM	707 LEVEL CM	1018612,0342 litre	84,271 %	190115,7393 litre	O
1900	CM	450	CM	706 LEVEL CM	1017207,0224 litre	84,155 %	191520,7511 litre	O
1900	CM	450	CM	705 LEVEL CM	1015799,3820 litre	84,039 %	192928,3915 litre	O
1900	CM	450	CM	704 LEVEL CM	1014389,1282 litre	83,922 %	194338,6453 litre	O
1900	CM	450	CM	703 LEVEL CM	1012976,2760 litre	83,805 %	195751,4975 litre	O
1900	CM	450	CM	702 LEVEL CM	1011560,8404 litre	83,688 %	197166,9331 litre	O
1900	CM	450	CM	701 LEVEL CM	1010142,8363 litre	83,571 %	198584,9372 litre	O
1900	CM	450	CM	700 LEVEL CM	1008722,2784 litre	83,453 %	200005,4951 litre	O
1900	CM	450	CM	699 LEVEL CM	1007299,1815 litre	83,335 %	201428,5920 litre	O
1900	CM	450	CM	698 LEVEL CM	1005873,5604 litre	83,218 %	202854,2131 litre	O
1900	CM	450	CM	697 LEVEL CM	1004445,4294 litre	83,099 %	204282,3441 litre	O
1900	CM	450	CM	696 LEVEL CM	1003014,8032 litre	82,981 %	205712,9703 litre	O
1900	CM	450	CM	695 LEVEL CM	1001581,6961 litre	82,862 %	207146,0774 litre	O
1900	CM	450	CM	694 LEVEL CM	1000146,1225 litre	82,744 %	208581,6510 litre	O
1900	CM	450	CM	693 LEVEL CM	998708,0967 litre	82,625 %	210019,6768 litre	O
1900	CM	450	CM	692 LEVEL CM	997267,6329 litre	82,506 %	211460,1406 litre	O
1900	CM	450	CM	691 LEVEL CM	995824,7452 litre	82,386 %	212903,0283 litre	O
1900	CM	450	CM	690 LEVEL CM	994379,4476 litre	82,267 %	214348,3259 litre	O

1900	CM	450	CM	689 LEVEL CM	992931,7541 litre	82,147 %	215796,0194 litre	O
1900	CM	450	CM	688 LEVEL CM	991481,6787 litre	82,027 %	217246,0948 litre	O
1900	CM	450	CM	687 LEVEL CM	990029,2353 litre	81,907 %	218698,5382 litre	O
1900	CM	450	CM	686 LEVEL CM	988574,4375 litre	81,786 %	220153,3360 litre	O
1900	CM	450	CM	685 LEVEL CM	987117,2990 litre	81,666 %	221610,4745 litre	O
1900	CM	450	CM	684 LEVEL CM	985657,8337 litre	81,545 %	223069,9398 litre	O
1900	CM	450	CM	683 LEVEL CM	984196,0550 litre	81,424 %	224531,7185 litre	O
1900	CM	450	CM	682 LEVEL CM	982731,9764 litre	81,303 %	225995,7971 litre	O
1900	CM	450	CM	681 LEVEL CM	981265,6114 litre	81,182 %	227462,1621 litre	O
1900	CM	450	CM	680 LEVEL CM	979796,9734 litre	81,060 %	228930,8001 litre	O
1900	CM	450	CM	679 LEVEL CM	978326,0757 litre	80,938 %	230401,6978 litre	O
1900	CM	450	CM	678 LEVEL CM	976852,9316 litre	80,817 %	231874,8419 litre	O
1900	CM	450	CM	677 LEVEL CM	975377,5543 litre	80,695 %	233350,2192 litre	O
1900	CM	450	CM	676 LEVEL CM	973899,9570 litre	80,572 %	234827,8165 litre	O
1900	CM	450	CM	675 LEVEL CM	972420,1527 litre	80,450 %	236307,6208 litre	O
1900	CM	450	CM	674 LEVEL CM	970938,1545 litre	80,327 %	237789,6190 litre	O
1900	CM	450	CM	673 LEVEL CM	969453,9753 litre	80,204 %	239273,7982 litre	O
1900	CM	450	CM	672 LEVEL CM	967967,6280 litre	80,082 %	240760,1455 litre	O
1900	CM	450	CM	671 LEVEL CM	966479,1256 litre	79,958 %	242248,6479 litre	O
1900	CM	450	CM	670 LEVEL CM	964988,4807 litre	79,835 %	243739,2928 litre	O
1900	CM	450	CM	669 LEVEL CM	963495,7063 litre	79,712 %	245232,0672 litre	O
1900	CM	450	CM	668 LEVEL CM	962000,8148 litre	79,588 %	246726,9587 litre	O
1900	CM	450	CM	667 LEVEL CM	960503,8191 litre	79,464 %	248223,9544 litre	O
1900	CM	450	CM	666 LEVEL CM	959004,7317 litre	79,340 %	249723,0418 litre	O
1900	CM	450	CM	665 LEVEL CM	957503,5651 litre	79,216 %	251224,2084 litre	O
1900	CM	450	CM	664 LEVEL CM	956000,3317 litre	79,091 %	252727,4418 litre	O
1900	CM	450	CM	663 LEVEL CM	954495,0441 litre	78,967 %	254232,7294 litre	O
1900	CM	450	CM	662 LEVEL CM	952987,7147 litre	78,842 %	255740,0588 litre	O
1900	CM	450	CM	661 LEVEL CM	951478,3556 litre	78,717 %	257249,4179 litre	O
1900	CM	450	CM	660 LEVEL CM	949966,9792 litre	78,592 %	258760,7943 litre	O
1900	CM	450	CM	659 LEVEL CM	948453,5979 litre	78,467 %	260274,1756 litre	O
1900	CM	450	CM	658 LEVEL CM	946938,2236 litre	78,342 %	261789,5499 litre	O
1900	CM	450	CM	657 LEVEL CM	945420,8686 litre	78,216 %	263306,9049 litre	O
1900	CM	450	CM	656 LEVEL CM	943901,5449 litre	78,090 %	264826,2286 litre	O
1900	CM	450	CM	655 LEVEL CM	942380,2646 litre	77,965 %	266347,5089 litre	O
1900	CM	450	CM	654 LEVEL CM	940857,0397 litre	77,839 %	267870,7338 litre	O
1900	CM	450	CM	653 LEVEL CM	939331,8822 litre	77,712 %	269395,8913 litre	O
1900	CM	450	CM	652 LEVEL CM	937804,8038 litre	77,586 %	270922,9697 litre	O
1900	CM	450	CM	651 LEVEL CM	936275,8166 litre	77,460 %	272451,9569 litre	O
1900	CM	450	CM	650 LEVEL CM	934744,9323 litre	77,333 %	273982,8412 litre	O
1900	CM	450	CM	649 LEVEL CM	933212,1626 litre	77,206 %	275515,6109 litre	O
1900	CM	450	CM	648 LEVEL CM	931677,5193 litre	77,079 %	277050,2542 litre	O
1900	CM	450	CM	647 LEVEL CM	930141,0141 litre	76,952 %	278586,7594 litre	O
1900	CM	450	CM	646 LEVEL CM	928602,6586 litre	76,825 %	280125,1149 litre	O
1900	CM	450	CM	645 LEVEL CM	927062,4644 litre	76,697 %	281665,3091 litre	O
1900	CM	450	CM	644 LEVEL CM	925520,4431 litre	76,570 %	283207,3304 litre	O
1900	CM	450	CM	643 LEVEL CM	923976,6062 litre	76,442 %	284751,1673 litre	O
1900	CM	450	CM	642 LEVEL CM	922430,9651 litre	76,314 %	286296,8084 litre	O
1900	CM	450	CM	641 LEVEL CM	920883,5314 litre	76,186 %	287844,2421 litre	O
1900	CM	450	CM	640 LEVEL CM	919334,3163 litre	76,058 %	289393,4572 litre	O
1900	CM	450	CM	639 LEVEL CM	917783,3313 litre	75,930 %	290944,4422 litre	O
1900	CM	450	CM	638 LEVEL CM	916230,5876 litre	75,801 %	292497,1859 litre	O
1900	CM	450	CM	637 LEVEL CM	914676,0966 litre	75,673 %	294051,6769 litre	O

1900	CM	450	CM	636 LEVEL CM	913119,8695 litre	75,544 %	295607,9040 litre	O
1900	CM	450	CM	635 LEVEL CM	911561,9175 litre	75,415 %	297165,8560 litre	O
1900	CM	450	CM	634 LEVEL CM	910002,2517 litre	75,286 %	298725,5218 litre	O
1900	CM	450	CM	633 LEVEL CM	908440,8833 litre	75,157 %	300286,8902 litre	O
1900	CM	450	CM	632 LEVEL CM	906877,8234 litre	75,027 %	301849,9501 litre	O
1900	CM	450	CM	631 LEVEL CM	905313,0830 litre	74,898 %	303414,6905 litre	O
1900	CM	450	CM	630 LEVEL CM	903746,6731 litre	74,768 %	304981,1004 litre	O
1900	CM	450	CM	629 LEVEL CM	902178,6049 litre	74,639 %	306549,1686 litre	O
1900	CM	450	CM	628 LEVEL CM	900608,8891 litre	74,509 %	308118,8844 litre	O
1900	CM	450	CM	627 LEVEL CM	899037,5367 litre	74,379 %	309690,2368 litre	O
1900	CM	450	CM	626 LEVEL CM	897464,5586 litre	74,249 %	311263,2149 litre	O
1900	CM	450	CM	625 LEVEL CM	895889,9656 litre	74,118 %	312837,8079 litre	O
1900	CM	450	CM	624 LEVEL CM	894313,7686 litre	73,988 %	314414,0049 litre	O
1900	CM	450	CM	623 LEVEL CM	892735,9784 litre	73,857 %	315991,7951 litre	O
1900	CM	450	CM	622 LEVEL CM	891156,6056 litre	73,727 %	317571,1679 litre	O
1900	CM	450	CM	621 LEVEL CM	889575,6610 litre	73,596 %	319152,1125 litre	O
1900	CM	450	CM	620 LEVEL CM	887993,1554 litre	73,465 %	320734,6181 litre	O
1900	CM	450	CM	619 LEVEL CM	886409,0993 litre	73,334 %	322318,6742 litre	O
1900	CM	450	CM	618 LEVEL CM	884823,5033 litre	73,203 %	323904,2702 litre	O
1900	CM	450	CM	617 LEVEL CM	883236,3781 litre	73,072 %	325491,3954 litre	O
1900	CM	450	CM	616 LEVEL CM	881647,7343 litre	72,940 %	327080,0392 litre	O
1900	CM	450	CM	615 LEVEL CM	880057,5823 litre	72,809 %	328670,1912 litre	O
1900	CM	450	CM	614 LEVEL CM	878465,9326 litre	72,677 %	330261,8409 litre	O
1900	CM	450	CM	613 LEVEL CM	876872,7958 litre	72,545 %	331854,9777 litre	O
1900	CM	450	CM	612 LEVEL CM	875278,1822 litre	72,413 %	333449,5913 litre	O
1900	CM	450	CM	611 LEVEL CM	873682,1024 litre	72,281 %	335045,6711 litre	O
1900	CM	450	CM	610 LEVEL CM	872084,5666 litre	72,149 %	336643,2069 litre	O
1900	CM	450	CM	609 LEVEL CM	870485,5852 litre	72,017 %	338242,1883 litre	O
1900	CM	450	CM	608 LEVEL CM	868885,1686 litre	71,884 %	339842,6049 litre	O
1900	CM	450	CM	607 LEVEL CM	867283,3271 litre	71,752 %	341444,4464 litre	O
1900	CM	450	CM	606 LEVEL CM	865680,0708 litre	71,619 %	343047,7027 litre	O
1900	CM	450	CM	605 LEVEL CM	864075,4102 litre	71,486 %	344652,3633 litre	O
1900	CM	450	CM	604 LEVEL CM	862469,3553 litre	71,353 %	346258,4182 litre	O
1900	CM	450	CM	603 LEVEL CM	860861,9164 litre	71,220 %	347865,8571 litre	O
1900	CM	450	CM	602 LEVEL CM	859253,1037 litre	71,087 %	349474,6698 litre	O
1900	CM	450	CM	601 LEVEL CM	857642,9273 litre	70,954 %	351084,8462 litre	O
1900	CM	450	CM	600 LEVEL CM	856031,3972 litre	70,821 %	352696,3763 litre	O
1900	CM	450	CM	599 LEVEL CM	854418,5237 litre	70,687 %	354309,2498 litre	O
1900	CM	450	CM	598 LEVEL CM	852804,3167 litre	70,554 %	355923,4568 litre	O
1900	CM	450	CM	597 LEVEL CM	851188,7863 litre	70,420 %	357538,9872 litre	O
1900	CM	450	CM	596 LEVEL CM	849571,9426 litre	70,286 %	359155,8309 litre	O
1900	CM	450	CM	595 LEVEL CM	847953,7954 litre	70,153 %	360773,9781 litre	O
1900	CM	450	CM	594 LEVEL CM	846334,3548 litre	70,019 %	362393,4187 litre	O
1900	CM	450	CM	593 LEVEL CM	844713,6307 litre	69,885 %	364014,1428 litre	O
1900	CM	450	CM	592 LEVEL CM	843091,6331 litre	69,750 %	365636,1404 litre	O
1900	CM	450	CM	591 LEVEL CM	841468,3717 litre	69,616 %	367259,4018 litre	O
1900	CM	450	CM	590 LEVEL CM	839843,8566 litre	69,482 %	368883,9169 litre	O
1900	CM	450	CM	589 LEVEL CM	838218,0975 litre	69,347 %	370509,6760 litre	O
1900	CM	450	CM	588 LEVEL CM	836591,1042 litre	69,213 %	372136,6693 litre	O
1900	CM	450	CM	587 LEVEL CM	834962,8867 litre	69,078 %	373764,8868 litre	O
1900	CM	450	CM	586 LEVEL CM	833333,4546 litre	68,943 %	375394,3189 litre	O
1900	CM	450	CM	585 LEVEL CM	831702,8177 litre	68,808 %	377024,9558 litre	O
1900	CM	450	CM	584 LEVEL CM	830070,9858 litre	68,673 %	378656,7877 litre	O

1900	CM	450	CM	583 LEVEL CM	828437,9685 litre	68,538 %	380289,8050 litre	O
1900	CM	450	CM	582 LEVEL CM	826803,7756 litre	68,403 %	381923,9979 litre	O
1900	CM	450	CM	581 LEVEL CM	825168,4167 litre	68,268 %	383559,3568 litre	O
1900	CM	450	CM	580 LEVEL CM	823531,9016 litre	68,132 %	385195,8719 litre	O
1900	CM	450	CM	579 LEVEL CM	821894,2397 litre	67,997 %	386833,5338 litre	O
1900	CM	450	CM	578 LEVEL CM	820255,4408 litre	67,861 %	388472,3327 litre	O
1900	CM	450	CM	577 LEVEL CM	818615,5145 litre	67,725 %	390112,2590 litre	O
1900	CM	450	CM	576 LEVEL CM	816974,4703 litre	67,590 %	391753,3032 litre	O
1900	CM	450	CM	575 LEVEL CM	815332,3177 litre	67,454 %	393395,4558 litre	O
1900	CM	450	CM	574 LEVEL CM	813689,0663 litre	67,318 %	395038,7072 litre	O
1900	CM	450	CM	573 LEVEL CM	812044,7256 litre	67,182 %	396683,0479 litre	O
1900	CM	450	CM	572 LEVEL CM	810399,3052 litre	67,046 %	398328,4683 litre	O
1900	CM	450	CM	571 LEVEL CM	808752,8144 litre	66,909 %	399974,9591 litre	O
1900	CM	450	CM	570 LEVEL CM	807105,2628 litre	66,773 %	401622,5107 litre	O
1900	CM	450	CM	569 LEVEL CM	805456,6598 litre	66,637 %	403271,1137 litre	O
1900	CM	450	CM	568 LEVEL CM	803807,0148 litre	66,500 %	404920,7587 litre	O
1900	CM	450	CM	567 LEVEL CM	802156,3372 litre	66,364 %	406571,4363 litre	O
1900	CM	450	CM	566 LEVEL CM	800504,6365 litre	66,227 %	408223,1370 litre	O
1900	CM	450	CM	565 LEVEL CM	798851,9219 litre	66,090 %	409875,8516 litre	O
1900	CM	450	CM	564 LEVEL CM	797198,2028 litre	65,953 %	411529,5707 litre	O
1900	CM	450	CM	563 LEVEL CM	795543,4887 litre	65,817 %	413184,2848 litre	O
1900	CM	450	CM	562 LEVEL CM	793887,7887 litre	65,680 %	414839,9848 litre	O
1900	CM	450	CM	561 LEVEL CM	792231,1122 litre	65,543 %	416496,6613 litre	O
1900	CM	450	CM	560 LEVEL CM	790573,4684 litre	65,405 %	418154,3051 litre	O
1900	CM	450	CM	559 LEVEL CM	788914,8668 litre	65,268 %	419812,9067 litre	O
1900	CM	450	CM	558 LEVEL CM	787255,3164 litre	65,131 %	421472,4571 litre	O
1900	CM	450	CM	557 LEVEL CM	785594,8266 litre	64,994 %	423132,9469 litre	O
1900	CM	450	CM	556 LEVEL CM	783933,4065 litre	64,856 %	424794,3670 litre	O
1900	CM	450	CM	555 LEVEL CM	782271,0654 litre	64,719 %	426456,7081 litre	O
1900	CM	450	CM	554 LEVEL CM	780607,8125 litre	64,581 %	428119,9610 litre	O
1900	CM	450	CM	553 LEVEL CM	778943,6569 litre	64,443 %	429784,1166 litre	O
1900	CM	450	CM	552 LEVEL CM	777278,6078 litre	64,306 %	431449,1657 litre	O
1900	CM	450	CM	551 LEVEL CM	775612,6743 litre	64,168 %	433115,0992 litre	O
1900	CM	450	CM	550 LEVEL CM	773945,8657 litre	64,030 %	434781,9078 litre	O
1900	CM	450	CM	549 LEVEL CM	772278,1909 litre	63,892 %	436449,5826 litre	O
1900	CM	450	CM	548 LEVEL CM	770609,6591 litre	63,754 %	438118,1144 litre	O
1900	CM	450	CM	547 LEVEL CM	768940,2795 litre	63,616 %	439787,4940 litre	O
1900	CM	450	CM	546 LEVEL CM	767270,0610 litre	63,477 %	441457,7125 litre	O
1900	CM	450	CM	545 LEVEL CM	765599,0127 litre	63,339 %	443128,7608 litre	O
1900	CM	450	CM	544 LEVEL CM	763927,1437 litre	63,201 %	444800,6298 litre	O
1900	CM	450	CM	543 LEVEL CM	762254,4630 litre	63,063 %	446473,3105 litre	O
1900	CM	450	CM	542 LEVEL CM	760580,9797 litre	62,924 %	448146,7938 litre	O
1900	CM	450	CM	541 LEVEL CM	758906,7027 litre	62,786 %	449821,0708 litre	O
1900	CM	450	CM	540 LEVEL CM	757231,6410 litre	62,647 %	451496,1325 litre	O
1900	CM	450	CM	539 LEVEL CM	755555,8037 litre	62,508 %	453171,9698 litre	O
1900	CM	450	CM	538 LEVEL CM	753879,1997 litre	62,370 %	454848,5738 litre	O
1900	CM	450	CM	537 LEVEL CM	752201,8379 litre	62,231 %	456525,9356 litre	O
1900	CM	450	CM	536 LEVEL CM	750523,7274 litre	62,092 %	458204,0461 litre	O
1900	CM	450	CM	535 LEVEL CM	748844,8769 litre	61,953 %	459882,8966 litre	O
1900	CM	450	CM	534 LEVEL CM	747165,2956 litre	61,814 %	461562,4779 litre	O
1900	CM	450	CM	533 LEVEL CM	745484,9922 litre	61,675 %	463242,7813 litre	O
1900	CM	450	CM	532 LEVEL CM	743803,9757 litre	61,536 %	464923,7978 litre	O
1900	CM	450	CM	531 LEVEL CM	742122,2549 litre	61,397 %	466605,5186 litre	O

1900	CM	450	CM	530 LEVEL CM	740439,8388 litre	61,258 %	468287,9347 litre	O
1900	CM	450	CM	529 LEVEL CM	738756,7362 litre	61,119 %	469971,0373 litre	O
1900	CM	450	CM	528 LEVEL CM	737072,9560 litre	60,979 %	471654,8175 litre	O
1900	CM	450	CM	527 LEVEL CM	735388,5070 litre	60,840 %	473339,2665 litre	O
1900	CM	450	CM	526 LEVEL CM	733703,3980 litre	60,700 %	475024,3755 litre	O
1900	CM	450	CM	525 LEVEL CM	732017,6379 litre	60,561 %	476710,1356 litre	O
1900	CM	450	CM	524 LEVEL CM	730331,2355 litre	60,421 %	478396,5380 litre	O
1900	CM	450	CM	523 LEVEL CM	728644,1995 litre	60,282 %	480083,5740 litre	O
1900	CM	450	CM	522 LEVEL CM	726956,5389 litre	60,142 %	481771,2346 litre	O
1900	CM	450	CM	521 LEVEL CM	725268,2623 litre	60,003 %	483459,5112 litre	O
1900	CM	450	CM	520 LEVEL CM	723579,3785 litre	59,863 %	485148,3950 litre	O
1900	CM	450	CM	519 LEVEL CM	721889,8963 litre	59,723 %	486837,8772 litre	O
1900	CM	450	CM	518 LEVEL CM	720199,8245 litre	59,583 %	488527,9490 litre	O
1900	CM	450	CM	517 LEVEL CM	718509,1719 litre	59,443 %	490218,6016 litre	O
1900	CM	450	CM	516 LEVEL CM	716817,9470 litre	59,304 %	491909,8265 litre	O
1900	CM	450	CM	515 LEVEL CM	715126,1587 litre	59,164 %	493601,6148 litre	O
1900	CM	450	CM	514 LEVEL CM	713433,8158 litre	59,024 %	495293,9577 litre	O
1900	CM	450	CM	513 LEVEL CM	711740,9268 litre	58,883 %	496986,8467 litre	O
1900	CM	450	CM	512 LEVEL CM	710047,5005 litre	58,743 %	498680,2730 litre	O
1900	CM	450	CM	511 LEVEL CM	708353,5457 litre	58,603 %	500374,2278 litre	O
1900	CM	450	CM	510 LEVEL CM	706659,0709 litre	58,463 %	502068,7026 litre	O
1900	CM	450	CM	509 LEVEL CM	704964,0849 litre	58,323 %	503763,6886 litre	O
1900	CM	450	CM	508 LEVEL CM	703268,5963 litre	58,183 %	505459,1772 litre	O
1900	CM	450	CM	507 LEVEL CM	701572,6138 litre	58,042 %	507155,1597 litre	O
1900	CM	450	CM	506 LEVEL CM	699876,1461 litre	57,902 %	508851,6274 litre	O
1900	CM	450	CM	505 LEVEL CM	698179,2018 litre	57,761 %	510548,5717 litre	O
1900	CM	450	CM	504 LEVEL CM	696481,7896 litre	57,621 %	512245,9839 litre	O
1900	CM	450	CM	503 LEVEL CM	694783,9180 litre	57,481 %	513943,8555 litre	O
1900	CM	450	CM	502 LEVEL CM	693085,5957 litre	57,340 %	515642,1778 litre	O
1900	CM	450	CM	501 LEVEL CM	691386,8314 litre	57,200 %	517340,9421 litre	O
1900	CM	450	CM	500 LEVEL CM	689687,6336 litre	57,059 %	519040,1399 litre	O
1900	CM	450	CM	499 LEVEL CM	687988,0109 litre	56,918 %	520739,7626 litre	O
1900	CM	450	CM	498 LEVEL CM	686287,9720 litre	56,778 %	522439,8015 litre	O
1900	CM	450	CM	497 LEVEL CM	684587,5254 litre	56,637 %	524140,2481 litre	O
1900	CM	450	CM	496 LEVEL CM	682886,6798 litre	56,496 %	525841,0937 litre	O
1900	CM	450	CM	495 LEVEL CM	681185,4437 litre	56,356 %	527542,3298 litre	O
1900	CM	450	CM	494 LEVEL CM	679483,8256 litre	56,215 %	529243,9479 litre	O
1900	CM	450	CM	493 LEVEL CM	677781,8342 litre	56,074 %	530945,9393 litre	O
1900	CM	450	CM	492 LEVEL CM	676079,4781 litre	55,933 %	532648,2954 litre	O
1900	CM	450	CM	491 LEVEL CM	674376,7657 litre	55,792 %	534351,0078 litre	O
1900	CM	450	CM	490 LEVEL CM	672673,7056 litre	55,651 %	536054,0679 litre	O
1900	CM	450	CM	489 LEVEL CM	670970,3064 litre	55,510 %	537757,4671 litre	O
1900	CM	450	CM	488 LEVEL CM	669266,5767 litre	55,370 %	539461,1968 litre	O
1900	CM	450	CM	487 LEVEL CM	667562,5249 litre	55,229 %	541165,2486 litre	O
1900	CM	450	CM	486 LEVEL CM	665858,1596 litre	55,088 %	542869,6139 litre	O
1900	CM	450	CM	485 LEVEL CM	664153,4893 litre	54,946 %	544574,2842 litre	O
1900	CM	450	CM	484 LEVEL CM	662448,5225 litre	54,805 %	546279,2510 litre	O
1900	CM	450	CM	483 LEVEL CM	660743,2679 litre	54,664 %	547984,5056 litre	O
1900	CM	450	CM	482 LEVEL CM	659037,7338 litre	54,523 %	549690,0397 litre	O
1900	CM	450	CM	481 LEVEL CM	657331,9288 litre	54,382 %	551395,8447 litre	O
1900	CM	450	CM	480 LEVEL CM	655625,8614 litre	54,241 %	553101,9121 litre	O
1900	CM	450	CM	479 LEVEL CM	653919,5401 litre	54,100 %	554808,2334 litre	O
1900	CM	450	CM	478 LEVEL CM	652212,9734 litre	53,959 %	556514,8001 litre	O

1900	CM	450	CM	477 LEVEL CM	650506,1698 litre	53,817 %	558221,6037 litre	O
1900	CM	450	CM	476 LEVEL CM	648799,1377 litre	53,676 %	559928,6358 litre	O
1900	CM	450	CM	475 LEVEL CM	647091,8858 litre	53,535 %	561635,8877 litre	O
1900	CM	450	CM	474 LEVEL CM	645384,4224 litre	53,394 %	563343,3511 litre	O
1900	CM	450	CM	473 LEVEL CM	643676,7561 litre	53,252 %	565051,0174 litre	O
1900	CM	450	CM	472 LEVEL CM	641968,8953 litre	53,111 %	566758,8782 litre	O
1900	CM	450	CM	471 LEVEL CM	640260,8485 litre	52,970 %	568466,9250 litre	O
1900	CM	450	CM	470 LEVEL CM	638552,6241 litre	52,828 %	570175,1494 litre	O
1900	CM	450	CM	469 LEVEL CM	636844,2307 litre	52,687 %	571883,5428 litre	O
1900	CM	450	CM	468 LEVEL CM	635135,6768 litre	52,546 %	573592,0967 litre	O
1900	CM	450	CM	467 LEVEL CM	633426,9707 litre	52,404 %	575300,8028 litre	O
1900	CM	450	CM	466 LEVEL CM	631718,1209 litre	52,263 %	577009,6526 litre	O
1900	CM	450	CM	465 LEVEL CM	630009,1359 litre	52,122 %	578718,6376 litre	O
1900	CM	450	CM	464 LEVEL CM	628300,0242 litre	51,980 %	580427,7493 litre	O
1900	CM	450	CM	463 LEVEL CM	626590,7943 litre	51,839 %	582136,9792 litre	O
1900	CM	450	CM	462 LEVEL CM	624881,4545 litre	51,697 %	583846,3190 litre	O
1900	CM	450	CM	461 LEVEL CM	623172,0133 litre	51,556 %	585555,7602 litre	O
1900	CM	450	CM	460 LEVEL CM	621462,4792 litre	51,415 %	587265,2943 litre	O
1900	CM	450	CM	459 LEVEL CM	619752,8607 litre	51,273 %	588974,9128 litre	O
1900	CM	450	CM	458 LEVEL CM	618043,1661 litre	51,132 %	590684,6074 litre	O
1900	CM	450	CM	457 LEVEL CM	616333,4040 litre	50,990 %	592394,3695 litre	O
1900	CM	450	CM	456 LEVEL CM	614623,5827 litre	50,849 %	594104,1908 litre	O
1900	CM	450	CM	455 LEVEL CM	612913,7108 litre	50,707 %	595814,0627 litre	O
1900	CM	450	CM	454 LEVEL CM	611203,7967 litre	50,566 %	597523,9768 litre	O
1900	CM	450	CM	453 LEVEL CM	609493,8487 litre	50,424 %	599233,9248 litre	O
1900	CM	450	CM	452 LEVEL CM	607783,8755 litre	50,283 %	600943,8980 litre	O
1900	CM	450	CM	451 LEVEL CM	606073,8853 litre	50,141 %	602653,8882 litre	O
1900	CM	450	CM	450 LEVEL CM	604363,8867 litre	50,000 %	604363,8868 litre	O
1900	CM	450	CM	449 LEVEL CM	602653,8881 litre	49,859 %	606073,8854 litre	O
1900	CM	450	CM	448 LEVEL CM	600943,8980 litre	49,717 %	607783,8755 litre	O
1900	CM	450	CM	447 LEVEL CM	599233,9247 litre	49,576 %	609493,8488 litre	O
1900	CM	450	CM	446 LEVEL CM	597523,9768 litre	49,434 %	611203,7967 litre	O
1900	CM	450	CM	445 LEVEL CM	595814,0627 litre	49,293 %	612913,7108 litre	O
1900	CM	450	CM	444 LEVEL CM	594104,1907 litre	49,151 %	614623,5828 litre	O
1900	CM	450	CM	443 LEVEL CM	592394,3695 litre	49,010 %	616333,4040 litre	O
1900	CM	450	CM	442 LEVEL CM	590684,6074 litre	48,868 %	618043,1661 litre	O
1900	CM	450	CM	441 LEVEL CM	588974,9128 litre	48,727 %	619752,8607 litre	O
1900	CM	450	CM	440 LEVEL CM	587265,2942 litre	48,585 %	621462,4793 litre	O
1900	CM	450	CM	439 LEVEL CM	585555,7602 litre	48,444 %	623172,0133 litre	O
1900	CM	450	CM	438 LEVEL CM	583846,3190 litre	48,303 %	624881,4545 litre	O
1900	CM	450	CM	437 LEVEL CM	582136,9792 litre	48,161 %	626590,7943 litre	O
1900	CM	450	CM	436 LEVEL CM	580427,7492 litre	48,020 %	628300,0243 litre	O
1900	CM	450	CM	435 LEVEL CM	578718,6375 litre	47,878 %	630009,1360 litre	O
1900	CM	450	CM	434 LEVEL CM	577009,6526 litre	47,737 %	631718,1209 litre	O
1900	CM	450	CM	433 LEVEL CM	575300,8028 litre	47,596 %	633426,9707 litre	O
1900	CM	450	CM	432 LEVEL CM	573592,0967 litre	47,454 %	635135,6768 litre	O
1900	CM	450	CM	431 LEVEL CM	571883,5427 litre	47,313 %	636844,2308 litre	O
1900	CM	450	CM	430 LEVEL CM	570175,1493 litre	47,172 %	638552,6242 litre	O
1900	CM	450	CM	429 LEVEL CM	568466,9250 litre	47,030 %	640260,8485 litre	O
1900	CM	450	CM	428 LEVEL CM	566758,8782 litre	46,889 %	641968,8953 litre	O
1900	CM	450	CM	427 LEVEL CM	565051,0174 litre	46,748 %	643676,7561 litre	O
1900	CM	450	CM	426 LEVEL CM	563343,3510 litre	46,606 %	645384,4225 litre	O
1900	CM	450	CM	425 LEVEL CM	561635,8877 litre	46,465 %	647091,8858 litre	O

1900	CM	450	CM	424 LEVEL CM	559928,6357 litre	46,324 %	648799,1378 litre	O
1900	CM	450	CM	423 LEVEL CM	558221,6037 litre	46,183 %	650506,1698 litre	O
1900	CM	450	CM	422 LEVEL CM	556514,8001 litre	46,041 %	652212,9734 litre	O
1900	CM	450	CM	421 LEVEL CM	554808,2334 litre	45,900 %	653919,5401 litre	O
1900	CM	450	CM	420 LEVEL CM	553101,9121 litre	45,759 %	655625,8614 litre	O
1900	CM	450	CM	419 LEVEL CM	551395,8447 litre	45,618 %	657331,9288 litre	O
1900	CM	450	CM	418 LEVEL CM	549690,0397 litre	45,477 %	659037,7338 litre	O
1900	CM	450	CM	417 LEVEL CM	547984,5056 litre	45,336 %	660743,2679 litre	O
1900	CM	450	CM	416 LEVEL CM	546279,2509 litre	45,195 %	662448,5226 litre	O
1900	CM	450	CM	415 LEVEL CM	544574,2842 litre	45,054 %	664153,4893 litre	O
1900	CM	450	CM	414 LEVEL CM	542869,6139 litre	44,912 %	665858,1596 litre	O
1900	CM	450	CM	413 LEVEL CM	541165,2486 litre	44,771 %	667562,5249 litre	O
1900	CM	450	CM	412 LEVEL CM	539461,1968 litre	44,630 %	669266,5767 litre	O
1900	CM	450	CM	411 LEVEL CM	537757,4670 litre	44,490 %	670970,3065 litre	O
1900	CM	450	CM	410 LEVEL CM	536054,0679 litre	44,349 %	672673,7056 litre	O
1900	CM	450	CM	409 LEVEL CM	534351,0078 litre	44,208 %	674376,7657 litre	O
1900	CM	450	CM	408 LEVEL CM	532648,2954 litre	44,067 %	676079,4781 litre	O
1900	CM	450	CM	407 LEVEL CM	530945,9392 litre	43,926 %	677781,8343 litre	O
1900	CM	450	CM	406 LEVEL CM	529243,9478 litre	43,785 %	679483,8257 litre	O
1900	CM	450	CM	405 LEVEL CM	527542,3298 litre	43,644 %	681185,4437 litre	O
1900	CM	450	CM	404 LEVEL CM	525841,0937 litre	43,504 %	682886,6798 litre	O
1900	CM	450	CM	403 LEVEL CM	524140,2480 litre	43,363 %	684587,5255 litre	O
1900	CM	450	CM	402 LEVEL CM	522439,8015 litre	43,222 %	686287,9720 litre	O
1900	CM	450	CM	401 LEVEL CM	520739,7625 litre	43,082 %	687988,0110 litre	O
1900	CM	450	CM	400 LEVEL CM	519040,1399 litre	42,941 %	689687,6336 litre	O
1900	CM	450	CM	399 LEVEL CM	517340,9421 litre	42,800 %	691386,8314 litre	O
1900	CM	450	CM	398 LEVEL CM	515642,1777 litre	42,660 %	693085,5958 litre	O
1900	CM	450	CM	397 LEVEL CM	513943,8555 litre	42,519 %	694783,9180 litre	O
1900	CM	450	CM	396 LEVEL CM	512245,9839 litre	42,379 %	696481,7896 litre	O
1900	CM	450	CM	395 LEVEL CM	510548,5716 litre	42,239 %	698179,2019 litre	O
1900	CM	450	CM	394 LEVEL CM	508851,6273 litre	42,098 %	699876,1462 litre	O
1900	CM	450	CM	393 LEVEL CM	507155,1596 litre	41,958 %	701572,6139 litre	O
1900	CM	450	CM	392 LEVEL CM	505459,1772 litre	41,817 %	703268,5963 litre	O
1900	CM	450	CM	391 LEVEL CM	503763,6886 litre	41,677 %	704964,0849 litre	O
1900	CM	450	CM	390 LEVEL CM	502068,7026 litre	41,537 %	706659,0709 litre	O
1900	CM	450	CM	389 LEVEL CM	500374,2278 litre	41,397 %	708353,5457 litre	O
1900	CM	450	CM	388 LEVEL CM	498680,2730 litre	41,257 %	710047,5005 litre	O
1900	CM	450	CM	387 LEVEL CM	496986,8467 litre	41,117 %	711740,9268 litre	O
1900	CM	450	CM	386 LEVEL CM	495293,9577 litre	40,976 %	713433,8158 litre	O
1900	CM	450	CM	385 LEVEL CM	493601,6147 litre	40,836 %	715126,1588 litre	O
1900	CM	450	CM	384 LEVEL CM	491909,8265 litre	40,696 %	716817,9470 litre	O
1900	CM	450	CM	383 LEVEL CM	490218,6016 litre	40,557 %	718509,1719 litre	O
1900	CM	450	CM	382 LEVEL CM	488527,9489 litre	40,417 %	720199,8246 litre	O
1900	CM	450	CM	381 LEVEL CM	486837,8771 litre	40,277 %	721889,8964 litre	O
1900	CM	450	CM	380 LEVEL CM	485148,3950 litre	40,137 %	723579,3785 litre	O
1900	CM	450	CM	379 LEVEL CM	483459,5112 litre	39,997 %	725268,2623 litre	O
1900	CM	450	CM	378 LEVEL CM	481771,2346 litre	39,858 %	726956,5389 litre	O
1900	CM	450	CM	377 LEVEL CM	480083,5739 litre	39,718 %	728644,1996 litre	O
1900	CM	450	CM	376 LEVEL CM	478396,5380 litre	39,579 %	730331,2355 litre	O
1900	CM	450	CM	375 LEVEL CM	476710,1356 litre	39,439 %	732017,6379 litre	O
1900	CM	450	CM	374 LEVEL CM	475024,3755 litre	39,300 %	733703,3980 litre	O
1900	CM	450	CM	373 LEVEL CM	473339,2665 litre	39,160 %	735388,5070 litre	O
1900	CM	450	CM	372 LEVEL CM	471654,8175 litre	39,021 %	737072,9560 litre	O

1900	CM	450	CM	371 LEVEL CM	469971,0372 litre	38,881 %	738756,7363 litre	O
1900	CM	450	CM	370 LEVEL CM	468287,9346 litre	38,742 %	740439,8389 litre	O
1900	CM	450	CM	369 LEVEL CM	466605,5185 litre	38,603 %	742122,2550 litre	O
1900	CM	450	CM	368 LEVEL CM	464923,7978 litre	38,464 %	743803,9757 litre	O
1900	CM	450	CM	367 LEVEL CM	463242,7813 litre	38,325 %	745484,9922 litre	O
1900	CM	450	CM	366 LEVEL CM	461562,4779 litre	38,186 %	747165,2956 litre	O
1900	CM	450	CM	365 LEVEL CM	459882,8965 litre	38,047 %	748844,8770 litre	O
1900	CM	450	CM	364 LEVEL CM	458204,0461 litre	37,908 %	750523,7274 litre	O
1900	CM	450	CM	363 LEVEL CM	456525,9355 litre	37,769 %	752201,8380 litre	O
1900	CM	450	CM	362 LEVEL CM	454848,5738 litre	37,630 %	753879,1997 litre	O
1900	CM	450	CM	361 LEVEL CM	453171,9698 litre	37,492 %	755555,8037 litre	O
1900	CM	450	CM	360 LEVEL CM	451496,1324 litre	37,353 %	757231,6411 litre	O
1900	CM	450	CM	359 LEVEL CM	449821,0708 litre	37,214 %	758906,7027 litre	O
1900	CM	450	CM	358 LEVEL CM	448146,7938 litre	37,076 %	760580,9797 litre	O
1900	CM	450	CM	357 LEVEL CM	446473,3104 litre	36,937 %	762254,4631 litre	O
1900	CM	450	CM	356 LEVEL CM	444800,6298 litre	36,799 %	763927,1437 litre	O
1900	CM	450	CM	355 LEVEL CM	443128,7608 litre	36,661 %	765599,0127 litre	O
1900	CM	450	CM	354 LEVEL CM	441457,7125 litre	36,523 %	767270,0610 litre	O
1900	CM	450	CM	353 LEVEL CM	439787,4940 litre	36,384 %	768940,2795 litre	O
1900	CM	450	CM	352 LEVEL CM	438118,1143 litre	36,246 %	770609,6592 litre	O
1900	CM	450	CM	351 LEVEL CM	436449,5826 litre	36,108 %	772278,1909 litre	O
1900	CM	450	CM	350 LEVEL CM	434781,9078 litre	35,970 %	773945,8657 litre	O
1900	CM	450	CM	349 LEVEL CM	433115,0991 litre	35,832 %	775612,6744 litre	O
1900	CM	450	CM	348 LEVEL CM	431449,1657 litre	35,694 %	777278,6078 litre	O
1900	CM	450	CM	347 LEVEL CM	429784,1166 litre	35,557 %	778943,6569 litre	O
1900	CM	450	CM	346 LEVEL CM	428119,9610 litre	35,419 %	780607,8125 litre	O
1900	CM	450	CM	345 LEVEL CM	426456,7081 litre	35,281 %	782271,0654 litre	O
1900	CM	450	CM	344 LEVEL CM	424794,3670 litre	35,144 %	783933,4065 litre	O
1900	CM	450	CM	343 LEVEL CM	423132,9469 litre	35,006 %	785594,8266 litre	O
1900	CM	450	CM	342 LEVEL CM	421472,4571 litre	34,869 %	787255,3164 litre	O
1900	CM	450	CM	341 LEVEL CM	419812,9067 litre	34,732 %	788914,8668 litre	O
1900	CM	450	CM	340 LEVEL CM	418154,3050 litre	34,595 %	790573,4685 litre	O
1900	CM	450	CM	339 LEVEL CM	416496,6613 litre	34,457 %	792231,1122 litre	O
1900	CM	450	CM	338 LEVEL CM	414839,9848 litre	34,320 %	793887,7887 litre	O
1900	CM	450	CM	337 LEVEL CM	413184,2848 litre	34,183 %	795543,4887 litre	O
1900	CM	450	CM	336 LEVEL CM	411529,5706 litre	34,047 %	797198,2029 litre	O
1900	CM	450	CM	335 LEVEL CM	409875,8516 litre	33,910 %	798851,9219 litre	O
1900	CM	450	CM	334 LEVEL CM	408223,1370 litre	33,773 %	800504,6365 litre	O
1900	CM	450	CM	333 LEVEL CM	406571,4362 litre	33,636 %	802156,3373 litre	O
1900	CM	450	CM	332 LEVEL CM	404920,7587 litre	33,500 %	803807,0148 litre	O
1900	CM	450	CM	331 LEVEL CM	403271,1137 litre	33,363 %	805456,6598 litre	O
1900	CM	450	CM	330 LEVEL CM	401622,5106 litre	33,227 %	807105,2629 litre	O
1900	CM	450	CM	329 LEVEL CM	399974,9590 litre	33,091 %	808752,8145 litre	O
1900	CM	450	CM	328 LEVEL CM	398328,4683 litre	32,954 %	810399,3052 litre	O
1900	CM	450	CM	327 LEVEL CM	396683,0478 litre	32,818 %	812044,7257 litre	O
1900	CM	450	CM	326 LEVEL CM	395038,7072 litre	32,682 %	813689,0663 litre	O
1900	CM	450	CM	325 LEVEL CM	393395,4558 litre	32,546 %	815332,3177 litre	O
1900	CM	450	CM	324 LEVEL CM	391753,3032 litre	32,410 %	816974,4703 litre	O
1900	CM	450	CM	323 LEVEL CM	390112,2590 litre	32,275 %	818615,5145 litre	O
1900	CM	450	CM	322 LEVEL CM	388472,3326 litre	32,139 %	820255,4409 litre	O
1900	CM	450	CM	321 LEVEL CM	386833,5337 litre	32,003 %	821894,2398 litre	O
1900	CM	450	CM	320 LEVEL CM	385195,8719 litre	31,868 %	823531,9016 litre	O
1900	CM	450	CM	319 LEVEL CM	383559,3567 litre	31,732 %	825168,4168 litre	O

1900	CM	450	CM	318 LEVEL CM	381923,9979 litre	31,597 %	826803,7756 litre	O
1900	CM	450	CM	317 LEVEL CM	380289,8050 litre	31,462 %	828437,9685 litre	O
1900	CM	450	CM	316 LEVEL CM	378656,7877 litre	31,327 %	830070,9858 litre	O
1900	CM	450	CM	315 LEVEL CM	377024,9558 litre	31,192 %	831702,8177 litre	O
1900	CM	450	CM	314 LEVEL CM	375394,3189 litre	31,057 %	833333,4546 litre	O
1900	CM	450	CM	313 LEVEL CM	373764,8868 litre	30,922 %	834962,8867 litre	O
1900	CM	450	CM	312 LEVEL CM	372136,6692 litre	30,787 %	836591,1043 litre	O
1900	CM	450	CM	311 LEVEL CM	370509,6760 litre	30,653 %	838218,0975 litre	O
1900	CM	450	CM	310 LEVEL CM	368883,9169 litre	30,518 %	839843,8566 litre	O
1900	CM	450	CM	309 LEVEL CM	367259,4017 litre	30,384 %	841468,3718 litre	O
1900	CM	450	CM	308 LEVEL CM	365636,1404 litre	30,250 %	843091,6331 litre	O
1900	CM	450	CM	307 LEVEL CM	364014,1427 litre	30,115 %	844713,6308 litre	O
1900	CM	450	CM	306 LEVEL CM	362393,4187 litre	29,981 %	846334,3548 litre	O
1900	CM	450	CM	305 LEVEL CM	360773,9781 litre	29,847 %	847953,7954 litre	O
1900	CM	450	CM	304 LEVEL CM	359155,8309 litre	29,714 %	849571,9426 litre	O
1900	CM	450	CM	303 LEVEL CM	357538,9871 litre	29,580 %	851188,7864 litre	O
1900	CM	450	CM	302 LEVEL CM	355923,4567 litre	29,446 %	852804,3168 litre	O
1900	CM	450	CM	301 LEVEL CM	354309,2498 litre	29,313 %	854418,5237 litre	O
1900	CM	450	CM	300 LEVEL CM	352696,3762 litre	29,179 %	856031,3973 litre	O
1900	CM	450	CM	299 LEVEL CM	351084,8462 litre	29,046 %	857642,9273 litre	O
1900	CM	450	CM	298 LEVEL CM	349474,6698 litre	28,913 %	859253,1037 litre	O
1900	CM	450	CM	297 LEVEL CM	347865,8570 litre	28,780 %	860861,9165 litre	O
1900	CM	450	CM	296 LEVEL CM	346258,4182 litre	28,647 %	862469,3553 litre	O
1900	CM	450	CM	295 LEVEL CM	344652,3633 litre	28,514 %	864075,4102 litre	O
1900	CM	450	CM	294 LEVEL CM	343047,7026 litre	28,381 %	865680,0709 litre	O
1900	CM	450	CM	293 LEVEL CM	341444,4464 litre	28,248 %	867283,3271 litre	O
1900	CM	450	CM	292 LEVEL CM	339842,6049 litre	28,116 %	868885,1686 litre	O
1900	CM	450	CM	291 LEVEL CM	338242,1882 litre	27,983 %	870485,5853 litre	O
1900	CM	450	CM	290 LEVEL CM	336643,2069 litre	27,851 %	872084,5666 litre	O
1900	CM	450	CM	289 LEVEL CM	335045,6711 litre	27,719 %	873682,1024 litre	O
1900	CM	450	CM	288 LEVEL CM	333449,5912 litre	27,587 %	875278,1823 litre	O
1900	CM	450	CM	287 LEVEL CM	331854,9777 litre	27,455 %	876872,7958 litre	O
1900	CM	450	CM	286 LEVEL CM	330261,8409 litre	27,323 %	878465,9326 litre	O
1900	CM	450	CM	285 LEVEL CM	328670,1912 litre	27,191 %	880057,5823 litre	O
1900	CM	450	CM	284 LEVEL CM	327080,0392 litre	27,060 %	881647,7343 litre	O
1900	CM	450	CM	283 LEVEL CM	325491,3953 litre	26,928 %	883236,3782 litre	O
1900	CM	450	CM	282 LEVEL CM	323904,2702 litre	26,797 %	884823,5033 litre	O
1900	CM	450	CM	281 LEVEL CM	322318,6742 litre	26,666 %	886409,0993 litre	O
1900	CM	450	CM	280 LEVEL CM	320734,6181 litre	26,535 %	887993,1554 litre	O
1900	CM	450	CM	279 LEVEL CM	319152,1124 litre	26,404 %	889575,6611 litre	O
1900	CM	450	CM	278 LEVEL CM	317571,1679 litre	26,273 %	891156,6056 litre	O
1900	CM	450	CM	277 LEVEL CM	315991,7951 litre	26,143 %	892735,9784 litre	O
1900	CM	450	CM	276 LEVEL CM	314414,0048 litre	26,012 %	894313,7687 litre	O
1900	CM	450	CM	275 LEVEL CM	312837,8078 litre	25,882 %	895889,9657 litre	O
1900	CM	450	CM	274 LEVEL CM	311263,2149 litre	25,751 %	897464,5586 litre	O
1900	CM	450	CM	273 LEVEL CM	309690,2368 litre	25,621 %	899037,5367 litre	O
1900	CM	450	CM	272 LEVEL CM	308118,8844 litre	25,491 %	900608,8891 litre	O
1900	CM	450	CM	271 LEVEL CM	306549,1686 litre	25,361 %	902178,6049 litre	O
1900	CM	450	CM	270 LEVEL CM	304981,1003 litre	25,232 %	903746,6732 litre	O
1900	CM	450	CM	269 LEVEL CM	303414,6905 litre	25,102 %	905313,0830 litre	O
1900	CM	450	CM	268 LEVEL CM	301849,9501 litre	24,973 %	906877,8234 litre	O
1900	CM	450	CM	267 LEVEL CM	300286,8902 litre	24,843 %	908440,8833 litre	O
1900	CM	450	CM	266 LEVEL CM	298725,5218 litre	24,714 %	910002,2517 litre	O

1900	CM	450	CM	265 LEVEL CM	297165,8560 litre	24,585 %	911561,9175 litre	O
1900	CM	450	CM	264 LEVEL CM	295607,9040 litre	24,456 %	913119,8695 litre	O
1900	CM	450	CM	263 LEVEL CM	294051,6769 litre	24,327 %	914676,0966 litre	O
1900	CM	450	CM	262 LEVEL CM	292497,1858 litre	24,199 %	916230,5877 litre	O
1900	CM	450	CM	261 LEVEL CM	290944,4422 litre	24,070 %	917783,3313 litre	O
1900	CM	450	CM	260 LEVEL CM	289393,4572 litre	23,942 %	919334,3163 litre	O
1900	CM	450	CM	259 LEVEL CM	287844,2421 litre	23,814 %	920883,5314 litre	O
1900	CM	450	CM	258 LEVEL CM	286296,8083 litre	23,686 %	922430,9652 litre	O
1900	CM	450	CM	257 LEVEL CM	284751,1673 litre	23,558 %	923976,6062 litre	O
1900	CM	450	CM	256 LEVEL CM	283207,3304 litre	23,430 %	925520,4431 litre	O
1900	CM	450	CM	255 LEVEL CM	281665,3091 litre	23,303 %	927062,4644 litre	O
1900	CM	450	CM	254 LEVEL CM	280125,1149 litre	23,175 %	928602,6586 litre	O
1900	CM	450	CM	253 LEVEL CM	278586,7594 litre	23,048 %	930141,0141 litre	O
1900	CM	450	CM	252 LEVEL CM	277050,2542 litre	22,921 %	931677,5193 litre	O
1900	CM	450	CM	251 LEVEL CM	275515,6109 litre	22,794 %	933212,1626 litre	O
1900	CM	450	CM	250 LEVEL CM	273982,8412 litre	22,667 %	934744,9323 litre	O
1900	CM	450	CM	249 LEVEL CM	272451,9569 litre	22,540 %	936275,8166 litre	O
1900	CM	450	CM	248 LEVEL CM	270922,9696 litre	22,414 %	937804,8039 litre	O
1900	CM	450	CM	247 LEVEL CM	269395,8913 litre	22,288 %	939331,8822 litre	O
1900	CM	450	CM	246 LEVEL CM	267870,7337 litre	22,161 %	940857,0398 litre	O
1900	CM	450	CM	245 LEVEL CM	266347,5088 litre	22,035 %	942380,2647 litre	O
1900	CM	450	CM	244 LEVEL CM	264826,2286 litre	21,910 %	943901,5449 litre	O
1900	CM	450	CM	243 LEVEL CM	263306,9049 litre	21,784 %	945420,8686 litre	O
1900	CM	450	CM	242 LEVEL CM	261789,5499 litre	21,658 %	946938,2236 litre	O
1900	CM	450	CM	241 LEVEL CM	260274,1756 litre	21,533 %	948453,5979 litre	O
1900	CM	450	CM	240 LEVEL CM	258760,7942 litre	21,408 %	949966,9793 litre	O
1900	CM	450	CM	239 LEVEL CM	257249,4179 litre	21,283 %	951478,3556 litre	O
1900	CM	450	CM	238 LEVEL CM	255740,0588 litre	21,158 %	952987,7147 litre	O
1900	CM	450	CM	237 LEVEL CM	254232,7293 litre	21,033 %	954495,0442 litre	O
1900	CM	450	CM	236 LEVEL CM	252727,4417 litre	20,909 %	956000,3318 litre	O
1900	CM	450	CM	235 LEVEL CM	251224,2084 litre	20,784 %	957503,5651 litre	O
1900	CM	450	CM	234 LEVEL CM	249723,0418 litre	20,660 %	959004,7317 litre	O
1900	CM	450	CM	233 LEVEL CM	248223,9543 litre	20,536 %	960503,8192 litre	O
1900	CM	450	CM	232 LEVEL CM	246726,9586 litre	20,412 %	962000,8149 litre	O
1900	CM	450	CM	231 LEVEL CM	245232,0672 litre	20,288 %	963495,7063 litre	O
1900	CM	450	CM	230 LEVEL CM	243739,2927 litre	20,165 %	964988,4808 litre	O
1900	CM	450	CM	229 LEVEL CM	242248,6479 litre	20,042 %	966479,1256 litre	O
1900	CM	450	CM	228 LEVEL CM	240760,1455 litre	19,918 %	967967,6280 litre	O
1900	CM	450	CM	227 LEVEL CM	239273,7982 litre	19,796 %	969453,9753 litre	O
1900	CM	450	CM	226 LEVEL CM	237789,6190 litre	19,673 %	970938,1545 litre	O
1900	CM	450	CM	225 LEVEL CM	236307,6208 litre	19,550 %	972420,1527 litre	O
1900	CM	450	CM	224 LEVEL CM	234827,8165 litre	19,428 %	973899,9570 litre	O
1900	CM	450	CM	223 LEVEL CM	233350,2191 litre	19,305 %	975377,5544 litre	O
1900	CM	450	CM	222 LEVEL CM	231874,8418 litre	19,183 %	976852,9317 litre	O
1900	CM	450	CM	221 LEVEL CM	230401,6978 litre	19,062 %	978326,0757 litre	O
1900	CM	450	CM	220 LEVEL CM	228930,8001 litre	18,940 %	979796,9734 litre	O
1900	CM	450	CM	219 LEVEL CM	227462,1621 litre	18,818 %	981265,6114 litre	O
1900	CM	450	CM	218 LEVEL CM	225995,7971 litre	18,697 %	982731,9764 litre	O
1900	CM	450	CM	217 LEVEL CM	224531,7185 litre	18,576 %	984196,0550 litre	O
1900	CM	450	CM	216 LEVEL CM	223069,9398 litre	18,455 %	985657,8337 litre	O
1900	CM	450	CM	215 LEVEL CM	221610,4744 litre	18,334 %	987117,2991 litre	O
1900	CM	450	CM	214 LEVEL CM	220153,3360 litre	18,214 %	988574,4375 litre	O
1900	CM	450	CM	213 LEVEL CM	218698,5382 litre	18,093 %	990029,2353 litre	O

1900	CM	450	CM	212 LEVEL CM	217246,0947 litre	17,973 %	991481,6788 litre	O
1900	CM	450	CM	211 LEVEL CM	215796,0193 litre	17,853 %	992931,7542 litre	O
1900	CM	450	CM	210 LEVEL CM	214348,3259 litre	17,733 %	994379,4476 litre	O
1900	CM	450	CM	209 LEVEL CM	212903,0283 litre	17,614 %	995824,7452 litre	O
1900	CM	450	CM	208 LEVEL CM	211460,1406 litre	17,494 %	997267,6329 litre	O
1900	CM	450	CM	207 LEVEL CM	210019,6767 litre	17,375 %	998708,0968 litre	O
1900	CM	450	CM	206 LEVEL CM	208581,6509 litre	17,256 %	1000146,1226 litre	O
1900	CM	450	CM	205 LEVEL CM	207146,0774 litre	17,138 %	1001581,6961 litre	O
1900	CM	450	CM	204 LEVEL CM	205712,9703 litre	17,019 %	1003014,8032 litre	O
1900	CM	450	CM	203 LEVEL CM	204282,3441 litre	16,901 %	1004445,4294 litre	O
1900	CM	450	CM	202 LEVEL CM	202854,2131 litre	16,782 %	1005873,5604 litre	O
1900	CM	450	CM	201 LEVEL CM	201428,5919 litre	16,665 %	1007299,1816 litre	O
1900	CM	450	CM	200 LEVEL CM	200005,4951 litre	16,547 %	1008722,2784 litre	O
1900	CM	450	CM	199 LEVEL CM	198584,9372 litre	16,429 %	1010142,8363 litre	O
1900	CM	450	CM	198 LEVEL CM	197166,9331 litre	16,312 %	1011560,8404 litre	O
1900	CM	450	CM	197 LEVEL CM	195751,4974 litre	16,195 %	1012976,2761 litre	O
1900	CM	450	CM	196 LEVEL CM	194338,6452 litre	16,078 %	1014389,1283 litre	O
1900	CM	450	CM	195 LEVEL CM	192928,3914 litre	15,961 %	1015799,3821 litre	O
1900	CM	450	CM	194 LEVEL CM	191520,7511 litre	15,845 %	1017207,0224 litre	O
1900	CM	450	CM	193 LEVEL CM	190115,7393 litre	15,729 %	1018612,0342 litre	O
1900	CM	450	CM	192 LEVEL CM	188713,3713 litre	15,613 %	1020014,4022 litre	O
1900	CM	450	CM	191 LEVEL CM	187313,6624 litre	15,497 %	1021414,1111 litre	O
1900	CM	450	CM	190 LEVEL CM	185916,6281 litre	15,381 %	1022811,1454 litre	O
1900	CM	450	CM	189 LEVEL CM	184522,2837 litre	15,266 %	1024205,4898 litre	O
1900	CM	450	CM	188 LEVEL CM	183130,6449 litre	15,151 %	1025597,1286 litre	O
1900	CM	450	CM	187 LEVEL CM	181741,7274 litre	15,036 %	1026986,0461 litre	O
1900	CM	450	CM	186 LEVEL CM	180355,5468 litre	14,921 %	1028372,2267 litre	O
1900	CM	450	CM	185 LEVEL CM	178972,1192 litre	14,807 %	1029755,6543 litre	O
1900	CM	450	CM	184 LEVEL CM	177591,4603 litre	14,692 %	1031136,3132 litre	O
1900	CM	450	CM	183 LEVEL CM	176213,5863 litre	14,578 %	1032514,1872 litre	O
1900	CM	450	CM	182 LEVEL CM	174838,5132 litre	14,465 %	1033889,2603 litre	O
1900	CM	450	CM	181 LEVEL CM	173466,2574 litre	14,351 %	1035261,5161 litre	O
1900	CM	450	CM	180 LEVEL CM	172096,8351 litre	14,238 %	1036630,9384 litre	O
1900	CM	450	CM	179 LEVEL CM	170730,2629 litre	14,125 %	1037997,5106 litre	O
1900	CM	450	CM	178 LEVEL CM	169366,5572 litre	14,012 %	1039361,2163 litre	O
1900	CM	450	CM	177 LEVEL CM	168005,7347 litre	13,899 %	1040722,0388 litre	O
1900	CM	450	CM	176 LEVEL CM	166647,8122 litre	13,787 %	1042079,9613 litre	O
1900	CM	450	CM	175 LEVEL CM	165292,8065 litre	13,675 %	1043434,9670 litre	O
1900	CM	450	CM	174 LEVEL CM	163940,7345 litre	13,563 %	1044787,0390 litre	O
1900	CM	450	CM	173 LEVEL CM	162591,6135 litre	13,451 %	1046136,1600 litre	O
1900	CM	450	CM	172 LEVEL CM	161245,4605 litre	13,340 %	1047482,3130 litre	O
1900	CM	450	CM	171 LEVEL CM	159902,2929 litre	13,229 %	1048825,4806 litre	O
1900	CM	450	CM	170 LEVEL CM	158562,1282 litre	13,118 %	1050165,6453 litre	O
1900	CM	450	CM	169 LEVEL CM	157224,9837 litre	13,007 %	1051502,7898 litre	O
1900	CM	450	CM	168 LEVEL CM	155890,8773 litre	12,897 %	1052836,8962 litre	O
1900	CM	450	CM	167 LEVEL CM	154559,8267 litre	12,787 %	1054167,9468 litre	O
1900	CM	450	CM	166 LEVEL CM	153231,8498 litre	12,677 %	1055495,9237 litre	O
1900	CM	450	CM	165 LEVEL CM	151906,9646 litre	12,568 %	1056820,8089 litre	O
1900	CM	450	CM	164 LEVEL CM	150585,1893 litre	12,458 %	1058142,5842 litre	O
1900	CM	450	CM	163 LEVEL CM	149266,5421 litre	12,349 %	1059461,2314 litre	O
1900	CM	450	CM	162 LEVEL CM	147951,0416 litre	12,240 %	1060776,7319 litre	O
1900	CM	450	CM	161 LEVEL CM	146638,7061 litre	12,132 %	1062089,0674 litre	O
1900	CM	450	CM	160 LEVEL CM	145329,5545 litre	12,023 %	1063398,2190 litre	O

1900	CM	450	CM	159 LEVEL CM	144023,6056 litre	11,915 %	1064704,1679 litre	O
1900	CM	450	CM	158 LEVEL CM	142720,8782 litre	11,808 %	1066006,8953 litre	O
1900	CM	450	CM	157 LEVEL CM	141421,3915 litre	11,700 %	1067306,3820 litre	O
1900	CM	450	CM	156 LEVEL CM	140125,1647 litre	11,593 %	1068602,6088 litre	O
1900	CM	450	CM	155 LEVEL CM	138832,2173 litre	11,486 %	1069895,5562 litre	O
1900	CM	450	CM	154 LEVEL CM	137542,5687 litre	11,379 %	1071185,2048 litre	O
1900	CM	450	CM	153 LEVEL CM	136256,2386 litre	11,273 %	1072471,5349 litre	O
1900	CM	450	CM	152 LEVEL CM	134973,2470 litre	11,167 %	1073754,5265 litre	O
1900	CM	450	CM	151 LEVEL CM	133693,6137 litre	11,061 %	1075034,1598 litre	O
1900	CM	450	CM	150 LEVEL CM	132417,3589 litre	10,955 %	1076310,4146 litre	O
1900	CM	450	CM	149 LEVEL CM	131144,5030 litre	10,850 %	1077583,2705 litre	O
1900	CM	450	CM	148 LEVEL CM	129875,0664 litre	10,745 %	1078852,7071 litre	O
1900	CM	450	CM	147 LEVEL CM	128609,0697 litre	10,640 %	1080118,7038 litre	O
1900	CM	450	CM	146 LEVEL CM	127346,5338 litre	10,536 %	1081381,2397 litre	O
1900	CM	450	CM	145 LEVEL CM	126087,4797 litre	10,431 %	1082640,2938 litre	O
1900	CM	450	CM	144 LEVEL CM	124831,9284 litre	10,328 %	1083895,8451 litre	O
1900	CM	450	CM	143 LEVEL CM	123579,9014 litre	10,224 %	1085147,8721 litre	O
1900	CM	450	CM	142 LEVEL CM	122331,4201 litre	10,121 %	1086396,3534 litre	O
1900	CM	450	CM	141 LEVEL CM	121086,5063 litre	10,018 %	1087641,2672 litre	O
1900	CM	450	CM	140 LEVEL CM	119845,1818 litre	9,915 %	1088882,5917 litre	O
1900	CM	450	CM	139 LEVEL CM	118607,4687 litre	9,813 %	1090120,3048 litre	O
1900	CM	450	CM	138 LEVEL CM	117373,3893 litre	9,710 %	1091354,3842 litre	O
1900	CM	450	CM	137 LEVEL CM	116142,9660 litre	9,609 %	1092584,8075 litre	O
1900	CM	450	CM	136 LEVEL CM	114916,2215 litre	9,507 %	1093811,5520 litre	O
1900	CM	450	CM	135 LEVEL CM	113693,1788 litre	9,406 %	1095034,5947 litre	O
1900	CM	450	CM	134 LEVEL CM	112473,8607 litre	9,305 %	1096253,9128 litre	O
1900	CM	450	CM	133 LEVEL CM	111258,2908 litre	9,205 %	1097469,4827 litre	O
1900	CM	450	CM	132 LEVEL CM	110046,4924 litre	9,104 %	1098681,2811 litre	O
1900	CM	450	CM	131 LEVEL CM	108838,4893 litre	9,004 %	1099889,2842 litre	O
1900	CM	450	CM	130 LEVEL CM	107634,3054 litre	8,905 %	1101093,4681 litre	O
1900	CM	450	CM	129 LEVEL CM	106433,9650 litre	8,805 %	1102293,8085 litre	O
1900	CM	450	CM	128 LEVEL CM	105237,4924 litre	8,706 %	1103490,2811 litre	O
1900	CM	450	CM	127 LEVEL CM	104044,9123 litre	8,608 %	1104682,8612 litre	O
1900	CM	450	CM	126 LEVEL CM	102856,2496 litre	8,509 %	1105871,5239 litre	O
1900	CM	450	CM	125 LEVEL CM	101671,5294 litre	8,411 %	1107056,2441 litre	O
1900	CM	450	CM	124 LEVEL CM	100490,7772 litre	8,314 %	1108236,9963 litre	O
1900	CM	450	CM	123 LEVEL CM	99314,0185 litre	8,216 %	1109413,7550 litre	O
1900	CM	450	CM	122 LEVEL CM	98141,2793 litre	8,119 %	1110586,4942 litre	O
1900	CM	450	CM	121 LEVEL CM	96972,5858 litre	8,023 %	1111755,1877 litre	O
1900	CM	450	CM	120 LEVEL CM	95807,9644 litre	7,926 %	1112919,8091 litre	O
1900	CM	450	CM	119 LEVEL CM	94647,4419 litre	7,830 %	1114080,3316 litre	O
1900	CM	450	CM	118 LEVEL CM	93491,0452 litre	7,735 %	1115236,7283 litre	O
1900	CM	450	CM	117 LEVEL CM	92338,8017 litre	7,639 %	1116388,9718 litre	O
1900	CM	450	CM	116 LEVEL CM	91190,7390 litre	7,544 %	1117537,0345 litre	O
1900	CM	450	CM	115 LEVEL CM	90046,8849 litre	7,450 %	1118680,8886 litre	O
1900	CM	450	CM	114 LEVEL CM	88907,2677 litre	7,355 %	1119820,5058 litre	O
1900	CM	450	CM	113 LEVEL CM	87771,9160 litre	7,262 %	1120955,8575 litre	O
1900	CM	450	CM	112 LEVEL CM	86640,8585 litre	7,168 %	1122086,9150 litre	O
1900	CM	450	CM	111 LEVEL CM	85514,1245 litre	7,075 %	1123213,6490 litre	O
1900	CM	450	CM	110 LEVEL CM	84391,7435 litre	6,982 %	1124336,0300 litre	O
1900	CM	450	CM	109 LEVEL CM	83273,7453 litre	6,889 %	1125454,0282 litre	O
1900	CM	450	CM	108 LEVEL CM	82160,1601 litre	6,797 %	1126567,6134 litre	O
1900	CM	450	CM	107 LEVEL CM	81051,0186 litre	6,705 %	1127676,7549 litre	O

1900	CM	450	CM	106 LEVEL CM	79946,3517 litre	6,614 %	1128781,4218 litre	O
1900	CM	450	CM	105 LEVEL CM	78846,1907 litre	6,523 %	1129881,5828 litre	O
1900	CM	450	CM	104 LEVEL CM	77750,5673 litre	6,432 %	1130977,2062 litre	O
1900	CM	450	CM	103 LEVEL CM	76659,5136 litre	6,342 %	1132068,2599 litre	O
1900	CM	450	CM	102 LEVEL CM	75573,0621 litre	6,252 %	1133154,7114 litre	O
1900	CM	450	CM	101 LEVEL CM	74491,2458 litre	6,163 %	1134236,5277 litre	O
1900	CM	450	CM	100 LEVEL CM	73414,0980 litre	6,074 %	1135313,6755 litre	O
1900	CM	450	CM	99 LEVEL CM	72341,6525 litre	5,985 %	1136386,1210 litre	O
1900	CM	450	CM	98 LEVEL CM	71273,9436 litre	5,897 %	1137453,8299 litre	O
1900	CM	450	CM	97 LEVEL CM	70211,0058 litre	5,809 %	1138516,7677 litre	O
1900	CM	450	CM	96 LEVEL CM	69152,8745 litre	5,721 %	1139574,8990 litre	O
1900	CM	450	CM	95 LEVEL CM	68099,5852 litre	5,634 %	1140628,1883 litre	O
1900	CM	450	CM	94 LEVEL CM	67051,1740 litre	5,547 %	1141676,5995 litre	O
1900	CM	450	CM	93 LEVEL CM	66007,6776 litre	5,461 %	1142720,0959 litre	O
1900	CM	450	CM	92 LEVEL CM	64969,1332 litre	5,375 %	1143758,6403 litre	O
1900	CM	450	CM	91 LEVEL CM	63935,5784 litre	5,289 %	1144792,1951 litre	O
1900	CM	450	CM	90 LEVEL CM	62907,0516 litre	5,204 %	1145820,7219 litre	O
1900	CM	450	CM	89 LEVEL CM	61883,5915 litre	5,120 %	1146844,1820 litre	O
1900	CM	450	CM	88 LEVEL CM	60865,2375 litre	5,035 %	1147862,5360 litre	O
1900	CM	450	CM	87 LEVEL CM	59852,0295 litre	4,952 %	1148875,7440 litre	O
1900	CM	450	CM	86 LEVEL CM	58844,0083 litre	4,868 %	1149883,7652 litre	O
1900	CM	450	CM	85 LEVEL CM	57841,2149 litre	4,785 %	1150886,5586 litre	O
1900	CM	450	CM	84 LEVEL CM	56843,6914 litre	4,703 %	1151884,0821 litre	O
1900	CM	450	CM	83 LEVEL CM	55851,4801 litre	4,621 %	1152876,2934 litre	O
1900	CM	450	CM	82 LEVEL CM	54864,6244 litre	4,539 %	1153863,1491 litre	O
1900	CM	450	CM	81 LEVEL CM	53883,1683 litre	4,458 %	1154844,6052 litre	O
1900	CM	450	CM	80 LEVEL CM	52907,1562 litre	4,377 %	1155820,6173 litre	O
1900	CM	450	CM	79 LEVEL CM	51936,6338 litre	4,297 %	1156791,1397 litre	O
1900	CM	450	CM	78 LEVEL CM	50971,6471 litre	4,217 %	1157756,1264 litre	O
1900	CM	450	CM	77 LEVEL CM	50012,2431 litre	4,138 %	1158715,5304 litre	O
1900	CM	450	CM	76 LEVEL CM	49058,4697 litre	4,059 %	1159669,3038 litre	O
1900	CM	450	CM	75 LEVEL CM	48110,3756 litre	3,980 %	1160617,3979 litre	O
1900	CM	450	CM	74 LEVEL CM	47168,0103 litre	3,902 %	1161559,7632 litre	O
1900	CM	450	CM	73 LEVEL CM	46231,4242 litre	3,825 %	1162496,3493 litre	O
1900	CM	450	CM	72 LEVEL CM	45300,6687 litre	3,748 %	1163427,1048 litre	O
1900	CM	450	CM	71 LEVEL CM	44375,7963 litre	3,671 %	1164351,9772 litre	O
1900	CM	450	CM	70 LEVEL CM	43456,8603 litre	3,595 %	1165270,9132 litre	O
1900	CM	450	CM	69 LEVEL CM	42543,9151 litre	3,520 %	1166183,8584 litre	O
1900	CM	450	CM	68 LEVEL CM	41637,0162 litre	3,445 %	1167090,7573 litre	O
1900	CM	450	CM	67 LEVEL CM	40736,2202 litre	3,370 %	1167991,5533 litre	O
1900	CM	450	CM	66 LEVEL CM	39841,5849 litre	3,296 %	1168886,1886 litre	O
1900	CM	450	CM	65 LEVEL CM	38953,1693 litre	3,223 %	1169774,6042 litre	O
1900	CM	450	CM	64 LEVEL CM	38071,0335 litre	3,150 %	1170656,7400 litre	O
1900	CM	450	CM	63 LEVEL CM	37195,2392 litre	3,077 %	1171532,5343 litre	O
1900	CM	450	CM	62 LEVEL CM	36325,8491 litre	3,005 %	1172401,9244 litre	O
1900	CM	450	CM	61 LEVEL CM	35462,9276 litre	2,934 %	1173264,8459 litre	O
1900	CM	450	CM	60 LEVEL CM	34606,5403 litre	2,863 %	1174121,2332 litre	O
1900	CM	450	CM	59 LEVEL CM	33756,7545 litre	2,793 %	1174971,0190 litre	O
1900	CM	450	CM	58 LEVEL CM	32913,6390 litre	2,723 %	1175814,1345 litre	O
1900	CM	450	CM	57 LEVEL CM	32077,2642 litre	2,654 %	1176650,5093 litre	O
1900	CM	450	CM	56 LEVEL CM	31247,7024 litre	2,585 %	1177480,0711 litre	O
1900	CM	450	CM	55 LEVEL CM	30425,0275 litre	2,517 %	1178302,7460 litre	O
1900	CM	450	CM	54 LEVEL CM	29609,3154 litre	2,450 %	1179118,4581 litre	O

1900	CM	450	CM	53 LEVEL CM	28800,6438 litre	2,383 %	1179927,1297 litre	O
1900	CM	450	CM	52 LEVEL CM	27999,0926 litre	2,316 %	1180728,6809 litre	O
1900	CM	450	CM	51 LEVEL CM	27204,7439 litre	2,251 %	1181523,0296 litre	O
1900	CM	450	CM	50 LEVEL CM	26417,6818 litre	2,186 %	1182310,0917 litre	O
1900	CM	450	CM	49 LEVEL CM	25637,9930 litre	2,121 %	1183089,7805 litre	O
1900	CM	450	CM	48 LEVEL CM	24865,7666 litre	2,057 %	1183862,0069 litre	O
1900	CM	450	CM	47 LEVEL CM	24101,0943 litre	1,994 %	1184626,6792 litre	O
1900	CM	450	CM	46 LEVEL CM	23344,0705 litre	1,931 %	1185383,7030 litre	O
1900	CM	450	CM	45 LEVEL CM	22594,7927 litre	1,869 %	1186132,9808 litre	O
1900	CM	450	CM	44 LEVEL CM	21853,3611 litre	1,808 %	1186874,4124 litre	O
1900	CM	450	CM	43 LEVEL CM	21119,8794 litre	1,747 %	1187607,8941 litre	O
1900	CM	450	CM	42 LEVEL CM	20394,4547 litre	1,687 %	1188333,3188 litre	O
1900	CM	450	CM	41 LEVEL CM	19677,1975 litre	1,628 %	1189050,5760 litre	O
1900	CM	450	CM	40 LEVEL CM	18968,2223 litre	1,569 %	1189759,5512 litre	O
1900	CM	450	CM	39 LEVEL CM	18267,6477 litre	1,511 %	1190460,1258 litre	O
1900	CM	450	CM	38 LEVEL CM	17575,5964 litre	1,454 %	1191152,1771 litre	O
1900	CM	450	CM	37 LEVEL CM	16892,1959 litre	1,398 %	1191835,5776 litre	O
1900	CM	450	CM	36 LEVEL CM	16217,5786 litre	1,342 %	1192510,1949 litre	O
1900	CM	450	CM	35 LEVEL CM	15551,8819 litre	1,287 %	1193175,8916 litre	O
1900	CM	450	CM	34 LEVEL CM	14895,2491 litre	1,232 %	1193832,5244 litre	O
1900	CM	450	CM	33 LEVEL CM	14247,8294 litre	1,179 %	1194479,9441 litre	O
1900	CM	450	CM	32 LEVEL CM	13609,7783 litre	1,126 %	1195117,9952 litre	O
1900	CM	450	CM	31 LEVEL CM	12981,2587 litre	1,074 %	1195746,5148 litre	O
1900	CM	450	CM	30 LEVEL CM	12362,4404 litre	1,023 %	1196365,3331 litre	O
1900	CM	450	CM	29 LEVEL CM	11753,5019 litre	0,972 %	1196974,2716 litre	O
1900	CM	450	CM	28 LEVEL CM	11154,6302 litre	0,923 %	1197573,1433 litre	O
1900	CM	450	CM	27 LEVEL CM	10566,0221 litre	0,874 %	1198161,7514 litre	O
1900	CM	450	CM	26 LEVEL CM	9987,8845 litre	0,826 %	1198739,8890 litre	O
1900	CM	450	CM	25 LEVEL CM	9420,4363 litre	0,779 %	1199307,3372 litre	O
1900	CM	450	CM	24 LEVEL CM	8863,9087 litre	0,733 %	1199863,8648 litre	O
1900	CM	450	CM	23 LEVEL CM	8318,5467 litre	0,688 %	1200409,2268 litre	O
1900	CM	450	CM	22 LEVEL CM	7784,6109 litre	0,644 %	1200943,1626 litre	O
1900	CM	450	CM	21 LEVEL CM	7262,3790 litre	0,601 %	1201465,3945 litre	O
1900	CM	450	CM	20 LEVEL CM	6752,1476 litre	0,559 %	1201975,6259 litre	O
1900	CM	450	CM	19 LEVEL CM	6254,2350 litre	0,517 %	1202473,5385 litre	O
1900	CM	450	CM	18 LEVEL CM	5768,9835 litre	0,477 %	1202958,7900 litre	O
1900	CM	450	CM	17 LEVEL CM	5296,7633 litre	0,438 %	1203431,0102 litre	O
1900	CM	450	CM	16 LEVEL CM	4837,9757 litre	0,400 %	1203889,7978 litre	O
1900	CM	450	CM	15 LEVEL CM	4393,0589 litre	0,363 %	1204334,7146 litre	O
1900	CM	450	CM	14 LEVEL CM	3962,4930 litre	0,328 %	1204765,2805 litre	O
1900	CM	450	CM	13 LEVEL CM	3546,8081 litre	0,293 %	1205180,9654 litre	O
1900	CM	450	CM	12 LEVEL CM	3146,5934 litre	0,260 %	1205581,1801 litre	O
1900	CM	450	CM	11 LEVEL CM	2762,5095 litre	0,229 %	1205965,2640 litre	O
1900	CM	450	CM	10 LEVEL CM	2395,3040 litre	0,198 %	1206332,4695 litre	O
1900	CM	450	CM	9 LEVEL CM	2045,8330 litre	0,169 %	1206681,9405 litre	O
1900	CM	450	CM	8 LEVEL CM	1715,0906 litre	0,142 %	1207012,6829 litre	O
1900	CM	450	CM	7 LEVEL CM	1404,2509 litre	0,116 %	1207323,5226 litre	O
1900	CM	450	CM	6 LEVEL CM	1114,7307 litre	0,092 %	1207613,0428 litre	O
1900	CM	450	CM	5 LEVEL CM	848,2882 litre	0,070 %	1207879,4853 litre	O
1900	CM	450	CM	4 LEVEL CM	607,1887 litre	0,050 %	1208120,5848 litre	O
1900	CM	450	CM	3 LEVEL CM	394,5124 litre	0,033 %	1208333,2611 litre	O
1900	CM	450	CM	2 LEVEL CM	214,8171 litre	0,018 %	1208512,9564 litre	O
1900	CM	450	CM	1 LEVEL CM	75,9747 litre	0,006 %	1208651,7988 litre	O

1900

CM 450

CM

0 LEVEL CM

0,000 litre

0,000 %

1208727,7735 litre

0

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1800	CM	400	CM	800 LEVEL CM	904778,6842 litre	100,000 %	0,0000 litre	O
1800	CM	400	CM	799 LEVEL CM	904710,8274 litre	99,993 %	67,8568 litre	O
1800	CM	400	CM	798 LEVEL CM	904586,8283 litre	99,979 %	191,8559 litre	O
1800	CM	400	CM	797 LEVEL CM	904426,3548 litre	99,961 %	352,3294 litre	O
1800	CM	400	CM	796 LEVEL CM	904236,4415 litre	99,940 %	542,2427 litre	O
1800	CM	400	CM	795 LEVEL CM	904021,1622 litre	99,916 %	757,5220 litre	O
1800	CM	400	CM	794 LEVEL CM	903783,2707 litre	99,890 %	995,4135 litre	O
1800	CM	400	CM	793 LEVEL CM	903524,7927 litre	99,861 %	1253,8915 litre	O
1800	CM	400	CM	792 LEVEL CM	903247,3005 litre	99,831 %	1531,3837 litre	O
1800	CM	400	CM	791 LEVEL CM	902952,0617 litre	99,798 %	1826,6225 litre	O
1800	CM	400	CM	790 LEVEL CM	902640,1269 litre	99,764 %	2138,5573 litre	O
1800	CM	400	CM	789 LEVEL CM	902312,3857 litre	99,727 %	2466,2985 litre	O
1800	CM	400	CM	788 LEVEL CM	901969,6044 litre	99,690 %	2809,0798 litre	O
1800	CM	400	CM	787 LEVEL CM	901612,4526 litre	99,650 %	3166,2316 litre	O
1800	CM	400	CM	786 LEVEL CM	901241,5216 litre	99,609 %	3537,1626 litre	O
1800	CM	400	CM	785 LEVEL CM	900857,3394 litre	99,567 %	3921,3448 litre	O
1800	CM	400	CM	784 LEVEL CM	900460,3808 litre	99,523 %	4318,3034 litre	O
1800	CM	400	CM	783 LEVEL CM	900051,0762 litre	99,477 %	4727,6080 litre	O
1800	CM	400	CM	782 LEVEL CM	899629,8181 litre	99,431 %	5148,8661 litre	O
1800	CM	400	CM	781 LEVEL CM	899196,9665 litre	99,383 %	5581,7177 litre	O
1800	CM	400	CM	780 LEVEL CM	898752,8532 litre	99,334 %	6025,8310 litre	O
1800	CM	400	CM	779 LEVEL CM	898297,7854 litre	99,284 %	6480,8988 litre	O
1800	CM	400	CM	778 LEVEL CM	897832,0484 litre	99,232 %	6946,6358 litre	O
1800	CM	400	CM	777 LEVEL CM	897355,9086 litre	99,180 %	7422,7756 litre	O
1800	CM	400	CM	776 LEVEL CM	896869,6151 litre	99,126 %	7909,0691 litre	O
1800	CM	400	CM	775 LEVEL CM	896373,4018 litre	99,071 %	8405,2824 litre	O
1800	CM	400	CM	774 LEVEL CM	895867,4887 litre	99,015 %	8911,1955 litre	O
1800	CM	400	CM	773 LEVEL CM	895352,0836 litre	98,958 %	9426,6006 litre	O
1800	CM	400	CM	772 LEVEL CM	894827,3829 litre	98,900 %	9951,3013 litre	O
1800	CM	400	CM	771 LEVEL CM	894293,5726 litre	98,841 %	10485,1116 litre	O
1800	CM	400	CM	770 LEVEL CM	893750,8297 litre	98,781 %	11027,8545 litre	O
1800	CM	400	CM	769 LEVEL CM	893199,3221 litre	98,720 %	11579,3621 litre	O
1800	CM	400	CM	768 LEVEL CM	892639,2102 litre	98,658 %	12139,4740 litre	O
1800	CM	400	CM	767 LEVEL CM	892070,6471 litre	98,595 %	12708,0371 litre	O
1800	CM	400	CM	766 LEVEL CM	891493,7789 litre	98,532 %	13284,9053 litre	O
1800	CM	400	CM	765 LEVEL CM	890908,7457 litre	98,467 %	13869,9385 litre	O
1800	CM	400	CM	764 LEVEL CM	890315,6818 litre	98,401 %	14463,0024 litre	O
1800	CM	400	CM	763 LEVEL CM	889714,7160 litre	98,335 %	15063,9682 litre	O
1800	CM	400	CM	762 LEVEL CM	889105,9723 litre	98,268 %	15672,7119 litre	O
1800	CM	400	CM	761 LEVEL CM	888489,5697 litre	98,200 %	16289,1145 litre	O
1800	CM	400	CM	760 LEVEL CM	887865,6231 litre	98,131 %	16913,0611 litre	O
1800	CM	400	CM	759 LEVEL CM	887234,2430 litre	98,061 %	17544,4412 litre	O
1800	CM	400	CM	758 LEVEL CM	886595,5364 litre	97,990 %	18183,1478 litre	O
1800	CM	400	CM	757 LEVEL CM	885949,6063 litre	97,919 %	18829,0779 litre	O
1800	CM	400	CM	756 LEVEL CM	885296,5526 litre	97,847 %	19482,1316 litre	O
1800	CM	400	CM	755 LEVEL CM	884636,4717 litre	97,774 %	20142,2125 litre	O
1800	CM	400	CM	754 LEVEL CM	883969,4571 litre	97,700 %	20809,2271 litre	O
1800	CM	400	CM	753 LEVEL CM	883295,5993 litre	97,626 %	21483,0849 litre	O
1800	CM	400	CM	752 LEVEL CM	882614,9862 litre	97,550 %	22163,6980 litre	O
1800	CM	400	CM	751 LEVEL CM	881927,7031 litre	97,474 %	22850,9811 litre	O
1800	CM	400	CM	750 LEVEL CM	881233,8327 litre	97,398 %	23544,8515 litre	O
1800	CM	400	CM	749 LEVEL CM	880533,4555 litre	97,320 %	24245,2287 litre	O

1800	CM	400	CM	748 LEVEL CM	879826,6498 litre	97,242 %	24952,0344 litre	O
1800	CM	400	CM	747 LEVEL CM	879113,4916 litre	97,163 %	25665,1926 litre	O
1800	CM	400	CM	746 LEVEL CM	878394,0550 litre	97,084 %	26384,6292 litre	O
1800	CM	400	CM	745 LEVEL CM	877668,4124 litre	97,004 %	27110,2718 litre	O
1800	CM	400	CM	744 LEVEL CM	876936,6339 litre	96,923 %	27842,0503 litre	O
1800	CM	400	CM	743 LEVEL CM	876198,7881 litre	96,841 %	28579,8961 litre	O
1800	CM	400	CM	742 LEVEL CM	875454,9421 litre	96,759 %	29323,7421 litre	O
1800	CM	400	CM	741 LEVEL CM	874705,1610 litre	96,676 %	30073,5232 litre	O
1800	CM	400	CM	740 LEVEL CM	873949,5087 litre	96,593 %	30829,1755 litre	O
1800	CM	400	CM	739 LEVEL CM	873188,0474 litre	96,508 %	31590,6368 litre	O
1800	CM	400	CM	738 LEVEL CM	872420,8380 litre	96,424 %	32357,8462 litre	O
1800	CM	400	CM	737 LEVEL CM	871647,9400 litre	96,338 %	33130,7442 litre	O
1800	CM	400	CM	736 LEVEL CM	870869,4117 litre	96,252 %	33909,2725 litre	O
1800	CM	400	CM	735 LEVEL CM	870085,3100 litre	96,166 %	34693,3742 litre	O
1800	CM	400	CM	734 LEVEL CM	869295,6906 litre	96,078 %	35482,9936 litre	O
1800	CM	400	CM	733 LEVEL CM	868500,6082 litre	95,990 %	36278,0760 litre	O
1800	CM	400	CM	732 LEVEL CM	867700,1161 litre	95,902 %	37078,5681 litre	O
1800	CM	400	CM	731 LEVEL CM	866894,2669 litre	95,813 %	37884,4173 litre	O
1800	CM	400	CM	730 LEVEL CM	866083,1118 litre	95,723 %	38695,5724 litre	O
1800	CM	400	CM	729 LEVEL CM	865266,7013 litre	95,633 %	39511,9829 litre	O
1800	CM	400	CM	728 LEVEL CM	864445,0846 litre	95,542 %	40333,5996 litre	O
1800	CM	400	CM	727 LEVEL CM	863618,3103 litre	95,451 %	41160,3739 litre	O
1800	CM	400	CM	726 LEVEL CM	862786,4259 litre	95,359 %	41992,2583 litre	O
1800	CM	400	CM	725 LEVEL CM	861949,4782 litre	95,266 %	42829,2060 litre	O
1800	CM	400	CM	724 LEVEL CM	861107,5129 litre	95,173 %	43671,1713 litre	O
1800	CM	400	CM	723 LEVEL CM	860260,5750 litre	95,080 %	44518,1092 litre	O
1800	CM	400	CM	722 LEVEL CM	859408,7089 litre	94,986 %	45369,9753 litre	O
1800	CM	400	CM	721 LEVEL CM	858551,9579 litre	94,891 %	46226,7263 litre	O
1800	CM	400	CM	720 LEVEL CM	857690,3649 litre	94,796 %	47088,3193 litre	O
1800	CM	400	CM	719 LEVEL CM	856823,9718 litre	94,700 %	47954,7124 litre	O
1800	CM	400	CM	718 LEVEL CM	855952,8200 litre	94,604 %	48825,8642 litre	O
1800	CM	400	CM	717 LEVEL CM	855076,9501 litre	94,507 %	49701,7341 litre	O
1800	CM	400	CM	716 LEVEL CM	854196,4021 litre	94,409 %	50582,2821 litre	O
1800	CM	400	CM	715 LEVEL CM	853311,2154 litre	94,312 %	51467,4688 litre	O
1800	CM	400	CM	714 LEVEL CM	852421,4287 litre	94,213 %	52357,2555 litre	O
1800	CM	400	CM	713 LEVEL CM	851527,0802 litre	94,114 %	53251,6040 litre	O
1800	CM	400	CM	712 LEVEL CM	850628,2075 litre	94,015 %	54150,4767 litre	O
1800	CM	400	CM	711 LEVEL CM	849724,8475 litre	93,915 %	55053,8367 litre	O
1800	CM	400	CM	710 LEVEL CM	848817,0367 litre	93,815 %	55961,6475 litre	O
1800	CM	400	CM	709 LEVEL CM	847904,8110 litre	93,714 %	56873,8732 litre	O
1800	CM	400	CM	708 LEVEL CM	846988,2059 litre	93,613 %	57790,4783 litre	O
1800	CM	400	CM	707 LEVEL CM	846067,2562 litre	93,511 %	58711,4280 litre	O
1800	CM	400	CM	706 LEVEL CM	845141,9963 litre	93,409 %	59636,6879 litre	O
1800	CM	400	CM	705 LEVEL CM	844212,4602 litre	93,306 %	60566,2240 litre	O
1800	CM	400	CM	704 LEVEL CM	843278,6813 litre	93,203 %	61500,0029 litre	O
1800	CM	400	CM	703 LEVEL CM	842340,6927 litre	93,099 %	62437,9915 litre	O
1800	CM	400	CM	702 LEVEL CM	841398,5268 litre	92,995 %	63380,1574 litre	O
1800	CM	400	CM	701 LEVEL CM	840452,2159 litre	92,890 %	64326,4683 litre	O
1800	CM	400	CM	700 LEVEL CM	839501,7917 litre	92,785 %	65276,8925 litre	O
1800	CM	400	CM	699 LEVEL CM	838547,2853 litre	92,680 %	66231,3989 litre	O
1800	CM	400	CM	698 LEVEL CM	837588,7279 litre	92,574 %	67189,9563 litre	O
1800	CM	400	CM	697 LEVEL CM	836626,1498 litre	92,467 %	68152,5344 litre	O
1800	CM	400	CM	696 LEVEL CM	835659,5812 litre	92,361 %	69119,1030 litre	O

1800	CM	400	CM	695 LEVEL CM	834689,0519 litre	92,253 %	70089,6323 litre	O
1800	CM	400	CM	694 LEVEL CM	833714,5912 litre	92,146 %	71064,0930 litre	O
1800	CM	400	CM	693 LEVEL CM	832736,2282 litre	92,038 %	72042,4560 litre	O
1800	CM	400	CM	692 LEVEL CM	831753,9917 litre	91,929 %	73024,6925 litre	O
1800	CM	400	CM	691 LEVEL CM	830767,9099 litre	91,820 %	74010,7743 litre	O
1800	CM	400	CM	690 LEVEL CM	829778,0108 litre	91,711 %	75000,6734 litre	O
1800	CM	400	CM	689 LEVEL CM	828784,3223 litre	91,601 %	75994,3619 litre	O
1800	CM	400	CM	688 LEVEL CM	827786,8717 litre	91,491 %	76991,8125 litre	O
1800	CM	400	CM	687 LEVEL CM	826785,6860 litre	91,380 %	77992,9982 litre	O
1800	CM	400	CM	686 LEVEL CM	825780,7920 litre	91,269 %	78997,8922 litre	O
1800	CM	400	CM	685 LEVEL CM	824772,2163 litre	91,157 %	80006,4679 litre	O
1800	CM	400	CM	684 LEVEL CM	823759,9850 litre	91,045 %	81018,6992 litre	O
1800	CM	400	CM	683 LEVEL CM	822744,1241 litre	90,933 %	82034,5601 litre	O
1800	CM	400	CM	682 LEVEL CM	821724,6591 litre	90,821 %	83054,0251 litre	O
1800	CM	400	CM	681 LEVEL CM	820701,6155 litre	90,707 %	84077,0687 litre	O
1800	CM	400	CM	680 LEVEL CM	819675,0183 litre	90,594 %	85103,6659 litre	O
1800	CM	400	CM	679 LEVEL CM	818644,8923 litre	90,480 %	86133,7919 litre	O
1800	CM	400	CM	678 LEVEL CM	817611,2622 litre	90,366 %	87167,4220 litre	O
1800	CM	400	CM	677 LEVEL CM	816574,1524 litre	90,251 %	88204,5318 litre	O
1800	CM	400	CM	676 LEVEL CM	815533,5868 litre	90,136 %	89245,0974 litre	O
1800	CM	400	CM	675 LEVEL CM	814489,5893 litre	90,021 %	90289,0949 litre	O
1800	CM	400	CM	674 LEVEL CM	813442,1836 litre	89,905 %	91336,5006 litre	O
1800	CM	400	CM	673 LEVEL CM	812391,3930 litre	89,789 %	92387,2912 litre	O
1800	CM	400	CM	672 LEVEL CM	811337,2408 litre	89,672 %	93441,4434 litre	O
1800	CM	400	CM	671 LEVEL CM	810279,7497 litre	89,556 %	94498,9345 litre	O
1800	CM	400	CM	670 LEVEL CM	809218,9427 litre	89,438 %	95559,7415 litre	O
1800	CM	400	CM	669 LEVEL CM	808154,8422 litre	89,321 %	96623,8420 litre	O
1800	CM	400	CM	668 LEVEL CM	807087,4704 litre	89,203 %	97691,2138 litre	O
1800	CM	400	CM	667 LEVEL CM	806016,8495 litre	89,084 %	98761,8347 litre	O
1800	CM	400	CM	666 LEVEL CM	804943,0014 litre	88,966 %	99835,6828 litre	O
1800	CM	400	CM	665 LEVEL CM	803865,9479 litre	88,847 %	100912,7363 litre	O
1800	CM	400	CM	664 LEVEL CM	802785,7103 litre	88,727 %	101992,9739 litre	O
1800	CM	400	CM	663 LEVEL CM	801702,3100 litre	88,608 %	103076,3742 litre	O
1800	CM	400	CM	662 LEVEL CM	800615,7682 litre	88,487 %	104162,9160 litre	O
1800	CM	400	CM	661 LEVEL CM	799526,1058 litre	88,367 %	105252,5784 litre	O
1800	CM	400	CM	660 LEVEL CM	798433,3436 litre	88,246 %	106345,3406 litre	O
1800	CM	400	CM	659 LEVEL CM	797337,5021 litre	88,125 %	107441,1821 litre	O
1800	CM	400	CM	658 LEVEL CM	796238,6019 litre	88,004 %	108540,0823 litre	O
1800	CM	400	CM	657 LEVEL CM	795136,6630 litre	87,882 %	109642,0212 litre	O
1800	CM	400	CM	656 LEVEL CM	794031,7058 litre	87,760 %	110746,9784 litre	O
1800	CM	400	CM	655 LEVEL CM	792923,7499 litre	87,637 %	111854,9343 litre	O
1800	CM	400	CM	654 LEVEL CM	791812,8153 litre	87,515 %	112965,8689 litre	O
1800	CM	400	CM	653 LEVEL CM	790698,9215 litre	87,391 %	114079,7627 litre	O
1800	CM	400	CM	652 LEVEL CM	789582,0879 litre	87,268 %	115196,5963 litre	O
1800	CM	400	CM	651 LEVEL CM	788462,3339 litre	87,144 %	116316,3503 litre	O
1800	CM	400	CM	650 LEVEL CM	787339,6786 litre	87,020 %	117439,0056 litre	O
1800	CM	400	CM	649 LEVEL CM	786214,1409 litre	86,896 %	118564,5433 litre	O
1800	CM	400	CM	648 LEVEL CM	785085,7398 litre	86,771 %	119692,9444 litre	O
1800	CM	400	CM	647 LEVEL CM	783954,4939 litre	86,646 %	120824,1903 litre	O
1800	CM	400	CM	646 LEVEL CM	782820,4218 litre	86,521 %	121958,2624 litre	O
1800	CM	400	CM	645 LEVEL CM	781683,5420 litre	86,395 %	123095,1422 litre	O
1800	CM	400	CM	644 LEVEL CM	780543,8726 litre	86,269 %	124234,8116 litre	O
1800	CM	400	CM	643 LEVEL CM	779401,4319 litre	86,143 %	125377,2523 litre	O

1800	CM	400	CM	642 LEVEL CM	778256,2379 litre	86,016 %	126522,4463 litre	O
1800	CM	400	CM	641 LEVEL CM	777108,3085 litre	85,889 %	127670,3757 litre	O
1800	CM	400	CM	640 LEVEL CM	775957,6614 litre	85,762 %	128821,0228 litre	O
1800	CM	400	CM	639 LEVEL CM	774804,3144 litre	85,635 %	129974,3698 litre	O
1800	CM	400	CM	638 LEVEL CM	773648,2848 litre	85,507 %	131130,3994 litre	O
1800	CM	400	CM	637 LEVEL CM	772489,5901 litre	85,379 %	132289,0941 litre	O
1800	CM	400	CM	636 LEVEL CM	771328,2476 litre	85,250 %	133450,4366 litre	O
1800	CM	400	CM	635 LEVEL CM	770164,2745 litre	85,122 %	134614,4097 litre	O
1800	CM	400	CM	634 LEVEL CM	768997,6877 litre	84,993 %	135780,9965 litre	O
1800	CM	400	CM	633 LEVEL CM	767828,5042 litre	84,864 %	136950,1800 litre	O
1800	CM	400	CM	632 LEVEL CM	766656,7409 litre	84,734 %	138121,9433 litre	O
1800	CM	400	CM	631 LEVEL CM	765482,4143 litre	84,604 %	139296,2699 litre	O
1800	CM	400	CM	630 LEVEL CM	764305,5412 litre	84,474 %	140473,1430 litre	O
1800	CM	400	CM	629 LEVEL CM	763126,1380 litre	84,344 %	141652,5462 litre	O
1800	CM	400	CM	628 LEVEL CM	761944,2211 litre	84,213 %	142834,4631 litre	O
1800	CM	400	CM	627 LEVEL CM	760759,8067 litre	84,082 %	144018,8775 litre	O
1800	CM	400	CM	626 LEVEL CM	759572,9111 litre	83,951 %	145205,7731 litre	O
1800	CM	400	CM	625 LEVEL CM	758383,5502 litre	83,820 %	146395,1340 litre	O
1800	CM	400	CM	624 LEVEL CM	757191,7402 litre	83,688 %	147586,9440 litre	O
1800	CM	400	CM	623 LEVEL CM	755997,4968 litre	83,556 %	148781,1874 litre	O
1800	CM	400	CM	622 LEVEL CM	754800,8358 litre	83,424 %	149977,8484 litre	O
1800	CM	400	CM	621 LEVEL CM	753601,7730 litre	83,291 %	151176,9112 litre	O
1800	CM	400	CM	620 LEVEL CM	752400,3239 litre	83,158 %	152378,3603 litre	O
1800	CM	400	CM	619 LEVEL CM	751196,5040 litre	83,025 %	153582,1802 litre	O
1800	CM	400	CM	618 LEVEL CM	749990,3286 litre	82,892 %	154788,3556 litre	O
1800	CM	400	CM	617 LEVEL CM	748781,8132 litre	82,759 %	155996,8710 litre	O
1800	CM	400	CM	616 LEVEL CM	747570,9730 litre	82,625 %	157207,7112 litre	O
1800	CM	400	CM	615 LEVEL CM	746357,8230 litre	82,491 %	158420,8612 litre	O
1800	CM	400	CM	614 LEVEL CM	745142,3784 litre	82,356 %	159636,3058 litre	O
1800	CM	400	CM	613 LEVEL CM	743924,6541 litre	82,222 %	160854,0301 litre	O
1800	CM	400	CM	612 LEVEL CM	742704,6649 litre	82,087 %	162074,0193 litre	O
1800	CM	400	CM	611 LEVEL CM	741482,4258 litre	81,952 %	163296,2584 litre	O
1800	CM	400	CM	610 LEVEL CM	740257,9513 litre	81,816 %	164520,7329 litre	O
1800	CM	400	CM	609 LEVEL CM	739031,2562 litre	81,681 %	165747,4280 litre	O
1800	CM	400	CM	608 LEVEL CM	737802,3550 litre	81,545 %	166976,3292 litre	O
1800	CM	400	CM	607 LEVEL CM	736571,2622 litre	81,409 %	168207,4220 litre	O
1800	CM	400	CM	606 LEVEL CM	735337,9922 litre	81,273 %	169440,6920 litre	O
1800	CM	400	CM	605 LEVEL CM	734102,5593 litre	81,136 %	170676,1249 litre	O
1800	CM	400	CM	604 LEVEL CM	732864,9777 litre	80,999 %	171913,7065 litre	O
1800	CM	400	CM	603 LEVEL CM	731625,2617 litre	80,862 %	173153,4225 litre	O
1800	CM	400	CM	602 LEVEL CM	730383,4254 litre	80,725 %	174395,2588 litre	O
1800	CM	400	CM	601 LEVEL CM	729139,4827 litre	80,588 %	175639,2015 litre	O
1800	CM	400	CM	600 LEVEL CM	727893,4476 litre	80,450 %	176885,2366 litre	O
1800	CM	400	CM	599 LEVEL CM	726645,3341 litre	80,312 %	178133,3501 litre	O
1800	CM	400	CM	598 LEVEL CM	725395,1560 litre	80,174 %	179383,5282 litre	O
1800	CM	400	CM	597 LEVEL CM	724142,9269 litre	80,035 %	180635,7573 litre	O
1800	CM	400	CM	596 LEVEL CM	722888,6607 litre	79,897 %	181890,0235 litre	O
1800	CM	400	CM	595 LEVEL CM	721632,3709 litre	79,758 %	183146,3133 litre	O
1800	CM	400	CM	594 LEVEL CM	720374,0710 litre	79,619 %	184404,6132 litre	O
1800	CM	400	CM	593 LEVEL CM	719113,7746 litre	79,480 %	185664,9096 litre	O
1800	CM	400	CM	592 LEVEL CM	717851,4951 litre	79,340 %	186927,1891 litre	O
1800	CM	400	CM	591 LEVEL CM	716587,2458 litre	79,200 %	188191,4384 litre	O
1800	CM	400	CM	590 LEVEL CM	715321,0401 litre	79,060 %	189457,6441 litre	O

1800	CM	400	CM	589 LEVEL CM	714052,8911 litre	78,920 %	190725,7931 litre	O
1800	CM	400	CM	588 LEVEL CM	712782,8121 litre	78,780 %	191995,8721 litre	O
1800	CM	400	CM	587 LEVEL CM	711510,8162 litre	78,639 %	193267,8680 litre	O
1800	CM	400	CM	586 LEVEL CM	710236,9164 litre	78,498 %	194541,7678 litre	O
1800	CM	400	CM	585 LEVEL CM	708961,1258 litre	78,357 %	195817,5584 litre	O
1800	CM	400	CM	584 LEVEL CM	707683,4572 litre	78,216 %	197095,2270 litre	O
1800	CM	400	CM	583 LEVEL CM	706403,9236 litre	78,075 %	198374,7606 litre	O
1800	CM	400	CM	582 LEVEL CM	705122,5377 litre	77,933 %	199656,1465 litre	O
1800	CM	400	CM	581 LEVEL CM	703839,3125 litre	77,791 %	200939,3717 litre	O
1800	CM	400	CM	580 LEVEL CM	702554,2605 litre	77,649 %	202224,4237 litre	O
1800	CM	400	CM	579 LEVEL CM	701267,3944 litre	77,507 %	203511,2898 litre	O
1800	CM	400	CM	578 LEVEL CM	699978,7270 litre	77,365 %	204799,9572 litre	O
1800	CM	400	CM	577 LEVEL CM	698688,2706 litre	77,222 %	206090,4136 litre	O
1800	CM	400	CM	576 LEVEL CM	697396,0378 litre	77,079 %	207382,6464 litre	O
1800	CM	400	CM	575 LEVEL CM	696102,0411 litre	76,936 %	208676,6431 litre	O
1800	CM	400	CM	574 LEVEL CM	694806,2929 litre	76,793 %	209972,3913 litre	O
1800	CM	400	CM	573 LEVEL CM	693508,8055 litre	76,650 %	211269,8787 litre	O
1800	CM	400	CM	572 LEVEL CM	692209,5913 litre	76,506 %	212569,0929 litre	O
1800	CM	400	CM	571 LEVEL CM	690908,6624 litre	76,362 %	213870,0218 litre	O
1800	CM	400	CM	570 LEVEL CM	689606,0312 litre	76,218 %	215172,6530 litre	O
1800	CM	400	CM	569 LEVEL CM	688301,7096 litre	76,074 %	216476,9746 litre	O
1800	CM	400	CM	568 LEVEL CM	686995,7100 litre	75,930 %	217782,9742 litre	O
1800	CM	400	CM	567 LEVEL CM	685688,0442 litre	75,785 %	219090,6400 litre	O
1800	CM	400	CM	566 LEVEL CM	684378,7244 litre	75,640 %	220399,9598 litre	O
1800	CM	400	CM	565 LEVEL CM	683067,7625 litre	75,496 %	221710,9217 litre	O
1800	CM	400	CM	564 LEVEL CM	681755,1705 litre	75,350 %	223023,5137 litre	O
1800	CM	400	CM	563 LEVEL CM	680440,9602 litre	75,205 %	224337,7240 litre	O
1800	CM	400	CM	562 LEVEL CM	679125,1434 litre	75,060 %	225653,5408 litre	O
1800	CM	400	CM	561 LEVEL CM	677807,7321 litre	74,914 %	226970,9521 litre	O
1800	CM	400	CM	560 LEVEL CM	676488,7378 litre	74,768 %	228289,9464 litre	O
1800	CM	400	CM	559 LEVEL CM	675168,1724 litre	74,622 %	229610,5118 litre	O
1800	CM	400	CM	558 LEVEL CM	673846,0474 litre	74,476 %	230932,6368 litre	O
1800	CM	400	CM	557 LEVEL CM	672522,3746 litre	74,330 %	232256,3096 litre	O
1800	CM	400	CM	556 LEVEL CM	671197,1655 litre	74,184 %	233581,5187 litre	O
1800	CM	400	CM	555 LEVEL CM	669870,4317 litre	74,037 %	234908,2525 litre	O
1800	CM	400	CM	554 LEVEL CM	668542,1846 litre	73,890 %	236236,4996 litre	O
1800	CM	400	CM	553 LEVEL CM	667212,4357 litre	73,743 %	237566,2485 litre	O
1800	CM	400	CM	552 LEVEL CM	665881,1966 litre	73,596 %	238897,4876 litre	O
1800	CM	400	CM	551 LEVEL CM	664548,4785 litre	73,449 %	240230,2057 litre	O
1800	CM	400	CM	550 LEVEL CM	663214,2927 litre	73,301 %	241564,3915 litre	O
1800	CM	400	CM	549 LEVEL CM	661878,6508 litre	73,154 %	242900,0334 litre	O
1800	CM	400	CM	548 LEVEL CM	660541,5638 litre	73,006 %	244237,1204 litre	O
1800	CM	400	CM	547 LEVEL CM	659203,0431 litre	72,858 %	245575,6411 litre	O
1800	CM	400	CM	546 LEVEL CM	657863,0998 litre	72,710 %	246915,5844 litre	O
1800	CM	400	CM	545 LEVEL CM	656521,7451 litre	72,562 %	248256,9391 litre	O
1800	CM	400	CM	544 LEVEL CM	655178,9902 litre	72,413 %	249599,6940 litre	O
1800	CM	400	CM	543 LEVEL CM	653834,8462 litre	72,265 %	250943,8380 litre	O
1800	CM	400	CM	542 LEVEL CM	652489,3241 litre	72,116 %	252289,3601 litre	O
1800	CM	400	CM	541 LEVEL CM	651142,4349 litre	71,967 %	253636,2493 litre	O
1800	CM	400	CM	540 LEVEL CM	649794,1897 litre	71,818 %	254984,4945 litre	O
1800	CM	400	CM	539 LEVEL CM	648444,5994 litre	71,669 %	256334,0848 litre	O
1800	CM	400	CM	538 LEVEL CM	647093,6750 litre	71,520 %	257685,0092 litre	O
1800	CM	400	CM	537 LEVEL CM	645741,4273 litre	71,370 %	259037,2569 litre	O

1800	CM	400	CM	536 LEVEL CM	644387,8673 litre	71,220 %	260390,8169 litre	O
1800	CM	400	CM	535 LEVEL CM	643033,0057 litre	71,071 %	261745,6785 litre	O
1800	CM	400	CM	534 LEVEL CM	641676,8533 litre	70,921 %	263101,8309 litre	O
1800	CM	400	CM	533 LEVEL CM	640319,4210 litre	70,771 %	264459,2632 litre	O
1800	CM	400	CM	532 LEVEL CM	638960,7195 litre	70,621 %	265817,9647 litre	O
1800	CM	400	CM	531 LEVEL CM	637600,7595 litre	70,470 %	267177,9247 litre	O
1800	CM	400	CM	530 LEVEL CM	636239,5517 litre	70,320 %	268539,1325 litre	O
1800	CM	400	CM	529 LEVEL CM	634877,1067 litre	70,169 %	269901,5775 litre	O
1800	CM	400	CM	528 LEVEL CM	633513,4352 litre	70,019 %	271265,2490 litre	O
1800	CM	400	CM	527 LEVEL CM	632148,5477 litre	69,868 %	272630,1365 litre	O
1800	CM	400	CM	526 LEVEL CM	630782,4549 litre	69,717 %	273996,2293 litre	O
1800	CM	400	CM	525 LEVEL CM	629415,1672 litre	69,566 %	275363,5170 litre	O
1800	CM	400	CM	524 LEVEL CM	628046,6952 litre	69,414 %	276731,9890 litre	O
1800	CM	400	CM	523 LEVEL CM	626677,0494 litre	69,263 %	278101,6348 litre	O
1800	CM	400	CM	522 LEVEL CM	625306,2402 litre	69,112 %	279472,4440 litre	O
1800	CM	400	CM	521 LEVEL CM	623934,2781 litre	68,960 %	280844,4061 litre	O
1800	CM	400	CM	520 LEVEL CM	622561,1735 litre	68,808 %	282217,5107 litre	O
1800	CM	400	CM	519 LEVEL CM	621186,9367 litre	68,656 %	283591,7475 litre	O
1800	CM	400	CM	518 LEVEL CM	619811,5781 litre	68,504 %	284967,1061 litre	O
1800	CM	400	CM	517 LEVEL CM	618435,1080 litre	68,352 %	286343,5762 litre	O
1800	CM	400	CM	516 LEVEL CM	617057,5368 litre	68,200 %	287721,1474 litre	O
1800	CM	400	CM	515 LEVEL CM	615678,8747 litre	68,047 %	289099,8095 litre	O
1800	CM	400	CM	514 LEVEL CM	614299,1320 litre	67,895 %	290479,5522 litre	O
1800	CM	400	CM	513 LEVEL CM	612918,3189 litre	67,742 %	291860,3653 litre	O
1800	CM	400	CM	512 LEVEL CM	611536,4456 litre	67,590 %	293242,2386 litre	O
1800	CM	400	CM	511 LEVEL CM	610153,5223 litre	67,437 %	294625,1619 litre	O
1800	CM	400	CM	510 LEVEL CM	608769,5591 litre	67,284 %	296009,1251 litre	O
1800	CM	400	CM	509 LEVEL CM	607384,5663 litre	67,131 %	297394,1179 litre	O
1800	CM	400	CM	508 LEVEL CM	605998,5538 litre	66,978 %	298780,1304 litre	O
1800	CM	400	CM	507 LEVEL CM	604611,5319 litre	66,824 %	300167,1523 litre	O
1800	CM	400	CM	506 LEVEL CM	603223,5105 litre	66,671 %	301555,1737 litre	O
1800	CM	400	CM	505 LEVEL CM	601834,4998 litre	66,517 %	302944,1844 litre	O
1800	CM	400	CM	504 LEVEL CM	600444,5097 litre	66,364 %	304334,1745 litre	O
1800	CM	400	CM	503 LEVEL CM	599053,5503 litre	66,210 %	305725,1339 litre	O
1800	CM	400	CM	502 LEVEL CM	597661,6316 litre	66,056 %	307117,0526 litre	O
1800	CM	400	CM	501 LEVEL CM	596268,7634 litre	65,902 %	308509,9208 litre	O
1800	CM	400	CM	500 LEVEL CM	594874,9558 litre	65,748 %	309903,7284 litre	O
1800	CM	400	CM	499 LEVEL CM	593480,2187 litre	65,594 %	311298,4655 litre	O
1800	CM	400	CM	498 LEVEL CM	592084,5620 litre	65,440 %	312694,1222 litre	O
1800	CM	400	CM	497 LEVEL CM	590687,9955 litre	65,285 %	314090,6887 litre	O
1800	CM	400	CM	496 LEVEL CM	589290,5292 litre	65,131 %	315488,1550 litre	O
1800	CM	400	CM	495 LEVEL CM	587892,1729 litre	64,976 %	316886,5113 litre	O
1800	CM	400	CM	494 LEVEL CM	586492,9364 litre	64,822 %	318285,7478 litre	O
1800	CM	400	CM	493 LEVEL CM	585092,8295 litre	64,667 %	319685,8547 litre	O
1800	CM	400	CM	492 LEVEL CM	583691,8620 litre	64,512 %	321086,8222 litre	O
1800	CM	400	CM	491 LEVEL CM	582290,0437 litre	64,357 %	322488,6405 litre	O
1800	CM	400	CM	490 LEVEL CM	580887,3844 litre	64,202 %	323891,2998 litre	O
1800	CM	400	CM	489 LEVEL CM	579483,8938 litre	64,047 %	325294,7904 litre	O
1800	CM	400	CM	488 LEVEL CM	578079,5815 litre	63,892 %	326699,1027 litre	O
1800	CM	400	CM	487 LEVEL CM	576674,4574 litre	63,737 %	328104,2268 litre	O
1800	CM	400	CM	486 LEVEL CM	575268,5310 litre	63,581 %	329510,1532 litre	O
1800	CM	400	CM	485 LEVEL CM	573861,8121 litre	63,426 %	330916,8721 litre	O
1800	CM	400	CM	484 LEVEL CM	572454,3103 litre	63,270 %	332324,3739 litre	O

1800	CM	400	CM	483 LEVEL CM	571046,0353 litre	63,114 %	333732,6489 litre	O
1800	CM	400	CM	482 LEVEL CM	569636,9967 litre	62,959 %	335141,6875 litre	O
1800	CM	400	CM	481 LEVEL CM	568227,2041 litre	62,803 %	336551,4801 litre	O
1800	CM	400	CM	480 LEVEL CM	566816,6670 litre	62,647 %	337962,0172 litre	O
1800	CM	400	CM	479 LEVEL CM	565405,3951 litre	62,491 %	339373,2891 litre	O
1800	CM	400	CM	478 LEVEL CM	563993,3978 litre	62,335 %	340785,2864 litre	O
1800	CM	400	CM	477 LEVEL CM	562580,6849 litre	62,179 %	342197,9993 litre	O
1800	CM	400	CM	476 LEVEL CM	561167,2657 litre	62,023 %	343611,4185 litre	O
1800	CM	400	CM	475 LEVEL CM	559753,1499 litre	61,866 %	345025,5343 litre	O
1800	CM	400	CM	474 LEVEL CM	558338,3468 litre	61,710 %	346440,3374 litre	O
1800	CM	400	CM	473 LEVEL CM	556922,8661 litre	61,553 %	347855,8181 litre	O
1800	CM	400	CM	472 LEVEL CM	555506,7171 litre	61,397 %	349271,9671 litre	O
1800	CM	400	CM	471 LEVEL CM	554089,9094 litre	61,240 %	350688,7748 litre	O
1800	CM	400	CM	470 LEVEL CM	552672,4524 litre	61,084 %	352106,2318 litre	O
1800	CM	400	CM	469 LEVEL CM	551254,3555 litre	60,927 %	353524,3287 litre	O
1800	CM	400	CM	468 LEVEL CM	549835,6281 litre	60,770 %	354943,0561 litre	O
1800	CM	400	CM	467 LEVEL CM	548416,2797 litre	60,613 %	356362,4045 litre	O
1800	CM	400	CM	466 LEVEL CM	546996,3197 litre	60,456 %	357782,3645 litre	O
1800	CM	400	CM	465 LEVEL CM	545575,7574 litre	60,299 %	359202,9268 litre	O
1800	CM	400	CM	464 LEVEL CM	544154,6022 litre	60,142 %	360624,0820 litre	O
1800	CM	400	CM	463 LEVEL CM	542732,8635 litre	59,985 %	362045,8207 litre	O
1800	CM	400	CM	462 LEVEL CM	541310,5506 litre	59,828 %	363468,1336 litre	O
1800	CM	400	CM	461 LEVEL CM	539887,6729 litre	59,671 %	364891,0113 litre	O
1800	CM	400	CM	460 LEVEL CM	538464,2397 litre	59,513 %	366314,4445 litre	O
1800	CM	400	CM	459 LEVEL CM	537040,2604 litre	59,356 %	367738,4238 litre	O
1800	CM	400	CM	458 LEVEL CM	535615,7441 litre	59,199 %	369162,9401 litre	O
1800	CM	400	CM	457 LEVEL CM	534190,7003 litre	59,041 %	370587,9839 litre	O
1800	CM	400	CM	456 LEVEL CM	532765,1382 litre	58,883 %	372013,5460 litre	O
1800	CM	400	CM	455 LEVEL CM	531339,0671 litre	58,726 %	373439,6171 litre	O
1800	CM	400	CM	454 LEVEL CM	529912,4962 litre	58,568 %	374866,1880 litre	O
1800	CM	400	CM	453 LEVEL CM	528485,4348 litre	58,410 %	376293,2494 litre	O
1800	CM	400	CM	452 LEVEL CM	527057,8922 litre	58,253 %	377720,7920 litre	O
1800	CM	400	CM	451 LEVEL CM	525629,8776 litre	58,095 %	379148,8066 litre	O
1800	CM	400	CM	450 LEVEL CM	524201,4002 litre	57,937 %	380577,2840 litre	O
1800	CM	400	CM	449 LEVEL CM	522772,4692 litre	57,779 %	382006,2150 litre	O
1800	CM	400	CM	448 LEVEL CM	521343,0939 litre	57,621 %	383435,5903 litre	O
1800	CM	400	CM	447 LEVEL CM	519913,2835 litre	57,463 %	384865,4007 litre	O
1800	CM	400	CM	446 LEVEL CM	518483,0471 litre	57,305 %	386295,6371 litre	O
1800	CM	400	CM	445 LEVEL CM	517052,3939 litre	57,147 %	387726,2903 litre	O
1800	CM	400	CM	444 LEVEL CM	515621,3332 litre	56,989 %	389157,3510 litre	O
1800	CM	400	CM	443 LEVEL CM	514189,8740 litre	56,830 %	390588,8102 litre	O
1800	CM	400	CM	442 LEVEL CM	512758,0256 litre	56,672 %	392020,6586 litre	O
1800	CM	400	CM	441 LEVEL CM	511325,7971 litre	56,514 %	393452,8871 litre	O
1800	CM	400	CM	440 LEVEL CM	509893,1976 litre	56,356 %	394885,4866 litre	O
1800	CM	400	CM	439 LEVEL CM	508460,2363 litre	56,197 %	396318,4479 litre	O
1800	CM	400	CM	438 LEVEL CM	507026,9223 litre	56,039 %	397751,7619 litre	O
1800	CM	400	CM	437 LEVEL CM	505593,2648 litre	55,880 %	399185,4194 litre	O
1800	CM	400	CM	436 LEVEL CM	504159,2728 litre	55,722 %	400619,4114 litre	O
1800	CM	400	CM	435 LEVEL CM	502724,9556 litre	55,563 %	402053,7286 litre	O
1800	CM	400	CM	434 LEVEL CM	501290,3221 litre	55,405 %	403488,3621 litre	O
1800	CM	400	CM	433 LEVEL CM	499855,3814 litre	55,246 %	404923,3028 litre	O
1800	CM	400	CM	432 LEVEL CM	498420,1428 litre	55,088 %	406358,5414 litre	O
1800	CM	400	CM	431 LEVEL CM	496984,6153 litre	54,929 %	407794,0689 litre	O

1800	CM	400	CM	430 LEVEL CM	495548,8079 litre	54,770 %	409229,8763 litre	O
1800	CM	400	CM	429 LEVEL CM	494112,7297 litre	54,611 %	410665,9545 litre	O
1800	CM	400	CM	428 LEVEL CM	492676,3899 litre	54,453 %	412102,2943 litre	O
1800	CM	400	CM	427 LEVEL CM	491239,7974 litre	54,294 %	413538,8868 litre	O
1800	CM	400	CM	426 LEVEL CM	489802,9614 litre	54,135 %	414975,7228 litre	O
1800	CM	400	CM	425 LEVEL CM	488365,8909 litre	53,976 %	416412,7933 litre	O
1800	CM	400	CM	424 LEVEL CM	486928,5949 litre	53,817 %	417850,0893 litre	O
1800	CM	400	CM	423 LEVEL CM	485491,0826 litre	53,659 %	419287,6016 litre	O
1800	CM	400	CM	422 LEVEL CM	484053,3629 litre	53,500 %	420725,3213 litre	O
1800	CM	400	CM	421 LEVEL CM	482615,4449 litre	53,341 %	422163,2393 litre	O
1800	CM	400	CM	420 LEVEL CM	481177,3376 litre	53,182 %	423601,3466 litre	O
1800	CM	400	CM	419 LEVEL CM	479739,0501 litre	53,023 %	425039,6341 litre	O
1800	CM	400	CM	418 LEVEL CM	478300,5915 litre	52,864 %	426478,0927 litre	O
1800	CM	400	CM	417 LEVEL CM	476861,9706 litre	52,705 %	427916,7136 litre	O
1800	CM	400	CM	416 LEVEL CM	475423,1966 litre	52,546 %	429355,4876 litre	O
1800	CM	400	CM	415 LEVEL CM	473984,2785 litre	52,387 %	430794,4057 litre	O
1800	CM	400	CM	414 LEVEL CM	472545,2254 litre	52,228 %	432233,4588 litre	O
1800	CM	400	CM	413 LEVEL CM	471106,0461 litre	52,069 %	433672,6381 litre	O
1800	CM	400	CM	412 LEVEL CM	469666,7498 litre	51,910 %	435111,9344 litre	O
1800	CM	400	CM	411 LEVEL CM	468227,3454 litre	51,750 %	436551,3388 litre	O
1800	CM	400	CM	410 LEVEL CM	466787,8420 litre	51,591 %	437990,8422 litre	O
1800	CM	400	CM	409 LEVEL CM	465348,2485 litre	51,432 %	439430,4357 litre	O
1800	CM	400	CM	408 LEVEL CM	463908,5741 litre	51,273 %	440870,1101 litre	O
1800	CM	400	CM	407 LEVEL CM	462468,8276 litre	51,114 %	442309,8566 litre	O
1800	CM	400	CM	406 LEVEL CM	461029,0181 litre	50,955 %	443749,6661 litre	O
1800	CM	400	CM	405 LEVEL CM	459589,1546 litre	50,796 %	445189,5296 litre	O
1800	CM	400	CM	404 LEVEL CM	458149,2461 litre	50,637 %	446629,4381 litre	O
1800	CM	400	CM	403 LEVEL CM	456709,3016 litre	50,477 %	448069,3826 litre	O
1800	CM	400	CM	402 LEVEL CM	455269,3301 litre	50,318 %	449509,3541 litre	O
1800	CM	400	CM	401 LEVEL CM	453829,3406 litre	50,159 %	450949,3436 litre	O
1800	CM	400	CM	400 LEVEL CM	452389,3421 litre	50,000 %	452389,3421 litre	O
1800	CM	400	CM	399 LEVEL CM	450949,3436 litre	49,841 %	453829,3406 litre	O
1800	CM	400	CM	398 LEVEL CM	449509,3541 litre	49,682 %	455269,3301 litre	O
1800	CM	400	CM	397 LEVEL CM	448069,3826 litre	49,523 %	456709,3016 litre	O
1800	CM	400	CM	396 LEVEL CM	446629,4381 litre	49,363 %	458149,2461 litre	O
1800	CM	400	CM	395 LEVEL CM	445189,5296 litre	49,204 %	459589,1546 litre	O
1800	CM	400	CM	394 LEVEL CM	443749,6661 litre	49,045 %	461029,0181 litre	O
1800	CM	400	CM	393 LEVEL CM	442309,8566 litre	48,886 %	462468,8276 litre	O
1800	CM	400	CM	392 LEVEL CM	440870,1102 litre	48,727 %	463908,5740 litre	O
1800	CM	400	CM	391 LEVEL CM	439430,4357 litre	48,568 %	465348,2485 litre	O
1800	CM	400	CM	390 LEVEL CM	437990,8423 litre	48,409 %	466787,8419 litre	O
1800	CM	400	CM	389 LEVEL CM	436551,3388 litre	48,250 %	468227,3454 litre	O
1800	CM	400	CM	388 LEVEL CM	435111,9345 litre	48,090 %	469666,7497 litre	O
1800	CM	400	CM	387 LEVEL CM	433672,6381 litre	47,931 %	471106,0461 litre	O
1800	CM	400	CM	386 LEVEL CM	432233,4589 litre	47,772 %	472545,2253 litre	O
1800	CM	400	CM	385 LEVEL CM	430794,4057 litre	47,613 %	473984,2785 litre	O
1800	CM	400	CM	384 LEVEL CM	429355,4876 litre	47,454 %	475423,1966 litre	O
1800	CM	400	CM	383 LEVEL CM	427916,7136 litre	47,295 %	476861,9706 litre	O
1800	CM	400	CM	382 LEVEL CM	426478,0928 litre	47,136 %	478300,5914 litre	O
1800	CM	400	CM	381 LEVEL CM	425039,6341 litre	46,977 %	479739,0501 litre	O
1800	CM	400	CM	380 LEVEL CM	423601,3466 litre	46,818 %	481177,3376 litre	O
1800	CM	400	CM	379 LEVEL CM	422163,2394 litre	46,659 %	482615,4448 litre	O
1800	CM	400	CM	378 LEVEL CM	420725,3214 litre	46,500 %	484053,3628 litre	O

1800	CM	400	CM	377 LEVEL CM	419287,6017 litre	46,341 %	485491,0825 litre	O
1800	CM	400	CM	376 LEVEL CM	417850,0893 litre	46,183 %	486928,5949 litre	O
1800	CM	400	CM	375 LEVEL CM	416412,7934 litre	46,024 %	488365,8908 litre	O
1800	CM	400	CM	374 LEVEL CM	414975,7229 litre	45,865 %	489802,9613 litre	O
1800	CM	400	CM	373 LEVEL CM	413538,8868 litre	45,706 %	491239,7974 litre	O
1800	CM	400	CM	372 LEVEL CM	412102,2944 litre	45,547 %	492676,3898 litre	O
1800	CM	400	CM	371 LEVEL CM	410665,9545 litre	45,389 %	494112,7297 litre	O
1800	CM	400	CM	370 LEVEL CM	409229,8764 litre	45,230 %	495548,8078 litre	O
1800	CM	400	CM	369 LEVEL CM	407794,0690 litre	45,071 %	496984,6152 litre	O
1800	CM	400	CM	368 LEVEL CM	406358,5414 litre	44,912 %	498420,1428 litre	O
1800	CM	400	CM	367 LEVEL CM	404923,3028 litre	44,754 %	499855,3814 litre	O
1800	CM	400	CM	366 LEVEL CM	403488,3622 litre	44,595 %	501290,3220 litre	O
1800	CM	400	CM	365 LEVEL CM	402053,7287 litre	44,437 %	502724,9555 litre	O
1800	CM	400	CM	364 LEVEL CM	400619,4114 litre	44,278 %	504159,2728 litre	O
1800	CM	400	CM	363 LEVEL CM	399185,4194 litre	44,120 %	505593,2648 litre	O
1800	CM	400	CM	362 LEVEL CM	397751,7619 litre	43,961 %	507026,9223 litre	O
1800	CM	400	CM	361 LEVEL CM	396318,4479 litre	43,803 %	508460,2363 litre	O
1800	CM	400	CM	360 LEVEL CM	394885,4866 litre	43,644 %	509893,1976 litre	O
1800	CM	400	CM	359 LEVEL CM	393452,8872 litre	43,486 %	511325,7970 litre	O
1800	CM	400	CM	358 LEVEL CM	392020,6586 litre	43,328 %	512758,0256 litre	O
1800	CM	400	CM	357 LEVEL CM	390588,8102 litre	43,170 %	514189,8740 litre	O
1800	CM	400	CM	356 LEVEL CM	389157,3510 litre	43,011 %	515621,3332 litre	O
1800	CM	400	CM	355 LEVEL CM	387726,2903 litre	42,853 %	517052,3939 litre	O
1800	CM	400	CM	354 LEVEL CM	386295,6371 litre	42,695 %	518483,0471 litre	O
1800	CM	400	CM	353 LEVEL CM	384865,4007 litre	42,537 %	519913,2835 litre	O
1800	CM	400	CM	352 LEVEL CM	383435,5903 litre	42,379 %	521343,0939 litre	O
1800	CM	400	CM	351 LEVEL CM	382006,2150 litre	42,221 %	522772,4692 litre	O
1800	CM	400	CM	350 LEVEL CM	380577,2840 litre	42,063 %	524201,4002 litre	O
1800	CM	400	CM	349 LEVEL CM	379148,8066 litre	41,905 %	525629,8776 litre	O
1800	CM	400	CM	348 LEVEL CM	377720,7920 litre	41,747 %	527057,8922 litre	O
1800	CM	400	CM	347 LEVEL CM	376293,2494 litre	41,590 %	528485,4348 litre	O
1800	CM	400	CM	346 LEVEL CM	374866,1881 litre	41,432 %	529912,4961 litre	O
1800	CM	400	CM	345 LEVEL CM	373439,6172 litre	41,274 %	531339,0670 litre	O
1800	CM	400	CM	344 LEVEL CM	372013,5461 litre	41,117 %	532765,1381 litre	O
1800	CM	400	CM	343 LEVEL CM	370587,9839 litre	40,959 %	534190,7003 litre	O
1800	CM	400	CM	342 LEVEL CM	369162,9401 litre	40,801 %	535615,7441 litre	O
1800	CM	400	CM	341 LEVEL CM	367738,4239 litre	40,644 %	537040,2603 litre	O
1800	CM	400	CM	340 LEVEL CM	366314,4445 litre	40,487 %	538464,2397 litre	O
1800	CM	400	CM	339 LEVEL CM	364891,0113 litre	40,329 %	539887,6729 litre	O
1800	CM	400	CM	338 LEVEL CM	363468,1336 litre	40,172 %	541310,5506 litre	O
1800	CM	400	CM	337 LEVEL CM	362045,8207 litre	40,015 %	542732,8635 litre	O
1800	CM	400	CM	336 LEVEL CM	360624,0820 litre	39,858 %	544154,6022 litre	O
1800	CM	400	CM	335 LEVEL CM	359202,9269 litre	39,701 %	545575,7573 litre	O
1800	CM	400	CM	334 LEVEL CM	357782,3646 litre	39,544 %	546996,3196 litre	O
1800	CM	400	CM	333 LEVEL CM	356362,4045 litre	39,387 %	548416,2797 litre	O
1800	CM	400	CM	332 LEVEL CM	354943,0561 litre	39,230 %	549835,6281 litre	O
1800	CM	400	CM	331 LEVEL CM	353524,3288 litre	39,073 %	551254,3554 litre	O
1800	CM	400	CM	330 LEVEL CM	352106,2318 litre	38,916 %	552672,4524 litre	O
1800	CM	400	CM	329 LEVEL CM	350688,7748 litre	38,760 %	554089,9094 litre	O
1800	CM	400	CM	328 LEVEL CM	349271,9671 litre	38,603 %	555506,7171 litre	O
1800	CM	400	CM	327 LEVEL CM	347855,8181 litre	38,447 %	556922,8661 litre	O
1800	CM	400	CM	326 LEVEL CM	346440,3374 litre	38,290 %	558338,3468 litre	O
1800	CM	400	CM	325 LEVEL CM	345025,5343 litre	38,134 %	559753,1499 litre	O

1800	CM	400	CM	324 LEVEL CM	343611,4185 litre	37,977 %	561167,2657 litre	O
1800	CM	400	CM	323 LEVEL CM	342197,9993 litre	37,821 %	562580,6849 litre	O
1800	CM	400	CM	322 LEVEL CM	340785,2864 litre	37,665 %	563993,3978 litre	O
1800	CM	400	CM	321 LEVEL CM	339373,2892 litre	37,509 %	565405,3950 litre	O
1800	CM	400	CM	320 LEVEL CM	337962,0173 litre	37,353 %	566816,6669 litre	O
1800	CM	400	CM	319 LEVEL CM	336551,4802 litre	37,197 %	568227,2040 litre	O
1800	CM	400	CM	318 LEVEL CM	335141,6875 litre	37,041 %	569636,9967 litre	O
1800	CM	400	CM	317 LEVEL CM	333732,6489 litre	36,886 %	571046,0353 litre	O
1800	CM	400	CM	316 LEVEL CM	332324,3739 litre	36,730 %	572454,3103 litre	O
1800	CM	400	CM	315 LEVEL CM	330916,8721 litre	36,574 %	573861,8121 litre	O
1800	CM	400	CM	314 LEVEL CM	329510,1532 litre	36,419 %	575268,5310 litre	O
1800	CM	400	CM	313 LEVEL CM	328104,2269 litre	36,263 %	576674,4573 litre	O
1800	CM	400	CM	312 LEVEL CM	326699,1027 litre	36,108 %	578079,5815 litre	O
1800	CM	400	CM	311 LEVEL CM	325294,7905 litre	35,953 %	579483,8937 litre	O
1800	CM	400	CM	310 LEVEL CM	323891,2998 litre	35,798 %	580887,3844 litre	O
1800	CM	400	CM	309 LEVEL CM	322488,6405 litre	35,643 %	582290,0437 litre	O
1800	CM	400	CM	308 LEVEL CM	321086,8222 litre	35,488 %	583691,8620 litre	O
1800	CM	400	CM	307 LEVEL CM	319685,8547 litre	35,333 %	585092,8295 litre	O
1800	CM	400	CM	306 LEVEL CM	318285,7478 litre	35,178 %	586492,9364 litre	O
1800	CM	400	CM	305 LEVEL CM	316886,5113 litre	35,024 %	587892,1729 litre	O
1800	CM	400	CM	304 LEVEL CM	315488,1550 litre	34,869 %	589290,5292 litre	O
1800	CM	400	CM	303 LEVEL CM	314090,6887 litre	34,715 %	590687,9955 litre	O
1800	CM	400	CM	302 LEVEL CM	312694,1222 litre	34,560 %	592084,5620 litre	O
1800	CM	400	CM	301 LEVEL CM	311298,4655 litre	34,406 %	593480,2187 litre	O
1800	CM	400	CM	300 LEVEL CM	309903,7284 litre	34,252 %	594874,9558 litre	O
1800	CM	400	CM	299 LEVEL CM	308509,9208 litre	34,098 %	596268,7634 litre	O
1800	CM	400	CM	298 LEVEL CM	307117,0527 litre	33,944 %	597661,6315 litre	O
1800	CM	400	CM	297 LEVEL CM	305725,1339 litre	33,790 %	599053,5503 litre	O
1800	CM	400	CM	296 LEVEL CM	304334,1745 litre	33,636 %	600444,5097 litre	O
1800	CM	400	CM	295 LEVEL CM	302944,1844 litre	33,483 %	601834,4998 litre	O
1800	CM	400	CM	294 LEVEL CM	301555,1737 litre	33,329 %	603223,5105 litre	O
1800	CM	400	CM	293 LEVEL CM	300167,1523 litre	33,176 %	604611,5319 litre	O
1800	CM	400	CM	292 LEVEL CM	298780,1304 litre	33,022 %	605998,5538 litre	O
1800	CM	400	CM	291 LEVEL CM	297394,1180 litre	32,869 %	607384,5662 litre	O
1800	CM	400	CM	290 LEVEL CM	296009,1251 litre	32,716 %	608769,5591 litre	O
1800	CM	400	CM	289 LEVEL CM	294625,1620 litre	32,563 %	610153,5222 litre	O
1800	CM	400	CM	288 LEVEL CM	293242,2387 litre	32,410 %	611536,4455 litre	O
1800	CM	400	CM	287 LEVEL CM	291860,3654 litre	32,258 %	612918,3188 litre	O
1800	CM	400	CM	286 LEVEL CM	290479,5522 litre	32,105 %	614299,1320 litre	O
1800	CM	400	CM	285 LEVEL CM	289099,8095 litre	31,953 %	615678,8747 litre	O
1800	CM	400	CM	284 LEVEL CM	287721,1474 litre	31,800 %	617057,5368 litre	O
1800	CM	400	CM	283 LEVEL CM	286343,5762 litre	31,648 %	618435,1080 litre	O
1800	CM	400	CM	282 LEVEL CM	284967,1061 litre	31,496 %	619811,5781 litre	O
1800	CM	400	CM	281 LEVEL CM	283591,7476 litre	31,344 %	621186,9366 litre	O
1800	CM	400	CM	280 LEVEL CM	282217,5108 litre	31,192 %	622561,1734 litre	O
1800	CM	400	CM	279 LEVEL CM	280844,4061 litre	31,040 %	623934,2781 litre	O
1800	CM	400	CM	278 LEVEL CM	279472,4440 litre	30,888 %	625306,2402 litre	O
1800	CM	400	CM	277 LEVEL CM	278101,6348 litre	30,737 %	626677,0494 litre	O
1800	CM	400	CM	276 LEVEL CM	276731,9890 litre	30,586 %	628046,6952 litre	O
1800	CM	400	CM	275 LEVEL CM	275363,5170 litre	30,434 %	629415,1672 litre	O
1800	CM	400	CM	274 LEVEL CM	273996,2294 litre	30,283 %	630782,4548 litre	O
1800	CM	400	CM	273 LEVEL CM	272630,1365 litre	30,132 %	632148,5477 litre	O
1800	CM	400	CM	272 LEVEL CM	271265,2491 litre	29,981 %	633513,4351 litre	O

1800	CM	400	CM	271 LEVEL CM	269901,5775 litre	29,831 %	634877,1067 litre	O
1800	CM	400	CM	270 LEVEL CM	268539,1325 litre	29,680 %	636239,5517 litre	O
1800	CM	400	CM	269 LEVEL CM	267177,9247 litre	29,530 %	637600,7595 litre	O
1800	CM	400	CM	268 LEVEL CM	265817,9647 litre	29,379 %	638960,7195 litre	O
1800	CM	400	CM	267 LEVEL CM	264459,2632 litre	29,229 %	640319,4210 litre	O
1800	CM	400	CM	266 LEVEL CM	263101,8309 litre	29,079 %	641676,8533 litre	O
1800	CM	400	CM	265 LEVEL CM	261745,6786 litre	28,929 %	643033,0056 litre	O
1800	CM	400	CM	264 LEVEL CM	260390,8170 litre	28,780 %	644387,8672 litre	O
1800	CM	400	CM	263 LEVEL CM	259037,2569 litre	28,630 %	645741,4273 litre	O
1800	CM	400	CM	262 LEVEL CM	257685,0092 litre	28,480 %	647093,6750 litre	O
1800	CM	400	CM	261 LEVEL CM	256334,0848 litre	28,331 %	648444,5994 litre	O
1800	CM	400	CM	260 LEVEL CM	254984,4945 litre	28,182 %	649794,1897 litre	O
1800	CM	400	CM	259 LEVEL CM	253636,2493 litre	28,033 %	651142,4349 litre	O
1800	CM	400	CM	258 LEVEL CM	252289,3602 litre	27,884 %	652489,3240 litre	O
1800	CM	400	CM	257 LEVEL CM	250943,8381 litre	27,735 %	653834,8461 litre	O
1800	CM	400	CM	256 LEVEL CM	249599,6940 litre	27,587 %	655178,9902 litre	O
1800	CM	400	CM	255 LEVEL CM	248256,9391 litre	27,438 %	656521,7451 litre	O
1800	CM	400	CM	254 LEVEL CM	246915,5845 litre	27,290 %	657863,0997 litre	O
1800	CM	400	CM	253 LEVEL CM	245575,6412 litre	27,142 %	659203,0430 litre	O
1800	CM	400	CM	252 LEVEL CM	244237,1204 litre	26,994 %	660541,5638 litre	O
1800	CM	400	CM	251 LEVEL CM	242900,0335 litre	26,846 %	661878,6507 litre	O
1800	CM	400	CM	250 LEVEL CM	241564,3915 litre	26,699 %	663214,2927 litre	O
1800	CM	400	CM	249 LEVEL CM	240230,2058 litre	26,551 %	664548,4784 litre	O
1800	CM	400	CM	248 LEVEL CM	238897,4877 litre	26,404 %	665881,1965 litre	O
1800	CM	400	CM	247 LEVEL CM	237566,2485 litre	26,257 %	667212,4357 litre	O
1800	CM	400	CM	246 LEVEL CM	236236,4997 litre	26,110 %	668542,1845 litre	O
1800	CM	400	CM	245 LEVEL CM	234908,2526 litre	25,963 %	669870,4316 litre	O
1800	CM	400	CM	244 LEVEL CM	233581,5187 litre	25,816 %	671197,1655 litre	O
1800	CM	400	CM	243 LEVEL CM	232256,3096 litre	25,670 %	672522,3746 litre	O
1800	CM	400	CM	242 LEVEL CM	230932,6368 litre	25,524 %	673846,0474 litre	O
1800	CM	400	CM	241 LEVEL CM	229610,5119 litre	25,378 %	675168,1723 litre	O
1800	CM	400	CM	240 LEVEL CM	228289,9464 litre	25,232 %	676488,7378 litre	O
1800	CM	400	CM	239 LEVEL CM	226970,9522 litre	25,086 %	677807,7320 litre	O
1800	CM	400	CM	238 LEVEL CM	225653,5408 litre	24,940 %	679125,1434 litre	O
1800	CM	400	CM	237 LEVEL CM	224337,7240 litre	24,795 %	680440,9602 litre	O
1800	CM	400	CM	236 LEVEL CM	223023,5137 litre	24,650 %	681755,1705 litre	O
1800	CM	400	CM	235 LEVEL CM	221710,9217 litre	24,504 %	683067,7625 litre	O
1800	CM	400	CM	234 LEVEL CM	220399,9598 litre	24,360 %	684378,7244 litre	O
1800	CM	400	CM	233 LEVEL CM	219090,6400 litre	24,215 %	685688,0442 litre	O
1800	CM	400	CM	232 LEVEL CM	217782,9743 litre	24,070 %	686995,7099 litre	O
1800	CM	400	CM	231 LEVEL CM	216476,9746 litre	23,926 %	688301,7096 litre	O
1800	CM	400	CM	230 LEVEL CM	215172,6531 litre	23,782 %	689606,0311 litre	O
1800	CM	400	CM	229 LEVEL CM	213870,0218 litre	23,638 %	690908,6624 litre	O
1800	CM	400	CM	228 LEVEL CM	212569,0929 litre	23,494 %	692209,5913 litre	O
1800	CM	400	CM	227 LEVEL CM	211269,8787 litre	23,350 %	693508,8055 litre	O
1800	CM	400	CM	226 LEVEL CM	209972,3913 litre	23,207 %	694806,2929 litre	O
1800	CM	400	CM	225 LEVEL CM	208676,6431 litre	23,064 %	696102,0411 litre	O
1800	CM	400	CM	224 LEVEL CM	207382,6464 litre	22,921 %	697396,0378 litre	O
1800	CM	400	CM	223 LEVEL CM	206090,4136 litre	22,778 %	698688,2706 litre	O
1800	CM	400	CM	222 LEVEL CM	204799,9573 litre	22,635 %	699978,7269 litre	O
1800	CM	400	CM	221 LEVEL CM	203511,2898 litre	22,493 %	701267,3944 litre	O
1800	CM	400	CM	220 LEVEL CM	202224,4237 litre	22,351 %	702554,2605 litre	O
1800	CM	400	CM	219 LEVEL CM	200939,3718 litre	22,209 %	703839,3124 litre	O

1800	CM	400	CM	218 LEVEL CM	199656,1465 litre	22,067 %	705122,5377 litre	O
1800	CM	400	CM	217 LEVEL CM	198374,7607 litre	21,925 %	706403,9235 litre	O
1800	CM	400	CM	216 LEVEL CM	197095,2271 litre	21,784 %	707683,4571 litre	O
1800	CM	400	CM	215 LEVEL CM	195817,5585 litre	21,643 %	708961,1257 litre	O
1800	CM	400	CM	214 LEVEL CM	194541,7678 litre	21,502 %	710236,9164 litre	O
1800	CM	400	CM	213 LEVEL CM	193267,8680 litre	21,361 %	711510,8162 litre	O
1800	CM	400	CM	212 LEVEL CM	191995,8721 litre	21,220 %	712782,8121 litre	O
1800	CM	400	CM	211 LEVEL CM	190725,7931 litre	21,080 %	714052,8911 litre	O
1800	CM	400	CM	210 LEVEL CM	189457,6442 litre	20,940 %	715321,0400 litre	O
1800	CM	400	CM	209 LEVEL CM	188191,4384 litre	20,800 %	716587,2458 litre	O
1800	CM	400	CM	208 LEVEL CM	186927,1892 litre	20,660 %	717851,4950 litre	O
1800	CM	400	CM	207 LEVEL CM	185664,9096 litre	20,520 %	719113,7746 litre	O
1800	CM	400	CM	206 LEVEL CM	184404,6132 litre	20,381 %	720374,0710 litre	O
1800	CM	400	CM	205 LEVEL CM	183146,3134 litre	20,242 %	721632,3708 litre	O
1800	CM	400	CM	204 LEVEL CM	181890,0235 litre	20,103 %	722888,6607 litre	O
1800	CM	400	CM	203 LEVEL CM	180635,7573 litre	19,965 %	724142,9269 litre	O
1800	CM	400	CM	202 LEVEL CM	179383,5283 litre	19,826 %	725395,1559 litre	O
1800	CM	400	CM	201 LEVEL CM	178133,3501 litre	19,688 %	726645,3341 litre	O
1800	CM	400	CM	200 LEVEL CM	176885,2366 litre	19,550 %	727893,4476 litre	O
1800	CM	400	CM	199 LEVEL CM	175639,2016 litre	19,412 %	729139,4826 litre	O
1800	CM	400	CM	198 LEVEL CM	174395,2589 litre	19,275 %	730383,4253 litre	O
1800	CM	400	CM	197 LEVEL CM	173153,4225 litre	19,138 %	731625,2617 litre	O
1800	CM	400	CM	196 LEVEL CM	171913,7065 litre	19,001 %	732864,9777 litre	O
1800	CM	400	CM	195 LEVEL CM	170676,1250 litre	18,864 %	734102,5592 litre	O
1800	CM	400	CM	194 LEVEL CM	169440,6920 litre	18,727 %	735337,9922 litre	O
1800	CM	400	CM	193 LEVEL CM	168207,4220 litre	18,591 %	736571,2622 litre	O
1800	CM	400	CM	192 LEVEL CM	166976,3292 litre	18,455 %	737802,3550 litre	O
1800	CM	400	CM	191 LEVEL CM	165747,4280 litre	18,319 %	739031,2562 litre	O
1800	CM	400	CM	190 LEVEL CM	164520,7329 litre	18,184 %	740257,9513 litre	O
1800	CM	400	CM	189 LEVEL CM	163296,2584 litre	18,048 %	741482,4258 litre	O
1800	CM	400	CM	188 LEVEL CM	162074,0193 litre	17,913 %	742704,6649 litre	O
1800	CM	400	CM	187 LEVEL CM	160854,0302 litre	17,778 %	743924,6540 litre	O
1800	CM	400	CM	186 LEVEL CM	159636,3058 litre	17,644 %	745142,3784 litre	O
1800	CM	400	CM	185 LEVEL CM	158420,8612 litre	17,509 %	746357,8230 litre	O
1800	CM	400	CM	184 LEVEL CM	157207,7112 litre	17,375 %	747570,9730 litre	O
1800	CM	400	CM	183 LEVEL CM	155996,8710 litre	17,241 %	748781,8132 litre	O
1800	CM	400	CM	182 LEVEL CM	154788,3556 litre	17,108 %	749990,3286 litre	O
1800	CM	400	CM	181 LEVEL CM	153582,1803 litre	16,975 %	751196,5039 litre	O
1800	CM	400	CM	180 LEVEL CM	152378,3603 litre	16,842 %	752400,3239 litre	O
1800	CM	400	CM	179 LEVEL CM	151176,9112 litre	16,709 %	753601,7730 litre	O
1800	CM	400	CM	178 LEVEL CM	149977,8484 litre	16,576 %	754800,8358 litre	O
1800	CM	400	CM	177 LEVEL CM	148781,1874 litre	16,444 %	755997,4968 litre	O
1800	CM	400	CM	176 LEVEL CM	147586,9440 litre	16,312 %	757191,7402 litre	O
1800	CM	400	CM	175 LEVEL CM	146395,1340 litre	16,180 %	758383,5502 litre	O
1800	CM	400	CM	174 LEVEL CM	145205,7732 litre	16,049 %	759572,9110 litre	O
1800	CM	400	CM	173 LEVEL CM	144018,8775 litre	15,918 %	760759,8067 litre	O
1800	CM	400	CM	172 LEVEL CM	142834,4632 litre	15,787 %	761944,2210 litre	O
1800	CM	400	CM	171 LEVEL CM	141652,5462 litre	15,656 %	763126,1380 litre	O
1800	CM	400	CM	170 LEVEL CM	140473,1430 litre	15,526 %	764305,5412 litre	O
1800	CM	400	CM	169 LEVEL CM	139296,2699 litre	15,396 %	765482,4143 litre	O
1800	CM	400	CM	168 LEVEL CM	138121,9434 litre	15,266 %	766656,7408 litre	O
1800	CM	400	CM	167 LEVEL CM	136950,1800 litre	15,136 %	767828,5042 litre	O
1800	CM	400	CM	166 LEVEL CM	135780,9965 litre	15,007 %	768997,6877 litre	O

1800	CM	400	CM	165 LEVEL CM	134614,4097 litre	14,878 %	770164,2745 litre	O
1800	CM	400	CM	164 LEVEL CM	133450,4366 litre	14,750 %	771328,2476 litre	O
1800	CM	400	CM	163 LEVEL CM	132289,0941 litre	14,621 %	772489,5901 litre	O
1800	CM	400	CM	162 LEVEL CM	131130,3994 litre	14,493 %	773648,2848 litre	O
1800	CM	400	CM	161 LEVEL CM	129974,3699 litre	14,365 %	774804,3143 litre	O
1800	CM	400	CM	160 LEVEL CM	128821,0228 litre	14,238 %	775957,6614 litre	O
1800	CM	400	CM	159 LEVEL CM	127670,3757 litre	14,111 %	777108,3085 litre	O
1800	CM	400	CM	158 LEVEL CM	126522,4463 litre	13,984 %	778256,2379 litre	O
1800	CM	400	CM	157 LEVEL CM	125377,2523 litre	13,857 %	779401,4319 litre	O
1800	CM	400	CM	156 LEVEL CM	124234,8116 litre	13,731 %	780543,8726 litre	O
1800	CM	400	CM	155 LEVEL CM	123095,1423 litre	13,605 %	781683,5419 litre	O
1800	CM	400	CM	154 LEVEL CM	121958,2624 litre	13,479 %	782820,4218 litre	O
1800	CM	400	CM	153 LEVEL CM	120824,1903 litre	13,354 %	783954,4939 litre	O
1800	CM	400	CM	152 LEVEL CM	119692,9444 litre	13,229 %	785085,7398 litre	O
1800	CM	400	CM	151 LEVEL CM	118564,5433 litre	13,104 %	786214,1409 litre	O
1800	CM	400	CM	150 LEVEL CM	117439,0057 litre	12,980 %	787339,6785 litre	O
1800	CM	400	CM	149 LEVEL CM	116316,3503 litre	12,856 %	788462,3339 litre	O
1800	CM	400	CM	148 LEVEL CM	115196,5963 litre	12,732 %	789582,0879 litre	O
1800	CM	400	CM	147 LEVEL CM	114079,7628 litre	12,609 %	790698,9214 litre	O
1800	CM	400	CM	146 LEVEL CM	112965,8689 litre	12,485 %	791812,8153 litre	O
1800	CM	400	CM	145 LEVEL CM	111854,9343 litre	12,363 %	792923,7499 litre	O
1800	CM	400	CM	144 LEVEL CM	110746,9785 litre	12,240 %	794031,7057 litre	O
1800	CM	400	CM	143 LEVEL CM	109642,0212 litre	12,118 %	795136,6630 litre	O
1800	CM	400	CM	142 LEVEL CM	108540,0824 litre	11,996 %	796238,6018 litre	O
1800	CM	400	CM	141 LEVEL CM	107441,1821 litre	11,875 %	797337,5021 litre	O
1800	CM	400	CM	140 LEVEL CM	106345,3407 litre	11,754 %	798433,3435 litre	O
1800	CM	400	CM	139 LEVEL CM	105252,5784 litre	11,633 %	799526,1058 litre	O
1800	CM	400	CM	138 LEVEL CM	104162,9160 litre	11,513 %	800615,7682 litre	O
1800	CM	400	CM	137 LEVEL CM	103076,3742 litre	11,392 %	801702,3100 litre	O
1800	CM	400	CM	136 LEVEL CM	101992,9740 litre	11,273 %	802785,7102 litre	O
1800	CM	400	CM	135 LEVEL CM	100912,7364 litre	11,153 %	803865,9478 litre	O
1800	CM	400	CM	134 LEVEL CM	99835,6828 litre	11,034 %	804943,0014 litre	O
1800	CM	400	CM	133 LEVEL CM	98761,8347 litre	10,916 %	806016,8495 litre	O
1800	CM	400	CM	132 LEVEL CM	97691,2138 litre	10,797 %	807087,4704 litre	O
1800	CM	400	CM	131 LEVEL CM	96623,8421 litre	10,679 %	808154,8421 litre	O
1800	CM	400	CM	130 LEVEL CM	95559,7415 litre	10,562 %	809218,9427 litre	O
1800	CM	400	CM	129 LEVEL CM	94498,9345 litre	10,444 %	810279,7497 litre	O
1800	CM	400	CM	128 LEVEL CM	93441,4435 litre	10,328 %	811337,2407 litre	O
1800	CM	400	CM	127 LEVEL CM	92387,2912 litre	10,211 %	812391,3930 litre	O
1800	CM	400	CM	126 LEVEL CM	91336,5007 litre	10,095 %	813442,1835 litre	O
1800	CM	400	CM	125 LEVEL CM	90289,0949 litre	9,979 %	814489,5893 litre	O
1800	CM	400	CM	124 LEVEL CM	89245,0975 litre	9,864 %	815533,5867 litre	O
1800	CM	400	CM	123 LEVEL CM	88204,5319 litre	9,749 %	816574,1523 litre	O
1800	CM	400	CM	122 LEVEL CM	87167,4220 litre	9,634 %	817611,2622 litre	O
1800	CM	400	CM	121 LEVEL CM	86133,7919 litre	9,520 %	818644,8923 litre	O
1800	CM	400	CM	120 LEVEL CM	85103,6660 litre	9,406 %	819675,0182 litre	O
1800	CM	400	CM	119 LEVEL CM	84077,0688 litre	9,293 %	820701,6154 litre	O
1800	CM	400	CM	118 LEVEL CM	83054,0251 litre	9,179 %	821724,6591 litre	O
1800	CM	400	CM	117 LEVEL CM	82034,5601 litre	9,067 %	822744,1241 litre	O
1800	CM	400	CM	116 LEVEL CM	81018,6992 litre	8,955 %	823759,9850 litre	O
1800	CM	400	CM	115 LEVEL CM	80006,4679 litre	8,843 %	824772,2163 litre	O
1800	CM	400	CM	114 LEVEL CM	78997,8922 litre	8,731 %	825780,7920 litre	O
1800	CM	400	CM	113 LEVEL CM	77992,9983 litre	8,620 %	826785,6859 litre	O

1800	CM	400	CM	112 LEVEL CM	76991,8126 litre	8,509 %	827786,8716 litre	O
1800	CM	400	CM	111 LEVEL CM	75994,3619 litre	8,399 %	828784,3223 litre	O
1800	CM	400	CM	110 LEVEL CM	75000,6734 litre	8,289 %	829778,0108 litre	O
1800	CM	400	CM	109 LEVEL CM	74010,7744 litre	8,180 %	830767,9098 litre	O
1800	CM	400	CM	108 LEVEL CM	73024,6926 litre	8,071 %	831753,9916 litre	O
1800	CM	400	CM	107 LEVEL CM	72042,4560 litre	7,962 %	832736,2282 litre	O
1800	CM	400	CM	106 LEVEL CM	71064,0930 litre	7,854 %	833714,5912 litre	O
1800	CM	400	CM	105 LEVEL CM	70089,6324 litre	7,747 %	834689,0518 litre	O
1800	CM	400	CM	104 LEVEL CM	69119,1030 litre	7,639 %	835659,5812 litre	O
1800	CM	400	CM	103 LEVEL CM	68152,5344 litre	7,533 %	836626,1498 litre	O
1800	CM	400	CM	102 LEVEL CM	67189,9563 litre	7,426 %	837588,7279 litre	O
1800	CM	400	CM	101 LEVEL CM	66231,3989 litre	7,320 %	838547,2853 litre	O
1800	CM	400	CM	100 LEVEL CM	65276,8926 litre	7,215 %	839501,7916 litre	O
1800	CM	400	CM	99 LEVEL CM	64326,4683 litre	7,110 %	840452,2159 litre	O
1800	CM	400	CM	98 LEVEL CM	63380,1574 litre	7,005 %	841398,5268 litre	O
1800	CM	400	CM	97 LEVEL CM	62437,9916 litre	6,901 %	842340,6926 litre	O
1800	CM	400	CM	96 LEVEL CM	61500,0029 litre	6,797 %	843278,6813 litre	O
1800	CM	400	CM	95 LEVEL CM	60566,2240 litre	6,694 %	844212,4602 litre	O
1800	CM	400	CM	94 LEVEL CM	59636,6879 litre	6,591 %	845141,9963 litre	O
1800	CM	400	CM	93 LEVEL CM	58711,4281 litre	6,489 %	846067,2561 litre	O
1800	CM	400	CM	92 LEVEL CM	57790,4784 litre	6,387 %	846988,2058 litre	O
1800	CM	400	CM	91 LEVEL CM	56873,8732 litre	6,286 %	847904,8110 litre	O
1800	CM	400	CM	90 LEVEL CM	55961,6476 litre	6,185 %	848817,0366 litre	O
1800	CM	400	CM	89 LEVEL CM	55053,8368 litre	6,085 %	849724,8474 litre	O
1800	CM	400	CM	88 LEVEL CM	54150,4768 litre	5,985 %	850628,2074 litre	O
1800	CM	400	CM	87 LEVEL CM	53251,6040 litre	5,886 %	851527,0802 litre	O
1800	CM	400	CM	86 LEVEL CM	52357,2555 litre	5,787 %	852421,4287 litre	O
1800	CM	400	CM	85 LEVEL CM	51467,4688 litre	5,688 %	853311,2154 litre	O
1800	CM	400	CM	84 LEVEL CM	50582,2821 litre	5,591 %	854196,4021 litre	O
1800	CM	400	CM	83 LEVEL CM	49701,7341 litre	5,493 %	855076,9501 litre	O
1800	CM	400	CM	82 LEVEL CM	48825,8642 litre	5,396 %	855952,8200 litre	O
1800	CM	400	CM	81 LEVEL CM	47954,7124 litre	5,300 %	856823,9718 litre	O
1800	CM	400	CM	80 LEVEL CM	47088,3193 litre	5,204 %	857690,3649 litre	O
1800	CM	400	CM	79 LEVEL CM	46226,7263 litre	5,109 %	858551,9579 litre	O
1800	CM	400	CM	78 LEVEL CM	45369,9754 litre	5,014 %	859408,7088 litre	O
1800	CM	400	CM	77 LEVEL CM	44518,1092 litre	4,920 %	860260,5750 litre	O
1800	CM	400	CM	76 LEVEL CM	43671,1714 litre	4,827 %	861107,5128 litre	O
1800	CM	400	CM	75 LEVEL CM	42829,2061 litre	4,734 %	861949,4781 litre	O
1800	CM	400	CM	74 LEVEL CM	41992,2583 litre	4,641 %	862786,4259 litre	O
1800	CM	400	CM	73 LEVEL CM	41160,3739 litre	4,549 %	863618,3103 litre	O
1800	CM	400	CM	72 LEVEL CM	40333,5996 litre	4,458 %	864445,0846 litre	O
1800	CM	400	CM	71 LEVEL CM	39511,9830 litre	4,367 %	865266,7012 litre	O
1800	CM	400	CM	70 LEVEL CM	38695,5724 litre	4,277 %	866083,1118 litre	O
1800	CM	400	CM	69 LEVEL CM	37884,4173 litre	4,187 %	866894,2669 litre	O
1800	CM	400	CM	68 LEVEL CM	37078,5681 litre	4,098 %	867700,1161 litre	O
1800	CM	400	CM	67 LEVEL CM	36278,0761 litre	4,010 %	868500,6081 litre	O
1800	CM	400	CM	66 LEVEL CM	35482,9936 litre	3,922 %	869295,6906 litre	O
1800	CM	400	CM	65 LEVEL CM	34693,3742 litre	3,834 %	870085,3100 litre	O
1800	CM	400	CM	64 LEVEL CM	33909,2725 litre	3,748 %	870869,4117 litre	O
1800	CM	400	CM	63 LEVEL CM	33130,7442 litre	3,662 %	871647,9400 litre	O
1800	CM	400	CM	62 LEVEL CM	32357,8462 litre	3,576 %	872420,8380 litre	O
1800	CM	400	CM	61 LEVEL CM	31590,6369 litre	3,492 %	873188,0473 litre	O
1800	CM	400	CM	60 LEVEL CM	30829,1756 litre	3,407 %	873949,5086 litre	O

1800	CM	400	CM	59 LEVEL CM	30073,5232 litre	3,324 %	874705,1610 litre	O
1800	CM	400	CM	58 LEVEL CM	29323,7422 litre	3,241 %	875454,9420 litre	O
1800	CM	400	CM	57 LEVEL CM	28579,8961 litre	3,159 %	876198,7881 litre	O
1800	CM	400	CM	56 LEVEL CM	27842,0504 litre	3,077 %	876936,6338 litre	O
1800	CM	400	CM	55 LEVEL CM	27110,2719 litre	2,996 %	877668,4123 litre	O
1800	CM	400	CM	54 LEVEL CM	26384,6292 litre	2,916 %	878394,0550 litre	O
1800	CM	400	CM	53 LEVEL CM	25665,1927 litre	2,837 %	879113,4915 litre	O
1800	CM	400	CM	52 LEVEL CM	24952,0345 litre	2,758 %	879826,6497 litre	O
1800	CM	400	CM	51 LEVEL CM	24245,2287 litre	2,680 %	880533,4555 litre	O
1800	CM	400	CM	50 LEVEL CM	23544,8516 litre	2,602 %	881233,8326 litre	O
1800	CM	400	CM	49 LEVEL CM	22850,9812 litre	2,526 %	881927,7030 litre	O
1800	CM	400	CM	48 LEVEL CM	22163,6980 litre	2,450 %	882614,9862 litre	O
1800	CM	400	CM	47 LEVEL CM	21483,0850 litre	2,374 %	883295,5992 litre	O
1800	CM	400	CM	46 LEVEL CM	20809,2272 litre	2,300 %	883969,4570 litre	O
1800	CM	400	CM	45 LEVEL CM	20142,2125 litre	2,226 %	884636,4717 litre	O
1800	CM	400	CM	44 LEVEL CM	19482,1316 litre	2,153 %	885296,5526 litre	O
1800	CM	400	CM	43 LEVEL CM	18829,0779 litre	2,081 %	885949,6063 litre	O
1800	CM	400	CM	42 LEVEL CM	18183,1478 litre	2,010 %	886595,5364 litre	O
1800	CM	400	CM	41 LEVEL CM	17544,4412 litre	1,939 %	887234,2430 litre	O
1800	CM	400	CM	40 LEVEL CM	16913,0612 litre	1,869 %	887865,6230 litre	O
1800	CM	400	CM	39 LEVEL CM	16289,1145 litre	1,800 %	888489,5697 litre	O
1800	CM	400	CM	38 LEVEL CM	15672,7120 litre	1,732 %	889105,9722 litre	O
1800	CM	400	CM	37 LEVEL CM	15063,9682 litre	1,665 %	889714,7160 litre	O
1800	CM	400	CM	36 LEVEL CM	14463,0025 litre	1,599 %	890315,6817 litre	O
1800	CM	400	CM	35 LEVEL CM	13869,9385 litre	1,533 %	890908,7457 litre	O
1800	CM	400	CM	34 LEVEL CM	13284,9054 litre	1,468 %	891493,7788 litre	O
1800	CM	400	CM	33 LEVEL CM	12708,0372 litre	1,405 %	892070,6470 litre	O
1800	CM	400	CM	32 LEVEL CM	12139,4740 litre	1,342 %	892639,2102 litre	O
1800	CM	400	CM	31 LEVEL CM	11579,3622 litre	1,280 %	893199,3220 litre	O
1800	CM	400	CM	30 LEVEL CM	11027,8546 litre	1,219 %	893750,8296 litre	O
1800	CM	400	CM	29 LEVEL CM	10485,1116 litre	1,159 %	894293,5726 litre	O
1800	CM	400	CM	28 LEVEL CM	9951,3013 litre	1,100 %	894827,3829 litre	O
1800	CM	400	CM	27 LEVEL CM	9426,6006 litre	1,042 %	895352,0836 litre	O
1800	CM	400	CM	26 LEVEL CM	8911,1955 litre	0,985 %	895867,4887 litre	O
1800	CM	400	CM	25 LEVEL CM	8405,2825 litre	0,929 %	896373,4017 litre	O
1800	CM	400	CM	24 LEVEL CM	7909,0691 litre	0,874 %	896869,6151 litre	O
1800	CM	400	CM	23 LEVEL CM	7422,7756 litre	0,820 %	897355,9086 litre	O
1800	CM	400	CM	22 LEVEL CM	6946,6358 litre	0,768 %	897832,0484 litre	O
1800	CM	400	CM	21 LEVEL CM	6480,8989 litre	0,716 %	898297,7853 litre	O
1800	CM	400	CM	20 LEVEL CM	6025,8310 litre	0,666 %	898752,8532 litre	O
1800	CM	400	CM	19 LEVEL CM	5581,7177 litre	0,617 %	899196,9665 litre	O
1800	CM	400	CM	18 LEVEL CM	5148,8662 litre	0,569 %	899629,8180 litre	O
1800	CM	400	CM	17 LEVEL CM	4727,6081 litre	0,523 %	900051,0761 litre	O
1800	CM	400	CM	16 LEVEL CM	4318,3035 litre	0,477 %	900460,3807 litre	O
1800	CM	400	CM	15 LEVEL CM	3921,3448 litre	0,433 %	900857,3394 litre	O
1800	CM	400	CM	14 LEVEL CM	3537,1626 litre	0,391 %	901241,5216 litre	O
1800	CM	400	CM	13 LEVEL CM	3166,2317 litre	0,350 %	901612,4525 litre	O
1800	CM	400	CM	12 LEVEL CM	2809,0798 litre	0,310 %	901969,6044 litre	O
1800	CM	400	CM	11 LEVEL CM	2466,2986 litre	0,273 %	902312,3856 litre	O
1800	CM	400	CM	10 LEVEL CM	2138,5574 litre	0,236 %	902640,1268 litre	O
1800	CM	400	CM	9 LEVEL CM	1826,6225 litre	0,202 %	902952,0617 litre	O
1800	CM	400	CM	8 LEVEL CM	1531,3837 litre	0,169 %	903247,3005 litre	O
1800	CM	400	CM	7 LEVEL CM	1253,8916 litre	0,139 %	903524,7926 litre	O

1800	CM	400	CM	6 LEVEL CM	995,4135 litre	0,110 %	903783,2707 litre	O
1800	CM	400	CM	5 LEVEL CM	757,5220 litre	0,084 %	904021,1622 litre	O
1800	CM	400	CM	4 LEVEL CM	542,2427 litre	0,060 %	904236,4415 litre	O
1800	CM	400	CM	3 LEVEL CM	352,3294 litre	0,039 %	904426,3548 litre	O
1800	CM	400	CM	2 LEVEL CM	191,8559 litre	0,021 %	904586,8283 litre	O
1800	CM	400	CM	1 LEVEL CM	67,8568 litre	0,007 %	904710,8274 litre	O
1800	CM	400	CM	0 LEVEL CM	0,0000 litre	0,000 %	904778,6842 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1700	CM 350	CM 700	LEVEL CM 654236,6701 litre	100,000 %	0,0000 litre	O
1700	CM 350	CM 699	LEVEL CM 654176,7255 litre	99,991 %	59,9446 litre	O
1700	CM 350	CM 698	LEVEL CM 654067,1938 litre	99,974 %	169,4763 litre	O
1700	CM 350	CM 697	LEVEL CM 653925,4559 litre	99,952 %	311,2142 litre	O
1700	CM 350	CM 696	LEVEL CM 653757,7305 litre	99,927 %	478,9396 litre	O
1700	CM 350	CM 695	LEVEL CM 653567,6197 litre	99,898 %	669,0504 litre	O
1700	CM 350	CM 694	LEVEL CM 653357,5593 litre	99,866 %	879,1108 litre	O
1700	CM 350	CM 693	LEVEL CM 653129,3414 litre	99,831 %	1107,3287 litre	O
1700	CM 350	CM 692	LEVEL CM 652884,3577 litre	99,793 %	1352,3124 litre	O
1700	CM 350	CM 691	LEVEL CM 652623,7302 litre	99,753 %	1612,9399 litre	O
1700	CM 350	CM 690	LEVEL CM 652348,3891 litre	99,711 %	1888,2810 litre	O
1700	CM 350	CM 689	LEVEL CM 652059,1225 litre	99,667 %	2177,5476 litre	O
1700	CM 350	CM 688	LEVEL CM 651756,6092 litre	99,621 %	2480,0609 litre	O
1700	CM 350	CM 687	LEVEL CM 651441,4425 litre	99,573 %	2795,2276 litre	O
1700	CM 350	CM 686	LEVEL CM 651114,1469 litre	99,523 %	3122,5232 litre	O
1700	CM 350	CM 685	LEVEL CM 650775,1902 litre	99,471 %	3461,4799 litre	O
1700	CM 350	CM 684	LEVEL CM 650424,9937 litre	99,417 %	3811,6764 litre	O
1700	CM 350	CM 683	LEVEL CM 650063,9392 litre	99,362 %	4172,7309 litre	O
1700	CM 350	CM 682	LEVEL CM 649692,3751 litre	99,305 %	4544,2950 litre	O
1700	CM 350	CM 681	LEVEL CM 649310,6210 litre	99,247 %	4926,0491 litre	O
1700	CM 350	CM 680	LEVEL CM 648918,9714 litre	99,187 %	5317,6987 litre	O
1700	CM 350	CM 679	LEVEL CM 648517,6991 litre	99,126 %	5718,9710 litre	O
1700	CM 350	CM 678	LEVEL CM 648107,0578 litre	99,063 %	6129,6123 litre	O
1700	CM 350	CM 677	LEVEL CM 647687,2840 litre	98,999 %	6549,3861 litre	O
1700	CM 350	CM 676	LEVEL CM 647258,5993 litre	98,933 %	6978,0708 litre	O
1700	CM 350	CM 675	LEVEL CM 646821,2117 litre	98,867 %	7415,4584 litre	O
1700	CM 350	CM 674	LEVEL CM 646375,3168 litre	98,798 %	7861,3533 litre	O
1700	CM 350	CM 673	LEVEL CM 645921,0994 litre	98,729 %	8315,5707 litre	O
1700	CM 350	CM 672	LEVEL CM 645458,7345 litre	98,658 %	8777,9356 litre	O
1700	CM 350	CM 671	LEVEL CM 644988,3876 litre	98,586 %	9248,2825 litre	O
1700	CM 350	CM 670	LEVEL CM 644510,2161 litre	98,513 %	9726,4540 litre	O
1700	CM 350	CM 669	LEVEL CM 644024,3699 litre	98,439 %	10212,3002 litre	O
1700	CM 350	CM 668	LEVEL CM 643530,9918 litre	98,364 %	10705,6783 litre	O
1700	CM 350	CM 667	LEVEL CM 643030,2180 litre	98,287 %	11206,4521 litre	O
1700	CM 350	CM 666	LEVEL CM 642522,1792 litre	98,209 %	11714,4909 litre	O
1700	CM 350	CM 665	LEVEL CM 642007,0000 litre	98,131 %	12229,6701 litre	O
1700	CM 350	CM 664	LEVEL CM 641484,8003 litre	98,051 %	12751,8698 litre	O
1700	CM 350	CM 663	LEVEL CM 640955,6951 litre	97,970 %	13280,9750 litre	O
1700	CM 350	CM 662	LEVEL CM 640419,7949 litre	97,888 %	13816,8752 litre	O
1700	CM 350	CM 661	LEVEL CM 639877,2062 litre	97,805 %	14359,4639 litre	O
1700	CM 350	CM 660	LEVEL CM 639328,0314 litre	97,721 %	14908,6387 litre	O
1700	CM 350	CM 659	LEVEL CM 638772,3693 litre	97,636 %	15464,3008 litre	O
1700	CM 350	CM 658	LEVEL CM 638210,3155 litre	97,550 %	16026,3546 litre	O
1700	CM 350	CM 657	LEVEL CM 637641,9622 litre	97,464 %	16594,7079 litre	O
1700	CM 350	CM 656	LEVEL CM 637067,3985 litre	97,376 %	17169,2716 litre	O
1700	CM 350	CM 655	LEVEL CM 636486,7107 litre	97,287 %	17749,9594 litre	O
1700	CM 350	CM 654	LEVEL CM 635899,9826 litre	97,197 %	18336,6875 litre	O
1700	CM 350	CM 653	LEVEL CM 635307,2950 litre	97,107 %	18929,3751 litre	O
1700	CM 350	CM 652	LEVEL CM 634708,7268 litre	97,015 %	19527,9433 litre	O
1700	CM 350	CM 651	LEVEL CM 634104,3542 litre	96,923 %	20132,3159 litre	O
1700	CM 350	CM 650	LEVEL CM 633494,2514 litre	96,830 %	20742,4187 litre	O
1700	CM 350	CM 649	LEVEL CM 632878,4904 litre	96,735 %	21358,1797 litre	O

1700	CM	350	CM	648 LEVEL CM	632257,1415 litre	96,640 %	21979,5286 litre	O
1700	CM	350	CM	647 LEVEL CM	631630,2729 litre	96,545 %	22606,3972 litre	O
1700	CM	350	CM	646 LEVEL CM	630997,9510 litre	96,448 %	23238,7191 litre	O
1700	CM	350	CM	645 LEVEL CM	630360,2406 litre	96,350 %	23876,4295 litre	O
1700	CM	350	CM	644 LEVEL CM	629717,2048 litre	96,252 %	24519,4653 litre	O
1700	CM	350	CM	643 LEVEL CM	629068,9053 litre	96,153 %	25167,7648 litre	O
1700	CM	350	CM	642 LEVEL CM	628415,4020 litre	96,053 %	25821,2681 litre	O
1700	CM	350	CM	641 LEVEL CM	627756,7536 litre	95,953 %	26479,9165 litre	O
1700	CM	350	CM	640 LEVEL CM	627093,0175 litre	95,851 %	27143,6526 litre	O
1700	CM	350	CM	639 LEVEL CM	626424,2496 litre	95,749 %	27812,4205 litre	O
1700	CM	350	CM	638 LEVEL CM	625750,5047 litre	95,646 %	28486,1654 litre	O
1700	CM	350	CM	637 LEVEL CM	625071,8364 litre	95,542 %	29164,8337 litre	O
1700	CM	350	CM	636 LEVEL CM	624388,2968 litre	95,438 %	29848,3733 litre	O
1700	CM	350	CM	635 LEVEL CM	623699,9375 litre	95,332 %	30536,7326 litre	O
1700	CM	350	CM	634 LEVEL CM	623006,8084 litre	95,227 %	31229,8617 litre	O
1700	CM	350	CM	633 LEVEL CM	622308,9589 litre	95,120 %	31927,7112 litre	O
1700	CM	350	CM	632 LEVEL CM	621606,4370 litre	95,012 %	32630,2331 litre	O
1700	CM	350	CM	631 LEVEL CM	620899,2900 litre	94,904 %	33337,3801 litre	O
1700	CM	350	CM	630 LEVEL CM	620187,5642 litre	94,796 %	34049,1059 litre	O
1700	CM	350	CM	629 LEVEL CM	619471,3050 litre	94,686 %	34765,3651 litre	O
1700	CM	350	CM	628 LEVEL CM	618750,5569 litre	94,576 %	35486,1132 litre	O
1700	CM	350	CM	627 LEVEL CM	618025,3638 litre	94,465 %	36211,3063 litre	O
1700	CM	350	CM	626 LEVEL CM	617295,7684 litre	94,354 %	36940,9017 litre	O
1700	CM	350	CM	625 LEVEL CM	616561,8129 litre	94,241 %	37674,8572 litre	O
1700	CM	350	CM	624 LEVEL CM	615823,5389 litre	94,129 %	38413,1312 litre	O
1700	CM	350	CM	623 LEVEL CM	615080,9868 litre	94,015 %	39155,6833 litre	O
1700	CM	350	CM	622 LEVEL CM	614334,1968 litre	93,901 %	39902,4733 litre	O
1700	CM	350	CM	621 LEVEL CM	613583,2082 litre	93,786 %	40653,4619 litre	O
1700	CM	350	CM	620 LEVEL CM	612828,0595 litre	93,671 %	41408,6106 litre	O
1700	CM	350	CM	619 LEVEL CM	612068,7888 litre	93,555 %	42167,8813 litre	O
1700	CM	350	CM	618 LEVEL CM	611305,4336 litre	93,438 %	42931,2365 litre	O
1700	CM	350	CM	617 LEVEL CM	610538,0305 litre	93,321 %	43698,6396 litre	O
1700	CM	350	CM	616 LEVEL CM	609766,6159 litre	93,203 %	44470,0542 litre	O
1700	CM	350	CM	615 LEVEL CM	608991,2254 litre	93,084 %	45245,4447 litre	O
1700	CM	350	CM	614 LEVEL CM	608211,8941 litre	92,965 %	46024,7760 litre	O
1700	CM	350	CM	613 LEVEL CM	607428,6566 litre	92,845 %	46808,0135 litre	O
1700	CM	350	CM	612 LEVEL CM	606641,5470 litre	92,725 %	47595,1231 litre	O
1700	CM	350	CM	611 LEVEL CM	605850,5988 litre	92,604 %	48386,0713 litre	O
1700	CM	350	CM	610 LEVEL CM	605055,8452 litre	92,483 %	49180,8249 litre	O
1700	CM	350	CM	609 LEVEL CM	604257,3187 litre	92,361 %	49979,3514 litre	O
1700	CM	350	CM	608 LEVEL CM	603455,0515 litre	92,238 %	50781,6186 litre	O
1700	CM	350	CM	607 LEVEL CM	602649,0753 litre	92,115 %	51587,5948 litre	O
1700	CM	350	CM	606 LEVEL CM	601839,4213 litre	91,991 %	52397,2488 litre	O
1700	CM	350	CM	605 LEVEL CM	601026,1205 litre	91,867 %	53210,5496 litre	O
1700	CM	350	CM	604 LEVEL CM	600209,2032 litre	91,742 %	54027,4669 litre	O
1700	CM	350	CM	603 LEVEL CM	599388,6995 litre	91,616 %	54847,9706 litre	O
1700	CM	350	CM	602 LEVEL CM	598564,6390 litre	91,491 %	55672,0311 litre	O
1700	CM	350	CM	601 LEVEL CM	597737,0509 litre	91,364 %	56499,6192 litre	O
1700	CM	350	CM	600 LEVEL CM	596905,9642 litre	91,237 %	57330,7059 litre	O
1700	CM	350	CM	599 LEVEL CM	596071,4073 litre	91,109 %	58165,2628 litre	O
1700	CM	350	CM	598 LEVEL CM	595233,4085 litre	90,981 %	59003,2616 litre	O
1700	CM	350	CM	597 LEVEL CM	594391,9955 litre	90,853 %	59844,6746 litre	O
1700	CM	350	CM	596 LEVEL CM	593547,1958 litre	90,724 %	60689,4743 litre	O

1700	CM	350	CM	595 LEVEL CM	592699,0366 litre	90,594 %	61537,6335 litre	O
1700	CM	350	CM	594 LEVEL CM	591847,5448 litre	90,464 %	62389,1253 litre	O
1700	CM	350	CM	593 LEVEL CM	590992,7467 litre	90,333 %	63243,9234 litre	O
1700	CM	350	CM	592 LEVEL CM	590134,6687 litre	90,202 %	64102,0014 litre	O
1700	CM	350	CM	591 LEVEL CM	589273,3366 litre	90,070 %	64963,3335 litre	O
1700	CM	350	CM	590 LEVEL CM	588408,7761 litre	89,938 %	65827,8940 litre	O
1700	CM	350	CM	589 LEVEL CM	587541,0125 litre	89,806 %	66695,6576 litre	O
1700	CM	350	CM	588 LEVEL CM	586670,0708 litre	89,672 %	67566,5993 litre	O
1700	CM	350	CM	587 LEVEL CM	585795,9758 litre	89,539 %	68440,6943 litre	O
1700	CM	350	CM	586 LEVEL CM	584918,7522 litre	89,405 %	69317,9179 litre	O
1700	CM	350	CM	585 LEVEL CM	584038,4239 litre	89,270 %	70198,2462 litre	O
1700	CM	350	CM	584 LEVEL CM	583155,0152 litre	89,135 %	71081,6549 litre	O
1700	CM	350	CM	583 LEVEL CM	582268,5497 litre	89,000 %	71968,1204 litre	O
1700	CM	350	CM	582 LEVEL CM	581379,0510 litre	88,864 %	72857,6191 litre	O
1700	CM	350	CM	581 LEVEL CM	580486,5422 litre	88,727 %	73750,1279 litre	O
1700	CM	350	CM	580 LEVEL CM	579591,0465 litre	88,590 %	74645,6236 litre	O
1700	CM	350	CM	579 LEVEL CM	578692,5866 litre	88,453 %	75544,0835 litre	O
1700	CM	350	CM	578 LEVEL CM	577791,1851 litre	88,315 %	76445,4850 litre	O
1700	CM	350	CM	577 LEVEL CM	576886,8643 litre	88,177 %	77349,8058 litre	O
1700	CM	350	CM	576 LEVEL CM	575979,6464 litre	88,038 %	78257,0237 litre	O
1700	CM	350	CM	575 LEVEL CM	575069,5533 litre	87,899 %	79167,1168 litre	O
1700	CM	350	CM	574 LEVEL CM	574156,6067 litre	87,760 %	80080,0634 litre	O
1700	CM	350	CM	573 LEVEL CM	573240,8281 litre	87,620 %	80995,8420 litre	O
1700	CM	350	CM	572 LEVEL CM	572322,2389 litre	87,479 %	81914,4312 litre	O
1700	CM	350	CM	571 LEVEL CM	571400,8602 litre	87,339 %	82835,8099 litre	O
1700	CM	350	CM	570 LEVEL CM	570476,7128 litre	87,197 %	83759,9573 litre	O
1700	CM	350	CM	569 LEVEL CM	569549,8176 litre	87,056 %	84686,8525 litre	O
1700	CM	350	CM	568 LEVEL CM	568620,1951 litre	86,914 %	85616,4750 litre	O
1700	CM	350	CM	567 LEVEL CM	567687,8657 litre	86,771 %	86548,8044 litre	O
1700	CM	350	CM	566 LEVEL CM	566752,8495 litre	86,628 %	87483,8206 litre	O
1700	CM	350	CM	565 LEVEL CM	565815,1666 litre	86,485 %	88421,5035 litre	O
1700	CM	350	CM	564 LEVEL CM	564874,8369 litre	86,341 %	89361,8332 litre	O
1700	CM	350	CM	563 LEVEL CM	563931,8801 litre	86,197 %	90304,7900 litre	O
1700	CM	350	CM	562 LEVEL CM	562986,3156 litre	86,052 %	91250,3545 litre	O
1700	CM	350	CM	561 LEVEL CM	562038,1628 litre	85,907 %	92198,5073 litre	O
1700	CM	350	CM	560 LEVEL CM	561087,4410 litre	85,762 %	93149,2291 litre	O
1700	CM	350	CM	559 LEVEL CM	560134,1691 litre	85,616 %	94102,5010 litre	O
1700	CM	350	CM	558 LEVEL CM	559178,3662 litre	85,470 %	95058,3039 litre	O
1700	CM	350	CM	557 LEVEL CM	558220,0508 litre	85,324 %	96016,6193 litre	O
1700	CM	350	CM	556 LEVEL CM	557259,2417 litre	85,177 %	96977,4284 litre	O
1700	CM	350	CM	555 LEVEL CM	556295,9573 litre	85,030 %	97940,7128 litre	O
1700	CM	350	CM	554 LEVEL CM	555330,2159 litre	84,882 %	98906,4542 litre	O
1700	CM	350	CM	553 LEVEL CM	554362,0357 litre	84,734 %	99874,6344 litre	O
1700	CM	350	CM	552 LEVEL CM	553391,4347 litre	84,586 %	100845,2354 litre	O
1700	CM	350	CM	551 LEVEL CM	552418,4308 litre	84,437 %	101818,2393 litre	O
1700	CM	350	CM	550 LEVEL CM	551443,0419 litre	84,288 %	102793,6282 litre	O
1700	CM	350	CM	549 LEVEL CM	550465,2854 litre	84,139 %	103771,3847 litre	O
1700	CM	350	CM	548 LEVEL CM	549485,1790 litre	83,989 %	104751,4911 litre	O
1700	CM	350	CM	547 LEVEL CM	548502,7400 litre	83,839 %	105733,9301 litre	O
1700	CM	350	CM	546 LEVEL CM	547517,9857 litre	83,688 %	106718,6844 litre	O
1700	CM	350	CM	545 LEVEL CM	546530,9333 litre	83,537 %	107705,7368 litre	O
1700	CM	350	CM	544 LEVEL CM	545541,5997 litre	83,386 %	108695,0704 litre	O
1700	CM	350	CM	543 LEVEL CM	544550,0019 litre	83,234 %	109686,6682 litre	O

1700	CM	350	CM	542 LEVEL CM	543556,1567 litre	83,082 %	110680,5134 litre	O
1700	CM	350	CM	541 LEVEL CM	542560,0807 litre	82,930 %	111676,5894 litre	O
1700	CM	350	CM	540 LEVEL CM	541561,7905 litre	82,778 %	112674,8796 litre	O
1700	CM	350	CM	539 LEVEL CM	540561,3025 litre	82,625 %	113675,3676 litre	O
1700	CM	350	CM	538 LEVEL CM	539558,6332 litre	82,471 %	114678,0369 litre	O
1700	CM	350	CM	537 LEVEL CM	538553,7987 litre	82,318 %	115682,8714 litre	O
1700	CM	350	CM	536 LEVEL CM	537546,8151 litre	82,164 %	116689,8550 litre	O
1700	CM	350	CM	535 LEVEL CM	536537,6986 litre	82,010 %	117698,9715 litre	O
1700	CM	350	CM	534 LEVEL CM	535526,4650 litre	81,855 %	118710,2051 litre	O
1700	CM	350	CM	533 LEVEL CM	534513,1302 litre	81,700 %	119723,5399 litre	O
1700	CM	350	CM	532 LEVEL CM	533497,7099 litre	81,545 %	120738,9602 litre	O
1700	CM	350	CM	531 LEVEL CM	532480,2197 litre	81,390 %	121756,4504 litre	O
1700	CM	350	CM	530 LEVEL CM	531460,6752 litre	81,234 %	122775,9949 litre	O
1700	CM	350	CM	529 LEVEL CM	530439,0918 litre	81,078 %	123797,5783 litre	O
1700	CM	350	CM	528 LEVEL CM	529415,4849 litre	80,921 %	124821,1852 litre	O
1700	CM	350	CM	527 LEVEL CM	528389,8697 litre	80,764 %	125846,8004 litre	O
1700	CM	350	CM	526 LEVEL CM	527362,2615 litre	80,607 %	126874,4086 litre	O
1700	CM	350	CM	525 LEVEL CM	526332,6752 litre	80,450 %	127903,9949 litre	O
1700	CM	350	CM	524 LEVEL CM	525301,1260 litre	80,292 %	128935,5441 litre	O
1700	CM	350	CM	523 LEVEL CM	524267,6287 litre	80,134 %	129969,0414 litre	O
1700	CM	350	CM	522 LEVEL CM	523232,1981 litre	79,976 %	131004,4720 litre	O
1700	CM	350	CM	521 LEVEL CM	522194,8490 litre	79,817 %	132041,8211 litre	O
1700	CM	350	CM	520 LEVEL CM	521155,5961 litre	79,659 %	133081,0740 litre	O
1700	CM	350	CM	519 LEVEL CM	520114,4539 litre	79,499 %	134122,2162 litre	O
1700	CM	350	CM	518 LEVEL CM	519071,4370 litre	79,340 %	135165,2331 litre	O
1700	CM	350	CM	517 LEVEL CM	518026,5597 litre	79,180 %	136210,1104 litre	O
1700	CM	350	CM	516 LEVEL CM	516979,8365 litre	79,020 %	137256,8336 litre	O
1700	CM	350	CM	515 LEVEL CM	515931,2815 litre	78,860 %	138305,3886 litre	O
1700	CM	350	CM	514 LEVEL CM	514880,9091 litre	78,699 %	139355,7610 litre	O
1700	CM	350	CM	513 LEVEL CM	513828,7333 litre	78,539 %	140407,9368 litre	O
1700	CM	350	CM	512 LEVEL CM	512774,7681 litre	78,378 %	141461,9020 litre	O
1700	CM	350	CM	511 LEVEL CM	511719,0276 litre	78,216 %	142517,6425 litre	O
1700	CM	350	CM	510 LEVEL CM	510661,5257 litre	78,055 %	143575,1444 litre	O
1700	CM	350	CM	509 LEVEL CM	509602,2762 litre	77,893 %	144634,3939 litre	O
1700	CM	350	CM	508 LEVEL CM	508541,2929 litre	77,730 %	145695,3772 litre	O
1700	CM	350	CM	507 LEVEL CM	507478,5895 litre	77,568 %	146758,0806 litre	O
1700	CM	350	CM	506 LEVEL CM	506414,1796 litre	77,405 %	147822,4905 litre	O
1700	CM	350	CM	505 LEVEL CM	505348,0769 litre	77,242 %	148888,5932 litre	O
1700	CM	350	CM	504 LEVEL CM	504280,2947 litre	77,079 %	149956,3754 litre	O
1700	CM	350	CM	503 LEVEL CM	503210,8466 litre	76,916 %	151025,8235 litre	O
1700	CM	350	CM	502 LEVEL CM	502139,7460 litre	76,752 %	152096,9241 litre	O
1700	CM	350	CM	501 LEVEL CM	501067,0061 litre	76,588 %	153169,6640 litre	O
1700	CM	350	CM	500 LEVEL CM	499992,6403 litre	76,424 %	154244,0298 litre	O
1700	CM	350	CM	499 LEVEL CM	498916,6617 litre	76,259 %	155320,0084 litre	O
1700	CM	350	CM	498 LEVEL CM	497839,0835 litre	76,095 %	156397,5866 litre	O
1700	CM	350	CM	497 LEVEL CM	496759,9187 litre	75,930 %	157476,7514 litre	O
1700	CM	350	CM	496 LEVEL CM	495679,1805 litre	75,765 %	158557,4896 litre	O
1700	CM	350	CM	495 LEVEL CM	494596,8816 litre	75,599 %	159639,7885 litre	O
1700	CM	350	CM	494 LEVEL CM	493513,0352 litre	75,433 %	160723,6349 litre	O
1700	CM	350	CM	493 LEVEL CM	492427,6539 litre	75,268 %	161809,0162 litre	O
1700	CM	350	CM	492 LEVEL CM	491340,7507 litre	75,101 %	162895,9194 litre	O
1700	CM	350	CM	491 LEVEL CM	490252,3383 litre	74,935 %	163984,3318 litre	O
1700	CM	350	CM	490 LEVEL CM	489162,4293 litre	74,768 %	165074,2408 litre	O

1700	CM	350	CM	489 LEVEL CM	488071,0365 litre	74,602 %	166165,6336 litre	O
1700	CM	350	CM	488 LEVEL CM	486978,1723 litre	74,435 %	167258,4978 litre	O
1700	CM	350	CM	487 LEVEL CM	485883,8494 litre	74,267 %	168352,8207 litre	O
1700	CM	350	CM	486 LEVEL CM	484788,0803 litre	74,100 %	169448,5898 litre	O
1700	CM	350	CM	485 LEVEL CM	483690,8773 litre	73,932 %	170545,7928 litre	O
1700	CM	350	CM	484 LEVEL CM	482592,2529 litre	73,764 %	171644,4172 litre	O
1700	CM	350	CM	483 LEVEL CM	481492,2194 litre	73,596 %	172744,4507 litre	O
1700	CM	350	CM	482 LEVEL CM	480390,7891 litre	73,428 %	173845,8810 litre	O
1700	CM	350	CM	481 LEVEL CM	479287,9743 litre	73,259 %	174948,6958 litre	O
1700	CM	350	CM	480 LEVEL CM	478183,7872 litre	73,090 %	176052,8829 litre	O
1700	CM	350	CM	479 LEVEL CM	477078,2399 litre	72,921 %	177158,4302 litre	O
1700	CM	350	CM	478 LEVEL CM	475971,3446 litre	72,752 %	178265,3255 litre	O
1700	CM	350	CM	477 LEVEL CM	474863,1133 litre	72,583 %	179373,5568 litre	O
1700	CM	350	CM	476 LEVEL CM	473753,5580 litre	72,413 %	180483,1121 litre	O
1700	CM	350	CM	475 LEVEL CM	472642,6908 litre	72,243 %	181593,9793 litre	O
1700	CM	350	CM	474 LEVEL CM	471530,5235 litre	72,073 %	182706,1466 litre	O
1700	CM	350	CM	473 LEVEL CM	470417,0682 litre	71,903 %	183819,6019 litre	O
1700	CM	350	CM	472 LEVEL CM	469302,3365 litre	71,733 %	184934,3336 litre	O
1700	CM	350	CM	471 LEVEL CM	468186,3404 litre	71,562 %	186050,3297 litre	O
1700	CM	350	CM	470 LEVEL CM	467069,0916 litre	71,391 %	187167,5785 litre	O
1700	CM	350	CM	469 LEVEL CM	465950,6019 litre	71,220 %	188286,0682 litre	O
1700	CM	350	CM	468 LEVEL CM	464830,8830 litre	71,049 %	189405,7871 litre	O
1700	CM	350	CM	467 LEVEL CM	463709,9465 litre	70,878 %	190526,7236 litre	O
1700	CM	350	CM	466 LEVEL CM	462587,8040 litre	70,706 %	191648,8661 litre	O
1700	CM	350	CM	465 LEVEL CM	461464,4672 litre	70,535 %	192772,2029 litre	O
1700	CM	350	CM	464 LEVEL CM	460339,9475 litre	70,363 %	193896,7226 litre	O
1700	CM	350	CM	463 LEVEL CM	459214,2566 litre	70,191 %	195022,4135 litre	O
1700	CM	350	CM	462 LEVEL CM	458087,4058 litre	70,019 %	196149,2643 litre	O
1700	CM	350	CM	461 LEVEL CM	456959,4067 litre	69,846 %	197277,2634 litre	O
1700	CM	350	CM	460 LEVEL CM	455830,2705 litre	69,674 %	198406,3996 litre	O
1700	CM	350	CM	459 LEVEL CM	454700,0088 litre	69,501 %	199536,6613 litre	O
1700	CM	350	CM	458 LEVEL CM	453568,6327 litre	69,328 %	200668,0374 litre	O
1700	CM	350	CM	457 LEVEL CM	452436,1537 litre	69,155 %	201800,5164 litre	O
1700	CM	350	CM	456 LEVEL CM	451302,5830 litre	68,982 %	202934,0871 litre	O
1700	CM	350	CM	455 LEVEL CM	450167,9319 litre	68,808 %	204068,7382 litre	O
1700	CM	350	CM	454 LEVEL CM	449032,2115 litre	68,635 %	205204,4586 litre	O
1700	CM	350	CM	453 LEVEL CM	447895,4330 litre	68,461 %	206341,2371 litre	O
1700	CM	350	CM	452 LEVEL CM	446757,6075 litre	68,287 %	207479,0626 litre	O
1700	CM	350	CM	451 LEVEL CM	445618,7463 litre	68,113 %	208617,9238 litre	O
1700	CM	350	CM	450 LEVEL CM	444478,8603 litre	67,939 %	209757,8098 litre	O
1700	CM	350	CM	449 LEVEL CM	443337,9606 litre	67,764 %	210898,7095 litre	O
1700	CM	350	CM	448 LEVEL CM	442196,0583 litre	67,590 %	212040,6118 litre	O
1700	CM	350	CM	447 LEVEL CM	441053,1643 litre	67,415 %	213183,5058 litre	O
1700	CM	350	CM	446 LEVEL CM	439909,2896 litre	67,240 %	214327,3805 litre	O
1700	CM	350	CM	445 LEVEL CM	438764,4451 litre	67,065 %	215472,2250 litre	O
1700	CM	350	CM	444 LEVEL CM	437618,6418 litre	66,890 %	216618,0283 litre	O
1700	CM	350	CM	443 LEVEL CM	436471,8905 litre	66,715 %	217764,7796 litre	O
1700	CM	350	CM	442 LEVEL CM	435324,2021 litre	66,539 %	218912,4680 litre	O
1700	CM	350	CM	441 LEVEL CM	434175,5873 litre	66,364 %	220061,0828 litre	O
1700	CM	350	CM	440 LEVEL CM	433026,0571 litre	66,188 %	221210,6130 litre	O
1700	CM	350	CM	439 LEVEL CM	431875,6222 litre	66,012 %	222361,0479 litre	O
1700	CM	350	CM	438 LEVEL CM	430724,2934 litre	65,836 %	223512,3767 litre	O
1700	CM	350	CM	437 LEVEL CM	429572,0813 litre	65,660 %	224664,5888 litre	O

1700	CM	350	CM	436 LEVEL CM	428418,9966 litre	65,484 %	225817,6735 litre	O
1700	CM	350	CM	435 LEVEL CM	427265,0502 litre	65,307 %	226971,6199 litre	O
1700	CM	350	CM	434 LEVEL CM	426110,2525 litre	65,131 %	228126,4176 litre	O
1700	CM	350	CM	433 LEVEL CM	424954,6142 litre	64,954 %	229282,0559 litre	O
1700	CM	350	CM	432 LEVEL CM	423798,1460 litre	64,777 %	230438,5241 litre	O
1700	CM	350	CM	431 LEVEL CM	422640,8584 litre	64,601 %	231595,8117 litre	O
1700	CM	350	CM	430 LEVEL CM	421482,7620 litre	64,424 %	232753,9081 litre	O
1700	CM	350	CM	429 LEVEL CM	420323,8673 litre	64,246 %	233912,8028 litre	O
1700	CM	350	CM	428 LEVEL CM	419164,1849 litre	64,069 %	235072,4852 litre	O
1700	CM	350	CM	427 LEVEL CM	418003,7252 litre	63,892 %	236232,9449 litre	O
1700	CM	350	CM	426 LEVEL CM	416842,4987 litre	63,714 %	237394,1714 litre	O
1700	CM	350	CM	425 LEVEL CM	415680,5158 litre	63,537 %	238556,1543 litre	O
1700	CM	350	CM	424 LEVEL CM	414517,7871 litre	63,359 %	239718,8830 litre	O
1700	CM	350	CM	423 LEVEL CM	413354,3229 litre	63,181 %	240882,3472 litre	O
1700	CM	350	CM	422 LEVEL CM	412190,1336 litre	63,003 %	242046,5365 litre	O
1700	CM	350	CM	421 LEVEL CM	411025,2296 litre	62,825 %	243211,4405 litre	O
1700	CM	350	CM	420 LEVEL CM	409859,6212 litre	62,647 %	244377,0489 litre	O
1700	CM	350	CM	419 LEVEL CM	408693,3188 litre	62,469 %	245543,3513 litre	O
1700	CM	350	CM	418 LEVEL CM	407526,3327 litre	62,290 %	246710,3374 litre	O
1700	CM	350	CM	417 LEVEL CM	406358,6731 litre	62,112 %	247877,9970 litre	O
1700	CM	350	CM	416 LEVEL CM	405190,3505 litre	61,933 %	249046,3196 litre	O
1700	CM	350	CM	415 LEVEL CM	404021,3750 litre	61,755 %	250215,2951 litre	O
1700	CM	350	CM	414 LEVEL CM	402851,7569 litre	61,576 %	251384,9132 litre	O
1700	CM	350	CM	413 LEVEL CM	401681,5064 litre	61,397 %	252555,1637 litre	O
1700	CM	350	CM	412 LEVEL CM	400510,6338 litre	61,218 %	253726,0363 litre	O
1700	CM	350	CM	411 LEVEL CM	399339,1492 litre	61,039 %	254897,5209 litre	O
1700	CM	350	CM	410 LEVEL CM	398167,0628 litre	60,860 %	256069,6073 litre	O
1700	CM	350	CM	409 LEVEL CM	396994,3847 litre	60,681 %	257242,2854 litre	O
1700	CM	350	CM	408 LEVEL CM	395821,1253 litre	60,501 %	258415,5448 litre	O
1700	CM	350	CM	407 LEVEL CM	394647,2945 litre	60,322 %	259589,3756 litre	O
1700	CM	350	CM	406 LEVEL CM	393472,9025 litre	60,142 %	260763,7676 litre	O
1700	CM	350	CM	405 LEVEL CM	392297,9593 litre	59,963 %	261938,7108 litre	O
1700	CM	350	CM	404 LEVEL CM	391122,4752 litre	59,783 %	263114,1949 litre	O
1700	CM	350	CM	403 LEVEL CM	389946,4602 litre	59,603 %	264290,2099 litre	O
1700	CM	350	CM	402 LEVEL CM	388769,9242 litre	59,423 %	265466,7459 litre	O
1700	CM	350	CM	401 LEVEL CM	387592,8775 litre	59,244 %	266643,7926 litre	O
1700	CM	350	CM	400 LEVEL CM	386415,3300 litre	59,064 %	267821,3401 litre	O
1700	CM	350	CM	399 LEVEL CM	385237,2918 litre	58,883 %	268999,3783 litre	O
1700	CM	350	CM	398 LEVEL CM	384058,7728 litre	58,703 %	270177,8973 litre	O
1700	CM	350	CM	397 LEVEL CM	382879,7830 litre	58,523 %	271356,8871 litre	O
1700	CM	350	CM	396 LEVEL CM	381700,3326 litre	58,343 %	272536,3375 litre	O
1700	CM	350	CM	395 LEVEL CM	380520,4313 litre	58,163 %	273716,2388 litre	O
1700	CM	350	CM	394 LEVEL CM	379340,0893 litre	57,982 %	274896,5808 litre	O
1700	CM	350	CM	393 LEVEL CM	378159,3164 litre	57,802 %	276077,3537 litre	O
1700	CM	350	CM	392 LEVEL CM	376978,1226 litre	57,621 %	277258,5475 litre	O
1700	CM	350	CM	391 LEVEL CM	375796,5179 litre	57,440 %	278440,1522 litre	O
1700	CM	350	CM	390 LEVEL CM	374614,5120 litre	57,260 %	279622,1581 litre	O
1700	CM	350	CM	389 LEVEL CM	373432,1151 litre	57,079 %	280804,5550 litre	O
1700	CM	350	CM	388 LEVEL CM	372249,3369 litre	56,898 %	281987,3332 litre	O
1700	CM	350	CM	387 LEVEL CM	371066,1874 litre	56,717 %	283170,4827 litre	O
1700	CM	350	CM	386 LEVEL CM	369882,6764 litre	56,537 %	284353,9937 litre	O
1700	CM	350	CM	385 LEVEL CM	368698,8139 litre	56,356 %	285537,8562 litre	O
1700	CM	350	CM	384 LEVEL CM	367514,6096 litre	56,175 %	286722,0605 litre	O

1700	CM	350	CM	383 LEVEL CM	366330,0735 litre	55,994 %	287906,5966 litre	O
1700	CM	350	CM	382 LEVEL CM	365145,2154 litre	55,812 %	289091,4547 litre	O
1700	CM	350	CM	381 LEVEL CM	363960,0451 litre	55,631 %	290276,6250 litre	O
1700	CM	350	CM	380 LEVEL CM	362774,5725 litre	55,450 %	291462,0976 litre	O
1700	CM	350	CM	379 LEVEL CM	361588,8073 litre	55,269 %	292647,8628 litre	O
1700	CM	350	CM	378 LEVEL CM	360402,7595 litre	55,088 %	293833,9106 litre	O
1700	CM	350	CM	377 LEVEL CM	359216,4388 litre	54,906 %	295020,2313 litre	O
1700	CM	350	CM	376 LEVEL CM	358029,8551 litre	54,725 %	296206,8150 litre	O
1700	CM	350	CM	375 LEVEL CM	356843,0180 litre	54,543 %	297393,6521 litre	O
1700	CM	350	CM	374 LEVEL CM	355655,9375 litre	54,362 %	298580,7326 litre	O
1700	CM	350	CM	373 LEVEL CM	354468,6233 litre	54,180 %	299768,0468 litre	O
1700	CM	350	CM	372 LEVEL CM	353281,0852 litre	53,999 %	300955,5849 litre	O
1700	CM	350	CM	371 LEVEL CM	352093,3329 litre	53,817 %	302143,3372 litre	O
1700	CM	350	CM	370 LEVEL CM	350905,3763 litre	53,636 %	303331,2938 litre	O
1700	CM	350	CM	369 LEVEL CM	349717,2251 litre	53,454 %	304519,4450 litre	O
1700	CM	350	CM	368 LEVEL CM	348528,8890 litre	53,273 %	305707,7811 litre	O
1700	CM	350	CM	367 LEVEL CM	347340,3779 litre	53,091 %	306896,2922 litre	O
1700	CM	350	CM	366 LEVEL CM	346151,7014 litre	52,909 %	308084,9687 litre	O
1700	CM	350	CM	365 LEVEL CM	344962,8693 litre	52,728 %	309273,8008 litre	O
1700	CM	350	CM	364 LEVEL CM	343773,8913 litre	52,546 %	310462,7788 litre	O
1700	CM	350	CM	363 LEVEL CM	342584,7773 litre	52,364 %	311651,8928 litre	O
1700	CM	350	CM	362 LEVEL CM	341395,5368 litre	52,182 %	312841,1333 litre	O
1700	CM	350	CM	361 LEVEL CM	340206,1798 litre	52,000 %	314030,4903 litre	O
1700	CM	350	CM	360 LEVEL CM	339016,7158 litre	51,819 %	315219,9543 litre	O
1700	CM	350	CM	359 LEVEL CM	337827,1547 litre	51,637 %	316409,5154 litre	O
1700	CM	350	CM	358 LEVEL CM	336637,5060 litre	51,455 %	317599,1641 litre	O
1700	CM	350	CM	357 LEVEL CM	335447,7797 litre	51,273 %	318788,8904 litre	O
1700	CM	350	CM	356 LEVEL CM	334257,9853 litre	51,091 %	319978,6848 litre	O
1700	CM	350	CM	355 LEVEL CM	333068,1327 litre	50,909 %	321168,5374 litre	O
1700	CM	350	CM	354 LEVEL CM	331878,2314 litre	50,728 %	322358,4387 litre	O
1700	CM	350	CM	353 LEVEL CM	330688,2913 litre	50,546 %	323548,3788 litre	O
1700	CM	350	CM	352 LEVEL CM	329498,3221 litre	50,364 %	324738,3480 litre	O
1700	CM	350	CM	351 LEVEL CM	328308,3334 litre	50,182 %	325928,3367 litre	O
1700	CM	350	CM	350 LEVEL CM	327118,3351 litre	50,000 %	327118,3350 litre	O
1700	CM	350	CM	349 LEVEL CM	325928,3367 litre	49,818 %	328308,3334 litre	O
1700	CM	350	CM	348 LEVEL CM	324738,3480 litre	49,636 %	329498,3221 litre	O
1700	CM	350	CM	347 LEVEL CM	323548,3788 litre	49,454 %	330688,2913 litre	O
1700	CM	350	CM	346 LEVEL CM	322358,4387 litre	49,272 %	331878,2314 litre	O
1700	CM	350	CM	345 LEVEL CM	321168,5374 litre	49,091 %	333068,1327 litre	O
1700	CM	350	CM	344 LEVEL CM	319978,6848 litre	48,909 %	334257,9853 litre	O
1700	CM	350	CM	343 LEVEL CM	318788,8904 litre	48,727 %	335447,7797 litre	O
1700	CM	350	CM	342 LEVEL CM	317599,1641 litre	48,545 %	336637,5060 litre	O
1700	CM	350	CM	341 LEVEL CM	316409,5155 litre	48,363 %	337827,1546 litre	O
1700	CM	350	CM	340 LEVEL CM	315219,9543 litre	48,181 %	339016,7158 litre	O
1700	CM	350	CM	339 LEVEL CM	314030,4903 litre	48,000 %	340206,1798 litre	O
1700	CM	350	CM	338 LEVEL CM	312841,1333 litre	47,818 %	341395,5368 litre	O
1700	CM	350	CM	337 LEVEL CM	311651,8928 litre	47,636 %	342584,7773 litre	O
1700	CM	350	CM	336 LEVEL CM	310462,7788 litre	47,454 %	343773,8913 litre	O
1700	CM	350	CM	335 LEVEL CM	309273,8008 litre	47,272 %	344962,8693 litre	O
1700	CM	350	CM	334 LEVEL CM	308084,9688 litre	47,091 %	346151,7013 litre	O
1700	CM	350	CM	333 LEVEL CM	306896,2923 litre	46,909 %	347340,3778 litre	O
1700	CM	350	CM	332 LEVEL CM	305707,7811 litre	46,727 %	348528,8890 litre	O
1700	CM	350	CM	331 LEVEL CM	304519,4450 litre	46,546 %	349717,2251 litre	O

1700	CM	350	CM	330 LEVEL CM	303331,2938 litre	46,364 %	350905,3763 litre	O
1700	CM	350	CM	329 LEVEL CM	302143,3372 litre	46,183 %	352093,3329 litre	O
1700	CM	350	CM	328 LEVEL CM	300955,5849 litre	46,001 %	353281,0852 litre	O
1700	CM	350	CM	327 LEVEL CM	299768,0468 litre	45,820 %	354468,6233 litre	O
1700	CM	350	CM	326 LEVEL CM	298580,7326 litre	45,638 %	355655,9375 litre	O
1700	CM	350	CM	325 LEVEL CM	297393,6521 litre	45,457 %	356843,0180 litre	O
1700	CM	350	CM	324 LEVEL CM	296206,8150 litre	45,275 %	358029,8551 litre	O
1700	CM	350	CM	323 LEVEL CM	295020,2313 litre	45,094 %	359216,4388 litre	O
1700	CM	350	CM	322 LEVEL CM	293833,9106 litre	44,912 %	360402,7595 litre	O
1700	CM	350	CM	321 LEVEL CM	292647,8628 litre	44,731 %	361588,8073 litre	O
1700	CM	350	CM	320 LEVEL CM	291462,0976 litre	44,550 %	362774,5725 litre	O
1700	CM	350	CM	319 LEVEL CM	290276,6250 litre	44,369 %	363960,0451 litre	O
1700	CM	350	CM	318 LEVEL CM	289091,4547 litre	44,188 %	365145,2154 litre	O
1700	CM	350	CM	317 LEVEL CM	287906,5966 litre	44,006 %	366330,0735 litre	O
1700	CM	350	CM	316 LEVEL CM	286722,0605 litre	43,825 %	367514,6096 litre	O
1700	CM	350	CM	315 LEVEL CM	285537,8562 litre	43,644 %	368698,8139 litre	O
1700	CM	350	CM	314 LEVEL CM	284353,9937 litre	43,463 %	369882,6764 litre	O
1700	CM	350	CM	313 LEVEL CM	283170,4827 litre	43,283 %	371066,1874 litre	O
1700	CM	350	CM	312 LEVEL CM	281987,3332 litre	43,102 %	372249,3369 litre	O
1700	CM	350	CM	311 LEVEL CM	280804,5550 litre	42,921 %	373432,1151 litre	O
1700	CM	350	CM	310 LEVEL CM	279622,1581 litre	42,740 %	374614,5120 litre	O
1700	CM	350	CM	309 LEVEL CM	278440,1523 litre	42,560 %	375796,5178 litre	O
1700	CM	350	CM	308 LEVEL CM	277258,5475 litre	42,379 %	376978,1226 litre	O
1700	CM	350	CM	307 LEVEL CM	276077,3537 litre	42,198 %	378159,3164 litre	O
1700	CM	350	CM	306 LEVEL CM	274896,5808 litre	42,018 %	379340,0893 litre	O
1700	CM	350	CM	305 LEVEL CM	273716,2388 litre	41,837 %	380520,4313 litre	O
1700	CM	350	CM	304 LEVEL CM	272536,3375 litre	41,657 %	381700,3326 litre	O
1700	CM	350	CM	303 LEVEL CM	271356,8871 litre	41,477 %	382879,7830 litre	O
1700	CM	350	CM	302 LEVEL CM	270177,8973 litre	41,297 %	384058,7728 litre	O
1700	CM	350	CM	301 LEVEL CM	268999,3784 litre	41,117 %	385237,2917 litre	O
1700	CM	350	CM	300 LEVEL CM	267821,3401 litre	40,936 %	386415,3300 litre	O
1700	CM	350	CM	299 LEVEL CM	266643,7926 litre	40,756 %	387592,8775 litre	O
1700	CM	350	CM	298 LEVEL CM	265466,7459 litre	40,577 %	388769,9242 litre	O
1700	CM	350	CM	297 LEVEL CM	264290,2099 litre	40,397 %	389946,4602 litre	O
1700	CM	350	CM	296 LEVEL CM	263114,1949 litre	40,217 %	391122,4752 litre	O
1700	CM	350	CM	295 LEVEL CM	261938,7108 litre	40,037 %	392297,9593 litre	O
1700	CM	350	CM	294 LEVEL CM	260763,7677 litre	39,858 %	393472,9024 litre	O
1700	CM	350	CM	293 LEVEL CM	259589,3756 litre	39,678 %	394647,2945 litre	O
1700	CM	350	CM	292 LEVEL CM	258415,5448 litre	39,499 %	395821,1253 litre	O
1700	CM	350	CM	291 LEVEL CM	257242,2854 litre	39,319 %	396994,3847 litre	O
1700	CM	350	CM	290 LEVEL CM	256069,6074 litre	39,140 %	398167,0627 litre	O
1700	CM	350	CM	289 LEVEL CM	254897,5210 litre	38,961 %	399339,1491 litre	O
1700	CM	350	CM	288 LEVEL CM	253726,0363 litre	38,782 %	400510,6338 litre	O
1700	CM	350	CM	287 LEVEL CM	252555,1637 litre	38,603 %	401681,5064 litre	O
1700	CM	350	CM	286 LEVEL CM	251384,9132 litre	38,424 %	402851,7569 litre	O
1700	CM	350	CM	285 LEVEL CM	250215,2951 litre	38,245 %	404021,3750 litre	O
1700	CM	350	CM	284 LEVEL CM	249046,3196 litre	38,067 %	405190,3505 litre	O
1700	CM	350	CM	283 LEVEL CM	247877,9970 litre	37,888 %	406358,6731 litre	O
1700	CM	350	CM	282 LEVEL CM	246710,3375 litre	37,710 %	407526,3326 litre	O
1700	CM	350	CM	281 LEVEL CM	245543,3513 litre	37,531 %	408693,3188 litre	O
1700	CM	350	CM	280 LEVEL CM	244377,0489 litre	37,353 %	409859,6212 litre	O
1700	CM	350	CM	279 LEVEL CM	243211,4406 litre	37,175 %	411025,2295 litre	O
1700	CM	350	CM	278 LEVEL CM	242046,5365 litre	36,997 %	412190,1336 litre	O

1700	CM	350	CM	277 LEVEL CM	240882,3472 litre	36,819 %	413354,3229 litre	O
1700	CM	350	CM	276 LEVEL CM	239718,8830 litre	36,641 %	414517,7871 litre	O
1700	CM	350	CM	275 LEVEL CM	238556,1543 litre	36,463 %	415680,5158 litre	O
1700	CM	350	CM	274 LEVEL CM	237394,1714 litre	36,286 %	416842,4987 litre	O
1700	CM	350	CM	273 LEVEL CM	236232,9449 litre	36,108 %	418003,7252 litre	O
1700	CM	350	CM	272 LEVEL CM	235072,4852 litre	35,931 %	419164,1849 litre	O
1700	CM	350	CM	271 LEVEL CM	233912,8028 litre	35,754 %	420323,8673 litre	O
1700	CM	350	CM	270 LEVEL CM	232753,9081 litre	35,576 %	421482,7620 litre	O
1700	CM	350	CM	269 LEVEL CM	231595,8117 litre	35,399 %	422640,8584 litre	O
1700	CM	350	CM	268 LEVEL CM	230438,5241 litre	35,223 %	423798,1460 litre	O
1700	CM	350	CM	267 LEVEL CM	229282,0559 litre	35,046 %	424954,6142 litre	O
1700	CM	350	CM	266 LEVEL CM	228126,4176 litre	34,869 %	426110,2525 litre	O
1700	CM	350	CM	265 LEVEL CM	226971,6200 litre	34,693 %	427265,0501 litre	O
1700	CM	350	CM	264 LEVEL CM	225817,6735 litre	34,516 %	428418,9966 litre	O
1700	CM	350	CM	263 LEVEL CM	224664,5888 litre	34,340 %	429572,0813 litre	O
1700	CM	350	CM	262 LEVEL CM	223512,3767 litre	34,164 %	430724,2934 litre	O
1700	CM	350	CM	261 LEVEL CM	222361,0479 litre	33,988 %	431875,6222 litre	O
1700	CM	350	CM	260 LEVEL CM	221210,6130 litre	33,812 %	433026,0571 litre	O
1700	CM	350	CM	259 LEVEL CM	220061,0828 litre	33,636 %	434175,5873 litre	O
1700	CM	350	CM	258 LEVEL CM	218912,4681 litre	33,461 %	435324,2020 litre	O
1700	CM	350	CM	257 LEVEL CM	217764,7796 litre	33,285 %	436471,8905 litre	O
1700	CM	350	CM	256 LEVEL CM	216618,0283 litre	33,110 %	437618,6418 litre	O
1700	CM	350	CM	255 LEVEL CM	215472,2250 litre	32,935 %	438764,4451 litre	O
1700	CM	350	CM	254 LEVEL CM	214327,3805 litre	32,760 %	439909,2896 litre	O
1700	CM	350	CM	253 LEVEL CM	213183,5058 litre	32,585 %	441053,1643 litre	O
1700	CM	350	CM	252 LEVEL CM	212040,6118 litre	32,410 %	442196,0583 litre	O
1700	CM	350	CM	251 LEVEL CM	210898,7095 litre	32,236 %	443337,9606 litre	O
1700	CM	350	CM	250 LEVEL CM	209757,8098 litre	32,061 %	444478,8603 litre	O
1700	CM	350	CM	249 LEVEL CM	208617,9238 litre	31,887 %	445618,7463 litre	O
1700	CM	350	CM	248 LEVEL CM	207479,0626 litre	31,713 %	446757,6075 litre	O
1700	CM	350	CM	247 LEVEL CM	206341,2371 litre	31,539 %	447895,4330 litre	O
1700	CM	350	CM	246 LEVEL CM	205204,4587 litre	31,365 %	449032,2114 litre	O
1700	CM	350	CM	245 LEVEL CM	204068,7382 litre	31,192 %	450167,9319 litre	O
1700	CM	350	CM	244 LEVEL CM	202934,0871 litre	31,018 %	451302,5830 litre	O
1700	CM	350	CM	243 LEVEL CM	201800,5164 litre	30,845 %	452436,1537 litre	O
1700	CM	350	CM	242 LEVEL CM	200668,0374 litre	30,672 %	453568,6327 litre	O
1700	CM	350	CM	241 LEVEL CM	199536,6614 litre	30,499 %	454700,0087 litre	O
1700	CM	350	CM	240 LEVEL CM	198406,3996 litre	30,326 %	455830,2705 litre	O
1700	CM	350	CM	239 LEVEL CM	197277,2635 litre	30,154 %	456959,4066 litre	O
1700	CM	350	CM	238 LEVEL CM	196149,2643 litre	29,981 %	458087,4058 litre	O
1700	CM	350	CM	237 LEVEL CM	195022,4135 litre	29,809 %	459214,2566 litre	O
1700	CM	350	CM	236 LEVEL CM	193896,7226 litre	29,637 %	460339,9475 litre	O
1700	CM	350	CM	235 LEVEL CM	192772,2029 litre	29,465 %	461464,4672 litre	O
1700	CM	350	CM	234 LEVEL CM	191648,8661 litre	29,294 %	462587,8040 litre	O
1700	CM	350	CM	233 LEVEL CM	190526,7236 litre	29,122 %	463709,9465 litre	O
1700	CM	350	CM	232 LEVEL CM	189405,7871 litre	28,951 %	464830,8830 litre	O
1700	CM	350	CM	231 LEVEL CM	188286,0682 litre	28,780 %	465950,6019 litre	O
1700	CM	350	CM	230 LEVEL CM	187167,5785 litre	28,609 %	467069,0916 litre	O
1700	CM	350	CM	229 LEVEL CM	186050,3297 litre	28,438 %	468186,3404 litre	O
1700	CM	350	CM	228 LEVEL CM	184934,3336 litre	28,267 %	469302,3365 litre	O
1700	CM	350	CM	227 LEVEL CM	183819,6019 litre	28,097 %	470417,0682 litre	O
1700	CM	350	CM	226 LEVEL CM	182706,1466 litre	27,927 %	471530,5235 litre	O
1700	CM	350	CM	225 LEVEL CM	181593,9793 litre	27,757 %	472642,6908 litre	O

1700	CM	350	CM	224 LEVEL CM	180483,1121 litre	27,587 %	473753,5580 litre	O
1700	CM	350	CM	223 LEVEL CM	179373,5568 litre	27,417 %	474863,1133 litre	O
1700	CM	350	CM	222 LEVEL CM	178265,3255 litre	27,248 %	475971,3446 litre	O
1700	CM	350	CM	221 LEVEL CM	177158,4302 litre	27,079 %	477078,2399 litre	O
1700	CM	350	CM	220 LEVEL CM	176052,8829 litre	26,910 %	478183,7872 litre	O
1700	CM	350	CM	219 LEVEL CM	174948,6958 litre	26,741 %	479287,9743 litre	O
1700	CM	350	CM	218 LEVEL CM	173845,8810 litre	26,572 %	480390,7891 litre	O
1700	CM	350	CM	217 LEVEL CM	172744,4507 litre	26,404 %	481492,2194 litre	O
1700	CM	350	CM	216 LEVEL CM	171644,4172 litre	26,236 %	482592,2529 litre	O
1700	CM	350	CM	215 LEVEL CM	170545,7928 litre	26,068 %	483690,8773 litre	O
1700	CM	350	CM	214 LEVEL CM	169448,5898 litre	25,900 %	484788,0803 litre	O
1700	CM	350	CM	213 LEVEL CM	168352,8207 litre	25,733 %	485883,8494 litre	O
1700	CM	350	CM	212 LEVEL CM	167258,4978 litre	25,565 %	486978,1723 litre	O
1700	CM	350	CM	211 LEVEL CM	166165,6336 litre	25,398 %	488071,0365 litre	O
1700	CM	350	CM	210 LEVEL CM	165074,2408 litre	25,232 %	489162,4293 litre	O
1700	CM	350	CM	209 LEVEL CM	163984,3318 litre	25,065 %	490252,3383 litre	O
1700	CM	350	CM	208 LEVEL CM	162895,9194 litre	24,899 %	491340,7507 litre	O
1700	CM	350	CM	207 LEVEL CM	161809,0162 litre	24,732 %	492427,6539 litre	O
1700	CM	350	CM	206 LEVEL CM	160723,6349 litre	24,567 %	493513,0352 litre	O
1700	CM	350	CM	205 LEVEL CM	159639,7885 litre	24,401 %	494596,8816 litre	O
1700	CM	350	CM	204 LEVEL CM	158557,4896 litre	24,235 %	495679,1805 litre	O
1700	CM	350	CM	203 LEVEL CM	157476,7514 litre	24,070 %	496759,9187 litre	O
1700	CM	350	CM	202 LEVEL CM	156397,5866 litre	23,905 %	497839,0835 litre	O
1700	CM	350	CM	201 LEVEL CM	155320,0084 litre	23,741 %	498916,6617 litre	O
1700	CM	350	CM	200 LEVEL CM	154244,0298 litre	23,576 %	499992,6403 litre	O
1700	CM	350	CM	199 LEVEL CM	153169,6640 litre	23,412 %	501067,0061 litre	O
1700	CM	350	CM	198 LEVEL CM	152096,9241 litre	23,248 %	502139,7460 litre	O
1700	CM	350	CM	197 LEVEL CM	151025,8235 litre	23,084 %	503210,8466 litre	O
1700	CM	350	CM	196 LEVEL CM	149956,3754 litre	22,921 %	504280,2947 litre	O
1700	CM	350	CM	195 LEVEL CM	148888,5932 litre	22,758 %	505348,0769 litre	O
1700	CM	350	CM	194 LEVEL CM	147822,4905 litre	22,595 %	506414,1796 litre	O
1700	CM	350	CM	193 LEVEL CM	146758,0806 litre	22,432 %	507478,5895 litre	O
1700	CM	350	CM	192 LEVEL CM	145695,3772 litre	22,270 %	508541,2929 litre	O
1700	CM	350	CM	191 LEVEL CM	144634,3939 litre	22,107 %	509602,2762 litre	O
1700	CM	350	CM	190 LEVEL CM	143575,1444 litre	21,945 %	510661,5257 litre	O
1700	CM	350	CM	189 LEVEL CM	142517,6425 litre	21,784 %	511719,0276 litre	O
1700	CM	350	CM	188 LEVEL CM	141461,9020 litre	21,622 %	512774,7681 litre	O
1700	CM	350	CM	187 LEVEL CM	140407,9369 litre	21,461 %	513828,7332 litre	O
1700	CM	350	CM	186 LEVEL CM	139355,7610 litre	21,301 %	514880,9091 litre	O
1700	CM	350	CM	185 LEVEL CM	138305,3886 litre	21,140 %	515931,2815 litre	O
1700	CM	350	CM	184 LEVEL CM	137256,8336 litre	20,980 %	516979,8365 litre	O
1700	CM	350	CM	183 LEVEL CM	136210,1104 litre	20,820 %	518026,5597 litre	O
1700	CM	350	CM	182 LEVEL CM	135165,2331 litre	20,660 %	519071,4370 litre	O
1700	CM	350	CM	181 LEVEL CM	134122,2162 litre	20,501 %	520114,4539 litre	O
1700	CM	350	CM	180 LEVEL CM	133081,0740 litre	20,341 %	521155,5961 litre	O
1700	CM	350	CM	179 LEVEL CM	132041,8211 litre	20,183 %	522194,8490 litre	O
1700	CM	350	CM	178 LEVEL CM	131004,4720 litre	20,024 %	523232,1981 litre	O
1700	CM	350	CM	177 LEVEL CM	129969,0414 litre	19,866 %	524267,6287 litre	O
1700	CM	350	CM	176 LEVEL CM	128935,5441 litre	19,708 %	525301,1260 litre	O
1700	CM	350	CM	175 LEVEL CM	127903,9949 litre	19,550 %	526332,6752 litre	O
1700	CM	350	CM	174 LEVEL CM	126874,4086 litre	19,393 %	527362,2615 litre	O
1700	CM	350	CM	173 LEVEL CM	125846,8004 litre	19,236 %	528389,8697 litre	O
1700	CM	350	CM	172 LEVEL CM	124821,1852 litre	19,079 %	529415,4849 litre	O

1700	CM	350	CM	171 LEVEL CM	123797,5783 litre	18,922 %	530439,0918 litre	O
1700	CM	350	CM	170 LEVEL CM	122775,9949 litre	18,766 %	531460,6752 litre	O
1700	CM	350	CM	169 LEVEL CM	121756,4504 litre	18,610 %	532480,2197 litre	O
1700	CM	350	CM	168 LEVEL CM	120738,9603 litre	18,455 %	533497,7098 litre	O
1700	CM	350	CM	167 LEVEL CM	119723,5399 litre	18,300 %	534513,1302 litre	O
1700	CM	350	CM	166 LEVEL CM	118710,2051 litre	18,145 %	535526,4650 litre	O
1700	CM	350	CM	165 LEVEL CM	117698,9715 litre	17,990 %	536537,6986 litre	O
1700	CM	350	CM	164 LEVEL CM	116689,8550 litre	17,836 %	537546,8151 litre	O
1700	CM	350	CM	163 LEVEL CM	115682,8715 litre	17,682 %	538553,7986 litre	O
1700	CM	350	CM	162 LEVEL CM	114678,0369 litre	17,529 %	539558,6332 litre	O
1700	CM	350	CM	161 LEVEL CM	113675,3676 litre	17,375 %	540561,3025 litre	O
1700	CM	350	CM	160 LEVEL CM	112674,8796 litre	17,222 %	541561,7905 litre	O
1700	CM	350	CM	159 LEVEL CM	111676,5894 litre	17,070 %	542560,0807 litre	O
1700	CM	350	CM	158 LEVEL CM	110680,5134 litre	16,918 %	543556,1567 litre	O
1700	CM	350	CM	157 LEVEL CM	109686,6682 litre	16,766 %	544550,0019 litre	O
1700	CM	350	CM	156 LEVEL CM	108695,0704 litre	16,614 %	545541,5997 litre	O
1700	CM	350	CM	155 LEVEL CM	107705,7368 litre	16,463 %	546530,9333 litre	O
1700	CM	350	CM	154 LEVEL CM	106718,6844 litre	16,312 %	547517,9857 litre	O
1700	CM	350	CM	153 LEVEL CM	105733,9301 litre	16,161 %	548502,7400 litre	O
1700	CM	350	CM	152 LEVEL CM	104751,4911 litre	16,011 %	549485,1790 litre	O
1700	CM	350	CM	151 LEVEL CM	103771,3847 litre	15,861 %	550465,2854 litre	O
1700	CM	350	CM	150 LEVEL CM	102793,6283 litre	15,712 %	551443,0418 litre	O
1700	CM	350	CM	149 LEVEL CM	101818,2393 litre	15,563 %	552418,4308 litre	O
1700	CM	350	CM	148 LEVEL CM	100845,2354 litre	15,414 %	553391,4347 litre	O
1700	CM	350	CM	147 LEVEL CM	99874,6344 litre	15,266 %	554362,0357 litre	O
1700	CM	350	CM	146 LEVEL CM	98906,4542 litre	15,118 %	555330,2159 litre	O
1700	CM	350	CM	145 LEVEL CM	97940,7128 litre	14,970 %	556295,9573 litre	O
1700	CM	350	CM	144 LEVEL CM	96977,4284 litre	14,823 %	557259,2417 litre	O
1700	CM	350	CM	143 LEVEL CM	96016,6193 litre	14,676 %	558220,0508 litre	O
1700	CM	350	CM	142 LEVEL CM	95058,3040 litre	14,530 %	559178,3661 litre	O
1700	CM	350	CM	141 LEVEL CM	94102,5010 litre	14,384 %	560134,1691 litre	O
1700	CM	350	CM	140 LEVEL CM	93149,2291 litre	14,238 %	561087,4410 litre	O
1700	CM	350	CM	139 LEVEL CM	92198,5073 litre	14,093 %	562038,1628 litre	O
1700	CM	350	CM	138 LEVEL CM	91250,3545 litre	13,948 %	562986,3156 litre	O
1700	CM	350	CM	137 LEVEL CM	90304,7900 litre	13,803 %	563931,8801 litre	O
1700	CM	350	CM	136 LEVEL CM	89361,8332 litre	13,659 %	564874,8369 litre	O
1700	CM	350	CM	135 LEVEL CM	88421,5035 litre	13,515 %	565815,1666 litre	O
1700	CM	350	CM	134 LEVEL CM	87483,8206 litre	13,372 %	566752,8495 litre	O
1700	CM	350	CM	133 LEVEL CM	86548,8044 litre	13,229 %	567687,8657 litre	O
1700	CM	350	CM	132 LEVEL CM	85616,4750 litre	13,086 %	568620,1951 litre	O
1700	CM	350	CM	131 LEVEL CM	84686,8525 litre	12,944 %	569549,8176 litre	O
1700	CM	350	CM	130 LEVEL CM	83759,9573 litre	12,803 %	570476,7128 litre	O
1700	CM	350	CM	129 LEVEL CM	82835,8099 litre	12,661 %	571400,8602 litre	O
1700	CM	350	CM	128 LEVEL CM	81914,4312 litre	12,521 %	572322,2389 litre	O
1700	CM	350	CM	127 LEVEL CM	80995,8420 litre	12,380 %	573240,8281 litre	O
1700	CM	350	CM	126 LEVEL CM	80080,0634 litre	12,240 %	574156,6067 litre	O
1700	CM	350	CM	125 LEVEL CM	79167,1168 litre	12,101 %	575069,5533 litre	O
1700	CM	350	CM	124 LEVEL CM	78257,0237 litre	11,962 %	575979,6464 litre	O
1700	CM	350	CM	123 LEVEL CM	77349,8058 litre	11,823 %	576886,8643 litre	O
1700	CM	350	CM	122 LEVEL CM	76445,4850 litre	11,685 %	577791,1851 litre	O
1700	CM	350	CM	121 LEVEL CM	75544,0835 litre	11,547 %	578692,5866 litre	O
1700	CM	350	CM	120 LEVEL CM	74645,6236 litre	11,410 %	579591,0465 litre	O
1700	CM	350	CM	119 LEVEL CM	73750,1279 litre	11,273 %	580486,5422 litre	O

1700	CM	350	CM	118 LEVEL CM	72857,6191 litre	11,136 %	581379,0510 litre	O
1700	CM	350	CM	117 LEVEL CM	71968,1204 litre	11,000 %	582268,5497 litre	O
1700	CM	350	CM	116 LEVEL CM	71081,6549 litre	10,865 %	583155,0152 litre	O
1700	CM	350	CM	115 LEVEL CM	70198,2462 litre	10,730 %	584038,4239 litre	O
1700	CM	350	CM	114 LEVEL CM	69317,9180 litre	10,595 %	584918,7521 litre	O
1700	CM	350	CM	113 LEVEL CM	68440,6943 litre	10,461 %	585795,9758 litre	O
1700	CM	350	CM	112 LEVEL CM	67566,5993 litre	10,328 %	586670,0708 litre	O
1700	CM	350	CM	111 LEVEL CM	66695,6577 litre	10,194 %	587541,0124 litre	O
1700	CM	350	CM	110 LEVEL CM	65827,8940 litre	10,062 %	588408,7761 litre	O
1700	CM	350	CM	109 LEVEL CM	64963,3335 litre	9,930 %	589273,3366 litre	O
1700	CM	350	CM	108 LEVEL CM	64102,0014 litre	9,798 %	590134,6687 litre	O
1700	CM	350	CM	107 LEVEL CM	63243,9234 litre	9,667 %	590992,7467 litre	O
1700	CM	350	CM	106 LEVEL CM	62389,1254 litre	9,536 %	591847,5447 litre	O
1700	CM	350	CM	105 LEVEL CM	61537,6335 litre	9,406 %	592699,0366 litre	O
1700	CM	350	CM	104 LEVEL CM	60689,4743 litre	9,276 %	593547,1958 litre	O
1700	CM	350	CM	103 LEVEL CM	59844,6746 litre	9,147 %	594391,9955 litre	O
1700	CM	350	CM	102 LEVEL CM	59003,2616 litre	9,019 %	595233,4085 litre	O
1700	CM	350	CM	101 LEVEL CM	58165,2628 litre	8,891 %	596071,4073 litre	O
1700	CM	350	CM	100 LEVEL CM	57330,7059 litre	8,763 %	596905,9642 litre	O
1700	CM	350	CM	99 LEVEL CM	56499,6192 litre	8,636 %	597737,0509 litre	O
1700	CM	350	CM	98 LEVEL CM	55672,0311 litre	8,509 %	598564,6390 litre	O
1700	CM	350	CM	97 LEVEL CM	54847,9706 litre	8,384 %	599388,6995 litre	O
1700	CM	350	CM	96 LEVEL CM	54027,4669 litre	8,258 %	600209,2032 litre	O
1700	CM	350	CM	95 LEVEL CM	53210,5496 litre	8,133 %	601026,1205 litre	O
1700	CM	350	CM	94 LEVEL CM	52397,2488 litre	8,009 %	601839,4213 litre	O
1700	CM	350	CM	93 LEVEL CM	51587,5948 litre	7,885 %	602649,0753 litre	O
1700	CM	350	CM	92 LEVEL CM	50781,6186 litre	7,762 %	603455,0515 litre	O
1700	CM	350	CM	91 LEVEL CM	49979,3514 litre	7,639 %	604257,3187 litre	O
1700	CM	350	CM	90 LEVEL CM	49180,8249 litre	7,517 %	605055,8452 litre	O
1700	CM	350	CM	89 LEVEL CM	48386,0713 litre	7,396 %	605850,5988 litre	O
1700	CM	350	CM	88 LEVEL CM	47595,1231 litre	7,275 %	606641,5470 litre	O
1700	CM	350	CM	87 LEVEL CM	46808,0135 litre	7,155 %	607428,6566 litre	O
1700	CM	350	CM	86 LEVEL CM	46024,7760 litre	7,035 %	608211,8941 litre	O
1700	CM	350	CM	85 LEVEL CM	45245,4447 litre	6,916 %	608991,2254 litre	O
1700	CM	350	CM	84 LEVEL CM	44470,0542 litre	6,797 %	609766,6159 litre	O
1700	CM	350	CM	83 LEVEL CM	43698,6396 litre	6,679 %	610538,0305 litre	O
1700	CM	350	CM	82 LEVEL CM	42931,2365 litre	6,562 %	611305,4336 litre	O
1700	CM	350	CM	81 LEVEL CM	42167,8813 litre	6,445 %	612068,7888 litre	O
1700	CM	350	CM	80 LEVEL CM	41408,6106 litre	6,329 %	612828,0595 litre	O
1700	CM	350	CM	79 LEVEL CM	40653,4619 litre	6,214 %	613583,2082 litre	O
1700	CM	350	CM	78 LEVEL CM	39902,4733 litre	6,099 %	614334,1968 litre	O
1700	CM	350	CM	77 LEVEL CM	39155,6833 litre	5,985 %	615080,9868 litre	O
1700	CM	350	CM	76 LEVEL CM	38413,1312 litre	5,871 %	615823,5389 litre	O
1700	CM	350	CM	75 LEVEL CM	37674,8572 litre	5,759 %	616561,8129 litre	O
1700	CM	350	CM	74 LEVEL CM	36940,9017 litre	5,646 %	617295,7684 litre	O
1700	CM	350	CM	73 LEVEL CM	36211,3064 litre	5,535 %	618025,3637 litre	O
1700	CM	350	CM	72 LEVEL CM	35486,1132 litre	5,424 %	618750,5569 litre	O
1700	CM	350	CM	71 LEVEL CM	34765,3651 litre	5,314 %	619471,3050 litre	O
1700	CM	350	CM	70 LEVEL CM	34049,1059 litre	5,204 %	620187,5642 litre	O
1700	CM	350	CM	69 LEVEL CM	33337,3801 litre	5,096 %	620899,2900 litre	O
1700	CM	350	CM	68 LEVEL CM	32630,2331 litre	4,988 %	621606,4370 litre	O
1700	CM	350	CM	67 LEVEL CM	31927,7112 litre	4,880 %	622308,9589 litre	O
1700	CM	350	CM	66 LEVEL CM	31229,8617 litre	4,773 %	623006,8084 litre	O

1700	CM	350	CM	65 LEVEL CM	30536,7327 litre	4,668 %	623699,9374 litre	O
1700	CM	350	CM	64 LEVEL CM	29848,3733 litre	4,562 %	624388,2968 litre	O
1700	CM	350	CM	63 LEVEL CM	29164,8338 litre	4,458 %	625071,8363 litre	O
1700	CM	350	CM	62 LEVEL CM	28486,1654 litre	4,354 %	625750,5047 litre	O
1700	CM	350	CM	61 LEVEL CM	27812,4205 litre	4,251 %	626424,2496 litre	O
1700	CM	350	CM	60 LEVEL CM	27143,6526 litre	4,149 %	627093,0175 litre	O
1700	CM	350	CM	59 LEVEL CM	26479,9165 litre	4,047 %	627756,7536 litre	O
1700	CM	350	CM	58 LEVEL CM	25821,2682 litre	3,947 %	628415,4019 litre	O
1700	CM	350	CM	57 LEVEL CM	25167,7649 litre	3,847 %	629068,9052 litre	O
1700	CM	350	CM	56 LEVEL CM	24519,4653 litre	3,748 %	629717,2048 litre	O
1700	CM	350	CM	55 LEVEL CM	23876,4295 litre	3,650 %	630360,2406 litre	O
1700	CM	350	CM	54 LEVEL CM	23238,7191 litre	3,552 %	630997,9510 litre	O
1700	CM	350	CM	53 LEVEL CM	22606,3972 litre	3,455 %	631630,2729 litre	O
1700	CM	350	CM	52 LEVEL CM	21979,5286 litre	3,360 %	632257,1415 litre	O
1700	CM	350	CM	51 LEVEL CM	21358,1797 litre	3,265 %	632878,4904 litre	O
1700	CM	350	CM	50 LEVEL CM	20742,4188 litre	3,170 %	633494,2513 litre	O
1700	CM	350	CM	49 LEVEL CM	20132,3159 litre	3,077 %	634104,3542 litre	O
1700	CM	350	CM	48 LEVEL CM	19527,9433 litre	2,985 %	634708,7268 litre	O
1700	CM	350	CM	47 LEVEL CM	18929,3751 litre	2,893 %	635307,2950 litre	O
1700	CM	350	CM	46 LEVEL CM	18336,6876 litre	2,803 %	635899,9825 litre	O
1700	CM	350	CM	45 LEVEL CM	17749,9594 litre	2,713 %	636486,7107 litre	O
1700	CM	350	CM	44 LEVEL CM	17169,2716 litre	2,624 %	637067,3985 litre	O
1700	CM	350	CM	43 LEVEL CM	16594,7079 litre	2,536 %	637641,9622 litre	O
1700	CM	350	CM	42 LEVEL CM	16026,3546 litre	2,450 %	638210,3155 litre	O
1700	CM	350	CM	41 LEVEL CM	15464,3008 litre	2,364 %	638772,3693 litre	O
1700	CM	350	CM	40 LEVEL CM	14908,6387 litre	2,279 %	639328,0314 litre	O
1700	CM	350	CM	39 LEVEL CM	14359,4639 litre	2,195 %	639877,2062 litre	O
1700	CM	350	CM	38 LEVEL CM	13816,8752 litre	2,112 %	640419,7949 litre	O
1700	CM	350	CM	37 LEVEL CM	13280,9750 litre	2,030 %	640955,6951 litre	O
1700	CM	350	CM	36 LEVEL CM	12751,8698 litre	1,949 %	641484,8003 litre	O
1700	CM	350	CM	35 LEVEL CM	12229,6701 litre	1,869 %	642007,0000 litre	O
1700	CM	350	CM	34 LEVEL CM	11714,4909 litre	1,791 %	642522,1792 litre	O
1700	CM	350	CM	33 LEVEL CM	11206,4521 litre	1,713 %	643030,2180 litre	O
1700	CM	350	CM	32 LEVEL CM	10705,6784 litre	1,636 %	643530,9917 litre	O
1700	CM	350	CM	31 LEVEL CM	10212,3002 litre	1,561 %	644024,3699 litre	O
1700	CM	350	CM	30 LEVEL CM	9726,4540 litre	1,487 %	644510,2161 litre	O
1700	CM	350	CM	29 LEVEL CM	9248,2826 litre	1,414 %	644988,3875 litre	O
1700	CM	350	CM	28 LEVEL CM	8777,9356 litre	1,342 %	645458,7345 litre	O
1700	CM	350	CM	27 LEVEL CM	8315,5707 litre	1,271 %	645921,0994 litre	O
1700	CM	350	CM	26 LEVEL CM	7861,3533 litre	1,202 %	646375,3168 litre	O
1700	CM	350	CM	25 LEVEL CM	7415,4585 litre	1,133 %	646821,2116 litre	O
1700	CM	350	CM	24 LEVEL CM	6978,0708 litre	1,067 %	647258,5993 litre	O
1700	CM	350	CM	23 LEVEL CM	6549,3861 litre	1,001 %	647687,2840 litre	O
1700	CM	350	CM	22 LEVEL CM	6129,6123 litre	0,937 %	648107,0578 litre	O
1700	CM	350	CM	21 LEVEL CM	5718,9710 litre	0,874 %	648517,6991 litre	O
1700	CM	350	CM	20 LEVEL CM	5317,6987 litre	0,813 %	648918,9714 litre	O
1700	CM	350	CM	19 LEVEL CM	4926,0491 litre	0,753 %	649310,6210 litre	O
1700	CM	350	CM	18 LEVEL CM	4544,2950 litre	0,695 %	649692,3751 litre	O
1700	CM	350	CM	17 LEVEL CM	4172,7309 litre	0,638 %	650063,9392 litre	O
1700	CM	350	CM	16 LEVEL CM	3811,6764 litre	0,583 %	650424,9937 litre	O
1700	CM	350	CM	15 LEVEL CM	3461,4799 litre	0,529 %	650775,1902 litre	O
1700	CM	350	CM	14 LEVEL CM	3122,5232 litre	0,477 %	651114,1469 litre	O
1700	CM	350	CM	13 LEVEL CM	2795,2276 litre	0,427 %	651441,4425 litre	O

1700	CM	350	CM	12 LEVEL CM	2480,0609 litre	0,379 %	651756,6092 litre	O
1700	CM	350	CM	11 LEVEL CM	2177,5477 litre	0,333 %	652059,1224 litre	O
1700	CM	350	CM	10 LEVEL CM	1888,2810 litre	0,289 %	652348,3891 litre	O
1700	CM	350	CM	9 LEVEL CM	1612,9399 litre	0,247 %	652623,7302 litre	O
1700	CM	350	CM	8 LEVEL CM	1352,3124 litre	0,207 %	652884,3577 litre	O
1700	CM	350	CM	7 LEVEL CM	1107,3287 litre	0,169 %	653129,3414 litre	O
1700	CM	350	CM	6 LEVEL CM	879,1108 litre	0,134 %	653357,5593 litre	O
1700	CM	350	CM	5 LEVEL CM	669,0504 litre	0,102 %	653567,6197 litre	O
1700	CM	350	CM	4 LEVEL CM	478,9396 litre	0,073 %	653757,7305 litre	O
1700	CM	350	CM	3 LEVEL CM	311,2142 litre	0,048 %	653925,4559 litre	O
1700	CM	350	CM	2 LEVEL CM	169,4763 litre	0,026 %	654067,1938 litre	O
1700	CM	350	CM	1 LEVEL CM	59,9447 litre	0,009 %	654176,7254 litre	O
1700	CM	350	CM	0 LEVEL CM	0,0000 litre	0,000 %	654236,6701 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1600	CM	300	CM	600 LEVEL CM	452389,3421 litre	100,000 %	0,0000 litre	O
1600	CM	300	CM	599 LEVEL CM	452337,1125 litre	99,988 %	52,2296 litre	O
1600	CM	300	CM	598 LEVEL CM	452241,6883 litre	99,967 %	147,6538 litre	O
1600	CM	300	CM	597 LEVEL CM	452118,2208 litre	99,940 %	271,1213 litre	O
1600	CM	300	CM	596 LEVEL CM	451972,1330 litre	99,908 %	417,2091 litre	O
1600	CM	300	CM	595 LEVEL CM	451806,5675 litre	99,871 %	582,7746 litre	O
1600	CM	300	CM	594 LEVEL CM	451623,6502 litre	99,831 %	765,6919 litre	O
1600	CM	300	CM	593 LEVEL CM	451424,9459 litre	99,787 %	964,3962 litre	O
1600	CM	300	CM	592 LEVEL CM	451211,6697 litre	99,740 %	1177,6724 litre	O
1600	CM	300	CM	591 LEVEL CM	450984,8022 litre	99,690 %	1404,5399 litre	O
1600	CM	300	CM	590 LEVEL CM	450745,1563 litre	99,637 %	1644,1858 litre	O
1600	CM	300	CM	589 LEVEL CM	450493,4211 litre	99,581 %	1895,9210 litre	O
1600	CM	300	CM	588 LEVEL CM	450230,1904 litre	99,523 %	2159,1517 litre	O
1600	CM	300	CM	587 LEVEL CM	449955,9833 litre	99,462 %	2433,3588 litre	O
1600	CM	300	CM	586 LEVEL CM	449671,2588 litre	99,399 %	2718,0833 litre	O
1600	CM	300	CM	585 LEVEL CM	449376,4266 litre	99,334 %	3012,9155 litre	O
1600	CM	300	CM	584 LEVEL CM	449071,8558 litre	99,267 %	3317,4863 litre	O
1600	CM	300	CM	583 LEVEL CM	448757,8810 litre	99,197 %	3631,4611 litre	O
1600	CM	300	CM	582 LEVEL CM	448434,8075 litre	99,126 %	3954,5346 litre	O
1600	CM	300	CM	581 LEVEL CM	448102,9157 litre	99,052 %	4286,4264 litre	O
1600	CM	300	CM	580 LEVEL CM	447762,4638 litre	98,977 %	4626,8783 litre	O
1600	CM	300	CM	579 LEVEL CM	447413,6914 litre	98,900 %	4975,6507 litre	O
1600	CM	300	CM	578 LEVEL CM	447056,8212 litre	98,821 %	5332,5209 litre	O
1600	CM	300	CM	577 LEVEL CM	446692,0609 litre	98,741 %	5697,2812 litre	O
1600	CM	300	CM	576 LEVEL CM	446319,6051 litre	98,658 %	6069,7370 litre	O
1600	CM	300	CM	575 LEVEL CM	445939,6367 litre	98,574 %	6449,7054 litre	O
1600	CM	300	CM	574 LEVEL CM	445552,3278 litre	98,489 %	6837,0143 litre	O
1600	CM	300	CM	573 LEVEL CM	445157,8409 litre	98,401 %	7231,5012 litre	O
1600	CM	300	CM	572 LEVEL CM	444756,3298 litre	98,313 %	7633,0123 litre	O
1600	CM	300	CM	571 LEVEL CM	444347,9405 litre	98,222 %	8041,4016 litre	O
1600	CM	300	CM	570 LEVEL CM	443932,8115 litre	98,131 %	8456,5306 litre	O
1600	CM	300	CM	569 LEVEL CM	443511,0749 litre	98,037 %	8878,2672 litre	O
1600	CM	300	CM	568 LEVEL CM	443082,8564 litre	97,943 %	9306,4857 litre	O
1600	CM	300	CM	567 LEVEL CM	442648,2763 litre	97,847 %	9741,0658 litre	O
1600	CM	300	CM	566 LEVEL CM	442207,4497 litre	97,749 %	10181,8924 litre	O
1600	CM	300	CM	565 LEVEL CM	441760,4867 litre	97,651 %	10628,8554 litre	O
1600	CM	300	CM	564 LEVEL CM	441307,4931 litre	97,550 %	11081,8490 litre	O
1600	CM	300	CM	563 LEVEL CM	440848,5704 litre	97,449 %	11540,7717 litre	O
1600	CM	300	CM	562 LEVEL CM	440383,8163 litre	97,346 %	12005,5258 litre	O
1600	CM	300	CM	561 LEVEL CM	439913,3249 litre	97,242 %	12476,0172 litre	O
1600	CM	300	CM	560 LEVEL CM	439437,1867 litre	97,137 %	12952,1554 litre	O
1600	CM	300	CM	559 LEVEL CM	438955,4892 litre	97,030 %	13433,8529 litre	O
1600	CM	300	CM	558 LEVEL CM	438468,3169 litre	96,923 %	13921,0252 litre	O
1600	CM	300	CM	557 LEVEL CM	437975,7514 litre	96,814 %	14413,5907 litre	O
1600	CM	300	CM	556 LEVEL CM	437477,8718 litre	96,704 %	14911,4703 litre	O
1600	CM	300	CM	555 LEVEL CM	436974,7543 litre	96,593 %	15414,5878 litre	O
1600	CM	300	CM	554 LEVEL CM	436466,4733 litre	96,480 %	15922,8688 litre	O
1600	CM	300	CM	553 LEVEL CM	435953,1006 litre	96,367 %	16436,2415 litre	O
1600	CM	300	CM	552 LEVEL CM	435434,7059 litre	96,252 %	16954,6362 litre	O
1600	CM	300	CM	551 LEVEL CM	434911,3569 litre	96,137 %	17477,9852 litre	O
1600	CM	300	CM	550 LEVEL CM	434383,1197 litre	96,020 %	18006,2224 litre	O
1600	CM	300	CM	549 LEVEL CM	433850,0581 litre	95,902 %	18539,2840 litre	O

1600	CM	300	CM	548 LEVEL CM	433312,2344 litre	95,783 %	19077,1077 litre	O
1600	CM	300	CM	547 LEVEL CM	432769,7095 litre	95,663 %	19619,6326 litre	O
1600	CM	300	CM	546 LEVEL CM	432222,5423 litre	95,542 %	20166,7998 litre	O
1600	CM	300	CM	545 LEVEL CM	431670,7905 litre	95,420 %	20718,5516 litre	O
1600	CM	300	CM	544 LEVEL CM	431114,5103 litre	95,297 %	21274,8318 litre	O
1600	CM	300	CM	543 LEVEL CM	430553,7564 litre	95,173 %	21835,5857 litre	O
1600	CM	300	CM	542 LEVEL CM	429988,5825 litre	95,048 %	22400,7596 litre	O
1600	CM	300	CM	541 LEVEL CM	429419,0408 litre	94,922 %	22970,3013 litre	O
1600	CM	300	CM	540 LEVEL CM	428845,1825 litre	94,796 %	23544,1596 litre	O
1600	CM	300	CM	539 LEVEL CM	428267,0573 litre	94,668 %	24122,2848 litre	O
1600	CM	300	CM	538 LEVEL CM	427684,7142 litre	94,539 %	24704,6279 litre	O
1600	CM	300	CM	537 LEVEL CM	427098,2011 litre	94,409 %	25291,1410 litre	O
1600	CM	300	CM	536 LEVEL CM	426507,5645 litre	94,279 %	25881,7776 litre	O
1600	CM	300	CM	535 LEVEL CM	425912,8505 litre	94,147 %	26476,4916 litre	O
1600	CM	300	CM	534 LEVEL CM	425314,1037 litre	94,015 %	27075,2384 litre	O
1600	CM	300	CM	533 LEVEL CM	424711,3683 litre	93,882 %	27677,9738 litre	O
1600	CM	300	CM	532 LEVEL CM	424104,6873 litre	93,748 %	28284,6548 litre	O
1600	CM	300	CM	531 LEVEL CM	423494,1029 litre	93,613 %	28895,2392 litre	O
1600	CM	300	CM	530 LEVEL CM	422879,6567 litre	93,477 %	29509,6854 litre	O
1600	CM	300	CM	529 LEVEL CM	422261,3893 litre	93,340 %	30127,9528 litre	O
1600	CM	300	CM	528 LEVEL CM	421639,3407 litre	93,203 %	30750,0014 litre	O
1600	CM	300	CM	527 LEVEL CM	421013,5500 litre	93,064 %	31375,7921 litre	O
1600	CM	300	CM	526 LEVEL CM	420384,0557 litre	92,925 %	32005,2864 litre	O
1600	CM	300	CM	525 LEVEL CM	419750,8958 litre	92,785 %	32638,4463 litre	O
1600	CM	300	CM	524 LEVEL CM	419114,1074 litre	92,645 %	33275,2347 litre	O
1600	CM	300	CM	523 LEVEL CM	418473,7270 litre	92,503 %	33915,6151 litre	O
1600	CM	300	CM	522 LEVEL CM	417829,7906 litre	92,361 %	34559,5515 litre	O
1600	CM	300	CM	521 LEVEL CM	417182,3335 litre	92,218 %	35207,0086 litre	O
1600	CM	300	CM	520 LEVEL CM	416531,3905 litre	92,074 %	35857,9516 litre	O
1600	CM	300	CM	519 LEVEL CM	415876,9958 litre	91,929 %	36512,3463 litre	O
1600	CM	300	CM	518 LEVEL CM	415219,1831 litre	91,784 %	37170,1590 litre	O
1600	CM	300	CM	517 LEVEL CM	414557,9856 litre	91,637 %	37831,3565 litre	O
1600	CM	300	CM	516 LEVEL CM	413893,4358 litre	91,491 %	38495,9063 litre	O
1600	CM	300	CM	515 LEVEL CM	413225,5660 litre	91,343 %	39163,7761 litre	O
1600	CM	300	CM	514 LEVEL CM	412554,4078 litre	91,195 %	39834,9343 litre	O
1600	CM	300	CM	513 LEVEL CM	411879,9925 litre	91,045 %	40509,3496 litre	O
1600	CM	300	CM	512 LEVEL CM	411202,3508 litre	90,896 %	41186,9913 litre	O
1600	CM	300	CM	511 LEVEL CM	410521,5130 litre	90,745 %	41867,8291 litre	O
1600	CM	300	CM	510 LEVEL CM	409837,5091 litre	90,594 %	42551,8330 litre	O
1600	CM	300	CM	509 LEVEL CM	409150,3686 litre	90,442 %	43238,9735 litre	O
1600	CM	300	CM	508 LEVEL CM	408460,1204 litre	90,290 %	43929,2217 litre	O
1600	CM	300	CM	507 LEVEL CM	407766,7934 litre	90,136 %	44622,5487 litre	O
1600	CM	300	CM	506 LEVEL CM	407070,4158 litre	89,982 %	45318,9263 litre	O
1600	CM	300	CM	505 LEVEL CM	406371,0156 litre	89,828 %	46018,3265 litre	O
1600	CM	300	CM	504 LEVEL CM	405668,6204 litre	89,672 %	46720,7217 litre	O
1600	CM	300	CM	503 LEVEL CM	404963,2574 litre	89,517 %	47426,0847 litre	O
1600	CM	300	CM	502 LEVEL CM	404254,9535 litre	89,360 %	48134,3886 litre	O
1600	CM	300	CM	501 LEVEL CM	403543,7352 litre	89,203 %	48845,6069 litre	O
1600	CM	300	CM	500 LEVEL CM	402829,6288 litre	89,045 %	49559,7133 litre	O
1600	CM	300	CM	499 LEVEL CM	402112,6603 litre	88,886 %	50276,6818 litre	O
1600	CM	300	CM	498 LEVEL CM	401392,8551 litre	88,727 %	50996,4870 litre	O
1600	CM	300	CM	497 LEVEL CM	400670,2387 litre	88,568 %	51719,1034 litre	O
1600	CM	300	CM	496 LEVEL CM	399944,8360 litre	88,407 %	52444,5061 litre	O

1600	CM	300	CM	495 LEVEL CM	399216,6718 litre	88,246 %	53172,6703 litre	O
1600	CM	300	CM	494 LEVEL CM	398485,7704 litre	88,085 %	53903,5717 litre	O
1600	CM	300	CM	493 LEVEL CM	397752,1562 litre	87,923 %	54637,1859 litre	O
1600	CM	300	CM	492 LEVEL CM	397015,8529 litre	87,760 %	55373,4892 litre	O
1600	CM	300	CM	491 LEVEL CM	396276,8842 litre	87,596 %	56112,4579 litre	O
1600	CM	300	CM	490 LEVEL CM	395535,2735 litre	87,432 %	56854,0686 litre	O
1600	CM	300	CM	489 LEVEL CM	394791,0440 litre	87,268 %	57598,2981 litre	O
1600	CM	300	CM	488 LEVEL CM	394044,2184 litre	87,103 %	58345,1237 litre	O
1600	CM	300	CM	487 LEVEL CM	393294,8196 litre	86,937 %	59094,5225 litre	O
1600	CM	300	CM	486 LEVEL CM	392542,8699 litre	86,771 %	59846,4722 litre	O
1600	CM	300	CM	485 LEVEL CM	391788,3915 litre	86,604 %	60600,9506 litre	O
1600	CM	300	CM	484 LEVEL CM	391031,4064 litre	86,437 %	61357,9357 litre	O
1600	CM	300	CM	483 LEVEL CM	390271,9363 litre	86,269 %	62117,4058 litre	O
1600	CM	300	CM	482 LEVEL CM	389510,0028 litre	86,101 %	62879,3393 litre	O
1600	CM	300	CM	481 LEVEL CM	388745,6272 litre	85,932 %	63643,7149 litre	O
1600	CM	300	CM	480 LEVEL CM	387978,8307 litre	85,762 %	64410,5114 litre	O
1600	CM	300	CM	479 LEVEL CM	387209,6342 litre	85,592 %	65179,7079 litre	O
1600	CM	300	CM	478 LEVEL CM	386438,0584 litre	85,422 %	65951,2837 litre	O
1600	CM	300	CM	477 LEVEL CM	385664,1238 litre	85,250 %	66725,2183 litre	O
1600	CM	300	CM	476 LEVEL CM	384887,8509 litre	85,079 %	67501,4912 litre	O
1600	CM	300	CM	475 LEVEL CM	384109,2598 litre	84,907 %	68280,0823 litre	O
1600	CM	300	CM	474 LEVEL CM	383328,3704 litre	84,734 %	69060,9717 litre	O
1600	CM	300	CM	473 LEVEL CM	382545,2027 litre	84,561 %	69844,1394 litre	O
1600	CM	300	CM	472 LEVEL CM	381759,7763 litre	84,387 %	70629,5658 litre	O
1600	CM	300	CM	471 LEVEL CM	380972,1105 litre	84,213 %	71417,2316 litre	O
1600	CM	300	CM	470 LEVEL CM	380182,2249 litre	84,039 %	72207,1172 litre	O
1600	CM	300	CM	469 LEVEL CM	379390,1384 litre	83,864 %	72999,2037 litre	O
1600	CM	300	CM	468 LEVEL CM	378595,8701 litre	83,688 %	73793,4720 litre	O
1600	CM	300	CM	467 LEVEL CM	377799,4388 litre	83,512 %	74589,9033 litre	O
1600	CM	300	CM	466 LEVEL CM	377000,8633 litre	83,335 %	75388,4788 litre	O
1600	CM	300	CM	465 LEVEL CM	376200,1619 litre	83,158 %	76189,1802 litre	O
1600	CM	300	CM	464 LEVEL CM	375397,3532 litre	82,981 %	76991,9889 litre	O
1600	CM	300	CM	463 LEVEL CM	374592,4554 litre	82,803 %	77796,8867 litre	O
1600	CM	300	CM	462 LEVEL CM	373785,4865 litre	82,625 %	78603,8556 litre	O
1600	CM	300	CM	461 LEVEL CM	372976,4645 litre	82,446 %	79412,8776 litre	O
1600	CM	300	CM	460 LEVEL CM	372165,4073 litre	82,267 %	80223,9348 litre	O
1600	CM	300	CM	459 LEVEL CM	371352,3325 litre	82,087 %	81037,0096 litre	O
1600	CM	300	CM	458 LEVEL CM	370537,2576 litre	81,907 %	81852,0845 litre	O
1600	CM	300	CM	457 LEVEL CM	369720,2002 litre	81,726 %	82669,1419 litre	O
1600	CM	300	CM	456 LEVEL CM	368901,1775 litre	81,545 %	83488,1646 litre	O
1600	CM	300	CM	455 LEVEL CM	368080,2067 litre	81,364 %	84309,1354 litre	O
1600	CM	300	CM	454 LEVEL CM	367257,3048 litre	81,182 %	85132,0373 litre	O
1600	CM	300	CM	453 LEVEL CM	366432,4889 litre	80,999 %	85956,8532 litre	O
1600	CM	300	CM	452 LEVEL CM	365605,7756 litre	80,817 %	86783,5665 litre	O
1600	CM	300	CM	451 LEVEL CM	364777,1817 litre	80,633 %	87612,1604 litre	O
1600	CM	300	CM	450 LEVEL CM	363946,7238 litre	80,450 %	88442,6183 litre	O
1600	CM	300	CM	449 LEVEL CM	363114,4184 litre	80,266 %	89274,9237 litre	O
1600	CM	300	CM	448 LEVEL CM	362280,2818 litre	80,082 %	90109,0603 litre	O
1600	CM	300	CM	447 LEVEL CM	361444,3303 litre	79,897 %	90945,0118 litre	O
1600	CM	300	CM	446 LEVEL CM	360606,5801 litre	79,712 %	91782,7620 litre	O
1600	CM	300	CM	445 LEVEL CM	359767,0472 litre	79,526 %	92622,2949 litre	O
1600	CM	300	CM	444 LEVEL CM	358925,7475 litre	79,340 %	93463,5946 litre	O
1600	CM	300	CM	443 LEVEL CM	358082,6970 litre	79,154 %	94306,6451 litre	O

1600	CM	300	CM	442 LEVEL CM	357237,9113 litre	78,967 %	95151,4308 litre	O
1600	CM	300	CM	441 LEVEL CM	356391,4061 litre	78,780 %	95997,9360 litre	O
1600	CM	300	CM	440 LEVEL CM	355543,1969 litre	78,592 %	96846,1452 litre	O
1600	CM	300	CM	439 LEVEL CM	354693,2993 litre	78,404 %	97696,0428 litre	O
1600	CM	300	CM	438 LEVEL CM	353841,7286 litre	78,216 %	98547,6135 litre	O
1600	CM	300	CM	437 LEVEL CM	352988,5001 litre	78,028 %	99400,8420 litre	O
1600	CM	300	CM	436 LEVEL CM	352133,6289 litre	77,839 %	100255,7132 litre	O
1600	CM	300	CM	435 LEVEL CM	351277,1302 litre	77,649 %	101112,2119 litre	O
1600	CM	300	CM	434 LEVEL CM	350419,0191 litre	77,460 %	101970,3230 litre	O
1600	CM	300	CM	433 LEVEL CM	349559,3104 litre	77,270 %	102830,0317 litre	O
1600	CM	300	CM	432 LEVEL CM	348698,0189 litre	77,079 %	103691,3232 litre	O
1600	CM	300	CM	431 LEVEL CM	347835,1595 litre	76,888 %	104554,1826 litre	O
1600	CM	300	CM	430 LEVEL CM	346970,7469 litre	76,697 %	105418,5952 litre	O
1600	CM	300	CM	429 LEVEL CM	346104,7956 litre	76,506 %	106284,5465 litre	O
1600	CM	300	CM	428 LEVEL CM	345237,3203 litre	76,314 %	107152,0218 litre	O
1600	CM	300	CM	427 LEVEL CM	344368,3353 litre	76,122 %	108021,0068 litre	O
1600	CM	300	CM	426 LEVEL CM	343497,8550 litre	75,930 %	108891,4871 litre	O
1600	CM	300	CM	425 LEVEL CM	342625,8937 litre	75,737 %	109763,4484 litre	O
1600	CM	300	CM	424 LEVEL CM	341752,4658 litre	75,544 %	110636,8763 litre	O
1600	CM	300	CM	423 LEVEL CM	340877,5853 litre	75,350 %	111511,7568 litre	O
1600	CM	300	CM	422 LEVEL CM	340001,2663 litre	75,157 %	112388,0758 litre	O
1600	CM	300	CM	421 LEVEL CM	339123,5228 litre	74,963 %	113265,8193 litre	O
1600	CM	300	CM	420 LEVEL CM	338244,3689 litre	74,768 %	114144,9732 litre	O
1600	CM	300	CM	419 LEVEL CM	337363,8184 litre	74,574 %	115025,5237 litre	O
1600	CM	300	CM	418 LEVEL CM	336481,8851 litre	74,379 %	115907,4570 litre	O
1600	CM	300	CM	417 LEVEL CM	335598,5827 litre	74,184 %	116790,7594 litre	O
1600	CM	300	CM	416 LEVEL CM	334713,9251 litre	73,988 %	117675,4170 litre	O
1600	CM	300	CM	415 LEVEL CM	333827,9258 litre	73,792 %	118561,4163 litre	O
1600	CM	300	CM	414 LEVEL CM	332940,5983 litre	73,596 %	119448,7438 litre	O
1600	CM	300	CM	413 LEVEL CM	332051,9562 litre	73,400 %	120337,3859 litre	O
1600	CM	300	CM	412 LEVEL CM	331162,0129 litre	73,203 %	121227,3292 litre	O
1600	CM	300	CM	411 LEVEL CM	330270,7819 litre	73,006 %	122118,5602 litre	O
1600	CM	300	CM	410 LEVEL CM	329378,2764 litre	72,809 %	123011,0657 litre	O
1600	CM	300	CM	409 LEVEL CM	328484,5097 litre	72,611 %	123904,8324 litre	O
1600	CM	300	CM	408 LEVEL CM	327589,4951 litre	72,413 %	124799,8470 litre	O
1600	CM	300	CM	407 LEVEL CM	326693,2457 litre	72,215 %	125696,0964 litre	O
1600	CM	300	CM	406 LEVEL CM	325795,7746 litre	72,017 %	126593,5675 litre	O
1600	CM	300	CM	405 LEVEL CM	324897,0949 litre	71,818 %	127492,2472 litre	O
1600	CM	300	CM	404 LEVEL CM	323997,2195 litre	71,619 %	128392,1226 litre	O
1600	CM	300	CM	403 LEVEL CM	323096,1614 litre	71,420 %	129293,1807 litre	O
1600	CM	300	CM	402 LEVEL CM	322193,9336 litre	71,220 %	130195,4085 litre	O
1600	CM	300	CM	401 LEVEL CM	321290,5489 litre	71,021 %	131098,7932 litre	O
1600	CM	300	CM	400 LEVEL CM	320386,0200 litre	70,821 %	132003,3221 litre	O
1600	CM	300	CM	399 LEVEL CM	319480,3598 litre	70,621 %	132908,9823 litre	O
1600	CM	300	CM	398 LEVEL CM	318573,5809 litre	70,420 %	133815,7612 litre	O
1600	CM	300	CM	397 LEVEL CM	317665,6959 litre	70,220 %	134723,6462 litre	O
1600	CM	300	CM	396 LEVEL CM	316756,7176 litre	70,019 %	135632,6245 litre	O
1600	CM	300	CM	395 LEVEL CM	315846,6584 litre	69,817 %	136542,6837 litre	O
1600	CM	300	CM	394 LEVEL CM	314935,5309 litre	69,616 %	137453,8112 litre	O
1600	CM	300	CM	393 LEVEL CM	314023,3476 litre	69,414 %	138365,9945 litre	O
1600	CM	300	CM	392 LEVEL CM	313110,1209 litre	69,213 %	139279,2212 litre	O
1600	CM	300	CM	391 LEVEL CM	312195,8631 litre	69,010 %	140193,4790 litre	O
1600	CM	300	CM	390 LEVEL CM	311280,5867 litre	68,808 %	141108,7554 litre	O

1600	CM	300	CM	389 LEVEL CM	310364,3040 litre	68,606 %	142025,0381 litre	O
1600	CM	300	CM	388 LEVEL CM	309447,0271 litre	68,403 %	142942,3150 litre	O
1600	CM	300	CM	387 LEVEL CM	308528,7684 litre	68,200 %	143860,5737 litre	O
1600	CM	300	CM	386 LEVEL CM	307609,5400 litre	67,997 %	144779,8021 litre	O
1600	CM	300	CM	385 LEVEL CM	306689,3541 litre	67,793 %	145699,9880 litre	O
1600	CM	300	CM	384 LEVEL CM	305768,2228 litre	67,590 %	146621,1193 litre	O
1600	CM	300	CM	383 LEVEL CM	304846,1581 litre	67,386 %	147543,1840 litre	O
1600	CM	300	CM	382 LEVEL CM	303923,1722 litre	67,182 %	148466,1699 litre	O
1600	CM	300	CM	381 LEVEL CM	302999,2769 litre	66,978 %	149390,0652 litre	O
1600	CM	300	CM	380 LEVEL CM	302074,4843 litre	66,773 %	150314,8578 litre	O
1600	CM	300	CM	379 LEVEL CM	301148,8064 litre	66,569 %	151240,5357 litre	O
1600	CM	300	CM	378 LEVEL CM	300222,2549 litre	66,364 %	152167,0872 litre	O
1600	CM	300	CM	377 LEVEL CM	299294,8418 litre	66,159 %	153094,5003 litre	O
1600	CM	300	CM	376 LEVEL CM	298366,5788 litre	65,953 %	154022,7633 litre	O
1600	CM	300	CM	375 LEVEL CM	297437,4779 litre	65,748 %	154951,8642 litre	O
1600	CM	300	CM	374 LEVEL CM	296507,5508 litre	65,543 %	155881,7913 litre	O
1600	CM	300	CM	373 LEVEL CM	295576,8091 litre	65,337 %	156812,5330 litre	O
1600	CM	300	CM	372 LEVEL CM	294645,2646 litre	65,131 %	157744,0775 litre	O
1600	CM	300	CM	371 LEVEL CM	293712,9290 litre	64,925 %	158676,4131 litre	O
1600	CM	300	CM	370 LEVEL CM	292779,8140 litre	64,719 %	159609,5281 litre	O
1600	CM	300	CM	369 LEVEL CM	291845,9310 litre	64,512 %	160543,4111 litre	O
1600	CM	300	CM	368 LEVEL CM	290911,2918 litre	64,306 %	161478,0503 litre	O
1600	CM	300	CM	367 LEVEL CM	289975,9079 litre	64,099 %	162413,4342 litre	O
1600	CM	300	CM	366 LEVEL CM	289039,7908 litre	63,892 %	163349,5513 litre	O
1600	CM	300	CM	365 LEVEL CM	288102,9519 litre	63,685 %	164286,3902 litre	O
1600	CM	300	CM	364 LEVEL CM	287165,4029 litre	63,477 %	165223,9392 litre	O
1600	CM	300	CM	363 LEVEL CM	286227,1552 litre	63,270 %	166162,1869 litre	O
1600	CM	300	CM	362 LEVEL CM	285288,2201 litre	63,063 %	167101,1220 litre	O
1600	CM	300	CM	361 LEVEL CM	284348,6091 litre	62,855 %	168040,7330 litre	O
1600	CM	300	CM	360 LEVEL CM	283408,3335 litre	62,647 %	168981,0086 litre	O
1600	CM	300	CM	359 LEVEL CM	282467,4047 litre	62,439 %	169921,9374 litre	O
1600	CM	300	CM	358 LEVEL CM	281525,8341 litre	62,231 %	170863,5080 litre	O
1600	CM	300	CM	357 LEVEL CM	280583,6329 litre	62,023 %	171805,7092 litre	O
1600	CM	300	CM	356 LEVEL CM	279640,8124 litre	61,814 %	172748,5297 litre	O
1600	CM	300	CM	355 LEVEL CM	278697,3839 litre	61,606 %	173691,9582 litre	O
1600	CM	300	CM	354 LEVEL CM	277753,3586 litre	61,397 %	174635,9835 litre	O
1600	CM	300	CM	353 LEVEL CM	276808,7477 litre	61,188 %	175580,5944 litre	O
1600	CM	300	CM	352 LEVEL CM	275863,5625 litre	60,979 %	176525,7796 litre	O
1600	CM	300	CM	351 LEVEL CM	274917,8141 litre	60,770 %	177471,5280 litre	O
1600	CM	300	CM	350 LEVEL CM	273971,5136 litre	60,561 %	178417,8285 litre	O
1600	CM	300	CM	349 LEVEL CM	273024,6722 litre	60,352 %	179364,6699 litre	O
1600	CM	300	CM	348 LEVEL CM	272077,3011 litre	60,142 %	180312,0410 litre	O
1600	CM	300	CM	347 LEVEL CM	271129,4113 litre	59,933 %	181259,9308 litre	O
1600	CM	300	CM	346 LEVEL CM	270181,0138 litre	59,723 %	182208,3283 litre	O
1600	CM	300	CM	345 LEVEL CM	269232,1199 litre	59,513 %	183157,2222 litre	O
1600	CM	300	CM	344 LEVEL CM	268282,7404 litre	59,304 %	184106,6017 litre	O
1600	CM	300	CM	343 LEVEL CM	267332,8865 litre	59,094 %	185056,4556 litre	O
1600	CM	300	CM	342 LEVEL CM	266382,5691 litre	58,883 %	186006,7730 litre	O
1600	CM	300	CM	341 LEVEL CM	265431,7992 litre	58,673 %	186957,5429 litre	O
1600	CM	300	CM	340 LEVEL CM	264480,5879 litre	58,463 %	187908,7542 litre	O
1600	CM	300	CM	339 LEVEL CM	263528,9461 litre	58,253 %	188860,3960 litre	O
1600	CM	300	CM	338 LEVEL CM	262576,8847 litre	58,042 %	189812,4574 litre	O
1600	CM	300	CM	337 LEVEL CM	261624,4147 litre	57,832 %	190764,9274 litre	O

1600	CM	300	CM	336 LEVEL CM	260671,5470 litre	57,621 %	191717,7951 litre	O
1600	CM	300	CM	335 LEVEL CM	259718,2925 litre	57,410 %	192671,0496 litre	O
1600	CM	300	CM	334 LEVEL CM	258764,6620 litre	57,200 %	193624,6801 litre	O
1600	CM	300	CM	333 LEVEL CM	257810,6666 litre	56,989 %	194578,6755 litre	O
1600	CM	300	CM	332 LEVEL CM	256856,3170 litre	56,778 %	195533,0251 litre	O
1600	CM	300	CM	331 LEVEL CM	255901,6241 litre	56,567 %	196487,7180 litre	O
1600	CM	300	CM	330 LEVEL CM	254946,5988 litre	56,356 %	197442,7433 litre	O
1600	CM	300	CM	329 LEVEL CM	253991,2519 litre	56,144 %	198398,0902 litre	O
1600	CM	300	CM	328 LEVEL CM	253035,5941 litre	55,933 %	199353,7480 litre	O
1600	CM	300	CM	327 LEVEL CM	252079,6364 litre	55,722 %	200309,7057 litre	O
1600	CM	300	CM	326 LEVEL CM	251123,3895 litre	55,510 %	201265,9526 litre	O
1600	CM	300	CM	325 LEVEL CM	250166,8643 litre	55,299 %	202222,4778 litre	O
1600	CM	300	CM	324 LEVEL CM	249210,0714 litre	55,088 %	203179,2707 litre	O
1600	CM	300	CM	323 LEVEL CM	248253,0217 litre	54,876 %	204136,3204 litre	O
1600	CM	300	CM	322 LEVEL CM	247295,7260 litre	54,664 %	205093,6161 litre	O
1600	CM	300	CM	321 LEVEL CM	246338,1949 litre	54,453 %	206051,1472 litre	O
1600	CM	300	CM	320 LEVEL CM	245380,4393 litre	54,241 %	207008,9028 litre	O
1600	CM	300	CM	319 LEVEL CM	244422,4699 litre	54,029 %	207966,8722 litre	O
1600	CM	300	CM	318 LEVEL CM	243464,2975 litre	53,817 %	208925,0446 litre	O
1600	CM	300	CM	317 LEVEL CM	242505,9326 litre	53,606 %	209883,4095 litre	O
1600	CM	300	CM	316 LEVEL CM	241547,3862 litre	53,394 %	210841,9559 litre	O
1600	CM	300	CM	315 LEVEL CM	240588,6688 litre	53,182 %	211800,6733 litre	O
1600	CM	300	CM	314 LEVEL CM	239629,7912 litre	52,970 %	212759,5509 litre	O
1600	CM	300	CM	313 LEVEL CM	238670,7642 litre	52,758 %	213718,5779 litre	O
1600	CM	300	CM	312 LEVEL CM	237711,5983 litre	52,546 %	214677,7438 litre	O
1600	CM	300	CM	311 LEVEL CM	236752,3044 litre	52,334 %	215637,0377 litre	O
1600	CM	300	CM	310 LEVEL CM	235792,8930 litre	52,122 %	216596,4491 litre	O
1600	CM	300	CM	309 LEVEL CM	234833,3749 litre	51,910 %	217555,9672 litre	O
1600	CM	300	CM	308 LEVEL CM	233873,7607 litre	51,697 %	218515,5814 litre	O
1600	CM	300	CM	307 LEVEL CM	232914,0612 litre	51,485 %	219475,2809 litre	O
1600	CM	300	CM	306 LEVEL CM	231954,2870 litre	51,273 %	220435,0551 litre	O
1600	CM	300	CM	305 LEVEL CM	230994,4488 litre	51,061 %	221394,8933 litre	O
1600	CM	300	CM	304 LEVEL CM	230034,5573 litre	50,849 %	222354,7848 litre	O
1600	CM	300	CM	303 LEVEL CM	229074,6231 litre	50,637 %	223314,7190 litre	O
1600	CM	300	CM	302 LEVEL CM	228114,6568 litre	50,424 %	224274,6853 litre	O
1600	CM	300	CM	301 LEVEL CM	227154,6693 litre	50,212 %	225234,6728 litre	O
1600	CM	300	CM	300 LEVEL CM	226194,6711 litre	50,000 %	226194,6710 litre	O
1600	CM	300	CM	299 LEVEL CM	225234,6728 litre	49,788 %	227154,6693 litre	O
1600	CM	300	CM	298 LEVEL CM	224274,6853 litre	49,576 %	228114,6568 litre	O
1600	CM	300	CM	297 LEVEL CM	223314,7191 litre	49,363 %	229074,6230 litre	O
1600	CM	300	CM	296 LEVEL CM	222354,7848 litre	49,151 %	230034,5573 litre	O
1600	CM	300	CM	295 LEVEL CM	221394,8933 litre	48,939 %	230994,4488 litre	O
1600	CM	300	CM	294 LEVEL CM	220435,0551 litre	48,727 %	231954,2870 litre	O
1600	CM	300	CM	293 LEVEL CM	219475,2809 litre	48,515 %	232914,0612 litre	O
1600	CM	300	CM	292 LEVEL CM	218515,5814 litre	48,303 %	233873,7607 litre	O
1600	CM	300	CM	291 LEVEL CM	217555,9672 litre	48,090 %	234833,3749 litre	O
1600	CM	300	CM	290 LEVEL CM	216596,4491 litre	47,878 %	235792,8930 litre	O
1600	CM	300	CM	289 LEVEL CM	215637,0378 litre	47,666 %	236752,3043 litre	O
1600	CM	300	CM	288 LEVEL CM	214677,7438 litre	47,454 %	237711,5983 litre	O
1600	CM	300	CM	287 LEVEL CM	213718,5779 litre	47,242 %	238670,7642 litre	O
1600	CM	300	CM	286 LEVEL CM	212759,5509 litre	47,030 %	239629,7912 litre	O
1600	CM	300	CM	285 LEVEL CM	211800,6733 litre	46,818 %	240588,6688 litre	O
1600	CM	300	CM	284 LEVEL CM	210841,9559 litre	46,606 %	241547,3862 litre	O

1600	CM	300	CM	283 LEVEL CM	209883,4095 litre	46,394 %	242505,9326 litre	O
1600	CM	300	CM	282 LEVEL CM	208925,0447 litre	46,183 %	243464,2974 litre	O
1600	CM	300	CM	281 LEVEL CM	207966,8722 litre	45,971 %	244422,4699 litre	O
1600	CM	300	CM	280 LEVEL CM	207008,9028 litre	45,759 %	245380,4393 litre	O
1600	CM	300	CM	279 LEVEL CM	206051,1472 litre	45,547 %	246338,1949 litre	O
1600	CM	300	CM	278 LEVEL CM	205093,6161 litre	45,336 %	247295,7260 litre	O
1600	CM	300	CM	277 LEVEL CM	204136,3204 litre	45,124 %	248253,0217 litre	O
1600	CM	300	CM	276 LEVEL CM	203179,2707 litre	44,912 %	249210,0714 litre	O
1600	CM	300	CM	275 LEVEL CM	202222,4778 litre	44,701 %	250166,8643 litre	O
1600	CM	300	CM	274 LEVEL CM	201265,9526 litre	44,490 %	251123,3895 litre	O
1600	CM	300	CM	273 LEVEL CM	200309,7057 litre	44,278 %	252079,6364 litre	O
1600	CM	300	CM	272 LEVEL CM	199353,7480 litre	44,067 %	253035,5941 litre	O
1600	CM	300	CM	271 LEVEL CM	198398,0903 litre	43,856 %	253991,2518 litre	O
1600	CM	300	CM	270 LEVEL CM	197442,7433 litre	43,644 %	254946,5988 litre	O
1600	CM	300	CM	269 LEVEL CM	196487,7180 litre	43,433 %	255901,6241 litre	O
1600	CM	300	CM	268 LEVEL CM	195533,0251 litre	43,222 %	256856,3170 litre	O
1600	CM	300	CM	267 LEVEL CM	194578,6755 litre	43,011 %	257810,6666 litre	O
1600	CM	300	CM	266 LEVEL CM	193624,6801 litre	42,800 %	258764,6620 litre	O
1600	CM	300	CM	265 LEVEL CM	192671,0497 litre	42,590 %	259718,2924 litre	O
1600	CM	300	CM	264 LEVEL CM	191717,7951 litre	42,379 %	260671,5470 litre	O
1600	CM	300	CM	263 LEVEL CM	190764,9274 litre	42,168 %	261624,4147 litre	O
1600	CM	300	CM	262 LEVEL CM	189812,4574 litre	41,958 %	262576,8847 litre	O
1600	CM	300	CM	261 LEVEL CM	188860,3960 litre	41,747 %	263528,9461 litre	O
1600	CM	300	CM	260 LEVEL CM	187908,7542 litre	41,537 %	264480,5879 litre	O
1600	CM	300	CM	259 LEVEL CM	186957,5429 litre	41,327 %	265431,7992 litre	O
1600	CM	300	CM	258 LEVEL CM	186006,7730 litre	41,117 %	266382,5691 litre	O
1600	CM	300	CM	257 LEVEL CM	185056,4556 litre	40,906 %	267332,8865 litre	O
1600	CM	300	CM	256 LEVEL CM	184106,6017 litre	40,696 %	268282,7404 litre	O
1600	CM	300	CM	255 LEVEL CM	183157,2223 litre	40,487 %	269232,1198 litre	O
1600	CM	300	CM	254 LEVEL CM	182208,3283 litre	40,277 %	270181,0138 litre	O
1600	CM	300	CM	253 LEVEL CM	181259,9309 litre	40,067 %	271129,4112 litre	O
1600	CM	300	CM	252 LEVEL CM	180312,0410 litre	39,858 %	272077,3011 litre	O
1600	CM	300	CM	251 LEVEL CM	179364,6699 litre	39,648 %	273024,6722 litre	O
1600	CM	300	CM	250 LEVEL CM	178417,8285 litre	39,439 %	273971,5136 litre	O
1600	CM	300	CM	249 LEVEL CM	177471,5281 litre	39,230 %	274917,8140 litre	O
1600	CM	300	CM	248 LEVEL CM	176525,7796 litre	39,021 %	275863,5625 litre	O
1600	CM	300	CM	247 LEVEL CM	175580,5944 litre	38,812 %	276808,7477 litre	O
1600	CM	300	CM	246 LEVEL CM	174635,9835 litre	38,603 %	277753,3586 litre	O
1600	CM	300	CM	245 LEVEL CM	173691,9582 litre	38,394 %	278697,3839 litre	O
1600	CM	300	CM	244 LEVEL CM	172748,5297 litre	38,186 %	279640,8124 litre	O
1600	CM	300	CM	243 LEVEL CM	171805,7092 litre	37,977 %	280583,6329 litre	O
1600	CM	300	CM	242 LEVEL CM	170863,5080 litre	37,769 %	281525,8341 litre	O
1600	CM	300	CM	241 LEVEL CM	169921,9374 litre	37,561 %	282467,4047 litre	O
1600	CM	300	CM	240 LEVEL CM	168981,0086 litre	37,353 %	283408,3335 litre	O
1600	CM	300	CM	239 LEVEL CM	168040,7331 litre	37,145 %	284348,6090 litre	O
1600	CM	300	CM	238 LEVEL CM	167101,1220 litre	36,937 %	285288,2201 litre	O
1600	CM	300	CM	237 LEVEL CM	166162,1869 litre	36,730 %	286227,1552 litre	O
1600	CM	300	CM	236 LEVEL CM	165223,9392 litre	36,523 %	287165,4029 litre	O
1600	CM	300	CM	235 LEVEL CM	164286,3902 litre	36,315 %	288102,9519 litre	O
1600	CM	300	CM	234 LEVEL CM	163349,5514 litre	36,108 %	289039,7907 litre	O
1600	CM	300	CM	233 LEVEL CM	162413,4342 litre	35,901 %	289975,9079 litre	O
1600	CM	300	CM	232 LEVEL CM	161478,0503 litre	35,694 %	290911,2918 litre	O
1600	CM	300	CM	231 LEVEL CM	160543,4111 litre	35,488 %	291845,9310 litre	O

1600	CM	300	CM	230 LEVEL CM	159609,5282 litre	35,281 %	292779,8139 litre	O
1600	CM	300	CM	229 LEVEL CM	158676,4131 litre	35,075 %	293712,9290 litre	O
1600	CM	300	CM	228 LEVEL CM	157744,0775 litre	34,869 %	294645,2646 litre	O
1600	CM	300	CM	227 LEVEL CM	156812,5330 litre	34,663 %	295576,8091 litre	O
1600	CM	300	CM	226 LEVEL CM	155881,7914 litre	34,457 %	296507,5507 litre	O
1600	CM	300	CM	225 LEVEL CM	154951,8642 litre	34,252 %	297437,4779 litre	O
1600	CM	300	CM	224 LEVEL CM	154022,7633 litre	34,047 %	298366,5788 litre	O
1600	CM	300	CM	223 LEVEL CM	153094,5004 litre	33,841 %	299294,8417 litre	O
1600	CM	300	CM	222 LEVEL CM	152167,0872 litre	33,636 %	300222,2549 litre	O
1600	CM	300	CM	221 LEVEL CM	151240,5358 litre	33,431 %	301148,8063 litre	O
1600	CM	300	CM	220 LEVEL CM	150314,8578 litre	33,227 %	302074,4843 litre	O
1600	CM	300	CM	219 LEVEL CM	149390,0652 litre	33,022 %	302999,2769 litre	O
1600	CM	300	CM	218 LEVEL CM	148466,1699 litre	32,818 %	303923,1722 litre	O
1600	CM	300	CM	217 LEVEL CM	147543,1840 litre	32,614 %	304846,1581 litre	O
1600	CM	300	CM	216 LEVEL CM	146621,1193 litre	32,410 %	305768,2228 litre	O
1600	CM	300	CM	215 LEVEL CM	145699,9880 litre	32,207 %	306689,3541 litre	O
1600	CM	300	CM	214 LEVEL CM	144779,8021 litre	32,003 %	307609,5400 litre	O
1600	CM	300	CM	213 LEVEL CM	143860,5737 litre	31,800 %	308528,7684 litre	O
1600	CM	300	CM	212 LEVEL CM	142942,3150 litre	31,597 %	309447,0271 litre	O
1600	CM	300	CM	211 LEVEL CM	142025,0381 litre	31,394 %	310364,3040 litre	O
1600	CM	300	CM	210 LEVEL CM	141108,7554 litre	31,192 %	311280,5867 litre	O
1600	CM	300	CM	209 LEVEL CM	140193,4790 litre	30,990 %	312195,8631 litre	O
1600	CM	300	CM	208 LEVEL CM	139279,2212 litre	30,787 %	313110,1209 litre	O
1600	CM	300	CM	207 LEVEL CM	138365,9945 litre	30,586 %	314023,3476 litre	O
1600	CM	300	CM	206 LEVEL CM	137453,8112 litre	30,384 %	314935,5309 litre	O
1600	CM	300	CM	205 LEVEL CM	136542,6837 litre	30,183 %	315846,6584 litre	O
1600	CM	300	CM	204 LEVEL CM	135632,6245 litre	29,981 %	316756,7176 litre	O
1600	CM	300	CM	203 LEVEL CM	134723,6462 litre	29,780 %	317665,6959 litre	O
1600	CM	300	CM	202 LEVEL CM	133815,7613 litre	29,580 %	318573,5808 litre	O
1600	CM	300	CM	201 LEVEL CM	132908,9823 litre	29,379 %	319480,3598 litre	O
1600	CM	300	CM	200 LEVEL CM	132003,3221 litre	29,179 %	320386,0200 litre	O
1600	CM	300	CM	199 LEVEL CM	131098,7932 litre	28,979 %	321290,5489 litre	O
1600	CM	300	CM	198 LEVEL CM	130195,4085 litre	28,780 %	322193,9336 litre	O
1600	CM	300	CM	197 LEVEL CM	129293,1807 litre	28,580 %	323096,1614 litre	O
1600	CM	300	CM	196 LEVEL CM	128392,1226 litre	28,381 %	323997,2195 litre	O
1600	CM	300	CM	195 LEVEL CM	127492,2473 litre	28,182 %	324897,0948 litre	O
1600	CM	300	CM	194 LEVEL CM	126593,5675 litre	27,983 %	325795,7746 litre	O
1600	CM	300	CM	193 LEVEL CM	125696,0964 litre	27,785 %	326693,2457 litre	O
1600	CM	300	CM	192 LEVEL CM	124799,8470 litre	27,587 %	327589,4951 litre	O
1600	CM	300	CM	191 LEVEL CM	123904,8324 litre	27,389 %	328484,5097 litre	O
1600	CM	300	CM	190 LEVEL CM	123011,0657 litre	27,191 %	329378,2764 litre	O
1600	CM	300	CM	189 LEVEL CM	122118,5602 litre	26,994 %	330270,7819 litre	O
1600	CM	300	CM	188 LEVEL CM	121227,3292 litre	26,797 %	331162,0129 litre	O
1600	CM	300	CM	187 LEVEL CM	120337,3859 litre	26,600 %	332051,9562 litre	O
1600	CM	300	CM	186 LEVEL CM	119448,7438 litre	26,404 %	332940,5983 litre	O
1600	CM	300	CM	185 LEVEL CM	118561,4164 litre	26,208 %	333827,9257 litre	O
1600	CM	300	CM	184 LEVEL CM	117675,4170 litre	26,012 %	334713,9251 litre	O
1600	CM	300	CM	183 LEVEL CM	116790,7594 litre	25,816 %	335598,5827 litre	O
1600	CM	300	CM	182 LEVEL CM	115907,4570 litre	25,621 %	336481,8851 litre	O
1600	CM	300	CM	181 LEVEL CM	115025,5237 litre	25,426 %	337363,8184 litre	O
1600	CM	300	CM	180 LEVEL CM	114144,9732 litre	25,232 %	338244,3689 litre	O
1600	CM	300	CM	179 LEVEL CM	113265,8193 litre	25,037 %	339123,5228 litre	O
1600	CM	300	CM	178 LEVEL CM	112388,0759 litre	24,843 %	340001,2662 litre	O

1600	CM	300	CM	177 LEVEL CM	111511,7569 litre	24,650 %	340877,5852 litre	O
1600	CM	300	CM	176 LEVEL CM	110636,8763 litre	24,456 %	341752,4658 litre	O
1600	CM	300	CM	175 LEVEL CM	109763,4484 litre	24,263 %	342625,8937 litre	O
1600	CM	300	CM	174 LEVEL CM	108891,4871 litre	24,070 %	343497,8550 litre	O
1600	CM	300	CM	173 LEVEL CM	108021,0069 litre	23,878 %	344368,3352 litre	O
1600	CM	300	CM	172 LEVEL CM	107152,0218 litre	23,686 %	345237,3203 litre	O
1600	CM	300	CM	171 LEVEL CM	106284,5465 litre	23,494 %	346104,7956 litre	O
1600	CM	300	CM	170 LEVEL CM	105418,5952 litre	23,303 %	346970,7469 litre	O
1600	CM	300	CM	169 LEVEL CM	104554,1826 litre	23,112 %	347835,1595 litre	O
1600	CM	300	CM	168 LEVEL CM	103691,3232 litre	22,921 %	348698,0189 litre	O
1600	CM	300	CM	167 LEVEL CM	102830,0318 litre	22,730 %	349559,3103 litre	O
1600	CM	300	CM	166 LEVEL CM	101970,3230 litre	22,540 %	350419,0191 litre	O
1600	CM	300	CM	165 LEVEL CM	101112,2119 litre	22,351 %	351277,1302 litre	O
1600	CM	300	CM	164 LEVEL CM	100255,7132 litre	22,161 %	352133,6289 litre	O
1600	CM	300	CM	163 LEVEL CM	99400,8421 litre	21,972 %	352988,5000 litre	O
1600	CM	300	CM	162 LEVEL CM	98547,6135 litre	21,784 %	353841,7286 litre	O
1600	CM	300	CM	161 LEVEL CM	97696,0428 litre	21,596 %	354693,2993 litre	O
1600	CM	300	CM	160 LEVEL CM	96846,1452 litre	21,408 %	355543,1969 litre	O
1600	CM	300	CM	159 LEVEL CM	95997,9361 litre	21,220 %	356391,4060 litre	O
1600	CM	300	CM	158 LEVEL CM	95151,4309 litre	21,033 %	357237,9112 litre	O
1600	CM	300	CM	157 LEVEL CM	94306,6451 litre	20,846 %	358082,6970 litre	O
1600	CM	300	CM	156 LEVEL CM	93463,5946 litre	20,660 %	358925,7475 litre	O
1600	CM	300	CM	155 LEVEL CM	92622,2949 litre	20,474 %	359767,0472 litre	O
1600	CM	300	CM	154 LEVEL CM	91782,7620 litre	20,288 %	360606,5801 litre	O
1600	CM	300	CM	153 LEVEL CM	90945,0118 litre	20,103 %	361444,3303 litre	O
1600	CM	300	CM	152 LEVEL CM	90109,0603 litre	19,918 %	362280,2818 litre	O
1600	CM	300	CM	151 LEVEL CM	89274,9237 litre	19,734 %	363114,4184 litre	O
1600	CM	300	CM	150 LEVEL CM	88442,6183 litre	19,550 %	363946,7238 litre	O
1600	CM	300	CM	149 LEVEL CM	87612,1604 litre	19,367 %	364777,1817 litre	O
1600	CM	300	CM	148 LEVEL CM	86783,5665 litre	19,183 %	365605,7756 litre	O
1600	CM	300	CM	147 LEVEL CM	85956,8533 litre	19,001 %	366432,4888 litre	O
1600	CM	300	CM	146 LEVEL CM	85132,0373 litre	18,818 %	367257,3048 litre	O
1600	CM	300	CM	145 LEVEL CM	84309,1354 litre	18,636 %	368080,2067 litre	O
1600	CM	300	CM	144 LEVEL CM	83488,1646 litre	18,455 %	368901,1775 litre	O
1600	CM	300	CM	143 LEVEL CM	82669,1419 litre	18,274 %	369720,2002 litre	O
1600	CM	300	CM	142 LEVEL CM	81852,0845 litre	18,093 %	370537,2576 litre	O
1600	CM	300	CM	141 LEVEL CM	81037,0096 litre	17,913 %	371352,3325 litre	O
1600	CM	300	CM	140 LEVEL CM	80223,9348 litre	17,733 %	372165,4073 litre	O
1600	CM	300	CM	139 LEVEL CM	79412,8776 litre	17,554 %	372976,4645 litre	O
1600	CM	300	CM	138 LEVEL CM	78603,8556 litre	17,375 %	373785,4865 litre	O
1600	CM	300	CM	137 LEVEL CM	77796,8867 litre	17,197 %	374592,4554 litre	O
1600	CM	300	CM	136 LEVEL CM	76991,9889 litre	17,019 %	375397,3532 litre	O
1600	CM	300	CM	135 LEVEL CM	76189,1802 litre	16,842 %	376200,1619 litre	O
1600	CM	300	CM	134 LEVEL CM	75388,4788 litre	16,665 %	377000,8633 litre	O
1600	CM	300	CM	133 LEVEL CM	74589,9033 litre	16,488 %	377799,4388 litre	O
1600	CM	300	CM	132 LEVEL CM	73793,4720 litre	16,312 %	378595,8701 litre	O
1600	CM	300	CM	131 LEVEL CM	72999,2037 litre	16,136 %	379390,1384 litre	O
1600	CM	300	CM	130 LEVEL CM	72207,1173 litre	15,961 %	380182,2248 litre	O
1600	CM	300	CM	129 LEVEL CM	71417,2316 litre	15,787 %	380972,1105 litre	O
1600	CM	300	CM	128 LEVEL CM	70629,5659 litre	15,613 %	381759,7762 litre	O
1600	CM	300	CM	127 LEVEL CM	69844,1394 litre	15,439 %	382545,2027 litre	O
1600	CM	300	CM	126 LEVEL CM	69060,9717 litre	15,266 %	383328,3704 litre	O
1600	CM	300	CM	125 LEVEL CM	68280,0823 litre	15,093 %	384109,2598 litre	O

1600	CM	300	CM	124 LEVEL CM	67501,4912 litre	14,921 %	384887,8509 litre	O
1600	CM	300	CM	123 LEVEL CM	66725,2183 litre	14,750 %	385664,1238 litre	O
1600	CM	300	CM	122 LEVEL CM	65951,2837 litre	14,578 %	386438,0584 litre	O
1600	CM	300	CM	121 LEVEL CM	65179,7079 litre	14,408 %	387209,6342 litre	O
1600	CM	300	CM	120 LEVEL CM	64410,5114 litre	14,238 %	387978,8307 litre	O
1600	CM	300	CM	119 LEVEL CM	63643,7149 litre	14,068 %	388745,6272 litre	O
1600	CM	300	CM	118 LEVEL CM	62879,3393 litre	13,899 %	389510,0028 litre	O
1600	CM	300	CM	117 LEVEL CM	62117,4058 litre	13,731 %	390271,9363 litre	O
1600	CM	300	CM	116 LEVEL CM	61357,9357 litre	13,563 %	391031,4064 litre	O
1600	CM	300	CM	115 LEVEL CM	60600,9506 litre	13,396 %	391788,3915 litre	O
1600	CM	300	CM	114 LEVEL CM	59846,4722 litre	13,229 %	392542,8699 litre	O
1600	CM	300	CM	113 LEVEL CM	59094,5225 litre	13,063 %	393294,8196 litre	O
1600	CM	300	CM	112 LEVEL CM	58345,1237 litre	12,897 %	394044,2184 litre	O
1600	CM	300	CM	111 LEVEL CM	57598,2982 litre	12,732 %	394791,0439 litre	O
1600	CM	300	CM	110 LEVEL CM	56854,0686 litre	12,568 %	395535,2735 litre	O
1600	CM	300	CM	109 LEVEL CM	56112,4579 litre	12,404 %	396276,8842 litre	O
1600	CM	300	CM	108 LEVEL CM	55373,4892 litre	12,240 %	397015,8529 litre	O
1600	CM	300	CM	107 LEVEL CM	54637,1859 litre	12,077 %	397752,1562 litre	O
1600	CM	300	CM	106 LEVEL CM	53903,5717 litre	11,915 %	398485,7704 litre	O
1600	CM	300	CM	105 LEVEL CM	53172,6703 litre	11,754 %	399216,6718 litre	O
1600	CM	300	CM	104 LEVEL CM	52444,5061 litre	11,593 %	399944,8360 litre	O
1600	CM	300	CM	103 LEVEL CM	51719,1034 litre	11,432 %	400670,2387 litre	O
1600	CM	300	CM	102 LEVEL CM	50996,4870 litre	11,273 %	401392,8551 litre	O
1600	CM	300	CM	101 LEVEL CM	50276,6818 litre	11,114 %	402112,6603 litre	O
1600	CM	300	CM	100 LEVEL CM	49559,7133 litre	10,955 %	402829,6288 litre	O
1600	CM	300	CM	99 LEVEL CM	48845,6069 litre	10,797 %	403543,7352 litre	O
1600	CM	300	CM	98 LEVEL CM	48134,3887 litre	10,640 %	404254,9534 litre	O
1600	CM	300	CM	97 LEVEL CM	47426,0848 litre	10,483 %	404963,2573 litre	O
1600	CM	300	CM	96 LEVEL CM	46720,7217 litre	10,328 %	405668,6204 litre	O
1600	CM	300	CM	95 LEVEL CM	46018,3265 litre	10,172 %	406371,0156 litre	O
1600	CM	300	CM	94 LEVEL CM	45318,9263 litre	10,018 %	407070,4158 litre	O
1600	CM	300	CM	93 LEVEL CM	44622,5487 litre	9,864 %	407766,7934 litre	O
1600	CM	300	CM	92 LEVEL CM	43929,2217 litre	9,710 %	408460,1204 litre	O
1600	CM	300	CM	91 LEVEL CM	43238,9736 litre	9,558 %	409150,3685 litre	O
1600	CM	300	CM	90 LEVEL CM	42551,8330 litre	9,406 %	409837,5091 litre	O
1600	CM	300	CM	89 LEVEL CM	41867,8291 litre	9,255 %	410521,5130 litre	O
1600	CM	300	CM	88 LEVEL CM	41186,9913 litre	9,104 %	411202,3508 litre	O
1600	CM	300	CM	87 LEVEL CM	40509,3496 litre	8,955 %	411879,9925 litre	O
1600	CM	300	CM	86 LEVEL CM	39834,9343 litre	8,805 %	412554,4078 litre	O
1600	CM	300	CM	85 LEVEL CM	39163,7761 litre	8,657 %	413225,5660 litre	O
1600	CM	300	CM	84 LEVEL CM	38495,9063 litre	8,509 %	413893,4358 litre	O
1600	CM	300	CM	83 LEVEL CM	37831,3565 litre	8,363 %	414557,9856 litre	O
1600	CM	300	CM	82 LEVEL CM	37170,1590 litre	8,216 %	415219,1831 litre	O
1600	CM	300	CM	81 LEVEL CM	36512,3463 litre	8,071 %	415876,9958 litre	O
1600	CM	300	CM	80 LEVEL CM	35857,9516 litre	7,926 %	416531,3905 litre	O
1600	CM	300	CM	79 LEVEL CM	35207,0086 litre	7,782 %	417182,3335 litre	O
1600	CM	300	CM	78 LEVEL CM	34559,5515 litre	7,639 %	417829,7906 litre	O
1600	CM	300	CM	77 LEVEL CM	33915,6151 litre	7,497 %	418473,7270 litre	O
1600	CM	300	CM	76 LEVEL CM	33275,2347 litre	7,355 %	419114,1074 litre	O
1600	CM	300	CM	75 LEVEL CM	32638,4463 litre	7,215 %	419750,8958 litre	O
1600	CM	300	CM	74 LEVEL CM	32005,2864 litre	7,075 %	420384,0557 litre	O
1600	CM	300	CM	73 LEVEL CM	31375,7921 litre	6,936 %	421013,5500 litre	O
1600	CM	300	CM	72 LEVEL CM	30750,0015 litre	6,797 %	421639,3406 litre	O

1600	CM	300	CM	71 LEVEL CM	30127,9528 litre	6,660 %	422261,3893 litre	O
1600	CM	300	CM	70 LEVEL CM	29509,6854 litre	6,523 %	422879,6567 litre	O
1600	CM	300	CM	69 LEVEL CM	28895,2392 litre	6,387 %	423494,1029 litre	O
1600	CM	300	CM	68 LEVEL CM	28284,6548 litre	6,252 %	424104,6873 litre	O
1600	CM	300	CM	67 LEVEL CM	27677,9738 litre	6,118 %	424711,3683 litre	O
1600	CM	300	CM	66 LEVEL CM	27075,2384 litre	5,985 %	425314,1037 litre	O
1600	CM	300	CM	65 LEVEL CM	26476,4916 litre	5,853 %	425912,8505 litre	O
1600	CM	300	CM	64 LEVEL CM	25881,7776 litre	5,721 %	426507,5645 litre	O
1600	CM	300	CM	63 LEVEL CM	25291,1411 litre	5,591 %	427098,2010 litre	O
1600	CM	300	CM	62 LEVEL CM	24704,6279 litre	5,461 %	427684,7142 litre	O
1600	CM	300	CM	61 LEVEL CM	24122,2848 litre	5,332 %	428267,0573 litre	O
1600	CM	300	CM	60 LEVEL CM	23544,1597 litre	5,204 %	428845,1824 litre	O
1600	CM	300	CM	59 LEVEL CM	22970,3013 litre	5,078 %	429419,0408 litre	O
1600	CM	300	CM	58 LEVEL CM	22400,7596 litre	4,952 %	429988,5825 litre	O
1600	CM	300	CM	57 LEVEL CM	21835,5857 litre	4,827 %	430553,7564 litre	O
1600	CM	300	CM	56 LEVEL CM	21274,8319 litre	4,703 %	431114,5102 litre	O
1600	CM	300	CM	55 LEVEL CM	20718,5516 litre	4,580 %	431670,7905 litre	O
1600	CM	300	CM	54 LEVEL CM	20166,7998 litre	4,458 %	432222,5423 litre	O
1600	CM	300	CM	53 LEVEL CM	19619,6326 litre	4,337 %	432769,7095 litre	O
1600	CM	300	CM	52 LEVEL CM	19077,1077 litre	4,217 %	433312,2344 litre	O
1600	CM	300	CM	51 LEVEL CM	18539,2841 litre	4,098 %	433850,0580 litre	O
1600	CM	300	CM	50 LEVEL CM	18006,2225 litre	3,980 %	434383,1196 litre	O
1600	CM	300	CM	49 LEVEL CM	17477,9852 litre	3,863 %	434911,3569 litre	O
1600	CM	300	CM	48 LEVEL CM	16954,6363 litre	3,748 %	435434,7058 litre	O
1600	CM	300	CM	47 LEVEL CM	16436,2415 litre	3,633 %	435953,1006 litre	O
1600	CM	300	CM	46 LEVEL CM	15922,8688 litre	3,520 %	436466,4733 litre	O
1600	CM	300	CM	45 LEVEL CM	15414,5878 litre	3,407 %	436974,7543 litre	O
1600	CM	300	CM	44 LEVEL CM	14911,4704 litre	3,296 %	437477,8717 litre	O
1600	CM	300	CM	43 LEVEL CM	14413,5907 litre	3,186 %	437975,7514 litre	O
1600	CM	300	CM	42 LEVEL CM	13921,0252 litre	3,077 %	438468,3169 litre	O
1600	CM	300	CM	41 LEVEL CM	13433,8529 litre	2,970 %	438955,4892 litre	O
1600	CM	300	CM	40 LEVEL CM	12952,1554 litre	2,863 %	439437,1867 litre	O
1600	CM	300	CM	39 LEVEL CM	12476,0172 litre	2,758 %	439913,3249 litre	O
1600	CM	300	CM	38 LEVEL CM	12005,5258 litre	2,654 %	440383,8163 litre	O
1600	CM	300	CM	37 LEVEL CM	11540,7717 litre	2,551 %	440848,5704 litre	O
1600	CM	300	CM	36 LEVEL CM	11081,8490 litre	2,450 %	441307,4931 litre	O
1600	CM	300	CM	35 LEVEL CM	10628,8554 litre	2,349 %	441760,4867 litre	O
1600	CM	300	CM	34 LEVEL CM	10181,8924 litre	2,251 %	442207,4497 litre	O
1600	CM	300	CM	33 LEVEL CM	9741,0658 litre	2,153 %	442648,2763 litre	O
1600	CM	300	CM	32 LEVEL CM	9306,4857 litre	2,057 %	443082,8564 litre	O
1600	CM	300	CM	31 LEVEL CM	8878,2673 litre	1,963 %	443511,0748 litre	O
1600	CM	300	CM	30 LEVEL CM	8456,5306 litre	1,869 %	443932,8115 litre	O
1600	CM	300	CM	29 LEVEL CM	8041,4016 litre	1,778 %	444347,9405 litre	O
1600	CM	300	CM	28 LEVEL CM	7633,0123 litre	1,687 %	444756,3298 litre	O
1600	CM	300	CM	27 LEVEL CM	7231,5012 litre	1,599 %	445157,8409 litre	O
1600	CM	300	CM	26 LEVEL CM	6837,0143 litre	1,511 %	445552,3278 litre	O
1600	CM	300	CM	25 LEVEL CM	6449,7054 litre	1,426 %	445939,6367 litre	O
1600	CM	300	CM	24 LEVEL CM	6069,7370 litre	1,342 %	446319,6051 litre	O
1600	CM	300	CM	23 LEVEL CM	5697,2813 litre	1,259 %	446692,0608 litre	O
1600	CM	300	CM	22 LEVEL CM	5332,5209 litre	1,179 %	447056,8212 litre	O
1600	CM	300	CM	21 LEVEL CM	4975,6507 litre	1,100 %	447413,6914 litre	O
1600	CM	300	CM	20 LEVEL CM	4626,8783 litre	1,023 %	447762,4638 litre	O
1600	CM	300	CM	19 LEVEL CM	4286,4264 litre	0,948 %	448102,9157 litre	O

1600	CM	300	CM	18 LEVEL CM	3954,5346 litre	0,874 %	448434,8075 litre	O
1600	CM	300	CM	17 LEVEL CM	3631,4611 litre	0,803 %	448757,8810 litre	O
1600	CM	300	CM	16 LEVEL CM	3317,4863 litre	0,733 %	449071,8558 litre	O
1600	CM	300	CM	15 LEVEL CM	3012,9155 litre	0,666 %	449376,4266 litre	O
1600	CM	300	CM	14 LEVEL CM	2718,0834 litre	0,601 %	449671,2587 litre	O
1600	CM	300	CM	13 LEVEL CM	2433,3588 litre	0,538 %	449955,9833 litre	O
1600	CM	300	CM	12 LEVEL CM	2159,1517 litre	0,477 %	450230,1904 litre	O
1600	CM	300	CM	11 LEVEL CM	1895,9210 litre	0,419 %	450493,4211 litre	O
1600	CM	300	CM	10 LEVEL CM	1644,1858 litre	0,363 %	450745,1563 litre	O
1600	CM	300	CM	9 LEVEL CM	1404,5399 litre	0,310 %	450984,8022 litre	O
1600	CM	300	CM	8 LEVEL CM	1177,6724 litre	0,260 %	451211,6697 litre	O
1600	CM	300	CM	7 LEVEL CM	964,3963 litre	0,213 %	451424,9458 litre	O
1600	CM	300	CM	6 LEVEL CM	765,6919 litre	0,169 %	451623,6502 litre	O
1600	CM	300	CM	5 LEVEL CM	582,7746 litre	0,129 %	451806,5675 litre	O
1600	CM	300	CM	4 LEVEL CM	417,2092 litre	0,092 %	451972,1329 litre	O
1600	CM	300	CM	3 LEVEL CM	271,1213 litre	0,060 %	452118,2208 litre	O
1600	CM	300	CM	2 LEVEL CM	147,6538 litre	0,033 %	452241,6883 litre	O
1600	CM	300	CM	1 LEVEL CM	52,2296 litre	0,012 %	452337,1125 litre	O
1600	CM	300	CM	0 LEVEL CM	0,0000 litre	0,000 %	452389,3421 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1500	CM	250	CM	500 LEVEL CM	294524,3113 litre	100,000 %	0,0000 litre	O
1500	CM	250	CM	499 LEVEL CM	294479,6168 litre	99,985 %	44,6945 litre	O
1500	CM	250	CM	498 LEVEL CM	294397,9721 litre	99,957 %	126,3392 litre	O
1500	CM	250	CM	497 LEVEL CM	294292,3510 litre	99,921 %	231,9603 litre	O
1500	CM	250	CM	496 LEVEL CM	294167,4003 litre	99,879 %	356,9110 litre	O
1500	CM	250	CM	495 LEVEL CM	294025,8140 litre	99,831 %	498,4973 litre	O
1500	CM	250	CM	494 LEVEL CM	293869,4155 litre	99,778 %	654,8958 litre	O
1500	CM	250	CM	493 LEVEL CM	293699,5475 litre	99,720 %	824,7638 litre	O
1500	CM	250	CM	492 LEVEL CM	293517,2536 litre	99,658 %	1007,0577 litre	O
1500	CM	250	CM	491 LEVEL CM	293323,3760 litre	99,592 %	1200,9353 litre	O
1500	CM	250	CM	490 LEVEL CM	293118,6135 litre	99,523 %	1405,6978 litre	O
1500	CM	250	CM	489 LEVEL CM	292903,5586 litre	99,450 %	1620,7527 litre	O
1500	CM	250	CM	488 LEVEL CM	292678,7222 litre	99,373 %	1845,5891 litre	O
1500	CM	250	CM	487 LEVEL CM	292444,5512 litre	99,294 %	2079,7601 litre	O
1500	CM	250	CM	486 LEVEL CM	292201,4409 litre	99,211 %	2322,8704 litre	O
1500	CM	250	CM	485 LEVEL CM	291949,7445 litre	99,126 %	2574,5668 litre	O
1500	CM	250	CM	484 LEVEL CM	291689,7801 litre	99,038 %	2834,5312 litre	O
1500	CM	250	CM	483 LEVEL CM	291421,8363 litre	98,947 %	3102,4750 litre	O
1500	CM	250	CM	482 LEVEL CM	291146,1767 litre	98,853 %	3378,1346 litre	O
1500	CM	250	CM	481 LEVEL CM	290863,0434 litre	98,757 %	3661,2679 litre	O
1500	CM	250	CM	480 LEVEL CM	290572,6596 litre	98,658 %	3951,6517 litre	O
1500	CM	250	CM	479 LEVEL CM	290275,2323 litre	98,557 %	4249,0790 litre	O
1500	CM	250	CM	478 LEVEL CM	289970,9542 litre	98,454 %	4553,3571 litre	O
1500	CM	250	CM	477 LEVEL CM	289660,0050 litre	98,348 %	4864,3063 litre	O
1500	CM	250	CM	476 LEVEL CM	289342,5533 litre	98,241 %	5181,7580 litre	O
1500	CM	250	CM	475 LEVEL CM	289018,7575 litre	98,131 %	5505,5538 litre	O
1500	CM	250	CM	474 LEVEL CM	288688,7668 litre	98,019 %	5835,5445 litre	O
1500	CM	250	CM	473 LEVEL CM	288352,7221 litre	97,905 %	6171,5892 litre	O
1500	CM	250	CM	472 LEVEL CM	288010,7570 litre	97,788 %	6513,5543 litre	O
1500	CM	250	CM	471 LEVEL CM	287662,9981 litre	97,670 %	6861,3132 litre	O
1500	CM	250	CM	470 LEVEL CM	287309,5658 litre	97,550 %	7214,7455 litre	O
1500	CM	250	CM	469 LEVEL CM	286950,5749 litre	97,428 %	7573,7364 litre	O
1500	CM	250	CM	468 LEVEL CM	286586,1348 litre	97,305 %	7938,1765 litre	O
1500	CM	250	CM	467 LEVEL CM	286216,3502 litre	97,179 %	8307,9611 litre	O
1500	CM	250	CM	466 LEVEL CM	285841,3212 litre	97,052 %	8682,9901 litre	O
1500	CM	250	CM	465 LEVEL CM	285461,1438 litre	96,923 %	9063,1675 litre	O
1500	CM	250	CM	464 LEVEL CM	285075,9103 litre	96,792 %	9448,4010 litre	O
1500	CM	250	CM	463 LEVEL CM	284685,7091 litre	96,659 %	9838,6022 litre	O
1500	CM	250	CM	462 LEVEL CM	284290,6255 litre	96,525 %	10233,6858 litre	O
1500	CM	250	CM	461 LEVEL CM	283890,7416 litre	96,390 %	10633,5697 litre	O
1500	CM	250	CM	460 LEVEL CM	283486,1366 litre	96,252 %	11038,1747 litre	O
1500	CM	250	CM	459 LEVEL CM	283076,8870 litre	96,113 %	11447,4243 litre	O
1500	CM	250	CM	458 LEVEL CM	282663,0667 litre	95,973 %	11861,2446 litre	O
1500	CM	250	CM	457 LEVEL CM	282244,7470 litre	95,831 %	12279,5643 litre	O
1500	CM	250	CM	456 LEVEL CM	281821,9972 litre	95,687 %	12702,3141 litre	O
1500	CM	250	CM	455 LEVEL CM	281394,8843 litre	95,542 %	13129,4270 litre	O
1500	CM	250	CM	454 LEVEL CM	280963,4733 litre	95,396 %	13560,8380 litre	O
1500	CM	250	CM	453 LEVEL CM	280527,8272 litre	95,248 %	13996,4841 litre	O
1500	CM	250	CM	452 LEVEL CM	280088,0072 litre	95,098 %	14436,3041 litre	O
1500	CM	250	CM	451 LEVEL CM	279644,0730 litre	94,948 %	14880,2383 litre	O
1500	CM	250	CM	450 LEVEL CM	279196,0823 litre	94,796 %	15328,2290 litre	O
1500	CM	250	CM	449 LEVEL CM	278744,0915 litre	94,642 %	15780,2198 litre	O

1500	CM	250	CM	448 LEVEL CM	278288,1554 litre	94,487 %	16236,1559 litre	O
1500	CM	250	CM	447 LEVEL CM	277828,3275 litre	94,331 %	16695,9838 litre	O
1500	CM	250	CM	446 LEVEL CM	277364,6597 litre	94,174 %	17159,6516 litre	O
1500	CM	250	CM	445 LEVEL CM	276897,2030 litre	94,015 %	17627,1083 litre	O
1500	CM	250	CM	444 LEVEL CM	276426,0068 litre	93,855 %	18098,3045 litre	O
1500	CM	250	CM	443 LEVEL CM	275951,1195 litre	93,694 %	18573,1918 litre	O
1500	CM	250	CM	442 LEVEL CM	275472,5885 litre	93,531 %	19051,7228 litre	O
1500	CM	250	CM	441 LEVEL CM	274990,4600 litre	93,368 %	19533,8513 litre	O
1500	CM	250	CM	440 LEVEL CM	274504,7791 litre	93,203 %	20019,5322 litre	O
1500	CM	250	CM	439 LEVEL CM	274015,5900 litre	93,037 %	20508,7213 litre	O
1500	CM	250	CM	438 LEVEL CM	273522,9359 litre	92,869 %	21001,3754 litre	O
1500	CM	250	CM	437 LEVEL CM	273026,8593 litre	92,701 %	21497,4520 litre	O
1500	CM	250	CM	436 LEVEL CM	272527,4015 litre	92,531 %	21996,9098 litre	O
1500	CM	250	CM	435 LEVEL CM	272024,6033 litre	92,361 %	22499,7080 litre	O
1500	CM	250	CM	434 LEVEL CM	271518,5044 litre	92,189 %	23005,8069 litre	O
1500	CM	250	CM	433 LEVEL CM	271009,1438 litre	92,016 %	23515,1675 litre	O
1500	CM	250	CM	432 LEVEL CM	270496,5601 litre	91,842 %	24027,7512 litre	O
1500	CM	250	CM	431 LEVEL CM	269980,7906 litre	91,667 %	24543,5207 litre	O
1500	CM	250	CM	430 LEVEL CM	269461,8723 litre	91,491 %	25062,4390 litre	O
1500	CM	250	CM	429 LEVEL CM	268939,8414 litre	91,313 %	25584,4699 litre	O
1500	CM	250	CM	428 LEVEL CM	268414,7336 litre	91,135 %	26109,5777 litre	O
1500	CM	250	CM	427 LEVEL CM	267886,5838 litre	90,956 %	26637,7275 litre	O
1500	CM	250	CM	426 LEVEL CM	267355,4263 litre	90,775 %	27168,8850 litre	O
1500	CM	250	CM	425 LEVEL CM	266821,2950 litre	90,594 %	27703,0163 litre	O
1500	CM	250	CM	424 LEVEL CM	266284,2230 litre	90,412 %	28240,0883 litre	O
1500	CM	250	CM	423 LEVEL CM	265744,2431 litre	90,228 %	28780,0682 litre	O
1500	CM	250	CM	422 LEVEL CM	265201,3874 litre	90,044 %	29322,9239 litre	O
1500	CM	250	CM	421 LEVEL CM	264655,6876 litre	89,859 %	29868,6237 litre	O
1500	CM	250	CM	420 LEVEL CM	264107,1747 litre	89,672 %	30417,1366 litre	O
1500	CM	250	CM	419 LEVEL CM	263555,8796 litre	89,485 %	30968,4317 litre	O
1500	CM	250	CM	418 LEVEL CM	263001,8323 litre	89,297 %	31522,4790 litre	O
1500	CM	250	CM	417 LEVEL CM	262445,0627 litre	89,108 %	32079,2486 litre	O
1500	CM	250	CM	416 LEVEL CM	261885,6001 litre	88,918 %	32638,7112 litre	O
1500	CM	250	CM	415 LEVEL CM	261323,4734 litre	88,727 %	33200,8379 litre	O
1500	CM	250	CM	414 LEVEL CM	260758,7111 litre	88,536 %	33765,6002 litre	O
1500	CM	250	CM	413 LEVEL CM	260191,3414 litre	88,343 %	34332,9699 litre	O
1500	CM	250	CM	412 LEVEL CM	259621,3918 litre	88,149 %	34902,9195 litre	O
1500	CM	250	CM	411 LEVEL CM	259048,8899 litre	87,955 %	35475,4214 litre	O
1500	CM	250	CM	410 LEVEL CM	258473,8625 litre	87,760 %	36050,4488 litre	O
1500	CM	250	CM	409 LEVEL CM	257896,3364 litre	87,564 %	36627,9749 litre	O
1500	CM	250	CM	408 LEVEL CM	257316,3377 litre	87,367 %	37207,9736 litre	O
1500	CM	250	CM	407 LEVEL CM	256733,8924 litre	87,169 %	37790,4189 litre	O
1500	CM	250	CM	406 LEVEL CM	256149,0261 litre	86,970 %	38375,2852 litre	O
1500	CM	250	CM	405 LEVEL CM	255561,7643 litre	86,771 %	38962,5470 litre	O
1500	CM	250	CM	404 LEVEL CM	254972,1317 litre	86,571 %	39552,1796 litre	O
1500	CM	250	CM	403 LEVEL CM	254380,1532 litre	86,370 %	40144,1581 litre	O
1500	CM	250	CM	402 LEVEL CM	253785,8532 litre	86,168 %	40738,4581 litre	O
1500	CM	250	CM	401 LEVEL CM	253189,2557 litre	85,965 %	41335,0556 litre	O
1500	CM	250	CM	400 LEVEL CM	252590,3846 litre	85,762 %	41933,9267 litre	O
1500	CM	250	CM	399 LEVEL CM	251989,2635 litre	85,558 %	42535,0478 litre	O
1500	CM	250	CM	398 LEVEL CM	251385,9157 litre	85,353 %	43138,3956 litre	O
1500	CM	250	CM	397 LEVEL CM	250780,3642 litre	85,148 %	43743,9471 litre	O
1500	CM	250	CM	396 LEVEL CM	250172,6318 litre	84,941 %	44351,6795 litre	O

1500	CM	250	CM	395 LEVEL CM	249562,7412 litre	84,734 %	44961,5701 litre	O
1500	CM	250	CM	394 LEVEL CM	248950,7145 litre	84,526 %	45573,5968 litre	O
1500	CM	250	CM	393 LEVEL CM	248336,5740 litre	84,318 %	46187,7373 litre	O
1500	CM	250	CM	392 LEVEL CM	247720,3413 litre	84,109 %	46803,9700 litre	O
1500	CM	250	CM	391 LEVEL CM	247102,0383 litre	83,899 %	47422,2730 litre	O
1500	CM	250	CM	390 LEVEL CM	246481,6863 litre	83,688 %	48042,6250 litre	O
1500	CM	250	CM	389 LEVEL CM	245859,3064 litre	83,477 %	48665,0049 litre	O
1500	CM	250	CM	388 LEVEL CM	245234,9198 litre	83,265 %	49289,3915 litre	O
1500	CM	250	CM	387 LEVEL CM	244608,5472 litre	83,052 %	49915,7641 litre	O
1500	CM	250	CM	386 LEVEL CM	243980,2091 litre	82,839 %	50544,1022 litre	O
1500	CM	250	CM	385 LEVEL CM	243349,9261 litre	82,625 %	51174,3852 litre	O
1500	CM	250	CM	384 LEVEL CM	242717,7183 litre	82,410 %	51806,5930 litre	O
1500	CM	250	CM	383 LEVEL CM	242083,6058 litre	82,195 %	52440,7055 litre	O
1500	CM	250	CM	382 LEVEL CM	241447,6084 litre	81,979 %	53076,7029 litre	O
1500	CM	250	CM	381 LEVEL CM	240809,7458 litre	81,762 %	53714,5655 litre	O
1500	CM	250	CM	380 LEVEL CM	240170,0374 litre	81,545 %	54354,2739 litre	O
1500	CM	250	CM	379 LEVEL CM	239528,5028 litre	81,327 %	54995,8085 litre	O
1500	CM	250	CM	378 LEVEL CM	238885,1609 litre	81,109 %	55639,1504 litre	O
1500	CM	250	CM	377 LEVEL CM	238240,0309 litre	80,890 %	56284,2804 litre	O
1500	CM	250	CM	376 LEVEL CM	237593,1316 litre	80,670 %	56931,1797 litre	O
1500	CM	250	CM	375 LEVEL CM	236944,4817 litre	80,450 %	57579,8296 litre	O
1500	CM	250	CM	374 LEVEL CM	236294,0996 litre	80,229 %	58230,2117 litre	O
1500	CM	250	CM	373 LEVEL CM	235642,0040 litre	80,008 %	58882,3073 litre	O
1500	CM	250	CM	372 LEVEL CM	234988,2129 litre	79,786 %	59536,0984 litre	O
1500	CM	250	CM	371 LEVEL CM	234332,7446 litre	79,563 %	60191,5667 litre	O
1500	CM	250	CM	370 LEVEL CM	233675,6169 litre	79,340 %	60848,6944 litre	O
1500	CM	250	CM	369 LEVEL CM	233016,8477 litre	79,116 %	61507,4636 litre	O
1500	CM	250	CM	368 LEVEL CM	232356,4548 litre	78,892 %	62167,8565 litre	O
1500	CM	250	CM	367 LEVEL CM	231694,4558 litre	78,667 %	62829,8555 litre	O
1500	CM	250	CM	366 LEVEL CM	231030,8679 litre	78,442 %	63493,4434 litre	O
1500	CM	250	CM	365 LEVEL CM	230365,7087 litre	78,216 %	64158,6026 litre	O
1500	CM	250	CM	364 LEVEL CM	229698,9953 litre	77,990 %	64825,3160 litre	O
1500	CM	250	CM	363 LEVEL CM	229030,7447 litre	77,763 %	65493,5666 litre	O
1500	CM	250	CM	362 LEVEL CM	228360,9740 litre	77,536 %	66163,3373 litre	O
1500	CM	250	CM	361 LEVEL CM	227689,7000 litre	77,308 %	66834,6113 litre	O
1500	CM	250	CM	360 LEVEL CM	227016,9394 litre	77,079 %	67507,3719 litre	O
1500	CM	250	CM	359 LEVEL CM	226342,7089 litre	76,850 %	68181,6024 litre	O
1500	CM	250	CM	358 LEVEL CM	225667,0249 litre	76,621 %	68857,2864 litre	O
1500	CM	250	CM	357 LEVEL CM	224989,9039 litre	76,391 %	69534,4074 litre	O
1500	CM	250	CM	356 LEVEL CM	224311,3622 litre	76,161 %	70212,9491 litre	O
1500	CM	250	CM	355 LEVEL CM	223631,4160 litre	75,930 %	70892,8953 litre	O
1500	CM	250	CM	354 LEVEL CM	222950,0814 litre	75,698 %	71574,2299 litre	O
1500	CM	250	CM	353 LEVEL CM	222267,3744 litre	75,467 %	72256,9369 litre	O
1500	CM	250	CM	352 LEVEL CM	221583,3109 litre	75,234 %	72941,0004 litre	O
1500	CM	250	CM	351 LEVEL CM	220897,9068 litre	75,002 %	73626,4045 litre	O
1500	CM	250	CM	350 LEVEL CM	220211,1777 litre	74,768 %	74313,1336 litre	O
1500	CM	250	CM	349 LEVEL CM	219523,1393 litre	74,535 %	75001,1720 litre	O
1500	CM	250	CM	348 LEVEL CM	218833,8071 litre	74,301 %	75690,5042 litre	O
1500	CM	250	CM	347 LEVEL CM	218143,1966 litre	74,066 %	76381,1147 litre	O
1500	CM	250	CM	346 LEVEL CM	217451,3231 litre	73,831 %	77072,9882 litre	O
1500	CM	250	CM	345 LEVEL CM	216758,2020 litre	73,596 %	77766,1093 litre	O
1500	CM	250	CM	344 LEVEL CM	216063,8484 litre	73,360 %	78460,4629 litre	O
1500	CM	250	CM	343 LEVEL CM	215368,2775 litre	73,124 %	79156,0338 litre	O

1500	CM	250	CM	342 LEVEL CM	214671,5044 litre	72,888 %	79852,8069 litre	O
1500	CM	250	CM	341 LEVEL CM	213973,5438 litre	72,651 %	80550,7675 litre	O
1500	CM	250	CM	340 LEVEL CM	213274,4109 litre	72,413 %	81249,9004 litre	O
1500	CM	250	CM	339 LEVEL CM	212574,1203 litre	72,175 %	81950,1910 litre	O
1500	CM	250	CM	338 LEVEL CM	211872,6868 litre	71,937 %	82651,6245 litre	O
1500	CM	250	CM	337 LEVEL CM	211170,1252 litre	71,699 %	83354,1861 litre	O
1500	CM	250	CM	336 LEVEL CM	210466,4499 litre	71,460 %	84057,8614 litre	O
1500	CM	250	CM	335 LEVEL CM	209761,6755 litre	71,220 %	84762,6358 litre	O
1500	CM	250	CM	334 LEVEL CM	209055,8166 litre	70,981 %	85468,4947 litre	O
1500	CM	250	CM	333 LEVEL CM	208348,8874 litre	70,741 %	86175,4239 litre	O
1500	CM	250	CM	332 LEVEL CM	207640,9022 litre	70,500 %	86883,4091 litre	O
1500	CM	250	CM	331 LEVEL CM	206931,8755 litre	70,260 %	87592,4358 litre	O
1500	CM	250	CM	330 LEVEL CM	206221,8213 litre	70,019 %	88302,4900 litre	O
1500	CM	250	CM	329 LEVEL CM	205510,7539 litre	69,777 %	89013,5574 litre	O
1500	CM	250	CM	328 LEVEL CM	204798,6872 litre	69,535 %	89725,6241 litre	O
1500	CM	250	CM	327 LEVEL CM	204085,6354 litre	69,293 %	90438,6759 litre	O
1500	CM	250	CM	326 LEVEL CM	203371,6124 litre	69,051 %	91152,6989 litre	O
1500	CM	250	CM	325 LEVEL CM	202656,6320 litre	68,808 %	91867,6793 litre	O
1500	CM	250	CM	324 LEVEL CM	201940,7082 litre	68,565 %	92583,6031 litre	O
1500	CM	250	CM	323 LEVEL CM	201223,8547 litre	68,322 %	93300,4566 litre	O
1500	CM	250	CM	322 LEVEL CM	200506,0853 litre	68,078 %	94018,2260 litre	O
1500	CM	250	CM	321 LEVEL CM	199787,4136 litre	67,834 %	94736,8977 litre	O
1500	CM	250	CM	320 LEVEL CM	199067,8534 litre	67,590 %	95456,4579 litre	O
1500	CM	250	CM	319 LEVEL CM	198347,4181 litre	67,345 %	96176,8932 litre	O
1500	CM	250	CM	318 LEVEL CM	197626,1214 litre	67,100 %	96898,1899 litre	O
1500	CM	250	CM	317 LEVEL CM	196903,9767 litre	66,855 %	97620,3346 litre	O
1500	CM	250	CM	316 LEVEL CM	196180,9975 litre	66,609 %	98343,3138 litre	O
1500	CM	250	CM	315 LEVEL CM	195457,1972 litre	66,364 %	99067,1141 litre	O
1500	CM	250	CM	314 LEVEL CM	194732,5891 litre	66,118 %	99791,7222 litre	O
1500	CM	250	CM	313 LEVEL CM	194007,1864 litre	65,871 %	100517,1249 litre	O
1500	CM	250	CM	312 LEVEL CM	193281,0026 litre	65,625 %	101243,3087 litre	O
1500	CM	250	CM	311 LEVEL CM	192554,0508 litre	65,378 %	101970,2605 litre	O
1500	CM	250	CM	310 LEVEL CM	191826,3442 litre	65,131 %	102697,9671 litre	O
1500	CM	250	CM	309 LEVEL CM	191097,8958 litre	64,884 %	103426,4155 litre	O
1500	CM	250	CM	308 LEVEL CM	190368,7189 litre	64,636 %	104155,5924 litre	O
1500	CM	250	CM	307 LEVEL CM	189638,8265 litre	64,388 %	104885,4848 litre	O
1500	CM	250	CM	306 LEVEL CM	188908,2316 litre	64,140 %	105616,0797 litre	O
1500	CM	250	CM	305 LEVEL CM	188176,9471 litre	63,892 %	106347,3642 litre	O
1500	CM	250	CM	304 LEVEL CM	187444,9861 litre	63,643 %	107079,3252 litre	O
1500	CM	250	CM	303 LEVEL CM	186712,3614 litre	63,395 %	107811,9499 litre	O
1500	CM	250	CM	302 LEVEL CM	185979,0859 litre	63,146 %	108545,2254 litre	O
1500	CM	250	CM	301 LEVEL CM	185245,1724 litre	62,896 %	109279,1389 litre	O
1500	CM	250	CM	300 LEVEL CM	184510,6338 litre	62,647 %	110013,6775 litre	O
1500	CM	250	CM	299 LEVEL CM	183775,4828 litre	62,397 %	110748,8285 litre	O
1500	CM	250	CM	298 LEVEL CM	183039,7322 litre	62,148 %	111484,5791 litre	O
1500	CM	250	CM	297 LEVEL CM	182303,3946 litre	61,898 %	112220,9167 litre	O
1500	CM	250	CM	296 LEVEL CM	181566,4829 litre	61,647 %	112957,8284 litre	O
1500	CM	250	CM	295 LEVEL CM	180829,0095 litre	61,397 %	113695,3018 litre	O
1500	CM	250	CM	294 LEVEL CM	180090,9871 litre	61,146 %	114433,3242 litre	O
1500	CM	250	CM	293 LEVEL CM	179352,4284 litre	60,896 %	115171,8829 litre	O
1500	CM	250	CM	292 LEVEL CM	178613,3459 litre	60,645 %	115910,9654 litre	O
1500	CM	250	CM	291 LEVEL CM	177873,7521 litre	60,394 %	116650,5592 litre	O
1500	CM	250	CM	290 LEVEL CM	177133,6596 litre	60,142 %	117390,6517 litre	O

1500	CM	250	CM	289 LEVEL CM	176393,0808 litre	59,891 %	118131,2305 litre	O
1500	CM	250	CM	288 LEVEL CM	175652,0281 litre	59,639 %	118872,2832 litre	O
1500	CM	250	CM	287 LEVEL CM	174910,5142 litre	59,387 %	119613,7971 litre	O
1500	CM	250	CM	286 LEVEL CM	174168,5512 litre	59,136 %	120355,7601 litre	O
1500	CM	250	CM	285 LEVEL CM	173426,1518 litre	58,883 %	121098,1595 litre	O
1500	CM	250	CM	284 LEVEL CM	172683,3281 litre	58,631 %	121840,9832 litre	O
1500	CM	250	CM	283 LEVEL CM	171940,0926 litre	58,379 %	122584,2187 litre	O
1500	CM	250	CM	282 LEVEL CM	171196,4576 litre	58,126 %	123327,8537 litre	O
1500	CM	250	CM	281 LEVEL CM	170452,4355 litre	57,874 %	124071,8758 litre	O
1500	CM	250	CM	280 LEVEL CM	169708,0384 litre	57,621 %	124816,2729 litre	O
1500	CM	250	CM	279 LEVEL CM	168963,2787 litre	57,368 %	125561,0326 litre	O
1500	CM	250	CM	278 LEVEL CM	168218,1687 litre	57,115 %	126306,1426 litre	O
1500	CM	250	CM	277 LEVEL CM	167472,7205 litre	56,862 %	127051,5908 litre	O
1500	CM	250	CM	276 LEVEL CM	166726,9464 litre	56,609 %	127797,3649 litre	O
1500	CM	250	CM	275 LEVEL CM	165980,8586 litre	56,356 %	128543,4527 litre	O
1500	CM	250	CM	274 LEVEL CM	165234,4693 litre	56,102 %	129289,8420 litre	O
1500	CM	250	CM	273 LEVEL CM	164487,7906 litre	55,849 %	130036,5207 litre	O
1500	CM	250	CM	272 LEVEL CM	163740,8348 litre	55,595 %	130783,4765 litre	O
1500	CM	250	CM	271 LEVEL CM	162993,6140 litre	55,341 %	131530,6973 litre	O
1500	CM	250	CM	270 LEVEL CM	162246,1402 litre	55,088 %	132278,1711 litre	O
1500	CM	250	CM	269 LEVEL CM	161498,4257 litre	54,834 %	133025,8856 litre	O
1500	CM	250	CM	268 LEVEL CM	160750,4826 litre	54,580 %	133773,8287 litre	O
1500	CM	250	CM	267 LEVEL CM	160002,3228 litre	54,326 %	134521,9885 litre	O
1500	CM	250	CM	266 LEVEL CM	159253,9586 litre	54,072 %	135270,3527 litre	O
1500	CM	250	CM	265 LEVEL CM	158505,4020 litre	53,817 %	136018,9093 litre	O
1500	CM	250	CM	264 LEVEL CM	157756,6651 litre	53,563 %	136767,6462 litre	O
1500	CM	250	CM	263 LEVEL CM	157007,7599 litre	53,309 %	137516,5514 litre	O
1500	CM	250	CM	262 LEVEL CM	156258,6984 litre	53,055 %	138265,6129 litre	O
1500	CM	250	CM	261 LEVEL CM	155509,4929 litre	52,800 %	139014,8184 litre	O
1500	CM	250	CM	260 LEVEL CM	154760,1552 litre	52,546 %	139764,1561 litre	O
1500	CM	250	CM	259 LEVEL CM	154010,6974 litre	52,291 %	140513,6139 litre	O
1500	CM	250	CM	258 LEVEL CM	153261,1315 litre	52,037 %	141263,1798 litre	O
1500	CM	250	CM	257 LEVEL CM	152511,4696 litre	51,782 %	142012,8417 litre	O
1500	CM	250	CM	256 LEVEL CM	151761,7236 litre	51,528 %	142762,5877 litre	O
1500	CM	250	CM	255 LEVEL CM	151011,9056 litre	51,273 %	143512,4057 litre	O
1500	CM	250	CM	254 LEVEL CM	150262,0276 litre	51,019 %	144262,2837 litre	O
1500	CM	250	CM	253 LEVEL CM	149512,1016 litre	50,764 %	145012,2097 litre	O
1500	CM	250	CM	252 LEVEL CM	148762,1396 litre	50,509 %	145762,1717 litre	O
1500	CM	250	CM	251 LEVEL CM	148012,1536 litre	50,255 %	146512,1577 litre	O
1500	CM	250	CM	250 LEVEL CM	147262,1556 litre	50,000 %	147262,1557 litre	O
1500	CM	250	CM	249 LEVEL CM	146512,1576 litre	49,745 %	148012,1537 litre	O
1500	CM	250	CM	248 LEVEL CM	145762,1716 litre	49,491 %	148762,1397 litre	O
1500	CM	250	CM	247 LEVEL CM	145012,2096 litre	49,236 %	149512,1017 litre	O
1500	CM	250	CM	246 LEVEL CM	144262,2836 litre	48,981 %	150262,0277 litre	O
1500	CM	250	CM	245 LEVEL CM	143512,4057 litre	48,727 %	151011,9056 litre	O
1500	CM	250	CM	244 LEVEL CM	142762,5877 litre	48,472 %	151761,7236 litre	O
1500	CM	250	CM	243 LEVEL CM	142012,8417 litre	48,218 %	152511,4696 litre	O
1500	CM	250	CM	242 LEVEL CM	141263,1798 litre	47,963 %	153261,1315 litre	O
1500	CM	250	CM	241 LEVEL CM	140513,6139 litre	47,709 %	154010,6974 litre	O
1500	CM	250	CM	240 LEVEL CM	139764,1561 litre	47,454 %	154760,1552 litre	O
1500	CM	250	CM	239 LEVEL CM	139014,8184 litre	47,200 %	155509,4929 litre	O
1500	CM	250	CM	238 LEVEL CM	138265,6128 litre	46,945 %	156258,6985 litre	O
1500	CM	250	CM	237 LEVEL CM	137516,5514 litre	46,691 %	157007,7599 litre	O

1500	CM	250	CM	236 LEVEL CM	136767,6462 litre	46,437 %	157756,6651 litre	O
1500	CM	250	CM	235 LEVEL CM	136018,9093 litre	46,183 %	158505,4020 litre	O
1500	CM	250	CM	234 LEVEL CM	135270,3527 litre	45,928 %	159253,9586 litre	O
1500	CM	250	CM	233 LEVEL CM	134521,9885 litre	45,674 %	160002,3228 litre	O
1500	CM	250	CM	232 LEVEL CM	133773,8287 litre	45,420 %	160750,4826 litre	O
1500	CM	250	CM	231 LEVEL CM	133025,8855 litre	45,166 %	161498,4258 litre	O
1500	CM	250	CM	230 LEVEL CM	132278,1710 litre	44,912 %	162246,1403 litre	O
1500	CM	250	CM	229 LEVEL CM	131530,6973 litre	44,659 %	162993,6140 litre	O
1500	CM	250	CM	228 LEVEL CM	130783,4764 litre	44,405 %	163740,8349 litre	O
1500	CM	250	CM	227 LEVEL CM	130036,5206 litre	44,151 %	164487,7907 litre	O
1500	CM	250	CM	226 LEVEL CM	129289,8420 litre	43,898 %	165234,4693 litre	O
1500	CM	250	CM	225 LEVEL CM	128543,4527 litre	43,644 %	165980,8586 litre	O
1500	CM	250	CM	224 LEVEL CM	127797,3649 litre	43,391 %	166726,9464 litre	O
1500	CM	250	CM	223 LEVEL CM	127051,5908 litre	43,138 %	167472,7205 litre	O
1500	CM	250	CM	222 LEVEL CM	126306,1426 litre	42,885 %	168218,1687 litre	O
1500	CM	250	CM	221 LEVEL CM	125561,0326 litre	42,632 %	168963,2787 litre	O
1500	CM	250	CM	220 LEVEL CM	124816,2729 litre	42,379 %	169708,0384 litre	O
1500	CM	250	CM	219 LEVEL CM	124071,8758 litre	42,126 %	170452,4355 litre	O
1500	CM	250	CM	218 LEVEL CM	123327,8536 litre	41,874 %	171196,4577 litre	O
1500	CM	250	CM	217 LEVEL CM	122584,2187 litre	41,621 %	171940,0926 litre	O
1500	CM	250	CM	216 LEVEL CM	121840,9832 litre	41,369 %	172683,3281 litre	O
1500	CM	250	CM	215 LEVEL CM	121098,1595 litre	41,117 %	173426,1518 litre	O
1500	CM	250	CM	214 LEVEL CM	120355,7600 litre	40,864 %	174168,5513 litre	O
1500	CM	250	CM	213 LEVEL CM	119613,7971 litre	40,613 %	174910,5142 litre	O
1500	CM	250	CM	212 LEVEL CM	118872,2831 litre	40,361 %	175652,0282 litre	O
1500	CM	250	CM	211 LEVEL CM	118131,2305 litre	40,109 %	176393,0808 litre	O
1500	CM	250	CM	210 LEVEL CM	117390,6517 litre	39,858 %	177133,6596 litre	O
1500	CM	250	CM	209 LEVEL CM	116650,5592 litre	39,606 %	177873,7521 litre	O
1500	CM	250	CM	208 LEVEL CM	115910,9654 litre	39,355 %	178613,3459 litre	O
1500	CM	250	CM	207 LEVEL CM	115171,8828 litre	39,104 %	179352,4285 litre	O
1500	CM	250	CM	206 LEVEL CM	114433,3241 litre	38,854 %	180090,9872 litre	O
1500	CM	250	CM	205 LEVEL CM	113695,3018 litre	38,603 %	180829,0095 litre	O
1500	CM	250	CM	204 LEVEL CM	112957,8284 litre	38,353 %	181566,4829 litre	O
1500	CM	250	CM	203 LEVEL CM	112220,9166 litre	38,102 %	182303,3947 litre	O
1500	CM	250	CM	202 LEVEL CM	111484,5791 litre	37,852 %	183039,7322 litre	O
1500	CM	250	CM	201 LEVEL CM	110748,8285 litre	37,603 %	183775,4828 litre	O
1500	CM	250	CM	200 LEVEL CM	110013,6775 litre	37,353 %	184510,6338 litre	O
1500	CM	250	CM	199 LEVEL CM	109279,1389 litre	37,104 %	185245,1724 litre	O
1500	CM	250	CM	198 LEVEL CM	108545,2254 litre	36,854 %	185979,0859 litre	O
1500	CM	250	CM	197 LEVEL CM	107811,9499 litre	36,605 %	186712,3614 litre	O
1500	CM	250	CM	196 LEVEL CM	107079,3252 litre	36,357 %	187444,9861 litre	O
1500	CM	250	CM	195 LEVEL CM	106347,3642 litre	36,108 %	188176,9471 litre	O
1500	CM	250	CM	194 LEVEL CM	105616,0797 litre	35,860 %	188908,2316 litre	O
1500	CM	250	CM	193 LEVEL CM	104885,4848 litre	35,612 %	189638,8265 litre	O
1500	CM	250	CM	192 LEVEL CM	104155,5923 litre	35,364 %	190368,7190 litre	O
1500	CM	250	CM	191 LEVEL CM	103426,4154 litre	35,116 %	191097,8959 litre	O
1500	CM	250	CM	190 LEVEL CM	102697,9671 litre	34,869 %	191826,3442 litre	O
1500	CM	250	CM	189 LEVEL CM	101970,2605 litre	34,622 %	192554,0508 litre	O
1500	CM	250	CM	188 LEVEL CM	101243,3087 litre	34,375 %	193281,0026 litre	O
1500	CM	250	CM	187 LEVEL CM	100517,1248 litre	34,129 %	194007,1865 litre	O
1500	CM	250	CM	186 LEVEL CM	99791,7222 litre	33,882 %	194732,5891 litre	O
1500	CM	250	CM	185 LEVEL CM	99067,1141 litre	33,636 %	195457,1972 litre	O
1500	CM	250	CM	184 LEVEL CM	98343,3137 litre	33,391 %	196180,9976 litre	O

1500	CM	250	CM	183 LEVEL CM	97620,3345 litre	33,145 %	196903,9768 litre	O
1500	CM	250	CM	182 LEVEL CM	96898,1898 litre	32,900 %	197626,1215 litre	O
1500	CM	250	CM	181 LEVEL CM	96176,8931 litre	32,655 %	198347,4182 litre	O
1500	CM	250	CM	180 LEVEL CM	95456,4579 litre	32,410 %	199067,8534 litre	O
1500	CM	250	CM	179 LEVEL CM	94736,8977 litre	32,166 %	199787,4136 litre	O
1500	CM	250	CM	178 LEVEL CM	94018,2260 litre	31,922 %	200506,0853 litre	O
1500	CM	250	CM	177 LEVEL CM	93300,4566 litre	31,678 %	201223,8547 litre	O
1500	CM	250	CM	176 LEVEL CM	92583,6031 litre	31,435 %	201940,7082 litre	O
1500	CM	250	CM	175 LEVEL CM	91867,6793 litre	31,192 %	202656,6320 litre	O
1500	CM	250	CM	174 LEVEL CM	91152,6989 litre	30,949 %	203371,6124 litre	O
1500	CM	250	CM	173 LEVEL CM	90438,6759 litre	30,707 %	204085,6354 litre	O
1500	CM	250	CM	172 LEVEL CM	89725,6240 litre	30,465 %	204798,6873 litre	O
1500	CM	250	CM	171 LEVEL CM	89013,5574 litre	30,223 %	205510,7539 litre	O
1500	CM	250	CM	170 LEVEL CM	88302,4899 litre	29,981 %	206221,8214 litre	O
1500	CM	250	CM	169 LEVEL CM	87592,4358 litre	29,740 %	206931,8755 litre	O
1500	CM	250	CM	168 LEVEL CM	86883,4090 litre	29,500 %	207640,9023 litre	O
1500	CM	250	CM	167 LEVEL CM	86175,4239 litre	29,259 %	208348,8874 litre	O
1500	CM	250	CM	166 LEVEL CM	85468,4947 litre	29,019 %	209055,8166 litre	O
1500	CM	250	CM	165 LEVEL CM	84762,6357 litre	28,780 %	209761,6756 litre	O
1500	CM	250	CM	164 LEVEL CM	84057,8614 litre	28,540 %	210466,4499 litre	O
1500	CM	250	CM	163 LEVEL CM	83354,1861 litre	28,301 %	211170,1252 litre	O
1500	CM	250	CM	162 LEVEL CM	82651,6244 litre	28,063 %	211872,6869 litre	O
1500	CM	250	CM	161 LEVEL CM	81950,1910 litre	27,825 %	212574,1203 litre	O
1500	CM	250	CM	160 LEVEL CM	81249,9004 litre	27,587 %	213274,4109 litre	O
1500	CM	250	CM	159 LEVEL CM	80550,7674 litre	27,349 %	213973,5439 litre	O
1500	CM	250	CM	158 LEVEL CM	79852,8069 litre	27,112 %	214671,5044 litre	O
1500	CM	250	CM	157 LEVEL CM	79156,0337 litre	26,876 %	215368,2776 litre	O
1500	CM	250	CM	156 LEVEL CM	78460,4628 litre	26,640 %	216063,8485 litre	O
1500	CM	250	CM	155 LEVEL CM	77766,1093 litre	26,404 %	216758,2020 litre	O
1500	CM	250	CM	154 LEVEL CM	77072,9882 litre	26,169 %	217451,3231 litre	O
1500	CM	250	CM	153 LEVEL CM	76381,1147 litre	25,934 %	218143,1966 litre	O
1500	CM	250	CM	152 LEVEL CM	75690,5042 litre	25,699 %	218833,8071 litre	O
1500	CM	250	CM	151 LEVEL CM	75001,1720 litre	25,465 %	219523,1393 litre	O
1500	CM	250	CM	150 LEVEL CM	74313,1336 litre	25,232 %	220211,1777 litre	O
1500	CM	250	CM	149 LEVEL CM	73626,4045 litre	24,998 %	220897,9068 litre	O
1500	CM	250	CM	148 LEVEL CM	72941,0004 litre	24,766 %	221583,3109 litre	O
1500	CM	250	CM	147 LEVEL CM	72256,9369 litre	24,533 %	222267,3744 litre	O
1500	CM	250	CM	146 LEVEL CM	71574,2299 litre	24,302 %	222950,0814 litre	O
1500	CM	250	CM	145 LEVEL CM	70892,8953 litre	24,070 %	223631,4160 litre	O
1500	CM	250	CM	144 LEVEL CM	70212,9491 litre	23,839 %	224311,3622 litre	O
1500	CM	250	CM	143 LEVEL CM	69534,4074 litre	23,609 %	224989,9039 litre	O
1500	CM	250	CM	142 LEVEL CM	68857,2864 litre	23,379 %	225667,0249 litre	O
1500	CM	250	CM	141 LEVEL CM	68181,6024 litre	23,150 %	226342,7089 litre	O
1500	CM	250	CM	140 LEVEL CM	67507,3719 litre	22,921 %	227016,9394 litre	O
1500	CM	250	CM	139 LEVEL CM	66834,6113 litre	22,692 %	227689,7000 litre	O
1500	CM	250	CM	138 LEVEL CM	66163,3373 litre	22,464 %	228360,9740 litre	O
1500	CM	250	CM	137 LEVEL CM	65493,5665 litre	22,237 %	229030,7448 litre	O
1500	CM	250	CM	136 LEVEL CM	64825,3160 litre	22,010 %	229698,9953 litre	O
1500	CM	250	CM	135 LEVEL CM	64158,6026 litre	21,784 %	230365,7087 litre	O
1500	CM	250	CM	134 LEVEL CM	63493,4433 litre	21,558 %	231030,8680 litre	O
1500	CM	250	CM	133 LEVEL CM	62829,8555 litre	21,333 %	231694,4558 litre	O
1500	CM	250	CM	132 LEVEL CM	62167,8564 litre	21,108 %	232356,4549 litre	O
1500	CM	250	CM	131 LEVEL CM	61507,4635 litre	20,884 %	233016,8478 litre	O

1500	CM	250	CM	130 LEVEL CM	60848,6944 litre	20,660 %	233675,6169 litre	O
1500	CM	250	CM	129 LEVEL CM	60191,5667 litre	20,437 %	234332,7446 litre	O
1500	CM	250	CM	128 LEVEL CM	59536,0984 litre	20,214 %	234988,2129 litre	O
1500	CM	250	CM	127 LEVEL CM	58882,3073 litre	19,992 %	235642,0040 litre	O
1500	CM	250	CM	126 LEVEL CM	58230,2116 litre	19,771 %	236294,0997 litre	O
1500	CM	250	CM	125 LEVEL CM	57579,8296 litre	19,550 %	236944,4817 litre	O
1500	CM	250	CM	124 LEVEL CM	56931,1797 litre	19,330 %	237593,1316 litre	O
1500	CM	250	CM	123 LEVEL CM	56284,2804 litre	19,110 %	238240,0309 litre	O
1500	CM	250	CM	122 LEVEL CM	55639,1503 litre	18,891 %	238885,1610 litre	O
1500	CM	250	CM	121 LEVEL CM	54995,8085 litre	18,673 %	239528,5028 litre	O
1500	CM	250	CM	120 LEVEL CM	54354,2738 litre	18,455 %	240170,0375 litre	O
1500	CM	250	CM	119 LEVEL CM	53714,5655 litre	18,238 %	240809,7458 litre	O
1500	CM	250	CM	118 LEVEL CM	53076,7029 litre	18,021 %	241447,6084 litre	O
1500	CM	250	CM	117 LEVEL CM	52440,7055 litre	17,805 %	242083,6058 litre	O
1500	CM	250	CM	116 LEVEL CM	51806,5930 litre	17,590 %	242717,7183 litre	O
1500	CM	250	CM	115 LEVEL CM	51174,3852 litre	17,375 %	243349,9261 litre	O
1500	CM	250	CM	114 LEVEL CM	50544,1021 litre	17,161 %	243980,2092 litre	O
1500	CM	250	CM	113 LEVEL CM	49915,7641 litre	16,948 %	244608,5472 litre	O
1500	CM	250	CM	112 LEVEL CM	49289,3915 litre	16,735 %	245234,9198 litre	O
1500	CM	250	CM	111 LEVEL CM	48665,0049 litre	16,523 %	245859,3064 litre	O
1500	CM	250	CM	110 LEVEL CM	48042,6250 litre	16,312 %	246481,6863 litre	O
1500	CM	250	CM	109 LEVEL CM	47422,2730 litre	16,101 %	247102,0383 litre	O
1500	CM	250	CM	108 LEVEL CM	46803,9699 litre	15,891 %	247720,3414 litre	O
1500	CM	250	CM	107 LEVEL CM	46187,7373 litre	15,682 %	248336,5740 litre	O
1500	CM	250	CM	106 LEVEL CM	45573,5968 litre	15,474 %	248950,7145 litre	O
1500	CM	250	CM	105 LEVEL CM	44961,5701 litre	15,266 %	249562,7412 litre	O
1500	CM	250	CM	104 LEVEL CM	44351,6794 litre	15,059 %	250172,6319 litre	O
1500	CM	250	CM	103 LEVEL CM	43743,9471 litre	14,852 %	250780,3642 litre	O
1500	CM	250	CM	102 LEVEL CM	43138,3956 litre	14,647 %	251385,9157 litre	O
1500	CM	250	CM	101 LEVEL CM	42535,0478 litre	14,442 %	251989,2635 litre	O
1500	CM	250	CM	100 LEVEL CM	41933,9267 litre	14,238 %	252590,3846 litre	O
1500	CM	250	CM	99 LEVEL CM	41335,0556 litre	14,035 %	253189,2557 litre	O
1500	CM	250	CM	98 LEVEL CM	40738,4581 litre	13,832 %	253785,8532 litre	O
1500	CM	250	CM	97 LEVEL CM	40144,1581 litre	13,630 %	254380,1532 litre	O
1500	CM	250	CM	96 LEVEL CM	39552,1796 litre	13,429 %	254972,1317 litre	O
1500	CM	250	CM	95 LEVEL CM	38962,5470 litre	13,229 %	255561,7643 litre	O
1500	CM	250	CM	94 LEVEL CM	38375,2851 litre	13,030 %	256149,0262 litre	O
1500	CM	250	CM	93 LEVEL CM	37790,4189 litre	12,831 %	256733,8924 litre	O
1500	CM	250	CM	92 LEVEL CM	37207,9736 litre	12,633 %	257316,3377 litre	O
1500	CM	250	CM	91 LEVEL CM	36627,9749 litre	12,436 %	257896,3364 litre	O
1500	CM	250	CM	90 LEVEL CM	36050,4487 litre	12,240 %	258473,8626 litre	O
1500	CM	250	CM	89 LEVEL CM	35475,4214 litre	12,045 %	259048,8899 litre	O
1500	CM	250	CM	88 LEVEL CM	34902,9194 litre	11,851 %	259621,3919 litre	O
1500	CM	250	CM	87 LEVEL CM	34332,9699 litre	11,657 %	260191,3414 litre	O
1500	CM	250	CM	86 LEVEL CM	33765,6002 litre	11,464 %	260758,7111 litre	O
1500	CM	250	CM	85 LEVEL CM	33200,8379 litre	11,273 %	261323,4734 litre	O
1500	CM	250	CM	84 LEVEL CM	32638,7112 litre	11,082 %	261885,6001 litre	O
1500	CM	250	CM	83 LEVEL CM	32079,2486 litre	10,892 %	262445,0627 litre	O
1500	CM	250	CM	82 LEVEL CM	31522,4790 litre	10,703 %	263001,8323 litre	O
1500	CM	250	CM	81 LEVEL CM	30968,4317 litre	10,515 %	263555,8796 litre	O
1500	CM	250	CM	80 LEVEL CM	30417,1365 litre	10,328 %	264107,1748 litre	O
1500	CM	250	CM	79 LEVEL CM	29868,6237 litre	10,141 %	264655,6876 litre	O
1500	CM	250	CM	78 LEVEL CM	29322,9238 litre	9,956 %	265201,3875 litre	O

1500	CM	250	CM	77 LEVEL CM	28780,0681 litre	9,772 %	265744,2432 litre	O
1500	CM	250	CM	76 LEVEL CM	28240,0882 litre	9,588 %	266284,2231 litre	O
1500	CM	250	CM	75 LEVEL CM	27703,0163 litre	9,406 %	266821,2950 litre	O
1500	CM	250	CM	74 LEVEL CM	27168,8849 litre	9,225 %	267355,4264 litre	O
1500	CM	250	CM	73 LEVEL CM	26637,7275 litre	9,044 %	267886,5838 litre	O
1500	CM	250	CM	72 LEVEL CM	26109,5777 litre	8,865 %	268414,7336 litre	O
1500	CM	250	CM	71 LEVEL CM	25584,4698 litre	8,687 %	268939,8415 litre	O
1500	CM	250	CM	70 LEVEL CM	25062,4390 litre	8,509 %	269461,8723 litre	O
1500	CM	250	CM	69 LEVEL CM	24543,5207 litre	8,333 %	269980,7906 litre	O
1500	CM	250	CM	68 LEVEL CM	24027,7512 litre	8,158 %	270496,5601 litre	O
1500	CM	250	CM	67 LEVEL CM	23515,1674 litre	7,984 %	271009,1439 litre	O
1500	CM	250	CM	66 LEVEL CM	23005,8069 litre	7,811 %	271518,5044 litre	O
1500	CM	250	CM	65 LEVEL CM	22499,7080 litre	7,639 %	272024,6033 litre	O
1500	CM	250	CM	64 LEVEL CM	21996,9098 litre	7,469 %	272527,4015 litre	O
1500	CM	250	CM	63 LEVEL CM	21497,4520 litre	7,299 %	273026,8593 litre	O
1500	CM	250	CM	62 LEVEL CM	21001,3754 litre	7,131 %	273522,9359 litre	O
1500	CM	250	CM	61 LEVEL CM	20508,7213 litre	6,963 %	274015,5900 litre	O
1500	CM	250	CM	60 LEVEL CM	20019,5322 litre	6,797 %	274504,7791 litre	O
1500	CM	250	CM	59 LEVEL CM	19533,8513 litre	6,632 %	274990,4600 litre	O
1500	CM	250	CM	58 LEVEL CM	19051,7227 litre	6,469 %	275472,5886 litre	O
1500	CM	250	CM	57 LEVEL CM	18573,1917 litre	6,306 %	275951,1196 litre	O
1500	CM	250	CM	56 LEVEL CM	18098,3045 litre	6,145 %	276426,0068 litre	O
1500	CM	250	CM	55 LEVEL CM	17627,1083 litre	5,985 %	276897,2030 litre	O
1500	CM	250	CM	54 LEVEL CM	17159,6516 litre	5,826 %	277364,6597 litre	O
1500	CM	250	CM	53 LEVEL CM	16695,9838 litre	5,669 %	277828,3275 litre	O
1500	CM	250	CM	52 LEVEL CM	16236,1558 litre	5,513 %	278288,1555 litre	O
1500	CM	250	CM	51 LEVEL CM	15780,2198 litre	5,358 %	278744,0915 litre	O
1500	CM	250	CM	50 LEVEL CM	15328,2289 litre	5,204 %	279196,0824 litre	O
1500	CM	250	CM	49 LEVEL CM	14880,2383 litre	5,052 %	279644,0730 litre	O
1500	CM	250	CM	48 LEVEL CM	14436,3040 litre	4,902 %	280088,0073 litre	O
1500	CM	250	CM	47 LEVEL CM	13996,4841 litre	4,752 %	280527,8272 litre	O
1500	CM	250	CM	46 LEVEL CM	13560,8380 litre	4,604 %	280963,4733 litre	O
1500	CM	250	CM	45 LEVEL CM	13129,4270 litre	4,458 %	281394,8843 litre	O
1500	CM	250	CM	44 LEVEL CM	12702,3141 litre	4,313 %	281821,9972 litre	O
1500	CM	250	CM	43 LEVEL CM	12279,5643 litre	4,169 %	282244,7470 litre	O
1500	CM	250	CM	42 LEVEL CM	11861,2446 litre	4,027 %	282663,0667 litre	O
1500	CM	250	CM	41 LEVEL CM	11447,4242 litre	3,887 %	283076,8871 litre	O
1500	CM	250	CM	40 LEVEL CM	11038,1746 litre	3,748 %	283486,1367 litre	O
1500	CM	250	CM	39 LEVEL CM	10633,5697 litre	3,610 %	283890,7416 litre	O
1500	CM	250	CM	38 LEVEL CM	10233,6858 litre	3,475 %	284290,6255 litre	O
1500	CM	250	CM	37 LEVEL CM	9838,6022 litre	3,341 %	284685,7091 litre	O
1500	CM	250	CM	36 LEVEL CM	9448,4010 litre	3,208 %	285075,9103 litre	O
1500	CM	250	CM	35 LEVEL CM	9063,1674 litre	3,077 %	285461,1439 litre	O
1500	CM	250	CM	34 LEVEL CM	8682,9901 litre	2,948 %	285841,3212 litre	O
1500	CM	250	CM	33 LEVEL CM	8307,9611 litre	2,821 %	286216,3502 litre	O
1500	CM	250	CM	32 LEVEL CM	7938,1765 litre	2,695 %	286586,1348 litre	O
1500	CM	250	CM	31 LEVEL CM	7573,7364 litre	2,572 %	286950,5749 litre	O
1500	CM	250	CM	30 LEVEL CM	7214,7455 litre	2,450 %	287309,5658 litre	O
1500	CM	250	CM	29 LEVEL CM	6861,3132 litre	2,330 %	287662,9981 litre	O
1500	CM	250	CM	28 LEVEL CM	6513,5543 litre	2,212 %	288010,7570 litre	O
1500	CM	250	CM	27 LEVEL CM	6171,5892 litre	2,095 %	288352,7221 litre	O
1500	CM	250	CM	26 LEVEL CM	5835,5445 litre	1,981 %	288688,7668 litre	O
1500	CM	250	CM	25 LEVEL CM	5505,5538 litre	1,869 %	289018,7575 litre	O

1500	CM	250	CM	24 LEVEL CM	5181,7580 litre	1,759 %	289342,5533 litre	O
1500	CM	250	CM	23 LEVEL CM	4864,3063 litre	1,652 %	289660,0050 litre	O
1500	CM	250	CM	22 LEVEL CM	4553,3571 litre	1,546 %	289970,9542 litre	O
1500	CM	250	CM	21 LEVEL CM	4249,0790 litre	1,443 %	290275,2323 litre	O
1500	CM	250	CM	20 LEVEL CM	3951,6517 litre	1,342 %	290572,6596 litre	O
1500	CM	250	CM	19 LEVEL CM	3661,2679 litre	1,243 %	290863,0434 litre	O
1500	CM	250	CM	18 LEVEL CM	3378,1346 litre	1,147 %	291146,1767 litre	O
1500	CM	250	CM	17 LEVEL CM	3102,4750 litre	1,053 %	291421,8363 litre	O
1500	CM	250	CM	16 LEVEL CM	2834,5312 litre	0,962 %	291689,7801 litre	O
1500	CM	250	CM	15 LEVEL CM	2574,5668 litre	0,874 %	291949,7445 litre	O
1500	CM	250	CM	14 LEVEL CM	2322,8704 litre	0,789 %	292201,4409 litre	O
1500	CM	250	CM	13 LEVEL CM	2079,7601 litre	0,706 %	292444,5512 litre	O
1500	CM	250	CM	12 LEVEL CM	1845,5891 litre	0,627 %	292678,7222 litre	O
1500	CM	250	CM	11 LEVEL CM	1620,7527 litre	0,550 %	292903,5586 litre	O
1500	CM	250	CM	10 LEVEL CM	1405,6977 litre	0,477 %	293118,6136 litre	O
1500	CM	250	CM	9 LEVEL CM	1200,9352 litre	0,408 %	293323,3761 litre	O
1500	CM	250	CM	8 LEVEL CM	1007,0576 litre	0,342 %	293517,2537 litre	O
1500	CM	250	CM	7 LEVEL CM	824,7638 litre	0,280 %	293699,5475 litre	O
1500	CM	250	CM	6 LEVEL CM	654,8958 litre	0,222 %	293869,4155 litre	O
1500	CM	250	CM	5 LEVEL CM	498,4973 litre	0,169 %	294025,8140 litre	O
1500	CM	250	CM	4 LEVEL CM	356,9110 litre	0,121 %	294167,4003 litre	O
1500	CM	250	CM	3 LEVEL CM	231,9603 litre	0,079 %	294292,3510 litre	O
1500	CM	250	CM	2 LEVEL CM	126,3392 litre	0,043 %	294397,9721 litre	O
1500	CM	250	CM	1 LEVEL CM	44,6945 litre	0,015 %	294479,6168 litre	O
1500	CM	250	CM	0 LEVEL CM	0,0000 litre	0,000 %	294524,3113 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1400	CM	200	CM	400 LEVEL CM	175929,1886 litre	100,000 %	0,0000 litre	O
1400	CM	200	CM	399 LEVEL CM	175891,8833 litre	99,979 %	37,3053 litre	O
1400	CM	200	CM	398 LEVEL CM	175823,7525 litre	99,940 %	105,4361 litre	O
1400	CM	200	CM	397 LEVEL CM	175735,6360 litre	99,890 %	193,5526 litre	O
1400	CM	200	CM	396 LEVEL CM	175631,4195 litre	99,831 %	297,7691 litre	O
1400	CM	200	CM	395 LEVEL CM	175513,3580 litre	99,764 %	415,8306 litre	O
1400	CM	200	CM	394 LEVEL CM	175382,9786 litre	99,690 %	546,2100 litre	O
1400	CM	200	CM	393 LEVEL CM	175241,4070 litre	99,609 %	687,7816 litre	O
1400	CM	200	CM	392 LEVEL CM	175089,5185 litre	99,523 %	839,6701 litre	O
1400	CM	200	CM	391 LEVEL CM	174928,0202 litre	99,431 %	1001,1684 litre	O
1400	CM	200	CM	390 LEVEL CM	174757,4992 litre	99,334 %	1171,6894 litre	O
1400	CM	200	CM	389 LEVEL CM	174578,4539 litre	99,232 %	1350,7347 litre	O
1400	CM	200	CM	388 LEVEL CM	174391,3140 litre	99,126 %	1537,8746 litre	O
1400	CM	200	CM	387 LEVEL CM	174196,4561 litre	99,015 %	1732,7325 litre	O
1400	CM	200	CM	386 LEVEL CM	173994,2133 litre	98,900 %	1934,9753 litre	O
1400	CM	200	CM	385 LEVEL CM	173784,8835 litre	98,781 %	2144,3051 litre	O
1400	CM	200	CM	384 LEVEL CM	173568,7353 litre	98,658 %	2360,4533 litre	O
1400	CM	200	CM	383 LEVEL CM	173346,0126 litre	98,532 %	2583,1760 litre	O
1400	CM	200	CM	382 LEVEL CM	173116,9381 litre	98,401 %	2812,2505 litre	O
1400	CM	200	CM	381 LEVEL CM	172881,7168 litre	98,268 %	3047,4718 litre	O
1400	CM	200	CM	380 LEVEL CM	172640,5378 litre	98,131 %	3288,6508 litre	O
1400	CM	200	CM	379 LEVEL CM	172393,5765 litre	97,990 %	3535,6121 litre	O
1400	CM	200	CM	378 LEVEL CM	172140,9963 litre	97,847 %	3788,1923 litre	O
1400	CM	200	CM	377 LEVEL CM	171882,9500 litre	97,700 %	4046,2386 litre	O
1400	CM	200	CM	376 LEVEL CM	171619,5806 litre	97,550 %	4309,6080 litre	O
1400	CM	200	CM	375 LEVEL CM	171351,0230 litre	97,398 %	4578,1656 litre	O
1400	CM	200	CM	374 LEVEL CM	171077,4041 litre	97,242 %	4851,7845 litre	O
1400	CM	200	CM	373 LEVEL CM	170798,8440 litre	97,084 %	5130,3446 litre	O
1400	CM	200	CM	372 LEVEL CM	170515,4566 litre	96,923 %	5413,7320 litre	O
1400	CM	200	CM	371 LEVEL CM	170227,3498 litre	96,759 %	5701,8388 litre	O
1400	CM	200	CM	370 LEVEL CM	169934,6267 litre	96,593 %	5994,5619 litre	O
1400	CM	200	CM	369 LEVEL CM	169637,3852 litre	96,424 %	6291,8034 litre	O
1400	CM	200	CM	368 LEVEL CM	169335,7189 litre	96,252 %	6593,4697 litre	O
1400	CM	200	CM	367 LEVEL CM	169029,7176 litre	96,078 %	6899,4710 litre	O
1400	CM	200	CM	366 LEVEL CM	168719,4670 litre	95,902 %	7209,7216 litre	O
1400	CM	200	CM	365 LEVEL CM	168405,0495 litre	95,723 %	7524,1391 litre	O
1400	CM	200	CM	364 LEVEL CM	168086,5442 litre	95,542 %	7842,6444 litre	O
1400	CM	200	CM	363 LEVEL CM	167764,0273 litre	95,359 %	8165,1613 litre	O
1400	CM	200	CM	362 LEVEL CM	167437,5719 litre	95,173 %	8491,6167 litre	O
1400	CM	200	CM	361 LEVEL CM	167107,2489 litre	94,986 %	8821,9397 litre	O
1400	CM	200	CM	360 LEVEL CM	166773,1265 litre	94,796 %	9156,0621 litre	O
1400	CM	200	CM	359 LEVEL CM	166435,2706 litre	94,604 %	9493,9180 litre	O
1400	CM	200	CM	358 LEVEL CM	166093,7449 litre	94,409 %	9835,4437 litre	O
1400	CM	200	CM	357 LEVEL CM	165748,6111 litre	94,213 %	10180,5775 litre	O
1400	CM	200	CM	356 LEVEL CM	165399,9292 litre	94,015 %	10529,2594 litre	O
1400	CM	200	CM	355 LEVEL CM	165047,7571 litre	93,815 %	10881,4315 litre	O
1400	CM	200	CM	354 LEVEL CM	164692,1511 litre	93,613 %	11237,0375 litre	O
1400	CM	200	CM	353 LEVEL CM	164333,1659 litre	93,409 %	11596,0227 litre	O
1400	CM	200	CM	352 LEVEL CM	163970,8547 litre	93,203 %	11958,3339 litre	O
1400	CM	200	CM	351 LEVEL CM	163605,2691 litre	92,995 %	12323,9195 litre	O
1400	CM	200	CM	350 LEVEL CM	163236,4595 litre	92,785 %	12692,7291 litre	O
1400	CM	200	CM	349 LEVEL CM	162864,4749 litre	92,574 %	13064,7137 litre	O

1400	CM	200	CM	348 LEVEL CM	162489,3630 litre	92,361 %	13439,8256 litre	O
1400	CM	200	CM	347 LEVEL CM	162111,1705 litre	92,146 %	13818,0181 litre	O
1400	CM	200	CM	346 LEVEL CM	161729,9428 litre	91,929 %	14199,2458 litre	O
1400	CM	200	CM	345 LEVEL CM	161345,7243 litre	91,711 %	14583,4643 litre	O
1400	CM	200	CM	344 LEVEL CM	160958,5584 litre	91,491 %	14970,6302 litre	O
1400	CM	200	CM	343 LEVEL CM	160568,4873 litre	91,269 %	15360,7013 litre	O
1400	CM	200	CM	342 LEVEL CM	160175,5526 litre	91,045 %	15753,6360 litre	O
1400	CM	200	CM	341 LEVEL CM	159779,7948 litre	90,821 %	16149,3938 litre	O
1400	CM	200	CM	340 LEVEL CM	159381,2536 litre	90,594 %	16547,9350 litre	O
1400	CM	200	CM	339 LEVEL CM	158979,9677 litre	90,366 %	16949,2209 litre	O
1400	CM	200	CM	338 LEVEL CM	158575,9752 litre	90,136 %	17353,2134 litre	O
1400	CM	200	CM	337 LEVEL CM	158169,3135 litre	89,905 %	17759,8751 litre	O
1400	CM	200	CM	336 LEVEL CM	157760,0190 litre	89,672 %	18169,1696 litre	O
1400	CM	200	CM	335 LEVEL CM	157348,1277 litre	89,438 %	18581,0609 litre	O
1400	CM	200	CM	334 LEVEL CM	156933,6748 litre	89,203 %	18995,5138 litre	O
1400	CM	200	CM	333 LEVEL CM	156516,6947 litre	88,966 %	19412,4939 litre	O
1400	CM	200	CM	332 LEVEL CM	156097,2214 litre	88,727 %	19831,9672 litre	O
1400	CM	200	CM	331 LEVEL CM	155675,2883 litre	88,487 %	20253,9003 litre	O
1400	CM	200	CM	330 LEVEL CM	155250,9279 litre	88,246 %	20678,2607 litre	O
1400	CM	200	CM	329 LEVEL CM	154824,1726 litre	88,004 %	21105,0160 litre	O
1400	CM	200	CM	328 LEVEL CM	154395,0539 litre	87,760 %	21534,1347 litre	O
1400	CM	200	CM	327 LEVEL CM	153963,6030 litre	87,515 %	21965,5856 litre	O
1400	CM	200	CM	326 LEVEL CM	153529,8504 litre	87,268 %	22399,3382 litre	O
1400	CM	200	CM	325 LEVEL CM	153093,8264 litre	87,020 %	22835,3622 litre	O
1400	CM	200	CM	324 LEVEL CM	152655,5605 litre	86,771 %	23273,6281 litre	O
1400	CM	200	CM	323 LEVEL CM	152215,0820 litre	86,521 %	23714,1066 litre	O
1400	CM	200	CM	322 LEVEL CM	151772,4197 litre	86,269 %	24156,7689 litre	O
1400	CM	200	CM	321 LEVEL CM	151327,6018 litre	86,016 %	24601,5868 litre	O
1400	CM	200	CM	320 LEVEL CM	150880,6564 litre	85,762 %	25048,5322 litre	O
1400	CM	200	CM	319 LEVEL CM	150431,6109 litre	85,507 %	25497,5777 litre	O
1400	CM	200	CM	318 LEVEL CM	149980,4926 litre	85,250 %	25948,6960 litre	O
1400	CM	200	CM	317 LEVEL CM	149527,3282 litre	84,993 %	26401,8604 litre	O
1400	CM	200	CM	316 LEVEL CM	149072,1441 litre	84,734 %	26857,0445 litre	O
1400	CM	200	CM	315 LEVEL CM	148614,9663 litre	84,474 %	27314,2223 litre	O
1400	CM	200	CM	314 LEVEL CM	148155,8208 litre	84,213 %	27773,3678 litre	O
1400	CM	200	CM	313 LEVEL CM	147694,7327 litre	83,951 %	28234,4559 litre	O
1400	CM	200	CM	312 LEVEL CM	147231,7273 litre	83,688 %	28697,4613 litre	O
1400	CM	200	CM	311 LEVEL CM	146766,8292 litre	83,424 %	29162,3594 litre	O
1400	CM	200	CM	310 LEVEL CM	146300,0630 litre	83,158 %	29629,1256 litre	O
1400	CM	200	CM	309 LEVEL CM	145831,4528 litre	82,892 %	30097,7358 litre	O
1400	CM	200	CM	308 LEVEL CM	145361,0225 litre	82,625 %	30568,1661 litre	O
1400	CM	200	CM	307 LEVEL CM	144888,7958 litre	82,356 %	31040,3928 litre	O
1400	CM	200	CM	306 LEVEL CM	144414,7960 litre	82,087 %	31514,3926 litre	O
1400	CM	200	CM	305 LEVEL CM	143939,0461 litre	81,816 %	31990,1425 litre	O
1400	CM	200	CM	304 LEVEL CM	143461,5690 litre	81,545 %	32467,6196 litre	O
1400	CM	200	CM	303 LEVEL CM	142982,3874 litre	81,273 %	32946,8012 litre	O
1400	CM	200	CM	302 LEVEL CM	142501,5234 litre	80,999 %	33427,6652 litre	O
1400	CM	200	CM	301 LEVEL CM	142018,9994 litre	80,725 %	33910,1892 litre	O
1400	CM	200	CM	300 LEVEL CM	141534,8370 litre	80,450 %	34394,3516 litre	O
1400	CM	200	CM	299 LEVEL CM	141049,0581 litre	80,174 %	34880,1305 litre	O
1400	CM	200	CM	298 LEVEL CM	140561,6840 litre	79,897 %	35367,5046 litre	O
1400	CM	200	CM	297 LEVEL CM	140072,7360 litre	79,619 %	35856,4526 litre	O
1400	CM	200	CM	296 LEVEL CM	139582,2352 litre	79,340 %	36346,9534 litre	O

1400	CM	200	CM	295 LEVEL CM	139090,2022 litre	79,060 %	36838,9864 litre	O
1400	CM	200	CM	294 LEVEL CM	138596,6579 litre	78,780 %	37332,5307 litre	O
1400	CM	200	CM	293 LEVEL CM	138101,6226 litre	78,498 %	37827,5660 litre	O
1400	CM	200	CM	292 LEVEL CM	137605,1167 litre	78,216 %	38324,0719 litre	O
1400	CM	200	CM	291 LEVEL CM	137107,1601 litre	77,933 %	38822,0285 litre	O
1400	CM	200	CM	290 LEVEL CM	136607,7729 litre	77,649 %	39321,4157 litre	O
1400	CM	200	CM	289 LEVEL CM	136106,9747 litre	77,365 %	39822,2139 litre	O
1400	CM	200	CM	288 LEVEL CM	135604,7851 litre	77,079 %	40324,4035 litre	O
1400	CM	200	CM	287 LEVEL CM	135101,2236 litre	76,793 %	40827,9650 litre	O
1400	CM	200	CM	286 LEVEL CM	134596,3094 litre	76,506 %	41332,8792 litre	O
1400	CM	200	CM	285 LEVEL CM	134090,0616 litre	76,218 %	41839,1270 litre	O
1400	CM	200	CM	284 LEVEL CM	133582,4992 litre	75,930 %	42346,6894 litre	O
1400	CM	200	CM	283 LEVEL CM	133073,6409 litre	75,640 %	42855,5477 litre	O
1400	CM	200	CM	282 LEVEL CM	132563,5054 litre	75,350 %	43365,6832 litre	O
1400	CM	200	CM	281 LEVEL CM	132052,1112 litre	75,060 %	43877,0774 litre	O
1400	CM	200	CM	280 LEVEL CM	131539,4768 litre	74,768 %	44389,7118 litre	O
1400	CM	200	CM	279 LEVEL CM	131025,6203 litre	74,476 %	44903,5683 litre	O
1400	CM	200	CM	278 LEVEL CM	130510,5600 litre	74,184 %	45418,6286 litre	O
1400	CM	200	CM	277 LEVEL CM	129994,3137 litre	73,890 %	45934,8749 litre	O
1400	CM	200	CM	276 LEVEL CM	129476,8993 litre	73,596 %	46452,2893 litre	O
1400	CM	200	CM	275 LEVEL CM	128958,3347 litre	73,301 %	46970,8539 litre	O
1400	CM	200	CM	274 LEVEL CM	128438,6374 litre	73,006 %	47490,5512 litre	O
1400	CM	200	CM	273 LEVEL CM	127917,8250 litre	72,710 %	48011,3636 litre	O
1400	CM	200	CM	272 LEVEL CM	127395,9148 litre	72,413 %	48533,2738 litre	O
1400	CM	200	CM	271 LEVEL CM	126872,9241 litre	72,116 %	49056,2645 litre	O
1400	CM	200	CM	270 LEVEL CM	126348,8702 litre	71,818 %	49580,3184 litre	O
1400	CM	200	CM	269 LEVEL CM	125823,7701 litre	71,520 %	50105,4185 litre	O
1400	CM	200	CM	268 LEVEL CM	125297,6409 litre	71,220 %	50631,5477 litre	O
1400	CM	200	CM	267 LEVEL CM	124770,4993 litre	70,921 %	51158,6893 litre	O
1400	CM	200	CM	266 LEVEL CM	124242,3621 litre	70,621 %	51686,8265 litre	O
1400	CM	200	CM	265 LEVEL CM	123713,2462 litre	70,320 %	52215,9424 litre	O
1400	CM	200	CM	264 LEVEL CM	123183,1680 litre	70,019 %	52746,0206 litre	O
1400	CM	200	CM	263 LEVEL CM	122652,1440 litre	69,717 %	53277,0446 litre	O
1400	CM	200	CM	262 LEVEL CM	122120,1907 litre	69,414 %	53808,9979 litre	O
1400	CM	200	CM	261 LEVEL CM	121587,3245 litre	69,112 %	54341,8641 litre	O
1400	CM	200	CM	260 LEVEL CM	121053,5615 litre	68,808 %	54875,6271 litre	O
1400	CM	200	CM	259 LEVEL CM	120518,9180 litre	68,504 %	55410,2706 litre	O
1400	CM	200	CM	258 LEVEL CM	119983,4099 litre	68,200 %	55945,7787 litre	O
1400	CM	200	CM	257 LEVEL CM	119447,0534 litre	67,895 %	56482,1352 litre	O
1400	CM	200	CM	256 LEVEL CM	118909,8644 litre	67,590 %	57019,3242 litre	O
1400	CM	200	CM	255 LEVEL CM	118371,8587 litre	67,284 %	57557,3299 litre	O
1400	CM	200	CM	254 LEVEL CM	117833,0521 litre	66,978 %	58096,1365 litre	O
1400	CM	200	CM	253 LEVEL CM	117293,4604 litre	66,671 %	58635,7282 litre	O
1400	CM	200	CM	252 LEVEL CM	116753,0991 litre	66,364 %	59176,0895 litre	O
1400	CM	200	CM	251 LEVEL CM	116211,9839 litre	66,056 %	59717,2047 litre	O
1400	CM	200	CM	250 LEVEL CM	115670,1303 litre	65,748 %	60259,0583 litre	O
1400	CM	200	CM	249 LEVEL CM	115127,5537 litre	65,440 %	60801,6349 litre	O
1400	CM	200	CM	248 LEVEL CM	114584,2696 litre	65,131 %	61344,9190 litre	O
1400	CM	200	CM	247 LEVEL CM	114040,2932 litre	64,822 %	61888,8954 litre	O
1400	CM	200	CM	246 LEVEL CM	113495,6398 litre	64,512 %	62433,5488 litre	O
1400	CM	200	CM	245 LEVEL CM	112950,3247 litre	64,202 %	62978,8639 litre	O
1400	CM	200	CM	244 LEVEL CM	112404,3631 litre	63,892 %	63524,8255 litre	O
1400	CM	200	CM	243 LEVEL CM	111857,7699 litre	63,581 %	64071,4187 litre	O

1400	CM	200	CM	242 LEVEL CM	111310,5603 litre	63,270 %	64618,6283 litre	O
1400	CM	200	CM	241 LEVEL CM	110762,7494 litre	62,959 %	65166,4392 litre	O
1400	CM	200	CM	240 LEVEL CM	110214,3519 litre	62,647 %	65714,8367 litre	O
1400	CM	200	CM	239 LEVEL CM	109665,3829 litre	62,335 %	66263,8057 litre	O
1400	CM	200	CM	238 LEVEL CM	109115,8572 litre	62,023 %	66813,3314 litre	O
1400	CM	200	CM	237 LEVEL CM	108565,7897 litre	61,710 %	67363,3989 litre	O
1400	CM	200	CM	236 LEVEL CM	108015,1950 litre	61,397 %	67913,9936 litre	O
1400	CM	200	CM	235 LEVEL CM	107464,0880 litre	61,084 %	68465,1006 litre	O
1400	CM	200	CM	234 LEVEL CM	106912,4832 litre	60,770 %	69016,7054 litre	O
1400	CM	200	CM	233 LEVEL CM	106360,3955 litre	60,456 %	69568,7931 litre	O
1400	CM	200	CM	232 LEVEL CM	105807,8393 litre	60,142 %	70121,3493 litre	O
1400	CM	200	CM	231 LEVEL CM	105254,8293 litre	59,828 %	70674,3593 litre	O
1400	CM	200	CM	230 LEVEL CM	104701,3799 litre	59,513 %	71227,8087 litre	O
1400	CM	200	CM	229 LEVEL CM	104147,5058 litre	59,199 %	71781,6828 litre	O
1400	CM	200	CM	228 LEVEL CM	103593,2213 litre	58,883 %	72335,9673 litre	O
1400	CM	200	CM	227 LEVEL CM	103038,5409 litre	58,568 %	72890,6477 litre	O
1400	CM	200	CM	226 LEVEL CM	102483,4790 litre	58,253 %	73445,7096 litre	O
1400	CM	200	CM	225 LEVEL CM	101928,0500 litre	57,937 %	74001,1386 litre	O
1400	CM	200	CM	224 LEVEL CM	101372,2683 litre	57,621 %	74556,9203 litre	O
1400	CM	200	CM	223 LEVEL CM	100816,1480 litre	57,305 %	75113,0406 litre	O
1400	CM	200	CM	222 LEVEL CM	100259,7037 litre	56,989 %	75669,4849 litre	O
1400	CM	200	CM	221 LEVEL CM	99702,9494 litre	56,672 %	76226,2392 litre	O
1400	CM	200	CM	220 LEVEL CM	99145,8995 litre	56,356 %	76783,2891 litre	O
1400	CM	200	CM	219 LEVEL CM	98588,5682 litre	56,039 %	77340,6204 litre	O
1400	CM	200	CM	218 LEVEL CM	98030,9697 litre	55,722 %	77898,2189 litre	O
1400	CM	200	CM	217 LEVEL CM	97473,1182 litre	55,405 %	78456,0704 litre	O
1400	CM	200	CM	216 LEVEL CM	96915,0278 litre	55,088 %	79014,1608 litre	O
1400	CM	200	CM	215 LEVEL CM	96356,7126 litre	54,770 %	79572,4760 litre	O
1400	CM	200	CM	214 LEVEL CM	95798,1869 litre	54,453 %	80131,0017 litre	O
1400	CM	200	CM	213 LEVEL CM	95239,4647 litre	54,135 %	80689,7239 litre	O
1400	CM	200	CM	212 LEVEL CM	94680,5601 litre	53,817 %	81248,6285 litre	O
1400	CM	200	CM	211 LEVEL CM	94121,4872 litre	53,500 %	81807,7014 litre	O
1400	CM	200	CM	210 LEVEL CM	93562,2601 litre	53,182 %	82366,9285 litre	O
1400	CM	200	CM	209 LEVEL CM	93002,8928 litre	52,864 %	82926,2958 litre	O
1400	CM	200	CM	208 LEVEL CM	92443,3993 litre	52,546 %	83485,7893 litre	O
1400	CM	200	CM	207 LEVEL CM	91883,7938 litre	52,228 %	84045,3948 litre	O
1400	CM	200	CM	206 LEVEL CM	91324,0902 litre	51,910 %	84605,0984 litre	O
1400	CM	200	CM	205 LEVEL CM	90764,3026 litre	51,591 %	85164,8860 litre	O
1400	CM	200	CM	204 LEVEL CM	90204,4450 litre	51,273 %	85724,7436 litre	O
1400	CM	200	CM	203 LEVEL CM	89644,5313 litre	50,955 %	86284,6573 litre	O
1400	CM	200	CM	202 LEVEL CM	89084,5756 litre	50,637 %	86844,6130 litre	O
1400	CM	200	CM	201 LEVEL CM	88524,5920 litre	50,318 %	87404,5966 litre	O
1400	CM	200	CM	200 LEVEL CM	87964,5943 litre	50,000 %	87964,5943 litre	O
1400	CM	200	CM	199 LEVEL CM	87404,5966 litre	49,682 %	88524,5920 litre	O
1400	CM	200	CM	198 LEVEL CM	86844,6130 litre	49,363 %	89084,5756 litre	O
1400	CM	200	CM	197 LEVEL CM	86284,6573 litre	49,045 %	89644,5313 litre	O
1400	CM	200	CM	196 LEVEL CM	85724,7436 litre	48,727 %	90204,4450 litre	O
1400	CM	200	CM	195 LEVEL CM	85164,8860 litre	48,409 %	90764,3026 litre	O
1400	CM	200	CM	194 LEVEL CM	84605,0984 litre	48,090 %	91324,0902 litre	O
1400	CM	200	CM	193 LEVEL CM	84045,3948 litre	47,772 %	91883,7938 litre	O
1400	CM	200	CM	192 LEVEL CM	83485,7893 litre	47,454 %	92443,3993 litre	O
1400	CM	200	CM	191 LEVEL CM	82926,2958 litre	47,136 %	93002,8928 litre	O
1400	CM	200	CM	190 LEVEL CM	82366,9285 litre	46,818 %	93562,2601 litre	O

1400	CM	200	CM	189 LEVEL CM	81807,7014 litre	46,500 %	94121,4872 litre	O
1400	CM	200	CM	188 LEVEL CM	81248,6285 litre	46,183 %	94680,5601 litre	O
1400	CM	200	CM	187 LEVEL CM	80689,7239 litre	45,865 %	95239,4647 litre	O
1400	CM	200	CM	186 LEVEL CM	80131,0017 litre	45,547 %	95798,1869 litre	O
1400	CM	200	CM	185 LEVEL CM	79572,4760 litre	45,230 %	96356,7126 litre	O
1400	CM	200	CM	184 LEVEL CM	79014,1608 litre	44,912 %	96915,0278 litre	O
1400	CM	200	CM	183 LEVEL CM	78456,0704 litre	44,595 %	97473,1182 litre	O
1400	CM	200	CM	182 LEVEL CM	77898,2189 litre	44,278 %	98030,9697 litre	O
1400	CM	200	CM	181 LEVEL CM	77340,6204 litre	43,961 %	98588,5682 litre	O
1400	CM	200	CM	180 LEVEL CM	76783,2891 litre	43,644 %	99145,8995 litre	O
1400	CM	200	CM	179 LEVEL CM	76226,2392 litre	43,328 %	99702,9494 litre	O
1400	CM	200	CM	178 LEVEL CM	75669,4849 litre	43,011 %	100259,7037 litre	O
1400	CM	200	CM	177 LEVEL CM	75113,0406 litre	42,695 %	100816,1480 litre	O
1400	CM	200	CM	176 LEVEL CM	74556,9203 litre	42,379 %	101372,2683 litre	O
1400	CM	200	CM	175 LEVEL CM	74001,1386 litre	42,063 %	101928,0500 litre	O
1400	CM	200	CM	174 LEVEL CM	73445,7096 litre	41,747 %	102483,4790 litre	O
1400	CM	200	CM	173 LEVEL CM	72890,6477 litre	41,432 %	103038,5409 litre	O
1400	CM	200	CM	172 LEVEL CM	72335,9673 litre	41,117 %	103593,2213 litre	O
1400	CM	200	CM	171 LEVEL CM	71781,6828 litre	40,801 %	104147,5058 litre	O
1400	CM	200	CM	170 LEVEL CM	71227,8087 litre	40,487 %	104701,3799 litre	O
1400	CM	200	CM	169 LEVEL CM	70674,3593 litre	40,172 %	105254,8293 litre	O
1400	CM	200	CM	168 LEVEL CM	70121,3493 litre	39,858 %	105807,8393 litre	O
1400	CM	200	CM	167 LEVEL CM	69568,7931 litre	39,544 %	106360,3955 litre	O
1400	CM	200	CM	166 LEVEL CM	69016,7054 litre	39,230 %	106912,4832 litre	O
1400	CM	200	CM	165 LEVEL CM	68465,1006 litre	38,916 %	107464,0880 litre	O
1400	CM	200	CM	164 LEVEL CM	67913,9936 litre	38,603 %	108015,1950 litre	O
1400	CM	200	CM	163 LEVEL CM	67363,3989 litre	38,290 %	108565,7897 litre	O
1400	CM	200	CM	162 LEVEL CM	66813,3314 litre	37,977 %	109115,8572 litre	O
1400	CM	200	CM	161 LEVEL CM	66263,8057 litre	37,665 %	109665,3829 litre	O
1400	CM	200	CM	160 LEVEL CM	65714,8367 litre	37,353 %	110214,3519 litre	O
1400	CM	200	CM	159 LEVEL CM	65166,4392 litre	37,041 %	110762,7494 litre	O
1400	CM	200	CM	158 LEVEL CM	64618,6283 litre	36,730 %	111310,5603 litre	O
1400	CM	200	CM	157 LEVEL CM	64071,4187 litre	36,419 %	111857,7699 litre	O
1400	CM	200	CM	156 LEVEL CM	63524,8255 litre	36,108 %	112404,3631 litre	O
1400	CM	200	CM	155 LEVEL CM	62978,8639 litre	35,798 %	112950,3247 litre	O
1400	CM	200	CM	154 LEVEL CM	62433,5488 litre	35,488 %	113495,6398 litre	O
1400	CM	200	CM	153 LEVEL CM	61888,8954 litre	35,178 %	114040,2932 litre	O
1400	CM	200	CM	152 LEVEL CM	61344,9190 litre	34,869 %	114584,2696 litre	O
1400	CM	200	CM	151 LEVEL CM	60801,6349 litre	34,560 %	115127,5537 litre	O
1400	CM	200	CM	150 LEVEL CM	60259,0583 litre	34,252 %	115670,1303 litre	O
1400	CM	200	CM	149 LEVEL CM	59717,2047 litre	33,944 %	116211,9839 litre	O
1400	CM	200	CM	148 LEVEL CM	59176,0895 litre	33,636 %	116753,0991 litre	O
1400	CM	200	CM	147 LEVEL CM	58635,7282 litre	33,329 %	117293,4604 litre	O
1400	CM	200	CM	146 LEVEL CM	58096,1365 litre	33,022 %	117833,0521 litre	O
1400	CM	200	CM	145 LEVEL CM	57557,3299 litre	32,716 %	118371,8587 litre	O
1400	CM	200	CM	144 LEVEL CM	57019,3242 litre	32,410 %	118909,8644 litre	O
1400	CM	200	CM	143 LEVEL CM	56482,1352 litre	32,105 %	119447,0534 litre	O
1400	CM	200	CM	142 LEVEL CM	55945,7787 litre	31,800 %	119983,4099 litre	O
1400	CM	200	CM	141 LEVEL CM	55410,2706 litre	31,496 %	120518,9180 litre	O
1400	CM	200	CM	140 LEVEL CM	54875,6271 litre	31,192 %	121053,5615 litre	O
1400	CM	200	CM	139 LEVEL CM	54341,8641 litre	30,888 %	121587,3245 litre	O
1400	CM	200	CM	138 LEVEL CM	53808,9979 litre	30,586 %	122120,1907 litre	O
1400	CM	200	CM	137 LEVEL CM	53277,0446 litre	30,283 %	122652,1440 litre	O

1400	CM	200	CM	136 LEVEL CM	52746,0206 litre	29,981 %	123183,1680 litre	O
1400	CM	200	CM	135 LEVEL CM	52215,9424 litre	29,680 %	123713,2462 litre	O
1400	CM	200	CM	134 LEVEL CM	51686,8265 litre	29,379 %	124242,3621 litre	O
1400	CM	200	CM	133 LEVEL CM	51158,6893 litre	29,079 %	124770,4993 litre	O
1400	CM	200	CM	132 LEVEL CM	50631,5477 litre	28,780 %	125297,6409 litre	O
1400	CM	200	CM	131 LEVEL CM	50105,4185 litre	28,480 %	125823,7701 litre	O
1400	CM	200	CM	130 LEVEL CM	49580,3184 litre	28,182 %	126348,8702 litre	O
1400	CM	200	CM	129 LEVEL CM	49056,2645 litre	27,884 %	126872,9241 litre	O
1400	CM	200	CM	128 LEVEL CM	48533,2738 litre	27,587 %	127395,9148 litre	O
1400	CM	200	CM	127 LEVEL CM	48011,3636 litre	27,290 %	127917,8250 litre	O
1400	CM	200	CM	126 LEVEL CM	47490,5512 litre	26,994 %	128438,6374 litre	O
1400	CM	200	CM	125 LEVEL CM	46970,8539 litre	26,699 %	128958,3347 litre	O
1400	CM	200	CM	124 LEVEL CM	46452,2893 litre	26,404 %	129476,8993 litre	O
1400	CM	200	CM	123 LEVEL CM	45934,8749 litre	26,110 %	129994,3137 litre	O
1400	CM	200	CM	122 LEVEL CM	45418,6286 litre	25,816 %	130510,5600 litre	O
1400	CM	200	CM	121 LEVEL CM	44903,5683 litre	25,524 %	131025,6203 litre	O
1400	CM	200	CM	120 LEVEL CM	44389,7118 litre	25,232 %	131539,4768 litre	O
1400	CM	200	CM	119 LEVEL CM	43877,0774 litre	24,940 %	132052,1112 litre	O
1400	CM	200	CM	118 LEVEL CM	43365,6832 litre	24,650 %	132563,5054 litre	O
1400	CM	200	CM	117 LEVEL CM	42855,5477 litre	24,360 %	133073,6409 litre	O
1400	CM	200	CM	116 LEVEL CM	42346,6894 litre	24,070 %	133582,4992 litre	O
1400	CM	200	CM	115 LEVEL CM	41839,1270 litre	23,782 %	134090,0616 litre	O
1400	CM	200	CM	114 LEVEL CM	41332,8792 litre	23,494 %	134596,3094 litre	O
1400	CM	200	CM	113 LEVEL CM	40827,9650 litre	23,207 %	135101,2236 litre	O
1400	CM	200	CM	112 LEVEL CM	40324,4035 litre	22,921 %	135604,7851 litre	O
1400	CM	200	CM	111 LEVEL CM	39822,2139 litre	22,635 %	136106,9747 litre	O
1400	CM	200	CM	110 LEVEL CM	39321,4157 litre	22,351 %	136607,7729 litre	O
1400	CM	200	CM	109 LEVEL CM	38822,0285 litre	22,067 %	137107,1601 litre	O
1400	CM	200	CM	108 LEVEL CM	38324,0719 litre	21,784 %	137605,1167 litre	O
1400	CM	200	CM	107 LEVEL CM	37827,5660 litre	21,502 %	138101,6226 litre	O
1400	CM	200	CM	106 LEVEL CM	37332,5307 litre	21,220 %	138596,6579 litre	O
1400	CM	200	CM	105 LEVEL CM	36838,9864 litre	20,940 %	139090,2022 litre	O
1400	CM	200	CM	104 LEVEL CM	36346,9534 litre	20,660 %	139582,2352 litre	O
1400	CM	200	CM	103 LEVEL CM	35856,4526 litre	20,381 %	140072,7360 litre	O
1400	CM	200	CM	102 LEVEL CM	35367,5046 litre	20,103 %	140561,6840 litre	O
1400	CM	200	CM	101 LEVEL CM	34880,1305 litre	19,826 %	141049,0581 litre	O
1400	CM	200	CM	100 LEVEL CM	34394,3516 litre	19,550 %	141534,8370 litre	O
1400	CM	200	CM	99 LEVEL CM	33910,1892 litre	19,275 %	142018,9994 litre	O
1400	CM	200	CM	98 LEVEL CM	33427,6652 litre	19,001 %	142501,5234 litre	O
1400	CM	200	CM	97 LEVEL CM	32946,8012 litre	18,727 %	142982,3874 litre	O
1400	CM	200	CM	96 LEVEL CM	32467,6196 litre	18,455 %	143461,5690 litre	O
1400	CM	200	CM	95 LEVEL CM	31990,1425 litre	18,184 %	143939,0461 litre	O
1400	CM	200	CM	94 LEVEL CM	31514,3926 litre	17,913 %	144414,7960 litre	O
1400	CM	200	CM	93 LEVEL CM	31040,3928 litre	17,644 %	144888,7958 litre	O
1400	CM	200	CM	92 LEVEL CM	30568,1661 litre	17,375 %	145361,0225 litre	O
1400	CM	200	CM	91 LEVEL CM	30097,7358 litre	17,108 %	145831,4528 litre	O
1400	CM	200	CM	90 LEVEL CM	29629,1256 litre	16,842 %	146300,0630 litre	O
1400	CM	200	CM	89 LEVEL CM	29162,3594 litre	16,576 %	146766,8292 litre	O
1400	CM	200	CM	88 LEVEL CM	28697,4613 litre	16,312 %	147231,7273 litre	O
1400	CM	200	CM	87 LEVEL CM	28234,4559 litre	16,049 %	147694,7327 litre	O
1400	CM	200	CM	86 LEVEL CM	27773,3678 litre	15,787 %	148155,8208 litre	O
1400	CM	200	CM	85 LEVEL CM	27314,2223 litre	15,526 %	148614,9663 litre	O
1400	CM	200	CM	84 LEVEL CM	26857,0445 litre	15,266 %	149072,1441 litre	O

1400	CM	200	CM	83 LEVEL CM	26401,8604 litre	15,007 %	149527,3282 litre	O
1400	CM	200	CM	82 LEVEL CM	25948,6960 litre	14,750 %	149980,4926 litre	O
1400	CM	200	CM	81 LEVEL CM	25497,5777 litre	14,493 %	150431,6109 litre	O
1400	CM	200	CM	80 LEVEL CM	25048,5322 litre	14,238 %	150880,6564 litre	O
1400	CM	200	CM	79 LEVEL CM	24601,5868 litre	13,984 %	151327,6018 litre	O
1400	CM	200	CM	78 LEVEL CM	24156,7689 litre	13,731 %	151772,4197 litre	O
1400	CM	200	CM	77 LEVEL CM	23714,1066 litre	13,479 %	152215,0820 litre	O
1400	CM	200	CM	76 LEVEL CM	23273,6281 litre	13,229 %	152655,5605 litre	O
1400	CM	200	CM	75 LEVEL CM	22835,3622 litre	12,980 %	153093,8264 litre	O
1400	CM	200	CM	74 LEVEL CM	22399,3382 litre	12,732 %	153529,8504 litre	O
1400	CM	200	CM	73 LEVEL CM	21965,5856 litre	12,485 %	153963,6030 litre	O
1400	CM	200	CM	72 LEVEL CM	21534,1347 litre	12,240 %	154395,0539 litre	O
1400	CM	200	CM	71 LEVEL CM	21105,0160 litre	11,996 %	154824,1726 litre	O
1400	CM	200	CM	70 LEVEL CM	20678,2607 litre	11,754 %	155250,9279 litre	O
1400	CM	200	CM	69 LEVEL CM	20253,9003 litre	11,513 %	155675,2883 litre	O
1400	CM	200	CM	68 LEVEL CM	19831,9672 litre	11,273 %	156097,2214 litre	O
1400	CM	200	CM	67 LEVEL CM	19412,4939 litre	11,034 %	156516,6947 litre	O
1400	CM	200	CM	66 LEVEL CM	18995,5138 litre	10,797 %	156933,6748 litre	O
1400	CM	200	CM	65 LEVEL CM	18581,0609 litre	10,562 %	157348,1277 litre	O
1400	CM	200	CM	64 LEVEL CM	18169,1696 litre	10,328 %	157760,0190 litre	O
1400	CM	200	CM	63 LEVEL CM	17759,8751 litre	10,095 %	158169,3135 litre	O
1400	CM	200	CM	62 LEVEL CM	17353,2134 litre	9,864 %	158575,9752 litre	O
1400	CM	200	CM	61 LEVEL CM	16949,2209 litre	9,634 %	158979,9677 litre	O
1400	CM	200	CM	60 LEVEL CM	16547,9351 litre	9,406 %	159381,2535 litre	O
1400	CM	200	CM	59 LEVEL CM	16149,3938 litre	9,179 %	159779,7948 litre	O
1400	CM	200	CM	58 LEVEL CM	15753,6360 litre	8,955 %	160175,5526 litre	O
1400	CM	200	CM	57 LEVEL CM	15360,7013 litre	8,731 %	160568,4873 litre	O
1400	CM	200	CM	56 LEVEL CM	14970,6302 litre	8,509 %	160958,5584 litre	O
1400	CM	200	CM	55 LEVEL CM	14583,4643 litre	8,289 %	161345,7243 litre	O
1400	CM	200	CM	54 LEVEL CM	14199,2458 litre	8,071 %	161729,9428 litre	O
1400	CM	200	CM	53 LEVEL CM	13818,0181 litre	7,854 %	162111,1705 litre	O
1400	CM	200	CM	52 LEVEL CM	13439,8256 litre	7,639 %	162489,3630 litre	O
1400	CM	200	CM	51 LEVEL CM	13064,7137 litre	7,426 %	162864,4749 litre	O
1400	CM	200	CM	50 LEVEL CM	12692,7291 litre	7,215 %	163236,4595 litre	O
1400	CM	200	CM	49 LEVEL CM	12323,9195 litre	7,005 %	163605,2691 litre	O
1400	CM	200	CM	48 LEVEL CM	11958,3339 litre	6,797 %	163970,8547 litre	O
1400	CM	200	CM	47 LEVEL CM	11596,0227 litre	6,591 %	164333,1659 litre	O
1400	CM	200	CM	46 LEVEL CM	11237,0375 litre	6,387 %	164692,1511 litre	O
1400	CM	200	CM	45 LEVEL CM	10881,4315 litre	6,185 %	165047,7571 litre	O
1400	CM	200	CM	44 LEVEL CM	10529,2594 litre	5,985 %	165399,9292 litre	O
1400	CM	200	CM	43 LEVEL CM	10180,5775 litre	5,787 %	165748,6111 litre	O
1400	CM	200	CM	42 LEVEL CM	9835,4437 litre	5,591 %	166093,7449 litre	O
1400	CM	200	CM	41 LEVEL CM	9493,9180 litre	5,396 %	166435,2706 litre	O
1400	CM	200	CM	40 LEVEL CM	9156,0621 litre	5,204 %	166773,1265 litre	O
1400	CM	200	CM	39 LEVEL CM	8821,9397 litre	5,014 %	167107,2489 litre	O
1400	CM	200	CM	38 LEVEL CM	8491,6167 litre	4,827 %	167437,5719 litre	O
1400	CM	200	CM	37 LEVEL CM	8165,1613 litre	4,641 %	167764,0273 litre	O
1400	CM	200	CM	36 LEVEL CM	7842,6444 litre	4,458 %	168086,5442 litre	O
1400	CM	200	CM	35 LEVEL CM	7524,1391 litre	4,277 %	168405,0495 litre	O
1400	CM	200	CM	34 LEVEL CM	7209,7216 litre	4,098 %	168719,4670 litre	O
1400	CM	200	CM	33 LEVEL CM	6899,4710 litre	3,922 %	169029,7176 litre	O
1400	CM	200	CM	32 LEVEL CM	6593,4697 litre	3,748 %	169335,7189 litre	O
1400	CM	200	CM	31 LEVEL CM	6291,8034 litre	3,576 %	169637,3852 litre	O

1400	CM	200	CM	30 LEVEL CM	5994,5619 litre	3,407 %	169934,6267 litre	O
1400	CM	200	CM	29 LEVEL CM	5701,8388 litre	3,241 %	170227,3498 litre	O
1400	CM	200	CM	28 LEVEL CM	5413,7320 litre	3,077 %	170515,4566 litre	O
1400	CM	200	CM	27 LEVEL CM	5130,3446 litre	2,916 %	170798,8440 litre	O
1400	CM	200	CM	26 LEVEL CM	4851,7845 litre	2,758 %	171077,4041 litre	O
1400	CM	200	CM	25 LEVEL CM	4578,1656 litre	2,602 %	171351,0230 litre	O
1400	CM	200	CM	24 LEVEL CM	4309,6080 litre	2,450 %	171619,5806 litre	O
1400	CM	200	CM	23 LEVEL CM	4046,2386 litre	2,300 %	171882,9500 litre	O
1400	CM	200	CM	22 LEVEL CM	3788,1923 litre	2,153 %	172140,9963 litre	O
1400	CM	200	CM	21 LEVEL CM	3535,6121 litre	2,010 %	172393,5765 litre	O
1400	CM	200	CM	20 LEVEL CM	3288,6508 litre	1,869 %	172640,5378 litre	O
1400	CM	200	CM	19 LEVEL CM	3047,4718 litre	1,732 %	172881,7168 litre	O
1400	CM	200	CM	18 LEVEL CM	2812,2505 litre	1,599 %	173116,9381 litre	O
1400	CM	200	CM	17 LEVEL CM	2583,1760 litre	1,468 %	173346,0126 litre	O
1400	CM	200	CM	16 LEVEL CM	2360,4533 litre	1,342 %	173568,7353 litre	O
1400	CM	200	CM	15 LEVEL CM	2144,3051 litre	1,219 %	173784,8835 litre	O
1400	CM	200	CM	14 LEVEL CM	1934,9753 litre	1,100 %	173994,2133 litre	O
1400	CM	200	CM	13 LEVEL CM	1732,7325 litre	0,985 %	174196,4561 litre	O
1400	CM	200	CM	12 LEVEL CM	1537,8746 litre	0,874 %	174391,3140 litre	O
1400	CM	200	CM	11 LEVEL CM	1350,7347 litre	0,768 %	174578,4539 litre	O
1400	CM	200	CM	10 LEVEL CM	1171,6894 litre	0,666 %	174757,4992 litre	O
1400	CM	200	CM	9 LEVEL CM	1001,1684 litre	0,569 %	174928,0202 litre	O
1400	CM	200	CM	8 LEVEL CM	839,6701 litre	0,477 %	175089,5185 litre	O
1400	CM	200	CM	7 LEVEL CM	687,7816 litre	0,391 %	175241,4070 litre	O
1400	CM	200	CM	6 LEVEL CM	546,2100 litre	0,310 %	175382,9786 litre	O
1400	CM	200	CM	5 LEVEL CM	415,8306 litre	0,236 %	175513,3580 litre	O
1400	CM	200	CM	4 LEVEL CM	297,7691 litre	0,169 %	175631,4195 litre	O
1400	CM	200	CM	3 LEVEL CM	193,5526 litre	0,110 %	175735,6360 litre	O
1400	CM	200	CM	2 LEVEL CM	105,4361 litre	0,060 %	175823,7525 litre	O
1400	CM	200	CM	1 LEVEL CM	37,3053 litre	0,021 %	175891,8833 litre	O
1400	CM	200	CM	0 LEVEL CM	0,0000 litre	0,000 %	175929,1886 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1300	CM	150	CM	300 LEVEL CM	91891,5851 litre	100,000 %	0,0000 litre	O
1300	CM	150	CM	299 LEVEL CM	91861,5929 litre	99,967 %	29,9922 litre	O
1300	CM	150	CM	298 LEVEL CM	91806,8395 litre	99,908 %	84,7456 litre	O
1300	CM	150	CM	297 LEVEL CM	91736,0540 litre	99,831 %	155,5311 litre	O
1300	CM	150	CM	296 LEVEL CM	91652,3704 litre	99,740 %	239,2147 litre	O
1300	CM	150	CM	295 LEVEL CM	91557,6099 litre	99,637 %	333,9752 litre	O
1300	CM	150	CM	294 LEVEL CM	91453,0074 litre	99,523 %	438,5777 litre	O
1300	CM	150	CM	293 LEVEL CM	91339,4744 litre	99,399 %	552,1107 litre	O
1300	CM	150	CM	292 LEVEL CM	91217,7207 litre	99,267 %	673,8644 litre	O
1300	CM	150	CM	291 LEVEL CM	91088,3203 litre	99,126 %	803,2648 litre	O
1300	CM	150	CM	290 LEVEL CM	90951,7505 litre	98,977 %	939,8346 litre	O
1300	CM	150	CM	289 LEVEL CM	90808,4168 litre	98,821 %	1083,1683 litre	O
1300	CM	150	CM	288 LEVEL CM	90658,6698 litre	98,658 %	1232,9153 litre	O
1300	CM	150	CM	287 LEVEL CM	90502,8166 litre	98,489 %	1388,7685 litre	O
1300	CM	150	CM	286 LEVEL CM	90341,1295 litre	98,313 %	1550,4556 litre	O
1300	CM	150	CM	285 LEVEL CM	90173,8523 litre	98,131 %	1717,7328 litre	O
1300	CM	150	CM	284 LEVEL CM	90001,2052 litre	97,943 %	1890,3799 litre	O
1300	CM	150	CM	283 LEVEL CM	89823,3882 litre	97,749 %	2068,1969 litre	O
1300	CM	150	CM	282 LEVEL CM	89640,5845 litre	97,550 %	2251,0006 litre	O
1300	CM	150	CM	281 LEVEL CM	89452,9627 litre	97,346 %	2438,6224 litre	O
1300	CM	150	CM	280 LEVEL CM	89260,6785 litre	97,137 %	2630,9066 litre	O
1300	CM	150	CM	279 LEVEL CM	89063,8769 litre	96,923 %	2827,7082 litre	O
1300	CM	150	CM	278 LEVEL CM	88862,6927 litre	96,704 %	3028,8924 litre	O
1300	CM	150	CM	277 LEVEL CM	88657,2524 litre	96,480 %	3234,3327 litre	O
1300	CM	150	CM	276 LEVEL CM	88447,6746 litre	96,252 %	3443,9105 litre	O
1300	CM	150	CM	275 LEVEL CM	88234,0712 litre	96,020 %	3657,5139 litre	O
1300	CM	150	CM	274 LEVEL CM	88016,5476 litre	95,783 %	3875,0375 litre	O
1300	CM	150	CM	273 LEVEL CM	87795,2039 litre	95,542 %	4096,3812 litre	O
1300	CM	150	CM	272 LEVEL CM	87570,1349 litre	95,297 %	4321,4502 litre	O
1300	CM	150	CM	271 LEVEL CM	87341,4308 litre	95,048 %	4550,1543 litre	O
1300	CM	150	CM	270 LEVEL CM	87109,1777 litre	94,796 %	4782,4074 litre	O
1300	CM	150	CM	269 LEVEL CM	86873,4576 litre	94,539 %	5018,1275 litre	O
1300	CM	150	CM	268 LEVEL CM	86634,3490 litre	94,279 %	5257,2361 litre	O
1300	CM	150	CM	267 LEVEL CM	86391,9273 litre	94,015 %	5499,6578 litre	O
1300	CM	150	CM	266 LEVEL CM	86146,2646 litre	93,748 %	5745,3205 litre	O
1300	CM	150	CM	265 LEVEL CM	85897,4303 litre	93,477 %	5994,1548 litre	O
1300	CM	150	CM	264 LEVEL CM	85645,4911 litre	93,203 %	6246,0940 litre	O
1300	CM	150	CM	263 LEVEL CM	85390,5113 litre	92,925 %	6501,0738 litre	O
1300	CM	150	CM	262 LEVEL CM	85132,5531 litre	92,645 %	6759,0320 litre	O
1300	CM	150	CM	261 LEVEL CM	84871,6762 litre	92,361 %	7019,9089 litre	O
1300	CM	150	CM	260 LEVEL CM	84607,9387 litre	92,074 %	7283,6464 litre	O
1300	CM	150	CM	259 LEVEL CM	84341,3966 litre	91,784 %	7550,1885 litre	O
1300	CM	150	CM	258 LEVEL CM	84072,1042 litre	91,491 %	7819,4809 litre	O
1300	CM	150	CM	257 LEVEL CM	83800,1141 litre	91,195 %	8091,4710 litre	O
1300	CM	150	CM	256 LEVEL CM	83525,4775 litre	90,896 %	8366,1076 litre	O
1300	CM	150	CM	255 LEVEL CM	83248,2440 litre	90,594 %	8643,3411 litre	O
1300	CM	150	CM	254 LEVEL CM	82968,4620 litre	90,290 %	8923,1231 litre	O
1300	CM	150	CM	253 LEVEL CM	82686,1782 litre	89,982 %	9205,4069 litre	O
1300	CM	150	CM	252 LEVEL CM	82401,4385 litre	89,672 %	9490,1466 litre	O
1300	CM	150	CM	251 LEVEL CM	82114,2874 litre	89,360 %	9777,2977 litre	O
1300	CM	150	CM	250 LEVEL CM	81824,7684 litre	89,045 %	10066,8167 litre	O
1300	CM	150	CM	249 LEVEL CM	81532,9237 litre	88,727 %	10358,6614 litre	O

1300	CM	150	CM	248 LEVEL CM	81238,7948 litre	88,407 %	10652,7903 litre	O
1300	CM	150	CM	247 LEVEL CM	80942,4221 litre	88,085 %	10949,1630 litre	O
1300	CM	150	CM	246 LEVEL CM	80643,8451 litre	87,760 %	11247,7400 litre	O
1300	CM	150	CM	245 LEVEL CM	80343,1024 litre	87,432 %	11548,4827 litre	O
1300	CM	150	CM	244 LEVEL CM	80040,2319 litre	87,103 %	11851,3532 litre	O
1300	CM	150	CM	243 LEVEL CM	79735,2704 litre	86,771 %	12156,3147 litre	O
1300	CM	150	CM	242 LEVEL CM	79428,2544 litre	86,437 %	12463,3307 litre	O
1300	CM	150	CM	241 LEVEL CM	79119,2193 litre	86,101 %	12772,3658 litre	O
1300	CM	150	CM	240 LEVEL CM	78808,2000 litre	85,762 %	13083,3851 litre	O
1300	CM	150	CM	239 LEVEL CM	78495,2306 litre	85,422 %	13396,3545 litre	O
1300	CM	150	CM	238 LEVEL CM	78180,3447 litre	85,079 %	13711,2404 litre	O
1300	CM	150	CM	237 LEVEL CM	77863,5752 litre	84,734 %	14028,0099 litre	O
1300	CM	150	CM	236 LEVEL CM	77544,9546 litre	84,387 %	14346,6305 litre	O
1300	CM	150	CM	235 LEVEL CM	77224,5144 litre	84,039 %	14667,0707 litre	O
1300	CM	150	CM	234 LEVEL CM	76902,2861 litre	83,688 %	14989,2990 litre	O
1300	CM	150	CM	233 LEVEL CM	76578,3004 litre	83,335 %	15313,2847 litre	O
1300	CM	150	CM	232 LEVEL CM	76252,5874 litre	82,981 %	15638,9977 litre	O
1300	CM	150	CM	231 LEVEL CM	75925,1769 litre	82,625 %	15966,4082 litre	O
1300	CM	150	CM	230 LEVEL CM	75596,0984 litre	82,267 %	16295,4867 litre	O
1300	CM	150	CM	229 LEVEL CM	75265,3805 litre	81,907 %	16626,2046 litre	O
1300	CM	150	CM	228 LEVEL CM	74933,0517 litre	81,545 %	16958,5334 litre	O
1300	CM	150	CM	227 LEVEL CM	74599,1400 litre	81,182 %	17292,4451 litre	O
1300	CM	150	CM	226 LEVEL CM	74263,6732 litre	80,817 %	17627,9119 litre	O
1300	CM	150	CM	225 LEVEL CM	73926,6783 litre	80,450 %	17964,9068 litre	O
1300	CM	150	CM	224 LEVEL CM	73588,1822 litre	80,082 %	18303,4029 litre	O
1300	CM	150	CM	223 LEVEL CM	73248,2116 litre	79,712 %	18643,3735 litre	O
1300	CM	150	CM	222 LEVEL CM	72906,7925 litre	79,340 %	18984,7926 litre	O
1300	CM	150	CM	221 LEVEL CM	72563,9507 litre	78,967 %	19327,6344 litre	O
1300	CM	150	CM	220 LEVEL CM	72219,7119 litre	78,592 %	19671,8732 litre	O
1300	CM	150	CM	219 LEVEL CM	71874,1011 litre	78,216 %	20017,4840 litre	O
1300	CM	150	CM	218 LEVEL CM	71527,1434 litre	77,839 %	20364,4417 litre	O
1300	CM	150	CM	217 LEVEL CM	71178,8633 litre	77,460 %	20712,7218 litre	O
1300	CM	150	CM	216 LEVEL CM	70829,2851 litre	77,079 %	21062,3000 litre	O
1300	CM	150	CM	215 LEVEL CM	70478,4330 litre	76,697 %	21413,1521 litre	O
1300	CM	150	CM	214 LEVEL CM	70126,3307 litre	76,314 %	21765,2544 litre	O
1300	CM	150	CM	213 LEVEL CM	69773,0018 litre	75,930 %	22118,5833 litre	O
1300	CM	150	CM	212 LEVEL CM	69418,4696 litre	75,544 %	22473,1155 litre	O
1300	CM	150	CM	211 LEVEL CM	69062,7572 litre	75,157 %	22828,8279 litre	O
1300	CM	150	CM	210 LEVEL CM	68705,8874 litre	74,768 %	23185,6977 litre	O
1300	CM	150	CM	209 LEVEL CM	68347,8829 litre	74,379 %	23543,7022 litre	O
1300	CM	150	CM	208 LEVEL CM	67988,7660 litre	73,988 %	23902,8191 litre	O
1300	CM	150	CM	207 LEVEL CM	67628,5590 litre	73,596 %	24263,0261 litre	O
1300	CM	150	CM	206 LEVEL CM	67267,2839 litre	73,203 %	24624,3012 litre	O
1300	CM	150	CM	205 LEVEL CM	66904,9624 litre	72,809 %	24986,6227 litre	O
1300	CM	150	CM	204 LEVEL CM	66541,6162 litre	72,413 %	25349,9689 litre	O
1300	CM	150	CM	203 LEVEL CM	66177,2667 litre	72,017 %	25714,3184 litre	O
1300	CM	150	CM	202 LEVEL CM	65811,9352 litre	71,619 %	26079,6499 litre	O
1300	CM	150	CM	201 LEVEL CM	65445,6428 litre	71,220 %	26445,9423 litre	O
1300	CM	150	CM	200 LEVEL CM	65078,4103 litre	70,821 %	26813,1748 litre	O
1300	CM	150	CM	199 LEVEL CM	64710,2586 litre	70,420 %	27181,3265 litre	O
1300	CM	150	CM	198 LEVEL CM	64341,2083 litre	70,019 %	27550,3768 litre	O
1300	CM	150	CM	197 LEVEL CM	63971,2797 litre	69,616 %	27920,3054 litre	O
1300	CM	150	CM	196 LEVEL CM	63600,4933 litre	69,213 %	28291,0918 litre	O

1300	CM	150	CM	195 LEVEL CM	63228,8692 litre	68,808 %	28662,7159 litre	O
1300	CM	150	CM	194 LEVEL CM	62856,4274 litre	68,403 %	29035,1577 litre	O
1300	CM	150	CM	193 LEVEL CM	62483,1878 litre	67,997 %	29408,3973 litre	O
1300	CM	150	CM	192 LEVEL CM	62109,1703 litre	67,590 %	29782,4148 litre	O
1300	CM	150	CM	191 LEVEL CM	61734,3943 litre	67,182 %	30157,1908 litre	O
1300	CM	150	CM	190 LEVEL CM	61358,8796 litre	66,773 %	30532,7055 litre	O
1300	CM	150	CM	189 LEVEL CM	60982,6455 litre	66,364 %	30908,9396 litre	O
1300	CM	150	CM	188 LEVEL CM	60605,7113 litre	65,953 %	31285,8738 litre	O
1300	CM	150	CM	187 LEVEL CM	60228,0962 litre	65,543 %	31663,4889 litre	O
1300	CM	150	CM	186 LEVEL CM	59849,8194 litre	65,131 %	32041,7657 litre	O
1300	CM	150	CM	185 LEVEL CM	59470,8997 litre	64,719 %	32420,6854 litre	O
1300	CM	150	CM	184 LEVEL CM	59091,3561 litre	64,306 %	32800,2290 litre	O
1300	CM	150	CM	183 LEVEL CM	58711,2075 litre	63,892 %	33180,3776 litre	O
1300	CM	150	CM	182 LEVEL CM	58330,4725 litre	63,477 %	33561,1126 litre	O
1300	CM	150	CM	181 LEVEL CM	57949,1697 litre	63,063 %	33942,4154 litre	O
1300	CM	150	CM	180 LEVEL CM	57567,3177 litre	62,647 %	34324,2674 litre	O
1300	CM	150	CM	179 LEVEL CM	57184,9350 litre	62,231 %	34706,6501 litre	O
1300	CM	150	CM	178 LEVEL CM	56802,0400 litre	61,814 %	35089,5451 litre	O
1300	CM	150	CM	177 LEVEL CM	56418,6510 litre	61,397 %	35472,9341 litre	O
1300	CM	150	CM	176 LEVEL CM	56034,7861 litre	60,979 %	35856,7990 litre	O
1300	CM	150	CM	175 LEVEL CM	55650,4637 litre	60,561 %	36241,1214 litre	O
1300	CM	150	CM	174 LEVEL CM	55265,7018 litre	60,142 %	36625,8833 litre	O
1300	CM	150	CM	173 LEVEL CM	54880,5184 litre	59,723 %	37011,0667 litre	O
1300	CM	150	CM	172 LEVEL CM	54494,9316 litre	59,304 %	37396,6535 litre	O
1300	CM	150	CM	171 LEVEL CM	54108,9593 litre	58,883 %	37782,6258 litre	O
1300	CM	150	CM	170 LEVEL CM	53722,6194 litre	58,463 %	38168,9657 litre	O
1300	CM	150	CM	169 LEVEL CM	53335,9297 litre	58,042 %	38555,6554 litre	O
1300	CM	150	CM	168 LEVEL CM	52948,9080 litre	57,621 %	38942,6771 litre	O
1300	CM	150	CM	167 LEVEL CM	52561,5720 litre	57,200 %	39330,0131 litre	O
1300	CM	150	CM	166 LEVEL CM	52173,9394 litre	56,778 %	39717,6457 litre	O
1300	CM	150	CM	165 LEVEL CM	51786,0279 litre	56,356 %	40105,5572 litre	O
1300	CM	150	CM	164 LEVEL CM	51397,8551 litre	55,933 %	40493,7300 litre	O
1300	CM	150	CM	163 LEVEL CM	51009,4385 litre	55,510 %	40882,1466 litre	O
1300	CM	150	CM	162 LEVEL CM	50620,7958 litre	55,088 %	41270,7893 litre	O
1300	CM	150	CM	161 LEVEL CM	50231,9443 litre	54,664 %	41659,6408 litre	O
1300	CM	150	CM	160 LEVEL CM	49842,9017 litre	54,241 %	42048,6834 litre	O
1300	CM	150	CM	159 LEVEL CM	49453,6854 litre	53,817 %	42437,8997 litre	O
1300	CM	150	CM	158 LEVEL CM	49064,3128 litre	53,394 %	42827,2723 litre	O
1300	CM	150	CM	157 LEVEL CM	48674,8013 litre	52,970 %	43216,7838 litre	O
1300	CM	150	CM	156 LEVEL CM	48285,1684 litre	52,546 %	43606,4167 litre	O
1300	CM	150	CM	155 LEVEL CM	47895,4314 litre	52,122 %	43996,1537 litre	O
1300	CM	150	CM	154 LEVEL CM	47505,6077 litre	51,697 %	44385,9774 litre	O
1300	CM	150	CM	153 LEVEL CM	47115,7146 litre	51,273 %	44775,8705 litre	O
1300	CM	150	CM	152 LEVEL CM	46725,7694 litre	50,849 %	45165,8157 litre	O
1300	CM	150	CM	151 LEVEL CM	46335,7897 litre	50,424 %	45555,7954 litre	O
1300	CM	150	CM	150 LEVEL CM	45945,7926 litre	50,000 %	45945,7925 litre	O
1300	CM	150	CM	149 LEVEL CM	45555,7954 litre	49,576 %	46335,7897 litre	O
1300	CM	150	CM	148 LEVEL CM	45165,8157 litre	49,151 %	46725,7694 litre	O
1300	CM	150	CM	147 LEVEL CM	44775,8706 litre	48,727 %	47115,7145 litre	O
1300	CM	150	CM	146 LEVEL CM	44385,9775 litre	48,303 %	47505,6076 litre	O
1300	CM	150	CM	145 LEVEL CM	43996,1537 litre	47,878 %	47895,4314 litre	O
1300	CM	150	CM	144 LEVEL CM	43606,4167 litre	47,454 %	48285,1684 litre	O
1300	CM	150	CM	143 LEVEL CM	43216,7838 litre	47,030 %	48674,8013 litre	O

1300	CM	150	CM	142 LEVEL CM	42827,2723 litre	46,606 %	49064,3128 litre	O
1300	CM	150	CM	141 LEVEL CM	42437,8997 litre	46,183 %	49453,6854 litre	O
1300	CM	150	CM	140 LEVEL CM	42048,6834 litre	45,759 %	49842,9017 litre	O
1300	CM	150	CM	139 LEVEL CM	41659,6408 litre	45,336 %	50231,9443 litre	O
1300	CM	150	CM	138 LEVEL CM	41270,7894 litre	44,912 %	50620,7957 litre	O
1300	CM	150	CM	137 LEVEL CM	40882,1466 litre	44,490 %	51009,4385 litre	O
1300	CM	150	CM	136 LEVEL CM	40493,7301 litre	44,067 %	51397,8550 litre	O
1300	CM	150	CM	135 LEVEL CM	40105,5572 litre	43,644 %	51786,0279 litre	O
1300	CM	150	CM	134 LEVEL CM	39717,6457 litre	43,222 %	52173,9394 litre	O
1300	CM	150	CM	133 LEVEL CM	39330,0131 litre	42,800 %	52561,5720 litre	O
1300	CM	150	CM	132 LEVEL CM	38942,6771 litre	42,379 %	52948,9080 litre	O
1300	CM	150	CM	131 LEVEL CM	38555,6554 litre	41,958 %	53335,9297 litre	O
1300	CM	150	CM	130 LEVEL CM	38168,9657 litre	41,537 %	53722,6194 litre	O
1300	CM	150	CM	129 LEVEL CM	37782,6258 litre	41,117 %	54108,9593 litre	O
1300	CM	150	CM	128 LEVEL CM	37396,6535 litre	40,696 %	54494,9316 litre	O
1300	CM	150	CM	127 LEVEL CM	37011,0667 litre	40,277 %	54880,5184 litre	O
1300	CM	150	CM	126 LEVEL CM	36625,8833 litre	39,858 %	55265,7018 litre	O
1300	CM	150	CM	125 LEVEL CM	36241,1214 litre	39,439 %	55650,4637 litre	O
1300	CM	150	CM	124 LEVEL CM	35856,7990 litre	39,021 %	56034,7861 litre	O
1300	CM	150	CM	123 LEVEL CM	35472,9342 litre	38,603 %	56418,6509 litre	O
1300	CM	150	CM	122 LEVEL CM	35089,5451 litre	38,186 %	56802,0400 litre	O
1300	CM	150	CM	121 LEVEL CM	34706,6501 litre	37,769 %	57184,9350 litre	O
1300	CM	150	CM	120 LEVEL CM	34324,2674 litre	37,353 %	57567,3177 litre	O
1300	CM	150	CM	119 LEVEL CM	33942,4154 litre	36,937 %	57949,1697 litre	O
1300	CM	150	CM	118 LEVEL CM	33561,1126 litre	36,523 %	58330,4725 litre	O
1300	CM	150	CM	117 LEVEL CM	33180,3776 litre	36,108 %	58711,2075 litre	O
1300	CM	150	CM	116 LEVEL CM	32800,2290 litre	35,694 %	59091,3561 litre	O
1300	CM	150	CM	115 LEVEL CM	32420,6854 litre	35,281 %	59470,8997 litre	O
1300	CM	150	CM	114 LEVEL CM	32041,7657 litre	34,869 %	59849,8194 litre	O
1300	CM	150	CM	113 LEVEL CM	31663,4889 litre	34,457 %	60228,0962 litre	O
1300	CM	150	CM	112 LEVEL CM	31285,8738 litre	34,047 %	60605,7113 litre	O
1300	CM	150	CM	111 LEVEL CM	30908,9396 litre	33,636 %	60982,6455 litre	O
1300	CM	150	CM	110 LEVEL CM	30532,7055 litre	33,227 %	61358,8796 litre	O
1300	CM	150	CM	109 LEVEL CM	30157,1908 litre	32,818 %	61734,3943 litre	O
1300	CM	150	CM	108 LEVEL CM	29782,4149 litre	32,410 %	62109,1702 litre	O
1300	CM	150	CM	107 LEVEL CM	29408,3973 litre	32,003 %	62483,1878 litre	O
1300	CM	150	CM	106 LEVEL CM	29035,1577 litre	31,597 %	62856,4274 litre	O
1300	CM	150	CM	105 LEVEL CM	28662,7159 litre	31,192 %	63228,8692 litre	O
1300	CM	150	CM	104 LEVEL CM	28291,0918 litre	30,787 %	63600,4933 litre	O
1300	CM	150	CM	103 LEVEL CM	27920,3054 litre	30,384 %	63971,2797 litre	O
1300	CM	150	CM	102 LEVEL CM	27550,3769 litre	29,981 %	64341,2082 litre	O
1300	CM	150	CM	101 LEVEL CM	27181,3265 litre	29,580 %	64710,2586 litre	O
1300	CM	150	CM	100 LEVEL CM	26813,1748 litre	29,179 %	65078,4103 litre	O
1300	CM	150	CM	99 LEVEL CM	26445,9423 litre	28,780 %	65445,6428 litre	O
1300	CM	150	CM	98 LEVEL CM	26079,6499 litre	28,381 %	65811,9352 litre	O
1300	CM	150	CM	97 LEVEL CM	25714,3184 litre	27,983 %	66177,2667 litre	O
1300	CM	150	CM	96 LEVEL CM	25349,9689 litre	27,587 %	66541,6162 litre	O
1300	CM	150	CM	95 LEVEL CM	24986,6227 litre	27,191 %	66904,9624 litre	O
1300	CM	150	CM	94 LEVEL CM	24624,3012 litre	26,797 %	67267,2839 litre	O
1300	CM	150	CM	93 LEVEL CM	24263,0261 litre	26,404 %	67628,5590 litre	O
1300	CM	150	CM	92 LEVEL CM	23902,8191 litre	26,012 %	67988,7660 litre	O
1300	CM	150	CM	91 LEVEL CM	23543,7022 litre	25,621 %	68347,8829 litre	O
1300	CM	150	CM	90 LEVEL CM	23185,6977 litre	25,232 %	68705,8874 litre	O

1300	CM	150	CM	89 LEVEL CM	22828,8279 litre	24,843 %	69062,7572 litre	O
1300	CM	150	CM	88 LEVEL CM	22473,1155 litre	24,456 %	69418,4696 litre	O
1300	CM	150	CM	87 LEVEL CM	22118,5833 litre	24,070 %	69773,0018 litre	O
1300	CM	150	CM	86 LEVEL CM	21765,2544 litre	23,686 %	70126,3307 litre	O
1300	CM	150	CM	85 LEVEL CM	21413,1522 litre	23,303 %	70478,4329 litre	O
1300	CM	150	CM	84 LEVEL CM	21062,3000 litre	22,921 %	70829,2851 litre	O
1300	CM	150	CM	83 LEVEL CM	20712,7219 litre	22,540 %	71178,8632 litre	O
1300	CM	150	CM	82 LEVEL CM	20364,4417 litre	22,161 %	71527,1434 litre	O
1300	CM	150	CM	81 LEVEL CM	20017,4840 litre	21,784 %	71874,1011 litre	O
1300	CM	150	CM	80 LEVEL CM	19671,8732 litre	21,408 %	72219,7119 litre	O
1300	CM	150	CM	79 LEVEL CM	19327,6344 litre	21,033 %	72563,9507 litre	O
1300	CM	150	CM	78 LEVEL CM	18984,7926 litre	20,660 %	72906,7925 litre	O
1300	CM	150	CM	77 LEVEL CM	18643,3735 litre	20,288 %	73248,2116 litre	O
1300	CM	150	CM	76 LEVEL CM	18303,4029 litre	19,918 %	73588,1822 litre	O
1300	CM	150	CM	75 LEVEL CM	17964,9068 litre	19,550 %	73926,6783 litre	O
1300	CM	150	CM	74 LEVEL CM	17627,9120 litre	19,183 %	74263,6731 litre	O
1300	CM	150	CM	73 LEVEL CM	17292,4451 litre	18,818 %	74599,1400 litre	O
1300	CM	150	CM	72 LEVEL CM	16958,5334 litre	18,455 %	74933,0517 litre	O
1300	CM	150	CM	71 LEVEL CM	16626,2047 litre	18,093 %	75265,3804 litre	O
1300	CM	150	CM	70 LEVEL CM	16295,4868 litre	17,733 %	75596,0983 litre	O
1300	CM	150	CM	69 LEVEL CM	15966,4082 litre	17,375 %	75925,1769 litre	O
1300	CM	150	CM	68 LEVEL CM	15638,9977 litre	17,019 %	76252,5874 litre	O
1300	CM	150	CM	67 LEVEL CM	15313,2848 litre	16,665 %	76578,3003 litre	O
1300	CM	150	CM	66 LEVEL CM	14989,2990 litre	16,312 %	76902,2861 litre	O
1300	CM	150	CM	65 LEVEL CM	14667,0707 litre	15,961 %	77224,5144 litre	O
1300	CM	150	CM	64 LEVEL CM	14346,6306 litre	15,613 %	77544,9545 litre	O
1300	CM	150	CM	63 LEVEL CM	14028,0099 litre	15,266 %	77863,5752 litre	O
1300	CM	150	CM	62 LEVEL CM	13711,2404 litre	14,921 %	78180,3447 litre	O
1300	CM	150	CM	61 LEVEL CM	13396,3545 litre	14,578 %	78495,2306 litre	O
1300	CM	150	CM	60 LEVEL CM	13083,3851 litre	14,238 %	78808,2000 litre	O
1300	CM	150	CM	59 LEVEL CM	12772,3658 litre	13,899 %	79119,2193 litre	O
1300	CM	150	CM	58 LEVEL CM	12463,3307 litre	13,563 %	79428,2544 litre	O
1300	CM	150	CM	57 LEVEL CM	12156,3147 litre	13,229 %	79735,2704 litre	O
1300	CM	150	CM	56 LEVEL CM	11851,3532 litre	12,897 %	80040,2319 litre	O
1300	CM	150	CM	55 LEVEL CM	11548,4827 litre	12,568 %	80343,1024 litre	O
1300	CM	150	CM	54 LEVEL CM	11247,7400 litre	12,240 %	80643,8451 litre	O
1300	CM	150	CM	53 LEVEL CM	10949,1630 litre	11,915 %	80942,4221 litre	O
1300	CM	150	CM	52 LEVEL CM	10652,7903 litre	11,593 %	81238,7948 litre	O
1300	CM	150	CM	51 LEVEL CM	10358,6614 litre	11,273 %	81532,9237 litre	O
1300	CM	150	CM	50 LEVEL CM	10066,8168 litre	10,955 %	81824,7683 litre	O
1300	CM	150	CM	49 LEVEL CM	9777,2977 litre	10,640 %	82114,2874 litre	O
1300	CM	150	CM	48 LEVEL CM	9490,1466 litre	10,328 %	82401,4385 litre	O
1300	CM	150	CM	47 LEVEL CM	9205,4069 litre	10,018 %	82686,1782 litre	O
1300	CM	150	CM	46 LEVEL CM	8923,1232 litre	9,710 %	82968,4619 litre	O
1300	CM	150	CM	45 LEVEL CM	8643,3411 litre	9,406 %	83248,2440 litre	O
1300	CM	150	CM	44 LEVEL CM	8366,1076 litre	9,104 %	83525,4775 litre	O
1300	CM	150	CM	43 LEVEL CM	8091,4710 litre	8,805 %	83800,1141 litre	O
1300	CM	150	CM	42 LEVEL CM	7819,4810 litre	8,509 %	84072,1041 litre	O
1300	CM	150	CM	41 LEVEL CM	7550,1885 litre	8,216 %	84341,3966 litre	O
1300	CM	150	CM	40 LEVEL CM	7283,6464 litre	7,926 %	84607,9387 litre	O
1300	CM	150	CM	39 LEVEL CM	7019,9089 litre	7,639 %	84871,6762 litre	O
1300	CM	150	CM	38 LEVEL CM	6759,0321 litre	7,355 %	85132,5530 litre	O
1300	CM	150	CM	37 LEVEL CM	6501,0738 litre	7,075 %	85390,5113 litre	O

1300	CM	150	CM	36 LEVEL CM	6246,0940 litre	6,797 %	85645,4911 litre	O
1300	CM	150	CM	35 LEVEL CM	5994,1548 litre	6,523 %	85897,4303 litre	O
1300	CM	150	CM	34 LEVEL CM	5745,3205 litre	6,252 %	86146,2646 litre	O
1300	CM	150	CM	33 LEVEL CM	5499,6578 litre	5,985 %	86391,9273 litre	O
1300	CM	150	CM	32 LEVEL CM	5257,2361 litre	5,721 %	86634,3490 litre	O
1300	CM	150	CM	31 LEVEL CM	5018,1275 litre	5,461 %	86873,4576 litre	O
1300	CM	150	CM	30 LEVEL CM	4782,4074 litre	5,204 %	87109,1777 litre	O
1300	CM	150	CM	29 LEVEL CM	4550,1543 litre	4,952 %	87341,4308 litre	O
1300	CM	150	CM	28 LEVEL CM	4321,4502 litre	4,703 %	87570,1349 litre	O
1300	CM	150	CM	27 LEVEL CM	4096,3812 litre	4,458 %	87795,2039 litre	O
1300	CM	150	CM	26 LEVEL CM	3875,0375 litre	4,217 %	88016,5476 litre	O
1300	CM	150	CM	25 LEVEL CM	3657,5139 litre	3,980 %	88234,0712 litre	O
1300	CM	150	CM	24 LEVEL CM	3443,9105 litre	3,748 %	88447,6746 litre	O
1300	CM	150	CM	23 LEVEL CM	3234,3327 litre	3,520 %	88657,2524 litre	O
1300	CM	150	CM	22 LEVEL CM	3028,8924 litre	3,296 %	88862,6927 litre	O
1300	CM	150	CM	21 LEVEL CM	2827,7082 litre	3,077 %	89063,8769 litre	O
1300	CM	150	CM	20 LEVEL CM	2630,9066 litre	2,863 %	89260,6785 litre	O
1300	CM	150	CM	19 LEVEL CM	2438,6224 litre	2,654 %	89452,9627 litre	O
1300	CM	150	CM	18 LEVEL CM	2251,0006 litre	2,450 %	89640,5845 litre	O
1300	CM	150	CM	17 LEVEL CM	2068,1969 litre	2,251 %	89823,3882 litre	O
1300	CM	150	CM	16 LEVEL CM	1890,3799 litre	2,057 %	90001,2052 litre	O
1300	CM	150	CM	15 LEVEL CM	1717,7328 litre	1,869 %	90173,8523 litre	O
1300	CM	150	CM	14 LEVEL CM	1550,4556 litre	1,687 %	90341,1295 litre	O
1300	CM	150	CM	13 LEVEL CM	1388,7685 litre	1,511 %	90502,8166 litre	O
1300	CM	150	CM	12 LEVEL CM	1232,9153 litre	1,342 %	90658,6698 litre	O
1300	CM	150	CM	11 LEVEL CM	1083,1683 litre	1,179 %	90808,4168 litre	O
1300	CM	150	CM	10 LEVEL CM	939,8347 litre	1,023 %	90951,7504 litre	O
1300	CM	150	CM	9 LEVEL CM	803,2648 litre	0,874 %	91088,3203 litre	O
1300	CM	150	CM	8 LEVEL CM	673,8644 litre	0,733 %	91217,7207 litre	O
1300	CM	150	CM	7 LEVEL CM	552,1107 litre	0,601 %	91339,4744 litre	O
1300	CM	150	CM	6 LEVEL CM	438,5777 litre	0,477 %	91453,0074 litre	O
1300	CM	150	CM	5 LEVEL CM	333,9752 litre	0,363 %	91557,6099 litre	O
1300	CM	150	CM	4 LEVEL CM	239,2147 litre	0,260 %	91652,3704 litre	O
1300	CM	150	CM	3 LEVEL CM	155,5312 litre	0,169 %	91736,0539 litre	O
1300	CM	150	CM	2 LEVEL CM	84,7456 litre	0,092 %	91806,8395 litre	O
1300	CM	150	CM	1 LEVEL CM	29,9922 litre	0,033 %	91861,5929 litre	O
1300	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	91891,5851 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1200	CM	150	CM	300 LEVEL CM	84823,0016 litre	100,000 %	0,0000 litre	O
1200	CM	150	CM	299 LEVEL CM	84795,3166 litre	99,967 %	27,6850 litre	O
1200	CM	150	CM	298 LEVEL CM	84744,7749 litre	99,908 %	78,2267 litre	O
1200	CM	150	CM	297 LEVEL CM	84679,4344 litre	99,831 %	143,5672 litre	O
1200	CM	150	CM	296 LEVEL CM	84602,1881 litre	99,740 %	220,8135 litre	O
1200	CM	150	CM	295 LEVEL CM	84514,7168 litre	99,637 %	308,2848 litre	O
1200	CM	150	CM	294 LEVEL CM	84418,1607 litre	99,523 %	404,8409 litre	O
1200	CM	150	CM	293 LEVEL CM	84313,3610 litre	99,399 %	509,6406 litre	O
1200	CM	150	CM	292 LEVEL CM	84200,9730 litre	99,267 %	622,0286 litre	O
1200	CM	150	CM	291 LEVEL CM	84081,5264 litre	99,126 %	741,4752 litre	O
1200	CM	150	CM	290 LEVEL CM	83955,4620 litre	98,977 %	867,5396 litre	O
1200	CM	150	CM	289 LEVEL CM	83823,1540 litre	98,821 %	999,8476 litre	O
1200	CM	150	CM	288 LEVEL CM	83684,9260 litre	98,658 %	1138,0756 litre	O
1200	CM	150	CM	287 LEVEL CM	83541,0615 litre	98,489 %	1281,9401 litre	O
1200	CM	150	CM	286 LEVEL CM	83391,8118 litre	98,313 %	1431,1898 litre	O
1200	CM	150	CM	285 LEVEL CM	83237,4022 litre	98,131 %	1585,5994 litre	O
1200	CM	150	CM	284 LEVEL CM	83078,0356 litre	97,943 %	1744,9660 litre	O
1200	CM	150	CM	283 LEVEL CM	82913,8968 litre	97,749 %	1909,1048 litre	O
1200	CM	150	CM	282 LEVEL CM	82745,1550 litre	97,550 %	2077,8466 litre	O
1200	CM	150	CM	281 LEVEL CM	82571,9656 litre	97,346 %	2251,0360 litre	O
1200	CM	150	CM	280 LEVEL CM	82394,4725 litre	97,137 %	2428,5291 litre	O
1200	CM	150	CM	279 LEVEL CM	82212,8094 litre	96,923 %	2610,1922 litre	O
1200	CM	150	CM	278 LEVEL CM	82027,1010 litre	96,704 %	2795,9006 litre	O
1200	CM	150	CM	277 LEVEL CM	81837,4637 litre	96,480 %	2985,5379 litre	O
1200	CM	150	CM	276 LEVEL CM	81644,0073 litre	96,252 %	3178,9943 litre	O
1200	CM	150	CM	275 LEVEL CM	81446,8349 litre	96,020 %	3376,1667 litre	O
1200	CM	150	CM	274 LEVEL CM	81246,0440 litre	95,783 %	3576,9576 litre	O
1200	CM	150	CM	273 LEVEL CM	81041,7267 litre	95,542 %	3781,2749 litre	O
1200	CM	150	CM	272 LEVEL CM	80833,9707 litre	95,297 %	3989,0309 litre	O
1200	CM	150	CM	271 LEVEL CM	80622,8592 litre	95,048 %	4200,1424 litre	O
1200	CM	150	CM	270 LEVEL CM	80408,4717 litre	94,796 %	4414,5299 litre	O
1200	CM	150	CM	269 LEVEL CM	80190,8839 litre	94,539 %	4632,1177 litre	O
1200	CM	150	CM	268 LEVEL CM	79970,1683 litre	94,279 %	4852,8333 litre	O
1200	CM	150	CM	267 LEVEL CM	79746,3945 litre	94,015 %	5076,6071 litre	O
1200	CM	150	CM	266 LEVEL CM	79519,6289 litre	93,748 %	5303,3727 litre	O
1200	CM	150	CM	265 LEVEL CM	79289,9356 litre	93,477 %	5533,0660 litre	O
1200	CM	150	CM	264 LEVEL CM	79057,3764 litre	93,203 %	5765,6252 litre	O
1200	CM	150	CM	263 LEVEL CM	78822,0105 litre	92,925 %	6000,9911 litre	O
1200	CM	150	CM	262 LEVEL CM	78583,8951 litre	92,645 %	6239,1065 litre	O
1200	CM	150	CM	261 LEVEL CM	78343,0857 litre	92,361 %	6479,9159 litre	O
1200	CM	150	CM	260 LEVEL CM	78099,6357 litre	92,074 %	6723,3659 litre	O
1200	CM	150	CM	259 LEVEL CM	77853,5968 litre	91,784 %	6969,4048 litre	O
1200	CM	150	CM	258 LEVEL CM	77605,0192 litre	91,491 %	7217,9824 litre	O
1200	CM	150	CM	257 LEVEL CM	77353,9515 litre	91,195 %	7469,0501 litre	O
1200	CM	150	CM	256 LEVEL CM	77100,4408 litre	90,896 %	7722,5608 litre	O
1200	CM	150	CM	255 LEVEL CM	76844,5330 litre	90,594 %	7978,4686 litre	O
1200	CM	150	CM	254 LEVEL CM	76586,2726 litre	90,290 %	8236,7290 litre	O
1200	CM	150	CM	253 LEVEL CM	76325,7030 litre	89,982 %	8497,2986 litre	O
1200	CM	150	CM	252 LEVEL CM	76062,8663 litre	89,672 %	8760,1353 litre	O
1200	CM	150	CM	251 LEVEL CM	75797,8038 litre	89,360 %	9025,1978 litre	O
1200	CM	150	CM	250 LEVEL CM	75530,5554 litre	89,045 %	9292,4462 litre	O
1200	CM	150	CM	249 LEVEL CM	75261,1603 litre	88,727 %	9561,8413 litre	O

1200	CM	150	CM	248 LEVEL CM	74989,6568 litre	88,407 %	9833,3448 litre	O
1200	CM	150	CM	247 LEVEL CM	74716,0820 litre	88,085 %	10106,9196 litre	O
1200	CM	150	CM	246 LEVEL CM	74440,4724 litre	87,760 %	10382,5292 litre	O
1200	CM	150	CM	245 LEVEL CM	74162,8638 litre	87,432 %	10660,1378 litre	O
1200	CM	150	CM	244 LEVEL CM	73883,2910 litre	87,103 %	10939,7106 litre	O
1200	CM	150	CM	243 LEVEL CM	73601,7881 litre	86,771 %	11221,2135 litre	O
1200	CM	150	CM	242 LEVEL CM	73318,3887 litre	86,437 %	11504,6129 litre	O
1200	CM	150	CM	241 LEVEL CM	73033,1255 litre	86,101 %	11789,8761 litre	O
1200	CM	150	CM	240 LEVEL CM	72746,0308 litre	85,762 %	12076,9708 litre	O
1200	CM	150	CM	239 LEVEL CM	72457,1359 litre	85,422 %	12365,8657 litre	O
1200	CM	150	CM	238 LEVEL CM	72166,4720 litre	85,079 %	12656,5296 litre	O
1200	CM	150	CM	237 LEVEL CM	71874,0695 litre	84,734 %	12948,9321 litre	O
1200	CM	150	CM	236 LEVEL CM	71579,9580 litre	84,387 %	13243,0436 litre	O
1200	CM	150	CM	235 LEVEL CM	71284,1672 litre	84,039 %	13538,8344 litre	O
1200	CM	150	CM	234 LEVEL CM	70986,7256 litre	83,688 %	13836,2760 litre	O
1200	CM	150	CM	233 LEVEL CM	70687,6619 litre	83,335 %	14135,3397 litre	O
1200	CM	150	CM	232 LEVEL CM	70387,0037 litre	82,981 %	14435,9979 litre	O
1200	CM	150	CM	231 LEVEL CM	70084,7787 litre	82,625 %	14738,2229 litre	O
1200	CM	150	CM	230 LEVEL CM	69781,0139 litre	82,267 %	15041,9877 litre	O
1200	CM	150	CM	229 LEVEL CM	69475,7358 litre	81,907 %	15347,2658 litre	O
1200	CM	150	CM	228 LEVEL CM	69168,9708 litre	81,545 %	15654,0308 litre	O
1200	CM	150	CM	227 LEVEL CM	68860,7447 litre	81,182 %	15962,2569 litre	O
1200	CM	150	CM	226 LEVEL CM	68551,0829 litre	80,817 %	16271,9187 litre	O
1200	CM	150	CM	225 LEVEL CM	68240,0107 litre	80,450 %	16582,9909 litre	O
1200	CM	150	CM	224 LEVEL CM	67927,5528 litre	80,082 %	16895,4488 litre	O
1200	CM	150	CM	223 LEVEL CM	67613,7338 litre	79,712 %	17209,2678 litre	O
1200	CM	150	CM	222 LEVEL CM	67298,5777 litre	79,340 %	17524,4239 litre	O
1200	CM	150	CM	221 LEVEL CM	66982,1084 litre	78,967 %	17840,8932 litre	O
1200	CM	150	CM	220 LEVEL CM	66664,3494 litre	78,592 %	18158,6522 litre	O
1200	CM	150	CM	219 LEVEL CM	66345,3241 litre	78,216 %	18477,6775 litre	O
1200	CM	150	CM	218 LEVEL CM	66025,0554 litre	77,839 %	18797,9462 litre	O
1200	CM	150	CM	217 LEVEL CM	65703,5661 litre	77,460 %	19119,4355 litre	O
1200	CM	150	CM	216 LEVEL CM	65380,8785 litre	77,079 %	19442,1231 litre	O
1200	CM	150	CM	215 LEVEL CM	65057,0150 litre	76,697 %	19765,9866 litre	O
1200	CM	150	CM	214 LEVEL CM	64731,9976 litre	76,314 %	20091,0040 litre	O
1200	CM	150	CM	213 LEVEL CM	64405,8478 litre	75,930 %	20417,1538 litre	O
1200	CM	150	CM	212 LEVEL CM	64078,5873 litre	75,544 %	20744,4143 litre	O
1200	CM	150	CM	211 LEVEL CM	63750,2374 litre	75,157 %	21072,7642 litre	O
1200	CM	150	CM	210 LEVEL CM	63420,8192 litre	74,768 %	21402,1824 litre	O
1200	CM	150	CM	209 LEVEL CM	63090,3535 litre	74,379 %	21732,6481 litre	O
1200	CM	150	CM	208 LEVEL CM	62758,8610 litre	73,988 %	22064,1406 litre	O
1200	CM	150	CM	207 LEVEL CM	62426,3622 litre	73,596 %	22396,6394 litre	O
1200	CM	150	CM	206 LEVEL CM	62092,8774 litre	73,203 %	22730,1242 litre	O
1200	CM	150	CM	205 LEVEL CM	61758,4268 litre	72,809 %	23064,5748 litre	O
1200	CM	150	CM	204 LEVEL CM	61423,0303 litre	72,413 %	23399,9713 litre	O
1200	CM	150	CM	203 LEVEL CM	61086,7077 litre	72,017 %	23736,2939 litre	O
1200	CM	150	CM	202 LEVEL CM	60749,4787 litre	71,619 %	24073,5229 litre	O
1200	CM	150	CM	201 LEVEL CM	60411,3626 litre	71,220 %	24411,6390 litre	O
1200	CM	150	CM	200 LEVEL CM	60072,3788 litre	70,821 %	24750,6228 litre	O
1200	CM	150	CM	199 LEVEL CM	59732,5464 litre	70,420 %	25090,4552 litre	O
1200	CM	150	CM	198 LEVEL CM	59391,8845 litre	70,019 %	25431,1171 litre	O
1200	CM	150	CM	197 LEVEL CM	59050,4121 litre	69,616 %	25772,5895 litre	O
1200	CM	150	CM	196 LEVEL CM	58708,1477 litre	69,213 %	26114,8539 litre	O

1200	CM	150	CM	195 LEVEL CM	58365,1100 litre	68,808 %	26457,8916 litre	O
1200	CM	150	CM	194 LEVEL CM	58021,3176 litre	68,403 %	26801,6840 litre	O
1200	CM	150	CM	193 LEVEL CM	57676,7888 litre	67,997 %	27146,2128 litre	O
1200	CM	150	CM	192 LEVEL CM	57331,5418 litre	67,590 %	27491,4598 litre	O
1200	CM	150	CM	191 LEVEL CM	56985,5948 litre	67,182 %	27837,4068 litre	O
1200	CM	150	CM	190 LEVEL CM	56638,9658 litre	66,773 %	28184,0358 litre	O
1200	CM	150	CM	189 LEVEL CM	56291,6728 litre	66,364 %	28531,3288 litre	O
1200	CM	150	CM	188 LEVEL CM	55943,7335 litre	65,953 %	28879,2681 litre	O
1200	CM	150	CM	187 LEVEL CM	55595,1658 litre	65,543 %	29227,8358 litre	O
1200	CM	150	CM	186 LEVEL CM	55245,9871 litre	65,131 %	29577,0145 litre	O
1200	CM	150	CM	185 LEVEL CM	54896,2151 litre	64,719 %	29926,7865 litre	O
1200	CM	150	CM	184 LEVEL CM	54545,8672 litre	64,306 %	30277,1344 litre	O
1200	CM	150	CM	183 LEVEL CM	54194,9608 litre	63,892 %	30628,0408 litre	O
1200	CM	150	CM	182 LEVEL CM	53843,5131 litre	63,477 %	30979,4885 litre	O
1200	CM	150	CM	181 LEVEL CM	53491,5413 litre	63,063 %	31331,4603 litre	O
1200	CM	150	CM	180 LEVEL CM	53139,0625 litre	62,647 %	31683,9391 litre	O
1200	CM	150	CM	179 LEVEL CM	52786,0939 litre	62,231 %	32036,9077 litre	O
1200	CM	150	CM	178 LEVEL CM	52432,6523 litre	61,814 %	32390,3493 litre	O
1200	CM	150	CM	177 LEVEL CM	52078,7547 litre	61,397 %	32744,2469 litre	O
1200	CM	150	CM	176 LEVEL CM	51724,4180 litre	60,979 %	33098,5836 litre	O
1200	CM	150	CM	175 LEVEL CM	51369,6588 litre	60,561 %	33453,3428 litre	O
1200	CM	150	CM	174 LEVEL CM	51014,4940 litre	60,142 %	33808,5076 litre	O
1200	CM	150	CM	173 LEVEL CM	50658,9401 litre	59,723 %	34164,0615 litre	O
1200	CM	150	CM	172 LEVEL CM	50303,0138 litre	59,304 %	34519,9878 litre	O
1200	CM	150	CM	171 LEVEL CM	49946,7317 litre	58,883 %	34876,2699 litre	O
1200	CM	150	CM	170 LEVEL CM	49590,1102 litre	58,463 %	35232,8914 litre	O
1200	CM	150	CM	169 LEVEL CM	49233,1659 litre	58,042 %	35589,8357 litre	O
1200	CM	150	CM	168 LEVEL CM	48875,9151 litre	57,621 %	35947,0865 litre	O
1200	CM	150	CM	167 LEVEL CM	48518,3741 litre	57,200 %	36304,6275 litre	O
1200	CM	150	CM	166 LEVEL CM	48160,5594 litre	56,778 %	36662,4422 litre	O
1200	CM	150	CM	165 LEVEL CM	47802,4873 litre	56,356 %	37020,5143 litre	O
1200	CM	150	CM	164 LEVEL CM	47444,1739 litre	55,933 %	37378,8277 litre	O
1200	CM	150	CM	163 LEVEL CM	47085,6355 litre	55,510 %	37737,3661 litre	O
1200	CM	150	CM	162 LEVEL CM	46726,8884 litre	55,088 %	38096,1132 litre	O
1200	CM	150	CM	161 LEVEL CM	46367,9486 litre	54,664 %	38455,0530 litre	O
1200	CM	150	CM	160 LEVEL CM	46008,8324 litre	54,241 %	38814,1692 litre	O
1200	CM	150	CM	159 LEVEL CM	45649,5558 litre	53,817 %	39173,4458 litre	O
1200	CM	150	CM	158 LEVEL CM	45290,1349 litre	53,394 %	39532,8667 litre	O
1200	CM	150	CM	157 LEVEL CM	44930,5859 litre	52,970 %	39892,4157 litre	O
1200	CM	150	CM	156 LEVEL CM	44570,9247 litre	52,546 %	40252,0769 litre	O
1200	CM	150	CM	155 LEVEL CM	44211,1674 litre	52,122 %	40611,8342 litre	O
1200	CM	150	CM	154 LEVEL CM	43851,3301 litre	51,697 %	40971,6715 litre	O
1200	CM	150	CM	153 LEVEL CM	43491,4288 litre	51,273 %	41331,5728 litre	O
1200	CM	150	CM	152 LEVEL CM	43131,4795 litre	50,849 %	41691,5221 litre	O
1200	CM	150	CM	151 LEVEL CM	42771,4982 litre	50,424 %	42051,5034 litre	O
1200	CM	150	CM	150 LEVEL CM	42411,5008 litre	50,000 %	42411,5008 litre	O
1200	CM	150	CM	149 LEVEL CM	42051,5035 litre	49,576 %	42771,4981 litre	O
1200	CM	150	CM	148 LEVEL CM	41691,5222 litre	49,151 %	43131,4794 litre	O
1200	CM	150	CM	147 LEVEL CM	41331,5728 litre	48,727 %	43491,4288 litre	O
1200	CM	150	CM	146 LEVEL CM	40971,6715 litre	48,303 %	43851,3301 litre	O
1200	CM	150	CM	145 LEVEL CM	40611,8342 litre	47,878 %	44211,1674 litre	O
1200	CM	150	CM	144 LEVEL CM	40252,0770 litre	47,454 %	44570,9246 litre	O
1200	CM	150	CM	143 LEVEL CM	39892,4158 litre	47,030 %	44930,5858 litre	O

1200	CM	150	CM	142 LEVEL CM	39532,8667 litre	46,606 %	45290,1349 litre	O
1200	CM	150	CM	141 LEVEL CM	39173,4459 litre	46,183 %	45649,5557 litre	O
1200	CM	150	CM	140 LEVEL CM	38814,1693 litre	45,759 %	46008,8323 litre	O
1200	CM	150	CM	139 LEVEL CM	38455,0530 litre	45,336 %	46367,9486 litre	O
1200	CM	150	CM	138 LEVEL CM	38096,1133 litre	44,912 %	46726,8883 litre	O
1200	CM	150	CM	137 LEVEL CM	37737,3661 litre	44,490 %	47085,6355 litre	O
1200	CM	150	CM	136 LEVEL CM	37378,8277 litre	44,067 %	47444,1739 litre	O
1200	CM	150	CM	135 LEVEL CM	37020,5144 litre	43,644 %	47802,4872 litre	O
1200	CM	150	CM	134 LEVEL CM	36662,4422 litre	43,222 %	48160,5594 litre	O
1200	CM	150	CM	133 LEVEL CM	36304,6275 litre	42,800 %	48518,3741 litre	O
1200	CM	150	CM	132 LEVEL CM	35947,0866 litre	42,379 %	48875,9150 litre	O
1200	CM	150	CM	131 LEVEL CM	35589,8358 litre	41,958 %	49233,1658 litre	O
1200	CM	150	CM	130 LEVEL CM	35232,8914 litre	41,537 %	49590,1102 litre	O
1200	CM	150	CM	129 LEVEL CM	34876,2699 litre	41,117 %	49946,7317 litre	O
1200	CM	150	CM	128 LEVEL CM	34519,9878 litre	40,696 %	50303,0138 litre	O
1200	CM	150	CM	127 LEVEL CM	34164,0616 litre	40,277 %	50658,9400 litre	O
1200	CM	150	CM	126 LEVEL CM	33808,5077 litre	39,858 %	51014,4939 litre	O
1200	CM	150	CM	125 LEVEL CM	33453,3428 litre	39,439 %	51369,6588 litre	O
1200	CM	150	CM	124 LEVEL CM	33098,5837 litre	39,021 %	51724,4179 litre	O
1200	CM	150	CM	123 LEVEL CM	32744,2469 litre	38,603 %	52078,7547 litre	O
1200	CM	150	CM	122 LEVEL CM	32390,3493 litre	38,186 %	52432,6523 litre	O
1200	CM	150	CM	121 LEVEL CM	32036,9078 litre	37,769 %	52786,0938 litre	O
1200	CM	150	CM	120 LEVEL CM	31683,9391 litre	37,353 %	53139,0625 litre	O
1200	CM	150	CM	119 LEVEL CM	31331,4604 litre	36,937 %	53491,5412 litre	O
1200	CM	150	CM	118 LEVEL CM	30979,4886 litre	36,523 %	53843,5130 litre	O
1200	CM	150	CM	117 LEVEL CM	30628,0409 litre	36,108 %	54194,9607 litre	O
1200	CM	150	CM	116 LEVEL CM	30277,1344 litre	35,694 %	54545,8672 litre	O
1200	CM	150	CM	115 LEVEL CM	29926,7865 litre	35,281 %	54896,2151 litre	O
1200	CM	150	CM	114 LEVEL CM	29577,0145 litre	34,869 %	55245,9871 litre	O
1200	CM	150	CM	113 LEVEL CM	29227,8359 litre	34,457 %	55595,1657 litre	O
1200	CM	150	CM	112 LEVEL CM	28879,2681 litre	34,047 %	55943,7335 litre	O
1200	CM	150	CM	111 LEVEL CM	28531,3289 litre	33,636 %	56291,6727 litre	O
1200	CM	150	CM	110 LEVEL CM	28184,0358 litre	33,227 %	56638,9658 litre	O
1200	CM	150	CM	109 LEVEL CM	27837,4069 litre	32,818 %	56985,5947 litre	O
1200	CM	150	CM	108 LEVEL CM	27491,4599 litre	32,410 %	57331,5417 litre	O
1200	CM	150	CM	107 LEVEL CM	27146,2129 litre	32,003 %	57676,7887 litre	O
1200	CM	150	CM	106 LEVEL CM	26801,6841 litre	31,597 %	58021,3175 litre	O
1200	CM	150	CM	105 LEVEL CM	26457,8916 litre	31,192 %	58365,1100 litre	O
1200	CM	150	CM	104 LEVEL CM	26114,8540 litre	30,787 %	58708,1476 litre	O
1200	CM	150	CM	103 LEVEL CM	25772,5896 litre	30,384 %	59050,4120 litre	O
1200	CM	150	CM	102 LEVEL CM	25431,1171 litre	29,981 %	59391,8845 litre	O
1200	CM	150	CM	101 LEVEL CM	25090,4552 litre	29,580 %	59732,5464 litre	O
1200	CM	150	CM	100 LEVEL CM	24750,6229 litre	29,179 %	60072,3787 litre	O
1200	CM	150	CM	99 LEVEL CM	24411,6391 litre	28,780 %	60411,3625 litre	O
1200	CM	150	CM	98 LEVEL CM	24073,5230 litre	28,381 %	60749,4786 litre	O
1200	CM	150	CM	97 LEVEL CM	23736,2939 litre	27,983 %	61086,7077 litre	O
1200	CM	150	CM	96 LEVEL CM	23399,9713 litre	27,587 %	61423,0303 litre	O
1200	CM	150	CM	95 LEVEL CM	23064,5748 litre	27,191 %	61758,4268 litre	O
1200	CM	150	CM	94 LEVEL CM	22730,1242 litre	26,797 %	62092,8774 litre	O
1200	CM	150	CM	93 LEVEL CM	22396,6395 litre	26,404 %	62426,3621 litre	O
1200	CM	150	CM	92 LEVEL CM	22064,1407 litre	26,012 %	62758,8609 litre	O
1200	CM	150	CM	91 LEVEL CM	21732,6482 litre	25,621 %	63090,3534 litre	O
1200	CM	150	CM	90 LEVEL CM	21402,1825 litre	25,232 %	63420,8191 litre	O

1200	CM	150	CM	89 LEVEL CM	21072,7642 litre	24,843 %	63750,2374 litre	O
1200	CM	150	CM	88 LEVEL CM	20744,4143 litre	24,456 %	64078,5873 litre	O
1200	CM	150	CM	87 LEVEL CM	20417,1538 litre	24,070 %	64405,8478 litre	O
1200	CM	150	CM	86 LEVEL CM	20091,0041 litre	23,686 %	64731,9975 litre	O
1200	CM	150	CM	85 LEVEL CM	19765,9866 litre	23,303 %	65057,0150 litre	O
1200	CM	150	CM	84 LEVEL CM	19442,1231 litre	22,921 %	65380,8785 litre	O
1200	CM	150	CM	83 LEVEL CM	19119,4356 litre	22,540 %	65703,5660 litre	O
1200	CM	150	CM	82 LEVEL CM	18797,9462 litre	22,161 %	66025,0554 litre	O
1200	CM	150	CM	81 LEVEL CM	18477,6775 litre	21,784 %	66345,3241 litre	O
1200	CM	150	CM	80 LEVEL CM	18158,6522 litre	21,408 %	66664,3494 litre	O
1200	CM	150	CM	79 LEVEL CM	17840,8933 litre	21,033 %	66982,1083 litre	O
1200	CM	150	CM	78 LEVEL CM	17524,4240 litre	20,660 %	67298,5776 litre	O
1200	CM	150	CM	77 LEVEL CM	17209,2679 litre	20,288 %	67613,7337 litre	O
1200	CM	150	CM	76 LEVEL CM	16895,4488 litre	19,918 %	67927,5528 litre	O
1200	CM	150	CM	75 LEVEL CM	16582,9909 litre	19,550 %	68240,0107 litre	O
1200	CM	150	CM	74 LEVEL CM	16271,9187 litre	19,183 %	68551,0829 litre	O
1200	CM	150	CM	73 LEVEL CM	15962,2570 litre	18,818 %	68860,7446 litre	O
1200	CM	150	CM	72 LEVEL CM	15654,0309 litre	18,455 %	69168,9707 litre	O
1200	CM	150	CM	71 LEVEL CM	15347,2658 litre	18,093 %	69475,7358 litre	O
1200	CM	150	CM	70 LEVEL CM	15041,9878 litre	17,733 %	69781,0138 litre	O
1200	CM	150	CM	69 LEVEL CM	14738,2229 litre	17,375 %	70084,7787 litre	O
1200	CM	150	CM	68 LEVEL CM	14435,9979 litre	17,019 %	70387,0037 litre	O
1200	CM	150	CM	67 LEVEL CM	14135,3398 litre	16,665 %	70687,6618 litre	O
1200	CM	150	CM	66 LEVEL CM	13836,2760 litre	16,312 %	70986,7256 litre	O
1200	CM	150	CM	65 LEVEL CM	13538,8345 litre	15,961 %	71284,1671 litre	O
1200	CM	150	CM	64 LEVEL CM	13243,0436 litre	15,613 %	71579,9580 litre	O
1200	CM	150	CM	63 LEVEL CM	12948,9322 litre	15,266 %	71874,0694 litre	O
1200	CM	150	CM	62 LEVEL CM	12656,5296 litre	14,921 %	72166,4720 litre	O
1200	CM	150	CM	61 LEVEL CM	12365,8657 litre	14,578 %	72457,1359 litre	O
1200	CM	150	CM	60 LEVEL CM	12076,9709 litre	14,238 %	72746,0307 litre	O
1200	CM	150	CM	59 LEVEL CM	11789,8761 litre	13,899 %	73033,1255 litre	O
1200	CM	150	CM	58 LEVEL CM	11504,6130 litre	13,563 %	73318,3886 litre	O
1200	CM	150	CM	57 LEVEL CM	11221,2135 litre	13,229 %	73601,7881 litre	O
1200	CM	150	CM	56 LEVEL CM	10939,7107 litre	12,897 %	73883,2909 litre	O
1200	CM	150	CM	55 LEVEL CM	10660,1379 litre	12,568 %	74162,8637 litre	O
1200	CM	150	CM	54 LEVEL CM	10382,5292 litre	12,240 %	74440,4724 litre	O
1200	CM	150	CM	53 LEVEL CM	10106,9197 litre	11,915 %	74716,0819 litre	O
1200	CM	150	CM	52 LEVEL CM	9833,3449 litre	11,593 %	74989,6567 litre	O
1200	CM	150	CM	51 LEVEL CM	9561,8413 litre	11,273 %	75261,1603 litre	O
1200	CM	150	CM	50 LEVEL CM	9292,4462 litre	10,955 %	75530,5554 litre	O
1200	CM	150	CM	49 LEVEL CM	9025,1979 litre	10,640 %	75797,8037 litre	O
1200	CM	150	CM	48 LEVEL CM	8760,1353 litre	10,328 %	76062,8663 litre	O
1200	CM	150	CM	47 LEVEL CM	8497,2987 litre	10,018 %	76325,7029 litre	O
1200	CM	150	CM	46 LEVEL CM	8236,7291 litre	9,710 %	76586,2725 litre	O
1200	CM	150	CM	45 LEVEL CM	7978,4687 litre	9,406 %	76844,5329 litre	O
1200	CM	150	CM	44 LEVEL CM	7722,5609 litre	9,104 %	77100,4407 litre	O
1200	CM	150	CM	43 LEVEL CM	7469,0502 litre	8,805 %	77353,9514 litre	O
1200	CM	150	CM	42 LEVEL CM	7217,9824 litre	8,509 %	77605,0192 litre	O
1200	CM	150	CM	41 LEVEL CM	6969,4048 litre	8,216 %	77853,5968 litre	O
1200	CM	150	CM	40 LEVEL CM	6723,3659 litre	7,926 %	78099,6357 litre	O
1200	CM	150	CM	39 LEVEL CM	6479,9159 litre	7,639 %	78343,0857 litre	O
1200	CM	150	CM	38 LEVEL CM	6239,1065 litre	7,355 %	78583,8951 litre	O
1200	CM	150	CM	37 LEVEL CM	6000,9912 litre	7,075 %	78822,0104 litre	O

1200	CM	150	CM	36 LEVEL CM	5765,6253 litre	6,797 %	79057,3763 litre	O
1200	CM	150	CM	35 LEVEL CM	5533,0660 litre	6,523 %	79289,9356 litre	O
1200	CM	150	CM	34 LEVEL CM	5303,3728 litre	6,252 %	79519,6288 litre	O
1200	CM	150	CM	33 LEVEL CM	5076,6072 litre	5,985 %	79746,3944 litre	O
1200	CM	150	CM	32 LEVEL CM	4852,8333 litre	5,721 %	79970,1683 litre	O
1200	CM	150	CM	31 LEVEL CM	4632,1177 litre	5,461 %	80190,8839 litre	O
1200	CM	150	CM	30 LEVEL CM	4414,5299 litre	5,204 %	80408,4717 litre	O
1200	CM	150	CM	29 LEVEL CM	4200,1424 litre	4,952 %	80622,8592 litre	O
1200	CM	150	CM	28 LEVEL CM	3989,0310 litre	4,703 %	80833,9706 litre	O
1200	CM	150	CM	27 LEVEL CM	3781,2750 litre	4,458 %	81041,7266 litre	O
1200	CM	150	CM	26 LEVEL CM	3576,9577 litre	4,217 %	81246,0439 litre	O
1200	CM	150	CM	25 LEVEL CM	3376,1667 litre	3,980 %	81446,8349 litre	O
1200	CM	150	CM	24 LEVEL CM	3178,9943 litre	3,748 %	81644,0073 litre	O
1200	CM	150	CM	23 LEVEL CM	2985,5379 litre	3,520 %	81837,4637 litre	O
1200	CM	150	CM	22 LEVEL CM	2795,9007 litre	3,296 %	82027,1009 litre	O
1200	CM	150	CM	21 LEVEL CM	2610,1922 litre	3,077 %	82212,8094 litre	O
1200	CM	150	CM	20 LEVEL CM	2428,5291 litre	2,863 %	82394,4725 litre	O
1200	CM	150	CM	19 LEVEL CM	2251,0361 litre	2,654 %	82571,9655 litre	O
1200	CM	150	CM	18 LEVEL CM	2077,8467 litre	2,450 %	82745,1549 litre	O
1200	CM	150	CM	17 LEVEL CM	1909,1048 litre	2,251 %	82913,8968 litre	O
1200	CM	150	CM	16 LEVEL CM	1744,9661 litre	2,057 %	83078,0355 litre	O
1200	CM	150	CM	15 LEVEL CM	1585,5995 litre	1,869 %	83237,4021 litre	O
1200	CM	150	CM	14 LEVEL CM	1431,1898 litre	1,687 %	83391,8118 litre	O
1200	CM	150	CM	13 LEVEL CM	1281,9402 litre	1,511 %	83541,0614 litre	O
1200	CM	150	CM	12 LEVEL CM	1138,0757 litre	1,342 %	83684,9259 litre	O
1200	CM	150	CM	11 LEVEL CM	999,8477 litre	1,179 %	83823,1539 litre	O
1200	CM	150	CM	10 LEVEL CM	867,5397 litre	1,023 %	83955,4619 litre	O
1200	CM	150	CM	9 LEVEL CM	741,4752 litre	0,874 %	84081,5264 litre	O
1200	CM	150	CM	8 LEVEL CM	622,0287 litre	0,733 %	84200,9729 litre	O
1200	CM	150	CM	7 LEVEL CM	509,6406 litre	0,601 %	84313,3610 litre	O
1200	CM	150	CM	6 LEVEL CM	404,8409 litre	0,477 %	84418,1607 litre	O
1200	CM	150	CM	5 LEVEL CM	308,2848 litre	0,363 %	84514,7168 litre	O
1200	CM	150	CM	4 LEVEL CM	220,8136 litre	0,260 %	84602,1880 litre	O
1200	CM	150	CM	3 LEVEL CM	143,5672 litre	0,169 %	84679,4344 litre	O
1200	CM	150	CM	2 LEVEL CM	78,2267 litre	0,092 %	84744,7749 litre	O
1200	CM	150	CM	1 LEVEL CM	27,6851 litre	0,033 %	84795,3165 litre	O
1200	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	84823,0016 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1100	CM	150	CM	300 LEVEL CM	77754,4182 litre	100,000 %	0,0000 litre	O
1100	CM	150	CM	299 LEVEL CM	77729,0402 litre	99,967 %	25,3780 litre	O
1100	CM	150	CM	298 LEVEL CM	77682,7104 litre	99,908 %	71,7078 litre	O
1100	CM	150	CM	297 LEVEL CM	77622,8149 litre	99,831 %	131,6033 litre	O
1100	CM	150	CM	296 LEVEL CM	77552,0057 litre	99,740 %	202,4125 litre	O
1100	CM	150	CM	295 LEVEL CM	77471,8237 litre	99,637 %	282,5945 litre	O
1100	CM	150	CM	294 LEVEL CM	77383,3140 litre	99,523 %	371,1042 litre	O
1100	CM	150	CM	293 LEVEL CM	77287,2476 litre	99,399 %	467,1706 litre	O
1100	CM	150	CM	292 LEVEL CM	77184,2252 litre	99,267 %	570,1930 litre	O
1100	CM	150	CM	291 LEVEL CM	77074,7325 litre	99,126 %	679,6857 litre	O
1100	CM	150	CM	290 LEVEL CM	76959,1735 litre	98,977 %	795,2447 litre	O
1100	CM	150	CM	289 LEVEL CM	76837,8911 litre	98,821 %	916,5271 litre	O
1100	CM	150	CM	288 LEVEL CM	76711,1821 litre	98,658 %	1043,2361 litre	O
1100	CM	150	CM	287 LEVEL CM	76579,3063 litre	98,489 %	1175,1119 litre	O
1100	CM	150	CM	286 LEVEL CM	76442,4942 litre	98,313 %	1311,9240 litre	O
1100	CM	150	CM	285 LEVEL CM	76300,9520 litre	98,131 %	1453,4662 litre	O
1100	CM	150	CM	284 LEVEL CM	76154,8659 litre	97,943 %	1599,5523 litre	O
1100	CM	150	CM	283 LEVEL CM	76004,4054 litre	97,749 %	1750,0128 litre	O
1100	CM	150	CM	282 LEVEL CM	75849,7254 litre	97,550 %	1904,6928 litre	O
1100	CM	150	CM	281 LEVEL CM	75690,9684 litre	97,346 %	2063,4498 litre	O
1100	CM	150	CM	280 LEVEL CM	75528,2665 litre	97,137 %	2226,1517 litre	O
1100	CM	150	CM	279 LEVEL CM	75361,7420 litre	96,923 %	2392,6762 litre	O
1100	CM	150	CM	278 LEVEL CM	75191,5092 litre	96,704 %	2562,9090 litre	O
1100	CM	150	CM	277 LEVEL CM	75017,6751 litre	96,480 %	2736,7431 litre	O
1100	CM	150	CM	276 LEVEL CM	74840,3401 litre	96,252 %	2914,0781 litre	O
1100	CM	150	CM	275 LEVEL CM	74659,5987 litre	96,020 %	3094,8195 litre	O
1100	CM	150	CM	274 LEVEL CM	74475,5403 litre	95,783 %	3278,8779 litre	O
1100	CM	150	CM	273 LEVEL CM	74288,2495 litre	95,542 %	3466,1687 litre	O
1100	CM	150	CM	272 LEVEL CM	74097,8065 litre	95,297 %	3656,6117 litre	O
1100	CM	150	CM	271 LEVEL CM	73904,2876 litre	95,048 %	3850,1306 litre	O
1100	CM	150	CM	270 LEVEL CM	73707,7657 litre	94,796 %	4046,6525 litre	O
1100	CM	150	CM	269 LEVEL CM	73508,3103 litre	94,539 %	4246,1079 litre	O
1100	CM	150	CM	268 LEVEL CM	73305,9877 litre	94,279 %	4448,4305 litre	O
1100	CM	150	CM	267 LEVEL CM	73100,8616 litre	94,015 %	4653,5566 litre	O
1100	CM	150	CM	266 LEVEL CM	72892,9931 litre	93,748 %	4861,4251 litre	O
1100	CM	150	CM	265 LEVEL CM	72682,4410 litre	93,477 %	5071,9772 litre	O
1100	CM	150	CM	264 LEVEL CM	72469,2617 litre	93,203 %	5285,1565 litre	O
1100	CM	150	CM	263 LEVEL CM	72253,5096 litre	92,925 %	5500,9086 litre	O
1100	CM	150	CM	262 LEVEL CM	72035,2372 litre	92,645 %	5719,1810 litre	O
1100	CM	150	CM	261 LEVEL CM	71814,4953 litre	92,361 %	5939,9229 litre	O
1100	CM	150	CM	260 LEVEL CM	71591,3327 litre	92,074 %	6163,0855 litre	O
1100	CM	150	CM	259 LEVEL CM	71365,7971 litre	91,784 %	6388,6211 litre	O
1100	CM	150	CM	258 LEVEL CM	71137,9343 litre	91,491 %	6616,4839 litre	O
1100	CM	150	CM	257 LEVEL CM	70907,7888 litre	91,195 %	6846,6294 litre	O
1100	CM	150	CM	256 LEVEL CM	70675,4040 litre	90,896 %	7079,0142 litre	O
1100	CM	150	CM	255 LEVEL CM	70440,8219 litre	90,594 %	7313,5963 litre	O
1100	CM	150	CM	254 LEVEL CM	70204,0832 litre	90,290 %	7550,3350 litre	O
1100	CM	150	CM	253 LEVEL CM	69965,2277 litre	89,982 %	7789,1905 litre	O
1100	CM	150	CM	252 LEVEL CM	69724,2941 litre	89,672 %	8030,1241 litre	O
1100	CM	150	CM	251 LEVEL CM	69481,3201 litre	89,360 %	8273,0981 litre	O
1100	CM	150	CM	250 LEVEL CM	69236,3425 litre	89,045 %	8518,0757 litre	O
1100	CM	150	CM	249 LEVEL CM	68989,3970 litre	88,727 %	8765,0212 litre	O

1100	CM	150	CM	248 LEVEL CM	68740,5187 litre	88,407 %	9013,8995 litre	O
1100	CM	150	CM	247 LEVEL CM	68489,7418 litre	88,085 %	9264,6764 litre	O
1100	CM	150	CM	246 LEVEL CM	68237,0997 litre	87,760 %	9517,3185 litre	O
1100	CM	150	CM	245 LEVEL CM	67982,6251 litre	87,432 %	9771,7931 litre	O
1100	CM	150	CM	244 LEVEL CM	67726,3500 litre	87,103 %	10028,0682 litre	O
1100	CM	150	CM	243 LEVEL CM	67468,3058 litre	86,771 %	10286,1124 litre	O
1100	CM	150	CM	242 LEVEL CM	67208,5230 litre	86,437 %	10545,8952 litre	O
1100	CM	150	CM	241 LEVEL CM	66947,0317 litre	86,101 %	10807,3865 litre	O
1100	CM	150	CM	240 LEVEL CM	66683,8615 litre	85,762 %	11070,5567 litre	O
1100	CM	150	CM	239 LEVEL CM	66419,0413 litre	85,422 %	11335,3769 litre	O
1100	CM	150	CM	238 LEVEL CM	66152,5994 litre	85,079 %	11601,8188 litre	O
1100	CM	150	CM	237 LEVEL CM	65884,5637 litre	84,734 %	11869,8545 litre	O
1100	CM	150	CM	236 LEVEL CM	65614,9615 litre	84,387 %	12139,4567 litre	O
1100	CM	150	CM	235 LEVEL CM	65343,8199 litre	84,039 %	12410,5983 litre	O
1100	CM	150	CM	234 LEVEL CM	65071,1652 litre	83,688 %	12683,2530 litre	O
1100	CM	150	CM	233 LEVEL CM	64797,0234 litre	83,335 %	12957,3948 litre	O
1100	CM	150	CM	232 LEVEL CM	64521,4201 litre	82,981 %	13232,9981 litre	O
1100	CM	150	CM	231 LEVEL CM	64244,3805 litre	82,625 %	13510,0377 litre	O
1100	CM	150	CM	230 LEVEL CM	63965,9294 litre	82,267 %	13788,4888 litre	O
1100	CM	150	CM	229 LEVEL CM	63686,0912 litre	81,907 %	14068,3270 litre	O
1100	CM	150	CM	228 LEVEL CM	63404,8899 litre	81,545 %	14349,5283 litre	O
1100	CM	150	CM	227 LEVEL CM	63122,3493 litre	81,182 %	14632,0689 litre	O
1100	CM	150	CM	226 LEVEL CM	62838,4927 litre	80,817 %	14915,9255 litre	O
1100	CM	150	CM	225 LEVEL CM	62553,3432 litre	80,450 %	15201,0750 litre	O
1100	CM	150	CM	224 LEVEL CM	62266,9234 litre	80,082 %	15487,4948 litre	O
1100	CM	150	CM	223 LEVEL CM	61979,2560 litre	79,712 %	15775,1622 litre	O
1100	CM	150	CM	222 LEVEL CM	61690,3629 litre	79,340 %	16064,0553 litre	O
1100	CM	150	CM	221 LEVEL CM	61400,2660 litre	78,967 %	16354,1522 litre	O
1100	CM	150	CM	220 LEVEL CM	61108,9870 litre	78,592 %	16645,4312 litre	O
1100	CM	150	CM	219 LEVEL CM	60816,5471 litre	78,216 %	16937,8711 litre	O
1100	CM	150	CM	218 LEVEL CM	60522,9675 litre	77,839 %	17231,4507 litre	O
1100	CM	150	CM	217 LEVEL CM	60228,2689 litre	77,460 %	17526,1493 litre	O
1100	CM	150	CM	216 LEVEL CM	59932,4720 litre	77,079 %	17821,9462 litre	O
1100	CM	150	CM	215 LEVEL CM	59635,5971 litre	76,697 %	18118,8211 litre	O
1100	CM	150	CM	214 LEVEL CM	59337,6644 litre	76,314 %	18416,7538 litre	O
1100	CM	150	CM	213 LEVEL CM	59038,6938 litre	75,930 %	18715,7244 litre	O
1100	CM	150	CM	212 LEVEL CM	58738,7051 litre	75,544 %	19015,7131 litre	O
1100	CM	150	CM	211 LEVEL CM	58437,7176 litre	75,157 %	19316,7006 litre	O
1100	CM	150	CM	210 LEVEL CM	58135,7509 litre	74,768 %	19618,6673 litre	O
1100	CM	150	CM	209 LEVEL CM	57832,8240 litre	74,379 %	19921,5942 litre	O
1100	CM	150	CM	208 LEVEL CM	57528,9559 litre	73,988 %	20225,4623 litre	O
1100	CM	150	CM	207 LEVEL CM	57224,1653 litre	73,596 %	20530,2529 litre	O
1100	CM	150	CM	206 LEVEL CM	56918,4710 litre	73,203 %	20835,9472 litre	O
1100	CM	150	CM	205 LEVEL CM	56611,8913 litre	72,809 %	21142,5269 litre	O
1100	CM	150	CM	204 LEVEL CM	56304,4445 litre	72,413 %	21449,9737 litre	O
1100	CM	150	CM	203 LEVEL CM	55996,1488 litre	72,017 %	21758,2694 litre	O
1100	CM	150	CM	202 LEVEL CM	55687,0221 litre	71,619 %	22067,3961 litre	O
1100	CM	150	CM	201 LEVEL CM	55377,0823 litre	71,220 %	22377,3359 litre	O
1100	CM	150	CM	200 LEVEL CM	55066,3472 litre	70,821 %	22688,0710 litre	O
1100	CM	150	CM	199 LEVEL CM	54754,8342 litre	70,420 %	22999,5840 litre	O
1100	CM	150	CM	198 LEVEL CM	54442,5608 litre	70,019 %	23311,8574 litre	O
1100	CM	150	CM	197 LEVEL CM	54129,5444 litre	69,616 %	23624,8738 litre	O
1100	CM	150	CM	196 LEVEL CM	53815,8020 litre	69,213 %	23938,6162 litre	O

1100	CM	150	CM	195 LEVEL CM	53501,3508 litre	68,808 %	24253,0674 litre	O
1100	CM	150	CM	194 LEVEL CM	53186,2078 litre	68,403 %	24568,2104 litre	O
1100	CM	150	CM	193 LEVEL CM	52870,3897 litre	67,997 %	24884,0285 litre	O
1100	CM	150	CM	192 LEVEL CM	52553,9133 litre	67,590 %	25200,5049 litre	O
1100	CM	150	CM	191 LEVEL CM	52236,7952 litre	67,182 %	25517,6230 litre	O
1100	CM	150	CM	190 LEVEL CM	51919,0520 litre	66,773 %	25835,3662 litre	O
1100	CM	150	CM	189 LEVEL CM	51600,7001 litre	66,364 %	26153,7181 litre	O
1100	CM	150	CM	188 LEVEL CM	51281,7557 litre	65,953 %	26472,6625 litre	O
1100	CM	150	CM	187 LEVEL CM	50962,2353 litre	65,543 %	26792,1829 litre	O
1100	CM	150	CM	186 LEVEL CM	50642,1549 litre	65,131 %	27112,2633 litre	O
1100	CM	150	CM	185 LEVEL CM	50321,5305 litre	64,719 %	27432,8877 litre	O
1100	CM	150	CM	184 LEVEL CM	50000,3783 litre	64,306 %	27754,0399 litre	O
1100	CM	150	CM	183 LEVEL CM	49678,7140 litre	63,892 %	28075,7042 litre	O
1100	CM	150	CM	182 LEVEL CM	49356,5536 litre	63,477 %	28397,8646 litre	O
1100	CM	150	CM	181 LEVEL CM	49033,9128 litre	63,063 %	28720,5054 litre	O
1100	CM	150	CM	180 LEVEL CM	48710,8073 litre	62,647 %	29043,6109 litre	O
1100	CM	150	CM	179 LEVEL CM	48387,2527 litre	62,231 %	29367,1655 litre	O
1100	CM	150	CM	178 LEVEL CM	48063,2646 litre	61,814 %	29691,1536 litre	O
1100	CM	150	CM	177 LEVEL CM	47738,8585 litre	61,397 %	30015,5597 litre	O
1100	CM	150	CM	176 LEVEL CM	47414,0498 litre	60,979 %	30340,3684 litre	O
1100	CM	150	CM	175 LEVEL CM	47088,8539 litre	60,561 %	30665,5643 litre	O
1100	CM	150	CM	174 LEVEL CM	46763,2861 litre	60,142 %	30991,1321 litre	O
1100	CM	150	CM	173 LEVEL CM	46437,3618 litre	59,723 %	31317,0564 litre	O
1100	CM	150	CM	172 LEVEL CM	46111,0960 litre	59,304 %	31643,3222 litre	O
1100	CM	150	CM	171 LEVEL CM	45784,5041 litre	58,883 %	31969,9141 litre	O
1100	CM	150	CM	170 LEVEL CM	45457,6011 litre	58,463 %	32296,8171 litre	O
1100	CM	150	CM	169 LEVEL CM	45130,4021 litre	58,042 %	32624,0161 litre	O
1100	CM	150	CM	168 LEVEL CM	44802,9221 litre	57,621 %	32951,4961 litre	O
1100	CM	150	CM	167 LEVEL CM	44475,1763 litre	57,200 %	33279,2419 litre	O
1100	CM	150	CM	166 LEVEL CM	44147,1795 litre	56,778 %	33607,2387 litre	O
1100	CM	150	CM	165 LEVEL CM	43818,9467 litre	56,356 %	33935,4715 litre	O
1100	CM	150	CM	164 LEVEL CM	43490,4927 litre	55,933 %	34263,9255 litre	O
1100	CM	150	CM	163 LEVEL CM	43161,8326 litre	55,510 %	34592,5856 litre	O
1100	CM	150	CM	162 LEVEL CM	42832,9810 litre	55,088 %	34921,4372 litre	O
1100	CM	150	CM	161 LEVEL CM	42503,9529 litre	54,664 %	35250,4653 litre	O
1100	CM	150	CM	160 LEVEL CM	42174,7630 litre	54,241 %	35579,6552 litre	O
1100	CM	150	CM	159 LEVEL CM	41845,4261 litre	53,817 %	35908,9921 litre	O
1100	CM	150	CM	158 LEVEL CM	41515,9570 litre	53,394 %	36238,4612 litre	O
1100	CM	150	CM	157 LEVEL CM	41186,3704 litre	52,970 %	36568,0478 litre	O
1100	CM	150	CM	156 LEVEL CM	40856,6810 litre	52,546 %	36897,7372 litre	O
1100	CM	150	CM	155 LEVEL CM	40526,9035 litre	52,122 %	37227,5147 litre	O
1100	CM	150	CM	154 LEVEL CM	40197,0526 litre	51,697 %	37557,3656 litre	O
1100	CM	150	CM	153 LEVEL CM	39867,1431 litre	51,273 %	37887,2751 litre	O
1100	CM	150	CM	152 LEVEL CM	39537,1895 litre	50,849 %	38217,2287 litre	O
1100	CM	150	CM	151 LEVEL CM	39207,2066 litre	50,424 %	38547,2116 litre	O
1100	CM	150	CM	150 LEVEL CM	38877,2091 litre	50,000 %	38877,2091 litre	O
1100	CM	150	CM	149 LEVEL CM	38547,2115 litre	49,576 %	39207,2067 litre	O
1100	CM	150	CM	148 LEVEL CM	38217,2286 litre	49,151 %	39537,1896 litre	O
1100	CM	150	CM	147 LEVEL CM	37887,2751 litre	48,727 %	39867,1431 litre	O
1100	CM	150	CM	146 LEVEL CM	37557,3655 litre	48,303 %	40197,0527 litre	O
1100	CM	150	CM	145 LEVEL CM	37227,5147 litre	47,878 %	40526,9035 litre	O
1100	CM	150	CM	144 LEVEL CM	36897,7372 litre	47,454 %	40856,6810 litre	O
1100	CM	150	CM	143 LEVEL CM	36568,0478 litre	47,030 %	41186,3704 litre	O

1100	CM	150	CM	142 LEVEL CM	36238,4612 litre	46,606 %	41515,9570 litre	O
1100	CM	150	CM	141 LEVEL CM	35908,9921 litre	46,183 %	41845,4261 litre	O
1100	CM	150	CM	140 LEVEL CM	35579,6552 litre	45,759 %	42174,7630 litre	O
1100	CM	150	CM	139 LEVEL CM	35250,4653 litre	45,336 %	42503,9529 litre	O
1100	CM	150	CM	138 LEVEL CM	34921,4372 litre	44,912 %	42832,9810 litre	O
1100	CM	150	CM	137 LEVEL CM	34592,5856 litre	44,490 %	43161,8326 litre	O
1100	CM	150	CM	136 LEVEL CM	34263,9254 litre	44,067 %	43490,4928 litre	O
1100	CM	150	CM	135 LEVEL CM	33935,4715 litre	43,644 %	43818,9467 litre	O
1100	CM	150	CM	134 LEVEL CM	33607,2387 litre	43,222 %	44147,1795 litre	O
1100	CM	150	CM	133 LEVEL CM	33279,2419 litre	42,800 %	44475,1763 litre	O
1100	CM	150	CM	132 LEVEL CM	32951,4960 litre	42,379 %	44802,9222 litre	O
1100	CM	150	CM	131 LEVEL CM	32624,0161 litre	41,958 %	45130,4021 litre	O
1100	CM	150	CM	130 LEVEL CM	32296,8171 litre	41,537 %	45457,6011 litre	O
1100	CM	150	CM	129 LEVEL CM	31969,9141 litre	41,117 %	45784,5041 litre	O
1100	CM	150	CM	128 LEVEL CM	31643,3222 litre	40,696 %	46111,0960 litre	O
1100	CM	150	CM	127 LEVEL CM	31317,0564 litre	40,277 %	46437,3618 litre	O
1100	CM	150	CM	126 LEVEL CM	30991,1321 litre	39,858 %	46763,2861 litre	O
1100	CM	150	CM	125 LEVEL CM	30665,5643 litre	39,439 %	47088,8539 litre	O
1100	CM	150	CM	124 LEVEL CM	30340,3684 litre	39,021 %	47414,0498 litre	O
1100	CM	150	CM	123 LEVEL CM	30015,5597 litre	38,603 %	47738,8585 litre	O
1100	CM	150	CM	122 LEVEL CM	29691,1535 litre	38,186 %	48063,2647 litre	O
1100	CM	150	CM	121 LEVEL CM	29367,1654 litre	37,769 %	48387,2528 litre	O
1100	CM	150	CM	120 LEVEL CM	29043,6109 litre	37,353 %	48710,8073 litre	O
1100	CM	150	CM	119 LEVEL CM	28720,5053 litre	36,937 %	49033,9129 litre	O
1100	CM	150	CM	118 LEVEL CM	28397,8645 litre	36,523 %	49356,5537 litre	O
1100	CM	150	CM	117 LEVEL CM	28075,7041 litre	36,108 %	49678,7141 litre	O
1100	CM	150	CM	116 LEVEL CM	27754,0399 litre	35,694 %	50000,3783 litre	O
1100	CM	150	CM	115 LEVEL CM	27432,8877 litre	35,281 %	50321,5305 litre	O
1100	CM	150	CM	114 LEVEL CM	27112,2633 litre	34,869 %	50642,1549 litre	O
1100	CM	150	CM	113 LEVEL CM	26792,1829 litre	34,457 %	50962,2353 litre	O
1100	CM	150	CM	112 LEVEL CM	26472,6624 litre	34,047 %	51281,7558 litre	O
1100	CM	150	CM	111 LEVEL CM	26153,7181 litre	33,636 %	51600,7001 litre	O
1100	CM	150	CM	110 LEVEL CM	25835,3662 litre	33,227 %	51919,0520 litre	O
1100	CM	150	CM	109 LEVEL CM	25517,6230 litre	32,818 %	52236,7952 litre	O
1100	CM	150	CM	108 LEVEL CM	25200,5049 litre	32,410 %	52553,9133 litre	O
1100	CM	150	CM	107 LEVEL CM	24884,0285 litre	32,003 %	52870,3897 litre	O
1100	CM	150	CM	106 LEVEL CM	24568,2104 litre	31,597 %	53186,2078 litre	O
1100	CM	150	CM	105 LEVEL CM	24253,0673 litre	31,192 %	53501,3509 litre	O
1100	CM	150	CM	104 LEVEL CM	23938,6161 litre	30,787 %	53815,8021 litre	O
1100	CM	150	CM	103 LEVEL CM	23624,8738 litre	30,384 %	54129,5444 litre	O
1100	CM	150	CM	102 LEVEL CM	23311,8573 litre	29,981 %	54442,5609 litre	O
1100	CM	150	CM	101 LEVEL CM	22999,5840 litre	29,580 %	54754,8342 litre	O
1100	CM	150	CM	100 LEVEL CM	22688,0710 litre	29,179 %	55066,3472 litre	O
1100	CM	150	CM	99 LEVEL CM	22377,3358 litre	28,780 %	55377,0824 litre	O
1100	CM	150	CM	98 LEVEL CM	22067,3961 litre	28,381 %	55687,0221 litre	O
1100	CM	150	CM	97 LEVEL CM	21758,2694 litre	27,983 %	55996,1488 litre	O
1100	CM	150	CM	96 LEVEL CM	21449,9737 litre	27,587 %	56304,4445 litre	O
1100	CM	150	CM	95 LEVEL CM	21142,5269 litre	27,191 %	56611,8913 litre	O
1100	CM	150	CM	94 LEVEL CM	20835,9472 litre	26,797 %	56918,4710 litre	O
1100	CM	150	CM	93 LEVEL CM	20530,2528 litre	26,404 %	57224,1654 litre	O
1100	CM	150	CM	92 LEVEL CM	20225,4623 litre	26,012 %	57528,9559 litre	O
1100	CM	150	CM	91 LEVEL CM	19921,5942 litre	25,621 %	57832,8240 litre	O
1100	CM	150	CM	90 LEVEL CM	19618,6673 litre	25,232 %	58135,7509 litre	O

1100	CM	150	CM	89 LEVEL CM	19316,7005 litre	24,843 %	58437,7177 litre	O
1100	CM	150	CM	88 LEVEL CM	19015,7131 litre	24,456 %	58738,7051 litre	O
1100	CM	150	CM	87 LEVEL CM	18715,7244 litre	24,070 %	59038,6938 litre	O
1100	CM	150	CM	86 LEVEL CM	18416,7538 litre	23,686 %	59337,6644 litre	O
1100	CM	150	CM	85 LEVEL CM	18118,8211 litre	23,303 %	59635,5971 litre	O
1100	CM	150	CM	84 LEVEL CM	17821,9462 litre	22,921 %	59932,4720 litre	O
1100	CM	150	CM	83 LEVEL CM	17526,1493 litre	22,540 %	60228,2689 litre	O
1100	CM	150	CM	82 LEVEL CM	17231,4507 litre	22,161 %	60522,9675 litre	O
1100	CM	150	CM	81 LEVEL CM	16937,8711 litre	21,784 %	60816,5471 litre	O
1100	CM	150	CM	80 LEVEL CM	16645,4312 litre	21,408 %	61108,9870 litre	O
1100	CM	150	CM	79 LEVEL CM	16354,1522 litre	21,033 %	61400,2660 litre	O
1100	CM	150	CM	78 LEVEL CM	16064,0553 litre	20,660 %	61690,3629 litre	O
1100	CM	150	CM	77 LEVEL CM	15775,1622 litre	20,288 %	61979,2560 litre	O
1100	CM	150	CM	76 LEVEL CM	15487,4947 litre	19,918 %	62266,9235 litre	O
1100	CM	150	CM	75 LEVEL CM	15201,0750 litre	19,550 %	62553,3432 litre	O
1100	CM	150	CM	74 LEVEL CM	14915,9255 litre	19,183 %	62838,4927 litre	O
1100	CM	150	CM	73 LEVEL CM	14632,0689 litre	18,818 %	63122,3493 litre	O
1100	CM	150	CM	72 LEVEL CM	14349,5283 litre	18,455 %	63404,8899 litre	O
1100	CM	150	CM	71 LEVEL CM	14068,3270 litre	18,093 %	63686,0912 litre	O
1100	CM	150	CM	70 LEVEL CM	13788,4888 litre	17,733 %	63965,9294 litre	O
1100	CM	150	CM	69 LEVEL CM	13510,0377 litre	17,375 %	64244,3805 litre	O
1100	CM	150	CM	68 LEVEL CM	13232,9981 litre	17,019 %	64521,4201 litre	O
1100	CM	150	CM	67 LEVEL CM	12957,3948 litre	16,665 %	64797,0234 litre	O
1100	CM	150	CM	66 LEVEL CM	12683,2530 litre	16,312 %	65071,1652 litre	O
1100	CM	150	CM	65 LEVEL CM	12410,5983 litre	15,961 %	65343,8199 litre	O
1100	CM	150	CM	64 LEVEL CM	12139,4566 litre	15,613 %	65614,9616 litre	O
1100	CM	150	CM	63 LEVEL CM	11869,8545 litre	15,266 %	65884,5637 litre	O
1100	CM	150	CM	62 LEVEL CM	11601,8188 litre	14,921 %	66152,5994 litre	O
1100	CM	150	CM	61 LEVEL CM	11335,3769 litre	14,578 %	66419,0413 litre	O
1100	CM	150	CM	60 LEVEL CM	11070,5566 litre	14,238 %	66683,8616 litre	O
1100	CM	150	CM	59 LEVEL CM	10807,3864 litre	13,899 %	66947,0318 litre	O
1100	CM	150	CM	58 LEVEL CM	10545,8952 litre	13,563 %	67208,5230 litre	O
1100	CM	150	CM	57 LEVEL CM	10286,1124 litre	13,229 %	67468,3058 litre	O
1100	CM	150	CM	56 LEVEL CM	10028,0681 litre	12,897 %	67726,3501 litre	O
1100	CM	150	CM	55 LEVEL CM	9771,7930 litre	12,568 %	67982,6252 litre	O
1100	CM	150	CM	54 LEVEL CM	9517,3185 litre	12,240 %	68237,0997 litre	O
1100	CM	150	CM	53 LEVEL CM	9264,6764 litre	11,915 %	68489,7418 litre	O
1100	CM	150	CM	52 LEVEL CM	9013,8995 litre	11,593 %	68740,5187 litre	O
1100	CM	150	CM	51 LEVEL CM	8765,0212 litre	11,273 %	68989,3970 litre	O
1100	CM	150	CM	50 LEVEL CM	8518,0757 litre	10,955 %	69236,3425 litre	O
1100	CM	150	CM	49 LEVEL CM	8273,0981 litre	10,640 %	69481,3201 litre	O
1100	CM	150	CM	48 LEVEL CM	8030,1240 litre	10,328 %	69724,2942 litre	O
1100	CM	150	CM	47 LEVEL CM	7789,1905 litre	10,018 %	69965,2277 litre	O
1100	CM	150	CM	46 LEVEL CM	7550,3350 litre	9,710 %	70204,0832 litre	O
1100	CM	150	CM	45 LEVEL CM	7313,5963 litre	9,406 %	70440,8219 litre	O
1100	CM	150	CM	44 LEVEL CM	7079,0141 litre	9,104 %	70675,4041 litre	O
1100	CM	150	CM	43 LEVEL CM	6846,6293 litre	8,805 %	70907,7889 litre	O
1100	CM	150	CM	42 LEVEL CM	6616,4839 litre	8,509 %	71137,9343 litre	O
1100	CM	150	CM	41 LEVEL CM	6388,6211 litre	8,216 %	71365,7971 litre	O
1100	CM	150	CM	40 LEVEL CM	6163,0854 litre	7,926 %	71591,3328 litre	O
1100	CM	150	CM	39 LEVEL CM	5939,9229 litre	7,639 %	71814,4953 litre	O
1100	CM	150	CM	38 LEVEL CM	5719,1810 litre	7,355 %	72035,2372 litre	O
1100	CM	150	CM	37 LEVEL CM	5500,9086 litre	7,075 %	72253,5096 litre	O

1100	CM	150	CM	36 LEVEL CM	5285,1565 litre	6,797 %	72469,2617 litre	O
1100	CM	150	CM	35 LEVEL CM	5071,9772 litre	6,523 %	72682,4410 litre	O
1100	CM	150	CM	34 LEVEL CM	4861,4250 litre	6,252 %	72892,9932 litre	O
1100	CM	150	CM	33 LEVEL CM	4653,5566 litre	5,985 %	73100,8616 litre	O
1100	CM	150	CM	32 LEVEL CM	4448,4305 litre	5,721 %	73305,9877 litre	O
1100	CM	150	CM	31 LEVEL CM	4246,1079 litre	5,461 %	73508,3103 litre	O
1100	CM	150	CM	30 LEVEL CM	4046,6524 litre	5,204 %	73707,7658 litre	O
1100	CM	150	CM	29 LEVEL CM	3850,1306 litre	4,952 %	73904,2876 litre	O
1100	CM	150	CM	28 LEVEL CM	3656,6117 litre	4,703 %	74097,8065 litre	O
1100	CM	150	CM	27 LEVEL CM	3466,1687 litre	4,458 %	74288,2495 litre	O
1100	CM	150	CM	26 LEVEL CM	3278,8779 litre	4,217 %	74475,5403 litre	O
1100	CM	150	CM	25 LEVEL CM	3094,8195 litre	3,980 %	74659,5987 litre	O
1100	CM	150	CM	24 LEVEL CM	2914,0781 litre	3,748 %	74840,3401 litre	O
1100	CM	150	CM	23 LEVEL CM	2736,7431 litre	3,520 %	75017,6751 litre	O
1100	CM	150	CM	22 LEVEL CM	2562,9090 litre	3,296 %	75191,5092 litre	O
1100	CM	150	CM	21 LEVEL CM	2392,6762 litre	3,077 %	75361,7420 litre	O
1100	CM	150	CM	20 LEVEL CM	2226,1517 litre	2,863 %	75528,2665 litre	O
1100	CM	150	CM	19 LEVEL CM	2063,4497 litre	2,654 %	75690,9685 litre	O
1100	CM	150	CM	18 LEVEL CM	1904,6928 litre	2,450 %	75849,7254 litre	O
1100	CM	150	CM	17 LEVEL CM	1750,0128 litre	2,251 %	76004,4054 litre	O
1100	CM	150	CM	16 LEVEL CM	1599,5522 litre	2,057 %	76154,8660 litre	O
1100	CM	150	CM	15 LEVEL CM	1453,4662 litre	1,869 %	76300,9520 litre	O
1100	CM	150	CM	14 LEVEL CM	1311,9240 litre	1,687 %	76442,4942 litre	O
1100	CM	150	CM	13 LEVEL CM	1175,1118 litre	1,511 %	76579,3064 litre	O
1100	CM	150	CM	12 LEVEL CM	1043,2360 litre	1,342 %	76711,1822 litre	O
1100	CM	150	CM	11 LEVEL CM	916,5270 litre	1,179 %	76837,8912 litre	O
1100	CM	150	CM	10 LEVEL CM	795,2447 litre	1,023 %	76959,1735 litre	O
1100	CM	150	CM	9 LEVEL CM	679,6856 litre	0,874 %	77074,7326 litre	O
1100	CM	150	CM	8 LEVEL CM	570,1930 litre	0,733 %	77184,2252 litre	O
1100	CM	150	CM	7 LEVEL CM	467,1706 litre	0,601 %	77287,2476 litre	O
1100	CM	150	CM	6 LEVEL CM	371,1042 litre	0,477 %	77383,3140 litre	O
1100	CM	150	CM	5 LEVEL CM	282,5944 litre	0,363 %	77471,8238 litre	O
1100	CM	150	CM	4 LEVEL CM	202,4124 litre	0,260 %	77552,0058 litre	O
1100	CM	150	CM	3 LEVEL CM	131,6033 litre	0,169 %	77622,8149 litre	O
1100	CM	150	CM	2 LEVEL CM	71,7078 litre	0,092 %	77682,7104 litre	O
1100	CM	150	CM	1 LEVEL CM	25,3780 litre	0,033 %	77729,0402 litre	O
1100	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	77754,4182 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	150	CM	300 LEVEL CM	70685,8347 litre	100,000 %	0,0000 litre	O
1000	CM	150	CM	299 LEVEL CM	70662,7638 litre	99,967 %	23,0709 litre	O
1000	CM	150	CM	298 LEVEL CM	70620,6458 litre	99,908 %	65,1889 litre	O
1000	CM	150	CM	297 LEVEL CM	70566,1954 litre	99,831 %	119,6393 litre	O
1000	CM	150	CM	296 LEVEL CM	70501,8234 litre	99,740 %	184,0113 litre	O
1000	CM	150	CM	295 LEVEL CM	70428,9307 litre	99,637 %	256,9040 litre	O
1000	CM	150	CM	294 LEVEL CM	70348,4672 litre	99,523 %	337,3675 litre	O
1000	CM	150	CM	293 LEVEL CM	70261,1342 litre	99,399 %	424,7005 litre	O
1000	CM	150	CM	292 LEVEL CM	70167,4775 litre	99,267 %	518,3572 litre	O
1000	CM	150	CM	291 LEVEL CM	70067,9387 litre	99,126 %	617,8960 litre	O
1000	CM	150	CM	290 LEVEL CM	69962,8850 litre	98,977 %	722,9497 litre	O
1000	CM	150	CM	289 LEVEL CM	69852,6283 litre	98,821 %	833,2064 litre	O
1000	CM	150	CM	288 LEVEL CM	69737,4383 litre	98,658 %	948,3964 litre	O
1000	CM	150	CM	287 LEVEL CM	69617,5512 litre	98,489 %	1068,2835 litre	O
1000	CM	150	CM	286 LEVEL CM	69493,1765 litre	98,313 %	1192,6582 litre	O
1000	CM	150	CM	285 LEVEL CM	69364,5018 litre	98,131 %	1321,3329 litre	O
1000	CM	150	CM	284 LEVEL CM	69231,6963 litre	97,943 %	1454,1384 litre	O
1000	CM	150	CM	283 LEVEL CM	69094,9140 litre	97,749 %	1590,9207 litre	O
1000	CM	150	CM	282 LEVEL CM	68954,2958 litre	97,550 %	1731,5389 litre	O
1000	CM	150	CM	281 LEVEL CM	68809,9713 litre	97,346 %	1875,8634 litre	O
1000	CM	150	CM	280 LEVEL CM	68662,0604 litre	97,137 %	2023,7743 litre	O
1000	CM	150	CM	279 LEVEL CM	68510,6745 litre	96,923 %	2175,1602 litre	O
1000	CM	150	CM	278 LEVEL CM	68355,9175 litre	96,704 %	2329,9172 litre	O
1000	CM	150	CM	277 LEVEL CM	68197,8865 litre	96,480 %	2487,9482 litre	O
1000	CM	150	CM	276 LEVEL CM	68036,6728 litre	96,252 %	2649,1619 litre	O
1000	CM	150	CM	275 LEVEL CM	67872,3624 litre	96,020 %	2813,4723 litre	O
1000	CM	150	CM	274 LEVEL CM	67705,0366 litre	95,783 %	2980,7981 litre	O
1000	CM	150	CM	273 LEVEL CM	67534,7722 litre	95,542 %	3151,0625 litre	O
1000	CM	150	CM	272 LEVEL CM	67361,6422 litre	95,297 %	3324,1925 litre	O
1000	CM	150	CM	271 LEVEL CM	67185,7160 litre	95,048 %	3500,1187 litre	O
1000	CM	150	CM	270 LEVEL CM	67007,0598 litre	94,796 %	3678,7749 litre	O
1000	CM	150	CM	269 LEVEL CM	66825,7366 litre	94,539 %	3860,0981 litre	O
1000	CM	150	CM	268 LEVEL CM	66641,8070 litre	94,279 %	4044,0277 litre	O
1000	CM	150	CM	267 LEVEL CM	66455,3287 litre	94,015 %	4230,5060 litre	O
1000	CM	150	CM	266 LEVEL CM	66266,3574 litre	93,748 %	4419,4773 litre	O
1000	CM	150	CM	265 LEVEL CM	66074,9464 litre	93,477 %	4610,8883 litre	O
1000	CM	150	CM	264 LEVEL CM	65881,1470 litre	93,203 %	4804,6877 litre	O
1000	CM	150	CM	263 LEVEL CM	65685,0087 litre	92,925 %	5000,8260 litre	O
1000	CM	150	CM	262 LEVEL CM	65486,5793 litre	92,645 %	5199,2554 litre	O
1000	CM	150	CM	261 LEVEL CM	65285,9048 litre	92,361 %	5399,9299 litre	O
1000	CM	150	CM	260 LEVEL CM	65083,0298 litre	92,074 %	5602,8049 litre	O
1000	CM	150	CM	259 LEVEL CM	64877,9974 litre	91,784 %	5807,8373 litre	O
1000	CM	150	CM	258 LEVEL CM	64670,8493 litre	91,491 %	6014,9854 litre	O
1000	CM	150	CM	257 LEVEL CM	64461,6262 litre	91,195 %	6224,2085 litre	O
1000	CM	150	CM	256 LEVEL CM	64250,3673 litre	90,896 %	6435,4674 litre	O
1000	CM	150	CM	255 LEVEL CM	64037,1108 litre	90,594 %	6648,7239 litre	O
1000	CM	150	CM	254 LEVEL CM	63821,8938 litre	90,290 %	6863,9409 litre	O
1000	CM	150	CM	253 LEVEL CM	63604,7525 litre	89,982 %	7081,0822 litre	O
1000	CM	150	CM	252 LEVEL CM	63385,7219 litre	89,672 %	7300,1128 litre	O
1000	CM	150	CM	251 LEVEL CM	63164,8365 litre	89,360 %	7520,9982 litre	O
1000	CM	150	CM	250 LEVEL CM	62942,1295 litre	89,045 %	7743,7052 litre	O
1000	CM	150	CM	249 LEVEL CM	62717,6336 litre	88,727 %	7968,2011 litre	O

1000	CM	150	CM	248 LEVEL CM	62491,3806 litre	88,407 %	8194,4541 litre	O
1000	CM	150	CM	247 LEVEL CM	62263,4016 litre	88,085 %	8422,4331 litre	O
1000	CM	150	CM	246 LEVEL CM	62033,7270 litre	87,760 %	8652,1077 litre	O
1000	CM	150	CM	245 LEVEL CM	61802,3865 litre	87,432 %	8883,4482 litre	O
1000	CM	150	CM	244 LEVEL CM	61569,4091 litre	87,103 %	9116,4256 litre	O
1000	CM	150	CM	243 LEVEL CM	61334,8234 litre	86,771 %	9351,0113 litre	O
1000	CM	150	CM	242 LEVEL CM	61098,6572 litre	86,437 %	9587,1775 litre	O
1000	CM	150	CM	241 LEVEL CM	60860,9379 litre	86,101 %	9824,8968 litre	O
1000	CM	150	CM	240 LEVEL CM	60621,6923 litre	85,762 %	10064,1424 litre	O
1000	CM	150	CM	239 LEVEL CM	60380,9466 litre	85,422 %	10304,8881 litre	O
1000	CM	150	CM	238 LEVEL CM	60138,7267 litre	85,079 %	10547,1080 litre	O
1000	CM	150	CM	237 LEVEL CM	59895,0579 litre	84,734 %	10790,7768 litre	O
1000	CM	150	CM	236 LEVEL CM	59649,9650 litre	84,387 %	11035,8697 litre	O
1000	CM	150	CM	235 LEVEL CM	59403,4726 litre	84,039 %	11282,3621 litre	O
1000	CM	150	CM	234 LEVEL CM	59155,6047 litre	83,688 %	11530,2300 litre	O
1000	CM	150	CM	233 LEVEL CM	58906,3849 litre	83,335 %	11779,4498 litre	O
1000	CM	150	CM	232 LEVEL CM	58655,8364 litre	82,981 %	12029,9983 litre	O
1000	CM	150	CM	231 LEVEL CM	58403,9823 litre	82,625 %	12281,8524 litre	O
1000	CM	150	CM	230 LEVEL CM	58150,8449 litre	82,267 %	12534,9898 litre	O
1000	CM	150	CM	229 LEVEL CM	57896,4465 litre	81,907 %	12789,3882 litre	O
1000	CM	150	CM	228 LEVEL CM	57640,8090 litre	81,545 %	13045,0257 litre	O
1000	CM	150	CM	227 LEVEL CM	57383,9539 litre	81,182 %	13301,8808 litre	O
1000	CM	150	CM	226 LEVEL CM	57125,9024 litre	80,817 %	13559,9323 litre	O
1000	CM	150	CM	225 LEVEL CM	56866,6756 litre	80,450 %	13819,1591 litre	O
1000	CM	150	CM	224 LEVEL CM	56606,2940 litre	80,082 %	14079,5407 litre	O
1000	CM	150	CM	223 LEVEL CM	56344,7781 litre	79,712 %	14341,0566 litre	O
1000	CM	150	CM	222 LEVEL CM	56082,1481 litre	79,340 %	14603,6866 litre	O
1000	CM	150	CM	221 LEVEL CM	55818,4236 litre	78,967 %	14867,4111 litre	O
1000	CM	150	CM	220 LEVEL CM	55553,6245 litre	78,592 %	15132,2102 litre	O
1000	CM	150	CM	219 LEVEL CM	55287,7701 litre	78,216 %	15398,0646 litre	O
1000	CM	150	CM	218 LEVEL CM	55020,8795 litre	77,839 %	15664,9552 litre	O
1000	CM	150	CM	217 LEVEL CM	54752,9717 litre	77,460 %	15932,8630 litre	O
1000	CM	150	CM	216 LEVEL CM	54484,0655 litre	77,079 %	16201,7692 litre	O
1000	CM	150	CM	215 LEVEL CM	54214,1792 litre	76,697 %	16471,6555 litre	O
1000	CM	150	CM	214 LEVEL CM	53943,3313 litre	76,314 %	16742,5034 litre	O
1000	CM	150	CM	213 LEVEL CM	53671,5398 litre	75,930 %	17014,2949 litre	O
1000	CM	150	CM	212 LEVEL CM	53398,8228 litre	75,544 %	17287,0119 litre	O
1000	CM	150	CM	211 LEVEL CM	53125,1979 litre	75,157 %	17560,6368 litre	O
1000	CM	150	CM	210 LEVEL CM	52850,6826 litre	74,768 %	17835,1521 litre	O
1000	CM	150	CM	209 LEVEL CM	52575,2945 litre	74,379 %	18110,5402 litre	O
1000	CM	150	CM	208 LEVEL CM	52299,0508 litre	73,988 %	18386,7839 litre	O
1000	CM	150	CM	207 LEVEL CM	52021,9685 litre	73,596 %	18663,8662 litre	O
1000	CM	150	CM	206 LEVEL CM	51744,0645 litre	73,203 %	18941,7702 litre	O
1000	CM	150	CM	205 LEVEL CM	51465,3557 litre	72,809 %	19220,4790 litre	O
1000	CM	150	CM	204 LEVEL CM	51185,8586 litre	72,413 %	19499,9761 litre	O
1000	CM	150	CM	203 LEVEL CM	50905,5898 litre	72,017 %	19780,2449 litre	O
1000	CM	150	CM	202 LEVEL CM	50624,5655 litre	71,619 %	20061,2692 litre	O
1000	CM	150	CM	201 LEVEL CM	50342,8021 litre	71,220 %	20343,0326 litre	O
1000	CM	150	CM	200 LEVEL CM	50060,3156 litre	70,821 %	20625,5191 litre	O
1000	CM	150	CM	199 LEVEL CM	49777,1220 litre	70,420 %	20908,7127 litre	O
1000	CM	150	CM	198 LEVEL CM	49493,2371 litre	70,019 %	21192,5976 litre	O
1000	CM	150	CM	197 LEVEL CM	49208,6767 litre	69,616 %	21477,1580 litre	O
1000	CM	150	CM	196 LEVEL CM	48923,4564 litre	69,213 %	21762,3783 litre	O

1000	CM	150	CM	195 LEVEL CM	48637,5917 litre	68,808 %	22048,2430 litre	O
1000	CM	150	CM	194 LEVEL CM	48351,0980 litre	68,403 %	22334,7367 litre	O
1000	CM	150	CM	193 LEVEL CM	48063,9906 litre	67,997 %	22621,8441 litre	O
1000	CM	150	CM	192 LEVEL CM	47776,2848 litre	67,590 %	22909,5499 litre	O
1000	CM	150	CM	191 LEVEL CM	47487,9957 litre	67,182 %	23197,8390 litre	O
1000	CM	150	CM	190 LEVEL CM	47199,1382 litre	66,773 %	23486,6965 litre	O
1000	CM	150	CM	189 LEVEL CM	46909,7273 litre	66,364 %	23776,1074 litre	O
1000	CM	150	CM	188 LEVEL CM	46619,7779 litre	65,953 %	24066,0568 litre	O
1000	CM	150	CM	187 LEVEL CM	46329,3048 litre	65,543 %	24356,5299 litre	O
1000	CM	150	CM	186 LEVEL CM	46038,3226 litre	65,131 %	24647,5121 litre	O
1000	CM	150	CM	185 LEVEL CM	45746,8459 litre	64,719 %	24938,9888 litre	O
1000	CM	150	CM	184 LEVEL CM	45454,8893 litre	64,306 %	25230,9454 litre	O
1000	CM	150	CM	183 LEVEL CM	45162,4673 litre	63,892 %	25523,3674 litre	O
1000	CM	150	CM	182 LEVEL CM	44869,5942 litre	63,477 %	25816,2405 litre	O
1000	CM	150	CM	181 LEVEL CM	44576,2844 litre	63,063 %	26109,5503 litre	O
1000	CM	150	CM	180 LEVEL CM	44282,5521 litre	62,647 %	26403,2826 litre	O
1000	CM	150	CM	179 LEVEL CM	43988,4116 litre	62,231 %	26697,4231 litre	O
1000	CM	150	CM	178 LEVEL CM	43693,8769 litre	61,814 %	26991,9578 litre	O
1000	CM	150	CM	177 LEVEL CM	43398,9623 litre	61,397 %	27286,8724 litre	O
1000	CM	150	CM	176 LEVEL CM	43103,6816 litre	60,979 %	27582,1531 litre	O
1000	CM	150	CM	175 LEVEL CM	42808,0490 litre	60,561 %	27877,7857 litre	O
1000	CM	150	CM	174 LEVEL CM	42512,0783 litre	60,142 %	28173,7564 litre	O
1000	CM	150	CM	173 LEVEL CM	42215,7834 litre	59,723 %	28470,0513 litre	O
1000	CM	150	CM	172 LEVEL CM	41919,1782 litre	59,304 %	28766,6565 litre	O
1000	CM	150	CM	171 LEVEL CM	41622,2764 litre	58,883 %	29063,5583 litre	O
1000	CM	150	CM	170 LEVEL CM	41325,0919 litre	58,463 %	29360,7428 litre	O
1000	CM	150	CM	169 LEVEL CM	41027,6382 litre	58,042 %	29658,1965 litre	O
1000	CM	150	CM	168 LEVEL CM	40729,9292 litre	57,621 %	29955,9055 litre	O
1000	CM	150	CM	167 LEVEL CM	40431,9784 litre	57,200 %	30253,8563 litre	O
1000	CM	150	CM	166 LEVEL CM	40133,7995 litre	56,778 %	30552,0352 litre	O
1000	CM	150	CM	165 LEVEL CM	39835,4061 litre	56,356 %	30850,4286 litre	O
1000	CM	150	CM	164 LEVEL CM	39536,8116 litre	55,933 %	31149,0231 litre	O
1000	CM	150	CM	163 LEVEL CM	39238,0296 litre	55,510 %	31447,8051 litre	O
1000	CM	150	CM	162 LEVEL CM	38939,0737 litre	55,088 %	31746,7610 litre	O
1000	CM	150	CM	161 LEVEL CM	38639,9572 litre	54,664 %	32045,8775 litre	O
1000	CM	150	CM	160 LEVEL CM	38340,6936 litre	54,241 %	32345,1411 litre	O
1000	CM	150	CM	159 LEVEL CM	38041,2965 litre	53,817 %	32644,5382 litre	O
1000	CM	150	CM	158 LEVEL CM	37741,7791 litre	53,394 %	32944,0556 litre	O
1000	CM	150	CM	157 LEVEL CM	37442,1549 litre	52,970 %	33243,6798 litre	O
1000	CM	150	CM	156 LEVEL CM	37142,4372 litre	52,546 %	33543,3975 litre	O
1000	CM	150	CM	155 LEVEL CM	36842,6395 litre	52,122 %	33843,1952 litre	O
1000	CM	150	CM	154 LEVEL CM	36542,7751 litre	51,697 %	34143,0596 litre	O
1000	CM	150	CM	153 LEVEL CM	36242,8573 litre	51,273 %	34442,9774 litre	O
1000	CM	150	CM	152 LEVEL CM	35942,8996 litre	50,849 %	34742,9351 litre	O
1000	CM	150	CM	151 LEVEL CM	35642,9151 litre	50,424 %	35042,9196 litre	O
1000	CM	150	CM	150 LEVEL CM	35342,9174 litre	50,000 %	35342,9173 litre	O
1000	CM	150	CM	149 LEVEL CM	35042,9196 litre	49,576 %	35642,9151 litre	O
1000	CM	150	CM	148 LEVEL CM	34742,9351 litre	49,151 %	35942,8996 litre	O
1000	CM	150	CM	147 LEVEL CM	34442,9774 litre	48,727 %	36242,8573 litre	O
1000	CM	150	CM	146 LEVEL CM	34143,0596 litre	48,303 %	36542,7751 litre	O
1000	CM	150	CM	145 LEVEL CM	33843,1952 litre	47,878 %	36842,6395 litre	O
1000	CM	150	CM	144 LEVEL CM	33543,3975 litre	47,454 %	37142,4372 litre	O
1000	CM	150	CM	143 LEVEL CM	33243,6798 litre	47,030 %	37442,1549 litre	O

1000	CM	150	CM	142 LEVEL CM	32944,0556 litre	46,606 %	37741,7791 litre	O
1000	CM	150	CM	141 LEVEL CM	32644,5382 litre	46,183 %	38041,2965 litre	O
1000	CM	150	CM	140 LEVEL CM	32345,1411 litre	45,759 %	38340,6936 litre	O
1000	CM	150	CM	139 LEVEL CM	32045,8775 litre	45,336 %	38639,9572 litre	O
1000	CM	150	CM	138 LEVEL CM	31746,7610 litre	44,912 %	38939,0737 litre	O
1000	CM	150	CM	137 LEVEL CM	31447,8051 litre	44,490 %	39238,0296 litre	O
1000	CM	150	CM	136 LEVEL CM	31149,0231 litre	44,067 %	39536,8116 litre	O
1000	CM	150	CM	135 LEVEL CM	30850,4286 litre	43,644 %	39835,4061 litre	O
1000	CM	150	CM	134 LEVEL CM	30552,0352 litre	43,222 %	40133,7995 litre	O
1000	CM	150	CM	133 LEVEL CM	30253,8563 litre	42,800 %	40431,9784 litre	O
1000	CM	150	CM	132 LEVEL CM	29955,9055 litre	42,379 %	40729,9292 litre	O
1000	CM	150	CM	131 LEVEL CM	29658,1965 litre	41,958 %	41027,6382 litre	O
1000	CM	150	CM	130 LEVEL CM	29360,7428 litre	41,537 %	41325,0919 litre	O
1000	CM	150	CM	129 LEVEL CM	29063,5583 litre	41,117 %	41622,2764 litre	O
1000	CM	150	CM	128 LEVEL CM	28766,6565 litre	40,696 %	41919,1782 litre	O
1000	CM	150	CM	127 LEVEL CM	28470,0513 litre	40,277 %	42215,7834 litre	O
1000	CM	150	CM	126 LEVEL CM	28173,7564 litre	39,858 %	42512,0783 litre	O
1000	CM	150	CM	125 LEVEL CM	27877,7857 litre	39,439 %	42808,0490 litre	O
1000	CM	150	CM	124 LEVEL CM	27582,1531 litre	39,021 %	43103,6816 litre	O
1000	CM	150	CM	123 LEVEL CM	27286,8724 litre	38,603 %	43398,9623 litre	O
1000	CM	150	CM	122 LEVEL CM	26991,9578 litre	38,186 %	43693,8769 litre	O
1000	CM	150	CM	121 LEVEL CM	26697,4231 litre	37,769 %	43988,4116 litre	O
1000	CM	150	CM	120 LEVEL CM	26403,2826 litre	37,353 %	44282,5521 litre	O
1000	CM	150	CM	119 LEVEL CM	26109,5503 litre	36,937 %	44576,2844 litre	O
1000	CM	150	CM	118 LEVEL CM	25816,2405 litre	36,523 %	44869,5942 litre	O
1000	CM	150	CM	117 LEVEL CM	25523,3674 litre	36,108 %	45162,4673 litre	O
1000	CM	150	CM	116 LEVEL CM	25230,9454 litre	35,694 %	45454,8893 litre	O
1000	CM	150	CM	115 LEVEL CM	24938,9888 litre	35,281 %	45746,8459 litre	O
1000	CM	150	CM	114 LEVEL CM	24647,5121 litre	34,869 %	46038,3226 litre	O
1000	CM	150	CM	113 LEVEL CM	24356,5299 litre	34,457 %	46329,3048 litre	O
1000	CM	150	CM	112 LEVEL CM	24066,0568 litre	34,047 %	46619,7779 litre	O
1000	CM	150	CM	111 LEVEL CM	23776,1074 litre	33,636 %	46909,7273 litre	O
1000	CM	150	CM	110 LEVEL CM	23486,6965 litre	33,227 %	47199,1382 litre	O
1000	CM	150	CM	109 LEVEL CM	23197,8391 litre	32,818 %	47487,9956 litre	O
1000	CM	150	CM	108 LEVEL CM	22909,5499 litre	32,410 %	47776,2848 litre	O
1000	CM	150	CM	107 LEVEL CM	22621,8441 litre	32,003 %	48063,9906 litre	O
1000	CM	150	CM	106 LEVEL CM	22334,7367 litre	31,597 %	48351,0980 litre	O
1000	CM	150	CM	105 LEVEL CM	22048,2430 litre	31,192 %	48637,5917 litre	O
1000	CM	150	CM	104 LEVEL CM	21762,3783 litre	30,787 %	48923,4564 litre	O
1000	CM	150	CM	103 LEVEL CM	21477,1580 litre	30,384 %	49208,6767 litre	O
1000	CM	150	CM	102 LEVEL CM	21192,5976 litre	29,981 %	49493,2371 litre	O
1000	CM	150	CM	101 LEVEL CM	20908,7127 litre	29,580 %	49777,1220 litre	O
1000	CM	150	CM	100 LEVEL CM	20625,5191 litre	29,179 %	50060,3156 litre	O
1000	CM	150	CM	99 LEVEL CM	20343,0326 litre	28,780 %	50342,8021 litre	O
1000	CM	150	CM	98 LEVEL CM	20061,2692 litre	28,381 %	50624,5655 litre	O
1000	CM	150	CM	97 LEVEL CM	19780,2449 litre	27,983 %	50905,5898 litre	O
1000	CM	150	CM	96 LEVEL CM	19499,9761 litre	27,587 %	51185,8586 litre	O
1000	CM	150	CM	95 LEVEL CM	19220,4790 litre	27,191 %	51465,3557 litre	O
1000	CM	150	CM	94 LEVEL CM	18941,7702 litre	26,797 %	51744,0645 litre	O
1000	CM	150	CM	93 LEVEL CM	18663,8662 litre	26,404 %	52021,9685 litre	O
1000	CM	150	CM	92 LEVEL CM	18386,7839 litre	26,012 %	52299,0508 litre	O
1000	CM	150	CM	91 LEVEL CM	18110,5402 litre	25,621 %	52575,2945 litre	O
1000	CM	150	CM	90 LEVEL CM	17835,1521 litre	25,232 %	52850,6826 litre	O

1000	CM	150	CM	89 LEVEL CM	17560,6369 litre	24,843 %	53125,1978 litre	O
1000	CM	150	CM	88 LEVEL CM	17287,0119 litre	24,456 %	53398,8228 litre	O
1000	CM	150	CM	87 LEVEL CM	17014,2949 litre	24,070 %	53671,5398 litre	O
1000	CM	150	CM	86 LEVEL CM	16742,5034 litre	23,686 %	53943,3313 litre	O
1000	CM	150	CM	85 LEVEL CM	16471,6555 litre	23,303 %	54214,1792 litre	O
1000	CM	150	CM	84 LEVEL CM	16201,7693 litre	22,921 %	54484,0654 litre	O
1000	CM	150	CM	83 LEVEL CM	15932,8630 litre	22,540 %	54752,9717 litre	O
1000	CM	150	CM	82 LEVEL CM	15664,9552 litre	22,161 %	55020,8795 litre	O
1000	CM	150	CM	81 LEVEL CM	15398,0646 litre	21,784 %	55287,7701 litre	O
1000	CM	150	CM	80 LEVEL CM	15132,2102 litre	21,408 %	55553,6245 litre	O
1000	CM	150	CM	79 LEVEL CM	14867,4111 litre	21,033 %	55818,4236 litre	O
1000	CM	150	CM	78 LEVEL CM	14603,6867 litre	20,660 %	56082,1480 litre	O
1000	CM	150	CM	77 LEVEL CM	14341,0566 litre	20,288 %	56344,7781 litre	O
1000	CM	150	CM	76 LEVEL CM	14079,5407 litre	19,918 %	56606,2940 litre	O
1000	CM	150	CM	75 LEVEL CM	13819,1591 litre	19,550 %	56866,6756 litre	O
1000	CM	150	CM	74 LEVEL CM	13559,9323 litre	19,183 %	57125,9024 litre	O
1000	CM	150	CM	73 LEVEL CM	13301,8808 litre	18,818 %	57383,9539 litre	O
1000	CM	150	CM	72 LEVEL CM	13045,0257 litre	18,455 %	57640,8090 litre	O
1000	CM	150	CM	71 LEVEL CM	12789,3882 litre	18,093 %	57896,4465 litre	O
1000	CM	150	CM	70 LEVEL CM	12534,9898 litre	17,733 %	58150,8449 litre	O
1000	CM	150	CM	69 LEVEL CM	12281,8524 litre	17,375 %	58403,9823 litre	O
1000	CM	150	CM	68 LEVEL CM	12029,9983 litre	17,019 %	58655,8364 litre	O
1000	CM	150	CM	67 LEVEL CM	11779,4498 litre	16,665 %	58906,3849 litre	O
1000	CM	150	CM	66 LEVEL CM	11530,2300 litre	16,312 %	59155,6047 litre	O
1000	CM	150	CM	65 LEVEL CM	11282,3621 litre	15,961 %	59403,4726 litre	O
1000	CM	150	CM	64 LEVEL CM	11035,8697 litre	15,613 %	59649,9650 litre	O
1000	CM	150	CM	63 LEVEL CM	10790,7768 litre	15,266 %	59895,0579 litre	O
1000	CM	150	CM	62 LEVEL CM	10547,1080 litre	14,921 %	60138,7267 litre	O
1000	CM	150	CM	61 LEVEL CM	10304,8881 litre	14,578 %	60380,9466 litre	O
1000	CM	150	CM	60 LEVEL CM	10064,1424 litre	14,238 %	60621,6923 litre	O
1000	CM	150	CM	59 LEVEL CM	9824,8968 litre	13,899 %	60860,9379 litre	O
1000	CM	150	CM	58 LEVEL CM	9587,1775 litre	13,563 %	61098,6572 litre	O
1000	CM	150	CM	57 LEVEL CM	9351,0113 litre	13,229 %	61334,8234 litre	O
1000	CM	150	CM	56 LEVEL CM	9116,4256 litre	12,897 %	61569,4091 litre	O
1000	CM	150	CM	55 LEVEL CM	8883,4482 litre	12,568 %	61802,3865 litre	O
1000	CM	150	CM	54 LEVEL CM	8652,1077 litre	12,240 %	62033,7270 litre	O
1000	CM	150	CM	53 LEVEL CM	8422,4331 litre	11,915 %	62263,4016 litre	O
1000	CM	150	CM	52 LEVEL CM	8194,4541 litre	11,593 %	62491,3806 litre	O
1000	CM	150	CM	51 LEVEL CM	7968,2011 litre	11,273 %	62717,6336 litre	O
1000	CM	150	CM	50 LEVEL CM	7743,7052 litre	10,955 %	62942,1295 litre	O
1000	CM	150	CM	49 LEVEL CM	7520,9982 litre	10,640 %	63164,8365 litre	O
1000	CM	150	CM	48 LEVEL CM	7300,1128 litre	10,328 %	63385,7219 litre	O
1000	CM	150	CM	47 LEVEL CM	7081,0822 litre	10,018 %	63604,7525 litre	O
1000	CM	150	CM	46 LEVEL CM	6863,9409 litre	9,710 %	63821,8938 litre	O
1000	CM	150	CM	45 LEVEL CM	6648,7239 litre	9,406 %	64037,1108 litre	O
1000	CM	150	CM	44 LEVEL CM	6435,4674 litre	9,104 %	64250,3673 litre	O
1000	CM	150	CM	43 LEVEL CM	6224,2085 litre	8,805 %	64461,6262 litre	O
1000	CM	150	CM	42 LEVEL CM	6014,9854 litre	8,509 %	64670,8493 litre	O
1000	CM	150	CM	41 LEVEL CM	5807,8373 litre	8,216 %	64877,9974 litre	O
1000	CM	150	CM	40 LEVEL CM	5602,8049 litre	7,926 %	65083,0298 litre	O
1000	CM	150	CM	39 LEVEL CM	5399,9299 litre	7,639 %	65285,9048 litre	O
1000	CM	150	CM	38 LEVEL CM	5199,2554 litre	7,355 %	65486,5793 litre	O
1000	CM	150	CM	37 LEVEL CM	5000,8260 litre	7,075 %	65685,0087 litre	O

1000	CM	150	CM	36 LEVEL CM	4804,6877 litre	6,797 %	65881,1470 litre	O
1000	CM	150	CM	35 LEVEL CM	4610,8883 litre	6,523 %	66074,9464 litre	O
1000	CM	150	CM	34 LEVEL CM	4419,4773 litre	6,252 %	66266,3574 litre	O
1000	CM	150	CM	33 LEVEL CM	4230,5060 litre	5,985 %	66455,3287 litre	O
1000	CM	150	CM	32 LEVEL CM	4044,0277 litre	5,721 %	66641,8070 litre	O
1000	CM	150	CM	31 LEVEL CM	3860,0981 litre	5,461 %	66825,7366 litre	O
1000	CM	150	CM	30 LEVEL CM	3678,7749 litre	5,204 %	67007,0598 litre	O
1000	CM	150	CM	29 LEVEL CM	3500,1187 litre	4,952 %	67185,7160 litre	O
1000	CM	150	CM	28 LEVEL CM	3324,1925 litre	4,703 %	67361,6422 litre	O
1000	CM	150	CM	27 LEVEL CM	3151,0625 litre	4,458 %	67534,7722 litre	O
1000	CM	150	CM	26 LEVEL CM	2980,7981 litre	4,217 %	67705,0366 litre	O
1000	CM	150	CM	25 LEVEL CM	2813,4723 litre	3,980 %	67872,3624 litre	O
1000	CM	150	CM	24 LEVEL CM	2649,1619 litre	3,748 %	68036,6728 litre	O
1000	CM	150	CM	23 LEVEL CM	2487,9483 litre	3,520 %	68197,8864 litre	O
1000	CM	150	CM	22 LEVEL CM	2329,9172 litre	3,296 %	68355,9175 litre	O
1000	CM	150	CM	21 LEVEL CM	2175,1602 litre	3,077 %	68510,6745 litre	O
1000	CM	150	CM	20 LEVEL CM	2023,7743 litre	2,863 %	68662,0604 litre	O
1000	CM	150	CM	19 LEVEL CM	1875,8634 litre	2,654 %	68809,9713 litre	O
1000	CM	150	CM	18 LEVEL CM	1731,5389 litre	2,450 %	68954,2958 litre	O
1000	CM	150	CM	17 LEVEL CM	1590,9207 litre	2,251 %	69094,9140 litre	O
1000	CM	150	CM	16 LEVEL CM	1454,1384 litre	2,057 %	69231,6963 litre	O
1000	CM	150	CM	15 LEVEL CM	1321,3329 litre	1,869 %	69364,5018 litre	O
1000	CM	150	CM	14 LEVEL CM	1192,6582 litre	1,687 %	69493,1765 litre	O
1000	CM	150	CM	13 LEVEL CM	1068,2835 litre	1,511 %	69617,5512 litre	O
1000	CM	150	CM	12 LEVEL CM	948,3964 litre	1,342 %	69737,4383 litre	O
1000	CM	150	CM	11 LEVEL CM	833,2064 litre	1,179 %	69852,6283 litre	O
1000	CM	150	CM	10 LEVEL CM	722,9497 litre	1,023 %	69962,8850 litre	O
1000	CM	150	CM	9 LEVEL CM	617,8960 litre	0,874 %	70067,9387 litre	O
1000	CM	150	CM	8 LEVEL CM	518,3572 litre	0,733 %	70167,4775 litre	O
1000	CM	150	CM	7 LEVEL CM	424,7005 litre	0,601 %	70261,1342 litre	O
1000	CM	150	CM	6 LEVEL CM	337,3675 litre	0,477 %	70348,4672 litre	O
1000	CM	150	CM	5 LEVEL CM	256,9040 litre	0,363 %	70428,9307 litre	O
1000	CM	150	CM	4 LEVEL CM	184,0113 litre	0,260 %	70501,8234 litre	O
1000	CM	150	CM	3 LEVEL CM	119,6394 litre	0,169 %	70566,1953 litre	O
1000	CM	150	CM	2 LEVEL CM	65,1889 litre	0,092 %	70620,6458 litre	O
1000	CM	150	CM	1 LEVEL CM	23,0709 litre	0,033 %	70662,7638 litre	O
1000	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	70685,8347 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM 145	CM 290 LEVEL CM	66051,9855 litre	100,000 %	0,0000 litre	O
1000	CM 145	CM 289 LEVEL CM	66029,3032 litre	99,966 %	22,6823 litre	O
1000	CM 145	CM 288 LEVEL CM	65987,8967 litre	99,903 %	64,0888 litre	O
1000	CM 145	CM 287 LEVEL CM	65934,3693 litre	99,822 %	117,6162 litre	O
1000	CM 145	CM 286 LEVEL CM	65871,0923 litre	99,726 %	180,8932 litre	O
1000	CM 145	CM 285 LEVEL CM	65799,4436 litre	99,618 %	252,5419 litre	O
1000	CM 145	CM 284 LEVEL CM	65720,3581 litre	99,498 %	331,6274 litre	O
1000	CM 145	CM 283 LEVEL CM	65634,5257 litre	99,368 %	417,4598 litre	O
1000	CM 145	CM 282 LEVEL CM	65542,4839 litre	99,229 %	509,5016 litre	O
1000	CM 145	CM 281 LEVEL CM	65444,6674 litre	99,081 %	607,3181 litre	O
1000	CM 145	CM 280 LEVEL CM	65341,4377 litre	98,924 %	710,5478 litre	O
1000	CM 145	CM 279 LEVEL CM	65233,1021 litre	98,760 %	818,8834 litre	O
1000	CM 145	CM 278 LEVEL CM	65119,9261 litre	98,589 %	932,0594 litre	O
1000	CM 145	CM 277 LEVEL CM	65002,1425 litre	98,411 %	1049,8430 litre	O
1000	CM 145	CM 276 LEVEL CM	64879,9577 litre	98,226 %	1172,0278 litre	O
1000	CM 145	CM 275 LEVEL CM	64753,5566 litre	98,034 %	1298,4289 litre	O
1000	CM 145	CM 274 LEVEL CM	64623,1060 litre	97,837 %	1428,8795 litre	O
1000	CM 145	CM 273 LEVEL CM	64488,7578 litre	97,633 %	1563,2277 litre	O
1000	CM 145	CM 272 LEVEL CM	64350,6508 litre	97,424 %	1701,3347 litre	O
1000	CM 145	CM 271 LEVEL CM	64208,9130 litre	97,210 %	1843,0725 litre	O
1000	CM 145	CM 270 LEVEL CM	64063,6626 litre	96,990 %	1988,3229 litre	O
1000	CM 145	CM 269 LEVEL CM	63915,0096 litre	96,765 %	2136,9759 litre	O
1000	CM 145	CM 268 LEVEL CM	63763,0563 litre	96,535 %	2288,9292 litre	O
1000	CM 145	CM 267 LEVEL CM	63607,8989 litre	96,300 %	2444,0866 litre	O
1000	CM 145	CM 266 LEVEL CM	63449,6273 litre	96,060 %	2602,3582 litre	O
1000	CM 145	CM 265 LEVEL CM	63288,3266 litre	95,816 %	2763,6589 litre	O
1000	CM 145	CM 264 LEVEL CM	63124,0769 litre	95,567 %	2927,9086 litre	O
1000	CM 145	CM 263 LEVEL CM	62956,9542 litre	95,314 %	3095,0313 litre	O
1000	CM 145	CM 262 LEVEL CM	62787,0306 litre	95,057 %	3264,9549 litre	O
1000	CM 145	CM 261 LEVEL CM	62614,3747 litre	94,796 %	3437,6108 litre	O
1000	CM 145	CM 260 LEVEL CM	62439,0519 litre	94,530 %	3612,9336 litre	O
1000	CM 145	CM 259 LEVEL CM	62261,1246 litre	94,261 %	3790,8609 litre	O
1000	CM 145	CM 258 LEVEL CM	62080,6527 litre	93,988 %	3971,3328 litre	O
1000	CM 145	CM 257 LEVEL CM	61897,6932 litre	93,711 %	4154,2923 litre	O
1000	CM 145	CM 256 LEVEL CM	61712,3012 litre	93,430 %	4339,6843 litre	O
1000	CM 145	CM 255 LEVEL CM	61524,5295 litre	93,146 %	4527,4560 litre	O
1000	CM 145	CM 254 LEVEL CM	61334,4290 litre	92,858 %	4717,5565 litre	O
1000	CM 145	CM 253 LEVEL CM	61142,0485 litre	92,567 %	4909,9370 litre	O
1000	CM 145	CM 252 LEVEL CM	60947,4354 litre	92,272 %	5104,5501 litre	O
1000	CM 145	CM 251 LEVEL CM	60750,6353 litre	91,974 %	5301,3502 litre	O
1000	CM 145	CM 250 LEVEL CM	60551,6924 litre	91,673 %	5500,2931 litre	O
1000	CM 145	CM 249 LEVEL CM	60350,6493 litre	91,368 %	5701,3362 litre	O
1000	CM 145	CM 248 LEVEL CM	60147,5476 litre	91,061 %	5904,4379 litre	O
1000	CM 145	CM 247 LEVEL CM	59942,4273 litre	90,750 %	6109,5582 litre	O
1000	CM 145	CM 246 LEVEL CM	59735,3275 litre	90,437 %	6316,6580 litre	O
1000	CM 145	CM 245 LEVEL CM	59526,2859 litre	90,120 %	6525,6996 litre	O
1000	CM 145	CM 244 LEVEL CM	59315,3396 litre	89,801 %	6736,6459 litre	O
1000	CM 145	CM 243 LEVEL CM	59102,5242 litre	89,479 %	6949,4613 litre	O
1000	CM 145	CM 242 LEVEL CM	58887,8747 litre	89,154 %	7164,1108 litre	O
1000	CM 145	CM 241 LEVEL CM	58671,4252 litre	88,826 %	7380,5603 litre	O
1000	CM 145	CM 240 LEVEL CM	58453,2088 litre	88,496 %	7598,7767 litre	O
1000	CM 145	CM 239 LEVEL CM	58233,2578 litre	88,163 %	7818,7277 litre	O

1000	CM	145	CM	238 LEVEL CM	58011,6040 litre	87,827 %	8040,3815 litre	O
1000	CM	145	CM	237 LEVEL CM	57788,2781 litre	87,489 %	8263,7074 litre	O
1000	CM	145	CM	236 LEVEL CM	57563,3104 litre	87,148 %	8488,6751 litre	O
1000	CM	145	CM	235 LEVEL CM	57336,7305 litre	86,805 %	8715,2550 litre	O
1000	CM	145	CM	234 LEVEL CM	57108,5673 litre	86,460 %	8943,4182 litre	O
1000	CM	145	CM	233 LEVEL CM	56878,8491 litre	86,112 %	9173,1364 litre	O
1000	CM	145	CM	232 LEVEL CM	56647,6036 litre	85,762 %	9404,3819 litre	O
1000	CM	145	CM	231 LEVEL CM	56414,8581 litre	85,410 %	9637,1274 litre	O
1000	CM	145	CM	230 LEVEL CM	56180,6392 litre	85,055 %	9871,3463 litre	O
1000	CM	145	CM	229 LEVEL CM	55944,9731 litre	84,698 %	10107,0124 litre	O
1000	CM	145	CM	228 LEVEL CM	55707,8856 litre	84,339 %	10344,0999 litre	O
1000	CM	145	CM	227 LEVEL CM	55469,4018 litre	83,978 %	10582,5837 litre	O
1000	CM	145	CM	226 LEVEL CM	55229,5466 litre	83,615 %	10822,4389 litre	O
1000	CM	145	CM	225 LEVEL CM	54988,3444 litre	83,250 %	11063,6411 litre	O
1000	CM	145	CM	224 LEVEL CM	54745,8191 litre	82,883 %	11306,1664 litre	O
1000	CM	145	CM	223 LEVEL CM	54501,9943 litre	82,514 %	11549,9912 litre	O
1000	CM	145	CM	222 LEVEL CM	54256,8932 litre	82,143 %	11795,0923 litre	O
1000	CM	145	CM	221 LEVEL CM	54010,5387 litre	81,770 %	12041,4468 litre	O
1000	CM	145	CM	220 LEVEL CM	53762,9533 litre	81,395 %	12289,0322 litre	O
1000	CM	145	CM	219 LEVEL CM	53514,1591 litre	81,018 %	12537,8264 litre	O
1000	CM	145	CM	218 LEVEL CM	53264,1780 litre	80,640 %	12787,8075 litre	O
1000	CM	145	CM	217 LEVEL CM	53013,0315 litre	80,260 %	13038,9540 litre	O
1000	CM	145	CM	216 LEVEL CM	52760,7409 litre	79,878 %	13291,2446 litre	O
1000	CM	145	CM	215 LEVEL CM	52507,3271 litre	79,494 %	13544,6584 litre	O
1000	CM	145	CM	214 LEVEL CM	52252,8107 litre	79,109 %	13799,1748 litre	O
1000	CM	145	CM	213 LEVEL CM	51997,2123 litre	78,722 %	14054,7732 litre	O
1000	CM	145	CM	212 LEVEL CM	51740,5518 litre	78,333 %	14311,4337 litre	O
1000	CM	145	CM	211 LEVEL CM	51482,8493 litre	77,943 %	14569,1362 litre	O
1000	CM	145	CM	210 LEVEL CM	51224,1244 litre	77,551 %	14827,8611 litre	O
1000	CM	145	CM	209 LEVEL CM	50964,3965 litre	77,158 %	15087,5890 litre	O
1000	CM	145	CM	208 LEVEL CM	50703,6848 litre	76,763 %	15348,3007 litre	O
1000	CM	145	CM	207 LEVEL CM	50442,0083 litre	76,367 %	15609,9772 litre	O
1000	CM	145	CM	206 LEVEL CM	50179,3858 litre	75,970 %	15872,5997 litre	O
1000	CM	145	CM	205 LEVEL CM	49915,8358 litre	75,571 %	16136,1497 litre	O
1000	CM	145	CM	204 LEVEL CM	49651,3767 litre	75,170 %	16400,6088 litre	O
1000	CM	145	CM	203 LEVEL CM	49386,0268 litre	74,768 %	16665,9587 litre	O
1000	CM	145	CM	202 LEVEL CM	49119,8039 litre	74,365 %	16932,1816 litre	O
1000	CM	145	CM	201 LEVEL CM	48852,7260 litre	73,961 %	17199,2595 litre	O
1000	CM	145	CM	200 LEVEL CM	48584,8107 litre	73,555 %	17467,1748 litre	O
1000	CM	145	CM	199 LEVEL CM	48316,0755 litre	73,149 %	17735,9100 litre	O
1000	CM	145	CM	198 LEVEL CM	48046,5377 litre	72,740 %	18005,4478 litre	O
1000	CM	145	CM	197 LEVEL CM	47776,2146 litre	72,331 %	18275,7709 litre	O
1000	CM	145	CM	196 LEVEL CM	47505,1230 litre	71,921 %	18546,8625 litre	O
1000	CM	145	CM	195 LEVEL CM	47233,2800 litre	71,509 %	18818,7055 litre	O
1000	CM	145	CM	194 LEVEL CM	46960,7023 litre	71,097 %	19091,2832 litre	O
1000	CM	145	CM	193 LEVEL CM	46687,4064 litre	70,683 %	19364,5791 litre	O
1000	CM	145	CM	192 LEVEL CM	46413,4089 litre	70,268 %	19638,5766 litre	O
1000	CM	145	CM	191 LEVEL CM	46138,7262 litre	69,852 %	19913,2593 litre	O
1000	CM	145	CM	190 LEVEL CM	45863,3743 litre	69,435 %	20188,6112 litre	O
1000	CM	145	CM	189 LEVEL CM	45587,3696 litre	69,017 %	20464,6159 litre	O
1000	CM	145	CM	188 LEVEL CM	45310,7279 litre	68,599 %	20741,2576 litre	O
1000	CM	145	CM	187 LEVEL CM	45033,4651 litre	68,179 %	21018,5204 litre	O
1000	CM	145	CM	186 LEVEL CM	44755,5971 litre	67,758 %	21296,3884 litre	O

1000	CM	145	CM	185 LEVEL CM	44477,1395 litre	67,337 %	21574,8460 litre	O
1000	CM	145	CM	184 LEVEL CM	44198,1079 litre	66,914 %	21853,8776 litre	O
1000	CM	145	CM	183 LEVEL CM	43918,5177 litre	66,491 %	22133,4678 litre	O
1000	CM	145	CM	182 LEVEL CM	43638,3845 litre	66,067 %	22413,6010 litre	O
1000	CM	145	CM	181 LEVEL CM	43357,7234 litre	65,642 %	22694,2621 litre	O
1000	CM	145	CM	180 LEVEL CM	43076,5497 litre	65,216 %	22975,4358 litre	O
1000	CM	145	CM	179 LEVEL CM	42794,8785 litre	64,790 %	23257,1070 litre	O
1000	CM	145	CM	178 LEVEL CM	42512,7249 litre	64,363 %	23539,2606 litre	O
1000	CM	145	CM	177 LEVEL CM	42230,1039 litre	63,935 %	23821,8816 litre	O
1000	CM	145	CM	176 LEVEL CM	41947,0303 litre	63,506 %	24104,9552 litre	O
1000	CM	145	CM	175 LEVEL CM	41663,5190 litre	63,077 %	24388,4665 litre	O
1000	CM	145	CM	174 LEVEL CM	41379,5848 litre	62,647 %	24672,4007 litre	O
1000	CM	145	CM	173 LEVEL CM	41095,2423 litre	62,217 %	24956,7432 litre	O
1000	CM	145	CM	172 LEVEL CM	40810,5062 litre	61,785 %	25241,4793 litre	O
1000	CM	145	CM	171 LEVEL CM	40525,3910 litre	61,354 %	25526,5945 litre	O
1000	CM	145	CM	170 LEVEL CM	40239,9113 litre	60,922 %	25812,0742 litre	O
1000	CM	145	CM	169 LEVEL CM	39954,0816 litre	60,489 %	26097,9039 litre	O
1000	CM	145	CM	168 LEVEL CM	39667,9161 litre	60,056 %	26384,0694 litre	O
1000	CM	145	CM	167 LEVEL CM	39381,4294 litre	59,622 %	26670,5561 litre	O
1000	CM	145	CM	166 LEVEL CM	39094,6356 litre	59,188 %	26957,3499 litre	O
1000	CM	145	CM	165 LEVEL CM	38807,5491 litre	58,753 %	27244,4364 litre	O
1000	CM	145	CM	164 LEVEL CM	38520,1841 litre	58,318 %	27531,8014 litre	O
1000	CM	145	CM	163 LEVEL CM	38232,5547 litre	57,883 %	27819,4308 litre	O
1000	CM	145	CM	162 LEVEL CM	37944,6751 litre	57,447 %	28107,3104 litre	O
1000	CM	145	CM	161 LEVEL CM	37656,5594 litre	57,010 %	28395,4261 litre	O
1000	CM	145	CM	160 LEVEL CM	37368,2216 litre	56,574 %	28683,7639 litre	O
1000	CM	145	CM	159 LEVEL CM	37079,6759 litre	56,137 %	28972,3096 litre	O
1000	CM	145	CM	158 LEVEL CM	36790,9361 litre	55,700 %	29261,0494 litre	O
1000	CM	145	CM	157 LEVEL CM	36502,0163 litre	55,263 %	29549,9692 litre	O
1000	CM	145	CM	156 LEVEL CM	36212,9304 litre	54,825 %	29839,0551 litre	O
1000	CM	145	CM	155 LEVEL CM	35923,6923 litre	54,387 %	30128,2932 litre	O
1000	CM	145	CM	154 LEVEL CM	35634,3159 litre	53,949 %	30417,6696 litre	O
1000	CM	145	CM	153 LEVEL CM	35344,8152 litre	53,511 %	30707,1703 litre	O
1000	CM	145	CM	152 LEVEL CM	35055,2040 litre	53,072 %	30996,7815 litre	O
1000	CM	145	CM	151 LEVEL CM	34765,4961 litre	52,634 %	31286,4894 litre	O
1000	CM	145	CM	150 LEVEL CM	34475,7054 litre	52,195 %	31576,2801 litre	O
1000	CM	145	CM	149 LEVEL CM	34185,8456 litre	51,756 %	31866,1399 litre	O
1000	CM	145	CM	148 LEVEL CM	33895,9307 litre	51,317 %	32156,0548 litre	O
1000	CM	145	CM	147 LEVEL CM	33605,9744 litre	50,878 %	32446,0111 litre	O
1000	CM	145	CM	146 LEVEL CM	33315,9905 litre	50,439 %	32735,9950 litre	O
1000	CM	145	CM	145 LEVEL CM	33025,9928 litre	50,000 %	33025,9927 litre	O
1000	CM	145	CM	144 LEVEL CM	32735,9951 litre	49,561 %	33315,9904 litre	O
1000	CM	145	CM	143 LEVEL CM	32446,0112 litre	49,122 %	33605,9743 litre	O
1000	CM	145	CM	142 LEVEL CM	32156,0548 litre	48,683 %	33895,9307 litre	O
1000	CM	145	CM	141 LEVEL CM	31866,1399 litre	48,244 %	34185,8456 litre	O
1000	CM	145	CM	140 LEVEL CM	31576,2802 litre	47,805 %	34475,7053 litre	O
1000	CM	145	CM	139 LEVEL CM	31286,4895 litre	47,366 %	34765,4960 litre	O
1000	CM	145	CM	138 LEVEL CM	30996,7816 litre	46,928 %	35055,2039 litre	O
1000	CM	145	CM	137 LEVEL CM	30707,1703 litre	46,489 %	35344,8152 litre	O
1000	CM	145	CM	136 LEVEL CM	30417,6696 litre	46,051 %	35634,3159 litre	O
1000	CM	145	CM	135 LEVEL CM	30128,2933 litre	45,613 %	35923,6922 litre	O
1000	CM	145	CM	134 LEVEL CM	29839,0552 litre	45,175 %	36212,9303 litre	O
1000	CM	145	CM	133 LEVEL CM	29549,9693 litre	44,737 %	36502,0162 litre	O

1000	CM	145	CM	132 LEVEL CM	29261,0495 litre	44,300 %	36790,9360 litre	O
1000	CM	145	CM	131 LEVEL CM	28972,3097 litre	43,863 %	37079,6758 litre	O
1000	CM	145	CM	130 LEVEL CM	28683,7639 litre	43,426 %	37368,2216 litre	O
1000	CM	145	CM	129 LEVEL CM	28395,4261 litre	42,990 %	37656,5594 litre	O
1000	CM	145	CM	128 LEVEL CM	28107,3104 litre	42,553 %	37944,6751 litre	O
1000	CM	145	CM	127 LEVEL CM	27819,4308 litre	42,117 %	38232,5547 litre	O
1000	CM	145	CM	126 LEVEL CM	27531,8014 litre	41,682 %	38520,1841 litre	O
1000	CM	145	CM	125 LEVEL CM	27244,4364 litre	41,247 %	38807,5491 litre	O
1000	CM	145	CM	124 LEVEL CM	26957,3499 litre	40,812 %	39094,6356 litre	O
1000	CM	145	CM	123 LEVEL CM	26670,5562 litre	40,378 %	39381,4293 litre	O
1000	CM	145	CM	122 LEVEL CM	26384,0694 litre	39,944 %	39667,9161 litre	O
1000	CM	145	CM	121 LEVEL CM	26097,9040 litre	39,511 %	39954,0815 litre	O
1000	CM	145	CM	120 LEVEL CM	25812,0742 litre	39,078 %	40239,9113 litre	O
1000	CM	145	CM	119 LEVEL CM	25526,5945 litre	38,646 %	40525,3910 litre	O
1000	CM	145	CM	118 LEVEL CM	25241,4793 litre	38,215 %	40810,5062 litre	O
1000	CM	145	CM	117 LEVEL CM	24956,7432 litre	37,783 %	41095,2423 litre	O
1000	CM	145	CM	116 LEVEL CM	24672,4007 litre	37,353 %	41379,5848 litre	O
1000	CM	145	CM	115 LEVEL CM	24388,4665 litre	36,923 %	41663,5190 litre	O
1000	CM	145	CM	114 LEVEL CM	24104,9552 litre	36,494 %	41947,0303 litre	O
1000	CM	145	CM	113 LEVEL CM	23821,8816 litre	36,065 %	42230,1039 litre	O
1000	CM	145	CM	112 LEVEL CM	23539,2606 litre	35,637 %	42512,7249 litre	O
1000	CM	145	CM	111 LEVEL CM	23257,1070 litre	35,210 %	42794,8785 litre	O
1000	CM	145	CM	110 LEVEL CM	22975,4358 litre	34,784 %	43076,5497 litre	O
1000	CM	145	CM	109 LEVEL CM	22694,2621 litre	34,358 %	43357,7234 litre	O
1000	CM	145	CM	108 LEVEL CM	22413,6011 litre	33,933 %	43638,3844 litre	O
1000	CM	145	CM	107 LEVEL CM	22133,4678 litre	33,509 %	43918,5177 litre	O
1000	CM	145	CM	106 LEVEL CM	21853,8777 litre	33,086 %	44198,1078 litre	O
1000	CM	145	CM	105 LEVEL CM	21574,8461 litre	32,663 %	44477,1394 litre	O
1000	CM	145	CM	104 LEVEL CM	21296,3885 litre	32,242 %	44755,5970 litre	O
1000	CM	145	CM	103 LEVEL CM	21018,5204 litre	31,821 %	45033,4651 litre	O
1000	CM	145	CM	102 LEVEL CM	20741,2577 litre	31,401 %	45310,7278 litre	O
1000	CM	145	CM	101 LEVEL CM	20464,6160 litre	30,983 %	45587,3695 litre	O
1000	CM	145	CM	100 LEVEL CM	20188,6112 litre	30,565 %	45863,3743 litre	O
1000	CM	145	CM	99 LEVEL CM	19913,2594 litre	30,148 %	46138,7261 litre	O
1000	CM	145	CM	98 LEVEL CM	19638,5766 litre	29,732 %	46413,4089 litre	O
1000	CM	145	CM	97 LEVEL CM	19364,5791 litre	29,317 %	46687,4064 litre	O
1000	CM	145	CM	96 LEVEL CM	19091,2833 litre	28,903 %	46960,7022 litre	O
1000	CM	145	CM	95 LEVEL CM	18818,7055 litre	28,491 %	47233,2800 litre	O
1000	CM	145	CM	94 LEVEL CM	18546,8625 litre	28,079 %	47505,1230 litre	O
1000	CM	145	CM	93 LEVEL CM	18275,7710 litre	27,669 %	47776,2145 litre	O
1000	CM	145	CM	92 LEVEL CM	18005,4478 litre	27,260 %	48046,5377 litre	O
1000	CM	145	CM	91 LEVEL CM	17735,9100 litre	26,851 %	48316,0755 litre	O
1000	CM	145	CM	90 LEVEL CM	17467,1748 litre	26,445 %	48584,8107 litre	O
1000	CM	145	CM	89 LEVEL CM	17199,2595 litre	26,039 %	48852,7260 litre	O
1000	CM	145	CM	88 LEVEL CM	16932,1816 litre	25,635 %	49119,8039 litre	O
1000	CM	145	CM	87 LEVEL CM	16665,9588 litre	25,232 %	49386,0267 litre	O
1000	CM	145	CM	86 LEVEL CM	16400,6088 litre	24,830 %	49651,3767 litre	O
1000	CM	145	CM	85 LEVEL CM	16136,1497 litre	24,429 %	49915,8358 litre	O
1000	CM	145	CM	84 LEVEL CM	15872,5997 litre	24,030 %	50179,3858 litre	O
1000	CM	145	CM	83 LEVEL CM	15609,9772 litre	23,633 %	50442,0083 litre	O
1000	CM	145	CM	82 LEVEL CM	15348,3007 litre	23,237 %	50703,6848 litre	O
1000	CM	145	CM	81 LEVEL CM	15087,5890 litre	22,842 %	50964,3965 litre	O
1000	CM	145	CM	80 LEVEL CM	14827,8611 litre	22,449 %	51224,1244 litre	O

1000	CM	145	CM	79 LEVEL CM	14569,1362 litre	22,057 %	51482,8493 litre	O
1000	CM	145	CM	78 LEVEL CM	14311,4337 litre	21,667 %	51740,5518 litre	O
1000	CM	145	CM	77 LEVEL CM	14054,7733 litre	21,278 %	51997,2122 litre	O
1000	CM	145	CM	76 LEVEL CM	13799,1748 litre	20,891 %	52252,8107 litre	O
1000	CM	145	CM	75 LEVEL CM	13544,6585 litre	20,506 %	52507,3270 litre	O
1000	CM	145	CM	74 LEVEL CM	13291,2447 litre	20,122 %	52760,7408 litre	O
1000	CM	145	CM	73 LEVEL CM	13038,9540 litre	19,740 %	53013,0315 litre	O
1000	CM	145	CM	72 LEVEL CM	12787,8076 litre	19,360 %	53264,1779 litre	O
1000	CM	145	CM	71 LEVEL CM	12537,8265 litre	18,982 %	53514,1590 litre	O
1000	CM	145	CM	70 LEVEL CM	12289,0323 litre	18,605 %	53762,9532 litre	O
1000	CM	145	CM	69 LEVEL CM	12041,4468 litre	18,230 %	54010,5387 litre	O
1000	CM	145	CM	68 LEVEL CM	11795,0923 litre	17,857 %	54256,8932 litre	O
1000	CM	145	CM	67 LEVEL CM	11549,9913 litre	17,486 %	54501,9942 litre	O
1000	CM	145	CM	66 LEVEL CM	11306,1665 litre	17,117 %	54745,8190 litre	O
1000	CM	145	CM	65 LEVEL CM	11063,6412 litre	16,750 %	54988,3443 litre	O
1000	CM	145	CM	64 LEVEL CM	10822,4389 litre	16,385 %	55229,5466 litre	O
1000	CM	145	CM	63 LEVEL CM	10582,5838 litre	16,022 %	55469,4017 litre	O
1000	CM	145	CM	62 LEVEL CM	10344,1000 litre	15,661 %	55707,8855 litre	O
1000	CM	145	CM	61 LEVEL CM	10107,0124 litre	15,302 %	55944,9731 litre	O
1000	CM	145	CM	60 LEVEL CM	9871,3464 litre	14,945 %	56180,6391 litre	O
1000	CM	145	CM	59 LEVEL CM	9637,1275 litre	14,590 %	56414,8580 litre	O
1000	CM	145	CM	58 LEVEL CM	9404,3820 litre	14,238 %	56647,6035 litre	O
1000	CM	145	CM	57 LEVEL CM	9173,1365 litre	13,888 %	56878,8490 litre	O
1000	CM	145	CM	56 LEVEL CM	8943,4182 litre	13,540 %	57108,5673 litre	O
1000	CM	145	CM	55 LEVEL CM	8715,2550 litre	13,195 %	57336,7305 litre	O
1000	CM	145	CM	54 LEVEL CM	8488,6751 litre	12,852 %	57563,3104 litre	O
1000	CM	145	CM	53 LEVEL CM	8263,7074 litre	12,511 %	57788,2781 litre	O
1000	CM	145	CM	52 LEVEL CM	8040,3816 litre	12,173 %	58011,6039 litre	O
1000	CM	145	CM	51 LEVEL CM	7818,7277 litre	11,837 %	58233,2578 litre	O
1000	CM	145	CM	50 LEVEL CM	7598,7768 litre	11,504 %	58453,2087 litre	O
1000	CM	145	CM	49 LEVEL CM	7380,5603 litre	11,174 %	58671,4252 litre	O
1000	CM	145	CM	48 LEVEL CM	7164,1108 litre	10,846 %	58887,8747 litre	O
1000	CM	145	CM	47 LEVEL CM	6949,4613 litre	10,521 %	59102,5242 litre	O
1000	CM	145	CM	46 LEVEL CM	6736,6460 litre	10,199 %	59315,3395 litre	O
1000	CM	145	CM	45 LEVEL CM	6525,6996 litre	9,880 %	59526,2859 litre	O
1000	CM	145	CM	44 LEVEL CM	6316,6581 litre	9,563 %	59735,3274 litre	O
1000	CM	145	CM	43 LEVEL CM	6109,5582 litre	9,250 %	59942,4273 litre	O
1000	CM	145	CM	42 LEVEL CM	5904,4380 litre	8,939 %	60147,5475 litre	O
1000	CM	145	CM	41 LEVEL CM	5701,3362 litre	8,632 %	60350,6493 litre	O
1000	CM	145	CM	40 LEVEL CM	5500,2932 litre	8,327 %	60551,6923 litre	O
1000	CM	145	CM	39 LEVEL CM	5301,3502 litre	8,026 %	60750,6353 litre	O
1000	CM	145	CM	38 LEVEL CM	5104,5501 litre	7,728 %	60947,4354 litre	O
1000	CM	145	CM	37 LEVEL CM	4909,9370 litre	7,433 %	61142,0485 litre	O
1000	CM	145	CM	36 LEVEL CM	4717,5566 litre	7,142 %	61334,4289 litre	O
1000	CM	145	CM	35 LEVEL CM	4527,4560 litre	6,854 %	61524,5295 litre	O
1000	CM	145	CM	34 LEVEL CM	4339,6843 litre	6,570 %	61712,3012 litre	O
1000	CM	145	CM	33 LEVEL CM	4154,2923 litre	6,289 %	61897,6932 litre	O
1000	CM	145	CM	32 LEVEL CM	3971,3329 litre	6,012 %	62080,6526 litre	O
1000	CM	145	CM	31 LEVEL CM	3790,8609 litre	5,739 %	62261,1246 litre	O
1000	CM	145	CM	30 LEVEL CM	3612,9336 litre	5,470 %	62439,0519 litre	O
1000	CM	145	CM	29 LEVEL CM	3437,6108 litre	5,204 %	62614,3747 litre	O
1000	CM	145	CM	28 LEVEL CM	3264,9549 litre	4,943 %	62787,0306 litre	O
1000	CM	145	CM	27 LEVEL CM	3095,0313 litre	4,686 %	62956,9542 litre	O

1000	CM	145	CM	26 LEVEL CM	2927,9086 litre	4,433 %	63124,0769 litre	O
1000	CM	145	CM	25 LEVEL CM	2763,6589 litre	4,184 %	63288,3266 litre	O
1000	CM	145	CM	24 LEVEL CM	2602,3582 litre	3,940 %	63449,6273 litre	O
1000	CM	145	CM	23 LEVEL CM	2444,0867 litre	3,700 %	63607,8988 litre	O
1000	CM	145	CM	22 LEVEL CM	2288,9292 litre	3,465 %	63763,0563 litre	O
1000	CM	145	CM	21 LEVEL CM	2136,9760 litre	3,235 %	63915,0095 litre	O
1000	CM	145	CM	20 LEVEL CM	1988,3229 litre	3,010 %	64063,6626 litre	O
1000	CM	145	CM	19 LEVEL CM	1843,0725 litre	2,790 %	64208,9130 litre	O
1000	CM	145	CM	18 LEVEL CM	1701,3347 litre	2,576 %	64350,6508 litre	O
1000	CM	145	CM	17 LEVEL CM	1563,2278 litre	2,367 %	64488,7577 litre	O
1000	CM	145	CM	16 LEVEL CM	1428,8796 litre	2,163 %	64623,1059 litre	O
1000	CM	145	CM	15 LEVEL CM	1298,4290 litre	1,966 %	64753,5565 litre	O
1000	CM	145	CM	14 LEVEL CM	1172,0279 litre	1,774 %	64879,9576 litre	O
1000	CM	145	CM	13 LEVEL CM	1049,8431 litre	1,589 %	65002,1424 litre	O
1000	CM	145	CM	12 LEVEL CM	932,0595 litre	1,411 %	65119,9260 litre	O
1000	CM	145	CM	11 LEVEL CM	818,8834 litre	1,240 %	65233,1021 litre	O
1000	CM	145	CM	10 LEVEL CM	710,5478 litre	1,076 %	65341,4377 litre	O
1000	CM	145	CM	9 LEVEL CM	607,3181 litre	0,919 %	65444,6674 litre	O
1000	CM	145	CM	8 LEVEL CM	509,5016 litre	0,771 %	65542,4839 litre	O
1000	CM	145	CM	7 LEVEL CM	417,4598 litre	0,632 %	65634,5257 litre	O
1000	CM	145	CM	6 LEVEL CM	331,6275 litre	0,502 %	65720,3580 litre	O
1000	CM	145	CM	5 LEVEL CM	252,5420 litre	0,382 %	65799,4435 litre	O
1000	CM	145	CM	4 LEVEL CM	180,8933 litre	0,274 %	65871,0922 litre	O
1000	CM	145	CM	3 LEVEL CM	117,6162 litre	0,178 %	65934,3693 litre	O
1000	CM	145	CM	2 LEVEL CM	64,0888 litre	0,097 %	65987,8967 litre	O
1000	CM	145	CM	1 LEVEL CM	22,6823 litre	0,034 %	66029,3032 litre	O
1000	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	66051,9855 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM 140	CM 280 LEVEL CM	61575,2160 litre	100,000 %	0,0000 litre	O
1000	CM 140	CM 279 LEVEL CM	61552,9290 litre	99,964 %	22,2870 litre	O
1000	CM 140	CM 278 LEVEL CM	61512,2466 litre	99,898 %	62,9694 litre	O
1000	CM 140	CM 277 LEVEL CM	61459,6583 litre	99,812 %	115,5577 litre	O
1000	CM 140	CM 276 LEVEL CM	61397,4954 litre	99,711 %	177,7206 litre	O
1000	CM 140	CM 275 LEVEL CM	61327,1128 litre	99,597 %	248,1032 litre	O
1000	CM 140	CM 274 LEVEL CM	61249,4297 litre	99,471 %	325,7863 litre	O
1000	CM 140	CM 273 LEVEL CM	61165,1247 litre	99,334 %	410,0913 litre	O
1000	CM 140	CM 272 LEVEL CM	61074,7267 litre	99,187 %	500,4893 litre	O
1000	CM 140	CM 271 LEVEL CM	60978,6634 litre	99,031 %	596,5526 litre	O
1000	CM 140	CM 270 LEVEL CM	60877,2905 litre	98,867 %	697,9255 litre	O
1000	CM 140	CM 269 LEVEL CM	60770,9106 litre	98,694 %	804,3054 litre	O
1000	CM 140	CM 268 LEVEL CM	60659,7850 litre	98,513 %	915,4310 litre	O
1000	CM 140	CM 267 LEVEL CM	60544,1432 litre	98,326 %	1031,0728 litre	O
1000	CM 140	CM 266 LEVEL CM	60424,1882 litre	98,131 %	1151,0278 litre	O
1000	CM 140	CM 265 LEVEL CM	60300,1024 litre	97,929 %	1275,1136 litre	O
1000	CM 140	CM 264 LEVEL CM	60172,0500 litre	97,721 %	1403,1660 litre	O
1000	CM 140	CM 263 LEVEL CM	60040,1808 litre	97,507 %	1535,0352 litre	O
1000	CM 140	CM 262 LEVEL CM	59904,6316 litre	97,287 %	1670,5844 litre	O
1000	CM 140	CM 261 LEVEL CM	59765,5286 litre	97,061 %	1809,6874 litre	O
1000	CM 140	CM 260 LEVEL CM	59622,9884 litre	96,830 %	1952,2276 litre	O
1000	CM 140	CM 259 LEVEL CM	59477,1193 litre	96,593 %	2098,0967 litre	O
1000	CM 140	CM 258 LEVEL CM	59328,0226 litre	96,350 %	2247,1934 litre	O
1000	CM 140	CM 257 LEVEL CM	59175,7930 litre	96,103 %	2399,4230 litre	O
1000	CM 140	CM 256 LEVEL CM	59020,5193 litre	95,851 %	2554,6967 litre	O
1000	CM 140	CM 255 LEVEL CM	58862,2854 litre	95,594 %	2712,9306 litre	O
1000	CM 140	CM 254 LEVEL CM	58701,1706 litre	95,332 %	2874,0454 litre	O
1000	CM 140	CM 253 LEVEL CM	58537,2498 litre	95,066 %	3037,9662 litre	O
1000	CM 140	CM 252 LEVEL CM	58370,5943 litre	94,796 %	3204,6217 litre	O
1000	CM 140	CM 251 LEVEL CM	58201,2718 litre	94,521 %	3373,9442 litre	O
1000	CM 140	CM 250 LEVEL CM	58029,3471 litre	94,241 %	3545,8689 litre	O
1000	CM 140	CM 249 LEVEL CM	57854,8818 litre	93,958 %	3720,3342 litre	O
1000	CM 140	CM 248 LEVEL CM	57677,9350 litre	93,671 %	3897,2810 litre	O
1000	CM 140	CM 247 LEVEL CM	57498,5634 litre	93,379 %	4076,6526 litre	O
1000	CM 140	CM 246 LEVEL CM	57316,8212 litre	93,084 %	4258,3948 litre	O
1000	CM 140	CM 245 LEVEL CM	57132,7608 litre	92,785 %	4442,4552 litre	O
1000	CM 140	CM 244 LEVEL CM	56946,4325 litre	92,483 %	4628,7835 litre	O
1000	CM 140	CM 243 LEVEL CM	56757,8847 litre	92,177 %	4817,3313 litre	O
1000	CM 140	CM 242 LEVEL CM	56567,1643 litre	91,867 %	5008,0517 litre	O
1000	CM 140	CM 241 LEVEL CM	56374,3164 litre	91,554 %	5200,8996 litre	O
1000	CM 140	CM 240 LEVEL CM	56179,3849 litre	91,237 %	5395,8311 litre	O
1000	CM 140	CM 239 LEVEL CM	55982,4120 litre	90,917 %	5592,8040 litre	O
1000	CM 140	CM 238 LEVEL CM	55783,4387 litre	90,594 %	5791,7773 litre	O
1000	CM 140	CM 237 LEVEL CM	55582,5050 litre	90,268 %	5992,7110 litre	O
1000	CM 140	CM 236 LEVEL CM	55379,6495 litre	89,938 %	6195,5665 litre	O
1000	CM 140	CM 235 LEVEL CM	55174,9097 litre	89,606 %	6400,3063 litre	O
1000	CM 140	CM 234 LEVEL CM	54968,3223 litre	89,270 %	6606,8937 litre	O
1000	CM 140	CM 233 LEVEL CM	54759,9226 litre	88,932 %	6815,2934 litre	O
1000	CM 140	CM 232 LEVEL CM	54549,7456 litre	88,590 %	7025,4704 litre	O
1000	CM 140	CM 231 LEVEL CM	54337,8248 litre	88,246 %	7237,3912 litre	O
1000	CM 140	CM 230 LEVEL CM	54124,1932 litre	87,899 %	7451,0228 litre	O
1000	CM 140	CM 229 LEVEL CM	53908,8832 litre	87,550 %	7666,3328 litre	O

1000	CM	140	CM	228 LEVEL CM	53691,9259 litre	87,197 %	7883,2901 litre	O
1000	CM	140	CM	227 LEVEL CM	53473,3522 litre	86,842 %	8101,8638 litre	O
1000	CM	140	CM	226 LEVEL CM	53253,1922 litre	86,485 %	8322,0238 litre	O
1000	CM	140	CM	225 LEVEL CM	53031,4751 litre	86,125 %	8543,7409 litre	O
1000	CM	140	CM	224 LEVEL CM	52808,2297 litre	85,762 %	8766,9863 litre	O
1000	CM	140	CM	223 LEVEL CM	52583,4844 litre	85,397 %	8991,7316 litre	O
1000	CM	140	CM	222 LEVEL CM	52357,2666 litre	85,030 %	9217,9494 litre	O
1000	CM	140	CM	221 LEVEL CM	52129,6035 litre	84,660 %	9445,6125 litre	O
1000	CM	140	CM	220 LEVEL CM	51900,5216 litre	84,288 %	9674,6944 litre	O
1000	CM	140	CM	219 LEVEL CM	51670,0471 litre	83,914 %	9905,1689 litre	O
1000	CM	140	CM	218 LEVEL CM	51438,2055 litre	83,537 %	10137,0105 litre	O
1000	CM	140	CM	217 LEVEL CM	51205,0220 litre	83,158 %	10370,1940 litre	O
1000	CM	140	CM	216 LEVEL CM	50970,5215 litre	82,778 %	10604,6945 litre	O
1000	CM	140	CM	215 LEVEL CM	50734,7281 litre	82,395 %	10840,4879 litre	O
1000	CM	140	CM	214 LEVEL CM	50497,6657 litre	82,010 %	11077,5503 litre	O
1000	CM	140	CM	213 LEVEL CM	50259,3581 litre	81,623 %	11315,8579 litre	O
1000	CM	140	CM	212 LEVEL CM	50019,8283 litre	81,234 %	11555,3877 litre	O
1000	CM	140	CM	211 LEVEL CM	49779,0990 litre	80,843 %	11796,1170 litre	O
1000	CM	140	CM	210 LEVEL CM	49537,1930 litre	80,450 %	12038,0230 litre	O
1000	CM	140	CM	209 LEVEL CM	49294,1322 litre	80,055 %	12281,0838 litre	O
1000	CM	140	CM	208 LEVEL CM	49049,9385 litre	79,659 %	12525,2775 litre	O
1000	CM	140	CM	207 LEVEL CM	48804,6334 litre	79,260 %	12770,5826 litre	O
1000	CM	140	CM	206 LEVEL CM	48558,2383 litre	78,860 %	13016,9777 litre	O
1000	CM	140	CM	205 LEVEL CM	48310,7740 litre	78,458 %	13264,4420 litre	O
1000	CM	140	CM	204 LEVEL CM	48062,2612 litre	78,055 %	13512,9548 litre	O
1000	CM	140	CM	203 LEVEL CM	47812,7205 litre	77,649 %	13762,4955 litre	O
1000	CM	140	CM	202 LEVEL CM	47562,1719 litre	77,242 %	14013,0441 litre	O
1000	CM	140	CM	201 LEVEL CM	47310,6355 litre	76,834 %	14264,5805 litre	O
1000	CM	140	CM	200 LEVEL CM	47058,1309 litre	76,424 %	14517,0851 litre	O
1000	CM	140	CM	199 LEVEL CM	46804,6775 litre	76,012 %	14770,5385 litre	O
1000	CM	140	CM	198 LEVEL CM	46550,2947 litre	75,599 %	15024,9213 litre	O
1000	CM	140	CM	197 LEVEL CM	46295,0016 litre	75,184 %	15280,2144 litre	O
1000	CM	140	CM	196 LEVEL CM	46038,8169 litre	74,768 %	15536,3991 litre	O
1000	CM	140	CM	195 LEVEL CM	45781,7593 litre	74,351 %	15793,4567 litre	O
1000	CM	140	CM	194 LEVEL CM	45523,8473 litre	73,932 %	16051,3687 litre	O
1000	CM	140	CM	193 LEVEL CM	45265,0991 litre	73,512 %	16310,1169 litre	O
1000	CM	140	CM	192 LEVEL CM	45005,5329 litre	73,090 %	16569,6831 litre	O
1000	CM	140	CM	191 LEVEL CM	44745,1666 litre	72,667 %	16830,0494 litre	O
1000	CM	140	CM	190 LEVEL CM	44484,0180 litre	72,243 %	17091,1980 litre	O
1000	CM	140	CM	189 LEVEL CM	44222,1046 litre	71,818 %	17353,1114 litre	O
1000	CM	140	CM	188 LEVEL CM	43959,4439 litre	71,391 %	17615,7721 litre	O
1000	CM	140	CM	187 LEVEL CM	43696,0533 litre	70,964 %	17879,1627 litre	O
1000	CM	140	CM	186 LEVEL CM	43431,9499 litre	70,535 %	18143,2661 litre	O
1000	CM	140	CM	185 LEVEL CM	43167,1506 litre	70,105 %	18408,0654 litre	O
1000	CM	140	CM	184 LEVEL CM	42901,6725 litre	69,674 %	18673,5435 litre	O
1000	CM	140	CM	183 LEVEL CM	42635,5323 litre	69,241 %	18939,6837 litre	O
1000	CM	140	CM	182 LEVEL CM	42368,7465 litre	68,808 %	19206,4695 litre	O
1000	CM	140	CM	181 LEVEL CM	42101,3318 litre	68,374 %	19473,8842 litre	O
1000	CM	140	CM	180 LEVEL CM	41833,3045 litre	67,939 %	19741,9115 litre	O
1000	CM	140	CM	179 LEVEL CM	41564,6809 litre	67,502 %	20010,5351 litre	O
1000	CM	140	CM	178 LEVEL CM	41295,4772 litre	67,065 %	20279,7388 litre	O
1000	CM	140	CM	177 LEVEL CM	41025,7094 litre	66,627 %	20549,5066 litre	O
1000	CM	140	CM	176 LEVEL CM	40755,3936 litre	66,188 %	20819,8224 litre	O

1000	CM	140	CM	175 LEVEL CM	40484,5456 litre	65,748 %	21090,6704 litre	O
1000	CM	140	CM	174 LEVEL CM	40213,1812 litre	65,307 %	21362,0348 litre	O
1000	CM	140	CM	173 LEVEL CM	39941,3161 litre	64,866 %	21633,8999 litre	O
1000	CM	140	CM	172 LEVEL CM	39668,9658 litre	64,424 %	21906,2502 litre	O
1000	CM	140	CM	171 LEVEL CM	39396,1460 litre	63,981 %	22179,0700 litre	O
1000	CM	140	CM	170 LEVEL CM	39122,8721 litre	63,537 %	22452,3439 litre	O
1000	CM	140	CM	169 LEVEL CM	38849,1594 litre	63,092 %	22726,0566 litre	O
1000	CM	140	CM	168 LEVEL CM	38575,0232 litre	62,647 %	23000,1928 litre	O
1000	CM	140	CM	167 LEVEL CM	38300,4787 litre	62,201 %	23274,7373 litre	O
1000	CM	140	CM	166 LEVEL CM	38025,5412 litre	61,755 %	23549,6748 litre	O
1000	CM	140	CM	165 LEVEL CM	37750,2256 litre	61,308 %	23824,9904 litre	O
1000	CM	140	CM	164 LEVEL CM	37474,5471 litre	60,860 %	24100,6689 litre	O
1000	CM	140	CM	163 LEVEL CM	37198,5205 litre	60,412 %	24376,6955 litre	O
1000	CM	140	CM	162 LEVEL CM	36922,1609 litre	59,963 %	24653,0551 litre	O
1000	CM	140	CM	161 LEVEL CM	36645,4830 litre	59,513 %	24929,7330 litre	O
1000	CM	140	CM	160 LEVEL CM	36368,5016 litre	59,064 %	25206,7144 litre	O
1000	CM	140	CM	159 LEVEL CM	36091,2316 litre	58,613 %	25483,9844 litre	O
1000	CM	140	CM	158 LEVEL CM	35813,6877 litre	58,163 %	25761,5283 litre	O
1000	CM	140	CM	157 LEVEL CM	35535,8844 litre	57,711 %	26039,3316 litre	O
1000	CM	140	CM	156 LEVEL CM	35257,8364 litre	57,260 %	26317,3796 litre	O
1000	CM	140	CM	155 LEVEL CM	34979,5584 litre	56,808 %	26595,6576 litre	O
1000	CM	140	CM	154 LEVEL CM	34701,0648 litre	56,356 %	26874,1512 litre	O
1000	CM	140	CM	153 LEVEL CM	34422,3703 litre	55,903 %	27152,8457 litre	O
1000	CM	140	CM	152 LEVEL CM	34143,4892 litre	55,450 %	27431,7268 litre	O
1000	CM	140	CM	151 LEVEL CM	33864,4360 litre	54,997 %	27710,7800 litre	O
1000	CM	140	CM	150 LEVEL CM	33585,2252 litre	54,543 %	27989,9908 litre	O
1000	CM	140	CM	149 LEVEL CM	33305,8712 litre	54,090 %	28269,3448 litre	O
1000	CM	140	CM	148 LEVEL CM	33026,3884 litre	53,636 %	28548,8276 litre	O
1000	CM	140	CM	147 LEVEL CM	32746,7910 litre	53,182 %	28828,4250 litre	O
1000	CM	140	CM	146 LEVEL CM	32467,0936 litre	52,728 %	29108,1224 litre	O
1000	CM	140	CM	145 LEVEL CM	32187,3103 litre	52,273 %	29387,9057 litre	O
1000	CM	140	CM	144 LEVEL CM	31907,4556 litre	51,819 %	29667,7604 litre	O
1000	CM	140	CM	143 LEVEL CM	31627,5437 litre	51,364 %	29947,6723 litre	O
1000	CM	140	CM	142 LEVEL CM	31347,5890 litre	50,909 %	30227,6270 litre	O
1000	CM	140	CM	141 LEVEL CM	31067,6056 litre	50,455 %	30507,6104 litre	O
1000	CM	140	CM	140 LEVEL CM	30787,6080 litre	50,000 %	30787,6080 litre	O
1000	CM	140	CM	139 LEVEL CM	30507,6104 litre	49,545 %	31067,6056 litre	O
1000	CM	140	CM	138 LEVEL CM	30227,6271 litre	49,091 %	31347,5889 litre	O
1000	CM	140	CM	137 LEVEL CM	29947,6723 litre	48,636 %	31627,5437 litre	O
1000	CM	140	CM	136 LEVEL CM	29667,7604 litre	48,181 %	31907,4556 litre	O
1000	CM	140	CM	135 LEVEL CM	29387,9057 litre	47,727 %	32187,3103 litre	O
1000	CM	140	CM	134 LEVEL CM	29108,1224 litre	47,272 %	32467,0936 litre	O
1000	CM	140	CM	133 LEVEL CM	28828,4250 litre	46,818 %	32746,7910 litre	O
1000	CM	140	CM	132 LEVEL CM	28548,8277 litre	46,364 %	33026,3883 litre	O
1000	CM	140	CM	131 LEVEL CM	28269,3448 litre	45,910 %	33305,8712 litre	O
1000	CM	140	CM	130 LEVEL CM	27989,9908 litre	45,457 %	33585,2252 litre	O
1000	CM	140	CM	129 LEVEL CM	27710,7800 litre	45,003 %	33864,4360 litre	O
1000	CM	140	CM	128 LEVEL CM	27431,7268 litre	44,550 %	34143,4892 litre	O
1000	CM	140	CM	127 LEVEL CM	27152,8457 litre	44,097 %	34422,3703 litre	O
1000	CM	140	CM	126 LEVEL CM	26874,1512 litre	43,644 %	34701,0648 litre	O
1000	CM	140	CM	125 LEVEL CM	26595,6576 litre	43,192 %	34979,5584 litre	O
1000	CM	140	CM	124 LEVEL CM	26317,3796 litre	42,740 %	35257,8364 litre	O
1000	CM	140	CM	123 LEVEL CM	26039,3316 litre	42,289 %	35535,8844 litre	O

1000	CM	140	CM	122 LEVEL CM	25761,5284 litre	41,837 %	35813,6876 litre	O
1000	CM	140	CM	121 LEVEL CM	25483,9844 litre	41,387 %	36091,2316 litre	O
1000	CM	140	CM	120 LEVEL CM	25206,7144 litre	40,936 %	36368,5016 litre	O
1000	CM	140	CM	119 LEVEL CM	24929,7330 litre	40,487 %	36645,4830 litre	O
1000	CM	140	CM	118 LEVEL CM	24653,0551 litre	40,037 %	36922,1609 litre	O
1000	CM	140	CM	117 LEVEL CM	24376,6955 litre	39,588 %	37198,5205 litre	O
1000	CM	140	CM	116 LEVEL CM	24100,6689 litre	39,140 %	37474,5471 litre	O
1000	CM	140	CM	115 LEVEL CM	23824,9904 litre	38,692 %	37750,2256 litre	O
1000	CM	140	CM	114 LEVEL CM	23549,6748 litre	38,245 %	38025,5412 litre	O
1000	CM	140	CM	113 LEVEL CM	23274,7373 litre	37,799 %	38300,4787 litre	O
1000	CM	140	CM	112 LEVEL CM	23000,1928 litre	37,353 %	38575,0232 litre	O
1000	CM	140	CM	111 LEVEL CM	22726,0566 litre	36,908 %	38849,1594 litre	O
1000	CM	140	CM	110 LEVEL CM	22452,3439 litre	36,463 %	39122,8721 litre	O
1000	CM	140	CM	109 LEVEL CM	22179,0700 litre	36,019 %	39396,1460 litre	O
1000	CM	140	CM	108 LEVEL CM	21906,2502 litre	35,576 %	39668,9658 litre	O
1000	CM	140	CM	107 LEVEL CM	21633,8999 litre	35,134 %	39941,3161 litre	O
1000	CM	140	CM	106 LEVEL CM	21362,0348 litre	34,693 %	40213,1812 litre	O
1000	CM	140	CM	105 LEVEL CM	21090,6704 litre	34,252 %	40484,5456 litre	O
1000	CM	140	CM	104 LEVEL CM	20819,8224 litre	33,812 %	40755,3936 litre	O
1000	CM	140	CM	103 LEVEL CM	20549,5066 litre	33,373 %	41025,7094 litre	O
1000	CM	140	CM	102 LEVEL CM	20279,7388 litre	32,935 %	41295,4772 litre	O
1000	CM	140	CM	101 LEVEL CM	20010,5351 litre	32,498 %	41564,6809 litre	O
1000	CM	140	CM	100 LEVEL CM	19741,9115 litre	32,061 %	41833,3045 litre	O
1000	CM	140	CM	99 LEVEL CM	19473,8842 litre	31,626 %	42101,3318 litre	O
1000	CM	140	CM	98 LEVEL CM	19206,4695 litre	31,192 %	42368,7465 litre	O
1000	CM	140	CM	97 LEVEL CM	18939,6837 litre	30,759 %	42635,5323 litre	O
1000	CM	140	CM	96 LEVEL CM	18673,5435 litre	30,326 %	42901,6725 litre	O
1000	CM	140	CM	95 LEVEL CM	18408,0654 litre	29,895 %	43167,1506 litre	O
1000	CM	140	CM	94 LEVEL CM	18143,2662 litre	29,465 %	43431,9498 litre	O
1000	CM	140	CM	93 LEVEL CM	17879,1627 litre	29,036 %	43696,0533 litre	O
1000	CM	140	CM	92 LEVEL CM	17615,7721 litre	28,609 %	43959,4439 litre	O
1000	CM	140	CM	91 LEVEL CM	17353,1114 litre	28,182 %	44222,1046 litre	O
1000	CM	140	CM	90 LEVEL CM	17091,1981 litre	27,757 %	44484,0179 litre	O
1000	CM	140	CM	89 LEVEL CM	16830,0494 litre	27,333 %	44745,1666 litre	O
1000	CM	140	CM	88 LEVEL CM	16569,6831 litre	26,910 %	45005,5329 litre	O
1000	CM	140	CM	87 LEVEL CM	16310,1169 litre	26,488 %	45265,0991 litre	O
1000	CM	140	CM	86 LEVEL CM	16051,3687 litre	26,068 %	45523,8473 litre	O
1000	CM	140	CM	85 LEVEL CM	15793,4567 litre	25,649 %	45781,7593 litre	O
1000	CM	140	CM	84 LEVEL CM	15536,3991 litre	25,232 %	46038,8169 litre	O
1000	CM	140	CM	83 LEVEL CM	15280,2144 litre	24,816 %	46295,0016 litre	O
1000	CM	140	CM	82 LEVEL CM	15024,9213 litre	24,401 %	46550,2947 litre	O
1000	CM	140	CM	81 LEVEL CM	14770,5385 litre	23,988 %	46804,6775 litre	O
1000	CM	140	CM	80 LEVEL CM	14517,0852 litre	23,576 %	47058,1308 litre	O
1000	CM	140	CM	79 LEVEL CM	14264,5805 litre	23,166 %	47310,6355 litre	O
1000	CM	140	CM	78 LEVEL CM	14013,0441 litre	22,758 %	47562,1719 litre	O
1000	CM	140	CM	77 LEVEL CM	13762,4955 litre	22,351 %	47812,7205 litre	O
1000	CM	140	CM	76 LEVEL CM	13512,9548 litre	21,945 %	48062,2612 litre	O
1000	CM	140	CM	75 LEVEL CM	13264,4420 litre	21,542 %	48310,7740 litre	O
1000	CM	140	CM	74 LEVEL CM	13016,9777 litre	21,140 %	48558,2383 litre	O
1000	CM	140	CM	73 LEVEL CM	12770,5826 litre	20,740 %	48804,6334 litre	O
1000	CM	140	CM	72 LEVEL CM	12525,2776 litre	20,341 %	49049,9384 litre	O
1000	CM	140	CM	71 LEVEL CM	12281,0839 litre	19,945 %	49294,1321 litre	O
1000	CM	140	CM	70 LEVEL CM	12038,0230 litre	19,550 %	49537,1930 litre	O

1000	CM	140	CM	69 LEVEL CM	11796,1170 litre	19,157 %	49779,0990 litre	O
1000	CM	140	CM	68 LEVEL CM	11555,3878 litre	18,766 %	50019,8282 litre	O
1000	CM	140	CM	67 LEVEL CM	11315,8579 litre	18,377 %	50259,3581 litre	O
1000	CM	140	CM	66 LEVEL CM	11077,5503 litre	17,990 %	50497,6657 litre	O
1000	CM	140	CM	65 LEVEL CM	10840,4880 litre	17,605 %	50734,7280 litre	O
1000	CM	140	CM	64 LEVEL CM	10604,6946 litre	17,222 %	50970,5214 litre	O
1000	CM	140	CM	63 LEVEL CM	10370,1940 litre	16,842 %	51205,0220 litre	O
1000	CM	140	CM	62 LEVEL CM	10137,0105 litre	16,463 %	51438,2055 litre	O
1000	CM	140	CM	61 LEVEL CM	9905,1690 litre	16,086 %	51670,0470 litre	O
1000	CM	140	CM	60 LEVEL CM	9674,6944 litre	15,712 %	51900,5216 litre	O
1000	CM	140	CM	59 LEVEL CM	9445,6126 litre	15,340 %	52129,6034 litre	O
1000	CM	140	CM	58 LEVEL CM	9217,9494 litre	14,970 %	52357,2666 litre	O
1000	CM	140	CM	57 LEVEL CM	8991,7316 litre	14,603 %	52583,4844 litre	O
1000	CM	140	CM	56 LEVEL CM	8766,9863 litre	14,238 %	52808,2297 litre	O
1000	CM	140	CM	55 LEVEL CM	8543,7409 litre	13,875 %	53031,4751 litre	O
1000	CM	140	CM	54 LEVEL CM	8322,0239 litre	13,515 %	53253,1921 litre	O
1000	CM	140	CM	53 LEVEL CM	8101,8638 litre	13,158 %	53473,3522 litre	O
1000	CM	140	CM	52 LEVEL CM	7883,2901 litre	12,803 %	53691,9259 litre	O
1000	CM	140	CM	51 LEVEL CM	7666,3329 litre	12,450 %	53908,8831 litre	O
1000	CM	140	CM	50 LEVEL CM	7451,0228 litre	12,101 %	54124,1932 litre	O
1000	CM	140	CM	49 LEVEL CM	7237,3912 litre	11,754 %	54337,8248 litre	O
1000	CM	140	CM	48 LEVEL CM	7025,4705 litre	11,410 %	54549,7455 litre	O
1000	CM	140	CM	47 LEVEL CM	6815,2934 litre	11,068 %	54759,9226 litre	O
1000	CM	140	CM	46 LEVEL CM	6606,8938 litre	10,730 %	54968,3222 litre	O
1000	CM	140	CM	45 LEVEL CM	6400,3063 litre	10,394 %	55174,9097 litre	O
1000	CM	140	CM	44 LEVEL CM	6195,5665 litre	10,062 %	55379,6495 litre	O
1000	CM	140	CM	43 LEVEL CM	5992,7110 litre	9,732 %	55582,5050 litre	O
1000	CM	140	CM	42 LEVEL CM	5791,7773 litre	9,406 %	55783,4387 litre	O
1000	CM	140	CM	41 LEVEL CM	5592,8041 litre	9,083 %	55982,4119 litre	O
1000	CM	140	CM	40 LEVEL CM	5395,8311 litre	8,763 %	56179,3849 litre	O
1000	CM	140	CM	39 LEVEL CM	5200,8996 litre	8,446 %	56374,3164 litre	O
1000	CM	140	CM	38 LEVEL CM	5008,0517 litre	8,133 %	56567,1643 litre	O
1000	CM	140	CM	37 LEVEL CM	4817,3313 litre	7,823 %	56757,8847 litre	O
1000	CM	140	CM	36 LEVEL CM	4628,7835 litre	7,517 %	56946,4325 litre	O
1000	CM	140	CM	35 LEVEL CM	4442,4552 litre	7,215 %	57132,7608 litre	O
1000	CM	140	CM	34 LEVEL CM	4258,3948 litre	6,916 %	57316,8212 litre	O
1000	CM	140	CM	33 LEVEL CM	4076,6526 litre	6,621 %	57498,5634 litre	O
1000	CM	140	CM	32 LEVEL CM	3897,2810 litre	6,329 %	57677,9350 litre	O
1000	CM	140	CM	31 LEVEL CM	3720,3342 litre	6,042 %	57854,8818 litre	O
1000	CM	140	CM	30 LEVEL CM	3545,8689 litre	5,759 %	58029,3471 litre	O
1000	CM	140	CM	29 LEVEL CM	3373,9442 litre	5,479 %	58201,2718 litre	O
1000	CM	140	CM	28 LEVEL CM	3204,6217 litre	5,204 %	58370,5943 litre	O
1000	CM	140	CM	27 LEVEL CM	3037,9662 litre	4,934 %	58537,2498 litre	O
1000	CM	140	CM	26 LEVEL CM	2874,0454 litre	4,668 %	58701,1706 litre	O
1000	CM	140	CM	25 LEVEL CM	2712,9306 litre	4,406 %	58862,2854 litre	O
1000	CM	140	CM	24 LEVEL CM	2554,6967 litre	4,149 %	59020,5193 litre	O
1000	CM	140	CM	23 LEVEL CM	2399,4230 litre	3,897 %	59175,7930 litre	O
1000	CM	140	CM	22 LEVEL CM	2247,1934 litre	3,650 %	59328,0226 litre	O
1000	CM	140	CM	21 LEVEL CM	2098,0967 litre	3,407 %	59477,1193 litre	O
1000	CM	140	CM	20 LEVEL CM	1952,2276 litre	3,170 %	59622,9884 litre	O
1000	CM	140	CM	19 LEVEL CM	1809,6874 litre	2,939 %	59765,5286 litre	O
1000	CM	140	CM	18 LEVEL CM	1670,5844 litre	2,713 %	59904,6316 litre	O
1000	CM	140	CM	17 LEVEL CM	1535,0352 litre	2,493 %	60040,1808 litre	O

1000	CM	140	CM	16 LEVEL CM	1403,1660 litre	2,279 %	60172,0500 litre	O
1000	CM	140	CM	15 LEVEL CM	1275,1136 litre	2,071 %	60300,1024 litre	O
1000	CM	140	CM	14 LEVEL CM	1151,0278 litre	1,869 %	60424,1882 litre	O
1000	CM	140	CM	13 LEVEL CM	1031,0729 litre	1,674 %	60544,1431 litre	O
1000	CM	140	CM	12 LEVEL CM	915,4310 litre	1,487 %	60659,7850 litre	O
1000	CM	140	CM	11 LEVEL CM	804,3054 litre	1,306 %	60770,9106 litre	O
1000	CM	140	CM	10 LEVEL CM	697,9255 litre	1,133 %	60877,2905 litre	O
1000	CM	140	CM	9 LEVEL CM	596,5526 litre	0,969 %	60978,6634 litre	O
1000	CM	140	CM	8 LEVEL CM	500,4893 litre	0,813 %	61074,7267 litre	O
1000	CM	140	CM	7 LEVEL CM	410,0913 litre	0,666 %	61165,1247 litre	O
1000	CM	140	CM	6 LEVEL CM	325,7863 litre	0,529 %	61249,4297 litre	O
1000	CM	140	CM	5 LEVEL CM	248,1032 litre	0,403 %	61327,1128 litre	O
1000	CM	140	CM	4 LEVEL CM	177,7206 litre	0,289 %	61397,4954 litre	O
1000	CM	140	CM	3 LEVEL CM	115,5577 litre	0,188 %	61459,6583 litre	O
1000	CM	140	CM	2 LEVEL CM	62,9695 litre	0,102 %	61512,2465 litre	O
1000	CM	140	CM	1 LEVEL CM	22,2870 litre	0,036 %	61552,9290 litre	O
1000	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	61575,2160 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM	135	CM 270 LEVEL CM	57255,5261 litre	100,000 %	0,0000 litre	O
1000	CM	135	CM 269 LEVEL CM	57233,6416 litre	99,962 %	21,8845 litre	O
1000	CM	135	CM 268 LEVEL CM	57193,6963 litre	99,892 %	61,8298 litre	O
1000	CM	135	CM 267 LEVEL CM	57142,0643 litre	99,802 %	113,4618 litre	O
1000	CM	135	CM 266 LEVEL CM	57081,0359 litre	99,695 %	174,4902 litre	O
1000	CM	135	CM 265 LEVEL CM	57011,9425 litre	99,575 %	243,5836 litre	O
1000	CM	135	CM 264 LEVEL CM	56935,6875 litre	99,441 %	319,8386 litre	O
1000	CM	135	CM 263 LEVEL CM	56852,9382 litre	99,297 %	402,5879 litre	O
1000	CM	135	CM 262 LEVEL CM	56764,2144 litre	99,142 %	491,3117 litre	O
1000	CM	135	CM 261 LEVEL CM	56669,9368 litre	98,977 %	585,5893 litre	O
1000	CM	135	CM 260 LEVEL CM	56570,4555 litre	98,803 %	685,0706 litre	O
1000	CM	135	CM 259 LEVEL CM	56466,0679 litre	98,621 %	789,4582 litre	O
1000	CM	135	CM 258 LEVEL CM	56357,0314 litre	98,431 %	898,4947 litre	O
1000	CM	135	CM 257 LEVEL CM	56243,5716 litre	98,233 %	1011,9545 litre	O
1000	CM	135	CM 256 LEVEL CM	56125,8888 litre	98,027 %	1129,6373 litre	O
1000	CM	135	CM 255 LEVEL CM	56004,1622 litre	97,814 %	1251,3639 litre	O
1000	CM	135	CM 254 LEVEL CM	55878,5539 litre	97,595 %	1376,9722 litre	O
1000	CM	135	CM 253 LEVEL CM	55749,2111 litre	97,369 %	1506,3150 litre	O
1000	CM	135	CM 252 LEVEL CM	55616,2689 litre	97,137 %	1639,2572 litre	O
1000	CM	135	CM 251 LEVEL CM	55479,8516 litre	96,899 %	1775,6745 litre	O
1000	CM	135	CM 250 LEVEL CM	55340,0741 litre	96,655 %	1915,4520 litre	O
1000	CM	135	CM 249 LEVEL CM	55197,0433 litre	96,405 %	2058,4828 litre	O
1000	CM	135	CM 248 LEVEL CM	55050,8589 litre	96,149 %	2204,6672 litre	O
1000	CM	135	CM 247 LEVEL CM	54901,6144 litre	95,889 %	2353,9117 litre	O
1000	CM	135	CM 246 LEVEL CM	54749,3977 litre	95,623 %	2506,1284 litre	O
1000	CM	135	CM 245 LEVEL CM	54594,2913 litre	95,352 %	2661,2348 litre	O
1000	CM	135	CM 244 LEVEL CM	54436,3735 litre	95,076 %	2819,1526 litre	O
1000	CM	135	CM 243 LEVEL CM	54275,7184 litre	94,796 %	2979,8077 litre	O
1000	CM	135	CM 242 LEVEL CM	54112,3964 litre	94,510 %	3143,1297 litre	O
1000	CM	135	CM 241 LEVEL CM	53946,4743 litre	94,221 %	3309,0518 litre	O
1000	CM	135	CM 240 LEVEL CM	53778,0162 litre	93,926 %	3477,5099 litre	O
1000	CM	135	CM 239 LEVEL CM	53607,0830 litre	93,628 %	3648,4431 litre	O
1000	CM	135	CM 238 LEVEL CM	53433,7331 litre	93,325 %	3821,7930 litre	O
1000	CM	135	CM 237 LEVEL CM	53258,0225 litre	93,018 %	3997,5036 litre	O
1000	CM	135	CM 236 LEVEL CM	53080,0050 litre	92,707 %	4175,5211 litre	O
1000	CM	135	CM 235 LEVEL CM	52899,7322 litre	92,392 %	4355,7939 litre	O
1000	CM	135	CM 234 LEVEL CM	52717,2541 litre	92,074 %	4538,2720 litre	O
1000	CM	135	CM 233 LEVEL CM	52532,6186 litre	91,751 %	4722,9075 litre	O
1000	CM	135	CM 232 LEVEL CM	52345,8719 litre	91,425 %	4909,6542 litre	O
1000	CM	135	CM 231 LEVEL CM	52157,0590 litre	91,095 %	5098,4671 litre	O
1000	CM	135	CM 230 LEVEL CM	51966,2231 litre	90,762 %	5289,3030 litre	O
1000	CM	135	CM 229 LEVEL CM	51773,4063 litre	90,425 %	5482,1198 litre	O
1000	CM	135	CM 228 LEVEL CM	51578,6491 litre	90,085 %	5676,8770 litre	O
1000	CM	135	CM 227 LEVEL CM	51381,9911 litre	89,742 %	5873,5350 litre	O
1000	CM	135	CM 226 LEVEL CM	51183,4706 litre	89,395 %	6072,0555 litre	O
1000	CM	135	CM 225 LEVEL CM	50983,1249 litre	89,045 %	6272,4012 litre	O
1000	CM	135	CM 224 LEVEL CM	50780,9903 litre	88,692 %	6474,5358 litre	O
1000	CM	135	CM 223 LEVEL CM	50577,1020 litre	88,336 %	6678,4241 litre	O
1000	CM	135	CM 222 LEVEL CM	50371,4946 litre	87,977 %	6884,0315 litre	O
1000	CM	135	CM 221 LEVEL CM	50164,2015 litre	87,615 %	7091,3246 litre	O
1000	CM	135	CM 220 LEVEL CM	49955,2554 litre	87,250 %	7300,2707 litre	O
1000	CM	135	CM 219 LEVEL CM	49744,6885 litre	86,882 %	7510,8376 litre	O

1000	CM	135	CM	218 LEVEL CM	49532,5318 litre	86,511 %	7722,9943 litre	O
1000	CM	135	CM	217 LEVEL CM	49318,8159 litre	86,138 %	7936,7102 litre	O
1000	CM	135	CM	216 LEVEL CM	49103,5708 litre	85,762 %	8151,9553 litre	O
1000	CM	135	CM	215 LEVEL CM	48886,8256 litre	85,384 %	8368,7005 litre	O
1000	CM	135	CM	214 LEVEL CM	48668,6089 litre	85,002 %	8586,9172 litre	O
1000	CM	135	CM	213 LEVEL CM	48448,9490 litre	84,619 %	8806,5771 litre	O
1000	CM	135	CM	212 LEVEL CM	48227,8732 litre	84,233 %	9027,6529 litre	O
1000	CM	135	CM	211 LEVEL CM	48005,4086 litre	83,844 %	9250,1175 litre	O
1000	CM	135	CM	210 LEVEL CM	47781,5816 litre	83,453 %	9473,9445 litre	O
1000	CM	135	CM	209 LEVEL CM	47556,4183 litre	83,060 %	9699,1078 litre	O
1000	CM	135	CM	208 LEVEL CM	47329,9442 litre	82,664 %	9925,5819 litre	O
1000	CM	135	CM	207 LEVEL CM	47102,1844 litre	82,267 %	10153,3417 litre	O
1000	CM	135	CM	206 LEVEL CM	46873,1635 litre	81,867 %	10382,3626 litre	O
1000	CM	135	CM	205 LEVEL CM	46642,9060 litre	81,464 %	10612,6201 litre	O
1000	CM	135	CM	204 LEVEL CM	46411,4356 litre	81,060 %	10844,0905 litre	O
1000	CM	135	CM	203 LEVEL CM	46178,7758 litre	80,654 %	11076,7503 litre	O
1000	CM	135	CM	202 LEVEL CM	45944,9499 litre	80,245 %	11310,5762 litre	O
1000	CM	135	CM	201 LEVEL CM	45709,9807 litre	79,835 %	11545,5454 litre	O
1000	CM	135	CM	200 LEVEL CM	45473,8905 litre	79,423 %	11781,6356 litre	O
1000	CM	135	CM	199 LEVEL CM	45236,7016 litre	79,008 %	12018,8245 litre	O
1000	CM	135	CM	198 LEVEL CM	44998,4359 litre	78,592 %	12257,0902 litre	O
1000	CM	135	CM	197 LEVEL CM	44759,1148 litre	78,174 %	12496,4113 litre	O
1000	CM	135	CM	196 LEVEL CM	44518,7597 litre	77,755 %	12736,7664 litre	O
1000	CM	135	CM	195 LEVEL CM	44277,3915 litre	77,333 %	12978,1346 litre	O
1000	CM	135	CM	194 LEVEL CM	44035,0311 litre	76,910 %	13220,4950 litre	O
1000	CM	135	CM	193 LEVEL CM	43791,6988 litre	76,485 %	13463,8273 litre	O
1000	CM	135	CM	192 LEVEL CM	43547,4150 litre	76,058 %	13708,1111 litre	O
1000	CM	135	CM	191 LEVEL CM	43302,1996 litre	75,630 %	13953,3265 litre	O
1000	CM	135	CM	190 LEVEL CM	43056,0724 litre	75,200 %	14199,4537 litre	O
1000	CM	135	CM	189 LEVEL CM	42809,0529 litre	74,768 %	14446,4732 litre	O
1000	CM	135	CM	188 LEVEL CM	42561,1606 litre	74,335 %	14694,3655 litre	O
1000	CM	135	CM	187 LEVEL CM	42312,4145 litre	73,901 %	14943,1116 litre	O
1000	CM	135	CM	186 LEVEL CM	42062,8337 litre	73,465 %	15192,6924 litre	O
1000	CM	135	CM	185 LEVEL CM	41812,4368 litre	73,028 %	15443,0893 litre	O
1000	CM	135	CM	184 LEVEL CM	41561,2424 litre	72,589 %	15694,2837 litre	O
1000	CM	135	CM	183 LEVEL CM	41309,2689 litre	72,149 %	15946,2572 litre	O
1000	CM	135	CM	182 LEVEL CM	41056,5347 litre	71,708 %	16198,9914 litre	O
1000	CM	135	CM	181 LEVEL CM	40803,0576 litre	71,265 %	16452,4685 litre	O
1000	CM	135	CM	180 LEVEL CM	40548,8557 litre	70,821 %	16706,6704 litre	O
1000	CM	135	CM	179 LEVEL CM	40293,9466 litre	70,376 %	16961,5795 litre	O
1000	CM	135	CM	178 LEVEL CM	40038,3480 litre	69,929 %	17217,1781 litre	O
1000	CM	135	CM	177 LEVEL CM	39782,0774 litre	69,482 %	17473,4487 litre	O
1000	CM	135	CM	176 LEVEL CM	39525,1521 litre	69,033 %	17730,3740 litre	O
1000	CM	135	CM	175 LEVEL CM	39267,5892 litre	68,583 %	17987,9369 litre	O
1000	CM	135	CM	174 LEVEL CM	39009,4059 litre	68,132 %	18246,1202 litre	O
1000	CM	135	CM	173 LEVEL CM	38750,6190 litre	67,680 %	18504,9071 litre	O
1000	CM	135	CM	172 LEVEL CM	38491,2455 litre	67,227 %	18764,2806 litre	O
1000	CM	135	CM	171 LEVEL CM	38231,3019 litre	66,773 %	19024,2242 litre	O
1000	CM	135	CM	170 LEVEL CM	37970,8050 litre	66,318 %	19284,7211 litre	O
1000	CM	135	CM	169 LEVEL CM	37709,7712 litre	65,862 %	19545,7549 litre	O
1000	CM	135	CM	168 LEVEL CM	37448,2169 litre	65,405 %	19807,3092 litre	O
1000	CM	135	CM	167 LEVEL CM	37186,1584 litre	64,948 %	20069,3677 litre	O
1000	CM	135	CM	166 LEVEL CM	36923,6120 litre	64,489 %	20331,9141 litre	O

1000	CM	135	CM	165 LEVEL CM	36660,5936 litre	64,030 %	20594,9325 litre	O
1000	CM	135	CM	164 LEVEL CM	36397,1194 litre	63,570 %	20858,4067 litre	O
1000	CM	135	CM	163 LEVEL CM	36133,2053 litre	63,109 %	21122,3208 litre	O
1000	CM	135	CM	162 LEVEL CM	35868,8672 litre	62,647 %	21386,6589 litre	O
1000	CM	135	CM	161 LEVEL CM	35604,1208 litre	62,185 %	21651,4053 litre	O
1000	CM	135	CM	160 LEVEL CM	35338,9819 litre	61,722 %	21916,5442 litre	O
1000	CM	135	CM	159 LEVEL CM	35073,4661 litre	61,258 %	22182,0600 litre	O
1000	CM	135	CM	158 LEVEL CM	34807,5889 litre	60,793 %	22447,9372 litre	O
1000	CM	135	CM	157 LEVEL CM	34541,3660 litre	60,328 %	22714,1601 litre	O
1000	CM	135	CM	156 LEVEL CM	34274,8127 litre	59,863 %	22980,7134 litre	O
1000	CM	135	CM	155 LEVEL CM	34007,9444 litre	59,397 %	23247,5817 litre	O
1000	CM	135	CM	154 LEVEL CM	33740,7766 litre	58,930 %	23514,7495 litre	O
1000	CM	135	CM	153 LEVEL CM	33473,3244 litre	58,463 %	23782,2017 litre	O
1000	CM	135	CM	152 LEVEL CM	33205,6032 litre	57,995 %	24049,9229 litre	O
1000	CM	135	CM	151 LEVEL CM	32937,6281 litre	57,527 %	24317,8980 litre	O
1000	CM	135	CM	150 LEVEL CM	32669,4142 litre	57,059 %	24586,1119 litre	O
1000	CM	135	CM	149 LEVEL CM	32400,9768 litre	56,590 %	24854,5493 litre	O
1000	CM	135	CM	148 LEVEL CM	32132,3308 litre	56,121 %	25123,1953 litre	O
1000	CM	135	CM	147 LEVEL CM	31863,4913 litre	55,651 %	25392,0348 litre	O
1000	CM	135	CM	146 LEVEL CM	31594,4734 litre	55,182 %	25661,0527 litre	O
1000	CM	135	CM	145 LEVEL CM	31325,2919 litre	54,711 %	25930,2342 litre	O
1000	CM	135	CM	144 LEVEL CM	31055,9619 litre	54,241 %	26199,5642 litre	O
1000	CM	135	CM	143 LEVEL CM	30786,4982 litre	53,770 %	26469,0279 litre	O
1000	CM	135	CM	142 LEVEL CM	30516,9158 litre	53,300 %	26738,6103 litre	O
1000	CM	135	CM	141 LEVEL CM	30247,2296 litre	52,828 %	27008,2965 litre	O
1000	CM	135	CM	140 LEVEL CM	29977,4544 litre	52,357 %	27278,0717 litre	O
1000	CM	135	CM	139 LEVEL CM	29707,6050 litre	51,886 %	27547,9211 litre	O
1000	CM	135	CM	138 LEVEL CM	29437,6964 litre	51,415 %	27817,8297 litre	O
1000	CM	135	CM	137 LEVEL CM	29167,7433 litre	50,943 %	28087,7828 litre	O
1000	CM	135	CM	136 LEVEL CM	28897,7606 litre	50,472 %	28357,7655 litre	O
1000	CM	135	CM	135 LEVEL CM	28627,7631 litre	50,000 %	28627,7630 litre	O
1000	CM	135	CM	134 LEVEL CM	28357,7655 litre	49,528 %	28897,7606 litre	O
1000	CM	135	CM	133 LEVEL CM	28087,7828 litre	49,057 %	29167,7433 litre	O
1000	CM	135	CM	132 LEVEL CM	27817,8297 litre	48,585 %	29437,6964 litre	O
1000	CM	135	CM	131 LEVEL CM	27547,9211 litre	48,114 %	29707,6050 litre	O
1000	CM	135	CM	130 LEVEL CM	27278,0718 litre	47,643 %	29977,4543 litre	O
1000	CM	135	CM	129 LEVEL CM	27008,2965 litre	47,172 %	30247,2296 litre	O
1000	CM	135	CM	128 LEVEL CM	26738,6103 litre	46,700 %	30516,9158 litre	O
1000	CM	135	CM	127 LEVEL CM	26469,0279 litre	46,230 %	30786,4982 litre	O
1000	CM	135	CM	126 LEVEL CM	26199,5643 litre	45,759 %	31055,9618 litre	O
1000	CM	135	CM	125 LEVEL CM	25930,2342 litre	45,289 %	31325,2919 litre	O
1000	CM	135	CM	124 LEVEL CM	25661,0528 litre	44,818 %	31594,4733 litre	O
1000	CM	135	CM	123 LEVEL CM	25392,0348 litre	44,349 %	31863,4913 litre	O
1000	CM	135	CM	122 LEVEL CM	25123,1953 litre	43,879 %	32132,3308 litre	O
1000	CM	135	CM	121 LEVEL CM	24854,5493 litre	43,410 %	32400,9768 litre	O
1000	CM	135	CM	120 LEVEL CM	24586,1119 litre	42,941 %	32669,4142 litre	O
1000	CM	135	CM	119 LEVEL CM	24317,8981 litre	42,473 %	32937,6280 litre	O
1000	CM	135	CM	118 LEVEL CM	24049,9229 litre	42,005 %	33205,6032 litre	O
1000	CM	135	CM	117 LEVEL CM	23782,2017 litre	41,537 %	33473,3244 litre	O
1000	CM	135	CM	116 LEVEL CM	23514,7495 litre	41,070 %	33740,7766 litre	O
1000	CM	135	CM	115 LEVEL CM	23247,5817 litre	40,603 %	34007,9444 litre	O
1000	CM	135	CM	114 LEVEL CM	22980,7134 litre	40,137 %	34274,8127 litre	O
1000	CM	135	CM	113 LEVEL CM	22714,1602 litre	39,672 %	34541,3659 litre	O

1000	CM	135	CM	112 LEVEL CM	22447,9372 litre	39,207 %	34807,5889 litre	O
1000	CM	135	CM	111 LEVEL CM	22182,0601 litre	38,742 %	35073,4660 litre	O
1000	CM	135	CM	110 LEVEL CM	21916,5442 litre	38,278 %	35338,9819 litre	O
1000	CM	135	CM	109 LEVEL CM	21651,4053 litre	37,815 %	35604,1208 litre	O
1000	CM	135	CM	108 LEVEL CM	21386,6589 litre	37,353 %	35868,8672 litre	O
1000	CM	135	CM	107 LEVEL CM	21122,3208 litre	36,891 %	36133,2053 litre	O
1000	CM	135	CM	106 LEVEL CM	20858,4067 litre	36,430 %	36397,1194 litre	O
1000	CM	135	CM	105 LEVEL CM	20594,9325 litre	35,970 %	36660,5936 litre	O
1000	CM	135	CM	104 LEVEL CM	20331,9141 litre	35,511 %	36923,6120 litre	O
1000	CM	135	CM	103 LEVEL CM	20069,3677 litre	35,052 %	37186,1584 litre	O
1000	CM	135	CM	102 LEVEL CM	19807,3092 litre	34,595 %	37448,2169 litre	O
1000	CM	135	CM	101 LEVEL CM	19545,7549 litre	34,138 %	37709,7712 litre	O
1000	CM	135	CM	100 LEVEL CM	19284,7211 litre	33,682 %	37970,8050 litre	O
1000	CM	135	CM	99 LEVEL CM	19024,2242 litre	33,227 %	38231,3019 litre	O
1000	CM	135	CM	98 LEVEL CM	18764,2807 litre	32,773 %	38491,2454 litre	O
1000	CM	135	CM	97 LEVEL CM	18504,9071 litre	32,320 %	38750,6190 litre	O
1000	CM	135	CM	96 LEVEL CM	18246,1202 litre	31,868 %	39009,4059 litre	O
1000	CM	135	CM	95 LEVEL CM	17987,9369 litre	31,417 %	39267,5892 litre	O
1000	CM	135	CM	94 LEVEL CM	17730,3740 litre	30,967 %	39525,1521 litre	O
1000	CM	135	CM	93 LEVEL CM	17473,4487 litre	30,518 %	39782,0774 litre	O
1000	CM	135	CM	92 LEVEL CM	17217,1781 litre	30,071 %	40038,3480 litre	O
1000	CM	135	CM	91 LEVEL CM	16961,5795 litre	29,624 %	40293,9466 litre	O
1000	CM	135	CM	90 LEVEL CM	16706,6705 litre	29,179 %	40548,8556 litre	O
1000	CM	135	CM	89 LEVEL CM	16452,4685 litre	28,735 %	40803,0576 litre	O
1000	CM	135	CM	88 LEVEL CM	16198,9915 litre	28,292 %	41056,5346 litre	O
1000	CM	135	CM	87 LEVEL CM	15946,2572 litre	27,851 %	41309,2689 litre	O
1000	CM	135	CM	86 LEVEL CM	15694,2837 litre	27,411 %	41561,2424 litre	O
1000	CM	135	CM	85 LEVEL CM	15443,0893 litre	26,972 %	41812,4368 litre	O
1000	CM	135	CM	84 LEVEL CM	15192,6924 litre	26,535 %	42062,8337 litre	O
1000	CM	135	CM	83 LEVEL CM	14943,1116 litre	26,099 %	42312,4145 litre	O
1000	CM	135	CM	82 LEVEL CM	14694,3655 litre	25,665 %	42561,1606 litre	O
1000	CM	135	CM	81 LEVEL CM	14446,4732 litre	25,232 %	42809,0529 litre	O
1000	CM	135	CM	80 LEVEL CM	14199,4537 litre	24,800 %	43056,0724 litre	O
1000	CM	135	CM	79 LEVEL CM	13953,3265 litre	24,370 %	43302,1996 litre	O
1000	CM	135	CM	78 LEVEL CM	13708,1111 litre	23,942 %	43547,4150 litre	O
1000	CM	135	CM	77 LEVEL CM	13463,8273 litre	23,515 %	43791,6988 litre	O
1000	CM	135	CM	76 LEVEL CM	13220,4950 litre	23,090 %	44035,0311 litre	O
1000	CM	135	CM	75 LEVEL CM	12978,1346 litre	22,667 %	44277,3915 litre	O
1000	CM	135	CM	74 LEVEL CM	12736,7664 litre	22,245 %	44518,7597 litre	O
1000	CM	135	CM	73 LEVEL CM	12496,4113 litre	21,826 %	44759,1148 litre	O
1000	CM	135	CM	72 LEVEL CM	12257,0903 litre	21,408 %	44998,4358 litre	O
1000	CM	135	CM	71 LEVEL CM	12018,8245 litre	20,992 %	45236,7016 litre	O
1000	CM	135	CM	70 LEVEL CM	11781,6356 litre	20,577 %	45473,8905 litre	O
1000	CM	135	CM	69 LEVEL CM	11545,5454 litre	20,165 %	45709,9807 litre	O
1000	CM	135	CM	68 LEVEL CM	11310,5762 litre	19,755 %	45944,9499 litre	O
1000	CM	135	CM	67 LEVEL CM	11076,7503 litre	19,346 %	46178,7758 litre	O
1000	CM	135	CM	66 LEVEL CM	10844,0905 litre	18,940 %	46411,4356 litre	O
1000	CM	135	CM	65 LEVEL CM	10612,6201 litre	18,536 %	46642,9060 litre	O
1000	CM	135	CM	64 LEVEL CM	10382,3626 litre	18,133 %	46873,1635 litre	O
1000	CM	135	CM	63 LEVEL CM	10153,3418 litre	17,733 %	47102,1843 litre	O
1000	CM	135	CM	62 LEVEL CM	9925,5819 litre	17,336 %	47329,9442 litre	O
1000	CM	135	CM	61 LEVEL CM	9699,1078 litre	16,940 %	47556,4183 litre	O
1000	CM	135	CM	60 LEVEL CM	9473,9445 litre	16,547 %	47781,5816 litre	O

1000	CM	135	CM	59 LEVEL CM	9250,1175 litre	16,156 %	48005,4086 litre	O
1000	CM	135	CM	58 LEVEL CM	9027,6529 litre	15,767 %	48227,8732 litre	O
1000	CM	135	CM	57 LEVEL CM	8806,5771 litre	15,381 %	48448,9490 litre	O
1000	CM	135	CM	56 LEVEL CM	8586,9172 litre	14,998 %	48668,6089 litre	O
1000	CM	135	CM	55 LEVEL CM	8368,7006 litre	14,616 %	48886,8255 litre	O
1000	CM	135	CM	54 LEVEL CM	8151,9553 litre	14,238 %	49103,5708 litre	O
1000	CM	135	CM	53 LEVEL CM	7936,7102 litre	13,862 %	49318,8159 litre	O
1000	CM	135	CM	52 LEVEL CM	7722,9943 litre	13,489 %	49532,5318 litre	O
1000	CM	135	CM	51 LEVEL CM	7510,8377 litre	13,118 %	49744,6884 litre	O
1000	CM	135	CM	50 LEVEL CM	7300,2707 litre	12,750 %	49955,2554 litre	O
1000	CM	135	CM	49 LEVEL CM	7091,3246 litre	12,385 %	50164,2015 litre	O
1000	CM	135	CM	48 LEVEL CM	6884,0315 litre	12,023 %	50371,4946 litre	O
1000	CM	135	CM	47 LEVEL CM	6678,4241 litre	11,664 %	50577,1020 litre	O
1000	CM	135	CM	46 LEVEL CM	6474,5358 litre	11,308 %	50780,9903 litre	O
1000	CM	135	CM	45 LEVEL CM	6272,4012 litre	10,955 %	50983,1249 litre	O
1000	CM	135	CM	44 LEVEL CM	6072,0555 litre	10,605 %	51183,4706 litre	O
1000	CM	135	CM	43 LEVEL CM	5873,5350 litre	10,258 %	51381,9911 litre	O
1000	CM	135	CM	42 LEVEL CM	5676,8770 litre	9,915 %	51578,6491 litre	O
1000	CM	135	CM	41 LEVEL CM	5482,1199 litre	9,575 %	51773,4062 litre	O
1000	CM	135	CM	40 LEVEL CM	5289,3030 litre	9,238 %	51966,2231 litre	O
1000	CM	135	CM	39 LEVEL CM	5098,4671 litre	8,905 %	52157,0590 litre	O
1000	CM	135	CM	38 LEVEL CM	4909,6542 litre	8,575 %	52345,8719 litre	O
1000	CM	135	CM	37 LEVEL CM	4722,9076 litre	8,249 %	52532,6185 litre	O
1000	CM	135	CM	36 LEVEL CM	4538,2720 litre	7,926 %	52717,2541 litre	O
1000	CM	135	CM	35 LEVEL CM	4355,7939 litre	7,608 %	52899,7322 litre	O
1000	CM	135	CM	34 LEVEL CM	4175,5211 litre	7,293 %	53080,0050 litre	O
1000	CM	135	CM	33 LEVEL CM	3997,5036 litre	6,982 %	53258,0225 litre	O
1000	CM	135	CM	32 LEVEL CM	3821,7930 litre	6,675 %	53433,7331 litre	O
1000	CM	135	CM	31 LEVEL CM	3648,4431 litre	6,372 %	53607,0830 litre	O
1000	CM	135	CM	30 LEVEL CM	3477,5099 litre	6,074 %	53778,0162 litre	O
1000	CM	135	CM	29 LEVEL CM	3309,0518 litre	5,779 %	53946,4743 litre	O
1000	CM	135	CM	28 LEVEL CM	3143,1297 litre	5,490 %	54112,3964 litre	O
1000	CM	135	CM	27 LEVEL CM	2979,8077 litre	5,204 %	54275,7184 litre	O
1000	CM	135	CM	26 LEVEL CM	2819,1526 litre	4,924 %	54436,3735 litre	O
1000	CM	135	CM	25 LEVEL CM	2661,2348 litre	4,648 %	54594,2913 litre	O
1000	CM	135	CM	24 LEVEL CM	2506,1285 litre	4,377 %	54749,3976 litre	O
1000	CM	135	CM	23 LEVEL CM	2353,9117 litre	4,111 %	54901,6144 litre	O
1000	CM	135	CM	22 LEVEL CM	2204,6672 litre	3,851 %	55050,8589 litre	O
1000	CM	135	CM	21 LEVEL CM	2058,4829 litre	3,595 %	55197,0432 litre	O
1000	CM	135	CM	20 LEVEL CM	1915,4520 litre	3,345 %	55340,0741 litre	O
1000	CM	135	CM	19 LEVEL CM	1775,6745 litre	3,101 %	55479,8516 litre	O
1000	CM	135	CM	18 LEVEL CM	1639,2572 litre	2,863 %	55616,2689 litre	O
1000	CM	135	CM	17 LEVEL CM	1506,3150 litre	2,631 %	55749,2111 litre	O
1000	CM	135	CM	16 LEVEL CM	1376,9722 litre	2,405 %	55878,5539 litre	O
1000	CM	135	CM	15 LEVEL CM	1251,3639 litre	2,186 %	56004,1622 litre	O
1000	CM	135	CM	14 LEVEL CM	1129,6373 litre	1,973 %	56125,8888 litre	O
1000	CM	135	CM	13 LEVEL CM	1011,9545 litre	1,767 %	56243,5716 litre	O
1000	CM	135	CM	12 LEVEL CM	898,4947 litre	1,569 %	56357,0314 litre	O
1000	CM	135	CM	11 LEVEL CM	789,4583 litre	1,379 %	56466,0678 litre	O
1000	CM	135	CM	10 LEVEL CM	685,0707 litre	1,197 %	56570,4554 litre	O
1000	CM	135	CM	9 LEVEL CM	585,5893 litre	1,023 %	56669,9368 litre	O
1000	CM	135	CM	8 LEVEL CM	491,3117 litre	0,858 %	56764,2144 litre	O
1000	CM	135	CM	7 LEVEL CM	402,5879 litre	0,703 %	56852,9382 litre	O

1000	CM	135	CM	6 LEVEL CM	319,8386 litre	0,559 %	56935,6875 litre	0
1000	CM	135	CM	5 LEVEL CM	243,5836 litre	0,425 %	57011,9425 litre	0
1000	CM	135	CM	4 LEVEL CM	174,4902 litre	0,305 %	57081,0359 litre	0
1000	CM	135	CM	3 LEVEL CM	113,4618 litre	0,198 %	57142,0643 litre	0
1000	CM	135	CM	2 LEVEL CM	61,8298 litre	0,108 %	57193,6963 litre	0
1000	CM	135	CM	1 LEVEL CM	21,8845 litre	0,038 %	57233,6416 litre	0
1000	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	57255,5261 litre	0

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM 130	CM 260 LEVEL CM	53092,9158 litre	100,000 %	0,0000 litre	O
1000	CM 130	CM 259 LEVEL CM	53071,4413 litre	99,960 %	21,4745 litre	O
1000	CM 130	CM 258 LEVEL CM	53032,2470 litre	99,886 %	60,6688 litre	O
1000	CM 130	CM 257 LEVEL CM	52981,5894 litre	99,790 %	111,3264 litre	O
1000	CM 130	CM 256 LEVEL CM	52921,7170 litre	99,678 %	171,1988 litre	O
1000	CM 130	CM 255 LEVEL CM	52853,9373 litre	99,550 %	238,9785 litre	O
1000	CM 130	CM 254 LEVEL CM	52779,1378 litre	99,409 %	313,7780 litre	O
1000	CM 130	CM 253 LEVEL CM	52697,9739 litre	99,256 %	394,9419 litre	O
1000	CM 130	CM 252 LEVEL CM	52610,9565 litre	99,092 %	481,9593 litre	O
1000	CM 130	CM 251 LEVEL CM	52518,4991 litre	98,918 %	574,4167 litre	O
1000	CM 130	CM 250 LEVEL CM	52420,9459 litre	98,734 %	671,9699 litre	O
1000	CM 130	CM 249 LEVEL CM	52318,5894 litre	98,542 %	774,3264 litre	O
1000	CM 130	CM 248 LEVEL CM	52211,6828 litre	98,340 %	881,2330 litre	O
1000	CM 130	CM 247 LEVEL CM	52100,4480 litre	98,131 %	992,4678 litre	O
1000	CM 130	CM 246 LEVEL CM	51985,0821 litre	97,913 %	1107,8337 litre	O
1000	CM 130	CM 245 LEVEL CM	51865,7614 litre	97,689 %	1227,1544 litre	O
1000	CM 130	CM 244 LEVEL CM	51742,6455 litre	97,457 %	1350,2703 litre	O
1000	CM 130	CM 243 LEVEL CM	51615,8796 litre	97,218 %	1477,0362 litre	O
1000	CM 130	CM 242 LEVEL CM	51485,5966 litre	96,973 %	1607,3192 litre	O
1000	CM 130	CM 241 LEVEL CM	51351,9188 litre	96,721 %	1740,9970 litre	O
1000	CM 130	CM 240 LEVEL CM	51214,9597 litre	96,463 %	1877,9561 litre	O
1000	CM 130	CM 239 LEVEL CM	51074,8246 litre	96,199 %	2018,0912 litre	O
1000	CM 130	CM 238 LEVEL CM	50931,6118 litre	95,929 %	2161,3040 litre	O
1000	CM 130	CM 237 LEVEL CM	50785,4135 litre	95,654 %	2307,5023 litre	O
1000	CM 130	CM 236 LEVEL CM	50636,3163 litre	95,373 %	2456,5995 litre	O
1000	CM 130	CM 235 LEVEL CM	50484,4017 litre	95,087 %	2608,5141 litre	O
1000	CM 130	CM 234 LEVEL CM	50329,7471 litre	94,796 %	2763,1687 litre	O
1000	CM 130	CM 233 LEVEL CM	50172,4255 litre	94,499 %	2920,4903 litre	O
1000	CM 130	CM 232 LEVEL CM	50012,5064 litre	94,198 %	3080,4094 litre	O
1000	CM 130	CM 231 LEVEL CM	49850,0560 litre	93,892 %	3242,8598 litre	O
1000	CM 130	CM 230 LEVEL CM	49685,1373 litre	93,581 %	3407,7785 litre	O
1000	CM 130	CM 229 LEVEL CM	49517,8107 litre	93,266 %	3575,1051 litre	O
1000	CM 130	CM 228 LEVEL CM	49348,1339 litre	92,947 %	3744,7819 litre	O
1000	CM 130	CM 227 LEVEL CM	49176,1622 litre	92,623 %	3916,7536 litre	O
1000	CM 130	CM 226 LEVEL CM	49001,9490 litre	92,295 %	4090,9668 litre	O
1000	CM 130	CM 225 LEVEL CM	48825,5453 litre	91,962 %	4267,3705 litre	O
1000	CM 130	CM 224 LEVEL CM	48647,0003 litre	91,626 %	4445,9155 litre	O
1000	CM 130	CM 223 LEVEL CM	48466,3617 litre	91,286 %	4626,5541 litre	O
1000	CM 130	CM 222 LEVEL CM	48283,6753 litre	90,942 %	4809,2405 litre	O
1000	CM 130	CM 221 LEVEL CM	48098,9854 litre	90,594 %	4993,9304 litre	O
1000	CM 130	CM 220 LEVEL CM	47912,3351 litre	90,242 %	5180,5807 litre	O
1000	CM 130	CM 219 LEVEL CM	47723,7658 litre	89,887 %	5369,1500 litre	O
1000	CM 130	CM 218 LEVEL CM	47533,3180 litre	89,529 %	5559,5978 litre	O
1000	CM 130	CM 217 LEVEL CM	47341,0307 litre	89,166 %	5751,8851 litre	O
1000	CM 130	CM 216 LEVEL CM	47146,9421 litre	88,801 %	5945,9737 litre	O
1000	CM 130	CM 215 LEVEL CM	46951,0891 litre	88,432 %	6141,8267 litre	O
1000	CM 130	CM 214 LEVEL CM	46753,5076 litre	88,060 %	6339,4082 litre	O
1000	CM 130	CM 213 LEVEL CM	46554,2329 litre	87,684 %	6538,6829 litre	O
1000	CM 130	CM 212 LEVEL CM	46353,2989 litre	87,306 %	6739,6169 litre	O
1000	CM 130	CM 211 LEVEL CM	46150,7392 litre	86,924 %	6942,1766 litre	O
1000	CM 130	CM 210 LEVEL CM	45946,5862 litre	86,540 %	7146,3296 litre	O
1000	CM 130	CM 209 LEVEL CM	45740,8716 litre	86,152 %	7352,0442 litre	O

1000	CM	130	CM	208 LEVEL CM	45533,6267 litre	85,762 %	7559,2891 litre	O
1000	CM	130	CM	207 LEVEL CM	45324,8816 litre	85,369 %	7768,0342 litre	O
1000	CM	130	CM	206 LEVEL CM	45114,6663 litre	84,973 %	7978,2495 litre	O
1000	CM	130	CM	205 LEVEL CM	44903,0097 litre	84,574 %	8189,9061 litre	O
1000	CM	130	CM	204 LEVEL CM	44689,9405 litre	84,173 %	8402,9753 litre	O
1000	CM	130	CM	203 LEVEL CM	44475,4865 litre	83,769 %	8617,4293 litre	O
1000	CM	130	CM	202 LEVEL CM	44259,6752 litre	83,363 %	8833,2406 litre	O
1000	CM	130	CM	201 LEVEL CM	44042,5335 litre	82,954 %	9050,3823 litre	O
1000	CM	130	CM	200 LEVEL CM	43824,0878 litre	82,542 %	9268,8280 litre	O
1000	CM	130	CM	199 LEVEL CM	43604,3640 litre	82,128 %	9488,5518 litre	O
1000	CM	130	CM	198 LEVEL CM	43383,3877 litre	81,712 %	9709,5281 litre	O
1000	CM	130	CM	197 LEVEL CM	43161,1839 litre	81,294 %	9931,7319 litre	O
1000	CM	130	CM	196 LEVEL CM	42937,7772 litre	80,873 %	10155,1386 litre	O
1000	CM	130	CM	195 LEVEL CM	42713,1919 litre	80,450 %	10379,7239 litre	O
1000	CM	130	CM	194 LEVEL CM	42487,4519 litre	80,025 %	10605,4639 litre	O
1000	CM	130	CM	193 LEVEL CM	42260,5806 litre	79,597 %	10832,3352 litre	O
1000	CM	130	CM	192 LEVEL CM	42032,6013 litre	79,168 %	11060,3145 litre	O
1000	CM	130	CM	191 LEVEL CM	41803,5368 litre	78,737 %	11289,3790 litre	O
1000	CM	130	CM	190 LEVEL CM	41573,4095 litre	78,303 %	11519,5063 litre	O
1000	CM	130	CM	189 LEVEL CM	41342,2416 litre	77,868 %	11750,6742 litre	O
1000	CM	130	CM	188 LEVEL CM	41110,0551 litre	77,430 %	11982,8607 litre	O
1000	CM	130	CM	187 LEVEL CM	40876,8715 litre	76,991 %	12216,0443 litre	O
1000	CM	130	CM	186 LEVEL CM	40642,7122 litre	76,550 %	12450,2036 litre	O
1000	CM	130	CM	185 LEVEL CM	40407,5982 litre	76,107 %	12685,3176 litre	O
1000	CM	130	CM	184 LEVEL CM	40171,5503 litre	75,663 %	12921,3655 litre	O
1000	CM	130	CM	183 LEVEL CM	39934,5891 litre	75,216 %	13158,3267 litre	O
1000	CM	130	CM	182 LEVEL CM	39696,7350 litre	74,768 %	13396,1808 litre	O
1000	CM	130	CM	181 LEVEL CM	39458,0079 litre	74,319 %	13634,9079 litre	O
1000	CM	130	CM	180 LEVEL CM	39218,4278 litre	73,868 %	13874,4880 litre	O
1000	CM	130	CM	179 LEVEL CM	38978,0144 litre	73,415 %	14114,9014 litre	O
1000	CM	130	CM	178 LEVEL CM	38736,7871 litre	72,960 %	14356,1287 litre	O
1000	CM	130	CM	177 LEVEL CM	38494,7652 litre	72,505 %	14598,1506 litre	O
1000	CM	130	CM	176 LEVEL CM	38251,9677 litre	72,047 %	14840,9481 litre	O
1000	CM	130	CM	175 LEVEL CM	38008,4136 litre	71,588 %	15084,5022 litre	O
1000	CM	130	CM	174 LEVEL CM	37764,1215 litre	71,128 %	15328,7943 litre	O
1000	CM	130	CM	173 LEVEL CM	37519,1100 litre	70,667 %	15573,8058 litre	O
1000	CM	130	CM	172 LEVEL CM	37273,3975 litre	70,204 %	15819,5183 litre	O
1000	CM	130	CM	171 LEVEL CM	37027,0022 litre	69,740 %	16065,9136 litre	O
1000	CM	130	CM	170 LEVEL CM	36779,9423 litre	69,275 %	16312,9735 litre	O
1000	CM	130	CM	169 LEVEL CM	36532,2355 litre	68,808 %	16560,6803 litre	O
1000	CM	130	CM	168 LEVEL CM	36283,8998 litre	68,340 %	16809,0160 litre	O
1000	CM	130	CM	167 LEVEL CM	36034,9527 litre	67,871 %	17057,9631 litre	O
1000	CM	130	CM	166 LEVEL CM	35785,4119 litre	67,401 %	17307,5039 litre	O
1000	CM	130	CM	165 LEVEL CM	35535,2946 litre	66,930 %	17557,6212 litre	O
1000	CM	130	CM	164 LEVEL CM	35284,6183 litre	66,458 %	17808,2975 litre	O
1000	CM	130	CM	163 LEVEL CM	35033,3999 litre	65,985 %	18059,5159 litre	O
1000	CM	130	CM	162 LEVEL CM	34781,6567 litre	65,511 %	18311,2591 litre	O
1000	CM	130	CM	161 LEVEL CM	34529,4056 litre	65,036 %	18563,5102 litre	O
1000	CM	130	CM	160 LEVEL CM	34276,6633 litre	64,560 %	18816,2525 litre	O
1000	CM	130	CM	159 LEVEL CM	34023,4467 litre	64,083 %	19069,4691 litre	O
1000	CM	130	CM	158 LEVEL CM	33769,7724 litre	63,605 %	19323,1434 litre	O
1000	CM	130	CM	157 LEVEL CM	33515,6570 litre	63,126 %	19577,2588 litre	O
1000	CM	130	CM	156 LEVEL CM	33261,1169 litre	62,647 %	19831,7989 litre	O

1000	CM	130	CM	155 LEVEL CM	33006,1686 litre	62,167 %	20086,7472 litre	O
1000	CM	130	CM	154 LEVEL CM	32750,8283 litre	61,686 %	20342,0875 litre	O
1000	CM	130	CM	153 LEVEL CM	32495,1123 litre	61,204 %	20597,8035 litre	O
1000	CM	130	CM	152 LEVEL CM	32239,0369 litre	60,722 %	20853,8789 litre	O
1000	CM	130	CM	151 LEVEL CM	31982,6179 litre	60,239 %	21110,2979 litre	O
1000	CM	130	CM	150 LEVEL CM	31725,8717 litre	59,755 %	21367,0441 litre	O
1000	CM	130	CM	149 LEVEL CM	31468,8140 litre	59,271 %	21624,1018 litre	O
1000	CM	130	CM	148 LEVEL CM	31211,4608 litre	58,786 %	21881,4550 litre	O
1000	CM	130	CM	147 LEVEL CM	30953,8280 litre	58,301 %	22139,0878 litre	O
1000	CM	130	CM	146 LEVEL CM	30695,9314 litre	57,815 %	22396,9844 litre	O
1000	CM	130	CM	145 LEVEL CM	30437,7867 litre	57,329 %	22655,1291 litre	O
1000	CM	130	CM	144 LEVEL CM	30179,4097 litre	56,843 %	22913,5061 litre	O
1000	CM	130	CM	143 LEVEL CM	29920,8161 litre	56,356 %	23172,0997 litre	O
1000	CM	130	CM	142 LEVEL CM	29662,0215 litre	55,868 %	23430,8943 litre	O
1000	CM	130	CM	141 LEVEL CM	29403,0414 litre	55,380 %	23689,8744 litre	O
1000	CM	130	CM	140 LEVEL CM	29143,8915 litre	54,892 %	23949,0243 litre	O
1000	CM	130	CM	139 LEVEL CM	28884,5873 litre	54,404 %	24208,3285 litre	O
1000	CM	130	CM	138 LEVEL CM	28625,1444 litre	53,915 %	24467,7714 litre	O
1000	CM	130	CM	137 LEVEL CM	28365,5781 litre	53,426 %	24727,3377 litre	O
1000	CM	130	CM	136 LEVEL CM	28105,9039 litre	52,937 %	24987,0119 litre	O
1000	CM	130	CM	135 LEVEL CM	27846,1373 litre	52,448 %	25246,7785 litre	O
1000	CM	130	CM	134 LEVEL CM	27586,2938 litre	51,959 %	25506,6220 litre	O
1000	CM	130	CM	133 LEVEL CM	27326,3887 litre	51,469 %	25766,5271 litre	O
1000	CM	130	CM	132 LEVEL CM	27066,4374 litre	50,979 %	26026,4784 litre	O
1000	CM	130	CM	131 LEVEL CM	26806,4554 litre	50,490 %	26286,4604 litre	O
1000	CM	130	CM	130 LEVEL CM	26546,4579 litre	50,000 %	26546,4579 litre	O
1000	CM	130	CM	129 LEVEL CM	26286,4605 litre	49,510 %	26806,4553 litre	O
1000	CM	130	CM	128 LEVEL CM	26026,4784 litre	49,021 %	27066,4374 litre	O
1000	CM	130	CM	127 LEVEL CM	25766,5272 litre	48,531 %	27326,3886 litre	O
1000	CM	130	CM	126 LEVEL CM	25506,6220 litre	48,041 %	27586,2938 litre	O
1000	CM	130	CM	125 LEVEL CM	25246,7785 litre	47,552 %	27846,1373 litre	O
1000	CM	130	CM	124 LEVEL CM	24987,0119 litre	47,063 %	28105,9039 litre	O
1000	CM	130	CM	123 LEVEL CM	24727,3378 litre	46,574 %	28365,5780 litre	O
1000	CM	130	CM	122 LEVEL CM	24467,7715 litre	46,085 %	28625,1443 litre	O
1000	CM	130	CM	121 LEVEL CM	24208,3285 litre	45,596 %	28884,5873 litre	O
1000	CM	130	CM	120 LEVEL CM	23949,0243 litre	45,108 %	29143,8915 litre	O
1000	CM	130	CM	119 LEVEL CM	23689,8744 litre	44,620 %	29403,0414 litre	O
1000	CM	130	CM	118 LEVEL CM	23430,8944 litre	44,132 %	29662,0214 litre	O
1000	CM	130	CM	117 LEVEL CM	23172,0997 litre	43,644 %	29920,8161 litre	O
1000	CM	130	CM	116 LEVEL CM	22913,5061 litre	43,157 %	30179,4097 litre	O
1000	CM	130	CM	115 LEVEL CM	22655,1291 litre	42,671 %	30437,7867 litre	O
1000	CM	130	CM	114 LEVEL CM	22396,9845 litre	42,185 %	30695,9313 litre	O
1000	CM	130	CM	113 LEVEL CM	22139,0879 litre	41,699 %	30953,8279 litre	O
1000	CM	130	CM	112 LEVEL CM	21881,4551 litre	41,214 %	31211,4607 litre	O
1000	CM	130	CM	111 LEVEL CM	21624,1019 litre	40,729 %	31468,8139 litre	O
1000	CM	130	CM	110 LEVEL CM	21367,0442 litre	40,245 %	31725,8716 litre	O
1000	CM	130	CM	109 LEVEL CM	21110,2979 litre	39,761 %	31982,6179 litre	O
1000	CM	130	CM	108 LEVEL CM	20853,8790 litre	39,278 %	32239,0368 litre	O
1000	CM	130	CM	107 LEVEL CM	20597,8035 litre	38,796 %	32495,1123 litre	O
1000	CM	130	CM	106 LEVEL CM	20342,0875 litre	38,314 %	32750,8283 litre	O
1000	CM	130	CM	105 LEVEL CM	20086,7473 litre	37,833 %	33006,1685 litre	O
1000	CM	130	CM	104 LEVEL CM	19831,7989 litre	37,353 %	33261,1169 litre	O
1000	CM	130	CM	103 LEVEL CM	19577,2588 litre	36,874 %	33515,6570 litre	O

1000	CM	130	CM	102 LEVEL CM	19323,1434 litre	36,395 %	33769,7724 litre	O
1000	CM	130	CM	101 LEVEL CM	19069,4691 litre	35,917 %	34023,4467 litre	O
1000	CM	130	CM	100 LEVEL CM	18816,2525 litre	35,440 %	34276,6633 litre	O
1000	CM	130	CM	99 LEVEL CM	18563,5103 litre	34,964 %	34529,4055 litre	O
1000	CM	130	CM	98 LEVEL CM	18311,2591 litre	34,489 %	34781,6567 litre	O
1000	CM	130	CM	97 LEVEL CM	18059,5159 litre	34,015 %	35033,3999 litre	O
1000	CM	130	CM	96 LEVEL CM	17808,2976 litre	33,542 %	35284,6182 litre	O
1000	CM	130	CM	95 LEVEL CM	17557,6212 litre	33,070 %	35535,2946 litre	O
1000	CM	130	CM	94 LEVEL CM	17307,5040 litre	32,599 %	35785,4118 litre	O
1000	CM	130	CM	93 LEVEL CM	17057,9631 litre	32,129 %	36034,9527 litre	O
1000	CM	130	CM	92 LEVEL CM	16809,0160 litre	31,660 %	36283,8998 litre	O
1000	CM	130	CM	91 LEVEL CM	16560,6803 litre	31,192 %	36532,2355 litre	O
1000	CM	130	CM	90 LEVEL CM	16312,9736 litre	30,725 %	36779,9422 litre	O
1000	CM	130	CM	89 LEVEL CM	16065,9136 litre	30,260 %	37027,0022 litre	O
1000	CM	130	CM	88 LEVEL CM	15819,5183 litre	29,796 %	37273,3975 litre	O
1000	CM	130	CM	87 LEVEL CM	15573,8058 litre	29,333 %	37519,1100 litre	O
1000	CM	130	CM	86 LEVEL CM	15328,7944 litre	28,872 %	37764,1214 litre	O
1000	CM	130	CM	85 LEVEL CM	15084,5023 litre	28,412 %	38008,4135 litre	O
1000	CM	130	CM	84 LEVEL CM	14840,9481 litre	27,953 %	38251,9677 litre	O
1000	CM	130	CM	83 LEVEL CM	14598,1507 litre	27,495 %	38494,7651 litre	O
1000	CM	130	CM	82 LEVEL CM	14356,1287 litre	27,040 %	38736,7871 litre	O
1000	CM	130	CM	81 LEVEL CM	14114,9014 litre	26,585 %	38978,0144 litre	O
1000	CM	130	CM	80 LEVEL CM	13874,4880 litre	26,132 %	39218,4278 litre	O
1000	CM	130	CM	79 LEVEL CM	13634,9079 litre	25,681 %	39458,0079 litre	O
1000	CM	130	CM	78 LEVEL CM	13396,1809 litre	25,232 %	39696,7349 litre	O
1000	CM	130	CM	77 LEVEL CM	13158,3267 litre	24,784 %	39934,5891 litre	O
1000	CM	130	CM	76 LEVEL CM	12921,3655 litre	24,337 %	40171,5503 litre	O
1000	CM	130	CM	75 LEVEL CM	12685,3177 litre	23,893 %	40407,5981 litre	O
1000	CM	130	CM	74 LEVEL CM	12450,2037 litre	23,450 %	40642,7121 litre	O
1000	CM	130	CM	73 LEVEL CM	12216,0444 litre	23,009 %	40876,8714 litre	O
1000	CM	130	CM	72 LEVEL CM	11982,8608 litre	22,570 %	41110,0550 litre	O
1000	CM	130	CM	71 LEVEL CM	11750,6742 litre	22,132 %	41342,2416 litre	O
1000	CM	130	CM	70 LEVEL CM	11519,5064 litre	21,697 %	41573,4094 litre	O
1000	CM	130	CM	69 LEVEL CM	11289,3791 litre	21,263 %	41803,5367 litre	O
1000	CM	130	CM	68 LEVEL CM	11060,3145 litre	20,832 %	42032,6013 litre	O
1000	CM	130	CM	67 LEVEL CM	10832,3352 litre	20,403 %	42260,5806 litre	O
1000	CM	130	CM	66 LEVEL CM	10605,4640 litre	19,975 %	42487,4518 litre	O
1000	CM	130	CM	65 LEVEL CM	10379,7240 litre	19,550 %	42713,1918 litre	O
1000	CM	130	CM	64 LEVEL CM	10155,1387 litre	19,127 %	42937,7771 litre	O
1000	CM	130	CM	63 LEVEL CM	9931,7320 litre	18,706 %	43161,1838 litre	O
1000	CM	130	CM	62 LEVEL CM	9709,5281 litre	18,288 %	43383,3877 litre	O
1000	CM	130	CM	61 LEVEL CM	9488,5518 litre	17,872 %	43604,3640 litre	O
1000	CM	130	CM	60 LEVEL CM	9268,8280 litre	17,458 %	43824,0878 litre	O
1000	CM	130	CM	59 LEVEL CM	9050,3823 litre	17,046 %	44042,5335 litre	O
1000	CM	130	CM	58 LEVEL CM	8833,2406 litre	16,637 %	44259,6752 litre	O
1000	CM	130	CM	57 LEVEL CM	8617,4293 litre	16,231 %	44475,4865 litre	O
1000	CM	130	CM	56 LEVEL CM	8402,9753 litre	15,827 %	44689,9405 litre	O
1000	CM	130	CM	55 LEVEL CM	8189,9061 litre	15,426 %	44903,0097 litre	O
1000	CM	130	CM	54 LEVEL CM	7978,2495 litre	15,027 %	45114,6663 litre	O
1000	CM	130	CM	53 LEVEL CM	7768,0342 litre	14,631 %	45324,8816 litre	O
1000	CM	130	CM	52 LEVEL CM	7559,2892 litre	14,238 %	45533,6266 litre	O
1000	CM	130	CM	51 LEVEL CM	7352,0442 litre	13,848 %	45740,8716 litre	O
1000	CM	130	CM	50 LEVEL CM	7146,3297 litre	13,460 %	45946,5861 litre	O

1000	CM	130	CM	49 LEVEL CM	6942,1767 litre	13,076 %	46150,7391 litre	O
1000	CM	130	CM	48 LEVEL CM	6739,6169 litre	12,694 %	46353,2989 litre	O
1000	CM	130	CM	47 LEVEL CM	6538,6830 litre	12,316 %	46554,2328 litre	O
1000	CM	130	CM	46 LEVEL CM	6339,4082 litre	11,940 %	46753,5076 litre	O
1000	CM	130	CM	45 LEVEL CM	6141,8268 litre	11,568 %	46951,0890 litre	O
1000	CM	130	CM	44 LEVEL CM	5945,9738 litre	11,199 %	47146,9420 litre	O
1000	CM	130	CM	43 LEVEL CM	5751,8851 litre	10,834 %	47341,0307 litre	O
1000	CM	130	CM	42 LEVEL CM	5559,5978 litre	10,471 %	47533,3180 litre	O
1000	CM	130	CM	41 LEVEL CM	5369,1500 litre	10,113 %	47723,7658 litre	O
1000	CM	130	CM	40 LEVEL CM	5180,5807 litre	9,758 %	47912,3351 litre	O
1000	CM	130	CM	39 LEVEL CM	4993,9304 litre	9,406 %	48098,9854 litre	O
1000	CM	130	CM	38 LEVEL CM	4809,2406 litre	9,058 %	48283,6752 litre	O
1000	CM	130	CM	37 LEVEL CM	4626,5541 litre	8,714 %	48466,3617 litre	O
1000	CM	130	CM	36 LEVEL CM	4445,9155 litre	8,374 %	48647,0003 litre	O
1000	CM	130	CM	35 LEVEL CM	4267,3706 litre	8,038 %	48825,5452 litre	O
1000	CM	130	CM	34 LEVEL CM	4090,9669 litre	7,705 %	49001,9489 litre	O
1000	CM	130	CM	33 LEVEL CM	3916,7536 litre	7,377 %	49176,1622 litre	O
1000	CM	130	CM	32 LEVEL CM	3744,7820 litre	7,053 %	49348,1338 litre	O
1000	CM	130	CM	31 LEVEL CM	3575,1052 litre	6,734 %	49517,8106 litre	O
1000	CM	130	CM	30 LEVEL CM	3407,7786 litre	6,419 %	49685,1372 litre	O
1000	CM	130	CM	29 LEVEL CM	3242,8599 litre	6,108 %	49850,0559 litre	O
1000	CM	130	CM	28 LEVEL CM	3080,4095 litre	5,802 %	50012,5063 litre	O
1000	CM	130	CM	27 LEVEL CM	2920,4904 litre	5,501 %	50172,4254 litre	O
1000	CM	130	CM	26 LEVEL CM	2763,1687 litre	5,204 %	50329,7471 litre	O
1000	CM	130	CM	25 LEVEL CM	2608,5141 litre	4,913 %	50484,4017 litre	O
1000	CM	130	CM	24 LEVEL CM	2456,5996 litre	4,627 %	50636,3162 litre	O
1000	CM	130	CM	23 LEVEL CM	2307,5023 litre	4,346 %	50785,4135 litre	O
1000	CM	130	CM	22 LEVEL CM	2161,3040 litre	4,071 %	50931,6118 litre	O
1000	CM	130	CM	21 LEVEL CM	2018,0912 litre	3,801 %	51074,8246 litre	O
1000	CM	130	CM	20 LEVEL CM	1877,9561 litre	3,537 %	51214,9597 litre	O
1000	CM	130	CM	19 LEVEL CM	1740,9970 litre	3,279 %	51351,9188 litre	O
1000	CM	130	CM	18 LEVEL CM	1607,3193 litre	3,027 %	51485,5965 litre	O
1000	CM	130	CM	17 LEVEL CM	1477,0362 litre	2,782 %	51615,8796 litre	O
1000	CM	130	CM	16 LEVEL CM	1350,2703 litre	2,543 %	51742,6455 litre	O
1000	CM	130	CM	15 LEVEL CM	1227,1544 litre	2,311 %	51865,7614 litre	O
1000	CM	130	CM	14 LEVEL CM	1107,8338 litre	2,087 %	51985,0820 litre	O
1000	CM	130	CM	13 LEVEL CM	992,4678 litre	1,869 %	52100,4480 litre	O
1000	CM	130	CM	12 LEVEL CM	881,2330 litre	1,660 %	52211,6828 litre	O
1000	CM	130	CM	11 LEVEL CM	774,3264 litre	1,458 %	52318,5894 litre	O
1000	CM	130	CM	10 LEVEL CM	671,9699 litre	1,266 %	52420,9459 litre	O
1000	CM	130	CM	9 LEVEL CM	574,4167 litre	1,082 %	52518,4991 litre	O
1000	CM	130	CM	8 LEVEL CM	481,9593 litre	0,908 %	52610,9565 litre	O
1000	CM	130	CM	7 LEVEL CM	394,9420 litre	0,744 %	52697,9738 litre	O
1000	CM	130	CM	6 LEVEL CM	313,7781 litre	0,591 %	52779,1377 litre	O
1000	CM	130	CM	5 LEVEL CM	238,9785 litre	0,450 %	52853,9373 litre	O
1000	CM	130	CM	4 LEVEL CM	171,1988 litre	0,322 %	52921,7170 litre	O
1000	CM	130	CM	3 LEVEL CM	111,3264 litre	0,210 %	52981,5894 litre	O
1000	CM	130	CM	2 LEVEL CM	60,6688 litre	0,114 %	53032,2470 litre	O
1000	CM	130	CM	1 LEVEL CM	21,4745 litre	0,040 %	53071,4413 litre	O
1000	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	53092,9158 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	125	CM	250 LEVEL CM	49087,3852 litre	100,000 %	0,0000 litre	O
1000	CM	125	CM	249 LEVEL CM	49066,3287 litre	99,957 %	21,0565 litre	O
1000	CM	125	CM	248 LEVEL CM	49027,9000 litre	99,879 %	59,4852 litre	O
1000	CM	125	CM	247 LEVEL CM	48978,2359 litre	99,778 %	109,1493 litre	O
1000	CM	125	CM	246 LEVEL CM	48919,5423 litre	99,658 %	167,8429 litre	O
1000	CM	125	CM	245 LEVEL CM	48853,1023 litre	99,523 %	234,2829 litre	O
1000	CM	125	CM	244 LEVEL CM	48779,7870 litre	99,373 %	307,5982 litre	O
1000	CM	125	CM	243 LEVEL CM	48700,2402 litre	99,211 %	387,1450 litre	O
1000	CM	125	CM	242 LEVEL CM	48614,9633 litre	99,038 %	472,4219 litre	O
1000	CM	125	CM	241 LEVEL CM	48524,3628 litre	98,853 %	563,0224 litre	O
1000	CM	125	CM	240 LEVEL CM	48428,7766 litre	98,658 %	658,6086 litre	O
1000	CM	125	CM	239 LEVEL CM	48328,4924 litre	98,454 %	758,8928 litre	O
1000	CM	125	CM	238 LEVEL CM	48223,7589 litre	98,241 %	863,6263 litre	O
1000	CM	125	CM	237 LEVEL CM	48114,7945 litre	98,019 %	972,5907 litre	O
1000	CM	125	CM	236 LEVEL CM	48001,7928 litre	97,788 %	1085,5924 litre	O
1000	CM	125	CM	235 LEVEL CM	47884,9276 litre	97,550 %	1202,4576 litre	O
1000	CM	125	CM	234 LEVEL CM	47764,3558 litre	97,305 %	1323,0294 litre	O
1000	CM	125	CM	233 LEVEL CM	47640,2202 litre	97,052 %	1447,1650 litre	O
1000	CM	125	CM	232 LEVEL CM	47512,6517 litre	96,792 %	1574,7335 litre	O
1000	CM	125	CM	231 LEVEL CM	47381,7709 litre	96,525 %	1705,6143 litre	O
1000	CM	125	CM	230 LEVEL CM	47247,6894 litre	96,252 %	1839,6958 litre	O
1000	CM	125	CM	229 LEVEL CM	47110,5111 litre	95,973 %	1976,8741 litre	O
1000	CM	125	CM	228 LEVEL CM	46970,3329 litre	95,687 %	2117,0523 litre	O
1000	CM	125	CM	227 LEVEL CM	46827,2455 litre	95,396 %	2260,1397 litre	O
1000	CM	125	CM	226 LEVEL CM	46681,3345 litre	95,098 %	2406,0507 litre	O
1000	CM	125	CM	225 LEVEL CM	46532,6804 litre	94,796 %	2554,7048 litre	O
1000	CM	125	CM	224 LEVEL CM	46381,3592 litre	94,487 %	2706,0260 litre	O
1000	CM	125	CM	223 LEVEL CM	46227,4433 litre	94,174 %	2859,9419 litre	O
1000	CM	125	CM	222 LEVEL CM	46071,0011 litre	93,855 %	3016,3841 litre	O
1000	CM	125	CM	221 LEVEL CM	45912,0981 litre	93,531 %	3175,2871 litre	O
1000	CM	125	CM	220 LEVEL CM	45750,7965 litre	93,203 %	3336,5887 litre	O
1000	CM	125	CM	219 LEVEL CM	45587,1560 litre	92,869 %	3500,2292 litre	O
1000	CM	125	CM	218 LEVEL CM	45421,2336 litre	92,531 %	3666,1516 litre	O
1000	CM	125	CM	217 LEVEL CM	45253,0841 litre	92,189 %	3834,3011 litre	O
1000	CM	125	CM	216 LEVEL CM	45082,7600 litre	91,842 %	4004,6252 litre	O
1000	CM	125	CM	215 LEVEL CM	44910,3120 litre	91,491 %	4177,0732 litre	O
1000	CM	125	CM	214 LEVEL CM	44735,7889 litre	91,135 %	4351,5963 litre	O
1000	CM	125	CM	213 LEVEL CM	44559,2377 litre	90,775 %	4528,1475 litre	O
1000	CM	125	CM	212 LEVEL CM	44380,7038 litre	90,412 %	4706,6814 litre	O
1000	CM	125	CM	211 LEVEL CM	44200,2312 litre	90,044 %	4887,1540 litre	O
1000	CM	125	CM	210 LEVEL CM	44017,8625 litre	89,672 %	5069,5227 litre	O
1000	CM	125	CM	209 LEVEL CM	43833,6387 litre	89,297 %	5253,7465 litre	O
1000	CM	125	CM	208 LEVEL CM	43647,6000 litre	88,918 %	5439,7852 litre	O
1000	CM	125	CM	207 LEVEL CM	43459,7852 litre	88,536 %	5627,6000 litre	O
1000	CM	125	CM	206 LEVEL CM	43270,2320 litre	88,149 %	5817,1532 litre	O
1000	CM	125	CM	205 LEVEL CM	43078,9771 litre	87,760 %	6008,4081 litre	O
1000	CM	125	CM	204 LEVEL CM	42886,0563 litre	87,367 %	6201,3289 litre	O
1000	CM	125	CM	203 LEVEL CM	42691,5044 litre	86,970 %	6395,8808 litre	O
1000	CM	125	CM	202 LEVEL CM	42495,3553 litre	86,571 %	6592,0299 litre	O
1000	CM	125	CM	201 LEVEL CM	42297,6422 litre	86,168 %	6789,7430 litre	O
1000	CM	125	CM	200 LEVEL CM	42098,3974 litre	85,762 %	6988,9878 litre	O
1000	CM	125	CM	199 LEVEL CM	41897,6526 litre	85,353 %	7189,7326 litre	O

1000	CM	125	CM	198 LEVEL CM	41695,4386 litre	84,941 %	7391,9466 litre	O
1000	CM	125	CM	197 LEVEL CM	41491,7858 litre	84,526 %	7595,5994 litre	O
1000	CM	125	CM	196 LEVEL CM	41286,7236 litre	84,109 %	7800,6616 litre	O
1000	CM	125	CM	195 LEVEL CM	41080,2810 litre	83,688 %	8007,1042 litre	O
1000	CM	125	CM	194 LEVEL CM	40872,4866 litre	83,265 %	8214,8986 litre	O
1000	CM	125	CM	193 LEVEL CM	40663,3682 litre	82,839 %	8424,0170 litre	O
1000	CM	125	CM	192 LEVEL CM	40452,9531 litre	82,410 %	8634,4321 litre	O
1000	CM	125	CM	191 LEVEL CM	40241,2681 litre	81,979 %	8846,1171 litre	O
1000	CM	125	CM	190 LEVEL CM	40028,3396 litre	81,545 %	9059,0456 litre	O
1000	CM	125	CM	189 LEVEL CM	39814,1935 litre	81,109 %	9273,1917 litre	O
1000	CM	125	CM	188 LEVEL CM	39598,8553 litre	80,670 %	9488,5299 litre	O
1000	CM	125	CM	187 LEVEL CM	39382,3499 litre	80,229 %	9705,0353 litre	O
1000	CM	125	CM	186 LEVEL CM	39164,7022 litre	79,786 %	9922,6830 litre	O
1000	CM	125	CM	185 LEVEL CM	38945,9361 litre	79,340 %	10141,4491 litre	O
1000	CM	125	CM	184 LEVEL CM	38726,0758 litre	78,892 %	10361,3094 litre	O
1000	CM	125	CM	183 LEVEL CM	38505,1447 litre	78,442 %	10582,2405 litre	O
1000	CM	125	CM	182 LEVEL CM	38283,1659 litre	77,990 %	10804,2193 litre	O
1000	CM	125	CM	181 LEVEL CM	38060,1623 litre	77,536 %	11027,2229 litre	O
1000	CM	125	CM	180 LEVEL CM	37836,1566 litre	77,079 %	11251,2286 litre	O
1000	CM	125	CM	179 LEVEL CM	37611,1708 litre	76,621 %	11476,2144 litre	O
1000	CM	125	CM	178 LEVEL CM	37385,2270 litre	76,161 %	11702,1582 litre	O
1000	CM	125	CM	177 LEVEL CM	37158,3469 litre	75,698 %	11929,0383 litre	O
1000	CM	125	CM	176 LEVEL CM	36930,5518 litre	75,234 %	12156,8334 litre	O
1000	CM	125	CM	175 LEVEL CM	36701,8629 litre	74,768 %	12385,5223 litre	O
1000	CM	125	CM	174 LEVEL CM	36472,3012 litre	74,301 %	12615,0840 litre	O
1000	CM	125	CM	173 LEVEL CM	36241,8872 litre	73,831 %	12845,4980 litre	O
1000	CM	125	CM	172 LEVEL CM	36010,6414 litre	73,360 %	13076,7438 litre	O
1000	CM	125	CM	171 LEVEL CM	35778,5841 litre	72,888 %	13308,8011 litre	O
1000	CM	125	CM	170 LEVEL CM	35545,7351 litre	72,413 %	13541,6501 litre	O
1000	CM	125	CM	169 LEVEL CM	35312,1145 litre	71,937 %	13775,2707 litre	O
1000	CM	125	CM	168 LEVEL CM	35077,7417 litre	71,460 %	14009,6435 litre	O
1000	CM	125	CM	167 LEVEL CM	34842,6361 litre	70,981 %	14244,7491 litre	O
1000	CM	125	CM	166 LEVEL CM	34606,8170 litre	70,500 %	14480,5682 litre	O
1000	CM	125	CM	165 LEVEL CM	34370,3036 litre	70,019 %	14717,0816 litre	O
1000	CM	125	CM	164 LEVEL CM	34133,1145 litre	69,535 %	14954,2707 litre	O
1000	CM	125	CM	163 LEVEL CM	33895,2687 litre	69,051 %	15192,1165 litre	O
1000	CM	125	CM	162 LEVEL CM	33656,7847 litre	68,565 %	15430,6005 litre	O
1000	CM	125	CM	161 LEVEL CM	33417,6809 litre	68,078 %	15669,7043 litre	O
1000	CM	125	CM	160 LEVEL CM	33177,9756 litre	67,590 %	15909,4096 litre	O
1000	CM	125	CM	159 LEVEL CM	32937,6869 litre	67,100 %	16149,6983 litre	O
1000	CM	125	CM	158 LEVEL CM	32696,8329 litre	66,609 %	16390,5523 litre	O
1000	CM	125	CM	157 LEVEL CM	32455,4315 litre	66,118 %	16631,9537 litre	O
1000	CM	125	CM	156 LEVEL CM	32213,5004 litre	65,625 %	16873,8848 litre	O
1000	CM	125	CM	155 LEVEL CM	31971,0574 litre	65,131 %	17116,3278 litre	O
1000	CM	125	CM	154 LEVEL CM	31728,1198 litre	64,636 %	17359,2654 litre	O
1000	CM	125	CM	153 LEVEL CM	31484,7053 litre	64,140 %	17602,6799 litre	O
1000	CM	125	CM	152 LEVEL CM	31240,8310 litre	63,643 %	17846,5542 litre	O
1000	CM	125	CM	151 LEVEL CM	30996,5143 litre	63,146 %	18090,8709 litre	O
1000	CM	125	CM	150 LEVEL CM	30751,7723 litre	62,647 %	18335,6129 litre	O
1000	CM	125	CM	149 LEVEL CM	30506,6220 litre	62,148 %	18580,7632 litre	O
1000	CM	125	CM	148 LEVEL CM	30261,0805 litre	61,647 %	18826,3047 litre	O
1000	CM	125	CM	147 LEVEL CM	30015,1645 litre	61,146 %	19072,2207 litre	O
1000	CM	125	CM	146 LEVEL CM	29768,8910 litre	60,645 %	19318,4942 litre	O

1000	CM	125	CM	145 LEVEL CM	29522,2766 litre	60,142 %	19565,1086 litre	O
1000	CM	125	CM	144 LEVEL CM	29275,3380 litre	59,639 %	19812,0472 litre	O
1000	CM	125	CM	143 LEVEL CM	29028,0919 litre	59,136 %	20059,2933 litre	O
1000	CM	125	CM	142 LEVEL CM	28780,5547 litre	58,631 %	20306,8305 litre	O
1000	CM	125	CM	141 LEVEL CM	28532,7429 litre	58,126 %	20554,6423 litre	O
1000	CM	125	CM	140 LEVEL CM	28284,6731 litre	57,621 %	20802,7121 litre	O
1000	CM	125	CM	139 LEVEL CM	28036,3614 litre	57,115 %	21051,0238 litre	O
1000	CM	125	CM	138 LEVEL CM	27787,8244 litre	56,609 %	21299,5608 litre	O
1000	CM	125	CM	137 LEVEL CM	27539,0782 litre	56,102 %	21548,3070 litre	O
1000	CM	125	CM	136 LEVEL CM	27290,1391 litre	55,595 %	21797,2461 litre	O
1000	CM	125	CM	135 LEVEL CM	27041,0234 litre	55,088 %	22046,3618 litre	O
1000	CM	125	CM	134 LEVEL CM	26791,7471 litre	54,580 %	22295,6381 litre	O
1000	CM	125	CM	133 LEVEL CM	26542,3264 litre	54,072 %	22545,0588 litre	O
1000	CM	125	CM	132 LEVEL CM	26292,7775 litre	53,563 %	22794,6077 litre	O
1000	CM	125	CM	131 LEVEL CM	26043,1164 litre	53,055 %	23044,2688 litre	O
1000	CM	125	CM	130 LEVEL CM	25793,3592 litre	52,546 %	23294,0260 litre	O
1000	CM	125	CM	129 LEVEL CM	25543,5219 litre	52,037 %	23543,8633 litre	O
1000	CM	125	CM	128 LEVEL CM	25293,6206 litre	51,528 %	23793,7646 litre	O
1000	CM	125	CM	127 LEVEL CM	25043,6713 litre	51,019 %	24043,7139 litre	O
1000	CM	125	CM	126 LEVEL CM	24793,6899 litre	50,509 %	24293,6953 litre	O
1000	CM	125	CM	125 LEVEL CM	24543,6926 litre	50,000 %	24543,6926 litre	O
1000	CM	125	CM	124 LEVEL CM	24293,6953 litre	49,491 %	24793,6899 litre	O
1000	CM	125	CM	123 LEVEL CM	24043,7139 litre	48,981 %	25043,6713 litre	O
1000	CM	125	CM	122 LEVEL CM	23793,7646 litre	48,472 %	25293,6206 litre	O
1000	CM	125	CM	121 LEVEL CM	23543,8633 litre	47,963 %	25543,5219 litre	O
1000	CM	125	CM	120 LEVEL CM	23294,0260 litre	47,454 %	25793,3592 litre	O
1000	CM	125	CM	119 LEVEL CM	23044,2688 litre	46,945 %	26043,1164 litre	O
1000	CM	125	CM	118 LEVEL CM	22794,6077 litre	46,437 %	26292,7775 litre	O
1000	CM	125	CM	117 LEVEL CM	22545,0588 litre	45,928 %	26542,3264 litre	O
1000	CM	125	CM	116 LEVEL CM	22295,6381 litre	45,420 %	26791,7471 litre	O
1000	CM	125	CM	115 LEVEL CM	22046,3618 litre	44,912 %	27041,0234 litre	O
1000	CM	125	CM	114 LEVEL CM	21797,2461 litre	44,405 %	27290,1391 litre	O
1000	CM	125	CM	113 LEVEL CM	21548,3070 litre	43,898 %	27539,0782 litre	O
1000	CM	125	CM	112 LEVEL CM	21299,5608 litre	43,391 %	27787,8244 litre	O
1000	CM	125	CM	111 LEVEL CM	21051,0238 litre	42,885 %	28036,3614 litre	O
1000	CM	125	CM	110 LEVEL CM	20802,7121 litre	42,379 %	28284,6731 litre	O
1000	CM	125	CM	109 LEVEL CM	20554,6423 litre	41,874 %	28532,7429 litre	O
1000	CM	125	CM	108 LEVEL CM	20306,8305 litre	41,369 %	28780,5547 litre	O
1000	CM	125	CM	107 LEVEL CM	20059,2933 litre	40,864 %	29028,0919 litre	O
1000	CM	125	CM	106 LEVEL CM	19812,0472 litre	40,361 %	29275,3380 litre	O
1000	CM	125	CM	105 LEVEL CM	19565,1086 litre	39,858 %	29522,2766 litre	O
1000	CM	125	CM	104 LEVEL CM	19318,4942 litre	39,355 %	29768,8910 litre	O
1000	CM	125	CM	103 LEVEL CM	19072,2207 litre	38,854 %	30015,1645 litre	O
1000	CM	125	CM	102 LEVEL CM	18826,3047 litre	38,353 %	30261,0805 litre	O
1000	CM	125	CM	101 LEVEL CM	18580,7632 litre	37,852 %	30506,6220 litre	O
1000	CM	125	CM	100 LEVEL CM	18335,6129 litre	37,353 %	30751,7723 litre	O
1000	CM	125	CM	99 LEVEL CM	18090,8709 litre	36,854 %	30996,5143 litre	O
1000	CM	125	CM	98 LEVEL CM	17846,5542 litre	36,357 %	31240,8310 litre	O
1000	CM	125	CM	97 LEVEL CM	17602,6800 litre	35,860 %	31484,7052 litre	O
1000	CM	125	CM	96 LEVEL CM	17359,2654 litre	35,364 %	31728,1198 litre	O
1000	CM	125	CM	95 LEVEL CM	17116,3279 litre	34,869 %	31971,0573 litre	O
1000	CM	125	CM	94 LEVEL CM	16873,8848 litre	34,375 %	32213,5004 litre	O
1000	CM	125	CM	93 LEVEL CM	16631,9537 litre	33,882 %	32455,4315 litre	O

1000	CM	125	CM	92 LEVEL CM	16390,5523 litre	33,391 %	32696,8329 litre	O
1000	CM	125	CM	91 LEVEL CM	16149,6983 litre	32,900 %	32937,6869 litre	O
1000	CM	125	CM	90 LEVEL CM	15909,4096 litre	32,410 %	33177,9756 litre	O
1000	CM	125	CM	89 LEVEL CM	15669,7043 litre	31,922 %	33417,6809 litre	O
1000	CM	125	CM	88 LEVEL CM	15430,6005 litre	31,435 %	33656,7847 litre	O
1000	CM	125	CM	87 LEVEL CM	15192,1165 litre	30,949 %	33895,2687 litre	O
1000	CM	125	CM	86 LEVEL CM	14954,2707 litre	30,465 %	34133,1145 litre	O
1000	CM	125	CM	85 LEVEL CM	14717,0817 litre	29,981 %	34370,3035 litre	O
1000	CM	125	CM	84 LEVEL CM	14480,5682 litre	29,500 %	34606,8170 litre	O
1000	CM	125	CM	83 LEVEL CM	14244,7491 litre	29,019 %	34842,6361 litre	O
1000	CM	125	CM	82 LEVEL CM	14009,6436 litre	28,540 %	35077,7416 litre	O
1000	CM	125	CM	81 LEVEL CM	13775,2707 litre	28,063 %	35312,1145 litre	O
1000	CM	125	CM	80 LEVEL CM	13541,6501 litre	27,587 %	35545,7351 litre	O
1000	CM	125	CM	79 LEVEL CM	13308,8012 litre	27,112 %	35778,5840 litre	O
1000	CM	125	CM	78 LEVEL CM	13076,7438 litre	26,640 %	36010,6414 litre	O
1000	CM	125	CM	77 LEVEL CM	12845,4980 litre	26,169 %	36241,8872 litre	O
1000	CM	125	CM	76 LEVEL CM	12615,0840 litre	25,699 %	36472,3012 litre	O
1000	CM	125	CM	75 LEVEL CM	12385,5223 litre	25,232 %	36701,8629 litre	O
1000	CM	125	CM	74 LEVEL CM	12156,8334 litre	24,766 %	36930,5518 litre	O
1000	CM	125	CM	73 LEVEL CM	11929,0383 litre	24,302 %	37158,3469 litre	O
1000	CM	125	CM	72 LEVEL CM	11702,1582 litre	23,839 %	37385,2270 litre	O
1000	CM	125	CM	71 LEVEL CM	11476,2144 litre	23,379 %	37611,1708 litre	O
1000	CM	125	CM	70 LEVEL CM	11251,2286 litre	22,921 %	37836,1566 litre	O
1000	CM	125	CM	69 LEVEL CM	11027,2229 litre	22,464 %	38060,1623 litre	O
1000	CM	125	CM	68 LEVEL CM	10804,2193 litre	22,010 %	38283,1659 litre	O
1000	CM	125	CM	67 LEVEL CM	10582,2406 litre	21,558 %	38505,1446 litre	O
1000	CM	125	CM	66 LEVEL CM	10361,3094 litre	21,108 %	38726,0758 litre	O
1000	CM	125	CM	65 LEVEL CM	10141,4491 litre	20,660 %	38945,9361 litre	O
1000	CM	125	CM	64 LEVEL CM	9922,6831 litre	20,214 %	39164,7021 litre	O
1000	CM	125	CM	63 LEVEL CM	9705,0353 litre	19,771 %	39382,3499 litre	O
1000	CM	125	CM	62 LEVEL CM	9488,5299 litre	19,330 %	39598,8553 litre	O
1000	CM	125	CM	61 LEVEL CM	9273,1917 litre	18,891 %	39814,1935 litre	O
1000	CM	125	CM	60 LEVEL CM	9059,0456 litre	18,455 %	40028,3396 litre	O
1000	CM	125	CM	59 LEVEL CM	8846,1172 litre	18,021 %	40241,2680 litre	O
1000	CM	125	CM	58 LEVEL CM	8634,4322 litre	17,590 %	40452,9530 litre	O
1000	CM	125	CM	57 LEVEL CM	8424,0170 litre	17,161 %	40663,3682 litre	O
1000	CM	125	CM	56 LEVEL CM	8214,8986 litre	16,735 %	40872,4866 litre	O
1000	CM	125	CM	55 LEVEL CM	8007,1042 litre	16,312 %	41080,2810 litre	O
1000	CM	125	CM	54 LEVEL CM	7800,6617 litre	15,891 %	41286,7235 litre	O
1000	CM	125	CM	53 LEVEL CM	7595,5995 litre	15,474 %	41491,7857 litre	O
1000	CM	125	CM	52 LEVEL CM	7391,9466 litre	15,059 %	41695,4386 litre	O
1000	CM	125	CM	51 LEVEL CM	7189,7326 litre	14,647 %	41897,6526 litre	O
1000	CM	125	CM	50 LEVEL CM	6988,9878 litre	14,238 %	42098,3974 litre	O
1000	CM	125	CM	49 LEVEL CM	6789,7430 litre	13,832 %	42297,6422 litre	O
1000	CM	125	CM	48 LEVEL CM	6592,0299 litre	13,429 %	42495,3553 litre	O
1000	CM	125	CM	47 LEVEL CM	6395,8809 litre	13,030 %	42691,5043 litre	O
1000	CM	125	CM	46 LEVEL CM	6201,3289 litre	12,633 %	42886,0563 litre	O
1000	CM	125	CM	45 LEVEL CM	6008,4081 litre	12,240 %	43078,9771 litre	O
1000	CM	125	CM	44 LEVEL CM	5817,1532 litre	11,851 %	43270,2320 litre	O
1000	CM	125	CM	43 LEVEL CM	5627,6000 litre	11,464 %	43459,7852 litre	O
1000	CM	125	CM	42 LEVEL CM	5439,7852 litre	11,082 %	43647,6000 litre	O
1000	CM	125	CM	41 LEVEL CM	5253,7465 litre	10,703 %	43833,6387 litre	O
1000	CM	125	CM	40 LEVEL CM	5069,5228 litre	10,328 %	44017,8624 litre	O

1000	CM	125	CM	39 LEVEL CM	4887,1540 litre	9,956 %	44200,2312 litre	O
1000	CM	125	CM	38 LEVEL CM	4706,6814 litre	9,588 %	44380,7038 litre	O
1000	CM	125	CM	37 LEVEL CM	4528,1475 litre	9,225 %	44559,2377 litre	O
1000	CM	125	CM	36 LEVEL CM	4351,5963 litre	8,865 %	44735,7889 litre	O
1000	CM	125	CM	35 LEVEL CM	4177,0732 litre	8,509 %	44910,3120 litre	O
1000	CM	125	CM	34 LEVEL CM	4004,6252 litre	8,158 %	45082,7600 litre	O
1000	CM	125	CM	33 LEVEL CM	3834,3012 litre	7,811 %	45253,0840 litre	O
1000	CM	125	CM	32 LEVEL CM	3666,1516 litre	7,469 %	45421,2336 litre	O
1000	CM	125	CM	31 LEVEL CM	3500,2292 litre	7,131 %	45587,1560 litre	O
1000	CM	125	CM	30 LEVEL CM	3336,5887 litre	6,797 %	45750,7965 litre	O
1000	CM	125	CM	29 LEVEL CM	3175,2871 litre	6,469 %	45912,0981 litre	O
1000	CM	125	CM	28 LEVEL CM	3016,3841 litre	6,145 %	46071,0011 litre	O
1000	CM	125	CM	27 LEVEL CM	2859,9419 litre	5,826 %	46227,4433 litre	O
1000	CM	125	CM	26 LEVEL CM	2706,0260 litre	5,513 %	46381,3592 litre	O
1000	CM	125	CM	25 LEVEL CM	2554,7048 litre	5,204 %	46532,6804 litre	O
1000	CM	125	CM	24 LEVEL CM	2406,0507 litre	4,902 %	46681,3345 litre	O
1000	CM	125	CM	23 LEVEL CM	2260,1397 litre	4,604 %	46827,2455 litre	O
1000	CM	125	CM	22 LEVEL CM	2117,0523 litre	4,313 %	46970,3329 litre	O
1000	CM	125	CM	21 LEVEL CM	1976,8741 litre	4,027 %	47110,5111 litre	O
1000	CM	125	CM	20 LEVEL CM	1839,6958 litre	3,748 %	47247,6894 litre	O
1000	CM	125	CM	19 LEVEL CM	1705,6143 litre	3,475 %	47381,7709 litre	O
1000	CM	125	CM	18 LEVEL CM	1574,7335 litre	3,208 %	47512,6517 litre	O
1000	CM	125	CM	17 LEVEL CM	1447,1650 litre	2,948 %	47640,2202 litre	O
1000	CM	125	CM	16 LEVEL CM	1323,0294 litre	2,695 %	47764,3558 litre	O
1000	CM	125	CM	15 LEVEL CM	1202,4576 litre	2,450 %	47884,9276 litre	O
1000	CM	125	CM	14 LEVEL CM	1085,5924 litre	2,212 %	48001,7928 litre	O
1000	CM	125	CM	13 LEVEL CM	972,5907 litre	1,981 %	48114,7945 litre	O
1000	CM	125	CM	12 LEVEL CM	863,6263 litre	1,759 %	48223,7589 litre	O
1000	CM	125	CM	11 LEVEL CM	758,8929 litre	1,546 %	48328,4923 litre	O
1000	CM	125	CM	10 LEVEL CM	658,6086 litre	1,342 %	48428,7766 litre	O
1000	CM	125	CM	9 LEVEL CM	563,0224 litre	1,147 %	48524,3628 litre	O
1000	CM	125	CM	8 LEVEL CM	472,4219 litre	0,962 %	48614,9633 litre	O
1000	CM	125	CM	7 LEVEL CM	387,1451 litre	0,789 %	48700,2401 litre	O
1000	CM	125	CM	6 LEVEL CM	307,5982 litre	0,627 %	48779,7870 litre	O
1000	CM	125	CM	5 LEVEL CM	234,2830 litre	0,477 %	48853,1022 litre	O
1000	CM	125	CM	4 LEVEL CM	167,8429 litre	0,342 %	48919,5423 litre	O
1000	CM	125	CM	3 LEVEL CM	109,1493 litre	0,222 %	48978,2359 litre	O
1000	CM	125	CM	2 LEVEL CM	59,4852 litre	0,121 %	49027,9000 litre	O
1000	CM	125	CM	1 LEVEL CM	21,0565 litre	0,043 %	49066,3287 litre	O
1000	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	49087,3852 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM	120	CM 240 LEVEL CM	45238,9342 litre	100,000 %	0,0000 litre	O
1000	CM	120	CM 239 LEVEL CM	45218,3041 litre	99,954 %	20,6301 litre	O
1000	CM	120	CM 238 LEVEL CM	45180,6567 litre	99,871 %	58,2775 litre	O
1000	CM	120	CM 237 LEVEL CM	45132,0063 litre	99,764 %	106,9279 litre	O
1000	CM	120	CM 236 LEVEL CM	45074,5156 litre	99,637 %	164,4186 litre	O
1000	CM	120	CM 235 LEVEL CM	45009,4429 litre	99,493 %	229,4913 litre	O
1000	CM	120	CM 234 LEVEL CM	44937,6427 litre	99,334 %	301,2915 litre	O
1000	CM	120	CM 233 LEVEL CM	44859,7464 litre	99,162 %	379,1878 litre	O
1000	CM	120	CM 232 LEVEL CM	44776,2464 litre	98,977 %	462,6878 litre	O
1000	CM	120	CM 231 LEVEL CM	44687,5415 litre	98,781 %	551,3927 litre	O
1000	CM	120	CM 230 LEVEL CM	44593,9637 litre	98,574 %	644,9705 litre	O
1000	CM	120	CM 229 LEVEL CM	44495,7954 litre	98,357 %	743,1388 litre	O
1000	CM	120	CM 228 LEVEL CM	44393,2812 litre	98,131 %	845,6530 litre	O
1000	CM	120	CM 227 LEVEL CM	44286,6354 litre	97,895 %	952,2988 litre	O
1000	CM	120	CM 226 LEVEL CM	44176,0487 litre	97,651 %	1062,8855 litre	O
1000	CM	120	CM 225 LEVEL CM	44061,6916 litre	97,398 %	1177,2426 litre	O
1000	CM	120	CM 224 LEVEL CM	43943,7187 litre	97,137 %	1295,2155 litre	O
1000	CM	120	CM 223 LEVEL CM	43822,2703 litre	96,868 %	1416,6639 litre	O
1000	CM	120	CM 222 LEVEL CM	43697,4754 litre	96,593 %	1541,4588 litre	O
1000	CM	120	CM 221 LEVEL CM	43569,4527 litre	96,310 %	1669,4815 litre	O
1000	CM	120	CM 220 LEVEL CM	43438,3120 litre	96,020 %	1800,6222 litre	O
1000	CM	120	CM 219 LEVEL CM	43304,1556 litre	95,723 %	1934,7786 litre	O
1000	CM	120	CM 218 LEVEL CM	43167,0790 litre	95,420 %	2071,8552 litre	O
1000	CM	120	CM 217 LEVEL CM	43027,1719 litre	95,111 %	2211,7623 litre	O
1000	CM	120	CM 216 LEVEL CM	42884,5182 litre	94,796 %	2354,4160 litre	O
1000	CM	120	CM 215 LEVEL CM	42739,1976 litre	94,474 %	2499,7366 litre	O
1000	CM	120	CM 214 LEVEL CM	42591,2850 litre	94,147 %	2647,6492 litre	O
1000	CM	120	CM 213 LEVEL CM	42440,8518 litre	93,815 %	2798,0824 litre	O
1000	CM	120	CM 212 LEVEL CM	42287,9657 litre	93,477 %	2950,9685 litre	O
1000	CM	120	CM 211 LEVEL CM	42132,6911 litre	93,134 %	3106,2431 litre	O
1000	CM	120	CM 210 LEVEL CM	41975,0896 litre	92,785 %	3263,8446 litre	O
1000	CM	120	CM 209 LEVEL CM	41815,2201 litre	92,432 %	3423,7141 litre	O
1000	CM	120	CM 208 LEVEL CM	41653,1391 litre	92,074 %	3585,7951 litre	O
1000	CM	120	CM 207 LEVEL CM	41488,9005 litre	91,711 %	3750,0337 litre	O
1000	CM	120	CM 206 LEVEL CM	41322,5566 litre	91,343 %	3916,3776 litre	O
1000	CM	120	CM 205 LEVEL CM	41154,1573 litre	90,971 %	4084,7769 litre	O
1000	CM	120	CM 204 LEVEL CM	40983,7509 litre	90,594 %	4255,1833 litre	O
1000	CM	120	CM 203 LEVEL CM	40811,3840 litre	90,213 %	4427,5502 litre	O
1000	CM	120	CM 202 LEVEL CM	40637,1016 litre	89,828 %	4601,8326 litre	O
1000	CM	120	CM 201 LEVEL CM	40460,9471 litre	89,438 %	4777,9871 litre	O
1000	CM	120	CM 200 LEVEL CM	40282,9629 litre	89,045 %	4955,9713 litre	O
1000	CM	120	CM 199 LEVEL CM	40103,1897 litre	88,648 %	5135,7445 litre	O
1000	CM	120	CM 198 LEVEL CM	39921,6672 litre	88,246 %	5317,2670 litre	O
1000	CM	120	CM 197 LEVEL CM	39738,4339 litre	87,841 %	5500,5003 litre	O
1000	CM	120	CM 196 LEVEL CM	39553,5274 litre	87,432 %	5685,4068 litre	O
1000	CM	120	CM 195 LEVEL CM	39366,9839 litre	87,020 %	5871,9503 litre	O
1000	CM	120	CM 194 LEVEL CM	39178,8392 litre	86,604 %	6060,0950 litre	O
1000	CM	120	CM 193 LEVEL CM	38989,1276 litre	86,185 %	6249,8066 litre	O
1000	CM	120	CM 192 LEVEL CM	38797,8831 litre	85,762 %	6441,0511 litre	O
1000	CM	120	CM 191 LEVEL CM	38605,1385 litre	85,336 %	6633,7957 litre	O
1000	CM	120	CM 190 LEVEL CM	38410,9260 litre	84,907 %	6828,0082 litre	O
1000	CM	120	CM 189 LEVEL CM	38215,2771 litre	84,474 %	7023,6571 litre	O

1000	CM	120	CM	188 LEVEL CM	38018,2225 litre	84,039 %	7220,7117 litre	O
1000	CM	120	CM	187 LEVEL CM	37819,7924 litre	83,600 %	7419,1418 litre	O
1000	CM	120	CM	186 LEVEL CM	37620,0162 litre	83,158 %	7618,9180 litre	O
1000	CM	120	CM	185 LEVEL CM	37418,9229 litre	82,714 %	7820,0113 litre	O
1000	CM	120	CM	184 LEVEL CM	37216,5407 litre	82,267 %	8022,3935 litre	O
1000	CM	120	CM	183 LEVEL CM	37012,8976 litre	81,816 %	8226,0366 litre	O
1000	CM	120	CM	182 LEVEL CM	36808,0207 litre	81,364 %	8430,9135 litre	O
1000	CM	120	CM	181 LEVEL CM	36601,9368 litre	80,908 %	8636,9974 litre	O
1000	CM	120	CM	180 LEVEL CM	36394,6724 litre	80,450 %	8844,2618 litre	O
1000	CM	120	CM	179 LEVEL CM	36186,2532 litre	79,989 %	9052,6810 litre	O
1000	CM	120	CM	178 LEVEL CM	35976,7047 litre	79,526 %	9262,2295 litre	O
1000	CM	120	CM	177 LEVEL CM	35766,0520 litre	79,060 %	9472,8822 litre	O
1000	CM	120	CM	176 LEVEL CM	35554,3197 litre	78,592 %	9684,6145 litre	O
1000	CM	120	CM	175 LEVEL CM	35341,5321 litre	78,122 %	9897,4021 litre	O
1000	CM	120	CM	174 LEVEL CM	35127,7130 litre	77,649 %	10111,2212 litre	O
1000	CM	120	CM	173 LEVEL CM	34912,8862 litre	77,174 %	10326,0480 litre	O
1000	CM	120	CM	172 LEVEL CM	34697,0747 litre	76,697 %	10541,8595 litre	O
1000	CM	120	CM	171 LEVEL CM	34480,3016 litre	76,218 %	10758,6326 litre	O
1000	CM	120	CM	170 LEVEL CM	34262,5894 litre	75,737 %	10976,3448 litre	O
1000	CM	120	CM	169 LEVEL CM	34043,9605 litre	75,254 %	11194,9737 litre	O
1000	CM	120	CM	168 LEVEL CM	33824,4369 litre	74,768 %	11414,4973 litre	O
1000	CM	120	CM	167 LEVEL CM	33604,0404 litre	74,281 %	11634,8938 litre	O
1000	CM	120	CM	166 LEVEL CM	33382,7926 litre	73,792 %	11856,1416 litre	O
1000	CM	120	CM	165 LEVEL CM	33160,7146 litre	73,301 %	12078,2196 litre	O
1000	CM	120	CM	164 LEVEL CM	32937,8276 litre	72,809 %	12301,1066 litre	O
1000	CM	120	CM	163 LEVEL CM	32714,1524 litre	72,314 %	12524,7818 litre	O
1000	CM	120	CM	162 LEVEL CM	32489,7095 litre	71,818 %	12749,2247 litre	O
1000	CM	120	CM	161 LEVEL CM	32264,5193 litre	71,320 %	12974,4149 litre	O
1000	CM	120	CM	160 LEVEL CM	32038,6020 litre	70,821 %	13200,3322 litre	O
1000	CM	120	CM	159 LEVEL CM	31811,9776 litre	70,320 %	13426,9566 litre	O
1000	CM	120	CM	158 LEVEL CM	31584,6658 litre	69,817 %	13654,2684 litre	O
1000	CM	120	CM	157 LEVEL CM	31356,6864 litre	69,313 %	13882,2478 litre	O
1000	CM	120	CM	156 LEVEL CM	31128,0587 litre	68,808 %	14110,8755 litre	O
1000	CM	120	CM	155 LEVEL CM	30898,8020 litre	68,301 %	14340,1322 litre	O
1000	CM	120	CM	154 LEVEL CM	30668,9354 litre	67,793 %	14569,9988 litre	O
1000	CM	120	CM	153 LEVEL CM	30438,4780 litre	67,284 %	14800,4562 litre	O
1000	CM	120	CM	152 LEVEL CM	30207,4484 litre	66,773 %	15031,4858 litre	O
1000	CM	120	CM	151 LEVEL CM	29975,8655 litre	66,261 %	15263,0687 litre	O
1000	CM	120	CM	150 LEVEL CM	29743,7478 litre	65,748 %	15495,1864 litre	O
1000	CM	120	CM	149 LEVEL CM	29511,1136 litre	65,234 %	15727,8206 litre	O
1000	CM	120	CM	148 LEVEL CM	29277,9814 litre	64,719 %	15960,9528 litre	O
1000	CM	120	CM	147 LEVEL CM	29044,3692 litre	64,202 %	16194,5650 litre	O
1000	CM	120	CM	146 LEVEL CM	28810,2952 litre	63,685 %	16428,6390 litre	O
1000	CM	120	CM	145 LEVEL CM	28575,7773 litre	63,166 %	16663,1569 litre	O
1000	CM	120	CM	144 LEVEL CM	28340,8333 litre	62,647 %	16898,1009 litre	O
1000	CM	120	CM	143 LEVEL CM	28105,4812 litre	62,127 %	17133,4530 litre	O
1000	CM	120	CM	142 LEVEL CM	27869,7384 litre	61,606 %	17369,1958 litre	O
1000	CM	120	CM	141 LEVEL CM	27633,6226 litre	61,084 %	17605,3116 litre	O
1000	CM	120	CM	140 LEVEL CM	27397,1514 litre	60,561 %	17841,7828 litre	O
1000	CM	120	CM	139 LEVEL CM	27160,3420 litre	60,038 %	18078,5922 litre	O
1000	CM	120	CM	138 LEVEL CM	26923,2120 litre	59,513 %	18315,7222 litre	O
1000	CM	120	CM	137 LEVEL CM	26685,7785 litre	58,989 %	18553,1557 litre	O
1000	CM	120	CM	136 LEVEL CM	26448,0588 litre	58,463 %	18790,8754 litre	O

1000	CM	120	CM	135 LEVEL CM	26210,0700 litre	57,937 %	19028,8642 litre	O
1000	CM	120	CM	134 LEVEL CM	25971,8292 litre	57,410 %	19267,1050 litre	O
1000	CM	120	CM	133 LEVEL CM	25733,3535 litre	56,883 %	19505,5807 litre	O
1000	CM	120	CM	132 LEVEL CM	25494,6599 litre	56,356 %	19744,2743 litre	O
1000	CM	120	CM	131 LEVEL CM	25255,7652 litre	55,827 %	19983,1690 litre	O
1000	CM	120	CM	130 LEVEL CM	25016,6864 litre	55,299 %	20222,2478 litre	O
1000	CM	120	CM	129 LEVEL CM	24777,4404 litre	54,770 %	20461,4938 litre	O
1000	CM	120	CM	128 LEVEL CM	24538,0439 litre	54,241 %	20700,8903 litre	O
1000	CM	120	CM	127 LEVEL CM	24298,5138 litre	53,712 %	20940,4204 litre	O
1000	CM	120	CM	126 LEVEL CM	24058,8669 litre	53,182 %	21180,0673 litre	O
1000	CM	120	CM	125 LEVEL CM	23819,1198 litre	52,652 %	21419,8144 litre	O
1000	CM	120	CM	124 LEVEL CM	23579,2893 litre	52,122 %	21659,6449 litre	O
1000	CM	120	CM	123 LEVEL CM	23339,3921 litre	51,591 %	21899,5421 litre	O
1000	CM	120	CM	122 LEVEL CM	23099,4449 litre	51,061 %	22139,4893 litre	O
1000	CM	120	CM	121 LEVEL CM	22859,4643 litre	50,531 %	22379,4699 litre	O
1000	CM	120	CM	120 LEVEL CM	22619,4671 litre	50,000 %	22619,4671 litre	O
1000	CM	120	CM	119 LEVEL CM	22379,4699 litre	49,469 %	22859,4643 litre	O
1000	CM	120	CM	118 LEVEL CM	22139,4893 litre	48,939 %	23099,4449 litre	O
1000	CM	120	CM	117 LEVEL CM	21899,5421 litre	48,409 %	23339,3921 litre	O
1000	CM	120	CM	116 LEVEL CM	21659,6449 litre	47,878 %	23579,2893 litre	O
1000	CM	120	CM	115 LEVEL CM	21419,8144 litre	47,348 %	23819,1198 litre	O
1000	CM	120	CM	114 LEVEL CM	21180,0673 litre	46,818 %	24058,8669 litre	O
1000	CM	120	CM	113 LEVEL CM	20940,4204 litre	46,288 %	24298,5138 litre	O
1000	CM	120	CM	112 LEVEL CM	20700,8903 litre	45,759 %	24538,0439 litre	O
1000	CM	120	CM	111 LEVEL CM	20461,4938 litre	45,230 %	24777,4404 litre	O
1000	CM	120	CM	110 LEVEL CM	20222,2478 litre	44,701 %	25016,6864 litre	O
1000	CM	120	CM	109 LEVEL CM	19983,1690 litre	44,173 %	25255,7652 litre	O
1000	CM	120	CM	108 LEVEL CM	19744,2743 litre	43,644 %	25494,6599 litre	O
1000	CM	120	CM	107 LEVEL CM	19505,5807 litre	43,117 %	25733,3535 litre	O
1000	CM	120	CM	106 LEVEL CM	19267,1050 litre	42,590 %	25971,8292 litre	O
1000	CM	120	CM	105 LEVEL CM	19028,8642 litre	42,063 %	26210,0700 litre	O
1000	CM	120	CM	104 LEVEL CM	18790,8754 litre	41,537 %	26448,0588 litre	O
1000	CM	120	CM	103 LEVEL CM	18553,1557 litre	41,011 %	26685,7785 litre	O
1000	CM	120	CM	102 LEVEL CM	18315,7222 litre	40,487 %	26923,2120 litre	O
1000	CM	120	CM	101 LEVEL CM	18078,5922 litre	39,962 %	27160,3420 litre	O
1000	CM	120	CM	100 LEVEL CM	17841,7829 litre	39,439 %	27397,1513 litre	O
1000	CM	120	CM	99 LEVEL CM	17605,3116 litre	38,916 %	27633,6226 litre	O
1000	CM	120	CM	98 LEVEL CM	17369,1958 litre	38,394 %	27869,7384 litre	O
1000	CM	120	CM	97 LEVEL CM	17133,4531 litre	37,873 %	28105,4811 litre	O
1000	CM	120	CM	96 LEVEL CM	16898,1009 litre	37,353 %	28340,8333 litre	O
1000	CM	120	CM	95 LEVEL CM	16663,1569 litre	36,834 %	28575,7773 litre	O
1000	CM	120	CM	94 LEVEL CM	16428,6390 litre	36,315 %	28810,2952 litre	O
1000	CM	120	CM	93 LEVEL CM	16194,5650 litre	35,798 %	29044,3692 litre	O
1000	CM	120	CM	92 LEVEL CM	15960,9528 litre	35,281 %	29277,9814 litre	O
1000	CM	120	CM	91 LEVEL CM	15727,8206 litre	34,766 %	29511,1136 litre	O
1000	CM	120	CM	90 LEVEL CM	15495,1864 litre	34,252 %	29743,7478 litre	O
1000	CM	120	CM	89 LEVEL CM	15263,0687 litre	33,739 %	29975,8655 litre	O
1000	CM	120	CM	88 LEVEL CM	15031,4858 litre	33,227 %	30207,4484 litre	O
1000	CM	120	CM	87 LEVEL CM	14800,4563 litre	32,716 %	30438,4779 litre	O
1000	CM	120	CM	86 LEVEL CM	14569,9988 litre	32,207 %	30668,9354 litre	O
1000	CM	120	CM	85 LEVEL CM	14340,1322 litre	31,699 %	30898,8020 litre	O
1000	CM	120	CM	84 LEVEL CM	14110,8755 litre	31,192 %	31128,0587 litre	O
1000	CM	120	CM	83 LEVEL CM	13882,2478 litre	30,687 %	31356,6864 litre	O

1000	CM	120	CM	82 LEVEL CM	13654,2684 litre	30,183 %	31584,6658 litre	O
1000	CM	120	CM	81 LEVEL CM	13426,9566 litre	29,680 %	31811,9776 litre	O
1000	CM	120	CM	80 LEVEL CM	13200,3322 litre	29,179 %	32038,6020 litre	O
1000	CM	120	CM	79 LEVEL CM	12974,4149 litre	28,680 %	32264,5193 litre	O
1000	CM	120	CM	78 LEVEL CM	12749,2247 litre	28,182 %	32489,7095 litre	O
1000	CM	120	CM	77 LEVEL CM	12524,7818 litre	27,686 %	32714,1524 litre	O
1000	CM	120	CM	76 LEVEL CM	12301,1066 litre	27,191 %	32937,8276 litre	O
1000	CM	120	CM	75 LEVEL CM	12078,2196 litre	26,699 %	33160,7146 litre	O
1000	CM	120	CM	74 LEVEL CM	11856,1416 litre	26,208 %	33382,7926 litre	O
1000	CM	120	CM	73 LEVEL CM	11634,8938 litre	25,719 %	33604,0404 litre	O
1000	CM	120	CM	72 LEVEL CM	11414,4973 litre	25,232 %	33824,4369 litre	O
1000	CM	120	CM	71 LEVEL CM	11194,9737 litre	24,746 %	34043,9605 litre	O
1000	CM	120	CM	70 LEVEL CM	10976,3448 litre	24,263 %	34262,5894 litre	O
1000	CM	120	CM	69 LEVEL CM	10758,6327 litre	23,782 %	34480,3015 litre	O
1000	CM	120	CM	68 LEVEL CM	10541,8595 litre	23,303 %	34697,0747 litre	O
1000	CM	120	CM	67 LEVEL CM	10326,0481 litre	22,826 %	34912,8861 litre	O
1000	CM	120	CM	66 LEVEL CM	10111,2212 litre	22,351 %	35127,7130 litre	O
1000	CM	120	CM	65 LEVEL CM	9897,4022 litre	21,878 %	35341,5320 litre	O
1000	CM	120	CM	64 LEVEL CM	9684,6145 litre	21,408 %	35554,3197 litre	O
1000	CM	120	CM	63 LEVEL CM	9472,8822 litre	20,940 %	35766,0520 litre	O
1000	CM	120	CM	62 LEVEL CM	9262,2295 litre	20,474 %	35976,7047 litre	O
1000	CM	120	CM	61 LEVEL CM	9052,6810 litre	20,011 %	36186,2532 litre	O
1000	CM	120	CM	60 LEVEL CM	8844,2618 litre	19,550 %	36394,6724 litre	O
1000	CM	120	CM	59 LEVEL CM	8636,9974 litre	19,092 %	36601,9368 litre	O
1000	CM	120	CM	58 LEVEL CM	8430,9135 litre	18,636 %	36808,0207 litre	O
1000	CM	120	CM	57 LEVEL CM	8226,0366 litre	18,184 %	37012,8976 litre	O
1000	CM	120	CM	56 LEVEL CM	8022,3935 litre	17,733 %	37216,5407 litre	O
1000	CM	120	CM	55 LEVEL CM	7820,0113 litre	17,286 %	37418,9229 litre	O
1000	CM	120	CM	54 LEVEL CM	7618,9180 litre	16,842 %	37620,0162 litre	O
1000	CM	120	CM	53 LEVEL CM	7419,1418 litre	16,400 %	37819,7924 litre	O
1000	CM	120	CM	52 LEVEL CM	7220,7117 litre	15,961 %	38018,2225 litre	O
1000	CM	120	CM	51 LEVEL CM	7023,6572 litre	15,526 %	38215,2770 litre	O
1000	CM	120	CM	50 LEVEL CM	6828,0082 litre	15,093 %	38410,9260 litre	O
1000	CM	120	CM	49 LEVEL CM	6633,7957 litre	14,664 %	38605,1385 litre	O
1000	CM	120	CM	48 LEVEL CM	6441,0511 litre	14,238 %	38797,8831 litre	O
1000	CM	120	CM	47 LEVEL CM	6249,8066 litre	13,815 %	38989,1276 litre	O
1000	CM	120	CM	46 LEVEL CM	6060,0951 litre	13,396 %	39178,8391 litre	O
1000	CM	120	CM	45 LEVEL CM	5871,9503 litre	12,980 %	39366,9839 litre	O
1000	CM	120	CM	44 LEVEL CM	5685,4069 litre	12,568 %	39553,5273 litre	O
1000	CM	120	CM	43 LEVEL CM	5500,5003 litre	12,159 %	39738,4339 litre	O
1000	CM	120	CM	42 LEVEL CM	5317,2670 litre	11,754 %	39921,6672 litre	O
1000	CM	120	CM	41 LEVEL CM	5135,7445 litre	11,352 %	40103,1897 litre	O
1000	CM	120	CM	40 LEVEL CM	4955,9713 litre	10,955 %	40282,9629 litre	O
1000	CM	120	CM	39 LEVEL CM	4777,9871 litre	10,562 %	40460,9471 litre	O
1000	CM	120	CM	38 LEVEL CM	4601,8327 litre	10,172 %	40637,1015 litre	O
1000	CM	120	CM	37 LEVEL CM	4427,5502 litre	9,787 %	40811,3840 litre	O
1000	CM	120	CM	36 LEVEL CM	4255,1833 litre	9,406 %	40983,7509 litre	O
1000	CM	120	CM	35 LEVEL CM	4084,7769 litre	9,029 %	41154,1573 litre	O
1000	CM	120	CM	34 LEVEL CM	3916,3776 litre	8,657 %	41322,5566 litre	O
1000	CM	120	CM	33 LEVEL CM	3750,0337 litre	8,289 %	41488,9005 litre	O
1000	CM	120	CM	32 LEVEL CM	3585,7952 litre	7,926 %	41653,1390 litre	O
1000	CM	120	CM	31 LEVEL CM	3423,7141 litre	7,568 %	41815,2201 litre	O
1000	CM	120	CM	30 LEVEL CM	3263,8446 litre	7,215 %	41975,0896 litre	O

1000	CM	120	CM	29 LEVEL CM	3106,2431 litre	6,866 %	42132,6911 litre	O
1000	CM	120	CM	28 LEVEL CM	2950,9685 litre	6,523 %	42287,9657 litre	O
1000	CM	120	CM	27 LEVEL CM	2798,0824 litre	6,185 %	42440,8518 litre	O
1000	CM	120	CM	26 LEVEL CM	2647,6492 litre	5,853 %	42591,2850 litre	O
1000	CM	120	CM	25 LEVEL CM	2499,7366 litre	5,526 %	42739,1976 litre	O
1000	CM	120	CM	24 LEVEL CM	2354,4160 litre	5,204 %	42884,5182 litre	O
1000	CM	120	CM	23 LEVEL CM	2211,7623 litre	4,889 %	43027,1719 litre	O
1000	CM	120	CM	22 LEVEL CM	2071,8552 litre	4,580 %	43167,0790 litre	O
1000	CM	120	CM	21 LEVEL CM	1934,7786 litre	4,277 %	43304,1556 litre	O
1000	CM	120	CM	20 LEVEL CM	1800,6222 litre	3,980 %	43438,3120 litre	O
1000	CM	120	CM	19 LEVEL CM	1669,4815 litre	3,690 %	43569,4527 litre	O
1000	CM	120	CM	18 LEVEL CM	1541,4588 litre	3,407 %	43697,4754 litre	O
1000	CM	120	CM	17 LEVEL CM	1416,6639 litre	3,132 %	43822,2703 litre	O
1000	CM	120	CM	16 LEVEL CM	1295,2155 litre	2,863 %	43943,7187 litre	O
1000	CM	120	CM	15 LEVEL CM	1177,2426 litre	2,602 %	44061,6916 litre	O
1000	CM	120	CM	14 LEVEL CM	1062,8855 litre	2,349 %	44176,0487 litre	O
1000	CM	120	CM	13 LEVEL CM	952,2988 litre	2,105 %	44286,6354 litre	O
1000	CM	120	CM	12 LEVEL CM	845,6531 litre	1,869 %	44393,2811 litre	O
1000	CM	120	CM	11 LEVEL CM	743,1388 litre	1,643 %	44495,7954 litre	O
1000	CM	120	CM	10 LEVEL CM	644,9705 litre	1,426 %	44593,9637 litre	O
1000	CM	120	CM	9 LEVEL CM	551,3927 litre	1,219 %	44687,5415 litre	O
1000	CM	120	CM	8 LEVEL CM	462,6878 litre	1,023 %	44776,2464 litre	O
1000	CM	120	CM	7 LEVEL CM	379,1879 litre	0,838 %	44859,7463 litre	O
1000	CM	120	CM	6 LEVEL CM	301,2916 litre	0,666 %	44937,6426 litre	O
1000	CM	120	CM	5 LEVEL CM	229,4913 litre	0,507 %	45009,4429 litre	O
1000	CM	120	CM	4 LEVEL CM	164,4186 litre	0,363 %	45074,5156 litre	O
1000	CM	120	CM	3 LEVEL CM	106,9279 litre	0,236 %	45132,0063 litre	O
1000	CM	120	CM	2 LEVEL CM	58,2775 litre	0,129 %	45180,6567 litre	O
1000	CM	120	CM	1 LEVEL CM	20,6301 litre	0,046 %	45218,3041 litre	O
1000	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	45238,9342 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	115	CM	230 LEVEL CM	41547,5628 litre	100,000 %	0,0000 litre	O
1000	CM	115	CM	229 LEVEL CM	41527,3682 litre	99,951 %	20,1946 litre	O
1000	CM	115	CM	228 LEVEL CM	41490,5186 litre	99,863 %	57,0442 litre	O
1000	CM	115	CM	227 LEVEL CM	41442,9036 litre	99,748 %	104,6592 litre	O
1000	CM	115	CM	226 LEVEL CM	41386,6415 litre	99,613 %	160,9213 litre	O
1000	CM	115	CM	225 LEVEL CM	41322,9654 litre	99,459 %	224,5974 litre	O
1000	CM	115	CM	224 LEVEL CM	41252,7128 litre	99,290 %	294,8500 litre	O
1000	CM	115	CM	223 LEVEL CM	41176,5028 litre	99,107 %	371,0600 litre	O
1000	CM	115	CM	222 LEVEL CM	41094,8183 litre	98,910 %	452,7445 litre	O
1000	CM	115	CM	221 LEVEL CM	41008,0505 litre	98,701 %	539,5123 litre	O
1000	CM	115	CM	220 LEVEL CM	40916,5251 litre	98,481 %	631,0377 litre	O
1000	CM	115	CM	219 LEVEL CM	40820,5194 litre	98,250 %	727,0434 litre	O
1000	CM	115	CM	218 LEVEL CM	40720,2735 litre	98,009 %	827,2893 litre	O
1000	CM	115	CM	217 LEVEL CM	40615,9980 litre	97,758 %	931,5648 litre	O
1000	CM	115	CM	216 LEVEL CM	40507,8801 litre	97,498 %	1039,6827 litre	O
1000	CM	115	CM	215 LEVEL CM	40396,0875 litre	97,229 %	1151,4753 litre	O
1000	CM	115	CM	214 LEVEL CM	40280,7719 litre	96,951 %	1266,7909 litre	O
1000	CM	115	CM	213 LEVEL CM	40162,0717 litre	96,665 %	1385,4911 litre	O
1000	CM	115	CM	212 LEVEL CM	40040,1134 litre	96,372 %	1507,4494 litre	O
1000	CM	115	CM	211 LEVEL CM	39915,0140 litre	96,071 %	1632,5488 litre	O
1000	CM	115	CM	210 LEVEL CM	39786,8815 litre	95,762 %	1760,6813 litre	O
1000	CM	115	CM	209 LEVEL CM	39655,8167 litre	95,447 %	1891,7461 litre	O
1000	CM	115	CM	208 LEVEL CM	39521,9137 litre	95,125 %	2025,6491 litre	O
1000	CM	115	CM	207 LEVEL CM	39385,2607 litre	94,796 %	2162,3021 litre	O
1000	CM	115	CM	206 LEVEL CM	39245,9406 litre	94,460 %	2301,6222 litre	O
1000	CM	115	CM	205 LEVEL CM	39104,0317 litre	94,119 %	2443,5311 litre	O
1000	CM	115	CM	204 LEVEL CM	38959,6082 litre	93,771 %	2587,9546 litre	O
1000	CM	115	CM	203 LEVEL CM	38812,7403 litre	93,418 %	2734,8225 litre	O
1000	CM	115	CM	202 LEVEL CM	38663,4948 litre	93,058 %	2884,0680 litre	O
1000	CM	115	CM	201 LEVEL CM	38511,9355 litre	92,694 %	3035,6273 litre	O
1000	CM	115	CM	200 LEVEL CM	38358,1231 litre	92,323 %	3189,4397 litre	O
1000	CM	115	CM	199 LEVEL CM	38202,1158 litre	91,948 %	3345,4470 litre	O
1000	CM	115	CM	198 LEVEL CM	38043,9694 litre	91,567 %	3503,5934 litre	O
1000	CM	115	CM	197 LEVEL CM	37883,7373 litre	91,182 %	3663,8255 litre	O
1000	CM	115	CM	196 LEVEL CM	37721,4711 litre	90,791 %	3826,0917 litre	O
1000	CM	115	CM	195 LEVEL CM	37557,2202 litre	90,396 %	3990,3426 litre	O
1000	CM	115	CM	194 LEVEL CM	37391,0325 litre	89,996 %	4156,5303 litre	O
1000	CM	115	CM	193 LEVEL CM	37222,9540 litre	89,591 %	4324,6088 litre	O
1000	CM	115	CM	192 LEVEL CM	37053,0293 litre	89,182 %	4494,5335 litre	O
1000	CM	115	CM	191 LEVEL CM	36881,3016 litre	88,769 %	4666,2612 litre	O
1000	CM	115	CM	190 LEVEL CM	36707,8127 litre	88,351 %	4839,7501 litre	O
1000	CM	115	CM	189 LEVEL CM	36532,6030 litre	87,930 %	5014,9598 litre	O
1000	CM	115	CM	188 LEVEL CM	36355,7120 litre	87,504 %	5191,8508 litre	O
1000	CM	115	CM	187 LEVEL CM	36177,1778 litre	87,074 %	5370,3850 litre	O
1000	CM	115	CM	186 LEVEL CM	35997,0377 litre	86,641 %	5550,5251 litre	O
1000	CM	115	CM	185 LEVEL CM	35815,3279 litre	86,203 %	5732,2349 litre	O
1000	CM	115	CM	184 LEVEL CM	35632,0836 litre	85,762 %	5915,4792 litre	O
1000	CM	115	CM	183 LEVEL CM	35447,3392 litre	85,317 %	6100,2236 litre	O
1000	CM	115	CM	182 LEVEL CM	35261,1283 litre	84,869 %	6286,4345 litre	O
1000	CM	115	CM	181 LEVEL CM	35073,4837 litre	84,418 %	6474,0791 litre	O
1000	CM	115	CM	180 LEVEL CM	34884,4374 litre	83,963 %	6663,1254 litre	O
1000	CM	115	CM	179 LEVEL CM	34694,0207 litre	83,504 %	6853,5421 litre	O

1000	CM	115	CM	178 LEVEL CM	34502,2643 litre	83,043 %	7045,2985 litre	O
1000	CM	115	CM	177 LEVEL CM	34309,1982 litre	82,578 %	7238,3646 litre	O
1000	CM	115	CM	176 LEVEL CM	34114,8518 litre	82,110 %	7432,7110 litre	O
1000	CM	115	CM	175 LEVEL CM	33919,2539 litre	81,640 %	7628,3089 litre	O
1000	CM	115	CM	174 LEVEL CM	33722,4328 litre	81,166 %	7825,1300 litre	O
1000	CM	115	CM	173 LEVEL CM	33524,4162 litre	80,689 %	8023,1466 litre	O
1000	CM	115	CM	172 LEVEL CM	33325,2315 litre	80,210 %	8222,3313 litre	O
1000	CM	115	CM	171 LEVEL CM	33124,9054 litre	79,728 %	8422,6574 litre	O
1000	CM	115	CM	170 LEVEL CM	32923,4642 litre	79,243 %	8624,0986 litre	O
1000	CM	115	CM	169 LEVEL CM	32720,9337 litre	78,755 %	8826,6291 litre	O
1000	CM	115	CM	168 LEVEL CM	32517,3396 litre	78,265 %	9030,2232 litre	O
1000	CM	115	CM	167 LEVEL CM	32312,7068 litre	77,773 %	9234,8560 litre	O
1000	CM	115	CM	166 LEVEL CM	32107,0601 litre	77,278 %	9440,5027 litre	O
1000	CM	115	CM	165 LEVEL CM	31900,4237 litre	76,780 %	9647,1391 litre	O
1000	CM	115	CM	164 LEVEL CM	31692,8217 litre	76,281 %	9854,7411 litre	O
1000	CM	115	CM	163 LEVEL CM	31484,2777 litre	75,779 %	10063,2851 litre	O
1000	CM	115	CM	162 LEVEL CM	31274,8151 litre	75,275 %	10272,7477 litre	O
1000	CM	115	CM	161 LEVEL CM	31064,4568 litre	74,768 %	10483,1060 litre	O
1000	CM	115	CM	160 LEVEL CM	30853,2256 litre	74,260 %	10694,3372 litre	O
1000	CM	115	CM	159 LEVEL CM	30641,1440 litre	73,750 %	10906,4188 litre	O
1000	CM	115	CM	158 LEVEL CM	30428,2342 litre	73,237 %	11119,3286 litre	O
1000	CM	115	CM	157 LEVEL CM	30214,5180 litre	72,723 %	11333,0448 litre	O
1000	CM	115	CM	156 LEVEL CM	30000,0171 litre	72,206 %	11547,5457 litre	O
1000	CM	115	CM	155 LEVEL CM	29784,7530 litre	71,688 %	11762,8098 litre	O
1000	CM	115	CM	154 LEVEL CM	29568,7470 litre	71,168 %	11978,8158 litre	O
1000	CM	115	CM	153 LEVEL CM	29352,0199 litre	70,647 %	12195,5429 litre	O
1000	CM	115	CM	152 LEVEL CM	29134,5926 litre	70,123 %	12412,9702 litre	O
1000	CM	115	CM	151 LEVEL CM	28916,4857 litre	69,599 %	12631,0771 litre	O
1000	CM	115	CM	150 LEVEL CM	28697,7195 litre	69,072 %	12849,8433 litre	O
1000	CM	115	CM	149 LEVEL CM	28478,3143 litre	68,544 %	13069,2485 litre	O
1000	CM	115	CM	148 LEVEL CM	28258,2902 litre	68,014 %	13289,2726 litre	O
1000	CM	115	CM	147 LEVEL CM	28037,6669 litre	67,483 %	13509,8959 litre	O
1000	CM	115	CM	146 LEVEL CM	27816,4642 litre	66,951 %	13731,0986 litre	O
1000	CM	115	CM	145 LEVEL CM	27594,7016 litre	66,417 %	13952,8612 litre	O
1000	CM	115	CM	144 LEVEL CM	27372,3985 litre	65,882 %	14175,1643 litre	O
1000	CM	115	CM	143 LEVEL CM	27149,5743 litre	65,346 %	14397,9885 litre	O
1000	CM	115	CM	142 LEVEL CM	26926,2480 litre	64,808 %	14621,3148 litre	O
1000	CM	115	CM	141 LEVEL CM	26702,4386 litre	64,270 %	14845,1242 litre	O
1000	CM	115	CM	140 LEVEL CM	26478,1650 litre	63,730 %	15069,3978 litre	O
1000	CM	115	CM	139 LEVEL CM	26253,4459 litre	63,189 %	15294,1169 litre	O
1000	CM	115	CM	138 LEVEL CM	26028,3001 litre	62,647 %	15519,2627 litre	O
1000	CM	115	CM	137 LEVEL CM	25802,7460 litre	62,104 %	15744,8168 litre	O
1000	CM	115	CM	136 LEVEL CM	25576,8021 litre	61,560 %	15970,7607 litre	O
1000	CM	115	CM	135 LEVEL CM	25350,4867 litre	61,016 %	16197,0761 litre	O
1000	CM	115	CM	134 LEVEL CM	25123,8181 litre	60,470 %	16423,7447 litre	O
1000	CM	115	CM	133 LEVEL CM	24896,8144 litre	59,924 %	16650,7484 litre	O
1000	CM	115	CM	132 LEVEL CM	24669,4938 litre	59,377 %	16878,0690 litre	O
1000	CM	115	CM	131 LEVEL CM	24441,8742 litre	58,829 %	17105,6886 litre	O
1000	CM	115	CM	130 LEVEL CM	24213,9737 litre	58,280 %	17333,5891 litre	O
1000	CM	115	CM	129 LEVEL CM	23985,8100 litre	57,731 %	17561,7528 litre	O
1000	CM	115	CM	128 LEVEL CM	23757,4010 litre	57,181 %	17790,1618 litre	O
1000	CM	115	CM	127 LEVEL CM	23528,7645 litre	56,631 %	18018,7983 litre	O
1000	CM	115	CM	126 LEVEL CM	23299,9181 litre	56,080 %	18247,6447 litre	O

1000	CM	115	CM	125 LEVEL CM	23070,8796 litre	55,529 %	18476,6832 litre	O
1000	CM	115	CM	124 LEVEL CM	22841,6664 litre	54,977 %	18705,8964 litre	O
1000	CM	115	CM	123 LEVEL CM	22612,2963 litre	54,425 %	18935,2665 litre	O
1000	CM	115	CM	122 LEVEL CM	22382,7867 litre	53,873 %	19164,7761 litre	O
1000	CM	115	CM	121 LEVEL CM	22153,1551 litre	53,320 %	19394,4077 litre	O
1000	CM	115	CM	120 LEVEL CM	21923,4190 litre	52,767 %	19624,1438 litre	O
1000	CM	115	CM	119 LEVEL CM	21693,5959 litre	52,214 %	19853,9669 litre	O
1000	CM	115	CM	118 LEVEL CM	21463,7032 litre	51,661 %	20083,8596 litre	O
1000	CM	115	CM	117 LEVEL CM	21233,7582 litre	51,107 %	20313,8046 litre	O
1000	CM	115	CM	116 LEVEL CM	21003,7785 litre	50,554 %	20543,7843 litre	O
1000	CM	115	CM	115 LEVEL CM	20773,7814 litre	50,000 %	20773,7814 litre	O
1000	CM	115	CM	114 LEVEL CM	20543,7843 litre	49,446 %	21003,7785 litre	O
1000	CM	115	CM	113 LEVEL CM	20313,8046 litre	48,893 %	21233,7582 litre	O
1000	CM	115	CM	112 LEVEL CM	20083,8597 litre	48,339 %	21463,7031 litre	O
1000	CM	115	CM	111 LEVEL CM	19853,9670 litre	47,786 %	21693,5958 litre	O
1000	CM	115	CM	110 LEVEL CM	19624,1438 litre	47,233 %	21923,4190 litre	O
1000	CM	115	CM	109 LEVEL CM	19394,4078 litre	46,680 %	22153,1550 litre	O
1000	CM	115	CM	108 LEVEL CM	19164,7762 litre	46,127 %	22382,7866 litre	O
1000	CM	115	CM	107 LEVEL CM	18935,2666 litre	45,575 %	22612,2962 litre	O
1000	CM	115	CM	106 LEVEL CM	18705,8964 litre	45,023 %	22841,6664 litre	O
1000	CM	115	CM	105 LEVEL CM	18476,6833 litre	44,471 %	23070,8795 litre	O
1000	CM	115	CM	104 LEVEL CM	18247,6447 litre	43,920 %	23299,9181 litre	O
1000	CM	115	CM	103 LEVEL CM	18018,7983 litre	43,369 %	23528,7645 litre	O
1000	CM	115	CM	102 LEVEL CM	17790,1618 litre	42,819 %	23757,4010 litre	O
1000	CM	115	CM	101 LEVEL CM	17561,7528 litre	42,269 %	23985,8100 litre	O
1000	CM	115	CM	100 LEVEL CM	17333,5891 litre	41,720 %	24213,9737 litre	O
1000	CM	115	CM	99 LEVEL CM	17105,6886 litre	41,171 %	24441,8742 litre	O
1000	CM	115	CM	98 LEVEL CM	16878,0690 litre	40,623 %	24669,4938 litre	O
1000	CM	115	CM	97 LEVEL CM	16650,7484 litre	40,076 %	24896,8144 litre	O
1000	CM	115	CM	96 LEVEL CM	16423,7448 litre	39,530 %	25123,8180 litre	O
1000	CM	115	CM	95 LEVEL CM	16197,0762 litre	38,984 %	25350,4866 litre	O
1000	CM	115	CM	94 LEVEL CM	15970,7608 litre	38,440 %	25576,8020 litre	O
1000	CM	115	CM	93 LEVEL CM	15744,8169 litre	37,896 %	25802,7459 litre	O
1000	CM	115	CM	92 LEVEL CM	15519,2628 litre	37,353 %	26028,3000 litre	O
1000	CM	115	CM	91 LEVEL CM	15294,1169 litre	36,811 %	26253,4459 litre	O
1000	CM	115	CM	90 LEVEL CM	15069,3979 litre	36,270 %	26478,1649 litre	O
1000	CM	115	CM	89 LEVEL CM	14845,1243 litre	35,730 %	26702,4385 litre	O
1000	CM	115	CM	88 LEVEL CM	14621,3149 litre	35,192 %	26926,2479 litre	O
1000	CM	115	CM	87 LEVEL CM	14397,9885 litre	34,654 %	27149,5743 litre	O
1000	CM	115	CM	86 LEVEL CM	14175,1643 litre	34,118 %	27372,3985 litre	O
1000	CM	115	CM	85 LEVEL CM	13952,8613 litre	33,583 %	27594,7015 litre	O
1000	CM	115	CM	84 LEVEL CM	13731,0987 litre	33,049 %	27816,4641 litre	O
1000	CM	115	CM	83 LEVEL CM	13509,8960 litre	32,517 %	28037,6668 litre	O
1000	CM	115	CM	82 LEVEL CM	13289,2727 litre	31,986 %	28258,2901 litre	O
1000	CM	115	CM	81 LEVEL CM	13069,2485 litre	31,456 %	28478,3143 litre	O
1000	CM	115	CM	80 LEVEL CM	12849,8433 litre	30,928 %	28697,7195 litre	O
1000	CM	115	CM	79 LEVEL CM	12631,0772 litre	30,401 %	28916,4856 litre	O
1000	CM	115	CM	78 LEVEL CM	12412,9702 litre	29,877 %	29134,5926 litre	O
1000	CM	115	CM	77 LEVEL CM	12195,5430 litre	29,353 %	29352,0198 litre	O
1000	CM	115	CM	76 LEVEL CM	11978,8159 litre	28,832 %	29568,7469 litre	O
1000	CM	115	CM	75 LEVEL CM	11762,8098 litre	28,312 %	29784,7530 litre	O
1000	CM	115	CM	74 LEVEL CM	11547,5457 litre	27,794 %	30000,0171 litre	O
1000	CM	115	CM	73 LEVEL CM	11333,0449 litre	27,277 %	30214,5179 litre	O

1000	CM	115	CM	72 LEVEL CM	11119,3287 litre	26,763 %	30428,2341 litre	O
1000	CM	115	CM	71 LEVEL CM	10906,4188 litre	26,250 %	30641,1440 litre	O
1000	CM	115	CM	70 LEVEL CM	10694,3372 litre	25,740 %	30853,2256 litre	O
1000	CM	115	CM	69 LEVEL CM	10483,1060 litre	25,232 %	31064,4568 litre	O
1000	CM	115	CM	68 LEVEL CM	10272,7478 litre	24,725 %	31274,8150 litre	O
1000	CM	115	CM	67 LEVEL CM	10063,2851 litre	24,221 %	31484,2777 litre	O
1000	CM	115	CM	66 LEVEL CM	9854,7411 litre	23,719 %	31692,8217 litre	O
1000	CM	115	CM	65 LEVEL CM	9647,1391 litre	23,220 %	31900,4237 litre	O
1000	CM	115	CM	64 LEVEL CM	9440,5028 litre	22,722 %	32107,0600 litre	O
1000	CM	115	CM	63 LEVEL CM	9234,8560 litre	22,227 %	32312,7068 litre	O
1000	CM	115	CM	62 LEVEL CM	9030,2233 litre	21,735 %	32517,3395 litre	O
1000	CM	115	CM	61 LEVEL CM	8826,6291 litre	21,245 %	32720,9337 litre	O
1000	CM	115	CM	60 LEVEL CM	8624,0987 litre	20,757 %	32923,4641 litre	O
1000	CM	115	CM	59 LEVEL CM	8422,6575 litre	20,272 %	33124,9053 litre	O
1000	CM	115	CM	58 LEVEL CM	8222,3313 litre	19,790 %	33325,2315 litre	O
1000	CM	115	CM	57 LEVEL CM	8023,1466 litre	19,311 %	33524,4162 litre	O
1000	CM	115	CM	56 LEVEL CM	7825,1301 litre	18,834 %	33722,4327 litre	O
1000	CM	115	CM	55 LEVEL CM	7628,3090 litre	18,360 %	33919,2538 litre	O
1000	CM	115	CM	54 LEVEL CM	7432,7111 litre	17,890 %	34114,8517 litre	O
1000	CM	115	CM	53 LEVEL CM	7238,3646 litre	17,422 %	34309,1982 litre	O
1000	CM	115	CM	52 LEVEL CM	7045,2985 litre	16,957 %	34502,2643 litre	O
1000	CM	115	CM	51 LEVEL CM	6853,5421 litre	16,496 %	34694,0207 litre	O
1000	CM	115	CM	50 LEVEL CM	6663,1254 litre	16,037 %	34884,4374 litre	O
1000	CM	115	CM	49 LEVEL CM	6474,0791 litre	15,582 %	35073,4837 litre	O
1000	CM	115	CM	48 LEVEL CM	6286,4345 litre	15,131 %	35261,1283 litre	O
1000	CM	115	CM	47 LEVEL CM	6100,2236 litre	14,683 %	35447,3392 litre	O
1000	CM	115	CM	46 LEVEL CM	5915,4793 litre	14,238 %	35632,0835 litre	O
1000	CM	115	CM	45 LEVEL CM	5732,2350 litre	13,797 %	35815,3278 litre	O
1000	CM	115	CM	44 LEVEL CM	5550,5251 litre	13,359 %	35997,0377 litre	O
1000	CM	115	CM	43 LEVEL CM	5370,3850 litre	12,926 %	36177,1778 litre	O
1000	CM	115	CM	42 LEVEL CM	5191,8509 litre	12,496 %	36355,7119 litre	O
1000	CM	115	CM	41 LEVEL CM	5014,9598 litre	12,070 %	36532,6030 litre	O
1000	CM	115	CM	40 LEVEL CM	4839,7502 litre	11,649 %	36707,8126 litre	O
1000	CM	115	CM	39 LEVEL CM	4666,2612 litre	11,231 %	36881,3016 litre	O
1000	CM	115	CM	38 LEVEL CM	4494,5335 litre	10,818 %	37053,0293 litre	O
1000	CM	115	CM	37 LEVEL CM	4324,6089 litre	10,409 %	37222,9539 litre	O
1000	CM	115	CM	36 LEVEL CM	4156,5304 litre	10,004 %	37391,0324 litre	O
1000	CM	115	CM	35 LEVEL CM	3990,3426 litre	9,604 %	37557,2202 litre	O
1000	CM	115	CM	34 LEVEL CM	3826,0918 litre	9,209 %	37721,4710 litre	O
1000	CM	115	CM	33 LEVEL CM	3663,8256 litre	8,818 %	37883,7372 litre	O
1000	CM	115	CM	32 LEVEL CM	3503,5935 litre	8,433 %	38043,9693 litre	O
1000	CM	115	CM	31 LEVEL CM	3345,4471 litre	8,052 %	38202,1157 litre	O
1000	CM	115	CM	30 LEVEL CM	3189,4398 litre	7,677 %	38358,1230 litre	O
1000	CM	115	CM	29 LEVEL CM	3035,6274 litre	7,306 %	38511,9354 litre	O
1000	CM	115	CM	28 LEVEL CM	2884,0680 litre	6,942 %	38663,4948 litre	O
1000	CM	115	CM	27 LEVEL CM	2734,8226 litre	6,582 %	38812,7402 litre	O
1000	CM	115	CM	26 LEVEL CM	2587,9547 litre	6,229 %	38959,6081 litre	O
1000	CM	115	CM	25 LEVEL CM	2443,5311 litre	5,881 %	39104,0317 litre	O
1000	CM	115	CM	24 LEVEL CM	2301,6223 litre	5,540 %	39245,9405 litre	O
1000	CM	115	CM	23 LEVEL CM	2162,3022 litre	5,204 %	39385,2606 litre	O
1000	CM	115	CM	22 LEVEL CM	2025,6491 litre	4,875 %	39521,9137 litre	O
1000	CM	115	CM	21 LEVEL CM	1891,7461 litre	4,553 %	39655,8167 litre	O
1000	CM	115	CM	20 LEVEL CM	1760,6813 litre	4,238 %	39786,8815 litre	O

1000	CM	115	CM	19 LEVEL CM	1632,5489 litre	3,929 %	39915,0139 litre	O
1000	CM	115	CM	18 LEVEL CM	1507,4494 litre	3,628 %	40040,1134 litre	O
1000	CM	115	CM	17 LEVEL CM	1385,4912 litre	3,335 %	40162,0716 litre	O
1000	CM	115	CM	16 LEVEL CM	1266,7909 litre	3,049 %	40280,7719 litre	O
1000	CM	115	CM	15 LEVEL CM	1151,4754 litre	2,771 %	40396,0874 litre	O
1000	CM	115	CM	14 LEVEL CM	1039,6828 litre	2,502 %	40507,8800 litre	O
1000	CM	115	CM	13 LEVEL CM	931,5648 litre	2,242 %	40615,9980 litre	O
1000	CM	115	CM	12 LEVEL CM	827,2893 litre	1,991 %	40720,2735 litre	O
1000	CM	115	CM	11 LEVEL CM	727,0434 litre	1,750 %	40820,5194 litre	O
1000	CM	115	CM	10 LEVEL CM	631,0378 litre	1,519 %	40916,5250 litre	O
1000	CM	115	CM	9 LEVEL CM	539,5124 litre	1,299 %	41008,0504 litre	O
1000	CM	115	CM	8 LEVEL CM	452,7445 litre	1,090 %	41094,8183 litre	O
1000	CM	115	CM	7 LEVEL CM	371,0600 litre	0,893 %	41176,5028 litre	O
1000	CM	115	CM	6 LEVEL CM	294,8501 litre	0,710 %	41252,7127 litre	O
1000	CM	115	CM	5 LEVEL CM	224,5975 litre	0,541 %	41322,9653 litre	O
1000	CM	115	CM	4 LEVEL CM	160,9214 litre	0,387 %	41386,6414 litre	O
1000	CM	115	CM	3 LEVEL CM	104,6593 litre	0,252 %	41442,9035 litre	O
1000	CM	115	CM	2 LEVEL CM	57,0442 litre	0,137 %	41490,5186 litre	O
1000	CM	115	CM	1 LEVEL CM	20,1946 litre	0,049 %	41527,3682 litre	O
1000	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	41547,5628 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM	110	CM 220 LEVEL CM	38013,2711 litre	100,000 %	0,0000 litre	O
1000	CM	110	CM 219 LEVEL CM	37993,5216 litre	99,948 %	19,7495 litre	O
1000	CM	110	CM 218 LEVEL CM	37957,4874 litre	99,853 %	55,7837 litre	O
1000	CM	110	CM 217 LEVEL CM	37910,9307 litre	99,731 %	102,3404 litre	O
1000	CM	110	CM 216 LEVEL CM	37855,9247 litre	99,586 %	157,3464 litre	O
1000	CM	110	CM 215 LEVEL CM	37793,6765 litre	99,422 %	219,5946 litre	O
1000	CM	110	CM 214 LEVEL CM	37725,0065 litre	99,242 %	288,2646 litre	O
1000	CM	110	CM 213 LEVEL CM	37650,5210 litre	99,046 %	362,7501 litre	O
1000	CM	110	CM 212 LEVEL CM	37570,6932 litre	98,836 %	442,5779 litre	O
1000	CM	110	CM 211 LEVEL CM	37485,9067 litre	98,613 %	527,3644 litre	O
1000	CM	110	CM 210 LEVEL CM	37396,4808 litre	98,377 %	616,7903 litre	O
1000	CM	110	CM 209 LEVEL CM	37302,6876 litre	98,131 %	710,5835 litre	O
1000	CM	110	CM 208 LEVEL CM	37204,7626 litre	97,873 %	808,5085 litre	O
1000	CM	110	CM 207 LEVEL CM	37102,9125 litre	97,605 %	910,3586 litre	O
1000	CM	110	CM 206 LEVEL CM	36997,3210 litre	97,327 %	1015,9501 litre	O
1000	CM	110	CM 205 LEVEL CM	36888,1531 litre	97,040 %	1125,1180 litre	O
1000	CM	110	CM 204 LEVEL CM	36775,5576 litre	96,744 %	1237,7135 litre	O
1000	CM	110	CM 203 LEVEL CM	36659,6706 litre	96,439 %	1353,6005 litre	O
1000	CM	110	CM 202 LEVEL CM	36540,6166 litre	96,126 %	1472,6545 litre	O
1000	CM	110	CM 201 LEVEL CM	36418,5104 litre	95,805 %	1594,7607 litre	O
1000	CM	110	CM 200 LEVEL CM	36293,4586 litre	95,476 %	1719,8125 litre	O
1000	CM	110	CM 199 LEVEL CM	36165,5601 litre	95,139 %	1847,7110 litre	O
1000	CM	110	CM 198 LEVEL CM	36034,9077 litre	94,796 %	1978,3634 litre	O
1000	CM	110	CM 197 LEVEL CM	35901,5882 litre	94,445 %	2111,6829 litre	O
1000	CM	110	CM 196 LEVEL CM	35765,6833 litre	94,087 %	2247,5878 litre	O
1000	CM	110	CM 195 LEVEL CM	35627,2703 litre	93,723 %	2386,0008 litre	O
1000	CM	110	CM 194 LEVEL CM	35486,4222 litre	93,353 %	2526,8489 litre	O
1000	CM	110	CM 193 LEVEL CM	35343,2084 litre	92,976 %	2670,0627 litre	O
1000	CM	110	CM 192 LEVEL CM	35197,6947 litre	92,593 %	2815,5764 litre	O
1000	CM	110	CM 191 LEVEL CM	35049,9440 litre	92,204 %	2963,3271 litre	O
1000	CM	110	CM 190 LEVEL CM	34900,0164 litre	91,810 %	3113,2547 litre	O
1000	CM	110	CM 189 LEVEL CM	34747,9694 litre	91,410 %	3265,3017 litre	O
1000	CM	110	CM 188 LEVEL CM	34593,8580 litre	91,005 %	3419,4131 litre	O
1000	CM	110	CM 187 LEVEL CM	34437,7351 litre	90,594 %	3575,5360 litre	O
1000	CM	110	CM 186 LEVEL CM	34279,6518 litre	90,178 %	3733,6193 litre	O
1000	CM	110	CM 185 LEVEL CM	34119,6569 litre	89,757 %	3893,6142 litre	O
1000	CM	110	CM 184 LEVEL CM	33957,7977 litre	89,331 %	4055,4734 litre	O
1000	CM	110	CM 183 LEVEL CM	33794,1200 litre	88,901 %	4219,1511 litre	O
1000	CM	110	CM 182 LEVEL CM	33628,6678 litre	88,466 %	4384,6033 litre	O
1000	CM	110	CM 181 LEVEL CM	33461,4840 litre	88,026 %	4551,7871 litre	O
1000	CM	110	CM 180 LEVEL CM	33292,6100 litre	87,582 %	4720,6611 litre	O
1000	CM	110	CM 179 LEVEL CM	33122,0860 litre	87,133 %	4891,1851 litre	O
1000	CM	110	CM 178 LEVEL CM	32949,9510 litre	86,680 %	5063,3201 litre	O
1000	CM	110	CM 177 LEVEL CM	32776,2430 litre	86,223 %	5237,0281 litre	O
1000	CM	110	CM 176 LEVEL CM	32600,9990 litre	85,762 %	5412,2721 litre	O
1000	CM	110	CM 175 LEVEL CM	32424,2549 litre	85,297 %	5589,0162 litre	O
1000	CM	110	CM 174 LEVEL CM	32246,0457 litre	84,828 %	5767,2254 litre	O
1000	CM	110	CM 173 LEVEL CM	32066,4058 litre	84,356 %	5946,8653 litre	O
1000	CM	110	CM 172 LEVEL CM	31885,3685 litre	83,880 %	6127,9026 litre	O
1000	CM	110	CM 171 LEVEL CM	31702,9664 litre	83,400 %	6310,3047 litre	O
1000	CM	110	CM 170 LEVEL CM	31519,2315 litre	82,916 %	6494,0396 litre	O
1000	CM	110	CM 169 LEVEL CM	31334,1949 litre	82,430 %	6679,0762 litre	O

1000	CM	110	CM	168 LEVEL CM	31147,8873 litre	81,940 %	6865,3838 litre	O
1000	CM	110	CM	167 LEVEL CM	30960,3385 litre	81,446 %	7052,9326 litre	O
1000	CM	110	CM	166 LEVEL CM	30771,5780 litre	80,950 %	7241,6931 litre	O
1000	CM	110	CM	165 LEVEL CM	30581,6344 litre	80,450 %	7431,6367 litre	O
1000	CM	110	CM	164 LEVEL CM	30390,5361 litre	79,947 %	7622,7350 litre	O
1000	CM	110	CM	163 LEVEL CM	30198,3108 litre	79,441 %	7814,9603 litre	O
1000	CM	110	CM	162 LEVEL CM	30004,9858 litre	78,933 %	8008,2853 litre	O
1000	CM	110	CM	161 LEVEL CM	29810,5878 litre	78,422 %	8202,6833 litre	O
1000	CM	110	CM	160 LEVEL CM	29615,1433 litre	77,907 %	8398,1278 litre	O
1000	CM	110	CM	159 LEVEL CM	29418,6781 litre	77,391 %	8594,5930 litre	O
1000	CM	110	CM	158 LEVEL CM	29221,2177 litre	76,871 %	8792,0534 litre	O
1000	CM	110	CM	157 LEVEL CM	29022,7874 litre	76,349 %	8990,4837 litre	O
1000	CM	110	CM	156 LEVEL CM	28823,4119 litre	75,825 %	9189,8592 litre	O
1000	CM	110	CM	155 LEVEL CM	28623,1156 litre	75,298 %	9390,1555 litre	O
1000	CM	110	CM	154 LEVEL CM	28421,9227 litre	74,768 %	9591,3484 litre	O
1000	CM	110	CM	153 LEVEL CM	28219,8568 litre	74,237 %	9793,4143 litre	O
1000	CM	110	CM	152 LEVEL CM	28016,9415 litre	73,703 %	9996,3296 litre	O
1000	CM	110	CM	151 LEVEL CM	27813,2000 litre	73,167 %	10200,0711 litre	O
1000	CM	110	CM	150 LEVEL CM	27608,6551 litre	72,629 %	10404,6160 litre	O
1000	CM	110	CM	149 LEVEL CM	27403,3295 litre	72,089 %	10609,9416 litre	O
1000	CM	110	CM	148 LEVEL CM	27197,2455 litre	71,547 %	10816,0256 litre	O
1000	CM	110	CM	147 LEVEL CM	26990,4252 litre	71,003 %	11022,8459 litre	O
1000	CM	110	CM	146 LEVEL CM	26782,8906 litre	70,457 %	11230,3805 litre	O
1000	CM	110	CM	145 LEVEL CM	26574,6632 litre	69,909 %	11438,6079 litre	O
1000	CM	110	CM	144 LEVEL CM	26365,7646 litre	69,359 %	11647,5065 litre	O
1000	CM	110	CM	143 LEVEL CM	26156,2160 litre	68,808 %	11857,0551 litre	O
1000	CM	110	CM	142 LEVEL CM	25946,0383 litre	68,255 %	12067,2328 litre	O
1000	CM	110	CM	141 LEVEL CM	25735,2526 litre	67,701 %	12278,0185 litre	O
1000	CM	110	CM	140 LEVEL CM	25523,8794 litre	67,145 %	12489,3917 litre	O
1000	CM	110	CM	139 LEVEL CM	25311,9392 litre	66,587 %	12701,3319 litre	O
1000	CM	110	CM	138 LEVEL CM	25099,4524 litre	66,028 %	12913,8187 litre	O
1000	CM	110	CM	137 LEVEL CM	24886,4391 litre	65,468 %	13126,8320 litre	O
1000	CM	110	CM	136 LEVEL CM	24672,9195 litre	64,906 %	13340,3516 litre	O
1000	CM	110	CM	135 LEVEL CM	24458,9133 litre	64,343 %	13554,3578 litre	O
1000	CM	110	CM	134 LEVEL CM	24244,4403 litre	63,779 %	13768,8308 litre	O
1000	CM	110	CM	133 LEVEL CM	24029,5202 litre	63,214 %	13983,7509 litre	O
1000	CM	110	CM	132 LEVEL CM	23814,1725 litre	62,647 %	14199,0986 litre	O
1000	CM	110	CM	131 LEVEL CM	23598,4165 litre	62,079 %	14414,8546 litre	O
1000	CM	110	CM	130 LEVEL CM	23382,2715 litre	61,511 %	14630,9996 litre	O
1000	CM	110	CM	129 LEVEL CM	23165,7567 litre	60,941 %	14847,5144 litre	O
1000	CM	110	CM	128 LEVEL CM	22948,8912 litre	60,371 %	15064,3799 litre	O
1000	CM	110	CM	127 LEVEL CM	22731,6939 litre	59,799 %	15281,5772 litre	O
1000	CM	110	CM	126 LEVEL CM	22514,1837 litre	59,227 %	15499,0874 litre	O
1000	CM	110	CM	125 LEVEL CM	22296,3796 litre	58,654 %	15716,8915 litre	O
1000	CM	110	CM	124 LEVEL CM	22078,3001 litre	58,081 %	15934,9710 litre	O
1000	CM	110	CM	123 LEVEL CM	21859,9640 litre	57,506 %	16153,3071 litre	O
1000	CM	110	CM	122 LEVEL CM	21641,3898 litre	56,931 %	16371,8813 litre	O
1000	CM	110	CM	121 LEVEL CM	21422,5961 litre	56,356 %	16590,6750 litre	O
1000	CM	110	CM	120 LEVEL CM	21203,6015 litre	55,779 %	16809,6696 litre	O
1000	CM	110	CM	119 LEVEL CM	20984,4242 litre	55,203 %	17028,8469 litre	O
1000	CM	110	CM	118 LEVEL CM	20765,0828 litre	54,626 %	17248,1883 litre	O
1000	CM	110	CM	117 LEVEL CM	20545,5955 litre	54,048 %	17467,6756 litre	O
1000	CM	110	CM	116 LEVEL CM	20325,9807 litre	53,471 %	17687,2904 litre	O

1000	CM	110	CM	115 LEVEL CM	20106,2566 litre	52,893 %	17907,0145 litre	O
1000	CM	110	CM	114 LEVEL CM	19886,4416 litre	52,314 %	18126,8295 litre	O
1000	CM	110	CM	113 LEVEL CM	19666,5537 litre	51,736 %	18346,7174 litre	O
1000	CM	110	CM	112 LEVEL CM	19446,6113 litre	51,157 %	18566,6598 litre	O
1000	CM	110	CM	111 LEVEL CM	19226,6325 litre	50,579 %	18786,6386 litre	O
1000	CM	110	CM	110 LEVEL CM	19006,6356 litre	50,000 %	19006,6355 litre	O
1000	CM	110	CM	109 LEVEL CM	18786,6386 litre	49,421 %	19226,6325 litre	O
1000	CM	110	CM	108 LEVEL CM	18566,6598 litre	48,843 %	19446,6113 litre	O
1000	CM	110	CM	107 LEVEL CM	18346,7174 litre	48,264 %	19666,5537 litre	O
1000	CM	110	CM	106 LEVEL CM	18126,8295 litre	47,686 %	19886,4416 litre	O
1000	CM	110	CM	105 LEVEL CM	17907,0145 litre	47,107 %	20106,2566 litre	O
1000	CM	110	CM	104 LEVEL CM	17687,2904 litre	46,529 %	20325,9807 litre	O
1000	CM	110	CM	103 LEVEL CM	17467,6756 litre	45,952 %	20545,5955 litre	O
1000	CM	110	CM	102 LEVEL CM	17248,1883 litre	45,374 %	20765,0828 litre	O
1000	CM	110	CM	101 LEVEL CM	17028,8469 litre	44,797 %	20984,4242 litre	O
1000	CM	110	CM	100 LEVEL CM	16809,6696 litre	44,221 %	21203,6015 litre	O
1000	CM	110	CM	99 LEVEL CM	16590,6750 litre	43,644 %	21422,5961 litre	O
1000	CM	110	CM	98 LEVEL CM	16371,8813 litre	43,069 %	21641,3898 litre	O
1000	CM	110	CM	97 LEVEL CM	16153,3071 litre	42,494 %	21859,9640 litre	O
1000	CM	110	CM	96 LEVEL CM	15934,9710 litre	41,919 %	22078,3001 litre	O
1000	CM	110	CM	95 LEVEL CM	15716,8915 litre	41,346 %	22296,3796 litre	O
1000	CM	110	CM	94 LEVEL CM	15499,0874 litre	40,773 %	22514,1837 litre	O
1000	CM	110	CM	93 LEVEL CM	15281,5772 litre	40,201 %	22731,6939 litre	O
1000	CM	110	CM	92 LEVEL CM	15064,3800 litre	39,629 %	22948,8911 litre	O
1000	CM	110	CM	91 LEVEL CM	14847,5144 litre	39,059 %	23165,7567 litre	O
1000	CM	110	CM	90 LEVEL CM	14630,9996 litre	38,489 %	23382,2715 litre	O
1000	CM	110	CM	89 LEVEL CM	14414,8546 litre	37,921 %	23598,4165 litre	O
1000	CM	110	CM	88 LEVEL CM	14199,0986 litre	37,353 %	23814,1725 litre	O
1000	CM	110	CM	87 LEVEL CM	13983,7509 litre	36,786 %	24029,5202 litre	O
1000	CM	110	CM	86 LEVEL CM	13768,8308 litre	36,221 %	24244,4403 litre	O
1000	CM	110	CM	85 LEVEL CM	13554,3578 litre	35,657 %	24458,9133 litre	O
1000	CM	110	CM	84 LEVEL CM	13340,3516 litre	35,094 %	24672,9195 litre	O
1000	CM	110	CM	83 LEVEL CM	13126,8320 litre	34,532 %	24886,4391 litre	O
1000	CM	110	CM	82 LEVEL CM	12913,8187 litre	33,972 %	25099,4524 litre	O
1000	CM	110	CM	81 LEVEL CM	12701,3319 litre	33,413 %	25311,9392 litre	O
1000	CM	110	CM	80 LEVEL CM	12489,3917 litre	32,855 %	25523,8794 litre	O
1000	CM	110	CM	79 LEVEL CM	12278,0185 litre	32,299 %	25735,2526 litre	O
1000	CM	110	CM	78 LEVEL CM	12067,2328 litre	31,745 %	25946,0383 litre	O
1000	CM	110	CM	77 LEVEL CM	11857,0551 litre	31,192 %	26156,2160 litre	O
1000	CM	110	CM	76 LEVEL CM	11647,5065 litre	30,641 %	26365,7646 litre	O
1000	CM	110	CM	75 LEVEL CM	11438,6079 litre	30,091 %	26574,6632 litre	O
1000	CM	110	CM	74 LEVEL CM	11230,3805 litre	29,543 %	26782,8906 litre	O
1000	CM	110	CM	73 LEVEL CM	11022,8459 litre	28,997 %	26990,4252 litre	O
1000	CM	110	CM	72 LEVEL CM	10816,0256 litre	28,453 %	27197,2455 litre	O
1000	CM	110	CM	71 LEVEL CM	10609,9416 litre	27,911 %	27403,3295 litre	O
1000	CM	110	CM	70 LEVEL CM	10404,6160 litre	27,371 %	27608,6551 litre	O
1000	CM	110	CM	69 LEVEL CM	10200,0711 litre	26,833 %	27813,2000 litre	O
1000	CM	110	CM	68 LEVEL CM	9996,3296 litre	26,297 %	28016,9415 litre	O
1000	CM	110	CM	67 LEVEL CM	9793,4143 litre	25,763 %	28219,8568 litre	O
1000	CM	110	CM	66 LEVEL CM	9591,3484 litre	25,232 %	28421,9227 litre	O
1000	CM	110	CM	65 LEVEL CM	9390,1555 litre	24,702 %	28623,1156 litre	O
1000	CM	110	CM	64 LEVEL CM	9189,8592 litre	24,175 %	28823,4119 litre	O
1000	CM	110	CM	63 LEVEL CM	8990,4837 litre	23,651 %	29022,7874 litre	O

1000	CM	110	CM	62 LEVEL CM	8792,0534 litre	23,129 %	29221,2177 litre	O
1000	CM	110	CM	61 LEVEL CM	8594,5931 litre	22,609 %	29418,6780 litre	O
1000	CM	110	CM	60 LEVEL CM	8398,1278 litre	22,093 %	29615,1433 litre	O
1000	CM	110	CM	59 LEVEL CM	8202,6833 litre	21,578 %	29810,5878 litre	O
1000	CM	110	CM	58 LEVEL CM	8008,2853 litre	21,067 %	30004,9858 litre	O
1000	CM	110	CM	57 LEVEL CM	7814,9603 litre	20,559 %	30198,3108 litre	O
1000	CM	110	CM	56 LEVEL CM	7622,7350 litre	20,053 %	30390,5361 litre	O
1000	CM	110	CM	55 LEVEL CM	7431,6367 litre	19,550 %	30581,6344 litre	O
1000	CM	110	CM	54 LEVEL CM	7241,6931 litre	19,050 %	30771,5780 litre	O
1000	CM	110	CM	53 LEVEL CM	7052,9326 litre	18,554 %	30960,3385 litre	O
1000	CM	110	CM	52 LEVEL CM	6865,3838 litre	18,060 %	31147,8873 litre	O
1000	CM	110	CM	51 LEVEL CM	6679,0762 litre	17,570 %	31334,1949 litre	O
1000	CM	110	CM	50 LEVEL CM	6494,0396 litre	17,084 %	31519,2315 litre	O
1000	CM	110	CM	49 LEVEL CM	6310,3047 litre	16,600 %	31702,9664 litre	O
1000	CM	110	CM	48 LEVEL CM	6127,9026 litre	16,120 %	31885,3685 litre	O
1000	CM	110	CM	47 LEVEL CM	5946,8653 litre	15,644 %	32066,4058 litre	O
1000	CM	110	CM	46 LEVEL CM	5767,2254 litre	15,172 %	32246,0457 litre	O
1000	CM	110	CM	45 LEVEL CM	5589,0163 litre	14,703 %	32424,2548 litre	O
1000	CM	110	CM	44 LEVEL CM	5412,2721 litre	14,238 %	32600,9990 litre	O
1000	CM	110	CM	43 LEVEL CM	5237,0281 litre	13,777 %	32776,2430 litre	O
1000	CM	110	CM	42 LEVEL CM	5063,3201 litre	13,320 %	32949,9510 litre	O
1000	CM	110	CM	41 LEVEL CM	4891,1851 litre	12,867 %	33122,0860 litre	O
1000	CM	110	CM	40 LEVEL CM	4720,6611 litre	12,418 %	33292,6100 litre	O
1000	CM	110	CM	39 LEVEL CM	4551,7871 litre	11,974 %	33461,4840 litre	O
1000	CM	110	CM	38 LEVEL CM	4384,6033 litre	11,534 %	33628,6678 litre	O
1000	CM	110	CM	37 LEVEL CM	4219,1511 litre	11,099 %	33794,1200 litre	O
1000	CM	110	CM	36 LEVEL CM	4055,4734 litre	10,669 %	33957,7977 litre	O
1000	CM	110	CM	35 LEVEL CM	3893,6142 litre	10,243 %	34119,6569 litre	O
1000	CM	110	CM	34 LEVEL CM	3733,6193 litre	9,822 %	34279,6518 litre	O
1000	CM	110	CM	33 LEVEL CM	3575,5360 litre	9,406 %	34437,7351 litre	O
1000	CM	110	CM	32 LEVEL CM	3419,4131 litre	8,995 %	34593,8580 litre	O
1000	CM	110	CM	31 LEVEL CM	3265,3017 litre	8,590 %	34747,9694 litre	O
1000	CM	110	CM	30 LEVEL CM	3113,2547 litre	8,190 %	34900,0164 litre	O
1000	CM	110	CM	29 LEVEL CM	2963,3271 litre	7,796 %	35049,9440 litre	O
1000	CM	110	CM	28 LEVEL CM	2815,5764 litre	7,407 %	35197,6947 litre	O
1000	CM	110	CM	27 LEVEL CM	2670,0627 litre	7,024 %	35343,2084 litre	O
1000	CM	110	CM	26 LEVEL CM	2526,8489 litre	6,647 %	35486,4222 litre	O
1000	CM	110	CM	25 LEVEL CM	2386,0008 litre	6,277 %	35627,2703 litre	O
1000	CM	110	CM	24 LEVEL CM	2247,5878 litre	5,913 %	35765,6833 litre	O
1000	CM	110	CM	23 LEVEL CM	2111,6829 litre	5,555 %	35901,5882 litre	O
1000	CM	110	CM	22 LEVEL CM	1978,3634 litre	5,204 %	36034,9077 litre	O
1000	CM	110	CM	21 LEVEL CM	1847,7110 litre	4,861 %	36165,5601 litre	O
1000	CM	110	CM	20 LEVEL CM	1719,8125 litre	4,524 %	36293,4586 litre	O
1000	CM	110	CM	19 LEVEL CM	1594,7607 litre	4,195 %	36418,5104 litre	O
1000	CM	110	CM	18 LEVEL CM	1472,6545 litre	3,874 %	36540,6166 litre	O
1000	CM	110	CM	17 LEVEL CM	1353,6005 litre	3,561 %	36659,6706 litre	O
1000	CM	110	CM	16 LEVEL CM	1237,7135 litre	3,256 %	36775,5576 litre	O
1000	CM	110	CM	15 LEVEL CM	1125,1181 litre	2,960 %	36888,1530 litre	O
1000	CM	110	CM	14 LEVEL CM	1015,9501 litre	2,673 %	36997,3210 litre	O
1000	CM	110	CM	13 LEVEL CM	910,3586 litre	2,395 %	37102,9125 litre	O
1000	CM	110	CM	12 LEVEL CM	808,5085 litre	2,127 %	37204,7626 litre	O
1000	CM	110	CM	11 LEVEL CM	710,5835 litre	1,869 %	37302,6876 litre	O
1000	CM	110	CM	10 LEVEL CM	616,7903 litre	1,623 %	37396,4808 litre	O

1000	CM	110	CM	9 LEVEL CM	527,3644 litre	1,387 %	37485,9067 litre	O
1000	CM	110	CM	8 LEVEL CM	442,5779 litre	1,164 %	37570,6932 litre	O
1000	CM	110	CM	7 LEVEL CM	362,7502 litre	0,954 %	37650,5209 litre	O
1000	CM	110	CM	6 LEVEL CM	288,2646 litre	0,758 %	37725,0065 litre	O
1000	CM	110	CM	5 LEVEL CM	219,5946 litre	0,578 %	37793,6765 litre	O
1000	CM	110	CM	4 LEVEL CM	157,3464 litre	0,414 %	37855,9247 litre	O
1000	CM	110	CM	3 LEVEL CM	102,3404 litre	0,269 %	37910,9307 litre	O
1000	CM	110	CM	2 LEVEL CM	55,7837 litre	0,147 %	37957,4874 litre	O
1000	CM	110	CM	1 LEVEL CM	19,7495 litre	0,052 %	37993,5216 litre	O
1000	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	38013,2711 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
1000	CM 105	CM 210 LEVEL CM	34636,0590 litre	100,000 %	0,0000 litre O
1000	CM 105	CM 209 LEVEL CM	34616,7648 litre	99,944 %	19,2942 litre O
1000	CM 105	CM 208 LEVEL CM	34581,5650 litre	99,843 %	54,4940 litre O
1000	CM 105	CM 207 LEVEL CM	34536,0912 litre	99,711 %	99,9678 litre O
1000	CM 105	CM 206 LEVEL CM	34482,3706 litre	99,556 %	153,6884 litre O
1000	CM 105	CM 205 LEVEL CM	34421,5840 litre	99,381 %	214,4750 litre O
1000	CM 105	CM 204 LEVEL CM	34354,5338 litre	99,187 %	281,5252 litre O
1000	CM 105	CM 203 LEVEL CM	34281,8136 litre	98,977 %	354,2454 litre O
1000	CM 105	CM 202 LEVEL CM	34203,8869 litre	98,752 %	432,1721 litre O
1000	CM 105	CM 201 LEVEL CM	34121,1291 litre	98,513 %	514,9299 litre O
1000	CM 105	CM 200 LEVEL CM	34033,8533 litre	98,261 %	602,2057 litre O
1000	CM 105	CM 199 LEVEL CM	33942,3260 litre	97,997 %	693,7330 litre O
1000	CM 105	CM 198 LEVEL CM	33846,7781 litre	97,721 %	789,2809 litre O
1000	CM 105	CM 197 LEVEL CM	33747,4126 litre	97,434 %	888,6464 litre O
1000	CM 105	CM 196 LEVEL CM	33644,4096 litre	97,137 %	991,6494 litre O
1000	CM 105	CM 195 LEVEL CM	33537,9310 litre	96,830 %	1098,1280 litre O
1000	CM 105	CM 194 LEVEL CM	33428,1230 litre	96,512 %	1207,9360 litre O
1000	CM 105	CM 193 LEVEL CM	33315,1193 litre	96,186 %	1320,9397 litre O
1000	CM 105	CM 192 LEVEL CM	33199,0421 litre	95,851 %	1437,0169 litre O
1000	CM 105	CM 191 LEVEL CM	33080,0045 litre	95,507 %	1556,0545 litre O
1000	CM 105	CM 190 LEVEL CM	32958,1110 litre	95,155 %	1677,9480 litre O
1000	CM 105	CM 189 LEVEL CM	32833,4593 litre	94,796 %	1802,5997 litre O
1000	CM 105	CM 188 LEVEL CM	32706,1404 litre	94,428 %	1929,9186 litre O
1000	CM 105	CM 187 LEVEL CM	32576,2400 litre	94,053 %	2059,8190 litre O
1000	CM 105	CM 186 LEVEL CM	32443,8384 litre	93,671 %	2192,2206 litre O
1000	CM 105	CM 185 LEVEL CM	32309,0119 litre	93,281 %	2327,0471 litre O
1000	CM 105	CM 184 LEVEL CM	32171,8324 litre	92,885 %	2464,2266 litre O
1000	CM 105	CM 183 LEVEL CM	32032,3683 litre	92,483 %	2603,6907 litre O
1000	CM 105	CM 182 LEVEL CM	31890,6846 litre	92,074 %	2745,3744 litre O
1000	CM 105	CM 181 LEVEL CM	31746,8434 litre	91,658 %	2889,2156 litre O
1000	CM 105	CM 180 LEVEL CM	31600,9040 litre	91,237 %	3035,1550 litre O
1000	CM 105	CM 179 LEVEL CM	31452,9231 litre	90,810 %	3183,1359 litre O
1000	CM 105	CM 178 LEVEL CM	31302,9553 litre	90,377 %	3333,1037 litre O
1000	CM 105	CM 177 LEVEL CM	31151,0529 litre	89,938 %	3485,0061 litre O
1000	CM 105	CM 176 LEVEL CM	30997,2661 litre	89,494 %	3638,7929 litre O
1000	CM 105	CM 175 LEVEL CM	30841,6435 litre	89,045 %	3794,4155 litre O
1000	CM 105	CM 174 LEVEL CM	30684,2319 litre	88,590 %	3951,8271 litre O
1000	CM 105	CM 173 LEVEL CM	30525,0765 litre	88,131 %	4110,9825 litre O
1000	CM 105	CM 172 LEVEL CM	30364,2212 litre	87,667 %	4271,8378 litre O
1000	CM 105	CM 171 LEVEL CM	30201,7083 litre	87,197 %	4434,3507 litre O
1000	CM 105	CM 170 LEVEL CM	30037,5789 litre	86,723 %	4598,4801 litre O
1000	CM 105	CM 169 LEVEL CM	29871,8730 litre	86,245 %	4764,1860 litre O
1000	CM 105	CM 168 LEVEL CM	29704,6292 litre	85,762 %	4931,4298 litre O
1000	CM 105	CM 167 LEVEL CM	29535,8854 litre	85,275 %	5100,1736 litre O
1000	CM 105	CM 166 LEVEL CM	29365,6782 litre	84,784 %	5270,3808 litre O
1000	CM 105	CM 165 LEVEL CM	29194,0434 litre	84,288 %	5442,0156 litre O
1000	CM 105	CM 164 LEVEL CM	29021,0159 litre	83,788 %	5615,0431 litre O
1000	CM 105	CM 163 LEVEL CM	28846,6298 litre	83,285 %	5789,4292 litre O
1000	CM 105	CM 162 LEVEL CM	28670,9183 litre	82,778 %	5965,1407 litre O
1000	CM 105	CM 161 LEVEL CM	28493,9140 litre	82,267 %	6142,1450 litre O
1000	CM 105	CM 160 LEVEL CM	28315,6486 litre	81,752 %	6320,4104 litre O
1000	CM 105	CM 159 LEVEL CM	28136,1534 litre	81,234 %	6499,9056 litre O

1000	CM	105	CM	158 LEVEL CM	27955,4588 litre	80,712 %	6680,6002 litre	O
1000	CM	105	CM	157 LEVEL CM	27773,5946 litre	80,187 %	6862,4644 litre	O
1000	CM	105	CM	156 LEVEL CM	27590,5904 litre	79,659 %	7045,4686 litre	O
1000	CM	105	CM	155 LEVEL CM	27406,4747 litre	79,127 %	7229,5843 litre	O
1000	CM	105	CM	154 LEVEL CM	27221,2760 litre	78,592 %	7414,7830 litre	O
1000	CM	105	CM	153 LEVEL CM	27035,0219 litre	78,055 %	7601,0371 litre	O
1000	CM	105	CM	152 LEVEL CM	26847,7399 litre	77,514 %	7788,3191 litre	O
1000	CM	105	CM	151 LEVEL CM	26659,4566 litre	76,970 %	7976,6024 litre	O
1000	CM	105	CM	150 LEVEL CM	26470,1986 litre	76,424 %	8165,8604 litre	O
1000	CM	105	CM	149 LEVEL CM	26279,9919 litre	75,875 %	8356,0671 litre	O
1000	CM	105	CM	148 LEVEL CM	26088,8621 litre	75,323 %	8547,1969 litre	O
1000	CM	105	CM	147 LEVEL CM	25896,8345 litre	74,768 %	8739,2245 litre	O
1000	CM	105	CM	146 LEVEL CM	25703,9340 litre	74,211 %	8932,1250 litre	O
1000	CM	105	CM	145 LEVEL CM	25510,1852 litre	73,652 %	9125,8738 litre	O
1000	CM	105	CM	144 LEVEL CM	25315,6123 litre	73,090 %	9320,4467 litre	O
1000	CM	105	CM	143 LEVEL CM	25120,2392 litre	72,526 %	9515,8198 litre	O
1000	CM	105	CM	142 LEVEL CM	24924,0898 litre	71,960 %	9711,9692 litre	O
1000	CM	105	CM	141 LEVEL CM	24727,1872 litre	71,391 %	9908,8718 litre	O
1000	CM	105	CM	140 LEVEL CM	24529,5547 litre	70,821 %	10106,5043 litre	O
1000	CM	105	CM	139 LEVEL CM	24331,2150 litre	70,248 %	10304,8440 litre	O
1000	CM	105	CM	138 LEVEL CM	24132,1908 litre	69,674 %	10503,8682 litre	O
1000	CM	105	CM	137 LEVEL CM	23932,5045 litre	69,097 %	10703,5545 litre	O
1000	CM	105	CM	136 LEVEL CM	23732,1781 litre	68,519 %	10903,8809 litre	O
1000	CM	105	CM	135 LEVEL CM	23531,2338 litre	67,939 %	11104,8252 litre	O
1000	CM	105	CM	134 LEVEL CM	23329,6931 litre	67,357 %	11306,3659 litre	O
1000	CM	105	CM	133 LEVEL CM	23127,5777 litre	66,773 %	11508,4813 litre	O
1000	CM	105	CM	132 LEVEL CM	22924,9089 litre	66,188 %	11711,1501 litre	O
1000	CM	105	CM	131 LEVEL CM	22721,7079 litre	65,601 %	11914,3511 litre	O
1000	CM	105	CM	130 LEVEL CM	22517,9957 litre	65,013 %	12118,0633 litre	O
1000	CM	105	CM	129 LEVEL CM	22313,7933 litre	64,424 %	12322,2657 litre	O
1000	CM	105	CM	128 LEVEL CM	22109,1212 litre	63,833 %	12526,9378 litre	O
1000	CM	105	CM	127 LEVEL CM	21904,0002 litre	63,240 %	12732,0588 litre	O
1000	CM	105	CM	126 LEVEL CM	21698,4505 litre	62,647 %	12937,6085 litre	O
1000	CM	105	CM	125 LEVEL CM	21492,4926 litre	62,052 %	13143,5664 litre	O
1000	CM	105	CM	124 LEVEL CM	21286,1467 litre	61,457 %	13349,9123 litre	O
1000	CM	105	CM	123 LEVEL CM	21079,4327 litre	60,860 %	13556,6263 litre	O
1000	CM	105	CM	122 LEVEL CM	20872,3708 litre	60,262 %	13763,6882 litre	O
1000	CM	105	CM	121 LEVEL CM	20664,9807 litre	59,663 %	13971,0783 litre	O
1000	CM	105	CM	120 LEVEL CM	20457,2822 litre	59,064 %	14178,7768 litre	O
1000	CM	105	CM	119 LEVEL CM	20249,2950 litre	58,463 %	14386,7640 litre	O
1000	CM	105	CM	118 LEVEL CM	20041,0388 litre	57,862 %	14595,0202 litre	O
1000	CM	105	CM	117 LEVEL CM	19832,5330 litre	57,260 %	14803,5260 litre	O
1000	CM	105	CM	116 LEVEL CM	19623,7971 litre	56,657 %	15012,2619 litre	O
1000	CM	105	CM	115 LEVEL CM	19414,8506 litre	56,054 %	15221,2084 litre	O
1000	CM	105	CM	114 LEVEL CM	19205,7127 litre	55,450 %	15430,3463 litre	O
1000	CM	105	CM	113 LEVEL CM	18996,4027 litre	54,846 %	15639,6563 litre	O
1000	CM	105	CM	112 LEVEL CM	18786,9399 litre	54,241 %	15849,1191 litre	O
1000	CM	105	CM	111 LEVEL CM	18577,3435 litre	53,636 %	16058,7155 litre	O
1000	CM	105	CM	110 LEVEL CM	18367,6325 litre	53,030 %	16268,4265 litre	O
1000	CM	105	CM	109 LEVEL CM	18157,8263 litre	52,425 %	16478,2327 litre	O
1000	CM	105	CM	108 LEVEL CM	17947,9438 litre	51,819 %	16688,1152 litre	O
1000	CM	105	CM	107 LEVEL CM	17738,0041 litre	51,213 %	16898,0549 litre	O
1000	CM	105	CM	106 LEVEL CM	17528,0263 litre	50,606 %	17108,0327 litre	O

1000	CM	105	CM	105 LEVEL CM	17318,0295 litre	50,000 %	17318,0295 litre	O
1000	CM	105	CM	104 LEVEL CM	17108,0327 litre	49,394 %	17528,0263 litre	O
1000	CM	105	CM	103 LEVEL CM	16898,0549 litre	48,787 %	17738,0041 litre	O
1000	CM	105	CM	102 LEVEL CM	16688,1152 litre	48,181 %	17947,9438 litre	O
1000	CM	105	CM	101 LEVEL CM	16478,2327 litre	47,575 %	18157,8263 litre	O
1000	CM	105	CM	100 LEVEL CM	16268,4265 litre	46,970 %	18367,6325 litre	O
1000	CM	105	CM	99 LEVEL CM	16058,7156 litre	46,364 %	18577,3434 litre	O
1000	CM	105	CM	98 LEVEL CM	15849,1191 litre	45,759 %	18786,9399 litre	O
1000	CM	105	CM	97 LEVEL CM	15639,6563 litre	45,154 %	18996,4027 litre	O
1000	CM	105	CM	96 LEVEL CM	15430,3463 litre	44,550 %	19205,7127 litre	O
1000	CM	105	CM	95 LEVEL CM	15221,2084 litre	43,946 %	19414,8506 litre	O
1000	CM	105	CM	94 LEVEL CM	15012,2619 litre	43,343 %	19623,7971 litre	O
1000	CM	105	CM	93 LEVEL CM	14803,5260 litre	42,740 %	19832,5330 litre	O
1000	CM	105	CM	92 LEVEL CM	14595,0202 litre	42,138 %	20041,0388 litre	O
1000	CM	105	CM	91 LEVEL CM	14386,7640 litre	41,537 %	20249,2950 litre	O
1000	CM	105	CM	90 LEVEL CM	14178,7768 litre	40,936 %	20457,2822 litre	O
1000	CM	105	CM	89 LEVEL CM	13971,0783 litre	40,337 %	20664,9807 litre	O
1000	CM	105	CM	88 LEVEL CM	13763,6882 litre	39,738 %	20872,3708 litre	O
1000	CM	105	CM	87 LEVEL CM	13556,6263 litre	39,140 %	21079,4327 litre	O
1000	CM	105	CM	86 LEVEL CM	13349,9123 litre	38,543 %	21286,1467 litre	O
1000	CM	105	CM	85 LEVEL CM	13143,5664 litre	37,948 %	21492,4926 litre	O
1000	CM	105	CM	84 LEVEL CM	12937,6085 litre	37,353 %	21698,4505 litre	O
1000	CM	105	CM	83 LEVEL CM	12732,0588 litre	36,760 %	21904,0002 litre	O
1000	CM	105	CM	82 LEVEL CM	12526,9378 litre	36,167 %	22109,1212 litre	O
1000	CM	105	CM	81 LEVEL CM	12322,2657 litre	35,576 %	22313,7933 litre	O
1000	CM	105	CM	80 LEVEL CM	12118,0633 litre	34,987 %	22517,9957 litre	O
1000	CM	105	CM	79 LEVEL CM	11914,3511 litre	34,399 %	22721,7079 litre	O
1000	CM	105	CM	78 LEVEL CM	11711,1501 litre	33,812 %	22924,9089 litre	O
1000	CM	105	CM	77 LEVEL CM	11508,4813 litre	33,227 %	23127,5777 litre	O
1000	CM	105	CM	76 LEVEL CM	11306,3659 litre	32,643 %	23329,6931 litre	O
1000	CM	105	CM	75 LEVEL CM	11104,8252 litre	32,061 %	23531,2338 litre	O
1000	CM	105	CM	74 LEVEL CM	10903,8809 litre	31,481 %	23732,1781 litre	O
1000	CM	105	CM	73 LEVEL CM	10703,5545 litre	30,903 %	23932,5045 litre	O
1000	CM	105	CM	72 LEVEL CM	10503,8682 litre	30,326 %	24132,1908 litre	O
1000	CM	105	CM	71 LEVEL CM	10304,8440 litre	29,752 %	24331,2150 litre	O
1000	CM	105	CM	70 LEVEL CM	10106,5043 litre	29,179 %	24529,5547 litre	O
1000	CM	105	CM	69 LEVEL CM	9908,8718 litre	28,609 %	24727,1872 litre	O
1000	CM	105	CM	68 LEVEL CM	9711,9692 litre	28,040 %	24924,0898 litre	O
1000	CM	105	CM	67 LEVEL CM	9515,8198 litre	27,474 %	25120,2392 litre	O
1000	CM	105	CM	66 LEVEL CM	9320,4467 litre	26,910 %	25315,6123 litre	O
1000	CM	105	CM	65 LEVEL CM	9125,8738 litre	26,348 %	25510,1852 litre	O
1000	CM	105	CM	64 LEVEL CM	8932,1250 litre	25,789 %	25703,9340 litre	O
1000	CM	105	CM	63 LEVEL CM	8739,2245 litre	25,232 %	25896,8345 litre	O
1000	CM	105	CM	62 LEVEL CM	8547,1969 litre	24,677 %	26088,8621 litre	O
1000	CM	105	CM	61 LEVEL CM	8356,0671 litre	24,125 %	26279,9919 litre	O
1000	CM	105	CM	60 LEVEL CM	8165,8604 litre	23,576 %	26470,1986 litre	O
1000	CM	105	CM	59 LEVEL CM	7976,6024 litre	23,030 %	26659,4566 litre	O
1000	CM	105	CM	58 LEVEL CM	7788,3191 litre	22,486 %	26847,7399 litre	O
1000	CM	105	CM	57 LEVEL CM	7601,0371 litre	21,945 %	27035,0219 litre	O
1000	CM	105	CM	56 LEVEL CM	7414,7830 litre	21,408 %	27221,2760 litre	O
1000	CM	105	CM	55 LEVEL CM	7229,5843 litre	20,873 %	27406,4747 litre	O
1000	CM	105	CM	54 LEVEL CM	7045,4686 litre	20,341 %	27590,5904 litre	O
1000	CM	105	CM	53 LEVEL CM	6862,4644 litre	19,813 %	27773,5946 litre	O

1000	CM	105	CM	52 LEVEL CM	6680,6002 litre	19,288 %	27955,4588 litre	O
1000	CM	105	CM	51 LEVEL CM	6499,9056 litre	18,766 %	28136,1534 litre	O
1000	CM	105	CM	50 LEVEL CM	6320,4104 litre	18,248 %	28315,6486 litre	O
1000	CM	105	CM	49 LEVEL CM	6142,1450 litre	17,733 %	28493,9140 litre	O
1000	CM	105	CM	48 LEVEL CM	5965,1407 litre	17,222 %	28670,9183 litre	O
1000	CM	105	CM	47 LEVEL CM	5789,4292 litre	16,715 %	28846,6298 litre	O
1000	CM	105	CM	46 LEVEL CM	5615,0431 litre	16,212 %	29021,0159 litre	O
1000	CM	105	CM	45 LEVEL CM	5442,0156 litre	15,712 %	29194,0434 litre	O
1000	CM	105	CM	44 LEVEL CM	5270,3808 litre	15,216 %	29365,6782 litre	O
1000	CM	105	CM	43 LEVEL CM	5100,1736 litre	14,725 %	29535,8854 litre	O
1000	CM	105	CM	42 LEVEL CM	4931,4298 litre	14,238 %	29704,6292 litre	O
1000	CM	105	CM	41 LEVEL CM	4764,1860 litre	13,755 %	29871,8730 litre	O
1000	CM	105	CM	40 LEVEL CM	4598,4801 litre	13,277 %	30037,5789 litre	O
1000	CM	105	CM	39 LEVEL CM	4434,3507 litre	12,803 %	30201,7083 litre	O
1000	CM	105	CM	38 LEVEL CM	4271,8378 litre	12,333 %	30364,2212 litre	O
1000	CM	105	CM	37 LEVEL CM	4110,9825 litre	11,869 %	30525,0765 litre	O
1000	CM	105	CM	36 LEVEL CM	3951,8271 litre	11,410 %	30684,2319 litre	O
1000	CM	105	CM	35 LEVEL CM	3794,4155 litre	10,955 %	30841,6435 litre	O
1000	CM	105	CM	34 LEVEL CM	3638,7930 litre	10,506 %	30997,2660 litre	O
1000	CM	105	CM	33 LEVEL CM	3485,0062 litre	10,062 %	31151,0528 litre	O
1000	CM	105	CM	32 LEVEL CM	3333,1037 litre	9,623 %	31302,9553 litre	O
1000	CM	105	CM	31 LEVEL CM	3183,1359 litre	9,190 %	31452,9231 litre	O
1000	CM	105	CM	30 LEVEL CM	3035,1550 litre	8,763 %	31600,9040 litre	O
1000	CM	105	CM	29 LEVEL CM	2889,2156 litre	8,342 %	31746,8434 litre	O
1000	CM	105	CM	28 LEVEL CM	2745,3744 litre	7,926 %	31890,6846 litre	O
1000	CM	105	CM	27 LEVEL CM	2603,6907 litre	7,517 %	32032,3683 litre	O
1000	CM	105	CM	26 LEVEL CM	2464,2266 litre	7,115 %	32171,8324 litre	O
1000	CM	105	CM	25 LEVEL CM	2327,0471 litre	6,719 %	32309,0119 litre	O
1000	CM	105	CM	24 LEVEL CM	2192,2206 litre	6,329 %	32443,8384 litre	O
1000	CM	105	CM	23 LEVEL CM	2059,8190 litre	5,947 %	32576,2400 litre	O
1000	CM	105	CM	22 LEVEL CM	1929,9186 litre	5,572 %	32706,1404 litre	O
1000	CM	105	CM	21 LEVEL CM	1802,5997 litre	5,204 %	32833,4593 litre	O
1000	CM	105	CM	20 LEVEL CM	1677,9480 litre	4,845 %	32958,1110 litre	O
1000	CM	105	CM	19 LEVEL CM	1556,0546 litre	4,493 %	33080,0044 litre	O
1000	CM	105	CM	18 LEVEL CM	1437,0169 litre	4,149 %	33199,0421 litre	O
1000	CM	105	CM	17 LEVEL CM	1320,9397 litre	3,814 %	33315,1193 litre	O
1000	CM	105	CM	16 LEVEL CM	1207,9360 litre	3,488 %	33428,1230 litre	O
1000	CM	105	CM	15 LEVEL CM	1098,1281 litre	3,170 %	33537,9309 litre	O
1000	CM	105	CM	14 LEVEL CM	991,6494 litre	2,863 %	33644,4096 litre	O
1000	CM	105	CM	13 LEVEL CM	888,6464 litre	2,566 %	33747,4126 litre	O
1000	CM	105	CM	12 LEVEL CM	789,2809 litre	2,279 %	33846,7781 litre	O
1000	CM	105	CM	11 LEVEL CM	693,7330 litre	2,003 %	33942,3260 litre	O
1000	CM	105	CM	10 LEVEL CM	602,2057 litre	1,739 %	34033,8533 litre	O
1000	CM	105	CM	9 LEVEL CM	514,9299 litre	1,487 %	34121,1291 litre	O
1000	CM	105	CM	8 LEVEL CM	432,1721 litre	1,248 %	34203,8869 litre	O
1000	CM	105	CM	7 LEVEL CM	354,2454 litre	1,023 %	34281,8136 litre	O
1000	CM	105	CM	6 LEVEL CM	281,5252 litre	0,813 %	34354,5338 litre	O
1000	CM	105	CM	5 LEVEL CM	214,4750 litre	0,619 %	34421,5840 litre	O
1000	CM	105	CM	4 LEVEL CM	153,6884 litre	0,444 %	34482,3706 litre	O
1000	CM	105	CM	3 LEVEL CM	99,9678 litre	0,289 %	34536,0912 litre	O
1000	CM	105	CM	2 LEVEL CM	54,4940 litre	0,157 %	34581,5650 litre	O
1000	CM	105	CM	1 LEVEL CM	19,2942 litre	0,056 %	34616,7648 litre	O
1000	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	34636,0590 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	100	CM	200 LEVEL CM	31415,9265 litre	100,000 %	0,0000 litre	O
1000	CM	100	CM	199 LEVEL CM	31397,0987 litre	99,940 %	18,8278 litre	O
1000	CM	100	CM	198 LEVEL CM	31362,7535 litre	99,831 %	53,1730 litre	O
1000	CM	100	CM	197 LEVEL CM	31318,3890 litre	99,690 %	97,5375 litre	O
1000	CM	100	CM	196 LEVEL CM	31265,9854 litre	99,523 %	149,9411 litre	O
1000	CM	100	CM	195 LEVEL CM	31206,6963 litre	99,334 %	209,2302 litre	O
1000	CM	100	CM	194 LEVEL CM	31141,3061 litre	99,126 %	274,6204 litre	O
1000	CM	100	CM	193 LEVEL CM	31070,3952 litre	98,900 %	345,5313 litre	O
1000	CM	100	CM	192 LEVEL CM	30994,4170 litre	98,658 %	421,5095 litre	O
1000	CM	100	CM	191 LEVEL CM	30913,7390 litre	98,401 %	502,1875 litre	O
1000	CM	100	CM	190 LEVEL CM	30828,6675 litre	98,131 %	587,2590 litre	O
1000	CM	100	CM	189 LEVEL CM	30739,4636 litre	97,847 %	676,4629 litre	O
1000	CM	100	CM	188 LEVEL CM	30646,3537 litre	97,550 %	769,5728 litre	O
1000	CM	100	CM	187 LEVEL CM	30549,5364 litre	97,242 %	866,3901 litre	O
1000	CM	100	CM	186 LEVEL CM	30449,1887 litre	96,923 %	966,7378 litre	O
1000	CM	100	CM	185 LEVEL CM	30345,4691 litre	96,593 %	1070,4574 litre	O
1000	CM	100	CM	184 LEVEL CM	30238,5212 litre	96,252 %	1177,4053 litre	O
1000	CM	100	CM	183 LEVEL CM	30128,4763 litre	95,902 %	1287,4502 litre	O
1000	CM	100	CM	182 LEVEL CM	30015,4543 litre	95,542 %	1400,4722 litre	O
1000	CM	100	CM	181 LEVEL CM	29899,5664 litre	95,173 %	1516,3601 litre	O
1000	CM	100	CM	180 LEVEL CM	29780,9154 litre	94,796 %	1635,0111 litre	O
1000	CM	100	CM	179 LEVEL CM	29659,5973 litre	94,409 %	1756,3292 litre	O
1000	CM	100	CM	178 LEVEL CM	29535,7016 litre	94,015 %	1880,2249 litre	O
1000	CM	100	CM	177 LEVEL CM	29409,3127 litre	93,613 %	2006,6138 litre	O
1000	CM	100	CM	176 LEVEL CM	29280,5098 litre	93,203 %	2135,4167 litre	O
1000	CM	100	CM	175 LEVEL CM	29149,3678 litre	92,785 %	2266,5587 litre	O
1000	CM	100	CM	174 LEVEL CM	29015,9577 litre	92,361 %	2399,9688 litre	O
1000	CM	100	CM	173 LEVEL CM	28880,3469 litre	91,929 %	2535,5796 litre	O
1000	CM	100	CM	172 LEVEL CM	28742,5997 litre	91,491 %	2673,3268 litre	O
1000	CM	100	CM	171 LEVEL CM	28602,7773 litre	91,045 %	2813,1492 litre	O
1000	CM	100	CM	170 LEVEL CM	28460,9381 litre	90,594 %	2954,9884 litre	O
1000	CM	100	CM	169 LEVEL CM	28317,1384 litre	90,136 %	3098,7881 litre	O
1000	CM	100	CM	168 LEVEL CM	28171,4320 litre	89,672 %	3244,4945 litre	O
1000	CM	100	CM	167 LEVEL CM	28023,8705 litre	89,203 %	3392,0560 litre	O
1000	CM	100	CM	166 LEVEL CM	27874,5038 litre	88,727 %	3541,4227 litre	O
1000	CM	100	CM	165 LEVEL CM	27723,3800 litre	88,246 %	3692,5465 litre	O
1000	CM	100	CM	164 LEVEL CM	27570,5453 litre	87,760 %	3845,3812 litre	O
1000	CM	100	CM	163 LEVEL CM	27416,0447 litre	87,268 %	3999,8818 litre	O
1000	CM	100	CM	162 LEVEL CM	27259,9215 litre	86,771 %	4156,0050 litre	O
1000	CM	100	CM	161 LEVEL CM	27102,2178 litre	86,269 %	4313,7087 litre	O
1000	CM	100	CM	160 LEVEL CM	26942,9744 litre	85,762 %	4472,9521 litre	O
1000	CM	100	CM	159 LEVEL CM	26782,2308 litre	85,250 %	4633,6957 litre	O
1000	CM	100	CM	158 LEVEL CM	26620,0257 litre	84,734 %	4795,9008 litre	O
1000	CM	100	CM	157 LEVEL CM	26456,3966 litre	84,213 %	4959,5299 litre	O
1000	CM	100	CM	156 LEVEL CM	26291,3799 litre	83,688 %	5124,5466 litre	O
1000	CM	100	CM	155 LEVEL CM	26125,0112 litre	83,158 %	5290,9153 litre	O
1000	CM	100	CM	154 LEVEL CM	25957,3255 litre	82,625 %	5458,6010 litre	O
1000	CM	100	CM	153 LEVEL CM	25788,3564 litre	82,087 %	5627,5701 litre	O
1000	CM	100	CM	152 LEVEL CM	25618,1373 litre	81,545 %	5797,7892 litre	O
1000	CM	100	CM	151 LEVEL CM	25446,7006 litre	80,999 %	5969,2259 litre	O
1000	CM	100	CM	150 LEVEL CM	25274,0780 litre	80,450 %	6141,8485 litre	O
1000	CM	100	CM	149 LEVEL CM	25100,3007 litre	79,897 %	6315,6258 litre	O

1000	CM	100	CM	148 LEVEL CM	24925,3991 litre	79,340 %	6490,5274 litre	O
1000	CM	100	CM	147 LEVEL CM	24749,4032 litre	78,780 %	6666,5233 litre	O
1000	CM	100	CM	146 LEVEL CM	24572,3423 litre	78,216 %	6843,5842 litre	O
1000	CM	100	CM	145 LEVEL CM	24394,2452 litre	77,649 %	7021,6813 litre	O
1000	CM	100	CM	144 LEVEL CM	24215,1402 litre	77,079 %	7200,7863 litre	O
1000	CM	100	CM	143 LEVEL CM	24035,0553 litre	76,506 %	7380,8712 litre	O
1000	CM	100	CM	142 LEVEL CM	23854,0177 litre	75,930 %	7561,9088 litre	O
1000	CM	100	CM	141 LEVEL CM	23672,0545 litre	75,350 %	7743,8720 litre	O
1000	CM	100	CM	140 LEVEL CM	23489,1923 litre	74,768 %	7926,7342 litre	O
1000	CM	100	CM	139 LEVEL CM	23305,4571 litre	74,184 %	8110,4694 litre	O
1000	CM	100	CM	138 LEVEL CM	23120,8749 litre	73,596 %	8295,0516 litre	O
1000	CM	100	CM	137 LEVEL CM	22935,4710 litre	73,006 %	8480,4555 litre	O
1000	CM	100	CM	136 LEVEL CM	22749,2705 litre	72,413 %	8666,6560 litre	O
1000	CM	100	CM	135 LEVEL CM	22562,2983 litre	71,818 %	8853,6282 litre	O
1000	CM	100	CM	134 LEVEL CM	22374,5787 litre	71,220 %	9041,3478 litre	O
1000	CM	100	CM	133 LEVEL CM	22186,1361 litre	70,621 %	9229,7904 litre	O
1000	CM	100	CM	132 LEVEL CM	21996,9943 litre	70,019 %	9418,9322 litre	O
1000	CM	100	CM	131 LEVEL CM	21807,1769 litre	69,414 %	9608,7496 litre	O
1000	CM	100	CM	130 LEVEL CM	21616,7074 litre	68,808 %	9799,2191 litre	O
1000	CM	100	CM	129 LEVEL CM	21425,6089 litre	68,200 %	9990,3176 litre	O
1000	CM	100	CM	128 LEVEL CM	21233,9044 litre	67,590 %	10182,0221 litre	O
1000	CM	100	CM	127 LEVEL CM	21041,6165 litre	66,978 %	10374,3100 litre	O
1000	CM	100	CM	126 LEVEL CM	20848,7677 litre	66,364 %	10567,1588 litre	O
1000	CM	100	CM	125 LEVEL CM	20655,3804 litre	65,748 %	10760,5461 litre	O
1000	CM	100	CM	124 LEVEL CM	20461,4767 litre	65,131 %	10954,4498 litre	O
1000	CM	100	CM	123 LEVEL CM	20267,0785 litre	64,512 %	11148,8480 litre	O
1000	CM	100	CM	122 LEVEL CM	20072,2077 litre	63,892 %	11343,7188 litre	O
1000	CM	100	CM	121 LEVEL CM	19876,8858 litre	63,270 %	11539,0407 litre	O
1000	CM	100	CM	120 LEVEL CM	19681,1343 litre	62,647 %	11734,7922 litre	O
1000	CM	100	CM	119 LEVEL CM	19484,9745 litre	62,023 %	11930,9520 litre	O
1000	CM	100	CM	118 LEVEL CM	19288,4277 litre	61,397 %	12127,4988 litre	O
1000	CM	100	CM	117 LEVEL CM	19091,5149 litre	60,770 %	12324,4116 litre	O
1000	CM	100	CM	116 LEVEL CM	18894,2570 litre	60,142 %	12521,6695 litre	O
1000	CM	100	CM	115 LEVEL CM	18696,6750 litre	59,513 %	12719,2515 litre	O
1000	CM	100	CM	114 LEVEL CM	18498,7895 litre	58,883 %	12917,1370 litre	O
1000	CM	100	CM	113 LEVEL CM	18300,6213 litre	58,253 %	13115,3052 litre	O
1000	CM	100	CM	112 LEVEL CM	18102,1908 litre	57,621 %	13313,7357 litre	O
1000	CM	100	CM	111 LEVEL CM	17903,5185 litre	56,989 %	13512,4080 litre	O
1000	CM	100	CM	110 LEVEL CM	17704,6249 litre	56,356 %	13711,3016 litre	O
1000	CM	100	CM	109 LEVEL CM	17505,5303 litre	55,722 %	13910,3962 litre	O
1000	CM	100	CM	108 LEVEL CM	17306,2550 litre	55,088 %	14109,6715 litre	O
1000	CM	100	CM	107 LEVEL CM	17106,8191 litre	54,453 %	14309,1074 litre	O
1000	CM	100	CM	106 LEVEL CM	16907,2429 litre	53,817 %	14508,6836 litre	O
1000	CM	100	CM	105 LEVEL CM	16707,5464 litre	53,182 %	14708,3801 litre	O
1000	CM	100	CM	104 LEVEL CM	16507,7499 litre	52,546 %	14908,1766 litre	O
1000	CM	100	CM	103 LEVEL CM	16307,8733 litre	51,910 %	15108,0532 litre	O
1000	CM	100	CM	102 LEVEL CM	16107,9366 litre	51,273 %	15307,9899 litre	O
1000	CM	100	CM	101 LEVEL CM	15907,9599 litre	50,637 %	15507,9666 litre	O
1000	CM	100	CM	100 LEVEL CM	15707,9633 litre	50,000 %	15707,9632 litre	O
1000	CM	100	CM	99 LEVEL CM	15507,9666 litre	49,363 %	15907,9599 litre	O
1000	CM	100	CM	98 LEVEL CM	15307,9899 litre	48,727 %	16107,9366 litre	O
1000	CM	100	CM	97 LEVEL CM	15108,0533 litre	48,090 %	16307,8732 litre	O
1000	CM	100	CM	96 LEVEL CM	14908,1767 litre	47,454 %	16507,7498 litre	O

1000	CM	100	CM	95 LEVEL CM	14708,3801 litre	46,818 %	16707,5464 litre	O
1000	CM	100	CM	94 LEVEL CM	14508,6837 litre	46,183 %	16907,2428 litre	O
1000	CM	100	CM	93 LEVEL CM	14309,1074 litre	45,547 %	17106,8191 litre	O
1000	CM	100	CM	92 LEVEL CM	14109,6716 litre	44,912 %	17306,2549 litre	O
1000	CM	100	CM	91 LEVEL CM	13910,3962 litre	44,278 %	17505,5303 litre	O
1000	CM	100	CM	90 LEVEL CM	13711,3016 litre	43,644 %	17704,6249 litre	O
1000	CM	100	CM	89 LEVEL CM	13512,4080 litre	43,011 %	17903,5185 litre	O
1000	CM	100	CM	88 LEVEL CM	13313,7358 litre	42,379 %	18102,1907 litre	O
1000	CM	100	CM	87 LEVEL CM	13115,3053 litre	41,747 %	18300,6212 litre	O
1000	CM	100	CM	86 LEVEL CM	12917,1370 litre	41,117 %	18498,7895 litre	O
1000	CM	100	CM	85 LEVEL CM	12719,2515 litre	40,487 %	18696,6750 litre	O
1000	CM	100	CM	84 LEVEL CM	12521,6695 litre	39,858 %	18894,2570 litre	O
1000	CM	100	CM	83 LEVEL CM	12324,4117 litre	39,230 %	19091,5148 litre	O
1000	CM	100	CM	82 LEVEL CM	12127,4989 litre	38,603 %	19288,4276 litre	O
1000	CM	100	CM	81 LEVEL CM	11930,9520 litre	37,977 %	19484,9745 litre	O
1000	CM	100	CM	80 LEVEL CM	11734,7923 litre	37,353 %	19681,1342 litre	O
1000	CM	100	CM	79 LEVEL CM	11539,0408 litre	36,730 %	19876,8857 litre	O
1000	CM	100	CM	78 LEVEL CM	11343,7188 litre	36,108 %	20072,2077 litre	O
1000	CM	100	CM	77 LEVEL CM	11148,8480 litre	35,488 %	20267,0785 litre	O
1000	CM	100	CM	76 LEVEL CM	10954,4498 litre	34,869 %	20461,4767 litre	O
1000	CM	100	CM	75 LEVEL CM	10760,5461 litre	34,252 %	20655,3804 litre	O
1000	CM	100	CM	74 LEVEL CM	10567,1588 litre	33,636 %	20848,7677 litre	O
1000	CM	100	CM	73 LEVEL CM	10374,3101 litre	33,022 %	21041,6164 litre	O
1000	CM	100	CM	72 LEVEL CM	10182,0222 litre	32,410 %	21233,9043 litre	O
1000	CM	100	CM	71 LEVEL CM	9990,3176 litre	31,800 %	21425,6089 litre	O
1000	CM	100	CM	70 LEVEL CM	9799,2191 litre	31,192 %	21616,7074 litre	O
1000	CM	100	CM	69 LEVEL CM	9608,7496 litre	30,586 %	21807,1769 litre	O
1000	CM	100	CM	68 LEVEL CM	9418,9323 litre	29,981 %	21996,9942 litre	O
1000	CM	100	CM	67 LEVEL CM	9229,7904 litre	29,379 %	22186,1361 litre	O
1000	CM	100	CM	66 LEVEL CM	9041,3478 litre	28,780 %	22374,5787 litre	O
1000	CM	100	CM	65 LEVEL CM	8853,6283 litre	28,182 %	22562,2982 litre	O
1000	CM	100	CM	64 LEVEL CM	8666,6560 litre	27,587 %	22749,2705 litre	O
1000	CM	100	CM	63 LEVEL CM	8480,4556 litre	26,994 %	22935,4709 litre	O
1000	CM	100	CM	62 LEVEL CM	8295,0517 litre	26,404 %	23120,8748 litre	O
1000	CM	100	CM	61 LEVEL CM	8110,4694 litre	25,816 %	23305,4571 litre	O
1000	CM	100	CM	60 LEVEL CM	7926,7343 litre	25,232 %	23489,1922 litre	O
1000	CM	100	CM	59 LEVEL CM	7743,8720 litre	24,650 %	23672,0545 litre	O
1000	CM	100	CM	58 LEVEL CM	7561,9088 litre	24,070 %	23854,0177 litre	O
1000	CM	100	CM	57 LEVEL CM	7380,8713 litre	23,494 %	24035,0552 litre	O
1000	CM	100	CM	56 LEVEL CM	7200,7863 litre	22,921 %	24215,1402 litre	O
1000	CM	100	CM	55 LEVEL CM	7021,6814 litre	22,351 %	24394,2451 litre	O
1000	CM	100	CM	54 LEVEL CM	6843,5843 litre	21,784 %	24572,3422 litre	O
1000	CM	100	CM	53 LEVEL CM	6666,5233 litre	21,220 %	24749,4032 litre	O
1000	CM	100	CM	52 LEVEL CM	6490,5274 litre	20,660 %	24925,3991 litre	O
1000	CM	100	CM	51 LEVEL CM	6315,6258 litre	20,103 %	25100,3007 litre	O
1000	CM	100	CM	50 LEVEL CM	6141,8485 litre	19,550 %	25274,0780 litre	O
1000	CM	100	CM	49 LEVEL CM	5969,2259 litre	19,001 %	25446,7006 litre	O
1000	CM	100	CM	48 LEVEL CM	5797,7892 litre	18,455 %	25618,1373 litre	O
1000	CM	100	CM	47 LEVEL CM	5627,5701 litre	17,913 %	25788,3564 litre	O
1000	CM	100	CM	46 LEVEL CM	5458,6011 litre	17,375 %	25957,3254 litre	O
1000	CM	100	CM	45 LEVEL CM	5290,9153 litre	16,842 %	26125,0112 litre	O
1000	CM	100	CM	44 LEVEL CM	5124,5467 litre	16,312 %	26291,3798 litre	O
1000	CM	100	CM	43 LEVEL CM	4959,5300 litre	15,787 %	26456,3965 litre	O

1000	CM	100	CM	42 LEVEL CM	4795,9008 litre	15,266 %	26620,0257 litre	O
1000	CM	100	CM	41 LEVEL CM	4633,6957 litre	14,750 %	26782,2308 litre	O
1000	CM	100	CM	40 LEVEL CM	4472,9522 litre	14,238 %	26942,9743 litre	O
1000	CM	100	CM	39 LEVEL CM	4313,7087 litre	13,731 %	27102,2178 litre	O
1000	CM	100	CM	38 LEVEL CM	4156,0050 litre	13,229 %	27259,9215 litre	O
1000	CM	100	CM	37 LEVEL CM	3999,8818 litre	12,732 %	27416,0447 litre	O
1000	CM	100	CM	36 LEVEL CM	3845,3812 litre	12,240 %	27570,5453 litre	O
1000	CM	100	CM	35 LEVEL CM	3692,5466 litre	11,754 %	27723,3799 litre	O
1000	CM	100	CM	34 LEVEL CM	3541,4227 litre	11,273 %	27874,5038 litre	O
1000	CM	100	CM	33 LEVEL CM	3392,0560 litre	10,797 %	28023,8705 litre	O
1000	CM	100	CM	32 LEVEL CM	3244,4946 litre	10,328 %	28171,4319 litre	O
1000	CM	100	CM	31 LEVEL CM	3098,7881 litre	9,864 %	28317,1384 litre	O
1000	CM	100	CM	30 LEVEL CM	2954,9884 litre	9,406 %	28460,9381 litre	O
1000	CM	100	CM	29 LEVEL CM	2813,1493 litre	8,955 %	28602,7772 litre	O
1000	CM	100	CM	28 LEVEL CM	2673,3268 litre	8,509 %	28742,5997 litre	O
1000	CM	100	CM	27 LEVEL CM	2535,5796 litre	8,071 %	28880,3469 litre	O
1000	CM	100	CM	26 LEVEL CM	2399,9689 litre	7,639 %	29015,9576 litre	O
1000	CM	100	CM	25 LEVEL CM	2266,5588 litre	7,215 %	29149,3677 litre	O
1000	CM	100	CM	24 LEVEL CM	2135,4168 litre	6,797 %	29280,5097 litre	O
1000	CM	100	CM	23 LEVEL CM	2006,6138 litre	6,387 %	29409,3127 litre	O
1000	CM	100	CM	22 LEVEL CM	1880,2249 litre	5,985 %	29535,7016 litre	O
1000	CM	100	CM	21 LEVEL CM	1756,3292 litre	5,591 %	29659,5973 litre	O
1000	CM	100	CM	20 LEVEL CM	1635,0111 litre	5,204 %	29780,9154 litre	O
1000	CM	100	CM	19 LEVEL CM	1516,3601 litre	4,827 %	29899,5664 litre	O
1000	CM	100	CM	18 LEVEL CM	1400,4722 litre	4,458 %	30015,4543 litre	O
1000	CM	100	CM	17 LEVEL CM	1287,4503 litre	4,098 %	30128,4762 litre	O
1000	CM	100	CM	16 LEVEL CM	1177,4053 litre	3,748 %	30238,5212 litre	O
1000	CM	100	CM	15 LEVEL CM	1070,4575 litre	3,407 %	30345,4690 litre	O
1000	CM	100	CM	14 LEVEL CM	966,7379 litre	3,077 %	30449,1886 litre	O
1000	CM	100	CM	13 LEVEL CM	866,3901 litre	2,758 %	30549,5364 litre	O
1000	CM	100	CM	12 LEVEL CM	769,5728 litre	2,450 %	30646,3537 litre	O
1000	CM	100	CM	11 LEVEL CM	676,4629 litre	2,153 %	30739,4636 litre	O
1000	CM	100	CM	10 LEVEL CM	587,2591 litre	1,869 %	30828,6674 litre	O
1000	CM	100	CM	9 LEVEL CM	502,1876 litre	1,599 %	30913,7389 litre	O
1000	CM	100	CM	8 LEVEL CM	421,5095 litre	1,342 %	30994,4170 litre	O
1000	CM	100	CM	7 LEVEL CM	345,5313 litre	1,100 %	31070,3952 litre	O
1000	CM	100	CM	6 LEVEL CM	274,6205 litre	0,874 %	31141,3060 litre	O
1000	CM	100	CM	5 LEVEL CM	209,2302 litre	0,666 %	31206,6963 litre	O
1000	CM	100	CM	4 LEVEL CM	149,9411 litre	0,477 %	31265,9854 litre	O
1000	CM	100	CM	3 LEVEL CM	97,5375 litre	0,310 %	31318,3890 litre	O
1000	CM	100	CM	2 LEVEL CM	53,1730 litre	0,169 %	31362,7535 litre	O
1000	CM	100	CM	1 LEVEL CM	18,8279 litre	0,060 %	31397,0986 litre	O
1000	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	31415,9265 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	95	CM	190 LEVEL CM	28352,8737 litre	100,000 %	0,0000 litre	O
1000	CM	95	CM	189 LEVEL CM	28334,5240 litre	99,935 %	18,3497 litre	O
1000	CM	95	CM	188 LEVEL CM	28301,0553 litre	99,817 %	51,8184 litre	O
1000	CM	95	CM	187 LEVEL CM	28257,8287 litre	99,665 %	95,0450 litre	O
1000	CM	95	CM	186 LEVEL CM	28206,7760 litre	99,485 %	146,0977 litre	O
1000	CM	95	CM	185 LEVEL CM	28149,0231 litre	99,281 %	203,8506 litre	O
1000	CM	95	CM	184 LEVEL CM	28085,3362 litre	99,056 %	267,5375 litre	O
1000	CM	95	CM	183 LEVEL CM	28016,2820 litre	98,813 %	336,5917 litre	O
1000	CM	95	CM	182 LEVEL CM	27942,3036 litre	98,552 %	410,5701 litre	O
1000	CM	95	CM	181 LEVEL CM	27863,7603 litre	98,275 %	489,1134 litre	O
1000	CM	95	CM	180 LEVEL CM	27780,9519 litre	97,983 %	571,9218 litre	O
1000	CM	95	CM	179 LEVEL CM	27694,1336 litre	97,677 %	658,7401 litre	O
1000	CM	95	CM	178 LEVEL CM	27603,5272 litre	97,357 %	749,3465 litre	O
1000	CM	95	CM	177 LEVEL CM	27509,3271 litre	97,025 %	843,5466 litre	O
1000	CM	95	CM	176 LEVEL CM	27411,7068 litre	96,681 %	941,1669 litre	O
1000	CM	95	CM	175 LEVEL CM	27310,8216 litre	96,325 %	1042,0521 litre	O
1000	CM	95	CM	174 LEVEL CM	27206,8125 litre	95,958 %	1146,0612 litre	O
1000	CM	95	CM	173 LEVEL CM	27099,8081 litre	95,580 %	1253,0656 litre	O
1000	CM	95	CM	172 LEVEL CM	26989,9263 litre	95,193 %	1362,9474 litre	O
1000	CM	95	CM	171 LEVEL CM	26877,2762 litre	94,796 %	1475,5975 litre	O
1000	CM	95	CM	170 LEVEL CM	26761,9588 litre	94,389 %	1590,9149 litre	O
1000	CM	95	CM	169 LEVEL CM	26644,0685 litre	93,973 %	1708,8052 litre	O
1000	CM	95	CM	168 LEVEL CM	26523,6934 litre	93,549 %	1829,1803 litre	O
1000	CM	95	CM	167 LEVEL CM	26400,9163 litre	93,115 %	1951,9574 litre	O
1000	CM	95	CM	166 LEVEL CM	26275,8154 litre	92,674 %	2077,0583 litre	O
1000	CM	95	CM	165 LEVEL CM	26148,4645 litre	92,225 %	2204,4092 litre	O
1000	CM	95	CM	164 LEVEL CM	26018,9335 litre	91,768 %	2333,9402 litre	O
1000	CM	95	CM	163 LEVEL CM	25887,2889 litre	91,304 %	2465,5848 litre	O
1000	CM	95	CM	162 LEVEL CM	25753,5940 litre	90,832 %	2599,2797 litre	O
1000	CM	95	CM	161 LEVEL CM	25617,9092 litre	90,354 %	2734,9645 litre	O
1000	CM	95	CM	160 LEVEL CM	25480,2925 litre	89,868 %	2872,5812 litre	O
1000	CM	95	CM	159 LEVEL CM	25340,7992 litre	89,376 %	3012,0745 litre	O
1000	CM	95	CM	158 LEVEL CM	25199,4826 litre	88,878 %	3153,3911 litre	O
1000	CM	95	CM	157 LEVEL CM	25056,3937 litre	88,373 %	3296,4800 litre	O
1000	CM	95	CM	156 LEVEL CM	24911,5820 litre	87,863 %	3441,2917 litre	O
1000	CM	95	CM	155 LEVEL CM	24765,0950 litre	87,346 %	3587,7787 litre	O
1000	CM	95	CM	154 LEVEL CM	24616,9787 litre	86,824 %	3735,8950 litre	O
1000	CM	95	CM	153 LEVEL CM	24467,2775 litre	86,296 %	3885,5962 litre	O
1000	CM	95	CM	152 LEVEL CM	24316,0344 litre	85,762 %	4036,8393 litre	O
1000	CM	95	CM	151 LEVEL CM	24163,2912 litre	85,223 %	4189,5825 litre	O
1000	CM	95	CM	150 LEVEL CM	24009,0884 litre	84,680 %	4343,7853 litre	O
1000	CM	95	CM	149 LEVEL CM	23853,4654 litre	84,131 %	4499,4083 litre	O
1000	CM	95	CM	148 LEVEL CM	23696,4606 litre	83,577 %	4656,4131 litre	O
1000	CM	95	CM	147 LEVEL CM	23538,1113 litre	83,018 %	4814,7624 litre	O
1000	CM	95	CM	146 LEVEL CM	23378,4537 litre	82,455 %	4974,4200 litre	O
1000	CM	95	CM	145 LEVEL CM	23217,5235 litre	81,888 %	5135,3502 litre	O
1000	CM	95	CM	144 LEVEL CM	23055,3553 litre	81,316 %	5297,5184 litre	O
1000	CM	95	CM	143 LEVEL CM	22891,9828 litre	80,740 %	5460,8909 litre	O
1000	CM	95	CM	142 LEVEL CM	22727,4394 litre	80,159 %	5625,4343 litre	O
1000	CM	95	CM	141 LEVEL CM	22561,7572 litre	79,575 %	5791,1165 litre	O
1000	CM	95	CM	140 LEVEL CM	22394,9683 litre	78,987 %	5957,9054 litre	O
1000	CM	95	CM	139 LEVEL CM	22227,1035 litre	78,395 %	6125,7702 litre	O

1000	CM	95	CM	138 LEVEL CM	22058,1935 litre	77,799 %	6294,6802 litre	O
1000	CM	95	CM	137 LEVEL CM	21888,2683 litre	77,199 %	6464,6054 litre	O
1000	CM	95	CM	136 LEVEL CM	21717,3573 litre	76,597 %	6635,5164 litre	O
1000	CM	95	CM	135 LEVEL CM	21545,4893 litre	75,990 %	6807,3844 litre	O
1000	CM	95	CM	134 LEVEL CM	21372,6929 litre	75,381 %	6980,1808 litre	O
1000	CM	95	CM	133 LEVEL CM	21198,9960 litre	74,768 %	7153,8777 litre	O
1000	CM	95	CM	132 LEVEL CM	21024,4263 litre	74,153 %	7328,4474 litre	O
1000	CM	95	CM	131 LEVEL CM	20849,0107 litre	73,534 %	7503,8630 litre	O
1000	CM	95	CM	130 LEVEL CM	20672,7762 litre	72,912 %	7680,0975 litre	O
1000	CM	95	CM	129 LEVEL CM	20495,7490 litre	72,288 %	7857,1247 litre	O
1000	CM	95	CM	128 LEVEL CM	20317,9553 litre	71,661 %	8034,9184 litre	O
1000	CM	95	CM	127 LEVEL CM	20139,4206 litre	71,031 %	8213,4531 litre	O
1000	CM	95	CM	126 LEVEL CM	19960,1704 litre	70,399 %	8392,7033 litre	O
1000	CM	95	CM	125 LEVEL CM	19780,2298 litre	69,764 %	8572,6439 litre	O
1000	CM	95	CM	124 LEVEL CM	19599,6235 litre	69,127 %	8753,2502 litre	O
1000	CM	95	CM	123 LEVEL CM	19418,3761 litre	68,488 %	8934,4976 litre	O
1000	CM	95	CM	122 LEVEL CM	19236,5118 litre	67,847 %	9116,3619 litre	O
1000	CM	95	CM	121 LEVEL CM	19054,0545 litre	67,203 %	9298,8192 litre	O
1000	CM	95	CM	120 LEVEL CM	18871,0282 litre	66,558 %	9481,8455 litre	O
1000	CM	95	CM	119 LEVEL CM	18687,4563 litre	65,910 %	9665,4174 litre	O
1000	CM	95	CM	118 LEVEL CM	18503,3622 litre	65,261 %	9849,5115 litre	O
1000	CM	95	CM	117 LEVEL CM	18318,7690 litre	64,610 %	10034,1047 litre	O
1000	CM	95	CM	116 LEVEL CM	18133,6997 litre	63,957 %	10219,1740 litre	O
1000	CM	95	CM	115 LEVEL CM	17948,1770 litre	63,303 %	10404,6967 litre	O
1000	CM	95	CM	114 LEVEL CM	17762,2237 litre	62,647 %	10590,6500 litre	O
1000	CM	95	CM	113 LEVEL CM	17575,8621 litre	61,990 %	10777,0116 litre	O
1000	CM	95	CM	112 LEVEL CM	17389,1145 litre	61,331 %	10963,7592 litre	O
1000	CM	95	CM	111 LEVEL CM	17202,0031 litre	60,671 %	11150,8706 litre	O
1000	CM	95	CM	110 LEVEL CM	17014,5501 litre	60,010 %	11338,3236 litre	O
1000	CM	95	CM	109 LEVEL CM	16826,7772 litre	59,348 %	11526,0965 litre	O
1000	CM	95	CM	108 LEVEL CM	16638,7063 litre	58,684 %	11714,1674 litre	O
1000	CM	95	CM	107 LEVEL CM	16450,3591 litre	58,020 %	11902,5146 litre	O
1000	CM	95	CM	106 LEVEL CM	16261,7572 litre	57,355 %	12091,1165 litre	O
1000	CM	95	CM	105 LEVEL CM	16072,9222 litre	56,689 %	12279,9515 litre	O
1000	CM	95	CM	104 LEVEL CM	15883,8755 litre	56,022 %	12468,9982 litre	O
1000	CM	95	CM	103 LEVEL CM	15694,6384 litre	55,355 %	12658,2353 litre	O
1000	CM	95	CM	102 LEVEL CM	15505,2324 litre	54,687 %	12847,6413 litre	O
1000	CM	95	CM	101 LEVEL CM	15315,6785 litre	54,018 %	13037,1952 litre	O
1000	CM	95	CM	100 LEVEL CM	15125,9981 litre	53,349 %	13226,8756 litre	O
1000	CM	95	CM	99 LEVEL CM	14936,2122 litre	52,680 %	13416,6615 litre	O
1000	CM	95	CM	98 LEVEL CM	14746,3421 litre	52,010 %	13606,5316 litre	O
1000	CM	95	CM	97 LEVEL CM	14556,4088 litre	51,340 %	13796,4649 litre	O
1000	CM	95	CM	96 LEVEL CM	14366,4333 litre	50,670 %	13986,4404 litre	O
1000	CM	95	CM	95 LEVEL CM	14176,4368 litre	50,000 %	14176,4369 litre	O
1000	CM	95	CM	94 LEVEL CM	13986,4404 litre	49,330 %	14366,4333 litre	O
1000	CM	95	CM	93 LEVEL CM	13796,4649 litre	48,660 %	14556,4088 litre	O
1000	CM	95	CM	92 LEVEL CM	13606,5316 litre	47,990 %	14746,3421 litre	O
1000	CM	95	CM	91 LEVEL CM	13416,6615 litre	47,320 %	14936,2122 litre	O
1000	CM	95	CM	90 LEVEL CM	13226,8756 litre	46,651 %	15125,9981 litre	O
1000	CM	95	CM	89 LEVEL CM	13037,1952 litre	45,982 %	15315,6785 litre	O
1000	CM	95	CM	88 LEVEL CM	12847,6413 litre	45,313 %	15505,2324 litre	O
1000	CM	95	CM	87 LEVEL CM	12658,2353 litre	44,645 %	15694,6384 litre	O
1000	CM	95	CM	86 LEVEL CM	12468,9982 litre	43,978 %	15883,8755 litre	O

1000	CM	95	CM	85 LEVEL CM	12279,9515 litre	43,311 %	16072,9222 litre	O
1000	CM	95	CM	84 LEVEL CM	12091,1165 litre	42,645 %	16261,7572 litre	O
1000	CM	95	CM	83 LEVEL CM	11902,5146 litre	41,980 %	16450,3591 litre	O
1000	CM	95	CM	82 LEVEL CM	11714,1674 litre	41,316 %	16638,7063 litre	O
1000	CM	95	CM	81 LEVEL CM	11526,0965 litre	40,652 %	16826,7772 litre	O
1000	CM	95	CM	80 LEVEL CM	11338,3236 litre	39,990 %	17014,5501 litre	O
1000	CM	95	CM	79 LEVEL CM	11150,8706 litre	39,329 %	17202,0031 litre	O
1000	CM	95	CM	78 LEVEL CM	10963,7592 litre	38,669 %	17389,1145 litre	O
1000	CM	95	CM	77 LEVEL CM	10777,0116 litre	38,010 %	17575,8621 litre	O
1000	CM	95	CM	76 LEVEL CM	10590,6500 litre	37,353 %	17762,2237 litre	O
1000	CM	95	CM	75 LEVEL CM	10404,6967 litre	36,697 %	17948,1770 litre	O
1000	CM	95	CM	74 LEVEL CM	10219,1740 litre	36,043 %	18133,6997 litre	O
1000	CM	95	CM	73 LEVEL CM	10034,1047 litre	35,390 %	18318,7690 litre	O
1000	CM	95	CM	72 LEVEL CM	9849,5115 litre	34,739 %	18503,3622 litre	O
1000	CM	95	CM	71 LEVEL CM	9665,4174 litre	34,090 %	18687,4563 litre	O
1000	CM	95	CM	70 LEVEL CM	9481,8455 litre	33,442 %	18871,0282 litre	O
1000	CM	95	CM	69 LEVEL CM	9298,8192 litre	32,797 %	19054,0545 litre	O
1000	CM	95	CM	68 LEVEL CM	9116,3619 litre	32,153 %	19236,5118 litre	O
1000	CM	95	CM	67 LEVEL CM	8934,4976 litre	31,512 %	19418,3761 litre	O
1000	CM	95	CM	66 LEVEL CM	8753,2502 litre	30,873 %	19599,6235 litre	O
1000	CM	95	CM	65 LEVEL CM	8572,6439 litre	30,236 %	19780,2298 litre	O
1000	CM	95	CM	64 LEVEL CM	8392,7033 litre	29,601 %	19960,1704 litre	O
1000	CM	95	CM	63 LEVEL CM	8213,4531 litre	28,969 %	20139,4206 litre	O
1000	CM	95	CM	62 LEVEL CM	8034,9184 litre	28,339 %	20317,9553 litre	O
1000	CM	95	CM	61 LEVEL CM	7857,1247 litre	27,712 %	20495,7490 litre	O
1000	CM	95	CM	60 LEVEL CM	7680,0975 litre	27,088 %	20672,7762 litre	O
1000	CM	95	CM	59 LEVEL CM	7503,8630 litre	26,466 %	20849,0107 litre	O
1000	CM	95	CM	58 LEVEL CM	7328,4474 litre	25,847 %	21024,4263 litre	O
1000	CM	95	CM	57 LEVEL CM	7153,8777 litre	25,232 %	21198,9960 litre	O
1000	CM	95	CM	56 LEVEL CM	6980,1808 litre	24,619 %	21372,6929 litre	O
1000	CM	95	CM	55 LEVEL CM	6807,3844 litre	24,010 %	21545,4893 litre	O
1000	CM	95	CM	54 LEVEL CM	6635,5164 litre	23,403 %	21717,3573 litre	O
1000	CM	95	CM	53 LEVEL CM	6464,6054 litre	22,801 %	21888,2683 litre	O
1000	CM	95	CM	52 LEVEL CM	6294,6802 litre	22,201 %	22058,1935 litre	O
1000	CM	95	CM	51 LEVEL CM	6125,7702 litre	21,605 %	22227,1035 litre	O
1000	CM	95	CM	50 LEVEL CM	5957,9054 litre	21,013 %	22394,9683 litre	O
1000	CM	95	CM	49 LEVEL CM	5791,1165 litre	20,425 %	22561,7572 litre	O
1000	CM	95	CM	48 LEVEL CM	5625,4343 litre	19,841 %	22727,4394 litre	O
1000	CM	95	CM	47 LEVEL CM	5460,8909 litre	19,260 %	22891,9828 litre	O
1000	CM	95	CM	46 LEVEL CM	5297,5184 litre	18,684 %	23055,3553 litre	O
1000	CM	95	CM	45 LEVEL CM	5135,3502 litre	18,112 %	23217,5235 litre	O
1000	CM	95	CM	44 LEVEL CM	4974,4200 litre	17,545 %	23378,4537 litre	O
1000	CM	95	CM	43 LEVEL CM	4814,7624 litre	16,982 %	23538,1113 litre	O
1000	CM	95	CM	42 LEVEL CM	4656,4131 litre	16,423 %	23696,4606 litre	O
1000	CM	95	CM	41 LEVEL CM	4499,4083 litre	15,869 %	23853,4654 litre	O
1000	CM	95	CM	40 LEVEL CM	4343,7853 litre	15,320 %	24009,0884 litre	O
1000	CM	95	CM	39 LEVEL CM	4189,5825 litre	14,777 %	24163,2912 litre	O
1000	CM	95	CM	38 LEVEL CM	4036,8393 litre	14,238 %	24316,0344 litre	O
1000	CM	95	CM	37 LEVEL CM	3885,5962 litre	13,704 %	24467,2775 litre	O
1000	CM	95	CM	36 LEVEL CM	3735,8950 litre	13,176 %	24616,9787 litre	O
1000	CM	95	CM	35 LEVEL CM	3587,7787 litre	12,654 %	24765,0950 litre	O
1000	CM	95	CM	34 LEVEL CM	3441,2917 litre	12,137 %	24911,5820 litre	O
1000	CM	95	CM	33 LEVEL CM	3296,4800 litre	11,627 %	25056,3937 litre	O

1000	CM	95	CM	32 LEVEL CM	3153,3911 litre	11,122 %	25199,4826 litre	O
1000	CM	95	CM	31 LEVEL CM	3012,0745 litre	10,624 %	25340,7992 litre	O
1000	CM	95	CM	30 LEVEL CM	2872,5812 litre	10,132 %	25480,2925 litre	O
1000	CM	95	CM	29 LEVEL CM	2734,9645 litre	9,646 %	25617,9092 litre	O
1000	CM	95	CM	28 LEVEL CM	2599,2797 litre	9,168 %	25753,5940 litre	O
1000	CM	95	CM	27 LEVEL CM	2465,5848 litre	8,696 %	25887,2889 litre	O
1000	CM	95	CM	26 LEVEL CM	2333,9402 litre	8,232 %	26018,9335 litre	O
1000	CM	95	CM	25 LEVEL CM	2204,4092 litre	7,775 %	26148,4645 litre	O
1000	CM	95	CM	24 LEVEL CM	2077,0583 litre	7,326 %	26275,8154 litre	O
1000	CM	95	CM	23 LEVEL CM	1951,9574 litre	6,885 %	26400,9163 litre	O
1000	CM	95	CM	22 LEVEL CM	1829,1803 litre	6,451 %	26523,6934 litre	O
1000	CM	95	CM	21 LEVEL CM	1708,8052 litre	6,027 %	26644,0685 litre	O
1000	CM	95	CM	20 LEVEL CM	1590,9149 litre	5,611 %	26761,9588 litre	O
1000	CM	95	CM	19 LEVEL CM	1475,5975 litre	5,204 %	26877,2762 litre	O
1000	CM	95	CM	18 LEVEL CM	1362,9474 litre	4,807 %	26989,9263 litre	O
1000	CM	95	CM	17 LEVEL CM	1253,0656 litre	4,420 %	27099,8081 litre	O
1000	CM	95	CM	16 LEVEL CM	1146,0612 litre	4,042 %	27206,8125 litre	O
1000	CM	95	CM	15 LEVEL CM	1042,0521 litre	3,675 %	27310,8216 litre	O
1000	CM	95	CM	14 LEVEL CM	941,1669 litre	3,319 %	27411,7068 litre	O
1000	CM	95	CM	13 LEVEL CM	843,5466 litre	2,975 %	27509,3271 litre	O
1000	CM	95	CM	12 LEVEL CM	749,3465 litre	2,643 %	27603,5272 litre	O
1000	CM	95	CM	11 LEVEL CM	658,7401 litre	2,323 %	27694,1336 litre	O
1000	CM	95	CM	10 LEVEL CM	571,9218 litre	2,017 %	27780,9519 litre	O
1000	CM	95	CM	9 LEVEL CM	489,1134 litre	1,725 %	27863,7603 litre	O
1000	CM	95	CM	8 LEVEL CM	410,5701 litre	1,448 %	27942,3036 litre	O
1000	CM	95	CM	7 LEVEL CM	336,5917 litre	1,187 %	28016,2820 litre	O
1000	CM	95	CM	6 LEVEL CM	267,5375 litre	0,944 %	28085,3362 litre	O
1000	CM	95	CM	5 LEVEL CM	203,8506 litre	0,719 %	28149,0231 litre	O
1000	CM	95	CM	4 LEVEL CM	146,0977 litre	0,515 %	28206,7760 litre	O
1000	CM	95	CM	3 LEVEL CM	95,0450 litre	0,335 %	28257,8287 litre	O
1000	CM	95	CM	2 LEVEL CM	51,8184 litre	0,183 %	28301,0553 litre	O
1000	CM	95	CM	1 LEVEL CM	18,3497 litre	0,065 %	28334,5240 litre	O
1000	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	28352,8737 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	90	CM	180 LEVEL CM	25446,9005 litre	100,000 %	0,0000 litre	O
1000	CM	90	CM	179 LEVEL CM	25429,0418 litre	99,930 %	17,8587 litre	O
1000	CM	90	CM	178 LEVEL CM	25396,4730 litre	99,802 %	50,4275 litre	O
1000	CM	90	CM	177 LEVEL CM	25354,4150 litre	99,637 %	92,4855 litre	O
1000	CM	90	CM	176 LEVEL CM	25304,7500 litre	99,441 %	142,1505 litre	O
1000	CM	90	CM	175 LEVEL CM	25248,5755 litre	99,221 %	198,3250 litre	O
1000	CM	90	CM	174 LEVEL CM	25186,6386 litre	98,977 %	260,2619 litre	O
1000	CM	90	CM	173 LEVEL CM	25119,4925 litre	98,713 %	327,4080 litre	O
1000	CM	90	CM	172 LEVEL CM	25047,5695 litre	98,431 %	399,3310 litre	O
1000	CM	90	CM	171 LEVEL CM	24971,2206 litre	98,131 %	475,6799 litre	O
1000	CM	90	CM	170 LEVEL CM	24890,7388 litre	97,814 %	556,1617 litre	O
1000	CM	90	CM	169 LEVEL CM	24806,3736 litre	97,483 %	640,5269 litre	O
1000	CM	90	CM	168 LEVEL CM	24718,3418 litre	97,137 %	728,5587 litre	O
1000	CM	90	CM	167 LEVEL CM	24626,8338 litre	96,777 %	820,0667 litre	O
1000	CM	90	CM	166 LEVEL CM	24532,0192 litre	96,405 %	914,8813 litre	O
1000	CM	90	CM	165 LEVEL CM	24434,0505 litre	96,020 %	1012,8500 litre	O
1000	CM	90	CM	164 LEVEL CM	24333,0656 litre	95,623 %	1113,8349 litre	O
1000	CM	90	CM	163 LEVEL CM	24229,1907 litre	95,215 %	1217,7098 litre	O
1000	CM	90	CM	162 LEVEL CM	24122,5415 litre	94,796 %	1324,3590 litre	O
1000	CM	90	CM	161 LEVEL CM	24013,2250 litre	94,366 %	1433,6755 litre	O
1000	CM	90	CM	160 LEVEL CM	23901,3405 litre	93,926 %	1545,5600 litre	O
1000	CM	90	CM	159 LEVEL CM	23786,9807 litre	93,477 %	1659,9198 litre	O
1000	CM	90	CM	158 LEVEL CM	23670,2322 litre	93,018 %	1776,6683 litre	O
1000	CM	90	CM	157 LEVEL CM	23551,1766 litre	92,550 %	1895,7239 litre	O
1000	CM	90	CM	156 LEVEL CM	23429,8907 litre	92,074 %	2017,0098 litre	O
1000	CM	90	CM	155 LEVEL CM	23306,4472 litre	91,589 %	2140,4533 litre	O
1000	CM	90	CM	154 LEVEL CM	23180,9151 litre	91,095 %	2265,9854 litre	O
1000	CM	90	CM	153 LEVEL CM	23053,3599 litre	90,594 %	2393,5406 litre	O
1000	CM	90	CM	152 LEVEL CM	22923,8440 litre	90,085 %	2523,0565 litre	O
1000	CM	90	CM	151 LEVEL CM	22792,4272 litre	89,569 %	2654,4733 litre	O
1000	CM	90	CM	150 LEVEL CM	22659,1666 litre	89,045 %	2787,7339 litre	O
1000	CM	90	CM	149 LEVEL CM	22524,1170 litre	88,514 %	2922,7835 litre	O
1000	CM	90	CM	148 LEVEL CM	22387,3309 litre	87,977 %	3059,5696 litre	O
1000	CM	90	CM	147 LEVEL CM	22248,8591 litre	87,432 %	3198,0414 litre	O
1000	CM	90	CM	146 LEVEL CM	22108,7504 litre	86,882 %	3338,1501 litre	O
1000	CM	90	CM	145 LEVEL CM	21967,0519 litre	86,325 %	3479,8486 litre	O
1000	CM	90	CM	144 LEVEL CM	21823,8092 litre	85,762 %	3623,0913 litre	O
1000	CM	90	CM	143 LEVEL CM	21679,0664 litre	85,193 %	3767,8341 litre	O
1000	CM	90	CM	142 LEVEL CM	21532,8662 litre	84,619 %	3914,0343 litre	O
1000	CM	90	CM	141 LEVEL CM	21385,2501 litre	84,039 %	4061,6504 litre	O
1000	CM	90	CM	140 LEVEL CM	21236,2585 litre	83,453 %	4210,6420 litre	O
1000	CM	90	CM	139 LEVEL CM	21085,9304 litre	82,862 %	4360,9701 litre	O
1000	CM	90	CM	138 LEVEL CM	20934,3042 litre	82,267 %	4512,5963 litre	O
1000	CM	90	CM	137 LEVEL CM	20781,4168 litre	81,666 %	4665,4837 litre	O
1000	CM	90	CM	136 LEVEL CM	20627,3047 litre	81,060 %	4819,5958 litre	O
1000	CM	90	CM	135 LEVEL CM	20472,0032 litre	80,450 %	4974,8973 litre	O
1000	CM	90	CM	134 LEVEL CM	20315,5470 litre	79,835 %	5131,3535 litre	O
1000	CM	90	CM	133 LEVEL CM	20157,9698 litre	79,216 %	5288,9307 litre	O
1000	CM	90	CM	132 LEVEL CM	19999,3048 litre	78,592 %	5447,5957 litre	O
1000	CM	90	CM	131 LEVEL CM	19839,5845 litre	77,965 %	5607,3160 litre	O
1000	CM	90	CM	130 LEVEL CM	19678,8407 litre	77,333 %	5768,0598 litre	O
1000	CM	90	CM	129 LEVEL CM	19517,1045 litre	76,697 %	5929,7960 litre	O

1000	CM	90	CM	128 LEVEL CM	19354,4067 litre	76,058 %	6092,4938 litre	O
1000	CM	90	CM	127 LEVEL CM	19190,7772 litre	75,415 %	6256,1233 litre	O
1000	CM	90	CM	126 LEVEL CM	19026,2458 litre	74,768 %	6420,6547 litre	O
1000	CM	90	CM	125 LEVEL CM	18860,8414 litre	74,118 %	6586,0591 litre	O
1000	CM	90	CM	124 LEVEL CM	18694,5927 litre	73,465 %	6752,3078 litre	O
1000	CM	90	CM	123 LEVEL CM	18527,5280 litre	72,809 %	6919,3725 litre	O
1000	CM	90	CM	122 LEVEL CM	18359,6751 litre	72,149 %	7087,2254 litre	O
1000	CM	90	CM	121 LEVEL CM	18191,0613 litre	71,486 %	7255,8392 litre	O
1000	CM	90	CM	120 LEVEL CM	18021,7136 litre	70,821 %	7425,1869 litre	O
1000	CM	90	CM	119 LEVEL CM	17851,6589 litre	70,153 %	7595,2416 litre	O
1000	CM	90	CM	118 LEVEL CM	17680,9233 litre	69,482 %	7765,9772 litre	O
1000	CM	90	CM	117 LEVEL CM	17509,5330 litre	68,808 %	7937,3675 litre	O
1000	CM	90	CM	116 LEVEL CM	17337,5137 litre	68,132 %	8109,3868 litre	O
1000	CM	90	CM	115 LEVEL CM	17164,8909 litre	67,454 %	8282,0096 litre	O
1000	CM	90	CM	114 LEVEL CM	16991,6897 litre	66,773 %	8455,2108 litre	O
1000	CM	90	CM	113 LEVEL CM	16817,9352 litre	66,090 %	8628,9653 litre	O
1000	CM	90	CM	112 LEVEL CM	16643,6520 litre	65,405 %	8803,2485 litre	O
1000	CM	90	CM	111 LEVEL CM	16468,8645 litre	64,719 %	8978,0360 litre	O
1000	CM	90	CM	110 LEVEL CM	16293,5972 litre	64,030 %	9153,3033 litre	O
1000	CM	90	CM	109 LEVEL CM	16117,8740 litre	63,339 %	9329,0265 litre	O
1000	CM	90	CM	108 LEVEL CM	15941,7188 litre	62,647 %	9505,1817 litre	O
1000	CM	90	CM	107 LEVEL CM	15765,1553 litre	61,953 %	9681,7452 litre	O
1000	CM	90	CM	106 LEVEL CM	15588,2071 litre	61,258 %	9858,6934 litre	O
1000	CM	90	CM	105 LEVEL CM	15410,8976 litre	60,561 %	10036,0029 litre	O
1000	CM	90	CM	104 LEVEL CM	15233,2501 litre	59,863 %	10213,6504 litre	O
1000	CM	90	CM	103 LEVEL CM	15055,2876 litre	59,164 %	10391,6129 litre	O
1000	CM	90	CM	102 LEVEL CM	14877,0331 litre	58,463 %	10569,8674 litre	O
1000	CM	90	CM	101 LEVEL CM	14698,5095 litre	57,761 %	10748,3910 litre	O
1000	CM	90	CM	100 LEVEL CM	14519,7397 litre	57,059 %	10927,1608 litre	O
1000	CM	90	CM	99 LEVEL CM	14340,7462 litre	56,356 %	11106,1543 litre	O
1000	CM	90	CM	98 LEVEL CM	14161,5517 litre	55,651 %	11285,3488 litre	O
1000	CM	90	CM	97 LEVEL CM	13982,1787 litre	54,946 %	11464,7218 litre	O
1000	CM	90	CM	96 LEVEL CM	13802,6497 litre	54,241 %	11644,2508 litre	O
1000	CM	90	CM	95 LEVEL CM	13622,9871 litre	53,535 %	11823,9134 litre	O
1000	CM	90	CM	94 LEVEL CM	13443,2131 litre	52,828 %	12003,6874 litre	O
1000	CM	90	CM	93 LEVEL CM	13263,3502 litre	52,122 %	12183,5503 litre	O
1000	CM	90	CM	92 LEVEL CM	13083,4206 litre	51,415 %	12363,4799 litre	O
1000	CM	90	CM	91 LEVEL CM	12903,4465 litre	50,707 %	12543,4540 litre	O
1000	CM	90	CM	90 LEVEL CM	12723,4502 litre	50,000 %	12723,4503 litre	O
1000	CM	90	CM	89 LEVEL CM	12543,4540 litre	49,293 %	12903,4465 litre	O
1000	CM	90	CM	88 LEVEL CM	12363,4799 litre	48,585 %	13083,4206 litre	O
1000	CM	90	CM	87 LEVEL CM	12183,5503 litre	47,878 %	13263,3502 litre	O
1000	CM	90	CM	86 LEVEL CM	12003,6874 litre	47,172 %	13443,2131 litre	O
1000	CM	90	CM	85 LEVEL CM	11823,9134 litre	46,465 %	13622,9871 litre	O
1000	CM	90	CM	84 LEVEL CM	11644,2508 litre	45,759 %	13802,6497 litre	O
1000	CM	90	CM	83 LEVEL CM	11464,7218 litre	45,054 %	13982,1787 litre	O
1000	CM	90	CM	82 LEVEL CM	11285,3488 litre	44,349 %	14161,5517 litre	O
1000	CM	90	CM	81 LEVEL CM	11106,1543 litre	43,644 %	14340,7462 litre	O
1000	CM	90	CM	80 LEVEL CM	10927,1608 litre	42,941 %	14519,7397 litre	O
1000	CM	90	CM	79 LEVEL CM	10748,3910 litre	42,239 %	14698,5095 litre	O
1000	CM	90	CM	78 LEVEL CM	10569,8674 litre	41,537 %	14877,0331 litre	O
1000	CM	90	CM	77 LEVEL CM	10391,6129 litre	40,836 %	15055,2876 litre	O
1000	CM	90	CM	76 LEVEL CM	10213,6504 litre	40,137 %	15233,2501 litre	O

1000	CM	90	CM	75 LEVEL CM	10036,0029 litre	39,439 %	15410,8976 litre	O
1000	CM	90	CM	74 LEVEL CM	9858,6934 litre	38,742 %	15588,2071 litre	O
1000	CM	90	CM	73 LEVEL CM	9681,7452 litre	38,047 %	15765,1553 litre	O
1000	CM	90	CM	72 LEVEL CM	9505,1817 litre	37,353 %	15941,7188 litre	O
1000	CM	90	CM	71 LEVEL CM	9329,0265 litre	36,661 %	16117,8740 litre	O
1000	CM	90	CM	70 LEVEL CM	9153,3033 litre	35,970 %	16293,5972 litre	O
1000	CM	90	CM	69 LEVEL CM	8978,0360 litre	35,281 %	16468,8645 litre	O
1000	CM	90	CM	68 LEVEL CM	8803,2485 litre	34,595 %	16643,6520 litre	O
1000	CM	90	CM	67 LEVEL CM	8628,9653 litre	33,910 %	16817,9352 litre	O
1000	CM	90	CM	66 LEVEL CM	8455,2108 litre	33,227 %	16991,6897 litre	O
1000	CM	90	CM	65 LEVEL CM	8282,0096 litre	32,546 %	17164,8909 litre	O
1000	CM	90	CM	64 LEVEL CM	8109,3868 litre	31,868 %	17337,5137 litre	O
1000	CM	90	CM	63 LEVEL CM	7937,3675 litre	31,192 %	17509,5330 litre	O
1000	CM	90	CM	62 LEVEL CM	7765,9772 litre	30,518 %	17680,9233 litre	O
1000	CM	90	CM	61 LEVEL CM	7595,2416 litre	29,847 %	17851,6589 litre	O
1000	CM	90	CM	60 LEVEL CM	7425,1869 litre	29,179 %	18021,7136 litre	O
1000	CM	90	CM	59 LEVEL CM	7255,8392 litre	28,514 %	18191,0613 litre	O
1000	CM	90	CM	58 LEVEL CM	7087,2254 litre	27,851 %	18359,6751 litre	O
1000	CM	90	CM	57 LEVEL CM	6919,3724 litre	27,191 %	18527,5281 litre	O
1000	CM	90	CM	56 LEVEL CM	6752,3077 litre	26,535 %	18694,5928 litre	O
1000	CM	90	CM	55 LEVEL CM	6586,0591 litre	25,882 %	18860,8414 litre	O
1000	CM	90	CM	54 LEVEL CM	6420,6547 litre	25,232 %	19026,2458 litre	O
1000	CM	90	CM	53 LEVEL CM	6256,1233 litre	24,585 %	19190,7772 litre	O
1000	CM	90	CM	52 LEVEL CM	6092,4938 litre	23,942 %	19354,4067 litre	O
1000	CM	90	CM	51 LEVEL CM	5929,7960 litre	23,303 %	19517,1045 litre	O
1000	CM	90	CM	50 LEVEL CM	5768,0598 litre	22,667 %	19678,8407 litre	O
1000	CM	90	CM	49 LEVEL CM	5607,3160 litre	22,035 %	19839,5845 litre	O
1000	CM	90	CM	48 LEVEL CM	5447,5957 litre	21,408 %	19999,3048 litre	O
1000	CM	90	CM	47 LEVEL CM	5288,9307 litre	20,784 %	20157,9698 litre	O
1000	CM	90	CM	46 LEVEL CM	5131,3535 litre	20,165 %	20315,5470 litre	O
1000	CM	90	CM	45 LEVEL CM	4974,8973 litre	19,550 %	20472,0032 litre	O
1000	CM	90	CM	44 LEVEL CM	4819,5958 litre	18,940 %	20627,3047 litre	O
1000	CM	90	CM	43 LEVEL CM	4665,4837 litre	18,334 %	20781,4168 litre	O
1000	CM	90	CM	42 LEVEL CM	4512,5963 litre	17,733 %	20934,3042 litre	O
1000	CM	90	CM	41 LEVEL CM	4360,9700 litre	17,138 %	21085,9305 litre	O
1000	CM	90	CM	40 LEVEL CM	4210,6420 litre	16,547 %	21236,2585 litre	O
1000	CM	90	CM	39 LEVEL CM	4061,6503 litre	15,961 %	21385,2502 litre	O
1000	CM	90	CM	38 LEVEL CM	3914,0343 litre	15,381 %	21532,8662 litre	O
1000	CM	90	CM	37 LEVEL CM	3767,8341 litre	14,807 %	21679,0664 litre	O
1000	CM	90	CM	36 LEVEL CM	3623,0913 litre	14,238 %	21823,8092 litre	O
1000	CM	90	CM	35 LEVEL CM	3479,8486 litre	13,675 %	21967,0519 litre	O
1000	CM	90	CM	34 LEVEL CM	3338,1501 litre	13,118 %	22108,7504 litre	O
1000	CM	90	CM	33 LEVEL CM	3198,0414 litre	12,568 %	22248,8591 litre	O
1000	CM	90	CM	32 LEVEL CM	3059,5696 litre	12,023 %	22387,3309 litre	O
1000	CM	90	CM	31 LEVEL CM	2922,7835 litre	11,486 %	22524,1170 litre	O
1000	CM	90	CM	30 LEVEL CM	2787,7339 litre	10,955 %	22659,1666 litre	O
1000	CM	90	CM	29 LEVEL CM	2654,4733 litre	10,431 %	22792,4272 litre	O
1000	CM	90	CM	28 LEVEL CM	2523,0565 litre	9,915 %	22923,8440 litre	O
1000	CM	90	CM	27 LEVEL CM	2393,5406 litre	9,406 %	23053,3599 litre	O
1000	CM	90	CM	26 LEVEL CM	2265,9854 litre	8,905 %	23180,9151 litre	O
1000	CM	90	CM	25 LEVEL CM	2140,4533 litre	8,411 %	23306,4472 litre	O
1000	CM	90	CM	24 LEVEL CM	2017,0098 litre	7,926 %	23429,8907 litre	O
1000	CM	90	CM	23 LEVEL CM	1895,7239 litre	7,450 %	23551,1766 litre	O

1000	CM	90	CM	22 LEVEL CM	1776,6683 litre	6,982 %	23670,2322 litre	O
1000	CM	90	CM	21 LEVEL CM	1659,9198 litre	6,523 %	23786,9807 litre	O
1000	CM	90	CM	20 LEVEL CM	1545,5600 litre	6,074 %	23901,3405 litre	O
1000	CM	90	CM	19 LEVEL CM	1433,6755 litre	5,634 %	24013,2250 litre	O
1000	CM	90	CM	18 LEVEL CM	1324,3590 litre	5,204 %	24122,5415 litre	O
1000	CM	90	CM	17 LEVEL CM	1217,7098 litre	4,785 %	24229,1907 litre	O
1000	CM	90	CM	16 LEVEL CM	1113,8349 litre	4,377 %	24333,0656 litre	O
1000	CM	90	CM	15 LEVEL CM	1012,8500 litre	3,980 %	24434,0505 litre	O
1000	CM	90	CM	14 LEVEL CM	914,8813 litre	3,595 %	24532,0192 litre	O
1000	CM	90	CM	13 LEVEL CM	820,0667 litre	3,223 %	24626,8338 litre	O
1000	CM	90	CM	12 LEVEL CM	728,5587 litre	2,863 %	24718,3418 litre	O
1000	CM	90	CM	11 LEVEL CM	640,5269 litre	2,517 %	24806,3736 litre	O
1000	CM	90	CM	10 LEVEL CM	556,1617 litre	2,186 %	24890,7388 litre	O
1000	CM	90	CM	9 LEVEL CM	475,6798 litre	1,869 %	24971,2207 litre	O
1000	CM	90	CM	8 LEVEL CM	399,3310 litre	1,569 %	25047,5695 litre	O
1000	CM	90	CM	7 LEVEL CM	327,4080 litre	1,287 %	25119,4925 litre	O
1000	CM	90	CM	6 LEVEL CM	260,2619 litre	1,023 %	25186,6386 litre	O
1000	CM	90	CM	5 LEVEL CM	198,3250 litre	0,779 %	25248,5755 litre	O
1000	CM	90	CM	4 LEVEL CM	142,1505 litre	0,559 %	25304,7500 litre	O
1000	CM	90	CM	3 LEVEL CM	92,4855 litre	0,363 %	25354,4150 litre	O
1000	CM	90	CM	2 LEVEL CM	50,4275 litre	0,198 %	25396,4730 litre	O
1000	CM	90	CM	1 LEVEL CM	17,8587 litre	0,070 %	25429,0418 litre	O
1000	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	25446,9005 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM	85	CM 170 LEVEL CM	22698,0069 litre	100,000 %	0,0000 litre	O
1000	CM	85	CM 169 LEVEL CM	22680,6531 litre	99,924 %	17,3538 litre	O
1000	CM	85	CM 168 LEVEL CM	22649,0099 litre	99,784 %	48,9970 litre	O
1000	CM	85	CM 167 LEVEL CM	22608,1540 litre	99,604 %	89,8529 litre	O
1000	CM	85	CM 166 LEVEL CM	22559,9165 litre	99,392 %	138,0904 litre	O
1000	CM	85	CM 165 LEVEL CM	22505,3660 litre	99,151 %	192,6409 litre	O
1000	CM	85	CM 164 LEVEL CM	22445,2300 litre	98,886 %	252,7769 litre	O
1000	CM	85	CM 163 LEVEL CM	22380,0477 litre	98,599 %	317,9592 litre	O
1000	CM	85	CM 162 LEVEL CM	22310,2407 litre	98,292 %	387,7662 litre	O
1000	CM	85	CM 161 LEVEL CM	22236,1512 litre	97,965 %	461,8557 litre	O
1000	CM	85	CM 160 LEVEL CM	22158,0652 litre	97,621 %	539,9417 litre	O
1000	CM	85	CM 159 LEVEL CM	22076,2266 litre	97,261 %	621,7803 litre	O
1000	CM	85	CM 158 LEVEL CM	21990,8470 litre	96,884 %	707,1599 litre	O
1000	CM	85	CM 157 LEVEL CM	21902,1127 litre	96,494 %	795,8942 litre	O
1000	CM	85	CM 156 LEVEL CM	21810,1896 litre	96,089 %	887,8173 litre	O
1000	CM	85	CM 155 LEVEL CM	21715,2268 litre	95,670 %	982,7801 litre	O
1000	CM	85	CM 154 LEVEL CM	21617,3596 litre	95,239 %	1080,6473 litre	O
1000	CM	85	CM 153 LEVEL CM	21516,7114 litre	94,796 %	1181,2955 litre	O
1000	CM	85	CM 152 LEVEL CM	21413,3959 litre	94,340 %	1284,6110 litre	O
1000	CM	85	CM 151 LEVEL CM	21307,5179 litre	93,874 %	1390,4890 litre	O
1000	CM	85	CM 150 LEVEL CM	21199,1751 litre	93,397 %	1498,8318 litre	O
1000	CM	85	CM 149 LEVEL CM	21088,4582 litre	92,909 %	1609,5487 litre	O
1000	CM	85	CM 148 LEVEL CM	20975,4527 litre	92,411 %	1722,5542 litre	O
1000	CM	85	CM 147 LEVEL CM	20860,2387 litre	91,903 %	1837,7682 litre	O
1000	CM	85	CM 146 LEVEL CM	20742,8918 litre	91,386 %	1955,1151 litre	O
1000	CM	85	CM 145 LEVEL CM	20623,4835 litre	90,860 %	2074,5234 litre	O
1000	CM	85	CM 144 LEVEL CM	20502,0819 litre	90,325 %	2195,9250 litre	O
1000	CM	85	CM 143 LEVEL CM	20378,7516 litre	89,782 %	2319,2553 litre	O
1000	CM	85	CM 142 LEVEL CM	20253,5542 litre	89,231 %	2444,4527 litre	O
1000	CM	85	CM 141 LEVEL CM	20126,5487 litre	88,671 %	2571,4582 litre	O
1000	CM	85	CM 140 LEVEL CM	19997,7915 litre	88,104 %	2700,2154 litre	O
1000	CM	85	CM 139 LEVEL CM	19867,3368 litre	87,529 %	2830,6701 litre	O
1000	CM	85	CM 138 LEVEL CM	19735,2367 litre	86,947 %	2962,7702 litre	O
1000	CM	85	CM 137 LEVEL CM	19601,5412 litre	86,358 %	3096,4657 litre	O
1000	CM	85	CM 136 LEVEL CM	19466,2990 litre	85,762 %	3231,7079 litre	O
1000	CM	85	CM 135 LEVEL CM	19329,5566 litre	85,160 %	3368,4503 litre	O
1000	CM	85	CM 134 LEVEL CM	19191,3593 litre	84,551 %	3506,6476 litre	O
1000	CM	85	CM 133 LEVEL CM	19051,7509 litre	83,936 %	3646,2560 litre	O
1000	CM	85	CM 132 LEVEL CM	18910,7739 litre	83,315 %	3787,2330 litre	O
1000	CM	85	CM 131 LEVEL CM	18768,4695 litre	82,688 %	3929,5374 litre	O
1000	CM	85	CM 130 LEVEL CM	18624,8780 litre	82,055 %	4073,1289 litre	O
1000	CM	85	CM 129 LEVEL CM	18480,0383 litre	81,417 %	4217,9686 litre	O
1000	CM	85	CM 128 LEVEL CM	18333,9885 litre	80,774 %	4364,0184 litre	O
1000	CM	85	CM 127 LEVEL CM	18186,7656 litre	80,125 %	4511,2413 litre	O
1000	CM	85	CM 126 LEVEL CM	18038,4061 litre	79,471 %	4659,6008 litre	O
1000	CM	85	CM 125 LEVEL CM	17888,9451 litre	78,813 %	4809,0618 litre	O
1000	CM	85	CM 124 LEVEL CM	17738,4175 litre	78,150 %	4959,5894 litre	O
1000	CM	85	CM 123 LEVEL CM	17586,8570 litre	77,482 %	5111,1499 litre	O
1000	CM	85	CM 122 LEVEL CM	17434,2969 litre	76,810 %	5263,7100 litre	O
1000	CM	85	CM 121 LEVEL CM	17280,7697 litre	76,133 %	5417,2372 litre	O
1000	CM	85	CM 120 LEVEL CM	17126,3074 litre	75,453 %	5571,6995 litre	O
1000	CM	85	CM 119 LEVEL CM	16970,9414 litre	74,768 %	5727,0655 litre	O

1000	CM	85	CM	118 LEVEL CM	16814,7025 litre	74,080 %	5883,3044 litre	O
1000	CM	85	CM	117 LEVEL CM	16657,6210 litre	73,388 %	6040,3859 litre	O
1000	CM	85	CM	116 LEVEL CM	16499,7266 litre	72,692 %	6198,2803 litre	O
1000	CM	85	CM	115 LEVEL CM	16341,0489 litre	71,993 %	6356,9580 litre	O
1000	CM	85	CM	114 LEVEL CM	16181,6167 litre	71,291 %	6516,3902 litre	O
1000	CM	85	CM	113 LEVEL CM	16021,4586 litre	70,585 %	6676,5483 litre	O
1000	CM	85	CM	112 LEVEL CM	15860,6027 litre	69,877 %	6837,4042 litre	O
1000	CM	85	CM	111 LEVEL CM	15699,0768 litre	69,165 %	6998,9301 litre	O
1000	CM	85	CM	110 LEVEL CM	15536,9082 litre	68,451 %	7161,0987 litre	O
1000	CM	85	CM	109 LEVEL CM	15374,1242 litre	67,733 %	7323,8827 litre	O
1000	CM	85	CM	108 LEVEL CM	15210,7515 litre	67,014 %	7487,2554 litre	O
1000	CM	85	CM	107 LEVEL CM	15046,8166 litre	66,291 %	7651,1903 litre	O
1000	CM	85	CM	106 LEVEL CM	14882,3458 litre	65,567 %	7815,6611 litre	O
1000	CM	85	CM	105 LEVEL CM	14717,3651 litre	64,840 %	7980,6418 litre	O
1000	CM	85	CM	104 LEVEL CM	14551,9001 litre	64,111 %	8146,1068 litre	O
1000	CM	85	CM	103 LEVEL CM	14385,9765 litre	63,380 %	8312,0304 litre	O
1000	CM	85	CM	102 LEVEL CM	14219,6195 litre	62,647 %	8478,3874 litre	O
1000	CM	85	CM	101 LEVEL CM	14052,8542 litre	61,912 %	8645,1527 litre	O
1000	CM	85	CM	100 LEVEL CM	13885,7056 litre	61,176 %	8812,3013 litre	O
1000	CM	85	CM	99 LEVEL CM	13718,1985 litre	60,438 %	8979,8084 litre	O
1000	CM	85	CM	98 LEVEL CM	13550,3573 litre	59,698 %	9147,6496 litre	O
1000	CM	85	CM	97 LEVEL CM	13382,2066 litre	58,958 %	9315,8003 litre	O
1000	CM	85	CM	96 LEVEL CM	13213,7707 litre	58,216 %	9484,2362 litre	O
1000	CM	85	CM	95 LEVEL CM	13045,0737 litre	57,472 %	9652,9332 litre	O
1000	CM	85	CM	94 LEVEL CM	12876,1398 litre	56,728 %	9821,8671 litre	O
1000	CM	85	CM	93 LEVEL CM	12706,9929 litre	55,983 %	9991,0140 litre	O
1000	CM	85	CM	92 LEVEL CM	12537,6570 litre	55,237 %	10160,3499 litre	O
1000	CM	85	CM	91 LEVEL CM	12368,1558 litre	54,490 %	10329,8511 litre	O
1000	CM	85	CM	90 LEVEL CM	12198,5130 litre	53,743 %	10499,4939 litre	O
1000	CM	85	CM	89 LEVEL CM	12028,7524 litre	52,995 %	10669,2545 litre	O
1000	CM	85	CM	88 LEVEL CM	11858,8976 litre	52,246 %	10839,1093 litre	O
1000	CM	85	CM	87 LEVEL CM	11688,9721 litre	51,498 %	11009,0348 litre	O
1000	CM	85	CM	86 LEVEL CM	11518,9995 litre	50,749 %	11179,0074 litre	O
1000	CM	85	CM	85 LEVEL CM	11349,0035 litre	50,000 %	11349,0034 litre	O
1000	CM	85	CM	84 LEVEL CM	11179,0074 litre	49,251 %	11518,9995 litre	O
1000	CM	85	CM	83 LEVEL CM	11009,0348 litre	48,502 %	11688,9721 litre	O
1000	CM	85	CM	82 LEVEL CM	10839,1094 litre	47,754 %	11858,8975 litre	O
1000	CM	85	CM	81 LEVEL CM	10669,2545 litre	47,005 %	12028,7524 litre	O
1000	CM	85	CM	80 LEVEL CM	10499,4939 litre	46,257 %	12198,5130 litre	O
1000	CM	85	CM	79 LEVEL CM	10329,8512 litre	45,510 %	12368,1557 litre	O
1000	CM	85	CM	78 LEVEL CM	10160,3499 litre	44,763 %	12537,6570 litre	O
1000	CM	85	CM	77 LEVEL CM	9991,0140 litre	44,017 %	12706,9929 litre	O
1000	CM	85	CM	76 LEVEL CM	9821,8671 litre	43,272 %	12876,1398 litre	O
1000	CM	85	CM	75 LEVEL CM	9652,9332 litre	42,528 %	13045,0737 litre	O
1000	CM	85	CM	74 LEVEL CM	9484,2363 litre	41,784 %	13213,7706 litre	O
1000	CM	85	CM	73 LEVEL CM	9315,8003 litre	41,042 %	13382,2066 litre	O
1000	CM	85	CM	72 LEVEL CM	9147,6496 litre	40,302 %	13550,3573 litre	O
1000	CM	85	CM	71 LEVEL CM	8979,8085 litre	39,562 %	13718,1984 litre	O
1000	CM	85	CM	70 LEVEL CM	8812,3013 litre	38,824 %	13885,7056 litre	O
1000	CM	85	CM	69 LEVEL CM	8645,1527 litre	38,088 %	14052,8542 litre	O
1000	CM	85	CM	68 LEVEL CM	8478,3874 litre	37,353 %	14219,6195 litre	O
1000	CM	85	CM	67 LEVEL CM	8312,0304 litre	36,620 %	14385,9765 litre	O
1000	CM	85	CM	66 LEVEL CM	8146,1068 litre	35,889 %	14551,9001 litre	O

1000	CM	85	CM	65 LEVEL CM	7980,6418 litre	35,160 %	14717,3651 litre	O
1000	CM	85	CM	64 LEVEL CM	7815,6611 litre	34,433 %	14882,3458 litre	O
1000	CM	85	CM	63 LEVEL CM	7651,1903 litre	33,709 %	15046,8166 litre	O
1000	CM	85	CM	62 LEVEL CM	7487,2554 litre	32,986 %	15210,7515 litre	O
1000	CM	85	CM	61 LEVEL CM	7323,8827 litre	32,267 %	15374,1242 litre	O
1000	CM	85	CM	60 LEVEL CM	7161,0987 litre	31,549 %	15536,9082 litre	O
1000	CM	85	CM	59 LEVEL CM	6998,9302 litre	30,835 %	15699,0767 litre	O
1000	CM	85	CM	58 LEVEL CM	6837,4042 litre	30,123 %	15860,6027 litre	O
1000	CM	85	CM	57 LEVEL CM	6676,5483 litre	29,415 %	16021,4586 litre	O
1000	CM	85	CM	56 LEVEL CM	6516,3902 litre	28,709 %	16181,6167 litre	O
1000	CM	85	CM	55 LEVEL CM	6356,9580 litre	28,007 %	16341,0489 litre	O
1000	CM	85	CM	54 LEVEL CM	6198,2803 litre	27,308 %	16499,7266 litre	O
1000	CM	85	CM	53 LEVEL CM	6040,3860 litre	26,612 %	16657,6209 litre	O
1000	CM	85	CM	52 LEVEL CM	5883,3044 litre	25,920 %	16814,7025 litre	O
1000	CM	85	CM	51 LEVEL CM	5727,0655 litre	25,232 %	16970,9414 litre	O
1000	CM	85	CM	50 LEVEL CM	5571,6995 litre	24,547 %	17126,3074 litre	O
1000	CM	85	CM	49 LEVEL CM	5417,2372 litre	23,867 %	17280,7697 litre	O
1000	CM	85	CM	48 LEVEL CM	5263,7100 litre	23,190 %	17434,2969 litre	O
1000	CM	85	CM	47 LEVEL CM	5111,1499 litre	22,518 %	17586,8570 litre	O
1000	CM	85	CM	46 LEVEL CM	4959,5894 litre	21,850 %	17738,4175 litre	O
1000	CM	85	CM	45 LEVEL CM	4809,0618 litre	21,187 %	17888,9451 litre	O
1000	CM	85	CM	44 LEVEL CM	4659,6009 litre	20,529 %	18038,4060 litre	O
1000	CM	85	CM	43 LEVEL CM	4511,2413 litre	19,875 %	18186,7656 litre	O
1000	CM	85	CM	42 LEVEL CM	4364,0185 litre	19,226 %	18333,9884 litre	O
1000	CM	85	CM	41 LEVEL CM	4217,9687 litre	18,583 %	18480,0382 litre	O
1000	CM	85	CM	40 LEVEL CM	4073,1289 litre	17,945 %	18624,8780 litre	O
1000	CM	85	CM	39 LEVEL CM	3929,5374 litre	17,312 %	18768,4695 litre	O
1000	CM	85	CM	38 LEVEL CM	3787,2331 litre	16,685 %	18910,7738 litre	O
1000	CM	85	CM	37 LEVEL CM	3646,2561 litre	16,064 %	19051,7508 litre	O
1000	CM	85	CM	36 LEVEL CM	3506,6477 litre	15,449 %	19191,3592 litre	O
1000	CM	85	CM	35 LEVEL CM	3368,4504 litre	14,840 %	19329,5565 litre	O
1000	CM	85	CM	34 LEVEL CM	3231,7080 litre	14,238 %	19466,2989 litre	O
1000	CM	85	CM	33 LEVEL CM	3096,4657 litre	13,642 %	19601,5412 litre	O
1000	CM	85	CM	32 LEVEL CM	2962,7703 litre	13,053 %	19735,2366 litre	O
1000	CM	85	CM	31 LEVEL CM	2830,6701 litre	12,471 %	19867,3368 litre	O
1000	CM	85	CM	30 LEVEL CM	2700,2154 litre	11,896 %	19997,7915 litre	O
1000	CM	85	CM	29 LEVEL CM	2571,4582 litre	11,329 %	20126,5487 litre	O
1000	CM	85	CM	28 LEVEL CM	2444,4527 litre	10,769 %	20253,5542 litre	O
1000	CM	85	CM	27 LEVEL CM	2319,2553 litre	10,218 %	20378,7516 litre	O
1000	CM	85	CM	26 LEVEL CM	2195,9250 litre	9,675 %	20502,0819 litre	O
1000	CM	85	CM	25 LEVEL CM	2074,5234 litre	9,140 %	20623,4835 litre	O
1000	CM	85	CM	24 LEVEL CM	1955,1152 litre	8,614 %	20742,8917 litre	O
1000	CM	85	CM	23 LEVEL CM	1837,7682 litre	8,097 %	20860,2387 litre	O
1000	CM	85	CM	22 LEVEL CM	1722,5542 litre	7,589 %	20975,4527 litre	O
1000	CM	85	CM	21 LEVEL CM	1609,5487 litre	7,091 %	21088,4582 litre	O
1000	CM	85	CM	20 LEVEL CM	1498,8319 litre	6,603 %	21199,1750 litre	O
1000	CM	85	CM	19 LEVEL CM	1390,4890 litre	6,126 %	21307,5179 litre	O
1000	CM	85	CM	18 LEVEL CM	1284,6110 litre	5,660 %	21413,3959 litre	O
1000	CM	85	CM	17 LEVEL CM	1181,2955 litre	5,204 %	21516,7114 litre	O
1000	CM	85	CM	16 LEVEL CM	1080,6474 litre	4,761 %	21617,3595 litre	O
1000	CM	85	CM	15 LEVEL CM	982,7801 litre	4,330 %	21715,2268 litre	O
1000	CM	85	CM	14 LEVEL CM	887,8173 litre	3,911 %	21810,1896 litre	O
1000	CM	85	CM	13 LEVEL CM	795,8942 litre	3,506 %	21902,1127 litre	O

1000	CM	85	CM	12 LEVEL CM	707,1599 litre	3,116 %	21990,8470 litre	O
1000	CM	85	CM	11 LEVEL CM	621,7803 litre	2,739 %	22076,2266 litre	O
1000	CM	85	CM	10 LEVEL CM	539,9417 litre	2,379 %	22158,0652 litre	O
1000	CM	85	CM	9 LEVEL CM	461,8557 litre	2,035 %	22236,1512 litre	O
1000	CM	85	CM	8 LEVEL CM	387,7663 litre	1,708 %	22310,2406 litre	O
1000	CM	85	CM	7 LEVEL CM	317,9592 litre	1,401 %	22380,0477 litre	O
1000	CM	85	CM	6 LEVEL CM	252,7769 litre	1,114 %	22445,2300 litre	O
1000	CM	85	CM	5 LEVEL CM	192,6410 litre	0,849 %	22505,3659 litre	O
1000	CM	85	CM	4 LEVEL CM	138,0904 litre	0,608 %	22559,9165 litre	O
1000	CM	85	CM	3 LEVEL CM	89,8530 litre	0,396 %	22608,1539 litre	O
1000	CM	85	CM	2 LEVEL CM	48,9970 litre	0,216 %	22649,0099 litre	O
1000	CM	85	CM	1 LEVEL CM	17,3538 litre	0,076 %	22680,6531 litre	O
1000	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	22698,0069 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM	80	CM 160 LEVEL CM	20106,1930 litre	100,000 %	0,0000 litre	O
1000	CM	80	CM 159 LEVEL CM	20089,3592 litre	99,916 %	16,8338 litre	O
1000	CM	80	CM 158 LEVEL CM	20058,6695 litre	99,764 %	47,5235 litre	O
1000	CM	80	CM 157 LEVEL CM	20019,0520 litre	99,567 %	87,1410 litre	O
1000	CM	80	CM 156 LEVEL CM	19972,2856 litre	99,334 %	133,9074 litre	O
1000	CM	80	CM 155 LEVEL CM	19919,4089 litre	99,071 %	186,7841 litre	O
1000	CM	80	CM 154 LEVEL CM	19861,1295 litre	98,781 %	245,0635 litre	O
1000	CM	80	CM 153 LEVEL CM	19797,9721 litre	98,467 %	308,2209 litre	O
1000	CM	80	CM 152 LEVEL CM	19730,3472 litre	98,131 %	375,8458 litre	O
1000	CM	80	CM 151 LEVEL CM	19658,5883 litre	97,774 %	447,6047 litre	O
1000	CM	80	CM 150 LEVEL CM	19582,9741 litre	97,398 %	523,2189 litre	O
1000	CM	80	CM 149 LEVEL CM	19503,7425 litre	97,004 %	602,4505 litre	O
1000	CM	80	CM 148 LEVEL CM	19421,1002 litre	96,593 %	685,0928 litre	O
1000	CM	80	CM 147 LEVEL CM	19335,2291 litre	96,166 %	770,9639 litre	O
1000	CM	80	CM 146 LEVEL CM	19246,2914 litre	95,723 %	859,9016 litre	O
1000	CM	80	CM 145 LEVEL CM	19154,4328 litre	95,266 %	951,7602 litre	O
1000	CM	80	CM 144 LEVEL CM	19059,7859 litre	94,796 %	1046,4071 litre	O
1000	CM	80	CM 143 LEVEL CM	18962,4715 litre	94,312 %	1143,7215 litre	O
1000	CM	80	CM 142 LEVEL CM	18862,6008 litre	93,815 %	1243,5922 litre	O
1000	CM	80	CM 141 LEVEL CM	18760,2769 litre	93,306 %	1345,9161 litre	O
1000	CM	80	CM 140 LEVEL CM	18655,5954 litre	92,785 %	1450,5976 litre	O
1000	CM	80	CM 139 LEVEL CM	18548,6456 litre	92,253 %	1557,5474 litre	O
1000	CM	80	CM 138 LEVEL CM	18439,5114 litre	91,711 %	1666,6816 litre	O
1000	CM	80	CM 137 LEVEL CM	18328,2715 litre	91,157 %	1777,9215 litre	O
1000	CM	80	CM 136 LEVEL CM	18215,0004 litre	90,594 %	1891,1926 litre	O
1000	CM	80	CM 135 LEVEL CM	18099,7687 litre	90,021 %	2006,4243 litre	O
1000	CM	80	CM 134 LEVEL CM	17982,6432 litre	89,438 %	2123,5498 litre	O
1000	CM	80	CM 133 LEVEL CM	17863,6877 litre	88,847 %	2242,5053 litre	O
1000	CM	80	CM 132 LEVEL CM	17742,9632 litre	88,246 %	2363,2298 litre	O
1000	CM	80	CM 131 LEVEL CM	17620,5278 litre	87,637 %	2485,6652 litre	O
1000	CM	80	CM 130 LEVEL CM	17496,4373 litre	87,020 %	2609,7557 litre	O
1000	CM	80	CM 129 LEVEL CM	17370,7454 litre	86,395 %	2735,4476 litre	O
1000	CM	80	CM 128 LEVEL CM	17243,5036 litre	85,762 %	2862,6894 litre	O
1000	CM	80	CM 127 LEVEL CM	17114,7617 litre	85,122 %	2991,4313 litre	O
1000	CM	80	CM 126 LEVEL CM	16984,5676 litre	84,474 %	3121,6254 litre	O
1000	CM	80	CM 125 LEVEL CM	16852,9678 litre	83,820 %	3253,2252 litre	O
1000	CM	80	CM 124 LEVEL CM	16720,0072 litre	83,158 %	3386,1858 litre	O
1000	CM	80	CM 123 LEVEL CM	16585,7294 litre	82,491 %	3520,4636 litre	O
1000	CM	80	CM 122 LEVEL CM	16450,1767 litre	81,816 %	3656,0163 litre	O
1000	CM	80	CM 121 LEVEL CM	16313,3902 litre	81,136 %	3792,8028 litre	O
1000	CM	80	CM 120 LEVEL CM	16175,4099 litre	80,450 %	3930,7831 litre	O
1000	CM	80	CM 119 LEVEL CM	16036,2749 litre	79,758 %	4069,9181 litre	O
1000	CM	80	CM 118 LEVEL CM	15896,0231 litre	79,060 %	4210,1699 litre	O
1000	CM	80	CM 117 LEVEL CM	15754,6917 litre	78,357 %	4351,5013 litre	O
1000	CM	80	CM 116 LEVEL CM	15612,3169 litre	77,649 %	4493,8761 litre	O
1000	CM	80	CM 115 LEVEL CM	15468,9342 litre	76,936 %	4637,2588 litre	O
1000	CM	80	CM 114 LEVEL CM	15324,5785 litre	76,218 %	4781,6145 litre	O
1000	CM	80	CM 113 LEVEL CM	15179,2836 litre	75,496 %	4926,9094 litre	O
1000	CM	80	CM 112 LEVEL CM	15033,0831 litre	74,768 %	5073,1099 litre	O
1000	CM	80	CM 111 LEVEL CM	14886,0096 litre	74,037 %	5220,1834 litre	O
1000	CM	80	CM 110 LEVEL CM	14738,0954 litre	73,301 %	5368,0976 litre	O
1000	CM	80	CM 109 LEVEL CM	14589,3721 litre	72,562 %	5516,8209 litre	O

1000	CM	80	CM	108 LEVEL CM	14439,8709 litre	71,818 %	5666,3221 litre	O
1000	CM	80	CM	107 LEVEL CM	14289,6223 litre	71,071 %	5816,5707 litre	O
1000	CM	80	CM	106 LEVEL CM	14138,6567 litre	70,320 %	5967,5363 litre	O
1000	CM	80	CM	105 LEVEL CM	13987,0037 litre	69,566 %	6119,1893 litre	O
1000	CM	80	CM	104 LEVEL CM	13834,6927 litre	68,808 %	6271,5003 litre	O
1000	CM	80	CM	103 LEVEL CM	13681,7528 litre	68,047 %	6424,4402 litre	O
1000	CM	80	CM	102 LEVEL CM	13528,2124 litre	67,284 %	6577,9806 litre	O
1000	CM	80	CM	101 LEVEL CM	13374,1000 litre	66,517 %	6732,0930 litre	O
1000	CM	80	CM	100 LEVEL CM	13219,4435 litre	65,748 %	6886,7495 litre	O
1000	CM	80	CM	99 LEVEL CM	13064,2705 litre	64,976 %	7041,9225 litre	O
1000	CM	80	CM	98 LEVEL CM	12908,6085 litre	64,202 %	7197,5845 litre	O
1000	CM	80	CM	97 LEVEL CM	12752,4847 litre	63,426 %	7353,7083 litre	O
1000	CM	80	CM	96 LEVEL CM	12595,9259 litre	62,647 %	7510,2671 litre	O
1000	CM	80	CM	95 LEVEL CM	12438,9589 litre	61,866 %	7667,2341 litre	O
1000	CM	80	CM	94 LEVEL CM	12281,6101 litre	61,084 %	7824,5829 litre	O
1000	CM	80	CM	93 LEVEL CM	12123,9057 litre	60,299 %	7982,2873 litre	O
1000	CM	80	CM	92 LEVEL CM	11965,8720 litre	59,513 %	8140,3210 litre	O
1000	CM	80	CM	91 LEVEL CM	11807,5348 litre	58,726 %	8298,6582 litre	O
1000	CM	80	CM	90 LEVEL CM	11648,9200 litre	57,937 %	8457,2730 litre	O
1000	CM	80	CM	89 LEVEL CM	11490,0532 litre	57,147 %	8616,1398 litre	O
1000	CM	80	CM	88 LEVEL CM	11330,9599 litre	56,356 %	8775,2331 litre	O
1000	CM	80	CM	87 LEVEL CM	11171,6657 litre	55,563 %	8934,5273 litre	O
1000	CM	80	CM	86 LEVEL CM	11012,1957 litre	54,770 %	9093,9973 litre	O
1000	CM	80	CM	85 LEVEL CM	10852,5754 litre	53,976 %	9253,6176 litre	O
1000	CM	80	CM	84 LEVEL CM	10692,8297 litre	53,182 %	9413,3633 litre	O
1000	CM	80	CM	83 LEVEL CM	10532,9840 litre	52,387 %	9573,2090 litre	O
1000	CM	80	CM	82 LEVEL CM	10373,0632 litre	51,591 %	9733,1298 litre	O
1000	CM	80	CM	81 LEVEL CM	10213,0923 litre	50,796 %	9893,1007 litre	O
1000	CM	80	CM	80 LEVEL CM	10053,0965 litre	50,000 %	10053,0965 litre	O
1000	CM	80	CM	79 LEVEL CM	9893,1007 litre	49,204 %	10213,0923 litre	O
1000	CM	80	CM	78 LEVEL CM	9733,1298 litre	48,409 %	10373,0632 litre	O
1000	CM	80	CM	77 LEVEL CM	9573,2090 litre	47,613 %	10532,9840 litre	O
1000	CM	80	CM	76 LEVEL CM	9413,3633 litre	46,818 %	10692,8297 litre	O
1000	CM	80	CM	75 LEVEL CM	9253,6176 litre	46,024 %	10852,5754 litre	O
1000	CM	80	CM	74 LEVEL CM	9093,9973 litre	45,230 %	11012,1957 litre	O
1000	CM	80	CM	73 LEVEL CM	8934,5273 litre	44,437 %	11171,6657 litre	O
1000	CM	80	CM	72 LEVEL CM	8775,2330 litre	43,644 %	11330,9600 litre	O
1000	CM	80	CM	71 LEVEL CM	8616,1398 litre	42,853 %	11490,0532 litre	O
1000	CM	80	CM	70 LEVEL CM	8457,2730 litre	42,063 %	11648,9200 litre	O
1000	CM	80	CM	69 LEVEL CM	8298,6582 litre	41,274 %	11807,5348 litre	O
1000	CM	80	CM	68 LEVEL CM	8140,3210 litre	40,487 %	11965,8720 litre	O
1000	CM	80	CM	67 LEVEL CM	7982,2873 litre	39,701 %	12123,9057 litre	O
1000	CM	80	CM	66 LEVEL CM	7824,5829 litre	38,916 %	12281,6101 litre	O
1000	CM	80	CM	65 LEVEL CM	7667,2341 litre	38,134 %	12438,9589 litre	O
1000	CM	80	CM	64 LEVEL CM	7510,2671 litre	37,353 %	12595,9259 litre	O
1000	CM	80	CM	63 LEVEL CM	7353,7083 litre	36,574 %	12752,4847 litre	O
1000	CM	80	CM	62 LEVEL CM	7197,5844 litre	35,798 %	12908,6086 litre	O
1000	CM	80	CM	61 LEVEL CM	7041,9225 litre	35,024 %	13064,2705 litre	O
1000	CM	80	CM	60 LEVEL CM	6886,7495 litre	34,252 %	13219,4435 litre	O
1000	CM	80	CM	59 LEVEL CM	6732,0930 litre	33,483 %	13374,1000 litre	O
1000	CM	80	CM	58 LEVEL CM	6577,9806 litre	32,716 %	13528,2124 litre	O
1000	CM	80	CM	57 LEVEL CM	6424,4402 litre	31,953 %	13681,7528 litre	O
1000	CM	80	CM	56 LEVEL CM	6271,5002 litre	31,192 %	13834,6928 litre	O

1000	CM	80	CM	55 LEVEL CM	6119,1893 litre	30,434 %	13987,0037 litre	O
1000	CM	80	CM	54 LEVEL CM	5967,5363 litre	29,680 %	14138,6567 litre	O
1000	CM	80	CM	53 LEVEL CM	5816,5706 litre	28,929 %	14289,6224 litre	O
1000	CM	80	CM	52 LEVEL CM	5666,3221 litre	28,182 %	14439,8709 litre	O
1000	CM	80	CM	51 LEVEL CM	5516,8209 litre	27,438 %	14589,3721 litre	O
1000	CM	80	CM	50 LEVEL CM	5368,0976 litre	26,699 %	14738,0954 litre	O
1000	CM	80	CM	49 LEVEL CM	5220,1834 litre	25,963 %	14886,0096 litre	O
1000	CM	80	CM	48 LEVEL CM	5073,1099 litre	25,232 %	15033,0831 litre	O
1000	CM	80	CM	47 LEVEL CM	4926,9094 litre	24,504 %	15179,2836 litre	O
1000	CM	80	CM	46 LEVEL CM	4781,6145 litre	23,782 %	15324,5785 litre	O
1000	CM	80	CM	45 LEVEL CM	4637,2587 litre	23,064 %	15468,9343 litre	O
1000	CM	80	CM	44 LEVEL CM	4493,8761 litre	22,351 %	15612,3169 litre	O
1000	CM	80	CM	43 LEVEL CM	4351,5013 litre	21,643 %	15754,6917 litre	O
1000	CM	80	CM	42 LEVEL CM	4210,1699 litre	20,940 %	15896,0231 litre	O
1000	CM	80	CM	41 LEVEL CM	4069,9181 litre	20,242 %	16036,2749 litre	O
1000	CM	80	CM	40 LEVEL CM	3930,7830 litre	19,550 %	16175,4100 litre	O
1000	CM	80	CM	39 LEVEL CM	3792,8028 litre	18,864 %	16313,3902 litre	O
1000	CM	80	CM	38 LEVEL CM	3656,0163 litre	18,184 %	16450,1767 litre	O
1000	CM	80	CM	37 LEVEL CM	3520,4636 litre	17,509 %	16585,7294 litre	O
1000	CM	80	CM	36 LEVEL CM	3386,1858 litre	16,842 %	16720,0072 litre	O
1000	CM	80	CM	35 LEVEL CM	3253,2252 litre	16,180 %	16852,9678 litre	O
1000	CM	80	CM	34 LEVEL CM	3121,6254 litre	15,526 %	16984,5676 litre	O
1000	CM	80	CM	33 LEVEL CM	2991,4313 litre	14,878 %	17114,7617 litre	O
1000	CM	80	CM	32 LEVEL CM	2862,6894 litre	14,238 %	17243,5036 litre	O
1000	CM	80	CM	31 LEVEL CM	2735,4476 litre	13,605 %	17370,7454 litre	O
1000	CM	80	CM	30 LEVEL CM	2609,7557 litre	12,980 %	17496,4373 litre	O
1000	CM	80	CM	29 LEVEL CM	2485,6652 litre	12,363 %	17620,5278 litre	O
1000	CM	80	CM	28 LEVEL CM	2363,2298 litre	11,754 %	17742,9632 litre	O
1000	CM	80	CM	27 LEVEL CM	2242,5053 litre	11,153 %	17863,6877 litre	O
1000	CM	80	CM	26 LEVEL CM	2123,5498 litre	10,562 %	17982,6432 litre	O
1000	CM	80	CM	25 LEVEL CM	2006,4243 litre	9,979 %	18099,7687 litre	O
1000	CM	80	CM	24 LEVEL CM	1891,1926 litre	9,406 %	18215,0004 litre	O
1000	CM	80	CM	23 LEVEL CM	1777,9215 litre	8,843 %	18328,2715 litre	O
1000	CM	80	CM	22 LEVEL CM	1666,6816 litre	8,289 %	18439,5114 litre	O
1000	CM	80	CM	21 LEVEL CM	1557,5474 litre	7,747 %	18548,6456 litre	O
1000	CM	80	CM	20 LEVEL CM	1450,5976 litre	7,215 %	18655,5954 litre	O
1000	CM	80	CM	19 LEVEL CM	1345,9161 litre	6,694 %	18760,2769 litre	O
1000	CM	80	CM	18 LEVEL CM	1243,5922 litre	6,185 %	18862,6008 litre	O
1000	CM	80	CM	17 LEVEL CM	1143,7215 litre	5,688 %	18962,4715 litre	O
1000	CM	80	CM	16 LEVEL CM	1046,4071 litre	5,204 %	19059,7859 litre	O
1000	CM	80	CM	15 LEVEL CM	951,7601 litre	4,734 %	19154,4329 litre	O
1000	CM	80	CM	14 LEVEL CM	859,9016 litre	4,277 %	19246,2914 litre	O
1000	CM	80	CM	13 LEVEL CM	770,9639 litre	3,834 %	19335,2291 litre	O
1000	CM	80	CM	12 LEVEL CM	685,0928 litre	3,407 %	19421,1002 litre	O
1000	CM	80	CM	11 LEVEL CM	602,4505 litre	2,996 %	19503,7425 litre	O
1000	CM	80	CM	10 LEVEL CM	523,2189 litre	2,602 %	19582,9741 litre	O
1000	CM	80	CM	9 LEVEL CM	447,6047 litre	2,226 %	19658,5883 litre	O
1000	CM	80	CM	8 LEVEL CM	375,8458 litre	1,869 %	19730,3472 litre	O
1000	CM	80	CM	7 LEVEL CM	308,2209 litre	1,533 %	19797,9721 litre	O
1000	CM	80	CM	6 LEVEL CM	245,0634 litre	1,219 %	19861,1296 litre	O
1000	CM	80	CM	5 LEVEL CM	186,7841 litre	0,929 %	19919,4089 litre	O
1000	CM	80	CM	4 LEVEL CM	133,9074 litre	0,666 %	19972,2856 litre	O
1000	CM	80	CM	3 LEVEL CM	87,1410 litre	0,433 %	20019,0520 litre	O

1000	CM 80	CM	2 LEVEL CM	47,5235 litre	0,236 %	20058,6695 litre	O
1000	CM 80	CM	1 LEVEL CM	16,8338 litre	0,084 %	20089,3592 litre	O
1000	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	20106,1930 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	75	CM	150 LEVEL CM	17671,4587 litre	100,000 %	0,0000 litre	O
1000	CM	75	CM	149 LEVEL CM	17655,1614 litre	99,908 %	16,2973 litre	O
1000	CM	75	CM	148 LEVEL CM	17625,4558 litre	99,740 %	46,0029 litre	O
1000	CM	75	CM	147 LEVEL CM	17587,1168 litre	99,523 %	84,3419 litre	O
1000	CM	75	CM	146 LEVEL CM	17541,8694 litre	99,267 %	129,5893 litre	O
1000	CM	75	CM	145 LEVEL CM	17490,7212 litre	98,977 %	180,7375 litre	O
1000	CM	75	CM	144 LEVEL CM	17434,3596 litre	98,658 %	237,0991 litre	O
1000	CM	75	CM	143 LEVEL CM	17373,2941 litre	98,313 %	298,1646 litre	O
1000	CM	75	CM	142 LEVEL CM	17307,9241 litre	97,943 %	363,5346 litre	O
1000	CM	75	CM	141 LEVEL CM	17238,5739 litre	97,550 %	432,8848 litre	O
1000	CM	75	CM	140 LEVEL CM	17165,5151 litre	97,137 %	505,9436 litre	O
1000	CM	75	CM	139 LEVEL CM	17088,9794 litre	96,704 %	582,4793 litre	O
1000	CM	75	CM	138 LEVEL CM	17009,1682 litre	96,252 %	662,2905 litre	O
1000	CM	75	CM	137 LEVEL CM	16926,2592 litre	95,783 %	745,1995 litre	O
1000	CM	75	CM	136 LEVEL CM	16840,4106 litre	95,297 %	831,0481 litre	O
1000	CM	75	CM	135 LEVEL CM	16751,7649 litre	94,796 %	919,6938 litre	O
1000	CM	75	CM	134 LEVEL CM	16660,4517 litre	94,279 %	1011,0070 litre	O
1000	CM	75	CM	133 LEVEL CM	16566,5893 litre	93,748 %	1104,8694 litre	O
1000	CM	75	CM	132 LEVEL CM	16470,2867 litre	93,203 %	1201,1720 litre	O
1000	CM	75	CM	131 LEVEL CM	16371,6448 litre	92,645 %	1299,8139 litre	O
1000	CM	75	CM	130 LEVEL CM	16270,7574 litre	92,074 %	1400,7013 litre	O
1000	CM	75	CM	129 LEVEL CM	16167,7123 litre	91,491 %	1503,7464 litre	O
1000	CM	75	CM	128 LEVEL CM	16062,5918 litre	90,896 %	1608,8669 litre	O
1000	CM	75	CM	127 LEVEL CM	15955,4735 litre	90,290 %	1715,9852 litre	O
1000	CM	75	CM	126 LEVEL CM	15846,4305 litre	89,672 %	1825,0282 litre	O
1000	CM	75	CM	125 LEVEL CM	15735,5324 litre	89,045 %	1935,9263 litre	O
1000	CM	75	CM	124 LEVEL CM	15622,8452 litre	88,407 %	2048,6135 litre	O
1000	CM	75	CM	123 LEVEL CM	15508,4318 litre	87,760 %	2163,0269 litre	O
1000	CM	75	CM	122 LEVEL CM	15392,3523 litre	87,103 %	2279,1064 litre	O
1000	CM	75	CM	121 LEVEL CM	15274,6643 litre	86,437 %	2396,7944 litre	O
1000	CM	75	CM	120 LEVEL CM	15155,4231 litre	85,762 %	2516,0356 litre	O
1000	CM	75	CM	119 LEVEL CM	15034,6817 litre	85,079 %	2636,7770 litre	O
1000	CM	75	CM	118 LEVEL CM	14912,4913 litre	84,387 %	2758,9674 litre	O
1000	CM	75	CM	117 LEVEL CM	14788,9012 litre	83,688 %	2882,5575 litre	O
1000	CM	75	CM	116 LEVEL CM	14663,9591 litre	82,981 %	3007,4996 litre	O
1000	CM	75	CM	115 LEVEL CM	14537,7112 litre	82,267 %	3133,7475 litre	O
1000	CM	75	CM	114 LEVEL CM	14410,2022 litre	81,545 %	3261,2565 litre	O
1000	CM	75	CM	113 LEVEL CM	14281,4756 litre	80,817 %	3389,9831 litre	O
1000	CM	75	CM	112 LEVEL CM	14151,5735 litre	80,082 %	3519,8852 litre	O
1000	CM	75	CM	111 LEVEL CM	14020,5370 litre	79,340 %	3650,9217 litre	O
1000	CM	75	CM	110 LEVEL CM	13888,4061 litre	78,592 %	3783,0526 litre	O
1000	CM	75	CM	109 LEVEL CM	13755,2199 litre	77,839 %	3916,2388 litre	O
1000	CM	75	CM	108 LEVEL CM	13621,0164 litre	77,079 %	4050,4423 litre	O
1000	CM	75	CM	107 LEVEL CM	13485,8328 litre	76,314 %	4185,6259 litre	O
1000	CM	75	CM	106 LEVEL CM	13349,7057 litre	75,544 %	4321,7530 litre	O
1000	CM	75	CM	105 LEVEL CM	13212,6707 litre	74,768 %	4458,7880 litre	O
1000	CM	75	CM	104 LEVEL CM	13074,7627 litre	73,988 %	4596,6960 litre	O
1000	CM	75	CM	103 LEVEL CM	12936,0161 litre	73,203 %	4735,4426 litre	O
1000	CM	75	CM	102 LEVEL CM	12796,4647 litre	72,413 %	4874,9940 litre	O
1000	CM	75	CM	101 LEVEL CM	12656,1414 litre	71,619 %	5015,3173 litre	O
1000	CM	75	CM	100 LEVEL CM	12515,0789 litre	70,821 %	5156,3798 litre	O
1000	CM	75	CM	99 LEVEL CM	12373,3093 litre	70,019 %	5298,1494 litre	O

1000	CM	75	CM	98 LEVEL CM	12230,8641 litre	69,213 %	5440,5946 litre	O
1000	CM	75	CM	97 LEVEL CM	12087,7745 litre	68,403 %	5583,6842 litre	O
1000	CM	75	CM	96 LEVEL CM	11944,0712 litre	67,590 %	5727,3875 litre	O
1000	CM	75	CM	95 LEVEL CM	11799,7845 litre	66,773 %	5871,6742 litre	O
1000	CM	75	CM	94 LEVEL CM	11654,9445 litre	65,953 %	6016,5142 litre	O
1000	CM	75	CM	93 LEVEL CM	11509,5806 litre	65,131 %	6161,8781 litre	O
1000	CM	75	CM	92 LEVEL CM	11363,7223 litre	64,306 %	6307,7364 litre	O
1000	CM	75	CM	91 LEVEL CM	11217,3986 litre	63,477 %	6454,0601 litre	O
1000	CM	75	CM	90 LEVEL CM	11070,6380 litre	62,647 %	6600,8207 litre	O
1000	CM	75	CM	89 LEVEL CM	10923,4692 litre	61,814 %	6747,9895 litre	O
1000	CM	75	CM	88 LEVEL CM	10775,9204 litre	60,979 %	6895,5383 litre	O
1000	CM	75	CM	87 LEVEL CM	10628,0196 litre	60,142 %	7043,4391 litre	O
1000	CM	75	CM	86 LEVEL CM	10479,7945 litre	59,304 %	7191,6642 litre	O
1000	CM	75	CM	85 LEVEL CM	10331,2730 litre	58,463 %	7340,1857 litre	O
1000	CM	75	CM	84 LEVEL CM	10182,4823 litre	57,621 %	7488,9764 litre	O
1000	CM	75	CM	83 LEVEL CM	10033,4499 litre	56,778 %	7638,0088 litre	O
1000	CM	75	CM	82 LEVEL CM	9884,2029 litre	55,933 %	7787,2558 litre	O
1000	CM	75	CM	81 LEVEL CM	9734,7684 litre	55,088 %	7936,6903 litre	O
1000	CM	75	CM	80 LEVEL CM	9585,1734 litre	54,241 %	8086,2853 litre	O
1000	CM	75	CM	79 LEVEL CM	9435,4448 litre	53,394 %	8236,0139 litre	O
1000	CM	75	CM	78 LEVEL CM	9285,6093 litre	52,546 %	8385,8494 litre	O
1000	CM	75	CM	77 LEVEL CM	9135,6938 litre	51,697 %	8535,7649 litre	O
1000	CM	75	CM	76 LEVEL CM	8985,7249 litre	50,849 %	8685,7338 litre	O
1000	CM	75	CM	75 LEVEL CM	8835,7293 litre	50,000 %	8835,7294 litre	O
1000	CM	75	CM	74 LEVEL CM	8685,7338 litre	49,151 %	8985,7249 litre	O
1000	CM	75	CM	73 LEVEL CM	8535,7649 litre	48,303 %	9135,6938 litre	O
1000	CM	75	CM	72 LEVEL CM	8385,8494 litre	47,454 %	9285,6093 litre	O
1000	CM	75	CM	71 LEVEL CM	8236,0139 litre	46,606 %	9435,4448 litre	O
1000	CM	75	CM	70 LEVEL CM	8086,2853 litre	45,759 %	9585,1734 litre	O
1000	CM	75	CM	69 LEVEL CM	7936,6903 litre	44,912 %	9734,7684 litre	O
1000	CM	75	CM	68 LEVEL CM	7787,2558 litre	44,067 %	9884,2029 litre	O
1000	CM	75	CM	67 LEVEL CM	7638,0088 litre	43,222 %	10033,4499 litre	O
1000	CM	75	CM	66 LEVEL CM	7488,9764 litre	42,379 %	10182,4823 litre	O
1000	CM	75	CM	65 LEVEL CM	7340,1857 litre	41,537 %	10331,2730 litre	O
1000	CM	75	CM	64 LEVEL CM	7191,6641 litre	40,696 %	10479,7946 litre	O
1000	CM	75	CM	63 LEVEL CM	7043,4391 litre	39,858 %	10628,0196 litre	O
1000	CM	75	CM	62 LEVEL CM	6895,5383 litre	39,021 %	10775,9204 litre	O
1000	CM	75	CM	61 LEVEL CM	6747,9894 litre	38,186 %	10923,4693 litre	O
1000	CM	75	CM	60 LEVEL CM	6600,8206 litre	37,353 %	11070,6381 litre	O
1000	CM	75	CM	59 LEVEL CM	6454,0601 litre	36,523 %	11217,3986 litre	O
1000	CM	75	CM	58 LEVEL CM	6307,7363 litre	35,694 %	11363,7224 litre	O
1000	CM	75	CM	57 LEVEL CM	6161,8780 litre	34,869 %	11509,5807 litre	O
1000	CM	75	CM	56 LEVEL CM	6016,5142 litre	34,047 %	11654,9445 litre	O
1000	CM	75	CM	55 LEVEL CM	5871,6741 litre	33,227 %	11799,7846 litre	O
1000	CM	75	CM	54 LEVEL CM	5727,3875 litre	32,410 %	11944,0712 litre	O
1000	CM	75	CM	53 LEVEL CM	5583,6842 litre	31,597 %	12087,7745 litre	O
1000	CM	75	CM	52 LEVEL CM	5440,5946 litre	30,787 %	12230,8641 litre	O
1000	CM	75	CM	51 LEVEL CM	5298,1494 litre	29,981 %	12373,3093 litre	O
1000	CM	75	CM	50 LEVEL CM	5156,3798 litre	29,179 %	12515,0789 litre	O
1000	CM	75	CM	49 LEVEL CM	5015,3173 litre	28,381 %	12656,1414 litre	O
1000	CM	75	CM	48 LEVEL CM	4874,9940 litre	27,587 %	12796,4647 litre	O
1000	CM	75	CM	47 LEVEL CM	4735,4425 litre	26,797 %	12936,0162 litre	O
1000	CM	75	CM	46 LEVEL CM	4596,6960 litre	26,012 %	13074,7627 litre	O

1000	CM	75	CM	45 LEVEL CM	4458,7880 litre	25,232 %	13212,6707 litre	O
1000	CM	75	CM	44 LEVEL CM	4321,7530 litre	24,456 %	13349,7057 litre	O
1000	CM	75	CM	43 LEVEL CM	4185,6259 litre	23,686 %	13485,8328 litre	O
1000	CM	75	CM	42 LEVEL CM	4050,4423 litre	22,921 %	13621,0164 litre	O
1000	CM	75	CM	41 LEVEL CM	3916,2388 litre	22,161 %	13755,2199 litre	O
1000	CM	75	CM	40 LEVEL CM	3783,0525 litre	21,408 %	13888,4062 litre	O
1000	CM	75	CM	39 LEVEL CM	3650,9217 litre	20,660 %	14020,5370 litre	O
1000	CM	75	CM	38 LEVEL CM	3519,8852 litre	19,918 %	14151,5735 litre	O
1000	CM	75	CM	37 LEVEL CM	3389,9831 litre	19,183 %	14281,4756 litre	O
1000	CM	75	CM	36 LEVEL CM	3261,2564 litre	18,455 %	14410,2023 litre	O
1000	CM	75	CM	35 LEVEL CM	3133,7475 litre	17,733 %	14537,7112 litre	O
1000	CM	75	CM	34 LEVEL CM	3007,4996 litre	17,019 %	14663,9591 litre	O
1000	CM	75	CM	33 LEVEL CM	2882,5575 litre	16,312 %	14788,9012 litre	O
1000	CM	75	CM	32 LEVEL CM	2758,9674 litre	15,613 %	14912,4913 litre	O
1000	CM	75	CM	31 LEVEL CM	2636,7770 litre	14,921 %	15034,6817 litre	O
1000	CM	75	CM	30 LEVEL CM	2516,0356 litre	14,238 %	15155,4231 litre	O
1000	CM	75	CM	29 LEVEL CM	2396,7944 litre	13,563 %	15274,6643 litre	O
1000	CM	75	CM	28 LEVEL CM	2279,1064 litre	12,897 %	15392,3523 litre	O
1000	CM	75	CM	27 LEVEL CM	2163,0269 litre	12,240 %	15508,4318 litre	O
1000	CM	75	CM	26 LEVEL CM	2048,6135 litre	11,593 %	15622,8452 litre	O
1000	CM	75	CM	25 LEVEL CM	1935,9263 litre	10,955 %	15735,5324 litre	O
1000	CM	75	CM	24 LEVEL CM	1825,0282 litre	10,328 %	15846,4305 litre	O
1000	CM	75	CM	23 LEVEL CM	1715,9852 litre	9,710 %	15955,4735 litre	O
1000	CM	75	CM	22 LEVEL CM	1608,8668 litre	9,104 %	16062,5919 litre	O
1000	CM	75	CM	21 LEVEL CM	1503,7463 litre	8,509 %	16167,7124 litre	O
1000	CM	75	CM	20 LEVEL CM	1400,7012 litre	7,926 %	16270,7575 litre	O
1000	CM	75	CM	19 LEVEL CM	1299,8139 litre	7,355 %	16371,6448 litre	O
1000	CM	75	CM	18 LEVEL CM	1201,1719 litre	6,797 %	16470,2868 litre	O
1000	CM	75	CM	17 LEVEL CM	1104,8693 litre	6,252 %	16566,5894 litre	O
1000	CM	75	CM	16 LEVEL CM	1011,0069 litre	5,721 %	16660,4518 litre	O
1000	CM	75	CM	15 LEVEL CM	919,6937 litre	5,204 %	16751,7650 litre	O
1000	CM	75	CM	14 LEVEL CM	831,0481 litre	4,703 %	16840,4106 litre	O
1000	CM	75	CM	13 LEVEL CM	745,1995 litre	4,217 %	16926,2592 litre	O
1000	CM	75	CM	12 LEVEL CM	662,2905 litre	3,748 %	17009,1682 litre	O
1000	CM	75	CM	11 LEVEL CM	582,4793 litre	3,296 %	17088,9794 litre	O
1000	CM	75	CM	10 LEVEL CM	505,9436 litre	2,863 %	17165,5151 litre	O
1000	CM	75	CM	9 LEVEL CM	432,8847 litre	2,450 %	17238,5740 litre	O
1000	CM	75	CM	8 LEVEL CM	363,5346 litre	2,057 %	17307,9241 litre	O
1000	CM	75	CM	7 LEVEL CM	298,1645 litre	1,687 %	17373,2942 litre	O
1000	CM	75	CM	6 LEVEL CM	237,0991 litre	1,342 %	17434,3596 litre	O
1000	CM	75	CM	5 LEVEL CM	180,7374 litre	1,023 %	17490,7213 litre	O
1000	CM	75	CM	4 LEVEL CM	129,5893 litre	0,733 %	17541,8694 litre	O
1000	CM	75	CM	3 LEVEL CM	84,3419 litre	0,477 %	17587,1168 litre	O
1000	CM	75	CM	2 LEVEL CM	46,0028 litre	0,260 %	17625,4559 litre	O
1000	CM	75	CM	1 LEVEL CM	16,2972 litre	0,092 %	17655,1615 litre	O
1000	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	17671,4587 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
1000	CM 70	CM 140 LEVEL CM	15393,8040 litre	100,000 %	0,0000 litre	O
1000	CM 70	CM 139 LEVEL CM	15378,0616 litre	99,898 %	15,7424 litre	O
1000	CM 70	CM 138 LEVEL CM	15349,3739 litre	99,711 %	44,4301 litre	O
1000	CM 70	CM 137 LEVEL CM	15312,3574 litre	99,471 %	81,4466 litre	O
1000	CM 70	CM 136 LEVEL CM	15268,6817 litre	99,187 %	125,1223 litre	O
1000	CM 70	CM 135 LEVEL CM	15219,3226 litre	98,867 %	174,4814 litre	O
1000	CM 70	CM 134 LEVEL CM	15164,9463 litre	98,513 %	228,8577 litre	O
1000	CM 70	CM 133 LEVEL CM	15106,0471 litre	98,131 %	287,7569 litre	O
1000	CM 70	CM 132 LEVEL CM	15043,0125 litre	97,721 %	350,7915 litre	O
1000	CM 70	CM 131 LEVEL CM	14976,1579 litre	97,287 %	417,6461 litre	O
1000	CM 70	CM 130 LEVEL CM	14905,7471 litre	96,830 %	488,0569 litre	O
1000	CM 70	CM 129 LEVEL CM	14832,0057 litre	96,350 %	561,7983 litre	O
1000	CM 70	CM 128 LEVEL CM	14755,1298 litre	95,851 %	638,6742 litre	O
1000	CM 70	CM 127 LEVEL CM	14675,2926 litre	95,332 %	718,5114 litre	O
1000	CM 70	CM 126 LEVEL CM	14592,6486 litre	94,796 %	801,1554 litre	O
1000	CM 70	CM 125 LEVEL CM	14507,3368 litre	94,241 %	886,4672 litre	O
1000	CM 70	CM 124 LEVEL CM	14419,4838 litre	93,671 %	974,3202 litre	O
1000	CM 70	CM 123 LEVEL CM	14329,2053 litre	93,084 %	1064,5987 litre	O
1000	CM 70	CM 122 LEVEL CM	14236,6081 litre	92,483 %	1157,1959 litre	O
1000	CM 70	CM 121 LEVEL CM	14141,7911 litre	91,867 %	1252,0129 litre	O
1000	CM 70	CM 120 LEVEL CM	14044,8462 litre	91,237 %	1348,9578 litre	O
1000	CM 70	CM 119 LEVEL CM	13945,8597 litre	90,594 %	1447,9443 litre	O
1000	CM 70	CM 118 LEVEL CM	13844,9124 litre	89,938 %	1548,8916 litre	O
1000	CM 70	CM 117 LEVEL CM	13742,0806 litre	89,270 %	1651,7234 litre	O
1000	CM 70	CM 116 LEVEL CM	13637,4364 litre	88,590 %	1756,3676 litre	O
1000	CM 70	CM 115 LEVEL CM	13531,0483 litre	87,899 %	1862,7557 litre	O
1000	CM 70	CM 114 LEVEL CM	13422,9815 litre	87,197 %	1970,8225 litre	O
1000	CM 70	CM 113 LEVEL CM	13313,2980 litre	86,485 %	2080,5060 litre	O
1000	CM 70	CM 112 LEVEL CM	13202,0574 litre	85,762 %	2191,7466 litre	O
1000	CM 70	CM 111 LEVEL CM	13089,3166 litre	85,030 %	2304,4874 litre	O
1000	CM 70	CM 110 LEVEL CM	12975,1304 litre	84,288 %	2418,6736 litre	O
1000	CM 70	CM 109 LEVEL CM	12859,5514 litre	83,537 %	2534,2526 litre	O
1000	CM 70	CM 108 LEVEL CM	12742,6304 litre	82,778 %	2651,1736 litre	O
1000	CM 70	CM 107 LEVEL CM	12624,4164 litre	82,010 %	2769,3876 litre	O
1000	CM 70	CM 106 LEVEL CM	12504,9571 litre	81,234 %	2888,8469 litre	O
1000	CM 70	CM 105 LEVEL CM	12384,2982 litre	80,450 %	3009,5058 litre	O
1000	CM 70	CM 104 LEVEL CM	12262,4846 litre	79,659 %	3131,3194 litre	O
1000	CM 70	CM 103 LEVEL CM	12139,5596 litre	78,860 %	3254,2444 litre	O
1000	CM 70	CM 102 LEVEL CM	12015,5653 litre	78,055 %	3378,2387 litre	O
1000	CM 70	CM 101 LEVEL CM	11890,5430 litre	77,242 %	3503,2610 litre	O
1000	CM 70	CM 100 LEVEL CM	11764,5327 litre	76,424 %	3629,2713 litre	O
1000	CM 70	CM 99 LEVEL CM	11637,5737 litre	75,599 %	3756,2303 litre	O
1000	CM 70	CM 98 LEVEL CM	11509,7042 litre	74,768 %	3884,0998 litre	O
1000	CM 70	CM 97 LEVEL CM	11380,9618 litre	73,932 %	4012,8422 litre	O
1000	CM 70	CM 96 LEVEL CM	11251,3832 litre	73,090 %	4142,4208 litre	O
1000	CM 70	CM 95 LEVEL CM	11121,0045 litre	72,243 %	4272,7995 litre	O
1000	CM 70	CM 94 LEVEL CM	10989,8610 litre	71,391 %	4403,9430 litre	O
1000	CM 70	CM 93 LEVEL CM	10857,9875 litre	70,535 %	4535,8165 litre	O
1000	CM 70	CM 92 LEVEL CM	10725,4181 litre	69,674 %	4668,3859 litre	O
1000	CM 70	CM 91 LEVEL CM	10592,1866 litre	68,808 %	4801,6174 litre	O
1000	CM 70	CM 90 LEVEL CM	10458,3261 litre	67,939 %	4935,4779 litre	O
1000	CM 70	CM 89 LEVEL CM	10323,8693 litre	67,065 %	5069,9347 litre	O

1000	CM	70	CM	88 LEVEL CM	10188,8484 litre	66,188 %	5204,9556 litre	O
1000	CM	70	CM	87 LEVEL CM	10053,2953 litre	65,307 %	5340,5087 litre	O
1000	CM	70	CM	86 LEVEL CM	9917,2415 litre	64,424 %	5476,5625 litre	O
1000	CM	70	CM	85 LEVEL CM	9780,7180 litre	63,537 %	5613,0860 litre	O
1000	CM	70	CM	84 LEVEL CM	9643,7558 litre	62,647 %	5750,0482 litre	O
1000	CM	70	CM	83 LEVEL CM	9506,3853 litre	61,755 %	5887,4187 litre	O
1000	CM	70	CM	82 LEVEL CM	9368,6368 litre	60,860 %	6025,1672 litre	O
1000	CM	70	CM	81 LEVEL CM	9230,5402 litre	59,963 %	6163,2638 litre	O
1000	CM	70	CM	80 LEVEL CM	9092,1254 litre	59,064 %	6301,6786 litre	O
1000	CM	70	CM	79 LEVEL CM	8953,4219 litre	58,163 %	6440,3821 litre	O
1000	CM	70	CM	78 LEVEL CM	8814,4591 litre	57,260 %	6579,3449 litre	O
1000	CM	70	CM	77 LEVEL CM	8675,2662 litre	56,356 %	6718,5378 litre	O
1000	CM	70	CM	76 LEVEL CM	8535,8723 litre	55,450 %	6857,9317 litre	O
1000	CM	70	CM	75 LEVEL CM	8396,3063 litre	54,543 %	6997,4977 litre	O
1000	CM	70	CM	74 LEVEL CM	8256,5971 litre	53,636 %	7137,2069 litre	O
1000	CM	70	CM	73 LEVEL CM	8116,7734 litre	52,728 %	7277,0306 litre	O
1000	CM	70	CM	72 LEVEL CM	7976,8639 litre	51,819 %	7416,9401 litre	O
1000	CM	70	CM	71 LEVEL CM	7836,8972 litre	50,909 %	7556,9068 litre	O
1000	CM	70	CM	70 LEVEL CM	7696,9020 litre	50,000 %	7696,9020 litre	O
1000	CM	70	CM	69 LEVEL CM	7556,9068 litre	49,091 %	7836,8972 litre	O
1000	CM	70	CM	68 LEVEL CM	7416,9401 litre	48,181 %	7976,8639 litre	O
1000	CM	70	CM	67 LEVEL CM	7277,0306 litre	47,272 %	8116,7734 litre	O
1000	CM	70	CM	66 LEVEL CM	7137,2069 litre	46,364 %	8256,5971 litre	O
1000	CM	70	CM	65 LEVEL CM	6997,4977 litre	45,457 %	8396,3063 litre	O
1000	CM	70	CM	64 LEVEL CM	6857,9317 litre	44,550 %	8535,8723 litre	O
1000	CM	70	CM	63 LEVEL CM	6718,5378 litre	43,644 %	8675,2662 litre	O
1000	CM	70	CM	62 LEVEL CM	6579,3449 litre	42,740 %	8814,4591 litre	O
1000	CM	70	CM	61 LEVEL CM	6440,3821 litre	41,837 %	8953,4219 litre	O
1000	CM	70	CM	60 LEVEL CM	6301,6786 litre	40,936 %	9092,1254 litre	O
1000	CM	70	CM	59 LEVEL CM	6163,2638 litre	40,037 %	9230,5402 litre	O
1000	CM	70	CM	58 LEVEL CM	6025,1672 litre	39,140 %	9368,6368 litre	O
1000	CM	70	CM	57 LEVEL CM	5887,4187 litre	38,245 %	9506,3853 litre	O
1000	CM	70	CM	56 LEVEL CM	5750,0482 litre	37,353 %	9643,7558 litre	O
1000	CM	70	CM	55 LEVEL CM	5613,0860 litre	36,463 %	9780,7180 litre	O
1000	CM	70	CM	54 LEVEL CM	5476,5625 litre	35,576 %	9917,2415 litre	O
1000	CM	70	CM	53 LEVEL CM	5340,5087 litre	34,693 %	10053,2953 litre	O
1000	CM	70	CM	52 LEVEL CM	5204,9556 litre	33,812 %	10188,8484 litre	O
1000	CM	70	CM	51 LEVEL CM	5069,9347 litre	32,935 %	10323,8693 litre	O
1000	CM	70	CM	50 LEVEL CM	4935,4779 litre	32,061 %	10458,3261 litre	O
1000	CM	70	CM	49 LEVEL CM	4801,6174 litre	31,192 %	10592,1866 litre	O
1000	CM	70	CM	48 LEVEL CM	4668,3859 litre	30,326 %	10725,4181 litre	O
1000	CM	70	CM	47 LEVEL CM	4535,8165 litre	29,465 %	10857,9875 litre	O
1000	CM	70	CM	46 LEVEL CM	4403,9430 litre	28,609 %	10989,8610 litre	O
1000	CM	70	CM	45 LEVEL CM	4272,7995 litre	27,757 %	11121,0045 litre	O
1000	CM	70	CM	44 LEVEL CM	4142,4208 litre	26,910 %	11251,3832 litre	O
1000	CM	70	CM	43 LEVEL CM	4012,8422 litre	26,068 %	11380,9618 litre	O
1000	CM	70	CM	42 LEVEL CM	3884,0998 litre	25,232 %	11509,7042 litre	O
1000	CM	70	CM	41 LEVEL CM	3756,2303 litre	24,401 %	11637,5737 litre	O
1000	CM	70	CM	40 LEVEL CM	3629,2713 litre	23,576 %	11764,5327 litre	O
1000	CM	70	CM	39 LEVEL CM	3503,2610 litre	22,758 %	11890,5430 litre	O
1000	CM	70	CM	38 LEVEL CM	3378,2387 litre	21,945 %	12015,5653 litre	O
1000	CM	70	CM	37 LEVEL CM	3254,2444 litre	21,140 %	12139,5596 litre	O
1000	CM	70	CM	36 LEVEL CM	3131,3194 litre	20,341 %	12262,4846 litre	O

1000	CM	70	CM	35 LEVEL CM	3009,5058 litre	19,550 %	12384,2982 litre	O
1000	CM	70	CM	34 LEVEL CM	2888,8469 litre	18,766 %	12504,9571 litre	O
1000	CM	70	CM	33 LEVEL CM	2769,3876 litre	17,990 %	12624,4164 litre	O
1000	CM	70	CM	32 LEVEL CM	2651,1736 litre	17,222 %	12742,6304 litre	O
1000	CM	70	CM	31 LEVEL CM	2534,2526 litre	16,463 %	12859,5514 litre	O
1000	CM	70	CM	30 LEVEL CM	2418,6736 litre	15,712 %	12975,1304 litre	O
1000	CM	70	CM	29 LEVEL CM	2304,4874 litre	14,970 %	13089,3166 litre	O
1000	CM	70	CM	28 LEVEL CM	2191,7466 litre	14,238 %	13202,0574 litre	O
1000	CM	70	CM	27 LEVEL CM	2080,5060 litre	13,515 %	13313,2980 litre	O
1000	CM	70	CM	26 LEVEL CM	1970,8225 litre	12,803 %	13422,9815 litre	O
1000	CM	70	CM	25 LEVEL CM	1862,7557 litre	12,101 %	13531,0483 litre	O
1000	CM	70	CM	24 LEVEL CM	1756,3676 litre	11,410 %	13637,4364 litre	O
1000	CM	70	CM	23 LEVEL CM	1651,7234 litre	10,730 %	13742,0806 litre	O
1000	CM	70	CM	22 LEVEL CM	1548,8916 litre	10,062 %	13844,9124 litre	O
1000	CM	70	CM	21 LEVEL CM	1447,9443 litre	9,406 %	13945,8597 litre	O
1000	CM	70	CM	20 LEVEL CM	1348,9578 litre	8,763 %	14044,8462 litre	O
1000	CM	70	CM	19 LEVEL CM	1252,0129 litre	8,133 %	14141,7911 litre	O
1000	CM	70	CM	18 LEVEL CM	1157,1959 litre	7,517 %	14236,6081 litre	O
1000	CM	70	CM	17 LEVEL CM	1064,5987 litre	6,916 %	14329,2053 litre	O
1000	CM	70	CM	16 LEVEL CM	974,3202 litre	6,329 %	14419,4838 litre	O
1000	CM	70	CM	15 LEVEL CM	886,4672 litre	5,759 %	14507,3368 litre	O
1000	CM	70	CM	14 LEVEL CM	801,1554 litre	5,204 %	14592,6486 litre	O
1000	CM	70	CM	13 LEVEL CM	718,5114 litre	4,668 %	14675,2926 litre	O
1000	CM	70	CM	12 LEVEL CM	638,6742 litre	4,149 %	14755,1298 litre	O
1000	CM	70	CM	11 LEVEL CM	561,7983 litre	3,650 %	14832,0057 litre	O
1000	CM	70	CM	10 LEVEL CM	488,0569 litre	3,170 %	14905,7471 litre	O
1000	CM	70	CM	9 LEVEL CM	417,6461 litre	2,713 %	14976,1579 litre	O
1000	CM	70	CM	8 LEVEL CM	350,7915 litre	2,279 %	15043,0125 litre	O
1000	CM	70	CM	7 LEVEL CM	287,7569 litre	1,869 %	15106,0471 litre	O
1000	CM	70	CM	6 LEVEL CM	228,8577 litre	1,487 %	15164,9463 litre	O
1000	CM	70	CM	5 LEVEL CM	174,4814 litre	1,133 %	15219,3226 litre	O
1000	CM	70	CM	4 LEVEL CM	125,1223 litre	0,813 %	15268,6817 litre	O
1000	CM	70	CM	3 LEVEL CM	81,4466 litre	0,529 %	15312,3574 litre	O
1000	CM	70	CM	2 LEVEL CM	44,4301 litre	0,289 %	15349,3739 litre	O
1000	CM	70	CM	1 LEVEL CM	15,7424 litre	0,102 %	15378,0616 litre	O
1000	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	15393,8040 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	65	CM	130 LEVEL CM	13273,2290 litre	100,000 %	0,0000 litre	O
1000	CM	65	CM	129 LEVEL CM	13258,0618 litre	99,886 %	15,1672 litre	O
1000	CM	65	CM	128 LEVEL CM	13230,4293 litre	99,678 %	42,7997 litre	O
1000	CM	65	CM	127 LEVEL CM	13194,7844 litre	99,409 %	78,4446 litre	O
1000	CM	65	CM	126 LEVEL CM	13152,7391 litre	99,092 %	120,4899 litre	O
1000	CM	65	CM	125 LEVEL CM	13105,2365 litre	98,734 %	167,9925 litre	O
1000	CM	65	CM	124 LEVEL CM	13052,9207 litre	98,340 %	220,3083 litre	O
1000	CM	65	CM	123 LEVEL CM	12996,2705 litre	97,913 %	276,9585 litre	O
1000	CM	65	CM	122 LEVEL CM	12935,6614 litre	97,457 %	337,5676 litre	O
1000	CM	65	CM	121 LEVEL CM	12871,3991 litre	96,973 %	401,8299 litre	O
1000	CM	65	CM	120 LEVEL CM	12803,7399 litre	96,463 %	469,4891 litre	O
1000	CM	65	CM	119 LEVEL CM	12732,9030 litre	95,929 %	540,3260 litre	O
1000	CM	65	CM	118 LEVEL CM	12659,0791 litre	95,373 %	614,1499 litre	O
1000	CM	65	CM	117 LEVEL CM	12582,4368 litre	94,796 %	690,7922 litre	O
1000	CM	65	CM	116 LEVEL CM	12503,1266 litre	94,198 %	770,1024 litre	O
1000	CM	65	CM	115 LEVEL CM	12421,2843 litre	93,581 %	851,9447 litre	O
1000	CM	65	CM	114 LEVEL CM	12337,0335 litre	92,947 %	936,1955 litre	O
1000	CM	65	CM	113 LEVEL CM	12250,4872 litre	92,295 %	1022,7418 litre	O
1000	CM	65	CM	112 LEVEL CM	12161,7501 litre	91,626 %	1111,4789 litre	O
1000	CM	65	CM	111 LEVEL CM	12070,9188 litre	90,942 %	1202,3102 litre	O
1000	CM	65	CM	110 LEVEL CM	11978,0838 litre	90,242 %	1295,1452 litre	O
1000	CM	65	CM	109 LEVEL CM	11883,3295 litre	89,529 %	1389,8995 litre	O
1000	CM	65	CM	108 LEVEL CM	11786,7355 litre	88,801 %	1486,4935 litre	O
1000	CM	65	CM	107 LEVEL CM	11688,3769 litre	88,060 %	1584,8521 litre	O
1000	CM	65	CM	106 LEVEL CM	11588,3247 litre	87,306 %	1684,9043 litre	O
1000	CM	65	CM	105 LEVEL CM	11486,6465 litre	86,540 %	1786,5825 litre	O
1000	CM	65	CM	104 LEVEL CM	11383,4067 litre	85,762 %	1889,8223 litre	O
1000	CM	65	CM	103 LEVEL CM	11278,6666 litre	84,973 %	1994,5624 litre	O
1000	CM	65	CM	102 LEVEL CM	11172,4851 litre	84,173 %	2100,7439 litre	O
1000	CM	65	CM	101 LEVEL CM	11064,9188 litre	83,363 %	2208,3102 litre	O
1000	CM	65	CM	100 LEVEL CM	10956,0220 litre	82,542 %	2317,2070 litre	O
1000	CM	65	CM	99 LEVEL CM	10845,8469 litre	81,712 %	2427,3821 litre	O
1000	CM	65	CM	98 LEVEL CM	10734,4443 litre	80,873 %	2538,7847 litre	O
1000	CM	65	CM	97 LEVEL CM	10621,8630 litre	80,025 %	2651,3660 litre	O
1000	CM	65	CM	96 LEVEL CM	10508,1503 litre	79,168 %	2765,0787 litre	O
1000	CM	65	CM	95 LEVEL CM	10393,3524 litre	78,303 %	2879,8766 litre	O
1000	CM	65	CM	94 LEVEL CM	10277,5138 litre	77,430 %	2995,7152 litre	O
1000	CM	65	CM	93 LEVEL CM	10160,6780 litre	76,550 %	3112,5510 litre	O
1000	CM	65	CM	92 LEVEL CM	10042,8876 litre	75,663 %	3230,3414 litre	O
1000	CM	65	CM	91 LEVEL CM	9924,1837 litre	74,768 %	3349,0453 litre	O
1000	CM	65	CM	90 LEVEL CM	9804,6070 litre	73,868 %	3468,6220 litre	O
1000	CM	65	CM	89 LEVEL CM	9684,1968 litre	72,960 %	3589,0322 litre	O
1000	CM	65	CM	88 LEVEL CM	9562,9919 litre	72,047 %	3710,2371 litre	O
1000	CM	65	CM	87 LEVEL CM	9441,0304 litre	71,128 %	3832,1986 litre	O
1000	CM	65	CM	86 LEVEL CM	9318,3494 litre	70,204 %	3954,8796 litre	O
1000	CM	65	CM	85 LEVEL CM	9194,9856 litre	69,275 %	4078,2434 litre	O
1000	CM	65	CM	84 LEVEL CM	9070,9749 litre	68,340 %	4202,2541 litre	O
1000	CM	65	CM	83 LEVEL CM	8946,3530 litre	67,401 %	4326,8760 litre	O
1000	CM	65	CM	82 LEVEL CM	8821,1546 litre	66,458 %	4452,0744 litre	O
1000	CM	65	CM	81 LEVEL CM	8695,4142 litre	65,511 %	4577,8148 litre	O
1000	CM	65	CM	80 LEVEL CM	8569,1658 litre	64,560 %	4704,0632 litre	O
1000	CM	65	CM	79 LEVEL CM	8442,4431 litre	63,605 %	4830,7859 litre	O

1000	CM	65	CM	78 LEVEL CM	8315,2792 litre	62,647 %	4957,9498 litre	O
1000	CM	65	CM	77 LEVEL CM	8187,7071 litre	61,686 %	5085,5219 litre	O
1000	CM	65	CM	76 LEVEL CM	8059,7592 litre	60,722 %	5213,4698 litre	O
1000	CM	65	CM	75 LEVEL CM	7931,4679 litre	59,755 %	5341,7611 litre	O
1000	CM	65	CM	74 LEVEL CM	7802,8652 litre	58,786 %	5470,3638 litre	O
1000	CM	65	CM	73 LEVEL CM	7673,9828 litre	57,815 %	5599,2462 litre	O
1000	CM	65	CM	72 LEVEL CM	7544,8524 litre	56,843 %	5728,3766 litre	O
1000	CM	65	CM	71 LEVEL CM	7415,5054 litre	55,868 %	5857,7236 litre	O
1000	CM	65	CM	70 LEVEL CM	7285,9729 litre	54,892 %	5987,2561 litre	O
1000	CM	65	CM	69 LEVEL CM	7156,2861 litre	53,915 %	6116,9429 litre	O
1000	CM	65	CM	68 LEVEL CM	7026,4760 litre	52,937 %	6246,7530 litre	O
1000	CM	65	CM	67 LEVEL CM	6896,5734 litre	51,959 %	6376,6556 litre	O
1000	CM	65	CM	66 LEVEL CM	6766,6094 litre	50,979 %	6506,6196 litre	O
1000	CM	65	CM	65 LEVEL CM	6636,6145 litre	50,000 %	6636,6145 litre	O
1000	CM	65	CM	64 LEVEL CM	6506,6196 litre	49,021 %	6766,6094 litre	O
1000	CM	65	CM	63 LEVEL CM	6376,6555 litre	48,041 %	6896,5735 litre	O
1000	CM	65	CM	62 LEVEL CM	6246,7530 litre	47,063 %	7026,4760 litre	O
1000	CM	65	CM	61 LEVEL CM	6116,9429 litre	46,085 %	7156,2861 litre	O
1000	CM	65	CM	60 LEVEL CM	5987,2561 litre	45,108 %	7285,9729 litre	O
1000	CM	65	CM	59 LEVEL CM	5857,7236 litre	44,132 %	7415,5054 litre	O
1000	CM	65	CM	58 LEVEL CM	5728,3765 litre	43,157 %	7544,8525 litre	O
1000	CM	65	CM	57 LEVEL CM	5599,2461 litre	42,185 %	7673,9829 litre	O
1000	CM	65	CM	56 LEVEL CM	5470,3638 litre	41,214 %	7802,8652 litre	O
1000	CM	65	CM	55 LEVEL CM	5341,7610 litre	40,245 %	7931,4680 litre	O
1000	CM	65	CM	54 LEVEL CM	5213,4697 litre	39,278 %	8059,7593 litre	O
1000	CM	65	CM	53 LEVEL CM	5085,5219 litre	38,314 %	8187,7071 litre	O
1000	CM	65	CM	52 LEVEL CM	4957,9497 litre	37,353 %	8315,2793 litre	O
1000	CM	65	CM	51 LEVEL CM	4830,7859 litre	36,395 %	8442,4431 litre	O
1000	CM	65	CM	50 LEVEL CM	4704,0631 litre	35,440 %	8569,1659 litre	O
1000	CM	65	CM	49 LEVEL CM	4577,8148 litre	34,489 %	8695,4142 litre	O
1000	CM	65	CM	48 LEVEL CM	4452,0744 litre	33,542 %	8821,1546 litre	O
1000	CM	65	CM	47 LEVEL CM	4326,8760 litre	32,599 %	8946,3530 litre	O
1000	CM	65	CM	46 LEVEL CM	4202,2540 litre	31,660 %	9070,9750 litre	O
1000	CM	65	CM	45 LEVEL CM	4078,2434 litre	30,725 %	9194,9856 litre	O
1000	CM	65	CM	44 LEVEL CM	3954,8796 litre	29,796 %	9318,3494 litre	O
1000	CM	65	CM	43 LEVEL CM	3832,1986 litre	28,872 %	9441,0304 litre	O
1000	CM	65	CM	42 LEVEL CM	3710,2370 litre	27,953 %	9562,9920 litre	O
1000	CM	65	CM	41 LEVEL CM	3589,0322 litre	27,040 %	9684,1968 litre	O
1000	CM	65	CM	40 LEVEL CM	3468,6220 litre	26,132 %	9804,6070 litre	O
1000	CM	65	CM	39 LEVEL CM	3349,0452 litre	25,232 %	9924,1838 litre	O
1000	CM	65	CM	38 LEVEL CM	3230,3414 litre	24,337 %	10042,8876 litre	O
1000	CM	65	CM	37 LEVEL CM	3112,5509 litre	23,450 %	10160,6781 litre	O
1000	CM	65	CM	36 LEVEL CM	2995,7152 litre	22,570 %	10277,5138 litre	O
1000	CM	65	CM	35 LEVEL CM	2879,8766 litre	21,697 %	10393,3524 litre	O
1000	CM	65	CM	34 LEVEL CM	2765,0786 litre	20,832 %	10508,1504 litre	O
1000	CM	65	CM	33 LEVEL CM	2651,3660 litre	19,975 %	10621,8630 litre	O
1000	CM	65	CM	32 LEVEL CM	2538,7847 litre	19,127 %	10734,4443 litre	O
1000	CM	65	CM	31 LEVEL CM	2427,3820 litre	18,288 %	10845,8470 litre	O
1000	CM	65	CM	30 LEVEL CM	2317,2070 litre	17,458 %	10956,0220 litre	O
1000	CM	65	CM	29 LEVEL CM	2208,3102 litre	16,637 %	11064,9188 litre	O
1000	CM	65	CM	28 LEVEL CM	2100,7438 litre	15,827 %	11172,4852 litre	O
1000	CM	65	CM	27 LEVEL CM	1994,5624 litre	15,027 %	11278,6666 litre	O
1000	CM	65	CM	26 LEVEL CM	1889,8223 litre	14,238 %	11383,4067 litre	O

1000	CM	65	CM	25 LEVEL CM	1786,5824 litre	13,460 %	11486,6466 litre	O
1000	CM	65	CM	24 LEVEL CM	1684,9042 litre	12,694 %	11588,3248 litre	O
1000	CM	65	CM	23 LEVEL CM	1584,8521 litre	11,940 %	11688,3769 litre	O
1000	CM	65	CM	22 LEVEL CM	1486,4934 litre	11,199 %	11786,7356 litre	O
1000	CM	65	CM	21 LEVEL CM	1389,8995 litre	10,471 %	11883,3295 litre	O
1000	CM	65	CM	20 LEVEL CM	1295,1452 litre	9,758 %	11978,0838 litre	O
1000	CM	65	CM	19 LEVEL CM	1202,3101 litre	9,058 %	12070,9189 litre	O
1000	CM	65	CM	18 LEVEL CM	1111,4789 litre	8,374 %	12161,7501 litre	O
1000	CM	65	CM	17 LEVEL CM	1022,7417 litre	7,705 %	12250,4873 litre	O
1000	CM	65	CM	16 LEVEL CM	936,1955 litre	7,053 %	12337,0335 litre	O
1000	CM	65	CM	15 LEVEL CM	851,9446 litre	6,419 %	12421,2844 litre	O
1000	CM	65	CM	14 LEVEL CM	770,1024 litre	5,802 %	12503,1266 litre	O
1000	CM	65	CM	13 LEVEL CM	690,7922 litre	5,204 %	12582,4368 litre	O
1000	CM	65	CM	12 LEVEL CM	614,1499 litre	4,627 %	12659,0791 litre	O
1000	CM	65	CM	11 LEVEL CM	540,3260 litre	4,071 %	12732,9030 litre	O
1000	CM	65	CM	10 LEVEL CM	469,4890 litre	3,537 %	12803,7400 litre	O
1000	CM	65	CM	9 LEVEL CM	401,8298 litre	3,027 %	12871,3992 litre	O
1000	CM	65	CM	8 LEVEL CM	337,5676 litre	2,543 %	12935,6614 litre	O
1000	CM	65	CM	7 LEVEL CM	276,9584 litre	2,087 %	12996,2706 litre	O
1000	CM	65	CM	6 LEVEL CM	220,3083 litre	1,660 %	13052,9207 litre	O
1000	CM	65	CM	5 LEVEL CM	167,9925 litre	1,266 %	13105,2365 litre	O
1000	CM	65	CM	4 LEVEL CM	120,4898 litre	0,908 %	13152,7392 litre	O
1000	CM	65	CM	3 LEVEL CM	78,4445 litre	0,591 %	13194,7845 litre	O
1000	CM	65	CM	2 LEVEL CM	42,7997 litre	0,322 %	13230,4293 litre	O
1000	CM	65	CM	1 LEVEL CM	15,1672 litre	0,114 %	13258,0618 litre	O
1000	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	13273,2290 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	60	CM	120 LEVEL CM	11309,7336 litre	100,000 %	0,0000 litre	O
1000	CM	60	CM	119 LEVEL CM	11295,1642 litre	99,871 %	14,5694 litre	O
1000	CM	60	CM	118 LEVEL CM	11268,6289 litre	99,637 %	41,1047 litre	O
1000	CM	60	CM	117 LEVEL CM	11234,4107 litre	99,334 %	75,3229 litre	O
1000	CM	60	CM	116 LEVEL CM	11194,0616 litre	98,977 %	115,6720 litre	O
1000	CM	60	CM	115 LEVEL CM	11148,4909 litre	98,574 %	161,2427 litre	O
1000	CM	60	CM	114 LEVEL CM	11098,3203 litre	98,131 %	211,4133 litre	O
1000	CM	60	CM	113 LEVEL CM	11044,0122 litre	97,651 %	265,7214 litre	O
1000	CM	60	CM	112 LEVEL CM	10985,9297 litre	97,137 %	323,8039 litre	O
1000	CM	60	CM	111 LEVEL CM	10924,3689 litre	96,593 %	385,3647 litre	O
1000	CM	60	CM	110 LEVEL CM	10859,5780 litre	96,020 %	450,1556 litre	O
1000	CM	60	CM	109 LEVEL CM	10791,7698 litre	95,420 %	517,9638 litre	O
1000	CM	60	CM	108 LEVEL CM	10721,1296 litre	94,796 %	588,6040 litre	O
1000	CM	60	CM	107 LEVEL CM	10647,8213 litre	94,147 %	661,9123 litre	O
1000	CM	60	CM	106 LEVEL CM	10571,9914 litre	93,477 %	737,7422 litre	O
1000	CM	60	CM	105 LEVEL CM	10493,7724 litre	92,785 %	815,9612 litre	O
1000	CM	60	CM	104 LEVEL CM	10413,2848 litre	92,074 %	896,4488 litre	O
1000	CM	60	CM	103 LEVEL CM	10330,6392 litre	91,343 %	979,0944 litre	O
1000	CM	60	CM	102 LEVEL CM	10245,9377 litre	90,594 %	1063,7959 litre	O
1000	CM	60	CM	101 LEVEL CM	10159,2754 litre	89,828 %	1150,4582 litre	O
1000	CM	60	CM	100 LEVEL CM	10070,7407 litre	89,045 %	1238,9929 litre	O
1000	CM	60	CM	99 LEVEL CM	9980,4168 litre	88,246 %	1329,3168 litre	O
1000	CM	60	CM	98 LEVEL CM	9888,3818 litre	87,432 %	1421,3518 litre	O
1000	CM	60	CM	97 LEVEL CM	9794,7098 litre	86,604 %	1515,0238 litre	O
1000	CM	60	CM	96 LEVEL CM	9699,4708 litre	85,762 %	1610,2628 litre	O
1000	CM	60	CM	95 LEVEL CM	9602,7315 litre	84,907 %	1707,0021 litre	O
1000	CM	60	CM	94 LEVEL CM	9504,5556 litre	84,039 %	1805,1780 litre	O
1000	CM	60	CM	93 LEVEL CM	9405,0040 litre	83,158 %	1904,7296 litre	O
1000	CM	60	CM	92 LEVEL CM	9304,1352 litre	82,267 %	2005,5984 litre	O
1000	CM	60	CM	91 LEVEL CM	9202,0052 litre	81,364 %	2107,7284 litre	O
1000	CM	60	CM	90 LEVEL CM	9098,6681 litre	80,450 %	2211,0655 litre	O
1000	CM	60	CM	89 LEVEL CM	8994,1762 litre	79,526 %	2315,5574 litre	O
1000	CM	60	CM	88 LEVEL CM	8888,5799 litre	78,592 %	2421,1537 litre	O
1000	CM	60	CM	87 LEVEL CM	8781,9283 litre	77,649 %	2527,8053 litre	O
1000	CM	60	CM	86 LEVEL CM	8674,2687 litre	76,697 %	2635,4649 litre	O
1000	CM	60	CM	85 LEVEL CM	8565,6473 litre	75,737 %	2744,0863 litre	O
1000	CM	60	CM	84 LEVEL CM	8456,1092 litre	74,768 %	2853,6244 litre	O
1000	CM	60	CM	83 LEVEL CM	8345,6981 litre	73,792 %	2964,0355 litre	O
1000	CM	60	CM	82 LEVEL CM	8234,4569 litre	72,809 %	3075,2767 litre	O
1000	CM	60	CM	81 LEVEL CM	8122,4274 litre	71,818 %	3187,3062 litre	O
1000	CM	60	CM	80 LEVEL CM	8009,6505 litre	70,821 %	3300,0831 litre	O
1000	CM	60	CM	79 LEVEL CM	7896,1665 litre	69,817 %	3413,5671 litre	O
1000	CM	60	CM	78 LEVEL CM	7782,0147 litre	68,808 %	3527,7189 litre	O
1000	CM	60	CM	77 LEVEL CM	7667,2339 litre	67,793 %	3642,4997 litre	O
1000	CM	60	CM	76 LEVEL CM	7551,8621 litre	66,773 %	3757,8715 litre	O
1000	CM	60	CM	75 LEVEL CM	7435,9369 litre	65,748 %	3873,7967 litre	O
1000	CM	60	CM	74 LEVEL CM	7319,4953 litre	64,719 %	3990,2383 litre	O
1000	CM	60	CM	73 LEVEL CM	7202,5738 litre	63,685 %	4107,1598 litre	O
1000	CM	60	CM	72 LEVEL CM	7085,2083 litre	62,647 %	4224,5253 litre	O
1000	CM	60	CM	71 LEVEL CM	6967,4346 litre	61,606 %	4342,2990 litre	O
1000	CM	60	CM	70 LEVEL CM	6849,2878 litre	60,561 %	4460,4458 litre	O
1000	CM	60	CM	69 LEVEL CM	6730,8030 litre	59,513 %	4578,9306 litre	O

1000	CM	60	CM	68 LEVEL CM	6612,0147 litre	58,463 %	4697,7189 litre	O
1000	CM	60	CM	67 LEVEL CM	6492,9573 litre	57,410 %	4816,7763 litre	O
1000	CM	60	CM	66 LEVEL CM	6373,6650 litre	56,356 %	4936,0686 litre	O
1000	CM	60	CM	65 LEVEL CM	6254,1716 litre	55,299 %	5055,5620 litre	O
1000	CM	60	CM	64 LEVEL CM	6134,5110 litre	54,241 %	5175,2226 litre	O
1000	CM	60	CM	63 LEVEL CM	6014,7167 litre	53,182 %	5295,0169 litre	O
1000	CM	60	CM	62 LEVEL CM	5894,8223 litre	52,122 %	5414,9113 litre	O
1000	CM	60	CM	61 LEVEL CM	5774,8612 litre	51,061 %	5534,8724 litre	O
1000	CM	60	CM	60 LEVEL CM	5654,8668 litre	50,000 %	5654,8668 litre	O
1000	CM	60	CM	59 LEVEL CM	5534,8723 litre	48,939 %	5774,8613 litre	O
1000	CM	60	CM	58 LEVEL CM	5414,9112 litre	47,878 %	5894,8224 litre	O
1000	CM	60	CM	57 LEVEL CM	5295,0168 litre	46,818 %	6014,7168 litre	O
1000	CM	60	CM	56 LEVEL CM	5175,2226 litre	45,759 %	6134,5110 litre	O
1000	CM	60	CM	55 LEVEL CM	5055,5619 litre	44,701 %	6254,1717 litre	O
1000	CM	60	CM	54 LEVEL CM	4936,0686 litre	43,644 %	6373,6650 litre	O
1000	CM	60	CM	53 LEVEL CM	4816,7762 litre	42,590 %	6492,9574 litre	O
1000	CM	60	CM	52 LEVEL CM	4697,7189 litre	41,537 %	6612,0147 litre	O
1000	CM	60	CM	51 LEVEL CM	4578,9306 litre	40,487 %	6730,8030 litre	O
1000	CM	60	CM	50 LEVEL CM	4460,4457 litre	39,439 %	6849,2879 litre	O
1000	CM	60	CM	49 LEVEL CM	4342,2990 litre	38,394 %	6967,4346 litre	O
1000	CM	60	CM	48 LEVEL CM	4224,5252 litre	37,353 %	7085,2084 litre	O
1000	CM	60	CM	47 LEVEL CM	4107,1598 litre	36,315 %	7202,5738 litre	O
1000	CM	60	CM	46 LEVEL CM	3990,2382 litre	35,281 %	7319,4954 litre	O
1000	CM	60	CM	45 LEVEL CM	3873,7966 litre	34,252 %	7435,9370 litre	O
1000	CM	60	CM	44 LEVEL CM	3757,8714 litre	33,227 %	7551,8622 litre	O
1000	CM	60	CM	43 LEVEL CM	3642,4997 litre	32,207 %	7667,2339 litre	O
1000	CM	60	CM	42 LEVEL CM	3527,7189 litre	31,192 %	7782,0147 litre	O
1000	CM	60	CM	41 LEVEL CM	3413,5671 litre	30,183 %	7896,1665 litre	O
1000	CM	60	CM	40 LEVEL CM	3300,0831 litre	29,179 %	8009,6505 litre	O
1000	CM	60	CM	39 LEVEL CM	3187,3062 litre	28,182 %	8122,4274 litre	O
1000	CM	60	CM	38 LEVEL CM	3075,2766 litre	27,191 %	8234,4570 litre	O
1000	CM	60	CM	37 LEVEL CM	2964,0354 litre	26,208 %	8345,6982 litre	O
1000	CM	60	CM	36 LEVEL CM	2853,6243 litre	25,232 %	8456,1093 litre	O
1000	CM	60	CM	35 LEVEL CM	2744,0862 litre	24,263 %	8565,6474 litre	O
1000	CM	60	CM	34 LEVEL CM	2635,4649 litre	23,303 %	8674,2687 litre	O
1000	CM	60	CM	33 LEVEL CM	2527,8053 litre	22,351 %	8781,9283 litre	O
1000	CM	60	CM	32 LEVEL CM	2421,1536 litre	21,408 %	8888,5800 litre	O
1000	CM	60	CM	31 LEVEL CM	2315,5574 litre	20,474 %	8994,1762 litre	O
1000	CM	60	CM	30 LEVEL CM	2211,0655 litre	19,550 %	9098,6681 litre	O
1000	CM	60	CM	29 LEVEL CM	2107,7284 litre	18,636 %	9202,0052 litre	O
1000	CM	60	CM	28 LEVEL CM	2005,5984 litre	17,733 %	9304,1352 litre	O
1000	CM	60	CM	27 LEVEL CM	1904,7295 litre	16,842 %	9405,0041 litre	O
1000	CM	60	CM	26 LEVEL CM	1805,1779 litre	15,961 %	9504,5557 litre	O
1000	CM	60	CM	25 LEVEL CM	1707,0021 litre	15,093 %	9602,7315 litre	O
1000	CM	60	CM	24 LEVEL CM	1610,2628 litre	14,238 %	9699,4708 litre	O
1000	CM	60	CM	23 LEVEL CM	1515,0238 litre	13,396 %	9794,7098 litre	O
1000	CM	60	CM	22 LEVEL CM	1421,3517 litre	12,568 %	9888,3819 litre	O
1000	CM	60	CM	21 LEVEL CM	1329,3168 litre	11,754 %	9980,4168 litre	O
1000	CM	60	CM	20 LEVEL CM	1238,9928 litre	10,955 %	10070,7408 litre	O
1000	CM	60	CM	19 LEVEL CM	1150,4582 litre	10,172 %	10159,2754 litre	O
1000	CM	60	CM	18 LEVEL CM	1063,7958 litre	9,406 %	10245,9378 litre	O
1000	CM	60	CM	17 LEVEL CM	979,0944 litre	8,657 %	10330,6392 litre	O
1000	CM	60	CM	16 LEVEL CM	896,4488 litre	7,926 %	10413,2848 litre	O

1000	CM	60	CM	15 LEVEL CM	815,9612 litre	7,215 %	10493,7724 litre	O
1000	CM	60	CM	14 LEVEL CM	737,7421 litre	6,523 %	10571,9915 litre	O
1000	CM	60	CM	13 LEVEL CM	661,9123 litre	5,853 %	10647,8213 litre	O
1000	CM	60	CM	12 LEVEL CM	588,6040 litre	5,204 %	10721,1296 litre	O
1000	CM	60	CM	11 LEVEL CM	517,9638 litre	4,580 %	10791,7698 litre	O
1000	CM	60	CM	10 LEVEL CM	450,1556 litre	3,980 %	10859,5780 litre	O
1000	CM	60	CM	9 LEVEL CM	385,3647 litre	3,407 %	10924,3689 litre	O
1000	CM	60	CM	8 LEVEL CM	323,8039 litre	2,863 %	10985,9297 litre	O
1000	CM	60	CM	7 LEVEL CM	265,7214 litre	2,349 %	11044,0122 litre	O
1000	CM	60	CM	6 LEVEL CM	211,4133 litre	1,869 %	11098,3203 litre	O
1000	CM	60	CM	5 LEVEL CM	161,2426 litre	1,426 %	11148,4910 litre	O
1000	CM	60	CM	4 LEVEL CM	115,6720 litre	1,023 %	11194,0616 litre	O
1000	CM	60	CM	3 LEVEL CM	75,3229 litre	0,666 %	11234,4107 litre	O
1000	CM	60	CM	2 LEVEL CM	41,1046 litre	0,363 %	11268,6290 litre	O
1000	CM	60	CM	1 LEVEL CM	14,5694 litre	0,129 %	11295,1642 litre	O
1000	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	11309,7336 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	55	CM	110 LEVEL CM	9503,3178 litre	100,000 %	0,0000 litre	O
1000	CM	55	CM	109 LEVEL CM	9489,3719 litre	99,853 %	13,9459 litre	O
1000	CM	55	CM	108 LEVEL CM	9463,9812 litre	99,586 %	39,3366 litre	O
1000	CM	55	CM	107 LEVEL CM	9431,2516 litre	99,242 %	72,0662 litre	O
1000	CM	55	CM	106 LEVEL CM	9392,6733 litre	98,836 %	110,6445 litre	O
1000	CM	55	CM	105 LEVEL CM	9349,1202 litre	98,377 %	154,1976 litre	O
1000	CM	55	CM	104 LEVEL CM	9301,1906 litre	97,873 %	202,1272 litre	O
1000	CM	55	CM	103 LEVEL CM	9249,3303 litre	97,327 %	253,9875 litre	O
1000	CM	55	CM	102 LEVEL CM	9193,8894 litre	96,744 %	309,4284 litre	O
1000	CM	55	CM	101 LEVEL CM	9135,1541 litre	96,126 %	368,1637 litre	O
1000	CM	55	CM	100 LEVEL CM	9073,3646 litre	95,476 %	429,9532 litre	O
1000	CM	55	CM	99 LEVEL CM	9008,7269 litre	94,796 %	494,5909 litre	O
1000	CM	55	CM	98 LEVEL CM	8941,4208 litre	94,087 %	561,8970 litre	O
1000	CM	55	CM	97 LEVEL CM	8871,6056 litre	93,353 %	631,7122 litre	O
1000	CM	55	CM	96 LEVEL CM	8799,4237 litre	92,593 %	703,8941 litre	O
1000	CM	55	CM	95 LEVEL CM	8725,0041 litre	91,810 %	778,3137 litre	O
1000	CM	55	CM	94 LEVEL CM	8648,4645 litre	91,005 %	854,8533 litre	O
1000	CM	55	CM	93 LEVEL CM	8569,9129 litre	90,178 %	933,4049 litre	O
1000	CM	55	CM	92 LEVEL CM	8489,4494 litre	89,331 %	1013,8684 litre	O
1000	CM	55	CM	91 LEVEL CM	8407,1670 litre	88,466 %	1096,1508 litre	O
1000	CM	55	CM	90 LEVEL CM	8323,1525 litre	87,582 %	1180,1653 litre	O
1000	CM	55	CM	89 LEVEL CM	8237,4878 litre	86,680 %	1265,8300 litre	O
1000	CM	55	CM	88 LEVEL CM	8150,2497 litre	85,762 %	1353,0681 litre	O
1000	CM	55	CM	87 LEVEL CM	8061,5114 litre	84,828 %	1441,8064 litre	O
1000	CM	55	CM	86 LEVEL CM	7971,3421 litre	83,880 %	1531,9757 litre	O
1000	CM	55	CM	85 LEVEL CM	7879,8079 litre	82,916 %	1623,5099 litre	O
1000	CM	55	CM	84 LEVEL CM	7786,9718 litre	81,940 %	1716,3460 litre	O
1000	CM	55	CM	83 LEVEL CM	7692,8945 litre	80,950 %	1810,4233 litre	O
1000	CM	55	CM	82 LEVEL CM	7597,6340 litre	79,947 %	1905,6838 litre	O
1000	CM	55	CM	81 LEVEL CM	7501,2465 litre	78,933 %	2002,0713 litre	O
1000	CM	55	CM	80 LEVEL CM	7403,7858 litre	77,907 %	2099,5320 litre	O
1000	CM	55	CM	79 LEVEL CM	7305,3044 litre	76,871 %	2198,0134 litre	O
1000	CM	55	CM	78 LEVEL CM	7205,8530 litre	75,825 %	2297,4648 litre	O
1000	CM	55	CM	77 LEVEL CM	7105,4807 litre	74,768 %	2397,8371 litre	O
1000	CM	55	CM	76 LEVEL CM	7004,2354 litre	73,703 %	2499,0824 litre	O
1000	CM	55	CM	75 LEVEL CM	6902,1638 litre	72,629 %	2601,1540 litre	O
1000	CM	55	CM	74 LEVEL CM	6799,3114 litre	71,547 %	2704,0064 litre	O
1000	CM	55	CM	73 LEVEL CM	6695,7226 litre	70,457 %	2807,5952 litre	O
1000	CM	55	CM	72 LEVEL CM	6591,4412 litre	69,359 %	2911,8766 litre	O
1000	CM	55	CM	71 LEVEL CM	6486,5096 litre	68,255 %	3016,8082 litre	O
1000	CM	55	CM	70 LEVEL CM	6380,9698 litre	67,145 %	3122,3480 litre	O
1000	CM	55	CM	69 LEVEL CM	6274,8631 litre	66,028 %	3228,4547 litre	O
1000	CM	55	CM	68 LEVEL CM	6168,2299 litre	64,906 %	3335,0879 litre	O
1000	CM	55	CM	67 LEVEL CM	6061,1101 litre	63,779 %	3442,2077 litre	O
1000	CM	55	CM	66 LEVEL CM	5953,5431 litre	62,647 %	3549,7747 litre	O
1000	CM	55	CM	65 LEVEL CM	5845,5679 litre	61,511 %	3657,7499 litre	O
1000	CM	55	CM	64 LEVEL CM	5737,2228 litre	60,371 %	3766,0950 litre	O
1000	CM	55	CM	63 LEVEL CM	5628,5459 litre	59,227 %	3874,7719 litre	O
1000	CM	55	CM	62 LEVEL CM	5519,5750 litre	58,081 %	3983,7428 litre	O
1000	CM	55	CM	61 LEVEL CM	5410,3475 litre	56,931 %	4092,9703 litre	O
1000	CM	55	CM	60 LEVEL CM	5300,9004 litre	55,779 %	4202,4174 litre	O
1000	CM	55	CM	59 LEVEL CM	5191,2707 litre	54,626 %	4312,0471 litre	O

1000	CM	55	CM	58 LEVEL CM	5081,4952 litre	53,471 %	4421,8226 litre	O
1000	CM	55	CM	57 LEVEL CM	4971,6104 litre	52,314 %	4531,7074 litre	O
1000	CM	55	CM	56 LEVEL CM	4861,6528 litre	51,157 %	4641,6650 litre	O
1000	CM	55	CM	55 LEVEL CM	4751,6589 litre	50,000 %	4751,6589 litre	O
1000	CM	55	CM	54 LEVEL CM	4641,6649 litre	48,843 %	4861,6529 litre	O
1000	CM	55	CM	53 LEVEL CM	4531,7074 litre	47,686 %	4971,6104 litre	O
1000	CM	55	CM	52 LEVEL CM	4421,8226 litre	46,529 %	5081,4952 litre	O
1000	CM	55	CM	51 LEVEL CM	4312,0471 litre	45,374 %	5191,2707 litre	O
1000	CM	55	CM	50 LEVEL CM	4202,4174 litre	44,221 %	5300,9004 litre	O
1000	CM	55	CM	49 LEVEL CM	4092,9703 litre	43,069 %	5410,3475 litre	O
1000	CM	55	CM	48 LEVEL CM	3983,7428 litre	41,919 %	5519,5750 litre	O
1000	CM	55	CM	47 LEVEL CM	3874,7718 litre	40,773 %	5628,5460 litre	O
1000	CM	55	CM	46 LEVEL CM	3766,0950 litre	39,629 %	5737,2228 litre	O
1000	CM	55	CM	45 LEVEL CM	3657,7499 litre	38,489 %	5845,5679 litre	O
1000	CM	55	CM	44 LEVEL CM	3549,7747 litre	37,353 %	5953,5431 litre	O
1000	CM	55	CM	43 LEVEL CM	3442,2077 litre	36,221 %	6061,1101 litre	O
1000	CM	55	CM	42 LEVEL CM	3335,0879 litre	35,094 %	6168,2299 litre	O
1000	CM	55	CM	41 LEVEL CM	3228,4547 litre	33,972 %	6274,8631 litre	O
1000	CM	55	CM	40 LEVEL CM	3122,3479 litre	32,855 %	6380,9699 litre	O
1000	CM	55	CM	39 LEVEL CM	3016,8082 litre	31,745 %	6486,5096 litre	O
1000	CM	55	CM	38 LEVEL CM	2911,8766 litre	30,641 %	6591,4412 litre	O
1000	CM	55	CM	37 LEVEL CM	2807,5951 litre	29,543 %	6695,7227 litre	O
1000	CM	55	CM	36 LEVEL CM	2704,0064 litre	28,453 %	6799,3114 litre	O
1000	CM	55	CM	35 LEVEL CM	2601,1540 litre	27,371 %	6902,1638 litre	O
1000	CM	55	CM	34 LEVEL CM	2499,0824 litre	26,297 %	7004,2354 litre	O
1000	CM	55	CM	33 LEVEL CM	2397,8371 litre	25,232 %	7105,4807 litre	O
1000	CM	55	CM	32 LEVEL CM	2297,4648 litre	24,175 %	7205,8530 litre	O
1000	CM	55	CM	31 LEVEL CM	2198,0133 litre	23,129 %	7305,3045 litre	O
1000	CM	55	CM	30 LEVEL CM	2099,5320 litre	22,093 %	7403,7858 litre	O
1000	CM	55	CM	29 LEVEL CM	2002,0713 litre	21,067 %	7501,2465 litre	O
1000	CM	55	CM	28 LEVEL CM	1905,6837 litre	20,053 %	7597,6341 litre	O
1000	CM	55	CM	27 LEVEL CM	1810,4233 litre	19,050 %	7692,8945 litre	O
1000	CM	55	CM	26 LEVEL CM	1716,3459 litre	18,060 %	7786,9719 litre	O
1000	CM	55	CM	25 LEVEL CM	1623,5099 litre	17,084 %	7879,8079 litre	O
1000	CM	55	CM	24 LEVEL CM	1531,9757 litre	16,120 %	7971,3421 litre	O
1000	CM	55	CM	23 LEVEL CM	1441,8063 litre	15,172 %	8061,5115 litre	O
1000	CM	55	CM	22 LEVEL CM	1353,0680 litre	14,238 %	8150,2498 litre	O
1000	CM	55	CM	21 LEVEL CM	1265,8300 litre	13,320 %	8237,4878 litre	O
1000	CM	55	CM	20 LEVEL CM	1180,1653 litre	12,418 %	8323,1525 litre	O
1000	CM	55	CM	19 LEVEL CM	1096,1508 litre	11,534 %	8407,1670 litre	O
1000	CM	55	CM	18 LEVEL CM	1013,8683 litre	10,669 %	8489,4495 litre	O
1000	CM	55	CM	17 LEVEL CM	933,4048 litre	9,822 %	8569,9130 litre	O
1000	CM	55	CM	16 LEVEL CM	854,8533 litre	8,995 %	8648,4645 litre	O
1000	CM	55	CM	15 LEVEL CM	778,3137 litre	8,190 %	8725,0041 litre	O
1000	CM	55	CM	14 LEVEL CM	703,8941 litre	7,407 %	8799,4237 litre	O
1000	CM	55	CM	13 LEVEL CM	631,7122 litre	6,647 %	8871,6056 litre	O
1000	CM	55	CM	12 LEVEL CM	561,8969 litre	5,913 %	8941,4209 litre	O
1000	CM	55	CM	11 LEVEL CM	494,5909 litre	5,204 %	9008,7269 litre	O
1000	CM	55	CM	10 LEVEL CM	429,9531 litre	4,524 %	9073,3647 litre	O
1000	CM	55	CM	9 LEVEL CM	368,1636 litre	3,874 %	9135,1542 litre	O
1000	CM	55	CM	8 LEVEL CM	309,4284 litre	3,256 %	9193,8894 litre	O
1000	CM	55	CM	7 LEVEL CM	253,9875 litre	2,673 %	9249,3303 litre	O
1000	CM	55	CM	6 LEVEL CM	202,1271 litre	2,127 %	9301,1907 litre	O

1000	CM	55	CM	5 LEVEL CM	154,1976 litre	1,623 %	9349,1202 litre	O
1000	CM	55	CM	4 LEVEL CM	110,6445 litre	1,164 %	9392,6733 litre	O
1000	CM	55	CM	3 LEVEL CM	72,0662 litre	0,758 %	9431,2516 litre	O
1000	CM	55	CM	2 LEVEL CM	39,3366 litre	0,414 %	9463,9812 litre	O
1000	CM	55	CM	1 LEVEL CM	13,9459 litre	0,147 %	9489,3719 litre	O
1000	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	9503,3178 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
1000	CM	50	CM	100 LEVEL CM	7853,9816 litre	100,000 %	0,0000 litre	O
1000	CM	50	CM	99 LEVEL CM	7840,6884 litre	99,831 %	13,2932 litre	O
1000	CM	50	CM	98 LEVEL CM	7816,4964 litre	99,523 %	37,4852 litre	O
1000	CM	50	CM	97 LEVEL CM	7785,3265 litre	99,126 %	68,6551 litre	O
1000	CM	50	CM	96 LEVEL CM	7748,6043 litre	98,658 %	105,3773 litre	O
1000	CM	50	CM	95 LEVEL CM	7707,1669 litre	98,131 %	146,8147 litre	O
1000	CM	50	CM	94 LEVEL CM	7661,5884 litre	97,550 %	192,3932 litre	O
1000	CM	50	CM	93 LEVEL CM	7612,2972 litre	96,923 %	241,6844 litre	O
1000	CM	50	CM	92 LEVEL CM	7559,6303 litre	96,252 %	294,3513 litre	O
1000	CM	50	CM	91 LEVEL CM	7503,8636 litre	95,542 %	350,1180 litre	O
1000	CM	50	CM	90 LEVEL CM	7445,2289 litre	94,796 %	408,7527 litre	O
1000	CM	50	CM	89 LEVEL CM	7383,9254 litre	94,015 %	470,0562 litre	O
1000	CM	50	CM	88 LEVEL CM	7320,1274 litre	93,203 %	533,8542 litre	O
1000	CM	50	CM	87 LEVEL CM	7253,9894 litre	92,361 %	599,9922 litre	O
1000	CM	50	CM	86 LEVEL CM	7185,6499 litre	91,491 %	668,3317 litre	O
1000	CM	50	CM	85 LEVEL CM	7115,2345 litre	90,594 %	738,7471 litre	O
1000	CM	50	CM	84 LEVEL CM	7042,8580 litre	89,672 %	811,1236 litre	O
1000	CM	50	CM	83 LEVEL CM	6968,6260 litre	88,727 %	885,3556 litre	O
1000	CM	50	CM	82 LEVEL CM	6892,6363 litre	87,760 %	961,3453 litre	O
1000	CM	50	CM	81 LEVEL CM	6814,9804 litre	86,771 %	1039,0012 litre	O
1000	CM	50	CM	80 LEVEL CM	6735,7436 litre	85,762 %	1118,2380 litre	O
1000	CM	50	CM	79 LEVEL CM	6655,0064 litre	84,734 %	1198,9752 litre	O
1000	CM	50	CM	78 LEVEL CM	6572,8450 litre	83,688 %	1281,1366 litre	O
1000	CM	50	CM	77 LEVEL CM	6489,3314 litre	82,625 %	1364,6502 litre	O
1000	CM	50	CM	76 LEVEL CM	6404,5343 litre	81,545 %	1449,4473 litre	O
1000	CM	50	CM	75 LEVEL CM	6318,5195 litre	80,450 %	1535,4621 litre	O
1000	CM	50	CM	74 LEVEL CM	6231,3498 litre	79,340 %	1622,6318 litre	O
1000	CM	50	CM	73 LEVEL CM	6143,0856 litre	78,216 %	1710,8960 litre	O
1000	CM	50	CM	72 LEVEL CM	6053,7851 litre	77,079 %	1800,1965 litre	O
1000	CM	50	CM	71 LEVEL CM	5963,5044 litre	75,930 %	1890,4772 litre	O
1000	CM	50	CM	70 LEVEL CM	5872,2981 litre	74,768 %	1981,6835 litre	O
1000	CM	50	CM	69 LEVEL CM	5780,2187 litre	73,596 %	2073,7629 litre	O
1000	CM	50	CM	68 LEVEL CM	5687,3176 litre	72,413 %	2166,6640 litre	O
1000	CM	50	CM	67 LEVEL CM	5593,6447 litre	71,220 %	2260,3369 litre	O
1000	CM	50	CM	66 LEVEL CM	5499,2486 litre	70,019 %	2354,7330 litre	O
1000	CM	50	CM	65 LEVEL CM	5404,1769 litre	68,808 %	2449,8047 litre	O
1000	CM	50	CM	64 LEVEL CM	5308,4761 litre	67,590 %	2545,5055 litre	O
1000	CM	50	CM	63 LEVEL CM	5212,1919 litre	66,364 %	2641,7897 litre	O
1000	CM	50	CM	62 LEVEL CM	5115,3692 litre	65,131 %	2738,6124 litre	O
1000	CM	50	CM	61 LEVEL CM	5018,0519 litre	63,892 %	2835,9297 litre	O
1000	CM	50	CM	60 LEVEL CM	4920,2836 litre	62,647 %	2933,6980 litre	O
1000	CM	50	CM	59 LEVEL CM	4822,1069 litre	61,397 %	3031,8747 litre	O
1000	CM	50	CM	58 LEVEL CM	4723,5643 litre	60,142 %	3130,4173 litre	O
1000	CM	50	CM	57 LEVEL CM	4624,6974 litre	58,883 %	3229,2842 litre	O
1000	CM	50	CM	56 LEVEL CM	4525,5477 litre	57,621 %	3328,4339 litre	O
1000	CM	50	CM	55 LEVEL CM	4426,1562 litre	56,356 %	3427,8254 litre	O
1000	CM	50	CM	54 LEVEL CM	4326,5637 litre	55,088 %	3527,4179 litre	O
1000	CM	50	CM	53 LEVEL CM	4226,8107 litre	53,817 %	3627,1709 litre	O
1000	CM	50	CM	52 LEVEL CM	4126,9375 litre	52,546 %	3727,0441 litre	O
1000	CM	50	CM	51 LEVEL CM	4026,9841 litre	51,273 %	3826,9975 litre	O
1000	CM	50	CM	50 LEVEL CM	3926,9908 litre	50,000 %	3926,9908 litre	O
1000	CM	50	CM	49 LEVEL CM	3826,9975 litre	48,727 %	4026,9841 litre	O

1000	CM	50	CM	48 LEVEL CM	3727,0442 litre	47,454 %	4126,9374 litre	O
1000	CM	50	CM	47 LEVEL CM	3627,1709 litre	46,183 %	4226,8107 litre	O
1000	CM	50	CM	46 LEVEL CM	3527,4179 litre	44,912 %	4326,5637 litre	O
1000	CM	50	CM	45 LEVEL CM	3427,8254 litre	43,644 %	4426,1562 litre	O
1000	CM	50	CM	44 LEVEL CM	3328,4339 litre	42,379 %	4525,5477 litre	O
1000	CM	50	CM	43 LEVEL CM	3229,2843 litre	41,117 %	4624,6973 litre	O
1000	CM	50	CM	42 LEVEL CM	3130,4174 litre	39,858 %	4723,5642 litre	O
1000	CM	50	CM	41 LEVEL CM	3031,8747 litre	38,603 %	4822,1069 litre	O
1000	CM	50	CM	40 LEVEL CM	2933,6981 litre	37,353 %	4920,2835 litre	O
1000	CM	50	CM	39 LEVEL CM	2835,9297 litre	36,108 %	5018,0519 litre	O
1000	CM	50	CM	38 LEVEL CM	2738,6125 litre	34,869 %	5115,3691 litre	O
1000	CM	50	CM	37 LEVEL CM	2641,7897 litre	33,636 %	5212,1919 litre	O
1000	CM	50	CM	36 LEVEL CM	2545,5055 litre	32,410 %	5308,4761 litre	O
1000	CM	50	CM	35 LEVEL CM	2449,8048 litre	31,192 %	5404,1768 litre	O
1000	CM	50	CM	34 LEVEL CM	2354,7331 litre	29,981 %	5499,2485 litre	O
1000	CM	50	CM	33 LEVEL CM	2260,3370 litre	28,780 %	5593,6446 litre	O
1000	CM	50	CM	32 LEVEL CM	2166,6640 litre	27,587 %	5687,3176 litre	O
1000	CM	50	CM	31 LEVEL CM	2073,7629 litre	26,404 %	5780,2187 litre	O
1000	CM	50	CM	30 LEVEL CM	1981,6836 litre	25,232 %	5872,2980 litre	O
1000	CM	50	CM	29 LEVEL CM	1890,4772 litre	24,070 %	5963,5044 litre	O
1000	CM	50	CM	28 LEVEL CM	1800,1966 litre	22,921 %	6053,7850 litre	O
1000	CM	50	CM	27 LEVEL CM	1710,8961 litre	21,784 %	6143,0855 litre	O
1000	CM	50	CM	26 LEVEL CM	1622,6319 litre	20,660 %	6231,3497 litre	O
1000	CM	50	CM	25 LEVEL CM	1535,4621 litre	19,550 %	6318,5195 litre	O
1000	CM	50	CM	24 LEVEL CM	1449,4473 litre	18,455 %	6404,5343 litre	O
1000	CM	50	CM	23 LEVEL CM	1364,6503 litre	17,375 %	6489,3313 litre	O
1000	CM	50	CM	22 LEVEL CM	1281,1367 litre	16,312 %	6572,8449 litre	O
1000	CM	50	CM	21 LEVEL CM	1198,9752 litre	15,266 %	6655,0064 litre	O
1000	CM	50	CM	20 LEVEL CM	1118,2380 litre	14,238 %	6735,7436 litre	O
1000	CM	50	CM	19 LEVEL CM	1039,0013 litre	13,229 %	6814,9803 litre	O
1000	CM	50	CM	18 LEVEL CM	961,3453 litre	12,240 %	6892,6363 litre	O
1000	CM	50	CM	17 LEVEL CM	885,3557 litre	11,273 %	6968,6259 litre	O
1000	CM	50	CM	16 LEVEL CM	811,1236 litre	10,328 %	7042,8580 litre	O
1000	CM	50	CM	15 LEVEL CM	738,7471 litre	9,406 %	7115,2345 litre	O
1000	CM	50	CM	14 LEVEL CM	668,3317 litre	8,509 %	7185,6499 litre	O
1000	CM	50	CM	13 LEVEL CM	599,9922 litre	7,639 %	7253,9894 litre	O
1000	CM	50	CM	12 LEVEL CM	533,8542 litre	6,797 %	7320,1274 litre	O
1000	CM	50	CM	11 LEVEL CM	470,0562 litre	5,985 %	7383,9254 litre	O
1000	CM	50	CM	10 LEVEL CM	408,7528 litre	5,204 %	7445,2288 litre	O
1000	CM	50	CM	9 LEVEL CM	350,1181 litre	4,458 %	7503,8635 litre	O
1000	CM	50	CM	8 LEVEL CM	294,3513 litre	3,748 %	7559,6303 litre	O
1000	CM	50	CM	7 LEVEL CM	241,6845 litre	3,077 %	7612,2971 litre	O
1000	CM	50	CM	6 LEVEL CM	192,3932 litre	2,450 %	7661,5884 litre	O
1000	CM	50	CM	5 LEVEL CM	146,8148 litre	1,869 %	7707,1668 litre	O
1000	CM	50	CM	4 LEVEL CM	105,3774 litre	1,342 %	7748,6042 litre	O
1000	CM	50	CM	3 LEVEL CM	68,6551 litre	0,874 %	7785,3265 litre	O
1000	CM	50	CM	2 LEVEL CM	37,4853 litre	0,477 %	7816,4963 litre	O
1000	CM	50	CM	1 LEVEL CM	13,2933 litre	0,169 %	7840,6883 litre	O
1000	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	7853,9816 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	150	CM	300 LEVEL CM	63617,2512 litre	100,000 %	0,0000 litre	O
900	CM	150	CM	299 LEVEL CM	63596,4874 litre	99,967 %	20,7638 litre	O
900	CM	150	CM	298 LEVEL CM	63558,5812 litre	99,908 %	58,6700 litre	O
900	CM	150	CM	297 LEVEL CM	63509,5758 litre	99,831 %	107,6754 litre	O
900	CM	150	CM	296 LEVEL CM	63451,6411 litre	99,740 %	165,6101 litre	O
900	CM	150	CM	295 LEVEL CM	63386,0376 litre	99,637 %	231,2136 litre	O
900	CM	150	CM	294 LEVEL CM	63313,6205 litre	99,523 %	303,6307 litre	O
900	CM	150	CM	293 LEVEL CM	63235,0208 litre	99,399 %	382,2304 litre	O
900	CM	150	CM	292 LEVEL CM	63150,7297 litre	99,267 %	466,5215 litre	O
900	CM	150	CM	291 LEVEL CM	63061,1448 litre	99,126 %	556,1064 litre	O
900	CM	150	CM	290 LEVEL CM	62966,5965 litre	98,977 %	650,6547 litre	O
900	CM	150	CM	289 LEVEL CM	62867,3655 litre	98,821 %	749,8857 litre	O
900	CM	150	CM	288 LEVEL CM	62763,6945 litre	98,658 %	853,5567 litre	O
900	CM	150	CM	287 LEVEL CM	62655,7961 litre	98,489 %	961,4551 litre	O
900	CM	150	CM	286 LEVEL CM	62543,8589 litre	98,313 %	1073,3923 litre	O
900	CM	150	CM	285 LEVEL CM	62428,0516 litre	98,131 %	1189,1996 litre	O
900	CM	150	CM	284 LEVEL CM	62308,5267 litre	97,943 %	1308,7245 litre	O
900	CM	150	CM	283 LEVEL CM	62185,4226 litre	97,749 %	1431,8286 litre	O
900	CM	150	CM	282 LEVEL CM	62058,8662 litre	97,550 %	1558,3850 litre	O
900	CM	150	CM	281 LEVEL CM	61928,9742 litre	97,346 %	1688,2770 litre	O
900	CM	150	CM	280 LEVEL CM	61795,8544 litre	97,137 %	1821,3968 litre	O
900	CM	150	CM	279 LEVEL CM	61659,6071 litre	96,923 %	1957,6441 litre	O
900	CM	150	CM	278 LEVEL CM	61520,3257 litre	96,704 %	2096,9255 litre	O
900	CM	150	CM	277 LEVEL CM	61378,0978 litre	96,480 %	2239,1534 litre	O
900	CM	150	CM	276 LEVEL CM	61233,0055 litre	96,252 %	2384,2457 litre	O
900	CM	150	CM	275 LEVEL CM	61085,1262 litre	96,020 %	2532,1250 litre	O
900	CM	150	CM	274 LEVEL CM	60934,5330 litre	95,783 %	2682,7182 litre	O
900	CM	150	CM	273 LEVEL CM	60781,2950 litre	95,542 %	2835,9562 litre	O
900	CM	150	CM	272 LEVEL CM	60625,4780 litre	95,297 %	2991,7732 litre	O
900	CM	150	CM	271 LEVEL CM	60467,1444 litre	95,048 %	3150,1068 litre	O
900	CM	150	CM	270 LEVEL CM	60306,3538 litre	94,796 %	3310,8974 litre	O
900	CM	150	CM	269 LEVEL CM	60143,1629 litre	94,539 %	3474,0883 litre	O
900	CM	150	CM	268 LEVEL CM	59977,6263 litre	94,279 %	3639,6249 litre	O
900	CM	150	CM	267 LEVEL CM	59809,7958 litre	94,015 %	3807,4554 litre	O
900	CM	150	CM	266 LEVEL CM	59639,7217 litre	93,748 %	3977,5295 litre	O
900	CM	150	CM	265 LEVEL CM	59467,4517 litre	93,477 %	4149,7995 litre	O
900	CM	150	CM	264 LEVEL CM	59293,0323 litre	93,203 %	4324,2189 litre	O
900	CM	150	CM	263 LEVEL CM	59116,5078 litre	92,925 %	4500,7434 litre	O
900	CM	150	CM	262 LEVEL CM	58937,9214 litre	92,645 %	4679,3298 litre	O
900	CM	150	CM	261 LEVEL CM	58757,3143 litre	92,361 %	4859,9369 litre	O
900	CM	150	CM	260 LEVEL CM	58574,7268 litre	92,074 %	5042,5244 litre	O
900	CM	150	CM	259 LEVEL CM	58390,1976 litre	91,784 %	5227,0536 litre	O
900	CM	150	CM	258 LEVEL CM	58203,7644 litre	91,491 %	5413,4868 litre	O
900	CM	150	CM	257 LEVEL CM	58015,4636 litre	91,195 %	5601,7876 litre	O
900	CM	150	CM	256 LEVEL CM	57825,3306 litre	90,896 %	5791,9206 litre	O
900	CM	150	CM	255 LEVEL CM	57633,3997 litre	90,594 %	5983,8515 litre	O
900	CM	150	CM	254 LEVEL CM	57439,7044 litre	90,290 %	6177,5468 litre	O
900	CM	150	CM	253 LEVEL CM	57244,2772 litre	89,982 %	6372,9740 litre	O
900	CM	150	CM	252 LEVEL CM	57047,1497 litre	89,672 %	6570,1015 litre	O
900	CM	150	CM	251 LEVEL CM	56848,3528 litre	89,360 %	6768,8984 litre	O
900	CM	150	CM	250 LEVEL CM	56647,9166 litre	89,045 %	6969,3346 litre	O
900	CM	150	CM	249 LEVEL CM	56445,8703 litre	88,727 %	7171,3809 litre	O

900	CM	150	CM	248 LEVEL CM	56242,2426 litre	88,407 %	7375,0086 litre	O
900	CM	150	CM	247 LEVEL CM	56037,0615 litre	88,085 %	7580,1897 litre	O
900	CM	150	CM	246 LEVEL CM	55830,3543 litre	87,760 %	7786,8969 litre	O
900	CM	150	CM	245 LEVEL CM	55622,1478 litre	87,432 %	7995,1034 litre	O
900	CM	150	CM	244 LEVEL CM	55412,4682 litre	87,103 %	8204,7830 litre	O
900	CM	150	CM	243 LEVEL CM	55201,3411 litre	86,771 %	8415,9101 litre	O
900	CM	150	CM	242 LEVEL CM	54988,7915 litre	86,437 %	8628,4597 litre	O
900	CM	150	CM	241 LEVEL CM	54774,8441 litre	86,101 %	8842,4071 litre	O
900	CM	150	CM	240 LEVEL CM	54559,5231 litre	85,762 %	9057,7281 litre	O
900	CM	150	CM	239 LEVEL CM	54342,8520 litre	85,422 %	9274,3992 litre	O
900	CM	150	CM	238 LEVEL CM	54124,8540 litre	85,079 %	9492,3972 litre	O
900	CM	150	CM	237 LEVEL CM	53905,5521 litre	84,734 %	9711,6991 litre	O
900	CM	150	CM	236 LEVEL CM	53684,9685 litre	84,387 %	9932,2827 litre	O
900	CM	150	CM	235 LEVEL CM	53463,1254 litre	84,039 %	10154,1258 litre	O
900	CM	150	CM	234 LEVEL CM	53240,0442 litre	83,688 %	10377,2070 litre	O
900	CM	150	CM	233 LEVEL CM	53015,7464 litre	83,335 %	10601,5048 litre	O
900	CM	150	CM	232 LEVEL CM	52790,2528 litre	82,981 %	10826,9984 litre	O
900	CM	150	CM	231 LEVEL CM	52563,5840 litre	82,625 %	11053,6672 litre	O
900	CM	150	CM	230 LEVEL CM	52335,7604 litre	82,267 %	11281,4908 litre	O
900	CM	150	CM	229 LEVEL CM	52106,8019 litre	81,907 %	11510,4493 litre	O
900	CM	150	CM	228 LEVEL CM	51876,7281 litre	81,545 %	11740,5231 litre	O
900	CM	150	CM	227 LEVEL CM	51645,5585 litre	81,182 %	11971,6927 litre	O
900	CM	150	CM	226 LEVEL CM	51413,3122 litre	80,817 %	12203,9390 litre	O
900	CM	150	CM	225 LEVEL CM	51180,0080 litre	80,450 %	12437,2432 litre	O
900	CM	150	CM	224 LEVEL CM	50945,6646 litre	80,082 %	12671,5866 litre	O
900	CM	150	CM	223 LEVEL CM	50710,3003 litre	79,712 %	12906,9509 litre	O
900	CM	150	CM	222 LEVEL CM	50473,9332 litre	79,340 %	13143,3180 litre	O
900	CM	150	CM	221 LEVEL CM	50236,5813 litre	78,967 %	13380,6699 litre	O
900	CM	150	CM	220 LEVEL CM	49998,2621 litre	78,592 %	13618,9891 litre	O
900	CM	150	CM	219 LEVEL CM	49758,9931 litre	78,216 %	13858,2581 litre	O
900	CM	150	CM	218 LEVEL CM	49518,7916 litre	77,839 %	14098,4596 litre	O
900	CM	150	CM	217 LEVEL CM	49277,6746 litre	77,460 %	14339,5766 litre	O
900	CM	150	CM	216 LEVEL CM	49035,6589 litre	77,079 %	14581,5923 litre	O
900	CM	150	CM	215 LEVEL CM	48792,7613 litre	76,697 %	14824,4899 litre	O
900	CM	150	CM	214 LEVEL CM	48548,9982 litre	76,314 %	15068,2530 litre	O
900	CM	150	CM	213 LEVEL CM	48304,3859 litre	75,930 %	15312,8653 litre	O
900	CM	150	CM	212 LEVEL CM	48058,9405 litre	75,544 %	15558,3107 litre	O
900	CM	150	CM	211 LEVEL CM	47812,6781 litre	75,157 %	15804,5731 litre	O
900	CM	150	CM	210 LEVEL CM	47565,6144 litre	74,768 %	16051,6368 litre	O
900	CM	150	CM	209 LEVEL CM	47317,7651 litre	74,379 %	16299,4861 litre	O
900	CM	150	CM	208 LEVEL CM	47069,1457 litre	73,988 %	16548,1055 litre	O
900	CM	150	CM	207 LEVEL CM	46819,7716 litre	73,596 %	16797,4796 litre	O
900	CM	150	CM	206 LEVEL CM	46569,6581 litre	73,203 %	17047,5931 litre	O
900	CM	150	CM	205 LEVEL CM	46318,8201 litre	72,809 %	17298,4311 litre	O
900	CM	150	CM	204 LEVEL CM	46067,2727 litre	72,413 %	17549,9785 litre	O
900	CM	150	CM	203 LEVEL CM	45815,0308 litre	72,017 %	17802,2204 litre	O
900	CM	150	CM	202 LEVEL CM	45562,1090 litre	71,619 %	18055,1422 litre	O
900	CM	150	CM	201 LEVEL CM	45308,5219 litre	71,220 %	18308,7293 litre	O
900	CM	150	CM	200 LEVEL CM	45054,2841 litre	70,821 %	18562,9671 litre	O
900	CM	150	CM	199 LEVEL CM	44799,4098 litre	70,420 %	18817,8414 litre	O
900	CM	150	CM	198 LEVEL CM	44543,9134 litre	70,019 %	19073,3378 litre	O
900	CM	150	CM	197 LEVEL CM	44287,8090 litre	69,616 %	19329,4422 litre	O
900	CM	150	CM	196 LEVEL CM	44031,1107 litre	69,213 %	19586,1405 litre	O

900	CM	150	CM	195 LEVEL CM	43773,8325 litre	68,808 %	19843,4187 litre	O
900	CM	150	CM	194 LEVEL CM	43515,9882 litre	68,403 %	20101,2630 litre	O
900	CM	150	CM	193 LEVEL CM	43257,5916 litre	67,997 %	20359,6596 litre	O
900	CM	150	CM	192 LEVEL CM	42998,6563 litre	67,590 %	20618,5949 litre	O
900	CM	150	CM	191 LEVEL CM	42739,1961 litre	67,182 %	20878,0551 litre	O
900	CM	150	CM	190 LEVEL CM	42479,2244 litre	66,773 %	21138,0268 litre	O
900	CM	150	CM	189 LEVEL CM	42218,7546 litre	66,364 %	21398,4966 litre	O
900	CM	150	CM	188 LEVEL CM	41957,8001 litre	65,953 %	21659,4511 litre	O
900	CM	150	CM	187 LEVEL CM	41696,3743 litre	65,543 %	21920,8769 litre	O
900	CM	150	CM	186 LEVEL CM	41434,4903 litre	65,131 %	22182,7609 litre	O
900	CM	150	CM	185 LEVEL CM	41172,1613 litre	64,719 %	22445,0899 litre	O
900	CM	150	CM	184 LEVEL CM	40909,4004 litre	64,306 %	22707,8508 litre	O
900	CM	150	CM	183 LEVEL CM	40646,2206 litre	63,892 %	22971,0306 litre	O
900	CM	150	CM	182 LEVEL CM	40382,6348 litre	63,477 %	23234,6164 litre	O
900	CM	150	CM	181 LEVEL CM	40118,6559 litre	63,063 %	23498,5953 litre	O
900	CM	150	CM	180 LEVEL CM	39854,2969 litre	62,647 %	23762,9543 litre	O
900	CM	150	CM	179 LEVEL CM	39589,5704 litre	62,231 %	24027,6808 litre	O
900	CM	150	CM	178 LEVEL CM	39324,4892 litre	61,814 %	24292,7620 litre	O
900	CM	150	CM	177 LEVEL CM	39059,0660 litre	61,397 %	24558,1852 litre	O
900	CM	150	CM	176 LEVEL CM	38793,3135 litre	60,979 %	24823,9377 litre	O
900	CM	150	CM	175 LEVEL CM	38527,2441 litre	60,561 %	25090,0071 litre	O
900	CM	150	CM	174 LEVEL CM	38260,8705 litre	60,142 %	25356,3807 litre	O
900	CM	150	CM	173 LEVEL CM	37994,2051 litre	59,723 %	25623,0461 litre	O
900	CM	150	CM	172 LEVEL CM	37727,2604 litre	59,304 %	25889,9908 litre	O
900	CM	150	CM	171 LEVEL CM	37460,0488 litre	58,883 %	26157,2024 litre	O
900	CM	150	CM	170 LEVEL CM	37192,5827 litre	58,463 %	26424,6685 litre	O
900	CM	150	CM	169 LEVEL CM	36924,8744 litre	58,042 %	26692,3768 litre	O
900	CM	150	CM	168 LEVEL CM	36656,9363 litre	57,621 %	26960,3149 litre	O
900	CM	150	CM	167 LEVEL CM	36388,7806 litre	57,200 %	27228,4706 litre	O
900	CM	150	CM	166 LEVEL CM	36120,4196 litre	56,778 %	27496,8316 litre	O
900	CM	150	CM	165 LEVEL CM	35851,8655 litre	56,356 %	27765,3857 litre	O
900	CM	150	CM	164 LEVEL CM	35583,1304 litre	55,933 %	28034,1208 litre	O
900	CM	150	CM	163 LEVEL CM	35314,2267 litre	55,510 %	28303,0245 litre	O
900	CM	150	CM	162 LEVEL CM	35045,1663 litre	55,088 %	28572,0849 litre	O
900	CM	150	CM	161 LEVEL CM	34775,9615 litre	54,664 %	28841,2897 litre	O
900	CM	150	CM	160 LEVEL CM	34506,6243 litre	54,241 %	29110,6269 litre	O
900	CM	150	CM	159 LEVEL CM	34237,1668 litre	53,817 %	29380,0844 litre	O
900	CM	150	CM	158 LEVEL CM	33967,6012 litre	53,394 %	29649,6500 litre	O
900	CM	150	CM	157 LEVEL CM	33697,9394 litre	52,970 %	29919,3118 litre	O
900	CM	150	CM	156 LEVEL CM	33428,1935 litre	52,546 %	30189,0577 litre	O
900	CM	150	CM	155 LEVEL CM	33158,3756 litre	52,122 %	30458,8756 litre	O
900	CM	150	CM	154 LEVEL CM	32888,4976 litre	51,697 %	30728,7536 litre	O
900	CM	150	CM	153 LEVEL CM	32618,5716 litre	51,273 %	30998,6796 litre	O
900	CM	150	CM	152 LEVEL CM	32348,6096 litre	50,849 %	31268,6416 litre	O
900	CM	150	CM	151 LEVEL CM	32078,6236 litre	50,424 %	31538,6276 litre	O
900	CM	150	CM	150 LEVEL CM	31808,6256 litre	50,000 %	31808,6256 litre	O
900	CM	150	CM	149 LEVEL CM	31538,6276 litre	49,576 %	32078,6236 litre	O
900	CM	150	CM	148 LEVEL CM	31268,6416 litre	49,151 %	32348,6096 litre	O
900	CM	150	CM	147 LEVEL CM	30998,6796 litre	48,727 %	32618,5716 litre	O
900	CM	150	CM	146 LEVEL CM	30728,7536 litre	48,303 %	32888,4976 litre	O
900	CM	150	CM	145 LEVEL CM	30458,8757 litre	47,878 %	33158,3755 litre	O
900	CM	150	CM	144 LEVEL CM	30189,0577 litre	47,454 %	33428,1935 litre	O
900	CM	150	CM	143 LEVEL CM	29919,3118 litre	47,030 %	33697,9394 litre	O

900	CM	150	CM	142 LEVEL CM	29649,6501 litre	46,606 %	33967,6011 litre	O
900	CM	150	CM	141 LEVEL CM	29380,0844 litre	46,183 %	34237,1668 litre	O
900	CM	150	CM	140 LEVEL CM	29110,6270 litre	45,759 %	34506,6242 litre	O
900	CM	150	CM	139 LEVEL CM	28841,2898 litre	45,336 %	34775,9614 litre	O
900	CM	150	CM	138 LEVEL CM	28572,0849 litre	44,912 %	35045,1663 litre	O
900	CM	150	CM	137 LEVEL CM	28303,0246 litre	44,490 %	35314,2266 litre	O
900	CM	150	CM	136 LEVEL CM	28034,1208 litre	44,067 %	35583,1304 litre	O
900	CM	150	CM	135 LEVEL CM	27765,3858 litre	43,644 %	35851,8654 litre	O
900	CM	150	CM	134 LEVEL CM	27496,8317 litre	43,222 %	36120,4195 litre	O
900	CM	150	CM	133 LEVEL CM	27228,4706 litre	42,800 %	36388,7806 litre	O
900	CM	150	CM	132 LEVEL CM	26960,3149 litre	42,379 %	36656,9363 litre	O
900	CM	150	CM	131 LEVEL CM	26692,3768 litre	41,958 %	36924,8744 litre	O
900	CM	150	CM	130 LEVEL CM	26424,6686 litre	41,537 %	37192,5826 litre	O
900	CM	150	CM	129 LEVEL CM	26157,2025 litre	41,117 %	37460,0487 litre	O
900	CM	150	CM	128 LEVEL CM	25889,9909 litre	40,696 %	37727,2603 litre	O
900	CM	150	CM	127 LEVEL CM	25623,0462 litre	40,277 %	37994,2050 litre	O
900	CM	150	CM	126 LEVEL CM	25356,3808 litre	39,858 %	38260,8704 litre	O
900	CM	150	CM	125 LEVEL CM	25090,0071 litre	39,439 %	38527,2441 litre	O
900	CM	150	CM	124 LEVEL CM	24823,9378 litre	39,021 %	38793,3134 litre	O
900	CM	150	CM	123 LEVEL CM	24558,1852 litre	38,603 %	39059,0660 litre	O
900	CM	150	CM	122 LEVEL CM	24292,7620 litre	38,186 %	39324,4892 litre	O
900	CM	150	CM	121 LEVEL CM	24027,6808 litre	37,769 %	39589,5704 litre	O
900	CM	150	CM	120 LEVEL CM	23762,9543 litre	37,353 %	39854,2969 litre	O
900	CM	150	CM	119 LEVEL CM	23498,5953 litre	36,937 %	40118,6559 litre	O
900	CM	150	CM	118 LEVEL CM	23234,6164 litre	36,523 %	40382,6348 litre	O
900	CM	150	CM	117 LEVEL CM	22971,0307 litre	36,108 %	40646,2205 litre	O
900	CM	150	CM	116 LEVEL CM	22707,8508 litre	35,694 %	40909,4004 litre	O
900	CM	150	CM	115 LEVEL CM	22445,0899 litre	35,281 %	41172,1613 litre	O
900	CM	150	CM	114 LEVEL CM	22182,7609 litre	34,869 %	41434,4903 litre	O
900	CM	150	CM	113 LEVEL CM	21920,8769 litre	34,457 %	41696,3743 litre	O
900	CM	150	CM	112 LEVEL CM	21659,4511 litre	34,047 %	41957,8001 litre	O
900	CM	150	CM	111 LEVEL CM	21398,4966 litre	33,636 %	42218,7546 litre	O
900	CM	150	CM	110 LEVEL CM	21138,0269 litre	33,227 %	42479,2243 litre	O
900	CM	150	CM	109 LEVEL CM	20878,0551 litre	32,818 %	42739,1961 litre	O
900	CM	150	CM	108 LEVEL CM	20618,5949 litre	32,410 %	42998,6563 litre	O
900	CM	150	CM	107 LEVEL CM	20359,6597 litre	32,003 %	43257,5915 litre	O
900	CM	150	CM	106 LEVEL CM	20101,2630 litre	31,597 %	43515,9882 litre	O
900	CM	150	CM	105 LEVEL CM	19843,4187 litre	31,192 %	43773,8325 litre	O
900	CM	150	CM	104 LEVEL CM	19586,1405 litre	30,787 %	44031,1107 litre	O
900	CM	150	CM	103 LEVEL CM	19329,4422 litre	30,384 %	44287,8090 litre	O
900	CM	150	CM	102 LEVEL CM	19073,3378 litre	29,981 %	44543,9134 litre	O
900	CM	150	CM	101 LEVEL CM	18817,8414 litre	29,580 %	44799,4098 litre	O
900	CM	150	CM	100 LEVEL CM	18562,9672 litre	29,179 %	45054,2840 litre	O
900	CM	150	CM	99 LEVEL CM	18308,7293 litre	28,780 %	45308,5219 litre	O
900	CM	150	CM	98 LEVEL CM	18055,1422 litre	28,381 %	45562,1090 litre	O
900	CM	150	CM	97 LEVEL CM	17802,2204 litre	27,983 %	45815,0308 litre	O
900	CM	150	CM	96 LEVEL CM	17549,9785 litre	27,587 %	46067,2727 litre	O
900	CM	150	CM	95 LEVEL CM	17298,4311 litre	27,191 %	46318,8201 litre	O
900	CM	150	CM	94 LEVEL CM	17047,5932 litre	26,797 %	46569,6580 litre	O
900	CM	150	CM	93 LEVEL CM	16797,4796 litre	26,404 %	46819,7716 litre	O
900	CM	150	CM	92 LEVEL CM	16548,1055 litre	26,012 %	47069,1457 litre	O
900	CM	150	CM	91 LEVEL CM	16299,4861 litre	25,621 %	47317,7651 litre	O
900	CM	150	CM	90 LEVEL CM	16051,6369 litre	25,232 %	47565,6143 litre	O

900	CM	150	CM	89 LEVEL CM	15804,5732 litre	24,843 %	47812,6780 litre	O
900	CM	150	CM	88 LEVEL CM	15558,3107 litre	24,456 %	48058,9405 litre	O
900	CM	150	CM	87 LEVEL CM	15312,8654 litre	24,070 %	48304,3858 litre	O
900	CM	150	CM	86 LEVEL CM	15068,2531 litre	23,686 %	48548,9981 litre	O
900	CM	150	CM	85 LEVEL CM	14824,4900 litre	23,303 %	48792,7612 litre	O
900	CM	150	CM	84 LEVEL CM	14581,5923 litre	22,921 %	49035,6589 litre	O
900	CM	150	CM	83 LEVEL CM	14339,5767 litre	22,540 %	49277,6745 litre	O
900	CM	150	CM	82 LEVEL CM	14098,4597 litre	22,161 %	49518,7915 litre	O
900	CM	150	CM	81 LEVEL CM	13858,2582 litre	21,784 %	49758,9930 litre	O
900	CM	150	CM	80 LEVEL CM	13618,9892 litre	21,408 %	49998,2620 litre	O
900	CM	150	CM	79 LEVEL CM	13380,6700 litre	21,033 %	50236,5812 litre	O
900	CM	150	CM	78 LEVEL CM	13143,3180 litre	20,660 %	50473,9332 litre	O
900	CM	150	CM	77 LEVEL CM	12906,9509 litre	20,288 %	50710,3003 litre	O
900	CM	150	CM	76 LEVEL CM	12671,5866 litre	19,918 %	50945,6646 litre	O
900	CM	150	CM	75 LEVEL CM	12437,2432 litre	19,550 %	51180,0080 litre	O
900	CM	150	CM	74 LEVEL CM	12203,9390 litre	19,183 %	51413,3122 litre	O
900	CM	150	CM	73 LEVEL CM	11971,6927 litre	18,818 %	51645,5585 litre	O
900	CM	150	CM	72 LEVEL CM	11740,5231 litre	18,455 %	51876,7281 litre	O
900	CM	150	CM	71 LEVEL CM	11510,4494 litre	18,093 %	52106,8018 litre	O
900	CM	150	CM	70 LEVEL CM	11281,4908 litre	17,733 %	52335,7604 litre	O
900	CM	150	CM	69 LEVEL CM	11053,6672 litre	17,375 %	52563,5840 litre	O
900	CM	150	CM	68 LEVEL CM	10826,9984 litre	17,019 %	52790,2528 litre	O
900	CM	150	CM	67 LEVEL CM	10601,5048 litre	16,665 %	53015,7464 litre	O
900	CM	150	CM	66 LEVEL CM	10377,2070 litre	16,312 %	53240,0442 litre	O
900	CM	150	CM	65 LEVEL CM	10154,1259 litre	15,961 %	53463,1253 litre	O
900	CM	150	CM	64 LEVEL CM	9932,2827 litre	15,613 %	53684,9685 litre	O
900	CM	150	CM	63 LEVEL CM	9711,6991 litre	15,266 %	53905,5521 litre	O
900	CM	150	CM	62 LEVEL CM	9492,3972 litre	14,921 %	54124,8540 litre	O
900	CM	150	CM	61 LEVEL CM	9274,3993 litre	14,578 %	54342,8519 litre	O
900	CM	150	CM	60 LEVEL CM	9057,7282 litre	14,238 %	54559,5230 litre	O
900	CM	150	CM	59 LEVEL CM	8842,4071 litre	13,899 %	54774,8441 litre	O
900	CM	150	CM	58 LEVEL CM	8628,4597 litre	13,563 %	54988,7915 litre	O
900	CM	150	CM	57 LEVEL CM	8415,9102 litre	13,229 %	55201,3410 litre	O
900	CM	150	CM	56 LEVEL CM	8204,7830 litre	12,897 %	55412,4682 litre	O
900	CM	150	CM	55 LEVEL CM	7995,1034 litre	12,568 %	55622,1478 litre	O
900	CM	150	CM	54 LEVEL CM	7786,8969 litre	12,240 %	55830,3543 litre	O
900	CM	150	CM	53 LEVEL CM	7580,1898 litre	11,915 %	56037,0614 litre	O
900	CM	150	CM	52 LEVEL CM	7375,0087 litre	11,593 %	56242,2425 litre	O
900	CM	150	CM	51 LEVEL CM	7171,3810 litre	11,273 %	56445,8702 litre	O
900	CM	150	CM	50 LEVEL CM	6969,3347 litre	10,955 %	56647,9165 litre	O
900	CM	150	CM	49 LEVEL CM	6768,8984 litre	10,640 %	56848,3528 litre	O
900	CM	150	CM	48 LEVEL CM	6570,1015 litre	10,328 %	57047,1497 litre	O
900	CM	150	CM	47 LEVEL CM	6372,9740 litre	10,018 %	57244,2772 litre	O
900	CM	150	CM	46 LEVEL CM	6177,5468 litre	9,710 %	57439,7044 litre	O
900	CM	150	CM	45 LEVEL CM	5983,8515 litre	9,406 %	57633,3997 litre	O
900	CM	150	CM	44 LEVEL CM	5791,9207 litre	9,104 %	57825,3305 litre	O
900	CM	150	CM	43 LEVEL CM	5601,7876 litre	8,805 %	58015,4636 litre	O
900	CM	150	CM	42 LEVEL CM	5413,4868 litre	8,509 %	58203,7644 litre	O
900	CM	150	CM	41 LEVEL CM	5227,0536 litre	8,216 %	58390,1976 litre	O
900	CM	150	CM	40 LEVEL CM	5042,5244 litre	7,926 %	58574,7268 litre	O
900	CM	150	CM	39 LEVEL CM	4859,9369 litre	7,639 %	58757,3143 litre	O
900	CM	150	CM	38 LEVEL CM	4679,3299 litre	7,355 %	58937,9213 litre	O
900	CM	150	CM	37 LEVEL CM	4500,7434 litre	7,075 %	59116,5078 litre	O

900	CM	150	CM	36 LEVEL CM	4324,2190 litre	6,797 %	59293,0322 litre	O
900	CM	150	CM	35 LEVEL CM	4149,7995 litre	6,523 %	59467,4517 litre	O
900	CM	150	CM	34 LEVEL CM	3977,5296 litre	6,252 %	59639,7216 litre	O
900	CM	150	CM	33 LEVEL CM	3807,4554 litre	5,985 %	59809,7958 litre	O
900	CM	150	CM	32 LEVEL CM	3639,6250 litre	5,721 %	59977,6262 litre	O
900	CM	150	CM	31 LEVEL CM	3474,0883 litre	5,461 %	60143,1629 litre	O
900	CM	150	CM	30 LEVEL CM	3310,8975 litre	5,204 %	60306,3537 litre	O
900	CM	150	CM	29 LEVEL CM	3150,1068 litre	4,952 %	60467,1444 litre	O
900	CM	150	CM	28 LEVEL CM	2991,7732 litre	4,703 %	60625,4780 litre	O
900	CM	150	CM	27 LEVEL CM	2835,9562 litre	4,458 %	60781,2950 litre	O
900	CM	150	CM	26 LEVEL CM	2682,7183 litre	4,217 %	60934,5329 litre	O
900	CM	150	CM	25 LEVEL CM	2532,1250 litre	3,980 %	61085,1262 litre	O
900	CM	150	CM	24 LEVEL CM	2384,2457 litre	3,748 %	61233,0055 litre	O
900	CM	150	CM	23 LEVEL CM	2239,1534 litre	3,520 %	61378,0978 litre	O
900	CM	150	CM	22 LEVEL CM	2096,9255 litre	3,296 %	61520,3257 litre	O
900	CM	150	CM	21 LEVEL CM	1957,6442 litre	3,077 %	61659,6070 litre	O
900	CM	150	CM	20 LEVEL CM	1821,3969 litre	2,863 %	61795,8543 litre	O
900	CM	150	CM	19 LEVEL CM	1688,2771 litre	2,654 %	61928,9741 litre	O
900	CM	150	CM	18 LEVEL CM	1558,3850 litre	2,450 %	62058,8662 litre	O
900	CM	150	CM	17 LEVEL CM	1431,8286 litre	2,251 %	62185,4226 litre	O
900	CM	150	CM	16 LEVEL CM	1308,7246 litre	2,057 %	62308,5266 litre	O
900	CM	150	CM	15 LEVEL CM	1189,1996 litre	1,869 %	62428,0516 litre	O
900	CM	150	CM	14 LEVEL CM	1073,3924 litre	1,687 %	62543,8588 litre	O
900	CM	150	CM	13 LEVEL CM	961,4551 litre	1,511 %	62655,7961 litre	O
900	CM	150	CM	12 LEVEL CM	853,5568 litre	1,342 %	62763,6944 litre	O
900	CM	150	CM	11 LEVEL CM	749,8858 litre	1,179 %	62867,3654 litre	O
900	CM	150	CM	10 LEVEL CM	650,6548 litre	1,023 %	62966,5964 litre	O
900	CM	150	CM	9 LEVEL CM	556,1064 litre	0,874 %	63061,1448 litre	O
900	CM	150	CM	8 LEVEL CM	466,5215 litre	0,733 %	63150,7297 litre	O
900	CM	150	CM	7 LEVEL CM	382,2305 litre	0,601 %	63235,0207 litre	O
900	CM	150	CM	6 LEVEL CM	303,6307 litre	0,477 %	63313,6205 litre	O
900	CM	150	CM	5 LEVEL CM	231,2136 litre	0,363 %	63386,0376 litre	O
900	CM	150	CM	4 LEVEL CM	165,6102 litre	0,260 %	63451,6410 litre	O
900	CM	150	CM	3 LEVEL CM	107,6754 litre	0,169 %	63509,5758 litre	O
900	CM	150	CM	2 LEVEL CM	58,6700 litre	0,092 %	63558,5812 litre	O
900	CM	150	CM	1 LEVEL CM	20,7638 litre	0,033 %	63596,4874 litre	O
900	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	63617,2512 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM 145	CM 290 LEVEL CM	59446,7870 litre	100,000 %	0,0000 litre	O
900	CM 145	CM 289 LEVEL CM	59426,3729 litre	99,966 %	20,4141 litre	O
900	CM 145	CM 288 LEVEL CM	59389,1071 litre	99,903 %	57,6799 litre	O
900	CM 145	CM 287 LEVEL CM	59340,9324 litre	99,822 %	105,8546 litre	O
900	CM 145	CM 286 LEVEL CM	59283,9830 litre	99,726 %	162,8040 litre	O
900	CM 145	CM 285 LEVEL CM	59219,4992 litre	99,618 %	227,2878 litre	O
900	CM 145	CM 284 LEVEL CM	59148,3223 litre	99,498 %	298,4647 litre	O
900	CM 145	CM 283 LEVEL CM	59071,0732 litre	99,368 %	375,7138 litre	O
900	CM 145	CM 282 LEVEL CM	58988,2355 litre	99,229 %	458,5515 litre	O
900	CM 145	CM 281 LEVEL CM	58900,2007 litre	99,081 %	546,5863 litre	O
900	CM 145	CM 280 LEVEL CM	58807,2940 litre	98,924 %	639,4930 litre	O
900	CM 145	CM 279 LEVEL CM	58709,7919 litre	98,760 %	736,9951 litre	O
900	CM 145	CM 278 LEVEL CM	58607,9335 litre	98,589 %	838,8535 litre	O
900	CM 145	CM 277 LEVEL CM	58501,9282 litre	98,411 %	944,8588 litre	O
900	CM 145	CM 276 LEVEL CM	58391,9619 litre	98,226 %	1054,8251 litre	O
900	CM 145	CM 275 LEVEL CM	58278,2009 litre	98,034 %	1168,5861 litre	O
900	CM 145	CM 274 LEVEL CM	58160,7954 litre	97,837 %	1285,9916 litre	O
900	CM 145	CM 273 LEVEL CM	58039,8820 litre	97,633 %	1406,9050 litre	O
900	CM 145	CM 272 LEVEL CM	57915,5857 litre	97,424 %	1531,2013 litre	O
900	CM 145	CM 271 LEVEL CM	57788,0217 litre	97,210 %	1658,7653 litre	O
900	CM 145	CM 270 LEVEL CM	57657,2964 litre	96,990 %	1789,4906 litre	O
900	CM 145	CM 269 LEVEL CM	57523,5086 litre	96,765 %	1923,2784 litre	O
900	CM 145	CM 268 LEVEL CM	57386,7507 litre	96,535 %	2060,0363 litre	O
900	CM 145	CM 267 LEVEL CM	57247,1090 litre	96,300 %	2199,6780 litre	O
900	CM 145	CM 266 LEVEL CM	57104,6646 litre	96,060 %	2342,1224 litre	O
900	CM 145	CM 265 LEVEL CM	56959,4940 litre	95,816 %	2487,2930 litre	O
900	CM 145	CM 264 LEVEL CM	56811,6692 litre	95,567 %	2635,1178 litre	O
900	CM 145	CM 263 LEVEL CM	56661,2588 litre	95,314 %	2785,5282 litre	O
900	CM 145	CM 262 LEVEL CM	56508,3276 litre	95,057 %	2938,4594 litre	O
900	CM 145	CM 261 LEVEL CM	56352,9373 litre	94,796 %	3093,8497 litre	O
900	CM 145	CM 260 LEVEL CM	56195,1467 litre	94,530 %	3251,6403 litre	O
900	CM 145	CM 259 LEVEL CM	56035,0122 litre	94,261 %	3411,7748 litre	O
900	CM 145	CM 258 LEVEL CM	55872,5874 litre	93,988 %	3574,1996 litre	O
900	CM 145	CM 257 LEVEL CM	55707,9239 litre	93,711 %	3738,8631 litre	O
900	CM 145	CM 256 LEVEL CM	55541,0711 litre	93,430 %	3905,7159 litre	O
900	CM 145	CM 255 LEVEL CM	55372,0766 litre	93,146 %	4074,7104 litre	O
900	CM 145	CM 254 LEVEL CM	55200,9861 litre	92,858 %	4245,8009 litre	O
900	CM 145	CM 253 LEVEL CM	55027,8437 litre	92,567 %	4418,9433 litre	O
900	CM 145	CM 252 LEVEL CM	54852,6919 litre	92,272 %	4594,0951 litre	O
900	CM 145	CM 251 LEVEL CM	54675,5718 litre	91,974 %	4771,2152 litre	O
900	CM 145	CM 250 LEVEL CM	54496,5231 litre	91,673 %	4950,2639 litre	O
900	CM 145	CM 249 LEVEL CM	54315,5844 litre	91,368 %	5131,2026 litre	O
900	CM 145	CM 248 LEVEL CM	54132,7928 litre	91,061 %	5313,9942 litre	O
900	CM 145	CM 247 LEVEL CM	53948,1846 litre	90,750 %	5498,6024 litre	O
900	CM 145	CM 246 LEVEL CM	53761,7947 litre	90,437 %	5684,9923 litre	O
900	CM 145	CM 245 LEVEL CM	53573,6573 litre	90,120 %	5873,1297 litre	O
900	CM 145	CM 244 LEVEL CM	53383,8056 litre	89,801 %	6062,9814 litre	O
900	CM 145	CM 243 LEVEL CM	53192,2718 litre	89,479 %	6254,5152 litre	O
900	CM 145	CM 242 LEVEL CM	52999,0873 litre	89,154 %	6447,6997 litre	O
900	CM 145	CM 241 LEVEL CM	52804,2827 litre	88,826 %	6642,5043 litre	O
900	CM 145	CM 240 LEVEL CM	52607,8879 litre	88,496 %	6838,8991 litre	O
900	CM 145	CM 239 LEVEL CM	52409,9320 litre	88,163 %	7036,8550 litre	O

900	CM	145	CM	238 LEVEL CM	52210,4436 litre	87,827 %	7236,3434 litre	O
900	CM	145	CM	237 LEVEL CM	52009,4503 litre	87,489 %	7437,3367 litre	O
900	CM	145	CM	236 LEVEL CM	51806,9794 litre	87,148 %	7639,8076 litre	O
900	CM	145	CM	235 LEVEL CM	51603,0575 litre	86,805 %	7843,7295 litre	O
900	CM	145	CM	234 LEVEL CM	51397,7106 litre	86,460 %	8049,0764 litre	O
900	CM	145	CM	233 LEVEL CM	51190,9642 litre	86,112 %	8255,8228 litre	O
900	CM	145	CM	232 LEVEL CM	50982,8432 litre	85,762 %	8463,9438 litre	O
900	CM	145	CM	231 LEVEL CM	50773,3722 litre	85,410 %	8673,4148 litre	O
900	CM	145	CM	230 LEVEL CM	50562,5752 litre	85,055 %	8884,2118 litre	O
900	CM	145	CM	229 LEVEL CM	50350,4758 litre	84,698 %	9096,3112 litre	O
900	CM	145	CM	228 LEVEL CM	50137,0970 litre	84,339 %	9309,6900 litre	O
900	CM	145	CM	227 LEVEL CM	49922,4616 litre	83,978 %	9524,3254 litre	O
900	CM	145	CM	226 LEVEL CM	49706,5919 litre	83,615 %	9740,1951 litre	O
900	CM	145	CM	225 LEVEL CM	49489,5099 litre	83,250 %	9957,2771 litre	O
900	CM	145	CM	224 LEVEL CM	49271,2372 litre	82,883 %	10175,5498 litre	O
900	CM	145	CM	223 LEVEL CM	49051,7948 litre	82,514 %	10394,9922 litre	O
900	CM	145	CM	222 LEVEL CM	48831,2039 litre	82,143 %	10615,5831 litre	O
900	CM	145	CM	221 LEVEL CM	48609,4848 litre	81,770 %	10837,3022 litre	O
900	CM	145	CM	220 LEVEL CM	48386,6579 litre	81,395 %	11060,1291 litre	O
900	CM	145	CM	219 LEVEL CM	48162,7432 litre	81,018 %	11284,0438 litre	O
900	CM	145	CM	218 LEVEL CM	47937,7602 litre	80,640 %	11509,0268 litre	O
900	CM	145	CM	217 LEVEL CM	47711,7284 litre	80,260 %	11735,0586 litre	O
900	CM	145	CM	216 LEVEL CM	47484,6668 litre	79,878 %	11962,1202 litre	O
900	CM	145	CM	215 LEVEL CM	47256,5944 litre	79,494 %	12190,1926 litre	O
900	CM	145	CM	214 LEVEL CM	47027,5296 litre	79,109 %	12419,2574 litre	O
900	CM	145	CM	213 LEVEL CM	46797,4910 litre	78,722 %	12649,2960 litre	O
900	CM	145	CM	212 LEVEL CM	46566,4967 litre	78,333 %	12880,2903 litre	O
900	CM	145	CM	211 LEVEL CM	46334,5644 litre	77,943 %	13112,2226 litre	O
900	CM	145	CM	210 LEVEL CM	46101,7120 litre	77,551 %	13345,0750 litre	O
900	CM	145	CM	209 LEVEL CM	45867,9569 litre	77,158 %	13578,8301 litre	O
900	CM	145	CM	208 LEVEL CM	45633,3163 litre	76,763 %	13813,4707 litre	O
900	CM	145	CM	207 LEVEL CM	45397,8075 litre	76,367 %	14048,9795 litre	O
900	CM	145	CM	206 LEVEL CM	45161,4472 litre	75,970 %	14285,3398 litre	O
900	CM	145	CM	205 LEVEL CM	44924,2522 litre	75,571 %	14522,5348 litre	O
900	CM	145	CM	204 LEVEL CM	44686,2391 litre	75,170 %	14760,5479 litre	O
900	CM	145	CM	203 LEVEL CM	44447,4241 litre	74,768 %	14999,3629 litre	O
900	CM	145	CM	202 LEVEL CM	44207,8235 litre	74,365 %	15238,9635 litre	O
900	CM	145	CM	201 LEVEL CM	43967,4534 litre	73,961 %	15479,3336 litre	O
900	CM	145	CM	200 LEVEL CM	43726,3297 litre	73,555 %	15720,4573 litre	O
900	CM	145	CM	199 LEVEL CM	43484,4680 litre	73,149 %	15962,3190 litre	O
900	CM	145	CM	198 LEVEL CM	43241,8840 litre	72,740 %	16204,9030 litre	O
900	CM	145	CM	197 LEVEL CM	42998,5931 litre	72,331 %	16448,1939 litre	O
900	CM	145	CM	196 LEVEL CM	42754,6107 litre	71,921 %	16692,1763 litre	O
900	CM	145	CM	195 LEVEL CM	42509,9520 litre	71,509 %	16936,8350 litre	O
900	CM	145	CM	194 LEVEL CM	42264,6321 litre	71,097 %	17182,1549 litre	O
900	CM	145	CM	193 LEVEL CM	42018,6658 litre	70,683 %	17428,1212 litre	O
900	CM	145	CM	192 LEVEL CM	41772,0680 litre	70,268 %	17674,7190 litre	O
900	CM	145	CM	191 LEVEL CM	41524,8535 litre	69,852 %	17921,9335 litre	O
900	CM	145	CM	190 LEVEL CM	41277,0369 litre	69,435 %	18169,7501 litre	O
900	CM	145	CM	189 LEVEL CM	41028,6326 litre	69,017 %	18418,1544 litre	O
900	CM	145	CM	188 LEVEL CM	40779,6551 litre	68,599 %	18667,1319 litre	O
900	CM	145	CM	187 LEVEL CM	40530,1186 litre	68,179 %	18916,6684 litre	O
900	CM	145	CM	186 LEVEL CM	40280,0374 litre	67,758 %	19166,7496 litre	O

900	CM	145	CM	185 LEVEL CM	40029,4255 litre	67,337 %	19417,3615 litre	O
900	CM	145	CM	184 LEVEL CM	39778,2971 litre	66,914 %	19668,4899 litre	O
900	CM	145	CM	183 LEVEL CM	39526,6660 litre	66,491 %	19920,1210 litre	O
900	CM	145	CM	182 LEVEL CM	39274,5460 litre	66,067 %	20172,2410 litre	O
900	CM	145	CM	181 LEVEL CM	39021,9511 litre	65,642 %	20424,8359 litre	O
900	CM	145	CM	180 LEVEL CM	38768,8947 litre	65,216 %	20677,8923 litre	O
900	CM	145	CM	179 LEVEL CM	38515,3907 litre	64,790 %	20931,3963 litre	O
900	CM	145	CM	178 LEVEL CM	38261,4524 litre	64,363 %	21185,3346 litre	O
900	CM	145	CM	177 LEVEL CM	38007,0935 litre	63,935 %	21439,6935 litre	O
900	CM	145	CM	176 LEVEL CM	37752,3273 litre	63,506 %	21694,4597 litre	O
900	CM	145	CM	175 LEVEL CM	37497,1671 litre	63,077 %	21949,6199 litre	O
900	CM	145	CM	174 LEVEL CM	37241,6263 litre	62,647 %	22205,1607 litre	O
900	CM	145	CM	173 LEVEL CM	36985,7181 litre	62,217 %	22461,0689 litre	O
900	CM	145	CM	172 LEVEL CM	36729,4556 litre	61,785 %	22717,3314 litre	O
900	CM	145	CM	171 LEVEL CM	36472,8519 litre	61,354 %	22973,9351 litre	O
900	CM	145	CM	170 LEVEL CM	36215,9202 litre	60,922 %	23230,8668 litre	O
900	CM	145	CM	169 LEVEL CM	35958,6734 litre	60,489 %	23488,1136 litre	O
900	CM	145	CM	168 LEVEL CM	35701,1245 litre	60,056 %	23745,6625 litre	O
900	CM	145	CM	167 LEVEL CM	35443,2864 litre	59,622 %	24003,5006 litre	O
900	CM	145	CM	166 LEVEL CM	35185,1721 litre	59,188 %	24261,6149 litre	O
900	CM	145	CM	165 LEVEL CM	34926,7942 litre	58,753 %	24519,9928 litre	O
900	CM	145	CM	164 LEVEL CM	34668,1657 litre	58,318 %	24778,6213 litre	O
900	CM	145	CM	163 LEVEL CM	34409,2992 litre	57,883 %	25037,4878 litre	O
900	CM	145	CM	162 LEVEL CM	34150,2076 litre	57,447 %	25296,5794 litre	O
900	CM	145	CM	161 LEVEL CM	33890,9035 litre	57,010 %	25555,8835 litre	O
900	CM	145	CM	160 LEVEL CM	33631,3995 litre	56,574 %	25815,3875 litre	O
900	CM	145	CM	159 LEVEL CM	33371,7083 litre	56,137 %	26075,0787 litre	O
900	CM	145	CM	158 LEVEL CM	33111,8425 litre	55,700 %	26334,9445 litre	O
900	CM	145	CM	157 LEVEL CM	32851,8146 litre	55,263 %	26594,9724 litre	O
900	CM	145	CM	156 LEVEL CM	32591,6373 litre	54,825 %	26855,1497 litre	O
900	CM	145	CM	155 LEVEL CM	32331,3230 litre	54,387 %	27115,4640 litre	O
900	CM	145	CM	154 LEVEL CM	32070,8843 litre	53,949 %	27375,9027 litre	O
900	CM	145	CM	153 LEVEL CM	31810,3337 litre	53,511 %	27636,4533 litre	O
900	CM	145	CM	152 LEVEL CM	31549,6836 litre	53,072 %	27897,1034 litre	O
900	CM	145	CM	151 LEVEL CM	31288,9465 litre	52,634 %	28157,8405 litre	O
900	CM	145	CM	150 LEVEL CM	31028,1348 litre	52,195 %	28418,6522 litre	O
900	CM	145	CM	149 LEVEL CM	30767,2611 litre	51,756 %	28679,5259 litre	O
900	CM	145	CM	148 LEVEL CM	30506,3376 litre	51,317 %	28940,4494 litre	O
900	CM	145	CM	147 LEVEL CM	30245,3769 litre	50,878 %	29201,4101 litre	O
900	CM	145	CM	146 LEVEL CM	29984,3914 litre	50,439 %	29462,3956 litre	O
900	CM	145	CM	145 LEVEL CM	29723,3935 litre	50,000 %	29723,3935 litre	O
900	CM	145	CM	144 LEVEL CM	29462,3956 litre	49,561 %	29984,3914 litre	O
900	CM	145	CM	143 LEVEL CM	29201,4100 litre	49,122 %	30245,3770 litre	O
900	CM	145	CM	142 LEVEL CM	28940,4494 litre	48,683 %	30506,3376 litre	O
900	CM	145	CM	141 LEVEL CM	28679,5259 litre	48,244 %	30767,2611 litre	O
900	CM	145	CM	140 LEVEL CM	28418,6522 litre	47,805 %	31028,1348 litre	O
900	CM	145	CM	139 LEVEL CM	28157,8405 litre	47,366 %	31288,9465 litre	O
900	CM	145	CM	138 LEVEL CM	27897,1034 litre	46,928 %	31549,6836 litre	O
900	CM	145	CM	137 LEVEL CM	27636,4533 litre	46,489 %	31810,3337 litre	O
900	CM	145	CM	136 LEVEL CM	27375,9026 litre	46,051 %	32070,8844 litre	O
900	CM	145	CM	135 LEVEL CM	27115,4639 litre	45,613 %	32331,3231 litre	O
900	CM	145	CM	134 LEVEL CM	26855,1497 litre	45,175 %	32591,6373 litre	O
900	CM	145	CM	133 LEVEL CM	26594,9723 litre	44,737 %	32851,8147 litre	O

900	CM	145	CM	132 LEVEL CM	26334,9445 litre	44,300 %	33111,8425 litre	O
900	CM	145	CM	131 LEVEL CM	26075,0787 litre	43,863 %	33371,7083 litre	O
900	CM	145	CM	130 LEVEL CM	25815,3875 litre	43,426 %	33631,3995 litre	O
900	CM	145	CM	129 LEVEL CM	25555,8835 litre	42,990 %	33890,9035 litre	O
900	CM	145	CM	128 LEVEL CM	25296,5794 litre	42,553 %	34150,2076 litre	O
900	CM	145	CM	127 LEVEL CM	25037,4877 litre	42,117 %	34409,2993 litre	O
900	CM	145	CM	126 LEVEL CM	24778,6213 litre	41,682 %	34668,1657 litre	O
900	CM	145	CM	125 LEVEL CM	24519,9928 litre	41,247 %	34926,7942 litre	O
900	CM	145	CM	124 LEVEL CM	24261,6149 litre	40,812 %	35185,1721 litre	O
900	CM	145	CM	123 LEVEL CM	24003,5005 litre	40,378 %	35443,2865 litre	O
900	CM	145	CM	122 LEVEL CM	23745,6625 litre	39,944 %	35701,1245 litre	O
900	CM	145	CM	121 LEVEL CM	23488,1136 litre	39,511 %	35958,6734 litre	O
900	CM	145	CM	120 LEVEL CM	23230,8668 litre	39,078 %	36215,9202 litre	O
900	CM	145	CM	119 LEVEL CM	22973,9351 litre	38,646 %	36472,8519 litre	O
900	CM	145	CM	118 LEVEL CM	22717,3314 litre	38,215 %	36729,4556 litre	O
900	CM	145	CM	117 LEVEL CM	22461,0689 litre	37,783 %	36985,7181 litre	O
900	CM	145	CM	116 LEVEL CM	22205,1607 litre	37,353 %	37241,6263 litre	O
900	CM	145	CM	115 LEVEL CM	21949,6198 litre	36,923 %	37497,1672 litre	O
900	CM	145	CM	114 LEVEL CM	21694,4597 litre	36,494 %	37752,3273 litre	O
900	CM	145	CM	113 LEVEL CM	21439,6935 litre	36,065 %	38007,0935 litre	O
900	CM	145	CM	112 LEVEL CM	21185,3345 litre	35,637 %	38261,4525 litre	O
900	CM	145	CM	111 LEVEL CM	20931,3963 litre	35,210 %	38515,3907 litre	O
900	CM	145	CM	110 LEVEL CM	20677,8923 litre	34,784 %	38768,8947 litre	O
900	CM	145	CM	109 LEVEL CM	20424,8359 litre	34,358 %	39021,9511 litre	O
900	CM	145	CM	108 LEVEL CM	20172,2410 litre	33,933 %	39274,5460 litre	O
900	CM	145	CM	107 LEVEL CM	19920,1210 litre	33,509 %	39526,6660 litre	O
900	CM	145	CM	106 LEVEL CM	19668,4899 litre	33,086 %	39778,2971 litre	O
900	CM	145	CM	105 LEVEL CM	19417,3615 litre	32,663 %	40029,4255 litre	O
900	CM	145	CM	104 LEVEL CM	19166,7496 litre	32,242 %	40280,0374 litre	O
900	CM	145	CM	103 LEVEL CM	18916,6684 litre	31,821 %	40530,1186 litre	O
900	CM	145	CM	102 LEVEL CM	18667,1319 litre	31,401 %	40779,6551 litre	O
900	CM	145	CM	101 LEVEL CM	18418,1544 litre	30,983 %	41028,6326 litre	O
900	CM	145	CM	100 LEVEL CM	18169,7501 litre	30,565 %	41277,0369 litre	O
900	CM	145	CM	99 LEVEL CM	17921,9334 litre	30,148 %	41524,8536 litre	O
900	CM	145	CM	98 LEVEL CM	17674,7189 litre	29,732 %	41772,0681 litre	O
900	CM	145	CM	97 LEVEL CM	17428,1212 litre	29,317 %	42018,6658 litre	O
900	CM	145	CM	96 LEVEL CM	17182,1549 litre	28,903 %	42264,6321 litre	O
900	CM	145	CM	95 LEVEL CM	16936,8350 litre	28,491 %	42509,9520 litre	O
900	CM	145	CM	94 LEVEL CM	16692,1763 litre	28,079 %	42754,6107 litre	O
900	CM	145	CM	93 LEVEL CM	16448,1939 litre	27,669 %	42998,5931 litre	O
900	CM	145	CM	92 LEVEL CM	16204,9030 litre	27,260 %	43241,8840 litre	O
900	CM	145	CM	91 LEVEL CM	15962,3190 litre	26,851 %	43484,4680 litre	O
900	CM	145	CM	90 LEVEL CM	15720,4573 litre	26,445 %	43726,3297 litre	O
900	CM	145	CM	89 LEVEL CM	15479,3336 litre	26,039 %	43967,4534 litre	O
900	CM	145	CM	88 LEVEL CM	15238,9634 litre	25,635 %	44207,8236 litre	O
900	CM	145	CM	87 LEVEL CM	14999,3629 litre	25,232 %	44447,4241 litre	O
900	CM	145	CM	86 LEVEL CM	14760,5479 litre	24,830 %	44686,2391 litre	O
900	CM	145	CM	85 LEVEL CM	14522,5348 litre	24,429 %	44924,2522 litre	O
900	CM	145	CM	84 LEVEL CM	14285,3398 litre	24,030 %	45161,4472 litre	O
900	CM	145	CM	83 LEVEL CM	14048,9795 litre	23,633 %	45397,8075 litre	O
900	CM	145	CM	82 LEVEL CM	13813,4706 litre	23,237 %	45633,3164 litre	O
900	CM	145	CM	81 LEVEL CM	13578,8301 litre	22,842 %	45867,9569 litre	O
900	CM	145	CM	80 LEVEL CM	13345,0750 litre	22,449 %	46101,7120 litre	O

900	CM	145	CM	79 LEVEL CM	13112,2226 litre	22,057 %	46334,5644 litre	O
900	CM	145	CM	78 LEVEL CM	12880,2903 litre	21,667 %	46566,4967 litre	O
900	CM	145	CM	77 LEVEL CM	12649,2959 litre	21,278 %	46797,4911 litre	O
900	CM	145	CM	76 LEVEL CM	12419,2573 litre	20,891 %	47027,5297 litre	O
900	CM	145	CM	75 LEVEL CM	12190,1926 litre	20,506 %	47256,5944 litre	O
900	CM	145	CM	74 LEVEL CM	11962,1202 litre	20,122 %	47484,6668 litre	O
900	CM	145	CM	73 LEVEL CM	11735,0586 litre	19,740 %	47711,7284 litre	O
900	CM	145	CM	72 LEVEL CM	11509,0268 litre	19,360 %	47937,7602 litre	O
900	CM	145	CM	71 LEVEL CM	11284,0438 litre	18,982 %	48162,7432 litre	O
900	CM	145	CM	70 LEVEL CM	11060,1290 litre	18,605 %	48386,6580 litre	O
900	CM	145	CM	69 LEVEL CM	10837,3022 litre	18,230 %	48609,4848 litre	O
900	CM	145	CM	68 LEVEL CM	10615,5831 litre	17,857 %	48831,2039 litre	O
900	CM	145	CM	67 LEVEL CM	10394,9921 litre	17,486 %	49051,7949 litre	O
900	CM	145	CM	66 LEVEL CM	10175,5498 litre	17,117 %	49271,2372 litre	O
900	CM	145	CM	65 LEVEL CM	9957,2771 litre	16,750 %	49489,5099 litre	O
900	CM	145	CM	64 LEVEL CM	9740,1951 litre	16,385 %	49706,5919 litre	O
900	CM	145	CM	63 LEVEL CM	9524,3254 litre	16,022 %	49922,4616 litre	O
900	CM	145	CM	62 LEVEL CM	9309,6900 litre	15,661 %	50137,0970 litre	O
900	CM	145	CM	61 LEVEL CM	9096,3112 litre	15,302 %	50350,4758 litre	O
900	CM	145	CM	60 LEVEL CM	8884,2117 litre	14,945 %	50562,5753 litre	O
900	CM	145	CM	59 LEVEL CM	8673,4147 litre	14,590 %	50773,3723 litre	O
900	CM	145	CM	58 LEVEL CM	8463,9438 litre	14,238 %	50982,8432 litre	O
900	CM	145	CM	57 LEVEL CM	8255,8228 litre	13,888 %	51190,9642 litre	O
900	CM	145	CM	56 LEVEL CM	8049,0764 litre	13,540 %	51397,7106 litre	O
900	CM	145	CM	55 LEVEL CM	7843,7295 litre	13,195 %	51603,0575 litre	O
900	CM	145	CM	54 LEVEL CM	7639,8076 litre	12,852 %	51806,9794 litre	O
900	CM	145	CM	53 LEVEL CM	7437,3367 litre	12,511 %	52009,4503 litre	O
900	CM	145	CM	52 LEVEL CM	7236,3434 litre	12,173 %	52210,4436 litre	O
900	CM	145	CM	51 LEVEL CM	7036,8550 litre	11,837 %	52409,9320 litre	O
900	CM	145	CM	50 LEVEL CM	6838,8991 litre	11,504 %	52607,8879 litre	O
900	CM	145	CM	49 LEVEL CM	6642,5043 litre	11,174 %	52804,2827 litre	O
900	CM	145	CM	48 LEVEL CM	6447,6997 litre	10,846 %	52999,0873 litre	O
900	CM	145	CM	47 LEVEL CM	6254,5152 litre	10,521 %	53192,2718 litre	O
900	CM	145	CM	46 LEVEL CM	6062,9814 litre	10,199 %	53383,8056 litre	O
900	CM	145	CM	45 LEVEL CM	5873,1297 litre	9,880 %	53573,6573 litre	O
900	CM	145	CM	44 LEVEL CM	5684,9923 litre	9,563 %	53761,7947 litre	O
900	CM	145	CM	43 LEVEL CM	5498,6024 litre	9,250 %	53948,1846 litre	O
900	CM	145	CM	42 LEVEL CM	5313,9942 litre	8,939 %	54132,7928 litre	O
900	CM	145	CM	41 LEVEL CM	5131,2026 litre	8,632 %	54315,5844 litre	O
900	CM	145	CM	40 LEVEL CM	4950,2638 litre	8,327 %	54496,5232 litre	O
900	CM	145	CM	39 LEVEL CM	4771,2152 litre	8,026 %	54675,5718 litre	O
900	CM	145	CM	38 LEVEL CM	4594,0951 litre	7,728 %	54852,6919 litre	O
900	CM	145	CM	37 LEVEL CM	4418,9433 litre	7,433 %	55027,8437 litre	O
900	CM	145	CM	36 LEVEL CM	4245,8009 litre	7,142 %	55200,9861 litre	O
900	CM	145	CM	35 LEVEL CM	4074,7104 litre	6,854 %	55372,0766 litre	O
900	CM	145	CM	34 LEVEL CM	3905,7159 litre	6,570 %	55541,0711 litre	O
900	CM	145	CM	33 LEVEL CM	3738,8631 litre	6,289 %	55707,9239 litre	O
900	CM	145	CM	32 LEVEL CM	3574,1996 litre	6,012 %	55872,5874 litre	O
900	CM	145	CM	31 LEVEL CM	3411,7748 litre	5,739 %	56035,0122 litre	O
900	CM	145	CM	30 LEVEL CM	3251,6403 litre	5,470 %	56195,1467 litre	O
900	CM	145	CM	29 LEVEL CM	3093,8497 litre	5,204 %	56352,9373 litre	O
900	CM	145	CM	28 LEVEL CM	2938,4594 litre	4,943 %	56508,3276 litre	O
900	CM	145	CM	27 LEVEL CM	2785,5282 litre	4,686 %	56661,2588 litre	O

900	CM	145	CM	26 LEVEL CM	2635,1178 litre	4,433 %	56811,6692 litre	O
900	CM	145	CM	25 LEVEL CM	2487,2930 litre	4,184 %	56959,4940 litre	O
900	CM	145	CM	24 LEVEL CM	2342,1224 litre	3,940 %	57104,6646 litre	O
900	CM	145	CM	23 LEVEL CM	2199,6780 litre	3,700 %	57247,1090 litre	O
900	CM	145	CM	22 LEVEL CM	2060,0363 litre	3,465 %	57386,7507 litre	O
900	CM	145	CM	21 LEVEL CM	1923,2784 litre	3,235 %	57523,5086 litre	O
900	CM	145	CM	20 LEVEL CM	1789,4906 litre	3,010 %	57657,2964 litre	O
900	CM	145	CM	19 LEVEL CM	1658,7653 litre	2,790 %	57788,0217 litre	O
900	CM	145	CM	18 LEVEL CM	1531,2013 litre	2,576 %	57915,5857 litre	O
900	CM	145	CM	17 LEVEL CM	1406,9050 litre	2,367 %	58039,8820 litre	O
900	CM	145	CM	16 LEVEL CM	1285,9916 litre	2,163 %	58160,7954 litre	O
900	CM	145	CM	15 LEVEL CM	1168,5861 litre	1,966 %	58278,2009 litre	O
900	CM	145	CM	14 LEVEL CM	1054,8251 litre	1,774 %	58391,9619 litre	O
900	CM	145	CM	13 LEVEL CM	944,8588 litre	1,589 %	58501,9282 litre	O
900	CM	145	CM	12 LEVEL CM	838,8535 litre	1,411 %	58607,9335 litre	O
900	CM	145	CM	11 LEVEL CM	736,9951 litre	1,240 %	58709,7919 litre	O
900	CM	145	CM	10 LEVEL CM	639,4930 litre	1,076 %	58807,2940 litre	O
900	CM	145	CM	9 LEVEL CM	546,5863 litre	0,919 %	58900,2007 litre	O
900	CM	145	CM	8 LEVEL CM	458,5514 litre	0,771 %	58988,2356 litre	O
900	CM	145	CM	7 LEVEL CM	375,7138 litre	0,632 %	59071,0732 litre	O
900	CM	145	CM	6 LEVEL CM	298,4647 litre	0,502 %	59148,3223 litre	O
900	CM	145	CM	5 LEVEL CM	227,2878 litre	0,382 %	59219,4992 litre	O
900	CM	145	CM	4 LEVEL CM	162,8040 litre	0,274 %	59283,9830 litre	O
900	CM	145	CM	3 LEVEL CM	105,8546 litre	0,178 %	59340,9324 litre	O
900	CM	145	CM	2 LEVEL CM	57,6799 litre	0,097 %	59389,1071 litre	O
900	CM	145	CM	1 LEVEL CM	20,4141 litre	0,034 %	59426,3729 litre	O
900	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	59446,7870 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM 140	CM 280 LEVEL CM	55417,6944 litre	100,000 %	0,0000 litre	O
900	CM 140	CM 279 LEVEL CM	55397,6361 litre	99,964 %	20,0583 litre	O
900	CM 140	CM 278 LEVEL CM	55361,0219 litre	99,898 %	56,6725 litre	O
900	CM 140	CM 277 LEVEL CM	55313,6925 litre	99,812 %	104,0019 litre	O
900	CM 140	CM 276 LEVEL CM	55257,7459 litre	99,711 %	159,9485 litre	O
900	CM 140	CM 275 LEVEL CM	55194,4015 litre	99,597 %	223,2929 litre	O
900	CM 140	CM 274 LEVEL CM	55124,4867 litre	99,471 %	293,2077 litre	O
900	CM 140	CM 273 LEVEL CM	55048,6123 litre	99,334 %	369,0821 litre	O
900	CM 140	CM 272 LEVEL CM	54967,2540 litre	99,187 %	450,4404 litre	O
900	CM 140	CM 271 LEVEL CM	54880,7970 litre	99,031 %	536,8974 litre	O
900	CM 140	CM 270 LEVEL CM	54789,5615 litre	98,867 %	628,1329 litre	O
900	CM 140	CM 269 LEVEL CM	54693,8195 litre	98,694 %	723,8749 litre	O
900	CM 140	CM 268 LEVEL CM	54593,8065 litre	98,513 %	823,8879 litre	O
900	CM 140	CM 267 LEVEL CM	54489,7288 litre	98,326 %	927,9656 litre	O
900	CM 140	CM 266 LEVEL CM	54381,7694 litre	98,131 %	1035,9250 litre	O
900	CM 140	CM 265 LEVEL CM	54270,0921 litre	97,929 %	1147,6023 litre	O
900	CM 140	CM 264 LEVEL CM	54154,8450 litre	97,721 %	1262,8494 litre	O
900	CM 140	CM 263 LEVEL CM	54036,1627 litre	97,507 %	1381,5317 litre	O
900	CM 140	CM 262 LEVEL CM	53914,1684 litre	97,287 %	1503,5260 litre	O
900	CM 140	CM 261 LEVEL CM	53788,9757 litre	97,061 %	1628,7187 litre	O
900	CM 140	CM 260 LEVEL CM	53660,6895 litre	96,830 %	1757,0049 litre	O
900	CM 140	CM 259 LEVEL CM	53529,4074 litre	96,593 %	1888,2870 litre	O
900	CM 140	CM 258 LEVEL CM	53395,2204 litre	96,350 %	2022,4740 litre	O
900	CM 140	CM 257 LEVEL CM	53258,2137 litre	96,103 %	2159,4807 litre	O
900	CM 140	CM 256 LEVEL CM	53118,4674 litre	95,851 %	2299,2270 litre	O
900	CM 140	CM 255 LEVEL CM	52976,0569 litre	95,594 %	2441,6375 litre	O
900	CM 140	CM 254 LEVEL CM	52831,0535 litre	95,332 %	2586,6409 litre	O
900	CM 140	CM 253 LEVEL CM	52683,5248 litre	95,066 %	2734,1696 litre	O
900	CM 140	CM 252 LEVEL CM	52533,5349 litre	94,796 %	2884,1595 litre	O
900	CM 140	CM 251 LEVEL CM	52381,1447 litre	94,521 %	3036,5497 litre	O
900	CM 140	CM 250 LEVEL CM	52226,4124 litre	94,241 %	3191,2820 litre	O
900	CM 140	CM 249 LEVEL CM	52069,3936 litre	93,958 %	3348,3008 litre	O
900	CM 140	CM 248 LEVEL CM	51910,1415 litre	93,671 %	3507,5529 litre	O
900	CM 140	CM 247 LEVEL CM	51748,7070 litre	93,379 %	3668,9874 litre	O
900	CM 140	CM 246 LEVEL CM	51585,1391 litre	93,084 %	3832,5553 litre	O
900	CM 140	CM 245 LEVEL CM	51419,4847 litre	92,785 %	3998,2097 litre	O
900	CM 140	CM 244 LEVEL CM	51251,7892 litre	92,483 %	4165,9052 litre	O
900	CM 140	CM 243 LEVEL CM	51082,0962 litre	92,177 %	4335,5982 litre	O
900	CM 140	CM 242 LEVEL CM	50910,4479 litre	91,867 %	4507,2465 litre	O
900	CM 140	CM 241 LEVEL CM	50736,8848 litre	91,554 %	4680,8096 litre	O
900	CM 140	CM 240 LEVEL CM	50561,4464 litre	91,237 %	4856,2480 litre	O
900	CM 140	CM 239 LEVEL CM	50384,1708 litre	90,917 %	5033,5236 litre	O
900	CM 140	CM 238 LEVEL CM	50205,0949 litre	90,594 %	5212,5995 litre	O
900	CM 140	CM 237 LEVEL CM	50024,2545 litre	90,268 %	5393,4399 litre	O
900	CM 140	CM 236 LEVEL CM	49841,6846 litre	89,938 %	5576,0098 litre	O
900	CM 140	CM 235 LEVEL CM	49657,4188 litre	89,606 %	5760,2756 litre	O
900	CM 140	CM 234 LEVEL CM	49471,4900 litre	89,270 %	5946,2044 litre	O
900	CM 140	CM 233 LEVEL CM	49283,9304 litre	88,932 %	6133,7640 litre	O
900	CM 140	CM 232 LEVEL CM	49094,7710 litre	88,590 %	6322,9234 litre	O
900	CM 140	CM 231 LEVEL CM	48904,0423 litre	88,246 %	6513,6521 litre	O
900	CM 140	CM 230 LEVEL CM	48711,7739 litre	87,899 %	6705,9205 litre	O
900	CM 140	CM 229 LEVEL CM	48517,9948 litre	87,550 %	6899,6996 litre	O

900	CM	140	CM	228 LEVEL CM	48322,7333 litre	87,197 %	7094,9611 litre	O
900	CM	140	CM	227 LEVEL CM	48126,0170 litre	86,842 %	7291,6774 litre	O
900	CM	140	CM	226 LEVEL CM	47927,8729 litre	86,485 %	7489,8215 litre	O
900	CM	140	CM	225 LEVEL CM	47728,3276 litre	86,125 %	7689,3668 litre	O
900	CM	140	CM	224 LEVEL CM	47527,4068 litre	85,762 %	7890,2876 litre	O
900	CM	140	CM	223 LEVEL CM	47325,1359 litre	85,397 %	8092,5585 litre	O
900	CM	140	CM	222 LEVEL CM	47121,5399 litre	85,030 %	8296,1545 litre	O
900	CM	140	CM	221 LEVEL CM	46916,6431 litre	84,660 %	8501,0513 litre	O
900	CM	140	CM	220 LEVEL CM	46710,4694 litre	84,288 %	8707,2250 litre	O
900	CM	140	CM	219 LEVEL CM	46503,0424 litre	83,914 %	8914,6520 litre	O
900	CM	140	CM	218 LEVEL CM	46294,3849 litre	83,537 %	9123,3095 litre	O
900	CM	140	CM	217 LEVEL CM	46084,5198 litre	83,158 %	9333,1746 litre	O
900	CM	140	CM	216 LEVEL CM	45873,4693 litre	82,778 %	9544,2251 litre	O
900	CM	140	CM	215 LEVEL CM	45661,2552 litre	82,395 %	9756,4392 litre	O
900	CM	140	CM	214 LEVEL CM	45447,8992 litre	82,010 %	9969,7952 litre	O
900	CM	140	CM	213 LEVEL CM	45233,4223 litre	81,623 %	10184,2721 litre	O
900	CM	140	CM	212 LEVEL CM	45017,8454 litre	81,234 %	10399,8490 litre	O
900	CM	140	CM	211 LEVEL CM	44801,1891 litre	80,843 %	10616,5053 litre	O
900	CM	140	CM	210 LEVEL CM	44583,4737 litre	80,450 %	10834,2207 litre	O
900	CM	140	CM	209 LEVEL CM	44364,7189 litre	80,055 %	11052,9755 litre	O
900	CM	140	CM	208 LEVEL CM	44144,9446 litre	79,659 %	11272,7498 litre	O
900	CM	140	CM	207 LEVEL CM	43924,1701 litre	79,260 %	11493,5243 litre	O
900	CM	140	CM	206 LEVEL CM	43702,4144 litre	78,860 %	11715,2800 litre	O
900	CM	140	CM	205 LEVEL CM	43479,6966 litre	78,458 %	11937,9978 litre	O
900	CM	140	CM	204 LEVEL CM	43256,0351 litre	78,055 %	12161,6593 litre	O
900	CM	140	CM	203 LEVEL CM	43031,4485 litre	77,649 %	12386,2459 litre	O
900	CM	140	CM	202 LEVEL CM	42805,9547 litre	77,242 %	12611,7397 litre	O
900	CM	140	CM	201 LEVEL CM	42579,5719 litre	76,834 %	12838,1225 litre	O
900	CM	140	CM	200 LEVEL CM	42352,3178 litre	76,424 %	13065,3766 litre	O
900	CM	140	CM	199 LEVEL CM	42124,2098 litre	76,012 %	13293,4846 litre	O
900	CM	140	CM	198 LEVEL CM	41895,2653 litre	75,599 %	13522,4291 litre	O
900	CM	140	CM	197 LEVEL CM	41665,5014 litre	75,184 %	13752,1930 litre	O
900	CM	140	CM	196 LEVEL CM	41434,9352 litre	74,768 %	13982,7592 litre	O
900	CM	140	CM	195 LEVEL CM	41203,5834 litre	74,351 %	14214,1110 litre	O
900	CM	140	CM	194 LEVEL CM	40971,4625 litre	73,932 %	14446,2319 litre	O
900	CM	140	CM	193 LEVEL CM	40738,5892 litre	73,512 %	14679,1052 litre	O
900	CM	140	CM	192 LEVEL CM	40504,9796 litre	73,090 %	14912,7148 litre	O
900	CM	140	CM	191 LEVEL CM	40270,6499 litre	72,667 %	15147,0445 litre	O
900	CM	140	CM	190 LEVEL CM	40035,6162 litre	72,243 %	15382,0782 litre	O
900	CM	140	CM	189 LEVEL CM	39799,8941 litre	71,818 %	15617,8003 litre	O
900	CM	140	CM	188 LEVEL CM	39563,4995 litre	71,391 %	15854,1949 litre	O
900	CM	140	CM	187 LEVEL CM	39326,4480 litre	70,964 %	16091,2464 litre	O
900	CM	140	CM	186 LEVEL CM	39088,7549 litre	70,535 %	16328,9395 litre	O
900	CM	140	CM	185 LEVEL CM	38850,4356 litre	70,105 %	16567,2588 litre	O
900	CM	140	CM	184 LEVEL CM	38611,5053 litre	69,674 %	16806,1891 litre	O
900	CM	140	CM	183 LEVEL CM	38371,9790 litre	69,241 %	17045,7154 litre	O
900	CM	140	CM	182 LEVEL CM	38131,8719 litre	68,808 %	17285,8225 litre	O
900	CM	140	CM	181 LEVEL CM	37891,1986 litre	68,374 %	17526,4958 litre	O
900	CM	140	CM	180 LEVEL CM	37649,9740 litre	67,939 %	17767,7204 litre	O
900	CM	140	CM	179 LEVEL CM	37408,2128 litre	67,502 %	18009,4816 litre	O
900	CM	140	CM	178 LEVEL CM	37165,9295 litre	67,065 %	18251,7649 litre	O
900	CM	140	CM	177 LEVEL CM	36923,1385 litre	66,627 %	18494,5559 litre	O
900	CM	140	CM	176 LEVEL CM	36679,8543 litre	66,188 %	18737,8401 litre	O

900	CM	140	CM	175 LEVEL CM	36436,0910 litre	65,748 %	18981,6034 litre	O
900	CM	140	CM	174 LEVEL CM	36191,8631 litre	65,307 %	19225,8313 litre	O
900	CM	140	CM	173 LEVEL CM	35947,1845 litre	64,866 %	19470,5099 litre	O
900	CM	140	CM	172 LEVEL CM	35702,0693 litre	64,424 %	19715,6251 litre	O
900	CM	140	CM	171 LEVEL CM	35456,5314 litre	63,981 %	19961,1630 litre	O
900	CM	140	CM	170 LEVEL CM	35210,5849 litre	63,537 %	20207,1095 litre	O
900	CM	140	CM	169 LEVEL CM	34964,2434 litre	63,092 %	20453,4510 litre	O
900	CM	140	CM	168 LEVEL CM	34717,5209 litre	62,647 %	20700,1735 litre	O
900	CM	140	CM	167 LEVEL CM	34470,4309 litre	62,201 %	20947,2635 litre	O
900	CM	140	CM	166 LEVEL CM	34222,9871 litre	61,755 %	21194,7073 litre	O
900	CM	140	CM	165 LEVEL CM	33975,2031 litre	61,308 %	21442,4913 litre	O
900	CM	140	CM	164 LEVEL CM	33727,0924 litre	60,860 %	21690,6020 litre	O
900	CM	140	CM	163 LEVEL CM	33478,6685 litre	60,412 %	21939,0259 litre	O
900	CM	140	CM	162 LEVEL CM	33229,9448 litre	59,963 %	22187,7496 litre	O
900	CM	140	CM	161 LEVEL CM	32980,9347 litre	59,513 %	22436,7597 litre	O
900	CM	140	CM	160 LEVEL CM	32731,6515 litre	59,064 %	22686,0429 litre	O
900	CM	140	CM	159 LEVEL CM	32482,1085 litre	58,613 %	22935,5859 litre	O
900	CM	140	CM	158 LEVEL CM	32232,3189 litre	58,163 %	23185,3755 litre	O
900	CM	140	CM	157 LEVEL CM	31982,2959 litre	57,711 %	23435,3985 litre	O
900	CM	140	CM	156 LEVEL CM	31732,0528 litre	57,260 %	23685,6416 litre	O
900	CM	140	CM	155 LEVEL CM	31481,6026 litre	56,808 %	23936,0918 litre	O
900	CM	140	CM	154 LEVEL CM	31230,9584 litre	56,356 %	24186,7360 litre	O
900	CM	140	CM	153 LEVEL CM	30980,1332 litre	55,903 %	24437,5612 litre	O
900	CM	140	CM	152 LEVEL CM	30729,1403 litre	55,450 %	24688,5541 litre	O
900	CM	140	CM	151 LEVEL CM	30477,9924 litre	54,997 %	24939,7020 litre	O
900	CM	140	CM	150 LEVEL CM	30226,7027 litre	54,543 %	25190,9917 litre	O
900	CM	140	CM	149 LEVEL CM	29975,2841 litre	54,090 %	25442,4103 litre	O
900	CM	140	CM	148 LEVEL CM	29723,7495 litre	53,636 %	25693,9449 litre	O
900	CM	140	CM	147 LEVEL CM	29472,1119 litre	53,182 %	25945,5825 litre	O
900	CM	140	CM	146 LEVEL CM	29220,3842 litre	52,728 %	26197,3102 litre	O
900	CM	140	CM	145 LEVEL CM	28968,5793 litre	52,273 %	26449,1151 litre	O
900	CM	140	CM	144 LEVEL CM	28716,7100 litre	51,819 %	26700,9844 litre	O
900	CM	140	CM	143 LEVEL CM	28464,7893 litre	51,364 %	26952,9051 litre	O
900	CM	140	CM	142 LEVEL CM	28212,8301 litre	50,909 %	27204,8643 litre	O
900	CM	140	CM	141 LEVEL CM	27960,8451 litre	50,455 %	27456,8493 litre	O
900	CM	140	CM	140 LEVEL CM	27708,8472 litre	50,000 %	27708,8472 litre	O
900	CM	140	CM	139 LEVEL CM	27456,8493 litre	49,545 %	27960,8451 litre	O
900	CM	140	CM	138 LEVEL CM	27204,8643 litre	49,091 %	28212,8301 litre	O
900	CM	140	CM	137 LEVEL CM	26952,9051 litre	48,636 %	28464,7893 litre	O
900	CM	140	CM	136 LEVEL CM	26700,9844 litre	48,181 %	28716,7100 litre	O
900	CM	140	CM	135 LEVEL CM	26449,1151 litre	47,727 %	28968,5793 litre	O
900	CM	140	CM	134 LEVEL CM	26197,3102 litre	47,272 %	29220,3842 litre	O
900	CM	140	CM	133 LEVEL CM	25945,5825 litre	46,818 %	29472,1119 litre	O
900	CM	140	CM	132 LEVEL CM	25693,9449 litre	46,364 %	29723,7495 litre	O
900	CM	140	CM	131 LEVEL CM	25442,4103 litre	45,910 %	29975,2841 litre	O
900	CM	140	CM	130 LEVEL CM	25190,9917 litre	45,457 %	30226,7027 litre	O
900	CM	140	CM	129 LEVEL CM	24939,7020 litre	45,003 %	30477,9924 litre	O
900	CM	140	CM	128 LEVEL CM	24688,5542 litre	44,550 %	30729,1402 litre	O
900	CM	140	CM	127 LEVEL CM	24437,5612 litre	44,097 %	30980,1332 litre	O
900	CM	140	CM	126 LEVEL CM	24186,7361 litre	43,644 %	31230,9583 litre	O
900	CM	140	CM	125 LEVEL CM	23936,0919 litre	43,192 %	31481,6025 litre	O
900	CM	140	CM	124 LEVEL CM	23685,6416 litre	42,740 %	31732,0528 litre	O
900	CM	140	CM	123 LEVEL CM	23435,3985 litre	42,289 %	31982,2959 litre	O

900	CM	140	CM	122 LEVEL CM	23185,3755 litre	41,837 %	32232,3189 litre	O
900	CM	140	CM	121 LEVEL CM	22935,5859 litre	41,387 %	32482,1085 litre	O
900	CM	140	CM	120 LEVEL CM	22686,0429 litre	40,936 %	32731,6515 litre	O
900	CM	140	CM	119 LEVEL CM	22436,7597 litre	40,487 %	32980,9347 litre	O
900	CM	140	CM	118 LEVEL CM	22187,7496 litre	40,037 %	33229,9448 litre	O
900	CM	140	CM	117 LEVEL CM	21939,0259 litre	39,588 %	33478,6685 litre	O
900	CM	140	CM	116 LEVEL CM	21690,6020 litre	39,140 %	33727,0924 litre	O
900	CM	140	CM	115 LEVEL CM	21442,4914 litre	38,692 %	33975,2030 litre	O
900	CM	140	CM	114 LEVEL CM	21194,7074 litre	38,245 %	34222,9870 litre	O
900	CM	140	CM	113 LEVEL CM	20947,2636 litre	37,799 %	34470,4308 litre	O
900	CM	140	CM	112 LEVEL CM	20700,1736 litre	37,353 %	34717,5208 litre	O
900	CM	140	CM	111 LEVEL CM	20453,4510 litre	36,908 %	34964,2434 litre	O
900	CM	140	CM	110 LEVEL CM	20207,1095 litre	36,463 %	35210,5849 litre	O
900	CM	140	CM	109 LEVEL CM	19961,1630 litre	36,019 %	35456,5314 litre	O
900	CM	140	CM	108 LEVEL CM	19715,6252 litre	35,576 %	35702,0692 litre	O
900	CM	140	CM	107 LEVEL CM	19470,5100 litre	35,134 %	35947,1844 litre	O
900	CM	140	CM	106 LEVEL CM	19225,8313 litre	34,693 %	36191,8631 litre	O
900	CM	140	CM	105 LEVEL CM	18981,6034 litre	34,252 %	36436,0910 litre	O
900	CM	140	CM	104 LEVEL CM	18737,8402 litre	33,812 %	36679,8542 litre	O
900	CM	140	CM	103 LEVEL CM	18494,5559 litre	33,373 %	36923,1385 litre	O
900	CM	140	CM	102 LEVEL CM	18251,7649 litre	32,935 %	37165,9295 litre	O
900	CM	140	CM	101 LEVEL CM	18009,4816 litre	32,498 %	37408,2128 litre	O
900	CM	140	CM	100 LEVEL CM	17767,7204 litre	32,061 %	37649,9740 litre	O
900	CM	140	CM	99 LEVEL CM	17526,4958 litre	31,626 %	37891,1986 litre	O
900	CM	140	CM	98 LEVEL CM	17285,8225 litre	31,192 %	38131,8719 litre	O
900	CM	140	CM	97 LEVEL CM	17045,7154 litre	30,759 %	38371,9790 litre	O
900	CM	140	CM	96 LEVEL CM	16806,1891 litre	30,326 %	38611,5053 litre	O
900	CM	140	CM	95 LEVEL CM	16567,2588 litre	29,895 %	38850,4356 litre	O
900	CM	140	CM	94 LEVEL CM	16328,9395 litre	29,465 %	39088,7549 litre	O
900	CM	140	CM	93 LEVEL CM	16091,2464 litre	29,036 %	39326,4480 litre	O
900	CM	140	CM	92 LEVEL CM	15854,1949 litre	28,609 %	39563,4995 litre	O
900	CM	140	CM	91 LEVEL CM	15617,8003 litre	28,182 %	39799,8941 litre	O
900	CM	140	CM	90 LEVEL CM	15382,0782 litre	27,757 %	40035,6162 litre	O
900	CM	140	CM	89 LEVEL CM	15147,0445 litre	27,333 %	40270,6499 litre	O
900	CM	140	CM	88 LEVEL CM	14912,7148 litre	26,910 %	40504,9796 litre	O
900	CM	140	CM	87 LEVEL CM	14679,1052 litre	26,488 %	40738,5892 litre	O
900	CM	140	CM	86 LEVEL CM	14446,2319 litre	26,068 %	40971,4625 litre	O
900	CM	140	CM	85 LEVEL CM	14214,1111 litre	25,649 %	41203,5833 litre	O
900	CM	140	CM	84 LEVEL CM	13982,7592 litre	25,232 %	41434,9352 litre	O
900	CM	140	CM	83 LEVEL CM	13752,1930 litre	24,816 %	41665,5014 litre	O
900	CM	140	CM	82 LEVEL CM	13522,4291 litre	24,401 %	41895,2653 litre	O
900	CM	140	CM	81 LEVEL CM	13293,4846 litre	23,988 %	42124,2098 litre	O
900	CM	140	CM	80 LEVEL CM	13065,3766 litre	23,576 %	42352,3178 litre	O
900	CM	140	CM	79 LEVEL CM	12838,1225 litre	23,166 %	42579,5719 litre	O
900	CM	140	CM	78 LEVEL CM	12611,7397 litre	22,758 %	42805,9547 litre	O
900	CM	140	CM	77 LEVEL CM	12386,2460 litre	22,351 %	43031,4484 litre	O
900	CM	140	CM	76 LEVEL CM	12161,6593 litre	21,945 %	43256,0351 litre	O
900	CM	140	CM	75 LEVEL CM	11937,9978 litre	21,542 %	43479,6966 litre	O
900	CM	140	CM	74 LEVEL CM	11715,2800 litre	21,140 %	43702,4144 litre	O
900	CM	140	CM	73 LEVEL CM	11493,5243 litre	20,740 %	43924,1701 litre	O
900	CM	140	CM	72 LEVEL CM	11272,7498 litre	20,341 %	44144,9446 litre	O
900	CM	140	CM	71 LEVEL CM	11052,9755 litre	19,945 %	44364,7189 litre	O
900	CM	140	CM	70 LEVEL CM	10834,2207 litre	19,550 %	44583,4737 litre	O

900	CM	140	CM	69 LEVEL CM	10616,5053 litre	19,157 %	44801,1891 litre	O
900	CM	140	CM	68 LEVEL CM	10399,8490 litre	18,766 %	45017,8454 litre	O
900	CM	140	CM	67 LEVEL CM	10184,2721 litre	18,377 %	45233,4223 litre	O
900	CM	140	CM	66 LEVEL CM	9969,7952 litre	17,990 %	45447,8992 litre	O
900	CM	140	CM	65 LEVEL CM	9756,4392 litre	17,605 %	45661,2552 litre	O
900	CM	140	CM	64 LEVEL CM	9544,2251 litre	17,222 %	45873,4693 litre	O
900	CM	140	CM	63 LEVEL CM	9333,1746 litre	16,842 %	46084,5198 litre	O
900	CM	140	CM	62 LEVEL CM	9123,3095 litre	16,463 %	46294,3849 litre	O
900	CM	140	CM	61 LEVEL CM	8914,6521 litre	16,086 %	46503,0423 litre	O
900	CM	140	CM	60 LEVEL CM	8707,2250 litre	15,712 %	46710,4694 litre	O
900	CM	140	CM	59 LEVEL CM	8501,0513 litre	15,340 %	46916,6431 litre	O
900	CM	140	CM	58 LEVEL CM	8296,1545 litre	14,970 %	47121,5399 litre	O
900	CM	140	CM	57 LEVEL CM	8092,5585 litre	14,603 %	47325,1359 litre	O
900	CM	140	CM	56 LEVEL CM	7890,2876 litre	14,238 %	47527,4068 litre	O
900	CM	140	CM	55 LEVEL CM	7689,3669 litre	13,875 %	47728,3275 litre	O
900	CM	140	CM	54 LEVEL CM	7489,8215 litre	13,515 %	47927,8729 litre	O
900	CM	140	CM	53 LEVEL CM	7291,6774 litre	13,158 %	48126,0170 litre	O
900	CM	140	CM	52 LEVEL CM	7094,9611 litre	12,803 %	48322,7333 litre	O
900	CM	140	CM	51 LEVEL CM	6899,6996 litre	12,450 %	48517,9948 litre	O
900	CM	140	CM	50 LEVEL CM	6705,9205 litre	12,101 %	48711,7739 litre	O
900	CM	140	CM	49 LEVEL CM	6513,6521 litre	11,754 %	48904,0423 litre	O
900	CM	140	CM	48 LEVEL CM	6322,9234 litre	11,410 %	49094,7710 litre	O
900	CM	140	CM	47 LEVEL CM	6133,7640 litre	11,068 %	49283,9304 litre	O
900	CM	140	CM	46 LEVEL CM	5946,2044 litre	10,730 %	49471,4900 litre	O
900	CM	140	CM	45 LEVEL CM	5760,2756 litre	10,394 %	49657,4188 litre	O
900	CM	140	CM	44 LEVEL CM	5576,0098 litre	10,062 %	49841,6846 litre	O
900	CM	140	CM	43 LEVEL CM	5393,4399 litre	9,732 %	50024,2545 litre	O
900	CM	140	CM	42 LEVEL CM	5212,5995 litre	9,406 %	50205,0949 litre	O
900	CM	140	CM	41 LEVEL CM	5033,5236 litre	9,083 %	50384,1708 litre	O
900	CM	140	CM	40 LEVEL CM	4856,2480 litre	8,763 %	50561,4464 litre	O
900	CM	140	CM	39 LEVEL CM	4680,8096 litre	8,446 %	50736,8848 litre	O
900	CM	140	CM	38 LEVEL CM	4507,2466 litre	8,133 %	50910,4478 litre	O
900	CM	140	CM	37 LEVEL CM	4335,5982 litre	7,823 %	51082,0962 litre	O
900	CM	140	CM	36 LEVEL CM	4165,9052 litre	7,517 %	51251,7892 litre	O
900	CM	140	CM	35 LEVEL CM	3998,2097 litre	7,215 %	51419,4847 litre	O
900	CM	140	CM	34 LEVEL CM	3832,5553 litre	6,916 %	51585,1391 litre	O
900	CM	140	CM	33 LEVEL CM	3668,9874 litre	6,621 %	51748,7070 litre	O
900	CM	140	CM	32 LEVEL CM	3507,5529 litre	6,329 %	51910,1415 litre	O
900	CM	140	CM	31 LEVEL CM	3348,3008 litre	6,042 %	52069,3936 litre	O
900	CM	140	CM	30 LEVEL CM	3191,2820 litre	5,759 %	52226,4124 litre	O
900	CM	140	CM	29 LEVEL CM	3036,5498 litre	5,479 %	52381,1446 litre	O
900	CM	140	CM	28 LEVEL CM	2884,1596 litre	5,204 %	52533,5348 litre	O
900	CM	140	CM	27 LEVEL CM	2734,1696 litre	4,934 %	52683,5248 litre	O
900	CM	140	CM	26 LEVEL CM	2586,6409 litre	4,668 %	52831,0535 litre	O
900	CM	140	CM	25 LEVEL CM	2441,6375 litre	4,406 %	52976,0569 litre	O
900	CM	140	CM	24 LEVEL CM	2299,2270 litre	4,149 %	53118,4674 litre	O
900	CM	140	CM	23 LEVEL CM	2159,4807 litre	3,897 %	53258,2137 litre	O
900	CM	140	CM	22 LEVEL CM	2022,4740 litre	3,650 %	53395,2204 litre	O
900	CM	140	CM	21 LEVEL CM	1888,2870 litre	3,407 %	53529,4074 litre	O
900	CM	140	CM	20 LEVEL CM	1757,0049 litre	3,170 %	53660,6895 litre	O
900	CM	140	CM	19 LEVEL CM	1628,7187 litre	2,939 %	53788,9757 litre	O
900	CM	140	CM	18 LEVEL CM	1503,5260 litre	2,713 %	53914,1684 litre	O
900	CM	140	CM	17 LEVEL CM	1381,5317 litre	2,493 %	54036,1627 litre	O

900	CM	140	CM	16 LEVEL CM	1262,8494 litre	2,279 %	54154,8450 litre	O
900	CM	140	CM	15 LEVEL CM	1147,6023 litre	2,071 %	54270,0921 litre	O
900	CM	140	CM	14 LEVEL CM	1035,9250 litre	1,869 %	54381,7694 litre	O
900	CM	140	CM	13 LEVEL CM	927,9656 litre	1,674 %	54489,7288 litre	O
900	CM	140	CM	12 LEVEL CM	823,8879 litre	1,487 %	54593,8065 litre	O
900	CM	140	CM	11 LEVEL CM	723,8749 litre	1,306 %	54693,8195 litre	O
900	CM	140	CM	10 LEVEL CM	628,1330 litre	1,133 %	54789,5614 litre	O
900	CM	140	CM	9 LEVEL CM	536,8974 litre	0,969 %	54880,7970 litre	O
900	CM	140	CM	8 LEVEL CM	450,4404 litre	0,813 %	54967,2540 litre	O
900	CM	140	CM	7 LEVEL CM	369,0821 litre	0,666 %	55048,6123 litre	O
900	CM	140	CM	6 LEVEL CM	293,2077 litre	0,529 %	55124,4867 litre	O
900	CM	140	CM	5 LEVEL CM	223,2929 litre	0,403 %	55194,4015 litre	O
900	CM	140	CM	4 LEVEL CM	159,9485 litre	0,289 %	55257,7459 litre	O
900	CM	140	CM	3 LEVEL CM	104,0019 litre	0,188 %	55313,6925 litre	O
900	CM	140	CM	2 LEVEL CM	56,6725 litre	0,102 %	55361,0219 litre	O
900	CM	140	CM	1 LEVEL CM	20,0583 litre	0,036 %	55397,6361 litre	O
900	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	55417,6944 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM	135	CM 270 LEVEL CM	51529,9735 litre	100,000 %	0,0000 litre	O
900	CM	135	CM 269 LEVEL CM	51510,2774 litre	99,962 %	19,6961 litre	O
900	CM	135	CM 268 LEVEL CM	51474,3266 litre	99,892 %	55,6469 litre	O
900	CM	135	CM 267 LEVEL CM	51427,8579 litre	99,802 %	102,1156 litre	O
900	CM	135	CM 266 LEVEL CM	51372,9324 litre	99,695 %	157,0411 litre	O
900	CM	135	CM 265 LEVEL CM	51310,7482 litre	99,575 %	219,2253 litre	O
900	CM	135	CM 264 LEVEL CM	51242,1188 litre	99,441 %	287,8547 litre	O
900	CM	135	CM 263 LEVEL CM	51167,6444 litre	99,297 %	362,3291 litre	O
900	CM	135	CM 262 LEVEL CM	51087,7930 litre	99,142 %	442,1805 litre	O
900	CM	135	CM 261 LEVEL CM	51002,9431 litre	98,977 %	527,0304 litre	O
900	CM	135	CM 260 LEVEL CM	50913,4099 litre	98,803 %	616,5636 litre	O
900	CM	135	CM 259 LEVEL CM	50819,4611 litre	98,621 %	710,5124 litre	O
900	CM	135	CM 258 LEVEL CM	50721,3282 litre	98,431 %	808,6453 litre	O
900	CM	135	CM 257 LEVEL CM	50619,2145 litre	98,233 %	910,7590 litre	O
900	CM	135	CM 256 LEVEL CM	50513,2999 litre	98,027 %	1016,6736 litre	O
900	CM	135	CM 255 LEVEL CM	50403,7460 litre	97,814 %	1126,2275 litre	O
900	CM	135	CM 254 LEVEL CM	50290,6985 litre	97,595 %	1239,2750 litre	O
900	CM	135	CM 253 LEVEL CM	50174,2900 litre	97,369 %	1355,6835 litre	O
900	CM	135	CM 252 LEVEL CM	50054,6420 litre	97,137 %	1475,3315 litre	O
900	CM	135	CM 251 LEVEL CM	49931,8664 litre	96,899 %	1598,1071 litre	O
900	CM	135	CM 250 LEVEL CM	49806,0667 litre	96,655 %	1723,9068 litre	O
900	CM	135	CM 249 LEVEL CM	49677,3389 litre	96,405 %	1852,6346 litre	O
900	CM	135	CM 248 LEVEL CM	49545,7730 litre	96,149 %	1984,2005 litre	O
900	CM	135	CM 247 LEVEL CM	49411,4530 litre	95,889 %	2118,5205 litre	O
900	CM	135	CM 246 LEVEL CM	49274,4579 litre	95,623 %	2255,5156 litre	O
900	CM	135	CM 245 LEVEL CM	49134,8621 litre	95,352 %	2395,1114 litre	O
900	CM	135	CM 244 LEVEL CM	48992,7361 litre	95,076 %	2537,2374 litre	O
900	CM	135	CM 243 LEVEL CM	48848,1466 litre	94,796 %	2681,8269 litre	O
900	CM	135	CM 242 LEVEL CM	48701,1567 litre	94,510 %	2828,8168 litre	O
900	CM	135	CM 241 LEVEL CM	48551,8269 litre	94,221 %	2978,1466 litre	O
900	CM	135	CM 240 LEVEL CM	48400,2146 litre	93,926 %	3129,7589 litre	O
900	CM	135	CM 239 LEVEL CM	48246,3747 litre	93,628 %	3283,5988 litre	O
900	CM	135	CM 238 LEVEL CM	48090,3598 litre	93,325 %	3439,6137 litre	O
900	CM	135	CM 237 LEVEL CM	47932,2202 litre	93,018 %	3597,7533 litre	O
900	CM	135	CM 236 LEVEL CM	47772,0045 litre	92,707 %	3757,9690 litre	O
900	CM	135	CM 235 LEVEL CM	47609,7590 litre	92,392 %	3920,2145 litre	O
900	CM	135	CM 234 LEVEL CM	47445,5287 litre	92,074 %	4084,4448 litre	O
900	CM	135	CM 233 LEVEL CM	47279,3567 litre	91,751 %	4250,6168 litre	O
900	CM	135	CM 232 LEVEL CM	47111,2847 litre	91,425 %	4418,6888 litre	O
900	CM	135	CM 231 LEVEL CM	46941,3531 litre	91,095 %	4588,6204 litre	O
900	CM	135	CM 230 LEVEL CM	46769,6008 litre	90,762 %	4760,3727 litre	O
900	CM	135	CM 229 LEVEL CM	46596,0656 litre	90,425 %	4933,9079 litre	O
900	CM	135	CM 228 LEVEL CM	46420,7842 litre	90,085 %	5109,1893 litre	O
900	CM	135	CM 227 LEVEL CM	46243,7920 litre	89,742 %	5286,1815 litre	O
900	CM	135	CM 226 LEVEL CM	46065,1235 litre	89,395 %	5464,8500 litre	O
900	CM	135	CM 225 LEVEL CM	45884,8124 litre	89,045 %	5645,1611 litre	O
900	CM	135	CM 224 LEVEL CM	45702,8913 litre	88,692 %	5827,0822 litre	O
900	CM	135	CM 223 LEVEL CM	45519,3918 litre	88,336 %	6010,5817 litre	O
900	CM	135	CM 222 LEVEL CM	45334,3451 litre	87,977 %	6195,6284 litre	O
900	CM	135	CM 221 LEVEL CM	45147,7813 litre	87,615 %	6382,1922 litre	O
900	CM	135	CM 220 LEVEL CM	44959,7299 litre	87,250 %	6570,2436 litre	O
900	CM	135	CM 219 LEVEL CM	44770,2196 litre	86,882 %	6759,7539 litre	O

900	CM	135	CM	218 LEVEL CM	44579,2786 litre	86,511 %	6950,6949 litre	O
900	CM	135	CM	217 LEVEL CM	44386,9343 litre	86,138 %	7143,0392 litre	O
900	CM	135	CM	216 LEVEL CM	44193,2137 litre	85,762 %	7336,7598 litre	O
900	CM	135	CM	215 LEVEL CM	43998,1430 litre	85,384 %	7531,8305 litre	O
900	CM	135	CM	214 LEVEL CM	43801,7481 litre	85,002 %	7728,2254 litre	O
900	CM	135	CM	213 LEVEL CM	43604,0541 litre	84,619 %	7925,9194 litre	O
900	CM	135	CM	212 LEVEL CM	43405,0859 litre	84,233 %	8124,8876 litre	O
900	CM	135	CM	211 LEVEL CM	43204,8677 litre	83,844 %	8325,1058 litre	O
900	CM	135	CM	210 LEVEL CM	43003,4234 litre	83,453 %	8526,5501 litre	O
900	CM	135	CM	209 LEVEL CM	42800,7765 litre	83,060 %	8729,1970 litre	O
900	CM	135	CM	208 LEVEL CM	42596,9498 litre	82,664 %	8933,0237 litre	O
900	CM	135	CM	207 LEVEL CM	42391,9659 litre	82,267 %	9138,0076 litre	O
900	CM	135	CM	206 LEVEL CM	42185,8472 litre	81,867 %	9344,1263 litre	O
900	CM	135	CM	205 LEVEL CM	41978,6154 litre	81,464 %	9551,3581 litre	O
900	CM	135	CM	204 LEVEL CM	41770,2920 litre	81,060 %	9759,6815 litre	O
900	CM	135	CM	203 LEVEL CM	41560,8983 litre	80,654 %	9969,0752 litre	O
900	CM	135	CM	202 LEVEL CM	41350,4549 litre	80,245 %	10179,5186 litre	O
900	CM	135	CM	201 LEVEL CM	41138,9826 litre	79,835 %	10390,9909 litre	O
900	CM	135	CM	200 LEVEL CM	40926,5015 litre	79,423 %	10603,4720 litre	O
900	CM	135	CM	199 LEVEL CM	40713,0315 litre	79,008 %	10816,9420 litre	O
900	CM	135	CM	198 LEVEL CM	40498,5923 litre	78,592 %	11031,3812 litre	O
900	CM	135	CM	197 LEVEL CM	40283,2033 litre	78,174 %	11246,7702 litre	O
900	CM	135	CM	196 LEVEL CM	40066,8837 litre	77,755 %	11463,0898 litre	O
900	CM	135	CM	195 LEVEL CM	39849,6524 litre	77,333 %	11680,3211 litre	O
900	CM	135	CM	194 LEVEL CM	39631,5280 litre	76,910 %	11898,4455 litre	O
900	CM	135	CM	193 LEVEL CM	39412,5289 litre	76,485 %	12117,4446 litre	O
900	CM	135	CM	192 LEVEL CM	39192,6735 litre	76,058 %	12337,3000 litre	O
900	CM	135	CM	191 LEVEL CM	38971,9796 litre	75,630 %	12557,9939 litre	O
900	CM	135	CM	190 LEVEL CM	38750,4651 litre	75,200 %	12779,5084 litre	O
900	CM	135	CM	189 LEVEL CM	38528,1476 litre	74,768 %	13001,8259 litre	O
900	CM	135	CM	188 LEVEL CM	38305,0446 litre	74,335 %	13224,9289 litre	O
900	CM	135	CM	187 LEVEL CM	38081,1731 litre	73,901 %	13448,8004 litre	O
900	CM	135	CM	186 LEVEL CM	37856,5503 litre	73,465 %	13673,4232 litre	O
900	CM	135	CM	185 LEVEL CM	37631,1931 litre	73,028 %	13898,7804 litre	O
900	CM	135	CM	184 LEVEL CM	37405,1182 litre	72,589 %	14124,8553 litre	O
900	CM	135	CM	183 LEVEL CM	37178,3420 litre	72,149 %	14351,6315 litre	O
900	CM	135	CM	182 LEVEL CM	36950,8812 litre	71,708 %	14579,0923 litre	O
900	CM	135	CM	181 LEVEL CM	36722,7518 litre	71,265 %	14807,2217 litre	O
900	CM	135	CM	180 LEVEL CM	36493,9701 litre	70,821 %	15036,0034 litre	O
900	CM	135	CM	179 LEVEL CM	36264,5519 litre	70,376 %	15265,4216 litre	O
900	CM	135	CM	178 LEVEL CM	36034,5132 litre	69,929 %	15495,4603 litre	O
900	CM	135	CM	177 LEVEL CM	35803,8697 litre	69,482 %	15726,1038 litre	O
900	CM	135	CM	176 LEVEL CM	35572,6369 litre	69,033 %	15957,3366 litre	O
900	CM	135	CM	175 LEVEL CM	35340,8303 litre	68,583 %	16189,1432 litre	O
900	CM	135	CM	174 LEVEL CM	35108,4653 litre	68,132 %	16421,5082 litre	O
900	CM	135	CM	173 LEVEL CM	34875,5571 litre	67,680 %	16654,4164 litre	O
900	CM	135	CM	172 LEVEL CM	34642,1209 litre	67,227 %	16887,8526 litre	O
900	CM	135	CM	171 LEVEL CM	34408,1717 litre	66,773 %	17121,8018 litre	O
900	CM	135	CM	170 LEVEL CM	34173,7245 litre	66,318 %	17356,2490 litre	O
900	CM	135	CM	169 LEVEL CM	33938,7941 litre	65,862 %	17591,1794 litre	O
900	CM	135	CM	168 LEVEL CM	33703,3952 litre	65,405 %	17826,5783 litre	O
900	CM	135	CM	167 LEVEL CM	33467,5426 litre	64,948 %	18062,4309 litre	O
900	CM	135	CM	166 LEVEL CM	33231,2508 litre	64,489 %	18298,7227 litre	O

900	CM	135	CM	165 LEVEL CM	32994,5343 litre	64,030 %	18535,4392 litre	O
900	CM	135	CM	164 LEVEL CM	32757,4075 litre	63,570 %	18772,5660 litre	O
900	CM	135	CM	163 LEVEL CM	32519,8848 litre	63,109 %	19010,0887 litre	O
900	CM	135	CM	162 LEVEL CM	32281,9805 litre	62,647 %	19247,9930 litre	O
900	CM	135	CM	161 LEVEL CM	32043,7087 litre	62,185 %	19486,2648 litre	O
900	CM	135	CM	160 LEVEL CM	31805,0837 litre	61,722 %	19724,8898 litre	O
900	CM	135	CM	159 LEVEL CM	31566,1194 litre	61,258 %	19963,8541 litre	O
900	CM	135	CM	158 LEVEL CM	31326,8300 litre	60,793 %	20203,1435 litre	O
900	CM	135	CM	157 LEVEL CM	31087,2294 litre	60,328 %	20442,7441 litre	O
900	CM	135	CM	156 LEVEL CM	30847,3314 litre	59,863 %	20682,6421 litre	O
900	CM	135	CM	155 LEVEL CM	30607,1500 litre	59,397 %	20922,8235 litre	O
900	CM	135	CM	154 LEVEL CM	30366,6989 litre	58,930 %	21163,2746 litre	O
900	CM	135	CM	153 LEVEL CM	30125,9920 litre	58,463 %	21403,9815 litre	O
900	CM	135	CM	152 LEVEL CM	29885,0429 litre	57,995 %	21644,9306 litre	O
900	CM	135	CM	151 LEVEL CM	29643,8653 litre	57,527 %	21886,1082 litre	O
900	CM	135	CM	150 LEVEL CM	29402,4728 litre	57,059 %	22127,5007 litre	O
900	CM	135	CM	149 LEVEL CM	29160,8791 litre	56,590 %	22369,0944 litre	O
900	CM	135	CM	148 LEVEL CM	28919,0977 litre	56,121 %	22610,8758 litre	O
900	CM	135	CM	147 LEVEL CM	28677,1422 litre	55,651 %	22852,8313 litre	O
900	CM	135	CM	146 LEVEL CM	28435,0260 litre	55,182 %	23094,9475 litre	O
900	CM	135	CM	145 LEVEL CM	28192,7627 litre	54,711 %	23337,2108 litre	O
900	CM	135	CM	144 LEVEL CM	27950,3657 litre	54,241 %	23579,6078 litre	O
900	CM	135	CM	143 LEVEL CM	27707,8484 litre	53,770 %	23822,1251 litre	O
900	CM	135	CM	142 LEVEL CM	27465,2242 litre	53,300 %	24064,7493 litre	O
900	CM	135	CM	141 LEVEL CM	27222,5066 litre	52,828 %	24307,4669 litre	O
900	CM	135	CM	140 LEVEL CM	26979,7089 litre	52,357 %	24550,2646 litre	O
900	CM	135	CM	139 LEVEL CM	26736,8445 litre	51,886 %	24793,1290 litre	O
900	CM	135	CM	138 LEVEL CM	26493,9267 litre	51,415 %	25036,0468 litre	O
900	CM	135	CM	137 LEVEL CM	26250,9690 litre	50,943 %	25279,0045 litre	O
900	CM	135	CM	136 LEVEL CM	26007,9845 litre	50,472 %	25521,9890 litre	O
900	CM	135	CM	135 LEVEL CM	25764,9868 litre	50,000 %	25764,9867 litre	O
900	CM	135	CM	134 LEVEL CM	25521,9890 litre	49,528 %	26007,9845 litre	O
900	CM	135	CM	133 LEVEL CM	25279,0045 litre	49,057 %	26250,9690 litre	O
900	CM	135	CM	132 LEVEL CM	25036,0468 litre	48,585 %	26493,9267 litre	O
900	CM	135	CM	131 LEVEL CM	24793,1290 litre	48,114 %	26736,8445 litre	O
900	CM	135	CM	130 LEVEL CM	24550,2646 litre	47,643 %	26979,7089 litre	O
900	CM	135	CM	129 LEVEL CM	24307,4669 litre	47,172 %	27222,5066 litre	O
900	CM	135	CM	128 LEVEL CM	24064,7493 litre	46,700 %	27465,2242 litre	O
900	CM	135	CM	127 LEVEL CM	23822,1251 litre	46,230 %	27707,8484 litre	O
900	CM	135	CM	126 LEVEL CM	23579,6078 litre	45,759 %	27950,3657 litre	O
900	CM	135	CM	125 LEVEL CM	23337,2108 litre	45,289 %	28192,7627 litre	O
900	CM	135	CM	124 LEVEL CM	23094,9475 litre	44,818 %	28435,0260 litre	O
900	CM	135	CM	123 LEVEL CM	22852,8313 litre	44,349 %	28677,1422 litre	O
900	CM	135	CM	122 LEVEL CM	22610,8758 litre	43,879 %	28919,0977 litre	O
900	CM	135	CM	121 LEVEL CM	22369,0944 litre	43,410 %	29160,8791 litre	O
900	CM	135	CM	120 LEVEL CM	22127,5007 litre	42,941 %	29402,4728 litre	O
900	CM	135	CM	119 LEVEL CM	21886,1082 litre	42,473 %	29643,8653 litre	O
900	CM	135	CM	118 LEVEL CM	21644,9306 litre	42,005 %	29885,0429 litre	O
900	CM	135	CM	117 LEVEL CM	21403,9815 litre	41,537 %	30125,9920 litre	O
900	CM	135	CM	116 LEVEL CM	21163,2746 litre	41,070 %	30366,6989 litre	O
900	CM	135	CM	115 LEVEL CM	20922,8235 litre	40,603 %	30607,1500 litre	O
900	CM	135	CM	114 LEVEL CM	20682,6421 litre	40,137 %	30847,3314 litre	O
900	CM	135	CM	113 LEVEL CM	20442,7441 litre	39,672 %	31087,2294 litre	O

900	CM	135	CM	112 LEVEL CM	20203,1435 litre	39,207 %	31326,8300 litre	O
900	CM	135	CM	111 LEVEL CM	19963,8541 litre	38,742 %	31566,1194 litre	O
900	CM	135	CM	110 LEVEL CM	19724,8898 litre	38,278 %	31805,0837 litre	O
900	CM	135	CM	109 LEVEL CM	19486,2648 litre	37,815 %	32043,7087 litre	O
900	CM	135	CM	108 LEVEL CM	19247,9930 litre	37,353 %	32281,9805 litre	O
900	CM	135	CM	107 LEVEL CM	19010,0887 litre	36,891 %	32519,8848 litre	O
900	CM	135	CM	106 LEVEL CM	18772,5660 litre	36,430 %	32757,4075 litre	O
900	CM	135	CM	105 LEVEL CM	18535,4392 litre	35,970 %	32994,5343 litre	O
900	CM	135	CM	104 LEVEL CM	18298,7227 litre	35,511 %	33231,2508 litre	O
900	CM	135	CM	103 LEVEL CM	18062,4309 litre	35,052 %	33467,5426 litre	O
900	CM	135	CM	102 LEVEL CM	17826,5783 litre	34,595 %	33703,3952 litre	O
900	CM	135	CM	101 LEVEL CM	17591,1794 litre	34,138 %	33938,7941 litre	O
900	CM	135	CM	100 LEVEL CM	17356,2490 litre	33,682 %	34173,7245 litre	O
900	CM	135	CM	99 LEVEL CM	17121,8018 litre	33,227 %	34408,1717 litre	O
900	CM	135	CM	98 LEVEL CM	16887,8526 litre	32,773 %	34642,1209 litre	O
900	CM	135	CM	97 LEVEL CM	16654,4164 litre	32,320 %	34875,5571 litre	O
900	CM	135	CM	96 LEVEL CM	16421,5082 litre	31,868 %	35108,4653 litre	O
900	CM	135	CM	95 LEVEL CM	16189,1432 litre	31,417 %	35340,8303 litre	O
900	CM	135	CM	94 LEVEL CM	15957,3366 litre	30,967 %	35572,6369 litre	O
900	CM	135	CM	93 LEVEL CM	15726,1038 litre	30,518 %	35803,8697 litre	O
900	CM	135	CM	92 LEVEL CM	15495,4603 litre	30,071 %	36034,5132 litre	O
900	CM	135	CM	91 LEVEL CM	15265,4216 litre	29,624 %	36264,5519 litre	O
900	CM	135	CM	90 LEVEL CM	15036,0034 litre	29,179 %	36493,9701 litre	O
900	CM	135	CM	89 LEVEL CM	14807,2217 litre	28,735 %	36722,7518 litre	O
900	CM	135	CM	88 LEVEL CM	14579,0923 litre	28,292 %	36950,8812 litre	O
900	CM	135	CM	87 LEVEL CM	14351,6315 litre	27,851 %	37178,3420 litre	O
900	CM	135	CM	86 LEVEL CM	14124,8554 litre	27,411 %	37405,1181 litre	O
900	CM	135	CM	85 LEVEL CM	13898,7804 litre	26,972 %	37631,1931 litre	O
900	CM	135	CM	84 LEVEL CM	13673,4232 litre	26,535 %	37856,5503 litre	O
900	CM	135	CM	83 LEVEL CM	13448,8004 litre	26,099 %	38081,1731 litre	O
900	CM	135	CM	82 LEVEL CM	13224,9289 litre	25,665 %	38305,0446 litre	O
900	CM	135	CM	81 LEVEL CM	13001,8259 litre	25,232 %	38528,1476 litre	O
900	CM	135	CM	80 LEVEL CM	12779,5084 litre	24,800 %	38750,4651 litre	O
900	CM	135	CM	79 LEVEL CM	12557,9939 litre	24,370 %	38971,9796 litre	O
900	CM	135	CM	78 LEVEL CM	12337,3000 litre	23,942 %	39192,6735 litre	O
900	CM	135	CM	77 LEVEL CM	12117,4446 litre	23,515 %	39412,5289 litre	O
900	CM	135	CM	76 LEVEL CM	11898,4455 litre	23,090 %	39631,5280 litre	O
900	CM	135	CM	75 LEVEL CM	11680,3211 litre	22,667 %	39849,6524 litre	O
900	CM	135	CM	74 LEVEL CM	11463,0898 litre	22,245 %	40066,8837 litre	O
900	CM	135	CM	73 LEVEL CM	11246,7702 litre	21,826 %	40283,2033 litre	O
900	CM	135	CM	72 LEVEL CM	11031,3812 litre	21,408 %	40498,5923 litre	O
900	CM	135	CM	71 LEVEL CM	10816,9420 litre	20,992 %	40713,0315 litre	O
900	CM	135	CM	70 LEVEL CM	10603,4720 litre	20,577 %	40926,5015 litre	O
900	CM	135	CM	69 LEVEL CM	10390,9909 litre	20,165 %	41138,9826 litre	O
900	CM	135	CM	68 LEVEL CM	10179,5186 litre	19,755 %	41350,4549 litre	O
900	CM	135	CM	67 LEVEL CM	9969,0752 litre	19,346 %	41560,8983 litre	O
900	CM	135	CM	66 LEVEL CM	9759,6815 litre	18,940 %	41770,2920 litre	O
900	CM	135	CM	65 LEVEL CM	9551,3581 litre	18,536 %	41978,6154 litre	O
900	CM	135	CM	64 LEVEL CM	9344,1263 litre	18,133 %	42185,8472 litre	O
900	CM	135	CM	63 LEVEL CM	9138,0076 litre	17,733 %	42391,9659 litre	O
900	CM	135	CM	62 LEVEL CM	8933,0237 litre	17,336 %	42596,9498 litre	O
900	CM	135	CM	61 LEVEL CM	8729,1970 litre	16,940 %	42800,7765 litre	O
900	CM	135	CM	60 LEVEL CM	8526,5501 litre	16,547 %	43003,4234 litre	O

900	CM	135	CM	59 LEVEL CM	8325,1058 litre	16,156 %	43204,8677 litre	O
900	CM	135	CM	58 LEVEL CM	8124,8876 litre	15,767 %	43405,0859 litre	O
900	CM	135	CM	57 LEVEL CM	7925,9194 litre	15,381 %	43604,0541 litre	O
900	CM	135	CM	56 LEVEL CM	7728,2254 litre	14,998 %	43801,7481 litre	O
900	CM	135	CM	55 LEVEL CM	7531,8305 litre	14,616 %	43998,1430 litre	O
900	CM	135	CM	54 LEVEL CM	7336,7598 litre	14,238 %	44193,2137 litre	O
900	CM	135	CM	53 LEVEL CM	7143,0392 litre	13,862 %	44386,9343 litre	O
900	CM	135	CM	52 LEVEL CM	6950,6949 litre	13,489 %	44579,2786 litre	O
900	CM	135	CM	51 LEVEL CM	6759,7539 litre	13,118 %	44770,2196 litre	O
900	CM	135	CM	50 LEVEL CM	6570,2436 litre	12,750 %	44959,7299 litre	O
900	CM	135	CM	49 LEVEL CM	6382,1922 litre	12,385 %	45147,7813 litre	O
900	CM	135	CM	48 LEVEL CM	6195,6284 litre	12,023 %	45334,3451 litre	O
900	CM	135	CM	47 LEVEL CM	6010,5817 litre	11,664 %	45519,3918 litre	O
900	CM	135	CM	46 LEVEL CM	5827,0823 litre	11,308 %	45702,8912 litre	O
900	CM	135	CM	45 LEVEL CM	5645,1611 litre	10,955 %	45884,8124 litre	O
900	CM	135	CM	44 LEVEL CM	5464,8500 litre	10,605 %	46065,1235 litre	O
900	CM	135	CM	43 LEVEL CM	5286,1815 litre	10,258 %	46243,7920 litre	O
900	CM	135	CM	42 LEVEL CM	5109,1893 litre	9,915 %	46420,7842 litre	O
900	CM	135	CM	41 LEVEL CM	4933,9079 litre	9,575 %	46596,0656 litre	O
900	CM	135	CM	40 LEVEL CM	4760,3727 litre	9,238 %	46769,6008 litre	O
900	CM	135	CM	39 LEVEL CM	4588,6204 litre	8,905 %	46941,3531 litre	O
900	CM	135	CM	38 LEVEL CM	4418,6888 litre	8,575 %	47111,2847 litre	O
900	CM	135	CM	37 LEVEL CM	4250,6168 litre	8,249 %	47279,3567 litre	O
900	CM	135	CM	36 LEVEL CM	4084,4448 litre	7,926 %	47445,5287 litre	O
900	CM	135	CM	35 LEVEL CM	3920,2145 litre	7,608 %	47609,7590 litre	O
900	CM	135	CM	34 LEVEL CM	3757,9690 litre	7,293 %	47772,0045 litre	O
900	CM	135	CM	33 LEVEL CM	3597,7533 litre	6,982 %	47932,2202 litre	O
900	CM	135	CM	32 LEVEL CM	3439,6137 litre	6,675 %	48090,3598 litre	O
900	CM	135	CM	31 LEVEL CM	3283,5988 litre	6,372 %	48246,3747 litre	O
900	CM	135	CM	30 LEVEL CM	3129,7589 litre	6,074 %	48400,2146 litre	O
900	CM	135	CM	29 LEVEL CM	2978,1466 litre	5,779 %	48551,8269 litre	O
900	CM	135	CM	28 LEVEL CM	2828,8168 litre	5,490 %	48701,1567 litre	O
900	CM	135	CM	27 LEVEL CM	2681,8269 litre	5,204 %	48848,1466 litre	O
900	CM	135	CM	26 LEVEL CM	2537,2374 litre	4,924 %	48992,7361 litre	O
900	CM	135	CM	25 LEVEL CM	2395,1114 litre	4,648 %	49134,8621 litre	O
900	CM	135	CM	24 LEVEL CM	2255,5156 litre	4,377 %	49274,4579 litre	O
900	CM	135	CM	23 LEVEL CM	2118,5205 litre	4,111 %	49411,4530 litre	O
900	CM	135	CM	22 LEVEL CM	1984,2005 litre	3,851 %	49545,7730 litre	O
900	CM	135	CM	21 LEVEL CM	1852,6346 litre	3,595 %	49677,3389 litre	O
900	CM	135	CM	20 LEVEL CM	1723,9068 litre	3,345 %	49806,0667 litre	O
900	CM	135	CM	19 LEVEL CM	1598,1071 litre	3,101 %	49931,8664 litre	O
900	CM	135	CM	18 LEVEL CM	1475,3315 litre	2,863 %	50054,6420 litre	O
900	CM	135	CM	17 LEVEL CM	1355,6835 litre	2,631 %	50174,2900 litre	O
900	CM	135	CM	16 LEVEL CM	1239,2750 litre	2,405 %	50290,6985 litre	O
900	CM	135	CM	15 LEVEL CM	1126,2275 litre	2,186 %	50403,7460 litre	O
900	CM	135	CM	14 LEVEL CM	1016,6736 litre	1,973 %	50513,2999 litre	O
900	CM	135	CM	13 LEVEL CM	910,7590 litre	1,767 %	50619,2145 litre	O
900	CM	135	CM	12 LEVEL CM	808,6453 litre	1,569 %	50721,3282 litre	O
900	CM	135	CM	11 LEVEL CM	710,5124 litre	1,379 %	50819,4611 litre	O
900	CM	135	CM	10 LEVEL CM	616,5636 litre	1,197 %	50913,4099 litre	O
900	CM	135	CM	9 LEVEL CM	527,0304 litre	1,023 %	51002,9431 litre	O
900	CM	135	CM	8 LEVEL CM	442,1805 litre	0,858 %	51087,7930 litre	O
900	CM	135	CM	7 LEVEL CM	362,3291 litre	0,703 %	51167,6444 litre	O

900	CM	135	CM	6 LEVEL CM	287,8547 litre	0,559 %	51242,1188 litre	O
900	CM	135	CM	5 LEVEL CM	219,2253 litre	0,425 %	51310,7482 litre	O
900	CM	135	CM	4 LEVEL CM	157,0411 litre	0,305 %	51372,9324 litre	O
900	CM	135	CM	3 LEVEL CM	102,1156 litre	0,198 %	51427,8579 litre	O
900	CM	135	CM	2 LEVEL CM	55,6469 litre	0,108 %	51474,3266 litre	O
900	CM	135	CM	1 LEVEL CM	19,6961 litre	0,038 %	51510,2774 litre	O
900	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	51529,9735 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM 130	CM 260 LEVEL CM	47783,6243 litre	100,000 %	0,0000 litre	O
900	CM 130	CM 259 LEVEL CM	47764,2972 litre	99,960 %	19,3271 litre	O
900	CM 130	CM 258 LEVEL CM	47729,0223 litre	99,886 %	54,6020 litre	O
900	CM 130	CM 257 LEVEL CM	47683,4305 litre	99,790 %	100,1938 litre	O
900	CM 130	CM 256 LEVEL CM	47629,5453 litre	99,678 %	154,0790 litre	O
900	CM 130	CM 255 LEVEL CM	47568,5436 litre	99,550 %	215,0807 litre	O
900	CM 130	CM 254 LEVEL CM	47501,2240 litre	99,409 %	282,4003 litre	O
900	CM 130	CM 253 LEVEL CM	47428,1765 litre	99,256 %	355,4478 litre	O
900	CM 130	CM 252 LEVEL CM	47349,8609 litre	99,092 %	433,7634 litre	O
900	CM 130	CM 251 LEVEL CM	47266,6492 litre	98,918 %	516,9751 litre	O
900	CM 130	CM 250 LEVEL CM	47178,8513 litre	98,734 %	604,7730 litre	O
900	CM 130	CM 249 LEVEL CM	47086,7305 litre	98,542 %	696,8938 litre	O
900	CM 130	CM 248 LEVEL CM	46990,5145 litre	98,340 %	793,1098 litre	O
900	CM 130	CM 247 LEVEL CM	46890,4032 litre	98,131 %	893,2211 litre	O
900	CM 130	CM 246 LEVEL CM	46786,5738 litre	97,913 %	997,0505 litre	O
900	CM 130	CM 245 LEVEL CM	46679,1853 litre	97,689 %	1104,4390 litre	O
900	CM 130	CM 244 LEVEL CM	46568,3810 litre	97,457 %	1215,2433 litre	O
900	CM 130	CM 243 LEVEL CM	46454,2917 litre	97,218 %	1329,3326 litre	O
900	CM 130	CM 242 LEVEL CM	46337,0369 litre	96,973 %	1446,5874 litre	O
900	CM 130	CM 241 LEVEL CM	46216,7270 litre	96,721 %	1566,8973 litre	O
900	CM 130	CM 240 LEVEL CM	46093,4638 litre	96,463 %	1690,1605 litre	O
900	CM 130	CM 239 LEVEL CM	45967,3421 litre	96,199 %	1816,2822 litre	O
900	CM 130	CM 238 LEVEL CM	45838,4506 litre	95,929 %	1945,1737 litre	O
900	CM 130	CM 237 LEVEL CM	45706,8722 litre	95,654 %	2076,7521 litre	O
900	CM 130	CM 236 LEVEL CM	45572,6846 litre	95,373 %	2210,9397 litre	O
900	CM 130	CM 235 LEVEL CM	45435,9616 litre	95,087 %	2347,6627 litre	O
900	CM 130	CM 234 LEVEL CM	45296,7724 litre	94,796 %	2486,8519 litre	O
900	CM 130	CM 233 LEVEL CM	45155,1829 litre	94,499 %	2628,4414 litre	O
900	CM 130	CM 232 LEVEL CM	45011,2558 litre	94,198 %	2772,3685 litre	O
900	CM 130	CM 231 LEVEL CM	44865,0504 litre	93,892 %	2918,5739 litre	O
900	CM 130	CM 230 LEVEL CM	44716,6235 litre	93,581 %	3067,0008 litre	O
900	CM 130	CM 229 LEVEL CM	44566,0296 litre	93,266 %	3217,5947 litre	O
900	CM 130	CM 228 LEVEL CM	44413,3205 litre	92,947 %	3370,3038 litre	O
900	CM 130	CM 227 LEVEL CM	44258,5460 litre	92,623 %	3525,0783 litre	O
900	CM 130	CM 226 LEVEL CM	44101,7541 litre	92,295 %	3681,8702 litre	O
900	CM 130	CM 225 LEVEL CM	43942,9907 litre	91,962 %	3840,6336 litre	O
900	CM 130	CM 224 LEVEL CM	43782,3003 litre	91,626 %	4001,3240 litre	O
900	CM 130	CM 223 LEVEL CM	43619,7255 litre	91,286 %	4163,8988 litre	O
900	CM 130	CM 222 LEVEL CM	43455,3078 litre	90,942 %	4328,3165 litre	O
900	CM 130	CM 221 LEVEL CM	43289,0869 litre	90,594 %	4494,5374 litre	O
900	CM 130	CM 220 LEVEL CM	43121,1016 litre	90,242 %	4662,5227 litre	O
900	CM 130	CM 219 LEVEL CM	42951,3893 litre	89,887 %	4832,2350 litre	O
900	CM 130	CM 218 LEVEL CM	42779,9862 litre	89,529 %	5003,6381 litre	O
900	CM 130	CM 217 LEVEL CM	42606,9277 litre	89,166 %	5176,6966 litre	O
900	CM 130	CM 216 LEVEL CM	42432,2479 litre	88,801 %	5351,3764 litre	O
900	CM 130	CM 215 LEVEL CM	42255,9801 litre	88,432 %	5527,6442 litre	O
900	CM 130	CM 214 LEVEL CM	42078,1569 litre	88,060 %	5705,4674 litre	O
900	CM 130	CM 213 LEVEL CM	41898,8096 litre	87,684 %	5884,8147 litre	O
900	CM 130	CM 212 LEVEL CM	41717,9690 litre	87,306 %	6065,6553 litre	O
900	CM 130	CM 211 LEVEL CM	41535,6653 litre	86,924 %	6247,9590 litre	O
900	CM 130	CM 210 LEVEL CM	41351,9275 litre	86,540 %	6431,6968 litre	O
900	CM 130	CM 209 LEVEL CM	41166,7845 litre	86,152 %	6616,8398 litre	O

900	CM	130	CM	208 LEVEL CM	40980,2640 litre	85,762 %	6803,3603 litre	O
900	CM	130	CM	207 LEVEL CM	40792,3935 litre	85,369 %	6991,2308 litre	O
900	CM	130	CM	206 LEVEL CM	40603,1997 litre	84,973 %	7180,4246 litre	O
900	CM	130	CM	205 LEVEL CM	40412,7088 litre	84,574 %	7370,9155 litre	O
900	CM	130	CM	204 LEVEL CM	40220,9464 litre	84,173 %	7562,6779 litre	O
900	CM	130	CM	203 LEVEL CM	40027,9379 litre	83,769 %	7755,6864 litre	O
900	CM	130	CM	202 LEVEL CM	39833,7077 litre	83,363 %	7949,9166 litre	O
900	CM	130	CM	201 LEVEL CM	39638,2802 litre	82,954 %	8145,3441 litre	O
900	CM	130	CM	200 LEVEL CM	39441,6790 litre	82,542 %	8341,9453 litre	O
900	CM	130	CM	199 LEVEL CM	39243,9276 litre	82,128 %	8539,6967 litre	O
900	CM	130	CM	198 LEVEL CM	39045,0489 litre	81,712 %	8738,5754 litre	O
900	CM	130	CM	197 LEVEL CM	38845,0655 litre	81,294 %	8938,5588 litre	O
900	CM	130	CM	196 LEVEL CM	38643,9995 litre	80,873 %	9139,6248 litre	O
900	CM	130	CM	195 LEVEL CM	38441,8727 litre	80,450 %	9341,7516 litre	O
900	CM	130	CM	194 LEVEL CM	38238,7067 litre	80,025 %	9544,9176 litre	O
900	CM	130	CM	193 LEVEL CM	38034,5226 litre	79,597 %	9749,1017 litre	O
900	CM	130	CM	192 LEVEL CM	37829,3412 litre	79,168 %	9954,2831 litre	O
900	CM	130	CM	191 LEVEL CM	37623,1831 litre	78,737 %	10160,4412 litre	O
900	CM	130	CM	190 LEVEL CM	37416,0685 litre	78,303 %	10367,5558 litre	O
900	CM	130	CM	189 LEVEL CM	37208,0174 litre	77,868 %	10575,6069 litre	O
900	CM	130	CM	188 LEVEL CM	36999,0496 litre	77,430 %	10784,5747 litre	O
900	CM	130	CM	187 LEVEL CM	36789,1843 litre	76,991 %	10994,4400 litre	O
900	CM	130	CM	186 LEVEL CM	36578,4409 litre	76,550 %	11205,1834 litre	O
900	CM	130	CM	185 LEVEL CM	36366,8383 litre	76,107 %	11416,7860 litre	O
900	CM	130	CM	184 LEVEL CM	36154,3953 litre	75,663 %	11629,2290 litre	O
900	CM	130	CM	183 LEVEL CM	35941,1302 litre	75,216 %	11842,4941 litre	O
900	CM	130	CM	182 LEVEL CM	35727,0615 litre	74,768 %	12056,5628 litre	O
900	CM	130	CM	181 LEVEL CM	35512,2071 litre	74,319 %	12271,4172 litre	O
900	CM	130	CM	180 LEVEL CM	35296,5851 litre	73,868 %	12487,0392 litre	O
900	CM	130	CM	179 LEVEL CM	35080,2130 litre	73,415 %	12703,4113 litre	O
900	CM	130	CM	178 LEVEL CM	34863,1084 litre	72,960 %	12920,5159 litre	O
900	CM	130	CM	177 LEVEL CM	34645,2887 litre	72,505 %	13138,3356 litre	O
900	CM	130	CM	176 LEVEL CM	34426,7709 litre	72,047 %	13356,8534 litre	O
900	CM	130	CM	175 LEVEL CM	34207,5722 litre	71,588 %	13576,0521 litre	O
900	CM	130	CM	174 LEVEL CM	33987,7093 litre	71,128 %	13795,9150 litre	O
900	CM	130	CM	173 LEVEL CM	33767,1990 litre	70,667 %	14016,4253 litre	O
900	CM	130	CM	172 LEVEL CM	33546,0578 litre	70,204 %	14237,5665 litre	O
900	CM	130	CM	171 LEVEL CM	33324,3020 litre	69,740 %	14459,3223 litre	O
900	CM	130	CM	170 LEVEL CM	33101,9480 litre	69,275 %	14681,6763 litre	O
900	CM	130	CM	169 LEVEL CM	32879,0120 litre	68,808 %	14904,6123 litre	O
900	CM	130	CM	168 LEVEL CM	32655,5098 litre	68,340 %	15128,1145 litre	O
900	CM	130	CM	167 LEVEL CM	32431,4575 litre	67,871 %	15352,1668 litre	O
900	CM	130	CM	166 LEVEL CM	32206,8707 litre	67,401 %	15576,7536 litre	O
900	CM	130	CM	165 LEVEL CM	31981,7652 litre	66,930 %	15801,8591 litre	O
900	CM	130	CM	164 LEVEL CM	31756,1564 litre	66,458 %	16027,4679 litre	O
900	CM	130	CM	163 LEVEL CM	31530,0600 litre	65,985 %	16253,5643 litre	O
900	CM	130	CM	162 LEVEL CM	31303,4911 litre	65,511 %	16480,1332 litre	O
900	CM	130	CM	161 LEVEL CM	31076,4650 litre	65,036 %	16707,1593 litre	O
900	CM	130	CM	160 LEVEL CM	30848,9970 litre	64,560 %	16934,6273 litre	O
900	CM	130	CM	159 LEVEL CM	30621,1021 litre	64,083 %	17162,5222 litre	O
900	CM	130	CM	158 LEVEL CM	30392,7952 litre	63,605 %	17390,8291 litre	O
900	CM	130	CM	157 LEVEL CM	30164,0913 litre	63,126 %	17619,5330 litre	O
900	CM	130	CM	156 LEVEL CM	29935,0052 litre	62,647 %	17848,6191 litre	O

900	CM	130	CM	155 LEVEL CM	29705,5517 litre	62,167 %	18078,0726 litre	O
900	CM	130	CM	154 LEVEL CM	29475,7455 litre	61,686 %	18307,8788 litre	O
900	CM	130	CM	153 LEVEL CM	29245,6011 litre	61,204 %	18538,0232 litre	O
900	CM	130	CM	152 LEVEL CM	29015,1332 litre	60,722 %	18768,4911 litre	O
900	CM	130	CM	151 LEVEL CM	28784,3561 litre	60,239 %	18999,2682 litre	O
900	CM	130	CM	150 LEVEL CM	28553,2845 litre	59,755 %	19230,3398 litre	O
900	CM	130	CM	149 LEVEL CM	28321,9326 litre	59,271 %	19461,6917 litre	O
900	CM	130	CM	148 LEVEL CM	28090,3147 litre	58,786 %	19693,3096 litre	O
900	CM	130	CM	147 LEVEL CM	27858,4452 litre	58,301 %	19925,1791 litre	O
900	CM	130	CM	146 LEVEL CM	27626,3382 litre	57,815 %	20157,2861 litre	O
900	CM	130	CM	145 LEVEL CM	27394,0080 litre	57,329 %	20389,6163 litre	O
900	CM	130	CM	144 LEVEL CM	27161,4688 litre	56,843 %	20622,1555 litre	O
900	CM	130	CM	143 LEVEL CM	26928,7345 litre	56,356 %	20854,8898 litre	O
900	CM	130	CM	142 LEVEL CM	26695,8193 litre	55,868 %	21087,8050 litre	O
900	CM	130	CM	141 LEVEL CM	26462,7373 litre	55,380 %	21320,8870 litre	O
900	CM	130	CM	140 LEVEL CM	26229,5024 litre	54,892 %	21554,1219 litre	O
900	CM	130	CM	139 LEVEL CM	25996,1286 litre	54,404 %	21787,4957 litre	O
900	CM	130	CM	138 LEVEL CM	25762,6299 litre	53,915 %	22020,9944 litre	O
900	CM	130	CM	137 LEVEL CM	25529,0202 litre	53,426 %	22254,6041 litre	O
900	CM	130	CM	136 LEVEL CM	25295,3135 litre	52,937 %	22488,3108 litre	O
900	CM	130	CM	135 LEVEL CM	25061,5236 litre	52,448 %	22722,1007 litre	O
900	CM	130	CM	134 LEVEL CM	24827,6644 litre	51,959 %	22955,9599 litre	O
900	CM	130	CM	133 LEVEL CM	24593,7498 litre	51,469 %	23189,8745 litre	O
900	CM	130	CM	132 LEVEL CM	24359,7937 litre	50,979 %	23423,8306 litre	O
900	CM	130	CM	131 LEVEL CM	24125,8098 litre	50,490 %	23657,8145 litre	O
900	CM	130	CM	130 LEVEL CM	23891,8121 litre	50,000 %	23891,8122 litre	O
900	CM	130	CM	129 LEVEL CM	23657,8144 litre	49,510 %	24125,8099 litre	O
900	CM	130	CM	128 LEVEL CM	23423,8306 litre	49,021 %	24359,7937 litre	O
900	CM	130	CM	127 LEVEL CM	23189,8744 litre	48,531 %	24593,7499 litre	O
900	CM	130	CM	126 LEVEL CM	22955,9598 litre	48,041 %	24827,6645 litre	O
900	CM	130	CM	125 LEVEL CM	22722,1007 litre	47,552 %	25061,5236 litre	O
900	CM	130	CM	124 LEVEL CM	22488,3108 litre	47,063 %	25295,3135 litre	O
900	CM	130	CM	123 LEVEL CM	22254,6040 litre	46,574 %	25529,0203 litre	O
900	CM	130	CM	122 LEVEL CM	22020,9943 litre	46,085 %	25762,6300 litre	O
900	CM	130	CM	121 LEVEL CM	21787,4956 litre	45,596 %	25996,1287 litre	O
900	CM	130	CM	120 LEVEL CM	21554,1219 litre	45,108 %	26229,5024 litre	O
900	CM	130	CM	119 LEVEL CM	21320,8870 litre	44,620 %	26462,7373 litre	O
900	CM	130	CM	118 LEVEL CM	21087,8049 litre	44,132 %	26695,8194 litre	O
900	CM	130	CM	117 LEVEL CM	20854,8898 litre	43,644 %	26928,7345 litre	O
900	CM	130	CM	116 LEVEL CM	20622,1555 litre	43,157 %	27161,4688 litre	O
900	CM	130	CM	115 LEVEL CM	20389,6162 litre	42,671 %	27394,0081 litre	O
900	CM	130	CM	114 LEVEL CM	20157,2860 litre	42,185 %	27626,3383 litre	O
900	CM	130	CM	113 LEVEL CM	19925,1791 litre	41,699 %	27858,4452 litre	O
900	CM	130	CM	112 LEVEL CM	19693,3096 litre	41,214 %	28090,3147 litre	O
900	CM	130	CM	111 LEVEL CM	19461,6917 litre	40,729 %	28321,9326 litre	O
900	CM	130	CM	110 LEVEL CM	19230,3398 litre	40,245 %	28553,2845 litre	O
900	CM	130	CM	109 LEVEL CM	18999,2681 litre	39,761 %	28784,3562 litre	O
900	CM	130	CM	108 LEVEL CM	18768,4911 litre	39,278 %	29015,1332 litre	O
900	CM	130	CM	107 LEVEL CM	18538,0232 litre	38,796 %	29245,6011 litre	O
900	CM	130	CM	106 LEVEL CM	18307,8788 litre	38,314 %	29475,7455 litre	O
900	CM	130	CM	105 LEVEL CM	18078,0725 litre	37,833 %	29705,5518 litre	O
900	CM	130	CM	104 LEVEL CM	17848,6190 litre	37,353 %	29935,0053 litre	O
900	CM	130	CM	103 LEVEL CM	17619,5330 litre	36,874 %	30164,0913 litre	O

900	CM	130	CM	102 LEVEL CM	17390,8291 litre	36,395 %	30392,7952 litre	O
900	CM	130	CM	101 LEVEL CM	17162,5222 litre	35,917 %	30621,1021 litre	O
900	CM	130	CM	100 LEVEL CM	16934,6273 litre	35,440 %	30848,9970 litre	O
900	CM	130	CM	99 LEVEL CM	16707,1592 litre	34,964 %	31076,4651 litre	O
900	CM	130	CM	98 LEVEL CM	16480,1332 litre	34,489 %	31303,4911 litre	O
900	CM	130	CM	97 LEVEL CM	16253,5643 litre	34,015 %	31530,0600 litre	O
900	CM	130	CM	96 LEVEL CM	16027,4678 litre	33,542 %	31756,1565 litre	O
900	CM	130	CM	95 LEVEL CM	15801,8591 litre	33,070 %	31981,7652 litre	O
900	CM	130	CM	94 LEVEL CM	15576,7536 litre	32,599 %	32206,8707 litre	O
900	CM	130	CM	93 LEVEL CM	15352,1668 litre	32,129 %	32431,4575 litre	O
900	CM	130	CM	92 LEVEL CM	15128,1144 litre	31,660 %	32655,5099 litre	O
900	CM	130	CM	91 LEVEL CM	14904,6123 litre	31,192 %	32879,0120 litre	O
900	CM	130	CM	90 LEVEL CM	14681,6762 litre	30,725 %	33101,9481 litre	O
900	CM	130	CM	89 LEVEL CM	14459,3222 litre	30,260 %	33324,3021 litre	O
900	CM	130	CM	88 LEVEL CM	14237,5665 litre	29,796 %	33546,0578 litre	O
900	CM	130	CM	87 LEVEL CM	14016,4253 litre	29,333 %	33767,1990 litre	O
900	CM	130	CM	86 LEVEL CM	13795,9149 litre	28,872 %	33987,7094 litre	O
900	CM	130	CM	85 LEVEL CM	13576,0520 litre	28,412 %	34207,5723 litre	O
900	CM	130	CM	84 LEVEL CM	13356,8533 litre	27,953 %	34426,7710 litre	O
900	CM	130	CM	83 LEVEL CM	13138,3356 litre	27,495 %	34645,2887 litre	O
900	CM	130	CM	82 LEVEL CM	12920,5158 litre	27,040 %	34863,1085 litre	O
900	CM	130	CM	81 LEVEL CM	12703,4113 litre	26,585 %	35080,2130 litre	O
900	CM	130	CM	80 LEVEL CM	12487,0392 litre	26,132 %	35296,5851 litre	O
900	CM	130	CM	79 LEVEL CM	12271,4171 litre	25,681 %	35512,2072 litre	O
900	CM	130	CM	78 LEVEL CM	12056,5628 litre	25,232 %	35727,0615 litre	O
900	CM	130	CM	77 LEVEL CM	11842,4941 litre	24,784 %	35941,1302 litre	O
900	CM	130	CM	76 LEVEL CM	11629,2290 litre	24,337 %	36154,3953 litre	O
900	CM	130	CM	75 LEVEL CM	11416,7859 litre	23,893 %	36366,8384 litre	O
900	CM	130	CM	74 LEVEL CM	11205,1833 litre	23,450 %	36578,4410 litre	O
900	CM	130	CM	73 LEVEL CM	10994,4399 litre	23,009 %	36789,1844 litre	O
900	CM	130	CM	72 LEVEL CM	10784,5747 litre	22,570 %	36999,0496 litre	O
900	CM	130	CM	71 LEVEL CM	10575,6068 litre	22,132 %	37208,0175 litre	O
900	CM	130	CM	70 LEVEL CM	10367,5558 litre	21,697 %	37416,0685 litre	O
900	CM	130	CM	69 LEVEL CM	10160,4412 litre	21,263 %	37623,1831 litre	O
900	CM	130	CM	68 LEVEL CM	9954,2831 litre	20,832 %	37829,3412 litre	O
900	CM	130	CM	67 LEVEL CM	9749,1017 litre	20,403 %	38034,5226 litre	O
900	CM	130	CM	66 LEVEL CM	9544,9176 litre	19,975 %	38238,7067 litre	O
900	CM	130	CM	65 LEVEL CM	9341,7516 litre	19,550 %	38441,8727 litre	O
900	CM	130	CM	64 LEVEL CM	9139,6248 litre	19,127 %	38643,9995 litre	O
900	CM	130	CM	63 LEVEL CM	8938,5588 litre	18,706 %	38845,0655 litre	O
900	CM	130	CM	62 LEVEL CM	8738,5753 litre	18,288 %	39045,0490 litre	O
900	CM	130	CM	61 LEVEL CM	8539,6966 litre	17,872 %	39243,9277 litre	O
900	CM	130	CM	60 LEVEL CM	8341,9452 litre	17,458 %	39441,6791 litre	O
900	CM	130	CM	59 LEVEL CM	8145,3441 litre	17,046 %	39638,2802 litre	O
900	CM	130	CM	58 LEVEL CM	7949,9166 litre	16,637 %	39833,7077 litre	O
900	CM	130	CM	57 LEVEL CM	7755,6864 litre	16,231 %	40027,9379 litre	O
900	CM	130	CM	56 LEVEL CM	7562,6778 litre	15,827 %	40220,9465 litre	O
900	CM	130	CM	55 LEVEL CM	7370,9155 litre	15,426 %	40412,7088 litre	O
900	CM	130	CM	54 LEVEL CM	7180,4246 litre	15,027 %	40603,1997 litre	O
900	CM	130	CM	53 LEVEL CM	6991,2308 litre	14,631 %	40792,3935 litre	O
900	CM	130	CM	52 LEVEL CM	6803,3603 litre	14,238 %	40980,2640 litre	O
900	CM	130	CM	51 LEVEL CM	6616,8398 litre	13,848 %	41166,7845 litre	O
900	CM	130	CM	50 LEVEL CM	6431,6967 litre	13,460 %	41351,9276 litre	O

900	CM	130	CM	49 LEVEL CM	6247,9590 litre	13,076 %	41535,6653 litre	O
900	CM	130	CM	48 LEVEL CM	6065,6552 litre	12,694 %	41717,9691 litre	O
900	CM	130	CM	47 LEVEL CM	5884,8147 litre	12,316 %	41898,8096 litre	O
900	CM	130	CM	46 LEVEL CM	5705,4674 litre	11,940 %	42078,1569 litre	O
900	CM	130	CM	45 LEVEL CM	5527,6441 litre	11,568 %	42255,9802 litre	O
900	CM	130	CM	44 LEVEL CM	5351,3764 litre	11,199 %	42432,2479 litre	O
900	CM	130	CM	43 LEVEL CM	5176,6966 litre	10,834 %	42606,9277 litre	O
900	CM	130	CM	42 LEVEL CM	5003,6381 litre	10,471 %	42779,9862 litre	O
900	CM	130	CM	41 LEVEL CM	4832,2350 litre	10,113 %	42951,3893 litre	O
900	CM	130	CM	40 LEVEL CM	4662,5227 litre	9,758 %	43121,1016 litre	O
900	CM	130	CM	39 LEVEL CM	4494,5374 litre	9,406 %	43289,0869 litre	O
900	CM	130	CM	38 LEVEL CM	4328,3165 litre	9,058 %	43455,3078 litre	O
900	CM	130	CM	37 LEVEL CM	4163,8987 litre	8,714 %	43619,7256 litre	O
900	CM	130	CM	36 LEVEL CM	4001,3240 litre	8,374 %	43782,3003 litre	O
900	CM	130	CM	35 LEVEL CM	3840,6335 litre	8,038 %	43942,9908 litre	O
900	CM	130	CM	34 LEVEL CM	3681,8702 litre	7,705 %	44101,7541 litre	O
900	CM	130	CM	33 LEVEL CM	3525,0782 litre	7,377 %	44258,5461 litre	O
900	CM	130	CM	32 LEVEL CM	3370,3038 litre	7,053 %	44413,3205 litre	O
900	CM	130	CM	31 LEVEL CM	3217,5947 litre	6,734 %	44566,0296 litre	O
900	CM	130	CM	30 LEVEL CM	3067,0007 litre	6,419 %	44716,6236 litre	O
900	CM	130	CM	29 LEVEL CM	2918,5739 litre	6,108 %	44865,0504 litre	O
900	CM	130	CM	28 LEVEL CM	2772,3685 litre	5,802 %	45011,2558 litre	O
900	CM	130	CM	27 LEVEL CM	2628,4413 litre	5,501 %	45155,1830 litre	O
900	CM	130	CM	26 LEVEL CM	2486,8519 litre	5,204 %	45296,7724 litre	O
900	CM	130	CM	25 LEVEL CM	2347,6627 litre	4,913 %	45435,9616 litre	O
900	CM	130	CM	24 LEVEL CM	2210,9396 litre	4,627 %	45572,6847 litre	O
900	CM	130	CM	23 LEVEL CM	2076,7521 litre	4,346 %	45706,8722 litre	O
900	CM	130	CM	22 LEVEL CM	1945,1736 litre	4,071 %	45838,4507 litre	O
900	CM	130	CM	21 LEVEL CM	1816,2821 litre	3,801 %	45967,3422 litre	O
900	CM	130	CM	20 LEVEL CM	1690,1605 litre	3,537 %	46093,4638 litre	O
900	CM	130	CM	19 LEVEL CM	1566,8973 litre	3,279 %	46216,7270 litre	O
900	CM	130	CM	18 LEVEL CM	1446,5873 litre	3,027 %	46337,0370 litre	O
900	CM	130	CM	17 LEVEL CM	1329,3326 litre	2,782 %	46454,2917 litre	O
900	CM	130	CM	16 LEVEL CM	1215,2433 litre	2,543 %	46568,3810 litre	O
900	CM	130	CM	15 LEVEL CM	1104,4390 litre	2,311 %	46679,1853 litre	O
900	CM	130	CM	14 LEVEL CM	997,0504 litre	2,087 %	46786,5739 litre	O
900	CM	130	CM	13 LEVEL CM	893,2210 litre	1,869 %	46890,4033 litre	O
900	CM	130	CM	12 LEVEL CM	793,1097 litre	1,660 %	46990,5146 litre	O
900	CM	130	CM	11 LEVEL CM	696,8938 litre	1,458 %	47086,7305 litre	O
900	CM	130	CM	10 LEVEL CM	604,7729 litre	1,266 %	47178,8514 litre	O
900	CM	130	CM	9 LEVEL CM	516,9750 litre	1,082 %	47266,6493 litre	O
900	CM	130	CM	8 LEVEL CM	433,7634 litre	0,908 %	47349,8609 litre	O
900	CM	130	CM	7 LEVEL CM	355,4478 litre	0,744 %	47428,1765 litre	O
900	CM	130	CM	6 LEVEL CM	282,4003 litre	0,591 %	47501,2240 litre	O
900	CM	130	CM	5 LEVEL CM	215,0807 litre	0,450 %	47568,5436 litre	O
900	CM	130	CM	4 LEVEL CM	154,0789 litre	0,322 %	47629,5454 litre	O
900	CM	130	CM	3 LEVEL CM	100,1938 litre	0,210 %	47683,4305 litre	O
900	CM	130	CM	2 LEVEL CM	54,6020 litre	0,114 %	47729,0223 litre	O
900	CM	130	CM	1 LEVEL CM	19,3271 litre	0,040 %	47764,2972 litre	O
900	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	47783,6243 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM 125	CM 250 LEVEL CM	44178,6467 litre	100,000 %	0,0000 litre	O
900	CM 125	CM 249 LEVEL CM	44159,6958 litre	99,957 %	18,9509 litre	O
900	CM 125	CM 248 LEVEL CM	44125,1100 litre	99,879 %	53,5367 litre	O
900	CM 125	CM 247 LEVEL CM	44080,4123 litre	99,778 %	98,2344 litre	O
900	CM 125	CM 246 LEVEL CM	44027,5880 litre	99,658 %	151,0587 litre	O
900	CM 125	CM 245 LEVEL CM	43967,7920 litre	99,523 %	210,8547 litre	O
900	CM 125	CM 244 LEVEL CM	43901,8083 litre	99,373 %	276,8384 litre	O
900	CM 125	CM 243 LEVEL CM	43830,2161 litre	99,211 %	348,4306 litre	O
900	CM 125	CM 242 LEVEL CM	43753,4670 litre	99,038 %	425,1797 litre	O
900	CM 125	CM 241 LEVEL CM	43671,9265 litre	98,853 %	506,7202 litre	O
900	CM 125	CM 240 LEVEL CM	43585,8989 litre	98,658 %	592,7478 litre	O
900	CM 125	CM 239 LEVEL CM	43495,6431 litre	98,454 %	683,0036 litre	O
900	CM 125	CM 238 LEVEL CM	43401,3830 litre	98,241 %	777,2637 litre	O
900	CM 125	CM 237 LEVEL CM	43303,3150 litre	98,019 %	875,3317 litre	O
900	CM 125	CM 236 LEVEL CM	43201,6136 litre	97,788 %	977,0331 litre	O
900	CM 125	CM 235 LEVEL CM	43096,4349 litre	97,550 %	1082,2118 litre	O
900	CM 125	CM 234 LEVEL CM	42987,9202 litre	97,305 %	1190,7265 litre	O
900	CM 125	CM 233 LEVEL CM	42876,1982 litre	97,052 %	1302,4485 litre	O
900	CM 125	CM 232 LEVEL CM	42761,3865 litre	96,792 %	1417,2602 litre	O
900	CM 125	CM 231 LEVEL CM	42643,5938 litre	96,525 %	1535,0529 litre	O
900	CM 125	CM 230 LEVEL CM	42522,9205 litre	96,252 %	1655,7262 litre	O
900	CM 125	CM 229 LEVEL CM	42399,4600 litre	95,973 %	1779,1867 litre	O
900	CM 125	CM 228 LEVEL CM	42273,2996 litre	95,687 %	1905,3471 litre	O
900	CM 125	CM 227 LEVEL CM	42144,5210 litre	95,396 %	2034,1257 litre	O
900	CM 125	CM 226 LEVEL CM	42013,2011 litre	95,098 %	2165,4456 litre	O
900	CM 125	CM 225 LEVEL CM	41879,4123 litre	94,796 %	2299,2344 litre	O
900	CM 125	CM 224 LEVEL CM	41743,2233 litre	94,487 %	2435,4234 litre	O
900	CM 125	CM 223 LEVEL CM	41604,6990 litre	94,174 %	2573,9477 litre	O
900	CM 125	CM 222 LEVEL CM	41463,9010 litre	93,855 %	2714,7457 litre	O
900	CM 125	CM 221 LEVEL CM	41320,8883 litre	93,531 %	2857,7584 litre	O
900	CM 125	CM 220 LEVEL CM	41175,7169 litre	93,203 %	3002,9298 litre	O
900	CM 125	CM 219 LEVEL CM	41028,4404 litre	92,869 %	3150,2063 litre	O
900	CM 125	CM 218 LEVEL CM	40879,1102 litre	92,531 %	3299,5365 litre	O
900	CM 125	CM 217 LEVEL CM	40727,7757 litre	92,189 %	3450,8710 litre	O
900	CM 125	CM 216 LEVEL CM	40574,4840 litre	91,842 %	3604,1627 litre	O
900	CM 125	CM 215 LEVEL CM	40419,2808 litre	91,491 %	3759,3659 litre	O
900	CM 125	CM 214 LEVEL CM	40262,2100 litre	91,135 %	3916,4367 litre	O
900	CM 125	CM 213 LEVEL CM	40103,3139 litre	90,775 %	4075,3328 litre	O
900	CM 125	CM 212 LEVEL CM	39942,6335 litre	90,412 %	4236,0132 litre	O
900	CM 125	CM 211 LEVEL CM	39780,2081 litre	90,044 %	4398,4386 litre	O
900	CM 125	CM 210 LEVEL CM	39616,0762 litre	89,672 %	4562,5705 litre	O
900	CM 125	CM 209 LEVEL CM	39450,2748 litre	89,297 %	4728,3719 litre	O
900	CM 125	CM 208 LEVEL CM	39282,8400 litre	88,918 %	4895,8067 litre	O
900	CM 125	CM 207 LEVEL CM	39113,8067 litre	88,536 %	5064,8400 litre	O
900	CM 125	CM 206 LEVEL CM	38943,2088 litre	88,149 %	5235,4379 litre	O
900	CM 125	CM 205 LEVEL CM	38771,0794 litre	87,760 %	5407,5673 litre	O
900	CM 125	CM 204 LEVEL CM	38597,4507 litre	87,367 %	5581,1960 litre	O
900	CM 125	CM 203 LEVEL CM	38422,3539 litre	86,970 %	5756,2928 litre	O
900	CM 125	CM 202 LEVEL CM	38245,8198 litre	86,571 %	5932,8269 litre	O
900	CM 125	CM 201 LEVEL CM	38067,8780 litre	86,168 %	6110,7687 litre	O
900	CM 125	CM 200 LEVEL CM	37888,5577 litre	85,762 %	6290,0890 litre	O
900	CM 125	CM 199 LEVEL CM	37707,8873 litre	85,353 %	6470,7594 litre	O

900	CM	125	CM	198 LEVEL CM	37525,8948 litre	84,941 %	6652,7519 litre	O
900	CM	125	CM	197 LEVEL CM	37342,6072 litre	84,526 %	6836,0395 litre	O
900	CM	125	CM	196 LEVEL CM	37158,0512 litre	84,109 %	7020,5955 litre	O
900	CM	125	CM	195 LEVEL CM	36972,2529 litre	83,688 %	7206,3938 litre	O
900	CM	125	CM	194 LEVEL CM	36785,2380 litre	83,265 %	7393,4087 litre	O
900	CM	125	CM	193 LEVEL CM	36597,0314 litre	82,839 %	7581,6153 litre	O
900	CM	125	CM	192 LEVEL CM	36407,6577 litre	82,410 %	7770,9890 litre	O
900	CM	125	CM	191 LEVEL CM	36217,1413 litre	81,979 %	7961,5054 litre	O
900	CM	125	CM	190 LEVEL CM	36025,5056 litre	81,545 %	8153,1411 litre	O
900	CM	125	CM	189 LEVEL CM	35832,7741 litre	81,109 %	8345,8726 litre	O
900	CM	125	CM	188 LEVEL CM	35638,9697 litre	80,670 %	8539,6770 litre	O
900	CM	125	CM	187 LEVEL CM	35444,1149 litre	80,229 %	8734,5318 litre	O
900	CM	125	CM	186 LEVEL CM	35248,2319 litre	79,786 %	8930,4148 litre	O
900	CM	125	CM	185 LEVEL CM	35051,3425 litre	79,340 %	9127,3042 litre	O
900	CM	125	CM	184 LEVEL CM	34853,4682 litre	78,892 %	9325,1785 litre	O
900	CM	125	CM	183 LEVEL CM	34654,6302 litre	78,442 %	9524,0165 litre	O
900	CM	125	CM	182 LEVEL CM	34454,8493 litre	77,990 %	9723,7974 litre	O
900	CM	125	CM	181 LEVEL CM	34254,1461 litre	77,536 %	9924,5006 litre	O
900	CM	125	CM	180 LEVEL CM	34052,5409 litre	77,079 %	10126,1058 litre	O
900	CM	125	CM	179 LEVEL CM	33850,0537 litre	76,621 %	10328,5930 litre	O
900	CM	125	CM	178 LEVEL CM	33646,7043 litre	76,161 %	10531,9424 litre	O
900	CM	125	CM	177 LEVEL CM	33442,5122 litre	75,698 %	10736,1345 litre	O
900	CM	125	CM	176 LEVEL CM	33237,4966 litre	75,234 %	10941,1501 litre	O
900	CM	125	CM	175 LEVEL CM	33031,6767 litre	74,768 %	11146,9700 litre	O
900	CM	125	CM	174 LEVEL CM	32825,0711 litre	74,301 %	11353,5756 litre	O
900	CM	125	CM	173 LEVEL CM	32617,6985 litre	73,831 %	11560,9482 litre	O
900	CM	125	CM	172 LEVEL CM	32409,5773 litre	73,360 %	11769,0694 litre	O
900	CM	125	CM	171 LEVEL CM	32200,7257 litre	72,888 %	11977,9210 litre	O
900	CM	125	CM	170 LEVEL CM	31991,1616 litre	72,413 %	12187,4851 litre	O
900	CM	125	CM	169 LEVEL CM	31780,9030 litre	71,937 %	12397,7437 litre	O
900	CM	125	CM	168 LEVEL CM	31569,9675 litre	71,460 %	12608,6792 litre	O
900	CM	125	CM	167 LEVEL CM	31358,3725 litre	70,981 %	12820,2742 litre	O
900	CM	125	CM	166 LEVEL CM	31146,1353 litre	70,500 %	13032,5114 litre	O
900	CM	125	CM	165 LEVEL CM	30933,2732 litre	70,019 %	13245,3735 litre	O
900	CM	125	CM	164 LEVEL CM	30719,8031 litre	69,535 %	13458,8436 litre	O
900	CM	125	CM	163 LEVEL CM	30505,7419 litre	69,051 %	13672,9048 litre	O
900	CM	125	CM	162 LEVEL CM	30291,1062 litre	68,565 %	13887,5405 litre	O
900	CM	125	CM	161 LEVEL CM	30075,9128 litre	68,078 %	14102,7339 litre	O
900	CM	125	CM	160 LEVEL CM	29860,1780 litre	67,590 %	14318,4687 litre	O
900	CM	125	CM	159 LEVEL CM	29643,9182 litre	67,100 %	14534,7285 litre	O
900	CM	125	CM	158 LEVEL CM	29427,1496 litre	66,609 %	14751,4971 litre	O
900	CM	125	CM	157 LEVEL CM	29209,8884 litre	66,118 %	14968,7583 litre	O
900	CM	125	CM	156 LEVEL CM	28992,1504 litre	65,625 %	15186,4963 litre	O
900	CM	125	CM	155 LEVEL CM	28773,9516 litre	65,131 %	15404,6951 litre	O
900	CM	125	CM	154 LEVEL CM	28555,3078 litre	64,636 %	15623,3389 litre	O
900	CM	125	CM	153 LEVEL CM	28336,2347 litre	64,140 %	15842,4120 litre	O
900	CM	125	CM	152 LEVEL CM	28116,7479 litre	63,643 %	16061,8988 litre	O
900	CM	125	CM	151 LEVEL CM	27896,8629 litre	63,146 %	16281,7838 litre	O
900	CM	125	CM	150 LEVEL CM	27676,5951 litre	62,647 %	16502,0516 litre	O
900	CM	125	CM	149 LEVEL CM	27455,9598 litre	62,148 %	16722,6869 litre	O
900	CM	125	CM	148 LEVEL CM	27234,9724 litre	61,647 %	16943,6743 litre	O
900	CM	125	CM	147 LEVEL CM	27013,6481 litre	61,146 %	17164,9986 litre	O
900	CM	125	CM	146 LEVEL CM	26792,0019 litre	60,645 %	17386,6448 litre	O

900	CM	125	CM	145 LEVEL CM	26570,0489 litre	60,142 %	17608,5978 litre	O
900	CM	125	CM	144 LEVEL CM	26347,8042 litre	59,639 %	17830,8425 litre	O
900	CM	125	CM	143 LEVEL CM	26125,2827 litre	59,136 %	18053,3640 litre	O
900	CM	125	CM	142 LEVEL CM	25902,4992 litre	58,631 %	18276,1475 litre	O
900	CM	125	CM	141 LEVEL CM	25679,4686 litre	58,126 %	18499,1781 litre	O
900	CM	125	CM	140 LEVEL CM	25456,2058 litre	57,621 %	18722,4409 litre	O
900	CM	125	CM	139 LEVEL CM	25232,7253 litre	57,115 %	18945,9214 litre	O
900	CM	125	CM	138 LEVEL CM	25009,0420 litre	56,609 %	19169,6047 litre	O
900	CM	125	CM	137 LEVEL CM	24785,1704 litre	56,102 %	19393,4763 litre	O
900	CM	125	CM	136 LEVEL CM	24561,1252 litre	55,595 %	19617,5215 litre	O
900	CM	125	CM	135 LEVEL CM	24336,9210 litre	55,088 %	19841,7257 litre	O
900	CM	125	CM	134 LEVEL CM	24112,5724 litre	54,580 %	20066,0743 litre	O
900	CM	125	CM	133 LEVEL CM	23888,0938 litre	54,072 %	20290,5529 litre	O
900	CM	125	CM	132 LEVEL CM	23663,4998 litre	53,563 %	20515,1469 litre	O
900	CM	125	CM	131 LEVEL CM	23438,8048 litre	53,055 %	20739,8419 litre	O
900	CM	125	CM	130 LEVEL CM	23214,0233 litre	52,546 %	20964,6234 litre	O
900	CM	125	CM	129 LEVEL CM	22989,1697 litre	52,037 %	21189,4770 litre	O
900	CM	125	CM	128 LEVEL CM	22764,2585 litre	51,528 %	21414,3882 litre	O
900	CM	125	CM	127 LEVEL CM	22539,3041 litre	51,019 %	21639,3426 litre	O
900	CM	125	CM	126 LEVEL CM	22314,3209 litre	50,509 %	21864,3258 litre	O
900	CM	125	CM	125 LEVEL CM	22089,3233 litre	50,000 %	22089,3234 litre	O
900	CM	125	CM	124 LEVEL CM	21864,3257 litre	49,491 %	22314,3210 litre	O
900	CM	125	CM	123 LEVEL CM	21639,3425 litre	48,981 %	22539,3042 litre	O
900	CM	125	CM	122 LEVEL CM	21414,3882 litre	48,472 %	22764,2585 litre	O
900	CM	125	CM	121 LEVEL CM	21189,4770 litre	47,963 %	22989,1697 litre	O
900	CM	125	CM	120 LEVEL CM	20964,6234 litre	47,454 %	23214,0233 litre	O
900	CM	125	CM	119 LEVEL CM	20739,8419 litre	46,945 %	23438,8048 litre	O
900	CM	125	CM	118 LEVEL CM	20515,1469 litre	46,437 %	23663,4998 litre	O
900	CM	125	CM	117 LEVEL CM	20290,5529 litre	45,928 %	23888,0938 litre	O
900	CM	125	CM	116 LEVEL CM	20066,0743 litre	45,420 %	24112,5724 litre	O
900	CM	125	CM	115 LEVEL CM	19841,7257 litre	44,912 %	24336,9210 litre	O
900	CM	125	CM	114 LEVEL CM	19617,5215 litre	44,405 %	24561,1252 litre	O
900	CM	125	CM	113 LEVEL CM	19393,4763 litre	43,898 %	24785,1704 litre	O
900	CM	125	CM	112 LEVEL CM	19169,6047 litre	43,391 %	25009,0420 litre	O
900	CM	125	CM	111 LEVEL CM	18945,9214 litre	42,885 %	25232,7253 litre	O
900	CM	125	CM	110 LEVEL CM	18722,4409 litre	42,379 %	25456,2058 litre	O
900	CM	125	CM	109 LEVEL CM	18499,1780 litre	41,874 %	25679,4687 litre	O
900	CM	125	CM	108 LEVEL CM	18276,1475 litre	41,369 %	25902,4992 litre	O
900	CM	125	CM	107 LEVEL CM	18053,3640 litre	40,864 %	26125,2827 litre	O
900	CM	125	CM	106 LEVEL CM	17830,8425 litre	40,361 %	26347,8042 litre	O
900	CM	125	CM	105 LEVEL CM	17608,5978 litre	39,858 %	26570,0489 litre	O
900	CM	125	CM	104 LEVEL CM	17386,6448 litre	39,355 %	26792,0019 litre	O
900	CM	125	CM	103 LEVEL CM	17164,9986 litre	38,854 %	27013,6481 litre	O
900	CM	125	CM	102 LEVEL CM	16943,6743 litre	38,353 %	27234,9724 litre	O
900	CM	125	CM	101 LEVEL CM	16722,6869 litre	37,852 %	27455,9598 litre	O
900	CM	125	CM	100 LEVEL CM	16502,0516 litre	37,353 %	27676,5951 litre	O
900	CM	125	CM	99 LEVEL CM	16281,7838 litre	36,854 %	27896,8629 litre	O
900	CM	125	CM	98 LEVEL CM	16061,8988 litre	36,357 %	28116,7479 litre	O
900	CM	125	CM	97 LEVEL CM	15842,4120 litre	35,860 %	28336,2347 litre	O
900	CM	125	CM	96 LEVEL CM	15623,3389 litre	35,364 %	28555,3078 litre	O
900	CM	125	CM	95 LEVEL CM	15404,6951 litre	34,869 %	28773,9516 litre	O
900	CM	125	CM	94 LEVEL CM	15186,4963 litre	34,375 %	28992,1504 litre	O
900	CM	125	CM	93 LEVEL CM	14968,7583 litre	33,882 %	29209,8884 litre	O

900	CM	125	CM	92 LEVEL CM	14751,4971 litre	33,391 %	29427,1496 litre	O
900	CM	125	CM	91 LEVEL CM	14534,7285 litre	32,900 %	29643,9182 litre	O
900	CM	125	CM	90 LEVEL CM	14318,4687 litre	32,410 %	29860,1780 litre	O
900	CM	125	CM	89 LEVEL CM	14102,7339 litre	31,922 %	30075,9128 litre	O
900	CM	125	CM	88 LEVEL CM	13887,5405 litre	31,435 %	30291,1062 litre	O
900	CM	125	CM	87 LEVEL CM	13672,9048 litre	30,949 %	30505,7419 litre	O
900	CM	125	CM	86 LEVEL CM	13458,8436 litre	30,465 %	30719,8031 litre	O
900	CM	125	CM	85 LEVEL CM	13245,3735 litre	29,981 %	30933,2732 litre	O
900	CM	125	CM	84 LEVEL CM	13032,5114 litre	29,500 %	31146,1353 litre	O
900	CM	125	CM	83 LEVEL CM	12820,2742 litre	29,019 %	31358,3725 litre	O
900	CM	125	CM	82 LEVEL CM	12608,6792 litre	28,540 %	31569,9675 litre	O
900	CM	125	CM	81 LEVEL CM	12397,7437 litre	28,063 %	31780,9030 litre	O
900	CM	125	CM	80 LEVEL CM	12187,4851 litre	27,587 %	31991,1616 litre	O
900	CM	125	CM	79 LEVEL CM	11977,9210 litre	27,112 %	32200,7257 litre	O
900	CM	125	CM	78 LEVEL CM	11769,0694 litre	26,640 %	32409,5773 litre	O
900	CM	125	CM	77 LEVEL CM	11560,9482 litre	26,169 %	32617,6985 litre	O
900	CM	125	CM	76 LEVEL CM	11353,5756 litre	25,699 %	32825,0711 litre	O
900	CM	125	CM	75 LEVEL CM	11146,9700 litre	25,232 %	33031,6767 litre	O
900	CM	125	CM	74 LEVEL CM	10941,1501 litre	24,766 %	33237,4966 litre	O
900	CM	125	CM	73 LEVEL CM	10736,1345 litre	24,302 %	33442,5122 litre	O
900	CM	125	CM	72 LEVEL CM	10531,9424 litre	23,839 %	33646,7043 litre	O
900	CM	125	CM	71 LEVEL CM	10328,5930 litre	23,379 %	33850,0537 litre	O
900	CM	125	CM	70 LEVEL CM	10126,1058 litre	22,921 %	34052,5409 litre	O
900	CM	125	CM	69 LEVEL CM	9924,5006 litre	22,464 %	34254,1461 litre	O
900	CM	125	CM	68 LEVEL CM	9723,7974 litre	22,010 %	34454,8493 litre	O
900	CM	125	CM	67 LEVEL CM	9524,0165 litre	21,558 %	34654,6302 litre	O
900	CM	125	CM	66 LEVEL CM	9325,1785 litre	21,108 %	34853,4682 litre	O
900	CM	125	CM	65 LEVEL CM	9127,3042 litre	20,660 %	35051,3425 litre	O
900	CM	125	CM	64 LEVEL CM	8930,4148 litre	20,214 %	35248,2319 litre	O
900	CM	125	CM	63 LEVEL CM	8734,5317 litre	19,771 %	35444,1150 litre	O
900	CM	125	CM	62 LEVEL CM	8539,6770 litre	19,330 %	35638,9697 litre	O
900	CM	125	CM	61 LEVEL CM	8345,8726 litre	18,891 %	35832,7741 litre	O
900	CM	125	CM	60 LEVEL CM	8153,1411 litre	18,455 %	36025,5056 litre	O
900	CM	125	CM	59 LEVEL CM	7961,5054 litre	18,021 %	36217,1413 litre	O
900	CM	125	CM	58 LEVEL CM	7770,9889 litre	17,590 %	36407,6578 litre	O
900	CM	125	CM	57 LEVEL CM	7581,6153 litre	17,161 %	36597,0314 litre	O
900	CM	125	CM	56 LEVEL CM	7393,4087 litre	16,735 %	36785,2380 litre	O
900	CM	125	CM	55 LEVEL CM	7206,3938 litre	16,312 %	36972,2529 litre	O
900	CM	125	CM	54 LEVEL CM	7020,5955 litre	15,891 %	37158,0512 litre	O
900	CM	125	CM	53 LEVEL CM	6836,0395 litre	15,474 %	37342,6072 litre	O
900	CM	125	CM	52 LEVEL CM	6652,7519 litre	15,059 %	37525,8948 litre	O
900	CM	125	CM	51 LEVEL CM	6470,7593 litre	14,647 %	37707,8874 litre	O
900	CM	125	CM	50 LEVEL CM	6290,0890 litre	14,238 %	37888,5577 litre	O
900	CM	125	CM	49 LEVEL CM	6110,7687 litre	13,832 %	38067,8780 litre	O
900	CM	125	CM	48 LEVEL CM	5932,8269 litre	13,429 %	38245,8198 litre	O
900	CM	125	CM	47 LEVEL CM	5756,2928 litre	13,030 %	38422,3539 litre	O
900	CM	125	CM	46 LEVEL CM	5581,1960 litre	12,633 %	38597,4507 litre	O
900	CM	125	CM	45 LEVEL CM	5407,5673 litre	12,240 %	38771,0794 litre	O
900	CM	125	CM	44 LEVEL CM	5235,4379 litre	11,851 %	38943,2088 litre	O
900	CM	125	CM	43 LEVEL CM	5064,8400 litre	11,464 %	39113,8067 litre	O
900	CM	125	CM	42 LEVEL CM	4895,8067 litre	11,082 %	39282,8400 litre	O
900	CM	125	CM	41 LEVEL CM	4728,3718 litre	10,703 %	39450,2749 litre	O
900	CM	125	CM	40 LEVEL CM	4562,5705 litre	10,328 %	39616,0762 litre	O

900	CM	125	CM	39 LEVEL CM	4398,4386 litre	9,956 %	39780,2081 litre	O
900	CM	125	CM	38 LEVEL CM	4236,0132 litre	9,588 %	39942,6335 litre	O
900	CM	125	CM	37 LEVEL CM	4075,3327 litre	9,225 %	40103,3140 litre	O
900	CM	125	CM	36 LEVEL CM	3916,4366 litre	8,865 %	40262,2101 litre	O
900	CM	125	CM	35 LEVEL CM	3759,3658 litre	8,509 %	40419,2809 litre	O
900	CM	125	CM	34 LEVEL CM	3604,1627 litre	8,158 %	40574,4840 litre	O
900	CM	125	CM	33 LEVEL CM	3450,8710 litre	7,811 %	40727,7757 litre	O
900	CM	125	CM	32 LEVEL CM	3299,5365 litre	7,469 %	40879,1102 litre	O
900	CM	125	CM	31 LEVEL CM	3150,2063 litre	7,131 %	41028,4404 litre	O
900	CM	125	CM	30 LEVEL CM	3002,9298 litre	6,797 %	41175,7169 litre	O
900	CM	125	CM	29 LEVEL CM	2857,7584 litre	6,469 %	41320,8883 litre	O
900	CM	125	CM	28 LEVEL CM	2714,7457 litre	6,145 %	41463,9010 litre	O
900	CM	125	CM	27 LEVEL CM	2573,9477 litre	5,826 %	41604,6990 litre	O
900	CM	125	CM	26 LEVEL CM	2435,4234 litre	5,513 %	41743,2233 litre	O
900	CM	125	CM	25 LEVEL CM	2299,2343 litre	5,204 %	41879,4124 litre	O
900	CM	125	CM	24 LEVEL CM	2165,4456 litre	4,902 %	42013,2011 litre	O
900	CM	125	CM	23 LEVEL CM	2034,1257 litre	4,604 %	42144,5210 litre	O
900	CM	125	CM	22 LEVEL CM	1905,3471 litre	4,313 %	42273,2996 litre	O
900	CM	125	CM	21 LEVEL CM	1779,1867 litre	4,027 %	42399,4600 litre	O
900	CM	125	CM	20 LEVEL CM	1655,7262 litre	3,748 %	42522,9205 litre	O
900	CM	125	CM	19 LEVEL CM	1535,0529 litre	3,475 %	42643,5938 litre	O
900	CM	125	CM	18 LEVEL CM	1417,2602 litre	3,208 %	42761,3865 litre	O
900	CM	125	CM	17 LEVEL CM	1302,4485 litre	2,948 %	42876,1982 litre	O
900	CM	125	CM	16 LEVEL CM	1190,7265 litre	2,695 %	42987,9202 litre	O
900	CM	125	CM	15 LEVEL CM	1082,2118 litre	2,450 %	43096,4349 litre	O
900	CM	125	CM	14 LEVEL CM	977,0331 litre	2,212 %	43201,6136 litre	O
900	CM	125	CM	13 LEVEL CM	875,3317 litre	1,981 %	43303,3150 litre	O
900	CM	125	CM	12 LEVEL CM	777,2637 litre	1,759 %	43401,3830 litre	O
900	CM	125	CM	11 LEVEL CM	683,0036 litre	1,546 %	43495,6431 litre	O
900	CM	125	CM	10 LEVEL CM	592,7478 litre	1,342 %	43585,8989 litre	O
900	CM	125	CM	9 LEVEL CM	506,7202 litre	1,147 %	43671,9265 litre	O
900	CM	125	CM	8 LEVEL CM	425,1797 litre	0,962 %	43753,4670 litre	O
900	CM	125	CM	7 LEVEL CM	348,4306 litre	0,789 %	43830,2161 litre	O
900	CM	125	CM	6 LEVEL CM	276,8384 litre	0,627 %	43901,8083 litre	O
900	CM	125	CM	5 LEVEL CM	210,8547 litre	0,477 %	43967,7920 litre	O
900	CM	125	CM	4 LEVEL CM	151,0586 litre	0,342 %	44027,5881 litre	O
900	CM	125	CM	3 LEVEL CM	98,2344 litre	0,222 %	44080,4123 litre	O
900	CM	125	CM	2 LEVEL CM	53,5366 litre	0,121 %	44125,1101 litre	O
900	CM	125	CM	1 LEVEL CM	18,9509 litre	0,043 %	44159,6958 litre	O
900	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	44178,6467 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM 120	CM 240 LEVEL CM	40715,0408 litre	100,000 %	0,0000 litre	O
900	CM 120	CM 239 LEVEL CM	40696,4737 litre	99,954 %	18,5671 litre	O
900	CM 120	CM 238 LEVEL CM	40662,5911 litre	99,871 %	52,4497 litre	O
900	CM 120	CM 237 LEVEL CM	40618,8057 litre	99,764 %	96,2351 litre	O
900	CM 120	CM 236 LEVEL CM	40567,0641 litre	99,637 %	147,9767 litre	O
900	CM 120	CM 235 LEVEL CM	40508,4986 litre	99,493 %	206,5422 litre	O
900	CM 120	CM 234 LEVEL CM	40443,8784 litre	99,334 %	271,1624 litre	O
900	CM 120	CM 233 LEVEL CM	40373,7717 litre	99,162 %	341,2691 litre	O
900	CM 120	CM 232 LEVEL CM	40298,6217 litre	98,977 %	416,4191 litre	O
900	CM 120	CM 231 LEVEL CM	40218,7873 litre	98,781 %	496,2535 litre	O
900	CM 120	CM 230 LEVEL CM	40134,5673 litre	98,574 %	580,4735 litre	O
900	CM 120	CM 229 LEVEL CM	40046,2159 litre	98,357 %	668,8249 litre	O
900	CM 120	CM 228 LEVEL CM	39953,9530 litre	98,131 %	761,0878 litre	O
900	CM 120	CM 227 LEVEL CM	39857,9719 litre	97,895 %	857,0689 litre	O
900	CM 120	CM 226 LEVEL CM	39758,4438 litre	97,651 %	956,5970 litre	O
900	CM 120	CM 225 LEVEL CM	39655,5225 litre	97,398 %	1059,5183 litre	O
900	CM 120	CM 224 LEVEL CM	39549,3468 litre	97,137 %	1165,6940 litre	O
900	CM 120	CM 223 LEVEL CM	39440,0433 litre	96,868 %	1274,9975 litre	O
900	CM 120	CM 222 LEVEL CM	39327,7279 litre	96,593 %	1387,3129 litre	O
900	CM 120	CM 221 LEVEL CM	39212,5074 litre	96,310 %	1502,5334 litre	O
900	CM 120	CM 220 LEVEL CM	39094,4808 litre	96,020 %	1620,5600 litre	O
900	CM 120	CM 219 LEVEL CM	38973,7400 litre	95,723 %	1741,3008 litre	O
900	CM 120	CM 218 LEVEL CM	38850,3711 litre	95,420 %	1864,6697 litre	O
900	CM 120	CM 217 LEVEL CM	38724,4547 litre	95,111 %	1990,5861 litre	O
900	CM 120	CM 216 LEVEL CM	38596,0664 litre	94,796 %	2118,9744 litre	O
900	CM 120	CM 215 LEVEL CM	38465,2778 litre	94,474 %	2249,7630 litre	O
900	CM 120	CM 214 LEVEL CM	38332,1565 litre	94,147 %	2382,8843 litre	O
900	CM 120	CM 213 LEVEL CM	38196,7667 litre	93,815 %	2518,2741 litre	O
900	CM 120	CM 212 LEVEL CM	38059,1691 litre	93,477 %	2655,8717 litre	O
900	CM 120	CM 211 LEVEL CM	37919,4220 litre	93,134 %	2795,6188 litre	O
900	CM 120	CM 210 LEVEL CM	37777,5806 litre	92,785 %	2937,4602 litre	O
900	CM 120	CM 209 LEVEL CM	37633,6981 litre	92,432 %	3081,3427 litre	O
900	CM 120	CM 208 LEVEL CM	37487,8251 litre	92,074 %	3227,2157 litre	O
900	CM 120	CM 207 LEVEL CM	37340,0105 litre	91,711 %	3375,0303 litre	O
900	CM 120	CM 206 LEVEL CM	37190,3009 litre	91,343 %	3524,7399 litre	O
900	CM 120	CM 205 LEVEL CM	37038,7416 litre	90,971 %	3676,2992 litre	O
900	CM 120	CM 204 LEVEL CM	36885,3758 litre	90,594 %	3829,6650 litre	O
900	CM 120	CM 203 LEVEL CM	36730,2456 litre	90,213 %	3984,7952 litre	O
900	CM 120	CM 202 LEVEL CM	36573,3914 litre	89,828 %	4141,6494 litre	O
900	CM 120	CM 201 LEVEL CM	36414,8524 litre	89,438 %	4300,1884 litre	O
900	CM 120	CM 200 LEVEL CM	36254,6666 litre	89,045 %	4460,3742 litre	O
900	CM 120	CM 199 LEVEL CM	36092,8707 litre	88,648 %	4622,1701 litre	O
900	CM 120	CM 198 LEVEL CM	35929,5005 litre	88,246 %	4785,5403 litre	O
900	CM 120	CM 197 LEVEL CM	35764,5905 litre	87,841 %	4950,4503 litre	O
900	CM 120	CM 196 LEVEL CM	35598,1746 litre	87,432 %	5116,8662 litre	O
900	CM 120	CM 195 LEVEL CM	35430,2855 litre	87,020 %	5284,7553 litre	O
900	CM 120	CM 194 LEVEL CM	35260,9552 litre	86,604 %	5454,0856 litre	O
900	CM 120	CM 193 LEVEL CM	35090,2149 litre	86,185 %	5624,8259 litre	O
900	CM 120	CM 192 LEVEL CM	34918,0948 litre	85,762 %	5796,9460 litre	O
900	CM 120	CM 191 LEVEL CM	34744,6246 litre	85,336 %	5970,4162 litre	O
900	CM 120	CM 190 LEVEL CM	34569,8334 litre	84,907 %	6145,2074 litre	O
900	CM 120	CM 189 LEVEL CM	34393,7494 litre	84,474 %	6321,2914 litre	O

900	CM	120	CM	188 LEVEL CM	34216,4002 litre	84,039 %	6498,6406 litre	O
900	CM	120	CM	187 LEVEL CM	34037,8131 litre	83,600 %	6677,2277 litre	O
900	CM	120	CM	186 LEVEL CM	33858,0146 litre	83,158 %	6857,0262 litre	O
900	CM	120	CM	185 LEVEL CM	33677,0306 litre	82,714 %	7038,0102 litre	O
900	CM	120	CM	184 LEVEL CM	33494,8867 litre	82,267 %	7220,1541 litre	O
900	CM	120	CM	183 LEVEL CM	33311,6078 litre	81,816 %	7403,4330 litre	O
900	CM	120	CM	182 LEVEL CM	33127,2186 litre	81,364 %	7587,8222 litre	O
900	CM	120	CM	181 LEVEL CM	32941,7432 litre	80,908 %	7773,2976 litre	O
900	CM	120	CM	180 LEVEL CM	32755,2051 litre	80,450 %	7959,8357 litre	O
900	CM	120	CM	179 LEVEL CM	32567,6279 litre	79,989 %	8147,4129 litre	O
900	CM	120	CM	178 LEVEL CM	32379,0342 litre	79,526 %	8336,0066 litre	O
900	CM	120	CM	177 LEVEL CM	32189,4468 litre	79,060 %	8525,5940 litre	O
900	CM	120	CM	176 LEVEL CM	31998,8877 litre	78,592 %	8716,1531 litre	O
900	CM	120	CM	175 LEVEL CM	31807,3789 litre	78,122 %	8907,6619 litre	O
900	CM	120	CM	174 LEVEL CM	31614,9417 litre	77,649 %	9100,0991 litre	O
900	CM	120	CM	173 LEVEL CM	31421,5975 litre	77,174 %	9293,4433 litre	O
900	CM	120	CM	172 LEVEL CM	31227,3672 litre	76,697 %	9487,6736 litre	O
900	CM	120	CM	171 LEVEL CM	31032,2714 litre	76,218 %	9682,7694 litre	O
900	CM	120	CM	170 LEVEL CM	30836,3304 litre	75,737 %	9878,7104 litre	O
900	CM	120	CM	169 LEVEL CM	30639,5644 litre	75,254 %	10075,4764 litre	O
900	CM	120	CM	168 LEVEL CM	30441,9932 litre	74,768 %	10273,0476 litre	O
900	CM	120	CM	167 LEVEL CM	30243,6364 litre	74,281 %	10471,4044 litre	O
900	CM	120	CM	166 LEVEL CM	30044,5133 litre	73,792 %	10670,5275 litre	O
900	CM	120	CM	165 LEVEL CM	29844,6432 litre	73,301 %	10870,3976 litre	O
900	CM	120	CM	164 LEVEL CM	29644,0449 litre	72,809 %	11070,9959 litre	O
900	CM	120	CM	163 LEVEL CM	29442,7372 litre	72,314 %	11272,3036 litre	O
900	CM	120	CM	162 LEVEL CM	29240,7385 litre	71,818 %	11474,3023 litre	O
900	CM	120	CM	161 LEVEL CM	29038,0674 litre	71,320 %	11676,9734 litre	O
900	CM	120	CM	160 LEVEL CM	28834,7418 litre	70,821 %	11880,2990 litre	O
900	CM	120	CM	159 LEVEL CM	28630,7798 litre	70,320 %	12084,2610 litre	O
900	CM	120	CM	158 LEVEL CM	28426,1993 litre	69,817 %	12288,8415 litre	O
900	CM	120	CM	157 LEVEL CM	28221,0178 litre	69,313 %	12494,0230 litre	O
900	CM	120	CM	156 LEVEL CM	28015,2528 litre	68,808 %	12699,7880 litre	O
900	CM	120	CM	155 LEVEL CM	27808,9218 litre	68,301 %	12906,1190 litre	O
900	CM	120	CM	154 LEVEL CM	27602,0419 litre	67,793 %	13112,9989 litre	O
900	CM	120	CM	153 LEVEL CM	27394,6302 litre	67,284 %	13320,4106 litre	O
900	CM	120	CM	152 LEVEL CM	27186,7036 litre	66,773 %	13528,3372 litre	O
900	CM	120	CM	151 LEVEL CM	26978,2790 litre	66,261 %	13736,7618 litre	O
900	CM	120	CM	150 LEVEL CM	26769,3730 litre	65,748 %	13945,6678 litre	O
900	CM	120	CM	149 LEVEL CM	26560,0023 litre	65,234 %	14155,0385 litre	O
900	CM	120	CM	148 LEVEL CM	26350,1833 litre	64,719 %	14364,8575 litre	O
900	CM	120	CM	147 LEVEL CM	26139,9323 litre	64,202 %	14575,1085 litre	O
900	CM	120	CM	146 LEVEL CM	25929,2657 litre	63,685 %	14785,7751 litre	O
900	CM	120	CM	145 LEVEL CM	25718,1996 litre	63,166 %	14996,8412 litre	O
900	CM	120	CM	144 LEVEL CM	25506,7500 litre	62,647 %	15208,2908 litre	O
900	CM	120	CM	143 LEVEL CM	25294,9330 litre	62,127 %	15420,1078 litre	O
900	CM	120	CM	142 LEVEL CM	25082,7645 litre	61,606 %	15632,2763 litre	O
900	CM	120	CM	141 LEVEL CM	24870,2604 litre	61,084 %	15844,7804 litre	O
900	CM	120	CM	140 LEVEL CM	24657,4362 litre	60,561 %	16057,6046 litre	O
900	CM	120	CM	139 LEVEL CM	24444,3078 litre	60,038 %	16270,7330 litre	O
900	CM	120	CM	138 LEVEL CM	24230,8908 litre	59,513 %	16484,1500 litre	O
900	CM	120	CM	137 LEVEL CM	24017,2007 litre	58,989 %	16697,8401 litre	O
900	CM	120	CM	136 LEVEL CM	23803,2529 litre	58,463 %	16911,7879 litre	O

900	CM	120	CM	135 LEVEL CM	23589,0630 litre	57,937 %	17125,9778 litre	O
900	CM	120	CM	134 LEVEL CM	23374,6463 litre	57,410 %	17340,3945 litre	O
900	CM	120	CM	133 LEVEL CM	23160,0182 litre	56,883 %	17555,0226 litre	O
900	CM	120	CM	132 LEVEL CM	22945,1939 litre	56,356 %	17769,8469 litre	O
900	CM	120	CM	131 LEVEL CM	22730,1887 litre	55,827 %	17984,8521 litre	O
900	CM	120	CM	130 LEVEL CM	22515,0178 litre	55,299 %	18200,0230 litre	O
900	CM	120	CM	129 LEVEL CM	22299,6964 litre	54,770 %	18415,3444 litre	O
900	CM	120	CM	128 LEVEL CM	22084,2395 litre	54,241 %	18630,8013 litre	O
900	CM	120	CM	127 LEVEL CM	21868,6625 litre	53,712 %	18846,3783 litre	O
900	CM	120	CM	126 LEVEL CM	21652,9802 litre	53,182 %	19062,0606 litre	O
900	CM	120	CM	125 LEVEL CM	21437,2078 litre	52,652 %	19277,8330 litre	O
900	CM	120	CM	124 LEVEL CM	21221,3604 litre	52,122 %	19493,6804 litre	O
900	CM	120	CM	123 LEVEL CM	21005,4529 litre	51,591 %	19709,5879 litre	O
900	CM	120	CM	122 LEVEL CM	20789,5004 litre	51,061 %	19925,5404 litre	O
900	CM	120	CM	121 LEVEL CM	20573,5179 litre	50,531 %	20141,5229 litre	O
900	CM	120	CM	120 LEVEL CM	20357,5204 litre	50,000 %	20357,5204 litre	O
900	CM	120	CM	119 LEVEL CM	20141,5229 litre	49,469 %	20573,5179 litre	O
900	CM	120	CM	118 LEVEL CM	19925,5404 litre	48,939 %	20789,5004 litre	O
900	CM	120	CM	117 LEVEL CM	19709,5879 litre	48,409 %	21005,4529 litre	O
900	CM	120	CM	116 LEVEL CM	19493,6804 litre	47,878 %	21221,3604 litre	O
900	CM	120	CM	115 LEVEL CM	19277,8330 litre	47,348 %	21437,2078 litre	O
900	CM	120	CM	114 LEVEL CM	19062,0606 litre	46,818 %	21652,9802 litre	O
900	CM	120	CM	113 LEVEL CM	18846,3783 litre	46,288 %	21868,6625 litre	O
900	CM	120	CM	112 LEVEL CM	18630,8012 litre	45,759 %	22084,2396 litre	O
900	CM	120	CM	111 LEVEL CM	18415,3444 litre	45,230 %	22299,6964 litre	O
900	CM	120	CM	110 LEVEL CM	18200,0230 litre	44,701 %	22515,0178 litre	O
900	CM	120	CM	109 LEVEL CM	17984,8521 litre	44,173 %	22730,1887 litre	O
900	CM	120	CM	108 LEVEL CM	17769,8469 litre	43,644 %	22945,1939 litre	O
900	CM	120	CM	107 LEVEL CM	17555,0226 litre	43,117 %	23160,0182 litre	O
900	CM	120	CM	106 LEVEL CM	17340,3945 litre	42,590 %	23374,6463 litre	O
900	CM	120	CM	105 LEVEL CM	17125,9778 litre	42,063 %	23589,0630 litre	O
900	CM	120	CM	104 LEVEL CM	16911,7879 litre	41,537 %	23803,2529 litre	O
900	CM	120	CM	103 LEVEL CM	16697,8401 litre	41,011 %	24017,2007 litre	O
900	CM	120	CM	102 LEVEL CM	16484,1500 litre	40,487 %	24230,8908 litre	O
900	CM	120	CM	101 LEVEL CM	16270,7330 litre	39,962 %	24444,3078 litre	O
900	CM	120	CM	100 LEVEL CM	16057,6046 litre	39,439 %	24657,4362 litre	O
900	CM	120	CM	99 LEVEL CM	15844,7804 litre	38,916 %	24870,2604 litre	O
900	CM	120	CM	98 LEVEL CM	15632,2762 litre	38,394 %	25082,7646 litre	O
900	CM	120	CM	97 LEVEL CM	15420,1077 litre	37,873 %	25294,9331 litre	O
900	CM	120	CM	96 LEVEL CM	15208,2908 litre	37,353 %	25506,7500 litre	O
900	CM	120	CM	95 LEVEL CM	14996,8412 litre	36,834 %	25718,1996 litre	O
900	CM	120	CM	94 LEVEL CM	14785,7751 litre	36,315 %	25929,2657 litre	O
900	CM	120	CM	93 LEVEL CM	14575,1085 litre	35,798 %	26139,9323 litre	O
900	CM	120	CM	92 LEVEL CM	14364,8575 litre	35,281 %	26350,1833 litre	O
900	CM	120	CM	91 LEVEL CM	14155,0385 litre	34,766 %	26560,0023 litre	O
900	CM	120	CM	90 LEVEL CM	13945,6678 litre	34,252 %	26769,3730 litre	O
900	CM	120	CM	89 LEVEL CM	13736,7618 litre	33,739 %	26978,2790 litre	O
900	CM	120	CM	88 LEVEL CM	13528,3372 litre	33,227 %	27186,7036 litre	O
900	CM	120	CM	87 LEVEL CM	13320,4106 litre	32,716 %	27394,6302 litre	O
900	CM	120	CM	86 LEVEL CM	13112,9989 litre	32,207 %	27602,0419 litre	O
900	CM	120	CM	85 LEVEL CM	12906,1190 litre	31,699 %	27808,9218 litre	O
900	CM	120	CM	84 LEVEL CM	12699,7880 litre	31,192 %	28015,2528 litre	O
900	CM	120	CM	83 LEVEL CM	12494,0230 litre	30,687 %	28221,0178 litre	O

900	CM	120	CM	82 LEVEL CM	12288,8415 litre	30,183 %	28426,1993 litre	O
900	CM	120	CM	81 LEVEL CM	12084,2610 litre	29,680 %	28630,7798 litre	O
900	CM	120	CM	80 LEVEL CM	11880,2990 litre	29,179 %	28834,7418 litre	O
900	CM	120	CM	79 LEVEL CM	11676,9734 litre	28,680 %	29038,0674 litre	O
900	CM	120	CM	78 LEVEL CM	11474,3023 litre	28,182 %	29240,7385 litre	O
900	CM	120	CM	77 LEVEL CM	11272,3036 litre	27,686 %	29442,7372 litre	O
900	CM	120	CM	76 LEVEL CM	11070,9959 litre	27,191 %	29644,0449 litre	O
900	CM	120	CM	75 LEVEL CM	10870,3976 litre	26,699 %	29844,6432 litre	O
900	CM	120	CM	74 LEVEL CM	10670,5275 litre	26,208 %	30044,5133 litre	O
900	CM	120	CM	73 LEVEL CM	10471,4044 litre	25,719 %	30243,6364 litre	O
900	CM	120	CM	72 LEVEL CM	10273,0476 litre	25,232 %	30441,9932 litre	O
900	CM	120	CM	71 LEVEL CM	10075,4764 litre	24,746 %	30639,5644 litre	O
900	CM	120	CM	70 LEVEL CM	9878,7104 litre	24,263 %	30836,3304 litre	O
900	CM	120	CM	69 LEVEL CM	9682,7694 litre	23,782 %	31032,2714 litre	O
900	CM	120	CM	68 LEVEL CM	9487,6736 litre	23,303 %	31227,3672 litre	O
900	CM	120	CM	67 LEVEL CM	9293,4433 litre	22,826 %	31421,5975 litre	O
900	CM	120	CM	66 LEVEL CM	9100,0991 litre	22,351 %	31614,9417 litre	O
900	CM	120	CM	65 LEVEL CM	8907,6619 litre	21,878 %	31807,3789 litre	O
900	CM	120	CM	64 LEVEL CM	8716,1531 litre	21,408 %	31998,8877 litre	O
900	CM	120	CM	63 LEVEL CM	8525,5940 litre	20,940 %	32189,4468 litre	O
900	CM	120	CM	62 LEVEL CM	8336,0065 litre	20,474 %	32379,0343 litre	O
900	CM	120	CM	61 LEVEL CM	8147,4129 litre	20,011 %	32567,6279 litre	O
900	CM	120	CM	60 LEVEL CM	7959,8356 litre	19,550 %	32755,2052 litre	O
900	CM	120	CM	59 LEVEL CM	7773,2976 litre	19,092 %	32941,7432 litre	O
900	CM	120	CM	58 LEVEL CM	7587,8222 litre	18,636 %	33127,2186 litre	O
900	CM	120	CM	57 LEVEL CM	7403,4330 litre	18,184 %	33311,6078 litre	O
900	CM	120	CM	56 LEVEL CM	7220,1541 litre	17,733 %	33494,8867 litre	O
900	CM	120	CM	55 LEVEL CM	7038,0102 litre	17,286 %	33677,0306 litre	O
900	CM	120	CM	54 LEVEL CM	6857,0262 litre	16,842 %	33858,0146 litre	O
900	CM	120	CM	53 LEVEL CM	6677,2277 litre	16,400 %	34037,8131 litre	O
900	CM	120	CM	52 LEVEL CM	6498,6406 litre	15,961 %	34216,4002 litre	O
900	CM	120	CM	51 LEVEL CM	6321,2914 litre	15,526 %	34393,7494 litre	O
900	CM	120	CM	50 LEVEL CM	6145,2074 litre	15,093 %	34569,8334 litre	O
900	CM	120	CM	49 LEVEL CM	5970,4162 litre	14,664 %	34744,6246 litre	O
900	CM	120	CM	48 LEVEL CM	5796,9460 litre	14,238 %	34918,0948 litre	O
900	CM	120	CM	47 LEVEL CM	5624,8259 litre	13,815 %	35090,2149 litre	O
900	CM	120	CM	46 LEVEL CM	5454,0856 litre	13,396 %	35260,9552 litre	O
900	CM	120	CM	45 LEVEL CM	5284,7553 litre	12,980 %	35430,2855 litre	O
900	CM	120	CM	44 LEVEL CM	5116,8662 litre	12,568 %	35598,1746 litre	O
900	CM	120	CM	43 LEVEL CM	4950,4503 litre	12,159 %	35764,5905 litre	O
900	CM	120	CM	42 LEVEL CM	4785,5403 litre	11,754 %	35929,5005 litre	O
900	CM	120	CM	41 LEVEL CM	4622,1701 litre	11,352 %	36092,8707 litre	O
900	CM	120	CM	40 LEVEL CM	4460,3742 litre	10,955 %	36254,6666 litre	O
900	CM	120	CM	39 LEVEL CM	4300,1884 litre	10,562 %	36414,8524 litre	O
900	CM	120	CM	38 LEVEL CM	4141,6494 litre	10,172 %	36573,3914 litre	O
900	CM	120	CM	37 LEVEL CM	3984,7952 litre	9,787 %	36730,2456 litre	O
900	CM	120	CM	36 LEVEL CM	3829,6650 litre	9,406 %	36885,3758 litre	O
900	CM	120	CM	35 LEVEL CM	3676,2992 litre	9,029 %	37038,7416 litre	O
900	CM	120	CM	34 LEVEL CM	3524,7398 litre	8,657 %	37190,3010 litre	O
900	CM	120	CM	33 LEVEL CM	3375,0303 litre	8,289 %	37340,0105 litre	O
900	CM	120	CM	32 LEVEL CM	3227,2156 litre	7,926 %	37487,8252 litre	O
900	CM	120	CM	31 LEVEL CM	3081,3427 litre	7,568 %	37633,6981 litre	O
900	CM	120	CM	30 LEVEL CM	2937,4602 litre	7,215 %	37777,5806 litre	O

900	CM	120	CM	29 LEVEL CM	2795,6188 litre	6,866 %	37919,4220 litre	O
900	CM	120	CM	28 LEVEL CM	2655,8717 litre	6,523 %	38059,1691 litre	O
900	CM	120	CM	27 LEVEL CM	2518,2741 litre	6,185 %	38196,7667 litre	O
900	CM	120	CM	26 LEVEL CM	2382,8842 litre	5,853 %	38332,1566 litre	O
900	CM	120	CM	25 LEVEL CM	2249,7630 litre	5,526 %	38465,2778 litre	O
900	CM	120	CM	24 LEVEL CM	2118,9744 litre	5,204 %	38596,0664 litre	O
900	CM	120	CM	23 LEVEL CM	1990,5861 litre	4,889 %	38724,4547 litre	O
900	CM	120	CM	22 LEVEL CM	1864,6696 litre	4,580 %	38850,3712 litre	O
900	CM	120	CM	21 LEVEL CM	1741,3008 litre	4,277 %	38973,7400 litre	O
900	CM	120	CM	20 LEVEL CM	1620,5600 litre	3,980 %	39094,4808 litre	O
900	CM	120	CM	19 LEVEL CM	1502,5334 litre	3,690 %	39212,5074 litre	O
900	CM	120	CM	18 LEVEL CM	1387,3129 litre	3,407 %	39327,7279 litre	O
900	CM	120	CM	17 LEVEL CM	1274,9975 litre	3,132 %	39440,0433 litre	O
900	CM	120	CM	16 LEVEL CM	1165,6940 litre	2,863 %	39549,3468 litre	O
900	CM	120	CM	15 LEVEL CM	1059,5183 litre	2,602 %	39655,5225 litre	O
900	CM	120	CM	14 LEVEL CM	956,5970 litre	2,349 %	39758,4438 litre	O
900	CM	120	CM	13 LEVEL CM	857,0689 litre	2,105 %	39857,9719 litre	O
900	CM	120	CM	12 LEVEL CM	761,0878 litre	1,869 %	39953,9530 litre	O
900	CM	120	CM	11 LEVEL CM	668,8249 litre	1,643 %	40046,2159 litre	O
900	CM	120	CM	10 LEVEL CM	580,4735 litre	1,426 %	40134,5673 litre	O
900	CM	120	CM	9 LEVEL CM	496,2535 litre	1,219 %	40218,7873 litre	O
900	CM	120	CM	8 LEVEL CM	416,4190 litre	1,023 %	40298,6218 litre	O
900	CM	120	CM	7 LEVEL CM	341,2691 litre	0,838 %	40373,7717 litre	O
900	CM	120	CM	6 LEVEL CM	271,1624 litre	0,666 %	40443,8784 litre	O
900	CM	120	CM	5 LEVEL CM	206,5422 litre	0,507 %	40508,4986 litre	O
900	CM	120	CM	4 LEVEL CM	147,9767 litre	0,363 %	40567,0641 litre	O
900	CM	120	CM	3 LEVEL CM	96,2351 litre	0,236 %	40618,8057 litre	O
900	CM	120	CM	2 LEVEL CM	52,4497 litre	0,129 %	40662,5911 litre	O
900	CM	120	CM	1 LEVEL CM	18,5671 litre	0,046 %	40696,4737 litre	O
900	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	40715,0408 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	115	CM	230 LEVEL CM	37392,8066 litre	100,000 %	0,0000 litre	O
900	CM	115	CM	229 LEVEL CM	37374,6314 litre	99,951 %	18,1752 litre	O
900	CM	115	CM	228 LEVEL CM	37341,4668 litre	99,863 %	51,3398 litre	O
900	CM	115	CM	227 LEVEL CM	37298,6132 litre	99,748 %	94,1934 litre	O
900	CM	115	CM	226 LEVEL CM	37247,9773 litre	99,613 %	144,8293 litre	O
900	CM	115	CM	225 LEVEL CM	37190,6688 litre	99,459 %	202,1378 litre	O
900	CM	115	CM	224 LEVEL CM	37127,4415 litre	99,290 %	265,3651 litre	O
900	CM	115	CM	223 LEVEL CM	37058,8525 litre	99,107 %	333,9541 litre	O
900	CM	115	CM	222 LEVEL CM	36985,3365 litre	98,910 %	407,4701 litre	O
900	CM	115	CM	221 LEVEL CM	36907,2454 litre	98,701 %	485,5612 litre	O
900	CM	115	CM	220 LEVEL CM	36824,8726 litre	98,481 %	567,9340 litre	O
900	CM	115	CM	219 LEVEL CM	36738,4675 litre	98,250 %	654,3391 litre	O
900	CM	115	CM	218 LEVEL CM	36648,2462 litre	98,009 %	744,5604 litre	O
900	CM	115	CM	217 LEVEL CM	36554,3982 litre	97,758 %	838,4084 litre	O
900	CM	115	CM	216 LEVEL CM	36457,0921 litre	97,498 %	935,7145 litre	O
900	CM	115	CM	215 LEVEL CM	36356,4787 litre	97,229 %	1036,3279 litre	O
900	CM	115	CM	214 LEVEL CM	36252,6947 litre	96,951 %	1140,1119 litre	O
900	CM	115	CM	213 LEVEL CM	36145,8645 litre	96,665 %	1246,9421 litre	O
900	CM	115	CM	212 LEVEL CM	36036,1021 litre	96,372 %	1356,7045 litre	O
900	CM	115	CM	211 LEVEL CM	35923,5126 litre	96,071 %	1469,2940 litre	O
900	CM	115	CM	210 LEVEL CM	35808,1934 litre	95,762 %	1584,6132 litre	O
900	CM	115	CM	209 LEVEL CM	35690,2351 litre	95,447 %	1702,5715 litre	O
900	CM	115	CM	208 LEVEL CM	35569,7224 litre	95,125 %	1823,0842 litre	O
900	CM	115	CM	207 LEVEL CM	35446,7346 litre	94,796 %	1946,0720 litre	O
900	CM	115	CM	206 LEVEL CM	35321,3465 litre	94,460 %	2071,4601 litre	O
900	CM	115	CM	205 LEVEL CM	35193,6285 litre	94,119 %	2199,1781 litre	O
900	CM	115	CM	204 LEVEL CM	35063,6474 litre	93,771 %	2329,1592 litre	O
900	CM	115	CM	203 LEVEL CM	34931,4663 litre	93,418 %	2461,3403 litre	O
900	CM	115	CM	202 LEVEL CM	34797,1453 litre	93,058 %	2595,6613 litre	O
900	CM	115	CM	201 LEVEL CM	34660,7419 litre	92,694 %	2732,0647 litre	O
900	CM	115	CM	200 LEVEL CM	34522,3108 litre	92,323 %	2870,4958 litre	O
900	CM	115	CM	199 LEVEL CM	34381,9042 litre	91,948 %	3010,9024 litre	O
900	CM	115	CM	198 LEVEL CM	34239,5724 litre	91,567 %	3153,2342 litre	O
900	CM	115	CM	197 LEVEL CM	34095,3636 litre	91,182 %	3297,4430 litre	O
900	CM	115	CM	196 LEVEL CM	33949,3240 litre	90,791 %	3443,4826 litre	O
900	CM	115	CM	195 LEVEL CM	33801,4982 litre	90,396 %	3591,3084 litre	O
900	CM	115	CM	194 LEVEL CM	33651,9292 litre	89,996 %	3740,8774 litre	O
900	CM	115	CM	193 LEVEL CM	33500,6586 litre	89,591 %	3892,1480 litre	O
900	CM	115	CM	192 LEVEL CM	33347,7264 litre	89,182 %	4045,0802 litre	O
900	CM	115	CM	191 LEVEL CM	33193,1715 litre	88,769 %	4199,6351 litre	O
900	CM	115	CM	190 LEVEL CM	33037,0314 litre	88,351 %	4355,7752 litre	O
900	CM	115	CM	189 LEVEL CM	32879,3427 litre	87,930 %	4513,4639 litre	O
900	CM	115	CM	188 LEVEL CM	32720,1408 litre	87,504 %	4672,6658 litre	O
900	CM	115	CM	187 LEVEL CM	32559,4600 litre	87,074 %	4833,3466 litre	O
900	CM	115	CM	186 LEVEL CM	32397,3340 litre	86,641 %	4995,4726 litre	O
900	CM	115	CM	185 LEVEL CM	32233,7951 litre	86,203 %	5159,0115 litre	O
900	CM	115	CM	184 LEVEL CM	32068,8752 litre	85,762 %	5323,9314 litre	O
900	CM	115	CM	183 LEVEL CM	31902,6053 litre	85,317 %	5490,2013 litre	O
900	CM	115	CM	182 LEVEL CM	31735,0155 litre	84,869 %	5657,7911 litre	O
900	CM	115	CM	181 LEVEL CM	31566,1354 litre	84,418 %	5826,6712 litre	O
900	CM	115	CM	180 LEVEL CM	31395,9937 litre	83,963 %	5996,8129 litre	O
900	CM	115	CM	179 LEVEL CM	31224,6187 litre	83,504 %	6168,1879 litre	O

900	CM	115	CM	178 LEVEL CM	31052,0379 litre	83,043 %	6340,7687 litre	O
900	CM	115	CM	177 LEVEL CM	30878,2784 litre	82,578 %	6514,5282 litre	O
900	CM	115	CM	176 LEVEL CM	30703,3666 litre	82,110 %	6689,4400 litre	O
900	CM	115	CM	175 LEVEL CM	30527,3285 litre	81,640 %	6865,4781 litre	O
900	CM	115	CM	174 LEVEL CM	30350,1895 litre	81,166 %	7042,6171 litre	O
900	CM	115	CM	173 LEVEL CM	30171,9746 litre	80,689 %	7220,8320 litre	O
900	CM	115	CM	172 LEVEL CM	29992,7084 litre	80,210 %	7400,0982 litre	O
900	CM	115	CM	171 LEVEL CM	29812,4148 litre	79,728 %	7580,3918 litre	O
900	CM	115	CM	170 LEVEL CM	29631,1177 litre	79,243 %	7761,6889 litre	O
900	CM	115	CM	169 LEVEL CM	29448,8404 litre	78,755 %	7943,9662 litre	O
900	CM	115	CM	168 LEVEL CM	29265,6056 litre	78,265 %	8127,2010 litre	O
900	CM	115	CM	167 LEVEL CM	29081,4361 litre	77,773 %	8311,3705 litre	O
900	CM	115	CM	166 LEVEL CM	28896,3541 litre	77,278 %	8496,4525 litre	O
900	CM	115	CM	165 LEVEL CM	28710,3813 litre	76,780 %	8682,4253 litre	O
900	CM	115	CM	164 LEVEL CM	28523,5395 litre	76,281 %	8869,2671 litre	O
900	CM	115	CM	163 LEVEL CM	28335,8499 litre	75,779 %	9056,9567 litre	O
900	CM	115	CM	162 LEVEL CM	28147,3336 litre	75,275 %	9245,4730 litre	O
900	CM	115	CM	161 LEVEL CM	27958,0111 litre	74,768 %	9434,7955 litre	O
900	CM	115	CM	160 LEVEL CM	27767,9031 litre	74,260 %	9624,9035 litre	O
900	CM	115	CM	159 LEVEL CM	27577,0296 litre	73,750 %	9815,7770 litre	O
900	CM	115	CM	158 LEVEL CM	27385,4107 litre	73,237 %	10007,3959 litre	O
900	CM	115	CM	157 LEVEL CM	27193,0662 litre	72,723 %	10199,7404 litre	O
900	CM	115	CM	156 LEVEL CM	27000,0154 litre	72,206 %	10392,7912 litre	O
900	CM	115	CM	155 LEVEL CM	26806,2777 litre	71,688 %	10586,5289 litre	O
900	CM	115	CM	154 LEVEL CM	26611,8723 litre	71,168 %	10780,9343 litre	O
900	CM	115	CM	153 LEVEL CM	26416,8179 litre	70,647 %	10975,9887 litre	O
900	CM	115	CM	152 LEVEL CM	26221,1333 litre	70,123 %	11171,6733 litre	O
900	CM	115	CM	151 LEVEL CM	26024,8371 litre	69,599 %	11367,9695 litre	O
900	CM	115	CM	150 LEVEL CM	25827,9476 litre	69,072 %	11564,8590 litre	O
900	CM	115	CM	149 LEVEL CM	25630,4829 litre	68,544 %	11762,3237 litre	O
900	CM	115	CM	148 LEVEL CM	25432,4612 litre	68,014 %	11960,3454 litre	O
900	CM	115	CM	147 LEVEL CM	25233,9002 litre	67,483 %	12158,9064 litre	O
900	CM	115	CM	146 LEVEL CM	25034,8177 litre	66,951 %	12357,9889 litre	O
900	CM	115	CM	145 LEVEL CM	24835,2314 litre	66,417 %	12557,5752 litre	O
900	CM	115	CM	144 LEVEL CM	24635,1587 litre	65,882 %	12757,6479 litre	O
900	CM	115	CM	143 LEVEL CM	24434,6169 litre	65,346 %	12958,1897 litre	O
900	CM	115	CM	142 LEVEL CM	24233,6232 litre	64,808 %	13159,1834 litre	O
900	CM	115	CM	141 LEVEL CM	24032,1947 litre	64,270 %	13360,6119 litre	O
900	CM	115	CM	140 LEVEL CM	23830,3485 litre	63,730 %	13562,4581 litre	O
900	CM	115	CM	139 LEVEL CM	23628,1013 litre	63,189 %	13764,7053 litre	O
900	CM	115	CM	138 LEVEL CM	23425,4701 litre	62,647 %	13967,3365 litre	O
900	CM	115	CM	137 LEVEL CM	23222,4714 litre	62,104 %	14170,3352 litre	O
900	CM	115	CM	136 LEVEL CM	23019,1218 litre	61,560 %	14373,6848 litre	O
900	CM	115	CM	135 LEVEL CM	22815,4380 litre	61,016 %	14577,3686 litre	O
900	CM	115	CM	134 LEVEL CM	22611,4362 litre	60,470 %	14781,3704 litre	O
900	CM	115	CM	133 LEVEL CM	22407,1330 litre	59,924 %	14985,6736 litre	O
900	CM	115	CM	132 LEVEL CM	22202,5444 litre	59,377 %	15190,2622 litre	O
900	CM	115	CM	131 LEVEL CM	21997,6868 litre	58,829 %	15395,1198 litre	O
900	CM	115	CM	130 LEVEL CM	21792,5763 litre	58,280 %	15600,2303 litre	O
900	CM	115	CM	129 LEVEL CM	21587,2290 litre	57,731 %	15805,5776 litre	O
900	CM	115	CM	128 LEVEL CM	21381,6609 litre	57,181 %	16011,1457 litre	O
900	CM	115	CM	127 LEVEL CM	21175,8881 litre	56,631 %	16216,9185 litre	O
900	CM	115	CM	126 LEVEL CM	20969,9263 litre	56,080 %	16422,8803 litre	O

900	CM	115	CM	125 LEVEL CM	20763,7916 litre	55,529 %	16629,0150 litre	O
900	CM	115	CM	124 LEVEL CM	20557,4998 litre	54,977 %	16835,3068 litre	O
900	CM	115	CM	123 LEVEL CM	20351,0667 litre	54,425 %	17041,7399 litre	O
900	CM	115	CM	122 LEVEL CM	20144,5080 litre	53,873 %	17248,2986 litre	O
900	CM	115	CM	121 LEVEL CM	19937,8396 litre	53,320 %	17454,9670 litre	O
900	CM	115	CM	120 LEVEL CM	19731,0771 litre	52,767 %	17661,7295 litre	O
900	CM	115	CM	119 LEVEL CM	19524,2363 litre	52,214 %	17868,5703 litre	O
900	CM	115	CM	118 LEVEL CM	19317,3328 litre	51,661 %	18075,4738 litre	O
900	CM	115	CM	117 LEVEL CM	19110,3824 litre	51,107 %	18282,4242 litre	O
900	CM	115	CM	116 LEVEL CM	18903,4007 litre	50,554 %	18489,4059 litre	O
900	CM	115	CM	115 LEVEL CM	18696,4033 litre	50,000 %	18696,4033 litre	O
900	CM	115	CM	114 LEVEL CM	18489,4059 litre	49,446 %	18903,4007 litre	O
900	CM	115	CM	113 LEVEL CM	18282,4242 litre	48,893 %	19110,3824 litre	O
900	CM	115	CM	112 LEVEL CM	18075,4737 litre	48,339 %	19317,3329 litre	O
900	CM	115	CM	111 LEVEL CM	17868,5703 litre	47,786 %	19524,2363 litre	O
900	CM	115	CM	110 LEVEL CM	17661,7295 litre	47,233 %	19731,0771 litre	O
900	CM	115	CM	109 LEVEL CM	17454,9670 litre	46,680 %	19937,8396 litre	O
900	CM	115	CM	108 LEVEL CM	17248,2986 litre	46,127 %	20144,5080 litre	O
900	CM	115	CM	107 LEVEL CM	17041,7399 litre	45,575 %	20351,0667 litre	O
900	CM	115	CM	106 LEVEL CM	16835,3068 litre	45,023 %	20557,4998 litre	O
900	CM	115	CM	105 LEVEL CM	16629,0149 litre	44,471 %	20763,7917 litre	O
900	CM	115	CM	104 LEVEL CM	16422,8802 litre	43,920 %	20969,9264 litre	O
900	CM	115	CM	103 LEVEL CM	16216,9185 litre	43,369 %	21175,8881 litre	O
900	CM	115	CM	102 LEVEL CM	16011,1456 litre	42,819 %	21381,6610 litre	O
900	CM	115	CM	101 LEVEL CM	15805,5775 litre	42,269 %	21587,2291 litre	O
900	CM	115	CM	100 LEVEL CM	15600,2302 litre	41,720 %	21792,5764 litre	O
900	CM	115	CM	99 LEVEL CM	15395,1197 litre	41,171 %	21997,6869 litre	O
900	CM	115	CM	98 LEVEL CM	15190,2621 litre	40,623 %	22202,5445 litre	O
900	CM	115	CM	97 LEVEL CM	14985,6736 litre	40,076 %	22407,1330 litre	O
900	CM	115	CM	96 LEVEL CM	14781,3703 litre	39,530 %	22611,4363 litre	O
900	CM	115	CM	95 LEVEL CM	14577,3686 litre	38,984 %	22815,4380 litre	O
900	CM	115	CM	94 LEVEL CM	14373,6847 litre	38,440 %	23019,1219 litre	O
900	CM	115	CM	93 LEVEL CM	14170,3352 litre	37,896 %	23222,4714 litre	O
900	CM	115	CM	92 LEVEL CM	13967,3365 litre	37,353 %	23425,4701 litre	O
900	CM	115	CM	91 LEVEL CM	13764,7052 litre	36,811 %	23628,1014 litre	O
900	CM	115	CM	90 LEVEL CM	13562,4581 litre	36,270 %	23830,3485 litre	O
900	CM	115	CM	89 LEVEL CM	13360,6118 litre	35,730 %	24032,1948 litre	O
900	CM	115	CM	88 LEVEL CM	13159,1834 litre	35,192 %	24233,6232 litre	O
900	CM	115	CM	87 LEVEL CM	12958,1897 litre	34,654 %	24434,6169 litre	O
900	CM	115	CM	86 LEVEL CM	12757,6479 litre	34,118 %	24635,1587 litre	O
900	CM	115	CM	85 LEVEL CM	12557,5751 litre	33,583 %	24835,2315 litre	O
900	CM	115	CM	84 LEVEL CM	12357,9888 litre	33,049 %	25034,8178 litre	O
900	CM	115	CM	83 LEVEL CM	12158,9064 litre	32,517 %	25233,9002 litre	O
900	CM	115	CM	82 LEVEL CM	11960,3454 litre	31,986 %	25432,4612 litre	O
900	CM	115	CM	81 LEVEL CM	11762,3237 litre	31,456 %	25630,4829 litre	O
900	CM	115	CM	80 LEVEL CM	11564,8590 litre	30,928 %	25827,9476 litre	O
900	CM	115	CM	79 LEVEL CM	11367,9694 litre	30,401 %	26024,8372 litre	O
900	CM	115	CM	78 LEVEL CM	11171,6732 litre	29,877 %	26221,1334 litre	O
900	CM	115	CM	77 LEVEL CM	10975,9887 litre	29,353 %	26416,8179 litre	O
900	CM	115	CM	76 LEVEL CM	10780,9343 litre	28,832 %	26611,8723 litre	O
900	CM	115	CM	75 LEVEL CM	10586,5288 litre	28,312 %	26806,2778 litre	O
900	CM	115	CM	74 LEVEL CM	10392,7912 litre	27,794 %	27000,0154 litre	O
900	CM	115	CM	73 LEVEL CM	10199,7404 litre	27,277 %	27193,0662 litre	O

900	CM	115	CM	72 LEVEL CM	10007,3958 litre	26,763 %	27385,4108 litre	O
900	CM	115	CM	71 LEVEL CM	9815,7769 litre	26,250 %	27577,0297 litre	O
900	CM	115	CM	70 LEVEL CM	9624,9035 litre	25,740 %	27767,9031 litre	O
900	CM	115	CM	69 LEVEL CM	9434,7954 litre	25,232 %	27958,0112 litre	O
900	CM	115	CM	68 LEVEL CM	9245,4730 litre	24,725 %	28147,3336 litre	O
900	CM	115	CM	67 LEVEL CM	9056,9566 litre	24,221 %	28335,8500 litre	O
900	CM	115	CM	66 LEVEL CM	8869,2670 litre	23,719 %	28523,5396 litre	O
900	CM	115	CM	65 LEVEL CM	8682,4252 litre	23,220 %	28710,3814 litre	O
900	CM	115	CM	64 LEVEL CM	8496,4525 litre	22,722 %	28896,3541 litre	O
900	CM	115	CM	63 LEVEL CM	8311,3704 litre	22,227 %	29081,4362 litre	O
900	CM	115	CM	62 LEVEL CM	8127,2009 litre	21,735 %	29265,6057 litre	O
900	CM	115	CM	61 LEVEL CM	7943,9662 litre	21,245 %	29448,8404 litre	O
900	CM	115	CM	60 LEVEL CM	7761,6888 litre	20,757 %	29631,1178 litre	O
900	CM	115	CM	59 LEVEL CM	7580,3917 litre	20,272 %	29812,4149 litre	O
900	CM	115	CM	58 LEVEL CM	7400,0982 litre	19,790 %	29992,7084 litre	O
900	CM	115	CM	57 LEVEL CM	7220,8319 litre	19,311 %	30171,9747 litre	O
900	CM	115	CM	56 LEVEL CM	7042,6171 litre	18,834 %	30350,1895 litre	O
900	CM	115	CM	55 LEVEL CM	6865,4781 litre	18,360 %	30527,3285 litre	O
900	CM	115	CM	54 LEVEL CM	6689,4400 litre	17,890 %	30703,3666 litre	O
900	CM	115	CM	53 LEVEL CM	6514,5282 litre	17,422 %	30878,2784 litre	O
900	CM	115	CM	52 LEVEL CM	6340,7687 litre	16,957 %	31052,0379 litre	O
900	CM	115	CM	51 LEVEL CM	6168,1879 litre	16,496 %	31224,6187 litre	O
900	CM	115	CM	50 LEVEL CM	5996,8129 litre	16,037 %	31395,9937 litre	O
900	CM	115	CM	49 LEVEL CM	5826,6712 litre	15,582 %	31566,1354 litre	O
900	CM	115	CM	48 LEVEL CM	5657,7911 litre	15,131 %	31735,0155 litre	O
900	CM	115	CM	47 LEVEL CM	5490,2013 litre	14,683 %	31902,6053 litre	O
900	CM	115	CM	46 LEVEL CM	5323,9313 litre	14,238 %	32068,8753 litre	O
900	CM	115	CM	45 LEVEL CM	5159,0115 litre	13,797 %	32233,7951 litre	O
900	CM	115	CM	44 LEVEL CM	4995,4726 litre	13,359 %	32397,3340 litre	O
900	CM	115	CM	43 LEVEL CM	4833,3465 litre	12,926 %	32559,4601 litre	O
900	CM	115	CM	42 LEVEL CM	4672,6658 litre	12,496 %	32720,1408 litre	O
900	CM	115	CM	41 LEVEL CM	4513,4638 litre	12,070 %	32879,3428 litre	O
900	CM	115	CM	40 LEVEL CM	4355,7751 litre	11,649 %	33037,0315 litre	O
900	CM	115	CM	39 LEVEL CM	4199,6351 litre	11,231 %	33193,1715 litre	O
900	CM	115	CM	38 LEVEL CM	4045,0802 litre	10,818 %	33347,7264 litre	O
900	CM	115	CM	37 LEVEL CM	3892,1480 litre	10,409 %	33500,6586 litre	O
900	CM	115	CM	36 LEVEL CM	3740,8773 litre	10,004 %	33651,9293 litre	O
900	CM	115	CM	35 LEVEL CM	3591,3084 litre	9,604 %	33801,4982 litre	O
900	CM	115	CM	34 LEVEL CM	3443,4826 litre	9,209 %	33949,3240 litre	O
900	CM	115	CM	33 LEVEL CM	3297,4430 litre	8,818 %	34095,3636 litre	O
900	CM	115	CM	32 LEVEL CM	3153,2341 litre	8,433 %	34239,5725 litre	O
900	CM	115	CM	31 LEVEL CM	3010,9023 litre	8,052 %	34381,9043 litre	O
900	CM	115	CM	30 LEVEL CM	2870,4958 litre	7,677 %	34522,3108 litre	O
900	CM	115	CM	29 LEVEL CM	2732,0646 litre	7,306 %	34660,7420 litre	O
900	CM	115	CM	28 LEVEL CM	2595,6612 litre	6,942 %	34797,1454 litre	O
900	CM	115	CM	27 LEVEL CM	2461,3403 litre	6,582 %	34931,4663 litre	O
900	CM	115	CM	26 LEVEL CM	2329,1592 litre	6,229 %	35063,6474 litre	O
900	CM	115	CM	25 LEVEL CM	2199,1780 litre	5,881 %	35193,6286 litre	O
900	CM	115	CM	24 LEVEL CM	2071,4600 litre	5,540 %	35321,3466 litre	O
900	CM	115	CM	23 LEVEL CM	1946,0719 litre	5,204 %	35446,7347 litre	O
900	CM	115	CM	22 LEVEL CM	1823,0842 litre	4,875 %	35569,7224 litre	O
900	CM	115	CM	21 LEVEL CM	1702,5715 litre	4,553 %	35690,2351 litre	O
900	CM	115	CM	20 LEVEL CM	1584,6132 litre	4,238 %	35808,1934 litre	O

900	CM	115	CM	19 LEVEL CM	1469,2940 litre	3,929 %	35923,5126 litre	O
900	CM	115	CM	18 LEVEL CM	1356,7045 litre	3,628 %	36036,1021 litre	O
900	CM	115	CM	17 LEVEL CM	1246,9421 litre	3,335 %	36145,8645 litre	O
900	CM	115	CM	16 LEVEL CM	1140,1118 litre	3,049 %	36252,6948 litre	O
900	CM	115	CM	15 LEVEL CM	1036,3279 litre	2,771 %	36356,4787 litre	O
900	CM	115	CM	14 LEVEL CM	935,7145 litre	2,502 %	36457,0921 litre	O
900	CM	115	CM	13 LEVEL CM	838,4083 litre	2,242 %	36554,3983 litre	O
900	CM	115	CM	12 LEVEL CM	744,5604 litre	1,991 %	36648,2462 litre	O
900	CM	115	CM	11 LEVEL CM	654,3391 litre	1,750 %	36738,4675 litre	O
900	CM	115	CM	10 LEVEL CM	567,9340 litre	1,519 %	36824,8726 litre	O
900	CM	115	CM	9 LEVEL CM	485,5611 litre	1,299 %	36907,2455 litre	O
900	CM	115	CM	8 LEVEL CM	407,4701 litre	1,090 %	36985,3365 litre	O
900	CM	115	CM	7 LEVEL CM	333,9540 litre	0,893 %	37058,8526 litre	O
900	CM	115	CM	6 LEVEL CM	265,3650 litre	0,710 %	37127,4416 litre	O
900	CM	115	CM	5 LEVEL CM	202,1377 litre	0,541 %	37190,6689 litre	O
900	CM	115	CM	4 LEVEL CM	144,8292 litre	0,387 %	37247,9774 litre	O
900	CM	115	CM	3 LEVEL CM	94,1934 litre	0,252 %	37298,6132 litre	O
900	CM	115	CM	2 LEVEL CM	51,3398 litre	0,137 %	37341,4668 litre	O
900	CM	115	CM	1 LEVEL CM	18,1751 litre	0,049 %	37374,6315 litre	O
900	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	37392,8066 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	110	CM	220 LEVEL CM	34211,9440 litre	100,000 %	0,0000 litre	O
900	CM	110	CM	219 LEVEL CM	34194,1694 litre	99,948 %	17,7746 litre	O
900	CM	110	CM	218 LEVEL CM	34161,7387 litre	99,853 %	50,2053 litre	O
900	CM	110	CM	217 LEVEL CM	34119,8376 litre	99,731 %	92,1064 litre	O
900	CM	110	CM	216 LEVEL CM	34070,3322 litre	99,586 %	141,6118 litre	O
900	CM	110	CM	215 LEVEL CM	34014,3089 litre	99,422 %	197,6351 litre	O
900	CM	110	CM	214 LEVEL CM	33952,5058 litre	99,242 %	259,4382 litre	O
900	CM	110	CM	213 LEVEL CM	33885,4689 litre	99,046 %	326,4751 litre	O
900	CM	110	CM	212 LEVEL CM	33813,6239 litre	98,836 %	398,3201 litre	O
900	CM	110	CM	211 LEVEL CM	33737,3160 litre	98,613 %	474,6280 litre	O
900	CM	110	CM	210 LEVEL CM	33656,8328 litre	98,377 %	555,1112 litre	O
900	CM	110	CM	209 LEVEL CM	33572,4189 litre	98,131 %	639,5251 litre	O
900	CM	110	CM	208 LEVEL CM	33484,2863 litre	97,873 %	727,6577 litre	O
900	CM	110	CM	207 LEVEL CM	33392,6212 litre	97,605 %	819,3228 litre	O
900	CM	110	CM	206 LEVEL CM	33297,5889 litre	97,327 %	914,3551 litre	O
900	CM	110	CM	205 LEVEL CM	33199,3377 litre	97,040 %	1012,6063 litre	O
900	CM	110	CM	204 LEVEL CM	33098,0019 litre	96,744 %	1113,9421 litre	O
900	CM	110	CM	203 LEVEL CM	32993,7036 litre	96,439 %	1218,2404 litre	O
900	CM	110	CM	202 LEVEL CM	32886,5549 litre	96,126 %	1325,3891 litre	O
900	CM	110	CM	201 LEVEL CM	32776,6594 litre	95,805 %	1435,2846 litre	O
900	CM	110	CM	200 LEVEL CM	32664,1127 litre	95,476 %	1547,8313 litre	O
900	CM	110	CM	199 LEVEL CM	32549,0041 litre	95,139 %	1662,9399 litre	O
900	CM	110	CM	198 LEVEL CM	32431,4169 litre	94,796 %	1780,5271 litre	O
900	CM	110	CM	197 LEVEL CM	32311,4294 litre	94,445 %	1900,5146 litre	O
900	CM	110	CM	196 LEVEL CM	32189,1150 litre	94,087 %	2022,8290 litre	O
900	CM	110	CM	195 LEVEL CM	32064,5433 litre	93,723 %	2147,4007 litre	O
900	CM	110	CM	194 LEVEL CM	31937,7800 litre	93,353 %	2274,1640 litre	O
900	CM	110	CM	193 LEVEL CM	31808,8875 litre	92,976 %	2403,0565 litre	O
900	CM	110	CM	192 LEVEL CM	31677,9252 litre	92,593 %	2534,0188 litre	O
900	CM	110	CM	191 LEVEL CM	31544,9496 litre	92,204 %	2666,9944 litre	O
900	CM	110	CM	190 LEVEL CM	31410,0148 litre	91,810 %	2801,9292 litre	O
900	CM	110	CM	189 LEVEL CM	31273,1724 litre	91,410 %	2938,7716 litre	O
900	CM	110	CM	188 LEVEL CM	31134,4722 litre	91,005 %	3077,4718 litre	O
900	CM	110	CM	187 LEVEL CM	30993,9616 litre	90,594 %	3217,9824 litre	O
900	CM	110	CM	186 LEVEL CM	30851,6866 litre	90,178 %	3360,2574 litre	O
900	CM	110	CM	185 LEVEL CM	30707,6912 litre	89,757 %	3504,2528 litre	O
900	CM	110	CM	184 LEVEL CM	30562,0179 litre	89,331 %	3649,9261 litre	O
900	CM	110	CM	183 LEVEL CM	30414,7080 litre	88,901 %	3797,2360 litre	O
900	CM	110	CM	182 LEVEL CM	30265,8011 litre	88,466 %	3946,1429 litre	O
900	CM	110	CM	181 LEVEL CM	30115,3356 litre	88,026 %	4096,6084 litre	O
900	CM	110	CM	180 LEVEL CM	29963,3490 litre	87,582 %	4248,5950 litre	O
900	CM	110	CM	179 LEVEL CM	29809,8774 litre	87,133 %	4402,0666 litre	O
900	CM	110	CM	178 LEVEL CM	29654,9559 litre	86,680 %	4556,9881 litre	O
900	CM	110	CM	177 LEVEL CM	29498,6187 litre	86,223 %	4713,3253 litre	O
900	CM	110	CM	176 LEVEL CM	29340,8991 litre	85,762 %	4871,0449 litre	O
900	CM	110	CM	175 LEVEL CM	29181,8294 litre	85,297 %	5030,1146 litre	O
900	CM	110	CM	174 LEVEL CM	29021,4412 litre	84,828 %	5190,5028 litre	O
900	CM	110	CM	173 LEVEL CM	28859,7652 litre	84,356 %	5352,1788 litre	O
900	CM	110	CM	172 LEVEL CM	28696,8316 litre	83,880 %	5515,1124 litre	O
900	CM	110	CM	171 LEVEL CM	28532,6698 litre	83,400 %	5679,2742 litre	O
900	CM	110	CM	170 LEVEL CM	28367,3084 litre	82,916 %	5844,6356 litre	O
900	CM	110	CM	169 LEVEL CM	28200,7755 litre	82,430 %	6011,1685 litre	O

900	CM	110	CM	168 LEVEL CM	28033,0986 litre	81,940 %	6178,8454 litre	O
900	CM	110	CM	167 LEVEL CM	27864,3047 litre	81,446 %	6347,6393 litre	O
900	CM	110	CM	166 LEVEL CM	27694,4202 litre	80,950 %	6517,5238 litre	O
900	CM	110	CM	165 LEVEL CM	27523,4710 litre	80,450 %	6688,4730 litre	O
900	CM	110	CM	164 LEVEL CM	27351,4825 litre	79,947 %	6860,4615 litre	O
900	CM	110	CM	163 LEVEL CM	27178,4798 litre	79,441 %	7033,4642 litre	O
900	CM	110	CM	162 LEVEL CM	27004,4872 litre	78,933 %	7207,4568 litre	O
900	CM	110	CM	161 LEVEL CM	26829,5291 litre	78,422 %	7382,4149 litre	O
900	CM	110	CM	160 LEVEL CM	26653,6289 litre	77,907 %	7558,3151 litre	O
900	CM	110	CM	159 LEVEL CM	26476,8102 litre	77,391 %	7735,1338 litre	O
900	CM	110	CM	158 LEVEL CM	26299,0959 litre	76,871 %	7912,8481 litre	O
900	CM	110	CM	157 LEVEL CM	26120,5087 litre	76,349 %	8091,4353 litre	O
900	CM	110	CM	156 LEVEL CM	25941,0707 litre	75,825 %	8270,8733 litre	O
900	CM	110	CM	155 LEVEL CM	25760,8040 litre	75,298 %	8451,1400 litre	O
900	CM	110	CM	154 LEVEL CM	25579,7304 litre	74,768 %	8632,2136 litre	O
900	CM	110	CM	153 LEVEL CM	25397,8711 litre	74,237 %	8814,0729 litre	O
900	CM	110	CM	152 LEVEL CM	25215,2474 litre	73,703 %	8996,6966 litre	O
900	CM	110	CM	151 LEVEL CM	25031,8800 litre	73,167 %	9180,0640 litre	O
900	CM	110	CM	150 LEVEL CM	24847,7896 litre	72,629 %	9364,1544 litre	O
900	CM	110	CM	149 LEVEL CM	24662,9965 litre	72,089 %	9548,9475 litre	O
900	CM	110	CM	148 LEVEL CM	24477,5209 litre	71,547 %	9734,4231 litre	O
900	CM	110	CM	147 LEVEL CM	24291,3827 litre	71,003 %	9920,5613 litre	O
900	CM	110	CM	146 LEVEL CM	24104,6015 litre	70,457 %	10107,3425 litre	O
900	CM	110	CM	145 LEVEL CM	23917,1969 litre	69,909 %	10294,7471 litre	O
900	CM	110	CM	144 LEVEL CM	23729,1881 litre	69,359 %	10482,7559 litre	O
900	CM	110	CM	143 LEVEL CM	23540,5944 litre	68,808 %	10671,3496 litre	O
900	CM	110	CM	142 LEVEL CM	23351,4345 litre	68,255 %	10860,5095 litre	O
900	CM	110	CM	141 LEVEL CM	23161,7273 litre	67,701 %	11050,2167 litre	O
900	CM	110	CM	140 LEVEL CM	22971,4914 litre	67,145 %	11240,4526 litre	O
900	CM	110	CM	139 LEVEL CM	22780,7453 litre	66,587 %	11431,1987 litre	O
900	CM	110	CM	138 LEVEL CM	22589,5071 litre	66,028 %	11622,4369 litre	O
900	CM	110	CM	137 LEVEL CM	22397,7952 litre	65,468 %	11814,1488 litre	O
900	CM	110	CM	136 LEVEL CM	22205,6275 litre	64,906 %	12006,3165 litre	O
900	CM	110	CM	135 LEVEL CM	22013,0219 litre	64,343 %	12198,9221 litre	O
900	CM	110	CM	134 LEVEL CM	21819,9963 litre	63,779 %	12391,9477 litre	O
900	CM	110	CM	133 LEVEL CM	21626,5682 litre	63,214 %	12585,3758 litre	O
900	CM	110	CM	132 LEVEL CM	21432,7552 litre	62,647 %	12779,1888 litre	O
900	CM	110	CM	131 LEVEL CM	21238,5748 litre	62,079 %	12973,3692 litre	O
900	CM	110	CM	130 LEVEL CM	21044,0443 litre	61,511 %	13167,8997 litre	O
900	CM	110	CM	129 LEVEL CM	20849,1810 litre	60,941 %	13362,7630 litre	O
900	CM	110	CM	128 LEVEL CM	20654,0020 litre	60,371 %	13557,9420 litre	O
900	CM	110	CM	127 LEVEL CM	20458,5245 litre	59,799 %	13753,4195 litre	O
900	CM	110	CM	126 LEVEL CM	20262,7654 litre	59,227 %	13949,1786 litre	O
900	CM	110	CM	125 LEVEL CM	20066,7416 litre	58,654 %	14145,2024 litre	O
900	CM	110	CM	124 LEVEL CM	19870,4701 litre	58,081 %	14341,4739 litre	O
900	CM	110	CM	123 LEVEL CM	19673,9676 litre	57,506 %	14537,9764 litre	O
900	CM	110	CM	122 LEVEL CM	19477,2508 litre	56,931 %	14734,6932 litre	O
900	CM	110	CM	121 LEVEL CM	19280,3365 litre	56,356 %	14931,6075 litre	O
900	CM	110	CM	120 LEVEL CM	19083,2413 litre	55,779 %	15128,7027 litre	O
900	CM	110	CM	119 LEVEL CM	18885,9818 litre	55,203 %	15325,9622 litre	O
900	CM	110	CM	118 LEVEL CM	18688,5745 litre	54,626 %	15523,3695 litre	O
900	CM	110	CM	117 LEVEL CM	18491,0360 litre	54,048 %	15720,9080 litre	O
900	CM	110	CM	116 LEVEL CM	18293,3826 litre	53,471 %	15918,5614 litre	O

900	CM	110	CM	115 LEVEL CM	18095,6310 litre	52,893 %	16116,3130 litre	O
900	CM	110	CM	114 LEVEL CM	17897,7974 litre	52,314 %	16314,1466 litre	O
900	CM	110	CM	113 LEVEL CM	17699,8984 litre	51,736 %	16512,0456 litre	O
900	CM	110	CM	112 LEVEL CM	17501,9502 litre	51,157 %	16709,9938 litre	O
900	CM	110	CM	111 LEVEL CM	17303,9693 litre	50,579 %	16907,9747 litre	O
900	CM	110	CM	110 LEVEL CM	17105,9720 litre	50,000 %	17105,9720 litre	O
900	CM	110	CM	109 LEVEL CM	16907,9747 litre	49,421 %	17303,9693 litre	O
900	CM	110	CM	108 LEVEL CM	16709,9938 litre	48,843 %	17501,9502 litre	O
900	CM	110	CM	107 LEVEL CM	16512,0456 litre	48,264 %	17699,8984 litre	O
900	CM	110	CM	106 LEVEL CM	16314,1466 litre	47,686 %	17897,7974 litre	O
900	CM	110	CM	105 LEVEL CM	16116,3130 litre	47,107 %	18095,6310 litre	O
900	CM	110	CM	104 LEVEL CM	15918,5614 litre	46,529 %	18293,3826 litre	O
900	CM	110	CM	103 LEVEL CM	15720,9080 litre	45,952 %	18491,0360 litre	O
900	CM	110	CM	102 LEVEL CM	15523,3695 litre	45,374 %	18688,5745 litre	O
900	CM	110	CM	101 LEVEL CM	15325,9622 litre	44,797 %	18885,9818 litre	O
900	CM	110	CM	100 LEVEL CM	15128,7027 litre	44,221 %	19083,2413 litre	O
900	CM	110	CM	99 LEVEL CM	14931,6075 litre	43,644 %	19280,3365 litre	O
900	CM	110	CM	98 LEVEL CM	14734,6932 litre	43,069 %	19477,2508 litre	O
900	CM	110	CM	97 LEVEL CM	14537,9764 litre	42,494 %	19673,9676 litre	O
900	CM	110	CM	96 LEVEL CM	14341,4739 litre	41,919 %	19870,4701 litre	O
900	CM	110	CM	95 LEVEL CM	14145,2024 litre	41,346 %	20066,7416 litre	O
900	CM	110	CM	94 LEVEL CM	13949,1786 litre	40,773 %	20262,7654 litre	O
900	CM	110	CM	93 LEVEL CM	13753,4195 litre	40,201 %	20458,5245 litre	O
900	CM	110	CM	92 LEVEL CM	13557,9420 litre	39,629 %	20654,0020 litre	O
900	CM	110	CM	91 LEVEL CM	13362,7630 litre	39,059 %	20849,1810 litre	O
900	CM	110	CM	90 LEVEL CM	13167,8997 litre	38,489 %	21044,0443 litre	O
900	CM	110	CM	89 LEVEL CM	12973,3692 litre	37,921 %	21238,5748 litre	O
900	CM	110	CM	88 LEVEL CM	12779,1888 litre	37,353 %	21432,7552 litre	O
900	CM	110	CM	87 LEVEL CM	12585,3758 litre	36,786 %	21626,5682 litre	O
900	CM	110	CM	86 LEVEL CM	12391,9477 litre	36,221 %	21819,9963 litre	O
900	CM	110	CM	85 LEVEL CM	12198,9221 litre	35,657 %	22013,0219 litre	O
900	CM	110	CM	84 LEVEL CM	12006,3165 litre	35,094 %	22205,6275 litre	O
900	CM	110	CM	83 LEVEL CM	11814,1488 litre	34,532 %	22397,7952 litre	O
900	CM	110	CM	82 LEVEL CM	11622,4369 litre	33,972 %	22589,5071 litre	O
900	CM	110	CM	81 LEVEL CM	11431,1987 litre	33,413 %	22780,7453 litre	O
900	CM	110	CM	80 LEVEL CM	11240,4526 litre	32,855 %	22971,4914 litre	O
900	CM	110	CM	79 LEVEL CM	11050,2167 litre	32,299 %	23161,7273 litre	O
900	CM	110	CM	78 LEVEL CM	10860,5095 litre	31,745 %	23351,4345 litre	O
900	CM	110	CM	77 LEVEL CM	10671,3496 litre	31,192 %	23540,5944 litre	O
900	CM	110	CM	76 LEVEL CM	10482,7558 litre	30,641 %	23729,1882 litre	O
900	CM	110	CM	75 LEVEL CM	10294,7471 litre	30,091 %	23917,1969 litre	O
900	CM	110	CM	74 LEVEL CM	10107,3425 litre	29,543 %	24104,6015 litre	O
900	CM	110	CM	73 LEVEL CM	9920,5613 litre	28,997 %	24291,3827 litre	O
900	CM	110	CM	72 LEVEL CM	9734,4231 litre	28,453 %	24477,5209 litre	O
900	CM	110	CM	71 LEVEL CM	9548,9475 litre	27,911 %	24662,9965 litre	O
900	CM	110	CM	70 LEVEL CM	9364,1544 litre	27,371 %	24847,7896 litre	O
900	CM	110	CM	69 LEVEL CM	9180,0640 litre	26,833 %	25031,8800 litre	O
900	CM	110	CM	68 LEVEL CM	8996,6966 litre	26,297 %	25215,2474 litre	O
900	CM	110	CM	67 LEVEL CM	8814,0729 litre	25,763 %	25397,8711 litre	O
900	CM	110	CM	66 LEVEL CM	8632,2136 litre	25,232 %	25579,7304 litre	O
900	CM	110	CM	65 LEVEL CM	8451,1399 litre	24,702 %	25760,8041 litre	O
900	CM	110	CM	64 LEVEL CM	8270,8733 litre	24,175 %	25941,0707 litre	O
900	CM	110	CM	63 LEVEL CM	8091,4353 litre	23,651 %	26120,5087 litre	O

900	CM	110	CM	62 LEVEL CM	7912,8481 litre	23,129 %	26299,0959 litre	O
900	CM	110	CM	61 LEVEL CM	7735,1338 litre	22,609 %	26476,8102 litre	O
900	CM	110	CM	60 LEVEL CM	7558,3151 litre	22,093 %	26653,6289 litre	O
900	CM	110	CM	59 LEVEL CM	7382,4149 litre	21,578 %	26829,5291 litre	O
900	CM	110	CM	58 LEVEL CM	7207,4568 litre	21,067 %	27004,4872 litre	O
900	CM	110	CM	57 LEVEL CM	7033,4642 litre	20,559 %	27178,4798 litre	O
900	CM	110	CM	56 LEVEL CM	6860,4615 litre	20,053 %	27351,4825 litre	O
900	CM	110	CM	55 LEVEL CM	6688,4730 litre	19,550 %	27523,4710 litre	O
900	CM	110	CM	54 LEVEL CM	6517,5238 litre	19,050 %	27694,4202 litre	O
900	CM	110	CM	53 LEVEL CM	6347,6393 litre	18,554 %	27864,3047 litre	O
900	CM	110	CM	52 LEVEL CM	6178,8454 litre	18,060 %	28033,0986 litre	O
900	CM	110	CM	51 LEVEL CM	6011,1685 litre	17,570 %	28200,7755 litre	O
900	CM	110	CM	50 LEVEL CM	5844,6356 litre	17,084 %	28367,3084 litre	O
900	CM	110	CM	49 LEVEL CM	5679,2742 litre	16,600 %	28532,6698 litre	O
900	CM	110	CM	48 LEVEL CM	5515,1123 litre	16,120 %	28696,8317 litre	O
900	CM	110	CM	47 LEVEL CM	5352,1788 litre	15,644 %	28859,7652 litre	O
900	CM	110	CM	46 LEVEL CM	5190,5028 litre	15,172 %	29021,4412 litre	O
900	CM	110	CM	45 LEVEL CM	5030,1146 litre	14,703 %	29181,8294 litre	O
900	CM	110	CM	44 LEVEL CM	4871,0449 litre	14,238 %	29340,8991 litre	O
900	CM	110	CM	43 LEVEL CM	4713,3253 litre	13,777 %	29498,6187 litre	O
900	CM	110	CM	42 LEVEL CM	4556,9881 litre	13,320 %	29654,9559 litre	O
900	CM	110	CM	41 LEVEL CM	4402,0666 litre	12,867 %	29809,8774 litre	O
900	CM	110	CM	40 LEVEL CM	4248,5950 litre	12,418 %	29963,3490 litre	O
900	CM	110	CM	39 LEVEL CM	4096,6084 litre	11,974 %	30115,3356 litre	O
900	CM	110	CM	38 LEVEL CM	3946,1429 litre	11,534 %	30265,8011 litre	O
900	CM	110	CM	37 LEVEL CM	3797,2360 litre	11,099 %	30414,7080 litre	O
900	CM	110	CM	36 LEVEL CM	3649,9261 litre	10,669 %	30562,0179 litre	O
900	CM	110	CM	35 LEVEL CM	3504,2528 litre	10,243 %	30707,6912 litre	O
900	CM	110	CM	34 LEVEL CM	3360,2574 litre	9,822 %	30851,6866 litre	O
900	CM	110	CM	33 LEVEL CM	3217,9824 litre	9,406 %	30993,9616 litre	O
900	CM	110	CM	32 LEVEL CM	3077,4718 litre	8,995 %	31134,4722 litre	O
900	CM	110	CM	31 LEVEL CM	2938,7716 litre	8,590 %	31273,1724 litre	O
900	CM	110	CM	30 LEVEL CM	2801,9292 litre	8,190 %	31410,0148 litre	O
900	CM	110	CM	29 LEVEL CM	2666,9944 litre	7,796 %	31544,9496 litre	O
900	CM	110	CM	28 LEVEL CM	2534,0188 litre	7,407 %	31677,9252 litre	O
900	CM	110	CM	27 LEVEL CM	2403,0565 litre	7,024 %	31808,8875 litre	O
900	CM	110	CM	26 LEVEL CM	2274,1640 litre	6,647 %	31937,7800 litre	O
900	CM	110	CM	25 LEVEL CM	2147,4007 litre	6,277 %	32064,5433 litre	O
900	CM	110	CM	24 LEVEL CM	2022,8290 litre	5,913 %	32189,1150 litre	O
900	CM	110	CM	23 LEVEL CM	1900,5146 litre	5,555 %	32311,4294 litre	O
900	CM	110	CM	22 LEVEL CM	1780,5271 litre	5,204 %	32431,4169 litre	O
900	CM	110	CM	21 LEVEL CM	1662,9399 litre	4,861 %	32549,0041 litre	O
900	CM	110	CM	20 LEVEL CM	1547,8313 litre	4,524 %	32664,1127 litre	O
900	CM	110	CM	19 LEVEL CM	1435,2846 litre	4,195 %	32776,6594 litre	O
900	CM	110	CM	18 LEVEL CM	1325,3891 litre	3,874 %	32886,5549 litre	O
900	CM	110	CM	17 LEVEL CM	1218,2404 litre	3,561 %	32993,7036 litre	O
900	CM	110	CM	16 LEVEL CM	1113,9421 litre	3,256 %	33098,0019 litre	O
900	CM	110	CM	15 LEVEL CM	1012,6063 litre	2,960 %	33199,3377 litre	O
900	CM	110	CM	14 LEVEL CM	914,3551 litre	2,673 %	33297,5889 litre	O
900	CM	110	CM	13 LEVEL CM	819,3228 litre	2,395 %	33392,6212 litre	O
900	CM	110	CM	12 LEVEL CM	727,6577 litre	2,127 %	33484,2863 litre	O
900	CM	110	CM	11 LEVEL CM	639,5251 litre	1,869 %	33572,4189 litre	O
900	CM	110	CM	10 LEVEL CM	555,1112 litre	1,623 %	33656,8328 litre	O

900	CM	110	CM	9 LEVEL CM	474,6280 litre	1,387 %	33737,3160 litre	O
900	CM	110	CM	8 LEVEL CM	398,3201 litre	1,164 %	33813,6239 litre	O
900	CM	110	CM	7 LEVEL CM	326,4751 litre	0,954 %	33885,4689 litre	O
900	CM	110	CM	6 LEVEL CM	259,4382 litre	0,758 %	33952,5058 litre	O
900	CM	110	CM	5 LEVEL CM	197,6351 litre	0,578 %	34014,3089 litre	O
900	CM	110	CM	4 LEVEL CM	141,6118 litre	0,414 %	34070,3322 litre	O
900	CM	110	CM	3 LEVEL CM	92,1064 litre	0,269 %	34119,8376 litre	O
900	CM	110	CM	2 LEVEL CM	50,2053 litre	0,147 %	34161,7387 litre	O
900	CM	110	CM	1 LEVEL CM	17,7746 litre	0,052 %	34194,1694 litre	O
900	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	34211,9440 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM 105	CM 210 LEVEL CM	31172,4531 litre	100,000 %	0,0000 litre	O
900	CM 105	CM 209 LEVEL CM	31155,0883 litre	99,944 %	17,3648 litre	O
900	CM 105	CM 208 LEVEL CM	31123,4085 litre	99,843 %	49,0446 litre	O
900	CM 105	CM 207 LEVEL CM	31082,4821 litre	99,711 %	89,9710 litre	O
900	CM 105	CM 206 LEVEL CM	31034,1336 litre	99,556 %	138,3195 litre	O
900	CM 105	CM 205 LEVEL CM	30979,4256 litre	99,381 %	193,0275 litre	O
900	CM 105	CM 204 LEVEL CM	30919,0804 litre	99,187 %	253,3727 litre	O
900	CM 105	CM 203 LEVEL CM	30853,6323 litre	98,977 %	318,8208 litre	O
900	CM 105	CM 202 LEVEL CM	30783,4982 litre	98,752 %	388,9549 litre	O
900	CM 105	CM 201 LEVEL CM	30709,0162 litre	98,513 %	463,4369 litre	O
900	CM 105	CM 200 LEVEL CM	30630,4679 litre	98,261 %	541,9852 litre	O
900	CM 105	CM 199 LEVEL CM	30548,0934 litre	97,997 %	624,3597 litre	O
900	CM 105	CM 198 LEVEL CM	30462,1003 litre	97,721 %	710,3528 litre	O
900	CM 105	CM 197 LEVEL CM	30372,6713 litre	97,434 %	799,7818 litre	O
900	CM 105	CM 196 LEVEL CM	30279,9686 litre	97,137 %	892,4845 litre	O
900	CM 105	CM 195 LEVEL CM	30184,1379 litre	96,830 %	988,3152 litre	O
900	CM 105	CM 194 LEVEL CM	30085,3107 litre	96,512 %	1087,1424 litre	O
900	CM 105	CM 193 LEVEL CM	29983,6073 litre	96,186 %	1188,8458 litre	O
900	CM 105	CM 192 LEVEL CM	29879,1379 litre	95,851 %	1293,3152 litre	O
900	CM 105	CM 191 LEVEL CM	29772,0040 litre	95,507 %	1400,4491 litre	O
900	CM 105	CM 190 LEVEL CM	29662,2999 litre	95,155 %	1510,1532 litre	O
900	CM 105	CM 189 LEVEL CM	29550,1134 litre	94,796 %	1622,3397 litre	O
900	CM 105	CM 188 LEVEL CM	29435,5264 litre	94,428 %	1736,9267 litre	O
900	CM 105	CM 187 LEVEL CM	29318,6160 litre	94,053 %	1853,8371 litre	O
900	CM 105	CM 186 LEVEL CM	29199,4546 litre	93,671 %	1972,9985 litre	O
900	CM 105	CM 185 LEVEL CM	29078,1107 litre	93,281 %	2094,3424 litre	O
900	CM 105	CM 184 LEVEL CM	28954,6492 litre	92,885 %	2217,8039 litre	O
900	CM 105	CM 183 LEVEL CM	28829,1314 litre	92,483 %	2343,3217 litre	O
900	CM 105	CM 182 LEVEL CM	28701,6161 litre	92,074 %	2470,8370 litre	O
900	CM 105	CM 181 LEVEL CM	28572,1591 litre	91,658 %	2600,2940 litre	O
900	CM 105	CM 180 LEVEL CM	28440,8136 litre	91,237 %	2731,6395 litre	O
900	CM 105	CM 179 LEVEL CM	28307,6308 litre	90,810 %	2864,8223 litre	O
900	CM 105	CM 178 LEVEL CM	28172,6598 litre	90,377 %	2999,7933 litre	O
900	CM 105	CM 177 LEVEL CM	28035,9476 litre	89,938 %	3136,5055 litre	O
900	CM 105	CM 176 LEVEL CM	27897,5395 litre	89,494 %	3274,9136 litre	O
900	CM 105	CM 175 LEVEL CM	27757,4791 litre	89,045 %	3414,9740 litre	O
900	CM 105	CM 174 LEVEL CM	27615,8087 litre	88,590 %	3556,6444 litre	O
900	CM 105	CM 173 LEVEL CM	27472,5689 litre	88,131 %	3699,8842 litre	O
900	CM 105	CM 172 LEVEL CM	27327,7991 litre	87,667 %	3844,6540 litre	O
900	CM 105	CM 171 LEVEL CM	27181,5375 litre	87,197 %	3990,9156 litre	O
900	CM 105	CM 170 LEVEL CM	27033,8210 litre	86,723 %	4138,6321 litre	O
900	CM 105	CM 169 LEVEL CM	26884,6857 litre	86,245 %	4287,7674 litre	O
900	CM 105	CM 168 LEVEL CM	26734,1663 litre	85,762 %	4438,2868 litre	O
900	CM 105	CM 167 LEVEL CM	26582,2968 litre	85,275 %	4590,1563 litre	O
900	CM 105	CM 166 LEVEL CM	26429,1104 litre	84,784 %	4743,3427 litre	O
900	CM 105	CM 165 LEVEL CM	26274,6391 litre	84,288 %	4897,8140 litre	O
900	CM 105	CM 164 LEVEL CM	26118,9143 litre	83,788 %	5053,5388 litre	O
900	CM 105	CM 163 LEVEL CM	25961,9668 litre	83,285 %	5210,4863 litre	O
900	CM 105	CM 162 LEVEL CM	25803,8265 litre	82,778 %	5368,6266 litre	O
900	CM 105	CM 161 LEVEL CM	25644,5226 litre	82,267 %	5527,9305 litre	O
900	CM 105	CM 160 LEVEL CM	25484,0838 litre	81,752 %	5688,3693 litre	O
900	CM 105	CM 159 LEVEL CM	25322,5381 litre	81,234 %	5849,9150 litre	O

900	CM	105	CM	158 LEVEL CM	25159,9129 litre	80,712 %	6012,5402 litre	O
900	CM	105	CM	157 LEVEL CM	24996,2352 litre	80,187 %	6176,2179 litre	O
900	CM	105	CM	156 LEVEL CM	24831,5313 litre	79,659 %	6340,9218 litre	O
900	CM	105	CM	155 LEVEL CM	24665,8273 litre	79,127 %	6506,6258 litre	O
900	CM	105	CM	154 LEVEL CM	24499,1484 litre	78,592 %	6673,3047 litre	O
900	CM	105	CM	153 LEVEL CM	24331,5198 litre	78,055 %	6840,9333 litre	O
900	CM	105	CM	152 LEVEL CM	24162,9659 litre	77,514 %	7009,4872 litre	O
900	CM	105	CM	151 LEVEL CM	23993,5109 litre	76,970 %	7178,9422 litre	O
900	CM	105	CM	150 LEVEL CM	23823,1787 litre	76,424 %	7349,2744 litre	O
900	CM	105	CM	149 LEVEL CM	23651,9927 litre	75,875 %	7520,4604 litre	O
900	CM	105	CM	148 LEVEL CM	23479,9759 litre	75,323 %	7692,4772 litre	O
900	CM	105	CM	147 LEVEL CM	23307,1510 litre	74,768 %	7865,3021 litre	O
900	CM	105	CM	146 LEVEL CM	23133,5406 litre	74,211 %	8038,9125 litre	O
900	CM	105	CM	145 LEVEL CM	22959,1666 litre	73,652 %	8213,2865 litre	O
900	CM	105	CM	144 LEVEL CM	22784,0510 litre	73,090 %	8388,4021 litre	O
900	CM	105	CM	143 LEVEL CM	22608,2153 litre	72,526 %	8564,2378 litre	O
900	CM	105	CM	142 LEVEL CM	22431,6808 litre	71,960 %	8740,7723 litre	O
900	CM	105	CM	141 LEVEL CM	22254,4685 litre	71,391 %	8917,9846 litre	O
900	CM	105	CM	140 LEVEL CM	22076,5992 litre	70,821 %	9095,8539 litre	O
900	CM	105	CM	139 LEVEL CM	21898,0935 litre	70,248 %	9274,3596 litre	O
900	CM	105	CM	138 LEVEL CM	21718,9717 litre	69,674 %	9453,4814 litre	O
900	CM	105	CM	137 LEVEL CM	21539,2540 litre	69,097 %	9633,1991 litre	O
900	CM	105	CM	136 LEVEL CM	21358,9603 litre	68,519 %	9813,4928 litre	O
900	CM	105	CM	135 LEVEL CM	21178,1104 litre	67,939 %	9994,3427 litre	O
900	CM	105	CM	134 LEVEL CM	20996,7238 litre	67,357 %	10175,7293 litre	O
900	CM	105	CM	133 LEVEL CM	20814,8199 litre	66,773 %	10357,6332 litre	O
900	CM	105	CM	132 LEVEL CM	20632,4180 litre	66,188 %	10540,0351 litre	O
900	CM	105	CM	131 LEVEL CM	20449,5371 litre	65,601 %	10722,9160 litre	O
900	CM	105	CM	130 LEVEL CM	20266,1962 litre	65,013 %	10906,2569 litre	O
900	CM	105	CM	129 LEVEL CM	20082,4140 litre	64,424 %	11090,0391 litre	O
900	CM	105	CM	128 LEVEL CM	19898,2091 litre	63,833 %	11274,2440 litre	O
900	CM	105	CM	127 LEVEL CM	19713,6002 litre	63,240 %	11458,8529 litre	O
900	CM	105	CM	126 LEVEL CM	19528,6055 litre	62,647 %	11643,8476 litre	O
900	CM	105	CM	125 LEVEL CM	19343,2434 litre	62,052 %	11829,2097 litre	O
900	CM	105	CM	124 LEVEL CM	19157,5320 litre	61,457 %	12014,9211 litre	O
900	CM	105	CM	123 LEVEL CM	18971,4895 litre	60,860 %	12200,9636 litre	O
900	CM	105	CM	122 LEVEL CM	18785,1337 litre	60,262 %	12387,3194 litre	O
900	CM	105	CM	121 LEVEL CM	18598,4826 litre	59,663 %	12573,9705 litre	O
900	CM	105	CM	120 LEVEL CM	18411,5540 litre	59,064 %	12760,8991 litre	O
900	CM	105	CM	119 LEVEL CM	18224,3655 litre	58,463 %	12948,0876 litre	O
900	CM	105	CM	118 LEVEL CM	18036,9349 litre	57,862 %	13135,5182 litre	O
900	CM	105	CM	117 LEVEL CM	17849,2797 litre	57,260 %	13323,1734 litre	O
900	CM	105	CM	116 LEVEL CM	17661,4174 litre	56,657 %	13511,0357 litre	O
900	CM	105	CM	115 LEVEL CM	17473,3655 litre	56,054 %	13699,0876 litre	O
900	CM	105	CM	114 LEVEL CM	17285,1414 litre	55,450 %	13887,3117 litre	O
900	CM	105	CM	113 LEVEL CM	17096,7624 litre	54,846 %	14075,6907 litre	O
900	CM	105	CM	112 LEVEL CM	16908,2459 litre	54,241 %	14264,2072 litre	O
900	CM	105	CM	111 LEVEL CM	16719,6091 litre	53,636 %	14452,8440 litre	O
900	CM	105	CM	110 LEVEL CM	16530,8693 litre	53,030 %	14641,5838 litre	O
900	CM	105	CM	109 LEVEL CM	16342,0437 litre	52,425 %	14830,4094 litre	O
900	CM	105	CM	108 LEVEL CM	16153,1494 litre	51,819 %	15019,3037 litre	O
900	CM	105	CM	107 LEVEL CM	15964,2037 litre	51,213 %	15208,2494 litre	O
900	CM	105	CM	106 LEVEL CM	15775,2237 litre	50,606 %	15397,2294 litre	O

900	CM	105	CM	105 LEVEL CM	15586,2266 litre	50,000 %	15586,2265 litre	O
900	CM	105	CM	104 LEVEL CM	15397,2294 litre	49,394 %	15775,2237 litre	O
900	CM	105	CM	103 LEVEL CM	15208,2494 litre	48,787 %	15964,2037 litre	O
900	CM	105	CM	102 LEVEL CM	15019,3037 litre	48,181 %	16153,1494 litre	O
900	CM	105	CM	101 LEVEL CM	14830,4094 litre	47,575 %	16342,0437 litre	O
900	CM	105	CM	100 LEVEL CM	14641,5838 litre	46,970 %	16530,8693 litre	O
900	CM	105	CM	99 LEVEL CM	14452,8440 litre	46,364 %	16719,6091 litre	O
900	CM	105	CM	98 LEVEL CM	14264,2072 litre	45,759 %	16908,2459 litre	O
900	CM	105	CM	97 LEVEL CM	14075,6907 litre	45,154 %	17096,7624 litre	O
900	CM	105	CM	96 LEVEL CM	13887,3117 litre	44,550 %	17285,1414 litre	O
900	CM	105	CM	95 LEVEL CM	13699,0876 litre	43,946 %	17473,3655 litre	O
900	CM	105	CM	94 LEVEL CM	13511,0357 litre	43,343 %	17661,4174 litre	O
900	CM	105	CM	93 LEVEL CM	13323,1734 litre	42,740 %	17849,2797 litre	O
900	CM	105	CM	92 LEVEL CM	13135,5182 litre	42,138 %	18036,9349 litre	O
900	CM	105	CM	91 LEVEL CM	12948,0876 litre	41,537 %	18224,3655 litre	O
900	CM	105	CM	90 LEVEL CM	12760,8991 litre	40,936 %	18411,5540 litre	O
900	CM	105	CM	89 LEVEL CM	12573,9705 litre	40,337 %	18598,4826 litre	O
900	CM	105	CM	88 LEVEL CM	12387,3194 litre	39,738 %	18785,1337 litre	O
900	CM	105	CM	87 LEVEL CM	12200,9636 litre	39,140 %	18971,4895 litre	O
900	CM	105	CM	86 LEVEL CM	12014,9211 litre	38,543 %	19157,5320 litre	O
900	CM	105	CM	85 LEVEL CM	11829,2097 litre	37,948 %	19343,2434 litre	O
900	CM	105	CM	84 LEVEL CM	11643,8476 litre	37,353 %	19528,6055 litre	O
900	CM	105	CM	83 LEVEL CM	11458,8530 litre	36,760 %	19713,6001 litre	O
900	CM	105	CM	82 LEVEL CM	11274,2440 litre	36,167 %	19898,2091 litre	O
900	CM	105	CM	81 LEVEL CM	11090,0392 litre	35,576 %	20082,4139 litre	O
900	CM	105	CM	80 LEVEL CM	10906,2569 litre	34,987 %	20266,1962 litre	O
900	CM	105	CM	79 LEVEL CM	10722,9160 litre	34,399 %	20449,5371 litre	O
900	CM	105	CM	78 LEVEL CM	10540,0351 litre	33,812 %	20632,4180 litre	O
900	CM	105	CM	77 LEVEL CM	10357,6332 litre	33,227 %	20814,8199 litre	O
900	CM	105	CM	76 LEVEL CM	10175,7293 litre	32,643 %	20996,7238 litre	O
900	CM	105	CM	75 LEVEL CM	9994,3427 litre	32,061 %	21178,1104 litre	O
900	CM	105	CM	74 LEVEL CM	9813,4928 litre	31,481 %	21358,9603 litre	O
900	CM	105	CM	73 LEVEL CM	9633,1991 litre	30,903 %	21539,2540 litre	O
900	CM	105	CM	72 LEVEL CM	9453,4814 litre	30,326 %	21718,9717 litre	O
900	CM	105	CM	71 LEVEL CM	9274,3596 litre	29,752 %	21898,0935 litre	O
900	CM	105	CM	70 LEVEL CM	9095,8539 litre	29,179 %	22076,5992 litre	O
900	CM	105	CM	69 LEVEL CM	8917,9846 litre	28,609 %	22254,4685 litre	O
900	CM	105	CM	68 LEVEL CM	8740,7723 litre	28,040 %	22431,6808 litre	O
900	CM	105	CM	67 LEVEL CM	8564,2378 litre	27,474 %	22608,2153 litre	O
900	CM	105	CM	66 LEVEL CM	8388,4021 litre	26,910 %	22784,0510 litre	O
900	CM	105	CM	65 LEVEL CM	8213,2865 litre	26,348 %	22959,1666 litre	O
900	CM	105	CM	64 LEVEL CM	8038,9125 litre	25,789 %	23133,5406 litre	O
900	CM	105	CM	63 LEVEL CM	7865,3021 litre	25,232 %	23307,1510 litre	O
900	CM	105	CM	62 LEVEL CM	7692,4772 litre	24,677 %	23479,9759 litre	O
900	CM	105	CM	61 LEVEL CM	7520,4604 litre	24,125 %	23651,9927 litre	O
900	CM	105	CM	60 LEVEL CM	7349,2744 litre	23,576 %	23823,1787 litre	O
900	CM	105	CM	59 LEVEL CM	7178,9422 litre	23,030 %	23993,5109 litre	O
900	CM	105	CM	58 LEVEL CM	7009,4872 litre	22,486 %	24162,9659 litre	O
900	CM	105	CM	57 LEVEL CM	6840,9334 litre	21,945 %	24331,5197 litre	O
900	CM	105	CM	56 LEVEL CM	6673,3047 litre	21,408 %	24499,1484 litre	O
900	CM	105	CM	55 LEVEL CM	6506,6258 litre	20,873 %	24665,8273 litre	O
900	CM	105	CM	54 LEVEL CM	6340,9218 litre	20,341 %	24831,5313 litre	O
900	CM	105	CM	53 LEVEL CM	6176,2179 litre	19,813 %	24996,2352 litre	O

900	CM	105	CM	52 LEVEL CM	6012,5402 litre	19,288 %	25159,9129 litre	O
900	CM	105	CM	51 LEVEL CM	5849,9151 litre	18,766 %	25322,5380 litre	O
900	CM	105	CM	50 LEVEL CM	5688,3693 litre	18,248 %	25484,0838 litre	O
900	CM	105	CM	49 LEVEL CM	5527,9305 litre	17,733 %	25644,5226 litre	O
900	CM	105	CM	48 LEVEL CM	5368,6266 litre	17,222 %	25803,8265 litre	O
900	CM	105	CM	47 LEVEL CM	5210,4863 litre	16,715 %	25961,9668 litre	O
900	CM	105	CM	46 LEVEL CM	5053,5388 litre	16,212 %	26118,9143 litre	O
900	CM	105	CM	45 LEVEL CM	4897,8141 litre	15,712 %	26274,6390 litre	O
900	CM	105	CM	44 LEVEL CM	4743,3427 litre	15,216 %	26429,1104 litre	O
900	CM	105	CM	43 LEVEL CM	4590,1563 litre	14,725 %	26582,2968 litre	O
900	CM	105	CM	42 LEVEL CM	4438,2868 litre	14,238 %	26734,1663 litre	O
900	CM	105	CM	41 LEVEL CM	4287,7674 litre	13,755 %	26884,6857 litre	O
900	CM	105	CM	40 LEVEL CM	4138,6321 litre	13,277 %	27033,8210 litre	O
900	CM	105	CM	39 LEVEL CM	3990,9156 litre	12,803 %	27181,5375 litre	O
900	CM	105	CM	38 LEVEL CM	3844,6540 litre	12,333 %	27327,7991 litre	O
900	CM	105	CM	37 LEVEL CM	3699,8842 litre	11,869 %	27472,5689 litre	O
900	CM	105	CM	36 LEVEL CM	3556,6444 litre	11,410 %	27615,8087 litre	O
900	CM	105	CM	35 LEVEL CM	3414,9740 litre	10,955 %	27757,4791 litre	O
900	CM	105	CM	34 LEVEL CM	3274,9137 litre	10,506 %	27897,5394 litre	O
900	CM	105	CM	33 LEVEL CM	3136,5055 litre	10,062 %	28035,9476 litre	O
900	CM	105	CM	32 LEVEL CM	2999,7933 litre	9,623 %	28172,6598 litre	O
900	CM	105	CM	31 LEVEL CM	2864,8223 litre	9,190 %	28307,6308 litre	O
900	CM	105	CM	30 LEVEL CM	2731,6395 litre	8,763 %	28440,8136 litre	O
900	CM	105	CM	29 LEVEL CM	2600,2941 litre	8,342 %	28572,1590 litre	O
900	CM	105	CM	28 LEVEL CM	2470,8370 litre	7,926 %	28701,6161 litre	O
900	CM	105	CM	27 LEVEL CM	2343,3217 litre	7,517 %	28829,1314 litre	O
900	CM	105	CM	26 LEVEL CM	2217,8039 litre	7,115 %	28954,6492 litre	O
900	CM	105	CM	25 LEVEL CM	2094,3424 litre	6,719 %	29078,1107 litre	O
900	CM	105	CM	24 LEVEL CM	1972,9985 litre	6,329 %	29199,4546 litre	O
900	CM	105	CM	23 LEVEL CM	1853,8371 litre	5,947 %	29318,6160 litre	O
900	CM	105	CM	22 LEVEL CM	1736,9267 litre	5,572 %	29435,5264 litre	O
900	CM	105	CM	21 LEVEL CM	1622,3398 litre	5,204 %	29550,1133 litre	O
900	CM	105	CM	20 LEVEL CM	1510,1532 litre	4,845 %	29662,2999 litre	O
900	CM	105	CM	19 LEVEL CM	1400,4491 litre	4,493 %	29772,0040 litre	O
900	CM	105	CM	18 LEVEL CM	1293,3152 litre	4,149 %	29879,1379 litre	O
900	CM	105	CM	17 LEVEL CM	1188,8458 litre	3,814 %	29983,6073 litre	O
900	CM	105	CM	16 LEVEL CM	1087,1424 litre	3,488 %	30085,3107 litre	O
900	CM	105	CM	15 LEVEL CM	988,3152 litre	3,170 %	30184,1379 litre	O
900	CM	105	CM	14 LEVEL CM	892,4845 litre	2,863 %	30279,9686 litre	O
900	CM	105	CM	13 LEVEL CM	799,7818 litre	2,566 %	30372,6713 litre	O
900	CM	105	CM	12 LEVEL CM	710,3528 litre	2,279 %	30462,1003 litre	O
900	CM	105	CM	11 LEVEL CM	624,3597 litre	2,003 %	30548,0934 litre	O
900	CM	105	CM	10 LEVEL CM	541,9852 litre	1,739 %	30630,4679 litre	O
900	CM	105	CM	9 LEVEL CM	463,4369 litre	1,487 %	30709,0162 litre	O
900	CM	105	CM	8 LEVEL CM	388,9549 litre	1,248 %	30783,4982 litre	O
900	CM	105	CM	7 LEVEL CM	318,8208 litre	1,023 %	30853,6323 litre	O
900	CM	105	CM	6 LEVEL CM	253,3727 litre	0,813 %	30919,0804 litre	O
900	CM	105	CM	5 LEVEL CM	193,0275 litre	0,619 %	30979,4256 litre	O
900	CM	105	CM	4 LEVEL CM	138,3195 litre	0,444 %	31034,1336 litre	O
900	CM	105	CM	3 LEVEL CM	89,9710 litre	0,289 %	31082,4821 litre	O
900	CM	105	CM	2 LEVEL CM	49,0446 litre	0,157 %	31123,4085 litre	O
900	CM	105	CM	1 LEVEL CM	17,3648 litre	0,056 %	31155,0883 litre	O
900	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	31172,4531 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM	100	CM 200 LEVEL CM	28274,3339 litre	100,000 %	0,0000 litre	O
900	CM	100	CM 199 LEVEL CM	28257,3888 litre	99,940 %	16,9451 litre	O
900	CM	100	CM 198 LEVEL CM	28226,4781 litre	99,831 %	47,8558 litre	O
900	CM	100	CM 197 LEVEL CM	28186,5501 litre	99,690 %	87,7838 litre	O
900	CM	100	CM 196 LEVEL CM	28139,3869 litre	99,523 %	134,9470 litre	O
900	CM	100	CM 195 LEVEL CM	28086,0267 litre	99,334 %	188,3072 litre	O
900	CM	100	CM 194 LEVEL CM	28027,1755 litre	99,126 %	247,1584 litre	O
900	CM	100	CM 193 LEVEL CM	27963,3557 litre	98,900 %	310,9782 litre	O
900	CM	100	CM 192 LEVEL CM	27894,9753 litre	98,658 %	379,3586 litre	O
900	CM	100	CM 191 LEVEL CM	27822,3651 litre	98,401 %	451,9688 litre	O
900	CM	100	CM 190 LEVEL CM	27745,8007 litre	98,131 %	528,5332 litre	O
900	CM	100	CM 189 LEVEL CM	27665,5173 litre	97,847 %	608,8166 litre	O
900	CM	100	CM 188 LEVEL CM	27581,7183 litre	97,550 %	692,6156 litre	O
900	CM	100	CM 187 LEVEL CM	27494,5828 litre	97,242 %	779,7511 litre	O
900	CM	100	CM 186 LEVEL CM	27404,2698 litre	96,923 %	870,0641 litre	O
900	CM	100	CM 185 LEVEL CM	27310,9221 litre	96,593 %	963,4118 litre	O
900	CM	100	CM 184 LEVEL CM	27214,6691 litre	96,252 %	1059,6648 litre	O
900	CM	100	CM 183 LEVEL CM	27115,6286 litre	95,902 %	1158,7053 litre	O
900	CM	100	CM 182 LEVEL CM	27013,9089 litre	95,542 %	1260,4250 litre	O
900	CM	100	CM 181 LEVEL CM	26909,6098 litre	95,173 %	1364,7241 litre	O
900	CM	100	CM 180 LEVEL CM	26802,8239 litre	94,796 %	1471,5100 litre	O
900	CM	100	CM 179 LEVEL CM	26693,6376 litre	94,409 %	1580,6963 litre	O
900	CM	100	CM 178 LEVEL CM	26582,1315 litre	94,015 %	1692,2024 litre	O
900	CM	100	CM 177 LEVEL CM	26468,3814 litre	93,613 %	1805,9525 litre	O
900	CM	100	CM 176 LEVEL CM	26352,4588 litre	93,203 %	1921,8751 litre	O
900	CM	100	CM 175 LEVEL CM	26234,4310 litre	92,785 %	2039,9029 litre	O
900	CM	100	CM 174 LEVEL CM	26114,3619 litre	92,361 %	2159,9720 litre	O
900	CM	100	CM 173 LEVEL CM	25992,3122 litre	91,929 %	2282,0217 litre	O
900	CM	100	CM 172 LEVEL CM	25868,3397 litre	91,491 %	2405,9942 litre	O
900	CM	100	CM 171 LEVEL CM	25742,4995 litre	91,045 %	2531,8344 litre	O
900	CM	100	CM 170 LEVEL CM	25614,8443 litre	90,594 %	2659,4896 litre	O
900	CM	100	CM 169 LEVEL CM	25485,4246 litre	90,136 %	2788,9093 litre	O
900	CM	100	CM 168 LEVEL CM	25354,2888 litre	89,672 %	2920,0451 litre	O
900	CM	100	CM 167 LEVEL CM	25221,4834 litre	89,203 %	3052,8505 litre	O
900	CM	100	CM 166 LEVEL CM	25087,0534 litre	88,727 %	3187,2805 litre	O
900	CM	100	CM 165 LEVEL CM	24951,0420 litre	88,246 %	3323,2919 litre	O
900	CM	100	CM 164 LEVEL CM	24813,4908 litre	87,760 %	3460,8431 litre	O
900	CM	100	CM 163 LEVEL CM	24674,4402 litre	87,268 %	3599,8937 litre	O
900	CM	100	CM 162 LEVEL CM	24533,9294 litre	86,771 %	3740,4045 litre	O
900	CM	100	CM 161 LEVEL CM	24391,9960 litre	86,269 %	3882,3379 litre	O
900	CM	100	CM 160 LEVEL CM	24248,6769 litre	85,762 %	4025,6570 litre	O
900	CM	100	CM 159 LEVEL CM	24104,0077 litre	85,250 %	4170,3262 litre	O
900	CM	100	CM 158 LEVEL CM	23958,0232 litre	84,734 %	4316,3107 litre	O
900	CM	100	CM 157 LEVEL CM	23810,7569 litre	84,213 %	4463,5770 litre	O
900	CM	100	CM 156 LEVEL CM	23662,2419 litre	83,688 %	4612,0920 litre	O
900	CM	100	CM 155 LEVEL CM	23512,5101 litre	83,158 %	4761,8238 litre	O
900	CM	100	CM 154 LEVEL CM	23361,5929 litre	82,625 %	4912,7410 litre	O
900	CM	100	CM 153 LEVEL CM	23209,5208 litre	82,087 %	5064,8131 litre	O
900	CM	100	CM 152 LEVEL CM	23056,3236 litre	81,545 %	5218,0103 litre	O
900	CM	100	CM 151 LEVEL CM	22902,0306 litre	80,999 %	5372,3033 litre	O
900	CM	100	CM 150 LEVEL CM	22746,6702 litre	80,450 %	5527,6637 litre	O
900	CM	100	CM 149 LEVEL CM	22590,2706 litre	79,897 %	5684,0633 litre	O

900	CM	100	CM	148 LEVEL CM	22432,8592 litre	79,340 %	5841,4747 litre	O
900	CM	100	CM	147 LEVEL CM	22274,4629 litre	78,780 %	5999,8710 litre	O
900	CM	100	CM	146 LEVEL CM	22115,1080 litre	78,216 %	6159,2259 litre	O
900	CM	100	CM	145 LEVEL CM	21954,8206 litre	77,649 %	6319,5133 litre	O
900	CM	100	CM	144 LEVEL CM	21793,6262 litre	77,079 %	6480,7077 litre	O
900	CM	100	CM	143 LEVEL CM	21631,5497 litre	76,506 %	6642,7842 litre	O
900	CM	100	CM	142 LEVEL CM	21468,6159 litre	75,930 %	6805,7180 litre	O
900	CM	100	CM	141 LEVEL CM	21304,8491 litre	75,350 %	6969,4848 litre	O
900	CM	100	CM	140 LEVEL CM	21140,2731 litre	74,768 %	7134,0608 litre	O
900	CM	100	CM	139 LEVEL CM	20974,9114 litre	74,184 %	7299,4225 litre	O
900	CM	100	CM	138 LEVEL CM	20808,7874 litre	73,596 %	7465,5465 litre	O
900	CM	100	CM	137 LEVEL CM	20641,9239 litre	73,006 %	7632,4100 litre	O
900	CM	100	CM	136 LEVEL CM	20474,3434 litre	72,413 %	7799,9905 litre	O
900	CM	100	CM	135 LEVEL CM	20306,0684 litre	71,818 %	7968,2655 litre	O
900	CM	100	CM	134 LEVEL CM	20137,1209 litre	71,220 %	8137,2130 litre	O
900	CM	100	CM	133 LEVEL CM	19967,5225 litre	70,621 %	8306,8114 litre	O
900	CM	100	CM	132 LEVEL CM	19797,2948 litre	70,019 %	8477,0391 litre	O
900	CM	100	CM	131 LEVEL CM	19626,4592 litre	69,414 %	8647,8747 litre	O
900	CM	100	CM	130 LEVEL CM	19455,0367 litre	68,808 %	8819,2972 litre	O
900	CM	100	CM	129 LEVEL CM	19283,0480 litre	68,200 %	8991,2859 litre	O
900	CM	100	CM	128 LEVEL CM	19110,5139 litre	67,590 %	9163,8200 litre	O
900	CM	100	CM	127 LEVEL CM	18937,4548 litre	66,978 %	9336,8791 litre	O
900	CM	100	CM	126 LEVEL CM	18763,8909 litre	66,364 %	9510,4430 litre	O
900	CM	100	CM	125 LEVEL CM	18589,8424 litre	65,748 %	9684,4915 litre	O
900	CM	100	CM	124 LEVEL CM	18415,3290 litre	65,131 %	9859,0049 litre	O
900	CM	100	CM	123 LEVEL CM	18240,3707 litre	64,512 %	10033,9632 litre	O
900	CM	100	CM	122 LEVEL CM	18064,9869 litre	63,892 %	10209,3470 litre	O
900	CM	100	CM	121 LEVEL CM	17889,1972 litre	63,270 %	10385,1367 litre	O
900	CM	100	CM	120 LEVEL CM	17713,0208 litre	62,647 %	10561,3131 litre	O
900	CM	100	CM	119 LEVEL CM	17536,4771 litre	62,023 %	10737,8568 litre	O
900	CM	100	CM	118 LEVEL CM	17359,5849 litre	61,397 %	10914,7490 litre	O
900	CM	100	CM	117 LEVEL CM	17182,3634 litre	60,770 %	11091,9705 litre	O
900	CM	100	CM	116 LEVEL CM	17004,8313 litre	60,142 %	11269,5026 litre	O
900	CM	100	CM	115 LEVEL CM	16827,0075 litre	59,513 %	11447,3264 litre	O
900	CM	100	CM	114 LEVEL CM	16648,9106 litre	58,883 %	11625,4233 litre	O
900	CM	100	CM	113 LEVEL CM	16470,5591 litre	58,253 %	11803,7748 litre	O
900	CM	100	CM	112 LEVEL CM	16291,9717 litre	57,621 %	11982,3622 litre	O
900	CM	100	CM	111 LEVEL CM	16113,1667 litre	56,989 %	12161,1672 litre	O
900	CM	100	CM	110 LEVEL CM	15934,1624 litre	56,356 %	12340,1715 litre	O
900	CM	100	CM	109 LEVEL CM	15754,9773 litre	55,722 %	12519,3566 litre	O
900	CM	100	CM	108 LEVEL CM	15575,6295 litre	55,088 %	12698,7044 litre	O
900	CM	100	CM	107 LEVEL CM	15396,1372 litre	54,453 %	12878,1967 litre	O
900	CM	100	CM	106 LEVEL CM	15216,5186 litre	53,817 %	13057,8153 litre	O
900	CM	100	CM	105 LEVEL CM	15036,7918 litre	53,182 %	13237,5421 litre	O
900	CM	100	CM	104 LEVEL CM	14856,9749 litre	52,546 %	13417,3590 litre	O
900	CM	100	CM	103 LEVEL CM	14677,0859 litre	51,910 %	13597,2480 litre	O
900	CM	100	CM	102 LEVEL CM	14497,1429 litre	51,273 %	13777,1910 litre	O
900	CM	100	CM	101 LEVEL CM	14317,1639 litre	50,637 %	13957,1700 litre	O
900	CM	100	CM	100 LEVEL CM	14137,1669 litre	50,000 %	14137,1670 litre	O
900	CM	100	CM	99 LEVEL CM	13957,1699 litre	49,363 %	14317,1640 litre	O
900	CM	100	CM	98 LEVEL CM	13777,1909 litre	48,727 %	14497,1430 litre	O
900	CM	100	CM	97 LEVEL CM	13597,2480 litre	48,090 %	14677,0859 litre	O
900	CM	100	CM	96 LEVEL CM	13417,3590 litre	47,454 %	14856,9749 litre	O

900	CM	100	CM	95 LEVEL CM	13237,5421 litre	46,818 %	15036,7918 litre	O
900	CM	100	CM	94 LEVEL CM	13057,8153 litre	46,183 %	15216,5186 litre	O
900	CM	100	CM	93 LEVEL CM	12878,1967 litre	45,547 %	15396,1372 litre	O
900	CM	100	CM	92 LEVEL CM	12698,7044 litre	44,912 %	15575,6295 litre	O
900	CM	100	CM	91 LEVEL CM	12519,3566 litre	44,278 %	15754,9773 litre	O
900	CM	100	CM	90 LEVEL CM	12340,1715 litre	43,644 %	15934,1624 litre	O
900	CM	100	CM	89 LEVEL CM	12161,1672 litre	43,011 %	16113,1667 litre	O
900	CM	100	CM	88 LEVEL CM	11982,3622 litre	42,379 %	16291,9717 litre	O
900	CM	100	CM	87 LEVEL CM	11803,7748 litre	41,747 %	16470,5591 litre	O
900	CM	100	CM	86 LEVEL CM	11625,4233 litre	41,117 %	16648,9106 litre	O
900	CM	100	CM	85 LEVEL CM	11447,3264 litre	40,487 %	16827,0075 litre	O
900	CM	100	CM	84 LEVEL CM	11269,5026 litre	39,858 %	17004,8313 litre	O
900	CM	100	CM	83 LEVEL CM	11091,9705 litre	39,230 %	17182,3634 litre	O
900	CM	100	CM	82 LEVEL CM	10914,7490 litre	38,603 %	17359,5849 litre	O
900	CM	100	CM	81 LEVEL CM	10737,8568 litre	37,977 %	17536,4771 litre	O
900	CM	100	CM	80 LEVEL CM	10561,3130 litre	37,353 %	17713,0209 litre	O
900	CM	100	CM	79 LEVEL CM	10385,1367 litre	36,730 %	17889,1972 litre	O
900	CM	100	CM	78 LEVEL CM	10209,3470 litre	36,108 %	18064,9869 litre	O
900	CM	100	CM	77 LEVEL CM	10033,9632 litre	35,488 %	18240,3707 litre	O
900	CM	100	CM	76 LEVEL CM	9859,0048 litre	34,869 %	18415,3291 litre	O
900	CM	100	CM	75 LEVEL CM	9684,4915 litre	34,252 %	18589,8424 litre	O
900	CM	100	CM	74 LEVEL CM	9510,4430 litre	33,636 %	18763,8909 litre	O
900	CM	100	CM	73 LEVEL CM	9336,8791 litre	33,022 %	18937,4548 litre	O
900	CM	100	CM	72 LEVEL CM	9163,8200 litre	32,410 %	19110,5139 litre	O
900	CM	100	CM	71 LEVEL CM	8991,2859 litre	31,800 %	19283,0480 litre	O
900	CM	100	CM	70 LEVEL CM	8819,2972 litre	31,192 %	19455,0367 litre	O
900	CM	100	CM	69 LEVEL CM	8647,8747 litre	30,586 %	19626,4592 litre	O
900	CM	100	CM	68 LEVEL CM	8477,0390 litre	29,981 %	19797,2949 litre	O
900	CM	100	CM	67 LEVEL CM	8306,8114 litre	29,379 %	19967,5225 litre	O
900	CM	100	CM	66 LEVEL CM	8137,2130 litre	28,780 %	20137,1209 litre	O
900	CM	100	CM	65 LEVEL CM	7968,2655 litre	28,182 %	20306,0684 litre	O
900	CM	100	CM	64 LEVEL CM	7799,9904 litre	27,587 %	20474,3435 litre	O
900	CM	100	CM	63 LEVEL CM	7632,4100 litre	26,994 %	20641,9239 litre	O
900	CM	100	CM	62 LEVEL CM	7465,5465 litre	26,404 %	20808,7874 litre	O
900	CM	100	CM	61 LEVEL CM	7299,4225 litre	25,816 %	20974,9114 litre	O
900	CM	100	CM	60 LEVEL CM	7134,0608 litre	25,232 %	21140,2731 litre	O
900	CM	100	CM	59 LEVEL CM	6969,4848 litre	24,650 %	21304,8491 litre	O
900	CM	100	CM	58 LEVEL CM	6805,7179 litre	24,070 %	21468,6160 litre	O
900	CM	100	CM	57 LEVEL CM	6642,7842 litre	23,494 %	21631,5497 litre	O
900	CM	100	CM	56 LEVEL CM	6480,7077 litre	22,921 %	21793,6262 litre	O
900	CM	100	CM	55 LEVEL CM	6319,5132 litre	22,351 %	21954,8207 litre	O
900	CM	100	CM	54 LEVEL CM	6159,2258 litre	21,784 %	22115,1081 litre	O
900	CM	100	CM	53 LEVEL CM	5999,8710 litre	21,220 %	22274,4629 litre	O
900	CM	100	CM	52 LEVEL CM	5841,4747 litre	20,660 %	22432,8592 litre	O
900	CM	100	CM	51 LEVEL CM	5684,0632 litre	20,103 %	22590,2707 litre	O
900	CM	100	CM	50 LEVEL CM	5527,6636 litre	19,550 %	22746,6703 litre	O
900	CM	100	CM	49 LEVEL CM	5372,3033 litre	19,001 %	22902,0306 litre	O
900	CM	100	CM	48 LEVEL CM	5218,0103 litre	18,455 %	23056,3236 litre	O
900	CM	100	CM	47 LEVEL CM	5064,8131 litre	17,913 %	23209,5208 litre	O
900	CM	100	CM	46 LEVEL CM	4912,7410 litre	17,375 %	23361,5929 litre	O
900	CM	100	CM	45 LEVEL CM	4761,8238 litre	16,842 %	23512,5101 litre	O
900	CM	100	CM	44 LEVEL CM	4612,0920 litre	16,312 %	23662,2419 litre	O
900	CM	100	CM	43 LEVEL CM	4463,5770 litre	15,787 %	23810,7569 litre	O

900	CM	100	CM	42 LEVEL CM	4316,3107 litre	15,266 %	23958,0232 litre	O
900	CM	100	CM	41 LEVEL CM	4170,3261 litre	14,750 %	24104,0078 litre	O
900	CM	100	CM	40 LEVEL CM	4025,6570 litre	14,238 %	24248,6769 litre	O
900	CM	100	CM	39 LEVEL CM	3882,3379 litre	13,731 %	24391,9960 litre	O
900	CM	100	CM	38 LEVEL CM	3740,4045 litre	13,229 %	24533,9294 litre	O
900	CM	100	CM	37 LEVEL CM	3599,8936 litre	12,732 %	24674,4403 litre	O
900	CM	100	CM	36 LEVEL CM	3460,8431 litre	12,240 %	24813,4908 litre	O
900	CM	100	CM	35 LEVEL CM	3323,2919 litre	11,754 %	24951,0420 litre	O
900	CM	100	CM	34 LEVEL CM	3187,2804 litre	11,273 %	25087,0535 litre	O
900	CM	100	CM	33 LEVEL CM	3052,8504 litre	10,797 %	25221,4835 litre	O
900	CM	100	CM	32 LEVEL CM	2920,0451 litre	10,328 %	25354,2888 litre	O
900	CM	100	CM	31 LEVEL CM	2788,9093 litre	9,864 %	25485,4246 litre	O
900	CM	100	CM	30 LEVEL CM	2659,4896 litre	9,406 %	25614,8443 litre	O
900	CM	100	CM	29 LEVEL CM	2531,8343 litre	8,955 %	25742,4996 litre	O
900	CM	100	CM	28 LEVEL CM	2405,9941 litre	8,509 %	25868,3398 litre	O
900	CM	100	CM	27 LEVEL CM	2282,0216 litre	8,071 %	25992,3123 litre	O
900	CM	100	CM	26 LEVEL CM	2159,9720 litre	7,639 %	26114,3619 litre	O
900	CM	100	CM	25 LEVEL CM	2039,9029 litre	7,215 %	26234,4310 litre	O
900	CM	100	CM	24 LEVEL CM	1921,8751 litre	6,797 %	26352,4588 litre	O
900	CM	100	CM	23 LEVEL CM	1805,9524 litre	6,387 %	26468,3815 litre	O
900	CM	100	CM	22 LEVEL CM	1692,2024 litre	5,985 %	26582,1315 litre	O
900	CM	100	CM	21 LEVEL CM	1580,6963 litre	5,591 %	26693,6376 litre	O
900	CM	100	CM	20 LEVEL CM	1471,5100 litre	5,204 %	26802,8239 litre	O
900	CM	100	CM	19 LEVEL CM	1364,7241 litre	4,827 %	26909,6098 litre	O
900	CM	100	CM	18 LEVEL CM	1260,4250 litre	4,458 %	27013,9089 litre	O
900	CM	100	CM	17 LEVEL CM	1158,7053 litre	4,098 %	27115,6286 litre	O
900	CM	100	CM	16 LEVEL CM	1059,6648 litre	3,748 %	27214,6691 litre	O
900	CM	100	CM	15 LEVEL CM	963,4117 litre	3,407 %	27310,9222 litre	O
900	CM	100	CM	14 LEVEL CM	870,0641 litre	3,077 %	27404,2698 litre	O
900	CM	100	CM	13 LEVEL CM	779,7511 litre	2,758 %	27494,5828 litre	O
900	CM	100	CM	12 LEVEL CM	692,6156 litre	2,450 %	27581,7183 litre	O
900	CM	100	CM	11 LEVEL CM	608,8166 litre	2,153 %	27665,5173 litre	O
900	CM	100	CM	10 LEVEL CM	528,5332 litre	1,869 %	27745,8007 litre	O
900	CM	100	CM	9 LEVEL CM	451,9688 litre	1,599 %	27822,3651 litre	O
900	CM	100	CM	8 LEVEL CM	379,3586 litre	1,342 %	27894,9753 litre	O
900	CM	100	CM	7 LEVEL CM	310,9782 litre	1,100 %	27963,3557 litre	O
900	CM	100	CM	6 LEVEL CM	247,1584 litre	0,874 %	28027,1755 litre	O
900	CM	100	CM	5 LEVEL CM	188,3072 litre	0,666 %	28086,0267 litre	O
900	CM	100	CM	4 LEVEL CM	134,9470 litre	0,477 %	28139,3869 litre	O
900	CM	100	CM	3 LEVEL CM	87,7837 litre	0,310 %	28186,5502 litre	O
900	CM	100	CM	2 LEVEL CM	47,8557 litre	0,169 %	28226,4782 litre	O
900	CM	100	CM	1 LEVEL CM	16,9451 litre	0,060 %	28257,3888 litre	O
900	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	28274,3339 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	95	CM	190 LEVEL CM	25517,5863 litre	100,000 %	0,0000 litre	O
900	CM	95	CM	189 LEVEL CM	25501,0716 litre	99,935 %	16,5147 litre	O
900	CM	95	CM	188 LEVEL CM	25470,9497 litre	99,817 %	46,6366 litre	O
900	CM	95	CM	187 LEVEL CM	25432,0458 litre	99,665 %	85,5405 litre	O
900	CM	95	CM	186 LEVEL CM	25386,0984 litre	99,485 %	131,4879 litre	O
900	CM	95	CM	185 LEVEL CM	25334,1208 litre	99,281 %	183,4655 litre	O
900	CM	95	CM	184 LEVEL CM	25276,8026 litre	99,056 %	240,7837 litre	O
900	CM	95	CM	183 LEVEL CM	25214,6538 litre	98,813 %	302,9325 litre	O
900	CM	95	CM	182 LEVEL CM	25148,0733 litre	98,552 %	369,5130 litre	O
900	CM	95	CM	181 LEVEL CM	25077,3843 litre	98,275 %	440,2020 litre	O
900	CM	95	CM	180 LEVEL CM	25002,8567 litre	97,983 %	514,7296 litre	O
900	CM	95	CM	179 LEVEL CM	24924,7203 litre	97,677 %	592,8660 litre	O
900	CM	95	CM	178 LEVEL CM	24843,1744 litre	97,357 %	674,4119 litre	O
900	CM	95	CM	177 LEVEL CM	24758,3944 litre	97,025 %	759,1919 litre	O
900	CM	95	CM	176 LEVEL CM	24670,5361 litre	96,681 %	847,0502 litre	O
900	CM	95	CM	175 LEVEL CM	24579,7394 litre	96,325 %	937,8469 litre	O
900	CM	95	CM	174 LEVEL CM	24486,1313 litre	95,958 %	1031,4550 litre	O
900	CM	95	CM	173 LEVEL CM	24389,8273 litre	95,580 %	1127,7590 litre	O
900	CM	95	CM	172 LEVEL CM	24290,9337 litre	95,193 %	1226,6526 litre	O
900	CM	95	CM	171 LEVEL CM	24189,5486 litre	94,796 %	1328,0377 litre	O
900	CM	95	CM	170 LEVEL CM	24085,7629 litre	94,389 %	1431,8234 litre	O
900	CM	95	CM	169 LEVEL CM	23979,6616 litre	93,973 %	1537,9247 litre	O
900	CM	95	CM	168 LEVEL CM	23871,3240 litre	93,549 %	1646,2623 litre	O
900	CM	95	CM	167 LEVEL CM	23760,8247 litre	93,115 %	1756,7616 litre	O
900	CM	95	CM	166 LEVEL CM	23648,2339 litre	92,674 %	1869,3524 litre	O
900	CM	95	CM	165 LEVEL CM	23533,6181 litre	92,225 %	1983,9682 litre	O
900	CM	95	CM	164 LEVEL CM	23417,0401 litre	91,768 %	2100,5462 litre	O
900	CM	95	CM	163 LEVEL CM	23298,5600 litre	91,304 %	2219,0263 litre	O
900	CM	95	CM	162 LEVEL CM	23178,2346 litre	90,832 %	2339,3517 litre	O
900	CM	95	CM	161 LEVEL CM	23056,1183 litre	90,354 %	2461,4680 litre	O
900	CM	95	CM	160 LEVEL CM	22932,2633 litre	89,868 %	2585,3230 litre	O
900	CM	95	CM	159 LEVEL CM	22806,7193 litre	89,376 %	2710,8670 litre	O
900	CM	95	CM	158 LEVEL CM	22679,5343 litre	88,878 %	2838,0520 litre	O
900	CM	95	CM	157 LEVEL CM	22550,7544 litre	88,373 %	2966,8319 litre	O
900	CM	95	CM	156 LEVEL CM	22420,4238 litre	87,863 %	3097,1625 litre	O
900	CM	95	CM	155 LEVEL CM	22288,5855 litre	87,346 %	3229,0008 litre	O
900	CM	95	CM	154 LEVEL CM	22155,2808 litre	86,824 %	3362,3055 litre	O
900	CM	95	CM	153 LEVEL CM	22020,5497 litre	86,296 %	3497,0366 litre	O
900	CM	95	CM	152 LEVEL CM	21884,4309 litre	85,762 %	3633,1554 litre	O
900	CM	95	CM	151 LEVEL CM	21746,9620 litre	85,223 %	3770,6243 litre	O
900	CM	95	CM	150 LEVEL CM	21608,1796 litre	84,680 %	3909,4067 litre	O
900	CM	95	CM	149 LEVEL CM	21468,1189 litre	84,131 %	4049,4674 litre	O
900	CM	95	CM	148 LEVEL CM	21326,8146 litre	83,577 %	4190,7717 litre	O
900	CM	95	CM	147 LEVEL CM	21184,3001 litre	83,018 %	4333,2862 litre	O
900	CM	95	CM	146 LEVEL CM	21040,6084 litre	82,455 %	4476,9779 litre	O
900	CM	95	CM	145 LEVEL CM	20895,7712 litre	81,888 %	4621,8151 litre	O
900	CM	95	CM	144 LEVEL CM	20749,8197 litre	81,316 %	4767,7666 litre	O
900	CM	95	CM	143 LEVEL CM	20602,7845 litre	80,740 %	4914,8018 litre	O
900	CM	95	CM	142 LEVEL CM	20454,6954 litre	80,159 %	5062,8909 litre	O
900	CM	95	CM	141 LEVEL CM	20305,5815 litre	79,575 %	5212,0048 litre	O
900	CM	95	CM	140 LEVEL CM	20155,4714 litre	78,987 %	5362,1149 litre	O
900	CM	95	CM	139 LEVEL CM	20004,3932 litre	78,395 %	5513,1931 litre	O

900	CM	95	CM	138 LEVEL CM	19852,3742 litre	77,799 %	5665,2121 litre	O
900	CM	95	CM	137 LEVEL CM	19699,4415 litre	77,199 %	5818,1448 litre	O
900	CM	95	CM	136 LEVEL CM	19545,6215 litre	76,597 %	5971,9648 litre	O
900	CM	95	CM	135 LEVEL CM	19390,9404 litre	75,990 %	6126,6459 litre	O
900	CM	95	CM	134 LEVEL CM	19235,4236 litre	75,381 %	6282,1627 litre	O
900	CM	95	CM	133 LEVEL CM	19079,0964 litre	74,768 %	6438,4899 litre	O
900	CM	95	CM	132 LEVEL CM	18921,9836 litre	74,153 %	6595,6027 litre	O
900	CM	95	CM	131 LEVEL CM	18764,1097 litre	73,534 %	6753,4766 litre	O
900	CM	95	CM	130 LEVEL CM	18605,4986 litre	72,912 %	6912,0877 litre	O
900	CM	95	CM	129 LEVEL CM	18446,1741 litre	72,288 %	7071,4122 litre	O
900	CM	95	CM	128 LEVEL CM	18286,1597 litre	71,661 %	7231,4266 litre	O
900	CM	95	CM	127 LEVEL CM	18125,4786 litre	71,031 %	7392,1077 litre	O
900	CM	95	CM	126 LEVEL CM	17964,1534 litre	70,399 %	7553,4329 litre	O
900	CM	95	CM	125 LEVEL CM	17802,2068 litre	69,764 %	7715,3795 litre	O
900	CM	95	CM	124 LEVEL CM	17639,6612 litre	69,127 %	7877,9251 litre	O
900	CM	95	CM	123 LEVEL CM	17476,5385 litre	68,488 %	8041,0478 litre	O
900	CM	95	CM	122 LEVEL CM	17312,8606 litre	67,847 %	8204,7257 litre	O
900	CM	95	CM	121 LEVEL CM	17148,6491 litre	67,203 %	8368,9372 litre	O
900	CM	95	CM	120 LEVEL CM	16983,9254 litre	66,558 %	8533,6609 litre	O
900	CM	95	CM	119 LEVEL CM	16818,7107 litre	65,910 %	8698,8756 litre	O
900	CM	95	CM	118 LEVEL CM	16653,0260 litre	65,261 %	8864,5603 litre	O
900	CM	95	CM	117 LEVEL CM	16486,8921 litre	64,610 %	9030,6942 litre	O
900	CM	95	CM	116 LEVEL CM	16320,3297 litre	63,957 %	9197,2566 litre	O
900	CM	95	CM	115 LEVEL CM	16153,3593 litre	63,303 %	9364,2270 litre	O
900	CM	95	CM	114 LEVEL CM	15986,0013 litre	62,647 %	9531,5850 litre	O
900	CM	95	CM	113 LEVEL CM	15818,2759 litre	61,990 %	9699,3104 litre	O
900	CM	95	CM	112 LEVEL CM	15650,2030 litre	61,331 %	9867,3833 litre	O
900	CM	95	CM	111 LEVEL CM	15481,8028 litre	60,671 %	10035,7835 litre	O
900	CM	95	CM	110 LEVEL CM	15313,0951 litre	60,010 %	10204,4912 litre	O
900	CM	95	CM	109 LEVEL CM	15144,0995 litre	59,348 %	10373,4868 litre	O
900	CM	95	CM	108 LEVEL CM	14974,8357 litre	58,684 %	10542,7506 litre	O
900	CM	95	CM	107 LEVEL CM	14805,3232 litre	58,020 %	10712,2631 litre	O
900	CM	95	CM	106 LEVEL CM	14635,5815 litre	57,355 %	10882,0048 litre	O
900	CM	95	CM	105 LEVEL CM	14465,6300 litre	56,689 %	11051,9563 litre	O
900	CM	95	CM	104 LEVEL CM	14295,4879 litre	56,022 %	11222,0984 litre	O
900	CM	95	CM	103 LEVEL CM	14125,1746 litre	55,355 %	11392,4117 litre	O
900	CM	95	CM	102 LEVEL CM	13954,7091 litre	54,687 %	11562,8772 litre	O
900	CM	95	CM	101 LEVEL CM	13784,1107 litre	54,018 %	11733,4756 litre	O
900	CM	95	CM	100 LEVEL CM	13613,3983 litre	53,349 %	11904,1880 litre	O
900	CM	95	CM	99 LEVEL CM	13442,5910 litre	52,680 %	12074,9953 litre	O
900	CM	95	CM	98 LEVEL CM	13271,7079 litre	52,010 %	12245,8784 litre	O
900	CM	95	CM	97 LEVEL CM	13100,7679 litre	51,340 %	12416,8184 litre	O
900	CM	95	CM	96 LEVEL CM	12929,7900 litre	50,670 %	12587,7963 litre	O
900	CM	95	CM	95 LEVEL CM	12758,7932 litre	50,000 %	12758,7931 litre	O
900	CM	95	CM	94 LEVEL CM	12587,7963 litre	49,330 %	12929,7900 litre	O
900	CM	95	CM	93 LEVEL CM	12416,8184 litre	48,660 %	13100,7679 litre	O
900	CM	95	CM	92 LEVEL CM	12245,8784 litre	47,990 %	13271,7079 litre	O
900	CM	95	CM	91 LEVEL CM	12074,9953 litre	47,320 %	13442,5910 litre	O
900	CM	95	CM	90 LEVEL CM	11904,1881 litre	46,651 %	13613,3982 litre	O
900	CM	95	CM	89 LEVEL CM	11733,4757 litre	45,982 %	13784,1106 litre	O
900	CM	95	CM	88 LEVEL CM	11562,8772 litre	45,313 %	13954,7091 litre	O
900	CM	95	CM	87 LEVEL CM	11392,4117 litre	44,645 %	14125,1746 litre	O
900	CM	95	CM	86 LEVEL CM	11222,0984 litre	43,978 %	14295,4879 litre	O

900	CM	95	CM	85 LEVEL CM	11051,9563 litre	43,311 %	14465,6300 litre	O
900	CM	95	CM	84 LEVEL CM	10882,0048 litre	42,645 %	14635,5815 litre	O
900	CM	95	CM	83 LEVEL CM	10712,2631 litre	41,980 %	14805,3232 litre	O
900	CM	95	CM	82 LEVEL CM	10542,7507 litre	41,316 %	14974,8356 litre	O
900	CM	95	CM	81 LEVEL CM	10373,4869 litre	40,652 %	15144,0994 litre	O
900	CM	95	CM	80 LEVEL CM	10204,4913 litre	39,990 %	15313,0950 litre	O
900	CM	95	CM	79 LEVEL CM	10035,7835 litre	39,329 %	15481,8028 litre	O
900	CM	95	CM	78 LEVEL CM	9867,3833 litre	38,669 %	15650,2030 litre	O
900	CM	95	CM	77 LEVEL CM	9699,3105 litre	38,010 %	15818,2758 litre	O
900	CM	95	CM	76 LEVEL CM	9531,5850 litre	37,353 %	15986,0013 litre	O
900	CM	95	CM	75 LEVEL CM	9364,2270 litre	36,697 %	16153,3593 litre	O
900	CM	95	CM	74 LEVEL CM	9197,2566 litre	36,043 %	16320,3297 litre	O
900	CM	95	CM	73 LEVEL CM	9030,6942 litre	35,390 %	16486,8921 litre	O
900	CM	95	CM	72 LEVEL CM	8864,5604 litre	34,739 %	16653,0259 litre	O
900	CM	95	CM	71 LEVEL CM	8698,8757 litre	34,090 %	16818,7106 litre	O
900	CM	95	CM	70 LEVEL CM	8533,6609 litre	33,442 %	16983,9254 litre	O
900	CM	95	CM	69 LEVEL CM	8368,9372 litre	32,797 %	17148,6491 litre	O
900	CM	95	CM	68 LEVEL CM	8204,7257 litre	32,153 %	17312,8606 litre	O
900	CM	95	CM	67 LEVEL CM	8041,0478 litre	31,512 %	17476,5385 litre	O
900	CM	95	CM	66 LEVEL CM	7877,9251 litre	30,873 %	17639,6612 litre	O
900	CM	95	CM	65 LEVEL CM	7715,3795 litre	30,236 %	17802,2068 litre	O
900	CM	95	CM	64 LEVEL CM	7553,4329 litre	29,601 %	17964,1534 litre	O
900	CM	95	CM	63 LEVEL CM	7392,1078 litre	28,969 %	18125,4785 litre	O
900	CM	95	CM	62 LEVEL CM	7231,4266 litre	28,339 %	18286,1597 litre	O
900	CM	95	CM	61 LEVEL CM	7071,4122 litre	27,712 %	18446,1741 litre	O
900	CM	95	CM	60 LEVEL CM	6912,0878 litre	27,088 %	18605,4985 litre	O
900	CM	95	CM	59 LEVEL CM	6753,4767 litre	26,466 %	18764,1096 litre	O
900	CM	95	CM	58 LEVEL CM	6595,6027 litre	25,847 %	18921,9836 litre	O
900	CM	95	CM	57 LEVEL CM	6438,4899 litre	25,232 %	19079,0964 litre	O
900	CM	95	CM	56 LEVEL CM	6282,1627 litre	24,619 %	19235,4236 litre	O
900	CM	95	CM	55 LEVEL CM	6126,6460 litre	24,010 %	19390,9403 litre	O
900	CM	95	CM	54 LEVEL CM	5971,9648 litre	23,403 %	19545,6215 litre	O
900	CM	95	CM	53 LEVEL CM	5818,1448 litre	22,801 %	19699,4415 litre	O
900	CM	95	CM	52 LEVEL CM	5665,2121 litre	22,201 %	19852,3742 litre	O
900	CM	95	CM	51 LEVEL CM	5513,1932 litre	21,605 %	20004,3931 litre	O
900	CM	95	CM	50 LEVEL CM	5362,1149 litre	21,013 %	20155,4714 litre	O
900	CM	95	CM	49 LEVEL CM	5212,0048 litre	20,425 %	20305,5815 litre	O
900	CM	95	CM	48 LEVEL CM	5062,8909 litre	19,841 %	20454,6954 litre	O
900	CM	95	CM	47 LEVEL CM	4914,8018 litre	19,260 %	20602,7845 litre	O
900	CM	95	CM	46 LEVEL CM	4767,7666 litre	18,684 %	20749,8197 litre	O
900	CM	95	CM	45 LEVEL CM	4621,8152 litre	18,112 %	20895,7711 litre	O
900	CM	95	CM	44 LEVEL CM	4476,9780 litre	17,545 %	21040,6083 litre	O
900	CM	95	CM	43 LEVEL CM	4333,2862 litre	16,982 %	21184,3001 litre	O
900	CM	95	CM	42 LEVEL CM	4190,7718 litre	16,423 %	21326,8145 litre	O
900	CM	95	CM	41 LEVEL CM	4049,4674 litre	15,869 %	21468,1189 litre	O
900	CM	95	CM	40 LEVEL CM	3909,4068 litre	15,320 %	21608,1795 litre	O
900	CM	95	CM	39 LEVEL CM	3770,6243 litre	14,777 %	21746,9620 litre	O
900	CM	95	CM	38 LEVEL CM	3633,1554 litre	14,238 %	21884,4309 litre	O
900	CM	95	CM	37 LEVEL CM	3497,0366 litre	13,704 %	22020,5497 litre	O
900	CM	95	CM	36 LEVEL CM	3362,3055 litre	13,176 %	22155,2808 litre	O
900	CM	95	CM	35 LEVEL CM	3229,0008 litre	12,654 %	22288,5855 litre	O
900	CM	95	CM	34 LEVEL CM	3097,1625 litre	12,137 %	22420,4238 litre	O
900	CM	95	CM	33 LEVEL CM	2966,8320 litre	11,627 %	22550,7543 litre	O

900	CM	95	CM	32 LEVEL CM	2838,0520 litre	11,122 %	22679,5343 litre	O
900	CM	95	CM	31 LEVEL CM	2710,8670 litre	10,624 %	22806,7193 litre	O
900	CM	95	CM	30 LEVEL CM	2585,3231 litre	10,132 %	22932,2632 litre	O
900	CM	95	CM	29 LEVEL CM	2461,4680 litre	9,646 %	23056,1183 litre	O
900	CM	95	CM	28 LEVEL CM	2339,3518 litre	9,168 %	23178,2345 litre	O
900	CM	95	CM	27 LEVEL CM	2219,0263 litre	8,696 %	23298,5600 litre	O
900	CM	95	CM	26 LEVEL CM	2100,5462 litre	8,232 %	23417,0401 litre	O
900	CM	95	CM	25 LEVEL CM	1983,9683 litre	7,775 %	23533,6180 litre	O
900	CM	95	CM	24 LEVEL CM	1869,3524 litre	7,326 %	23648,2339 litre	O
900	CM	95	CM	23 LEVEL CM	1756,7616 litre	6,885 %	23760,8247 litre	O
900	CM	95	CM	22 LEVEL CM	1646,2623 litre	6,451 %	23871,3240 litre	O
900	CM	95	CM	21 LEVEL CM	1537,9247 litre	6,027 %	23979,6616 litre	O
900	CM	95	CM	20 LEVEL CM	1431,8234 litre	5,611 %	24085,7629 litre	O
900	CM	95	CM	19 LEVEL CM	1328,0378 litre	5,204 %	24189,5485 litre	O
900	CM	95	CM	18 LEVEL CM	1226,6526 litre	4,807 %	24290,9337 litre	O
900	CM	95	CM	17 LEVEL CM	1127,7590 litre	4,420 %	24389,8273 litre	O
900	CM	95	CM	16 LEVEL CM	1031,4551 litre	4,042 %	24486,1312 litre	O
900	CM	95	CM	15 LEVEL CM	937,8469 litre	3,675 %	24579,7394 litre	O
900	CM	95	CM	14 LEVEL CM	847,0502 litre	3,319 %	24670,5361 litre	O
900	CM	95	CM	13 LEVEL CM	759,1919 litre	2,975 %	24758,3944 litre	O
900	CM	95	CM	12 LEVEL CM	674,4119 litre	2,643 %	24843,1744 litre	O
900	CM	95	CM	11 LEVEL CM	592,8660 litre	2,323 %	24924,7203 litre	O
900	CM	95	CM	10 LEVEL CM	514,7297 litre	2,017 %	25002,8566 litre	O
900	CM	95	CM	9 LEVEL CM	440,2020 litre	1,725 %	25077,3843 litre	O
900	CM	95	CM	8 LEVEL CM	369,5131 litre	1,448 %	25148,0732 litre	O
900	CM	95	CM	7 LEVEL CM	302,9325 litre	1,187 %	25214,6538 litre	O
900	CM	95	CM	6 LEVEL CM	240,7838 litre	0,944 %	25276,8025 litre	O
900	CM	95	CM	5 LEVEL CM	183,4655 litre	0,719 %	25334,1208 litre	O
900	CM	95	CM	4 LEVEL CM	131,4880 litre	0,515 %	25386,0983 litre	O
900	CM	95	CM	3 LEVEL CM	85,5405 litre	0,335 %	25432,0458 litre	O
900	CM	95	CM	2 LEVEL CM	46,6366 litre	0,183 %	25470,9497 litre	O
900	CM	95	CM	1 LEVEL CM	16,5147 litre	0,065 %	25501,0716 litre	O
900	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	25517,5863 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	90	CM	180 LEVEL CM	22902,2104 litre	100,000 %	0,0000 litre	O
900	CM	90	CM	179 LEVEL CM	22886,1376 litre	99,930 %	16,0728 litre	O
900	CM	90	CM	178 LEVEL CM	22856,8257 litre	99,802 %	45,3847 litre	O
900	CM	90	CM	177 LEVEL CM	22818,9735 litre	99,637 %	83,2369 litre	O
900	CM	90	CM	176 LEVEL CM	22774,2750 litre	99,441 %	127,9354 litre	O
900	CM	90	CM	175 LEVEL CM	22723,7180 litre	99,221 %	178,4924 litre	O
900	CM	90	CM	174 LEVEL CM	22667,9747 litre	98,977 %	234,2357 litre	O
900	CM	90	CM	173 LEVEL CM	22607,5432 litre	98,713 %	294,6672 litre	O
900	CM	90	CM	172 LEVEL CM	22542,8125 litre	98,431 %	359,3979 litre	O
900	CM	90	CM	171 LEVEL CM	22474,0986 litre	98,131 %	428,1118 litre	O
900	CM	90	CM	170 LEVEL CM	22401,6649 litre	97,814 %	500,5455 litre	O
900	CM	90	CM	169 LEVEL CM	22325,7362 litre	97,483 %	576,4742 litre	O
900	CM	90	CM	168 LEVEL CM	22246,5076 litre	97,137 %	655,7028 litre	O
900	CM	90	CM	167 LEVEL CM	22164,1504 litre	96,777 %	738,0600 litre	O
900	CM	90	CM	166 LEVEL CM	22078,8173 litre	96,405 %	823,3931 litre	O
900	CM	90	CM	165 LEVEL CM	21990,6454 litre	96,020 %	911,5650 litre	O
900	CM	90	CM	164 LEVEL CM	21899,7591 litre	95,623 %	1002,4513 litre	O
900	CM	90	CM	163 LEVEL CM	21806,2716 litre	95,215 %	1095,9388 litre	O
900	CM	90	CM	162 LEVEL CM	21710,2874 litre	94,796 %	1191,9230 litre	O
900	CM	90	CM	161 LEVEL CM	21611,9025 litre	94,366 %	1290,3079 litre	O
900	CM	90	CM	160 LEVEL CM	21511,2065 litre	93,926 %	1391,0039 litre	O
900	CM	90	CM	159 LEVEL CM	21408,2826 litre	93,477 %	1493,9278 litre	O
900	CM	90	CM	158 LEVEL CM	21303,2090 litre	93,018 %	1599,0014 litre	O
900	CM	90	CM	157 LEVEL CM	21196,0589 litre	92,550 %	1706,1515 litre	O
900	CM	90	CM	156 LEVEL CM	21086,9016 litre	92,074 %	1815,3088 litre	O
900	CM	90	CM	155 LEVEL CM	20975,8025 litre	91,589 %	1926,4079 litre	O
900	CM	90	CM	154 LEVEL CM	20862,8236 litre	91,095 %	2039,3868 litre	O
900	CM	90	CM	153 LEVEL CM	20748,0239 litre	90,594 %	2154,1865 litre	O
900	CM	90	CM	152 LEVEL CM	20631,4596 litre	90,085 %	2270,7508 litre	O
900	CM	90	CM	151 LEVEL CM	20513,1845 litre	89,569 %	2389,0259 litre	O
900	CM	90	CM	150 LEVEL CM	20393,2500 litre	89,045 %	2508,9604 litre	O
900	CM	90	CM	149 LEVEL CM	20271,7053 litre	88,514 %	2630,5051 litre	O
900	CM	90	CM	148 LEVEL CM	20148,5978 litre	87,977 %	2753,6126 litre	O
900	CM	90	CM	147 LEVEL CM	20023,9732 litre	87,432 %	2878,2372 litre	O
900	CM	90	CM	146 LEVEL CM	19897,8754 litre	86,882 %	3004,3350 litre	O
900	CM	90	CM	145 LEVEL CM	19770,3467 litre	86,325 %	3131,8637 litre	O
900	CM	90	CM	144 LEVEL CM	19641,4283 litre	85,762 %	3260,7821 litre	O
900	CM	90	CM	143 LEVEL CM	19511,1598 litre	85,193 %	3391,0506 litre	O
900	CM	90	CM	142 LEVEL CM	19379,5796 litre	84,619 %	3522,6308 litre	O
900	CM	90	CM	141 LEVEL CM	19246,7251 litre	84,039 %	3655,4853 litre	O
900	CM	90	CM	140 LEVEL CM	19112,6326 litre	83,453 %	3789,5778 litre	O
900	CM	90	CM	139 LEVEL CM	18977,3374 litre	82,862 %	3924,8730 litre	O
900	CM	90	CM	138 LEVEL CM	18840,8737 litre	82,267 %	4061,3367 litre	O
900	CM	90	CM	137 LEVEL CM	18703,2751 litre	81,666 %	4198,9353 litre	O
900	CM	90	CM	136 LEVEL CM	18564,5742 litre	81,060 %	4337,6362 litre	O
900	CM	90	CM	135 LEVEL CM	18424,8029 litre	80,450 %	4477,4075 litre	O
900	CM	90	CM	134 LEVEL CM	18283,9923 litre	79,835 %	4618,2181 litre	O
900	CM	90	CM	133 LEVEL CM	18142,1728 litre	79,216 %	4760,0376 litre	O
900	CM	90	CM	132 LEVEL CM	17999,3743 litre	78,592 %	4902,8361 litre	O
900	CM	90	CM	131 LEVEL CM	17855,6261 litre	77,965 %	5046,5843 litre	O
900	CM	90	CM	130 LEVEL CM	17710,9566 litre	77,333 %	5191,2538 litre	O
900	CM	90	CM	129 LEVEL CM	17565,3941 litre	76,697 %	5336,8163 litre	O

900	CM	90	CM	128 LEVEL CM	17418,9660 litre	76,058 %	5483,2444 litre	O
900	CM	90	CM	127 LEVEL CM	17271,6995 litre	75,415 %	5630,5109 litre	O
900	CM	90	CM	126 LEVEL CM	17123,6212 litre	74,768 %	5778,5892 litre	O
900	CM	90	CM	125 LEVEL CM	16974,7572 litre	74,118 %	5927,4532 litre	O
900	CM	90	CM	124 LEVEL CM	16825,1335 litre	73,465 %	6077,0769 litre	O
900	CM	90	CM	123 LEVEL CM	16674,7752 litre	72,809 %	6227,4352 litre	O
900	CM	90	CM	122 LEVEL CM	16523,7076 litre	72,149 %	6378,5028 litre	O
900	CM	90	CM	121 LEVEL CM	16371,9551 litre	71,486 %	6530,2553 litre	O
900	CM	90	CM	120 LEVEL CM	16219,5423 litre	70,821 %	6682,6681 litre	O
900	CM	90	CM	119 LEVEL CM	16066,4930 litre	70,153 %	6835,7174 litre	O
900	CM	90	CM	118 LEVEL CM	15912,8310 litre	69,482 %	6989,3794 litre	O
900	CM	90	CM	117 LEVEL CM	15758,5797 litre	68,808 %	7143,6307 litre	O
900	CM	90	CM	116 LEVEL CM	15603,7623 litre	68,132 %	7298,4481 litre	O
900	CM	90	CM	115 LEVEL CM	15448,4018 litre	67,454 %	7453,8086 litre	O
900	CM	90	CM	114 LEVEL CM	15292,5208 litre	66,773 %	7609,6896 litre	O
900	CM	90	CM	113 LEVEL CM	15136,1417 litre	66,090 %	7766,0687 litre	O
900	CM	90	CM	112 LEVEL CM	14979,2868 litre	65,405 %	7922,9236 litre	O
900	CM	90	CM	111 LEVEL CM	14821,9781 litre	64,719 %	8080,2323 litre	O
900	CM	90	CM	110 LEVEL CM	14664,2375 litre	64,030 %	8237,9729 litre	O
900	CM	90	CM	109 LEVEL CM	14506,0866 litre	63,339 %	8396,1238 litre	O
900	CM	90	CM	108 LEVEL CM	14347,5469 litre	62,647 %	8554,6635 litre	O
900	CM	90	CM	107 LEVEL CM	14188,6398 litre	61,953 %	8713,5706 litre	O
900	CM	90	CM	106 LEVEL CM	14029,3864 litre	61,258 %	8872,8240 litre	O
900	CM	90	CM	105 LEVEL CM	13869,8079 litre	60,561 %	9032,4025 litre	O
900	CM	90	CM	104 LEVEL CM	13709,9251 litre	59,863 %	9192,2853 litre	O
900	CM	90	CM	103 LEVEL CM	13549,7588 litre	59,164 %	9352,4516 litre	O
900	CM	90	CM	102 LEVEL CM	13389,3298 litre	58,463 %	9512,8806 litre	O
900	CM	90	CM	101 LEVEL CM	13228,6586 litre	57,761 %	9673,5518 litre	O
900	CM	90	CM	100 LEVEL CM	13067,7657 litre	57,059 %	9834,4447 litre	O
900	CM	90	CM	99 LEVEL CM	12906,6716 litre	56,356 %	9995,5388 litre	O
900	CM	90	CM	98 LEVEL CM	12745,3965 litre	55,651 %	10156,8139 litre	O
900	CM	90	CM	97 LEVEL CM	12583,9608 litre	54,946 %	10318,2496 litre	O
900	CM	90	CM	96 LEVEL CM	12422,3847 litre	54,241 %	10479,8257 litre	O
900	CM	90	CM	95 LEVEL CM	12260,6884 litre	53,535 %	10641,5220 litre	O
900	CM	90	CM	94 LEVEL CM	12098,8918 litre	52,828 %	10803,3186 litre	O
900	CM	90	CM	93 LEVEL CM	11937,0152 litre	52,122 %	10965,1952 litre	O
900	CM	90	CM	92 LEVEL CM	11775,0786 litre	51,415 %	11127,1318 litre	O
900	CM	90	CM	91 LEVEL CM	11613,1019 litre	50,707 %	11289,1085 litre	O
900	CM	90	CM	90 LEVEL CM	11451,1052 litre	50,000 %	11451,1052 litre	O
900	CM	90	CM	89 LEVEL CM	11289,1086 litre	49,293 %	11613,1018 litre	O
900	CM	90	CM	88 LEVEL CM	11127,1319 litre	48,585 %	11775,0785 litre	O
900	CM	90	CM	87 LEVEL CM	10965,1952 litre	47,878 %	11937,0152 litre	O
900	CM	90	CM	86 LEVEL CM	10803,3186 litre	47,172 %	12098,8918 litre	O
900	CM	90	CM	85 LEVEL CM	10641,5221 litre	46,465 %	12260,6883 litre	O
900	CM	90	CM	84 LEVEL CM	10479,8257 litre	45,759 %	12422,3847 litre	O
900	CM	90	CM	83 LEVEL CM	10318,2496 litre	45,054 %	12583,9608 litre	O
900	CM	90	CM	82 LEVEL CM	10156,8139 litre	44,349 %	12745,3965 litre	O
900	CM	90	CM	81 LEVEL CM	9995,5389 litre	43,644 %	12906,6715 litre	O
900	CM	90	CM	80 LEVEL CM	9834,4448 litre	42,941 %	13067,7656 litre	O
900	CM	90	CM	79 LEVEL CM	9673,5519 litre	42,239 %	13228,6585 litre	O
900	CM	90	CM	78 LEVEL CM	9512,8807 litre	41,537 %	13389,3297 litre	O
900	CM	90	CM	77 LEVEL CM	9352,4516 litre	40,836 %	13549,7588 litre	O
900	CM	90	CM	76 LEVEL CM	9192,2854 litre	40,137 %	13709,9250 litre	O

900	CM	90	CM	75 LEVEL CM	9032,4026 litre	39,439 %	13869,8078 litre	O
900	CM	90	CM	74 LEVEL CM	8872,8240 litre	38,742 %	14029,3864 litre	O
900	CM	90	CM	73 LEVEL CM	8713,5707 litre	38,047 %	14188,6397 litre	O
900	CM	90	CM	72 LEVEL CM	8554,6636 litre	37,353 %	14347,5468 litre	O
900	CM	90	CM	71 LEVEL CM	8396,1239 litre	36,661 %	14506,0865 litre	O
900	CM	90	CM	70 LEVEL CM	8237,9730 litre	35,970 %	14664,2374 litre	O
900	CM	90	CM	69 LEVEL CM	8080,2324 litre	35,281 %	14821,9780 litre	O
900	CM	90	CM	68 LEVEL CM	7922,9237 litre	34,595 %	14979,2867 litre	O
900	CM	90	CM	67 LEVEL CM	7766,0688 litre	33,910 %	15136,1416 litre	O
900	CM	90	CM	66 LEVEL CM	7609,6897 litre	33,227 %	15292,5207 litre	O
900	CM	90	CM	65 LEVEL CM	7453,8086 litre	32,546 %	15448,4018 litre	O
900	CM	90	CM	64 LEVEL CM	7298,4481 litre	31,868 %	15603,7623 litre	O
900	CM	90	CM	63 LEVEL CM	7143,6307 litre	31,192 %	15758,5797 litre	O
900	CM	90	CM	62 LEVEL CM	6989,3795 litre	30,518 %	15912,8309 litre	O
900	CM	90	CM	61 LEVEL CM	6835,7175 litre	29,847 %	16066,4929 litre	O
900	CM	90	CM	60 LEVEL CM	6682,6682 litre	29,179 %	16219,5422 litre	O
900	CM	90	CM	59 LEVEL CM	6530,2553 litre	28,514 %	16371,9551 litre	O
900	CM	90	CM	58 LEVEL CM	6378,5029 litre	27,851 %	16523,7075 litre	O
900	CM	90	CM	57 LEVEL CM	6227,4352 litre	27,191 %	16674,7752 litre	O
900	CM	90	CM	56 LEVEL CM	6077,0770 litre	26,535 %	16825,1334 litre	O
900	CM	90	CM	55 LEVEL CM	5927,4532 litre	25,882 %	16974,7572 litre	O
900	CM	90	CM	54 LEVEL CM	5778,5893 litre	25,232 %	17123,6211 litre	O
900	CM	90	CM	53 LEVEL CM	5630,5110 litre	24,585 %	17271,6994 litre	O
900	CM	90	CM	52 LEVEL CM	5483,2445 litre	23,942 %	17418,9659 litre	O
900	CM	90	CM	51 LEVEL CM	5336,8164 litre	23,303 %	17565,3940 litre	O
900	CM	90	CM	50 LEVEL CM	5191,2538 litre	22,667 %	17710,9566 litre	O
900	CM	90	CM	49 LEVEL CM	5046,5844 litre	22,035 %	17855,6260 litre	O
900	CM	90	CM	48 LEVEL CM	4902,8361 litre	21,408 %	17999,3743 litre	O
900	CM	90	CM	47 LEVEL CM	4760,0376 litre	20,784 %	18142,1728 litre	O
900	CM	90	CM	46 LEVEL CM	4618,2182 litre	20,165 %	18283,9922 litre	O
900	CM	90	CM	45 LEVEL CM	4477,4076 litre	19,550 %	18424,8028 litre	O
900	CM	90	CM	44 LEVEL CM	4337,6362 litre	18,940 %	18564,5742 litre	O
900	CM	90	CM	43 LEVEL CM	4198,9353 litre	18,334 %	18703,2751 litre	O
900	CM	90	CM	42 LEVEL CM	4061,3367 litre	17,733 %	18840,8737 litre	O
900	CM	90	CM	41 LEVEL CM	3924,8730 litre	17,138 %	18977,3374 litre	O
900	CM	90	CM	40 LEVEL CM	3789,5778 litre	16,547 %	19112,6326 litre	O
900	CM	90	CM	39 LEVEL CM	3655,4853 litre	15,961 %	19246,7251 litre	O
900	CM	90	CM	38 LEVEL CM	3522,6308 litre	15,381 %	19379,5796 litre	O
900	CM	90	CM	37 LEVEL CM	3391,0507 litre	14,807 %	19511,1597 litre	O
900	CM	90	CM	36 LEVEL CM	3260,7821 litre	14,238 %	19641,4283 litre	O
900	CM	90	CM	35 LEVEL CM	3131,8637 litre	13,675 %	19770,3467 litre	O
900	CM	90	CM	34 LEVEL CM	3004,3351 litre	13,118 %	19897,8753 litre	O
900	CM	90	CM	33 LEVEL CM	2878,2372 litre	12,568 %	20023,9732 litre	O
900	CM	90	CM	32 LEVEL CM	2753,6126 litre	12,023 %	20148,5978 litre	O
900	CM	90	CM	31 LEVEL CM	2630,5052 litre	11,486 %	20271,7052 litre	O
900	CM	90	CM	30 LEVEL CM	2508,9605 litre	10,955 %	20393,2499 litre	O
900	CM	90	CM	29 LEVEL CM	2389,0259 litre	10,431 %	20513,1845 litre	O
900	CM	90	CM	28 LEVEL CM	2270,7508 litre	9,915 %	20631,4596 litre	O
900	CM	90	CM	27 LEVEL CM	2154,1865 litre	9,406 %	20748,0239 litre	O
900	CM	90	CM	26 LEVEL CM	2039,3868 litre	8,905 %	20862,8236 litre	O
900	CM	90	CM	25 LEVEL CM	1926,4079 litre	8,411 %	20975,8025 litre	O
900	CM	90	CM	24 LEVEL CM	1815,3088 litre	7,926 %	21086,9016 litre	O
900	CM	90	CM	23 LEVEL CM	1706,1515 litre	7,450 %	21196,0589 litre	O

900	CM	90	CM	22 LEVEL CM	1599,0015 litre	6,982 %	21303,2089 litre	O
900	CM	90	CM	21 LEVEL CM	1493,9278 litre	6,523 %	21408,2826 litre	O
900	CM	90	CM	20 LEVEL CM	1391,0040 litre	6,074 %	21511,2064 litre	O
900	CM	90	CM	19 LEVEL CM	1290,3079 litre	5,634 %	21611,9025 litre	O
900	CM	90	CM	18 LEVEL CM	1191,9231 litre	5,204 %	21710,2873 litre	O
900	CM	90	CM	17 LEVEL CM	1095,9388 litre	4,785 %	21806,2716 litre	O
900	CM	90	CM	16 LEVEL CM	1002,4514 litre	4,377 %	21899,7590 litre	O
900	CM	90	CM	15 LEVEL CM	911,5650 litre	3,980 %	21990,6454 litre	O
900	CM	90	CM	14 LEVEL CM	823,3931 litre	3,595 %	22078,8173 litre	O
900	CM	90	CM	13 LEVEL CM	738,0600 litre	3,223 %	22164,1504 litre	O
900	CM	90	CM	12 LEVEL CM	655,7029 litre	2,863 %	22246,5075 litre	O
900	CM	90	CM	11 LEVEL CM	576,4742 litre	2,517 %	22325,7362 litre	O
900	CM	90	CM	10 LEVEL CM	500,5455 litre	2,186 %	22401,6649 litre	O
900	CM	90	CM	9 LEVEL CM	428,1119 litre	1,869 %	22474,0985 litre	O
900	CM	90	CM	8 LEVEL CM	359,3979 litre	1,569 %	22542,8125 litre	O
900	CM	90	CM	7 LEVEL CM	294,6672 litre	1,287 %	22607,5432 litre	O
900	CM	90	CM	6 LEVEL CM	234,2357 litre	1,023 %	22667,9747 litre	O
900	CM	90	CM	5 LEVEL CM	178,4925 litre	0,779 %	22723,7179 litre	O
900	CM	90	CM	4 LEVEL CM	127,9354 litre	0,559 %	22774,2750 litre	O
900	CM	90	CM	3 LEVEL CM	83,2369 litre	0,363 %	22818,9735 litre	O
900	CM	90	CM	2 LEVEL CM	45,3847 litre	0,198 %	22856,8257 litre	O
900	CM	90	CM	1 LEVEL CM	16,0728 litre	0,070 %	22886,1376 litre	O
900	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	22902,2104 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM	85	CM 170 LEVEL CM	20428,2062 litre	100,000 %	0,0000 litre	O
900	CM	85	CM 169 LEVEL CM	20412,5878 litre	99,924 %	15,6184 litre	O
900	CM	85	CM 168 LEVEL CM	20384,1089 litre	99,784 %	44,0973 litre	O
900	CM	85	CM 167 LEVEL CM	20347,3386 litre	99,604 %	80,8676 litre	O
900	CM	85	CM 166 LEVEL CM	20303,9248 litre	99,392 %	124,2814 litre	O
900	CM	85	CM 165 LEVEL CM	20254,8294 litre	99,151 %	173,3768 litre	O
900	CM	85	CM 164 LEVEL CM	20200,7070 litre	98,886 %	227,4992 litre	O
900	CM	85	CM 163 LEVEL CM	20142,0429 litre	98,599 %	286,1633 litre	O
900	CM	85	CM 162 LEVEL CM	20079,2166 litre	98,292 %	348,9896 litre	O
900	CM	85	CM 161 LEVEL CM	20012,5361 litre	97,965 %	415,6701 litre	O
900	CM	85	CM 160 LEVEL CM	19942,2587 litre	97,621 %	485,9475 litre	O
900	CM	85	CM 159 LEVEL CM	19868,6039 litre	97,261 %	559,6023 litre	O
900	CM	85	CM 158 LEVEL CM	19791,7623 litre	96,884 %	636,4439 litre	O
900	CM	85	CM 157 LEVEL CM	19711,9014 litre	96,494 %	716,3048 litre	O
900	CM	85	CM 156 LEVEL CM	19629,1706 litre	96,089 %	799,0356 litre	O
900	CM	85	CM 155 LEVEL CM	19543,7041 litre	95,670 %	884,5021 litre	O
900	CM	85	CM 154 LEVEL CM	19455,6236 litre	95,239 %	972,5826 litre	O
900	CM	85	CM 153 LEVEL CM	19365,0403 litre	94,796 %	1063,1659 litre	O
900	CM	85	CM 152 LEVEL CM	19272,0563 litre	94,340 %	1156,1499 litre	O
900	CM	85	CM 151 LEVEL CM	19176,7661 litre	93,874 %	1251,4401 litre	O
900	CM	85	CM 150 LEVEL CM	19079,2576 litre	93,397 %	1348,9486 litre	O
900	CM	85	CM 149 LEVEL CM	18979,6124 litre	92,909 %	1448,5938 litre	O
900	CM	85	CM 148 LEVEL CM	18877,9075 litre	92,411 %	1550,2987 litre	O
900	CM	85	CM 147 LEVEL CM	18774,2148 litre	91,903 %	1653,9914 litre	O
900	CM	85	CM 146 LEVEL CM	18668,6026 litre	91,386 %	1759,6036 litre	O
900	CM	85	CM 145 LEVEL CM	18561,1352 litre	90,860 %	1867,0710 litre	O
900	CM	85	CM 144 LEVEL CM	18451,8738 litre	90,325 %	1976,3324 litre	O
900	CM	85	CM 143 LEVEL CM	18340,8765 litre	89,782 %	2087,3297 litre	O
900	CM	85	CM 142 LEVEL CM	18228,1988 litre	89,231 %	2200,0074 litre	O
900	CM	85	CM 141 LEVEL CM	18113,8939 litre	88,671 %	2314,3123 litre	O
900	CM	85	CM 140 LEVEL CM	17998,0124 litre	88,104 %	2430,1938 litre	O
900	CM	85	CM 139 LEVEL CM	17880,6031 litre	87,529 %	2547,6031 litre	O
900	CM	85	CM 138 LEVEL CM	17761,7130 litre	86,947 %	2666,4932 litre	O
900	CM	85	CM 137 LEVEL CM	17641,3871 litre	86,358 %	2786,8191 litre	O
900	CM	85	CM 136 LEVEL CM	17519,6691 litre	85,762 %	2908,5371 litre	O
900	CM	85	CM 135 LEVEL CM	17396,6009 litre	85,160 %	3031,6053 litre	O
900	CM	85	CM 134 LEVEL CM	17272,2233 litre	84,551 %	3155,9829 litre	O
900	CM	85	CM 133 LEVEL CM	17146,5758 litre	83,936 %	3281,6304 litre	O
900	CM	85	CM 132 LEVEL CM	17019,6965 litre	83,315 %	3408,5097 litre	O
900	CM	85	CM 131 LEVEL CM	16891,6226 litre	82,688 %	3536,5836 litre	O
900	CM	85	CM 130 LEVEL CM	16762,3902 litre	82,055 %	3665,8160 litre	O
900	CM	85	CM 129 LEVEL CM	16632,0344 litre	81,417 %	3796,1718 litre	O
900	CM	85	CM 128 LEVEL CM	16500,5896 litre	80,774 %	3927,6166 litre	O
900	CM	85	CM 127 LEVEL CM	16368,0891 litre	80,125 %	4060,1171 litre	O
900	CM	85	CM 126 LEVEL CM	16234,5655 litre	79,471 %	4193,6407 litre	O
900	CM	85	CM 125 LEVEL CM	16100,0506 litre	78,813 %	4328,1556 litre	O
900	CM	85	CM 124 LEVEL CM	15964,5757 litre	78,150 %	4463,6305 litre	O
900	CM	85	CM 123 LEVEL CM	15828,1713 litre	77,482 %	4600,0349 litre	O
900	CM	85	CM 122 LEVEL CM	15690,8672 litre	76,810 %	4737,3390 litre	O
900	CM	85	CM 121 LEVEL CM	15552,6928 litre	76,133 %	4875,5134 litre	O
900	CM	85	CM 120 LEVEL CM	15413,6767 litre	75,453 %	5014,5295 litre	O
900	CM	85	CM 119 LEVEL CM	15273,8473 litre	74,768 %	5154,3589 litre	O

900	CM	85	CM	118 LEVEL CM	15133,2322 litre	74,080 %	5294,9740 litre	O
900	CM	85	CM	117 LEVEL CM	14991,8589 litre	73,388 %	5436,3473 litre	O
900	CM	85	CM	116 LEVEL CM	14849,7540 litre	72,692 %	5578,4522 litre	O
900	CM	85	CM	115 LEVEL CM	14706,9440 litre	71,993 %	5721,2622 litre	O
900	CM	85	CM	114 LEVEL CM	14563,4551 litre	71,291 %	5864,7511 litre	O
900	CM	85	CM	113 LEVEL CM	14419,3128 litre	70,585 %	6008,8934 litre	O
900	CM	85	CM	112 LEVEL CM	14274,5424 litre	69,877 %	6153,6638 litre	O
900	CM	85	CM	111 LEVEL CM	14129,1691 litre	69,165 %	6299,0371 litre	O
900	CM	85	CM	110 LEVEL CM	13983,2174 litre	68,451 %	6444,9888 litre	O
900	CM	85	CM	109 LEVEL CM	13836,7118 litre	67,733 %	6591,4944 litre	O
900	CM	85	CM	108 LEVEL CM	13689,6763 litre	67,014 %	6738,5299 litre	O
900	CM	85	CM	107 LEVEL CM	13542,1350 litre	66,291 %	6886,0712 litre	O
900	CM	85	CM	106 LEVEL CM	13394,1112 litre	65,567 %	7034,0950 litre	O
900	CM	85	CM	105 LEVEL CM	13245,6286 litre	64,840 %	7182,5776 litre	O
900	CM	85	CM	104 LEVEL CM	13096,7101 litre	64,111 %	7331,4961 litre	O
900	CM	85	CM	103 LEVEL CM	12947,3789 litre	63,380 %	7480,8273 litre	O
900	CM	85	CM	102 LEVEL CM	12797,6576 litre	62,647 %	7630,5486 litre	O
900	CM	85	CM	101 LEVEL CM	12647,5688 litre	61,912 %	7780,6374 litre	O
900	CM	85	CM	100 LEVEL CM	12497,1351 litre	61,176 %	7931,0711 litre	O
900	CM	85	CM	99 LEVEL CM	12346,3786 litre	60,438 %	8081,8276 litre	O
900	CM	85	CM	98 LEVEL CM	12195,3216 litre	59,698 %	8232,8846 litre	O
900	CM	85	CM	97 LEVEL CM	12043,9859 litre	58,958 %	8384,2203 litre	O
900	CM	85	CM	96 LEVEL CM	11892,3936 litre	58,216 %	8535,8126 litre	O
900	CM	85	CM	95 LEVEL CM	11740,5663 litre	57,472 %	8687,6399 litre	O
900	CM	85	CM	94 LEVEL CM	11588,5258 litre	56,728 %	8839,6804 litre	O
900	CM	85	CM	93 LEVEL CM	11436,2936 litre	55,983 %	8991,9126 litre	O
900	CM	85	CM	92 LEVEL CM	11283,8913 litre	55,237 %	9144,3149 litre	O
900	CM	85	CM	91 LEVEL CM	11131,3402 litre	54,490 %	9296,8660 litre	O
900	CM	85	CM	90 LEVEL CM	10978,6617 litre	53,743 %	9449,5445 litre	O
900	CM	85	CM	89 LEVEL CM	10825,8772 litre	52,995 %	9602,3290 litre	O
900	CM	85	CM	88 LEVEL CM	10673,0078 litre	52,246 %	9755,1984 litre	O
900	CM	85	CM	87 LEVEL CM	10520,0749 litre	51,498 %	9908,1313 litre	O
900	CM	85	CM	86 LEVEL CM	10367,0996 litre	50,749 %	10061,1066 litre	O
900	CM	85	CM	85 LEVEL CM	10214,1031 litre	50,000 %	10214,1031 litre	O
900	CM	85	CM	84 LEVEL CM	10061,1066 litre	49,251 %	10367,0996 litre	O
900	CM	85	CM	83 LEVEL CM	9908,1314 litre	48,502 %	10520,0748 litre	O
900	CM	85	CM	82 LEVEL CM	9755,1984 litre	47,754 %	10673,0078 litre	O
900	CM	85	CM	81 LEVEL CM	9602,3291 litre	47,005 %	10825,8771 litre	O
900	CM	85	CM	80 LEVEL CM	9449,5445 litre	46,257 %	10978,6617 litre	O
900	CM	85	CM	79 LEVEL CM	9296,8660 litre	45,510 %	11131,3402 litre	O
900	CM	85	CM	78 LEVEL CM	9144,3149 litre	44,763 %	11283,8913 litre	O
900	CM	85	CM	77 LEVEL CM	8991,9126 litre	44,017 %	11436,2936 litre	O
900	CM	85	CM	76 LEVEL CM	8839,6804 litre	43,272 %	11588,5258 litre	O
900	CM	85	CM	75 LEVEL CM	8687,6399 litre	42,528 %	11740,5663 litre	O
900	CM	85	CM	74 LEVEL CM	8535,8126 litre	41,784 %	11892,3936 litre	O
900	CM	85	CM	73 LEVEL CM	8384,2203 litre	41,042 %	12043,9859 litre	O
900	CM	85	CM	72 LEVEL CM	8232,8847 litre	40,302 %	12195,3215 litre	O
900	CM	85	CM	71 LEVEL CM	8081,8276 litre	39,562 %	12346,3786 litre	O
900	CM	85	CM	70 LEVEL CM	7931,0712 litre	38,824 %	12497,1350 litre	O
900	CM	85	CM	69 LEVEL CM	7780,6374 litre	38,088 %	12647,5688 litre	O
900	CM	85	CM	68 LEVEL CM	7630,5487 litre	37,353 %	12797,6575 litre	O
900	CM	85	CM	67 LEVEL CM	7480,8274 litre	36,620 %	12947,3788 litre	O
900	CM	85	CM	66 LEVEL CM	7331,4961 litre	35,889 %	13096,7101 litre	O

900	CM	85	CM	65 LEVEL CM	7182,5777 litre	35,160 %	13245,6285 litre	O
900	CM	85	CM	64 LEVEL CM	7034,0950 litre	34,433 %	13394,1112 litre	O
900	CM	85	CM	63 LEVEL CM	6886,0713 litre	33,709 %	13542,1349 litre	O
900	CM	85	CM	62 LEVEL CM	6738,5299 litre	32,986 %	13689,6763 litre	O
900	CM	85	CM	61 LEVEL CM	6591,4945 litre	32,267 %	13836,7117 litre	O
900	CM	85	CM	60 LEVEL CM	6444,9888 litre	31,549 %	13983,2174 litre	O
900	CM	85	CM	59 LEVEL CM	6299,0372 litre	30,835 %	14129,1690 litre	O
900	CM	85	CM	58 LEVEL CM	6153,6638 litre	30,123 %	14274,5424 litre	O
900	CM	85	CM	57 LEVEL CM	6008,8935 litre	29,415 %	14419,3127 litre	O
900	CM	85	CM	56 LEVEL CM	5864,7512 litre	28,709 %	14563,4550 litre	O
900	CM	85	CM	55 LEVEL CM	5721,2622 litre	28,007 %	14706,9440 litre	O
900	CM	85	CM	54 LEVEL CM	5578,4523 litre	27,308 %	14849,7539 litre	O
900	CM	85	CM	53 LEVEL CM	5436,3474 litre	26,612 %	14991,8588 litre	O
900	CM	85	CM	52 LEVEL CM	5294,9740 litre	25,920 %	15133,2322 litre	O
900	CM	85	CM	51 LEVEL CM	5154,3589 litre	25,232 %	15273,8473 litre	O
900	CM	85	CM	50 LEVEL CM	5014,5295 litre	24,547 %	15413,6767 litre	O
900	CM	85	CM	49 LEVEL CM	4875,5135 litre	23,867 %	15552,6927 litre	O
900	CM	85	CM	48 LEVEL CM	4737,3390 litre	23,190 %	15690,8672 litre	O
900	CM	85	CM	47 LEVEL CM	4600,0349 litre	22,518 %	15828,1713 litre	O
900	CM	85	CM	46 LEVEL CM	4463,6305 litre	21,850 %	15964,5757 litre	O
900	CM	85	CM	45 LEVEL CM	4328,1556 litre	21,187 %	16100,0506 litre	O
900	CM	85	CM	44 LEVEL CM	4193,6408 litre	20,529 %	16234,5654 litre	O
900	CM	85	CM	43 LEVEL CM	4060,1172 litre	19,875 %	16368,0890 litre	O
900	CM	85	CM	42 LEVEL CM	3927,6166 litre	19,226 %	16500,5896 litre	O
900	CM	85	CM	41 LEVEL CM	3796,1718 litre	18,583 %	16632,0344 litre	O
900	CM	85	CM	40 LEVEL CM	3665,8161 litre	17,945 %	16762,3901 litre	O
900	CM	85	CM	39 LEVEL CM	3536,5837 litre	17,312 %	16891,6225 litre	O
900	CM	85	CM	38 LEVEL CM	3408,5098 litre	16,685 %	17019,6964 litre	O
900	CM	85	CM	37 LEVEL CM	3281,6305 litre	16,064 %	17146,5757 litre	O
900	CM	85	CM	36 LEVEL CM	3155,9829 litre	15,449 %	17272,2233 litre	O
900	CM	85	CM	35 LEVEL CM	3031,6053 litre	14,840 %	17396,6009 litre	O
900	CM	85	CM	34 LEVEL CM	2908,5372 litre	14,238 %	17519,6690 litre	O
900	CM	85	CM	33 LEVEL CM	2786,8191 litre	13,642 %	17641,3871 litre	O
900	CM	85	CM	32 LEVEL CM	2666,4932 litre	13,053 %	17761,7130 litre	O
900	CM	85	CM	31 LEVEL CM	2547,6031 litre	12,471 %	17880,6031 litre	O
900	CM	85	CM	30 LEVEL CM	2430,1939 litre	11,896 %	17998,0123 litre	O
900	CM	85	CM	29 LEVEL CM	2314,3124 litre	11,329 %	18113,8938 litre	O
900	CM	85	CM	28 LEVEL CM	2200,0074 litre	10,769 %	18228,1988 litre	O
900	CM	85	CM	27 LEVEL CM	2087,3298 litre	10,218 %	18340,8764 litre	O
900	CM	85	CM	26 LEVEL CM	1976,3325 litre	9,675 %	18451,8737 litre	O
900	CM	85	CM	25 LEVEL CM	1867,0710 litre	9,140 %	18561,1352 litre	O
900	CM	85	CM	24 LEVEL CM	1759,6036 litre	8,614 %	18668,6026 litre	O
900	CM	85	CM	23 LEVEL CM	1653,9914 litre	8,097 %	18774,2148 litre	O
900	CM	85	CM	22 LEVEL CM	1550,2988 litre	7,589 %	18877,9074 litre	O
900	CM	85	CM	21 LEVEL CM	1448,5938 litre	7,091 %	18979,6124 litre	O
900	CM	85	CM	20 LEVEL CM	1348,9487 litre	6,603 %	19079,2575 litre	O
900	CM	85	CM	19 LEVEL CM	1251,4401 litre	6,126 %	19176,7661 litre	O
900	CM	85	CM	18 LEVEL CM	1156,1499 litre	5,660 %	19272,0563 litre	O
900	CM	85	CM	17 LEVEL CM	1063,1660 litre	5,204 %	19365,0402 litre	O
900	CM	85	CM	16 LEVEL CM	972,5826 litre	4,761 %	19455,6236 litre	O
900	CM	85	CM	15 LEVEL CM	884,5021 litre	4,330 %	19543,7041 litre	O
900	CM	85	CM	14 LEVEL CM	799,0356 litre	3,911 %	19629,1706 litre	O
900	CM	85	CM	13 LEVEL CM	716,3048 litre	3,506 %	19711,9014 litre	O

900	CM	85	CM	12 LEVEL CM	636,4439 litre	3,116 %	19791,7623 litre	O
900	CM	85	CM	11 LEVEL CM	559,6023 litre	2,739 %	19868,6039 litre	O
900	CM	85	CM	10 LEVEL CM	485,9475 litre	2,379 %	19942,2587 litre	O
900	CM	85	CM	9 LEVEL CM	415,6701 litre	2,035 %	20012,5361 litre	O
900	CM	85	CM	8 LEVEL CM	348,9896 litre	1,708 %	20079,2166 litre	O
900	CM	85	CM	7 LEVEL CM	286,1633 litre	1,401 %	20142,0429 litre	O
900	CM	85	CM	6 LEVEL CM	227,4992 litre	1,114 %	20200,7070 litre	O
900	CM	85	CM	5 LEVEL CM	173,3769 litre	0,849 %	20254,8293 litre	O
900	CM	85	CM	4 LEVEL CM	124,2814 litre	0,608 %	20303,9248 litre	O
900	CM	85	CM	3 LEVEL CM	80,8677 litre	0,396 %	20347,3385 litre	O
900	CM	85	CM	2 LEVEL CM	44,0973 litre	0,216 %	20384,1089 litre	O
900	CM	85	CM	1 LEVEL CM	15,6184 litre	0,076 %	20412,5878 litre	O
900	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	20428,2062 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	80	CM	160 LEVEL CM	18095,5737 litre	100,000 %	0,0000 litre	O
900	CM	80	CM	159 LEVEL CM	18080,4232 litre	99,916 %	15,1505 litre	O
900	CM	80	CM	158 LEVEL CM	18052,8025 litre	99,764 %	42,7712 litre	O
900	CM	80	CM	157 LEVEL CM	18017,1468 litre	99,567 %	78,4269 litre	O
900	CM	80	CM	156 LEVEL CM	17975,0571 litre	99,334 %	120,5166 litre	O
900	CM	80	CM	155 LEVEL CM	17927,4680 litre	99,071 %	168,1057 litre	O
900	CM	80	CM	154 LEVEL CM	17875,0166 litre	98,781 %	220,5571 litre	O
900	CM	80	CM	153 LEVEL CM	17818,1749 litre	98,467 %	277,3988 litre	O
900	CM	80	CM	152 LEVEL CM	17757,3125 litre	98,131 %	338,2612 litre	O
900	CM	80	CM	151 LEVEL CM	17692,7294 litre	97,774 %	402,8443 litre	O
900	CM	80	CM	150 LEVEL CM	17624,6767 litre	97,398 %	470,8970 litre	O
900	CM	80	CM	149 LEVEL CM	17553,3682 litre	97,004 %	542,2055 litre	O
900	CM	80	CM	148 LEVEL CM	17478,9902 litre	96,593 %	616,5835 litre	O
900	CM	80	CM	147 LEVEL CM	17401,7062 litre	96,166 %	693,8675 litre	O
900	CM	80	CM	146 LEVEL CM	17321,6622 litre	95,723 %	773,9115 litre	O
900	CM	80	CM	145 LEVEL CM	17238,9896 litre	95,266 %	856,5841 litre	O
900	CM	80	CM	144 LEVEL CM	17153,8073 litre	94,796 %	941,7664 litre	O
900	CM	80	CM	143 LEVEL CM	17066,2243 litre	94,312 %	1029,3494 litre	O
900	CM	80	CM	142 LEVEL CM	16976,3407 litre	93,815 %	1119,2330 litre	O
900	CM	80	CM	141 LEVEL CM	16884,2492 litre	93,306 %	1211,3245 litre	O
900	CM	80	CM	140 LEVEL CM	16790,0358 litre	92,785 %	1305,5379 litre	O
900	CM	80	CM	139 LEVEL CM	16693,7810 litre	92,253 %	1401,7927 litre	O
900	CM	80	CM	138 LEVEL CM	16595,5602 litre	91,711 %	1500,0135 litre	O
900	CM	80	CM	137 LEVEL CM	16495,4443 litre	91,157 %	1600,1294 litre	O
900	CM	80	CM	136 LEVEL CM	16393,5004 litre	90,594 %	1702,0733 litre	O
900	CM	80	CM	135 LEVEL CM	16289,7918 litre	90,021 %	1805,7819 litre	O
900	CM	80	CM	134 LEVEL CM	16184,3789 litre	89,438 %	1911,1948 litre	O
900	CM	80	CM	133 LEVEL CM	16077,3190 litre	88,847 %	2018,2547 litre	O
900	CM	80	CM	132 LEVEL CM	15968,6669 litre	88,246 %	2126,9068 litre	O
900	CM	80	CM	131 LEVEL CM	15858,4750 litre	87,637 %	2237,0987 litre	O
900	CM	80	CM	130 LEVEL CM	15746,7936 litre	87,020 %	2348,7801 litre	O
900	CM	80	CM	129 LEVEL CM	15633,6708 litre	86,395 %	2461,9029 litre	O
900	CM	80	CM	128 LEVEL CM	15519,1532 litre	85,762 %	2576,4205 litre	O
900	CM	80	CM	127 LEVEL CM	15403,2855 litre	85,122 %	2692,2882 litre	O
900	CM	80	CM	126 LEVEL CM	15286,1108 litre	84,474 %	2809,4629 litre	O
900	CM	80	CM	125 LEVEL CM	15167,6710 litre	83,820 %	2927,9027 litre	O
900	CM	80	CM	124 LEVEL CM	15048,0065 litre	83,158 %	3047,5672 litre	O
900	CM	80	CM	123 LEVEL CM	14927,1565 litre	82,491 %	3168,4172 litre	O
900	CM	80	CM	122 LEVEL CM	14805,1590 litre	81,816 %	3290,4147 litre	O
900	CM	80	CM	121 LEVEL CM	14682,0512 litre	81,136 %	3413,5225 litre	O
900	CM	80	CM	120 LEVEL CM	14557,8690 litre	80,450 %	3537,7047 litre	O
900	CM	80	CM	119 LEVEL CM	14432,6474 litre	79,758 %	3662,9263 litre	O
900	CM	80	CM	118 LEVEL CM	14306,4208 litre	79,060 %	3789,1529 litre	O
900	CM	80	CM	117 LEVEL CM	14179,2225 litre	78,357 %	3916,3512 litre	O
900	CM	80	CM	116 LEVEL CM	14051,0852 litre	77,649 %	4044,4885 litre	O
900	CM	80	CM	115 LEVEL CM	13922,0408 litre	76,936 %	4173,5329 litre	O
900	CM	80	CM	114 LEVEL CM	13792,1206 litre	76,218 %	4303,4531 litre	O
900	CM	80	CM	113 LEVEL CM	13661,3553 litre	75,496 %	4434,2184 litre	O
900	CM	80	CM	112 LEVEL CM	13529,7748 litre	74,768 %	4565,7989 litre	O
900	CM	80	CM	111 LEVEL CM	13397,4086 litre	74,037 %	4698,1651 litre	O
900	CM	80	CM	110 LEVEL CM	13264,2859 litre	73,301 %	4831,2878 litre	O
900	CM	80	CM	109 LEVEL CM	13130,4349 litre	72,562 %	4965,1388 litre	O

900	CM	80	CM	108 LEVEL CM	12995,8838 litre	71,818 %	5099,6899 litre	O
900	CM	80	CM	107 LEVEL CM	12860,6601 litre	71,071 %	5234,9136 litre	O
900	CM	80	CM	106 LEVEL CM	12724,7910 litre	70,320 %	5370,7827 litre	O
900	CM	80	CM	105 LEVEL CM	12588,3033 litre	69,566 %	5507,2704 litre	O
900	CM	80	CM	104 LEVEL CM	12451,2235 litre	68,808 %	5644,3502 litre	O
900	CM	80	CM	103 LEVEL CM	12313,5775 litre	68,047 %	5781,9962 litre	O
900	CM	80	CM	102 LEVEL CM	12175,3912 litre	67,284 %	5920,1825 litre	O
900	CM	80	CM	101 LEVEL CM	12036,6900 litre	66,517 %	6058,8837 litre	O
900	CM	80	CM	100 LEVEL CM	11897,4991 litre	65,748 %	6198,0746 litre	O
900	CM	80	CM	99 LEVEL CM	11757,8435 litre	64,976 %	6337,7302 litre	O
900	CM	80	CM	98 LEVEL CM	11617,7477 litre	64,202 %	6477,8260 litre	O
900	CM	80	CM	97 LEVEL CM	11477,2362 litre	63,426 %	6618,3375 litre	O
900	CM	80	CM	96 LEVEL CM	11336,3333 litre	62,647 %	6759,2404 litre	O
900	CM	80	CM	95 LEVEL CM	11195,0630 litre	61,866 %	6900,5107 litre	O
900	CM	80	CM	94 LEVEL CM	11053,4490 litre	61,084 %	7042,1247 litre	O
900	CM	80	CM	93 LEVEL CM	10911,5151 litre	60,299 %	7184,0586 litre	O
900	CM	80	CM	92 LEVEL CM	10769,2848 litre	59,513 %	7326,2889 litre	O
900	CM	80	CM	91 LEVEL CM	10626,7813 litre	58,726 %	7468,7924 litre	O
900	CM	80	CM	90 LEVEL CM	10484,0280 litre	57,937 %	7611,5457 litre	O
900	CM	80	CM	89 LEVEL CM	10341,0479 litre	57,147 %	7754,5258 litre	O
900	CM	80	CM	88 LEVEL CM	10197,8640 litre	56,356 %	7897,7097 litre	O
900	CM	80	CM	87 LEVEL CM	10054,4991 litre	55,563 %	8041,0746 litre	O
900	CM	80	CM	86 LEVEL CM	9910,9762 litre	54,770 %	8184,5975 litre	O
900	CM	80	CM	85 LEVEL CM	9767,3178 litre	53,976 %	8328,2559 litre	O
900	CM	80	CM	84 LEVEL CM	9623,5468 litre	53,182 %	8472,0269 litre	O
900	CM	80	CM	83 LEVEL CM	9479,6856 litre	52,387 %	8615,8881 litre	O
900	CM	80	CM	82 LEVEL CM	9335,7568 litre	51,591 %	8759,8169 litre	O
900	CM	80	CM	81 LEVEL CM	9191,7831 litre	50,796 %	8903,7906 litre	O
900	CM	80	CM	80 LEVEL CM	9047,7868 litre	50,000 %	9047,7869 litre	O
900	CM	80	CM	79 LEVEL CM	8903,7906 litre	49,204 %	9191,7831 litre	O
900	CM	80	CM	78 LEVEL CM	8759,8168 litre	48,409 %	9335,7569 litre	O
900	CM	80	CM	77 LEVEL CM	8615,8881 litre	47,613 %	9479,6856 litre	O
900	CM	80	CM	76 LEVEL CM	8472,0269 litre	46,818 %	9623,5468 litre	O
900	CM	80	CM	75 LEVEL CM	8328,2559 litre	46,024 %	9767,3178 litre	O
900	CM	80	CM	74 LEVEL CM	8184,5975 litre	45,230 %	9910,9762 litre	O
900	CM	80	CM	73 LEVEL CM	8041,0746 litre	44,437 %	10054,4991 litre	O
900	CM	80	CM	72 LEVEL CM	7897,7097 litre	43,644 %	10197,8640 litre	O
900	CM	80	CM	71 LEVEL CM	7754,5258 litre	42,853 %	10341,0479 litre	O
900	CM	80	CM	70 LEVEL CM	7611,5457 litre	42,063 %	10484,0280 litre	O
900	CM	80	CM	69 LEVEL CM	7468,7923 litre	41,274 %	10626,7814 litre	O
900	CM	80	CM	68 LEVEL CM	7326,2889 litre	40,487 %	10769,2848 litre	O
900	CM	80	CM	67 LEVEL CM	7184,0585 litre	39,701 %	10911,5152 litre	O
900	CM	80	CM	66 LEVEL CM	7042,1246 litre	38,916 %	11053,4491 litre	O
900	CM	80	CM	65 LEVEL CM	6900,5107 litre	38,134 %	11195,0630 litre	O
900	CM	80	CM	64 LEVEL CM	6759,2403 litre	37,353 %	11336,3334 litre	O
900	CM	80	CM	63 LEVEL CM	6618,3374 litre	36,574 %	11477,2363 litre	O
900	CM	80	CM	62 LEVEL CM	6477,8260 litre	35,798 %	11617,7477 litre	O
900	CM	80	CM	61 LEVEL CM	6337,7302 litre	35,024 %	11757,8435 litre	O
900	CM	80	CM	60 LEVEL CM	6198,0746 litre	34,252 %	11897,4991 litre	O
900	CM	80	CM	59 LEVEL CM	6058,8837 litre	33,483 %	12036,6900 litre	O
900	CM	80	CM	58 LEVEL CM	5920,1825 litre	32,716 %	12175,3912 litre	O
900	CM	80	CM	57 LEVEL CM	5781,9962 litre	31,953 %	12313,5775 litre	O
900	CM	80	CM	56 LEVEL CM	5644,3502 litre	31,192 %	12451,2235 litre	O

900	CM	80	CM	55 LEVEL CM	5507,2703 litre	30,434 %	12588,3034 litre	O
900	CM	80	CM	54 LEVEL CM	5370,7827 litre	29,680 %	12724,7910 litre	O
900	CM	80	CM	53 LEVEL CM	5234,9136 litre	28,929 %	12860,6601 litre	O
900	CM	80	CM	52 LEVEL CM	5099,6899 litre	28,182 %	12995,8838 litre	O
900	CM	80	CM	51 LEVEL CM	4965,1388 litre	27,438 %	13130,4349 litre	O
900	CM	80	CM	50 LEVEL CM	4831,2878 litre	26,699 %	13264,2859 litre	O
900	CM	80	CM	49 LEVEL CM	4698,1651 litre	25,963 %	13397,4086 litre	O
900	CM	80	CM	48 LEVEL CM	4565,7989 litre	25,232 %	13529,7748 litre	O
900	CM	80	CM	47 LEVEL CM	4434,2184 litre	24,504 %	13661,3553 litre	O
900	CM	80	CM	46 LEVEL CM	4303,4531 litre	23,782 %	13792,1206 litre	O
900	CM	80	CM	45 LEVEL CM	4173,5329 litre	23,064 %	13922,0408 litre	O
900	CM	80	CM	44 LEVEL CM	4044,4885 litre	22,351 %	14051,0852 litre	O
900	CM	80	CM	43 LEVEL CM	3916,3512 litre	21,643 %	14179,2225 litre	O
900	CM	80	CM	42 LEVEL CM	3789,1529 litre	20,940 %	14306,4208 litre	O
900	CM	80	CM	41 LEVEL CM	3662,9263 litre	20,242 %	14432,6474 litre	O
900	CM	80	CM	40 LEVEL CM	3537,7047 litre	19,550 %	14557,8690 litre	O
900	CM	80	CM	39 LEVEL CM	3413,5225 litre	18,864 %	14682,0512 litre	O
900	CM	80	CM	38 LEVEL CM	3290,4147 litre	18,184 %	14805,1590 litre	O
900	CM	80	CM	37 LEVEL CM	3168,4172 litre	17,509 %	14927,1565 litre	O
900	CM	80	CM	36 LEVEL CM	3047,5672 litre	16,842 %	15048,0065 litre	O
900	CM	80	CM	35 LEVEL CM	2927,9027 litre	16,180 %	15167,6710 litre	O
900	CM	80	CM	34 LEVEL CM	2809,4629 litre	15,526 %	15286,1108 litre	O
900	CM	80	CM	33 LEVEL CM	2692,2882 litre	14,878 %	15403,2855 litre	O
900	CM	80	CM	32 LEVEL CM	2576,4205 litre	14,238 %	15519,1532 litre	O
900	CM	80	CM	31 LEVEL CM	2461,9028 litre	13,605 %	15633,6709 litre	O
900	CM	80	CM	30 LEVEL CM	2348,7801 litre	12,980 %	15746,7936 litre	O
900	CM	80	CM	29 LEVEL CM	2237,0987 litre	12,363 %	15858,4750 litre	O
900	CM	80	CM	28 LEVEL CM	2126,9068 litre	11,754 %	15968,6669 litre	O
900	CM	80	CM	27 LEVEL CM	2018,2547 litre	11,153 %	16077,3190 litre	O
900	CM	80	CM	26 LEVEL CM	1911,1948 litre	10,562 %	16184,3789 litre	O
900	CM	80	CM	25 LEVEL CM	1805,7819 litre	9,979 %	16289,7918 litre	O
900	CM	80	CM	24 LEVEL CM	1702,0733 litre	9,406 %	16393,5004 litre	O
900	CM	80	CM	23 LEVEL CM	1600,1294 litre	8,843 %	16495,4443 litre	O
900	CM	80	CM	22 LEVEL CM	1500,0135 litre	8,289 %	16595,5602 litre	O
900	CM	80	CM	21 LEVEL CM	1401,7926 litre	7,747 %	16693,7811 litre	O
900	CM	80	CM	20 LEVEL CM	1305,5379 litre	7,215 %	16790,0358 litre	O
900	CM	80	CM	19 LEVEL CM	1211,3245 litre	6,694 %	16884,2492 litre	O
900	CM	80	CM	18 LEVEL CM	1119,2330 litre	6,185 %	16976,3407 litre	O
900	CM	80	CM	17 LEVEL CM	1029,3494 litre	5,688 %	17066,2243 litre	O
900	CM	80	CM	16 LEVEL CM	941,7664 litre	5,204 %	17153,8073 litre	O
900	CM	80	CM	15 LEVEL CM	856,5841 litre	4,734 %	17238,9896 litre	O
900	CM	80	CM	14 LEVEL CM	773,9114 litre	4,277 %	17321,6623 litre	O
900	CM	80	CM	13 LEVEL CM	693,8675 litre	3,834 %	17401,7062 litre	O
900	CM	80	CM	12 LEVEL CM	616,5835 litre	3,407 %	17478,9902 litre	O
900	CM	80	CM	11 LEVEL CM	542,2054 litre	2,996 %	17553,3683 litre	O
900	CM	80	CM	10 LEVEL CM	470,8970 litre	2,602 %	17624,6767 litre	O
900	CM	80	CM	9 LEVEL CM	402,8443 litre	2,226 %	17692,7294 litre	O
900	CM	80	CM	8 LEVEL CM	338,2612 litre	1,869 %	17757,3125 litre	O
900	CM	80	CM	7 LEVEL CM	277,3988 litre	1,533 %	17818,1749 litre	O
900	CM	80	CM	6 LEVEL CM	220,5571 litre	1,219 %	17875,0166 litre	O
900	CM	80	CM	5 LEVEL CM	168,1056 litre	0,929 %	17927,4681 litre	O
900	CM	80	CM	4 LEVEL CM	120,5166 litre	0,666 %	17975,0571 litre	O
900	CM	80	CM	3 LEVEL CM	78,4269 litre	0,433 %	18017,1468 litre	O

900	CM 80	CM	2 LEVEL CM	42,7711 litre	0,236 %	18052,8026 litre	0
900	CM 80	CM	1 LEVEL CM	15,1504 litre	0,084 %	18080,4233 litre	0
900	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	18095,5737 litre	0

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	75	CM	150 LEVEL CM	15904,3128 litre	100,000 %	0,0000 litre	O
900	CM	75	CM	149 LEVEL CM	15889,6453 litre	99,908 %	14,6675 litre	O
900	CM	75	CM	148 LEVEL CM	15862,9103 litre	99,740 %	41,4025 litre	O
900	CM	75	CM	147 LEVEL CM	15828,4051 litre	99,523 %	75,9077 litre	O
900	CM	75	CM	146 LEVEL CM	15787,6824 litre	99,267 %	116,6304 litre	O
900	CM	75	CM	145 LEVEL CM	15741,6491 litre	98,977 %	162,6637 litre	O
900	CM	75	CM	144 LEVEL CM	15690,9236 litre	98,658 %	213,3892 litre	O
900	CM	75	CM	143 LEVEL CM	15635,9647 litre	98,313 %	268,3481 litre	O
900	CM	75	CM	142 LEVEL CM	15577,1317 litre	97,943 %	327,1811 litre	O
900	CM	75	CM	141 LEVEL CM	15514,7166 litre	97,550 %	389,5962 litre	O
900	CM	75	CM	140 LEVEL CM	15448,9636 litre	97,137 %	455,3492 litre	O
900	CM	75	CM	139 LEVEL CM	15380,0814 litre	96,704 %	524,2314 litre	O
900	CM	75	CM	138 LEVEL CM	15308,2514 litre	96,252 %	596,0614 litre	O
900	CM	75	CM	137 LEVEL CM	15233,6332 litre	95,783 %	670,6796 litre	O
900	CM	75	CM	136 LEVEL CM	15156,3695 litre	95,297 %	747,9433 litre	O
900	CM	75	CM	135 LEVEL CM	15076,5884 litre	94,796 %	827,7244 litre	O
900	CM	75	CM	134 LEVEL CM	14994,4066 litre	94,279 %	909,9062 litre	O
900	CM	75	CM	133 LEVEL CM	14909,9304 litre	93,748 %	994,3824 litre	O
900	CM	75	CM	132 LEVEL CM	14823,2581 litre	93,203 %	1081,0547 litre	O
900	CM	75	CM	131 LEVEL CM	14734,4803 litre	92,645 %	1169,8325 litre	O
900	CM	75	CM	130 LEVEL CM	14643,6817 litre	92,074 %	1260,6311 litre	O
900	CM	75	CM	129 LEVEL CM	14550,9411 litre	91,491 %	1353,3717 litre	O
900	CM	75	CM	128 LEVEL CM	14456,3326 litre	90,896 %	1447,9802 litre	O
900	CM	75	CM	127 LEVEL CM	14359,9261 litre	90,290 %	1544,3867 litre	O
900	CM	75	CM	126 LEVEL CM	14261,7874 litre	89,672 %	1642,5254 litre	O
900	CM	75	CM	125 LEVEL CM	14161,9791 litre	89,045 %	1742,3337 litre	O
900	CM	75	CM	124 LEVEL CM	14060,5606 litre	88,407 %	1843,7522 litre	O
900	CM	75	CM	123 LEVEL CM	13957,5886 litre	87,760 %	1946,7242 litre	O
900	CM	75	CM	122 LEVEL CM	13853,1171 litre	87,103 %	2051,1957 litre	O
900	CM	75	CM	121 LEVEL CM	13747,1979 litre	86,437 %	2157,1149 litre	O
900	CM	75	CM	120 LEVEL CM	13639,8808 litre	85,762 %	2264,4320 litre	O
900	CM	75	CM	119 LEVEL CM	13531,2135 litre	85,079 %	2373,0993 litre	O
900	CM	75	CM	118 LEVEL CM	13421,2421 litre	84,387 %	2483,0707 litre	O
900	CM	75	CM	117 LEVEL CM	13310,0111 litre	83,688 %	2594,3017 litre	O
900	CM	75	CM	116 LEVEL CM	13197,5632 litre	82,981 %	2706,7496 litre	O
900	CM	75	CM	115 LEVEL CM	13083,9401 litre	82,267 %	2820,3727 litre	O
900	CM	75	CM	114 LEVEL CM	12969,1820 litre	81,545 %	2935,1308 litre	O
900	CM	75	CM	113 LEVEL CM	12853,3280 litre	80,817 %	3050,9848 litre	O
900	CM	75	CM	112 LEVEL CM	12736,4162 litre	80,082 %	3167,8966 litre	O
900	CM	75	CM	111 LEVEL CM	12618,4833 litre	79,340 %	3285,8295 litre	O
900	CM	75	CM	110 LEVEL CM	12499,5655 litre	78,592 %	3404,7473 litre	O
900	CM	75	CM	109 LEVEL CM	12379,6979 litre	77,839 %	3524,6149 litre	O
900	CM	75	CM	108 LEVEL CM	12258,9147 litre	77,079 %	3645,3981 litre	O
900	CM	75	CM	107 LEVEL CM	12137,2495 litre	76,314 %	3767,0633 litre	O
900	CM	75	CM	106 LEVEL CM	12014,7351 litre	75,544 %	3889,5777 litre	O
900	CM	75	CM	105 LEVEL CM	11891,4036 litre	74,768 %	4012,9092 litre	O
900	CM	75	CM	104 LEVEL CM	11767,2864 litre	73,988 %	4137,0264 litre	O
900	CM	75	CM	103 LEVEL CM	11642,4145 litre	73,203 %	4261,8983 litre	O
900	CM	75	CM	102 LEVEL CM	11516,8182 litre	72,413 %	4387,4946 litre	O
900	CM	75	CM	101 LEVEL CM	11390,5272 litre	71,619 %	4513,7856 litre	O
900	CM	75	CM	100 LEVEL CM	11263,5710 litre	70,821 %	4640,7418 litre	O
900	CM	75	CM	99 LEVEL CM	11135,9784 litre	70,019 %	4768,3344 litre	O

900	CM	75	CM	98 LEVEL CM	11007,7777 litre	69,213 %	4896,5351 litre	O
900	CM	75	CM	97 LEVEL CM	10878,9970 litre	68,403 %	5025,3158 litre	O
900	CM	75	CM	96 LEVEL CM	10749,6641 litre	67,590 %	5154,6487 litre	O
900	CM	75	CM	95 LEVEL CM	10619,8061 litre	66,773 %	5284,5067 litre	O
900	CM	75	CM	94 LEVEL CM	10489,4500 litre	65,953 %	5414,8628 litre	O
900	CM	75	CM	93 LEVEL CM	10358,6226 litre	65,131 %	5545,6902 litre	O
900	CM	75	CM	92 LEVEL CM	10227,3501 litre	64,306 %	5676,9627 litre	O
900	CM	75	CM	91 LEVEL CM	10095,6587 litre	63,477 %	5808,6541 litre	O
900	CM	75	CM	90 LEVEL CM	9963,5742 litre	62,647 %	5940,7386 litre	O
900	CM	75	CM	89 LEVEL CM	9831,1223 litre	61,814 %	6073,1905 litre	O
900	CM	75	CM	88 LEVEL CM	9698,3284 litre	60,979 %	6205,9844 litre	O
900	CM	75	CM	87 LEVEL CM	9565,2176 litre	60,142 %	6339,0952 litre	O
900	CM	75	CM	86 LEVEL CM	9431,8151 litre	59,304 %	6472,4977 litre	O
900	CM	75	CM	85 LEVEL CM	9298,1457 litre	58,463 %	6606,1671 litre	O
900	CM	75	CM	84 LEVEL CM	9164,2341 litre	57,621 %	6740,0787 litre	O
900	CM	75	CM	83 LEVEL CM	9030,1049 litre	56,778 %	6874,2079 litre	O
900	CM	75	CM	82 LEVEL CM	8895,7826 litre	55,933 %	7008,5302 litre	O
900	CM	75	CM	81 LEVEL CM	8761,2916 litre	55,088 %	7143,0212 litre	O
900	CM	75	CM	80 LEVEL CM	8626,6561 litre	54,241 %	7277,6567 litre	O
900	CM	75	CM	79 LEVEL CM	8491,9003 litre	53,394 %	7412,4125 litre	O
900	CM	75	CM	78 LEVEL CM	8357,0484 litre	52,546 %	7547,2644 litre	O
900	CM	75	CM	77 LEVEL CM	8222,1244 litre	51,697 %	7682,1884 litre	O
900	CM	75	CM	76 LEVEL CM	8087,1524 litre	50,849 %	7817,1604 litre	O
900	CM	75	CM	75 LEVEL CM	7952,1564 litre	50,000 %	7952,1564 litre	O
900	CM	75	CM	74 LEVEL CM	7817,1604 litre	49,151 %	8087,1524 litre	O
900	CM	75	CM	73 LEVEL CM	7682,1884 litre	48,303 %	8222,1244 litre	O
900	CM	75	CM	72 LEVEL CM	7547,2644 litre	47,454 %	8357,0484 litre	O
900	CM	75	CM	71 LEVEL CM	7412,4125 litre	46,606 %	8491,9003 litre	O
900	CM	75	CM	70 LEVEL CM	7277,6567 litre	45,759 %	8626,6561 litre	O
900	CM	75	CM	69 LEVEL CM	7143,0212 litre	44,912 %	8761,2916 litre	O
900	CM	75	CM	68 LEVEL CM	7008,5302 litre	44,067 %	8895,7826 litre	O
900	CM	75	CM	67 LEVEL CM	6874,2079 litre	43,222 %	9030,1049 litre	O
900	CM	75	CM	66 LEVEL CM	6740,0787 litre	42,379 %	9164,2341 litre	O
900	CM	75	CM	65 LEVEL CM	6606,1671 litre	41,537 %	9298,1457 litre	O
900	CM	75	CM	64 LEVEL CM	6472,4977 litre	40,696 %	9431,8151 litre	O
900	CM	75	CM	63 LEVEL CM	6339,0952 litre	39,858 %	9565,2176 litre	O
900	CM	75	CM	62 LEVEL CM	6205,9844 litre	39,021 %	9698,3284 litre	O
900	CM	75	CM	61 LEVEL CM	6073,1905 litre	38,186 %	9831,1223 litre	O
900	CM	75	CM	60 LEVEL CM	5940,7386 litre	37,353 %	9963,5742 litre	O
900	CM	75	CM	59 LEVEL CM	5808,6541 litre	36,523 %	10095,6587 litre	O
900	CM	75	CM	58 LEVEL CM	5676,9627 litre	35,694 %	10227,3501 litre	O
900	CM	75	CM	57 LEVEL CM	5545,6902 litre	34,869 %	10358,6226 litre	O
900	CM	75	CM	56 LEVEL CM	5414,8628 litre	34,047 %	10489,4500 litre	O
900	CM	75	CM	55 LEVEL CM	5284,5067 litre	33,227 %	10619,8061 litre	O
900	CM	75	CM	54 LEVEL CM	5154,6487 litre	32,410 %	10749,6641 litre	O
900	CM	75	CM	53 LEVEL CM	5025,3158 litre	31,597 %	10878,9970 litre	O
900	CM	75	CM	52 LEVEL CM	4896,5351 litre	30,787 %	11007,7777 litre	O
900	CM	75	CM	51 LEVEL CM	4768,3345 litre	29,981 %	11135,9783 litre	O
900	CM	75	CM	50 LEVEL CM	4640,7418 litre	29,179 %	11263,5710 litre	O
900	CM	75	CM	49 LEVEL CM	4513,7856 litre	28,381 %	11390,5272 litre	O
900	CM	75	CM	48 LEVEL CM	4387,4946 litre	27,587 %	11516,8182 litre	O
900	CM	75	CM	47 LEVEL CM	4261,8983 litre	26,797 %	11642,4145 litre	O
900	CM	75	CM	46 LEVEL CM	4137,0264 litre	26,012 %	11767,2864 litre	O

900	CM	75	CM	45 LEVEL CM	4012,9092 litre	25,232 %	11891,4036 litre	O
900	CM	75	CM	44 LEVEL CM	3889,5777 litre	24,456 %	12014,7351 litre	O
900	CM	75	CM	43 LEVEL CM	3767,0633 litre	23,686 %	12137,2495 litre	O
900	CM	75	CM	42 LEVEL CM	3645,3981 litre	22,921 %	12258,9147 litre	O
900	CM	75	CM	41 LEVEL CM	3524,6149 litre	22,161 %	12379,6979 litre	O
900	CM	75	CM	40 LEVEL CM	3404,7473 litre	21,408 %	12499,5655 litre	O
900	CM	75	CM	39 LEVEL CM	3285,8295 litre	20,660 %	12618,4833 litre	O
900	CM	75	CM	38 LEVEL CM	3167,8967 litre	19,918 %	12736,4161 litre	O
900	CM	75	CM	37 LEVEL CM	3050,9848 litre	19,183 %	12853,3280 litre	O
900	CM	75	CM	36 LEVEL CM	2935,1308 litre	18,455 %	12969,1820 litre	O
900	CM	75	CM	35 LEVEL CM	2820,3727 litre	17,733 %	13083,9401 litre	O
900	CM	75	CM	34 LEVEL CM	2706,7496 litre	17,019 %	13197,5632 litre	O
900	CM	75	CM	33 LEVEL CM	2594,3018 litre	16,312 %	13310,0110 litre	O
900	CM	75	CM	32 LEVEL CM	2483,0707 litre	15,613 %	13421,2421 litre	O
900	CM	75	CM	31 LEVEL CM	2373,0993 litre	14,921 %	13531,2135 litre	O
900	CM	75	CM	30 LEVEL CM	2264,4320 litre	14,238 %	13639,8808 litre	O
900	CM	75	CM	29 LEVEL CM	2157,1149 litre	13,563 %	13747,1979 litre	O
900	CM	75	CM	28 LEVEL CM	2051,1958 litre	12,897 %	13853,1170 litre	O
900	CM	75	CM	27 LEVEL CM	1946,7242 litre	12,240 %	13957,5886 litre	O
900	CM	75	CM	26 LEVEL CM	1843,7522 litre	11,593 %	14060,5606 litre	O
900	CM	75	CM	25 LEVEL CM	1742,3337 litre	10,955 %	14161,9791 litre	O
900	CM	75	CM	24 LEVEL CM	1642,5254 litre	10,328 %	14261,7874 litre	O
900	CM	75	CM	23 LEVEL CM	1544,3867 litre	9,710 %	14359,9261 litre	O
900	CM	75	CM	22 LEVEL CM	1447,9802 litre	9,104 %	14456,3326 litre	O
900	CM	75	CM	21 LEVEL CM	1353,3717 litre	8,509 %	14550,9411 litre	O
900	CM	75	CM	20 LEVEL CM	1260,6311 litre	7,926 %	14643,6817 litre	O
900	CM	75	CM	19 LEVEL CM	1169,8325 litre	7,355 %	14734,4803 litre	O
900	CM	75	CM	18 LEVEL CM	1081,0547 litre	6,797 %	14823,2581 litre	O
900	CM	75	CM	17 LEVEL CM	994,3824 litre	6,252 %	14909,9304 litre	O
900	CM	75	CM	16 LEVEL CM	909,9062 litre	5,721 %	14994,4066 litre	O
900	CM	75	CM	15 LEVEL CM	827,7244 litre	5,204 %	15076,5884 litre	O
900	CM	75	CM	14 LEVEL CM	747,9433 litre	4,703 %	15156,3695 litre	O
900	CM	75	CM	13 LEVEL CM	670,6796 litre	4,217 %	15233,6332 litre	O
900	CM	75	CM	12 LEVEL CM	596,0614 litre	3,748 %	15308,2514 litre	O
900	CM	75	CM	11 LEVEL CM	524,2314 litre	3,296 %	15380,0814 litre	O
900	CM	75	CM	10 LEVEL CM	455,3492 litre	2,863 %	15448,9636 litre	O
900	CM	75	CM	9 LEVEL CM	389,5963 litre	2,450 %	15514,7165 litre	O
900	CM	75	CM	8 LEVEL CM	327,1811 litre	2,057 %	15577,1317 litre	O
900	CM	75	CM	7 LEVEL CM	268,3481 litre	1,687 %	15635,9647 litre	O
900	CM	75	CM	6 LEVEL CM	213,3892 litre	1,342 %	15690,9236 litre	O
900	CM	75	CM	5 LEVEL CM	162,6637 litre	1,023 %	15741,6491 litre	O
900	CM	75	CM	4 LEVEL CM	116,6304 litre	0,733 %	15787,6824 litre	O
900	CM	75	CM	3 LEVEL CM	75,9077 litre	0,477 %	15828,4051 litre	O
900	CM	75	CM	2 LEVEL CM	41,4025 litre	0,260 %	15862,9103 litre	O
900	CM	75	CM	1 LEVEL CM	14,6675 litre	0,092 %	15889,6453 litre	O
900	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	15904,3128 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM 70	CM 140	LEVEL CM 13854,4236 litre	100,000 %	0,0000 litre	O
900	CM 70	CM 139	LEVEL CM 13840,2555 litre	99,898 %	14,1681 litre	O
900	CM 70	CM 138	LEVEL CM 13814,4365 litre	99,711 %	39,9871 litre	O
900	CM 70	CM 137	LEVEL CM 13781,1217 litre	99,471 %	73,3019 litre	O
900	CM 70	CM 136	LEVEL CM 13741,8135 litre	99,187 %	112,6101 litre	O
900	CM 70	CM 135	LEVEL CM 13697,3904 litre	98,867 %	157,0332 litre	O
900	CM 70	CM 134	LEVEL CM 13648,4516 litre	98,513 %	205,9720 litre	O
900	CM 70	CM 133	LEVEL CM 13595,4424 litre	98,131 %	258,9812 litre	O
900	CM 70	CM 132	LEVEL CM 13538,7113 litre	97,721 %	315,7123 litre	O
900	CM 70	CM 131	LEVEL CM 13478,5421 litre	97,287 %	375,8815 litre	O
900	CM 70	CM 130	LEVEL CM 13415,1724 litre	96,830 %	439,2512 litre	O
900	CM 70	CM 129	LEVEL CM 13348,8051 litre	96,350 %	505,6185 litre	O
900	CM 70	CM 128	LEVEL CM 13279,6168 litre	95,851 %	574,8068 litre	O
900	CM 70	CM 127	LEVEL CM 13207,7634 litre	95,332 %	646,6602 litre	O
900	CM 70	CM 126	LEVEL CM 13133,3837 litre	94,796 %	721,0399 litre	O
900	CM 70	CM 125	LEVEL CM 13056,6031 litre	94,241 %	797,8205 litre	O
900	CM 70	CM 124	LEVEL CM 12977,5354 litre	93,671 %	876,8882 litre	O
900	CM 70	CM 123	LEVEL CM 12896,2848 litre	93,084 %	958,1388 litre	O
900	CM 70	CM 122	LEVEL CM 12812,9473 litre	92,483 %	1041,4763 litre	O
900	CM 70	CM 121	LEVEL CM 12727,6120 litre	91,867 %	1126,8116 litre	O
900	CM 70	CM 120	LEVEL CM 12640,3616 litre	91,237 %	1214,0620 litre	O
900	CM 70	CM 119	LEVEL CM 12551,2737 litre	90,594 %	1303,1499 litre	O
900	CM 70	CM 118	LEVEL CM 12460,4211 litre	89,938 %	1394,0025 litre	O
900	CM 70	CM 117	LEVEL CM 12367,8725 litre	89,270 %	1486,5511 litre	O
900	CM 70	CM 116	LEVEL CM 12273,6927 litre	88,590 %	1580,7309 litre	O
900	CM 70	CM 115	LEVEL CM 12177,9435 litre	87,899 %	1676,4801 litre	O
900	CM 70	CM 114	LEVEL CM 12080,6833 litre	87,197 %	1773,7403 litre	O
900	CM 70	CM 113	LEVEL CM 11981,9682 litre	86,485 %	1872,4554 litre	O
900	CM 70	CM 112	LEVEL CM 11881,8517 litre	85,762 %	1972,5719 litre	O
900	CM 70	CM 111	LEVEL CM 11780,3850 litre	85,030 %	2074,0386 litre	O
900	CM 70	CM 110	LEVEL CM 11677,6174 litre	84,288 %	2176,8062 litre	O
900	CM 70	CM 109	LEVEL CM 11573,5962 litre	83,537 %	2280,8274 litre	O
900	CM 70	CM 108	LEVEL CM 11468,3673 litre	82,778 %	2386,0563 litre	O
900	CM 70	CM 107	LEVEL CM 11361,9748 litre	82,010 %	2492,4488 litre	O
900	CM 70	CM 106	LEVEL CM 11254,4614 litre	81,234 %	2599,9622 litre	O
900	CM 70	CM 105	LEVEL CM 11145,8684 litre	80,450 %	2708,5552 litre	O
900	CM 70	CM 104	LEVEL CM 11036,2362 litre	79,659 %	2818,1874 litre	O
900	CM 70	CM 103	LEVEL CM 10925,6036 litre	78,860 %	2928,8200 litre	O
900	CM 70	CM 102	LEVEL CM 10814,0088 litre	78,055 %	3040,4148 litre	O
900	CM 70	CM 101	LEVEL CM 10701,4887 litre	77,242 %	3152,9349 litre	O
900	CM 70	CM 100	LEVEL CM 10588,0794 litre	76,424 %	3266,3442 litre	O
900	CM 70	CM 99	LEVEL CM 10473,8163 litre	75,599 %	3380,6073 litre	O
900	CM 70	CM 98	LEVEL CM 10358,7338 litre	74,768 %	3495,6898 litre	O
900	CM 70	CM 97	LEVEL CM 10242,8656 litre	73,932 %	3611,5580 litre	O
900	CM 70	CM 96	LEVEL CM 10126,2449 litre	73,090 %	3728,1787 litre	O
900	CM 70	CM 95	LEVEL CM 10008,9040 litre	72,243 %	3845,5196 litre	O
900	CM 70	CM 94	LEVEL CM 9890,8749 litre	71,391 %	3963,5487 litre	O
900	CM 70	CM 93	LEVEL CM 9772,1887 litre	70,535 %	4082,2349 litre	O
900	CM 70	CM 92	LEVEL CM 9652,8763 litre	69,674 %	4201,5473 litre	O
900	CM 70	CM 91	LEVEL CM 9532,9680 litre	68,808 %	4321,4556 litre	O
900	CM 70	CM 90	LEVEL CM 9412,4935 litre	67,939 %	4441,9301 litre	O
900	CM 70	CM 89	LEVEL CM 9291,4824 litre	67,065 %	4562,9412 litre	O

900	CM	70	CM	88 LEVEL CM	9169,9636 litre	66,188 %	4684,4600 litre	O
900	CM	70	CM	87 LEVEL CM	9047,9658 litre	65,307 %	4806,4578 litre	O
900	CM	70	CM	86 LEVEL CM	8925,5173 litre	64,424 %	4928,9063 litre	O
900	CM	70	CM	85 LEVEL CM	8802,6462 litre	63,537 %	5051,7774 litre	O
900	CM	70	CM	84 LEVEL CM	8679,3802 litre	62,647 %	5175,0434 litre	O
900	CM	70	CM	83 LEVEL CM	8555,7468 litre	61,755 %	5298,6768 litre	O
900	CM	70	CM	82 LEVEL CM	8431,7731 litre	60,860 %	5422,6505 litre	O
900	CM	70	CM	81 LEVEL CM	8307,4862 litre	59,963 %	5546,9374 litre	O
900	CM	70	CM	80 LEVEL CM	8182,9129 litre	59,064 %	5671,5107 litre	O
900	CM	70	CM	79 LEVEL CM	8058,0797 litre	58,163 %	5796,3439 litre	O
900	CM	70	CM	78 LEVEL CM	7933,0132 litre	57,260 %	5921,4104 litre	O
900	CM	70	CM	77 LEVEL CM	7807,7396 litre	56,356 %	6046,6840 litre	O
900	CM	70	CM	76 LEVEL CM	7682,2851 litre	55,450 %	6172,1385 litre	O
900	CM	70	CM	75 LEVEL CM	7556,6757 litre	54,543 %	6297,7479 litre	O
900	CM	70	CM	74 LEVEL CM	7430,9374 litre	53,636 %	6423,4862 litre	O
900	CM	70	CM	73 LEVEL CM	7305,0961 litre	52,728 %	6549,3275 litre	O
900	CM	70	CM	72 LEVEL CM	7179,1775 litre	51,819 %	6675,2461 litre	O
900	CM	70	CM	71 LEVEL CM	7053,2075 litre	50,909 %	6801,2161 litre	O
900	CM	70	CM	70 LEVEL CM	6927,2118 litre	50,000 %	6927,2118 litre	O
900	CM	70	CM	69 LEVEL CM	6801,2161 litre	49,091 %	7053,2075 litre	O
900	CM	70	CM	68 LEVEL CM	6675,2461 litre	48,181 %	7179,1775 litre	O
900	CM	70	CM	67 LEVEL CM	6549,3275 litre	47,272 %	7305,0961 litre	O
900	CM	70	CM	66 LEVEL CM	6423,4862 litre	46,364 %	7430,9374 litre	O
900	CM	70	CM	65 LEVEL CM	6297,7479 litre	45,457 %	7556,6757 litre	O
900	CM	70	CM	64 LEVEL CM	6172,1385 litre	44,550 %	7682,2851 litre	O
900	CM	70	CM	63 LEVEL CM	6046,6840 litre	43,644 %	7807,7396 litre	O
900	CM	70	CM	62 LEVEL CM	5921,4104 litre	42,740 %	7933,0132 litre	O
900	CM	70	CM	61 LEVEL CM	5796,3439 litre	41,837 %	8058,0797 litre	O
900	CM	70	CM	60 LEVEL CM	5671,5107 litre	40,936 %	8182,9129 litre	O
900	CM	70	CM	59 LEVEL CM	5546,9374 litre	40,037 %	8307,4862 litre	O
900	CM	70	CM	58 LEVEL CM	5422,6505 litre	39,140 %	8431,7731 litre	O
900	CM	70	CM	57 LEVEL CM	5298,6768 litre	38,245 %	8555,7468 litre	O
900	CM	70	CM	56 LEVEL CM	5175,0434 litre	37,353 %	8679,3802 litre	O
900	CM	70	CM	55 LEVEL CM	5051,7774 litre	36,463 %	8802,6462 litre	O
900	CM	70	CM	54 LEVEL CM	4928,9063 litre	35,576 %	8925,5173 litre	O
900	CM	70	CM	53 LEVEL CM	4806,4578 litre	34,693 %	9047,9658 litre	O
900	CM	70	CM	52 LEVEL CM	4684,4600 litre	33,812 %	9169,9636 litre	O
900	CM	70	CM	51 LEVEL CM	4562,9412 litre	32,935 %	9291,4824 litre	O
900	CM	70	CM	50 LEVEL CM	4441,9301 litre	32,061 %	9412,4935 litre	O
900	CM	70	CM	49 LEVEL CM	4321,4556 litre	31,192 %	9532,9680 litre	O
900	CM	70	CM	48 LEVEL CM	4201,5473 litre	30,326 %	9652,8763 litre	O
900	CM	70	CM	47 LEVEL CM	4082,2349 litre	29,465 %	9772,1887 litre	O
900	CM	70	CM	46 LEVEL CM	3963,5487 litre	28,609 %	9890,8749 litre	O
900	CM	70	CM	45 LEVEL CM	3845,5196 litre	27,757 %	10008,9040 litre	O
900	CM	70	CM	44 LEVEL CM	3728,1787 litre	26,910 %	10126,2449 litre	O
900	CM	70	CM	43 LEVEL CM	3611,5580 litre	26,068 %	10242,8656 litre	O
900	CM	70	CM	42 LEVEL CM	3495,6898 litre	25,232 %	10358,7338 litre	O
900	CM	70	CM	41 LEVEL CM	3380,6073 litre	24,401 %	10473,8163 litre	O
900	CM	70	CM	40 LEVEL CM	3266,3442 litre	23,576 %	10588,0794 litre	O
900	CM	70	CM	39 LEVEL CM	3152,9349 litre	22,758 %	10701,4887 litre	O
900	CM	70	CM	38 LEVEL CM	3040,4148 litre	21,945 %	10814,0088 litre	O
900	CM	70	CM	37 LEVEL CM	2928,8200 litre	21,140 %	10925,6036 litre	O
900	CM	70	CM	36 LEVEL CM	2818,1874 litre	20,341 %	11036,2362 litre	O

900	CM	70	CM	35 LEVEL CM	2708,5552 litre	19,550 %	11145,8684 litre	O
900	CM	70	CM	34 LEVEL CM	2599,9622 litre	18,766 %	11254,4614 litre	O
900	CM	70	CM	33 LEVEL CM	2492,4488 litre	17,990 %	11361,9748 litre	O
900	CM	70	CM	32 LEVEL CM	2386,0563 litre	17,222 %	11468,3673 litre	O
900	CM	70	CM	31 LEVEL CM	2280,8274 litre	16,463 %	11573,5962 litre	O
900	CM	70	CM	30 LEVEL CM	2176,8062 litre	15,712 %	11677,6174 litre	O
900	CM	70	CM	29 LEVEL CM	2074,0386 litre	14,970 %	11780,3850 litre	O
900	CM	70	CM	28 LEVEL CM	1972,5719 litre	14,238 %	11881,8517 litre	O
900	CM	70	CM	27 LEVEL CM	1872,4554 litre	13,515 %	11981,9682 litre	O
900	CM	70	CM	26 LEVEL CM	1773,7403 litre	12,803 %	12080,6833 litre	O
900	CM	70	CM	25 LEVEL CM	1676,4801 litre	12,101 %	12177,9435 litre	O
900	CM	70	CM	24 LEVEL CM	1580,7309 litre	11,410 %	12273,6927 litre	O
900	CM	70	CM	23 LEVEL CM	1486,5511 litre	10,730 %	12367,8725 litre	O
900	CM	70	CM	22 LEVEL CM	1394,0025 litre	10,062 %	12460,4211 litre	O
900	CM	70	CM	21 LEVEL CM	1303,1499 litre	9,406 %	12551,2737 litre	O
900	CM	70	CM	20 LEVEL CM	1214,0620 litre	8,763 %	12640,3616 litre	O
900	CM	70	CM	19 LEVEL CM	1126,8116 litre	8,133 %	12727,6120 litre	O
900	CM	70	CM	18 LEVEL CM	1041,4763 litre	7,517 %	12812,9473 litre	O
900	CM	70	CM	17 LEVEL CM	958,1388 litre	6,916 %	12896,2848 litre	O
900	CM	70	CM	16 LEVEL CM	876,8882 litre	6,329 %	12977,5354 litre	O
900	CM	70	CM	15 LEVEL CM	797,8205 litre	5,759 %	13056,6031 litre	O
900	CM	70	CM	14 LEVEL CM	721,0399 litre	5,204 %	13133,3837 litre	O
900	CM	70	CM	13 LEVEL CM	646,6602 litre	4,668 %	13207,7634 litre	O
900	CM	70	CM	12 LEVEL CM	574,8068 litre	4,149 %	13279,6168 litre	O
900	CM	70	CM	11 LEVEL CM	505,6185 litre	3,650 %	13348,8051 litre	O
900	CM	70	CM	10 LEVEL CM	439,2512 litre	3,170 %	13415,1724 litre	O
900	CM	70	CM	9 LEVEL CM	375,8815 litre	2,713 %	13478,5421 litre	O
900	CM	70	CM	8 LEVEL CM	315,7123 litre	2,279 %	13538,7113 litre	O
900	CM	70	CM	7 LEVEL CM	258,9812 litre	1,869 %	13595,4424 litre	O
900	CM	70	CM	6 LEVEL CM	205,9720 litre	1,487 %	13648,4516 litre	O
900	CM	70	CM	5 LEVEL CM	157,0332 litre	1,133 %	13697,3904 litre	O
900	CM	70	CM	4 LEVEL CM	112,6101 litre	0,813 %	13741,8135 litre	O
900	CM	70	CM	3 LEVEL CM	73,3019 litre	0,529 %	13781,1217 litre	O
900	CM	70	CM	2 LEVEL CM	39,9871 litre	0,289 %	13814,4365 litre	O
900	CM	70	CM	1 LEVEL CM	14,1681 litre	0,102 %	13840,2555 litre	O
900	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	13854,4236 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	65	CM	130 LEVEL CM	11945,9061 litre	100,000 %	0,0000 litre	O
900	CM	65	CM	129 LEVEL CM	11932,2556 litre	99,886 %	13,6505 litre	O
900	CM	65	CM	128 LEVEL CM	11907,3863 litre	99,678 %	38,5198 litre	O
900	CM	65	CM	127 LEVEL CM	11875,3060 litre	99,409 %	70,6001 litre	O
900	CM	65	CM	126 LEVEL CM	11837,4652 litre	99,092 %	108,4409 litre	O
900	CM	65	CM	125 LEVEL CM	11794,7128 litre	98,734 %	151,1933 litre	O
900	CM	65	CM	124 LEVEL CM	11747,6286 litre	98,340 %	198,2775 litre	O
900	CM	65	CM	123 LEVEL CM	11696,6435 litre	97,913 %	249,2626 litre	O
900	CM	65	CM	122 LEVEL CM	11642,0952 litre	97,457 %	303,8109 litre	O
900	CM	65	CM	121 LEVEL CM	11584,2592 litre	96,973 %	361,6469 litre	O
900	CM	65	CM	120 LEVEL CM	11523,3659 litre	96,463 %	422,5402 litre	O
900	CM	65	CM	119 LEVEL CM	11459,6127 litre	95,929 %	486,2934 litre	O
900	CM	65	CM	118 LEVEL CM	11393,1712 litre	95,373 %	552,7349 litre	O
900	CM	65	CM	117 LEVEL CM	11324,1931 litre	94,796 %	621,7130 litre	O
900	CM	65	CM	116 LEVEL CM	11252,8139 litre	94,198 %	693,0922 litre	O
900	CM	65	CM	115 LEVEL CM	11179,1559 litre	93,581 %	766,7502 litre	O
900	CM	65	CM	114 LEVEL CM	11103,3301 litre	92,947 %	842,5760 litre	O
900	CM	65	CM	113 LEVEL CM	11025,4385 litre	92,295 %	920,4676 litre	O
900	CM	65	CM	112 LEVEL CM	10945,5751 litre	91,626 %	1000,3310 litre	O
900	CM	65	CM	111 LEVEL CM	10863,8269 litre	90,942 %	1082,0792 litre	O
900	CM	65	CM	110 LEVEL CM	10780,2754 litre	90,242 %	1165,6307 litre	O
900	CM	65	CM	109 LEVEL CM	10694,9965 litre	89,529 %	1250,9096 litre	O
900	CM	65	CM	108 LEVEL CM	10608,0620 litre	88,801 %	1337,8441 litre	O
900	CM	65	CM	107 LEVEL CM	10519,5392 litre	88,060 %	1426,3669 litre	O
900	CM	65	CM	106 LEVEL CM	10429,4923 litre	87,306 %	1516,4138 litre	O
900	CM	65	CM	105 LEVEL CM	10337,9819 litre	86,540 %	1607,9242 litre	O
900	CM	65	CM	104 LEVEL CM	10245,0660 litre	85,762 %	1700,8401 litre	O
900	CM	65	CM	103 LEVEL CM	10150,7999 litre	84,973 %	1795,1062 litre	O
900	CM	65	CM	102 LEVEL CM	10055,2366 litre	84,173 %	1890,6695 litre	O
900	CM	65	CM	101 LEVEL CM	9958,4269 litre	83,363 %	1987,4792 litre	O
900	CM	65	CM	100 LEVEL CM	9860,4198 litre	82,542 %	2085,4863 litre	O
900	CM	65	CM	99 LEVEL CM	9761,2622 litre	81,712 %	2184,6439 litre	O
900	CM	65	CM	98 LEVEL CM	9660,9999 litre	80,873 %	2284,9062 litre	O
900	CM	65	CM	97 LEVEL CM	9559,6767 litre	80,025 %	2386,2294 litre	O
900	CM	65	CM	96 LEVEL CM	9457,3353 litre	79,168 %	2488,5708 litre	O
900	CM	65	CM	95 LEVEL CM	9354,0171 litre	78,303 %	2591,8890 litre	O
900	CM	65	CM	94 LEVEL CM	9249,7624 litre	77,430 %	2696,1437 litre	O
900	CM	65	CM	93 LEVEL CM	9144,6102 litre	76,550 %	2801,2959 litre	O
900	CM	65	CM	92 LEVEL CM	9038,5988 litre	75,663 %	2907,3073 litre	O
900	CM	65	CM	91 LEVEL CM	8931,7654 litre	74,768 %	3014,1407 litre	O
900	CM	65	CM	90 LEVEL CM	8824,1463 litre	73,868 %	3121,7598 litre	O
900	CM	65	CM	89 LEVEL CM	8715,7771 litre	72,960 %	3230,1290 litre	O
900	CM	65	CM	88 LEVEL CM	8606,6927 litre	72,047 %	3339,2134 litre	O
900	CM	65	CM	87 LEVEL CM	8496,9273 litre	71,128 %	3448,9788 litre	O
900	CM	65	CM	86 LEVEL CM	8386,5144 litre	70,204 %	3559,3917 litre	O
900	CM	65	CM	85 LEVEL CM	8275,4870 litre	69,275 %	3670,4191 litre	O
900	CM	65	CM	84 LEVEL CM	8163,8775 litre	68,340 %	3782,0286 litre	O
900	CM	65	CM	83 LEVEL CM	8051,7177 litre	67,401 %	3894,1884 litre	O
900	CM	65	CM	82 LEVEL CM	7939,0391 litre	66,458 %	4006,8670 litre	O
900	CM	65	CM	81 LEVEL CM	7825,8728 litre	65,511 %	4120,0333 litre	O
900	CM	65	CM	80 LEVEL CM	7712,2492 litre	64,560 %	4233,6569 litre	O
900	CM	65	CM	79 LEVEL CM	7598,1988 litre	63,605 %	4347,7073 litre	O

900	CM	65	CM	78 LEVEL CM	7483,7513 litre	62,647 %	4462,1548 litre	O
900	CM	65	CM	77 LEVEL CM	7368,9364 litre	61,686 %	4576,9697 litre	O
900	CM	65	CM	76 LEVEL CM	7253,7833 litre	60,722 %	4692,1228 litre	O
900	CM	65	CM	75 LEVEL CM	7138,3211 litre	59,755 %	4807,5850 litre	O
900	CM	65	CM	74 LEVEL CM	7022,5787 litre	58,786 %	4923,3274 litre	O
900	CM	65	CM	73 LEVEL CM	6906,5846 litre	57,815 %	5039,3215 litre	O
900	CM	65	CM	72 LEVEL CM	6790,3672 litre	56,843 %	5155,5389 litre	O
900	CM	65	CM	71 LEVEL CM	6673,9548 litre	55,868 %	5271,9513 litre	O
900	CM	65	CM	70 LEVEL CM	6557,3756 litre	54,892 %	5388,5305 litre	O
900	CM	65	CM	69 LEVEL CM	6440,6575 litre	53,915 %	5505,2486 litre	O
900	CM	65	CM	68 LEVEL CM	6323,8284 litre	52,937 %	5622,0777 litre	O
900	CM	65	CM	67 LEVEL CM	6206,9161 litre	51,959 %	5738,9900 litre	O
900	CM	65	CM	66 LEVEL CM	6089,9484 litre	50,979 %	5855,9577 litre	O
900	CM	65	CM	65 LEVEL CM	5972,9530 litre	50,000 %	5972,9531 litre	O
900	CM	65	CM	64 LEVEL CM	5855,9576 litre	49,021 %	6089,9485 litre	O
900	CM	65	CM	63 LEVEL CM	5738,9900 litre	48,041 %	6206,9161 litre	O
900	CM	65	CM	62 LEVEL CM	5622,0777 litre	47,063 %	6323,8284 litre	O
900	CM	65	CM	61 LEVEL CM	5505,2486 litre	46,085 %	6440,6575 litre	O
900	CM	65	CM	60 LEVEL CM	5388,5305 litre	45,108 %	6557,3756 litre	O
900	CM	65	CM	59 LEVEL CM	5271,9512 litre	44,132 %	6673,9549 litre	O
900	CM	65	CM	58 LEVEL CM	5155,5389 litre	43,157 %	6790,3672 litre	O
900	CM	65	CM	57 LEVEL CM	5039,3215 litre	42,185 %	6906,5846 litre	O
900	CM	65	CM	56 LEVEL CM	4923,3274 litre	41,214 %	7022,5787 litre	O
900	CM	65	CM	55 LEVEL CM	4807,5849 litre	40,245 %	7138,3212 litre	O
900	CM	65	CM	54 LEVEL CM	4692,1228 litre	39,278 %	7253,7833 litre	O
900	CM	65	CM	53 LEVEL CM	4576,9697 litre	38,314 %	7368,9364 litre	O
900	CM	65	CM	52 LEVEL CM	4462,1548 litre	37,353 %	7483,7513 litre	O
900	CM	65	CM	51 LEVEL CM	4347,7073 litre	36,395 %	7598,1988 litre	O
900	CM	65	CM	50 LEVEL CM	4233,6568 litre	35,440 %	7712,2493 litre	O
900	CM	65	CM	49 LEVEL CM	4120,0333 litre	34,489 %	7825,8728 litre	O
900	CM	65	CM	48 LEVEL CM	4006,8670 litre	33,542 %	7939,0391 litre	O
900	CM	65	CM	47 LEVEL CM	3894,1884 litre	32,599 %	8051,7177 litre	O
900	CM	65	CM	46 LEVEL CM	3782,0286 litre	31,660 %	8163,8775 litre	O
900	CM	65	CM	45 LEVEL CM	3670,4191 litre	30,725 %	8275,4870 litre	O
900	CM	65	CM	44 LEVEL CM	3559,3916 litre	29,796 %	8386,5145 litre	O
900	CM	65	CM	43 LEVEL CM	3448,9787 litre	28,872 %	8496,9274 litre	O
900	CM	65	CM	42 LEVEL CM	3339,2133 litre	27,953 %	8606,6928 litre	O
900	CM	65	CM	41 LEVEL CM	3230,1290 litre	27,040 %	8715,7771 litre	O
900	CM	65	CM	40 LEVEL CM	3121,7598 litre	26,132 %	8824,1463 litre	O
900	CM	65	CM	39 LEVEL CM	3014,1407 litre	25,232 %	8931,7654 litre	O
900	CM	65	CM	38 LEVEL CM	2907,3072 litre	24,337 %	9038,5989 litre	O
900	CM	65	CM	37 LEVEL CM	2801,2958 litre	23,450 %	9144,6103 litre	O
900	CM	65	CM	36 LEVEL CM	2696,1437 litre	22,570 %	9249,7624 litre	O
900	CM	65	CM	35 LEVEL CM	2591,8889 litre	21,697 %	9354,0172 litre	O
900	CM	65	CM	34 LEVEL CM	2488,5708 litre	20,832 %	9457,3353 litre	O
900	CM	65	CM	33 LEVEL CM	2386,2294 litre	19,975 %	9559,6767 litre	O
900	CM	65	CM	32 LEVEL CM	2284,9062 litre	19,127 %	9660,9999 litre	O
900	CM	65	CM	31 LEVEL CM	2184,6438 litre	18,288 %	9761,2623 litre	O
900	CM	65	CM	30 LEVEL CM	2085,4863 litre	17,458 %	9860,4198 litre	O
900	CM	65	CM	29 LEVEL CM	1987,4791 litre	16,637 %	9958,4270 litre	O
900	CM	65	CM	28 LEVEL CM	1890,6695 litre	15,827 %	10055,2366 litre	O
900	CM	65	CM	27 LEVEL CM	1795,1061 litre	15,027 %	10150,8000 litre	O
900	CM	65	CM	26 LEVEL CM	1700,8401 litre	14,238 %	10245,0660 litre	O

900	CM	65	CM	25 LEVEL CM	1607,9242 litre	13,460 %	10337,9819 litre	O
900	CM	65	CM	24 LEVEL CM	1516,4138 litre	12,694 %	10429,4923 litre	O
900	CM	65	CM	23 LEVEL CM	1426,3669 litre	11,940 %	10519,5392 litre	O
900	CM	65	CM	22 LEVEL CM	1337,8441 litre	11,199 %	10608,0620 litre	O
900	CM	65	CM	21 LEVEL CM	1250,9095 litre	10,471 %	10694,9966 litre	O
900	CM	65	CM	20 LEVEL CM	1165,6307 litre	9,758 %	10780,2754 litre	O
900	CM	65	CM	19 LEVEL CM	1082,0791 litre	9,058 %	10863,8270 litre	O
900	CM	65	CM	18 LEVEL CM	1000,3310 litre	8,374 %	10945,5751 litre	O
900	CM	65	CM	17 LEVEL CM	920,4675 litre	7,705 %	11025,4386 litre	O
900	CM	65	CM	16 LEVEL CM	842,5759 litre	7,053 %	11103,3302 litre	O
900	CM	65	CM	15 LEVEL CM	766,7502 litre	6,419 %	11179,1559 litre	O
900	CM	65	CM	14 LEVEL CM	693,0921 litre	5,802 %	11252,8140 litre	O
900	CM	65	CM	13 LEVEL CM	621,7130 litre	5,204 %	11324,1931 litre	O
900	CM	65	CM	12 LEVEL CM	552,7349 litre	4,627 %	11393,1712 litre	O
900	CM	65	CM	11 LEVEL CM	486,2934 litre	4,071 %	11459,6127 litre	O
900	CM	65	CM	10 LEVEL CM	422,5401 litre	3,537 %	11523,3660 litre	O
900	CM	65	CM	9 LEVEL CM	361,6468 litre	3,027 %	11584,2593 litre	O
900	CM	65	CM	8 LEVEL CM	303,8108 litre	2,543 %	11642,0953 litre	O
900	CM	65	CM	7 LEVEL CM	249,2626 litre	2,087 %	11696,6435 litre	O
900	CM	65	CM	6 LEVEL CM	198,2774 litre	1,660 %	11747,6287 litre	O
900	CM	65	CM	5 LEVEL CM	151,1932 litre	1,266 %	11794,7129 litre	O
900	CM	65	CM	4 LEVEL CM	108,4409 litre	0,908 %	11837,4652 litre	O
900	CM	65	CM	3 LEVEL CM	70,6001 litre	0,591 %	11875,3060 litre	O
900	CM	65	CM	2 LEVEL CM	38,5197 litre	0,322 %	11907,3864 litre	O
900	CM	65	CM	1 LEVEL CM	13,6505 litre	0,114 %	11932,2556 litre	O
900	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	11945,9061 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	60	CM	120 LEVEL CM	10178,7602 litre	100,000 %	0,0000 litre	O
900	CM	60	CM	119 LEVEL CM	10165,6478 litre	99,871 %	13,1124 litre	O
900	CM	60	CM	118 LEVEL CM	10141,7660 litre	99,637 %	36,9942 litre	O
900	CM	60	CM	117 LEVEL CM	10110,9696 litre	99,334 %	67,7906 litre	O
900	CM	60	CM	116 LEVEL CM	10074,6554 litre	98,977 %	104,1048 litre	O
900	CM	60	CM	115 LEVEL CM	10033,6418 litre	98,574 %	145,1184 litre	O
900	CM	60	CM	114 LEVEL CM	9988,4883 litre	98,131 %	190,2719 litre	O
900	CM	60	CM	113 LEVEL CM	9939,6110 litre	97,651 %	239,1492 litre	O
900	CM	60	CM	112 LEVEL CM	9887,3367 litre	97,137 %	291,4235 litre	O
900	CM	60	CM	111 LEVEL CM	9831,9320 litre	96,593 %	346,8282 litre	O
900	CM	60	CM	110 LEVEL CM	9773,6202 litre	96,020 %	405,1400 litre	O
900	CM	60	CM	109 LEVEL CM	9712,5928 litre	95,420 %	466,1674 litre	O
900	CM	60	CM	108 LEVEL CM	9649,0166 litre	94,796 %	529,7436 litre	O
900	CM	60	CM	107 LEVEL CM	9583,0391 litre	94,147 %	595,7211 litre	O
900	CM	60	CM	106 LEVEL CM	9514,7923 litre	93,477 %	663,9679 litre	O
900	CM	60	CM	105 LEVEL CM	9444,3952 litre	92,785 %	734,3650 litre	O
900	CM	60	CM	104 LEVEL CM	9371,9563 litre	92,074 %	806,8039 litre	O
900	CM	60	CM	103 LEVEL CM	9297,5752 litre	91,343 %	881,1850 litre	O
900	CM	60	CM	102 LEVEL CM	9221,3440 litre	90,594 %	957,4162 litre	O
900	CM	60	CM	101 LEVEL CM	9143,3479 litre	89,828 %	1035,4123 litre	O
900	CM	60	CM	100 LEVEL CM	9063,6666 litre	89,045 %	1115,0936 litre	O
900	CM	60	CM	99 LEVEL CM	8982,3751 litre	88,246 %	1196,3851 litre	O
900	CM	60	CM	98 LEVEL CM	8899,5437 litre	87,432 %	1279,2165 litre	O
900	CM	60	CM	97 LEVEL CM	8815,2388 litre	86,604 %	1363,5214 litre	O
900	CM	60	CM	96 LEVEL CM	8729,5237 litre	85,762 %	1449,2365 litre	O
900	CM	60	CM	95 LEVEL CM	8642,4583 litre	84,907 %	1536,3019 litre	O
900	CM	60	CM	94 LEVEL CM	8554,1001 litre	84,039 %	1624,6601 litre	O
900	CM	60	CM	93 LEVEL CM	8464,5036 litre	83,158 %	1714,2566 litre	O
900	CM	60	CM	92 LEVEL CM	8373,7217 litre	82,267 %	1805,0385 litre	O
900	CM	60	CM	91 LEVEL CM	8281,8047 litre	81,364 %	1896,9555 litre	O
900	CM	60	CM	90 LEVEL CM	8188,8013 litre	80,450 %	1989,9589 litre	O
900	CM	60	CM	89 LEVEL CM	8094,7586 litre	79,526 %	2084,0016 litre	O
900	CM	60	CM	88 LEVEL CM	7999,7219 litre	78,592 %	2179,0383 litre	O
900	CM	60	CM	87 LEVEL CM	7903,7354 litre	77,649 %	2275,0248 litre	O
900	CM	60	CM	86 LEVEL CM	7806,8418 litre	76,697 %	2371,9184 litre	O
900	CM	60	CM	85 LEVEL CM	7709,0826 litre	75,737 %	2469,6776 litre	O
900	CM	60	CM	84 LEVEL CM	7610,4983 litre	74,768 %	2568,2619 litre	O
900	CM	60	CM	83 LEVEL CM	7511,1283 litre	73,792 %	2667,6319 litre	O
900	CM	60	CM	82 LEVEL CM	7411,0112 litre	72,809 %	2767,7490 litre	O
900	CM	60	CM	81 LEVEL CM	7310,1846 litre	71,818 %	2868,5756 litre	O
900	CM	60	CM	80 LEVEL CM	7208,6855 litre	70,821 %	2970,0747 litre	O
900	CM	60	CM	79 LEVEL CM	7106,5498 litre	69,817 %	3072,2104 litre	O
900	CM	60	CM	78 LEVEL CM	7003,8132 litre	68,808 %	3174,9470 litre	O
900	CM	60	CM	77 LEVEL CM	6900,5105 litre	67,793 %	3278,2497 litre	O
900	CM	60	CM	76 LEVEL CM	6796,6759 litre	66,773 %	3382,0843 litre	O
900	CM	60	CM	75 LEVEL CM	6692,3433 litre	65,748 %	3486,4169 litre	O
900	CM	60	CM	74 LEVEL CM	6587,5458 litre	64,719 %	3591,2144 litre	O
900	CM	60	CM	73 LEVEL CM	6482,3164 litre	63,685 %	3696,4438 litre	O
900	CM	60	CM	72 LEVEL CM	6376,6875 litre	62,647 %	3802,0727 litre	O
900	CM	60	CM	71 LEVEL CM	6270,6911 litre	61,606 %	3908,0691 litre	O
900	CM	60	CM	70 LEVEL CM	6164,3591 litre	60,561 %	4014,4011 litre	O
900	CM	60	CM	69 LEVEL CM	6057,7227 litre	59,513 %	4121,0375 litre	O

900	CM	60	CM	68 LEVEL CM	5950,8132 litre	58,463 %	4227,9470 litre	O
900	CM	60	CM	67 LEVEL CM	5843,6616 litre	57,410 %	4335,0986 litre	O
900	CM	60	CM	66 LEVEL CM	5736,2985 litre	56,356 %	4442,4617 litre	O
900	CM	60	CM	65 LEVEL CM	5628,7544 litre	55,299 %	4550,0058 litre	O
900	CM	60	CM	64 LEVEL CM	5521,0599 litre	54,241 %	4657,7003 litre	O
900	CM	60	CM	63 LEVEL CM	5413,2450 litre	53,182 %	4765,5152 litre	O
900	CM	60	CM	62 LEVEL CM	5305,3401 litre	52,122 %	4873,4201 litre	O
900	CM	60	CM	61 LEVEL CM	5197,3751 litre	51,061 %	4981,3851 litre	O
900	CM	60	CM	60 LEVEL CM	5089,3801 litre	50,000 %	5089,3801 litre	O
900	CM	60	CM	59 LEVEL CM	4981,3851 litre	48,939 %	5197,3751 litre	O
900	CM	60	CM	58 LEVEL CM	4873,4201 litre	47,878 %	5305,3401 litre	O
900	CM	60	CM	57 LEVEL CM	4765,5151 litre	46,818 %	5413,2451 litre	O
900	CM	60	CM	56 LEVEL CM	4657,7003 litre	45,759 %	5521,0599 litre	O
900	CM	60	CM	55 LEVEL CM	4550,0058 litre	44,701 %	5628,7544 litre	O
900	CM	60	CM	54 LEVEL CM	4442,4617 litre	43,644 %	5736,2985 litre	O
900	CM	60	CM	53 LEVEL CM	4335,0986 litre	42,590 %	5843,6616 litre	O
900	CM	60	CM	52 LEVEL CM	4227,9470 litre	41,537 %	5950,8132 litre	O
900	CM	60	CM	51 LEVEL CM	4121,0375 litre	40,487 %	6057,7227 litre	O
900	CM	60	CM	50 LEVEL CM	4014,4011 litre	39,439 %	6164,3591 litre	O
900	CM	60	CM	49 LEVEL CM	3908,0691 litre	38,394 %	6270,6911 litre	O
900	CM	60	CM	48 LEVEL CM	3802,0727 litre	37,353 %	6376,6875 litre	O
900	CM	60	CM	47 LEVEL CM	3696,4438 litre	36,315 %	6482,3164 litre	O
900	CM	60	CM	46 LEVEL CM	3591,2144 litre	35,281 %	6587,5458 litre	O
900	CM	60	CM	45 LEVEL CM	3486,4169 litre	34,252 %	6692,3433 litre	O
900	CM	60	CM	44 LEVEL CM	3382,0843 litre	33,227 %	6796,6759 litre	O
900	CM	60	CM	43 LEVEL CM	3278,2497 litre	32,207 %	6900,5105 litre	O
900	CM	60	CM	42 LEVEL CM	3174,9470 litre	31,192 %	7003,8132 litre	O
900	CM	60	CM	41 LEVEL CM	3072,2104 litre	30,183 %	7106,5498 litre	O
900	CM	60	CM	40 LEVEL CM	2970,0747 litre	29,179 %	7208,6855 litre	O
900	CM	60	CM	39 LEVEL CM	2868,5756 litre	28,182 %	7310,1846 litre	O
900	CM	60	CM	38 LEVEL CM	2767,7490 litre	27,191 %	7411,0112 litre	O
900	CM	60	CM	37 LEVEL CM	2667,6319 litre	26,208 %	7511,1283 litre	O
900	CM	60	CM	36 LEVEL CM	2568,2619 litre	25,232 %	7610,4983 litre	O
900	CM	60	CM	35 LEVEL CM	2469,6776 litre	24,263 %	7709,0826 litre	O
900	CM	60	CM	34 LEVEL CM	2371,9184 litre	23,303 %	7806,8418 litre	O
900	CM	60	CM	33 LEVEL CM	2275,0248 litre	22,351 %	7903,7354 litre	O
900	CM	60	CM	32 LEVEL CM	2179,0383 litre	21,408 %	7999,7219 litre	O
900	CM	60	CM	31 LEVEL CM	2084,0016 litre	20,474 %	8094,7586 litre	O
900	CM	60	CM	30 LEVEL CM	1989,9589 litre	19,550 %	8188,8013 litre	O
900	CM	60	CM	29 LEVEL CM	1896,9555 litre	18,636 %	8281,8047 litre	O
900	CM	60	CM	28 LEVEL CM	1805,0385 litre	17,733 %	8373,7217 litre	O
900	CM	60	CM	27 LEVEL CM	1714,2566 litre	16,842 %	8464,5036 litre	O
900	CM	60	CM	26 LEVEL CM	1624,6601 litre	15,961 %	8554,1001 litre	O
900	CM	60	CM	25 LEVEL CM	1536,3019 litre	15,093 %	8642,4583 litre	O
900	CM	60	CM	24 LEVEL CM	1449,2365 litre	14,238 %	8729,5237 litre	O
900	CM	60	CM	23 LEVEL CM	1363,5214 litre	13,396 %	8815,2388 litre	O
900	CM	60	CM	22 LEVEL CM	1279,2165 litre	12,568 %	8899,5437 litre	O
900	CM	60	CM	21 LEVEL CM	1196,3851 litre	11,754 %	8982,3751 litre	O
900	CM	60	CM	20 LEVEL CM	1115,0935 litre	10,955 %	9063,6667 litre	O
900	CM	60	CM	19 LEVEL CM	1035,4123 litre	10,172 %	9143,3479 litre	O
900	CM	60	CM	18 LEVEL CM	957,4162 litre	9,406 %	9221,3440 litre	O
900	CM	60	CM	17 LEVEL CM	881,1850 litre	8,657 %	9297,5752 litre	O
900	CM	60	CM	16 LEVEL CM	806,8039 litre	7,926 %	9371,9563 litre	O

900	CM	60	CM	15 LEVEL CM	734,3650 litre	7,215 %	9444,3952 litre	O
900	CM	60	CM	14 LEVEL CM	663,9679 litre	6,523 %	9514,7923 litre	O
900	CM	60	CM	13 LEVEL CM	595,7211 litre	5,853 %	9583,0391 litre	O
900	CM	60	CM	12 LEVEL CM	529,7436 litre	5,204 %	9649,0166 litre	O
900	CM	60	CM	11 LEVEL CM	466,1674 litre	4,580 %	9712,5928 litre	O
900	CM	60	CM	10 LEVEL CM	405,1400 litre	3,980 %	9773,6202 litre	O
900	CM	60	CM	9 LEVEL CM	346,8282 litre	3,407 %	9831,9320 litre	O
900	CM	60	CM	8 LEVEL CM	291,4235 litre	2,863 %	9887,3367 litre	O
900	CM	60	CM	7 LEVEL CM	239,1492 litre	2,349 %	9939,6110 litre	O
900	CM	60	CM	6 LEVEL CM	190,2719 litre	1,869 %	9988,4883 litre	O
900	CM	60	CM	5 LEVEL CM	145,1184 litre	1,426 %	10033,6418 litre	O
900	CM	60	CM	4 LEVEL CM	104,1048 litre	1,023 %	10074,6554 litre	O
900	CM	60	CM	3 LEVEL CM	67,7906 litre	0,666 %	10110,9696 litre	O
900	CM	60	CM	2 LEVEL CM	36,9942 litre	0,363 %	10141,7660 litre	O
900	CM	60	CM	1 LEVEL CM	13,1124 litre	0,129 %	10165,6478 litre	O
900	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	10178,7602 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
900	CM	55	CM 110 LEVEL CM	8552,9860 litre	100,000 %	0,0000 litre	O
900	CM	55	CM 109 LEVEL CM	8540,4347 litre	99,853 %	12,5513 litre	O
900	CM	55	CM 108 LEVEL CM	8517,5831 litre	99,586 %	35,4029 litre	O
900	CM	55	CM 107 LEVEL CM	8488,1265 litre	99,242 %	64,8595 litre	O
900	CM	55	CM 106 LEVEL CM	8453,4060 litre	98,836 %	99,5800 litre	O
900	CM	55	CM 105 LEVEL CM	8414,2082 litre	98,377 %	138,7778 litre	O
900	CM	55	CM 104 LEVEL CM	8371,0716 litre	97,873 %	181,9144 litre	O
900	CM	55	CM 103 LEVEL CM	8324,3972 litre	97,327 %	228,5888 litre	O
900	CM	55	CM 102 LEVEL CM	8274,5005 litre	96,744 %	278,4855 litre	O
900	CM	55	CM 101 LEVEL CM	8221,6387 litre	96,126 %	331,3473 litre	O
900	CM	55	CM 100 LEVEL CM	8166,0282 litre	95,476 %	386,9578 litre	O
900	CM	55	CM 99 LEVEL CM	8107,8542 litre	94,796 %	445,1318 litre	O
900	CM	55	CM 98 LEVEL CM	8047,2788 litre	94,087 %	505,7072 litre	O
900	CM	55	CM 97 LEVEL CM	7984,4450 litre	93,353 %	568,5410 litre	O
900	CM	55	CM 96 LEVEL CM	7919,4813 litre	92,593 %	633,5047 litre	O
900	CM	55	CM 95 LEVEL CM	7852,5037 litre	91,810 %	700,4823 litre	O
900	CM	55	CM 94 LEVEL CM	7783,6180 litre	91,005 %	769,3680 litre	O
900	CM	55	CM 93 LEVEL CM	7712,9216 litre	90,178 %	840,0644 litre	O
900	CM	55	CM 92 LEVEL CM	7640,5045 litre	89,331 %	912,4815 litre	O
900	CM	55	CM 91 LEVEL CM	7566,4503 litre	88,466 %	986,5357 litre	O
900	CM	55	CM 90 LEVEL CM	7490,8373 litre	87,582 %	1062,1487 litre	O
900	CM	55	CM 89 LEVEL CM	7413,7390 litre	86,680 %	1139,2470 litre	O
900	CM	55	CM 88 LEVEL CM	7335,2248 litre	85,762 %	1217,7612 litre	O
900	CM	55	CM 87 LEVEL CM	7255,3603 litre	84,828 %	1297,6257 litre	O
900	CM	55	CM 86 LEVEL CM	7174,2079 litre	83,880 %	1378,7781 litre	O
900	CM	55	CM 85 LEVEL CM	7091,8271 litre	82,916 %	1461,1589 litre	O
900	CM	55	CM 84 LEVEL CM	7008,2746 litre	81,940 %	1544,7114 litre	O
900	CM	55	CM 83 LEVEL CM	6923,6050 litre	80,950 %	1629,3810 litre	O
900	CM	55	CM 82 LEVEL CM	6837,8706 litre	79,947 %	1715,1154 litre	O
900	CM	55	CM 81 LEVEL CM	6751,1218 litre	78,933 %	1801,8642 litre	O
900	CM	55	CM 80 LEVEL CM	6663,4072 litre	77,907 %	1889,5788 litre	O
900	CM	55	CM 79 LEVEL CM	6574,7740 litre	76,871 %	1978,2120 litre	O
900	CM	55	CM 78 LEVEL CM	6485,2677 litre	75,825 %	2067,7183 litre	O
900	CM	55	CM 77 LEVEL CM	6394,9326 litre	74,768 %	2158,0534 litre	O
900	CM	55	CM 76 LEVEL CM	6303,8118 litre	73,703 %	2249,1742 litre	O
900	CM	55	CM 75 LEVEL CM	6211,9474 litre	72,629 %	2341,0386 litre	O
900	CM	55	CM 74 LEVEL CM	6119,3802 litre	71,547 %	2433,6058 litre	O
900	CM	55	CM 73 LEVEL CM	6026,1504 litre	70,457 %	2526,8356 litre	O
900	CM	55	CM 72 LEVEL CM	5932,2970 litre	69,359 %	2620,6890 litre	O
900	CM	55	CM 71 LEVEL CM	5837,8586 litre	68,255 %	2715,1274 litre	O
900	CM	55	CM 70 LEVEL CM	5742,8729 litre	67,145 %	2810,1131 litre	O
900	CM	55	CM 69 LEVEL CM	5647,3768 litre	66,028 %	2905,6092 litre	O
900	CM	55	CM 68 LEVEL CM	5551,4069 litre	64,906 %	3001,5791 litre	O
900	CM	55	CM 67 LEVEL CM	5454,9991 litre	63,779 %	3097,9869 litre	O
900	CM	55	CM 66 LEVEL CM	5358,1888 litre	62,647 %	3194,7972 litre	O
900	CM	55	CM 65 LEVEL CM	5261,0111 litre	61,511 %	3291,9749 litre	O
900	CM	55	CM 64 LEVEL CM	5163,5005 litre	60,371 %	3389,4855 litre	O
900	CM	55	CM 63 LEVEL CM	5065,6913 litre	59,227 %	3487,2947 litre	O
900	CM	55	CM 62 LEVEL CM	4967,6175 litre	58,081 %	3585,3685 litre	O
900	CM	55	CM 61 LEVEL CM	4869,3127 litre	56,931 %	3683,6733 litre	O
900	CM	55	CM 60 LEVEL CM	4770,8103 litre	55,779 %	3782,1757 litre	O
900	CM	55	CM 59 LEVEL CM	4672,1436 litre	54,626 %	3880,8424 litre	O

900	CM	55	CM	58 LEVEL CM	4573,3457 litre	53,471 %	3979,6403 litre	O
900	CM	55	CM	57 LEVEL CM	4474,4494 litre	52,314 %	4078,5366 litre	O
900	CM	55	CM	56 LEVEL CM	4375,4875 litre	51,157 %	4177,4985 litre	O
900	CM	55	CM	55 LEVEL CM	4276,4930 litre	50,000 %	4276,4930 litre	O
900	CM	55	CM	54 LEVEL CM	4177,4985 litre	48,843 %	4375,4875 litre	O
900	CM	55	CM	53 LEVEL CM	4078,5366 litre	47,686 %	4474,4494 litre	O
900	CM	55	CM	52 LEVEL CM	3979,6403 litre	46,529 %	4573,3457 litre	O
900	CM	55	CM	51 LEVEL CM	3880,8424 litre	45,374 %	4672,1436 litre	O
900	CM	55	CM	50 LEVEL CM	3782,1757 litre	44,221 %	4770,8103 litre	O
900	CM	55	CM	49 LEVEL CM	3683,6733 litre	43,069 %	4869,3127 litre	O
900	CM	55	CM	48 LEVEL CM	3585,3685 litre	41,919 %	4967,6175 litre	O
900	CM	55	CM	47 LEVEL CM	3487,2947 litre	40,773 %	5065,6913 litre	O
900	CM	55	CM	46 LEVEL CM	3389,4855 litre	39,629 %	5163,5005 litre	O
900	CM	55	CM	45 LEVEL CM	3291,9749 litre	38,489 %	5261,0111 litre	O
900	CM	55	CM	44 LEVEL CM	3194,7972 litre	37,353 %	5358,1888 litre	O
900	CM	55	CM	43 LEVEL CM	3097,9869 litre	36,221 %	5454,9991 litre	O
900	CM	55	CM	42 LEVEL CM	3001,5791 litre	35,094 %	5551,4069 litre	O
900	CM	55	CM	41 LEVEL CM	2905,6092 litre	33,972 %	5647,3768 litre	O
900	CM	55	CM	40 LEVEL CM	2810,1131 litre	32,855 %	5742,8729 litre	O
900	CM	55	CM	39 LEVEL CM	2715,1274 litre	31,745 %	5837,8586 litre	O
900	CM	55	CM	38 LEVEL CM	2620,6890 litre	30,641 %	5932,2970 litre	O
900	CM	55	CM	37 LEVEL CM	2526,8356 litre	29,543 %	6026,1504 litre	O
900	CM	55	CM	36 LEVEL CM	2433,6058 litre	28,453 %	6119,3802 litre	O
900	CM	55	CM	35 LEVEL CM	2341,0386 litre	27,371 %	6211,9474 litre	O
900	CM	55	CM	34 LEVEL CM	2249,1742 litre	26,297 %	6303,8118 litre	O
900	CM	55	CM	33 LEVEL CM	2158,0534 litre	25,232 %	6394,9326 litre	O
900	CM	55	CM	32 LEVEL CM	2067,7183 litre	24,175 %	6485,2677 litre	O
900	CM	55	CM	31 LEVEL CM	1978,2120 litre	23,129 %	6574,7740 litre	O
900	CM	55	CM	30 LEVEL CM	1889,5788 litre	22,093 %	6663,4072 litre	O
900	CM	55	CM	29 LEVEL CM	1801,8642 litre	21,067 %	6751,1218 litre	O
900	CM	55	CM	28 LEVEL CM	1715,1154 litre	20,053 %	6837,8706 litre	O
900	CM	55	CM	27 LEVEL CM	1629,3810 litre	19,050 %	6923,6050 litre	O
900	CM	55	CM	26 LEVEL CM	1544,7114 litre	18,060 %	7008,2746 litre	O
900	CM	55	CM	25 LEVEL CM	1461,1589 litre	17,084 %	7091,8271 litre	O
900	CM	55	CM	24 LEVEL CM	1378,7781 litre	16,120 %	7174,2079 litre	O
900	CM	55	CM	23 LEVEL CM	1297,6257 litre	15,172 %	7255,3603 litre	O
900	CM	55	CM	22 LEVEL CM	1217,7612 litre	14,238 %	7335,2248 litre	O
900	CM	55	CM	21 LEVEL CM	1139,2470 litre	13,320 %	7413,7390 litre	O
900	CM	55	CM	20 LEVEL CM	1062,1487 litre	12,418 %	7490,8373 litre	O
900	CM	55	CM	19 LEVEL CM	986,5357 litre	11,534 %	7566,4503 litre	O
900	CM	55	CM	18 LEVEL CM	912,4815 litre	10,669 %	7640,5045 litre	O
900	CM	55	CM	17 LEVEL CM	840,0644 litre	9,822 %	7712,9216 litre	O
900	CM	55	CM	16 LEVEL CM	769,3680 litre	8,995 %	7783,6180 litre	O
900	CM	55	CM	15 LEVEL CM	700,4823 litre	8,190 %	7852,5037 litre	O
900	CM	55	CM	14 LEVEL CM	633,5047 litre	7,407 %	7919,4813 litre	O
900	CM	55	CM	13 LEVEL CM	568,5410 litre	6,647 %	7984,4450 litre	O
900	CM	55	CM	12 LEVEL CM	505,7072 litre	5,913 %	8047,2788 litre	O
900	CM	55	CM	11 LEVEL CM	445,1318 litre	5,204 %	8107,8542 litre	O
900	CM	55	CM	10 LEVEL CM	386,9578 litre	4,524 %	8166,0282 litre	O
900	CM	55	CM	9 LEVEL CM	331,3473 litre	3,874 %	8221,6387 litre	O
900	CM	55	CM	8 LEVEL CM	278,4855 litre	3,256 %	8274,5005 litre	O
900	CM	55	CM	7 LEVEL CM	228,5888 litre	2,673 %	8324,3972 litre	O
900	CM	55	CM	6 LEVEL CM	181,9144 litre	2,127 %	8371,0716 litre	O

900	CM	55	CM	5 LEVEL CM	138,7778 litre	1,623 %	8414,2082 litre	O
900	CM	55	CM	4 LEVEL CM	99,5800 litre	1,164 %	8453,4060 litre	O
900	CM	55	CM	3 LEVEL CM	64,8595 litre	0,758 %	8488,1265 litre	O
900	CM	55	CM	2 LEVEL CM	35,4029 litre	0,414 %	8517,5831 litre	O
900	CM	55	CM	1 LEVEL CM	12,5513 litre	0,147 %	8540,4347 litre	O
900	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	8552,9860 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
900	CM	50	CM	100 LEVEL CM	7068,5835 litre	100,000 %	0,0000 litre	O
900	CM	50	CM	99 LEVEL CM	7056,6195 litre	99,831 %	11,9640 litre	O
900	CM	50	CM	98 LEVEL CM	7034,8467 litre	99,523 %	33,7368 litre	O
900	CM	50	CM	97 LEVEL CM	7006,7939 litre	99,126 %	61,7896 litre	O
900	CM	50	CM	96 LEVEL CM	6973,7438 litre	98,658 %	94,8397 litre	O
900	CM	50	CM	95 LEVEL CM	6936,4502 litre	98,131 %	132,1333 litre	O
900	CM	50	CM	94 LEVEL CM	6895,4296 litre	97,550 %	173,1539 litre	O
900	CM	50	CM	93 LEVEL CM	6851,0675 litre	96,923 %	217,5160 litre	O
900	CM	50	CM	92 LEVEL CM	6803,6673 litre	96,252 %	264,9162 litre	O
900	CM	50	CM	91 LEVEL CM	6753,4772 litre	95,542 %	315,1063 litre	O
900	CM	50	CM	90 LEVEL CM	6700,7060 litre	94,796 %	367,8775 litre	O
900	CM	50	CM	89 LEVEL CM	6645,5329 litre	94,015 %	423,0506 litre	O
900	CM	50	CM	88 LEVEL CM	6588,1147 litre	93,203 %	480,4688 litre	O
900	CM	50	CM	87 LEVEL CM	6528,5905 litre	92,361 %	539,9930 litre	O
900	CM	50	CM	86 LEVEL CM	6467,0849 litre	91,491 %	601,4986 litre	O
900	CM	50	CM	85 LEVEL CM	6403,7111 litre	90,594 %	664,8724 litre	O
900	CM	50	CM	84 LEVEL CM	6338,5722 litre	89,672 %	730,0113 litre	O
900	CM	50	CM	83 LEVEL CM	6271,7634 litre	88,727 %	796,8201 litre	O
900	CM	50	CM	82 LEVEL CM	6203,3727 litre	87,760 %	865,2108 litre	O
900	CM	50	CM	81 LEVEL CM	6133,4823 litre	86,771 %	935,1012 litre	O
900	CM	50	CM	80 LEVEL CM	6062,1692 litre	85,762 %	1006,4143 litre	O
900	CM	50	CM	79 LEVEL CM	5989,5058 litre	84,734 %	1079,0777 litre	O
900	CM	50	CM	78 LEVEL CM	5915,5605 litre	83,688 %	1153,0230 litre	O
900	CM	50	CM	77 LEVEL CM	5840,3982 litre	82,625 %	1228,1853 litre	O
900	CM	50	CM	76 LEVEL CM	5764,0809 litre	81,545 %	1304,5026 litre	O
900	CM	50	CM	75 LEVEL CM	5686,6676 litre	80,450 %	1381,9159 litre	O
900	CM	50	CM	74 LEVEL CM	5608,2148 litre	79,340 %	1460,3687 litre	O
900	CM	50	CM	73 LEVEL CM	5528,7770 litre	78,216 %	1539,8065 litre	O
900	CM	50	CM	72 LEVEL CM	5448,4065 litre	77,079 %	1620,1770 litre	O
900	CM	50	CM	71 LEVEL CM	5367,1540 litre	75,930 %	1701,4295 litre	O
900	CM	50	CM	70 LEVEL CM	5285,0683 litre	74,768 %	1783,5152 litre	O
900	CM	50	CM	69 LEVEL CM	5202,1968 litre	73,596 %	1866,3867 litre	O
900	CM	50	CM	68 LEVEL CM	5118,5859 litre	72,413 %	1949,9976 litre	O
900	CM	50	CM	67 LEVEL CM	5034,2802 litre	71,220 %	2034,3033 litre	O
900	CM	50	CM	66 LEVEL CM	4949,3237 litre	70,019 %	2119,2598 litre	O
900	CM	50	CM	65 LEVEL CM	4863,7592 litre	68,808 %	2204,8243 litre	O
900	CM	50	CM	64 LEVEL CM	4777,6285 litre	67,590 %	2290,9550 litre	O
900	CM	50	CM	63 LEVEL CM	4690,9727 litre	66,364 %	2377,6108 litre	O
900	CM	50	CM	62 LEVEL CM	4603,8323 litre	65,131 %	2464,7512 litre	O
900	CM	50	CM	61 LEVEL CM	4516,2467 litre	63,892 %	2552,3368 litre	O
900	CM	50	CM	60 LEVEL CM	4428,2552 litre	62,647 %	2640,3283 litre	O
900	CM	50	CM	59 LEVEL CM	4339,8962 litre	61,397 %	2728,6873 litre	O
900	CM	50	CM	58 LEVEL CM	4251,2078 litre	60,142 %	2817,3757 litre	O
900	CM	50	CM	57 LEVEL CM	4162,2276 litre	58,883 %	2906,3559 litre	O
900	CM	50	CM	56 LEVEL CM	4072,9929 litre	57,621 %	2995,5906 litre	O
900	CM	50	CM	55 LEVEL CM	3983,5406 litre	56,356 %	3085,0429 litre	O
900	CM	50	CM	54 LEVEL CM	3893,9074 litre	55,088 %	3174,6761 litre	O
900	CM	50	CM	53 LEVEL CM	3804,1296 litre	53,817 %	3264,4539 litre	O
900	CM	50	CM	52 LEVEL CM	3714,2437 litre	52,546 %	3354,3398 litre	O
900	CM	50	CM	51 LEVEL CM	3624,2857 litre	51,273 %	3444,2978 litre	O
900	CM	50	CM	50 LEVEL CM	3534,2917 litre	50,000 %	3534,2918 litre	O
900	CM	50	CM	49 LEVEL CM	3444,2977 litre	48,727 %	3624,2858 litre	O

900	CM	50	CM	48 LEVEL CM	3354,3397 litre	47,454 %	3714,2438 litre	O
900	CM	50	CM	47 LEVEL CM	3264,4538 litre	46,183 %	3804,1297 litre	O
900	CM	50	CM	46 LEVEL CM	3174,6761 litre	44,912 %	3893,9074 litre	O
900	CM	50	CM	45 LEVEL CM	3085,0429 litre	43,644 %	3983,5406 litre	O
900	CM	50	CM	44 LEVEL CM	2995,5905 litre	42,379 %	4072,9930 litre	O
900	CM	50	CM	43 LEVEL CM	2906,3558 litre	41,117 %	4162,2277 litre	O
900	CM	50	CM	42 LEVEL CM	2817,3756 litre	39,858 %	4251,2079 litre	O
900	CM	50	CM	41 LEVEL CM	2728,6872 litre	38,603 %	4339,8963 litre	O
900	CM	50	CM	40 LEVEL CM	2640,3283 litre	37,353 %	4428,2552 litre	O
900	CM	50	CM	39 LEVEL CM	2552,3367 litre	36,108 %	4516,2468 litre	O
900	CM	50	CM	38 LEVEL CM	2464,7512 litre	34,869 %	4603,8323 litre	O
900	CM	50	CM	37 LEVEL CM	2377,6107 litre	33,636 %	4690,9728 litre	O
900	CM	50	CM	36 LEVEL CM	2290,9550 litre	32,410 %	4777,6285 litre	O
900	CM	50	CM	35 LEVEL CM	2204,8243 litre	31,192 %	4863,7592 litre	O
900	CM	50	CM	34 LEVEL CM	2119,2598 litre	29,981 %	4949,3237 litre	O
900	CM	50	CM	33 LEVEL CM	2034,3033 litre	28,780 %	5034,2802 litre	O
900	CM	50	CM	32 LEVEL CM	1949,9976 litre	27,587 %	5118,5859 litre	O
900	CM	50	CM	31 LEVEL CM	1866,3866 litre	26,404 %	5202,1969 litre	O
900	CM	50	CM	30 LEVEL CM	1783,5152 litre	25,232 %	5285,0683 litre	O
900	CM	50	CM	29 LEVEL CM	1701,4295 litre	24,070 %	5367,1540 litre	O
900	CM	50	CM	28 LEVEL CM	1620,1769 litre	22,921 %	5448,4066 litre	O
900	CM	50	CM	27 LEVEL CM	1539,8065 litre	21,784 %	5528,7770 litre	O
900	CM	50	CM	26 LEVEL CM	1460,3687 litre	20,660 %	5608,2148 litre	O
900	CM	50	CM	25 LEVEL CM	1381,9159 litre	19,550 %	5686,6676 litre	O
900	CM	50	CM	24 LEVEL CM	1304,5026 litre	18,455 %	5764,0809 litre	O
900	CM	50	CM	23 LEVEL CM	1228,1852 litre	17,375 %	5840,3983 litre	O
900	CM	50	CM	22 LEVEL CM	1153,0230 litre	16,312 %	5915,5605 litre	O
900	CM	50	CM	21 LEVEL CM	1079,0777 litre	15,266 %	5989,5058 litre	O
900	CM	50	CM	20 LEVEL CM	1006,4142 litre	14,238 %	6062,1693 litre	O
900	CM	50	CM	19 LEVEL CM	935,1011 litre	13,229 %	6133,4824 litre	O
900	CM	50	CM	18 LEVEL CM	865,2108 litre	12,240 %	6203,3727 litre	O
900	CM	50	CM	17 LEVEL CM	796,8201 litre	11,273 %	6271,7634 litre	O
900	CM	50	CM	16 LEVEL CM	730,0113 litre	10,328 %	6338,5722 litre	O
900	CM	50	CM	15 LEVEL CM	664,8724 litre	9,406 %	6403,7111 litre	O
900	CM	50	CM	14 LEVEL CM	601,4985 litre	8,509 %	6467,0850 litre	O
900	CM	50	CM	13 LEVEL CM	539,9930 litre	7,639 %	6528,5905 litre	O
900	CM	50	CM	12 LEVEL CM	480,4688 litre	6,797 %	6588,1147 litre	O
900	CM	50	CM	11 LEVEL CM	423,0506 litre	5,985 %	6645,5329 litre	O
900	CM	50	CM	10 LEVEL CM	367,8775 litre	5,204 %	6700,7060 litre	O
900	CM	50	CM	9 LEVEL CM	315,1062 litre	4,458 %	6753,4773 litre	O
900	CM	50	CM	8 LEVEL CM	264,9162 litre	3,748 %	6803,6673 litre	O
900	CM	50	CM	7 LEVEL CM	217,5160 litre	3,077 %	6851,0675 litre	O
900	CM	50	CM	6 LEVEL CM	173,1539 litre	2,450 %	6895,4296 litre	O
900	CM	50	CM	5 LEVEL CM	132,1333 litre	1,869 %	6936,4502 litre	O
900	CM	50	CM	4 LEVEL CM	94,8396 litre	1,342 %	6973,7439 litre	O
900	CM	50	CM	3 LEVEL CM	61,7896 litre	0,874 %	7006,7939 litre	O
900	CM	50	CM	2 LEVEL CM	33,7367 litre	0,477 %	7034,8468 litre	O
900	CM	50	CM	1 LEVEL CM	11,9639 litre	0,169 %	7056,6196 litre	O
900	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	7068,5835 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	150	CM	300 LEVEL CM	56548,6678 litre	100,000 %	0,0000 litre	O
800	CM	150	CM	299 LEVEL CM	56530,2110 litre	99,967 %	18,4568 litre	O
800	CM	150	CM	298 LEVEL CM	56496,5166 litre	99,908 %	52,1512 litre	O
800	CM	150	CM	297 LEVEL CM	56452,9563 litre	99,831 %	95,7115 litre	O
800	CM	150	CM	296 LEVEL CM	56401,4587 litre	99,740 %	147,2091 litre	O
800	CM	150	CM	295 LEVEL CM	56343,1445 litre	99,637 %	205,5233 litre	O
800	CM	150	CM	294 LEVEL CM	56278,7738 litre	99,523 %	269,8940 litre	O
800	CM	150	CM	293 LEVEL CM	56208,9073 litre	99,399 %	339,7605 litre	O
800	CM	150	CM	292 LEVEL CM	56133,9820 litre	99,267 %	414,6858 litre	O
800	CM	150	CM	291 LEVEL CM	56054,3509 litre	99,126 %	494,3169 litre	O
800	CM	150	CM	290 LEVEL CM	55970,3080 litre	98,977 %	578,3598 litre	O
800	CM	150	CM	289 LEVEL CM	55882,1026 litre	98,821 %	666,5652 litre	O
800	CM	150	CM	288 LEVEL CM	55789,9506 litre	98,658 %	758,7172 litre	O
800	CM	150	CM	287 LEVEL CM	55694,0410 litre	98,489 %	854,6268 litre	O
800	CM	150	CM	286 LEVEL CM	55594,5412 litre	98,313 %	954,1266 litre	O
800	CM	150	CM	285 LEVEL CM	55491,6014 litre	98,131 %	1057,0664 litre	O
800	CM	150	CM	284 LEVEL CM	55385,3570 litre	97,943 %	1163,3108 litre	O
800	CM	150	CM	283 LEVEL CM	55275,9312 litre	97,749 %	1272,7366 litre	O
800	CM	150	CM	282 LEVEL CM	55163,4366 litre	97,550 %	1385,2312 litre	O
800	CM	150	CM	281 LEVEL CM	55047,9770 litre	97,346 %	1500,6908 litre	O
800	CM	150	CM	280 LEVEL CM	54929,6483 litre	97,137 %	1619,0195 litre	O
800	CM	150	CM	279 LEVEL CM	54808,5396 litre	96,923 %	1740,1282 litre	O
800	CM	150	CM	278 LEVEL CM	54684,7340 litre	96,704 %	1863,9338 litre	O
800	CM	150	CM	277 LEVEL CM	54558,3092 litre	96,480 %	1990,3586 litre	O
800	CM	150	CM	276 LEVEL CM	54429,3382 litre	96,252 %	2119,3296 litre	O
800	CM	150	CM	275 LEVEL CM	54297,8900 litre	96,020 %	2250,7778 litre	O
800	CM	150	CM	274 LEVEL CM	54164,0293 litre	95,783 %	2384,6385 litre	O
800	CM	150	CM	273 LEVEL CM	54027,8178 litre	95,542 %	2520,8500 litre	O
800	CM	150	CM	272 LEVEL CM	53889,3138 litre	95,297 %	2659,3540 litre	O
800	CM	150	CM	271 LEVEL CM	53748,5728 litre	95,048 %	2800,0950 litre	O
800	CM	150	CM	270 LEVEL CM	53605,6478 litre	94,796 %	2943,0200 litre	O
800	CM	150	CM	269 LEVEL CM	53460,5893 litre	94,539 %	3088,0785 litre	O
800	CM	150	CM	268 LEVEL CM	53313,4456 litre	94,279 %	3235,2222 litre	O
800	CM	150	CM	267 LEVEL CM	53164,2630 litre	94,015 %	3384,4048 litre	O
800	CM	150	CM	266 LEVEL CM	53013,0859 litre	93,748 %	3535,5819 litre	O
800	CM	150	CM	265 LEVEL CM	52859,9571 litre	93,477 %	3688,7107 litre	O
800	CM	150	CM	264 LEVEL CM	52704,9176 litre	93,203 %	3843,7502 litre	O
800	CM	150	CM	263 LEVEL CM	52548,0070 litre	92,925 %	4000,6608 litre	O
800	CM	150	CM	262 LEVEL CM	52389,2634 litre	92,645 %	4159,4044 litre	O
800	CM	150	CM	261 LEVEL CM	52228,7238 litre	92,361 %	4319,9440 litre	O
800	CM	150	CM	260 LEVEL CM	52066,4238 litre	92,074 %	4482,2440 litre	O
800	CM	150	CM	259 LEVEL CM	51902,3979 litre	91,784 %	4646,2699 litre	O
800	CM	150	CM	258 LEVEL CM	51736,6795 litre	91,491 %	4811,9883 litre	O
800	CM	150	CM	257 LEVEL CM	51569,3010 litre	91,195 %	4979,3668 litre	O
800	CM	150	CM	256 LEVEL CM	51400,2939 litre	90,896 %	5148,3739 litre	O
800	CM	150	CM	255 LEVEL CM	51229,6886 litre	90,594 %	5318,9792 litre	O
800	CM	150	CM	254 LEVEL CM	51057,5151 litre	90,290 %	5491,1527 litre	O
800	CM	150	CM	253 LEVEL CM	50883,8020 litre	89,982 %	5664,8658 litre	O
800	CM	150	CM	252 LEVEL CM	50708,5775 litre	89,672 %	5840,0903 litre	O
800	CM	150	CM	251 LEVEL CM	50531,8692 litre	89,360 %	6016,7986 litre	O
800	CM	150	CM	250 LEVEL CM	50353,7036 litre	89,045 %	6194,9642 litre	O
800	CM	150	CM	249 LEVEL CM	50174,1069 litre	88,727 %	6374,5609 litre	O

800	CM	150	CM	248 LEVEL CM	49993,1045 litre	88,407 %	6555,5633 litre	O
800	CM	150	CM	247 LEVEL CM	49810,7213 litre	88,085 %	6737,9465 litre	O
800	CM	150	CM	246 LEVEL CM	49626,9816 litre	87,760 %	6921,6862 litre	O
800	CM	150	CM	245 LEVEL CM	49441,9092 litre	87,432 %	7106,7586 litre	O
800	CM	150	CM	244 LEVEL CM	49255,5273 litre	87,103 %	7293,1405 litre	O
800	CM	150	CM	243 LEVEL CM	49067,8587 litre	86,771 %	7480,8091 litre	O
800	CM	150	CM	242 LEVEL CM	48878,9258 litre	86,437 %	7669,7420 litre	O
800	CM	150	CM	241 LEVEL CM	48688,7504 litre	86,101 %	7859,9174 litre	O
800	CM	150	CM	240 LEVEL CM	48497,3538 litre	85,762 %	8051,3140 litre	O
800	CM	150	CM	239 LEVEL CM	48304,7573 litre	85,422 %	8243,9105 litre	O
800	CM	150	CM	238 LEVEL CM	48110,9814 litre	85,079 %	8437,6864 litre	O
800	CM	150	CM	237 LEVEL CM	47916,0463 litre	84,734 %	8632,6215 litre	O
800	CM	150	CM	236 LEVEL CM	47719,9720 litre	84,387 %	8828,6958 litre	O
800	CM	150	CM	235 LEVEL CM	47522,7781 litre	84,039 %	9025,8897 litre	O
800	CM	150	CM	234 LEVEL CM	47324,4838 litre	83,688 %	9224,1840 litre	O
800	CM	150	CM	233 LEVEL CM	47125,1079 litre	83,335 %	9423,5599 litre	O
800	CM	150	CM	232 LEVEL CM	46924,6692 litre	82,981 %	9623,9986 litre	O
800	CM	150	CM	231 LEVEL CM	46723,1858 litre	82,625 %	9825,4820 litre	O
800	CM	150	CM	230 LEVEL CM	46520,6759 litre	82,267 %	10027,9919 litre	O
800	CM	150	CM	229 LEVEL CM	46317,1572 litre	81,907 %	10231,5106 litre	O
800	CM	150	CM	228 LEVEL CM	46112,6472 litre	81,545 %	10436,0206 litre	O
800	CM	150	CM	227 LEVEL CM	45907,1631 litre	81,182 %	10641,5047 litre	O
800	CM	150	CM	226 LEVEL CM	45700,7219 litre	80,817 %	10847,9459 litre	O
800	CM	150	CM	225 LEVEL CM	45493,3405 litre	80,450 %	11055,3273 litre	O
800	CM	150	CM	224 LEVEL CM	45285,0352 litre	80,082 %	11263,6326 litre	O
800	CM	150	CM	223 LEVEL CM	45075,8225 litre	79,712 %	11472,8453 litre	O
800	CM	150	CM	222 LEVEL CM	44865,7184 litre	79,340 %	11682,9494 litre	O
800	CM	150	CM	221 LEVEL CM	44654,7389 litre	78,967 %	11893,9289 litre	O
800	CM	150	CM	220 LEVEL CM	44442,8996 litre	78,592 %	12105,7682 litre	O
800	CM	150	CM	219 LEVEL CM	44230,2161 litre	78,216 %	12318,4517 litre	O
800	CM	150	CM	218 LEVEL CM	44016,7036 litre	77,839 %	12531,9642 litre	O
800	CM	150	CM	217 LEVEL CM	43802,3774 litre	77,460 %	12746,2904 litre	O
800	CM	150	CM	216 LEVEL CM	43587,2524 litre	77,079 %	12961,4154 litre	O
800	CM	150	CM	215 LEVEL CM	43371,3434 litre	76,697 %	13177,3244 litre	O
800	CM	150	CM	214 LEVEL CM	43154,6650 litre	76,314 %	13394,0028 litre	O
800	CM	150	CM	213 LEVEL CM	42937,2319 litre	75,930 %	13611,4359 litre	O
800	CM	150	CM	212 LEVEL CM	42719,0582 litre	75,544 %	13829,6096 litre	O
800	CM	150	CM	211 LEVEL CM	42500,1583 litre	75,157 %	14048,5095 litre	O
800	CM	150	CM	210 LEVEL CM	42280,5461 litre	74,768 %	14268,1217 litre	O
800	CM	150	CM	209 LEVEL CM	42060,2356 litre	74,379 %	14488,4322 litre	O
800	CM	150	CM	208 LEVEL CM	41839,2406 litre	73,988 %	14709,4272 litre	O
800	CM	150	CM	207 LEVEL CM	41617,5748 litre	73,596 %	14931,0930 litre	O
800	CM	150	CM	206 LEVEL CM	41395,2516 litre	73,203 %	15153,4162 litre	O
800	CM	150	CM	205 LEVEL CM	41172,2846 litre	72,809 %	15376,3832 litre	O
800	CM	150	CM	204 LEVEL CM	40948,6869 litre	72,413 %	15599,9809 litre	O
800	CM	150	CM	203 LEVEL CM	40724,4718 litre	72,017 %	15824,1960 litre	O
800	CM	150	CM	202 LEVEL CM	40499,6524 litre	71,619 %	16049,0154 litre	O
800	CM	150	CM	201 LEVEL CM	40274,2417 litre	71,220 %	16274,4261 litre	O
800	CM	150	CM	200 LEVEL CM	40048,2525 litre	70,821 %	16500,4153 litre	O
800	CM	150	CM	199 LEVEL CM	39821,6976 litre	70,420 %	16726,9702 litre	O
800	CM	150	CM	198 LEVEL CM	39594,5897 litre	70,019 %	16954,0781 litre	O
800	CM	150	CM	197 LEVEL CM	39366,9414 litre	69,616 %	17181,7264 litre	O
800	CM	150	CM	196 LEVEL CM	39138,7651 litre	69,213 %	17409,9027 litre	O

800	CM	150	CM	195 LEVEL CM	38910,0733 litre	68,808 %	17638,5945 litre	O
800	CM	150	CM	194 LEVEL CM	38680,8784 litre	68,403 %	17867,7894 litre	O
800	CM	150	CM	193 LEVEL CM	38451,1925 litre	67,997 %	18097,4753 litre	O
800	CM	150	CM	192 LEVEL CM	38221,0278 litre	67,590 %	18327,6400 litre	O
800	CM	150	CM	191 LEVEL CM	37990,3965 litre	67,182 %	18558,2713 litre	O
800	CM	150	CM	190 LEVEL CM	37759,3105 litre	66,773 %	18789,3573 litre	O
800	CM	150	CM	189 LEVEL CM	37527,7819 litre	66,364 %	19020,8859 litre	O
800	CM	150	CM	188 LEVEL CM	37295,8224 litre	65,953 %	19252,8454 litre	O
800	CM	150	CM	187 LEVEL CM	37063,4438 litre	65,543 %	19485,2240 litre	O
800	CM	150	CM	186 LEVEL CM	36830,6581 litre	65,131 %	19718,0097 litre	O
800	CM	150	CM	185 LEVEL CM	36597,4767 litre	64,719 %	19951,1911 litre	O
800	CM	150	CM	184 LEVEL CM	36363,9115 litre	64,306 %	20184,7563 litre	O
800	CM	150	CM	183 LEVEL CM	36129,9738 litre	63,892 %	20418,6940 litre	O
800	CM	150	CM	182 LEVEL CM	35895,6754 litre	63,477 %	20652,9924 litre	O
800	CM	150	CM	181 LEVEL CM	35661,0275 litre	63,063 %	20887,6403 litre	O
800	CM	150	CM	180 LEVEL CM	35426,0417 litre	62,647 %	21122,6261 litre	O
800	CM	150	CM	179 LEVEL CM	35190,7293 litre	62,231 %	21357,9385 litre	O
800	CM	150	CM	178 LEVEL CM	34955,1015 litre	61,814 %	21593,5663 litre	O
800	CM	150	CM	177 LEVEL CM	34719,1698 litre	61,397 %	21829,4980 litre	O
800	CM	150	CM	176 LEVEL CM	34482,9453 litre	60,979 %	22065,7225 litre	O
800	CM	150	CM	175 LEVEL CM	34246,4392 litre	60,561 %	22302,2286 litre	O
800	CM	150	CM	174 LEVEL CM	34009,6626 litre	60,142 %	22539,0052 litre	O
800	CM	150	CM	173 LEVEL CM	33772,6267 litre	59,723 %	22776,0411 litre	O
800	CM	150	CM	172 LEVEL CM	33535,3426 litre	59,304 %	23013,3252 litre	O
800	CM	150	CM	171 LEVEL CM	33297,8211 litre	58,883 %	23250,8467 litre	O
800	CM	150	CM	170 LEVEL CM	33060,0735 litre	58,463 %	23488,5943 litre	O
800	CM	150	CM	169 LEVEL CM	32822,1106 litre	58,042 %	23726,5572 litre	O
800	CM	150	CM	168 LEVEL CM	32583,9434 litre	57,621 %	23964,7244 litre	O
800	CM	150	CM	167 LEVEL CM	32345,5828 litre	57,200 %	24203,0850 litre	O
800	CM	150	CM	166 LEVEL CM	32107,0396 litre	56,778 %	24441,6282 litre	O
800	CM	150	CM	165 LEVEL CM	31868,3249 litre	56,356 %	24680,3429 litre	O
800	CM	150	CM	164 LEVEL CM	31629,4493 litre	55,933 %	24919,2185 litre	O
800	CM	150	CM	163 LEVEL CM	31390,4237 litre	55,510 %	25158,2441 litre	O
800	CM	150	CM	162 LEVEL CM	31151,2589 litre	55,088 %	25397,4089 litre	O
800	CM	150	CM	161 LEVEL CM	30911,9657 litre	54,664 %	25636,7021 litre	O
800	CM	150	CM	160 LEVEL CM	30672,5549 litre	54,241 %	25876,1129 litre	O
800	CM	150	CM	159 LEVEL CM	30433,0372 litre	53,817 %	26115,6306 litre	O
800	CM	150	CM	158 LEVEL CM	30193,4233 litre	53,394 %	26355,2445 litre	O
800	CM	150	CM	157 LEVEL CM	29953,7239 litre	52,970 %	26594,9439 litre	O
800	CM	150	CM	156 LEVEL CM	29713,9498 litre	52,546 %	26834,7180 litre	O
800	CM	150	CM	155 LEVEL CM	29474,1116 litre	52,122 %	27074,5562 litre	O
800	CM	150	CM	154 LEVEL CM	29234,2201 litre	51,697 %	27314,4477 litre	O
800	CM	150	CM	153 LEVEL CM	28994,2859 litre	51,273 %	27554,3819 litre	O
800	CM	150	CM	152 LEVEL CM	28754,3197 litre	50,849 %	27794,3481 litre	O
800	CM	150	CM	151 LEVEL CM	28514,3321 litre	50,424 %	28034,3357 litre	O
800	CM	150	CM	150 LEVEL CM	28274,3339 litre	50,000 %	28274,3339 litre	O
800	CM	150	CM	149 LEVEL CM	28034,3357 litre	49,576 %	28514,3321 litre	O
800	CM	150	CM	148 LEVEL CM	27794,3481 litre	49,151 %	28754,3197 litre	O
800	CM	150	CM	147 LEVEL CM	27554,3819 litre	48,727 %	28994,2859 litre	O
800	CM	150	CM	146 LEVEL CM	27314,4477 litre	48,303 %	29234,2201 litre	O
800	CM	150	CM	145 LEVEL CM	27074,5561 litre	47,878 %	29474,1117 litre	O
800	CM	150	CM	144 LEVEL CM	26834,7180 litre	47,454 %	29713,9498 litre	O
800	CM	150	CM	143 LEVEL CM	26594,9439 litre	47,030 %	29953,7239 litre	O

800	CM	150	CM	142 LEVEL CM	26355,2445 litre	46,606 %	30193,4233 litre	O
800	CM	150	CM	141 LEVEL CM	26115,6306 litre	46,183 %	30433,0372 litre	O
800	CM	150	CM	140 LEVEL CM	25876,1128 litre	45,759 %	30672,5550 litre	O
800	CM	150	CM	139 LEVEL CM	25636,7020 litre	45,336 %	30911,9658 litre	O
800	CM	150	CM	138 LEVEL CM	25397,4088 litre	44,912 %	31151,2590 litre	O
800	CM	150	CM	137 LEVEL CM	25158,2441 litre	44,490 %	31390,4237 litre	O
800	CM	150	CM	136 LEVEL CM	24919,2185 litre	44,067 %	31629,4493 litre	O
800	CM	150	CM	135 LEVEL CM	24680,3429 litre	43,644 %	31868,3249 litre	O
800	CM	150	CM	134 LEVEL CM	24441,6281 litre	43,222 %	32107,0397 litre	O
800	CM	150	CM	133 LEVEL CM	24203,0850 litre	42,800 %	32345,5828 litre	O
800	CM	150	CM	132 LEVEL CM	23964,7244 litre	42,379 %	32583,9434 litre	O
800	CM	150	CM	131 LEVEL CM	23726,5572 litre	41,958 %	32822,1106 litre	O
800	CM	150	CM	130 LEVEL CM	23488,5943 litre	41,537 %	33060,0735 litre	O
800	CM	150	CM	129 LEVEL CM	23250,8466 litre	41,117 %	33297,8212 litre	O
800	CM	150	CM	128 LEVEL CM	23013,3252 litre	40,696 %	33535,3426 litre	O
800	CM	150	CM	127 LEVEL CM	22776,0410 litre	40,277 %	33772,6268 litre	O
800	CM	150	CM	126 LEVEL CM	22539,0051 litre	39,858 %	34009,6627 litre	O
800	CM	150	CM	125 LEVEL CM	22302,2286 litre	39,439 %	34246,4392 litre	O
800	CM	150	CM	124 LEVEL CM	22065,7225 litre	39,021 %	34482,9453 litre	O
800	CM	150	CM	123 LEVEL CM	21829,4979 litre	38,603 %	34719,1699 litre	O
800	CM	150	CM	122 LEVEL CM	21593,5662 litre	38,186 %	34955,1016 litre	O
800	CM	150	CM	121 LEVEL CM	21357,9385 litre	37,769 %	35190,7293 litre	O
800	CM	150	CM	120 LEVEL CM	21122,6261 litre	37,353 %	35426,0417 litre	O
800	CM	150	CM	119 LEVEL CM	20887,6403 litre	36,937 %	35661,0275 litre	O
800	CM	150	CM	118 LEVEL CM	20652,9924 litre	36,523 %	35895,6754 litre	O
800	CM	150	CM	117 LEVEL CM	20418,6939 litre	36,108 %	36129,9739 litre	O
800	CM	150	CM	116 LEVEL CM	20184,7563 litre	35,694 %	36363,9115 litre	O
800	CM	150	CM	115 LEVEL CM	19951,1910 litre	35,281 %	36597,4768 litre	O
800	CM	150	CM	114 LEVEL CM	19718,0097 litre	34,869 %	36830,6581 litre	O
800	CM	150	CM	113 LEVEL CM	19485,2239 litre	34,457 %	37063,4439 litre	O
800	CM	150	CM	112 LEVEL CM	19252,8454 litre	34,047 %	37295,8224 litre	O
800	CM	150	CM	111 LEVEL CM	19020,8859 litre	33,636 %	37527,7819 litre	O
800	CM	150	CM	110 LEVEL CM	18789,3572 litre	33,227 %	37759,3106 litre	O
800	CM	150	CM	109 LEVEL CM	18558,2712 litre	32,818 %	37990,3966 litre	O
800	CM	150	CM	108 LEVEL CM	18327,6399 litre	32,410 %	38221,0279 litre	O
800	CM	150	CM	107 LEVEL CM	18097,4753 litre	32,003 %	38451,1925 litre	O
800	CM	150	CM	106 LEVEL CM	17867,7894 litre	31,597 %	38680,8784 litre	O
800	CM	150	CM	105 LEVEL CM	17638,5944 litre	31,192 %	38910,0734 litre	O
800	CM	150	CM	104 LEVEL CM	17409,9027 litre	30,787 %	39138,7651 litre	O
800	CM	150	CM	103 LEVEL CM	17181,7264 litre	30,384 %	39366,9414 litre	O
800	CM	150	CM	102 LEVEL CM	16954,0781 litre	29,981 %	39594,5897 litre	O
800	CM	150	CM	101 LEVEL CM	16726,9702 litre	29,580 %	39821,6976 litre	O
800	CM	150	CM	100 LEVEL CM	16500,4153 litre	29,179 %	40048,2525 litre	O
800	CM	150	CM	99 LEVEL CM	16274,4261 litre	28,780 %	40274,2417 litre	O
800	CM	150	CM	98 LEVEL CM	16049,0153 litre	28,381 %	40499,6525 litre	O
800	CM	150	CM	97 LEVEL CM	15824,1959 litre	27,983 %	40724,4719 litre	O
800	CM	150	CM	96 LEVEL CM	15599,9809 litre	27,587 %	40948,6869 litre	O
800	CM	150	CM	95 LEVEL CM	15376,3832 litre	27,191 %	41172,2846 litre	O
800	CM	150	CM	94 LEVEL CM	15153,4161 litre	26,797 %	41395,2517 litre	O
800	CM	150	CM	93 LEVEL CM	14931,0930 litre	26,404 %	41617,5748 litre	O
800	CM	150	CM	92 LEVEL CM	14709,4271 litre	26,012 %	41839,2407 litre	O
800	CM	150	CM	91 LEVEL CM	14488,4321 litre	25,621 %	42060,2357 litre	O
800	CM	150	CM	90 LEVEL CM	14268,1217 litre	25,232 %	42280,5461 litre	O

800	CM	150	CM	89 LEVEL CM	14048,5095 litre	24,843 %	42500,1583 litre	O
800	CM	150	CM	88 LEVEL CM	13829,6095 litre	24,456 %	42719,0583 litre	O
800	CM	150	CM	87 LEVEL CM	13611,4359 litre	24,070 %	42937,2319 litre	O
800	CM	150	CM	86 LEVEL CM	13394,0027 litre	23,686 %	43154,6651 litre	O
800	CM	150	CM	85 LEVEL CM	13177,3244 litre	23,303 %	43371,3434 litre	O
800	CM	150	CM	84 LEVEL CM	12961,4154 litre	22,921 %	43587,2524 litre	O
800	CM	150	CM	83 LEVEL CM	12746,2904 litre	22,540 %	43802,3774 litre	O
800	CM	150	CM	82 LEVEL CM	12531,9642 litre	22,161 %	44016,7036 litre	O
800	CM	150	CM	81 LEVEL CM	12318,4517 litre	21,784 %	44230,2161 litre	O
800	CM	150	CM	80 LEVEL CM	12105,7682 litre	21,408 %	44442,8996 litre	O
800	CM	150	CM	79 LEVEL CM	11893,9289 litre	21,033 %	44654,7389 litre	O
800	CM	150	CM	78 LEVEL CM	11682,9493 litre	20,660 %	44865,7185 litre	O
800	CM	150	CM	77 LEVEL CM	11472,8452 litre	20,288 %	45075,8226 litre	O
800	CM	150	CM	76 LEVEL CM	11263,6325 litre	19,918 %	45285,0353 litre	O
800	CM	150	CM	75 LEVEL CM	11055,3273 litre	19,550 %	45493,3405 litre	O
800	CM	150	CM	74 LEVEL CM	10847,9458 litre	19,183 %	45700,7220 litre	O
800	CM	150	CM	73 LEVEL CM	10641,5047 litre	18,818 %	45907,1631 litre	O
800	CM	150	CM	72 LEVEL CM	10436,0206 litre	18,455 %	46112,6472 litre	O
800	CM	150	CM	71 LEVEL CM	10231,5106 litre	18,093 %	46317,1572 litre	O
800	CM	150	CM	70 LEVEL CM	10027,9919 litre	17,733 %	46520,6759 litre	O
800	CM	150	CM	69 LEVEL CM	9825,4820 litre	17,375 %	46723,1858 litre	O
800	CM	150	CM	68 LEVEL CM	9623,9986 litre	17,019 %	46924,6692 litre	O
800	CM	150	CM	67 LEVEL CM	9423,5599 litre	16,665 %	47125,1079 litre	O
800	CM	150	CM	66 LEVEL CM	9224,1840 litre	16,312 %	47324,4838 litre	O
800	CM	150	CM	65 LEVEL CM	9025,8897 litre	15,961 %	47522,7781 litre	O
800	CM	150	CM	64 LEVEL CM	8828,6957 litre	15,613 %	47719,9721 litre	O
800	CM	150	CM	63 LEVEL CM	8632,6215 litre	15,266 %	47916,0463 litre	O
800	CM	150	CM	62 LEVEL CM	8437,6864 litre	14,921 %	48110,9814 litre	O
800	CM	150	CM	61 LEVEL CM	8243,9105 litre	14,578 %	48304,7573 litre	O
800	CM	150	CM	60 LEVEL CM	8051,3139 litre	14,238 %	48497,3539 litre	O
800	CM	150	CM	59 LEVEL CM	7859,9174 litre	13,899 %	48688,7504 litre	O
800	CM	150	CM	58 LEVEL CM	7669,7420 litre	13,563 %	48878,9258 litre	O
800	CM	150	CM	57 LEVEL CM	7480,8090 litre	13,229 %	49067,8588 litre	O
800	CM	150	CM	56 LEVEL CM	7293,1405 litre	12,897 %	49255,5273 litre	O
800	CM	150	CM	55 LEVEL CM	7106,7586 litre	12,568 %	49441,9092 litre	O
800	CM	150	CM	54 LEVEL CM	6921,6862 litre	12,240 %	49626,9816 litre	O
800	CM	150	CM	53 LEVEL CM	6737,9465 litre	11,915 %	49810,7213 litre	O
800	CM	150	CM	52 LEVEL CM	6555,5633 litre	11,593 %	49993,1045 litre	O
800	CM	150	CM	51 LEVEL CM	6374,5609 litre	11,273 %	50174,1069 litre	O
800	CM	150	CM	50 LEVEL CM	6194,9642 litre	10,955 %	50353,7036 litre	O
800	CM	150	CM	49 LEVEL CM	6016,7986 litre	10,640 %	50531,8692 litre	O
800	CM	150	CM	48 LEVEL CM	5840,0902 litre	10,328 %	50708,5776 litre	O
800	CM	150	CM	47 LEVEL CM	5664,8658 litre	10,018 %	50883,8020 litre	O
800	CM	150	CM	46 LEVEL CM	5491,1527 litre	9,710 %	51057,5151 litre	O
800	CM	150	CM	45 LEVEL CM	5318,9791 litre	9,406 %	51229,6887 litre	O
800	CM	150	CM	44 LEVEL CM	5148,3739 litre	9,104 %	51400,2939 litre	O
800	CM	150	CM	43 LEVEL CM	4979,3668 litre	8,805 %	51569,3010 litre	O
800	CM	150	CM	42 LEVEL CM	4811,9883 litre	8,509 %	51736,6795 litre	O
800	CM	150	CM	41 LEVEL CM	4646,2699 litre	8,216 %	51902,3979 litre	O
800	CM	150	CM	40 LEVEL CM	4482,2440 litre	7,926 %	52066,4238 litre	O
800	CM	150	CM	39 LEVEL CM	4319,9439 litre	7,639 %	52228,7239 litre	O
800	CM	150	CM	38 LEVEL CM	4159,4043 litre	7,355 %	52389,2635 litre	O
800	CM	150	CM	37 LEVEL CM	4000,6608 litre	7,075 %	52548,0070 litre	O

800	CM	150	CM	36 LEVEL CM	3843,7502 litre	6,797 %	52704,9176 litre	O
800	CM	150	CM	35 LEVEL CM	3688,7107 litre	6,523 %	52859,9571 litre	O
800	CM	150	CM	34 LEVEL CM	3535,5819 litre	6,252 %	53013,0859 litre	O
800	CM	150	CM	33 LEVEL CM	3384,4048 litre	5,985 %	53164,2630 litre	O
800	CM	150	CM	32 LEVEL CM	3235,2222 litre	5,721 %	53313,4456 litre	O
800	CM	150	CM	31 LEVEL CM	3088,0785 litre	5,461 %	53460,5893 litre	O
800	CM	150	CM	30 LEVEL CM	2943,0200 litre	5,204 %	53605,6478 litre	O
800	CM	150	CM	29 LEVEL CM	2800,0949 litre	4,952 %	53748,5729 litre	O
800	CM	150	CM	28 LEVEL CM	2659,3540 litre	4,703 %	53889,3138 litre	O
800	CM	150	CM	27 LEVEL CM	2520,8500 litre	4,458 %	54027,8178 litre	O
800	CM	150	CM	26 LEVEL CM	2384,6385 litre	4,217 %	54164,0293 litre	O
800	CM	150	CM	25 LEVEL CM	2250,7778 litre	3,980 %	54297,8900 litre	O
800	CM	150	CM	24 LEVEL CM	2119,3295 litre	3,748 %	54429,3383 litre	O
800	CM	150	CM	23 LEVEL CM	1990,3586 litre	3,520 %	54558,3092 litre	O
800	CM	150	CM	22 LEVEL CM	1863,9338 litre	3,296 %	54684,7340 litre	O
800	CM	150	CM	21 LEVEL CM	1740,1281 litre	3,077 %	54808,5397 litre	O
800	CM	150	CM	20 LEVEL CM	1619,0194 litre	2,863 %	54929,6484 litre	O
800	CM	150	CM	19 LEVEL CM	1500,6907 litre	2,654 %	55047,9771 litre	O
800	CM	150	CM	18 LEVEL CM	1385,2311 litre	2,450 %	55163,4367 litre	O
800	CM	150	CM	17 LEVEL CM	1272,7366 litre	2,251 %	55275,9312 litre	O
800	CM	150	CM	16 LEVEL CM	1163,3107 litre	2,057 %	55385,3571 litre	O
800	CM	150	CM	15 LEVEL CM	1057,0663 litre	1,869 %	55491,6015 litre	O
800	CM	150	CM	14 LEVEL CM	954,1265 litre	1,687 %	55594,5413 litre	O
800	CM	150	CM	13 LEVEL CM	854,6268 litre	1,511 %	55694,0410 litre	O
800	CM	150	CM	12 LEVEL CM	758,7171 litre	1,342 %	55789,9507 litre	O
800	CM	150	CM	11 LEVEL CM	666,5651 litre	1,179 %	55882,1027 litre	O
800	CM	150	CM	10 LEVEL CM	578,3598 litre	1,023 %	55970,3080 litre	O
800	CM	150	CM	9 LEVEL CM	494,3168 litre	0,874 %	56054,3510 litre	O
800	CM	150	CM	8 LEVEL CM	414,6858 litre	0,733 %	56133,9820 litre	O
800	CM	150	CM	7 LEVEL CM	339,7604 litre	0,601 %	56208,9074 litre	O
800	CM	150	CM	6 LEVEL CM	269,8940 litre	0,477 %	56278,7738 litre	O
800	CM	150	CM	5 LEVEL CM	205,5232 litre	0,363 %	56343,1446 litre	O
800	CM	150	CM	4 LEVEL CM	147,2090 litre	0,260 %	56401,4588 litre	O
800	CM	150	CM	3 LEVEL CM	95,7115 litre	0,169 %	56452,9563 litre	O
800	CM	150	CM	2 LEVEL CM	52,1511 litre	0,092 %	56496,5167 litre	O
800	CM	150	CM	1 LEVEL CM	18,4567 litre	0,033 %	56530,2111 litre	O
800	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	56548,6678 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM 145	CM 290 LEVEL CM	52841,5884 litre	100,000 %	0,0000 litre	O
800	CM 145	CM 289 LEVEL CM	52823,4426 litre	99,966 %	18,1458 litre	O
800	CM 145	CM 288 LEVEL CM	52790,3174 litre	99,903 %	51,2710 litre	O
800	CM 145	CM 287 LEVEL CM	52747,4955 litre	99,822 %	94,0929 litre	O
800	CM 145	CM 286 LEVEL CM	52696,8738 litre	99,726 %	144,7146 litre	O
800	CM 145	CM 285 LEVEL CM	52639,5549 litre	99,618 %	202,0335 litre	O
800	CM 145	CM 284 LEVEL CM	52576,2865 litre	99,498 %	265,3019 litre	O
800	CM 145	CM 283 LEVEL CM	52507,6206 litre	99,368 %	333,9678 litre	O
800	CM 145	CM 282 LEVEL CM	52433,9872 litre	99,229 %	407,6012 litre	O
800	CM 145	CM 281 LEVEL CM	52355,7339 litre	99,081 %	485,8545 litre	O
800	CM 145	CM 280 LEVEL CM	52273,1502 litre	98,924 %	568,4382 litre	O
800	CM 145	CM 279 LEVEL CM	52186,4817 litre	98,760 %	655,1067 litre	O
800	CM 145	CM 278 LEVEL CM	52095,9409 litre	98,589 %	745,6475 litre	O
800	CM 145	CM 277 LEVEL CM	52001,7140 litre	98,411 %	839,8744 litre	O
800	CM 145	CM 276 LEVEL CM	51903,9661 litre	98,226 %	937,6223 litre	O
800	CM 145	CM 275 LEVEL CM	51802,8452 litre	98,034 %	1038,7432 litre	O
800	CM 145	CM 274 LEVEL CM	51698,4848 litre	97,837 %	1143,1036 litre	O
800	CM 145	CM 273 LEVEL CM	51591,0062 litre	97,633 %	1250,5822 litre	O
800	CM 145	CM 272 LEVEL CM	51480,5206 litre	97,424 %	1361,0678 litre	O
800	CM 145	CM 271 LEVEL CM	51367,1304 litre	97,210 %	1474,4580 litre	O
800	CM 145	CM 270 LEVEL CM	51250,9301 litre	96,990 %	1590,6583 litre	O
800	CM 145	CM 269 LEVEL CM	51132,0077 litre	96,765 %	1709,5807 litre	O
800	CM 145	CM 268 LEVEL CM	51010,4451 litre	96,535 %	1831,1433 litre	O
800	CM 145	CM 267 LEVEL CM	50886,3191 litre	96,300 %	1955,2693 litre	O
800	CM 145	CM 266 LEVEL CM	50759,7019 litre	96,060 %	2081,8865 litre	O
800	CM 145	CM 265 LEVEL CM	50630,6613 litre	95,816 %	2210,9271 litre	O
800	CM 145	CM 264 LEVEL CM	50499,2615 litre	95,567 %	2342,3269 litre	O
800	CM 145	CM 263 LEVEL CM	50365,5634 litre	95,314 %	2476,0250 litre	O
800	CM 145	CM 262 LEVEL CM	50229,6245 litre	95,057 %	2611,9639 litre	O
800	CM 145	CM 261 LEVEL CM	50091,4998 litre	94,796 %	2750,0886 litre	O
800	CM 145	CM 260 LEVEL CM	49951,2415 litre	94,530 %	2890,3469 litre	O
800	CM 145	CM 259 LEVEL CM	49808,8997 litre	94,261 %	3032,6887 litre	O
800	CM 145	CM 258 LEVEL CM	49664,5221 litre	93,988 %	3177,0663 litre	O
800	CM 145	CM 257 LEVEL CM	49518,1546 litre	93,711 %	3323,4338 litre	O
800	CM 145	CM 256 LEVEL CM	49369,8410 litre	93,430 %	3471,7474 litre	O
800	CM 145	CM 255 LEVEL CM	49219,6236 litre	93,146 %	3621,9648 litre	O
800	CM 145	CM 254 LEVEL CM	49067,5432 litre	92,858 %	3774,0452 litre	O
800	CM 145	CM 253 LEVEL CM	48913,6388 litre	92,567 %	3927,9496 litre	O
800	CM 145	CM 252 LEVEL CM	48757,9483 litre	92,272 %	4083,6401 litre	O
800	CM 145	CM 251 LEVEL CM	48600,5083 litre	91,974 %	4241,0801 litre	O
800	CM 145	CM 250 LEVEL CM	48441,3539 litre	91,673 %	4400,2345 litre	O
800	CM 145	CM 249 LEVEL CM	48280,5195 litre	91,368 %	4561,0689 litre	O
800	CM 145	CM 248 LEVEL CM	48118,0381 litre	91,061 %	4723,5503 litre	O
800	CM 145	CM 247 LEVEL CM	47953,9418 litre	90,750 %	4887,6466 litre	O
800	CM 145	CM 246 LEVEL CM	47788,2620 litre	90,437 %	5053,3264 litre	O
800	CM 145	CM 245 LEVEL CM	47621,0287 litre	90,120 %	5220,5597 litre	O
800	CM 145	CM 244 LEVEL CM	47452,2716 litre	89,801 %	5389,3168 litre	O
800	CM 145	CM 243 LEVEL CM	47282,0194 litre	89,479 %	5559,5690 litre	O
800	CM 145	CM 242 LEVEL CM	47110,2998 litre	89,154 %	5731,2886 litre	O
800	CM 145	CM 241 LEVEL CM	46937,1402 litre	88,826 %	5904,4482 litre	O
800	CM 145	CM 240 LEVEL CM	46762,5670 litre	88,496 %	6079,0214 litre	O
800	CM 145	CM 239 LEVEL CM	46586,6062 litre	88,163 %	6254,9822 litre	O

800	CM	145	CM	238 LEVEL CM	46409,2832 litre	87,827 %	6432,3052 litre	O
800	CM	145	CM	237 LEVEL CM	46230,6225 litre	87,489 %	6610,9659 litre	O
800	CM	145	CM	236 LEVEL CM	46050,6484 litre	87,148 %	6790,9400 litre	O
800	CM	145	CM	235 LEVEL CM	45869,3844 litre	86,805 %	6972,2040 litre	O
800	CM	145	CM	234 LEVEL CM	45686,8538 litre	86,460 %	7154,7346 litre	O
800	CM	145	CM	233 LEVEL CM	45503,0793 litre	86,112 %	7338,5091 litre	O
800	CM	145	CM	232 LEVEL CM	45318,0829 litre	85,762 %	7523,5055 litre	O
800	CM	145	CM	231 LEVEL CM	45131,8864 litre	85,410 %	7709,7020 litre	O
800	CM	145	CM	230 LEVEL CM	44944,5113 litre	85,055 %	7897,0771 litre	O
800	CM	145	CM	229 LEVEL CM	44755,9785 litre	84,698 %	8085,6099 litre	O
800	CM	145	CM	228 LEVEL CM	44566,3084 litre	84,339 %	8275,2800 litre	O
800	CM	145	CM	227 LEVEL CM	44375,5214 litre	83,978 %	8466,0670 litre	O
800	CM	145	CM	226 LEVEL CM	44183,6373 litre	83,615 %	8657,9511 litre	O
800	CM	145	CM	225 LEVEL CM	43990,6755 litre	83,250 %	8850,9129 litre	O
800	CM	145	CM	224 LEVEL CM	43796,6552 litre	82,883 %	9044,9332 litre	O
800	CM	145	CM	223 LEVEL CM	43601,5954 litre	82,514 %	9239,9930 litre	O
800	CM	145	CM	222 LEVEL CM	43405,5146 litre	82,143 %	9436,0738 litre	O
800	CM	145	CM	221 LEVEL CM	43208,4310 litre	81,770 %	9633,1574 litre	O
800	CM	145	CM	220 LEVEL CM	43010,3626 litre	81,395 %	9831,2258 litre	O
800	CM	145	CM	219 LEVEL CM	42811,3273 litre	81,018 %	10030,2611 litre	O
800	CM	145	CM	218 LEVEL CM	42611,3424 litre	80,640 %	10230,2460 litre	O
800	CM	145	CM	217 LEVEL CM	42410,4252 litre	80,260 %	10431,1632 litre	O
800	CM	145	CM	216 LEVEL CM	42208,5927 litre	79,878 %	10632,9957 litre	O
800	CM	145	CM	215 LEVEL CM	42005,8616 litre	79,494 %	10835,7268 litre	O
800	CM	145	CM	214 LEVEL CM	41802,2486 litre	79,109 %	11039,3398 litre	O
800	CM	145	CM	213 LEVEL CM	41597,7698 litre	78,722 %	11243,8186 litre	O
800	CM	145	CM	212 LEVEL CM	41392,4415 litre	78,333 %	11449,1469 litre	O
800	CM	145	CM	211 LEVEL CM	41186,2795 litre	77,943 %	11655,3089 litre	O
800	CM	145	CM	210 LEVEL CM	40979,2995 litre	77,551 %	11862,2889 litre	O
800	CM	145	CM	209 LEVEL CM	40771,5172 litre	77,158 %	12070,0712 litre	O
800	CM	145	CM	208 LEVEL CM	40562,9479 litre	76,763 %	12278,6405 litre	O
800	CM	145	CM	207 LEVEL CM	40353,6067 litre	76,367 %	12487,9817 litre	O
800	CM	145	CM	206 LEVEL CM	40143,5086 litre	75,970 %	12698,0798 litre	O
800	CM	145	CM	205 LEVEL CM	39932,6686 litre	75,571 %	12908,9198 litre	O
800	CM	145	CM	204 LEVEL CM	39721,1014 litre	75,170 %	13120,4870 litre	O
800	CM	145	CM	203 LEVEL CM	39508,8214 litre	74,768 %	13332,7670 litre	O
800	CM	145	CM	202 LEVEL CM	39295,8431 litre	74,365 %	13545,7453 litre	O
800	CM	145	CM	201 LEVEL CM	39082,1808 litre	73,961 %	13759,4076 litre	O
800	CM	145	CM	200 LEVEL CM	38867,8486 litre	73,555 %	13973,7398 litre	O
800	CM	145	CM	199 LEVEL CM	38652,8604 litre	73,149 %	14188,7280 litre	O
800	CM	145	CM	198 LEVEL CM	38437,2302 litre	72,740 %	14404,3582 litre	O
800	CM	145	CM	197 LEVEL CM	38220,9717 litre	72,331 %	14620,6167 litre	O
800	CM	145	CM	196 LEVEL CM	38004,0984 litre	71,921 %	14837,4900 litre	O
800	CM	145	CM	195 LEVEL CM	37786,6240 litre	71,509 %	15054,9644 litre	O
800	CM	145	CM	194 LEVEL CM	37568,5618 litre	71,097 %	15273,0266 litre	O
800	CM	145	CM	193 LEVEL CM	37349,9251 litre	70,683 %	15491,6633 litre	O
800	CM	145	CM	192 LEVEL CM	37130,7272 litre	70,268 %	15710,8612 litre	O
800	CM	145	CM	191 LEVEL CM	36910,9809 litre	69,852 %	15930,6075 litre	O
800	CM	145	CM	190 LEVEL CM	36690,6995 litre	69,435 %	16150,8889 litre	O
800	CM	145	CM	189 LEVEL CM	36469,8957 litre	69,017 %	16371,6927 litre	O
800	CM	145	CM	188 LEVEL CM	36248,5823 litre	68,599 %	16593,0061 litre	O
800	CM	145	CM	187 LEVEL CM	36026,7721 litre	68,179 %	16814,8163 litre	O
800	CM	145	CM	186 LEVEL CM	35804,4777 litre	67,758 %	17037,1107 litre	O

800	CM	145	CM	185 LEVEL CM	35581,7116 litre	67,337 %	17259,8768 litre	O
800	CM	145	CM	184 LEVEL CM	35358,4863 litre	66,914 %	17483,1021 litre	O
800	CM	145	CM	183 LEVEL CM	35134,8142 litre	66,491 %	17706,7742 litre	O
800	CM	145	CM	182 LEVEL CM	34910,7076 litre	66,067 %	17930,8808 litre	O
800	CM	145	CM	181 LEVEL CM	34686,1787 litre	65,642 %	18155,4097 litre	O
800	CM	145	CM	180 LEVEL CM	34461,2398 litre	65,216 %	18380,3486 litre	O
800	CM	145	CM	179 LEVEL CM	34235,9028 litre	64,790 %	18605,6856 litre	O
800	CM	145	CM	178 LEVEL CM	34010,1800 litre	64,363 %	18831,4084 litre	O
800	CM	145	CM	177 LEVEL CM	33784,0831 litre	63,935 %	19057,5053 litre	O
800	CM	145	CM	176 LEVEL CM	33557,6243 litre	63,506 %	19283,9641 litre	O
800	CM	145	CM	175 LEVEL CM	33330,8152 litre	63,077 %	19510,7732 litre	O
800	CM	145	CM	174 LEVEL CM	33103,6678 litre	62,647 %	19737,9206 litre	O
800	CM	145	CM	173 LEVEL CM	32876,1938 litre	62,217 %	19965,3946 litre	O
800	CM	145	CM	172 LEVEL CM	32648,4050 litre	61,785 %	20193,1834 litre	O
800	CM	145	CM	171 LEVEL CM	32420,3128 litre	61,354 %	20421,2756 litre	O
800	CM	145	CM	170 LEVEL CM	32191,9291 litre	60,922 %	20649,6593 litre	O
800	CM	145	CM	169 LEVEL CM	31963,2653 litre	60,489 %	20878,3231 litre	O
800	CM	145	CM	168 LEVEL CM	31734,3329 litre	60,056 %	21107,2555 litre	O
800	CM	145	CM	167 LEVEL CM	31505,1435 litre	59,622 %	21336,4449 litre	O
800	CM	145	CM	166 LEVEL CM	31275,7085 litre	59,188 %	21565,8799 litre	O
800	CM	145	CM	165 LEVEL CM	31046,0393 litre	58,753 %	21795,5491 litre	O
800	CM	145	CM	164 LEVEL CM	30816,1473 litre	58,318 %	22025,4411 litre	O
800	CM	145	CM	163 LEVEL CM	30586,0438 litre	57,883 %	22255,5446 litre	O
800	CM	145	CM	162 LEVEL CM	30355,7401 litre	57,447 %	22485,8483 litre	O
800	CM	145	CM	161 LEVEL CM	30125,2475 litre	57,010 %	22716,3409 litre	O
800	CM	145	CM	160 LEVEL CM	29894,5773 litre	56,574 %	22947,0111 litre	O
800	CM	145	CM	159 LEVEL CM	29663,7407 litre	56,137 %	23177,8477 litre	O
800	CM	145	CM	158 LEVEL CM	29432,7489 litre	55,700 %	23408,8395 litre	O
800	CM	145	CM	157 LEVEL CM	29201,6130 litre	55,263 %	23639,9754 litre	O
800	CM	145	CM	156 LEVEL CM	28970,3443 litre	54,825 %	23871,2441 litre	O
800	CM	145	CM	155 LEVEL CM	28738,9538 litre	54,387 %	24102,6346 litre	O
800	CM	145	CM	154 LEVEL CM	28507,4528 litre	53,949 %	24334,1356 litre	O
800	CM	145	CM	153 LEVEL CM	28275,8522 litre	53,511 %	24565,7362 litre	O
800	CM	145	CM	152 LEVEL CM	28044,1632 litre	53,072 %	24797,4252 litre	O
800	CM	145	CM	151 LEVEL CM	27812,3969 litre	52,634 %	25029,1915 litre	O
800	CM	145	CM	150 LEVEL CM	27580,5643 litre	52,195 %	25261,0241 litre	O
800	CM	145	CM	149 LEVEL CM	27348,6765 litre	51,756 %	25492,9119 litre	O
800	CM	145	CM	148 LEVEL CM	27116,7446 litre	51,317 %	25724,8438 litre	O
800	CM	145	CM	147 LEVEL CM	26884,7795 litre	50,878 %	25956,8089 litre	O
800	CM	145	CM	146 LEVEL CM	26652,7924 litre	50,439 %	26188,7960 litre	O
800	CM	145	CM	145 LEVEL CM	26420,7942 litre	50,000 %	26420,7942 litre	O
800	CM	145	CM	144 LEVEL CM	26188,7961 litre	49,561 %	26652,7923 litre	O
800	CM	145	CM	143 LEVEL CM	25956,8089 litre	49,122 %	26884,7795 litre	O
800	CM	145	CM	142 LEVEL CM	25724,8439 litre	48,683 %	27116,7445 litre	O
800	CM	145	CM	141 LEVEL CM	25492,9119 litre	48,244 %	27348,6765 litre	O
800	CM	145	CM	140 LEVEL CM	25261,0241 litre	47,805 %	27580,5643 litre	O
800	CM	145	CM	139 LEVEL CM	25029,1916 litre	47,366 %	27812,3968 litre	O
800	CM	145	CM	138 LEVEL CM	24797,4252 litre	46,928 %	28044,1632 litre	O
800	CM	145	CM	137 LEVEL CM	24565,7363 litre	46,489 %	28275,8521 litre	O
800	CM	145	CM	136 LEVEL CM	24334,1357 litre	46,051 %	28507,4527 litre	O
800	CM	145	CM	135 LEVEL CM	24102,6346 litre	45,613 %	28738,9538 litre	O
800	CM	145	CM	134 LEVEL CM	23871,2442 litre	45,175 %	28970,3442 litre	O
800	CM	145	CM	133 LEVEL CM	23639,9754 litre	44,737 %	29201,6130 litre	O

800	CM	145	CM	132 LEVEL CM	23408,8396 litre	44,300 %	29432,7488 litre	O
800	CM	145	CM	131 LEVEL CM	23177,8477 litre	43,863 %	29663,7407 litre	O
800	CM	145	CM	130 LEVEL CM	22947,0111 litre	43,426 %	29894,5773 litre	O
800	CM	145	CM	129 LEVEL CM	22716,3409 litre	42,990 %	30125,2475 litre	O
800	CM	145	CM	128 LEVEL CM	22485,8483 litre	42,553 %	30355,7401 litre	O
800	CM	145	CM	127 LEVEL CM	22255,5447 litre	42,117 %	30586,0437 litre	O
800	CM	145	CM	126 LEVEL CM	22025,4412 litre	41,682 %	30816,1472 litre	O
800	CM	145	CM	125 LEVEL CM	21795,5491 litre	41,247 %	31046,0393 litre	O
800	CM	145	CM	124 LEVEL CM	21565,8799 litre	40,812 %	31275,7085 litre	O
800	CM	145	CM	123 LEVEL CM	21336,4449 litre	40,378 %	31505,1435 litre	O
800	CM	145	CM	122 LEVEL CM	21107,2555 litre	39,944 %	31734,3329 litre	O
800	CM	145	CM	121 LEVEL CM	20878,3232 litre	39,511 %	31963,2652 litre	O
800	CM	145	CM	120 LEVEL CM	20649,6594 litre	39,078 %	32191,9290 litre	O
800	CM	145	CM	119 LEVEL CM	20421,2756 litre	38,646 %	32420,3128 litre	O
800	CM	145	CM	118 LEVEL CM	20193,1835 litre	38,215 %	32648,4049 litre	O
800	CM	145	CM	117 LEVEL CM	19965,3946 litre	37,783 %	32876,1938 litre	O
800	CM	145	CM	116 LEVEL CM	19737,9206 litre	37,353 %	33103,6678 litre	O
800	CM	145	CM	115 LEVEL CM	19510,7732 litre	36,923 %	33330,8152 litre	O
800	CM	145	CM	114 LEVEL CM	19283,9642 litre	36,494 %	33557,6242 litre	O
800	CM	145	CM	113 LEVEL CM	19057,5053 litre	36,065 %	33784,0831 litre	O
800	CM	145	CM	112 LEVEL CM	18831,4085 litre	35,637 %	34010,1799 litre	O
800	CM	145	CM	111 LEVEL CM	18605,6856 litre	35,210 %	34235,9028 litre	O
800	CM	145	CM	110 LEVEL CM	18380,3487 litre	34,784 %	34461,2397 litre	O
800	CM	145	CM	109 LEVEL CM	18155,4097 litre	34,358 %	34686,1787 litre	O
800	CM	145	CM	108 LEVEL CM	17930,8809 litre	33,933 %	34910,7075 litre	O
800	CM	145	CM	107 LEVEL CM	17706,7742 litre	33,509 %	35134,8142 litre	O
800	CM	145	CM	106 LEVEL CM	17483,1021 litre	33,086 %	35358,4863 litre	O
800	CM	145	CM	105 LEVEL CM	17259,8769 litre	32,663 %	35581,7115 litre	O
800	CM	145	CM	104 LEVEL CM	17037,1108 litre	32,242 %	35804,4776 litre	O
800	CM	145	CM	103 LEVEL CM	16814,8163 litre	31,821 %	36026,7721 litre	O
800	CM	145	CM	102 LEVEL CM	16593,0061 litre	31,401 %	36248,5823 litre	O
800	CM	145	CM	101 LEVEL CM	16371,6928 litre	30,983 %	36469,8956 litre	O
800	CM	145	CM	100 LEVEL CM	16150,8890 litre	30,565 %	36690,6994 litre	O
800	CM	145	CM	99 LEVEL CM	15930,6075 litre	30,148 %	36910,9809 litre	O
800	CM	145	CM	98 LEVEL CM	15710,8613 litre	29,732 %	37130,7271 litre	O
800	CM	145	CM	97 LEVEL CM	15491,6633 litre	29,317 %	37349,9251 litre	O
800	CM	145	CM	96 LEVEL CM	15273,0266 litre	28,903 %	37568,5618 litre	O
800	CM	145	CM	95 LEVEL CM	15054,9644 litre	28,491 %	37786,6240 litre	O
800	CM	145	CM	94 LEVEL CM	14837,4900 litre	28,079 %	38004,0984 litre	O
800	CM	145	CM	93 LEVEL CM	14620,6168 litre	27,669 %	38220,9716 litre	O
800	CM	145	CM	92 LEVEL CM	14404,3582 litre	27,260 %	38437,2302 litre	O
800	CM	145	CM	91 LEVEL CM	14188,7280 litre	26,851 %	38652,8604 litre	O
800	CM	145	CM	90 LEVEL CM	13973,7399 litre	26,445 %	38867,8485 litre	O
800	CM	145	CM	89 LEVEL CM	13759,4076 litre	26,039 %	39082,1808 litre	O
800	CM	145	CM	88 LEVEL CM	13545,7453 litre	25,635 %	39295,8431 litre	O
800	CM	145	CM	87 LEVEL CM	13332,7670 litre	25,232 %	39508,8214 litre	O
800	CM	145	CM	86 LEVEL CM	13120,4870 litre	24,830 %	39721,1014 litre	O
800	CM	145	CM	85 LEVEL CM	12908,9198 litre	24,429 %	39932,6686 litre	O
800	CM	145	CM	84 LEVEL CM	12698,0798 litre	24,030 %	40143,5086 litre	O
800	CM	145	CM	83 LEVEL CM	12487,9818 litre	23,633 %	40353,6066 litre	O
800	CM	145	CM	82 LEVEL CM	12278,6406 litre	23,237 %	40562,9478 litre	O
800	CM	145	CM	81 LEVEL CM	12070,0712 litre	22,842 %	40771,5172 litre	O
800	CM	145	CM	80 LEVEL CM	11862,2889 litre	22,449 %	40979,2995 litre	O

800	CM	145	CM	79 LEVEL CM	11655,3090 litre	22,057 %	41186,2794 litre	O
800	CM	145	CM	78 LEVEL CM	11449,1470 litre	21,667 %	41392,4414 litre	O
800	CM	145	CM	77 LEVEL CM	11243,8186 litre	21,278 %	41597,7698 litre	O
800	CM	145	CM	76 LEVEL CM	11039,3399 litre	20,891 %	41802,2485 litre	O
800	CM	145	CM	75 LEVEL CM	10835,7268 litre	20,506 %	42005,8616 litre	O
800	CM	145	CM	74 LEVEL CM	10632,9957 litre	20,122 %	42208,5927 litre	O
800	CM	145	CM	73 LEVEL CM	10431,1632 litre	19,740 %	42410,4252 litre	O
800	CM	145	CM	72 LEVEL CM	10230,2460 litre	19,360 %	42611,3424 litre	O
800	CM	145	CM	71 LEVEL CM	10030,2612 litre	18,982 %	42811,3272 litre	O
800	CM	145	CM	70 LEVEL CM	9831,2258 litre	18,605 %	43010,3626 litre	O
800	CM	145	CM	69 LEVEL CM	9633,1575 litre	18,230 %	43208,4309 litre	O
800	CM	145	CM	68 LEVEL CM	9436,0739 litre	17,857 %	43405,5145 litre	O
800	CM	145	CM	67 LEVEL CM	9239,9930 litre	17,486 %	43601,5954 litre	O
800	CM	145	CM	66 LEVEL CM	9044,9332 litre	17,117 %	43796,6552 litre	O
800	CM	145	CM	65 LEVEL CM	8850,9129 litre	16,750 %	43990,6755 litre	O
800	CM	145	CM	64 LEVEL CM	8657,9512 litre	16,385 %	44183,6372 litre	O
800	CM	145	CM	63 LEVEL CM	8466,0670 litre	16,022 %	44375,5214 litre	O
800	CM	145	CM	62 LEVEL CM	8275,2800 litre	15,661 %	44566,3084 litre	O
800	CM	145	CM	61 LEVEL CM	8085,6100 litre	15,302 %	44755,9784 litre	O
800	CM	145	CM	60 LEVEL CM	7897,0771 litre	14,945 %	44944,5113 litre	O
800	CM	145	CM	59 LEVEL CM	7709,7020 litre	14,590 %	45131,8864 litre	O
800	CM	145	CM	58 LEVEL CM	7523,5056 litre	14,238 %	45318,0828 litre	O
800	CM	145	CM	57 LEVEL CM	7338,5092 litre	13,888 %	45503,0792 litre	O
800	CM	145	CM	56 LEVEL CM	7154,7346 litre	13,540 %	45686,8538 litre	O
800	CM	145	CM	55 LEVEL CM	6972,2040 litre	13,195 %	45869,3844 litre	O
800	CM	145	CM	54 LEVEL CM	6790,9401 litre	12,852 %	46050,6483 litre	O
800	CM	145	CM	53 LEVEL CM	6610,9659 litre	12,511 %	46230,6225 litre	O
800	CM	145	CM	52 LEVEL CM	6432,3053 litre	12,173 %	46409,2831 litre	O
800	CM	145	CM	51 LEVEL CM	6254,9822 litre	11,837 %	46586,6062 litre	O
800	CM	145	CM	50 LEVEL CM	6079,0214 litre	11,504 %	46762,5670 litre	O
800	CM	145	CM	49 LEVEL CM	5904,4483 litre	11,174 %	46937,1401 litre	O
800	CM	145	CM	48 LEVEL CM	5731,2886 litre	10,846 %	47110,2998 litre	O
800	CM	145	CM	47 LEVEL CM	5559,5691 litre	10,521 %	47282,0193 litre	O
800	CM	145	CM	46 LEVEL CM	5389,3168 litre	10,199 %	47452,2716 litre	O
800	CM	145	CM	45 LEVEL CM	5220,5597 litre	9,880 %	47621,0287 litre	O
800	CM	145	CM	44 LEVEL CM	5053,3265 litre	9,563 %	47788,2619 litre	O
800	CM	145	CM	43 LEVEL CM	4887,6466 litre	9,250 %	47953,9418 litre	O
800	CM	145	CM	42 LEVEL CM	4723,5504 litre	8,939 %	48118,0380 litre	O
800	CM	145	CM	41 LEVEL CM	4561,0690 litre	8,632 %	48280,5194 litre	O
800	CM	145	CM	40 LEVEL CM	4400,2345 litre	8,327 %	48441,3539 litre	O
800	CM	145	CM	39 LEVEL CM	4241,0802 litre	8,026 %	48600,5082 litre	O
800	CM	145	CM	38 LEVEL CM	4083,6401 litre	7,728 %	48757,9483 litre	O
800	CM	145	CM	37 LEVEL CM	3927,9496 litre	7,433 %	48913,6388 litre	O
800	CM	145	CM	36 LEVEL CM	3774,0453 litre	7,142 %	49067,5431 litre	O
800	CM	145	CM	35 LEVEL CM	3621,9648 litre	6,854 %	49219,6236 litre	O
800	CM	145	CM	34 LEVEL CM	3471,7475 litre	6,570 %	49369,8409 litre	O
800	CM	145	CM	33 LEVEL CM	3323,4339 litre	6,289 %	49518,1545 litre	O
800	CM	145	CM	32 LEVEL CM	3177,0663 litre	6,012 %	49664,5221 litre	O
800	CM	145	CM	31 LEVEL CM	3032,6887 litre	5,739 %	49808,8997 litre	O
800	CM	145	CM	30 LEVEL CM	2890,3469 litre	5,470 %	49951,2415 litre	O
800	CM	145	CM	29 LEVEL CM	2750,0886 litre	5,204 %	50091,4998 litre	O
800	CM	145	CM	28 LEVEL CM	2611,9639 litre	4,943 %	50229,6245 litre	O
800	CM	145	CM	27 LEVEL CM	2476,0251 litre	4,686 %	50365,5633 litre	O

800	CM	145	CM	26 LEVEL CM	2342,3269 litre	4,433 %	50499,2615 litre	O
800	CM	145	CM	25 LEVEL CM	2210,9271 litre	4,184 %	50630,6613 litre	O
800	CM	145	CM	24 LEVEL CM	2081,8866 litre	3,940 %	50759,7018 litre	O
800	CM	145	CM	23 LEVEL CM	1955,2693 litre	3,700 %	50886,3191 litre	O
800	CM	145	CM	22 LEVEL CM	1831,1434 litre	3,465 %	51010,4450 litre	O
800	CM	145	CM	21 LEVEL CM	1709,5808 litre	3,235 %	51132,0076 litre	O
800	CM	145	CM	20 LEVEL CM	1590,6583 litre	3,010 %	51250,9301 litre	O
800	CM	145	CM	19 LEVEL CM	1474,4580 litre	2,790 %	51367,1304 litre	O
800	CM	145	CM	18 LEVEL CM	1361,0678 litre	2,576 %	51480,5206 litre	O
800	CM	145	CM	17 LEVEL CM	1250,5822 litre	2,367 %	51591,0062 litre	O
800	CM	145	CM	16 LEVEL CM	1143,1036 litre	2,163 %	51698,4848 litre	O
800	CM	145	CM	15 LEVEL CM	1038,7432 litre	1,966 %	51802,8452 litre	O
800	CM	145	CM	14 LEVEL CM	937,6223 litre	1,774 %	51903,9661 litre	O
800	CM	145	CM	13 LEVEL CM	839,8745 litre	1,589 %	52001,7139 litre	O
800	CM	145	CM	12 LEVEL CM	745,6476 litre	1,411 %	52095,9408 litre	O
800	CM	145	CM	11 LEVEL CM	655,1068 litre	1,240 %	52186,4816 litre	O
800	CM	145	CM	10 LEVEL CM	568,4382 litre	1,076 %	52273,1502 litre	O
800	CM	145	CM	9 LEVEL CM	485,8545 litre	0,919 %	52355,7339 litre	O
800	CM	145	CM	8 LEVEL CM	407,6013 litre	0,771 %	52433,9871 litre	O
800	CM	145	CM	7 LEVEL CM	333,9679 litre	0,632 %	52507,6205 litre	O
800	CM	145	CM	6 LEVEL CM	265,3020 litre	0,502 %	52576,2864 litre	O
800	CM	145	CM	5 LEVEL CM	202,0336 litre	0,382 %	52639,5548 litre	O
800	CM	145	CM	4 LEVEL CM	144,7146 litre	0,274 %	52696,8738 litre	O
800	CM	145	CM	3 LEVEL CM	94,0930 litre	0,178 %	52747,4954 litre	O
800	CM	145	CM	2 LEVEL CM	51,2710 litre	0,097 %	52790,3174 litre	O
800	CM	145	CM	1 LEVEL CM	18,1459 litre	0,034 %	52823,4425 litre	O
800	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	52841,5884 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM 140	CM 280 LEVEL CM	49260,1728 litre	100,000 %	0,0000 litre	O
800	CM 140	CM 279 LEVEL CM	49242,3432 litre	99,964 %	17,8296 litre	O
800	CM 140	CM 278 LEVEL CM	49209,7972 litre	99,898 %	50,3756 litre	O
800	CM 140	CM 277 LEVEL CM	49167,7267 litre	99,812 %	92,4461 litre	O
800	CM 140	CM 276 LEVEL CM	49117,9964 litre	99,711 %	142,1764 litre	O
800	CM 140	CM 275 LEVEL CM	49061,6902 litre	99,597 %	198,4826 litre	O
800	CM 140	CM 274 LEVEL CM	48999,5437 litre	99,471 %	260,6291 litre	O
800	CM 140	CM 273 LEVEL CM	48932,0998 litre	99,334 %	328,0730 litre	O
800	CM 140	CM 272 LEVEL CM	48859,7814 litre	99,187 %	400,3914 litre	O
800	CM 140	CM 271 LEVEL CM	48782,9307 litre	99,031 %	477,2421 litre	O
800	CM 140	CM 270 LEVEL CM	48701,8324 litre	98,867 %	558,3404 litre	O
800	CM 140	CM 269 LEVEL CM	48616,7285 litre	98,694 %	643,4443 litre	O
800	CM 140	CM 268 LEVEL CM	48527,8280 litre	98,513 %	732,3448 litre	O
800	CM 140	CM 267 LEVEL CM	48435,3145 litre	98,326 %	824,8583 litre	O
800	CM 140	CM 266 LEVEL CM	48339,3506 litre	98,131 %	920,8222 litre	O
800	CM 140	CM 265 LEVEL CM	48240,0819 litre	97,929 %	1020,0909 litre	O
800	CM 140	CM 264 LEVEL CM	48137,6400 litre	97,721 %	1122,5328 litre	O
800	CM 140	CM 263 LEVEL CM	48032,1446 litre	97,507 %	1228,0282 litre	O
800	CM 140	CM 262 LEVEL CM	47923,7053 litre	97,287 %	1336,4675 litre	O
800	CM 140	CM 261 LEVEL CM	47812,4229 litre	97,061 %	1447,7499 litre	O
800	CM 140	CM 260 LEVEL CM	47698,3907 litre	96,830 %	1561,7821 litre	O
800	CM 140	CM 259 LEVEL CM	47581,6955 litre	96,593 %	1678,4773 litre	O
800	CM 140	CM 258 LEVEL CM	47462,4181 litre	96,350 %	1797,7547 litre	O
800	CM 140	CM 257 LEVEL CM	47340,6344 litre	96,103 %	1919,5384 litre	O
800	CM 140	CM 256 LEVEL CM	47216,4154 litre	95,851 %	2043,7574 litre	O
800	CM 140	CM 255 LEVEL CM	47089,8283 litre	95,594 %	2170,3445 litre	O
800	CM 140	CM 254 LEVEL CM	46960,9365 litre	95,332 %	2299,2363 litre	O
800	CM 140	CM 253 LEVEL CM	46829,7998 litre	95,066 %	2430,3730 litre	O
800	CM 140	CM 252 LEVEL CM	46696,4754 litre	94,796 %	2563,6974 litre	O
800	CM 140	CM 251 LEVEL CM	46561,0175 litre	94,521 %	2699,1553 litre	O
800	CM 140	CM 250 LEVEL CM	46423,4777 litre	94,241 %	2836,6951 litre	O
800	CM 140	CM 249 LEVEL CM	46283,9054 litre	93,958 %	2976,2674 litre	O
800	CM 140	CM 248 LEVEL CM	46142,3480 litre	93,671 %	3117,8248 litre	O
800	CM 140	CM 247 LEVEL CM	45998,8507 litre	93,379 %	3261,3221 litre	O
800	CM 140	CM 246 LEVEL CM	45853,4570 litre	93,084 %	3406,7158 litre	O
800	CM 140	CM 245 LEVEL CM	45706,2087 litre	92,785 %	3553,9641 litre	O
800	CM 140	CM 244 LEVEL CM	45557,1460 litre	92,483 %	3703,0268 litre	O
800	CM 140	CM 243 LEVEL CM	45406,3078 litre	92,177 %	3853,8650 litre	O
800	CM 140	CM 242 LEVEL CM	45253,7314 litre	91,867 %	4006,4414 litre	O
800	CM 140	CM 241 LEVEL CM	45099,4531 litre	91,554 %	4160,7197 litre	O
800	CM 140	CM 240 LEVEL CM	44943,5079 litre	91,237 %	4316,6649 litre	O
800	CM 140	CM 239 LEVEL CM	44785,9296 litre	90,917 %	4474,2432 litre	O
800	CM 140	CM 238 LEVEL CM	44626,7510 litre	90,594 %	4633,4218 litre	O
800	CM 140	CM 237 LEVEL CM	44466,0040 litre	90,268 %	4794,1688 litre	O
800	CM 140	CM 236 LEVEL CM	44303,7196 litre	89,938 %	4956,4532 litre	O
800	CM 140	CM 235 LEVEL CM	44139,9278 litre	89,606 %	5120,2450 litre	O
800	CM 140	CM 234 LEVEL CM	43974,6578 litre	89,270 %	5285,5150 litre	O
800	CM 140	CM 233 LEVEL CM	43807,9381 litre	88,932 %	5452,2347 litre	O
800	CM 140	CM 232 LEVEL CM	43639,7964 litre	88,590 %	5620,3764 litre	O
800	CM 140	CM 231 LEVEL CM	43470,2598 litre	88,246 %	5789,9130 litre	O
800	CM 140	CM 230 LEVEL CM	43299,3546 litre	87,899 %	5960,8182 litre	O
800	CM 140	CM 229 LEVEL CM	43127,1065 litre	87,550 %	6133,0663 litre	O

800	CM	140	CM	228 LEVEL CM	42953,5407 litre	87,197 %	6306,6321 litre	O
800	CM	140	CM	227 LEVEL CM	42778,6818 litre	86,842 %	6481,4910 litre	O
800	CM	140	CM	226 LEVEL CM	42602,5537 litre	86,485 %	6657,6191 litre	O
800	CM	140	CM	225 LEVEL CM	42425,1801 litre	86,125 %	6834,9927 litre	O
800	CM	140	CM	224 LEVEL CM	42246,5838 litre	85,762 %	7013,5890 litre	O
800	CM	140	CM	223 LEVEL CM	42066,7875 litre	85,397 %	7193,3853 litre	O
800	CM	140	CM	222 LEVEL CM	41885,8133 litre	85,030 %	7374,3595 litre	O
800	CM	140	CM	221 LEVEL CM	41703,6828 litre	84,660 %	7556,4900 litre	O
800	CM	140	CM	220 LEVEL CM	41520,4173 litre	84,288 %	7739,7555 litre	O
800	CM	140	CM	219 LEVEL CM	41336,0376 litre	83,914 %	7924,1352 litre	O
800	CM	140	CM	218 LEVEL CM	41150,5644 litre	83,537 %	8109,6084 litre	O
800	CM	140	CM	217 LEVEL CM	40964,0176 litre	83,158 %	8296,1552 litre	O
800	CM	140	CM	216 LEVEL CM	40776,4172 litre	82,778 %	8483,7556 litre	O
800	CM	140	CM	215 LEVEL CM	40587,7824 litre	82,395 %	8672,3904 litre	O
800	CM	140	CM	214 LEVEL CM	40398,1326 litre	82,010 %	8862,0402 litre	O
800	CM	140	CM	213 LEVEL CM	40207,4865 litre	81,623 %	9052,6863 litre	O
800	CM	140	CM	212 LEVEL CM	40015,8626 litre	81,234 %	9244,3102 litre	O
800	CM	140	CM	211 LEVEL CM	39823,2792 litre	80,843 %	9436,8936 litre	O
800	CM	140	CM	210 LEVEL CM	39629,7544 litre	80,450 %	9630,4184 litre	O
800	CM	140	CM	209 LEVEL CM	39435,3057 litre	80,055 %	9824,8671 litre	O
800	CM	140	CM	208 LEVEL CM	39239,9508 litre	79,659 %	10020,2220 litre	O
800	CM	140	CM	207 LEVEL CM	39043,7067 litre	79,260 %	10216,4661 litre	O
800	CM	140	CM	206 LEVEL CM	38846,5906 litre	78,860 %	10413,5822 litre	O
800	CM	140	CM	205 LEVEL CM	38648,6192 litre	78,458 %	10611,5536 litre	O
800	CM	140	CM	204 LEVEL CM	38449,8090 litre	78,055 %	10810,3638 litre	O
800	CM	140	CM	203 LEVEL CM	38250,1764 litre	77,649 %	11009,9964 litre	O
800	CM	140	CM	202 LEVEL CM	38049,7376 litre	77,242 %	11210,4352 litre	O
800	CM	140	CM	201 LEVEL CM	37848,5084 litre	76,834 %	11411,6644 litre	O
800	CM	140	CM	200 LEVEL CM	37646,5047 litre	76,424 %	11613,6681 litre	O
800	CM	140	CM	199 LEVEL CM	37443,7420 litre	76,012 %	11816,4308 litre	O
800	CM	140	CM	198 LEVEL CM	37240,2358 litre	75,599 %	12019,9370 litre	O
800	CM	140	CM	197 LEVEL CM	37036,0013 litre	75,184 %	12224,1715 litre	O
800	CM	140	CM	196 LEVEL CM	36831,0535 litre	74,768 %	12429,1193 litre	O
800	CM	140	CM	195 LEVEL CM	36625,4074 litre	74,351 %	12634,7654 litre	O
800	CM	140	CM	194 LEVEL CM	36419,0778 litre	73,932 %	12841,0950 litre	O
800	CM	140	CM	193 LEVEL CM	36212,0793 litre	73,512 %	13048,0935 litre	O
800	CM	140	CM	192 LEVEL CM	36004,4263 litre	73,090 %	13255,7465 litre	O
800	CM	140	CM	191 LEVEL CM	35796,1333 litre	72,667 %	13464,0395 litre	O
800	CM	140	CM	190 LEVEL CM	35587,2144 litre	72,243 %	13672,9584 litre	O
800	CM	140	CM	189 LEVEL CM	35377,6837 litre	71,818 %	13882,4891 litre	O
800	CM	140	CM	188 LEVEL CM	35167,5551 litre	71,391 %	14092,6177 litre	O
800	CM	140	CM	187 LEVEL CM	34956,8426 litre	70,964 %	14303,3302 litre	O
800	CM	140	CM	186 LEVEL CM	34745,5599 litre	70,535 %	14514,6129 litre	O
800	CM	140	CM	185 LEVEL CM	34533,7205 litre	70,105 %	14726,4523 litre	O
800	CM	140	CM	184 LEVEL CM	34321,3380 litre	69,674 %	14938,8348 litre	O
800	CM	140	CM	183 LEVEL CM	34108,4258 litre	69,241 %	15151,7470 litre	O
800	CM	140	CM	182 LEVEL CM	33894,9972 litre	68,808 %	15365,1756 litre	O
800	CM	140	CM	181 LEVEL CM	33681,0654 litre	68,374 %	15579,1074 litre	O
800	CM	140	CM	180 LEVEL CM	33466,6436 litre	67,939 %	15793,5292 litre	O
800	CM	140	CM	179 LEVEL CM	33251,7447 litre	67,502 %	16008,4281 litre	O
800	CM	140	CM	178 LEVEL CM	33036,3817 litre	67,065 %	16223,7911 litre	O
800	CM	140	CM	177 LEVEL CM	32820,5675 litre	66,627 %	16439,6053 litre	O
800	CM	140	CM	176 LEVEL CM	32604,3149 litre	66,188 %	16655,8579 litre	O

800	CM	140	CM	175 LEVEL CM	32387,6365 litre	65,748 %	16872,5363 litre	O
800	CM	140	CM	174 LEVEL CM	32170,5450 litre	65,307 %	17089,6278 litre	O
800	CM	140	CM	173 LEVEL CM	31953,0529 litre	64,866 %	17307,1199 litre	O
800	CM	140	CM	172 LEVEL CM	31735,1727 litre	64,424 %	17525,0001 litre	O
800	CM	140	CM	171 LEVEL CM	31516,9168 litre	63,981 %	17743,2560 litre	O
800	CM	140	CM	170 LEVEL CM	31298,2977 litre	63,537 %	17961,8751 litre	O
800	CM	140	CM	169 LEVEL CM	31079,3275 litre	63,092 %	18180,8453 litre	O
800	CM	140	CM	168 LEVEL CM	30860,0185 litre	62,647 %	18400,1543 litre	O
800	CM	140	CM	167 LEVEL CM	30640,3830 litre	62,201 %	18619,7898 litre	O
800	CM	140	CM	166 LEVEL CM	30420,4329 litre	61,755 %	18839,7399 litre	O
800	CM	140	CM	165 LEVEL CM	30200,1805 litre	61,308 %	19059,9923 litre	O
800	CM	140	CM	164 LEVEL CM	29979,6377 litre	60,860 %	19280,5351 litre	O
800	CM	140	CM	163 LEVEL CM	29758,8164 litre	60,412 %	19501,3564 litre	O
800	CM	140	CM	162 LEVEL CM	29537,7287 litre	59,963 %	19722,4441 litre	O
800	CM	140	CM	161 LEVEL CM	29316,3864 litre	59,513 %	19943,7864 litre	O
800	CM	140	CM	160 LEVEL CM	29094,8013 litre	59,064 %	20165,3715 litre	O
800	CM	140	CM	159 LEVEL CM	28872,9853 litre	58,613 %	20387,1875 litre	O
800	CM	140	CM	158 LEVEL CM	28650,9501 litre	58,163 %	20609,2227 litre	O
800	CM	140	CM	157 LEVEL CM	28428,7075 litre	57,711 %	20831,4653 litre	O
800	CM	140	CM	156 LEVEL CM	28206,2691 litre	57,260 %	21053,9037 litre	O
800	CM	140	CM	155 LEVEL CM	27983,6467 litre	56,808 %	21276,5261 litre	O
800	CM	140	CM	154 LEVEL CM	27760,8519 litre	56,356 %	21499,3209 litre	O
800	CM	140	CM	153 LEVEL CM	27537,8962 litre	55,903 %	21722,2766 litre	O
800	CM	140	CM	152 LEVEL CM	27314,7913 litre	55,450 %	21945,3815 litre	O
800	CM	140	CM	151 LEVEL CM	27091,5488 litre	54,997 %	22168,6240 litre	O
800	CM	140	CM	150 LEVEL CM	26868,1802 litre	54,543 %	22391,9926 litre	O
800	CM	140	CM	149 LEVEL CM	26644,6970 litre	54,090 %	22615,4758 litre	O
800	CM	140	CM	148 LEVEL CM	26421,1107 litre	53,636 %	22839,0621 litre	O
800	CM	140	CM	147 LEVEL CM	26197,4328 litre	53,182 %	23062,7400 litre	O
800	CM	140	CM	146 LEVEL CM	25973,6749 litre	52,728 %	23286,4979 litre	O
800	CM	140	CM	145 LEVEL CM	25749,8483 litre	52,273 %	23510,3245 litre	O
800	CM	140	CM	144 LEVEL CM	25525,9645 litre	51,819 %	23734,2083 litre	O
800	CM	140	CM	143 LEVEL CM	25302,0350 litre	51,364 %	23958,1378 litre	O
800	CM	140	CM	142 LEVEL CM	25078,0712 litre	50,909 %	24182,1016 litre	O
800	CM	140	CM	141 LEVEL CM	24854,0845 litre	50,455 %	24406,0883 litre	O
800	CM	140	CM	140 LEVEL CM	24630,0864 litre	50,000 %	24630,0864 litre	O
800	CM	140	CM	139 LEVEL CM	24406,0883 litre	49,545 %	24854,0845 litre	O
800	CM	140	CM	138 LEVEL CM	24182,1016 litre	49,091 %	25078,0712 litre	O
800	CM	140	CM	137 LEVEL CM	23958,1378 litre	48,636 %	25302,0350 litre	O
800	CM	140	CM	136 LEVEL CM	23734,2083 litre	48,181 %	25525,9645 litre	O
800	CM	140	CM	135 LEVEL CM	23510,3245 litre	47,727 %	25749,8483 litre	O
800	CM	140	CM	134 LEVEL CM	23286,4979 litre	47,272 %	25973,6749 litre	O
800	CM	140	CM	133 LEVEL CM	23062,7400 litre	46,818 %	26197,4328 litre	O
800	CM	140	CM	132 LEVEL CM	22839,0621 litre	46,364 %	26421,1107 litre	O
800	CM	140	CM	131 LEVEL CM	22615,4758 litre	45,910 %	26644,6970 litre	O
800	CM	140	CM	130 LEVEL CM	22391,9926 litre	45,457 %	26868,1802 litre	O
800	CM	140	CM	129 LEVEL CM	22168,6240 litre	45,003 %	27091,5488 litre	O
800	CM	140	CM	128 LEVEL CM	21945,3815 litre	44,550 %	27314,7913 litre	O
800	CM	140	CM	127 LEVEL CM	21722,2766 litre	44,097 %	27537,8962 litre	O
800	CM	140	CM	126 LEVEL CM	21499,3209 litre	43,644 %	27760,8519 litre	O
800	CM	140	CM	125 LEVEL CM	21276,5261 litre	43,192 %	27983,6467 litre	O
800	CM	140	CM	124 LEVEL CM	21053,9037 litre	42,740 %	28206,2691 litre	O
800	CM	140	CM	123 LEVEL CM	20831,4653 litre	42,289 %	28428,7075 litre	O

800	CM	140	CM	122 LEVEL CM	20609,2227 litre	41,837 %	28650,9501 litre	O
800	CM	140	CM	121 LEVEL CM	20387,1875 litre	41,387 %	28872,9853 litre	O
800	CM	140	CM	120 LEVEL CM	20165,3715 litre	40,936 %	29094,8013 litre	O
800	CM	140	CM	119 LEVEL CM	19943,7864 litre	40,487 %	29316,3864 litre	O
800	CM	140	CM	118 LEVEL CM	19722,4441 litre	40,037 %	29537,7287 litre	O
800	CM	140	CM	117 LEVEL CM	19501,3564 litre	39,588 %	29758,8164 litre	O
800	CM	140	CM	116 LEVEL CM	19280,5351 litre	39,140 %	29979,6377 litre	O
800	CM	140	CM	115 LEVEL CM	19059,9923 litre	38,692 %	30200,1805 litre	O
800	CM	140	CM	114 LEVEL CM	18839,7399 litre	38,245 %	30420,4329 litre	O
800	CM	140	CM	113 LEVEL CM	18619,7898 litre	37,799 %	30640,3830 litre	O
800	CM	140	CM	112 LEVEL CM	18400,1543 litre	37,353 %	30860,0185 litre	O
800	CM	140	CM	111 LEVEL CM	18180,8453 litre	36,908 %	31079,3275 litre	O
800	CM	140	CM	110 LEVEL CM	17961,8751 litre	36,463 %	31298,2977 litre	O
800	CM	140	CM	109 LEVEL CM	17743,2560 litre	36,019 %	31516,9168 litre	O
800	CM	140	CM	108 LEVEL CM	17525,0001 litre	35,576 %	31735,1727 litre	O
800	CM	140	CM	107 LEVEL CM	17307,1200 litre	35,134 %	31953,0528 litre	O
800	CM	140	CM	106 LEVEL CM	17089,6279 litre	34,693 %	32170,5449 litre	O
800	CM	140	CM	105 LEVEL CM	16872,5363 litre	34,252 %	32387,6365 litre	O
800	CM	140	CM	104 LEVEL CM	16655,8579 litre	33,812 %	32604,3149 litre	O
800	CM	140	CM	103 LEVEL CM	16439,6053 litre	33,373 %	32820,5675 litre	O
800	CM	140	CM	102 LEVEL CM	16223,7911 litre	32,935 %	33036,3817 litre	O
800	CM	140	CM	101 LEVEL CM	16008,4281 litre	32,498 %	33251,7447 litre	O
800	CM	140	CM	100 LEVEL CM	15793,5292 litre	32,061 %	33466,6436 litre	O
800	CM	140	CM	99 LEVEL CM	15579,1074 litre	31,626 %	33681,0654 litre	O
800	CM	140	CM	98 LEVEL CM	15365,1756 litre	31,192 %	33894,9972 litre	O
800	CM	140	CM	97 LEVEL CM	15151,7470 litre	30,759 %	34108,4258 litre	O
800	CM	140	CM	96 LEVEL CM	14938,8348 litre	30,326 %	34321,3380 litre	O
800	CM	140	CM	95 LEVEL CM	14726,4523 litre	29,895 %	34533,7205 litre	O
800	CM	140	CM	94 LEVEL CM	14514,6129 litre	29,465 %	34745,5599 litre	O
800	CM	140	CM	93 LEVEL CM	14303,3302 litre	29,036 %	34956,8426 litre	O
800	CM	140	CM	92 LEVEL CM	14092,6177 litre	28,609 %	35167,5551 litre	O
800	CM	140	CM	91 LEVEL CM	13882,4891 litre	28,182 %	35377,6837 litre	O
800	CM	140	CM	90 LEVEL CM	13672,9584 litre	27,757 %	35587,2144 litre	O
800	CM	140	CM	89 LEVEL CM	13464,0395 litre	27,333 %	35796,1333 litre	O
800	CM	140	CM	88 LEVEL CM	13255,7465 litre	26,910 %	36004,4263 litre	O
800	CM	140	CM	87 LEVEL CM	13048,0935 litre	26,488 %	36212,0793 litre	O
800	CM	140	CM	86 LEVEL CM	12841,0950 litre	26,068 %	36419,0778 litre	O
800	CM	140	CM	85 LEVEL CM	12634,7654 litre	25,649 %	36625,4074 litre	O
800	CM	140	CM	84 LEVEL CM	12429,1193 litre	25,232 %	36831,0535 litre	O
800	CM	140	CM	83 LEVEL CM	12224,1715 litre	24,816 %	37036,0013 litre	O
800	CM	140	CM	82 LEVEL CM	12019,9370 litre	24,401 %	37240,2358 litre	O
800	CM	140	CM	81 LEVEL CM	11816,4308 litre	23,988 %	37443,7420 litre	O
800	CM	140	CM	80 LEVEL CM	11613,6681 litre	23,576 %	37646,5047 litre	O
800	CM	140	CM	79 LEVEL CM	11411,6644 litre	23,166 %	37848,5084 litre	O
800	CM	140	CM	78 LEVEL CM	11210,4353 litre	22,758 %	38049,7375 litre	O
800	CM	140	CM	77 LEVEL CM	11009,9964 litre	22,351 %	38250,1764 litre	O
800	CM	140	CM	76 LEVEL CM	10810,3638 litre	21,945 %	38449,8090 litre	O
800	CM	140	CM	75 LEVEL CM	10611,5536 litre	21,542 %	38648,6192 litre	O
800	CM	140	CM	74 LEVEL CM	10413,5822 litre	21,140 %	38846,5906 litre	O
800	CM	140	CM	73 LEVEL CM	10216,4661 litre	20,740 %	39043,7067 litre	O
800	CM	140	CM	72 LEVEL CM	10020,2220 litre	20,341 %	39239,9508 litre	O
800	CM	140	CM	71 LEVEL CM	9824,8671 litre	19,945 %	39435,3057 litre	O
800	CM	140	CM	70 LEVEL CM	9630,4184 litre	19,550 %	39629,7544 litre	O

800	CM	140	CM	69 LEVEL CM	9436,8936 litre	19,157 %	39823,2792 litre	O
800	CM	140	CM	68 LEVEL CM	9244,3102 litre	18,766 %	40015,8626 litre	O
800	CM	140	CM	67 LEVEL CM	9052,6863 litre	18,377 %	40207,4865 litre	O
800	CM	140	CM	66 LEVEL CM	8862,0402 litre	17,990 %	40398,1326 litre	O
800	CM	140	CM	65 LEVEL CM	8672,3904 litre	17,605 %	40587,7824 litre	O
800	CM	140	CM	64 LEVEL CM	8483,7556 litre	17,222 %	40776,4172 litre	O
800	CM	140	CM	63 LEVEL CM	8296,1552 litre	16,842 %	40964,0176 litre	O
800	CM	140	CM	62 LEVEL CM	8109,6084 litre	16,463 %	41150,5644 litre	O
800	CM	140	CM	61 LEVEL CM	7924,1352 litre	16,086 %	41336,0376 litre	O
800	CM	140	CM	60 LEVEL CM	7739,7555 litre	15,712 %	41520,4173 litre	O
800	CM	140	CM	59 LEVEL CM	7556,4900 litre	15,340 %	41703,6828 litre	O
800	CM	140	CM	58 LEVEL CM	7374,3595 litre	14,970 %	41885,8133 litre	O
800	CM	140	CM	57 LEVEL CM	7193,3853 litre	14,603 %	42066,7875 litre	O
800	CM	140	CM	56 LEVEL CM	7013,5890 litre	14,238 %	42246,5838 litre	O
800	CM	140	CM	55 LEVEL CM	6834,9928 litre	13,875 %	42425,1800 litre	O
800	CM	140	CM	54 LEVEL CM	6657,6191 litre	13,515 %	42602,5537 litre	O
800	CM	140	CM	53 LEVEL CM	6481,4910 litre	13,158 %	42778,6818 litre	O
800	CM	140	CM	52 LEVEL CM	6306,6321 litre	12,803 %	42953,5407 litre	O
800	CM	140	CM	51 LEVEL CM	6133,0663 litre	12,450 %	43127,1065 litre	O
800	CM	140	CM	50 LEVEL CM	5960,8182 litre	12,101 %	43299,3546 litre	O
800	CM	140	CM	49 LEVEL CM	5789,9130 litre	11,754 %	43470,2598 litre	O
800	CM	140	CM	48 LEVEL CM	5620,3764 litre	11,410 %	43639,7964 litre	O
800	CM	140	CM	47 LEVEL CM	5452,2347 litre	11,068 %	43807,9381 litre	O
800	CM	140	CM	46 LEVEL CM	5285,5150 litre	10,730 %	43974,6578 litre	O
800	CM	140	CM	45 LEVEL CM	5120,2450 litre	10,394 %	44139,9278 litre	O
800	CM	140	CM	44 LEVEL CM	4956,4532 litre	10,062 %	44303,7196 litre	O
800	CM	140	CM	43 LEVEL CM	4794,1688 litre	9,732 %	44466,0040 litre	O
800	CM	140	CM	42 LEVEL CM	4633,4218 litre	9,406 %	44626,7510 litre	O
800	CM	140	CM	41 LEVEL CM	4474,2432 litre	9,083 %	44785,9296 litre	O
800	CM	140	CM	40 LEVEL CM	4316,6649 litre	8,763 %	44943,5079 litre	O
800	CM	140	CM	39 LEVEL CM	4160,7197 litre	8,446 %	45099,4531 litre	O
800	CM	140	CM	38 LEVEL CM	4006,4414 litre	8,133 %	45253,7314 litre	O
800	CM	140	CM	37 LEVEL CM	3853,8650 litre	7,823 %	45406,3078 litre	O
800	CM	140	CM	36 LEVEL CM	3703,0268 litre	7,517 %	45557,1460 litre	O
800	CM	140	CM	35 LEVEL CM	3553,9642 litre	7,215 %	45706,2086 litre	O
800	CM	140	CM	34 LEVEL CM	3406,7158 litre	6,916 %	45853,4570 litre	O
800	CM	140	CM	33 LEVEL CM	3261,3221 litre	6,621 %	45998,8507 litre	O
800	CM	140	CM	32 LEVEL CM	3117,8248 litre	6,329 %	46142,3480 litre	O
800	CM	140	CM	31 LEVEL CM	2976,2674 litre	6,042 %	46283,9054 litre	O
800	CM	140	CM	30 LEVEL CM	2836,6951 litre	5,759 %	46423,4777 litre	O
800	CM	140	CM	29 LEVEL CM	2699,1553 litre	5,479 %	46561,0175 litre	O
800	CM	140	CM	28 LEVEL CM	2563,6974 litre	5,204 %	46696,4754 litre	O
800	CM	140	CM	27 LEVEL CM	2430,3730 litre	4,934 %	46829,7998 litre	O
800	CM	140	CM	26 LEVEL CM	2299,2363 litre	4,668 %	46960,9365 litre	O
800	CM	140	CM	25 LEVEL CM	2170,3445 litre	4,406 %	47089,8283 litre	O
800	CM	140	CM	24 LEVEL CM	2043,7574 litre	4,149 %	47216,4154 litre	O
800	CM	140	CM	23 LEVEL CM	1919,5384 litre	3,897 %	47340,6344 litre	O
800	CM	140	CM	22 LEVEL CM	1797,7547 litre	3,650 %	47462,4181 litre	O
800	CM	140	CM	21 LEVEL CM	1678,4773 litre	3,407 %	47581,6955 litre	O
800	CM	140	CM	20 LEVEL CM	1561,7821 litre	3,170 %	47698,3907 litre	O
800	CM	140	CM	19 LEVEL CM	1447,7499 litre	2,939 %	47812,4229 litre	O
800	CM	140	CM	18 LEVEL CM	1336,4675 litre	2,713 %	47923,7053 litre	O
800	CM	140	CM	17 LEVEL CM	1228,0282 litre	2,493 %	48032,1446 litre	O

800	CM	140	CM	16 LEVEL CM	1122,5328 litre	2,279 %	48137,6400 litre	O
800	CM	140	CM	15 LEVEL CM	1020,0909 litre	2,071 %	48240,0819 litre	O
800	CM	140	CM	14 LEVEL CM	920,8222 litre	1,869 %	48339,3506 litre	O
800	CM	140	CM	13 LEVEL CM	824,8583 litre	1,674 %	48435,3145 litre	O
800	CM	140	CM	12 LEVEL CM	732,3448 litre	1,487 %	48527,8280 litre	O
800	CM	140	CM	11 LEVEL CM	643,4443 litre	1,306 %	48616,7285 litre	O
800	CM	140	CM	10 LEVEL CM	558,3404 litre	1,133 %	48701,8324 litre	O
800	CM	140	CM	9 LEVEL CM	477,2421 litre	0,969 %	48782,9307 litre	O
800	CM	140	CM	8 LEVEL CM	400,3914 litre	0,813 %	48859,7814 litre	O
800	CM	140	CM	7 LEVEL CM	328,0730 litre	0,666 %	48932,0998 litre	O
800	CM	140	CM	6 LEVEL CM	260,6291 litre	0,529 %	48999,5437 litre	O
800	CM	140	CM	5 LEVEL CM	198,4826 litre	0,403 %	49061,6902 litre	O
800	CM	140	CM	4 LEVEL CM	142,1765 litre	0,289 %	49117,9963 litre	O
800	CM	140	CM	3 LEVEL CM	92,4461 litre	0,188 %	49167,7267 litre	O
800	CM	140	CM	2 LEVEL CM	50,3756 litre	0,102 %	49209,7972 litre	O
800	CM	140	CM	1 LEVEL CM	17,8296 litre	0,036 %	49242,3432 litre	O
800	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	49260,1728 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM	135	CM 270 LEVEL CM	45804,4209 litre	100,000 %	0,0000 litre	O
800	CM	135	CM 269 LEVEL CM	45786,9133 litre	99,962 %	17,5076 litre	O
800	CM	135	CM 268 LEVEL CM	45754,9570 litre	99,892 %	49,4639 litre	O
800	CM	135	CM 267 LEVEL CM	45713,6515 litre	99,802 %	90,7694 litre	O
800	CM	135	CM 266 LEVEL CM	45664,8288 litre	99,695 %	139,5921 litre	O
800	CM	135	CM 265 LEVEL CM	45609,5540 litre	99,575 %	194,8669 litre	O
800	CM	135	CM 264 LEVEL CM	45548,5500 litre	99,441 %	255,8709 litre	O
800	CM	135	CM 263 LEVEL CM	45482,3506 litre	99,297 %	322,0703 litre	O
800	CM	135	CM 262 LEVEL CM	45411,3715 litre	99,142 %	393,0494 litre	O
800	CM	135	CM 261 LEVEL CM	45335,9495 litre	98,977 %	468,4714 litre	O
800	CM	135	CM 260 LEVEL CM	45256,3644 litre	98,803 %	548,0565 litre	O
800	CM	135	CM 259 LEVEL CM	45172,8543 litre	98,621 %	631,5666 litre	O
800	CM	135	CM 258 LEVEL CM	45085,6251 litre	98,431 %	718,7958 litre	O
800	CM	135	CM 257 LEVEL CM	44994,8573 litre	98,233 %	809,5636 litre	O
800	CM	135	CM 256 LEVEL CM	44900,7111 litre	98,027 %	903,7098 litre	O
800	CM	135	CM 255 LEVEL CM	44803,3298 litre	97,814 %	1001,0911 litre	O
800	CM	135	CM 254 LEVEL CM	44702,8431 litre	97,595 %	1101,5778 litre	O
800	CM	135	CM 253 LEVEL CM	44599,3689 litre	97,369 %	1205,0520 litre	O
800	CM	135	CM 252 LEVEL CM	44493,0152 litre	97,137 %	1311,4057 litre	O
800	CM	135	CM 251 LEVEL CM	44383,8813 litre	96,899 %	1420,5396 litre	O
800	CM	135	CM 250 LEVEL CM	44272,0593 litre	96,655 %	1532,3616 litre	O
800	CM	135	CM 249 LEVEL CM	44157,6346 litre	96,405 %	1646,7863 litre	O
800	CM	135	CM 248 LEVEL CM	44040,6871 litre	96,149 %	1763,7338 litre	O
800	CM	135	CM 247 LEVEL CM	43921,2916 litre	95,889 %	1883,1293 litre	O
800	CM	135	CM 246 LEVEL CM	43799,5181 litre	95,623 %	2004,9028 litre	O
800	CM	135	CM 245 LEVEL CM	43675,4330 litre	95,352 %	2128,9879 litre	O
800	CM	135	CM 244 LEVEL CM	43549,0988 litre	95,076 %	2255,3221 litre	O
800	CM	135	CM 243 LEVEL CM	43420,5747 litre	94,796 %	2383,8462 litre	O
800	CM	135	CM 242 LEVEL CM	43289,9171 litre	94,510 %	2514,5038 litre	O
800	CM	135	CM 241 LEVEL CM	43157,1795 litre	94,221 %	2647,2414 litre	O
800	CM	135	CM 240 LEVEL CM	43022,4130 litre	93,926 %	2782,0079 litre	O
800	CM	135	CM 239 LEVEL CM	42885,6664 litre	93,628 %	2918,7545 litre	O
800	CM	135	CM 238 LEVEL CM	42746,9865 litre	93,325 %	3057,4344 litre	O
800	CM	135	CM 237 LEVEL CM	42606,4180 litre	93,018 %	3198,0029 litre	O
800	CM	135	CM 236 LEVEL CM	42464,0040 litre	92,707 %	3340,4169 litre	O
800	CM	135	CM 235 LEVEL CM	42319,7858 litre	92,392 %	3484,6351 litre	O
800	CM	135	CM 234 LEVEL CM	42173,8033 litre	92,074 %	3630,6176 litre	O
800	CM	135	CM 233 LEVEL CM	42026,0948 litre	91,751 %	3778,3261 litre	O
800	CM	135	CM 232 LEVEL CM	41876,6975 litre	91,425 %	3927,7234 litre	O
800	CM	135	CM 231 LEVEL CM	41725,6472 litre	91,095 %	4078,7737 litre	O
800	CM	135	CM 230 LEVEL CM	41572,9785 litre	90,762 %	4231,4424 litre	O
800	CM	135	CM 229 LEVEL CM	41418,7250 litre	90,425 %	4385,6959 litre	O
800	CM	135	CM 228 LEVEL CM	41262,9193 litre	90,085 %	4541,5016 litre	O
800	CM	135	CM 227 LEVEL CM	41105,5929 litre	89,742 %	4698,8280 litre	O
800	CM	135	CM 226 LEVEL CM	40946,7765 litre	89,395 %	4857,6444 litre	O
800	CM	135	CM 225 LEVEL CM	40786,4999 litre	89,045 %	5017,9210 litre	O
800	CM	135	CM 224 LEVEL CM	40624,7922 litre	88,692 %	5179,6287 litre	O
800	CM	135	CM 223 LEVEL CM	40461,6816 litre	88,336 %	5342,7393 litre	O
800	CM	135	CM 222 LEVEL CM	40297,1957 litre	87,977 %	5507,2252 litre	O
800	CM	135	CM 221 LEVEL CM	40131,3612 litre	87,615 %	5673,0597 litre	O
800	CM	135	CM 220 LEVEL CM	39964,2044 litre	87,250 %	5840,2165 litre	O
800	CM	135	CM 219 LEVEL CM	39795,7508 litre	86,882 %	6008,6701 litre	O

800	CM	135	CM	218 LEVEL CM	39626,0254 litre	86,511 %	6178,3955 litre	O
800	CM	135	CM	217 LEVEL CM	39455,0527 litre	86,138 %	6349,3682 litre	O
800	CM	135	CM	216 LEVEL CM	39282,8566 litre	85,762 %	6521,5643 litre	O
800	CM	135	CM	215 LEVEL CM	39109,4604 litre	85,384 %	6694,9605 litre	O
800	CM	135	CM	214 LEVEL CM	38934,8872 litre	85,002 %	6869,5337 litre	O
800	CM	135	CM	213 LEVEL CM	38759,1592 litre	84,619 %	7045,2617 litre	O
800	CM	135	CM	212 LEVEL CM	38582,2986 litre	84,233 %	7222,1223 litre	O
800	CM	135	CM	211 LEVEL CM	38404,3269 litre	83,844 %	7400,0940 litre	O
800	CM	135	CM	210 LEVEL CM	38225,2653 litre	83,453 %	7579,1556 litre	O
800	CM	135	CM	209 LEVEL CM	38045,1346 litre	83,060 %	7759,2863 litre	O
800	CM	135	CM	208 LEVEL CM	37863,9553 litre	82,664 %	7940,4656 litre	O
800	CM	135	CM	207 LEVEL CM	37681,7475 litre	82,267 %	8122,6734 litre	O
800	CM	135	CM	206 LEVEL CM	37498,5308 litre	81,867 %	8305,8901 litre	O
800	CM	135	CM	205 LEVEL CM	37314,3248 litre	81,464 %	8490,0961 litre	O
800	CM	135	CM	204 LEVEL CM	37129,1485 litre	81,060 %	8675,2724 litre	O
800	CM	135	CM	203 LEVEL CM	36943,0207 litre	80,654 %	8861,4002 litre	O
800	CM	135	CM	202 LEVEL CM	36755,9600 litre	80,245 %	9048,4609 litre	O
800	CM	135	CM	201 LEVEL CM	36567,9845 litre	79,835 %	9236,4364 litre	O
800	CM	135	CM	200 LEVEL CM	36379,1124 litre	79,423 %	9425,3085 litre	O
800	CM	135	CM	199 LEVEL CM	36189,3613 litre	79,008 %	9615,0596 litre	O
800	CM	135	CM	198 LEVEL CM	35998,7487 litre	78,592 %	9805,6722 litre	O
800	CM	135	CM	197 LEVEL CM	35807,2918 litre	78,174 %	9997,1291 litre	O
800	CM	135	CM	196 LEVEL CM	35615,0077 litre	77,755 %	10189,4132 litre	O
800	CM	135	CM	195 LEVEL CM	35421,9132 litre	77,333 %	10382,5077 litre	O
800	CM	135	CM	194 LEVEL CM	35228,0249 litre	76,910 %	10576,3960 litre	O
800	CM	135	CM	193 LEVEL CM	35033,3591 litre	76,485 %	10771,0618 litre	O
800	CM	135	CM	192 LEVEL CM	34837,9320 litre	76,058 %	10966,4889 litre	O
800	CM	135	CM	191 LEVEL CM	34641,7597 litre	75,630 %	11162,6612 litre	O
800	CM	135	CM	190 LEVEL CM	34444,8579 litre	75,200 %	11359,5630 litre	O
800	CM	135	CM	189 LEVEL CM	34247,2424 litre	74,768 %	11557,1785 litre	O
800	CM	135	CM	188 LEVEL CM	34048,9285 litre	74,335 %	11755,4924 litre	O
800	CM	135	CM	187 LEVEL CM	33849,9316 litre	73,901 %	11954,4893 litre	O
800	CM	135	CM	186 LEVEL CM	33650,2669 litre	73,465 %	12154,1540 litre	O
800	CM	135	CM	185 LEVEL CM	33449,9494 litre	73,028 %	12354,4715 litre	O
800	CM	135	CM	184 LEVEL CM	33248,9939 litre	72,589 %	12555,4270 litre	O
800	CM	135	CM	183 LEVEL CM	33047,4152 litre	72,149 %	12757,0057 litre	O
800	CM	135	CM	182 LEVEL CM	32845,2277 litre	71,708 %	12959,1932 litre	O
800	CM	135	CM	181 LEVEL CM	32642,4461 litre	71,265 %	13161,9748 litre	O
800	CM	135	CM	180 LEVEL CM	32439,0845 litre	70,821 %	13365,3364 litre	O
800	CM	135	CM	179 LEVEL CM	32235,1573 litre	70,376 %	13569,2636 litre	O
800	CM	135	CM	178 LEVEL CM	32030,6784 litre	69,929 %	13773,7425 litre	O
800	CM	135	CM	177 LEVEL CM	31825,6619 litre	69,482 %	13978,7590 litre	O
800	CM	135	CM	176 LEVEL CM	31620,1217 litre	69,033 %	14184,2992 litre	O
800	CM	135	CM	175 LEVEL CM	31414,0714 litre	68,583 %	14390,3495 litre	O
800	CM	135	CM	174 LEVEL CM	31207,5247 litre	68,132 %	14596,8962 litre	O
800	CM	135	CM	173 LEVEL CM	31000,4952 litre	67,680 %	14803,9257 litre	O
800	CM	135	CM	172 LEVEL CM	30792,9964 litre	67,227 %	15011,4245 litre	O
800	CM	135	CM	171 LEVEL CM	30585,0415 litre	66,773 %	15219,3794 litre	O
800	CM	135	CM	170 LEVEL CM	30376,6440 litre	66,318 %	15427,7769 litre	O
800	CM	135	CM	169 LEVEL CM	30167,8170 litre	65,862 %	15636,6039 litre	O
800	CM	135	CM	168 LEVEL CM	29958,5735 litre	65,405 %	15845,8474 litre	O
800	CM	135	CM	167 LEVEL CM	29748,9268 litre	64,948 %	16055,4941 litre	O
800	CM	135	CM	166 LEVEL CM	29538,8896 litre	64,489 %	16265,5313 litre	O

800	CM	135	CM	165 LEVEL CM	29328,4749 litre	64,030 %	16475,9460 litre	O
800	CM	135	CM	164 LEVEL CM	29117,6956 litre	63,570 %	16686,7253 litre	O
800	CM	135	CM	163 LEVEL CM	28906,5643 litre	63,109 %	16897,8566 litre	O
800	CM	135	CM	162 LEVEL CM	28695,0938 litre	62,647 %	17109,3271 litre	O
800	CM	135	CM	161 LEVEL CM	28483,2967 litre	62,185 %	17321,1242 litre	O
800	CM	135	CM	160 LEVEL CM	28271,1855 litre	61,722 %	17533,2354 litre	O
800	CM	135	CM	159 LEVEL CM	28058,7728 litre	61,258 %	17745,6481 litre	O
800	CM	135	CM	158 LEVEL CM	27846,0711 litre	60,793 %	17958,3498 litre	O
800	CM	135	CM	157 LEVEL CM	27633,0928 litre	60,328 %	18171,3281 litre	O
800	CM	135	CM	156 LEVEL CM	27419,8501 litre	59,863 %	18384,5708 litre	O
800	CM	135	CM	155 LEVEL CM	27206,3555 litre	59,397 %	18598,0654 litre	O
800	CM	135	CM	154 LEVEL CM	26992,6213 litre	58,930 %	18811,7996 litre	O
800	CM	135	CM	153 LEVEL CM	26778,6595 litre	58,463 %	19025,7614 litre	O
800	CM	135	CM	152 LEVEL CM	26564,4825 litre	57,995 %	19239,9384 litre	O
800	CM	135	CM	151 LEVEL CM	26350,1024 litre	57,527 %	19454,3185 litre	O
800	CM	135	CM	150 LEVEL CM	26135,5314 litre	57,059 %	19668,8895 litre	O
800	CM	135	CM	149 LEVEL CM	25920,7814 litre	56,590 %	19883,6395 litre	O
800	CM	135	CM	148 LEVEL CM	25705,8646 litre	56,121 %	20098,5563 litre	O
800	CM	135	CM	147 LEVEL CM	25490,7931 litre	55,651 %	20313,6278 litre	O
800	CM	135	CM	146 LEVEL CM	25275,5787 litre	55,182 %	20528,8422 litre	O
800	CM	135	CM	145 LEVEL CM	25060,2335 litre	54,711 %	20744,1874 litre	O
800	CM	135	CM	144 LEVEL CM	24844,7695 litre	54,241 %	20959,6514 litre	O
800	CM	135	CM	143 LEVEL CM	24629,1986 litre	53,770 %	21175,2223 litre	O
800	CM	135	CM	142 LEVEL CM	24413,5326 litre	53,300 %	21390,8883 litre	O
800	CM	135	CM	141 LEVEL CM	24197,7837 litre	52,828 %	21606,6372 litre	O
800	CM	135	CM	140 LEVEL CM	23981,9635 litre	52,357 %	21822,4574 litre	O
800	CM	135	CM	139 LEVEL CM	23766,0840 litre	51,886 %	22038,3369 litre	O
800	CM	135	CM	138 LEVEL CM	23550,1571 litre	51,415 %	22254,2638 litre	O
800	CM	135	CM	137 LEVEL CM	23334,1946 litre	50,943 %	22470,2263 litre	O
800	CM	135	CM	136 LEVEL CM	23118,2085 litre	50,472 %	22686,2124 litre	O
800	CM	135	CM	135 LEVEL CM	22902,2104 litre	50,000 %	22902,2105 litre	O
800	CM	135	CM	134 LEVEL CM	22686,2124 litre	49,528 %	23118,2085 litre	O
800	CM	135	CM	133 LEVEL CM	22470,2262 litre	49,057 %	23334,1947 litre	O
800	CM	135	CM	132 LEVEL CM	22254,2638 litre	48,585 %	23550,1571 litre	O
800	CM	135	CM	131 LEVEL CM	22038,3369 litre	48,114 %	23766,0840 litre	O
800	CM	135	CM	130 LEVEL CM	21822,4574 litre	47,643 %	23981,9635 litre	O
800	CM	135	CM	129 LEVEL CM	21606,6372 litre	47,172 %	24197,7837 litre	O
800	CM	135	CM	128 LEVEL CM	21390,8882 litre	46,700 %	24413,5327 litre	O
800	CM	135	CM	127 LEVEL CM	21175,2223 litre	46,230 %	24629,1986 litre	O
800	CM	135	CM	126 LEVEL CM	20959,6514 litre	45,759 %	24844,7695 litre	O
800	CM	135	CM	125 LEVEL CM	20744,1874 litre	45,289 %	25060,2335 litre	O
800	CM	135	CM	124 LEVEL CM	20528,8422 litre	44,818 %	25275,5787 litre	O
800	CM	135	CM	123 LEVEL CM	20313,6278 litre	44,349 %	25490,7931 litre	O
800	CM	135	CM	122 LEVEL CM	20098,5563 litre	43,879 %	25705,8646 litre	O
800	CM	135	CM	121 LEVEL CM	19883,6395 litre	43,410 %	25920,7814 litre	O
800	CM	135	CM	120 LEVEL CM	19668,8895 litre	42,941 %	26135,5314 litre	O
800	CM	135	CM	119 LEVEL CM	19454,3184 litre	42,473 %	26350,1025 litre	O
800	CM	135	CM	118 LEVEL CM	19239,9384 litre	42,005 %	26564,4825 litre	O
800	CM	135	CM	117 LEVEL CM	19025,7614 litre	41,537 %	26778,6595 litre	O
800	CM	135	CM	116 LEVEL CM	18811,7996 litre	41,070 %	26992,6213 litre	O
800	CM	135	CM	115 LEVEL CM	18598,0654 litre	40,603 %	27206,3555 litre	O
800	CM	135	CM	114 LEVEL CM	18384,5708 litre	40,137 %	27419,8501 litre	O
800	CM	135	CM	113 LEVEL CM	18171,3281 litre	39,672 %	27633,0928 litre	O

800	CM	135	CM	112 LEVEL CM	17958,3498 litre	39,207 %	27846,0711 litre	O
800	CM	135	CM	111 LEVEL CM	17745,6480 litre	38,742 %	28058,7729 litre	O
800	CM	135	CM	110 LEVEL CM	17533,2354 litre	38,278 %	28271,1855 litre	O
800	CM	135	CM	109 LEVEL CM	17321,1242 litre	37,815 %	28483,2967 litre	O
800	CM	135	CM	108 LEVEL CM	17109,3271 litre	37,353 %	28695,0938 litre	O
800	CM	135	CM	107 LEVEL CM	16897,8566 litre	36,891 %	28906,5643 litre	O
800	CM	135	CM	106 LEVEL CM	16686,7253 litre	36,430 %	29117,6956 litre	O
800	CM	135	CM	105 LEVEL CM	16475,9460 litre	35,970 %	29328,4749 litre	O
800	CM	135	CM	104 LEVEL CM	16265,5313 litre	35,511 %	29538,8896 litre	O
800	CM	135	CM	103 LEVEL CM	16055,4941 litre	35,052 %	29748,9268 litre	O
800	CM	135	CM	102 LEVEL CM	15845,8473 litre	34,595 %	29958,5736 litre	O
800	CM	135	CM	101 LEVEL CM	15636,6039 litre	34,138 %	30167,8170 litre	O
800	CM	135	CM	100 LEVEL CM	15427,7769 litre	33,682 %	30376,6440 litre	O
800	CM	135	CM	99 LEVEL CM	15219,3794 litre	33,227 %	30585,0415 litre	O
800	CM	135	CM	98 LEVEL CM	15011,4245 litre	32,773 %	30792,9964 litre	O
800	CM	135	CM	97 LEVEL CM	14803,9257 litre	32,320 %	31000,4952 litre	O
800	CM	135	CM	96 LEVEL CM	14596,8962 litre	31,868 %	31207,5247 litre	O
800	CM	135	CM	95 LEVEL CM	14390,3495 litre	31,417 %	31414,0714 litre	O
800	CM	135	CM	94 LEVEL CM	14184,2992 litre	30,967 %	31620,1217 litre	O
800	CM	135	CM	93 LEVEL CM	13978,7590 litre	30,518 %	31825,6619 litre	O
800	CM	135	CM	92 LEVEL CM	13773,7425 litre	30,071 %	32030,6784 litre	O
800	CM	135	CM	91 LEVEL CM	13569,2636 litre	29,624 %	32235,1573 litre	O
800	CM	135	CM	90 LEVEL CM	13365,3364 litre	29,179 %	32439,0845 litre	O
800	CM	135	CM	89 LEVEL CM	13161,9748 litre	28,735 %	32642,4461 litre	O
800	CM	135	CM	88 LEVEL CM	12959,1932 litre	28,292 %	32845,2277 litre	O
800	CM	135	CM	87 LEVEL CM	12757,0057 litre	27,851 %	33047,4152 litre	O
800	CM	135	CM	86 LEVEL CM	12555,4270 litre	27,411 %	33248,9939 litre	O
800	CM	135	CM	85 LEVEL CM	12354,4715 litre	26,972 %	33449,9494 litre	O
800	CM	135	CM	84 LEVEL CM	12154,1539 litre	26,535 %	33650,2670 litre	O
800	CM	135	CM	83 LEVEL CM	11954,4893 litre	26,099 %	33849,9316 litre	O
800	CM	135	CM	82 LEVEL CM	11755,4924 litre	25,665 %	34048,9285 litre	O
800	CM	135	CM	81 LEVEL CM	11557,1785 litre	25,232 %	34247,2424 litre	O
800	CM	135	CM	80 LEVEL CM	11359,5630 litre	24,800 %	34444,8579 litre	O
800	CM	135	CM	79 LEVEL CM	11162,6612 litre	24,370 %	34641,7597 litre	O
800	CM	135	CM	78 LEVEL CM	10966,4889 litre	23,942 %	34837,9320 litre	O
800	CM	135	CM	77 LEVEL CM	10771,0618 litre	23,515 %	35033,3591 litre	O
800	CM	135	CM	76 LEVEL CM	10576,3960 litre	23,090 %	35228,0249 litre	O
800	CM	135	CM	75 LEVEL CM	10382,5077 litre	22,667 %	35421,9132 litre	O
800	CM	135	CM	74 LEVEL CM	10189,4131 litre	22,245 %	35615,0078 litre	O
800	CM	135	CM	73 LEVEL CM	9997,1291 litre	21,826 %	35807,2918 litre	O
800	CM	135	CM	72 LEVEL CM	9805,6722 litre	21,408 %	35998,7487 litre	O
800	CM	135	CM	71 LEVEL CM	9615,0596 litre	20,992 %	36189,3613 litre	O
800	CM	135	CM	70 LEVEL CM	9425,3085 litre	20,577 %	36379,1124 litre	O
800	CM	135	CM	69 LEVEL CM	9236,4364 litre	20,165 %	36567,9845 litre	O
800	CM	135	CM	68 LEVEL CM	9048,4609 litre	19,755 %	36755,9600 litre	O
800	CM	135	CM	67 LEVEL CM	8861,4002 litre	19,346 %	36943,0207 litre	O
800	CM	135	CM	66 LEVEL CM	8675,2724 litre	18,940 %	37129,1485 litre	O
800	CM	135	CM	65 LEVEL CM	8490,0961 litre	18,536 %	37314,3248 litre	O
800	CM	135	CM	64 LEVEL CM	8305,8901 litre	18,133 %	37498,5308 litre	O
800	CM	135	CM	63 LEVEL CM	8122,6734 litre	17,733 %	37681,7475 litre	O
800	CM	135	CM	62 LEVEL CM	7940,4656 litre	17,336 %	37863,9553 litre	O
800	CM	135	CM	61 LEVEL CM	7759,2863 litre	16,940 %	38045,1346 litre	O
800	CM	135	CM	60 LEVEL CM	7579,1556 litre	16,547 %	38225,2653 litre	O

800	CM	135	CM	59 LEVEL CM	7400,0940 litre	16,156 %	38404,3269 litre	O
800	CM	135	CM	58 LEVEL CM	7222,1223 litre	15,767 %	38582,2986 litre	O
800	CM	135	CM	57 LEVEL CM	7045,2617 litre	15,381 %	38759,1592 litre	O
800	CM	135	CM	56 LEVEL CM	6869,5337 litre	14,998 %	38934,8872 litre	O
800	CM	135	CM	55 LEVEL CM	6694,9604 litre	14,616 %	39109,4605 litre	O
800	CM	135	CM	54 LEVEL CM	6521,5643 litre	14,238 %	39282,8566 litre	O
800	CM	135	CM	53 LEVEL CM	6349,3682 litre	13,862 %	39455,0527 litre	O
800	CM	135	CM	52 LEVEL CM	6178,3955 litre	13,489 %	39626,0254 litre	O
800	CM	135	CM	51 LEVEL CM	6008,6701 litre	13,118 %	39795,7508 litre	O
800	CM	135	CM	50 LEVEL CM	5840,2165 litre	12,750 %	39964,2044 litre	O
800	CM	135	CM	49 LEVEL CM	5673,0597 litre	12,385 %	40131,3612 litre	O
800	CM	135	CM	48 LEVEL CM	5507,2252 litre	12,023 %	40297,1957 litre	O
800	CM	135	CM	47 LEVEL CM	5342,7393 litre	11,664 %	40461,6816 litre	O
800	CM	135	CM	46 LEVEL CM	5179,6287 litre	11,308 %	40624,7922 litre	O
800	CM	135	CM	45 LEVEL CM	5017,9210 litre	10,955 %	40786,4999 litre	O
800	CM	135	CM	44 LEVEL CM	4857,6444 litre	10,605 %	40946,7765 litre	O
800	CM	135	CM	43 LEVEL CM	4698,8280 litre	10,258 %	41105,5929 litre	O
800	CM	135	CM	42 LEVEL CM	4541,5016 litre	9,915 %	41262,9193 litre	O
800	CM	135	CM	41 LEVEL CM	4385,6959 litre	9,575 %	41418,7250 litre	O
800	CM	135	CM	40 LEVEL CM	4231,4424 litre	9,238 %	41572,9785 litre	O
800	CM	135	CM	39 LEVEL CM	4078,7737 litre	8,905 %	41725,6472 litre	O
800	CM	135	CM	38 LEVEL CM	3927,7233 litre	8,575 %	41876,6976 litre	O
800	CM	135	CM	37 LEVEL CM	3778,3260 litre	8,249 %	42026,0949 litre	O
800	CM	135	CM	36 LEVEL CM	3630,6176 litre	7,926 %	42173,8033 litre	O
800	CM	135	CM	35 LEVEL CM	3484,6351 litre	7,608 %	42319,7858 litre	O
800	CM	135	CM	34 LEVEL CM	3340,4169 litre	7,293 %	42464,0040 litre	O
800	CM	135	CM	33 LEVEL CM	3198,0029 litre	6,982 %	42606,4180 litre	O
800	CM	135	CM	32 LEVEL CM	3057,4344 litre	6,675 %	42746,9865 litre	O
800	CM	135	CM	31 LEVEL CM	2918,7545 litre	6,372 %	42885,6664 litre	O
800	CM	135	CM	30 LEVEL CM	2782,0079 litre	6,074 %	43022,4130 litre	O
800	CM	135	CM	29 LEVEL CM	2647,2414 litre	5,779 %	43157,1795 litre	O
800	CM	135	CM	28 LEVEL CM	2514,5038 litre	5,490 %	43289,9171 litre	O
800	CM	135	CM	27 LEVEL CM	2383,8462 litre	5,204 %	43420,5747 litre	O
800	CM	135	CM	26 LEVEL CM	2255,3221 litre	4,924 %	43549,0988 litre	O
800	CM	135	CM	25 LEVEL CM	2128,9879 litre	4,648 %	43675,4330 litre	O
800	CM	135	CM	24 LEVEL CM	2004,9028 litre	4,377 %	43799,5181 litre	O
800	CM	135	CM	23 LEVEL CM	1883,1293 litre	4,111 %	43921,2916 litre	O
800	CM	135	CM	22 LEVEL CM	1763,7338 litre	3,851 %	44040,6871 litre	O
800	CM	135	CM	21 LEVEL CM	1646,7863 litre	3,595 %	44157,6346 litre	O
800	CM	135	CM	20 LEVEL CM	1532,3616 litre	3,345 %	44272,0593 litre	O
800	CM	135	CM	19 LEVEL CM	1420,5396 litre	3,101 %	44383,8813 litre	O
800	CM	135	CM	18 LEVEL CM	1311,4057 litre	2,863 %	44493,0152 litre	O
800	CM	135	CM	17 LEVEL CM	1205,0520 litre	2,631 %	44599,3689 litre	O
800	CM	135	CM	16 LEVEL CM	1101,5778 litre	2,405 %	44702,8431 litre	O
800	CM	135	CM	15 LEVEL CM	1001,0911 litre	2,186 %	44803,3298 litre	O
800	CM	135	CM	14 LEVEL CM	903,7098 litre	1,973 %	44900,7111 litre	O
800	CM	135	CM	13 LEVEL CM	809,5636 litre	1,767 %	44994,8573 litre	O
800	CM	135	CM	12 LEVEL CM	718,7958 litre	1,569 %	45085,6251 litre	O
800	CM	135	CM	11 LEVEL CM	631,5666 litre	1,379 %	45172,8543 litre	O
800	CM	135	CM	10 LEVEL CM	548,0565 litre	1,197 %	45256,3644 litre	O
800	CM	135	CM	9 LEVEL CM	468,4714 litre	1,023 %	45335,9495 litre	O
800	CM	135	CM	8 LEVEL CM	393,0493 litre	0,858 %	45411,3716 litre	O
800	CM	135	CM	7 LEVEL CM	322,0703 litre	0,703 %	45482,3506 litre	O

800	CM	135	CM	6 LEVEL CM	255,8709 litre	0,559 %	45548,5500 litre	O
800	CM	135	CM	5 LEVEL CM	194,8669 litre	0,425 %	45609,5540 litre	O
800	CM	135	CM	4 LEVEL CM	139,5921 litre	0,305 %	45664,8288 litre	O
800	CM	135	CM	3 LEVEL CM	90,7694 litre	0,198 %	45713,6515 litre	O
800	CM	135	CM	2 LEVEL CM	49,4639 litre	0,108 %	45754,9570 litre	O
800	CM	135	CM	1 LEVEL CM	17,5076 litre	0,038 %	45786,9133 litre	O
800	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	45804,4209 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM 130	CM 260 LEVEL CM	42474,3327 litre	100,000 %	0,0000 litre	O
800	CM 130	CM 259 LEVEL CM	42457,1531 litre	99,960 %	17,1796 litre	O
800	CM 130	CM 258 LEVEL CM	42425,7976 litre	99,886 %	48,5351 litre	O
800	CM 130	CM 257 LEVEL CM	42385,2715 litre	99,790 %	89,0612 litre	O
800	CM 130	CM 256 LEVEL CM	42337,3736 litre	99,678 %	136,9591 litre	O
800	CM 130	CM 255 LEVEL CM	42283,1498 litre	99,550 %	191,1829 litre	O
800	CM 130	CM 254 LEVEL CM	42223,3102 litre	99,409 %	251,0225 litre	O
800	CM 130	CM 253 LEVEL CM	42158,3791 litre	99,256 %	315,9536 litre	O
800	CM 130	CM 252 LEVEL CM	42088,7652 litre	99,092 %	385,5675 litre	O
800	CM 130	CM 251 LEVEL CM	42014,7993 litre	98,918 %	459,5334 litre	O
800	CM 130	CM 250 LEVEL CM	41936,7567 litre	98,734 %	537,5760 litre	O
800	CM 130	CM 249 LEVEL CM	41854,8716 litre	98,542 %	619,4611 litre	O
800	CM 130	CM 248 LEVEL CM	41769,3462 litre	98,340 %	704,9865 litre	O
800	CM 130	CM 247 LEVEL CM	41680,3584 litre	98,131 %	793,9743 litre	O
800	CM 130	CM 246 LEVEL CM	41588,0656 litre	97,913 %	886,2671 litre	O
800	CM 130	CM 245 LEVEL CM	41492,6091 litre	97,689 %	981,7236 litre	O
800	CM 130	CM 244 LEVEL CM	41394,1164 litre	97,457 %	1080,2163 litre	O
800	CM 130	CM 243 LEVEL CM	41292,7037 litre	97,218 %	1181,6290 litre	O
800	CM 130	CM 242 LEVEL CM	41188,4773 litre	96,973 %	1285,8554 litre	O
800	CM 130	CM 241 LEVEL CM	41081,5351 litre	96,721 %	1392,7976 litre	O
800	CM 130	CM 240 LEVEL CM	40971,9678 litre	96,463 %	1502,3649 litre	O
800	CM 130	CM 239 LEVEL CM	40859,8597 litre	96,199 %	1614,4730 litre	O
800	CM 130	CM 238 LEVEL CM	40745,2895 litre	95,929 %	1729,0432 litre	O
800	CM 130	CM 237 LEVEL CM	40628,3308 litre	95,654 %	1846,0019 litre	O
800	CM 130	CM 236 LEVEL CM	40509,0530 litre	95,373 %	1965,2797 litre	O
800	CM 130	CM 235 LEVEL CM	40387,5214 litre	95,087 %	2086,8113 litre	O
800	CM 130	CM 234 LEVEL CM	40263,7977 litre	94,796 %	2210,5350 litre	O
800	CM 130	CM 233 LEVEL CM	40137,9404 litre	94,499 %	2336,3923 litre	O
800	CM 130	CM 232 LEVEL CM	40010,0051 litre	94,198 %	2464,3276 litre	O
800	CM 130	CM 231 LEVEL CM	39880,0448 litre	93,892 %	2594,2879 litre	O
800	CM 130	CM 230 LEVEL CM	39748,1098 litre	93,581 %	2726,2229 litre	O
800	CM 130	CM 229 LEVEL CM	39614,2485 litre	93,266 %	2860,0842 litre	O
800	CM 130	CM 228 LEVEL CM	39478,5071 litre	92,947 %	2995,8256 litre	O
800	CM 130	CM 227 LEVEL CM	39340,9298 litre	92,623 %	3133,4029 litre	O
800	CM 130	CM 226 LEVEL CM	39201,5592 litre	92,295 %	3272,7735 litre	O
800	CM 130	CM 225 LEVEL CM	39060,4362 litre	91,962 %	3413,8965 litre	O
800	CM 130	CM 224 LEVEL CM	38917,6003 litre	91,626 %	3556,7324 litre	O
800	CM 130	CM 223 LEVEL CM	38773,0894 litre	91,286 %	3701,2433 litre	O
800	CM 130	CM 222 LEVEL CM	38626,9402 litre	90,942 %	3847,3925 litre	O
800	CM 130	CM 221 LEVEL CM	38479,1884 litre	90,594 %	3995,1443 litre	O
800	CM 130	CM 220 LEVEL CM	38329,8681 litre	90,242 %	4144,4646 litre	O
800	CM 130	CM 219 LEVEL CM	38179,0127 litre	89,887 %	4295,3200 litre	O
800	CM 130	CM 218 LEVEL CM	38026,6544 litre	89,529 %	4447,6783 litre	O
800	CM 130	CM 217 LEVEL CM	37872,8246 litre	89,166 %	4601,5081 litre	O
800	CM 130	CM 216 LEVEL CM	37717,5537 litre	88,801 %	4756,7790 litre	O
800	CM 130	CM 215 LEVEL CM	37560,8712 litre	88,432 %	4913,4615 litre	O
800	CM 130	CM 214 LEVEL CM	37402,8061 litre	88,060 %	5071,5266 litre	O
800	CM 130	CM 213 LEVEL CM	37243,3863 litre	87,684 %	5230,9464 litre	O
800	CM 130	CM 212 LEVEL CM	37082,6391 litre	87,306 %	5391,6936 litre	O
800	CM 130	CM 211 LEVEL CM	36920,5913 litre	86,924 %	5553,7414 litre	O
800	CM 130	CM 210 LEVEL CM	36757,2689 litre	86,540 %	5717,0638 litre	O
800	CM 130	CM 209 LEVEL CM	36592,6973 litre	86,152 %	5881,6354 litre	O

800	CM	130	CM	208 LEVEL CM	36426,9013 litre	85,762 %	6047,4314 litre	O
800	CM	130	CM	207 LEVEL CM	36259,9053 litre	85,369 %	6214,4274 litre	O
800	CM	130	CM	206 LEVEL CM	36091,7330 litre	84,973 %	6382,5997 litre	O
800	CM	130	CM	205 LEVEL CM	35922,4078 litre	84,574 %	6551,9249 litre	O
800	CM	130	CM	204 LEVEL CM	35751,9524 litre	84,173 %	6722,3803 litre	O
800	CM	130	CM	203 LEVEL CM	35580,3892 litre	83,769 %	6893,9435 litre	O
800	CM	130	CM	202 LEVEL CM	35407,7402 litre	83,363 %	7066,5925 litre	O
800	CM	130	CM	201 LEVEL CM	35234,0268 litre	82,954 %	7240,3059 litre	O
800	CM	130	CM	200 LEVEL CM	35059,2702 litre	82,542 %	7415,0625 litre	O
800	CM	130	CM	199 LEVEL CM	34883,4912 litre	82,128 %	7590,8415 litre	O
800	CM	130	CM	198 LEVEL CM	34706,7102 litre	81,712 %	7767,6225 litre	O
800	CM	130	CM	197 LEVEL CM	34528,9471 litre	81,294 %	7945,3856 litre	O
800	CM	130	CM	196 LEVEL CM	34350,2217 litre	80,873 %	8124,1110 litre	O
800	CM	130	CM	195 LEVEL CM	34170,5535 litre	80,450 %	8303,7792 litre	O
800	CM	130	CM	194 LEVEL CM	33989,9615 litre	80,025 %	8484,3712 litre	O
800	CM	130	CM	193 LEVEL CM	33808,4645 litre	79,597 %	8665,8682 litre	O
800	CM	130	CM	192 LEVEL CM	33626,0810 litre	79,168 %	8848,2517 litre	O
800	CM	130	CM	191 LEVEL CM	33442,8294 litre	78,737 %	9031,5033 litre	O
800	CM	130	CM	190 LEVEL CM	33258,7276 litre	78,303 %	9215,6051 litre	O
800	CM	130	CM	189 LEVEL CM	33073,7933 litre	77,868 %	9400,5394 litre	O
800	CM	130	CM	188 LEVEL CM	32888,0441 litre	77,430 %	9586,2886 litre	O
800	CM	130	CM	187 LEVEL CM	32701,4972 litre	76,991 %	9772,8355 litre	O
800	CM	130	CM	186 LEVEL CM	32514,1697 litre	76,550 %	9960,1630 litre	O
800	CM	130	CM	185 LEVEL CM	32326,0785 litre	76,107 %	10148,2542 litre	O
800	CM	130	CM	184 LEVEL CM	32137,2402 litre	75,663 %	10337,0925 litre	O
800	CM	130	CM	183 LEVEL CM	31947,6713 litre	75,216 %	10526,6614 litre	O
800	CM	130	CM	182 LEVEL CM	31757,3880 litre	74,768 %	10716,9447 litre	O
800	CM	130	CM	181 LEVEL CM	31566,4063 litre	74,319 %	10907,9264 litre	O
800	CM	130	CM	180 LEVEL CM	31374,7423 litre	73,868 %	11099,5904 litre	O
800	CM	130	CM	179 LEVEL CM	31182,4115 litre	73,415 %	11291,9212 litre	O
800	CM	130	CM	178 LEVEL CM	30989,4297 litre	72,960 %	11484,9030 litre	O
800	CM	130	CM	177 LEVEL CM	30795,8122 litre	72,505 %	11678,5205 litre	O
800	CM	130	CM	176 LEVEL CM	30601,5742 litre	72,047 %	11872,7585 litre	O
800	CM	130	CM	175 LEVEL CM	30406,7309 litre	71,588 %	12067,6018 litre	O
800	CM	130	CM	174 LEVEL CM	30211,2972 litre	71,128 %	12263,0355 litre	O
800	CM	130	CM	173 LEVEL CM	30015,2880 litre	70,667 %	12459,0447 litre	O
800	CM	130	CM	172 LEVEL CM	29818,7180 litre	70,204 %	12655,6147 litre	O
800	CM	130	CM	171 LEVEL CM	29621,6018 litre	69,740 %	12852,7309 litre	O
800	CM	130	CM	170 LEVEL CM	29423,9538 litre	69,275 %	13050,3789 litre	O
800	CM	130	CM	169 LEVEL CM	29225,7884 litre	68,808 %	13248,5443 litre	O
800	CM	130	CM	168 LEVEL CM	29027,1198 litre	68,340 %	13447,2129 litre	O
800	CM	130	CM	167 LEVEL CM	28827,9622 litre	67,871 %	13646,3705 litre	O
800	CM	130	CM	166 LEVEL CM	28628,3295 litre	67,401 %	13846,0032 litre	O
800	CM	130	CM	165 LEVEL CM	28428,2357 litre	66,930 %	14046,0970 litre	O
800	CM	130	CM	164 LEVEL CM	28227,6946 litre	66,458 %	14246,6381 litre	O
800	CM	130	CM	163 LEVEL CM	28026,7200 litre	65,985 %	14447,6127 litre	O
800	CM	130	CM	162 LEVEL CM	27825,3254 litre	65,511 %	14649,0073 litre	O
800	CM	130	CM	161 LEVEL CM	27623,5245 litre	65,036 %	14850,8082 litre	O
800	CM	130	CM	160 LEVEL CM	27421,3307 litre	64,560 %	15053,0020 litre	O
800	CM	130	CM	159 LEVEL CM	27218,7574 litre	64,083 %	15255,5753 litre	O
800	CM	130	CM	158 LEVEL CM	27015,8179 litre	63,605 %	15458,5148 litre	O
800	CM	130	CM	157 LEVEL CM	26812,5256 litre	63,126 %	15661,8071 litre	O
800	CM	130	CM	156 LEVEL CM	26608,8935 litre	62,647 %	15865,4392 litre	O

800	CM	130	CM	155 LEVEL CM	26404,9349 litre	62,167 %	16069,3978 litre	O
800	CM	130	CM	154 LEVEL CM	26200,6626 litre	61,686 %	16273,6701 litre	O
800	CM	130	CM	153 LEVEL CM	25996,0899 litre	61,204 %	16478,2428 litre	O
800	CM	130	CM	152 LEVEL CM	25791,2295 litre	60,722 %	16683,1032 litre	O
800	CM	130	CM	151 LEVEL CM	25586,0944 litre	60,239 %	16888,2383 litre	O
800	CM	130	CM	150 LEVEL CM	25380,6973 litre	59,755 %	17093,6354 litre	O
800	CM	130	CM	149 LEVEL CM	25175,0512 litre	59,271 %	17299,2815 litre	O
800	CM	130	CM	148 LEVEL CM	24969,1686 litre	58,786 %	17505,1641 litre	O
800	CM	130	CM	147 LEVEL CM	24763,0624 litre	58,301 %	17711,2703 litre	O
800	CM	130	CM	146 LEVEL CM	24556,7451 litre	57,815 %	17917,5876 litre	O
800	CM	130	CM	145 LEVEL CM	24350,2294 litre	57,329 %	18124,1033 litre	O
800	CM	130	CM	144 LEVEL CM	24143,5278 litre	56,843 %	18330,8049 litre	O
800	CM	130	CM	143 LEVEL CM	23936,6529 litre	56,356 %	18537,6798 litre	O
800	CM	130	CM	142 LEVEL CM	23729,6172 litre	55,868 %	18744,7155 litre	O
800	CM	130	CM	141 LEVEL CM	23522,4331 litre	55,380 %	18951,8996 litre	O
800	CM	130	CM	140 LEVEL CM	23315,1132 litre	54,892 %	19159,2195 litre	O
800	CM	130	CM	139 LEVEL CM	23107,6699 litre	54,404 %	19366,6628 litre	O
800	CM	130	CM	138 LEVEL CM	22900,1155 litre	53,915 %	19574,2172 litre	O
800	CM	130	CM	137 LEVEL CM	22692,4624 litre	53,426 %	19781,8703 litre	O
800	CM	130	CM	136 LEVEL CM	22484,7231 litre	52,937 %	19989,6096 litre	O
800	CM	130	CM	135 LEVEL CM	22276,9099 litre	52,448 %	20197,4228 litre	O
800	CM	130	CM	134 LEVEL CM	22069,0350 litre	51,959 %	20405,2977 litre	O
800	CM	130	CM	133 LEVEL CM	21861,1109 litre	51,469 %	20613,2218 litre	O
800	CM	130	CM	132 LEVEL CM	21653,1499 litre	50,979 %	20821,1828 litre	O
800	CM	130	CM	131 LEVEL CM	21445,1643 litre	50,490 %	21029,1684 litre	O
800	CM	130	CM	130 LEVEL CM	21237,1663 litre	50,000 %	21237,1664 litre	O
800	CM	130	CM	129 LEVEL CM	21029,1684 litre	49,510 %	21445,1643 litre	O
800	CM	130	CM	128 LEVEL CM	20821,1827 litre	49,021 %	21653,1500 litre	O
800	CM	130	CM	127 LEVEL CM	20613,2217 litre	48,531 %	21861,1110 litre	O
800	CM	130	CM	126 LEVEL CM	20405,2976 litre	48,041 %	22069,0351 litre	O
800	CM	130	CM	125 LEVEL CM	20197,4228 litre	47,552 %	22276,9099 litre	O
800	CM	130	CM	124 LEVEL CM	19989,6096 litre	47,063 %	22484,7231 litre	O
800	CM	130	CM	123 LEVEL CM	19781,8702 litre	46,574 %	22692,4625 litre	O
800	CM	130	CM	122 LEVEL CM	19574,2172 litre	46,085 %	22900,1155 litre	O
800	CM	130	CM	121 LEVEL CM	19366,6628 litre	45,596 %	23107,6699 litre	O
800	CM	130	CM	120 LEVEL CM	19159,2194 litre	45,108 %	23315,1133 litre	O
800	CM	130	CM	119 LEVEL CM	18951,8995 litre	44,620 %	23522,4332 litre	O
800	CM	130	CM	118 LEVEL CM	18744,7155 litre	44,132 %	23729,6172 litre	O
800	CM	130	CM	117 LEVEL CM	18537,6798 litre	43,644 %	23936,6529 litre	O
800	CM	130	CM	116 LEVEL CM	18330,8049 litre	43,157 %	24143,5278 litre	O
800	CM	130	CM	115 LEVEL CM	18124,1033 litre	42,671 %	24350,2294 litre	O
800	CM	130	CM	114 LEVEL CM	17917,5876 litre	42,185 %	24556,7451 litre	O
800	CM	130	CM	113 LEVEL CM	17711,2703 litre	41,699 %	24763,0624 litre	O
800	CM	130	CM	112 LEVEL CM	17505,1641 litre	41,214 %	24969,1686 litre	O
800	CM	130	CM	111 LEVEL CM	17299,2815 litre	40,729 %	25175,0512 litre	O
800	CM	130	CM	110 LEVEL CM	17093,6354 litre	40,245 %	25380,6973 litre	O
800	CM	130	CM	109 LEVEL CM	16888,2383 litre	39,761 %	25586,0944 litre	O
800	CM	130	CM	108 LEVEL CM	16683,1032 litre	39,278 %	25791,2295 litre	O
800	CM	130	CM	107 LEVEL CM	16478,2428 litre	38,796 %	25996,0899 litre	O
800	CM	130	CM	106 LEVEL CM	16273,6700 litre	38,314 %	26200,6627 litre	O
800	CM	130	CM	105 LEVEL CM	16069,3978 litre	37,833 %	26404,9349 litre	O
800	CM	130	CM	104 LEVEL CM	15865,4391 litre	37,353 %	26608,8936 litre	O
800	CM	130	CM	103 LEVEL CM	15661,8071 litre	36,874 %	26812,5256 litre	O

800	CM	130	CM	102 LEVEL CM	15458,5147 litre	36,395 %	27015,8180 litre	O
800	CM	130	CM	101 LEVEL CM	15255,5753 litre	35,917 %	27218,7574 litre	O
800	CM	130	CM	100 LEVEL CM	15053,0020 litre	35,440 %	27421,3307 litre	O
800	CM	130	CM	99 LEVEL CM	14850,8082 litre	34,964 %	27623,5245 litre	O
800	CM	130	CM	98 LEVEL CM	14649,0073 litre	34,489 %	27825,3254 litre	O
800	CM	130	CM	97 LEVEL CM	14447,6127 litre	34,015 %	28026,7200 litre	O
800	CM	130	CM	96 LEVEL CM	14246,6381 litre	33,542 %	28227,6946 litre	O
800	CM	130	CM	95 LEVEL CM	14046,0970 litre	33,070 %	28428,2357 litre	O
800	CM	130	CM	94 LEVEL CM	13846,0032 litre	32,599 %	28628,3295 litre	O
800	CM	130	CM	93 LEVEL CM	13646,3705 litre	32,129 %	28827,9622 litre	O
800	CM	130	CM	92 LEVEL CM	13447,2128 litre	31,660 %	29027,1199 litre	O
800	CM	130	CM	91 LEVEL CM	13248,5443 litre	31,192 %	29225,7884 litre	O
800	CM	130	CM	90 LEVEL CM	13050,3789 litre	30,725 %	29423,9538 litre	O
800	CM	130	CM	89 LEVEL CM	12852,7309 litre	30,260 %	29621,6018 litre	O
800	CM	130	CM	88 LEVEL CM	12655,6147 litre	29,796 %	29818,7180 litre	O
800	CM	130	CM	87 LEVEL CM	12459,0447 litre	29,333 %	30015,2880 litre	O
800	CM	130	CM	86 LEVEL CM	12263,0355 litre	28,872 %	30211,2972 litre	O
800	CM	130	CM	85 LEVEL CM	12067,6018 litre	28,412 %	30406,7309 litre	O
800	CM	130	CM	84 LEVEL CM	11872,7585 litre	27,953 %	30601,5742 litre	O
800	CM	130	CM	83 LEVEL CM	11678,5205 litre	27,495 %	30795,8122 litre	O
800	CM	130	CM	82 LEVEL CM	11484,9030 litre	27,040 %	30989,4297 litre	O
800	CM	130	CM	81 LEVEL CM	11291,9211 litre	26,585 %	31182,4116 litre	O
800	CM	130	CM	80 LEVEL CM	11099,5904 litre	26,132 %	31374,7423 litre	O
800	CM	130	CM	79 LEVEL CM	10907,9263 litre	25,681 %	31566,4064 litre	O
800	CM	130	CM	78 LEVEL CM	10716,9447 litre	25,232 %	31757,3880 litre	O
800	CM	130	CM	77 LEVEL CM	10526,6614 litre	24,784 %	31947,6713 litre	O
800	CM	130	CM	76 LEVEL CM	10337,0924 litre	24,337 %	32137,2403 litre	O
800	CM	130	CM	75 LEVEL CM	10148,2541 litre	23,893 %	32326,0786 litre	O
800	CM	130	CM	74 LEVEL CM	9960,1629 litre	23,450 %	32514,1698 litre	O
800	CM	130	CM	73 LEVEL CM	9772,8355 litre	23,009 %	32701,4972 litre	O
800	CM	130	CM	72 LEVEL CM	9586,2886 litre	22,570 %	32888,0441 litre	O
800	CM	130	CM	71 LEVEL CM	9400,5394 litre	22,132 %	33073,7933 litre	O
800	CM	130	CM	70 LEVEL CM	9215,6051 litre	21,697 %	33258,7276 litre	O
800	CM	130	CM	69 LEVEL CM	9031,5033 litre	21,263 %	33442,8294 litre	O
800	CM	130	CM	68 LEVEL CM	8848,2516 litre	20,832 %	33626,0811 litre	O
800	CM	130	CM	67 LEVEL CM	8665,8682 litre	20,403 %	33808,4645 litre	O
800	CM	130	CM	66 LEVEL CM	8484,3712 litre	19,975 %	33989,9615 litre	O
800	CM	130	CM	65 LEVEL CM	8303,7792 litre	19,550 %	34170,5535 litre	O
800	CM	130	CM	64 LEVEL CM	8124,1109 litre	19,127 %	34350,2218 litre	O
800	CM	130	CM	63 LEVEL CM	7945,3856 litre	18,706 %	34528,9471 litre	O
800	CM	130	CM	62 LEVEL CM	7767,6225 litre	18,288 %	34706,7102 litre	O
800	CM	130	CM	61 LEVEL CM	7590,8414 litre	17,872 %	34883,4913 litre	O
800	CM	130	CM	60 LEVEL CM	7415,0624 litre	17,458 %	35059,2703 litre	O
800	CM	130	CM	59 LEVEL CM	7240,3059 litre	17,046 %	35234,0268 litre	O
800	CM	130	CM	58 LEVEL CM	7066,5925 litre	16,637 %	35407,7402 litre	O
800	CM	130	CM	57 LEVEL CM	6893,9435 litre	16,231 %	35580,3892 litre	O
800	CM	130	CM	56 LEVEL CM	6722,3803 litre	15,827 %	35751,9524 litre	O
800	CM	130	CM	55 LEVEL CM	6551,9249 litre	15,426 %	35922,4078 litre	O
800	CM	130	CM	54 LEVEL CM	6382,5996 litre	15,027 %	36091,7331 litre	O
800	CM	130	CM	53 LEVEL CM	6214,4274 litre	14,631 %	36259,9053 litre	O
800	CM	130	CM	52 LEVEL CM	6047,4313 litre	14,238 %	36426,9014 litre	O
800	CM	130	CM	51 LEVEL CM	5881,6354 litre	13,848 %	36592,6973 litre	O
800	CM	130	CM	50 LEVEL CM	5717,0638 litre	13,460 %	36757,2689 litre	O

800	CM	130	CM	49 LEVEL CM	5553,7413 litre	13,076 %	36920,5914 litre	O
800	CM	130	CM	48 LEVEL CM	5391,6935 litre	12,694 %	37082,6392 litre	O
800	CM	130	CM	47 LEVEL CM	5230,9464 litre	12,316 %	37243,3863 litre	O
800	CM	130	CM	46 LEVEL CM	5071,5266 litre	11,940 %	37402,8061 litre	O
800	CM	130	CM	45 LEVEL CM	4913,4614 litre	11,568 %	37560,8713 litre	O
800	CM	130	CM	44 LEVEL CM	4756,7790 litre	11,199 %	37717,5537 litre	O
800	CM	130	CM	43 LEVEL CM	4601,5081 litre	10,834 %	37872,8246 litre	O
800	CM	130	CM	42 LEVEL CM	4447,6783 litre	10,471 %	38026,6544 litre	O
800	CM	130	CM	41 LEVEL CM	4295,3200 litre	10,113 %	38179,0127 litre	O
800	CM	130	CM	40 LEVEL CM	4144,4646 litre	9,758 %	38329,8681 litre	O
800	CM	130	CM	39 LEVEL CM	3995,1443 litre	9,406 %	38479,1884 litre	O
800	CM	130	CM	38 LEVEL CM	3847,3924 litre	9,058 %	38626,9403 litre	O
800	CM	130	CM	37 LEVEL CM	3701,2433 litre	8,714 %	38773,0894 litre	O
800	CM	130	CM	36 LEVEL CM	3556,7324 litre	8,374 %	38917,6003 litre	O
800	CM	130	CM	35 LEVEL CM	3413,8965 litre	8,038 %	39060,4362 litre	O
800	CM	130	CM	34 LEVEL CM	3272,7735 litre	7,705 %	39201,5592 litre	O
800	CM	130	CM	33 LEVEL CM	3133,4029 litre	7,377 %	39340,9298 litre	O
800	CM	130	CM	32 LEVEL CM	2995,8256 litre	7,053 %	39478,5071 litre	O
800	CM	130	CM	31 LEVEL CM	2860,0841 litre	6,734 %	39614,2486 litre	O
800	CM	130	CM	30 LEVEL CM	2726,2229 litre	6,419 %	39748,1098 litre	O
800	CM	130	CM	29 LEVEL CM	2594,2879 litre	6,108 %	39880,0448 litre	O
800	CM	130	CM	28 LEVEL CM	2464,3276 litre	5,802 %	40010,0051 litre	O
800	CM	130	CM	27 LEVEL CM	2336,3923 litre	5,501 %	40137,9404 litre	O
800	CM	130	CM	26 LEVEL CM	2210,5350 litre	5,204 %	40263,7977 litre	O
800	CM	130	CM	25 LEVEL CM	2086,8113 litre	4,913 %	40387,5214 litre	O
800	CM	130	CM	24 LEVEL CM	1965,2797 litre	4,627 %	40509,0530 litre	O
800	CM	130	CM	23 LEVEL CM	1846,0019 litre	4,346 %	40628,3308 litre	O
800	CM	130	CM	22 LEVEL CM	1729,0432 litre	4,071 %	40745,2895 litre	O
800	CM	130	CM	21 LEVEL CM	1614,4730 litre	3,801 %	40859,8597 litre	O
800	CM	130	CM	20 LEVEL CM	1502,3649 litre	3,537 %	40971,9678 litre	O
800	CM	130	CM	19 LEVEL CM	1392,7976 litre	3,279 %	41081,5351 litre	O
800	CM	130	CM	18 LEVEL CM	1285,8554 litre	3,027 %	41188,4773 litre	O
800	CM	130	CM	17 LEVEL CM	1181,6290 litre	2,782 %	41292,7037 litre	O
800	CM	130	CM	16 LEVEL CM	1080,2162 litre	2,543 %	41394,1165 litre	O
800	CM	130	CM	15 LEVEL CM	981,7236 litre	2,311 %	41492,6091 litre	O
800	CM	130	CM	14 LEVEL CM	886,2670 litre	2,087 %	41588,0657 litre	O
800	CM	130	CM	13 LEVEL CM	793,9743 litre	1,869 %	41680,3584 litre	O
800	CM	130	CM	12 LEVEL CM	704,9864 litre	1,660 %	41769,3463 litre	O
800	CM	130	CM	11 LEVEL CM	619,4611 litre	1,458 %	41854,8716 litre	O
800	CM	130	CM	10 LEVEL CM	537,5759 litre	1,266 %	41936,7568 litre	O
800	CM	130	CM	9 LEVEL CM	459,5334 litre	1,082 %	42014,7993 litre	O
800	CM	130	CM	8 LEVEL CM	385,5675 litre	0,908 %	42088,7652 litre	O
800	CM	130	CM	7 LEVEL CM	315,9536 litre	0,744 %	42158,3791 litre	O
800	CM	130	CM	6 LEVEL CM	251,0225 litre	0,591 %	42223,3102 litre	O
800	CM	130	CM	5 LEVEL CM	191,1828 litre	0,450 %	42283,1499 litre	O
800	CM	130	CM	4 LEVEL CM	136,9591 litre	0,322 %	42337,3736 litre	O
800	CM	130	CM	3 LEVEL CM	89,0611 litre	0,210 %	42385,2716 litre	O
800	CM	130	CM	2 LEVEL CM	48,5351 litre	0,114 %	42425,7976 litre	O
800	CM	130	CM	1 LEVEL CM	17,1796 litre	0,040 %	42457,1531 litre	O
800	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	42474,3327 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM 125	CM 250 LEVEL CM	39269,9082 litre	100,000 %	0,0000 litre	O
800	CM 125	CM 249 LEVEL CM	39253,0629 litre	99,957 %	16,8453 litre	O
800	CM 125	CM 248 LEVEL CM	39222,3200 litre	99,879 %	47,5882 litre	O
800	CM 125	CM 247 LEVEL CM	39182,5887 litre	99,778 %	87,3195 litre	O
800	CM 125	CM 246 LEVEL CM	39135,6338 litre	99,658 %	134,2744 litre	O
800	CM 125	CM 245 LEVEL CM	39082,4818 litre	99,523 %	187,4264 litre	O
800	CM 125	CM 244 LEVEL CM	39023,8296 litre	99,373 %	246,0786 litre	O
800	CM 125	CM 243 LEVEL CM	38960,1921 litre	99,211 %	309,7161 litre	O
800	CM 125	CM 242 LEVEL CM	38891,9707 litre	99,038 %	377,9375 litre	O
800	CM 125	CM 241 LEVEL CM	38819,4902 litre	98,853 %	450,4180 litre	O
800	CM 125	CM 240 LEVEL CM	38743,0213 litre	98,658 %	526,8869 litre	O
800	CM 125	CM 239 LEVEL CM	38662,7939 litre	98,454 %	607,1143 litre	O
800	CM 125	CM 238 LEVEL CM	38579,0071 litre	98,241 %	690,9011 litre	O
800	CM 125	CM 237 LEVEL CM	38491,8356 litre	98,019 %	778,0726 litre	O
800	CM 125	CM 236 LEVEL CM	38401,4343 litre	97,788 %	868,4739 litre	O
800	CM 125	CM 235 LEVEL CM	38307,9421 litre	97,550 %	961,9661 litre	O
800	CM 125	CM 234 LEVEL CM	38211,4846 litre	97,305 %	1058,4236 litre	O
800	CM 125	CM 233 LEVEL CM	38112,1762 litre	97,052 %	1157,7320 litre	O
800	CM 125	CM 232 LEVEL CM	38010,1214 litre	96,792 %	1259,7868 litre	O
800	CM 125	CM 231 LEVEL CM	37905,4167 litre	96,525 %	1364,4915 litre	O
800	CM 125	CM 230 LEVEL CM	37798,1516 litre	96,252 %	1471,7566 litre	O
800	CM 125	CM 229 LEVEL CM	37688,4089 litre	95,973 %	1581,4993 litre	O
800	CM 125	CM 228 LEVEL CM	37576,2663 litre	95,687 %	1693,6419 litre	O
800	CM 125	CM 227 LEVEL CM	37461,7964 litre	95,396 %	1808,1118 litre	O
800	CM 125	CM 226 LEVEL CM	37345,0676 litre	95,098 %	1924,8406 litre	O
800	CM 125	CM 225 LEVEL CM	37226,1443 litre	94,796 %	2043,7639 litre	O
800	CM 125	CM 224 LEVEL CM	37105,0874 litre	94,487 %	2164,8208 litre	O
800	CM 125	CM 223 LEVEL CM	36981,9546 litre	94,174 %	2287,9536 litre	O
800	CM 125	CM 222 LEVEL CM	36856,8009 litre	93,855 %	2413,1073 litre	O
800	CM 125	CM 221 LEVEL CM	36729,6785 litre	93,531 %	2540,2297 litre	O
800	CM 125	CM 220 LEVEL CM	36600,6372 litre	93,203 %	2669,2710 litre	O
800	CM 125	CM 219 LEVEL CM	36469,7248 litre	92,869 %	2800,1834 litre	O
800	CM 125	CM 218 LEVEL CM	36336,9869 litre	92,531 %	2932,9213 litre	O
800	CM 125	CM 217 LEVEL CM	36202,4672 litre	92,189 %	3067,4410 litre	O
800	CM 125	CM 216 LEVEL CM	36066,2080 litre	91,842 %	3203,7002 litre	O
800	CM 125	CM 215 LEVEL CM	35928,2496 litre	91,491 %	3341,6586 litre	O
800	CM 125	CM 214 LEVEL CM	35788,6311 litre	91,135 %	3481,2771 litre	O
800	CM 125	CM 213 LEVEL CM	35647,3902 litre	90,775 %	3622,5180 litre	O
800	CM 125	CM 212 LEVEL CM	35504,5631 litre	90,412 %	3765,3451 litre	O
800	CM 125	CM 211 LEVEL CM	35360,1850 litre	90,044 %	3909,7232 litre	O
800	CM 125	CM 210 LEVEL CM	35214,2900 litre	89,672 %	4055,6182 litre	O
800	CM 125	CM 209 LEVEL CM	35066,9110 litre	89,297 %	4202,9972 litre	O
800	CM 125	CM 208 LEVEL CM	34918,0800 litre	88,918 %	4351,8282 litre	O
800	CM 125	CM 207 LEVEL CM	34767,8281 litre	88,536 %	4502,0801 litre	O
800	CM 125	CM 206 LEVEL CM	34616,1856 litre	88,149 %	4653,7226 litre	O
800	CM 125	CM 205 LEVEL CM	34463,1817 litre	87,760 %	4806,7265 litre	O
800	CM 125	CM 204 LEVEL CM	34308,8450 litre	87,367 %	4961,0632 litre	O
800	CM 125	CM 203 LEVEL CM	34153,2035 litre	86,970 %	5116,7047 litre	O
800	CM 125	CM 202 LEVEL CM	33996,2842 litre	86,571 %	5273,6240 litre	O
800	CM 125	CM 201 LEVEL CM	33838,1138 litre	86,168 %	5431,7944 litre	O
800	CM 125	CM 200 LEVEL CM	33678,7179 litre	85,762 %	5591,1903 litre	O
800	CM 125	CM 199 LEVEL CM	33518,1221 litre	85,353 %	5751,7861 litre	O

800	CM	125	CM	198 LEVEL CM	33356,3509 litre	84,941 %	5913,5573 litre	O
800	CM	125	CM	197 LEVEL CM	33193,4286 litre	84,526 %	6076,4796 litre	O
800	CM	125	CM	196 LEVEL CM	33029,3788 litre	84,109 %	6240,5294 litre	O
800	CM	125	CM	195 LEVEL CM	32864,2248 litre	83,688 %	6405,6834 litre	O
800	CM	125	CM	194 LEVEL CM	32697,9893 litre	83,265 %	6571,9189 litre	O
800	CM	125	CM	193 LEVEL CM	32530,6946 litre	82,839 %	6739,2136 litre	O
800	CM	125	CM	192 LEVEL CM	32362,3624 litre	82,410 %	6907,5458 litre	O
800	CM	125	CM	191 LEVEL CM	32193,0144 litre	81,979 %	7076,8938 litre	O
800	CM	125	CM	190 LEVEL CM	32022,6717 litre	81,545 %	7247,2365 litre	O
800	CM	125	CM	189 LEVEL CM	31851,3548 litre	81,109 %	7418,5534 litre	O
800	CM	125	CM	188 LEVEL CM	31679,0842 litre	80,670 %	7590,8240 litre	O
800	CM	125	CM	187 LEVEL CM	31505,8800 litre	80,229 %	7764,0282 litre	O
800	CM	125	CM	186 LEVEL CM	31331,7617 litre	79,786 %	7938,1465 litre	O
800	CM	125	CM	185 LEVEL CM	31156,7489 litre	79,340 %	8113,1593 litre	O
800	CM	125	CM	184 LEVEL CM	30980,8606 litre	78,892 %	8289,0476 litre	O
800	CM	125	CM	183 LEVEL CM	30804,1157 litre	78,442 %	8465,7925 litre	O
800	CM	125	CM	182 LEVEL CM	30626,5327 litre	77,990 %	8643,3755 litre	O
800	CM	125	CM	181 LEVEL CM	30448,1299 litre	77,536 %	8821,7783 litre	O
800	CM	125	CM	180 LEVEL CM	30268,9253 litre	77,079 %	9000,9829 litre	O
800	CM	125	CM	179 LEVEL CM	30088,9367 litre	76,621 %	9180,9715 litre	O
800	CM	125	CM	178 LEVEL CM	29908,1816 litre	76,161 %	9361,7266 litre	O
800	CM	125	CM	177 LEVEL CM	29726,6775 litre	75,698 %	9543,2307 litre	O
800	CM	125	CM	176 LEVEL CM	29544,4415 litre	75,234 %	9725,4667 litre	O
800	CM	125	CM	175 LEVEL CM	29361,4904 litre	74,768 %	9908,4178 litre	O
800	CM	125	CM	174 LEVEL CM	29177,8409 litre	74,301 %	10092,0673 litre	O
800	CM	125	CM	173 LEVEL CM	28993,5097 litre	73,831 %	10276,3985 litre	O
800	CM	125	CM	172 LEVEL CM	28808,5131 litre	73,360 %	10461,3951 litre	O
800	CM	125	CM	171 LEVEL CM	28622,8672 litre	72,888 %	10647,0410 litre	O
800	CM	125	CM	170 LEVEL CM	28436,5881 litre	72,413 %	10833,3201 litre	O
800	CM	125	CM	169 LEVEL CM	28249,6916 litre	71,937 %	11020,2166 litre	O
800	CM	125	CM	168 LEVEL CM	28062,1933 litre	71,460 %	11207,7149 litre	O
800	CM	125	CM	167 LEVEL CM	27874,1089 litre	70,981 %	11395,7993 litre	O
800	CM	125	CM	166 LEVEL CM	27685,4536 litre	70,500 %	11584,4546 litre	O
800	CM	125	CM	165 LEVEL CM	27496,2428 litre	70,019 %	11773,6654 litre	O
800	CM	125	CM	164 LEVEL CM	27306,4916 litre	69,535 %	11963,4166 litre	O
800	CM	125	CM	163 LEVEL CM	27116,2150 litre	69,051 %	12153,6932 litre	O
800	CM	125	CM	162 LEVEL CM	26925,4278 litre	68,565 %	12344,4804 litre	O
800	CM	125	CM	161 LEVEL CM	26734,1447 litre	68,078 %	12535,7635 litre	O
800	CM	125	CM	160 LEVEL CM	26542,3805 litre	67,590 %	12727,5277 litre	O
800	CM	125	CM	159 LEVEL CM	26350,1495 litre	67,100 %	12919,7587 litre	O
800	CM	125	CM	158 LEVEL CM	26157,4663 litre	66,609 %	13112,4419 litre	O
800	CM	125	CM	157 LEVEL CM	25964,3452 litre	66,118 %	13305,5630 litre	O
800	CM	125	CM	156 LEVEL CM	25770,8003 litre	65,625 %	13499,1079 litre	O
800	CM	125	CM	155 LEVEL CM	25576,8459 litre	65,131 %	13693,0623 litre	O
800	CM	125	CM	154 LEVEL CM	25382,4959 litre	64,636 %	13887,4123 litre	O
800	CM	125	CM	153 LEVEL CM	25187,7642 litre	64,140 %	14082,1440 litre	O
800	CM	125	CM	152 LEVEL CM	24992,6648 litre	63,643 %	14277,2434 litre	O
800	CM	125	CM	151 LEVEL CM	24797,2114 litre	63,146 %	14472,6968 litre	O
800	CM	125	CM	150 LEVEL CM	24601,4178 litre	62,647 %	14668,4904 litre	O
800	CM	125	CM	149 LEVEL CM	24405,2976 litre	62,148 %	14864,6106 litre	O
800	CM	125	CM	148 LEVEL CM	24208,8644 litre	61,647 %	15061,0438 litre	O
800	CM	125	CM	147 LEVEL CM	24012,1316 litre	61,146 %	15257,7766 litre	O
800	CM	125	CM	146 LEVEL CM	23815,1128 litre	60,645 %	15454,7954 litre	O

800	CM	125	CM	145 LEVEL CM	23617,8213 litre	60,142 %	15652,0869 litre	O
800	CM	125	CM	144 LEVEL CM	23420,2704 litre	59,639 %	15849,6378 litre	O
800	CM	125	CM	143 LEVEL CM	23222,4735 litre	59,136 %	16047,4347 litre	O
800	CM	125	CM	142 LEVEL CM	23024,4437 litre	58,631 %	16245,4645 litre	O
800	CM	125	CM	141 LEVEL CM	22826,1944 litre	58,126 %	16443,7138 litre	O
800	CM	125	CM	140 LEVEL CM	22627,7385 litre	57,621 %	16642,1697 litre	O
800	CM	125	CM	139 LEVEL CM	22429,0892 litre	57,115 %	16840,8190 litre	O
800	CM	125	CM	138 LEVEL CM	22230,2595 litre	56,609 %	17039,6487 litre	O
800	CM	125	CM	137 LEVEL CM	22031,2626 litre	56,102 %	17238,6456 litre	O
800	CM	125	CM	136 LEVEL CM	21832,1113 litre	55,595 %	17437,7969 litre	O
800	CM	125	CM	135 LEVEL CM	21632,8187 litre	55,088 %	17637,0895 litre	O
800	CM	125	CM	134 LEVEL CM	21433,3977 litre	54,580 %	17836,5105 litre	O
800	CM	125	CM	133 LEVEL CM	21233,8611 litre	54,072 %	18036,0471 litre	O
800	CM	125	CM	132 LEVEL CM	21034,2220 litre	53,563 %	18235,6862 litre	O
800	CM	125	CM	131 LEVEL CM	20834,4931 litre	53,055 %	18435,4151 litre	O
800	CM	125	CM	130 LEVEL CM	20634,6874 litre	52,546 %	18635,2208 litre	O
800	CM	125	CM	129 LEVEL CM	20434,8175 litre	52,037 %	18835,0907 litre	O
800	CM	125	CM	128 LEVEL CM	20234,8965 litre	51,528 %	19035,0117 litre	O
800	CM	125	CM	127 LEVEL CM	20034,9370 litre	51,019 %	19234,9712 litre	O
800	CM	125	CM	126 LEVEL CM	19834,9520 litre	50,509 %	19434,9562 litre	O
800	CM	125	CM	125 LEVEL CM	19634,9541 litre	50,000 %	19634,9541 litre	O
800	CM	125	CM	124 LEVEL CM	19434,9562 litre	49,491 %	19834,9520 litre	O
800	CM	125	CM	123 LEVEL CM	19234,9712 litre	48,981 %	20034,9370 litre	O
800	CM	125	CM	122 LEVEL CM	19035,0117 litre	48,472 %	20234,8965 litre	O
800	CM	125	CM	121 LEVEL CM	18835,0906 litre	47,963 %	20434,8176 litre	O
800	CM	125	CM	120 LEVEL CM	18635,2208 litre	47,454 %	20634,6874 litre	O
800	CM	125	CM	119 LEVEL CM	18435,4150 litre	46,945 %	20834,4932 litre	O
800	CM	125	CM	118 LEVEL CM	18235,6862 litre	46,437 %	21034,2220 litre	O
800	CM	125	CM	117 LEVEL CM	18036,0470 litre	45,928 %	21233,8612 litre	O
800	CM	125	CM	116 LEVEL CM	17836,5105 litre	45,420 %	21433,3977 litre	O
800	CM	125	CM	115 LEVEL CM	17637,0895 litre	44,912 %	21632,8187 litre	O
800	CM	125	CM	114 LEVEL CM	17437,7969 litre	44,405 %	21832,1113 litre	O
800	CM	125	CM	113 LEVEL CM	17238,6456 litre	43,898 %	22031,2626 litre	O
800	CM	125	CM	112 LEVEL CM	17039,6487 litre	43,391 %	22230,2595 litre	O
800	CM	125	CM	111 LEVEL CM	16840,8190 litre	42,885 %	22429,0892 litre	O
800	CM	125	CM	110 LEVEL CM	16642,1697 litre	42,379 %	22627,7385 litre	O
800	CM	125	CM	109 LEVEL CM	16443,7138 litre	41,874 %	22826,1944 litre	O
800	CM	125	CM	108 LEVEL CM	16245,4644 litre	41,369 %	23024,4438 litre	O
800	CM	125	CM	107 LEVEL CM	16047,4347 litre	40,864 %	23222,4735 litre	O
800	CM	125	CM	106 LEVEL CM	15849,6378 litre	40,361 %	23420,2704 litre	O
800	CM	125	CM	105 LEVEL CM	15652,0869 litre	39,858 %	23617,8213 litre	O
800	CM	125	CM	104 LEVEL CM	15454,7954 litre	39,355 %	23815,1128 litre	O
800	CM	125	CM	103 LEVEL CM	15257,7766 litre	38,854 %	24012,1316 litre	O
800	CM	125	CM	102 LEVEL CM	15061,0438 litre	38,353 %	24208,8644 litre	O
800	CM	125	CM	101 LEVEL CM	14864,6105 litre	37,852 %	24405,2977 litre	O
800	CM	125	CM	100 LEVEL CM	14668,4903 litre	37,353 %	24601,4179 litre	O
800	CM	125	CM	99 LEVEL CM	14472,6967 litre	36,854 %	24797,2115 litre	O
800	CM	125	CM	98 LEVEL CM	14277,2434 litre	36,357 %	24992,6648 litre	O
800	CM	125	CM	97 LEVEL CM	14082,1440 litre	35,860 %	25187,7642 litre	O
800	CM	125	CM	96 LEVEL CM	13887,4123 litre	35,364 %	25382,4959 litre	O
800	CM	125	CM	95 LEVEL CM	13693,0623 litre	34,869 %	25576,8459 litre	O
800	CM	125	CM	94 LEVEL CM	13499,1078 litre	34,375 %	25770,8004 litre	O
800	CM	125	CM	93 LEVEL CM	13305,5630 litre	33,882 %	25964,3452 litre	O

800	CM	125	CM	92 LEVEL CM	13112,4418 litre	33,391 %	26157,4664 litre	O
800	CM	125	CM	91 LEVEL CM	12919,7586 litre	32,900 %	26350,1496 litre	O
800	CM	125	CM	90 LEVEL CM	12727,5277 litre	32,410 %	26542,3805 litre	O
800	CM	125	CM	89 LEVEL CM	12535,7635 litre	31,922 %	26734,1447 litre	O
800	CM	125	CM	88 LEVEL CM	12344,4804 litre	31,435 %	26925,4278 litre	O
800	CM	125	CM	87 LEVEL CM	12153,6932 litre	30,949 %	27116,2150 litre	O
800	CM	125	CM	86 LEVEL CM	11963,4165 litre	30,465 %	27306,4917 litre	O
800	CM	125	CM	85 LEVEL CM	11773,6653 litre	29,981 %	27496,2429 litre	O
800	CM	125	CM	84 LEVEL CM	11584,4545 litre	29,500 %	27685,4537 litre	O
800	CM	125	CM	83 LEVEL CM	11395,7993 litre	29,019 %	27874,1089 litre	O
800	CM	125	CM	82 LEVEL CM	11207,7148 litre	28,540 %	28062,1934 litre	O
800	CM	125	CM	81 LEVEL CM	11020,2166 litre	28,063 %	28249,6916 litre	O
800	CM	125	CM	80 LEVEL CM	10833,3201 litre	27,587 %	28436,5881 litre	O
800	CM	125	CM	79 LEVEL CM	10647,0409 litre	27,112 %	28622,8673 litre	O
800	CM	125	CM	78 LEVEL CM	10461,3950 litre	26,640 %	28808,5132 litre	O
800	CM	125	CM	77 LEVEL CM	10276,3984 litre	26,169 %	28993,5098 litre	O
800	CM	125	CM	76 LEVEL CM	10092,0672 litre	25,699 %	29177,8410 litre	O
800	CM	125	CM	75 LEVEL CM	9908,4178 litre	25,232 %	29361,4904 litre	O
800	CM	125	CM	74 LEVEL CM	9725,4667 litre	24,766 %	29544,4415 litre	O
800	CM	125	CM	73 LEVEL CM	9543,2306 litre	24,302 %	29726,6776 litre	O
800	CM	125	CM	72 LEVEL CM	9361,7265 litre	23,839 %	29908,1817 litre	O
800	CM	125	CM	71 LEVEL CM	9180,9715 litre	23,379 %	30088,9367 litre	O
800	CM	125	CM	70 LEVEL CM	9000,9829 litre	22,921 %	30268,9253 litre	O
800	CM	125	CM	69 LEVEL CM	8821,7783 litre	22,464 %	30448,1299 litre	O
800	CM	125	CM	68 LEVEL CM	8643,3755 litre	22,010 %	30626,5327 litre	O
800	CM	125	CM	67 LEVEL CM	8465,7924 litre	21,558 %	30804,1158 litre	O
800	CM	125	CM	66 LEVEL CM	8289,0475 litre	21,108 %	30980,8607 litre	O
800	CM	125	CM	65 LEVEL CM	8113,1593 litre	20,660 %	31156,7489 litre	O
800	CM	125	CM	64 LEVEL CM	7938,1464 litre	20,214 %	31331,7618 litre	O
800	CM	125	CM	63 LEVEL CM	7764,0282 litre	19,771 %	31505,8800 litre	O
800	CM	125	CM	62 LEVEL CM	7590,8240 litre	19,330 %	31679,0842 litre	O
800	CM	125	CM	61 LEVEL CM	7418,5534 litre	18,891 %	31851,3548 litre	O
800	CM	125	CM	60 LEVEL CM	7247,2365 litre	18,455 %	32022,6717 litre	O
800	CM	125	CM	59 LEVEL CM	7076,8937 litre	18,021 %	32193,0145 litre	O
800	CM	125	CM	58 LEVEL CM	6907,5457 litre	17,590 %	32362,3625 litre	O
800	CM	125	CM	57 LEVEL CM	6739,2136 litre	17,161 %	32530,6946 litre	O
800	CM	125	CM	56 LEVEL CM	6571,9189 litre	16,735 %	32697,9893 litre	O
800	CM	125	CM	55 LEVEL CM	6405,6833 litre	16,312 %	32864,2249 litre	O
800	CM	125	CM	54 LEVEL CM	6240,5293 litre	15,891 %	33029,3789 litre	O
800	CM	125	CM	53 LEVEL CM	6076,4796 litre	15,474 %	33193,4286 litre	O
800	CM	125	CM	52 LEVEL CM	5913,5573 litre	15,059 %	33356,3509 litre	O
800	CM	125	CM	51 LEVEL CM	5751,7861 litre	14,647 %	33518,1221 litre	O
800	CM	125	CM	50 LEVEL CM	5591,1902 litre	14,238 %	33678,7180 litre	O
800	CM	125	CM	49 LEVEL CM	5431,7944 litre	13,832 %	33838,1138 litre	O
800	CM	125	CM	48 LEVEL CM	5273,6239 litre	13,429 %	33996,2843 litre	O
800	CM	125	CM	47 LEVEL CM	5116,7047 litre	13,030 %	34153,2035 litre	O
800	CM	125	CM	46 LEVEL CM	4961,0631 litre	12,633 %	34308,8451 litre	O
800	CM	125	CM	45 LEVEL CM	4806,7265 litre	12,240 %	34463,1817 litre	O
800	CM	125	CM	44 LEVEL CM	4653,7226 litre	11,851 %	34616,1856 litre	O
800	CM	125	CM	43 LEVEL CM	4502,0800 litre	11,464 %	34767,8282 litre	O
800	CM	125	CM	42 LEVEL CM	4351,8282 litre	11,082 %	34918,0800 litre	O
800	CM	125	CM	41 LEVEL CM	4202,9972 litre	10,703 %	35066,9110 litre	O
800	CM	125	CM	40 LEVEL CM	4055,6182 litre	10,328 %	35214,2900 litre	O

800	CM	125	CM	39 LEVEL CM	3909,7232 litre	9,956 %	35360,1850 litre	O
800	CM	125	CM	38 LEVEL CM	3765,3451 litre	9,588 %	35504,5631 litre	O
800	CM	125	CM	37 LEVEL CM	3622,5180 litre	9,225 %	35647,3902 litre	O
800	CM	125	CM	36 LEVEL CM	3481,2770 litre	8,865 %	35788,6312 litre	O
800	CM	125	CM	35 LEVEL CM	3341,6585 litre	8,509 %	35928,2497 litre	O
800	CM	125	CM	34 LEVEL CM	3203,7002 litre	8,158 %	36066,2080 litre	O
800	CM	125	CM	33 LEVEL CM	3067,4409 litre	7,811 %	36202,4673 litre	O
800	CM	125	CM	32 LEVEL CM	2932,9213 litre	7,469 %	36336,9869 litre	O
800	CM	125	CM	31 LEVEL CM	2800,1834 litre	7,131 %	36469,7248 litre	O
800	CM	125	CM	30 LEVEL CM	2669,2710 litre	6,797 %	36600,6372 litre	O
800	CM	125	CM	29 LEVEL CM	2540,2297 litre	6,469 %	36729,6785 litre	O
800	CM	125	CM	28 LEVEL CM	2413,1073 litre	6,145 %	36856,8009 litre	O
800	CM	125	CM	27 LEVEL CM	2287,9535 litre	5,826 %	36981,9547 litre	O
800	CM	125	CM	26 LEVEL CM	2164,8208 litre	5,513 %	37105,0874 litre	O
800	CM	125	CM	25 LEVEL CM	2043,7639 litre	5,204 %	37226,1443 litre	O
800	CM	125	CM	24 LEVEL CM	1924,8405 litre	4,902 %	37345,0677 litre	O
800	CM	125	CM	23 LEVEL CM	1808,1117 litre	4,604 %	37461,7965 litre	O
800	CM	125	CM	22 LEVEL CM	1693,6419 litre	4,313 %	37576,2663 litre	O
800	CM	125	CM	21 LEVEL CM	1581,4993 litre	4,027 %	37688,4089 litre	O
800	CM	125	CM	20 LEVEL CM	1471,7566 litre	3,748 %	37798,1516 litre	O
800	CM	125	CM	19 LEVEL CM	1364,4914 litre	3,475 %	37905,4168 litre	O
800	CM	125	CM	18 LEVEL CM	1259,7868 litre	3,208 %	38010,1214 litre	O
800	CM	125	CM	17 LEVEL CM	1157,7320 litre	2,948 %	38112,1762 litre	O
800	CM	125	CM	16 LEVEL CM	1058,4235 litre	2,695 %	38211,4847 litre	O
800	CM	125	CM	15 LEVEL CM	961,9661 litre	2,450 %	38307,9421 litre	O
800	CM	125	CM	14 LEVEL CM	868,4739 litre	2,212 %	38401,4343 litre	O
800	CM	125	CM	13 LEVEL CM	778,0726 litre	1,981 %	38491,8356 litre	O
800	CM	125	CM	12 LEVEL CM	690,9011 litre	1,759 %	38579,0071 litre	O
800	CM	125	CM	11 LEVEL CM	607,1143 litre	1,546 %	38662,7939 litre	O
800	CM	125	CM	10 LEVEL CM	526,8869 litre	1,342 %	38743,0213 litre	O
800	CM	125	CM	9 LEVEL CM	450,4179 litre	1,147 %	38819,4903 litre	O
800	CM	125	CM	8 LEVEL CM	377,9375 litre	0,962 %	38891,9707 litre	O
800	CM	125	CM	7 LEVEL CM	309,7160 litre	0,789 %	38960,1922 litre	O
800	CM	125	CM	6 LEVEL CM	246,0785 litre	0,627 %	39023,8297 litre	O
800	CM	125	CM	5 LEVEL CM	187,4264 litre	0,477 %	39082,4818 litre	O
800	CM	125	CM	4 LEVEL CM	134,2744 litre	0,342 %	39135,6338 litre	O
800	CM	125	CM	3 LEVEL CM	87,3194 litre	0,222 %	39182,5888 litre	O
800	CM	125	CM	2 LEVEL CM	47,5881 litre	0,121 %	39222,3201 litre	O
800	CM	125	CM	1 LEVEL CM	16,8452 litre	0,043 %	39253,0630 litre	O
800	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	39269,9082 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM 120	CM 240 LEVEL CM	36191,1474 litre	100,000 %	0,0000 litre	O
800	CM 120	CM 239 LEVEL CM	36174,6433 litre	99,954 %	16,5041 litre	O
800	CM 120	CM 238 LEVEL CM	36144,5254 litre	99,871 %	46,6220 litre	O
800	CM 120	CM 237 LEVEL CM	36105,6051 litre	99,764 %	85,5423 litre	O
800	CM 120	CM 236 LEVEL CM	36059,6125 litre	99,637 %	131,5349 litre	O
800	CM 120	CM 235 LEVEL CM	36007,5543 litre	99,493 %	183,5931 litre	O
800	CM 120	CM 234 LEVEL CM	35950,1141 litre	99,334 %	241,0333 litre	O
800	CM 120	CM 233 LEVEL CM	35887,7971 litre	99,162 %	303,3503 litre	O
800	CM 120	CM 232 LEVEL CM	35820,9971 litre	98,977 %	370,1503 litre	O
800	CM 120	CM 231 LEVEL CM	35750,0332 litre	98,781 %	441,1142 litre	O
800	CM 120	CM 230 LEVEL CM	35675,1709 litre	98,574 %	515,9765 litre	O
800	CM 120	CM 229 LEVEL CM	35596,6363 litre	98,357 %	594,5111 litre	O
800	CM 120	CM 228 LEVEL CM	35514,6249 litre	98,131 %	676,5225 litre	O
800	CM 120	CM 227 LEVEL CM	35429,3083 litre	97,895 %	761,8391 litre	O
800	CM 120	CM 226 LEVEL CM	35340,8389 litre	97,651 %	850,3085 litre	O
800	CM 120	CM 225 LEVEL CM	35249,3533 litre	97,398 %	941,7941 litre	O
800	CM 120	CM 224 LEVEL CM	35154,9749 litre	97,137 %	1036,1725 litre	O
800	CM 120	CM 223 LEVEL CM	35057,8163 litre	96,868 %	1133,3311 litre	O
800	CM 120	CM 222 LEVEL CM	34957,9803 litre	96,593 %	1233,1671 litre	O
800	CM 120	CM 221 LEVEL CM	34855,5621 litre	96,310 %	1335,5853 litre	O
800	CM 120	CM 220 LEVEL CM	34750,6496 litre	96,020 %	1440,4978 litre	O
800	CM 120	CM 219 LEVEL CM	34643,3245 litre	95,723 %	1547,8229 litre	O
800	CM 120	CM 218 LEVEL CM	34533,6632 litre	95,420 %	1657,4842 litre	O
800	CM 120	CM 217 LEVEL CM	34421,7375 litre	95,111 %	1769,4099 litre	O
800	CM 120	CM 216 LEVEL CM	34307,6146 litre	94,796 %	1883,5328 litre	O
800	CM 120	CM 215 LEVEL CM	34191,3581 litre	94,474 %	1999,7893 litre	O
800	CM 120	CM 214 LEVEL CM	34073,0280 litre	94,147 %	2118,1194 litre	O
800	CM 120	CM 213 LEVEL CM	33952,6815 litre	93,815 %	2238,4659 litre	O
800	CM 120	CM 212 LEVEL CM	33830,3725 litre	93,477 %	2360,7749 litre	O
800	CM 120	CM 211 LEVEL CM	33706,1529 litre	93,134 %	2484,9945 litre	O
800	CM 120	CM 210 LEVEL CM	33580,0717 litre	92,785 %	2611,0757 litre	O
800	CM 120	CM 209 LEVEL CM	33452,1761 litre	92,432 %	2738,9713 litre	O
800	CM 120	CM 208 LEVEL CM	33322,5112 litre	92,074 %	2868,6362 litre	O
800	CM 120	CM 207 LEVEL CM	33191,1204 litre	91,711 %	3000,0270 litre	O
800	CM 120	CM 206 LEVEL CM	33058,0453 litre	91,343 %	3133,1021 litre	O
800	CM 120	CM 205 LEVEL CM	32923,3258 litre	90,971 %	3267,8216 litre	O
800	CM 120	CM 204 LEVEL CM	32787,0007 litre	90,594 %	3404,1467 litre	O
800	CM 120	CM 203 LEVEL CM	32649,1072 litre	90,213 %	3542,0402 litre	O
800	CM 120	CM 202 LEVEL CM	32509,6812 litre	89,828 %	3681,4662 litre	O
800	CM 120	CM 201 LEVEL CM	32368,7577 litre	89,438 %	3822,3897 litre	O
800	CM 120	CM 200 LEVEL CM	32226,3703 litre	89,045 %	3964,7771 litre	O
800	CM 120	CM 199 LEVEL CM	32082,5517 litre	88,648 %	4108,5957 litre	O
800	CM 120	CM 198 LEVEL CM	31937,3337 litre	88,246 %	4253,8137 litre	O
800	CM 120	CM 197 LEVEL CM	31790,7471 litre	87,841 %	4400,4003 litre	O
800	CM 120	CM 196 LEVEL CM	31642,8219 litre	87,432 %	4548,3255 litre	O
800	CM 120	CM 195 LEVEL CM	31493,5871 litre	87,020 %	4697,5603 litre	O
800	CM 120	CM 194 LEVEL CM	31343,0713 litre	86,604 %	4848,0761 litre	O
800	CM 120	CM 193 LEVEL CM	31191,3021 litre	86,185 %	4999,8453 litre	O
800	CM 120	CM 192 LEVEL CM	31038,3065 litre	85,762 %	5152,8409 litre	O
800	CM 120	CM 191 LEVEL CM	30884,1108 litre	85,336 %	5307,0366 litre	O
800	CM 120	CM 190 LEVEL CM	30728,7408 litre	84,907 %	5462,4066 litre	O
800	CM 120	CM 189 LEVEL CM	30572,2216 litre	84,474 %	5618,9258 litre	O

800	CM	120	CM	188 LEVEL CM	30414,5780 litre	84,039 %	5776,5694 litre	O
800	CM	120	CM	187 LEVEL CM	30255,8339 litre	83,600 %	5935,3135 litre	O
800	CM	120	CM	186 LEVEL CM	30096,0130 litre	83,158 %	6095,1344 litre	O
800	CM	120	CM	185 LEVEL CM	29935,1383 litre	82,714 %	6256,0091 litre	O
800	CM	120	CM	184 LEVEL CM	29773,2326 litre	82,267 %	6417,9148 litre	O
800	CM	120	CM	183 LEVEL CM	29610,3181 litre	81,816 %	6580,8293 litre	O
800	CM	120	CM	182 LEVEL CM	29446,4165 litre	81,364 %	6744,7309 litre	O
800	CM	120	CM	181 LEVEL CM	29281,5495 litre	80,908 %	6909,5979 litre	O
800	CM	120	CM	180 LEVEL CM	29115,7379 litre	80,450 %	7075,4095 litre	O
800	CM	120	CM	179 LEVEL CM	28949,0026 litre	79,989 %	7242,1448 litre	O
800	CM	120	CM	178 LEVEL CM	28781,3638 litre	79,526 %	7409,7836 litre	O
800	CM	120	CM	177 LEVEL CM	28612,8416 litre	79,060 %	7578,3058 litre	O
800	CM	120	CM	176 LEVEL CM	28443,4558 litre	78,592 %	7747,6916 litre	O
800	CM	120	CM	175 LEVEL CM	28273,2256 litre	78,122 %	7917,9218 litre	O
800	CM	120	CM	174 LEVEL CM	28102,1704 litre	77,649 %	8088,9770 litre	O
800	CM	120	CM	173 LEVEL CM	27930,3089 litre	77,174 %	8260,8385 litre	O
800	CM	120	CM	172 LEVEL CM	27757,6598 litre	76,697 %	8433,4876 litre	O
800	CM	120	CM	171 LEVEL CM	27584,2412 litre	76,218 %	8606,9062 litre	O
800	CM	120	CM	170 LEVEL CM	27410,0715 litre	75,737 %	8781,0759 litre	O
800	CM	120	CM	169 LEVEL CM	27235,1684 litre	75,254 %	8955,9790 litre	O
800	CM	120	CM	168 LEVEL CM	27059,5495 litre	74,768 %	9131,5979 litre	O
800	CM	120	CM	167 LEVEL CM	26883,2323 litre	74,281 %	9307,9151 litre	O
800	CM	120	CM	166 LEVEL CM	26706,2341 litre	73,792 %	9484,9133 litre	O
800	CM	120	CM	165 LEVEL CM	26528,5717 litre	73,301 %	9662,5757 litre	O
800	CM	120	CM	164 LEVEL CM	26350,2621 litre	72,809 %	9840,8853 litre	O
800	CM	120	CM	163 LEVEL CM	26171,3219 litre	72,314 %	10019,8255 litre	O
800	CM	120	CM	162 LEVEL CM	25991,7676 litre	71,818 %	10199,3798 litre	O
800	CM	120	CM	161 LEVEL CM	25811,6154 litre	71,320 %	10379,5320 litre	O
800	CM	120	CM	160 LEVEL CM	25630,8816 litre	70,821 %	10560,2658 litre	O
800	CM	120	CM	159 LEVEL CM	25449,5821 litre	70,320 %	10741,5653 litre	O
800	CM	120	CM	158 LEVEL CM	25267,7327 litre	69,817 %	10923,4147 litre	O
800	CM	120	CM	157 LEVEL CM	25085,3491 litre	69,313 %	11105,7983 litre	O
800	CM	120	CM	156 LEVEL CM	24902,4469 litre	68,808 %	11288,7005 litre	O
800	CM	120	CM	155 LEVEL CM	24719,0416 litre	68,301 %	11472,1058 litre	O
800	CM	120	CM	154 LEVEL CM	24535,1483 litre	67,793 %	11655,9991 litre	O
800	CM	120	CM	153 LEVEL CM	24350,7824 litre	67,284 %	11840,3650 litre	O
800	CM	120	CM	152 LEVEL CM	24165,9587 litre	66,773 %	12025,1887 litre	O
800	CM	120	CM	151 LEVEL CM	23980,6924 litre	66,261 %	12210,4550 litre	O
800	CM	120	CM	150 LEVEL CM	23794,9982 litre	65,748 %	12396,1492 litre	O
800	CM	120	CM	149 LEVEL CM	23608,8909 litre	65,234 %	12582,2565 litre	O
800	CM	120	CM	148 LEVEL CM	23422,3851 litre	64,719 %	12768,7623 litre	O
800	CM	120	CM	147 LEVEL CM	23235,4954 litre	64,202 %	12955,6520 litre	O
800	CM	120	CM	146 LEVEL CM	23048,2362 litre	63,685 %	13142,9112 litre	O
800	CM	120	CM	145 LEVEL CM	22860,6218 litre	63,166 %	13330,5256 litre	O
800	CM	120	CM	144 LEVEL CM	22672,6667 litre	62,647 %	13518,4807 litre	O
800	CM	120	CM	143 LEVEL CM	22484,3849 litre	62,127 %	13706,7625 litre	O
800	CM	120	CM	142 LEVEL CM	22295,7907 litre	61,606 %	13895,3567 litre	O
800	CM	120	CM	141 LEVEL CM	22106,8981 litre	61,084 %	14084,2493 litre	O
800	CM	120	CM	140 LEVEL CM	21917,7211 litre	60,561 %	14273,4263 litre	O
800	CM	120	CM	139 LEVEL CM	21728,2736 litre	60,038 %	14462,8738 litre	O
800	CM	120	CM	138 LEVEL CM	21538,5696 litre	59,513 %	14652,5778 litre	O
800	CM	120	CM	137 LEVEL CM	21348,6228 litre	58,989 %	14842,5246 litre	O
800	CM	120	CM	136 LEVEL CM	21158,4470 litre	58,463 %	15032,7004 litre	O

800	CM	120	CM	135 LEVEL CM	20968,0560 litre	57,937 %	15223,0914 litre	O
800	CM	120	CM	134 LEVEL CM	20777,4634 litre	57,410 %	15413,6840 litre	O
800	CM	120	CM	133 LEVEL CM	20586,6828 litre	56,883 %	15604,4646 litre	O
800	CM	120	CM	132 LEVEL CM	20395,7279 litre	56,356 %	15795,4195 litre	O
800	CM	120	CM	131 LEVEL CM	20204,6122 litre	55,827 %	15986,5352 litre	O
800	CM	120	CM	130 LEVEL CM	20013,3491 litre	55,299 %	16177,7983 litre	O
800	CM	120	CM	129 LEVEL CM	19821,9523 litre	54,770 %	16369,1951 litre	O
800	CM	120	CM	128 LEVEL CM	19630,4351 litre	54,241 %	16560,7123 litre	O
800	CM	120	CM	127 LEVEL CM	19438,8111 litre	53,712 %	16752,3363 litre	O
800	CM	120	CM	126 LEVEL CM	19247,0935 litre	53,182 %	16944,0539 litre	O
800	CM	120	CM	125 LEVEL CM	19055,2958 litre	52,652 %	17135,8516 litre	O
800	CM	120	CM	124 LEVEL CM	18863,4314 litre	52,122 %	17327,7160 litre	O
800	CM	120	CM	123 LEVEL CM	18671,5137 litre	51,591 %	17519,6337 litre	O
800	CM	120	CM	122 LEVEL CM	18479,5559 litre	51,061 %	17711,5915 litre	O
800	CM	120	CM	121 LEVEL CM	18287,5715 litre	50,531 %	17903,5759 litre	O
800	CM	120	CM	120 LEVEL CM	18095,5737 litre	50,000 %	18095,5737 litre	O
800	CM	120	CM	119 LEVEL CM	17903,5759 litre	49,469 %	18287,5715 litre	O
800	CM	120	CM	118 LEVEL CM	17711,5915 litre	48,939 %	18479,5559 litre	O
800	CM	120	CM	117 LEVEL CM	17519,6337 litre	48,409 %	18671,5137 litre	O
800	CM	120	CM	116 LEVEL CM	17327,7159 litre	47,878 %	18863,4315 litre	O
800	CM	120	CM	115 LEVEL CM	17135,8515 litre	47,348 %	19055,2959 litre	O
800	CM	120	CM	114 LEVEL CM	16944,0539 litre	46,818 %	19247,0935 litre	O
800	CM	120	CM	113 LEVEL CM	16752,3363 litre	46,288 %	19438,8111 litre	O
800	CM	120	CM	112 LEVEL CM	16560,7122 litre	45,759 %	19630,4352 litre	O
800	CM	120	CM	111 LEVEL CM	16369,1951 litre	45,230 %	19821,9523 litre	O
800	CM	120	CM	110 LEVEL CM	16177,7982 litre	44,701 %	20013,3492 litre	O
800	CM	120	CM	109 LEVEL CM	15986,5352 litre	44,173 %	20204,6122 litre	O
800	CM	120	CM	108 LEVEL CM	15795,4195 litre	43,644 %	20395,7279 litre	O
800	CM	120	CM	107 LEVEL CM	15604,4645 litre	43,117 %	20586,6829 litre	O
800	CM	120	CM	106 LEVEL CM	15413,6840 litre	42,590 %	20777,4634 litre	O
800	CM	120	CM	105 LEVEL CM	15223,0914 litre	42,063 %	20968,0560 litre	O
800	CM	120	CM	104 LEVEL CM	15032,7003 litre	41,537 %	21158,4471 litre	O
800	CM	120	CM	103 LEVEL CM	14842,5246 litre	41,011 %	21348,6228 litre	O
800	CM	120	CM	102 LEVEL CM	14652,5778 litre	40,487 %	21538,5696 litre	O
800	CM	120	CM	101 LEVEL CM	14462,8737 litre	39,962 %	21728,2737 litre	O
800	CM	120	CM	100 LEVEL CM	14273,4263 litre	39,439 %	21917,7211 litre	O
800	CM	120	CM	99 LEVEL CM	14084,2493 litre	38,916 %	22106,8981 litre	O
800	CM	120	CM	98 LEVEL CM	13895,3567 litre	38,394 %	22295,7907 litre	O
800	CM	120	CM	97 LEVEL CM	13706,7624 litre	37,873 %	22484,3850 litre	O
800	CM	120	CM	96 LEVEL CM	13518,4807 litre	37,353 %	22672,6667 litre	O
800	CM	120	CM	95 LEVEL CM	13330,5255 litre	36,834 %	22860,6219 litre	O
800	CM	120	CM	94 LEVEL CM	13142,9112 litre	36,315 %	23048,2362 litre	O
800	CM	120	CM	93 LEVEL CM	12955,6520 litre	35,798 %	23235,4954 litre	O
800	CM	120	CM	92 LEVEL CM	12768,7623 litre	35,281 %	23422,3851 litre	O
800	CM	120	CM	91 LEVEL CM	12582,2565 litre	34,766 %	23608,8909 litre	O
800	CM	120	CM	90 LEVEL CM	12396,1491 litre	34,252 %	23794,9983 litre	O
800	CM	120	CM	89 LEVEL CM	12210,4549 litre	33,739 %	23980,6925 litre	O
800	CM	120	CM	88 LEVEL CM	12025,1886 litre	33,227 %	24165,9588 litre	O
800	CM	120	CM	87 LEVEL CM	11840,3650 litre	32,716 %	24350,7824 litre	O
800	CM	120	CM	86 LEVEL CM	11655,9990 litre	32,207 %	24535,1484 litre	O
800	CM	120	CM	85 LEVEL CM	11472,1058 litre	31,699 %	24719,0416 litre	O
800	CM	120	CM	84 LEVEL CM	11288,7004 litre	31,192 %	24902,4470 litre	O
800	CM	120	CM	83 LEVEL CM	11105,7983 litre	30,687 %	25085,3491 litre	O

800	CM	120	CM	82 LEVEL CM	10923,4147 litre	30,183 %	25267,7327 litre	O
800	CM	120	CM	81 LEVEL CM	10741,5653 litre	29,680 %	25449,5821 litre	O
800	CM	120	CM	80 LEVEL CM	10560,2658 litre	29,179 %	25630,8816 litre	O
800	CM	120	CM	79 LEVEL CM	10379,5319 litre	28,680 %	25811,6155 litre	O
800	CM	120	CM	78 LEVEL CM	10199,3798 litre	28,182 %	25991,7676 litre	O
800	CM	120	CM	77 LEVEL CM	10019,8255 litre	27,686 %	26171,3219 litre	O
800	CM	120	CM	76 LEVEL CM	9840,8853 litre	27,191 %	26350,2621 litre	O
800	CM	120	CM	75 LEVEL CM	9662,5757 litre	26,699 %	26528,5717 litre	O
800	CM	120	CM	74 LEVEL CM	9484,9133 litre	26,208 %	26706,2341 litre	O
800	CM	120	CM	73 LEVEL CM	9307,9150 litre	25,719 %	26883,2324 litre	O
800	CM	120	CM	72 LEVEL CM	9131,5979 litre	25,232 %	27059,5495 litre	O
800	CM	120	CM	71 LEVEL CM	8955,9790 litre	24,746 %	27235,1684 litre	O
800	CM	120	CM	70 LEVEL CM	8781,0759 litre	24,263 %	27410,0715 litre	O
800	CM	120	CM	69 LEVEL CM	8606,9061 litre	23,782 %	27584,2413 litre	O
800	CM	120	CM	68 LEVEL CM	8433,4876 litre	23,303 %	27757,6598 litre	O
800	CM	120	CM	67 LEVEL CM	8260,8384 litre	22,826 %	27930,3090 litre	O
800	CM	120	CM	66 LEVEL CM	8088,9769 litre	22,351 %	28102,1705 litre	O
800	CM	120	CM	65 LEVEL CM	7917,9217 litre	21,878 %	28273,2257 litre	O
800	CM	120	CM	64 LEVEL CM	7747,6916 litre	21,408 %	28443,4558 litre	O
800	CM	120	CM	63 LEVEL CM	7578,3058 litre	20,940 %	28612,8416 litre	O
800	CM	120	CM	62 LEVEL CM	7409,7836 litre	20,474 %	28781,3638 litre	O
800	CM	120	CM	61 LEVEL CM	7242,1448 litre	20,011 %	28949,0026 litre	O
800	CM	120	CM	60 LEVEL CM	7075,4095 litre	19,550 %	29115,7379 litre	O
800	CM	120	CM	59 LEVEL CM	6909,5979 litre	19,092 %	29281,5495 litre	O
800	CM	120	CM	58 LEVEL CM	6744,7308 litre	18,636 %	29446,4166 litre	O
800	CM	120	CM	57 LEVEL CM	6580,8293 litre	18,184 %	29610,3181 litre	O
800	CM	120	CM	56 LEVEL CM	6417,9148 litre	17,733 %	29773,2326 litre	O
800	CM	120	CM	55 LEVEL CM	6256,0091 litre	17,286 %	29935,1383 litre	O
800	CM	120	CM	54 LEVEL CM	6095,1344 litre	16,842 %	30096,0130 litre	O
800	CM	120	CM	53 LEVEL CM	5935,3135 litre	16,400 %	30255,8339 litre	O
800	CM	120	CM	52 LEVEL CM	5776,5694 litre	15,961 %	30414,5780 litre	O
800	CM	120	CM	51 LEVEL CM	5618,9257 litre	15,526 %	30572,2217 litre	O
800	CM	120	CM	50 LEVEL CM	5462,4066 litre	15,093 %	30728,7408 litre	O
800	CM	120	CM	49 LEVEL CM	5307,0366 litre	14,664 %	30884,1108 litre	O
800	CM	120	CM	48 LEVEL CM	5152,8409 litre	14,238 %	31038,3065 litre	O
800	CM	120	CM	47 LEVEL CM	4999,8453 litre	13,815 %	31191,3021 litre	O
800	CM	120	CM	46 LEVEL CM	4848,0760 litre	13,396 %	31343,0714 litre	O
800	CM	120	CM	45 LEVEL CM	4697,5602 litre	12,980 %	31493,5872 litre	O
800	CM	120	CM	44 LEVEL CM	4548,3255 litre	12,568 %	31642,8219 litre	O
800	CM	120	CM	43 LEVEL CM	4400,4002 litre	12,159 %	31790,7472 litre	O
800	CM	120	CM	42 LEVEL CM	4253,8136 litre	11,754 %	31937,3338 litre	O
800	CM	120	CM	41 LEVEL CM	4108,5956 litre	11,352 %	32082,5518 litre	O
800	CM	120	CM	40 LEVEL CM	3964,7771 litre	10,955 %	32226,3703 litre	O
800	CM	120	CM	39 LEVEL CM	3822,3897 litre	10,562 %	32368,7577 litre	O
800	CM	120	CM	38 LEVEL CM	3681,4661 litre	10,172 %	32509,6813 litre	O
800	CM	120	CM	37 LEVEL CM	3542,0402 litre	9,787 %	32649,1072 litre	O
800	CM	120	CM	36 LEVEL CM	3404,1466 litre	9,406 %	32787,0008 litre	O
800	CM	120	CM	35 LEVEL CM	3267,8215 litre	9,029 %	32923,3259 litre	O
800	CM	120	CM	34 LEVEL CM	3133,1021 litre	8,657 %	33058,0453 litre	O
800	CM	120	CM	33 LEVEL CM	3000,0269 litre	8,289 %	33191,1205 litre	O
800	CM	120	CM	32 LEVEL CM	2868,6361 litre	7,926 %	33322,5113 litre	O
800	CM	120	CM	31 LEVEL CM	2738,9713 litre	7,568 %	33452,1761 litre	O
800	CM	120	CM	30 LEVEL CM	2611,0757 litre	7,215 %	33580,0717 litre	O

800	CM	120	CM	29 LEVEL CM	2484,9945 litre	6,866 %	33706,1529 litre	O
800	CM	120	CM	28 LEVEL CM	2360,7748 litre	6,523 %	33830,3726 litre	O
800	CM	120	CM	27 LEVEL CM	2238,4659 litre	6,185 %	33952,6815 litre	O
800	CM	120	CM	26 LEVEL CM	2118,1193 litre	5,853 %	34073,0281 litre	O
800	CM	120	CM	25 LEVEL CM	1999,7893 litre	5,526 %	34191,3581 litre	O
800	CM	120	CM	24 LEVEL CM	1883,5328 litre	5,204 %	34307,6146 litre	O
800	CM	120	CM	23 LEVEL CM	1769,4099 litre	4,889 %	34421,7375 litre	O
800	CM	120	CM	22 LEVEL CM	1657,4841 litre	4,580 %	34533,6633 litre	O
800	CM	120	CM	21 LEVEL CM	1547,8229 litre	4,277 %	34643,3245 litre	O
800	CM	120	CM	20 LEVEL CM	1440,4978 litre	3,980 %	34750,6496 litre	O
800	CM	120	CM	19 LEVEL CM	1335,5852 litre	3,690 %	34855,5622 litre	O
800	CM	120	CM	18 LEVEL CM	1233,1670 litre	3,407 %	34957,9804 litre	O
800	CM	120	CM	17 LEVEL CM	1133,3311 litre	3,132 %	35057,8163 litre	O
800	CM	120	CM	16 LEVEL CM	1036,1724 litre	2,863 %	35154,9750 litre	O
800	CM	120	CM	15 LEVEL CM	941,7941 litre	2,602 %	35249,3533 litre	O
800	CM	120	CM	14 LEVEL CM	850,3084 litre	2,349 %	35340,8390 litre	O
800	CM	120	CM	13 LEVEL CM	761,8390 litre	2,105 %	35429,3084 litre	O
800	CM	120	CM	12 LEVEL CM	676,5224 litre	1,869 %	35514,6250 litre	O
800	CM	120	CM	11 LEVEL CM	594,5110 litre	1,643 %	35596,6364 litre	O
800	CM	120	CM	10 LEVEL CM	515,9764 litre	1,426 %	35675,1710 litre	O
800	CM	120	CM	9 LEVEL CM	441,1142 litre	1,219 %	35750,0332 litre	O
800	CM	120	CM	8 LEVEL CM	370,1503 litre	1,023 %	35820,9971 litre	O
800	CM	120	CM	7 LEVEL CM	303,3503 litre	0,838 %	35887,7971 litre	O
800	CM	120	CM	6 LEVEL CM	241,0332 litre	0,666 %	35950,1142 litre	O
800	CM	120	CM	5 LEVEL CM	183,5931 litre	0,507 %	36007,5543 litre	O
800	CM	120	CM	4 LEVEL CM	131,5349 litre	0,363 %	36059,6125 litre	O
800	CM	120	CM	3 LEVEL CM	85,5423 litre	0,236 %	36105,6051 litre	O
800	CM	120	CM	2 LEVEL CM	46,6220 litre	0,129 %	36144,5254 litre	O
800	CM	120	CM	1 LEVEL CM	16,5041 litre	0,046 %	36174,6433 litre	O
800	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	36191,1474 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	115	CM	230 LEVEL CM	33238,0503 litre	100,000 %	0,0000 litre	O
800	CM	115	CM	229 LEVEL CM	33221,8946 litre	99,951 %	16,1557 litre	O
800	CM	115	CM	228 LEVEL CM	33192,4149 litre	99,863 %	45,6354 litre	O
800	CM	115	CM	227 LEVEL CM	33154,3228 litre	99,748 %	83,7275 litre	O
800	CM	115	CM	226 LEVEL CM	33109,3132 litre	99,613 %	128,7371 litre	O
800	CM	115	CM	225 LEVEL CM	33058,3723 litre	99,459 %	179,6780 litre	O
800	CM	115	CM	224 LEVEL CM	33002,1702 litre	99,290 %	235,8801 litre	O
800	CM	115	CM	223 LEVEL CM	32941,2022 litre	99,107 %	296,8481 litre	O
800	CM	115	CM	222 LEVEL CM	32875,8546 litre	98,910 %	362,1957 litre	O
800	CM	115	CM	221 LEVEL CM	32806,4404 litre	98,701 %	431,6099 litre	O
800	CM	115	CM	220 LEVEL CM	32733,2201 litre	98,481 %	504,8302 litre	O
800	CM	115	CM	219 LEVEL CM	32656,4155 litre	98,250 %	581,6348 litre	O
800	CM	115	CM	218 LEVEL CM	32576,2188 litre	98,009 %	661,8315 litre	O
800	CM	115	CM	217 LEVEL CM	32492,7984 litre	97,758 %	745,2519 litre	O
800	CM	115	CM	216 LEVEL CM	32406,3041 litre	97,498 %	831,7462 litre	O
800	CM	115	CM	215 LEVEL CM	32316,8700 litre	97,229 %	921,1803 litre	O
800	CM	115	CM	214 LEVEL CM	32224,6175 litre	96,951 %	1013,4328 litre	O
800	CM	115	CM	213 LEVEL CM	32129,6573 litre	96,665 %	1108,3930 litre	O
800	CM	115	CM	212 LEVEL CM	32032,0907 litre	96,372 %	1205,9596 litre	O
800	CM	115	CM	211 LEVEL CM	31932,0112 litre	96,071 %	1306,0391 litre	O
800	CM	115	CM	210 LEVEL CM	31829,5052 litre	95,762 %	1408,5451 litre	O
800	CM	115	CM	209 LEVEL CM	31724,6534 litre	95,447 %	1513,3969 litre	O
800	CM	115	CM	208 LEVEL CM	31617,5310 litre	95,125 %	1620,5193 litre	O
800	CM	115	CM	207 LEVEL CM	31508,2085 litre	94,796 %	1729,8418 litre	O
800	CM	115	CM	206 LEVEL CM	31396,7525 litre	94,460 %	1841,2978 litre	O
800	CM	115	CM	205 LEVEL CM	31283,2254 litre	94,119 %	1954,8249 litre	O
800	CM	115	CM	204 LEVEL CM	31167,6866 litre	93,771 %	2070,3637 litre	O
800	CM	115	CM	203 LEVEL CM	31050,1922 litre	93,418 %	2187,8581 litre	O
800	CM	115	CM	202 LEVEL CM	30930,7959 litre	93,058 %	2307,2544 litre	O
800	CM	115	CM	201 LEVEL CM	30809,5484 litre	92,694 %	2428,5019 litre	O
800	CM	115	CM	200 LEVEL CM	30686,4985 litre	92,323 %	2551,5518 litre	O
800	CM	115	CM	199 LEVEL CM	30561,6926 litre	91,948 %	2676,3577 litre	O
800	CM	115	CM	198 LEVEL CM	30435,1755 litre	91,567 %	2802,8748 litre	O
800	CM	115	CM	197 LEVEL CM	30306,9898 litre	91,182 %	2931,0605 litre	O
800	CM	115	CM	196 LEVEL CM	30177,1768 litre	90,791 %	3060,8735 litre	O
800	CM	115	CM	195 LEVEL CM	30045,7762 litre	90,396 %	3192,2741 litre	O
800	CM	115	CM	194 LEVEL CM	29912,8260 litre	89,996 %	3325,2243 litre	O
800	CM	115	CM	193 LEVEL CM	29778,3632 litre	89,591 %	3459,6871 litre	O
800	CM	115	CM	192 LEVEL CM	29642,4235 litre	89,182 %	3595,6268 litre	O
800	CM	115	CM	191 LEVEL CM	29505,0413 litre	88,769 %	3733,0090 litre	O
800	CM	115	CM	190 LEVEL CM	29366,2501 litre	88,351 %	3871,8002 litre	O
800	CM	115	CM	189 LEVEL CM	29226,0824 litre	87,930 %	4011,9679 litre	O
800	CM	115	CM	188 LEVEL CM	29084,5696 litre	87,504 %	4153,4807 litre	O
800	CM	115	CM	187 LEVEL CM	28941,7423 litre	87,074 %	4296,3080 litre	O
800	CM	115	CM	186 LEVEL CM	28797,6302 litre	86,641 %	4440,4201 litre	O
800	CM	115	CM	185 LEVEL CM	28652,2623 litre	86,203 %	4585,7880 litre	O
800	CM	115	CM	184 LEVEL CM	28505,6669 litre	85,762 %	4732,3834 litre	O
800	CM	115	CM	183 LEVEL CM	28357,8714 litre	85,317 %	4880,1789 litre	O
800	CM	115	CM	182 LEVEL CM	28208,9027 litre	84,869 %	5029,1476 litre	O
800	CM	115	CM	181 LEVEL CM	28058,7870 litre	84,418 %	5179,2633 litre	O
800	CM	115	CM	180 LEVEL CM	27907,5499 litre	83,963 %	5330,5004 litre	O
800	CM	115	CM	179 LEVEL CM	27755,2166 litre	83,504 %	5482,8337 litre	O

800	CM	115	CM	178 LEVEL CM	27601,8115 litre	83,043 %	5636,2388 litre	O
800	CM	115	CM	177 LEVEL CM	27447,3586 litre	82,578 %	5790,6917 litre	O
800	CM	115	CM	176 LEVEL CM	27291,8814 litre	82,110 %	5946,1689 litre	O
800	CM	115	CM	175 LEVEL CM	27135,4031 litre	81,640 %	6102,6472 litre	O
800	CM	115	CM	174 LEVEL CM	26977,9462 litre	81,166 %	6260,1041 litre	O
800	CM	115	CM	173 LEVEL CM	26819,5330 litre	80,689 %	6418,5173 litre	O
800	CM	115	CM	172 LEVEL CM	26660,1852 litre	80,210 %	6577,8651 litre	O
800	CM	115	CM	171 LEVEL CM	26499,9243 litre	79,728 %	6738,1260 litre	O
800	CM	115	CM	170 LEVEL CM	26338,7713 litre	79,243 %	6899,2790 litre	O
800	CM	115	CM	169 LEVEL CM	26176,7470 litre	78,755 %	7061,3033 litre	O
800	CM	115	CM	168 LEVEL CM	26013,8717 litre	78,265 %	7224,1786 litre	O
800	CM	115	CM	167 LEVEL CM	25850,1654 litre	77,773 %	7387,8849 litre	O
800	CM	115	CM	166 LEVEL CM	25685,6480 litre	77,278 %	7552,4023 litre	O
800	CM	115	CM	165 LEVEL CM	25520,3390 litre	76,780 %	7717,7113 litre	O
800	CM	115	CM	164 LEVEL CM	25354,2574 litre	76,281 %	7883,7929 litre	O
800	CM	115	CM	163 LEVEL CM	25187,4222 litre	75,779 %	8050,6281 litre	O
800	CM	115	CM	162 LEVEL CM	25019,8521 litre	75,275 %	8218,1982 litre	O
800	CM	115	CM	161 LEVEL CM	24851,5654 litre	74,768 %	8386,4849 litre	O
800	CM	115	CM	160 LEVEL CM	24682,5805 litre	74,260 %	8555,4698 litre	O
800	CM	115	CM	159 LEVEL CM	24512,9152 litre	73,750 %	8725,1351 litre	O
800	CM	115	CM	158 LEVEL CM	24342,5873 litre	73,237 %	8895,4630 litre	O
800	CM	115	CM	157 LEVEL CM	24171,6144 litre	72,723 %	9066,4359 litre	O
800	CM	115	CM	156 LEVEL CM	24000,0137 litre	72,206 %	9238,0366 litre	O
800	CM	115	CM	155 LEVEL CM	23827,8024 litre	71,688 %	9410,2479 litre	O
800	CM	115	CM	154 LEVEL CM	23654,9976 litre	71,168 %	9583,0527 litre	O
800	CM	115	CM	153 LEVEL CM	23481,6159 litre	70,647 %	9756,4344 litre	O
800	CM	115	CM	152 LEVEL CM	23307,6741 litre	70,123 %	9930,3762 litre	O
800	CM	115	CM	151 LEVEL CM	23133,1885 litre	69,599 %	10104,8618 litre	O
800	CM	115	CM	150 LEVEL CM	22958,1756 litre	69,072 %	10279,8747 litre	O
800	CM	115	CM	149 LEVEL CM	22782,6515 litre	68,544 %	10455,3988 litre	O
800	CM	115	CM	148 LEVEL CM	22606,6321 litre	68,014 %	10631,4182 litre	O
800	CM	115	CM	147 LEVEL CM	22430,1335 litre	67,483 %	10807,9168 litre	O
800	CM	115	CM	146 LEVEL CM	22253,1713 litre	66,951 %	10984,8790 litre	O
800	CM	115	CM	145 LEVEL CM	22075,7613 litre	66,417 %	11162,2890 litre	O
800	CM	115	CM	144 LEVEL CM	21897,9188 litre	65,882 %	11340,1315 litre	O
800	CM	115	CM	143 LEVEL CM	21719,6594 litre	65,346 %	11518,3909 litre	O
800	CM	115	CM	142 LEVEL CM	21540,9984 litre	64,808 %	11697,0519 litre	O
800	CM	115	CM	141 LEVEL CM	21361,9509 litre	64,270 %	11876,0994 litre	O
800	CM	115	CM	140 LEVEL CM	21182,5320 litre	63,730 %	12055,5183 litre	O
800	CM	115	CM	139 LEVEL CM	21002,7567 litre	63,189 %	12235,2936 litre	O
800	CM	115	CM	138 LEVEL CM	20822,6401 litre	62,647 %	12415,4102 litre	O
800	CM	115	CM	137 LEVEL CM	20642,1968 litre	62,104 %	12595,8535 litre	O
800	CM	115	CM	136 LEVEL CM	20461,4416 litre	61,560 %	12776,6087 litre	O
800	CM	115	CM	135 LEVEL CM	20280,3893 litre	61,016 %	12957,6610 litre	O
800	CM	115	CM	134 LEVEL CM	20099,0544 litre	60,470 %	13138,9959 litre	O
800	CM	115	CM	133 LEVEL CM	19917,4515 litre	59,924 %	13320,5988 litre	O
800	CM	115	CM	132 LEVEL CM	19735,5950 litre	59,377 %	13502,4553 litre	O
800	CM	115	CM	131 LEVEL CM	19553,4994 litre	58,829 %	13684,5509 litre	O
800	CM	115	CM	130 LEVEL CM	19371,1790 litre	58,280 %	13866,8713 litre	O
800	CM	115	CM	129 LEVEL CM	19188,6480 litre	57,731 %	14049,4023 litre	O
800	CM	115	CM	128 LEVEL CM	19005,9208 litre	57,181 %	14232,1295 litre	O
800	CM	115	CM	127 LEVEL CM	18823,0116 litre	56,631 %	14415,0387 litre	O
800	CM	115	CM	126 LEVEL CM	18639,9345 litre	56,080 %	14598,1158 litre	O

800	CM	115	CM	125 LEVEL CM	18456,7037 litre	55,529 %	14781,3466 litre	O
800	CM	115	CM	124 LEVEL CM	18273,3331 litre	54,977 %	14964,7172 litre	O
800	CM	115	CM	123 LEVEL CM	18089,8370 litre	54,425 %	15148,2133 litre	O
800	CM	115	CM	122 LEVEL CM	17906,2293 litre	53,873 %	15331,8210 litre	O
800	CM	115	CM	121 LEVEL CM	17722,5241 litre	53,320 %	15515,5262 litre	O
800	CM	115	CM	120 LEVEL CM	17538,7352 litre	52,767 %	15699,3151 litre	O
800	CM	115	CM	119 LEVEL CM	17354,8767 litre	52,214 %	15883,1736 litre	O
800	CM	115	CM	118 LEVEL CM	17170,9625 litre	51,661 %	16067,0878 litre	O
800	CM	115	CM	117 LEVEL CM	16987,0066 litre	51,107 %	16251,0437 litre	O
800	CM	115	CM	116 LEVEL CM	16803,0228 litre	50,554 %	16435,0275 litre	O
800	CM	115	CM	115 LEVEL CM	16619,0251 litre	50,000 %	16619,0252 litre	O
800	CM	115	CM	114 LEVEL CM	16435,0275 litre	49,446 %	16803,0228 litre	O
800	CM	115	CM	113 LEVEL CM	16251,0437 litre	48,893 %	16987,0066 litre	O
800	CM	115	CM	112 LEVEL CM	16067,0878 litre	48,339 %	17170,9625 litre	O
800	CM	115	CM	111 LEVEL CM	15883,1736 litre	47,786 %	17354,8767 litre	O
800	CM	115	CM	110 LEVEL CM	15699,3151 litre	47,233 %	17538,7352 litre	O
800	CM	115	CM	109 LEVEL CM	15515,5262 litre	46,680 %	17722,5241 litre	O
800	CM	115	CM	108 LEVEL CM	15331,8209 litre	46,127 %	17906,2294 litre	O
800	CM	115	CM	107 LEVEL CM	15148,2132 litre	45,575 %	18089,8371 litre	O
800	CM	115	CM	106 LEVEL CM	14964,7171 litre	45,023 %	18273,3332 litre	O
800	CM	115	CM	105 LEVEL CM	14781,3466 litre	44,471 %	18456,7037 litre	O
800	CM	115	CM	104 LEVEL CM	14598,1158 litre	43,920 %	18639,9345 litre	O
800	CM	115	CM	103 LEVEL CM	14415,0387 litre	43,369 %	18823,0116 litre	O
800	CM	115	CM	102 LEVEL CM	14232,1294 litre	42,819 %	19005,9209 litre	O
800	CM	115	CM	101 LEVEL CM	14049,4023 litre	42,269 %	19188,6480 litre	O
800	CM	115	CM	100 LEVEL CM	13866,8713 litre	41,720 %	19371,1790 litre	O
800	CM	115	CM	99 LEVEL CM	13684,5509 litre	41,171 %	19553,4994 litre	O
800	CM	115	CM	98 LEVEL CM	13502,4552 litre	40,623 %	19735,5951 litre	O
800	CM	115	CM	97 LEVEL CM	13320,5988 litre	40,076 %	19917,4515 litre	O
800	CM	115	CM	96 LEVEL CM	13138,9958 litre	39,530 %	20099,0545 litre	O
800	CM	115	CM	95 LEVEL CM	12957,6609 litre	38,984 %	20280,3894 litre	O
800	CM	115	CM	94 LEVEL CM	12776,6086 litre	38,440 %	20461,4417 litre	O
800	CM	115	CM	93 LEVEL CM	12595,8535 litre	37,896 %	20642,1968 litre	O
800	CM	115	CM	92 LEVEL CM	12415,4102 litre	37,353 %	20822,6401 litre	O
800	CM	115	CM	91 LEVEL CM	12235,2935 litre	36,811 %	21002,7568 litre	O
800	CM	115	CM	90 LEVEL CM	12055,5183 litre	36,270 %	21182,5320 litre	O
800	CM	115	CM	89 LEVEL CM	11876,0994 litre	35,730 %	21361,9509 litre	O
800	CM	115	CM	88 LEVEL CM	11697,0519 litre	35,192 %	21540,9984 litre	O
800	CM	115	CM	87 LEVEL CM	11518,3908 litre	34,654 %	21719,6595 litre	O
800	CM	115	CM	86 LEVEL CM	11340,1314 litre	34,118 %	21897,9189 litre	O
800	CM	115	CM	85 LEVEL CM	11162,2890 litre	33,583 %	22075,7613 litre	O
800	CM	115	CM	84 LEVEL CM	10984,8789 litre	33,049 %	22253,1714 litre	O
800	CM	115	CM	83 LEVEL CM	10807,9168 litre	32,517 %	22430,1335 litre	O
800	CM	115	CM	82 LEVEL CM	10631,4181 litre	31,986 %	22606,6322 litre	O
800	CM	115	CM	81 LEVEL CM	10455,3988 litre	31,456 %	22782,6515 litre	O
800	CM	115	CM	80 LEVEL CM	10279,8747 litre	30,928 %	22958,1756 litre	O
800	CM	115	CM	79 LEVEL CM	10104,8617 litre	30,401 %	23133,1886 litre	O
800	CM	115	CM	78 LEVEL CM	9930,3762 litre	29,877 %	23307,6741 litre	O
800	CM	115	CM	77 LEVEL CM	9756,4344 litre	29,353 %	23481,6159 litre	O
800	CM	115	CM	76 LEVEL CM	9583,0527 litre	28,832 %	23654,9976 litre	O
800	CM	115	CM	75 LEVEL CM	9410,2478 litre	28,312 %	23827,8025 litre	O
800	CM	115	CM	74 LEVEL CM	9238,0366 litre	27,794 %	24000,0137 litre	O
800	CM	115	CM	73 LEVEL CM	9066,4359 litre	27,277 %	24171,6144 litre	O

800	CM	115	CM	72 LEVEL CM	8895,4629 litre	26,763 %	24342,5874 litre	O
800	CM	115	CM	71 LEVEL CM	8725,1351 litre	26,250 %	24512,9152 litre	O
800	CM	115	CM	70 LEVEL CM	8555,4698 litre	25,740 %	24682,5805 litre	O
800	CM	115	CM	69 LEVEL CM	8386,4848 litre	25,232 %	24851,5655 litre	O
800	CM	115	CM	68 LEVEL CM	8218,1982 litre	24,725 %	25019,8521 litre	O
800	CM	115	CM	67 LEVEL CM	8050,6281 litre	24,221 %	25187,4222 litre	O
800	CM	115	CM	66 LEVEL CM	7883,7929 litre	23,719 %	25354,2574 litre	O
800	CM	115	CM	65 LEVEL CM	7717,7113 litre	23,220 %	25520,3390 litre	O
800	CM	115	CM	64 LEVEL CM	7552,4022 litre	22,722 %	25685,6481 litre	O
800	CM	115	CM	63 LEVEL CM	7387,8848 litre	22,227 %	25850,1655 litre	O
800	CM	115	CM	62 LEVEL CM	7224,1786 litre	21,735 %	26013,8717 litre	O
800	CM	115	CM	61 LEVEL CM	7061,3033 litre	21,245 %	26176,7470 litre	O
800	CM	115	CM	60 LEVEL CM	6899,2790 litre	20,757 %	26338,7713 litre	O
800	CM	115	CM	59 LEVEL CM	6738,1260 litre	20,272 %	26499,9243 litre	O
800	CM	115	CM	58 LEVEL CM	6577,8651 litre	19,790 %	26660,1852 litre	O
800	CM	115	CM	57 LEVEL CM	6418,5173 litre	19,311 %	26819,5330 litre	O
800	CM	115	CM	56 LEVEL CM	6260,1041 litre	18,834 %	26977,9462 litre	O
800	CM	115	CM	55 LEVEL CM	6102,6472 litre	18,360 %	27135,4031 litre	O
800	CM	115	CM	54 LEVEL CM	5946,1689 litre	17,890 %	27291,8814 litre	O
800	CM	115	CM	53 LEVEL CM	5790,6917 litre	17,422 %	27447,3586 litre	O
800	CM	115	CM	52 LEVEL CM	5636,2388 litre	16,957 %	27601,8115 litre	O
800	CM	115	CM	51 LEVEL CM	5482,8337 litre	16,496 %	27755,2166 litre	O
800	CM	115	CM	50 LEVEL CM	5330,5003 litre	16,037 %	27907,5500 litre	O
800	CM	115	CM	49 LEVEL CM	5179,2633 litre	15,582 %	28058,7870 litre	O
800	CM	115	CM	48 LEVEL CM	5029,1476 litre	15,131 %	28208,9027 litre	O
800	CM	115	CM	47 LEVEL CM	4880,1789 litre	14,683 %	28357,8714 litre	O
800	CM	115	CM	46 LEVEL CM	4732,3834 litre	14,238 %	28505,6669 litre	O
800	CM	115	CM	45 LEVEL CM	4585,7880 litre	13,797 %	28652,2623 litre	O
800	CM	115	CM	44 LEVEL CM	4440,4201 litre	13,359 %	28797,6302 litre	O
800	CM	115	CM	43 LEVEL CM	4296,3080 litre	12,926 %	28941,7423 litre	O
800	CM	115	CM	42 LEVEL CM	4153,4807 litre	12,496 %	29084,5696 litre	O
800	CM	115	CM	41 LEVEL CM	4011,9679 litre	12,070 %	29226,0824 litre	O
800	CM	115	CM	40 LEVEL CM	3871,8001 litre	11,649 %	29366,2502 litre	O
800	CM	115	CM	39 LEVEL CM	3733,0090 litre	11,231 %	29505,0413 litre	O
800	CM	115	CM	38 LEVEL CM	3595,6268 litre	10,818 %	29642,4235 litre	O
800	CM	115	CM	37 LEVEL CM	3459,6871 litre	10,409 %	29778,3632 litre	O
800	CM	115	CM	36 LEVEL CM	3325,2243 litre	10,004 %	29912,8260 litre	O
800	CM	115	CM	35 LEVEL CM	3192,2741 litre	9,604 %	30045,7762 litre	O
800	CM	115	CM	34 LEVEL CM	3060,8734 litre	9,209 %	30177,1769 litre	O
800	CM	115	CM	33 LEVEL CM	2931,0604 litre	8,818 %	30306,9899 litre	O
800	CM	115	CM	32 LEVEL CM	2802,8748 litre	8,433 %	30435,1755 litre	O
800	CM	115	CM	31 LEVEL CM	2676,3576 litre	8,052 %	30561,6927 litre	O
800	CM	115	CM	30 LEVEL CM	2551,5518 litre	7,677 %	30686,4985 litre	O
800	CM	115	CM	29 LEVEL CM	2428,5019 litre	7,306 %	30809,5484 litre	O
800	CM	115	CM	28 LEVEL CM	2307,2544 litre	6,942 %	30930,7959 litre	O
800	CM	115	CM	27 LEVEL CM	2187,8580 litre	6,582 %	31050,1923 litre	O
800	CM	115	CM	26 LEVEL CM	2070,3637 litre	6,229 %	31167,6866 litre	O
800	CM	115	CM	25 LEVEL CM	1954,8249 litre	5,881 %	31283,2254 litre	O
800	CM	115	CM	24 LEVEL CM	1841,2978 litre	5,540 %	31396,7525 litre	O
800	CM	115	CM	23 LEVEL CM	1729,8417 litre	5,204 %	31508,2086 litre	O
800	CM	115	CM	22 LEVEL CM	1620,5193 litre	4,875 %	31617,5310 litre	O
800	CM	115	CM	21 LEVEL CM	1513,3969 litre	4,553 %	31724,6534 litre	O
800	CM	115	CM	20 LEVEL CM	1408,5451 litre	4,238 %	31829,5052 litre	O

800	CM	115	CM	19 LEVEL CM	1306,0391 litre	3,929 %	31932,0112 litre	O
800	CM	115	CM	18 LEVEL CM	1205,9595 litre	3,628 %	32032,0908 litre	O
800	CM	115	CM	17 LEVEL CM	1108,3929 litre	3,335 %	32129,6574 litre	O
800	CM	115	CM	16 LEVEL CM	1013,4327 litre	3,049 %	32224,6176 litre	O
800	CM	115	CM	15 LEVEL CM	921,1803 litre	2,771 %	32316,8700 litre	O
800	CM	115	CM	14 LEVEL CM	831,7462 litre	2,502 %	32406,3041 litre	O
800	CM	115	CM	13 LEVEL CM	745,2519 litre	2,242 %	32492,7984 litre	O
800	CM	115	CM	12 LEVEL CM	661,8315 litre	1,991 %	32576,2188 litre	O
800	CM	115	CM	11 LEVEL CM	581,6347 litre	1,750 %	32656,4156 litre	O
800	CM	115	CM	10 LEVEL CM	504,8302 litre	1,519 %	32733,2201 litre	O
800	CM	115	CM	9 LEVEL CM	431,6099 litre	1,299 %	32806,4404 litre	O
800	CM	115	CM	8 LEVEL CM	362,1956 litre	1,090 %	32875,8547 litre	O
800	CM	115	CM	7 LEVEL CM	296,8480 litre	0,893 %	32941,2023 litre	O
800	CM	115	CM	6 LEVEL CM	235,8800 litre	0,710 %	33002,1703 litre	O
800	CM	115	CM	5 LEVEL CM	179,6780 litre	0,541 %	33058,3723 litre	O
800	CM	115	CM	4 LEVEL CM	128,7371 litre	0,387 %	33109,3132 litre	O
800	CM	115	CM	3 LEVEL CM	83,7274 litre	0,252 %	33154,3229 litre	O
800	CM	115	CM	2 LEVEL CM	45,6354 litre	0,137 %	33192,4149 litre	O
800	CM	115	CM	1 LEVEL CM	16,1557 litre	0,049 %	33221,8946 litre	O
800	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	33238,0503 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM	110	CM 220 LEVEL CM	30410,6169 litre	100,000 %	0,0000 litre	O
800	CM	110	CM 219 LEVEL CM	30394,8173 litre	99,948 %	15,7996 litre	O
800	CM	110	CM 218 LEVEL CM	30365,9900 litre	99,853 %	44,6269 litre	O
800	CM	110	CM 217 LEVEL CM	30328,7445 litre	99,731 %	81,8724 litre	O
800	CM	110	CM 216 LEVEL CM	30284,7397 litre	99,586 %	125,8772 litre	O
800	CM	110	CM 215 LEVEL CM	30234,9412 litre	99,422 %	175,6757 litre	O
800	CM	110	CM 214 LEVEL CM	30180,0052 litre	99,242 %	230,6117 litre	O
800	CM	110	CM 213 LEVEL CM	30120,4168 litre	99,046 %	290,2001 litre	O
800	CM	110	CM 212 LEVEL CM	30056,5546 litre	98,836 %	354,0623 litre	O
800	CM	110	CM 211 LEVEL CM	29988,7254 litre	98,613 %	421,8915 litre	O
800	CM	110	CM 210 LEVEL CM	29917,1847 litre	98,377 %	493,4322 litre	O
800	CM	110	CM 209 LEVEL CM	29842,1501 litre	98,131 %	568,4668 litre	O
800	CM	110	CM 208 LEVEL CM	29763,8101 litre	97,873 %	646,8068 litre	O
800	CM	110	CM 207 LEVEL CM	29682,3300 litre	97,605 %	728,2869 litre	O
800	CM	110	CM 206 LEVEL CM	29597,8568 litre	97,327 %	812,7601 litre	O
800	CM	110	CM 205 LEVEL CM	29510,5224 litre	97,040 %	900,0945 litre	O
800	CM	110	CM 204 LEVEL CM	29420,4461 litre	96,744 %	990,1708 litre	O
800	CM	110	CM 203 LEVEL CM	29327,7365 litre	96,439 %	1082,8804 litre	O
800	CM	110	CM 202 LEVEL CM	29232,4933 litre	96,126 %	1178,1236 litre	O
800	CM	110	CM 201 LEVEL CM	29134,8083 litre	95,805 %	1275,8086 litre	O
800	CM	110	CM 200 LEVEL CM	29034,7669 litre	95,476 %	1375,8500 litre	O
800	CM	110	CM 199 LEVEL CM	28932,4481 litre	95,139 %	1478,1688 litre	O
800	CM	110	CM 198 LEVEL CM	28827,9262 litre	94,796 %	1582,6907 litre	O
800	CM	110	CM 197 LEVEL CM	28721,2705 litre	94,445 %	1689,3464 litre	O
800	CM	110	CM 196 LEVEL CM	28612,5467 litre	94,087 %	1798,0702 litre	O
800	CM	110	CM 195 LEVEL CM	28501,8163 litre	93,723 %	1908,8006 litre	O
800	CM	110	CM 194 LEVEL CM	28389,1378 litre	93,353 %	2021,4791 litre	O
800	CM	110	CM 193 LEVEL CM	28274,5667 litre	92,976 %	2136,0502 litre	O
800	CM	110	CM 192 LEVEL CM	28158,1557 litre	92,593 %	2252,4612 litre	O
800	CM	110	CM 191 LEVEL CM	28039,9552 litre	92,204 %	2370,6617 litre	O
800	CM	110	CM 190 LEVEL CM	27920,0131 litre	91,810 %	2490,6038 litre	O
800	CM	110	CM 189 LEVEL CM	27798,3755 litre	91,410 %	2612,2414 litre	O
800	CM	110	CM 188 LEVEL CM	27675,0864 litre	91,005 %	2735,5305 litre	O
800	CM	110	CM 187 LEVEL CM	27550,1881 litre	90,594 %	2860,4288 litre	O
800	CM	110	CM 186 LEVEL CM	27423,7214 litre	90,178 %	2986,8955 litre	O
800	CM	110	CM 185 LEVEL CM	27295,7255 litre	89,757 %	3114,8914 litre	O
800	CM	110	CM 184 LEVEL CM	27166,2382 litre	89,331 %	3244,3787 litre	O
800	CM	110	CM 183 LEVEL CM	27035,2960 litre	88,901 %	3375,3209 litre	O
800	CM	110	CM 182 LEVEL CM	26902,9343 litre	88,466 %	3507,6826 litre	O
800	CM	110	CM 181 LEVEL CM	26769,1872 litre	88,026 %	3641,4297 litre	O
800	CM	110	CM 180 LEVEL CM	26634,0880 litre	87,582 %	3776,5289 litre	O
800	CM	110	CM 179 LEVEL CM	26497,6688 litre	87,133 %	3912,9481 litre	O
800	CM	110	CM 178 LEVEL CM	26359,9608 litre	86,680 %	4050,6561 litre	O
800	CM	110	CM 177 LEVEL CM	26220,9944 litre	86,223 %	4189,6225 litre	O
800	CM	110	CM 176 LEVEL CM	26080,7992 litre	85,762 %	4329,8177 litre	O
800	CM	110	CM 175 LEVEL CM	25939,4039 litre	85,297 %	4471,2130 litre	O
800	CM	110	CM 174 LEVEL CM	25796,8366 litre	84,828 %	4613,7803 litre	O
800	CM	110	CM 173 LEVEL CM	25653,1246 litre	84,356 %	4757,4923 litre	O
800	CM	110	CM 172 LEVEL CM	25508,2948 litre	83,880 %	4902,3221 litre	O
800	CM	110	CM 171 LEVEL CM	25362,3731 litre	83,400 %	5048,2438 litre	O
800	CM	110	CM 170 LEVEL CM	25215,3852 litre	82,916 %	5195,2317 litre	O
800	CM	110	CM 169 LEVEL CM	25067,3560 litre	82,430 %	5343,2609 litre	O

800	CM 110	CM	168 LEVEL CM	24918,3098 litre	81,940 %	5492,3071 litre	O
800	CM 110	CM	167 LEVEL CM	24768,2708 litre	81,446 %	5642,3461 litre	O
800	CM 110	CM	166 LEVEL CM	24617,2624 litre	80,950 %	5793,3545 litre	O
800	CM 110	CM	165 LEVEL CM	24465,3075 litre	80,450 %	5945,3094 litre	O
800	CM 110	CM	164 LEVEL CM	24312,4289 litre	79,947 %	6098,1880 litre	O
800	CM 110	CM	163 LEVEL CM	24158,6487 litre	79,441 %	6251,9682 litre	O
800	CM 110	CM	162 LEVEL CM	24003,9886 litre	78,933 %	6406,6283 litre	O
800	CM 110	CM	161 LEVEL CM	23848,4703 litre	78,422 %	6562,1466 litre	O
800	CM 110	CM	160 LEVEL CM	23692,1146 litre	77,907 %	6718,5023 litre	O
800	CM 110	CM	159 LEVEL CM	23534,9424 litre	77,391 %	6875,6745 litre	O
800	CM 110	CM	158 LEVEL CM	23376,9742 litre	76,871 %	7033,6427 litre	O
800	CM 110	CM	157 LEVEL CM	23218,2299 litre	76,349 %	7192,3870 litre	O
800	CM 110	CM	156 LEVEL CM	23058,7295 litre	75,825 %	7351,8874 litre	O
800	CM 110	CM	155 LEVEL CM	22898,4925 litre	75,298 %	7512,1244 litre	O
800	CM 110	CM	154 LEVEL CM	22737,5381 litre	74,768 %	7673,0788 litre	O
800	CM 110	CM	153 LEVEL CM	22575,8855 litre	74,237 %	7834,7314 litre	O
800	CM 110	CM	152 LEVEL CM	22413,5532 litre	73,703 %	7997,0637 litre	O
800	CM 110	CM	151 LEVEL CM	22250,5600 litre	73,167 %	8160,0569 litre	O
800	CM 110	CM	150 LEVEL CM	22086,9241 litre	72,629 %	8323,6928 litre	O
800	CM 110	CM	149 LEVEL CM	21922,6636 litre	72,089 %	8487,9533 litre	O
800	CM 110	CM	148 LEVEL CM	21757,7964 litre	71,547 %	8652,8205 litre	O
800	CM 110	CM	147 LEVEL CM	21592,3402 litre	71,003 %	8818,2767 litre	O
800	CM 110	CM	146 LEVEL CM	21426,3125 litre	70,457 %	8984,3044 litre	O
800	CM 110	CM	145 LEVEL CM	21259,7306 litre	69,909 %	9150,8863 litre	O
800	CM 110	CM	144 LEVEL CM	21092,6117 litre	69,359 %	9318,0052 litre	O
800	CM 110	CM	143 LEVEL CM	20924,9728 litre	68,808 %	9485,6441 litre	O
800	CM 110	CM	142 LEVEL CM	20756,8307 litre	68,255 %	9653,7862 litre	O
800	CM 110	CM	141 LEVEL CM	20588,2021 litre	67,701 %	9822,4148 litre	O
800	CM 110	CM	140 LEVEL CM	20419,1035 litre	67,145 %	9991,5134 litre	O
800	CM 110	CM	139 LEVEL CM	20249,5513 litre	66,587 %	10161,0656 litre	O
800	CM 110	CM	138 LEVEL CM	20079,5619 litre	66,028 %	10331,0550 litre	O
800	CM 110	CM	137 LEVEL CM	19909,1513 litre	65,468 %	10501,4656 litre	O
800	CM 110	CM	136 LEVEL CM	19738,3356 litre	64,906 %	10672,2813 litre	O
800	CM 110	CM	135 LEVEL CM	19567,1306 litre	64,343 %	10843,4863 litre	O
800	CM 110	CM	134 LEVEL CM	19395,5523 litre	63,779 %	11015,0646 litre	O
800	CM 110	CM	133 LEVEL CM	19223,6162 litre	63,214 %	11187,0007 litre	O
800	CM 110	CM	132 LEVEL CM	19051,3380 litre	62,647 %	11359,2789 litre	O
800	CM 110	CM	131 LEVEL CM	18878,7332 litre	62,079 %	11531,8837 litre	O
800	CM 110	CM	130 LEVEL CM	18705,8172 litre	61,511 %	11704,7997 litre	O
800	CM 110	CM	129 LEVEL CM	18532,6053 litre	60,941 %	11878,0116 litre	O
800	CM 110	CM	128 LEVEL CM	18359,1129 litre	60,371 %	12051,5040 litre	O
800	CM 110	CM	127 LEVEL CM	18185,3551 litre	59,799 %	12225,2618 litre	O
800	CM 110	CM	126 LEVEL CM	18011,3470 litre	59,227 %	12399,2699 litre	O
800	CM 110	CM	125 LEVEL CM	17837,1037 litre	58,654 %	12573,5132 litre	O
800	CM 110	CM	124 LEVEL CM	17662,6401 litre	58,081 %	12747,9768 litre	O
800	CM 110	CM	123 LEVEL CM	17487,9712 litre	57,506 %	12922,6457 litre	O
800	CM 110	CM	122 LEVEL CM	17313,1118 litre	56,931 %	13097,5051 litre	O
800	CM 110	CM	121 LEVEL CM	17138,0769 litre	56,356 %	13272,5400 litre	O
800	CM 110	CM	120 LEVEL CM	16962,8812 litre	55,779 %	13447,7357 litre	O
800	CM 110	CM	119 LEVEL CM	16787,5394 litre	55,203 %	13623,0775 litre	O
800	CM 110	CM	118 LEVEL CM	16612,0662 litre	54,626 %	13798,5507 litre	O
800	CM 110	CM	117 LEVEL CM	16436,4764 litre	54,048 %	13974,1405 litre	O
800	CM 110	CM	116 LEVEL CM	16260,7846 litre	53,471 %	14149,8323 litre	O

800	CM 110	CM	115 LEVEL CM	16085,0053 litre	52,893 %	14325,6116 litre	O
800	CM 110	CM	114 LEVEL CM	15909,1533 litre	52,314 %	14501,4636 litre	O
800	CM 110	CM	113 LEVEL CM	15733,2430 litre	51,736 %	14677,3739 litre	O
800	CM 110	CM	112 LEVEL CM	15557,2890 litre	51,157 %	14853,3279 litre	O
800	CM 110	CM	111 LEVEL CM	15381,3060 litre	50,579 %	15029,3109 litre	O
800	CM 110	CM	110 LEVEL CM	15205,3084 litre	50,000 %	15205,3085 litre	O
800	CM 110	CM	109 LEVEL CM	15029,3109 litre	49,421 %	15381,3060 litre	O
800	CM 110	CM	108 LEVEL CM	14853,3278 litre	48,843 %	15557,2891 litre	O
800	CM 110	CM	107 LEVEL CM	14677,3739 litre	48,264 %	15733,2430 litre	O
800	CM 110	CM	106 LEVEL CM	14501,4636 litre	47,686 %	15909,1533 litre	O
800	CM 110	CM	105 LEVEL CM	14325,6116 litre	47,107 %	16085,0053 litre	O
800	CM 110	CM	104 LEVEL CM	14149,8323 litre	46,529 %	16260,7846 litre	O
800	CM 110	CM	103 LEVEL CM	13974,1405 litre	45,952 %	16436,4764 litre	O
800	CM 110	CM	102 LEVEL CM	13798,5506 litre	45,374 %	16612,0663 litre	O
800	CM 110	CM	101 LEVEL CM	13623,0775 litre	44,797 %	16787,5394 litre	O
800	CM 110	CM	100 LEVEL CM	13447,7357 litre	44,221 %	16962,8812 litre	O
800	CM 110	CM	99 LEVEL CM	13272,5400 litre	43,644 %	17138,0769 litre	O
800	CM 110	CM	98 LEVEL CM	13097,5050 litre	43,069 %	17313,1119 litre	O
800	CM 110	CM	97 LEVEL CM	12922,6457 litre	42,494 %	17487,9712 litre	O
800	CM 110	CM	96 LEVEL CM	12747,9768 litre	41,919 %	17662,6401 litre	O
800	CM 110	CM	95 LEVEL CM	12573,5132 litre	41,346 %	17837,1037 litre	O
800	CM 110	CM	94 LEVEL CM	12399,2699 litre	40,773 %	18011,3470 litre	O
800	CM 110	CM	93 LEVEL CM	12225,2618 litre	40,201 %	18185,3551 litre	O
800	CM 110	CM	92 LEVEL CM	12051,5040 litre	39,629 %	18359,1129 litre	O
800	CM 110	CM	91 LEVEL CM	11878,0115 litre	39,059 %	18532,6054 litre	O
800	CM 110	CM	90 LEVEL CM	11704,7997 litre	38,489 %	18705,8172 litre	O
800	CM 110	CM	89 LEVEL CM	11531,8837 litre	37,921 %	18878,7332 litre	O
800	CM 110	CM	88 LEVEL CM	11359,2789 litre	37,353 %	19051,3380 litre	O
800	CM 110	CM	87 LEVEL CM	11187,0007 litre	36,786 %	19223,6162 litre	O
800	CM 110	CM	86 LEVEL CM	11015,0646 litre	36,221 %	19395,5523 litre	O
800	CM 110	CM	85 LEVEL CM	10843,4863 litre	35,657 %	19567,1306 litre	O
800	CM 110	CM	84 LEVEL CM	10672,2813 litre	35,094 %	19738,3356 litre	O
800	CM 110	CM	83 LEVEL CM	10501,4656 litre	34,532 %	19909,1513 litre	O
800	CM 110	CM	82 LEVEL CM	10331,0550 litre	33,972 %	20079,5619 litre	O
800	CM 110	CM	81 LEVEL CM	10161,0655 litre	33,413 %	20249,5514 litre	O
800	CM 110	CM	80 LEVEL CM	9991,5134 litre	32,855 %	20419,1035 litre	O
800	CM 110	CM	79 LEVEL CM	9822,4148 litre	32,299 %	20588,2021 litre	O
800	CM 110	CM	78 LEVEL CM	9653,7862 litre	31,745 %	20756,8307 litre	O
800	CM 110	CM	77 LEVEL CM	9485,6441 litre	31,192 %	20924,9728 litre	O
800	CM 110	CM	76 LEVEL CM	9318,0052 litre	30,641 %	21092,6117 litre	O
800	CM 110	CM	75 LEVEL CM	9150,8863 litre	30,091 %	21259,7306 litre	O
800	CM 110	CM	74 LEVEL CM	8984,3044 litre	29,543 %	21426,3125 litre	O
800	CM 110	CM	73 LEVEL CM	8818,2767 litre	28,997 %	21592,3402 litre	O
800	CM 110	CM	72 LEVEL CM	8652,8205 litre	28,453 %	21757,7964 litre	O
800	CM 110	CM	71 LEVEL CM	8487,9533 litre	27,911 %	21922,6636 litre	O
800	CM 110	CM	70 LEVEL CM	8323,6928 litre	27,371 %	22086,9241 litre	O
800	CM 110	CM	69 LEVEL CM	8160,0569 litre	26,833 %	22250,5600 litre	O
800	CM 110	CM	68 LEVEL CM	7997,0636 litre	26,297 %	22413,5533 litre	O
800	CM 110	CM	67 LEVEL CM	7834,7314 litre	25,763 %	22575,8855 litre	O
800	CM 110	CM	66 LEVEL CM	7673,0788 litre	25,232 %	22737,5381 litre	O
800	CM 110	CM	65 LEVEL CM	7512,1244 litre	24,702 %	22898,4925 litre	O
800	CM 110	CM	64 LEVEL CM	7351,8874 litre	24,175 %	23058,7295 litre	O
800	CM 110	CM	63 LEVEL CM	7192,3870 litre	23,651 %	23218,2299 litre	O

800	CM	110	CM	62 LEVEL CM	7033,6427 litre	23,129 %	23376,9742 litre	O
800	CM	110	CM	61 LEVEL CM	6875,6744 litre	22,609 %	23534,9425 litre	O
800	CM	110	CM	60 LEVEL CM	6718,5023 litre	22,093 %	23692,1146 litre	O
800	CM	110	CM	59 LEVEL CM	6562,1466 litre	21,578 %	23848,4703 litre	O
800	CM	110	CM	58 LEVEL CM	6406,6282 litre	21,067 %	24003,9887 litre	O
800	CM	110	CM	57 LEVEL CM	6251,9682 litre	20,559 %	24158,6487 litre	O
800	CM	110	CM	56 LEVEL CM	6098,1880 litre	20,053 %	24312,4289 litre	O
800	CM	110	CM	55 LEVEL CM	5945,3093 litre	19,550 %	24465,3076 litre	O
800	CM	110	CM	54 LEVEL CM	5793,3545 litre	19,050 %	24617,2624 litre	O
800	CM	110	CM	53 LEVEL CM	5642,3461 litre	18,554 %	24768,2708 litre	O
800	CM	110	CM	52 LEVEL CM	5492,3070 litre	18,060 %	24918,3099 litre	O
800	CM	110	CM	51 LEVEL CM	5343,2609 litre	17,570 %	25067,3560 litre	O
800	CM	110	CM	50 LEVEL CM	5195,2317 litre	17,084 %	25215,3852 litre	O
800	CM	110	CM	49 LEVEL CM	5048,2437 litre	16,600 %	25362,3732 litre	O
800	CM	110	CM	48 LEVEL CM	4902,3221 litre	16,120 %	25508,2948 litre	O
800	CM	110	CM	47 LEVEL CM	4757,4922 litre	15,644 %	25653,1247 litre	O
800	CM	110	CM	46 LEVEL CM	4613,7803 litre	15,172 %	25796,8366 litre	O
800	CM	110	CM	45 LEVEL CM	4471,2130 litre	14,703 %	25939,4039 litre	O
800	CM	110	CM	44 LEVEL CM	4329,8177 litre	14,238 %	26080,7992 litre	O
800	CM	110	CM	43 LEVEL CM	4189,6225 litre	13,777 %	26220,9944 litre	O
800	CM	110	CM	42 LEVEL CM	4050,6561 litre	13,320 %	26359,9608 litre	O
800	CM	110	CM	41 LEVEL CM	3912,9481 litre	12,867 %	26497,6688 litre	O
800	CM	110	CM	40 LEVEL CM	3776,5289 litre	12,418 %	26634,0880 litre	O
800	CM	110	CM	39 LEVEL CM	3641,4297 litre	11,974 %	26769,1872 litre	O
800	CM	110	CM	38 LEVEL CM	3507,6826 litre	11,534 %	26902,9343 litre	O
800	CM	110	CM	37 LEVEL CM	3375,3209 litre	11,099 %	27035,2960 litre	O
800	CM	110	CM	36 LEVEL CM	3244,3787 litre	10,669 %	27166,2382 litre	O
800	CM	110	CM	35 LEVEL CM	3114,8914 litre	10,243 %	27295,7255 litre	O
800	CM	110	CM	34 LEVEL CM	2986,8955 litre	9,822 %	27423,7214 litre	O
800	CM	110	CM	33 LEVEL CM	2860,4288 litre	9,406 %	27550,1881 litre	O
800	CM	110	CM	32 LEVEL CM	2735,5305 litre	8,995 %	27675,0864 litre	O
800	CM	110	CM	31 LEVEL CM	2612,2414 litre	8,590 %	27798,3755 litre	O
800	CM	110	CM	30 LEVEL CM	2490,6038 litre	8,190 %	27920,0131 litre	O
800	CM	110	CM	29 LEVEL CM	2370,6617 litre	7,796 %	28039,9552 litre	O
800	CM	110	CM	28 LEVEL CM	2252,4612 litre	7,407 %	28158,1557 litre	O
800	CM	110	CM	27 LEVEL CM	2136,0502 litre	7,024 %	28274,5667 litre	O
800	CM	110	CM	26 LEVEL CM	2021,4791 litre	6,647 %	28389,1378 litre	O
800	CM	110	CM	25 LEVEL CM	1908,8006 litre	6,277 %	28501,8163 litre	O
800	CM	110	CM	24 LEVEL CM	1798,0702 litre	5,913 %	28612,5467 litre	O
800	CM	110	CM	23 LEVEL CM	1689,3463 litre	5,555 %	28721,2706 litre	O
800	CM	110	CM	22 LEVEL CM	1582,6907 litre	5,204 %	28827,9262 litre	O
800	CM	110	CM	21 LEVEL CM	1478,1688 litre	4,861 %	28932,4481 litre	O
800	CM	110	CM	20 LEVEL CM	1375,8500 litre	4,524 %	29034,7669 litre	O
800	CM	110	CM	19 LEVEL CM	1275,8085 litre	4,195 %	29134,8084 litre	O
800	CM	110	CM	18 LEVEL CM	1178,1236 litre	3,874 %	29232,4933 litre	O
800	CM	110	CM	17 LEVEL CM	1082,8804 litre	3,561 %	29327,7365 litre	O
800	CM	110	CM	16 LEVEL CM	990,1708 litre	3,256 %	29420,4461 litre	O
800	CM	110	CM	15 LEVEL CM	900,0944 litre	2,960 %	29510,5225 litre	O
800	CM	110	CM	14 LEVEL CM	812,7601 litre	2,673 %	29597,8568 litre	O
800	CM	110	CM	13 LEVEL CM	728,2869 litre	2,395 %	29682,3300 litre	O
800	CM	110	CM	12 LEVEL CM	646,8068 litre	2,127 %	29763,8101 litre	O
800	CM	110	CM	11 LEVEL CM	568,4668 litre	1,869 %	29842,1501 litre	O
800	CM	110	CM	10 LEVEL CM	493,4322 litre	1,623 %	29917,1847 litre	O

800	CM	110	CM	9 LEVEL CM	421,8915 litre	1,387 %	29988,7254 litre	O
800	CM	110	CM	8 LEVEL CM	354,0623 litre	1,164 %	30056,5546 litre	O
800	CM	110	CM	7 LEVEL CM	290,2001 litre	0,954 %	30120,4168 litre	O
800	CM	110	CM	6 LEVEL CM	230,6117 litre	0,758 %	30180,0052 litre	O
800	CM	110	CM	5 LEVEL CM	175,6757 litre	0,578 %	30234,9412 litre	O
800	CM	110	CM	4 LEVEL CM	125,8771 litre	0,414 %	30284,7398 litre	O
800	CM	110	CM	3 LEVEL CM	81,8724 litre	0,269 %	30328,7445 litre	O
800	CM	110	CM	2 LEVEL CM	44,6269 litre	0,147 %	30365,9900 litre	O
800	CM	110	CM	1 LEVEL CM	15,7996 litre	0,052 %	30394,8173 litre	O
800	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	30410,6169 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM 105	CM 210 LEVEL CM	27708,8472 litre	100,000 %	0,0000 litre	O
800	CM 105	CM 209 LEVEL CM	27693,4118 litre	99,944 %	15,4354 litre	O
800	CM 105	CM 208 LEVEL CM	27665,2520 litre	99,843 %	43,5952 litre	O
800	CM 105	CM 207 LEVEL CM	27628,8730 litre	99,711 %	79,9742 litre	O
800	CM 105	CM 206 LEVEL CM	27585,8965 litre	99,556 %	122,9507 litre	O
800	CM 105	CM 205 LEVEL CM	27537,2672 litre	99,381 %	171,5800 litre	O
800	CM 105	CM 204 LEVEL CM	27483,6270 litre	99,187 %	225,2202 litre	O
800	CM 105	CM 203 LEVEL CM	27425,4509 litre	98,977 %	283,3963 litre	O
800	CM 105	CM 202 LEVEL CM	27363,1095 litre	98,752 %	345,7377 litre	O
800	CM 105	CM 201 LEVEL CM	27296,9033 litre	98,513 %	411,9439 litre	O
800	CM 105	CM 200 LEVEL CM	27227,0826 litre	98,261 %	481,7646 litre	O
800	CM 105	CM 199 LEVEL CM	27153,8608 litre	97,997 %	554,9864 litre	O
800	CM 105	CM 198 LEVEL CM	27077,4225 litre	97,721 %	631,4247 litre	O
800	CM 105	CM 197 LEVEL CM	26997,9301 litre	97,434 %	710,9171 litre	O
800	CM 105	CM 196 LEVEL CM	26915,5277 litre	97,137 %	793,3195 litre	O
800	CM 105	CM 195 LEVEL CM	26830,3448 litre	96,830 %	878,5024 litre	O
800	CM 105	CM 194 LEVEL CM	26742,4984 litre	96,512 %	966,3488 litre	O
800	CM 105	CM 193 LEVEL CM	26652,0954 litre	96,186 %	1056,7518 litre	O
800	CM 105	CM 192 LEVEL CM	26559,2337 litre	95,851 %	1149,6135 litre	O
800	CM 105	CM 191 LEVEL CM	26464,0036 litre	95,507 %	1244,8436 litre	O
800	CM 105	CM 190 LEVEL CM	26366,4888 litre	95,155 %	1342,3584 litre	O
800	CM 105	CM 189 LEVEL CM	26266,7674 litre	94,796 %	1442,0798 litre	O
800	CM 105	CM 188 LEVEL CM	26164,9123 litre	94,428 %	1543,9349 litre	O
800	CM 105	CM 187 LEVEL CM	26060,9920 litre	94,053 %	1647,8552 litre	O
800	CM 105	CM 186 LEVEL CM	25955,0708 litre	93,671 %	1753,7764 litre	O
800	CM 105	CM 185 LEVEL CM	25847,2095 litre	93,281 %	1861,6377 litre	O
800	CM 105	CM 184 LEVEL CM	25737,4659 litre	92,885 %	1971,3813 litre	O
800	CM 105	CM 183 LEVEL CM	25625,8946 litre	92,483 %	2082,9526 litre	O
800	CM 105	CM 182 LEVEL CM	25512,5477 litre	92,074 %	2196,2995 litre	O
800	CM 105	CM 181 LEVEL CM	25397,4747 litre	91,658 %	2311,3725 litre	O
800	CM 105	CM 180 LEVEL CM	25280,7232 litre	91,237 %	2428,1240 litre	O
800	CM 105	CM 179 LEVEL CM	25162,3385 litre	90,810 %	2546,5087 litre	O
800	CM 105	CM 178 LEVEL CM	25042,3643 litre	90,377 %	2666,4829 litre	O
800	CM 105	CM 177 LEVEL CM	24920,8423 litre	89,938 %	2788,0049 litre	O
800	CM 105	CM 176 LEVEL CM	24797,8128 litre	89,494 %	2911,0344 litre	O
800	CM 105	CM 175 LEVEL CM	24673,3148 litre	89,045 %	3035,5324 litre	O
800	CM 105	CM 174 LEVEL CM	24547,3855 litre	88,590 %	3161,4617 litre	O
800	CM 105	CM 173 LEVEL CM	24420,0612 litre	88,131 %	3288,7860 litre	O
800	CM 105	CM 172 LEVEL CM	24291,3770 litre	87,667 %	3417,4702 litre	O
800	CM 105	CM 171 LEVEL CM	24161,3667 litre	87,197 %	3547,4805 litre	O
800	CM 105	CM 170 LEVEL CM	24030,0632 litre	86,723 %	3678,7840 litre	O
800	CM 105	CM 169 LEVEL CM	23897,4984 litre	86,245 %	3811,3488 litre	O
800	CM 105	CM 168 LEVEL CM	23763,7034 litre	85,762 %	3945,1438 litre	O
800	CM 105	CM 167 LEVEL CM	23628,7083 litre	85,275 %	4080,1389 litre	O
800	CM 105	CM 166 LEVEL CM	23492,5425 litre	84,784 %	4216,3047 litre	O
800	CM 105	CM 165 LEVEL CM	23355,2347 litre	84,288 %	4353,6125 litre	O
800	CM 105	CM 164 LEVEL CM	23216,8127 litre	83,788 %	4492,0345 litre	O
800	CM 105	CM 163 LEVEL CM	23077,3038 litre	83,285 %	4631,5434 litre	O
800	CM 105	CM 162 LEVEL CM	22936,7347 litre	82,778 %	4772,1125 litre	O
800	CM 105	CM 161 LEVEL CM	22795,1312 litre	82,267 %	4913,7160 litre	O
800	CM 105	CM 160 LEVEL CM	22652,5189 litre	81,752 %	5056,3283 litre	O
800	CM 105	CM 159 LEVEL CM	22508,9227 litre	81,234 %	5199,9245 litre	O

800	CM	105	CM	158 LEVEL CM	22364,3670 litre	80,712 %	5344,4802 litre	O
800	CM	105	CM	157 LEVEL CM	22218,8757 litre	80,187 %	5489,9715 litre	O
800	CM	105	CM	156 LEVEL CM	22072,4723 litre	79,659 %	5636,3749 litre	O
800	CM	105	CM	155 LEVEL CM	21925,1798 litre	79,127 %	5783,6674 litre	O
800	CM	105	CM	154 LEVEL CM	21777,0208 litre	78,592 %	5931,8264 litre	O
800	CM	105	CM	153 LEVEL CM	21628,0176 litre	78,055 %	6080,8296 litre	O
800	CM	105	CM	152 LEVEL CM	21478,1919 litre	77,514 %	6230,6553 litre	O
800	CM	105	CM	151 LEVEL CM	21327,5653 litre	76,970 %	6381,2819 litre	O
800	CM	105	CM	150 LEVEL CM	21176,1589 litre	76,424 %	6532,6883 litre	O
800	CM	105	CM	149 LEVEL CM	21023,9935 litre	75,875 %	6684,8537 litre	O
800	CM	105	CM	148 LEVEL CM	20871,0897 litre	75,323 %	6837,7575 litre	O
800	CM	105	CM	147 LEVEL CM	20717,4676 litre	74,768 %	6991,3796 litre	O
800	CM	105	CM	146 LEVEL CM	20563,1472 litre	74,211 %	7145,7000 litre	O
800	CM	105	CM	145 LEVEL CM	20408,1481 litre	73,652 %	7300,6991 litre	O
800	CM	105	CM	144 LEVEL CM	20252,4898 litre	73,090 %	7456,3574 litre	O
800	CM	105	CM	143 LEVEL CM	20096,1914 litre	72,526 %	7612,6558 litre	O
800	CM	105	CM	142 LEVEL CM	19939,2718 litre	71,960 %	7769,5754 litre	O
800	CM	105	CM	141 LEVEL CM	19781,7498 litre	71,391 %	7927,0974 litre	O
800	CM	105	CM	140 LEVEL CM	19623,6437 litre	70,821 %	8085,2035 litre	O
800	CM	105	CM	139 LEVEL CM	19464,9720 litre	70,248 %	8243,8752 litre	O
800	CM	105	CM	138 LEVEL CM	19305,7526 litre	69,674 %	8403,0946 litre	O
800	CM	105	CM	137 LEVEL CM	19146,0036 litre	69,097 %	8562,8436 litre	O
800	CM	105	CM	136 LEVEL CM	18985,7425 litre	68,519 %	8723,1047 litre	O
800	CM	105	CM	135 LEVEL CM	18824,9870 litre	67,939 %	8883,8602 litre	O
800	CM	105	CM	134 LEVEL CM	18663,7545 litre	67,357 %	9045,0927 litre	O
800	CM	105	CM	133 LEVEL CM	18502,0622 litre	66,773 %	9206,7850 litre	O
800	CM	105	CM	132 LEVEL CM	18339,9271 litre	66,188 %	9368,9201 litre	O
800	CM	105	CM	131 LEVEL CM	18177,3663 litre	65,601 %	9531,4809 litre	O
800	CM	105	CM	130 LEVEL CM	18014,3966 litre	65,013 %	9694,4506 litre	O
800	CM	105	CM	129 LEVEL CM	17851,0346 litre	64,424 %	9857,8126 litre	O
800	CM	105	CM	128 LEVEL CM	17687,2970 litre	63,833 %	10021,5502 litre	O
800	CM	105	CM	127 LEVEL CM	17523,2001 litre	63,240 %	10185,6471 litre	O
800	CM	105	CM	126 LEVEL CM	17358,7604 litre	62,647 %	10350,0868 litre	O
800	CM	105	CM	125 LEVEL CM	17193,9941 litre	62,052 %	10514,8531 litre	O
800	CM	105	CM	124 LEVEL CM	17028,9173 litre	61,457 %	10679,9299 litre	O
800	CM	105	CM	123 LEVEL CM	16863,5462 litre	60,860 %	10845,3010 litre	O
800	CM	105	CM	122 LEVEL CM	16697,8966 litre	60,262 %	11010,9506 litre	O
800	CM	105	CM	121 LEVEL CM	16531,9845 litre	59,663 %	11176,8627 litre	O
800	CM	105	CM	120 LEVEL CM	16365,8257 litre	59,064 %	11343,0215 litre	O
800	CM	105	CM	119 LEVEL CM	16199,4360 litre	58,463 %	11509,4112 litre	O
800	CM	105	CM	118 LEVEL CM	16032,8310 litre	57,862 %	11676,0162 litre	O
800	CM	105	CM	117 LEVEL CM	15866,0264 litre	57,260 %	11842,8208 litre	O
800	CM	105	CM	116 LEVEL CM	15699,0377 litre	56,657 %	12009,8095 litre	O
800	CM	105	CM	115 LEVEL CM	15531,8805 litre	56,054 %	12176,9667 litre	O
800	CM	105	CM	114 LEVEL CM	15364,5701 litre	55,450 %	12344,2771 litre	O
800	CM	105	CM	113 LEVEL CM	15197,1222 litre	54,846 %	12511,7250 litre	O
800	CM	105	CM	112 LEVEL CM	15029,5519 litre	54,241 %	12679,2953 litre	O
800	CM	105	CM	111 LEVEL CM	14861,8748 litre	53,636 %	12846,9724 litre	O
800	CM	105	CM	110 LEVEL CM	14694,1060 litre	53,030 %	13014,7412 litre	O
800	CM	105	CM	109 LEVEL CM	14526,2610 litre	52,425 %	13182,5862 litre	O
800	CM	105	CM	108 LEVEL CM	14358,3550 litre	51,819 %	13350,4922 litre	O
800	CM	105	CM	107 LEVEL CM	14190,4033 litre	51,213 %	13518,4439 litre	O
800	CM	105	CM	106 LEVEL CM	14022,4211 litre	50,606 %	13686,4261 litre	O

800	CM	105	CM	105 LEVEL CM	13854,4236 litre	50,000 %	13854,4236 litre	O
800	CM	105	CM	104 LEVEL CM	13686,4261 litre	49,394 %	14022,4211 litre	O
800	CM	105	CM	103 LEVEL CM	13518,4439 litre	48,787 %	14190,4033 litre	O
800	CM	105	CM	102 LEVEL CM	13350,4922 litre	48,181 %	14358,3550 litre	O
800	CM	105	CM	101 LEVEL CM	13182,5862 litre	47,575 %	14526,2610 litre	O
800	CM	105	CM	100 LEVEL CM	13014,7412 litre	46,970 %	14694,1060 litre	O
800	CM	105	CM	99 LEVEL CM	12846,9724 litre	46,364 %	14861,8748 litre	O
800	CM	105	CM	98 LEVEL CM	12679,2953 litre	45,759 %	15029,5519 litre	O
800	CM	105	CM	97 LEVEL CM	12511,7251 litre	45,154 %	15197,1221 litre	O
800	CM	105	CM	96 LEVEL CM	12344,2771 litre	44,550 %	15364,5701 litre	O
800	CM	105	CM	95 LEVEL CM	12176,9668 litre	43,946 %	15531,8804 litre	O
800	CM	105	CM	94 LEVEL CM	12009,8095 litre	43,343 %	15699,0377 litre	O
800	CM	105	CM	93 LEVEL CM	11842,8208 litre	42,740 %	15866,0264 litre	O
800	CM	105	CM	92 LEVEL CM	11676,0162 litre	42,138 %	16032,8310 litre	O
800	CM	105	CM	91 LEVEL CM	11509,4112 litre	41,537 %	16199,4360 litre	O
800	CM	105	CM	90 LEVEL CM	11343,0215 litre	40,936 %	16365,8257 litre	O
800	CM	105	CM	89 LEVEL CM	11176,8627 litre	40,337 %	16531,9845 litre	O
800	CM	105	CM	88 LEVEL CM	11010,9506 litre	39,738 %	16697,8966 litre	O
800	CM	105	CM	87 LEVEL CM	10845,3010 litre	39,140 %	16863,5462 litre	O
800	CM	105	CM	86 LEVEL CM	10679,9299 litre	38,543 %	17028,9173 litre	O
800	CM	105	CM	85 LEVEL CM	10514,8531 litre	37,948 %	17193,9941 litre	O
800	CM	105	CM	84 LEVEL CM	10350,0868 litre	37,353 %	17358,7604 litre	O
800	CM	105	CM	83 LEVEL CM	10185,6471 litre	36,760 %	17523,2001 litre	O
800	CM	105	CM	82 LEVEL CM	10021,5502 litre	36,167 %	17687,2970 litre	O
800	CM	105	CM	81 LEVEL CM	9857,8126 litre	35,576 %	17851,0346 litre	O
800	CM	105	CM	80 LEVEL CM	9694,4506 litre	34,987 %	18014,3966 litre	O
800	CM	105	CM	79 LEVEL CM	9531,4809 litre	34,399 %	18177,3663 litre	O
800	CM	105	CM	78 LEVEL CM	9368,9201 litre	33,812 %	18339,9271 litre	O
800	CM	105	CM	77 LEVEL CM	9206,7850 litre	33,227 %	18502,0622 litre	O
800	CM	105	CM	76 LEVEL CM	9045,0927 litre	32,643 %	18663,7545 litre	O
800	CM	105	CM	75 LEVEL CM	8883,8602 litre	32,061 %	18824,9870 litre	O
800	CM	105	CM	74 LEVEL CM	8723,1047 litre	31,481 %	18985,7425 litre	O
800	CM	105	CM	73 LEVEL CM	8562,8436 litre	30,903 %	19146,0036 litre	O
800	CM	105	CM	72 LEVEL CM	8403,0946 litre	30,326 %	19305,7526 litre	O
800	CM	105	CM	71 LEVEL CM	8243,8752 litre	29,752 %	19464,9720 litre	O
800	CM	105	CM	70 LEVEL CM	8085,2035 litre	29,179 %	19623,6437 litre	O
800	CM	105	CM	69 LEVEL CM	7927,0974 litre	28,609 %	19781,7498 litre	O
800	CM	105	CM	68 LEVEL CM	7769,5754 litre	28,040 %	19939,2718 litre	O
800	CM	105	CM	67 LEVEL CM	7612,6558 litre	27,474 %	20096,1914 litre	O
800	CM	105	CM	66 LEVEL CM	7456,3574 litre	26,910 %	20252,4898 litre	O
800	CM	105	CM	65 LEVEL CM	7300,6991 litre	26,348 %	20408,1481 litre	O
800	CM	105	CM	64 LEVEL CM	7145,7000 litre	25,789 %	20563,1472 litre	O
800	CM	105	CM	63 LEVEL CM	6991,3796 litre	25,232 %	20717,4676 litre	O
800	CM	105	CM	62 LEVEL CM	6837,7575 litre	24,677 %	20871,0897 litre	O
800	CM	105	CM	61 LEVEL CM	6684,8537 litre	24,125 %	21023,9935 litre	O
800	CM	105	CM	60 LEVEL CM	6532,6883 litre	23,576 %	21176,1589 litre	O
800	CM	105	CM	59 LEVEL CM	6381,2819 litre	23,030 %	21327,5653 litre	O
800	CM	105	CM	58 LEVEL CM	6230,6553 litre	22,486 %	21478,1919 litre	O
800	CM	105	CM	57 LEVEL CM	6080,8296 litre	21,945 %	21628,0176 litre	O
800	CM	105	CM	56 LEVEL CM	5931,8264 litre	21,408 %	21777,0208 litre	O
800	CM	105	CM	55 LEVEL CM	5783,6674 litre	20,873 %	21925,1798 litre	O
800	CM	105	CM	54 LEVEL CM	5636,3749 litre	20,341 %	22072,4723 litre	O
800	CM	105	CM	53 LEVEL CM	5489,9715 litre	19,813 %	22218,8757 litre	O

800	CM	105	CM	52 LEVEL CM	5344,4802 litre	19,288 %	22364,3670 litre	O
800	CM	105	CM	51 LEVEL CM	5199,9245 litre	18,766 %	22508,9227 litre	O
800	CM	105	CM	50 LEVEL CM	5056,3283 litre	18,248 %	22652,5189 litre	O
800	CM	105	CM	49 LEVEL CM	4913,7160 litre	17,733 %	22795,1312 litre	O
800	CM	105	CM	48 LEVEL CM	4772,1125 litre	17,222 %	22936,7347 litre	O
800	CM	105	CM	47 LEVEL CM	4631,5434 litre	16,715 %	23077,3038 litre	O
800	CM	105	CM	46 LEVEL CM	4492,0345 litre	16,212 %	23216,8127 litre	O
800	CM	105	CM	45 LEVEL CM	4353,6125 litre	15,712 %	23355,2347 litre	O
800	CM	105	CM	44 LEVEL CM	4216,3047 litre	15,216 %	23492,5425 litre	O
800	CM	105	CM	43 LEVEL CM	4080,1389 litre	14,725 %	23628,7083 litre	O
800	CM	105	CM	42 LEVEL CM	3945,1438 litre	14,238 %	23763,7034 litre	O
800	CM	105	CM	41 LEVEL CM	3811,3488 litre	13,755 %	23897,4984 litre	O
800	CM	105	CM	40 LEVEL CM	3678,7841 litre	13,277 %	24030,0631 litre	O
800	CM	105	CM	39 LEVEL CM	3547,4805 litre	12,803 %	24161,3667 litre	O
800	CM	105	CM	38 LEVEL CM	3417,4702 litre	12,333 %	24291,3770 litre	O
800	CM	105	CM	37 LEVEL CM	3288,7860 litre	11,869 %	24420,0612 litre	O
800	CM	105	CM	36 LEVEL CM	3161,4617 litre	11,410 %	24547,3855 litre	O
800	CM	105	CM	35 LEVEL CM	3035,5324 litre	10,955 %	24673,3148 litre	O
800	CM	105	CM	34 LEVEL CM	2911,0344 litre	10,506 %	24797,8128 litre	O
800	CM	105	CM	33 LEVEL CM	2788,0049 litre	10,062 %	24920,8423 litre	O
800	CM	105	CM	32 LEVEL CM	2666,4829 litre	9,623 %	25042,3643 litre	O
800	CM	105	CM	31 LEVEL CM	2546,5087 litre	9,190 %	25162,3385 litre	O
800	CM	105	CM	30 LEVEL CM	2428,1240 litre	8,763 %	25280,7232 litre	O
800	CM	105	CM	29 LEVEL CM	2311,3725 litre	8,342 %	25397,4747 litre	O
800	CM	105	CM	28 LEVEL CM	2196,2995 litre	7,926 %	25512,5477 litre	O
800	CM	105	CM	27 LEVEL CM	2082,9526 litre	7,517 %	25625,8946 litre	O
800	CM	105	CM	26 LEVEL CM	1971,3813 litre	7,115 %	25737,4659 litre	O
800	CM	105	CM	25 LEVEL CM	1861,6377 litre	6,719 %	25847,2095 litre	O
800	CM	105	CM	24 LEVEL CM	1753,7764 litre	6,329 %	25955,0708 litre	O
800	CM	105	CM	23 LEVEL CM	1647,8552 litre	5,947 %	26060,9920 litre	O
800	CM	105	CM	22 LEVEL CM	1543,9349 litre	5,572 %	26164,9123 litre	O
800	CM	105	CM	21 LEVEL CM	1442,0798 litre	5,204 %	26266,7674 litre	O
800	CM	105	CM	20 LEVEL CM	1342,3584 litre	4,845 %	26366,4888 litre	O
800	CM	105	CM	19 LEVEL CM	1244,8436 litre	4,493 %	26464,0036 litre	O
800	CM	105	CM	18 LEVEL CM	1149,6135 litre	4,149 %	26559,2337 litre	O
800	CM	105	CM	17 LEVEL CM	1056,7518 litre	3,814 %	26652,0954 litre	O
800	CM	105	CM	16 LEVEL CM	966,3488 litre	3,488 %	26742,4984 litre	O
800	CM	105	CM	15 LEVEL CM	878,5024 litre	3,170 %	26830,3448 litre	O
800	CM	105	CM	14 LEVEL CM	793,3195 litre	2,863 %	26915,5277 litre	O
800	CM	105	CM	13 LEVEL CM	710,9171 litre	2,566 %	26997,9301 litre	O
800	CM	105	CM	12 LEVEL CM	631,4247 litre	2,279 %	27077,4225 litre	O
800	CM	105	CM	11 LEVEL CM	554,9864 litre	2,003 %	27153,8608 litre	O
800	CM	105	CM	10 LEVEL CM	481,7646 litre	1,739 %	27227,0826 litre	O
800	CM	105	CM	9 LEVEL CM	411,9439 litre	1,487 %	27296,9033 litre	O
800	CM	105	CM	8 LEVEL CM	345,7377 litre	1,248 %	27363,1095 litre	O
800	CM	105	CM	7 LEVEL CM	283,3963 litre	1,023 %	27425,4509 litre	O
800	CM	105	CM	6 LEVEL CM	225,2202 litre	0,813 %	27483,6270 litre	O
800	CM	105	CM	5 LEVEL CM	171,5800 litre	0,619 %	27537,2672 litre	O
800	CM	105	CM	4 LEVEL CM	122,9507 litre	0,444 %	27585,8965 litre	O
800	CM	105	CM	3 LEVEL CM	79,9743 litre	0,289 %	27628,8729 litre	O
800	CM	105	CM	2 LEVEL CM	43,5952 litre	0,157 %	27665,2520 litre	O
800	CM	105	CM	1 LEVEL CM	15,4354 litre	0,056 %	27693,4118 litre	O
800	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	27708,8472 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM 100	CM 200	LEVEL CM 25132,7412 litre	100,000 %	0,0000 litre	O
800	CM 100	CM 199	LEVEL CM 25117,6789 litre	99,940 %	15,0623 litre	O
800	CM 100	CM 198	LEVEL CM 25090,2028 litre	99,831 %	42,5384 litre	O
800	CM 100	CM 197	LEVEL CM 25054,7112 litre	99,690 %	78,0300 litre	O
800	CM 100	CM 196	LEVEL CM 25012,7884 litre	99,523 %	119,9528 litre	O
800	CM 100	CM 195	LEVEL CM 24965,3570 litre	99,334 %	167,3842 litre	O
800	CM 100	CM 194	LEVEL CM 24913,0449 litre	99,126 %	219,6963 litre	O
800	CM 100	CM 193	LEVEL CM 24856,3162 litre	98,900 %	276,4250 litre	O
800	CM 100	CM 192	LEVEL CM 24795,5336 litre	98,658 %	337,2076 litre	O
800	CM 100	CM 191	LEVEL CM 24730,9912 litre	98,401 %	401,7500 litre	O
800	CM 100	CM 190	LEVEL CM 24662,9340 litre	98,131 %	469,8072 litre	O
800	CM 100	CM 189	LEVEL CM 24591,5709 litre	97,847 %	541,1703 litre	O
800	CM 100	CM 188	LEVEL CM 24517,0829 litre	97,550 %	615,6583 litre	O
800	CM 100	CM 187	LEVEL CM 24439,6292 litre	97,242 %	693,1120 litre	O
800	CM 100	CM 186	LEVEL CM 24359,3509 litre	96,923 %	773,3903 litre	O
800	CM 100	CM 185	LEVEL CM 24276,3752 litre	96,593 %	856,3660 litre	O
800	CM 100	CM 184	LEVEL CM 24190,8170 litre	96,252 %	941,9242 litre	O
800	CM 100	CM 183	LEVEL CM 24102,7810 litre	95,902 %	1029,9602 litre	O
800	CM 100	CM 182	LEVEL CM 24012,3635 litre	95,542 %	1120,3777 litre	O
800	CM 100	CM 181	LEVEL CM 23919,6531 litre	95,173 %	1213,0881 litre	O
800	CM 100	CM 180	LEVEL CM 23824,7324 litre	94,796 %	1308,0088 litre	O
800	CM 100	CM 179	LEVEL CM 23727,6778 litre	94,409 %	1405,0634 litre	O
800	CM 100	CM 178	LEVEL CM 23628,5613 litre	94,015 %	1504,1799 litre	O
800	CM 100	CM 177	LEVEL CM 23527,4502 litre	93,613 %	1605,2910 litre	O
800	CM 100	CM 176	LEVEL CM 23424,4078 litre	93,203 %	1708,3334 litre	O
800	CM 100	CM 175	LEVEL CM 23319,4942 litre	92,785 %	1813,2470 litre	O
800	CM 100	CM 174	LEVEL CM 23212,7661 litre	92,361 %	1919,9751 litre	O
800	CM 100	CM 173	LEVEL CM 23104,2775 litre	91,929 %	2028,4637 litre	O
800	CM 100	CM 172	LEVEL CM 22994,0798 litre	91,491 %	2138,6614 litre	O
800	CM 100	CM 171	LEVEL CM 22882,2218 litre	91,045 %	2250,5194 litre	O
800	CM 100	CM 170	LEVEL CM 22768,7505 litre	90,594 %	2363,9907 litre	O
800	CM 100	CM 169	LEVEL CM 22653,7107 litre	90,136 %	2479,0305 litre	O
800	CM 100	CM 168	LEVEL CM 22537,1456 litre	89,672 %	2595,5956 litre	O
800	CM 100	CM 167	LEVEL CM 22419,0964 litre	89,203 %	2713,6448 litre	O
800	CM 100	CM 166	LEVEL CM 22299,6031 litre	88,727 %	2833,1381 litre	O
800	CM 100	CM 165	LEVEL CM 22178,7040 litre	88,246 %	2954,0372 litre	O
800	CM 100	CM 164	LEVEL CM 22056,4363 litre	87,760 %	3076,3049 litre	O
800	CM 100	CM 163	LEVEL CM 21932,8358 litre	87,268 %	3199,9054 litre	O
800	CM 100	CM 162	LEVEL CM 21807,9372 litre	86,771 %	3324,8040 litre	O
800	CM 100	CM 161	LEVEL CM 21681,7742 litre	86,269 %	3450,9670 litre	O
800	CM 100	CM 160	LEVEL CM 21554,3795 litre	85,762 %	3578,3617 litre	O
800	CM 100	CM 159	LEVEL CM 21425,7847 litre	85,250 %	3706,9565 litre	O
800	CM 100	CM 158	LEVEL CM 21296,0206 litre	84,734 %	3836,7206 litre	O
800	CM 100	CM 157	LEVEL CM 21165,1173 litre	84,213 %	3967,6239 litre	O
800	CM 100	CM 156	LEVEL CM 21033,1039 litre	83,688 %	4099,6373 litre	O
800	CM 100	CM 155	LEVEL CM 20900,0090 litre	83,158 %	4232,7322 litre	O
800	CM 100	CM 154	LEVEL CM 20765,8604 litre	82,625 %	4366,8808 litre	O
800	CM 100	CM 153	LEVEL CM 20630,6851 litre	82,087 %	4502,0561 litre	O
800	CM 100	CM 152	LEVEL CM 20494,5099 litre	81,545 %	4638,2313 litre	O
800	CM 100	CM 151	LEVEL CM 20357,3605 litre	80,999 %	4775,3807 litre	O
800	CM 100	CM 150	LEVEL CM 20219,2624 litre	80,450 %	4913,4788 litre	O
800	CM 100	CM 149	LEVEL CM 20080,2406 litre	79,897 %	5052,5006 litre	O

800	CM	100	CM	148 LEVEL CM	19940,3193 litre	79,340 %	5192,4219 litre	O
800	CM	100	CM	147 LEVEL CM	19799,5226 litre	78,780 %	5333,2186 litre	O
800	CM	100	CM	146 LEVEL CM	19657,8738 litre	78,216 %	5474,8674 litre	O
800	CM	100	CM	145 LEVEL CM	19515,3961 litre	77,649 %	5617,3451 litre	O
800	CM	100	CM	144 LEVEL CM	19372,1122 litre	77,079 %	5760,6290 litre	O
800	CM	100	CM	143 LEVEL CM	19228,0442 litre	76,506 %	5904,6970 litre	O
800	CM	100	CM	142 LEVEL CM	19083,2142 litre	75,930 %	6049,5270 litre	O
800	CM	100	CM	141 LEVEL CM	18937,6436 litre	75,350 %	6195,0976 litre	O
800	CM	100	CM	140 LEVEL CM	18791,3538 litre	74,768 %	6341,3874 litre	O
800	CM	100	CM	139 LEVEL CM	18644,3657 litre	74,184 %	6488,3755 litre	O
800	CM	100	CM	138 LEVEL CM	18496,6999 litre	73,596 %	6636,0413 litre	O
800	CM	100	CM	137 LEVEL CM	18348,3768 litre	73,006 %	6784,3644 litre	O
800	CM	100	CM	136 LEVEL CM	18199,4164 litre	72,413 %	6933,3248 litre	O
800	CM	100	CM	135 LEVEL CM	18049,8386 litre	71,818 %	7082,9026 litre	O
800	CM	100	CM	134 LEVEL CM	17899,6630 litre	71,220 %	7233,0782 litre	O
800	CM	100	CM	133 LEVEL CM	17748,9089 litre	70,621 %	7383,8323 litre	O
800	CM	100	CM	132 LEVEL CM	17597,5954 litre	70,019 %	7535,1458 litre	O
800	CM	100	CM	131 LEVEL CM	17445,7415 litre	69,414 %	7686,9997 litre	O
800	CM	100	CM	130 LEVEL CM	17293,3659 litre	68,808 %	7839,3753 litre	O
800	CM	100	CM	129 LEVEL CM	17140,4871 litre	68,200 %	7992,2541 litre	O
800	CM	100	CM	128 LEVEL CM	16987,1235 litre	67,590 %	8145,6177 litre	O
800	CM	100	CM	127 LEVEL CM	16833,2932 litre	66,978 %	8299,4480 litre	O
800	CM	100	CM	126 LEVEL CM	16679,0142 litre	66,364 %	8453,7270 litre	O
800	CM	100	CM	125 LEVEL CM	16524,3043 litre	65,748 %	8608,4369 litre	O
800	CM	100	CM	124 LEVEL CM	16369,1814 litre	65,131 %	8763,5598 litre	O
800	CM	100	CM	123 LEVEL CM	16213,6628 litre	64,512 %	8919,0784 litre	O
800	CM	100	CM	122 LEVEL CM	16057,7662 litre	63,892 %	9074,9750 litre	O
800	CM	100	CM	121 LEVEL CM	15901,5086 litre	63,270 %	9231,2326 litre	O
800	CM	100	CM	120 LEVEL CM	15744,9074 litre	62,647 %	9387,8338 litre	O
800	CM	100	CM	119 LEVEL CM	15587,9796 litre	62,023 %	9544,7616 litre	O
800	CM	100	CM	118 LEVEL CM	15430,7421 litre	61,397 %	9701,9991 litre	O
800	CM	100	CM	117 LEVEL CM	15273,2119 litre	60,770 %	9859,5293 litre	O
800	CM	100	CM	116 LEVEL CM	15115,4056 litre	60,142 %	10017,3356 litre	O
800	CM	100	CM	115 LEVEL CM	14957,3400 litre	59,513 %	10175,4012 litre	O
800	CM	100	CM	114 LEVEL CM	14799,0316 litre	58,883 %	10333,7096 litre	O
800	CM	100	CM	113 LEVEL CM	14640,4970 litre	58,253 %	10492,2442 litre	O
800	CM	100	CM	112 LEVEL CM	14481,7526 litre	57,621 %	10650,9886 litre	O
800	CM	100	CM	111 LEVEL CM	14322,8148 litre	56,989 %	10809,9264 litre	O
800	CM	100	CM	110 LEVEL CM	14163,6999 litre	56,356 %	10969,0413 litre	O
800	CM	100	CM	109 LEVEL CM	14004,4242 litre	55,722 %	11128,3170 litre	O
800	CM	100	CM	108 LEVEL CM	13845,0040 litre	55,088 %	11287,7372 litre	O
800	CM	100	CM	107 LEVEL CM	13685,4553 litre	54,453 %	11447,2859 litre	O
800	CM	100	CM	106 LEVEL CM	13525,7943 litre	53,817 %	11606,9469 litre	O
800	CM	100	CM	105 LEVEL CM	13366,0372 litre	53,182 %	11766,7040 litre	O
800	CM	100	CM	104 LEVEL CM	13206,1999 litre	52,546 %	11926,5413 litre	O
800	CM	100	CM	103 LEVEL CM	13046,2986 litre	51,910 %	12086,4426 litre	O
800	CM	100	CM	102 LEVEL CM	12886,3493 litre	51,273 %	12246,3919 litre	O
800	CM	100	CM	101 LEVEL CM	12726,3679 litre	50,637 %	12406,3733 litre	O
800	CM	100	CM	100 LEVEL CM	12566,3706 litre	50,000 %	12566,3706 litre	O
800	CM	100	CM	99 LEVEL CM	12406,3733 litre	49,363 %	12726,3679 litre	O
800	CM	100	CM	98 LEVEL CM	12246,3919 litre	48,727 %	12886,3493 litre	O
800	CM	100	CM	97 LEVEL CM	12086,4426 litre	48,090 %	13046,2986 litre	O
800	CM	100	CM	96 LEVEL CM	11926,5413 litre	47,454 %	13206,1999 litre	O

800	CM	100	CM	95 LEVEL CM	11766,7041 litre	46,818 %	13366,0371 litre	O
800	CM	100	CM	94 LEVEL CM	11606,9469 litre	46,183 %	13525,7943 litre	O
800	CM	100	CM	93 LEVEL CM	11447,2860 litre	45,547 %	13685,4552 litre	O
800	CM	100	CM	92 LEVEL CM	11287,7373 litre	44,912 %	13845,0039 litre	O
800	CM	100	CM	91 LEVEL CM	11128,3170 litre	44,278 %	14004,4242 litre	O
800	CM	100	CM	90 LEVEL CM	10969,0413 litre	43,644 %	14163,6999 litre	O
800	CM	100	CM	89 LEVEL CM	10809,9264 litre	43,011 %	14322,8148 litre	O
800	CM	100	CM	88 LEVEL CM	10650,9886 litre	42,379 %	14481,7526 litre	O
800	CM	100	CM	87 LEVEL CM	10492,2442 litre	41,747 %	14640,4970 litre	O
800	CM	100	CM	86 LEVEL CM	10333,7096 litre	41,117 %	14799,0316 litre	O
800	CM	100	CM	85 LEVEL CM	10175,4012 litre	40,487 %	14957,3400 litre	O
800	CM	100	CM	84 LEVEL CM	10017,3356 litre	39,858 %	15115,4056 litre	O
800	CM	100	CM	83 LEVEL CM	9859,5293 litre	39,230 %	15273,2119 litre	O
800	CM	100	CM	82 LEVEL CM	9701,9991 litre	38,603 %	15430,7421 litre	O
800	CM	100	CM	81 LEVEL CM	9544,7616 litre	37,977 %	15587,9796 litre	O
800	CM	100	CM	80 LEVEL CM	9387,8338 litre	37,353 %	15744,9074 litre	O
800	CM	100	CM	79 LEVEL CM	9231,2326 litre	36,730 %	15901,5086 litre	O
800	CM	100	CM	78 LEVEL CM	9074,9751 litre	36,108 %	16057,7661 litre	O
800	CM	100	CM	77 LEVEL CM	8919,0784 litre	35,488 %	16213,6628 litre	O
800	CM	100	CM	76 LEVEL CM	8763,5599 litre	34,869 %	16369,1813 litre	O
800	CM	100	CM	75 LEVEL CM	8608,4369 litre	34,252 %	16524,3043 litre	O
800	CM	100	CM	74 LEVEL CM	8453,7271 litre	33,636 %	16679,0141 litre	O
800	CM	100	CM	73 LEVEL CM	8299,4481 litre	33,022 %	16833,2931 litre	O
800	CM	100	CM	72 LEVEL CM	8145,6177 litre	32,410 %	16987,1235 litre	O
800	CM	100	CM	71 LEVEL CM	7992,2541 litre	31,800 %	17140,4871 litre	O
800	CM	100	CM	70 LEVEL CM	7839,3753 litre	31,192 %	17293,3659 litre	O
800	CM	100	CM	69 LEVEL CM	7686,9997 litre	30,586 %	17445,7415 litre	O
800	CM	100	CM	68 LEVEL CM	7535,1458 litre	29,981 %	17597,5954 litre	O
800	CM	100	CM	67 LEVEL CM	7383,8324 litre	29,379 %	17748,9088 litre	O
800	CM	100	CM	66 LEVEL CM	7233,0782 litre	28,780 %	17899,6630 litre	O
800	CM	100	CM	65 LEVEL CM	7082,9026 litre	28,182 %	18049,8386 litre	O
800	CM	100	CM	64 LEVEL CM	6933,3248 litre	27,587 %	18199,4164 litre	O
800	CM	100	CM	63 LEVEL CM	6784,3645 litre	26,994 %	18348,3767 litre	O
800	CM	100	CM	62 LEVEL CM	6636,0413 litre	26,404 %	18496,6999 litre	O
800	CM	100	CM	61 LEVEL CM	6488,3755 litre	25,816 %	18644,3657 litre	O
800	CM	100	CM	60 LEVEL CM	6341,3874 litre	25,232 %	18791,3538 litre	O
800	CM	100	CM	59 LEVEL CM	6195,0976 litre	24,650 %	18937,6436 litre	O
800	CM	100	CM	58 LEVEL CM	6049,5271 litre	24,070 %	19083,2141 litre	O
800	CM	100	CM	57 LEVEL CM	5904,6970 litre	23,494 %	19228,0442 litre	O
800	CM	100	CM	56 LEVEL CM	5760,6291 litre	22,921 %	19372,1121 litre	O
800	CM	100	CM	55 LEVEL CM	5617,3451 litre	22,351 %	19515,3961 litre	O
800	CM	100	CM	54 LEVEL CM	5474,8674 litre	21,784 %	19657,8738 litre	O
800	CM	100	CM	53 LEVEL CM	5333,2187 litre	21,220 %	19799,5225 litre	O
800	CM	100	CM	52 LEVEL CM	5192,4219 litre	20,660 %	19940,3193 litre	O
800	CM	100	CM	51 LEVEL CM	5052,5007 litre	20,103 %	20080,2405 litre	O
800	CM	100	CM	50 LEVEL CM	4913,4788 litre	19,550 %	20219,2624 litre	O
800	CM	100	CM	49 LEVEL CM	4775,3807 litre	19,001 %	20357,3605 litre	O
800	CM	100	CM	48 LEVEL CM	4638,2314 litre	18,455 %	20494,5098 litre	O
800	CM	100	CM	47 LEVEL CM	4502,0561 litre	17,913 %	20630,6851 litre	O
800	CM	100	CM	46 LEVEL CM	4366,8809 litre	17,375 %	20765,8603 litre	O
800	CM	100	CM	45 LEVEL CM	4232,7322 litre	16,842 %	20900,0090 litre	O
800	CM	100	CM	44 LEVEL CM	4099,6373 litre	16,312 %	21033,1039 litre	O
800	CM	100	CM	43 LEVEL CM	3967,6240 litre	15,787 %	21165,1172 litre	O

800	CM	100	CM	42 LEVEL CM	3836,7206 litre	15,266 %	21296,0206 litre	O
800	CM	100	CM	41 LEVEL CM	3706,9566 litre	14,750 %	21425,7846 litre	O
800	CM	100	CM	40 LEVEL CM	3578,3617 litre	14,238 %	21554,3795 litre	O
800	CM	100	CM	39 LEVEL CM	3450,9670 litre	13,731 %	21681,7742 litre	O
800	CM	100	CM	38 LEVEL CM	3324,8040 litre	13,229 %	21807,9372 litre	O
800	CM	100	CM	37 LEVEL CM	3199,9055 litre	12,732 %	21932,8357 litre	O
800	CM	100	CM	36 LEVEL CM	3076,3050 litre	12,240 %	22056,4362 litre	O
800	CM	100	CM	35 LEVEL CM	2954,0372 litre	11,754 %	22178,7040 litre	O
800	CM	100	CM	34 LEVEL CM	2833,1382 litre	11,273 %	22299,6030 litre	O
800	CM	100	CM	33 LEVEL CM	2713,6448 litre	10,797 %	22419,0964 litre	O
800	CM	100	CM	32 LEVEL CM	2595,5957 litre	10,328 %	22537,1455 litre	O
800	CM	100	CM	31 LEVEL CM	2479,0305 litre	9,864 %	22653,7107 litre	O
800	CM	100	CM	30 LEVEL CM	2363,9907 litre	9,406 %	22768,7505 litre	O
800	CM	100	CM	29 LEVEL CM	2250,5194 litre	8,955 %	22882,2218 litre	O
800	CM	100	CM	28 LEVEL CM	2138,6615 litre	8,509 %	22994,0797 litre	O
800	CM	100	CM	27 LEVEL CM	2028,4637 litre	8,071 %	23104,2775 litre	O
800	CM	100	CM	26 LEVEL CM	1919,9751 litre	7,639 %	23212,7661 litre	O
800	CM	100	CM	25 LEVEL CM	1813,2470 litre	7,215 %	23319,4942 litre	O
800	CM	100	CM	24 LEVEL CM	1708,3334 litre	6,797 %	23424,4078 litre	O
800	CM	100	CM	23 LEVEL CM	1605,2911 litre	6,387 %	23527,4501 litre	O
800	CM	100	CM	22 LEVEL CM	1504,1799 litre	5,985 %	23628,5613 litre	O
800	CM	100	CM	21 LEVEL CM	1405,0634 litre	5,591 %	23727,6778 litre	O
800	CM	100	CM	20 LEVEL CM	1308,0089 litre	5,204 %	23824,7323 litre	O
800	CM	100	CM	19 LEVEL CM	1213,0881 litre	4,827 %	23919,6531 litre	O
800	CM	100	CM	18 LEVEL CM	1120,3778 litre	4,458 %	24012,3634 litre	O
800	CM	100	CM	17 LEVEL CM	1029,9602 litre	4,098 %	24102,7810 litre	O
800	CM	100	CM	16 LEVEL CM	941,9242 litre	3,748 %	24190,8170 litre	O
800	CM	100	CM	15 LEVEL CM	856,3660 litre	3,407 %	24276,3752 litre	O
800	CM	100	CM	14 LEVEL CM	773,3903 litre	3,077 %	24359,3509 litre	O
800	CM	100	CM	13 LEVEL CM	693,1121 litre	2,758 %	24439,6291 litre	O
800	CM	100	CM	12 LEVEL CM	615,6583 litre	2,450 %	24517,0829 litre	O
800	CM	100	CM	11 LEVEL CM	541,1703 litre	2,153 %	24591,5709 litre	O
800	CM	100	CM	10 LEVEL CM	469,8073 litre	1,869 %	24662,9339 litre	O
800	CM	100	CM	9 LEVEL CM	401,7501 litre	1,599 %	24730,9911 litre	O
800	CM	100	CM	8 LEVEL CM	337,2076 litre	1,342 %	24795,5336 litre	O
800	CM	100	CM	7 LEVEL CM	276,4250 litre	1,100 %	24856,3162 litre	O
800	CM	100	CM	6 LEVEL CM	219,6964 litre	0,874 %	24913,0448 litre	O
800	CM	100	CM	5 LEVEL CM	167,3842 litre	0,666 %	24965,3570 litre	O
800	CM	100	CM	4 LEVEL CM	119,9529 litre	0,477 %	25012,7883 litre	O
800	CM	100	CM	3 LEVEL CM	78,0300 litre	0,310 %	25054,7112 litre	O
800	CM	100	CM	2 LEVEL CM	42,5384 litre	0,169 %	25090,2028 litre	O
800	CM	100	CM	1 LEVEL CM	15,0623 litre	0,060 %	25117,6789 litre	O
800	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	25132,7412 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	95	CM	190 LEVEL CM	22682,2990 litre	100,000 %	0,0000 litre	O
800	CM	95	CM	189 LEVEL CM	22667,6192 litre	99,935 %	14,6798 litre	O
800	CM	95	CM	188 LEVEL CM	22640,8442 litre	99,817 %	41,4548 litre	O
800	CM	95	CM	187 LEVEL CM	22606,2629 litre	99,665 %	76,0361 litre	O
800	CM	95	CM	186 LEVEL CM	22565,4208 litre	99,485 %	116,8782 litre	O
800	CM	95	CM	185 LEVEL CM	22519,2185 litre	99,281 %	163,0805 litre	O
800	CM	95	CM	184 LEVEL CM	22468,2689 litre	99,056 %	214,0301 litre	O
800	CM	95	CM	183 LEVEL CM	22413,0256 litre	98,813 %	269,2734 litre	O
800	CM	95	CM	182 LEVEL CM	22353,8429 litre	98,552 %	328,4561 litre	O
800	CM	95	CM	181 LEVEL CM	22291,0083 litre	98,275 %	391,2907 litre	O
800	CM	95	CM	180 LEVEL CM	22224,7615 litre	97,983 %	457,5375 litre	O
800	CM	95	CM	179 LEVEL CM	22155,3069 litre	97,677 %	526,9921 litre	O
800	CM	95	CM	178 LEVEL CM	22082,8217 litre	97,357 %	599,4773 litre	O
800	CM	95	CM	177 LEVEL CM	22007,4617 litre	97,025 %	674,8373 litre	O
800	CM	95	CM	176 LEVEL CM	21929,3654 litre	96,681 %	752,9336 litre	O
800	CM	95	CM	175 LEVEL CM	21848,6573 litre	96,325 %	833,6417 litre	O
800	CM	95	CM	174 LEVEL CM	21765,4500 litre	95,958 %	916,8490 litre	O
800	CM	95	CM	173 LEVEL CM	21679,8465 litre	95,580 %	1002,4525 litre	O
800	CM	95	CM	172 LEVEL CM	21591,9411 litre	95,193 %	1090,3579 litre	O
800	CM	95	CM	171 LEVEL CM	21501,8210 litre	94,796 %	1180,4780 litre	O
800	CM	95	CM	170 LEVEL CM	21409,5671 litre	94,389 %	1272,7319 litre	O
800	CM	95	CM	169 LEVEL CM	21315,2548 litre	93,973 %	1367,0442 litre	O
800	CM	95	CM	168 LEVEL CM	21218,9547 litre	93,549 %	1463,3443 litre	O
800	CM	95	CM	167 LEVEL CM	21120,7331 litre	93,115 %	1561,5659 litre	O
800	CM	95	CM	166 LEVEL CM	21020,6523 litre	92,674 %	1661,6467 litre	O
800	CM	95	CM	165 LEVEL CM	20918,7716 litre	92,225 %	1763,5274 litre	O
800	CM	95	CM	164 LEVEL CM	20815,1468 litre	91,768 %	1867,1522 litre	O
800	CM	95	CM	163 LEVEL CM	20709,8311 litre	91,304 %	1972,4679 litre	O
800	CM	95	CM	162 LEVEL CM	20602,8752 litre	90,832 %	2079,4238 litre	O
800	CM	95	CM	161 LEVEL CM	20494,3274 litre	90,354 %	2187,9716 litre	O
800	CM	95	CM	160 LEVEL CM	20384,2340 litre	89,868 %	2298,0650 litre	O
800	CM	95	CM	159 LEVEL CM	20272,6394 litre	89,376 %	2409,6596 litre	O
800	CM	95	CM	158 LEVEL CM	20159,5860 litre	88,878 %	2522,7130 litre	O
800	CM	95	CM	157 LEVEL CM	20045,1150 litre	88,373 %	2637,1840 litre	O
800	CM	95	CM	156 LEVEL CM	19929,2656 litre	87,863 %	2753,0334 litre	O
800	CM	95	CM	155 LEVEL CM	19812,0760 litre	87,346 %	2870,2230 litre	O
800	CM	95	CM	154 LEVEL CM	19693,5830 litre	86,824 %	2988,7160 litre	O
800	CM	95	CM	153 LEVEL CM	19573,8220 litre	86,296 %	3108,4770 litre	O
800	CM	95	CM	152 LEVEL CM	19452,8275 litre	85,762 %	3229,4715 litre	O
800	CM	95	CM	151 LEVEL CM	19330,6329 litre	85,223 %	3351,6661 litre	O
800	CM	95	CM	150 LEVEL CM	19207,2707 litre	84,680 %	3475,0283 litre	O
800	CM	95	CM	149 LEVEL CM	19082,7724 litre	84,131 %	3599,5266 litre	O
800	CM	95	CM	148 LEVEL CM	18957,1685 litre	83,577 %	3725,1305 litre	O
800	CM	95	CM	147 LEVEL CM	18830,4890 litre	83,018 %	3851,8100 litre	O
800	CM	95	CM	146 LEVEL CM	18702,7630 litre	82,455 %	3979,5360 litre	O
800	CM	95	CM	145 LEVEL CM	18574,0188 litre	81,888 %	4108,2802 litre	O
800	CM	95	CM	144 LEVEL CM	18444,2842 litre	81,316 %	4238,0148 litre	O
800	CM	95	CM	143 LEVEL CM	18313,5863 litre	80,740 %	4368,7127 litre	O
800	CM	95	CM	142 LEVEL CM	18181,9515 litre	80,159 %	4500,3475 litre	O
800	CM	95	CM	141 LEVEL CM	18049,4058 litre	79,575 %	4632,8932 litre	O
800	CM	95	CM	140 LEVEL CM	17915,9746 litre	78,987 %	4766,3244 litre	O
800	CM	95	CM	139 LEVEL CM	17781,6828 litre	78,395 %	4900,6162 litre	O

800	CM 95	CM	138 LEVEL CM	17646,5548 litre	77,799 %	5035,7442 litre	O
800	CM 95	CM	137 LEVEL CM	17510,6146 litre	77,199 %	5171,6844 litre	O
800	CM 95	CM	136 LEVEL CM	17373,8858 litre	76,597 %	5308,4132 litre	O
800	CM 95	CM	135 LEVEL CM	17236,3914 litre	75,990 %	5445,9076 litre	O
800	CM 95	CM	134 LEVEL CM	17098,1543 litre	75,381 %	5584,1447 litre	O
800	CM 95	CM	133 LEVEL CM	16959,1968 litre	74,768 %	5723,1022 litre	O
800	CM 95	CM	132 LEVEL CM	16819,5410 litre	74,153 %	5862,7580 litre	O
800	CM 95	CM	131 LEVEL CM	16679,2086 litre	73,534 %	6003,0904 litre	O
800	CM 95	CM	130 LEVEL CM	16538,2210 litre	72,912 %	6144,0780 litre	O
800	CM 95	CM	129 LEVEL CM	16396,5992 litre	72,288 %	6285,6998 litre	O
800	CM 95	CM	128 LEVEL CM	16254,3642 litre	71,661 %	6427,9348 litre	O
800	CM 95	CM	127 LEVEL CM	16111,5365 litre	71,031 %	6570,7625 litre	O
800	CM 95	CM	126 LEVEL CM	15968,1364 litre	70,399 %	6714,1626 litre	O
800	CM 95	CM	125 LEVEL CM	15824,1839 litre	69,764 %	6858,1151 litre	O
800	CM 95	CM	124 LEVEL CM	15679,6988 litre	69,127 %	7002,6002 litre	O
800	CM 95	CM	123 LEVEL CM	15534,7009 litre	68,488 %	7147,5981 litre	O
800	CM 95	CM	122 LEVEL CM	15389,2094 litre	67,847 %	7293,0896 litre	O
800	CM 95	CM	121 LEVEL CM	15243,2436 litre	67,203 %	7439,0554 litre	O
800	CM 95	CM	120 LEVEL CM	15096,8226 litre	66,558 %	7585,4764 litre	O
800	CM 95	CM	119 LEVEL CM	14949,9650 litre	65,910 %	7732,3340 litre	O
800	CM 95	CM	118 LEVEL CM	14802,6897 litre	65,261 %	7879,6093 litre	O
800	CM 95	CM	117 LEVEL CM	14655,0152 litre	64,610 %	8027,2838 litre	O
800	CM 95	CM	116 LEVEL CM	14506,9597 litre	63,957 %	8175,3393 litre	O
800	CM 95	CM	115 LEVEL CM	14358,5416 litre	63,303 %	8323,7574 litre	O
800	CM 95	CM	114 LEVEL CM	14209,7789 litre	62,647 %	8472,5201 litre	O
800	CM 95	CM	113 LEVEL CM	14060,6896 litre	61,990 %	8621,6094 litre	O
800	CM 95	CM	112 LEVEL CM	13911,2916 litre	61,331 %	8771,0074 litre	O
800	CM 95	CM	111 LEVEL CM	13761,6025 litre	60,671 %	8920,6965 litre	O
800	CM 95	CM	110 LEVEL CM	13611,6400 litre	60,010 %	9070,6590 litre	O
800	CM 95	CM	109 LEVEL CM	13461,4217 litre	59,348 %	9220,8773 litre	O
800	CM 95	CM	108 LEVEL CM	13310,9650 litre	58,684 %	9371,3340 litre	O
800	CM 95	CM	107 LEVEL CM	13160,2873 litre	58,020 %	9522,0117 litre	O
800	CM 95	CM	106 LEVEL CM	13009,4058 litre	57,355 %	9672,8932 litre	O
800	CM 95	CM	105 LEVEL CM	12858,3378 litre	56,689 %	9823,9612 litre	O
800	CM 95	CM	104 LEVEL CM	12707,1004 litre	56,022 %	9975,1986 litre	O
800	CM 95	CM	103 LEVEL CM	12555,7108 litre	55,355 %	10126,5882 litre	O
800	CM 95	CM	102 LEVEL CM	12404,1859 litre	54,687 %	10278,1131 litre	O
800	CM 95	CM	101 LEVEL CM	12252,5428 litre	54,018 %	10429,7562 litre	O
800	CM 95	CM	100 LEVEL CM	12100,7985 litre	53,349 %	10581,5005 litre	O
800	CM 95	CM	99 LEVEL CM	11948,9698 litre	52,680 %	10733,3292 litre	O
800	CM 95	CM	98 LEVEL CM	11797,0737 litre	52,010 %	10885,2253 litre	O
800	CM 95	CM	97 LEVEL CM	11645,1270 litre	51,340 %	11037,1720 litre	O
800	CM 95	CM	96 LEVEL CM	11493,1467 litre	50,670 %	11189,1523 litre	O
800	CM 95	CM	95 LEVEL CM	11341,1495 litre	50,000 %	11341,1495 litre	O
800	CM 95	CM	94 LEVEL CM	11189,1523 litre	49,330 %	11493,1467 litre	O
800	CM 95	CM	93 LEVEL CM	11037,1719 litre	48,660 %	11645,1271 litre	O
800	CM 95	CM	92 LEVEL CM	10885,2253 litre	47,990 %	11797,0737 litre	O
800	CM 95	CM	91 LEVEL CM	10733,3292 litre	47,320 %	11948,9698 litre	O
800	CM 95	CM	90 LEVEL CM	10581,5005 litre	46,651 %	12100,7985 litre	O
800	CM 95	CM	89 LEVEL CM	10429,7562 litre	45,982 %	12252,5428 litre	O
800	CM 95	CM	88 LEVEL CM	10278,1131 litre	45,313 %	12404,1859 litre	O
800	CM 95	CM	87 LEVEL CM	10126,5882 litre	44,645 %	12555,7108 litre	O
800	CM 95	CM	86 LEVEL CM	9975,1986 litre	43,978 %	12707,1004 litre	O

800	CM	95	CM	85 LEVEL CM	9823,9612 litre	43,311 %	12858,3378 litre	O
800	CM	95	CM	84 LEVEL CM	9672,8932 litre	42,645 %	13009,4058 litre	O
800	CM	95	CM	83 LEVEL CM	9522,0117 litre	41,980 %	13160,2873 litre	O
800	CM	95	CM	82 LEVEL CM	9371,3339 litre	41,316 %	13310,9651 litre	O
800	CM	95	CM	81 LEVEL CM	9220,8772 litre	40,652 %	13461,4218 litre	O
800	CM	95	CM	80 LEVEL CM	9070,6589 litre	39,990 %	13611,6401 litre	O
800	CM	95	CM	79 LEVEL CM	8920,6964 litre	39,329 %	13761,6026 litre	O
800	CM	95	CM	78 LEVEL CM	8771,0074 litre	38,669 %	13911,2916 litre	O
800	CM	95	CM	77 LEVEL CM	8621,6093 litre	38,010 %	14060,6897 litre	O
800	CM	95	CM	76 LEVEL CM	8472,5200 litre	37,353 %	14209,7790 litre	O
800	CM	95	CM	75 LEVEL CM	8323,7573 litre	36,697 %	14358,5417 litre	O
800	CM	95	CM	74 LEVEL CM	8175,3392 litre	36,043 %	14506,9598 litre	O
800	CM	95	CM	73 LEVEL CM	8027,2838 litre	35,390 %	14655,0152 litre	O
800	CM	95	CM	72 LEVEL CM	7879,6092 litre	34,739 %	14802,6898 litre	O
800	CM	95	CM	71 LEVEL CM	7732,3339 litre	34,090 %	14949,9651 litre	O
800	CM	95	CM	70 LEVEL CM	7585,4764 litre	33,442 %	15096,8226 litre	O
800	CM	95	CM	69 LEVEL CM	7439,0553 litre	32,797 %	15243,2437 litre	O
800	CM	95	CM	68 LEVEL CM	7293,0895 litre	32,153 %	15389,2095 litre	O
800	CM	95	CM	67 LEVEL CM	7147,5981 litre	31,512 %	15534,7009 litre	O
800	CM	95	CM	66 LEVEL CM	7002,6001 litre	30,873 %	15679,6989 litre	O
800	CM	95	CM	65 LEVEL CM	6858,1151 litre	30,236 %	15824,1839 litre	O
800	CM	95	CM	64 LEVEL CM	6714,1626 litre	29,601 %	15968,1364 litre	O
800	CM	95	CM	63 LEVEL CM	6570,7625 litre	28,969 %	16111,5365 litre	O
800	CM	95	CM	62 LEVEL CM	6427,9347 litre	28,339 %	16254,3643 litre	O
800	CM	95	CM	61 LEVEL CM	6285,6997 litre	27,712 %	16396,5993 litre	O
800	CM	95	CM	60 LEVEL CM	6144,0780 litre	27,088 %	16538,2210 litre	O
800	CM	95	CM	59 LEVEL CM	6003,0904 litre	26,466 %	16679,2086 litre	O
800	CM	95	CM	58 LEVEL CM	5862,7579 litre	25,847 %	16819,5411 litre	O
800	CM	95	CM	57 LEVEL CM	5723,1021 litre	25,232 %	16959,1969 litre	O
800	CM	95	CM	56 LEVEL CM	5584,1446 litre	24,619 %	17098,1544 litre	O
800	CM	95	CM	55 LEVEL CM	5445,9075 litre	24,010 %	17236,3915 litre	O
800	CM	95	CM	54 LEVEL CM	5308,4132 litre	23,403 %	17373,8858 litre	O
800	CM	95	CM	53 LEVEL CM	5171,6843 litre	22,801 %	17510,6147 litre	O
800	CM	95	CM	52 LEVEL CM	5035,7441 litre	22,201 %	17646,5549 litre	O
800	CM	95	CM	51 LEVEL CM	4900,6162 litre	21,605 %	17781,6828 litre	O
800	CM	95	CM	50 LEVEL CM	4766,3244 litre	21,013 %	17915,9746 litre	O
800	CM	95	CM	49 LEVEL CM	4632,8932 litre	20,425 %	18049,4058 litre	O
800	CM	95	CM	48 LEVEL CM	4500,3475 litre	19,841 %	18181,9515 litre	O
800	CM	95	CM	47 LEVEL CM	4368,7127 litre	19,260 %	18313,5863 litre	O
800	CM	95	CM	46 LEVEL CM	4238,0148 litre	18,684 %	18444,2842 litre	O
800	CM	95	CM	45 LEVEL CM	4108,2802 litre	18,112 %	18574,0188 litre	O
800	CM	95	CM	44 LEVEL CM	3979,5360 litre	17,545 %	18702,7630 litre	O
800	CM	95	CM	43 LEVEL CM	3851,8099 litre	16,982 %	18830,4891 litre	O
800	CM	95	CM	42 LEVEL CM	3725,1305 litre	16,423 %	18957,1685 litre	O
800	CM	95	CM	41 LEVEL CM	3599,5266 litre	15,869 %	19082,7724 litre	O
800	CM	95	CM	40 LEVEL CM	3475,0282 litre	15,320 %	19207,2708 litre	O
800	CM	95	CM	39 LEVEL CM	3351,6660 litre	14,777 %	19330,6330 litre	O
800	CM	95	CM	38 LEVEL CM	3229,4715 litre	14,238 %	19452,8275 litre	O
800	CM	95	CM	37 LEVEL CM	3108,4770 litre	13,704 %	19573,8220 litre	O
800	CM	95	CM	36 LEVEL CM	2988,7160 litre	13,176 %	19693,5830 litre	O
800	CM	95	CM	35 LEVEL CM	2870,2229 litre	12,654 %	19812,0761 litre	O
800	CM	95	CM	34 LEVEL CM	2753,0333 litre	12,137 %	19929,2657 litre	O
800	CM	95	CM	33 LEVEL CM	2637,1840 litre	11,627 %	20045,1150 litre	O

800	CM	95	CM	32 LEVEL CM	2522,7129 litre	11,122 %	20159,5861 litre	O
800	CM	95	CM	31 LEVEL CM	2409,6596 litre	10,624 %	20272,6394 litre	O
800	CM	95	CM	30 LEVEL CM	2298,0649 litre	10,132 %	20384,2341 litre	O
800	CM	95	CM	29 LEVEL CM	2187,9716 litre	9,646 %	20494,3274 litre	O
800	CM	95	CM	28 LEVEL CM	2079,4238 litre	9,168 %	20602,8752 litre	O
800	CM	95	CM	27 LEVEL CM	1972,4679 litre	8,696 %	20709,8311 litre	O
800	CM	95	CM	26 LEVEL CM	1867,1522 litre	8,232 %	20815,1468 litre	O
800	CM	95	CM	25 LEVEL CM	1763,5274 litre	7,775 %	20918,7716 litre	O
800	CM	95	CM	24 LEVEL CM	1661,6466 litre	7,326 %	21020,6524 litre	O
800	CM	95	CM	23 LEVEL CM	1561,5659 litre	6,885 %	21120,7331 litre	O
800	CM	95	CM	22 LEVEL CM	1463,3443 litre	6,451 %	21218,9547 litre	O
800	CM	95	CM	21 LEVEL CM	1367,0442 litre	6,027 %	21315,2548 litre	O
800	CM	95	CM	20 LEVEL CM	1272,7319 litre	5,611 %	21409,5671 litre	O
800	CM	95	CM	19 LEVEL CM	1180,4780 litre	5,204 %	21501,8210 litre	O
800	CM	95	CM	18 LEVEL CM	1090,3579 litre	4,807 %	21591,9411 litre	O
800	CM	95	CM	17 LEVEL CM	1002,4525 litre	4,420 %	21679,8465 litre	O
800	CM	95	CM	16 LEVEL CM	916,8489 litre	4,042 %	21765,4501 litre	O
800	CM	95	CM	15 LEVEL CM	833,6417 litre	3,675 %	21848,6573 litre	O
800	CM	95	CM	14 LEVEL CM	752,9335 litre	3,319 %	21929,3655 litre	O
800	CM	95	CM	13 LEVEL CM	674,8372 litre	2,975 %	22007,4618 litre	O
800	CM	95	CM	12 LEVEL CM	599,4772 litre	2,643 %	22082,8218 litre	O
800	CM	95	CM	11 LEVEL CM	526,9920 litre	2,323 %	22155,3070 litre	O
800	CM	95	CM	10 LEVEL CM	457,5375 litre	2,017 %	22224,7615 litre	O
800	CM	95	CM	9 LEVEL CM	391,2907 litre	1,725 %	22291,0083 litre	O
800	CM	95	CM	8 LEVEL CM	328,4560 litre	1,448 %	22353,8430 litre	O
800	CM	95	CM	7 LEVEL CM	269,2733 litre	1,187 %	22413,0257 litre	O
800	CM	95	CM	6 LEVEL CM	214,0300 litre	0,944 %	22468,2690 litre	O
800	CM	95	CM	5 LEVEL CM	163,0804 litre	0,719 %	22519,2186 litre	O
800	CM	95	CM	4 LEVEL CM	116,8782 litre	0,515 %	22565,4208 litre	O
800	CM	95	CM	3 LEVEL CM	76,0360 litre	0,335 %	22606,2630 litre	O
800	CM	95	CM	2 LEVEL CM	41,4547 litre	0,183 %	22640,8443 litre	O
800	CM	95	CM	1 LEVEL CM	14,6797 litre	0,065 %	22667,6193 litre	O
800	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	22682,2990 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	90	CM	180 LEVEL CM	20357,5204 litre	100,000 %	0,0000 litre	O
800	CM	90	CM	179 LEVEL CM	20343,2334 litre	99,930 %	14,2870 litre	O
800	CM	90	CM	178 LEVEL CM	20317,1784 litre	99,802 %	40,3420 litre	O
800	CM	90	CM	177 LEVEL CM	20283,5320 litre	99,637 %	73,9884 litre	O
800	CM	90	CM	176 LEVEL CM	20243,8000 litre	99,441 %	113,7204 litre	O
800	CM	90	CM	175 LEVEL CM	20198,8604 litre	99,221 %	158,6600 litre	O
800	CM	90	CM	174 LEVEL CM	20149,3109 litre	98,977 %	208,2095 litre	O
800	CM	90	CM	173 LEVEL CM	20095,5940 litre	98,713 %	261,9264 litre	O
800	CM	90	CM	172 LEVEL CM	20038,0556 litre	98,431 %	319,4648 litre	O
800	CM	90	CM	171 LEVEL CM	19976,9765 litre	98,131 %	380,5439 litre	O
800	CM	90	CM	170 LEVEL CM	19912,5910 litre	97,814 %	444,9294 litre	O
800	CM	90	CM	169 LEVEL CM	19845,0989 litre	97,483 %	512,4215 litre	O
800	CM	90	CM	168 LEVEL CM	19774,6734 litre	97,137 %	582,8470 litre	O
800	CM	90	CM	167 LEVEL CM	19701,4670 litre	96,777 %	656,0534 litre	O
800	CM	90	CM	166 LEVEL CM	19625,6154 litre	96,405 %	731,9050 litre	O
800	CM	90	CM	165 LEVEL CM	19547,2404 litre	96,020 %	810,2800 litre	O
800	CM	90	CM	164 LEVEL CM	19466,4525 litre	95,623 %	891,0679 litre	O
800	CM	90	CM	163 LEVEL CM	19383,3526 litre	95,215 %	974,1678 litre	O
800	CM	90	CM	162 LEVEL CM	19298,0332 litre	94,796 %	1059,4872 litre	O
800	CM	90	CM	161 LEVEL CM	19210,5800 litre	94,366 %	1146,9404 litre	O
800	CM	90	CM	160 LEVEL CM	19121,0724 litre	93,926 %	1236,4480 litre	O
800	CM	90	CM	159 LEVEL CM	19029,5846 litre	93,477 %	1327,9358 litre	O
800	CM	90	CM	158 LEVEL CM	18936,1858 litre	93,018 %	1421,3346 litre	O
800	CM	90	CM	157 LEVEL CM	18840,9413 litre	92,550 %	1516,5791 litre	O
800	CM	90	CM	156 LEVEL CM	18743,9126 litre	92,074 %	1613,6078 litre	O
800	CM	90	CM	155 LEVEL CM	18645,1578 litre	91,589 %	1712,3626 litre	O
800	CM	90	CM	154 LEVEL CM	18544,7321 litre	91,095 %	1812,7883 litre	O
800	CM	90	CM	153 LEVEL CM	18442,6879 litre	90,594 %	1914,8325 litre	O
800	CM	90	CM	152 LEVEL CM	18339,0752 litre	90,085 %	2018,4452 litre	O
800	CM	90	CM	151 LEVEL CM	18233,9418 litre	89,569 %	2123,5786 litre	O
800	CM	90	CM	150 LEVEL CM	18127,3333 litre	89,045 %	2230,1871 litre	O
800	CM	90	CM	149 LEVEL CM	18019,2936 litre	88,514 %	2338,2268 litre	O
800	CM	90	CM	148 LEVEL CM	17909,8647 litre	87,977 %	2447,6557 litre	O
800	CM	90	CM	147 LEVEL CM	17799,0873 litre	87,432 %	2558,4331 litre	O
800	CM	90	CM	146 LEVEL CM	17687,0003 litre	86,882 %	2670,5201 litre	O
800	CM	90	CM	145 LEVEL CM	17573,6415 litre	86,325 %	2783,8789 litre	O
800	CM	90	CM	144 LEVEL CM	17459,0474 litre	85,762 %	2898,4730 litre	O
800	CM	90	CM	143 LEVEL CM	17343,2531 litre	85,193 %	3014,2673 litre	O
800	CM	90	CM	142 LEVEL CM	17226,2930 litre	84,619 %	3131,2274 litre	O
800	CM	90	CM	141 LEVEL CM	17108,2001 litre	84,039 %	3249,3203 litre	O
800	CM	90	CM	140 LEVEL CM	16989,0068 litre	83,453 %	3368,5136 litre	O
800	CM	90	CM	139 LEVEL CM	16868,7444 litre	82,862 %	3488,7760 litre	O
800	CM	90	CM	138 LEVEL CM	16747,4433 litre	82,267 %	3610,0771 litre	O
800	CM	90	CM	137 LEVEL CM	16625,1335 litre	81,666 %	3732,3869 litre	O
800	CM	90	CM	136 LEVEL CM	16501,8438 litre	81,060 %	3855,6766 litre	O
800	CM	90	CM	135 LEVEL CM	16377,6026 litre	80,450 %	3979,9178 litre	O
800	CM	90	CM	134 LEVEL CM	16252,4376 litre	79,835 %	4105,0828 litre	O
800	CM	90	CM	133 LEVEL CM	16126,3758 litre	79,216 %	4231,1446 litre	O
800	CM	90	CM	132 LEVEL CM	15999,4439 litre	78,592 %	4358,0765 litre	O
800	CM	90	CM	131 LEVEL CM	15871,6676 litre	77,965 %	4485,8528 litre	O
800	CM	90	CM	130 LEVEL CM	15743,0725 litre	77,333 %	4614,4479 litre	O
800	CM	90	CM	129 LEVEL CM	15613,6836 litre	76,697 %	4743,8368 litre	O

800	CM	90	CM	128 LEVEL CM	15483,5253 litre	76,058 %	4873,9951 litre	O
800	CM	90	CM	127 LEVEL CM	15352,6218 litre	75,415 %	5004,8986 litre	O
800	CM	90	CM	126 LEVEL CM	15220,9966 litre	74,768 %	5136,5238 litre	O
800	CM	90	CM	125 LEVEL CM	15088,6731 litre	74,118 %	5268,8473 litre	O
800	CM	90	CM	124 LEVEL CM	14955,6742 litre	73,465 %	5401,8462 litre	O
800	CM	90	CM	123 LEVEL CM	14822,0224 litre	72,809 %	5535,4980 litre	O
800	CM	90	CM	122 LEVEL CM	14687,7401 litre	72,149 %	5669,7803 litre	O
800	CM	90	CM	121 LEVEL CM	14552,8490 litre	71,486 %	5804,6714 litre	O
800	CM	90	CM	120 LEVEL CM	14417,3709 litre	70,821 %	5940,1495 litre	O
800	CM	90	CM	119 LEVEL CM	14281,3271 litre	70,153 %	6076,1933 litre	O
800	CM	90	CM	118 LEVEL CM	14144,7386 litre	69,482 %	6212,7818 litre	O
800	CM	90	CM	117 LEVEL CM	14007,6264 litre	68,808 %	6349,8940 litre	O
800	CM	90	CM	116 LEVEL CM	13870,0110 litre	68,132 %	6487,5094 litre	O
800	CM	90	CM	115 LEVEL CM	13731,9127 litre	67,454 %	6625,6077 litre	O
800	CM	90	CM	114 LEVEL CM	13593,3518 litre	66,773 %	6764,1686 litre	O
800	CM	90	CM	113 LEVEL CM	13454,3482 litre	66,090 %	6903,1722 litre	O
800	CM	90	CM	112 LEVEL CM	13314,9216 litre	65,405 %	7042,5988 litre	O
800	CM	90	CM	111 LEVEL CM	13175,0916 litre	64,719 %	7182,4288 litre	O
800	CM	90	CM	110 LEVEL CM	13034,8777 litre	64,030 %	7322,6427 litre	O
800	CM	90	CM	109 LEVEL CM	12894,2992 litre	63,339 %	7463,2212 litre	O
800	CM	90	CM	108 LEVEL CM	12753,3750 litre	62,647 %	7604,1454 litre	O
800	CM	90	CM	107 LEVEL CM	12612,1242 litre	61,953 %	7745,3962 litre	O
800	CM	90	CM	106 LEVEL CM	12470,5657 litre	61,258 %	7886,9547 litre	O
800	CM	90	CM	105 LEVEL CM	12328,7181 litre	60,561 %	8028,8023 litre	O
800	CM	90	CM	104 LEVEL CM	12186,6001 litre	59,863 %	8170,9203 litre	O
800	CM	90	CM	103 LEVEL CM	12044,2300 litre	59,164 %	8313,2904 litre	O
800	CM	90	CM	102 LEVEL CM	11901,6265 litre	58,463 %	8455,8939 litre	O
800	CM	90	CM	101 LEVEL CM	11758,8076 litre	57,761 %	8598,7128 litre	O
800	CM	90	CM	100 LEVEL CM	11615,7917 litre	57,059 %	8741,7287 litre	O
800	CM	90	CM	99 LEVEL CM	11472,5969 litre	56,356 %	8884,9235 litre	O
800	CM	90	CM	98 LEVEL CM	11329,2414 litre	55,651 %	9028,2790 litre	O
800	CM	90	CM	97 LEVEL CM	11185,7430 litre	54,946 %	9171,7774 litre	O
800	CM	90	CM	96 LEVEL CM	11042,1198 litre	54,241 %	9315,4006 litre	O
800	CM	90	CM	95 LEVEL CM	10898,3897 litre	53,535 %	9459,1307 litre	O
800	CM	90	CM	94 LEVEL CM	10754,5705 litre	52,828 %	9602,9499 litre	O
800	CM	90	CM	93 LEVEL CM	10610,6802 litre	52,122 %	9746,8402 litre	O
800	CM	90	CM	92 LEVEL CM	10466,7365 litre	51,415 %	9890,7839 litre	O
800	CM	90	CM	91 LEVEL CM	10322,7572 litre	50,707 %	10034,7632 litre	O
800	CM	90	CM	90 LEVEL CM	10178,7602 litre	50,000 %	10178,7602 litre	O
800	CM	90	CM	89 LEVEL CM	10034,7632 litre	49,293 %	10322,7572 litre	O
800	CM	90	CM	88 LEVEL CM	9890,7839 litre	48,585 %	10466,7365 litre	O
800	CM	90	CM	87 LEVEL CM	9746,8402 litre	47,878 %	10610,6802 litre	O
800	CM	90	CM	86 LEVEL CM	9602,9499 litre	47,172 %	10754,5705 litre	O
800	CM	90	CM	85 LEVEL CM	9459,1307 litre	46,465 %	10898,3897 litre	O
800	CM	90	CM	84 LEVEL CM	9315,4006 litre	45,759 %	11042,1198 litre	O
800	CM	90	CM	83 LEVEL CM	9171,7774 litre	45,054 %	11185,7430 litre	O
800	CM	90	CM	82 LEVEL CM	9028,2790 litre	44,349 %	11329,2414 litre	O
800	CM	90	CM	81 LEVEL CM	8884,9234 litre	43,644 %	11472,5970 litre	O
800	CM	90	CM	80 LEVEL CM	8741,7287 litre	42,941 %	11615,7917 litre	O
800	CM	90	CM	79 LEVEL CM	8598,7128 litre	42,239 %	11758,8076 litre	O
800	CM	90	CM	78 LEVEL CM	8455,8939 litre	41,537 %	11901,6265 litre	O
800	CM	90	CM	77 LEVEL CM	8313,2904 litre	40,836 %	12044,2300 litre	O
800	CM	90	CM	76 LEVEL CM	8170,9203 litre	40,137 %	12186,6001 litre	O

800	CM	90	CM	75 LEVEL CM	8028,8023 litre	39,439 %	12328,7181 litre	O
800	CM	90	CM	74 LEVEL CM	7886,9547 litre	38,742 %	12470,5657 litre	O
800	CM	90	CM	73 LEVEL CM	7745,3962 litre	38,047 %	12612,1242 litre	O
800	CM	90	CM	72 LEVEL CM	7604,1454 litre	37,353 %	12753,3750 litre	O
800	CM	90	CM	71 LEVEL CM	7463,2212 litre	36,661 %	12894,2992 litre	O
800	CM	90	CM	70 LEVEL CM	7322,6427 litre	35,970 %	13034,8777 litre	O
800	CM	90	CM	69 LEVEL CM	7182,4288 litre	35,281 %	13175,0916 litre	O
800	CM	90	CM	68 LEVEL CM	7042,5988 litre	34,595 %	13314,9216 litre	O
800	CM	90	CM	67 LEVEL CM	6903,1722 litre	33,910 %	13454,3482 litre	O
800	CM	90	CM	66 LEVEL CM	6764,1686 litre	33,227 %	13593,3518 litre	O
800	CM	90	CM	65 LEVEL CM	6625,6077 litre	32,546 %	13731,9127 litre	O
800	CM	90	CM	64 LEVEL CM	6487,5094 litre	31,868 %	13870,0110 litre	O
800	CM	90	CM	63 LEVEL CM	6349,8940 litre	31,192 %	14007,6264 litre	O
800	CM	90	CM	62 LEVEL CM	6212,7818 litre	30,518 %	14144,7386 litre	O
800	CM	90	CM	61 LEVEL CM	6076,1933 litre	29,847 %	14281,3271 litre	O
800	CM	90	CM	60 LEVEL CM	5940,1495 litre	29,179 %	14417,3709 litre	O
800	CM	90	CM	59 LEVEL CM	5804,6714 litre	28,514 %	14552,8490 litre	O
800	CM	90	CM	58 LEVEL CM	5669,7803 litre	27,851 %	14687,7401 litre	O
800	CM	90	CM	57 LEVEL CM	5535,4980 litre	27,191 %	14822,0224 litre	O
800	CM	90	CM	56 LEVEL CM	5401,8462 litre	26,535 %	14955,6742 litre	O
800	CM	90	CM	55 LEVEL CM	5268,8473 litre	25,882 %	15088,6731 litre	O
800	CM	90	CM	54 LEVEL CM	5136,5238 litre	25,232 %	15220,9966 litre	O
800	CM	90	CM	53 LEVEL CM	5004,8986 litre	24,585 %	15352,6218 litre	O
800	CM	90	CM	52 LEVEL CM	4873,9951 litre	23,942 %	15483,5253 litre	O
800	CM	90	CM	51 LEVEL CM	4743,8368 litre	23,303 %	15613,6836 litre	O
800	CM	90	CM	50 LEVEL CM	4614,4479 litre	22,667 %	15743,0725 litre	O
800	CM	90	CM	49 LEVEL CM	4485,8528 litre	22,035 %	15871,6676 litre	O
800	CM	90	CM	48 LEVEL CM	4358,0765 litre	21,408 %	15999,4439 litre	O
800	CM	90	CM	47 LEVEL CM	4231,1446 litre	20,784 %	16126,3758 litre	O
800	CM	90	CM	46 LEVEL CM	4105,0828 litre	20,165 %	16252,4376 litre	O
800	CM	90	CM	45 LEVEL CM	3979,9178 litre	19,550 %	16377,6026 litre	O
800	CM	90	CM	44 LEVEL CM	3855,6766 litre	18,940 %	16501,8438 litre	O
800	CM	90	CM	43 LEVEL CM	3732,3869 litre	18,334 %	16625,1335 litre	O
800	CM	90	CM	42 LEVEL CM	3610,0771 litre	17,733 %	16747,4433 litre	O
800	CM	90	CM	41 LEVEL CM	3488,7760 litre	17,138 %	16868,7444 litre	O
800	CM	90	CM	40 LEVEL CM	3368,5136 litre	16,547 %	16989,0068 litre	O
800	CM	90	CM	39 LEVEL CM	3249,3203 litre	15,961 %	17108,2001 litre	O
800	CM	90	CM	38 LEVEL CM	3131,2274 litre	15,381 %	17226,2930 litre	O
800	CM	90	CM	37 LEVEL CM	3014,2673 litre	14,807 %	17343,2531 litre	O
800	CM	90	CM	36 LEVEL CM	2898,4730 litre	14,238 %	17459,0474 litre	O
800	CM	90	CM	35 LEVEL CM	2783,8788 litre	13,675 %	17573,6416 litre	O
800	CM	90	CM	34 LEVEL CM	2670,5201 litre	13,118 %	17687,0003 litre	O
800	CM	90	CM	33 LEVEL CM	2558,4331 litre	12,568 %	17799,0873 litre	O
800	CM	90	CM	32 LEVEL CM	2447,6557 litre	12,023 %	17909,8647 litre	O
800	CM	90	CM	31 LEVEL CM	2338,2268 litre	11,486 %	18019,2936 litre	O
800	CM	90	CM	30 LEVEL CM	2230,1871 litre	10,955 %	18127,3333 litre	O
800	CM	90	CM	29 LEVEL CM	2123,5786 litre	10,431 %	18233,9418 litre	O
800	CM	90	CM	28 LEVEL CM	2018,4452 litre	9,915 %	18339,0752 litre	O
800	CM	90	CM	27 LEVEL CM	1914,8325 litre	9,406 %	18442,6879 litre	O
800	CM	90	CM	26 LEVEL CM	1812,7883 litre	8,905 %	18544,7321 litre	O
800	CM	90	CM	25 LEVEL CM	1712,3626 litre	8,411 %	18645,1578 litre	O
800	CM	90	CM	24 LEVEL CM	1613,6078 litre	7,926 %	18743,9126 litre	O
800	CM	90	CM	23 LEVEL CM	1516,5791 litre	7,450 %	18840,9413 litre	O

800	CM	90	CM	22 LEVEL CM	1421,3346 litre	6,982 %	18936,1858 litre	O
800	CM	90	CM	21 LEVEL CM	1327,9358 litre	6,523 %	19029,5846 litre	O
800	CM	90	CM	20 LEVEL CM	1236,4480 litre	6,074 %	19121,0724 litre	O
800	CM	90	CM	19 LEVEL CM	1146,9404 litre	5,634 %	19210,5800 litre	O
800	CM	90	CM	18 LEVEL CM	1059,4872 litre	5,204 %	19298,0332 litre	O
800	CM	90	CM	17 LEVEL CM	974,1678 litre	4,785 %	19383,3526 litre	O
800	CM	90	CM	16 LEVEL CM	891,0679 litre	4,377 %	19466,4525 litre	O
800	CM	90	CM	15 LEVEL CM	810,2800 litre	3,980 %	19547,2404 litre	O
800	CM	90	CM	14 LEVEL CM	731,9050 litre	3,595 %	19625,6154 litre	O
800	CM	90	CM	13 LEVEL CM	656,0534 litre	3,223 %	19701,4670 litre	O
800	CM	90	CM	12 LEVEL CM	582,8470 litre	2,863 %	19774,6734 litre	O
800	CM	90	CM	11 LEVEL CM	512,4215 litre	2,517 %	19845,0989 litre	O
800	CM	90	CM	10 LEVEL CM	444,9294 litre	2,186 %	19912,5910 litre	O
800	CM	90	CM	9 LEVEL CM	380,5439 litre	1,869 %	19976,9765 litre	O
800	CM	90	CM	8 LEVEL CM	319,4648 litre	1,569 %	20038,0556 litre	O
800	CM	90	CM	7 LEVEL CM	261,9264 litre	1,287 %	20095,5940 litre	O
800	CM	90	CM	6 LEVEL CM	208,2095 litre	1,023 %	20149,3109 litre	O
800	CM	90	CM	5 LEVEL CM	158,6600 litre	0,779 %	20198,8604 litre	O
800	CM	90	CM	4 LEVEL CM	113,7204 litre	0,559 %	20243,8000 litre	O
800	CM	90	CM	3 LEVEL CM	73,9884 litre	0,363 %	20283,5320 litre	O
800	CM	90	CM	2 LEVEL CM	40,3420 litre	0,198 %	20317,1784 litre	O
800	CM	90	CM	1 LEVEL CM	14,2870 litre	0,070 %	20343,2334 litre	O
800	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	20357,5204 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	85	CM	170 LEVEL CM	18158,4055 litre	100,000 %	0,0000 litre	O
800	CM	85	CM	169 LEVEL CM	18144,5225 litre	99,924 %	13,8830 litre	O
800	CM	85	CM	168 LEVEL CM	18119,2079 litre	99,784 %	39,1976 litre	O
800	CM	85	CM	167 LEVEL CM	18086,5232 litre	99,604 %	71,8823 litre	O
800	CM	85	CM	166 LEVEL CM	18047,9332 litre	99,392 %	110,4723 litre	O
800	CM	85	CM	165 LEVEL CM	18004,2928 litre	99,151 %	154,1127 litre	O
800	CM	85	CM	164 LEVEL CM	17956,1840 litre	98,886 %	202,2215 litre	O
800	CM	85	CM	163 LEVEL CM	17904,0382 litre	98,599 %	254,3673 litre	O
800	CM	85	CM	162 LEVEL CM	17848,1925 litre	98,292 %	310,2130 litre	O
800	CM	85	CM	161 LEVEL CM	17788,9210 litre	97,965 %	369,4845 litre	O
800	CM	85	CM	160 LEVEL CM	17726,4522 litre	97,621 %	431,9533 litre	O
800	CM	85	CM	159 LEVEL CM	17660,9813 litre	97,261 %	497,4242 litre	O
800	CM	85	CM	158 LEVEL CM	17592,6776 litre	96,884 %	565,7279 litre	O
800	CM	85	CM	157 LEVEL CM	17521,6902 litre	96,494 %	636,7153 litre	O
800	CM	85	CM	156 LEVEL CM	17448,1517 litre	96,089 %	710,2538 litre	O
800	CM	85	CM	155 LEVEL CM	17372,1814 litre	95,670 %	786,2241 litre	O
800	CM	85	CM	154 LEVEL CM	17293,8876 litre	95,239 %	864,5179 litre	O
800	CM	85	CM	153 LEVEL CM	17213,3691 litre	94,796 %	945,0364 litre	O
800	CM	85	CM	152 LEVEL CM	17130,7167 litre	94,340 %	1027,6888 litre	O
800	CM	85	CM	151 LEVEL CM	17046,0143 litre	93,874 %	1112,3912 litre	O
800	CM	85	CM	150 LEVEL CM	16959,3400 litre	93,397 %	1199,0655 litre	O
800	CM	85	CM	149 LEVEL CM	16870,7666 litre	92,909 %	1287,6389 litre	O
800	CM	85	CM	148 LEVEL CM	16780,3622 litre	92,411 %	1378,0433 litre	O
800	CM	85	CM	147 LEVEL CM	16688,1910 litre	91,903 %	1470,2145 litre	O
800	CM	85	CM	146 LEVEL CM	16594,3134 litre	91,386 %	1564,0921 litre	O
800	CM	85	CM	145 LEVEL CM	16498,7868 litre	90,860 %	1659,6187 litre	O
800	CM	85	CM	144 LEVEL CM	16401,6656 litre	90,325 %	1756,7399 litre	O
800	CM	85	CM	143 LEVEL CM	16303,0013 litre	89,782 %	1855,4042 litre	O
800	CM	85	CM	142 LEVEL CM	16202,8434 litre	89,231 %	1955,5621 litre	O
800	CM	85	CM	141 LEVEL CM	16101,2390 litre	88,671 %	2057,1665 litre	O
800	CM	85	CM	140 LEVEL CM	15998,2332 litre	88,104 %	2160,1723 litre	O
800	CM	85	CM	139 LEVEL CM	15893,8694 litre	87,529 %	2264,5361 litre	O
800	CM	85	CM	138 LEVEL CM	15788,1893 litre	86,947 %	2370,2162 litre	O
800	CM	85	CM	137 LEVEL CM	15681,2330 litre	86,358 %	2477,1725 litre	O
800	CM	85	CM	136 LEVEL CM	15573,0392 litre	85,762 %	2585,3663 litre	O
800	CM	85	CM	135 LEVEL CM	15463,6453 litre	85,160 %	2694,7602 litre	O
800	CM	85	CM	134 LEVEL CM	15353,0874 litre	84,551 %	2805,3181 litre	O
800	CM	85	CM	133 LEVEL CM	15241,4007 litre	83,936 %	2917,0048 litre	O
800	CM	85	CM	132 LEVEL CM	15128,6191 litre	83,315 %	3029,7864 litre	O
800	CM	85	CM	131 LEVEL CM	15014,7756 litre	82,688 %	3143,6299 litre	O
800	CM	85	CM	130 LEVEL CM	14899,9024 litre	82,055 %	3258,5031 litre	O
800	CM	85	CM	129 LEVEL CM	14784,0306 litre	81,417 %	3374,3749 litre	O
800	CM	85	CM	128 LEVEL CM	14667,1908 litre	80,774 %	3491,2147 litre	O
800	CM	85	CM	127 LEVEL CM	14549,4125 litre	80,125 %	3608,9930 litre	O
800	CM	85	CM	126 LEVEL CM	14430,7249 litre	79,471 %	3727,6806 litre	O
800	CM	85	CM	125 LEVEL CM	14311,1561 litre	78,813 %	3847,2494 litre	O
800	CM	85	CM	124 LEVEL CM	14190,7340 litre	78,150 %	3967,6715 litre	O
800	CM	85	CM	123 LEVEL CM	14069,4856 litre	77,482 %	4088,9199 litre	O
800	CM	85	CM	122 LEVEL CM	13947,4375 litre	76,810 %	4210,9680 litre	O
800	CM	85	CM	121 LEVEL CM	13824,6158 litre	76,133 %	4333,7897 litre	O
800	CM	85	CM	120 LEVEL CM	13701,0460 litre	75,453 %	4457,3595 litre	O
800	CM	85	CM	119 LEVEL CM	13576,7531 litre	74,768 %	4581,6524 litre	O

800	CM	85	CM	118 LEVEL CM	13451,7620 litre	74,080 %	4706,6435 litre	O
800	CM	85	CM	117 LEVEL CM	13326,0968 litre	73,388 %	4832,3087 litre	O
800	CM	85	CM	116 LEVEL CM	13199,7813 litre	72,692 %	4958,6242 litre	O
800	CM	85	CM	115 LEVEL CM	13072,8391 litre	71,993 %	5085,5664 litre	O
800	CM	85	CM	114 LEVEL CM	12945,2934 litre	71,291 %	5213,1121 litre	O
800	CM	85	CM	113 LEVEL CM	12817,1669 litre	70,585 %	5341,2386 litre	O
800	CM	85	CM	112 LEVEL CM	12688,4822 litre	69,877 %	5469,9233 litre	O
800	CM	85	CM	111 LEVEL CM	12559,2614 litre	69,165 %	5599,1441 litre	O
800	CM	85	CM	110 LEVEL CM	12429,5266 litre	68,451 %	5728,8789 litre	O
800	CM	85	CM	109 LEVEL CM	12299,2994 litre	67,733 %	5859,1061 litre	O
800	CM	85	CM	108 LEVEL CM	12168,6012 litre	67,014 %	5989,8043 litre	O
800	CM	85	CM	107 LEVEL CM	12037,4533 litre	66,291 %	6120,9522 litre	O
800	CM	85	CM	106 LEVEL CM	11905,8767 litre	65,567 %	6252,5288 litre	O
800	CM	85	CM	105 LEVEL CM	11773,8921 litre	64,840 %	6384,5134 litre	O
800	CM	85	CM	104 LEVEL CM	11641,5201 litre	64,111 %	6516,8854 litre	O
800	CM	85	CM	103 LEVEL CM	11508,7812 litre	63,380 %	6649,6243 litre	O
800	CM	85	CM	102 LEVEL CM	11375,6956 litre	62,647 %	6782,7099 litre	O
800	CM	85	CM	101 LEVEL CM	11242,2834 litre	61,912 %	6916,1221 litre	O
800	CM	85	CM	100 LEVEL CM	11108,5645 litre	61,176 %	7049,8410 litre	O
800	CM	85	CM	99 LEVEL CM	10974,5588 litre	60,438 %	7183,8467 litre	O
800	CM	85	CM	98 LEVEL CM	10840,2858 litre	59,698 %	7318,1197 litre	O
800	CM	85	CM	97 LEVEL CM	10705,7653 litre	58,958 %	7452,6402 litre	O
800	CM	85	CM	96 LEVEL CM	10571,0165 litre	58,216 %	7587,3890 litre	O
800	CM	85	CM	95 LEVEL CM	10436,0590 litre	57,472 %	7722,3465 litre	O
800	CM	85	CM	94 LEVEL CM	10300,9118 litre	56,728 %	7857,4937 litre	O
800	CM	85	CM	93 LEVEL CM	10165,5944 litre	55,983 %	7992,8111 litre	O
800	CM	85	CM	92 LEVEL CM	10030,1256 litre	55,237 %	8128,2799 litre	O
800	CM	85	CM	91 LEVEL CM	9894,5246 litre	54,490 %	8263,8809 litre	O
800	CM	85	CM	90 LEVEL CM	9758,8104 litre	53,743 %	8399,5951 litre	O
800	CM	85	CM	89 LEVEL CM	9623,0019 litre	52,995 %	8535,4036 litre	O
800	CM	85	CM	88 LEVEL CM	9487,1180 litre	52,246 %	8671,2875 litre	O
800	CM	85	CM	87 LEVEL CM	9351,1777 litre	51,498 %	8807,2278 litre	O
800	CM	85	CM	86 LEVEL CM	9215,1996 litre	50,749 %	8943,2059 litre	O
800	CM	85	CM	85 LEVEL CM	9079,2028 litre	50,000 %	9079,2027 litre	O
800	CM	85	CM	84 LEVEL CM	8943,2059 litre	49,251 %	9215,1996 litre	O
800	CM	85	CM	83 LEVEL CM	8807,2279 litre	48,502 %	9351,1776 litre	O
800	CM	85	CM	82 LEVEL CM	8671,2875 litre	47,754 %	9487,1180 litre	O
800	CM	85	CM	81 LEVEL CM	8535,4036 litre	47,005 %	9623,0019 litre	O
800	CM	85	CM	80 LEVEL CM	8399,5951 litre	46,257 %	9758,8104 litre	O
800	CM	85	CM	79 LEVEL CM	8263,8809 litre	45,510 %	9894,5246 litre	O
800	CM	85	CM	78 LEVEL CM	8128,2799 litre	44,763 %	10030,1256 litre	O
800	CM	85	CM	77 LEVEL CM	7992,8112 litre	44,017 %	10165,5943 litre	O
800	CM	85	CM	76 LEVEL CM	7857,4937 litre	43,272 %	10300,9118 litre	O
800	CM	85	CM	75 LEVEL CM	7722,3466 litre	42,528 %	10436,0589 litre	O
800	CM	85	CM	74 LEVEL CM	7587,3890 litre	41,784 %	10571,0165 litre	O
800	CM	85	CM	73 LEVEL CM	7452,6403 litre	41,042 %	10705,7652 litre	O
800	CM	85	CM	72 LEVEL CM	7318,1197 litre	40,302 %	10840,2858 litre	O
800	CM	85	CM	71 LEVEL CM	7183,8468 litre	39,562 %	10974,5587 litre	O
800	CM	85	CM	70 LEVEL CM	7049,8410 litre	38,824 %	11108,5645 litre	O
800	CM	85	CM	69 LEVEL CM	6916,1221 litre	38,088 %	11242,2834 litre	O
800	CM	85	CM	68 LEVEL CM	6782,7099 litre	37,353 %	11375,6956 litre	O
800	CM	85	CM	67 LEVEL CM	6649,6243 litre	36,620 %	11508,7812 litre	O
800	CM	85	CM	66 LEVEL CM	6516,8854 litre	35,889 %	11641,5201 litre	O

800	CM	85	CM	65 LEVEL CM	6384,5135 litre	35,160 %	11773,8920 litre	O
800	CM	85	CM	64 LEVEL CM	6252,5289 litre	34,433 %	11905,8766 litre	O
800	CM	85	CM	63 LEVEL CM	6120,9522 litre	33,709 %	12037,4533 litre	O
800	CM	85	CM	62 LEVEL CM	5989,8043 litre	32,986 %	12168,6012 litre	O
800	CM	85	CM	61 LEVEL CM	5859,1062 litre	32,267 %	12299,2993 litre	O
800	CM	85	CM	60 LEVEL CM	5728,8790 litre	31,549 %	12429,5265 litre	O
800	CM	85	CM	59 LEVEL CM	5599,1441 litre	30,835 %	12559,2614 litre	O
800	CM	85	CM	58 LEVEL CM	5469,9234 litre	30,123 %	12688,4821 litre	O
800	CM	85	CM	57 LEVEL CM	5341,2386 litre	29,415 %	12817,1669 litre	O
800	CM	85	CM	56 LEVEL CM	5213,1121 litre	28,709 %	12945,2934 litre	O
800	CM	85	CM	55 LEVEL CM	5085,5664 litre	28,007 %	13072,8391 litre	O
800	CM	85	CM	54 LEVEL CM	4958,6242 litre	27,308 %	13199,7813 litre	O
800	CM	85	CM	53 LEVEL CM	4832,3088 litre	26,612 %	13326,0967 litre	O
800	CM	85	CM	52 LEVEL CM	4706,6435 litre	25,920 %	13451,7620 litre	O
800	CM	85	CM	51 LEVEL CM	4581,6524 litre	25,232 %	13576,7531 litre	O
800	CM	85	CM	50 LEVEL CM	4457,3596 litre	24,547 %	13701,0459 litre	O
800	CM	85	CM	49 LEVEL CM	4333,7898 litre	23,867 %	13824,6157 litre	O
800	CM	85	CM	48 LEVEL CM	4210,9680 litre	23,190 %	13947,4375 litre	O
800	CM	85	CM	47 LEVEL CM	4088,9199 litre	22,518 %	14069,4856 litre	O
800	CM	85	CM	46 LEVEL CM	3967,6715 litre	21,850 %	14190,7340 litre	O
800	CM	85	CM	45 LEVEL CM	3847,2494 litre	21,187 %	14311,1561 litre	O
800	CM	85	CM	44 LEVEL CM	3727,6807 litre	20,529 %	14430,7248 litre	O
800	CM	85	CM	43 LEVEL CM	3608,9930 litre	19,875 %	14549,4125 litre	O
800	CM	85	CM	42 LEVEL CM	3491,2148 litre	19,226 %	14667,1907 litre	O
800	CM	85	CM	41 LEVEL CM	3374,3749 litre	18,583 %	14784,0306 litre	O
800	CM	85	CM	40 LEVEL CM	3258,5032 litre	17,945 %	14899,9023 litre	O
800	CM	85	CM	39 LEVEL CM	3143,6299 litre	17,312 %	15014,7756 litre	O
800	CM	85	CM	38 LEVEL CM	3029,7865 litre	16,685 %	15128,6190 litre	O
800	CM	85	CM	37 LEVEL CM	2917,0048 litre	16,064 %	15241,4007 litre	O
800	CM	85	CM	36 LEVEL CM	2805,3181 litre	15,449 %	15353,0874 litre	O
800	CM	85	CM	35 LEVEL CM	2694,7603 litre	14,840 %	15463,6452 litre	O
800	CM	85	CM	34 LEVEL CM	2585,3664 litre	14,238 %	15573,0391 litre	O
800	CM	85	CM	33 LEVEL CM	2477,1725 litre	13,642 %	15681,2330 litre	O
800	CM	85	CM	32 LEVEL CM	2370,2162 litre	13,053 %	15788,1893 litre	O
800	CM	85	CM	31 LEVEL CM	2264,5361 litre	12,471 %	15893,8694 litre	O
800	CM	85	CM	30 LEVEL CM	2160,1723 litre	11,896 %	15998,2332 litre	O
800	CM	85	CM	29 LEVEL CM	2057,1666 litre	11,329 %	16101,2389 litre	O
800	CM	85	CM	28 LEVEL CM	1955,5621 litre	10,769 %	16202,8434 litre	O
800	CM	85	CM	27 LEVEL CM	1855,4042 litre	10,218 %	16303,0013 litre	O
800	CM	85	CM	26 LEVEL CM	1756,7400 litre	9,675 %	16401,6655 litre	O
800	CM	85	CM	25 LEVEL CM	1659,6187 litre	9,140 %	16498,7868 litre	O
800	CM	85	CM	24 LEVEL CM	1564,0921 litre	8,614 %	16594,3134 litre	O
800	CM	85	CM	23 LEVEL CM	1470,2146 litre	8,097 %	16688,1909 litre	O
800	CM	85	CM	22 LEVEL CM	1378,0434 litre	7,589 %	16780,3621 litre	O
800	CM	85	CM	21 LEVEL CM	1287,6389 litre	7,091 %	16870,7666 litre	O
800	CM	85	CM	20 LEVEL CM	1199,0655 litre	6,603 %	16959,3400 litre	O
800	CM	85	CM	19 LEVEL CM	1112,3912 litre	6,126 %	17046,0143 litre	O
800	CM	85	CM	18 LEVEL CM	1027,6888 litre	5,660 %	17130,7167 litre	O
800	CM	85	CM	17 LEVEL CM	945,0364 litre	5,204 %	17213,3691 litre	O
800	CM	85	CM	16 LEVEL CM	864,5179 litre	4,761 %	17293,8876 litre	O
800	CM	85	CM	15 LEVEL CM	786,2241 litre	4,330 %	17372,1814 litre	O
800	CM	85	CM	14 LEVEL CM	710,2539 litre	3,911 %	17448,1516 litre	O
800	CM	85	CM	13 LEVEL CM	636,7154 litre	3,506 %	17521,6901 litre	O

800	CM	85	CM	12 LEVEL CM	565,7279 litre	3,116 %	17592,6776 litre	O
800	CM	85	CM	11 LEVEL CM	497,4243 litre	2,739 %	17660,9812 litre	O
800	CM	85	CM	10 LEVEL CM	431,9533 litre	2,379 %	17726,4522 litre	O
800	CM	85	CM	9 LEVEL CM	369,4846 litre	2,035 %	17788,9209 litre	O
800	CM	85	CM	8 LEVEL CM	310,2130 litre	1,708 %	17848,1925 litre	O
800	CM	85	CM	7 LEVEL CM	254,3674 litre	1,401 %	17904,0381 litre	O
800	CM	85	CM	6 LEVEL CM	202,2215 litre	1,114 %	17956,1840 litre	O
800	CM	85	CM	5 LEVEL CM	154,1128 litre	0,849 %	18004,2927 litre	O
800	CM	85	CM	4 LEVEL CM	110,4724 litre	0,608 %	18047,9331 litre	O
800	CM	85	CM	3 LEVEL CM	71,8824 litre	0,396 %	18086,5231 litre	O
800	CM	85	CM	2 LEVEL CM	39,1976 litre	0,216 %	18119,2079 litre	O
800	CM	85	CM	1 LEVEL CM	13,8831 litre	0,076 %	18144,5224 litre	O
800	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	18158,4055 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	80	CM	160 LEVEL CM	16084,9544 litre	100,000 %	0,0000 litre	O
800	CM	80	CM	159 LEVEL CM	16071,4873 litre	99,916 %	13,4671 litre	O
800	CM	80	CM	158 LEVEL CM	16046,9356 litre	99,764 %	38,0188 litre	O
800	CM	80	CM	157 LEVEL CM	16015,2416 litre	99,567 %	69,7128 litre	O
800	CM	80	CM	156 LEVEL CM	15977,8285 litre	99,334 %	107,1259 litre	O
800	CM	80	CM	155 LEVEL CM	15935,5271 litre	99,071 %	149,4273 litre	O
800	CM	80	CM	154 LEVEL CM	15888,9036 litre	98,781 %	196,0508 litre	O
800	CM	80	CM	153 LEVEL CM	15838,3777 litre	98,467 %	246,5767 litre	O
800	CM	80	CM	152 LEVEL CM	15784,2777 litre	98,131 %	300,6767 litre	O
800	CM	80	CM	151 LEVEL CM	15726,8706 litre	97,774 %	358,0838 litre	O
800	CM	80	CM	150 LEVEL CM	15666,3792 litre	97,398 %	418,5752 litre	O
800	CM	80	CM	149 LEVEL CM	15602,9940 litre	97,004 %	481,9604 litre	O
800	CM	80	CM	148 LEVEL CM	15536,8802 litre	96,593 %	548,0742 litre	O
800	CM	80	CM	147 LEVEL CM	15468,1833 litre	96,166 %	616,7711 litre	O
800	CM	80	CM	146 LEVEL CM	15397,0331 litre	95,723 %	687,9213 litre	O
800	CM	80	CM	145 LEVEL CM	15323,5463 litre	95,266 %	761,4081 litre	O
800	CM	80	CM	144 LEVEL CM	15247,8287 litre	94,796 %	837,1257 litre	O
800	CM	80	CM	143 LEVEL CM	15169,9772 litre	94,312 %	914,9772 litre	O
800	CM	80	CM	142 LEVEL CM	15090,0807 litre	93,815 %	994,8737 litre	O
800	CM	80	CM	141 LEVEL CM	15008,2215 litre	93,306 %	1076,7329 litre	O
800	CM	80	CM	140 LEVEL CM	14924,4763 litre	92,785 %	1160,4781 litre	O
800	CM	80	CM	139 LEVEL CM	14838,9165 litre	92,253 %	1246,0379 litre	O
800	CM	80	CM	138 LEVEL CM	14751,6091 litre	91,711 %	1333,3453 litre	O
800	CM	80	CM	137 LEVEL CM	14662,6172 litre	91,157 %	1422,3372 litre	O
800	CM	80	CM	136 LEVEL CM	14572,0003 litre	90,594 %	1512,9541 litre	O
800	CM	80	CM	135 LEVEL CM	14479,8149 litre	90,021 %	1605,1395 litre	O
800	CM	80	CM	134 LEVEL CM	14386,1145 litre	89,438 %	1698,8399 litre	O
800	CM	80	CM	133 LEVEL CM	14290,9502 litre	88,847 %	1794,0042 litre	O
800	CM	80	CM	132 LEVEL CM	14194,3706 litre	88,246 %	1890,5838 litre	O
800	CM	80	CM	131 LEVEL CM	14096,4222 litre	87,637 %	1988,5322 litre	O
800	CM	80	CM	130 LEVEL CM	13997,1498 litre	87,020 %	2087,8046 litre	O
800	CM	80	CM	129 LEVEL CM	13896,5963 litre	86,395 %	2188,3581 litre	O
800	CM	80	CM	128 LEVEL CM	13794,8029 litre	85,762 %	2290,1515 litre	O
800	CM	80	CM	127 LEVEL CM	13691,8093 litre	85,122 %	2393,1451 litre	O
800	CM	80	CM	126 LEVEL CM	13587,6541 litre	84,474 %	2497,3003 litre	O
800	CM	80	CM	125 LEVEL CM	13482,3742 litre	83,820 %	2602,5802 litre	O
800	CM	80	CM	124 LEVEL CM	13376,0058 litre	83,158 %	2708,9486 litre	O
800	CM	80	CM	123 LEVEL CM	13268,5835 litre	82,491 %	2816,3709 litre	O
800	CM	80	CM	122 LEVEL CM	13160,1414 litre	81,816 %	2924,8130 litre	O
800	CM	80	CM	121 LEVEL CM	13050,7122 litre	81,136 %	3034,2422 litre	O
800	CM	80	CM	120 LEVEL CM	12940,3280 litre	80,450 %	3144,6264 litre	O
800	CM	80	CM	119 LEVEL CM	12829,0199 litre	79,758 %	3255,9345 litre	O
800	CM	80	CM	118 LEVEL CM	12716,8185 litre	79,060 %	3368,1359 litre	O
800	CM	80	CM	117 LEVEL CM	12603,7533 litre	78,357 %	3481,2011 litre	O
800	CM	80	CM	116 LEVEL CM	12489,8535 litre	77,649 %	3595,1009 litre	O
800	CM	80	CM	115 LEVEL CM	12375,1474 litre	76,936 %	3709,8070 litre	O
800	CM	80	CM	114 LEVEL CM	12259,6628 litre	76,218 %	3825,2916 litre	O
800	CM	80	CM	113 LEVEL CM	12143,4269 litre	75,496 %	3941,5275 litre	O
800	CM	80	CM	112 LEVEL CM	12026,4664 litre	74,768 %	4058,4880 litre	O
800	CM	80	CM	111 LEVEL CM	11908,8077 litre	74,037 %	4176,1467 litre	O
800	CM	80	CM	110 LEVEL CM	11790,4763 litre	73,301 %	4294,4781 litre	O
800	CM	80	CM	109 LEVEL CM	11671,4977 litre	72,562 %	4413,4567 litre	O

800	CM	80	CM	108 LEVEL CM	11551,8967 litre	71,818 %	4533,0577 litre	O
800	CM	80	CM	107 LEVEL CM	11431,6979 litre	71,071 %	4653,2565 litre	O
800	CM	80	CM	106 LEVEL CM	11310,9254 litre	70,320 %	4774,0290 litre	O
800	CM	80	CM	105 LEVEL CM	11189,6030 litre	69,566 %	4895,3514 litre	O
800	CM	80	CM	104 LEVEL CM	11067,7542 litre	68,808 %	5017,2002 litre	O
800	CM	80	CM	103 LEVEL CM	10945,4022 litre	68,047 %	5139,5522 litre	O
800	CM	80	CM	102 LEVEL CM	10822,5699 litre	67,284 %	5262,3845 litre	O
800	CM	80	CM	101 LEVEL CM	10699,2800 litre	66,517 %	5385,6744 litre	O
800	CM	80	CM	100 LEVEL CM	10575,5548 litre	65,748 %	5509,3996 litre	O
800	CM	80	CM	99 LEVEL CM	10451,4164 litre	64,976 %	5633,5380 litre	O
800	CM	80	CM	98 LEVEL CM	10326,8868 litre	64,202 %	5758,0676 litre	O
800	CM	80	CM	97 LEVEL CM	10201,9878 litre	63,426 %	5882,9666 litre	O
800	CM	80	CM	96 LEVEL CM	10076,7407 litre	62,647 %	6008,2137 litre	O
800	CM	80	CM	95 LEVEL CM	9951,1671 litre	61,866 %	6133,7873 litre	O
800	CM	80	CM	94 LEVEL CM	9825,2880 litre	61,084 %	6259,6664 litre	O
800	CM	80	CM	93 LEVEL CM	9699,1246 litre	60,299 %	6385,8298 litre	O
800	CM	80	CM	92 LEVEL CM	9572,6976 litre	59,513 %	6512,2568 litre	O
800	CM	80	CM	91 LEVEL CM	9446,0279 litre	58,726 %	6638,9265 litre	O
800	CM	80	CM	90 LEVEL CM	9319,1360 litre	57,937 %	6765,8184 litre	O
800	CM	80	CM	89 LEVEL CM	9192,0426 litre	57,147 %	6892,9118 litre	O
800	CM	80	CM	88 LEVEL CM	9064,7680 litre	56,356 %	7020,1864 litre	O
800	CM	80	CM	87 LEVEL CM	8937,3325 litre	55,563 %	7147,6219 litre	O
800	CM	80	CM	86 LEVEL CM	8809,7566 litre	54,770 %	7275,1978 litre	O
800	CM	80	CM	85 LEVEL CM	8682,0603 litre	53,976 %	7402,8941 litre	O
800	CM	80	CM	84 LEVEL CM	8554,2638 litre	53,182 %	7530,6906 litre	O
800	CM	80	CM	83 LEVEL CM	8426,3872 litre	52,387 %	7658,5672 litre	O
800	CM	80	CM	82 LEVEL CM	8298,4505 litre	51,591 %	7786,5039 litre	O
800	CM	80	CM	81 LEVEL CM	8170,4739 litre	50,796 %	7914,4805 litre	O
800	CM	80	CM	80 LEVEL CM	8042,4772 litre	50,000 %	8042,4772 litre	O
800	CM	80	CM	79 LEVEL CM	7914,4805 litre	49,204 %	8170,4739 litre	O
800	CM	80	CM	78 LEVEL CM	7786,5039 litre	48,409 %	8298,4505 litre	O
800	CM	80	CM	77 LEVEL CM	7658,5672 litre	47,613 %	8426,3872 litre	O
800	CM	80	CM	76 LEVEL CM	7530,6906 litre	46,818 %	8554,2638 litre	O
800	CM	80	CM	75 LEVEL CM	7402,8941 litre	46,024 %	8682,0603 litre	O
800	CM	80	CM	74 LEVEL CM	7275,1978 litre	45,230 %	8809,7566 litre	O
800	CM	80	CM	73 LEVEL CM	7147,6218 litre	44,437 %	8937,3326 litre	O
800	CM	80	CM	72 LEVEL CM	7020,1864 litre	43,644 %	9064,7680 litre	O
800	CM	80	CM	71 LEVEL CM	6892,9118 litre	42,853 %	9192,0426 litre	O
800	CM	80	CM	70 LEVEL CM	6765,8184 litre	42,063 %	9319,1360 litre	O
800	CM	80	CM	69 LEVEL CM	6638,9265 litre	41,274 %	9446,0279 litre	O
800	CM	80	CM	68 LEVEL CM	6512,2568 litre	40,487 %	9572,6976 litre	O
800	CM	80	CM	67 LEVEL CM	6385,8298 litre	39,701 %	9699,1246 litre	O
800	CM	80	CM	66 LEVEL CM	6259,6663 litre	38,916 %	9825,2881 litre	O
800	CM	80	CM	65 LEVEL CM	6133,7873 litre	38,134 %	9951,1671 litre	O
800	CM	80	CM	64 LEVEL CM	6008,2136 litre	37,353 %	10076,7408 litre	O
800	CM	80	CM	63 LEVEL CM	5882,9666 litre	36,574 %	10201,9878 litre	O
800	CM	80	CM	62 LEVEL CM	5758,0676 litre	35,798 %	10326,8868 litre	O
800	CM	80	CM	61 LEVEL CM	5633,5380 litre	35,024 %	10451,4164 litre	O
800	CM	80	CM	60 LEVEL CM	5509,3996 litre	34,252 %	10575,5548 litre	O
800	CM	80	CM	59 LEVEL CM	5385,6744 litre	33,483 %	10699,2800 litre	O
800	CM	80	CM	58 LEVEL CM	5262,3844 litre	32,716 %	10822,5700 litre	O
800	CM	80	CM	57 LEVEL CM	5139,5522 litre	31,953 %	10945,4022 litre	O
800	CM	80	CM	56 LEVEL CM	5017,2002 litre	31,192 %	11067,7542 litre	O

800	CM	80	CM	55 LEVEL CM	4895,3514 litre	30,434 %	11189,6030 litre	O
800	CM	80	CM	54 LEVEL CM	4774,0290 litre	29,680 %	11310,9254 litre	O
800	CM	80	CM	53 LEVEL CM	4653,2565 litre	28,929 %	11431,6979 litre	O
800	CM	80	CM	52 LEVEL CM	4533,0577 litre	28,182 %	11551,8967 litre	O
800	CM	80	CM	51 LEVEL CM	4413,4567 litre	27,438 %	11671,4977 litre	O
800	CM	80	CM	50 LEVEL CM	4294,4781 litre	26,699 %	11790,4763 litre	O
800	CM	80	CM	49 LEVEL CM	4176,1467 litre	25,963 %	11908,8077 litre	O
800	CM	80	CM	48 LEVEL CM	4058,4879 litre	25,232 %	12026,4665 litre	O
800	CM	80	CM	47 LEVEL CM	3941,5275 litre	24,504 %	12143,4269 litre	O
800	CM	80	CM	46 LEVEL CM	3825,2916 litre	23,782 %	12259,6628 litre	O
800	CM	80	CM	45 LEVEL CM	3709,8070 litre	23,064 %	12375,1474 litre	O
800	CM	80	CM	44 LEVEL CM	3595,1009 litre	22,351 %	12489,8535 litre	O
800	CM	80	CM	43 LEVEL CM	3481,2010 litre	21,643 %	12603,7534 litre	O
800	CM	80	CM	42 LEVEL CM	3368,1359 litre	20,940 %	12716,8185 litre	O
800	CM	80	CM	41 LEVEL CM	3255,9345 litre	20,242 %	12829,0199 litre	O
800	CM	80	CM	40 LEVEL CM	3144,6264 litre	19,550 %	12940,3280 litre	O
800	CM	80	CM	39 LEVEL CM	3034,2422 litre	18,864 %	13050,7122 litre	O
800	CM	80	CM	38 LEVEL CM	2924,8130 litre	18,184 %	13160,1414 litre	O
800	CM	80	CM	37 LEVEL CM	2816,3709 litre	17,509 %	13268,5835 litre	O
800	CM	80	CM	36 LEVEL CM	2708,9486 litre	16,842 %	13376,0058 litre	O
800	CM	80	CM	35 LEVEL CM	2602,5802 litre	16,180 %	13482,3742 litre	O
800	CM	80	CM	34 LEVEL CM	2497,3003 litre	15,526 %	13587,6541 litre	O
800	CM	80	CM	33 LEVEL CM	2393,1451 litre	14,878 %	13691,8093 litre	O
800	CM	80	CM	32 LEVEL CM	2290,1515 litre	14,238 %	13794,8029 litre	O
800	CM	80	CM	31 LEVEL CM	2188,3581 litre	13,605 %	13896,5963 litre	O
800	CM	80	CM	30 LEVEL CM	2087,8045 litre	12,980 %	13997,1499 litre	O
800	CM	80	CM	29 LEVEL CM	1988,5322 litre	12,363 %	14096,4222 litre	O
800	CM	80	CM	28 LEVEL CM	1890,5838 litre	11,754 %	14194,3706 litre	O
800	CM	80	CM	27 LEVEL CM	1794,0042 litre	11,153 %	14290,9502 litre	O
800	CM	80	CM	26 LEVEL CM	1698,8398 litre	10,562 %	14386,1146 litre	O
800	CM	80	CM	25 LEVEL CM	1605,1395 litre	9,979 %	14479,8149 litre	O
800	CM	80	CM	24 LEVEL CM	1512,9541 litre	9,406 %	14572,0003 litre	O
800	CM	80	CM	23 LEVEL CM	1422,3372 litre	8,843 %	14662,6172 litre	O
800	CM	80	CM	22 LEVEL CM	1333,3453 litre	8,289 %	14751,6091 litre	O
800	CM	80	CM	21 LEVEL CM	1246,0379 litre	7,747 %	14838,9165 litre	O
800	CM	80	CM	20 LEVEL CM	1160,4781 litre	7,215 %	14924,4763 litre	O
800	CM	80	CM	19 LEVEL CM	1076,7329 litre	6,694 %	15008,2215 litre	O
800	CM	80	CM	18 LEVEL CM	994,8737 litre	6,185 %	15090,0807 litre	O
800	CM	80	CM	17 LEVEL CM	914,9772 litre	5,688 %	15169,9772 litre	O
800	CM	80	CM	16 LEVEL CM	837,1257 litre	5,204 %	15247,8287 litre	O
800	CM	80	CM	15 LEVEL CM	761,4081 litre	4,734 %	15323,5463 litre	O
800	CM	80	CM	14 LEVEL CM	687,9213 litre	4,277 %	15397,0331 litre	O
800	CM	80	CM	13 LEVEL CM	616,7711 litre	3,834 %	15468,1833 litre	O
800	CM	80	CM	12 LEVEL CM	548,0742 litre	3,407 %	15536,8802 litre	O
800	CM	80	CM	11 LEVEL CM	481,9604 litre	2,996 %	15602,9940 litre	O
800	CM	80	CM	10 LEVEL CM	418,5751 litre	2,602 %	15666,3793 litre	O
800	CM	80	CM	9 LEVEL CM	358,0838 litre	2,226 %	15726,8706 litre	O
800	CM	80	CM	8 LEVEL CM	300,6766 litre	1,869 %	15784,2778 litre	O
800	CM	80	CM	7 LEVEL CM	246,5767 litre	1,533 %	15838,3777 litre	O
800	CM	80	CM	6 LEVEL CM	196,0507 litre	1,219 %	15888,9037 litre	O
800	CM	80	CM	5 LEVEL CM	149,4272 litre	0,929 %	15935,5272 litre	O
800	CM	80	CM	4 LEVEL CM	107,1259 litre	0,666 %	15977,8285 litre	O
800	CM	80	CM	3 LEVEL CM	69,7128 litre	0,433 %	16015,2416 litre	O

800	CM	80	CM	2 LEVEL CM	38,0188 litre	0,236 %	16046,9356 litre	O
800	CM	80	CM	1 LEVEL CM	13,4671 litre	0,084 %	16071,4873 litre	O
800	CM	80	CM	0 LEVEL CM	0,0000 litre	0,000 %	16084,9544 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	75	CM	150 LEVEL CM	14137,1669 litre	100,000 %	0,0000 litre	O
800	CM	75	CM	149 LEVEL CM	14124,1292 litre	99,908 %	13,0377 litre	O
800	CM	75	CM	148 LEVEL CM	14100,3647 litre	99,740 %	36,8022 litre	O
800	CM	75	CM	147 LEVEL CM	14069,6934 litre	99,523 %	67,4735 litre	O
800	CM	75	CM	146 LEVEL CM	14033,4955 litre	99,267 %	103,6714 litre	O
800	CM	75	CM	145 LEVEL CM	13992,5770 litre	98,977 %	144,5899 litre	O
800	CM	75	CM	144 LEVEL CM	13947,4877 litre	98,658 %	189,6792 litre	O
800	CM	75	CM	143 LEVEL CM	13898,6353 litre	98,313 %	238,5316 litre	O
800	CM	75	CM	142 LEVEL CM	13846,3393 litre	97,943 %	290,8276 litre	O
800	CM	75	CM	141 LEVEL CM	13790,8592 litre	97,550 %	346,3077 litre	O
800	CM	75	CM	140 LEVEL CM	13732,4121 litre	97,137 %	404,7548 litre	O
800	CM	75	CM	139 LEVEL CM	13671,1835 litre	96,704 %	465,9834 litre	O
800	CM	75	CM	138 LEVEL CM	13607,3346 litre	96,252 %	529,8323 litre	O
800	CM	75	CM	137 LEVEL CM	13541,0073 litre	95,783 %	596,1596 litre	O
800	CM	75	CM	136 LEVEL CM	13472,3284 litre	95,297 %	664,8385 litre	O
800	CM	75	CM	135 LEVEL CM	13401,4120 litre	94,796 %	735,7549 litre	O
800	CM	75	CM	134 LEVEL CM	13328,3614 litre	94,279 %	808,8055 litre	O
800	CM	75	CM	133 LEVEL CM	13253,2715 litre	93,748 %	883,8954 litre	O
800	CM	75	CM	132 LEVEL CM	13176,2294 litre	93,203 %	960,9375 litre	O
800	CM	75	CM	131 LEVEL CM	13097,3159 litre	92,645 %	1039,8510 litre	O
800	CM	75	CM	130 LEVEL CM	13016,6060 litre	92,074 %	1120,5609 litre	O
800	CM	75	CM	129 LEVEL CM	12934,1699 litre	91,491 %	1202,9970 litre	O
800	CM	75	CM	128 LEVEL CM	12850,0735 litre	90,896 %	1287,0934 litre	O
800	CM	75	CM	127 LEVEL CM	12764,3788 litre	90,290 %	1372,7881 litre	O
800	CM	75	CM	126 LEVEL CM	12677,1444 litre	89,672 %	1460,0225 litre	O
800	CM	75	CM	125 LEVEL CM	12588,4259 litre	89,045 %	1548,7410 litre	O
800	CM	75	CM	124 LEVEL CM	12498,2761 litre	88,407 %	1638,8908 litre	O
800	CM	75	CM	123 LEVEL CM	12406,7454 litre	87,760 %	1730,4215 litre	O
800	CM	75	CM	122 LEVEL CM	12313,8818 litre	87,103 %	1823,2851 litre	O
800	CM	75	CM	121 LEVEL CM	12219,7314 litre	86,437 %	1917,4355 litre	O
800	CM	75	CM	120 LEVEL CM	12124,3385 litre	85,762 %	2012,8284 litre	O
800	CM	75	CM	119 LEVEL CM	12027,7453 litre	85,079 %	2109,4216 litre	O
800	CM	75	CM	118 LEVEL CM	11929,9930 litre	84,387 %	2207,1739 litre	O
800	CM	75	CM	117 LEVEL CM	11831,1209 litre	83,688 %	2306,0460 litre	O
800	CM	75	CM	116 LEVEL CM	11731,1673 litre	82,981 %	2405,9996 litre	O
800	CM	75	CM	115 LEVEL CM	11630,1690 litre	82,267 %	2506,9979 litre	O
800	CM	75	CM	114 LEVEL CM	11528,1618 litre	81,545 %	2609,0051 litre	O
800	CM	75	CM	113 LEVEL CM	11425,1805 litre	80,817 %	2711,9864 litre	O
800	CM	75	CM	112 LEVEL CM	11321,2588 litre	80,082 %	2815,9081 litre	O
800	CM	75	CM	111 LEVEL CM	11216,4296 litre	79,340 %	2920,7373 litre	O
800	CM	75	CM	110 LEVEL CM	11110,7249 litre	78,592 %	3026,4420 litre	O
800	CM	75	CM	109 LEVEL CM	11004,1759 litre	77,839 %	3132,9910 litre	O
800	CM	75	CM	108 LEVEL CM	10896,8131 litre	77,079 %	3240,3538 litre	O
800	CM	75	CM	107 LEVEL CM	10788,6663 litre	76,314 %	3348,5006 litre	O
800	CM	75	CM	106 LEVEL CM	10679,7646 litre	75,544 %	3457,4023 litre	O
800	CM	75	CM	105 LEVEL CM	10570,1365 litre	74,768 %	3567,0304 litre	O
800	CM	75	CM	104 LEVEL CM	10459,8102 litre	73,988 %	3677,3567 litre	O
800	CM	75	CM	103 LEVEL CM	10348,8129 litre	73,203 %	3788,3540 litre	O
800	CM	75	CM	102 LEVEL CM	10237,1717 litre	72,413 %	3899,9952 litre	O
800	CM	75	CM	101 LEVEL CM	10124,9131 litre	71,619 %	4012,2538 litre	O
800	CM	75	CM	100 LEVEL CM	10012,0631 litre	70,821 %	4125,1038 litre	O
800	CM	75	CM	99 LEVEL CM	9898,6474 litre	70,019 %	4238,5195 litre	O

800	CM	75	CM	98 LEVEL CM	9784,6913 litre	69,213 %	4352,4756 litre	O
800	CM	75	CM	97 LEVEL CM	9670,2196 litre	68,403 %	4466,9473 litre	O
800	CM	75	CM	96 LEVEL CM	9555,2570 litre	67,590 %	4581,9099 litre	O
800	CM	75	CM	95 LEVEL CM	9439,8276 litre	66,773 %	4697,3393 litre	O
800	CM	75	CM	94 LEVEL CM	9323,9556 litre	65,953 %	4813,2113 litre	O
800	CM	75	CM	93 LEVEL CM	9207,6645 litre	65,131 %	4929,5024 litre	O
800	CM	75	CM	92 LEVEL CM	9090,9779 litre	64,306 %	5046,1890 litre	O
800	CM	75	CM	91 LEVEL CM	8973,9188 litre	63,477 %	5163,2481 litre	O
800	CM	75	CM	90 LEVEL CM	8856,5104 litre	62,647 %	5280,6565 litre	O
800	CM	75	CM	89 LEVEL CM	8738,7754 litre	61,814 %	5398,3915 litre	O
800	CM	75	CM	88 LEVEL CM	8620,7363 litre	60,979 %	5516,4306 litre	O
800	CM	75	CM	87 LEVEL CM	8502,4157 litre	60,142 %	5634,7512 litre	O
800	CM	75	CM	86 LEVEL CM	8383,8356 litre	59,304 %	5753,3313 litre	O
800	CM	75	CM	85 LEVEL CM	8265,0184 litre	58,463 %	5872,1485 litre	O
800	CM	75	CM	84 LEVEL CM	8145,9858 litre	57,621 %	5991,1811 litre	O
800	CM	75	CM	83 LEVEL CM	8026,7599 litre	56,778 %	6110,4070 litre	O
800	CM	75	CM	82 LEVEL CM	7907,3623 litre	55,933 %	6229,8046 litre	O
800	CM	75	CM	81 LEVEL CM	7787,8147 litre	55,088 %	6349,3522 litre	O
800	CM	75	CM	80 LEVEL CM	7668,1387 litre	54,241 %	6469,0282 litre	O
800	CM	75	CM	79 LEVEL CM	7548,3558 litre	53,394 %	6588,8111 litre	O
800	CM	75	CM	78 LEVEL CM	7428,4874 litre	52,546 %	6708,6795 litre	O
800	CM	75	CM	77 LEVEL CM	7308,5550 litre	51,697 %	6828,6119 litre	O
800	CM	75	CM	76 LEVEL CM	7188,5799 litre	50,849 %	6948,5870 litre	O
800	CM	75	CM	75 LEVEL CM	7068,5835 litre	50,000 %	7068,5834 litre	O
800	CM	75	CM	74 LEVEL CM	6948,5870 litre	49,151 %	7188,5799 litre	O
800	CM	75	CM	73 LEVEL CM	6828,6119 litre	48,303 %	7308,5550 litre	O
800	CM	75	CM	72 LEVEL CM	6708,6795 litre	47,454 %	7428,4874 litre	O
800	CM	75	CM	71 LEVEL CM	6588,8111 litre	46,606 %	7548,3558 litre	O
800	CM	75	CM	70 LEVEL CM	6469,0282 litre	45,759 %	7668,1387 litre	O
800	CM	75	CM	69 LEVEL CM	6349,3522 litre	44,912 %	7787,8147 litre	O
800	CM	75	CM	68 LEVEL CM	6229,8046 litre	44,067 %	7907,3623 litre	O
800	CM	75	CM	67 LEVEL CM	6110,4070 litre	43,222 %	8026,7599 litre	O
800	CM	75	CM	66 LEVEL CM	5991,1811 litre	42,379 %	8145,9858 litre	O
800	CM	75	CM	65 LEVEL CM	5872,1486 litre	41,537 %	8265,0183 litre	O
800	CM	75	CM	64 LEVEL CM	5753,3313 litre	40,696 %	8383,8356 litre	O
800	CM	75	CM	63 LEVEL CM	5634,7513 litre	39,858 %	8502,4156 litre	O
800	CM	75	CM	62 LEVEL CM	5516,4306 litre	39,021 %	8620,7363 litre	O
800	CM	75	CM	61 LEVEL CM	5398,3916 litre	38,186 %	8738,7753 litre	O
800	CM	75	CM	60 LEVEL CM	5280,6565 litre	37,353 %	8856,5104 litre	O
800	CM	75	CM	59 LEVEL CM	5163,2481 litre	36,523 %	8973,9188 litre	O
800	CM	75	CM	58 LEVEL CM	5046,1891 litre	35,694 %	9090,9778 litre	O
800	CM	75	CM	57 LEVEL CM	4929,5024 litre	34,869 %	9207,6645 litre	O
800	CM	75	CM	56 LEVEL CM	4813,2114 litre	34,047 %	9323,9555 litre	O
800	CM	75	CM	55 LEVEL CM	4697,3393 litre	33,227 %	9439,8276 litre	O
800	CM	75	CM	54 LEVEL CM	4581,9100 litre	32,410 %	9555,2569 litre	O
800	CM	75	CM	53 LEVEL CM	4466,9473 litre	31,597 %	9670,2196 litre	O
800	CM	75	CM	52 LEVEL CM	4352,4757 litre	30,787 %	9784,6912 litre	O
800	CM	75	CM	51 LEVEL CM	4238,5195 litre	29,981 %	9898,6474 litre	O
800	CM	75	CM	50 LEVEL CM	4125,1038 litre	29,179 %	10012,0631 litre	O
800	CM	75	CM	49 LEVEL CM	4012,2538 litre	28,381 %	10124,9131 litre	O
800	CM	75	CM	48 LEVEL CM	3899,9952 litre	27,587 %	10237,1717 litre	O
800	CM	75	CM	47 LEVEL CM	3788,3540 litre	26,797 %	10348,8129 litre	O
800	CM	75	CM	46 LEVEL CM	3677,3568 litre	26,012 %	10459,8101 litre	O

800	CM	75	CM	45 LEVEL CM	3567,0304 litre	25,232 %	10570,1365 litre	O
800	CM	75	CM	44 LEVEL CM	3457,4024 litre	24,456 %	10679,7645 litre	O
800	CM	75	CM	43 LEVEL CM	3348,5007 litre	23,686 %	10788,6662 litre	O
800	CM	75	CM	42 LEVEL CM	3240,3539 litre	22,921 %	10896,8130 litre	O
800	CM	75	CM	41 LEVEL CM	3132,9910 litre	22,161 %	11004,1759 litre	O
800	CM	75	CM	40 LEVEL CM	3026,4420 litre	21,408 %	11110,7249 litre	O
800	CM	75	CM	39 LEVEL CM	2920,7373 litre	20,660 %	11216,4296 litre	O
800	CM	75	CM	38 LEVEL CM	2815,9081 litre	19,918 %	11321,2588 litre	O
800	CM	75	CM	37 LEVEL CM	2711,9865 litre	19,183 %	11425,1804 litre	O
800	CM	75	CM	36 LEVEL CM	2609,0051 litre	18,455 %	11528,1618 litre	O
800	CM	75	CM	35 LEVEL CM	2506,9980 litre	17,733 %	11630,1689 litre	O
800	CM	75	CM	34 LEVEL CM	2405,9997 litre	17,019 %	11731,1672 litre	O
800	CM	75	CM	33 LEVEL CM	2306,0460 litre	16,312 %	11831,1209 litre	O
800	CM	75	CM	32 LEVEL CM	2207,1739 litre	15,613 %	11929,9930 litre	O
800	CM	75	CM	31 LEVEL CM	2109,4216 litre	14,921 %	12027,7453 litre	O
800	CM	75	CM	30 LEVEL CM	2012,8285 litre	14,238 %	12124,3384 litre	O
800	CM	75	CM	29 LEVEL CM	1917,4355 litre	13,563 %	12219,7314 litre	O
800	CM	75	CM	28 LEVEL CM	1823,2851 litre	12,897 %	12313,8818 litre	O
800	CM	75	CM	27 LEVEL CM	1730,4215 litre	12,240 %	12406,7454 litre	O
800	CM	75	CM	26 LEVEL CM	1638,8908 litre	11,593 %	12498,2761 litre	O
800	CM	75	CM	25 LEVEL CM	1548,7410 litre	10,955 %	12588,4259 litre	O
800	CM	75	CM	24 LEVEL CM	1460,0226 litre	10,328 %	12677,1443 litre	O
800	CM	75	CM	23 LEVEL CM	1372,7882 litre	9,710 %	12764,3787 litre	O
800	CM	75	CM	22 LEVEL CM	1287,0935 litre	9,104 %	12850,0734 litre	O
800	CM	75	CM	21 LEVEL CM	1202,9971 litre	8,509 %	12934,1698 litre	O
800	CM	75	CM	20 LEVEL CM	1120,5610 litre	7,926 %	13016,6059 litre	O
800	CM	75	CM	19 LEVEL CM	1039,8511 litre	7,355 %	13097,3158 litre	O
800	CM	75	CM	18 LEVEL CM	960,9375 litre	6,797 %	13176,2294 litre	O
800	CM	75	CM	17 LEVEL CM	883,8955 litre	6,252 %	13253,2714 litre	O
800	CM	75	CM	16 LEVEL CM	808,8055 litre	5,721 %	13328,3614 litre	O
800	CM	75	CM	15 LEVEL CM	735,7550 litre	5,204 %	13401,4119 litre	O
800	CM	75	CM	14 LEVEL CM	664,8385 litre	4,703 %	13472,3284 litre	O
800	CM	75	CM	13 LEVEL CM	596,1596 litre	4,217 %	13541,0073 litre	O
800	CM	75	CM	12 LEVEL CM	529,8324 litre	3,748 %	13607,3345 litre	O
800	CM	75	CM	11 LEVEL CM	465,9834 litre	3,296 %	13671,1835 litre	O
800	CM	75	CM	10 LEVEL CM	404,7549 litre	2,863 %	13732,4120 litre	O
800	CM	75	CM	9 LEVEL CM	346,3078 litre	2,450 %	13790,8591 litre	O
800	CM	75	CM	8 LEVEL CM	290,8277 litre	2,057 %	13846,3392 litre	O
800	CM	75	CM	7 LEVEL CM	238,5316 litre	1,687 %	13898,6353 litre	O
800	CM	75	CM	6 LEVEL CM	189,6793 litre	1,342 %	13947,4876 litre	O
800	CM	75	CM	5 LEVEL CM	144,5899 litre	1,023 %	13992,5770 litre	O
800	CM	75	CM	4 LEVEL CM	103,6714 litre	0,733 %	14033,4955 litre	O
800	CM	75	CM	3 LEVEL CM	67,4735 litre	0,477 %	14069,6934 litre	O
800	CM	75	CM	2 LEVEL CM	36,8023 litre	0,260 %	14100,3646 litre	O
800	CM	75	CM	1 LEVEL CM	13,0378 litre	0,092 %	14124,1291 litre	O
800	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	14137,1669 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM	70	CM 140 LEVEL CM	12315,0432 litre	100,000 %	0,0000 litre	O
800	CM	70	CM 139 LEVEL CM	12302,4493 litre	99,898 %	12,5939 litre	O
800	CM	70	CM 138 LEVEL CM	12279,4991 litre	99,711 %	35,5441 litre	O
800	CM	70	CM 137 LEVEL CM	12249,8859 litre	99,471 %	65,1573 litre	O
800	CM	70	CM 136 LEVEL CM	12214,9453 litre	99,187 %	100,0979 litre	O
800	CM	70	CM 135 LEVEL CM	12175,4581 litre	98,867 %	139,5851 litre	O
800	CM	70	CM 134 LEVEL CM	12131,9570 litre	98,513 %	183,0862 litre	O
800	CM	70	CM 133 LEVEL CM	12084,8376 litre	98,131 %	230,2056 litre	O
800	CM	70	CM 132 LEVEL CM	12034,4100 litre	97,721 %	280,6332 litre	O
800	CM	70	CM 131 LEVEL CM	11980,9263 litre	97,287 %	334,1169 litre	O
800	CM	70	CM 130 LEVEL CM	11924,5977 litre	96,830 %	390,4455 litre	O
800	CM	70	CM 129 LEVEL CM	11865,6045 litre	96,350 %	449,4387 litre	O
800	CM	70	CM 128 LEVEL CM	11804,1039 litre	95,851 %	510,9393 litre	O
800	CM	70	CM 127 LEVEL CM	11740,2341 litre	95,332 %	574,8091 litre	O
800	CM	70	CM 126 LEVEL CM	11674,1189 litre	94,796 %	640,9243 litre	O
800	CM	70	CM 125 LEVEL CM	11605,8694 litre	94,241 %	709,1738 litre	O
800	CM	70	CM 124 LEVEL CM	11535,5870 litre	93,671 %	779,4562 litre	O
800	CM	70	CM 123 LEVEL CM	11463,3642 litre	93,084 %	851,6790 litre	O
800	CM	70	CM 122 LEVEL CM	11389,2865 litre	92,483 %	925,7567 litre	O
800	CM	70	CM 121 LEVEL CM	11313,4329 litre	91,867 %	1001,6103 litre	O
800	CM	70	CM 120 LEVEL CM	11235,8770 litre	91,237 %	1079,1662 litre	O
800	CM	70	CM 119 LEVEL CM	11156,6877 litre	90,594 %	1158,3555 litre	O
800	CM	70	CM 118 LEVEL CM	11075,9299 litre	89,938 %	1239,1133 litre	O
800	CM	70	CM 117 LEVEL CM	10993,6645 litre	89,270 %	1321,3787 litre	O
800	CM	70	CM 116 LEVEL CM	10909,9491 litre	88,590 %	1405,0941 litre	O
800	CM	70	CM 115 LEVEL CM	10824,8386 litre	87,899 %	1490,2046 litre	O
800	CM	70	CM 114 LEVEL CM	10738,3852 litre	87,197 %	1576,6580 litre	O
800	CM	70	CM 113 LEVEL CM	10650,6384 litre	86,485 %	1664,4048 litre	O
800	CM	70	CM 112 LEVEL CM	10561,6459 litre	85,762 %	1753,3973 litre	O
800	CM	70	CM 111 LEVEL CM	10471,4533 litre	85,030 %	1843,5899 litre	O
800	CM	70	CM 110 LEVEL CM	10380,1043 litre	84,288 %	1934,9389 litre	O
800	CM	70	CM 109 LEVEL CM	10287,6411 litre	83,537 %	2027,4021 litre	O
800	CM	70	CM 108 LEVEL CM	10194,1043 litre	82,778 %	2120,9389 litre	O
800	CM	70	CM 107 LEVEL CM	10099,5331 litre	82,010 %	2215,5101 litre	O
800	CM	70	CM 106 LEVEL CM	10003,9657 litre	81,234 %	2311,0775 litre	O
800	CM	70	CM 105 LEVEL CM	9907,4386 litre	80,450 %	2407,6046 litre	O
800	CM	70	CM 104 LEVEL CM	9809,9877 litre	79,659 %	2505,0555 litre	O
800	CM	70	CM 103 LEVEL CM	9711,6477 litre	78,860 %	2603,3955 litre	O
800	CM	70	CM 102 LEVEL CM	9612,4522 litre	78,055 %	2702,5910 litre	O
800	CM	70	CM 101 LEVEL CM	9512,4344 litre	77,242 %	2802,6088 litre	O
800	CM	70	CM 100 LEVEL CM	9411,6262 litre	76,424 %	2903,4170 litre	O
800	CM	70	CM 99 LEVEL CM	9310,0589 litre	75,599 %	3004,9843 litre	O
800	CM	70	CM 98 LEVEL CM	9207,7634 litre	74,768 %	3107,2798 litre	O
800	CM	70	CM 97 LEVEL CM	9104,7695 litre	73,932 %	3210,2737 litre	O
800	CM	70	CM 96 LEVEL CM	9001,1066 litre	73,090 %	3313,9366 litre	O
800	CM	70	CM 95 LEVEL CM	8896,8036 litre	72,243 %	3418,2396 litre	O
800	CM	70	CM 94 LEVEL CM	8791,8888 litre	71,391 %	3523,1544 litre	O
800	CM	70	CM 93 LEVEL CM	8686,3900 litre	70,535 %	3628,6532 litre	O
800	CM	70	CM 92 LEVEL CM	8580,3345 litre	69,674 %	3734,7087 litre	O
800	CM	70	CM 91 LEVEL CM	8473,7493 litre	68,808 %	3841,2939 litre	O
800	CM	70	CM 90 LEVEL CM	8366,6609 litre	67,939 %	3948,3823 litre	O
800	CM	70	CM 89 LEVEL CM	8259,0954 litre	67,065 %	4055,9478 litre	O

800	CM	70	CM	88 LEVEL CM	8151,0787 litre	66,188 %	4163,9645 litre	O
800	CM	70	CM	87 LEVEL CM	8042,6362 litre	65,307 %	4272,4070 litre	O
800	CM	70	CM	86 LEVEL CM	7933,7932 litre	64,424 %	4381,2500 litre	O
800	CM	70	CM	85 LEVEL CM	7824,5744 litre	63,537 %	4490,4688 litre	O
800	CM	70	CM	84 LEVEL CM	7715,0046 litre	62,647 %	4600,0386 litre	O
800	CM	70	CM	83 LEVEL CM	7605,1082 litre	61,755 %	4709,9350 litre	O
800	CM	70	CM	82 LEVEL CM	7494,9094 litre	60,860 %	4820,1338 litre	O
800	CM	70	CM	81 LEVEL CM	7384,4322 litre	59,963 %	4930,6110 litre	O
800	CM	70	CM	80 LEVEL CM	7273,7003 litre	59,064 %	5041,3429 litre	O
800	CM	70	CM	79 LEVEL CM	7162,7375 litre	58,163 %	5152,3057 litre	O
800	CM	70	CM	78 LEVEL CM	7051,5673 litre	57,260 %	5263,4759 litre	O
800	CM	70	CM	77 LEVEL CM	6940,2130 litre	56,356 %	5374,8302 litre	O
800	CM	70	CM	76 LEVEL CM	6828,6978 litre	55,450 %	5486,3454 litre	O
800	CM	70	CM	75 LEVEL CM	6717,0450 litre	54,543 %	5597,9982 litre	O
800	CM	70	CM	74 LEVEL CM	6605,2777 litre	53,636 %	5709,7655 litre	O
800	CM	70	CM	73 LEVEL CM	6493,4187 litre	52,728 %	5821,6245 litre	O
800	CM	70	CM	72 LEVEL CM	6381,4911 litre	51,819 %	5933,5521 litre	O
800	CM	70	CM	71 LEVEL CM	6269,5178 litre	50,909 %	6045,5254 litre	O
800	CM	70	CM	70 LEVEL CM	6157,5216 litre	50,000 %	6157,5216 litre	O
800	CM	70	CM	69 LEVEL CM	6045,5254 litre	49,091 %	6269,5178 litre	O
800	CM	70	CM	68 LEVEL CM	5933,5521 litre	48,181 %	6381,4911 litre	O
800	CM	70	CM	67 LEVEL CM	5821,6245 litre	47,272 %	6493,4187 litre	O
800	CM	70	CM	66 LEVEL CM	5709,7655 litre	46,364 %	6605,2777 litre	O
800	CM	70	CM	65 LEVEL CM	5597,9982 litre	45,457 %	6717,0450 litre	O
800	CM	70	CM	64 LEVEL CM	5486,3454 litre	44,550 %	6828,6978 litre	O
800	CM	70	CM	63 LEVEL CM	5374,8302 litre	43,644 %	6940,2130 litre	O
800	CM	70	CM	62 LEVEL CM	5263,4759 litre	42,740 %	7051,5673 litre	O
800	CM	70	CM	61 LEVEL CM	5152,3057 litre	41,837 %	7162,7375 litre	O
800	CM	70	CM	60 LEVEL CM	5041,3429 litre	40,936 %	7273,7003 litre	O
800	CM	70	CM	59 LEVEL CM	4930,6110 litre	40,037 %	7384,4322 litre	O
800	CM	70	CM	58 LEVEL CM	4820,1338 litre	39,140 %	7494,9094 litre	O
800	CM	70	CM	57 LEVEL CM	4709,9350 litre	38,245 %	7605,1082 litre	O
800	CM	70	CM	56 LEVEL CM	4600,0386 litre	37,353 %	7715,0046 litre	O
800	CM	70	CM	55 LEVEL CM	4490,4688 litre	36,463 %	7824,5744 litre	O
800	CM	70	CM	54 LEVEL CM	4381,2500 litre	35,576 %	7933,7932 litre	O
800	CM	70	CM	53 LEVEL CM	4272,4070 litre	34,693 %	8042,6362 litre	O
800	CM	70	CM	52 LEVEL CM	4163,9645 litre	33,812 %	8151,0787 litre	O
800	CM	70	CM	51 LEVEL CM	4055,9478 litre	32,935 %	8259,0954 litre	O
800	CM	70	CM	50 LEVEL CM	3948,3823 litre	32,061 %	8366,6609 litre	O
800	CM	70	CM	49 LEVEL CM	3841,2939 litre	31,192 %	8473,7493 litre	O
800	CM	70	CM	48 LEVEL CM	3734,7087 litre	30,326 %	8580,3345 litre	O
800	CM	70	CM	47 LEVEL CM	3628,6532 litre	29,465 %	8686,3900 litre	O
800	CM	70	CM	46 LEVEL CM	3523,1544 litre	28,609 %	8791,8888 litre	O
800	CM	70	CM	45 LEVEL CM	3418,2396 litre	27,757 %	8896,8036 litre	O
800	CM	70	CM	44 LEVEL CM	3313,9366 litre	26,910 %	9001,1066 litre	O
800	CM	70	CM	43 LEVEL CM	3210,2737 litre	26,068 %	9104,7695 litre	O
800	CM	70	CM	42 LEVEL CM	3107,2798 litre	25,232 %	9207,7634 litre	O
800	CM	70	CM	41 LEVEL CM	3004,9843 litre	24,401 %	9310,0589 litre	O
800	CM	70	CM	40 LEVEL CM	2903,4170 litre	23,576 %	9411,6262 litre	O
800	CM	70	CM	39 LEVEL CM	2802,6088 litre	22,758 %	9512,4344 litre	O
800	CM	70	CM	38 LEVEL CM	2702,5910 litre	21,945 %	9612,4522 litre	O
800	CM	70	CM	37 LEVEL CM	2603,3955 litre	21,140 %	9711,6477 litre	O
800	CM	70	CM	36 LEVEL CM	2505,0555 litre	20,341 %	9809,9877 litre	O

800	CM	70	CM	35 LEVEL CM	2407,6046 litre	19,550 %	9907,4386 litre	O
800	CM	70	CM	34 LEVEL CM	2311,0776 litre	18,766 %	10003,9656 litre	O
800	CM	70	CM	33 LEVEL CM	2215,5101 litre	17,990 %	10099,5331 litre	O
800	CM	70	CM	32 LEVEL CM	2120,9389 litre	17,222 %	10194,1043 litre	O
800	CM	70	CM	31 LEVEL CM	2027,4021 litre	16,463 %	10287,6411 litre	O
800	CM	70	CM	30 LEVEL CM	1934,9389 litre	15,712 %	10380,1043 litre	O
800	CM	70	CM	29 LEVEL CM	1843,5899 litre	14,970 %	10471,4533 litre	O
800	CM	70	CM	28 LEVEL CM	1753,3973 litre	14,238 %	10561,6459 litre	O
800	CM	70	CM	27 LEVEL CM	1664,4048 litre	13,515 %	10650,6384 litre	O
800	CM	70	CM	26 LEVEL CM	1576,6580 litre	12,803 %	10738,3852 litre	O
800	CM	70	CM	25 LEVEL CM	1490,2046 litre	12,101 %	10824,8386 litre	O
800	CM	70	CM	24 LEVEL CM	1405,0941 litre	11,410 %	10909,9491 litre	O
800	CM	70	CM	23 LEVEL CM	1321,3788 litre	10,730 %	10993,6644 litre	O
800	CM	70	CM	22 LEVEL CM	1239,1133 litre	10,062 %	11075,9299 litre	O
800	CM	70	CM	21 LEVEL CM	1158,3555 litre	9,406 %	11156,6877 litre	O
800	CM	70	CM	20 LEVEL CM	1079,1662 litre	8,763 %	11235,8770 litre	O
800	CM	70	CM	19 LEVEL CM	1001,6103 litre	8,133 %	11313,4329 litre	O
800	CM	70	CM	18 LEVEL CM	925,7567 litre	7,517 %	11389,2865 litre	O
800	CM	70	CM	17 LEVEL CM	851,6790 litre	6,916 %	11463,3642 litre	O
800	CM	70	CM	16 LEVEL CM	779,4562 litre	6,329 %	11535,5870 litre	O
800	CM	70	CM	15 LEVEL CM	709,1738 litre	5,759 %	11605,8694 litre	O
800	CM	70	CM	14 LEVEL CM	640,9243 litre	5,204 %	11674,1189 litre	O
800	CM	70	CM	13 LEVEL CM	574,8091 litre	4,668 %	11740,2341 litre	O
800	CM	70	CM	12 LEVEL CM	510,9393 litre	4,149 %	11804,1039 litre	O
800	CM	70	CM	11 LEVEL CM	449,4387 litre	3,650 %	11865,6045 litre	O
800	CM	70	CM	10 LEVEL CM	390,4455 litre	3,170 %	11924,5977 litre	O
800	CM	70	CM	9 LEVEL CM	334,1169 litre	2,713 %	11980,9263 litre	O
800	CM	70	CM	8 LEVEL CM	280,6332 litre	2,279 %	12034,4100 litre	O
800	CM	70	CM	7 LEVEL CM	230,2056 litre	1,869 %	12084,8376 litre	O
800	CM	70	CM	6 LEVEL CM	183,0862 litre	1,487 %	12131,9570 litre	O
800	CM	70	CM	5 LEVEL CM	139,5851 litre	1,133 %	12175,4581 litre	O
800	CM	70	CM	4 LEVEL CM	100,0979 litre	0,813 %	12214,9453 litre	O
800	CM	70	CM	3 LEVEL CM	65,1573 litre	0,529 %	12249,8859 litre	O
800	CM	70	CM	2 LEVEL CM	35,5441 litre	0,289 %	12279,4991 litre	O
800	CM	70	CM	1 LEVEL CM	12,5939 litre	0,102 %	12302,4493 litre	O
800	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	12315,0432 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	65	CM	130 LEVEL CM	10618,5832 litre	100,000 %	0,0000 litre	O
800	CM	65	CM	129 LEVEL CM	10606,4494 litre	99,886 %	12,1338 litre	O
800	CM	65	CM	128 LEVEL CM	10584,3434 litre	99,678 %	34,2398 litre	O
800	CM	65	CM	127 LEVEL CM	10555,8276 litre	99,409 %	62,7556 litre	O
800	CM	65	CM	126 LEVEL CM	10522,1913 litre	99,092 %	96,3919 litre	O
800	CM	65	CM	125 LEVEL CM	10484,1892 litre	98,734 %	134,3940 litre	O
800	CM	65	CM	124 LEVEL CM	10442,3366 litre	98,340 %	176,2466 litre	O
800	CM	65	CM	123 LEVEL CM	10397,0164 litre	97,913 %	221,5668 litre	O
800	CM	65	CM	122 LEVEL CM	10348,5291 litre	97,457 %	270,0541 litre	O
800	CM	65	CM	121 LEVEL CM	10297,1193 litre	96,973 %	321,4639 litre	O
800	CM	65	CM	120 LEVEL CM	10242,9919 litre	96,463 %	375,5913 litre	O
800	CM	65	CM	119 LEVEL CM	10186,3224 litre	95,929 %	432,2608 litre	O
800	CM	65	CM	118 LEVEL CM	10127,2633 litre	95,373 %	491,3199 litre	O
800	CM	65	CM	117 LEVEL CM	10065,9494 litre	94,796 %	552,6338 litre	O
800	CM	65	CM	116 LEVEL CM	10002,5013 litre	94,198 %	616,0819 litre	O
800	CM	65	CM	115 LEVEL CM	9937,0275 litre	93,581 %	681,5557 litre	O
800	CM	65	CM	114 LEVEL CM	9869,6268 litre	92,947 %	748,9564 litre	O
800	CM	65	CM	113 LEVEL CM	9800,3898 litre	92,295 %	818,1934 litre	O
800	CM	65	CM	112 LEVEL CM	9729,4001 litre	91,626 %	889,1831 litre	O
800	CM	65	CM	111 LEVEL CM	9656,7351 litre	90,942 %	961,8481 litre	O
800	CM	65	CM	110 LEVEL CM	9582,4670 litre	90,242 %	1036,1162 litre	O
800	CM	65	CM	109 LEVEL CM	9506,6636 litre	89,529 %	1111,9196 litre	O
800	CM	65	CM	108 LEVEL CM	9429,3884 litre	88,801 %	1189,1948 litre	O
800	CM	65	CM	107 LEVEL CM	9350,7015 litre	88,060 %	1267,8817 litre	O
800	CM	65	CM	106 LEVEL CM	9270,6598 litre	87,306 %	1347,9234 litre	O
800	CM	65	CM	105 LEVEL CM	9189,3172 litre	86,540 %	1429,2660 litre	O
800	CM	65	CM	104 LEVEL CM	9106,7253 litre	85,762 %	1511,8579 litre	O
800	CM	65	CM	103 LEVEL CM	9022,9333 litre	84,973 %	1595,6499 litre	O
800	CM	65	CM	102 LEVEL CM	8937,9881 litre	84,173 %	1680,5951 litre	O
800	CM	65	CM	101 LEVEL CM	8851,9350 litre	83,363 %	1766,6482 litre	O
800	CM	65	CM	100 LEVEL CM	8764,8176 litre	82,542 %	1853,7656 litre	O
800	CM	65	CM	99 LEVEL CM	8676,6775 litre	81,712 %	1941,9057 litre	O
800	CM	65	CM	98 LEVEL CM	8587,5554 litre	80,873 %	2031,0278 litre	O
800	CM	65	CM	97 LEVEL CM	8497,4904 litre	80,025 %	2121,0928 litre	O
800	CM	65	CM	96 LEVEL CM	8406,5203 litre	79,168 %	2212,0629 litre	O
800	CM	65	CM	95 LEVEL CM	8314,6819 litre	78,303 %	2303,9013 litre	O
800	CM	65	CM	94 LEVEL CM	8222,0110 litre	77,430 %	2396,5722 litre	O
800	CM	65	CM	93 LEVEL CM	8128,5424 litre	76,550 %	2490,0408 litre	O
800	CM	65	CM	92 LEVEL CM	8034,3101 litre	75,663 %	2584,2731 litre	O
800	CM	65	CM	91 LEVEL CM	7939,3470 litre	74,768 %	2679,2362 litre	O
800	CM	65	CM	90 LEVEL CM	7843,6856 litre	73,868 %	2774,8976 litre	O
800	CM	65	CM	89 LEVEL CM	7747,3574 litre	72,960 %	2871,2258 litre	O
800	CM	65	CM	88 LEVEL CM	7650,3935 litre	72,047 %	2968,1897 litre	O
800	CM	65	CM	87 LEVEL CM	7552,8243 litre	71,128 %	3065,7589 litre	O
800	CM	65	CM	86 LEVEL CM	7454,6795 litre	70,204 %	3163,9037 litre	O
800	CM	65	CM	85 LEVEL CM	7355,9885 litre	69,275 %	3262,5947 litre	O
800	CM	65	CM	84 LEVEL CM	7256,7800 litre	68,340 %	3361,8032 litre	O
800	CM	65	CM	83 LEVEL CM	7157,0824 litre	67,401 %	3461,5008 litre	O
800	CM	65	CM	82 LEVEL CM	7056,9237 litre	66,458 %	3561,6595 litre	O
800	CM	65	CM	81 LEVEL CM	6956,3313 litre	65,511 %	3662,2519 litre	O
800	CM	65	CM	80 LEVEL CM	6855,3327 litre	64,560 %	3763,2505 litre	O
800	CM	65	CM	79 LEVEL CM	6753,9545 litre	63,605 %	3864,6287 litre	O

800	CM	65	CM	78 LEVEL CM	6652,2234 litre	62,647 %	3966,3598 litre	O
800	CM	65	CM	77 LEVEL CM	6550,1657 litre	61,686 %	4068,4175 litre	O
800	CM	65	CM	76 LEVEL CM	6447,8074 litre	60,722 %	4170,7758 litre	O
800	CM	65	CM	75 LEVEL CM	6345,1743 litre	59,755 %	4273,4089 litre	O
800	CM	65	CM	74 LEVEL CM	6242,2922 litre	58,786 %	4376,2910 litre	O
800	CM	65	CM	73 LEVEL CM	6139,1863 litre	57,815 %	4479,3969 litre	O
800	CM	65	CM	72 LEVEL CM	6035,8819 litre	56,843 %	4582,7013 litre	O
800	CM	65	CM	71 LEVEL CM	5932,4043 litre	55,868 %	4686,1789 litre	O
800	CM	65	CM	70 LEVEL CM	5828,7783 litre	54,892 %	4789,8049 litre	O
800	CM	65	CM	69 LEVEL CM	5725,0289 litre	53,915 %	4893,5543 litre	O
800	CM	65	CM	68 LEVEL CM	5621,1808 litre	52,937 %	4997,4024 litre	O
800	CM	65	CM	67 LEVEL CM	5517,2588 litre	51,959 %	5101,3244 litre	O
800	CM	65	CM	66 LEVEL CM	5413,2875 litre	50,979 %	5205,2957 litre	O
800	CM	65	CM	65 LEVEL CM	5309,2916 litre	50,000 %	5309,2916 litre	O
800	CM	65	CM	64 LEVEL CM	5205,2957 litre	49,021 %	5413,2875 litre	O
800	CM	65	CM	63 LEVEL CM	5101,3244 litre	48,041 %	5517,2588 litre	O
800	CM	65	CM	62 LEVEL CM	4997,4024 litre	47,063 %	5621,1808 litre	O
800	CM	65	CM	61 LEVEL CM	4893,5543 litre	46,085 %	5725,0289 litre	O
800	CM	65	CM	60 LEVEL CM	4789,8049 litre	45,108 %	5828,7783 litre	O
800	CM	65	CM	59 LEVEL CM	4686,1789 litre	44,132 %	5932,4043 litre	O
800	CM	65	CM	58 LEVEL CM	4582,7012 litre	43,157 %	6035,8820 litre	O
800	CM	65	CM	57 LEVEL CM	4479,3969 litre	42,185 %	6139,1863 litre	O
800	CM	65	CM	56 LEVEL CM	4376,2910 litre	41,214 %	6242,2922 litre	O
800	CM	65	CM	55 LEVEL CM	4273,4088 litre	40,245 %	6345,1744 litre	O
800	CM	65	CM	54 LEVEL CM	4170,7758 litre	39,278 %	6447,8074 litre	O
800	CM	65	CM	53 LEVEL CM	4068,4175 litre	38,314 %	6550,1657 litre	O
800	CM	65	CM	52 LEVEL CM	3966,3598 litre	37,353 %	6652,2234 litre	O
800	CM	65	CM	51 LEVEL CM	3864,6287 litre	36,395 %	6753,9545 litre	O
800	CM	65	CM	50 LEVEL CM	3763,2505 litre	35,440 %	6855,3327 litre	O
800	CM	65	CM	49 LEVEL CM	3662,2518 litre	34,489 %	6956,3314 litre	O
800	CM	65	CM	48 LEVEL CM	3561,6595 litre	33,542 %	7056,9237 litre	O
800	CM	65	CM	47 LEVEL CM	3461,5008 litre	32,599 %	7157,0824 litre	O
800	CM	65	CM	46 LEVEL CM	3361,8032 litre	31,660 %	7256,7800 litre	O
800	CM	65	CM	45 LEVEL CM	3262,5947 litre	30,725 %	7355,9885 litre	O
800	CM	65	CM	44 LEVEL CM	3163,9037 litre	29,796 %	7454,6795 litre	O
800	CM	65	CM	43 LEVEL CM	3065,7589 litre	28,872 %	7552,8243 litre	O
800	CM	65	CM	42 LEVEL CM	2968,1896 litre	27,953 %	7650,3936 litre	O
800	CM	65	CM	41 LEVEL CM	2871,2257 litre	27,040 %	7747,3575 litre	O
800	CM	65	CM	40 LEVEL CM	2774,8976 litre	26,132 %	7843,6856 litre	O
800	CM	65	CM	39 LEVEL CM	2679,2362 litre	25,232 %	7939,3470 litre	O
800	CM	65	CM	38 LEVEL CM	2584,2731 litre	24,337 %	8034,3101 litre	O
800	CM	65	CM	37 LEVEL CM	2490,0407 litre	23,450 %	8128,5425 litre	O
800	CM	65	CM	36 LEVEL CM	2396,5722 litre	22,570 %	8222,0110 litre	O
800	CM	65	CM	35 LEVEL CM	2303,9013 litre	21,697 %	8314,6819 litre	O
800	CM	65	CM	34 LEVEL CM	2212,0629 litre	20,832 %	8406,5203 litre	O
800	CM	65	CM	33 LEVEL CM	2121,0928 litre	19,975 %	8497,4904 litre	O
800	CM	65	CM	32 LEVEL CM	2031,0277 litre	19,127 %	8587,5555 litre	O
800	CM	65	CM	31 LEVEL CM	1941,9056 litre	18,288 %	8676,6776 litre	O
800	CM	65	CM	30 LEVEL CM	1853,7656 litre	17,458 %	8764,8176 litre	O
800	CM	65	CM	29 LEVEL CM	1766,6481 litre	16,637 %	8851,9351 litre	O
800	CM	65	CM	28 LEVEL CM	1680,5951 litre	15,827 %	8937,9881 litre	O
800	CM	65	CM	27 LEVEL CM	1595,6499 litre	15,027 %	9022,9333 litre	O
800	CM	65	CM	26 LEVEL CM	1511,8578 litre	14,238 %	9106,7254 litre	O

800	CM	65	CM	25 LEVEL CM	1429,2659 litre	13,460 %	9189,3173 litre	O
800	CM	65	CM	24 LEVEL CM	1347,9234 litre	12,694 %	9270,6598 litre	O
800	CM	65	CM	23 LEVEL CM	1267,8816 litre	11,940 %	9350,7016 litre	O
800	CM	65	CM	22 LEVEL CM	1189,1948 litre	11,199 %	9429,3884 litre	O
800	CM	65	CM	21 LEVEL CM	1111,9196 litre	10,471 %	9506,6636 litre	O
800	CM	65	CM	20 LEVEL CM	1036,1161 litre	9,758 %	9582,4671 litre	O
800	CM	65	CM	19 LEVEL CM	961,8481 litre	9,058 %	9656,7351 litre	O
800	CM	65	CM	18 LEVEL CM	889,1831 litre	8,374 %	9729,4001 litre	O
800	CM	65	CM	17 LEVEL CM	818,1934 litre	7,705 %	9800,3898 litre	O
800	CM	65	CM	16 LEVEL CM	748,9564 litre	7,053 %	9869,6268 litre	O
800	CM	65	CM	15 LEVEL CM	681,5557 litre	6,419 %	9937,0275 litre	O
800	CM	65	CM	14 LEVEL CM	616,0819 litre	5,802 %	10002,5013 litre	O
800	CM	65	CM	13 LEVEL CM	552,6337 litre	5,204 %	10065,9495 litre	O
800	CM	65	CM	12 LEVEL CM	491,3199 litre	4,627 %	10127,2633 litre	O
800	CM	65	CM	11 LEVEL CM	432,2608 litre	4,071 %	10186,3224 litre	O
800	CM	65	CM	10 LEVEL CM	375,5912 litre	3,537 %	10242,9920 litre	O
800	CM	65	CM	9 LEVEL CM	321,4639 litre	3,027 %	10297,1193 litre	O
800	CM	65	CM	8 LEVEL CM	270,0541 litre	2,543 %	10348,5291 litre	O
800	CM	65	CM	7 LEVEL CM	221,5668 litre	2,087 %	10397,0164 litre	O
800	CM	65	CM	6 LEVEL CM	176,2466 litre	1,660 %	10442,3366 litre	O
800	CM	65	CM	5 LEVEL CM	134,3940 litre	1,266 %	10484,1892 litre	O
800	CM	65	CM	4 LEVEL CM	96,3919 litre	0,908 %	10522,1913 litre	O
800	CM	65	CM	3 LEVEL CM	62,7556 litre	0,591 %	10555,8276 litre	O
800	CM	65	CM	2 LEVEL CM	34,2398 litre	0,322 %	10584,3434 litre	O
800	CM	65	CM	1 LEVEL CM	12,1338 litre	0,114 %	10606,4494 litre	O
800	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	10618,5832 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM	60	CM 120 LEVEL CM	9047,7868 litre	100,000 %	0,0000 litre	O
800	CM	60	CM 119 LEVEL CM	9036,1313 litre	99,871 %	11,6555 litre	O
800	CM	60	CM 118 LEVEL CM	9014,9031 litre	99,637 %	32,8837 litre	O
800	CM	60	CM 117 LEVEL CM	8987,5285 litre	99,334 %	60,2583 litre	O
800	CM	60	CM 116 LEVEL CM	8955,2493 litre	98,977 %	92,5375 litre	O
800	CM	60	CM 115 LEVEL CM	8918,7927 litre	98,574 %	128,9941 litre	O
800	CM	60	CM 114 LEVEL CM	8878,6562 litre	98,131 %	169,1306 litre	O
800	CM	60	CM 113 LEVEL CM	8835,2097 litre	97,651 %	212,5771 litre	O
800	CM	60	CM 112 LEVEL CM	8788,7437 litre	97,137 %	259,0431 litre	O
800	CM	60	CM 111 LEVEL CM	8739,4951 litre	96,593 %	308,2917 litre	O
800	CM	60	CM 110 LEVEL CM	8687,6624 litre	96,020 %	360,1244 litre	O
800	CM	60	CM 109 LEVEL CM	8633,4158 litre	95,420 %	414,3710 litre	O
800	CM	60	CM 108 LEVEL CM	8576,9036 litre	94,796 %	470,8832 litre	O
800	CM	60	CM 107 LEVEL CM	8518,2570 litre	94,147 %	529,5298 litre	O
800	CM	60	CM 106 LEVEL CM	8457,5931 litre	93,477 %	590,1937 litre	O
800	CM	60	CM 105 LEVEL CM	8395,0179 litre	92,785 %	652,7689 litre	O
800	CM	60	CM 104 LEVEL CM	8330,6278 litre	92,074 %	717,1590 litre	O
800	CM	60	CM 103 LEVEL CM	8264,5113 litre	91,343 %	783,2755 litre	O
800	CM	60	CM 102 LEVEL CM	8196,7502 litre	90,594 %	851,0366 litre	O
800	CM	60	CM 101 LEVEL CM	8127,4203 litre	89,828 %	920,3665 litre	O
800	CM	60	CM 100 LEVEL CM	8056,5926 litre	89,045 %	991,1942 litre	O
800	CM	60	CM 99 LEVEL CM	7984,3334 litre	88,246 %	1063,4534 litre	O
800	CM	60	CM 98 LEVEL CM	7910,7055 litre	87,432 %	1137,0813 litre	O
800	CM	60	CM 97 LEVEL CM	7835,7678 litre	86,604 %	1212,0190 litre	O
800	CM	60	CM 96 LEVEL CM	7759,5766 litre	85,762 %	1288,2102 litre	O
800	CM	60	CM 95 LEVEL CM	7682,1852 litre	84,907 %	1365,6016 litre	O
800	CM	60	CM 94 LEVEL CM	7603,6445 litre	84,039 %	1444,1423 litre	O
800	CM	60	CM 93 LEVEL CM	7524,0032 litre	83,158 %	1523,7836 litre	O
800	CM	60	CM 92 LEVEL CM	7443,3081 litre	82,267 %	1604,4787 litre	O
800	CM	60	CM 91 LEVEL CM	7361,6041 litre	81,364 %	1686,1827 litre	O
800	CM	60	CM 90 LEVEL CM	7278,9345 litre	80,450 %	1768,8523 litre	O
800	CM	60	CM 89 LEVEL CM	7195,3409 litre	79,526 %	1852,4459 litre	O
800	CM	60	CM 88 LEVEL CM	7110,8639 litre	78,592 %	1936,9229 litre	O
800	CM	60	CM 87 LEVEL CM	7025,5426 litre	77,649 %	2022,2442 litre	O
800	CM	60	CM 86 LEVEL CM	6939,4149 litre	76,697 %	2108,3719 litre	O
800	CM	60	CM 85 LEVEL CM	6852,5179 litre	75,737 %	2195,2689 litre	O
800	CM	60	CM 84 LEVEL CM	6764,8874 litre	74,768 %	2282,8994 litre	O
800	CM	60	CM 83 LEVEL CM	6676,5585 litre	73,792 %	2371,2283 litre	O
800	CM	60	CM 82 LEVEL CM	6587,5655 litre	72,809 %	2460,2213 litre	O
800	CM	60	CM 81 LEVEL CM	6497,9419 litre	71,818 %	2549,8449 litre	O
800	CM	60	CM 80 LEVEL CM	6407,7204 litre	70,821 %	2640,0664 litre	O
800	CM	60	CM 79 LEVEL CM	6316,9332 litre	69,817 %	2730,8536 litre	O
800	CM	60	CM 78 LEVEL CM	6225,6117 litre	68,808 %	2822,1751 litre	O
800	CM	60	CM 77 LEVEL CM	6133,7871 litre	67,793 %	2913,9997 litre	O
800	CM	60	CM 76 LEVEL CM	6041,4897 litre	66,773 %	3006,2971 litre	O
800	CM	60	CM 75 LEVEL CM	5948,7496 litre	65,748 %	3099,0372 litre	O
800	CM	60	CM 74 LEVEL CM	5855,5963 litre	64,719 %	3192,1905 litre	O
800	CM	60	CM 73 LEVEL CM	5762,0590 litre	63,685 %	3285,7278 litre	O
800	CM	60	CM 72 LEVEL CM	5668,1667 litre	62,647 %	3379,6201 litre	O
800	CM	60	CM 71 LEVEL CM	5573,9477 litre	61,606 %	3473,8391 litre	O
800	CM	60	CM 70 LEVEL CM	5479,4303 litre	60,561 %	3568,3565 litre	O
800	CM	60	CM 69 LEVEL CM	5384,6424 litre	59,513 %	3663,1444 litre	O

800	CM	60	CM	68 LEVEL CM	5289,6118 litre	58,463 %	3758,1750 litre	O
800	CM	60	CM	67 LEVEL CM	5194,3658 litre	57,410 %	3853,4210 litre	O
800	CM	60	CM	66 LEVEL CM	5098,9320 litre	56,356 %	3948,8548 litre	O
800	CM	60	CM	65 LEVEL CM	5003,3373 litre	55,299 %	4044,4495 litre	O
800	CM	60	CM	64 LEVEL CM	4907,6088 litre	54,241 %	4140,1780 litre	O
800	CM	60	CM	63 LEVEL CM	4811,7734 litre	53,182 %	4236,0134 litre	O
800	CM	60	CM	62 LEVEL CM	4715,8579 litre	52,122 %	4331,9289 litre	O
800	CM	60	CM	61 LEVEL CM	4619,8890 litre	51,061 %	4427,8978 litre	O
800	CM	60	CM	60 LEVEL CM	4523,8934 litre	50,000 %	4523,8934 litre	O
800	CM	60	CM	59 LEVEL CM	4427,8979 litre	48,939 %	4619,8889 litre	O
800	CM	60	CM	58 LEVEL CM	4331,9290 litre	47,878 %	4715,8578 litre	O
800	CM	60	CM	57 LEVEL CM	4236,0135 litre	46,818 %	4811,7733 litre	O
800	CM	60	CM	56 LEVEL CM	4140,1781 litre	45,759 %	4907,6087 litre	O
800	CM	60	CM	55 LEVEL CM	4044,4496 litre	44,701 %	5003,3372 litre	O
800	CM	60	CM	54 LEVEL CM	3948,8549 litre	43,644 %	5098,9319 litre	O
800	CM	60	CM	53 LEVEL CM	3853,4210 litre	42,590 %	5194,3658 litre	O
800	CM	60	CM	52 LEVEL CM	3758,1751 litre	41,537 %	5289,6117 litre	O
800	CM	60	CM	51 LEVEL CM	3663,1444 litre	40,487 %	5384,6424 litre	O
800	CM	60	CM	50 LEVEL CM	3568,3566 litre	39,439 %	5479,4302 litre	O
800	CM	60	CM	49 LEVEL CM	3473,8392 litre	38,394 %	5573,9476 litre	O
800	CM	60	CM	48 LEVEL CM	3379,6202 litre	37,353 %	5668,1666 litre	O
800	CM	60	CM	47 LEVEL CM	3285,7278 litre	36,315 %	5762,0590 litre	O
800	CM	60	CM	46 LEVEL CM	3192,1906 litre	35,281 %	5855,5962 litre	O
800	CM	60	CM	45 LEVEL CM	3099,0373 litre	34,252 %	5948,7495 litre	O
800	CM	60	CM	44 LEVEL CM	3006,2972 litre	33,227 %	6041,4896 litre	O
800	CM	60	CM	43 LEVEL CM	2913,9998 litre	32,207 %	6133,7870 litre	O
800	CM	60	CM	42 LEVEL CM	2822,1751 litre	31,192 %	6225,6117 litre	O
800	CM	60	CM	41 LEVEL CM	2730,8537 litre	30,183 %	6316,9331 litre	O
800	CM	60	CM	40 LEVEL CM	2640,0664 litre	29,179 %	6407,7204 litre	O
800	CM	60	CM	39 LEVEL CM	2549,8449 litre	28,182 %	6497,9419 litre	O
800	CM	60	CM	38 LEVEL CM	2460,2213 litre	27,191 %	6587,5655 litre	O
800	CM	60	CM	37 LEVEL CM	2371,2283 litre	26,208 %	6676,5585 litre	O
800	CM	60	CM	36 LEVEL CM	2282,8995 litre	25,232 %	6764,8873 litre	O
800	CM	60	CM	35 LEVEL CM	2195,2690 litre	24,263 %	6852,5178 litre	O
800	CM	60	CM	34 LEVEL CM	2108,3719 litre	23,303 %	6939,4149 litre	O
800	CM	60	CM	33 LEVEL CM	2022,2442 litre	22,351 %	7025,5426 litre	O
800	CM	60	CM	32 LEVEL CM	1936,9229 litre	21,408 %	7110,8639 litre	O
800	CM	60	CM	31 LEVEL CM	1852,4459 litre	20,474 %	7195,3409 litre	O
800	CM	60	CM	30 LEVEL CM	1768,8524 litre	19,550 %	7278,9344 litre	O
800	CM	60	CM	29 LEVEL CM	1686,1827 litre	18,636 %	7361,6041 litre	O
800	CM	60	CM	28 LEVEL CM	1604,4787 litre	17,733 %	7443,3081 litre	O
800	CM	60	CM	27 LEVEL CM	1523,7836 litre	16,842 %	7524,0032 litre	O
800	CM	60	CM	26 LEVEL CM	1444,1423 litre	15,961 %	7603,6445 litre	O
800	CM	60	CM	25 LEVEL CM	1365,6016 litre	15,093 %	7682,1852 litre	O
800	CM	60	CM	24 LEVEL CM	1288,2102 litre	14,238 %	7759,5766 litre	O
800	CM	60	CM	23 LEVEL CM	1212,0190 litre	13,396 %	7835,7678 litre	O
800	CM	60	CM	22 LEVEL CM	1137,0814 litre	12,568 %	7910,7054 litre	O
800	CM	60	CM	21 LEVEL CM	1063,4534 litre	11,754 %	7984,3334 litre	O
800	CM	60	CM	20 LEVEL CM	991,1943 litre	10,955 %	8056,5925 litre	O
800	CM	60	CM	19 LEVEL CM	920,3665 litre	10,172 %	8127,4203 litre	O
800	CM	60	CM	18 LEVEL CM	851,0367 litre	9,406 %	8196,7501 litre	O
800	CM	60	CM	17 LEVEL CM	783,2755 litre	8,657 %	8264,5113 litre	O
800	CM	60	CM	16 LEVEL CM	717,1590 litre	7,926 %	8330,6278 litre	O

800	CM	60	CM	15 LEVEL CM	652,7689 litre	7,215 %	8395,0179 litre	O
800	CM	60	CM	14 LEVEL CM	590,1937 litre	6,523 %	8457,5931 litre	O
800	CM	60	CM	13 LEVEL CM	529,5298 litre	5,853 %	8518,2570 litre	O
800	CM	60	CM	12 LEVEL CM	470,8832 litre	5,204 %	8576,9036 litre	O
800	CM	60	CM	11 LEVEL CM	414,3710 litre	4,580 %	8633,4158 litre	O
800	CM	60	CM	10 LEVEL CM	360,1244 litre	3,980 %	8687,6624 litre	O
800	CM	60	CM	9 LEVEL CM	308,2918 litre	3,407 %	8739,4950 litre	O
800	CM	60	CM	8 LEVEL CM	259,0431 litre	2,863 %	8788,7437 litre	O
800	CM	60	CM	7 LEVEL CM	212,5771 litre	2,349 %	8835,2097 litre	O
800	CM	60	CM	6 LEVEL CM	169,1306 litre	1,869 %	8878,6562 litre	O
800	CM	60	CM	5 LEVEL CM	128,9941 litre	1,426 %	8918,7927 litre	O
800	CM	60	CM	4 LEVEL CM	92,5376 litre	1,023 %	8955,2492 litre	O
800	CM	60	CM	3 LEVEL CM	60,2583 litre	0,666 %	8987,5285 litre	O
800	CM	60	CM	2 LEVEL CM	32,8837 litre	0,363 %	9014,9031 litre	O
800	CM	60	CM	1 LEVEL CM	11,6555 litre	0,129 %	9036,1313 litre	O
800	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	9047,7868 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
800	CM	55	CM 110 LEVEL CM	7602,6542 litre	100,000 %	0,0000 litre	O
800	CM	55	CM 109 LEVEL CM	7591,4975 litre	99,853 %	11,1567 litre	O
800	CM	55	CM 108 LEVEL CM	7571,1849 litre	99,586 %	31,4693 litre	O
800	CM	55	CM 107 LEVEL CM	7545,0013 litre	99,242 %	57,6529 litre	O
800	CM	55	CM 106 LEVEL CM	7514,1386 litre	98,836 %	88,5156 litre	O
800	CM	55	CM 105 LEVEL CM	7479,2962 litre	98,377 %	123,3580 litre	O
800	CM	55	CM 104 LEVEL CM	7440,9525 litre	97,873 %	161,7017 litre	O
800	CM	55	CM 103 LEVEL CM	7399,4642 litre	97,327 %	203,1900 litre	O
800	CM	55	CM 102 LEVEL CM	7355,1115 litre	96,744 %	247,5427 litre	O
800	CM	55	CM 101 LEVEL CM	7308,1233 litre	96,126 %	294,5309 litre	O
800	CM	55	CM 100 LEVEL CM	7258,6917 litre	95,476 %	343,9625 litre	O
800	CM	55	CM 99 LEVEL CM	7206,9815 litre	94,796 %	395,6727 litre	O
800	CM	55	CM 98 LEVEL CM	7153,1367 litre	94,087 %	449,5175 litre	O
800	CM	55	CM 97 LEVEL CM	7097,2844 litre	93,353 %	505,3698 litre	O
800	CM	55	CM 96 LEVEL CM	7039,5389 litre	92,593 %	563,1153 litre	O
800	CM	55	CM 95 LEVEL CM	6980,0033 litre	91,810 %	622,6509 litre	O
800	CM	55	CM 94 LEVEL CM	6918,7716 litre	91,005 %	683,8826 litre	O
800	CM	55	CM 93 LEVEL CM	6855,9304 litre	90,178 %	746,7238 litre	O
800	CM	55	CM 92 LEVEL CM	6791,5595 litre	89,331 %	811,0947 litre	O
800	CM	55	CM 91 LEVEL CM	6725,7336 litre	88,466 %	876,9206 litre	O
800	CM	55	CM 90 LEVEL CM	6658,5220 litre	87,582 %	944,1322 litre	O
800	CM	55	CM 89 LEVEL CM	6589,9902 litre	86,680 %	1012,6640 litre	O
800	CM	55	CM 88 LEVEL CM	6520,1998 litre	85,762 %	1082,4544 litre	O
800	CM	55	CM 87 LEVEL CM	6449,2091 litre	84,828 %	1153,4451 litre	O
800	CM	55	CM 86 LEVEL CM	6377,0737 litre	83,880 %	1225,5805 litre	O
800	CM	55	CM 85 LEVEL CM	6303,8463 litre	82,916 %	1298,8079 litre	O
800	CM	55	CM 84 LEVEL CM	6229,5775 litre	81,940 %	1373,0767 litre	O
800	CM	55	CM 83 LEVEL CM	6154,3156 litre	80,950 %	1448,3386 litre	O
800	CM	55	CM 82 LEVEL CM	6078,1072 litre	79,947 %	1524,5470 litre	O
800	CM	55	CM 81 LEVEL CM	6000,9972 litre	78,933 %	1601,6570 litre	O
800	CM	55	CM 80 LEVEL CM	5923,0287 litre	77,907 %	1679,6255 litre	O
800	CM	55	CM 79 LEVEL CM	5844,2435 litre	76,871 %	1758,4107 litre	O
800	CM	55	CM 78 LEVEL CM	5764,6824 litre	75,825 %	1837,9718 litre	O
800	CM	55	CM 77 LEVEL CM	5684,3845 litre	74,768 %	1918,2697 litre	O
800	CM	55	CM 76 LEVEL CM	5603,3883 litre	73,703 %	1999,2659 litre	O
800	CM	55	CM 75 LEVEL CM	5521,7310 litre	72,629 %	2080,9232 litre	O
800	CM	55	CM 74 LEVEL CM	5439,4491 litre	71,547 %	2163,2051 litre	O
800	CM	55	CM 73 LEVEL CM	5356,5781 litre	70,457 %	2246,0761 litre	O
800	CM	55	CM 72 LEVEL CM	5273,1529 litre	69,359 %	2329,5013 litre	O
800	CM	55	CM 71 LEVEL CM	5189,2077 litre	68,255 %	2413,4465 litre	O
800	CM	55	CM 70 LEVEL CM	5104,7759 litre	67,145 %	2497,8783 litre	O
800	CM	55	CM 69 LEVEL CM	5019,8905 litre	66,028 %	2582,7637 litre	O
800	CM	55	CM 68 LEVEL CM	4934,5839 litre	64,906 %	2668,0703 litre	O
800	CM	55	CM 67 LEVEL CM	4848,8881 litre	63,779 %	2753,7661 litre	O
800	CM	55	CM 66 LEVEL CM	4762,8345 litre	62,647 %	2839,8197 litre	O
800	CM	55	CM 65 LEVEL CM	4676,4543 litre	61,511 %	2926,1999 litre	O
800	CM	55	CM 64 LEVEL CM	4589,7782 litre	60,371 %	3012,8760 litre	O
800	CM	55	CM 63 LEVEL CM	4502,8367 litre	59,227 %	3099,8175 litre	O
800	CM	55	CM 62 LEVEL CM	4415,6600 litre	58,081 %	3186,9942 litre	O
800	CM	55	CM 61 LEVEL CM	4328,2780 litre	56,931 %	3274,3762 litre	O
800	CM	55	CM 60 LEVEL CM	4240,7203 litre	55,779 %	3361,9339 litre	O
800	CM	55	CM 59 LEVEL CM	4153,0166 litre	54,626 %	3449,6376 litre	O

800	CM	55	CM	58 LEVEL CM	4065,1961 litre	53,471 %	3537,4581 litre	O
800	CM	55	CM	57 LEVEL CM	3977,2883 litre	52,314 %	3625,3659 litre	O
800	CM	55	CM	56 LEVEL CM	3889,3223 litre	51,157 %	3713,3319 litre	O
800	CM	55	CM	55 LEVEL CM	3801,3271 litre	50,000 %	3801,3271 litre	O
800	CM	55	CM	54 LEVEL CM	3713,3320 litre	48,843 %	3889,3222 litre	O
800	CM	55	CM	53 LEVEL CM	3625,3659 litre	47,686 %	3977,2883 litre	O
800	CM	55	CM	52 LEVEL CM	3537,4581 litre	46,529 %	4065,1961 litre	O
800	CM	55	CM	51 LEVEL CM	3449,6377 litre	45,374 %	4153,0165 litre	O
800	CM	55	CM	50 LEVEL CM	3361,9339 litre	44,221 %	4240,7203 litre	O
800	CM	55	CM	49 LEVEL CM	3274,3763 litre	43,069 %	4328,2779 litre	O
800	CM	55	CM	48 LEVEL CM	3186,9942 litre	41,919 %	4415,6600 litre	O
800	CM	55	CM	47 LEVEL CM	3099,8175 litre	40,773 %	4502,8367 litre	O
800	CM	55	CM	46 LEVEL CM	3012,8760 litre	39,629 %	4589,7782 litre	O
800	CM	55	CM	45 LEVEL CM	2926,1999 litre	38,489 %	4676,4543 litre	O
800	CM	55	CM	44 LEVEL CM	2839,8197 litre	37,353 %	4762,8345 litre	O
800	CM	55	CM	43 LEVEL CM	2753,7662 litre	36,221 %	4848,8880 litre	O
800	CM	55	CM	42 LEVEL CM	2668,0703 litre	35,094 %	4934,5839 litre	O
800	CM	55	CM	41 LEVEL CM	2582,7637 litre	33,972 %	5019,8905 litre	O
800	CM	55	CM	40 LEVEL CM	2497,8783 litre	32,855 %	5104,7759 litre	O
800	CM	55	CM	39 LEVEL CM	2413,4466 litre	31,745 %	5189,2076 litre	O
800	CM	55	CM	38 LEVEL CM	2329,5013 litre	30,641 %	5273,1529 litre	O
800	CM	55	CM	37 LEVEL CM	2246,0761 litre	29,543 %	5356,5781 litre	O
800	CM	55	CM	36 LEVEL CM	2163,2051 litre	28,453 %	5439,4491 litre	O
800	CM	55	CM	35 LEVEL CM	2080,9232 litre	27,371 %	5521,7310 litre	O
800	CM	55	CM	34 LEVEL CM	1999,2659 litre	26,297 %	5603,3883 litre	O
800	CM	55	CM	33 LEVEL CM	1918,2697 litre	25,232 %	5684,3845 litre	O
800	CM	55	CM	32 LEVEL CM	1837,9718 litre	24,175 %	5764,6824 litre	O
800	CM	55	CM	31 LEVEL CM	1758,4107 litre	23,129 %	5844,2435 litre	O
800	CM	55	CM	30 LEVEL CM	1679,6256 litre	22,093 %	5923,0286 litre	O
800	CM	55	CM	29 LEVEL CM	1601,6571 litre	21,067 %	6000,9971 litre	O
800	CM	55	CM	28 LEVEL CM	1524,5470 litre	20,053 %	6078,1072 litre	O
800	CM	55	CM	27 LEVEL CM	1448,3386 litre	19,050 %	6154,3156 litre	O
800	CM	55	CM	26 LEVEL CM	1373,0768 litre	18,060 %	6229,5774 litre	O
800	CM	55	CM	25 LEVEL CM	1298,8079 litre	17,084 %	6303,8463 litre	O
800	CM	55	CM	24 LEVEL CM	1225,5805 litre	16,120 %	6377,0737 litre	O
800	CM	55	CM	23 LEVEL CM	1153,4451 litre	15,172 %	6449,2091 litre	O
800	CM	55	CM	22 LEVEL CM	1082,4544 litre	14,238 %	6520,1998 litre	O
800	CM	55	CM	21 LEVEL CM	1012,6640 litre	13,320 %	6589,9902 litre	O
800	CM	55	CM	20 LEVEL CM	944,1322 litre	12,418 %	6658,5220 litre	O
800	CM	55	CM	19 LEVEL CM	876,9207 litre	11,534 %	6725,7335 litre	O
800	CM	55	CM	18 LEVEL CM	811,0947 litre	10,669 %	6791,5595 litre	O
800	CM	55	CM	17 LEVEL CM	746,7239 litre	9,822 %	6855,9303 litre	O
800	CM	55	CM	16 LEVEL CM	683,8826 litre	8,995 %	6918,7716 litre	O
800	CM	55	CM	15 LEVEL CM	622,6509 litre	8,190 %	6980,0033 litre	O
800	CM	55	CM	14 LEVEL CM	563,1153 litre	7,407 %	7039,5389 litre	O
800	CM	55	CM	13 LEVEL CM	505,3698 litre	6,647 %	7097,2844 litre	O
800	CM	55	CM	12 LEVEL CM	449,5176 litre	5,913 %	7153,1366 litre	O
800	CM	55	CM	11 LEVEL CM	395,6727 litre	5,204 %	7206,9815 litre	O
800	CM	55	CM	10 LEVEL CM	343,9625 litre	4,524 %	7258,6917 litre	O
800	CM	55	CM	9 LEVEL CM	294,5309 litre	3,874 %	7308,1233 litre	O
800	CM	55	CM	8 LEVEL CM	247,5427 litre	3,256 %	7355,1115 litre	O
800	CM	55	CM	7 LEVEL CM	203,1900 litre	2,673 %	7399,4642 litre	O
800	CM	55	CM	6 LEVEL CM	161,7017 litre	2,127 %	7440,9525 litre	O

800	CM	55	CM	5 LEVEL CM	123,3581 litre	1,623 %	7479,2961 litre	O
800	CM	55	CM	4 LEVEL CM	88,5156 litre	1,164 %	7514,1386 litre	O
800	CM	55	CM	3 LEVEL CM	57,6529 litre	0,758 %	7545,0013 litre	O
800	CM	55	CM	2 LEVEL CM	31,4693 litre	0,414 %	7571,1849 litre	O
800	CM	55	CM	1 LEVEL CM	11,1567 litre	0,147 %	7591,4975 litre	O
800	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	7602,6542 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
800	CM	50	CM	100 LEVEL CM	6283,1853 litre	100,000 %	0,0000 litre	O
800	CM	50	CM	99 LEVEL CM	6272,5507 litre	99,831 %	10,6346 litre	O
800	CM	50	CM	98 LEVEL CM	6253,1971 litre	99,523 %	29,9882 litre	O
800	CM	50	CM	97 LEVEL CM	6228,2612 litre	99,126 %	54,9241 litre	O
800	CM	50	CM	96 LEVEL CM	6198,8834 litre	98,658 %	84,3019 litre	O
800	CM	50	CM	95 LEVEL CM	6165,7335 litre	98,131 %	117,4518 litre	O
800	CM	50	CM	94 LEVEL CM	6129,2707 litre	97,550 %	153,9146 litre	O
800	CM	50	CM	93 LEVEL CM	6089,8377 litre	96,923 %	193,3476 litre	O
800	CM	50	CM	92 LEVEL CM	6047,7042 litre	96,252 %	235,4811 litre	O
800	CM	50	CM	91 LEVEL CM	6003,0909 litre	95,542 %	280,0944 litre	O
800	CM	50	CM	90 LEVEL CM	5956,1831 litre	94,796 %	327,0022 litre	O
800	CM	50	CM	89 LEVEL CM	5907,1403 litre	94,015 %	376,0450 litre	O
800	CM	50	CM	88 LEVEL CM	5856,1020 litre	93,203 %	427,0833 litre	O
800	CM	50	CM	87 LEVEL CM	5803,1915 litre	92,361 %	479,9938 litre	O
800	CM	50	CM	86 LEVEL CM	5748,5199 litre	91,491 %	534,6654 litre	O
800	CM	50	CM	85 LEVEL CM	5692,1876 litre	90,594 %	590,9977 litre	O
800	CM	50	CM	84 LEVEL CM	5634,2864 litre	89,672 %	648,8989 litre	O
800	CM	50	CM	83 LEVEL CM	5574,9008 litre	88,727 %	708,2845 litre	O
800	CM	50	CM	82 LEVEL CM	5514,1091 litre	87,760 %	769,0762 litre	O
800	CM	50	CM	81 LEVEL CM	5451,9843 litre	86,771 %	831,2010 litre	O
800	CM	50	CM	80 LEVEL CM	5388,5949 litre	85,762 %	894,5904 litre	O
800	CM	50	CM	79 LEVEL CM	5324,0051 litre	84,734 %	959,1802 litre	O
800	CM	50	CM	78 LEVEL CM	5258,2760 litre	83,688 %	1024,9093 litre	O
800	CM	50	CM	77 LEVEL CM	5191,4651 litre	82,625 %	1091,7202 litre	O
800	CM	50	CM	76 LEVEL CM	5123,6275 litre	81,545 %	1159,5578 litre	O
800	CM	50	CM	75 LEVEL CM	5054,8156 litre	80,450 %	1228,3697 litre	O
800	CM	50	CM	74 LEVEL CM	4985,0798 litre	79,340 %	1298,1055 litre	O
800	CM	50	CM	73 LEVEL CM	4914,4685 litre	78,216 %	1368,7168 litre	O
800	CM	50	CM	72 LEVEL CM	4843,0280 litre	77,079 %	1440,1573 litre	O
800	CM	50	CM	71 LEVEL CM	4770,8035 litre	75,930 %	1512,3818 litre	O
800	CM	50	CM	70 LEVEL CM	4697,8385 litre	74,768 %	1585,3468 litre	O
800	CM	50	CM	69 LEVEL CM	4624,1750 litre	73,596 %	1659,0103 litre	O
800	CM	50	CM	68 LEVEL CM	4549,8541 litre	72,413 %	1733,3312 litre	O
800	CM	50	CM	67 LEVEL CM	4474,9157 litre	71,220 %	1808,2696 litre	O
800	CM	50	CM	66 LEVEL CM	4399,3989 litre	70,019 %	1883,7864 litre	O
800	CM	50	CM	65 LEVEL CM	4323,3415 litre	68,808 %	1959,8438 litre	O
800	CM	50	CM	64 LEVEL CM	4246,7809 litre	67,590 %	2036,4044 litre	O
800	CM	50	CM	63 LEVEL CM	4169,7535 litre	66,364 %	2113,4318 litre	O
800	CM	50	CM	62 LEVEL CM	4092,2953 litre	65,131 %	2190,8900 litre	O
800	CM	50	CM	61 LEVEL CM	4014,4415 litre	63,892 %	2268,7438 litre	O
800	CM	50	CM	60 LEVEL CM	3936,2269 litre	62,647 %	2346,9584 litre	O
800	CM	50	CM	59 LEVEL CM	3857,6855 litre	61,397 %	2425,4998 litre	O
800	CM	50	CM	58 LEVEL CM	3778,8514 litre	60,142 %	2504,3339 litre	O
800	CM	50	CM	57 LEVEL CM	3699,7579 litre	58,883 %	2583,4274 litre	O
800	CM	50	CM	56 LEVEL CM	3620,4382 litre	57,621 %	2662,7471 litre	O
800	CM	50	CM	55 LEVEL CM	3540,9250 litre	56,356 %	2742,2603 litre	O
800	CM	50	CM	54 LEVEL CM	3461,2510 litre	55,088 %	2821,9343 litre	O
800	CM	50	CM	53 LEVEL CM	3381,4486 litre	53,817 %	2901,7367 litre	O
800	CM	50	CM	52 LEVEL CM	3301,5500 litre	52,546 %	2981,6353 litre	O
800	CM	50	CM	51 LEVEL CM	3221,5873 litre	51,273 %	3061,5980 litre	O
800	CM	50	CM	50 LEVEL CM	3141,5927 litre	50,000 %	3141,5926 litre	O
800	CM	50	CM	49 LEVEL CM	3061,5980 litre	48,727 %	3221,5873 litre	O

800	CM	50	CM	48 LEVEL CM	2981,6353 litre	47,454 %	3301,5500 litre	O
800	CM	50	CM	47 LEVEL CM	2901,7367 litre	46,183 %	3381,4486 litre	O
800	CM	50	CM	46 LEVEL CM	2821,9343 litre	44,912 %	3461,2510 litre	O
800	CM	50	CM	45 LEVEL CM	2742,2603 litre	43,644 %	3540,9250 litre	O
800	CM	50	CM	44 LEVEL CM	2662,7472 litre	42,379 %	3620,4381 litre	O
800	CM	50	CM	43 LEVEL CM	2583,4274 litre	41,117 %	3699,7579 litre	O
800	CM	50	CM	42 LEVEL CM	2504,3339 litre	39,858 %	3778,8514 litre	O
800	CM	50	CM	41 LEVEL CM	2425,4998 litre	38,603 %	3857,6855 litre	O
800	CM	50	CM	40 LEVEL CM	2346,9585 litre	37,353 %	3936,2268 litre	O
800	CM	50	CM	39 LEVEL CM	2268,7438 litre	36,108 %	4014,4415 litre	O
800	CM	50	CM	38 LEVEL CM	2190,8900 litre	34,869 %	4092,2953 litre	O
800	CM	50	CM	37 LEVEL CM	2113,4318 litre	33,636 %	4169,7535 litre	O
800	CM	50	CM	36 LEVEL CM	2036,4044 litre	32,410 %	4246,7809 litre	O
800	CM	50	CM	35 LEVEL CM	1959,8438 litre	31,192 %	4323,3415 litre	O
800	CM	50	CM	34 LEVEL CM	1883,7865 litre	29,981 %	4399,3988 litre	O
800	CM	50	CM	33 LEVEL CM	1808,2696 litre	28,780 %	4474,9157 litre	O
800	CM	50	CM	32 LEVEL CM	1733,3312 litre	27,587 %	4549,8541 litre	O
800	CM	50	CM	31 LEVEL CM	1659,0103 litre	26,404 %	4624,1750 litre	O
800	CM	50	CM	30 LEVEL CM	1585,3469 litre	25,232 %	4697,8384 litre	O
800	CM	50	CM	29 LEVEL CM	1512,3818 litre	24,070 %	4770,8035 litre	O
800	CM	50	CM	28 LEVEL CM	1440,1573 litre	22,921 %	4843,0280 litre	O
800	CM	50	CM	27 LEVEL CM	1368,7169 litre	21,784 %	4914,4684 litre	O
800	CM	50	CM	26 LEVEL CM	1298,1055 litre	20,660 %	4985,0798 litre	O
800	CM	50	CM	25 LEVEL CM	1228,3697 litre	19,550 %	5054,8156 litre	O
800	CM	50	CM	24 LEVEL CM	1159,5578 litre	18,455 %	5123,6275 litre	O
800	CM	50	CM	23 LEVEL CM	1091,7202 litre	17,375 %	5191,4651 litre	O
800	CM	50	CM	22 LEVEL CM	1024,9093 litre	16,312 %	5258,2760 litre	O
800	CM	50	CM	21 LEVEL CM	959,1802 litre	15,266 %	5324,0051 litre	O
800	CM	50	CM	20 LEVEL CM	894,5904 litre	14,238 %	5388,5949 litre	O
800	CM	50	CM	19 LEVEL CM	831,2010 litre	13,229 %	5451,9843 litre	O
800	CM	50	CM	18 LEVEL CM	769,0762 litre	12,240 %	5514,1091 litre	O
800	CM	50	CM	17 LEVEL CM	708,2845 litre	11,273 %	5574,9008 litre	O
800	CM	50	CM	16 LEVEL CM	648,8989 litre	10,328 %	5634,2864 litre	O
800	CM	50	CM	15 LEVEL CM	590,9977 litre	9,406 %	5692,1876 litre	O
800	CM	50	CM	14 LEVEL CM	534,6654 litre	8,509 %	5748,5199 litre	O
800	CM	50	CM	13 LEVEL CM	479,9938 litre	7,639 %	5803,1915 litre	O
800	CM	50	CM	12 LEVEL CM	427,0834 litre	6,797 %	5856,1019 litre	O
800	CM	50	CM	11 LEVEL CM	376,0450 litre	5,985 %	5907,1403 litre	O
800	CM	50	CM	10 LEVEL CM	327,0022 litre	5,204 %	5956,1831 litre	O
800	CM	50	CM	9 LEVEL CM	280,0944 litre	4,458 %	6003,0909 litre	O
800	CM	50	CM	8 LEVEL CM	235,4811 litre	3,748 %	6047,7042 litre	O
800	CM	50	CM	7 LEVEL CM	193,3476 litre	3,077 %	6089,8377 litre	O
800	CM	50	CM	6 LEVEL CM	153,9146 litre	2,450 %	6129,2707 litre	O
800	CM	50	CM	5 LEVEL CM	117,4518 litre	1,869 %	6165,7335 litre	O
800	CM	50	CM	4 LEVEL CM	84,3019 litre	1,342 %	6198,8834 litre	O
800	CM	50	CM	3 LEVEL CM	54,9241 litre	0,874 %	6228,2612 litre	O
800	CM	50	CM	2 LEVEL CM	29,9882 litre	0,477 %	6253,1971 litre	O
800	CM	50	CM	1 LEVEL CM	10,6346 litre	0,169 %	6272,5507 litre	O
800	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	6283,1853 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	150	CM	300 LEVEL CM	49480,0843 litre	100,000 %	0,0000 litre	O
700	CM	150	CM	299 LEVEL CM	49463,9347 litre	99,967 %	16,1496 litre	O
700	CM	150	CM	298 LEVEL CM	49434,4520 litre	99,908 %	45,6323 litre	O
700	CM	150	CM	297 LEVEL CM	49396,3367 litre	99,831 %	83,7476 litre	O
700	CM	150	CM	296 LEVEL CM	49351,2764 litre	99,740 %	128,8079 litre	O
700	CM	150	CM	295 LEVEL CM	49300,2515 litre	99,637 %	179,8328 litre	O
700	CM	150	CM	294 LEVEL CM	49243,9271 litre	99,523 %	236,1572 litre	O
700	CM	150	CM	293 LEVEL CM	49182,7939 litre	99,399 %	297,2904 litre	O
700	CM	150	CM	292 LEVEL CM	49117,2342 litre	99,267 %	362,8501 litre	O
700	CM	150	CM	291 LEVEL CM	49047,5571 litre	99,126 %	432,5272 litre	O
700	CM	150	CM	290 LEVEL CM	48974,0195 litre	98,977 %	506,0648 litre	O
700	CM	150	CM	289 LEVEL CM	48896,8398 litre	98,821 %	583,2445 litre	O
700	CM	150	CM	288 LEVEL CM	48816,2068 litre	98,658 %	663,8775 litre	O
700	CM	150	CM	287 LEVEL CM	48732,2859 litre	98,489 %	747,7984 litre	O
700	CM	150	CM	286 LEVEL CM	48645,2236 litre	98,313 %	834,8607 litre	O
700	CM	150	CM	285 LEVEL CM	48555,1513 litre	98,131 %	924,9330 litre	O
700	CM	150	CM	284 LEVEL CM	48462,1874 litre	97,943 %	1017,8969 litre	O
700	CM	150	CM	283 LEVEL CM	48366,4398 litre	97,749 %	1113,6445 litre	O
700	CM	150	CM	282 LEVEL CM	48268,0071 litre	97,550 %	1212,0772 litre	O
700	CM	150	CM	281 LEVEL CM	48166,9799 litre	97,346 %	1313,1044 litre	O
700	CM	150	CM	280 LEVEL CM	48063,4423 litre	97,137 %	1416,6420 litre	O
700	CM	150	CM	279 LEVEL CM	47957,4722 litre	96,923 %	1522,6121 litre	O
700	CM	150	CM	278 LEVEL CM	47849,1422 litre	96,704 %	1630,9421 litre	O
700	CM	150	CM	277 LEVEL CM	47738,5205 litre	96,480 %	1741,5638 litre	O
700	CM	150	CM	276 LEVEL CM	47625,6710 litre	96,252 %	1854,4133 litre	O
700	CM	150	CM	275 LEVEL CM	47510,6537 litre	96,020 %	1969,4306 litre	O
700	CM	150	CM	274 LEVEL CM	47393,5256 litre	95,783 %	2086,5587 litre	O
700	CM	150	CM	273 LEVEL CM	47274,3406 litre	95,542 %	2205,7437 litre	O
700	CM	150	CM	272 LEVEL CM	47153,1496 litre	95,297 %	2326,9347 litre	O
700	CM	150	CM	271 LEVEL CM	47030,0012 litre	95,048 %	2450,0831 litre	O
700	CM	150	CM	270 LEVEL CM	46904,9418 litre	94,796 %	2575,1425 litre	O
700	CM	150	CM	269 LEVEL CM	46778,0156 litre	94,539 %	2702,0687 litre	O
700	CM	150	CM	268 LEVEL CM	46649,2649 litre	94,279 %	2830,8194 litre	O
700	CM	150	CM	267 LEVEL CM	46518,7301 litre	94,015 %	2961,3542 litre	O
700	CM	150	CM	266 LEVEL CM	46386,4502 litre	93,748 %	3093,6341 litre	O
700	CM	150	CM	265 LEVEL CM	46252,4625 litre	93,477 %	3227,6218 litre	O
700	CM	150	CM	264 LEVEL CM	46116,8029 litre	93,203 %	3363,2814 litre	O
700	CM	150	CM	263 LEVEL CM	45979,5061 litre	92,925 %	3500,5782 litre	O
700	CM	150	CM	262 LEVEL CM	45840,6055 litre	92,645 %	3639,4788 litre	O
700	CM	150	CM	261 LEVEL CM	45700,1333 litre	92,361 %	3779,9510 litre	O
700	CM	150	CM	260 LEVEL CM	45558,1208 litre	92,074 %	3921,9635 litre	O
700	CM	150	CM	259 LEVEL CM	45414,5982 litre	91,784 %	4065,4861 litre	O
700	CM	150	CM	258 LEVEL CM	45269,5945 litre	91,491 %	4210,4898 litre	O
700	CM	150	CM	257 LEVEL CM	45123,1384 litre	91,195 %	4356,9459 litre	O
700	CM	150	CM	256 LEVEL CM	44975,2571 litre	90,896 %	4504,8272 litre	O
700	CM	150	CM	255 LEVEL CM	44825,9776 litre	90,594 %	4654,1067 litre	O
700	CM	150	CM	254 LEVEL CM	44675,3257 litre	90,290 %	4804,7586 litre	O
700	CM	150	CM	253 LEVEL CM	44523,3267 litre	89,982 %	4956,7576 litre	O
700	CM	150	CM	252 LEVEL CM	44370,0054 litre	89,672 %	5110,0789 litre	O
700	CM	150	CM	251 LEVEL CM	44215,3855 litre	89,360 %	5264,6988 litre	O
700	CM	150	CM	250 LEVEL CM	44059,4907 litre	89,045 %	5420,5936 litre	O
700	CM	150	CM	249 LEVEL CM	43902,3435 litre	88,727 %	5577,7408 litre	O

700	CM	150	CM	248 LEVEL CM	43743,9664 litre	88,407 %	5736,1179 litre	O
700	CM	150	CM	247 LEVEL CM	43584,3811 litre	88,085 %	5895,7032 litre	O
700	CM	150	CM	246 LEVEL CM	43423,6089 litre	87,760 %	6056,4754 litre	O
700	CM	150	CM	245 LEVEL CM	43261,6705 litre	87,432 %	6218,4138 litre	O
700	CM	150	CM	244 LEVEL CM	43098,5864 litre	87,103 %	6381,4979 litre	O
700	CM	150	CM	243 LEVEL CM	42934,3764 litre	86,771 %	6545,7079 litre	O
700	CM	150	CM	242 LEVEL CM	42769,0601 litre	86,437 %	6711,0242 litre	O
700	CM	150	CM	241 LEVEL CM	42602,6566 litre	86,101 %	6877,4277 litre	O
700	CM	150	CM	240 LEVEL CM	42435,1846 litre	85,762 %	7044,8997 litre	O
700	CM	150	CM	239 LEVEL CM	42266,6626 litre	85,422 %	7213,4217 litre	O
700	CM	150	CM	238 LEVEL CM	42097,1087 litre	85,079 %	7382,9756 litre	O
700	CM	150	CM	237 LEVEL CM	41926,5405 litre	84,734 %	7553,5438 litre	O
700	CM	150	CM	236 LEVEL CM	41754,9755 litre	84,387 %	7725,1088 litre	O
700	CM	150	CM	235 LEVEL CM	41582,4308 litre	84,039 %	7897,6535 litre	O
700	CM	150	CM	234 LEVEL CM	41408,9233 litre	83,688 %	8071,1610 litre	O
700	CM	150	CM	233 LEVEL CM	41234,4694 litre	83,335 %	8245,6149 litre	O
700	CM	150	CM	232 LEVEL CM	41059,0855 litre	82,981 %	8420,9988 litre	O
700	CM	150	CM	231 LEVEL CM	40882,7876 litre	82,625 %	8597,2967 litre	O
700	CM	150	CM	230 LEVEL CM	40705,5914 litre	82,267 %	8774,4929 litre	O
700	CM	150	CM	229 LEVEL CM	40527,5126 litre	81,907 %	8952,5717 litre	O
700	CM	150	CM	228 LEVEL CM	40348,5663 litre	81,545 %	9131,5180 litre	O
700	CM	150	CM	227 LEVEL CM	40168,7677 litre	81,182 %	9311,3166 litre	O
700	CM	150	CM	226 LEVEL CM	39988,1317 litre	80,817 %	9491,9526 litre	O
700	CM	150	CM	225 LEVEL CM	39806,6729 litre	80,450 %	9673,4114 litre	O
700	CM	150	CM	224 LEVEL CM	39624,4058 litre	80,082 %	9855,6785 litre	O
700	CM	150	CM	223 LEVEL CM	39441,3447 litre	79,712 %	10038,7396 litre	O
700	CM	150	CM	222 LEVEL CM	39257,5036 litre	79,340 %	10222,5807 litre	O
700	CM	150	CM	221 LEVEL CM	39072,8965 litre	78,967 %	10407,1878 litre	O
700	CM	150	CM	220 LEVEL CM	38887,5372 litre	78,592 %	10592,5471 litre	O
700	CM	150	CM	219 LEVEL CM	38701,4391 litre	78,216 %	10778,6452 litre	O
700	CM	150	CM	218 LEVEL CM	38514,6157 litre	77,839 %	10965,4686 litre	O
700	CM	150	CM	217 LEVEL CM	38327,0802 litre	77,460 %	11153,0041 litre	O
700	CM	150	CM	216 LEVEL CM	38138,8458 litre	77,079 %	11341,2385 litre	O
700	CM	150	CM	215 LEVEL CM	37949,9254 litre	76,697 %	11530,1589 litre	O
700	CM	150	CM	214 LEVEL CM	37760,3319 litre	76,314 %	11719,7524 litre	O
700	CM	150	CM	213 LEVEL CM	37570,0779 litre	75,930 %	11910,0064 litre	O
700	CM	150	CM	212 LEVEL CM	37379,1759 litre	75,544 %	12100,9084 litre	O
700	CM	150	CM	211 LEVEL CM	37187,6385 litre	75,157 %	12292,4458 litre	O
700	CM	150	CM	210 LEVEL CM	36995,4778 litre	74,768 %	12484,6065 litre	O
700	CM	150	CM	209 LEVEL CM	36802,7062 litre	74,379 %	12677,3781 litre	O
700	CM	150	CM	208 LEVEL CM	36609,3356 litre	73,988 %	12870,7487 litre	O
700	CM	150	CM	207 LEVEL CM	36415,3779 litre	73,596 %	13064,7064 litre	O
700	CM	150	CM	206 LEVEL CM	36220,8452 litre	73,203 %	13259,2391 litre	O
700	CM	150	CM	205 LEVEL CM	36025,7490 litre	72,809 %	13454,3353 litre	O
700	CM	150	CM	204 LEVEL CM	35830,1010 litre	72,413 %	13649,9833 litre	O
700	CM	150	CM	203 LEVEL CM	35633,9128 litre	72,017 %	13846,1715 litre	O
700	CM	150	CM	202 LEVEL CM	35437,1959 litre	71,619 %	14042,8884 litre	O
700	CM	150	CM	201 LEVEL CM	35239,9615 litre	71,220 %	14240,1228 litre	O
700	CM	150	CM	200 LEVEL CM	35042,2209 litre	70,821 %	14437,8634 litre	O
700	CM	150	CM	199 LEVEL CM	34843,9854 litre	70,420 %	14636,0989 litre	O
700	CM	150	CM	198 LEVEL CM	34645,2660 litre	70,019 %	14834,8183 litre	O
700	CM	150	CM	197 LEVEL CM	34446,0737 litre	69,616 %	15034,0106 litre	O
700	CM	150	CM	196 LEVEL CM	34246,4195 litre	69,213 %	15233,6648 litre	O

700	CM	150	CM	195 LEVEL CM	34046,3142 litre	68,808 %	15433,7701 litre	O
700	CM	150	CM	194 LEVEL CM	33845,7686 litre	68,403 %	15634,3157 litre	O
700	CM	150	CM	193 LEVEL CM	33644,7934 litre	67,997 %	15835,2909 litre	O
700	CM	150	CM	192 LEVEL CM	33443,3994 litre	67,590 %	16036,6849 litre	O
700	CM	150	CM	191 LEVEL CM	33241,5970 litre	67,182 %	16238,4873 litre	O
700	CM	150	CM	190 LEVEL CM	33039,3967 litre	66,773 %	16440,6876 litre	O
700	CM	150	CM	189 LEVEL CM	32836,8091 litre	66,364 %	16643,2752 litre	O
700	CM	150	CM	188 LEVEL CM	32633,8446 litre	65,953 %	16846,2397 litre	O
700	CM	150	CM	187 LEVEL CM	32430,5134 litre	65,543 %	17049,5709 litre	O
700	CM	150	CM	186 LEVEL CM	32226,8258 litre	65,131 %	17253,2585 litre	O
700	CM	150	CM	185 LEVEL CM	32022,7922 litre	64,719 %	17457,2921 litre	O
700	CM	150	CM	184 LEVEL CM	31818,4225 litre	64,306 %	17661,6618 litre	O
700	CM	150	CM	183 LEVEL CM	31613,7271 litre	63,892 %	17866,3572 litre	O
700	CM	150	CM	182 LEVEL CM	31408,7159 litre	63,477 %	18071,3684 litre	O
700	CM	150	CM	181 LEVEL CM	31203,3991 litre	63,063 %	18276,6852 litre	O
700	CM	150	CM	180 LEVEL CM	30997,7865 litre	62,647 %	18482,2978 litre	O
700	CM	150	CM	179 LEVEL CM	30791,8881 litre	62,231 %	18688,1962 litre	O
700	CM	150	CM	178 LEVEL CM	30585,7139 litre	61,814 %	18894,3704 litre	O
700	CM	150	CM	177 LEVEL CM	30379,2736 litre	61,397 %	19100,8107 litre	O
700	CM	150	CM	176 LEVEL CM	30172,5771 litre	60,979 %	19307,5072 litre	O
700	CM	150	CM	175 LEVEL CM	29965,6343 litre	60,561 %	19514,4500 litre	O
700	CM	150	CM	174 LEVEL CM	29758,4548 litre	60,142 %	19721,6295 litre	O
700	CM	150	CM	173 LEVEL CM	29551,0484 litre	59,723 %	19929,0359 litre	O
700	CM	150	CM	172 LEVEL CM	29343,4247 litre	59,304 %	20136,6596 litre	O
700	CM	150	CM	171 LEVEL CM	29135,5935 litre	58,883 %	20344,4908 litre	O
700	CM	150	CM	170 LEVEL CM	28927,5643 litre	58,463 %	20552,5200 litre	O
700	CM	150	CM	169 LEVEL CM	28719,3468 litre	58,042 %	20760,7375 litre	O
700	CM	150	CM	168 LEVEL CM	28510,9505 litre	57,621 %	20969,1338 litre	O
700	CM	150	CM	167 LEVEL CM	28302,3849 litre	57,200 %	21177,6994 litre	O
700	CM	150	CM	166 LEVEL CM	28093,6597 litre	56,778 %	21386,4246 litre	O
700	CM	150	CM	165 LEVEL CM	27884,7842 litre	56,356 %	21595,3001 litre	O
700	CM	150	CM	164 LEVEL CM	27675,7681 litre	55,933 %	21804,3162 litre	O
700	CM	150	CM	163 LEVEL CM	27466,6207 litre	55,510 %	22013,4636 litre	O
700	CM	150	CM	162 LEVEL CM	27257,3516 litre	55,088 %	22222,7327 litre	O
700	CM	150	CM	161 LEVEL CM	27047,9700 litre	54,664 %	22432,1143 litre	O
700	CM	150	CM	160 LEVEL CM	26838,4856 litre	54,241 %	22641,5987 litre	O
700	CM	150	CM	159 LEVEL CM	26628,9075 litre	53,817 %	22851,1768 litre	O
700	CM	150	CM	158 LEVEL CM	26419,2454 litre	53,394 %	23060,8389 litre	O
700	CM	150	CM	157 LEVEL CM	26209,5084 litre	52,970 %	23270,5759 litre	O
700	CM	150	CM	156 LEVEL CM	25999,7061 litre	52,546 %	23480,3782 litre	O
700	CM	150	CM	155 LEVEL CM	25789,8477 litre	52,122 %	23690,2366 litre	O
700	CM	150	CM	154 LEVEL CM	25579,9426 litre	51,697 %	23900,1417 litre	O
700	CM	150	CM	153 LEVEL CM	25370,0001 litre	51,273 %	24110,0842 litre	O
700	CM	150	CM	152 LEVEL CM	25160,0297 litre	50,849 %	24320,0546 litre	O
700	CM	150	CM	151 LEVEL CM	24950,0406 litre	50,424 %	24530,0437 litre	O
700	CM	150	CM	150 LEVEL CM	24740,0421 litre	50,000 %	24740,0422 litre	O
700	CM	150	CM	149 LEVEL CM	24530,0437 litre	49,576 %	24950,0406 litre	O
700	CM	150	CM	148 LEVEL CM	24320,0546 litre	49,151 %	25160,0297 litre	O
700	CM	150	CM	147 LEVEL CM	24110,0841 litre	48,727 %	25370,0002 litre	O
700	CM	150	CM	146 LEVEL CM	23900,1417 litre	48,303 %	25579,9426 litre	O
700	CM	150	CM	145 LEVEL CM	23690,2366 litre	47,878 %	25789,8477 litre	O
700	CM	150	CM	144 LEVEL CM	23480,3782 litre	47,454 %	25999,7061 litre	O
700	CM	150	CM	143 LEVEL CM	23270,5759 litre	47,030 %	26209,5084 litre	O

700	CM	150	CM	142 LEVEL CM	23060,8389 litre	46,606 %	26419,2454 litre	O
700	CM	150	CM	141 LEVEL CM	22851,1768 litre	46,183 %	26628,9075 litre	O
700	CM	150	CM	140 LEVEL CM	22641,5987 litre	45,759 %	26838,4856 litre	O
700	CM	150	CM	139 LEVEL CM	22432,1143 litre	45,336 %	27047,9700 litre	O
700	CM	150	CM	138 LEVEL CM	22222,7327 litre	44,912 %	27257,3516 litre	O
700	CM	150	CM	137 LEVEL CM	22013,4636 litre	44,490 %	27466,6207 litre	O
700	CM	150	CM	136 LEVEL CM	21804,3162 litre	44,067 %	27675,7681 litre	O
700	CM	150	CM	135 LEVEL CM	21595,3001 litre	43,644 %	27884,7842 litre	O
700	CM	150	CM	134 LEVEL CM	21386,4246 litre	43,222 %	28093,6597 litre	O
700	CM	150	CM	133 LEVEL CM	21177,6994 litre	42,800 %	28302,3849 litre	O
700	CM	150	CM	132 LEVEL CM	20969,1338 litre	42,379 %	28510,9505 litre	O
700	CM	150	CM	131 LEVEL CM	20760,7375 litre	41,958 %	28719,3468 litre	O
700	CM	150	CM	130 LEVEL CM	20552,5200 litre	41,537 %	28927,5643 litre	O
700	CM	150	CM	129 LEVEL CM	20344,4908 litre	41,117 %	29135,5935 litre	O
700	CM	150	CM	128 LEVEL CM	20136,6596 litre	40,696 %	29343,4247 litre	O
700	CM	150	CM	127 LEVEL CM	19929,0359 litre	40,277 %	29551,0484 litre	O
700	CM	150	CM	126 LEVEL CM	19721,6295 litre	39,858 %	29758,4548 litre	O
700	CM	150	CM	125 LEVEL CM	19514,4500 litre	39,439 %	29965,6343 litre	O
700	CM	150	CM	124 LEVEL CM	19307,5071 litre	39,021 %	30172,5772 litre	O
700	CM	150	CM	123 LEVEL CM	19100,8107 litre	38,603 %	30379,2736 litre	O
700	CM	150	CM	122 LEVEL CM	18894,3704 litre	38,186 %	30585,7139 litre	O
700	CM	150	CM	121 LEVEL CM	18688,1962 litre	37,769 %	30791,8881 litre	O
700	CM	150	CM	120 LEVEL CM	18482,2978 litre	37,353 %	30997,7865 litre	O
700	CM	150	CM	119 LEVEL CM	18276,6852 litre	36,937 %	31203,3991 litre	O
700	CM	150	CM	118 LEVEL CM	18071,3683 litre	36,523 %	31408,7160 litre	O
700	CM	150	CM	117 LEVEL CM	17866,3572 litre	36,108 %	31613,7271 litre	O
700	CM	150	CM	116 LEVEL CM	17661,6618 litre	35,694 %	31818,4225 litre	O
700	CM	150	CM	115 LEVEL CM	17457,2921 litre	35,281 %	32022,7922 litre	O
700	CM	150	CM	114 LEVEL CM	17253,2585 litre	34,869 %	32226,8258 litre	O
700	CM	150	CM	113 LEVEL CM	17049,5709 litre	34,457 %	32430,5134 litre	O
700	CM	150	CM	112 LEVEL CM	16846,2397 litre	34,047 %	32633,8446 litre	O
700	CM	150	CM	111 LEVEL CM	16643,2752 litre	33,636 %	32836,8091 litre	O
700	CM	150	CM	110 LEVEL CM	16440,6876 litre	33,227 %	33039,3967 litre	O
700	CM	150	CM	109 LEVEL CM	16238,4873 litre	32,818 %	33241,5970 litre	O
700	CM	150	CM	108 LEVEL CM	16036,6849 litre	32,410 %	33443,3994 litre	O
700	CM	150	CM	107 LEVEL CM	15835,2909 litre	32,003 %	33644,7934 litre	O
700	CM	150	CM	106 LEVEL CM	15634,3157 litre	31,597 %	33845,7686 litre	O
700	CM	150	CM	105 LEVEL CM	15433,7701 litre	31,192 %	34046,3142 litre	O
700	CM	150	CM	104 LEVEL CM	15233,6648 litre	30,787 %	34246,4195 litre	O
700	CM	150	CM	103 LEVEL CM	15034,0106 litre	30,384 %	34446,0737 litre	O
700	CM	150	CM	102 LEVEL CM	14834,8183 litre	29,981 %	34645,2660 litre	O
700	CM	150	CM	101 LEVEL CM	14636,0989 litre	29,580 %	34843,9854 litre	O
700	CM	150	CM	100 LEVEL CM	14437,8634 litre	29,179 %	35042,2209 litre	O
700	CM	150	CM	99 LEVEL CM	14240,1228 litre	28,780 %	35239,9615 litre	O
700	CM	150	CM	98 LEVEL CM	14042,8884 litre	28,381 %	35437,1959 litre	O
700	CM	150	CM	97 LEVEL CM	13846,1714 litre	27,983 %	35633,9129 litre	O
700	CM	150	CM	96 LEVEL CM	13649,9833 litre	27,587 %	35830,1010 litre	O
700	CM	150	CM	95 LEVEL CM	13454,3353 litre	27,191 %	36025,7490 litre	O
700	CM	150	CM	94 LEVEL CM	13259,2391 litre	26,797 %	36220,8452 litre	O
700	CM	150	CM	93 LEVEL CM	13064,7064 litre	26,404 %	36415,3779 litre	O
700	CM	150	CM	92 LEVEL CM	12870,7487 litre	26,012 %	36609,3356 litre	O
700	CM	150	CM	91 LEVEL CM	12677,3781 litre	25,621 %	36802,7062 litre	O
700	CM	150	CM	90 LEVEL CM	12484,6064 litre	25,232 %	36995,4779 litre	O

700	CM	150	CM	89 LEVEL CM	12292,4458 litre	24,843 %	37187,6385 litre	O
700	CM	150	CM	88 LEVEL CM	12100,9083 litre	24,456 %	37379,1760 litre	O
700	CM	150	CM	87 LEVEL CM	11910,0064 litre	24,070 %	37570,0779 litre	O
700	CM	150	CM	86 LEVEL CM	11719,7524 litre	23,686 %	37760,3319 litre	O
700	CM	150	CM	85 LEVEL CM	11530,1589 litre	23,303 %	37949,9254 litre	O
700	CM	150	CM	84 LEVEL CM	11341,2385 litre	22,921 %	38138,8458 litre	O
700	CM	150	CM	83 LEVEL CM	11153,0041 litre	22,540 %	38327,0802 litre	O
700	CM	150	CM	82 LEVEL CM	10965,4686 litre	22,161 %	38514,6157 litre	O
700	CM	150	CM	81 LEVEL CM	10778,6452 litre	21,784 %	38701,4391 litre	O
700	CM	150	CM	80 LEVEL CM	10592,5471 litre	21,408 %	38887,5372 litre	O
700	CM	150	CM	79 LEVEL CM	10407,1878 litre	21,033 %	39072,8965 litre	O
700	CM	150	CM	78 LEVEL CM	10222,5807 litre	20,660 %	39257,5036 litre	O
700	CM	150	CM	77 LEVEL CM	10038,7396 litre	20,288 %	39441,3447 litre	O
700	CM	150	CM	76 LEVEL CM	9855,6785 litre	19,918 %	39624,4058 litre	O
700	CM	150	CM	75 LEVEL CM	9673,4114 litre	19,550 %	39806,6729 litre	O
700	CM	150	CM	74 LEVEL CM	9491,9526 litre	19,183 %	39988,1317 litre	O
700	CM	150	CM	73 LEVEL CM	9311,3166 litre	18,818 %	40168,7677 litre	O
700	CM	150	CM	72 LEVEL CM	9131,5180 litre	18,455 %	40348,5663 litre	O
700	CM	150	CM	71 LEVEL CM	8952,5717 litre	18,093 %	40527,5126 litre	O
700	CM	150	CM	70 LEVEL CM	8774,4929 litre	17,733 %	40705,5914 litre	O
700	CM	150	CM	69 LEVEL CM	8597,2967 litre	17,375 %	40882,7876 litre	O
700	CM	150	CM	68 LEVEL CM	8420,9988 litre	17,019 %	41059,0855 litre	O
700	CM	150	CM	67 LEVEL CM	8245,6149 litre	16,665 %	41234,4694 litre	O
700	CM	150	CM	66 LEVEL CM	8071,1610 litre	16,312 %	41408,9233 litre	O
700	CM	150	CM	65 LEVEL CM	7897,6535 litre	15,961 %	41582,4308 litre	O
700	CM	150	CM	64 LEVEL CM	7725,1088 litre	15,613 %	41754,9755 litre	O
700	CM	150	CM	63 LEVEL CM	7553,5438 litre	15,266 %	41926,5405 litre	O
700	CM	150	CM	62 LEVEL CM	7382,9756 litre	14,921 %	42097,1087 litre	O
700	CM	150	CM	61 LEVEL CM	7213,4217 litre	14,578 %	42266,6626 litre	O
700	CM	150	CM	60 LEVEL CM	7044,8997 litre	14,238 %	42435,1846 litre	O
700	CM	150	CM	59 LEVEL CM	6877,4277 litre	13,899 %	42602,6566 litre	O
700	CM	150	CM	58 LEVEL CM	6711,0242 litre	13,563 %	42769,0601 litre	O
700	CM	150	CM	57 LEVEL CM	6545,7079 litre	13,229 %	42934,3764 litre	O
700	CM	150	CM	56 LEVEL CM	6381,4979 litre	12,897 %	43098,5864 litre	O
700	CM	150	CM	55 LEVEL CM	6218,4138 litre	12,568 %	43261,6705 litre	O
700	CM	150	CM	54 LEVEL CM	6056,4754 litre	12,240 %	43423,6089 litre	O
700	CM	150	CM	53 LEVEL CM	5895,7032 litre	11,915 %	43584,3811 litre	O
700	CM	150	CM	52 LEVEL CM	5736,1179 litre	11,593 %	43743,9664 litre	O
700	CM	150	CM	51 LEVEL CM	5577,7408 litre	11,273 %	43902,3435 litre	O
700	CM	150	CM	50 LEVEL CM	5420,5936 litre	10,955 %	44059,4907 litre	O
700	CM	150	CM	49 LEVEL CM	5264,6988 litre	10,640 %	44215,3855 litre	O
700	CM	150	CM	48 LEVEL CM	5110,0789 litre	10,328 %	44370,0054 litre	O
700	CM	150	CM	47 LEVEL CM	4956,7576 litre	10,018 %	44523,3267 litre	O
700	CM	150	CM	46 LEVEL CM	4804,7586 litre	9,710 %	44675,3257 litre	O
700	CM	150	CM	45 LEVEL CM	4654,1067 litre	9,406 %	44825,9776 litre	O
700	CM	150	CM	44 LEVEL CM	4504,8272 litre	9,104 %	44975,2571 litre	O
700	CM	150	CM	43 LEVEL CM	4356,9459 litre	8,805 %	45123,1384 litre	O
700	CM	150	CM	42 LEVEL CM	4210,4898 litre	8,509 %	45269,5945 litre	O
700	CM	150	CM	41 LEVEL CM	4065,4861 litre	8,216 %	45414,5982 litre	O
700	CM	150	CM	40 LEVEL CM	3921,9635 litre	7,926 %	45558,1208 litre	O
700	CM	150	CM	39 LEVEL CM	3779,9509 litre	7,639 %	45700,1334 litre	O
700	CM	150	CM	38 LEVEL CM	3639,4788 litre	7,355 %	45840,6055 litre	O
700	CM	150	CM	37 LEVEL CM	3500,5782 litre	7,075 %	45979,5061 litre	O

700	CM	150	CM	36 LEVEL CM	3363,2814 litre	6,797 %	46116,8029 litre	O
700	CM	150	CM	35 LEVEL CM	3227,6218 litre	6,523 %	46252,4625 litre	O
700	CM	150	CM	34 LEVEL CM	3093,6341 litre	6,252 %	46386,4502 litre	O
700	CM	150	CM	33 LEVEL CM	2961,3542 litre	5,985 %	46518,7301 litre	O
700	CM	150	CM	32 LEVEL CM	2830,8194 litre	5,721 %	46649,2649 litre	O
700	CM	150	CM	31 LEVEL CM	2702,0687 litre	5,461 %	46778,0156 litre	O
700	CM	150	CM	30 LEVEL CM	2575,1425 litre	5,204 %	46904,9418 litre	O
700	CM	150	CM	29 LEVEL CM	2450,0831 litre	4,952 %	47030,0012 litre	O
700	CM	150	CM	28 LEVEL CM	2326,9347 litre	4,703 %	47153,1496 litre	O
700	CM	150	CM	27 LEVEL CM	2205,7437 litre	4,458 %	47274,3406 litre	O
700	CM	150	CM	26 LEVEL CM	2086,5587 litre	4,217 %	47393,5256 litre	O
700	CM	150	CM	25 LEVEL CM	1969,4306 litre	3,980 %	47510,6537 litre	O
700	CM	150	CM	24 LEVEL CM	1854,4133 litre	3,748 %	47625,6710 litre	O
700	CM	150	CM	23 LEVEL CM	1741,5638 litre	3,520 %	47738,5205 litre	O
700	CM	150	CM	22 LEVEL CM	1630,9421 litre	3,296 %	47849,1422 litre	O
700	CM	150	CM	21 LEVEL CM	1522,6121 litre	3,077 %	47957,4722 litre	O
700	CM	150	CM	20 LEVEL CM	1416,6420 litre	2,863 %	48063,4423 litre	O
700	CM	150	CM	19 LEVEL CM	1313,1044 litre	2,654 %	48166,9799 litre	O
700	CM	150	CM	18 LEVEL CM	1212,0772 litre	2,450 %	48268,0071 litre	O
700	CM	150	CM	17 LEVEL CM	1113,6445 litre	2,251 %	48366,4398 litre	O
700	CM	150	CM	16 LEVEL CM	1017,8969 litre	2,057 %	48462,1874 litre	O
700	CM	150	CM	15 LEVEL CM	924,9330 litre	1,869 %	48555,1513 litre	O
700	CM	150	CM	14 LEVEL CM	834,8607 litre	1,687 %	48645,2236 litre	O
700	CM	150	CM	13 LEVEL CM	747,7984 litre	1,511 %	48732,2859 litre	O
700	CM	150	CM	12 LEVEL CM	663,8775 litre	1,342 %	48816,2068 litre	O
700	CM	150	CM	11 LEVEL CM	583,2445 litre	1,179 %	48896,8398 litre	O
700	CM	150	CM	10 LEVEL CM	506,0648 litre	1,023 %	48974,0195 litre	O
700	CM	150	CM	9 LEVEL CM	432,5272 litre	0,874 %	49047,5571 litre	O
700	CM	150	CM	8 LEVEL CM	362,8501 litre	0,733 %	49117,2342 litre	O
700	CM	150	CM	7 LEVEL CM	297,2904 litre	0,601 %	49182,7939 litre	O
700	CM	150	CM	6 LEVEL CM	236,1572 litre	0,477 %	49243,9271 litre	O
700	CM	150	CM	5 LEVEL CM	179,8328 litre	0,363 %	49300,2515 litre	O
700	CM	150	CM	4 LEVEL CM	128,8079 litre	0,260 %	49351,2764 litre	O
700	CM	150	CM	3 LEVEL CM	83,7475 litre	0,169 %	49396,3368 litre	O
700	CM	150	CM	2 LEVEL CM	45,6323 litre	0,092 %	49434,4520 litre	O
700	CM	150	CM	1 LEVEL CM	16,1496 litre	0,033 %	49463,9347 litre	O
700	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	49480,0843 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM 145	CM 290 LEVEL CM	46236,3899 litre	100,000 %	0,0000 litre	O
700	CM 145	CM 289 LEVEL CM	46220,5122 litre	99,966 %	15,8777 litre	O
700	CM 145	CM 288 LEVEL CM	46191,5277 litre	99,903 %	44,8622 litre	O
700	CM 145	CM 287 LEVEL CM	46154,0585 litre	99,822 %	82,3314 litre	O
700	CM 145	CM 286 LEVEL CM	46109,7646 litre	99,726 %	126,6253 litre	O
700	CM 145	CM 285 LEVEL CM	46059,6105 litre	99,618 %	176,7794 litre	O
700	CM 145	CM 284 LEVEL CM	46004,2507 litre	99,498 %	232,1392 litre	O
700	CM 145	CM 283 LEVEL CM	45944,1680 litre	99,368 %	292,2219 litre	O
700	CM 145	CM 282 LEVEL CM	45879,7388 litre	99,229 %	356,6511 litre	O
700	CM 145	CM 281 LEVEL CM	45811,2672 litre	99,081 %	425,1227 litre	O
700	CM 145	CM 280 LEVEL CM	45739,0064 litre	98,924 %	497,3835 litre	O
700	CM 145	CM 279 LEVEL CM	45663,1715 litre	98,760 %	573,2184 litre	O
700	CM 145	CM 278 LEVEL CM	45583,9483 litre	98,589 %	652,4416 litre	O
700	CM 145	CM 277 LEVEL CM	45501,4997 litre	98,411 %	734,8902 litre	O
700	CM 145	CM 276 LEVEL CM	45415,9704 litre	98,226 %	820,4195 litre	O
700	CM 145	CM 275 LEVEL CM	45327,4896 litre	98,034 %	908,9003 litre	O
700	CM 145	CM 274 LEVEL CM	45236,1742 litre	97,837 %	1000,2157 litre	O
700	CM 145	CM 273 LEVEL CM	45142,1304 litre	97,633 %	1094,2595 litre	O
700	CM 145	CM 272 LEVEL CM	45045,4556 litre	97,424 %	1190,9343 litre	O
700	CM 145	CM 271 LEVEL CM	44946,2391 litre	97,210 %	1290,1508 litre	O
700	CM 145	CM 270 LEVEL CM	44844,5638 litre	96,990 %	1391,8261 litre	O
700	CM 145	CM 269 LEVEL CM	44740,5067 litre	96,765 %	1495,8832 litre	O
700	CM 145	CM 268 LEVEL CM	44634,1394 litre	96,535 %	1602,2505 litre	O
700	CM 145	CM 267 LEVEL CM	44525,5292 litre	96,300 %	1710,8607 litre	O
700	CM 145	CM 266 LEVEL CM	44414,7391 litre	96,060 %	1821,6508 litre	O
700	CM 145	CM 265 LEVEL CM	44301,8286 litre	95,816 %	1934,5613 litre	O
700	CM 145	CM 264 LEVEL CM	44186,8538 litre	95,567 %	2049,5361 litre	O
700	CM 145	CM 263 LEVEL CM	44069,8680 litre	95,314 %	2166,5219 litre	O
700	CM 145	CM 262 LEVEL CM	43950,9214 litre	95,057 %	2285,4685 litre	O
700	CM 145	CM 261 LEVEL CM	43830,0623 litre	94,796 %	2406,3276 litre	O
700	CM 145	CM 260 LEVEL CM	43707,3363 litre	94,530 %	2529,0536 litre	O
700	CM 145	CM 259 LEVEL CM	43582,7873 litre	94,261 %	2653,6026 litre	O
700	CM 145	CM 258 LEVEL CM	43456,4569 litre	93,988 %	2779,9330 litre	O
700	CM 145	CM 257 LEVEL CM	43328,3852 litre	93,711 %	2908,0047 litre	O
700	CM 145	CM 256 LEVEL CM	43198,6109 litre	93,430 %	3037,7790 litre	O
700	CM 145	CM 255 LEVEL CM	43067,1707 litre	93,146 %	3169,2192 litre	O
700	CM 145	CM 254 LEVEL CM	42934,1003 litre	92,858 %	3302,2896 litre	O
700	CM 145	CM 253 LEVEL CM	42799,4340 litre	92,567 %	3436,9559 litre	O
700	CM 145	CM 252 LEVEL CM	42663,2048 litre	92,272 %	3573,1851 litre	O
700	CM 145	CM 251 LEVEL CM	42525,4447 litre	91,974 %	3710,9452 litre	O
700	CM 145	CM 250 LEVEL CM	42386,1847 litre	91,673 %	3850,2052 litre	O
700	CM 145	CM 249 LEVEL CM	42245,4545 litre	91,368 %	3990,9354 litre	O
700	CM 145	CM 248 LEVEL CM	42103,2833 litre	91,061 %	4133,1066 litre	O
700	CM 145	CM 247 LEVEL CM	41959,6991 litre	90,750 %	4276,6908 litre	O
700	CM 145	CM 246 LEVEL CM	41814,7292 litre	90,437 %	4421,6607 litre	O
700	CM 145	CM 245 LEVEL CM	41668,4001 litre	90,120 %	4567,9898 litre	O
700	CM 145	CM 244 LEVEL CM	41520,7377 litre	89,801 %	4715,6522 litre	O
700	CM 145	CM 243 LEVEL CM	41371,7669 litre	89,479 %	4864,6230 litre	O
700	CM 145	CM 242 LEVEL CM	41221,5123 litre	89,154 %	5014,8776 litre	O
700	CM 145	CM 241 LEVEL CM	41069,9976 litre	88,826 %	5166,3923 litre	O
700	CM 145	CM 240 LEVEL CM	40917,2461 litre	88,496 %	5319,1438 litre	O
700	CM 145	CM 239 LEVEL CM	40763,2805 litre	88,163 %	5473,1094 litre	O

700	CM	145	CM	238 LEVEL CM	40608,1228 litre	87,827 %	5628,2671 litre	O
700	CM	145	CM	237 LEVEL CM	40451,7947 litre	87,489 %	5784,5952 litre	O
700	CM	145	CM	236 LEVEL CM	40294,3173 litre	87,148 %	5942,0726 litre	O
700	CM	145	CM	235 LEVEL CM	40135,7114 litre	86,805 %	6100,6785 litre	O
700	CM	145	CM	234 LEVEL CM	39975,9971 litre	86,460 %	6260,3928 litre	O
700	CM	145	CM	233 LEVEL CM	39815,1943 litre	86,112 %	6421,1956 litre	O
700	CM	145	CM	232 LEVEL CM	39653,3225 litre	85,762 %	6583,0674 litre	O
700	CM	145	CM	231 LEVEL CM	39490,4006 litre	85,410 %	6745,9893 litre	O
700	CM	145	CM	230 LEVEL CM	39326,4474 litre	85,055 %	6909,9425 litre	O
700	CM	145	CM	229 LEVEL CM	39161,4812 litre	84,698 %	7074,9087 litre	O
700	CM	145	CM	228 LEVEL CM	38995,5199 litre	84,339 %	7240,8700 litre	O
700	CM	145	CM	227 LEVEL CM	38828,5813 litre	83,978 %	7407,8086 litre	O
700	CM	145	CM	226 LEVEL CM	38660,6826 litre	83,615 %	7575,7073 litre	O
700	CM	145	CM	225 LEVEL CM	38491,8411 litre	83,250 %	7744,5488 litre	O
700	CM	145	CM	224 LEVEL CM	38322,0733 litre	82,883 %	7914,3166 litre	O
700	CM	145	CM	223 LEVEL CM	38151,3960 litre	82,514 %	8084,9939 litre	O
700	CM	145	CM	222 LEVEL CM	37979,8252 litre	82,143 %	8256,5647 litre	O
700	CM	145	CM	221 LEVEL CM	37807,3771 litre	81,770 %	8429,0128 litre	O
700	CM	145	CM	220 LEVEL CM	37634,0673 litre	81,395 %	8602,3226 litre	O
700	CM	145	CM	219 LEVEL CM	37459,9114 litre	81,018 %	8776,4785 litre	O
700	CM	145	CM	218 LEVEL CM	37284,9246 litre	80,640 %	8951,4653 litre	O
700	CM	145	CM	217 LEVEL CM	37109,1221 litre	80,260 %	9127,2678 litre	O
700	CM	145	CM	216 LEVEL CM	36932,5186 litre	79,878 %	9303,8713 litre	O
700	CM	145	CM	215 LEVEL CM	36755,1289 litre	79,494 %	9481,2610 litre	O
700	CM	145	CM	214 LEVEL CM	36576,9675 litre	79,109 %	9659,4224 litre	O
700	CM	145	CM	213 LEVEL CM	36398,0486 litre	78,722 %	9838,3413 litre	O
700	CM	145	CM	212 LEVEL CM	36218,3863 litre	78,333 %	10018,0036 litre	O
700	CM	145	CM	211 LEVEL CM	36037,9945 litre	77,943 %	10198,3954 litre	O
700	CM	145	CM	210 LEVEL CM	35856,8871 litre	77,551 %	10379,5028 litre	O
700	CM	145	CM	209 LEVEL CM	35675,0776 litre	77,158 %	10561,3123 litre	O
700	CM	145	CM	208 LEVEL CM	35492,5794 litre	76,763 %	10743,8105 litre	O
700	CM	145	CM	207 LEVEL CM	35309,4058 litre	76,367 %	10926,9841 litre	O
700	CM	145	CM	206 LEVEL CM	35125,5701 litre	75,970 %	11110,8198 litre	O
700	CM	145	CM	205 LEVEL CM	34941,0851 litre	75,571 %	11295,3048 litre	O
700	CM	145	CM	204 LEVEL CM	34755,9637 litre	75,170 %	11480,4262 litre	O
700	CM	145	CM	203 LEVEL CM	34570,2187 litre	74,768 %	11666,1712 litre	O
700	CM	145	CM	202 LEVEL CM	34383,8628 litre	74,365 %	11852,5271 litre	O
700	CM	145	CM	201 LEVEL CM	34196,9082 litre	73,961 %	12039,4817 litre	O
700	CM	145	CM	200 LEVEL CM	34009,3675 litre	73,555 %	12227,0224 litre	O
700	CM	145	CM	199 LEVEL CM	33821,2529 litre	73,149 %	12415,1370 litre	O
700	CM	145	CM	198 LEVEL CM	33632,5764 litre	72,740 %	12603,8135 litre	O
700	CM	145	CM	197 LEVEL CM	33443,3502 litre	72,331 %	12793,0397 litre	O
700	CM	145	CM	196 LEVEL CM	33253,5861 litre	71,921 %	12982,8038 litre	O
700	CM	145	CM	195 LEVEL CM	33063,2960 litre	71,509 %	13173,0939 litre	O
700	CM	145	CM	194 LEVEL CM	32872,4916 litre	71,097 %	13363,8983 litre	O
700	CM	145	CM	193 LEVEL CM	32681,1845 litre	70,683 %	13555,2054 litre	O
700	CM	145	CM	192 LEVEL CM	32489,3863 litre	70,268 %	13747,0036 litre	O
700	CM	145	CM	191 LEVEL CM	32297,1083 litre	69,852 %	13939,2816 litre	O
700	CM	145	CM	190 LEVEL CM	32104,3620 litre	69,435 %	14132,0279 litre	O
700	CM	145	CM	189 LEVEL CM	31911,1587 litre	69,017 %	14325,2312 litre	O
700	CM	145	CM	188 LEVEL CM	31717,5095 litre	68,599 %	14518,8804 litre	O
700	CM	145	CM	187 LEVEL CM	31523,4256 litre	68,179 %	14712,9643 litre	O
700	CM	145	CM	186 LEVEL CM	31328,9180 litre	67,758 %	14907,4719 litre	O

700	CM	145	CM	185 LEVEL CM	31133,9976 litre	67,337 %	15102,3923 litre	O
700	CM	145	CM	184 LEVEL CM	30938,6755 litre	66,914 %	15297,7144 litre	O
700	CM	145	CM	183 LEVEL CM	30742,9624 litre	66,491 %	15493,4275 litre	O
700	CM	145	CM	182 LEVEL CM	30546,8691 litre	66,067 %	15689,5208 litre	O
700	CM	145	CM	181 LEVEL CM	30350,4064 litre	65,642 %	15885,9835 litre	O
700	CM	145	CM	180 LEVEL CM	30153,5848 litre	65,216 %	16082,8051 litre	O
700	CM	145	CM	179 LEVEL CM	29956,4150 litre	64,790 %	16279,9749 litre	O
700	CM	145	CM	178 LEVEL CM	29758,9075 litre	64,363 %	16477,4824 litre	O
700	CM	145	CM	177 LEVEL CM	29561,0727 litre	63,935 %	16675,3172 litre	O
700	CM	145	CM	176 LEVEL CM	29362,9212 litre	63,506 %	16873,4687 litre	O
700	CM	145	CM	175 LEVEL CM	29164,4633 litre	63,077 %	17071,9266 litre	O
700	CM	145	CM	174 LEVEL CM	28965,7094 litre	62,647 %	17270,6805 litre	O
700	CM	145	CM	173 LEVEL CM	28766,6696 litre	62,217 %	17469,7203 litre	O
700	CM	145	CM	172 LEVEL CM	28567,3543 litre	61,785 %	17669,0356 litre	O
700	CM	145	CM	171 LEVEL CM	28367,7737 litre	61,354 %	17868,6162 litre	O
700	CM	145	CM	170 LEVEL CM	28167,9379 litre	60,922 %	18068,4520 litre	O
700	CM	145	CM	169 LEVEL CM	27967,8571 litre	60,489 %	18268,5328 litre	O
700	CM	145	CM	168 LEVEL CM	27767,5413 litre	60,056 %	18468,8486 litre	O
700	CM	145	CM	167 LEVEL CM	27567,0006 litre	59,622 %	18669,3893 litre	O
700	CM	145	CM	166 LEVEL CM	27366,2449 litre	59,188 %	18870,1450 litre	O
700	CM	145	CM	165 LEVEL CM	27165,2844 litre	58,753 %	19071,1055 litre	O
700	CM	145	CM	164 LEVEL CM	26964,1289 litre	58,318 %	19272,2610 litre	O
700	CM	145	CM	163 LEVEL CM	26762,7883 litre	57,883 %	19473,6016 litre	O
700	CM	145	CM	162 LEVEL CM	26561,2726 litre	57,447 %	19675,1173 litre	O
700	CM	145	CM	161 LEVEL CM	26359,5916 litre	57,010 %	19876,7983 litre	O
700	CM	145	CM	160 LEVEL CM	26157,7552 litre	56,574 %	20078,6347 litre	O
700	CM	145	CM	159 LEVEL CM	25955,7731 litre	56,137 %	20280,6168 litre	O
700	CM	145	CM	158 LEVEL CM	25753,6553 litre	55,700 %	20482,7346 litre	O
700	CM	145	CM	157 LEVEL CM	25551,4114 litre	55,263 %	20684,9785 litre	O
700	CM	145	CM	156 LEVEL CM	25349,0512 litre	54,825 %	20887,3387 litre	O
700	CM	145	CM	155 LEVEL CM	25146,5846 litre	54,387 %	21089,8053 litre	O
700	CM	145	CM	154 LEVEL CM	24944,0212 litre	53,949 %	21292,3687 litre	O
700	CM	145	CM	153 LEVEL CM	24741,3707 litre	53,511 %	21495,0192 litre	O
700	CM	145	CM	152 LEVEL CM	24538,6428 litre	53,072 %	21697,7471 litre	O
700	CM	145	CM	151 LEVEL CM	24335,8473 litre	52,634 %	21900,5426 litre	O
700	CM	145	CM	150 LEVEL CM	24132,9938 litre	52,195 %	22103,3961 litre	O
700	CM	145	CM	149 LEVEL CM	23930,0919 litre	51,756 %	22306,2980 litre	O
700	CM	145	CM	148 LEVEL CM	23727,1515 litre	51,317 %	22509,2384 litre	O
700	CM	145	CM	147 LEVEL CM	23524,1821 litre	50,878 %	22712,2078 litre	O
700	CM	145	CM	146 LEVEL CM	23321,1933 litre	50,439 %	22915,1966 litre	O
700	CM	145	CM	145 LEVEL CM	23118,1949 litre	50,000 %	23118,1950 litre	O
700	CM	145	CM	144 LEVEL CM	22915,1965 litre	49,561 %	23321,1934 litre	O
700	CM	145	CM	143 LEVEL CM	22712,2078 litre	49,122 %	23524,1821 litre	O
700	CM	145	CM	142 LEVEL CM	22509,2384 litre	48,683 %	23727,1515 litre	O
700	CM	145	CM	141 LEVEL CM	22306,2979 litre	48,244 %	23930,0920 litre	O
700	CM	145	CM	140 LEVEL CM	22103,3961 litre	47,805 %	24132,9938 litre	O
700	CM	145	CM	139 LEVEL CM	21900,5426 litre	47,366 %	24335,8473 litre	O
700	CM	145	CM	138 LEVEL CM	21697,7471 litre	46,928 %	24538,6428 litre	O
700	CM	145	CM	137 LEVEL CM	21495,0192 litre	46,489 %	24741,3707 litre	O
700	CM	145	CM	136 LEVEL CM	21292,3687 litre	46,051 %	24944,0212 litre	O
700	CM	145	CM	135 LEVEL CM	21089,8053 litre	45,613 %	25146,5846 litre	O
700	CM	145	CM	134 LEVEL CM	20887,3386 litre	45,175 %	25349,0513 litre	O
700	CM	145	CM	133 LEVEL CM	20684,9785 litre	44,737 %	25551,4114 litre	O

700	CM	145	CM	132 LEVEL CM	20482,7346 litre	44,300 %	25753,6553 litre	O
700	CM	145	CM	131 LEVEL CM	20280,6168 litre	43,863 %	25955,7731 litre	O
700	CM	145	CM	130 LEVEL CM	20078,6347 litre	43,426 %	26157,7552 litre	O
700	CM	145	CM	129 LEVEL CM	19876,7983 litre	42,990 %	26359,5916 litre	O
700	CM	145	CM	128 LEVEL CM	19675,1173 litre	42,553 %	26561,2726 litre	O
700	CM	145	CM	127 LEVEL CM	19473,6016 litre	42,117 %	26762,7883 litre	O
700	CM	145	CM	126 LEVEL CM	19272,2610 litre	41,682 %	26964,1289 litre	O
700	CM	145	CM	125 LEVEL CM	19071,1055 litre	41,247 %	27165,2844 litre	O
700	CM	145	CM	124 LEVEL CM	18870,1449 litre	40,812 %	27366,2450 litre	O
700	CM	145	CM	123 LEVEL CM	18669,3893 litre	40,378 %	27567,0006 litre	O
700	CM	145	CM	122 LEVEL CM	18468,8486 litre	39,944 %	27767,5413 litre	O
700	CM	145	CM	121 LEVEL CM	18268,5328 litre	39,511 %	27967,8571 litre	O
700	CM	145	CM	120 LEVEL CM	18068,4519 litre	39,078 %	28167,9380 litre	O
700	CM	145	CM	119 LEVEL CM	17868,6162 litre	38,646 %	28367,7737 litre	O
700	CM	145	CM	118 LEVEL CM	17669,0355 litre	38,215 %	28567,3544 litre	O
700	CM	145	CM	117 LEVEL CM	17469,7203 litre	37,783 %	28766,6696 litre	O
700	CM	145	CM	116 LEVEL CM	17270,6805 litre	37,353 %	28965,7094 litre	O
700	CM	145	CM	115 LEVEL CM	17071,9265 litre	36,923 %	29164,4634 litre	O
700	CM	145	CM	114 LEVEL CM	16873,4686 litre	36,494 %	29362,9213 litre	O
700	CM	145	CM	113 LEVEL CM	16675,3171 litre	36,065 %	29561,0728 litre	O
700	CM	145	CM	112 LEVEL CM	16477,4824 litre	35,637 %	29758,9075 litre	O
700	CM	145	CM	111 LEVEL CM	16279,9749 litre	35,210 %	29956,4150 litre	O
700	CM	145	CM	110 LEVEL CM	16082,8051 litre	34,784 %	30153,5848 litre	O
700	CM	145	CM	109 LEVEL CM	15885,9835 litre	34,358 %	30350,4064 litre	O
700	CM	145	CM	108 LEVEL CM	15689,5207 litre	33,933 %	30546,8692 litre	O
700	CM	145	CM	107 LEVEL CM	15493,4275 litre	33,509 %	30742,9624 litre	O
700	CM	145	CM	106 LEVEL CM	15297,7144 litre	33,086 %	30938,6755 litre	O
700	CM	145	CM	105 LEVEL CM	15102,3922 litre	32,663 %	31133,9977 litre	O
700	CM	145	CM	104 LEVEL CM	14907,4719 litre	32,242 %	31328,9180 litre	O
700	CM	145	CM	103 LEVEL CM	14712,9643 litre	31,821 %	31523,4256 litre	O
700	CM	145	CM	102 LEVEL CM	14518,8804 litre	31,401 %	31717,5095 litre	O
700	CM	145	CM	101 LEVEL CM	14325,2312 litre	30,983 %	31911,1587 litre	O
700	CM	145	CM	100 LEVEL CM	14132,0278 litre	30,565 %	32104,3621 litre	O
700	CM	145	CM	99 LEVEL CM	13939,2816 litre	30,148 %	32297,1083 litre	O
700	CM	145	CM	98 LEVEL CM	13747,0036 litre	29,732 %	32489,3863 litre	O
700	CM	145	CM	97 LEVEL CM	13555,2054 litre	29,317 %	32681,1845 litre	O
700	CM	145	CM	96 LEVEL CM	13363,8983 litre	28,903 %	32872,4916 litre	O
700	CM	145	CM	95 LEVEL CM	13173,0939 litre	28,491 %	33063,2960 litre	O
700	CM	145	CM	94 LEVEL CM	12982,8038 litre	28,079 %	33253,5861 litre	O
700	CM	145	CM	93 LEVEL CM	12793,0397 litre	27,669 %	33443,3502 litre	O
700	CM	145	CM	92 LEVEL CM	12603,8135 litre	27,260 %	33632,5764 litre	O
700	CM	145	CM	91 LEVEL CM	12415,1370 litre	26,851 %	33821,2529 litre	O
700	CM	145	CM	90 LEVEL CM	12227,0224 litre	26,445 %	34009,3675 litre	O
700	CM	145	CM	89 LEVEL CM	12039,4817 litre	26,039 %	34196,9082 litre	O
700	CM	145	CM	88 LEVEL CM	11852,5271 litre	25,635 %	34383,8628 litre	O
700	CM	145	CM	87 LEVEL CM	11666,1711 litre	25,232 %	34570,2188 litre	O
700	CM	145	CM	86 LEVEL CM	11480,4262 litre	24,830 %	34755,9637 litre	O
700	CM	145	CM	85 LEVEL CM	11295,3048 litre	24,429 %	34941,0851 litre	O
700	CM	145	CM	84 LEVEL CM	11110,8198 litre	24,030 %	35125,5701 litre	O
700	CM	145	CM	83 LEVEL CM	10926,9841 litre	23,633 %	35309,4058 litre	O
700	CM	145	CM	82 LEVEL CM	10743,8105 litre	23,237 %	35492,5794 litre	O
700	CM	145	CM	81 LEVEL CM	10561,3123 litre	22,842 %	35675,0776 litre	O
700	CM	145	CM	80 LEVEL CM	10379,5028 litre	22,449 %	35856,8871 litre	O

700	CM	145	CM	79 LEVEL CM	10198,3953 litre	22,057 %	36037,9946 litre	O
700	CM	145	CM	78 LEVEL CM	10018,0036 litre	21,667 %	36218,3863 litre	O
700	CM	145	CM	77 LEVEL CM	9838,3413 litre	21,278 %	36398,0486 litre	O
700	CM	145	CM	76 LEVEL CM	9659,4224 litre	20,891 %	36576,9675 litre	O
700	CM	145	CM	75 LEVEL CM	9481,2609 litre	20,506 %	36755,1290 litre	O
700	CM	145	CM	74 LEVEL CM	9303,8713 litre	20,122 %	36932,5186 litre	O
700	CM	145	CM	73 LEVEL CM	9127,2678 litre	19,740 %	37109,1221 litre	O
700	CM	145	CM	72 LEVEL CM	8951,4653 litre	19,360 %	37284,9246 litre	O
700	CM	145	CM	71 LEVEL CM	8776,4785 litre	18,982 %	37459,9114 litre	O
700	CM	145	CM	70 LEVEL CM	8602,3226 litre	18,605 %	37634,0673 litre	O
700	CM	145	CM	69 LEVEL CM	8429,0128 litre	18,230 %	37807,3771 litre	O
700	CM	145	CM	68 LEVEL CM	8256,5646 litre	17,857 %	37979,8253 litre	O
700	CM	145	CM	67 LEVEL CM	8084,9939 litre	17,486 %	38151,3960 litre	O
700	CM	145	CM	66 LEVEL CM	7914,3165 litre	17,117 %	38322,0734 litre	O
700	CM	145	CM	65 LEVEL CM	7744,5488 litre	16,750 %	38491,8411 litre	O
700	CM	145	CM	64 LEVEL CM	7575,7073 litre	16,385 %	38660,6826 litre	O
700	CM	145	CM	63 LEVEL CM	7407,8086 litre	16,022 %	38828,5813 litre	O
700	CM	145	CM	62 LEVEL CM	7240,8700 litre	15,661 %	38995,5199 litre	O
700	CM	145	CM	61 LEVEL CM	7074,9087 litre	15,302 %	39161,4812 litre	O
700	CM	145	CM	60 LEVEL CM	6909,9425 litre	14,945 %	39326,4474 litre	O
700	CM	145	CM	59 LEVEL CM	6745,9892 litre	14,590 %	39490,4007 litre	O
700	CM	145	CM	58 LEVEL CM	6583,0674 litre	14,238 %	39653,3225 litre	O
700	CM	145	CM	57 LEVEL CM	6421,1955 litre	13,888 %	39815,1944 litre	O
700	CM	145	CM	56 LEVEL CM	6260,3928 litre	13,540 %	39975,9971 litre	O
700	CM	145	CM	55 LEVEL CM	6100,6785 litre	13,195 %	40135,7114 litre	O
700	CM	145	CM	54 LEVEL CM	5942,0726 litre	12,852 %	40294,3173 litre	O
700	CM	145	CM	53 LEVEL CM	5784,5952 litre	12,511 %	40451,7947 litre	O
700	CM	145	CM	52 LEVEL CM	5628,2671 litre	12,173 %	40608,1228 litre	O
700	CM	145	CM	51 LEVEL CM	5473,1094 litre	11,837 %	40763,2805 litre	O
700	CM	145	CM	50 LEVEL CM	5319,1437 litre	11,504 %	40917,2462 litre	O
700	CM	145	CM	49 LEVEL CM	5166,3922 litre	11,174 %	41069,9977 litre	O
700	CM	145	CM	48 LEVEL CM	5014,8776 litre	10,846 %	41221,5123 litre	O
700	CM	145	CM	47 LEVEL CM	4864,6229 litre	10,521 %	41371,7670 litre	O
700	CM	145	CM	46 LEVEL CM	4715,6522 litre	10,199 %	41520,7377 litre	O
700	CM	145	CM	45 LEVEL CM	4567,9897 litre	9,880 %	41668,4002 litre	O
700	CM	145	CM	44 LEVEL CM	4421,6607 litre	9,563 %	41814,7292 litre	O
700	CM	145	CM	43 LEVEL CM	4276,6908 litre	9,250 %	41959,6991 litre	O
700	CM	145	CM	42 LEVEL CM	4133,1066 litre	8,939 %	42103,2833 litre	O
700	CM	145	CM	41 LEVEL CM	3990,9353 litre	8,632 %	42245,4546 litre	O
700	CM	145	CM	40 LEVEL CM	3850,2052 litre	8,327 %	42386,1847 litre	O
700	CM	145	CM	39 LEVEL CM	3710,9452 litre	8,026 %	42525,4447 litre	O
700	CM	145	CM	38 LEVEL CM	3573,1851 litre	7,728 %	42663,2048 litre	O
700	CM	145	CM	37 LEVEL CM	3436,9559 litre	7,433 %	42799,4340 litre	O
700	CM	145	CM	36 LEVEL CM	3302,2896 litre	7,142 %	42934,1003 litre	O
700	CM	145	CM	35 LEVEL CM	3169,2192 litre	6,854 %	43067,1707 litre	O
700	CM	145	CM	34 LEVEL CM	3037,7790 litre	6,570 %	43198,6109 litre	O
700	CM	145	CM	33 LEVEL CM	2908,0046 litre	6,289 %	43328,3853 litre	O
700	CM	145	CM	32 LEVEL CM	2779,9330 litre	6,012 %	43456,4569 litre	O
700	CM	145	CM	31 LEVEL CM	2653,6026 litre	5,739 %	43582,7873 litre	O
700	CM	145	CM	30 LEVEL CM	2529,0535 litre	5,470 %	43707,3364 litre	O
700	CM	145	CM	29 LEVEL CM	2406,3276 litre	5,204 %	43830,0623 litre	O
700	CM	145	CM	28 LEVEL CM	2285,4684 litre	4,943 %	43950,9215 litre	O
700	CM	145	CM	27 LEVEL CM	2166,5219 litre	4,686 %	44069,8680 litre	O

700	CM	145	CM	26 LEVEL CM	2049,5360 litre	4,433 %	44186,8539 litre	O
700	CM	145	CM	25 LEVEL CM	1934,5612 litre	4,184 %	44301,8287 litre	O
700	CM	145	CM	24 LEVEL CM	1821,6507 litre	3,940 %	44414,7392 litre	O
700	CM	145	CM	23 LEVEL CM	1710,8607 litre	3,700 %	44525,5292 litre	O
700	CM	145	CM	22 LEVEL CM	1602,2504 litre	3,465 %	44634,1395 litre	O
700	CM	145	CM	21 LEVEL CM	1495,8832 litre	3,235 %	44740,5067 litre	O
700	CM	145	CM	20 LEVEL CM	1391,8260 litre	3,010 %	44844,5639 litre	O
700	CM	145	CM	19 LEVEL CM	1290,1508 litre	2,790 %	44946,2391 litre	O
700	CM	145	CM	18 LEVEL CM	1190,9343 litre	2,576 %	45045,4556 litre	O
700	CM	145	CM	17 LEVEL CM	1094,2595 litre	2,367 %	45142,1304 litre	O
700	CM	145	CM	16 LEVEL CM	1000,2157 litre	2,163 %	45236,1742 litre	O
700	CM	145	CM	15 LEVEL CM	908,9003 litre	1,966 %	45327,4896 litre	O
700	CM	145	CM	14 LEVEL CM	820,4195 litre	1,774 %	45415,9704 litre	O
700	CM	145	CM	13 LEVEL CM	734,8901 litre	1,589 %	45501,4998 litre	O
700	CM	145	CM	12 LEVEL CM	652,4416 litre	1,411 %	45583,9483 litre	O
700	CM	145	CM	11 LEVEL CM	573,2184 litre	1,240 %	45663,1715 litre	O
700	CM	145	CM	10 LEVEL CM	497,3835 litre	1,076 %	45739,0064 litre	O
700	CM	145	CM	9 LEVEL CM	425,1227 litre	0,919 %	45811,2672 litre	O
700	CM	145	CM	8 LEVEL CM	356,6511 litre	0,771 %	45879,7388 litre	O
700	CM	145	CM	7 LEVEL CM	292,2219 litre	0,632 %	45944,1680 litre	O
700	CM	145	CM	6 LEVEL CM	232,1392 litre	0,502 %	46004,2507 litre	O
700	CM	145	CM	5 LEVEL CM	176,7794 litre	0,382 %	46059,6105 litre	O
700	CM	145	CM	4 LEVEL CM	126,6253 litre	0,274 %	46109,7646 litre	O
700	CM	145	CM	3 LEVEL CM	82,3314 litre	0,178 %	46154,0585 litre	O
700	CM	145	CM	2 LEVEL CM	44,8622 litre	0,097 %	46191,5277 litre	O
700	CM	145	CM	1 LEVEL CM	15,8776 litre	0,034 %	46220,5123 litre	O
700	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	46236,3899 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM 140	CM 280 LEVEL CM	43102,6512 litre	100,000 %	0,0000 litre	O
700	CM 140	CM 279 LEVEL CM	43087,0503 litre	99,964 %	15,6009 litre	O
700	CM 140	CM 278 LEVEL CM	43058,5726 litre	99,898 %	44,0786 litre	O
700	CM 140	CM 277 LEVEL CM	43021,7608 litre	99,812 %	80,8904 litre	O
700	CM 140	CM 276 LEVEL CM	42978,2468 litre	99,711 %	124,4044 litre	O
700	CM 140	CM 275 LEVEL CM	42928,9789 litre	99,597 %	173,6723 litre	O
700	CM 140	CM 274 LEVEL CM	42874,6008 litre	99,471 %	228,0504 litre	O
700	CM 140	CM 273 LEVEL CM	42815,5873 litre	99,334 %	287,0639 litre	O
700	CM 140	CM 272 LEVEL CM	42752,3087 litre	99,187 %	350,3425 litre	O
700	CM 140	CM 271 LEVEL CM	42685,0644 litre	99,031 %	417,5868 litre	O
700	CM 140	CM 270 LEVEL CM	42614,1034 litre	98,867 %	488,5478 litre	O
700	CM 140	CM 269 LEVEL CM	42539,6374 litre	98,694 %	563,0138 litre	O
700	CM 140	CM 268 LEVEL CM	42461,8495 litre	98,513 %	640,8017 litre	O
700	CM 140	CM 267 LEVEL CM	42380,9002 litre	98,326 %	721,7510 litre	O
700	CM 140	CM 266 LEVEL CM	42296,9318 litre	98,131 %	805,7194 litre	O
700	CM 140	CM 265 LEVEL CM	42210,0717 litre	97,929 %	892,5795 litre	O
700	CM 140	CM 264 LEVEL CM	42120,4350 litre	97,721 %	982,2162 litre	O
700	CM 140	CM 263 LEVEL CM	42028,1265 litre	97,507 %	1074,5247 litre	O
700	CM 140	CM 262 LEVEL CM	41933,2421 litre	97,287 %	1169,4091 litre	O
700	CM 140	CM 261 LEVEL CM	41835,8700 litre	97,061 %	1266,7812 litre	O
700	CM 140	CM 260 LEVEL CM	41736,0919 litre	96,830 %	1366,5593 litre	O
700	CM 140	CM 259 LEVEL CM	41633,9835 litre	96,593 %	1468,6677 litre	O
700	CM 140	CM 258 LEVEL CM	41529,6159 litre	96,350 %	1573,0353 litre	O
700	CM 140	CM 257 LEVEL CM	41423,0551 litre	96,103 %	1679,5961 litre	O
700	CM 140	CM 256 LEVEL CM	41314,3635 litre	95,851 %	1788,2877 litre	O
700	CM 140	CM 255 LEVEL CM	41203,5998 litre	95,594 %	1899,0514 litre	O
700	CM 140	CM 254 LEVEL CM	41090,8194 litre	95,332 %	2011,8318 litre	O
700	CM 140	CM 253 LEVEL CM	40976,0749 litre	95,066 %	2126,5763 litre	O
700	CM 140	CM 252 LEVEL CM	40859,4160 litre	94,796 %	2243,2352 litre	O
700	CM 140	CM 251 LEVEL CM	40740,8903 litre	94,521 %	2361,7609 litre	O
700	CM 140	CM 250 LEVEL CM	40620,5430 litre	94,241 %	2482,1082 litre	O
700	CM 140	CM 249 LEVEL CM	40498,4173 litre	93,958 %	2604,2339 litre	O
700	CM 140	CM 248 LEVEL CM	40374,5545 litre	93,671 %	2728,0967 litre	O
700	CM 140	CM 247 LEVEL CM	40248,9944 litre	93,379 %	2853,6568 litre	O
700	CM 140	CM 246 LEVEL CM	40121,7749 litre	93,084 %	2980,8763 litre	O
700	CM 140	CM 245 LEVEL CM	39992,9326 litre	92,785 %	3109,7186 litre	O
700	CM 140	CM 244 LEVEL CM	39862,5027 litre	92,483 %	3240,1485 litre	O
700	CM 140	CM 243 LEVEL CM	39730,5193 litre	92,177 %	3372,1319 litre	O
700	CM 140	CM 242 LEVEL CM	39597,0150 litre	91,867 %	3505,6362 litre	O
700	CM 140	CM 241 LEVEL CM	39462,0215 litre	91,554 %	3640,6297 litre	O
700	CM 140	CM 240 LEVEL CM	39325,5694 litre	91,237 %	3777,0818 litre	O
700	CM 140	CM 239 LEVEL CM	39187,6884 litre	90,917 %	3914,9628 litre	O
700	CM 140	CM 238 LEVEL CM	39048,4071 litre	90,594 %	4054,2441 litre	O
700	CM 140	CM 237 LEVEL CM	38907,7535 litre	90,268 %	4194,8977 litre	O
700	CM 140	CM 236 LEVEL CM	38765,7547 litre	89,938 %	4336,8965 litre	O
700	CM 140	CM 235 LEVEL CM	38622,4368 litre	89,606 %	4480,2144 litre	O
700	CM 140	CM 234 LEVEL CM	38477,8256 litre	89,270 %	4624,8256 litre	O
700	CM 140	CM 233 LEVEL CM	38331,9458 litre	88,932 %	4770,7054 litre	O
700	CM 140	CM 232 LEVEL CM	38184,8219 litre	88,590 %	4917,8293 litre	O
700	CM 140	CM 231 LEVEL CM	38036,4773 litre	88,246 %	5066,1739 litre	O
700	CM 140	CM 230 LEVEL CM	37886,9353 litre	87,899 %	5215,7159 litre	O
700	CM 140	CM 229 LEVEL CM	37736,2182 litre	87,550 %	5366,4330 litre	O

700	CM	140	CM	228 LEVEL CM	37584,3481 litre	87,197 %	5518,3031 litre	O
700	CM	140	CM	227 LEVEL CM	37431,3466 litre	86,842 %	5671,3046 litre	O
700	CM	140	CM	226 LEVEL CM	37277,2345 litre	86,485 %	5825,4167 litre	O
700	CM	140	CM	225 LEVEL CM	37122,0325 litre	86,125 %	5980,6187 litre	O
700	CM	140	CM	224 LEVEL CM	36965,7608 litre	85,762 %	6136,8904 litre	O
700	CM	140	CM	223 LEVEL CM	36808,4391 litre	85,397 %	6294,2121 litre	O
700	CM	140	CM	222 LEVEL CM	36650,0866 litre	85,030 %	6452,5646 litre	O
700	CM	140	CM	221 LEVEL CM	36490,7224 litre	84,660 %	6611,9288 litre	O
700	CM	140	CM	220 LEVEL CM	36330,3651 litre	84,288 %	6772,2861 litre	O
700	CM	140	CM	219 LEVEL CM	36169,0329 litre	83,914 %	6933,6183 litre	O
700	CM	140	CM	218 LEVEL CM	36006,7438 litre	83,537 %	7095,9074 litre	O
700	CM	140	CM	217 LEVEL CM	35843,5154 litre	83,158 %	7259,1358 litre	O
700	CM	140	CM	216 LEVEL CM	35679,3650 litre	82,778 %	7423,2862 litre	O
700	CM	140	CM	215 LEVEL CM	35514,3096 litre	82,395 %	7588,3416 litre	O
700	CM	140	CM	214 LEVEL CM	35348,3660 litre	82,010 %	7754,2852 litre	O
700	CM	140	CM	213 LEVEL CM	35181,5507 litre	81,623 %	7921,1005 litre	O
700	CM	140	CM	212 LEVEL CM	35013,8798 litre	81,234 %	8088,7714 litre	O
700	CM	140	CM	211 LEVEL CM	34845,3693 litre	80,843 %	8257,2819 litre	O
700	CM	140	CM	210 LEVEL CM	34676,0351 litre	80,450 %	8426,6161 litre	O
700	CM	140	CM	209 LEVEL CM	34505,8925 litre	80,055 %	8596,7587 litre	O
700	CM	140	CM	208 LEVEL CM	34334,9569 litre	79,659 %	8767,6943 litre	O
700	CM	140	CM	207 LEVEL CM	34163,2434 litre	79,260 %	8939,4078 litre	O
700	CM	140	CM	206 LEVEL CM	33990,7668 litre	78,860 %	9111,8844 litre	O
700	CM	140	CM	205 LEVEL CM	33817,5418 litre	78,458 %	9285,1094 litre	O
700	CM	140	CM	204 LEVEL CM	33643,5829 litre	78,055 %	9459,0683 litre	O
700	CM	140	CM	203 LEVEL CM	33468,9044 litre	77,649 %	9633,7468 litre	O
700	CM	140	CM	202 LEVEL CM	33293,5204 litre	77,242 %	9809,1308 litre	O
700	CM	140	CM	201 LEVEL CM	33117,4448 litre	76,834 %	9985,2064 litre	O
700	CM	140	CM	200 LEVEL CM	32940,6916 litre	76,424 %	10161,9596 litre	O
700	CM	140	CM	199 LEVEL CM	32763,2743 litre	76,012 %	10339,3769 litre	O
700	CM	140	CM	198 LEVEL CM	32585,2063 litre	75,599 %	10517,4449 litre	O
700	CM	140	CM	197 LEVEL CM	32406,5011 litre	75,184 %	10696,1501 litre	O
700	CM	140	CM	196 LEVEL CM	32227,1718 litre	74,768 %	10875,4794 litre	O
700	CM	140	CM	195 LEVEL CM	32047,2315 litre	74,351 %	11055,4197 litre	O
700	CM	140	CM	194 LEVEL CM	31866,6931 litre	73,932 %	11235,9581 litre	O
700	CM	140	CM	193 LEVEL CM	31685,5694 litre	73,512 %	11417,0818 litre	O
700	CM	140	CM	192 LEVEL CM	31503,8730 litre	73,090 %	11598,7782 litre	O
700	CM	140	CM	191 LEVEL CM	31321,6166 litre	72,667 %	11781,0346 litre	O
700	CM	140	CM	190 LEVEL CM	31138,8126 litre	72,243 %	11963,8386 litre	O
700	CM	140	CM	189 LEVEL CM	30955,4732 litre	71,818 %	12147,1780 litre	O
700	CM	140	CM	188 LEVEL CM	30771,6107 litre	71,391 %	12331,0405 litre	O
700	CM	140	CM	187 LEVEL CM	30587,2373 litre	70,964 %	12515,4139 litre	O
700	CM	140	CM	186 LEVEL CM	30402,3649 litre	70,535 %	12700,2863 litre	O
700	CM	140	CM	185 LEVEL CM	30217,0054 litre	70,105 %	12885,6458 litre	O
700	CM	140	CM	184 LEVEL CM	30031,1708 litre	69,674 %	13071,4804 litre	O
700	CM	140	CM	183 LEVEL CM	29844,8726 litre	69,241 %	13257,7786 litre	O
700	CM	140	CM	182 LEVEL CM	29658,1226 litre	68,808 %	13444,5286 litre	O
700	CM	140	CM	181 LEVEL CM	29470,9323 litre	68,374 %	13631,7189 litre	O
700	CM	140	CM	180 LEVEL CM	29283,3131 litre	67,939 %	13819,3381 litre	O
700	CM	140	CM	179 LEVEL CM	29095,2766 litre	67,502 %	14007,3746 litre	O
700	CM	140	CM	178 LEVEL CM	28906,8340 litre	67,065 %	14195,8172 litre	O
700	CM	140	CM	177 LEVEL CM	28717,9966 litre	66,627 %	14384,6546 litre	O
700	CM	140	CM	176 LEVEL CM	28528,7755 litre	66,188 %	14573,8757 litre	O

700	CM	140	CM	175 LEVEL CM	28339,1819 litre	65,748 %	14763,4693 litre	O
700	CM	140	CM	174 LEVEL CM	28149,2268 litre	65,307 %	14953,4244 litre	O
700	CM	140	CM	173 LEVEL CM	27958,9212 litre	64,866 %	15143,7300 litre	O
700	CM	140	CM	172 LEVEL CM	27768,2761 litre	64,424 %	15334,3751 litre	O
700	CM	140	CM	171 LEVEL CM	27577,3022 litre	63,981 %	15525,3490 litre	O
700	CM	140	CM	170 LEVEL CM	27386,0105 litre	63,537 %	15716,6407 litre	O
700	CM	140	CM	169 LEVEL CM	27194,4116 litre	63,092 %	15908,2396 litre	O
700	CM	140	CM	168 LEVEL CM	27002,5162 litre	62,647 %	16100,1350 litre	O
700	CM	140	CM	167 LEVEL CM	26810,3351 litre	62,201 %	16292,3161 litre	O
700	CM	140	CM	166 LEVEL CM	26617,8788 litre	61,755 %	16484,7724 litre	O
700	CM	140	CM	165 LEVEL CM	26425,1579 litre	61,308 %	16677,4933 litre	O
700	CM	140	CM	164 LEVEL CM	26232,1830 litre	60,860 %	16870,4682 litre	O
700	CM	140	CM	163 LEVEL CM	26038,9644 litre	60,412 %	17063,6868 litre	O
700	CM	140	CM	162 LEVEL CM	25845,5126 litre	59,963 %	17257,1386 litre	O
700	CM	140	CM	161 LEVEL CM	25651,8381 litre	59,513 %	17450,8131 litre	O
700	CM	140	CM	160 LEVEL CM	25457,9512 litre	59,064 %	17644,7000 litre	O
700	CM	140	CM	159 LEVEL CM	25263,8621 litre	58,613 %	17838,7891 litre	O
700	CM	140	CM	158 LEVEL CM	25069,5814 litre	58,163 %	18033,0698 litre	O
700	CM	140	CM	157 LEVEL CM	24875,1191 litre	57,711 %	18227,5321 litre	O
700	CM	140	CM	156 LEVEL CM	24680,4855 litre	57,260 %	18422,1657 litre	O
700	CM	140	CM	155 LEVEL CM	24485,6909 litre	56,808 %	18616,9603 litre	O
700	CM	140	CM	154 LEVEL CM	24290,7454 litre	56,356 %	18811,9058 litre	O
700	CM	140	CM	153 LEVEL CM	24095,6592 litre	55,903 %	19006,9920 litre	O
700	CM	140	CM	152 LEVEL CM	23900,4424 litre	55,450 %	19202,2088 litre	O
700	CM	140	CM	151 LEVEL CM	23705,1052 litre	54,997 %	19397,5460 litre	O
700	CM	140	CM	150 LEVEL CM	23509,6577 litre	54,543 %	19592,9935 litre	O
700	CM	140	CM	149 LEVEL CM	23314,1098 litre	54,090 %	19788,5414 litre	O
700	CM	140	CM	148 LEVEL CM	23118,4719 litre	53,636 %	19984,1793 litre	O
700	CM	140	CM	147 LEVEL CM	22922,7537 litre	53,182 %	20179,8975 litre	O
700	CM	140	CM	146 LEVEL CM	22726,9655 litre	52,728 %	20375,6857 litre	O
700	CM	140	CM	145 LEVEL CM	22531,1172 litre	52,273 %	20571,5340 litre	O
700	CM	140	CM	144 LEVEL CM	22335,2189 litre	51,819 %	20767,4323 litre	O
700	CM	140	CM	143 LEVEL CM	22139,2806 litre	51,364 %	20963,3706 litre	O
700	CM	140	CM	142 LEVEL CM	21943,3123 litre	50,909 %	21159,3389 litre	O
700	CM	140	CM	141 LEVEL CM	21747,3239 litre	50,455 %	21355,3273 litre	O
700	CM	140	CM	140 LEVEL CM	21551,3256 litre	50,000 %	21551,3256 litre	O
700	CM	140	CM	139 LEVEL CM	21355,3273 litre	49,545 %	21747,3239 litre	O
700	CM	140	CM	138 LEVEL CM	21159,3389 litre	49,091 %	21943,3123 litre	O
700	CM	140	CM	137 LEVEL CM	20963,3706 litre	48,636 %	22139,2806 litre	O
700	CM	140	CM	136 LEVEL CM	20767,4323 litre	48,181 %	22335,2189 litre	O
700	CM	140	CM	135 LEVEL CM	20571,5340 litre	47,727 %	22531,1172 litre	O
700	CM	140	CM	134 LEVEL CM	20375,6857 litre	47,272 %	22726,9655 litre	O
700	CM	140	CM	133 LEVEL CM	20179,8975 litre	46,818 %	22922,7537 litre	O
700	CM	140	CM	132 LEVEL CM	19984,1794 litre	46,364 %	23118,4718 litre	O
700	CM	140	CM	131 LEVEL CM	19788,5414 litre	45,910 %	23314,1098 litre	O
700	CM	140	CM	130 LEVEL CM	19592,9935 litre	45,457 %	23509,6577 litre	O
700	CM	140	CM	129 LEVEL CM	19397,5460 litre	45,003 %	23705,1052 litre	O
700	CM	140	CM	128 LEVEL CM	19202,2088 litre	44,550 %	23900,4424 litre	O
700	CM	140	CM	127 LEVEL CM	19006,9920 litre	44,097 %	24095,6592 litre	O
700	CM	140	CM	126 LEVEL CM	18811,9058 litre	43,644 %	24290,7454 litre	O
700	CM	140	CM	125 LEVEL CM	18616,9603 litre	43,192 %	24485,6909 litre	O
700	CM	140	CM	124 LEVEL CM	18422,1657 litre	42,740 %	24680,4855 litre	O
700	CM	140	CM	123 LEVEL CM	18227,5321 litre	42,289 %	24875,1191 litre	O

700	CM	140	CM	122 LEVEL CM	18033,0698 litre	41,837 %	25069,5814 litre	O
700	CM	140	CM	121 LEVEL CM	17838,7891 litre	41,387 %	25263,8621 litre	O
700	CM	140	CM	120 LEVEL CM	17644,7001 litre	40,936 %	25457,9511 litre	O
700	CM	140	CM	119 LEVEL CM	17450,8131 litre	40,487 %	25651,8381 litre	O
700	CM	140	CM	118 LEVEL CM	17257,1386 litre	40,037 %	25845,5126 litre	O
700	CM	140	CM	117 LEVEL CM	17063,6868 litre	39,588 %	26038,9644 litre	O
700	CM	140	CM	116 LEVEL CM	16870,4682 litre	39,140 %	26232,1830 litre	O
700	CM	140	CM	115 LEVEL CM	16677,4933 litre	38,692 %	26425,1579 litre	O
700	CM	140	CM	114 LEVEL CM	16484,7724 litre	38,245 %	26617,8788 litre	O
700	CM	140	CM	113 LEVEL CM	16292,3161 litre	37,799 %	26810,3351 litre	O
700	CM	140	CM	112 LEVEL CM	16100,1350 litre	37,353 %	27002,5162 litre	O
700	CM	140	CM	111 LEVEL CM	15908,2397 litre	36,908 %	27194,4115 litre	O
700	CM	140	CM	110 LEVEL CM	15716,6408 litre	36,463 %	27386,0104 litre	O
700	CM	140	CM	109 LEVEL CM	15525,3490 litre	36,019 %	27577,3022 litre	O
700	CM	140	CM	108 LEVEL CM	15334,3751 litre	35,576 %	27768,2761 litre	O
700	CM	140	CM	107 LEVEL CM	15143,7300 litre	35,134 %	27958,9212 litre	O
700	CM	140	CM	106 LEVEL CM	14953,4244 litre	34,693 %	28149,2268 litre	O
700	CM	140	CM	105 LEVEL CM	14763,4693 litre	34,252 %	28339,1819 litre	O
700	CM	140	CM	104 LEVEL CM	14573,8757 litre	33,812 %	28528,7755 litre	O
700	CM	140	CM	103 LEVEL CM	14384,6546 litre	33,373 %	28717,9966 litre	O
700	CM	140	CM	102 LEVEL CM	14195,8172 litre	32,935 %	28906,8340 litre	O
700	CM	140	CM	101 LEVEL CM	14007,3746 litre	32,498 %	29095,2766 litre	O
700	CM	140	CM	100 LEVEL CM	13819,3381 litre	32,061 %	29283,3131 litre	O
700	CM	140	CM	99 LEVEL CM	13631,7189 litre	31,626 %	29470,9323 litre	O
700	CM	140	CM	98 LEVEL CM	13444,5286 litre	31,192 %	29658,1226 litre	O
700	CM	140	CM	97 LEVEL CM	13257,7786 litre	30,759 %	29844,8726 litre	O
700	CM	140	CM	96 LEVEL CM	13071,4804 litre	30,326 %	30031,1708 litre	O
700	CM	140	CM	95 LEVEL CM	12885,6458 litre	29,895 %	30217,0054 litre	O
700	CM	140	CM	94 LEVEL CM	12700,2863 litre	29,465 %	30402,3649 litre	O
700	CM	140	CM	93 LEVEL CM	12515,4139 litre	29,036 %	30587,2373 litre	O
700	CM	140	CM	92 LEVEL CM	12331,0405 litre	28,609 %	30771,6107 litre	O
700	CM	140	CM	91 LEVEL CM	12147,1780 litre	28,182 %	30955,4732 litre	O
700	CM	140	CM	90 LEVEL CM	11963,8386 litre	27,757 %	31138,8126 litre	O
700	CM	140	CM	89 LEVEL CM	11781,0346 litre	27,333 %	31321,6166 litre	O
700	CM	140	CM	88 LEVEL CM	11598,7782 litre	26,910 %	31503,8730 litre	O
700	CM	140	CM	87 LEVEL CM	11417,0818 litre	26,488 %	31685,5694 litre	O
700	CM	140	CM	86 LEVEL CM	11235,9581 litre	26,068 %	31866,6931 litre	O
700	CM	140	CM	85 LEVEL CM	11055,4197 litre	25,649 %	32047,2315 litre	O
700	CM	140	CM	84 LEVEL CM	10875,4794 litre	25,232 %	32227,1718 litre	O
700	CM	140	CM	83 LEVEL CM	10696,1501 litre	24,816 %	32406,5011 litre	O
700	CM	140	CM	82 LEVEL CM	10517,4449 litre	24,401 %	32585,2063 litre	O
700	CM	140	CM	81 LEVEL CM	10339,3769 litre	23,988 %	32763,2743 litre	O
700	CM	140	CM	80 LEVEL CM	10161,9596 litre	23,576 %	32940,6916 litre	O
700	CM	140	CM	79 LEVEL CM	9985,2064 litre	23,166 %	33117,4448 litre	O
700	CM	140	CM	78 LEVEL CM	9809,1308 litre	22,758 %	33293,5204 litre	O
700	CM	140	CM	77 LEVEL CM	9633,7469 litre	22,351 %	33468,9043 litre	O
700	CM	140	CM	76 LEVEL CM	9459,0683 litre	21,945 %	33643,5829 litre	O
700	CM	140	CM	75 LEVEL CM	9285,1094 litre	21,542 %	33817,5418 litre	O
700	CM	140	CM	74 LEVEL CM	9111,8844 litre	21,140 %	33990,7668 litre	O
700	CM	140	CM	73 LEVEL CM	8939,4078 litre	20,740 %	34163,2434 litre	O
700	CM	140	CM	72 LEVEL CM	8767,6943 litre	20,341 %	34334,9569 litre	O
700	CM	140	CM	71 LEVEL CM	8596,7587 litre	19,945 %	34505,8925 litre	O
700	CM	140	CM	70 LEVEL CM	8426,6161 litre	19,550 %	34676,0351 litre	O

700	CM	140	CM	69 LEVEL CM	8257,2819 litre	19,157 %	34845,3693 litre	O
700	CM	140	CM	68 LEVEL CM	8088,7714 litre	18,766 %	35013,8798 litre	O
700	CM	140	CM	67 LEVEL CM	7921,1005 litre	18,377 %	35181,5507 litre	O
700	CM	140	CM	66 LEVEL CM	7754,2852 litre	17,990 %	35348,3660 litre	O
700	CM	140	CM	65 LEVEL CM	7588,3416 litre	17,605 %	35514,3096 litre	O
700	CM	140	CM	64 LEVEL CM	7423,2862 litre	17,222 %	35679,3650 litre	O
700	CM	140	CM	63 LEVEL CM	7259,1358 litre	16,842 %	35843,5154 litre	O
700	CM	140	CM	62 LEVEL CM	7095,9074 litre	16,463 %	36006,7438 litre	O
700	CM	140	CM	61 LEVEL CM	6933,6183 litre	16,086 %	36169,0329 litre	O
700	CM	140	CM	60 LEVEL CM	6772,2861 litre	15,712 %	36330,3651 litre	O
700	CM	140	CM	59 LEVEL CM	6611,9288 litre	15,340 %	36490,7224 litre	O
700	CM	140	CM	58 LEVEL CM	6452,5646 litre	14,970 %	36650,0866 litre	O
700	CM	140	CM	57 LEVEL CM	6294,2122 litre	14,603 %	36808,4390 litre	O
700	CM	140	CM	56 LEVEL CM	6136,8904 litre	14,238 %	36965,7608 litre	O
700	CM	140	CM	55 LEVEL CM	5980,6187 litre	13,875 %	37122,0325 litre	O
700	CM	140	CM	54 LEVEL CM	5825,4167 litre	13,515 %	37277,2345 litre	O
700	CM	140	CM	53 LEVEL CM	5671,3046 litre	13,158 %	37431,3466 litre	O
700	CM	140	CM	52 LEVEL CM	5518,3031 litre	12,803 %	37584,3481 litre	O
700	CM	140	CM	51 LEVEL CM	5366,4330 litre	12,450 %	37736,2182 litre	O
700	CM	140	CM	50 LEVEL CM	5215,7159 litre	12,101 %	37886,9353 litre	O
700	CM	140	CM	49 LEVEL CM	5066,1739 litre	11,754 %	38036,4773 litre	O
700	CM	140	CM	48 LEVEL CM	4917,8293 litre	11,410 %	38184,8219 litre	O
700	CM	140	CM	47 LEVEL CM	4770,7054 litre	11,068 %	38331,9458 litre	O
700	CM	140	CM	46 LEVEL CM	4624,8256 litre	10,730 %	38477,8256 litre	O
700	CM	140	CM	45 LEVEL CM	4480,2144 litre	10,394 %	38622,4368 litre	O
700	CM	140	CM	44 LEVEL CM	4336,8965 litre	10,062 %	38765,7547 litre	O
700	CM	140	CM	43 LEVEL CM	4194,8977 litre	9,732 %	38907,7535 litre	O
700	CM	140	CM	42 LEVEL CM	4054,2441 litre	9,406 %	39048,4071 litre	O
700	CM	140	CM	41 LEVEL CM	3914,9628 litre	9,083 %	39187,6884 litre	O
700	CM	140	CM	40 LEVEL CM	3777,0818 litre	8,763 %	39325,5694 litre	O
700	CM	140	CM	39 LEVEL CM	3640,6297 litre	8,446 %	39462,0215 litre	O
700	CM	140	CM	38 LEVEL CM	3505,6362 litre	8,133 %	39597,0150 litre	O
700	CM	140	CM	37 LEVEL CM	3372,1319 litre	7,823 %	39730,5193 litre	O
700	CM	140	CM	36 LEVEL CM	3240,1485 litre	7,517 %	39862,5027 litre	O
700	CM	140	CM	35 LEVEL CM	3109,7186 litre	7,215 %	39992,9326 litre	O
700	CM	140	CM	34 LEVEL CM	2980,8764 litre	6,916 %	40121,7748 litre	O
700	CM	140	CM	33 LEVEL CM	2853,6569 litre	6,621 %	40248,9943 litre	O
700	CM	140	CM	32 LEVEL CM	2728,0967 litre	6,329 %	40374,5545 litre	O
700	CM	140	CM	31 LEVEL CM	2604,2339 litre	6,042 %	40498,4173 litre	O
700	CM	140	CM	30 LEVEL CM	2482,1082 litre	5,759 %	40620,5430 litre	O
700	CM	140	CM	29 LEVEL CM	2361,7609 litre	5,479 %	40740,8903 litre	O
700	CM	140	CM	28 LEVEL CM	2243,2352 litre	5,204 %	40859,4160 litre	O
700	CM	140	CM	27 LEVEL CM	2126,5764 litre	4,934 %	40976,0748 litre	O
700	CM	140	CM	26 LEVEL CM	2011,8318 litre	4,668 %	41090,8194 litre	O
700	CM	140	CM	25 LEVEL CM	1899,0514 litre	4,406 %	41203,5998 litre	O
700	CM	140	CM	24 LEVEL CM	1788,2877 litre	4,149 %	41314,3635 litre	O
700	CM	140	CM	23 LEVEL CM	1679,5961 litre	3,897 %	41423,0551 litre	O
700	CM	140	CM	22 LEVEL CM	1573,0354 litre	3,650 %	41529,6158 litre	O
700	CM	140	CM	21 LEVEL CM	1468,6677 litre	3,407 %	41633,9835 litre	O
700	CM	140	CM	20 LEVEL CM	1366,5594 litre	3,170 %	41736,0918 litre	O
700	CM	140	CM	19 LEVEL CM	1266,7812 litre	2,939 %	41835,8700 litre	O
700	CM	140	CM	18 LEVEL CM	1169,4091 litre	2,713 %	41933,2421 litre	O
700	CM	140	CM	17 LEVEL CM	1074,5247 litre	2,493 %	42028,1265 litre	O

700	CM	140	CM	16 LEVEL CM	982,2162 litre	2,279 %	42120,4350 litre	O
700	CM	140	CM	15 LEVEL CM	892,5795 litre	2,071 %	42210,0717 litre	O
700	CM	140	CM	14 LEVEL CM	805,7194 litre	1,869 %	42296,9318 litre	O
700	CM	140	CM	13 LEVEL CM	721,7510 litre	1,674 %	42380,9002 litre	O
700	CM	140	CM	12 LEVEL CM	640,8017 litre	1,487 %	42461,8495 litre	O
700	CM	140	CM	11 LEVEL CM	563,0138 litre	1,306 %	42539,6374 litre	O
700	CM	140	CM	10 LEVEL CM	488,5479 litre	1,133 %	42614,1033 litre	O
700	CM	140	CM	9 LEVEL CM	417,5869 litre	0,969 %	42685,0643 litre	O
700	CM	140	CM	8 LEVEL CM	350,3425 litre	0,813 %	42752,3087 litre	O
700	CM	140	CM	7 LEVEL CM	287,0639 litre	0,666 %	42815,5873 litre	O
700	CM	140	CM	6 LEVEL CM	228,0504 litre	0,529 %	42874,6008 litre	O
700	CM	140	CM	5 LEVEL CM	173,6723 litre	0,403 %	42928,9789 litre	O
700	CM	140	CM	4 LEVEL CM	124,4044 litre	0,289 %	42978,2468 litre	O
700	CM	140	CM	3 LEVEL CM	80,8904 litre	0,188 %	43021,7608 litre	O
700	CM	140	CM	2 LEVEL CM	44,0786 litre	0,102 %	43058,5726 litre	O
700	CM	140	CM	1 LEVEL CM	15,6009 litre	0,036 %	43087,0503 litre	O
700	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	43102,6512 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM	135	CM 270 LEVEL CM	40078,8683 litre	100,000 %	0,0000 litre	O
700	CM	135	CM 269 LEVEL CM	40063,5491 litre	99,962 %	15,3192 litre	O
700	CM	135	CM 268 LEVEL CM	40035,5874 litre	99,892 %	43,2809 litre	O
700	CM	135	CM 267 LEVEL CM	39999,4450 litre	99,802 %	79,4233 litre	O
700	CM	135	CM 266 LEVEL CM	39956,7252 litre	99,695 %	122,1431 litre	O
700	CM	135	CM 265 LEVEL CM	39908,3597 litre	99,575 %	170,5086 litre	O
700	CM	135	CM 264 LEVEL CM	39854,9813 litre	99,441 %	223,8870 litre	O
700	CM	135	CM 263 LEVEL CM	39797,0568 litre	99,297 %	281,8115 litre	O
700	CM	135	CM 262 LEVEL CM	39734,9501 litre	99,142 %	343,9182 litre	O
700	CM	135	CM 261 LEVEL CM	39668,9558 litre	98,977 %	409,9125 litre	O
700	CM	135	CM 260 LEVEL CM	39599,3188 litre	98,803 %	479,5495 litre	O
700	CM	135	CM 259 LEVEL CM	39526,2475 litre	98,621 %	552,6208 litre	O
700	CM	135	CM 258 LEVEL CM	39449,9220 litre	98,431 %	628,9463 litre	O
700	CM	135	CM 257 LEVEL CM	39370,5001 litre	98,233 %	708,3682 litre	O
700	CM	135	CM 256 LEVEL CM	39288,1222 litre	98,027 %	790,7461 litre	O
700	CM	135	CM 255 LEVEL CM	39202,9136 litre	97,814 %	875,9547 litre	O
700	CM	135	CM 254 LEVEL CM	39114,9877 litre	97,595 %	963,8806 litre	O
700	CM	135	CM 253 LEVEL CM	39024,4478 litre	97,369 %	1054,4205 litre	O
700	CM	135	CM 252 LEVEL CM	38931,3883 litre	97,137 %	1147,4800 litre	O
700	CM	135	CM 251 LEVEL CM	38835,8961 litre	96,899 %	1242,9722 litre	O
700	CM	135	CM 250 LEVEL CM	38738,0518 litre	96,655 %	1340,8165 litre	O
700	CM	135	CM 249 LEVEL CM	38637,9303 litre	96,405 %	1440,9380 litre	O
700	CM	135	CM 248 LEVEL CM	38535,6012 litre	96,149 %	1543,2671 litre	O
700	CM	135	CM 247 LEVEL CM	38431,1301 litre	95,889 %	1647,7382 litre	O
700	CM	135	CM 246 LEVEL CM	38324,5784 litre	95,623 %	1754,2899 litre	O
700	CM	135	CM 245 LEVEL CM	38216,0039 litre	95,352 %	1862,8644 litre	O
700	CM	135	CM 244 LEVEL CM	38105,4614 litre	95,076 %	1973,4069 litre	O
700	CM	135	CM 243 LEVEL CM	37993,0029 litre	94,796 %	2085,8654 litre	O
700	CM	135	CM 242 LEVEL CM	37878,6775 litre	94,510 %	2200,1908 litre	O
700	CM	135	CM 241 LEVEL CM	37762,5320 litre	94,221 %	2316,3363 litre	O
700	CM	135	CM 240 LEVEL CM	37644,6113 litre	93,926 %	2434,2570 litre	O
700	CM	135	CM 239 LEVEL CM	37524,9581 litre	93,628 %	2553,9102 litre	O
700	CM	135	CM 238 LEVEL CM	37403,6131 litre	93,325 %	2675,2552 litre	O
700	CM	135	CM 237 LEVEL CM	37280,6157 litre	93,018 %	2798,2526 litre	O
700	CM	135	CM 236 LEVEL CM	37156,0035 litre	92,707 %	2922,8648 litre	O
700	CM	135	CM 235 LEVEL CM	37029,8126 litre	92,392 %	3049,0557 litre	O
700	CM	135	CM 234 LEVEL CM	36902,0779 litre	92,074 %	3176,7904 litre	O
700	CM	135	CM 233 LEVEL CM	36772,8330 litre	91,751 %	3306,0353 litre	O
700	CM	135	CM 232 LEVEL CM	36642,1104 litre	91,425 %	3436,7579 litre	O
700	CM	135	CM 231 LEVEL CM	36509,9413 litre	91,095 %	3568,9270 litre	O
700	CM	135	CM 230 LEVEL CM	36376,3562 litre	90,762 %	3702,5121 litre	O
700	CM	135	CM 229 LEVEL CM	36241,3844 litre	90,425 %	3837,4839 litre	O
700	CM	135	CM 228 LEVEL CM	36105,0544 litre	90,085 %	3973,8139 litre	O
700	CM	135	CM 227 LEVEL CM	35967,3938 litre	89,742 %	4111,4745 litre	O
700	CM	135	CM 226 LEVEL CM	35828,4294 litre	89,395 %	4250,4389 litre	O
700	CM	135	CM 225 LEVEL CM	35688,1874 litre	89,045 %	4390,6809 litre	O
700	CM	135	CM 224 LEVEL CM	35546,6932 litre	88,692 %	4532,1751 litre	O
700	CM	135	CM 223 LEVEL CM	35403,9714 litre	88,336 %	4674,8969 litre	O
700	CM	135	CM 222 LEVEL CM	35260,0462 litre	87,977 %	4818,8221 litre	O
700	CM	135	CM 221 LEVEL CM	35114,9410 litre	87,615 %	4963,9273 litre	O
700	CM	135	CM 220 LEVEL CM	34968,6788 litre	87,250 %	5110,1895 litre	O
700	CM	135	CM 219 LEVEL CM	34821,2819 litre	86,882 %	5257,5864 litre	O

700	CM	135	CM	218 LEVEL CM	34672,7722 litre	86,511 %	5406,0961 litre	O
700	CM	135	CM	217 LEVEL CM	34523,1711 litre	86,138 %	5555,6972 litre	O
700	CM	135	CM	216 LEVEL CM	34372,4995 litre	85,762 %	5706,3688 litre	O
700	CM	135	CM	215 LEVEL CM	34220,7779 litre	85,384 %	5858,0904 litre	O
700	CM	135	CM	214 LEVEL CM	34068,0263 litre	85,002 %	6010,8420 litre	O
700	CM	135	CM	213 LEVEL CM	33914,2643 litre	84,619 %	6164,6040 litre	O
700	CM	135	CM	212 LEVEL CM	33759,5112 litre	84,233 %	6319,3571 litre	O
700	CM	135	CM	211 LEVEL CM	33603,7860 litre	83,844 %	6475,0823 litre	O
700	CM	135	CM	210 LEVEL CM	33447,1071 litre	83,453 %	6631,7612 litre	O
700	CM	135	CM	209 LEVEL CM	33289,4928 litre	83,060 %	6789,3755 litre	O
700	CM	135	CM	208 LEVEL CM	33130,9609 litre	82,664 %	6947,9074 litre	O
700	CM	135	CM	207 LEVEL CM	32971,5291 litre	82,267 %	7107,3392 litre	O
700	CM	135	CM	206 LEVEL CM	32811,2145 litre	81,867 %	7267,6538 litre	O
700	CM	135	CM	205 LEVEL CM	32650,0342 litre	81,464 %	7428,8341 litre	O
700	CM	135	CM	204 LEVEL CM	32488,0049 litre	81,060 %	7590,8634 litre	O
700	CM	135	CM	203 LEVEL CM	32325,1431 litre	80,654 %	7753,7252 litre	O
700	CM	135	CM	202 LEVEL CM	32161,4650 litre	80,245 %	7917,4033 litre	O
700	CM	135	CM	201 LEVEL CM	31996,9865 litre	79,835 %	8081,8818 litre	O
700	CM	135	CM	200 LEVEL CM	31831,7234 litre	79,423 %	8247,1449 litre	O
700	CM	135	CM	199 LEVEL CM	31665,6911 litre	79,008 %	8413,1772 litre	O
700	CM	135	CM	198 LEVEL CM	31498,9051 litre	78,592 %	8579,9632 litre	O
700	CM	135	CM	197 LEVEL CM	31331,3804 litre	78,174 %	8747,4879 litre	O
700	CM	135	CM	196 LEVEL CM	31163,1318 litre	77,755 %	8915,7365 litre	O
700	CM	135	CM	195 LEVEL CM	30994,1741 litre	77,333 %	9084,6942 litre	O
700	CM	135	CM	194 LEVEL CM	30824,5218 litre	76,910 %	9254,3465 litre	O
700	CM	135	CM	193 LEVEL CM	30654,1892 litre	76,485 %	9424,6791 litre	O
700	CM	135	CM	192 LEVEL CM	30483,1905 litre	76,058 %	9595,6778 litre	O
700	CM	135	CM	191 LEVEL CM	30311,5397 litre	75,630 %	9767,3286 litre	O
700	CM	135	CM	190 LEVEL CM	30139,2507 litre	75,200 %	9939,6176 litre	O
700	CM	135	CM	189 LEVEL CM	29966,3371 litre	74,768 %	10112,5312 litre	O
700	CM	135	CM	188 LEVEL CM	29792,8124 litre	74,335 %	10286,0559 litre	O
700	CM	135	CM	187 LEVEL CM	29618,6902 litre	73,901 %	10460,1781 litre	O
700	CM	135	CM	186 LEVEL CM	29443,9836 litre	73,465 %	10634,8847 litre	O
700	CM	135	CM	185 LEVEL CM	29268,7057 litre	73,028 %	10810,1626 litre	O
700	CM	135	CM	184 LEVEL CM	29092,8697 litre	72,589 %	10985,9986 litre	O
700	CM	135	CM	183 LEVEL CM	28916,4883 litre	72,149 %	11162,3800 litre	O
700	CM	135	CM	182 LEVEL CM	28739,5743 litre	71,708 %	11339,2940 litre	O
700	CM	135	CM	181 LEVEL CM	28562,1403 litre	71,265 %	11516,7280 litre	O
700	CM	135	CM	180 LEVEL CM	28384,1990 litre	70,821 %	11694,6693 litre	O
700	CM	135	CM	179 LEVEL CM	28205,7626 litre	70,376 %	11873,1057 litre	O
700	CM	135	CM	178 LEVEL CM	28026,8436 litre	69,929 %	12052,0247 litre	O
700	CM	135	CM	177 LEVEL CM	27847,4542 litre	69,482 %	12231,4141 litre	O
700	CM	135	CM	176 LEVEL CM	27667,6065 litre	69,033 %	12411,2618 litre	O
700	CM	135	CM	175 LEVEL CM	27487,3124 litre	68,583 %	12591,5559 litre	O
700	CM	135	CM	174 LEVEL CM	27306,5841 litre	68,132 %	12772,2842 litre	O
700	CM	135	CM	173 LEVEL CM	27125,4333 litre	67,680 %	12953,4350 litre	O
700	CM	135	CM	172 LEVEL CM	26943,8718 litre	67,227 %	13134,9965 litre	O
700	CM	135	CM	171 LEVEL CM	26761,9113 litre	66,773 %	13316,9570 litre	O
700	CM	135	CM	170 LEVEL CM	26579,5635 litre	66,318 %	13499,3048 litre	O
700	CM	135	CM	169 LEVEL CM	26396,8398 litre	65,862 %	13682,0285 litre	O
700	CM	135	CM	168 LEVEL CM	26213,7518 litre	65,405 %	13865,1165 litre	O
700	CM	135	CM	167 LEVEL CM	26030,3109 litre	64,948 %	14048,5574 litre	O
700	CM	135	CM	166 LEVEL CM	25846,5284 litre	64,489 %	14232,3399 litre	O

700	CM	135	CM	165 LEVEL CM	25662,4155 litre	64,030 %	14416,4528 litre	O
700	CM	135	CM	164 LEVEL CM	25477,9836 litre	63,570 %	14600,8847 litre	O
700	CM	135	CM	163 LEVEL CM	25293,2437 litre	63,109 %	14785,6246 litre	O
700	CM	135	CM	162 LEVEL CM	25108,2070 litre	62,647 %	14970,6613 litre	O
700	CM	135	CM	161 LEVEL CM	24922,8846 litre	62,185 %	15155,9837 litre	O
700	CM	135	CM	160 LEVEL CM	24737,2873 litre	61,722 %	15341,5810 litre	O
700	CM	135	CM	159 LEVEL CM	24551,4262 litre	61,258 %	15527,4421 litre	O
700	CM	135	CM	158 LEVEL CM	24365,3122 litre	60,793 %	15713,5561 litre	O
700	CM	135	CM	157 LEVEL CM	24178,9562 litre	60,328 %	15899,9121 litre	O
700	CM	135	CM	156 LEVEL CM	23992,3689 litre	59,863 %	16086,4994 litre	O
700	CM	135	CM	155 LEVEL CM	23805,5611 litre	59,397 %	16273,3072 litre	O
700	CM	135	CM	154 LEVEL CM	23618,5436 litre	58,930 %	16460,3247 litre	O
700	CM	135	CM	153 LEVEL CM	23431,3271 litre	58,463 %	16647,5412 litre	O
700	CM	135	CM	152 LEVEL CM	23243,9222 litre	57,995 %	16834,9461 litre	O
700	CM	135	CM	151 LEVEL CM	23056,3396 litre	57,527 %	17022,5287 litre	O
700	CM	135	CM	150 LEVEL CM	22868,5900 litre	57,059 %	17210,2783 litre	O
700	CM	135	CM	149 LEVEL CM	22680,6837 litre	56,590 %	17398,1846 litre	O
700	CM	135	CM	148 LEVEL CM	22492,6316 litre	56,121 %	17586,2367 litre	O
700	CM	135	CM	147 LEVEL CM	22304,4439 litre	55,651 %	17774,4244 litre	O
700	CM	135	CM	146 LEVEL CM	22116,1313 litre	55,182 %	17962,7370 litre	O
700	CM	135	CM	145 LEVEL CM	21927,7043 litre	54,711 %	18151,1640 litre	O
700	CM	135	CM	144 LEVEL CM	21739,1733 litre	54,241 %	18339,6950 litre	O
700	CM	135	CM	143 LEVEL CM	21550,5487 litre	53,770 %	18528,3196 litre	O
700	CM	135	CM	142 LEVEL CM	21361,8411 litre	53,300 %	18717,0272 litre	O
700	CM	135	CM	141 LEVEL CM	21173,0607 litre	52,828 %	18905,8076 litre	O
700	CM	135	CM	140 LEVEL CM	20984,2180 litre	52,357 %	19094,6503 litre	O
700	CM	135	CM	139 LEVEL CM	20795,3235 litre	51,886 %	19283,5448 litre	O
700	CM	135	CM	138 LEVEL CM	20606,3875 litre	51,415 %	19472,4808 litre	O
700	CM	135	CM	137 LEVEL CM	20417,4203 litre	50,943 %	19661,4480 litre	O
700	CM	135	CM	136 LEVEL CM	20228,4324 litre	50,472 %	19850,4359 litre	O
700	CM	135	CM	135 LEVEL CM	20039,4341 litre	50,000 %	20039,4342 litre	O
700	CM	135	CM	134 LEVEL CM	19850,4359 litre	49,528 %	20228,4324 litre	O
700	CM	135	CM	133 LEVEL CM	19661,4480 litre	49,057 %	20417,4203 litre	O
700	CM	135	CM	132 LEVEL CM	19472,4808 litre	48,585 %	20606,3875 litre	O
700	CM	135	CM	131 LEVEL CM	19283,5448 litre	48,114 %	20795,3235 litre	O
700	CM	135	CM	130 LEVEL CM	19094,6502 litre	47,643 %	20984,2181 litre	O
700	CM	135	CM	129 LEVEL CM	18905,8076 litre	47,172 %	21173,0607 litre	O
700	CM	135	CM	128 LEVEL CM	18717,0272 litre	46,700 %	21361,8411 litre	O
700	CM	135	CM	127 LEVEL CM	18528,3195 litre	46,230 %	21550,5488 litre	O
700	CM	135	CM	126 LEVEL CM	18339,6950 litre	45,759 %	21739,1733 litre	O
700	CM	135	CM	125 LEVEL CM	18151,1640 litre	45,289 %	21927,7043 litre	O
700	CM	135	CM	124 LEVEL CM	17962,7369 litre	44,818 %	22116,1314 litre	O
700	CM	135	CM	123 LEVEL CM	17774,4244 litre	44,349 %	22304,4439 litre	O
700	CM	135	CM	122 LEVEL CM	17586,2367 litre	43,879 %	22492,6316 litre	O
700	CM	135	CM	121 LEVEL CM	17398,1845 litre	43,410 %	22680,6838 litre	O
700	CM	135	CM	120 LEVEL CM	17210,2783 litre	42,941 %	22868,5900 litre	O
700	CM	135	CM	119 LEVEL CM	17022,5286 litre	42,473 %	23056,3397 litre	O
700	CM	135	CM	118 LEVEL CM	16834,9461 litre	42,005 %	23243,9222 litre	O
700	CM	135	CM	117 LEVEL CM	16647,5412 litre	41,537 %	23431,3271 litre	O
700	CM	135	CM	116 LEVEL CM	16460,3247 litre	41,070 %	23618,5436 litre	O
700	CM	135	CM	115 LEVEL CM	16273,3072 litre	40,603 %	23805,5611 litre	O
700	CM	135	CM	114 LEVEL CM	16086,4994 litre	40,137 %	23992,3689 litre	O
700	CM	135	CM	113 LEVEL CM	15899,9121 litre	39,672 %	24178,9562 litre	O

700	CM	135	CM	112 LEVEL CM	15713,5560 litre	39,207 %	24365,3123 litre	O
700	CM	135	CM	111 LEVEL CM	15527,4420 litre	38,742 %	24551,4263 litre	O
700	CM	135	CM	110 LEVEL CM	15341,5810 litre	38,278 %	24737,2873 litre	O
700	CM	135	CM	109 LEVEL CM	15155,9837 litre	37,815 %	24922,8846 litre	O
700	CM	135	CM	108 LEVEL CM	14970,6612 litre	37,353 %	25108,2071 litre	O
700	CM	135	CM	107 LEVEL CM	14785,6245 litre	36,891 %	25293,2438 litre	O
700	CM	135	CM	106 LEVEL CM	14600,8847 litre	36,430 %	25477,9836 litre	O
700	CM	135	CM	105 LEVEL CM	14416,4527 litre	35,970 %	25662,4156 litre	O
700	CM	135	CM	104 LEVEL CM	14232,3399 litre	35,511 %	25846,5284 litre	O
700	CM	135	CM	103 LEVEL CM	14048,5574 litre	35,052 %	26030,3109 litre	O
700	CM	135	CM	102 LEVEL CM	13865,1164 litre	34,595 %	26213,7519 litre	O
700	CM	135	CM	101 LEVEL CM	13682,0284 litre	34,138 %	26396,8399 litre	O
700	CM	135	CM	100 LEVEL CM	13499,3048 litre	33,682 %	26579,5635 litre	O
700	CM	135	CM	99 LEVEL CM	13316,9569 litre	33,227 %	26761,9114 litre	O
700	CM	135	CM	98 LEVEL CM	13134,9965 litre	32,773 %	26943,8718 litre	O
700	CM	135	CM	97 LEVEL CM	12953,4350 litre	32,320 %	27125,4333 litre	O
700	CM	135	CM	96 LEVEL CM	12772,2842 litre	31,868 %	27306,5841 litre	O
700	CM	135	CM	95 LEVEL CM	12591,5558 litre	31,417 %	27487,3125 litre	O
700	CM	135	CM	94 LEVEL CM	12411,2618 litre	30,967 %	27667,6065 litre	O
700	CM	135	CM	93 LEVEL CM	12231,4141 litre	30,518 %	27847,4542 litre	O
700	CM	135	CM	92 LEVEL CM	12052,0247 litre	30,071 %	28026,8436 litre	O
700	CM	135	CM	91 LEVEL CM	11873,1057 litre	29,624 %	28205,7626 litre	O
700	CM	135	CM	90 LEVEL CM	11694,6693 litre	29,179 %	28384,1990 litre	O
700	CM	135	CM	89 LEVEL CM	11516,7280 litre	28,735 %	28562,1403 litre	O
700	CM	135	CM	88 LEVEL CM	11339,2940 litre	28,292 %	28739,5743 litre	O
700	CM	135	CM	87 LEVEL CM	11162,3800 litre	27,851 %	28916,4883 litre	O
700	CM	135	CM	86 LEVEL CM	10985,9986 litre	27,411 %	29092,8697 litre	O
700	CM	135	CM	85 LEVEL CM	10810,1625 litre	26,972 %	29268,7058 litre	O
700	CM	135	CM	84 LEVEL CM	10634,8847 litre	26,535 %	29443,9836 litre	O
700	CM	135	CM	83 LEVEL CM	10460,1781 litre	26,099 %	29618,6902 litre	O
700	CM	135	CM	82 LEVEL CM	10286,0558 litre	25,665 %	29792,8125 litre	O
700	CM	135	CM	81 LEVEL CM	10112,5312 litre	25,232 %	29966,3371 litre	O
700	CM	135	CM	80 LEVEL CM	9939,6176 litre	24,800 %	30139,2507 litre	O
700	CM	135	CM	79 LEVEL CM	9767,3286 litre	24,370 %	30311,5397 litre	O
700	CM	135	CM	78 LEVEL CM	9595,6778 litre	23,942 %	30483,1905 litre	O
700	CM	135	CM	77 LEVEL CM	9424,6791 litre	23,515 %	30654,1892 litre	O
700	CM	135	CM	76 LEVEL CM	9254,3465 litre	23,090 %	30824,5218 litre	O
700	CM	135	CM	75 LEVEL CM	9084,6942 litre	22,667 %	30994,1741 litre	O
700	CM	135	CM	74 LEVEL CM	8915,7365 litre	22,245 %	31163,1318 litre	O
700	CM	135	CM	73 LEVEL CM	8747,4879 litre	21,826 %	31331,3804 litre	O
700	CM	135	CM	72 LEVEL CM	8579,9632 litre	21,408 %	31498,9051 litre	O
700	CM	135	CM	71 LEVEL CM	8413,1771 litre	20,992 %	31665,6912 litre	O
700	CM	135	CM	70 LEVEL CM	8247,1449 litre	20,577 %	31831,7234 litre	O
700	CM	135	CM	69 LEVEL CM	8081,8818 litre	20,165 %	31996,9865 litre	O
700	CM	135	CM	68 LEVEL CM	7917,4033 litre	19,755 %	32161,4650 litre	O
700	CM	135	CM	67 LEVEL CM	7753,7252 litre	19,346 %	32325,1431 litre	O
700	CM	135	CM	66 LEVEL CM	7590,8634 litre	18,940 %	32488,0049 litre	O
700	CM	135	CM	65 LEVEL CM	7428,8341 litre	18,536 %	32650,0342 litre	O
700	CM	135	CM	64 LEVEL CM	7267,6538 litre	18,133 %	32811,2145 litre	O
700	CM	135	CM	63 LEVEL CM	7107,3392 litre	17,733 %	32971,5291 litre	O
700	CM	135	CM	62 LEVEL CM	6947,9074 litre	17,336 %	33130,9609 litre	O
700	CM	135	CM	61 LEVEL CM	6789,3755 litre	16,940 %	33289,4928 litre	O
700	CM	135	CM	60 LEVEL CM	6631,7612 litre	16,547 %	33447,1071 litre	O

700	CM	135	CM	59 LEVEL CM	6475,0823 litre	16,156 %	33603,7860 litre	O
700	CM	135	CM	58 LEVEL CM	6319,3570 litre	15,767 %	33759,5113 litre	O
700	CM	135	CM	57 LEVEL CM	6164,6040 litre	15,381 %	33914,2643 litre	O
700	CM	135	CM	56 LEVEL CM	6010,8420 litre	14,998 %	34068,0263 litre	O
700	CM	135	CM	55 LEVEL CM	5858,0904 litre	14,616 %	34220,7779 litre	O
700	CM	135	CM	54 LEVEL CM	5706,3687 litre	14,238 %	34372,4996 litre	O
700	CM	135	CM	53 LEVEL CM	5555,6971 litre	13,862 %	34523,1712 litre	O
700	CM	135	CM	52 LEVEL CM	5406,0960 litre	13,489 %	34672,7723 litre	O
700	CM	135	CM	51 LEVEL CM	5257,5864 litre	13,118 %	34821,2819 litre	O
700	CM	135	CM	50 LEVEL CM	5110,1895 litre	12,750 %	34968,6788 litre	O
700	CM	135	CM	49 LEVEL CM	4963,9273 litre	12,385 %	35114,9410 litre	O
700	CM	135	CM	48 LEVEL CM	4818,8221 litre	12,023 %	35260,0462 litre	O
700	CM	135	CM	47 LEVEL CM	4674,8969 litre	11,664 %	35403,9714 litre	O
700	CM	135	CM	46 LEVEL CM	4532,1751 litre	11,308 %	35546,6932 litre	O
700	CM	135	CM	45 LEVEL CM	4390,6808 litre	10,955 %	35688,1875 litre	O
700	CM	135	CM	44 LEVEL CM	4250,4389 litre	10,605 %	35828,4294 litre	O
700	CM	135	CM	43 LEVEL CM	4111,4745 litre	10,258 %	35967,3938 litre	O
700	CM	135	CM	42 LEVEL CM	3973,8139 litre	9,915 %	36105,0544 litre	O
700	CM	135	CM	41 LEVEL CM	3837,4839 litre	9,575 %	36241,3844 litre	O
700	CM	135	CM	40 LEVEL CM	3702,5121 litre	9,238 %	36376,3562 litre	O
700	CM	135	CM	39 LEVEL CM	3568,9270 litre	8,905 %	36509,9413 litre	O
700	CM	135	CM	38 LEVEL CM	3436,7579 litre	8,575 %	36642,1104 litre	O
700	CM	135	CM	37 LEVEL CM	3306,0353 litre	8,249 %	36772,8330 litre	O
700	CM	135	CM	36 LEVEL CM	3176,7904 litre	7,926 %	36902,0779 litre	O
700	CM	135	CM	35 LEVEL CM	3049,0557 litre	7,608 %	37029,8126 litre	O
700	CM	135	CM	34 LEVEL CM	2922,8648 litre	7,293 %	37156,0035 litre	O
700	CM	135	CM	33 LEVEL CM	2798,2525 litre	6,982 %	37280,6158 litre	O
700	CM	135	CM	32 LEVEL CM	2675,2551 litre	6,675 %	37403,6132 litre	O
700	CM	135	CM	31 LEVEL CM	2553,9102 litre	6,372 %	37524,9581 litre	O
700	CM	135	CM	30 LEVEL CM	2434,2569 litre	6,074 %	37644,6114 litre	O
700	CM	135	CM	29 LEVEL CM	2316,3362 litre	5,779 %	37762,5321 litre	O
700	CM	135	CM	28 LEVEL CM	2200,1908 litre	5,490 %	37878,6775 litre	O
700	CM	135	CM	27 LEVEL CM	2085,8654 litre	5,204 %	37993,0029 litre	O
700	CM	135	CM	26 LEVEL CM	1973,4068 litre	4,924 %	38105,4615 litre	O
700	CM	135	CM	25 LEVEL CM	1862,8644 litre	4,648 %	38216,0039 litre	O
700	CM	135	CM	24 LEVEL CM	1754,2899 litre	4,377 %	38324,5784 litre	O
700	CM	135	CM	23 LEVEL CM	1647,7382 litre	4,111 %	38431,1301 litre	O
700	CM	135	CM	22 LEVEL CM	1543,2670 litre	3,851 %	38535,6013 litre	O
700	CM	135	CM	21 LEVEL CM	1440,9380 litre	3,595 %	38637,9303 litre	O
700	CM	135	CM	20 LEVEL CM	1340,8164 litre	3,345 %	38738,0519 litre	O
700	CM	135	CM	19 LEVEL CM	1242,9722 litre	3,101 %	38835,8961 litre	O
700	CM	135	CM	18 LEVEL CM	1147,4800 litre	2,863 %	38931,3883 litre	O
700	CM	135	CM	17 LEVEL CM	1054,4205 litre	2,631 %	39024,4478 litre	O
700	CM	135	CM	16 LEVEL CM	963,8806 litre	2,405 %	39114,9877 litre	O
700	CM	135	CM	15 LEVEL CM	875,9547 litre	2,186 %	39202,9136 litre	O
700	CM	135	CM	14 LEVEL CM	790,7461 litre	1,973 %	39288,1222 litre	O
700	CM	135	CM	13 LEVEL CM	708,3681 litre	1,767 %	39370,5002 litre	O
700	CM	135	CM	12 LEVEL CM	628,9463 litre	1,569 %	39449,9220 litre	O
700	CM	135	CM	11 LEVEL CM	552,6208 litre	1,379 %	39526,2475 litre	O
700	CM	135	CM	10 LEVEL CM	479,5495 litre	1,197 %	39599,3188 litre	O
700	CM	135	CM	9 LEVEL CM	409,9125 litre	1,023 %	39668,9558 litre	O
700	CM	135	CM	8 LEVEL CM	343,9182 litre	0,858 %	39734,9501 litre	O
700	CM	135	CM	7 LEVEL CM	281,8115 litre	0,703 %	39797,0568 litre	O

700	CM	135	CM	6 LEVEL CM	223,8870 litre	0,559 %	39854,9813 litre	O
700	CM	135	CM	5 LEVEL CM	170,5085 litre	0,425 %	39908,3598 litre	O
700	CM	135	CM	4 LEVEL CM	122,1431 litre	0,305 %	39956,7252 litre	O
700	CM	135	CM	3 LEVEL CM	79,4232 litre	0,198 %	39999,4451 litre	O
700	CM	135	CM	2 LEVEL CM	43,2809 litre	0,108 %	40035,5874 litre	O
700	CM	135	CM	1 LEVEL CM	15,3192 litre	0,038 %	40063,5491 litre	O
700	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	40078,8683 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM 130	CM 260 LEVEL CM	37165,0411 litre	100,000 %	0,0000 litre	O
700	CM 130	CM 259 LEVEL CM	37150,0089 litre	99,960 %	15,0322 litre	O
700	CM 130	CM 258 LEVEL CM	37122,5729 litre	99,886 %	42,4682 litre	O
700	CM 130	CM 257 LEVEL CM	37087,1126 litre	99,790 %	77,9285 litre	O
700	CM 130	CM 256 LEVEL CM	37045,2019 litre	99,678 %	119,8392 litre	O
700	CM 130	CM 255 LEVEL CM	36997,7561 litre	99,550 %	167,2850 litre	O
700	CM 130	CM 254 LEVEL CM	36945,3964 litre	99,409 %	219,6447 litre	O
700	CM 130	CM 253 LEVEL CM	36888,5817 litre	99,256 %	276,4594 litre	O
700	CM 130	CM 252 LEVEL CM	36827,6696 litre	99,092 %	337,3715 litre	O
700	CM 130	CM 251 LEVEL CM	36762,9494 litre	98,918 %	402,0917 litre	O
700	CM 130	CM 250 LEVEL CM	36694,6621 litre	98,734 %	470,3790 litre	O
700	CM 130	CM 249 LEVEL CM	36623,0126 litre	98,542 %	542,0285 litre	O
700	CM 130	CM 248 LEVEL CM	36548,1780 litre	98,340 %	616,8631 litre	O
700	CM 130	CM 247 LEVEL CM	36470,3136 litre	98,131 %	694,7275 litre	O
700	CM 130	CM 246 LEVEL CM	36389,5574 litre	97,913 %	775,4837 litre	O
700	CM 130	CM 245 LEVEL CM	36306,0330 litre	97,689 %	859,0081 litre	O
700	CM 130	CM 244 LEVEL CM	36219,8519 litre	97,457 %	945,1892 litre	O
700	CM 130	CM 243 LEVEL CM	36131,1157 litre	97,218 %	1033,9254 litre	O
700	CM 130	CM 242 LEVEL CM	36039,9176 litre	96,973 %	1125,1235 litre	O
700	CM 130	CM 241 LEVEL CM	35946,3432 litre	96,721 %	1218,6979 litre	O
700	CM 130	CM 240 LEVEL CM	35850,4718 litre	96,463 %	1314,5693 litre	O
700	CM 130	CM 239 LEVEL CM	35752,3772 litre	96,199 %	1412,6639 litre	O
700	CM 130	CM 238 LEVEL CM	35652,1283 litre	95,929 %	1512,9128 litre	O
700	CM 130	CM 237 LEVEL CM	35549,7895 litre	95,654 %	1615,2516 litre	O
700	CM 130	CM 236 LEVEL CM	35445,4214 litre	95,373 %	1719,6197 litre	O
700	CM 130	CM 235 LEVEL CM	35339,0812 litre	95,087 %	1825,9599 litre	O
700	CM 130	CM 234 LEVEL CM	35230,8230 litre	94,796 %	1934,2181 litre	O
700	CM 130	CM 233 LEVEL CM	35120,6978 litre	94,499 %	2044,3433 litre	O
700	CM 130	CM 232 LEVEL CM	35008,7545 litre	94,198 %	2156,2866 litre	O
700	CM 130	CM 231 LEVEL CM	34895,0392 litre	93,892 %	2270,0019 litre	O
700	CM 130	CM 230 LEVEL CM	34779,5961 litre	93,581 %	2385,4450 litre	O
700	CM 130	CM 229 LEVEL CM	34662,4675 litre	93,266 %	2502,5736 litre	O
700	CM 130	CM 228 LEVEL CM	34543,6937 litre	92,947 %	2621,3474 litre	O
700	CM 130	CM 227 LEVEL CM	34423,3136 litre	92,623 %	2741,7275 litre	O
700	CM 130	CM 226 LEVEL CM	34301,3643 litre	92,295 %	2863,6768 litre	O
700	CM 130	CM 225 LEVEL CM	34177,8817 litre	91,962 %	2987,1594 litre	O
700	CM 130	CM 224 LEVEL CM	34052,9002 litre	91,626 %	3112,1409 litre	O
700	CM 130	CM 223 LEVEL CM	33926,4532 litre	91,286 %	3238,5879 litre	O
700	CM 130	CM 222 LEVEL CM	33798,5727 litre	90,942 %	3366,4684 litre	O
700	CM 130	CM 221 LEVEL CM	33669,2898 litre	90,594 %	3495,7513 litre	O
700	CM 130	CM 220 LEVEL CM	33538,6346 litre	90,242 %	3626,4065 litre	O
700	CM 130	CM 219 LEVEL CM	33406,6361 litre	89,887 %	3758,4050 litre	O
700	CM 130	CM 218 LEVEL CM	33273,3226 litre	89,529 %	3891,7185 litre	O
700	CM 130	CM 217 LEVEL CM	33138,7215 litre	89,166 %	4026,3196 litre	O
700	CM 130	CM 216 LEVEL CM	33002,8595 litre	88,801 %	4162,1816 litre	O
700	CM 130	CM 215 LEVEL CM	32865,7623 litre	88,432 %	4299,2788 litre	O
700	CM 130	CM 214 LEVEL CM	32727,4553 litre	88,060 %	4437,5858 litre	O
700	CM 130	CM 213 LEVEL CM	32587,9630 litre	87,684 %	4577,0781 litre	O
700	CM 130	CM 212 LEVEL CM	32447,3093 litre	87,306 %	4717,7318 litre	O
700	CM 130	CM 211 LEVEL CM	32305,5174 litre	86,924 %	4859,5237 litre	O
700	CM 130	CM 210 LEVEL CM	32162,6103 litre	86,540 %	5002,4308 litre	O
700	CM 130	CM 209 LEVEL CM	32018,6101 litre	86,152 %	5146,4310 litre	O

700	CM	130	CM	208 LEVEL CM	31873,5387 litre	85,762 %	5291,5024 litre	O
700	CM	130	CM	207 LEVEL CM	31727,4171 litre	85,369 %	5437,6240 litre	O
700	CM	130	CM	206 LEVEL CM	31580,2664 litre	84,973 %	5584,7747 litre	O
700	CM	130	CM	205 LEVEL CM	31432,1068 litre	84,574 %	5732,9343 litre	O
700	CM	130	CM	204 LEVEL CM	31282,9583 litre	84,173 %	5882,0828 litre	O
700	CM	130	CM	203 LEVEL CM	31132,8406 litre	83,769 %	6032,2005 litre	O
700	CM	130	CM	202 LEVEL CM	30981,7727 litre	83,363 %	6183,2684 litre	O
700	CM	130	CM	201 LEVEL CM	30829,7735 litre	82,954 %	6335,2676 litre	O
700	CM	130	CM	200 LEVEL CM	30676,8615 litre	82,542 %	6488,1796 litre	O
700	CM	130	CM	199 LEVEL CM	30523,0548 litre	82,128 %	6641,9863 litre	O
700	CM	130	CM	198 LEVEL CM	30368,3714 litre	81,712 %	6796,6697 litre	O
700	CM	130	CM	197 LEVEL CM	30212,8287 litre	81,294 %	6952,2124 litre	O
700	CM	130	CM	196 LEVEL CM	30056,4440 litre	80,873 %	7108,5971 litre	O
700	CM	130	CM	195 LEVEL CM	29899,2343 litre	80,450 %	7265,8068 litre	O
700	CM	130	CM	194 LEVEL CM	29741,2163 litre	80,025 %	7423,8248 litre	O
700	CM	130	CM	193 LEVEL CM	29582,4064 litre	79,597 %	7582,6347 litre	O
700	CM	130	CM	192 LEVEL CM	29422,8209 litre	79,168 %	7742,2202 litre	O
700	CM	130	CM	191 LEVEL CM	29262,4757 litre	78,737 %	7902,5654 litre	O
700	CM	130	CM	190 LEVEL CM	29101,3866 litre	78,303 %	8063,6545 litre	O
700	CM	130	CM	189 LEVEL CM	28939,5691 litre	77,868 %	8225,4720 litre	O
700	CM	130	CM	188 LEVEL CM	28777,0386 litre	77,430 %	8388,0025 litre	O
700	CM	130	CM	187 LEVEL CM	28613,8100 litre	76,991 %	8551,2311 litre	O
700	CM	130	CM	186 LEVEL CM	28449,8985 litre	76,550 %	8715,1426 litre	O
700	CM	130	CM	185 LEVEL CM	28285,3187 litre	76,107 %	8879,7224 litre	O
700	CM	130	CM	184 LEVEL CM	28120,0852 litre	75,663 %	9044,9559 litre	O
700	CM	130	CM	183 LEVEL CM	27954,2124 litre	75,216 %	9210,8287 litre	O
700	CM	130	CM	182 LEVEL CM	27787,7145 litre	74,768 %	9377,3266 litre	O
700	CM	130	CM	181 LEVEL CM	27620,6055 litre	74,319 %	9544,4356 litre	O
700	CM	130	CM	180 LEVEL CM	27452,8995 litre	73,868 %	9712,1416 litre	O
700	CM	130	CM	179 LEVEL CM	27284,6101 litre	73,415 %	9880,4310 litre	O
700	CM	130	CM	178 LEVEL CM	27115,7510 litre	72,960 %	10049,2901 litre	O
700	CM	130	CM	177 LEVEL CM	26946,3356 litre	72,505 %	10218,7055 litre	O
700	CM	130	CM	176 LEVEL CM	26776,3774 litre	72,047 %	10388,6637 litre	O
700	CM	130	CM	175 LEVEL CM	26605,8895 litre	71,588 %	10559,1516 litre	O
700	CM	130	CM	174 LEVEL CM	26434,8850 litre	71,128 %	10730,1561 litre	O
700	CM	130	CM	173 LEVEL CM	26263,3770 litre	70,667 %	10901,6641 litre	O
700	CM	130	CM	172 LEVEL CM	26091,3783 litre	70,204 %	11073,6628 litre	O
700	CM	130	CM	171 LEVEL CM	25918,9016 litre	69,740 %	11246,1395 litre	O
700	CM	130	CM	170 LEVEL CM	25745,9596 litre	69,275 %	11419,0815 litre	O
700	CM	130	CM	169 LEVEL CM	25572,5649 litre	68,808 %	11592,4762 litre	O
700	CM	130	CM	168 LEVEL CM	25398,7299 litre	68,340 %	11766,3112 litre	O
700	CM	130	CM	167 LEVEL CM	25224,4669 litre	67,871 %	11940,5742 litre	O
700	CM	130	CM	166 LEVEL CM	25049,7883 litre	67,401 %	12115,2528 litre	O
700	CM	130	CM	165 LEVEL CM	24874,7062 litre	66,930 %	12290,3349 litre	O
700	CM	130	CM	164 LEVEL CM	24699,2328 litre	66,458 %	12465,8083 litre	O
700	CM	130	CM	163 LEVEL CM	24523,3800 litre	65,985 %	12641,6611 litre	O
700	CM	130	CM	162 LEVEL CM	24347,1597 litre	65,511 %	12817,8814 litre	O
700	CM	130	CM	161 LEVEL CM	24170,5839 litre	65,036 %	12994,4572 litre	O
700	CM	130	CM	160 LEVEL CM	23993,6643 litre	64,560 %	13171,3768 litre	O
700	CM	130	CM	159 LEVEL CM	23816,4127 litre	64,083 %	13348,6284 litre	O
700	CM	130	CM	158 LEVEL CM	23638,8407 litre	63,605 %	13526,2004 litre	O
700	CM	130	CM	157 LEVEL CM	23460,9599 litre	63,126 %	13704,0812 litre	O
700	CM	130	CM	156 LEVEL CM	23282,7818 litre	62,647 %	13882,2593 litre	O

700	CM	130	CM	155 LEVEL CM	23104,3180 litre	62,167 %	14060,7231 litre	O
700	CM	130	CM	154 LEVEL CM	22925,5798 litre	61,686 %	14239,4613 litre	O
700	CM	130	CM	153 LEVEL CM	22746,5786 litre	61,204 %	14418,4625 litre	O
700	CM	130	CM	152 LEVEL CM	22567,3258 litre	60,722 %	14597,7153 litre	O
700	CM	130	CM	151 LEVEL CM	22387,8326 litre	60,239 %	14777,2085 litre	O
700	CM	130	CM	150 LEVEL CM	22208,1102 litre	59,755 %	14956,9309 litre	O
700	CM	130	CM	149 LEVEL CM	22028,1698 litre	59,271 %	15136,8713 litre	O
700	CM	130	CM	148 LEVEL CM	21848,0225 litre	58,786 %	15317,0186 litre	O
700	CM	130	CM	147 LEVEL CM	21667,6796 litre	58,301 %	15497,3615 litre	O
700	CM	130	CM	146 LEVEL CM	21487,1520 litre	57,815 %	15677,8891 litre	O
700	CM	130	CM	145 LEVEL CM	21306,4507 litre	57,329 %	15858,5904 litre	O
700	CM	130	CM	144 LEVEL CM	21125,5868 litre	56,843 %	16039,4543 litre	O
700	CM	130	CM	143 LEVEL CM	20944,5713 litre	56,356 %	16220,4698 litre	O
700	CM	130	CM	142 LEVEL CM	20763,4150 litre	55,868 %	16401,6261 litre	O
700	CM	130	CM	141 LEVEL CM	20582,1290 litre	55,380 %	16582,9121 litre	O
700	CM	130	CM	140 LEVEL CM	20400,7241 litre	54,892 %	16764,3170 litre	O
700	CM	130	CM	139 LEVEL CM	20219,2111 litre	54,404 %	16945,8300 litre	O
700	CM	130	CM	138 LEVEL CM	20037,6010 litre	53,915 %	17127,4401 litre	O
700	CM	130	CM	137 LEVEL CM	19855,9046 litre	53,426 %	17309,1365 litre	O
700	CM	130	CM	136 LEVEL CM	19674,1327 litre	52,937 %	17490,9084 litre	O
700	CM	130	CM	135 LEVEL CM	19492,2961 litre	52,448 %	17672,7450 litre	O
700	CM	130	CM	134 LEVEL CM	19310,4057 litre	51,959 %	17854,6354 litre	O
700	CM	130	CM	133 LEVEL CM	19128,4721 litre	51,469 %	18036,5690 litre	O
700	CM	130	CM	132 LEVEL CM	18946,5062 litre	50,979 %	18218,5349 litre	O
700	CM	130	CM	131 LEVEL CM	18764,5188 litre	50,490 %	18400,5223 litre	O
700	CM	130	CM	130 LEVEL CM	18582,5205 litre	50,000 %	18582,5206 litre	O
700	CM	130	CM	129 LEVEL CM	18400,5223 litre	49,510 %	18764,5188 litre	O
700	CM	130	CM	128 LEVEL CM	18218,5349 litre	49,021 %	18946,5062 litre	O
700	CM	130	CM	127 LEVEL CM	18036,5690 litre	48,531 %	19128,4721 litre	O
700	CM	130	CM	126 LEVEL CM	17854,6354 litre	48,041 %	19310,4057 litre	O
700	CM	130	CM	125 LEVEL CM	17672,7450 litre	47,552 %	19492,2961 litre	O
700	CM	130	CM	124 LEVEL CM	17490,9084 litre	47,063 %	19674,1327 litre	O
700	CM	130	CM	123 LEVEL CM	17309,1365 litre	46,574 %	19855,9046 litre	O
700	CM	130	CM	122 LEVEL CM	17127,4400 litre	46,085 %	20037,6011 litre	O
700	CM	130	CM	121 LEVEL CM	16945,8299 litre	45,596 %	20219,2112 litre	O
700	CM	130	CM	120 LEVEL CM	16764,3170 litre	45,108 %	20400,7241 litre	O
700	CM	130	CM	119 LEVEL CM	16582,9121 litre	44,620 %	20582,1290 litre	O
700	CM	130	CM	118 LEVEL CM	16401,6261 litre	44,132 %	20763,4150 litre	O
700	CM	130	CM	117 LEVEL CM	16220,4698 litre	43,644 %	20944,5713 litre	O
700	CM	130	CM	116 LEVEL CM	16039,4543 litre	43,157 %	21125,5868 litre	O
700	CM	130	CM	115 LEVEL CM	15858,5904 litre	42,671 %	21306,4507 litre	O
700	CM	130	CM	114 LEVEL CM	15677,8891 litre	42,185 %	21487,1520 litre	O
700	CM	130	CM	113 LEVEL CM	15497,3615 litre	41,699 %	21667,6796 litre	O
700	CM	130	CM	112 LEVEL CM	15317,0185 litre	41,214 %	21848,0226 litre	O
700	CM	130	CM	111 LEVEL CM	15136,8713 litre	40,729 %	22028,1698 litre	O
700	CM	130	CM	110 LEVEL CM	14956,9309 litre	40,245 %	22208,1102 litre	O
700	CM	130	CM	109 LEVEL CM	14777,2085 litre	39,761 %	22387,8326 litre	O
700	CM	130	CM	108 LEVEL CM	14597,7153 litre	39,278 %	22567,3258 litre	O
700	CM	130	CM	107 LEVEL CM	14418,4625 litre	38,796 %	22746,5786 litre	O
700	CM	130	CM	106 LEVEL CM	14239,4613 litre	38,314 %	22925,5798 litre	O
700	CM	130	CM	105 LEVEL CM	14060,7231 litre	37,833 %	23104,3180 litre	O
700	CM	130	CM	104 LEVEL CM	13882,2593 litre	37,353 %	23282,7818 litre	O
700	CM	130	CM	103 LEVEL CM	13704,0812 litre	36,874 %	23460,9599 litre	O

700	CM	130	CM	102 LEVEL CM	13526,2004 litre	36,395 %	23638,8407 litre	O
700	CM	130	CM	101 LEVEL CM	13348,6284 litre	35,917 %	23816,4127 litre	O
700	CM	130	CM	100 LEVEL CM	13171,3768 litre	35,440 %	23993,6643 litre	O
700	CM	130	CM	99 LEVEL CM	12994,4572 litre	34,964 %	24170,5839 litre	O
700	CM	130	CM	98 LEVEL CM	12817,8814 litre	34,489 %	24347,1597 litre	O
700	CM	130	CM	97 LEVEL CM	12641,6611 litre	34,015 %	24523,3800 litre	O
700	CM	130	CM	96 LEVEL CM	12465,8083 litre	33,542 %	24699,2328 litre	O
700	CM	130	CM	95 LEVEL CM	12290,3348 litre	33,070 %	24874,7063 litre	O
700	CM	130	CM	94 LEVEL CM	12115,2528 litre	32,599 %	25049,7883 litre	O
700	CM	130	CM	93 LEVEL CM	11940,5742 litre	32,129 %	25224,4669 litre	O
700	CM	130	CM	92 LEVEL CM	11766,3112 litre	31,660 %	25398,7299 litre	O
700	CM	130	CM	91 LEVEL CM	11592,4762 litre	31,192 %	25572,5649 litre	O
700	CM	130	CM	90 LEVEL CM	11419,0815 litre	30,725 %	25745,9596 litre	O
700	CM	130	CM	89 LEVEL CM	11246,1395 litre	30,260 %	25918,9016 litre	O
700	CM	130	CM	88 LEVEL CM	11073,6628 litre	29,796 %	26091,3783 litre	O
700	CM	130	CM	87 LEVEL CM	10901,6641 litre	29,333 %	26263,3770 litre	O
700	CM	130	CM	86 LEVEL CM	10730,1561 litre	28,872 %	26434,8850 litre	O
700	CM	130	CM	85 LEVEL CM	10559,1516 litre	28,412 %	26605,8895 litre	O
700	CM	130	CM	84 LEVEL CM	10388,6637 litre	27,953 %	26776,3774 litre	O
700	CM	130	CM	83 LEVEL CM	10218,7055 litre	27,495 %	26946,3356 litre	O
700	CM	130	CM	82 LEVEL CM	10049,2901 litre	27,040 %	27115,7510 litre	O
700	CM	130	CM	81 LEVEL CM	9880,4310 litre	26,585 %	27284,6101 litre	O
700	CM	130	CM	80 LEVEL CM	9712,1416 litre	26,132 %	27452,8995 litre	O
700	CM	130	CM	79 LEVEL CM	9544,4356 litre	25,681 %	27620,6055 litre	O
700	CM	130	CM	78 LEVEL CM	9377,3266 litre	25,232 %	27787,7145 litre	O
700	CM	130	CM	77 LEVEL CM	9210,8287 litre	24,784 %	27954,2124 litre	O
700	CM	130	CM	76 LEVEL CM	9044,9559 litre	24,337 %	28120,0852 litre	O
700	CM	130	CM	75 LEVEL CM	8879,7224 litre	23,893 %	28285,3187 litre	O
700	CM	130	CM	74 LEVEL CM	8715,1426 litre	23,450 %	28449,8985 litre	O
700	CM	130	CM	73 LEVEL CM	8551,2311 litre	23,009 %	28613,8100 litre	O
700	CM	130	CM	72 LEVEL CM	8388,0025 litre	22,570 %	28777,0386 litre	O
700	CM	130	CM	71 LEVEL CM	8225,4720 litre	22,132 %	28939,5691 litre	O
700	CM	130	CM	70 LEVEL CM	8063,6545 litre	21,697 %	29101,3866 litre	O
700	CM	130	CM	69 LEVEL CM	7902,5654 litre	21,263 %	29262,4757 litre	O
700	CM	130	CM	68 LEVEL CM	7742,2202 litre	20,832 %	29422,8209 litre	O
700	CM	130	CM	67 LEVEL CM	7582,6347 litre	20,403 %	29582,4064 litre	O
700	CM	130	CM	66 LEVEL CM	7423,8248 litre	19,975 %	29741,2163 litre	O
700	CM	130	CM	65 LEVEL CM	7265,8068 litre	19,550 %	29899,2343 litre	O
700	CM	130	CM	64 LEVEL CM	7108,5971 litre	19,127 %	30056,4440 litre	O
700	CM	130	CM	63 LEVEL CM	6952,2124 litre	18,706 %	30212,8287 litre	O
700	CM	130	CM	62 LEVEL CM	6796,6697 litre	18,288 %	30368,3714 litre	O
700	CM	130	CM	61 LEVEL CM	6641,9863 litre	17,872 %	30523,0548 litre	O
700	CM	130	CM	60 LEVEL CM	6488,1796 litre	17,458 %	30676,8615 litre	O
700	CM	130	CM	59 LEVEL CM	6335,2676 litre	17,046 %	30829,7735 litre	O
700	CM	130	CM	58 LEVEL CM	6183,2684 litre	16,637 %	30981,7727 litre	O
700	CM	130	CM	57 LEVEL CM	6032,2005 litre	16,231 %	31132,8406 litre	O
700	CM	130	CM	56 LEVEL CM	5882,0827 litre	15,827 %	31282,9584 litre	O
700	CM	130	CM	55 LEVEL CM	5732,9343 litre	15,426 %	31432,1068 litre	O
700	CM	130	CM	54 LEVEL CM	5584,7747 litre	15,027 %	31580,2664 litre	O
700	CM	130	CM	53 LEVEL CM	5437,6239 litre	14,631 %	31727,4172 litre	O
700	CM	130	CM	52 LEVEL CM	5291,5024 litre	14,238 %	31873,5387 litre	O
700	CM	130	CM	51 LEVEL CM	5146,4310 litre	13,848 %	32018,6101 litre	O
700	CM	130	CM	50 LEVEL CM	5002,4308 litre	13,460 %	32162,6103 litre	O

700	CM	130	CM	49 LEVEL CM	4859,5237 litre	13,076 %	32305,5174 litre	O
700	CM	130	CM	48 LEVEL CM	4717,7318 litre	12,694 %	32447,3093 litre	O
700	CM	130	CM	47 LEVEL CM	4577,0781 litre	12,316 %	32587,9630 litre	O
700	CM	130	CM	46 LEVEL CM	4437,5858 litre	11,940 %	32727,4553 litre	O
700	CM	130	CM	45 LEVEL CM	4299,2788 litre	11,568 %	32865,7623 litre	O
700	CM	130	CM	44 LEVEL CM	4162,1816 litre	11,199 %	33002,8595 litre	O
700	CM	130	CM	43 LEVEL CM	4026,3196 litre	10,834 %	33138,7215 litre	O
700	CM	130	CM	42 LEVEL CM	3891,7185 litre	10,471 %	33273,3226 litre	O
700	CM	130	CM	41 LEVEL CM	3758,4050 litre	10,113 %	33406,6361 litre	O
700	CM	130	CM	40 LEVEL CM	3626,4065 litre	9,758 %	33538,6346 litre	O
700	CM	130	CM	39 LEVEL CM	3495,7513 litre	9,406 %	33669,2898 litre	O
700	CM	130	CM	38 LEVEL CM	3366,4684 litre	9,058 %	33798,5727 litre	O
700	CM	130	CM	37 LEVEL CM	3238,5879 litre	8,714 %	33926,4532 litre	O
700	CM	130	CM	36 LEVEL CM	3112,1409 litre	8,374 %	34052,9002 litre	O
700	CM	130	CM	35 LEVEL CM	2987,1594 litre	8,038 %	34177,8817 litre	O
700	CM	130	CM	34 LEVEL CM	2863,6768 litre	7,705 %	34301,3643 litre	O
700	CM	130	CM	33 LEVEL CM	2741,7275 litre	7,377 %	34423,3136 litre	O
700	CM	130	CM	32 LEVEL CM	2621,3474 litre	7,053 %	34543,6937 litre	O
700	CM	130	CM	31 LEVEL CM	2502,5736 litre	6,734 %	34662,4675 litre	O
700	CM	130	CM	30 LEVEL CM	2385,4450 litre	6,419 %	34779,5961 litre	O
700	CM	130	CM	29 LEVEL CM	2270,0019 litre	6,108 %	34895,0392 litre	O
700	CM	130	CM	28 LEVEL CM	2156,2866 litre	5,802 %	35008,7545 litre	O
700	CM	130	CM	27 LEVEL CM	2044,3432 litre	5,501 %	35120,6979 litre	O
700	CM	130	CM	26 LEVEL CM	1934,2181 litre	5,204 %	35230,8230 litre	O
700	CM	130	CM	25 LEVEL CM	1825,9599 litre	4,913 %	35339,0812 litre	O
700	CM	130	CM	24 LEVEL CM	1719,6197 litre	4,627 %	35445,4214 litre	O
700	CM	130	CM	23 LEVEL CM	1615,2516 litre	4,346 %	35549,7895 litre	O
700	CM	130	CM	22 LEVEL CM	1512,9128 litre	4,071 %	35652,1283 litre	O
700	CM	130	CM	21 LEVEL CM	1412,6639 litre	3,801 %	35752,3772 litre	O
700	CM	130	CM	20 LEVEL CM	1314,5693 litre	3,537 %	35850,4718 litre	O
700	CM	130	CM	19 LEVEL CM	1218,6979 litre	3,279 %	35946,3432 litre	O
700	CM	130	CM	18 LEVEL CM	1125,1235 litre	3,027 %	36039,9176 litre	O
700	CM	130	CM	17 LEVEL CM	1033,9253 litre	2,782 %	36131,1158 litre	O
700	CM	130	CM	16 LEVEL CM	945,1892 litre	2,543 %	36219,8519 litre	O
700	CM	130	CM	15 LEVEL CM	859,0081 litre	2,311 %	36306,0330 litre	O
700	CM	130	CM	14 LEVEL CM	775,4837 litre	2,087 %	36389,5574 litre	O
700	CM	130	CM	13 LEVEL CM	694,7275 litre	1,869 %	36470,3136 litre	O
700	CM	130	CM	12 LEVEL CM	616,8631 litre	1,660 %	36548,1780 litre	O
700	CM	130	CM	11 LEVEL CM	542,0285 litre	1,458 %	36623,0126 litre	O
700	CM	130	CM	10 LEVEL CM	470,3789 litre	1,266 %	36694,6622 litre	O
700	CM	130	CM	9 LEVEL CM	402,0917 litre	1,082 %	36762,9494 litre	O
700	CM	130	CM	8 LEVEL CM	337,3715 litre	0,908 %	36827,6696 litre	O
700	CM	130	CM	7 LEVEL CM	276,4594 litre	0,744 %	36888,5817 litre	O
700	CM	130	CM	6 LEVEL CM	219,6446 litre	0,591 %	36945,3965 litre	O
700	CM	130	CM	5 LEVEL CM	167,2850 litre	0,450 %	36997,7561 litre	O
700	CM	130	CM	4 LEVEL CM	119,8392 litre	0,322 %	37045,2019 litre	O
700	CM	130	CM	3 LEVEL CM	77,9285 litre	0,210 %	37087,1126 litre	O
700	CM	130	CM	2 LEVEL CM	42,4682 litre	0,114 %	37122,5729 litre	O
700	CM	130	CM	1 LEVEL CM	15,0322 litre	0,040 %	37150,0089 litre	O
700	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	37165,0411 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM 125	CM 250 LEVEL CM	34361,1696 litre	100,000 %	0,0000 litre	O
700	CM 125	CM 249 LEVEL CM	34346,4301 litre	99,957 %	14,7395 litre	O
700	CM 125	CM 248 LEVEL CM	34319,5300 litre	99,879 %	41,6396 litre	O
700	CM 125	CM 247 LEVEL CM	34284,7651 litre	99,778 %	76,4045 litre	O
700	CM 125	CM 246 LEVEL CM	34243,6796 litre	99,658 %	117,4900 litre	O
700	CM 125	CM 245 LEVEL CM	34197,1716 litre	99,523 %	163,9980 litre	O
700	CM 125	CM 244 LEVEL CM	34145,8509 litre	99,373 %	215,3187 litre	O
700	CM 125	CM 243 LEVEL CM	34090,1681 litre	99,211 %	271,0015 litre	O
700	CM 125	CM 242 LEVEL CM	34030,4743 litre	99,038 %	330,6953 litre	O
700	CM 125	CM 241 LEVEL CM	33967,0539 litre	98,853 %	394,1157 litre	O
700	CM 125	CM 240 LEVEL CM	33900,1436 litre	98,658 %	461,0260 litre	O
700	CM 125	CM 239 LEVEL CM	33829,9447 litre	98,454 %	531,2249 litre	O
700	CM 125	CM 238 LEVEL CM	33756,6312 litre	98,241 %	604,5384 litre	O
700	CM 125	CM 237 LEVEL CM	33680,3561 litre	98,019 %	680,8135 litre	O
700	CM 125	CM 236 LEVEL CM	33601,2550 litre	97,788 %	759,9146 litre	O
700	CM 125	CM 235 LEVEL CM	33519,4493 litre	97,550 %	841,7203 litre	O
700	CM 125	CM 234 LEVEL CM	33435,0491 litre	97,305 %	926,1205 litre	O
700	CM 125	CM 233 LEVEL CM	33348,1541 litre	97,052 %	1013,0155 litre	O
700	CM 125	CM 232 LEVEL CM	33258,8562 litre	96,792 %	1102,3134 litre	O
700	CM 125	CM 231 LEVEL CM	33167,2396 litre	96,525 %	1193,9300 litre	O
700	CM 125	CM 230 LEVEL CM	33073,3826 litre	96,252 %	1287,7870 litre	O
700	CM 125	CM 229 LEVEL CM	32977,3578 litre	95,973 %	1383,8118 litre	O
700	CM 125	CM 228 LEVEL CM	32879,2330 litre	95,687 %	1481,9366 litre	O
700	CM 125	CM 227 LEVEL CM	32779,0719 litre	95,396 %	1582,0977 litre	O
700	CM 125	CM 226 LEVEL CM	32676,9342 litre	95,098 %	1684,2354 litre	O
700	CM 125	CM 225 LEVEL CM	32572,8763 litre	94,796 %	1788,2933 litre	O
700	CM 125	CM 224 LEVEL CM	32466,9515 litre	94,487 %	1894,2181 litre	O
700	CM 125	CM 223 LEVEL CM	32359,2103 litre	94,174 %	2001,9593 litre	O
700	CM 125	CM 222 LEVEL CM	32249,7008 litre	93,855 %	2111,4688 litre	O
700	CM 125	CM 221 LEVEL CM	32138,4687 litre	93,531 %	2222,7009 litre	O
700	CM 125	CM 220 LEVEL CM	32025,5576 litre	93,203 %	2335,6120 litre	O
700	CM 125	CM 219 LEVEL CM	31911,0092 litre	92,869 %	2450,1604 litre	O
700	CM 125	CM 218 LEVEL CM	31794,8635 litre	92,531 %	2566,3061 litre	O
700	CM 125	CM 217 LEVEL CM	31677,1588 litre	92,189 %	2684,0108 litre	O
700	CM 125	CM 216 LEVEL CM	31557,9320 litre	91,842 %	2803,2376 litre	O
700	CM 125	CM 215 LEVEL CM	31437,2184 litre	91,491 %	2923,9512 litre	O
700	CM 125	CM 214 LEVEL CM	31315,0523 litre	91,135 %	3046,1173 litre	O
700	CM 125	CM 213 LEVEL CM	31191,4664 litre	90,775 %	3169,7032 litre	O
700	CM 125	CM 212 LEVEL CM	31066,4927 litre	90,412 %	3294,6769 litre	O
700	CM 125	CM 211 LEVEL CM	30940,1619 litre	90,044 %	3421,0077 litre	O
700	CM 125	CM 210 LEVEL CM	30812,5037 litre	89,672 %	3548,6659 litre	O
700	CM 125	CM 209 LEVEL CM	30683,5471 litre	89,297 %	3677,6225 litre	O
700	CM 125	CM 208 LEVEL CM	30553,3200 litre	88,918 %	3807,8496 litre	O
700	CM 125	CM 207 LEVEL CM	30421,8496 litre	88,536 %	3939,3200 litre	O
700	CM 125	CM 206 LEVEL CM	30289,1624 litre	88,149 %	4072,0072 litre	O
700	CM 125	CM 205 LEVEL CM	30155,2840 litre	87,760 %	4205,8856 litre	O
700	CM 125	CM 204 LEVEL CM	30020,2394 litre	87,367 %	4340,9302 litre	O
700	CM 125	CM 203 LEVEL CM	29884,0531 litre	86,970 %	4477,1165 litre	O
700	CM 125	CM 202 LEVEL CM	29746,7487 litre	86,571 %	4614,4209 litre	O
700	CM 125	CM 201 LEVEL CM	29608,3495 litre	86,168 %	4752,8201 litre	O
700	CM 125	CM 200 LEVEL CM	29468,8782 litre	85,762 %	4892,2914 litre	O
700	CM 125	CM 199 LEVEL CM	29328,3568 litre	85,353 %	5032,8128 litre	O

700	CM	125	CM	198 LEVEL CM	29186,8070 litre	84,941 %	5174,3626 litre	O
700	CM	125	CM	197 LEVEL CM	29044,2500 litre	84,526 %	5316,9196 litre	O
700	CM	125	CM	196 LEVEL CM	28900,7065 litre	84,109 %	5460,4631 litre	O
700	CM	125	CM	195 LEVEL CM	28756,1967 litre	83,688 %	5604,9729 litre	O
700	CM	125	CM	194 LEVEL CM	28610,7406 litre	83,265 %	5750,4290 litre	O
700	CM	125	CM	193 LEVEL CM	28464,3577 litre	82,839 %	5896,8119 litre	O
700	CM	125	CM	192 LEVEL CM	28317,0671 litre	82,410 %	6044,1025 litre	O
700	CM	125	CM	191 LEVEL CM	28168,8876 litre	81,979 %	6192,2820 litre	O
700	CM	125	CM	190 LEVEL CM	28019,8377 litre	81,545 %	6341,3319 litre	O
700	CM	125	CM	189 LEVEL CM	27869,9354 litre	81,109 %	6491,2342 litre	O
700	CM	125	CM	188 LEVEL CM	27719,1987 litre	80,670 %	6641,9709 litre	O
700	CM	125	CM	187 LEVEL CM	27567,6450 litre	80,229 %	6793,5246 litre	O
700	CM	125	CM	186 LEVEL CM	27415,2915 litre	79,786 %	6945,8781 litre	O
700	CM	125	CM	185 LEVEL CM	27262,1553 litre	79,340 %	7099,0143 litre	O
700	CM	125	CM	184 LEVEL CM	27108,2531 litre	78,892 %	7252,9165 litre	O
700	CM	125	CM	183 LEVEL CM	26953,6013 litre	78,442 %	7407,5683 litre	O
700	CM	125	CM	182 LEVEL CM	26798,2161 litre	77,990 %	7562,9535 litre	O
700	CM	125	CM	181 LEVEL CM	26642,1136 litre	77,536 %	7719,0560 litre	O
700	CM	125	CM	180 LEVEL CM	26485,3096 litre	77,079 %	7875,8600 litre	O
700	CM	125	CM	179 LEVEL CM	26327,8196 litre	76,621 %	8033,3500 litre	O
700	CM	125	CM	178 LEVEL CM	26169,6589 litre	76,161 %	8191,5107 litre	O
700	CM	125	CM	177 LEVEL CM	26010,8428 litre	75,698 %	8350,3268 litre	O
700	CM	125	CM	176 LEVEL CM	25851,3863 litre	75,234 %	8509,7833 litre	O
700	CM	125	CM	175 LEVEL CM	25691,3041 litre	74,768 %	8669,8655 litre	O
700	CM	125	CM	174 LEVEL CM	25530,6108 litre	74,301 %	8830,5588 litre	O
700	CM	125	CM	173 LEVEL CM	25369,3210 litre	73,831 %	8991,8486 litre	O
700	CM	125	CM	172 LEVEL CM	25207,4490 litre	73,360 %	9153,7206 litre	O
700	CM	125	CM	171 LEVEL CM	25045,0088 litre	72,888 %	9316,1608 litre	O
700	CM	125	CM	170 LEVEL CM	24882,0146 litre	72,413 %	9479,1550 litre	O
700	CM	125	CM	169 LEVEL CM	24718,4801 litre	71,937 %	9642,6895 litre	O
700	CM	125	CM	168 LEVEL CM	24554,4192 litre	71,460 %	9806,7504 litre	O
700	CM	125	CM	167 LEVEL CM	24389,8453 litre	70,981 %	9971,3243 litre	O
700	CM	125	CM	166 LEVEL CM	24224,7719 litre	70,500 %	10136,3977 litre	O
700	CM	125	CM	165 LEVEL CM	24059,2125 litre	70,019 %	10301,9571 litre	O
700	CM	125	CM	164 LEVEL CM	23893,1802 litre	69,535 %	10467,9894 litre	O
700	CM	125	CM	163 LEVEL CM	23726,6881 litre	69,051 %	10634,4815 litre	O
700	CM	125	CM	162 LEVEL CM	23559,7493 litre	68,565 %	10801,4203 litre	O
700	CM	125	CM	161 LEVEL CM	23392,3766 litre	68,078 %	10968,7930 litre	O
700	CM	125	CM	160 LEVEL CM	23224,5829 litre	67,590 %	11136,5867 litre	O
700	CM	125	CM	159 LEVEL CM	23056,3808 litre	67,100 %	11304,7888 litre	O
700	CM	125	CM	158 LEVEL CM	22887,7830 litre	66,609 %	11473,3866 litre	O
700	CM	125	CM	157 LEVEL CM	22718,8021 litre	66,118 %	11642,3675 litre	O
700	CM	125	CM	156 LEVEL CM	22549,4503 litre	65,625 %	11811,7193 litre	O
700	CM	125	CM	155 LEVEL CM	22379,7402 litre	65,131 %	11981,4294 litre	O
700	CM	125	CM	154 LEVEL CM	22209,6839 litre	64,636 %	12151,4857 litre	O
700	CM	125	CM	153 LEVEL CM	22039,2937 litre	64,140 %	12321,8759 litre	O
700	CM	125	CM	152 LEVEL CM	21868,5817 litre	63,643 %	12492,5879 litre	O
700	CM	125	CM	151 LEVEL CM	21697,5600 litre	63,146 %	12663,6096 litre	O
700	CM	125	CM	150 LEVEL CM	21526,2406 litre	62,647 %	12834,9290 litre	O
700	CM	125	CM	149 LEVEL CM	21354,6354 litre	62,148 %	13006,5342 litre	O
700	CM	125	CM	148 LEVEL CM	21182,7563 litre	61,647 %	13178,4133 litre	O
700	CM	125	CM	147 LEVEL CM	21010,6152 litre	61,146 %	13350,5544 litre	O
700	CM	125	CM	146 LEVEL CM	20838,2237 litre	60,645 %	13522,9459 litre	O

700	CM	125	CM	145 LEVEL CM	20665,5936 litre	60,142 %	13695,5760 litre	O
700	CM	125	CM	144 LEVEL CM	20492,7366 litre	59,639 %	13868,4330 litre	O
700	CM	125	CM	143 LEVEL CM	20319,6643 litre	59,136 %	14041,5053 litre	O
700	CM	125	CM	142 LEVEL CM	20146,3883 litre	58,631 %	14214,7813 litre	O
700	CM	125	CM	141 LEVEL CM	19972,9201 litre	58,126 %	14388,2495 litre	O
700	CM	125	CM	140 LEVEL CM	19799,2711 litre	57,621 %	14561,8985 litre	O
700	CM	125	CM	139 LEVEL CM	19625,4530 litre	57,115 %	14735,7166 litre	O
700	CM	125	CM	138 LEVEL CM	19451,4771 litre	56,609 %	14909,6925 litre	O
700	CM	125	CM	137 LEVEL CM	19277,3548 litre	56,102 %	15083,8148 litre	O
700	CM	125	CM	136 LEVEL CM	19103,0974 litre	55,595 %	15258,0722 litre	O
700	CM	125	CM	135 LEVEL CM	18928,7164 litre	55,088 %	15432,4532 litre	O
700	CM	125	CM	134 LEVEL CM	18754,2230 litre	54,580 %	15606,9466 litre	O
700	CM	125	CM	133 LEVEL CM	18579,6285 litre	54,072 %	15781,5411 litre	O
700	CM	125	CM	132 LEVEL CM	18404,9443 litre	53,563 %	15956,2253 litre	O
700	CM	125	CM	131 LEVEL CM	18230,1815 litre	53,055 %	16130,9881 litre	O
700	CM	125	CM	130 LEVEL CM	18055,3514 litre	52,546 %	16305,8182 litre	O
700	CM	125	CM	129 LEVEL CM	17880,4653 litre	52,037 %	16480,7043 litre	O
700	CM	125	CM	128 LEVEL CM	17705,5344 litre	51,528 %	16655,6352 litre	O
700	CM	125	CM	127 LEVEL CM	17530,5699 litre	51,019 %	16830,5997 litre	O
700	CM	125	CM	126 LEVEL CM	17355,5830 litre	50,509 %	17005,5866 litre	O
700	CM	125	CM	125 LEVEL CM	17180,5848 litre	50,000 %	17180,5848 litre	O
700	CM	125	CM	124 LEVEL CM	17005,5867 litre	49,491 %	17355,5829 litre	O
700	CM	125	CM	123 LEVEL CM	16830,5998 litre	48,981 %	17530,5698 litre	O
700	CM	125	CM	122 LEVEL CM	16655,6352 litre	48,472 %	17705,5344 litre	O
700	CM	125	CM	121 LEVEL CM	16480,7043 litre	47,963 %	17880,4653 litre	O
700	CM	125	CM	120 LEVEL CM	16305,8182 litre	47,454 %	18055,3514 litre	O
700	CM	125	CM	119 LEVEL CM	16130,9882 litre	46,945 %	18230,1814 litre	O
700	CM	125	CM	118 LEVEL CM	15956,2254 litre	46,437 %	18404,9442 litre	O
700	CM	125	CM	117 LEVEL CM	15781,5411 litre	45,928 %	18579,6285 litre	O
700	CM	125	CM	116 LEVEL CM	15606,9467 litre	45,420 %	18754,2229 litre	O
700	CM	125	CM	115 LEVEL CM	15432,4533 litre	44,912 %	18928,7163 litre	O
700	CM	125	CM	114 LEVEL CM	15258,0723 litre	44,405 %	19103,0973 litre	O
700	CM	125	CM	113 LEVEL CM	15083,8149 litre	43,898 %	19277,3547 litre	O
700	CM	125	CM	112 LEVEL CM	14909,6926 litre	43,391 %	19451,4770 litre	O
700	CM	125	CM	111 LEVEL CM	14735,7166 litre	42,885 %	19625,4530 litre	O
700	CM	125	CM	110 LEVEL CM	14561,8985 litre	42,379 %	19799,2711 litre	O
700	CM	125	CM	109 LEVEL CM	14388,2496 litre	41,874 %	19972,9200 litre	O
700	CM	125	CM	108 LEVEL CM	14214,7814 litre	41,369 %	20146,3882 litre	O
700	CM	125	CM	107 LEVEL CM	14041,5053 litre	40,864 %	20319,6643 litre	O
700	CM	125	CM	106 LEVEL CM	13868,4330 litre	40,361 %	20492,7366 litre	O
700	CM	125	CM	105 LEVEL CM	13695,5760 litre	39,858 %	20665,5936 litre	O
700	CM	125	CM	104 LEVEL CM	13522,9460 litre	39,355 %	20838,2236 litre	O
700	CM	125	CM	103 LEVEL CM	13350,5545 litre	38,854 %	21010,6151 litre	O
700	CM	125	CM	102 LEVEL CM	13178,4133 litre	38,353 %	21182,7563 litre	O
700	CM	125	CM	101 LEVEL CM	13006,5342 litre	37,852 %	21354,6354 litre	O
700	CM	125	CM	100 LEVEL CM	12834,9290 litre	37,353 %	21526,2406 litre	O
700	CM	125	CM	99 LEVEL CM	12663,6096 litre	36,854 %	21697,5600 litre	O
700	CM	125	CM	98 LEVEL CM	12492,5879 litre	36,357 %	21868,5817 litre	O
700	CM	125	CM	97 LEVEL CM	12321,8760 litre	35,860 %	22039,2936 litre	O
700	CM	125	CM	96 LEVEL CM	12151,4858 litre	35,364 %	22209,6838 litre	O
700	CM	125	CM	95 LEVEL CM	11981,4295 litre	34,869 %	22379,7401 litre	O
700	CM	125	CM	94 LEVEL CM	11811,7193 litre	34,375 %	22549,4503 litre	O
700	CM	125	CM	93 LEVEL CM	11642,3676 litre	33,882 %	22718,8020 litre	O

700	CM	125	CM	92 LEVEL CM	11473,3866 litre	33,391 %	22887,7830 litre	O
700	CM	125	CM	91 LEVEL CM	11304,7888 litre	32,900 %	23056,3808 litre	O
700	CM	125	CM	90 LEVEL CM	11136,5868 litre	32,410 %	23224,5828 litre	O
700	CM	125	CM	89 LEVEL CM	10968,7930 litre	31,922 %	23392,3766 litre	O
700	CM	125	CM	88 LEVEL CM	10801,4204 litre	31,435 %	23559,7492 litre	O
700	CM	125	CM	87 LEVEL CM	10634,4815 litre	30,949 %	23726,6881 litre	O
700	CM	125	CM	86 LEVEL CM	10467,9895 litre	30,465 %	23893,1801 litre	O
700	CM	125	CM	85 LEVEL CM	10301,9572 litre	29,981 %	24059,2124 litre	O
700	CM	125	CM	84 LEVEL CM	10136,3977 litre	29,500 %	24224,7719 litre	O
700	CM	125	CM	83 LEVEL CM	9971,3244 litre	29,019 %	24389,8452 litre	O
700	CM	125	CM	82 LEVEL CM	9806,7505 litre	28,540 %	24554,4191 litre	O
700	CM	125	CM	81 LEVEL CM	9642,6895 litre	28,063 %	24718,4801 litre	O
700	CM	125	CM	80 LEVEL CM	9479,1550 litre	27,587 %	24882,0146 litre	O
700	CM	125	CM	79 LEVEL CM	9316,1608 litre	27,112 %	25045,0088 litre	O
700	CM	125	CM	78 LEVEL CM	9153,7207 litre	26,640 %	25207,4489 litre	O
700	CM	125	CM	77 LEVEL CM	8991,8486 litre	26,169 %	25369,3210 litre	O
700	CM	125	CM	76 LEVEL CM	8830,5588 litre	25,699 %	25530,6108 litre	O
700	CM	125	CM	75 LEVEL CM	8669,8656 litre	25,232 %	25691,3040 litre	O
700	CM	125	CM	74 LEVEL CM	8509,7834 litre	24,766 %	25851,3862 litre	O
700	CM	125	CM	73 LEVEL CM	8350,3268 litre	24,302 %	26010,8428 litre	O
700	CM	125	CM	72 LEVEL CM	8191,5107 litre	23,839 %	26169,6589 litre	O
700	CM	125	CM	71 LEVEL CM	8033,3501 litre	23,379 %	26327,8195 litre	O
700	CM	125	CM	70 LEVEL CM	7875,8601 litre	22,921 %	26485,3095 litre	O
700	CM	125	CM	69 LEVEL CM	7719,0560 litre	22,464 %	26642,1136 litre	O
700	CM	125	CM	68 LEVEL CM	7562,9535 litre	22,010 %	26798,2161 litre	O
700	CM	125	CM	67 LEVEL CM	7407,5684 litre	21,558 %	26953,6012 litre	O
700	CM	125	CM	66 LEVEL CM	7252,9166 litre	21,108 %	27108,2530 litre	O
700	CM	125	CM	65 LEVEL CM	7099,0143 litre	20,660 %	27262,1553 litre	O
700	CM	125	CM	64 LEVEL CM	6945,8781 litre	20,214 %	27415,2915 litre	O
700	CM	125	CM	63 LEVEL CM	6793,5247 litre	19,771 %	27567,6449 litre	O
700	CM	125	CM	62 LEVEL CM	6641,9710 litre	19,330 %	27719,1986 litre	O
700	CM	125	CM	61 LEVEL CM	6491,2342 litre	18,891 %	27869,9354 litre	O
700	CM	125	CM	60 LEVEL CM	6341,3319 litre	18,455 %	28019,8377 litre	O
700	CM	125	CM	59 LEVEL CM	6192,2820 litre	18,021 %	28168,8876 litre	O
700	CM	125	CM	58 LEVEL CM	6044,1025 litre	17,590 %	28317,0671 litre	O
700	CM	125	CM	57 LEVEL CM	5896,8119 litre	17,161 %	28464,3577 litre	O
700	CM	125	CM	56 LEVEL CM	5750,4290 litre	16,735 %	28610,7406 litre	O
700	CM	125	CM	55 LEVEL CM	5604,9729 litre	16,312 %	28756,1967 litre	O
700	CM	125	CM	54 LEVEL CM	5460,4632 litre	15,891 %	28900,7064 litre	O
700	CM	125	CM	53 LEVEL CM	5316,9196 litre	15,474 %	29044,2500 litre	O
700	CM	125	CM	52 LEVEL CM	5174,3626 litre	15,059 %	29186,8070 litre	O
700	CM	125	CM	51 LEVEL CM	5032,8128 litre	14,647 %	29328,3568 litre	O
700	CM	125	CM	50 LEVEL CM	4892,2914 litre	14,238 %	29468,8782 litre	O
700	CM	125	CM	49 LEVEL CM	4752,8201 litre	13,832 %	29608,3495 litre	O
700	CM	125	CM	48 LEVEL CM	4614,4209 litre	13,429 %	29746,7487 litre	O
700	CM	125	CM	47 LEVEL CM	4477,1166 litre	13,030 %	29884,0530 litre	O
700	CM	125	CM	46 LEVEL CM	4340,9303 litre	12,633 %	30020,2393 litre	O
700	CM	125	CM	45 LEVEL CM	4205,8857 litre	12,240 %	30155,2839 litre	O
700	CM	125	CM	44 LEVEL CM	4072,0073 litre	11,851 %	30289,1623 litre	O
700	CM	125	CM	43 LEVEL CM	3939,3200 litre	11,464 %	30421,8496 litre	O
700	CM	125	CM	42 LEVEL CM	3807,8496 litre	11,082 %	30553,3200 litre	O
700	CM	125	CM	41 LEVEL CM	3677,6225 litre	10,703 %	30683,5471 litre	O
700	CM	125	CM	40 LEVEL CM	3548,6659 litre	10,328 %	30812,5037 litre	O

700	CM	125	CM	39 LEVEL CM	3421,0078 litre	9,956 %	30940,1618 litre	O
700	CM	125	CM	38 LEVEL CM	3294,6770 litre	9,588 %	31066,4926 litre	O
700	CM	125	CM	37 LEVEL CM	3169,7032 litre	9,225 %	31191,4664 litre	O
700	CM	125	CM	36 LEVEL CM	3046,1174 litre	8,865 %	31315,0522 litre	O
700	CM	125	CM	35 LEVEL CM	2923,9512 litre	8,509 %	31437,2184 litre	O
700	CM	125	CM	34 LEVEL CM	2803,2376 litre	8,158 %	31557,9320 litre	O
700	CM	125	CM	33 LEVEL CM	2684,0108 litre	7,811 %	31677,1588 litre	O
700	CM	125	CM	32 LEVEL CM	2566,3061 litre	7,469 %	31794,8635 litre	O
700	CM	125	CM	31 LEVEL CM	2450,1605 litre	7,131 %	31911,0091 litre	O
700	CM	125	CM	30 LEVEL CM	2335,6121 litre	6,797 %	32025,5575 litre	O
700	CM	125	CM	29 LEVEL CM	2222,7010 litre	6,469 %	32138,4686 litre	O
700	CM	125	CM	28 LEVEL CM	2111,4689 litre	6,145 %	32249,7007 litre	O
700	CM	125	CM	27 LEVEL CM	2001,9593 litre	5,826 %	32359,2103 litre	O
700	CM	125	CM	26 LEVEL CM	1894,2182 litre	5,513 %	32466,9514 litre	O
700	CM	125	CM	25 LEVEL CM	1788,2934 litre	5,204 %	32572,8762 litre	O
700	CM	125	CM	24 LEVEL CM	1684,2355 litre	4,902 %	32676,9341 litre	O
700	CM	125	CM	23 LEVEL CM	1582,0978 litre	4,604 %	32779,0718 litre	O
700	CM	125	CM	22 LEVEL CM	1481,9366 litre	4,313 %	32879,2330 litre	O
700	CM	125	CM	21 LEVEL CM	1383,8119 litre	4,027 %	32977,3577 litre	O
700	CM	125	CM	20 LEVEL CM	1287,7870 litre	3,748 %	33073,3826 litre	O
700	CM	125	CM	19 LEVEL CM	1193,9300 litre	3,475 %	33167,2396 litre	O
700	CM	125	CM	18 LEVEL CM	1102,3135 litre	3,208 %	33258,8561 litre	O
700	CM	125	CM	17 LEVEL CM	1013,0155 litre	2,948 %	33348,1541 litre	O
700	CM	125	CM	16 LEVEL CM	926,1206 litre	2,695 %	33435,0490 litre	O
700	CM	125	CM	15 LEVEL CM	841,7203 litre	2,450 %	33519,4493 litre	O
700	CM	125	CM	14 LEVEL CM	759,9147 litre	2,212 %	33601,2549 litre	O
700	CM	125	CM	13 LEVEL CM	680,8135 litre	1,981 %	33680,3561 litre	O
700	CM	125	CM	12 LEVEL CM	604,5384 litre	1,759 %	33756,6312 litre	O
700	CM	125	CM	11 LEVEL CM	531,2250 litre	1,546 %	33829,9446 litre	O
700	CM	125	CM	10 LEVEL CM	461,0260 litre	1,342 %	33900,1436 litre	O
700	CM	125	CM	9 LEVEL CM	394,1157 litre	1,147 %	33967,0539 litre	O
700	CM	125	CM	8 LEVEL CM	330,6953 litre	0,962 %	34030,4743 litre	O
700	CM	125	CM	7 LEVEL CM	271,0015 litre	0,789 %	34090,1681 litre	O
700	CM	125	CM	6 LEVEL CM	215,3187 litre	0,627 %	34145,8509 litre	O
700	CM	125	CM	5 LEVEL CM	163,9981 litre	0,477 %	34197,1715 litre	O
700	CM	125	CM	4 LEVEL CM	117,4901 litre	0,342 %	34243,6795 litre	O
700	CM	125	CM	3 LEVEL CM	76,4045 litre	0,222 %	34284,7651 litre	O
700	CM	125	CM	2 LEVEL CM	41,6396 litre	0,121 %	34319,5300 litre	O
700	CM	125	CM	1 LEVEL CM	14,7396 litre	0,043 %	34346,4300 litre	O
700	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	34361,1696 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM 120	CM 240 LEVEL CM	31667,2539 litre	100,000 %	0,0000 litre	O
700	CM 120	CM 239 LEVEL CM	31652,8129 litre	99,954 %	14,4410 litre	O
700	CM 120	CM 238 LEVEL CM	31626,4597 litre	99,871 %	40,7942 litre	O
700	CM 120	CM 237 LEVEL CM	31592,4044 litre	99,764 %	74,8495 litre	O
700	CM 120	CM 236 LEVEL CM	31552,1609 litre	99,637 %	115,0930 litre	O
700	CM 120	CM 235 LEVEL CM	31506,6100 litre	99,493 %	160,6439 litre	O
700	CM 120	CM 234 LEVEL CM	31456,3499 litre	99,334 %	210,9040 litre	O
700	CM 120	CM 233 LEVEL CM	31401,8224 litre	99,162 %	265,4315 litre	O
700	CM 120	CM 232 LEVEL CM	31343,3725 litre	98,977 %	323,8814 litre	O
700	CM 120	CM 231 LEVEL CM	31281,2790 litre	98,781 %	385,9749 litre	O
700	CM 120	CM 230 LEVEL CM	31215,7746 litre	98,574 %	451,4793 litre	O
700	CM 120	CM 229 LEVEL CM	31147,0568 litre	98,357 %	520,1971 litre	O
700	CM 120	CM 228 LEVEL CM	31075,2968 litre	98,131 %	591,9571 litre	O
700	CM 120	CM 227 LEVEL CM	31000,6448 litre	97,895 %	666,6091 litre	O
700	CM 120	CM 226 LEVEL CM	30923,2341 litre	97,651 %	744,0198 litre	O
700	CM 120	CM 225 LEVEL CM	30843,1841 litre	97,398 %	824,0698 litre	O
700	CM 120	CM 224 LEVEL CM	30760,6031 litre	97,137 %	906,6508 litre	O
700	CM 120	CM 223 LEVEL CM	30675,5892 litre	96,868 %	991,6647 litre	O
700	CM 120	CM 222 LEVEL CM	30588,2328 litre	96,593 %	1079,0211 litre	O
700	CM 120	CM 221 LEVEL CM	30498,6169 litre	96,310 %	1168,6370 litre	O
700	CM 120	CM 220 LEVEL CM	30406,8184 litre	96,020 %	1260,4355 litre	O
700	CM 120	CM 219 LEVEL CM	30312,9089 litre	95,723 %	1354,3450 litre	O
700	CM 120	CM 218 LEVEL CM	30216,9553 litre	95,420 %	1450,2986 litre	O
700	CM 120	CM 217 LEVEL CM	30119,0203 litre	95,111 %	1548,2336 litre	O
700	CM 120	CM 216 LEVEL CM	30019,1628 litre	94,796 %	1648,0911 litre	O
700	CM 120	CM 215 LEVEL CM	29917,4383 litre	94,474 %	1749,8156 litre	O
700	CM 120	CM 214 LEVEL CM	29813,8995 litre	94,147 %	1853,3544 litre	O
700	CM 120	CM 213 LEVEL CM	29708,5963 litre	93,815 %	1958,6576 litre	O
700	CM 120	CM 212 LEVEL CM	29601,5760 litre	93,477 %	2065,6779 litre	O
700	CM 120	CM 211 LEVEL CM	29492,8837 litre	93,134 %	2174,3702 litre	O
700	CM 120	CM 210 LEVEL CM	29382,5627 litre	92,785 %	2284,6912 litre	O
700	CM 120	CM 209 LEVEL CM	29270,6541 litre	92,432 %	2396,5998 litre	O
700	CM 120	CM 208 LEVEL CM	29157,1973 litre	92,074 %	2510,0566 litre	O
700	CM 120	CM 207 LEVEL CM	29042,2304 litre	91,711 %	2625,0235 litre	O
700	CM 120	CM 206 LEVEL CM	28925,7896 litre	91,343 %	2741,4643 litre	O
700	CM 120	CM 205 LEVEL CM	28807,9101 litre	90,971 %	2859,3438 litre	O
700	CM 120	CM 204 LEVEL CM	28688,6256 litre	90,594 %	2978,6283 litre	O
700	CM 120	CM 203 LEVEL CM	28567,9688 litre	90,213 %	3099,2851 litre	O
700	CM 120	CM 202 LEVEL CM	28445,9711 litre	89,828 %	3221,2828 litre	O
700	CM 120	CM 201 LEVEL CM	28322,6630 litre	89,438 %	3344,5909 litre	O
700	CM 120	CM 200 LEVEL CM	28198,0740 litre	89,045 %	3469,1799 litre	O
700	CM 120	CM 199 LEVEL CM	28072,2328 litre	88,648 %	3595,0211 litre	O
700	CM 120	CM 198 LEVEL CM	27945,1670 litre	88,246 %	3722,0869 litre	O
700	CM 120	CM 197 LEVEL CM	27816,9037 litre	87,841 %	3850,3502 litre	O
700	CM 120	CM 196 LEVEL CM	27687,4691 litre	87,432 %	3979,7848 litre	O
700	CM 120	CM 195 LEVEL CM	27556,8887 litre	87,020 %	4110,3652 litre	O
700	CM 120	CM 194 LEVEL CM	27425,1874 litre	86,604 %	4242,0665 litre	O
700	CM 120	CM 193 LEVEL CM	27292,3893 litre	86,185 %	4374,8646 litre	O
700	CM 120	CM 192 LEVEL CM	27158,5182 litre	85,762 %	4508,7357 litre	O
700	CM 120	CM 191 LEVEL CM	27023,5969 litre	85,336 %	4643,6570 litre	O
700	CM 120	CM 190 LEVEL CM	26887,6482 litre	84,907 %	4779,6057 litre	O
700	CM 120	CM 189 LEVEL CM	26750,6939 litre	84,474 %	4916,5600 litre	O

700	CM	120	CM	188 LEVEL CM	26612,7557 litre	84,039 %	5054,4982 litre	O
700	CM	120	CM	187 LEVEL CM	26473,8547 litre	83,600 %	5193,3992 litre	O
700	CM	120	CM	186 LEVEL CM	26334,0113 litre	83,158 %	5333,2426 litre	O
700	CM	120	CM	185 LEVEL CM	26193,2460 litre	82,714 %	5474,0079 litre	O
700	CM	120	CM	184 LEVEL CM	26051,5785 litre	82,267 %	5615,6754 litre	O
700	CM	120	CM	183 LEVEL CM	25909,0283 litre	81,816 %	5758,2256 litre	O
700	CM	120	CM	182 LEVEL CM	25765,6145 litre	81,364 %	5901,6394 litre	O
700	CM	120	CM	181 LEVEL CM	25621,3558 litre	80,908 %	6045,8981 litre	O
700	CM	120	CM	180 LEVEL CM	25476,2707 litre	80,450 %	6190,9832 litre	O
700	CM	120	CM	179 LEVEL CM	25330,3772 litre	79,989 %	6336,8767 litre	O
700	CM	120	CM	178 LEVEL CM	25183,6933 litre	79,526 %	6483,5606 litre	O
700	CM	120	CM	177 LEVEL CM	25036,2364 litre	79,060 %	6631,0175 litre	O
700	CM	120	CM	176 LEVEL CM	24888,0238 litre	78,592 %	6779,2301 litre	O
700	CM	120	CM	175 LEVEL CM	24739,0724 litre	78,122 %	6928,1815 litre	O
700	CM	120	CM	174 LEVEL CM	24589,3991 litre	77,649 %	7077,8548 litre	O
700	CM	120	CM	173 LEVEL CM	24439,0203 litre	77,174 %	7228,2336 litre	O
700	CM	120	CM	172 LEVEL CM	24287,9523 litre	76,697 %	7379,3016 litre	O
700	CM	120	CM	171 LEVEL CM	24136,2111 litre	76,218 %	7531,0428 litre	O
700	CM	120	CM	170 LEVEL CM	23983,8126 litre	75,737 %	7683,4413 litre	O
700	CM	120	CM	169 LEVEL CM	23830,7723 litre	75,254 %	7836,4816 litre	O
700	CM	120	CM	168 LEVEL CM	23677,1058 litre	74,768 %	7990,1481 litre	O
700	CM	120	CM	167 LEVEL CM	23522,8283 litre	74,281 %	8144,4256 litre	O
700	CM	120	CM	166 LEVEL CM	23367,9548 litre	73,792 %	8299,2991 litre	O
700	CM	120	CM	165 LEVEL CM	23212,5002 litre	73,301 %	8454,7537 litre	O
700	CM	120	CM	164 LEVEL CM	23056,4793 litre	72,809 %	8610,7746 litre	O
700	CM	120	CM	163 LEVEL CM	22899,9067 litre	72,314 %	8767,3472 litre	O
700	CM	120	CM	162 LEVEL CM	22742,7966 litre	71,818 %	8924,4573 litre	O
700	CM	120	CM	161 LEVEL CM	22585,1635 litre	71,320 %	9082,0904 litre	O
700	CM	120	CM	160 LEVEL CM	22427,0214 litre	70,821 %	9240,2325 litre	O
700	CM	120	CM	159 LEVEL CM	22268,3843 litre	70,320 %	9398,8696 litre	O
700	CM	120	CM	158 LEVEL CM	22109,2661 litre	69,817 %	9557,9878 litre	O
700	CM	120	CM	157 LEVEL CM	21949,6805 litre	69,313 %	9717,5734 litre	O
700	CM	120	CM	156 LEVEL CM	21789,6411 litre	68,808 %	9877,6128 litre	O
700	CM	120	CM	155 LEVEL CM	21629,1614 litre	68,301 %	10038,0925 litre	O
700	CM	120	CM	154 LEVEL CM	21468,2548 litre	67,793 %	10198,9991 litre	O
700	CM	120	CM	153 LEVEL CM	21306,9346 litre	67,284 %	10360,3193 litre	O
700	CM	120	CM	152 LEVEL CM	21145,2139 litre	66,773 %	10522,0400 litre	O
700	CM	120	CM	151 LEVEL CM	20983,1059 litre	66,261 %	10684,1480 litre	O
700	CM	120	CM	150 LEVEL CM	20820,6235 litre	65,748 %	10846,6304 litre	O
700	CM	120	CM	149 LEVEL CM	20657,7796 litre	65,234 %	11009,4743 litre	O
700	CM	120	CM	148 LEVEL CM	20494,5870 litre	64,719 %	11172,6669 litre	O
700	CM	120	CM	147 LEVEL CM	20331,0585 litre	64,202 %	11336,1954 litre	O
700	CM	120	CM	146 LEVEL CM	20167,2066 litre	63,685 %	11500,0473 litre	O
700	CM	120	CM	145 LEVEL CM	20003,0441 litre	63,166 %	11664,2098 litre	O
700	CM	120	CM	144 LEVEL CM	19838,5833 litre	62,647 %	11828,6706 litre	O
700	CM	120	CM	143 LEVEL CM	19673,8368 litre	62,127 %	11993,4171 litre	O
700	CM	120	CM	142 LEVEL CM	19508,8169 litre	61,606 %	12158,4370 litre	O
700	CM	120	CM	141 LEVEL CM	19343,5358 litre	61,084 %	12323,7181 litre	O
700	CM	120	CM	140 LEVEL CM	19178,0060 litre	60,561 %	12489,2479 litre	O
700	CM	120	CM	139 LEVEL CM	19012,2394 litre	60,038 %	12655,0145 litre	O
700	CM	120	CM	138 LEVEL CM	18846,2484 litre	59,513 %	12821,0055 litre	O
700	CM	120	CM	137 LEVEL CM	18680,0450 litre	58,989 %	12987,2089 litre	O
700	CM	120	CM	136 LEVEL CM	18513,6412 litre	58,463 %	13153,6127 litre	O

700	CM	120	CM	135 LEVEL CM	18347,0490 litre	57,937 %	13320,2049 litre	O
700	CM	120	CM	134 LEVEL CM	18180,2805 litre	57,410 %	13486,9734 litre	O
700	CM	120	CM	133 LEVEL CM	18013,3475 litre	56,883 %	13653,9064 litre	O
700	CM	120	CM	132 LEVEL CM	17846,2619 litre	56,356 %	13820,9920 litre	O
700	CM	120	CM	131 LEVEL CM	17679,0356 litre	55,827 %	13988,2183 litre	O
700	CM	120	CM	130 LEVEL CM	17511,6805 litre	55,299 %	14155,5734 litre	O
700	CM	120	CM	129 LEVEL CM	17344,2083 litre	54,770 %	14323,0456 litre	O
700	CM	120	CM	128 LEVEL CM	17176,6308 litre	54,241 %	14490,6231 litre	O
700	CM	120	CM	127 LEVEL CM	17008,9597 litre	53,712 %	14658,2942 litre	O
700	CM	120	CM	126 LEVEL CM	16841,2068 litre	53,182 %	14826,0471 litre	O
700	CM	120	CM	125 LEVEL CM	16673,3839 litre	52,652 %	14993,8700 litre	O
700	CM	120	CM	124 LEVEL CM	16505,5025 litre	52,122 %	15161,7514 litre	O
700	CM	120	CM	123 LEVEL CM	16337,5745 litre	51,591 %	15329,6794 litre	O
700	CM	120	CM	122 LEVEL CM	16169,6114 litre	51,061 %	15497,6425 litre	O
700	CM	120	CM	121 LEVEL CM	16001,6250 litre	50,531 %	15665,6289 litre	O
700	CM	120	CM	120 LEVEL CM	15833,6270 litre	50,000 %	15833,6269 litre	O
700	CM	120	CM	119 LEVEL CM	15665,6289 litre	49,469 %	16001,6250 litre	O
700	CM	120	CM	118 LEVEL CM	15497,6425 litre	48,939 %	16169,6114 litre	O
700	CM	120	CM	117 LEVEL CM	15329,6795 litre	48,409 %	16337,5744 litre	O
700	CM	120	CM	116 LEVEL CM	15161,7514 litre	47,878 %	16505,5025 litre	O
700	CM	120	CM	115 LEVEL CM	14993,8701 litre	47,348 %	16673,3838 litre	O
700	CM	120	CM	114 LEVEL CM	14826,0471 litre	46,818 %	16841,2068 litre	O
700	CM	120	CM	113 LEVEL CM	14658,2943 litre	46,288 %	17008,9596 litre	O
700	CM	120	CM	112 LEVEL CM	14490,6232 litre	45,759 %	17176,6307 litre	O
700	CM	120	CM	111 LEVEL CM	14323,0457 litre	45,230 %	17344,2082 litre	O
700	CM	120	CM	110 LEVEL CM	14155,5734 litre	44,701 %	17511,6805 litre	O
700	CM	120	CM	109 LEVEL CM	13988,2183 litre	44,173 %	17679,0356 litre	O
700	CM	120	CM	108 LEVEL CM	13820,9920 litre	43,644 %	17846,2619 litre	O
700	CM	120	CM	107 LEVEL CM	13653,9065 litre	43,117 %	18013,3474 litre	O
700	CM	120	CM	106 LEVEL CM	13486,9735 litre	42,590 %	18180,2804 litre	O
700	CM	120	CM	105 LEVEL CM	13320,2049 litre	42,063 %	18347,0490 litre	O
700	CM	120	CM	104 LEVEL CM	13153,6128 litre	41,537 %	18513,6411 litre	O
700	CM	120	CM	103 LEVEL CM	12987,2090 litre	41,011 %	18680,0449 litre	O
700	CM	120	CM	102 LEVEL CM	12821,0056 litre	40,487 %	18846,2483 litre	O
700	CM	120	CM	101 LEVEL CM	12655,0145 litre	39,962 %	19012,2394 litre	O
700	CM	120	CM	100 LEVEL CM	12489,2480 litre	39,439 %	19178,0059 litre	O
700	CM	120	CM	99 LEVEL CM	12323,7181 litre	38,916 %	19343,5358 litre	O
700	CM	120	CM	98 LEVEL CM	12158,4371 litre	38,394 %	19508,8168 litre	O
700	CM	120	CM	97 LEVEL CM	11993,4171 litre	37,873 %	19673,8368 litre	O
700	CM	120	CM	96 LEVEL CM	11828,6706 litre	37,353 %	19838,5833 litre	O
700	CM	120	CM	95 LEVEL CM	11664,2099 litre	36,834 %	20003,0440 litre	O
700	CM	120	CM	94 LEVEL CM	11500,0473 litre	36,315 %	20167,2066 litre	O
700	CM	120	CM	93 LEVEL CM	11336,1955 litre	35,798 %	20331,0584 litre	O
700	CM	120	CM	92 LEVEL CM	11172,6670 litre	35,281 %	20494,5869 litre	O
700	CM	120	CM	91 LEVEL CM	11009,4744 litre	34,766 %	20657,7795 litre	O
700	CM	120	CM	90 LEVEL CM	10846,6305 litre	34,252 %	20820,6234 litre	O
700	CM	120	CM	89 LEVEL CM	10684,1481 litre	33,739 %	20983,1058 litre	O
700	CM	120	CM	88 LEVEL CM	10522,0400 litre	33,227 %	21145,2139 litre	O
700	CM	120	CM	87 LEVEL CM	10360,3194 litre	32,716 %	21306,9345 litre	O
700	CM	120	CM	86 LEVEL CM	10198,9992 litre	32,207 %	21468,2547 litre	O
700	CM	120	CM	85 LEVEL CM	10038,0926 litre	31,699 %	21629,1613 litre	O
700	CM	120	CM	84 LEVEL CM	9877,6129 litre	31,192 %	21789,6410 litre	O
700	CM	120	CM	83 LEVEL CM	9717,5735 litre	30,687 %	21949,6804 litre	O

700	CM	120	CM	82 LEVEL CM	9557,9879 litre	30,183 %	22109,2660 litre	O
700	CM	120	CM	81 LEVEL CM	9398,8696 litre	29,680 %	22268,3843 litre	O
700	CM	120	CM	80 LEVEL CM	9240,2325 litre	29,179 %	22427,0214 litre	O
700	CM	120	CM	79 LEVEL CM	9082,0904 litre	28,680 %	22585,1635 litre	O
700	CM	120	CM	78 LEVEL CM	8924,4573 litre	28,182 %	22742,7966 litre	O
700	CM	120	CM	77 LEVEL CM	8767,3473 litre	27,686 %	22899,9066 litre	O
700	CM	120	CM	76 LEVEL CM	8610,7746 litre	27,191 %	23056,4793 litre	O
700	CM	120	CM	75 LEVEL CM	8454,7537 litre	26,699 %	23212,5002 litre	O
700	CM	120	CM	74 LEVEL CM	8299,2991 litre	26,208 %	23367,9548 litre	O
700	CM	120	CM	73 LEVEL CM	8144,4257 litre	25,719 %	23522,8282 litre	O
700	CM	120	CM	72 LEVEL CM	7990,1481 litre	25,232 %	23677,1058 litre	O
700	CM	120	CM	71 LEVEL CM	7836,4816 litre	24,746 %	23830,7723 litre	O
700	CM	120	CM	70 LEVEL CM	7683,4414 litre	24,263 %	23983,8125 litre	O
700	CM	120	CM	69 LEVEL CM	7531,0429 litre	23,782 %	24136,2110 litre	O
700	CM	120	CM	68 LEVEL CM	7379,3017 litre	23,303 %	24287,9522 litre	O
700	CM	120	CM	67 LEVEL CM	7228,2336 litre	22,826 %	24439,0203 litre	O
700	CM	120	CM	66 LEVEL CM	7077,8548 litre	22,351 %	24589,3991 litre	O
700	CM	120	CM	65 LEVEL CM	6928,1815 litre	21,878 %	24739,0724 litre	O
700	CM	120	CM	64 LEVEL CM	6779,2302 litre	21,408 %	24888,0237 litre	O
700	CM	120	CM	63 LEVEL CM	6631,0175 litre	20,940 %	25036,2364 litre	O
700	CM	120	CM	62 LEVEL CM	6483,5606 litre	20,474 %	25183,6933 litre	O
700	CM	120	CM	61 LEVEL CM	6336,8767 litre	20,011 %	25330,3772 litre	O
700	CM	120	CM	60 LEVEL CM	6190,9833 litre	19,550 %	25476,2706 litre	O
700	CM	120	CM	59 LEVEL CM	6045,8982 litre	19,092 %	25621,3557 litre	O
700	CM	120	CM	58 LEVEL CM	5901,6395 litre	18,636 %	25765,6144 litre	O
700	CM	120	CM	57 LEVEL CM	5758,2257 litre	18,184 %	25909,0282 litre	O
700	CM	120	CM	56 LEVEL CM	5615,6754 litre	17,733 %	26051,5785 litre	O
700	CM	120	CM	55 LEVEL CM	5474,0079 litre	17,286 %	26193,2460 litre	O
700	CM	120	CM	54 LEVEL CM	5333,2426 litre	16,842 %	26334,0113 litre	O
700	CM	120	CM	53 LEVEL CM	5193,3993 litre	16,400 %	26473,8546 litre	O
700	CM	120	CM	52 LEVEL CM	5054,4982 litre	15,961 %	26612,7557 litre	O
700	CM	120	CM	51 LEVEL CM	4916,5600 litre	15,526 %	26750,6939 litre	O
700	CM	120	CM	50 LEVEL CM	4779,6058 litre	15,093 %	26887,6481 litre	O
700	CM	120	CM	49 LEVEL CM	4643,6570 litre	14,664 %	27023,5969 litre	O
700	CM	120	CM	48 LEVEL CM	4508,7358 litre	14,238 %	27158,5181 litre	O
700	CM	120	CM	47 LEVEL CM	4374,8646 litre	13,815 %	27292,3893 litre	O
700	CM	120	CM	46 LEVEL CM	4242,0665 litre	13,396 %	27425,1874 litre	O
700	CM	120	CM	45 LEVEL CM	4110,3652 litre	12,980 %	27556,8887 litre	O
700	CM	120	CM	44 LEVEL CM	3979,7848 litre	12,568 %	27687,4691 litre	O
700	CM	120	CM	43 LEVEL CM	3850,3502 litre	12,159 %	27816,9037 litre	O
700	CM	120	CM	42 LEVEL CM	3722,0869 litre	11,754 %	27945,1670 litre	O
700	CM	120	CM	41 LEVEL CM	3595,0212 litre	11,352 %	28072,2327 litre	O
700	CM	120	CM	40 LEVEL CM	3469,1799 litre	10,955 %	28198,0740 litre	O
700	CM	120	CM	39 LEVEL CM	3344,5910 litre	10,562 %	28322,6629 litre	O
700	CM	120	CM	38 LEVEL CM	3221,2829 litre	10,172 %	28445,9710 litre	O
700	CM	120	CM	37 LEVEL CM	3099,2852 litre	9,787 %	28567,9687 litre	O
700	CM	120	CM	36 LEVEL CM	2978,6283 litre	9,406 %	28688,6256 litre	O
700	CM	120	CM	35 LEVEL CM	2859,3438 litre	9,029 %	28807,9101 litre	O
700	CM	120	CM	34 LEVEL CM	2741,4643 litre	8,657 %	28925,7896 litre	O
700	CM	120	CM	33 LEVEL CM	2625,0236 litre	8,289 %	29042,2303 litre	O
700	CM	120	CM	32 LEVEL CM	2510,0566 litre	7,926 %	29157,1973 litre	O
700	CM	120	CM	31 LEVEL CM	2396,5999 litre	7,568 %	29270,6540 litre	O
700	CM	120	CM	30 LEVEL CM	2284,6912 litre	7,215 %	29382,5627 litre	O

700	CM	120	CM	29 LEVEL CM	2174,3702 litre	6,866 %	29492,8837 litre	O
700	CM	120	CM	28 LEVEL CM	2065,6780 litre	6,523 %	29601,5759 litre	O
700	CM	120	CM	27 LEVEL CM	1958,6577 litre	6,185 %	29708,5962 litre	O
700	CM	120	CM	26 LEVEL CM	1853,3544 litre	5,853 %	29813,8995 litre	O
700	CM	120	CM	25 LEVEL CM	1749,8156 litre	5,526 %	29917,4383 litre	O
700	CM	120	CM	24 LEVEL CM	1648,0912 litre	5,204 %	30019,1627 litre	O
700	CM	120	CM	23 LEVEL CM	1548,2336 litre	4,889 %	30119,0203 litre	O
700	CM	120	CM	22 LEVEL CM	1450,2986 litre	4,580 %	30216,9553 litre	O
700	CM	120	CM	21 LEVEL CM	1354,3450 litre	4,277 %	30312,9089 litre	O
700	CM	120	CM	20 LEVEL CM	1260,4356 litre	3,980 %	30406,8183 litre	O
700	CM	120	CM	19 LEVEL CM	1168,6371 litre	3,690 %	30498,6168 litre	O
700	CM	120	CM	18 LEVEL CM	1079,0211 litre	3,407 %	30588,2328 litre	O
700	CM	120	CM	17 LEVEL CM	991,6647 litre	3,132 %	30675,5892 litre	O
700	CM	120	CM	16 LEVEL CM	906,6509 litre	2,863 %	30760,6030 litre	O
700	CM	120	CM	15 LEVEL CM	824,0698 litre	2,602 %	30843,1841 litre	O
700	CM	120	CM	14 LEVEL CM	744,0199 litre	2,349 %	30923,2340 litre	O
700	CM	120	CM	13 LEVEL CM	666,6092 litre	2,105 %	31000,6447 litre	O
700	CM	120	CM	12 LEVEL CM	591,9571 litre	1,869 %	31075,2968 litre	O
700	CM	120	CM	11 LEVEL CM	520,1972 litre	1,643 %	31147,0567 litre	O
700	CM	120	CM	10 LEVEL CM	451,4794 litre	1,426 %	31215,7745 litre	O
700	CM	120	CM	9 LEVEL CM	385,9749 litre	1,219 %	31281,2790 litre	O
700	CM	120	CM	8 LEVEL CM	323,8815 litre	1,023 %	31343,3724 litre	O
700	CM	120	CM	7 LEVEL CM	265,4315 litre	0,838 %	31401,8224 litre	O
700	CM	120	CM	6 LEVEL CM	210,9041 litre	0,666 %	31456,3498 litre	O
700	CM	120	CM	5 LEVEL CM	160,6439 litre	0,507 %	31506,6100 litre	O
700	CM	120	CM	4 LEVEL CM	115,0930 litre	0,363 %	31552,1609 litre	O
700	CM	120	CM	3 LEVEL CM	74,8495 litre	0,236 %	31592,4044 litre	O
700	CM	120	CM	2 LEVEL CM	40,7942 litre	0,129 %	31626,4597 litre	O
700	CM	120	CM	1 LEVEL CM	14,4411 litre	0,046 %	31652,8128 litre	O
700	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	31667,2539 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM 115	CM 230 LEVEL CM	29083,2940 litre	100,000 %	0,0000 litre	O
700	CM 115	CM 229 LEVEL CM	29069,1578 litre	99,951 %	14,1362 litre	O
700	CM 115	CM 228 LEVEL CM	29043,3631 litre	99,863 %	39,9309 litre	O
700	CM 115	CM 227 LEVEL CM	29010,0325 litre	99,748 %	73,2615 litre	O
700	CM 115	CM 226 LEVEL CM	28970,6490 litre	99,613 %	112,6450 litre	O
700	CM 115	CM 225 LEVEL CM	28926,0758 litre	99,459 %	157,2182 litre	O
700	CM 115	CM 224 LEVEL CM	28876,8990 litre	99,290 %	206,3950 litre	O
700	CM 115	CM 223 LEVEL CM	28823,5520 litre	99,107 %	259,7420 litre	O
700	CM 115	CM 222 LEVEL CM	28766,3728 litre	98,910 %	316,9212 litre	O
700	CM 115	CM 221 LEVEL CM	28705,6353 litre	98,701 %	377,6587 litre	O
700	CM 115	CM 220 LEVEL CM	28641,5676 litre	98,481 %	441,7264 litre	O
700	CM 115	CM 219 LEVEL CM	28574,3636 litre	98,250 %	508,9304 litre	O
700	CM 115	CM 218 LEVEL CM	28504,1915 litre	98,009 %	579,1025 litre	O
700	CM 115	CM 217 LEVEL CM	28431,1986 litre	97,758 %	652,0954 litre	O
700	CM 115	CM 216 LEVEL CM	28355,5160 litre	97,498 %	727,7780 litre	O
700	CM 115	CM 215 LEVEL CM	28277,2612 litre	97,229 %	806,0328 litre	O
700	CM 115	CM 214 LEVEL CM	28196,5403 litre	96,951 %	886,7537 litre	O
700	CM 115	CM 213 LEVEL CM	28113,4502 litre	96,665 %	969,8438 litre	O
700	CM 115	CM 212 LEVEL CM	28028,0794 litre	96,372 %	1055,2146 litre	O
700	CM 115	CM 211 LEVEL CM	27940,5098 litre	96,071 %	1142,7842 litre	O
700	CM 115	CM 210 LEVEL CM	27850,8171 litre	95,762 %	1232,4769 litre	O
700	CM 115	CM 209 LEVEL CM	27759,0717 litre	95,447 %	1324,2223 litre	O
700	CM 115	CM 208 LEVEL CM	27665,3396 litre	95,125 %	1417,9544 litre	O
700	CM 115	CM 207 LEVEL CM	27569,6825 litre	94,796 %	1513,6115 litre	O
700	CM 115	CM 206 LEVEL CM	27472,1584 litre	94,460 %	1611,1356 litre	O
700	CM 115	CM 205 LEVEL CM	27372,8222 litre	94,119 %	1710,4718 litre	O
700	CM 115	CM 204 LEVEL CM	27271,7257 litre	93,771 %	1811,5683 litre	O
700	CM 115	CM 203 LEVEL CM	27168,9182 litre	93,418 %	1914,3758 litre	O
700	CM 115	CM 202 LEVEL CM	27064,4464 litre	93,058 %	2018,8476 litre	O
700	CM 115	CM 201 LEVEL CM	26958,3548 litre	92,694 %	2124,9392 litre	O
700	CM 115	CM 200 LEVEL CM	26850,6862 litre	92,323 %	2232,6078 litre	O
700	CM 115	CM 199 LEVEL CM	26741,4811 litre	91,948 %	2341,8129 litre	O
700	CM 115	CM 198 LEVEL CM	26630,7785 litre	91,567 %	2452,5155 litre	O
700	CM 115	CM 197 LEVEL CM	26518,6161 litre	91,182 %	2564,6779 litre	O
700	CM 115	CM 196 LEVEL CM	26405,0297 litre	90,791 %	2678,2643 litre	O
700	CM 115	CM 195 LEVEL CM	26290,0541 litre	90,396 %	2793,2399 litre	O
700	CM 115	CM 194 LEVEL CM	26173,7227 litre	89,996 %	2909,5713 litre	O
700	CM 115	CM 193 LEVEL CM	26056,0678 litre	89,591 %	3027,2262 litre	O
700	CM 115	CM 192 LEVEL CM	25937,1205 litre	89,182 %	3146,1735 litre	O
700	CM 115	CM 191 LEVEL CM	25816,9111 litre	88,769 %	3266,3829 litre	O
700	CM 115	CM 190 LEVEL CM	25695,4689 litre	88,351 %	3387,8251 litre	O
700	CM 115	CM 189 LEVEL CM	25572,8221 litre	87,930 %	3510,4719 litre	O
700	CM 115	CM 188 LEVEL CM	25448,9984 litre	87,504 %	3634,2956 litre	O
700	CM 115	CM 187 LEVEL CM	25324,0245 litre	87,074 %	3759,2695 litre	O
700	CM 115	CM 186 LEVEL CM	25197,9264 litre	86,641 %	3885,3676 litre	O
700	CM 115	CM 185 LEVEL CM	25070,7295 litre	86,203 %	4012,5645 litre	O
700	CM 115	CM 184 LEVEL CM	24942,4585 litre	85,762 %	4140,8355 litre	O
700	CM 115	CM 183 LEVEL CM	24813,1374 litre	85,317 %	4270,1566 litre	O
700	CM 115	CM 182 LEVEL CM	24682,7898 litre	84,869 %	4400,5042 litre	O
700	CM 115	CM 181 LEVEL CM	24551,4386 litre	84,418 %	4531,8554 litre	O
700	CM 115	CM 180 LEVEL CM	24419,1062 litre	83,963 %	4664,1878 litre	O
700	CM 115	CM 179 LEVEL CM	24285,8145 litre	83,504 %	4797,4795 litre	O

700	CM	115	CM	178 LEVEL CM	24151,5850 litre	83,043 %	4931,7090 litre	O
700	CM	115	CM	177 LEVEL CM	24016,4387 litre	82,578 %	5066,8553 litre	O
700	CM	115	CM	176 LEVEL CM	23880,3962 litre	82,110 %	5202,8978 litre	O
700	CM	115	CM	175 LEVEL CM	23743,4777 litre	81,640 %	5339,8163 litre	O
700	CM	115	CM	174 LEVEL CM	23605,7029 litre	81,166 %	5477,5911 litre	O
700	CM	115	CM	173 LEVEL CM	23467,0914 litre	80,689 %	5616,2026 litre	O
700	CM	115	CM	172 LEVEL CM	23327,6621 litre	80,210 %	5755,6319 litre	O
700	CM	115	CM	171 LEVEL CM	23187,4338 litre	79,728 %	5895,8602 litre	O
700	CM	115	CM	170 LEVEL CM	23046,4249 litre	79,243 %	6036,8691 litre	O
700	CM	115	CM	169 LEVEL CM	22904,6536 litre	78,755 %	6178,6404 litre	O
700	CM	115	CM	168 LEVEL CM	22762,1377 litre	78,265 %	6321,1563 litre	O
700	CM	115	CM	167 LEVEL CM	22618,8948 litre	77,773 %	6464,3992 litre	O
700	CM	115	CM	166 LEVEL CM	22474,9420 litre	77,278 %	6608,3520 litre	O
700	CM	115	CM	165 LEVEL CM	22330,2966 litre	76,780 %	6752,9974 litre	O
700	CM	115	CM	164 LEVEL CM	22184,9752 litre	76,281 %	6898,3188 litre	O
700	CM	115	CM	163 LEVEL CM	22038,9944 litre	75,779 %	7044,2996 litre	O
700	CM	115	CM	162 LEVEL CM	21892,3705 litre	75,275 %	7190,9235 litre	O
700	CM	115	CM	161 LEVEL CM	21745,1198 litre	74,768 %	7338,1742 litre	O
700	CM	115	CM	160 LEVEL CM	21597,2579 litre	74,260 %	7486,0361 litre	O
700	CM	115	CM	159 LEVEL CM	21448,8008 litre	73,750 %	7634,4932 litre	O
700	CM	115	CM	158 LEVEL CM	21299,7639 litre	73,237 %	7783,5301 litre	O
700	CM	115	CM	157 LEVEL CM	21150,1626 litre	72,723 %	7933,1314 litre	O
700	CM	115	CM	156 LEVEL CM	21000,0120 litre	72,206 %	8083,2820 litre	O
700	CM	115	CM	155 LEVEL CM	20849,3271 litre	71,688 %	8233,9669 litre	O
700	CM	115	CM	154 LEVEL CM	20698,1229 litre	71,168 %	8385,1711 litre	O
700	CM	115	CM	153 LEVEL CM	20546,4139 litre	70,647 %	8536,8801 litre	O
700	CM	115	CM	152 LEVEL CM	20394,2148 litre	70,123 %	8689,0792 litre	O
700	CM	115	CM	151 LEVEL CM	20241,5400 litre	69,599 %	8841,7540 litre	O
700	CM	115	CM	150 LEVEL CM	20088,4037 litre	69,072 %	8994,8903 litre	O
700	CM	115	CM	149 LEVEL CM	19934,8200 litre	68,544 %	9148,4740 litre	O
700	CM	115	CM	148 LEVEL CM	19780,8031 litre	68,014 %	9302,4909 litre	O
700	CM	115	CM	147 LEVEL CM	19626,3668 litre	67,483 %	9456,9272 litre	O
700	CM	115	CM	146 LEVEL CM	19471,5249 litre	66,951 %	9611,7691 litre	O
700	CM	115	CM	145 LEVEL CM	19316,2911 litre	66,417 %	9767,0029 litre	O
700	CM	115	CM	144 LEVEL CM	19160,6790 litre	65,882 %	9922,6150 litre	O
700	CM	115	CM	143 LEVEL CM	19004,7020 litre	65,346 %	10078,5920 litre	O
700	CM	115	CM	142 LEVEL CM	18848,3736 litre	64,808 %	10234,9204 litre	O
700	CM	115	CM	141 LEVEL CM	18691,7070 litre	64,270 %	10391,5870 litre	O
700	CM	115	CM	140 LEVEL CM	18534,7155 litre	63,730 %	10548,5785 litre	O
700	CM	115	CM	139 LEVEL CM	18377,4121 litre	63,189 %	10705,8819 litre	O
700	CM	115	CM	138 LEVEL CM	18219,8101 litre	62,647 %	10863,4839 litre	O
700	CM	115	CM	137 LEVEL CM	18061,9222 litre	62,104 %	11021,3718 litre	O
700	CM	115	CM	136 LEVEL CM	17903,7614 litre	61,560 %	11179,5326 litre	O
700	CM	115	CM	135 LEVEL CM	17745,3407 litre	61,016 %	11337,9533 litre	O
700	CM	115	CM	134 LEVEL CM	17586,6726 litre	60,470 %	11496,6214 litre	O
700	CM	115	CM	133 LEVEL CM	17427,7701 litre	59,924 %	11655,5239 litre	O
700	CM	115	CM	132 LEVEL CM	17268,6457 litre	59,377 %	11814,6483 litre	O
700	CM	115	CM	131 LEVEL CM	17109,3120 litre	58,829 %	11973,9820 litre	O
700	CM	115	CM	130 LEVEL CM	16949,7816 litre	58,280 %	12133,5124 litre	O
700	CM	115	CM	129 LEVEL CM	16790,0670 litre	57,731 %	12293,2270 litre	O
700	CM	115	CM	128 LEVEL CM	16630,1807 litre	57,181 %	12453,1133 litre	O
700	CM	115	CM	127 LEVEL CM	16470,1352 litre	56,631 %	12613,1588 litre	O
700	CM	115	CM	126 LEVEL CM	16309,9427 litre	56,080 %	12773,3513 litre	O

700	CM	115	CM	125 LEVEL CM	16149,6157 litre	55,529 %	12933,6783 litre	O
700	CM	115	CM	124 LEVEL CM	15989,1665 litre	54,977 %	13094,1275 litre	O
700	CM	115	CM	123 LEVEL CM	15828,6074 litre	54,425 %	13254,6866 litre	O
700	CM	115	CM	122 LEVEL CM	15667,9507 litre	53,873 %	13415,3433 litre	O
700	CM	115	CM	121 LEVEL CM	15507,2086 litre	53,320 %	13576,0854 litre	O
700	CM	115	CM	120 LEVEL CM	15346,3933 litre	52,767 %	13736,9007 litre	O
700	CM	115	CM	119 LEVEL CM	15185,5171 litre	52,214 %	13897,7769 litre	O
700	CM	115	CM	118 LEVEL CM	15024,5922 litre	51,661 %	14058,7018 litre	O
700	CM	115	CM	117 LEVEL CM	14863,6308 litre	51,107 %	14219,6632 litre	O
700	CM	115	CM	116 LEVEL CM	14702,6450 litre	50,554 %	14380,6490 litre	O
700	CM	115	CM	115 LEVEL CM	14541,6470 litre	50,000 %	14541,6470 litre	O
700	CM	115	CM	114 LEVEL CM	14380,6490 litre	49,446 %	14702,6450 litre	O
700	CM	115	CM	113 LEVEL CM	14219,6632 litre	48,893 %	14863,6308 litre	O
700	CM	115	CM	112 LEVEL CM	14058,7018 litre	48,339 %	15024,5922 litre	O
700	CM	115	CM	111 LEVEL CM	13897,7769 litre	47,786 %	15185,5171 litre	O
700	CM	115	CM	110 LEVEL CM	13736,9007 litre	47,233 %	15346,3933 litre	O
700	CM	115	CM	109 LEVEL CM	13576,0854 litre	46,680 %	15507,2086 litre	O
700	CM	115	CM	108 LEVEL CM	13415,3433 litre	46,127 %	15667,9507 litre	O
700	CM	115	CM	107 LEVEL CM	13254,6866 litre	45,575 %	15828,6074 litre	O
700	CM	115	CM	106 LEVEL CM	13094,1275 litre	45,023 %	15989,1665 litre	O
700	CM	115	CM	105 LEVEL CM	12933,6783 litre	44,471 %	16149,6157 litre	O
700	CM	115	CM	104 LEVEL CM	12773,3513 litre	43,920 %	16309,9427 litre	O
700	CM	115	CM	103 LEVEL CM	12613,1588 litre	43,369 %	16470,1352 litre	O
700	CM	115	CM	102 LEVEL CM	12453,1133 litre	42,819 %	16630,1807 litre	O
700	CM	115	CM	101 LEVEL CM	12293,2270 litre	42,269 %	16790,0670 litre	O
700	CM	115	CM	100 LEVEL CM	12133,5124 litre	41,720 %	16949,7816 litre	O
700	CM	115	CM	99 LEVEL CM	11973,9820 litre	41,171 %	17109,3120 litre	O
700	CM	115	CM	98 LEVEL CM	11814,6483 litre	40,623 %	17268,6457 litre	O
700	CM	115	CM	97 LEVEL CM	11655,5239 litre	40,076 %	17427,7701 litre	O
700	CM	115	CM	96 LEVEL CM	11496,6214 litre	39,530 %	17586,6726 litre	O
700	CM	115	CM	95 LEVEL CM	11337,9533 litre	38,984 %	17745,3407 litre	O
700	CM	115	CM	94 LEVEL CM	11179,5326 litre	38,440 %	17903,7614 litre	O
700	CM	115	CM	93 LEVEL CM	11021,3718 litre	37,896 %	18061,9222 litre	O
700	CM	115	CM	92 LEVEL CM	10863,4839 litre	37,353 %	18219,8101 litre	O
700	CM	115	CM	91 LEVEL CM	10705,8818 litre	36,811 %	18377,4122 litre	O
700	CM	115	CM	90 LEVEL CM	10548,5785 litre	36,270 %	18534,7155 litre	O
700	CM	115	CM	89 LEVEL CM	10391,5870 litre	35,730 %	18691,7070 litre	O
700	CM	115	CM	88 LEVEL CM	10234,9204 litre	35,192 %	18848,3736 litre	O
700	CM	115	CM	87 LEVEL CM	10078,5920 litre	34,654 %	19004,7020 litre	O
700	CM	115	CM	86 LEVEL CM	9922,6150 litre	34,118 %	19160,6790 litre	O
700	CM	115	CM	85 LEVEL CM	9767,0029 litre	33,583 %	19316,2911 litre	O
700	CM	115	CM	84 LEVEL CM	9611,7691 litre	33,049 %	19471,5249 litre	O
700	CM	115	CM	83 LEVEL CM	9456,9272 litre	32,517 %	19626,3668 litre	O
700	CM	115	CM	82 LEVEL CM	9302,4909 litre	31,986 %	19780,8031 litre	O
700	CM	115	CM	81 LEVEL CM	9148,4740 litre	31,456 %	19934,8200 litre	O
700	CM	115	CM	80 LEVEL CM	8994,8903 litre	30,928 %	20088,4037 litre	O
700	CM	115	CM	79 LEVEL CM	8841,7540 litre	30,401 %	20241,5400 litre	O
700	CM	115	CM	78 LEVEL CM	8689,0792 litre	29,877 %	20394,2148 litre	O
700	CM	115	CM	77 LEVEL CM	8536,8801 litre	29,353 %	20546,4139 litre	O
700	CM	115	CM	76 LEVEL CM	8385,1711 litre	28,832 %	20698,1229 litre	O
700	CM	115	CM	75 LEVEL CM	8233,9669 litre	28,312 %	20849,3271 litre	O
700	CM	115	CM	74 LEVEL CM	8083,2820 litre	27,794 %	21000,0120 litre	O
700	CM	115	CM	73 LEVEL CM	7933,1314 litre	27,277 %	21150,1626 litre	O

700	CM	115	CM	72 LEVEL CM	7783,5301 litre	26,763 %	21299,7639 litre	O
700	CM	115	CM	71 LEVEL CM	7634,4932 litre	26,250 %	21448,8008 litre	O
700	CM	115	CM	70 LEVEL CM	7486,0360 litre	25,740 %	21597,2580 litre	O
700	CM	115	CM	69 LEVEL CM	7338,1742 litre	25,232 %	21745,1198 litre	O
700	CM	115	CM	68 LEVEL CM	7190,9234 litre	24,725 %	21892,3706 litre	O
700	CM	115	CM	67 LEVEL CM	7044,2996 litre	24,221 %	22038,9944 litre	O
700	CM	115	CM	66 LEVEL CM	6898,3188 litre	23,719 %	22184,9752 litre	O
700	CM	115	CM	65 LEVEL CM	6752,9974 litre	23,220 %	22330,2966 litre	O
700	CM	115	CM	64 LEVEL CM	6608,3519 litre	22,722 %	22474,9421 litre	O
700	CM	115	CM	63 LEVEL CM	6464,3992 litre	22,227 %	22618,8948 litre	O
700	CM	115	CM	62 LEVEL CM	6321,1563 litre	21,735 %	22762,1377 litre	O
700	CM	115	CM	61 LEVEL CM	6178,6404 litre	21,245 %	22904,6536 litre	O
700	CM	115	CM	60 LEVEL CM	6036,8691 litre	20,757 %	23046,4249 litre	O
700	CM	115	CM	59 LEVEL CM	5895,8602 litre	20,272 %	23187,4338 litre	O
700	CM	115	CM	58 LEVEL CM	5755,6319 litre	19,790 %	23327,6621 litre	O
700	CM	115	CM	57 LEVEL CM	5616,2026 litre	19,311 %	23467,0914 litre	O
700	CM	115	CM	56 LEVEL CM	5477,5910 litre	18,834 %	23605,7030 litre	O
700	CM	115	CM	55 LEVEL CM	5339,8163 litre	18,360 %	23743,4777 litre	O
700	CM	115	CM	54 LEVEL CM	5202,8977 litre	17,890 %	23880,3963 litre	O
700	CM	115	CM	53 LEVEL CM	5066,8552 litre	17,422 %	24016,4388 litre	O
700	CM	115	CM	52 LEVEL CM	4931,7090 litre	16,957 %	24151,5850 litre	O
700	CM	115	CM	51 LEVEL CM	4797,4795 litre	16,496 %	24285,8145 litre	O
700	CM	115	CM	50 LEVEL CM	4664,1878 litre	16,037 %	24419,1062 litre	O
700	CM	115	CM	49 LEVEL CM	4531,8554 litre	15,582 %	24551,4386 litre	O
700	CM	115	CM	48 LEVEL CM	4400,5042 litre	15,131 %	24682,7898 litre	O
700	CM	115	CM	47 LEVEL CM	4270,1565 litre	14,683 %	24813,1375 litre	O
700	CM	115	CM	46 LEVEL CM	4140,8355 litre	14,238 %	24942,4585 litre	O
700	CM	115	CM	45 LEVEL CM	4012,5645 litre	13,797 %	25070,7295 litre	O
700	CM	115	CM	44 LEVEL CM	3885,3676 litre	13,359 %	25197,9264 litre	O
700	CM	115	CM	43 LEVEL CM	3759,2695 litre	12,926 %	25324,0245 litre	O
700	CM	115	CM	42 LEVEL CM	3634,2956 litre	12,496 %	25448,9984 litre	O
700	CM	115	CM	41 LEVEL CM	3510,4719 litre	12,070 %	25572,8221 litre	O
700	CM	115	CM	40 LEVEL CM	3387,8251 litre	11,649 %	25695,4689 litre	O
700	CM	115	CM	39 LEVEL CM	3266,3828 litre	11,231 %	25816,9112 litre	O
700	CM	115	CM	38 LEVEL CM	3146,1735 litre	10,818 %	25937,1205 litre	O
700	CM	115	CM	37 LEVEL CM	3027,2262 litre	10,409 %	26056,0678 litre	O
700	CM	115	CM	36 LEVEL CM	2909,5713 litre	10,004 %	26173,7227 litre	O
700	CM	115	CM	35 LEVEL CM	2793,2399 litre	9,604 %	26290,0541 litre	O
700	CM	115	CM	34 LEVEL CM	2678,2642 litre	9,209 %	26405,0298 litre	O
700	CM	115	CM	33 LEVEL CM	2564,6779 litre	8,818 %	26518,6161 litre	O
700	CM	115	CM	32 LEVEL CM	2452,5154 litre	8,433 %	26630,7786 litre	O
700	CM	115	CM	31 LEVEL CM	2341,8129 litre	8,052 %	26741,4811 litre	O
700	CM	115	CM	30 LEVEL CM	2232,6078 litre	7,677 %	26850,6862 litre	O
700	CM	115	CM	29 LEVEL CM	2124,9392 litre	7,306 %	26958,3548 litre	O
700	CM	115	CM	28 LEVEL CM	2018,8476 litre	6,942 %	27064,4464 litre	O
700	CM	115	CM	27 LEVEL CM	1914,3758 litre	6,582 %	27168,9182 litre	O
700	CM	115	CM	26 LEVEL CM	1811,5683 litre	6,229 %	27271,7257 litre	O
700	CM	115	CM	25 LEVEL CM	1710,4718 litre	5,881 %	27372,8222 litre	O
700	CM	115	CM	24 LEVEL CM	1611,1356 litre	5,540 %	27472,1584 litre	O
700	CM	115	CM	23 LEVEL CM	1513,6115 litre	5,204 %	27569,6825 litre	O
700	CM	115	CM	22 LEVEL CM	1417,9544 litre	4,875 %	27665,3396 litre	O
700	CM	115	CM	21 LEVEL CM	1324,2223 litre	4,553 %	27759,0717 litre	O
700	CM	115	CM	20 LEVEL CM	1232,4769 litre	4,238 %	27850,8171 litre	O

700	CM	115	CM	19 LEVEL CM	1142,7842 litre	3,929 %	27940,5098 litre	O
700	CM	115	CM	18 LEVEL CM	1055,2146 litre	3,628 %	28028,0794 litre	O
700	CM	115	CM	17 LEVEL CM	969,8438 litre	3,335 %	28113,4502 litre	O
700	CM	115	CM	16 LEVEL CM	886,7537 litre	3,049 %	28196,5403 litre	O
700	CM	115	CM	15 LEVEL CM	806,0328 litre	2,771 %	28277,2612 litre	O
700	CM	115	CM	14 LEVEL CM	727,7779 litre	2,502 %	28355,5161 litre	O
700	CM	115	CM	13 LEVEL CM	652,0954 litre	2,242 %	28431,1986 litre	O
700	CM	115	CM	12 LEVEL CM	579,1025 litre	1,991 %	28504,1915 litre	O
700	CM	115	CM	11 LEVEL CM	508,9304 litre	1,750 %	28574,3636 litre	O
700	CM	115	CM	10 LEVEL CM	441,7264 litre	1,519 %	28641,5676 litre	O
700	CM	115	CM	9 LEVEL CM	377,6587 litre	1,299 %	28705,6353 litre	O
700	CM	115	CM	8 LEVEL CM	316,9212 litre	1,090 %	28766,3728 litre	O
700	CM	115	CM	7 LEVEL CM	259,7420 litre	0,893 %	28823,5520 litre	O
700	CM	115	CM	6 LEVEL CM	206,3950 litre	0,710 %	28876,8990 litre	O
700	CM	115	CM	5 LEVEL CM	157,2182 litre	0,541 %	28926,0758 litre	O
700	CM	115	CM	4 LEVEL CM	112,6450 litre	0,387 %	28970,6490 litre	O
700	CM	115	CM	3 LEVEL CM	73,2615 litre	0,252 %	29010,0325 litre	O
700	CM	115	CM	2 LEVEL CM	39,9309 litre	0,137 %	29043,3631 litre	O
700	CM	115	CM	1 LEVEL CM	14,1362 litre	0,049 %	29069,1578 litre	O
700	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	29083,2940 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	110	CM	220 LEVEL CM	26609,2898 litre	100,000 %	0,0000 litre	O
700	CM	110	CM	219 LEVEL CM	26595,4651 litre	99,948 %	13,8247 litre	O
700	CM	110	CM	218 LEVEL CM	26570,2412 litre	99,853 %	39,0486 litre	O
700	CM	110	CM	217 LEVEL CM	26537,6515 litre	99,731 %	71,6383 litre	O
700	CM	110	CM	216 LEVEL CM	26499,1473 litre	99,586 %	110,1425 litre	O
700	CM	110	CM	215 LEVEL CM	26455,5736 litre	99,422 %	153,7162 litre	O
700	CM	110	CM	214 LEVEL CM	26407,5045 litre	99,242 %	201,7853 litre	O
700	CM	110	CM	213 LEVEL CM	26355,3647 litre	99,046 %	253,9251 litre	O
700	CM	110	CM	212 LEVEL CM	26299,4853 litre	98,836 %	309,8045 litre	O
700	CM	110	CM	211 LEVEL CM	26240,1347 litre	98,613 %	369,1551 litre	O
700	CM	110	CM	210 LEVEL CM	26177,5366 litre	98,377 %	431,7532 litre	O
700	CM	110	CM	209 LEVEL CM	26111,8813 litre	98,131 %	497,4085 litre	O
700	CM	110	CM	208 LEVEL CM	26043,3338 litre	97,873 %	565,9560 litre	O
700	CM	110	CM	207 LEVEL CM	25972,0387 litre	97,605 %	637,2511 litre	O
700	CM	110	CM	206 LEVEL CM	25898,1247 litre	97,327 %	711,1651 litre	O
700	CM	110	CM	205 LEVEL CM	25821,7071 litre	97,040 %	787,5827 litre	O
700	CM	110	CM	204 LEVEL CM	25742,8903 litre	96,744 %	866,3995 litre	O
700	CM	110	CM	203 LEVEL CM	25661,7694 litre	96,439 %	947,5204 litre	O
700	CM	110	CM	202 LEVEL CM	25578,4316 litre	96,126 %	1030,8582 litre	O
700	CM	110	CM	201 LEVEL CM	25492,9573 litre	95,805 %	1116,3325 litre	O
700	CM	110	CM	200 LEVEL CM	25405,4210 litre	95,476 %	1203,8688 litre	O
700	CM	110	CM	199 LEVEL CM	25315,8921 litre	95,139 %	1293,3977 litre	O
700	CM	110	CM	198 LEVEL CM	25224,4354 litre	94,796 %	1384,8544 litre	O
700	CM	110	CM	197 LEVEL CM	25131,1117 litre	94,445 %	1478,1781 litre	O
700	CM	110	CM	196 LEVEL CM	25035,9783 litre	94,087 %	1573,3115 litre	O
700	CM	110	CM	195 LEVEL CM	24939,0892 litre	93,723 %	1670,2006 litre	O
700	CM	110	CM	194 LEVEL CM	24840,4956 litre	93,353 %	1768,7942 litre	O
700	CM	110	CM	193 LEVEL CM	24740,2459 litre	92,976 %	1869,0439 litre	O
700	CM	110	CM	192 LEVEL CM	24638,3863 litre	92,593 %	1970,9035 litre	O
700	CM	110	CM	191 LEVEL CM	24534,9608 litre	92,204 %	2074,3290 litre	O
700	CM	110	CM	190 LEVEL CM	24430,0115 litre	91,810 %	2179,2783 litre	O
700	CM	110	CM	189 LEVEL CM	24323,5786 litre	91,410 %	2285,7112 litre	O
700	CM	110	CM	188 LEVEL CM	24215,7006 litre	91,005 %	2393,5892 litre	O
700	CM	110	CM	187 LEVEL CM	24106,4146 litre	90,594 %	2502,8752 litre	O
700	CM	110	CM	186 LEVEL CM	23995,7562 litre	90,178 %	2613,5336 litre	O
700	CM	110	CM	185 LEVEL CM	23883,7598 litre	89,757 %	2725,5300 litre	O
700	CM	110	CM	184 LEVEL CM	23770,4584 litre	89,331 %	2838,8314 litre	O
700	CM	110	CM	183 LEVEL CM	23655,8840 litre	88,901 %	2953,4058 litre	O
700	CM	110	CM	182 LEVEL CM	23540,0675 litre	88,466 %	3069,2223 litre	O
700	CM	110	CM	181 LEVEL CM	23423,0388 litre	88,026 %	3186,2510 litre	O
700	CM	110	CM	180 LEVEL CM	23304,8270 litre	87,582 %	3304,4628 litre	O
700	CM	110	CM	179 LEVEL CM	23185,4602 litre	87,133 %	3423,8296 litre	O
700	CM	110	CM	178 LEVEL CM	23064,9657 litre	86,680 %	3544,3241 litre	O
700	CM	110	CM	177 LEVEL CM	22943,3701 litre	86,223 %	3665,9197 litre	O
700	CM	110	CM	176 LEVEL CM	22820,6993 litre	85,762 %	3788,5905 litre	O
700	CM	110	CM	175 LEVEL CM	22696,9784 litre	85,297 %	3912,3114 litre	O
700	CM	110	CM	174 LEVEL CM	22572,2320 litre	84,828 %	4037,0578 litre	O
700	CM	110	CM	173 LEVEL CM	22446,4841 litre	84,356 %	4162,8057 litre	O
700	CM	110	CM	172 LEVEL CM	22319,7579 litre	83,880 %	4289,5319 litre	O
700	CM	110	CM	171 LEVEL CM	22192,0765 litre	83,400 %	4417,2133 litre	O
700	CM	110	CM	170 LEVEL CM	22063,4621 litre	82,916 %	4545,8277 litre	O
700	CM	110	CM	169 LEVEL CM	21933,9365 litre	82,430 %	4675,3533 litre	O

700	CM 110	CM	168 LEVEL CM	21803,5211 litre	81,940 %	4805,7687 litre	O
700	CM 110	CM	167 LEVEL CM	21672,2370 litre	81,446 %	4937,0528 litre	O
700	CM 110	CM	166 LEVEL CM	21540,1046 litre	80,950 %	5069,1852 litre	O
700	CM 110	CM	165 LEVEL CM	21407,1441 litre	80,450 %	5202,1457 litre	O
700	CM 110	CM	164 LEVEL CM	21273,3753 litre	79,947 %	5335,9145 litre	O
700	CM 110	CM	163 LEVEL CM	21138,8176 litre	79,441 %	5470,4722 litre	O
700	CM 110	CM	162 LEVEL CM	21003,4901 litre	78,933 %	5605,7997 litre	O
700	CM 110	CM	161 LEVEL CM	20867,4115 litre	78,422 %	5741,8783 litre	O
700	CM 110	CM	160 LEVEL CM	20730,6003 litre	77,907 %	5878,6895 litre	O
700	CM 110	CM	159 LEVEL CM	20593,0746 litre	77,391 %	6016,2152 litre	O
700	CM 110	CM	158 LEVEL CM	20454,8524 litre	76,871 %	6154,4374 litre	O
700	CM 110	CM	157 LEVEL CM	20315,9512 litre	76,349 %	6293,3386 litre	O
700	CM 110	CM	156 LEVEL CM	20176,3883 litre	75,825 %	6432,9015 litre	O
700	CM 110	CM	155 LEVEL CM	20036,1809 litre	75,298 %	6573,1089 litre	O
700	CM 110	CM	154 LEVEL CM	19895,3459 litre	74,768 %	6713,9439 litre	O
700	CM 110	CM	153 LEVEL CM	19753,8998 litre	74,237 %	6855,3900 litre	O
700	CM 110	CM	152 LEVEL CM	19611,8591 litre	73,703 %	6997,4307 litre	O
700	CM 110	CM	151 LEVEL CM	19469,2400 litre	73,167 %	7140,0498 litre	O
700	CM 110	CM	150 LEVEL CM	19326,0586 litre	72,629 %	7283,2312 litre	O
700	CM 110	CM	149 LEVEL CM	19182,3306 litre	72,089 %	7426,9592 litre	O
700	CM 110	CM	148 LEVEL CM	19038,0718 litre	71,547 %	7571,2180 litre	O
700	CM 110	CM	147 LEVEL CM	18893,2976 litre	71,003 %	7715,9922 litre	O
700	CM 110	CM	146 LEVEL CM	18748,0234 litre	70,457 %	7861,2664 litre	O
700	CM 110	CM	145 LEVEL CM	18602,2643 litre	69,909 %	8007,0255 litre	O
700	CM 110	CM	144 LEVEL CM	18456,0352 litre	69,359 %	8153,2546 litre	O
700	CM 110	CM	143 LEVEL CM	18309,3512 litre	68,808 %	8299,9386 litre	O
700	CM 110	CM	142 LEVEL CM	18162,2268 litre	68,255 %	8447,0630 litre	O
700	CM 110	CM	141 LEVEL CM	18014,6768 litre	67,701 %	8594,6130 litre	O
700	CM 110	CM	140 LEVEL CM	17866,7156 litre	67,145 %	8742,5742 litre	O
700	CM 110	CM	139 LEVEL CM	17718,3574 litre	66,587 %	8890,9324 litre	O
700	CM 110	CM	138 LEVEL CM	17569,6167 litre	66,028 %	9039,6731 litre	O
700	CM 110	CM	137 LEVEL CM	17420,5074 litre	65,468 %	9188,7824 litre	O
700	CM 110	CM	136 LEVEL CM	17271,0436 litre	64,906 %	9338,2462 litre	O
700	CM 110	CM	135 LEVEL CM	17121,2393 litre	64,343 %	9488,0505 litre	O
700	CM 110	CM	134 LEVEL CM	16971,1082 litre	63,779 %	9638,1816 litre	O
700	CM 110	CM	133 LEVEL CM	16820,6641 litre	63,214 %	9788,6257 litre	O
700	CM 110	CM	132 LEVEL CM	16669,9207 litre	62,647 %	9939,3691 litre	O
700	CM 110	CM	131 LEVEL CM	16518,8915 litre	62,079 %	10090,3983 litre	O
700	CM 110	CM	130 LEVEL CM	16367,5900 litre	61,511 %	10241,6998 litre	O
700	CM 110	CM	129 LEVEL CM	16216,0297 litre	60,941 %	10393,2601 litre	O
700	CM 110	CM	128 LEVEL CM	16064,2238 litre	60,371 %	10545,0660 litre	O
700	CM 110	CM	127 LEVEL CM	15912,1857 litre	59,799 %	10697,1041 litre	O
700	CM 110	CM	126 LEVEL CM	15759,9286 litre	59,227 %	10849,3612 litre	O
700	CM 110	CM	125 LEVEL CM	15607,4657 litre	58,654 %	11001,8241 litre	O
700	CM 110	CM	124 LEVEL CM	15454,8101 litre	58,081 %	11154,4797 litre	O
700	CM 110	CM	123 LEVEL CM	15301,9748 litre	57,506 %	11307,3150 litre	O
700	CM 110	CM	122 LEVEL CM	15148,9729 litre	56,931 %	11460,3169 litre	O
700	CM 110	CM	121 LEVEL CM	14995,8173 litre	56,356 %	11613,4725 litre	O
700	CM 110	CM	120 LEVEL CM	14842,5210 litre	55,779 %	11766,7688 litre	O
700	CM 110	CM	119 LEVEL CM	14689,0970 litre	55,203 %	11920,1928 litre	O
700	CM 110	CM	118 LEVEL CM	14535,5580 litre	54,626 %	12073,7318 litre	O
700	CM 110	CM	117 LEVEL CM	14381,9169 litre	54,048 %	12227,3729 litre	O
700	CM 110	CM	116 LEVEL CM	14228,1865 litre	53,471 %	12381,1033 litre	O

700	CM	110	CM	115 LEVEL CM	14074,3797 litre	52,893 %	12534,9101 litre	O
700	CM	110	CM	114 LEVEL CM	13920,5091 litre	52,314 %	12688,7807 litre	O
700	CM	110	CM	113 LEVEL CM	13766,5876 litre	51,736 %	12842,7022 litre	O
700	CM	110	CM	112 LEVEL CM	13612,6279 litre	51,157 %	12996,6619 litre	O
700	CM	110	CM	111 LEVEL CM	13458,6428 litre	50,579 %	13150,6470 litre	O
700	CM	110	CM	110 LEVEL CM	13304,6449 litre	50,000 %	13304,6449 litre	O
700	CM	110	CM	109 LEVEL CM	13150,6470 litre	49,421 %	13458,6428 litre	O
700	CM	110	CM	108 LEVEL CM	12996,6619 litre	48,843 %	13612,6279 litre	O
700	CM	110	CM	107 LEVEL CM	12842,7022 litre	48,264 %	13766,5876 litre	O
700	CM	110	CM	106 LEVEL CM	12688,7807 litre	47,686 %	13920,5091 litre	O
700	CM	110	CM	105 LEVEL CM	12534,9101 litre	47,107 %	14074,3797 litre	O
700	CM	110	CM	104 LEVEL CM	12381,1033 litre	46,529 %	14228,1865 litre	O
700	CM	110	CM	103 LEVEL CM	12227,3729 litre	45,952 %	14381,9169 litre	O
700	CM	110	CM	102 LEVEL CM	12073,7318 litre	45,374 %	14535,5580 litre	O
700	CM	110	CM	101 LEVEL CM	11920,1928 litre	44,797 %	14689,0970 litre	O
700	CM	110	CM	100 LEVEL CM	11766,7687 litre	44,221 %	14842,5211 litre	O
700	CM	110	CM	99 LEVEL CM	11613,4725 litre	43,644 %	14995,8173 litre	O
700	CM	110	CM	98 LEVEL CM	11460,3169 litre	43,069 %	15148,9729 litre	O
700	CM	110	CM	97 LEVEL CM	11307,3150 litre	42,494 %	15301,9748 litre	O
700	CM	110	CM	96 LEVEL CM	11154,4797 litre	41,919 %	15454,8101 litre	O
700	CM	110	CM	95 LEVEL CM	11001,8241 litre	41,346 %	15607,4657 litre	O
700	CM	110	CM	94 LEVEL CM	10849,3612 litre	40,773 %	15759,9286 litre	O
700	CM	110	CM	93 LEVEL CM	10697,1041 litre	40,201 %	15912,1857 litre	O
700	CM	110	CM	92 LEVEL CM	10545,0660 litre	39,629 %	16064,2238 litre	O
700	CM	110	CM	91 LEVEL CM	10393,2601 litre	39,059 %	16216,0297 litre	O
700	CM	110	CM	90 LEVEL CM	10241,6997 litre	38,489 %	16367,5901 litre	O
700	CM	110	CM	89 LEVEL CM	10090,3983 litre	37,921 %	16518,8915 litre	O
700	CM	110	CM	88 LEVEL CM	9939,3690 litre	37,353 %	16669,9208 litre	O
700	CM	110	CM	87 LEVEL CM	9788,6256 litre	36,786 %	16820,6642 litre	O
700	CM	110	CM	86 LEVEL CM	9638,1816 litre	36,221 %	16971,1082 litre	O
700	CM	110	CM	85 LEVEL CM	9488,0505 litre	35,657 %	17121,2393 litre	O
700	CM	110	CM	84 LEVEL CM	9338,2462 litre	35,094 %	17271,0436 litre	O
700	CM	110	CM	83 LEVEL CM	9188,7824 litre	34,532 %	17420,5074 litre	O
700	CM	110	CM	82 LEVEL CM	9039,6731 litre	33,972 %	17569,6167 litre	O
700	CM	110	CM	81 LEVEL CM	8890,9324 litre	33,413 %	17718,3574 litre	O
700	CM	110	CM	80 LEVEL CM	8742,5742 litre	32,855 %	17866,7156 litre	O
700	CM	110	CM	79 LEVEL CM	8594,6130 litre	32,299 %	18014,6768 litre	O
700	CM	110	CM	78 LEVEL CM	8447,0629 litre	31,745 %	18162,2269 litre	O
700	CM	110	CM	77 LEVEL CM	8299,9386 litre	31,192 %	18309,3512 litre	O
700	CM	110	CM	76 LEVEL CM	8153,2545 litre	30,641 %	18456,0353 litre	O
700	CM	110	CM	75 LEVEL CM	8007,0255 litre	30,091 %	18602,2643 litre	O
700	CM	110	CM	74 LEVEL CM	7861,2664 litre	29,543 %	18748,0234 litre	O
700	CM	110	CM	73 LEVEL CM	7715,9921 litre	28,997 %	18893,2977 litre	O
700	CM	110	CM	72 LEVEL CM	7571,2179 litre	28,453 %	19038,0719 litre	O
700	CM	110	CM	71 LEVEL CM	7426,9591 litre	27,911 %	19182,3307 litre	O
700	CM	110	CM	70 LEVEL CM	7283,2312 litre	27,371 %	19326,0586 litre	O
700	CM	110	CM	69 LEVEL CM	7140,0498 litre	26,833 %	19469,2400 litre	O
700	CM	110	CM	68 LEVEL CM	6997,4307 litre	26,297 %	19611,8591 litre	O
700	CM	110	CM	67 LEVEL CM	6855,3900 litre	25,763 %	19753,8998 litre	O
700	CM	110	CM	66 LEVEL CM	6713,9439 litre	25,232 %	19895,3459 litre	O
700	CM	110	CM	65 LEVEL CM	6573,1088 litre	24,702 %	20036,1810 litre	O
700	CM	110	CM	64 LEVEL CM	6432,9015 litre	24,175 %	20176,3883 litre	O
700	CM	110	CM	63 LEVEL CM	6293,3386 litre	23,651 %	20315,9512 litre	O

700	CM	110	CM	62 LEVEL CM	6154,4374 litre	23,129 %	20454,8524 litre	O
700	CM	110	CM	61 LEVEL CM	6016,2151 litre	22,609 %	20593,0747 litre	O
700	CM	110	CM	60 LEVEL CM	5878,6895 litre	22,093 %	20730,6003 litre	O
700	CM	110	CM	59 LEVEL CM	5741,8783 litre	21,578 %	20867,4115 litre	O
700	CM	110	CM	58 LEVEL CM	5605,7997 litre	21,067 %	21003,4901 litre	O
700	CM	110	CM	57 LEVEL CM	5470,4722 litre	20,559 %	21138,8176 litre	O
700	CM	110	CM	56 LEVEL CM	5335,9145 litre	20,053 %	21273,3753 litre	O
700	CM	110	CM	55 LEVEL CM	5202,1457 litre	19,550 %	21407,1441 litre	O
700	CM	110	CM	54 LEVEL CM	5069,1852 litre	19,050 %	21540,1046 litre	O
700	CM	110	CM	53 LEVEL CM	4937,0528 litre	18,554 %	21672,2370 litre	O
700	CM	110	CM	52 LEVEL CM	4805,7687 litre	18,060 %	21803,5211 litre	O
700	CM	110	CM	51 LEVEL CM	4675,3533 litre	17,570 %	21933,9365 litre	O
700	CM	110	CM	50 LEVEL CM	4545,8277 litre	17,084 %	22063,4621 litre	O
700	CM	110	CM	49 LEVEL CM	4417,2133 litre	16,600 %	22192,0765 litre	O
700	CM	110	CM	48 LEVEL CM	4289,5318 litre	16,120 %	22319,7580 litre	O
700	CM	110	CM	47 LEVEL CM	4162,8057 litre	15,644 %	22446,4841 litre	O
700	CM	110	CM	46 LEVEL CM	4037,0578 litre	15,172 %	22572,2320 litre	O
700	CM	110	CM	45 LEVEL CM	3912,3114 litre	14,703 %	22696,9784 litre	O
700	CM	110	CM	44 LEVEL CM	3788,5905 litre	14,238 %	22820,6993 litre	O
700	CM	110	CM	43 LEVEL CM	3665,9197 litre	13,777 %	22943,3701 litre	O
700	CM	110	CM	42 LEVEL CM	3544,3241 litre	13,320 %	23064,9657 litre	O
700	CM	110	CM	41 LEVEL CM	3423,8296 litre	12,867 %	23185,4602 litre	O
700	CM	110	CM	40 LEVEL CM	3304,4628 litre	12,418 %	23304,8270 litre	O
700	CM	110	CM	39 LEVEL CM	3186,2509 litre	11,974 %	23423,0389 litre	O
700	CM	110	CM	38 LEVEL CM	3069,2223 litre	11,534 %	23540,0675 litre	O
700	CM	110	CM	37 LEVEL CM	2953,4058 litre	11,099 %	23655,8840 litre	O
700	CM	110	CM	36 LEVEL CM	2838,8314 litre	10,669 %	23770,4584 litre	O
700	CM	110	CM	35 LEVEL CM	2725,5300 litre	10,243 %	23883,7598 litre	O
700	CM	110	CM	34 LEVEL CM	2613,5335 litre	9,822 %	23995,7563 litre	O
700	CM	110	CM	33 LEVEL CM	2502,8752 litre	9,406 %	24106,4146 litre	O
700	CM	110	CM	32 LEVEL CM	2393,5892 litre	8,995 %	24215,7006 litre	O
700	CM	110	CM	31 LEVEL CM	2285,7112 litre	8,590 %	24323,5786 litre	O
700	CM	110	CM	30 LEVEL CM	2179,2783 litre	8,190 %	24430,0115 litre	O
700	CM	110	CM	29 LEVEL CM	2074,3290 litre	7,796 %	24534,9608 litre	O
700	CM	110	CM	28 LEVEL CM	1970,9035 litre	7,407 %	24638,3863 litre	O
700	CM	110	CM	27 LEVEL CM	1869,0439 litre	7,024 %	24740,2459 litre	O
700	CM	110	CM	26 LEVEL CM	1768,7942 litre	6,647 %	24840,4956 litre	O
700	CM	110	CM	25 LEVEL CM	1670,2005 litre	6,277 %	24939,0893 litre	O
700	CM	110	CM	24 LEVEL CM	1573,3114 litre	5,913 %	25035,9784 litre	O
700	CM	110	CM	23 LEVEL CM	1478,1780 litre	5,555 %	25131,1118 litre	O
700	CM	110	CM	22 LEVEL CM	1384,8544 litre	5,204 %	25224,4354 litre	O
700	CM	110	CM	21 LEVEL CM	1293,3977 litre	4,861 %	25315,8921 litre	O
700	CM	110	CM	20 LEVEL CM	1203,8688 litre	4,524 %	25405,4210 litre	O
700	CM	110	CM	19 LEVEL CM	1116,3325 litre	4,195 %	25492,9573 litre	O
700	CM	110	CM	18 LEVEL CM	1030,8582 litre	3,874 %	25578,4316 litre	O
700	CM	110	CM	17 LEVEL CM	947,5203 litre	3,561 %	25661,7695 litre	O
700	CM	110	CM	16 LEVEL CM	866,3994 litre	3,256 %	25742,8904 litre	O
700	CM	110	CM	15 LEVEL CM	787,5826 litre	2,960 %	25821,7072 litre	O
700	CM	110	CM	14 LEVEL CM	711,1651 litre	2,673 %	25898,1247 litre	O
700	CM	110	CM	13 LEVEL CM	637,2510 litre	2,395 %	25972,0388 litre	O
700	CM	110	CM	12 LEVEL CM	565,9560 litre	2,127 %	26043,3338 litre	O
700	CM	110	CM	11 LEVEL CM	497,4084 litre	1,869 %	26111,8814 litre	O
700	CM	110	CM	10 LEVEL CM	431,7532 litre	1,623 %	26177,5366 litre	O

700	CM	110	CM	9 LEVEL CM	369,1551 litre	1,387 %	26240,1347 litre	O
700	CM	110	CM	8 LEVEL CM	309,8045 litre	1,164 %	26299,4853 litre	O
700	CM	110	CM	7 LEVEL CM	253,9251 litre	0,954 %	26355,3647 litre	O
700	CM	110	CM	6 LEVEL CM	201,7853 litre	0,758 %	26407,5045 litre	O
700	CM	110	CM	5 LEVEL CM	153,7162 litre	0,578 %	26455,5736 litre	O
700	CM	110	CM	4 LEVEL CM	110,1425 litre	0,414 %	26499,1473 litre	O
700	CM	110	CM	3 LEVEL CM	71,6383 litre	0,269 %	26537,6515 litre	O
700	CM	110	CM	2 LEVEL CM	39,0486 litre	0,147 %	26570,2412 litre	O
700	CM	110	CM	1 LEVEL CM	13,8247 litre	0,052 %	26595,4651 litre	O
700	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	26609,2898 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM 105	CM 210 LEVEL CM	24245,2413 litre	100,000 %	0,0000 litre	O
700	CM 105	CM 209 LEVEL CM	24231,7354 litre	99,944 %	13,5059 litre	O
700	CM 105	CM 208 LEVEL CM	24207,0955 litre	99,843 %	38,1458 litre	O
700	CM 105	CM 207 LEVEL CM	24175,2638 litre	99,711 %	69,9775 litre	O
700	CM 105	CM 206 LEVEL CM	24137,6594 litre	99,556 %	107,5819 litre	O
700	CM 105	CM 205 LEVEL CM	24095,1088 litre	99,381 %	150,1325 litre	O
700	CM 105	CM 204 LEVEL CM	24048,1736 litre	99,187 %	197,0677 litre	O
700	CM 105	CM 203 LEVEL CM	23997,2695 litre	98,977 %	247,9718 litre	O
700	CM 105	CM 202 LEVEL CM	23942,7208 litre	98,752 %	302,5205 litre	O
700	CM 105	CM 201 LEVEL CM	23884,7904 litre	98,513 %	360,4509 litre	O
700	CM 105	CM 200 LEVEL CM	23823,6973 litre	98,261 %	421,5440 litre	O
700	CM 105	CM 199 LEVEL CM	23759,6282 litre	97,997 %	485,6131 litre	O
700	CM 105	CM 198 LEVEL CM	23692,7447 litre	97,721 %	552,4966 litre	O
700	CM 105	CM 197 LEVEL CM	23623,1888 litre	97,434 %	622,0525 litre	O
700	CM 105	CM 196 LEVEL CM	23551,0867 litre	97,137 %	694,1546 litre	O
700	CM 105	CM 195 LEVEL CM	23476,5517 litre	96,830 %	768,6896 litre	O
700	CM 105	CM 194 LEVEL CM	23399,6861 litre	96,512 %	845,5552 litre	O
700	CM 105	CM 193 LEVEL CM	23320,5835 litre	96,186 %	924,6578 litre	O
700	CM 105	CM 192 LEVEL CM	23239,3295 litre	95,851 %	1005,9118 litre	O
700	CM 105	CM 191 LEVEL CM	23156,0031 litre	95,507 %	1089,2382 litre	O
700	CM 105	CM 190 LEVEL CM	23070,6777 litre	95,155 %	1174,5636 litre	O
700	CM 105	CM 189 LEVEL CM	22983,4215 litre	94,796 %	1261,8198 litre	O
700	CM 105	CM 188 LEVEL CM	22894,2983 litre	94,428 %	1350,9430 litre	O
700	CM 105	CM 187 LEVEL CM	22803,3680 litre	94,053 %	1441,8733 litre	O
700	CM 105	CM 186 LEVEL CM	22710,6869 litre	93,671 %	1534,5544 litre	O
700	CM 105	CM 185 LEVEL CM	22616,3083 litre	93,281 %	1628,9330 litre	O
700	CM 105	CM 184 LEVEL CM	22520,2827 litre	92,885 %	1724,9586 litre	O
700	CM 105	CM 183 LEVEL CM	22422,6578 litre	92,483 %	1822,5835 litre	O
700	CM 105	CM 182 LEVEL CM	22323,4792 litre	92,074 %	1921,7621 litre	O
700	CM 105	CM 181 LEVEL CM	22222,7904 litre	91,658 %	2022,4509 litre	O
700	CM 105	CM 180 LEVEL CM	22120,6328 litre	91,237 %	2124,6085 litre	O
700	CM 105	CM 179 LEVEL CM	22017,0462 litre	90,810 %	2228,1951 litre	O
700	CM 105	CM 178 LEVEL CM	21912,0687 litre	90,377 %	2333,1726 litre	O
700	CM 105	CM 177 LEVEL CM	21805,7370 litre	89,938 %	2439,5043 litre	O
700	CM 105	CM 176 LEVEL CM	21698,0862 litre	89,494 %	2547,1551 litre	O
700	CM 105	CM 175 LEVEL CM	21589,1504 litre	89,045 %	2656,0909 litre	O
700	CM 105	CM 174 LEVEL CM	21478,9623 litre	88,590 %	2766,2790 litre	O
700	CM 105	CM 173 LEVEL CM	21367,5536 litre	88,131 %	2877,6877 litre	O
700	CM 105	CM 172 LEVEL CM	21254,9549 litre	87,667 %	2990,2864 litre	O
700	CM 105	CM 171 LEVEL CM	21141,1958 litre	87,197 %	3104,0455 litre	O
700	CM 105	CM 170 LEVEL CM	21026,3053 litre	86,723 %	3218,9360 litre	O
700	CM 105	CM 169 LEVEL CM	20910,3111 litre	86,245 %	3334,9302 litre	O
700	CM 105	CM 168 LEVEL CM	20793,2405 litre	85,762 %	3452,0008 litre	O
700	CM 105	CM 167 LEVEL CM	20675,1198 litre	85,275 %	3570,1215 litre	O
700	CM 105	CM 166 LEVEL CM	20555,9747 litre	84,784 %	3689,2666 litre	O
700	CM 105	CM 165 LEVEL CM	20435,8304 litre	84,288 %	3809,4109 litre	O
700	CM 105	CM 164 LEVEL CM	20314,7111 litre	83,788 %	3930,5302 litre	O
700	CM 105	CM 163 LEVEL CM	20192,6409 litre	83,285 %	4052,6004 litre	O
700	CM 105	CM 162 LEVEL CM	20069,6428 litre	82,778 %	4175,5985 litre	O
700	CM 105	CM 161 LEVEL CM	19945,7398 litre	82,267 %	4299,5015 litre	O
700	CM 105	CM 160 LEVEL CM	19820,9540 litre	81,752 %	4424,2873 litre	O
700	CM 105	CM 159 LEVEL CM	19695,3074 litre	81,234 %	4549,9339 litre	O

700	CM	105	CM	158 LEVEL CM	19568,8211 litre	80,712 %	4676,4202 litre	O
700	CM	105	CM	157 LEVEL CM	19441,5163 litre	80,187 %	4803,7250 litre	O
700	CM	105	CM	156 LEVEL CM	19313,4133 litre	79,659 %	4931,8280 litre	O
700	CM	105	CM	155 LEVEL CM	19184,5323 litre	79,127 %	5060,7090 litre	O
700	CM	105	CM	154 LEVEL CM	19054,8932 litre	78,592 %	5190,3481 litre	O
700	CM	105	CM	153 LEVEL CM	18924,5154 litre	78,055 %	5320,7259 litre	O
700	CM	105	CM	152 LEVEL CM	18793,4179 litre	77,514 %	5451,8234 litre	O
700	CM	105	CM	151 LEVEL CM	18661,6196 litre	76,970 %	5583,6217 litre	O
700	CM	105	CM	150 LEVEL CM	18529,1390 litre	76,424 %	5716,1023 litre	O
700	CM	105	CM	149 LEVEL CM	18395,9943 litre	75,875 %	5849,2470 litre	O
700	CM	105	CM	148 LEVEL CM	18262,2035 litre	75,323 %	5983,0378 litre	O
700	CM	105	CM	147 LEVEL CM	18127,7841 litre	74,768 %	6117,4572 litre	O
700	CM	105	CM	146 LEVEL CM	17992,7538 litre	74,211 %	6252,4875 litre	O
700	CM	105	CM	145 LEVEL CM	17857,1296 litre	73,652 %	6388,1117 litre	O
700	CM	105	CM	144 LEVEL CM	17720,9286 litre	73,090 %	6524,3127 litre	O
700	CM	105	CM	143 LEVEL CM	17584,1675 litre	72,526 %	6661,0738 litre	O
700	CM	105	CM	142 LEVEL CM	17446,8628 litre	71,960 %	6798,3785 litre	O
700	CM	105	CM	141 LEVEL CM	17309,0310 litre	71,391 %	6936,2103 litre	O
700	CM	105	CM	140 LEVEL CM	17170,6883 litre	70,821 %	7074,5530 litre	O
700	CM	105	CM	139 LEVEL CM	17031,8505 litre	70,248 %	7213,3908 litre	O
700	CM	105	CM	138 LEVEL CM	16892,5336 litre	69,674 %	7352,7077 litre	O
700	CM	105	CM	137 LEVEL CM	16752,7531 litre	69,097 %	7492,4882 litre	O
700	CM	105	CM	136 LEVEL CM	16612,5247 litre	68,519 %	7632,7166 litre	O
700	CM	105	CM	135 LEVEL CM	16471,8636 litre	67,939 %	7773,3777 litre	O
700	CM	105	CM	134 LEVEL CM	16330,7852 litre	67,357 %	7914,4561 litre	O
700	CM	105	CM	133 LEVEL CM	16189,3044 litre	66,773 %	8055,9369 litre	O
700	CM	105	CM	132 LEVEL CM	16047,4362 litre	66,188 %	8197,8051 litre	O
700	CM	105	CM	131 LEVEL CM	15905,1955 litre	65,601 %	8340,0458 litre	O
700	CM	105	CM	130 LEVEL CM	15762,5970 litre	65,013 %	8482,6443 litre	O
700	CM	105	CM	129 LEVEL CM	15619,6553 litre	64,424 %	8625,5860 litre	O
700	CM	105	CM	128 LEVEL CM	15476,3849 litre	63,833 %	8768,8564 litre	O
700	CM	105	CM	127 LEVEL CM	15332,8001 litre	63,240 %	8912,4412 litre	O
700	CM	105	CM	126 LEVEL CM	15188,9154 litre	62,647 %	9056,3259 litre	O
700	CM	105	CM	125 LEVEL CM	15044,7448 litre	62,052 %	9200,4965 litre	O
700	CM	105	CM	124 LEVEL CM	14900,3027 litre	61,457 %	9344,9386 litre	O
700	CM	105	CM	123 LEVEL CM	14755,6029 litre	60,860 %	9489,6384 litre	O
700	CM	105	CM	122 LEVEL CM	14610,6595 litre	60,262 %	9634,5818 litre	O
700	CM	105	CM	121 LEVEL CM	14465,4865 litre	59,663 %	9779,7548 litre	O
700	CM	105	CM	120 LEVEL CM	14320,0975 litre	59,064 %	9925,1438 litre	O
700	CM	105	CM	119 LEVEL CM	14174,5065 litre	58,463 %	10070,7348 litre	O
700	CM	105	CM	118 LEVEL CM	14028,7271 litre	57,862 %	10216,5142 litre	O
700	CM	105	CM	117 LEVEL CM	13882,7731 litre	57,260 %	10362,4682 litre	O
700	CM	105	CM	116 LEVEL CM	13736,6580 litre	56,657 %	10508,5833 litre	O
700	CM	105	CM	115 LEVEL CM	13590,3954 litre	56,054 %	10654,8459 litre	O
700	CM	105	CM	114 LEVEL CM	13443,9989 litre	55,450 %	10801,2424 litre	O
700	CM	105	CM	113 LEVEL CM	13297,4819 litre	54,846 %	10947,7594 litre	O
700	CM	105	CM	112 LEVEL CM	13150,8579 litre	54,241 %	11094,3834 litre	O
700	CM	105	CM	111 LEVEL CM	13004,1404 litre	53,636 %	11241,1009 litre	O
700	CM	105	CM	110 LEVEL CM	12857,3428 litre	53,030 %	11387,8985 litre	O
700	CM	105	CM	109 LEVEL CM	12710,4784 litre	52,425 %	11534,7629 litre	O
700	CM	105	CM	108 LEVEL CM	12563,5606 litre	51,819 %	11681,6807 litre	O
700	CM	105	CM	107 LEVEL CM	12416,6029 litre	51,213 %	11828,6384 litre	O
700	CM	105	CM	106 LEVEL CM	12269,6184 litre	50,606 %	11975,6229 litre	O

700	CM	105	CM	105 LEVEL CM	12122,6207 litre	50,000 %	12122,6206 litre	O
700	CM	105	CM	104 LEVEL CM	11975,6229 litre	49,394 %	12269,6184 litre	O
700	CM	105	CM	103 LEVEL CM	11828,6384 litre	48,787 %	12416,6029 litre	O
700	CM	105	CM	102 LEVEL CM	11681,6807 litre	48,181 %	12563,5606 litre	O
700	CM	105	CM	101 LEVEL CM	11534,7629 litre	47,575 %	12710,4784 litre	O
700	CM	105	CM	100 LEVEL CM	11387,8985 litre	46,970 %	12857,3428 litre	O
700	CM	105	CM	99 LEVEL CM	11241,1009 litre	46,364 %	13004,1404 litre	O
700	CM	105	CM	98 LEVEL CM	11094,3834 litre	45,759 %	13150,8579 litre	O
700	CM	105	CM	97 LEVEL CM	10947,7594 litre	45,154 %	13297,4819 litre	O
700	CM	105	CM	96 LEVEL CM	10801,2424 litre	44,550 %	13443,9989 litre	O
700	CM	105	CM	95 LEVEL CM	10654,8459 litre	43,946 %	13590,3954 litre	O
700	CM	105	CM	94 LEVEL CM	10508,5833 litre	43,343 %	13736,6580 litre	O
700	CM	105	CM	93 LEVEL CM	10362,4682 litre	42,740 %	13882,7731 litre	O
700	CM	105	CM	92 LEVEL CM	10216,5142 litre	42,138 %	14028,7271 litre	O
700	CM	105	CM	91 LEVEL CM	10070,7348 litre	41,537 %	14174,5065 litre	O
700	CM	105	CM	90 LEVEL CM	9925,1438 litre	40,936 %	14320,0975 litre	O
700	CM	105	CM	89 LEVEL CM	9779,7548 litre	40,337 %	14465,4865 litre	O
700	CM	105	CM	88 LEVEL CM	9634,5818 litre	39,738 %	14610,6595 litre	O
700	CM	105	CM	87 LEVEL CM	9489,6384 litre	39,140 %	14755,6029 litre	O
700	CM	105	CM	86 LEVEL CM	9344,9386 litre	38,543 %	14900,3027 litre	O
700	CM	105	CM	85 LEVEL CM	9200,4965 litre	37,948 %	15044,7448 litre	O
700	CM	105	CM	84 LEVEL CM	9056,3259 litre	37,353 %	15188,9154 litre	O
700	CM	105	CM	83 LEVEL CM	8912,4412 litre	36,760 %	15332,8001 litre	O
700	CM	105	CM	82 LEVEL CM	8768,8564 litre	36,167 %	15476,3849 litre	O
700	CM	105	CM	81 LEVEL CM	8625,5860 litre	35,576 %	15619,6553 litre	O
700	CM	105	CM	80 LEVEL CM	8482,6443 litre	34,987 %	15762,5970 litre	O
700	CM	105	CM	79 LEVEL CM	8340,0458 litre	34,399 %	15905,1955 litre	O
700	CM	105	CM	78 LEVEL CM	8197,8051 litre	33,812 %	16047,4362 litre	O
700	CM	105	CM	77 LEVEL CM	8055,9369 litre	33,227 %	16189,3044 litre	O
700	CM	105	CM	76 LEVEL CM	7914,4561 litre	32,643 %	16330,7852 litre	O
700	CM	105	CM	75 LEVEL CM	7773,3777 litre	32,061 %	16471,8636 litre	O
700	CM	105	CM	74 LEVEL CM	7632,7166 litre	31,481 %	16612,5247 litre	O
700	CM	105	CM	73 LEVEL CM	7492,4882 litre	30,903 %	16752,7531 litre	O
700	CM	105	CM	72 LEVEL CM	7352,7077 litre	30,326 %	16892,5336 litre	O
700	CM	105	CM	71 LEVEL CM	7213,3908 litre	29,752 %	17031,8505 litre	O
700	CM	105	CM	70 LEVEL CM	7074,5530 litre	29,179 %	17170,6883 litre	O
700	CM	105	CM	69 LEVEL CM	6936,2103 litre	28,609 %	17309,0310 litre	O
700	CM	105	CM	68 LEVEL CM	6798,3785 litre	28,040 %	17446,8628 litre	O
700	CM	105	CM	67 LEVEL CM	6661,0738 litre	27,474 %	17584,1675 litre	O
700	CM	105	CM	66 LEVEL CM	6524,3127 litre	26,910 %	17720,9286 litre	O
700	CM	105	CM	65 LEVEL CM	6388,1117 litre	26,348 %	17857,1296 litre	O
700	CM	105	CM	64 LEVEL CM	6252,4875 litre	25,789 %	17992,7538 litre	O
700	CM	105	CM	63 LEVEL CM	6117,4572 litre	25,232 %	18127,7841 litre	O
700	CM	105	CM	62 LEVEL CM	5983,0378 litre	24,677 %	18262,2035 litre	O
700	CM	105	CM	61 LEVEL CM	5849,2470 litre	24,125 %	18395,9943 litre	O
700	CM	105	CM	60 LEVEL CM	5716,1023 litre	23,576 %	18529,1390 litre	O
700	CM	105	CM	59 LEVEL CM	5583,6217 litre	23,030 %	18661,6196 litre	O
700	CM	105	CM	58 LEVEL CM	5451,8234 litre	22,486 %	18793,4179 litre	O
700	CM	105	CM	57 LEVEL CM	5320,7259 litre	21,945 %	18924,5154 litre	O
700	CM	105	CM	56 LEVEL CM	5190,3481 litre	21,408 %	19054,8932 litre	O
700	CM	105	CM	55 LEVEL CM	5060,7090 litre	20,873 %	19184,5323 litre	O
700	CM	105	CM	54 LEVEL CM	4931,8280 litre	20,341 %	19313,4133 litre	O
700	CM	105	CM	53 LEVEL CM	4803,7251 litre	19,813 %	19441,5162 litre	O

700	CM	105	CM	52 LEVEL CM	4676,4202 litre	19,288 %	19568,8211 litre	O
700	CM	105	CM	51 LEVEL CM	4549,9339 litre	18,766 %	19695,3074 litre	O
700	CM	105	CM	50 LEVEL CM	4424,2873 litre	18,248 %	19820,9540 litre	O
700	CM	105	CM	49 LEVEL CM	4299,5015 litre	17,733 %	19945,7398 litre	O
700	CM	105	CM	48 LEVEL CM	4175,5985 litre	17,222 %	20069,6428 litre	O
700	CM	105	CM	47 LEVEL CM	4052,6004 litre	16,715 %	20192,6409 litre	O
700	CM	105	CM	46 LEVEL CM	3930,5302 litre	16,212 %	20314,7111 litre	O
700	CM	105	CM	45 LEVEL CM	3809,4109 litre	15,712 %	20435,8304 litre	O
700	CM	105	CM	44 LEVEL CM	3689,2666 litre	15,216 %	20555,9747 litre	O
700	CM	105	CM	43 LEVEL CM	3570,1215 litre	14,725 %	20675,1198 litre	O
700	CM	105	CM	42 LEVEL CM	3452,0008 litre	14,238 %	20793,2405 litre	O
700	CM	105	CM	41 LEVEL CM	3334,9302 litre	13,755 %	20910,3111 litre	O
700	CM	105	CM	40 LEVEL CM	3218,9360 litre	13,277 %	21026,3053 litre	O
700	CM	105	CM	39 LEVEL CM	3104,0455 litre	12,803 %	21141,1958 litre	O
700	CM	105	CM	38 LEVEL CM	2990,2864 litre	12,333 %	21254,9549 litre	O
700	CM	105	CM	37 LEVEL CM	2877,6877 litre	11,869 %	21367,5536 litre	O
700	CM	105	CM	36 LEVEL CM	2766,2790 litre	11,410 %	21478,9623 litre	O
700	CM	105	CM	35 LEVEL CM	2656,0909 litre	10,955 %	21589,1504 litre	O
700	CM	105	CM	34 LEVEL CM	2547,1551 litre	10,506 %	21698,0862 litre	O
700	CM	105	CM	33 LEVEL CM	2439,5043 litre	10,062 %	21805,7370 litre	O
700	CM	105	CM	32 LEVEL CM	2333,1726 litre	9,623 %	21912,0687 litre	O
700	CM	105	CM	31 LEVEL CM	2228,1951 litre	9,190 %	22017,0462 litre	O
700	CM	105	CM	30 LEVEL CM	2124,6085 litre	8,763 %	22120,6328 litre	O
700	CM	105	CM	29 LEVEL CM	2022,4509 litre	8,342 %	22222,7904 litre	O
700	CM	105	CM	28 LEVEL CM	1921,7621 litre	7,926 %	22323,4792 litre	O
700	CM	105	CM	27 LEVEL CM	1822,5835 litre	7,517 %	22422,6578 litre	O
700	CM	105	CM	26 LEVEL CM	1724,9586 litre	7,115 %	22520,2827 litre	O
700	CM	105	CM	25 LEVEL CM	1628,9330 litre	6,719 %	22616,3083 litre	O
700	CM	105	CM	24 LEVEL CM	1534,5544 litre	6,329 %	22710,6869 litre	O
700	CM	105	CM	23 LEVEL CM	1441,8733 litre	5,947 %	22803,3680 litre	O
700	CM	105	CM	22 LEVEL CM	1350,9430 litre	5,572 %	22894,2983 litre	O
700	CM	105	CM	21 LEVEL CM	1261,8198 litre	5,204 %	22983,4215 litre	O
700	CM	105	CM	20 LEVEL CM	1174,5636 litre	4,845 %	23070,6777 litre	O
700	CM	105	CM	19 LEVEL CM	1089,2382 litre	4,493 %	23156,0031 litre	O
700	CM	105	CM	18 LEVEL CM	1005,9118 litre	4,149 %	23239,3295 litre	O
700	CM	105	CM	17 LEVEL CM	924,6578 litre	3,814 %	23320,5835 litre	O
700	CM	105	CM	16 LEVEL CM	845,5552 litre	3,488 %	23399,6861 litre	O
700	CM	105	CM	15 LEVEL CM	768,6896 litre	3,170 %	23476,5517 litre	O
700	CM	105	CM	14 LEVEL CM	694,1546 litre	2,863 %	23551,0867 litre	O
700	CM	105	CM	13 LEVEL CM	622,0525 litre	2,566 %	23623,1888 litre	O
700	CM	105	CM	12 LEVEL CM	552,4966 litre	2,279 %	23692,7447 litre	O
700	CM	105	CM	11 LEVEL CM	485,6131 litre	2,003 %	23759,6282 litre	O
700	CM	105	CM	10 LEVEL CM	421,5440 litre	1,739 %	23823,6973 litre	O
700	CM	105	CM	9 LEVEL CM	360,4509 litre	1,487 %	23884,7904 litre	O
700	CM	105	CM	8 LEVEL CM	302,5205 litre	1,248 %	23942,7208 litre	O
700	CM	105	CM	7 LEVEL CM	247,9718 litre	1,023 %	23997,2695 litre	O
700	CM	105	CM	6 LEVEL CM	197,0677 litre	0,813 %	24048,1736 litre	O
700	CM	105	CM	5 LEVEL CM	150,1325 litre	0,619 %	24095,1088 litre	O
700	CM	105	CM	4 LEVEL CM	107,5819 litre	0,444 %	24137,6594 litre	O
700	CM	105	CM	3 LEVEL CM	69,9775 litre	0,289 %	24175,2638 litre	O
700	CM	105	CM	2 LEVEL CM	38,1458 litre	0,157 %	24207,0955 litre	O
700	CM	105	CM	1 LEVEL CM	13,5059 litre	0,056 %	24231,7354 litre	O
700	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	24245,2413 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM 100	CM 200	LEVEL CM 21991,1486 litre	100,000 %	0,0000 litre	O
700	CM 100	CM 199	LEVEL CM 21977,9691 litre	99,940 %	13,1795 litre	O
700	CM 100	CM 198	LEVEL CM 21953,9274 litre	99,831 %	37,2212 litre	O
700	CM 100	CM 197	LEVEL CM 21922,8723 litre	99,690 %	68,2763 litre	O
700	CM 100	CM 196	LEVEL CM 21886,1898 litre	99,523 %	104,9588 litre	O
700	CM 100	CM 195	LEVEL CM 21844,6874 litre	99,334 %	146,4612 litre	O
700	CM 100	CM 194	LEVEL CM 21798,9143 litre	99,126 %	192,2343 litre	O
700	CM 100	CM 193	LEVEL CM 21749,2767 litre	98,900 %	241,8719 litre	O
700	CM 100	CM 192	LEVEL CM 21696,0919 litre	98,658 %	295,0567 litre	O
700	CM 100	CM 191	LEVEL CM 21639,6173 litre	98,401 %	351,5313 litre	O
700	CM 100	CM 190	LEVEL CM 21580,0672 litre	98,131 %	411,0814 litre	O
700	CM 100	CM 189	LEVEL CM 21517,6245 litre	97,847 %	473,5241 litre	O
700	CM 100	CM 188	LEVEL CM 21452,4476 litre	97,550 %	538,7010 litre	O
700	CM 100	CM 187	LEVEL CM 21384,6755 litre	97,242 %	606,4731 litre	O
700	CM 100	CM 186	LEVEL CM 21314,4321 litre	96,923 %	676,7165 litre	O
700	CM 100	CM 185	LEVEL CM 21241,8283 litre	96,593 %	749,3203 litre	O
700	CM 100	CM 184	LEVEL CM 21166,9649 litre	96,252 %	824,1837 litre	O
700	CM 100	CM 183	LEVEL CM 21089,9334 litre	95,902 %	901,2152 litre	O
700	CM 100	CM 182	LEVEL CM 21010,8180 litre	95,542 %	980,3306 litre	O
700	CM 100	CM 181	LEVEL CM 20929,6965 litre	95,173 %	1061,4521 litre	O
700	CM 100	CM 180	LEVEL CM 20846,6408 litre	94,796 %	1144,5078 litre	O
700	CM 100	CM 179	LEVEL CM 20761,7181 litre	94,409 %	1229,4305 litre	O
700	CM 100	CM 178	LEVEL CM 20674,9912 litre	94,015 %	1316,1574 litre	O
700	CM 100	CM 177	LEVEL CM 20586,5189 litre	93,613 %	1404,6297 litre	O
700	CM 100	CM 176	LEVEL CM 20496,3568 litre	93,203 %	1494,7918 litre	O
700	CM 100	CM 175	LEVEL CM 20404,5574 litre	92,785 %	1586,5912 litre	O
700	CM 100	CM 174	LEVEL CM 20311,1704 litre	92,361 %	1679,9782 litre	O
700	CM 100	CM 173	LEVEL CM 20216,2429 litre	91,929 %	1774,9057 litre	O
700	CM 100	CM 172	LEVEL CM 20119,8198 litre	91,491 %	1871,3288 litre	O
700	CM 100	CM 171	LEVEL CM 20021,9441 litre	91,045 %	1969,2045 litre	O
700	CM 100	CM 170	LEVEL CM 19922,6567 litre	90,594 %	2068,4919 litre	O
700	CM 100	CM 169	LEVEL CM 19821,9969 litre	90,136 %	2169,1517 litre	O
700	CM 100	CM 168	LEVEL CM 19720,0024 litre	89,672 %	2271,1462 litre	O
700	CM 100	CM 167	LEVEL CM 19616,7093 litre	89,203 %	2374,4393 litre	O
700	CM 100	CM 166	LEVEL CM 19512,1527 litre	88,727 %	2478,9959 litre	O
700	CM 100	CM 165	LEVEL CM 19406,3660 litre	88,246 %	2584,7826 litre	O
700	CM 100	CM 164	LEVEL CM 19299,3817 litre	87,760 %	2691,7669 litre	O
700	CM 100	CM 163	LEVEL CM 19191,2313 litre	87,268 %	2799,9173 litre	O
700	CM 100	CM 162	LEVEL CM 19081,9451 litre	86,771 %	2909,2035 litre	O
700	CM 100	CM 161	LEVEL CM 18971,5525 litre	86,269 %	3019,5961 litre	O
700	CM 100	CM 160	LEVEL CM 18860,0820 litre	85,762 %	3131,0666 litre	O
700	CM 100	CM 159	LEVEL CM 18747,5616 litre	85,250 %	3243,5870 litre	O
700	CM 100	CM 158	LEVEL CM 18634,0180 litre	84,734 %	3357,1306 litre	O
700	CM 100	CM 157	LEVEL CM 18519,4776 litre	84,213 %	3471,6710 litre	O
700	CM 100	CM 156	LEVEL CM 18403,9659 litre	83,688 %	3587,1827 litre	O
700	CM 100	CM 155	LEVEL CM 18287,5079 litre	83,158 %	3703,6407 litre	O
700	CM 100	CM 154	LEVEL CM 18170,1278 litre	82,625 %	3821,0208 litre	O
700	CM 100	CM 153	LEVEL CM 18051,8495 litre	82,087 %	3939,2991 litre	O
700	CM 100	CM 152	LEVEL CM 17932,6961 litre	81,545 %	4058,4525 litre	O
700	CM 100	CM 151	LEVEL CM 17812,6904 litre	80,999 %	4178,4582 litre	O
700	CM 100	CM 150	LEVEL CM 17691,8546 litre	80,450 %	4299,2940 litre	O
700	CM 100	CM 149	LEVEL CM 17570,2105 litre	79,897 %	4420,9381 litre	O

700	CM	100	CM	148 LEVEL CM	17447,7794 litre	79,340 %	4543,3692 litre	O
700	CM	100	CM	147 LEVEL CM	17324,5822 litre	78,780 %	4666,5664 litre	O
700	CM	100	CM	146 LEVEL CM	17200,6396 litre	78,216 %	4790,5090 litre	O
700	CM	100	CM	145 LEVEL CM	17075,9716 litre	77,649 %	4915,1770 litre	O
700	CM	100	CM	144 LEVEL CM	16950,5981 litre	77,079 %	5040,5505 litre	O
700	CM	100	CM	143 LEVEL CM	16824,5387 litre	76,506 %	5166,6099 litre	O
700	CM	100	CM	142 LEVEL CM	16697,8124 litre	75,930 %	5293,3362 litre	O
700	CM	100	CM	141 LEVEL CM	16570,4382 litre	75,350 %	5420,7104 litre	O
700	CM	100	CM	140 LEVEL CM	16442,4346 litre	74,768 %	5548,7140 litre	O
700	CM	100	CM	139 LEVEL CM	16313,8200 litre	74,184 %	5677,3286 litre	O
700	CM	100	CM	138 LEVEL CM	16184,6124 litre	73,596 %	5806,5362 litre	O
700	CM	100	CM	137 LEVEL CM	16054,8297 litre	73,006 %	5936,3189 litre	O
700	CM	100	CM	136 LEVEL CM	15924,4893 litre	72,413 %	6066,6593 litre	O
700	CM	100	CM	135 LEVEL CM	15793,6088 litre	71,818 %	6197,5398 litre	O
700	CM	100	CM	134 LEVEL CM	15662,2051 litre	71,220 %	6328,9435 litre	O
700	CM	100	CM	133 LEVEL CM	15530,2953 litre	70,621 %	6460,8533 litre	O
700	CM	100	CM	132 LEVEL CM	15397,8960 litre	70,019 %	6593,2526 litre	O
700	CM	100	CM	131 LEVEL CM	15265,0238 litre	69,414 %	6726,1248 litre	O
700	CM	100	CM	130 LEVEL CM	15131,6952 litre	68,808 %	6859,4534 litre	O
700	CM	100	CM	129 LEVEL CM	14997,9262 litre	68,200 %	6993,2224 litre	O
700	CM	100	CM	128 LEVEL CM	14863,7331 litre	67,590 %	7127,4155 litre	O
700	CM	100	CM	127 LEVEL CM	14729,1315 litre	66,978 %	7262,0171 litre	O
700	CM	100	CM	126 LEVEL CM	14594,1374 litre	66,364 %	7397,0112 litre	O
700	CM	100	CM	125 LEVEL CM	14458,7663 litre	65,748 %	7532,3823 litre	O
700	CM	100	CM	124 LEVEL CM	14323,0337 litre	65,131 %	7668,1149 litre	O
700	CM	100	CM	123 LEVEL CM	14186,9550 litre	64,512 %	7804,1936 litre	O
700	CM	100	CM	122 LEVEL CM	14050,5454 litre	63,892 %	7940,6032 litre	O
700	CM	100	CM	121 LEVEL CM	13913,8200 litre	63,270 %	8077,3286 litre	O
700	CM	100	CM	120 LEVEL CM	13776,7940 litre	62,647 %	8214,3546 litre	O
700	CM	100	CM	119 LEVEL CM	13639,4822 litre	62,023 %	8351,6664 litre	O
700	CM	100	CM	118 LEVEL CM	13501,8994 litre	61,397 %	8489,2492 litre	O
700	CM	100	CM	117 LEVEL CM	13364,0604 litre	60,770 %	8627,0882 litre	O
700	CM	100	CM	116 LEVEL CM	13225,9799 litre	60,142 %	8765,1687 litre	O
700	CM	100	CM	115 LEVEL CM	13087,6725 litre	59,513 %	8903,4761 litre	O
700	CM	100	CM	114 LEVEL CM	12949,1527 litre	58,883 %	9041,9959 litre	O
700	CM	100	CM	113 LEVEL CM	12810,4349 litre	58,253 %	9180,7137 litre	O
700	CM	100	CM	112 LEVEL CM	12671,5335 litre	57,621 %	9319,6151 litre	O
700	CM	100	CM	111 LEVEL CM	12532,4630 litre	56,989 %	9458,6856 litre	O
700	CM	100	CM	110 LEVEL CM	12393,2374 litre	56,356 %	9597,9112 litre	O
700	CM	100	CM	109 LEVEL CM	12253,8712 litre	55,722 %	9737,2774 litre	O
700	CM	100	CM	108 LEVEL CM	12114,3785 litre	55,088 %	9876,7701 litre	O
700	CM	100	CM	107 LEVEL CM	11974,7734 litre	54,453 %	10016,3752 litre	O
700	CM	100	CM	106 LEVEL CM	11835,0700 litre	53,817 %	10156,0786 litre	O
700	CM	100	CM	105 LEVEL CM	11695,2825 litre	53,182 %	10295,8661 litre	O
700	CM	100	CM	104 LEVEL CM	11555,4249 litre	52,546 %	10435,7237 litre	O
700	CM	100	CM	103 LEVEL CM	11415,5113 litre	51,910 %	10575,6373 litre	O
700	CM	100	CM	102 LEVEL CM	11275,5556 litre	51,273 %	10715,5930 litre	O
700	CM	100	CM	101 LEVEL CM	11135,5720 litre	50,637 %	10855,5766 litre	O
700	CM	100	CM	100 LEVEL CM	10995,5743 litre	50,000 %	10995,5743 litre	O
700	CM	100	CM	99 LEVEL CM	10855,5766 litre	49,363 %	11135,5720 litre	O
700	CM	100	CM	98 LEVEL CM	10715,5930 litre	48,727 %	11275,5556 litre	O
700	CM	100	CM	97 LEVEL CM	10575,6373 litre	48,090 %	11415,5113 litre	O
700	CM	100	CM	96 LEVEL CM	10435,7237 litre	47,454 %	11555,4249 litre	O

700	CM	100	CM	95 LEVEL CM	10295,8661 litre	46,818 %	11695,2825 litre	O
700	CM	100	CM	94 LEVEL CM	10156,0786 litre	46,183 %	11835,0700 litre	O
700	CM	100	CM	93 LEVEL CM	10016,3752 litre	45,547 %	11974,7734 litre	O
700	CM	100	CM	92 LEVEL CM	9876,7701 litre	44,912 %	12114,3785 litre	O
700	CM	100	CM	91 LEVEL CM	9737,2774 litre	44,278 %	12253,8712 litre	O
700	CM	100	CM	90 LEVEL CM	9597,9111 litre	43,644 %	12393,2375 litre	O
700	CM	100	CM	89 LEVEL CM	9458,6856 litre	43,011 %	12532,4630 litre	O
700	CM	100	CM	88 LEVEL CM	9319,6150 litre	42,379 %	12671,5336 litre	O
700	CM	100	CM	87 LEVEL CM	9180,7137 litre	41,747 %	12810,4349 litre	O
700	CM	100	CM	86 LEVEL CM	9041,9959 litre	41,117 %	12949,1527 litre	O
700	CM	100	CM	85 LEVEL CM	8903,4761 litre	40,487 %	13087,6725 litre	O
700	CM	100	CM	84 LEVEL CM	8765,1687 litre	39,858 %	13225,9799 litre	O
700	CM	100	CM	83 LEVEL CM	8627,0882 litre	39,230 %	13364,0604 litre	O
700	CM	100	CM	82 LEVEL CM	8489,2492 litre	38,603 %	13501,8994 litre	O
700	CM	100	CM	81 LEVEL CM	8351,6664 litre	37,977 %	13639,4822 litre	O
700	CM	100	CM	80 LEVEL CM	8214,3546 litre	37,353 %	13776,7940 litre	O
700	CM	100	CM	79 LEVEL CM	8077,3285 litre	36,730 %	13913,8201 litre	O
700	CM	100	CM	78 LEVEL CM	7940,6032 litre	36,108 %	14050,5454 litre	O
700	CM	100	CM	77 LEVEL CM	7804,1936 litre	35,488 %	14186,9550 litre	O
700	CM	100	CM	76 LEVEL CM	7668,1149 litre	34,869 %	14323,0337 litre	O
700	CM	100	CM	75 LEVEL CM	7532,3823 litre	34,252 %	14458,7663 litre	O
700	CM	100	CM	74 LEVEL CM	7397,0112 litre	33,636 %	14594,1374 litre	O
700	CM	100	CM	73 LEVEL CM	7262,0171 litre	33,022 %	14729,1315 litre	O
700	CM	100	CM	72 LEVEL CM	7127,4155 litre	32,410 %	14863,7331 litre	O
700	CM	100	CM	71 LEVEL CM	6993,2223 litre	31,800 %	14997,9263 litre	O
700	CM	100	CM	70 LEVEL CM	6859,4534 litre	31,192 %	15131,6952 litre	O
700	CM	100	CM	69 LEVEL CM	6726,1247 litre	30,586 %	15265,0239 litre	O
700	CM	100	CM	68 LEVEL CM	6593,2526 litre	29,981 %	15397,8960 litre	O
700	CM	100	CM	67 LEVEL CM	6460,8533 litre	29,379 %	15530,2953 litre	O
700	CM	100	CM	66 LEVEL CM	6328,9435 litre	28,780 %	15662,2051 litre	O
700	CM	100	CM	65 LEVEL CM	6197,5398 litre	28,182 %	15793,6088 litre	O
700	CM	100	CM	64 LEVEL CM	6066,6592 litre	27,587 %	15924,4894 litre	O
700	CM	100	CM	63 LEVEL CM	5936,3189 litre	26,994 %	16054,8297 litre	O
700	CM	100	CM	62 LEVEL CM	5806,5362 litre	26,404 %	16184,6124 litre	O
700	CM	100	CM	61 LEVEL CM	5677,3286 litre	25,816 %	16313,8200 litre	O
700	CM	100	CM	60 LEVEL CM	5548,7140 litre	25,232 %	16442,4346 litre	O
700	CM	100	CM	59 LEVEL CM	5420,7104 litre	24,650 %	16570,4382 litre	O
700	CM	100	CM	58 LEVEL CM	5293,3362 litre	24,070 %	16697,8124 litre	O
700	CM	100	CM	57 LEVEL CM	5166,6099 litre	23,494 %	16824,5387 litre	O
700	CM	100	CM	56 LEVEL CM	5040,5504 litre	22,921 %	16950,5982 litre	O
700	CM	100	CM	55 LEVEL CM	4915,1770 litre	22,351 %	17075,9716 litre	O
700	CM	100	CM	54 LEVEL CM	4790,5090 litre	21,784 %	17200,6396 litre	O
700	CM	100	CM	53 LEVEL CM	4666,5663 litre	21,220 %	17324,5823 litre	O
700	CM	100	CM	52 LEVEL CM	4543,3692 litre	20,660 %	17447,7794 litre	O
700	CM	100	CM	51 LEVEL CM	4420,9381 litre	20,103 %	17570,2105 litre	O
700	CM	100	CM	50 LEVEL CM	4299,2939 litre	19,550 %	17691,8547 litre	O
700	CM	100	CM	49 LEVEL CM	4178,4581 litre	19,001 %	17812,6905 litre	O
700	CM	100	CM	48 LEVEL CM	4058,4524 litre	18,455 %	17932,6962 litre	O
700	CM	100	CM	47 LEVEL CM	3939,2991 litre	17,913 %	18051,8495 litre	O
700	CM	100	CM	46 LEVEL CM	3821,0208 litre	17,375 %	18170,1278 litre	O
700	CM	100	CM	45 LEVEL CM	3703,6407 litre	16,842 %	18287,5079 litre	O
700	CM	100	CM	44 LEVEL CM	3587,1827 litre	16,312 %	18403,9659 litre	O
700	CM	100	CM	43 LEVEL CM	3471,6710 litre	15,787 %	18519,4776 litre	O

700	CM	100	CM	42 LEVEL CM	3357,1306 litre	15,266 %	18634,0180 litre	O
700	CM	100	CM	41 LEVEL CM	3243,5870 litre	14,750 %	18747,5616 litre	O
700	CM	100	CM	40 LEVEL CM	3131,0665 litre	14,238 %	18860,0821 litre	O
700	CM	100	CM	39 LEVEL CM	3019,5961 litre	13,731 %	18971,5525 litre	O
700	CM	100	CM	38 LEVEL CM	2909,2035 litre	13,229 %	19081,9451 litre	O
700	CM	100	CM	37 LEVEL CM	2799,9173 litre	12,732 %	19191,2313 litre	O
700	CM	100	CM	36 LEVEL CM	2691,7668 litre	12,240 %	19299,3818 litre	O
700	CM	100	CM	35 LEVEL CM	2584,7826 litre	11,754 %	19406,3660 litre	O
700	CM	100	CM	34 LEVEL CM	2478,9959 litre	11,273 %	19512,1527 litre	O
700	CM	100	CM	33 LEVEL CM	2374,4392 litre	10,797 %	19616,7094 litre	O
700	CM	100	CM	32 LEVEL CM	2271,1462 litre	10,328 %	19720,0024 litre	O
700	CM	100	CM	31 LEVEL CM	2169,1517 litre	9,864 %	19821,9969 litre	O
700	CM	100	CM	30 LEVEL CM	2068,4919 litre	9,406 %	19922,6567 litre	O
700	CM	100	CM	29 LEVEL CM	1969,2045 litre	8,955 %	20021,9441 litre	O
700	CM	100	CM	28 LEVEL CM	1871,3288 litre	8,509 %	20119,8198 litre	O
700	CM	100	CM	27 LEVEL CM	1774,9057 litre	8,071 %	20216,2429 litre	O
700	CM	100	CM	26 LEVEL CM	1679,9782 litre	7,639 %	20311,1704 litre	O
700	CM	100	CM	25 LEVEL CM	1586,5911 litre	7,215 %	20404,5575 litre	O
700	CM	100	CM	24 LEVEL CM	1494,7917 litre	6,797 %	20496,3569 litre	O
700	CM	100	CM	23 LEVEL CM	1404,6297 litre	6,387 %	20586,5189 litre	O
700	CM	100	CM	22 LEVEL CM	1316,1574 litre	5,985 %	20674,9912 litre	O
700	CM	100	CM	21 LEVEL CM	1229,4305 litre	5,591 %	20761,7181 litre	O
700	CM	100	CM	20 LEVEL CM	1144,5078 litre	5,204 %	20846,6408 litre	O
700	CM	100	CM	19 LEVEL CM	1061,4521 litre	4,827 %	20929,6965 litre	O
700	CM	100	CM	18 LEVEL CM	980,3305 litre	4,458 %	21010,8181 litre	O
700	CM	100	CM	17 LEVEL CM	901,2152 litre	4,098 %	21089,9334 litre	O
700	CM	100	CM	16 LEVEL CM	824,1837 litre	3,748 %	21166,9649 litre	O
700	CM	100	CM	15 LEVEL CM	749,3202 litre	3,407 %	21241,8284 litre	O
700	CM	100	CM	14 LEVEL CM	676,7165 litre	3,077 %	21314,4321 litre	O
700	CM	100	CM	13 LEVEL CM	606,4731 litre	2,758 %	21384,6755 litre	O
700	CM	100	CM	12 LEVEL CM	538,7010 litre	2,450 %	21452,4476 litre	O
700	CM	100	CM	11 LEVEL CM	473,5240 litre	2,153 %	21517,6246 litre	O
700	CM	100	CM	10 LEVEL CM	411,0813 litre	1,869 %	21580,0673 litre	O
700	CM	100	CM	9 LEVEL CM	351,5313 litre	1,599 %	21639,6173 litre	O
700	CM	100	CM	8 LEVEL CM	295,0567 litre	1,342 %	21696,0919 litre	O
700	CM	100	CM	7 LEVEL CM	241,8719 litre	1,100 %	21749,2767 litre	O
700	CM	100	CM	6 LEVEL CM	192,2343 litre	0,874 %	21798,9143 litre	O
700	CM	100	CM	5 LEVEL CM	146,4612 litre	0,666 %	21844,6874 litre	O
700	CM	100	CM	4 LEVEL CM	104,9588 litre	0,477 %	21886,1898 litre	O
700	CM	100	CM	3 LEVEL CM	68,2762 litre	0,310 %	21922,8724 litre	O
700	CM	100	CM	2 LEVEL CM	37,2211 litre	0,169 %	21953,9275 litre	O
700	CM	100	CM	1 LEVEL CM	13,1795 litre	0,060 %	21977,9691 litre	O
700	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	21991,1486 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	95	CM	190 LEVEL CM	19847,0116 litre	100,000 %	0,0000 litre	O
700	CM	95	CM	189 LEVEL CM	19834,1668 litre	99,935 %	12,8448 litre	O
700	CM	95	CM	188 LEVEL CM	19810,7387 litre	99,817 %	36,2729 litre	O
700	CM	95	CM	187 LEVEL CM	19780,4801 litre	99,665 %	66,5315 litre	O
700	CM	95	CM	186 LEVEL CM	19744,7432 litre	99,485 %	102,2684 litre	O
700	CM	95	CM	185 LEVEL CM	19704,3162 litre	99,281 %	142,6954 litre	O
700	CM	95	CM	184 LEVEL CM	19659,7353 litre	99,056 %	187,2763 litre	O
700	CM	95	CM	183 LEVEL CM	19611,3974 litre	98,813 %	235,6142 litre	O
700	CM	95	CM	182 LEVEL CM	19559,6125 litre	98,552 %	287,3991 litre	O
700	CM	95	CM	181 LEVEL CM	19504,6322 litre	98,275 %	342,3794 litre	O
700	CM	95	CM	180 LEVEL CM	19446,6663 litre	97,983 %	400,3453 litre	O
700	CM	95	CM	179 LEVEL CM	19385,8936 litre	97,677 %	461,1180 litre	O
700	CM	95	CM	178 LEVEL CM	19322,4690 litre	97,357 %	524,5426 litre	O
700	CM	95	CM	177 LEVEL CM	19256,5290 litre	97,025 %	590,4826 litre	O
700	CM	95	CM	176 LEVEL CM	19188,1947 litre	96,681 %	658,8169 litre	O
700	CM	95	CM	175 LEVEL CM	19117,5751 litre	96,325 %	729,4365 litre	O
700	CM	95	CM	174 LEVEL CM	19044,7688 litre	95,958 %	802,2428 litre	O
700	CM	95	CM	173 LEVEL CM	18969,8657 litre	95,580 %	877,1459 litre	O
700	CM	95	CM	172 LEVEL CM	18892,9484 litre	95,193 %	954,0632 litre	O
700	CM	95	CM	171 LEVEL CM	18814,0933 litre	94,796 %	1032,9183 litre	O
700	CM	95	CM	170 LEVEL CM	18733,3712 litre	94,389 %	1113,6404 litre	O
700	CM	95	CM	169 LEVEL CM	18650,8479 litre	93,973 %	1196,1637 litre	O
700	CM	95	CM	168 LEVEL CM	18566,5853 litre	93,549 %	1280,4263 litre	O
700	CM	95	CM	167 LEVEL CM	18480,6414 litre	93,115 %	1366,3702 litre	O
700	CM	95	CM	166 LEVEL CM	18393,0708 litre	92,674 %	1453,9408 litre	O
700	CM	95	CM	165 LEVEL CM	18303,9252 litre	92,225 %	1543,0864 litre	O
700	CM	95	CM	164 LEVEL CM	18213,2534 litre	91,768 %	1633,7582 litre	O
700	CM	95	CM	163 LEVEL CM	18121,1022 litre	91,304 %	1725,9094 litre	O
700	CM	95	CM	162 LEVEL CM	18027,5158 litre	90,832 %	1819,4958 litre	O
700	CM	95	CM	161 LEVEL CM	17932,5365 litre	90,354 %	1914,4751 litre	O
700	CM	95	CM	160 LEVEL CM	17836,2048 litre	89,868 %	2010,8068 litre	O
700	CM	95	CM	159 LEVEL CM	17738,5594 litre	89,376 %	2108,4522 litre	O
700	CM	95	CM	158 LEVEL CM	17639,6378 litre	88,878 %	2207,3738 litre	O
700	CM	95	CM	157 LEVEL CM	17539,4756 litre	88,373 %	2307,5360 litre	O
700	CM	95	CM	156 LEVEL CM	17438,1074 litre	87,863 %	2408,9042 litre	O
700	CM	95	CM	155 LEVEL CM	17335,5665 litre	87,346 %	2511,4451 litre	O
700	CM	95	CM	154 LEVEL CM	17231,8851 litre	86,824 %	2615,1265 litre	O
700	CM	95	CM	153 LEVEL CM	17127,0942 litre	86,296 %	2719,9174 litre	O
700	CM	95	CM	152 LEVEL CM	17021,2240 litre	85,762 %	2825,7876 litre	O
700	CM	95	CM	151 LEVEL CM	16914,3038 litre	85,223 %	2932,7078 litre	O
700	CM	95	CM	150 LEVEL CM	16806,3619 litre	84,680 %	3040,6497 litre	O
700	CM	95	CM	149 LEVEL CM	16697,4258 litre	84,131 %	3149,5858 litre	O
700	CM	95	CM	148 LEVEL CM	16587,5224 litre	83,577 %	3259,4892 litre	O
700	CM	95	CM	147 LEVEL CM	16476,6779 litre	83,018 %	3370,3337 litre	O
700	CM	95	CM	146 LEVEL CM	16364,9176 litre	82,455 %	3482,0940 litre	O
700	CM	95	CM	145 LEVEL CM	16252,2665 litre	81,888 %	3594,7451 litre	O
700	CM	95	CM	144 LEVEL CM	16138,7487 litre	81,316 %	3708,2629 litre	O
700	CM	95	CM	143 LEVEL CM	16024,3880 litre	80,740 %	3822,6236 litre	O
700	CM	95	CM	142 LEVEL CM	15909,2075 litre	80,159 %	3937,8041 litre	O
700	CM	95	CM	141 LEVEL CM	15793,2301 litre	79,575 %	4053,7815 litre	O
700	CM	95	CM	140 LEVEL CM	15676,4778 litre	78,987 %	4170,5338 litre	O
700	CM	95	CM	139 LEVEL CM	15558,9725 litre	78,395 %	4288,0391 litre	O

700	CM	95	CM	138 LEVEL CM	15440,7355 litre	77,799 %	4406,2761 litre	O
700	CM	95	CM	137 LEVEL CM	15321,7878 litre	77,199 %	4525,2238 litre	O
700	CM	95	CM	136 LEVEL CM	15202,1501 litre	76,597 %	4644,8615 litre	O
700	CM	95	CM	135 LEVEL CM	15081,8425 litre	75,990 %	4765,1691 litre	O
700	CM	95	CM	134 LEVEL CM	14960,8850 litre	75,381 %	4886,1266 litre	O
700	CM	95	CM	133 LEVEL CM	14839,2972 litre	74,768 %	5007,7144 litre	O
700	CM	95	CM	132 LEVEL CM	14717,0984 litre	74,153 %	5129,9132 litre	O
700	CM	95	CM	131 LEVEL CM	14594,3075 litre	73,534 %	5252,7041 litre	O
700	CM	95	CM	130 LEVEL CM	14470,9433 litre	72,912 %	5376,0683 litre	O
700	CM	95	CM	129 LEVEL CM	14347,0243 litre	72,288 %	5499,9873 litre	O
700	CM	95	CM	128 LEVEL CM	14222,5687 litre	71,661 %	5624,4429 litre	O
700	CM	95	CM	127 LEVEL CM	14097,5944 litre	71,031 %	5749,4172 litre	O
700	CM	95	CM	126 LEVEL CM	13972,1193 litre	70,399 %	5874,8923 litre	O
700	CM	95	CM	125 LEVEL CM	13846,1609 litre	69,764 %	6000,8507 litre	O
700	CM	95	CM	124 LEVEL CM	13719,7365 litre	69,127 %	6127,2751 litre	O
700	CM	95	CM	123 LEVEL CM	13592,8633 litre	68,488 %	6254,1483 litre	O
700	CM	95	CM	122 LEVEL CM	13465,5582 litre	67,847 %	6381,4534 litre	O
700	CM	95	CM	121 LEVEL CM	13337,8382 litre	67,203 %	6509,1734 litre	O
700	CM	95	CM	120 LEVEL CM	13209,7197 litre	66,558 %	6637,2919 litre	O
700	CM	95	CM	119 LEVEL CM	13081,2194 litre	65,910 %	6765,7922 litre	O
700	CM	95	CM	118 LEVEL CM	12952,3535 litre	65,261 %	6894,6581 litre	O
700	CM	95	CM	117 LEVEL CM	12823,1383 litre	64,610 %	7023,8733 litre	O
700	CM	95	CM	116 LEVEL CM	12693,5898 litre	63,957 %	7153,4218 litre	O
700	CM	95	CM	115 LEVEL CM	12563,7239 litre	63,303 %	7283,2877 litre	O
700	CM	95	CM	114 LEVEL CM	12433,5566 litre	62,647 %	7413,4550 litre	O
700	CM	95	CM	113 LEVEL CM	12303,1034 litre	61,990 %	7543,9082 litre	O
700	CM	95	CM	112 LEVEL CM	12172,3801 litre	61,331 %	7674,6315 litre	O
700	CM	95	CM	111 LEVEL CM	12041,4022 litre	60,671 %	7805,6094 litre	O
700	CM	95	CM	110 LEVEL CM	11910,1850 litre	60,010 %	7936,8266 litre	O
700	CM	95	CM	109 LEVEL CM	11778,7440 litre	59,348 %	8068,2676 litre	O
700	CM	95	CM	108 LEVEL CM	11647,0944 litre	58,684 %	8199,9172 litre	O
700	CM	95	CM	107 LEVEL CM	11515,2514 litre	58,020 %	8331,7602 litre	O
700	CM	95	CM	106 LEVEL CM	11383,2301 litre	57,355 %	8463,7815 litre	O
700	CM	95	CM	105 LEVEL CM	11251,0456 litre	56,689 %	8595,9660 litre	O
700	CM	95	CM	104 LEVEL CM	11118,7128 litre	56,022 %	8728,2988 litre	O
700	CM	95	CM	103 LEVEL CM	10986,2469 litre	55,355 %	8860,7647 litre	O
700	CM	95	CM	102 LEVEL CM	10853,6627 litre	54,687 %	8993,3489 litre	O
700	CM	95	CM	101 LEVEL CM	10720,9750 litre	54,018 %	9126,0366 litre	O
700	CM	95	CM	100 LEVEL CM	10588,1986 litre	53,349 %	9258,8130 litre	O
700	CM	95	CM	99 LEVEL CM	10455,3486 litre	52,680 %	9391,6630 litre	O
700	CM	95	CM	98 LEVEL CM	10322,4395 litre	52,010 %	9524,5721 litre	O
700	CM	95	CM	97 LEVEL CM	10189,4861 litre	51,340 %	9657,5255 litre	O
700	CM	95	CM	96 LEVEL CM	10056,5033 litre	50,670 %	9790,5083 litre	O
700	CM	95	CM	95 LEVEL CM	9923,5058 litre	50,000 %	9923,5058 litre	O
700	CM	95	CM	94 LEVEL CM	9790,5083 litre	49,330 %	10056,5033 litre	O
700	CM	95	CM	93 LEVEL CM	9657,5254 litre	48,660 %	10189,4862 litre	O
700	CM	95	CM	92 LEVEL CM	9524,5721 litre	47,990 %	10322,4395 litre	O
700	CM	95	CM	91 LEVEL CM	9391,6630 litre	47,320 %	10455,3486 litre	O
700	CM	95	CM	90 LEVEL CM	9258,8129 litre	46,651 %	10588,1987 litre	O
700	CM	95	CM	89 LEVEL CM	9126,0366 litre	45,982 %	10720,9750 litre	O
700	CM	95	CM	88 LEVEL CM	8993,3489 litre	45,313 %	10853,6627 litre	O
700	CM	95	CM	87 LEVEL CM	8860,7647 litre	44,645 %	10986,2469 litre	O
700	CM	95	CM	86 LEVEL CM	8728,2987 litre	43,978 %	11118,7129 litre	O

700	CM	95	CM	85 LEVEL CM	8595,9660 litre	43,311 %	11251,0456 litre	O
700	CM	95	CM	84 LEVEL CM	8463,7815 litre	42,645 %	11383,2301 litre	O
700	CM	95	CM	83 LEVEL CM	8331,7602 litre	41,980 %	11515,2514 litre	O
700	CM	95	CM	82 LEVEL CM	8199,9172 litre	41,316 %	11647,0944 litre	O
700	CM	95	CM	81 LEVEL CM	8068,2676 litre	40,652 %	11778,7440 litre	O
700	CM	95	CM	80 LEVEL CM	7936,8265 litre	39,990 %	11910,1851 litre	O
700	CM	95	CM	79 LEVEL CM	7805,6094 litre	39,329 %	12041,4022 litre	O
700	CM	95	CM	78 LEVEL CM	7674,6314 litre	38,669 %	12172,3802 litre	O
700	CM	95	CM	77 LEVEL CM	7543,9081 litre	38,010 %	12303,1035 litre	O
700	CM	95	CM	76 LEVEL CM	7413,4550 litre	37,353 %	12433,5566 litre	O
700	CM	95	CM	75 LEVEL CM	7283,2877 litre	36,697 %	12563,7239 litre	O
700	CM	95	CM	74 LEVEL CM	7153,4218 litre	36,043 %	12693,5898 litre	O
700	CM	95	CM	73 LEVEL CM	7023,8733 litre	35,390 %	12823,1383 litre	O
700	CM	95	CM	72 LEVEL CM	6894,6581 litre	34,739 %	12952,3535 litre	O
700	CM	95	CM	71 LEVEL CM	6765,7922 litre	34,090 %	13081,2194 litre	O
700	CM	95	CM	70 LEVEL CM	6637,2918 litre	33,442 %	13209,7198 litre	O
700	CM	95	CM	69 LEVEL CM	6509,1734 litre	32,797 %	13337,8382 litre	O
700	CM	95	CM	68 LEVEL CM	6381,4534 litre	32,153 %	13465,5582 litre	O
700	CM	95	CM	67 LEVEL CM	6254,1483 litre	31,512 %	13592,8633 litre	O
700	CM	95	CM	66 LEVEL CM	6127,2751 litre	30,873 %	13719,7365 litre	O
700	CM	95	CM	65 LEVEL CM	6000,8507 litre	30,236 %	13846,1609 litre	O
700	CM	95	CM	64 LEVEL CM	5874,8923 litre	29,601 %	13972,1193 litre	O
700	CM	95	CM	63 LEVEL CM	5749,4172 litre	28,969 %	14097,5944 litre	O
700	CM	95	CM	62 LEVEL CM	5624,4429 litre	28,339 %	14222,5687 litre	O
700	CM	95	CM	61 LEVEL CM	5499,9873 litre	27,712 %	14347,0243 litre	O
700	CM	95	CM	60 LEVEL CM	5376,0683 litre	27,088 %	14470,9433 litre	O
700	CM	95	CM	59 LEVEL CM	5252,7041 litre	26,466 %	14594,3075 litre	O
700	CM	95	CM	58 LEVEL CM	5129,9132 litre	25,847 %	14717,0984 litre	O
700	CM	95	CM	57 LEVEL CM	5007,7144 litre	25,232 %	14839,2972 litre	O
700	CM	95	CM	56 LEVEL CM	4886,1266 litre	24,619 %	14960,8850 litre	O
700	CM	95	CM	55 LEVEL CM	4765,1691 litre	24,010 %	15081,8425 litre	O
700	CM	95	CM	54 LEVEL CM	4644,8615 litre	23,403 %	15202,1501 litre	O
700	CM	95	CM	53 LEVEL CM	4525,2238 litre	22,801 %	15321,7878 litre	O
700	CM	95	CM	52 LEVEL CM	4406,2761 litre	22,201 %	15440,7355 litre	O
700	CM	95	CM	51 LEVEL CM	4288,0391 litre	21,605 %	15558,9725 litre	O
700	CM	95	CM	50 LEVEL CM	4170,5338 litre	21,013 %	15676,4778 litre	O
700	CM	95	CM	49 LEVEL CM	4053,7815 litre	20,425 %	15793,2301 litre	O
700	CM	95	CM	48 LEVEL CM	3937,8040 litre	19,841 %	15909,2076 litre	O
700	CM	95	CM	47 LEVEL CM	3822,6236 litre	19,260 %	16024,3880 litre	O
700	CM	95	CM	46 LEVEL CM	3708,2629 litre	18,684 %	16138,7487 litre	O
700	CM	95	CM	45 LEVEL CM	3594,7451 litre	18,112 %	16252,2665 litre	O
700	CM	95	CM	44 LEVEL CM	3482,0940 litre	17,545 %	16364,9176 litre	O
700	CM	95	CM	43 LEVEL CM	3370,3337 litre	16,982 %	16476,6779 litre	O
700	CM	95	CM	42 LEVEL CM	3259,4892 litre	16,423 %	16587,5224 litre	O
700	CM	95	CM	41 LEVEL CM	3149,5858 litre	15,869 %	16697,4258 litre	O
700	CM	95	CM	40 LEVEL CM	3040,6497 litre	15,320 %	16806,3619 litre	O
700	CM	95	CM	39 LEVEL CM	2932,7078 litre	14,777 %	16914,3038 litre	O
700	CM	95	CM	38 LEVEL CM	2825,7875 litre	14,238 %	17021,2241 litre	O
700	CM	95	CM	37 LEVEL CM	2719,9174 litre	13,704 %	17127,0942 litre	O
700	CM	95	CM	36 LEVEL CM	2615,1265 litre	13,176 %	17231,8851 litre	O
700	CM	95	CM	35 LEVEL CM	2511,4451 litre	12,654 %	17335,5665 litre	O
700	CM	95	CM	34 LEVEL CM	2408,9042 litre	12,137 %	17438,1074 litre	O
700	CM	95	CM	33 LEVEL CM	2307,5360 litre	11,627 %	17539,4756 litre	O

700	CM	95	CM	32 LEVEL CM	2207,3738 litre	11,122 %	17639,6378 litre	O
700	CM	95	CM	31 LEVEL CM	2108,4521 litre	10,624 %	17738,5595 litre	O
700	CM	95	CM	30 LEVEL CM	2010,8068 litre	10,132 %	17836,2048 litre	O
700	CM	95	CM	29 LEVEL CM	1914,4751 litre	9,646 %	17932,5365 litre	O
700	CM	95	CM	28 LEVEL CM	1819,4958 litre	9,168 %	18027,5158 litre	O
700	CM	95	CM	27 LEVEL CM	1725,9094 litre	8,696 %	18121,1022 litre	O
700	CM	95	CM	26 LEVEL CM	1633,7581 litre	8,232 %	18213,2535 litre	O
700	CM	95	CM	25 LEVEL CM	1543,0864 litre	7,775 %	18303,9252 litre	O
700	CM	95	CM	24 LEVEL CM	1453,9408 litre	7,326 %	18393,0708 litre	O
700	CM	95	CM	23 LEVEL CM	1366,3702 litre	6,885 %	18480,6414 litre	O
700	CM	95	CM	22 LEVEL CM	1280,4262 litre	6,451 %	18566,5854 litre	O
700	CM	95	CM	21 LEVEL CM	1196,1637 litre	6,027 %	18650,8479 litre	O
700	CM	95	CM	20 LEVEL CM	1113,6404 litre	5,611 %	18733,3712 litre	O
700	CM	95	CM	19 LEVEL CM	1032,9183 litre	5,204 %	18814,0933 litre	O
700	CM	95	CM	18 LEVEL CM	954,0632 litre	4,807 %	18892,9484 litre	O
700	CM	95	CM	17 LEVEL CM	877,1459 litre	4,420 %	18969,8657 litre	O
700	CM	95	CM	16 LEVEL CM	802,2428 litre	4,042 %	19044,7688 litre	O
700	CM	95	CM	15 LEVEL CM	729,4365 litre	3,675 %	19117,5751 litre	O
700	CM	95	CM	14 LEVEL CM	658,8168 litre	3,319 %	19188,1948 litre	O
700	CM	95	CM	13 LEVEL CM	590,4826 litre	2,975 %	19256,5290 litre	O
700	CM	95	CM	12 LEVEL CM	524,5426 litre	2,643 %	19322,4690 litre	O
700	CM	95	CM	11 LEVEL CM	461,1180 litre	2,323 %	19385,8936 litre	O
700	CM	95	CM	10 LEVEL CM	400,3453 litre	2,017 %	19446,6663 litre	O
700	CM	95	CM	9 LEVEL CM	342,3793 litre	1,725 %	19504,6323 litre	O
700	CM	95	CM	8 LEVEL CM	287,3990 litre	1,448 %	19559,6126 litre	O
700	CM	95	CM	7 LEVEL CM	235,6142 litre	1,187 %	19611,3974 litre	O
700	CM	95	CM	6 LEVEL CM	187,2763 litre	0,944 %	19659,7353 litre	O
700	CM	95	CM	5 LEVEL CM	142,6954 litre	0,719 %	19704,3162 litre	O
700	CM	95	CM	4 LEVEL CM	102,2684 litre	0,515 %	19744,7432 litre	O
700	CM	95	CM	3 LEVEL CM	66,5315 litre	0,335 %	19780,4801 litre	O
700	CM	95	CM	2 LEVEL CM	36,2729 litre	0,183 %	19810,7387 litre	O
700	CM	95	CM	1 LEVEL CM	12,8448 litre	0,065 %	19834,1668 litre	O
700	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	19847,0116 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	90	CM	180 LEVEL CM	17812,8303 litre	100,000 %	0,0000 litre	O
700	CM	90	CM	179 LEVEL CM	17800,3293 litre	99,930 %	12,5010 litre	O
700	CM	90	CM	178 LEVEL CM	17777,5311 litre	99,802 %	35,2992 litre	O
700	CM	90	CM	177 LEVEL CM	17748,0905 litre	99,637 %	64,7398 litre	O
700	CM	90	CM	176 LEVEL CM	17713,3250 litre	99,441 %	99,5053 litre	O
700	CM	90	CM	175 LEVEL CM	17674,0029 litre	99,221 %	138,8274 litre	O
700	CM	90	CM	174 LEVEL CM	17630,6470 litre	98,977 %	182,1833 litre	O
700	CM	90	CM	173 LEVEL CM	17583,6447 litre	98,713 %	229,1856 litre	O
700	CM	90	CM	172 LEVEL CM	17533,2986 litre	98,431 %	279,5317 litre	O
700	CM	90	CM	171 LEVEL CM	17479,8545 litre	98,131 %	332,9758 litre	O
700	CM	90	CM	170 LEVEL CM	17423,5171 litre	97,814 %	389,3132 litre	O
700	CM	90	CM	169 LEVEL CM	17364,4615 litre	97,483 %	448,3688 litre	O
700	CM	90	CM	168 LEVEL CM	17302,8392 litre	97,137 %	509,9911 litre	O
700	CM	90	CM	167 LEVEL CM	17238,7836 litre	96,777 %	574,0467 litre	O
700	CM	90	CM	166 LEVEL CM	17172,4135 litre	96,405 %	640,4168 litre	O
700	CM	90	CM	165 LEVEL CM	17103,8353 litre	96,020 %	708,9950 litre	O
700	CM	90	CM	164 LEVEL CM	17033,1459 litre	95,623 %	779,6844 litre	O
700	CM	90	CM	163 LEVEL CM	16960,4335 litre	95,215 %	852,3968 litre	O
700	CM	90	CM	162 LEVEL CM	16885,7791 litre	94,796 %	927,0512 litre	O
700	CM	90	CM	161 LEVEL CM	16809,2575 litre	94,366 %	1003,5728 litre	O
700	CM	90	CM	160 LEVEL CM	16730,9384 litre	93,926 %	1081,8919 litre	O
700	CM	90	CM	159 LEVEL CM	16650,8865 litre	93,477 %	1161,9438 litre	O
700	CM	90	CM	158 LEVEL CM	16569,1625 litre	93,018 %	1243,6678 litre	O
700	CM	90	CM	157 LEVEL CM	16485,8236 litre	92,550 %	1327,0067 litre	O
700	CM	90	CM	156 LEVEL CM	16400,9235 litre	92,074 %	1411,9068 litre	O
700	CM	90	CM	155 LEVEL CM	16314,5131 litre	91,589 %	1498,3172 litre	O
700	CM	90	CM	154 LEVEL CM	16226,6406 litre	91,095 %	1586,1897 litre	O
700	CM	90	CM	153 LEVEL CM	16137,3519 litre	90,594 %	1675,4784 litre	O
700	CM	90	CM	152 LEVEL CM	16046,6908 litre	90,085 %	1766,1395 litre	O
700	CM	90	CM	151 LEVEL CM	15954,6991 litre	89,569 %	1858,1312 litre	O
700	CM	90	CM	150 LEVEL CM	15861,4166 litre	89,045 %	1951,4137 litre	O
700	CM	90	CM	149 LEVEL CM	15766,8819 litre	88,514 %	2045,9484 litre	O
700	CM	90	CM	148 LEVEL CM	15671,1316 litre	87,977 %	2141,6987 litre	O
700	CM	90	CM	147 LEVEL CM	15574,2014 litre	87,432 %	2238,6289 litre	O
700	CM	90	CM	146 LEVEL CM	15476,1253 litre	86,882 %	2336,7050 litre	O
700	CM	90	CM	145 LEVEL CM	15376,9364 litre	86,325 %	2435,8939 litre	O
700	CM	90	CM	144 LEVEL CM	15276,6665 litre	85,762 %	2536,1638 litre	O
700	CM	90	CM	143 LEVEL CM	15175,3465 litre	85,193 %	2637,4838 litre	O
700	CM	90	CM	142 LEVEL CM	15073,0064 litre	84,619 %	2739,8239 litre	O
700	CM	90	CM	141 LEVEL CM	14969,6751 litre	84,039 %	2843,1552 litre	O
700	CM	90	CM	140 LEVEL CM	14865,3809 litre	83,453 %	2947,4494 litre	O
700	CM	90	CM	139 LEVEL CM	14760,1513 litre	82,862 %	3052,6790 litre	O
700	CM	90	CM	138 LEVEL CM	14654,0129 litre	82,267 %	3158,8174 litre	O
700	CM	90	CM	137 LEVEL CM	14546,9918 litre	81,666 %	3265,8385 litre	O
700	CM	90	CM	136 LEVEL CM	14439,1133 litre	81,060 %	3373,7170 litre	O
700	CM	90	CM	135 LEVEL CM	14330,4023 litre	80,450 %	3482,4280 litre	O
700	CM	90	CM	134 LEVEL CM	14220,8829 litre	79,835 %	3591,9474 litre	O
700	CM	90	CM	133 LEVEL CM	14110,5789 litre	79,216 %	3702,2514 litre	O
700	CM	90	CM	132 LEVEL CM	13999,5134 litre	78,592 %	3813,3169 litre	O
700	CM	90	CM	131 LEVEL CM	13887,7092 litre	77,965 %	3925,1211 litre	O
700	CM	90	CM	130 LEVEL CM	13775,1885 litre	77,333 %	4037,6418 litre	O
700	CM	90	CM	129 LEVEL CM	13661,9732 litre	76,697 %	4150,8571 litre	O

700	CM	90	CM	128 LEVEL CM	13548,0847 litre	76,058 %	4264,7456 litre	O
700	CM	90	CM	127 LEVEL CM	13433,5440 litre	75,415 %	4379,2863 litre	O
700	CM	90	CM	126 LEVEL CM	13318,3720 litre	74,768 %	4494,4583 litre	O
700	CM	90	CM	125 LEVEL CM	13202,5890 litre	74,118 %	4610,2413 litre	O
700	CM	90	CM	124 LEVEL CM	13086,2149 litre	73,465 %	4726,6154 litre	O
700	CM	90	CM	123 LEVEL CM	12969,2696 litre	72,809 %	4843,5607 litre	O
700	CM	90	CM	122 LEVEL CM	12851,7726 litre	72,149 %	4961,0577 litre	O
700	CM	90	CM	121 LEVEL CM	12733,7429 litre	71,486 %	5079,0874 litre	O
700	CM	90	CM	120 LEVEL CM	12615,1995 litre	70,821 %	5197,6308 litre	O
700	CM	90	CM	119 LEVEL CM	12496,1612 litre	70,153 %	5316,6691 litre	O
700	CM	90	CM	118 LEVEL CM	12376,6463 litre	69,482 %	5436,1840 litre	O
700	CM	90	CM	117 LEVEL CM	12256,6731 litre	68,808 %	5556,1572 litre	O
700	CM	90	CM	116 LEVEL CM	12136,2596 litre	68,132 %	5676,5707 litre	O
700	CM	90	CM	115 LEVEL CM	12015,4236 litre	67,454 %	5797,4067 litre	O
700	CM	90	CM	114 LEVEL CM	11894,1828 litre	66,773 %	5918,6475 litre	O
700	CM	90	CM	113 LEVEL CM	11772,5546 litre	66,090 %	6040,2757 litre	O
700	CM	90	CM	112 LEVEL CM	11650,5564 litre	65,405 %	6162,2739 litre	O
700	CM	90	CM	111 LEVEL CM	11528,2052 litre	64,719 %	6284,6251 litre	O
700	CM	90	CM	110 LEVEL CM	11405,5180 litre	64,030 %	6407,3123 litre	O
700	CM	90	CM	109 LEVEL CM	11282,5118 litre	63,339 %	6530,3185 litre	O
700	CM	90	CM	108 LEVEL CM	11159,2031 litre	62,647 %	6653,6272 litre	O
700	CM	90	CM	107 LEVEL CM	11035,6087 litre	61,953 %	6777,2216 litre	O
700	CM	90	CM	106 LEVEL CM	10911,7450 litre	61,258 %	6901,0853 litre	O
700	CM	90	CM	105 LEVEL CM	10787,6283 litre	60,561 %	7025,2020 litre	O
700	CM	90	CM	104 LEVEL CM	10663,2751 litre	59,863 %	7149,5552 litre	O
700	CM	90	CM	103 LEVEL CM	10538,7013 litre	59,164 %	7274,1290 litre	O
700	CM	90	CM	102 LEVEL CM	10413,9231 litre	58,463 %	7398,9072 litre	O
700	CM	90	CM	101 LEVEL CM	10288,9567 litre	57,761 %	7523,8736 litre	O
700	CM	90	CM	100 LEVEL CM	10163,8178 litre	57,059 %	7649,0125 litre	O
700	CM	90	CM	99 LEVEL CM	10038,5223 litre	56,356 %	7774,3080 litre	O
700	CM	90	CM	98 LEVEL CM	9913,0862 litre	55,651 %	7899,7441 litre	O
700	CM	90	CM	97 LEVEL CM	9787,5251 litre	54,946 %	8025,3052 litre	O
700	CM	90	CM	96 LEVEL CM	9661,8548 litre	54,241 %	8150,9755 litre	O
700	CM	90	CM	95 LEVEL CM	9536,0909 litre	53,535 %	8276,7394 litre	O
700	CM	90	CM	94 LEVEL CM	9410,2492 litre	52,828 %	8402,5811 litre	O
700	CM	90	CM	93 LEVEL CM	9284,3452 litre	52,122 %	8528,4851 litre	O
700	CM	90	CM	92 LEVEL CM	9158,3944 litre	51,415 %	8654,4359 litre	O
700	CM	90	CM	91 LEVEL CM	9032,4126 litre	50,707 %	8780,4177 litre	O
700	CM	90	CM	90 LEVEL CM	8906,4152 litre	50,000 %	8906,4151 litre	O
700	CM	90	CM	89 LEVEL CM	8780,4178 litre	49,293 %	9032,4125 litre	O
700	CM	90	CM	88 LEVEL CM	8654,4359 litre	48,585 %	9158,3944 litre	O
700	CM	90	CM	87 LEVEL CM	8528,4852 litre	47,878 %	9284,3451 litre	O
700	CM	90	CM	86 LEVEL CM	8402,5811 litre	47,172 %	9410,2492 litre	O
700	CM	90	CM	85 LEVEL CM	8276,7394 litre	46,465 %	9536,0909 litre	O
700	CM	90	CM	84 LEVEL CM	8150,9755 litre	45,759 %	9661,8548 litre	O
700	CM	90	CM	83 LEVEL CM	8025,3052 litre	45,054 %	9787,5251 litre	O
700	CM	90	CM	82 LEVEL CM	7899,7442 litre	44,349 %	9913,0861 litre	O
700	CM	90	CM	81 LEVEL CM	7774,3080 litre	43,644 %	10038,5223 litre	O
700	CM	90	CM	80 LEVEL CM	7649,0126 litre	42,941 %	10163,8177 litre	O
700	CM	90	CM	79 LEVEL CM	7523,8737 litre	42,239 %	10288,9566 litre	O
700	CM	90	CM	78 LEVEL CM	7398,9072 litre	41,537 %	10413,9231 litre	O
700	CM	90	CM	77 LEVEL CM	7274,1291 litre	40,836 %	10538,7012 litre	O
700	CM	90	CM	76 LEVEL CM	7149,5553 litre	40,137 %	10663,2750 litre	O

700	CM	90	CM	75 LEVEL CM	7025,2020 litre	39,439 %	10787,6283 litre	O
700	CM	90	CM	74 LEVEL CM	6901,0854 litre	38,742 %	10911,7449 litre	O
700	CM	90	CM	73 LEVEL CM	6777,2216 litre	38,047 %	11035,6087 litre	O
700	CM	90	CM	72 LEVEL CM	6653,6272 litre	37,353 %	11159,2031 litre	O
700	CM	90	CM	71 LEVEL CM	6530,3186 litre	36,661 %	11282,5117 litre	O
700	CM	90	CM	70 LEVEL CM	6407,3123 litre	35,970 %	11405,5180 litre	O
700	CM	90	CM	69 LEVEL CM	6284,6252 litre	35,281 %	11528,2051 litre	O
700	CM	90	CM	68 LEVEL CM	6162,2740 litre	34,595 %	11650,5563 litre	O
700	CM	90	CM	67 LEVEL CM	6040,2757 litre	33,910 %	11772,5546 litre	O
700	CM	90	CM	66 LEVEL CM	5918,6475 litre	33,227 %	11894,1828 litre	O
700	CM	90	CM	65 LEVEL CM	5797,4067 litre	32,546 %	12015,4236 litre	O
700	CM	90	CM	64 LEVEL CM	5676,5707 litre	31,868 %	12136,2596 litre	O
700	CM	90	CM	63 LEVEL CM	5556,1572 litre	31,192 %	12256,6731 litre	O
700	CM	90	CM	62 LEVEL CM	5436,1840 litre	30,518 %	12376,6463 litre	O
700	CM	90	CM	61 LEVEL CM	5316,6692 litre	29,847 %	12496,1611 litre	O
700	CM	90	CM	60 LEVEL CM	5197,6308 litre	29,179 %	12615,1995 litre	O
700	CM	90	CM	59 LEVEL CM	5079,0875 litre	28,514 %	12733,7428 litre	O
700	CM	90	CM	58 LEVEL CM	4961,0578 litre	27,851 %	12851,7725 litre	O
700	CM	90	CM	57 LEVEL CM	4843,5607 litre	27,191 %	12969,2696 litre	O
700	CM	90	CM	56 LEVEL CM	4726,6154 litre	26,535 %	13086,2149 litre	O
700	CM	90	CM	55 LEVEL CM	4610,2414 litre	25,882 %	13202,5889 litre	O
700	CM	90	CM	54 LEVEL CM	4494,4583 litre	25,232 %	13318,3720 litre	O
700	CM	90	CM	53 LEVEL CM	4379,2863 litre	24,585 %	13433,5440 litre	O
700	CM	90	CM	52 LEVEL CM	4264,7457 litre	23,942 %	13548,0846 litre	O
700	CM	90	CM	51 LEVEL CM	4150,8572 litre	23,303 %	13661,9731 litre	O
700	CM	90	CM	50 LEVEL CM	4037,6419 litre	22,667 %	13775,1884 litre	O
700	CM	90	CM	49 LEVEL CM	3925,1212 litre	22,035 %	13887,7091 litre	O
700	CM	90	CM	48 LEVEL CM	3813,3170 litre	21,408 %	13999,5133 litre	O
700	CM	90	CM	47 LEVEL CM	3702,2515 litre	20,784 %	14110,5788 litre	O
700	CM	90	CM	46 LEVEL CM	3591,9475 litre	20,165 %	14220,8828 litre	O
700	CM	90	CM	45 LEVEL CM	3482,4281 litre	19,550 %	14330,4022 litre	O
700	CM	90	CM	44 LEVEL CM	3373,7171 litre	18,940 %	14439,1132 litre	O
700	CM	90	CM	43 LEVEL CM	3265,8386 litre	18,334 %	14546,9917 litre	O
700	CM	90	CM	42 LEVEL CM	3158,8174 litre	17,733 %	14654,0129 litre	O
700	CM	90	CM	41 LEVEL CM	3052,6790 litre	17,138 %	14760,1513 litre	O
700	CM	90	CM	40 LEVEL CM	2947,4494 litre	16,547 %	14865,3809 litre	O
700	CM	90	CM	39 LEVEL CM	2843,1552 litre	15,961 %	14969,6751 litre	O
700	CM	90	CM	38 LEVEL CM	2739,8240 litre	15,381 %	15073,0063 litre	O
700	CM	90	CM	37 LEVEL CM	2637,4839 litre	14,807 %	15175,3464 litre	O
700	CM	90	CM	36 LEVEL CM	2536,1639 litre	14,238 %	15276,6664 litre	O
700	CM	90	CM	35 LEVEL CM	2435,8940 litre	13,675 %	15376,9363 litre	O
700	CM	90	CM	34 LEVEL CM	2336,7050 litre	13,118 %	15476,1253 litre	O
700	CM	90	CM	33 LEVEL CM	2238,6290 litre	12,568 %	15574,2013 litre	O
700	CM	90	CM	32 LEVEL CM	2141,6987 litre	12,023 %	15671,1316 litre	O
700	CM	90	CM	31 LEVEL CM	2045,9485 litre	11,486 %	15766,8818 litre	O
700	CM	90	CM	30 LEVEL CM	1951,4137 litre	10,955 %	15861,4166 litre	O
700	CM	90	CM	29 LEVEL CM	1858,1313 litre	10,431 %	15954,6990 litre	O
700	CM	90	CM	28 LEVEL CM	1766,1395 litre	9,915 %	16046,6908 litre	O
700	CM	90	CM	27 LEVEL CM	1675,4784 litre	9,406 %	16137,3519 litre	O
700	CM	90	CM	26 LEVEL CM	1586,1898 litre	8,905 %	16226,6405 litre	O
700	CM	90	CM	25 LEVEL CM	1498,3173 litre	8,411 %	16314,5130 litre	O
700	CM	90	CM	24 LEVEL CM	1411,9068 litre	7,926 %	16400,9235 litre	O
700	CM	90	CM	23 LEVEL CM	1327,0067 litre	7,450 %	16485,8236 litre	O

700	CM	90	CM	22 LEVEL CM	1243,6678 litre	6,982 %	16569,1625 litre	O
700	CM	90	CM	21 LEVEL CM	1161,9439 litre	6,523 %	16650,8864 litre	O
700	CM	90	CM	20 LEVEL CM	1081,8920 litre	6,074 %	16730,9383 litre	O
700	CM	90	CM	19 LEVEL CM	1003,5728 litre	5,634 %	16809,2575 litre	O
700	CM	90	CM	18 LEVEL CM	927,0513 litre	5,204 %	16885,7790 litre	O
700	CM	90	CM	17 LEVEL CM	852,3969 litre	4,785 %	16960,4334 litre	O
700	CM	90	CM	16 LEVEL CM	779,6844 litre	4,377 %	17033,1459 litre	O
700	CM	90	CM	15 LEVEL CM	708,9950 litre	3,980 %	17103,8353 litre	O
700	CM	90	CM	14 LEVEL CM	640,4169 litre	3,595 %	17172,4134 litre	O
700	CM	90	CM	13 LEVEL CM	574,0467 litre	3,223 %	17238,7836 litre	O
700	CM	90	CM	12 LEVEL CM	509,9911 litre	2,863 %	17302,8392 litre	O
700	CM	90	CM	11 LEVEL CM	448,3688 litre	2,517 %	17364,4615 litre	O
700	CM	90	CM	10 LEVEL CM	389,3132 litre	2,186 %	17423,5171 litre	O
700	CM	90	CM	9 LEVEL CM	332,9759 litre	1,869 %	17479,8544 litre	O
700	CM	90	CM	8 LEVEL CM	279,5317 litre	1,569 %	17533,2986 litre	O
700	CM	90	CM	7 LEVEL CM	229,1856 litre	1,287 %	17583,6447 litre	O
700	CM	90	CM	6 LEVEL CM	182,1833 litre	1,023 %	17630,6470 litre	O
700	CM	90	CM	5 LEVEL CM	138,8275 litre	0,779 %	17674,0028 litre	O
700	CM	90	CM	4 LEVEL CM	99,5053 litre	0,559 %	17713,3250 litre	O
700	CM	90	CM	3 LEVEL CM	64,7398 litre	0,363 %	17748,0905 litre	O
700	CM	90	CM	2 LEVEL CM	35,2992 litre	0,198 %	17777,5311 litre	O
700	CM	90	CM	1 LEVEL CM	12,5011 litre	0,070 %	17800,3292 litre	O
700	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	17812,8303 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM	85	CM 170 LEVEL CM	15888,6048 litre	100,000 %	0,0000 litre	O
700	CM	85	CM 169 LEVEL CM	15876,4572 litre	99,924 %	12,1476 litre	O
700	CM	85	CM 168 LEVEL CM	15854,3070 litre	99,784 %	34,2978 litre	O
700	CM	85	CM 167 LEVEL CM	15825,7078 litre	99,604 %	62,8970 litre	O
700	CM	85	CM 166 LEVEL CM	15791,9415 litre	99,392 %	96,6633 litre	O
700	CM	85	CM 165 LEVEL CM	15753,7562 litre	99,151 %	134,8486 litre	O
700	CM	85	CM 164 LEVEL CM	15711,6610 litre	98,886 %	176,9438 litre	O
700	CM	85	CM 163 LEVEL CM	15666,0334 litre	98,599 %	222,5714 litre	O
700	CM	85	CM 162 LEVEL CM	15617,1685 litre	98,292 %	271,4363 litre	O
700	CM	85	CM 161 LEVEL CM	15565,3059 litre	97,965 %	323,2989 litre	O
700	CM	85	CM 160 LEVEL CM	15510,6457 litre	97,621 %	377,9591 litre	O
700	CM	85	CM 159 LEVEL CM	15453,3586 litre	97,261 %	435,2462 litre	O
700	CM	85	CM 158 LEVEL CM	15393,5929 litre	96,884 %	495,0119 litre	O
700	CM	85	CM 157 LEVEL CM	15331,4789 litre	96,494 %	557,1259 litre	O
700	CM	85	CM 156 LEVEL CM	15267,1327 litre	96,089 %	621,4721 litre	O
700	CM	85	CM 155 LEVEL CM	15200,6587 litre	95,670 %	687,9461 litre	O
700	CM	85	CM 154 LEVEL CM	15132,1517 litre	95,239 %	756,4531 litre	O
700	CM	85	CM 153 LEVEL CM	15061,6980 litre	94,796 %	826,9068 litre	O
700	CM	85	CM 152 LEVEL CM	14989,3771 litre	94,340 %	899,2277 litre	O
700	CM	85	CM 151 LEVEL CM	14915,2626 litre	93,874 %	973,3422 litre	O
700	CM	85	CM 150 LEVEL CM	14839,4225 litre	93,397 %	1049,1823 litre	O
700	CM	85	CM 149 LEVEL CM	14761,9208 litre	92,909 %	1126,6840 litre	O
700	CM	85	CM 148 LEVEL CM	14682,8169 litre	92,411 %	1205,7879 litre	O
700	CM	85	CM 147 LEVEL CM	14602,1671 litre	91,903 %	1286,4377 litre	O
700	CM	85	CM 146 LEVEL CM	14520,0242 litre	91,386 %	1368,5806 litre	O
700	CM	85	CM 145 LEVEL CM	14436,4385 litre	90,860 %	1452,1663 litre	O
700	CM	85	CM 144 LEVEL CM	14351,4574 litre	90,325 %	1537,1474 litre	O
700	CM	85	CM 143 LEVEL CM	14265,1261 litre	89,782 %	1623,4787 litre	O
700	CM	85	CM 142 LEVEL CM	14177,4880 litre	89,231 %	1711,1168 litre	O
700	CM	85	CM 141 LEVEL CM	14088,5841 litre	88,671 %	1800,0207 litre	O
700	CM	85	CM 140 LEVEL CM	13998,4541 litre	88,104 %	1890,1507 litre	O
700	CM	85	CM 139 LEVEL CM	13907,1358 litre	87,529 %	1981,4690 litre	O
700	CM	85	CM 138 LEVEL CM	13814,6657 litre	86,947 %	2073,9391 litre	O
700	CM	85	CM 137 LEVEL CM	13721,0789 litre	86,358 %	2167,5259 litre	O
700	CM	85	CM 136 LEVEL CM	13626,4093 litre	85,762 %	2262,1955 litre	O
700	CM	85	CM 135 LEVEL CM	13530,6896 litre	85,160 %	2357,9152 litre	O
700	CM	85	CM 134 LEVEL CM	13433,9515 litre	84,551 %	2454,6533 litre	O
700	CM	85	CM 133 LEVEL CM	13336,2256 litre	83,936 %	2552,3792 litre	O
700	CM	85	CM 132 LEVEL CM	13237,5417 litre	83,315 %	2651,0631 litre	O
700	CM	85	CM 131 LEVEL CM	13137,9287 litre	82,688 %	2750,6761 litre	O
700	CM	85	CM 130 LEVEL CM	13037,4146 litre	82,055 %	2851,1902 litre	O
700	CM	85	CM 129 LEVEL CM	12936,0268 litre	81,417 %	2952,5780 litre	O
700	CM	85	CM 128 LEVEL CM	12833,7919 litre	80,774 %	3054,8129 litre	O
700	CM	85	CM 127 LEVEL CM	12730,7359 litre	80,125 %	3157,8689 litre	O
700	CM	85	CM 126 LEVEL CM	12626,8842 litre	79,471 %	3261,7206 litre	O
700	CM	85	CM 125 LEVEL CM	12522,2616 litre	78,813 %	3366,3432 litre	O
700	CM	85	CM 124 LEVEL CM	12416,8922 litre	78,150 %	3471,7126 litre	O
700	CM	85	CM 123 LEVEL CM	12310,7999 litre	77,482 %	3577,8049 litre	O
700	CM	85	CM 122 LEVEL CM	12204,0078 litre	76,810 %	3684,5970 litre	O
700	CM	85	CM 121 LEVEL CM	12096,5388 litre	76,133 %	3792,0660 litre	O
700	CM	85	CM 120 LEVEL CM	11988,4152 litre	75,453 %	3900,1896 litre	O
700	CM	85	CM 119 LEVEL CM	11879,6590 litre	74,768 %	4008,9458 litre	O

700	CM	85	CM	118 LEVEL CM	11770,2917 litre	74,080 %	4118,3131 litre	O
700	CM	85	CM	117 LEVEL CM	11660,3347 litre	73,388 %	4228,2701 litre	O
700	CM	85	CM	116 LEVEL CM	11549,8086 litre	72,692 %	4338,7962 litre	O
700	CM	85	CM	115 LEVEL CM	11438,7342 litre	71,993 %	4449,8706 litre	O
700	CM	85	CM	114 LEVEL CM	11327,1317 litre	71,291 %	4561,4731 litre	O
700	CM	85	CM	113 LEVEL CM	11215,0210 litre	70,585 %	4673,5838 litre	O
700	CM	85	CM	112 LEVEL CM	11102,4219 litre	69,877 %	4786,1829 litre	O
700	CM	85	CM	111 LEVEL CM	10989,3537 litre	69,165 %	4899,2511 litre	O
700	CM	85	CM	110 LEVEL CM	10875,8358 litre	68,451 %	5012,7690 litre	O
700	CM	85	CM	109 LEVEL CM	10761,8869 litre	67,733 %	5126,7179 litre	O
700	CM	85	CM	108 LEVEL CM	10647,5260 litre	67,014 %	5241,0788 litre	O
700	CM	85	CM	107 LEVEL CM	10532,7716 litre	66,291 %	5355,8332 litre	O
700	CM	85	CM	106 LEVEL CM	10417,6421 litre	65,567 %	5470,9627 litre	O
700	CM	85	CM	105 LEVEL CM	10302,1556 litre	64,840 %	5586,4492 litre	O
700	CM	85	CM	104 LEVEL CM	10186,3301 litre	64,111 %	5702,2747 litre	O
700	CM	85	CM	103 LEVEL CM	10070,1836 litre	63,380 %	5818,4212 litre	O
700	CM	85	CM	102 LEVEL CM	9953,7337 litre	62,647 %	5934,8711 litre	O
700	CM	85	CM	101 LEVEL CM	9836,9980 litre	61,912 %	6051,6068 litre	O
700	CM	85	CM	100 LEVEL CM	9719,9940 litre	61,176 %	6168,6108 litre	O
700	CM	85	CM	99 LEVEL CM	9602,7389 litre	60,438 %	6285,8659 litre	O
700	CM	85	CM	98 LEVEL CM	9485,2501 litre	59,698 %	6403,3547 litre	O
700	CM	85	CM	97 LEVEL CM	9367,5446 litre	58,958 %	6521,0602 litre	O
700	CM	85	CM	96 LEVEL CM	9249,6395 litre	58,216 %	6638,9653 litre	O
700	CM	85	CM	95 LEVEL CM	9131,5516 litre	57,472 %	6757,0532 litre	O
700	CM	85	CM	94 LEVEL CM	9013,2979 litre	56,728 %	6875,3069 litre	O
700	CM	85	CM	93 LEVEL CM	8894,8951 litre	55,983 %	6993,7097 litre	O
700	CM	85	CM	92 LEVEL CM	8776,3599 litre	55,237 %	7112,2449 litre	O
700	CM	85	CM	91 LEVEL CM	8657,7090 litre	54,490 %	7230,8958 litre	O
700	CM	85	CM	90 LEVEL CM	8538,9591 litre	53,743 %	7349,6457 litre	O
700	CM	85	CM	89 LEVEL CM	8420,1267 litre	52,995 %	7468,4781 litre	O
700	CM	85	CM	88 LEVEL CM	8301,2283 litre	52,246 %	7587,3765 litre	O
700	CM	85	CM	87 LEVEL CM	8182,2805 litre	51,498 %	7706,3243 litre	O
700	CM	85	CM	86 LEVEL CM	8063,2997 litre	50,749 %	7825,3051 litre	O
700	CM	85	CM	85 LEVEL CM	7944,3024 litre	50,000 %	7944,3024 litre	O
700	CM	85	CM	84 LEVEL CM	7825,3052 litre	49,251 %	8063,2996 litre	O
700	CM	85	CM	83 LEVEL CM	7706,3244 litre	48,502 %	8182,2804 litre	O
700	CM	85	CM	82 LEVEL CM	7587,3766 litre	47,754 %	8301,2282 litre	O
700	CM	85	CM	81 LEVEL CM	7468,4782 litre	47,005 %	8420,1266 litre	O
700	CM	85	CM	80 LEVEL CM	7349,6457 litre	46,257 %	8538,9591 litre	O
700	CM	85	CM	79 LEVEL CM	7230,8958 litre	45,510 %	8657,7090 litre	O
700	CM	85	CM	78 LEVEL CM	7112,2450 litre	44,763 %	8776,3598 litre	O
700	CM	85	CM	77 LEVEL CM	6993,7098 litre	44,017 %	8894,8950 litre	O
700	CM	85	CM	76 LEVEL CM	6875,3070 litre	43,272 %	9013,2978 litre	O
700	CM	85	CM	75 LEVEL CM	6757,0532 litre	42,528 %	9131,5516 litre	O
700	CM	85	CM	74 LEVEL CM	6638,9654 litre	41,784 %	9249,6394 litre	O
700	CM	85	CM	73 LEVEL CM	6521,0602 litre	41,042 %	9367,5446 litre	O
700	CM	85	CM	72 LEVEL CM	6403,3547 litre	40,302 %	9485,2501 litre	O
700	CM	85	CM	71 LEVEL CM	6285,8659 litre	39,562 %	9602,7389 litre	O
700	CM	85	CM	70 LEVEL CM	6168,6109 litre	38,824 %	9719,9939 litre	O
700	CM	85	CM	69 LEVEL CM	6051,6069 litre	38,088 %	9836,9979 litre	O
700	CM	85	CM	68 LEVEL CM	5934,8712 litre	37,353 %	9953,7336 litre	O
700	CM	85	CM	67 LEVEL CM	5818,4213 litre	36,620 %	10070,1835 litre	O
700	CM	85	CM	66 LEVEL CM	5702,2747 litre	35,889 %	10186,3301 litre	O

700	CM	85	CM	65 LEVEL CM	5586,4493 litre	35,160 %	10302,1555 litre	O
700	CM	85	CM	64 LEVEL CM	5470,9628 litre	34,433 %	10417,6420 litre	O
700	CM	85	CM	63 LEVEL CM	5355,8332 litre	33,709 %	10532,7716 litre	O
700	CM	85	CM	62 LEVEL CM	5241,0788 litre	32,986 %	10647,5260 litre	O
700	CM	85	CM	61 LEVEL CM	5126,7179 litre	32,267 %	10761,8869 litre	O
700	CM	85	CM	60 LEVEL CM	5012,7691 litre	31,549 %	10875,8357 litre	O
700	CM	85	CM	59 LEVEL CM	4899,2511 litre	30,835 %	10989,3537 litre	O
700	CM	85	CM	58 LEVEL CM	4786,1830 litre	30,123 %	11102,4218 litre	O
700	CM	85	CM	57 LEVEL CM	4673,5838 litre	29,415 %	11215,0210 litre	O
700	CM	85	CM	56 LEVEL CM	4561,4731 litre	28,709 %	11327,1317 litre	O
700	CM	85	CM	55 LEVEL CM	4449,8706 litre	28,007 %	11438,7342 litre	O
700	CM	85	CM	54 LEVEL CM	4338,7962 litre	27,308 %	11549,8086 litre	O
700	CM	85	CM	53 LEVEL CM	4228,2702 litre	26,612 %	11660,3346 litre	O
700	CM	85	CM	52 LEVEL CM	4118,3131 litre	25,920 %	11770,2917 litre	O
700	CM	85	CM	51 LEVEL CM	4008,9458 litre	25,232 %	11879,6590 litre	O
700	CM	85	CM	50 LEVEL CM	3900,1896 litre	24,547 %	11988,4152 litre	O
700	CM	85	CM	49 LEVEL CM	3792,0660 litre	23,867 %	12096,5388 litre	O
700	CM	85	CM	48 LEVEL CM	3684,5970 litre	23,190 %	12204,0078 litre	O
700	CM	85	CM	47 LEVEL CM	3577,8049 litre	22,518 %	12310,7999 litre	O
700	CM	85	CM	46 LEVEL CM	3471,7126 litre	21,850 %	12416,8922 litre	O
700	CM	85	CM	45 LEVEL CM	3366,3432 litre	21,187 %	12522,2616 litre	O
700	CM	85	CM	44 LEVEL CM	3261,7206 litre	20,529 %	12626,8842 litre	O
700	CM	85	CM	43 LEVEL CM	3157,8689 litre	19,875 %	12730,7359 litre	O
700	CM	85	CM	42 LEVEL CM	3054,8129 litre	19,226 %	12833,7919 litre	O
700	CM	85	CM	41 LEVEL CM	2952,5781 litre	18,583 %	12936,0267 litre	O
700	CM	85	CM	40 LEVEL CM	2851,1903 litre	17,945 %	13037,4145 litre	O
700	CM	85	CM	39 LEVEL CM	2750,6762 litre	17,312 %	13137,9286 litre	O
700	CM	85	CM	38 LEVEL CM	2651,0631 litre	16,685 %	13237,5417 litre	O
700	CM	85	CM	37 LEVEL CM	2552,3792 litre	16,064 %	13336,2256 litre	O
700	CM	85	CM	36 LEVEL CM	2454,6534 litre	15,449 %	13433,9514 litre	O
700	CM	85	CM	35 LEVEL CM	2357,9152 litre	14,840 %	13530,6896 litre	O
700	CM	85	CM	34 LEVEL CM	2262,1956 litre	14,238 %	13626,4092 litre	O
700	CM	85	CM	33 LEVEL CM	2167,5260 litre	13,642 %	13721,0788 litre	O
700	CM	85	CM	32 LEVEL CM	2073,9392 litre	13,053 %	13814,6656 litre	O
700	CM	85	CM	31 LEVEL CM	1981,4691 litre	12,471 %	13907,1357 litre	O
700	CM	85	CM	30 LEVEL CM	1890,1508 litre	11,896 %	13998,4540 litre	O
700	CM	85	CM	29 LEVEL CM	1800,0207 litre	11,329 %	14088,5841 litre	O
700	CM	85	CM	28 LEVEL CM	1711,1169 litre	10,769 %	14177,4879 litre	O
700	CM	85	CM	27 LEVEL CM	1623,4787 litre	10,218 %	14265,1261 litre	O
700	CM	85	CM	26 LEVEL CM	1537,1475 litre	9,675 %	14351,4573 litre	O
700	CM	85	CM	25 LEVEL CM	1452,1664 litre	9,140 %	14436,4384 litre	O
700	CM	85	CM	24 LEVEL CM	1368,5806 litre	8,614 %	14520,0242 litre	O
700	CM	85	CM	23 LEVEL CM	1286,4378 litre	8,097 %	14602,1670 litre	O
700	CM	85	CM	22 LEVEL CM	1205,7879 litre	7,589 %	14682,8169 litre	O
700	CM	85	CM	21 LEVEL CM	1126,6841 litre	7,091 %	14761,9207 litre	O
700	CM	85	CM	20 LEVEL CM	1049,1823 litre	6,603 %	14839,4225 litre	O
700	CM	85	CM	19 LEVEL CM	973,3423 litre	6,126 %	14915,2625 litre	O
700	CM	85	CM	18 LEVEL CM	899,2277 litre	5,660 %	14989,3771 litre	O
700	CM	85	CM	17 LEVEL CM	826,9069 litre	5,204 %	15061,6979 litre	O
700	CM	85	CM	16 LEVEL CM	756,4532 litre	4,761 %	15132,1516 litre	O
700	CM	85	CM	15 LEVEL CM	687,9461 litre	4,330 %	15200,6587 litre	O
700	CM	85	CM	14 LEVEL CM	621,4721 litre	3,911 %	15267,1327 litre	O
700	CM	85	CM	13 LEVEL CM	557,1260 litre	3,506 %	15331,4788 litre	O

700	CM	85	CM	12 LEVEL CM	495,0119 litre	3,116 %	15393,5929 litre	O
700	CM	85	CM	11 LEVEL CM	435,2462 litre	2,739 %	15453,3586 litre	O
700	CM	85	CM	10 LEVEL CM	377,9592 litre	2,379 %	15510,6456 litre	O
700	CM	85	CM	9 LEVEL CM	323,2990 litre	2,035 %	15565,3058 litre	O
700	CM	85	CM	8 LEVEL CM	271,4364 litre	1,708 %	15617,1684 litre	O
700	CM	85	CM	7 LEVEL CM	222,5715 litre	1,401 %	15666,0333 litre	O
700	CM	85	CM	6 LEVEL CM	176,9439 litre	1,114 %	15711,6609 litre	O
700	CM	85	CM	5 LEVEL CM	134,8487 litre	0,849 %	15753,7561 litre	O
700	CM	85	CM	4 LEVEL CM	96,6633 litre	0,608 %	15791,9415 litre	O
700	CM	85	CM	3 LEVEL CM	62,8971 litre	0,396 %	15825,7077 litre	O
700	CM	85	CM	2 LEVEL CM	34,2979 litre	0,216 %	15854,3069 litre	O
700	CM	85	CM	1 LEVEL CM	12,1477 litre	0,076 %	15876,4571 litre	O
700	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	15888,6048 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	80	CM	160 LEVEL CM	14074,3351 litre	100,000 %	0,0000 litre	O
700	CM	80	CM	159 LEVEL CM	14062,5514 litre	99,916 %	11,7837 litre	O
700	CM	80	CM	158 LEVEL CM	14041,0686 litre	99,764 %	33,2665 litre	O
700	CM	80	CM	157 LEVEL CM	14013,3364 litre	99,567 %	60,9987 litre	O
700	CM	80	CM	156 LEVEL CM	13980,5999 litre	99,334 %	93,7352 litre	O
700	CM	80	CM	155 LEVEL CM	13943,5862 litre	99,071 %	130,7489 litre	O
700	CM	80	CM	154 LEVEL CM	13902,7907 litre	98,781 %	171,5444 litre	O
700	CM	80	CM	153 LEVEL CM	13858,5805 litre	98,467 %	215,7546 litre	O
700	CM	80	CM	152 LEVEL CM	13811,2430 litre	98,131 %	263,0921 litre	O
700	CM	80	CM	151 LEVEL CM	13761,0118 litre	97,774 %	313,3233 litre	O
700	CM	80	CM	150 LEVEL CM	13708,0818 litre	97,398 %	366,2533 litre	O
700	CM	80	CM	149 LEVEL CM	13652,6197 litre	97,004 %	421,7154 litre	O
700	CM	80	CM	148 LEVEL CM	13594,7701 litre	96,593 %	479,5650 litre	O
700	CM	80	CM	147 LEVEL CM	13534,6604 litre	96,166 %	539,6747 litre	O
700	CM	80	CM	146 LEVEL CM	13472,4040 litre	95,723 %	601,9311 litre	O
700	CM	80	CM	145 LEVEL CM	13408,1030 litre	95,266 %	666,2321 litre	O
700	CM	80	CM	144 LEVEL CM	13341,8501 litre	94,796 %	732,4850 litre	O
700	CM	80	CM	143 LEVEL CM	13273,7300 litre	94,312 %	800,6051 litre	O
700	CM	80	CM	142 LEVEL CM	13203,8206 litre	93,815 %	870,5145 litre	O
700	CM	80	CM	141 LEVEL CM	13132,1938 litre	93,306 %	942,1413 litre	O
700	CM	80	CM	140 LEVEL CM	13058,9168 litre	92,785 %	1015,4183 litre	O
700	CM	80	CM	139 LEVEL CM	12984,0519 litre	92,253 %	1090,2832 litre	O
700	CM	80	CM	138 LEVEL CM	12907,6579 litre	91,711 %	1166,6772 litre	O
700	CM	80	CM	137 LEVEL CM	12829,7900 litre	91,157 %	1244,5451 litre	O
700	CM	80	CM	136 LEVEL CM	12750,5003 litre	90,594 %	1323,8348 litre	O
700	CM	80	CM	135 LEVEL CM	12669,8381 litre	90,021 %	1404,4970 litre	O
700	CM	80	CM	134 LEVEL CM	12587,8502 litre	89,438 %	1486,4849 litre	O
700	CM	80	CM	133 LEVEL CM	12504,5814 litre	88,847 %	1569,7537 litre	O
700	CM	80	CM	132 LEVEL CM	12420,0742 litre	88,246 %	1654,2609 litre	O
700	CM	80	CM	131 LEVEL CM	12334,3694 litre	87,637 %	1739,9657 litre	O
700	CM	80	CM	130 LEVEL CM	12247,5061 litre	87,020 %	1826,8290 litre	O
700	CM	80	CM	129 LEVEL CM	12159,5218 litre	86,395 %	1914,8133 litre	O
700	CM	80	CM	128 LEVEL CM	12070,4525 litre	85,762 %	2003,8826 litre	O
700	CM	80	CM	127 LEVEL CM	11980,3332 litre	85,122 %	2094,0019 litre	O
700	CM	80	CM	126 LEVEL CM	11889,1973 litre	84,474 %	2185,1378 litre	O
700	CM	80	CM	125 LEVEL CM	11797,0774 litre	83,820 %	2277,2577 litre	O
700	CM	80	CM	124 LEVEL CM	11704,0050 litre	83,158 %	2370,3301 litre	O
700	CM	80	CM	123 LEVEL CM	11610,0106 litre	82,491 %	2464,3245 litre	O
700	CM	80	CM	122 LEVEL CM	11515,1237 litre	81,816 %	2559,2114 litre	O
700	CM	80	CM	121 LEVEL CM	11419,3731 litre	81,136 %	2654,9620 litre	O
700	CM	80	CM	120 LEVEL CM	11322,7870 litre	80,450 %	2751,5481 litre	O
700	CM	80	CM	119 LEVEL CM	11225,3924 litre	79,758 %	2848,9427 litre	O
700	CM	80	CM	118 LEVEL CM	11127,2162 litre	79,060 %	2947,1189 litre	O
700	CM	80	CM	117 LEVEL CM	11028,2842 litre	78,357 %	3046,0509 litre	O
700	CM	80	CM	116 LEVEL CM	10928,6218 litre	77,649 %	3145,7133 litre	O
700	CM	80	CM	115 LEVEL CM	10828,2540 litre	76,936 %	3246,0811 litre	O
700	CM	80	CM	114 LEVEL CM	10727,2049 litre	76,218 %	3347,1302 litre	O
700	CM	80	CM	113 LEVEL CM	10625,4985 litre	75,496 %	3448,8366 litre	O
700	CM	80	CM	112 LEVEL CM	10523,1581 litre	74,768 %	3551,1770 litre	O
700	CM	80	CM	111 LEVEL CM	10420,2067 litre	74,037 %	3654,1284 litre	O
700	CM	80	CM	110 LEVEL CM	10316,6668 litre	73,301 %	3757,6683 litre	O
700	CM	80	CM	109 LEVEL CM	10212,5605 litre	72,562 %	3861,7746 litre	O

700	CM	80	CM	108 LEVEL CM	10107,9096 litre	71,818 %	3966,4255 litre	O
700	CM	80	CM	107 LEVEL CM	10002,7356 litre	71,071 %	4071,5995 litre	O
700	CM	80	CM	106 LEVEL CM	9897,0597 litre	70,320 %	4177,2754 litre	O
700	CM	80	CM	105 LEVEL CM	9790,9026 litre	69,566 %	4283,4325 litre	O
700	CM	80	CM	104 LEVEL CM	9684,2849 litre	68,808 %	4390,0502 litre	O
700	CM	80	CM	103 LEVEL CM	9577,2269 litre	68,047 %	4497,1082 litre	O
700	CM	80	CM	102 LEVEL CM	9469,7487 litre	67,284 %	4604,5864 litre	O
700	CM	80	CM	101 LEVEL CM	9361,8700 litre	66,517 %	4712,4651 litre	O
700	CM	80	CM	100 LEVEL CM	9253,6104 litre	65,748 %	4820,7247 litre	O
700	CM	80	CM	99 LEVEL CM	9144,9894 litre	64,976 %	4929,3457 litre	O
700	CM	80	CM	98 LEVEL CM	9036,0260 litre	64,202 %	5038,3091 litre	O
700	CM	80	CM	97 LEVEL CM	8926,7393 litre	63,426 %	5147,5958 litre	O
700	CM	80	CM	96 LEVEL CM	8817,1482 litre	62,647 %	5257,1869 litre	O
700	CM	80	CM	95 LEVEL CM	8707,2712 litre	61,866 %	5367,0639 litre	O
700	CM	80	CM	94 LEVEL CM	8597,1270 litre	61,084 %	5477,2081 litre	O
700	CM	80	CM	93 LEVEL CM	8486,7340 litre	60,299 %	5587,6011 litre	O
700	CM	80	CM	92 LEVEL CM	8376,1104 litre	59,513 %	5698,2247 litre	O
700	CM	80	CM	91 LEVEL CM	8265,2744 litre	58,726 %	5809,0607 litre	O
700	CM	80	CM	90 LEVEL CM	8154,2440 litre	57,937 %	5920,0911 litre	O
700	CM	80	CM	89 LEVEL CM	8043,0372 litre	57,147 %	6031,2979 litre	O
700	CM	80	CM	88 LEVEL CM	7931,6720 litre	56,356 %	6142,6631 litre	O
700	CM	80	CM	87 LEVEL CM	7820,1660 litre	55,563 %	6254,1691 litre	O
700	CM	80	CM	86 LEVEL CM	7708,5370 litre	54,770 %	6365,7981 litre	O
700	CM	80	CM	85 LEVEL CM	7596,8027 litre	53,976 %	6477,5324 litre	O
700	CM	80	CM	84 LEVEL CM	7484,9808 litre	53,182 %	6589,3543 litre	O
700	CM	80	CM	83 LEVEL CM	7373,0888 litre	52,387 %	6701,2463 litre	O
700	CM	80	CM	82 LEVEL CM	7261,1442 litre	51,591 %	6813,1909 litre	O
700	CM	80	CM	81 LEVEL CM	7149,1646 litre	50,796 %	6925,1705 litre	O
700	CM	80	CM	80 LEVEL CM	7037,1675 litre	50,000 %	7037,1676 litre	O
700	CM	80	CM	79 LEVEL CM	6925,1705 litre	49,204 %	7149,1646 litre	O
700	CM	80	CM	78 LEVEL CM	6813,1909 litre	48,409 %	7261,1442 litre	O
700	CM	80	CM	77 LEVEL CM	6701,2463 litre	47,613 %	7373,0888 litre	O
700	CM	80	CM	76 LEVEL CM	6589,3543 litre	46,818 %	7484,9808 litre	O
700	CM	80	CM	75 LEVEL CM	6477,5323 litre	46,024 %	7596,8028 litre	O
700	CM	80	CM	74 LEVEL CM	6365,7981 litre	45,230 %	7708,5370 litre	O
700	CM	80	CM	73 LEVEL CM	6254,1691 litre	44,437 %	7820,1660 litre	O
700	CM	80	CM	72 LEVEL CM	6142,6631 litre	43,644 %	7931,6720 litre	O
700	CM	80	CM	71 LEVEL CM	6031,2978 litre	42,853 %	8043,0373 litre	O
700	CM	80	CM	70 LEVEL CM	5920,0911 litre	42,063 %	8154,2440 litre	O
700	CM	80	CM	69 LEVEL CM	5809,0607 litre	41,274 %	8265,2744 litre	O
700	CM	80	CM	68 LEVEL CM	5698,2247 litre	40,487 %	8376,1104 litre	O
700	CM	80	CM	67 LEVEL CM	5587,6011 litre	39,701 %	8486,7340 litre	O
700	CM	80	CM	66 LEVEL CM	5477,2081 litre	38,916 %	8597,1270 litre	O
700	CM	80	CM	65 LEVEL CM	5367,0639 litre	38,134 %	8707,2712 litre	O
700	CM	80	CM	64 LEVEL CM	5257,1869 litre	37,353 %	8817,1482 litre	O
700	CM	80	CM	63 LEVEL CM	5147,5958 litre	36,574 %	8926,7393 litre	O
700	CM	80	CM	62 LEVEL CM	5038,3091 litre	35,798 %	9036,0260 litre	O
700	CM	80	CM	61 LEVEL CM	4929,3457 litre	35,024 %	9144,9894 litre	O
700	CM	80	CM	60 LEVEL CM	4820,7247 litre	34,252 %	9253,6104 litre	O
700	CM	80	CM	59 LEVEL CM	4712,4651 litre	33,483 %	9361,8700 litre	O
700	CM	80	CM	58 LEVEL CM	4604,5864 litre	32,716 %	9469,7487 litre	O
700	CM	80	CM	57 LEVEL CM	4497,1081 litre	31,953 %	9577,2270 litre	O
700	CM	80	CM	56 LEVEL CM	4390,0502 litre	31,192 %	9684,2849 litre	O

700	CM	80	CM	55 LEVEL CM	4283,4325 litre	30,434 %	9790,9026 litre	O
700	CM	80	CM	54 LEVEL CM	4177,2754 litre	29,680 %	9897,0597 litre	O
700	CM	80	CM	53 LEVEL CM	4071,5994 litre	28,929 %	10002,7357 litre	O
700	CM	80	CM	52 LEVEL CM	3966,4255 litre	28,182 %	10107,9096 litre	O
700	CM	80	CM	51 LEVEL CM	3861,7746 litre	27,438 %	10212,5605 litre	O
700	CM	80	CM	50 LEVEL CM	3757,6683 litre	26,699 %	10316,6668 litre	O
700	CM	80	CM	49 LEVEL CM	3654,1284 litre	25,963 %	10420,2067 litre	O
700	CM	80	CM	48 LEVEL CM	3551,1769 litre	25,232 %	10523,1582 litre	O
700	CM	80	CM	47 LEVEL CM	3448,8366 litre	24,504 %	10625,4985 litre	O
700	CM	80	CM	46 LEVEL CM	3347,1302 litre	23,782 %	10727,2049 litre	O
700	CM	80	CM	45 LEVEL CM	3246,0811 litre	23,064 %	10828,2540 litre	O
700	CM	80	CM	44 LEVEL CM	3145,7133 litre	22,351 %	10928,6218 litre	O
700	CM	80	CM	43 LEVEL CM	3046,0509 litre	21,643 %	11028,2842 litre	O
700	CM	80	CM	42 LEVEL CM	2947,1189 litre	20,940 %	11127,2162 litre	O
700	CM	80	CM	41 LEVEL CM	2848,9427 litre	20,242 %	11225,3924 litre	O
700	CM	80	CM	40 LEVEL CM	2751,5481 litre	19,550 %	11322,7870 litre	O
700	CM	80	CM	39 LEVEL CM	2654,9619 litre	18,864 %	11419,3732 litre	O
700	CM	80	CM	38 LEVEL CM	2559,2114 litre	18,184 %	11515,1237 litre	O
700	CM	80	CM	37 LEVEL CM	2464,3245 litre	17,509 %	11610,0106 litre	O
700	CM	80	CM	36 LEVEL CM	2370,3300 litre	16,842 %	11704,0051 litre	O
700	CM	80	CM	35 LEVEL CM	2277,2576 litre	16,180 %	11797,0775 litre	O
700	CM	80	CM	34 LEVEL CM	2185,1378 litre	15,526 %	11889,1973 litre	O
700	CM	80	CM	33 LEVEL CM	2094,0019 litre	14,878 %	11980,3332 litre	O
700	CM	80	CM	32 LEVEL CM	2003,8826 litre	14,238 %	12070,4525 litre	O
700	CM	80	CM	31 LEVEL CM	1914,8133 litre	13,605 %	12159,5218 litre	O
700	CM	80	CM	30 LEVEL CM	1826,8290 litre	12,980 %	12247,5061 litre	O
700	CM	80	CM	29 LEVEL CM	1739,9656 litre	12,363 %	12334,3695 litre	O
700	CM	80	CM	28 LEVEL CM	1654,2609 litre	11,754 %	12420,0742 litre	O
700	CM	80	CM	27 LEVEL CM	1569,7537 litre	11,153 %	12504,5814 litre	O
700	CM	80	CM	26 LEVEL CM	1486,4849 litre	10,562 %	12587,8502 litre	O
700	CM	80	CM	25 LEVEL CM	1404,4970 litre	9,979 %	12669,8381 litre	O
700	CM	80	CM	24 LEVEL CM	1323,8348 litre	9,406 %	12750,5003 litre	O
700	CM	80	CM	23 LEVEL CM	1244,5451 litre	8,843 %	12829,7900 litre	O
700	CM	80	CM	22 LEVEL CM	1166,6771 litre	8,289 %	12907,6580 litre	O
700	CM	80	CM	21 LEVEL CM	1090,2832 litre	7,747 %	12984,0519 litre	O
700	CM	80	CM	20 LEVEL CM	1015,4183 litre	7,215 %	13058,9168 litre	O
700	CM	80	CM	19 LEVEL CM	942,1413 litre	6,694 %	13132,1938 litre	O
700	CM	80	CM	18 LEVEL CM	870,5145 litre	6,185 %	13203,8206 litre	O
700	CM	80	CM	17 LEVEL CM	800,6051 litre	5,688 %	13273,7300 litre	O
700	CM	80	CM	16 LEVEL CM	732,4850 litre	5,204 %	13341,8501 litre	O
700	CM	80	CM	15 LEVEL CM	666,2321 litre	4,734 %	13408,1030 litre	O
700	CM	80	CM	14 LEVEL CM	601,9311 litre	4,277 %	13472,4040 litre	O
700	CM	80	CM	13 LEVEL CM	539,6747 litre	3,834 %	13534,6604 litre	O
700	CM	80	CM	12 LEVEL CM	479,5650 litre	3,407 %	13594,7701 litre	O
700	CM	80	CM	11 LEVEL CM	421,7153 litre	2,996 %	13652,6198 litre	O
700	CM	80	CM	10 LEVEL CM	366,2532 litre	2,602 %	13708,0819 litre	O
700	CM	80	CM	9 LEVEL CM	313,3233 litre	2,226 %	13761,0118 litre	O
700	CM	80	CM	8 LEVEL CM	263,0921 litre	1,869 %	13811,2430 litre	O
700	CM	80	CM	7 LEVEL CM	215,7546 litre	1,533 %	13858,5805 litre	O
700	CM	80	CM	6 LEVEL CM	171,5444 litre	1,219 %	13902,7907 litre	O
700	CM	80	CM	5 LEVEL CM	130,7488 litre	0,929 %	13943,5863 litre	O
700	CM	80	CM	4 LEVEL CM	93,7351 litre	0,666 %	13980,6000 litre	O
700	CM	80	CM	3 LEVEL CM	60,9987 litre	0,433 %	14013,3364 litre	O

700	CM 80	CM	2 LEVEL CM	33,2664 litre	0,236 %	14041,0687 litre	O
700	CM 80	CM	1 LEVEL CM	11,7837 litre	0,084 %	14062,5514 litre	O
700	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	14074,3351 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	75	CM	150 LEVEL CM	12370,0211 litre	100,000 %	0,0000 litre	O
700	CM	75	CM	149 LEVEL CM	12358,6130 litre	99,908 %	11,4081 litre	O
700	CM	75	CM	148 LEVEL CM	12337,8191 litre	99,740 %	32,2020 litre	O
700	CM	75	CM	147 LEVEL CM	12310,9818 litre	99,523 %	59,0393 litre	O
700	CM	75	CM	146 LEVEL CM	12279,3086 litre	99,267 %	90,7125 litre	O
700	CM	75	CM	145 LEVEL CM	12243,5049 litre	98,977 %	126,5162 litre	O
700	CM	75	CM	144 LEVEL CM	12204,0517 litre	98,658 %	165,9694 litre	O
700	CM	75	CM	143 LEVEL CM	12161,3059 litre	98,313 %	208,7152 litre	O
700	CM	75	CM	142 LEVEL CM	12115,5469 litre	97,943 %	254,4742 litre	O
700	CM	75	CM	141 LEVEL CM	12067,0018 litre	97,550 %	303,0193 litre	O
700	CM	75	CM	140 LEVEL CM	12015,8606 litre	97,137 %	354,1605 litre	O
700	CM	75	CM	139 LEVEL CM	11962,2856 litre	96,704 %	407,7355 litre	O
700	CM	75	CM	138 LEVEL CM	11906,4177 litre	96,252 %	463,6034 litre	O
700	CM	75	CM	137 LEVEL CM	11848,3814 litre	95,783 %	521,6397 litre	O
700	CM	75	CM	136 LEVEL CM	11788,2874 litre	95,297 %	581,7337 litre	O
700	CM	75	CM	135 LEVEL CM	11726,2355 litre	94,796 %	643,7856 litre	O
700	CM	75	CM	134 LEVEL CM	11662,3162 litre	94,279 %	707,7049 litre	O
700	CM	75	CM	133 LEVEL CM	11596,6125 litre	93,748 %	773,4086 litre	O
700	CM	75	CM	132 LEVEL CM	11529,2007 litre	93,203 %	840,8204 litre	O
700	CM	75	CM	131 LEVEL CM	11460,1514 litre	92,645 %	909,8697 litre	O
700	CM	75	CM	130 LEVEL CM	11389,5302 litre	92,074 %	980,4909 litre	O
700	CM	75	CM	129 LEVEL CM	11317,3986 litre	91,491 %	1052,6225 litre	O
700	CM	75	CM	128 LEVEL CM	11243,8143 litre	90,896 %	1126,2068 litre	O
700	CM	75	CM	127 LEVEL CM	11168,8314 litre	90,290 %	1201,1897 litre	O
700	CM	75	CM	126 LEVEL CM	11092,5013 litre	89,672 %	1277,5198 litre	O
700	CM	75	CM	125 LEVEL CM	11014,8727 litre	89,045 %	1355,1484 litre	O
700	CM	75	CM	124 LEVEL CM	10935,9916 litre	88,407 %	1434,0295 litre	O
700	CM	75	CM	123 LEVEL CM	10855,9022 litre	87,760 %	1514,1189 litre	O
700	CM	75	CM	122 LEVEL CM	10774,6466 litre	87,103 %	1595,3745 litre	O
700	CM	75	CM	121 LEVEL CM	10692,2650 litre	86,437 %	1677,7561 litre	O
700	CM	75	CM	120 LEVEL CM	10608,7962 litre	85,762 %	1761,2249 litre	O
700	CM	75	CM	119 LEVEL CM	10524,2772 litre	85,079 %	1845,7439 litre	O
700	CM	75	CM	118 LEVEL CM	10438,7439 litre	84,387 %	1931,2772 litre	O
700	CM	75	CM	117 LEVEL CM	10352,2308 litre	83,688 %	2017,7903 litre	O
700	CM	75	CM	116 LEVEL CM	10264,7714 litre	82,981 %	2105,2497 litre	O
700	CM	75	CM	115 LEVEL CM	10176,3979 litre	82,267 %	2193,6232 litre	O
700	CM	75	CM	114 LEVEL CM	10087,1416 litre	81,545 %	2282,8795 litre	O
700	CM	75	CM	113 LEVEL CM	9997,0329 litre	80,817 %	2372,9882 litre	O
700	CM	75	CM	112 LEVEL CM	9906,1015 litre	80,082 %	2463,9196 litre	O
700	CM	75	CM	111 LEVEL CM	9814,3759 litre	79,340 %	2555,6452 litre	O
700	CM	75	CM	110 LEVEL CM	9721,8843 litre	78,592 %	2648,1368 litre	O
700	CM	75	CM	109 LEVEL CM	9628,6539 litre	77,839 %	2741,3672 litre	O
700	CM	75	CM	108 LEVEL CM	9534,7115 litre	77,079 %	2835,3096 litre	O
700	CM	75	CM	107 LEVEL CM	9440,0830 litre	76,314 %	2929,9381 litre	O
700	CM	75	CM	106 LEVEL CM	9344,7940 litre	75,544 %	3025,2271 litre	O
700	CM	75	CM	105 LEVEL CM	9248,8695 litre	74,768 %	3121,1516 litre	O
700	CM	75	CM	104 LEVEL CM	9152,3339 litre	73,988 %	3217,6872 litre	O
700	CM	75	CM	103 LEVEL CM	9055,2113 litre	73,203 %	3314,8098 litre	O
700	CM	75	CM	102 LEVEL CM	8957,5253 litre	72,413 %	3412,4958 litre	O
700	CM	75	CM	101 LEVEL CM	8859,2990 litre	71,619 %	3510,7221 litre	O
700	CM	75	CM	100 LEVEL CM	8760,5552 litre	70,821 %	3609,4659 litre	O
700	CM	75	CM	99 LEVEL CM	8661,3165 litre	70,019 %	3708,7046 litre	O

700	CM	75	CM	98 LEVEL CM	8561,6049 litre	69,213 %	3808,4162 litre	O
700	CM	75	CM	97 LEVEL CM	8461,4421 litre	68,403 %	3908,5790 litre	O
700	CM	75	CM	96 LEVEL CM	8360,8498 litre	67,590 %	4009,1713 litre	O
700	CM	75	CM	95 LEVEL CM	8259,8492 litre	66,773 %	4110,1719 litre	O
700	CM	75	CM	94 LEVEL CM	8158,4611 litre	65,953 %	4211,5600 litre	O
700	CM	75	CM	93 LEVEL CM	8056,7065 litre	65,131 %	4313,3146 litre	O
700	CM	75	CM	92 LEVEL CM	7954,6056 litre	64,306 %	4415,4155 litre	O
700	CM	75	CM	91 LEVEL CM	7852,1790 litre	63,477 %	4517,8421 litre	O
700	CM	75	CM	90 LEVEL CM	7749,4466 litre	62,647 %	4620,5745 litre	O
700	CM	75	CM	89 LEVEL CM	7646,4285 litre	61,814 %	4723,5926 litre	O
700	CM	75	CM	88 LEVEL CM	7543,1443 litre	60,979 %	4826,8768 litre	O
700	CM	75	CM	87 LEVEL CM	7439,6137 litre	60,142 %	4930,4074 litre	O
700	CM	75	CM	86 LEVEL CM	7335,8562 litre	59,304 %	5034,1649 litre	O
700	CM	75	CM	85 LEVEL CM	7231,8911 litre	58,463 %	5138,1300 litre	O
700	CM	75	CM	84 LEVEL CM	7127,7376 litre	57,621 %	5242,2835 litre	O
700	CM	75	CM	83 LEVEL CM	7023,4149 litre	56,778 %	5346,6062 litre	O
700	CM	75	CM	82 LEVEL CM	6918,9420 litre	55,933 %	5451,0791 litre	O
700	CM	75	CM	81 LEVEL CM	6814,3379 litre	55,088 %	5555,6832 litre	O
700	CM	75	CM	80 LEVEL CM	6709,6214 litre	54,241 %	5660,3997 litre	O
700	CM	75	CM	79 LEVEL CM	6604,8113 litre	53,394 %	5765,2098 litre	O
700	CM	75	CM	78 LEVEL CM	6499,9265 litre	52,546 %	5870,0946 litre	O
700	CM	75	CM	77 LEVEL CM	6394,9856 litre	51,697 %	5975,0355 litre	O
700	CM	75	CM	76 LEVEL CM	6290,0074 litre	50,849 %	6080,0137 litre	O
700	CM	75	CM	75 LEVEL CM	6185,0105 litre	50,000 %	6185,0106 litre	O
700	CM	75	CM	74 LEVEL CM	6080,0136 litre	49,151 %	6290,0075 litre	O
700	CM	75	CM	73 LEVEL CM	5975,0354 litre	48,303 %	6394,9857 litre	O
700	CM	75	CM	72 LEVEL CM	5870,0946 litre	47,454 %	6499,9265 litre	O
700	CM	75	CM	71 LEVEL CM	5765,2097 litre	46,606 %	6604,8114 litre	O
700	CM	75	CM	70 LEVEL CM	5660,3997 litre	45,759 %	6709,6214 litre	O
700	CM	75	CM	69 LEVEL CM	5555,6832 litre	44,912 %	6814,3379 litre	O
700	CM	75	CM	68 LEVEL CM	5451,0790 litre	44,067 %	6918,9421 litre	O
700	CM	75	CM	67 LEVEL CM	5346,6062 litre	43,222 %	7023,4149 litre	O
700	CM	75	CM	66 LEVEL CM	5242,2835 litre	42,379 %	7127,7376 litre	O
700	CM	75	CM	65 LEVEL CM	5138,1300 litre	41,537 %	7231,8911 litre	O
700	CM	75	CM	64 LEVEL CM	5034,1649 litre	40,696 %	7335,8562 litre	O
700	CM	75	CM	63 LEVEL CM	4930,4074 litre	39,858 %	7439,6137 litre	O
700	CM	75	CM	62 LEVEL CM	4826,8768 litre	39,021 %	7543,1443 litre	O
700	CM	75	CM	61 LEVEL CM	4723,5926 litre	38,186 %	7646,4285 litre	O
700	CM	75	CM	60 LEVEL CM	4620,5745 litre	37,353 %	7749,4466 litre	O
700	CM	75	CM	59 LEVEL CM	4517,8421 litre	36,523 %	7852,1790 litre	O
700	CM	75	CM	58 LEVEL CM	4415,4154 litre	35,694 %	7954,6057 litre	O
700	CM	75	CM	57 LEVEL CM	4313,3146 litre	34,869 %	8056,7065 litre	O
700	CM	75	CM	56 LEVEL CM	4211,5599 litre	34,047 %	8158,4612 litre	O
700	CM	75	CM	55 LEVEL CM	4110,1719 litre	33,227 %	8259,8492 litre	O
700	CM	75	CM	54 LEVEL CM	4009,1712 litre	32,410 %	8360,8499 litre	O
700	CM	75	CM	53 LEVEL CM	3908,5789 litre	31,597 %	8461,4422 litre	O
700	CM	75	CM	52 LEVEL CM	3808,4162 litre	30,787 %	8561,6049 litre	O
700	CM	75	CM	51 LEVEL CM	3708,7046 litre	29,981 %	8661,3165 litre	O
700	CM	75	CM	50 LEVEL CM	3609,4658 litre	29,179 %	8760,5553 litre	O
700	CM	75	CM	49 LEVEL CM	3510,7221 litre	28,381 %	8859,2990 litre	O
700	CM	75	CM	48 LEVEL CM	3412,4958 litre	27,587 %	8957,5253 litre	O
700	CM	75	CM	47 LEVEL CM	3314,8098 litre	26,797 %	9055,2113 litre	O
700	CM	75	CM	46 LEVEL CM	3217,6872 litre	26,012 %	9152,3339 litre	O

700	CM	75	CM	45 LEVEL CM	3121,1516 litre	25,232 %	9248,8695 litre	O
700	CM	75	CM	44 LEVEL CM	3025,2271 litre	24,456 %	9344,7940 litre	O
700	CM	75	CM	43 LEVEL CM	2929,9381 litre	23,686 %	9440,0830 litre	O
700	CM	75	CM	42 LEVEL CM	2835,3096 litre	22,921 %	9534,7115 litre	O
700	CM	75	CM	41 LEVEL CM	2741,3672 litre	22,161 %	9628,6539 litre	O
700	CM	75	CM	40 LEVEL CM	2648,1368 litre	21,408 %	9721,8843 litre	O
700	CM	75	CM	39 LEVEL CM	2555,6452 litre	20,660 %	9814,3759 litre	O
700	CM	75	CM	38 LEVEL CM	2463,9196 litre	19,918 %	9906,1015 litre	O
700	CM	75	CM	37 LEVEL CM	2372,9881 litre	19,183 %	9997,0330 litre	O
700	CM	75	CM	36 LEVEL CM	2282,8795 litre	18,455 %	10087,1416 litre	O
700	CM	75	CM	35 LEVEL CM	2193,6232 litre	17,733 %	10176,3979 litre	O
700	CM	75	CM	34 LEVEL CM	2105,2497 litre	17,019 %	10264,7714 litre	O
700	CM	75	CM	33 LEVEL CM	2017,7903 litre	16,312 %	10352,2308 litre	O
700	CM	75	CM	32 LEVEL CM	1931,2772 litre	15,613 %	10438,7439 litre	O
700	CM	75	CM	31 LEVEL CM	1845,7439 litre	14,921 %	10524,2772 litre	O
700	CM	75	CM	30 LEVEL CM	1761,2249 litre	14,238 %	10608,7962 litre	O
700	CM	75	CM	29 LEVEL CM	1677,7561 litre	13,563 %	10692,2650 litre	O
700	CM	75	CM	28 LEVEL CM	1595,3745 litre	12,897 %	10774,6466 litre	O
700	CM	75	CM	27 LEVEL CM	1514,1188 litre	12,240 %	10855,9023 litre	O
700	CM	75	CM	26 LEVEL CM	1434,0295 litre	11,593 %	10935,9916 litre	O
700	CM	75	CM	25 LEVEL CM	1355,1484 litre	10,955 %	11014,8727 litre	O
700	CM	75	CM	24 LEVEL CM	1277,5197 litre	10,328 %	11092,5014 litre	O
700	CM	75	CM	23 LEVEL CM	1201,1897 litre	9,710 %	11168,8314 litre	O
700	CM	75	CM	22 LEVEL CM	1126,2068 litre	9,104 %	11243,8143 litre	O
700	CM	75	CM	21 LEVEL CM	1052,6224 litre	8,509 %	11317,3987 litre	O
700	CM	75	CM	20 LEVEL CM	980,4909 litre	7,926 %	11389,5302 litre	O
700	CM	75	CM	19 LEVEL CM	909,8697 litre	7,355 %	11460,1514 litre	O
700	CM	75	CM	18 LEVEL CM	840,8204 litre	6,797 %	11529,2007 litre	O
700	CM	75	CM	17 LEVEL CM	773,4085 litre	6,252 %	11596,6126 litre	O
700	CM	75	CM	16 LEVEL CM	707,7049 litre	5,721 %	11662,3162 litre	O
700	CM	75	CM	15 LEVEL CM	643,7856 litre	5,204 %	11726,2355 litre	O
700	CM	75	CM	14 LEVEL CM	581,7337 litre	4,703 %	11788,2874 litre	O
700	CM	75	CM	13 LEVEL CM	521,6397 litre	4,217 %	11848,3814 litre	O
700	CM	75	CM	12 LEVEL CM	463,6033 litre	3,748 %	11906,4178 litre	O
700	CM	75	CM	11 LEVEL CM	407,7355 litre	3,296 %	11962,2856 litre	O
700	CM	75	CM	10 LEVEL CM	354,1605 litre	2,863 %	12015,8606 litre	O
700	CM	75	CM	9 LEVEL CM	303,0193 litre	2,450 %	12067,0018 litre	O
700	CM	75	CM	8 LEVEL CM	254,4742 litre	2,057 %	12115,5469 litre	O
700	CM	75	CM	7 LEVEL CM	208,7152 litre	1,687 %	12161,3059 litre	O
700	CM	75	CM	6 LEVEL CM	165,9694 litre	1,342 %	12204,0517 litre	O
700	CM	75	CM	5 LEVEL CM	126,5162 litre	1,023 %	12243,5049 litre	O
700	CM	75	CM	4 LEVEL CM	90,7125 litre	0,733 %	12279,3086 litre	O
700	CM	75	CM	3 LEVEL CM	59,0393 litre	0,477 %	12310,9818 litre	O
700	CM	75	CM	2 LEVEL CM	32,2020 litre	0,260 %	12337,8191 litre	O
700	CM	75	CM	1 LEVEL CM	11,4081 litre	0,092 %	12358,6130 litre	O
700	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	12370,0211 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	70	CM	140 LEVEL CM	10775,6628 litre	100,000 %	0,0000 litre	O
700	CM	70	CM	139 LEVEL CM	10764,6431 litre	99,898 %	11,0197 litre	O
700	CM	70	CM	138 LEVEL CM	10744,5617 litre	99,711 %	31,1011 litre	O
700	CM	70	CM	137 LEVEL CM	10718,6502 litre	99,471 %	57,0126 litre	O
700	CM	70	CM	136 LEVEL CM	10688,0772 litre	99,187 %	87,5856 litre	O
700	CM	70	CM	135 LEVEL CM	10653,5258 litre	98,867 %	122,1370 litre	O
700	CM	70	CM	134 LEVEL CM	10615,4624 litre	98,513 %	160,2004 litre	O
700	CM	70	CM	133 LEVEL CM	10574,2329 litre	98,131 %	201,4299 litre	O
700	CM	70	CM	132 LEVEL CM	10530,1088 litre	97,721 %	245,5540 litre	O
700	CM	70	CM	131 LEVEL CM	10483,3105 litre	97,287 %	292,3523 litre	O
700	CM	70	CM	130 LEVEL CM	10434,0230 litre	96,830 %	341,6398 litre	O
700	CM	70	CM	129 LEVEL CM	10382,4040 litre	96,350 %	393,2588 litre	O
700	CM	70	CM	128 LEVEL CM	10328,5909 litre	95,851 %	447,0719 litre	O
700	CM	70	CM	127 LEVEL CM	10272,7049 litre	95,332 %	502,9579 litre	O
700	CM	70	CM	126 LEVEL CM	10214,8540 litre	94,796 %	560,8088 litre	O
700	CM	70	CM	125 LEVEL CM	10155,1357 litre	94,241 %	620,5271 litre	O
700	CM	70	CM	124 LEVEL CM	10093,6386 litre	93,671 %	682,0242 litre	O
700	CM	70	CM	123 LEVEL CM	10030,4437 litre	93,084 %	745,2191 litre	O
700	CM	70	CM	122 LEVEL CM	9965,6257 litre	92,483 %	810,0371 litre	O
700	CM	70	CM	121 LEVEL CM	9899,2537 litre	91,867 %	876,4091 litre	O
700	CM	70	CM	120 LEVEL CM	9831,3924 litre	91,237 %	944,2704 litre	O
700	CM	70	CM	119 LEVEL CM	9762,1018 litre	90,594 %	1013,5610 litre	O
700	CM	70	CM	118 LEVEL CM	9691,4387 litre	89,938 %	1084,2241 litre	O
700	CM	70	CM	117 LEVEL CM	9619,4564 litre	89,270 %	1156,2064 litre	O
700	CM	70	CM	116 LEVEL CM	9546,2055 litre	88,590 %	1229,4573 litre	O
700	CM	70	CM	115 LEVEL CM	9471,7338 litre	87,899 %	1303,9290 litre	O
700	CM	70	CM	114 LEVEL CM	9396,0870 litre	87,197 %	1379,5758 litre	O
700	CM	70	CM	113 LEVEL CM	9319,3086 litre	86,485 %	1456,3542 litre	O
700	CM	70	CM	112 LEVEL CM	9241,4402 litre	85,762 %	1534,2226 litre	O
700	CM	70	CM	111 LEVEL CM	9162,5217 litre	85,030 %	1613,1411 litre	O
700	CM	70	CM	110 LEVEL CM	9082,5913 litre	84,288 %	1693,0715 litre	O
700	CM	70	CM	109 LEVEL CM	9001,6860 litre	83,537 %	1773,9768 litre	O
700	CM	70	CM	108 LEVEL CM	8919,8413 litre	82,778 %	1855,8215 litre	O
700	CM	70	CM	107 LEVEL CM	8837,0915 litre	82,010 %	1938,5713 litre	O
700	CM	70	CM	106 LEVEL CM	8753,4699 litre	81,234 %	2022,1929 litre	O
700	CM	70	CM	105 LEVEL CM	8669,0088 litre	80,450 %	2106,6540 litre	O
700	CM	70	CM	104 LEVEL CM	8583,7392 litre	79,659 %	2191,9236 litre	O
700	CM	70	CM	103 LEVEL CM	8497,6917 litre	78,860 %	2277,9711 litre	O
700	CM	70	CM	102 LEVEL CM	8410,8957 litre	78,055 %	2364,7671 litre	O
700	CM	70	CM	101 LEVEL CM	8323,3801 litre	77,242 %	2452,2827 litre	O
700	CM	70	CM	100 LEVEL CM	8235,1729 litre	76,424 %	2540,4899 litre	O
700	CM	70	CM	99 LEVEL CM	8146,3016 litre	75,599 %	2629,3612 litre	O
700	CM	70	CM	98 LEVEL CM	8056,7930 litre	74,768 %	2718,8698 litre	O
700	CM	70	CM	97 LEVEL CM	7966,6733 litre	73,932 %	2808,9895 litre	O
700	CM	70	CM	96 LEVEL CM	7875,9683 litre	73,090 %	2899,6945 litre	O
700	CM	70	CM	95 LEVEL CM	7784,7031 litre	72,243 %	2990,9597 litre	O
700	CM	70	CM	94 LEVEL CM	7692,9027 litre	71,391 %	3082,7601 litre	O
700	CM	70	CM	93 LEVEL CM	7600,5912 litre	70,535 %	3175,0716 litre	O
700	CM	70	CM	92 LEVEL CM	7507,7927 litre	69,674 %	3267,8701 litre	O
700	CM	70	CM	91 LEVEL CM	7414,5306 litre	68,808 %	3361,1322 litre	O
700	CM	70	CM	90 LEVEL CM	7320,8283 litre	67,939 %	3454,8345 litre	O
700	CM	70	CM	89 LEVEL CM	7226,7085 litre	67,065 %	3548,9543 litre	O

700	CM	70	CM	88 LEVEL CM	7132,1939 litre	66,188 %	3643,4689 litre	O
700	CM	70	CM	87 LEVEL CM	7037,3067 litre	65,307 %	3738,3561 litre	O
700	CM	70	CM	86 LEVEL CM	6942,0690 litre	64,424 %	3833,5938 litre	O
700	CM	70	CM	85 LEVEL CM	6846,5026 litre	63,537 %	3929,1602 litre	O
700	CM	70	CM	84 LEVEL CM	6750,6291 litre	62,647 %	4025,0337 litre	O
700	CM	70	CM	83 LEVEL CM	6654,4697 litre	61,755 %	4121,1931 litre	O
700	CM	70	CM	82 LEVEL CM	6558,0457 litre	60,860 %	4217,6171 litre	O
700	CM	70	CM	81 LEVEL CM	6461,3782 litre	59,963 %	4314,2846 litre	O
700	CM	70	CM	80 LEVEL CM	6364,4878 litre	59,064 %	4411,1750 litre	O
700	CM	70	CM	79 LEVEL CM	6267,3953 litre	58,163 %	4508,2675 litre	O
700	CM	70	CM	78 LEVEL CM	6170,1214 litre	57,260 %	4605,5414 litre	O
700	CM	70	CM	77 LEVEL CM	6072,6863 litre	56,356 %	4702,9765 litre	O
700	CM	70	CM	76 LEVEL CM	5975,1106 litre	55,450 %	4800,5522 litre	O
700	CM	70	CM	75 LEVEL CM	5877,4144 litre	54,543 %	4898,2484 litre	O
700	CM	70	CM	74 LEVEL CM	5779,6180 litre	53,636 %	4996,0448 litre	O
700	CM	70	CM	73 LEVEL CM	5681,7414 litre	52,728 %	5093,9214 litre	O
700	CM	70	CM	72 LEVEL CM	5583,8047 litre	51,819 %	5191,8581 litre	O
700	CM	70	CM	71 LEVEL CM	5485,8281 litre	50,909 %	5289,8347 litre	O
700	CM	70	CM	70 LEVEL CM	5387,8314 litre	50,000 %	5387,8314 litre	O
700	CM	70	CM	69 LEVEL CM	5289,8347 litre	49,091 %	5485,8281 litre	O
700	CM	70	CM	68 LEVEL CM	5191,8581 litre	48,181 %	5583,8047 litre	O
700	CM	70	CM	67 LEVEL CM	5093,9214 litre	47,272 %	5681,7414 litre	O
700	CM	70	CM	66 LEVEL CM	4996,0448 litre	46,364 %	5779,6180 litre	O
700	CM	70	CM	65 LEVEL CM	4898,2484 litre	45,457 %	5877,4144 litre	O
700	CM	70	CM	64 LEVEL CM	4800,5522 litre	44,550 %	5975,1106 litre	O
700	CM	70	CM	63 LEVEL CM	4702,9765 litre	43,644 %	6072,6863 litre	O
700	CM	70	CM	62 LEVEL CM	4605,5414 litre	42,740 %	6170,1214 litre	O
700	CM	70	CM	61 LEVEL CM	4508,2675 litre	41,837 %	6267,3953 litre	O
700	CM	70	CM	60 LEVEL CM	4411,1750 litre	40,936 %	6364,4878 litre	O
700	CM	70	CM	59 LEVEL CM	4314,2846 litre	40,037 %	6461,3782 litre	O
700	CM	70	CM	58 LEVEL CM	4217,6171 litre	39,140 %	6558,0457 litre	O
700	CM	70	CM	57 LEVEL CM	4121,1931 litre	38,245 %	6654,4697 litre	O
700	CM	70	CM	56 LEVEL CM	4025,0337 litre	37,353 %	6750,6291 litre	O
700	CM	70	CM	55 LEVEL CM	3929,1602 litre	36,463 %	6846,5026 litre	O
700	CM	70	CM	54 LEVEL CM	3833,5938 litre	35,576 %	6942,0690 litre	O
700	CM	70	CM	53 LEVEL CM	3738,3561 litre	34,693 %	7037,3067 litre	O
700	CM	70	CM	52 LEVEL CM	3643,4689 litre	33,812 %	7132,1939 litre	O
700	CM	70	CM	51 LEVEL CM	3548,9543 litre	32,935 %	7226,7085 litre	O
700	CM	70	CM	50 LEVEL CM	3454,8345 litre	32,061 %	7320,8283 litre	O
700	CM	70	CM	49 LEVEL CM	3361,1322 litre	31,192 %	7414,5306 litre	O
700	CM	70	CM	48 LEVEL CM	3267,8701 litre	30,326 %	7507,7927 litre	O
700	CM	70	CM	47 LEVEL CM	3175,0716 litre	29,465 %	7600,5912 litre	O
700	CM	70	CM	46 LEVEL CM	3082,7601 litre	28,609 %	7692,9027 litre	O
700	CM	70	CM	45 LEVEL CM	2990,9597 litre	27,757 %	7784,7031 litre	O
700	CM	70	CM	44 LEVEL CM	2899,6945 litre	26,910 %	7875,9683 litre	O
700	CM	70	CM	43 LEVEL CM	2808,9895 litre	26,068 %	7966,6733 litre	O
700	CM	70	CM	42 LEVEL CM	2718,8698 litre	25,232 %	8056,7930 litre	O
700	CM	70	CM	41 LEVEL CM	2629,3612 litre	24,401 %	8146,3016 litre	O
700	CM	70	CM	40 LEVEL CM	2540,4899 litre	23,576 %	8235,1729 litre	O
700	CM	70	CM	39 LEVEL CM	2452,2827 litre	22,758 %	8323,3801 litre	O
700	CM	70	CM	38 LEVEL CM	2364,7671 litre	21,945 %	8410,8957 litre	O
700	CM	70	CM	37 LEVEL CM	2277,9711 litre	21,140 %	8497,6917 litre	O
700	CM	70	CM	36 LEVEL CM	2191,9236 litre	20,341 %	8583,7392 litre	O

700	CM	70	CM	35 LEVEL CM	2106,6540 litre	19,550 %	8669,0088 litre	O
700	CM	70	CM	34 LEVEL CM	2022,1929 litre	18,766 %	8753,4699 litre	O
700	CM	70	CM	33 LEVEL CM	1938,5713 litre	17,990 %	8837,0915 litre	O
700	CM	70	CM	32 LEVEL CM	1855,8215 litre	17,222 %	8919,8413 litre	O
700	CM	70	CM	31 LEVEL CM	1773,9768 litre	16,463 %	9001,6860 litre	O
700	CM	70	CM	30 LEVEL CM	1693,0715 litre	15,712 %	9082,5913 litre	O
700	CM	70	CM	29 LEVEL CM	1613,1412 litre	14,970 %	9162,5216 litre	O
700	CM	70	CM	28 LEVEL CM	1534,2226 litre	14,238 %	9241,4402 litre	O
700	CM	70	CM	27 LEVEL CM	1456,3542 litre	13,515 %	9319,3086 litre	O
700	CM	70	CM	26 LEVEL CM	1379,5758 litre	12,803 %	9396,0870 litre	O
700	CM	70	CM	25 LEVEL CM	1303,9290 litre	12,101 %	9471,7338 litre	O
700	CM	70	CM	24 LEVEL CM	1229,4573 litre	11,410 %	9546,2055 litre	O
700	CM	70	CM	23 LEVEL CM	1156,2064 litre	10,730 %	9619,4564 litre	O
700	CM	70	CM	22 LEVEL CM	1084,2241 litre	10,062 %	9691,4387 litre	O
700	CM	70	CM	21 LEVEL CM	1013,5610 litre	9,406 %	9762,1018 litre	O
700	CM	70	CM	20 LEVEL CM	944,2705 litre	8,763 %	9831,3923 litre	O
700	CM	70	CM	19 LEVEL CM	876,4091 litre	8,133 %	9899,2537 litre	O
700	CM	70	CM	18 LEVEL CM	810,0371 litre	7,517 %	9965,6257 litre	O
700	CM	70	CM	17 LEVEL CM	745,2191 litre	6,916 %	10030,4437 litre	O
700	CM	70	CM	16 LEVEL CM	682,0242 litre	6,329 %	10093,6386 litre	O
700	CM	70	CM	15 LEVEL CM	620,5271 litre	5,759 %	10155,1357 litre	O
700	CM	70	CM	14 LEVEL CM	560,8088 litre	5,204 %	10214,8540 litre	O
700	CM	70	CM	13 LEVEL CM	502,9579 litre	4,668 %	10272,7049 litre	O
700	CM	70	CM	12 LEVEL CM	447,0719 litre	4,149 %	10328,5909 litre	O
700	CM	70	CM	11 LEVEL CM	393,2588 litre	3,650 %	10382,4040 litre	O
700	CM	70	CM	10 LEVEL CM	341,6398 litre	3,170 %	10434,0230 litre	O
700	CM	70	CM	9 LEVEL CM	292,3523 litre	2,713 %	10483,3105 litre	O
700	CM	70	CM	8 LEVEL CM	245,5540 litre	2,279 %	10530,1088 litre	O
700	CM	70	CM	7 LEVEL CM	201,4299 litre	1,869 %	10574,2329 litre	O
700	CM	70	CM	6 LEVEL CM	160,2004 litre	1,487 %	10615,4624 litre	O
700	CM	70	CM	5 LEVEL CM	122,1370 litre	1,133 %	10653,5258 litre	O
700	CM	70	CM	4 LEVEL CM	87,5856 litre	0,813 %	10688,0772 litre	O
700	CM	70	CM	3 LEVEL CM	57,0126 litre	0,529 %	10718,6502 litre	O
700	CM	70	CM	2 LEVEL CM	31,1011 litre	0,289 %	10744,5617 litre	O
700	CM	70	CM	1 LEVEL CM	11,0197 litre	0,102 %	10764,6431 litre	O
700	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	10775,6628 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	65	CM	130 LEVEL CM	9291,2603 litre	100,000 %	0,0000 litre	O
700	CM	65	CM	129 LEVEL CM	9280,6432 litre	99,886 %	10,6171 litre	O
700	CM	65	CM	128 LEVEL CM	9261,3005 litre	99,678 %	29,9598 litre	O
700	CM	65	CM	127 LEVEL CM	9236,3491 litre	99,409 %	54,9112 litre	O
700	CM	65	CM	126 LEVEL CM	9206,9174 litre	99,092 %	84,3429 litre	O
700	CM	65	CM	125 LEVEL CM	9173,6655 litre	98,734 %	117,5948 litre	O
700	CM	65	CM	124 LEVEL CM	9137,0445 litre	98,340 %	154,2158 litre	O
700	CM	65	CM	123 LEVEL CM	9097,3894 litre	97,913 %	193,8709 litre	O
700	CM	65	CM	122 LEVEL CM	9054,9630 litre	97,457 %	236,2973 litre	O
700	CM	65	CM	121 LEVEL CM	9009,9794 litre	96,973 %	281,2809 litre	O
700	CM	65	CM	120 LEVEL CM	8962,6180 litre	96,463 %	328,6423 litre	O
700	CM	65	CM	119 LEVEL CM	8913,0321 litre	95,929 %	378,2282 litre	O
700	CM	65	CM	118 LEVEL CM	8861,3553 litre	95,373 %	429,9050 litre	O
700	CM	65	CM	117 LEVEL CM	8807,7057 litre	94,796 %	483,5546 litre	O
700	CM	65	CM	116 LEVEL CM	8752,1886 litre	94,198 %	539,0717 litre	O
700	CM	65	CM	115 LEVEL CM	8694,8990 litre	93,581 %	596,3613 litre	O
700	CM	65	CM	114 LEVEL CM	8635,9234 litre	92,947 %	655,3369 litre	O
700	CM	65	CM	113 LEVEL CM	8575,3411 litre	92,295 %	715,9192 litre	O
700	CM	65	CM	112 LEVEL CM	8513,2251 litre	91,626 %	778,0352 litre	O
700	CM	65	CM	111 LEVEL CM	8449,6432 litre	90,942 %	841,6171 litre	O
700	CM	65	CM	110 LEVEL CM	8384,6586 litre	90,242 %	906,6017 litre	O
700	CM	65	CM	109 LEVEL CM	8318,3306 litre	89,529 %	972,9297 litre	O
700	CM	65	CM	108 LEVEL CM	8250,7149 litre	88,801 %	1040,5454 litre	O
700	CM	65	CM	107 LEVEL CM	8181,8638 litre	88,060 %	1109,3965 litre	O
700	CM	65	CM	106 LEVEL CM	8111,8273 litre	87,306 %	1179,4330 litre	O
700	CM	65	CM	105 LEVEL CM	8040,6526 litre	86,540 %	1250,6077 litre	O
700	CM	65	CM	104 LEVEL CM	7968,3847 litre	85,762 %	1322,8756 litre	O
700	CM	65	CM	103 LEVEL CM	7895,0666 litre	84,973 %	1396,1937 litre	O
700	CM	65	CM	102 LEVEL CM	7820,7396 litre	84,173 %	1470,5207 litre	O
700	CM	65	CM	101 LEVEL CM	7745,4432 litre	83,363 %	1545,8171 litre	O
700	CM	65	CM	100 LEVEL CM	7669,2154 litre	82,542 %	1622,0449 litre	O
700	CM	65	CM	99 LEVEL CM	7592,0928 litre	81,712 %	1699,1675 litre	O
700	CM	65	CM	98 LEVEL CM	7514,1110 litre	80,873 %	1777,1493 litre	O
700	CM	65	CM	97 LEVEL CM	7435,3041 litre	80,025 %	1855,9562 litre	O
700	CM	65	CM	96 LEVEL CM	7355,7052 litre	79,168 %	1935,5551 litre	O
700	CM	65	CM	95 LEVEL CM	7275,3467 litre	78,303 %	2015,9136 litre	O
700	CM	65	CM	94 LEVEL CM	7194,2596 litre	77,430 %	2097,0007 litre	O
700	CM	65	CM	93 LEVEL CM	7112,4746 litre	76,550 %	2178,7857 litre	O
700	CM	65	CM	92 LEVEL CM	7030,0213 litre	75,663 %	2261,2390 litre	O
700	CM	65	CM	91 LEVEL CM	6946,9286 litre	74,768 %	2344,3317 litre	O
700	CM	65	CM	90 LEVEL CM	6863,2249 litre	73,868 %	2428,0354 litre	O
700	CM	65	CM	89 LEVEL CM	6778,9377 litre	72,960 %	2512,3226 litre	O
700	CM	65	CM	88 LEVEL CM	6694,0943 litre	72,047 %	2597,1660 litre	O
700	CM	65	CM	87 LEVEL CM	6608,7213 litre	71,128 %	2682,5390 litre	O
700	CM	65	CM	86 LEVEL CM	6522,8446 litre	70,204 %	2768,4157 litre	O
700	CM	65	CM	85 LEVEL CM	6436,4899 litre	69,275 %	2854,7704 litre	O
700	CM	65	CM	84 LEVEL CM	6349,6825 litre	68,340 %	2941,5778 litre	O
700	CM	65	CM	83 LEVEL CM	6262,4471 litre	67,401 %	3028,8132 litre	O
700	CM	65	CM	82 LEVEL CM	6174,8082 litre	66,458 %	3116,4521 litre	O
700	CM	65	CM	81 LEVEL CM	6086,7899 litre	65,511 %	3204,4704 litre	O
700	CM	65	CM	80 LEVEL CM	5998,4161 litre	64,560 %	3292,8442 litre	O
700	CM	65	CM	79 LEVEL CM	5909,7102 litre	63,605 %	3381,5501 litre	O

700	CM	65	CM	78 LEVEL CM	5820,6955 litre	62,647 %	3470,5648 litre	O
700	CM	65	CM	77 LEVEL CM	5731,3950 litre	61,686 %	3559,8653 litre	O
700	CM	65	CM	76 LEVEL CM	5641,8314 litre	60,722 %	3649,4289 litre	O
700	CM	65	CM	75 LEVEL CM	5552,0275 litre	59,755 %	3739,2328 litre	O
700	CM	65	CM	74 LEVEL CM	5462,0056 litre	58,786 %	3829,2547 litre	O
700	CM	65	CM	73 LEVEL CM	5371,7880 litre	57,815 %	3919,4723 litre	O
700	CM	65	CM	72 LEVEL CM	5281,3967 litre	56,843 %	4009,8636 litre	O
700	CM	65	CM	71 LEVEL CM	5190,8538 litre	55,868 %	4100,4065 litre	O
700	CM	65	CM	70 LEVEL CM	5100,1810 litre	54,892 %	4191,0793 litre	O
700	CM	65	CM	69 LEVEL CM	5009,4003 litre	53,915 %	4281,8600 litre	O
700	CM	65	CM	68 LEVEL CM	4918,5332 litre	52,937 %	4372,7271 litre	O
700	CM	65	CM	67 LEVEL CM	4827,6014 litre	51,959 %	4463,6589 litre	O
700	CM	65	CM	66 LEVEL CM	4736,6265 litre	50,979 %	4554,6338 litre	O
700	CM	65	CM	65 LEVEL CM	4645,6301 litre	50,000 %	4645,6302 litre	O
700	CM	65	CM	64 LEVEL CM	4554,6337 litre	49,021 %	4736,6266 litre	O
700	CM	65	CM	63 LEVEL CM	4463,6589 litre	48,041 %	4827,6014 litre	O
700	CM	65	CM	62 LEVEL CM	4372,7271 litre	47,063 %	4918,5332 litre	O
700	CM	65	CM	61 LEVEL CM	4281,8600 litre	46,085 %	5009,4003 litre	O
700	CM	65	CM	60 LEVEL CM	4191,0793 litre	45,108 %	5100,1810 litre	O
700	CM	65	CM	59 LEVEL CM	4100,4065 litre	44,132 %	5190,8538 litre	O
700	CM	65	CM	58 LEVEL CM	4009,8636 litre	43,157 %	5281,3967 litre	O
700	CM	65	CM	57 LEVEL CM	3919,4723 litre	42,185 %	5371,7880 litre	O
700	CM	65	CM	56 LEVEL CM	3829,2546 litre	41,214 %	5462,0057 litre	O
700	CM	65	CM	55 LEVEL CM	3739,2327 litre	40,245 %	5552,0276 litre	O
700	CM	65	CM	54 LEVEL CM	3649,4288 litre	39,278 %	5641,8315 litre	O
700	CM	65	CM	53 LEVEL CM	3559,8653 litre	38,314 %	5731,3950 litre	O
700	CM	65	CM	52 LEVEL CM	3470,5648 litre	37,353 %	5820,6955 litre	O
700	CM	65	CM	51 LEVEL CM	3381,5501 litre	36,395 %	5909,7102 litre	O
700	CM	65	CM	50 LEVEL CM	3292,8442 litre	35,440 %	5998,4161 litre	O
700	CM	65	CM	49 LEVEL CM	3204,4703 litre	34,489 %	6086,7900 litre	O
700	CM	65	CM	48 LEVEL CM	3116,4521 litre	33,542 %	6174,8082 litre	O
700	CM	65	CM	47 LEVEL CM	3028,8132 litre	32,599 %	6262,4471 litre	O
700	CM	65	CM	46 LEVEL CM	2941,5778 litre	31,660 %	6349,6825 litre	O
700	CM	65	CM	45 LEVEL CM	2854,7704 litre	30,725 %	6436,4899 litre	O
700	CM	65	CM	44 LEVEL CM	2768,4157 litre	29,796 %	6522,8446 litre	O
700	CM	65	CM	43 LEVEL CM	2682,5390 litre	28,872 %	6608,7213 litre	O
700	CM	65	CM	42 LEVEL CM	2597,1659 litre	27,953 %	6694,0944 litre	O
700	CM	65	CM	41 LEVEL CM	2512,3225 litre	27,040 %	6778,9378 litre	O
700	CM	65	CM	40 LEVEL CM	2428,0354 litre	26,132 %	6863,2249 litre	O
700	CM	65	CM	39 LEVEL CM	2344,3317 litre	25,232 %	6946,9286 litre	O
700	CM	65	CM	38 LEVEL CM	2261,2390 litre	24,337 %	7030,0213 litre	O
700	CM	65	CM	37 LEVEL CM	2178,7856 litre	23,450 %	7112,4747 litre	O
700	CM	65	CM	36 LEVEL CM	2097,0006 litre	22,570 %	7194,2597 litre	O
700	CM	65	CM	35 LEVEL CM	2015,9136 litre	21,697 %	7275,3467 litre	O
700	CM	65	CM	34 LEVEL CM	1935,5550 litre	20,832 %	7355,7053 litre	O
700	CM	65	CM	33 LEVEL CM	1855,9562 litre	19,975 %	7435,3041 litre	O
700	CM	65	CM	32 LEVEL CM	1777,1493 litre	19,127 %	7514,1110 litre	O
700	CM	65	CM	31 LEVEL CM	1699,1674 litre	18,288 %	7592,0929 litre	O
700	CM	65	CM	30 LEVEL CM	1622,0449 litre	17,458 %	7669,2154 litre	O
700	CM	65	CM	29 LEVEL CM	1545,8171 litre	16,637 %	7745,4432 litre	O
700	CM	65	CM	28 LEVEL CM	1470,5207 litre	15,827 %	7820,7396 litre	O
700	CM	65	CM	27 LEVEL CM	1396,1937 litre	15,027 %	7895,0666 litre	O
700	CM	65	CM	26 LEVEL CM	1322,8756 litre	14,238 %	7968,3847 litre	O

700	CM	65	CM	25 LEVEL CM	1250,6077 litre	13,460 %	8040,6526 litre	O
700	CM	65	CM	24 LEVEL CM	1179,4330 litre	12,694 %	8111,8273 litre	O
700	CM	65	CM	23 LEVEL CM	1109,3964 litre	11,940 %	8181,8639 litre	O
700	CM	65	CM	22 LEVEL CM	1040,5454 litre	11,199 %	8250,7149 litre	O
700	CM	65	CM	21 LEVEL CM	972,9296 litre	10,471 %	8318,3307 litre	O
700	CM	65	CM	20 LEVEL CM	906,6016 litre	9,758 %	8384,6587 litre	O
700	CM	65	CM	19 LEVEL CM	841,6171 litre	9,058 %	8449,6432 litre	O
700	CM	65	CM	18 LEVEL CM	778,0352 litre	8,374 %	8513,2251 litre	O
700	CM	65	CM	17 LEVEL CM	715,9192 litre	7,705 %	8575,3411 litre	O
700	CM	65	CM	16 LEVEL CM	655,3368 litre	7,053 %	8635,9235 litre	O
700	CM	65	CM	15 LEVEL CM	596,3613 litre	6,419 %	8694,8990 litre	O
700	CM	65	CM	14 LEVEL CM	539,0717 litre	5,802 %	8752,1886 litre	O
700	CM	65	CM	13 LEVEL CM	483,5545 litre	5,204 %	8807,7058 litre	O
700	CM	65	CM	12 LEVEL CM	429,9049 litre	4,627 %	8861,3554 litre	O
700	CM	65	CM	11 LEVEL CM	378,2282 litre	4,071 %	8913,0321 litre	O
700	CM	65	CM	10 LEVEL CM	328,6423 litre	3,537 %	8962,6180 litre	O
700	CM	65	CM	9 LEVEL CM	281,2809 litre	3,027 %	9009,9794 litre	O
700	CM	65	CM	8 LEVEL CM	236,2973 litre	2,543 %	9054,9630 litre	O
700	CM	65	CM	7 LEVEL CM	193,8709 litre	2,087 %	9097,3894 litre	O
700	CM	65	CM	6 LEVEL CM	154,2158 litre	1,660 %	9137,0445 litre	O
700	CM	65	CM	5 LEVEL CM	117,5947 litre	1,266 %	9173,6656 litre	O
700	CM	65	CM	4 LEVEL CM	84,3429 litre	0,908 %	9206,9174 litre	O
700	CM	65	CM	3 LEVEL CM	54,9112 litre	0,591 %	9236,3491 litre	O
700	CM	65	CM	2 LEVEL CM	29,9598 litre	0,322 %	9261,3005 litre	O
700	CM	65	CM	1 LEVEL CM	10,6170 litre	0,114 %	9280,6433 litre	O
700	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	9291,2603 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
700	CM	60	CM 120 LEVEL CM	7916,8135 litre	100,000 %	0,0000 litre	O
700	CM	60	CM 119 LEVEL CM	7906,6149 litre	99,871 %	10,1986 litre	O
700	CM	60	CM 118 LEVEL CM	7888,0402 litre	99,637 %	28,7733 litre	O
700	CM	60	CM 117 LEVEL CM	7864,0875 litre	99,334 %	52,7260 litre	O
700	CM	60	CM 116 LEVEL CM	7835,8431 litre	98,977 %	80,9704 litre	O
700	CM	60	CM 115 LEVEL CM	7803,9436 litre	98,574 %	112,8699 litre	O
700	CM	60	CM 114 LEVEL CM	7768,8242 litre	98,131 %	147,9893 litre	O
700	CM	60	CM 113 LEVEL CM	7730,8085 litre	97,651 %	186,0050 litre	O
700	CM	60	CM 112 LEVEL CM	7690,1508 litre	97,137 %	226,6627 litre	O
700	CM	60	CM 111 LEVEL CM	7647,0582 litre	96,593 %	269,7553 litre	O
700	CM	60	CM 110 LEVEL CM	7601,7046 litre	96,020 %	315,1089 litre	O
700	CM	60	CM 109 LEVEL CM	7554,2388 litre	95,420 %	362,5747 litre	O
700	CM	60	CM 108 LEVEL CM	7504,7907 litre	94,796 %	412,0228 litre	O
700	CM	60	CM 107 LEVEL CM	7453,4749 litre	94,147 %	463,3386 litre	O
700	CM	60	CM 106 LEVEL CM	7400,3940 litre	93,477 %	516,4195 litre	O
700	CM	60	CM 105 LEVEL CM	7345,6407 litre	92,785 %	571,1728 litre	O
700	CM	60	CM 104 LEVEL CM	7289,2993 litre	92,074 %	627,5142 litre	O
700	CM	60	CM 103 LEVEL CM	7231,4474 litre	91,343 %	685,3661 litre	O
700	CM	60	CM 102 LEVEL CM	7172,1564 litre	90,594 %	744,6571 litre	O
700	CM	60	CM 101 LEVEL CM	7111,4928 litre	89,828 %	805,3207 litre	O
700	CM	60	CM 100 LEVEL CM	7049,5185 litre	89,045 %	867,2950 litre	O
700	CM	60	CM 99 LEVEL CM	6986,2918 litre	88,246 %	930,5217 litre	O
700	CM	60	CM 98 LEVEL CM	6921,8673 litre	87,432 %	994,9462 litre	O
700	CM	60	CM 97 LEVEL CM	6856,2969 litre	86,604 %	1060,5166 litre	O
700	CM	60	CM 96 LEVEL CM	6789,6295 litre	85,762 %	1127,1840 litre	O
700	CM	60	CM 95 LEVEL CM	6721,9120 litre	84,907 %	1194,9015 litre	O
700	CM	60	CM 94 LEVEL CM	6653,1889 litre	84,039 %	1263,6246 litre	O
700	CM	60	CM 93 LEVEL CM	6583,5028 litre	83,158 %	1333,3107 litre	O
700	CM	60	CM 92 LEVEL CM	6512,8946 litre	82,267 %	1403,9189 litre	O
700	CM	60	CM 91 LEVEL CM	6441,4036 litre	81,364 %	1475,4099 litre	O
700	CM	60	CM 90 LEVEL CM	6369,0677 litre	80,450 %	1547,7458 litre	O
700	CM	60	CM 89 LEVEL CM	6295,9233 litre	79,526 %	1620,8902 litre	O
700	CM	60	CM 88 LEVEL CM	6222,0059 litre	78,592 %	1694,8076 litre	O
700	CM	60	CM 87 LEVEL CM	6147,3498 litre	77,649 %	1769,4637 litre	O
700	CM	60	CM 86 LEVEL CM	6071,9881 litre	76,697 %	1844,8254 litre	O
700	CM	60	CM 85 LEVEL CM	5995,9531 litre	75,737 %	1920,8604 litre	O
700	CM	60	CM 84 LEVEL CM	5919,2765 litre	74,768 %	1997,5370 litre	O
700	CM	60	CM 83 LEVEL CM	5841,9887 litre	73,792 %	2074,8248 litre	O
700	CM	60	CM 82 LEVEL CM	5764,1198 litre	72,809 %	2152,6937 litre	O
700	CM	60	CM 81 LEVEL CM	5685,6992 litre	71,818 %	2231,1143 litre	O
700	CM	60	CM 80 LEVEL CM	5606,7554 litre	70,821 %	2310,0581 litre	O
700	CM	60	CM 79 LEVEL CM	5527,3165 litre	69,817 %	2389,4970 litre	O
700	CM	60	CM 78 LEVEL CM	5447,4103 litre	68,808 %	2469,4032 litre	O
700	CM	60	CM 77 LEVEL CM	5367,0637 litre	67,793 %	2549,7498 litre	O
700	CM	60	CM 76 LEVEL CM	5286,3035 litre	66,773 %	2630,5100 litre	O
700	CM	60	CM 75 LEVEL CM	5205,1559 litre	65,748 %	2711,6576 litre	O
700	CM	60	CM 74 LEVEL CM	5123,6467 litre	64,719 %	2793,1668 litre	O
700	CM	60	CM 73 LEVEL CM	5041,8017 litre	63,685 %	2875,0118 litre	O
700	CM	60	CM 72 LEVEL CM	4959,6458 litre	62,647 %	2957,1677 litre	O
700	CM	60	CM 71 LEVEL CM	4877,2042 litre	61,606 %	3039,6093 litre	O
700	CM	60	CM 70 LEVEL CM	4794,5015 litre	60,561 %	3122,3120 litre	O
700	CM	60	CM 69 LEVEL CM	4711,5621 litre	59,513 %	3205,2514 litre	O

700	CM	60	CM	68 LEVEL CM	4628,4103 litre	58,463 %	3288,4032 litre	O
700	CM	60	CM	67 LEVEL CM	4545,0701 litre	57,410 %	3371,7434 litre	O
700	CM	60	CM	66 LEVEL CM	4461,5655 litre	56,356 %	3455,2480 litre	O
700	CM	60	CM	65 LEVEL CM	4377,9201 litre	55,299 %	3538,8934 litre	O
700	CM	60	CM	64 LEVEL CM	4294,1577 litre	54,241 %	3622,6558 litre	O
700	CM	60	CM	63 LEVEL CM	4210,3017 litre	53,182 %	3706,5118 litre	O
700	CM	60	CM	62 LEVEL CM	4126,3756 litre	52,122 %	3790,4379 litre	O
700	CM	60	CM	61 LEVEL CM	4042,4029 litre	51,061 %	3874,4106 litre	O
700	CM	60	CM	60 LEVEL CM	3958,4067 litre	50,000 %	3958,4068 litre	O
700	CM	60	CM	59 LEVEL CM	3874,4106 litre	48,939 %	4042,4029 litre	O
700	CM	60	CM	58 LEVEL CM	3790,4379 litre	47,878 %	4126,3756 litre	O
700	CM	60	CM	57 LEVEL CM	3706,5118 litre	46,818 %	4210,3017 litre	O
700	CM	60	CM	56 LEVEL CM	3622,6558 litre	45,759 %	4294,1577 litre	O
700	CM	60	CM	55 LEVEL CM	3538,8934 litre	44,701 %	4377,9201 litre	O
700	CM	60	CM	54 LEVEL CM	3455,2480 litre	43,644 %	4461,5655 litre	O
700	CM	60	CM	53 LEVEL CM	3371,7434 litre	42,590 %	4545,0701 litre	O
700	CM	60	CM	52 LEVEL CM	3288,4032 litre	41,537 %	4628,4103 litre	O
700	CM	60	CM	51 LEVEL CM	3205,2514 litre	40,487 %	4711,5621 litre	O
700	CM	60	CM	50 LEVEL CM	3122,3120 litre	39,439 %	4794,5015 litre	O
700	CM	60	CM	49 LEVEL CM	3039,6093 litre	38,394 %	4877,2042 litre	O
700	CM	60	CM	48 LEVEL CM	2957,1677 litre	37,353 %	4959,6458 litre	O
700	CM	60	CM	47 LEVEL CM	2875,0118 litre	36,315 %	5041,8017 litre	O
700	CM	60	CM	46 LEVEL CM	2793,1667 litre	35,281 %	5123,6468 litre	O
700	CM	60	CM	45 LEVEL CM	2711,6576 litre	34,252 %	5205,1559 litre	O
700	CM	60	CM	44 LEVEL CM	2630,5100 litre	33,227 %	5286,3035 litre	O
700	CM	60	CM	43 LEVEL CM	2549,7498 litre	32,207 %	5367,0637 litre	O
700	CM	60	CM	42 LEVEL CM	2469,4032 litre	31,192 %	5447,4103 litre	O
700	CM	60	CM	41 LEVEL CM	2389,4970 litre	30,183 %	5527,3165 litre	O
700	CM	60	CM	40 LEVEL CM	2310,0581 litre	29,179 %	5606,7554 litre	O
700	CM	60	CM	39 LEVEL CM	2231,1143 litre	28,182 %	5685,6992 litre	O
700	CM	60	CM	38 LEVEL CM	2152,6937 litre	27,191 %	5764,1198 litre	O
700	CM	60	CM	37 LEVEL CM	2074,8248 litre	26,208 %	5841,9887 litre	O
700	CM	60	CM	36 LEVEL CM	1997,5370 litre	25,232 %	5919,2765 litre	O
700	CM	60	CM	35 LEVEL CM	1920,8603 litre	24,263 %	5995,9532 litre	O
700	CM	60	CM	34 LEVEL CM	1844,8254 litre	23,303 %	6071,9881 litre	O
700	CM	60	CM	33 LEVEL CM	1769,4637 litre	22,351 %	6147,3498 litre	O
700	CM	60	CM	32 LEVEL CM	1694,8075 litre	21,408 %	6222,0060 litre	O
700	CM	60	CM	31 LEVEL CM	1620,8902 litre	20,474 %	6295,9233 litre	O
700	CM	60	CM	30 LEVEL CM	1547,7458 litre	19,550 %	6369,0677 litre	O
700	CM	60	CM	29 LEVEL CM	1475,4099 litre	18,636 %	6441,4036 litre	O
700	CM	60	CM	28 LEVEL CM	1403,9189 litre	17,733 %	6512,8946 litre	O
700	CM	60	CM	27 LEVEL CM	1333,3107 litre	16,842 %	6583,5028 litre	O
700	CM	60	CM	26 LEVEL CM	1263,6246 litre	15,961 %	6653,1889 litre	O
700	CM	60	CM	25 LEVEL CM	1194,9014 litre	15,093 %	6721,9121 litre	O
700	CM	60	CM	24 LEVEL CM	1127,1839 litre	14,238 %	6789,6296 litre	O
700	CM	60	CM	23 LEVEL CM	1060,5166 litre	13,396 %	6856,2969 litre	O
700	CM	60	CM	22 LEVEL CM	994,9462 litre	12,568 %	6921,8673 litre	O
700	CM	60	CM	21 LEVEL CM	930,5217 litre	11,754 %	6986,2918 litre	O
700	CM	60	CM	20 LEVEL CM	867,2950 litre	10,955 %	7049,5185 litre	O
700	CM	60	CM	19 LEVEL CM	805,3207 litre	10,172 %	7111,4928 litre	O
700	CM	60	CM	18 LEVEL CM	744,6571 litre	9,406 %	7172,1564 litre	O
700	CM	60	CM	17 LEVEL CM	685,3661 litre	8,657 %	7231,4474 litre	O
700	CM	60	CM	16 LEVEL CM	627,5142 litre	7,926 %	7289,2993 litre	O

700	CM	60	CM	15 LEVEL CM	571,1728 litre	7,215 %	7345,6407 litre	O
700	CM	60	CM	14 LEVEL CM	516,4195 litre	6,523 %	7400,3940 litre	O
700	CM	60	CM	13 LEVEL CM	463,3386 litre	5,853 %	7453,4749 litre	O
700	CM	60	CM	12 LEVEL CM	412,0228 litre	5,204 %	7504,7907 litre	O
700	CM	60	CM	11 LEVEL CM	362,5747 litre	4,580 %	7554,2388 litre	O
700	CM	60	CM	10 LEVEL CM	315,1089 litre	3,980 %	7601,7046 litre	O
700	CM	60	CM	9 LEVEL CM	269,7553 litre	3,407 %	7647,0582 litre	O
700	CM	60	CM	8 LEVEL CM	226,6627 litre	2,863 %	7690,1508 litre	O
700	CM	60	CM	7 LEVEL CM	186,0050 litre	2,349 %	7730,8085 litre	O
700	CM	60	CM	6 LEVEL CM	147,9893 litre	1,869 %	7768,8242 litre	O
700	CM	60	CM	5 LEVEL CM	112,8698 litre	1,426 %	7803,9437 litre	O
700	CM	60	CM	4 LEVEL CM	80,9704 litre	1,023 %	7835,8431 litre	O
700	CM	60	CM	3 LEVEL CM	52,7260 litre	0,666 %	7864,0875 litre	O
700	CM	60	CM	2 LEVEL CM	28,7733 litre	0,363 %	7888,0402 litre	O
700	CM	60	CM	1 LEVEL CM	10,1986 litre	0,129 %	7906,6149 litre	O
700	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	7916,8135 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	55	CM	110 LEVEL CM	6652,3224 litre	100,000 %	0,0000 litre	O
700	CM	55	CM	109 LEVEL CM	6642,5603 litre	99,853 %	9,7621 litre	O
700	CM	55	CM	108 LEVEL CM	6624,7868 litre	99,586 %	27,5356 litre	O
700	CM	55	CM	107 LEVEL CM	6601,8761 litre	99,242 %	50,4463 litre	O
700	CM	55	CM	106 LEVEL CM	6574,8713 litre	98,836 %	77,4511 litre	O
700	CM	55	CM	105 LEVEL CM	6544,3841 litre	98,377 %	107,9383 litre	O
700	CM	55	CM	104 LEVEL CM	6510,8335 litre	97,873 %	141,4889 litre	O
700	CM	55	CM	103 LEVEL CM	6474,5312 litre	97,327 %	177,7912 litre	O
700	CM	55	CM	102 LEVEL CM	6435,7226 litre	96,744 %	216,5998 litre	O
700	CM	55	CM	101 LEVEL CM	6394,6079 litre	96,126 %	257,7145 litre	O
700	CM	55	CM	100 LEVEL CM	6351,3552 litre	95,476 %	300,9672 litre	O
700	CM	55	CM	99 LEVEL CM	6306,1088 litre	94,796 %	346,2136 litre	O
700	CM	55	CM	98 LEVEL CM	6258,9946 litre	94,087 %	393,3278 litre	O
700	CM	55	CM	97 LEVEL CM	6210,1239 litre	93,353 %	442,1985 litre	O
700	CM	55	CM	96 LEVEL CM	6159,5966 litre	92,593 %	492,7258 litre	O
700	CM	55	CM	95 LEVEL CM	6107,5029 litre	91,810 %	544,8195 litre	O
700	CM	55	CM	94 LEVEL CM	6053,9251 litre	91,005 %	598,3973 litre	O
700	CM	55	CM	93 LEVEL CM	5998,9391 litre	90,178 %	653,3833 litre	O
700	CM	55	CM	92 LEVEL CM	5942,6146 litre	89,331 %	709,7078 litre	O
700	CM	55	CM	91 LEVEL CM	5885,0169 litre	88,466 %	767,3055 litre	O
700	CM	55	CM	90 LEVEL CM	5826,2068 litre	87,582 %	826,1156 litre	O
700	CM	55	CM	89 LEVEL CM	5766,2414 litre	86,680 %	886,0810 litre	O
700	CM	55	CM	88 LEVEL CM	5705,1748 litre	85,762 %	947,1476 litre	O
700	CM	55	CM	87 LEVEL CM	5643,0580 litre	84,828 %	1009,2644 litre	O
700	CM	55	CM	86 LEVEL CM	5579,9395 litre	83,880 %	1072,3829 litre	O
700	CM	55	CM	85 LEVEL CM	5515,8655 litre	82,916 %	1136,4569 litre	O
700	CM	55	CM	84 LEVEL CM	5450,8803 litre	81,940 %	1201,4421 litre	O
700	CM	55	CM	83 LEVEL CM	5385,0261 litre	80,950 %	1267,2963 litre	O
700	CM	55	CM	82 LEVEL CM	5318,3438 litre	79,947 %	1333,9786 litre	O
700	CM	55	CM	81 LEVEL CM	5250,8725 litre	78,933 %	1401,4499 litre	O
700	CM	55	CM	80 LEVEL CM	5182,6501 litre	77,907 %	1469,6723 litre	O
700	CM	55	CM	79 LEVEL CM	5113,7131 litre	76,871 %	1538,6093 litre	O
700	CM	55	CM	78 LEVEL CM	5044,0971 litre	75,825 %	1608,2253 litre	O
700	CM	55	CM	77 LEVEL CM	4973,8365 litre	74,768 %	1678,4859 litre	O
700	CM	55	CM	76 LEVEL CM	4902,9648 litre	73,703 %	1749,3576 litre	O
700	CM	55	CM	75 LEVEL CM	4831,5146 litre	72,629 %	1820,8078 litre	O
700	CM	55	CM	74 LEVEL CM	4759,5180 litre	71,547 %	1892,8044 litre	O
700	CM	55	CM	73 LEVEL CM	4687,0058 litre	70,457 %	1965,3166 litre	O
700	CM	55	CM	72 LEVEL CM	4614,0088 litre	69,359 %	2038,3136 litre	O
700	CM	55	CM	71 LEVEL CM	4540,5567 litre	68,255 %	2111,7657 litre	O
700	CM	55	CM	70 LEVEL CM	4466,6789 litre	67,145 %	2185,6435 litre	O
700	CM	55	CM	69 LEVEL CM	4392,4042 litre	66,028 %	2259,9182 litre	O
700	CM	55	CM	68 LEVEL CM	4317,7609 litre	64,906 %	2334,5615 litre	O
700	CM	55	CM	67 LEVEL CM	4242,7771 litre	63,779 %	2409,5453 litre	O
700	CM	55	CM	66 LEVEL CM	4167,4802 litre	62,647 %	2484,8422 litre	O
700	CM	55	CM	65 LEVEL CM	4091,8975 litre	61,511 %	2560,4249 litre	O
700	CM	55	CM	64 LEVEL CM	4016,0560 litre	60,371 %	2636,2664 litre	O
700	CM	55	CM	63 LEVEL CM	3939,9822 litre	59,227 %	2712,3402 litre	O
700	CM	55	CM	62 LEVEL CM	3863,7025 litre	58,081 %	2788,6199 litre	O
700	CM	55	CM	61 LEVEL CM	3787,2432 litre	56,931 %	2865,0792 litre	O
700	CM	55	CM	60 LEVEL CM	3710,6303 litre	55,779 %	2941,6921 litre	O
700	CM	55	CM	59 LEVEL CM	3633,8895 litre	54,626 %	3018,4329 litre	O

700	CM	55	CM	58 LEVEL CM	3557,0466 litre	53,471 %	3095,2758 litre	O
700	CM	55	CM	57 LEVEL CM	3480,1273 litre	52,314 %	3172,1951 litre	O
700	CM	55	CM	56 LEVEL CM	3403,1570 litre	51,157 %	3249,1654 litre	O
700	CM	55	CM	55 LEVEL CM	3326,1612 litre	50,000 %	3326,1612 litre	O
700	CM	55	CM	54 LEVEL CM	3249,1655 litre	48,843 %	3403,1569 litre	O
700	CM	55	CM	53 LEVEL CM	3172,1952 litre	47,686 %	3480,1272 litre	O
700	CM	55	CM	52 LEVEL CM	3095,2758 litre	46,529 %	3557,0466 litre	O
700	CM	55	CM	51 LEVEL CM	3018,4330 litre	45,374 %	3633,8894 litre	O
700	CM	55	CM	50 LEVEL CM	2941,6922 litre	44,221 %	3710,6302 litre	O
700	CM	55	CM	49 LEVEL CM	2865,0792 litre	43,069 %	3787,2432 litre	O
700	CM	55	CM	48 LEVEL CM	2788,6199 litre	41,919 %	3863,7025 litre	O
700	CM	55	CM	47 LEVEL CM	2712,3403 litre	40,773 %	3939,9821 litre	O
700	CM	55	CM	46 LEVEL CM	2636,2665 litre	39,629 %	4016,0559 litre	O
700	CM	55	CM	45 LEVEL CM	2560,4249 litre	38,489 %	4091,8975 litre	O
700	CM	55	CM	44 LEVEL CM	2484,8423 litre	37,353 %	4167,4801 litre	O
700	CM	55	CM	43 LEVEL CM	2409,5454 litre	36,221 %	4242,7770 litre	O
700	CM	55	CM	42 LEVEL CM	2334,5615 litre	35,094 %	4317,7609 litre	O
700	CM	55	CM	41 LEVEL CM	2259,9183 litre	33,972 %	4392,4041 litre	O
700	CM	55	CM	40 LEVEL CM	2185,6436 litre	32,855 %	4466,6788 litre	O
700	CM	55	CM	39 LEVEL CM	2111,7657 litre	31,745 %	4540,5567 litre	O
700	CM	55	CM	38 LEVEL CM	2038,3136 litre	30,641 %	4614,0088 litre	O
700	CM	55	CM	37 LEVEL CM	1965,3166 litre	29,543 %	4687,0058 litre	O
700	CM	55	CM	36 LEVEL CM	1892,8045 litre	28,453 %	4759,5179 litre	O
700	CM	55	CM	35 LEVEL CM	1820,8078 litre	27,371 %	4831,5146 litre	O
700	CM	55	CM	34 LEVEL CM	1749,3577 litre	26,297 %	4902,9647 litre	O
700	CM	55	CM	33 LEVEL CM	1678,4860 litre	25,232 %	4973,8364 litre	O
700	CM	55	CM	32 LEVEL CM	1608,2254 litre	24,175 %	5044,0970 litre	O
700	CM	55	CM	31 LEVEL CM	1538,6093 litre	23,129 %	5113,7131 litre	O
700	CM	55	CM	30 LEVEL CM	1469,6724 litre	22,093 %	5182,6500 litre	O
700	CM	55	CM	29 LEVEL CM	1401,4499 litre	21,067 %	5250,8725 litre	O
700	CM	55	CM	28 LEVEL CM	1333,9786 litre	20,053 %	5318,3438 litre	O
700	CM	55	CM	27 LEVEL CM	1267,2963 litre	19,050 %	5385,0261 litre	O
700	CM	55	CM	26 LEVEL CM	1201,4422 litre	18,060 %	5450,8802 litre	O
700	CM	55	CM	25 LEVEL CM	1136,4569 litre	17,084 %	5515,8655 litre	O
700	CM	55	CM	24 LEVEL CM	1072,3830 litre	16,120 %	5579,9394 litre	O
700	CM	55	CM	23 LEVEL CM	1009,2644 litre	15,172 %	5643,0580 litre	O
700	CM	55	CM	22 LEVEL CM	947,1476 litre	14,238 %	5705,1748 litre	O
700	CM	55	CM	21 LEVEL CM	886,0810 litre	13,320 %	5766,2414 litre	O
700	CM	55	CM	20 LEVEL CM	826,1157 litre	12,418 %	5826,2067 litre	O
700	CM	55	CM	19 LEVEL CM	767,3056 litre	11,534 %	5885,0168 litre	O
700	CM	55	CM	18 LEVEL CM	709,7078 litre	10,669 %	5942,6146 litre	O
700	CM	55	CM	17 LEVEL CM	653,3834 litre	9,822 %	5998,9390 litre	O
700	CM	55	CM	16 LEVEL CM	598,3973 litre	8,995 %	6053,9251 litre	O
700	CM	55	CM	15 LEVEL CM	544,8196 litre	8,190 %	6107,5028 litre	O
700	CM	55	CM	14 LEVEL CM	492,7259 litre	7,407 %	6159,5965 litre	O
700	CM	55	CM	13 LEVEL CM	442,1986 litre	6,647 %	6210,1238 litre	O
700	CM	55	CM	12 LEVEL CM	393,3279 litre	5,913 %	6258,9945 litre	O
700	CM	55	CM	11 LEVEL CM	346,2136 litre	5,204 %	6306,1088 litre	O
700	CM	55	CM	10 LEVEL CM	300,9672 litre	4,524 %	6351,3552 litre	O
700	CM	55	CM	9 LEVEL CM	257,7145 litre	3,874 %	6394,6079 litre	O
700	CM	55	CM	8 LEVEL CM	216,5999 litre	3,256 %	6435,7225 litre	O
700	CM	55	CM	7 LEVEL CM	177,7913 litre	2,673 %	6474,5311 litre	O
700	CM	55	CM	6 LEVEL CM	141,4890 litre	2,127 %	6510,8334 litre	O

700	CM	55	CM	5 LEVEL CM	107,9383 litre	1,623 %	6544,3841 litre	O
700	CM	55	CM	4 LEVEL CM	77,4511 litre	1,164 %	6574,8713 litre	O
700	CM	55	CM	3 LEVEL CM	50,4463 litre	0,758 %	6601,8761 litre	O
700	CM	55	CM	2 LEVEL CM	27,5356 litre	0,414 %	6624,7868 litre	O
700	CM	55	CM	1 LEVEL CM	9,7621 litre	0,147 %	6642,5603 litre	O
700	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	6652,3224 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
700	CM	50	CM	100 LEVEL CM	5497,7871 litre	100,000 %	0,0000 litre	O
700	CM	50	CM	99 LEVEL CM	5488,4819 litre	99,831 %	9,3052 litre	O
700	CM	50	CM	98 LEVEL CM	5471,5475 litre	99,523 %	26,2396 litre	O
700	CM	50	CM	97 LEVEL CM	5449,7286 litre	99,126 %	48,0585 litre	O
700	CM	50	CM	96 LEVEL CM	5424,0230 litre	98,658 %	73,7641 litre	O
700	CM	50	CM	95 LEVEL CM	5395,0168 litre	98,131 %	102,7703 litre	O
700	CM	50	CM	94 LEVEL CM	5363,1119 litre	97,550 %	134,6752 litre	O
700	CM	50	CM	93 LEVEL CM	5328,6080 litre	96,923 %	169,1791 litre	O
700	CM	50	CM	92 LEVEL CM	5291,7412 litre	96,252 %	206,0459 litre	O
700	CM	50	CM	91 LEVEL CM	5252,7045 litre	95,542 %	245,0826 litre	O
700	CM	50	CM	90 LEVEL CM	5211,6602 litre	94,796 %	286,1269 litre	O
700	CM	50	CM	89 LEVEL CM	5168,7478 litre	94,015 %	329,0393 litre	O
700	CM	50	CM	88 LEVEL CM	5124,0892 litre	93,203 %	373,6979 litre	O
700	CM	50	CM	87 LEVEL CM	5077,7926 litre	92,361 %	419,9945 litre	O
700	CM	50	CM	86 LEVEL CM	5029,9549 litre	91,491 %	467,8322 litre	O
700	CM	50	CM	85 LEVEL CM	4980,6642 litre	90,594 %	517,1229 litre	O
700	CM	50	CM	84 LEVEL CM	4930,0006 litre	89,672 %	567,7865 litre	O
700	CM	50	CM	83 LEVEL CM	4878,0382 litre	88,727 %	619,7489 litre	O
700	CM	50	CM	82 LEVEL CM	4824,8454 litre	87,760 %	672,9417 litre	O
700	CM	50	CM	81 LEVEL CM	4770,4863 litre	86,771 %	727,3008 litre	O
700	CM	50	CM	80 LEVEL CM	4715,0205 litre	85,762 %	782,7666 litre	O
700	CM	50	CM	79 LEVEL CM	4658,5045 litre	84,734 %	839,2826 litre	O
700	CM	50	CM	78 LEVEL CM	4600,9915 litre	83,688 %	896,7956 litre	O
700	CM	50	CM	77 LEVEL CM	4542,5320 litre	82,625 %	955,2551 litre	O
700	CM	50	CM	76 LEVEL CM	4483,1740 litre	81,545 %	1014,6131 litre	O
700	CM	50	CM	75 LEVEL CM	4422,9637 litre	80,450 %	1074,8234 litre	O
700	CM	50	CM	74 LEVEL CM	4361,9448 litre	79,340 %	1135,8423 litre	O
700	CM	50	CM	73 LEVEL CM	4300,1599 litre	78,216 %	1197,6272 litre	O
700	CM	50	CM	72 LEVEL CM	4237,6495 litre	77,079 %	1260,1376 litre	O
700	CM	50	CM	71 LEVEL CM	4174,4531 litre	75,930 %	1323,3340 litre	O
700	CM	50	CM	70 LEVEL CM	4110,6086 litre	74,768 %	1387,1785 litre	O
700	CM	50	CM	69 LEVEL CM	4046,1531 litre	73,596 %	1451,6340 litre	O
700	CM	50	CM	68 LEVEL CM	3981,1223 litre	72,413 %	1516,6648 litre	O
700	CM	50	CM	67 LEVEL CM	3915,5513 litre	71,220 %	1582,2358 litre	O
700	CM	50	CM	66 LEVEL CM	3849,4740 litre	70,019 %	1648,3131 litre	O
700	CM	50	CM	65 LEVEL CM	3782,9238 litre	68,808 %	1714,8633 litre	O
700	CM	50	CM	64 LEVEL CM	3715,9333 litre	67,590 %	1781,8538 litre	O
700	CM	50	CM	63 LEVEL CM	3648,5343 litre	66,364 %	1849,2528 litre	O
700	CM	50	CM	62 LEVEL CM	3580,7584 litre	65,131 %	1917,0287 litre	O
700	CM	50	CM	61 LEVEL CM	3512,6363 litre	63,892 %	1985,1508 litre	O
700	CM	50	CM	60 LEVEL CM	3444,1985 litre	62,647 %	2053,5886 litre	O
700	CM	50	CM	59 LEVEL CM	3375,4748 litre	61,397 %	2122,3123 litre	O
700	CM	50	CM	58 LEVEL CM	3306,4950 litre	60,142 %	2191,2921 litre	O
700	CM	50	CM	57 LEVEL CM	3237,2882 litre	58,883 %	2260,4989 litre	O
700	CM	50	CM	56 LEVEL CM	3167,8834 litre	57,621 %	2329,9037 litre	O
700	CM	50	CM	55 LEVEL CM	3098,3094 litre	56,356 %	2399,4777 litre	O
700	CM	50	CM	54 LEVEL CM	3028,5946 litre	55,088 %	2469,1925 litre	O
700	CM	50	CM	53 LEVEL CM	2958,7675 litre	53,817 %	2539,0196 litre	O
700	CM	50	CM	52 LEVEL CM	2888,8562 litre	52,546 %	2608,9309 litre	O
700	CM	50	CM	51 LEVEL CM	2818,8889 litre	51,273 %	2678,8982 litre	O
700	CM	50	CM	50 LEVEL CM	2748,8936 litre	50,000 %	2748,8935 litre	O
700	CM	50	CM	49 LEVEL CM	2678,8982 litre	48,727 %	2818,8889 litre	O

700	CM	50	CM	48 LEVEL CM	2608,9309 litre	47,454 %	2888,8562 litre	O
700	CM	50	CM	47 LEVEL CM	2539,0196 litre	46,183 %	2958,7675 litre	O
700	CM	50	CM	46 LEVEL CM	2469,1925 litre	44,912 %	3028,5946 litre	O
700	CM	50	CM	45 LEVEL CM	2399,4778 litre	43,644 %	3098,3093 litre	O
700	CM	50	CM	44 LEVEL CM	2329,9038 litre	42,379 %	3167,8833 litre	O
700	CM	50	CM	43 LEVEL CM	2260,4990 litre	41,117 %	3237,2881 litre	O
700	CM	50	CM	42 LEVEL CM	2191,2922 litre	39,858 %	3306,4949 litre	O
700	CM	50	CM	41 LEVEL CM	2122,3123 litre	38,603 %	3375,4748 litre	O
700	CM	50	CM	40 LEVEL CM	2053,5886 litre	37,353 %	3444,1985 litre	O
700	CM	50	CM	39 LEVEL CM	1985,1508 litre	36,108 %	3512,6363 litre	O
700	CM	50	CM	38 LEVEL CM	1917,0287 litre	34,869 %	3580,7584 litre	O
700	CM	50	CM	37 LEVEL CM	1849,2528 litre	33,636 %	3648,5343 litre	O
700	CM	50	CM	36 LEVEL CM	1781,8539 litre	32,410 %	3715,9332 litre	O
700	CM	50	CM	35 LEVEL CM	1714,8633 litre	31,192 %	3782,9238 litre	O
700	CM	50	CM	34 LEVEL CM	1648,3131 litre	29,981 %	3849,4740 litre	O
700	CM	50	CM	33 LEVEL CM	1582,2359 litre	28,780 %	3915,5512 litre	O
700	CM	50	CM	32 LEVEL CM	1516,6648 litre	27,587 %	3981,1223 litre	O
700	CM	50	CM	31 LEVEL CM	1451,6340 litre	26,404 %	4046,1531 litre	O
700	CM	50	CM	30 LEVEL CM	1387,1785 litre	25,232 %	4110,6086 litre	O
700	CM	50	CM	29 LEVEL CM	1323,3340 litre	24,070 %	4174,4531 litre	O
700	CM	50	CM	28 LEVEL CM	1260,1376 litre	22,921 %	4237,6495 litre	O
700	CM	50	CM	27 LEVEL CM	1197,6272 litre	21,784 %	4300,1599 litre	O
700	CM	50	CM	26 LEVEL CM	1135,8423 litre	20,660 %	4361,9448 litre	O
700	CM	50	CM	25 LEVEL CM	1074,8235 litre	19,550 %	4422,9636 litre	O
700	CM	50	CM	24 LEVEL CM	1014,6131 litre	18,455 %	4483,1740 litre	O
700	CM	50	CM	23 LEVEL CM	955,2552 litre	17,375 %	4542,5319 litre	O
700	CM	50	CM	22 LEVEL CM	896,7957 litre	16,312 %	4600,9914 litre	O
700	CM	50	CM	21 LEVEL CM	839,2826 litre	15,266 %	4658,5045 litre	O
700	CM	50	CM	20 LEVEL CM	782,7666 litre	14,238 %	4715,0205 litre	O
700	CM	50	CM	19 LEVEL CM	727,3009 litre	13,229 %	4770,4862 litre	O
700	CM	50	CM	18 LEVEL CM	672,9417 litre	12,240 %	4824,8454 litre	O
700	CM	50	CM	17 LEVEL CM	619,7490 litre	11,273 %	4878,0381 litre	O
700	CM	50	CM	16 LEVEL CM	567,7865 litre	10,328 %	4930,0006 litre	O
700	CM	50	CM	15 LEVEL CM	517,1230 litre	9,406 %	4980,6641 litre	O
700	CM	50	CM	14 LEVEL CM	467,8322 litre	8,509 %	5029,9549 litre	O
700	CM	50	CM	13 LEVEL CM	419,9945 litre	7,639 %	5077,7926 litre	O
700	CM	50	CM	12 LEVEL CM	373,6979 litre	6,797 %	5124,0892 litre	O
700	CM	50	CM	11 LEVEL CM	329,0394 litre	5,985 %	5168,7477 litre	O
700	CM	50	CM	10 LEVEL CM	286,1269 litre	5,204 %	5211,6602 litre	O
700	CM	50	CM	9 LEVEL CM	245,0826 litre	4,458 %	5252,7045 litre	O
700	CM	50	CM	8 LEVEL CM	206,0459 litre	3,748 %	5291,7412 litre	O
700	CM	50	CM	7 LEVEL CM	169,1791 litre	3,077 %	5328,6080 litre	O
700	CM	50	CM	6 LEVEL CM	134,6752 litre	2,450 %	5363,1119 litre	O
700	CM	50	CM	5 LEVEL CM	102,7703 litre	1,869 %	5395,0168 litre	O
700	CM	50	CM	4 LEVEL CM	73,7642 litre	1,342 %	5424,0229 litre	O
700	CM	50	CM	3 LEVEL CM	48,0586 litre	0,874 %	5449,7285 litre	O
700	CM	50	CM	2 LEVEL CM	26,2397 litre	0,477 %	5471,5474 litre	O
700	CM	50	CM	1 LEVEL CM	9,3053 litre	0,169 %	5488,4818 litre	O
700	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	5497,7871 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	150	CM	300 LEVEL CM	42411,5008 litre	100,000 %	0,0000 litre	O
600	CM	150	CM	299 LEVEL CM	42397,6583 litre	99,967 %	13,8425 litre	O
600	CM	150	CM	298 LEVEL CM	42372,3875 litre	99,908 %	39,1133 litre	O
600	CM	150	CM	297 LEVEL CM	42339,7172 litre	99,831 %	71,7836 litre	O
600	CM	150	CM	296 LEVEL CM	42301,0940 litre	99,740 %	110,4068 litre	O
600	CM	150	CM	295 LEVEL CM	42257,3584 litre	99,637 %	154,1424 litre	O
600	CM	150	CM	294 LEVEL CM	42209,0803 litre	99,523 %	202,4205 litre	O
600	CM	150	CM	293 LEVEL CM	42156,6805 litre	99,399 %	254,8203 litre	O
600	CM	150	CM	292 LEVEL CM	42100,4865 litre	99,267 %	311,0143 litre	O
600	CM	150	CM	291 LEVEL CM	42040,7632 litre	99,126 %	370,7376 litre	O
600	CM	150	CM	290 LEVEL CM	41977,7310 litre	98,977 %	433,7698 litre	O
600	CM	150	CM	289 LEVEL CM	41911,5770 litre	98,821 %	499,9238 litre	O
600	CM	150	CM	288 LEVEL CM	41842,4630 litre	98,658 %	569,0378 litre	O
600	CM	150	CM	287 LEVEL CM	41770,5307 litre	98,489 %	640,9701 litre	O
600	CM	150	CM	286 LEVEL CM	41695,9059 litre	98,313 %	715,5949 litre	O
600	CM	150	CM	285 LEVEL CM	41618,7011 litre	98,131 %	792,7997 litre	O
600	CM	150	CM	284 LEVEL CM	41539,0178 litre	97,943 %	872,4830 litre	O
600	CM	150	CM	283 LEVEL CM	41456,9484 litre	97,749 %	954,5524 litre	O
600	CM	150	CM	282 LEVEL CM	41372,5775 litre	97,550 %	1038,9233 litre	O
600	CM	150	CM	281 LEVEL CM	41285,9828 litre	97,346 %	1125,5180 litre	O
600	CM	150	CM	280 LEVEL CM	41197,2363 litre	97,137 %	1214,2645 litre	O
600	CM	150	CM	279 LEVEL CM	41106,4047 litre	96,923 %	1305,0961 litre	O
600	CM	150	CM	278 LEVEL CM	41013,5505 litre	96,704 %	1397,9503 litre	O
600	CM	150	CM	277 LEVEL CM	40918,7319 litre	96,480 %	1492,7689 litre	O
600	CM	150	CM	276 LEVEL CM	40822,0037 litre	96,252 %	1589,4971 litre	O
600	CM	150	CM	275 LEVEL CM	40723,4175 litre	96,020 %	1688,0833 litre	O
600	CM	150	CM	274 LEVEL CM	40623,0220 litre	95,783 %	1788,4788 litre	O
600	CM	150	CM	273 LEVEL CM	40520,8633 litre	95,542 %	1890,6375 litre	O
600	CM	150	CM	272 LEVEL CM	40416,9853 litre	95,297 %	1994,5155 litre	O
600	CM	150	CM	271 LEVEL CM	40311,4296 litre	95,048 %	2100,0712 litre	O
600	CM	150	CM	270 LEVEL CM	40204,2359 litre	94,796 %	2207,2649 litre	O
600	CM	150	CM	269 LEVEL CM	40095,4420 litre	94,539 %	2316,0588 litre	O
600	CM	150	CM	268 LEVEL CM	39985,0842 litre	94,279 %	2426,4166 litre	O
600	CM	150	CM	267 LEVEL CM	39873,1972 litre	94,015 %	2538,3036 litre	O
600	CM	150	CM	266 LEVEL CM	39759,8144 litre	93,748 %	2651,6864 litre	O
600	CM	150	CM	265 LEVEL CM	39644,9678 litre	93,477 %	2766,5330 litre	O
600	CM	150	CM	264 LEVEL CM	39528,6882 litre	93,203 %	2882,8126 litre	O
600	CM	150	CM	263 LEVEL CM	39411,0052 litre	92,925 %	3000,4956 litre	O
600	CM	150	CM	262 LEVEL CM	39291,9476 litre	92,645 %	3119,5532 litre	O
600	CM	150	CM	261 LEVEL CM	39171,5429 litre	92,361 %	3239,9579 litre	O
600	CM	150	CM	260 LEVEL CM	39049,8179 litre	92,074 %	3361,6829 litre	O
600	CM	150	CM	259 LEVEL CM	38926,7984 litre	91,784 %	3484,7024 litre	O
600	CM	150	CM	258 LEVEL CM	38802,5096 litre	91,491 %	3608,9912 litre	O
600	CM	150	CM	257 LEVEL CM	38676,9757 litre	91,195 %	3734,5251 litre	O
600	CM	150	CM	256 LEVEL CM	38550,2204 litre	90,896 %	3861,2804 litre	O
600	CM	150	CM	255 LEVEL CM	38422,2665 litre	90,594 %	3989,2343 litre	O
600	CM	150	CM	254 LEVEL CM	38293,1363 litre	90,290 %	4118,3645 litre	O
600	CM	150	CM	253 LEVEL CM	38162,8515 litre	89,982 %	4248,6493 litre	O
600	CM	150	CM	252 LEVEL CM	38031,4332 litre	89,672 %	4380,0676 litre	O
600	CM	150	CM	251 LEVEL CM	37898,9019 litre	89,360 %	4512,5989 litre	O
600	CM	150	CM	250 LEVEL CM	37765,2777 litre	89,045 %	4646,2231 litre	O
600	CM	150	CM	249 LEVEL CM	37630,5802 litre	88,727 %	4780,9206 litre	O

600	CM	150	CM	248 LEVEL CM	37494,8284 litre	88,407 %	4916,6724 litre	O
600	CM	150	CM	247 LEVEL CM	37358,0410 litre	88,085 %	5053,4598 litre	O
600	CM	150	CM	246 LEVEL CM	37220,2362 litre	87,760 %	5191,2646 litre	O
600	CM	150	CM	245 LEVEL CM	37081,4319 litre	87,432 %	5330,0689 litre	O
600	CM	150	CM	244 LEVEL CM	36941,6455 litre	87,103 %	5469,8553 litre	O
600	CM	150	CM	243 LEVEL CM	36800,8941 litre	86,771 %	5610,6067 litre	O
600	CM	150	CM	242 LEVEL CM	36659,1943 litre	86,437 %	5752,3065 litre	O
600	CM	150	CM	241 LEVEL CM	36516,5628 litre	86,101 %	5894,9380 litre	O
600	CM	150	CM	240 LEVEL CM	36373,0154 litre	85,762 %	6038,4854 litre	O
600	CM	150	CM	239 LEVEL CM	36228,5680 litre	85,422 %	6182,9328 litre	O
600	CM	150	CM	238 LEVEL CM	36083,2360 litre	85,079 %	6328,2648 litre	O
600	CM	150	CM	237 LEVEL CM	35937,0347 litre	84,734 %	6474,4661 litre	O
600	CM	150	CM	236 LEVEL CM	35789,9790 litre	84,387 %	6621,5218 litre	O
600	CM	150	CM	235 LEVEL CM	35642,0836 litre	84,039 %	6769,4172 litre	O
600	CM	150	CM	234 LEVEL CM	35493,3628 litre	83,688 %	6918,1380 litre	O
600	CM	150	CM	233 LEVEL CM	35343,8309 litre	83,335 %	7067,6699 litre	O
600	CM	150	CM	232 LEVEL CM	35193,5019 litre	82,981 %	7217,9989 litre	O
600	CM	150	CM	231 LEVEL CM	35042,3894 litre	82,625 %	7369,1114 litre	O
600	CM	150	CM	230 LEVEL CM	34890,5069 litre	82,267 %	7520,9939 litre	O
600	CM	150	CM	229 LEVEL CM	34737,8679 litre	81,907 %	7673,6329 litre	O
600	CM	150	CM	228 LEVEL CM	34584,4854 litre	81,545 %	7827,0154 litre	O
600	CM	150	CM	227 LEVEL CM	34430,3723 litre	81,182 %	7981,1285 litre	O
600	CM	150	CM	226 LEVEL CM	34275,5415 litre	80,817 %	8135,9593 litre	O
600	CM	150	CM	225 LEVEL CM	34120,0054 litre	80,450 %	8291,4954 litre	O
600	CM	150	CM	224 LEVEL CM	33963,7764 litre	80,082 %	8447,7244 litre	O
600	CM	150	CM	223 LEVEL CM	33806,8669 litre	79,712 %	8604,6339 litre	O
600	CM	150	CM	222 LEVEL CM	33649,2888 litre	79,340 %	8762,2120 litre	O
600	CM	150	CM	221 LEVEL CM	33491,0542 litre	78,967 %	8920,4466 litre	O
600	CM	150	CM	220 LEVEL CM	33332,1747 litre	78,592 %	9079,3261 litre	O
600	CM	150	CM	219 LEVEL CM	33172,6621 litre	78,216 %	9238,8387 litre	O
600	CM	150	CM	218 LEVEL CM	33012,5277 litre	77,839 %	9398,9731 litre	O
600	CM	150	CM	217 LEVEL CM	32851,7830 litre	77,460 %	9559,7178 litre	O
600	CM	150	CM	216 LEVEL CM	32690,4393 litre	77,079 %	9721,0615 litre	O
600	CM	150	CM	215 LEVEL CM	32528,5075 litre	76,697 %	9882,9933 litre	O
600	CM	150	CM	214 LEVEL CM	32365,9988 litre	76,314 %	10045,5020 litre	O
600	CM	150	CM	213 LEVEL CM	32202,9239 litre	75,930 %	10208,5769 litre	O
600	CM	150	CM	212 LEVEL CM	32039,2937 litre	75,544 %	10372,2071 litre	O
600	CM	150	CM	211 LEVEL CM	31875,1187 litre	75,157 %	10536,3821 litre	O
600	CM	150	CM	210 LEVEL CM	31710,4096 litre	74,768 %	10701,0912 litre	O
600	CM	150	CM	209 LEVEL CM	31545,1767 litre	74,379 %	10866,3241 litre	O
600	CM	150	CM	208 LEVEL CM	31379,4305 litre	73,988 %	11032,0703 litre	O
600	CM	150	CM	207 LEVEL CM	31213,1811 litre	73,596 %	11198,3197 litre	O
600	CM	150	CM	206 LEVEL CM	31046,4387 litre	73,203 %	11365,0621 litre	O
600	CM	150	CM	205 LEVEL CM	30879,2134 litre	72,809 %	11532,2874 litre	O
600	CM	150	CM	204 LEVEL CM	30711,5152 litre	72,413 %	11699,9856 litre	O
600	CM	150	CM	203 LEVEL CM	30543,3539 litre	72,017 %	11868,1469 litre	O
600	CM	150	CM	202 LEVEL CM	30374,7393 litre	71,619 %	12036,7615 litre	O
600	CM	150	CM	201 LEVEL CM	30205,6813 litre	71,220 %	12205,8195 litre	O
600	CM	150	CM	200 LEVEL CM	30036,1894 litre	70,821 %	12375,3114 litre	O
600	CM	150	CM	199 LEVEL CM	29866,2732 litre	70,420 %	12545,2276 litre	O
600	CM	150	CM	198 LEVEL CM	29695,9423 litre	70,019 %	12715,5585 litre	O
600	CM	150	CM	197 LEVEL CM	29525,2060 litre	69,616 %	12886,2948 litre	O
600	CM	150	CM	196 LEVEL CM	29354,0738 litre	69,213 %	13057,4270 litre	O

600	CM	150	CM	195 LEVEL CM	29182,5550 litre	68,808 %	13228,9458 litre	O
600	CM	150	CM	194 LEVEL CM	29010,6588 litre	68,403 %	13400,8420 litre	O
600	CM	150	CM	193 LEVEL CM	28838,3944 litre	67,997 %	13573,1064 litre	O
600	CM	150	CM	192 LEVEL CM	28665,7709 litre	67,590 %	13745,7299 litre	O
600	CM	150	CM	191 LEVEL CM	28492,7974 litre	67,182 %	13918,7034 litre	O
600	CM	150	CM	190 LEVEL CM	28319,4829 litre	66,773 %	14092,0179 litre	O
600	CM	150	CM	189 LEVEL CM	28145,8364 litre	66,364 %	14265,6644 litre	O
600	CM	150	CM	188 LEVEL CM	27971,8668 litre	65,953 %	14439,6340 litre	O
600	CM	150	CM	187 LEVEL CM	27797,5829 litre	65,543 %	14613,9179 litre	O
600	CM	150	CM	186 LEVEL CM	27622,9936 litre	65,131 %	14788,5072 litre	O
600	CM	150	CM	185 LEVEL CM	27448,1076 litre	64,719 %	14963,3932 litre	O
600	CM	150	CM	184 LEVEL CM	27272,9336 litre	64,306 %	15138,5672 litre	O
600	CM	150	CM	183 LEVEL CM	27097,4804 litre	63,892 %	15314,0204 litre	O
600	CM	150	CM	182 LEVEL CM	26921,7565 litre	63,477 %	15489,7443 litre	O
600	CM	150	CM	181 LEVEL CM	26745,7706 litre	63,063 %	15665,7302 litre	O
600	CM	150	CM	180 LEVEL CM	26569,5313 litre	62,647 %	15841,9695 litre	O
600	CM	150	CM	179 LEVEL CM	26393,0469 litre	62,231 %	16018,4539 litre	O
600	CM	150	CM	178 LEVEL CM	26216,3262 litre	61,814 %	16195,1746 litre	O
600	CM	150	CM	177 LEVEL CM	26039,3774 litre	61,397 %	16372,1234 litre	O
600	CM	150	CM	176 LEVEL CM	25862,2090 litre	60,979 %	16549,2918 litre	O
600	CM	150	CM	175 LEVEL CM	25684,8294 litre	60,561 %	16726,6714 litre	O
600	CM	150	CM	174 LEVEL CM	25507,2470 litre	60,142 %	16904,2538 litre	O
600	CM	150	CM	173 LEVEL CM	25329,4700 litre	59,723 %	17082,0308 litre	O
600	CM	150	CM	172 LEVEL CM	25151,5069 litre	59,304 %	17259,9939 litre	O
600	CM	150	CM	171 LEVEL CM	24973,3659 litre	58,883 %	17438,1349 litre	O
600	CM	150	CM	170 LEVEL CM	24795,0551 litre	58,463 %	17616,4457 litre	O
600	CM	150	CM	169 LEVEL CM	24616,5829 litre	58,042 %	17794,9179 litre	O
600	CM	150	CM	168 LEVEL CM	24437,9575 litre	57,621 %	17973,5433 litre	O
600	CM	150	CM	167 LEVEL CM	24259,1871 litre	57,200 %	18152,3137 litre	O
600	CM	150	CM	166 LEVEL CM	24080,2797 litre	56,778 %	18331,2211 litre	O
600	CM	150	CM	165 LEVEL CM	23901,2436 litre	56,356 %	18510,2572 litre	O
600	CM	150	CM	164 LEVEL CM	23722,0869 litre	55,933 %	18689,4139 litre	O
600	CM	150	CM	163 LEVEL CM	23542,8178 litre	55,510 %	18868,6830 litre	O
600	CM	150	CM	162 LEVEL CM	23363,4442 litre	55,088 %	19048,0566 litre	O
600	CM	150	CM	161 LEVEL CM	23183,9743 litre	54,664 %	19227,5265 litre	O
600	CM	150	CM	160 LEVEL CM	23004,4162 litre	54,241 %	19407,0846 litre	O
600	CM	150	CM	159 LEVEL CM	22824,7779 litre	53,817 %	19586,7229 litre	O
600	CM	150	CM	158 LEVEL CM	22645,0675 litre	53,394 %	19766,4333 litre	O
600	CM	150	CM	157 LEVEL CM	22465,2929 litre	52,970 %	19946,2079 litre	O
600	CM	150	CM	156 LEVEL CM	22285,4623 litre	52,546 %	20126,0385 litre	O
600	CM	150	CM	155 LEVEL CM	22105,5837 litre	52,122 %	20305,9171 litre	O
600	CM	150	CM	154 LEVEL CM	21925,6651 litre	51,697 %	20485,8357 litre	O
600	CM	150	CM	153 LEVEL CM	21745,7144 litre	51,273 %	20665,7864 litre	O
600	CM	150	CM	152 LEVEL CM	21565,7397 litre	50,849 %	20845,7611 litre	O
600	CM	150	CM	151 LEVEL CM	21385,7491 litre	50,424 %	21025,7517 litre	O
600	CM	150	CM	150 LEVEL CM	21205,7504 litre	50,000 %	21205,7504 litre	O
600	CM	150	CM	149 LEVEL CM	21025,7517 litre	49,576 %	21385,7491 litre	O
600	CM	150	CM	148 LEVEL CM	20845,7611 litre	49,151 %	21565,7397 litre	O
600	CM	150	CM	147 LEVEL CM	20665,7864 litre	48,727 %	21745,7144 litre	O
600	CM	150	CM	146 LEVEL CM	20485,8358 litre	48,303 %	21925,6650 litre	O
600	CM	150	CM	145 LEVEL CM	20305,9171 litre	47,878 %	22105,5837 litre	O
600	CM	150	CM	144 LEVEL CM	20126,0385 litre	47,454 %	22285,4623 litre	O
600	CM	150	CM	143 LEVEL CM	19946,2079 litre	47,030 %	22465,2929 litre	O

600	CM	150	CM	142 LEVEL CM	19766,4334 litre	46,606 %	22645,0674 litre	O
600	CM	150	CM	141 LEVEL CM	19586,7229 litre	46,183 %	22824,7779 litre	O
600	CM	150	CM	140 LEVEL CM	19407,0846 litre	45,759 %	23004,4162 litre	O
600	CM	150	CM	139 LEVEL CM	19227,5265 litre	45,336 %	23183,9743 litre	O
600	CM	150	CM	138 LEVEL CM	19048,0566 litre	44,912 %	23363,4442 litre	O
600	CM	150	CM	137 LEVEL CM	18868,6831 litre	44,490 %	23542,8177 litre	O
600	CM	150	CM	136 LEVEL CM	18689,4139 litre	44,067 %	23722,0869 litre	O
600	CM	150	CM	135 LEVEL CM	18510,2572 litre	43,644 %	23901,2436 litre	O
600	CM	150	CM	134 LEVEL CM	18331,2211 litre	43,222 %	24080,2797 litre	O
600	CM	150	CM	133 LEVEL CM	18152,3138 litre	42,800 %	24259,1870 litre	O
600	CM	150	CM	132 LEVEL CM	17973,5433 litre	42,379 %	24437,9575 litre	O
600	CM	150	CM	131 LEVEL CM	17794,9179 litre	41,958 %	24616,5829 litre	O
600	CM	150	CM	130 LEVEL CM	17616,4457 litre	41,537 %	24795,0551 litre	O
600	CM	150	CM	129 LEVEL CM	17438,1350 litre	41,117 %	24973,3658 litre	O
600	CM	150	CM	128 LEVEL CM	17259,9939 litre	40,696 %	25151,5069 litre	O
600	CM	150	CM	127 LEVEL CM	17082,0308 litre	40,277 %	25329,4700 litre	O
600	CM	150	CM	126 LEVEL CM	16904,2538 litre	39,858 %	25507,2470 litre	O
600	CM	150	CM	125 LEVEL CM	16726,6714 litre	39,439 %	25684,8294 litre	O
600	CM	150	CM	124 LEVEL CM	16549,2918 litre	39,021 %	25862,2090 litre	O
600	CM	150	CM	123 LEVEL CM	16372,1235 litre	38,603 %	26039,3773 litre	O
600	CM	150	CM	122 LEVEL CM	16195,1747 litre	38,186 %	26216,3261 litre	O
600	CM	150	CM	121 LEVEL CM	16018,4539 litre	37,769 %	26393,0469 litre	O
600	CM	150	CM	120 LEVEL CM	15841,9696 litre	37,353 %	26569,5312 litre	O
600	CM	150	CM	119 LEVEL CM	15665,7302 litre	36,937 %	26745,7706 litre	O
600	CM	150	CM	118 LEVEL CM	15489,7443 litre	36,523 %	26921,7565 litre	O
600	CM	150	CM	117 LEVEL CM	15314,0204 litre	36,108 %	27097,4804 litre	O
600	CM	150	CM	116 LEVEL CM	15138,5672 litre	35,694 %	27272,9336 litre	O
600	CM	150	CM	115 LEVEL CM	14963,3933 litre	35,281 %	27448,1075 litre	O
600	CM	150	CM	114 LEVEL CM	14788,5073 litre	34,869 %	27622,9935 litre	O
600	CM	150	CM	113 LEVEL CM	14613,9179 litre	34,457 %	27797,5829 litre	O
600	CM	150	CM	112 LEVEL CM	14439,6341 litre	34,047 %	27971,8667 litre	O
600	CM	150	CM	111 LEVEL CM	14265,6644 litre	33,636 %	28145,8364 litre	O
600	CM	150	CM	110 LEVEL CM	14092,0179 litre	33,227 %	28319,4829 litre	O
600	CM	150	CM	109 LEVEL CM	13918,7034 litre	32,818 %	28492,7974 litre	O
600	CM	150	CM	108 LEVEL CM	13745,7299 litre	32,410 %	28665,7709 litre	O
600	CM	150	CM	107 LEVEL CM	13573,1064 litre	32,003 %	28838,3944 litre	O
600	CM	150	CM	106 LEVEL CM	13400,8420 litre	31,597 %	29010,6588 litre	O
600	CM	150	CM	105 LEVEL CM	13228,9458 litre	31,192 %	29182,5550 litre	O
600	CM	150	CM	104 LEVEL CM	13057,4270 litre	30,787 %	29354,0738 litre	O
600	CM	150	CM	103 LEVEL CM	12886,2948 litre	30,384 %	29525,2060 litre	O
600	CM	150	CM	102 LEVEL CM	12715,5585 litre	29,981 %	29695,9423 litre	O
600	CM	150	CM	101 LEVEL CM	12545,2276 litre	29,580 %	29866,2732 litre	O
600	CM	150	CM	100 LEVEL CM	12375,3114 litre	29,179 %	30036,1894 litre	O
600	CM	150	CM	99 LEVEL CM	12205,8195 litre	28,780 %	30205,6813 litre	O
600	CM	150	CM	98 LEVEL CM	12036,7615 litre	28,381 %	30374,7393 litre	O
600	CM	150	CM	97 LEVEL CM	11868,1470 litre	27,983 %	30543,3538 litre	O
600	CM	150	CM	96 LEVEL CM	11699,9857 litre	27,587 %	30711,5151 litre	O
600	CM	150	CM	95 LEVEL CM	11532,2874 litre	27,191 %	30879,2134 litre	O
600	CM	150	CM	94 LEVEL CM	11365,0621 litre	26,797 %	31046,4387 litre	O
600	CM	150	CM	93 LEVEL CM	11198,3197 litre	26,404 %	31213,1811 litre	O
600	CM	150	CM	92 LEVEL CM	11032,0703 litre	26,012 %	31379,4305 litre	O
600	CM	150	CM	91 LEVEL CM	10866,3241 litre	25,621 %	31545,1767 litre	O
600	CM	150	CM	90 LEVEL CM	10701,0912 litre	25,232 %	31710,4096 litre	O

600	CM	150	CM	89 LEVEL CM	10536,3821 litre	24,843 %	31875,1187 litre	O
600	CM	150	CM	88 LEVEL CM	10372,2072 litre	24,456 %	32039,2936 litre	O
600	CM	150	CM	87 LEVEL CM	10208,5769 litre	24,070 %	32202,9239 litre	O
600	CM	150	CM	86 LEVEL CM	10045,5020 litre	23,686 %	32365,9988 litre	O
600	CM	150	CM	85 LEVEL CM	9882,9933 litre	23,303 %	32528,5075 litre	O
600	CM	150	CM	84 LEVEL CM	9721,0616 litre	22,921 %	32690,4392 litre	O
600	CM	150	CM	83 LEVEL CM	9559,7178 litre	22,540 %	32851,7830 litre	O
600	CM	150	CM	82 LEVEL CM	9398,9731 litre	22,161 %	33012,5277 litre	O
600	CM	150	CM	81 LEVEL CM	9238,8388 litre	21,784 %	33172,6620 litre	O
600	CM	150	CM	80 LEVEL CM	9079,3261 litre	21,408 %	33332,1747 litre	O
600	CM	150	CM	79 LEVEL CM	8920,4466 litre	21,033 %	33491,0542 litre	O
600	CM	150	CM	78 LEVEL CM	8762,2120 litre	20,660 %	33649,2888 litre	O
600	CM	150	CM	77 LEVEL CM	8604,6339 litre	20,288 %	33806,8669 litre	O
600	CM	150	CM	76 LEVEL CM	8447,7244 litre	19,918 %	33963,7764 litre	O
600	CM	150	CM	75 LEVEL CM	8291,4955 litre	19,550 %	34120,0053 litre	O
600	CM	150	CM	74 LEVEL CM	8135,9594 litre	19,183 %	34275,5414 litre	O
600	CM	150	CM	73 LEVEL CM	7981,1285 litre	18,818 %	34430,3723 litre	O
600	CM	150	CM	72 LEVEL CM	7827,0154 litre	18,455 %	34584,4854 litre	O
600	CM	150	CM	71 LEVEL CM	7673,6329 litre	18,093 %	34737,8679 litre	O
600	CM	150	CM	70 LEVEL CM	7520,9939 litre	17,733 %	34890,5069 litre	O
600	CM	150	CM	69 LEVEL CM	7369,1115 litre	17,375 %	35042,3893 litre	O
600	CM	150	CM	68 LEVEL CM	7217,9990 litre	17,019 %	35193,5018 litre	O
600	CM	150	CM	67 LEVEL CM	7067,6699 litre	16,665 %	35343,8309 litre	O
600	CM	150	CM	66 LEVEL CM	6918,1380 litre	16,312 %	35493,3628 litre	O
600	CM	150	CM	65 LEVEL CM	6769,4172 litre	15,961 %	35642,0836 litre	O
600	CM	150	CM	64 LEVEL CM	6621,5218 litre	15,613 %	35789,9790 litre	O
600	CM	150	CM	63 LEVEL CM	6474,4661 litre	15,266 %	35937,0347 litre	O
600	CM	150	CM	62 LEVEL CM	6328,2648 litre	14,921 %	36083,2360 litre	O
600	CM	150	CM	61 LEVEL CM	6182,9329 litre	14,578 %	36228,5679 litre	O
600	CM	150	CM	60 LEVEL CM	6038,4854 litre	14,238 %	36373,0154 litre	O
600	CM	150	CM	59 LEVEL CM	5894,9381 litre	13,899 %	36516,5627 litre	O
600	CM	150	CM	58 LEVEL CM	5752,3065 litre	13,563 %	36659,1943 litre	O
600	CM	150	CM	57 LEVEL CM	5610,6068 litre	13,229 %	36800,8940 litre	O
600	CM	150	CM	56 LEVEL CM	5469,8553 litre	12,897 %	36941,6455 litre	O
600	CM	150	CM	55 LEVEL CM	5330,0689 litre	12,568 %	37081,4319 litre	O
600	CM	150	CM	54 LEVEL CM	5191,2646 litre	12,240 %	37220,2362 litre	O
600	CM	150	CM	53 LEVEL CM	5053,4598 litre	11,915 %	37358,0410 litre	O
600	CM	150	CM	52 LEVEL CM	4916,6724 litre	11,593 %	37494,8284 litre	O
600	CM	150	CM	51 LEVEL CM	4780,9207 litre	11,273 %	37630,5801 litre	O
600	CM	150	CM	50 LEVEL CM	4646,2231 litre	10,955 %	37765,2777 litre	O
600	CM	150	CM	49 LEVEL CM	4512,5989 litre	10,640 %	37898,9019 litre	O
600	CM	150	CM	48 LEVEL CM	4380,0677 litre	10,328 %	38031,4331 litre	O
600	CM	150	CM	47 LEVEL CM	4248,6493 litre	10,018 %	38162,8515 litre	O
600	CM	150	CM	46 LEVEL CM	4118,3645 litre	9,710 %	38293,1363 litre	O
600	CM	150	CM	45 LEVEL CM	3989,2343 litre	9,406 %	38422,2665 litre	O
600	CM	150	CM	44 LEVEL CM	3861,2804 litre	9,104 %	38550,2204 litre	O
600	CM	150	CM	43 LEVEL CM	3734,5251 litre	8,805 %	38676,9757 litre	O
600	CM	150	CM	42 LEVEL CM	3608,9912 litre	8,509 %	38802,5096 litre	O
600	CM	150	CM	41 LEVEL CM	3484,7024 litre	8,216 %	38926,7984 litre	O
600	CM	150	CM	40 LEVEL CM	3361,6830 litre	7,926 %	39049,8178 litre	O
600	CM	150	CM	39 LEVEL CM	3239,9580 litre	7,639 %	39171,5428 litre	O
600	CM	150	CM	38 LEVEL CM	3119,5533 litre	7,355 %	39291,9475 litre	O
600	CM	150	CM	37 LEVEL CM	3000,4956 litre	7,075 %	39411,0052 litre	O

600	CM	150	CM	36 LEVEL CM	2882,8126 litre	6,797 %	39528,6882 litre	O
600	CM	150	CM	35 LEVEL CM	2766,5330 litre	6,523 %	39644,9678 litre	O
600	CM	150	CM	34 LEVEL CM	2651,6864 litre	6,252 %	39759,8144 litre	O
600	CM	150	CM	33 LEVEL CM	2538,3036 litre	5,985 %	39873,1972 litre	O
600	CM	150	CM	32 LEVEL CM	2426,4166 litre	5,721 %	39985,0842 litre	O
600	CM	150	CM	31 LEVEL CM	2316,0589 litre	5,461 %	40095,4419 litre	O
600	CM	150	CM	30 LEVEL CM	2207,2650 litre	5,204 %	40204,2358 litre	O
600	CM	150	CM	29 LEVEL CM	2100,0712 litre	4,952 %	40311,4296 litre	O
600	CM	150	CM	28 LEVEL CM	1994,5155 litre	4,703 %	40416,9853 litre	O
600	CM	150	CM	27 LEVEL CM	1890,6375 litre	4,458 %	40520,8633 litre	O
600	CM	150	CM	26 LEVEL CM	1788,4788 litre	4,217 %	40623,0220 litre	O
600	CM	150	CM	25 LEVEL CM	1688,0834 litre	3,980 %	40723,4174 litre	O
600	CM	150	CM	24 LEVEL CM	1589,4971 litre	3,748 %	40822,0037 litre	O
600	CM	150	CM	23 LEVEL CM	1492,7690 litre	3,520 %	40918,7318 litre	O
600	CM	150	CM	22 LEVEL CM	1397,9503 litre	3,296 %	41013,5505 litre	O
600	CM	150	CM	21 LEVEL CM	1305,0961 litre	3,077 %	41106,4047 litre	O
600	CM	150	CM	20 LEVEL CM	1214,2646 litre	2,863 %	41197,2362 litre	O
600	CM	150	CM	19 LEVEL CM	1125,5180 litre	2,654 %	41285,9828 litre	O
600	CM	150	CM	18 LEVEL CM	1038,9233 litre	2,450 %	41372,5775 litre	O
600	CM	150	CM	17 LEVEL CM	954,5524 litre	2,251 %	41456,9484 litre	O
600	CM	150	CM	16 LEVEL CM	872,4830 litre	2,057 %	41539,0178 litre	O
600	CM	150	CM	15 LEVEL CM	792,7997 litre	1,869 %	41618,7011 litre	O
600	CM	150	CM	14 LEVEL CM	715,5949 litre	1,687 %	41695,9059 litre	O
600	CM	150	CM	13 LEVEL CM	640,9701 litre	1,511 %	41770,5307 litre	O
600	CM	150	CM	12 LEVEL CM	569,0378 litre	1,342 %	41842,4630 litre	O
600	CM	150	CM	11 LEVEL CM	499,9238 litre	1,179 %	41911,5770 litre	O
600	CM	150	CM	10 LEVEL CM	433,7698 litre	1,023 %	41977,7310 litre	O
600	CM	150	CM	9 LEVEL CM	370,7376 litre	0,874 %	42040,7632 litre	O
600	CM	150	CM	8 LEVEL CM	311,0143 litre	0,733 %	42100,4865 litre	O
600	CM	150	CM	7 LEVEL CM	254,8203 litre	0,601 %	42156,6805 litre	O
600	CM	150	CM	6 LEVEL CM	202,4205 litre	0,477 %	42209,0803 litre	O
600	CM	150	CM	5 LEVEL CM	154,1424 litre	0,363 %	42257,3584 litre	O
600	CM	150	CM	4 LEVEL CM	110,4068 litre	0,260 %	42301,0940 litre	O
600	CM	150	CM	3 LEVEL CM	71,7836 litre	0,169 %	42339,7172 litre	O
600	CM	150	CM	2 LEVEL CM	39,1134 litre	0,092 %	42372,3874 litre	O
600	CM	150	CM	1 LEVEL CM	13,8425 litre	0,033 %	42397,6583 litre	O
600	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	42411,5008 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 145	CM 290 LEVEL CM	39631,1913 litre	100,000 %	0,0000 litre	O
600	CM 145	CM 289 LEVEL CM	39617,5819 litre	99,966 %	13,6094 litre	O
600	CM 145	CM 288 LEVEL CM	39592,7380 litre	99,903 %	38,4533 litre	O
600	CM 145	CM 287 LEVEL CM	39560,6216 litre	99,822 %	70,5697 litre	O
600	CM 145	CM 286 LEVEL CM	39522,6554 litre	99,726 %	108,5359 litre	O
600	CM 145	CM 285 LEVEL CM	39479,6661 litre	99,618 %	151,5252 litre	O
600	CM 145	CM 284 LEVEL CM	39432,2148 litre	99,498 %	198,9765 litre	O
600	CM 145	CM 283 LEVEL CM	39380,7154 litre	99,368 %	250,4759 litre	O
600	CM 145	CM 282 LEVEL CM	39325,4904 litre	99,229 %	305,7009 litre	O
600	CM 145	CM 281 LEVEL CM	39266,8005 litre	99,081 %	364,3908 litre	O
600	CM 145	CM 280 LEVEL CM	39204,8626 litre	98,924 %	426,3287 litre	O
600	CM 145	CM 279 LEVEL CM	39139,8613 litre	98,760 %	491,3300 litre	O
600	CM 145	CM 278 LEVEL CM	39071,9557 litre	98,589 %	559,2356 litre	O
600	CM 145	CM 277 LEVEL CM	39001,2855 litre	98,411 %	629,9058 litre	O
600	CM 145	CM 276 LEVEL CM	38927,9746 litre	98,226 %	703,2167 litre	O
600	CM 145	CM 275 LEVEL CM	38852,1339 litre	98,034 %	779,0574 litre	O
600	CM 145	CM 274 LEVEL CM	38773,8636 litre	97,837 %	857,3277 litre	O
600	CM 145	CM 273 LEVEL CM	38693,2547 litre	97,633 %	937,9366 litre	O
600	CM 145	CM 272 LEVEL CM	38610,3905 litre	97,424 %	1020,8008 litre	O
600	CM 145	CM 271 LEVEL CM	38525,3478 litre	97,210 %	1105,8435 litre	O
600	CM 145	CM 270 LEVEL CM	38438,1976 litre	96,990 %	1192,9937 litre	O
600	CM 145	CM 269 LEVEL CM	38349,0057 litre	96,765 %	1282,1856 litre	O
600	CM 145	CM 268 LEVEL CM	38257,8338 litre	96,535 %	1373,3575 litre	O
600	CM 145	CM 267 LEVEL CM	38164,7393 litre	96,300 %	1466,4520 litre	O
600	CM 145	CM 266 LEVEL CM	38069,7764 litre	96,060 %	1561,4149 litre	O
600	CM 145	CM 265 LEVEL CM	37972,9960 litre	95,816 %	1658,1953 litre	O
600	CM 145	CM 264 LEVEL CM	37874,4462 litre	95,567 %	1756,7451 litre	O
600	CM 145	CM 263 LEVEL CM	37774,1725 litre	95,314 %	1857,0188 litre	O
600	CM 145	CM 262 LEVEL CM	37672,2184 litre	95,057 %	1958,9729 litre	O
600	CM 145	CM 261 LEVEL CM	37568,6248 litre	94,796 %	2062,5665 litre	O
600	CM 145	CM 260 LEVEL CM	37463,4312 litre	94,530 %	2167,7601 litre	O
600	CM 145	CM 259 LEVEL CM	37356,6748 litre	94,261 %	2274,5165 litre	O
600	CM 145	CM 258 LEVEL CM	37248,3916 litre	93,988 %	2382,7997 litre	O
600	CM 145	CM 257 LEVEL CM	37138,6159 litre	93,711 %	2492,5754 litre	O
600	CM 145	CM 256 LEVEL CM	37027,3807 litre	93,430 %	2603,8106 litre	O
600	CM 145	CM 255 LEVEL CM	36914,7177 litre	93,146 %	2716,4736 litre	O
600	CM 145	CM 254 LEVEL CM	36800,6574 litre	92,858 %	2830,5339 litre	O
600	CM 145	CM 253 LEVEL CM	36685,2291 litre	92,567 %	2945,9622 litre	O
600	CM 145	CM 252 LEVEL CM	36568,4612 litre	92,272 %	3062,7301 litre	O
600	CM 145	CM 251 LEVEL CM	36450,3812 litre	91,974 %	3180,8101 litre	O
600	CM 145	CM 250 LEVEL CM	36331,0154 litre	91,673 %	3300,1759 litre	O
600	CM 145	CM 249 LEVEL CM	36210,3896 litre	91,368 %	3420,8017 litre	O
600	CM 145	CM 248 LEVEL CM	36088,5286 litre	91,061 %	3542,6627 litre	O
600	CM 145	CM 247 LEVEL CM	35965,4564 litre	90,750 %	3665,7349 litre	O
600	CM 145	CM 246 LEVEL CM	35841,1965 litre	90,437 %	3789,9948 litre	O
600	CM 145	CM 245 LEVEL CM	35715,7716 litre	90,120 %	3915,4197 litre	O
600	CM 145	CM 244 LEVEL CM	35589,2037 litre	89,801 %	4041,9876 litre	O
600	CM 145	CM 243 LEVEL CM	35461,5145 litre	89,479 %	4169,6768 litre	O
600	CM 145	CM 242 LEVEL CM	35332,7248 litre	89,154 %	4298,4665 litre	O
600	CM 145	CM 241 LEVEL CM	35202,8551 litre	88,826 %	4428,3362 litre	O
600	CM 145	CM 240 LEVEL CM	35071,9253 litre	88,496 %	4559,2660 litre	O
600	CM 145	CM 239 LEVEL CM	34939,9547 litre	88,163 %	4691,2366 litre	O

600	CM	145	CM	238 LEVEL CM	34806,9624 litre	87,827 %	4824,2289 litre	O
600	CM	145	CM	237 LEVEL CM	34672,9669 litre	87,489 %	4958,2244 litre	O
600	CM	145	CM	236 LEVEL CM	34537,9863 litre	87,148 %	5093,2050 litre	O
600	CM	145	CM	235 LEVEL CM	34402,0383 litre	86,805 %	5229,1530 litre	O
600	CM	145	CM	234 LEVEL CM	34265,1404 litre	86,460 %	5366,0509 litre	O
600	CM	145	CM	233 LEVEL CM	34127,3094 litre	86,112 %	5503,8819 litre	O
600	CM	145	CM	232 LEVEL CM	33988,5621 litre	85,762 %	5642,6292 litre	O
600	CM	145	CM	231 LEVEL CM	33848,9148 litre	85,410 %	5782,2765 litre	O
600	CM	145	CM	230 LEVEL CM	33708,3835 litre	85,055 %	5922,8078 litre	O
600	CM	145	CM	229 LEVEL CM	33566,9839 litre	84,698 %	6064,2074 litre	O
600	CM	145	CM	228 LEVEL CM	33424,7313 litre	84,339 %	6206,4600 litre	O
600	CM	145	CM	227 LEVEL CM	33281,6411 litre	83,978 %	6349,5502 litre	O
600	CM	145	CM	226 LEVEL CM	33137,7280 litre	83,615 %	6493,4633 litre	O
600	CM	145	CM	225 LEVEL CM	32993,0066 litre	83,250 %	6638,1847 litre	O
600	CM	145	CM	224 LEVEL CM	32847,4914 litre	82,883 %	6783,6999 litre	O
600	CM	145	CM	223 LEVEL CM	32701,1966 litre	82,514 %	6929,9947 litre	O
600	CM	145	CM	222 LEVEL CM	32554,1359 litre	82,143 %	7077,0554 litre	O
600	CM	145	CM	221 LEVEL CM	32406,3232 litre	81,770 %	7224,8681 litre	O
600	CM	145	CM	220 LEVEL CM	32257,7720 litre	81,395 %	7373,4193 litre	O
600	CM	145	CM	219 LEVEL CM	32108,4955 litre	81,018 %	7522,6958 litre	O
600	CM	145	CM	218 LEVEL CM	31958,5068 litre	80,640 %	7672,6845 litre	O
600	CM	145	CM	217 LEVEL CM	31807,8189 litre	80,260 %	7823,3724 litre	O
600	CM	145	CM	216 LEVEL CM	31656,4445 litre	79,878 %	7974,7468 litre	O
600	CM	145	CM	215 LEVEL CM	31504,3962 litre	79,494 %	8126,7951 litre	O
600	CM	145	CM	214 LEVEL CM	31351,6864 litre	79,109 %	8279,5049 litre	O
600	CM	145	CM	213 LEVEL CM	31198,3274 litre	78,722 %	8432,8639 litre	O
600	CM	145	CM	212 LEVEL CM	31044,3311 litre	78,333 %	8586,8602 litre	O
600	CM	145	CM	211 LEVEL CM	30889,7096 litre	77,943 %	8741,4817 litre	O
600	CM	145	CM	210 LEVEL CM	30734,4747 litre	77,551 %	8896,7166 litre	O
600	CM	145	CM	209 LEVEL CM	30578,6379 litre	77,158 %	9052,5534 litre	O
600	CM	145	CM	208 LEVEL CM	30422,2109 litre	76,763 %	9208,9804 litre	O
600	CM	145	CM	207 LEVEL CM	30265,2050 litre	76,367 %	9365,9863 litre	O
600	CM	145	CM	206 LEVEL CM	30107,6315 litre	75,970 %	9523,5598 litre	O
600	CM	145	CM	205 LEVEL CM	29949,5015 litre	75,571 %	9681,6898 litre	O
600	CM	145	CM	204 LEVEL CM	29790,8260 litre	75,170 %	9840,3653 litre	O
600	CM	145	CM	203 LEVEL CM	29631,6161 litre	74,768 %	9999,5752 litre	O
600	CM	145	CM	202 LEVEL CM	29471,8824 litre	74,365 %	10159,3089 litre	O
600	CM	145	CM	201 LEVEL CM	29311,6356 litre	73,961 %	10319,5557 litre	O
600	CM	145	CM	200 LEVEL CM	29150,8864 litre	73,555 %	10480,3049 litre	O
600	CM	145	CM	199 LEVEL CM	28989,6453 litre	73,149 %	10641,5460 litre	O
600	CM	145	CM	198 LEVEL CM	28827,9226 litre	72,740 %	10803,2687 litre	O
600	CM	145	CM	197 LEVEL CM	28665,7287 litre	72,331 %	10965,4626 litre	O
600	CM	145	CM	196 LEVEL CM	28503,0738 litre	71,921 %	11128,1175 litre	O
600	CM	145	CM	195 LEVEL CM	28339,9680 litre	71,509 %	11291,2233 litre	O
600	CM	145	CM	194 LEVEL CM	28176,4214 litre	71,097 %	11454,7699 litre	O
600	CM	145	CM	193 LEVEL CM	28012,4439 litre	70,683 %	11618,7474 litre	O
600	CM	145	CM	192 LEVEL CM	27848,0454 litre	70,268 %	11783,1459 litre	O
600	CM	145	CM	191 LEVEL CM	27683,2357 litre	69,852 %	11947,9556 litre	O
600	CM	145	CM	190 LEVEL CM	27518,0246 litre	69,435 %	12113,1667 litre	O
600	CM	145	CM	189 LEVEL CM	27352,4217 litre	69,017 %	12278,7696 litre	O
600	CM	145	CM	188 LEVEL CM	27186,4367 litre	68,599 %	12444,7546 litre	O
600	CM	145	CM	187 LEVEL CM	27020,0791 litre	68,179 %	12611,1122 litre	O
600	CM	145	CM	186 LEVEL CM	26853,3583 litre	67,758 %	12777,8330 litre	O

600	CM	145	CM	185 LEVEL CM	26686,2837 litre	67,337 %	12944,9076 litre	O
600	CM	145	CM	184 LEVEL CM	26518,8647 litre	66,914 %	13112,3266 litre	O
600	CM	145	CM	183 LEVEL CM	26351,1106 litre	66,491 %	13280,0807 litre	O
600	CM	145	CM	182 LEVEL CM	26183,0307 litre	66,067 %	13448,1606 litre	O
600	CM	145	CM	181 LEVEL CM	26014,6340 litre	65,642 %	13616,5573 litre	O
600	CM	145	CM	180 LEVEL CM	25845,9298 litre	65,216 %	13785,2615 litre	O
600	CM	145	CM	179 LEVEL CM	25676,9271 litre	64,790 %	13954,2642 litre	O
600	CM	145	CM	178 LEVEL CM	25507,6350 litre	64,363 %	14123,5563 litre	O
600	CM	145	CM	177 LEVEL CM	25338,0623 litre	63,935 %	14293,1290 litre	O
600	CM	145	CM	176 LEVEL CM	25168,2182 litre	63,506 %	14462,9731 litre	O
600	CM	145	CM	175 LEVEL CM	24998,1114 litre	63,077 %	14633,0799 litre	O
600	CM	145	CM	174 LEVEL CM	24827,7509 litre	62,647 %	14803,4404 litre	O
600	CM	145	CM	173 LEVEL CM	24657,1454 litre	62,217 %	14974,0459 litre	O
600	CM	145	CM	172 LEVEL CM	24486,3037 litre	61,785 %	15144,8876 litre	O
600	CM	145	CM	171 LEVEL CM	24315,2346 litre	61,354 %	15315,9567 litre	O
600	CM	145	CM	170 LEVEL CM	24143,9468 litre	60,922 %	15487,2445 litre	O
600	CM	145	CM	169 LEVEL CM	23972,4489 litre	60,489 %	15658,7424 litre	O
600	CM	145	CM	168 LEVEL CM	23800,7497 litre	60,056 %	15830,4416 litre	O
600	CM	145	CM	167 LEVEL CM	23628,8576 litre	59,622 %	16002,3337 litre	O
600	CM	145	CM	166 LEVEL CM	23456,7814 litre	59,188 %	16174,4099 litre	O
600	CM	145	CM	165 LEVEL CM	23284,5295 litre	58,753 %	16346,6618 litre	O
600	CM	145	CM	164 LEVEL CM	23112,1105 litre	58,318 %	16519,0808 litre	O
600	CM	145	CM	163 LEVEL CM	22939,5328 litre	57,883 %	16691,6585 litre	O
600	CM	145	CM	162 LEVEL CM	22766,8051 litre	57,447 %	16864,3862 litre	O
600	CM	145	CM	161 LEVEL CM	22593,9356 litre	57,010 %	17037,2557 litre	O
600	CM	145	CM	160 LEVEL CM	22420,9330 litre	56,574 %	17210,2583 litre	O
600	CM	145	CM	159 LEVEL CM	22247,8055 litre	56,137 %	17383,3858 litre	O
600	CM	145	CM	158 LEVEL CM	22074,5617 litre	55,700 %	17556,6296 litre	O
600	CM	145	CM	157 LEVEL CM	21901,2098 litre	55,263 %	17729,9815 litre	O
600	CM	145	CM	156 LEVEL CM	21727,7582 litre	54,825 %	17903,4331 litre	O
600	CM	145	CM	155 LEVEL CM	21554,2154 litre	54,387 %	18076,9759 litre	O
600	CM	145	CM	154 LEVEL CM	21380,5896 litre	53,949 %	18250,6017 litre	O
600	CM	145	CM	153 LEVEL CM	21206,8891 litre	53,511 %	18424,3022 litre	O
600	CM	145	CM	152 LEVEL CM	21033,1224 litre	53,072 %	18598,0689 litre	O
600	CM	145	CM	151 LEVEL CM	20859,2977 litre	52,634 %	18771,8936 litre	O
600	CM	145	CM	150 LEVEL CM	20685,4232 litre	52,195 %	18945,7681 litre	O
600	CM	145	CM	149 LEVEL CM	20511,5074 litre	51,756 %	19119,6839 litre	O
600	CM	145	CM	148 LEVEL CM	20337,5584 litre	51,317 %	19293,6329 litre	O
600	CM	145	CM	147 LEVEL CM	20163,5846 litre	50,878 %	19467,6067 litre	O
600	CM	145	CM	146 LEVEL CM	19989,5943 litre	50,439 %	19641,5970 litre	O
600	CM	145	CM	145 LEVEL CM	19815,5957 litre	50,000 %	19815,5956 litre	O
600	CM	145	CM	144 LEVEL CM	19641,5970 litre	49,561 %	19989,5943 litre	O
600	CM	145	CM	143 LEVEL CM	19467,6067 litre	49,122 %	20163,5846 litre	O
600	CM	145	CM	142 LEVEL CM	19293,6329 litre	48,683 %	20337,5584 litre	O
600	CM	145	CM	141 LEVEL CM	19119,6839 litre	48,244 %	20511,5074 litre	O
600	CM	145	CM	140 LEVEL CM	18945,7681 litre	47,805 %	20685,4232 litre	O
600	CM	145	CM	139 LEVEL CM	18771,8937 litre	47,366 %	20859,2976 litre	O
600	CM	145	CM	138 LEVEL CM	18598,0689 litre	46,928 %	21033,1224 litre	O
600	CM	145	CM	137 LEVEL CM	18424,3022 litre	46,489 %	21206,8891 litre	O
600	CM	145	CM	136 LEVEL CM	18250,6018 litre	46,051 %	21380,5895 litre	O
600	CM	145	CM	135 LEVEL CM	18076,9760 litre	45,613 %	21554,2153 litre	O
600	CM	145	CM	134 LEVEL CM	17903,4331 litre	45,175 %	21727,7582 litre	O
600	CM	145	CM	133 LEVEL CM	17729,9816 litre	44,737 %	21901,2097 litre	O

600	CM	145	CM	132 LEVEL CM	17556,6297 litre	44,300 %	22074,5616 litre	O
600	CM	145	CM	131 LEVEL CM	17383,3858 litre	43,863 %	22247,8055 litre	O
600	CM	145	CM	130 LEVEL CM	17210,2583 litre	43,426 %	22420,9330 litre	O
600	CM	145	CM	129 LEVEL CM	17037,2557 litre	42,990 %	22593,9356 litre	O
600	CM	145	CM	128 LEVEL CM	16864,3863 litre	42,553 %	22766,8050 litre	O
600	CM	145	CM	127 LEVEL CM	16691,6585 litre	42,117 %	22939,5328 litre	O
600	CM	145	CM	126 LEVEL CM	16519,0809 litre	41,682 %	23112,1104 litre	O
600	CM	145	CM	125 LEVEL CM	16346,6619 litre	41,247 %	23284,5294 litre	O
600	CM	145	CM	124 LEVEL CM	16174,4099 litre	40,812 %	23456,7814 litre	O
600	CM	145	CM	123 LEVEL CM	16002,3337 litre	40,378 %	23628,8576 litre	O
600	CM	145	CM	122 LEVEL CM	15830,4416 litre	39,944 %	23800,7497 litre	O
600	CM	145	CM	121 LEVEL CM	15658,7424 litre	39,511 %	23972,4489 litre	O
600	CM	145	CM	120 LEVEL CM	15487,2445 litre	39,078 %	24143,9468 litre	O
600	CM	145	CM	119 LEVEL CM	15315,9567 litre	38,646 %	24315,2346 litre	O
600	CM	145	CM	118 LEVEL CM	15144,8876 litre	38,215 %	24486,3037 litre	O
600	CM	145	CM	117 LEVEL CM	14974,0459 litre	37,783 %	24657,1454 litre	O
600	CM	145	CM	116 LEVEL CM	14803,4404 litre	37,353 %	24827,7509 litre	O
600	CM	145	CM	115 LEVEL CM	14633,0799 litre	36,923 %	24998,1114 litre	O
600	CM	145	CM	114 LEVEL CM	14462,9731 litre	36,494 %	25168,2182 litre	O
600	CM	145	CM	113 LEVEL CM	14293,1290 litre	36,065 %	25338,0623 litre	O
600	CM	145	CM	112 LEVEL CM	14123,5564 litre	35,637 %	25507,6349 litre	O
600	CM	145	CM	111 LEVEL CM	13954,2642 litre	35,210 %	25676,9271 litre	O
600	CM	145	CM	110 LEVEL CM	13785,2615 litre	34,784 %	25845,9298 litre	O
600	CM	145	CM	109 LEVEL CM	13616,5573 litre	34,358 %	26014,6340 litre	O
600	CM	145	CM	108 LEVEL CM	13448,1606 litre	33,933 %	26183,0307 litre	O
600	CM	145	CM	107 LEVEL CM	13280,0807 litre	33,509 %	26351,1106 litre	O
600	CM	145	CM	106 LEVEL CM	13112,3266 litre	33,086 %	26518,8647 litre	O
600	CM	145	CM	105 LEVEL CM	12944,9076 litre	32,663 %	26686,2837 litre	O
600	CM	145	CM	104 LEVEL CM	12777,8331 litre	32,242 %	26853,3582 litre	O
600	CM	145	CM	103 LEVEL CM	12611,1123 litre	31,821 %	27020,0790 litre	O
600	CM	145	CM	102 LEVEL CM	12444,7546 litre	31,401 %	27186,4367 litre	O
600	CM	145	CM	101 LEVEL CM	12278,7696 litre	30,983 %	27352,4217 litre	O
600	CM	145	CM	100 LEVEL CM	12113,1667 litre	30,565 %	27518,0246 litre	O
600	CM	145	CM	99 LEVEL CM	11947,9556 litre	30,148 %	27683,2357 litre	O
600	CM	145	CM	98 LEVEL CM	11783,1460 litre	29,732 %	27848,0453 litre	O
600	CM	145	CM	97 LEVEL CM	11618,7475 litre	29,317 %	28012,4438 litre	O
600	CM	145	CM	96 LEVEL CM	11454,7700 litre	28,903 %	28176,4213 litre	O
600	CM	145	CM	95 LEVEL CM	11291,2233 litre	28,491 %	28339,9680 litre	O
600	CM	145	CM	94 LEVEL CM	11128,1175 litre	28,079 %	28503,0738 litre	O
600	CM	145	CM	93 LEVEL CM	10965,4626 litre	27,669 %	28665,7287 litre	O
600	CM	145	CM	92 LEVEL CM	10803,2687 litre	27,260 %	28827,9226 litre	O
600	CM	145	CM	91 LEVEL CM	10641,5460 litre	26,851 %	28989,6453 litre	O
600	CM	145	CM	90 LEVEL CM	10480,3049 litre	26,445 %	29150,8864 litre	O
600	CM	145	CM	89 LEVEL CM	10319,5557 litre	26,039 %	29311,6356 litre	O
600	CM	145	CM	88 LEVEL CM	10159,3090 litre	25,635 %	29471,8823 litre	O
600	CM	145	CM	87 LEVEL CM	9999,5753 litre	25,232 %	29631,6160 litre	O
600	CM	145	CM	86 LEVEL CM	9840,3653 litre	24,830 %	29790,8260 litre	O
600	CM	145	CM	85 LEVEL CM	9681,6898 litre	24,429 %	29949,5015 litre	O
600	CM	145	CM	84 LEVEL CM	9523,5598 litre	24,030 %	30107,6315 litre	O
600	CM	145	CM	83 LEVEL CM	9365,9863 litre	23,633 %	30265,2050 litre	O
600	CM	145	CM	82 LEVEL CM	9208,9804 litre	23,237 %	30422,2109 litre	O
600	CM	145	CM	81 LEVEL CM	9052,5534 litre	22,842 %	30578,6379 litre	O
600	CM	145	CM	80 LEVEL CM	8896,7167 litre	22,449 %	30734,4746 litre	O

600	CM	145	CM	79 LEVEL CM	8741,4817 litre	22,057 %	30889,7096 litre	O
600	CM	145	CM	78 LEVEL CM	8586,8602 litre	21,667 %	31044,3311 litre	O
600	CM	145	CM	77 LEVEL CM	8432,8640 litre	21,278 %	31198,3273 litre	O
600	CM	145	CM	76 LEVEL CM	8279,5049 litre	20,891 %	31351,6864 litre	O
600	CM	145	CM	75 LEVEL CM	8126,7951 litre	20,506 %	31504,3962 litre	O
600	CM	145	CM	74 LEVEL CM	7974,7468 litre	20,122 %	31656,4445 litre	O
600	CM	145	CM	73 LEVEL CM	7823,3724 litre	19,740 %	31807,8189 litre	O
600	CM	145	CM	72 LEVEL CM	7672,6845 litre	19,360 %	31958,5068 litre	O
600	CM	145	CM	71 LEVEL CM	7522,6959 litre	18,982 %	32108,4954 litre	O
600	CM	145	CM	70 LEVEL CM	7373,4194 litre	18,605 %	32257,7719 litre	O
600	CM	145	CM	69 LEVEL CM	7224,8681 litre	18,230 %	32406,3232 litre	O
600	CM	145	CM	68 LEVEL CM	7077,0554 litre	17,857 %	32554,1359 litre	O
600	CM	145	CM	67 LEVEL CM	6929,9948 litre	17,486 %	32701,1965 litre	O
600	CM	145	CM	66 LEVEL CM	6783,6999 litre	17,117 %	32847,4914 litre	O
600	CM	145	CM	65 LEVEL CM	6638,1847 litre	16,750 %	32993,0066 litre	O
600	CM	145	CM	64 LEVEL CM	6493,4634 litre	16,385 %	33137,7279 litre	O
600	CM	145	CM	63 LEVEL CM	6349,5503 litre	16,022 %	33281,6410 litre	O
600	CM	145	CM	62 LEVEL CM	6206,4600 litre	15,661 %	33424,7313 litre	O
600	CM	145	CM	61 LEVEL CM	6064,2075 litre	15,302 %	33566,9838 litre	O
600	CM	145	CM	60 LEVEL CM	5922,8078 litre	14,945 %	33708,3835 litre	O
600	CM	145	CM	59 LEVEL CM	5782,2765 litre	14,590 %	33848,9148 litre	O
600	CM	145	CM	58 LEVEL CM	5642,6292 litre	14,238 %	33988,5621 litre	O
600	CM	145	CM	57 LEVEL CM	5503,8819 litre	13,888 %	34127,3094 litre	O
600	CM	145	CM	56 LEVEL CM	5366,0509 litre	13,540 %	34265,1404 litre	O
600	CM	145	CM	55 LEVEL CM	5229,1530 litre	13,195 %	34402,0383 litre	O
600	CM	145	CM	54 LEVEL CM	5093,2051 litre	12,852 %	34537,9862 litre	O
600	CM	145	CM	53 LEVEL CM	4958,2245 litre	12,511 %	34672,9668 litre	O
600	CM	145	CM	52 LEVEL CM	4824,2289 litre	12,173 %	34806,9624 litre	O
600	CM	145	CM	51 LEVEL CM	4691,2366 litre	11,837 %	34939,9547 litre	O
600	CM	145	CM	50 LEVEL CM	4559,2661 litre	11,504 %	35071,9252 litre	O
600	CM	145	CM	49 LEVEL CM	4428,3362 litre	11,174 %	35202,8551 litre	O
600	CM	145	CM	48 LEVEL CM	4298,4665 litre	10,846 %	35332,7248 litre	O
600	CM	145	CM	47 LEVEL CM	4169,6768 litre	10,521 %	35461,5145 litre	O
600	CM	145	CM	46 LEVEL CM	4041,9876 litre	10,199 %	35589,2037 litre	O
600	CM	145	CM	45 LEVEL CM	3915,4198 litre	9,880 %	35715,7715 litre	O
600	CM	145	CM	44 LEVEL CM	3789,9949 litre	9,563 %	35841,1964 litre	O
600	CM	145	CM	43 LEVEL CM	3665,7349 litre	9,250 %	35965,4564 litre	O
600	CM	145	CM	42 LEVEL CM	3542,6628 litre	8,939 %	36088,5285 litre	O
600	CM	145	CM	41 LEVEL CM	3420,8017 litre	8,632 %	36210,3896 litre	O
600	CM	145	CM	40 LEVEL CM	3300,1759 litre	8,327 %	36331,0154 litre	O
600	CM	145	CM	39 LEVEL CM	3180,8101 litre	8,026 %	36450,3812 litre	O
600	CM	145	CM	38 LEVEL CM	3062,7301 litre	7,728 %	36568,4612 litre	O
600	CM	145	CM	37 LEVEL CM	2945,9622 litre	7,433 %	36685,2291 litre	O
600	CM	145	CM	36 LEVEL CM	2830,5339 litre	7,142 %	36800,6574 litre	O
600	CM	145	CM	35 LEVEL CM	2716,4736 litre	6,854 %	36914,7177 litre	O
600	CM	145	CM	34 LEVEL CM	2603,8106 litre	6,570 %	37027,3807 litre	O
600	CM	145	CM	33 LEVEL CM	2492,5754 litre	6,289 %	37138,6159 litre	O
600	CM	145	CM	32 LEVEL CM	2382,7997 litre	6,012 %	37248,3916 litre	O
600	CM	145	CM	31 LEVEL CM	2274,5165 litre	5,739 %	37356,6748 litre	O
600	CM	145	CM	30 LEVEL CM	2167,7602 litre	5,470 %	37463,4311 litre	O
600	CM	145	CM	29 LEVEL CM	2062,5665 litre	5,204 %	37568,6248 litre	O
600	CM	145	CM	28 LEVEL CM	1958,9729 litre	4,943 %	37672,2184 litre	O
600	CM	145	CM	27 LEVEL CM	1857,0188 litre	4,686 %	37774,1725 litre	O

600	CM	145	CM	26 LEVEL CM	1756,7452 litre	4,433 %	37874,4461 litre	O
600	CM	145	CM	25 LEVEL CM	1658,1954 litre	4,184 %	37972,9959 litre	O
600	CM	145	CM	24 LEVEL CM	1561,4149 litre	3,940 %	38069,7764 litre	O
600	CM	145	CM	23 LEVEL CM	1466,4520 litre	3,700 %	38164,7393 litre	O
600	CM	145	CM	22 LEVEL CM	1373,3575 litre	3,465 %	38257,8338 litre	O
600	CM	145	CM	21 LEVEL CM	1282,1856 litre	3,235 %	38349,0057 litre	O
600	CM	145	CM	20 LEVEL CM	1192,9938 litre	3,010 %	38438,1975 litre	O
600	CM	145	CM	19 LEVEL CM	1105,8435 litre	2,790 %	38525,3478 litre	O
600	CM	145	CM	18 LEVEL CM	1020,8008 litre	2,576 %	38610,3905 litre	O
600	CM	145	CM	17 LEVEL CM	937,9367 litre	2,367 %	38693,2546 litre	O
600	CM	145	CM	16 LEVEL CM	857,3277 litre	2,163 %	38773,8636 litre	O
600	CM	145	CM	15 LEVEL CM	779,0574 litre	1,966 %	38852,1339 litre	O
600	CM	145	CM	14 LEVEL CM	703,2167 litre	1,774 %	38927,9746 litre	O
600	CM	145	CM	13 LEVEL CM	629,9058 litre	1,589 %	39001,2855 litre	O
600	CM	145	CM	12 LEVEL CM	559,2357 litre	1,411 %	39071,9556 litre	O
600	CM	145	CM	11 LEVEL CM	491,3301 litre	1,240 %	39139,8612 litre	O
600	CM	145	CM	10 LEVEL CM	426,3287 litre	1,076 %	39204,8626 litre	O
600	CM	145	CM	9 LEVEL CM	364,3909 litre	0,919 %	39266,8004 litre	O
600	CM	145	CM	8 LEVEL CM	305,7010 litre	0,771 %	39325,4903 litre	O
600	CM	145	CM	7 LEVEL CM	250,4759 litre	0,632 %	39380,7154 litre	O
600	CM	145	CM	6 LEVEL CM	198,9765 litre	0,502 %	39432,2148 litre	O
600	CM	145	CM	5 LEVEL CM	151,5252 litre	0,382 %	39479,6661 litre	O
600	CM	145	CM	4 LEVEL CM	108,5360 litre	0,274 %	39522,6553 litre	O
600	CM	145	CM	3 LEVEL CM	70,5697 litre	0,178 %	39560,6216 litre	O
600	CM	145	CM	2 LEVEL CM	38,4533 litre	0,097 %	39592,7380 litre	O
600	CM	145	CM	1 LEVEL CM	13,6094 litre	0,034 %	39617,5819 litre	O
600	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	39631,1913 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 140	CM 280 LEVEL CM	36945,1296 litre	100,000 %	0,0000 litre	O
600	CM 140	CM 279 LEVEL CM	36931,7574 litre	99,964 %	13,3722 litre	O
600	CM 140	CM 278 LEVEL CM	36907,3479 litre	99,898 %	37,7817 litre	O
600	CM 140	CM 277 LEVEL CM	36875,7950 litre	99,812 %	69,3346 litre	O
600	CM 140	CM 276 LEVEL CM	36838,4973 litre	99,711 %	106,6323 litre	O
600	CM 140	CM 275 LEVEL CM	36796,2677 litre	99,597 %	148,8619 litre	O
600	CM 140	CM 274 LEVEL CM	36749,6578 litre	99,471 %	195,4718 litre	O
600	CM 140	CM 273 LEVEL CM	36699,0748 litre	99,334 %	246,0548 litre	O
600	CM 140	CM 272 LEVEL CM	36644,8360 litre	99,187 %	300,2936 litre	O
600	CM 140	CM 271 LEVEL CM	36587,1980 litre	99,031 %	357,9316 litre	O
600	CM 140	CM 270 LEVEL CM	36526,3743 litre	98,867 %	418,7553 litre	O
600	CM 140	CM 269 LEVEL CM	36462,5463 litre	98,694 %	482,5833 litre	O
600	CM 140	CM 268 LEVEL CM	36395,8710 litre	98,513 %	549,2586 litre	O
600	CM 140	CM 267 LEVEL CM	36326,4859 litre	98,326 %	618,6437 litre	O
600	CM 140	CM 266 LEVEL CM	36254,5129 litre	98,131 %	690,6167 litre	O
600	CM 140	CM 265 LEVEL CM	36180,0614 litre	97,929 %	765,0682 litre	O
600	CM 140	CM 264 LEVEL CM	36103,2300 litre	97,721 %	841,8996 litre	O
600	CM 140	CM 263 LEVEL CM	36024,1085 litre	97,507 %	921,0211 litre	O
600	CM 140	CM 262 LEVEL CM	35942,7790 litre	97,287 %	1002,3506 litre	O
600	CM 140	CM 261 LEVEL CM	35859,3171 litre	97,061 %	1085,8125 litre	O
600	CM 140	CM 260 LEVEL CM	35773,7930 litre	96,830 %	1171,3366 litre	O
600	CM 140	CM 259 LEVEL CM	35686,2716 litre	96,593 %	1258,8580 litre	O
600	CM 140	CM 258 LEVEL CM	35596,8136 litre	96,350 %	1348,3160 litre	O
600	CM 140	CM 257 LEVEL CM	35505,4758 litre	96,103 %	1439,6538 litre	O
600	CM 140	CM 256 LEVEL CM	35412,3116 litre	95,851 %	1532,8180 litre	O
600	CM 140	CM 255 LEVEL CM	35317,3713 litre	95,594 %	1627,7583 litre	O
600	CM 140	CM 254 LEVEL CM	35220,7024 litre	95,332 %	1724,4272 litre	O
600	CM 140	CM 253 LEVEL CM	35122,3499 litre	95,066 %	1822,7797 litre	O
600	CM 140	CM 252 LEVEL CM	35022,3566 litre	94,796 %	1922,7730 litre	O
600	CM 140	CM 251 LEVEL CM	34920,7631 litre	94,521 %	2024,3665 litre	O
600	CM 140	CM 250 LEVEL CM	34817,6083 litre	94,241 %	2127,5213 litre	O
600	CM 140	CM 249 LEVEL CM	34712,9291 litre	93,958 %	2232,2005 litre	O
600	CM 140	CM 248 LEVEL CM	34606,7610 litre	93,671 %	2338,3686 litre	O
600	CM 140	CM 247 LEVEL CM	34499,1380 litre	93,379 %	2445,9916 litre	O
600	CM 140	CM 246 LEVEL CM	34390,0927 litre	93,084 %	2555,0369 litre	O
600	CM 140	CM 245 LEVEL CM	34279,6565 litre	92,785 %	2665,4731 litre	O
600	CM 140	CM 244 LEVEL CM	34167,8595 litre	92,483 %	2777,2701 litre	O
600	CM 140	CM 243 LEVEL CM	34054,7308 litre	92,177 %	2890,3988 litre	O
600	CM 140	CM 242 LEVEL CM	33940,2986 litre	91,867 %	3004,8310 litre	O
600	CM 140	CM 241 LEVEL CM	33824,5899 litre	91,554 %	3120,5397 litre	O
600	CM 140	CM 240 LEVEL CM	33707,6309 litre	91,237 %	3237,4987 litre	O
600	CM 140	CM 239 LEVEL CM	33589,4472 litre	90,917 %	3355,6824 litre	O
600	CM 140	CM 238 LEVEL CM	33470,0632 litre	90,594 %	3475,0664 litre	O
600	CM 140	CM 237 LEVEL CM	33349,5030 litre	90,268 %	3595,6266 litre	O
600	CM 140	CM 236 LEVEL CM	33227,7897 litre	89,938 %	3717,3399 litre	O
600	CM 140	CM 235 LEVEL CM	33104,9458 litre	89,606 %	3840,1838 litre	O
600	CM 140	CM 234 LEVEL CM	32980,9934 litre	89,270 %	3964,1362 litre	O
600	CM 140	CM 233 LEVEL CM	32855,9536 litre	88,932 %	4089,1760 litre	O
600	CM 140	CM 232 LEVEL CM	32729,8473 litre	88,590 %	4215,2823 litre	O
600	CM 140	CM 231 LEVEL CM	32602,6949 litre	88,246 %	4342,4347 litre	O
600	CM 140	CM 230 LEVEL CM	32474,5159 litre	87,899 %	4470,6137 litre	O
600	CM 140	CM 229 LEVEL CM	32345,3299 litre	87,550 %	4599,7997 litre	O

600	CM	140	CM	228 LEVEL CM	32215,1555 litre	87,197 %	4729,9741 litre	O
600	CM	140	CM	227 LEVEL CM	32084,0113 litre	86,842 %	4861,1183 litre	O
600	CM	140	CM	226 LEVEL CM	31951,9153 litre	86,485 %	4993,2143 litre	O
600	CM	140	CM	225 LEVEL CM	31818,8850 litre	86,125 %	5126,2446 litre	O
600	CM	140	CM	224 LEVEL CM	31684,9378 litre	85,762 %	5260,1918 litre	O
600	CM	140	CM	223 LEVEL CM	31550,0906 litre	85,397 %	5395,0390 litre	O
600	CM	140	CM	222 LEVEL CM	31414,3599 litre	85,030 %	5530,7697 litre	O
600	CM	140	CM	221 LEVEL CM	31277,7621 litre	84,660 %	5667,3675 litre	O
600	CM	140	CM	220 LEVEL CM	31140,3130 litre	84,288 %	5804,8166 litre	O
600	CM	140	CM	219 LEVEL CM	31002,0282 litre	83,914 %	5943,1014 litre	O
600	CM	140	CM	218 LEVEL CM	30862,9233 litre	83,537 %	6082,2063 litre	O
600	CM	140	CM	217 LEVEL CM	30723,0132 litre	83,158 %	6222,1164 litre	O
600	CM	140	CM	216 LEVEL CM	30582,3129 litre	82,778 %	6362,8167 litre	O
600	CM	140	CM	215 LEVEL CM	30440,8368 litre	82,395 %	6504,2928 litre	O
600	CM	140	CM	214 LEVEL CM	30298,5994 litre	82,010 %	6646,5302 litre	O
600	CM	140	CM	213 LEVEL CM	30155,6149 litre	81,623 %	6789,5147 litre	O
600	CM	140	CM	212 LEVEL CM	30011,8970 litre	81,234 %	6933,2326 litre	O
600	CM	140	CM	211 LEVEL CM	29867,4594 litre	80,843 %	7077,6702 litre	O
600	CM	140	CM	210 LEVEL CM	29722,3158 litre	80,450 %	7222,8138 litre	O
600	CM	140	CM	209 LEVEL CM	29576,4793 litre	80,055 %	7368,6503 litre	O
600	CM	140	CM	208 LEVEL CM	29429,9631 litre	79,659 %	7515,1665 litre	O
600	CM	140	CM	207 LEVEL CM	29282,7800 litre	79,260 %	7662,3496 litre	O
600	CM	140	CM	206 LEVEL CM	29134,9430 litre	78,860 %	7810,1866 litre	O
600	CM	140	CM	205 LEVEL CM	28986,4644 litre	78,458 %	7958,6652 litre	O
600	CM	140	CM	204 LEVEL CM	28837,3567 litre	78,055 %	8107,7729 litre	O
600	CM	140	CM	203 LEVEL CM	28687,6323 litre	77,649 %	8257,4973 litre	O
600	CM	140	CM	202 LEVEL CM	28537,3032 litre	77,242 %	8407,8264 litre	O
600	CM	140	CM	201 LEVEL CM	28386,3813 litre	76,834 %	8558,7483 litre	O
600	CM	140	CM	200 LEVEL CM	28234,8785 litre	76,424 %	8710,2511 litre	O
600	CM	140	CM	199 LEVEL CM	28082,8065 litre	76,012 %	8862,3231 litre	O
600	CM	140	CM	198 LEVEL CM	27930,1768 litre	75,599 %	9014,9528 litre	O
600	CM	140	CM	197 LEVEL CM	27777,0009 litre	75,184 %	9168,1287 litre	O
600	CM	140	CM	196 LEVEL CM	27623,2901 litre	74,768 %	9321,8395 litre	O
600	CM	140	CM	195 LEVEL CM	27469,0556 litre	74,351 %	9476,0740 litre	O
600	CM	140	CM	194 LEVEL CM	27314,3084 litre	73,932 %	9630,8212 litre	O
600	CM	140	CM	193 LEVEL CM	27159,0595 litre	73,512 %	9786,0701 litre	O
600	CM	140	CM	192 LEVEL CM	27003,3197 litre	73,090 %	9941,8099 litre	O
600	CM	140	CM	191 LEVEL CM	26847,1000 litre	72,667 %	10098,0296 litre	O
600	CM	140	CM	190 LEVEL CM	26690,4108 litre	72,243 %	10254,7188 litre	O
600	CM	140	CM	189 LEVEL CM	26533,2627 litre	71,818 %	10411,8669 litre	O
600	CM	140	CM	188 LEVEL CM	26375,6664 litre	71,391 %	10569,4632 litre	O
600	CM	140	CM	187 LEVEL CM	26217,6320 litre	70,964 %	10727,4976 litre	O
600	CM	140	CM	186 LEVEL CM	26059,1699 litre	70,535 %	10885,9597 litre	O
600	CM	140	CM	185 LEVEL CM	25900,2904 litre	70,105 %	11044,8392 litre	O
600	CM	140	CM	184 LEVEL CM	25741,0035 litre	69,674 %	11204,1261 litre	O
600	CM	140	CM	183 LEVEL CM	25581,3194 litre	69,241 %	11363,8102 litre	O
600	CM	140	CM	182 LEVEL CM	25421,2479 litre	68,808 %	11523,8817 litre	O
600	CM	140	CM	181 LEVEL CM	25260,7991 litre	68,374 %	11684,3305 litre	O
600	CM	140	CM	180 LEVEL CM	25099,9827 litre	67,939 %	11845,1469 litre	O
600	CM	140	CM	179 LEVEL CM	24938,8085 litre	67,502 %	12006,3211 litre	O
600	CM	140	CM	178 LEVEL CM	24777,2863 litre	67,065 %	12167,8433 litre	O
600	CM	140	CM	177 LEVEL CM	24615,4257 litre	66,627 %	12329,7039 litre	O
600	CM	140	CM	176 LEVEL CM	24453,2362 litre	66,188 %	12491,8934 litre	O

600	CM	140	CM	175 LEVEL CM	24290,7274 litre	65,748 %	12654,4022 litre	O
600	CM	140	CM	174 LEVEL CM	24127,9087 litre	65,307 %	12817,2209 litre	O
600	CM	140	CM	173 LEVEL CM	23964,7896 litre	64,866 %	12980,3400 litre	O
600	CM	140	CM	172 LEVEL CM	23801,3795 litre	64,424 %	13143,7501 litre	O
600	CM	140	CM	171 LEVEL CM	23637,6876 litre	63,981 %	13307,4420 litre	O
600	CM	140	CM	170 LEVEL CM	23473,7232 litre	63,537 %	13471,4064 litre	O
600	CM	140	CM	169 LEVEL CM	23309,4956 litre	63,092 %	13635,6340 litre	O
600	CM	140	CM	168 LEVEL CM	23145,0139 litre	62,647 %	13800,1157 litre	O
600	CM	140	CM	167 LEVEL CM	22980,2872 litre	62,201 %	13964,8424 litre	O
600	CM	140	CM	166 LEVEL CM	22815,3247 litre	61,755 %	14129,8049 litre	O
600	CM	140	CM	165 LEVEL CM	22650,1354 litre	61,308 %	14294,9942 litre	O
600	CM	140	CM	164 LEVEL CM	22484,7282 litre	60,860 %	14460,4014 litre	O
600	CM	140	CM	163 LEVEL CM	22319,1123 litre	60,412 %	14626,0173 litre	O
600	CM	140	CM	162 LEVEL CM	22153,2965 litre	59,963 %	14791,8331 litre	O
600	CM	140	CM	161 LEVEL CM	21987,2898 litre	59,513 %	14957,8398 litre	O
600	CM	140	CM	160 LEVEL CM	21821,1010 litre	59,064 %	15124,0286 litre	O
600	CM	140	CM	159 LEVEL CM	21654,7390 litre	58,613 %	15290,3906 litre	O
600	CM	140	CM	158 LEVEL CM	21488,2126 litre	58,163 %	15456,9170 litre	O
600	CM	140	CM	157 LEVEL CM	21321,5306 litre	57,711 %	15623,5990 litre	O
600	CM	140	CM	156 LEVEL CM	21154,7019 litre	57,260 %	15790,4277 litre	O
600	CM	140	CM	155 LEVEL CM	20987,7350 litre	56,808 %	15957,3946 litre	O
600	CM	140	CM	154 LEVEL CM	20820,6389 litre	56,356 %	16124,4907 litre	O
600	CM	140	CM	153 LEVEL CM	20653,4222 litre	55,903 %	16291,7074 litre	O
600	CM	140	CM	152 LEVEL CM	20486,0935 litre	55,450 %	16459,0361 litre	O
600	CM	140	CM	151 LEVEL CM	20318,6616 litre	54,997 %	16626,4680 litre	O
600	CM	140	CM	150 LEVEL CM	20151,1351 litre	54,543 %	16793,9945 litre	O
600	CM	140	CM	149 LEVEL CM	19983,5227 litre	54,090 %	16961,6069 litre	O
600	CM	140	CM	148 LEVEL CM	19815,8330 litre	53,636 %	17129,2966 litre	O
600	CM	140	CM	147 LEVEL CM	19648,0746 litre	53,182 %	17297,0550 litre	O
600	CM	140	CM	146 LEVEL CM	19480,2561 litre	52,728 %	17464,8735 litre	O
600	CM	140	CM	145 LEVEL CM	19312,3862 litre	52,273 %	17632,7434 litre	O
600	CM	140	CM	144 LEVEL CM	19144,4734 litre	51,819 %	17800,6562 litre	O
600	CM	140	CM	143 LEVEL CM	18976,5262 litre	51,364 %	17968,6034 litre	O
600	CM	140	CM	142 LEVEL CM	18808,5534 litre	50,909 %	18136,5762 litre	O
600	CM	140	CM	141 LEVEL CM	18640,5634 litre	50,455 %	18304,5662 litre	O
600	CM	140	CM	140 LEVEL CM	18472,5648 litre	50,000 %	18472,5648 litre	O
600	CM	140	CM	139 LEVEL CM	18304,5662 litre	49,545 %	18640,5634 litre	O
600	CM	140	CM	138 LEVEL CM	18136,5762 litre	49,091 %	18808,5534 litre	O
600	CM	140	CM	137 LEVEL CM	17968,6034 litre	48,636 %	18976,5262 litre	O
600	CM	140	CM	136 LEVEL CM	17800,6562 litre	48,181 %	19144,4734 litre	O
600	CM	140	CM	135 LEVEL CM	17632,7434 litre	47,727 %	19312,3862 litre	O
600	CM	140	CM	134 LEVEL CM	17464,8735 litre	47,272 %	19480,2561 litre	O
600	CM	140	CM	133 LEVEL CM	17297,0550 litre	46,818 %	19648,0746 litre	O
600	CM	140	CM	132 LEVEL CM	17129,2966 litre	46,364 %	19815,8330 litre	O
600	CM	140	CM	131 LEVEL CM	16961,6069 litre	45,910 %	19983,5227 litre	O
600	CM	140	CM	130 LEVEL CM	16793,9945 litre	45,457 %	20151,1351 litre	O
600	CM	140	CM	129 LEVEL CM	16626,4680 litre	45,003 %	20318,6616 litre	O
600	CM	140	CM	128 LEVEL CM	16459,0361 litre	44,550 %	20486,0935 litre	O
600	CM	140	CM	127 LEVEL CM	16291,7074 litre	44,097 %	20653,4222 litre	O
600	CM	140	CM	126 LEVEL CM	16124,4907 litre	43,644 %	20820,6389 litre	O
600	CM	140	CM	125 LEVEL CM	15957,3946 litre	43,192 %	20987,7350 litre	O
600	CM	140	CM	124 LEVEL CM	15790,4277 litre	42,740 %	21154,7019 litre	O
600	CM	140	CM	123 LEVEL CM	15623,5990 litre	42,289 %	21321,5306 litre	O

600	CM	140	CM	122 LEVEL CM	15456,9170 litre	41,837 %	21488,2126 litre	O
600	CM	140	CM	121 LEVEL CM	15290,3906 litre	41,387 %	21654,7390 litre	O
600	CM	140	CM	120 LEVEL CM	15124,0286 litre	40,936 %	21821,1010 litre	O
600	CM	140	CM	119 LEVEL CM	14957,8398 litre	40,487 %	21987,2898 litre	O
600	CM	140	CM	118 LEVEL CM	14791,8331 litre	40,037 %	22153,2965 litre	O
600	CM	140	CM	117 LEVEL CM	14626,0173 litre	39,588 %	22319,1123 litre	O
600	CM	140	CM	116 LEVEL CM	14460,4014 litre	39,140 %	22484,7282 litre	O
600	CM	140	CM	115 LEVEL CM	14294,9942 litre	38,692 %	22650,1354 litre	O
600	CM	140	CM	114 LEVEL CM	14129,8049 litre	38,245 %	22815,3247 litre	O
600	CM	140	CM	113 LEVEL CM	13964,8424 litre	37,799 %	22980,2872 litre	O
600	CM	140	CM	112 LEVEL CM	13800,1157 litre	37,353 %	23145,0139 litre	O
600	CM	140	CM	111 LEVEL CM	13635,6340 litre	36,908 %	23309,4956 litre	O
600	CM	140	CM	110 LEVEL CM	13471,4064 litre	36,463 %	23473,7232 litre	O
600	CM	140	CM	109 LEVEL CM	13307,4420 litre	36,019 %	23637,6876 litre	O
600	CM	140	CM	108 LEVEL CM	13143,7501 litre	35,576 %	23801,3795 litre	O
600	CM	140	CM	107 LEVEL CM	12980,3400 litre	35,134 %	23964,7896 litre	O
600	CM	140	CM	106 LEVEL CM	12817,2209 litre	34,693 %	24127,9087 litre	O
600	CM	140	CM	105 LEVEL CM	12654,4022 litre	34,252 %	24290,7274 litre	O
600	CM	140	CM	104 LEVEL CM	12491,8934 litre	33,812 %	24453,2362 litre	O
600	CM	140	CM	103 LEVEL CM	12329,7039 litre	33,373 %	24615,4257 litre	O
600	CM	140	CM	102 LEVEL CM	12167,8433 litre	32,935 %	24777,2863 litre	O
600	CM	140	CM	101 LEVEL CM	12006,3211 litre	32,498 %	24938,8085 litre	O
600	CM	140	CM	100 LEVEL CM	11845,1469 litre	32,061 %	25099,9827 litre	O
600	CM	140	CM	99 LEVEL CM	11684,3305 litre	31,626 %	25260,7991 litre	O
600	CM	140	CM	98 LEVEL CM	11523,8817 litre	31,192 %	25421,2479 litre	O
600	CM	140	CM	97 LEVEL CM	11363,8102 litre	30,759 %	25581,3194 litre	O
600	CM	140	CM	96 LEVEL CM	11204,1261 litre	30,326 %	25741,0035 litre	O
600	CM	140	CM	95 LEVEL CM	11044,8392 litre	29,895 %	25900,2904 litre	O
600	CM	140	CM	94 LEVEL CM	10885,9597 litre	29,465 %	26059,1699 litre	O
600	CM	140	CM	93 LEVEL CM	10727,4976 litre	29,036 %	26217,6320 litre	O
600	CM	140	CM	92 LEVEL CM	10569,4633 litre	28,609 %	26375,6663 litre	O
600	CM	140	CM	91 LEVEL CM	10411,8669 litre	28,182 %	26533,2627 litre	O
600	CM	140	CM	90 LEVEL CM	10254,7188 litre	27,757 %	26690,4108 litre	O
600	CM	140	CM	89 LEVEL CM	10098,0296 litre	27,333 %	26847,1000 litre	O
600	CM	140	CM	88 LEVEL CM	9941,8099 litre	26,910 %	27003,3197 litre	O
600	CM	140	CM	87 LEVEL CM	9786,0701 litre	26,488 %	27159,0595 litre	O
600	CM	140	CM	86 LEVEL CM	9630,8212 litre	26,068 %	27314,3084 litre	O
600	CM	140	CM	85 LEVEL CM	9476,0740 litre	25,649 %	27469,0556 litre	O
600	CM	140	CM	84 LEVEL CM	9321,8395 litre	25,232 %	27623,2901 litre	O
600	CM	140	CM	83 LEVEL CM	9168,1287 litre	24,816 %	27777,0009 litre	O
600	CM	140	CM	82 LEVEL CM	9014,9528 litre	24,401 %	27930,1768 litre	O
600	CM	140	CM	81 LEVEL CM	8862,3231 litre	23,988 %	28082,8065 litre	O
600	CM	140	CM	80 LEVEL CM	8710,2511 litre	23,576 %	28234,8785 litre	O
600	CM	140	CM	79 LEVEL CM	8558,7483 litre	23,166 %	28386,3813 litre	O
600	CM	140	CM	78 LEVEL CM	8407,8264 litre	22,758 %	28537,3032 litre	O
600	CM	140	CM	77 LEVEL CM	8257,4973 litre	22,351 %	28687,6323 litre	O
600	CM	140	CM	76 LEVEL CM	8107,7729 litre	21,945 %	28837,3567 litre	O
600	CM	140	CM	75 LEVEL CM	7958,6652 litre	21,542 %	28986,4644 litre	O
600	CM	140	CM	74 LEVEL CM	7810,1866 litre	21,140 %	29134,9430 litre	O
600	CM	140	CM	73 LEVEL CM	7662,3496 litre	20,740 %	29282,7800 litre	O
600	CM	140	CM	72 LEVEL CM	7515,1665 litre	20,341 %	29429,9631 litre	O
600	CM	140	CM	71 LEVEL CM	7368,6503 litre	19,945 %	29576,4793 litre	O
600	CM	140	CM	70 LEVEL CM	7222,8138 litre	19,550 %	29722,3158 litre	O

600	CM	140	CM	69 LEVEL CM	7077,6702 litre	19,157 %	29867,4594 litre	O
600	CM	140	CM	68 LEVEL CM	6933,2327 litre	18,766 %	30011,8969 litre	O
600	CM	140	CM	67 LEVEL CM	6789,5148 litre	18,377 %	30155,6148 litre	O
600	CM	140	CM	66 LEVEL CM	6646,5302 litre	17,990 %	30298,5994 litre	O
600	CM	140	CM	65 LEVEL CM	6504,2928 litre	17,605 %	30440,8368 litre	O
600	CM	140	CM	64 LEVEL CM	6362,8167 litre	17,222 %	30582,3129 litre	O
600	CM	140	CM	63 LEVEL CM	6222,1164 litre	16,842 %	30723,0132 litre	O
600	CM	140	CM	62 LEVEL CM	6082,2063 litre	16,463 %	30862,9233 litre	O
600	CM	140	CM	61 LEVEL CM	5943,1014 litre	16,086 %	31002,0282 litre	O
600	CM	140	CM	60 LEVEL CM	5804,8167 litre	15,712 %	31140,3129 litre	O
600	CM	140	CM	59 LEVEL CM	5667,3675 litre	15,340 %	31277,7621 litre	O
600	CM	140	CM	58 LEVEL CM	5530,7697 litre	14,970 %	31414,3599 litre	O
600	CM	140	CM	57 LEVEL CM	5395,0390 litre	14,603 %	31550,0906 litre	O
600	CM	140	CM	56 LEVEL CM	5260,1918 litre	14,238 %	31684,9378 litre	O
600	CM	140	CM	55 LEVEL CM	5126,2446 litre	13,875 %	31818,8850 litre	O
600	CM	140	CM	54 LEVEL CM	4993,2143 litre	13,515 %	31951,9153 litre	O
600	CM	140	CM	53 LEVEL CM	4861,1183 litre	13,158 %	32084,0113 litre	O
600	CM	140	CM	52 LEVEL CM	4729,9741 litre	12,803 %	32215,1555 litre	O
600	CM	140	CM	51 LEVEL CM	4599,7997 litre	12,450 %	32345,3299 litre	O
600	CM	140	CM	50 LEVEL CM	4470,6137 litre	12,101 %	32474,5159 litre	O
600	CM	140	CM	49 LEVEL CM	4342,4347 litre	11,754 %	32602,6949 litre	O
600	CM	140	CM	48 LEVEL CM	4215,2823 litre	11,410 %	32729,8473 litre	O
600	CM	140	CM	47 LEVEL CM	4089,1760 litre	11,068 %	32855,9536 litre	O
600	CM	140	CM	46 LEVEL CM	3964,1363 litre	10,730 %	32980,9933 litre	O
600	CM	140	CM	45 LEVEL CM	3840,1838 litre	10,394 %	33104,9458 litre	O
600	CM	140	CM	44 LEVEL CM	3717,3399 litre	10,062 %	33227,7897 litre	O
600	CM	140	CM	43 LEVEL CM	3595,6266 litre	9,732 %	33349,5030 litre	O
600	CM	140	CM	42 LEVEL CM	3475,0664 litre	9,406 %	33470,0632 litre	O
600	CM	140	CM	41 LEVEL CM	3355,6824 litre	9,083 %	33589,4472 litre	O
600	CM	140	CM	40 LEVEL CM	3237,4987 litre	8,763 %	33707,6309 litre	O
600	CM	140	CM	39 LEVEL CM	3120,5398 litre	8,446 %	33824,5898 litre	O
600	CM	140	CM	38 LEVEL CM	3004,8310 litre	8,133 %	33940,2986 litre	O
600	CM	140	CM	37 LEVEL CM	2890,3988 litre	7,823 %	34054,7308 litre	O
600	CM	140	CM	36 LEVEL CM	2777,2701 litre	7,517 %	34167,8595 litre	O
600	CM	140	CM	35 LEVEL CM	2665,4731 litre	7,215 %	34279,6565 litre	O
600	CM	140	CM	34 LEVEL CM	2555,0369 litre	6,916 %	34390,0927 litre	O
600	CM	140	CM	33 LEVEL CM	2445,9916 litre	6,621 %	34499,1380 litre	O
600	CM	140	CM	32 LEVEL CM	2338,3686 litre	6,329 %	34606,7610 litre	O
600	CM	140	CM	31 LEVEL CM	2232,2005 litre	6,042 %	34712,9291 litre	O
600	CM	140	CM	30 LEVEL CM	2127,5213 litre	5,759 %	34817,6083 litre	O
600	CM	140	CM	29 LEVEL CM	2024,3665 litre	5,479 %	34920,7631 litre	O
600	CM	140	CM	28 LEVEL CM	1922,7730 litre	5,204 %	35022,3566 litre	O
600	CM	140	CM	27 LEVEL CM	1822,7797 litre	4,934 %	35122,3499 litre	O
600	CM	140	CM	26 LEVEL CM	1724,4273 litre	4,668 %	35220,7023 litre	O
600	CM	140	CM	25 LEVEL CM	1627,7583 litre	4,406 %	35317,3713 litre	O
600	CM	140	CM	24 LEVEL CM	1532,8180 litre	4,149 %	35412,3116 litre	O
600	CM	140	CM	23 LEVEL CM	1439,6538 litre	3,897 %	35505,4758 litre	O
600	CM	140	CM	22 LEVEL CM	1348,3160 litre	3,650 %	35596,8136 litre	O
600	CM	140	CM	21 LEVEL CM	1258,8580 litre	3,407 %	35686,2716 litre	O
600	CM	140	CM	20 LEVEL CM	1171,3366 litre	3,170 %	35773,7930 litre	O
600	CM	140	CM	19 LEVEL CM	1085,8125 litre	2,939 %	35859,3171 litre	O
600	CM	140	CM	18 LEVEL CM	1002,3506 litre	2,713 %	35942,7790 litre	O
600	CM	140	CM	17 LEVEL CM	921,0211 litre	2,493 %	36024,1085 litre	O

600	CM	140	CM	16 LEVEL CM	841,8996 litre	2,279 %	36103,2300 litre	O
600	CM	140	CM	15 LEVEL CM	765,0682 litre	2,071 %	36180,0614 litre	O
600	CM	140	CM	14 LEVEL CM	690,6167 litre	1,869 %	36254,5129 litre	O
600	CM	140	CM	13 LEVEL CM	618,6437 litre	1,674 %	36326,4859 litre	O
600	CM	140	CM	12 LEVEL CM	549,2586 litre	1,487 %	36395,8710 litre	O
600	CM	140	CM	11 LEVEL CM	482,5833 litre	1,306 %	36462,5463 litre	O
600	CM	140	CM	10 LEVEL CM	418,7553 litre	1,133 %	36526,3743 litre	O
600	CM	140	CM	9 LEVEL CM	357,9316 litre	0,969 %	36587,1980 litre	O
600	CM	140	CM	8 LEVEL CM	300,2936 litre	0,813 %	36644,8360 litre	O
600	CM	140	CM	7 LEVEL CM	246,0548 litre	0,666 %	36699,0748 litre	O
600	CM	140	CM	6 LEVEL CM	195,4718 litre	0,529 %	36749,6578 litre	O
600	CM	140	CM	5 LEVEL CM	148,8619 litre	0,403 %	36796,2677 litre	O
600	CM	140	CM	4 LEVEL CM	106,6323 litre	0,289 %	36838,4973 litre	O
600	CM	140	CM	3 LEVEL CM	69,3346 litre	0,188 %	36875,7950 litre	O
600	CM	140	CM	2 LEVEL CM	37,7817 litre	0,102 %	36907,3479 litre	O
600	CM	140	CM	1 LEVEL CM	13,3722 litre	0,036 %	36931,7574 litre	O
600	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	36945,1296 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 135	CM 270 LEVEL CM	34353,3157 litre	100,000 %	0,0000 litre	O
600	CM 135	CM 269 LEVEL CM	34340,1849 litre	99,962 %	13,1308 litre	O
600	CM 135	CM 268 LEVEL CM	34316,2178 litre	99,892 %	37,0979 litre	O
600	CM 135	CM 267 LEVEL CM	34285,2386 litre	99,802 %	68,0771 litre	O
600	CM 135	CM 266 LEVEL CM	34248,6216 litre	99,695 %	104,6941 litre	O
600	CM 135	CM 265 LEVEL CM	34207,1655 litre	99,575 %	146,1502 litre	O
600	CM 135	CM 264 LEVEL CM	34161,4125 litre	99,441 %	191,9032 litre	O
600	CM 135	CM 263 LEVEL CM	34111,7629 litre	99,297 %	241,5528 litre	O
600	CM 135	CM 262 LEVEL CM	34058,5287 litre	99,142 %	294,7870 litre	O
600	CM 135	CM 261 LEVEL CM	34001,9621 litre	98,977 %	351,3536 litre	O
600	CM 135	CM 260 LEVEL CM	33942,2733 litre	98,803 %	411,0424 litre	O
600	CM 135	CM 259 LEVEL CM	33879,6407 litre	98,621 %	473,6750 litre	O
600	CM 135	CM 258 LEVEL CM	33814,2188 litre	98,431 %	539,0969 litre	O
600	CM 135	CM 257 LEVEL CM	33746,1430 litre	98,233 %	607,1727 litre	O
600	CM 135	CM 256 LEVEL CM	33675,5333 litre	98,027 %	677,7824 litre	O
600	CM 135	CM 255 LEVEL CM	33602,4973 litre	97,814 %	750,8184 litre	O
600	CM 135	CM 254 LEVEL CM	33527,1323 litre	97,595 %	826,1834 litre	O
600	CM 135	CM 253 LEVEL CM	33449,5267 litre	97,369 %	903,7890 litre	O
600	CM 135	CM 252 LEVEL CM	33369,7614 litre	97,137 %	983,5543 litre	O
600	CM 135	CM 251 LEVEL CM	33287,9110 litre	96,899 %	1065,4047 litre	O
600	CM 135	CM 250 LEVEL CM	33204,0444 litre	96,655 %	1149,2713 litre	O
600	CM 135	CM 249 LEVEL CM	33118,2260 litre	96,405 %	1235,0897 litre	O
600	CM 135	CM 248 LEVEL CM	33030,5153 litre	96,149 %	1322,8004 litre	O
600	CM 135	CM 247 LEVEL CM	32940,9687 litre	95,889 %	1412,3470 litre	O
600	CM 135	CM 246 LEVEL CM	32849,6386 litre	95,623 %	1503,6771 litre	O
600	CM 135	CM 245 LEVEL CM	32756,5748 litre	95,352 %	1596,7409 litre	O
600	CM 135	CM 244 LEVEL CM	32661,8241 litre	95,076 %	1691,4916 litre	O
600	CM 135	CM 243 LEVEL CM	32565,4310 litre	94,796 %	1787,8847 litre	O
600	CM 135	CM 242 LEVEL CM	32467,4378 litre	94,510 %	1885,8779 litre	O
600	CM 135	CM 241 LEVEL CM	32367,8846 litre	94,221 %	1985,4311 litre	O
600	CM 135	CM 240 LEVEL CM	32266,8097 litre	93,926 %	2086,5060 litre	O
600	CM 135	CM 239 LEVEL CM	32164,2498 litre	93,628 %	2189,0659 litre	O
600	CM 135	CM 238 LEVEL CM	32060,2398 litre	93,325 %	2293,0759 litre	O
600	CM 135	CM 237 LEVEL CM	31954,8135 litre	93,018 %	2398,5022 litre	O
600	CM 135	CM 236 LEVEL CM	31848,0030 litre	92,707 %	2505,3127 litre	O
600	CM 135	CM 235 LEVEL CM	31739,8393 litre	92,392 %	2613,4764 litre	O
600	CM 135	CM 234 LEVEL CM	31630,3525 litre	92,074 %	2722,9632 litre	O
600	CM 135	CM 233 LEVEL CM	31519,5711 litre	91,751 %	2833,7446 litre	O
600	CM 135	CM 232 LEVEL CM	31407,5232 litre	91,425 %	2945,7925 litre	O
600	CM 135	CM 231 LEVEL CM	31294,2354 litre	91,095 %	3059,0803 litre	O
600	CM 135	CM 230 LEVEL CM	31179,7339 litre	90,762 %	3173,5818 litre	O
600	CM 135	CM 229 LEVEL CM	31064,0438 litre	90,425 %	3289,2719 litre	O
600	CM 135	CM 228 LEVEL CM	30947,1894 litre	90,085 %	3406,1263 litre	O
600	CM 135	CM 227 LEVEL CM	30829,1946 litre	89,742 %	3524,1211 litre	O
600	CM 135	CM 226 LEVEL CM	30710,0824 litre	89,395 %	3643,2333 litre	O
600	CM 135	CM 225 LEVEL CM	30589,8749 litre	89,045 %	3763,4408 litre	O
600	CM 135	CM 224 LEVEL CM	30468,5942 litre	88,692 %	3884,7215 litre	O
600	CM 135	CM 223 LEVEL CM	30346,2612 litre	88,336 %	4007,0545 litre	O
600	CM 135	CM 222 LEVEL CM	30222,8967 litre	87,977 %	4130,4190 litre	O
600	CM 135	CM 221 LEVEL CM	30098,5209 litre	87,615 %	4254,7948 litre	O
600	CM 135	CM 220 LEVEL CM	29973,1533 litre	87,250 %	4380,1624 litre	O
600	CM 135	CM 219 LEVEL CM	29846,8131 litre	86,882 %	4506,5026 litre	O

600	CM	135	CM	218 LEVEL CM	29719,5191 litre	86,511 %	4633,7966 litre	O
600	CM	135	CM	217 LEVEL CM	29591,2895 litre	86,138 %	4762,0262 litre	O
600	CM	135	CM	216 LEVEL CM	29462,1425 litre	85,762 %	4891,1732 litre	O
600	CM	135	CM	215 LEVEL CM	29332,0953 litre	85,384 %	5021,2204 litre	O
600	CM	135	CM	214 LEVEL CM	29201,1654 litre	85,002 %	5152,1503 litre	O
600	CM	135	CM	213 LEVEL CM	29069,3694 litre	84,619 %	5283,9463 litre	O
600	CM	135	CM	212 LEVEL CM	28936,7239 litre	84,233 %	5416,5918 litre	O
600	CM	135	CM	211 LEVEL CM	28803,2452 litre	83,844 %	5550,0705 litre	O
600	CM	135	CM	210 LEVEL CM	28668,9490 litre	83,453 %	5684,3667 litre	O
600	CM	135	CM	209 LEVEL CM	28533,8510 litre	83,060 %	5819,4647 litre	O
600	CM	135	CM	208 LEVEL CM	28397,9665 litre	82,664 %	5955,3492 litre	O
600	CM	135	CM	207 LEVEL CM	28261,3106 litre	82,267 %	6092,0051 litre	O
600	CM	135	CM	206 LEVEL CM	28123,8981 litre	81,867 %	6229,4176 litre	O
600	CM	135	CM	205 LEVEL CM	27985,7436 litre	81,464 %	6367,5721 litre	O
600	CM	135	CM	204 LEVEL CM	27846,8613 litre	81,060 %	6506,4544 litre	O
600	CM	135	CM	203 LEVEL CM	27707,2655 litre	80,654 %	6646,0502 litre	O
600	CM	135	CM	202 LEVEL CM	27566,9700 litre	80,245 %	6786,3457 litre	O
600	CM	135	CM	201 LEVEL CM	27425,9884 litre	79,835 %	6927,3273 litre	O
600	CM	135	CM	200 LEVEL CM	27284,3343 litre	79,423 %	7068,9814 litre	O
600	CM	135	CM	199 LEVEL CM	27142,0210 litre	79,008 %	7211,2947 litre	O
600	CM	135	CM	198 LEVEL CM	26999,0615 litre	78,592 %	7354,2542 litre	O
600	CM	135	CM	197 LEVEL CM	26855,4689 litre	78,174 %	7497,8468 litre	O
600	CM	135	CM	196 LEVEL CM	26711,2558 litre	77,755 %	7642,0599 litre	O
600	CM	135	CM	195 LEVEL CM	26566,4349 litre	77,333 %	7786,8808 litre	O
600	CM	135	CM	194 LEVEL CM	26421,0186 litre	76,910 %	7932,2971 litre	O
600	CM	135	CM	193 LEVEL CM	26275,0193 litre	76,485 %	8078,2964 litre	O
600	CM	135	CM	192 LEVEL CM	26128,4490 litre	76,058 %	8224,8667 litre	O
600	CM	135	CM	191 LEVEL CM	25981,3197 litre	75,630 %	8371,9960 litre	O
600	CM	135	CM	190 LEVEL CM	25833,6434 litre	75,200 %	8519,6723 litre	O
600	CM	135	CM	189 LEVEL CM	25685,4318 litre	74,768 %	8667,8839 litre	O
600	CM	135	CM	188 LEVEL CM	25536,6964 litre	74,335 %	8816,6193 litre	O
600	CM	135	CM	187 LEVEL CM	25387,4487 litre	73,901 %	8965,8670 litre	O
600	CM	135	CM	186 LEVEL CM	25237,7002 litre	73,465 %	9115,6155 litre	O
600	CM	135	CM	185 LEVEL CM	25087,4621 litre	73,028 %	9265,8536 litre	O
600	CM	135	CM	184 LEVEL CM	24936,7454 litre	72,589 %	9416,5703 litre	O
600	CM	135	CM	183 LEVEL CM	24785,5614 litre	72,149 %	9567,7543 litre	O
600	CM	135	CM	182 LEVEL CM	24633,9208 litre	71,708 %	9719,3949 litre	O
600	CM	135	CM	181 LEVEL CM	24481,8346 litre	71,265 %	9871,4811 litre	O
600	CM	135	CM	180 LEVEL CM	24329,3134 litre	70,821 %	10024,0023 litre	O
600	CM	135	CM	179 LEVEL CM	24176,3680 litre	70,376 %	10176,9477 litre	O
600	CM	135	CM	178 LEVEL CM	24023,0088 litre	69,929 %	10330,3069 litre	O
600	CM	135	CM	177 LEVEL CM	23869,2465 litre	69,482 %	10484,0692 litre	O
600	CM	135	CM	176 LEVEL CM	23715,0912 litre	69,033 %	10638,2245 litre	O
600	CM	135	CM	175 LEVEL CM	23560,5535 litre	68,583 %	10792,7622 litre	O
600	CM	135	CM	174 LEVEL CM	23405,6435 litre	68,132 %	10947,6722 litre	O
600	CM	135	CM	173 LEVEL CM	23250,3714 litre	67,680 %	11102,9443 litre	O
600	CM	135	CM	172 LEVEL CM	23094,7473 litre	67,227 %	11258,5684 litre	O
600	CM	135	CM	171 LEVEL CM	22938,7812 litre	66,773 %	11414,5345 litre	O
600	CM	135	CM	170 LEVEL CM	22782,4830 litre	66,318 %	11570,8327 litre	O
600	CM	135	CM	169 LEVEL CM	22625,8627 litre	65,862 %	11727,4530 litre	O
600	CM	135	CM	168 LEVEL CM	22468,9302 litre	65,405 %	11884,3855 litre	O
600	CM	135	CM	167 LEVEL CM	22311,6951 litre	64,948 %	12041,6206 litre	O
600	CM	135	CM	166 LEVEL CM	22154,1672 litre	64,489 %	12199,1485 litre	O

600	CM	135	CM	165 LEVEL CM	21996,3562 litre	64,030 %	12356,9595 litre	O
600	CM	135	CM	164 LEVEL CM	21838,2717 litre	63,570 %	12515,0440 litre	O
600	CM	135	CM	163 LEVEL CM	21679,9232 litre	63,109 %	12673,3925 litre	O
600	CM	135	CM	162 LEVEL CM	21521,3203 litre	62,647 %	12831,9954 litre	O
600	CM	135	CM	161 LEVEL CM	21362,4725 litre	62,185 %	12990,8432 litre	O
600	CM	135	CM	160 LEVEL CM	21203,3891 litre	61,722 %	13149,9266 litre	O
600	CM	135	CM	159 LEVEL CM	21044,0796 litre	61,258 %	13309,2361 litre	O
600	CM	135	CM	158 LEVEL CM	20884,5533 litre	60,793 %	13468,7624 litre	O
600	CM	135	CM	157 LEVEL CM	20724,8196 litre	60,328 %	13628,4961 litre	O
600	CM	135	CM	156 LEVEL CM	20564,8876 litre	59,863 %	13788,4281 litre	O
600	CM	135	CM	155 LEVEL CM	20404,7667 litre	59,397 %	13948,5490 litre	O
600	CM	135	CM	154 LEVEL CM	20244,4659 litre	58,930 %	14108,8498 litre	O
600	CM	135	CM	153 LEVEL CM	20083,9946 litre	58,463 %	14269,3211 litre	O
600	CM	135	CM	152 LEVEL CM	19923,3619 litre	57,995 %	14429,9538 litre	O
600	CM	135	CM	151 LEVEL CM	19762,5768 litre	57,527 %	14590,7389 litre	O
600	CM	135	CM	150 LEVEL CM	19601,6485 litre	57,059 %	14751,6672 litre	O
600	CM	135	CM	149 LEVEL CM	19440,5861 litre	56,590 %	14912,7296 litre	O
600	CM	135	CM	148 LEVEL CM	19279,3985 litre	56,121 %	15073,9172 litre	O
600	CM	135	CM	147 LEVEL CM	19118,0948 litre	55,651 %	15235,2209 litre	O
600	CM	135	CM	146 LEVEL CM	18956,6840 litre	55,182 %	15396,6317 litre	O
600	CM	135	CM	145 LEVEL CM	18795,1751 litre	54,711 %	15558,1406 litre	O
600	CM	135	CM	144 LEVEL CM	18633,5771 litre	54,241 %	15719,7386 litre	O
600	CM	135	CM	143 LEVEL CM	18471,8989 litre	53,770 %	15881,4168 litre	O
600	CM	135	CM	142 LEVEL CM	18310,1495 litre	53,300 %	16043,1662 litre	O
600	CM	135	CM	141 LEVEL CM	18148,3377 litre	52,828 %	16204,9780 litre	O
600	CM	135	CM	140 LEVEL CM	17986,4726 litre	52,357 %	16366,8431 litre	O
600	CM	135	CM	139 LEVEL CM	17824,5630 litre	51,886 %	16528,7527 litre	O
600	CM	135	CM	138 LEVEL CM	17662,6178 litre	51,415 %	16690,6979 litre	O
600	CM	135	CM	137 LEVEL CM	17500,6460 litre	50,943 %	16852,6697 litre	O
600	CM	135	CM	136 LEVEL CM	17338,6564 litre	50,472 %	17014,6593 litre	O
600	CM	135	CM	135 LEVEL CM	17176,6578 litre	50,000 %	17176,6579 litre	O
600	CM	135	CM	134 LEVEL CM	17014,6593 litre	49,528 %	17338,6564 litre	O
600	CM	135	CM	133 LEVEL CM	16852,6697 litre	49,057 %	17500,6460 litre	O
600	CM	135	CM	132 LEVEL CM	16690,6978 litre	48,585 %	17662,6179 litre	O
600	CM	135	CM	131 LEVEL CM	16528,7527 litre	48,114 %	17824,5630 litre	O
600	CM	135	CM	130 LEVEL CM	16366,8431 litre	47,643 %	17986,4726 litre	O
600	CM	135	CM	129 LEVEL CM	16204,9779 litre	47,172 %	18148,3378 litre	O
600	CM	135	CM	128 LEVEL CM	16043,1662 litre	46,700 %	18310,1495 litre	O
600	CM	135	CM	127 LEVEL CM	15881,4168 litre	46,230 %	18471,8989 litre	O
600	CM	135	CM	126 LEVEL CM	15719,7386 litre	45,759 %	18633,5771 litre	O
600	CM	135	CM	125 LEVEL CM	15558,1405 litre	45,289 %	18795,1752 litre	O
600	CM	135	CM	124 LEVEL CM	15396,6317 litre	44,818 %	18956,6840 litre	O
600	CM	135	CM	123 LEVEL CM	15235,2209 litre	44,349 %	19118,0948 litre	O
600	CM	135	CM	122 LEVEL CM	15073,9172 litre	43,879 %	19279,3985 litre	O
600	CM	135	CM	121 LEVEL CM	14912,7296 litre	43,410 %	19440,5861 litre	O
600	CM	135	CM	120 LEVEL CM	14751,6671 litre	42,941 %	19601,6486 litre	O
600	CM	135	CM	119 LEVEL CM	14590,7388 litre	42,473 %	19762,5769 litre	O
600	CM	135	CM	118 LEVEL CM	14429,9538 litre	42,005 %	19923,3619 litre	O
600	CM	135	CM	117 LEVEL CM	14269,3210 litre	41,537 %	20083,9947 litre	O
600	CM	135	CM	116 LEVEL CM	14108,8497 litre	41,070 %	20244,4660 litre	O
600	CM	135	CM	115 LEVEL CM	13948,5490 litre	40,603 %	20404,7667 litre	O
600	CM	135	CM	114 LEVEL CM	13788,4281 litre	40,137 %	20564,8876 litre	O
600	CM	135	CM	113 LEVEL CM	13628,4961 litre	39,672 %	20724,8196 litre	O

600	CM	135	CM	112 LEVEL CM	13468,7623 litre	39,207 %	20884,5534 litre	O
600	CM	135	CM	111 LEVEL CM	13309,2360 litre	38,742 %	21044,0797 litre	O
600	CM	135	CM	110 LEVEL CM	13149,9265 litre	38,278 %	21203,3892 litre	O
600	CM	135	CM	109 LEVEL CM	12990,8432 litre	37,815 %	21362,4725 litre	O
600	CM	135	CM	108 LEVEL CM	12831,9953 litre	37,353 %	21521,3204 litre	O
600	CM	135	CM	107 LEVEL CM	12673,3925 litre	36,891 %	21679,9232 litre	O
600	CM	135	CM	106 LEVEL CM	12515,0440 litre	36,430 %	21838,2717 litre	O
600	CM	135	CM	105 LEVEL CM	12356,9595 litre	35,970 %	21996,3562 litre	O
600	CM	135	CM	104 LEVEL CM	12199,1485 litre	35,511 %	22154,1672 litre	O
600	CM	135	CM	103 LEVEL CM	12041,6206 litre	35,052 %	22311,6951 litre	O
600	CM	135	CM	102 LEVEL CM	11884,3855 litre	34,595 %	22468,9302 litre	O
600	CM	135	CM	101 LEVEL CM	11727,4529 litre	34,138 %	22625,8628 litre	O
600	CM	135	CM	100 LEVEL CM	11570,8327 litre	33,682 %	22782,4830 litre	O
600	CM	135	CM	99 LEVEL CM	11414,5345 litre	33,227 %	22938,7812 litre	O
600	CM	135	CM	98 LEVEL CM	11258,5684 litre	32,773 %	23094,7473 litre	O
600	CM	135	CM	97 LEVEL CM	11102,9443 litre	32,320 %	23250,3714 litre	O
600	CM	135	CM	96 LEVEL CM	10947,6721 litre	31,868 %	23405,6436 litre	O
600	CM	135	CM	95 LEVEL CM	10792,7621 litre	31,417 %	23560,5536 litre	O
600	CM	135	CM	94 LEVEL CM	10638,2244 litre	30,967 %	23715,0913 litre	O
600	CM	135	CM	93 LEVEL CM	10484,0692 litre	30,518 %	23869,2465 litre	O
600	CM	135	CM	92 LEVEL CM	10330,3068 litre	30,071 %	24023,0089 litre	O
600	CM	135	CM	91 LEVEL CM	10176,9477 litre	29,624 %	24176,3680 litre	O
600	CM	135	CM	90 LEVEL CM	10024,0023 litre	29,179 %	24329,3134 litre	O
600	CM	135	CM	89 LEVEL CM	9871,4811 litre	28,735 %	24481,8346 litre	O
600	CM	135	CM	88 LEVEL CM	9719,3949 litre	28,292 %	24633,9208 litre	O
600	CM	135	CM	87 LEVEL CM	9567,7543 litre	27,851 %	24785,5614 litre	O
600	CM	135	CM	86 LEVEL CM	9416,5702 litre	27,411 %	24936,7455 litre	O
600	CM	135	CM	85 LEVEL CM	9265,8536 litre	26,972 %	25087,4621 litre	O
600	CM	135	CM	84 LEVEL CM	9115,6155 litre	26,535 %	25237,7002 litre	O
600	CM	135	CM	83 LEVEL CM	8965,8669 litre	26,099 %	25387,4488 litre	O
600	CM	135	CM	82 LEVEL CM	8816,6193 litre	25,665 %	25536,6964 litre	O
600	CM	135	CM	81 LEVEL CM	8667,8839 litre	25,232 %	25685,4318 litre	O
600	CM	135	CM	80 LEVEL CM	8519,6722 litre	24,800 %	25833,6435 litre	O
600	CM	135	CM	79 LEVEL CM	8371,9959 litre	24,370 %	25981,3198 litre	O
600	CM	135	CM	78 LEVEL CM	8224,8667 litre	23,942 %	26128,4490 litre	O
600	CM	135	CM	77 LEVEL CM	8078,2964 litre	23,515 %	26275,0193 litre	O
600	CM	135	CM	76 LEVEL CM	7932,2970 litre	23,090 %	26421,0187 litre	O
600	CM	135	CM	75 LEVEL CM	7786,8808 litre	22,667 %	26566,4349 litre	O
600	CM	135	CM	74 LEVEL CM	7642,0599 litre	22,245 %	26711,2558 litre	O
600	CM	135	CM	73 LEVEL CM	7497,8468 litre	21,826 %	26855,4689 litre	O
600	CM	135	CM	72 LEVEL CM	7354,2542 litre	21,408 %	26999,0615 litre	O
600	CM	135	CM	71 LEVEL CM	7211,2947 litre	20,992 %	27142,0210 litre	O
600	CM	135	CM	70 LEVEL CM	7068,9814 litre	20,577 %	27284,3343 litre	O
600	CM	135	CM	69 LEVEL CM	6927,3273 litre	20,165 %	27425,9884 litre	O
600	CM	135	CM	68 LEVEL CM	6786,3457 litre	19,755 %	27566,9700 litre	O
600	CM	135	CM	67 LEVEL CM	6646,0502 litre	19,346 %	27707,2655 litre	O
600	CM	135	CM	66 LEVEL CM	6506,4543 litre	18,940 %	27846,8614 litre	O
600	CM	135	CM	65 LEVEL CM	6367,5721 litre	18,536 %	27985,7436 litre	O
600	CM	135	CM	64 LEVEL CM	6229,4175 litre	18,133 %	28123,8982 litre	O
600	CM	135	CM	63 LEVEL CM	6092,0051 litre	17,733 %	28261,3106 litre	O
600	CM	135	CM	62 LEVEL CM	5955,3492 litre	17,336 %	28397,9665 litre	O
600	CM	135	CM	61 LEVEL CM	5819,4647 litre	16,940 %	28533,8510 litre	O
600	CM	135	CM	60 LEVEL CM	5684,3667 litre	16,547 %	28668,9490 litre	O

600	CM	135	CM	59 LEVEL CM	5550,0705 litre	16,156 %	28803,2452 litre	O
600	CM	135	CM	58 LEVEL CM	5416,5917 litre	15,767 %	28936,7240 litre	O
600	CM	135	CM	57 LEVEL CM	5283,9463 litre	15,381 %	29069,3694 litre	O
600	CM	135	CM	56 LEVEL CM	5152,1503 litre	14,998 %	29201,1654 litre	O
600	CM	135	CM	55 LEVEL CM	5021,2203 litre	14,616 %	29332,0954 litre	O
600	CM	135	CM	54 LEVEL CM	4891,1732 litre	14,238 %	29462,1425 litre	O
600	CM	135	CM	53 LEVEL CM	4762,0261 litre	13,862 %	29591,2896 litre	O
600	CM	135	CM	52 LEVEL CM	4633,7966 litre	13,489 %	29719,5191 litre	O
600	CM	135	CM	51 LEVEL CM	4506,5026 litre	13,118 %	29846,8131 litre	O
600	CM	135	CM	50 LEVEL CM	4380,1624 litre	12,750 %	29973,1533 litre	O
600	CM	135	CM	49 LEVEL CM	4254,7948 litre	12,385 %	30098,5209 litre	O
600	CM	135	CM	48 LEVEL CM	4130,4189 litre	12,023 %	30222,8968 litre	O
600	CM	135	CM	47 LEVEL CM	4007,0544 litre	11,664 %	30346,2613 litre	O
600	CM	135	CM	46 LEVEL CM	3884,7215 litre	11,308 %	30468,5942 litre	O
600	CM	135	CM	45 LEVEL CM	3763,4407 litre	10,955 %	30589,8750 litre	O
600	CM	135	CM	44 LEVEL CM	3643,2333 litre	10,605 %	30710,0824 litre	O
600	CM	135	CM	43 LEVEL CM	3524,1210 litre	10,258 %	30829,1947 litre	O
600	CM	135	CM	42 LEVEL CM	3406,1262 litre	9,915 %	30947,1895 litre	O
600	CM	135	CM	41 LEVEL CM	3289,2719 litre	9,575 %	31064,0438 litre	O
600	CM	135	CM	40 LEVEL CM	3173,5818 litre	9,238 %	31179,7339 litre	O
600	CM	135	CM	39 LEVEL CM	3059,0803 litre	8,905 %	31294,2354 litre	O
600	CM	135	CM	38 LEVEL CM	2945,7925 litre	8,575 %	31407,5232 litre	O
600	CM	135	CM	37 LEVEL CM	2833,7445 litre	8,249 %	31519,5712 litre	O
600	CM	135	CM	36 LEVEL CM	2722,9632 litre	7,926 %	31630,3525 litre	O
600	CM	135	CM	35 LEVEL CM	2613,4763 litre	7,608 %	31739,8394 litre	O
600	CM	135	CM	34 LEVEL CM	2505,3127 litre	7,293 %	31848,0030 litre	O
600	CM	135	CM	33 LEVEL CM	2398,5022 litre	6,982 %	31954,8135 litre	O
600	CM	135	CM	32 LEVEL CM	2293,0758 litre	6,675 %	32060,2399 litre	O
600	CM	135	CM	31 LEVEL CM	2189,0659 litre	6,372 %	32164,2498 litre	O
600	CM	135	CM	30 LEVEL CM	2086,5059 litre	6,074 %	32266,8098 litre	O
600	CM	135	CM	29 LEVEL CM	1985,4311 litre	5,779 %	32367,8846 litre	O
600	CM	135	CM	28 LEVEL CM	1885,8778 litre	5,490 %	32467,4379 litre	O
600	CM	135	CM	27 LEVEL CM	1787,8846 litre	5,204 %	32565,4311 litre	O
600	CM	135	CM	26 LEVEL CM	1691,4916 litre	4,924 %	32661,8241 litre	O
600	CM	135	CM	25 LEVEL CM	1596,7409 litre	4,648 %	32756,5748 litre	O
600	CM	135	CM	24 LEVEL CM	1503,6771 litre	4,377 %	32849,6386 litre	O
600	CM	135	CM	23 LEVEL CM	1412,3470 litre	4,111 %	32940,9687 litre	O
600	CM	135	CM	22 LEVEL CM	1322,8003 litre	3,851 %	33030,5154 litre	O
600	CM	135	CM	21 LEVEL CM	1235,0897 litre	3,595 %	33118,2260 litre	O
600	CM	135	CM	20 LEVEL CM	1149,2712 litre	3,345 %	33204,0445 litre	O
600	CM	135	CM	19 LEVEL CM	1065,4047 litre	3,101 %	33287,9110 litre	O
600	CM	135	CM	18 LEVEL CM	983,5543 litre	2,863 %	33369,7614 litre	O
600	CM	135	CM	17 LEVEL CM	903,7890 litre	2,631 %	33449,5267 litre	O
600	CM	135	CM	16 LEVEL CM	826,1833 litre	2,405 %	33527,1324 litre	O
600	CM	135	CM	15 LEVEL CM	750,8183 litre	2,186 %	33602,4974 litre	O
600	CM	135	CM	14 LEVEL CM	677,7824 litre	1,973 %	33675,5333 litre	O
600	CM	135	CM	13 LEVEL CM	607,1727 litre	1,767 %	33746,1430 litre	O
600	CM	135	CM	12 LEVEL CM	539,0968 litre	1,569 %	33814,2189 litre	O
600	CM	135	CM	11 LEVEL CM	473,6750 litre	1,379 %	33879,6407 litre	O
600	CM	135	CM	10 LEVEL CM	411,0424 litre	1,197 %	33942,2733 litre	O
600	CM	135	CM	9 LEVEL CM	351,3536 litre	1,023 %	34001,9621 litre	O
600	CM	135	CM	8 LEVEL CM	294,7870 litre	0,858 %	34058,5287 litre	O
600	CM	135	CM	7 LEVEL CM	241,5527 litre	0,703 %	34111,7630 litre	O

600	CM	135	CM	6 LEVEL CM	191,9031 litre	0,559 %	34161,4126 litre	0
600	CM	135	CM	5 LEVEL CM	146,1502 litre	0,425 %	34207,1655 litre	0
600	CM	135	CM	4 LEVEL CM	104,6941 litre	0,305 %	34248,6216 litre	0
600	CM	135	CM	3 LEVEL CM	68,0771 litre	0,198 %	34285,2386 litre	0
600	CM	135	CM	2 LEVEL CM	37,0979 litre	0,108 %	34316,2178 litre	0
600	CM	135	CM	1 LEVEL CM	13,1307 litre	0,038 %	34340,1850 litre	0
600	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	34353,3157 litre	0

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 130	CM 260 LEVEL CM	31855,7495 litre	100,000 %	0,0000 litre	O
600	CM 130	CM 259 LEVEL CM	31842,8648 litre	99,960 %	12,8847 litre	O
600	CM 130	CM 258 LEVEL CM	31819,3482 litre	99,886 %	36,4013 litre	O
600	CM 130	CM 257 LEVEL CM	31788,9537 litre	99,790 %	66,7958 litre	O
600	CM 130	CM 256 LEVEL CM	31753,0302 litre	99,678 %	102,7193 litre	O
600	CM 130	CM 255 LEVEL CM	31712,3624 litre	99,550 %	143,3871 litre	O
600	CM 130	CM 254 LEVEL CM	31667,4827 litre	99,409 %	188,2668 litre	O
600	CM 130	CM 253 LEVEL CM	31618,7843 litre	99,256 %	236,9652 litre	O
600	CM 130	CM 252 LEVEL CM	31566,5739 litre	99,092 %	289,1756 litre	O
600	CM 130	CM 251 LEVEL CM	31511,0995 litre	98,918 %	344,6500 litre	O
600	CM 130	CM 250 LEVEL CM	31452,5676 litre	98,734 %	403,1819 litre	O
600	CM 130	CM 249 LEVEL CM	31391,1537 litre	98,542 %	464,5958 litre	O
600	CM 130	CM 248 LEVEL CM	31327,0097 litre	98,340 %	528,7398 litre	O
600	CM 130	CM 247 LEVEL CM	31260,2688 litre	98,131 %	595,4807 litre	O
600	CM 130	CM 246 LEVEL CM	31191,0492 litre	97,913 %	664,7003 litre	O
600	CM 130	CM 245 LEVEL CM	31119,4568 litre	97,689 %	736,2927 litre	O
600	CM 130	CM 244 LEVEL CM	31045,5873 litre	97,457 %	810,1622 litre	O
600	CM 130	CM 243 LEVEL CM	30969,5278 litre	97,218 %	886,2217 litre	O
600	CM 130	CM 242 LEVEL CM	30891,3580 litre	96,973 %	964,3915 litre	O
600	CM 130	CM 241 LEVEL CM	30811,1513 litre	96,721 %	1044,5982 litre	O
600	CM 130	CM 240 LEVEL CM	30728,9758 litre	96,463 %	1126,7737 litre	O
600	CM 130	CM 239 LEVEL CM	30644,8948 litre	96,199 %	1210,8547 litre	O
600	CM 130	CM 238 LEVEL CM	30558,9671 litre	95,929 %	1296,7824 litre	O
600	CM 130	CM 237 LEVEL CM	30471,2481 litre	95,654 %	1384,5014 litre	O
600	CM 130	CM 236 LEVEL CM	30381,7898 litre	95,373 %	1473,9597 litre	O
600	CM 130	CM 235 LEVEL CM	30290,6410 litre	95,087 %	1565,1085 litre	O
600	CM 130	CM 234 LEVEL CM	30197,8483 litre	94,796 %	1657,9012 litre	O
600	CM 130	CM 233 LEVEL CM	30103,4553 litre	94,499 %	1752,2942 litre	O
600	CM 130	CM 232 LEVEL CM	30007,5038 litre	94,198 %	1848,2457 litre	O
600	CM 130	CM 231 LEVEL CM	29910,0336 litre	93,892 %	1945,7159 litre	O
600	CM 130	CM 230 LEVEL CM	29811,0824 litre	93,581 %	2044,6671 litre	O
600	CM 130	CM 229 LEVEL CM	29710,6864 litre	93,266 %	2145,0631 litre	O
600	CM 130	CM 228 LEVEL CM	29608,8803 litre	92,947 %	2246,8692 litre	O
600	CM 130	CM 227 LEVEL CM	29505,6973 litre	92,623 %	2350,0522 litre	O
600	CM 130	CM 226 LEVEL CM	29401,1694 litre	92,295 %	2454,5801 litre	O
600	CM 130	CM 225 LEVEL CM	29295,3272 litre	91,962 %	2560,4223 litre	O
600	CM 130	CM 224 LEVEL CM	29188,2002 litre	91,626 %	2667,5493 litre	O
600	CM 130	CM 223 LEVEL CM	29079,8170 litre	91,286 %	2775,9325 litre	O
600	CM 130	CM 222 LEVEL CM	28970,2052 litre	90,942 %	2885,5443 litre	O
600	CM 130	CM 221 LEVEL CM	28859,3913 litre	90,594 %	2996,3582 litre	O
600	CM 130	CM 220 LEVEL CM	28747,4011 litre	90,242 %	3108,3484 litre	O
600	CM 130	CM 219 LEVEL CM	28634,2595 litre	89,887 %	3221,4900 litre	O
600	CM 130	CM 218 LEVEL CM	28519,9908 litre	89,529 %	3335,7587 litre	O
600	CM 130	CM 217 LEVEL CM	28404,6184 litre	89,166 %	3451,1311 litre	O
600	CM 130	CM 216 LEVEL CM	28288,1653 litre	88,801 %	3567,5842 litre	O
600	CM 130	CM 215 LEVEL CM	28170,6534 litre	88,432 %	3685,0961 litre	O
600	CM 130	CM 214 LEVEL CM	28052,1046 litre	88,060 %	3803,6449 litre	O
600	CM 130	CM 213 LEVEL CM	27932,5397 litre	87,684 %	3923,2098 litre	O
600	CM 130	CM 212 LEVEL CM	27811,9794 litre	87,306 %	4043,7701 litre	O
600	CM 130	CM 211 LEVEL CM	27690,4435 litre	86,924 %	4165,3060 litre	O
600	CM 130	CM 210 LEVEL CM	27567,9517 litre	86,540 %	4287,7978 litre	O
600	CM 130	CM 209 LEVEL CM	27444,5230 litre	86,152 %	4411,2265 litre	O

600	CM	130	CM	208 LEVEL CM	27320,1760 litre	85,762 %	4535,5735 litre	O
600	CM	130	CM	207 LEVEL CM	27194,9290 litre	85,369 %	4660,8205 litre	O
600	CM	130	CM	206 LEVEL CM	27068,7998 litre	84,973 %	4786,9497 litre	O
600	CM	130	CM	205 LEVEL CM	26941,8058 litre	84,574 %	4913,9437 litre	O
600	CM	130	CM	204 LEVEL CM	26813,9643 litre	84,173 %	5041,7852 litre	O
600	CM	130	CM	203 LEVEL CM	26685,2919 litre	83,769 %	5170,4576 litre	O
600	CM	130	CM	202 LEVEL CM	26555,8051 litre	83,363 %	5299,9444 litre	O
600	CM	130	CM	201 LEVEL CM	26425,5201 litre	82,954 %	5430,2294 litre	O
600	CM	130	CM	200 LEVEL CM	26294,4527 litre	82,542 %	5561,2968 litre	O
600	CM	130	CM	199 LEVEL CM	26162,6184 litre	82,128 %	5693,1311 litre	O
600	CM	130	CM	198 LEVEL CM	26030,0326 litre	81,712 %	5825,7169 litre	O
600	CM	130	CM	197 LEVEL CM	25896,7103 litre	81,294 %	5959,0392 litre	O
600	CM	130	CM	196 LEVEL CM	25762,6663 litre	80,873 %	6093,0832 litre	O
600	CM	130	CM	195 LEVEL CM	25627,9151 litre	80,450 %	6227,8344 litre	O
600	CM	130	CM	194 LEVEL CM	25492,4711 litre	80,025 %	6363,2784 litre	O
600	CM	130	CM	193 LEVEL CM	25356,3484 litre	79,597 %	6499,4011 litre	O
600	CM	130	CM	192 LEVEL CM	25219,5608 litre	79,168 %	6636,1887 litre	O
600	CM	130	CM	191 LEVEL CM	25082,1221 litre	78,737 %	6773,6274 litre	O
600	CM	130	CM	190 LEVEL CM	24944,0457 litre	78,303 %	6911,7038 litre	O
600	CM	130	CM	189 LEVEL CM	24805,3450 litre	77,868 %	7050,4045 litre	O
600	CM	130	CM	188 LEVEL CM	24666,0330 litre	77,430 %	7189,7165 litre	O
600	CM	130	CM	187 LEVEL CM	24526,1229 litre	76,991 %	7329,6266 litre	O
600	CM	130	CM	186 LEVEL CM	24385,6273 litre	76,550 %	7470,1222 litre	O
600	CM	130	CM	185 LEVEL CM	24244,5589 litre	76,107 %	7611,1906 litre	O
600	CM	130	CM	184 LEVEL CM	24102,9302 litre	75,663 %	7752,8193 litre	O
600	CM	130	CM	183 LEVEL CM	23960,7535 litre	75,216 %	7894,9960 litre	O
600	CM	130	CM	182 LEVEL CM	23818,0410 litre	74,768 %	8037,7085 litre	O
600	CM	130	CM	181 LEVEL CM	23674,8047 litre	74,319 %	8180,9448 litre	O
600	CM	130	CM	180 LEVEL CM	23531,0567 litre	73,868 %	8324,6928 litre	O
600	CM	130	CM	179 LEVEL CM	23386,8087 litre	73,415 %	8468,9408 litre	O
600	CM	130	CM	178 LEVEL CM	23242,0723 litre	72,960 %	8613,6772 litre	O
600	CM	130	CM	177 LEVEL CM	23096,8591 litre	72,505 %	8758,8904 litre	O
600	CM	130	CM	176 LEVEL CM	22951,1806 litre	72,047 %	8904,5689 litre	O
600	CM	130	CM	175 LEVEL CM	22805,0481 litre	71,588 %	9050,7014 litre	O
600	CM	130	CM	174 LEVEL CM	22658,4729 litre	71,128 %	9197,2766 litre	O
600	CM	130	CM	173 LEVEL CM	22511,4660 litre	70,667 %	9344,2835 litre	O
600	CM	130	CM	172 LEVEL CM	22364,0385 litre	70,204 %	9491,7110 litre	O
600	CM	130	CM	171 LEVEL CM	22216,2013 litre	69,740 %	9639,5482 litre	O
600	CM	130	CM	170 LEVEL CM	22067,9654 litre	69,275 %	9787,7841 litre	O
600	CM	130	CM	169 LEVEL CM	21919,3413 litre	68,808 %	9936,4082 litre	O
600	CM	130	CM	168 LEVEL CM	21770,3399 litre	68,340 %	10085,4096 litre	O
600	CM	130	CM	167 LEVEL CM	21620,9716 litre	67,871 %	10234,7779 litre	O
600	CM	130	CM	166 LEVEL CM	21471,2471 litre	67,401 %	10384,5024 litre	O
600	CM	130	CM	165 LEVEL CM	21321,1768 litre	66,930 %	10534,5727 litre	O
600	CM	130	CM	164 LEVEL CM	21170,7710 litre	66,458 %	10684,9785 litre	O
600	CM	130	CM	163 LEVEL CM	21020,0400 litre	65,985 %	10835,7095 litre	O
600	CM	130	CM	162 LEVEL CM	20868,9940 litre	65,511 %	10986,7555 litre	O
600	CM	130	CM	161 LEVEL CM	20717,6433 litre	65,036 %	11138,1062 litre	O
600	CM	130	CM	160 LEVEL CM	20565,9980 litre	64,560 %	11289,7515 litre	O
600	CM	130	CM	159 LEVEL CM	20414,0680 litre	64,083 %	11441,6815 litre	O
600	CM	130	CM	158 LEVEL CM	20261,8635 litre	63,605 %	11593,8860 litre	O
600	CM	130	CM	157 LEVEL CM	20109,3942 litre	63,126 %	11746,3553 litre	O
600	CM	130	CM	156 LEVEL CM	19956,6701 litre	62,647 %	11899,0794 litre	O

600	CM	130	CM	155 LEVEL CM	19803,7011 litre	62,167 %	12052,0484 litre	O
600	CM	130	CM	154 LEVEL CM	19650,4970 litre	61,686 %	12205,2525 litre	O
600	CM	130	CM	153 LEVEL CM	19497,0674 litre	61,204 %	12358,6821 litre	O
600	CM	130	CM	152 LEVEL CM	19343,4221 litre	60,722 %	12512,3274 litre	O
600	CM	130	CM	151 LEVEL CM	19189,5708 litre	60,239 %	12666,1787 litre	O
600	CM	130	CM	150 LEVEL CM	19035,5230 litre	59,755 %	12820,2265 litre	O
600	CM	130	CM	149 LEVEL CM	18881,2884 litre	59,271 %	12974,4611 litre	O
600	CM	130	CM	148 LEVEL CM	18726,8765 litre	58,786 %	13128,8730 litre	O
600	CM	130	CM	147 LEVEL CM	18572,2968 litre	58,301 %	13283,4527 litre	O
600	CM	130	CM	146 LEVEL CM	18417,5588 litre	57,815 %	13438,1907 litre	O
600	CM	130	CM	145 LEVEL CM	18262,6720 litre	57,329 %	13593,0775 litre	O
600	CM	130	CM	144 LEVEL CM	18107,6458 litre	56,843 %	13748,1037 litre	O
600	CM	130	CM	143 LEVEL CM	17952,4897 litre	56,356 %	13903,2598 litre	O
600	CM	130	CM	142 LEVEL CM	17797,2129 litre	55,868 %	14058,5366 litre	O
600	CM	130	CM	141 LEVEL CM	17641,8249 litre	55,380 %	14213,9246 litre	O
600	CM	130	CM	140 LEVEL CM	17486,3349 litre	54,892 %	14369,4146 litre	O
600	CM	130	CM	139 LEVEL CM	17330,7524 litre	54,404 %	14524,9971 litre	O
600	CM	130	CM	138 LEVEL CM	17175,0866 litre	53,915 %	14680,6629 litre	O
600	CM	130	CM	137 LEVEL CM	17019,3468 litre	53,426 %	14836,4027 litre	O
600	CM	130	CM	136 LEVEL CM	16863,5423 litre	52,937 %	14992,2072 litre	O
600	CM	130	CM	135 LEVEL CM	16707,6824 litre	52,448 %	15148,0671 litre	O
600	CM	130	CM	134 LEVEL CM	16551,7763 litre	51,959 %	15303,9732 litre	O
600	CM	130	CM	133 LEVEL CM	16395,8332 litre	51,469 %	15459,9163 litre	O
600	CM	130	CM	132 LEVEL CM	16239,8624 litre	50,979 %	15615,8871 litre	O
600	CM	130	CM	131 LEVEL CM	16083,8732 litre	50,490 %	15771,8763 litre	O
600	CM	130	CM	130 LEVEL CM	15927,8748 litre	50,000 %	15927,8747 litre	O
600	CM	130	CM	129 LEVEL CM	15771,8763 litre	49,510 %	16083,8732 litre	O
600	CM	130	CM	128 LEVEL CM	15615,8871 litre	49,021 %	16239,8624 litre	O
600	CM	130	CM	127 LEVEL CM	15459,9163 litre	48,531 %	16395,8332 litre	O
600	CM	130	CM	126 LEVEL CM	15303,9732 litre	48,041 %	16551,7763 litre	O
600	CM	130	CM	125 LEVEL CM	15148,0671 litre	47,552 %	16707,6824 litre	O
600	CM	130	CM	124 LEVEL CM	14992,2072 litre	47,063 %	16863,5423 litre	O
600	CM	130	CM	123 LEVEL CM	14836,4027 litre	46,574 %	17019,3468 litre	O
600	CM	130	CM	122 LEVEL CM	14680,6629 litre	46,085 %	17175,0866 litre	O
600	CM	130	CM	121 LEVEL CM	14524,9971 litre	45,596 %	17330,7524 litre	O
600	CM	130	CM	120 LEVEL CM	14369,4146 litre	45,108 %	17486,3349 litre	O
600	CM	130	CM	119 LEVEL CM	14213,9247 litre	44,620 %	17641,8248 litre	O
600	CM	130	CM	118 LEVEL CM	14058,5366 litre	44,132 %	17797,2129 litre	O
600	CM	130	CM	117 LEVEL CM	13903,2598 litre	43,644 %	17952,4897 litre	O
600	CM	130	CM	116 LEVEL CM	13748,1037 litre	43,157 %	18107,6458 litre	O
600	CM	130	CM	115 LEVEL CM	13593,0775 litre	42,671 %	18262,6720 litre	O
600	CM	130	CM	114 LEVEL CM	13438,1907 litre	42,185 %	18417,5588 litre	O
600	CM	130	CM	113 LEVEL CM	13283,4527 litre	41,699 %	18572,2968 litre	O
600	CM	130	CM	112 LEVEL CM	13128,8730 litre	41,214 %	18726,8765 litre	O
600	CM	130	CM	111 LEVEL CM	12974,4611 litre	40,729 %	18881,2884 litre	O
600	CM	130	CM	110 LEVEL CM	12820,2265 litre	40,245 %	19035,5230 litre	O
600	CM	130	CM	109 LEVEL CM	12666,1787 litre	39,761 %	19189,5708 litre	O
600	CM	130	CM	108 LEVEL CM	12512,3274 litre	39,278 %	19343,4221 litre	O
600	CM	130	CM	107 LEVEL CM	12358,6821 litre	38,796 %	19497,0674 litre	O
600	CM	130	CM	106 LEVEL CM	12205,2525 litre	38,314 %	19650,4970 litre	O
600	CM	130	CM	105 LEVEL CM	12052,0484 litre	37,833 %	19803,7011 litre	O
600	CM	130	CM	104 LEVEL CM	11899,0794 litre	37,353 %	19956,6701 litre	O
600	CM	130	CM	103 LEVEL CM	11746,3553 litre	36,874 %	20109,3942 litre	O

600	CM	130	CM	102 LEVEL CM	11593,8861 litre	36,395 %	20261,8634 litre	O
600	CM	130	CM	101 LEVEL CM	11441,6815 litre	35,917 %	20414,0680 litre	O
600	CM	130	CM	100 LEVEL CM	11289,7515 litre	35,440 %	20565,9980 litre	O
600	CM	130	CM	99 LEVEL CM	11138,1062 litre	34,964 %	20717,6433 litre	O
600	CM	130	CM	98 LEVEL CM	10986,7555 litre	34,489 %	20868,9940 litre	O
600	CM	130	CM	97 LEVEL CM	10835,7095 litre	34,015 %	21020,0400 litre	O
600	CM	130	CM	96 LEVEL CM	10684,9785 litre	33,542 %	21170,7710 litre	O
600	CM	130	CM	95 LEVEL CM	10534,5727 litre	33,070 %	21321,1768 litre	O
600	CM	130	CM	94 LEVEL CM	10384,5024 litre	32,599 %	21471,2471 litre	O
600	CM	130	CM	93 LEVEL CM	10234,7779 litre	32,129 %	21620,9716 litre	O
600	CM	130	CM	92 LEVEL CM	10085,4096 litre	31,660 %	21770,3399 litre	O
600	CM	130	CM	91 LEVEL CM	9936,4082 litre	31,192 %	21919,3413 litre	O
600	CM	130	CM	90 LEVEL CM	9787,7841 litre	30,725 %	22067,9654 litre	O
600	CM	130	CM	89 LEVEL CM	9639,5482 litre	30,260 %	22216,2013 litre	O
600	CM	130	CM	88 LEVEL CM	9491,7110 litre	29,796 %	22364,0385 litre	O
600	CM	130	CM	87 LEVEL CM	9344,2835 litre	29,333 %	22511,4660 litre	O
600	CM	130	CM	86 LEVEL CM	9197,2766 litre	28,872 %	22658,4729 litre	O
600	CM	130	CM	85 LEVEL CM	9050,7014 litre	28,412 %	22805,0481 litre	O
600	CM	130	CM	84 LEVEL CM	8904,5689 litre	27,953 %	22951,1806 litre	O
600	CM	130	CM	83 LEVEL CM	8758,8904 litre	27,495 %	23096,8591 litre	O
600	CM	130	CM	82 LEVEL CM	8613,6772 litre	27,040 %	23242,0723 litre	O
600	CM	130	CM	81 LEVEL CM	8468,9408 litre	26,585 %	23386,8087 litre	O
600	CM	130	CM	80 LEVEL CM	8324,6928 litre	26,132 %	23531,0567 litre	O
600	CM	130	CM	79 LEVEL CM	8180,9448 litre	25,681 %	23674,8047 litre	O
600	CM	130	CM	78 LEVEL CM	8037,7085 litre	25,232 %	23818,0410 litre	O
600	CM	130	CM	77 LEVEL CM	7894,9960 litre	24,784 %	23960,7535 litre	O
600	CM	130	CM	76 LEVEL CM	7752,8193 litre	24,337 %	24102,9302 litre	O
600	CM	130	CM	75 LEVEL CM	7611,1906 litre	23,893 %	24244,5589 litre	O
600	CM	130	CM	74 LEVEL CM	7470,1222 litre	23,450 %	24385,6273 litre	O
600	CM	130	CM	73 LEVEL CM	7329,6266 litre	23,009 %	24526,1229 litre	O
600	CM	130	CM	72 LEVEL CM	7189,7165 litre	22,570 %	24666,0330 litre	O
600	CM	130	CM	71 LEVEL CM	7050,4045 litre	22,132 %	24805,3450 litre	O
600	CM	130	CM	70 LEVEL CM	6911,7038 litre	21,697 %	24944,0457 litre	O
600	CM	130	CM	69 LEVEL CM	6773,6275 litre	21,263 %	25082,1220 litre	O
600	CM	130	CM	68 LEVEL CM	6636,1887 litre	20,832 %	25219,5608 litre	O
600	CM	130	CM	67 LEVEL CM	6499,4011 litre	20,403 %	25356,3484 litre	O
600	CM	130	CM	66 LEVEL CM	6363,2784 litre	19,975 %	25492,4711 litre	O
600	CM	130	CM	65 LEVEL CM	6227,8344 litre	19,550 %	25627,9151 litre	O
600	CM	130	CM	64 LEVEL CM	6093,0832 litre	19,127 %	25762,6663 litre	O
600	CM	130	CM	63 LEVEL CM	5959,0392 litre	18,706 %	25896,7103 litre	O
600	CM	130	CM	62 LEVEL CM	5825,7169 litre	18,288 %	26030,0326 litre	O
600	CM	130	CM	61 LEVEL CM	5693,1311 litre	17,872 %	26162,6184 litre	O
600	CM	130	CM	60 LEVEL CM	5561,2968 litre	17,458 %	26294,4527 litre	O
600	CM	130	CM	59 LEVEL CM	5430,2294 litre	17,046 %	26425,5201 litre	O
600	CM	130	CM	58 LEVEL CM	5299,9444 litre	16,637 %	26555,8051 litre	O
600	CM	130	CM	57 LEVEL CM	5170,4576 litre	16,231 %	26685,2919 litre	O
600	CM	130	CM	56 LEVEL CM	5041,7852 litre	15,827 %	26813,9643 litre	O
600	CM	130	CM	55 LEVEL CM	4913,9437 litre	15,426 %	26941,8058 litre	O
600	CM	130	CM	54 LEVEL CM	4786,9497 litre	15,027 %	27068,7998 litre	O
600	CM	130	CM	53 LEVEL CM	4660,8205 litre	14,631 %	27194,9290 litre	O
600	CM	130	CM	52 LEVEL CM	4535,5735 litre	14,238 %	27320,1760 litre	O
600	CM	130	CM	51 LEVEL CM	4411,2265 litre	13,848 %	27444,5230 litre	O
600	CM	130	CM	50 LEVEL CM	4287,7978 litre	13,460 %	27567,9517 litre	O

600	CM	130	CM	49 LEVEL CM	4165,3060 litre	13,076 %	27690,4435 litre	O
600	CM	130	CM	48 LEVEL CM	4043,7701 litre	12,694 %	27811,9794 litre	O
600	CM	130	CM	47 LEVEL CM	3923,2098 litre	12,316 %	27932,5397 litre	O
600	CM	130	CM	46 LEVEL CM	3803,6449 litre	11,940 %	28052,1046 litre	O
600	CM	130	CM	45 LEVEL CM	3685,0961 litre	11,568 %	28170,6534 litre	O
600	CM	130	CM	44 LEVEL CM	3567,5843 litre	11,199 %	28288,1652 litre	O
600	CM	130	CM	43 LEVEL CM	3451,1311 litre	10,834 %	28404,6184 litre	O
600	CM	130	CM	42 LEVEL CM	3335,7587 litre	10,471 %	28519,9908 litre	O
600	CM	130	CM	41 LEVEL CM	3221,4900 litre	10,113 %	28634,2595 litre	O
600	CM	130	CM	40 LEVEL CM	3108,3484 litre	9,758 %	28747,4011 litre	O
600	CM	130	CM	39 LEVEL CM	2996,3582 litre	9,406 %	28859,3913 litre	O
600	CM	130	CM	38 LEVEL CM	2885,5443 litre	9,058 %	28970,2052 litre	O
600	CM	130	CM	37 LEVEL CM	2775,9325 litre	8,714 %	29079,8170 litre	O
600	CM	130	CM	36 LEVEL CM	2667,5493 litre	8,374 %	29188,2002 litre	O
600	CM	130	CM	35 LEVEL CM	2560,4224 litre	8,038 %	29295,3271 litre	O
600	CM	130	CM	34 LEVEL CM	2454,5801 litre	7,705 %	29401,1694 litre	O
600	CM	130	CM	33 LEVEL CM	2350,0522 litre	7,377 %	29505,6973 litre	O
600	CM	130	CM	32 LEVEL CM	2246,8692 litre	7,053 %	29608,8803 litre	O
600	CM	130	CM	31 LEVEL CM	2145,0631 litre	6,734 %	29710,6864 litre	O
600	CM	130	CM	30 LEVEL CM	2044,6671 litre	6,419 %	29811,0824 litre	O
600	CM	130	CM	29 LEVEL CM	1945,7159 litre	6,108 %	29910,0336 litre	O
600	CM	130	CM	28 LEVEL CM	1848,2457 litre	5,802 %	30007,5038 litre	O
600	CM	130	CM	27 LEVEL CM	1752,2942 litre	5,501 %	30103,4553 litre	O
600	CM	130	CM	26 LEVEL CM	1657,9012 litre	5,204 %	30197,8483 litre	O
600	CM	130	CM	25 LEVEL CM	1565,1085 litre	4,913 %	30290,6410 litre	O
600	CM	130	CM	24 LEVEL CM	1473,9597 litre	4,627 %	30381,7898 litre	O
600	CM	130	CM	23 LEVEL CM	1384,5014 litre	4,346 %	30471,2481 litre	O
600	CM	130	CM	22 LEVEL CM	1296,7824 litre	4,071 %	30558,9671 litre	O
600	CM	130	CM	21 LEVEL CM	1210,8547 litre	3,801 %	30644,8948 litre	O
600	CM	130	CM	20 LEVEL CM	1126,7737 litre	3,537 %	30728,9758 litre	O
600	CM	130	CM	19 LEVEL CM	1044,5982 litre	3,279 %	30811,1513 litre	O
600	CM	130	CM	18 LEVEL CM	964,3916 litre	3,027 %	30891,3579 litre	O
600	CM	130	CM	17 LEVEL CM	886,2217 litre	2,782 %	30969,5278 litre	O
600	CM	130	CM	16 LEVEL CM	810,1622 litre	2,543 %	31045,5873 litre	O
600	CM	130	CM	15 LEVEL CM	736,2927 litre	2,311 %	31119,4568 litre	O
600	CM	130	CM	14 LEVEL CM	664,7003 litre	2,087 %	31191,0492 litre	O
600	CM	130	CM	13 LEVEL CM	595,4807 litre	1,869 %	31260,2688 litre	O
600	CM	130	CM	12 LEVEL CM	528,7398 litre	1,660 %	31327,0097 litre	O
600	CM	130	CM	11 LEVEL CM	464,5958 litre	1,458 %	31391,1537 litre	O
600	CM	130	CM	10 LEVEL CM	403,1820 litre	1,266 %	31452,5675 litre	O
600	CM	130	CM	9 LEVEL CM	344,6500 litre	1,082 %	31511,0995 litre	O
600	CM	130	CM	8 LEVEL CM	289,1756 litre	0,908 %	31566,5739 litre	O
600	CM	130	CM	7 LEVEL CM	236,9652 litre	0,744 %	31618,7843 litre	O
600	CM	130	CM	6 LEVEL CM	188,2668 litre	0,591 %	31667,4827 litre	O
600	CM	130	CM	5 LEVEL CM	143,3871 litre	0,450 %	31712,3624 litre	O
600	CM	130	CM	4 LEVEL CM	102,7193 litre	0,322 %	31753,0302 litre	O
600	CM	130	CM	3 LEVEL CM	66,7959 litre	0,210 %	31788,9536 litre	O
600	CM	130	CM	2 LEVEL CM	36,4013 litre	0,114 %	31819,3482 litre	O
600	CM	130	CM	1 LEVEL CM	12,8847 litre	0,040 %	31842,8648 litre	O
600	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	31855,7495 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 125	CM 250 LEVEL CM	29452,4311 litre	100,000 %	0,0000 litre	O
600	CM 125	CM 249 LEVEL CM	29439,7972 litre	99,957 %	12,6339 litre	O
600	CM 125	CM 248 LEVEL CM	29416,7400 litre	99,879 %	35,6911 litre	O
600	CM 125	CM 247 LEVEL CM	29386,9415 litre	99,778 %	65,4896 litre	O
600	CM 125	CM 246 LEVEL CM	29351,7254 litre	99,658 %	100,7057 litre	O
600	CM 125	CM 245 LEVEL CM	29311,8614 litre	99,523 %	140,5697 litre	O
600	CM 125	CM 244 LEVEL CM	29267,8722 litre	99,373 %	184,5589 litre	O
600	CM 125	CM 243 LEVEL CM	29220,1441 litre	99,211 %	232,2870 litre	O
600	CM 125	CM 242 LEVEL CM	29168,9780 litre	99,038 %	283,4531 litre	O
600	CM 125	CM 241 LEVEL CM	29114,6177 litre	98,853 %	337,8134 litre	O
600	CM 125	CM 240 LEVEL CM	29057,2660 litre	98,658 %	395,1651 litre	O
600	CM 125	CM 239 LEVEL CM	28997,0954 litre	98,454 %	455,3357 litre	O
600	CM 125	CM 238 LEVEL CM	28934,2553 litre	98,241 %	518,1758 litre	O
600	CM 125	CM 237 LEVEL CM	28868,8767 litre	98,019 %	583,5544 litre	O
600	CM 125	CM 236 LEVEL CM	28801,0757 litre	97,788 %	651,3554 litre	O
600	CM 125	CM 235 LEVEL CM	28730,9566 litre	97,550 %	721,4745 litre	O
600	CM 125	CM 234 LEVEL CM	28658,6135 litre	97,305 %	793,8176 litre	O
600	CM 125	CM 233 LEVEL CM	28584,1321 litre	97,052 %	868,2990 litre	O
600	CM 125	CM 232 LEVEL CM	28507,5910 litre	96,792 %	944,8401 litre	O
600	CM 125	CM 231 LEVEL CM	28429,0625 litre	96,525 %	1023,3686 litre	O
600	CM 125	CM 230 LEVEL CM	28348,6137 litre	96,252 %	1103,8174 litre	O
600	CM 125	CM 229 LEVEL CM	28266,3067 litre	95,973 %	1186,1244 litre	O
600	CM 125	CM 228 LEVEL CM	28182,1997 litre	95,687 %	1270,2314 litre	O
600	CM 125	CM 227 LEVEL CM	28096,3473 litre	95,396 %	1356,0838 litre	O
600	CM 125	CM 226 LEVEL CM	28008,8007 litre	95,098 %	1443,6304 litre	O
600	CM 125	CM 225 LEVEL CM	27919,6082 litre	94,796 %	1532,8229 litre	O
600	CM 125	CM 224 LEVEL CM	27828,8155 litre	94,487 %	1623,6156 litre	O
600	CM 125	CM 223 LEVEL CM	27736,4660 litre	94,174 %	1715,9651 litre	O
600	CM 125	CM 222 LEVEL CM	27642,6007 litre	93,855 %	1809,8304 litre	O
600	CM 125	CM 221 LEVEL CM	27547,2589 litre	93,531 %	1905,1722 litre	O
600	CM 125	CM 220 LEVEL CM	27450,4779 litre	93,203 %	2001,9532 litre	O
600	CM 125	CM 219 LEVEL CM	27352,2936 litre	92,869 %	2100,1375 litre	O
600	CM 125	CM 218 LEVEL CM	27252,7402 litre	92,531 %	2199,6909 litre	O
600	CM 125	CM 217 LEVEL CM	27151,8504 litre	92,189 %	2300,5807 litre	O
600	CM 125	CM 216 LEVEL CM	27049,6560 litre	91,842 %	2402,7751 litre	O
600	CM 125	CM 215 LEVEL CM	26946,1872 litre	91,491 %	2506,2439 litre	O
600	CM 125	CM 214 LEVEL CM	26841,4734 litre	91,135 %	2610,9577 litre	O
600	CM 125	CM 213 LEVEL CM	26735,5426 litre	90,775 %	2716,8885 litre	O
600	CM 125	CM 212 LEVEL CM	26628,4223 litre	90,412 %	2824,0088 litre	O
600	CM 125	CM 211 LEVEL CM	26520,1387 litre	90,044 %	2932,2924 litre	O
600	CM 125	CM 210 LEVEL CM	26410,7175 litre	89,672 %	3041,7136 litre	O
600	CM 125	CM 209 LEVEL CM	26300,1832 litre	89,297 %	3152,2479 litre	O
600	CM 125	CM 208 LEVEL CM	26188,5600 litre	88,918 %	3263,8711 litre	O
600	CM 125	CM 207 LEVEL CM	26075,8711 litre	88,536 %	3376,5600 litre	O
600	CM 125	CM 206 LEVEL CM	25962,1392 litre	88,149 %	3490,2919 litre	O
600	CM 125	CM 205 LEVEL CM	25847,3863 litre	87,760 %	3605,0448 litre	O
600	CM 125	CM 204 LEVEL CM	25731,6338 litre	87,367 %	3720,7973 litre	O
600	CM 125	CM 203 LEVEL CM	25614,9026 litre	86,970 %	3837,5285 litre	O
600	CM 125	CM 202 LEVEL CM	25497,2132 litre	86,571 %	3955,2179 litre	O
600	CM 125	CM 201 LEVEL CM	25378,5853 litre	86,168 %	4073,8458 litre	O
600	CM 125	CM 200 LEVEL CM	25259,0385 litre	85,762 %	4193,3926 litre	O
600	CM 125	CM 199 LEVEL CM	25138,5916 litre	85,353 %	4313,8395 litre	O

600	CM	125	CM	198 LEVEL CM	25017,2632 litre	84,941 %	4435,1679 litre	O
600	CM	125	CM	197 LEVEL CM	24895,0715 litre	84,526 %	4557,3596 litre	O
600	CM	125	CM	196 LEVEL CM	24772,0341 litre	84,109 %	4680,3970 litre	O
600	CM	125	CM	195 LEVEL CM	24648,1686 litre	83,688 %	4804,2625 litre	O
600	CM	125	CM	194 LEVEL CM	24523,4920 litre	83,265 %	4928,9391 litre	O
600	CM	125	CM	193 LEVEL CM	24398,0209 litre	82,839 %	5054,4102 litre	O
600	CM	125	CM	192 LEVEL CM	24271,7718 litre	82,410 %	5180,6593 litre	O
600	CM	125	CM	191 LEVEL CM	24144,7608 litre	81,979 %	5307,6703 litre	O
600	CM	125	CM	190 LEVEL CM	24017,0037 litre	81,545 %	5435,4274 litre	O
600	CM	125	CM	189 LEVEL CM	23888,5161 litre	81,109 %	5563,9150 litre	O
600	CM	125	CM	188 LEVEL CM	23759,3132 litre	80,670 %	5693,1179 litre	O
600	CM	125	CM	187 LEVEL CM	23629,4100 litre	80,229 %	5823,0211 litre	O
600	CM	125	CM	186 LEVEL CM	23498,8213 litre	79,786 %	5953,6098 litre	O
600	CM	125	CM	185 LEVEL CM	23367,5617 litre	79,340 %	6084,8694 litre	O
600	CM	125	CM	184 LEVEL CM	23235,6455 litre	78,892 %	6216,7856 litre	O
600	CM	125	CM	183 LEVEL CM	23103,0868 litre	78,442 %	6349,3443 litre	O
600	CM	125	CM	182 LEVEL CM	22969,8995 litre	77,990 %	6482,5316 litre	O
600	CM	125	CM	181 LEVEL CM	22836,0974 litre	77,536 %	6616,3337 litre	O
600	CM	125	CM	180 LEVEL CM	22701,6939 litre	77,079 %	6750,7372 litre	O
600	CM	125	CM	179 LEVEL CM	22566,7025 litre	76,621 %	6885,7286 litre	O
600	CM	125	CM	178 LEVEL CM	22431,1362 litre	76,161 %	7021,2949 litre	O
600	CM	125	CM	177 LEVEL CM	22295,0081 litre	75,698 %	7157,4230 litre	O
600	CM	125	CM	176 LEVEL CM	22158,3311 litre	75,234 %	7294,1000 litre	O
600	CM	125	CM	175 LEVEL CM	22021,1178 litre	74,768 %	7431,3133 litre	O
600	CM	125	CM	174 LEVEL CM	21883,3807 litre	74,301 %	7569,0504 litre	O
600	CM	125	CM	173 LEVEL CM	21745,1323 litre	73,831 %	7707,2988 litre	O
600	CM	125	CM	172 LEVEL CM	21606,3848 litre	73,360 %	7846,0463 litre	O
600	CM	125	CM	171 LEVEL CM	21467,1504 litre	72,888 %	7985,2807 litre	O
600	CM	125	CM	170 LEVEL CM	21327,4411 litre	72,413 %	8124,9900 litre	O
600	CM	125	CM	169 LEVEL CM	21187,2687 litre	71,937 %	8265,1624 litre	O
600	CM	125	CM	168 LEVEL CM	21046,6450 litre	71,460 %	8405,7861 litre	O
600	CM	125	CM	167 LEVEL CM	20905,5817 litre	70,981 %	8546,8494 litre	O
600	CM	125	CM	166 LEVEL CM	20764,0902 litre	70,500 %	8688,3409 litre	O
600	CM	125	CM	165 LEVEL CM	20622,1821 litre	70,019 %	8830,2490 litre	O
600	CM	125	CM	164 LEVEL CM	20479,8687 litre	69,535 %	8972,5624 litre	O
600	CM	125	CM	163 LEVEL CM	20337,1612 litre	69,051 %	9115,2699 litre	O
600	CM	125	CM	162 LEVEL CM	20194,0708 litre	68,565 %	9258,3603 litre	O
600	CM	125	CM	161 LEVEL CM	20050,6085 litre	68,078 %	9401,8226 litre	O
600	CM	125	CM	160 LEVEL CM	19906,7853 litre	67,590 %	9545,6458 litre	O
600	CM	125	CM	159 LEVEL CM	19762,6121 litre	67,100 %	9689,8190 litre	O
600	CM	125	CM	158 LEVEL CM	19618,0998 litre	66,609 %	9834,3313 litre	O
600	CM	125	CM	157 LEVEL CM	19473,2589 litre	66,118 %	9979,1722 litre	O
600	CM	125	CM	156 LEVEL CM	19328,1003 litre	65,625 %	10124,3308 litre	O
600	CM	125	CM	155 LEVEL CM	19182,6344 litre	65,131 %	10269,7967 litre	O
600	CM	125	CM	154 LEVEL CM	19036,8719 litre	64,636 %	10415,5592 litre	O
600	CM	125	CM	153 LEVEL CM	18890,8232 litre	64,140 %	10561,6079 litre	O
600	CM	125	CM	152 LEVEL CM	18744,4986 litre	63,643 %	10707,9325 litre	O
600	CM	125	CM	151 LEVEL CM	18597,9086 litre	63,146 %	10854,5225 litre	O
600	CM	125	CM	150 LEVEL CM	18451,0634 litre	62,647 %	11001,3677 litre	O
600	CM	125	CM	149 LEVEL CM	18303,9732 litre	62,148 %	11148,4579 litre	O
600	CM	125	CM	148 LEVEL CM	18156,6483 litre	61,647 %	11295,7828 litre	O
600	CM	125	CM	147 LEVEL CM	18009,0987 litre	61,146 %	11443,3324 litre	O
600	CM	125	CM	146 LEVEL CM	17861,3346 litre	60,645 %	11591,0965 litre	O

600	CM	125	CM	145 LEVEL CM	17713,3660 litre	60,142 %	11739,0651 litre	O
600	CM	125	CM	144 LEVEL CM	17565,2028 litre	59,639 %	11887,2283 litre	O
600	CM	125	CM	143 LEVEL CM	17416,8551 litre	59,136 %	12035,5760 litre	O
600	CM	125	CM	142 LEVEL CM	17268,3328 litre	58,631 %	12184,0983 litre	O
600	CM	125	CM	141 LEVEL CM	17119,6458 litre	58,126 %	12332,7853 litre	O
600	CM	125	CM	140 LEVEL CM	16970,8038 litre	57,621 %	12481,6273 litre	O
600	CM	125	CM	139 LEVEL CM	16821,8169 litre	57,115 %	12630,6142 litre	O
600	CM	125	CM	138 LEVEL CM	16672,6946 litre	56,609 %	12779,7365 litre	O
600	CM	125	CM	137 LEVEL CM	16523,4469 litre	56,102 %	12928,9842 litre	O
600	CM	125	CM	136 LEVEL CM	16374,0835 litre	55,595 %	13078,3476 litre	O
600	CM	125	CM	135 LEVEL CM	16224,6140 litre	55,088 %	13227,8171 litre	O
600	CM	125	CM	134 LEVEL CM	16075,0483 litre	54,580 %	13377,3828 litre	O
600	CM	125	CM	133 LEVEL CM	15925,3959 litre	54,072 %	13527,0352 litre	O
600	CM	125	CM	132 LEVEL CM	15775,6665 litre	53,563 %	13676,7646 litre	O
600	CM	125	CM	131 LEVEL CM	15625,8698 litre	53,055 %	13826,5613 litre	O
600	CM	125	CM	130 LEVEL CM	15476,0155 litre	52,546 %	13976,4156 litre	O
600	CM	125	CM	129 LEVEL CM	15326,1131 litre	52,037 %	14126,3180 litre	O
600	CM	125	CM	128 LEVEL CM	15176,1724 litre	51,528 %	14276,2587 litre	O
600	CM	125	CM	127 LEVEL CM	15026,2028 litre	51,019 %	14426,2283 litre	O
600	CM	125	CM	126 LEVEL CM	14876,2140 litre	50,509 %	14576,2171 litre	O
600	CM	125	CM	125 LEVEL CM	14726,2156 litre	50,000 %	14726,2155 litre	O
600	CM	125	CM	124 LEVEL CM	14576,2172 litre	49,491 %	14876,2139 litre	O
600	CM	125	CM	123 LEVEL CM	14426,2284 litre	48,981 %	15026,2027 litre	O
600	CM	125	CM	122 LEVEL CM	14276,2588 litre	48,472 %	15176,1723 litre	O
600	CM	125	CM	121 LEVEL CM	14126,3180 litre	47,963 %	15326,1131 litre	O
600	CM	125	CM	120 LEVEL CM	13976,4156 litre	47,454 %	15476,0155 litre	O
600	CM	125	CM	119 LEVEL CM	13826,5613 litre	46,945 %	15625,8698 litre	O
600	CM	125	CM	118 LEVEL CM	13676,7646 litre	46,437 %	15775,6665 litre	O
600	CM	125	CM	117 LEVEL CM	13527,0353 litre	45,928 %	15925,3958 litre	O
600	CM	125	CM	116 LEVEL CM	13377,3829 litre	45,420 %	16075,0482 litre	O
600	CM	125	CM	115 LEVEL CM	13227,8171 litre	44,912 %	16224,6140 litre	O
600	CM	125	CM	114 LEVEL CM	13078,3476 litre	44,405 %	16374,0835 litre	O
600	CM	125	CM	113 LEVEL CM	12928,9842 litre	43,898 %	16523,4469 litre	O
600	CM	125	CM	112 LEVEL CM	12779,7365 litre	43,391 %	16672,6946 litre	O
600	CM	125	CM	111 LEVEL CM	12630,6143 litre	42,885 %	16821,8168 litre	O
600	CM	125	CM	110 LEVEL CM	12481,6273 litre	42,379 %	16970,8038 litre	O
600	CM	125	CM	109 LEVEL CM	12332,7854 litre	41,874 %	17119,6457 litre	O
600	CM	125	CM	108 LEVEL CM	12184,0983 litre	41,369 %	17268,3328 litre	O
600	CM	125	CM	107 LEVEL CM	12035,5760 litre	40,864 %	17416,8551 litre	O
600	CM	125	CM	106 LEVEL CM	11887,2283 litre	40,361 %	17565,2028 litre	O
600	CM	125	CM	105 LEVEL CM	11739,0652 litre	39,858 %	17713,3659 litre	O
600	CM	125	CM	104 LEVEL CM	11591,0965 litre	39,355 %	17861,3346 litre	O
600	CM	125	CM	103 LEVEL CM	11443,3324 litre	38,854 %	18009,0987 litre	O
600	CM	125	CM	102 LEVEL CM	11295,7828 litre	38,353 %	18156,6483 litre	O
600	CM	125	CM	101 LEVEL CM	11148,4579 litre	37,852 %	18303,9732 litre	O
600	CM	125	CM	100 LEVEL CM	11001,3677 litre	37,353 %	18451,0634 litre	O
600	CM	125	CM	99 LEVEL CM	10854,5225 litre	36,854 %	18597,9086 litre	O
600	CM	125	CM	98 LEVEL CM	10707,9325 litre	36,357 %	18744,4986 litre	O
600	CM	125	CM	97 LEVEL CM	10561,6080 litre	35,860 %	18890,8231 litre	O
600	CM	125	CM	96 LEVEL CM	10415,5592 litre	35,364 %	19036,8719 litre	O
600	CM	125	CM	95 LEVEL CM	10269,7967 litre	34,869 %	19182,6344 litre	O
600	CM	125	CM	94 LEVEL CM	10124,3309 litre	34,375 %	19328,1002 litre	O
600	CM	125	CM	93 LEVEL CM	9979,1722 litre	33,882 %	19473,2589 litre	O

600	CM	125	CM	92 LEVEL CM	9834,3314 litre	33,391 %	19618,0997 litre	O
600	CM	125	CM	91 LEVEL CM	9689,8190 litre	32,900 %	19762,6121 litre	O
600	CM	125	CM	90 LEVEL CM	9545,6458 litre	32,410 %	19906,7853 litre	O
600	CM	125	CM	89 LEVEL CM	9401,8226 litre	31,922 %	20050,6085 litre	O
600	CM	125	CM	88 LEVEL CM	9258,3603 litre	31,435 %	20194,0708 litre	O
600	CM	125	CM	87 LEVEL CM	9115,2699 litre	30,949 %	20337,1612 litre	O
600	CM	125	CM	86 LEVEL CM	8972,5624 litre	30,465 %	20479,8687 litre	O
600	CM	125	CM	85 LEVEL CM	8830,2490 litre	29,981 %	20622,1821 litre	O
600	CM	125	CM	84 LEVEL CM	8688,3409 litre	29,500 %	20764,0902 litre	O
600	CM	125	CM	83 LEVEL CM	8546,8495 litre	29,019 %	20905,5816 litre	O
600	CM	125	CM	82 LEVEL CM	8405,7861 litre	28,540 %	21046,6450 litre	O
600	CM	125	CM	81 LEVEL CM	8265,1624 litre	28,063 %	21187,2687 litre	O
600	CM	125	CM	80 LEVEL CM	8124,9900 litre	27,587 %	21327,4411 litre	O
600	CM	125	CM	79 LEVEL CM	7985,2807 litre	27,112 %	21467,1504 litre	O
600	CM	125	CM	78 LEVEL CM	7846,0463 litre	26,640 %	21606,3848 litre	O
600	CM	125	CM	77 LEVEL CM	7707,2988 litre	26,169 %	21745,1323 litre	O
600	CM	125	CM	76 LEVEL CM	7569,0504 litre	25,699 %	21883,3807 litre	O
600	CM	125	CM	75 LEVEL CM	7431,3134 litre	25,232 %	22021,1177 litre	O
600	CM	125	CM	74 LEVEL CM	7294,1000 litre	24,766 %	22158,3311 litre	O
600	CM	125	CM	73 LEVEL CM	7157,4230 litre	24,302 %	22295,0081 litre	O
600	CM	125	CM	72 LEVEL CM	7021,2949 litre	23,839 %	22431,1362 litre	O
600	CM	125	CM	71 LEVEL CM	6885,7286 litre	23,379 %	22566,7025 litre	O
600	CM	125	CM	70 LEVEL CM	6750,7372 litre	22,921 %	22701,6939 litre	O
600	CM	125	CM	69 LEVEL CM	6616,3337 litre	22,464 %	22836,0974 litre	O
600	CM	125	CM	68 LEVEL CM	6482,5316 litre	22,010 %	22969,8995 litre	O
600	CM	125	CM	67 LEVEL CM	6349,3443 litre	21,558 %	23103,0868 litre	O
600	CM	125	CM	66 LEVEL CM	6216,7856 litre	21,108 %	23235,6455 litre	O
600	CM	125	CM	65 LEVEL CM	6084,8694 litre	20,660 %	23367,5617 litre	O
600	CM	125	CM	64 LEVEL CM	5953,6098 litre	20,214 %	23498,8213 litre	O
600	CM	125	CM	63 LEVEL CM	5823,0212 litre	19,771 %	23629,4099 litre	O
600	CM	125	CM	62 LEVEL CM	5693,1180 litre	19,330 %	23759,3131 litre	O
600	CM	125	CM	61 LEVEL CM	5563,9150 litre	18,891 %	23888,5161 litre	O
600	CM	125	CM	60 LEVEL CM	5435,4274 litre	18,455 %	24017,0037 litre	O
600	CM	125	CM	59 LEVEL CM	5307,6703 litre	18,021 %	24144,7608 litre	O
600	CM	125	CM	58 LEVEL CM	5180,6593 litre	17,590 %	24271,7718 litre	O
600	CM	125	CM	57 LEVEL CM	5054,4102 litre	17,161 %	24398,0209 litre	O
600	CM	125	CM	56 LEVEL CM	4928,9391 litre	16,735 %	24523,4920 litre	O
600	CM	125	CM	55 LEVEL CM	4804,2625 litre	16,312 %	24648,1686 litre	O
600	CM	125	CM	54 LEVEL CM	4680,3970 litre	15,891 %	24772,0341 litre	O
600	CM	125	CM	53 LEVEL CM	4557,3597 litre	15,474 %	24895,0714 litre	O
600	CM	125	CM	52 LEVEL CM	4435,1679 litre	15,059 %	25017,2632 litre	O
600	CM	125	CM	51 LEVEL CM	4313,8396 litre	14,647 %	25138,5915 litre	O
600	CM	125	CM	50 LEVEL CM	4193,3927 litre	14,238 %	25259,0384 litre	O
600	CM	125	CM	49 LEVEL CM	4073,8458 litre	13,832 %	25378,5853 litre	O
600	CM	125	CM	48 LEVEL CM	3955,2180 litre	13,429 %	25497,2131 litre	O
600	CM	125	CM	47 LEVEL CM	3837,5285 litre	13,030 %	25614,9026 litre	O
600	CM	125	CM	46 LEVEL CM	3720,7974 litre	12,633 %	25731,6337 litre	O
600	CM	125	CM	45 LEVEL CM	3605,0449 litre	12,240 %	25847,3862 litre	O
600	CM	125	CM	44 LEVEL CM	3490,2919 litre	11,851 %	25962,1392 litre	O
600	CM	125	CM	43 LEVEL CM	3376,5600 litre	11,464 %	26075,8711 litre	O
600	CM	125	CM	42 LEVEL CM	3263,8711 litre	11,082 %	26188,5600 litre	O
600	CM	125	CM	41 LEVEL CM	3152,2479 litre	10,703 %	26300,1832 litre	O
600	CM	125	CM	40 LEVEL CM	3041,7137 litre	10,328 %	26410,7174 litre	O

600	CM	125	CM	39 LEVEL CM	2932,2924 litre	9,956 %	26520,1387 litre	O
600	CM	125	CM	38 LEVEL CM	2824,0088 litre	9,588 %	26628,4223 litre	O
600	CM	125	CM	37 LEVEL CM	2716,8885 litre	9,225 %	26735,5426 litre	O
600	CM	125	CM	36 LEVEL CM	2610,9578 litre	8,865 %	26841,4733 litre	O
600	CM	125	CM	35 LEVEL CM	2506,2439 litre	8,509 %	26946,1872 litre	O
600	CM	125	CM	34 LEVEL CM	2402,7751 litre	8,158 %	27049,6560 litre	O
600	CM	125	CM	33 LEVEL CM	2300,5807 litre	7,811 %	27151,8504 litre	O
600	CM	125	CM	32 LEVEL CM	2199,6910 litre	7,469 %	27252,7401 litre	O
600	CM	125	CM	31 LEVEL CM	2100,1375 litre	7,131 %	27352,2936 litre	O
600	CM	125	CM	30 LEVEL CM	2001,9532 litre	6,797 %	27450,4779 litre	O
600	CM	125	CM	29 LEVEL CM	1905,1723 litre	6,469 %	27547,2588 litre	O
600	CM	125	CM	28 LEVEL CM	1809,8305 litre	6,145 %	27642,6006 litre	O
600	CM	125	CM	27 LEVEL CM	1715,9652 litre	5,826 %	27736,4659 litre	O
600	CM	125	CM	26 LEVEL CM	1623,6156 litre	5,513 %	27828,8155 litre	O
600	CM	125	CM	25 LEVEL CM	1532,8229 litre	5,204 %	27919,6082 litre	O
600	CM	125	CM	24 LEVEL CM	1443,6304 litre	4,902 %	28008,8007 litre	O
600	CM	125	CM	23 LEVEL CM	1356,0838 litre	4,604 %	28096,3473 litre	O
600	CM	125	CM	22 LEVEL CM	1270,2314 litre	4,313 %	28182,1997 litre	O
600	CM	125	CM	21 LEVEL CM	1186,1245 litre	4,027 %	28266,3066 litre	O
600	CM	125	CM	20 LEVEL CM	1103,8175 litre	3,748 %	28348,6136 litre	O
600	CM	125	CM	19 LEVEL CM	1023,3686 litre	3,475 %	28429,0625 litre	O
600	CM	125	CM	18 LEVEL CM	944,8401 litre	3,208 %	28507,5910 litre	O
600	CM	125	CM	17 LEVEL CM	868,2990 litre	2,948 %	28584,1321 litre	O
600	CM	125	CM	16 LEVEL CM	793,8176 litre	2,695 %	28658,6135 litre	O
600	CM	125	CM	15 LEVEL CM	721,4745 litre	2,450 %	28730,9566 litre	O
600	CM	125	CM	14 LEVEL CM	651,3554 litre	2,212 %	28801,0757 litre	O
600	CM	125	CM	13 LEVEL CM	583,5544 litre	1,981 %	28868,8767 litre	O
600	CM	125	CM	12 LEVEL CM	518,1758 litre	1,759 %	28934,2553 litre	O
600	CM	125	CM	11 LEVEL CM	455,3357 litre	1,546 %	28997,0954 litre	O
600	CM	125	CM	10 LEVEL CM	395,1652 litre	1,342 %	29057,2659 litre	O
600	CM	125	CM	9 LEVEL CM	337,8135 litre	1,147 %	29114,6176 litre	O
600	CM	125	CM	8 LEVEL CM	283,4531 litre	0,962 %	29168,9780 litre	O
600	CM	125	CM	7 LEVEL CM	232,2870 litre	0,789 %	29220,1441 litre	O
600	CM	125	CM	6 LEVEL CM	184,5589 litre	0,627 %	29267,8722 litre	O
600	CM	125	CM	5 LEVEL CM	140,5698 litre	0,477 %	29311,8613 litre	O
600	CM	125	CM	4 LEVEL CM	100,7058 litre	0,342 %	29351,7253 litre	O
600	CM	125	CM	3 LEVEL CM	65,4896 litre	0,222 %	29386,9415 litre	O
600	CM	125	CM	2 LEVEL CM	35,6911 litre	0,121 %	29416,7400 litre	O
600	CM	125	CM	1 LEVEL CM	12,6339 litre	0,043 %	29439,7972 litre	O
600	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	29452,4311 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 120	CM 240 LEVEL CM	27143,3605 litre	100,000 %	0,0000 litre	O
600	CM 120	CM 239 LEVEL CM	27130,9825 litre	99,954 %	12,3780 litre	O
600	CM 120	CM 238 LEVEL CM	27108,3940 litre	99,871 %	34,9665 litre	O
600	CM 120	CM 237 LEVEL CM	27079,2038 litre	99,764 %	64,1567 litre	O
600	CM 120	CM 236 LEVEL CM	27044,7094 litre	99,637 %	98,6511 litre	O
600	CM 120	CM 235 LEVEL CM	27005,6657 litre	99,493 %	137,6948 litre	O
600	CM 120	CM 234 LEVEL CM	26962,5856 litre	99,334 %	180,7749 litre	O
600	CM 120	CM 233 LEVEL CM	26915,8478 litre	99,162 %	227,5127 litre	O
600	CM 120	CM 232 LEVEL CM	26865,7478 litre	98,977 %	277,6127 litre	O
600	CM 120	CM 231 LEVEL CM	26812,5249 litre	98,781 %	330,8356 litre	O
600	CM 120	CM 230 LEVEL CM	26756,3782 litre	98,574 %	386,9823 litre	O
600	CM 120	CM 229 LEVEL CM	26697,4772 litre	98,357 %	445,8833 litre	O
600	CM 120	CM 228 LEVEL CM	26635,9687 litre	98,131 %	507,3918 litre	O
600	CM 120	CM 227 LEVEL CM	26571,9813 litre	97,895 %	571,3792 litre	O
600	CM 120	CM 226 LEVEL CM	26505,6292 litre	97,651 %	637,7313 litre	O
600	CM 120	CM 225 LEVEL CM	26437,0150 litre	97,398 %	706,3455 litre	O
600	CM 120	CM 224 LEVEL CM	26366,2312 litre	97,137 %	777,1293 litre	O
600	CM 120	CM 223 LEVEL CM	26293,3622 litre	96,868 %	849,9983 litre	O
600	CM 120	CM 222 LEVEL CM	26218,4853 litre	96,593 %	924,8752 litre	O
600	CM 120	CM 221 LEVEL CM	26141,6716 litre	96,310 %	1001,6889 litre	O
600	CM 120	CM 220 LEVEL CM	26062,9872 litre	96,020 %	1080,3733 litre	O
600	CM 120	CM 219 LEVEL CM	25982,4934 litre	95,723 %	1160,8671 litre	O
600	CM 120	CM 218 LEVEL CM	25900,2474 litre	95,420 %	1243,1131 litre	O
600	CM 120	CM 217 LEVEL CM	25816,3031 litre	95,111 %	1327,0574 litre	O
600	CM 120	CM 216 LEVEL CM	25730,7109 litre	94,796 %	1412,6496 litre	O
600	CM 120	CM 215 LEVEL CM	25643,5186 litre	94,474 %	1499,8419 litre	O
600	CM 120	CM 214 LEVEL CM	25554,7710 litre	94,147 %	1588,5895 litre	O
600	CM 120	CM 213 LEVEL CM	25464,5111 litre	93,815 %	1678,8494 litre	O
600	CM 120	CM 212 LEVEL CM	25372,7794 litre	93,477 %	1770,5811 litre	O
600	CM 120	CM 211 LEVEL CM	25279,6146 litre	93,134 %	1863,7459 litre	O
600	CM 120	CM 210 LEVEL CM	25185,0537 litre	92,785 %	1958,3068 litre	O
600	CM 120	CM 209 LEVEL CM	25089,1321 litre	92,432 %	2054,2284 litre	O
600	CM 120	CM 208 LEVEL CM	24991,8834 litre	92,074 %	2151,4771 litre	O
600	CM 120	CM 207 LEVEL CM	24893,3403 litre	91,711 %	2250,0202 litre	O
600	CM 120	CM 206 LEVEL CM	24793,5340 litre	91,343 %	2349,8265 litre	O
600	CM 120	CM 205 LEVEL CM	24692,4944 litre	90,971 %	2450,8661 litre	O
600	CM 120	CM 204 LEVEL CM	24590,2505 litre	90,594 %	2553,1100 litre	O
600	CM 120	CM 203 LEVEL CM	24486,8304 litre	90,213 %	2656,5301 litre	O
600	CM 120	CM 202 LEVEL CM	24382,2609 litre	89,828 %	2761,0996 litre	O
600	CM 120	CM 201 LEVEL CM	24276,5683 litre	89,438 %	2866,7922 litre	O
600	CM 120	CM 200 LEVEL CM	24169,7777 litre	89,045 %	2973,5828 litre	O
600	CM 120	CM 199 LEVEL CM	24061,9138 litre	88,648 %	3081,4467 litre	O
600	CM 120	CM 198 LEVEL CM	23953,0003 litre	88,246 %	3190,3602 litre	O
600	CM 120	CM 197 LEVEL CM	23843,0604 litre	87,841 %	3300,3001 litre	O
600	CM 120	CM 196 LEVEL CM	23732,1164 litre	87,432 %	3411,2441 litre	O
600	CM 120	CM 195 LEVEL CM	23620,1904 litre	87,020 %	3523,1701 litre	O
600	CM 120	CM 194 LEVEL CM	23507,3035 litre	86,604 %	3636,0570 litre	O
600	CM 120	CM 193 LEVEL CM	23393,4766 litre	86,185 %	3749,8839 litre	O
600	CM 120	CM 192 LEVEL CM	23278,7298 litre	85,762 %	3864,6307 litre	O
600	CM 120	CM 191 LEVEL CM	23163,0831 litre	85,336 %	3980,2774 litre	O
600	CM 120	CM 190 LEVEL CM	23046,5556 litre	84,907 %	4096,8049 litre	O
600	CM 120	CM 189 LEVEL CM	22929,1662 litre	84,474 %	4214,1943 litre	O

600	CM	120	CM	188 LEVEL CM	22810,9335 litre	84,039 %	4332,4270 litre	O
600	CM	120	CM	187 LEVEL CM	22691,8754 litre	83,600 %	4451,4851 litre	O
600	CM	120	CM	186 LEVEL CM	22572,0097 litre	83,158 %	4571,3508 litre	O
600	CM	120	CM	185 LEVEL CM	22451,3537 litre	82,714 %	4692,0068 litre	O
600	CM	120	CM	184 LEVEL CM	22329,9244 litre	82,267 %	4813,4361 litre	O
600	CM	120	CM	183 LEVEL CM	22207,7385 litre	81,816 %	4935,6220 litre	O
600	CM	120	CM	182 LEVEL CM	22084,8124 litre	81,364 %	5058,5481 litre	O
600	CM	120	CM	181 LEVEL CM	21961,1621 litre	80,908 %	5182,1984 litre	O
600	CM	120	CM	180 LEVEL CM	21836,8034 litre	80,450 %	5306,5571 litre	O
600	CM	120	CM	179 LEVEL CM	21711,7519 litre	79,989 %	5431,6086 litre	O
600	CM	120	CM	178 LEVEL CM	21586,0228 litre	79,526 %	5557,3377 litre	O
600	CM	120	CM	177 LEVEL CM	21459,6312 litre	79,060 %	5683,7293 litre	O
600	CM	120	CM	176 LEVEL CM	21332,5918 litre	78,592 %	5810,7687 litre	O
600	CM	120	CM	175 LEVEL CM	21204,9192 litre	78,122 %	5938,4413 litre	O
600	CM	120	CM	174 LEVEL CM	21076,6278 litre	77,649 %	6066,7327 litre	O
600	CM	120	CM	173 LEVEL CM	20947,7317 litre	77,174 %	6195,6288 litre	O
600	CM	120	CM	172 LEVEL CM	20818,2448 litre	76,697 %	6325,1157 litre	O
600	CM	120	CM	171 LEVEL CM	20688,1809 litre	76,218 %	6455,1796 litre	O
600	CM	120	CM	170 LEVEL CM	20557,5536 litre	75,737 %	6585,8069 litre	O
600	CM	120	CM	169 LEVEL CM	20426,3763 litre	75,254 %	6716,9842 litre	O
600	CM	120	CM	168 LEVEL CM	20294,6621 litre	74,768 %	6848,6984 litre	O
600	CM	120	CM	167 LEVEL CM	20162,4243 litre	74,281 %	6980,9362 litre	O
600	CM	120	CM	166 LEVEL CM	20029,6755 litre	73,792 %	7113,6850 litre	O
600	CM	120	CM	165 LEVEL CM	19896,4288 litre	73,301 %	7246,9317 litre	O
600	CM	120	CM	164 LEVEL CM	19762,6966 litre	72,809 %	7380,6639 litre	O
600	CM	120	CM	163 LEVEL CM	19628,4914 litre	72,314 %	7514,8691 litre	O
600	CM	120	CM	162 LEVEL CM	19493,8257 litre	71,818 %	7649,5348 litre	O
600	CM	120	CM	161 LEVEL CM	19358,7116 litre	71,320 %	7784,6489 litre	O
600	CM	120	CM	160 LEVEL CM	19223,1612 litre	70,821 %	7920,1993 litre	O
600	CM	120	CM	159 LEVEL CM	19087,1866 litre	70,320 %	8056,1739 litre	O
600	CM	120	CM	158 LEVEL CM	18950,7995 litre	69,817 %	8192,5610 litre	O
600	CM	120	CM	157 LEVEL CM	18814,0118 litre	69,313 %	8329,3487 litre	O
600	CM	120	CM	156 LEVEL CM	18676,8352 litre	68,808 %	8466,5253 litre	O
600	CM	120	CM	155 LEVEL CM	18539,2812 litre	68,301 %	8604,0793 litre	O
600	CM	120	CM	154 LEVEL CM	18401,3612 litre	67,793 %	8741,9993 litre	O
600	CM	120	CM	153 LEVEL CM	18263,0868 litre	67,284 %	8880,2737 litre	O
600	CM	120	CM	152 LEVEL CM	18124,4691 litre	66,773 %	9018,8914 litre	O
600	CM	120	CM	151 LEVEL CM	17985,5193 litre	66,261 %	9157,8412 litre	O
600	CM	120	CM	150 LEVEL CM	17846,2487 litre	65,748 %	9297,1118 litre	O
600	CM	120	CM	149 LEVEL CM	17706,6682 litre	65,234 %	9436,6923 litre	O
600	CM	120	CM	148 LEVEL CM	17566,7888 litre	64,719 %	9576,5717 litre	O
600	CM	120	CM	147 LEVEL CM	17426,6215 litre	64,202 %	9716,7390 litre	O
600	CM	120	CM	146 LEVEL CM	17286,1771 litre	63,685 %	9857,1834 litre	O
600	CM	120	CM	145 LEVEL CM	17145,4664 litre	63,166 %	9997,8941 litre	O
600	CM	120	CM	144 LEVEL CM	17004,5000 litre	62,647 %	10138,8605 litre	O
600	CM	120	CM	143 LEVEL CM	16863,2887 litre	62,127 %	10280,0718 litre	O
600	CM	120	CM	142 LEVEL CM	16721,8430 litre	61,606 %	10421,5175 litre	O
600	CM	120	CM	141 LEVEL CM	16580,1736 litre	61,084 %	10563,1869 litre	O
600	CM	120	CM	140 LEVEL CM	16438,2908 litre	60,561 %	10705,0697 litre	O
600	CM	120	CM	139 LEVEL CM	16296,2052 litre	60,038 %	10847,1553 litre	O
600	CM	120	CM	138 LEVEL CM	16153,9272 litre	59,513 %	10989,4333 litre	O
600	CM	120	CM	137 LEVEL CM	16011,4671 litre	58,989 %	11131,8934 litre	O
600	CM	120	CM	136 LEVEL CM	15868,8353 litre	58,463 %	11274,5252 litre	O

600	CM	120	CM	135 LEVEL CM	15726,0420 litre	57,937 %	11417,3185 litre	O
600	CM	120	CM	134 LEVEL CM	15583,0975 litre	57,410 %	11560,2630 litre	O
600	CM	120	CM	133 LEVEL CM	15440,0121 litre	56,883 %	11703,3484 litre	O
600	CM	120	CM	132 LEVEL CM	15296,7959 litre	56,356 %	11846,5646 litre	O
600	CM	120	CM	131 LEVEL CM	15153,4591 litre	55,827 %	11989,9014 litre	O
600	CM	120	CM	130 LEVEL CM	15010,0119 litre	55,299 %	12133,3486 litre	O
600	CM	120	CM	129 LEVEL CM	14866,4642 litre	54,770 %	12276,8963 litre	O
600	CM	120	CM	128 LEVEL CM	14722,8264 litre	54,241 %	12420,5341 litre	O
600	CM	120	CM	127 LEVEL CM	14579,1083 litre	53,712 %	12564,2522 litre	O
600	CM	120	CM	126 LEVEL CM	14435,3201 litre	53,182 %	12708,0404 litre	O
600	CM	120	CM	125 LEVEL CM	14291,4719 litre	52,652 %	12851,8886 litre	O
600	CM	120	CM	124 LEVEL CM	14147,5736 litre	52,122 %	12995,7869 litre	O
600	CM	120	CM	123 LEVEL CM	14003,6353 litre	51,591 %	13139,7252 litre	O
600	CM	120	CM	122 LEVEL CM	13859,6669 litre	51,061 %	13283,6936 litre	O
600	CM	120	CM	121 LEVEL CM	13715,6786 litre	50,531 %	13427,6819 litre	O
600	CM	120	CM	120 LEVEL CM	13571,6803 litre	50,000 %	13571,6802 litre	O
600	CM	120	CM	119 LEVEL CM	13427,6819 litre	49,469 %	13715,6786 litre	O
600	CM	120	CM	118 LEVEL CM	13283,6936 litre	48,939 %	13859,6669 litre	O
600	CM	120	CM	117 LEVEL CM	13139,7253 litre	48,409 %	14003,6352 litre	O
600	CM	120	CM	116 LEVEL CM	12995,7869 litre	47,878 %	14147,5736 litre	O
600	CM	120	CM	115 LEVEL CM	12851,8887 litre	47,348 %	14291,4718 litre	O
600	CM	120	CM	114 LEVEL CM	12708,0404 litre	46,818 %	14435,3201 litre	O
600	CM	120	CM	113 LEVEL CM	12564,2522 litre	46,288 %	14579,1083 litre	O
600	CM	120	CM	112 LEVEL CM	12420,5342 litre	45,759 %	14722,8263 litre	O
600	CM	120	CM	111 LEVEL CM	12276,8963 litre	45,230 %	14866,4642 litre	O
600	CM	120	CM	110 LEVEL CM	12133,3487 litre	44,701 %	15010,0118 litre	O
600	CM	120	CM	109 LEVEL CM	11989,9014 litre	44,173 %	15153,4591 litre	O
600	CM	120	CM	108 LEVEL CM	11846,5646 litre	43,644 %	15296,7959 litre	O
600	CM	120	CM	107 LEVEL CM	11703,3484 litre	43,117 %	15440,0121 litre	O
600	CM	120	CM	106 LEVEL CM	11560,2630 litre	42,590 %	15583,0975 litre	O
600	CM	120	CM	105 LEVEL CM	11417,3185 litre	42,063 %	15726,0420 litre	O
600	CM	120	CM	104 LEVEL CM	11274,5253 litre	41,537 %	15868,8352 litre	O
600	CM	120	CM	103 LEVEL CM	11131,8934 litre	41,011 %	16011,4671 litre	O
600	CM	120	CM	102 LEVEL CM	10989,4333 litre	40,487 %	16153,9272 litre	O
600	CM	120	CM	101 LEVEL CM	10847,1553 litre	39,962 %	16296,2052 litre	O
600	CM	120	CM	100 LEVEL CM	10705,0697 litre	39,439 %	16438,2908 litre	O
600	CM	120	CM	99 LEVEL CM	10563,1870 litre	38,916 %	16580,1735 litre	O
600	CM	120	CM	98 LEVEL CM	10421,5175 litre	38,394 %	16721,8430 litre	O
600	CM	120	CM	97 LEVEL CM	10280,0718 litre	37,873 %	16863,2887 litre	O
600	CM	120	CM	96 LEVEL CM	10138,8605 litre	37,353 %	17004,5000 litre	O
600	CM	120	CM	95 LEVEL CM	9997,8942 litre	36,834 %	17145,4663 litre	O
600	CM	120	CM	94 LEVEL CM	9857,1834 litre	36,315 %	17286,1771 litre	O
600	CM	120	CM	93 LEVEL CM	9716,7390 litre	35,798 %	17426,6215 litre	O
600	CM	120	CM	92 LEVEL CM	9576,5717 litre	35,281 %	17566,7888 litre	O
600	CM	120	CM	91 LEVEL CM	9436,6923 litre	34,766 %	17706,6682 litre	O
600	CM	120	CM	90 LEVEL CM	9297,1119 litre	34,252 %	17846,2486 litre	O
600	CM	120	CM	89 LEVEL CM	9157,8412 litre	33,739 %	17985,5193 litre	O
600	CM	120	CM	88 LEVEL CM	9018,8915 litre	33,227 %	18124,4690 litre	O
600	CM	120	CM	87 LEVEL CM	8880,2738 litre	32,716 %	18263,0867 litre	O
600	CM	120	CM	86 LEVEL CM	8741,9993 litre	32,207 %	18401,3612 litre	O
600	CM	120	CM	85 LEVEL CM	8604,0793 litre	31,699 %	18539,2812 litre	O
600	CM	120	CM	84 LEVEL CM	8466,5253 litre	31,192 %	18676,8352 litre	O
600	CM	120	CM	83 LEVEL CM	8329,3487 litre	30,687 %	18814,0118 litre	O

600	CM	120	CM	82 LEVEL CM	8192,5610 litre	30,183 %	18950,7995 litre	O
600	CM	120	CM	81 LEVEL CM	8056,1740 litre	29,680 %	19087,1865 litre	O
600	CM	120	CM	80 LEVEL CM	7920,1993 litre	29,179 %	19223,1612 litre	O
600	CM	120	CM	79 LEVEL CM	7784,6489 litre	28,680 %	19358,7116 litre	O
600	CM	120	CM	78 LEVEL CM	7649,5348 litre	28,182 %	19493,8257 litre	O
600	CM	120	CM	77 LEVEL CM	7514,8691 litre	27,686 %	19628,4914 litre	O
600	CM	120	CM	76 LEVEL CM	7380,6639 litre	27,191 %	19762,6966 litre	O
600	CM	120	CM	75 LEVEL CM	7246,9317 litre	26,699 %	19896,4288 litre	O
600	CM	120	CM	74 LEVEL CM	7113,6850 litre	26,208 %	20029,6755 litre	O
600	CM	120	CM	73 LEVEL CM	6980,9363 litre	25,719 %	20162,4242 litre	O
600	CM	120	CM	72 LEVEL CM	6848,6984 litre	25,232 %	20294,6621 litre	O
600	CM	120	CM	71 LEVEL CM	6716,9842 litre	24,746 %	20426,3763 litre	O
600	CM	120	CM	70 LEVEL CM	6585,8069 litre	24,263 %	20557,5536 litre	O
600	CM	120	CM	69 LEVEL CM	6455,1796 litre	23,782 %	20688,1809 litre	O
600	CM	120	CM	68 LEVEL CM	6325,1157 litre	23,303 %	20818,2448 litre	O
600	CM	120	CM	67 LEVEL CM	6195,6288 litre	22,826 %	20947,7317 litre	O
600	CM	120	CM	66 LEVEL CM	6066,7327 litre	22,351 %	21076,6278 litre	O
600	CM	120	CM	65 LEVEL CM	5938,4413 litre	21,878 %	21204,9192 litre	O
600	CM	120	CM	64 LEVEL CM	5810,7687 litre	21,408 %	21332,5918 litre	O
600	CM	120	CM	63 LEVEL CM	5683,7293 litre	20,940 %	21459,6312 litre	O
600	CM	120	CM	62 LEVEL CM	5557,3377 litre	20,474 %	21586,0228 litre	O
600	CM	120	CM	61 LEVEL CM	5431,6086 litre	20,011 %	21711,7519 litre	O
600	CM	120	CM	60 LEVEL CM	5306,5571 litre	19,550 %	21836,8034 litre	O
600	CM	120	CM	59 LEVEL CM	5182,1984 litre	19,092 %	21961,1621 litre	O
600	CM	120	CM	58 LEVEL CM	5058,5481 litre	18,636 %	22084,8124 litre	O
600	CM	120	CM	57 LEVEL CM	4935,6220 litre	18,184 %	22207,7385 litre	O
600	CM	120	CM	56 LEVEL CM	4813,4361 litre	17,733 %	22329,9244 litre	O
600	CM	120	CM	55 LEVEL CM	4692,0068 litre	17,286 %	22451,3537 litre	O
600	CM	120	CM	54 LEVEL CM	4571,3508 litre	16,842 %	22572,0097 litre	O
600	CM	120	CM	53 LEVEL CM	4451,4851 litre	16,400 %	22691,8754 litre	O
600	CM	120	CM	52 LEVEL CM	4332,4270 litre	15,961 %	22810,9335 litre	O
600	CM	120	CM	51 LEVEL CM	4214,1943 litre	15,526 %	22929,1662 litre	O
600	CM	120	CM	50 LEVEL CM	4096,8049 litre	15,093 %	23046,5556 litre	O
600	CM	120	CM	49 LEVEL CM	3980,2774 litre	14,664 %	23163,0831 litre	O
600	CM	120	CM	48 LEVEL CM	3864,6307 litre	14,238 %	23278,7298 litre	O
600	CM	120	CM	47 LEVEL CM	3749,8840 litre	13,815 %	23393,4765 litre	O
600	CM	120	CM	46 LEVEL CM	3636,0570 litre	13,396 %	23507,3035 litre	O
600	CM	120	CM	45 LEVEL CM	3523,1702 litre	12,980 %	23620,1903 litre	O
600	CM	120	CM	44 LEVEL CM	3411,2441 litre	12,568 %	23732,1164 litre	O
600	CM	120	CM	43 LEVEL CM	3300,3002 litre	12,159 %	23843,0603 litre	O
600	CM	120	CM	42 LEVEL CM	3190,3602 litre	11,754 %	23953,0003 litre	O
600	CM	120	CM	41 LEVEL CM	3081,4467 litre	11,352 %	24061,9138 litre	O
600	CM	120	CM	40 LEVEL CM	2973,5828 litre	10,955 %	24169,7777 litre	O
600	CM	120	CM	39 LEVEL CM	2866,7922 litre	10,562 %	24276,5683 litre	O
600	CM	120	CM	38 LEVEL CM	2761,0996 litre	10,172 %	24382,2609 litre	O
600	CM	120	CM	37 LEVEL CM	2656,5301 litre	9,787 %	24486,8304 litre	O
600	CM	120	CM	36 LEVEL CM	2553,1100 litre	9,406 %	24590,2505 litre	O
600	CM	120	CM	35 LEVEL CM	2450,8661 litre	9,029 %	24692,4944 litre	O
600	CM	120	CM	34 LEVEL CM	2349,8266 litre	8,657 %	24793,5339 litre	O
600	CM	120	CM	33 LEVEL CM	2250,0202 litre	8,289 %	24893,3403 litre	O
600	CM	120	CM	32 LEVEL CM	2151,4771 litre	7,926 %	24991,8834 litre	O
600	CM	120	CM	31 LEVEL CM	2054,2285 litre	7,568 %	25089,1320 litre	O
600	CM	120	CM	30 LEVEL CM	1958,3068 litre	7,215 %	25185,0537 litre	O

600	CM	120	CM	29 LEVEL CM	1863,7459 litre	6,866 %	25279,6146 litre	O
600	CM	120	CM	28 LEVEL CM	1770,5811 litre	6,523 %	25372,7794 litre	O
600	CM	120	CM	27 LEVEL CM	1678,8494 litre	6,185 %	25464,5111 litre	O
600	CM	120	CM	26 LEVEL CM	1588,5895 litre	5,853 %	25554,7710 litre	O
600	CM	120	CM	25 LEVEL CM	1499,8420 litre	5,526 %	25643,5185 litre	O
600	CM	120	CM	24 LEVEL CM	1412,6496 litre	5,204 %	25730,7109 litre	O
600	CM	120	CM	23 LEVEL CM	1327,0574 litre	4,889 %	25816,3031 litre	O
600	CM	120	CM	22 LEVEL CM	1243,1131 litre	4,580 %	25900,2474 litre	O
600	CM	120	CM	21 LEVEL CM	1160,8672 litre	4,277 %	25982,4933 litre	O
600	CM	120	CM	20 LEVEL CM	1080,3733 litre	3,980 %	26062,9872 litre	O
600	CM	120	CM	19 LEVEL CM	1001,6889 litre	3,690 %	26141,6716 litre	O
600	CM	120	CM	18 LEVEL CM	924,8753 litre	3,407 %	26218,4852 litre	O
600	CM	120	CM	17 LEVEL CM	849,9983 litre	3,132 %	26293,3622 litre	O
600	CM	120	CM	16 LEVEL CM	777,1293 litre	2,863 %	26366,2312 litre	O
600	CM	120	CM	15 LEVEL CM	706,3455 litre	2,602 %	26437,0150 litre	O
600	CM	120	CM	14 LEVEL CM	637,7313 litre	2,349 %	26505,6292 litre	O
600	CM	120	CM	13 LEVEL CM	571,3793 litre	2,105 %	26571,9812 litre	O
600	CM	120	CM	12 LEVEL CM	507,3918 litre	1,869 %	26635,9687 litre	O
600	CM	120	CM	11 LEVEL CM	445,8833 litre	1,643 %	26697,4772 litre	O
600	CM	120	CM	10 LEVEL CM	386,9823 litre	1,426 %	26756,3782 litre	O
600	CM	120	CM	9 LEVEL CM	330,8356 litre	1,219 %	26812,5249 litre	O
600	CM	120	CM	8 LEVEL CM	277,6127 litre	1,023 %	26865,7478 litre	O
600	CM	120	CM	7 LEVEL CM	227,5127 litre	0,838 %	26915,8478 litre	O
600	CM	120	CM	6 LEVEL CM	180,7749 litre	0,666 %	26962,5856 litre	O
600	CM	120	CM	5 LEVEL CM	137,6948 litre	0,507 %	27005,6657 litre	O
600	CM	120	CM	4 LEVEL CM	98,6511 litre	0,363 %	27044,7094 litre	O
600	CM	120	CM	3 LEVEL CM	64,1567 litre	0,236 %	27079,2038 litre	O
600	CM	120	CM	2 LEVEL CM	34,9665 litre	0,129 %	27108,3940 litre	O
600	CM	120	CM	1 LEVEL CM	12,3780 litre	0,046 %	27130,9825 litre	O
600	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	27143,3605 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	115	CM	230 LEVEL CM	24928,5377 litre	100,000 %	0,0000 litre	O
600	CM	115	CM	229 LEVEL CM	24916,4209 litre	99,951 %	12,1168 litre	O
600	CM	115	CM	228 LEVEL CM	24894,3112 litre	99,863 %	34,2265 litre	O
600	CM	115	CM	227 LEVEL CM	24865,7421 litre	99,748 %	62,7956 litre	O
600	CM	115	CM	226 LEVEL CM	24831,9849 litre	99,613 %	96,5528 litre	O
600	CM	115	CM	225 LEVEL CM	24793,7792 litre	99,459 %	134,7585 litre	O
600	CM	115	CM	224 LEVEL CM	24751,6277 litre	99,290 %	176,9100 litre	O
600	CM	115	CM	223 LEVEL CM	24705,9017 litre	99,107 %	222,6360 litre	O
600	CM	115	CM	222 LEVEL CM	24656,8910 litre	98,910 %	271,6467 litre	O
600	CM	115	CM	221 LEVEL CM	24604,8303 litre	98,701 %	323,7074 litre	O
600	CM	115	CM	220 LEVEL CM	24549,9151 litre	98,481 %	378,6226 litre	O
600	CM	115	CM	219 LEVEL CM	24492,3117 litre	98,250 %	436,2260 litre	O
600	CM	115	CM	218 LEVEL CM	24432,1641 litre	98,009 %	496,3736 litre	O
600	CM	115	CM	217 LEVEL CM	24369,5988 litre	97,758 %	558,9389 litre	O
600	CM	115	CM	216 LEVEL CM	24304,7280 litre	97,498 %	623,8097 litre	O
600	CM	115	CM	215 LEVEL CM	24237,6525 litre	97,229 %	690,8852 litre	O
600	CM	115	CM	214 LEVEL CM	24168,4631 litre	96,951 %	760,0746 litre	O
600	CM	115	CM	213 LEVEL CM	24097,2430 litre	96,665 %	831,2947 litre	O
600	CM	115	CM	212 LEVEL CM	24024,0680 litre	96,372 %	904,4697 litre	O
600	CM	115	CM	211 LEVEL CM	23949,0084 litre	96,071 %	979,5293 litre	O
600	CM	115	CM	210 LEVEL CM	23872,1289 litre	95,762 %	1056,4088 litre	O
600	CM	115	CM	209 LEVEL CM	23793,4900 litre	95,447 %	1135,0477 litre	O
600	CM	115	CM	208 LEVEL CM	23713,1482 litre	95,125 %	1215,3895 litre	O
600	CM	115	CM	207 LEVEL CM	23631,1564 litre	94,796 %	1297,3813 litre	O
600	CM	115	CM	206 LEVEL CM	23547,5643 litre	94,460 %	1380,9734 litre	O
600	CM	115	CM	205 LEVEL CM	23462,4190 litre	94,119 %	1466,1187 litre	O
600	CM	115	CM	204 LEVEL CM	23375,7649 litre	93,771 %	1552,7728 litre	O
600	CM	115	CM	203 LEVEL CM	23287,6442 litre	93,418 %	1640,8935 litre	O
600	CM	115	CM	202 LEVEL CM	23198,0969 litre	93,058 %	1730,4408 litre	O
600	CM	115	CM	201 LEVEL CM	23107,1613 litre	92,694 %	1821,3764 litre	O
600	CM	115	CM	200 LEVEL CM	23014,8738 litre	92,323 %	1913,6639 litre	O
600	CM	115	CM	199 LEVEL CM	22921,2695 litre	91,948 %	2007,2682 litre	O
600	CM	115	CM	198 LEVEL CM	22826,3816 litre	91,567 %	2102,1561 litre	O
600	CM	115	CM	197 LEVEL CM	22730,2424 litre	91,182 %	2198,2953 litre	O
600	CM	115	CM	196 LEVEL CM	22632,8826 litre	90,791 %	2295,6551 litre	O
600	CM	115	CM	195 LEVEL CM	22534,3321 litre	90,396 %	2394,2056 litre	O
600	CM	115	CM	194 LEVEL CM	22434,6195 litre	89,996 %	2493,9182 litre	O
600	CM	115	CM	193 LEVEL CM	22333,7724 litre	89,591 %	2594,7653 litre	O
600	CM	115	CM	192 LEVEL CM	22231,8176 litre	89,182 %	2696,7201 litre	O
600	CM	115	CM	191 LEVEL CM	22128,7810 litre	88,769 %	2799,7567 litre	O
600	CM	115	CM	190 LEVEL CM	22024,6876 litre	88,351 %	2903,8501 litre	O
600	CM	115	CM	189 LEVEL CM	21919,5618 litre	87,930 %	3008,9759 litre	O
600	CM	115	CM	188 LEVEL CM	21813,4272 litre	87,504 %	3115,1105 litre	O
600	CM	115	CM	187 LEVEL CM	21706,3067 litre	87,074 %	3222,2310 litre	O
600	CM	115	CM	186 LEVEL CM	21598,2226 litre	86,641 %	3330,3151 litre	O
600	CM	115	CM	185 LEVEL CM	21489,1967 litre	86,203 %	3439,3410 litre	O
600	CM	115	CM	184 LEVEL CM	21379,2502 litre	85,762 %	3549,2875 litre	O
600	CM	115	CM	183 LEVEL CM	21268,4035 litre	85,317 %	3660,1342 litre	O
600	CM	115	CM	182 LEVEL CM	21156,6770 litre	84,869 %	3771,8607 litre	O
600	CM	115	CM	181 LEVEL CM	21044,0902 litre	84,418 %	3884,4475 litre	O
600	CM	115	CM	180 LEVEL CM	20930,6625 litre	83,963 %	3997,8752 litre	O
600	CM	115	CM	179 LEVEL CM	20816,4124 litre	83,504 %	4112,1253 litre	O

600	CM	115	CM	178 LEVEL CM	20701,3586 litre	83,043 %	4227,1791 litre	O
600	CM	115	CM	177 LEVEL CM	20585,5189 litre	82,578 %	4343,0188 litre	O
600	CM	115	CM	176 LEVEL CM	20468,9111 litre	82,110 %	4459,6266 litre	O
600	CM	115	CM	175 LEVEL CM	20351,5523 litre	81,640 %	4576,9854 litre	O
600	CM	115	CM	174 LEVEL CM	20233,4597 litre	81,166 %	4695,0780 litre	O
600	CM	115	CM	173 LEVEL CM	20114,6497 litre	80,689 %	4813,8880 litre	O
600	CM	115	CM	172 LEVEL CM	19995,1389 litre	80,210 %	4933,3988 litre	O
600	CM	115	CM	171 LEVEL CM	19874,9432 litre	79,728 %	5053,5945 litre	O
600	CM	115	CM	170 LEVEL CM	19754,0785 litre	79,243 %	5174,4592 litre	O
600	CM	115	CM	169 LEVEL CM	19632,5602 litre	78,755 %	5295,9775 litre	O
600	CM	115	CM	168 LEVEL CM	19510,4038 litre	78,265 %	5418,1339 litre	O
600	CM	115	CM	167 LEVEL CM	19387,6241 litre	77,773 %	5540,9136 litre	O
600	CM	115	CM	166 LEVEL CM	19264,2360 litre	77,278 %	5664,3017 litre	O
600	CM	115	CM	165 LEVEL CM	19140,2542 litre	76,780 %	5788,2835 litre	O
600	CM	115	CM	164 LEVEL CM	19015,6930 litre	76,281 %	5912,8447 litre	O
600	CM	115	CM	163 LEVEL CM	18890,5666 litre	75,779 %	6037,9711 litre	O
600	CM	115	CM	162 LEVEL CM	18764,8890 litre	75,275 %	6163,6487 litre	O
600	CM	115	CM	161 LEVEL CM	18638,6741 litre	74,768 %	6289,8636 litre	O
600	CM	115	CM	160 LEVEL CM	18511,9354 litre	74,260 %	6416,6023 litre	O
600	CM	115	CM	159 LEVEL CM	18384,6864 litre	73,750 %	6543,8513 litre	O
600	CM	115	CM	158 LEVEL CM	18256,9405 litre	73,237 %	6671,5972 litre	O
600	CM	115	CM	157 LEVEL CM	18128,7108 litre	72,723 %	6799,8269 litre	O
600	CM	115	CM	156 LEVEL CM	18000,0103 litre	72,206 %	6928,5274 litre	O
600	CM	115	CM	155 LEVEL CM	17870,8518 litre	71,688 %	7057,6859 litre	O
600	CM	115	CM	154 LEVEL CM	17741,2482 litre	71,168 %	7187,2895 litre	O
600	CM	115	CM	153 LEVEL CM	17611,2119 litre	70,647 %	7317,3258 litre	O
600	CM	115	CM	152 LEVEL CM	17480,7556 litre	70,123 %	7447,7821 litre	O
600	CM	115	CM	151 LEVEL CM	17349,8914 litre	69,599 %	7578,6463 litre	O
600	CM	115	CM	150 LEVEL CM	17218,6317 litre	69,072 %	7709,9060 litre	O
600	CM	115	CM	149 LEVEL CM	17086,9886 litre	68,544 %	7841,5491 litre	O
600	CM	115	CM	148 LEVEL CM	16954,9741 litre	68,014 %	7973,5636 litre	O
600	CM	115	CM	147 LEVEL CM	16822,6001 litre	67,483 %	8105,9376 litre	O
600	CM	115	CM	146 LEVEL CM	16689,8785 litre	66,951 %	8238,6592 litre	O
600	CM	115	CM	145 LEVEL CM	16556,8210 litre	66,417 %	8371,7167 litre	O
600	CM	115	CM	144 LEVEL CM	16423,4391 litre	65,882 %	8505,0986 litre	O
600	CM	115	CM	143 LEVEL CM	16289,7446 litre	65,346 %	8638,7931 litre	O
600	CM	115	CM	142 LEVEL CM	16155,7488 litre	64,808 %	8772,7889 litre	O
600	CM	115	CM	141 LEVEL CM	16021,4631 litre	64,270 %	8907,0746 litre	O
600	CM	115	CM	140 LEVEL CM	15886,8990 litre	63,730 %	9041,6387 litre	O
600	CM	115	CM	139 LEVEL CM	15752,0676 litre	63,189 %	9176,4701 litre	O
600	CM	115	CM	138 LEVEL CM	15616,9800 litre	62,647 %	9311,5577 litre	O
600	CM	115	CM	137 LEVEL CM	15481,6476 litre	62,104 %	9446,8901 litre	O
600	CM	115	CM	136 LEVEL CM	15346,0812 litre	61,560 %	9582,4565 litre	O
600	CM	115	CM	135 LEVEL CM	15210,2920 litre	61,016 %	9718,2457 litre	O
600	CM	115	CM	134 LEVEL CM	15074,2908 litre	60,470 %	9854,2469 litre	O
600	CM	115	CM	133 LEVEL CM	14938,0886 litre	59,924 %	9990,4491 litre	O
600	CM	115	CM	132 LEVEL CM	14801,6963 litre	59,377 %	10126,8414 litre	O
600	CM	115	CM	131 LEVEL CM	14665,1245 litre	58,829 %	10263,4132 litre	O
600	CM	115	CM	130 LEVEL CM	14528,3842 litre	58,280 %	10400,1535 litre	O
600	CM	115	CM	129 LEVEL CM	14391,4860 litre	57,731 %	10537,0517 litre	O
600	CM	115	CM	128 LEVEL CM	14254,4406 litre	57,181 %	10674,0971 litre	O
600	CM	115	CM	127 LEVEL CM	14117,2587 litre	56,631 %	10811,2790 litre	O
600	CM	115	CM	126 LEVEL CM	13979,9509 litre	56,080 %	10948,5868 litre	O

600	CM	115	CM	125 LEVEL CM	13842,5277 litre	55,529 %	11086,0100 litre	O
600	CM	115	CM	124 LEVEL CM	13704,9999 litre	54,977 %	11223,5378 litre	O
600	CM	115	CM	123 LEVEL CM	13567,3778 litre	54,425 %	11361,1599 litre	O
600	CM	115	CM	122 LEVEL CM	13429,6720 litre	53,873 %	11498,8657 litre	O
600	CM	115	CM	121 LEVEL CM	13291,8930 litre	53,320 %	11636,6447 litre	O
600	CM	115	CM	120 LEVEL CM	13154,0514 litre	52,767 %	11774,4863 litre	O
600	CM	115	CM	119 LEVEL CM	13016,1575 litre	52,214 %	11912,3802 litre	O
600	CM	115	CM	118 LEVEL CM	12878,2219 litre	51,661 %	12050,3158 litre	O
600	CM	115	CM	117 LEVEL CM	12740,2549 litre	51,107 %	12188,2828 litre	O
600	CM	115	CM	116 LEVEL CM	12602,2671 litre	50,554 %	12326,2706 litre	O
600	CM	115	CM	115 LEVEL CM	12464,2689 litre	50,000 %	12464,2688 litre	O
600	CM	115	CM	114 LEVEL CM	12326,2706 litre	49,446 %	12602,2671 litre	O
600	CM	115	CM	113 LEVEL CM	12188,2828 litre	48,893 %	12740,2549 litre	O
600	CM	115	CM	112 LEVEL CM	12050,3158 litre	48,339 %	12878,2219 litre	O
600	CM	115	CM	111 LEVEL CM	11912,3802 litre	47,786 %	13016,1575 litre	O
600	CM	115	CM	110 LEVEL CM	11774,4863 litre	47,233 %	13154,0514 litre	O
600	CM	115	CM	109 LEVEL CM	11636,6447 litre	46,680 %	13291,8930 litre	O
600	CM	115	CM	108 LEVEL CM	11498,8657 litre	46,127 %	13429,6720 litre	O
600	CM	115	CM	107 LEVEL CM	11361,1599 litre	45,575 %	13567,3778 litre	O
600	CM	115	CM	106 LEVEL CM	11223,5378 litre	45,023 %	13704,9999 litre	O
600	CM	115	CM	105 LEVEL CM	11086,0100 litre	44,471 %	13842,5277 litre	O
600	CM	115	CM	104 LEVEL CM	10948,5868 litre	43,920 %	13979,9509 litre	O
600	CM	115	CM	103 LEVEL CM	10811,2790 litre	43,369 %	14117,2587 litre	O
600	CM	115	CM	102 LEVEL CM	10674,0971 litre	42,819 %	14254,4406 litre	O
600	CM	115	CM	101 LEVEL CM	10537,0517 litre	42,269 %	14391,4860 litre	O
600	CM	115	CM	100 LEVEL CM	10400,1535 litre	41,720 %	14528,3842 litre	O
600	CM	115	CM	99 LEVEL CM	10263,4132 litre	41,171 %	14665,1245 litre	O
600	CM	115	CM	98 LEVEL CM	10126,8414 litre	40,623 %	14801,6963 litre	O
600	CM	115	CM	97 LEVEL CM	9990,4491 litre	40,076 %	14938,0886 litre	O
600	CM	115	CM	96 LEVEL CM	9854,2469 litre	39,530 %	15074,2908 litre	O
600	CM	115	CM	95 LEVEL CM	9718,2457 litre	38,984 %	15210,2920 litre	O
600	CM	115	CM	94 LEVEL CM	9582,4565 litre	38,440 %	15346,0812 litre	O
600	CM	115	CM	93 LEVEL CM	9446,8901 litre	37,896 %	15481,6476 litre	O
600	CM	115	CM	92 LEVEL CM	9311,5577 litre	37,353 %	15616,9800 litre	O
600	CM	115	CM	91 LEVEL CM	9176,4702 litre	36,811 %	15752,0675 litre	O
600	CM	115	CM	90 LEVEL CM	9041,6387 litre	36,270 %	15886,8990 litre	O
600	CM	115	CM	89 LEVEL CM	8907,0746 litre	35,730 %	16021,4631 litre	O
600	CM	115	CM	88 LEVEL CM	8772,7889 litre	35,192 %	16155,7488 litre	O
600	CM	115	CM	87 LEVEL CM	8638,7931 litre	34,654 %	16289,7446 litre	O
600	CM	115	CM	86 LEVEL CM	8505,0986 litre	34,118 %	16423,4391 litre	O
600	CM	115	CM	85 LEVEL CM	8371,7168 litre	33,583 %	16556,8209 litre	O
600	CM	115	CM	84 LEVEL CM	8238,6592 litre	33,049 %	16689,8785 litre	O
600	CM	115	CM	83 LEVEL CM	8105,9376 litre	32,517 %	16822,6001 litre	O
600	CM	115	CM	82 LEVEL CM	7973,5636 litre	31,986 %	16954,9741 litre	O
600	CM	115	CM	81 LEVEL CM	7841,5491 litre	31,456 %	17086,9886 litre	O
600	CM	115	CM	80 LEVEL CM	7709,9060 litre	30,928 %	17218,6317 litre	O
600	CM	115	CM	79 LEVEL CM	7578,6463 litre	30,401 %	17349,8914 litre	O
600	CM	115	CM	78 LEVEL CM	7447,7821 litre	29,877 %	17480,7556 litre	O
600	CM	115	CM	77 LEVEL CM	7317,3258 litre	29,353 %	17611,2119 litre	O
600	CM	115	CM	76 LEVEL CM	7187,2895 litre	28,832 %	17741,2482 litre	O
600	CM	115	CM	75 LEVEL CM	7057,6859 litre	28,312 %	17870,8518 litre	O
600	CM	115	CM	74 LEVEL CM	6928,5274 litre	27,794 %	18000,0103 litre	O
600	CM	115	CM	73 LEVEL CM	6799,8269 litre	27,277 %	18128,7108 litre	O

600	CM	115	CM	72 LEVEL CM	6671,5972 litre	26,763 %	18256,9405 litre	O
600	CM	115	CM	71 LEVEL CM	6543,8513 litre	26,250 %	18384,6864 litre	O
600	CM	115	CM	70 LEVEL CM	6416,6023 litre	25,740 %	18511,9354 litre	O
600	CM	115	CM	69 LEVEL CM	6289,8636 litre	25,232 %	18638,6741 litre	O
600	CM	115	CM	68 LEVEL CM	6163,6487 litre	24,725 %	18764,8890 litre	O
600	CM	115	CM	67 LEVEL CM	6037,9711 litre	24,221 %	18890,5666 litre	O
600	CM	115	CM	66 LEVEL CM	5912,8447 litre	23,719 %	19015,6930 litre	O
600	CM	115	CM	65 LEVEL CM	5788,2835 litre	23,220 %	19140,2542 litre	O
600	CM	115	CM	64 LEVEL CM	5664,3017 litre	22,722 %	19264,2360 litre	O
600	CM	115	CM	63 LEVEL CM	5540,9136 litre	22,227 %	19387,6241 litre	O
600	CM	115	CM	62 LEVEL CM	5418,1340 litre	21,735 %	19510,4037 litre	O
600	CM	115	CM	61 LEVEL CM	5295,9775 litre	21,245 %	19632,5602 litre	O
600	CM	115	CM	60 LEVEL CM	5174,4592 litre	20,757 %	19754,0785 litre	O
600	CM	115	CM	59 LEVEL CM	5053,5945 litre	20,272 %	19874,9432 litre	O
600	CM	115	CM	58 LEVEL CM	4933,3988 litre	19,790 %	19995,1389 litre	O
600	CM	115	CM	57 LEVEL CM	4813,8880 litre	19,311 %	20114,6497 litre	O
600	CM	115	CM	56 LEVEL CM	4695,0780 litre	18,834 %	20233,4597 litre	O
600	CM	115	CM	55 LEVEL CM	4576,9854 litre	18,360 %	20351,5523 litre	O
600	CM	115	CM	54 LEVEL CM	4459,6266 litre	17,890 %	20468,9111 litre	O
600	CM	115	CM	53 LEVEL CM	4343,0188 litre	17,422 %	20585,5189 litre	O
600	CM	115	CM	52 LEVEL CM	4227,1791 litre	16,957 %	20701,3586 litre	O
600	CM	115	CM	51 LEVEL CM	4112,1253 litre	16,496 %	20816,4124 litre	O
600	CM	115	CM	50 LEVEL CM	3997,8753 litre	16,037 %	20930,6624 litre	O
600	CM	115	CM	49 LEVEL CM	3884,4475 litre	15,582 %	21044,0902 litre	O
600	CM	115	CM	48 LEVEL CM	3771,8607 litre	15,131 %	21156,6770 litre	O
600	CM	115	CM	47 LEVEL CM	3660,1342 litre	14,683 %	21268,4035 litre	O
600	CM	115	CM	46 LEVEL CM	3549,2876 litre	14,238 %	21379,2501 litre	O
600	CM	115	CM	45 LEVEL CM	3439,3410 litre	13,797 %	21489,1967 litre	O
600	CM	115	CM	44 LEVEL CM	3330,3151 litre	13,359 %	21598,2226 litre	O
600	CM	115	CM	43 LEVEL CM	3222,2310 litre	12,926 %	21706,3067 litre	O
600	CM	115	CM	42 LEVEL CM	3115,1105 litre	12,496 %	21813,4272 litre	O
600	CM	115	CM	41 LEVEL CM	3008,9759 litre	12,070 %	21919,5618 litre	O
600	CM	115	CM	40 LEVEL CM	2903,8501 litre	11,649 %	22024,6876 litre	O
600	CM	115	CM	39 LEVEL CM	2799,7567 litre	11,231 %	22128,7810 litre	O
600	CM	115	CM	38 LEVEL CM	2696,7201 litre	10,818 %	22231,8176 litre	O
600	CM	115	CM	37 LEVEL CM	2594,7653 litre	10,409 %	22333,7724 litre	O
600	CM	115	CM	36 LEVEL CM	2493,9182 litre	10,004 %	22434,6195 litre	O
600	CM	115	CM	35 LEVEL CM	2394,2056 litre	9,604 %	22534,3321 litre	O
600	CM	115	CM	34 LEVEL CM	2295,6551 litre	9,209 %	22632,8826 litre	O
600	CM	115	CM	33 LEVEL CM	2198,2953 litre	8,818 %	22730,2424 litre	O
600	CM	115	CM	32 LEVEL CM	2102,1561 litre	8,433 %	22826,3816 litre	O
600	CM	115	CM	31 LEVEL CM	2007,2682 litre	8,052 %	22921,2695 litre	O
600	CM	115	CM	30 LEVEL CM	1913,6639 litre	7,677 %	23014,8738 litre	O
600	CM	115	CM	29 LEVEL CM	1821,3764 litre	7,306 %	23107,1613 litre	O
600	CM	115	CM	28 LEVEL CM	1730,4408 litre	6,942 %	23198,0969 litre	O
600	CM	115	CM	27 LEVEL CM	1640,8935 litre	6,582 %	23287,6442 litre	O
600	CM	115	CM	26 LEVEL CM	1552,7728 litre	6,229 %	23375,7649 litre	O
600	CM	115	CM	25 LEVEL CM	1466,1187 litre	5,881 %	23462,4190 litre	O
600	CM	115	CM	24 LEVEL CM	1380,9734 litre	5,540 %	23547,5643 litre	O
600	CM	115	CM	23 LEVEL CM	1297,3813 litre	5,204 %	23631,1564 litre	O
600	CM	115	CM	22 LEVEL CM	1215,3895 litre	4,875 %	23713,1482 litre	O
600	CM	115	CM	21 LEVEL CM	1135,0477 litre	4,553 %	23793,4900 litre	O
600	CM	115	CM	20 LEVEL CM	1056,4088 litre	4,238 %	23872,1289 litre	O

600	CM	115	CM	19 LEVEL CM	979,5293 litre	3,929 %	23949,0084 litre	O
600	CM	115	CM	18 LEVEL CM	904,4697 litre	3,628 %	24024,0680 litre	O
600	CM	115	CM	17 LEVEL CM	831,2947 litre	3,335 %	24097,2430 litre	O
600	CM	115	CM	16 LEVEL CM	760,0746 litre	3,049 %	24168,4631 litre	O
600	CM	115	CM	15 LEVEL CM	690,8852 litre	2,771 %	24237,6525 litre	O
600	CM	115	CM	14 LEVEL CM	623,8097 litre	2,502 %	24304,7280 litre	O
600	CM	115	CM	13 LEVEL CM	558,9389 litre	2,242 %	24369,5988 litre	O
600	CM	115	CM	12 LEVEL CM	496,3736 litre	1,991 %	24432,1641 litre	O
600	CM	115	CM	11 LEVEL CM	436,2260 litre	1,750 %	24492,3117 litre	O
600	CM	115	CM	10 LEVEL CM	378,6227 litre	1,519 %	24549,9150 litre	O
600	CM	115	CM	9 LEVEL CM	323,7074 litre	1,299 %	24604,8303 litre	O
600	CM	115	CM	8 LEVEL CM	271,6467 litre	1,090 %	24656,8910 litre	O
600	CM	115	CM	7 LEVEL CM	222,6360 litre	0,893 %	24705,9017 litre	O
600	CM	115	CM	6 LEVEL CM	176,9100 litre	0,710 %	24751,6277 litre	O
600	CM	115	CM	5 LEVEL CM	134,7585 litre	0,541 %	24793,7792 litre	O
600	CM	115	CM	4 LEVEL CM	96,5528 litre	0,387 %	24831,9849 litre	O
600	CM	115	CM	3 LEVEL CM	62,7956 litre	0,252 %	24865,7421 litre	O
600	CM	115	CM	2 LEVEL CM	34,2265 litre	0,137 %	24894,3112 litre	O
600	CM	115	CM	1 LEVEL CM	12,1168 litre	0,049 %	24916,4209 litre	O
600	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	24928,5377 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	110	CM	220 LEVEL CM	22807,9627 litre	100,000 %	0,0000 litre	O
600	CM	110	CM	219 LEVEL CM	22796,1129 litre	99,948 %	11,8498 litre	O
600	CM	110	CM	218 LEVEL CM	22774,4925 litre	99,853 %	33,4702 litre	O
600	CM	110	CM	217 LEVEL CM	22746,5584 litre	99,731 %	61,4043 litre	O
600	CM	110	CM	216 LEVEL CM	22713,5548 litre	99,586 %	94,4079 litre	O
600	CM	110	CM	215 LEVEL CM	22676,2059 litre	99,422 %	131,7568 litre	O
600	CM	110	CM	214 LEVEL CM	22635,0039 litre	99,242 %	172,9588 litre	O
600	CM	110	CM	213 LEVEL CM	22590,3126 litre	99,046 %	217,6501 litre	O
600	CM	110	CM	212 LEVEL CM	22542,4159 litre	98,836 %	265,5468 litre	O
600	CM	110	CM	211 LEVEL CM	22491,5440 litre	98,613 %	316,4187 litre	O
600	CM	110	CM	210 LEVEL CM	22437,8885 litre	98,377 %	370,0742 litre	O
600	CM	110	CM	209 LEVEL CM	22381,6126 litre	98,131 %	426,3501 litre	O
600	CM	110	CM	208 LEVEL CM	22322,8575 litre	97,873 %	485,1052 litre	O
600	CM	110	CM	207 LEVEL CM	22261,7475 litre	97,605 %	546,2152 litre	O
600	CM	110	CM	206 LEVEL CM	22198,3926 litre	97,327 %	609,5701 litre	O
600	CM	110	CM	205 LEVEL CM	22132,8918 litre	97,040 %	675,0709 litre	O
600	CM	110	CM	204 LEVEL CM	22065,3346 litre	96,744 %	742,6281 litre	O
600	CM	110	CM	203 LEVEL CM	21995,8024 litre	96,439 %	812,1603 litre	O
600	CM	110	CM	202 LEVEL CM	21924,3700 litre	96,126 %	883,5927 litre	O
600	CM	110	CM	201 LEVEL CM	21851,1063 litre	95,805 %	956,8564 litre	O
600	CM	110	CM	200 LEVEL CM	21776,0751 litre	95,476 %	1031,8876 litre	O
600	CM	110	CM	199 LEVEL CM	21699,3361 litre	95,139 %	1108,6266 litre	O
600	CM	110	CM	198 LEVEL CM	21620,9446 litre	94,796 %	1187,0181 litre	O
600	CM	110	CM	197 LEVEL CM	21540,9529 litre	94,445 %	1267,0098 litre	O
600	CM	110	CM	196 LEVEL CM	21459,4100 litre	94,087 %	1348,5527 litre	O
600	CM	110	CM	195 LEVEL CM	21376,3622 litre	93,723 %	1431,6005 litre	O
600	CM	110	CM	194 LEVEL CM	21291,8533 litre	93,353 %	1516,1094 litre	O
600	CM	110	CM	193 LEVEL CM	21205,9250 litre	92,976 %	1602,0377 litre	O
600	CM	110	CM	192 LEVEL CM	21118,6168 litre	92,593 %	1689,3459 litre	O
600	CM	110	CM	191 LEVEL CM	21029,9664 litre	92,204 %	1777,9963 litre	O
600	CM	110	CM	190 LEVEL CM	20940,0098 litre	91,810 %	1867,9529 litre	O
600	CM	110	CM	189 LEVEL CM	20848,7816 litre	91,410 %	1959,1811 litre	O
600	CM	110	CM	188 LEVEL CM	20756,3148 litre	91,005 %	2051,6479 litre	O
600	CM	110	CM	187 LEVEL CM	20662,6411 litre	90,594 %	2145,3216 litre	O
600	CM	110	CM	186 LEVEL CM	20567,7911 litre	90,178 %	2240,1716 litre	O
600	CM	110	CM	185 LEVEL CM	20471,7941 litre	89,757 %	2336,1686 litre	O
600	CM	110	CM	184 LEVEL CM	20374,6786 litre	89,331 %	2433,2841 litre	O
600	CM	110	CM	183 LEVEL CM	20276,4720 litre	88,901 %	2531,4907 litre	O
600	CM	110	CM	182 LEVEL CM	20177,2007 litre	88,466 %	2630,7620 litre	O
600	CM	110	CM	181 LEVEL CM	20076,8904 litre	88,026 %	2731,0723 litre	O
600	CM	110	CM	180 LEVEL CM	19975,5660 litre	87,582 %	2832,3967 litre	O
600	CM	110	CM	179 LEVEL CM	19873,2516 litre	87,133 %	2934,7111 litre	O
600	CM	110	CM	178 LEVEL CM	19769,9706 litre	86,680 %	3037,9921 litre	O
600	CM	110	CM	177 LEVEL CM	19665,7458 litre	86,223 %	3142,2169 litre	O
600	CM	110	CM	176 LEVEL CM	19560,5994 litre	85,762 %	3247,3633 litre	O
600	CM	110	CM	175 LEVEL CM	19454,5529 litre	85,297 %	3353,4098 litre	O
600	CM	110	CM	174 LEVEL CM	19347,6274 litre	84,828 %	3460,3353 litre	O
600	CM	110	CM	173 LEVEL CM	19239,8435 litre	84,356 %	3568,1192 litre	O
600	CM	110	CM	172 LEVEL CM	19131,2211 litre	83,880 %	3676,7416 litre	O
600	CM	110	CM	171 LEVEL CM	19021,7799 litre	83,400 %	3786,1828 litre	O
600	CM	110	CM	170 LEVEL CM	18911,5389 litre	82,916 %	3896,4238 litre	O
600	CM	110	CM	169 LEVEL CM	18800,5170 litre	82,430 %	4007,4457 litre	O

600	CM	110	CM	168 LEVEL CM	18688,7324 litre	81,940 %	4119,2303 litre	O
600	CM	110	CM	167 LEVEL CM	18576,2031 litre	81,446 %	4231,7596 litre	O
600	CM	110	CM	166 LEVEL CM	18462,9468 litre	80,950 %	4345,0159 litre	O
600	CM	110	CM	165 LEVEL CM	18348,9807 litre	80,450 %	4458,9820 litre	O
600	CM	110	CM	164 LEVEL CM	18234,3217 litre	79,947 %	4573,6410 litre	O
600	CM	110	CM	163 LEVEL CM	18118,9865 litre	79,441 %	4688,9762 litre	O
600	CM	110	CM	162 LEVEL CM	18002,9915 litre	78,933 %	4804,9712 litre	O
600	CM	110	CM	161 LEVEL CM	17886,3527 litre	78,422 %	4921,6100 litre	O
600	CM	110	CM	160 LEVEL CM	17769,0860 litre	77,907 %	5038,8767 litre	O
600	CM	110	CM	159 LEVEL CM	17651,2068 litre	77,391 %	5156,7559 litre	O
600	CM	110	CM	158 LEVEL CM	17532,7306 litre	76,871 %	5275,2321 litre	O
600	CM	110	CM	157 LEVEL CM	17413,6724 litre	76,349 %	5394,2903 litre	O
600	CM	110	CM	156 LEVEL CM	17294,0471 litre	75,825 %	5513,9156 litre	O
600	CM	110	CM	155 LEVEL CM	17173,8694 litre	75,298 %	5634,0933 litre	O
600	CM	110	CM	154 LEVEL CM	17053,1536 litre	74,768 %	5754,8091 litre	O
600	CM	110	CM	153 LEVEL CM	16931,9141 litre	74,237 %	5876,0486 litre	O
600	CM	110	CM	152 LEVEL CM	16810,1649 litre	73,703 %	5997,7978 litre	O
600	CM	110	CM	151 LEVEL CM	16687,9200 litre	73,167 %	6120,0427 litre	O
600	CM	110	CM	150 LEVEL CM	16565,1931 litre	72,629 %	6242,7696 litre	O
600	CM	110	CM	149 LEVEL CM	16441,9977 litre	72,089 %	6365,9650 litre	O
600	CM	110	CM	148 LEVEL CM	16318,3473 litre	71,547 %	6489,6154 litre	O
600	CM	110	CM	147 LEVEL CM	16194,2551 litre	71,003 %	6613,7076 litre	O
600	CM	110	CM	146 LEVEL CM	16069,7343 litre	70,457 %	6738,2284 litre	O
600	CM	110	CM	145 LEVEL CM	15944,7979 litre	69,909 %	6863,1648 litre	O
600	CM	110	CM	144 LEVEL CM	15819,4588 litre	69,359 %	6988,5039 litre	O
600	CM	110	CM	143 LEVEL CM	15693,7296 litre	68,808 %	7114,2331 litre	O
600	CM	110	CM	142 LEVEL CM	15567,6230 litre	68,255 %	7240,3397 litre	O
600	CM	110	CM	141 LEVEL CM	15441,1515 litre	67,701 %	7366,8112 litre	O
600	CM	110	CM	140 LEVEL CM	15314,3276 litre	67,145 %	7493,6351 litre	O
600	CM	110	CM	139 LEVEL CM	15187,1635 litre	66,587 %	7620,7992 litre	O
600	CM	110	CM	138 LEVEL CM	15059,6714 litre	66,028 %	7748,2913 litre	O
600	CM	110	CM	137 LEVEL CM	14931,8635 litre	65,468 %	7876,0992 litre	O
600	CM	110	CM	136 LEVEL CM	14803,7517 litre	64,906 %	8004,2110 litre	O
600	CM	110	CM	135 LEVEL CM	14675,3480 litre	64,343 %	8132,6147 litre	O
600	CM	110	CM	134 LEVEL CM	14546,6642 litre	63,779 %	8261,2985 litre	O
600	CM	110	CM	133 LEVEL CM	14417,7121 litre	63,214 %	8390,2506 litre	O
600	CM	110	CM	132 LEVEL CM	14288,5035 litre	62,647 %	8519,4592 litre	O
600	CM	110	CM	131 LEVEL CM	14159,0499 litre	62,079 %	8648,9128 litre	O
600	CM	110	CM	130 LEVEL CM	14029,3629 litre	61,511 %	8778,5998 litre	O
600	CM	110	CM	129 LEVEL CM	13899,4540 litre	60,941 %	8908,5087 litre	O
600	CM	110	CM	128 LEVEL CM	13769,3347 litre	60,371 %	9038,6280 litre	O
600	CM	110	CM	127 LEVEL CM	13639,0163 litre	59,799 %	9168,9464 litre	O
600	CM	110	CM	126 LEVEL CM	13508,5102 litre	59,227 %	9299,4525 litre	O
600	CM	110	CM	125 LEVEL CM	13377,8277 litre	58,654 %	9430,1350 litre	O
600	CM	110	CM	124 LEVEL CM	13246,9800 litre	58,081 %	9560,9827 litre	O
600	CM	110	CM	123 LEVEL CM	13115,9784 litre	57,506 %	9691,9843 litre	O
600	CM	110	CM	122 LEVEL CM	12984,8339 litre	56,931 %	9823,1288 litre	O
600	CM	110	CM	121 LEVEL CM	12853,5577 litre	56,356 %	9954,4050 litre	O
600	CM	110	CM	120 LEVEL CM	12722,1609 litre	55,779 %	10085,8018 litre	O
600	CM	110	CM	119 LEVEL CM	12590,6545 litre	55,203 %	10217,3082 litre	O
600	CM	110	CM	118 LEVEL CM	12459,0497 litre	54,626 %	10348,9130 litre	O
600	CM	110	CM	117 LEVEL CM	12327,3573 litre	54,048 %	10480,6054 litre	O
600	CM	110	CM	116 LEVEL CM	12195,5884 litre	53,471 %	10612,3743 litre	O

600	CM	110	CM	115 LEVEL CM	12063,7540 litre	52,893 %	10744,2087 litre	O
600	CM	110	CM	114 LEVEL CM	11931,8649 litre	52,314 %	10876,0978 litre	O
600	CM	110	CM	113 LEVEL CM	11799,9322 litre	51,736 %	11008,0305 litre	O
600	CM	110	CM	112 LEVEL CM	11667,9668 litre	51,157 %	11139,9959 litre	O
600	CM	110	CM	111 LEVEL CM	11535,9795 litre	50,579 %	11271,9832 litre	O
600	CM	110	CM	110 LEVEL CM	11403,9813 litre	50,000 %	11403,9814 litre	O
600	CM	110	CM	109 LEVEL CM	11271,9832 litre	49,421 %	11535,9795 litre	O
600	CM	110	CM	108 LEVEL CM	11139,9959 litre	48,843 %	11667,9668 litre	O
600	CM	110	CM	107 LEVEL CM	11008,0304 litre	48,264 %	11799,9323 litre	O
600	CM	110	CM	106 LEVEL CM	10876,0977 litre	47,686 %	11931,8650 litre	O
600	CM	110	CM	105 LEVEL CM	10744,2087 litre	47,107 %	12063,7540 litre	O
600	CM	110	CM	104 LEVEL CM	10612,3742 litre	46,529 %	12195,5885 litre	O
600	CM	110	CM	103 LEVEL CM	10480,6053 litre	45,952 %	12327,3574 litre	O
600	CM	110	CM	102 LEVEL CM	10348,9130 litre	45,374 %	12459,0497 litre	O
600	CM	110	CM	101 LEVEL CM	10217,3081 litre	44,797 %	12590,6546 litre	O
600	CM	110	CM	100 LEVEL CM	10085,8018 litre	44,221 %	12722,1609 litre	O
600	CM	110	CM	99 LEVEL CM	9954,4050 litre	43,644 %	12853,5577 litre	O
600	CM	110	CM	98 LEVEL CM	9823,1288 litre	43,069 %	12984,8339 litre	O
600	CM	110	CM	97 LEVEL CM	9691,9843 litre	42,494 %	13115,9784 litre	O
600	CM	110	CM	96 LEVEL CM	9560,9826 litre	41,919 %	13246,9801 litre	O
600	CM	110	CM	95 LEVEL CM	9430,1349 litre	41,346 %	13377,8278 litre	O
600	CM	110	CM	94 LEVEL CM	9299,4524 litre	40,773 %	13508,5103 litre	O
600	CM	110	CM	93 LEVEL CM	9168,9463 litre	40,201 %	13639,0164 litre	O
600	CM	110	CM	92 LEVEL CM	9038,6280 litre	39,629 %	13769,3347 litre	O
600	CM	110	CM	91 LEVEL CM	8908,5087 litre	39,059 %	13899,4540 litre	O
600	CM	110	CM	90 LEVEL CM	8778,5998 litre	38,489 %	14029,3629 litre	O
600	CM	110	CM	89 LEVEL CM	8648,9128 litre	37,921 %	14159,0499 litre	O
600	CM	110	CM	88 LEVEL CM	8519,4592 litre	37,353 %	14288,5035 litre	O
600	CM	110	CM	87 LEVEL CM	8390,2505 litre	36,786 %	14417,7122 litre	O
600	CM	110	CM	86 LEVEL CM	8261,2985 litre	36,221 %	14546,6642 litre	O
600	CM	110	CM	85 LEVEL CM	8132,6147 litre	35,657 %	14675,3480 litre	O
600	CM	110	CM	84 LEVEL CM	8004,2110 litre	35,094 %	14803,7517 litre	O
600	CM	110	CM	83 LEVEL CM	7876,0992 litre	34,532 %	14931,8635 litre	O
600	CM	110	CM	82 LEVEL CM	7748,2912 litre	33,972 %	15059,6715 litre	O
600	CM	110	CM	81 LEVEL CM	7620,7992 litre	33,413 %	15187,1635 litre	O
600	CM	110	CM	80 LEVEL CM	7493,6350 litre	32,855 %	15314,3277 litre	O
600	CM	110	CM	79 LEVEL CM	7366,8111 litre	32,299 %	15441,1516 litre	O
600	CM	110	CM	78 LEVEL CM	7240,3397 litre	31,745 %	15567,6230 litre	O
600	CM	110	CM	77 LEVEL CM	7114,2331 litre	31,192 %	15693,7296 litre	O
600	CM	110	CM	76 LEVEL CM	6988,5039 litre	30,641 %	15819,4588 litre	O
600	CM	110	CM	75 LEVEL CM	6863,1647 litre	30,091 %	15944,7980 litre	O
600	CM	110	CM	74 LEVEL CM	6738,2283 litre	29,543 %	16069,7344 litre	O
600	CM	110	CM	73 LEVEL CM	6613,7075 litre	28,997 %	16194,2552 litre	O
600	CM	110	CM	72 LEVEL CM	6489,6154 litre	28,453 %	16318,3473 litre	O
600	CM	110	CM	71 LEVEL CM	6365,9650 litre	27,911 %	16441,9977 litre	O
600	CM	110	CM	70 LEVEL CM	6242,7696 litre	27,371 %	16565,1931 litre	O
600	CM	110	CM	69 LEVEL CM	6120,0427 litre	26,833 %	16687,9200 litre	O
600	CM	110	CM	68 LEVEL CM	5997,7977 litre	26,297 %	16810,1650 litre	O
600	CM	110	CM	67 LEVEL CM	5876,0486 litre	25,763 %	16931,9141 litre	O
600	CM	110	CM	66 LEVEL CM	5754,8091 litre	25,232 %	17053,1536 litre	O
600	CM	110	CM	65 LEVEL CM	5634,0933 litre	24,702 %	17173,8694 litre	O
600	CM	110	CM	64 LEVEL CM	5513,9155 litre	24,175 %	17294,0472 litre	O
600	CM	110	CM	63 LEVEL CM	5394,2902 litre	23,651 %	17413,6725 litre	O

600	CM	110	CM	62 LEVEL CM	5275,2320 litre	23,129 %	17532,7307 litre	O
600	CM	110	CM	61 LEVEL CM	5156,7558 litre	22,609 %	17651,2069 litre	O
600	CM	110	CM	60 LEVEL CM	5038,8767 litre	22,093 %	17769,0860 litre	O
600	CM	110	CM	59 LEVEL CM	4921,6100 litre	21,578 %	17886,3527 litre	O
600	CM	110	CM	58 LEVEL CM	4804,9712 litre	21,067 %	18002,9915 litre	O
600	CM	110	CM	57 LEVEL CM	4688,9762 litre	20,559 %	18118,9865 litre	O
600	CM	110	CM	56 LEVEL CM	4573,6410 litre	20,053 %	18234,3217 litre	O
600	CM	110	CM	55 LEVEL CM	4458,9820 litre	19,550 %	18348,9807 litre	O
600	CM	110	CM	54 LEVEL CM	4345,0159 litre	19,050 %	18462,9468 litre	O
600	CM	110	CM	53 LEVEL CM	4231,7595 litre	18,554 %	18576,2032 litre	O
600	CM	110	CM	52 LEVEL CM	4119,2303 litre	18,060 %	18688,7324 litre	O
600	CM	110	CM	51 LEVEL CM	4007,4457 litre	17,570 %	18800,5170 litre	O
600	CM	110	CM	50 LEVEL CM	3896,4238 litre	17,084 %	18911,5389 litre	O
600	CM	110	CM	49 LEVEL CM	3786,1828 litre	16,600 %	19021,7799 litre	O
600	CM	110	CM	48 LEVEL CM	3676,7416 litre	16,120 %	19131,2211 litre	O
600	CM	110	CM	47 LEVEL CM	3568,1192 litre	15,644 %	19239,8435 litre	O
600	CM	110	CM	46 LEVEL CM	3460,3352 litre	15,172 %	19347,6275 litre	O
600	CM	110	CM	45 LEVEL CM	3353,4098 litre	14,703 %	19454,5529 litre	O
600	CM	110	CM	44 LEVEL CM	3247,3633 litre	14,238 %	19560,5994 litre	O
600	CM	110	CM	43 LEVEL CM	3142,2169 litre	13,777 %	19665,7458 litre	O
600	CM	110	CM	42 LEVEL CM	3037,9921 litre	13,320 %	19769,9706 litre	O
600	CM	110	CM	41 LEVEL CM	2934,7111 litre	12,867 %	19873,2516 litre	O
600	CM	110	CM	40 LEVEL CM	2832,3966 litre	12,418 %	19975,5661 litre	O
600	CM	110	CM	39 LEVEL CM	2731,0722 litre	11,974 %	20076,8905 litre	O
600	CM	110	CM	38 LEVEL CM	2630,7620 litre	11,534 %	20177,2007 litre	O
600	CM	110	CM	37 LEVEL CM	2531,4907 litre	11,099 %	20276,4720 litre	O
600	CM	110	CM	36 LEVEL CM	2433,2840 litre	10,669 %	20374,6787 litre	O
600	CM	110	CM	35 LEVEL CM	2336,1685 litre	10,243 %	20471,7942 litre	O
600	CM	110	CM	34 LEVEL CM	2240,1716 litre	9,822 %	20567,7911 litre	O
600	CM	110	CM	33 LEVEL CM	2145,3216 litre	9,406 %	20662,6411 litre	O
600	CM	110	CM	32 LEVEL CM	2051,6479 litre	8,995 %	20756,3148 litre	O
600	CM	110	CM	31 LEVEL CM	1959,1810 litre	8,590 %	20848,7817 litre	O
600	CM	110	CM	30 LEVEL CM	1867,9528 litre	8,190 %	20940,0099 litre	O
600	CM	110	CM	29 LEVEL CM	1777,9963 litre	7,796 %	21029,9664 litre	O
600	CM	110	CM	28 LEVEL CM	1689,3459 litre	7,407 %	21118,6168 litre	O
600	CM	110	CM	27 LEVEL CM	1602,0376 litre	7,024 %	21205,9251 litre	O
600	CM	110	CM	26 LEVEL CM	1516,1093 litre	6,647 %	21291,8534 litre	O
600	CM	110	CM	25 LEVEL CM	1431,6005 litre	6,277 %	21376,3622 litre	O
600	CM	110	CM	24 LEVEL CM	1348,5527 litre	5,913 %	21459,4100 litre	O
600	CM	110	CM	23 LEVEL CM	1267,0098 litre	5,555 %	21540,9529 litre	O
600	CM	110	CM	22 LEVEL CM	1187,0180 litre	5,204 %	21620,9447 litre	O
600	CM	110	CM	21 LEVEL CM	1108,6266 litre	4,861 %	21699,3361 litre	O
600	CM	110	CM	20 LEVEL CM	1031,8875 litre	4,524 %	21776,0752 litre	O
600	CM	110	CM	19 LEVEL CM	956,8564 litre	4,195 %	21851,1063 litre	O
600	CM	110	CM	18 LEVEL CM	883,5927 litre	3,874 %	21924,3700 litre	O
600	CM	110	CM	17 LEVEL CM	812,1603 litre	3,561 %	21995,8024 litre	O
600	CM	110	CM	16 LEVEL CM	742,6281 litre	3,256 %	22065,3346 litre	O
600	CM	110	CM	15 LEVEL CM	675,0708 litre	2,960 %	22132,8919 litre	O
600	CM	110	CM	14 LEVEL CM	609,5701 litre	2,673 %	22198,3926 litre	O
600	CM	110	CM	13 LEVEL CM	546,2152 litre	2,395 %	22261,7475 litre	O
600	CM	110	CM	12 LEVEL CM	485,1051 litre	2,127 %	22322,8576 litre	O
600	CM	110	CM	11 LEVEL CM	426,3501 litre	1,869 %	22381,6126 litre	O
600	CM	110	CM	10 LEVEL CM	370,0742 litre	1,623 %	22437,8885 litre	O

600	CM	110	CM	9 LEVEL CM	316,4187 litre	1,387 %	22491,5440 litre	O
600	CM	110	CM	8 LEVEL CM	265,5467 litre	1,164 %	22542,4160 litre	O
600	CM	110	CM	7 LEVEL CM	217,6501 litre	0,954 %	22590,3126 litre	O
600	CM	110	CM	6 LEVEL CM	172,9588 litre	0,758 %	22635,0039 litre	O
600	CM	110	CM	5 LEVEL CM	131,7568 litre	0,578 %	22676,2059 litre	O
600	CM	110	CM	4 LEVEL CM	94,4079 litre	0,414 %	22713,5548 litre	O
600	CM	110	CM	3 LEVEL CM	61,4043 litre	0,269 %	22746,5584 litre	O
600	CM	110	CM	2 LEVEL CM	33,4702 litre	0,147 %	22774,4925 litre	O
600	CM	110	CM	1 LEVEL CM	11,8497 litre	0,052 %	22796,1130 litre	O
600	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	22807,9627 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 105	CM 210 LEVEL CM	20781,6354 litre	100,000 %	0,0000 litre	O
600	CM 105	CM 209 LEVEL CM	20770,0589 litre	99,944 %	11,5765 litre	O
600	CM 105	CM 208 LEVEL CM	20748,9390 litre	99,843 %	32,6964 litre	O
600	CM 105	CM 207 LEVEL CM	20721,6547 litre	99,711 %	59,9807 litre	O
600	CM 105	CM 206 LEVEL CM	20689,4224 litre	99,556 %	92,2130 litre	O
600	CM 105	CM 205 LEVEL CM	20652,9504 litre	99,381 %	128,6850 litre	O
600	CM 105	CM 204 LEVEL CM	20612,7203 litre	99,187 %	168,9151 litre	O
600	CM 105	CM 203 LEVEL CM	20569,0882 litre	98,977 %	212,5472 litre	O
600	CM 105	CM 202 LEVEL CM	20522,3321 litre	98,752 %	259,3033 litre	O
600	CM 105	CM 201 LEVEL CM	20472,6775 litre	98,513 %	308,9579 litre	O
600	CM 105	CM 200 LEVEL CM	20420,3120 litre	98,261 %	361,3234 litre	O
600	CM 105	CM 199 LEVEL CM	20365,3956 litre	97,997 %	416,2398 litre	O
600	CM 105	CM 198 LEVEL CM	20308,0669 litre	97,721 %	473,5685 litre	O
600	CM 105	CM 197 LEVEL CM	20248,4476 litre	97,434 %	533,1878 litre	O
600	CM 105	CM 196 LEVEL CM	20186,6458 litre	97,137 %	594,9896 litre	O
600	CM 105	CM 195 LEVEL CM	20122,7586 litre	96,830 %	658,8768 litre	O
600	CM 105	CM 194 LEVEL CM	20056,8738 litre	96,512 %	724,7616 litre	O
600	CM 105	CM 193 LEVEL CM	19989,0716 litre	96,186 %	792,5638 litre	O
600	CM 105	CM 192 LEVEL CM	19919,4253 litre	95,851 %	862,2101 litre	O
600	CM 105	CM 191 LEVEL CM	19848,0027 litre	95,507 %	933,6327 litre	O
600	CM 105	CM 190 LEVEL CM	19774,8666 litre	95,155 %	1006,7688 litre	O
600	CM 105	CM 189 LEVEL CM	19700,0756 litre	94,796 %	1081,5598 litre	O
600	CM 105	CM 188 LEVEL CM	19623,6843 litre	94,428 %	1157,9511 litre	O
600	CM 105	CM 187 LEVEL CM	19545,7440 litre	94,053 %	1235,8914 litre	O
600	CM 105	CM 186 LEVEL CM	19466,3031 litre	93,671 %	1315,3323 litre	O
600	CM 105	CM 185 LEVEL CM	19385,4072 litre	93,281 %	1396,2282 litre	O
600	CM 105	CM 184 LEVEL CM	19303,0994 litre	92,885 %	1478,5360 litre	O
600	CM 105	CM 183 LEVEL CM	19219,4210 litre	92,483 %	1562,2144 litre	O
600	CM 105	CM 182 LEVEL CM	19134,4108 litre	92,074 %	1647,2246 litre	O
600	CM 105	CM 181 LEVEL CM	19048,1060 litre	91,658 %	1733,5294 litre	O
600	CM 105	CM 180 LEVEL CM	18960,5424 litre	91,237 %	1821,0930 litre	O
600	CM 105	CM 179 LEVEL CM	18871,7539 litre	90,810 %	1909,8815 litre	O
600	CM 105	CM 178 LEVEL CM	18781,7732 litre	90,377 %	1999,8622 litre	O
600	CM 105	CM 177 LEVEL CM	18690,6317 litre	89,938 %	2091,0037 litre	O
600	CM 105	CM 176 LEVEL CM	18598,3596 litre	89,494 %	2183,2758 litre	O
600	CM 105	CM 175 LEVEL CM	18504,9861 litre	89,045 %	2276,6493 litre	O
600	CM 105	CM 174 LEVEL CM	18410,5391 litre	88,590 %	2371,0963 litre	O
600	CM 105	CM 173 LEVEL CM	18315,0459 litre	88,131 %	2466,5895 litre	O
600	CM 105	CM 172 LEVEL CM	18218,5327 litre	87,667 %	2563,1027 litre	O
600	CM 105	CM 171 LEVEL CM	18121,0250 litre	87,197 %	2660,6104 litre	O
600	CM 105	CM 170 LEVEL CM	18022,5474 litre	86,723 %	2759,0880 litre	O
600	CM 105	CM 169 LEVEL CM	17923,1238 litre	86,245 %	2858,5116 litre	O
600	CM 105	CM 168 LEVEL CM	17822,7775 litre	85,762 %	2958,8579 litre	O
600	CM 105	CM 167 LEVEL CM	17721,5312 litre	85,275 %	3060,1042 litre	O
600	CM 105	CM 166 LEVEL CM	17619,4069 litre	84,784 %	3162,2285 litre	O
600	CM 105	CM 165 LEVEL CM	17516,4260 litre	84,288 %	3265,2094 litre	O
600	CM 105	CM 164 LEVEL CM	17412,6095 litre	83,788 %	3369,0259 litre	O
600	CM 105	CM 163 LEVEL CM	17307,9779 litre	83,285 %	3473,6575 litre	O
600	CM 105	CM 162 LEVEL CM	17202,5510 litre	82,778 %	3579,0844 litre	O
600	CM 105	CM 161 LEVEL CM	17096,3484 litre	82,267 %	3685,2870 litre	O
600	CM 105	CM 160 LEVEL CM	16989,3892 litre	81,752 %	3792,2462 litre	O
600	CM 105	CM 159 LEVEL CM	16881,6920 litre	81,234 %	3899,9434 litre	O

600	CM	105	CM	158 LEVEL CM	16773,2753 litre	80,712 %	4008,3601 litre	O
600	CM	105	CM	157 LEVEL CM	16664,1568 litre	80,187 %	4117,4786 litre	O
600	CM	105	CM	156 LEVEL CM	16554,3542 litre	79,659 %	4227,2812 litre	O
600	CM	105	CM	155 LEVEL CM	16443,8848 litre	79,127 %	4337,7506 litre	O
600	CM	105	CM	154 LEVEL CM	16332,7656 litre	78,592 %	4448,8698 litre	O
600	CM	105	CM	153 LEVEL CM	16221,0132 litre	78,055 %	4560,6222 litre	O
600	CM	105	CM	152 LEVEL CM	16108,6439 litre	77,514 %	4672,9915 litre	O
600	CM	105	CM	151 LEVEL CM	15995,6740 litre	76,970 %	4785,9614 litre	O
600	CM	105	CM	150 LEVEL CM	15882,1192 litre	76,424 %	4899,5162 litre	O
600	CM	105	CM	149 LEVEL CM	15767,9951 litre	75,875 %	5013,6403 litre	O
600	CM	105	CM	148 LEVEL CM	15653,3173 litre	75,323 %	5128,3181 litre	O
600	CM	105	CM	147 LEVEL CM	15538,1007 litre	74,768 %	5243,5347 litre	O
600	CM	105	CM	146 LEVEL CM	15422,3604 litre	74,211 %	5359,2750 litre	O
600	CM	105	CM	145 LEVEL CM	15306,1111 litre	73,652 %	5475,5243 litre	O
600	CM	105	CM	144 LEVEL CM	15189,3674 litre	73,090 %	5592,2680 litre	O
600	CM	105	CM	143 LEVEL CM	15072,1435 litre	72,526 %	5709,4919 litre	O
600	CM	105	CM	142 LEVEL CM	14954,4539 litre	71,960 %	5827,1815 litre	O
600	CM	105	CM	141 LEVEL CM	14836,3123 litre	71,391 %	5945,3231 litre	O
600	CM	105	CM	140 LEVEL CM	14717,7328 litre	70,821 %	6063,9026 litre	O
600	CM	105	CM	139 LEVEL CM	14598,7290 litre	70,248 %	6182,9064 litre	O
600	CM	105	CM	138 LEVEL CM	14479,3145 litre	69,674 %	6302,3209 litre	O
600	CM	105	CM	137 LEVEL CM	14359,5027 litre	69,097 %	6422,1327 litre	O
600	CM	105	CM	136 LEVEL CM	14239,3069 litre	68,519 %	6542,3285 litre	O
600	CM	105	CM	135 LEVEL CM	14118,7403 litre	67,939 %	6662,8951 litre	O
600	CM	105	CM	134 LEVEL CM	13997,8159 litre	67,357 %	6783,8195 litre	O
600	CM	105	CM	133 LEVEL CM	13876,5466 litre	66,773 %	6905,0888 litre	O
600	CM	105	CM	132 LEVEL CM	13754,9453 litre	66,188 %	7026,6901 litre	O
600	CM	105	CM	131 LEVEL CM	13633,0247 litre	65,601 %	7148,6107 litre	O
600	CM	105	CM	130 LEVEL CM	13510,7974 litre	65,013 %	7270,8380 litre	O
600	CM	105	CM	129 LEVEL CM	13388,2760 litre	64,424 %	7393,3594 litre	O
600	CM	105	CM	128 LEVEL CM	13265,4727 litre	63,833 %	7516,1627 litre	O
600	CM	105	CM	127 LEVEL CM	13142,4001 litre	63,240 %	7639,2353 litre	O
600	CM	105	CM	126 LEVEL CM	13019,0703 litre	62,647 %	7762,5651 litre	O
600	CM	105	CM	125 LEVEL CM	12895,4956 litre	62,052 %	7886,1398 litre	O
600	CM	105	CM	124 LEVEL CM	12771,6880 litre	61,457 %	8009,9474 litre	O
600	CM	105	CM	123 LEVEL CM	12647,6596 litre	60,860 %	8133,9758 litre	O
600	CM	105	CM	122 LEVEL CM	12523,4225 litre	60,262 %	8258,2129 litre	O
600	CM	105	CM	121 LEVEL CM	12398,9884 litre	59,663 %	8382,6470 litre	O
600	CM	105	CM	120 LEVEL CM	12274,3693 litre	59,064 %	8507,2661 litre	O
600	CM	105	CM	119 LEVEL CM	12149,5770 litre	58,463 %	8632,0584 litre	O
600	CM	105	CM	118 LEVEL CM	12024,6233 litre	57,862 %	8757,0121 litre	O
600	CM	105	CM	117 LEVEL CM	11899,5198 litre	57,260 %	8882,1156 litre	O
600	CM	105	CM	116 LEVEL CM	11774,2783 litre	56,657 %	9007,3571 litre	O
600	CM	105	CM	115 LEVEL CM	11648,9103 litre	56,054 %	9132,7251 litre	O
600	CM	105	CM	114 LEVEL CM	11523,4276 litre	55,450 %	9258,2078 litre	O
600	CM	105	CM	113 LEVEL CM	11397,8416 litre	54,846 %	9383,7938 litre	O
600	CM	105	CM	112 LEVEL CM	11272,1639 litre	54,241 %	9509,4715 litre	O
600	CM	105	CM	111 LEVEL CM	11146,4061 litre	53,636 %	9635,2293 litre	O
600	CM	105	CM	110 LEVEL CM	11020,5795 litre	53,030 %	9761,0559 litre	O
600	CM	105	CM	109 LEVEL CM	10894,6958 litre	52,425 %	9886,9396 litre	O
600	CM	105	CM	108 LEVEL CM	10768,7663 litre	51,819 %	10012,8691 litre	O
600	CM	105	CM	107 LEVEL CM	10642,8025 litre	51,213 %	10138,8329 litre	O
600	CM	105	CM	106 LEVEL CM	10516,8158 litre	50,606 %	10264,8196 litre	O

600	CM	105	CM	105 LEVEL CM	10390,8177 litre	50,000 %	10390,8177 litre	O
600	CM	105	CM	104 LEVEL CM	10264,8196 litre	49,394 %	10516,8158 litre	O
600	CM	105	CM	103 LEVEL CM	10138,8329 litre	48,787 %	10642,8025 litre	O
600	CM	105	CM	102 LEVEL CM	10012,8691 litre	48,181 %	10768,7663 litre	O
600	CM	105	CM	101 LEVEL CM	9886,9396 litre	47,575 %	10894,6958 litre	O
600	CM	105	CM	100 LEVEL CM	9761,0559 litre	46,970 %	11020,5795 litre	O
600	CM	105	CM	99 LEVEL CM	9635,2293 litre	46,364 %	11146,4061 litre	O
600	CM	105	CM	98 LEVEL CM	9509,4715 litre	45,759 %	11272,1639 litre	O
600	CM	105	CM	97 LEVEL CM	9383,7938 litre	45,154 %	11397,8416 litre	O
600	CM	105	CM	96 LEVEL CM	9258,2078 litre	44,550 %	11523,4276 litre	O
600	CM	105	CM	95 LEVEL CM	9132,7251 litre	43,946 %	11648,9103 litre	O
600	CM	105	CM	94 LEVEL CM	9007,3571 litre	43,343 %	11774,2783 litre	O
600	CM	105	CM	93 LEVEL CM	8882,1156 litre	42,740 %	11899,5198 litre	O
600	CM	105	CM	92 LEVEL CM	8757,0121 litre	42,138 %	12024,6233 litre	O
600	CM	105	CM	91 LEVEL CM	8632,0584 litre	41,537 %	12149,5770 litre	O
600	CM	105	CM	90 LEVEL CM	8507,2661 litre	40,936 %	12274,3693 litre	O
600	CM	105	CM	89 LEVEL CM	8382,6470 litre	40,337 %	12398,9884 litre	O
600	CM	105	CM	88 LEVEL CM	8258,2129 litre	39,738 %	12523,4225 litre	O
600	CM	105	CM	87 LEVEL CM	8133,9758 litre	39,140 %	12647,6596 litre	O
600	CM	105	CM	86 LEVEL CM	8009,9474 litre	38,543 %	12771,6880 litre	O
600	CM	105	CM	85 LEVEL CM	7886,1398 litre	37,948 %	12895,4956 litre	O
600	CM	105	CM	84 LEVEL CM	7762,5651 litre	37,353 %	13019,0703 litre	O
600	CM	105	CM	83 LEVEL CM	7639,2353 litre	36,760 %	13142,4001 litre	O
600	CM	105	CM	82 LEVEL CM	7516,1627 litre	36,167 %	13265,4727 litre	O
600	CM	105	CM	81 LEVEL CM	7393,3594 litre	35,576 %	13388,2760 litre	O
600	CM	105	CM	80 LEVEL CM	7270,8380 litre	34,987 %	13510,7974 litre	O
600	CM	105	CM	79 LEVEL CM	7148,6107 litre	34,399 %	13633,0247 litre	O
600	CM	105	CM	78 LEVEL CM	7026,6901 litre	33,812 %	13754,9453 litre	O
600	CM	105	CM	77 LEVEL CM	6905,0888 litre	33,227 %	13876,5466 litre	O
600	CM	105	CM	76 LEVEL CM	6783,8195 litre	32,643 %	13997,8159 litre	O
600	CM	105	CM	75 LEVEL CM	6662,8951 litre	32,061 %	14118,7403 litre	O
600	CM	105	CM	74 LEVEL CM	6542,3285 litre	31,481 %	14239,3069 litre	O
600	CM	105	CM	73 LEVEL CM	6422,1327 litre	30,903 %	14359,5027 litre	O
600	CM	105	CM	72 LEVEL CM	6302,3209 litre	30,326 %	14479,3145 litre	O
600	CM	105	CM	71 LEVEL CM	6182,9064 litre	29,752 %	14598,7290 litre	O
600	CM	105	CM	70 LEVEL CM	6063,9026 litre	29,179 %	14717,7328 litre	O
600	CM	105	CM	69 LEVEL CM	5945,3231 litre	28,609 %	14836,3123 litre	O
600	CM	105	CM	68 LEVEL CM	5827,1815 litre	28,040 %	14954,4539 litre	O
600	CM	105	CM	67 LEVEL CM	5709,4919 litre	27,474 %	15072,1435 litre	O
600	CM	105	CM	66 LEVEL CM	5592,2680 litre	26,910 %	15189,3674 litre	O
600	CM	105	CM	65 LEVEL CM	5475,5243 litre	26,348 %	15306,1111 litre	O
600	CM	105	CM	64 LEVEL CM	5359,2750 litre	25,789 %	15422,3604 litre	O
600	CM	105	CM	63 LEVEL CM	5243,5347 litre	25,232 %	15538,1007 litre	O
600	CM	105	CM	62 LEVEL CM	5128,3181 litre	24,677 %	15653,3173 litre	O
600	CM	105	CM	61 LEVEL CM	5013,6403 litre	24,125 %	15767,9951 litre	O
600	CM	105	CM	60 LEVEL CM	4899,5162 litre	23,576 %	15882,1192 litre	O
600	CM	105	CM	59 LEVEL CM	4785,9614 litre	23,030 %	15995,6740 litre	O
600	CM	105	CM	58 LEVEL CM	4672,9915 litre	22,486 %	16108,6439 litre	O
600	CM	105	CM	57 LEVEL CM	4560,6222 litre	21,945 %	16221,0132 litre	O
600	CM	105	CM	56 LEVEL CM	4448,8698 litre	21,408 %	16332,7656 litre	O
600	CM	105	CM	55 LEVEL CM	4337,7506 litre	20,873 %	16443,8848 litre	O
600	CM	105	CM	54 LEVEL CM	4227,2812 litre	20,341 %	16554,3542 litre	O
600	CM	105	CM	53 LEVEL CM	4117,4786 litre	19,813 %	16664,1568 litre	O

600	CM	105	CM	52 LEVEL CM	4008,3601 litre	19,288 %	16773,2753 litre	O
600	CM	105	CM	51 LEVEL CM	3899,9434 litre	18,766 %	16881,6920 litre	O
600	CM	105	CM	50 LEVEL CM	3792,2462 litre	18,248 %	16989,3892 litre	O
600	CM	105	CM	49 LEVEL CM	3685,2870 litre	17,733 %	17096,3484 litre	O
600	CM	105	CM	48 LEVEL CM	3579,0844 litre	17,222 %	17202,5510 litre	O
600	CM	105	CM	47 LEVEL CM	3473,6575 litre	16,715 %	17307,9779 litre	O
600	CM	105	CM	46 LEVEL CM	3369,0259 litre	16,212 %	17412,6095 litre	O
600	CM	105	CM	45 LEVEL CM	3265,2094 litre	15,712 %	17516,4260 litre	O
600	CM	105	CM	44 LEVEL CM	3162,2285 litre	15,216 %	17619,4069 litre	O
600	CM	105	CM	43 LEVEL CM	3060,1042 litre	14,725 %	17721,5312 litre	O
600	CM	105	CM	42 LEVEL CM	2958,8579 litre	14,238 %	17822,7775 litre	O
600	CM	105	CM	41 LEVEL CM	2858,5116 litre	13,755 %	17923,1238 litre	O
600	CM	105	CM	40 LEVEL CM	2759,0880 litre	13,277 %	18022,5474 litre	O
600	CM	105	CM	39 LEVEL CM	2660,6104 litre	12,803 %	18121,0250 litre	O
600	CM	105	CM	38 LEVEL CM	2563,1027 litre	12,333 %	18218,5327 litre	O
600	CM	105	CM	37 LEVEL CM	2466,5895 litre	11,869 %	18315,0459 litre	O
600	CM	105	CM	36 LEVEL CM	2371,0963 litre	11,410 %	18410,5391 litre	O
600	CM	105	CM	35 LEVEL CM	2276,6493 litre	10,955 %	18504,9861 litre	O
600	CM	105	CM	34 LEVEL CM	2183,2758 litre	10,506 %	18598,3596 litre	O
600	CM	105	CM	33 LEVEL CM	2091,0037 litre	10,062 %	18690,6317 litre	O
600	CM	105	CM	32 LEVEL CM	1999,8622 litre	9,623 %	18781,7732 litre	O
600	CM	105	CM	31 LEVEL CM	1909,8815 litre	9,190 %	18871,7539 litre	O
600	CM	105	CM	30 LEVEL CM	1821,0930 litre	8,763 %	18960,5424 litre	O
600	CM	105	CM	29 LEVEL CM	1733,5294 litre	8,342 %	19048,1060 litre	O
600	CM	105	CM	28 LEVEL CM	1647,2247 litre	7,926 %	19134,4107 litre	O
600	CM	105	CM	27 LEVEL CM	1562,2144 litre	7,517 %	19219,4210 litre	O
600	CM	105	CM	26 LEVEL CM	1478,5360 litre	7,115 %	19303,0994 litre	O
600	CM	105	CM	25 LEVEL CM	1396,2283 litre	6,719 %	19385,4071 litre	O
600	CM	105	CM	24 LEVEL CM	1315,3323 litre	6,329 %	19466,3031 litre	O
600	CM	105	CM	23 LEVEL CM	1235,8914 litre	5,947 %	19545,7440 litre	O
600	CM	105	CM	22 LEVEL CM	1157,9512 litre	5,572 %	19623,6842 litre	O
600	CM	105	CM	21 LEVEL CM	1081,5598 litre	5,204 %	19700,0756 litre	O
600	CM	105	CM	20 LEVEL CM	1006,7688 litre	4,845 %	19774,8666 litre	O
600	CM	105	CM	19 LEVEL CM	933,6327 litre	4,493 %	19848,0027 litre	O
600	CM	105	CM	18 LEVEL CM	862,2101 litre	4,149 %	19919,4253 litre	O
600	CM	105	CM	17 LEVEL CM	792,5638 litre	3,814 %	19989,0716 litre	O
600	CM	105	CM	16 LEVEL CM	724,7616 litre	3,488 %	20056,8738 litre	O
600	CM	105	CM	15 LEVEL CM	658,8768 litre	3,170 %	20122,7586 litre	O
600	CM	105	CM	14 LEVEL CM	594,9896 litre	2,863 %	20186,6458 litre	O
600	CM	105	CM	13 LEVEL CM	533,1879 litre	2,566 %	20248,4475 litre	O
600	CM	105	CM	12 LEVEL CM	473,5685 litre	2,279 %	20308,0669 litre	O
600	CM	105	CM	11 LEVEL CM	416,2398 litre	2,003 %	20365,3956 litre	O
600	CM	105	CM	10 LEVEL CM	361,3234 litre	1,739 %	20420,3120 litre	O
600	CM	105	CM	9 LEVEL CM	308,9580 litre	1,487 %	20472,6774 litre	O
600	CM	105	CM	8 LEVEL CM	259,3033 litre	1,248 %	20522,3321 litre	O
600	CM	105	CM	7 LEVEL CM	212,5472 litre	1,023 %	20569,0882 litre	O
600	CM	105	CM	6 LEVEL CM	168,9151 litre	0,813 %	20612,7203 litre	O
600	CM	105	CM	5 LEVEL CM	128,6850 litre	0,619 %	20652,9504 litre	O
600	CM	105	CM	4 LEVEL CM	92,2130 litre	0,444 %	20689,4224 litre	O
600	CM	105	CM	3 LEVEL CM	59,9807 litre	0,289 %	20721,6547 litre	O
600	CM	105	CM	2 LEVEL CM	32,6964 litre	0,157 %	20748,9390 litre	O
600	CM	105	CM	1 LEVEL CM	11,5765 litre	0,056 %	20770,0589 litre	O
600	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	20781,6354 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
600	CM 100	CM 200 LEVEL CM	18849,5559 litre	100,000 %	0,0000 litre O
600	CM 100	CM 199 LEVEL CM	18838,2592 litre	99,940 %	11,2967 litre O
600	CM 100	CM 198 LEVEL CM	18817,6521 litre	99,831 %	31,9038 litre O
600	CM 100	CM 197 LEVEL CM	18791,0334 litre	99,690 %	58,5225 litre O
600	CM 100	CM 196 LEVEL CM	18759,5913 litre	99,523 %	89,9646 litre O
600	CM 100	CM 195 LEVEL CM	18724,0178 litre	99,334 %	125,5381 litre O
600	CM 100	CM 194 LEVEL CM	18684,7836 litre	99,126 %	164,7723 litre O
600	CM 100	CM 193 LEVEL CM	18642,2371 litre	98,900 %	207,3188 litre O
600	CM 100	CM 192 LEVEL CM	18596,6502 litre	98,658 %	252,9057 litre O
600	CM 100	CM 191 LEVEL CM	18548,2434 litre	98,401 %	301,3125 litre O
600	CM 100	CM 190 LEVEL CM	18497,2005 litre	98,131 %	352,3554 litre O
600	CM 100	CM 189 LEVEL CM	18443,6782 litre	97,847 %	405,8777 litre O
600	CM 100	CM 188 LEVEL CM	18387,8122 litre	97,550 %	461,7437 litre O
600	CM 100	CM 187 LEVEL CM	18329,7219 litre	97,242 %	519,8340 litre O
600	CM 100	CM 186 LEVEL CM	18269,5132 litre	96,923 %	580,0427 litre O
600	CM 100	CM 185 LEVEL CM	18207,2814 litre	96,593 %	642,2745 litre O
600	CM 100	CM 184 LEVEL CM	18143,1127 litre	96,252 %	706,4432 litre O
600	CM 100	CM 183 LEVEL CM	18077,0858 litre	95,902 %	772,4701 litre O
600	CM 100	CM 182 LEVEL CM	18009,2726 litre	95,542 %	840,2833 litre O
600	CM 100	CM 181 LEVEL CM	17939,7399 litre	95,173 %	909,8160 litre O
600	CM 100	CM 180 LEVEL CM	17868,5493 litre	94,796 %	981,0066 litre O
600	CM 100	CM 179 LEVEL CM	17795,7584 litre	94,409 %	1053,7975 litre O
600	CM 100	CM 178 LEVEL CM	17721,4210 litre	94,015 %	1128,1349 litre O
600	CM 100	CM 177 LEVEL CM	17645,5876 litre	93,613 %	1203,9683 litre O
600	CM 100	CM 176 LEVEL CM	17568,3059 litre	93,203 %	1281,2500 litre O
600	CM 100	CM 175 LEVEL CM	17489,6207 litre	92,785 %	1359,9352 litre O
600	CM 100	CM 174 LEVEL CM	17409,5746 litre	92,361 %	1439,9813 litre O
600	CM 100	CM 173 LEVEL CM	17328,2082 litre	91,929 %	1521,3477 litre O
600	CM 100	CM 172 LEVEL CM	17245,5598 litre	91,491 %	1603,9961 litre O
600	CM 100	CM 171 LEVEL CM	17161,6664 litre	91,045 %	1687,8895 litre O
600	CM 100	CM 170 LEVEL CM	17076,5629 litre	90,594 %	1772,9930 litre O
600	CM 100	CM 169 LEVEL CM	16990,2831 litre	90,136 %	1859,2728 litre O
600	CM 100	CM 168 LEVEL CM	16902,8592 litre	89,672 %	1946,6967 litre O
600	CM 100	CM 167 LEVEL CM	16814,3223 litre	89,203 %	2035,2336 litre O
600	CM 100	CM 166 LEVEL CM	16724,7023 litre	88,727 %	2124,8536 litre O
600	CM 100	CM 165 LEVEL CM	16634,0280 litre	88,246 %	2215,5279 litre O
600	CM 100	CM 164 LEVEL CM	16542,3272 litre	87,760 %	2307,2287 litre O
600	CM 100	CM 163 LEVEL CM	16449,6268 litre	87,268 %	2399,9291 litre O
600	CM 100	CM 162 LEVEL CM	16355,9529 litre	86,771 %	2493,6030 litre O
600	CM 100	CM 161 LEVEL CM	16261,3307 litre	86,269 %	2588,2252 litre O
600	CM 100	CM 160 LEVEL CM	16165,7846 litre	85,762 %	2683,7713 litre O
600	CM 100	CM 159 LEVEL CM	16069,3385 litre	85,250 %	2780,2174 litre O
600	CM 100	CM 158 LEVEL CM	15972,0154 litre	84,734 %	2877,5405 litre O
600	CM 100	CM 157 LEVEL CM	15873,8379 litre	84,213 %	2975,7180 litre O
600	CM 100	CM 156 LEVEL CM	15774,8279 litre	83,688 %	3074,7280 litre O
600	CM 100	CM 155 LEVEL CM	15675,0067 litre	83,158 %	3174,5492 litre O
600	CM 100	CM 154 LEVEL CM	15574,3953 litre	82,625 %	3275,1606 litre O
600	CM 100	CM 153 LEVEL CM	15473,0139 litre	82,087 %	3376,5420 litre O
600	CM 100	CM 152 LEVEL CM	15370,8824 litre	81,545 %	3478,6735 litre O
600	CM 100	CM 151 LEVEL CM	15268,0204 litre	80,999 %	3581,5355 litre O
600	CM 100	CM 150 LEVEL CM	15164,4468 litre	80,450 %	3685,1091 litre O
600	CM 100	CM 149 LEVEL CM	15060,1804 litre	79,897 %	3789,3755 litre O

600	CM	100	CM	148 LEVEL CM	14955,2395 litre	79,340 %	3894,3164 litre	O
600	CM	100	CM	147 LEVEL CM	14849,6419 litre	78,780 %	3999,9140 litre	O
600	CM	100	CM	146 LEVEL CM	14743,4054 litre	78,216 %	4106,1505 litre	O
600	CM	100	CM	145 LEVEL CM	14636,5471 litre	77,649 %	4213,0088 litre	O
600	CM	100	CM	144 LEVEL CM	14529,0841 litre	77,079 %	4320,4718 litre	O
600	CM	100	CM	143 LEVEL CM	14421,0332 litre	76,506 %	4428,5227 litre	O
600	CM	100	CM	142 LEVEL CM	14312,4106 litre	75,930 %	4537,1453 litre	O
600	CM	100	CM	141 LEVEL CM	14203,2327 litre	75,350 %	4646,3232 litre	O
600	CM	100	CM	140 LEVEL CM	14093,5154 litre	74,768 %	4756,0405 litre	O
600	CM	100	CM	139 LEVEL CM	13983,2743 litre	74,184 %	4866,2816 litre	O
600	CM	100	CM	138 LEVEL CM	13872,5249 litre	73,596 %	4977,0310 litre	O
600	CM	100	CM	137 LEVEL CM	13761,2826 litre	73,006 %	5088,2733 litre	O
600	CM	100	CM	136 LEVEL CM	13649,5623 litre	72,413 %	5199,9936 litre	O
600	CM	100	CM	135 LEVEL CM	13537,3790 litre	71,818 %	5312,1769 litre	O
600	CM	100	CM	134 LEVEL CM	13424,7472 litre	71,220 %	5424,8087 litre	O
600	CM	100	CM	133 LEVEL CM	13311,6817 litre	70,621 %	5537,8742 litre	O
600	CM	100	CM	132 LEVEL CM	13198,1966 litre	70,019 %	5651,3593 litre	O
600	CM	100	CM	131 LEVEL CM	13084,3062 litre	69,414 %	5765,2497 litre	O
600	CM	100	CM	130 LEVEL CM	12970,0244 litre	68,808 %	5879,5315 litre	O
600	CM	100	CM	129 LEVEL CM	12855,3654 litre	68,200 %	5994,1905 litre	O
600	CM	100	CM	128 LEVEL CM	12740,3426 litre	67,590 %	6109,2133 litre	O
600	CM	100	CM	127 LEVEL CM	12624,9699 litre	66,978 %	6224,5860 litre	O
600	CM	100	CM	126 LEVEL CM	12509,2606 litre	66,364 %	6340,2953 litre	O
600	CM	100	CM	125 LEVEL CM	12393,2282 litre	65,748 %	6456,3277 litre	O
600	CM	100	CM	124 LEVEL CM	12276,8860 litre	65,131 %	6572,6699 litre	O
600	CM	100	CM	123 LEVEL CM	12160,2471 litre	64,512 %	6689,3088 litre	O
600	CM	100	CM	122 LEVEL CM	12043,3246 litre	63,892 %	6806,2313 litre	O
600	CM	100	CM	121 LEVEL CM	11926,1315 litre	63,270 %	6923,4244 litre	O
600	CM	100	CM	120 LEVEL CM	11808,6806 litre	62,647 %	7040,8753 litre	O
600	CM	100	CM	119 LEVEL CM	11690,9847 litre	62,023 %	7158,5712 litre	O
600	CM	100	CM	118 LEVEL CM	11573,0566 litre	61,397 %	7276,4993 litre	O
600	CM	100	CM	117 LEVEL CM	11454,9089 litre	60,770 %	7394,6470 litre	O
600	CM	100	CM	116 LEVEL CM	11336,5542 litre	60,142 %	7513,0017 litre	O
600	CM	100	CM	115 LEVEL CM	11218,0050 litre	59,513 %	7631,5509 litre	O
600	CM	100	CM	114 LEVEL CM	11099,2737 litre	58,883 %	7750,2822 litre	O
600	CM	100	CM	113 LEVEL CM	10980,3728 litre	58,253 %	7869,1831 litre	O
600	CM	100	CM	112 LEVEL CM	10861,3145 litre	57,621 %	7988,2414 litre	O
600	CM	100	CM	111 LEVEL CM	10742,1111 litre	56,989 %	8107,4448 litre	O
600	CM	100	CM	110 LEVEL CM	10622,7750 litre	56,356 %	8226,7809 litre	O
600	CM	100	CM	109 LEVEL CM	10503,3182 litre	55,722 %	8346,2377 litre	O
600	CM	100	CM	108 LEVEL CM	10383,7530 litre	55,088 %	8465,8029 litre	O
600	CM	100	CM	107 LEVEL CM	10264,0915 litre	54,453 %	8585,4644 litre	O
600	CM	100	CM	106 LEVEL CM	10144,3457 litre	53,817 %	8705,2102 litre	O
600	CM	100	CM	105 LEVEL CM	10024,5279 litre	53,182 %	8825,0280 litre	O
600	CM	100	CM	104 LEVEL CM	9904,6499 litre	52,546 %	8944,9060 litre	O
600	CM	100	CM	103 LEVEL CM	9784,7240 litre	51,910 %	9064,8319 litre	O
600	CM	100	CM	102 LEVEL CM	9664,7620 litre	51,273 %	9184,7939 litre	O
600	CM	100	CM	101 LEVEL CM	9544,7760 litre	50,637 %	9304,7799 litre	O
600	CM	100	CM	100 LEVEL CM	9424,7780 litre	50,000 %	9424,7779 litre	O
600	CM	100	CM	99 LEVEL CM	9304,7800 litre	49,363 %	9544,7759 litre	O
600	CM	100	CM	98 LEVEL CM	9184,7940 litre	48,727 %	9664,7619 litre	O
600	CM	100	CM	97 LEVEL CM	9064,8320 litre	48,090 %	9784,7239 litre	O
600	CM	100	CM	96 LEVEL CM	8944,9060 litre	47,454 %	9904,6499 litre	O

600	CM	100	CM	95 LEVEL CM	8825,0281 litre	46,818 %	10024,5278 litre	O
600	CM	100	CM	94 LEVEL CM	8705,2102 litre	46,183 %	10144,3457 litre	O
600	CM	100	CM	93 LEVEL CM	8585,4645 litre	45,547 %	10264,0914 litre	O
600	CM	100	CM	92 LEVEL CM	8465,8029 litre	44,912 %	10383,7530 litre	O
600	CM	100	CM	91 LEVEL CM	8346,2377 litre	44,278 %	10503,3182 litre	O
600	CM	100	CM	90 LEVEL CM	8226,7810 litre	43,644 %	10622,7749 litre	O
600	CM	100	CM	89 LEVEL CM	8107,4448 litre	43,011 %	10742,1111 litre	O
600	CM	100	CM	88 LEVEL CM	7988,2415 litre	42,379 %	10861,3144 litre	O
600	CM	100	CM	87 LEVEL CM	7869,1832 litre	41,747 %	10980,3727 litre	O
600	CM	100	CM	86 LEVEL CM	7750,2822 litre	41,117 %	11099,2737 litre	O
600	CM	100	CM	85 LEVEL CM	7631,5509 litre	40,487 %	11218,0050 litre	O
600	CM	100	CM	84 LEVEL CM	7513,0017 litre	39,858 %	11336,5542 litre	O
600	CM	100	CM	83 LEVEL CM	7394,6470 litre	39,230 %	11454,9089 litre	O
600	CM	100	CM	82 LEVEL CM	7276,4993 litre	38,603 %	11573,0566 litre	O
600	CM	100	CM	81 LEVEL CM	7158,5712 litre	37,977 %	11690,9847 litre	O
600	CM	100	CM	80 LEVEL CM	7040,8754 litre	37,353 %	11808,6805 litre	O
600	CM	100	CM	79 LEVEL CM	6923,4245 litre	36,730 %	11926,1314 litre	O
600	CM	100	CM	78 LEVEL CM	6806,2313 litre	36,108 %	12043,3246 litre	O
600	CM	100	CM	77 LEVEL CM	6689,3088 litre	35,488 %	12160,2471 litre	O
600	CM	100	CM	76 LEVEL CM	6572,6699 litre	34,869 %	12276,8860 litre	O
600	CM	100	CM	75 LEVEL CM	6456,3277 litre	34,252 %	12393,2282 litre	O
600	CM	100	CM	74 LEVEL CM	6340,2953 litre	33,636 %	12509,2606 litre	O
600	CM	100	CM	73 LEVEL CM	6224,5861 litre	33,022 %	12624,9698 litre	O
600	CM	100	CM	72 LEVEL CM	6109,2133 litre	32,410 %	12740,3426 litre	O
600	CM	100	CM	71 LEVEL CM	5994,1906 litre	31,800 %	12855,3653 litre	O
600	CM	100	CM	70 LEVEL CM	5879,5315 litre	31,192 %	12970,0244 litre	O
600	CM	100	CM	69 LEVEL CM	5765,2498 litre	30,586 %	13084,3061 litre	O
600	CM	100	CM	68 LEVEL CM	5651,3594 litre	29,981 %	13198,1965 litre	O
600	CM	100	CM	67 LEVEL CM	5537,8743 litre	29,379 %	13311,6816 litre	O
600	CM	100	CM	66 LEVEL CM	5424,8087 litre	28,780 %	13424,7472 litre	O
600	CM	100	CM	65 LEVEL CM	5312,1770 litre	28,182 %	13537,3789 litre	O
600	CM	100	CM	64 LEVEL CM	5199,9936 litre	27,587 %	13649,5623 litre	O
600	CM	100	CM	63 LEVEL CM	5088,2733 litre	26,994 %	13761,2826 litre	O
600	CM	100	CM	62 LEVEL CM	4977,0310 litre	26,404 %	13872,5249 litre	O
600	CM	100	CM	61 LEVEL CM	4866,2816 litre	25,816 %	13983,2743 litre	O
600	CM	100	CM	60 LEVEL CM	4756,0406 litre	25,232 %	14093,5153 litre	O
600	CM	100	CM	59 LEVEL CM	4646,3232 litre	24,650 %	14203,2327 litre	O
600	CM	100	CM	58 LEVEL CM	4537,1453 litre	24,070 %	14312,4106 litre	O
600	CM	100	CM	57 LEVEL CM	4428,5228 litre	23,494 %	14421,0331 litre	O
600	CM	100	CM	56 LEVEL CM	4320,4718 litre	22,921 %	14529,0841 litre	O
600	CM	100	CM	55 LEVEL CM	4213,0088 litre	22,351 %	14636,5471 litre	O
600	CM	100	CM	54 LEVEL CM	4106,1506 litre	21,784 %	14743,4053 litre	O
600	CM	100	CM	53 LEVEL CM	3999,9140 litre	21,220 %	14849,6419 litre	O
600	CM	100	CM	52 LEVEL CM	3894,3164 litre	20,660 %	14955,2395 litre	O
600	CM	100	CM	51 LEVEL CM	3789,3755 litre	20,103 %	15060,1804 litre	O
600	CM	100	CM	50 LEVEL CM	3685,1091 litre	19,550 %	15164,4468 litre	O
600	CM	100	CM	49 LEVEL CM	3581,5356 litre	19,001 %	15268,0203 litre	O
600	CM	100	CM	48 LEVEL CM	3478,6735 litre	18,455 %	15370,8824 litre	O
600	CM	100	CM	47 LEVEL CM	3376,5421 litre	17,913 %	15473,0138 litre	O
600	CM	100	CM	46 LEVEL CM	3275,1607 litre	17,375 %	15574,3952 litre	O
600	CM	100	CM	45 LEVEL CM	3174,5492 litre	16,842 %	15675,0067 litre	O
600	CM	100	CM	44 LEVEL CM	3074,7280 litre	16,312 %	15774,8279 litre	O
600	CM	100	CM	43 LEVEL CM	2975,7180 litre	15,787 %	15873,8379 litre	O

600	CM	100	CM	42 LEVEL CM	2877,5405 litre	15,266 %	15972,0154 litre	O
600	CM	100	CM	41 LEVEL CM	2780,2174 litre	14,750 %	16069,3385 litre	O
600	CM	100	CM	40 LEVEL CM	2683,7713 litre	14,238 %	16165,7846 litre	O
600	CM	100	CM	39 LEVEL CM	2588,2252 litre	13,731 %	16261,3307 litre	O
600	CM	100	CM	38 LEVEL CM	2493,6030 litre	13,229 %	16355,9529 litre	O
600	CM	100	CM	37 LEVEL CM	2399,9291 litre	12,732 %	16449,6268 litre	O
600	CM	100	CM	36 LEVEL CM	2307,2287 litre	12,240 %	16542,3272 litre	O
600	CM	100	CM	35 LEVEL CM	2215,5279 litre	11,754 %	16634,0280 litre	O
600	CM	100	CM	34 LEVEL CM	2124,8536 litre	11,273 %	16724,7023 litre	O
600	CM	100	CM	33 LEVEL CM	2035,2336 litre	10,797 %	16814,3223 litre	O
600	CM	100	CM	32 LEVEL CM	1946,6967 litre	10,328 %	16902,8592 litre	O
600	CM	100	CM	31 LEVEL CM	1859,2729 litre	9,864 %	16990,2830 litre	O
600	CM	100	CM	30 LEVEL CM	1772,9930 litre	9,406 %	17076,5629 litre	O
600	CM	100	CM	29 LEVEL CM	1687,8896 litre	8,955 %	17161,6663 litre	O
600	CM	100	CM	28 LEVEL CM	1603,9961 litre	8,509 %	17245,5598 litre	O
600	CM	100	CM	27 LEVEL CM	1521,3478 litre	8,071 %	17328,2081 litre	O
600	CM	100	CM	26 LEVEL CM	1439,9813 litre	7,639 %	17409,5746 litre	O
600	CM	100	CM	25 LEVEL CM	1359,9353 litre	7,215 %	17489,6206 litre	O
600	CM	100	CM	24 LEVEL CM	1281,2501 litre	6,797 %	17568,3058 litre	O
600	CM	100	CM	23 LEVEL CM	1203,9683 litre	6,387 %	17645,5876 litre	O
600	CM	100	CM	22 LEVEL CM	1128,1349 litre	5,985 %	17721,4210 litre	O
600	CM	100	CM	21 LEVEL CM	1053,7975 litre	5,591 %	17795,7584 litre	O
600	CM	100	CM	20 LEVEL CM	981,0067 litre	5,204 %	17868,5492 litre	O
600	CM	100	CM	19 LEVEL CM	909,8161 litre	4,827 %	17939,7398 litre	O
600	CM	100	CM	18 LEVEL CM	840,2833 litre	4,458 %	18009,2726 litre	O
600	CM	100	CM	17 LEVEL CM	772,4702 litre	4,098 %	18077,0857 litre	O
600	CM	100	CM	16 LEVEL CM	706,4432 litre	3,748 %	18143,1127 litre	O
600	CM	100	CM	15 LEVEL CM	642,2745 litre	3,407 %	18207,2814 litre	O
600	CM	100	CM	14 LEVEL CM	580,0427 litre	3,077 %	18269,5132 litre	O
600	CM	100	CM	13 LEVEL CM	519,8341 litre	2,758 %	18329,7218 litre	O
600	CM	100	CM	12 LEVEL CM	461,7437 litre	2,450 %	18387,8122 litre	O
600	CM	100	CM	11 LEVEL CM	405,8777 litre	2,153 %	18443,6782 litre	O
600	CM	100	CM	10 LEVEL CM	352,3554 litre	1,869 %	18497,2005 litre	O
600	CM	100	CM	9 LEVEL CM	301,3126 litre	1,599 %	18548,2433 litre	O
600	CM	100	CM	8 LEVEL CM	252,9057 litre	1,342 %	18596,6502 litre	O
600	CM	100	CM	7 LEVEL CM	207,3188 litre	1,100 %	18642,2371 litre	O
600	CM	100	CM	6 LEVEL CM	164,7723 litre	0,874 %	18684,7836 litre	O
600	CM	100	CM	5 LEVEL CM	125,5381 litre	0,666 %	18724,0178 litre	O
600	CM	100	CM	4 LEVEL CM	89,9647 litre	0,477 %	18759,5912 litre	O
600	CM	100	CM	3 LEVEL CM	58,5225 litre	0,310 %	18791,0334 litre	O
600	CM	100	CM	2 LEVEL CM	31,9038 litre	0,169 %	18817,6521 litre	O
600	CM	100	CM	1 LEVEL CM	11,2967 litre	0,060 %	18838,2592 litre	O
600	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	18849,5559 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	95	CM	190 LEVEL CM	17011,7242 litre	100,000 %	0,0000 litre	O
600	CM	95	CM	189 LEVEL CM	17000,7144 litre	99,935 %	11,0098 litre	O
600	CM	95	CM	188 LEVEL CM	16980,6332 litre	99,817 %	31,0910 litre	O
600	CM	95	CM	187 LEVEL CM	16954,6972 litre	99,665 %	57,0270 litre	O
600	CM	95	CM	186 LEVEL CM	16924,0656 litre	99,485 %	87,6586 litre	O
600	CM	95	CM	185 LEVEL CM	16889,4139 litre	99,281 %	122,3103 litre	O
600	CM	95	CM	184 LEVEL CM	16851,2017 litre	99,056 %	160,5225 litre	O
600	CM	95	CM	183 LEVEL CM	16809,7692 litre	98,813 %	201,9550 litre	O
600	CM	95	CM	182 LEVEL CM	16765,3822 litre	98,552 %	246,3420 litre	O
600	CM	95	CM	181 LEVEL CM	16718,2562 litre	98,275 %	293,4680 litre	O
600	CM	95	CM	180 LEVEL CM	16668,5711 litre	97,983 %	343,1531 litre	O
600	CM	95	CM	179 LEVEL CM	16616,4802 litre	97,677 %	395,2440 litre	O
600	CM	95	CM	178 LEVEL CM	16562,1163 litre	97,357 %	449,6079 litre	O
600	CM	95	CM	177 LEVEL CM	16505,5963 litre	97,025 %	506,1279 litre	O
600	CM	95	CM	176 LEVEL CM	16447,0241 litre	96,681 %	564,7001 litre	O
600	CM	95	CM	175 LEVEL CM	16386,4930 litre	96,325 %	625,2312 litre	O
600	CM	95	CM	174 LEVEL CM	16324,0875 litre	95,958 %	687,6367 litre	O
600	CM	95	CM	173 LEVEL CM	16259,8849 litre	95,580 %	751,8393 litre	O
600	CM	95	CM	172 LEVEL CM	16193,9558 litre	95,193 %	817,7684 litre	O
600	CM	95	CM	171 LEVEL CM	16126,3657 litre	94,796 %	885,3585 litre	O
600	CM	95	CM	170 LEVEL CM	16057,1753 litre	94,389 %	954,5489 litre	O
600	CM	95	CM	169 LEVEL CM	15986,4411 litre	93,973 %	1025,2831 litre	O
600	CM	95	CM	168 LEVEL CM	15914,2160 litre	93,549 %	1097,5082 litre	O
600	CM	95	CM	167 LEVEL CM	15840,5498 litre	93,115 %	1171,1744 litre	O
600	CM	95	CM	166 LEVEL CM	15765,4893 litre	92,674 %	1246,2349 litre	O
600	CM	95	CM	165 LEVEL CM	15689,0787 litre	92,225 %	1322,6455 litre	O
600	CM	95	CM	164 LEVEL CM	15611,3601 litre	91,768 %	1400,3641 litre	O
600	CM	95	CM	163 LEVEL CM	15532,3733 litre	91,304 %	1479,3509 litre	O
600	CM	95	CM	162 LEVEL CM	15452,1564 litre	90,832 %	1559,5678 litre	O
600	CM	95	CM	161 LEVEL CM	15370,7455 litre	90,354 %	1640,9787 litre	O
600	CM	95	CM	160 LEVEL CM	15288,1755 litre	89,868 %	1723,5487 litre	O
600	CM	95	CM	159 LEVEL CM	15204,4795 litre	89,376 %	1807,2447 litre	O
600	CM	95	CM	158 LEVEL CM	15119,6895 litre	88,878 %	1892,0347 litre	O
600	CM	95	CM	157 LEVEL CM	15033,8362 litre	88,373 %	1977,8880 litre	O
600	CM	95	CM	156 LEVEL CM	14946,9492 litre	87,863 %	2064,7750 litre	O
600	CM	95	CM	155 LEVEL CM	14859,0570 litre	87,346 %	2152,6672 litre	O
600	CM	95	CM	154 LEVEL CM	14770,1872 litre	86,824 %	2241,5370 litre	O
600	CM	95	CM	153 LEVEL CM	14680,3665 litre	86,296 %	2331,3577 litre	O
600	CM	95	CM	152 LEVEL CM	14589,6206 litre	85,762 %	2422,1036 litre	O
600	CM	95	CM	151 LEVEL CM	14497,9747 litre	85,223 %	2513,7495 litre	O
600	CM	95	CM	150 LEVEL CM	14405,4530 litre	84,680 %	2606,2712 litre	O
600	CM	95	CM	149 LEVEL CM	14312,0793 litre	84,131 %	2699,6449 litre	O
600	CM	95	CM	148 LEVEL CM	14217,8764 litre	83,577 %	2793,8478 litre	O
600	CM	95	CM	147 LEVEL CM	14122,8668 litre	83,018 %	2888,8574 litre	O
600	CM	95	CM	146 LEVEL CM	14027,0722 litre	82,455 %	2984,6520 litre	O
600	CM	95	CM	145 LEVEL CM	13930,5141 litre	81,888 %	3081,2101 litre	O
600	CM	95	CM	144 LEVEL CM	13833,2132 litre	81,316 %	3178,5110 litre	O
600	CM	95	CM	143 LEVEL CM	13735,1897 litre	80,740 %	3276,5345 litre	O
600	CM	95	CM	142 LEVEL CM	13636,4636 litre	80,159 %	3375,2606 litre	O
600	CM	95	CM	141 LEVEL CM	13537,0543 litre	79,575 %	3474,6699 litre	O
600	CM	95	CM	140 LEVEL CM	13436,9810 litre	78,987 %	3574,7432 litre	O
600	CM	95	CM	139 LEVEL CM	13336,2621 litre	78,395 %	3675,4621 litre	O

600	CM	95	CM	138 LEVEL CM	13234,9161 litre	77,799 %	3776,8081 litre	O
600	CM	95	CM	137 LEVEL CM	13132,9610 litre	77,199 %	3878,7632 litre	O
600	CM	95	CM	136 LEVEL CM	13030,4144 litre	76,597 %	3981,3098 litre	O
600	CM	95	CM	135 LEVEL CM	12927,2936 litre	75,990 %	4084,4306 litre	O
600	CM	95	CM	134 LEVEL CM	12823,6157 litre	75,381 %	4188,1085 litre	O
600	CM	95	CM	133 LEVEL CM	12719,3976 litre	74,768 %	4292,3266 litre	O
600	CM	95	CM	132 LEVEL CM	12614,6558 litre	74,153 %	4397,0684 litre	O
600	CM	95	CM	131 LEVEL CM	12509,4064 litre	73,534 %	4502,3178 litre	O
600	CM	95	CM	130 LEVEL CM	12403,6657 litre	72,912 %	4608,0585 litre	O
600	CM	95	CM	129 LEVEL CM	12297,4494 litre	72,288 %	4714,2748 litre	O
600	CM	95	CM	128 LEVEL CM	12190,7732 litre	71,661 %	4820,9510 litre	O
600	CM	95	CM	127 LEVEL CM	12083,6524 litre	71,031 %	4928,0718 litre	O
600	CM	95	CM	126 LEVEL CM	11976,1023 litre	70,399 %	5035,6219 litre	O
600	CM	95	CM	125 LEVEL CM	11868,1379 litre	69,764 %	5143,5863 litre	O
600	CM	95	CM	124 LEVEL CM	11759,7741 litre	69,127 %	5251,9501 litre	O
600	CM	95	CM	123 LEVEL CM	11651,0257 litre	68,488 %	5360,6985 litre	O
600	CM	95	CM	122 LEVEL CM	11541,9071 litre	67,847 %	5469,8171 litre	O
600	CM	95	CM	121 LEVEL CM	11432,4327 litre	67,203 %	5579,2915 litre	O
600	CM	95	CM	120 LEVEL CM	11322,6169 litre	66,558 %	5689,1073 litre	O
600	CM	95	CM	119 LEVEL CM	11212,4738 litre	65,910 %	5799,2504 litre	O
600	CM	95	CM	118 LEVEL CM	11102,0173 litre	65,261 %	5909,7069 litre	O
600	CM	95	CM	117 LEVEL CM	10991,2614 litre	64,610 %	6020,4628 litre	O
600	CM	95	CM	116 LEVEL CM	10880,2198 litre	63,957 %	6131,5044 litre	O
600	CM	95	CM	115 LEVEL CM	10768,9062 litre	63,303 %	6242,8180 litre	O
600	CM	95	CM	114 LEVEL CM	10657,3342 litre	62,647 %	6354,3900 litre	O
600	CM	95	CM	113 LEVEL CM	10545,5172 litre	61,990 %	6466,2070 litre	O
600	CM	95	CM	112 LEVEL CM	10433,4687 litre	61,331 %	6578,2555 litre	O
600	CM	95	CM	111 LEVEL CM	10321,2019 litre	60,671 %	6690,5223 litre	O
600	CM	95	CM	110 LEVEL CM	10208,7300 litre	60,010 %	6802,9942 litre	O
600	CM	95	CM	109 LEVEL CM	10096,0663 litre	59,348 %	6915,6579 litre	O
600	CM	95	CM	108 LEVEL CM	9983,2238 litre	58,684 %	7028,5004 litre	O
600	CM	95	CM	107 LEVEL CM	9870,2155 litre	58,020 %	7141,5087 litre	O
600	CM	95	CM	106 LEVEL CM	9757,0543 litre	57,355 %	7254,6699 litre	O
600	CM	95	CM	105 LEVEL CM	9643,7533 litre	56,689 %	7367,9709 litre	O
600	CM	95	CM	104 LEVEL CM	9530,3253 litre	56,022 %	7481,3989 litre	O
600	CM	95	CM	103 LEVEL CM	9416,7831 litre	55,355 %	7594,9411 litre	O
600	CM	95	CM	102 LEVEL CM	9303,1394 litre	54,687 %	7708,5848 litre	O
600	CM	95	CM	101 LEVEL CM	9189,4071 litre	54,018 %	7822,3171 litre	O
600	CM	95	CM	100 LEVEL CM	9075,5988 litre	53,349 %	7936,1254 litre	O
600	CM	95	CM	99 LEVEL CM	8961,7273 litre	52,680 %	8049,9969 litre	O
600	CM	95	CM	98 LEVEL CM	8847,8053 litre	52,010 %	8163,9189 litre	O
600	CM	95	CM	97 LEVEL CM	8733,8453 litre	51,340 %	8277,8789 litre	O
600	CM	95	CM	96 LEVEL CM	8619,8600 litre	50,670 %	8391,8642 litre	O
600	CM	95	CM	95 LEVEL CM	8505,8621 litre	50,000 %	8505,8621 litre	O
600	CM	95	CM	94 LEVEL CM	8391,8642 litre	49,330 %	8619,8600 litre	O
600	CM	95	CM	93 LEVEL CM	8277,8790 litre	48,660 %	8733,8452 litre	O
600	CM	95	CM	92 LEVEL CM	8163,9190 litre	47,990 %	8847,8052 litre	O
600	CM	95	CM	91 LEVEL CM	8049,9969 litre	47,320 %	8961,7273 litre	O
600	CM	95	CM	90 LEVEL CM	7936,1254 litre	46,651 %	9075,5988 litre	O
600	CM	95	CM	89 LEVEL CM	7822,3171 litre	45,982 %	9189,4071 litre	O
600	CM	95	CM	88 LEVEL CM	7708,5848 litre	45,313 %	9303,1394 litre	O
600	CM	95	CM	87 LEVEL CM	7594,9412 litre	44,645 %	9416,7830 litre	O
600	CM	95	CM	86 LEVEL CM	7481,3989 litre	43,978 %	9530,3253 litre	O

600	CM	95	CM	85 LEVEL CM	7367,9709 litre	43,311 %	9643,7533 litre	O
600	CM	95	CM	84 LEVEL CM	7254,6699 litre	42,645 %	9757,0543 litre	O
600	CM	95	CM	83 LEVEL CM	7141,5088 litre	41,980 %	9870,2154 litre	O
600	CM	95	CM	82 LEVEL CM	7028,5005 litre	41,316 %	9983,2237 litre	O
600	CM	95	CM	81 LEVEL CM	6915,6579 litre	40,652 %	10096,0663 litre	O
600	CM	95	CM	80 LEVEL CM	6802,9942 litre	39,990 %	10208,7300 litre	O
600	CM	95	CM	79 LEVEL CM	6690,5223 litre	39,329 %	10321,2019 litre	O
600	CM	95	CM	78 LEVEL CM	6578,2555 litre	38,669 %	10433,4687 litre	O
600	CM	95	CM	77 LEVEL CM	6466,2070 litre	38,010 %	10545,5172 litre	O
600	CM	95	CM	76 LEVEL CM	6354,3900 litre	37,353 %	10657,3342 litre	O
600	CM	95	CM	75 LEVEL CM	6242,8180 litre	36,697 %	10768,9062 litre	O
600	CM	95	CM	74 LEVEL CM	6131,5044 litre	36,043 %	10880,2198 litre	O
600	CM	95	CM	73 LEVEL CM	6020,4628 litre	35,390 %	10991,2614 litre	O
600	CM	95	CM	72 LEVEL CM	5909,7069 litre	34,739 %	11102,0173 litre	O
600	CM	95	CM	71 LEVEL CM	5799,2504 litre	34,090 %	11212,4738 litre	O
600	CM	95	CM	70 LEVEL CM	5689,1073 litre	33,442 %	11322,6169 litre	O
600	CM	95	CM	69 LEVEL CM	5579,2915 litre	32,797 %	11432,4327 litre	O
600	CM	95	CM	68 LEVEL CM	5469,8172 litre	32,153 %	11541,9070 litre	O
600	CM	95	CM	67 LEVEL CM	5360,6986 litre	31,512 %	11651,0256 litre	O
600	CM	95	CM	66 LEVEL CM	5251,9501 litre	30,873 %	11759,7741 litre	O
600	CM	95	CM	65 LEVEL CM	5143,5863 litre	30,236 %	11868,1379 litre	O
600	CM	95	CM	64 LEVEL CM	5035,6220 litre	29,601 %	11976,1022 litre	O
600	CM	95	CM	63 LEVEL CM	4928,0718 litre	28,969 %	12083,6524 litre	O
600	CM	95	CM	62 LEVEL CM	4820,9511 litre	28,339 %	12190,7731 litre	O
600	CM	95	CM	61 LEVEL CM	4714,2748 litre	27,712 %	12297,4494 litre	O
600	CM	95	CM	60 LEVEL CM	4608,0585 litre	27,088 %	12403,6657 litre	O
600	CM	95	CM	59 LEVEL CM	4502,3178 litre	26,466 %	12509,4064 litre	O
600	CM	95	CM	58 LEVEL CM	4397,0685 litre	25,847 %	12614,6557 litre	O
600	CM	95	CM	57 LEVEL CM	4292,3266 litre	25,232 %	12719,3976 litre	O
600	CM	95	CM	56 LEVEL CM	4188,1085 litre	24,619 %	12823,6157 litre	O
600	CM	95	CM	55 LEVEL CM	4084,4306 litre	24,010 %	12927,2936 litre	O
600	CM	95	CM	54 LEVEL CM	3981,3099 litre	23,403 %	13030,4143 litre	O
600	CM	95	CM	53 LEVEL CM	3878,7632 litre	22,801 %	13132,9610 litre	O
600	CM	95	CM	52 LEVEL CM	3776,8081 litre	22,201 %	13234,9161 litre	O
600	CM	95	CM	51 LEVEL CM	3675,4621 litre	21,605 %	13336,2621 litre	O
600	CM	95	CM	50 LEVEL CM	3574,7433 litre	21,013 %	13436,9809 litre	O
600	CM	95	CM	49 LEVEL CM	3474,6699 litre	20,425 %	13537,0543 litre	O
600	CM	95	CM	48 LEVEL CM	3375,2606 litre	19,841 %	13636,4636 litre	O
600	CM	95	CM	47 LEVEL CM	3276,5345 litre	19,260 %	13735,1897 litre	O
600	CM	95	CM	46 LEVEL CM	3178,5111 litre	18,684 %	13833,2131 litre	O
600	CM	95	CM	45 LEVEL CM	3081,2101 litre	18,112 %	13930,5141 litre	O
600	CM	95	CM	44 LEVEL CM	2984,6520 litre	17,545 %	14027,0722 litre	O
600	CM	95	CM	43 LEVEL CM	2888,8575 litre	16,982 %	14122,8667 litre	O
600	CM	95	CM	42 LEVEL CM	2793,8478 litre	16,423 %	14217,8764 litre	O
600	CM	95	CM	41 LEVEL CM	2699,6450 litre	15,869 %	14312,0792 litre	O
600	CM	95	CM	40 LEVEL CM	2606,2712 litre	15,320 %	14405,4530 litre	O
600	CM	95	CM	39 LEVEL CM	2513,7495 litre	14,777 %	14497,9747 litre	O
600	CM	95	CM	38 LEVEL CM	2422,1036 litre	14,238 %	14589,6206 litre	O
600	CM	95	CM	37 LEVEL CM	2331,3577 litre	13,704 %	14680,3665 litre	O
600	CM	95	CM	36 LEVEL CM	2241,5370 litre	13,176 %	14770,1872 litre	O
600	CM	95	CM	35 LEVEL CM	2152,6672 litre	12,654 %	14859,0570 litre	O
600	CM	95	CM	34 LEVEL CM	2064,7750 litre	12,137 %	14946,9492 litre	O
600	CM	95	CM	33 LEVEL CM	1977,8880 litre	11,627 %	15033,8362 litre	O

600	CM	95	CM	32 LEVEL CM	1892,0347 litre	11,122 %	15119,6895 litre	O
600	CM	95	CM	31 LEVEL CM	1807,2447 litre	10,624 %	15204,4795 litre	O
600	CM	95	CM	30 LEVEL CM	1723,5487 litre	10,132 %	15288,1755 litre	O
600	CM	95	CM	29 LEVEL CM	1640,9787 litre	9,646 %	15370,7455 litre	O
600	CM	95	CM	28 LEVEL CM	1559,5678 litre	9,168 %	15452,1564 litre	O
600	CM	95	CM	27 LEVEL CM	1479,3509 litre	8,696 %	15532,3733 litre	O
600	CM	95	CM	26 LEVEL CM	1400,3641 litre	8,232 %	15611,3601 litre	O
600	CM	95	CM	25 LEVEL CM	1322,6455 litre	7,775 %	15689,0787 litre	O
600	CM	95	CM	24 LEVEL CM	1246,2350 litre	7,326 %	15765,4892 litre	O
600	CM	95	CM	23 LEVEL CM	1171,1744 litre	6,885 %	15840,5498 litre	O
600	CM	95	CM	22 LEVEL CM	1097,5082 litre	6,451 %	15914,2160 litre	O
600	CM	95	CM	21 LEVEL CM	1025,2831 litre	6,027 %	15986,4411 litre	O
600	CM	95	CM	20 LEVEL CM	954,5489 litre	5,611 %	16057,1753 litre	O
600	CM	95	CM	19 LEVEL CM	885,3585 litre	5,204 %	16126,3657 litre	O
600	CM	95	CM	18 LEVEL CM	817,7684 litre	4,807 %	16193,9558 litre	O
600	CM	95	CM	17 LEVEL CM	751,8394 litre	4,420 %	16259,8848 litre	O
600	CM	95	CM	16 LEVEL CM	687,6367 litre	4,042 %	16324,0875 litre	O
600	CM	95	CM	15 LEVEL CM	625,2313 litre	3,675 %	16386,4929 litre	O
600	CM	95	CM	14 LEVEL CM	564,7002 litre	3,319 %	16447,0240 litre	O
600	CM	95	CM	13 LEVEL CM	506,1279 litre	2,975 %	16505,5963 litre	O
600	CM	95	CM	12 LEVEL CM	449,6079 litre	2,643 %	16562,1163 litre	O
600	CM	95	CM	11 LEVEL CM	395,2440 litre	2,323 %	16616,4802 litre	O
600	CM	95	CM	10 LEVEL CM	343,1531 litre	2,017 %	16668,5711 litre	O
600	CM	95	CM	9 LEVEL CM	293,4680 litre	1,725 %	16718,2562 litre	O
600	CM	95	CM	8 LEVEL CM	246,3420 litre	1,448 %	16765,3822 litre	O
600	CM	95	CM	7 LEVEL CM	201,9550 litre	1,187 %	16809,7692 litre	O
600	CM	95	CM	6 LEVEL CM	160,5225 litre	0,944 %	16851,2017 litre	O
600	CM	95	CM	5 LEVEL CM	122,3103 litre	0,719 %	16889,4139 litre	O
600	CM	95	CM	4 LEVEL CM	87,6586 litre	0,515 %	16924,0656 litre	O
600	CM	95	CM	3 LEVEL CM	57,0270 litre	0,335 %	16954,6972 litre	O
600	CM	95	CM	2 LEVEL CM	31,0911 litre	0,183 %	16980,6331 litre	O
600	CM	95	CM	1 LEVEL CM	11,0098 litre	0,065 %	17000,7144 litre	O
600	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	17011,7242 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	90	CM	180 LEVEL CM	15268,1403 litre	100,000 %	0,0000 litre	O
600	CM	90	CM	179 LEVEL CM	15257,4251 litre	99,930 %	10,7152 litre	O
600	CM	90	CM	178 LEVEL CM	15237,8838 litre	99,802 %	30,2565 litre	O
600	CM	90	CM	177 LEVEL CM	15212,6490 litre	99,637 %	55,4913 litre	O
600	CM	90	CM	176 LEVEL CM	15182,8500 litre	99,441 %	85,2903 litre	O
600	CM	90	CM	175 LEVEL CM	15149,1453 litre	99,221 %	118,9950 litre	O
600	CM	90	CM	174 LEVEL CM	15111,9832 litre	98,977 %	156,1571 litre	O
600	CM	90	CM	173 LEVEL CM	15071,6955 litre	98,713 %	196,4448 litre	O
600	CM	90	CM	172 LEVEL CM	15028,5417 litre	98,431 %	239,5986 litre	O
600	CM	90	CM	171 LEVEL CM	14982,7324 litre	98,131 %	285,4079 litre	O
600	CM	90	CM	170 LEVEL CM	14934,4433 litre	97,814 %	333,6970 litre	O
600	CM	90	CM	169 LEVEL CM	14883,8242 litre	97,483 %	384,3161 litre	O
600	CM	90	CM	168 LEVEL CM	14831,0051 litre	97,137 %	437,1352 litre	O
600	CM	90	CM	167 LEVEL CM	14776,1003 litre	96,777 %	492,0400 litre	O
600	CM	90	CM	166 LEVEL CM	14719,2115 litre	96,405 %	548,9288 litre	O
600	CM	90	CM	165 LEVEL CM	14660,4303 litre	96,020 %	607,7100 litre	O
600	CM	90	CM	164 LEVEL CM	14599,8394 litre	95,623 %	668,3009 litre	O
600	CM	90	CM	163 LEVEL CM	14537,5144 litre	95,215 %	730,6259 litre	O
600	CM	90	CM	162 LEVEL CM	14473,5249 litre	94,796 %	794,6154 litre	O
600	CM	90	CM	161 LEVEL CM	14407,9350 litre	94,366 %	860,2053 litre	O
600	CM	90	CM	160 LEVEL CM	14340,8043 litre	93,926 %	927,3360 litre	O
600	CM	90	CM	159 LEVEL CM	14272,1884 litre	93,477 %	995,9519 litre	O
600	CM	90	CM	158 LEVEL CM	14202,1393 litre	93,018 %	1066,0010 litre	O
600	CM	90	CM	157 LEVEL CM	14130,7060 litre	92,550 %	1137,4343 litre	O
600	CM	90	CM	156 LEVEL CM	14057,9344 litre	92,074 %	1210,2059 litre	O
600	CM	90	CM	155 LEVEL CM	13983,8683 litre	91,589 %	1284,2720 litre	O
600	CM	90	CM	154 LEVEL CM	13908,5491 litre	91,095 %	1359,5912 litre	O
600	CM	90	CM	153 LEVEL CM	13832,0159 litre	90,594 %	1436,1244 litre	O
600	CM	90	CM	152 LEVEL CM	13754,3064 litre	90,085 %	1513,8339 litre	O
600	CM	90	CM	151 LEVEL CM	13675,4563 litre	89,569 %	1592,6840 litre	O
600	CM	90	CM	150 LEVEL CM	13595,5000 litre	89,045 %	1672,6403 litre	O
600	CM	90	CM	149 LEVEL CM	13514,4702 litre	88,514 %	1753,6701 litre	O
600	CM	90	CM	148 LEVEL CM	13432,3986 litre	87,977 %	1835,7417 litre	O
600	CM	90	CM	147 LEVEL CM	13349,3155 litre	87,432 %	1918,8248 litre	O
600	CM	90	CM	146 LEVEL CM	13265,2503 litre	86,882 %	2002,8900 litre	O
600	CM	90	CM	145 LEVEL CM	13180,2312 litre	86,325 %	2087,9091 litre	O
600	CM	90	CM	144 LEVEL CM	13094,2855 litre	85,762 %	2173,8548 litre	O
600	CM	90	CM	143 LEVEL CM	13007,4398 litre	85,193 %	2260,7005 litre	O
600	CM	90	CM	142 LEVEL CM	12919,7197 litre	84,619 %	2348,4206 litre	O
600	CM	90	CM	141 LEVEL CM	12831,1501 litre	84,039 %	2436,9902 litre	O
600	CM	90	CM	140 LEVEL CM	12741,7551 litre	83,453 %	2526,3852 litre	O
600	CM	90	CM	139 LEVEL CM	12651,5583 litre	82,862 %	2616,5820 litre	O
600	CM	90	CM	138 LEVEL CM	12560,5825 litre	82,267 %	2707,5578 litre	O
600	CM	90	CM	137 LEVEL CM	12468,8501 litre	81,666 %	2799,2902 litre	O
600	CM	90	CM	136 LEVEL CM	12376,3828 litre	81,060 %	2891,7575 litre	O
600	CM	90	CM	135 LEVEL CM	12283,2019 litre	80,450 %	2984,9384 litre	O
600	CM	90	CM	134 LEVEL CM	12189,3282 litre	79,835 %	3078,8121 litre	O
600	CM	90	CM	133 LEVEL CM	12094,7819 litre	79,216 %	3173,3584 litre	O
600	CM	90	CM	132 LEVEL CM	11999,5829 litre	78,592 %	3268,5574 litre	O
600	CM	90	CM	131 LEVEL CM	11903,7507 litre	77,965 %	3364,3896 litre	O
600	CM	90	CM	130 LEVEL CM	11807,3044 litre	77,333 %	3460,8359 litre	O
600	CM	90	CM	129 LEVEL CM	11710,2627 litre	76,697 %	3557,8776 litre	O

600	CM	90	CM	128 LEVEL CM	11612,6440 litre	76,058 %	3655,4963 litre	O
600	CM	90	CM	127 LEVEL CM	11514,4663 litre	75,415 %	3753,6740 litre	O
600	CM	90	CM	126 LEVEL CM	11415,7475 litre	74,768 %	3852,3928 litre	O
600	CM	90	CM	125 LEVEL CM	11316,5048 litre	74,118 %	3951,6355 litre	O
600	CM	90	CM	124 LEVEL CM	11216,7556 litre	73,465 %	4051,3847 litre	O
600	CM	90	CM	123 LEVEL CM	11116,5168 litre	72,809 %	4151,6235 litre	O
600	CM	90	CM	122 LEVEL CM	11015,8051 litre	72,149 %	4252,3352 litre	O
600	CM	90	CM	121 LEVEL CM	10914,6368 litre	71,486 %	4353,5035 litre	O
600	CM	90	CM	120 LEVEL CM	10813,0282 litre	70,821 %	4455,1121 litre	O
600	CM	90	CM	119 LEVEL CM	10710,9953 litre	70,153 %	4557,1450 litre	O
600	CM	90	CM	118 LEVEL CM	10608,5540 litre	69,482 %	4659,5863 litre	O
600	CM	90	CM	117 LEVEL CM	10505,7198 litre	68,808 %	4762,4205 litre	O
600	CM	90	CM	116 LEVEL CM	10402,5082 litre	68,132 %	4865,6321 litre	O
600	CM	90	CM	115 LEVEL CM	10298,9345 litre	67,454 %	4969,2058 litre	O
600	CM	90	CM	114 LEVEL CM	10195,0138 litre	66,773 %	5073,1265 litre	O
600	CM	90	CM	113 LEVEL CM	10090,7611 litre	66,090 %	5177,3792 litre	O
600	CM	90	CM	112 LEVEL CM	9986,1912 litre	65,405 %	5281,9491 litre	O
600	CM	90	CM	111 LEVEL CM	9881,3187 litre	64,719 %	5386,8216 litre	O
600	CM	90	CM	110 LEVEL CM	9776,1583 litre	64,030 %	5491,9820 litre	O
600	CM	90	CM	109 LEVEL CM	9670,7244 litre	63,339 %	5597,4159 litre	O
600	CM	90	CM	108 LEVEL CM	9565,0313 litre	62,647 %	5703,1090 litre	O
600	CM	90	CM	107 LEVEL CM	9459,0932 litre	61,953 %	5809,0471 litre	O
600	CM	90	CM	106 LEVEL CM	9352,9243 litre	61,258 %	5915,2160 litre	O
600	CM	90	CM	105 LEVEL CM	9246,5386 litre	60,561 %	6021,6017 litre	O
600	CM	90	CM	104 LEVEL CM	9139,9500 litre	59,863 %	6128,1903 litre	O
600	CM	90	CM	103 LEVEL CM	9033,1725 litre	59,164 %	6234,9678 litre	O
600	CM	90	CM	102 LEVEL CM	8926,2198 litre	58,463 %	6341,9205 litre	O
600	CM	90	CM	101 LEVEL CM	8819,1057 litre	57,761 %	6449,0346 litre	O
600	CM	90	CM	100 LEVEL CM	8711,8438 litre	57,059 %	6556,2965 litre	O
600	CM	90	CM	99 LEVEL CM	8604,4477 litre	56,356 %	6663,6926 litre	O
600	CM	90	CM	98 LEVEL CM	8496,9310 litre	55,651 %	6771,2093 litre	O
600	CM	90	CM	97 LEVEL CM	8389,3072 litre	54,946 %	6878,8331 litre	O
600	CM	90	CM	96 LEVEL CM	8281,5898 litre	54,241 %	6986,5505 litre	O
600	CM	90	CM	95 LEVEL CM	8173,7922 litre	53,535 %	7094,3481 litre	O
600	CM	90	CM	94 LEVEL CM	8065,9279 litre	52,828 %	7202,2124 litre	O
600	CM	90	CM	93 LEVEL CM	7958,0101 litre	52,122 %	7310,1302 litre	O
600	CM	90	CM	92 LEVEL CM	7850,0524 litre	51,415 %	7418,0879 litre	O
600	CM	90	CM	91 LEVEL CM	7742,0679 litre	50,707 %	7526,0724 litre	O
600	CM	90	CM	90 LEVEL CM	7634,0701 litre	50,000 %	7634,0702 litre	O
600	CM	90	CM	89 LEVEL CM	7526,0724 litre	49,293 %	7742,0679 litre	O
600	CM	90	CM	88 LEVEL CM	7418,0879 litre	48,585 %	7850,0524 litre	O
600	CM	90	CM	87 LEVEL CM	7310,1302 litre	47,878 %	7958,0101 litre	O
600	CM	90	CM	86 LEVEL CM	7202,2124 litre	47,172 %	8065,9279 litre	O
600	CM	90	CM	85 LEVEL CM	7094,3481 litre	46,465 %	8173,7922 litre	O
600	CM	90	CM	84 LEVEL CM	6986,5505 litre	45,759 %	8281,5898 litre	O
600	CM	90	CM	83 LEVEL CM	6878,8331 litre	45,054 %	8389,3072 litre	O
600	CM	90	CM	82 LEVEL CM	6771,2093 litre	44,349 %	8496,9310 litre	O
600	CM	90	CM	81 LEVEL CM	6663,6926 litre	43,644 %	8604,4477 litre	O
600	CM	90	CM	80 LEVEL CM	6556,2965 litre	42,941 %	8711,8438 litre	O
600	CM	90	CM	79 LEVEL CM	6449,0346 litre	42,239 %	8819,1057 litre	O
600	CM	90	CM	78 LEVEL CM	6341,9205 litre	41,537 %	8926,2198 litre	O
600	CM	90	CM	77 LEVEL CM	6234,9678 litre	40,836 %	9033,1725 litre	O
600	CM	90	CM	76 LEVEL CM	6128,1903 litre	40,137 %	9139,9500 litre	O

600	CM	90	CM	75 LEVEL CM	6021,6017 litre	39,439 %	9246,5386 litre	O
600	CM	90	CM	74 LEVEL CM	5915,2160 litre	38,742 %	9352,9243 litre	O
600	CM	90	CM	73 LEVEL CM	5809,0471 litre	38,047 %	9459,0932 litre	O
600	CM	90	CM	72 LEVEL CM	5703,1090 litre	37,353 %	9565,0313 litre	O
600	CM	90	CM	71 LEVEL CM	5597,4159 litre	36,661 %	9670,7244 litre	O
600	CM	90	CM	70 LEVEL CM	5491,9820 litre	35,970 %	9776,1583 litre	O
600	CM	90	CM	69 LEVEL CM	5386,8216 litre	35,281 %	9881,3187 litre	O
600	CM	90	CM	68 LEVEL CM	5281,9491 litre	34,595 %	9986,1912 litre	O
600	CM	90	CM	67 LEVEL CM	5177,3792 litre	33,910 %	10090,7611 litre	O
600	CM	90	CM	66 LEVEL CM	5073,1265 litre	33,227 %	10195,0138 litre	O
600	CM	90	CM	65 LEVEL CM	4969,2058 litre	32,546 %	10298,9345 litre	O
600	CM	90	CM	64 LEVEL CM	4865,6321 litre	31,868 %	10402,5082 litre	O
600	CM	90	CM	63 LEVEL CM	4762,4205 litre	31,192 %	10505,7198 litre	O
600	CM	90	CM	62 LEVEL CM	4659,5863 litre	30,518 %	10608,5540 litre	O
600	CM	90	CM	61 LEVEL CM	4557,1450 litre	29,847 %	10710,9953 litre	O
600	CM	90	CM	60 LEVEL CM	4455,1121 litre	29,179 %	10813,0282 litre	O
600	CM	90	CM	59 LEVEL CM	4353,5035 litre	28,514 %	10914,6368 litre	O
600	CM	90	CM	58 LEVEL CM	4252,3352 litre	27,851 %	11015,8051 litre	O
600	CM	90	CM	57 LEVEL CM	4151,6235 litre	27,191 %	11116,5168 litre	O
600	CM	90	CM	56 LEVEL CM	4051,3846 litre	26,535 %	11216,7557 litre	O
600	CM	90	CM	55 LEVEL CM	3951,6355 litre	25,882 %	11316,5048 litre	O
600	CM	90	CM	54 LEVEL CM	3852,3928 litre	25,232 %	11415,7475 litre	O
600	CM	90	CM	53 LEVEL CM	3753,6740 litre	24,585 %	11514,4663 litre	O
600	CM	90	CM	52 LEVEL CM	3655,4963 litre	23,942 %	11612,6440 litre	O
600	CM	90	CM	51 LEVEL CM	3557,8776 litre	23,303 %	11710,2627 litre	O
600	CM	90	CM	50 LEVEL CM	3460,8359 litre	22,667 %	11807,3044 litre	O
600	CM	90	CM	49 LEVEL CM	3364,3896 litre	22,035 %	11903,7507 litre	O
600	CM	90	CM	48 LEVEL CM	3268,5574 litre	21,408 %	11999,5829 litre	O
600	CM	90	CM	47 LEVEL CM	3173,3584 litre	20,784 %	12094,7819 litre	O
600	CM	90	CM	46 LEVEL CM	3078,8121 litre	20,165 %	12189,3282 litre	O
600	CM	90	CM	45 LEVEL CM	2984,9384 litre	19,550 %	12283,2019 litre	O
600	CM	90	CM	44 LEVEL CM	2891,7575 litre	18,940 %	12376,3828 litre	O
600	CM	90	CM	43 LEVEL CM	2799,2902 litre	18,334 %	12468,8501 litre	O
600	CM	90	CM	42 LEVEL CM	2707,5578 litre	17,733 %	12560,5825 litre	O
600	CM	90	CM	41 LEVEL CM	2616,5820 litre	17,138 %	12651,5583 litre	O
600	CM	90	CM	40 LEVEL CM	2526,3852 litre	16,547 %	12741,7551 litre	O
600	CM	90	CM	39 LEVEL CM	2436,9902 litre	15,961 %	12831,1501 litre	O
600	CM	90	CM	38 LEVEL CM	2348,4206 litre	15,381 %	12919,7197 litre	O
600	CM	90	CM	37 LEVEL CM	2260,7005 litre	14,807 %	13007,4398 litre	O
600	CM	90	CM	36 LEVEL CM	2173,8548 litre	14,238 %	13094,2855 litre	O
600	CM	90	CM	35 LEVEL CM	2087,9091 litre	13,675 %	13180,2312 litre	O
600	CM	90	CM	34 LEVEL CM	2002,8900 litre	13,118 %	13265,2503 litre	O
600	CM	90	CM	33 LEVEL CM	1918,8248 litre	12,568 %	13349,3155 litre	O
600	CM	90	CM	32 LEVEL CM	1835,7417 litre	12,023 %	13432,3986 litre	O
600	CM	90	CM	31 LEVEL CM	1753,6701 litre	11,486 %	13514,4702 litre	O
600	CM	90	CM	30 LEVEL CM	1672,6403 litre	10,955 %	13595,5000 litre	O
600	CM	90	CM	29 LEVEL CM	1592,6840 litre	10,431 %	13675,4563 litre	O
600	CM	90	CM	28 LEVEL CM	1513,8339 litre	9,915 %	13754,3064 litre	O
600	CM	90	CM	27 LEVEL CM	1436,1244 litre	9,406 %	13832,0159 litre	O
600	CM	90	CM	26 LEVEL CM	1359,5912 litre	8,905 %	13908,5491 litre	O
600	CM	90	CM	25 LEVEL CM	1284,2720 litre	8,411 %	13983,8683 litre	O
600	CM	90	CM	24 LEVEL CM	1210,2059 litre	7,926 %	14057,9344 litre	O
600	CM	90	CM	23 LEVEL CM	1137,4343 litre	7,450 %	14130,7060 litre	O

600	CM	90	CM	22 LEVEL CM	1066,0010 litre	6,982 %	14202,1393 litre	O
600	CM	90	CM	21 LEVEL CM	995,9519 litre	6,523 %	14272,1884 litre	O
600	CM	90	CM	20 LEVEL CM	927,3360 litre	6,074 %	14340,8043 litre	O
600	CM	90	CM	19 LEVEL CM	860,2053 litre	5,634 %	14407,9350 litre	O
600	CM	90	CM	18 LEVEL CM	794,6154 litre	5,204 %	14473,5249 litre	O
600	CM	90	CM	17 LEVEL CM	730,6259 litre	4,785 %	14537,5144 litre	O
600	CM	90	CM	16 LEVEL CM	668,3009 litre	4,377 %	14599,8394 litre	O
600	CM	90	CM	15 LEVEL CM	607,7100 litre	3,980 %	14660,4303 litre	O
600	CM	90	CM	14 LEVEL CM	548,9288 litre	3,595 %	14719,2115 litre	O
600	CM	90	CM	13 LEVEL CM	492,0400 litre	3,223 %	14776,1003 litre	O
600	CM	90	CM	12 LEVEL CM	437,1352 litre	2,863 %	14831,0051 litre	O
600	CM	90	CM	11 LEVEL CM	384,3161 litre	2,517 %	14883,8242 litre	O
600	CM	90	CM	10 LEVEL CM	333,6970 litre	2,186 %	14934,4433 litre	O
600	CM	90	CM	9 LEVEL CM	285,4079 litre	1,869 %	14982,7324 litre	O
600	CM	90	CM	8 LEVEL CM	239,5986 litre	1,569 %	15028,5417 litre	O
600	CM	90	CM	7 LEVEL CM	196,4448 litre	1,287 %	15071,6955 litre	O
600	CM	90	CM	6 LEVEL CM	156,1571 litre	1,023 %	15111,9832 litre	O
600	CM	90	CM	5 LEVEL CM	118,9950 litre	0,779 %	15149,1453 litre	O
600	CM	90	CM	4 LEVEL CM	85,2903 litre	0,559 %	15182,8500 litre	O
600	CM	90	CM	3 LEVEL CM	55,4913 litre	0,363 %	15212,6490 litre	O
600	CM	90	CM	2 LEVEL CM	30,2565 litre	0,198 %	15237,8838 litre	O
600	CM	90	CM	1 LEVEL CM	10,7152 litre	0,070 %	15257,4251 litre	O
600	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	15268,1403 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM	85	CM 170 LEVEL CM	13618,8042 litre	100,000 %	0,0000 litre	O
600	CM	85	CM 169 LEVEL CM	13608,3919 litre	99,924 %	10,4123 litre	O
600	CM	85	CM 168 LEVEL CM	13589,4060 litre	99,784 %	29,3982 litre	O
600	CM	85	CM 167 LEVEL CM	13564,8924 litre	99,604 %	53,9118 litre	O
600	CM	85	CM 166 LEVEL CM	13535,9499 litre	99,392 %	82,8543 litre	O
600	CM	85	CM 165 LEVEL CM	13503,2196 litre	99,151 %	115,5846 litre	O
600	CM	85	CM 164 LEVEL CM	13467,1380 litre	98,886 %	151,6662 litre	O
600	CM	85	CM 163 LEVEL CM	13428,0286 litre	98,599 %	190,7756 litre	O
600	CM	85	CM 162 LEVEL CM	13386,1444 litre	98,292 %	232,6598 litre	O
600	CM	85	CM 161 LEVEL CM	13341,6907 litre	97,965 %	277,1135 litre	O
600	CM	85	CM 160 LEVEL CM	13294,8391 litre	97,621 %	323,9651 litre	O
600	CM	85	CM 159 LEVEL CM	13245,7360 litre	97,261 %	373,0682 litre	O
600	CM	85	CM 158 LEVEL CM	13194,5082 litre	96,884 %	424,2960 litre	O
600	CM	85	CM 157 LEVEL CM	13141,2676 litre	96,494 %	477,5366 litre	O
600	CM	85	CM 156 LEVEL CM	13086,1137 litre	96,089 %	532,6905 litre	O
600	CM	85	CM 155 LEVEL CM	13029,1361 litre	95,670 %	589,6681 litre	O
600	CM	85	CM 154 LEVEL CM	12970,4157 litre	95,239 %	648,3885 litre	O
600	CM	85	CM 153 LEVEL CM	12910,0268 litre	94,796 %	708,7774 litre	O
600	CM	85	CM 152 LEVEL CM	12848,0375 litre	94,340 %	770,7667 litre	O
600	CM	85	CM 151 LEVEL CM	12784,5108 litre	93,874 %	834,2934 litre	O
600	CM	85	CM 150 LEVEL CM	12719,5050 litre	93,397 %	899,2992 litre	O
600	CM	85	CM 149 LEVEL CM	12653,0749 litre	92,909 %	965,7293 litre	O
600	CM	85	CM 148 LEVEL CM	12585,2716 litre	92,411 %	1033,5326 litre	O
600	CM	85	CM 147 LEVEL CM	12516,1432 litre	91,903 %	1102,6610 litre	O
600	CM	85	CM 146 LEVEL CM	12445,7351 litre	91,386 %	1173,0691 litre	O
600	CM	85	CM 145 LEVEL CM	12374,0901 litre	90,860 %	1244,7141 litre	O
600	CM	85	CM 144 LEVEL CM	12301,2492 litre	90,325 %	1317,5550 litre	O
600	CM	85	CM 143 LEVEL CM	12227,2510 litre	89,782 %	1391,5532 litre	O
600	CM	85	CM 142 LEVEL CM	12152,1325 litre	89,231 %	1466,6717 litre	O
600	CM	85	CM 141 LEVEL CM	12075,9292 litre	88,671 %	1542,8750 litre	O
600	CM	85	CM 140 LEVEL CM	11998,6749 litre	88,104 %	1620,1293 litre	O
600	CM	85	CM 139 LEVEL CM	11920,4021 litre	87,529 %	1698,4021 litre	O
600	CM	85	CM 138 LEVEL CM	11841,1420 litre	86,947 %	1777,6622 litre	O
600	CM	85	CM 137 LEVEL CM	11760,9247 litre	86,358 %	1857,8795 litre	O
600	CM	85	CM 136 LEVEL CM	11679,7794 litre	85,762 %	1939,0248 litre	O
600	CM	85	CM 135 LEVEL CM	11597,7339 litre	85,160 %	2021,0703 litre	O
600	CM	85	CM 134 LEVEL CM	11514,8156 litre	84,551 %	2103,9886 litre	O
600	CM	85	CM 133 LEVEL CM	11431,0505 litre	83,936 %	2187,7537 litre	O
600	CM	85	CM 132 LEVEL CM	11346,4643 litre	83,315 %	2272,3399 litre	O
600	CM	85	CM 131 LEVEL CM	11261,0817 litre	82,688 %	2357,7225 litre	O
600	CM	85	CM 130 LEVEL CM	11174,9268 litre	82,055 %	2443,8774 litre	O
600	CM	85	CM 129 LEVEL CM	11088,0230 litre	81,417 %	2530,7812 litre	O
600	CM	85	CM 128 LEVEL CM	11000,3931 litre	80,774 %	2618,4111 litre	O
600	CM	85	CM 127 LEVEL CM	10912,0594 litre	80,125 %	2706,7448 litre	O
600	CM	85	CM 126 LEVEL CM	10823,0436 litre	79,471 %	2795,7606 litre	O
600	CM	85	CM 125 LEVEL CM	10733,3671 litre	78,813 %	2885,4371 litre	O
600	CM	85	CM 124 LEVEL CM	10643,0505 litre	78,150 %	2975,7537 litre	O
600	CM	85	CM 123 LEVEL CM	10552,1142 litre	77,482 %	3066,6900 litre	O
600	CM	85	CM 122 LEVEL CM	10460,5781 litre	76,810 %	3158,2261 litre	O
600	CM	85	CM 121 LEVEL CM	10368,4618 litre	76,133 %	3250,3424 litre	O
600	CM	85	CM 120 LEVEL CM	10275,7845 litre	75,453 %	3343,0197 litre	O
600	CM	85	CM 119 LEVEL CM	10182,5649 litre	74,768 %	3436,2393 litre	O

600	CM	85	CM	118 LEVEL CM	10088,8215 litre	74,080 %	3529,9827 litre	O
600	CM	85	CM	117 LEVEL CM	9994,5726 litre	73,388 %	3624,2316 litre	O
600	CM	85	CM	116 LEVEL CM	9899,8360 litre	72,692 %	3718,9682 litre	O
600	CM	85	CM	115 LEVEL CM	9804,6294 litre	71,993 %	3814,1748 litre	O
600	CM	85	CM	114 LEVEL CM	9708,9700 litre	71,291 %	3909,8342 litre	O
600	CM	85	CM	113 LEVEL CM	9612,8752 litre	70,585 %	4005,9290 litre	O
600	CM	85	CM	112 LEVEL CM	9516,3616 litre	69,877 %	4102,4426 litre	O
600	CM	85	CM	111 LEVEL CM	9419,4461 litre	69,165 %	4199,3581 litre	O
600	CM	85	CM	110 LEVEL CM	9322,1449 litre	68,451 %	4296,6593 litre	O
600	CM	85	CM	109 LEVEL CM	9224,4745 litre	67,733 %	4394,3297 litre	O
600	CM	85	CM	108 LEVEL CM	9126,4509 litre	67,014 %	4492,3533 litre	O
600	CM	85	CM	107 LEVEL CM	9028,0900 litre	66,291 %	4590,7142 litre	O
600	CM	85	CM	106 LEVEL CM	8929,4075 litre	65,567 %	4689,3967 litre	O
600	CM	85	CM	105 LEVEL CM	8830,4191 litre	64,840 %	4788,3851 litre	O
600	CM	85	CM	104 LEVEL CM	8731,1401 litre	64,111 %	4887,6641 litre	O
600	CM	85	CM	103 LEVEL CM	8631,5859 litre	63,380 %	4987,2183 litre	O
600	CM	85	CM	102 LEVEL CM	8531,7717 litre	62,647 %	5087,0325 litre	O
600	CM	85	CM	101 LEVEL CM	8431,7125 litre	61,912 %	5187,0917 litre	O
600	CM	85	CM	100 LEVEL CM	8331,4234 litre	61,176 %	5287,3808 litre	O
600	CM	85	CM	99 LEVEL CM	8230,9191 litre	60,438 %	5387,8851 litre	O
600	CM	85	CM	98 LEVEL CM	8130,2144 litre	59,698 %	5488,5898 litre	O
600	CM	85	CM	97 LEVEL CM	8029,3240 litre	58,958 %	5589,4802 litre	O
600	CM	85	CM	96 LEVEL CM	7928,2624 litre	58,216 %	5690,5418 litre	O
600	CM	85	CM	95 LEVEL CM	7827,0442 litre	57,472 %	5791,7600 litre	O
600	CM	85	CM	94 LEVEL CM	7725,6839 litre	56,728 %	5893,1203 litre	O
600	CM	85	CM	93 LEVEL CM	7624,1958 litre	55,983 %	5994,6084 litre	O
600	CM	85	CM	92 LEVEL CM	7522,5942 litre	55,237 %	6096,2100 litre	O
600	CM	85	CM	91 LEVEL CM	7420,8935 litre	54,490 %	6197,9107 litre	O
600	CM	85	CM	90 LEVEL CM	7319,1078 litre	53,743 %	6299,6964 litre	O
600	CM	85	CM	89 LEVEL CM	7217,2514 litre	52,995 %	6401,5528 litre	O
600	CM	85	CM	88 LEVEL CM	7115,3385 litre	52,246 %	6503,4657 litre	O
600	CM	85	CM	87 LEVEL CM	7013,3833 litre	51,498 %	6605,4209 litre	O
600	CM	85	CM	86 LEVEL CM	6911,3997 litre	50,749 %	6707,4045 litre	O
600	CM	85	CM	85 LEVEL CM	6809,4021 litre	50,000 %	6809,4021 litre	O
600	CM	85	CM	84 LEVEL CM	6707,4044 litre	49,251 %	6911,3998 litre	O
600	CM	85	CM	83 LEVEL CM	6605,4209 litre	48,502 %	7013,3833 litre	O
600	CM	85	CM	82 LEVEL CM	6503,4656 litre	47,754 %	7115,3386 litre	O
600	CM	85	CM	81 LEVEL CM	6401,5527 litre	47,005 %	7217,2515 litre	O
600	CM	85	CM	80 LEVEL CM	6299,6963 litre	46,257 %	7319,1079 litre	O
600	CM	85	CM	79 LEVEL CM	6197,9107 litre	45,510 %	7420,8935 litre	O
600	CM	85	CM	78 LEVEL CM	6096,2100 litre	44,763 %	7522,5942 litre	O
600	CM	85	CM	77 LEVEL CM	5994,6084 litre	44,017 %	7624,1958 litre	O
600	CM	85	CM	76 LEVEL CM	5893,1203 litre	43,272 %	7725,6839 litre	O
600	CM	85	CM	75 LEVEL CM	5791,7599 litre	42,528 %	7827,0443 litre	O
600	CM	85	CM	74 LEVEL CM	5690,5418 litre	41,784 %	7928,2624 litre	O
600	CM	85	CM	73 LEVEL CM	5589,4802 litre	41,042 %	8029,3240 litre	O
600	CM	85	CM	72 LEVEL CM	5488,5898 litre	40,302 %	8130,2144 litre	O
600	CM	85	CM	71 LEVEL CM	5387,8851 litre	39,562 %	8230,9191 litre	O
600	CM	85	CM	70 LEVEL CM	5287,3808 litre	38,824 %	8331,4234 litre	O
600	CM	85	CM	69 LEVEL CM	5187,0916 litre	38,088 %	8431,7126 litre	O
600	CM	85	CM	68 LEVEL CM	5087,0324 litre	37,353 %	8531,7718 litre	O
600	CM	85	CM	67 LEVEL CM	4987,2182 litre	36,620 %	8631,5860 litre	O
600	CM	85	CM	66 LEVEL CM	4887,6641 litre	35,889 %	8731,1401 litre	O

600	CM	85	CM	65 LEVEL CM	4788,3851 litre	35,160 %	8830,4191 litre	O
600	CM	85	CM	64 LEVEL CM	4689,3967 litre	34,433 %	8929,4075 litre	O
600	CM	85	CM	63 LEVEL CM	4590,7142 litre	33,709 %	9028,0900 litre	O
600	CM	85	CM	62 LEVEL CM	4492,3533 litre	32,986 %	9126,4509 litre	O
600	CM	85	CM	61 LEVEL CM	4394,3296 litre	32,267 %	9224,4746 litre	O
600	CM	85	CM	60 LEVEL CM	4296,6592 litre	31,549 %	9322,1450 litre	O
600	CM	85	CM	59 LEVEL CM	4199,3581 litre	30,835 %	9419,4461 litre	O
600	CM	85	CM	58 LEVEL CM	4102,4425 litre	30,123 %	9516,3617 litre	O
600	CM	85	CM	57 LEVEL CM	4005,9290 litre	29,415 %	9612,8752 litre	O
600	CM	85	CM	56 LEVEL CM	3909,8341 litre	28,709 %	9708,9701 litre	O
600	CM	85	CM	55 LEVEL CM	3814,1748 litre	28,007 %	9804,6294 litre	O
600	CM	85	CM	54 LEVEL CM	3718,9682 litre	27,308 %	9899,8360 litre	O
600	CM	85	CM	53 LEVEL CM	3624,2316 litre	26,612 %	9994,5726 litre	O
600	CM	85	CM	52 LEVEL CM	3529,9827 litre	25,920 %	10088,8215 litre	O
600	CM	85	CM	51 LEVEL CM	3436,2393 litre	25,232 %	10182,5649 litre	O
600	CM	85	CM	50 LEVEL CM	3343,0197 litre	24,547 %	10275,7845 litre	O
600	CM	85	CM	49 LEVEL CM	3250,3423 litre	23,867 %	10368,4619 litre	O
600	CM	85	CM	48 LEVEL CM	3158,2260 litre	23,190 %	10460,5782 litre	O
600	CM	85	CM	47 LEVEL CM	3066,6900 litre	22,518 %	10552,1142 litre	O
600	CM	85	CM	46 LEVEL CM	2975,7537 litre	21,850 %	10643,0505 litre	O
600	CM	85	CM	45 LEVEL CM	2885,4371 litre	21,187 %	10733,3671 litre	O
600	CM	85	CM	44 LEVEL CM	2795,7605 litre	20,529 %	10823,0437 litre	O
600	CM	85	CM	43 LEVEL CM	2706,7448 litre	19,875 %	10912,0594 litre	O
600	CM	85	CM	42 LEVEL CM	2618,4111 litre	19,226 %	11000,3931 litre	O
600	CM	85	CM	41 LEVEL CM	2530,7812 litre	18,583 %	11088,0230 litre	O
600	CM	85	CM	40 LEVEL CM	2443,8774 litre	17,945 %	11174,9268 litre	O
600	CM	85	CM	39 LEVEL CM	2357,7224 litre	17,312 %	11261,0818 litre	O
600	CM	85	CM	38 LEVEL CM	2272,3398 litre	16,685 %	11346,4644 litre	O
600	CM	85	CM	37 LEVEL CM	2187,7536 litre	16,064 %	11431,0506 litre	O
600	CM	85	CM	36 LEVEL CM	2103,9886 litre	15,449 %	11514,8156 litre	O
600	CM	85	CM	35 LEVEL CM	2021,0702 litre	14,840 %	11597,7340 litre	O
600	CM	85	CM	34 LEVEL CM	1939,0248 litre	14,238 %	11679,7794 litre	O
600	CM	85	CM	33 LEVEL CM	1857,8794 litre	13,642 %	11760,9248 litre	O
600	CM	85	CM	32 LEVEL CM	1777,6622 litre	13,053 %	11841,1420 litre	O
600	CM	85	CM	31 LEVEL CM	1698,4021 litre	12,471 %	11920,4021 litre	O
600	CM	85	CM	30 LEVEL CM	1620,1292 litre	11,896 %	11998,6750 litre	O
600	CM	85	CM	29 LEVEL CM	1542,8749 litre	11,329 %	12075,9293 litre	O
600	CM	85	CM	28 LEVEL CM	1466,6716 litre	10,769 %	12152,1326 litre	O
600	CM	85	CM	27 LEVEL CM	1391,5532 litre	10,218 %	12227,2510 litre	O
600	CM	85	CM	26 LEVEL CM	1317,5550 litre	9,675 %	12301,2492 litre	O
600	CM	85	CM	25 LEVEL CM	1244,7140 litre	9,140 %	12374,0902 litre	O
600	CM	85	CM	24 LEVEL CM	1173,0691 litre	8,614 %	12445,7351 litre	O
600	CM	85	CM	23 LEVEL CM	1102,6609 litre	8,097 %	12516,1433 litre	O
600	CM	85	CM	22 LEVEL CM	1033,5325 litre	7,589 %	12585,2717 litre	O
600	CM	85	CM	21 LEVEL CM	965,7292 litre	7,091 %	12653,0750 litre	O
600	CM	85	CM	20 LEVEL CM	899,2991 litre	6,603 %	12719,5051 litre	O
600	CM	85	CM	19 LEVEL CM	834,2934 litre	6,126 %	12784,5108 litre	O
600	CM	85	CM	18 LEVEL CM	770,7666 litre	5,660 %	12848,0376 litre	O
600	CM	85	CM	17 LEVEL CM	708,7773 litre	5,204 %	12910,0269 litre	O
600	CM	85	CM	16 LEVEL CM	648,3884 litre	4,761 %	12970,4158 litre	O
600	CM	85	CM	15 LEVEL CM	589,6681 litre	4,330 %	13029,1361 litre	O
600	CM	85	CM	14 LEVEL CM	532,6904 litre	3,911 %	13086,1138 litre	O
600	CM	85	CM	13 LEVEL CM	477,5365 litre	3,506 %	13141,2677 litre	O

600	CM	85	CM	12 LEVEL CM	424,2960 litre	3,116 %	13194,5082 litre	O
600	CM	85	CM	11 LEVEL CM	373,0682 litre	2,739 %	13245,7360 litre	O
600	CM	85	CM	10 LEVEL CM	323,9650 litre	2,379 %	13294,8392 litre	O
600	CM	85	CM	9 LEVEL CM	277,1134 litre	2,035 %	13341,6908 litre	O
600	CM	85	CM	8 LEVEL CM	232,6598 litre	1,708 %	13386,1444 litre	O
600	CM	85	CM	7 LEVEL CM	190,7755 litre	1,401 %	13428,0287 litre	O
600	CM	85	CM	6 LEVEL CM	151,6662 litre	1,114 %	13467,1380 litre	O
600	CM	85	CM	5 LEVEL CM	115,5846 litre	0,849 %	13503,2196 litre	O
600	CM	85	CM	4 LEVEL CM	82,8543 litre	0,608 %	13535,9499 litre	O
600	CM	85	CM	3 LEVEL CM	53,9118 litre	0,396 %	13564,8924 litre	O
600	CM	85	CM	2 LEVEL CM	29,3982 litre	0,216 %	13589,4060 litre	O
600	CM	85	CM	1 LEVEL CM	10,4123 litre	0,076 %	13608,3919 litre	O
600	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	13618,8042 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM	80	CM 160 LEVEL CM	12063,7158 litre	100,000 %	0,0000 litre	O
600	CM	80	CM 159 LEVEL CM	12053,6155 litre	99,916 %	10,1003 litre	O
600	CM	80	CM 158 LEVEL CM	12035,2017 litre	99,764 %	28,5141 litre	O
600	CM	80	CM 157 LEVEL CM	12011,4312 litre	99,567 %	52,2846 litre	O
600	CM	80	CM 156 LEVEL CM	11983,3714 litre	99,334 %	80,3444 litre	O
600	CM	80	CM 155 LEVEL CM	11951,6454 litre	99,071 %	112,0704 litre	O
600	CM	80	CM 154 LEVEL CM	11916,6777 litre	98,781 %	147,0381 litre	O
600	CM	80	CM 153 LEVEL CM	11878,7833 litre	98,467 %	184,9325 litre	O
600	CM	80	CM 152 LEVEL CM	11838,2083 litre	98,131 %	225,5075 litre	O
600	CM	80	CM 151 LEVEL CM	11795,1530 litre	97,774 %	268,5628 litre	O
600	CM	80	CM 150 LEVEL CM	11749,7844 litre	97,398 %	313,9314 litre	O
600	CM	80	CM 149 LEVEL CM	11702,2455 litre	97,004 %	361,4703 litre	O
600	CM	80	CM 148 LEVEL CM	11652,6601 litre	96,593 %	411,0557 litre	O
600	CM	80	CM 147 LEVEL CM	11601,1375 litre	96,166 %	462,5783 litre	O
600	CM	80	CM 146 LEVEL CM	11547,7748 litre	95,723 %	515,9410 litre	O
600	CM	80	CM 145 LEVEL CM	11492,6597 litre	95,266 %	571,0561 litre	O
600	CM	80	CM 144 LEVEL CM	11435,8715 litre	94,796 %	627,8443 litre	O
600	CM	80	CM 143 LEVEL CM	11377,4829 litre	94,312 %	686,2329 litre	O
600	CM	80	CM 142 LEVEL CM	11317,5605 litre	93,815 %	746,1553 litre	O
600	CM	80	CM 141 LEVEL CM	11256,1661 litre	93,306 %	807,5497 litre	O
600	CM	80	CM 140 LEVEL CM	11193,3572 litre	92,785 %	870,3586 litre	O
600	CM	80	CM 139 LEVEL CM	11129,1874 litre	92,253 %	934,5284 litre	O
600	CM	80	CM 138 LEVEL CM	11063,7068 litre	91,711 %	1000,0090 litre	O
600	CM	80	CM 137 LEVEL CM	10996,9629 litre	91,157 %	1066,7529 litre	O
600	CM	80	CM 136 LEVEL CM	10929,0002 litre	90,594 %	1134,7156 litre	O
600	CM	80	CM 135 LEVEL CM	10859,8612 litre	90,021 %	1203,8546 litre	O
600	CM	80	CM 134 LEVEL CM	10789,5859 litre	89,438 %	1274,1299 litre	O
600	CM	80	CM 133 LEVEL CM	10718,2126 litre	88,847 %	1345,5032 litre	O
600	CM	80	CM 132 LEVEL CM	10645,7779 litre	88,246 %	1417,9379 litre	O
600	CM	80	CM 131 LEVEL CM	10572,3167 litre	87,637 %	1491,3991 litre	O
600	CM	80	CM 130 LEVEL CM	10497,8624 litre	87,020 %	1565,8534 litre	O
600	CM	80	CM 129 LEVEL CM	10422,4472 litre	86,395 %	1641,2686 litre	O
600	CM	80	CM 128 LEVEL CM	10346,1022 litre	85,762 %	1717,6136 litre	O
600	CM	80	CM 127 LEVEL CM	10268,8570 litre	85,122 %	1794,8588 litre	O
600	CM	80	CM 126 LEVEL CM	10190,7405 litre	84,474 %	1872,9753 litre	O
600	CM	80	CM 125 LEVEL CM	10111,7807 litre	83,820 %	1951,9351 litre	O
600	CM	80	CM 124 LEVEL CM	10032,0043 litre	83,158 %	2031,7115 litre	O
600	CM	80	CM 123 LEVEL CM	9951,4376 litre	82,491 %	2112,2782 litre	O
600	CM	80	CM 122 LEVEL CM	9870,1060 litre	81,816 %	2193,6098 litre	O
600	CM	80	CM 121 LEVEL CM	9788,0341 litre	81,136 %	2275,6817 litre	O
600	CM	80	CM 120 LEVEL CM	9705,2460 litre	80,450 %	2358,4698 litre	O
600	CM	80	CM 119 LEVEL CM	9621,7649 litre	79,758 %	2441,9509 litre	O
600	CM	80	CM 118 LEVEL CM	9537,6139 litre	79,060 %	2526,1019 litre	O
600	CM	80	CM 117 LEVEL CM	9452,8150 litre	78,357 %	2610,9008 litre	O
600	CM	80	CM 116 LEVEL CM	9367,3901 litre	77,649 %	2696,3257 litre	O
600	CM	80	CM 115 LEVEL CM	9281,3605 litre	76,936 %	2782,3553 litre	O
600	CM	80	CM 114 LEVEL CM	9194,7471 litre	76,218 %	2868,9687 litre	O
600	CM	80	CM 113 LEVEL CM	9107,5702 litre	75,496 %	2956,1456 litre	O
600	CM	80	CM 112 LEVEL CM	9019,8498 litre	74,768 %	3043,8660 litre	O
600	CM	80	CM 111 LEVEL CM	8931,6058 litre	74,037 %	3132,1100 litre	O
600	CM	80	CM 110 LEVEL CM	8842,8572 litre	73,301 %	3220,8586 litre	O
600	CM	80	CM 109 LEVEL CM	8753,6233 litre	72,562 %	3310,0925 litre	O

600	CM	80	CM	108 LEVEL CM	8663,9225 litre	71,818 %	3399,7933 litre	O
600	CM	80	CM	107 LEVEL CM	8573,7734 litre	71,071 %	3489,9424 litre	O
600	CM	80	CM	106 LEVEL CM	8483,1940 litre	70,320 %	3580,5218 litre	O
600	CM	80	CM	105 LEVEL CM	8392,2022 litre	69,566 %	3671,5136 litre	O
600	CM	80	CM	104 LEVEL CM	8300,8156 litre	68,808 %	3762,9002 litre	O
600	CM	80	CM	103 LEVEL CM	8209,0517 litre	68,047 %	3854,6641 litre	O
600	CM	80	CM	102 LEVEL CM	8116,9275 litre	67,284 %	3946,7883 litre	O
600	CM	80	CM	101 LEVEL CM	8024,4600 litre	66,517 %	4039,2558 litre	O
600	CM	80	CM	100 LEVEL CM	7931,6661 litre	65,748 %	4132,0497 litre	O
600	CM	80	CM	99 LEVEL CM	7838,5623 litre	64,976 %	4225,1535 litre	O
600	CM	80	CM	98 LEVEL CM	7745,1651 litre	64,202 %	4318,5507 litre	O
600	CM	80	CM	97 LEVEL CM	7651,4908 litre	63,426 %	4412,2250 litre	O
600	CM	80	CM	96 LEVEL CM	7557,5556 litre	62,647 %	4506,1602 litre	O
600	CM	80	CM	95 LEVEL CM	7463,3753 litre	61,866 %	4600,3405 litre	O
600	CM	80	CM	94 LEVEL CM	7368,9660 litre	61,084 %	4694,7498 litre	O
600	CM	80	CM	93 LEVEL CM	7274,3434 litre	60,299 %	4789,3724 litre	O
600	CM	80	CM	92 LEVEL CM	7179,5232 litre	59,513 %	4884,1926 litre	O
600	CM	80	CM	91 LEVEL CM	7084,5209 litre	58,726 %	4979,1949 litre	O
600	CM	80	CM	90 LEVEL CM	6989,3520 litre	57,937 %	5074,3638 litre	O
600	CM	80	CM	89 LEVEL CM	6894,0319 litre	57,147 %	5169,6839 litre	O
600	CM	80	CM	88 LEVEL CM	6798,5760 litre	56,356 %	5265,1398 litre	O
600	CM	80	CM	87 LEVEL CM	6702,9994 litre	55,563 %	5360,7164 litre	O
600	CM	80	CM	86 LEVEL CM	6607,3174 litre	54,770 %	5456,3984 litre	O
600	CM	80	CM	85 LEVEL CM	6511,5452 litre	53,976 %	5552,1706 litre	O
600	CM	80	CM	84 LEVEL CM	6415,6978 litre	53,182 %	5648,0180 litre	O
600	CM	80	CM	83 LEVEL CM	6319,7904 litre	52,387 %	5743,9254 litre	O
600	CM	80	CM	82 LEVEL CM	6223,8379 litre	51,591 %	5839,8779 litre	O
600	CM	80	CM	81 LEVEL CM	6127,8554 litre	50,796 %	5935,8604 litre	O
600	CM	80	CM	80 LEVEL CM	6031,8579 litre	50,000 %	6031,8579 litre	O
600	CM	80	CM	79 LEVEL CM	5935,8604 litre	49,204 %	6127,8554 litre	O
600	CM	80	CM	78 LEVEL CM	5839,8779 litre	48,409 %	6223,8379 litre	O
600	CM	80	CM	77 LEVEL CM	5743,9254 litre	47,613 %	6319,7904 litre	O
600	CM	80	CM	76 LEVEL CM	5648,0180 litre	46,818 %	6415,6978 litre	O
600	CM	80	CM	75 LEVEL CM	5552,1706 litre	46,024 %	6511,5452 litre	O
600	CM	80	CM	74 LEVEL CM	5456,3984 litre	45,230 %	6607,3174 litre	O
600	CM	80	CM	73 LEVEL CM	5360,7164 litre	44,437 %	6702,9994 litre	O
600	CM	80	CM	72 LEVEL CM	5265,1398 litre	43,644 %	6798,5760 litre	O
600	CM	80	CM	71 LEVEL CM	5169,6839 litre	42,853 %	6894,0319 litre	O
600	CM	80	CM	70 LEVEL CM	5074,3638 litre	42,063 %	6989,3520 litre	O
600	CM	80	CM	69 LEVEL CM	4979,1949 litre	41,274 %	7084,5209 litre	O
600	CM	80	CM	68 LEVEL CM	4884,1926 litre	40,487 %	7179,5232 litre	O
600	CM	80	CM	67 LEVEL CM	4789,3724 litre	39,701 %	7274,3434 litre	O
600	CM	80	CM	66 LEVEL CM	4694,7498 litre	38,916 %	7368,9660 litre	O
600	CM	80	CM	65 LEVEL CM	4600,3405 litre	38,134 %	7463,3753 litre	O
600	CM	80	CM	64 LEVEL CM	4506,1602 litre	37,353 %	7557,5556 litre	O
600	CM	80	CM	63 LEVEL CM	4412,2250 litre	36,574 %	7651,4908 litre	O
600	CM	80	CM	62 LEVEL CM	4318,5507 litre	35,798 %	7745,1651 litre	O
600	CM	80	CM	61 LEVEL CM	4225,1535 litre	35,024 %	7838,5623 litre	O
600	CM	80	CM	60 LEVEL CM	4132,0497 litre	34,252 %	7931,6661 litre	O
600	CM	80	CM	59 LEVEL CM	4039,2558 litre	33,483 %	8024,4600 litre	O
600	CM	80	CM	58 LEVEL CM	3946,7883 litre	32,716 %	8116,9275 litre	O
600	CM	80	CM	57 LEVEL CM	3854,6641 litre	31,953 %	8209,0517 litre	O
600	CM	80	CM	56 LEVEL CM	3762,9001 litre	31,192 %	8300,8157 litre	O

600	CM	80	CM	55 LEVEL CM	3671,5136 litre	30,434 %	8392,2022 litre	O
600	CM	80	CM	54 LEVEL CM	3580,5218 litre	29,680 %	8483,1940 litre	O
600	CM	80	CM	53 LEVEL CM	3489,9424 litre	28,929 %	8573,7734 litre	O
600	CM	80	CM	52 LEVEL CM	3399,7933 litre	28,182 %	8663,9225 litre	O
600	CM	80	CM	51 LEVEL CM	3310,0925 litre	27,438 %	8753,6233 litre	O
600	CM	80	CM	50 LEVEL CM	3220,8586 litre	26,699 %	8842,8572 litre	O
600	CM	80	CM	49 LEVEL CM	3132,1100 litre	25,963 %	8931,6058 litre	O
600	CM	80	CM	48 LEVEL CM	3043,8660 litre	25,232 %	9019,8498 litre	O
600	CM	80	CM	47 LEVEL CM	2956,1456 litre	24,504 %	9107,5702 litre	O
600	CM	80	CM	46 LEVEL CM	2868,9687 litre	23,782 %	9194,7471 litre	O
600	CM	80	CM	45 LEVEL CM	2782,3552 litre	23,064 %	9281,3606 litre	O
600	CM	80	CM	44 LEVEL CM	2696,3256 litre	22,351 %	9367,3902 litre	O
600	CM	80	CM	43 LEVEL CM	2610,9008 litre	21,643 %	9452,8150 litre	O
600	CM	80	CM	42 LEVEL CM	2526,1019 litre	20,940 %	9537,6139 litre	O
600	CM	80	CM	41 LEVEL CM	2441,9508 litre	20,242 %	9621,7650 litre	O
600	CM	80	CM	40 LEVEL CM	2358,4698 litre	19,550 %	9705,2460 litre	O
600	CM	80	CM	39 LEVEL CM	2275,6817 litre	18,864 %	9788,0341 litre	O
600	CM	80	CM	38 LEVEL CM	2193,6098 litre	18,184 %	9870,1060 litre	O
600	CM	80	CM	37 LEVEL CM	2112,2781 litre	17,509 %	9951,4377 litre	O
600	CM	80	CM	36 LEVEL CM	2031,7115 litre	16,842 %	10032,0043 litre	O
600	CM	80	CM	35 LEVEL CM	1951,9351 litre	16,180 %	10111,7807 litre	O
600	CM	80	CM	34 LEVEL CM	1872,9752 litre	15,526 %	10190,7406 litre	O
600	CM	80	CM	33 LEVEL CM	1794,8588 litre	14,878 %	10268,8570 litre	O
600	CM	80	CM	32 LEVEL CM	1717,6136 litre	14,238 %	10346,1022 litre	O
600	CM	80	CM	31 LEVEL CM	1641,2686 litre	13,605 %	10422,4472 litre	O
600	CM	80	CM	30 LEVEL CM	1565,8534 litre	12,980 %	10497,8624 litre	O
600	CM	80	CM	29 LEVEL CM	1491,3991 litre	12,363 %	10572,3167 litre	O
600	CM	80	CM	28 LEVEL CM	1417,9379 litre	11,754 %	10645,7779 litre	O
600	CM	80	CM	27 LEVEL CM	1345,5032 litre	11,153 %	10718,2126 litre	O
600	CM	80	CM	26 LEVEL CM	1274,1299 litre	10,562 %	10789,5859 litre	O
600	CM	80	CM	25 LEVEL CM	1203,8546 litre	9,979 %	10859,8612 litre	O
600	CM	80	CM	24 LEVEL CM	1134,7155 litre	9,406 %	10929,0003 litre	O
600	CM	80	CM	23 LEVEL CM	1066,7529 litre	8,843 %	10996,9629 litre	O
600	CM	80	CM	22 LEVEL CM	1000,0090 litre	8,289 %	11063,7068 litre	O
600	CM	80	CM	21 LEVEL CM	934,5284 litre	7,747 %	11129,1874 litre	O
600	CM	80	CM	20 LEVEL CM	870,3586 litre	7,215 %	11193,3572 litre	O
600	CM	80	CM	19 LEVEL CM	807,5497 litre	6,694 %	11256,1661 litre	O
600	CM	80	CM	18 LEVEL CM	746,1553 litre	6,185 %	11317,5605 litre	O
600	CM	80	CM	17 LEVEL CM	686,2329 litre	5,688 %	11377,4829 litre	O
600	CM	80	CM	16 LEVEL CM	627,8443 litre	5,204 %	11435,8715 litre	O
600	CM	80	CM	15 LEVEL CM	571,0561 litre	4,734 %	11492,6597 litre	O
600	CM	80	CM	14 LEVEL CM	515,9410 litre	4,277 %	11547,7748 litre	O
600	CM	80	CM	13 LEVEL CM	462,5783 litre	3,834 %	11601,1375 litre	O
600	CM	80	CM	12 LEVEL CM	411,0557 litre	3,407 %	11652,6601 litre	O
600	CM	80	CM	11 LEVEL CM	361,4703 litre	2,996 %	11702,2455 litre	O
600	CM	80	CM	10 LEVEL CM	313,9314 litre	2,602 %	11749,7844 litre	O
600	CM	80	CM	9 LEVEL CM	268,5628 litre	2,226 %	11795,1530 litre	O
600	CM	80	CM	8 LEVEL CM	225,5075 litre	1,869 %	11838,2083 litre	O
600	CM	80	CM	7 LEVEL CM	184,9325 litre	1,533 %	11878,7833 litre	O
600	CM	80	CM	6 LEVEL CM	147,0381 litre	1,219 %	11916,6777 litre	O
600	CM	80	CM	5 LEVEL CM	112,0704 litre	0,929 %	11951,6454 litre	O
600	CM	80	CM	4 LEVEL CM	80,3444 litre	0,666 %	11983,3714 litre	O
600	CM	80	CM	3 LEVEL CM	52,2846 litre	0,433 %	12011,4312 litre	O

600	CM 80	CM	2 LEVEL CM	28,5141 litre	0,236 %	12035,2017 litre	O
600	CM 80	CM	1 LEVEL CM	10,1003 litre	0,084 %	12053,6155 litre	O
600	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	12063,7158 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	75	CM	150 LEVEL CM	10602,8752 litre	100,000 %	0,0000 litre	O
600	CM	75	CM	149 LEVEL CM	10593,0969 litre	99,908 %	9,7783 litre	O
600	CM	75	CM	148 LEVEL CM	10575,2735 litre	99,740 %	27,6017 litre	O
600	CM	75	CM	147 LEVEL CM	10552,2701 litre	99,523 %	50,6051 litre	O
600	CM	75	CM	146 LEVEL CM	10525,1216 litre	99,267 %	77,7536 litre	O
600	CM	75	CM	145 LEVEL CM	10494,4327 litre	98,977 %	108,4425 litre	O
600	CM	75	CM	144 LEVEL CM	10460,6157 litre	98,658 %	142,2595 litre	O
600	CM	75	CM	143 LEVEL CM	10423,9765 litre	98,313 %	178,8987 litre	O
600	CM	75	CM	142 LEVEL CM	10384,7544 litre	97,943 %	218,1208 litre	O
600	CM	75	CM	141 LEVEL CM	10343,1444 litre	97,550 %	259,7308 litre	O
600	CM	75	CM	140 LEVEL CM	10299,3091 litre	97,137 %	303,5661 litre	O
600	CM	75	CM	139 LEVEL CM	10253,3876 litre	96,704 %	349,4876 litre	O
600	CM	75	CM	138 LEVEL CM	10205,5009 litre	96,252 %	397,3743 litre	O
600	CM	75	CM	137 LEVEL CM	10155,7555 litre	95,783 %	447,1197 litre	O
600	CM	75	CM	136 LEVEL CM	10104,2463 litre	95,297 %	498,6289 litre	O
600	CM	75	CM	135 LEVEL CM	10051,0590 litre	94,796 %	551,8162 litre	O
600	CM	75	CM	134 LEVEL CM	9996,2710 litre	94,279 %	606,6042 litre	O
600	CM	75	CM	133 LEVEL CM	9939,9536 litre	93,748 %	662,9216 litre	O
600	CM	75	CM	132 LEVEL CM	9882,1720 litre	93,203 %	720,7032 litre	O
600	CM	75	CM	131 LEVEL CM	9822,9869 litre	92,645 %	779,8883 litre	O
600	CM	75	CM	130 LEVEL CM	9762,4545 litre	92,074 %	840,4207 litre	O
600	CM	75	CM	129 LEVEL CM	9700,6274 litre	91,491 %	902,2478 litre	O
600	CM	75	CM	128 LEVEL CM	9637,5551 litre	90,896 %	965,3201 litre	O
600	CM	75	CM	127 LEVEL CM	9573,2841 litre	90,290 %	1029,5911 litre	O
600	CM	75	CM	126 LEVEL CM	9507,8583 litre	89,672 %	1095,0169 litre	O
600	CM	75	CM	125 LEVEL CM	9441,3194 litre	89,045 %	1161,5558 litre	O
600	CM	75	CM	124 LEVEL CM	9373,7071 litre	88,407 %	1229,1681 litre	O
600	CM	75	CM	123 LEVEL CM	9305,0591 litre	87,760 %	1297,8161 litre	O
600	CM	75	CM	122 LEVEL CM	9235,4114 litre	87,103 %	1367,4638 litre	O
600	CM	75	CM	121 LEVEL CM	9164,7986 litre	86,437 %	1438,0766 litre	O
600	CM	75	CM	120 LEVEL CM	9093,2538 litre	85,762 %	1509,6214 litre	O
600	CM	75	CM	119 LEVEL CM	9020,8090 litre	85,079 %	1582,0662 litre	O
600	CM	75	CM	118 LEVEL CM	8947,4948 litre	84,387 %	1655,3804 litre	O
600	CM	75	CM	117 LEVEL CM	8873,3407 litre	83,688 %	1729,5345 litre	O
600	CM	75	CM	116 LEVEL CM	8798,3755 litre	82,981 %	1804,4997 litre	O
600	CM	75	CM	115 LEVEL CM	8722,6267 litre	82,267 %	1880,2485 litre	O
600	CM	75	CM	114 LEVEL CM	8646,1213 litre	81,545 %	1956,7539 litre	O
600	CM	75	CM	113 LEVEL CM	8568,8854 litre	80,817 %	2033,9898 litre	O
600	CM	75	CM	112 LEVEL CM	8490,9441 litre	80,082 %	2111,9311 litre	O
600	CM	75	CM	111 LEVEL CM	8412,3222 litre	79,340 %	2190,5530 litre	O
600	CM	75	CM	110 LEVEL CM	8333,0437 litre	78,592 %	2269,8315 litre	O
600	CM	75	CM	109 LEVEL CM	8253,1319 litre	77,839 %	2349,7433 litre	O
600	CM	75	CM	108 LEVEL CM	8172,6098 litre	77,079 %	2430,2654 litre	O
600	CM	75	CM	107 LEVEL CM	8091,4997 litre	76,314 %	2511,3755 litre	O
600	CM	75	CM	106 LEVEL CM	8009,8234 litre	75,544 %	2593,0518 litre	O
600	CM	75	CM	105 LEVEL CM	7927,6024 litre	74,768 %	2675,2728 litre	O
600	CM	75	CM	104 LEVEL CM	7844,8576 litre	73,988 %	2758,0176 litre	O
600	CM	75	CM	103 LEVEL CM	7761,6097 litre	73,203 %	2841,2655 litre	O
600	CM	75	CM	102 LEVEL CM	7677,8788 litre	72,413 %	2924,9964 litre	O
600	CM	75	CM	101 LEVEL CM	7593,6848 litre	71,619 %	3009,1904 litre	O
600	CM	75	CM	100 LEVEL CM	7509,0473 litre	70,821 %	3093,8279 litre	O
600	CM	75	CM	99 LEVEL CM	7423,9856 litre	70,019 %	3178,8896 litre	O

600	CM	75	CM	98 LEVEL CM	7338,5185 litre	69,213 %	3264,3567 litre	O
600	CM	75	CM	97 LEVEL CM	7252,6647 litre	68,403 %	3350,2105 litre	O
600	CM	75	CM	96 LEVEL CM	7166,4427 litre	67,590 %	3436,4325 litre	O
600	CM	75	CM	95 LEVEL CM	7079,8707 litre	66,773 %	3523,0045 litre	O
600	CM	75	CM	94 LEVEL CM	6992,9667 litre	65,953 %	3609,9085 litre	O
600	CM	75	CM	93 LEVEL CM	6905,7484 litre	65,131 %	3697,1268 litre	O
600	CM	75	CM	92 LEVEL CM	6818,2334 litre	64,306 %	3784,6418 litre	O
600	CM	75	CM	91 LEVEL CM	6730,4391 litre	63,477 %	3872,4361 litre	O
600	CM	75	CM	90 LEVEL CM	6642,3828 litre	62,647 %	3960,4924 litre	O
600	CM	75	CM	89 LEVEL CM	6554,0815 litre	61,814 %	4048,7937 litre	O
600	CM	75	CM	88 LEVEL CM	6465,5522 litre	60,979 %	4137,3230 litre	O
600	CM	75	CM	87 LEVEL CM	6376,8117 litre	60,142 %	4226,0635 litre	O
600	CM	75	CM	86 LEVEL CM	6287,8767 litre	59,304 %	4314,9985 litre	O
600	CM	75	CM	85 LEVEL CM	6198,7638 litre	58,463 %	4404,1114 litre	O
600	CM	75	CM	84 LEVEL CM	6109,4894 litre	57,621 %	4493,3858 litre	O
600	CM	75	CM	83 LEVEL CM	6020,0699 litre	56,778 %	4582,8053 litre	O
600	CM	75	CM	82 LEVEL CM	5930,5217 litre	55,933 %	4672,3535 litre	O
600	CM	75	CM	81 LEVEL CM	5840,8610 litre	55,088 %	4762,0142 litre	O
600	CM	75	CM	80 LEVEL CM	5751,1040 litre	54,241 %	4851,7712 litre	O
600	CM	75	CM	79 LEVEL CM	5661,2669 litre	53,394 %	4941,6083 litre	O
600	CM	75	CM	78 LEVEL CM	5571,3656 litre	52,546 %	5031,5096 litre	O
600	CM	75	CM	77 LEVEL CM	5481,4163 litre	51,697 %	5121,4589 litre	O
600	CM	75	CM	76 LEVEL CM	5391,4349 litre	50,849 %	5211,4403 litre	O
600	CM	75	CM	75 LEVEL CM	5301,4376 litre	50,000 %	5301,4376 litre	O
600	CM	75	CM	74 LEVEL CM	5211,4403 litre	49,151 %	5391,4349 litre	O
600	CM	75	CM	73 LEVEL CM	5121,4589 litre	48,303 %	5481,4163 litre	O
600	CM	75	CM	72 LEVEL CM	5031,5096 litre	47,454 %	5571,3656 litre	O
600	CM	75	CM	71 LEVEL CM	4941,6083 litre	46,606 %	5661,2669 litre	O
600	CM	75	CM	70 LEVEL CM	4851,7712 litre	45,759 %	5751,1040 litre	O
600	CM	75	CM	69 LEVEL CM	4762,0142 litre	44,912 %	5840,8610 litre	O
600	CM	75	CM	68 LEVEL CM	4672,3535 litre	44,067 %	5930,5217 litre	O
600	CM	75	CM	67 LEVEL CM	4582,8053 litre	43,222 %	6020,0699 litre	O
600	CM	75	CM	66 LEVEL CM	4493,3858 litre	42,379 %	6109,4894 litre	O
600	CM	75	CM	65 LEVEL CM	4404,1114 litre	41,537 %	6198,7638 litre	O
600	CM	75	CM	64 LEVEL CM	4314,9985 litre	40,696 %	6287,8767 litre	O
600	CM	75	CM	63 LEVEL CM	4226,0635 litre	39,858 %	6376,8117 litre	O
600	CM	75	CM	62 LEVEL CM	4137,3230 litre	39,021 %	6465,5522 litre	O
600	CM	75	CM	61 LEVEL CM	4048,7937 litre	38,186 %	6554,0815 litre	O
600	CM	75	CM	60 LEVEL CM	3960,4924 litre	37,353 %	6642,3828 litre	O
600	CM	75	CM	59 LEVEL CM	3872,4361 litre	36,523 %	6730,4391 litre	O
600	CM	75	CM	58 LEVEL CM	3784,6418 litre	35,694 %	6818,2334 litre	O
600	CM	75	CM	57 LEVEL CM	3697,1268 litre	34,869 %	6905,7484 litre	O
600	CM	75	CM	56 LEVEL CM	3609,9085 litre	34,047 %	6992,9667 litre	O
600	CM	75	CM	55 LEVEL CM	3523,0045 litre	33,227 %	7079,8707 litre	O
600	CM	75	CM	54 LEVEL CM	3436,4325 litre	32,410 %	7166,4427 litre	O
600	CM	75	CM	53 LEVEL CM	3350,2105 litre	31,597 %	7252,6647 litre	O
600	CM	75	CM	52 LEVEL CM	3264,3567 litre	30,787 %	7338,5185 litre	O
600	CM	75	CM	51 LEVEL CM	3178,8896 litre	29,981 %	7423,9856 litre	O
600	CM	75	CM	50 LEVEL CM	3093,8279 litre	29,179 %	7509,0473 litre	O
600	CM	75	CM	49 LEVEL CM	3009,1904 litre	28,381 %	7593,6848 litre	O
600	CM	75	CM	48 LEVEL CM	2924,9964 litre	27,587 %	7677,8788 litre	O
600	CM	75	CM	47 LEVEL CM	2841,2655 litre	26,797 %	7761,6097 litre	O
600	CM	75	CM	46 LEVEL CM	2758,0176 litre	26,012 %	7844,8576 litre	O

600	CM	75	CM	45 LEVEL CM	2675,2728 litre	25,232 %	7927,6024 litre	O
600	CM	75	CM	44 LEVEL CM	2593,0518 litre	24,456 %	8009,8234 litre	O
600	CM	75	CM	43 LEVEL CM	2511,3755 litre	23,686 %	8091,4997 litre	O
600	CM	75	CM	42 LEVEL CM	2430,2654 litre	22,921 %	8172,6098 litre	O
600	CM	75	CM	41 LEVEL CM	2349,7433 litre	22,161 %	8253,1319 litre	O
600	CM	75	CM	40 LEVEL CM	2269,8315 litre	21,408 %	8333,0437 litre	O
600	CM	75	CM	39 LEVEL CM	2190,5530 litre	20,660 %	8412,3222 litre	O
600	CM	75	CM	38 LEVEL CM	2111,9311 litre	19,918 %	8490,9441 litre	O
600	CM	75	CM	37 LEVEL CM	2033,9898 litre	19,183 %	8568,8854 litre	O
600	CM	75	CM	36 LEVEL CM	1956,7539 litre	18,455 %	8646,1213 litre	O
600	CM	75	CM	35 LEVEL CM	1880,2485 litre	17,733 %	8722,6267 litre	O
600	CM	75	CM	34 LEVEL CM	1804,4997 litre	17,019 %	8798,3755 litre	O
600	CM	75	CM	33 LEVEL CM	1729,5345 litre	16,312 %	8873,3407 litre	O
600	CM	75	CM	32 LEVEL CM	1655,3804 litre	15,613 %	8947,4948 litre	O
600	CM	75	CM	31 LEVEL CM	1582,0662 litre	14,921 %	9020,8090 litre	O
600	CM	75	CM	30 LEVEL CM	1509,6214 litre	14,238 %	9093,2538 litre	O
600	CM	75	CM	29 LEVEL CM	1438,0766 litre	13,563 %	9164,7986 litre	O
600	CM	75	CM	28 LEVEL CM	1367,4638 litre	12,897 %	9235,4114 litre	O
600	CM	75	CM	27 LEVEL CM	1297,8162 litre	12,240 %	9305,0590 litre	O
600	CM	75	CM	26 LEVEL CM	1229,1681 litre	11,593 %	9373,7071 litre	O
600	CM	75	CM	25 LEVEL CM	1161,5558 litre	10,955 %	9441,3194 litre	O
600	CM	75	CM	24 LEVEL CM	1095,0169 litre	10,328 %	9507,8583 litre	O
600	CM	75	CM	23 LEVEL CM	1029,5911 litre	9,710 %	9573,2841 litre	O
600	CM	75	CM	22 LEVEL CM	965,3201 litre	9,104 %	9637,5551 litre	O
600	CM	75	CM	21 LEVEL CM	902,2478 litre	8,509 %	9700,6274 litre	O
600	CM	75	CM	20 LEVEL CM	840,4207 litre	7,926 %	9762,4545 litre	O
600	CM	75	CM	19 LEVEL CM	779,8883 litre	7,355 %	9822,9869 litre	O
600	CM	75	CM	18 LEVEL CM	720,7032 litre	6,797 %	9882,1720 litre	O
600	CM	75	CM	17 LEVEL CM	662,9216 litre	6,252 %	9939,9536 litre	O
600	CM	75	CM	16 LEVEL CM	606,6042 litre	5,721 %	9996,2710 litre	O
600	CM	75	CM	15 LEVEL CM	551,8162 litre	5,204 %	10051,0590 litre	O
600	CM	75	CM	14 LEVEL CM	498,6289 litre	4,703 %	10104,2463 litre	O
600	CM	75	CM	13 LEVEL CM	447,1197 litre	4,217 %	10155,7555 litre	O
600	CM	75	CM	12 LEVEL CM	397,3743 litre	3,748 %	10205,5009 litre	O
600	CM	75	CM	11 LEVEL CM	349,4876 litre	3,296 %	10253,3876 litre	O
600	CM	75	CM	10 LEVEL CM	303,5661 litre	2,863 %	10299,3091 litre	O
600	CM	75	CM	9 LEVEL CM	259,7308 litre	2,450 %	10343,1444 litre	O
600	CM	75	CM	8 LEVEL CM	218,1208 litre	2,057 %	10384,7544 litre	O
600	CM	75	CM	7 LEVEL CM	178,8987 litre	1,687 %	10423,9765 litre	O
600	CM	75	CM	6 LEVEL CM	142,2595 litre	1,342 %	10460,6157 litre	O
600	CM	75	CM	5 LEVEL CM	108,4425 litre	1,023 %	10494,4327 litre	O
600	CM	75	CM	4 LEVEL CM	77,7536 litre	0,733 %	10525,1216 litre	O
600	CM	75	CM	3 LEVEL CM	50,6051 litre	0,477 %	10552,2701 litre	O
600	CM	75	CM	2 LEVEL CM	27,6017 litre	0,260 %	10575,2735 litre	O
600	CM	75	CM	1 LEVEL CM	9,7783 litre	0,092 %	10593,0969 litre	O
600	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	10602,8752 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 70	CM 140 LEVEL CM	9236,2824 litre	100,000 %	0,0000 litre	O
600	CM 70	CM 139 LEVEL CM	9226,8370 litre	99,898 %	9,4454 litre	O
600	CM 70	CM 138 LEVEL CM	9209,6243 litre	99,711 %	26,6581 litre	O
600	CM 70	CM 137 LEVEL CM	9187,4144 litre	99,471 %	48,8680 litre	O
600	CM 70	CM 136 LEVEL CM	9161,2090 litre	99,187 %	75,0734 litre	O
600	CM 70	CM 135 LEVEL CM	9131,5936 litre	98,867 %	104,6888 litre	O
600	CM 70	CM 134 LEVEL CM	9098,9678 litre	98,513 %	137,3146 litre	O
600	CM 70	CM 133 LEVEL CM	9063,6282 litre	98,131 %	172,6542 litre	O
600	CM 70	CM 132 LEVEL CM	9025,8075 litre	97,721 %	210,4749 litre	O
600	CM 70	CM 131 LEVEL CM	8985,6947 litre	97,287 %	250,5877 litre	O
600	CM 70	CM 130 LEVEL CM	8943,4483 litre	96,830 %	292,8341 litre	O
600	CM 70	CM 129 LEVEL CM	8899,2034 litre	96,350 %	337,0790 litre	O
600	CM 70	CM 128 LEVEL CM	8853,0779 litre	95,851 %	383,2045 litre	O
600	CM 70	CM 127 LEVEL CM	8805,1756 litre	95,332 %	431,1068 litre	O
600	CM 70	CM 126 LEVEL CM	8755,5891 litre	94,796 %	480,6933 litre	O
600	CM 70	CM 125 LEVEL CM	8704,4021 litre	94,241 %	531,8803 litre	O
600	CM 70	CM 124 LEVEL CM	8651,6903 litre	93,671 %	584,5921 litre	O
600	CM 70	CM 123 LEVEL CM	8597,5232 litre	93,084 %	638,7592 litre	O
600	CM 70	CM 122 LEVEL CM	8541,9649 litre	92,483 %	694,3175 litre	O
600	CM 70	CM 121 LEVEL CM	8485,0746 litre	91,867 %	751,2078 litre	O
600	CM 70	CM 120 LEVEL CM	8426,9077 litre	91,237 %	809,3747 litre	O
600	CM 70	CM 119 LEVEL CM	8367,5158 litre	90,594 %	868,7666 litre	O
600	CM 70	CM 118 LEVEL CM	8306,9474 litre	89,938 %	929,3350 litre	O
600	CM 70	CM 117 LEVEL CM	8245,2483 litre	89,270 %	991,0341 litre	O
600	CM 70	CM 116 LEVEL CM	8182,4618 litre	88,590 %	1053,8206 litre	O
600	CM 70	CM 115 LEVEL CM	8118,6290 litre	87,899 %	1117,6534 litre	O
600	CM 70	CM 114 LEVEL CM	8053,7889 litre	87,197 %	1182,4935 litre	O
600	CM 70	CM 113 LEVEL CM	7987,9788 litre	86,485 %	1248,3036 litre	O
600	CM 70	CM 112 LEVEL CM	7921,2345 litre	85,762 %	1315,0479 litre	O
600	CM 70	CM 111 LEVEL CM	7853,5900 litre	85,030 %	1382,6924 litre	O
600	CM 70	CM 110 LEVEL CM	7785,0782 litre	84,288 %	1451,2042 litre	O
600	CM 70	CM 109 LEVEL CM	7715,7308 litre	83,537 %	1520,5516 litre	O
600	CM 70	CM 108 LEVEL CM	7645,5782 litre	82,778 %	1590,7042 litre	O
600	CM 70	CM 107 LEVEL CM	7574,6499 litre	82,010 %	1661,6325 litre	O
600	CM 70	CM 106 LEVEL CM	7502,9742 litre	81,234 %	1733,3082 litre	O
600	CM 70	CM 105 LEVEL CM	7430,5789 litre	80,450 %	1805,7035 litre	O
600	CM 70	CM 104 LEVEL CM	7357,4908 litre	79,659 %	1878,7916 litre	O
600	CM 70	CM 103 LEVEL CM	7283,7357 litre	78,860 %	1952,5467 litre	O
600	CM 70	CM 102 LEVEL CM	7209,3392 litre	78,055 %	2026,9432 litre	O
600	CM 70	CM 101 LEVEL CM	7134,3258 litre	77,242 %	2101,9566 litre	O
600	CM 70	CM 100 LEVEL CM	7058,7196 litre	76,424 %	2177,5628 litre	O
600	CM 70	CM 99 LEVEL CM	6982,5442 litre	75,599 %	2253,7382 litre	O
600	CM 70	CM 98 LEVEL CM	6905,8225 litre	74,768 %	2330,4599 litre	O
600	CM 70	CM 97 LEVEL CM	6828,5771 litre	73,932 %	2407,7053 litre	O
600	CM 70	CM 96 LEVEL CM	6750,8299 litre	73,090 %	2485,4525 litre	O
600	CM 70	CM 95 LEVEL CM	6672,6027 litre	72,243 %	2563,6797 litre	O
600	CM 70	CM 94 LEVEL CM	6593,9166 litre	71,391 %	2642,3658 litre	O
600	CM 70	CM 93 LEVEL CM	6514,7925 litre	70,535 %	2721,4899 litre	O
600	CM 70	CM 92 LEVEL CM	6435,2509 litre	69,674 %	2801,0315 litre	O
600	CM 70	CM 91 LEVEL CM	6355,3120 litre	68,808 %	2880,9704 litre	O
600	CM 70	CM 90 LEVEL CM	6274,9957 litre	67,939 %	2961,2867 litre	O
600	CM 70	CM 89 LEVEL CM	6194,3216 litre	67,065 %	3041,9608 litre	O

600	CM	70	CM	88 LEVEL CM	6113,3090 litre	66,188 %	3122,9734 litre	O
600	CM	70	CM	87 LEVEL CM	6031,9772 litre	65,307 %	3204,3052 litre	O
600	CM	70	CM	86 LEVEL CM	5950,3449 litre	64,424 %	3285,9375 litre	O
600	CM	70	CM	85 LEVEL CM	5868,4308 litre	63,537 %	3367,8516 litre	O
600	CM	70	CM	84 LEVEL CM	5786,2535 litre	62,647 %	3450,0289 litre	O
600	CM	70	CM	83 LEVEL CM	5703,8312 litre	61,755 %	3532,4512 litre	O
600	CM	70	CM	82 LEVEL CM	5621,1821 litre	60,860 %	3615,1003 litre	O
600	CM	70	CM	81 LEVEL CM	5538,3241 litre	59,963 %	3697,9583 litre	O
600	CM	70	CM	80 LEVEL CM	5455,2752 litre	59,064 %	3781,0072 litre	O
600	CM	70	CM	79 LEVEL CM	5372,0531 litre	58,163 %	3864,2293 litre	O
600	CM	70	CM	78 LEVEL CM	5288,6755 litre	57,260 %	3947,6069 litre	O
600	CM	70	CM	77 LEVEL CM	5205,1597 litre	56,356 %	4031,1227 litre	O
600	CM	70	CM	76 LEVEL CM	5121,5234 litre	55,450 %	4114,7590 litre	O
600	CM	70	CM	75 LEVEL CM	5037,7838 litre	54,543 %	4198,4986 litre	O
600	CM	70	CM	74 LEVEL CM	4953,9583 litre	53,636 %	4282,3241 litre	O
600	CM	70	CM	73 LEVEL CM	4870,0640 litre	52,728 %	4366,2184 litre	O
600	CM	70	CM	72 LEVEL CM	4786,1183 litre	51,819 %	4450,1641 litre	O
600	CM	70	CM	71 LEVEL CM	4702,1383 litre	50,909 %	4534,1441 litre	O
600	CM	70	CM	70 LEVEL CM	4618,1412 litre	50,000 %	4618,1412 litre	O
600	CM	70	CM	69 LEVEL CM	4534,1441 litre	49,091 %	4702,1383 litre	O
600	CM	70	CM	68 LEVEL CM	4450,1641 litre	48,181 %	4786,1183 litre	O
600	CM	70	CM	67 LEVEL CM	4366,2184 litre	47,272 %	4870,0640 litre	O
600	CM	70	CM	66 LEVEL CM	4282,3241 litre	46,364 %	4953,9583 litre	O
600	CM	70	CM	65 LEVEL CM	4198,4986 litre	45,457 %	5037,7838 litre	O
600	CM	70	CM	64 LEVEL CM	4114,7590 litre	44,550 %	5121,5234 litre	O
600	CM	70	CM	63 LEVEL CM	4031,1227 litre	43,644 %	5205,1597 litre	O
600	CM	70	CM	62 LEVEL CM	3947,6069 litre	42,740 %	5288,6755 litre	O
600	CM	70	CM	61 LEVEL CM	3864,2293 litre	41,837 %	5372,0531 litre	O
600	CM	70	CM	60 LEVEL CM	3781,0072 litre	40,936 %	5455,2752 litre	O
600	CM	70	CM	59 LEVEL CM	3697,9583 litre	40,037 %	5538,3241 litre	O
600	CM	70	CM	58 LEVEL CM	3615,1003 litre	39,140 %	5621,1821 litre	O
600	CM	70	CM	57 LEVEL CM	3532,4512 litre	38,245 %	5703,8312 litre	O
600	CM	70	CM	56 LEVEL CM	3450,0289 litre	37,353 %	5786,2535 litre	O
600	CM	70	CM	55 LEVEL CM	3367,8516 litre	36,463 %	5868,4308 litre	O
600	CM	70	CM	54 LEVEL CM	3285,9375 litre	35,576 %	5950,3449 litre	O
600	CM	70	CM	53 LEVEL CM	3204,3052 litre	34,693 %	6031,9772 litre	O
600	CM	70	CM	52 LEVEL CM	3122,9734 litre	33,812 %	6113,3090 litre	O
600	CM	70	CM	51 LEVEL CM	3041,9608 litre	32,935 %	6194,3216 litre	O
600	CM	70	CM	50 LEVEL CM	2961,2867 litre	32,061 %	6274,9957 litre	O
600	CM	70	CM	49 LEVEL CM	2880,9704 litre	31,192 %	6355,3120 litre	O
600	CM	70	CM	48 LEVEL CM	2801,0315 litre	30,326 %	6435,2509 litre	O
600	CM	70	CM	47 LEVEL CM	2721,4899 litre	29,465 %	6514,7925 litre	O
600	CM	70	CM	46 LEVEL CM	2642,3658 litre	28,609 %	6593,9166 litre	O
600	CM	70	CM	45 LEVEL CM	2563,6797 litre	27,757 %	6672,6027 litre	O
600	CM	70	CM	44 LEVEL CM	2485,4525 litre	26,910 %	6750,8299 litre	O
600	CM	70	CM	43 LEVEL CM	2407,7053 litre	26,068 %	6828,5771 litre	O
600	CM	70	CM	42 LEVEL CM	2330,4599 litre	25,232 %	6905,8225 litre	O
600	CM	70	CM	41 LEVEL CM	2253,7382 litre	24,401 %	6982,5442 litre	O
600	CM	70	CM	40 LEVEL CM	2177,5628 litre	23,576 %	7058,7196 litre	O
600	CM	70	CM	39 LEVEL CM	2101,9566 litre	22,758 %	7134,3258 litre	O
600	CM	70	CM	38 LEVEL CM	2026,9432 litre	21,945 %	7209,3392 litre	O
600	CM	70	CM	37 LEVEL CM	1952,5467 litre	21,140 %	7283,7357 litre	O
600	CM	70	CM	36 LEVEL CM	1878,7916 litre	20,341 %	7357,4908 litre	O

600	CM	70	CM	35 LEVEL CM	1805,7035 litre	19,550 %	7430,5789 litre	O
600	CM	70	CM	34 LEVEL CM	1733,3082 litre	18,766 %	7502,9742 litre	O
600	CM	70	CM	33 LEVEL CM	1661,6325 litre	17,990 %	7574,6499 litre	O
600	CM	70	CM	32 LEVEL CM	1590,7042 litre	17,222 %	7645,5782 litre	O
600	CM	70	CM	31 LEVEL CM	1520,5516 litre	16,463 %	7715,7308 litre	O
600	CM	70	CM	30 LEVEL CM	1451,2042 litre	15,712 %	7785,0782 litre	O
600	CM	70	CM	29 LEVEL CM	1382,6924 litre	14,970 %	7853,5900 litre	O
600	CM	70	CM	28 LEVEL CM	1315,0479 litre	14,238 %	7921,2345 litre	O
600	CM	70	CM	27 LEVEL CM	1248,3036 litre	13,515 %	7987,9788 litre	O
600	CM	70	CM	26 LEVEL CM	1182,4935 litre	12,803 %	8053,7889 litre	O
600	CM	70	CM	25 LEVEL CM	1117,6534 litre	12,101 %	8118,6290 litre	O
600	CM	70	CM	24 LEVEL CM	1053,8206 litre	11,410 %	8182,4618 litre	O
600	CM	70	CM	23 LEVEL CM	991,0341 litre	10,730 %	8245,2483 litre	O
600	CM	70	CM	22 LEVEL CM	929,3350 litre	10,062 %	8306,9474 litre	O
600	CM	70	CM	21 LEVEL CM	868,7666 litre	9,406 %	8367,5158 litre	O
600	CM	70	CM	20 LEVEL CM	809,3747 litre	8,763 %	8426,9077 litre	O
600	CM	70	CM	19 LEVEL CM	751,2078 litre	8,133 %	8485,0746 litre	O
600	CM	70	CM	18 LEVEL CM	694,3175 litre	7,517 %	8541,9649 litre	O
600	CM	70	CM	17 LEVEL CM	638,7592 litre	6,916 %	8597,5232 litre	O
600	CM	70	CM	16 LEVEL CM	584,5921 litre	6,329 %	8651,6903 litre	O
600	CM	70	CM	15 LEVEL CM	531,8803 litre	5,759 %	8704,4021 litre	O
600	CM	70	CM	14 LEVEL CM	480,6933 litre	5,204 %	8755,5891 litre	O
600	CM	70	CM	13 LEVEL CM	431,1068 litre	4,668 %	8805,1756 litre	O
600	CM	70	CM	12 LEVEL CM	383,2045 litre	4,149 %	8853,0779 litre	O
600	CM	70	CM	11 LEVEL CM	337,0790 litre	3,650 %	8899,2034 litre	O
600	CM	70	CM	10 LEVEL CM	292,8341 litre	3,170 %	8943,4483 litre	O
600	CM	70	CM	9 LEVEL CM	250,5877 litre	2,713 %	8985,6947 litre	O
600	CM	70	CM	8 LEVEL CM	210,4749 litre	2,279 %	9025,8075 litre	O
600	CM	70	CM	7 LEVEL CM	172,6542 litre	1,869 %	9063,6282 litre	O
600	CM	70	CM	6 LEVEL CM	137,3146 litre	1,487 %	9098,9678 litre	O
600	CM	70	CM	5 LEVEL CM	104,6888 litre	1,133 %	9131,5936 litre	O
600	CM	70	CM	4 LEVEL CM	75,0734 litre	0,813 %	9161,2090 litre	O
600	CM	70	CM	3 LEVEL CM	48,8680 litre	0,529 %	9187,4144 litre	O
600	CM	70	CM	2 LEVEL CM	26,6581 litre	0,289 %	9209,6243 litre	O
600	CM	70	CM	1 LEVEL CM	9,4454 litre	0,102 %	9226,8370 litre	O
600	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	9236,2824 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
600	CM 65	CM 130 LEVEL CM	7963,9374 litre	100,000 %	0,0000 litre	O
600	CM 65	CM 129 LEVEL CM	7954,8371 litre	99,886 %	9,1003 litre	O
600	CM 65	CM 128 LEVEL CM	7938,2576 litre	99,678 %	25,6798 litre	O
600	CM 65	CM 127 LEVEL CM	7916,8707 litre	99,409 %	47,0667 litre	O
600	CM 65	CM 126 LEVEL CM	7891,6435 litre	99,092 %	72,2939 litre	O
600	CM 65	CM 125 LEVEL CM	7863,1419 litre	98,734 %	100,7955 litre	O
600	CM 65	CM 124 LEVEL CM	7831,7524 litre	98,340 %	132,1850 litre	O
600	CM 65	CM 123 LEVEL CM	7797,7623 litre	97,913 %	166,1751 litre	O
600	CM 65	CM 122 LEVEL CM	7761,3968 litre	97,457 %	202,5406 litre	O
600	CM 65	CM 121 LEVEL CM	7722,8395 litre	96,973 %	241,0979 litre	O
600	CM 65	CM 120 LEVEL CM	7682,2440 litre	96,463 %	281,6934 litre	O
600	CM 65	CM 119 LEVEL CM	7639,7418 litre	95,929 %	324,1956 litre	O
600	CM 65	CM 118 LEVEL CM	7595,4474 litre	95,373 %	368,4900 litre	O
600	CM 65	CM 117 LEVEL CM	7549,4621 litre	94,796 %	414,4753 litre	O
600	CM 65	CM 116 LEVEL CM	7501,8760 litre	94,198 %	462,0614 litre	O
600	CM 65	CM 115 LEVEL CM	7452,7706 litre	93,581 %	511,1668 litre	O
600	CM 65	CM 114 LEVEL CM	7402,2201 litre	92,947 %	561,7173 litre	O
600	CM 65	CM 113 LEVEL CM	7350,2923 litre	92,295 %	613,6451 litre	O
600	CM 65	CM 112 LEVEL CM	7297,0500 litre	91,626 %	666,8874 litre	O
600	CM 65	CM 111 LEVEL CM	7242,5513 litre	90,942 %	721,3861 litre	O
600	CM 65	CM 110 LEVEL CM	7186,8503 litre	90,242 %	777,0871 litre	O
600	CM 65	CM 109 LEVEL CM	7129,9977 litre	89,529 %	833,9397 litre	O
600	CM 65	CM 108 LEVEL CM	7072,0413 litre	88,801 %	891,8961 litre	O
600	CM 65	CM 107 LEVEL CM	7013,0261 litre	88,060 %	950,9113 litre	O
600	CM 65	CM 106 LEVEL CM	6952,9948 litre	87,306 %	1010,9426 litre	O
600	CM 65	CM 105 LEVEL CM	6891,9879 litre	86,540 %	1071,9495 litre	O
600	CM 65	CM 104 LEVEL CM	6830,0440 litre	85,762 %	1133,8934 litre	O
600	CM 65	CM 103 LEVEL CM	6767,1999 litre	84,973 %	1196,7375 litre	O
600	CM 65	CM 102 LEVEL CM	6703,4911 litre	84,173 %	1260,4463 litre	O
600	CM 65	CM 101 LEVEL CM	6638,9513 litre	83,363 %	1324,9861 litre	O
600	CM 65	CM 100 LEVEL CM	6573,6132 litre	82,542 %	1390,3242 litre	O
600	CM 65	CM 99 LEVEL CM	6507,5082 litre	81,712 %	1456,4292 litre	O
600	CM 65	CM 98 LEVEL CM	6440,6666 litre	80,873 %	1523,2708 litre	O
600	CM 65	CM 97 LEVEL CM	6373,1178 litre	80,025 %	1590,8196 litre	O
600	CM 65	CM 96 LEVEL CM	6304,8902 litre	79,168 %	1659,0472 litre	O
600	CM 65	CM 95 LEVEL CM	6236,0114 litre	78,303 %	1727,9260 litre	O
600	CM 65	CM 94 LEVEL CM	6166,5083 litre	77,430 %	1797,4291 litre	O
600	CM 65	CM 93 LEVEL CM	6096,4068 litre	76,550 %	1867,5306 litre	O
600	CM 65	CM 92 LEVEL CM	6025,7325 litre	75,663 %	1938,2049 litre	O
600	CM 65	CM 91 LEVEL CM	5954,5102 litre	74,768 %	2009,4272 litre	O
600	CM 65	CM 90 LEVEL CM	5882,7642 litre	73,868 %	2081,1732 litre	O
600	CM 65	CM 89 LEVEL CM	5810,5181 litre	72,960 %	2153,4193 litre	O
600	CM 65	CM 88 LEVEL CM	5737,7952 litre	72,047 %	2226,1422 litre	O
600	CM 65	CM 87 LEVEL CM	5664,6182 litre	71,128 %	2299,3192 litre	O
600	CM 65	CM 86 LEVEL CM	5591,0096 litre	70,204 %	2372,9278 litre	O
600	CM 65	CM 85 LEVEL CM	5516,9913 litre	69,275 %	2446,9461 litre	O
600	CM 65	CM 84 LEVEL CM	5442,5850 litre	68,340 %	2521,3524 litre	O
600	CM 65	CM 83 LEVEL CM	5367,8118 litre	67,401 %	2596,1256 litre	O
600	CM 65	CM 82 LEVEL CM	5292,6927 litre	66,458 %	2671,2447 litre	O
600	CM 65	CM 81 LEVEL CM	5217,2485 litre	65,511 %	2746,6889 litre	O
600	CM 65	CM 80 LEVEL CM	5141,4995 litre	64,560 %	2822,4379 litre	O
600	CM 65	CM 79 LEVEL CM	5065,4659 litre	63,605 %	2898,4715 litre	O

600	CM	65	CM	78 LEVEL CM	4989,1675 litre	62,647 %	2974,7699 litre	O
600	CM	65	CM	77 LEVEL CM	4912,6242 litre	61,686 %	3051,3132 litre	O
600	CM	65	CM	76 LEVEL CM	4835,8555 litre	60,722 %	3128,0819 litre	O
600	CM	65	CM	75 LEVEL CM	4758,8807 litre	59,755 %	3205,0567 litre	O
600	CM	65	CM	74 LEVEL CM	4681,7191 litre	58,786 %	3282,2183 litre	O
600	CM	65	CM	73 LEVEL CM	4604,3897 litre	57,815 %	3359,5477 litre	O
600	CM	65	CM	72 LEVEL CM	4526,9115 litre	56,843 %	3437,0259 litre	O
600	CM	65	CM	71 LEVEL CM	4449,3032 litre	55,868 %	3514,6342 litre	O
600	CM	65	CM	70 LEVEL CM	4371,5837 litre	54,892 %	3592,3537 litre	O
600	CM	65	CM	69 LEVEL CM	4293,7717 litre	53,915 %	3670,1657 litre	O
600	CM	65	CM	68 LEVEL CM	4215,8856 litre	52,937 %	3748,0518 litre	O
600	CM	65	CM	67 LEVEL CM	4137,9441 litre	51,959 %	3825,9933 litre	O
600	CM	65	CM	66 LEVEL CM	4059,9656 litre	50,979 %	3903,9718 litre	O
600	CM	65	CM	65 LEVEL CM	3981,9687 litre	50,000 %	3981,9687 litre	O
600	CM	65	CM	64 LEVEL CM	3903,9718 litre	49,021 %	4059,9656 litre	O
600	CM	65	CM	63 LEVEL CM	3825,9933 litre	48,041 %	4137,9441 litre	O
600	CM	65	CM	62 LEVEL CM	3748,0518 litre	47,063 %	4215,8856 litre	O
600	CM	65	CM	61 LEVEL CM	3670,1657 litre	46,085 %	4293,7717 litre	O
600	CM	65	CM	60 LEVEL CM	3592,3536 litre	45,108 %	4371,5838 litre	O
600	CM	65	CM	59 LEVEL CM	3514,6342 litre	44,132 %	4449,3032 litre	O
600	CM	65	CM	58 LEVEL CM	3437,0259 litre	43,157 %	4526,9115 litre	O
600	CM	65	CM	57 LEVEL CM	3359,5477 litre	42,185 %	4604,3897 litre	O
600	CM	65	CM	56 LEVEL CM	3282,2183 litre	41,214 %	4681,7191 litre	O
600	CM	65	CM	55 LEVEL CM	3205,0566 litre	40,245 %	4758,8808 litre	O
600	CM	65	CM	54 LEVEL CM	3128,0818 litre	39,278 %	4835,8556 litre	O
600	CM	65	CM	53 LEVEL CM	3051,3131 litre	38,314 %	4912,6243 litre	O
600	CM	65	CM	52 LEVEL CM	2974,7698 litre	37,353 %	4989,1676 litre	O
600	CM	65	CM	51 LEVEL CM	2898,4715 litre	36,395 %	5065,4659 litre	O
600	CM	65	CM	50 LEVEL CM	2822,4379 litre	35,440 %	5141,4995 litre	O
600	CM	65	CM	49 LEVEL CM	2746,6889 litre	34,489 %	5217,2485 litre	O
600	CM	65	CM	48 LEVEL CM	2671,2446 litre	33,542 %	5292,6928 litre	O
600	CM	65	CM	47 LEVEL CM	2596,1256 litre	32,599 %	5367,8118 litre	O
600	CM	65	CM	46 LEVEL CM	2521,3524 litre	31,660 %	5442,5850 litre	O
600	CM	65	CM	45 LEVEL CM	2446,9460 litre	30,725 %	5516,9914 litre	O
600	CM	65	CM	44 LEVEL CM	2372,9277 litre	29,796 %	5591,0097 litre	O
600	CM	65	CM	43 LEVEL CM	2299,3192 litre	28,872 %	5664,6182 litre	O
600	CM	65	CM	42 LEVEL CM	2226,1422 litre	27,953 %	5737,7952 litre	O
600	CM	65	CM	41 LEVEL CM	2153,4193 litre	27,040 %	5810,5181 litre	O
600	CM	65	CM	40 LEVEL CM	2081,1732 litre	26,132 %	5882,7642 litre	O
600	CM	65	CM	39 LEVEL CM	2009,4271 litre	25,232 %	5954,5103 litre	O
600	CM	65	CM	38 LEVEL CM	1938,2048 litre	24,337 %	6025,7326 litre	O
600	CM	65	CM	37 LEVEL CM	1867,5306 litre	23,450 %	6096,4068 litre	O
600	CM	65	CM	36 LEVEL CM	1797,4291 litre	22,570 %	6166,5083 litre	O
600	CM	65	CM	35 LEVEL CM	1727,9260 litre	21,697 %	6236,0114 litre	O
600	CM	65	CM	34 LEVEL CM	1659,0472 litre	20,832 %	6304,8902 litre	O
600	CM	65	CM	33 LEVEL CM	1590,8196 litre	19,975 %	6373,1178 litre	O
600	CM	65	CM	32 LEVEL CM	1523,2708 litre	19,127 %	6440,6666 litre	O
600	CM	65	CM	31 LEVEL CM	1456,4292 litre	18,288 %	6507,5082 litre	O
600	CM	65	CM	30 LEVEL CM	1390,3242 litre	17,458 %	6573,6132 litre	O
600	CM	65	CM	29 LEVEL CM	1324,9861 litre	16,637 %	6638,9513 litre	O
600	CM	65	CM	28 LEVEL CM	1260,4463 litre	15,827 %	6703,4911 litre	O
600	CM	65	CM	27 LEVEL CM	1196,7374 litre	15,027 %	6767,2000 litre	O
600	CM	65	CM	26 LEVEL CM	1133,8934 litre	14,238 %	6830,0440 litre	O

600	CM	65	CM	25 LEVEL CM	1071,9495 litre	13,460 %	6891,9879 litre	O
600	CM	65	CM	24 LEVEL CM	1010,9425 litre	12,694 %	6952,9949 litre	O
600	CM	65	CM	23 LEVEL CM	950,9112 litre	11,940 %	7013,0262 litre	O
600	CM	65	CM	22 LEVEL CM	891,8961 litre	11,199 %	7072,0413 litre	O
600	CM	65	CM	21 LEVEL CM	833,9397 litre	10,471 %	7129,9977 litre	O
600	CM	65	CM	20 LEVEL CM	777,0871 litre	9,758 %	7186,8503 litre	O
600	CM	65	CM	19 LEVEL CM	721,3861 litre	9,058 %	7242,5513 litre	O
600	CM	65	CM	18 LEVEL CM	666,8873 litre	8,374 %	7297,0501 litre	O
600	CM	65	CM	17 LEVEL CM	613,6450 litre	7,705 %	7350,2924 litre	O
600	CM	65	CM	16 LEVEL CM	561,7173 litre	7,053 %	7402,2201 litre	O
600	CM	65	CM	15 LEVEL CM	511,1668 litre	6,419 %	7452,7706 litre	O
600	CM	65	CM	14 LEVEL CM	462,0614 litre	5,802 %	7501,8760 litre	O
600	CM	65	CM	13 LEVEL CM	414,4753 litre	5,204 %	7549,4621 litre	O
600	CM	65	CM	12 LEVEL CM	368,4899 litre	4,627 %	7595,4475 litre	O
600	CM	65	CM	11 LEVEL CM	324,1956 litre	4,071 %	7639,7418 litre	O
600	CM	65	CM	10 LEVEL CM	281,6934 litre	3,537 %	7682,2440 litre	O
600	CM	65	CM	9 LEVEL CM	241,0979 litre	3,027 %	7722,8395 litre	O
600	CM	65	CM	8 LEVEL CM	202,5405 litre	2,543 %	7761,3969 litre	O
600	CM	65	CM	7 LEVEL CM	166,1751 litre	2,087 %	7797,7623 litre	O
600	CM	65	CM	6 LEVEL CM	132,1850 litre	1,660 %	7831,7524 litre	O
600	CM	65	CM	5 LEVEL CM	100,7955 litre	1,266 %	7863,1419 litre	O
600	CM	65	CM	4 LEVEL CM	72,2939 litre	0,908 %	7891,6435 litre	O
600	CM	65	CM	3 LEVEL CM	47,0667 litre	0,591 %	7916,8707 litre	O
600	CM	65	CM	2 LEVEL CM	25,6798 litre	0,322 %	7938,2576 litre	O
600	CM	65	CM	1 LEVEL CM	9,1003 litre	0,114 %	7954,8371 litre	O
600	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	7963,9374 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	60	CM	120 LEVEL CM	6785,8401 litre	100,000 %	0,0000 litre	O
600	CM	60	CM	119 LEVEL CM	6777,0985 litre	99,871 %	8,7416 litre	O
600	CM	60	CM	118 LEVEL CM	6761,1773 litre	99,637 %	24,6628 litre	O
600	CM	60	CM	117 LEVEL CM	6740,6464 litre	99,334 %	45,1937 litre	O
600	CM	60	CM	116 LEVEL CM	6716,4370 litre	98,977 %	69,4031 litre	O
600	CM	60	CM	115 LEVEL CM	6689,0946 litre	98,574 %	96,7455 litre	O
600	CM	60	CM	114 LEVEL CM	6658,9922 litre	98,131 %	126,8479 litre	O
600	CM	60	CM	113 LEVEL CM	6626,4073 litre	97,651 %	159,4328 litre	O
600	CM	60	CM	112 LEVEL CM	6591,5578 litre	97,137 %	194,2823 litre	O
600	CM	60	CM	111 LEVEL CM	6554,6213 litre	96,593 %	231,2188 litre	O
600	CM	60	CM	110 LEVEL CM	6515,7468 litre	96,020 %	270,0933 litre	O
600	CM	60	CM	109 LEVEL CM	6475,0619 litre	95,420 %	310,7782 litre	O
600	CM	60	CM	108 LEVEL CM	6432,6777 litre	94,796 %	353,1624 litre	O
600	CM	60	CM	107 LEVEL CM	6388,6928 litre	94,147 %	397,1473 litre	O
600	CM	60	CM	106 LEVEL CM	6343,1949 litre	93,477 %	442,6452 litre	O
600	CM	60	CM	105 LEVEL CM	6296,2634 litre	92,785 %	489,5767 litre	O
600	CM	60	CM	104 LEVEL CM	6247,9709 litre	92,074 %	537,8692 litre	O
600	CM	60	CM	103 LEVEL CM	6198,3835 litre	91,343 %	587,4566 litre	O
600	CM	60	CM	102 LEVEL CM	6147,5626 litre	90,594 %	638,2775 litre	O
600	CM	60	CM	101 LEVEL CM	6095,5652 litre	89,828 %	690,2749 litre	O
600	CM	60	CM	100 LEVEL CM	6042,4444 litre	89,045 %	743,3957 litre	O
600	CM	60	CM	99 LEVEL CM	5988,2501 litre	88,246 %	797,5900 litre	O
600	CM	60	CM	98 LEVEL CM	5933,0291 litre	87,432 %	852,8110 litre	O
600	CM	60	CM	97 LEVEL CM	5876,8259 litre	86,604 %	909,0142 litre	O
600	CM	60	CM	96 LEVEL CM	5819,6825 litre	85,762 %	966,1576 litre	O
600	CM	60	CM	95 LEVEL CM	5761,6389 litre	84,907 %	1024,2012 litre	O
600	CM	60	CM	94 LEVEL CM	5702,7334 litre	84,039 %	1083,1067 litre	O
600	CM	60	CM	93 LEVEL CM	5643,0024 litre	83,158 %	1142,8377 litre	O
600	CM	60	CM	92 LEVEL CM	5582,4811 litre	82,267 %	1203,3590 litre	O
600	CM	60	CM	91 LEVEL CM	5521,2031 litre	81,364 %	1264,6370 litre	O
600	CM	60	CM	90 LEVEL CM	5459,2009 litre	80,450 %	1326,6392 litre	O
600	CM	60	CM	89 LEVEL CM	5396,5057 litre	79,526 %	1389,3344 litre	O
600	CM	60	CM	88 LEVEL CM	5333,1480 litre	78,592 %	1452,6921 litre	O
600	CM	60	CM	87 LEVEL CM	5269,1570 litre	77,649 %	1516,6831 litre	O
600	CM	60	CM	86 LEVEL CM	5204,5612 litre	76,697 %	1581,2789 litre	O
600	CM	60	CM	85 LEVEL CM	5139,3884 litre	75,737 %	1646,4517 litre	O
600	CM	60	CM	84 LEVEL CM	5073,6655 litre	74,768 %	1712,1746 litre	O
600	CM	60	CM	83 LEVEL CM	5007,4189 litre	73,792 %	1778,4212 litre	O
600	CM	60	CM	82 LEVEL CM	4940,6741 litre	72,809 %	1845,1660 litre	O
600	CM	60	CM	81 LEVEL CM	4873,4564 litre	71,818 %	1912,3837 litre	O
600	CM	60	CM	80 LEVEL CM	4805,7903 litre	70,821 %	1980,0498 litre	O
600	CM	60	CM	79 LEVEL CM	4737,6999 litre	69,817 %	2048,1402 litre	O
600	CM	60	CM	78 LEVEL CM	4669,2088 litre	68,808 %	2116,6313 litre	O
600	CM	60	CM	77 LEVEL CM	4600,3403 litre	67,793 %	2185,4998 litre	O
600	CM	60	CM	76 LEVEL CM	4531,1173 litre	66,773 %	2254,7228 litre	O
600	CM	60	CM	75 LEVEL CM	4461,5622 litre	65,748 %	2324,2779 litre	O
600	CM	60	CM	74 LEVEL CM	4391,6972 litre	64,719 %	2394,1429 litre	O
600	CM	60	CM	73 LEVEL CM	4321,5443 litre	63,685 %	2464,2958 litre	O
600	CM	60	CM	72 LEVEL CM	4251,1250 litre	62,647 %	2534,7151 litre	O
600	CM	60	CM	71 LEVEL CM	4180,4608 litre	61,606 %	2605,3793 litre	O
600	CM	60	CM	70 LEVEL CM	4109,5727 litre	60,561 %	2676,2674 litre	O
600	CM	60	CM	69 LEVEL CM	4038,4818 litre	59,513 %	2747,3583 litre	O

600	CM	60	CM	68 LEVEL CM	3967,2088 litre	58,463 %	2818,6313 litre	O
600	CM	60	CM	67 LEVEL CM	3895,7744 litre	57,410 %	2890,0657 litre	O
600	CM	60	CM	66 LEVEL CM	3824,1990 litre	56,356 %	2961,6411 litre	O
600	CM	60	CM	65 LEVEL CM	3752,5030 litre	55,299 %	3033,3371 litre	O
600	CM	60	CM	64 LEVEL CM	3680,7066 litre	54,241 %	3105,1335 litre	O
600	CM	60	CM	63 LEVEL CM	3608,8300 litre	53,182 %	3177,0101 litre	O
600	CM	60	CM	62 LEVEL CM	3536,8934 litre	52,122 %	3248,9467 litre	O
600	CM	60	CM	61 LEVEL CM	3464,9167 litre	51,061 %	3320,9234 litre	O
600	CM	60	CM	60 LEVEL CM	3392,9201 litre	50,000 %	3392,9200 litre	O
600	CM	60	CM	59 LEVEL CM	3320,9234 litre	48,939 %	3464,9167 litre	O
600	CM	60	CM	58 LEVEL CM	3248,9467 litre	47,878 %	3536,8934 litre	O
600	CM	60	CM	57 LEVEL CM	3177,0101 litre	46,818 %	3608,8300 litre	O
600	CM	60	CM	56 LEVEL CM	3105,1335 litre	45,759 %	3680,7066 litre	O
600	CM	60	CM	55 LEVEL CM	3033,3372 litre	44,701 %	3752,5029 litre	O
600	CM	60	CM	54 LEVEL CM	2961,6411 litre	43,644 %	3824,1990 litre	O
600	CM	60	CM	53 LEVEL CM	2890,0657 litre	42,590 %	3895,7744 litre	O
600	CM	60	CM	52 LEVEL CM	2818,6313 litre	41,537 %	3967,2088 litre	O
600	CM	60	CM	51 LEVEL CM	2747,3583 litre	40,487 %	4038,4818 litre	O
600	CM	60	CM	50 LEVEL CM	2676,2674 litre	39,439 %	4109,5727 litre	O
600	CM	60	CM	49 LEVEL CM	2605,3794 litre	38,394 %	4180,4607 litre	O
600	CM	60	CM	48 LEVEL CM	2534,7151 litre	37,353 %	4251,1250 litre	O
600	CM	60	CM	47 LEVEL CM	2464,2959 litre	36,315 %	4321,5442 litre	O
600	CM	60	CM	46 LEVEL CM	2394,1429 litre	35,281 %	4391,6972 litre	O
600	CM	60	CM	45 LEVEL CM	2324,2780 litre	34,252 %	4461,5621 litre	O
600	CM	60	CM	44 LEVEL CM	2254,7229 litre	33,227 %	4531,1172 litre	O
600	CM	60	CM	43 LEVEL CM	2185,4998 litre	32,207 %	4600,3403 litre	O
600	CM	60	CM	42 LEVEL CM	2116,6313 litre	31,192 %	4669,2088 litre	O
600	CM	60	CM	41 LEVEL CM	2048,1403 litre	30,183 %	4737,6998 litre	O
600	CM	60	CM	40 LEVEL CM	1980,0498 litre	29,179 %	4805,7903 litre	O
600	CM	60	CM	39 LEVEL CM	1912,3837 litre	28,182 %	4873,4564 litre	O
600	CM	60	CM	38 LEVEL CM	1845,1660 litre	27,191 %	4940,6741 litre	O
600	CM	60	CM	37 LEVEL CM	1778,4212 litre	26,208 %	5007,4189 litre	O
600	CM	60	CM	36 LEVEL CM	1712,1746 litre	25,232 %	5073,6655 litre	O
600	CM	60	CM	35 LEVEL CM	1646,4517 litre	24,263 %	5139,3884 litre	O
600	CM	60	CM	34 LEVEL CM	1581,2789 litre	23,303 %	5204,5612 litre	O
600	CM	60	CM	33 LEVEL CM	1516,6832 litre	22,351 %	5269,1569 litre	O
600	CM	60	CM	32 LEVEL CM	1452,6922 litre	21,408 %	5333,1479 litre	O
600	CM	60	CM	31 LEVEL CM	1389,3344 litre	20,474 %	5396,5057 litre	O
600	CM	60	CM	30 LEVEL CM	1326,6393 litre	19,550 %	5459,2008 litre	O
600	CM	60	CM	29 LEVEL CM	1264,6370 litre	18,636 %	5521,2031 litre	O
600	CM	60	CM	28 LEVEL CM	1203,3590 litre	17,733 %	5582,4811 litre	O
600	CM	60	CM	27 LEVEL CM	1142,8377 litre	16,842 %	5643,0024 litre	O
600	CM	60	CM	26 LEVEL CM	1083,1068 litre	15,961 %	5702,7333 litre	O
600	CM	60	CM	25 LEVEL CM	1024,2012 litre	15,093 %	5761,6389 litre	O
600	CM	60	CM	24 LEVEL CM	966,1577 litre	14,238 %	5819,6824 litre	O
600	CM	60	CM	23 LEVEL CM	909,0143 litre	13,396 %	5876,8258 litre	O
600	CM	60	CM	22 LEVEL CM	852,8110 litre	12,568 %	5933,0291 litre	O
600	CM	60	CM	21 LEVEL CM	797,5901 litre	11,754 %	5988,2500 litre	O
600	CM	60	CM	20 LEVEL CM	743,3957 litre	10,955 %	6042,4444 litre	O
600	CM	60	CM	19 LEVEL CM	690,2749 litre	10,172 %	6095,5652 litre	O
600	CM	60	CM	18 LEVEL CM	638,2775 litre	9,406 %	6147,5626 litre	O
600	CM	60	CM	17 LEVEL CM	587,4566 litre	8,657 %	6198,3835 litre	O
600	CM	60	CM	16 LEVEL CM	537,8693 litre	7,926 %	6247,9708 litre	O

600	CM	60	CM	15 LEVEL CM	489,5767 litre	7,215 %	6296,2634 litre	O
600	CM	60	CM	14 LEVEL CM	442,6453 litre	6,523 %	6343,1948 litre	O
600	CM	60	CM	13 LEVEL CM	397,1474 litre	5,853 %	6388,6927 litre	O
600	CM	60	CM	12 LEVEL CM	353,1624 litre	5,204 %	6432,6777 litre	O
600	CM	60	CM	11 LEVEL CM	310,7783 litre	4,580 %	6475,0618 litre	O
600	CM	60	CM	10 LEVEL CM	270,0933 litre	3,980 %	6515,7468 litre	O
600	CM	60	CM	9 LEVEL CM	231,2188 litre	3,407 %	6554,6213 litre	O
600	CM	60	CM	8 LEVEL CM	194,2823 litre	2,863 %	6591,5578 litre	O
600	CM	60	CM	7 LEVEL CM	159,4328 litre	2,349 %	6626,4073 litre	O
600	CM	60	CM	6 LEVEL CM	126,8480 litre	1,869 %	6658,9921 litre	O
600	CM	60	CM	5 LEVEL CM	96,7456 litre	1,426 %	6689,0945 litre	O
600	CM	60	CM	4 LEVEL CM	69,4032 litre	1,023 %	6716,4369 litre	O
600	CM	60	CM	3 LEVEL CM	45,1937 litre	0,666 %	6740,6464 litre	O
600	CM	60	CM	2 LEVEL CM	24,6628 litre	0,363 %	6761,1773 litre	O
600	CM	60	CM	1 LEVEL CM	8,7416 litre	0,129 %	6777,0985 litre	O
600	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	6785,8401 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	55	CM	110 LEVEL CM	5701,9907 litre	100,000 %	0,0000 litre	O
600	CM	55	CM	109 LEVEL CM	5693,6231 litre	99,853 %	8,3676 litre	O
600	CM	55	CM	108 LEVEL CM	5678,3887 litre	99,586 %	23,6020 litre	O
600	CM	55	CM	107 LEVEL CM	5658,7510 litre	99,242 %	43,2397 litre	O
600	CM	55	CM	106 LEVEL CM	5635,6040 litre	98,836 %	66,3867 litre	O
600	CM	55	CM	105 LEVEL CM	5609,4721 litre	98,377 %	92,5186 litre	O
600	CM	55	CM	104 LEVEL CM	5580,7144 litre	97,873 %	121,2763 litre	O
600	CM	55	CM	103 LEVEL CM	5549,5982 litre	97,327 %	152,3925 litre	O
600	CM	55	CM	102 LEVEL CM	5516,3336 litre	96,744 %	185,6571 litre	O
600	CM	55	CM	101 LEVEL CM	5481,0925 litre	96,126 %	220,8982 litre	O
600	CM	55	CM	100 LEVEL CM	5444,0188 litre	95,476 %	257,9719 litre	O
600	CM	55	CM	99 LEVEL CM	5405,2362 litre	94,796 %	296,7545 litre	O
600	CM	55	CM	98 LEVEL CM	5364,8525 litre	94,087 %	337,1382 litre	O
600	CM	55	CM	97 LEVEL CM	5322,9633 litre	93,353 %	379,0274 litre	O
600	CM	55	CM	96 LEVEL CM	5279,6542 litre	92,593 %	422,3365 litre	O
600	CM	55	CM	95 LEVEL CM	5235,0025 litre	91,810 %	466,9882 litre	O
600	CM	55	CM	94 LEVEL CM	5189,0787 litre	91,005 %	512,9120 litre	O
600	CM	55	CM	93 LEVEL CM	5141,9478 litre	90,178 %	560,0429 litre	O
600	CM	55	CM	92 LEVEL CM	5093,6697 litre	89,331 %	608,3210 litre	O
600	CM	55	CM	91 LEVEL CM	5044,3002 litre	88,466 %	657,6905 litre	O
600	CM	55	CM	90 LEVEL CM	4993,8915 litre	87,582 %	708,0992 litre	O
600	CM	55	CM	89 LEVEL CM	4942,4927 litre	86,680 %	759,4980 litre	O
600	CM	55	CM	88 LEVEL CM	4890,1498 litre	85,762 %	811,8409 litre	O
600	CM	55	CM	87 LEVEL CM	4836,9069 litre	84,828 %	865,0838 litre	O
600	CM	55	CM	86 LEVEL CM	4782,8053 litre	83,880 %	919,1854 litre	O
600	CM	55	CM	85 LEVEL CM	4727,8847 litre	82,916 %	974,1060 litre	O
600	CM	55	CM	84 LEVEL CM	4672,1831 litre	81,940 %	1029,8076 litre	O
600	CM	55	CM	83 LEVEL CM	4615,7367 litre	80,950 %	1086,2540 litre	O
600	CM	55	CM	82 LEVEL CM	4558,5804 litre	79,947 %	1143,4103 litre	O
600	CM	55	CM	81 LEVEL CM	4500,7479 litre	78,933 %	1201,2428 litre	O
600	CM	55	CM	80 LEVEL CM	4442,2715 litre	77,907 %	1259,7192 litre	O
600	CM	55	CM	79 LEVEL CM	4383,1827 litre	76,871 %	1318,8080 litre	O
600	CM	55	CM	78 LEVEL CM	4323,5118 litre	75,825 %	1378,4789 litre	O
600	CM	55	CM	77 LEVEL CM	4263,2884 litre	74,768 %	1438,7023 litre	O
600	CM	55	CM	76 LEVEL CM	4202,5412 litre	73,703 %	1499,4495 litre	O
600	CM	55	CM	75 LEVEL CM	4141,2983 litre	72,629 %	1560,6924 litre	O
600	CM	55	CM	74 LEVEL CM	4079,5868 litre	71,547 %	1622,4039 litre	O
600	CM	55	CM	73 LEVEL CM	4017,4336 litre	70,457 %	1684,5571 litre	O
600	CM	55	CM	72 LEVEL CM	3954,8647 litre	69,359 %	1747,1260 litre	O
600	CM	55	CM	71 LEVEL CM	3891,9058 litre	68,255 %	1810,0849 litre	O
600	CM	55	CM	70 LEVEL CM	3828,5819 litre	67,145 %	1873,4088 litre	O
600	CM	55	CM	69 LEVEL CM	3764,9179 litre	66,028 %	1937,0728 litre	O
600	CM	55	CM	68 LEVEL CM	3700,9379 litre	64,906 %	2001,0528 litre	O
600	CM	55	CM	67 LEVEL CM	3636,6660 litre	63,779 %	2065,3247 litre	O
600	CM	55	CM	66 LEVEL CM	3572,1259 litre	62,647 %	2129,8648 litre	O
600	CM	55	CM	65 LEVEL CM	3507,3407 litre	61,511 %	2194,6500 litre	O
600	CM	55	CM	64 LEVEL CM	3442,3337 litre	60,371 %	2259,6570 litre	O
600	CM	55	CM	63 LEVEL CM	3377,1276 litre	59,227 %	2324,8631 litre	O
600	CM	55	CM	62 LEVEL CM	3311,7450 litre	58,081 %	2390,2457 litre	O
600	CM	55	CM	61 LEVEL CM	3246,2085 litre	56,931 %	2455,7822 litre	O
600	CM	55	CM	60 LEVEL CM	3180,5402 litre	55,779 %	2521,4505 litre	O
600	CM	55	CM	59 LEVEL CM	3114,7624 litre	54,626 %	2587,2283 litre	O

600	CM	55	CM	58 LEVEL CM	3048,8971 litre	53,471 %	2653,0936 litre	O
600	CM	55	CM	57 LEVEL CM	2982,9662 litre	52,314 %	2719,0245 litre	O
600	CM	55	CM	56 LEVEL CM	2916,9917 litre	51,157 %	2784,9990 litre	O
600	CM	55	CM	55 LEVEL CM	2850,9953 litre	50,000 %	2850,9954 litre	O
600	CM	55	CM	54 LEVEL CM	2784,9990 litre	48,843 %	2916,9917 litre	O
600	CM	55	CM	53 LEVEL CM	2719,0244 litre	47,686 %	2982,9663 litre	O
600	CM	55	CM	52 LEVEL CM	2653,0936 litre	46,529 %	3048,8971 litre	O
600	CM	55	CM	51 LEVEL CM	2587,2282 litre	45,374 %	3114,7625 litre	O
600	CM	55	CM	50 LEVEL CM	2521,4504 litre	44,221 %	3180,5403 litre	O
600	CM	55	CM	49 LEVEL CM	2455,7822 litre	43,069 %	3246,2085 litre	O
600	CM	55	CM	48 LEVEL CM	2390,2457 litre	41,919 %	3311,7450 litre	O
600	CM	55	CM	47 LEVEL CM	2324,8631 litre	40,773 %	3377,1276 litre	O
600	CM	55	CM	46 LEVEL CM	2259,6570 litre	39,629 %	3442,3337 litre	O
600	CM	55	CM	45 LEVEL CM	2194,6499 litre	38,489 %	3507,3408 litre	O
600	CM	55	CM	44 LEVEL CM	2129,8648 litre	37,353 %	3572,1259 litre	O
600	CM	55	CM	43 LEVEL CM	2065,3246 litre	36,221 %	3636,6661 litre	O
600	CM	55	CM	42 LEVEL CM	2001,0527 litre	35,094 %	3700,9380 litre	O
600	CM	55	CM	41 LEVEL CM	1937,0728 litre	33,972 %	3764,9179 litre	O
600	CM	55	CM	40 LEVEL CM	1873,4088 litre	32,855 %	3828,5819 litre	O
600	CM	55	CM	39 LEVEL CM	1810,0849 litre	31,745 %	3891,9058 litre	O
600	CM	55	CM	38 LEVEL CM	1747,1260 litre	30,641 %	3954,8647 litre	O
600	CM	55	CM	37 LEVEL CM	1684,5571 litre	29,543 %	4017,4336 litre	O
600	CM	55	CM	36 LEVEL CM	1622,4038 litre	28,453 %	4079,5869 litre	O
600	CM	55	CM	35 LEVEL CM	1560,6924 litre	27,371 %	4141,2983 litre	O
600	CM	55	CM	34 LEVEL CM	1499,4494 litre	26,297 %	4202,5413 litre	O
600	CM	55	CM	33 LEVEL CM	1438,7023 litre	25,232 %	4263,2884 litre	O
600	CM	55	CM	32 LEVEL CM	1378,4789 litre	24,175 %	4323,5118 litre	O
600	CM	55	CM	31 LEVEL CM	1318,8080 litre	23,129 %	4383,1827 litre	O
600	CM	55	CM	30 LEVEL CM	1259,7192 litre	22,093 %	4442,2715 litre	O
600	CM	55	CM	29 LEVEL CM	1201,2428 litre	21,067 %	4500,7479 litre	O
600	CM	55	CM	28 LEVEL CM	1143,4102 litre	20,053 %	4558,5805 litre	O
600	CM	55	CM	27 LEVEL CM	1086,2540 litre	19,050 %	4615,7367 litre	O
600	CM	55	CM	26 LEVEL CM	1029,8076 litre	18,060 %	4672,1831 litre	O
600	CM	55	CM	25 LEVEL CM	974,1059 litre	17,084 %	4727,8848 litre	O
600	CM	55	CM	24 LEVEL CM	919,1854 litre	16,120 %	4782,8053 litre	O
600	CM	55	CM	23 LEVEL CM	865,0838 litre	15,172 %	4836,9069 litre	O
600	CM	55	CM	22 LEVEL CM	811,8408 litre	14,238 %	4890,1499 litre	O
600	CM	55	CM	21 LEVEL CM	759,4980 litre	13,320 %	4942,4927 litre	O
600	CM	55	CM	20 LEVEL CM	708,0992 litre	12,418 %	4993,8915 litre	O
600	CM	55	CM	19 LEVEL CM	657,6905 litre	11,534 %	5044,3002 litre	O
600	CM	55	CM	18 LEVEL CM	608,3210 litre	10,669 %	5093,6697 litre	O
600	CM	55	CM	17 LEVEL CM	560,0429 litre	9,822 %	5141,9478 litre	O
600	CM	55	CM	16 LEVEL CM	512,9120 litre	8,995 %	5189,0787 litre	O
600	CM	55	CM	15 LEVEL CM	466,9882 litre	8,190 %	5235,0025 litre	O
600	CM	55	CM	14 LEVEL CM	422,3365 litre	7,407 %	5279,6542 litre	O
600	CM	55	CM	13 LEVEL CM	379,0273 litre	6,647 %	5322,9634 litre	O
600	CM	55	CM	12 LEVEL CM	337,1382 litre	5,913 %	5364,8525 litre	O
600	CM	55	CM	11 LEVEL CM	296,7545 litre	5,204 %	5405,2362 litre	O
600	CM	55	CM	10 LEVEL CM	257,9719 litre	4,524 %	5444,0188 litre	O
600	CM	55	CM	9 LEVEL CM	220,8982 litre	3,874 %	5481,0925 litre	O
600	CM	55	CM	8 LEVEL CM	185,6570 litre	3,256 %	5516,3337 litre	O
600	CM	55	CM	7 LEVEL CM	152,3925 litre	2,673 %	5549,5982 litre	O
600	CM	55	CM	6 LEVEL CM	121,2763 litre	2,127 %	5580,7144 litre	O

600	CM	55	CM	5 LEVEL CM	92,5185 litre	1,623 %	5609,4722 litre	O
600	CM	55	CM	4 LEVEL CM	66,3867 litre	1,164 %	5635,6040 litre	O
600	CM	55	CM	3 LEVEL CM	43,2397 litre	0,758 %	5658,7510 litre	O
600	CM	55	CM	2 LEVEL CM	23,6020 litre	0,414 %	5678,3887 litre	O
600	CM	55	CM	1 LEVEL CM	8,3676 litre	0,147 %	5693,6231 litre	O
600	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	5701,9907 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
600	CM	50	CM	100 LEVEL CM	4712,3890 litre	100,000 %	0,0000 litre	O
600	CM	50	CM	99 LEVEL CM	4704,4130 litre	99,831 %	7,9760 litre	O
600	CM	50	CM	98 LEVEL CM	4689,8978 litre	99,523 %	22,4912 litre	O
600	CM	50	CM	97 LEVEL CM	4671,1959 litre	99,126 %	41,1931 litre	O
600	CM	50	CM	96 LEVEL CM	4649,1626 litre	98,658 %	63,2264 litre	O
600	CM	50	CM	95 LEVEL CM	4624,3001 litre	98,131 %	88,0889 litre	O
600	CM	50	CM	94 LEVEL CM	4596,9531 litre	97,550 %	115,4359 litre	O
600	CM	50	CM	93 LEVEL CM	4567,3783 litre	96,923 %	145,0107 litre	O
600	CM	50	CM	92 LEVEL CM	4535,7782 litre	96,252 %	176,6108 litre	O
600	CM	50	CM	91 LEVEL CM	4502,3181 litre	95,542 %	210,0709 litre	O
600	CM	50	CM	90 LEVEL CM	4467,1373 litre	94,796 %	245,2517 litre	O
600	CM	50	CM	89 LEVEL CM	4430,3552 litre	94,015 %	282,0338 litre	O
600	CM	50	CM	88 LEVEL CM	4392,0765 litre	93,203 %	320,3125 litre	O
600	CM	50	CM	87 LEVEL CM	4352,3937 litre	92,361 %	359,9953 litre	O
600	CM	50	CM	86 LEVEL CM	4311,3900 litre	91,491 %	400,9990 litre	O
600	CM	50	CM	85 LEVEL CM	4269,1407 litre	90,594 %	443,2483 litre	O
600	CM	50	CM	84 LEVEL CM	4225,7148 litre	89,672 %	486,6742 litre	O
600	CM	50	CM	83 LEVEL CM	4181,1756 litre	88,727 %	531,2134 litre	O
600	CM	50	CM	82 LEVEL CM	4135,5818 litre	87,760 %	576,8072 litre	O
600	CM	50	CM	81 LEVEL CM	4088,9882 litre	86,771 %	623,4008 litre	O
600	CM	50	CM	80 LEVEL CM	4041,4462 litre	85,762 %	670,9428 litre	O
600	CM	50	CM	79 LEVEL CM	3993,0039 litre	84,734 %	719,3851 litre	O
600	CM	50	CM	78 LEVEL CM	3943,7070 litre	83,688 %	768,6820 litre	O
600	CM	50	CM	77 LEVEL CM	3893,5988 litre	82,625 %	818,7902 litre	O
600	CM	50	CM	76 LEVEL CM	3842,7206 litre	81,545 %	869,6684 litre	O
600	CM	50	CM	75 LEVEL CM	3791,1117 litre	80,450 %	921,2773 litre	O
600	CM	50	CM	74 LEVEL CM	3738,8099 litre	79,340 %	973,5791 litre	O
600	CM	50	CM	73 LEVEL CM	3685,8513 litre	78,216 %	1026,5377 litre	O
600	CM	50	CM	72 LEVEL CM	3632,2710 litre	77,079 %	1080,1180 litre	O
600	CM	50	CM	71 LEVEL CM	3578,1027 litre	75,930 %	1134,2863 litre	O
600	CM	50	CM	70 LEVEL CM	3523,3788 litre	74,768 %	1189,0102 litre	O
600	CM	50	CM	69 LEVEL CM	3468,1312 litre	73,596 %	1244,2578 litre	O
600	CM	50	CM	68 LEVEL CM	3412,3906 litre	72,413 %	1299,9984 litre	O
600	CM	50	CM	67 LEVEL CM	3356,1868 litre	71,220 %	1356,2022 litre	O
600	CM	50	CM	66 LEVEL CM	3299,5491 litre	70,019 %	1412,8399 litre	O
600	CM	50	CM	65 LEVEL CM	3242,5061 litre	68,808 %	1469,8829 litre	O
600	CM	50	CM	64 LEVEL CM	3185,0857 litre	67,590 %	1527,3033 litre	O
600	CM	50	CM	63 LEVEL CM	3127,3152 litre	66,364 %	1585,0738 litre	O
600	CM	50	CM	62 LEVEL CM	3069,2215 litre	65,131 %	1643,1675 litre	O
600	CM	50	CM	61 LEVEL CM	3010,8312 litre	63,892 %	1701,5578 litre	O
600	CM	50	CM	60 LEVEL CM	2952,1701 litre	62,647 %	1760,2189 litre	O
600	CM	50	CM	59 LEVEL CM	2893,2642 litre	61,397 %	1819,1248 litre	O
600	CM	50	CM	58 LEVEL CM	2834,1386 litre	60,142 %	1878,2504 litre	O
600	CM	50	CM	57 LEVEL CM	2774,8184 litre	58,883 %	1937,5706 litre	O
600	CM	50	CM	56 LEVEL CM	2715,3286 litre	57,621 %	1997,0604 litre	O
600	CM	50	CM	55 LEVEL CM	2655,6937 litre	56,356 %	2056,6953 litre	O
600	CM	50	CM	54 LEVEL CM	2595,9382 litre	55,088 %	2116,4508 litre	O
600	CM	50	CM	53 LEVEL CM	2536,0864 litre	53,817 %	2176,3026 litre	O
600	CM	50	CM	52 LEVEL CM	2476,1625 litre	52,546 %	2236,2265 litre	O
600	CM	50	CM	51 LEVEL CM	2416,1905 litre	51,273 %	2296,1985 litre	O
600	CM	50	CM	50 LEVEL CM	2356,1945 litre	50,000 %	2356,1945 litre	O
600	CM	50	CM	49 LEVEL CM	2296,1985 litre	48,727 %	2416,1905 litre	O

600	CM	50	CM	48 LEVEL CM	2236,2265 litre	47,454 %	2476,1625 litre	O
600	CM	50	CM	47 LEVEL CM	2176,3025 litre	46,183 %	2536,0865 litre	O
600	CM	50	CM	46 LEVEL CM	2116,4507 litre	44,912 %	2595,9383 litre	O
600	CM	50	CM	45 LEVEL CM	2056,6952 litre	43,644 %	2655,6938 litre	O
600	CM	50	CM	44 LEVEL CM	1997,0604 litre	42,379 %	2715,3286 litre	O
600	CM	50	CM	43 LEVEL CM	1937,5706 litre	41,117 %	2774,8184 litre	O
600	CM	50	CM	42 LEVEL CM	1878,2504 litre	39,858 %	2834,1386 litre	O
600	CM	50	CM	41 LEVEL CM	1819,1248 litre	38,603 %	2893,2642 litre	O
600	CM	50	CM	40 LEVEL CM	1760,2188 litre	37,353 %	2952,1702 litre	O
600	CM	50	CM	39 LEVEL CM	1701,5578 litre	36,108 %	3010,8312 litre	O
600	CM	50	CM	38 LEVEL CM	1643,1675 litre	34,869 %	3069,2215 litre	O
600	CM	50	CM	37 LEVEL CM	1585,0738 litre	33,636 %	3127,3152 litre	O
600	CM	50	CM	36 LEVEL CM	1527,3033 litre	32,410 %	3185,0857 litre	O
600	CM	50	CM	35 LEVEL CM	1469,8829 litre	31,192 %	3242,5061 litre	O
600	CM	50	CM	34 LEVEL CM	1412,8398 litre	29,981 %	3299,5492 litre	O
600	CM	50	CM	33 LEVEL CM	1356,2022 litre	28,780 %	3356,1868 litre	O
600	CM	50	CM	32 LEVEL CM	1299,9984 litre	27,587 %	3412,3906 litre	O
600	CM	50	CM	31 LEVEL CM	1244,2577 litre	26,404 %	3468,1313 litre	O
600	CM	50	CM	30 LEVEL CM	1189,0101 litre	25,232 %	3523,3789 litre	O
600	CM	50	CM	29 LEVEL CM	1134,2863 litre	24,070 %	3578,1027 litre	O
600	CM	50	CM	28 LEVEL CM	1080,1180 litre	22,921 %	3632,2710 litre	O
600	CM	50	CM	27 LEVEL CM	1026,5376 litre	21,784 %	3685,8514 litre	O
600	CM	50	CM	26 LEVEL CM	973,5791 litre	20,660 %	3738,8099 litre	O
600	CM	50	CM	25 LEVEL CM	921,2773 litre	19,550 %	3791,1117 litre	O
600	CM	50	CM	24 LEVEL CM	869,6684 litre	18,455 %	3842,7206 litre	O
600	CM	50	CM	23 LEVEL CM	818,7902 litre	17,375 %	3893,5988 litre	O
600	CM	50	CM	22 LEVEL CM	768,6820 litre	16,312 %	3943,7070 litre	O
600	CM	50	CM	21 LEVEL CM	719,3851 litre	15,266 %	3993,0039 litre	O
600	CM	50	CM	20 LEVEL CM	670,9428 litre	14,238 %	4041,4462 litre	O
600	CM	50	CM	19 LEVEL CM	623,4008 litre	13,229 %	4088,9882 litre	O
600	CM	50	CM	18 LEVEL CM	576,8072 litre	12,240 %	4135,5818 litre	O
600	CM	50	CM	17 LEVEL CM	531,2134 litre	11,273 %	4181,1756 litre	O
600	CM	50	CM	16 LEVEL CM	486,6742 litre	10,328 %	4225,7148 litre	O
600	CM	50	CM	15 LEVEL CM	443,2483 litre	9,406 %	4269,1407 litre	O
600	CM	50	CM	14 LEVEL CM	400,9990 litre	8,509 %	4311,3900 litre	O
600	CM	50	CM	13 LEVEL CM	359,9953 litre	7,639 %	4352,3937 litre	O
600	CM	50	CM	12 LEVEL CM	320,3125 litre	6,797 %	4392,0765 litre	O
600	CM	50	CM	11 LEVEL CM	282,0337 litre	5,985 %	4430,3553 litre	O
600	CM	50	CM	10 LEVEL CM	245,2517 litre	5,204 %	4467,1373 litre	O
600	CM	50	CM	9 LEVEL CM	210,0708 litre	4,458 %	4502,3182 litre	O
600	CM	50	CM	8 LEVEL CM	176,6108 litre	3,748 %	4535,7782 litre	O
600	CM	50	CM	7 LEVEL CM	145,0107 litre	3,077 %	4567,3783 litre	O
600	CM	50	CM	6 LEVEL CM	115,4359 litre	2,450 %	4596,9531 litre	O
600	CM	50	CM	5 LEVEL CM	88,0889 litre	1,869 %	4624,3001 litre	O
600	CM	50	CM	4 LEVEL CM	63,2264 litre	1,342 %	4649,1626 litre	O
600	CM	50	CM	3 LEVEL CM	41,1931 litre	0,874 %	4671,1959 litre	O
600	CM	50	CM	2 LEVEL CM	22,4912 litre	0,477 %	4689,8978 litre	O
600	CM	50	CM	1 LEVEL CM	7,9760 litre	0,169 %	4704,4130 litre	O
600	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	4712,3890 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM	150	CM 300 LEVEL CM	35342,9174 litre	100,000 %	0,0000 litre	O
500	CM	150	CM 299 LEVEL CM	35331,3819 litre	99,967 %	11,5355 litre	O
500	CM	150	CM 298 LEVEL CM	35310,3229 litre	99,908 %	32,5945 litre	O
500	CM	150	CM 297 LEVEL CM	35283,0977 litre	99,831 %	59,8197 litre	O
500	CM	150	CM 296 LEVEL CM	35250,9117 litre	99,740 %	92,0057 litre	O
500	CM	150	CM 295 LEVEL CM	35214,4653 litre	99,637 %	128,4521 litre	O
500	CM	150	CM 294 LEVEL CM	35174,2336 litre	99,523 %	168,6838 litre	O
500	CM	150	CM 293 LEVEL CM	35130,5671 litre	99,399 %	212,3503 litre	O
500	CM	150	CM 292 LEVEL CM	35083,7387 litre	99,267 %	259,1787 litre	O
500	CM	150	CM 291 LEVEL CM	35033,9693 litre	99,126 %	308,9481 litre	O
500	CM	150	CM 290 LEVEL CM	34981,4425 litre	98,977 %	361,4749 litre	O
500	CM	150	CM 289 LEVEL CM	34926,3142 litre	98,821 %	416,6032 litre	O
500	CM	150	CM 288 LEVEL CM	34868,7191 litre	98,658 %	474,1983 litre	O
500	CM	150	CM 287 LEVEL CM	34808,7756 litre	98,489 %	534,1418 litre	O
500	CM	150	CM 286 LEVEL CM	34746,5883 litre	98,313 %	596,3291 litre	O
500	CM	150	CM 285 LEVEL CM	34682,2509 litre	98,131 %	660,6665 litre	O
500	CM	150	CM 284 LEVEL CM	34615,8482 litre	97,943 %	727,0692 litre	O
500	CM	150	CM 283 LEVEL CM	34547,4570 litre	97,749 %	795,4604 litre	O
500	CM	150	CM 282 LEVEL CM	34477,1479 litre	97,550 %	865,7695 litre	O
500	CM	150	CM 281 LEVEL CM	34404,9857 litre	97,346 %	937,9317 litre	O
500	CM	150	CM 280 LEVEL CM	34331,0302 litre	97,137 %	1011,8872 litre	O
500	CM	150	CM 279 LEVEL CM	34255,3373 litre	96,923 %	1087,5801 litre	O
500	CM	150	CM 278 LEVEL CM	34177,9587 litre	96,704 %	1164,9587 litre	O
500	CM	150	CM 277 LEVEL CM	34098,9432 litre	96,480 %	1243,9742 litre	O
500	CM	150	CM 276 LEVEL CM	34018,3364 litre	96,252 %	1324,5810 litre	O
500	CM	150	CM 275 LEVEL CM	33936,1812 litre	96,020 %	1406,7362 litre	O
500	CM	150	CM 274 LEVEL CM	33852,5183 litre	95,783 %	1490,3991 litre	O
500	CM	150	CM 273 LEVEL CM	33767,3861 litre	95,542 %	1575,5313 litre	O
500	CM	150	CM 272 LEVEL CM	33680,8211 litre	95,297 %	1662,0963 litre	O
500	CM	150	CM 271 LEVEL CM	33592,8580 litre	95,048 %	1750,0594 litre	O
500	CM	150	CM 270 LEVEL CM	33503,5299 litre	94,796 %	1839,3875 litre	O
500	CM	150	CM 269 LEVEL CM	33412,8683 litre	94,539 %	1930,0491 litre	O
500	CM	150	CM 268 LEVEL CM	33320,9035 litre	94,279 %	2022,0139 litre	O
500	CM	150	CM 267 LEVEL CM	33227,6644 litre	94,015 %	2115,2530 litre	O
500	CM	150	CM 266 LEVEL CM	33133,1787 litre	93,748 %	2209,7387 litre	O
500	CM	150	CM 265 LEVEL CM	33037,4732 litre	93,477 %	2305,4442 litre	O
500	CM	150	CM 264 LEVEL CM	32940,5735 litre	93,203 %	2402,3439 litre	O
500	CM	150	CM 263 LEVEL CM	32842,5044 litre	92,925 %	2500,4130 litre	O
500	CM	150	CM 262 LEVEL CM	32743,2896 litre	92,645 %	2599,6278 litre	O
500	CM	150	CM 261 LEVEL CM	32642,9524 litre	92,361 %	2699,9650 litre	O
500	CM	150	CM 260 LEVEL CM	32541,5149 litre	92,074 %	2801,4025 litre	O
500	CM	150	CM 259 LEVEL CM	32438,9987 litre	91,784 %	2903,9187 litre	O
500	CM	150	CM 258 LEVEL CM	32335,4247 litre	91,491 %	3007,4927 litre	O
500	CM	150	CM 257 LEVEL CM	32230,8131 litre	91,195 %	3112,1043 litre	O
500	CM	150	CM 256 LEVEL CM	32125,1837 litre	90,896 %	3217,7337 litre	O
500	CM	150	CM 255 LEVEL CM	32018,5554 litre	90,594 %	3324,3620 litre	O
500	CM	150	CM 254 LEVEL CM	31910,9469 litre	90,290 %	3431,9705 litre	O
500	CM	150	CM 253 LEVEL CM	31802,3762 litre	89,982 %	3540,5412 litre	O
500	CM	150	CM 252 LEVEL CM	31692,8610 litre	89,672 %	3650,0564 litre	O
500	CM	150	CM 251 LEVEL CM	31582,4182 litre	89,360 %	3760,4992 litre	O
500	CM	150	CM 250 LEVEL CM	31471,0648 litre	89,045 %	3871,8526 litre	O
500	CM	150	CM 249 LEVEL CM	31358,8168 litre	88,727 %	3984,1006 litre	O

500	CM	150	CM	248 LEVEL CM	31245,6903 litre	88,407 %	4097,2271 litre	O
500	CM	150	CM	247 LEVEL CM	31131,7008 litre	88,085 %	4211,2166 litre	O
500	CM	150	CM	246 LEVEL CM	31016,8635 litre	87,760 %	4326,0539 litre	O
500	CM	150	CM	245 LEVEL CM	30901,1932 litre	87,432 %	4441,7242 litre	O
500	CM	150	CM	244 LEVEL CM	30784,7046 litre	87,103 %	4558,2128 litre	O
500	CM	150	CM	243 LEVEL CM	30667,4117 litre	86,771 %	4675,5057 litre	O
500	CM	150	CM	242 LEVEL CM	30549,3286 litre	86,437 %	4793,5888 litre	O
500	CM	150	CM	241 LEVEL CM	30430,4690 litre	86,101 %	4912,4484 litre	O
500	CM	150	CM	240 LEVEL CM	30310,8462 litre	85,762 %	5032,0712 litre	O
500	CM	150	CM	239 LEVEL CM	30190,4733 litre	85,422 %	5152,4441 litre	O
500	CM	150	CM	238 LEVEL CM	30069,3634 litre	85,079 %	5273,5540 litre	O
500	CM	150	CM	237 LEVEL CM	29947,5289 litre	84,734 %	5395,3885 litre	O
500	CM	150	CM	236 LEVEL CM	29824,9825 litre	84,387 %	5517,9349 litre	O
500	CM	150	CM	235 LEVEL CM	29701,7363 litre	84,039 %	5641,1811 litre	O
500	CM	150	CM	234 LEVEL CM	29577,8024 litre	83,688 %	5765,1150 litre	O
500	CM	150	CM	233 LEVEL CM	29453,1924 litre	83,335 %	5889,7250 litre	O
500	CM	150	CM	232 LEVEL CM	29327,9182 litre	82,981 %	6014,9992 litre	O
500	CM	150	CM	231 LEVEL CM	29201,9911 litre	82,625 %	6140,9263 litre	O
500	CM	150	CM	230 LEVEL CM	29075,4224 litre	82,267 %	6267,4950 litre	O
500	CM	150	CM	229 LEVEL CM	28948,2233 litre	81,907 %	6394,6941 litre	O
500	CM	150	CM	228 LEVEL CM	28820,4045 litre	81,545 %	6522,5129 litre	O
500	CM	150	CM	227 LEVEL CM	28691,9769 litre	81,182 %	6650,9405 litre	O
500	CM	150	CM	226 LEVEL CM	28562,9512 litre	80,817 %	6779,9662 litre	O
500	CM	150	CM	225 LEVEL CM	28433,3378 litre	80,450 %	6909,5796 litre	O
500	CM	150	CM	224 LEVEL CM	28303,1470 litre	80,082 %	7039,7704 litre	O
500	CM	150	CM	223 LEVEL CM	28172,3891 litre	79,712 %	7170,5283 litre	O
500	CM	150	CM	222 LEVEL CM	28041,0740 litre	79,340 %	7301,8434 litre	O
500	CM	150	CM	221 LEVEL CM	27909,2118 litre	78,967 %	7433,7056 litre	O
500	CM	150	CM	220 LEVEL CM	27776,8123 litre	78,592 %	7566,1051 litre	O
500	CM	150	CM	219 LEVEL CM	27643,8850 litre	78,216 %	7699,0324 litre	O
500	CM	150	CM	218 LEVEL CM	27510,4398 litre	77,839 %	7832,4776 litre	O
500	CM	150	CM	217 LEVEL CM	27376,4859 litre	77,460 %	7966,4315 litre	O
500	CM	150	CM	216 LEVEL CM	27242,0327 litre	77,079 %	8100,8847 litre	O
500	CM	150	CM	215 LEVEL CM	27107,0896 litre	76,697 %	8235,8278 litre	O
500	CM	150	CM	214 LEVEL CM	26971,6656 litre	76,314 %	8371,2518 litre	O
500	CM	150	CM	213 LEVEL CM	26835,7699 litre	75,930 %	8507,1475 litre	O
500	CM	150	CM	212 LEVEL CM	26699,4114 litre	75,544 %	8643,5060 litre	O
500	CM	150	CM	211 LEVEL CM	26562,5989 litre	75,157 %	8780,3185 litre	O
500	CM	150	CM	210 LEVEL CM	26425,3413 litre	74,768 %	8917,5761 litre	O
500	CM	150	CM	209 LEVEL CM	26287,6473 litre	74,379 %	9055,2701 litre	O
500	CM	150	CM	208 LEVEL CM	26149,5254 litre	73,988 %	9193,3920 litre	O
500	CM	150	CM	207 LEVEL CM	26010,9842 litre	73,596 %	9331,9332 litre	O
500	CM	150	CM	206 LEVEL CM	25872,0323 litre	73,203 %	9470,8851 litre	O
500	CM	150	CM	205 LEVEL CM	25732,6778 litre	72,809 %	9610,2396 litre	O
500	CM	150	CM	204 LEVEL CM	25592,9293 litre	72,413 %	9749,9881 litre	O
500	CM	150	CM	203 LEVEL CM	25452,7949 litre	72,017 %	9890,1225 litre	O
500	CM	150	CM	202 LEVEL CM	25312,2828 litre	71,619 %	10030,6346 litre	O
500	CM	150	CM	201 LEVEL CM	25171,4011 litre	71,220 %	10171,5163 litre	O
500	CM	150	CM	200 LEVEL CM	25030,1578 litre	70,821 %	10312,7596 litre	O
500	CM	150	CM	199 LEVEL CM	24888,5610 litre	70,420 %	10454,3564 litre	O
500	CM	150	CM	198 LEVEL CM	24746,6186 litre	70,019 %	10596,2988 litre	O
500	CM	150	CM	197 LEVEL CM	24604,3384 litre	69,616 %	10738,5790 litre	O
500	CM	150	CM	196 LEVEL CM	24461,7282 litre	69,213 %	10881,1892 litre	O

500	CM	150	CM	195 LEVEL CM	24318,7958 litre	68,808 %	11024,1216 litre	O
500	CM	150	CM	194 LEVEL CM	24175,5490 litre	68,403 %	11167,3684 litre	O
500	CM	150	CM	193 LEVEL CM	24031,9953 litre	67,997 %	11310,9221 litre	O
500	CM	150	CM	192 LEVEL CM	23888,1424 litre	67,590 %	11454,7750 litre	O
500	CM	150	CM	191 LEVEL CM	23743,9978 litre	67,182 %	11598,9196 litre	O
500	CM	150	CM	190 LEVEL CM	23599,5691 litre	66,773 %	11743,3483 litre	O
500	CM	150	CM	189 LEVEL CM	23454,8637 litre	66,364 %	11888,0537 litre	O
500	CM	150	CM	188 LEVEL CM	23309,8890 litre	65,953 %	12033,0284 litre	O
500	CM	150	CM	187 LEVEL CM	23164,6524 litre	65,543 %	12178,2650 litre	O
500	CM	150	CM	186 LEVEL CM	23019,1613 litre	65,131 %	12323,7561 litre	O
500	CM	150	CM	185 LEVEL CM	22873,4230 litre	64,719 %	12469,4944 litre	O
500	CM	150	CM	184 LEVEL CM	22727,4447 litre	64,306 %	12615,4727 litre	O
500	CM	150	CM	183 LEVEL CM	22581,2337 litre	63,892 %	12761,6837 litre	O
500	CM	150	CM	182 LEVEL CM	22434,7971 litre	63,477 %	12908,1203 litre	O
500	CM	150	CM	181 LEVEL CM	22288,1422 litre	63,063 %	13054,7752 litre	O
500	CM	150	CM	180 LEVEL CM	22141,2761 litre	62,647 %	13201,6413 litre	O
500	CM	150	CM	179 LEVEL CM	21994,2058 litre	62,231 %	13348,7116 litre	O
500	CM	150	CM	178 LEVEL CM	21846,9385 litre	61,814 %	13495,9789 litre	O
500	CM	150	CM	177 LEVEL CM	21699,4811 litre	61,397 %	13643,4363 litre	O
500	CM	150	CM	176 LEVEL CM	21551,8408 litre	60,979 %	13791,0766 litre	O
500	CM	150	CM	175 LEVEL CM	21404,0245 litre	60,561 %	13938,8929 litre	O
500	CM	150	CM	174 LEVEL CM	21256,0391 litre	60,142 %	14086,8783 litre	O
500	CM	150	CM	173 LEVEL CM	21107,8917 litre	59,723 %	14235,0257 litre	O
500	CM	150	CM	172 LEVEL CM	20959,5891 litre	59,304 %	14383,3283 litre	O
500	CM	150	CM	171 LEVEL CM	20811,1382 litre	58,883 %	14531,7792 litre	O
500	CM	150	CM	170 LEVEL CM	20662,5459 litre	58,463 %	14680,3715 litre	O
500	CM	150	CM	169 LEVEL CM	20513,8191 litre	58,042 %	14829,0983 litre	O
500	CM	150	CM	168 LEVEL CM	20364,9646 litre	57,621 %	14977,9528 litre	O
500	CM	150	CM	167 LEVEL CM	20215,9892 litre	57,200 %	15126,9282 litre	O
500	CM	150	CM	166 LEVEL CM	20066,8998 litre	56,778 %	15276,0176 litre	O
500	CM	150	CM	165 LEVEL CM	19917,7030 litre	56,356 %	15425,2144 litre	O
500	CM	150	CM	164 LEVEL CM	19768,4058 litre	55,933 %	15574,5116 litre	O
500	CM	150	CM	163 LEVEL CM	19619,0148 litre	55,510 %	15723,9026 litre	O
500	CM	150	CM	162 LEVEL CM	19469,5368 litre	55,088 %	15873,3806 litre	O
500	CM	150	CM	161 LEVEL CM	19319,9786 litre	54,664 %	16022,9388 litre	O
500	CM	150	CM	160 LEVEL CM	19170,3468 litre	54,241 %	16172,5706 litre	O
500	CM	150	CM	159 LEVEL CM	19020,6482 litre	53,817 %	16322,2692 litre	O
500	CM	150	CM	158 LEVEL CM	18870,8895 litre	53,394 %	16472,0279 litre	O
500	CM	150	CM	157 LEVEL CM	18721,0774 litre	52,970 %	16621,8400 litre	O
500	CM	150	CM	156 LEVEL CM	18571,2186 litre	52,546 %	16771,6988 litre	O
500	CM	150	CM	155 LEVEL CM	18421,3198 litre	52,122 %	16921,5976 litre	O
500	CM	150	CM	154 LEVEL CM	18271,3876 litre	51,697 %	17071,5298 litre	O
500	CM	150	CM	153 LEVEL CM	18121,4287 litre	51,273 %	17221,4887 litre	O
500	CM	150	CM	152 LEVEL CM	17971,4498 litre	50,849 %	17371,4676 litre	O
500	CM	150	CM	151 LEVEL CM	17821,4576 litre	50,424 %	17521,4598 litre	O
500	CM	150	CM	150 LEVEL CM	17671,4587 litre	50,000 %	17671,4587 litre	O
500	CM	150	CM	149 LEVEL CM	17521,4598 litre	49,576 %	17821,4576 litre	O
500	CM	150	CM	148 LEVEL CM	17371,4676 litre	49,151 %	17971,4498 litre	O
500	CM	150	CM	147 LEVEL CM	17221,4887 litre	48,727 %	18121,4287 litre	O
500	CM	150	CM	146 LEVEL CM	17071,5298 litre	48,303 %	18271,3876 litre	O
500	CM	150	CM	145 LEVEL CM	16921,5976 litre	47,878 %	18421,3198 litre	O
500	CM	150	CM	144 LEVEL CM	16771,6987 litre	47,454 %	18571,2187 litre	O
500	CM	150	CM	143 LEVEL CM	16621,8399 litre	47,030 %	18721,0775 litre	O

500	CM	150	CM	142 LEVEL CM	16472,0278 litre	46,606 %	18870,8896 litre	O
500	CM	150	CM	141 LEVEL CM	16322,2691 litre	46,183 %	19020,6483 litre	O
500	CM	150	CM	140 LEVEL CM	16172,5705 litre	45,759 %	19170,3469 litre	O
500	CM	150	CM	139 LEVEL CM	16022,9388 litre	45,336 %	19319,9786 litre	O
500	CM	150	CM	138 LEVEL CM	15873,3805 litre	44,912 %	19469,5369 litre	O
500	CM	150	CM	137 LEVEL CM	15723,9025 litre	44,490 %	19619,0149 litre	O
500	CM	150	CM	136 LEVEL CM	15574,5116 litre	44,067 %	19768,4058 litre	O
500	CM	150	CM	135 LEVEL CM	15425,2143 litre	43,644 %	19917,7031 litre	O
500	CM	150	CM	134 LEVEL CM	15276,0176 litre	43,222 %	20066,8998 litre	O
500	CM	150	CM	133 LEVEL CM	15126,9281 litre	42,800 %	20215,9893 litre	O
500	CM	150	CM	132 LEVEL CM	14977,9527 litre	42,379 %	20364,9647 litre	O
500	CM	150	CM	131 LEVEL CM	14829,0982 litre	41,958 %	20513,8192 litre	O
500	CM	150	CM	130 LEVEL CM	14680,3714 litre	41,537 %	20662,5460 litre	O
500	CM	150	CM	129 LEVEL CM	14531,7791 litre	41,117 %	20811,1383 litre	O
500	CM	150	CM	128 LEVEL CM	14383,3283 litre	40,696 %	20959,5891 litre	O
500	CM	150	CM	127 LEVEL CM	14235,0256 litre	40,277 %	21107,8918 litre	O
500	CM	150	CM	126 LEVEL CM	14086,8782 litre	39,858 %	21256,0392 litre	O
500	CM	150	CM	125 LEVEL CM	13938,8929 litre	39,439 %	21404,0245 litre	O
500	CM	150	CM	124 LEVEL CM	13791,0765 litre	39,021 %	21551,8409 litre	O
500	CM	150	CM	123 LEVEL CM	13643,4362 litre	38,603 %	21699,4812 litre	O
500	CM	150	CM	122 LEVEL CM	13495,9789 litre	38,186 %	21846,9385 litre	O
500	CM	150	CM	121 LEVEL CM	13348,7116 litre	37,769 %	21994,2058 litre	O
500	CM	150	CM	120 LEVEL CM	13201,6413 litre	37,353 %	22141,2761 litre	O
500	CM	150	CM	119 LEVEL CM	13054,7752 litre	36,937 %	22288,1422 litre	O
500	CM	150	CM	118 LEVEL CM	12908,1202 litre	36,523 %	22434,7972 litre	O
500	CM	150	CM	117 LEVEL CM	12761,6837 litre	36,108 %	22581,2337 litre	O
500	CM	150	CM	116 LEVEL CM	12615,4727 litre	35,694 %	22727,4447 litre	O
500	CM	150	CM	115 LEVEL CM	12469,4944 litre	35,281 %	22873,4230 litre	O
500	CM	150	CM	114 LEVEL CM	12323,7561 litre	34,869 %	23019,1613 litre	O
500	CM	150	CM	113 LEVEL CM	12178,2650 litre	34,457 %	23164,6524 litre	O
500	CM	150	CM	112 LEVEL CM	12033,0284 litre	34,047 %	23309,8890 litre	O
500	CM	150	CM	111 LEVEL CM	11888,0537 litre	33,636 %	23454,8637 litre	O
500	CM	150	CM	110 LEVEL CM	11743,3483 litre	33,227 %	23599,5691 litre	O
500	CM	150	CM	109 LEVEL CM	11598,9195 litre	32,818 %	23743,9979 litre	O
500	CM	150	CM	108 LEVEL CM	11454,7749 litre	32,410 %	23888,1425 litre	O
500	CM	150	CM	107 LEVEL CM	11310,9220 litre	32,003 %	24031,9954 litre	O
500	CM	150	CM	106 LEVEL CM	11167,3684 litre	31,597 %	24175,5490 litre	O
500	CM	150	CM	105 LEVEL CM	11024,1215 litre	31,192 %	24318,7959 litre	O
500	CM	150	CM	104 LEVEL CM	10881,1892 litre	30,787 %	24461,7282 litre	O
500	CM	150	CM	103 LEVEL CM	10738,5790 litre	30,384 %	24604,3384 litre	O
500	CM	150	CM	102 LEVEL CM	10596,2988 litre	29,981 %	24746,6186 litre	O
500	CM	150	CM	101 LEVEL CM	10454,3563 litre	29,580 %	24888,5611 litre	O
500	CM	150	CM	100 LEVEL CM	10312,7595 litre	29,179 %	25030,1579 litre	O
500	CM	150	CM	99 LEVEL CM	10171,5163 litre	28,780 %	25171,4011 litre	O
500	CM	150	CM	98 LEVEL CM	10030,6346 litre	28,381 %	25312,2828 litre	O
500	CM	150	CM	97 LEVEL CM	9890,1225 litre	27,983 %	25452,7949 litre	O
500	CM	150	CM	96 LEVEL CM	9749,9880 litre	27,587 %	25592,9294 litre	O
500	CM	150	CM	95 LEVEL CM	9610,2395 litre	27,191 %	25732,6779 litre	O
500	CM	150	CM	94 LEVEL CM	9470,8851 litre	26,797 %	25872,0323 litre	O
500	CM	150	CM	93 LEVEL CM	9331,9331 litre	26,404 %	26010,9843 litre	O
500	CM	150	CM	92 LEVEL CM	9193,3920 litre	26,012 %	26149,5254 litre	O
500	CM	150	CM	91 LEVEL CM	9055,2701 litre	25,621 %	26287,6473 litre	O
500	CM	150	CM	90 LEVEL CM	8917,5760 litre	25,232 %	26425,3414 litre	O

500	CM	150	CM	89 LEVEL CM	8780,3184 litre	24,843 %	26562,5990 litre	O
500	CM	150	CM	88 LEVEL CM	8643,5060 litre	24,456 %	26699,4114 litre	O
500	CM	150	CM	87 LEVEL CM	8507,1474 litre	24,070 %	26835,7700 litre	O
500	CM	150	CM	86 LEVEL CM	8371,2517 litre	23,686 %	26971,6657 litre	O
500	CM	150	CM	85 LEVEL CM	8235,8278 litre	23,303 %	27107,0896 litre	O
500	CM	150	CM	84 LEVEL CM	8100,8846 litre	22,921 %	27242,0328 litre	O
500	CM	150	CM	83 LEVEL CM	7966,4315 litre	22,540 %	27376,4859 litre	O
500	CM	150	CM	82 LEVEL CM	7832,4776 litre	22,161 %	27510,4398 litre	O
500	CM	150	CM	81 LEVEL CM	7699,0323 litre	21,784 %	27643,8851 litre	O
500	CM	150	CM	80 LEVEL CM	7566,1051 litre	21,408 %	27776,8123 litre	O
500	CM	150	CM	79 LEVEL CM	7433,7055 litre	21,033 %	27909,2119 litre	O
500	CM	150	CM	78 LEVEL CM	7301,8433 litre	20,660 %	28041,0741 litre	O
500	CM	150	CM	77 LEVEL CM	7170,5283 litre	20,288 %	28172,3891 litre	O
500	CM	150	CM	76 LEVEL CM	7039,7703 litre	19,918 %	28303,1471 litre	O
500	CM	150	CM	75 LEVEL CM	6909,5796 litre	19,550 %	28433,3378 litre	O
500	CM	150	CM	74 LEVEL CM	6779,9661 litre	19,183 %	28562,9513 litre	O
500	CM	150	CM	73 LEVEL CM	6650,9404 litre	18,818 %	28691,9770 litre	O
500	CM	150	CM	72 LEVEL CM	6522,5129 litre	18,455 %	28820,4045 litre	O
500	CM	150	CM	71 LEVEL CM	6394,6941 litre	18,093 %	28948,2233 litre	O
500	CM	150	CM	70 LEVEL CM	6267,4949 litre	17,733 %	29075,4225 litre	O
500	CM	150	CM	69 LEVEL CM	6140,9262 litre	17,375 %	29201,9912 litre	O
500	CM	150	CM	68 LEVEL CM	6014,9991 litre	17,019 %	29327,9183 litre	O
500	CM	150	CM	67 LEVEL CM	5889,7249 litre	16,665 %	29453,1925 litre	O
500	CM	150	CM	66 LEVEL CM	5765,1150 litre	16,312 %	29577,8024 litre	O
500	CM	150	CM	65 LEVEL CM	5641,1810 litre	15,961 %	29701,7364 litre	O
500	CM	150	CM	64 LEVEL CM	5517,9348 litre	15,613 %	29824,9826 litre	O
500	CM	150	CM	63 LEVEL CM	5395,3884 litre	15,266 %	29947,5290 litre	O
500	CM	150	CM	62 LEVEL CM	5273,5540 litre	14,921 %	30069,3634 litre	O
500	CM	150	CM	61 LEVEL CM	5152,4440 litre	14,578 %	30190,4734 litre	O
500	CM	150	CM	60 LEVEL CM	5032,0712 litre	14,238 %	30310,8462 litre	O
500	CM	150	CM	59 LEVEL CM	4912,4484 litre	13,899 %	30430,4690 litre	O
500	CM	150	CM	58 LEVEL CM	4793,5887 litre	13,563 %	30549,3287 litre	O
500	CM	150	CM	57 LEVEL CM	4675,5056 litre	13,229 %	30667,4118 litre	O
500	CM	150	CM	56 LEVEL CM	4558,2128 litre	12,897 %	30784,7046 litre	O
500	CM	150	CM	55 LEVEL CM	4441,7241 litre	12,568 %	30901,1933 litre	O
500	CM	150	CM	54 LEVEL CM	4326,0538 litre	12,240 %	31016,8636 litre	O
500	CM	150	CM	53 LEVEL CM	4211,2165 litre	11,915 %	31131,7009 litre	O
500	CM	150	CM	52 LEVEL CM	4097,2270 litre	11,593 %	31245,6904 litre	O
500	CM	150	CM	51 LEVEL CM	3984,1005 litre	11,273 %	31358,8169 litre	O
500	CM	150	CM	50 LEVEL CM	3871,8526 litre	10,955 %	31471,0648 litre	O
500	CM	150	CM	49 LEVEL CM	3760,4991 litre	10,640 %	31582,4183 litre	O
500	CM	150	CM	48 LEVEL CM	3650,0564 litre	10,328 %	31692,8610 litre	O
500	CM	150	CM	47 LEVEL CM	3540,5411 litre	10,018 %	31802,3763 litre	O
500	CM	150	CM	46 LEVEL CM	3431,9704 litre	9,710 %	31910,9470 litre	O
500	CM	150	CM	45 LEVEL CM	3324,3620 litre	9,406 %	32018,5554 litre	O
500	CM	150	CM	44 LEVEL CM	3217,7337 litre	9,104 %	32125,1837 litre	O
500	CM	150	CM	43 LEVEL CM	3112,1042 litre	8,805 %	32230,8132 litre	O
500	CM	150	CM	42 LEVEL CM	3007,4927 litre	8,509 %	32335,4247 litre	O
500	CM	150	CM	41 LEVEL CM	2903,9187 litre	8,216 %	32438,9987 litre	O
500	CM	150	CM	40 LEVEL CM	2801,4025 litre	7,926 %	32541,5149 litre	O
500	CM	150	CM	39 LEVEL CM	2699,9650 litre	7,639 %	32642,9524 litre	O
500	CM	150	CM	38 LEVEL CM	2599,6277 litre	7,355 %	32743,2897 litre	O
500	CM	150	CM	37 LEVEL CM	2500,4130 litre	7,075 %	32842,5044 litre	O

500	CM	150	CM	36 LEVEL CM	2402,3439 litre	6,797 %	32940,5735 litre	O
500	CM	150	CM	35 LEVEL CM	2305,4442 litre	6,523 %	33037,4732 litre	O
500	CM	150	CM	34 LEVEL CM	2209,7387 litre	6,252 %	33133,1787 litre	O
500	CM	150	CM	33 LEVEL CM	2115,2530 litre	5,985 %	33227,6644 litre	O
500	CM	150	CM	32 LEVEL CM	2022,0139 litre	5,721 %	33320,9035 litre	O
500	CM	150	CM	31 LEVEL CM	1930,0491 litre	5,461 %	33412,8683 litre	O
500	CM	150	CM	30 LEVEL CM	1839,3875 litre	5,204 %	33503,5299 litre	O
500	CM	150	CM	29 LEVEL CM	1750,0593 litre	4,952 %	33592,8581 litre	O
500	CM	150	CM	28 LEVEL CM	1662,0962 litre	4,703 %	33680,8212 litre	O
500	CM	150	CM	27 LEVEL CM	1575,5312 litre	4,458 %	33767,3862 litre	O
500	CM	150	CM	26 LEVEL CM	1490,3990 litre	4,217 %	33852,5184 litre	O
500	CM	150	CM	25 LEVEL CM	1406,7361 litre	3,980 %	33936,1813 litre	O
500	CM	150	CM	24 LEVEL CM	1324,5810 litre	3,748 %	34018,3364 litre	O
500	CM	150	CM	23 LEVEL CM	1243,9741 litre	3,520 %	34098,9433 litre	O
500	CM	150	CM	22 LEVEL CM	1164,9586 litre	3,296 %	34177,9588 litre	O
500	CM	150	CM	21 LEVEL CM	1087,5801 litre	3,077 %	34255,3373 litre	O
500	CM	150	CM	20 LEVEL CM	1011,8871 litre	2,863 %	34331,0303 litre	O
500	CM	150	CM	19 LEVEL CM	937,9317 litre	2,654 %	34404,9857 litre	O
500	CM	150	CM	18 LEVEL CM	865,7695 litre	2,450 %	34477,1479 litre	O
500	CM	150	CM	17 LEVEL CM	795,4603 litre	2,251 %	34547,4571 litre	O
500	CM	150	CM	16 LEVEL CM	727,0692 litre	2,057 %	34615,8482 litre	O
500	CM	150	CM	15 LEVEL CM	660,6665 litre	1,869 %	34682,2509 litre	O
500	CM	150	CM	14 LEVEL CM	596,3291 litre	1,687 %	34746,5883 litre	O
500	CM	150	CM	13 LEVEL CM	534,1417 litre	1,511 %	34808,7757 litre	O
500	CM	150	CM	12 LEVEL CM	474,1982 litre	1,342 %	34868,7192 litre	O
500	CM	150	CM	11 LEVEL CM	416,6032 litre	1,179 %	34926,3142 litre	O
500	CM	150	CM	10 LEVEL CM	361,4749 litre	1,023 %	34981,4425 litre	O
500	CM	150	CM	9 LEVEL CM	308,9480 litre	0,874 %	35033,9694 litre	O
500	CM	150	CM	8 LEVEL CM	259,1786 litre	0,733 %	35083,7388 litre	O
500	CM	150	CM	7 LEVEL CM	212,3503 litre	0,601 %	35130,5671 litre	O
500	CM	150	CM	6 LEVEL CM	168,6837 litre	0,477 %	35174,2337 litre	O
500	CM	150	CM	5 LEVEL CM	128,4520 litre	0,363 %	35214,4654 litre	O
500	CM	150	CM	4 LEVEL CM	92,0057 litre	0,260 %	35250,9117 litre	O
500	CM	150	CM	3 LEVEL CM	59,8197 litre	0,169 %	35283,0977 litre	O
500	CM	150	CM	2 LEVEL CM	32,5945 litre	0,092 %	35310,3229 litre	O
500	CM	150	CM	1 LEVEL CM	11,5355 litre	0,033 %	35331,3819 litre	O
500	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	35342,9174 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM 145	CM 290 LEVEL CM	33025,9928 litre	100,000 %	0,0000 litre	O
500	CM 145	CM 289 LEVEL CM	33014,6516 litre	99,966 %	11,3412 litre	O
500	CM 145	CM 288 LEVEL CM	32993,9484 litre	99,903 %	32,0444 litre	O
500	CM 145	CM 287 LEVEL CM	32967,1847 litre	99,822 %	58,8081 litre	O
500	CM 145	CM 286 LEVEL CM	32935,5461 litre	99,726 %	90,4467 litre	O
500	CM 145	CM 285 LEVEL CM	32899,7218 litre	99,618 %	126,2710 litre	O
500	CM 145	CM 284 LEVEL CM	32860,1790 litre	99,498 %	165,8138 litre	O
500	CM 145	CM 283 LEVEL CM	32817,2629 litre	99,368 %	208,7299 litre	O
500	CM 145	CM 282 LEVEL CM	32771,2420 litre	99,229 %	254,7508 litre	O
500	CM 145	CM 281 LEVEL CM	32722,3337 litre	99,081 %	303,6591 litre	O
500	CM 145	CM 280 LEVEL CM	32670,7189 litre	98,924 %	355,2739 litre	O
500	CM 145	CM 279 LEVEL CM	32616,5511 litre	98,760 %	409,4417 litre	O
500	CM 145	CM 278 LEVEL CM	32559,9630 litre	98,589 %	466,0298 litre	O
500	CM 145	CM 277 LEVEL CM	32501,0712 litre	98,411 %	524,9216 litre	O
500	CM 145	CM 276 LEVEL CM	32439,9788 litre	98,226 %	586,0140 litre	O
500	CM 145	CM 275 LEVEL CM	32376,7783 litre	98,034 %	649,2145 litre	O
500	CM 145	CM 274 LEVEL CM	32311,5530 litre	97,837 %	714,4398 litre	O
500	CM 145	CM 273 LEVEL CM	32244,3789 litre	97,633 %	781,6139 litre	O
500	CM 145	CM 272 LEVEL CM	32175,3254 litre	97,424 %	850,6674 litre	O
500	CM 145	CM 271 LEVEL CM	32104,4565 litre	97,210 %	921,5363 litre	O
500	CM 145	CM 270 LEVEL CM	32031,8313 litre	96,990 %	994,1615 litre	O
500	CM 145	CM 269 LEVEL CM	31957,5048 litre	96,765 %	1068,4880 litre	O
500	CM 145	CM 268 LEVEL CM	31881,5282 litre	96,535 %	1144,4646 litre	O
500	CM 145	CM 267 LEVEL CM	31803,9494 litre	96,300 %	1222,0434 litre	O
500	CM 145	CM 266 LEVEL CM	31724,8137 litre	96,060 %	1301,1791 litre	O
500	CM 145	CM 265 LEVEL CM	31644,1633 litre	95,816 %	1381,8295 litre	O
500	CM 145	CM 264 LEVEL CM	31562,0385 litre	95,567 %	1463,9543 litre	O
500	CM 145	CM 263 LEVEL CM	31478,4771 litre	95,314 %	1547,5157 litre	O
500	CM 145	CM 262 LEVEL CM	31393,5153 litre	95,057 %	1632,4775 litre	O
500	CM 145	CM 261 LEVEL CM	31307,1874 litre	94,796 %	1718,8054 litre	O
500	CM 145	CM 260 LEVEL CM	31219,5260 litre	94,530 %	1806,4668 litre	O
500	CM 145	CM 259 LEVEL CM	31130,5623 litre	94,261 %	1895,4305 litre	O
500	CM 145	CM 258 LEVEL CM	31040,3263 litre	93,988 %	1985,6665 litre	O
500	CM 145	CM 257 LEVEL CM	30948,8466 litre	93,711 %	2077,1462 litre	O
500	CM 145	CM 256 LEVEL CM	30856,1506 litre	93,430 %	2169,8422 litre	O
500	CM 145	CM 255 LEVEL CM	30762,2648 litre	93,146 %	2263,7280 litre	O
500	CM 145	CM 254 LEVEL CM	30667,2145 litre	92,858 %	2358,7783 litre	O
500	CM 145	CM 253 LEVEL CM	30571,0243 litre	92,567 %	2454,9685 litre	O
500	CM 145	CM 252 LEVEL CM	30473,7177 litre	92,272 %	2552,2751 litre	O
500	CM 145	CM 251 LEVEL CM	30375,3177 litre	91,974 %	2650,6751 litre	O
500	CM 145	CM 250 LEVEL CM	30275,8462 litre	91,673 %	2750,1466 litre	O
500	CM 145	CM 249 LEVEL CM	30175,3247 litre	91,368 %	2850,6681 litre	O
500	CM 145	CM 248 LEVEL CM	30073,7738 litre	91,061 %	2952,2190 litre	O
500	CM 145	CM 247 LEVEL CM	29971,2136 litre	90,750 %	3054,7792 litre	O
500	CM 145	CM 246 LEVEL CM	29867,6637 litre	90,437 %	3158,3291 litre	O
500	CM 145	CM 245 LEVEL CM	29763,1430 litre	90,120 %	3262,8498 litre	O
500	CM 145	CM 244 LEVEL CM	29657,6698 litre	89,801 %	3368,3230 litre	O
500	CM 145	CM 243 LEVEL CM	29551,2621 litre	89,479 %	3474,7307 litre	O
500	CM 145	CM 242 LEVEL CM	29443,9374 litre	89,154 %	3582,0554 litre	O
500	CM 145	CM 241 LEVEL CM	29335,7126 litre	88,826 %	3690,2802 litre	O
500	CM 145	CM 240 LEVEL CM	29226,6044 litre	88,496 %	3799,3884 litre	O
500	CM 145	CM 239 LEVEL CM	29116,6289 litre	88,163 %	3909,3639 litre	O

500	CM	145	CM	238 LEVEL CM	29005,8020 litre	87,827 %	4020,1908 litre	O
500	CM	145	CM	237 LEVEL CM	28894,1391 litre	87,489 %	4131,8537 litre	O
500	CM	145	CM	236 LEVEL CM	28781,6552 litre	87,148 %	4244,3376 litre	O
500	CM	145	CM	235 LEVEL CM	28668,3653 litre	86,805 %	4357,6275 litre	O
500	CM	145	CM	234 LEVEL CM	28554,2837 litre	86,460 %	4471,7091 litre	O
500	CM	145	CM	233 LEVEL CM	28439,4245 litre	86,112 %	4586,5683 litre	O
500	CM	145	CM	232 LEVEL CM	28323,8018 litre	85,762 %	4702,1910 litre	O
500	CM	145	CM	231 LEVEL CM	28207,4290 litre	85,410 %	4818,5638 litre	O
500	CM	145	CM	230 LEVEL CM	28090,3196 litre	85,055 %	4935,6732 litre	O
500	CM	145	CM	229 LEVEL CM	27972,4865 litre	84,698 %	5053,5063 litre	O
500	CM	145	CM	228 LEVEL CM	27853,9428 litre	84,339 %	5172,0500 litre	O
500	CM	145	CM	227 LEVEL CM	27734,7009 litre	83,978 %	5291,2919 litre	O
500	CM	145	CM	226 LEVEL CM	27614,7733 litre	83,615 %	5411,2195 litre	O
500	CM	145	CM	225 LEVEL CM	27494,1722 litre	83,250 %	5531,8206 litre	O
500	CM	145	CM	224 LEVEL CM	27372,9095 litre	82,883 %	5653,0833 litre	O
500	CM	145	CM	223 LEVEL CM	27250,9971 litre	82,514 %	5774,9957 litre	O
500	CM	145	CM	222 LEVEL CM	27128,4466 litre	82,143 %	5897,5462 litre	O
500	CM	145	CM	221 LEVEL CM	27005,2694 litre	81,770 %	6020,7234 litre	O
500	CM	145	CM	220 LEVEL CM	26881,4766 litre	81,395 %	6144,5162 litre	O
500	CM	145	CM	219 LEVEL CM	26757,0795 litre	81,018 %	6268,9133 litre	O
500	CM	145	CM	218 LEVEL CM	26632,0890 litre	80,640 %	6393,9038 litre	O
500	CM	145	CM	217 LEVEL CM	26506,5158 litre	80,260 %	6519,4770 litre	O
500	CM	145	CM	216 LEVEL CM	26380,3704 litre	79,878 %	6645,6224 litre	O
500	CM	145	CM	215 LEVEL CM	26253,6635 litre	79,494 %	6772,3293 litre	O
500	CM	145	CM	214 LEVEL CM	26126,4054 litre	79,109 %	6899,5874 litre	O
500	CM	145	CM	213 LEVEL CM	25998,6061 litre	78,722 %	7027,3867 litre	O
500	CM	145	CM	212 LEVEL CM	25870,2759 litre	78,333 %	7155,7169 litre	O
500	CM	145	CM	211 LEVEL CM	25741,4247 litre	77,943 %	7284,5681 litre	O
500	CM	145	CM	210 LEVEL CM	25612,0622 litre	77,551 %	7413,9306 litre	O
500	CM	145	CM	209 LEVEL CM	25482,1983 litre	77,158 %	7543,7945 litre	O
500	CM	145	CM	208 LEVEL CM	25351,8424 litre	76,763 %	7674,1504 litre	O
500	CM	145	CM	207 LEVEL CM	25221,0042 litre	76,367 %	7804,9886 litre	O
500	CM	145	CM	206 LEVEL CM	25089,6929 litre	75,970 %	7936,2999 litre	O
500	CM	145	CM	205 LEVEL CM	24957,9179 litre	75,571 %	8068,0749 litre	O
500	CM	145	CM	204 LEVEL CM	24825,6884 litre	75,170 %	8200,3044 litre	O
500	CM	145	CM	203 LEVEL CM	24693,0134 litre	74,768 %	8332,9794 litre	O
500	CM	145	CM	202 LEVEL CM	24559,9020 litre	74,365 %	8466,0908 litre	O
500	CM	145	CM	201 LEVEL CM	24426,3630 litre	73,961 %	8599,6298 litre	O
500	CM	145	CM	200 LEVEL CM	24292,4054 litre	73,555 %	8733,5874 litre	O
500	CM	145	CM	199 LEVEL CM	24158,0378 litre	73,149 %	8867,9550 litre	O
500	CM	145	CM	198 LEVEL CM	24023,2689 litre	72,740 %	9002,7239 litre	O
500	CM	145	CM	197 LEVEL CM	23888,1073 litre	72,331 %	9137,8855 litre	O
500	CM	145	CM	196 LEVEL CM	23752,5615 litre	71,921 %	9273,4313 litre	O
500	CM	145	CM	195 LEVEL CM	23616,6400 litre	71,509 %	9409,3528 litre	O
500	CM	145	CM	194 LEVEL CM	23480,3511 litre	71,097 %	9545,6417 litre	O
500	CM	145	CM	193 LEVEL CM	23343,7032 litre	70,683 %	9682,2896 litre	O
500	CM	145	CM	192 LEVEL CM	23206,7045 litre	70,268 %	9819,2883 litre	O
500	CM	145	CM	191 LEVEL CM	23069,3631 litre	69,852 %	9956,6297 litre	O
500	CM	145	CM	190 LEVEL CM	22931,6872 litre	69,435 %	10094,3056 litre	O
500	CM	145	CM	189 LEVEL CM	22793,6848 litre	69,017 %	10232,3080 litre	O
500	CM	145	CM	188 LEVEL CM	22655,3639 litre	68,599 %	10370,6289 litre	O
500	CM	145	CM	187 LEVEL CM	22516,7326 litre	68,179 %	10509,2602 litre	O
500	CM	145	CM	186 LEVEL CM	22377,7985 litre	67,758 %	10648,1943 litre	O

500	CM	145	CM	185 LEVEL CM	22238,5697 litre	67,337 %	10787,4231 litre	O
500	CM	145	CM	184 LEVEL CM	22099,0539 litre	66,914 %	10926,9389 litre	O
500	CM	145	CM	183 LEVEL CM	21959,2589 litre	66,491 %	11066,7339 litre	O
500	CM	145	CM	182 LEVEL CM	21819,1922 litre	66,067 %	11206,8006 litre	O
500	CM	145	CM	181 LEVEL CM	21678,8617 litre	65,642 %	11347,1311 litre	O
500	CM	145	CM	180 LEVEL CM	21538,2748 litre	65,216 %	11487,7180 litre	O
500	CM	145	CM	179 LEVEL CM	21397,4393 litre	64,790 %	11628,5535 litre	O
500	CM	145	CM	178 LEVEL CM	21256,3625 litre	64,363 %	11769,6303 litre	O
500	CM	145	CM	177 LEVEL CM	21115,0520 litre	63,935 %	11910,9408 litre	O
500	CM	145	CM	176 LEVEL CM	20973,5152 litre	63,506 %	12052,4776 litre	O
500	CM	145	CM	175 LEVEL CM	20831,7595 litre	63,077 %	12194,2333 litre	O
500	CM	145	CM	174 LEVEL CM	20689,7924 litre	62,647 %	12336,2004 litre	O
500	CM	145	CM	173 LEVEL CM	20547,6212 litre	62,217 %	12478,3716 litre	O
500	CM	145	CM	172 LEVEL CM	20405,2531 litre	61,785 %	12620,7397 litre	O
500	CM	145	CM	171 LEVEL CM	20262,6955 litre	61,354 %	12763,2973 litre	O
500	CM	145	CM	170 LEVEL CM	20119,9557 litre	60,922 %	12906,0371 litre	O
500	CM	145	CM	169 LEVEL CM	19977,0408 litre	60,489 %	13048,9520 litre	O
500	CM	145	CM	168 LEVEL CM	19833,9581 litre	60,056 %	13192,0347 litre	O
500	CM	145	CM	167 LEVEL CM	19690,7147 litre	59,622 %	13335,2781 litre	O
500	CM	145	CM	166 LEVEL CM	19547,3178 litre	59,188 %	13478,6750 litre	O
500	CM	145	CM	165 LEVEL CM	19403,7746 litre	58,753 %	13622,2182 litre	O
500	CM	145	CM	164 LEVEL CM	19260,0920 litre	58,318 %	13765,9008 litre	O
500	CM	145	CM	163 LEVEL CM	19116,2774 litre	57,883 %	13909,7154 litre	O
500	CM	145	CM	162 LEVEL CM	18972,3376 litre	57,447 %	14053,6552 litre	O
500	CM	145	CM	161 LEVEL CM	18828,2797 litre	57,010 %	14197,7131 litre	O
500	CM	145	CM	160 LEVEL CM	18684,1108 litre	56,574 %	14341,8820 litre	O
500	CM	145	CM	159 LEVEL CM	18539,8379 litre	56,137 %	14486,1549 litre	O
500	CM	145	CM	158 LEVEL CM	18395,4680 litre	55,700 %	14630,5248 litre	O
500	CM	145	CM	157 LEVEL CM	18251,0081 litre	55,263 %	14774,9847 litre	O
500	CM	145	CM	156 LEVEL CM	18106,4652 litre	54,825 %	14919,5276 litre	O
500	CM	145	CM	155 LEVEL CM	17961,8461 litre	54,387 %	15064,1467 litre	O
500	CM	145	CM	154 LEVEL CM	17817,1580 litre	53,949 %	15208,8348 litre	O
500	CM	145	CM	153 LEVEL CM	17672,4076 litre	53,511 %	15353,5852 litre	O
500	CM	145	CM	152 LEVEL CM	17527,6020 litre	53,072 %	15498,3908 litre	O
500	CM	145	CM	151 LEVEL CM	17382,7480 litre	52,634 %	15643,2448 litre	O
500	CM	145	CM	150 LEVEL CM	17237,8527 litre	52,195 %	15788,1401 litre	O
500	CM	145	CM	149 LEVEL CM	17092,9228 litre	51,756 %	15933,0700 litre	O
500	CM	145	CM	148 LEVEL CM	16947,9653 litre	51,317 %	16078,0275 litre	O
500	CM	145	CM	147 LEVEL CM	16802,9872 litre	50,878 %	16223,0056 litre	O
500	CM	145	CM	146 LEVEL CM	16657,9952 litre	50,439 %	16367,9976 litre	O
500	CM	145	CM	145 LEVEL CM	16512,9964 litre	50,000 %	16512,9964 litre	O
500	CM	145	CM	144 LEVEL CM	16367,9975 litre	49,561 %	16657,9953 litre	O
500	CM	145	CM	143 LEVEL CM	16223,0056 litre	49,122 %	16802,9872 litre	O
500	CM	145	CM	142 LEVEL CM	16078,0274 litre	48,683 %	16947,9654 litre	O
500	CM	145	CM	141 LEVEL CM	15933,0700 litre	48,244 %	17092,9228 litre	O
500	CM	145	CM	140 LEVEL CM	15788,1401 litre	47,805 %	17237,8527 litre	O
500	CM	145	CM	139 LEVEL CM	15643,2447 litre	47,366 %	17382,7481 litre	O
500	CM	145	CM	138 LEVEL CM	15498,3908 litre	46,928 %	17527,6020 litre	O
500	CM	145	CM	137 LEVEL CM	15353,5852 litre	46,489 %	17672,4076 litre	O
500	CM	145	CM	136 LEVEL CM	15208,8348 litre	46,051 %	17817,1580 litre	O
500	CM	145	CM	135 LEVEL CM	15064,1466 litre	45,613 %	17961,8462 litre	O
500	CM	145	CM	134 LEVEL CM	14919,5276 litre	45,175 %	18106,4652 litre	O
500	CM	145	CM	133 LEVEL CM	14774,9846 litre	44,737 %	18251,0082 litre	O

500	CM	145	CM	132 LEVEL CM	14630,5247 litre	44,300 %	18395,4681 litre	O
500	CM	145	CM	131 LEVEL CM	14486,1548 litre	43,863 %	18539,8380 litre	O
500	CM	145	CM	130 LEVEL CM	14341,8819 litre	43,426 %	18684,1109 litre	O
500	CM	145	CM	129 LEVEL CM	14197,7131 litre	42,990 %	18828,2797 litre	O
500	CM	145	CM	128 LEVEL CM	14053,6552 litre	42,553 %	18972,3376 litre	O
500	CM	145	CM	127 LEVEL CM	13909,7154 litre	42,117 %	19116,2774 litre	O
500	CM	145	CM	126 LEVEL CM	13765,9007 litre	41,682 %	19260,0921 litre	O
500	CM	145	CM	125 LEVEL CM	13622,2182 litre	41,247 %	19403,7746 litre	O
500	CM	145	CM	124 LEVEL CM	13478,6750 litre	40,812 %	19547,3178 litre	O
500	CM	145	CM	123 LEVEL CM	13335,2781 litre	40,378 %	19690,7147 litre	O
500	CM	145	CM	122 LEVEL CM	13192,0347 litre	39,944 %	19833,9581 litre	O
500	CM	145	CM	121 LEVEL CM	13048,9520 litre	39,511 %	19977,0408 litre	O
500	CM	145	CM	120 LEVEL CM	12906,0371 litre	39,078 %	20119,9557 litre	O
500	CM	145	CM	119 LEVEL CM	12763,2973 litre	38,646 %	20262,6955 litre	O
500	CM	145	CM	118 LEVEL CM	12620,7397 litre	38,215 %	20405,2531 litre	O
500	CM	145	CM	117 LEVEL CM	12478,3716 litre	37,783 %	20547,6212 litre	O
500	CM	145	CM	116 LEVEL CM	12336,2004 litre	37,353 %	20689,7924 litre	O
500	CM	145	CM	115 LEVEL CM	12194,2332 litre	36,923 %	20831,7596 litre	O
500	CM	145	CM	114 LEVEL CM	12052,4776 litre	36,494 %	20973,5152 litre	O
500	CM	145	CM	113 LEVEL CM	11910,9408 litre	36,065 %	21115,0520 litre	O
500	CM	145	CM	112 LEVEL CM	11769,6303 litre	35,637 %	21256,3625 litre	O
500	CM	145	CM	111 LEVEL CM	11628,5535 litre	35,210 %	21397,4393 litre	O
500	CM	145	CM	110 LEVEL CM	11487,7179 litre	34,784 %	21538,2749 litre	O
500	CM	145	CM	109 LEVEL CM	11347,1311 litre	34,358 %	21678,8617 litre	O
500	CM	145	CM	108 LEVEL CM	11206,8005 litre	33,933 %	21819,1923 litre	O
500	CM	145	CM	107 LEVEL CM	11066,7339 litre	33,509 %	21959,2589 litre	O
500	CM	145	CM	106 LEVEL CM	10926,9388 litre	33,086 %	22099,0540 litre	O
500	CM	145	CM	105 LEVEL CM	10787,4230 litre	32,663 %	22238,5698 litre	O
500	CM	145	CM	104 LEVEL CM	10648,1942 litre	32,242 %	22377,7986 litre	O
500	CM	145	CM	103 LEVEL CM	10509,2602 litre	31,821 %	22516,7326 litre	O
500	CM	145	CM	102 LEVEL CM	10370,6288 litre	31,401 %	22655,3640 litre	O
500	CM	145	CM	101 LEVEL CM	10232,3080 litre	30,983 %	22793,6848 litre	O
500	CM	145	CM	100 LEVEL CM	10094,3056 litre	30,565 %	22931,6872 litre	O
500	CM	145	CM	99 LEVEL CM	9956,6297 litre	30,148 %	23069,3631 litre	O
500	CM	145	CM	98 LEVEL CM	9819,2883 litre	29,732 %	23206,7045 litre	O
500	CM	145	CM	97 LEVEL CM	9682,2896 litre	29,317 %	23343,7032 litre	O
500	CM	145	CM	96 LEVEL CM	9545,6416 litre	28,903 %	23480,3512 litre	O
500	CM	145	CM	95 LEVEL CM	9409,3528 litre	28,491 %	23616,6400 litre	O
500	CM	145	CM	94 LEVEL CM	9273,4313 litre	28,079 %	23752,5615 litre	O
500	CM	145	CM	93 LEVEL CM	9137,8855 litre	27,669 %	23888,1073 litre	O
500	CM	145	CM	92 LEVEL CM	9002,7239 litre	27,260 %	24023,2689 litre	O
500	CM	145	CM	91 LEVEL CM	8867,9550 litre	26,851 %	24158,0378 litre	O
500	CM	145	CM	90 LEVEL CM	8733,5874 litre	26,445 %	24292,4054 litre	O
500	CM	145	CM	89 LEVEL CM	8599,6298 litre	26,039 %	24426,3630 litre	O
500	CM	145	CM	88 LEVEL CM	8466,0908 litre	25,635 %	24559,9020 litre	O
500	CM	145	CM	87 LEVEL CM	8332,9794 litre	25,232 %	24693,0134 litre	O
500	CM	145	CM	86 LEVEL CM	8200,3044 litre	24,830 %	24825,6884 litre	O
500	CM	145	CM	85 LEVEL CM	8068,0749 litre	24,429 %	24957,9179 litre	O
500	CM	145	CM	84 LEVEL CM	7936,2999 litre	24,030 %	25089,6929 litre	O
500	CM	145	CM	83 LEVEL CM	7804,9886 litre	23,633 %	25221,0042 litre	O
500	CM	145	CM	82 LEVEL CM	7674,1504 litre	23,237 %	25351,8424 litre	O
500	CM	145	CM	81 LEVEL CM	7543,7945 litre	22,842 %	25482,1983 litre	O
500	CM	145	CM	80 LEVEL CM	7413,9306 litre	22,449 %	25612,0622 litre	O

500	CM	145	CM	79 LEVEL CM	7284,5681 litre	22,057 %	25741,4247 litre	O
500	CM	145	CM	78 LEVEL CM	7155,7169 litre	21,667 %	25870,2759 litre	O
500	CM	145	CM	77 LEVEL CM	7027,3866 litre	21,278 %	25998,6062 litre	O
500	CM	145	CM	76 LEVEL CM	6899,5874 litre	20,891 %	26126,4054 litre	O
500	CM	145	CM	75 LEVEL CM	6772,3292 litre	20,506 %	26253,6636 litre	O
500	CM	145	CM	74 LEVEL CM	6645,6223 litre	20,122 %	26380,3705 litre	O
500	CM	145	CM	73 LEVEL CM	6519,4770 litre	19,740 %	26506,5158 litre	O
500	CM	145	CM	72 LEVEL CM	6393,9038 litre	19,360 %	26632,0890 litre	O
500	CM	145	CM	71 LEVEL CM	6268,9132 litre	18,982 %	26757,0796 litre	O
500	CM	145	CM	70 LEVEL CM	6144,5161 litre	18,605 %	26881,4767 litre	O
500	CM	145	CM	69 LEVEL CM	6020,7234 litre	18,230 %	27005,2694 litre	O
500	CM	145	CM	68 LEVEL CM	5897,5462 litre	17,857 %	27128,4466 litre	O
500	CM	145	CM	67 LEVEL CM	5774,9956 litre	17,486 %	27250,9972 litre	O
500	CM	145	CM	66 LEVEL CM	5653,0832 litre	17,117 %	27372,9096 litre	O
500	CM	145	CM	65 LEVEL CM	5531,8206 litre	16,750 %	27494,1722 litre	O
500	CM	145	CM	64 LEVEL CM	5411,2195 litre	16,385 %	27614,7733 litre	O
500	CM	145	CM	63 LEVEL CM	5291,2919 litre	16,022 %	27734,7009 litre	O
500	CM	145	CM	62 LEVEL CM	5172,0500 litre	15,661 %	27853,9428 litre	O
500	CM	145	CM	61 LEVEL CM	5053,5062 litre	15,302 %	27972,4866 litre	O
500	CM	145	CM	60 LEVEL CM	4935,6732 litre	14,945 %	28090,3196 litre	O
500	CM	145	CM	59 LEVEL CM	4818,5637 litre	14,590 %	28207,4291 litre	O
500	CM	145	CM	58 LEVEL CM	4702,1910 litre	14,238 %	28323,8018 litre	O
500	CM	145	CM	57 LEVEL CM	4586,5682 litre	13,888 %	28439,4246 litre	O
500	CM	145	CM	56 LEVEL CM	4471,7091 litre	13,540 %	28554,2837 litre	O
500	CM	145	CM	55 LEVEL CM	4357,6275 litre	13,195 %	28668,3653 litre	O
500	CM	145	CM	54 LEVEL CM	4244,3375 litre	12,852 %	28781,6553 litre	O
500	CM	145	CM	53 LEVEL CM	4131,8537 litre	12,511 %	28894,1391 litre	O
500	CM	145	CM	52 LEVEL CM	4020,1908 litre	12,173 %	29005,8020 litre	O
500	CM	145	CM	51 LEVEL CM	3909,3639 litre	11,837 %	29116,6289 litre	O
500	CM	145	CM	50 LEVEL CM	3799,3884 litre	11,504 %	29226,6044 litre	O
500	CM	145	CM	49 LEVEL CM	3690,2802 litre	11,174 %	29335,7126 litre	O
500	CM	145	CM	48 LEVEL CM	3582,0554 litre	10,846 %	29443,9374 litre	O
500	CM	145	CM	47 LEVEL CM	3474,7307 litre	10,521 %	29551,2621 litre	O
500	CM	145	CM	46 LEVEL CM	3368,3230 litre	10,199 %	29657,6698 litre	O
500	CM	145	CM	45 LEVEL CM	3262,8498 litre	9,880 %	29763,1430 litre	O
500	CM	145	CM	44 LEVEL CM	3158,3290 litre	9,563 %	29867,6638 litre	O
500	CM	145	CM	43 LEVEL CM	3054,7791 litre	9,250 %	29971,2137 litre	O
500	CM	145	CM	42 LEVEL CM	2952,2190 litre	8,939 %	30073,7738 litre	O
500	CM	145	CM	41 LEVEL CM	2850,6681 litre	8,632 %	30175,3247 litre	O
500	CM	145	CM	40 LEVEL CM	2750,1466 litre	8,327 %	30275,8462 litre	O
500	CM	145	CM	39 LEVEL CM	2650,6751 litre	8,026 %	30375,3177 litre	O
500	CM	145	CM	38 LEVEL CM	2552,2751 litre	7,728 %	30473,7177 litre	O
500	CM	145	CM	37 LEVEL CM	2454,9685 litre	7,433 %	30571,0243 litre	O
500	CM	145	CM	36 LEVEL CM	2358,7783 litre	7,142 %	30667,2145 litre	O
500	CM	145	CM	35 LEVEL CM	2263,7280 litre	6,854 %	30762,2648 litre	O
500	CM	145	CM	34 LEVEL CM	2169,8422 litre	6,570 %	30856,1506 litre	O
500	CM	145	CM	33 LEVEL CM	2077,1462 litre	6,289 %	30948,8466 litre	O
500	CM	145	CM	32 LEVEL CM	1985,6664 litre	6,012 %	31040,3264 litre	O
500	CM	145	CM	31 LEVEL CM	1895,4304 litre	5,739 %	31130,5624 litre	O
500	CM	145	CM	30 LEVEL CM	1806,4668 litre	5,470 %	31219,5260 litre	O
500	CM	145	CM	29 LEVEL CM	1718,8054 litre	5,204 %	31307,1874 litre	O
500	CM	145	CM	28 LEVEL CM	1632,4775 litre	4,943 %	31393,5153 litre	O
500	CM	145	CM	27 LEVEL CM	1547,5157 litre	4,686 %	31478,4771 litre	O

500	CM	145	CM	26 LEVEL CM	1463,9543 litre	4,433 %	31562,0385 litre	O
500	CM	145	CM	25 LEVEL CM	1381,8295 litre	4,184 %	31644,1633 litre	O
500	CM	145	CM	24 LEVEL CM	1301,1791 litre	3,940 %	31724,8137 litre	O
500	CM	145	CM	23 LEVEL CM	1222,0433 litre	3,700 %	31803,9495 litre	O
500	CM	145	CM	22 LEVEL CM	1144,4646 litre	3,465 %	31881,5282 litre	O
500	CM	145	CM	21 LEVEL CM	1068,4880 litre	3,235 %	31957,5048 litre	O
500	CM	145	CM	20 LEVEL CM	994,1615 litre	3,010 %	32031,8313 litre	O
500	CM	145	CM	19 LEVEL CM	921,5363 litre	2,790 %	32104,4565 litre	O
500	CM	145	CM	18 LEVEL CM	850,6674 litre	2,576 %	32175,3254 litre	O
500	CM	145	CM	17 LEVEL CM	781,6139 litre	2,367 %	32244,3789 litre	O
500	CM	145	CM	16 LEVEL CM	714,4398 litre	2,163 %	32311,5530 litre	O
500	CM	145	CM	15 LEVEL CM	649,2145 litre	1,966 %	32376,7783 litre	O
500	CM	145	CM	14 LEVEL CM	586,0139 litre	1,774 %	32439,9789 litre	O
500	CM	145	CM	13 LEVEL CM	524,9215 litre	1,589 %	32501,0713 litre	O
500	CM	145	CM	12 LEVEL CM	466,0297 litre	1,411 %	32559,9631 litre	O
500	CM	145	CM	11 LEVEL CM	409,4417 litre	1,240 %	32616,5511 litre	O
500	CM	145	CM	10 LEVEL CM	355,2739 litre	1,076 %	32670,7189 litre	O
500	CM	145	CM	9 LEVEL CM	303,6591 litre	0,919 %	32722,3337 litre	O
500	CM	145	CM	8 LEVEL CM	254,7508 litre	0,771 %	32771,2420 litre	O
500	CM	145	CM	7 LEVEL CM	208,7299 litre	0,632 %	32817,2629 litre	O
500	CM	145	CM	6 LEVEL CM	165,8137 litre	0,502 %	32860,1791 litre	O
500	CM	145	CM	5 LEVEL CM	126,2710 litre	0,382 %	32899,7218 litre	O
500	CM	145	CM	4 LEVEL CM	90,4466 litre	0,274 %	32935,5462 litre	O
500	CM	145	CM	3 LEVEL CM	58,8081 litre	0,178 %	32967,1847 litre	O
500	CM	145	CM	2 LEVEL CM	32,0444 litre	0,097 %	32993,9484 litre	O
500	CM	145	CM	1 LEVEL CM	11,3412 litre	0,034 %	33014,6516 litre	O
500	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	33025,9928 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM 140	CM 280 LEVEL CM	30787,6080 litre	100,000 %	0,0000 litre	O
500	CM 140	CM 279 LEVEL CM	30776,4645 litre	99,964 %	11,1435 litre	O
500	CM 140	CM 278 LEVEL CM	30756,1233 litre	99,898 %	31,4847 litre	O
500	CM 140	CM 277 LEVEL CM	30729,8292 litre	99,812 %	57,7788 litre	O
500	CM 140	CM 276 LEVEL CM	30698,7477 litre	99,711 %	88,8603 litre	O
500	CM 140	CM 275 LEVEL CM	30663,5564 litre	99,597 %	124,0516 litre	O
500	CM 140	CM 274 LEVEL CM	30624,7148 litre	99,471 %	162,8932 litre	O
500	CM 140	CM 273 LEVEL CM	30582,5624 litre	99,334 %	205,0456 litre	O
500	CM 140	CM 272 LEVEL CM	30537,3634 litre	99,187 %	250,2446 litre	O
500	CM 140	CM 271 LEVEL CM	30489,3317 litre	99,031 %	298,2763 litre	O
500	CM 140	CM 270 LEVEL CM	30438,6453 litre	98,867 %	348,9627 litre	O
500	CM 140	CM 269 LEVEL CM	30385,4553 litre	98,694 %	402,1527 litre	O
500	CM 140	CM 268 LEVEL CM	30329,8925 litre	98,513 %	457,7155 litre	O
500	CM 140	CM 267 LEVEL CM	30272,0716 litre	98,326 %	515,5364 litre	O
500	CM 140	CM 266 LEVEL CM	30212,0941 litre	98,131 %	575,5139 litre	O
500	CM 140	CM 265 LEVEL CM	30150,0512 litre	97,929 %	637,5568 litre	O
500	CM 140	CM 264 LEVEL CM	30086,0250 litre	97,721 %	701,5830 litre	O
500	CM 140	CM 263 LEVEL CM	30020,0904 litre	97,507 %	767,5176 litre	O
500	CM 140	CM 262 LEVEL CM	29952,3158 litre	97,287 %	835,2922 litre	O
500	CM 140	CM 261 LEVEL CM	29882,7643 litre	97,061 %	904,8437 litre	O
500	CM 140	CM 260 LEVEL CM	29811,4942 litre	96,830 %	976,1138 litre	O
500	CM 140	CM 259 LEVEL CM	29738,5597 litre	96,593 %	1049,0483 litre	O
500	CM 140	CM 258 LEVEL CM	29664,0113 litre	96,350 %	1123,5967 litre	O
500	CM 140	CM 257 LEVEL CM	29587,8965 litre	96,103 %	1199,7115 litre	O
500	CM 140	CM 256 LEVEL CM	29510,2596 litre	95,851 %	1277,3484 litre	O
500	CM 140	CM 255 LEVEL CM	29431,1427 litre	95,594 %	1356,4653 litre	O
500	CM 140	CM 254 LEVEL CM	29350,5853 litre	95,332 %	1437,0227 litre	O
500	CM 140	CM 253 LEVEL CM	29268,6249 litre	95,066 %	1518,9831 litre	O
500	CM 140	CM 252 LEVEL CM	29185,2971 litre	94,796 %	1602,3109 litre	O
500	CM 140	CM 251 LEVEL CM	29100,6359 litre	94,521 %	1686,9721 litre	O
500	CM 140	CM 250 LEVEL CM	29014,6735 litre	94,241 %	1772,9345 litre	O
500	CM 140	CM 249 LEVEL CM	28927,4409 litre	93,958 %	1860,1671 litre	O
500	CM 140	CM 248 LEVEL CM	28838,9675 litre	93,671 %	1948,6405 litre	O
500	CM 140	CM 247 LEVEL CM	28749,2817 litre	93,379 %	2038,3263 litre	O
500	CM 140	CM 246 LEVEL CM	28658,4106 litre	93,084 %	2129,1974 litre	O
500	CM 140	CM 245 LEVEL CM	28566,3804 litre	92,785 %	2221,2276 litre	O
500	CM 140	CM 244 LEVEL CM	28473,2162 litre	92,483 %	2314,3918 litre	O
500	CM 140	CM 243 LEVEL CM	28378,9424 litre	92,177 %	2408,6656 litre	O
500	CM 140	CM 242 LEVEL CM	28283,5821 litre	91,867 %	2504,0259 litre	O
500	CM 140	CM 241 LEVEL CM	28187,1582 litre	91,554 %	2600,4498 litre	O
500	CM 140	CM 240 LEVEL CM	28089,6924 litre	91,237 %	2697,9156 litre	O
500	CM 140	CM 239 LEVEL CM	27991,2060 litre	90,917 %	2796,4020 litre	O
500	CM 140	CM 238 LEVEL CM	27891,7194 litre	90,594 %	2895,8886 litre	O
500	CM 140	CM 237 LEVEL CM	27791,2525 litre	90,268 %	2996,3555 litre	O
500	CM 140	CM 236 LEVEL CM	27689,8248 litre	89,938 %	3097,7832 litre	O
500	CM 140	CM 235 LEVEL CM	27587,4549 litre	89,606 %	3200,1531 litre	O
500	CM 140	CM 234 LEVEL CM	27484,1611 litre	89,270 %	3303,4469 litre	O
500	CM 140	CM 233 LEVEL CM	27379,9613 litre	88,932 %	3407,6467 litre	O
500	CM 140	CM 232 LEVEL CM	27274,8728 litre	88,590 %	3512,7352 litre	O
500	CM 140	CM 231 LEVEL CM	27168,9124 litre	88,246 %	3618,6956 litre	O
500	CM 140	CM 230 LEVEL CM	27062,0966 litre	87,899 %	3725,5114 litre	O
500	CM 140	CM 229 LEVEL CM	26954,4416 litre	87,550 %	3833,1664 litre	O

500	CM	140	CM	228 LEVEL CM	26845,9630 litre	87,197 %	3941,6450 litre	O
500	CM	140	CM	227 LEVEL CM	26736,6761 litre	86,842 %	4050,9319 litre	O
500	CM	140	CM	226 LEVEL CM	26626,5961 litre	86,485 %	4161,0119 litre	O
500	CM	140	CM	225 LEVEL CM	26515,7375 litre	86,125 %	4271,8705 litre	O
500	CM	140	CM	224 LEVEL CM	26404,1149 litre	85,762 %	4383,4931 litre	O
500	CM	140	CM	223 LEVEL CM	26291,7422 litre	85,397 %	4495,8658 litre	O
500	CM	140	CM	222 LEVEL CM	26178,6333 litre	85,030 %	4608,9747 litre	O
500	CM	140	CM	221 LEVEL CM	26064,8017 litre	84,660 %	4722,8063 litre	O
500	CM	140	CM	220 LEVEL CM	25950,2608 litre	84,288 %	4837,3472 litre	O
500	CM	140	CM	219 LEVEL CM	25835,0235 litre	83,914 %	4952,5845 litre	O
500	CM	140	CM	218 LEVEL CM	25719,1027 litre	83,537 %	5068,5053 litre	O
500	CM	140	CM	217 LEVEL CM	25602,5110 litre	83,158 %	5185,0970 litre	O
500	CM	140	CM	216 LEVEL CM	25485,2607 litre	82,778 %	5302,3473 litre	O
500	CM	140	CM	215 LEVEL CM	25367,3640 litre	82,395 %	5420,2440 litre	O
500	CM	140	CM	214 LEVEL CM	25248,8329 litre	82,010 %	5538,7751 litre	O
500	CM	140	CM	213 LEVEL CM	25129,6790 litre	81,623 %	5657,9290 litre	O
500	CM	140	CM	212 LEVEL CM	25009,9141 litre	81,234 %	5777,6939 litre	O
500	CM	140	CM	211 LEVEL CM	24889,5495 litre	80,843 %	5898,0585 litre	O
500	CM	140	CM	210 LEVEL CM	24768,5965 litre	80,450 %	6019,0115 litre	O
500	CM	140	CM	209 LEVEL CM	24647,0661 litre	80,055 %	6140,5419 litre	O
500	CM	140	CM	208 LEVEL CM	24524,9692 litre	79,659 %	6262,6388 litre	O
500	CM	140	CM	207 LEVEL CM	24402,3167 litre	79,260 %	6385,2913 litre	O
500	CM	140	CM	206 LEVEL CM	24279,1191 litre	78,860 %	6508,4889 litre	O
500	CM	140	CM	205 LEVEL CM	24155,3870 litre	78,458 %	6632,2210 litre	O
500	CM	140	CM	204 LEVEL CM	24031,1306 litre	78,055 %	6756,4774 litre	O
500	CM	140	CM	203 LEVEL CM	23906,3603 litre	77,649 %	6881,2477 litre	O
500	CM	140	CM	202 LEVEL CM	23781,0860 litre	77,242 %	7006,5220 litre	O
500	CM	140	CM	201 LEVEL CM	23655,3177 litre	76,834 %	7132,2903 litre	O
500	CM	140	CM	200 LEVEL CM	23529,0654 litre	76,424 %	7258,5426 litre	O
500	CM	140	CM	199 LEVEL CM	23402,3388 litre	76,012 %	7385,2692 litre	O
500	CM	140	CM	198 LEVEL CM	23275,1474 litre	75,599 %	7512,4606 litre	O
500	CM	140	CM	197 LEVEL CM	23147,5008 litre	75,184 %	7640,1072 litre	O
500	CM	140	CM	196 LEVEL CM	23019,4084 litre	74,768 %	7768,1996 litre	O
500	CM	140	CM	195 LEVEL CM	22890,8796 litre	74,351 %	7896,7284 litre	O
500	CM	140	CM	194 LEVEL CM	22761,9236 litre	73,932 %	8025,6844 litre	O
500	CM	140	CM	193 LEVEL CM	22632,5496 litre	73,512 %	8155,0584 litre	O
500	CM	140	CM	192 LEVEL CM	22502,7665 litre	73,090 %	8284,8415 litre	O
500	CM	140	CM	191 LEVEL CM	22372,5833 litre	72,667 %	8415,0247 litre	O
500	CM	140	CM	190 LEVEL CM	22242,0090 litre	72,243 %	8545,5990 litre	O
500	CM	140	CM	189 LEVEL CM	22111,0523 litre	71,818 %	8676,5557 litre	O
500	CM	140	CM	188 LEVEL CM	21979,7220 litre	71,391 %	8807,8860 litre	O
500	CM	140	CM	187 LEVEL CM	21848,0266 litre	70,964 %	8939,5814 litre	O
500	CM	140	CM	186 LEVEL CM	21715,9749 litre	70,535 %	9071,6331 litre	O
500	CM	140	CM	185 LEVEL CM	21583,5753 litre	70,105 %	9204,0327 litre	O
500	CM	140	CM	184 LEVEL CM	21450,8363 litre	69,674 %	9336,7717 litre	O
500	CM	140	CM	183 LEVEL CM	21317,7661 litre	69,241 %	9469,8419 litre	O
500	CM	140	CM	182 LEVEL CM	21184,3733 litre	68,808 %	9603,2347 litre	O
500	CM	140	CM	181 LEVEL CM	21050,6659 litre	68,374 %	9736,9421 litre	O
500	CM	140	CM	180 LEVEL CM	20916,6522 litre	67,939 %	9870,9558 litre	O
500	CM	140	CM	179 LEVEL CM	20782,3405 litre	67,502 %	10005,2675 litre	O
500	CM	140	CM	178 LEVEL CM	20647,7386 litre	67,065 %	10139,8694 litre	O
500	CM	140	CM	177 LEVEL CM	20512,8547 litre	66,627 %	10274,7533 litre	O
500	CM	140	CM	176 LEVEL CM	20377,6968 litre	66,188 %	10409,9112 litre	O

500	CM	140	CM	175 LEVEL CM	20242,2728 litre	65,748 %	10545,3352 litre	O
500	CM	140	CM	174 LEVEL CM	20106,5906 litre	65,307 %	10681,0174 litre	O
500	CM	140	CM	173 LEVEL CM	19970,6580 litre	64,866 %	10816,9500 litre	O
500	CM	140	CM	172 LEVEL CM	19834,4829 litre	64,424 %	10953,1251 litre	O
500	CM	140	CM	171 LEVEL CM	19698,0730 litre	63,981 %	11089,5350 litre	O
500	CM	140	CM	170 LEVEL CM	19561,4360 litre	63,537 %	11226,1720 litre	O
500	CM	140	CM	169 LEVEL CM	19424,5797 litre	63,092 %	11363,0283 litre	O
500	CM	140	CM	168 LEVEL CM	19287,5116 litre	62,647 %	11500,0964 litre	O
500	CM	140	CM	167 LEVEL CM	19150,2394 litre	62,201 %	11637,3686 litre	O
500	CM	140	CM	166 LEVEL CM	19012,7706 litre	61,755 %	11774,8374 litre	O
500	CM	140	CM	165 LEVEL CM	18875,1128 litre	61,308 %	11912,4952 litre	O
500	CM	140	CM	164 LEVEL CM	18737,2735 litre	60,860 %	12050,3345 litre	O
500	CM	140	CM	163 LEVEL CM	18599,2603 litre	60,412 %	12188,3477 litre	O
500	CM	140	CM	162 LEVEL CM	18461,0804 litre	59,963 %	12326,5276 litre	O
500	CM	140	CM	161 LEVEL CM	18322,7415 litre	59,513 %	12464,8665 litre	O
500	CM	140	CM	160 LEVEL CM	18184,2508 litre	59,064 %	12603,3572 litre	O
500	CM	140	CM	159 LEVEL CM	18045,6158 litre	58,613 %	12741,9922 litre	O
500	CM	140	CM	158 LEVEL CM	17906,8438 litre	58,163 %	12880,7642 litre	O
500	CM	140	CM	157 LEVEL CM	17767,9422 litre	57,711 %	13019,6658 litre	O
500	CM	140	CM	156 LEVEL CM	17628,9182 litre	57,260 %	13158,6898 litre	O
500	CM	140	CM	155 LEVEL CM	17489,7792 litre	56,808 %	13297,8288 litre	O
500	CM	140	CM	154 LEVEL CM	17350,5324 litre	56,356 %	13437,0756 litre	O
500	CM	140	CM	153 LEVEL CM	17211,1851 litre	55,903 %	13576,4229 litre	O
500	CM	140	CM	152 LEVEL CM	17071,7446 litre	55,450 %	13715,8634 litre	O
500	CM	140	CM	151 LEVEL CM	16932,2180 litre	54,997 %	13855,3900 litre	O
500	CM	140	CM	150 LEVEL CM	16792,6126 litre	54,543 %	13994,9954 litre	O
500	CM	140	CM	149 LEVEL CM	16652,9356 litre	54,090 %	14134,6724 litre	O
500	CM	140	CM	148 LEVEL CM	16513,1942 litre	53,636 %	14274,4138 litre	O
500	CM	140	CM	147 LEVEL CM	16373,3955 litre	53,182 %	14414,2125 litre	O
500	CM	140	CM	146 LEVEL CM	16233,5468 litre	52,728 %	14554,0612 litre	O
500	CM	140	CM	145 LEVEL CM	16093,6552 litre	52,273 %	14693,9528 litre	O
500	CM	140	CM	144 LEVEL CM	15953,7278 litre	51,819 %	14833,8802 litre	O
500	CM	140	CM	143 LEVEL CM	15813,7719 litre	51,364 %	14973,8361 litre	O
500	CM	140	CM	142 LEVEL CM	15673,7945 litre	50,909 %	15113,8135 litre	O
500	CM	140	CM	141 LEVEL CM	15533,8028 litre	50,455 %	15253,8052 litre	O
500	CM	140	CM	140 LEVEL CM	15393,8040 litre	50,000 %	15393,8040 litre	O
500	CM	140	CM	139 LEVEL CM	15253,8052 litre	49,545 %	15533,8028 litre	O
500	CM	140	CM	138 LEVEL CM	15113,8135 litre	49,091 %	15673,7945 litre	O
500	CM	140	CM	137 LEVEL CM	14973,8361 litre	48,636 %	15813,7719 litre	O
500	CM	140	CM	136 LEVEL CM	14833,8802 litre	48,181 %	15953,7278 litre	O
500	CM	140	CM	135 LEVEL CM	14693,9528 litre	47,727 %	16093,6552 litre	O
500	CM	140	CM	134 LEVEL CM	14554,0612 litre	47,272 %	16233,5468 litre	O
500	CM	140	CM	133 LEVEL CM	14414,2125 litre	46,818 %	16373,3955 litre	O
500	CM	140	CM	132 LEVEL CM	14274,4138 litre	46,364 %	16513,1942 litre	O
500	CM	140	CM	131 LEVEL CM	14134,6724 litre	45,910 %	16652,9356 litre	O
500	CM	140	CM	130 LEVEL CM	13994,9954 litre	45,457 %	16792,6126 litre	O
500	CM	140	CM	129 LEVEL CM	13855,3900 litre	45,003 %	16932,2180 litre	O
500	CM	140	CM	128 LEVEL CM	13715,8634 litre	44,550 %	17071,7446 litre	O
500	CM	140	CM	127 LEVEL CM	13576,4229 litre	44,097 %	17211,1851 litre	O
500	CM	140	CM	126 LEVEL CM	13437,0756 litre	43,644 %	17350,5324 litre	O
500	CM	140	CM	125 LEVEL CM	13297,8288 litre	43,192 %	17489,7792 litre	O
500	CM	140	CM	124 LEVEL CM	13158,6898 litre	42,740 %	17628,9182 litre	O
500	CM	140	CM	123 LEVEL CM	13019,6658 litre	42,289 %	17767,9422 litre	O

500	CM	140	CM	122 LEVEL CM	12880,7642 litre	41,837 %	17906,8438 litre	O
500	CM	140	CM	121 LEVEL CM	12741,9922 litre	41,387 %	18045,6158 litre	O
500	CM	140	CM	120 LEVEL CM	12603,3572 litre	40,936 %	18184,2508 litre	O
500	CM	140	CM	119 LEVEL CM	12464,8665 litre	40,487 %	18322,7415 litre	O
500	CM	140	CM	118 LEVEL CM	12326,5276 litre	40,037 %	18461,0804 litre	O
500	CM	140	CM	117 LEVEL CM	12188,3477 litre	39,588 %	18599,2603 litre	O
500	CM	140	CM	116 LEVEL CM	12050,3345 litre	39,140 %	18737,2735 litre	O
500	CM	140	CM	115 LEVEL CM	11912,4952 litre	38,692 %	18875,1128 litre	O
500	CM	140	CM	114 LEVEL CM	11774,8374 litre	38,245 %	19012,7706 litre	O
500	CM	140	CM	113 LEVEL CM	11637,3686 litre	37,799 %	19150,2394 litre	O
500	CM	140	CM	112 LEVEL CM	11500,0964 litre	37,353 %	19287,5116 litre	O
500	CM	140	CM	111 LEVEL CM	11363,0283 litre	36,908 %	19424,5797 litre	O
500	CM	140	CM	110 LEVEL CM	11226,1720 litre	36,463 %	19561,4360 litre	O
500	CM	140	CM	109 LEVEL CM	11089,5350 litre	36,019 %	19698,0730 litre	O
500	CM	140	CM	108 LEVEL CM	10953,1251 litre	35,576 %	19834,4829 litre	O
500	CM	140	CM	107 LEVEL CM	10816,9500 litre	35,134 %	19970,6580 litre	O
500	CM	140	CM	106 LEVEL CM	10681,0174 litre	34,693 %	20106,5906 litre	O
500	CM	140	CM	105 LEVEL CM	10545,3352 litre	34,252 %	20242,2728 litre	O
500	CM	140	CM	104 LEVEL CM	10409,9112 litre	33,812 %	20377,6968 litre	O
500	CM	140	CM	103 LEVEL CM	10274,7533 litre	33,373 %	20512,8547 litre	O
500	CM	140	CM	102 LEVEL CM	10139,8694 litre	32,935 %	20647,7386 litre	O
500	CM	140	CM	101 LEVEL CM	10005,2676 litre	32,498 %	20782,3404 litre	O
500	CM	140	CM	100 LEVEL CM	9870,9558 litre	32,061 %	20916,6522 litre	O
500	CM	140	CM	99 LEVEL CM	9736,9421 litre	31,626 %	21050,6659 litre	O
500	CM	140	CM	98 LEVEL CM	9603,2347 litre	31,192 %	21184,3733 litre	O
500	CM	140	CM	97 LEVEL CM	9469,8419 litre	30,759 %	21317,7661 litre	O
500	CM	140	CM	96 LEVEL CM	9336,7717 litre	30,326 %	21450,8363 litre	O
500	CM	140	CM	95 LEVEL CM	9204,0327 litre	29,895 %	21583,5753 litre	O
500	CM	140	CM	94 LEVEL CM	9071,6331 litre	29,465 %	21715,9749 litre	O
500	CM	140	CM	93 LEVEL CM	8939,5814 litre	29,036 %	21848,0266 litre	O
500	CM	140	CM	92 LEVEL CM	8807,8860 litre	28,609 %	21979,7220 litre	O
500	CM	140	CM	91 LEVEL CM	8676,5557 litre	28,182 %	22111,0523 litre	O
500	CM	140	CM	90 LEVEL CM	8545,5990 litre	27,757 %	22242,0090 litre	O
500	CM	140	CM	89 LEVEL CM	8415,0247 litre	27,333 %	22372,5833 litre	O
500	CM	140	CM	88 LEVEL CM	8284,8415 litre	26,910 %	22502,7665 litre	O
500	CM	140	CM	87 LEVEL CM	8155,0584 litre	26,488 %	22632,5496 litre	O
500	CM	140	CM	86 LEVEL CM	8025,6844 litre	26,068 %	22761,9236 litre	O
500	CM	140	CM	85 LEVEL CM	7896,7284 litre	25,649 %	22890,8796 litre	O
500	CM	140	CM	84 LEVEL CM	7768,1996 litre	25,232 %	23019,4084 litre	O
500	CM	140	CM	83 LEVEL CM	7640,1072 litre	24,816 %	23147,5008 litre	O
500	CM	140	CM	82 LEVEL CM	7512,4606 litre	24,401 %	23275,1474 litre	O
500	CM	140	CM	81 LEVEL CM	7385,2692 litre	23,988 %	23402,3388 litre	O
500	CM	140	CM	80 LEVEL CM	7258,5426 litre	23,576 %	23529,0654 litre	O
500	CM	140	CM	79 LEVEL CM	7132,2903 litre	23,166 %	23655,3177 litre	O
500	CM	140	CM	78 LEVEL CM	7006,5220 litre	22,758 %	23781,0860 litre	O
500	CM	140	CM	77 LEVEL CM	6881,2478 litre	22,351 %	23906,3602 litre	O
500	CM	140	CM	76 LEVEL CM	6756,4774 litre	21,945 %	24031,1306 litre	O
500	CM	140	CM	75 LEVEL CM	6632,2210 litre	21,542 %	24155,3870 litre	O
500	CM	140	CM	74 LEVEL CM	6508,4889 litre	21,140 %	24279,1191 litre	O
500	CM	140	CM	73 LEVEL CM	6385,2913 litre	20,740 %	24402,3167 litre	O
500	CM	140	CM	72 LEVEL CM	6262,6388 litre	20,341 %	24524,9692 litre	O
500	CM	140	CM	71 LEVEL CM	6140,5419 litre	19,945 %	24647,0661 litre	O
500	CM	140	CM	70 LEVEL CM	6019,0115 litre	19,550 %	24768,5965 litre	O

500	CM	140	CM	69 LEVEL CM	5898,0585 litre	19,157 %	24889,5495 litre	O
500	CM	140	CM	68 LEVEL CM	5777,6939 litre	18,766 %	25009,9141 litre	O
500	CM	140	CM	67 LEVEL CM	5657,9290 litre	18,377 %	25129,6790 litre	O
500	CM	140	CM	66 LEVEL CM	5538,7751 litre	17,990 %	25248,8329 litre	O
500	CM	140	CM	65 LEVEL CM	5420,2440 litre	17,605 %	25367,3640 litre	O
500	CM	140	CM	64 LEVEL CM	5302,3473 litre	17,222 %	25485,2607 litre	O
500	CM	140	CM	63 LEVEL CM	5185,0970 litre	16,842 %	25602,5110 litre	O
500	CM	140	CM	62 LEVEL CM	5068,5053 litre	16,463 %	25719,1027 litre	O
500	CM	140	CM	61 LEVEL CM	4952,5845 litre	16,086 %	25835,0235 litre	O
500	CM	140	CM	60 LEVEL CM	4837,3472 litre	15,712 %	25950,2608 litre	O
500	CM	140	CM	59 LEVEL CM	4722,8063 litre	15,340 %	26064,8017 litre	O
500	CM	140	CM	58 LEVEL CM	4608,9747 litre	14,970 %	26178,6333 litre	O
500	CM	140	CM	57 LEVEL CM	4495,8658 litre	14,603 %	26291,7422 litre	O
500	CM	140	CM	56 LEVEL CM	4383,4931 litre	14,238 %	26404,1149 litre	O
500	CM	140	CM	55 LEVEL CM	4271,8705 litre	13,875 %	26515,7375 litre	O
500	CM	140	CM	54 LEVEL CM	4161,0119 litre	13,515 %	26626,5961 litre	O
500	CM	140	CM	53 LEVEL CM	4050,9319 litre	13,158 %	26736,6761 litre	O
500	CM	140	CM	52 LEVEL CM	3941,6450 litre	12,803 %	26845,9630 litre	O
500	CM	140	CM	51 LEVEL CM	3833,1664 litre	12,450 %	26954,4416 litre	O
500	CM	140	CM	50 LEVEL CM	3725,5114 litre	12,101 %	27062,0966 litre	O
500	CM	140	CM	49 LEVEL CM	3618,6956 litre	11,754 %	27168,9124 litre	O
500	CM	140	CM	48 LEVEL CM	3512,7352 litre	11,410 %	27274,8728 litre	O
500	CM	140	CM	47 LEVEL CM	3407,6467 litre	11,068 %	27379,9613 litre	O
500	CM	140	CM	46 LEVEL CM	3303,4469 litre	10,730 %	27484,1611 litre	O
500	CM	140	CM	45 LEVEL CM	3200,1531 litre	10,394 %	27587,4549 litre	O
500	CM	140	CM	44 LEVEL CM	3097,7832 litre	10,062 %	27689,8248 litre	O
500	CM	140	CM	43 LEVEL CM	2996,3555 litre	9,732 %	27791,2525 litre	O
500	CM	140	CM	42 LEVEL CM	2895,8886 litre	9,406 %	27891,7194 litre	O
500	CM	140	CM	41 LEVEL CM	2796,4020 litre	9,083 %	27991,2060 litre	O
500	CM	140	CM	40 LEVEL CM	2697,9156 litre	8,763 %	28089,6924 litre	O
500	CM	140	CM	39 LEVEL CM	2600,4498 litre	8,446 %	28187,1582 litre	O
500	CM	140	CM	38 LEVEL CM	2504,0259 litre	8,133 %	28283,5821 litre	O
500	CM	140	CM	37 LEVEL CM	2408,6656 litre	7,823 %	28378,9424 litre	O
500	CM	140	CM	36 LEVEL CM	2314,3918 litre	7,517 %	28473,2162 litre	O
500	CM	140	CM	35 LEVEL CM	2221,2276 litre	7,215 %	28566,3804 litre	O
500	CM	140	CM	34 LEVEL CM	2129,1974 litre	6,916 %	28658,4106 litre	O
500	CM	140	CM	33 LEVEL CM	2038,3263 litre	6,621 %	28749,2817 litre	O
500	CM	140	CM	32 LEVEL CM	1948,6405 litre	6,329 %	28838,9675 litre	O
500	CM	140	CM	31 LEVEL CM	1860,1671 litre	6,042 %	28927,4409 litre	O
500	CM	140	CM	30 LEVEL CM	1772,9345 litre	5,759 %	29014,6735 litre	O
500	CM	140	CM	29 LEVEL CM	1686,9721 litre	5,479 %	29100,6359 litre	O
500	CM	140	CM	28 LEVEL CM	1602,3109 litre	5,204 %	29185,2971 litre	O
500	CM	140	CM	27 LEVEL CM	1518,9831 litre	4,934 %	29268,6249 litre	O
500	CM	140	CM	26 LEVEL CM	1437,0227 litre	4,668 %	29350,5853 litre	O
500	CM	140	CM	25 LEVEL CM	1356,4653 litre	4,406 %	29431,1427 litre	O
500	CM	140	CM	24 LEVEL CM	1277,3484 litre	4,149 %	29510,2596 litre	O
500	CM	140	CM	23 LEVEL CM	1199,7115 litre	3,897 %	29587,8965 litre	O
500	CM	140	CM	22 LEVEL CM	1123,5967 litre	3,650 %	29664,0113 litre	O
500	CM	140	CM	21 LEVEL CM	1049,0483 litre	3,407 %	29738,5597 litre	O
500	CM	140	CM	20 LEVEL CM	976,1138 litre	3,170 %	29811,4942 litre	O
500	CM	140	CM	19 LEVEL CM	904,8437 litre	2,939 %	29882,7643 litre	O
500	CM	140	CM	18 LEVEL CM	835,2922 litre	2,713 %	29952,3158 litre	O
500	CM	140	CM	17 LEVEL CM	767,5176 litre	2,493 %	30020,0904 litre	O

500	CM	140	CM	16 LEVEL CM	701,5830 litre	2,279 %	30086,0250 litre	O
500	CM	140	CM	15 LEVEL CM	637,5568 litre	2,071 %	30150,0512 litre	O
500	CM	140	CM	14 LEVEL CM	575,5139 litre	1,869 %	30212,0941 litre	O
500	CM	140	CM	13 LEVEL CM	515,5364 litre	1,674 %	30272,0716 litre	O
500	CM	140	CM	12 LEVEL CM	457,7155 litre	1,487 %	30329,8925 litre	O
500	CM	140	CM	11 LEVEL CM	402,1527 litre	1,306 %	30385,4553 litre	O
500	CM	140	CM	10 LEVEL CM	348,9628 litre	1,133 %	30438,6452 litre	O
500	CM	140	CM	9 LEVEL CM	298,2763 litre	0,969 %	30489,3317 litre	O
500	CM	140	CM	8 LEVEL CM	250,2446 litre	0,813 %	30537,3634 litre	O
500	CM	140	CM	7 LEVEL CM	205,0456 litre	0,666 %	30582,5624 litre	O
500	CM	140	CM	6 LEVEL CM	162,8932 litre	0,529 %	30624,7148 litre	O
500	CM	140	CM	5 LEVEL CM	124,0516 litre	0,403 %	30663,5564 litre	O
500	CM	140	CM	4 LEVEL CM	88,8603 litre	0,289 %	30698,7477 litre	O
500	CM	140	CM	3 LEVEL CM	57,7788 litre	0,188 %	30729,8292 litre	O
500	CM	140	CM	2 LEVEL CM	31,4847 litre	0,102 %	30756,1233 litre	O
500	CM	140	CM	1 LEVEL CM	11,1435 litre	0,036 %	30776,4645 litre	O
500	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	30787,6080 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM 135	CM 270 LEVEL CM	28627,7631 litre	100,000 %	0,0000 litre	O
500	CM 135	CM 269 LEVEL CM	28616,8208 litre	99,962 %	10,9423 litre	O
500	CM 135	CM 268 LEVEL CM	28596,8481 litre	99,892 %	30,9150 litre	O
500	CM 135	CM 267 LEVEL CM	28571,0322 litre	99,802 %	56,7309 litre	O
500	CM 135	CM 266 LEVEL CM	28540,5180 litre	99,695 %	87,2451 litre	O
500	CM 135	CM 265 LEVEL CM	28505,9712 litre	99,575 %	121,7919 litre	O
500	CM 135	CM 264 LEVEL CM	28467,8438 litre	99,441 %	159,9193 litre	O
500	CM 135	CM 263 LEVEL CM	28426,4691 litre	99,297 %	201,2940 litre	O
500	CM 135	CM 262 LEVEL CM	28382,1072 litre	99,142 %	245,6559 litre	O
500	CM 135	CM 261 LEVEL CM	28334,9684 litre	98,977 %	292,7947 litre	O
500	CM 135	CM 260 LEVEL CM	28285,2277 litre	98,803 %	342,5354 litre	O
500	CM 135	CM 259 LEVEL CM	28233,0339 litre	98,621 %	394,7292 litre	O
500	CM 135	CM 258 LEVEL CM	28178,5157 litre	98,431 %	449,2474 litre	O
500	CM 135	CM 257 LEVEL CM	28121,7858 litre	98,233 %	505,9773 litre	O
500	CM 135	CM 256 LEVEL CM	28062,9444 litre	98,027 %	564,8187 litre	O
500	CM 135	CM 255 LEVEL CM	28002,0811 litre	97,814 %	625,6820 litre	O
500	CM 135	CM 254 LEVEL CM	27939,2769 litre	97,595 %	688,4862 litre	O
500	CM 135	CM 253 LEVEL CM	27874,6056 litre	97,369 %	753,1575 litre	O
500	CM 135	CM 252 LEVEL CM	27808,1345 litre	97,137 %	819,6286 litre	O
500	CM 135	CM 251 LEVEL CM	27739,9258 litre	96,899 %	887,8373 litre	O
500	CM 135	CM 250 LEVEL CM	27670,0370 litre	96,655 %	957,7261 litre	O
500	CM 135	CM 249 LEVEL CM	27598,5216 litre	96,405 %	1029,2415 litre	O
500	CM 135	CM 248 LEVEL CM	27525,4295 litre	96,149 %	1102,3336 litre	O
500	CM 135	CM 247 LEVEL CM	27450,8072 litre	95,889 %	1176,9559 litre	O
500	CM 135	CM 246 LEVEL CM	27374,6988 litre	95,623 %	1253,0643 litre	O
500	CM 135	CM 245 LEVEL CM	27297,1456 litre	95,352 %	1330,6175 litre	O
500	CM 135	CM 244 LEVEL CM	27218,1867 litre	95,076 %	1409,5764 litre	O
500	CM 135	CM 243 LEVEL CM	27137,8592 litre	94,796 %	1489,9039 litre	O
500	CM 135	CM 242 LEVEL CM	27056,1982 litre	94,510 %	1571,5649 litre	O
500	CM 135	CM 241 LEVEL CM	26973,2372 litre	94,221 %	1654,5259 litre	O
500	CM 135	CM 240 LEVEL CM	26889,0081 litre	93,926 %	1738,7550 litre	O
500	CM 135	CM 239 LEVEL CM	26803,5415 litre	93,628 %	1824,2216 litre	O
500	CM 135	CM 238 LEVEL CM	26716,8665 litre	93,325 %	1910,8966 litre	O
500	CM 135	CM 237 LEVEL CM	26629,0112 litre	93,018 %	1998,7519 litre	O
500	CM 135	CM 236 LEVEL CM	26540,0025 litre	92,707 %	2087,7606 litre	O
500	CM 135	CM 235 LEVEL CM	26449,8661 litre	92,392 %	2177,8970 litre	O
500	CM 135	CM 234 LEVEL CM	26358,6271 litre	92,074 %	2269,1360 litre	O
500	CM 135	CM 233 LEVEL CM	26266,3093 litre	91,751 %	2361,4538 litre	O
500	CM 135	CM 232 LEVEL CM	26172,9360 litre	91,425 %	2454,8271 litre	O
500	CM 135	CM 231 LEVEL CM	26078,5295 litre	91,095 %	2549,2336 litre	O
500	CM 135	CM 230 LEVEL CM	25983,1116 litre	90,762 %	2644,6515 litre	O
500	CM 135	CM 229 LEVEL CM	25886,7031 litre	90,425 %	2741,0600 litre	O
500	CM 135	CM 228 LEVEL CM	25789,3245 litre	90,085 %	2838,4386 litre	O
500	CM 135	CM 227 LEVEL CM	25690,9955 litre	89,742 %	2936,7676 litre	O
500	CM 135	CM 226 LEVEL CM	25591,7353 litre	89,395 %	3036,0278 litre	O
500	CM 135	CM 225 LEVEL CM	25491,5624 litre	89,045 %	3136,2007 litre	O
500	CM 135	CM 224 LEVEL CM	25390,4951 litre	88,692 %	3237,2680 litre	O
500	CM 135	CM 223 LEVEL CM	25288,5510 litre	88,336 %	3339,2121 litre	O
500	CM 135	CM 222 LEVEL CM	25185,7473 litre	87,977 %	3442,0158 litre	O
500	CM 135	CM 221 LEVEL CM	25082,1007 litre	87,615 %	3545,6624 litre	O
500	CM 135	CM 220 LEVEL CM	24977,6277 litre	87,250 %	3650,1354 litre	O
500	CM 135	CM 219 LEVEL CM	24872,3442 litre	86,882 %	3755,4189 litre	O

500	CM	135	CM	218 LEVEL CM	24766,2659 litre	86,511 %	3861,4972 litre	O
500	CM	135	CM	217 LEVEL CM	24659,4080 litre	86,138 %	3968,3551 litre	O
500	CM	135	CM	216 LEVEL CM	24551,7854 litre	85,762 %	4075,9777 litre	O
500	CM	135	CM	215 LEVEL CM	24443,4128 litre	85,384 %	4184,3503 litre	O
500	CM	135	CM	214 LEVEL CM	24334,3045 litre	85,002 %	4293,4586 litre	O
500	CM	135	CM	213 LEVEL CM	24224,4745 litre	84,619 %	4403,2886 litre	O
500	CM	135	CM	212 LEVEL CM	24113,9366 litre	84,233 %	4513,8265 litre	O
500	CM	135	CM	211 LEVEL CM	24002,7043 litre	83,844 %	4625,0588 litre	O
500	CM	135	CM	210 LEVEL CM	23890,7908 litre	83,453 %	4736,9723 litre	O
500	CM	135	CM	209 LEVEL CM	23778,2091 litre	83,060 %	4849,5540 litre	O
500	CM	135	CM	208 LEVEL CM	23664,9721 litre	82,664 %	4962,7910 litre	O
500	CM	135	CM	207 LEVEL CM	23551,0922 litre	82,267 %	5076,6709 litre	O
500	CM	135	CM	206 LEVEL CM	23436,5818 litre	81,867 %	5191,1813 litre	O
500	CM	135	CM	205 LEVEL CM	23321,4530 litre	81,464 %	5306,3101 litre	O
500	CM	135	CM	204 LEVEL CM	23205,7178 litre	81,060 %	5422,0453 litre	O
500	CM	135	CM	203 LEVEL CM	23089,3879 litre	80,654 %	5538,3752 litre	O
500	CM	135	CM	202 LEVEL CM	22972,4750 litre	80,245 %	5655,2881 litre	O
500	CM	135	CM	201 LEVEL CM	22854,9903 litre	79,835 %	5772,7728 litre	O
500	CM	135	CM	200 LEVEL CM	22736,9453 litre	79,423 %	5890,8178 litre	O
500	CM	135	CM	199 LEVEL CM	22618,3508 litre	79,008 %	6009,4123 litre	O
500	CM	135	CM	198 LEVEL CM	22499,2179 litre	78,592 %	6128,5452 litre	O
500	CM	135	CM	197 LEVEL CM	22379,5574 litre	78,174 %	6248,2057 litre	O
500	CM	135	CM	196 LEVEL CM	22259,3798 litre	77,755 %	6368,3833 litre	O
500	CM	135	CM	195 LEVEL CM	22138,6958 litre	77,333 %	6489,0673 litre	O
500	CM	135	CM	194 LEVEL CM	22017,5155 litre	76,910 %	6610,2476 litre	O
500	CM	135	CM	193 LEVEL CM	21895,8494 litre	76,485 %	6731,9137 litre	O
500	CM	135	CM	192 LEVEL CM	21773,7075 litre	76,058 %	6854,0556 litre	O
500	CM	135	CM	191 LEVEL CM	21651,0998 litre	75,630 %	6976,6633 litre	O
500	CM	135	CM	190 LEVEL CM	21528,0362 litre	75,200 %	7099,7269 litre	O
500	CM	135	CM	189 LEVEL CM	21404,5265 litre	74,768 %	7223,2366 litre	O
500	CM	135	CM	188 LEVEL CM	21280,5803 litre	74,335 %	7347,1828 litre	O
500	CM	135	CM	187 LEVEL CM	21156,2073 litre	73,901 %	7471,5558 litre	O
500	CM	135	CM	186 LEVEL CM	21031,4168 litre	73,465 %	7596,3463 litre	O
500	CM	135	CM	185 LEVEL CM	20906,2184 litre	73,028 %	7721,5447 litre	O
500	CM	135	CM	184 LEVEL CM	20780,6212 litre	72,589 %	7847,1419 litre	O
500	CM	135	CM	183 LEVEL CM	20654,6345 litre	72,149 %	7973,1286 litre	O
500	CM	135	CM	182 LEVEL CM	20528,2673 litre	71,708 %	8099,4958 litre	O
500	CM	135	CM	181 LEVEL CM	20401,5288 litre	71,265 %	8226,2343 litre	O
500	CM	135	CM	180 LEVEL CM	20274,4278 litre	70,821 %	8353,3353 litre	O
500	CM	135	CM	179 LEVEL CM	20146,9733 litre	70,376 %	8480,7898 litre	O
500	CM	135	CM	178 LEVEL CM	20019,1740 litre	69,929 %	8608,5891 litre	O
500	CM	135	CM	177 LEVEL CM	19891,0387 litre	69,482 %	8736,7244 litre	O
500	CM	135	CM	176 LEVEL CM	19762,5760 litre	69,033 %	8865,1871 litre	O
500	CM	135	CM	175 LEVEL CM	19633,7946 litre	68,583 %	8993,9685 litre	O
500	CM	135	CM	174 LEVEL CM	19504,7029 litre	68,132 %	9123,0602 litre	O
500	CM	135	CM	173 LEVEL CM	19375,3095 litre	67,680 %	9252,4536 litre	O
500	CM	135	CM	172 LEVEL CM	19245,6227 litre	67,227 %	9382,1404 litre	O
500	CM	135	CM	171 LEVEL CM	19115,6510 litre	66,773 %	9512,1121 litre	O
500	CM	135	CM	170 LEVEL CM	18985,4025 litre	66,318 %	9642,3606 litre	O
500	CM	135	CM	169 LEVEL CM	18854,8856 litre	65,862 %	9772,8775 litre	O
500	CM	135	CM	168 LEVEL CM	18724,1085 litre	65,405 %	9903,6546 litre	O
500	CM	135	CM	167 LEVEL CM	18593,0792 litre	64,948 %	10034,6839 litre	O
500	CM	135	CM	166 LEVEL CM	18461,8060 litre	64,489 %	10165,9571 litre	O

500	CM	135	CM	165 LEVEL CM	18330,2968 litre	64,030 %	10297,4663 litre	O
500	CM	135	CM	164 LEVEL CM	18198,5597 litre	63,570 %	10429,2034 litre	O
500	CM	135	CM	163 LEVEL CM	18066,6027 litre	63,109 %	10561,1604 litre	O
500	CM	135	CM	162 LEVEL CM	17934,4336 litre	62,647 %	10693,3295 litre	O
500	CM	135	CM	161 LEVEL CM	17802,0604 litre	62,185 %	10825,7027 litre	O
500	CM	135	CM	160 LEVEL CM	17669,4909 litre	61,722 %	10958,2722 litre	O
500	CM	135	CM	159 LEVEL CM	17536,7330 litre	61,258 %	11091,0301 litre	O
500	CM	135	CM	158 LEVEL CM	17403,7945 litre	60,793 %	11223,9686 litre	O
500	CM	135	CM	157 LEVEL CM	17270,6830 litre	60,328 %	11357,0801 litre	O
500	CM	135	CM	156 LEVEL CM	17137,4063 litre	59,863 %	11490,3568 litre	O
500	CM	135	CM	155 LEVEL CM	17003,9722 litre	59,397 %	11623,7909 litre	O
500	CM	135	CM	154 LEVEL CM	16870,3883 litre	58,930 %	11757,3748 litre	O
500	CM	135	CM	153 LEVEL CM	16736,6622 litre	58,463 %	11891,1009 litre	O
500	CM	135	CM	152 LEVEL CM	16602,8016 litre	57,995 %	12024,9615 litre	O
500	CM	135	CM	151 LEVEL CM	16468,8140 litre	57,527 %	12158,9491 litre	O
500	CM	135	CM	150 LEVEL CM	16334,7071 litre	57,059 %	12293,0560 litre	O
500	CM	135	CM	149 LEVEL CM	16200,4884 litre	56,590 %	12427,2747 litre	O
500	CM	135	CM	148 LEVEL CM	16066,1654 litre	56,121 %	12561,5977 litre	O
500	CM	135	CM	147 LEVEL CM	15931,7457 litre	55,651 %	12696,0174 litre	O
500	CM	135	CM	146 LEVEL CM	15797,2367 litre	55,182 %	12830,5264 litre	O
500	CM	135	CM	145 LEVEL CM	15662,6459 litre	54,711 %	12965,1172 litre	O
500	CM	135	CM	144 LEVEL CM	15527,9809 litre	54,241 %	13099,7822 litre	O
500	CM	135	CM	143 LEVEL CM	15393,2491 litre	53,770 %	13234,5140 litre	O
500	CM	135	CM	142 LEVEL CM	15258,4579 litre	53,300 %	13369,3052 litre	O
500	CM	135	CM	141 LEVEL CM	15123,6148 litre	52,828 %	13504,1483 litre	O
500	CM	135	CM	140 LEVEL CM	14988,7272 litre	52,357 %	13639,0359 litre	O
500	CM	135	CM	139 LEVEL CM	14853,8025 litre	51,886 %	13773,9606 litre	O
500	CM	135	CM	138 LEVEL CM	14718,8482 litre	51,415 %	13908,9149 litre	O
500	CM	135	CM	137 LEVEL CM	14583,8717 litre	50,943 %	14043,8914 litre	O
500	CM	135	CM	136 LEVEL CM	14448,8803 litre	50,472 %	14178,8828 litre	O
500	CM	135	CM	135 LEVEL CM	14313,8815 litre	50,000 %	14313,8816 litre	O
500	CM	135	CM	134 LEVEL CM	14178,8828 litre	49,528 %	14448,8803 litre	O
500	CM	135	CM	133 LEVEL CM	14043,8914 litre	49,057 %	14583,8717 litre	O
500	CM	135	CM	132 LEVEL CM	13908,9149 litre	48,585 %	14718,8482 litre	O
500	CM	135	CM	131 LEVEL CM	13773,9606 litre	48,114 %	14853,8025 litre	O
500	CM	135	CM	130 LEVEL CM	13639,0359 litre	47,643 %	14988,7272 litre	O
500	CM	135	CM	129 LEVEL CM	13504,1483 litre	47,172 %	15123,6148 litre	O
500	CM	135	CM	128 LEVEL CM	13369,3052 litre	46,700 %	15258,4579 litre	O
500	CM	135	CM	127 LEVEL CM	13234,5140 litre	46,230 %	15393,2491 litre	O
500	CM	135	CM	126 LEVEL CM	13099,7821 litre	45,759 %	15527,9810 litre	O
500	CM	135	CM	125 LEVEL CM	12965,1171 litre	45,289 %	15662,6460 litre	O
500	CM	135	CM	124 LEVEL CM	12830,5264 litre	44,818 %	15797,2367 litre	O
500	CM	135	CM	123 LEVEL CM	12696,0174 litre	44,349 %	15931,7457 litre	O
500	CM	135	CM	122 LEVEL CM	12561,5977 litre	43,879 %	16066,1654 litre	O
500	CM	135	CM	121 LEVEL CM	12427,2747 litre	43,410 %	16200,4884 litre	O
500	CM	135	CM	120 LEVEL CM	12293,0559 litre	42,941 %	16334,7072 litre	O
500	CM	135	CM	119 LEVEL CM	12158,9490 litre	42,473 %	16468,8141 litre	O
500	CM	135	CM	118 LEVEL CM	12024,9615 litre	42,005 %	16602,8016 litre	O
500	CM	135	CM	117 LEVEL CM	11891,1009 litre	41,537 %	16736,6622 litre	O
500	CM	135	CM	116 LEVEL CM	11757,3748 litre	41,070 %	16870,3883 litre	O
500	CM	135	CM	115 LEVEL CM	11623,7908 litre	40,603 %	17003,9723 litre	O
500	CM	135	CM	114 LEVEL CM	11490,3567 litre	40,137 %	17137,4064 litre	O
500	CM	135	CM	113 LEVEL CM	11357,0801 litre	39,672 %	17270,6830 litre	O

500	CM	135	CM	112 LEVEL CM	11223,9686 litre	39,207 %	17403,7945 litre	O
500	CM	135	CM	111 LEVEL CM	11091,0300 litre	38,742 %	17536,7331 litre	O
500	CM	135	CM	110 LEVEL CM	10958,2721 litre	38,278 %	17669,4910 litre	O
500	CM	135	CM	109 LEVEL CM	10825,7026 litre	37,815 %	17802,0605 litre	O
500	CM	135	CM	108 LEVEL CM	10693,3295 litre	37,353 %	17934,4336 litre	O
500	CM	135	CM	107 LEVEL CM	10561,1604 litre	36,891 %	18066,6027 litre	O
500	CM	135	CM	106 LEVEL CM	10429,2033 litre	36,430 %	18198,5598 litre	O
500	CM	135	CM	105 LEVEL CM	10297,4662 litre	35,970 %	18330,2969 litre	O
500	CM	135	CM	104 LEVEL CM	10165,9571 litre	35,511 %	18461,8060 litre	O
500	CM	135	CM	103 LEVEL CM	10034,6838 litre	35,052 %	18593,0793 litre	O
500	CM	135	CM	102 LEVEL CM	9903,6546 litre	34,595 %	18724,1085 litre	O
500	CM	135	CM	101 LEVEL CM	9772,8774 litre	34,138 %	18854,8857 litre	O
500	CM	135	CM	100 LEVEL CM	9642,3606 litre	33,682 %	18985,4025 litre	O
500	CM	135	CM	99 LEVEL CM	9512,1121 litre	33,227 %	19115,6510 litre	O
500	CM	135	CM	98 LEVEL CM	9382,1403 litre	32,773 %	19245,6228 litre	O
500	CM	135	CM	97 LEVEL CM	9252,4536 litre	32,320 %	19375,3095 litre	O
500	CM	135	CM	96 LEVEL CM	9123,0601 litre	31,868 %	19504,7030 litre	O
500	CM	135	CM	95 LEVEL CM	8993,9685 litre	31,417 %	19633,7946 litre	O
500	CM	135	CM	94 LEVEL CM	8865,1870 litre	30,967 %	19762,5761 litre	O
500	CM	135	CM	93 LEVEL CM	8736,7243 litre	30,518 %	19891,0388 litre	O
500	CM	135	CM	92 LEVEL CM	8608,5890 litre	30,071 %	20019,1741 litre	O
500	CM	135	CM	91 LEVEL CM	8480,7898 litre	29,624 %	20146,9733 litre	O
500	CM	135	CM	90 LEVEL CM	8353,3352 litre	29,179 %	20274,4279 litre	O
500	CM	135	CM	89 LEVEL CM	8226,2343 litre	28,735 %	20401,5288 litre	O
500	CM	135	CM	88 LEVEL CM	8099,4957 litre	28,292 %	20528,2674 litre	O
500	CM	135	CM	87 LEVEL CM	7973,1286 litre	27,851 %	20654,6345 litre	O
500	CM	135	CM	86 LEVEL CM	7847,1419 litre	27,411 %	20780,6212 litre	O
500	CM	135	CM	85 LEVEL CM	7721,5447 litre	26,972 %	20906,2184 litre	O
500	CM	135	CM	84 LEVEL CM	7596,3462 litre	26,535 %	21031,4169 litre	O
500	CM	135	CM	83 LEVEL CM	7471,5558 litre	26,099 %	21156,2073 litre	O
500	CM	135	CM	82 LEVEL CM	7347,1827 litre	25,665 %	21280,5804 litre	O
500	CM	135	CM	81 LEVEL CM	7223,2366 litre	25,232 %	21404,5265 litre	O
500	CM	135	CM	80 LEVEL CM	7099,7269 litre	24,800 %	21528,0362 litre	O
500	CM	135	CM	79 LEVEL CM	6976,6633 litre	24,370 %	21651,0998 litre	O
500	CM	135	CM	78 LEVEL CM	6854,0556 litre	23,942 %	21773,7075 litre	O
500	CM	135	CM	77 LEVEL CM	6731,9136 litre	23,515 %	21895,8495 litre	O
500	CM	135	CM	76 LEVEL CM	6610,2475 litre	23,090 %	22017,5156 litre	O
500	CM	135	CM	75 LEVEL CM	6489,0673 litre	22,667 %	22138,6958 litre	O
500	CM	135	CM	74 LEVEL CM	6368,3832 litre	22,245 %	22259,3799 litre	O
500	CM	135	CM	73 LEVEL CM	6248,2057 litre	21,826 %	22379,5574 litre	O
500	CM	135	CM	72 LEVEL CM	6128,5451 litre	21,408 %	22499,2180 litre	O
500	CM	135	CM	71 LEVEL CM	6009,4122 litre	20,992 %	22618,3509 litre	O
500	CM	135	CM	70 LEVEL CM	5890,8178 litre	20,577 %	22736,9453 litre	O
500	CM	135	CM	69 LEVEL CM	5772,7727 litre	20,165 %	22854,9904 litre	O
500	CM	135	CM	68 LEVEL CM	5655,2881 litre	19,755 %	22972,4750 litre	O
500	CM	135	CM	67 LEVEL CM	5538,3751 litre	19,346 %	23089,3880 litre	O
500	CM	135	CM	66 LEVEL CM	5422,0453 litre	18,940 %	23205,7178 litre	O
500	CM	135	CM	65 LEVEL CM	5306,3101 litre	18,536 %	23321,4530 litre	O
500	CM	135	CM	64 LEVEL CM	5191,1813 litre	18,133 %	23436,5818 litre	O
500	CM	135	CM	63 LEVEL CM	5076,6709 litre	17,733 %	23551,0922 litre	O
500	CM	135	CM	62 LEVEL CM	4962,7910 litre	17,336 %	23664,9721 litre	O
500	CM	135	CM	61 LEVEL CM	4849,5539 litre	16,940 %	23778,2092 litre	O
500	CM	135	CM	60 LEVEL CM	4736,9723 litre	16,547 %	23890,7908 litre	O

500	CM	135	CM	59 LEVEL CM	4625,0588 litre	16,156 %	24002,7043 litre	O
500	CM	135	CM	58 LEVEL CM	4513,8265 litre	15,767 %	24113,9366 litre	O
500	CM	135	CM	57 LEVEL CM	4403,2886 litre	15,381 %	24224,4745 litre	O
500	CM	135	CM	56 LEVEL CM	4293,4586 litre	14,998 %	24334,3045 litre	O
500	CM	135	CM	55 LEVEL CM	4184,3503 litre	14,616 %	24443,4128 litre	O
500	CM	135	CM	54 LEVEL CM	4075,9777 litre	14,238 %	24551,7854 litre	O
500	CM	135	CM	53 LEVEL CM	3968,3551 litre	13,862 %	24659,4080 litre	O
500	CM	135	CM	52 LEVEL CM	3861,4972 litre	13,489 %	24766,2659 litre	O
500	CM	135	CM	51 LEVEL CM	3755,4188 litre	13,118 %	24872,3443 litre	O
500	CM	135	CM	50 LEVEL CM	3650,1353 litre	12,750 %	24977,6278 litre	O
500	CM	135	CM	49 LEVEL CM	3545,6623 litre	12,385 %	25082,1008 litre	O
500	CM	135	CM	48 LEVEL CM	3442,0158 litre	12,023 %	25185,7473 litre	O
500	CM	135	CM	47 LEVEL CM	3339,2120 litre	11,664 %	25288,5511 litre	O
500	CM	135	CM	46 LEVEL CM	3237,2679 litre	11,308 %	25390,4952 litre	O
500	CM	135	CM	45 LEVEL CM	3136,2006 litre	10,955 %	25491,5625 litre	O
500	CM	135	CM	44 LEVEL CM	3036,0278 litre	10,605 %	25591,7353 litre	O
500	CM	135	CM	43 LEVEL CM	2936,7675 litre	10,258 %	25690,9956 litre	O
500	CM	135	CM	42 LEVEL CM	2838,4385 litre	9,915 %	25789,3246 litre	O
500	CM	135	CM	41 LEVEL CM	2741,0599 litre	9,575 %	25886,7032 litre	O
500	CM	135	CM	40 LEVEL CM	2644,6515 litre	9,238 %	25983,1116 litre	O
500	CM	135	CM	39 LEVEL CM	2549,2335 litre	8,905 %	26078,5296 litre	O
500	CM	135	CM	38 LEVEL CM	2454,8271 litre	8,575 %	26172,9360 litre	O
500	CM	135	CM	37 LEVEL CM	2361,4538 litre	8,249 %	26266,3093 litre	O
500	CM	135	CM	36 LEVEL CM	2269,1360 litre	7,926 %	26358,6271 litre	O
500	CM	135	CM	35 LEVEL CM	2177,8969 litre	7,608 %	26449,8662 litre	O
500	CM	135	CM	34 LEVEL CM	2087,7606 litre	7,293 %	26540,0025 litre	O
500	CM	135	CM	33 LEVEL CM	1998,7518 litre	6,982 %	26629,0113 litre	O
500	CM	135	CM	32 LEVEL CM	1910,8965 litre	6,675 %	26716,8666 litre	O
500	CM	135	CM	31 LEVEL CM	1824,2216 litre	6,372 %	26803,5415 litre	O
500	CM	135	CM	30 LEVEL CM	1738,7550 litre	6,074 %	26889,0081 litre	O
500	CM	135	CM	29 LEVEL CM	1654,5259 litre	5,779 %	26973,2372 litre	O
500	CM	135	CM	28 LEVEL CM	1571,5649 litre	5,490 %	27056,1982 litre	O
500	CM	135	CM	27 LEVEL CM	1489,9039 litre	5,204 %	27137,8592 litre	O
500	CM	135	CM	26 LEVEL CM	1409,5763 litre	4,924 %	27218,1868 litre	O
500	CM	135	CM	25 LEVEL CM	1330,6174 litre	4,648 %	27297,1457 litre	O
500	CM	135	CM	24 LEVEL CM	1253,0642 litre	4,377 %	27374,6989 litre	O
500	CM	135	CM	23 LEVEL CM	1176,9558 litre	4,111 %	27450,8073 litre	O
500	CM	135	CM	22 LEVEL CM	1102,3336 litre	3,851 %	27525,4295 litre	O
500	CM	135	CM	21 LEVEL CM	1029,2414 litre	3,595 %	27598,5217 litre	O
500	CM	135	CM	20 LEVEL CM	957,7260 litre	3,345 %	27670,0371 litre	O
500	CM	135	CM	19 LEVEL CM	887,8373 litre	3,101 %	27739,9258 litre	O
500	CM	135	CM	18 LEVEL CM	819,6286 litre	2,863 %	27808,1345 litre	O
500	CM	135	CM	17 LEVEL CM	753,1575 litre	2,631 %	27874,6056 litre	O
500	CM	135	CM	16 LEVEL CM	688,4861 litre	2,405 %	27939,2770 litre	O
500	CM	135	CM	15 LEVEL CM	625,6819 litre	2,186 %	28002,0812 litre	O
500	CM	135	CM	14 LEVEL CM	564,8186 litre	1,973 %	28062,9445 litre	O
500	CM	135	CM	13 LEVEL CM	505,9772 litre	1,767 %	28121,7859 litre	O
500	CM	135	CM	12 LEVEL CM	449,2474 litre	1,569 %	28178,5157 litre	O
500	CM	135	CM	11 LEVEL CM	394,7291 litre	1,379 %	28233,0340 litre	O
500	CM	135	CM	10 LEVEL CM	342,5353 litre	1,197 %	28285,2278 litre	O
500	CM	135	CM	9 LEVEL CM	292,7946 litre	1,023 %	28334,9685 litre	O
500	CM	135	CM	8 LEVEL CM	245,6558 litre	0,858 %	28382,1073 litre	O
500	CM	135	CM	7 LEVEL CM	201,2939 litre	0,703 %	28426,4692 litre	O

500	CM	135	CM	6 LEVEL CM	159,9193 litre	0,559 %	28467,8438 litre	O
500	CM	135	CM	5 LEVEL CM	121,7918 litre	0,425 %	28505,9713 litre	O
500	CM	135	CM	4 LEVEL CM	87,2451 litre	0,305 %	28540,5180 litre	O
500	CM	135	CM	3 LEVEL CM	56,7309 litre	0,198 %	28571,0322 litre	O
500	CM	135	CM	2 LEVEL CM	30,9149 litre	0,108 %	28596,8482 litre	O
500	CM	135	CM	1 LEVEL CM	10,9423 litre	0,038 %	28616,8208 litre	O
500	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	28627,7631 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM 130	CM 260 LEVEL CM	26546,4579 litre	100,000 %	0,0000 litre	O
500	CM 130	CM 259 LEVEL CM	26535,7207 litre	99,960 %	10,7372 litre	O
500	CM 130	CM 258 LEVEL CM	26516,1235 litre	99,886 %	30,3344 litre	O
500	CM 130	CM 257 LEVEL CM	26490,7947 litre	99,790 %	55,6632 litre	O
500	CM 130	CM 256 LEVEL CM	26460,8585 litre	99,678 %	85,5994 litre	O
500	CM 130	CM 255 LEVEL CM	26426,9687 litre	99,550 %	119,4892 litre	O
500	CM 130	CM 254 LEVEL CM	26389,5689 litre	99,409 %	156,8890 litre	O
500	CM 130	CM 253 LEVEL CM	26348,9869 litre	99,256 %	197,4710 litre	O
500	CM 130	CM 252 LEVEL CM	26305,4783 litre	99,092 %	240,9796 litre	O
500	CM 130	CM 251 LEVEL CM	26259,2496 litre	98,918 %	287,2083 litre	O
500	CM 130	CM 250 LEVEL CM	26210,4730 litre	98,734 %	335,9849 litre	O
500	CM 130	CM 249 LEVEL CM	26159,2947 litre	98,542 %	387,1632 litre	O
500	CM 130	CM 248 LEVEL CM	26105,8414 litre	98,340 %	440,6165 litre	O
500	CM 130	CM 247 LEVEL CM	26050,2240 litre	98,131 %	496,2339 litre	O
500	CM 130	CM 246 LEVEL CM	25992,5410 litre	97,913 %	553,9169 litre	O
500	CM 130	CM 245 LEVEL CM	25932,8807 litre	97,689 %	613,5772 litre	O
500	CM 130	CM 244 LEVEL CM	25871,3228 litre	97,457 %	675,1351 litre	O
500	CM 130	CM 243 LEVEL CM	25807,9398 litre	97,218 %	738,5181 litre	O
500	CM 130	CM 242 LEVEL CM	25742,7983 litre	96,973 %	803,6596 litre	O
500	CM 130	CM 241 LEVEL CM	25675,9594 litre	96,721 %	870,4985 litre	O
500	CM 130	CM 240 LEVEL CM	25607,4799 litre	96,463 %	938,9780 litre	O
500	CM 130	CM 239 LEVEL CM	25537,4123 litre	96,199 %	1009,0456 litre	O
500	CM 130	CM 238 LEVEL CM	25465,8059 litre	95,929 %	1080,6520 litre	O
500	CM 130	CM 237 LEVEL CM	25392,7068 litre	95,654 %	1153,7511 litre	O
500	CM 130	CM 236 LEVEL CM	25318,1581 litre	95,373 %	1228,2998 litre	O
500	CM 130	CM 235 LEVEL CM	25242,2009 litre	95,087 %	1304,2570 litre	O
500	CM 130	CM 234 LEVEL CM	25164,8736 litre	94,796 %	1381,5843 litre	O
500	CM 130	CM 233 LEVEL CM	25086,2127 litre	94,499 %	1460,2452 litre	O
500	CM 130	CM 232 LEVEL CM	25006,2532 litre	94,198 %	1540,2047 litre	O
500	CM 130	CM 231 LEVEL CM	24925,0280 litre	93,892 %	1621,4299 litre	O
500	CM 130	CM 230 LEVEL CM	24842,5686 litre	93,581 %	1703,8893 litre	O
500	CM 130	CM 229 LEVEL CM	24758,9053 litre	93,266 %	1787,5526 litre	O
500	CM 130	CM 228 LEVEL CM	24674,0669 litre	92,947 %	1872,3910 litre	O
500	CM 130	CM 227 LEVEL CM	24588,0811 litre	92,623 %	1958,3768 litre	O
500	CM 130	CM 226 LEVEL CM	24500,9745 litre	92,295 %	2045,4834 litre	O
500	CM 130	CM 225 LEVEL CM	24412,7726 litre	91,962 %	2133,6853 litre	O
500	CM 130	CM 224 LEVEL CM	24323,5002 litre	91,626 %	2222,9577 litre	O
500	CM 130	CM 223 LEVEL CM	24233,1809 litre	91,286 %	2313,2770 litre	O
500	CM 130	CM 222 LEVEL CM	24141,8376 litre	90,942 %	2404,6203 litre	O
500	CM 130	CM 221 LEVEL CM	24049,4927 litre	90,594 %	2496,9652 litre	O
500	CM 130	CM 220 LEVEL CM	23956,1675 litre	90,242 %	2590,2904 litre	O
500	CM 130	CM 219 LEVEL CM	23861,8829 litre	89,887 %	2684,5750 litre	O
500	CM 130	CM 218 LEVEL CM	23766,6590 litre	89,529 %	2779,7989 litre	O
500	CM 130	CM 217 LEVEL CM	23670,5154 litre	89,166 %	2875,9425 litre	O
500	CM 130	CM 216 LEVEL CM	23573,4710 litre	88,801 %	2972,9869 litre	O
500	CM 130	CM 215 LEVEL CM	23475,5445 litre	88,432 %	3070,9134 litre	O
500	CM 130	CM 214 LEVEL CM	23376,7538 litre	88,060 %	3169,7041 litre	O
500	CM 130	CM 213 LEVEL CM	23277,1164 litre	87,684 %	3269,3415 litre	O
500	CM 130	CM 212 LEVEL CM	23176,6495 litre	87,306 %	3369,8084 litre	O
500	CM 130	CM 211 LEVEL CM	23075,3696 litre	86,924 %	3471,0883 litre	O
500	CM 130	CM 210 LEVEL CM	22973,2931 litre	86,540 %	3573,1648 litre	O
500	CM 130	CM 209 LEVEL CM	22870,4358 litre	86,152 %	3676,0221 litre	O

500	CM	130	CM	208 LEVEL CM	22766,8133 litre	85,762 %	3779,6446 litre	O
500	CM	130	CM	207 LEVEL CM	22662,4408 litre	85,369 %	3884,0171 litre	O
500	CM	130	CM	206 LEVEL CM	22557,3332 litre	84,973 %	3989,1247 litre	O
500	CM	130	CM	205 LEVEL CM	22451,5049 litre	84,574 %	4094,9530 litre	O
500	CM	130	CM	204 LEVEL CM	22344,9702 litre	84,173 %	4201,4877 litre	O
500	CM	130	CM	203 LEVEL CM	22237,7433 litre	83,769 %	4308,7146 litre	O
500	CM	130	CM	202 LEVEL CM	22129,8376 litre	83,363 %	4416,6203 litre	O
500	CM	130	CM	201 LEVEL CM	22021,2668 litre	82,954 %	4525,1911 litre	O
500	CM	130	CM	200 LEVEL CM	21912,0439 litre	82,542 %	4634,4140 litre	O
500	CM	130	CM	199 LEVEL CM	21802,1820 litre	82,128 %	4744,2759 litre	O
500	CM	130	CM	198 LEVEL CM	21691,6939 litre	81,712 %	4854,7640 litre	O
500	CM	130	CM	197 LEVEL CM	21580,5919 litre	81,294 %	4965,8660 litre	O
500	CM	130	CM	196 LEVEL CM	21468,8886 litre	80,873 %	5077,5693 litre	O
500	CM	130	CM	195 LEVEL CM	21356,5959 litre	80,450 %	5189,8620 litre	O
500	CM	130	CM	194 LEVEL CM	21243,7259 litre	80,025 %	5302,7320 litre	O
500	CM	130	CM	193 LEVEL CM	21130,2903 litre	79,597 %	5416,1676 litre	O
500	CM	130	CM	192 LEVEL CM	21016,3007 litre	79,168 %	5530,1572 litre	O
500	CM	130	CM	191 LEVEL CM	20901,7684 litre	78,737 %	5644,6895 litre	O
500	CM	130	CM	190 LEVEL CM	20786,7047 litre	78,303 %	5759,7532 litre	O
500	CM	130	CM	189 LEVEL CM	20671,1208 litre	77,868 %	5875,3371 litre	O
500	CM	130	CM	188 LEVEL CM	20555,0275 litre	77,430 %	5991,4304 litre	O
500	CM	130	CM	187 LEVEL CM	20438,4357 litre	76,991 %	6108,0222 litre	O
500	CM	130	CM	186 LEVEL CM	20321,3561 litre	76,550 %	6225,1018 litre	O
500	CM	130	CM	185 LEVEL CM	20203,7991 litre	76,107 %	6342,6588 litre	O
500	CM	130	CM	184 LEVEL CM	20085,7751 litre	75,663 %	6460,6828 litre	O
500	CM	130	CM	183 LEVEL CM	19967,2946 litre	75,216 %	6579,1633 litre	O
500	CM	130	CM	182 LEVEL CM	19848,3675 litre	74,768 %	6698,0904 litre	O
500	CM	130	CM	181 LEVEL CM	19729,0040 litre	74,319 %	6817,4539 litre	O
500	CM	130	CM	180 LEVEL CM	19609,2139 litre	73,868 %	6937,2440 litre	O
500	CM	130	CM	179 LEVEL CM	19489,0072 litre	73,415 %	7057,4507 litre	O
500	CM	130	CM	178 LEVEL CM	19368,3936 litre	72,960 %	7178,0643 litre	O
500	CM	130	CM	177 LEVEL CM	19247,3826 litre	72,505 %	7299,0753 litre	O
500	CM	130	CM	176 LEVEL CM	19125,9839 litre	72,047 %	7420,4740 litre	O
500	CM	130	CM	175 LEVEL CM	19004,2068 litre	71,588 %	7542,2511 litre	O
500	CM	130	CM	174 LEVEL CM	18882,0607 litre	71,128 %	7664,3972 litre	O
500	CM	130	CM	173 LEVEL CM	18759,5550 litre	70,667 %	7786,9029 litre	O
500	CM	130	CM	172 LEVEL CM	18636,6988 litre	70,204 %	7909,7591 litre	O
500	CM	130	CM	171 LEVEL CM	18513,5011 litre	69,740 %	8032,9568 litre	O
500	CM	130	CM	170 LEVEL CM	18389,9711 litre	69,275 %	8156,4868 litre	O
500	CM	130	CM	169 LEVEL CM	18266,1178 litre	68,808 %	8280,3401 litre	O
500	CM	130	CM	168 LEVEL CM	18141,9499 litre	68,340 %	8404,5080 litre	O
500	CM	130	CM	167 LEVEL CM	18017,4764 litre	67,871 %	8528,9815 litre	O
500	CM	130	CM	166 LEVEL CM	17892,7059 litre	67,401 %	8653,7520 litre	O
500	CM	130	CM	165 LEVEL CM	17767,6473 litre	66,930 %	8778,8106 litre	O
500	CM	130	CM	164 LEVEL CM	17642,3091 litre	66,458 %	8904,1488 litre	O
500	CM	130	CM	163 LEVEL CM	17516,7000 litre	65,985 %	9029,7579 litre	O
500	CM	130	CM	162 LEVEL CM	17390,8284 litre	65,511 %	9155,6295 litre	O
500	CM	130	CM	161 LEVEL CM	17264,7028 litre	65,036 %	9281,7551 litre	O
500	CM	130	CM	160 LEVEL CM	17138,3317 litre	64,560 %	9408,1262 litre	O
500	CM	130	CM	159 LEVEL CM	17011,7234 litre	64,083 %	9534,7345 litre	O
500	CM	130	CM	158 LEVEL CM	16884,8862 litre	63,605 %	9661,5717 litre	O
500	CM	130	CM	157 LEVEL CM	16757,8285 litre	63,126 %	9788,6294 litre	O
500	CM	130	CM	156 LEVEL CM	16630,5585 litre	62,647 %	9915,8994 litre	O

500	CM	130	CM	155 LEVEL CM	16503,0843 litre	62,167 %	10043,3736 litre	O
500	CM	130	CM	154 LEVEL CM	16375,4142 litre	61,686 %	10171,0437 litre	O
500	CM	130	CM	153 LEVEL CM	16247,5562 litre	61,204 %	10298,9017 litre	O
500	CM	130	CM	152 LEVEL CM	16119,5184 litre	60,722 %	10426,9395 litre	O
500	CM	130	CM	151 LEVEL CM	15991,3090 litre	60,239 %	10555,1489 litre	O
500	CM	130	CM	150 LEVEL CM	15862,9358 litre	59,755 %	10683,5221 litre	O
500	CM	130	CM	149 LEVEL CM	15734,4070 litre	59,271 %	10812,0509 litre	O
500	CM	130	CM	148 LEVEL CM	15605,7304 litre	58,786 %	10940,7275 litre	O
500	CM	130	CM	147 LEVEL CM	15476,9140 litre	58,301 %	11069,5439 litre	O
500	CM	130	CM	146 LEVEL CM	15347,9657 litre	57,815 %	11198,4922 litre	O
500	CM	130	CM	145 LEVEL CM	15218,8934 litre	57,329 %	11327,5645 litre	O
500	CM	130	CM	144 LEVEL CM	15089,7049 litre	56,843 %	11456,7530 litre	O
500	CM	130	CM	143 LEVEL CM	14960,4081 litre	56,356 %	11586,0498 litre	O
500	CM	130	CM	142 LEVEL CM	14831,0107 litre	55,868 %	11715,4472 litre	O
500	CM	130	CM	141 LEVEL CM	14701,5207 litre	55,380 %	11844,9372 litre	O
500	CM	130	CM	140 LEVEL CM	14571,9458 litre	54,892 %	11974,5121 litre	O
500	CM	130	CM	139 LEVEL CM	14442,2937 litre	54,404 %	12104,1642 litre	O
500	CM	130	CM	138 LEVEL CM	14312,5722 litre	53,915 %	12233,8857 litre	O
500	CM	130	CM	137 LEVEL CM	14182,7890 litre	53,426 %	12363,6689 litre	O
500	CM	130	CM	136 LEVEL CM	14052,9519 litre	52,937 %	12493,5060 litre	O
500	CM	130	CM	135 LEVEL CM	13923,0687 litre	52,448 %	12623,3892 litre	O
500	CM	130	CM	134 LEVEL CM	13793,1469 litre	51,959 %	12753,3110 litre	O
500	CM	130	CM	133 LEVEL CM	13663,1943 litre	51,469 %	12883,2636 litre	O
500	CM	130	CM	132 LEVEL CM	13533,2187 litre	50,979 %	13013,2392 litre	O
500	CM	130	CM	131 LEVEL CM	13403,2277 litre	50,490 %	13143,2302 litre	O
500	CM	130	CM	130 LEVEL CM	13273,2290 litre	50,000 %	13273,2289 litre	O
500	CM	130	CM	129 LEVEL CM	13143,2302 litre	49,510 %	13403,2277 litre	O
500	CM	130	CM	128 LEVEL CM	13013,2392 litre	49,021 %	13533,2187 litre	O
500	CM	130	CM	127 LEVEL CM	12883,2636 litre	48,531 %	13663,1943 litre	O
500	CM	130	CM	126 LEVEL CM	12753,3110 litre	48,041 %	13793,1469 litre	O
500	CM	130	CM	125 LEVEL CM	12623,3893 litre	47,552 %	13923,0686 litre	O
500	CM	130	CM	124 LEVEL CM	12493,5060 litre	47,063 %	14052,9519 litre	O
500	CM	130	CM	123 LEVEL CM	12363,6689 litre	46,574 %	14182,7890 litre	O
500	CM	130	CM	122 LEVEL CM	12233,8857 litre	46,085 %	14312,5722 litre	O
500	CM	130	CM	121 LEVEL CM	12104,1642 litre	45,596 %	14442,2937 litre	O
500	CM	130	CM	120 LEVEL CM	11974,5122 litre	45,108 %	14571,9457 litre	O
500	CM	130	CM	119 LEVEL CM	11844,9372 litre	44,620 %	14701,5207 litre	O
500	CM	130	CM	118 LEVEL CM	11715,4472 litre	44,132 %	14831,0107 litre	O
500	CM	130	CM	117 LEVEL CM	11586,0499 litre	43,644 %	14960,4080 litre	O
500	CM	130	CM	116 LEVEL CM	11456,7531 litre	43,157 %	15089,7048 litre	O
500	CM	130	CM	115 LEVEL CM	11327,5646 litre	42,671 %	15218,8933 litre	O
500	CM	130	CM	114 LEVEL CM	11198,4922 litre	42,185 %	15347,9657 litre	O
500	CM	130	CM	113 LEVEL CM	11069,5439 litre	41,699 %	15476,9140 litre	O
500	CM	130	CM	112 LEVEL CM	10940,7275 litre	41,214 %	15605,7304 litre	O
500	CM	130	CM	111 LEVEL CM	10812,0509 litre	40,729 %	15734,4070 litre	O
500	CM	130	CM	110 LEVEL CM	10683,5221 litre	40,245 %	15862,9358 litre	O
500	CM	130	CM	109 LEVEL CM	10555,1490 litre	39,761 %	15991,3089 litre	O
500	CM	130	CM	108 LEVEL CM	10426,9395 litre	39,278 %	16119,5184 litre	O
500	CM	130	CM	107 LEVEL CM	10298,9018 litre	38,796 %	16247,5561 litre	O
500	CM	130	CM	106 LEVEL CM	10171,0438 litre	38,314 %	16375,4141 litre	O
500	CM	130	CM	105 LEVEL CM	10043,3736 litre	37,833 %	16503,0843 litre	O
500	CM	130	CM	104 LEVEL CM	9915,8995 litre	37,353 %	16630,5584 litre	O
500	CM	130	CM	103 LEVEL CM	9788,6294 litre	36,874 %	16757,8285 litre	O

500	CM	130	CM	102 LEVEL CM	9661,5717 litre	36,395 %	16884,8862 litre	O
500	CM	130	CM	101 LEVEL CM	9534,7346 litre	35,917 %	17011,7233 litre	O
500	CM	130	CM	100 LEVEL CM	9408,1263 litre	35,440 %	17138,3316 litre	O
500	CM	130	CM	99 LEVEL CM	9281,7551 litre	34,964 %	17264,7028 litre	O
500	CM	130	CM	98 LEVEL CM	9155,6296 litre	34,489 %	17390,8283 litre	O
500	CM	130	CM	97 LEVEL CM	9029,7579 litre	34,015 %	17516,7000 litre	O
500	CM	130	CM	96 LEVEL CM	8904,1488 litre	33,542 %	17642,3091 litre	O
500	CM	130	CM	95 LEVEL CM	8778,8106 litre	33,070 %	17767,6473 litre	O
500	CM	130	CM	94 LEVEL CM	8653,7520 litre	32,599 %	17892,7059 litre	O
500	CM	130	CM	93 LEVEL CM	8528,9816 litre	32,129 %	18017,4763 litre	O
500	CM	130	CM	92 LEVEL CM	8404,5080 litre	31,660 %	18141,9499 litre	O
500	CM	130	CM	91 LEVEL CM	8280,3402 litre	31,192 %	18266,1177 litre	O
500	CM	130	CM	90 LEVEL CM	8156,4868 litre	30,725 %	18389,9711 litre	O
500	CM	130	CM	89 LEVEL CM	8032,9568 litre	30,260 %	18513,5011 litre	O
500	CM	130	CM	88 LEVEL CM	7909,7592 litre	29,796 %	18636,6987 litre	O
500	CM	130	CM	87 LEVEL CM	7786,9029 litre	29,333 %	18759,5550 litre	O
500	CM	130	CM	86 LEVEL CM	7664,3972 litre	28,872 %	18882,0607 litre	O
500	CM	130	CM	85 LEVEL CM	7542,2511 litre	28,412 %	19004,2068 litre	O
500	CM	130	CM	84 LEVEL CM	7420,4741 litre	27,953 %	19125,9838 litre	O
500	CM	130	CM	83 LEVEL CM	7299,0753 litre	27,495 %	19247,3826 litre	O
500	CM	130	CM	82 LEVEL CM	7178,0644 litre	27,040 %	19368,3935 litre	O
500	CM	130	CM	81 LEVEL CM	7057,4507 litre	26,585 %	19489,0072 litre	O
500	CM	130	CM	80 LEVEL CM	6937,2440 litre	26,132 %	19609,2139 litre	O
500	CM	130	CM	79 LEVEL CM	6817,4540 litre	25,681 %	19729,0039 litre	O
500	CM	130	CM	78 LEVEL CM	6698,0904 litre	25,232 %	19848,3675 litre	O
500	CM	130	CM	77 LEVEL CM	6579,1634 litre	24,784 %	19967,2945 litre	O
500	CM	130	CM	76 LEVEL CM	6460,6828 litre	24,337 %	20085,7751 litre	O
500	CM	130	CM	75 LEVEL CM	6342,6588 litre	23,893 %	20203,7991 litre	O
500	CM	130	CM	74 LEVEL CM	6225,1018 litre	23,450 %	20321,3561 litre	O
500	CM	130	CM	73 LEVEL CM	6108,0222 litre	23,009 %	20438,4357 litre	O
500	CM	130	CM	72 LEVEL CM	5991,4304 litre	22,570 %	20555,0275 litre	O
500	CM	130	CM	71 LEVEL CM	5875,3371 litre	22,132 %	20671,1208 litre	O
500	CM	130	CM	70 LEVEL CM	5759,7532 litre	21,697 %	20786,7047 litre	O
500	CM	130	CM	69 LEVEL CM	5644,6895 litre	21,263 %	20901,7684 litre	O
500	CM	130	CM	68 LEVEL CM	5530,1573 litre	20,832 %	21016,3006 litre	O
500	CM	130	CM	67 LEVEL CM	5416,1676 litre	20,403 %	21130,2903 litre	O
500	CM	130	CM	66 LEVEL CM	5302,7320 litre	19,975 %	21243,7259 litre	O
500	CM	130	CM	65 LEVEL CM	5189,8620 litre	19,550 %	21356,5959 litre	O
500	CM	130	CM	64 LEVEL CM	5077,5693 litre	19,127 %	21468,8886 litre	O
500	CM	130	CM	63 LEVEL CM	4965,8660 litre	18,706 %	21580,5919 litre	O
500	CM	130	CM	62 LEVEL CM	4854,7641 litre	18,288 %	21691,6938 litre	O
500	CM	130	CM	61 LEVEL CM	4744,2759 litre	17,872 %	21802,1820 litre	O
500	CM	130	CM	60 LEVEL CM	4634,4140 litre	17,458 %	21912,0439 litre	O
500	CM	130	CM	59 LEVEL CM	4525,1912 litre	17,046 %	22021,2667 litre	O
500	CM	130	CM	58 LEVEL CM	4416,6203 litre	16,637 %	22129,8376 litre	O
500	CM	130	CM	57 LEVEL CM	4308,7147 litre	16,231 %	22237,7432 litre	O
500	CM	130	CM	56 LEVEL CM	4201,4877 litre	15,827 %	22344,9702 litre	O
500	CM	130	CM	55 LEVEL CM	4094,9530 litre	15,426 %	22451,5049 litre	O
500	CM	130	CM	54 LEVEL CM	3989,1248 litre	15,027 %	22557,3331 litre	O
500	CM	130	CM	53 LEVEL CM	3884,0171 litre	14,631 %	22662,4408 litre	O
500	CM	130	CM	52 LEVEL CM	3779,6446 litre	14,238 %	22766,8133 litre	O
500	CM	130	CM	51 LEVEL CM	3676,0221 litre	13,848 %	22870,4358 litre	O
500	CM	130	CM	50 LEVEL CM	3573,1648 litre	13,460 %	22973,2931 litre	O

500	CM	130	CM	49 LEVEL CM	3471,0883 litre	13,076 %	23075,3696 litre	O
500	CM	130	CM	48 LEVEL CM	3369,8085 litre	12,694 %	23176,6494 litre	O
500	CM	130	CM	47 LEVEL CM	3269,3415 litre	12,316 %	23277,1164 litre	O
500	CM	130	CM	46 LEVEL CM	3169,7041 litre	11,940 %	23376,7538 litre	O
500	CM	130	CM	45 LEVEL CM	3070,9134 litre	11,568 %	23475,5445 litre	O
500	CM	130	CM	44 LEVEL CM	2972,9869 litre	11,199 %	23573,4710 litre	O
500	CM	130	CM	43 LEVEL CM	2875,9426 litre	10,834 %	23670,5153 litre	O
500	CM	130	CM	42 LEVEL CM	2779,7989 litre	10,471 %	23766,6590 litre	O
500	CM	130	CM	41 LEVEL CM	2684,5750 litre	10,113 %	23861,8829 litre	O
500	CM	130	CM	40 LEVEL CM	2590,2904 litre	9,758 %	23956,1675 litre	O
500	CM	130	CM	39 LEVEL CM	2496,9652 litre	9,406 %	24049,4927 litre	O
500	CM	130	CM	38 LEVEL CM	2404,6203 litre	9,058 %	24141,8376 litre	O
500	CM	130	CM	37 LEVEL CM	2313,2771 litre	8,714 %	24233,1808 litre	O
500	CM	130	CM	36 LEVEL CM	2222,9578 litre	8,374 %	24323,5001 litre	O
500	CM	130	CM	35 LEVEL CM	2133,6853 litre	8,038 %	24412,7726 litre	O
500	CM	130	CM	34 LEVEL CM	2045,4834 litre	7,705 %	24500,9745 litre	O
500	CM	130	CM	33 LEVEL CM	1958,3768 litre	7,377 %	24588,0811 litre	O
500	CM	130	CM	32 LEVEL CM	1872,3910 litre	7,053 %	24674,0669 litre	O
500	CM	130	CM	31 LEVEL CM	1787,5526 litre	6,734 %	24758,9053 litre	O
500	CM	130	CM	30 LEVEL CM	1703,8893 litre	6,419 %	24842,5686 litre	O
500	CM	130	CM	29 LEVEL CM	1621,4299 litre	6,108 %	24925,0280 litre	O
500	CM	130	CM	28 LEVEL CM	1540,2047 litre	5,802 %	25006,2532 litre	O
500	CM	130	CM	27 LEVEL CM	1460,2452 litre	5,501 %	25086,2127 litre	O
500	CM	130	CM	26 LEVEL CM	1381,5844 litre	5,204 %	25164,8735 litre	O
500	CM	130	CM	25 LEVEL CM	1304,2570 litre	4,913 %	25242,2009 litre	O
500	CM	130	CM	24 LEVEL CM	1228,2998 litre	4,627 %	25318,1581 litre	O
500	CM	130	CM	23 LEVEL CM	1153,7512 litre	4,346 %	25392,7067 litre	O
500	CM	130	CM	22 LEVEL CM	1080,6520 litre	4,071 %	25465,8059 litre	O
500	CM	130	CM	21 LEVEL CM	1009,0456 litre	3,801 %	25537,4123 litre	O
500	CM	130	CM	20 LEVEL CM	938,9781 litre	3,537 %	25607,4798 litre	O
500	CM	130	CM	19 LEVEL CM	870,4985 litre	3,279 %	25675,9594 litre	O
500	CM	130	CM	18 LEVEL CM	803,6596 litre	3,027 %	25742,7983 litre	O
500	CM	130	CM	17 LEVEL CM	738,5181 litre	2,782 %	25807,9398 litre	O
500	CM	130	CM	16 LEVEL CM	675,1351 litre	2,543 %	25871,3228 litre	O
500	CM	130	CM	15 LEVEL CM	613,5772 litre	2,311 %	25932,8807 litre	O
500	CM	130	CM	14 LEVEL CM	553,9169 litre	2,087 %	25992,5410 litre	O
500	CM	130	CM	13 LEVEL CM	496,2339 litre	1,869 %	26050,2240 litre	O
500	CM	130	CM	12 LEVEL CM	440,6165 litre	1,660 %	26105,8414 litre	O
500	CM	130	CM	11 LEVEL CM	387,1632 litre	1,458 %	26159,2947 litre	O
500	CM	130	CM	10 LEVEL CM	335,9850 litre	1,266 %	26210,4729 litre	O
500	CM	130	CM	9 LEVEL CM	287,2083 litre	1,082 %	26259,2496 litre	O
500	CM	130	CM	8 LEVEL CM	240,9797 litre	0,908 %	26305,4782 litre	O
500	CM	130	CM	7 LEVEL CM	197,4710 litre	0,744 %	26348,9869 litre	O
500	CM	130	CM	6 LEVEL CM	156,8890 litre	0,591 %	26389,5689 litre	O
500	CM	130	CM	5 LEVEL CM	119,4893 litre	0,450 %	26426,9686 litre	O
500	CM	130	CM	4 LEVEL CM	85,5994 litre	0,322 %	26460,8585 litre	O
500	CM	130	CM	3 LEVEL CM	55,6632 litre	0,210 %	26490,7947 litre	O
500	CM	130	CM	2 LEVEL CM	30,3344 litre	0,114 %	26516,1235 litre	O
500	CM	130	CM	1 LEVEL CM	10,7373 litre	0,040 %	26535,7206 litre	O
500	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	26546,4579 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM 125	CM 250 LEVEL CM	24543,6926 litre	100,000 %	0,0000 litre	O
500	CM 125	CM 249 LEVEL CM	24533,1643 litre	99,957 %	10,5283 litre	O
500	CM 125	CM 248 LEVEL CM	24513,9500 litre	99,879 %	29,7426 litre	O
500	CM 125	CM 247 LEVEL CM	24489,1180 litre	99,778 %	54,5746 litre	O
500	CM 125	CM 246 LEVEL CM	24459,7711 litre	99,658 %	83,9215 litre	O
500	CM 125	CM 245 LEVEL CM	24426,5511 litre	99,523 %	117,1415 litre	O
500	CM 125	CM 244 LEVEL CM	24389,8935 litre	99,373 %	153,7991 litre	O
500	CM 125	CM 243 LEVEL CM	24350,1201 litre	99,211 %	193,5725 litre	O
500	CM 125	CM 242 LEVEL CM	24307,4817 litre	99,038 %	236,2109 litre	O
500	CM 125	CM 241 LEVEL CM	24262,1814 litre	98,853 %	281,5112 litre	O
500	CM 125	CM 240 LEVEL CM	24214,3883 litre	98,658 %	329,3043 litre	O
500	CM 125	CM 239 LEVEL CM	24164,2462 litre	98,454 %	379,4464 litre	O
500	CM 125	CM 238 LEVEL CM	24111,8794 litre	98,241 %	431,8132 litre	O
500	CM 125	CM 237 LEVEL CM	24057,3972 litre	98,019 %	486,2954 litre	O
500	CM 125	CM 236 LEVEL CM	24000,8964 litre	97,788 %	542,7962 litre	O
500	CM 125	CM 235 LEVEL CM	23942,4638 litre	97,550 %	601,2288 litre	O
500	CM 125	CM 234 LEVEL CM	23882,1779 litre	97,305 %	661,5147 litre	O
500	CM 125	CM 233 LEVEL CM	23820,1101 litre	97,052 %	723,5825 litre	O
500	CM 125	CM 232 LEVEL CM	23756,3259 litre	96,792 %	787,3667 litre	O
500	CM 125	CM 231 LEVEL CM	23690,8855 litre	96,525 %	852,8071 litre	O
500	CM 125	CM 230 LEVEL CM	23623,8447 litre	96,252 %	919,8479 litre	O
500	CM 125	CM 229 LEVEL CM	23555,2556 litre	95,973 %	988,4370 litre	O
500	CM 125	CM 228 LEVEL CM	23485,1664 litre	95,687 %	1058,5262 litre	O
500	CM 125	CM 227 LEVEL CM	23413,6228 litre	95,396 %	1130,0698 litre	O
500	CM 125	CM 226 LEVEL CM	23340,6673 litre	95,098 %	1203,0253 litre	O
500	CM 125	CM 225 LEVEL CM	23266,3402 litre	94,796 %	1277,3524 litre	O
500	CM 125	CM 224 LEVEL CM	23190,6796 litre	94,487 %	1353,0130 litre	O
500	CM 125	CM 223 LEVEL CM	23113,7216 litre	94,174 %	1429,9710 litre	O
500	CM 125	CM 222 LEVEL CM	23035,5006 litre	93,855 %	1508,1920 litre	O
500	CM 125	CM 221 LEVEL CM	22956,0490 litre	93,531 %	1587,6436 litre	O
500	CM 125	CM 220 LEVEL CM	22875,3983 litre	93,203 %	1668,2943 litre	O
500	CM 125	CM 219 LEVEL CM	22793,5780 litre	92,869 %	1750,1146 litre	O
500	CM 125	CM 218 LEVEL CM	22710,6168 litre	92,531 %	1833,0758 litre	O
500	CM 125	CM 217 LEVEL CM	22626,5420 litre	92,189 %	1917,1506 litre	O
500	CM 125	CM 216 LEVEL CM	22541,3800 litre	91,842 %	2002,3126 litre	O
500	CM 125	CM 215 LEVEL CM	22455,1560 litre	91,491 %	2088,5366 litre	O
500	CM 125	CM 214 LEVEL CM	22367,8945 litre	91,135 %	2175,7981 litre	O
500	CM 125	CM 213 LEVEL CM	22279,6189 litre	90,775 %	2264,0737 litre	O
500	CM 125	CM 212 LEVEL CM	22190,3519 litre	90,412 %	2353,3407 litre	O
500	CM 125	CM 211 LEVEL CM	22100,1156 litre	90,044 %	2443,5770 litre	O
500	CM 125	CM 210 LEVEL CM	22008,9312 litre	89,672 %	2534,7614 litre	O
500	CM 125	CM 209 LEVEL CM	21916,8194 litre	89,297 %	2626,8732 litre	O
500	CM 125	CM 208 LEVEL CM	21823,8000 litre	88,918 %	2719,8926 litre	O
500	CM 125	CM 207 LEVEL CM	21729,8926 litre	88,536 %	2813,8000 litre	O
500	CM 125	CM 206 LEVEL CM	21635,1160 litre	88,149 %	2908,5766 litre	O
500	CM 125	CM 205 LEVEL CM	21539,4885 litre	87,760 %	3004,2041 litre	O
500	CM 125	CM 204 LEVEL CM	21443,0281 litre	87,367 %	3100,6645 litre	O
500	CM 125	CM 203 LEVEL CM	21345,7522 litre	86,970 %	3197,9404 litre	O
500	CM 125	CM 202 LEVEL CM	21247,6776 litre	86,571 %	3296,0150 litre	O
500	CM 125	CM 201 LEVEL CM	21148,8211 litre	86,168 %	3394,8715 litre	O
500	CM 125	CM 200 LEVEL CM	21049,1987 litre	85,762 %	3494,4939 litre	O
500	CM 125	CM 199 LEVEL CM	20948,8263 litre	85,353 %	3594,8663 litre	O

500	CM	125	CM	198 LEVEL CM	20847,7193 litre	84,941 %	3695,9733 litre	O
500	CM	125	CM	197 LEVEL CM	20745,8929 litre	84,526 %	3797,7997 litre	O
500	CM	125	CM	196 LEVEL CM	20643,3618 litre	84,109 %	3900,3308 litre	O
500	CM	125	CM	195 LEVEL CM	20540,1405 litre	83,688 %	4003,5521 litre	O
500	CM	125	CM	194 LEVEL CM	20436,2433 litre	83,265 %	4107,4493 litre	O
500	CM	125	CM	193 LEVEL CM	20331,6841 litre	82,839 %	4212,0085 litre	O
500	CM	125	CM	192 LEVEL CM	20226,4765 litre	82,410 %	4317,2161 litre	O
500	CM	125	CM	191 LEVEL CM	20120,6340 litre	81,979 %	4423,0586 litre	O
500	CM	125	CM	190 LEVEL CM	20014,1698 litre	81,545 %	4529,5228 litre	O
500	CM	125	CM	189 LEVEL CM	19907,0967 litre	81,109 %	4636,5959 litre	O
500	CM	125	CM	188 LEVEL CM	19799,4276 litre	80,670 %	4744,2650 litre	O
500	CM	125	CM	187 LEVEL CM	19691,1750 litre	80,229 %	4852,5176 litre	O
500	CM	125	CM	186 LEVEL CM	19582,3511 litre	79,786 %	4961,3415 litre	O
500	CM	125	CM	185 LEVEL CM	19472,9681 litre	79,340 %	5070,7245 litre	O
500	CM	125	CM	184 LEVEL CM	19363,0379 litre	78,892 %	5180,6547 litre	O
500	CM	125	CM	183 LEVEL CM	19252,5723 litre	78,442 %	5291,1203 litre	O
500	CM	125	CM	182 LEVEL CM	19141,5829 litre	77,990 %	5402,1097 litre	O
500	CM	125	CM	181 LEVEL CM	19030,0812 litre	77,536 %	5513,6114 litre	O
500	CM	125	CM	180 LEVEL CM	18918,0783 litre	77,079 %	5625,6143 litre	O
500	CM	125	CM	179 LEVEL CM	18805,5854 litre	76,621 %	5738,1072 litre	O
500	CM	125	CM	178 LEVEL CM	18692,6135 litre	76,161 %	5851,0791 litre	O
500	CM	125	CM	177 LEVEL CM	18579,1734 litre	75,698 %	5964,5192 litre	O
500	CM	125	CM	176 LEVEL CM	18465,2759 litre	75,234 %	6078,4167 litre	O
500	CM	125	CM	175 LEVEL CM	18350,9315 litre	74,768 %	6192,7611 litre	O
500	CM	125	CM	174 LEVEL CM	18236,1506 litre	74,301 %	6307,5420 litre	O
500	CM	125	CM	173 LEVEL CM	18120,9436 litre	73,831 %	6422,7490 litre	O
500	CM	125	CM	172 LEVEL CM	18005,3207 litre	73,360 %	6538,3719 litre	O
500	CM	125	CM	171 LEVEL CM	17889,2920 litre	72,888 %	6654,4006 litre	O
500	CM	125	CM	170 LEVEL CM	17772,8676 litre	72,413 %	6770,8250 litre	O
500	CM	125	CM	169 LEVEL CM	17656,0572 litre	71,937 %	6887,6354 litre	O
500	CM	125	CM	168 LEVEL CM	17538,8708 litre	71,460 %	7004,8218 litre	O
500	CM	125	CM	167 LEVEL CM	17421,3180 litre	70,981 %	7122,3746 litre	O
500	CM	125	CM	166 LEVEL CM	17303,4085 litre	70,500 %	7240,2841 litre	O
500	CM	125	CM	165 LEVEL CM	17185,1518 litre	70,019 %	7358,5408 litre	O
500	CM	125	CM	164 LEVEL CM	17066,5573 litre	69,535 %	7477,1353 litre	O
500	CM	125	CM	163 LEVEL CM	16947,6344 litre	69,051 %	7596,0582 litre	O
500	CM	125	CM	162 LEVEL CM	16828,3923 litre	68,565 %	7715,3003 litre	O
500	CM	125	CM	161 LEVEL CM	16708,8404 litre	68,078 %	7834,8522 litre	O
500	CM	125	CM	160 LEVEL CM	16588,9878 litre	67,590 %	7954,7048 litre	O
500	CM	125	CM	159 LEVEL CM	16468,8435 litre	67,100 %	8074,8491 litre	O
500	CM	125	CM	158 LEVEL CM	16348,4165 litre	66,609 %	8195,2761 litre	O
500	CM	125	CM	157 LEVEL CM	16227,7158 litre	66,118 %	8315,9768 litre	O
500	CM	125	CM	156 LEVEL CM	16106,7502 litre	65,625 %	8436,9424 litre	O
500	CM	125	CM	155 LEVEL CM	15985,5287 litre	65,131 %	8558,1639 litre	O
500	CM	125	CM	154 LEVEL CM	15864,0599 litre	64,636 %	8679,6327 litre	O
500	CM	125	CM	153 LEVEL CM	15742,3526 litre	64,140 %	8801,3400 litre	O
500	CM	125	CM	152 LEVEL CM	15620,4155 litre	63,643 %	8923,2771 litre	O
500	CM	125	CM	151 LEVEL CM	15498,2572 litre	63,146 %	9045,4354 litre	O
500	CM	125	CM	150 LEVEL CM	15375,8861 litre	62,647 %	9167,8065 litre	O
500	CM	125	CM	149 LEVEL CM	15253,3110 litre	62,148 %	9290,3816 litre	O
500	CM	125	CM	148 LEVEL CM	15130,5402 litre	61,647 %	9413,1524 litre	O
500	CM	125	CM	147 LEVEL CM	15007,5823 litre	61,146 %	9536,1103 litre	O
500	CM	125	CM	146 LEVEL CM	14884,4455 litre	60,645 %	9659,2471 litre	O

500	CM	125	CM	145 LEVEL CM	14761,1383 litre	60,142 %	9782,5543 litre	O
500	CM	125	CM	144 LEVEL CM	14637,6690 litre	59,639 %	9906,0236 litre	O
500	CM	125	CM	143 LEVEL CM	14514,0459 litre	59,136 %	10029,6467 litre	O
500	CM	125	CM	142 LEVEL CM	14390,2773 litre	58,631 %	10153,4153 litre	O
500	CM	125	CM	141 LEVEL CM	14266,3715 litre	58,126 %	10277,3211 litre	O
500	CM	125	CM	140 LEVEL CM	14142,3365 litre	57,621 %	10401,3561 litre	O
500	CM	125	CM	139 LEVEL CM	14018,1807 litre	57,115 %	10525,5119 litre	O
500	CM	125	CM	138 LEVEL CM	13893,9122 litre	56,609 %	10649,7804 litre	O
500	CM	125	CM	137 LEVEL CM	13769,5391 litre	56,102 %	10774,1535 litre	O
500	CM	125	CM	136 LEVEL CM	13645,0696 litre	55,595 %	10898,6230 litre	O
500	CM	125	CM	135 LEVEL CM	13520,5117 litre	55,088 %	11023,1809 litre	O
500	CM	125	CM	134 LEVEL CM	13395,8735 litre	54,580 %	11147,8191 litre	O
500	CM	125	CM	133 LEVEL CM	13271,1632 litre	54,072 %	11272,5294 litre	O
500	CM	125	CM	132 LEVEL CM	13146,3888 litre	53,563 %	11397,3038 litre	O
500	CM	125	CM	131 LEVEL CM	13021,5582 litre	53,055 %	11522,1344 litre	O
500	CM	125	CM	130 LEVEL CM	12896,6796 litre	52,546 %	11647,0130 litre	O
500	CM	125	CM	129 LEVEL CM	12771,7610 litre	52,037 %	11771,9316 litre	O
500	CM	125	CM	128 LEVEL CM	12646,8103 litre	51,528 %	11896,8823 litre	O
500	CM	125	CM	127 LEVEL CM	12521,8356 litre	51,019 %	12021,8570 litre	O
500	CM	125	CM	126 LEVEL CM	12396,8450 litre	50,509 %	12146,8476 litre	O
500	CM	125	CM	125 LEVEL CM	12271,8463 litre	50,000 %	12271,8463 litre	O
500	CM	125	CM	124 LEVEL CM	12146,8476 litre	49,491 %	12396,8450 litre	O
500	CM	125	CM	123 LEVEL CM	12021,8570 litre	48,981 %	12521,8356 litre	O
500	CM	125	CM	122 LEVEL CM	11896,8823 litre	48,472 %	12646,8103 litre	O
500	CM	125	CM	121 LEVEL CM	11771,9316 litre	47,963 %	12771,7610 litre	O
500	CM	125	CM	120 LEVEL CM	11647,0130 litre	47,454 %	12896,6796 litre	O
500	CM	125	CM	119 LEVEL CM	11522,1344 litre	46,945 %	13021,5582 litre	O
500	CM	125	CM	118 LEVEL CM	11397,3039 litre	46,437 %	13146,3887 litre	O
500	CM	125	CM	117 LEVEL CM	11272,5294 litre	45,928 %	13271,1632 litre	O
500	CM	125	CM	116 LEVEL CM	11147,8191 litre	45,420 %	13395,8735 litre	O
500	CM	125	CM	115 LEVEL CM	11023,1809 litre	44,912 %	13520,5117 litre	O
500	CM	125	CM	114 LEVEL CM	10898,6230 litre	44,405 %	13645,0696 litre	O
500	CM	125	CM	113 LEVEL CM	10774,1535 litre	43,898 %	13769,5391 litre	O
500	CM	125	CM	112 LEVEL CM	10649,7804 litre	43,391 %	13893,9122 litre	O
500	CM	125	CM	111 LEVEL CM	10525,5119 litre	42,885 %	14018,1807 litre	O
500	CM	125	CM	110 LEVEL CM	10401,3561 litre	42,379 %	14142,3365 litre	O
500	CM	125	CM	109 LEVEL CM	10277,3211 litre	41,874 %	14266,3715 litre	O
500	CM	125	CM	108 LEVEL CM	10153,4153 litre	41,369 %	14390,2773 litre	O
500	CM	125	CM	107 LEVEL CM	10029,6467 litre	40,864 %	14514,0459 litre	O
500	CM	125	CM	106 LEVEL CM	9906,0236 litre	40,361 %	14637,6690 litre	O
500	CM	125	CM	105 LEVEL CM	9782,5543 litre	39,858 %	14761,1383 litre	O
500	CM	125	CM	104 LEVEL CM	9659,2471 litre	39,355 %	14884,4455 litre	O
500	CM	125	CM	103 LEVEL CM	9536,1103 litre	38,854 %	15007,5823 litre	O
500	CM	125	CM	102 LEVEL CM	9413,1524 litre	38,353 %	15130,5402 litre	O
500	CM	125	CM	101 LEVEL CM	9290,3816 litre	37,852 %	15253,3110 litre	O
500	CM	125	CM	100 LEVEL CM	9167,8065 litre	37,353 %	15375,8861 litre	O
500	CM	125	CM	99 LEVEL CM	9045,4355 litre	36,854 %	15498,2571 litre	O
500	CM	125	CM	98 LEVEL CM	8923,2771 litre	36,357 %	15620,4155 litre	O
500	CM	125	CM	97 LEVEL CM	8801,3400 litre	35,860 %	15742,3526 litre	O
500	CM	125	CM	96 LEVEL CM	8679,6327 litre	35,364 %	15864,0599 litre	O
500	CM	125	CM	95 LEVEL CM	8558,1639 litre	34,869 %	15985,5287 litre	O
500	CM	125	CM	94 LEVEL CM	8436,9424 litre	34,375 %	16106,7502 litre	O
500	CM	125	CM	93 LEVEL CM	8315,9769 litre	33,882 %	16227,7157 litre	O

500	CM	125	CM	92 LEVEL CM	8195,2761 litre	33,391 %	16348,4165 litre	O
500	CM	125	CM	91 LEVEL CM	8074,8492 litre	32,900 %	16468,8434 litre	O
500	CM	125	CM	90 LEVEL CM	7954,7048 litre	32,410 %	16588,9878 litre	O
500	CM	125	CM	89 LEVEL CM	7834,8522 litre	31,922 %	16708,8404 litre	O
500	CM	125	CM	88 LEVEL CM	7715,3003 litre	31,435 %	16828,3923 litre	O
500	CM	125	CM	87 LEVEL CM	7596,0582 litre	30,949 %	16947,6344 litre	O
500	CM	125	CM	86 LEVEL CM	7477,1353 litre	30,465 %	17066,5573 litre	O
500	CM	125	CM	85 LEVEL CM	7358,5408 litre	29,981 %	17185,1518 litre	O
500	CM	125	CM	84 LEVEL CM	7240,2841 litre	29,500 %	17303,4085 litre	O
500	CM	125	CM	83 LEVEL CM	7122,3746 litre	29,019 %	17421,3180 litre	O
500	CM	125	CM	82 LEVEL CM	7004,8218 litre	28,540 %	17538,8708 litre	O
500	CM	125	CM	81 LEVEL CM	6887,6354 litre	28,063 %	17656,0572 litre	O
500	CM	125	CM	80 LEVEL CM	6770,8250 litre	27,587 %	17772,8676 litre	O
500	CM	125	CM	79 LEVEL CM	6654,4006 litre	27,112 %	17889,2920 litre	O
500	CM	125	CM	78 LEVEL CM	6538,3719 litre	26,640 %	18005,3207 litre	O
500	CM	125	CM	77 LEVEL CM	6422,7490 litre	26,169 %	18120,9436 litre	O
500	CM	125	CM	76 LEVEL CM	6307,5420 litre	25,699 %	18236,1506 litre	O
500	CM	125	CM	75 LEVEL CM	6192,7611 litre	25,232 %	18350,9315 litre	O
500	CM	125	CM	74 LEVEL CM	6078,4167 litre	24,766 %	18465,2759 litre	O
500	CM	125	CM	73 LEVEL CM	5964,5192 litre	24,302 %	18579,1734 litre	O
500	CM	125	CM	72 LEVEL CM	5851,0791 litre	23,839 %	18692,6135 litre	O
500	CM	125	CM	71 LEVEL CM	5738,1072 litre	23,379 %	18805,5854 litre	O
500	CM	125	CM	70 LEVEL CM	5625,6143 litre	22,921 %	18918,0783 litre	O
500	CM	125	CM	69 LEVEL CM	5513,6114 litre	22,464 %	19030,0812 litre	O
500	CM	125	CM	68 LEVEL CM	5402,1097 litre	22,010 %	19141,5829 litre	O
500	CM	125	CM	67 LEVEL CM	5291,1203 litre	21,558 %	19252,5723 litre	O
500	CM	125	CM	66 LEVEL CM	5180,6547 litre	21,108 %	19363,0379 litre	O
500	CM	125	CM	65 LEVEL CM	5070,7245 litre	20,660 %	19472,9681 litre	O
500	CM	125	CM	64 LEVEL CM	4961,3415 litre	20,214 %	19582,3511 litre	O
500	CM	125	CM	63 LEVEL CM	4852,5176 litre	19,771 %	19691,1750 litre	O
500	CM	125	CM	62 LEVEL CM	4744,2650 litre	19,330 %	19799,4276 litre	O
500	CM	125	CM	61 LEVEL CM	4636,5959 litre	18,891 %	19907,0967 litre	O
500	CM	125	CM	60 LEVEL CM	4529,5228 litre	18,455 %	20014,1698 litre	O
500	CM	125	CM	59 LEVEL CM	4423,0586 litre	18,021 %	20120,6340 litre	O
500	CM	125	CM	58 LEVEL CM	4317,2161 litre	17,590 %	20226,4765 litre	O
500	CM	125	CM	57 LEVEL CM	4212,0085 litre	17,161 %	20331,6841 litre	O
500	CM	125	CM	56 LEVEL CM	4107,4493 litre	16,735 %	20436,2433 litre	O
500	CM	125	CM	55 LEVEL CM	4003,5521 litre	16,312 %	20540,1405 litre	O
500	CM	125	CM	54 LEVEL CM	3900,3308 litre	15,891 %	20643,3618 litre	O
500	CM	125	CM	53 LEVEL CM	3797,7997 litre	15,474 %	20745,8929 litre	O
500	CM	125	CM	52 LEVEL CM	3695,9733 litre	15,059 %	20847,7193 litre	O
500	CM	125	CM	51 LEVEL CM	3594,8663 litre	14,647 %	20948,8263 litre	O
500	CM	125	CM	50 LEVEL CM	3494,4939 litre	14,238 %	21049,1987 litre	O
500	CM	125	CM	49 LEVEL CM	3394,8715 litre	13,832 %	21148,8211 litre	O
500	CM	125	CM	48 LEVEL CM	3296,0150 litre	13,429 %	21247,6776 litre	O
500	CM	125	CM	47 LEVEL CM	3197,9404 litre	13,030 %	21345,7522 litre	O
500	CM	125	CM	46 LEVEL CM	3100,6645 litre	12,633 %	21443,0281 litre	O
500	CM	125	CM	45 LEVEL CM	3004,2041 litre	12,240 %	21539,4885 litre	O
500	CM	125	CM	44 LEVEL CM	2908,5766 litre	11,851 %	21635,1160 litre	O
500	CM	125	CM	43 LEVEL CM	2813,8000 litre	11,464 %	21729,8926 litre	O
500	CM	125	CM	42 LEVEL CM	2719,8926 litre	11,082 %	21823,8000 litre	O
500	CM	125	CM	41 LEVEL CM	2626,8732 litre	10,703 %	21916,8194 litre	O
500	CM	125	CM	40 LEVEL CM	2534,7614 litre	10,328 %	22008,9312 litre	O

500	CM	125	CM	39 LEVEL CM	2443,5770 litre	9,956 %	22100,1156 litre	O
500	CM	125	CM	38 LEVEL CM	2353,3407 litre	9,588 %	22190,3519 litre	O
500	CM	125	CM	37 LEVEL CM	2264,0737 litre	9,225 %	22279,6189 litre	O
500	CM	125	CM	36 LEVEL CM	2175,7981 litre	8,865 %	22367,8945 litre	O
500	CM	125	CM	35 LEVEL CM	2088,5366 litre	8,509 %	22455,1560 litre	O
500	CM	125	CM	34 LEVEL CM	2002,3126 litre	8,158 %	22541,3800 litre	O
500	CM	125	CM	33 LEVEL CM	1917,1506 litre	7,811 %	22626,5420 litre	O
500	CM	125	CM	32 LEVEL CM	1833,0758 litre	7,469 %	22710,6168 litre	O
500	CM	125	CM	31 LEVEL CM	1750,1146 litre	7,131 %	22793,5780 litre	O
500	CM	125	CM	30 LEVEL CM	1668,2943 litre	6,797 %	22875,3983 litre	O
500	CM	125	CM	29 LEVEL CM	1587,6436 litre	6,469 %	22956,0490 litre	O
500	CM	125	CM	28 LEVEL CM	1508,1920 litre	6,145 %	23035,5006 litre	O
500	CM	125	CM	27 LEVEL CM	1429,9710 litre	5,826 %	23113,7216 litre	O
500	CM	125	CM	26 LEVEL CM	1353,0130 litre	5,513 %	23190,6796 litre	O
500	CM	125	CM	25 LEVEL CM	1277,3524 litre	5,204 %	23266,3402 litre	O
500	CM	125	CM	24 LEVEL CM	1203,0253 litre	4,902 %	23340,6673 litre	O
500	CM	125	CM	23 LEVEL CM	1130,0698 litre	4,604 %	23413,6228 litre	O
500	CM	125	CM	22 LEVEL CM	1058,5262 litre	4,313 %	23485,1664 litre	O
500	CM	125	CM	21 LEVEL CM	988,4370 litre	4,027 %	23555,2556 litre	O
500	CM	125	CM	20 LEVEL CM	919,8479 litre	3,748 %	23623,8447 litre	O
500	CM	125	CM	19 LEVEL CM	852,8072 litre	3,475 %	23690,8854 litre	O
500	CM	125	CM	18 LEVEL CM	787,3668 litre	3,208 %	23756,3258 litre	O
500	CM	125	CM	17 LEVEL CM	723,5825 litre	2,948 %	23820,1101 litre	O
500	CM	125	CM	16 LEVEL CM	661,5147 litre	2,695 %	23882,1779 litre	O
500	CM	125	CM	15 LEVEL CM	601,2288 litre	2,450 %	23942,4638 litre	O
500	CM	125	CM	14 LEVEL CM	542,7962 litre	2,212 %	24000,8964 litre	O
500	CM	125	CM	13 LEVEL CM	486,2954 litre	1,981 %	24057,3972 litre	O
500	CM	125	CM	12 LEVEL CM	431,8132 litre	1,759 %	24111,8794 litre	O
500	CM	125	CM	11 LEVEL CM	379,4464 litre	1,546 %	24164,2462 litre	O
500	CM	125	CM	10 LEVEL CM	329,3043 litre	1,342 %	24214,3883 litre	O
500	CM	125	CM	9 LEVEL CM	281,5112 litre	1,147 %	24262,1814 litre	O
500	CM	125	CM	8 LEVEL CM	236,2109 litre	0,962 %	24307,4817 litre	O
500	CM	125	CM	7 LEVEL CM	193,5725 litre	0,789 %	24350,1201 litre	O
500	CM	125	CM	6 LEVEL CM	153,7991 litre	0,627 %	24389,8935 litre	O
500	CM	125	CM	5 LEVEL CM	117,1415 litre	0,477 %	24426,5511 litre	O
500	CM	125	CM	4 LEVEL CM	83,9215 litre	0,342 %	24459,7711 litre	O
500	CM	125	CM	3 LEVEL CM	54,5747 litre	0,222 %	24489,1179 litre	O
500	CM	125	CM	2 LEVEL CM	29,7426 litre	0,121 %	24513,9500 litre	O
500	CM	125	CM	1 LEVEL CM	10,5283 litre	0,043 %	24533,1643 litre	O
500	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	24543,6926 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM 120	CM 240 LEVEL CM	22619,4671 litre	100,000 %	0,0000 litre	O
500	CM 120	CM 239 LEVEL CM	22609,1521 litre	99,954 %	10,3150 litre	O
500	CM 120	CM 238 LEVEL CM	22590,3284 litre	99,871 %	29,1387 litre	O
500	CM 120	CM 237 LEVEL CM	22566,0032 litre	99,764 %	53,4639 litre	O
500	CM 120	CM 236 LEVEL CM	22537,2578 litre	99,637 %	82,2093 litre	O
500	CM 120	CM 235 LEVEL CM	22504,7214 litre	99,493 %	114,7457 litre	O
500	CM 120	CM 234 LEVEL CM	22468,8213 litre	99,334 %	150,6458 litre	O
500	CM 120	CM 233 LEVEL CM	22429,8732 litre	99,162 %	189,5939 litre	O
500	CM 120	CM 232 LEVEL CM	22388,1232 litre	98,977 %	231,3439 litre	O
500	CM 120	CM 231 LEVEL CM	22343,7707 litre	98,781 %	275,6964 litre	O
500	CM 120	CM 230 LEVEL CM	22296,9818 litre	98,574 %	322,4853 litre	O
500	CM 120	CM 229 LEVEL CM	22247,8977 litre	98,357 %	371,5694 litre	O
500	CM 120	CM 228 LEVEL CM	22196,6406 litre	98,131 %	422,8265 litre	O
500	CM 120	CM 227 LEVEL CM	22143,3177 litre	97,895 %	476,1494 litre	O
500	CM 120	CM 226 LEVEL CM	22088,0243 litre	97,651 %	531,4428 litre	O
500	CM 120	CM 225 LEVEL CM	22030,8458 litre	97,398 %	588,6213 litre	O
500	CM 120	CM 224 LEVEL CM	21971,8593 litre	97,137 %	647,6078 litre	O
500	CM 120	CM 223 LEVEL CM	21911,1352 litre	96,868 %	708,3319 litre	O
500	CM 120	CM 222 LEVEL CM	21848,7377 litre	96,593 %	770,7294 litre	O
500	CM 120	CM 221 LEVEL CM	21784,7263 litre	96,310 %	834,7408 litre	O
500	CM 120	CM 220 LEVEL CM	21719,1560 litre	96,020 %	900,3111 litre	O
500	CM 120	CM 219 LEVEL CM	21652,0778 litre	95,723 %	967,3893 litre	O
500	CM 120	CM 218 LEVEL CM	21583,5395 litre	95,420 %	1035,9276 litre	O
500	CM 120	CM 217 LEVEL CM	21513,5859 litre	95,111 %	1105,8812 litre	O
500	CM 120	CM 216 LEVEL CM	21442,2591 litre	94,796 %	1177,2080 litre	O
500	CM 120	CM 215 LEVEL CM	21369,5988 litre	94,474 %	1249,8683 litre	O
500	CM 120	CM 214 LEVEL CM	21295,6425 litre	94,147 %	1323,8246 litre	O
500	CM 120	CM 213 LEVEL CM	21220,4259 litre	93,815 %	1399,0412 litre	O
500	CM 120	CM 212 LEVEL CM	21143,9828 litre	93,477 %	1475,4843 litre	O
500	CM 120	CM 211 LEVEL CM	21066,3455 litre	93,134 %	1553,1216 litre	O
500	CM 120	CM 210 LEVEL CM	20987,5448 litre	92,785 %	1631,9223 litre	O
500	CM 120	CM 209 LEVEL CM	20907,6101 litre	92,432 %	1711,8570 litre	O
500	CM 120	CM 208 LEVEL CM	20826,5695 litre	92,074 %	1792,8976 litre	O
500	CM 120	CM 207 LEVEL CM	20744,4503 litre	91,711 %	1875,0168 litre	O
500	CM 120	CM 206 LEVEL CM	20661,2783 litre	91,343 %	1958,1888 litre	O
500	CM 120	CM 205 LEVEL CM	20577,0787 litre	90,971 %	2042,3884 litre	O
500	CM 120	CM 204 LEVEL CM	20491,8755 litre	90,594 %	2127,5916 litre	O
500	CM 120	CM 203 LEVEL CM	20405,6920 litre	90,213 %	2213,7751 litre	O
500	CM 120	CM 202 LEVEL CM	20318,5508 litre	89,828 %	2300,9163 litre	O
500	CM 120	CM 201 LEVEL CM	20230,4736 litre	89,438 %	2388,9935 litre	O
500	CM 120	CM 200 LEVEL CM	20141,4814 litre	89,045 %	2477,9857 litre	O
500	CM 120	CM 199 LEVEL CM	20051,5948 litre	88,648 %	2567,8723 litre	O
500	CM 120	CM 198 LEVEL CM	19960,8336 litre	88,246 %	2658,6335 litre	O
500	CM 120	CM 197 LEVEL CM	19869,2170 litre	87,841 %	2750,2501 litre	O
500	CM 120	CM 196 LEVEL CM	19776,7637 litre	87,432 %	2842,7034 litre	O
500	CM 120	CM 195 LEVEL CM	19683,4920 litre	87,020 %	2935,9751 litre	O
500	CM 120	CM 194 LEVEL CM	19589,4196 litre	86,604 %	3030,0475 litre	O
500	CM 120	CM 193 LEVEL CM	19494,5638 litre	86,185 %	3124,9033 litre	O
500	CM 120	CM 192 LEVEL CM	19398,9415 litre	85,762 %	3220,5256 litre	O
500	CM 120	CM 191 LEVEL CM	19302,5692 litre	85,336 %	3316,8979 litre	O
500	CM 120	CM 190 LEVEL CM	19205,4630 litre	84,907 %	3414,0041 litre	O
500	CM 120	CM 189 LEVEL CM	19107,6385 litre	84,474 %	3511,8286 litre	O

500	CM	120	CM	188 LEVEL CM	19009,1112 litre	84,039 %	3610,3559 litre	O
500	CM	120	CM	187 LEVEL CM	18909,8962 litre	83,600 %	3709,5709 litre	O
500	CM	120	CM	186 LEVEL CM	18810,0081 litre	83,158 %	3809,4590 litre	O
500	CM	120	CM	185 LEVEL CM	18709,4614 litre	82,714 %	3910,0057 litre	O
500	CM	120	CM	184 LEVEL CM	18608,2704 litre	82,267 %	4011,1967 litre	O
500	CM	120	CM	183 LEVEL CM	18506,4488 litre	81,816 %	4113,0183 litre	O
500	CM	120	CM	182 LEVEL CM	18404,0103 litre	81,364 %	4215,4568 litre	O
500	CM	120	CM	181 LEVEL CM	18300,9684 litre	80,908 %	4318,4987 litre	O
500	CM	120	CM	180 LEVEL CM	18197,3362 litre	80,450 %	4422,1309 litre	O
500	CM	120	CM	179 LEVEL CM	18093,1266 litre	79,989 %	4526,3405 litre	O
500	CM	120	CM	178 LEVEL CM	17988,3524 litre	79,526 %	4631,1147 litre	O
500	CM	120	CM	177 LEVEL CM	17883,0260 litre	79,060 %	4736,4411 litre	O
500	CM	120	CM	176 LEVEL CM	17777,1598 litre	78,592 %	4842,3073 litre	O
500	CM	120	CM	175 LEVEL CM	17670,7660 litre	78,122 %	4948,7011 litre	O
500	CM	120	CM	174 LEVEL CM	17563,8565 litre	77,649 %	5055,6106 litre	O
500	CM	120	CM	173 LEVEL CM	17456,4431 litre	77,174 %	5163,0240 litre	O
500	CM	120	CM	172 LEVEL CM	17348,5373 litre	76,697 %	5270,9298 litre	O
500	CM	120	CM	171 LEVEL CM	17240,1508 litre	76,218 %	5379,3163 litre	O
500	CM	120	CM	170 LEVEL CM	17131,2947 litre	75,737 %	5488,1724 litre	O
500	CM	120	CM	169 LEVEL CM	17021,9802 litre	75,254 %	5597,4869 litre	O
500	CM	120	CM	168 LEVEL CM	16912,2184 litre	74,768 %	5707,2487 litre	O
500	CM	120	CM	167 LEVEL CM	16802,0202 litre	74,281 %	5817,4469 litre	O
500	CM	120	CM	166 LEVEL CM	16691,3963 litre	73,792 %	5928,0708 litre	O
500	CM	120	CM	165 LEVEL CM	16580,3573 litre	73,301 %	6039,1098 litre	O
500	CM	120	CM	164 LEVEL CM	16468,9138 litre	72,809 %	6150,5533 litre	O
500	CM	120	CM	163 LEVEL CM	16357,0762 litre	72,314 %	6262,3909 litre	O
500	CM	120	CM	162 LEVEL CM	16244,8547 litre	71,818 %	6374,6124 litre	O
500	CM	120	CM	161 LEVEL CM	16132,2596 litre	71,320 %	6487,2075 litre	O
500	CM	120	CM	160 LEVEL CM	16019,3010 litre	70,821 %	6600,1661 litre	O
500	CM	120	CM	159 LEVEL CM	15905,9888 litre	70,320 %	6713,4783 litre	O
500	CM	120	CM	158 LEVEL CM	15792,3329 litre	69,817 %	6827,1342 litre	O
500	CM	120	CM	157 LEVEL CM	15678,3432 litre	69,313 %	6941,1239 litre	O
500	CM	120	CM	156 LEVEL CM	15564,0293 litre	68,808 %	7055,4378 litre	O
500	CM	120	CM	155 LEVEL CM	15449,4010 litre	68,301 %	7170,0661 litre	O
500	CM	120	CM	154 LEVEL CM	15334,4677 litre	67,793 %	7284,9994 litre	O
500	CM	120	CM	153 LEVEL CM	15219,2390 litre	67,284 %	7400,2281 litre	O
500	CM	120	CM	152 LEVEL CM	15103,7242 litre	66,773 %	7515,7429 litre	O
500	CM	120	CM	151 LEVEL CM	14987,9328 litre	66,261 %	7631,5343 litre	O
500	CM	120	CM	150 LEVEL CM	14871,8739 litre	65,748 %	7747,5932 litre	O
500	CM	120	CM	149 LEVEL CM	14755,5568 litre	65,234 %	7863,9103 litre	O
500	CM	120	CM	148 LEVEL CM	14638,9907 litre	64,719 %	7980,4764 litre	O
500	CM	120	CM	147 LEVEL CM	14522,1846 litre	64,202 %	8097,2825 litre	O
500	CM	120	CM	146 LEVEL CM	14405,1476 litre	63,685 %	8214,3195 litre	O
500	CM	120	CM	145 LEVEL CM	14287,8886 litre	63,166 %	8331,5785 litre	O
500	CM	120	CM	144 LEVEL CM	14170,4167 litre	62,647 %	8449,0504 litre	O
500	CM	120	CM	143 LEVEL CM	14052,7406 litre	62,127 %	8566,7265 litre	O
500	CM	120	CM	142 LEVEL CM	13934,8692 litre	61,606 %	8684,5979 litre	O
500	CM	120	CM	141 LEVEL CM	13816,8113 litre	61,084 %	8802,6558 litre	O
500	CM	120	CM	140 LEVEL CM	13698,5757 litre	60,561 %	8920,8914 litre	O
500	CM	120	CM	139 LEVEL CM	13580,1710 litre	60,038 %	9039,2961 litre	O
500	CM	120	CM	138 LEVEL CM	13461,6060 litre	59,513 %	9157,8611 litre	O
500	CM	120	CM	137 LEVEL CM	13342,8893 litre	58,989 %	9276,5778 litre	O
500	CM	120	CM	136 LEVEL CM	13224,0294 litre	58,463 %	9395,4377 litre	O

500	CM	120	CM	135 LEVEL CM	13105,0350 litre	57,937 %	9514,4321 litre	O
500	CM	120	CM	134 LEVEL CM	12985,9146 litre	57,410 %	9633,5525 litre	O
500	CM	120	CM	133 LEVEL CM	12866,6768 litre	56,883 %	9752,7903 litre	O
500	CM	120	CM	132 LEVEL CM	12747,3299 litre	56,356 %	9872,1372 litre	O
500	CM	120	CM	131 LEVEL CM	12627,8826 litre	55,827 %	9991,5845 litre	O
500	CM	120	CM	130 LEVEL CM	12508,3432 litre	55,299 %	10111,1239 litre	O
500	CM	120	CM	129 LEVEL CM	12388,7202 litre	54,770 %	10230,7469 litre	O
500	CM	120	CM	128 LEVEL CM	12269,0220 litre	54,241 %	10350,4451 litre	O
500	CM	120	CM	127 LEVEL CM	12149,2569 litre	53,712 %	10470,2102 litre	O
500	CM	120	CM	126 LEVEL CM	12029,4334 litre	53,182 %	10590,0337 litre	O
500	CM	120	CM	125 LEVEL CM	11909,5599 litre	52,652 %	10709,9072 litre	O
500	CM	120	CM	124 LEVEL CM	11789,6446 litre	52,122 %	10829,8225 litre	O
500	CM	120	CM	123 LEVEL CM	11669,6960 litre	51,591 %	10949,7711 litre	O
500	CM	120	CM	122 LEVEL CM	11549,7224 litre	51,061 %	11069,7447 litre	O
500	CM	120	CM	121 LEVEL CM	11429,7322 litre	50,531 %	11189,7349 litre	O
500	CM	120	CM	120 LEVEL CM	11309,7336 litre	50,000 %	11309,7335 litre	O
500	CM	120	CM	119 LEVEL CM	11189,7349 litre	49,469 %	11429,7322 litre	O
500	CM	120	CM	118 LEVEL CM	11069,7447 litre	48,939 %	11549,7224 litre	O
500	CM	120	CM	117 LEVEL CM	10949,7711 litre	48,409 %	11669,6960 litre	O
500	CM	120	CM	116 LEVEL CM	10829,8225 litre	47,878 %	11789,6446 litre	O
500	CM	120	CM	115 LEVEL CM	10709,9072 litre	47,348 %	11909,5599 litre	O
500	CM	120	CM	114 LEVEL CM	10590,0337 litre	46,818 %	12029,4334 litre	O
500	CM	120	CM	113 LEVEL CM	10470,2102 litre	46,288 %	12149,2569 litre	O
500	CM	120	CM	112 LEVEL CM	10350,4451 litre	45,759 %	12269,0220 litre	O
500	CM	120	CM	111 LEVEL CM	10230,7469 litre	45,230 %	12388,7202 litre	O
500	CM	120	CM	110 LEVEL CM	10111,1239 litre	44,701 %	12508,3432 litre	O
500	CM	120	CM	109 LEVEL CM	9991,5845 litre	44,173 %	12627,8826 litre	O
500	CM	120	CM	108 LEVEL CM	9872,1372 litre	43,644 %	12747,3299 litre	O
500	CM	120	CM	107 LEVEL CM	9752,7903 litre	43,117 %	12866,6768 litre	O
500	CM	120	CM	106 LEVEL CM	9633,5525 litre	42,590 %	12985,9146 litre	O
500	CM	120	CM	105 LEVEL CM	9514,4321 litre	42,063 %	13105,0350 litre	O
500	CM	120	CM	104 LEVEL CM	9395,4377 litre	41,537 %	13224,0294 litre	O
500	CM	120	CM	103 LEVEL CM	9276,5779 litre	41,011 %	13342,8892 litre	O
500	CM	120	CM	102 LEVEL CM	9157,8611 litre	40,487 %	13461,6060 litre	O
500	CM	120	CM	101 LEVEL CM	9039,2961 litre	39,962 %	13580,1710 litre	O
500	CM	120	CM	100 LEVEL CM	8920,8914 litre	39,439 %	13698,5757 litre	O
500	CM	120	CM	99 LEVEL CM	8802,6558 litre	38,916 %	13816,8113 litre	O
500	CM	120	CM	98 LEVEL CM	8684,5979 litre	38,394 %	13934,8692 litre	O
500	CM	120	CM	97 LEVEL CM	8566,7265 litre	37,873 %	14052,7406 litre	O
500	CM	120	CM	96 LEVEL CM	8449,0504 litre	37,353 %	14170,4167 litre	O
500	CM	120	CM	95 LEVEL CM	8331,5785 litre	36,834 %	14287,8886 litre	O
500	CM	120	CM	94 LEVEL CM	8214,3195 litre	36,315 %	14405,1476 litre	O
500	CM	120	CM	93 LEVEL CM	8097,2825 litre	35,798 %	14522,1846 litre	O
500	CM	120	CM	92 LEVEL CM	7980,4764 litre	35,281 %	14638,9907 litre	O
500	CM	120	CM	91 LEVEL CM	7863,9103 litre	34,766 %	14755,5568 litre	O
500	CM	120	CM	90 LEVEL CM	7747,5932 litre	34,252 %	14871,8739 litre	O
500	CM	120	CM	89 LEVEL CM	7631,5343 litre	33,739 %	14987,9328 litre	O
500	CM	120	CM	88 LEVEL CM	7515,7429 litre	33,227 %	15103,7242 litre	O
500	CM	120	CM	87 LEVEL CM	7400,2281 litre	32,716 %	15219,2390 litre	O
500	CM	120	CM	86 LEVEL CM	7284,9994 litre	32,207 %	15334,4677 litre	O
500	CM	120	CM	85 LEVEL CM	7170,0661 litre	31,699 %	15449,4010 litre	O
500	CM	120	CM	84 LEVEL CM	7055,4378 litre	31,192 %	15564,0293 litre	O
500	CM	120	CM	83 LEVEL CM	6941,1239 litre	30,687 %	15678,3432 litre	O

500	CM	120	CM	82 LEVEL CM	6827,1342 litre	30,183 %	15792,3329 litre	O
500	CM	120	CM	81 LEVEL CM	6713,4783 litre	29,680 %	15905,9888 litre	O
500	CM	120	CM	80 LEVEL CM	6600,1661 litre	29,179 %	16019,3010 litre	O
500	CM	120	CM	79 LEVEL CM	6487,2075 litre	28,680 %	16132,2596 litre	O
500	CM	120	CM	78 LEVEL CM	6374,6124 litre	28,182 %	16244,8547 litre	O
500	CM	120	CM	77 LEVEL CM	6262,3909 litre	27,686 %	16357,0762 litre	O
500	CM	120	CM	76 LEVEL CM	6150,5533 litre	27,191 %	16468,9138 litre	O
500	CM	120	CM	75 LEVEL CM	6039,1098 litre	26,699 %	16580,3573 litre	O
500	CM	120	CM	74 LEVEL CM	5928,0708 litre	26,208 %	16691,3963 litre	O
500	CM	120	CM	73 LEVEL CM	5817,4469 litre	25,719 %	16802,0202 litre	O
500	CM	120	CM	72 LEVEL CM	5707,2487 litre	25,232 %	16912,2184 litre	O
500	CM	120	CM	71 LEVEL CM	5597,4869 litre	24,746 %	17021,9802 litre	O
500	CM	120	CM	70 LEVEL CM	5488,1724 litre	24,263 %	17131,2947 litre	O
500	CM	120	CM	69 LEVEL CM	5379,3163 litre	23,782 %	17240,1508 litre	O
500	CM	120	CM	68 LEVEL CM	5270,9298 litre	23,303 %	17348,5373 litre	O
500	CM	120	CM	67 LEVEL CM	5163,0240 litre	22,826 %	17456,4431 litre	O
500	CM	120	CM	66 LEVEL CM	5055,6106 litre	22,351 %	17563,8565 litre	O
500	CM	120	CM	65 LEVEL CM	4948,7011 litre	21,878 %	17670,7660 litre	O
500	CM	120	CM	64 LEVEL CM	4842,3073 litre	21,408 %	17777,1598 litre	O
500	CM	120	CM	63 LEVEL CM	4736,4411 litre	20,940 %	17883,0260 litre	O
500	CM	120	CM	62 LEVEL CM	4631,1147 litre	20,474 %	17988,3524 litre	O
500	CM	120	CM	61 LEVEL CM	4526,3405 litre	20,011 %	18093,1266 litre	O
500	CM	120	CM	60 LEVEL CM	4422,1309 litre	19,550 %	18197,3362 litre	O
500	CM	120	CM	59 LEVEL CM	4318,4987 litre	19,092 %	18300,9684 litre	O
500	CM	120	CM	58 LEVEL CM	4215,4568 litre	18,636 %	18404,0103 litre	O
500	CM	120	CM	57 LEVEL CM	4113,0183 litre	18,184 %	18506,4488 litre	O
500	CM	120	CM	56 LEVEL CM	4011,1967 litre	17,733 %	18608,2704 litre	O
500	CM	120	CM	55 LEVEL CM	3910,0057 litre	17,286 %	18709,4614 litre	O
500	CM	120	CM	54 LEVEL CM	3809,4590 litre	16,842 %	18810,0081 litre	O
500	CM	120	CM	53 LEVEL CM	3709,5709 litre	16,400 %	18909,8962 litre	O
500	CM	120	CM	52 LEVEL CM	3610,3559 litre	15,961 %	19009,1112 litre	O
500	CM	120	CM	51 LEVEL CM	3511,8286 litre	15,526 %	19107,6385 litre	O
500	CM	120	CM	50 LEVEL CM	3414,0041 litre	15,093 %	19205,4630 litre	O
500	CM	120	CM	49 LEVEL CM	3316,8979 litre	14,664 %	19302,5692 litre	O
500	CM	120	CM	48 LEVEL CM	3220,5256 litre	14,238 %	19398,9415 litre	O
500	CM	120	CM	47 LEVEL CM	3124,9033 litre	13,815 %	19494,5638 litre	O
500	CM	120	CM	46 LEVEL CM	3030,0475 litre	13,396 %	19589,4196 litre	O
500	CM	120	CM	45 LEVEL CM	2935,9751 litre	12,980 %	19683,4920 litre	O
500	CM	120	CM	44 LEVEL CM	2842,7034 litre	12,568 %	19776,7637 litre	O
500	CM	120	CM	43 LEVEL CM	2750,2501 litre	12,159 %	19869,2170 litre	O
500	CM	120	CM	42 LEVEL CM	2658,6335 litre	11,754 %	19960,8336 litre	O
500	CM	120	CM	41 LEVEL CM	2567,8723 litre	11,352 %	20051,5948 litre	O
500	CM	120	CM	40 LEVEL CM	2477,9857 litre	10,955 %	20141,4814 litre	O
500	CM	120	CM	39 LEVEL CM	2388,9935 litre	10,562 %	20230,4736 litre	O
500	CM	120	CM	38 LEVEL CM	2300,9163 litre	10,172 %	20318,5508 litre	O
500	CM	120	CM	37 LEVEL CM	2213,7751 litre	9,787 %	20405,6920 litre	O
500	CM	120	CM	36 LEVEL CM	2127,5916 litre	9,406 %	20491,8755 litre	O
500	CM	120	CM	35 LEVEL CM	2042,3885 litre	9,029 %	20577,0786 litre	O
500	CM	120	CM	34 LEVEL CM	1958,1888 litre	8,657 %	20661,2783 litre	O
500	CM	120	CM	33 LEVEL CM	1875,0168 litre	8,289 %	20744,4503 litre	O
500	CM	120	CM	32 LEVEL CM	1792,8976 litre	7,926 %	20826,5695 litre	O
500	CM	120	CM	31 LEVEL CM	1711,8571 litre	7,568 %	20907,6100 litre	O
500	CM	120	CM	30 LEVEL CM	1631,9223 litre	7,215 %	20987,5448 litre	O

500	CM	120	CM	29 LEVEL CM	1553,1216 litre	6,866 %	21066,3455 litre	O
500	CM	120	CM	28 LEVEL CM	1475,4843 litre	6,523 %	21143,9828 litre	O
500	CM	120	CM	27 LEVEL CM	1399,0412 litre	6,185 %	21220,4259 litre	O
500	CM	120	CM	26 LEVEL CM	1323,8246 litre	5,853 %	21295,6425 litre	O
500	CM	120	CM	25 LEVEL CM	1249,8683 litre	5,526 %	21369,5988 litre	O
500	CM	120	CM	24 LEVEL CM	1177,2080 litre	5,204 %	21442,2591 litre	O
500	CM	120	CM	23 LEVEL CM	1105,8812 litre	4,889 %	21513,5859 litre	O
500	CM	120	CM	22 LEVEL CM	1035,9276 litre	4,580 %	21583,5395 litre	O
500	CM	120	CM	21 LEVEL CM	967,3893 litre	4,277 %	21652,0778 litre	O
500	CM	120	CM	20 LEVEL CM	900,3111 litre	3,980 %	21719,1560 litre	O
500	CM	120	CM	19 LEVEL CM	834,7408 litre	3,690 %	21784,7263 litre	O
500	CM	120	CM	18 LEVEL CM	770,7294 litre	3,407 %	21848,7377 litre	O
500	CM	120	CM	17 LEVEL CM	708,3319 litre	3,132 %	21911,1352 litre	O
500	CM	120	CM	16 LEVEL CM	647,6078 litre	2,863 %	21971,8593 litre	O
500	CM	120	CM	15 LEVEL CM	588,6213 litre	2,602 %	22030,8458 litre	O
500	CM	120	CM	14 LEVEL CM	531,4428 litre	2,349 %	22088,0243 litre	O
500	CM	120	CM	13 LEVEL CM	476,1494 litre	2,105 %	22143,3177 litre	O
500	CM	120	CM	12 LEVEL CM	422,8265 litre	1,869 %	22196,6406 litre	O
500	CM	120	CM	11 LEVEL CM	371,5694 litre	1,643 %	22247,8977 litre	O
500	CM	120	CM	10 LEVEL CM	322,4853 litre	1,426 %	22296,9818 litre	O
500	CM	120	CM	9 LEVEL CM	275,6964 litre	1,219 %	22343,7707 litre	O
500	CM	120	CM	8 LEVEL CM	231,3439 litre	1,023 %	22388,1232 litre	O
500	CM	120	CM	7 LEVEL CM	189,5939 litre	0,838 %	22429,8732 litre	O
500	CM	120	CM	6 LEVEL CM	150,6458 litre	0,666 %	22468,8213 litre	O
500	CM	120	CM	5 LEVEL CM	114,7457 litre	0,507 %	22504,7214 litre	O
500	CM	120	CM	4 LEVEL CM	82,2093 litre	0,363 %	22537,2578 litre	O
500	CM	120	CM	3 LEVEL CM	53,4639 litre	0,236 %	22566,0032 litre	O
500	CM	120	CM	2 LEVEL CM	29,1387 litre	0,129 %	22590,3284 litre	O
500	CM	120	CM	1 LEVEL CM	10,3150 litre	0,046 %	22609,1521 litre	O
500	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	22619,4671 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM	115	CM 230 LEVEL CM	20773,7814 litre	100,000 %	0,0000 litre	O
500	CM	115	CM 229 LEVEL CM	20763,6841 litre	99,951 %	10,0973 litre	O
500	CM	115	CM 228 LEVEL CM	20745,2593 litre	99,863 %	28,5221 litre	O
500	CM	115	CM 227 LEVEL CM	20721,4518 litre	99,748 %	52,3296 litre	O
500	CM	115	CM 226 LEVEL CM	20693,3207 litre	99,613 %	80,4607 litre	O
500	CM	115	CM 225 LEVEL CM	20661,4827 litre	99,459 %	112,2987 litre	O
500	CM	115	CM 224 LEVEL CM	20626,3564 litre	99,290 %	147,4250 litre	O
500	CM	115	CM 223 LEVEL CM	20588,2514 litre	99,107 %	185,5300 litre	O
500	CM	115	CM 222 LEVEL CM	20547,4092 litre	98,910 %	226,3722 litre	O
500	CM	115	CM 221 LEVEL CM	20504,0252 litre	98,701 %	269,7562 litre	O
500	CM	115	CM 220 LEVEL CM	20458,2625 litre	98,481 %	315,5189 litre	O
500	CM	115	CM 219 LEVEL CM	20410,2597 litre	98,250 %	363,5217 litre	O
500	CM	115	CM 218 LEVEL CM	20360,1368 litre	98,009 %	413,6446 litre	O
500	CM	115	CM 217 LEVEL CM	20307,9990 litre	97,758 %	465,7824 litre	O
500	CM	115	CM 216 LEVEL CM	20253,9400 litre	97,498 %	519,8414 litre	O
500	CM	115	CM 215 LEVEL CM	20198,0437 litre	97,229 %	575,7377 litre	O
500	CM	115	CM 214 LEVEL CM	20140,3860 litre	96,951 %	633,3954 litre	O
500	CM	115	CM 213 LEVEL CM	20081,0358 litre	96,665 %	692,7456 litre	O
500	CM	115	CM 212 LEVEL CM	20020,0567 litre	96,372 %	753,7247 litre	O
500	CM	115	CM 211 LEVEL CM	19957,5070 litre	96,071 %	816,2744 litre	O
500	CM	115	CM 210 LEVEL CM	19893,4408 litre	95,762 %	880,3406 litre	O
500	CM	115	CM 209 LEVEL CM	19827,9084 litre	95,447 %	945,8730 litre	O
500	CM	115	CM 208 LEVEL CM	19760,9569 litre	95,125 %	1012,8245 litre	O
500	CM	115	CM 207 LEVEL CM	19692,6303 litre	94,796 %	1081,1511 litre	O
500	CM	115	CM 206 LEVEL CM	19622,9703 litre	94,460 %	1150,8111 litre	O
500	CM	115	CM 205 LEVEL CM	19552,0159 litre	94,119 %	1221,7655 litre	O
500	CM	115	CM 204 LEVEL CM	19479,8041 litre	93,771 %	1293,9773 litre	O
500	CM	115	CM 203 LEVEL CM	19406,3701 litre	93,418 %	1367,4113 litre	O
500	CM	115	CM 202 LEVEL CM	19331,7474 litre	93,058 %	1442,0340 litre	O
500	CM	115	CM 201 LEVEL CM	19255,9677 litre	92,694 %	1517,8137 litre	O
500	CM	115	CM 200 LEVEL CM	19179,0615 litre	92,323 %	1594,7199 litre	O
500	CM	115	CM 199 LEVEL CM	19101,0579 litre	91,948 %	1672,7235 litre	O
500	CM	115	CM 198 LEVEL CM	19021,9847 litre	91,567 %	1751,7967 litre	O
500	CM	115	CM 197 LEVEL CM	18941,8686 litre	91,182 %	1831,9128 litre	O
500	CM	115	CM 196 LEVEL CM	18860,7355 litre	90,791 %	1913,0459 litre	O
500	CM	115	CM 195 LEVEL CM	18778,6101 litre	90,396 %	1995,1713 litre	O
500	CM	115	CM 194 LEVEL CM	18695,5162 litre	89,996 %	2078,2652 litre	O
500	CM	115	CM 193 LEVEL CM	18611,4770 litre	89,591 %	2162,3044 litre	O
500	CM	115	CM 192 LEVEL CM	18526,5147 litre	89,182 %	2247,2667 litre	O
500	CM	115	CM 191 LEVEL CM	18440,6508 litre	88,769 %	2333,1306 litre	O
500	CM	115	CM 190 LEVEL CM	18353,9063 litre	88,351 %	2419,8751 litre	O
500	CM	115	CM 189 LEVEL CM	18266,3015 litre	87,930 %	2507,4799 litre	O
500	CM	115	CM 188 LEVEL CM	18177,8560 litre	87,504 %	2595,9254 litre	O
500	CM	115	CM 187 LEVEL CM	18088,5889 litre	87,074 %	2685,1925 litre	O
500	CM	115	CM 186 LEVEL CM	17998,5189 litre	86,641 %	2775,2625 litre	O
500	CM	115	CM 185 LEVEL CM	17907,6639 litre	86,203 %	2866,1175 litre	O
500	CM	115	CM 184 LEVEL CM	17816,0418 litre	85,762 %	2957,7396 litre	O
500	CM	115	CM 183 LEVEL CM	17723,6696 litre	85,317 %	3050,1118 litre	O
500	CM	115	CM 182 LEVEL CM	17630,5642 litre	84,869 %	3143,2172 litre	O
500	CM	115	CM 181 LEVEL CM	17536,7419 litre	84,418 %	3237,0395 litre	O
500	CM	115	CM 180 LEVEL CM	17442,2187 litre	83,963 %	3331,5627 litre	O
500	CM	115	CM 179 LEVEL CM	17347,0104 litre	83,504 %	3426,7710 litre	O

500	CM 115	CM	178 LEVEL CM	17251,1322 litre	83,043 %	3522,6492 litre	O
500	CM 115	CM	177 LEVEL CM	17154,5991 litre	82,578 %	3619,1823 litre	O
500	CM 115	CM	176 LEVEL CM	17057,4259 litre	82,110 %	3716,3555 litre	O
500	CM 115	CM	175 LEVEL CM	16959,6269 litre	81,640 %	3814,1545 litre	O
500	CM 115	CM	174 LEVEL CM	16861,2164 litre	81,166 %	3912,5650 litre	O
500	CM 115	CM	173 LEVEL CM	16762,2081 litre	80,689 %	4011,5733 litre	O
500	CM 115	CM	172 LEVEL CM	16662,6158 litre	80,210 %	4111,1656 litre	O
500	CM 115	CM	171 LEVEL CM	16562,4527 litre	79,728 %	4211,3287 litre	O
500	CM 115	CM	170 LEVEL CM	16461,7321 litre	79,243 %	4312,0493 litre	O
500	CM 115	CM	169 LEVEL CM	16360,4669 litre	78,755 %	4413,3145 litre	O
500	CM 115	CM	168 LEVEL CM	16258,6698 litre	78,265 %	4515,1116 litre	O
500	CM 115	CM	167 LEVEL CM	16156,3534 litre	77,773 %	4617,4280 litre	O
500	CM 115	CM	166 LEVEL CM	16053,5300 litre	77,278 %	4720,2514 litre	O
500	CM 115	CM	165 LEVEL CM	15950,2118 litre	76,780 %	4823,5696 litre	O
500	CM 115	CM	164 LEVEL CM	15846,4108 litre	76,281 %	4927,3706 litre	O
500	CM 115	CM	163 LEVEL CM	15742,1389 litre	75,779 %	5031,6425 litre	O
500	CM 115	CM	162 LEVEL CM	15637,4075 litre	75,275 %	5136,3739 litre	O
500	CM 115	CM	161 LEVEL CM	15532,2284 litre	74,768 %	5241,5530 litre	O
500	CM 115	CM	160 LEVEL CM	15426,6128 litre	74,260 %	5347,1686 litre	O
500	CM 115	CM	159 LEVEL CM	15320,5720 litre	73,750 %	5453,2094 litre	O
500	CM 115	CM	158 LEVEL CM	15214,1171 litre	73,237 %	5559,6643 litre	O
500	CM 115	CM	157 LEVEL CM	15107,2590 litre	72,723 %	5666,5224 litre	O
500	CM 115	CM	156 LEVEL CM	15000,0086 litre	72,206 %	5773,7728 litre	O
500	CM 115	CM	155 LEVEL CM	14892,3765 litre	71,688 %	5881,4049 litre	O
500	CM 115	CM	154 LEVEL CM	14784,3735 litre	71,168 %	5989,4079 litre	O
500	CM 115	CM	153 LEVEL CM	14676,0099 litre	70,647 %	6097,7715 litre	O
500	CM 115	CM	152 LEVEL CM	14567,2963 litre	70,123 %	6206,4851 litre	O
500	CM 115	CM	151 LEVEL CM	14458,2428 litre	69,599 %	6315,5386 litre	O
500	CM 115	CM	150 LEVEL CM	14348,8598 litre	69,072 %	6424,9216 litre	O
500	CM 115	CM	149 LEVEL CM	14239,1572 litre	68,544 %	6534,6242 litre	O
500	CM 115	CM	148 LEVEL CM	14129,1451 litre	68,014 %	6644,6363 litre	O
500	CM 115	CM	147 LEVEL CM	14018,8334 litre	67,483 %	6754,9480 litre	O
500	CM 115	CM	146 LEVEL CM	13908,2321 litre	66,951 %	6865,5493 litre	O
500	CM 115	CM	145 LEVEL CM	13797,3508 litre	66,417 %	6976,4306 litre	O
500	CM 115	CM	144 LEVEL CM	13686,1993 litre	65,882 %	7087,5821 litre	O
500	CM 115	CM	143 LEVEL CM	13574,7871 litre	65,346 %	7198,9943 litre	O
500	CM 115	CM	142 LEVEL CM	13463,1240 litre	64,808 %	7310,6574 litre	O
500	CM 115	CM	141 LEVEL CM	13351,2193 litre	64,270 %	7422,5621 litre	O
500	CM 115	CM	140 LEVEL CM	13239,0825 litre	63,730 %	7534,6989 litre	O
500	CM 115	CM	139 LEVEL CM	13126,7230 litre	63,189 %	7647,0584 litre	O
500	CM 115	CM	138 LEVEL CM	13014,1500 litre	62,647 %	7759,6314 litre	O
500	CM 115	CM	137 LEVEL CM	12901,3730 litre	62,104 %	7872,4084 litre	O
500	CM 115	CM	136 LEVEL CM	12788,4010 litre	61,560 %	7985,3804 litre	O
500	CM 115	CM	135 LEVEL CM	12675,2433 litre	61,016 %	8098,5381 litre	O
500	CM 115	CM	134 LEVEL CM	12561,9090 litre	60,470 %	8211,8724 litre	O
500	CM 115	CM	133 LEVEL CM	12448,4072 litre	59,924 %	8325,3742 litre	O
500	CM 115	CM	132 LEVEL CM	12334,7469 litre	59,377 %	8439,0345 litre	O
500	CM 115	CM	131 LEVEL CM	12220,9371 litre	58,829 %	8552,8443 litre	O
500	CM 115	CM	130 LEVEL CM	12106,9868 litre	58,280 %	8666,7946 litre	O
500	CM 115	CM	129 LEVEL CM	11992,9050 litre	57,731 %	8780,8764 litre	O
500	CM 115	CM	128 LEVEL CM	11878,7005 litre	57,181 %	8895,0809 litre	O
500	CM 115	CM	127 LEVEL CM	11764,3823 litre	56,631 %	9009,3991 litre	O
500	CM 115	CM	126 LEVEL CM	11649,9591 litre	56,080 %	9123,8223 litre	O

500	CM	115	CM	125 LEVEL CM	11535,4398 litre	55,529 %	9238,3416 litre	O
500	CM	115	CM	124 LEVEL CM	11420,8332 litre	54,977 %	9352,9482 litre	O
500	CM	115	CM	123 LEVEL CM	11306,1481 litre	54,425 %	9467,6333 litre	O
500	CM	115	CM	122 LEVEL CM	11191,3933 litre	53,873 %	9582,3881 litre	O
500	CM	115	CM	121 LEVEL CM	11076,5775 litre	53,320 %	9697,2039 litre	O
500	CM	115	CM	120 LEVEL CM	10961,7095 litre	52,767 %	9812,0719 litre	O
500	CM	115	CM	119 LEVEL CM	10846,7979 litre	52,214 %	9926,9835 litre	O
500	CM	115	CM	118 LEVEL CM	10731,8516 litre	51,661 %	10041,9298 litre	O
500	CM	115	CM	117 LEVEL CM	10616,8791 litre	51,107 %	10156,9023 litre	O
500	CM	115	CM	116 LEVEL CM	10501,8893 litre	50,554 %	10271,8921 litre	O
500	CM	115	CM	115 LEVEL CM	10386,8907 litre	50,000 %	10386,8907 litre	O
500	CM	115	CM	114 LEVEL CM	10271,8922 litre	49,446 %	10501,8892 litre	O
500	CM	115	CM	113 LEVEL CM	10156,9023 litre	48,893 %	10616,8791 litre	O
500	CM	115	CM	112 LEVEL CM	10041,9298 litre	48,339 %	10731,8516 litre	O
500	CM	115	CM	111 LEVEL CM	9926,9835 litre	47,786 %	10846,7979 litre	O
500	CM	115	CM	110 LEVEL CM	9812,0719 litre	47,233 %	10961,7095 litre	O
500	CM	115	CM	109 LEVEL CM	9697,2039 litre	46,680 %	11076,5775 litre	O
500	CM	115	CM	108 LEVEL CM	9582,3881 litre	46,127 %	11191,3933 litre	O
500	CM	115	CM	107 LEVEL CM	9467,6333 litre	45,575 %	11306,1481 litre	O
500	CM	115	CM	106 LEVEL CM	9352,9482 litre	45,023 %	11420,8332 litre	O
500	CM	115	CM	105 LEVEL CM	9238,3416 litre	44,471 %	11535,4398 litre	O
500	CM	115	CM	104 LEVEL CM	9123,8224 litre	43,920 %	11649,9590 litre	O
500	CM	115	CM	103 LEVEL CM	9009,3992 litre	43,369 %	11764,3822 litre	O
500	CM	115	CM	102 LEVEL CM	8895,0809 litre	42,819 %	11878,7005 litre	O
500	CM	115	CM	101 LEVEL CM	8780,8764 litre	42,269 %	11992,9050 litre	O
500	CM	115	CM	100 LEVEL CM	8666,7946 litre	41,720 %	12106,9868 litre	O
500	CM	115	CM	99 LEVEL CM	8552,8443 litre	41,171 %	12220,9371 litre	O
500	CM	115	CM	98 LEVEL CM	8439,0345 litre	40,623 %	12334,7469 litre	O
500	CM	115	CM	97 LEVEL CM	8325,3742 litre	40,076 %	12448,4072 litre	O
500	CM	115	CM	96 LEVEL CM	8211,8724 litre	39,530 %	12561,9090 litre	O
500	CM	115	CM	95 LEVEL CM	8098,5381 litre	38,984 %	12675,2433 litre	O
500	CM	115	CM	94 LEVEL CM	7985,3804 litre	38,440 %	12788,4010 litre	O
500	CM	115	CM	93 LEVEL CM	7872,4084 litre	37,896 %	12901,3730 litre	O
500	CM	115	CM	92 LEVEL CM	7759,6314 litre	37,353 %	13014,1500 litre	O
500	CM	115	CM	91 LEVEL CM	7647,0585 litre	36,811 %	13126,7229 litre	O
500	CM	115	CM	90 LEVEL CM	7534,6989 litre	36,270 %	13239,0825 litre	O
500	CM	115	CM	89 LEVEL CM	7422,5621 litre	35,730 %	13351,2193 litre	O
500	CM	115	CM	88 LEVEL CM	7310,6574 litre	35,192 %	13463,1240 litre	O
500	CM	115	CM	87 LEVEL CM	7198,9943 litre	34,654 %	13574,7871 litre	O
500	CM	115	CM	86 LEVEL CM	7087,5822 litre	34,118 %	13686,1992 litre	O
500	CM	115	CM	85 LEVEL CM	6976,4306 litre	33,583 %	13797,3508 litre	O
500	CM	115	CM	84 LEVEL CM	6865,5493 litre	33,049 %	13908,2321 litre	O
500	CM	115	CM	83 LEVEL CM	6754,9480 litre	32,517 %	14018,8334 litre	O
500	CM	115	CM	82 LEVEL CM	6644,6363 litre	31,986 %	14129,1451 litre	O
500	CM	115	CM	81 LEVEL CM	6534,6243 litre	31,456 %	14239,1571 litre	O
500	CM	115	CM	80 LEVEL CM	6424,9217 litre	30,928 %	14348,8597 litre	O
500	CM	115	CM	79 LEVEL CM	6315,5386 litre	30,401 %	14458,2428 litre	O
500	CM	115	CM	78 LEVEL CM	6206,4851 litre	29,877 %	14567,2963 litre	O
500	CM	115	CM	77 LEVEL CM	6097,7715 litre	29,353 %	14676,0099 litre	O
500	CM	115	CM	76 LEVEL CM	5989,4079 litre	28,832 %	14784,3735 litre	O
500	CM	115	CM	75 LEVEL CM	5881,4049 litre	28,312 %	14892,3765 litre	O
500	CM	115	CM	74 LEVEL CM	5773,7729 litre	27,794 %	15000,0085 litre	O
500	CM	115	CM	73 LEVEL CM	5666,5224 litre	27,277 %	15107,2590 litre	O

500	CM	115	CM	72 LEVEL CM	5559,6643 litre	26,763 %	15214,1171 litre	O
500	CM	115	CM	71 LEVEL CM	5453,2094 litre	26,250 %	15320,5720 litre	O
500	CM	115	CM	70 LEVEL CM	5347,1686 litre	25,740 %	15426,6128 litre	O
500	CM	115	CM	69 LEVEL CM	5241,5530 litre	25,232 %	15532,2284 litre	O
500	CM	115	CM	68 LEVEL CM	5136,3739 litre	24,725 %	15637,4075 litre	O
500	CM	115	CM	67 LEVEL CM	5031,6426 litre	24,221 %	15742,1388 litre	O
500	CM	115	CM	66 LEVEL CM	4927,3706 litre	23,719 %	15846,4108 litre	O
500	CM	115	CM	65 LEVEL CM	4823,5696 litre	23,220 %	15950,2118 litre	O
500	CM	115	CM	64 LEVEL CM	4720,2514 litre	22,722 %	16053,5300 litre	O
500	CM	115	CM	63 LEVEL CM	4617,4280 litre	22,227 %	16156,3534 litre	O
500	CM	115	CM	62 LEVEL CM	4515,1116 litre	21,735 %	16258,6698 litre	O
500	CM	115	CM	61 LEVEL CM	4413,3146 litre	21,245 %	16360,4668 litre	O
500	CM	115	CM	60 LEVEL CM	4312,0493 litre	20,757 %	16461,7321 litre	O
500	CM	115	CM	59 LEVEL CM	4211,3287 litre	20,272 %	16562,4527 litre	O
500	CM	115	CM	58 LEVEL CM	4111,1657 litre	19,790 %	16662,6157 litre	O
500	CM	115	CM	57 LEVEL CM	4011,5733 litre	19,311 %	16762,2081 litre	O
500	CM	115	CM	56 LEVEL CM	3912,5650 litre	18,834 %	16861,2164 litre	O
500	CM	115	CM	55 LEVEL CM	3814,1545 litre	18,360 %	16959,6269 litre	O
500	CM	115	CM	54 LEVEL CM	3716,3555 litre	17,890 %	17057,4259 litre	O
500	CM	115	CM	53 LEVEL CM	3619,1823 litre	17,422 %	17154,5991 litre	O
500	CM	115	CM	52 LEVEL CM	3522,6493 litre	16,957 %	17251,1321 litre	O
500	CM	115	CM	51 LEVEL CM	3426,7711 litre	16,496 %	17347,0103 litre	O
500	CM	115	CM	50 LEVEL CM	3331,5627 litre	16,037 %	17442,2187 litre	O
500	CM	115	CM	49 LEVEL CM	3237,0396 litre	15,582 %	17536,7418 litre	O
500	CM	115	CM	48 LEVEL CM	3143,2173 litre	15,131 %	17630,5641 litre	O
500	CM	115	CM	47 LEVEL CM	3050,1118 litre	14,683 %	17723,6696 litre	O
500	CM	115	CM	46 LEVEL CM	2957,7396 litre	14,238 %	17816,0418 litre	O
500	CM	115	CM	45 LEVEL CM	2866,1175 litre	13,797 %	17907,6639 litre	O
500	CM	115	CM	44 LEVEL CM	2775,2626 litre	13,359 %	17998,5188 litre	O
500	CM	115	CM	43 LEVEL CM	2685,1925 litre	12,926 %	18088,5889 litre	O
500	CM	115	CM	42 LEVEL CM	2595,9254 litre	12,496 %	18177,8560 litre	O
500	CM	115	CM	41 LEVEL CM	2507,4799 litre	12,070 %	18266,3015 litre	O
500	CM	115	CM	40 LEVEL CM	2419,8751 litre	11,649 %	18353,9063 litre	O
500	CM	115	CM	39 LEVEL CM	2333,1306 litre	11,231 %	18440,6508 litre	O
500	CM	115	CM	38 LEVEL CM	2247,2668 litre	10,818 %	18526,5146 litre	O
500	CM	115	CM	37 LEVEL CM	2162,3044 litre	10,409 %	18611,4770 litre	O
500	CM	115	CM	36 LEVEL CM	2078,2652 litre	10,004 %	18695,5162 litre	O
500	CM	115	CM	35 LEVEL CM	1995,1713 litre	9,604 %	18778,6101 litre	O
500	CM	115	CM	34 LEVEL CM	1913,0459 litre	9,209 %	18860,7355 litre	O
500	CM	115	CM	33 LEVEL CM	1831,9128 litre	8,818 %	18941,8686 litre	O
500	CM	115	CM	32 LEVEL CM	1751,7967 litre	8,433 %	19021,9847 litre	O
500	CM	115	CM	31 LEVEL CM	1672,7235 litre	8,052 %	19101,0579 litre	O
500	CM	115	CM	30 LEVEL CM	1594,7199 litre	7,677 %	19179,0615 litre	O
500	CM	115	CM	29 LEVEL CM	1517,8137 litre	7,306 %	19255,9677 litre	O
500	CM	115	CM	28 LEVEL CM	1442,0340 litre	6,942 %	19331,7474 litre	O
500	CM	115	CM	27 LEVEL CM	1367,4113 litre	6,582 %	19406,3701 litre	O
500	CM	115	CM	26 LEVEL CM	1293,9773 litre	6,229 %	19479,8041 litre	O
500	CM	115	CM	25 LEVEL CM	1221,7656 litre	5,881 %	19552,0158 litre	O
500	CM	115	CM	24 LEVEL CM	1150,8111 litre	5,540 %	19622,9703 litre	O
500	CM	115	CM	23 LEVEL CM	1081,1511 litre	5,204 %	19692,6303 litre	O
500	CM	115	CM	22 LEVEL CM	1012,8246 litre	4,875 %	19760,9568 litre	O
500	CM	115	CM	21 LEVEL CM	945,8731 litre	4,553 %	19827,9083 litre	O
500	CM	115	CM	20 LEVEL CM	880,3407 litre	4,238 %	19893,4407 litre	O

500	CM	115	CM	19 LEVEL CM	816,2744 litre	3,929 %	19957,5070 litre	O
500	CM	115	CM	18 LEVEL CM	753,7247 litre	3,628 %	20020,0567 litre	O
500	CM	115	CM	17 LEVEL CM	692,7456 litre	3,335 %	20081,0358 litre	O
500	CM	115	CM	16 LEVEL CM	633,3955 litre	3,049 %	20140,3859 litre	O
500	CM	115	CM	15 LEVEL CM	575,7377 litre	2,771 %	20198,0437 litre	O
500	CM	115	CM	14 LEVEL CM	519,8414 litre	2,502 %	20253,9400 litre	O
500	CM	115	CM	13 LEVEL CM	465,7824 litre	2,242 %	20307,9990 litre	O
500	CM	115	CM	12 LEVEL CM	413,6447 litre	1,991 %	20360,1367 litre	O
500	CM	115	CM	11 LEVEL CM	363,5217 litre	1,750 %	20410,2597 litre	O
500	CM	115	CM	10 LEVEL CM	315,5189 litre	1,519 %	20458,2625 litre	O
500	CM	115	CM	9 LEVEL CM	269,7562 litre	1,299 %	20504,0252 litre	O
500	CM	115	CM	8 LEVEL CM	226,3723 litre	1,090 %	20547,4091 litre	O
500	CM	115	CM	7 LEVEL CM	185,5300 litre	0,893 %	20588,2514 litre	O
500	CM	115	CM	6 LEVEL CM	147,4250 litre	0,710 %	20626,3564 litre	O
500	CM	115	CM	5 LEVEL CM	112,2987 litre	0,541 %	20661,4827 litre	O
500	CM	115	CM	4 LEVEL CM	80,4607 litre	0,387 %	20693,3207 litre	O
500	CM	115	CM	3 LEVEL CM	52,3296 litre	0,252 %	20721,4518 litre	O
500	CM	115	CM	2 LEVEL CM	28,5221 litre	0,137 %	20745,2593 litre	O
500	CM	115	CM	1 LEVEL CM	10,0973 litre	0,049 %	20763,6841 litre	O
500	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	20773,7814 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM	110	CM 220 LEVEL CM	19006,6356 litre	100,000 %	0,0000 litre	O
500	CM	110	CM 219 LEVEL CM	18996,7608 litre	99,948 %	9,8748 litre	O
500	CM	110	CM 218 LEVEL CM	18978,7437 litre	99,853 %	27,8919 litre	O
500	CM	110	CM 217 LEVEL CM	18955,4653 litre	99,731 %	51,1703 litre	O
500	CM	110	CM 216 LEVEL CM	18927,9623 litre	99,586 %	78,6733 litre	O
500	CM	110	CM 215 LEVEL CM	18896,8383 litre	99,422 %	109,7973 litre	O
500	CM	110	CM 214 LEVEL CM	18862,5032 litre	99,242 %	144,1324 litre	O
500	CM	110	CM 213 LEVEL CM	18825,2605 litre	99,046 %	181,3751 litre	O
500	CM	110	CM 212 LEVEL CM	18785,3466 litre	98,836 %	221,2890 litre	O
500	CM	110	CM 211 LEVEL CM	18742,9533 litre	98,613 %	263,6823 litre	O
500	CM	110	CM 210 LEVEL CM	18698,2404 litre	98,377 %	308,3952 litre	O
500	CM	110	CM 209 LEVEL CM	18651,3438 litre	98,131 %	355,2918 litre	O
500	CM	110	CM 208 LEVEL CM	18602,3813 litre	97,873 %	404,2543 litre	O
500	CM	110	CM 207 LEVEL CM	18551,4562 litre	97,605 %	455,1794 litre	O
500	CM	110	CM 206 LEVEL CM	18498,6605 litre	97,327 %	507,9751 litre	O
500	CM	110	CM 205 LEVEL CM	18444,0765 litre	97,040 %	562,5591 litre	O
500	CM	110	CM 204 LEVEL CM	18387,7788 litre	96,744 %	618,8568 litre	O
500	CM	110	CM 203 LEVEL CM	18329,8353 litre	96,439 %	676,8003 litre	O
500	CM	110	CM 202 LEVEL CM	18270,3083 litre	96,126 %	736,3273 litre	O
500	CM	110	CM 201 LEVEL CM	18209,2552 litre	95,805 %	797,3804 litre	O
500	CM	110	CM 200 LEVEL CM	18146,7293 litre	95,476 %	859,9063 litre	O
500	CM	110	CM 199 LEVEL CM	18082,7801 litre	95,139 %	923,8555 litre	O
500	CM	110	CM 198 LEVEL CM	18017,4538 litre	94,796 %	989,1818 litre	O
500	CM	110	CM 197 LEVEL CM	17950,7941 litre	94,445 %	1055,8415 litre	O
500	CM	110	CM 196 LEVEL CM	17882,8417 litre	94,087 %	1123,7939 litre	O
500	CM	110	CM 195 LEVEL CM	17813,6352 litre	93,723 %	1193,0004 litre	O
500	CM	110	CM 194 LEVEL CM	17743,2111 litre	93,353 %	1263,4245 litre	O
500	CM	110	CM 193 LEVEL CM	17671,6042 litre	92,976 %	1335,0314 litre	O
500	CM	110	CM 192 LEVEL CM	17598,8473 litre	92,593 %	1407,7883 litre	O
500	CM	110	CM 191 LEVEL CM	17524,9720 litre	92,204 %	1481,6636 litre	O
500	CM	110	CM 190 LEVEL CM	17450,0082 litre	91,810 %	1556,6274 litre	O
500	CM	110	CM 189 LEVEL CM	17373,9847 litre	91,410 %	1632,6509 litre	O
500	CM	110	CM 188 LEVEL CM	17296,9290 litre	91,005 %	1709,7066 litre	O
500	CM	110	CM 187 LEVEL CM	17218,8676 litre	90,594 %	1787,7680 litre	O
500	CM	110	CM 186 LEVEL CM	17139,8259 litre	90,178 %	1866,8097 litre	O
500	CM	110	CM 185 LEVEL CM	17059,8284 litre	89,757 %	1946,8072 litre	O
500	CM	110	CM 184 LEVEL CM	16978,8989 litre	89,331 %	2027,7367 litre	O
500	CM	110	CM 183 LEVEL CM	16897,0600 litre	88,901 %	2109,5756 litre	O
500	CM	110	CM 182 LEVEL CM	16814,3339 litre	88,466 %	2192,3017 litre	O
500	CM	110	CM 181 LEVEL CM	16730,7420 litre	88,026 %	2275,8936 litre	O
500	CM	110	CM 180 LEVEL CM	16646,3050 litre	87,582 %	2360,3306 litre	O
500	CM	110	CM 179 LEVEL CM	16561,0430 litre	87,133 %	2445,5926 litre	O
500	CM	110	CM 178 LEVEL CM	16474,9755 litre	86,680 %	2531,6601 litre	O
500	CM	110	CM 177 LEVEL CM	16388,1215 litre	86,223 %	2618,5141 litre	O
500	CM	110	CM 176 LEVEL CM	16300,4995 litre	85,762 %	2706,1361 litre	O
500	CM	110	CM 175 LEVEL CM	16212,1274 litre	85,297 %	2794,5082 litre	O
500	CM	110	CM 174 LEVEL CM	16123,0229 litre	84,828 %	2883,6127 litre	O
500	CM	110	CM 173 LEVEL CM	16033,2029 litre	84,356 %	2973,4327 litre	O
500	CM	110	CM 172 LEVEL CM	15942,6842 litre	83,880 %	3063,9514 litre	O
500	CM	110	CM 171 LEVEL CM	15851,4832 litre	83,400 %	3155,1524 litre	O
500	CM	110	CM 170 LEVEL CM	15759,6158 litre	82,916 %	3247,0198 litre	O
500	CM	110	CM 169 LEVEL CM	15667,0975 litre	82,430 %	3339,5381 litre	O

500	CM 110	CM	168 LEVEL CM	15573,9437 litre	81,940 %	3432,6919 litre	O
500	CM 110	CM	167 LEVEL CM	15480,1693 litre	81,446 %	3526,4663 litre	O
500	CM 110	CM	166 LEVEL CM	15385,7890 litre	80,950 %	3620,8466 litre	O
500	CM 110	CM	165 LEVEL CM	15290,8172 litre	80,450 %	3715,8184 litre	O
500	CM 110	CM	164 LEVEL CM	15195,2681 litre	79,947 %	3811,3675 litre	O
500	CM 110	CM	163 LEVEL CM	15099,1554 litre	79,441 %	3907,4802 litre	O
500	CM 110	CM	162 LEVEL CM	15002,4929 litre	78,933 %	4004,1427 litre	O
500	CM 110	CM	161 LEVEL CM	14905,2939 litre	78,422 %	4101,3417 litre	O
500	CM 110	CM	160 LEVEL CM	14807,5716 litre	77,907 %	4199,0640 litre	O
500	CM 110	CM	159 LEVEL CM	14709,3390 litre	77,391 %	4297,2966 litre	O
500	CM 110	CM	158 LEVEL CM	14610,6089 litre	76,871 %	4396,0267 litre	O
500	CM 110	CM	157 LEVEL CM	14511,3937 litre	76,349 %	4495,2419 litre	O
500	CM 110	CM	156 LEVEL CM	14411,7059 litre	75,825 %	4594,9297 litre	O
500	CM 110	CM	155 LEVEL CM	14311,5578 litre	75,298 %	4695,0778 litre	O
500	CM 110	CM	154 LEVEL CM	14210,9613 litre	74,768 %	4795,6743 litre	O
500	CM 110	CM	153 LEVEL CM	14109,9284 litre	74,237 %	4896,7072 litre	O
500	CM 110	CM	152 LEVEL CM	14008,4708 litre	73,703 %	4998,1648 litre	O
500	CM 110	CM	151 LEVEL CM	13906,6000 litre	73,167 %	5100,0356 litre	O
500	CM 110	CM	150 LEVEL CM	13804,3276 litre	72,629 %	5202,3080 litre	O
500	CM 110	CM	149 LEVEL CM	13701,6647 litre	72,089 %	5304,9709 litre	O
500	CM 110	CM	148 LEVEL CM	13598,6227 litre	71,547 %	5408,0129 litre	O
500	CM 110	CM	147 LEVEL CM	13495,2126 litre	71,003 %	5511,4230 litre	O
500	CM 110	CM	146 LEVEL CM	13391,4453 litre	70,457 %	5615,1903 litre	O
500	CM 110	CM	145 LEVEL CM	13287,3316 litre	69,909 %	5719,3040 litre	O
500	CM 110	CM	144 LEVEL CM	13182,8823 litre	69,359 %	5823,7533 litre	O
500	CM 110	CM	143 LEVEL CM	13078,1080 litre	68,808 %	5928,5276 litre	O
500	CM 110	CM	142 LEVEL CM	12973,0192 litre	68,255 %	6033,6164 litre	O
500	CM 110	CM	141 LEVEL CM	12867,6263 litre	67,701 %	6139,0093 litre	O
500	CM 110	CM	140 LEVEL CM	12761,9397 litre	67,145 %	6244,6959 litre	O
500	CM 110	CM	139 LEVEL CM	12655,9696 litre	66,587 %	6350,6660 litre	O
500	CM 110	CM	138 LEVEL CM	12549,7262 litre	66,028 %	6456,9094 litre	O
500	CM 110	CM	137 LEVEL CM	12443,2196 litre	65,468 %	6563,4160 litre	O
500	CM 110	CM	136 LEVEL CM	12336,4597 litre	64,906 %	6670,1759 litre	O
500	CM 110	CM	135 LEVEL CM	12229,4566 litre	64,343 %	6777,1790 litre	O
500	CM 110	CM	134 LEVEL CM	12122,2202 litre	63,779 %	6884,4154 litre	O
500	CM 110	CM	133 LEVEL CM	12014,7601 litre	63,214 %	6991,8755 litre	O
500	CM 110	CM	132 LEVEL CM	11907,0862 litre	62,647 %	7099,5494 litre	O
500	CM 110	CM	131 LEVEL CM	11799,2082 litre	62,079 %	7207,4274 litre	O
500	CM 110	CM	130 LEVEL CM	11691,1357 litre	61,511 %	7315,4999 litre	O
500	CM 110	CM	129 LEVEL CM	11582,8783 litre	60,941 %	7423,7573 litre	O
500	CM 110	CM	128 LEVEL CM	11474,4456 litre	60,371 %	7532,1900 litre	O
500	CM 110	CM	127 LEVEL CM	11365,8469 litre	59,799 %	7640,7887 litre	O
500	CM 110	CM	126 LEVEL CM	11257,0919 litre	59,227 %	7749,5437 litre	O
500	CM 110	CM	125 LEVEL CM	11148,1898 litre	58,654 %	7858,4458 litre	O
500	CM 110	CM	124 LEVEL CM	11039,1500 litre	58,081 %	7967,4856 litre	O
500	CM 110	CM	123 LEVEL CM	10929,9820 litre	57,506 %	8076,6536 litre	O
500	CM 110	CM	122 LEVEL CM	10820,6949 litre	56,931 %	8185,9407 litre	O
500	CM 110	CM	121 LEVEL CM	10711,2981 litre	56,356 %	8295,3375 litre	O
500	CM 110	CM	120 LEVEL CM	10601,8007 litre	55,779 %	8404,8349 litre	O
500	CM 110	CM	119 LEVEL CM	10492,2121 litre	55,203 %	8514,4235 litre	O
500	CM 110	CM	118 LEVEL CM	10382,5414 litre	54,626 %	8624,0942 litre	O
500	CM 110	CM	117 LEVEL CM	10272,7978 litre	54,048 %	8733,8378 litre	O
500	CM 110	CM	116 LEVEL CM	10162,9904 litre	53,471 %	8843,6452 litre	O

500	CM 110	CM	115 LEVEL CM	10053,1283 litre	52,893 %	8953,5073 litre	O
500	CM 110	CM	114 LEVEL CM	9943,2208 litre	52,314 %	9063,4148 litre	O
500	CM 110	CM	113 LEVEL CM	9833,2769 litre	51,736 %	9173,3587 litre	O
500	CM 110	CM	112 LEVEL CM	9723,3057 litre	51,157 %	9283,3299 litre	O
500	CM 110	CM	111 LEVEL CM	9613,3163 litre	50,579 %	9393,3193 litre	O
500	CM 110	CM	110 LEVEL CM	9503,3178 litre	50,000 %	9503,3178 litre	O
500	CM 110	CM	109 LEVEL CM	9393,3193 litre	49,421 %	9613,3163 litre	O
500	CM 110	CM	108 LEVEL CM	9283,3299 litre	48,843 %	9723,3057 litre	O
500	CM 110	CM	107 LEVEL CM	9173,3587 litre	48,264 %	9833,2769 litre	O
500	CM 110	CM	106 LEVEL CM	9063,4148 litre	47,686 %	9943,2208 litre	O
500	CM 110	CM	105 LEVEL CM	8953,5072 litre	47,107 %	10053,1284 litre	O
500	CM 110	CM	104 LEVEL CM	8843,6452 litre	46,529 %	10162,9904 litre	O
500	CM 110	CM	103 LEVEL CM	8733,8378 litre	45,952 %	10272,7978 litre	O
500	CM 110	CM	102 LEVEL CM	8624,0942 litre	45,374 %	10382,5414 litre	O
500	CM 110	CM	101 LEVEL CM	8514,4234 litre	44,797 %	10492,2122 litre	O
500	CM 110	CM	100 LEVEL CM	8404,8348 litre	44,221 %	10601,8008 litre	O
500	CM 110	CM	99 LEVEL CM	8295,3375 litre	43,644 %	10711,2981 litre	O
500	CM 110	CM	98 LEVEL CM	8185,9407 litre	43,069 %	10820,6949 litre	O
500	CM 110	CM	97 LEVEL CM	8076,6536 litre	42,494 %	10929,9820 litre	O
500	CM 110	CM	96 LEVEL CM	7967,4855 litre	41,919 %	11039,1501 litre	O
500	CM 110	CM	95 LEVEL CM	7858,4458 litre	41,346 %	11148,1898 litre	O
500	CM 110	CM	94 LEVEL CM	7749,5437 litre	40,773 %	11257,0919 litre	O
500	CM 110	CM	93 LEVEL CM	7640,7886 litre	40,201 %	11365,8470 litre	O
500	CM 110	CM	92 LEVEL CM	7532,1900 litre	39,629 %	11474,4456 litre	O
500	CM 110	CM	91 LEVEL CM	7423,7572 litre	39,059 %	11582,8784 litre	O
500	CM 110	CM	90 LEVEL CM	7315,4998 litre	38,489 %	11691,1358 litre	O
500	CM 110	CM	89 LEVEL CM	7207,4273 litre	37,921 %	11799,2083 litre	O
500	CM 110	CM	88 LEVEL CM	7099,5493 litre	37,353 %	11907,0863 litre	O
500	CM 110	CM	87 LEVEL CM	6991,8754 litre	36,786 %	12014,7602 litre	O
500	CM 110	CM	86 LEVEL CM	6884,4154 litre	36,221 %	12122,2202 litre	O
500	CM 110	CM	85 LEVEL CM	6777,1789 litre	35,657 %	12229,4567 litre	O
500	CM 110	CM	84 LEVEL CM	6670,1758 litre	35,094 %	12336,4598 litre	O
500	CM 110	CM	83 LEVEL CM	6563,4160 litre	34,532 %	12443,2196 litre	O
500	CM 110	CM	82 LEVEL CM	6456,9094 litre	33,972 %	12549,7262 litre	O
500	CM 110	CM	81 LEVEL CM	6350,6660 litre	33,413 %	12655,9696 litre	O
500	CM 110	CM	80 LEVEL CM	6244,6959 litre	32,855 %	12761,9397 litre	O
500	CM 110	CM	79 LEVEL CM	6139,0093 litre	32,299 %	12867,6263 litre	O
500	CM 110	CM	78 LEVEL CM	6033,6164 litre	31,745 %	12973,0192 litre	O
500	CM 110	CM	77 LEVEL CM	5928,5276 litre	31,192 %	13078,1080 litre	O
500	CM 110	CM	76 LEVEL CM	5823,7532 litre	30,641 %	13182,8824 litre	O
500	CM 110	CM	75 LEVEL CM	5719,3039 litre	30,091 %	13287,3317 litre	O
500	CM 110	CM	74 LEVEL CM	5615,1903 litre	29,543 %	13391,4453 litre	O
500	CM 110	CM	73 LEVEL CM	5511,4230 litre	28,997 %	13495,2126 litre	O
500	CM 110	CM	72 LEVEL CM	5408,0128 litre	28,453 %	13598,6228 litre	O
500	CM 110	CM	71 LEVEL CM	5304,9708 litre	27,911 %	13701,6648 litre	O
500	CM 110	CM	70 LEVEL CM	5202,3080 litre	27,371 %	13804,3276 litre	O
500	CM 110	CM	69 LEVEL CM	5100,0355 litre	26,833 %	13906,6001 litre	O
500	CM 110	CM	68 LEVEL CM	4998,1648 litre	26,297 %	14008,4708 litre	O
500	CM 110	CM	67 LEVEL CM	4896,7071 litre	25,763 %	14109,9285 litre	O
500	CM 110	CM	66 LEVEL CM	4795,6742 litre	25,232 %	14210,9614 litre	O
500	CM 110	CM	65 LEVEL CM	4695,0777 litre	24,702 %	14311,5579 litre	O
500	CM 110	CM	64 LEVEL CM	4594,9296 litre	24,175 %	14411,7060 litre	O
500	CM 110	CM	63 LEVEL CM	4495,2419 litre	23,651 %	14511,3937 litre	O

500	CM 110	CM	62 LEVEL CM	4396,0267 litre	23,129 %	14610,6089 litre	O
500	CM 110	CM	61 LEVEL CM	4297,2965 litre	22,609 %	14709,3391 litre	O
500	CM 110	CM	60 LEVEL CM	4199,0639 litre	22,093 %	14807,5717 litre	O
500	CM 110	CM	59 LEVEL CM	4101,3416 litre	21,578 %	14905,2940 litre	O
500	CM 110	CM	58 LEVEL CM	4004,1426 litre	21,067 %	15002,4930 litre	O
500	CM 110	CM	57 LEVEL CM	3907,4801 litre	20,559 %	15099,1555 litre	O
500	CM 110	CM	56 LEVEL CM	3811,3675 litre	20,053 %	15195,2681 litre	O
500	CM 110	CM	55 LEVEL CM	3715,8183 litre	19,550 %	15290,8173 litre	O
500	CM 110	CM	54 LEVEL CM	3620,8466 litre	19,050 %	15385,7890 litre	O
500	CM 110	CM	53 LEVEL CM	3526,4663 litre	18,554 %	15480,1693 litre	O
500	CM 110	CM	52 LEVEL CM	3432,6919 litre	18,060 %	15573,9437 litre	O
500	CM 110	CM	51 LEVEL CM	3339,5381 litre	17,570 %	15667,0975 litre	O
500	CM 110	CM	50 LEVEL CM	3247,0198 litre	17,084 %	15759,6158 litre	O
500	CM 110	CM	49 LEVEL CM	3155,1523 litre	16,600 %	15851,4833 litre	O
500	CM 110	CM	48 LEVEL CM	3063,9513 litre	16,120 %	15942,6843 litre	O
500	CM 110	CM	47 LEVEL CM	2973,4326 litre	15,644 %	16033,2030 litre	O
500	CM 110	CM	46 LEVEL CM	2883,6127 litre	15,172 %	16123,0229 litre	O
500	CM 110	CM	45 LEVEL CM	2794,5081 litre	14,703 %	16212,1275 litre	O
500	CM 110	CM	44 LEVEL CM	2706,1361 litre	14,238 %	16300,4995 litre	O
500	CM 110	CM	43 LEVEL CM	2618,5140 litre	13,777 %	16388,1216 litre	O
500	CM 110	CM	42 LEVEL CM	2531,6601 litre	13,320 %	16474,9755 litre	O
500	CM 110	CM	41 LEVEL CM	2445,5926 litre	12,867 %	16561,0430 litre	O
500	CM 110	CM	40 LEVEL CM	2360,3305 litre	12,418 %	16646,3051 litre	O
500	CM 110	CM	39 LEVEL CM	2275,8935 litre	11,974 %	16730,7421 litre	O
500	CM 110	CM	38 LEVEL CM	2192,3016 litre	11,534 %	16814,3340 litre	O
500	CM 110	CM	37 LEVEL CM	2109,5756 litre	11,099 %	16897,0600 litre	O
500	CM 110	CM	36 LEVEL CM	2027,7367 litre	10,669 %	16978,8989 litre	O
500	CM 110	CM	35 LEVEL CM	1946,8071 litre	10,243 %	17059,8285 litre	O
500	CM 110	CM	34 LEVEL CM	1866,8097 litre	9,822 %	17139,8259 litre	O
500	CM 110	CM	33 LEVEL CM	1787,7680 litre	9,406 %	17218,8676 litre	O
500	CM 110	CM	32 LEVEL CM	1709,7066 litre	8,995 %	17296,9290 litre	O
500	CM 110	CM	31 LEVEL CM	1632,6509 litre	8,590 %	17373,9847 litre	O
500	CM 110	CM	30 LEVEL CM	1556,6274 litre	8,190 %	17450,0082 litre	O
500	CM 110	CM	29 LEVEL CM	1481,6636 litre	7,796 %	17524,9720 litre	O
500	CM 110	CM	28 LEVEL CM	1407,7882 litre	7,407 %	17598,8474 litre	O
500	CM 110	CM	27 LEVEL CM	1335,0314 litre	7,024 %	17671,6042 litre	O
500	CM 110	CM	26 LEVEL CM	1263,4244 litre	6,647 %	17743,2112 litre	O
500	CM 110	CM	25 LEVEL CM	1193,0004 litre	6,277 %	17813,6352 litre	O
500	CM 110	CM	24 LEVEL CM	1123,7939 litre	5,913 %	17882,8417 litre	O
500	CM 110	CM	23 LEVEL CM	1055,8415 litre	5,555 %	17950,7941 litre	O
500	CM 110	CM	22 LEVEL CM	989,1817 litre	5,204 %	18017,4539 litre	O
500	CM 110	CM	21 LEVEL CM	923,8555 litre	4,861 %	18082,7801 litre	O
500	CM 110	CM	20 LEVEL CM	859,9063 litre	4,524 %	18146,7293 litre	O
500	CM 110	CM	19 LEVEL CM	797,3803 litre	4,195 %	18209,2553 litre	O
500	CM 110	CM	18 LEVEL CM	736,3273 litre	3,874 %	18270,3083 litre	O
500	CM 110	CM	17 LEVEL CM	676,8002 litre	3,561 %	18329,8354 litre	O
500	CM 110	CM	16 LEVEL CM	618,8567 litre	3,256 %	18387,7789 litre	O
500	CM 110	CM	15 LEVEL CM	562,5590 litre	2,960 %	18444,0766 litre	O
500	CM 110	CM	14 LEVEL CM	507,9750 litre	2,673 %	18498,6606 litre	O
500	CM 110	CM	13 LEVEL CM	455,1793 litre	2,395 %	18551,4563 litre	O
500	CM 110	CM	12 LEVEL CM	404,2543 litre	2,127 %	18602,3813 litre	O
500	CM 110	CM	11 LEVEL CM	355,2917 litre	1,869 %	18651,3439 litre	O
500	CM 110	CM	10 LEVEL CM	308,3951 litre	1,623 %	18698,2405 litre	O

500	CM	110	CM	9 LEVEL CM	263,6822 litre	1,387 %	18742,9534 litre	O
500	CM	110	CM	8 LEVEL CM	221,2889 litre	1,164 %	18785,3467 litre	O
500	CM	110	CM	7 LEVEL CM	181,3751 litre	0,954 %	18825,2605 litre	O
500	CM	110	CM	6 LEVEL CM	144,1323 litre	0,758 %	18862,5033 litre	O
500	CM	110	CM	5 LEVEL CM	109,7973 litre	0,578 %	18896,8383 litre	O
500	CM	110	CM	4 LEVEL CM	78,6732 litre	0,414 %	18927,9624 litre	O
500	CM	110	CM	3 LEVEL CM	51,1702 litre	0,269 %	18955,4654 litre	O
500	CM	110	CM	2 LEVEL CM	27,8918 litre	0,147 %	18978,7438 litre	O
500	CM	110	CM	1 LEVEL CM	9,8748 litre	0,052 %	18996,7608 litre	O
500	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	19006,6356 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM 105	CM 210 LEVEL CM	17318,0295 litre	100,000 %	0,0000 litre	O
500	CM 105	CM 209 LEVEL CM	17308,3824 litre	99,944 %	9,6471 litre	O
500	CM 105	CM 208 LEVEL CM	17290,7825 litre	99,843 %	27,2470 litre	O
500	CM 105	CM 207 LEVEL CM	17268,0456 litre	99,711 %	49,9839 litre	O
500	CM 105	CM 206 LEVEL CM	17241,1853 litre	99,556 %	76,8442 litre	O
500	CM 105	CM 205 LEVEL CM	17210,7920 litre	99,381 %	107,2375 litre	O
500	CM 105	CM 204 LEVEL CM	17177,2669 litre	99,187 %	140,7626 litre	O
500	CM 105	CM 203 LEVEL CM	17140,9068 litre	98,977 %	177,1227 litre	O
500	CM 105	CM 202 LEVEL CM	17101,9434 litre	98,752 %	216,0861 litre	O
500	CM 105	CM 201 LEVEL CM	17060,5645 litre	98,513 %	257,4650 litre	O
500	CM 105	CM 200 LEVEL CM	17016,9266 litre	98,261 %	301,1029 litre	O
500	CM 105	CM 199 LEVEL CM	16971,1630 litre	97,997 %	346,8665 litre	O
500	CM 105	CM 198 LEVEL CM	16923,3891 litre	97,721 %	394,6404 litre	O
500	CM 105	CM 197 LEVEL CM	16873,7063 litre	97,434 %	444,3232 litre	O
500	CM 105	CM 196 LEVEL CM	16822,2048 litre	97,137 %	495,8247 litre	O
500	CM 105	CM 195 LEVEL CM	16768,9655 litre	96,830 %	549,0640 litre	O
500	CM 105	CM 194 LEVEL CM	16714,0615 litre	96,512 %	603,9680 litre	O
500	CM 105	CM 193 LEVEL CM	16657,5596 litre	96,186 %	660,4699 litre	O
500	CM 105	CM 192 LEVEL CM	16599,5211 litre	95,851 %	718,5084 litre	O
500	CM 105	CM 191 LEVEL CM	16540,0022 litre	95,507 %	778,0273 litre	O
500	CM 105	CM 190 LEVEL CM	16479,0555 litre	95,155 %	838,9740 litre	O
500	CM 105	CM 189 LEVEL CM	16416,7296 litre	94,796 %	901,2999 litre	O
500	CM 105	CM 188 LEVEL CM	16353,0702 litre	94,428 %	964,9593 litre	O
500	CM 105	CM 187 LEVEL CM	16288,1200 litre	94,053 %	1029,9095 litre	O
500	CM 105	CM 186 LEVEL CM	16221,9192 litre	93,671 %	1096,1103 litre	O
500	CM 105	CM 185 LEVEL CM	16154,5060 litre	93,281 %	1163,5235 litre	O
500	CM 105	CM 184 LEVEL CM	16085,9162 litre	92,885 %	1232,1133 litre	O
500	CM 105	CM 183 LEVEL CM	16016,1841 litre	92,483 %	1301,8454 litre	O
500	CM 105	CM 182 LEVEL CM	15945,3423 litre	92,074 %	1372,6872 litre	O
500	CM 105	CM 181 LEVEL CM	15873,4217 litre	91,658 %	1444,6078 litre	O
500	CM 105	CM 180 LEVEL CM	15800,4520 litre	91,237 %	1517,5775 litre	O
500	CM 105	CM 179 LEVEL CM	15726,4616 litre	90,810 %	1591,5679 litre	O
500	CM 105	CM 178 LEVEL CM	15651,4777 litre	90,377 %	1666,5518 litre	O
500	CM 105	CM 177 LEVEL CM	15575,5264 litre	89,938 %	1742,5031 litre	O
500	CM 105	CM 176 LEVEL CM	15498,6330 litre	89,494 %	1819,3965 litre	O
500	CM 105	CM 175 LEVEL CM	15420,8217 litre	89,045 %	1897,2078 litre	O
500	CM 105	CM 174 LEVEL CM	15342,1159 litre	88,590 %	1975,9136 litre	O
500	CM 105	CM 173 LEVEL CM	15262,5383 litre	88,131 %	2055,4912 litre	O
500	CM 105	CM 172 LEVEL CM	15182,1106 litre	87,667 %	2135,9189 litre	O
500	CM 105	CM 171 LEVEL CM	15100,8542 litre	87,197 %	2217,1753 litre	O
500	CM 105	CM 170 LEVEL CM	15018,7895 litre	86,723 %	2299,2400 litre	O
500	CM 105	CM 169 LEVEL CM	14935,9365 litre	86,245 %	2382,0930 litre	O
500	CM 105	CM 168 LEVEL CM	14852,3146 litre	85,762 %	2465,7149 litre	O
500	CM 105	CM 167 LEVEL CM	14767,9427 litre	85,275 %	2550,0868 litre	O
500	CM 105	CM 166 LEVEL CM	14682,8391 litre	84,784 %	2635,1904 litre	O
500	CM 105	CM 165 LEVEL CM	14597,0217 litre	84,288 %	2721,0078 litre	O
500	CM 105	CM 164 LEVEL CM	14510,5080 litre	83,788 %	2807,5215 litre	O
500	CM 105	CM 163 LEVEL CM	14423,3149 litre	83,285 %	2894,7146 litre	O
500	CM 105	CM 162 LEVEL CM	14335,4592 litre	82,778 %	2982,5703 litre	O
500	CM 105	CM 161 LEVEL CM	14246,9570 litre	82,267 %	3071,0725 litre	O
500	CM 105	CM 160 LEVEL CM	14157,8243 litre	81,752 %	3160,2052 litre	O
500	CM 105	CM 159 LEVEL CM	14068,0767 litre	81,234 %	3249,9528 litre	O

500	CM	105	CM	158 LEVEL CM	13977,7294 litre	80,712 %	3340,3001 litre	O
500	CM	105	CM	157 LEVEL CM	13886,7973 litre	80,187 %	3431,2322 litre	O
500	CM	105	CM	156 LEVEL CM	13795,2952 litre	79,659 %	3522,7343 litre	O
500	CM	105	CM	155 LEVEL CM	13703,2374 litre	79,127 %	3614,7921 litre	O
500	CM	105	CM	154 LEVEL CM	13610,6380 litre	78,592 %	3707,3915 litre	O
500	CM	105	CM	153 LEVEL CM	13517,5110 litre	78,055 %	3800,5185 litre	O
500	CM	105	CM	152 LEVEL CM	13423,8699 litre	77,514 %	3894,1596 litre	O
500	CM	105	CM	151 LEVEL CM	13329,7283 litre	76,970 %	3988,3012 litre	O
500	CM	105	CM	150 LEVEL CM	13235,0993 litre	76,424 %	4082,9302 litre	O
500	CM	105	CM	149 LEVEL CM	13139,9959 litre	75,875 %	4178,0336 litre	O
500	CM	105	CM	148 LEVEL CM	13044,4310 litre	75,323 %	4273,5985 litre	O
500	CM	105	CM	147 LEVEL CM	12948,4172 litre	74,768 %	4369,6123 litre	O
500	CM	105	CM	146 LEVEL CM	12851,9670 litre	74,211 %	4466,0625 litre	O
500	CM	105	CM	145 LEVEL CM	12755,0926 litre	73,652 %	4562,9369 litre	O
500	CM	105	CM	144 LEVEL CM	12657,8061 litre	73,090 %	4660,2234 litre	O
500	CM	105	CM	143 LEVEL CM	12560,1196 litre	72,526 %	4757,9099 litre	O
500	CM	105	CM	142 LEVEL CM	12462,0449 litre	71,960 %	4855,9846 litre	O
500	CM	105	CM	141 LEVEL CM	12363,5936 litre	71,391 %	4954,4359 litre	O
500	CM	105	CM	140 LEVEL CM	12264,7773 litre	70,821 %	5053,2522 litre	O
500	CM	105	CM	139 LEVEL CM	12165,6075 litre	70,248 %	5152,4220 litre	O
500	CM	105	CM	138 LEVEL CM	12066,0954 litre	69,674 %	5251,9341 litre	O
500	CM	105	CM	137 LEVEL CM	11966,2522 litre	69,097 %	5351,7773 litre	O
500	CM	105	CM	136 LEVEL CM	11866,0891 litre	68,519 %	5451,9404 litre	O
500	CM	105	CM	135 LEVEL CM	11765,6169 litre	67,939 %	5552,4126 litre	O
500	CM	105	CM	134 LEVEL CM	11664,8466 litre	67,357 %	5653,1829 litre	O
500	CM	105	CM	133 LEVEL CM	11563,7889 litre	66,773 %	5754,2406 litre	O
500	CM	105	CM	132 LEVEL CM	11462,4545 litre	66,188 %	5855,5750 litre	O
500	CM	105	CM	131 LEVEL CM	11360,8540 litre	65,601 %	5957,1755 litre	O
500	CM	105	CM	130 LEVEL CM	11258,9979 litre	65,013 %	6059,0316 litre	O
500	CM	105	CM	129 LEVEL CM	11156,8966 litre	64,424 %	6161,1329 litre	O
500	CM	105	CM	128 LEVEL CM	11054,5606 litre	63,833 %	6263,4689 litre	O
500	CM	105	CM	127 LEVEL CM	10952,0001 litre	63,240 %	6366,0294 litre	O
500	CM	105	CM	126 LEVEL CM	10849,2253 litre	62,647 %	6468,8042 litre	O
500	CM	105	CM	125 LEVEL CM	10746,2463 litre	62,052 %	6571,7832 litre	O
500	CM	105	CM	124 LEVEL CM	10643,0733 litre	61,457 %	6674,9562 litre	O
500	CM	105	CM	123 LEVEL CM	10539,7164 litre	60,860 %	6778,3131 litre	O
500	CM	105	CM	122 LEVEL CM	10436,1854 litre	60,262 %	6881,8441 litre	O
500	CM	105	CM	121 LEVEL CM	10332,4903 litre	59,663 %	6985,5392 litre	O
500	CM	105	CM	120 LEVEL CM	10228,6411 litre	59,064 %	7089,3884 litre	O
500	CM	105	CM	119 LEVEL CM	10124,6475 litre	58,463 %	7193,3820 litre	O
500	CM	105	CM	118 LEVEL CM	10020,5194 litre	57,862 %	7297,5101 litre	O
500	CM	105	CM	117 LEVEL CM	9916,2665 litre	57,260 %	7401,7630 litre	O
500	CM	105	CM	116 LEVEL CM	9811,8986 litre	56,657 %	7506,1309 litre	O
500	CM	105	CM	115 LEVEL CM	9707,4253 litre	56,054 %	7610,6042 litre	O
500	CM	105	CM	114 LEVEL CM	9602,8563 litre	55,450 %	7715,1732 litre	O
500	CM	105	CM	113 LEVEL CM	9498,2013 litre	54,846 %	7819,8282 litre	O
500	CM	105	CM	112 LEVEL CM	9393,4699 litre	54,241 %	7924,5596 litre	O
500	CM	105	CM	111 LEVEL CM	9288,6717 litre	53,636 %	8029,3578 litre	O
500	CM	105	CM	110 LEVEL CM	9183,8163 litre	53,030 %	8134,2132 litre	O
500	CM	105	CM	109 LEVEL CM	9078,9131 litre	52,425 %	8239,1164 litre	O
500	CM	105	CM	108 LEVEL CM	8973,9719 litre	51,819 %	8344,0576 litre	O
500	CM	105	CM	107 LEVEL CM	8869,0021 litre	51,213 %	8449,0274 litre	O
500	CM	105	CM	106 LEVEL CM	8764,0132 litre	50,606 %	8554,0163 litre	O

500	CM	105	CM	105 LEVEL CM	8659,0148 litre	50,000 %	8659,0147 litre	O
500	CM	105	CM	104 LEVEL CM	8554,0163 litre	49,394 %	8764,0132 litre	O
500	CM	105	CM	103 LEVEL CM	8449,0275 litre	48,787 %	8869,0020 litre	O
500	CM	105	CM	102 LEVEL CM	8344,0576 litre	48,181 %	8973,9719 litre	O
500	CM	105	CM	101 LEVEL CM	8239,1164 litre	47,575 %	9078,9131 litre	O
500	CM	105	CM	100 LEVEL CM	8134,2132 litre	46,970 %	9183,8163 litre	O
500	CM	105	CM	99 LEVEL CM	8029,3578 litre	46,364 %	9288,6717 litre	O
500	CM	105	CM	98 LEVEL CM	7924,5596 litre	45,759 %	9393,4699 litre	O
500	CM	105	CM	97 LEVEL CM	7819,8282 litre	45,154 %	9498,2013 litre	O
500	CM	105	CM	96 LEVEL CM	7715,1732 litre	44,550 %	9602,8563 litre	O
500	CM	105	CM	95 LEVEL CM	7610,6042 litre	43,946 %	9707,4253 litre	O
500	CM	105	CM	94 LEVEL CM	7506,1309 litre	43,343 %	9811,8986 litre	O
500	CM	105	CM	93 LEVEL CM	7401,7630 litre	42,740 %	9916,2665 litre	O
500	CM	105	CM	92 LEVEL CM	7297,5101 litre	42,138 %	10020,5194 litre	O
500	CM	105	CM	91 LEVEL CM	7193,3820 litre	41,537 %	10124,6475 litre	O
500	CM	105	CM	90 LEVEL CM	7089,3884 litre	40,936 %	10228,6411 litre	O
500	CM	105	CM	89 LEVEL CM	6985,5392 litre	40,337 %	10332,4903 litre	O
500	CM	105	CM	88 LEVEL CM	6881,8441 litre	39,738 %	10436,1854 litre	O
500	CM	105	CM	87 LEVEL CM	6778,3131 litre	39,140 %	10539,7164 litre	O
500	CM	105	CM	86 LEVEL CM	6674,9562 litre	38,543 %	10643,0733 litre	O
500	CM	105	CM	85 LEVEL CM	6571,7832 litre	37,948 %	10746,2463 litre	O
500	CM	105	CM	84 LEVEL CM	6468,8042 litre	37,353 %	10849,2253 litre	O
500	CM	105	CM	83 LEVEL CM	6366,0294 litre	36,760 %	10952,0001 litre	O
500	CM	105	CM	82 LEVEL CM	6263,4689 litre	36,167 %	11054,5606 litre	O
500	CM	105	CM	81 LEVEL CM	6161,1329 litre	35,576 %	11156,8966 litre	O
500	CM	105	CM	80 LEVEL CM	6059,0316 litre	34,987 %	11258,9979 litre	O
500	CM	105	CM	79 LEVEL CM	5957,1755 litre	34,399 %	11360,8540 litre	O
500	CM	105	CM	78 LEVEL CM	5855,5750 litre	33,812 %	11462,4545 litre	O
500	CM	105	CM	77 LEVEL CM	5754,2406 litre	33,227 %	11563,7889 litre	O
500	CM	105	CM	76 LEVEL CM	5653,1829 litre	32,643 %	11664,8466 litre	O
500	CM	105	CM	75 LEVEL CM	5552,4126 litre	32,061 %	11765,6169 litre	O
500	CM	105	CM	74 LEVEL CM	5451,9404 litre	31,481 %	11866,0891 litre	O
500	CM	105	CM	73 LEVEL CM	5351,7773 litre	30,903 %	11966,2522 litre	O
500	CM	105	CM	72 LEVEL CM	5251,9341 litre	30,326 %	12066,0954 litre	O
500	CM	105	CM	71 LEVEL CM	5152,4220 litre	29,752 %	12165,6075 litre	O
500	CM	105	CM	70 LEVEL CM	5053,2522 litre	29,179 %	12264,7773 litre	O
500	CM	105	CM	69 LEVEL CM	4954,4359 litre	28,609 %	12363,5936 litre	O
500	CM	105	CM	68 LEVEL CM	4855,9846 litre	28,040 %	12462,0449 litre	O
500	CM	105	CM	67 LEVEL CM	4757,9099 litre	27,474 %	12560,1196 litre	O
500	CM	105	CM	66 LEVEL CM	4660,2234 litre	26,910 %	12657,8061 litre	O
500	CM	105	CM	65 LEVEL CM	4562,9369 litre	26,348 %	12755,0926 litre	O
500	CM	105	CM	64 LEVEL CM	4466,0625 litre	25,789 %	12851,9670 litre	O
500	CM	105	CM	63 LEVEL CM	4369,6123 litre	25,232 %	12948,4172 litre	O
500	CM	105	CM	62 LEVEL CM	4273,5985 litre	24,677 %	13044,4310 litre	O
500	CM	105	CM	61 LEVEL CM	4178,0336 litre	24,125 %	13139,9959 litre	O
500	CM	105	CM	60 LEVEL CM	4082,9302 litre	23,576 %	13235,0993 litre	O
500	CM	105	CM	59 LEVEL CM	3988,3012 litre	23,030 %	13329,7283 litre	O
500	CM	105	CM	58 LEVEL CM	3894,1596 litre	22,486 %	13423,8699 litre	O
500	CM	105	CM	57 LEVEL CM	3800,5185 litre	21,945 %	13517,5110 litre	O
500	CM	105	CM	56 LEVEL CM	3707,3915 litre	21,408 %	13610,6380 litre	O
500	CM	105	CM	55 LEVEL CM	3614,7921 litre	20,873 %	13703,2374 litre	O
500	CM	105	CM	54 LEVEL CM	3522,7343 litre	20,341 %	13795,2952 litre	O
500	CM	105	CM	53 LEVEL CM	3431,2322 litre	19,813 %	13886,7973 litre	O

500	CM	105	CM	52 LEVEL CM	3340,3001 litre	19,288 %	13977,7294 litre	O
500	CM	105	CM	51 LEVEL CM	3249,9528 litre	18,766 %	14068,0767 litre	O
500	CM	105	CM	50 LEVEL CM	3160,2052 litre	18,248 %	14157,8243 litre	O
500	CM	105	CM	49 LEVEL CM	3071,0725 litre	17,733 %	14246,9570 litre	O
500	CM	105	CM	48 LEVEL CM	2982,5703 litre	17,222 %	14335,4592 litre	O
500	CM	105	CM	47 LEVEL CM	2894,7146 litre	16,715 %	14423,3149 litre	O
500	CM	105	CM	46 LEVEL CM	2807,5215 litre	16,212 %	14510,5080 litre	O
500	CM	105	CM	45 LEVEL CM	2721,0078 litre	15,712 %	14597,0217 litre	O
500	CM	105	CM	44 LEVEL CM	2635,1904 litre	15,216 %	14682,8391 litre	O
500	CM	105	CM	43 LEVEL CM	2550,0868 litre	14,725 %	14767,9427 litre	O
500	CM	105	CM	42 LEVEL CM	2465,7149 litre	14,238 %	14852,3146 litre	O
500	CM	105	CM	41 LEVEL CM	2382,0930 litre	13,755 %	14935,9365 litre	O
500	CM	105	CM	40 LEVEL CM	2299,2400 litre	13,277 %	15018,7895 litre	O
500	CM	105	CM	39 LEVEL CM	2217,1753 litre	12,803 %	15100,8542 litre	O
500	CM	105	CM	38 LEVEL CM	2135,9189 litre	12,333 %	15182,1106 litre	O
500	CM	105	CM	37 LEVEL CM	2055,4912 litre	11,869 %	15262,5383 litre	O
500	CM	105	CM	36 LEVEL CM	1975,9136 litre	11,410 %	15342,1159 litre	O
500	CM	105	CM	35 LEVEL CM	1897,2078 litre	10,955 %	15420,8217 litre	O
500	CM	105	CM	34 LEVEL CM	1819,3965 litre	10,506 %	15498,6330 litre	O
500	CM	105	CM	33 LEVEL CM	1742,5031 litre	10,062 %	15575,5264 litre	O
500	CM	105	CM	32 LEVEL CM	1666,5518 litre	9,623 %	15651,4777 litre	O
500	CM	105	CM	31 LEVEL CM	1591,5679 litre	9,190 %	15726,4616 litre	O
500	CM	105	CM	30 LEVEL CM	1517,5775 litre	8,763 %	15800,4520 litre	O
500	CM	105	CM	29 LEVEL CM	1444,6078 litre	8,342 %	15873,4217 litre	O
500	CM	105	CM	28 LEVEL CM	1372,6872 litre	7,926 %	15945,3423 litre	O
500	CM	105	CM	27 LEVEL CM	1301,8454 litre	7,517 %	16016,1841 litre	O
500	CM	105	CM	26 LEVEL CM	1232,1133 litre	7,115 %	16085,9162 litre	O
500	CM	105	CM	25 LEVEL CM	1163,5235 litre	6,719 %	16154,5060 litre	O
500	CM	105	CM	24 LEVEL CM	1096,1103 litre	6,329 %	16221,9192 litre	O
500	CM	105	CM	23 LEVEL CM	1029,9095 litre	5,947 %	16288,1200 litre	O
500	CM	105	CM	22 LEVEL CM	964,9593 litre	5,572 %	16353,0702 litre	O
500	CM	105	CM	21 LEVEL CM	901,2999 litre	5,204 %	16416,7296 litre	O
500	CM	105	CM	20 LEVEL CM	838,9740 litre	4,845 %	16479,0555 litre	O
500	CM	105	CM	19 LEVEL CM	778,0273 litre	4,493 %	16540,0022 litre	O
500	CM	105	CM	18 LEVEL CM	718,5085 litre	4,149 %	16599,5210 litre	O
500	CM	105	CM	17 LEVEL CM	660,4699 litre	3,814 %	16657,5596 litre	O
500	CM	105	CM	16 LEVEL CM	603,9680 litre	3,488 %	16714,0615 litre	O
500	CM	105	CM	15 LEVEL CM	549,0640 litre	3,170 %	16768,9655 litre	O
500	CM	105	CM	14 LEVEL CM	495,8247 litre	2,863 %	16822,2048 litre	O
500	CM	105	CM	13 LEVEL CM	444,3232 litre	2,566 %	16873,7063 litre	O
500	CM	105	CM	12 LEVEL CM	394,6404 litre	2,279 %	16923,3891 litre	O
500	CM	105	CM	11 LEVEL CM	346,8665 litre	2,003 %	16971,1630 litre	O
500	CM	105	CM	10 LEVEL CM	301,1029 litre	1,739 %	17016,9266 litre	O
500	CM	105	CM	9 LEVEL CM	257,4650 litre	1,487 %	17060,5645 litre	O
500	CM	105	CM	8 LEVEL CM	216,0861 litre	1,248 %	17101,9434 litre	O
500	CM	105	CM	7 LEVEL CM	177,1227 litre	1,023 %	17140,9068 litre	O
500	CM	105	CM	6 LEVEL CM	140,7626 litre	0,813 %	17177,2669 litre	O
500	CM	105	CM	5 LEVEL CM	107,2375 litre	0,619 %	17210,7920 litre	O
500	CM	105	CM	4 LEVEL CM	76,8442 litre	0,444 %	17241,1853 litre	O
500	CM	105	CM	3 LEVEL CM	49,9839 litre	0,289 %	17268,0456 litre	O
500	CM	105	CM	2 LEVEL CM	27,2470 litre	0,157 %	17290,7825 litre	O
500	CM	105	CM	1 LEVEL CM	9,6471 litre	0,056 %	17308,3824 litre	O
500	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	17318,0295 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
500	CM 100	CM 200 LEVEL CM	15707,9633 litre	100,000 %	0,0000 litre O
500	CM 100	CM 199 LEVEL CM	15698,5493 litre	99,940 %	9,4140 litre O
500	CM 100	CM 198 LEVEL CM	15681,3767 litre	99,831 %	26,5866 litre O
500	CM 100	CM 197 LEVEL CM	15659,1945 litre	99,690 %	48,7688 litre O
500	CM 100	CM 196 LEVEL CM	15632,9927 litre	99,523 %	74,9706 litre O
500	CM 100	CM 195 LEVEL CM	15603,3481 litre	99,334 %	104,6152 litre O
500	CM 100	CM 194 LEVEL CM	15570,6530 litre	99,126 %	137,3103 litre O
500	CM 100	CM 193 LEVEL CM	15535,1976 litre	98,900 %	172,7657 litre O
500	CM 100	CM 192 LEVEL CM	15497,2085 litre	98,658 %	210,7548 litre O
500	CM 100	CM 191 LEVEL CM	15456,8695 litre	98,401 %	251,0938 litre O
500	CM 100	CM 190 LEVEL CM	15414,3337 litre	98,131 %	293,6296 litre O
500	CM 100	CM 189 LEVEL CM	15369,7318 litre	97,847 %	338,2315 litre O
500	CM 100	CM 188 LEVEL CM	15323,1768 litre	97,550 %	384,7865 litre O
500	CM 100	CM 187 LEVEL CM	15274,7682 litre	97,242 %	433,1951 litre O
500	CM 100	CM 186 LEVEL CM	15224,5943 litre	96,923 %	483,3690 litre O
500	CM 100	CM 185 LEVEL CM	15172,7345 litre	96,593 %	535,2288 litre O
500	CM 100	CM 184 LEVEL CM	15119,2606 litre	96,252 %	588,7027 litre O
500	CM 100	CM 183 LEVEL CM	15064,2381 litre	95,902 %	643,7252 litre O
500	CM 100	CM 182 LEVEL CM	15007,7272 litre	95,542 %	700,2361 litre O
500	CM 100	CM 181 LEVEL CM	14949,7832 litre	95,173 %	758,1801 litre O
500	CM 100	CM 180 LEVEL CM	14890,4577 litre	94,796 %	817,5056 litre O
500	CM 100	CM 179 LEVEL CM	14829,7986 litre	94,409 %	878,1647 litre O
500	CM 100	CM 178 LEVEL CM	14767,8508 litre	94,015 %	940,1125 litre O
500	CM 100	CM 177 LEVEL CM	14704,6564 litre	93,613 %	1003,3069 litre O
500	CM 100	CM 176 LEVEL CM	14640,2549 litre	93,203 %	1067,7084 litre O
500	CM 100	CM 175 LEVEL CM	14574,6839 litre	92,785 %	1133,2794 litre O
500	CM 100	CM 174 LEVEL CM	14507,9788 litre	92,361 %	1199,9845 litre O
500	CM 100	CM 173 LEVEL CM	14440,1735 litre	91,929 %	1267,7898 litre O
500	CM 100	CM 172 LEVEL CM	14371,2999 litre	91,491 %	1336,6634 litre O
500	CM 100	CM 171 LEVEL CM	14301,3886 litre	91,045 %	1406,5747 litre O
500	CM 100	CM 170 LEVEL CM	14230,4691 litre	90,594 %	1477,4942 litre O
500	CM 100	CM 169 LEVEL CM	14158,5692 litre	90,136 %	1549,3941 litre O
500	CM 100	CM 168 LEVEL CM	14085,7160 litre	89,672 %	1622,2473 litre O
500	CM 100	CM 167 LEVEL CM	14011,9352 litre	89,203 %	1696,0281 litre O
500	CM 100	CM 166 LEVEL CM	13937,2519 litre	88,727 %	1770,7114 litre O
500	CM 100	CM 165 LEVEL CM	13861,6900 litre	88,246 %	1846,2733 litre O
500	CM 100	CM 164 LEVEL CM	13785,2727 litre	87,760 %	1922,6906 litre O
500	CM 100	CM 163 LEVEL CM	13708,0224 litre	87,268 %	1999,9409 litre O
500	CM 100	CM 162 LEVEL CM	13629,9608 litre	86,771 %	2078,0025 litre O
500	CM 100	CM 161 LEVEL CM	13551,1089 litre	86,269 %	2156,8544 litre O
500	CM 100	CM 160 LEVEL CM	13471,4872 litre	85,762 %	2236,4761 litre O
500	CM 100	CM 159 LEVEL CM	13391,1154 litre	85,250 %	2316,8479 litre O
500	CM 100	CM 158 LEVEL CM	13310,0129 litre	84,734 %	2397,9504 litre O
500	CM 100	CM 157 LEVEL CM	13228,1983 litre	84,213 %	2479,7650 litre O
500	CM 100	CM 156 LEVEL CM	13145,6899 litre	83,688 %	2562,2734 litre O
500	CM 100	CM 155 LEVEL CM	13062,5056 litre	83,158 %	2645,4577 litre O
500	CM 100	CM 154 LEVEL CM	12978,6627 litre	82,625 %	2729,3006 litre O
500	CM 100	CM 153 LEVEL CM	12894,1782 litre	82,087 %	2813,7851 litre O
500	CM 100	CM 152 LEVEL CM	12809,0687 litre	81,545 %	2898,8946 litre O
500	CM 100	CM 151 LEVEL CM	12723,3503 litre	80,999 %	2984,6130 litre O
500	CM 100	CM 150 LEVEL CM	12637,0390 litre	80,450 %	3070,9243 litre O
500	CM 100	CM 149 LEVEL CM	12550,1504 litre	79,897 %	3157,8129 litre O

500	CM	100	CM	148 LEVEL CM	12462,6996 litre	79,340 %	3245,2637 litre	O
500	CM	100	CM	147 LEVEL CM	12374,7016 litre	78,780 %	3333,2617 litre	O
500	CM	100	CM	146 LEVEL CM	12286,1711 litre	78,216 %	3421,7922 litre	O
500	CM	100	CM	145 LEVEL CM	12197,1226 litre	77,649 %	3510,8407 litre	O
500	CM	100	CM	144 LEVEL CM	12107,5701 litre	77,079 %	3600,3932 litre	O
500	CM	100	CM	143 LEVEL CM	12017,5276 litre	76,506 %	3690,4357 litre	O
500	CM	100	CM	142 LEVEL CM	11927,0089 litre	75,930 %	3780,9544 litre	O
500	CM	100	CM	141 LEVEL CM	11836,0273 litre	75,350 %	3871,9360 litre	O
500	CM	100	CM	140 LEVEL CM	11744,5961 litre	74,768 %	3963,3672 litre	O
500	CM	100	CM	139 LEVEL CM	11652,7286 litre	74,184 %	4055,2347 litre	O
500	CM	100	CM	138 LEVEL CM	11560,4374 litre	73,596 %	4147,5259 litre	O
500	CM	100	CM	137 LEVEL CM	11467,7355 litre	73,006 %	4240,2278 litre	O
500	CM	100	CM	136 LEVEL CM	11374,6352 litre	72,413 %	4333,3281 litre	O
500	CM	100	CM	135 LEVEL CM	11281,1491 litre	71,818 %	4426,8142 litre	O
500	CM	100	CM	134 LEVEL CM	11187,2894 litre	71,220 %	4520,6739 litre	O
500	CM	100	CM	133 LEVEL CM	11093,0680 litre	70,621 %	4614,8953 litre	O
500	CM	100	CM	132 LEVEL CM	10998,4971 litre	70,019 %	4709,4662 litre	O
500	CM	100	CM	131 LEVEL CM	10903,5885 litre	69,414 %	4804,3748 litre	O
500	CM	100	CM	130 LEVEL CM	10808,3537 litre	68,808 %	4899,6096 litre	O
500	CM	100	CM	129 LEVEL CM	10712,8045 litre	68,200 %	4995,1588 litre	O
500	CM	100	CM	128 LEVEL CM	10616,9522 litre	67,590 %	5091,0111 litre	O
500	CM	100	CM	127 LEVEL CM	10520,8082 litre	66,978 %	5187,1551 litre	O
500	CM	100	CM	126 LEVEL CM	10424,3838 litre	66,364 %	5283,5795 litre	O
500	CM	100	CM	125 LEVEL CM	10327,6902 litre	65,748 %	5380,2731 litre	O
500	CM	100	CM	124 LEVEL CM	10230,7384 litre	65,131 %	5477,2249 litre	O
500	CM	100	CM	123 LEVEL CM	10133,5393 litre	64,512 %	5574,4240 litre	O
500	CM	100	CM	122 LEVEL CM	10036,1038 litre	63,892 %	5671,8595 litre	O
500	CM	100	CM	121 LEVEL CM	9938,4429 litre	63,270 %	5769,5204 litre	O
500	CM	100	CM	120 LEVEL CM	9840,5671 litre	62,647 %	5867,3962 litre	O
500	CM	100	CM	119 LEVEL CM	9742,4873 litre	62,023 %	5965,4760 litre	O
500	CM	100	CM	118 LEVEL CM	9644,2138 litre	61,397 %	6063,7495 litre	O
500	CM	100	CM	117 LEVEL CM	9545,7574 litre	60,770 %	6162,2059 litre	O
500	CM	100	CM	116 LEVEL CM	9447,1285 litre	60,142 %	6260,8348 litre	O
500	CM	100	CM	115 LEVEL CM	9348,3375 litre	59,513 %	6359,6258 litre	O
500	CM	100	CM	114 LEVEL CM	9249,3948 litre	58,883 %	6458,5685 litre	O
500	CM	100	CM	113 LEVEL CM	9150,3106 litre	58,253 %	6557,6527 litre	O
500	CM	100	CM	112 LEVEL CM	9051,0954 litre	57,621 %	6656,8679 litre	O
500	CM	100	CM	111 LEVEL CM	8951,7593 litre	56,989 %	6756,2040 litre	O
500	CM	100	CM	110 LEVEL CM	8852,3125 litre	56,356 %	6855,6508 litre	O
500	CM	100	CM	109 LEVEL CM	8752,7652 litre	55,722 %	6955,1981 litre	O
500	CM	100	CM	108 LEVEL CM	8653,1275 litre	55,088 %	7054,8358 litre	O
500	CM	100	CM	107 LEVEL CM	8553,4095 litre	54,453 %	7154,5538 litre	O
500	CM	100	CM	106 LEVEL CM	8453,6214 litre	53,817 %	7254,3419 litre	O
500	CM	100	CM	105 LEVEL CM	8353,7732 litre	53,182 %	7354,1901 litre	O
500	CM	100	CM	104 LEVEL CM	8253,8749 litre	52,546 %	7454,0884 litre	O
500	CM	100	CM	103 LEVEL CM	8153,9366 litre	51,910 %	7554,0267 litre	O
500	CM	100	CM	102 LEVEL CM	8053,9683 litre	51,273 %	7653,9950 litre	O
500	CM	100	CM	101 LEVEL CM	7953,9800 litre	50,637 %	7753,9833 litre	O
500	CM	100	CM	100 LEVEL CM	7853,9816 litre	50,000 %	7853,9817 litre	O
500	CM	100	CM	99 LEVEL CM	7753,9833 litre	49,363 %	7953,9800 litre	O
500	CM	100	CM	98 LEVEL CM	7653,9950 litre	48,727 %	8053,9683 litre	O
500	CM	100	CM	97 LEVEL CM	7554,0266 litre	48,090 %	8153,9367 litre	O
500	CM	100	CM	96 LEVEL CM	7454,0883 litre	47,454 %	8253,8750 litre	O

500	CM	100	CM	95 LEVEL CM	7354,1900 litre	46,818 %	8353,7733 litre	O
500	CM	100	CM	94 LEVEL CM	7254,3418 litre	46,183 %	8453,6215 litre	O
500	CM	100	CM	93 LEVEL CM	7154,5537 litre	45,547 %	8553,4096 litre	O
500	CM	100	CM	92 LEVEL CM	7054,8358 litre	44,912 %	8653,1275 litre	O
500	CM	100	CM	91 LEVEL CM	6955,1981 litre	44,278 %	8752,7652 litre	O
500	CM	100	CM	90 LEVEL CM	6855,6508 litre	43,644 %	8852,3125 litre	O
500	CM	100	CM	89 LEVEL CM	6756,2040 litre	43,011 %	8951,7593 litre	O
500	CM	100	CM	88 LEVEL CM	6656,8679 litre	42,379 %	9051,0954 litre	O
500	CM	100	CM	87 LEVEL CM	6557,6526 litre	41,747 %	9150,3107 litre	O
500	CM	100	CM	86 LEVEL CM	6458,5685 litre	41,117 %	9249,3948 litre	O
500	CM	100	CM	85 LEVEL CM	6359,6258 litre	40,487 %	9348,3375 litre	O
500	CM	100	CM	84 LEVEL CM	6260,8348 litre	39,858 %	9447,1285 litre	O
500	CM	100	CM	83 LEVEL CM	6162,2058 litre	39,230 %	9545,7575 litre	O
500	CM	100	CM	82 LEVEL CM	6063,7494 litre	38,603 %	9644,2139 litre	O
500	CM	100	CM	81 LEVEL CM	5965,4760 litre	37,977 %	9742,4873 litre	O
500	CM	100	CM	80 LEVEL CM	5867,3961 litre	37,353 %	9840,5672 litre	O
500	CM	100	CM	79 LEVEL CM	5769,5204 litre	36,730 %	9938,4429 litre	O
500	CM	100	CM	78 LEVEL CM	5671,8594 litre	36,108 %	10036,1039 litre	O
500	CM	100	CM	77 LEVEL CM	5574,4240 litre	35,488 %	10133,5393 litre	O
500	CM	100	CM	76 LEVEL CM	5477,2249 litre	34,869 %	10230,7384 litre	O
500	CM	100	CM	75 LEVEL CM	5380,2731 litre	34,252 %	10327,6902 litre	O
500	CM	100	CM	74 LEVEL CM	5283,5794 litre	33,636 %	10424,3839 litre	O
500	CM	100	CM	73 LEVEL CM	5187,1550 litre	33,022 %	10520,8083 litre	O
500	CM	100	CM	72 LEVEL CM	5091,0111 litre	32,410 %	10616,9522 litre	O
500	CM	100	CM	71 LEVEL CM	4995,1588 litre	31,800 %	10712,8045 litre	O
500	CM	100	CM	70 LEVEL CM	4899,6096 litre	31,192 %	10808,3537 litre	O
500	CM	100	CM	69 LEVEL CM	4804,3748 litre	30,586 %	10903,5885 litre	O
500	CM	100	CM	68 LEVEL CM	4709,4661 litre	29,981 %	10998,4972 litre	O
500	CM	100	CM	67 LEVEL CM	4614,8952 litre	29,379 %	11093,0681 litre	O
500	CM	100	CM	66 LEVEL CM	4520,6739 litre	28,780 %	11187,2894 litre	O
500	CM	100	CM	65 LEVEL CM	4426,8141 litre	28,182 %	11281,1492 litre	O
500	CM	100	CM	64 LEVEL CM	4333,3280 litre	27,587 %	11374,6353 litre	O
500	CM	100	CM	63 LEVEL CM	4240,2278 litre	26,994 %	11467,7355 litre	O
500	CM	100	CM	62 LEVEL CM	4147,5258 litre	26,404 %	11560,4375 litre	O
500	CM	100	CM	61 LEVEL CM	4055,2347 litre	25,816 %	11652,7286 litre	O
500	CM	100	CM	60 LEVEL CM	3963,3671 litre	25,232 %	11744,5962 litre	O
500	CM	100	CM	59 LEVEL CM	3871,9360 litre	24,650 %	11836,0273 litre	O
500	CM	100	CM	58 LEVEL CM	3780,9544 litre	24,070 %	11927,0089 litre	O
500	CM	100	CM	57 LEVEL CM	3690,4356 litre	23,494 %	12017,5277 litre	O
500	CM	100	CM	56 LEVEL CM	3600,3932 litre	22,921 %	12107,5701 litre	O
500	CM	100	CM	55 LEVEL CM	3510,8407 litre	22,351 %	12197,1226 litre	O
500	CM	100	CM	54 LEVEL CM	3421,7921 litre	21,784 %	12286,1712 litre	O
500	CM	100	CM	53 LEVEL CM	3333,2617 litre	21,220 %	12374,7016 litre	O
500	CM	100	CM	52 LEVEL CM	3245,2637 litre	20,660 %	12462,6996 litre	O
500	CM	100	CM	51 LEVEL CM	3157,8129 litre	20,103 %	12550,1504 litre	O
500	CM	100	CM	50 LEVEL CM	3070,9242 litre	19,550 %	12637,0391 litre	O
500	CM	100	CM	49 LEVEL CM	2984,6130 litre	19,001 %	12723,3503 litre	O
500	CM	100	CM	48 LEVEL CM	2898,8946 litre	18,455 %	12809,0687 litre	O
500	CM	100	CM	47 LEVEL CM	2813,7851 litre	17,913 %	12894,1782 litre	O
500	CM	100	CM	46 LEVEL CM	2729,3005 litre	17,375 %	12978,6628 litre	O
500	CM	100	CM	45 LEVEL CM	2645,4576 litre	16,842 %	13062,5057 litre	O
500	CM	100	CM	44 LEVEL CM	2562,2733 litre	16,312 %	13145,6900 litre	O
500	CM	100	CM	43 LEVEL CM	2479,7650 litre	15,787 %	13228,1983 litre	O

500	CM	100	CM	42 LEVEL CM	2397,9504 litre	15,266 %	13310,0129 litre	O
500	CM	100	CM	41 LEVEL CM	2316,8479 litre	14,750 %	13391,1154 litre	O
500	CM	100	CM	40 LEVEL CM	2236,4761 litre	14,238 %	13471,4872 litre	O
500	CM	100	CM	39 LEVEL CM	2156,8544 litre	13,731 %	13551,1089 litre	O
500	CM	100	CM	38 LEVEL CM	2078,0025 litre	13,229 %	13629,9608 litre	O
500	CM	100	CM	37 LEVEL CM	1999,9409 litre	12,732 %	13708,0224 litre	O
500	CM	100	CM	36 LEVEL CM	1922,6906 litre	12,240 %	13785,2727 litre	O
500	CM	100	CM	35 LEVEL CM	1846,2733 litre	11,754 %	13861,6900 litre	O
500	CM	100	CM	34 LEVEL CM	1770,7114 litre	11,273 %	13937,2519 litre	O
500	CM	100	CM	33 LEVEL CM	1696,0280 litre	10,797 %	14011,9353 litre	O
500	CM	100	CM	32 LEVEL CM	1622,2473 litre	10,328 %	14085,7160 litre	O
500	CM	100	CM	31 LEVEL CM	1549,3941 litre	9,864 %	14158,5692 litre	O
500	CM	100	CM	30 LEVEL CM	1477,4942 litre	9,406 %	14230,4691 litre	O
500	CM	100	CM	29 LEVEL CM	1406,5746 litre	8,955 %	14301,3887 litre	O
500	CM	100	CM	28 LEVEL CM	1336,6634 litre	8,509 %	14371,2999 litre	O
500	CM	100	CM	27 LEVEL CM	1267,7898 litre	8,071 %	14440,1735 litre	O
500	CM	100	CM	26 LEVEL CM	1199,9844 litre	7,639 %	14507,9789 litre	O
500	CM	100	CM	25 LEVEL CM	1133,2794 litre	7,215 %	14574,6839 litre	O
500	CM	100	CM	24 LEVEL CM	1067,7084 litre	6,797 %	14640,2549 litre	O
500	CM	100	CM	23 LEVEL CM	1003,3069 litre	6,387 %	14704,6564 litre	O
500	CM	100	CM	22 LEVEL CM	940,1124 litre	5,985 %	14767,8509 litre	O
500	CM	100	CM	21 LEVEL CM	878,1646 litre	5,591 %	14829,7987 litre	O
500	CM	100	CM	20 LEVEL CM	817,5055 litre	5,204 %	14890,4578 litre	O
500	CM	100	CM	19 LEVEL CM	758,1801 litre	4,827 %	14949,7832 litre	O
500	CM	100	CM	18 LEVEL CM	700,2361 litre	4,458 %	15007,7272 litre	O
500	CM	100	CM	17 LEVEL CM	643,7251 litre	4,098 %	15064,2382 litre	O
500	CM	100	CM	16 LEVEL CM	588,7026 litre	3,748 %	15119,2607 litre	O
500	CM	100	CM	15 LEVEL CM	535,2287 litre	3,407 %	15172,7346 litre	O
500	CM	100	CM	14 LEVEL CM	483,3689 litre	3,077 %	15224,5944 litre	O
500	CM	100	CM	13 LEVEL CM	433,1950 litre	2,758 %	15274,7683 litre	O
500	CM	100	CM	12 LEVEL CM	384,7864 litre	2,450 %	15323,1769 litre	O
500	CM	100	CM	11 LEVEL CM	338,2315 litre	2,153 %	15369,7318 litre	O
500	CM	100	CM	10 LEVEL CM	293,6295 litre	1,869 %	15414,3338 litre	O
500	CM	100	CM	9 LEVEL CM	251,0938 litre	1,599 %	15456,8695 litre	O
500	CM	100	CM	8 LEVEL CM	210,7548 litre	1,342 %	15497,2085 litre	O
500	CM	100	CM	7 LEVEL CM	172,7656 litre	1,100 %	15535,1977 litre	O
500	CM	100	CM	6 LEVEL CM	137,3102 litre	0,874 %	15570,6531 litre	O
500	CM	100	CM	5 LEVEL CM	104,6151 litre	0,666 %	15603,3482 litre	O
500	CM	100	CM	4 LEVEL CM	74,9705 litre	0,477 %	15632,9928 litre	O
500	CM	100	CM	3 LEVEL CM	48,7687 litre	0,310 %	15659,1946 litre	O
500	CM	100	CM	2 LEVEL CM	26,5865 litre	0,169 %	15681,3768 litre	O
500	CM	100	CM	1 LEVEL CM	9,4139 litre	0,060 %	15698,5494 litre	O
500	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	15707,9633 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
500	CM	95	CM	190 LEVEL CM	14176,4368 litre	100,000 %	0,0000 litre	O
500	CM	95	CM	189 LEVEL CM	14167,2620 litre	99,935 %	9,1748 litre	O
500	CM	95	CM	188 LEVEL CM	14150,5276 litre	99,817 %	25,9092 litre	O
500	CM	95	CM	187 LEVEL CM	14128,9143 litre	99,665 %	47,5225 litre	O
500	CM	95	CM	186 LEVEL CM	14103,3880 litre	99,485 %	73,0488 litre	O
500	CM	95	CM	185 LEVEL CM	14074,5116 litre	99,281 %	101,9252 litre	O
500	CM	95	CM	184 LEVEL CM	14042,6681 litre	99,056 %	133,7687 litre	O
500	CM	95	CM	183 LEVEL CM	14008,1410 litre	98,813 %	168,2958 litre	O
500	CM	95	CM	182 LEVEL CM	13971,1518 litre	98,552 %	205,2850 litre	O
500	CM	95	CM	181 LEVEL CM	13931,8802 litre	98,275 %	244,5566 litre	O
500	CM	95	CM	180 LEVEL CM	13890,4759 litre	97,983 %	285,9609 litre	O
500	CM	95	CM	179 LEVEL CM	13847,0668 litre	97,677 %	329,3700 litre	O
500	CM	95	CM	178 LEVEL CM	13801,7636 litre	97,357 %	374,6732 litre	O
500	CM	95	CM	177 LEVEL CM	13754,6636 litre	97,025 %	421,7732 litre	O
500	CM	95	CM	176 LEVEL CM	13705,8534 litre	96,681 %	470,5834 litre	O
500	CM	95	CM	175 LEVEL CM	13655,4108 litre	96,325 %	521,0260 litre	O
500	CM	95	CM	174 LEVEL CM	13603,4063 litre	95,958 %	573,0305 litre	O
500	CM	95	CM	173 LEVEL CM	13549,9040 litre	95,580 %	626,5328 litre	O
500	CM	95	CM	172 LEVEL CM	13494,9632 litre	95,193 %	681,4736 litre	O
500	CM	95	CM	171 LEVEL CM	13438,6381 litre	94,796 %	737,7987 litre	O
500	CM	95	CM	170 LEVEL CM	13380,9794 litre	94,389 %	795,4574 litre	O
500	CM	95	CM	169 LEVEL CM	13322,0342 litre	93,973 %	854,4026 litre	O
500	CM	95	CM	168 LEVEL CM	13261,8467 litre	93,549 %	914,5901 litre	O
500	CM	95	CM	167 LEVEL CM	13200,4582 litre	93,115 %	975,9786 litre	O
500	CM	95	CM	166 LEVEL CM	13137,9077 litre	92,674 %	1038,5291 litre	O
500	CM	95	CM	165 LEVEL CM	13074,2323 litre	92,225 %	1102,2045 litre	O
500	CM	95	CM	164 LEVEL CM	13009,4667 litre	91,768 %	1166,9701 litre	O
500	CM	95	CM	163 LEVEL CM	12943,6444 litre	91,304 %	1232,7924 litre	O
500	CM	95	CM	162 LEVEL CM	12876,7970 litre	90,832 %	1299,6398 litre	O
500	CM	95	CM	161 LEVEL CM	12808,9546 litre	90,354 %	1367,4822 litre	O
500	CM	95	CM	160 LEVEL CM	12740,1463 litre	89,868 %	1436,2905 litre	O
500	CM	95	CM	159 LEVEL CM	12670,3996 litre	89,376 %	1506,0372 litre	O
500	CM	95	CM	158 LEVEL CM	12599,7413 litre	88,878 %	1576,6955 litre	O
500	CM	95	CM	157 LEVEL CM	12528,1969 litre	88,373 %	1648,2399 litre	O
500	CM	95	CM	156 LEVEL CM	12455,7910 litre	87,863 %	1720,6458 litre	O
500	CM	95	CM	155 LEVEL CM	12382,5475 litre	87,346 %	1793,8893 litre	O
500	CM	95	CM	154 LEVEL CM	12308,4893 litre	86,824 %	1867,9475 litre	O
500	CM	95	CM	153 LEVEL CM	12233,6387 litre	86,296 %	1942,7981 litre	O
500	CM	95	CM	152 LEVEL CM	12158,0172 litre	85,762 %	2018,4196 litre	O
500	CM	95	CM	151 LEVEL CM	12081,6456 litre	85,223 %	2094,7912 litre	O
500	CM	95	CM	150 LEVEL CM	12004,5442 litre	84,680 %	2171,8926 litre	O
500	CM	95	CM	149 LEVEL CM	11926,7327 litre	84,131 %	2249,7041 litre	O
500	CM	95	CM	148 LEVEL CM	11848,2303 litre	83,577 %	2328,2065 litre	O
500	CM	95	CM	147 LEVEL CM	11769,0556 litre	83,018 %	2407,3812 litre	O
500	CM	95	CM	146 LEVEL CM	11689,2269 litre	82,455 %	2487,2099 litre	O
500	CM	95	CM	145 LEVEL CM	11608,7618 litre	81,888 %	2567,6750 litre	O
500	CM	95	CM	144 LEVEL CM	11527,6776 litre	81,316 %	2648,7592 litre	O
500	CM	95	CM	143 LEVEL CM	11445,9914 litre	80,740 %	2730,4454 litre	O
500	CM	95	CM	142 LEVEL CM	11363,7197 litre	80,159 %	2812,7171 litre	O
500	CM	95	CM	141 LEVEL CM	11280,8786 litre	79,575 %	2895,5582 litre	O
500	CM	95	CM	140 LEVEL CM	11197,4841 litre	78,987 %	2978,9527 litre	O
500	CM	95	CM	139 LEVEL CM	11113,5518 litre	78,395 %	3062,8850 litre	O

500	CM 95	CM	138 LEVEL CM	11029,0968 litre	77,799 %	3147,3400 litre	O
500	CM 95	CM	137 LEVEL CM	10944,1342 litre	77,199 %	3232,3026 litre	O
500	CM 95	CM	136 LEVEL CM	10858,6786 litre	76,597 %	3317,7582 litre	O
500	CM 95	CM	135 LEVEL CM	10772,7447 litre	75,990 %	3403,6921 litre	O
500	CM 95	CM	134 LEVEL CM	10686,3465 litre	75,381 %	3490,0903 litre	O
500	CM 95	CM	133 LEVEL CM	10599,4980 litre	74,768 %	3576,9388 litre	O
500	CM 95	CM	132 LEVEL CM	10512,2131 litre	74,153 %	3664,2237 litre	O
500	CM 95	CM	131 LEVEL CM	10424,5054 litre	73,534 %	3751,9314 litre	O
500	CM 95	CM	130 LEVEL CM	10336,3881 litre	72,912 %	3840,0487 litre	O
500	CM 95	CM	129 LEVEL CM	10247,8745 litre	72,288 %	3928,5623 litre	O
500	CM 95	CM	128 LEVEL CM	10158,9776 litre	71,661 %	4017,4592 litre	O
500	CM 95	CM	127 LEVEL CM	10069,7103 litre	71,031 %	4106,7265 litre	O
500	CM 95	CM	126 LEVEL CM	9980,0852 litre	70,399 %	4196,3516 litre	O
500	CM 95	CM	125 LEVEL CM	9890,1149 litre	69,764 %	4286,3219 litre	O
500	CM 95	CM	124 LEVEL CM	9799,8118 litre	69,127 %	4376,6250 litre	O
500	CM 95	CM	123 LEVEL CM	9709,1880 litre	68,488 %	4467,2488 litre	O
500	CM 95	CM	122 LEVEL CM	9618,2559 litre	67,847 %	4558,1809 litre	O
500	CM 95	CM	121 LEVEL CM	9527,0273 litre	67,203 %	4649,4095 litre	O
500	CM 95	CM	120 LEVEL CM	9435,5141 litre	66,558 %	4740,9227 litre	O
500	CM 95	CM	119 LEVEL CM	9343,7282 litre	65,910 %	4832,7086 litre	O
500	CM 95	CM	118 LEVEL CM	9251,6811 litre	65,261 %	4924,7557 litre	O
500	CM 95	CM	117 LEVEL CM	9159,3845 litre	64,610 %	5017,0523 litre	O
500	CM 95	CM	116 LEVEL CM	9066,8498 litre	63,957 %	5109,5870 litre	O
500	CM 95	CM	115 LEVEL CM	8974,0885 litre	63,303 %	5202,3483 litre	O
500	CM 95	CM	114 LEVEL CM	8881,1118 litre	62,647 %	5295,3250 litre	O
500	CM 95	CM	113 LEVEL CM	8787,9310 litre	61,990 %	5388,5058 litre	O
500	CM 95	CM	112 LEVEL CM	8694,5572 litre	61,331 %	5481,8796 litre	O
500	CM 95	CM	111 LEVEL CM	8601,0016 litre	60,671 %	5575,4352 litre	O
500	CM 95	CM	110 LEVEL CM	8507,2750 litre	60,010 %	5669,1618 litre	O
500	CM 95	CM	109 LEVEL CM	8413,3886 litre	59,348 %	5763,0482 litre	O
500	CM 95	CM	108 LEVEL CM	8319,3531 litre	58,684 %	5857,0837 litre	O
500	CM 95	CM	107 LEVEL CM	8225,1795 litre	58,020 %	5951,2573 litre	O
500	CM 95	CM	106 LEVEL CM	8130,8786 litre	57,355 %	6045,5582 litre	O
500	CM 95	CM	105 LEVEL CM	8036,4611 litre	56,689 %	6139,9757 litre	O
500	CM 95	CM	104 LEVEL CM	7941,9377 litre	56,022 %	6234,4991 litre	O
500	CM 95	CM	103 LEVEL CM	7847,3192 litre	55,355 %	6329,1176 litre	O
500	CM 95	CM	102 LEVEL CM	7752,6162 litre	54,687 %	6423,8206 litre	O
500	CM 95	CM	101 LEVEL CM	7657,8393 litre	54,018 %	6518,5975 litre	O
500	CM 95	CM	100 LEVEL CM	7562,9990 litre	53,349 %	6613,4378 litre	O
500	CM 95	CM	99 LEVEL CM	7468,1061 litre	52,680 %	6708,3307 litre	O
500	CM 95	CM	98 LEVEL CM	7373,1710 litre	52,010 %	6803,2658 litre	O
500	CM 95	CM	97 LEVEL CM	7278,2044 litre	51,340 %	6898,2324 litre	O
500	CM 95	CM	96 LEVEL CM	7183,2167 litre	50,670 %	6993,2201 litre	O
500	CM 95	CM	95 LEVEL CM	7088,2184 litre	50,000 %	7088,2184 litre	O
500	CM 95	CM	94 LEVEL CM	6993,2202 litre	49,330 %	7183,2166 litre	O
500	CM 95	CM	93 LEVEL CM	6898,2325 litre	48,660 %	7278,2043 litre	O
500	CM 95	CM	92 LEVEL CM	6803,2658 litre	47,990 %	7373,1710 litre	O
500	CM 95	CM	91 LEVEL CM	6708,3307 litre	47,320 %	7468,1061 litre	O
500	CM 95	CM	90 LEVEL CM	6613,4378 litre	46,651 %	7562,9990 litre	O
500	CM 95	CM	89 LEVEL CM	6518,5976 litre	45,982 %	7657,8392 litre	O
500	CM 95	CM	88 LEVEL CM	6423,8207 litre	45,313 %	7752,6161 litre	O
500	CM 95	CM	87 LEVEL CM	6329,1176 litre	44,645 %	7847,3192 litre	O
500	CM 95	CM	86 LEVEL CM	6234,4991 litre	43,978 %	7941,9377 litre	O

500	CM	95	CM	85 LEVEL CM	6139,9757 litre	43,311 %	8036,4611 litre	O
500	CM	95	CM	84 LEVEL CM	6045,5582 litre	42,645 %	8130,8786 litre	O
500	CM	95	CM	83 LEVEL CM	5951,2573 litre	41,980 %	8225,1795 litre	O
500	CM	95	CM	82 LEVEL CM	5857,0837 litre	41,316 %	8319,3531 litre	O
500	CM	95	CM	81 LEVEL CM	5763,0483 litre	40,652 %	8413,3885 litre	O
500	CM	95	CM	80 LEVEL CM	5669,1618 litre	39,990 %	8507,2750 litre	O
500	CM	95	CM	79 LEVEL CM	5575,4353 litre	39,329 %	8601,0015 litre	O
500	CM	95	CM	78 LEVEL CM	5481,8796 litre	38,669 %	8694,5572 litre	O
500	CM	95	CM	77 LEVEL CM	5388,5058 litre	38,010 %	8787,9310 litre	O
500	CM	95	CM	76 LEVEL CM	5295,3250 litre	37,353 %	8881,1118 litre	O
500	CM	95	CM	75 LEVEL CM	5202,3483 litre	36,697 %	8974,0885 litre	O
500	CM	95	CM	74 LEVEL CM	5109,5870 litre	36,043 %	9066,8498 litre	O
500	CM	95	CM	73 LEVEL CM	5017,0524 litre	35,390 %	9159,3844 litre	O
500	CM	95	CM	72 LEVEL CM	4924,7558 litre	34,739 %	9251,6810 litre	O
500	CM	95	CM	71 LEVEL CM	4832,7087 litre	34,090 %	9343,7281 litre	O
500	CM	95	CM	70 LEVEL CM	4740,9227 litre	33,442 %	9435,5141 litre	O
500	CM	95	CM	69 LEVEL CM	4649,4096 litre	32,797 %	9527,0272 litre	O
500	CM	95	CM	68 LEVEL CM	4558,1810 litre	32,153 %	9618,2558 litre	O
500	CM	95	CM	67 LEVEL CM	4467,2488 litre	31,512 %	9709,1880 litre	O
500	CM	95	CM	66 LEVEL CM	4376,6251 litre	30,873 %	9799,8117 litre	O
500	CM	95	CM	65 LEVEL CM	4286,3219 litre	30,236 %	9890,1149 litre	O
500	CM	95	CM	64 LEVEL CM	4196,3516 litre	29,601 %	9980,0852 litre	O
500	CM	95	CM	63 LEVEL CM	4106,7265 litre	28,969 %	10069,7103 litre	O
500	CM	95	CM	62 LEVEL CM	4017,4592 litre	28,339 %	10158,9776 litre	O
500	CM	95	CM	61 LEVEL CM	3928,5623 litre	27,712 %	10247,8745 litre	O
500	CM	95	CM	60 LEVEL CM	3840,0488 litre	27,088 %	10336,3880 litre	O
500	CM	95	CM	59 LEVEL CM	3751,9315 litre	26,466 %	10424,5053 litre	O
500	CM	95	CM	58 LEVEL CM	3664,2237 litre	25,847 %	10512,2131 litre	O
500	CM	95	CM	57 LEVEL CM	3576,9388 litre	25,232 %	10599,4980 litre	O
500	CM	95	CM	56 LEVEL CM	3490,0904 litre	24,619 %	10686,3464 litre	O
500	CM	95	CM	55 LEVEL CM	3403,6922 litre	24,010 %	10772,7446 litre	O
500	CM	95	CM	54 LEVEL CM	3317,7582 litre	23,403 %	10858,6786 litre	O
500	CM	95	CM	53 LEVEL CM	3232,3027 litre	22,801 %	10944,1341 litre	O
500	CM	95	CM	52 LEVEL CM	3147,3401 litre	22,201 %	11029,0967 litre	O
500	CM	95	CM	51 LEVEL CM	3062,8851 litre	21,605 %	11113,5517 litre	O
500	CM	95	CM	50 LEVEL CM	2978,9527 litre	21,013 %	11197,4841 litre	O
500	CM	95	CM	49 LEVEL CM	2895,5582 litre	20,425 %	11280,8786 litre	O
500	CM	95	CM	48 LEVEL CM	2812,7172 litre	19,841 %	11363,7196 litre	O
500	CM	95	CM	47 LEVEL CM	2730,4454 litre	19,260 %	11445,9914 litre	O
500	CM	95	CM	46 LEVEL CM	2648,7592 litre	18,684 %	11527,6776 litre	O
500	CM	95	CM	45 LEVEL CM	2567,6751 litre	18,112 %	11608,7617 litre	O
500	CM	95	CM	44 LEVEL CM	2487,2100 litre	17,545 %	11689,2268 litre	O
500	CM	95	CM	43 LEVEL CM	2407,3812 litre	16,982 %	11769,0556 litre	O
500	CM	95	CM	42 LEVEL CM	2328,2065 litre	16,423 %	11848,2303 litre	O
500	CM	95	CM	41 LEVEL CM	2249,7041 litre	15,869 %	11926,7327 litre	O
500	CM	95	CM	40 LEVEL CM	2171,8927 litre	15,320 %	12004,5441 litre	O
500	CM	95	CM	39 LEVEL CM	2094,7913 litre	14,777 %	12081,6455 litre	O
500	CM	95	CM	38 LEVEL CM	2018,4197 litre	14,238 %	12158,0171 litre	O
500	CM	95	CM	37 LEVEL CM	1942,7981 litre	13,704 %	12233,6387 litre	O
500	CM	95	CM	36 LEVEL CM	1867,9475 litre	13,176 %	12308,4893 litre	O
500	CM	95	CM	35 LEVEL CM	1793,8893 litre	12,654 %	12382,5475 litre	O
500	CM	95	CM	34 LEVEL CM	1720,6458 litre	12,137 %	12455,7910 litre	O
500	CM	95	CM	33 LEVEL CM	1648,2400 litre	11,627 %	12528,1968 litre	O

500	CM	95	CM	32 LEVEL CM	1576,6956 litre	11,122 %	12599,7412 litre	O
500	CM	95	CM	31 LEVEL CM	1506,0372 litre	10,624 %	12670,3996 litre	O
500	CM	95	CM	30 LEVEL CM	1436,2906 litre	10,132 %	12740,1462 litre	O
500	CM	95	CM	29 LEVEL CM	1367,4822 litre	9,646 %	12808,9546 litre	O
500	CM	95	CM	28 LEVEL CM	1299,6399 litre	9,168 %	12876,7969 litre	O
500	CM	95	CM	27 LEVEL CM	1232,7924 litre	8,696 %	12943,6444 litre	O
500	CM	95	CM	26 LEVEL CM	1166,9701 litre	8,232 %	13009,4667 litre	O
500	CM	95	CM	25 LEVEL CM	1102,2046 litre	7,775 %	13074,2322 litre	O
500	CM	95	CM	24 LEVEL CM	1038,5291 litre	7,326 %	13137,9077 litre	O
500	CM	95	CM	23 LEVEL CM	975,9787 litre	6,885 %	13200,4581 litre	O
500	CM	95	CM	22 LEVEL CM	914,5902 litre	6,451 %	13261,8466 litre	O
500	CM	95	CM	21 LEVEL CM	854,4026 litre	6,027 %	13322,0342 litre	O
500	CM	95	CM	20 LEVEL CM	795,4574 litre	5,611 %	13380,9794 litre	O
500	CM	95	CM	19 LEVEL CM	737,7988 litre	5,204 %	13438,6380 litre	O
500	CM	95	CM	18 LEVEL CM	681,4737 litre	4,807 %	13494,9631 litre	O
500	CM	95	CM	17 LEVEL CM	626,5328 litre	4,420 %	13549,9040 litre	O
500	CM	95	CM	16 LEVEL CM	573,0306 litre	4,042 %	13603,4062 litre	O
500	CM	95	CM	15 LEVEL CM	521,0260 litre	3,675 %	13655,4108 litre	O
500	CM	95	CM	14 LEVEL CM	470,5835 litre	3,319 %	13705,8533 litre	O
500	CM	95	CM	13 LEVEL CM	421,7733 litre	2,975 %	13754,6635 litre	O
500	CM	95	CM	12 LEVEL CM	374,6733 litre	2,643 %	13801,7635 litre	O
500	CM	95	CM	11 LEVEL CM	329,3700 litre	2,323 %	13847,0668 litre	O
500	CM	95	CM	10 LEVEL CM	285,9609 litre	2,017 %	13890,4759 litre	O
500	CM	95	CM	9 LEVEL CM	244,5567 litre	1,725 %	13931,8801 litre	O
500	CM	95	CM	8 LEVEL CM	205,2850 litre	1,448 %	13971,1518 litre	O
500	CM	95	CM	7 LEVEL CM	168,2958 litre	1,187 %	14008,1410 litre	O
500	CM	95	CM	6 LEVEL CM	133,7688 litre	0,944 %	14042,6680 litre	O
500	CM	95	CM	5 LEVEL CM	101,9253 litre	0,719 %	14074,5115 litre	O
500	CM	95	CM	4 LEVEL CM	73,0489 litre	0,515 %	14103,3879 litre	O
500	CM	95	CM	3 LEVEL CM	47,5225 litre	0,335 %	14128,9143 litre	O
500	CM	95	CM	2 LEVEL CM	25,9092 litre	0,183 %	14150,5276 litre	O
500	CM	95	CM	1 LEVEL CM	9,1748 litre	0,065 %	14167,2620 litre	O
500	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	14176,4368 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
500	CM	90	CM	180 LEVEL CM	12723,4502 litre	100,000 %	0,0000 litre	O
500	CM	90	CM	179 LEVEL CM	12714,5209 litre	99,930 %	8,9293 litre	O
500	CM	90	CM	178 LEVEL CM	12698,2365 litre	99,802 %	25,2137 litre	O
500	CM	90	CM	177 LEVEL CM	12677,2075 litre	99,637 %	46,2427 litre	O
500	CM	90	CM	176 LEVEL CM	12652,3750 litre	99,441 %	71,0752 litre	O
500	CM	90	CM	175 LEVEL CM	12624,2878 litre	99,221 %	99,1624 litre	O
500	CM	90	CM	174 LEVEL CM	12593,3193 litre	98,977 %	130,1309 litre	O
500	CM	90	CM	173 LEVEL CM	12559,7462 litre	98,713 %	163,7040 litre	O
500	CM	90	CM	172 LEVEL CM	12523,7847 litre	98,431 %	199,6655 litre	O
500	CM	90	CM	171 LEVEL CM	12485,6103 litre	98,131 %	237,8399 litre	O
500	CM	90	CM	170 LEVEL CM	12445,3694 litre	97,814 %	278,0808 litre	O
500	CM	90	CM	169 LEVEL CM	12403,1868 litre	97,483 %	320,2634 litre	O
500	CM	90	CM	168 LEVEL CM	12359,1709 litre	97,137 %	364,2793 litre	O
500	CM	90	CM	167 LEVEL CM	12313,4169 litre	96,777 %	410,0333 litre	O
500	CM	90	CM	166 LEVEL CM	12266,0096 litre	96,405 %	457,4406 litre	O
500	CM	90	CM	165 LEVEL CM	12217,0252 litre	96,020 %	506,4250 litre	O
500	CM	90	CM	164 LEVEL CM	12166,5328 litre	95,623 %	556,9174 litre	O
500	CM	90	CM	163 LEVEL CM	12114,5954 litre	95,215 %	608,8548 litre	O
500	CM	90	CM	162 LEVEL CM	12061,2708 litre	94,796 %	662,1794 litre	O
500	CM	90	CM	161 LEVEL CM	12006,6125 litre	94,366 %	716,8377 litre	O
500	CM	90	CM	160 LEVEL CM	11950,6703 litre	93,926 %	772,7799 litre	O
500	CM	90	CM	159 LEVEL CM	11893,4903 litre	93,477 %	829,9599 litre	O
500	CM	90	CM	158 LEVEL CM	11835,1161 litre	93,018 %	888,3341 litre	O
500	CM	90	CM	157 LEVEL CM	11775,5883 litre	92,550 %	947,8619 litre	O
500	CM	90	CM	156 LEVEL CM	11714,9454 litre	92,074 %	1008,5048 litre	O
500	CM	90	CM	155 LEVEL CM	11653,2236 litre	91,589 %	1070,2266 litre	O
500	CM	90	CM	154 LEVEL CM	11590,4576 litre	91,095 %	1132,9926 litre	O
500	CM	90	CM	153 LEVEL CM	11526,6799 litre	90,594 %	1196,7703 litre	O
500	CM	90	CM	152 LEVEL CM	11461,9220 litre	90,085 %	1261,5282 litre	O
500	CM	90	CM	151 LEVEL CM	11396,2136 litre	89,569 %	1327,2366 litre	O
500	CM	90	CM	150 LEVEL CM	11329,5833 litre	89,045 %	1393,8669 litre	O
500	CM	90	CM	149 LEVEL CM	11262,0585 litre	88,514 %	1461,3917 litre	O
500	CM	90	CM	148 LEVEL CM	11193,6655 litre	87,977 %	1529,7847 litre	O
500	CM	90	CM	147 LEVEL CM	11124,4296 litre	87,432 %	1599,0206 litre	O
500	CM	90	CM	146 LEVEL CM	11054,3752 litre	86,882 %	1669,0750 litre	O
500	CM	90	CM	145 LEVEL CM	10983,5260 litre	86,325 %	1739,9242 litre	O
500	CM	90	CM	144 LEVEL CM	10911,9046 litre	85,762 %	1811,5456 litre	O
500	CM	90	CM	143 LEVEL CM	10839,5332 litre	85,193 %	1883,9170 litre	O
500	CM	90	CM	142 LEVEL CM	10766,4331 litre	84,619 %	1957,0171 litre	O
500	CM	90	CM	141 LEVEL CM	10692,6251 litre	84,039 %	2030,8251 litre	O
500	CM	90	CM	140 LEVEL CM	10618,1292 litre	83,453 %	2105,3210 litre	O
500	CM	90	CM	139 LEVEL CM	10542,9652 litre	82,862 %	2180,4850 litre	O
500	CM	90	CM	138 LEVEL CM	10467,1521 litre	82,267 %	2256,2981 litre	O
500	CM	90	CM	137 LEVEL CM	10390,7084 litre	81,666 %	2332,7418 litre	O
500	CM	90	CM	136 LEVEL CM	10313,6524 litre	81,060 %	2409,7978 litre	O
500	CM	90	CM	135 LEVEL CM	10236,0016 litre	80,450 %	2487,4486 litre	O
500	CM	90	CM	134 LEVEL CM	10157,7735 litre	79,835 %	2565,6767 litre	O
500	CM	90	CM	133 LEVEL CM	10078,9849 litre	79,216 %	2644,4653 litre	O
500	CM	90	CM	132 LEVEL CM	9999,6524 litre	78,592 %	2723,7978 litre	O
500	CM	90	CM	131 LEVEL CM	9919,7923 litre	77,965 %	2803,6579 litre	O
500	CM	90	CM	130 LEVEL CM	9839,4203 litre	77,333 %	2884,0299 litre	O
500	CM	90	CM	129 LEVEL CM	9758,5523 litre	76,697 %	2964,8979 litre	O

500	CM	90	CM	128 LEVEL CM	9677,2033 litre	76,058 %	3046,2469 litre	O
500	CM	90	CM	127 LEVEL CM	9595,3886 litre	75,415 %	3128,0616 litre	O
500	CM	90	CM	126 LEVEL CM	9513,1229 litre	74,768 %	3210,3273 litre	O
500	CM	90	CM	125 LEVEL CM	9430,4207 litre	74,118 %	3293,0295 litre	O
500	CM	90	CM	124 LEVEL CM	9347,2964 litre	73,465 %	3376,1538 litre	O
500	CM	90	CM	123 LEVEL CM	9263,7640 litre	72,809 %	3459,6862 litre	O
500	CM	90	CM	122 LEVEL CM	9179,8375 litre	72,149 %	3543,6127 litre	O
500	CM	90	CM	121 LEVEL CM	9095,5306 litre	71,486 %	3627,9196 litre	O
500	CM	90	CM	120 LEVEL CM	9010,8568 litre	70,821 %	3712,5934 litre	O
500	CM	90	CM	119 LEVEL CM	8925,8294 litre	70,153 %	3797,6208 litre	O
500	CM	90	CM	118 LEVEL CM	8840,4616 litre	69,482 %	3882,9886 litre	O
500	CM	90	CM	117 LEVEL CM	8754,7665 litre	68,808 %	3968,6837 litre	O
500	CM	90	CM	116 LEVEL CM	8668,7569 litre	68,132 %	4054,6933 litre	O
500	CM	90	CM	115 LEVEL CM	8582,4454 litre	67,454 %	4141,0048 litre	O
500	CM	90	CM	114 LEVEL CM	8495,8449 litre	66,773 %	4227,6053 litre	O
500	CM	90	CM	113 LEVEL CM	8408,9676 litre	66,090 %	4314,4826 litre	O
500	CM	90	CM	112 LEVEL CM	8321,8260 litre	65,405 %	4401,6242 litre	O
500	CM	90	CM	111 LEVEL CM	8234,4323 litre	64,719 %	4489,0179 litre	O
500	CM	90	CM	110 LEVEL CM	8146,7986 litre	64,030 %	4576,6516 litre	O
500	CM	90	CM	109 LEVEL CM	8058,9370 litre	63,339 %	4664,5132 litre	O
500	CM	90	CM	108 LEVEL CM	7970,8594 litre	62,647 %	4752,5908 litre	O
500	CM	90	CM	107 LEVEL CM	7882,5777 litre	61,953 %	4840,8725 litre	O
500	CM	90	CM	106 LEVEL CM	7794,1036 litre	61,258 %	4929,3466 litre	O
500	CM	90	CM	105 LEVEL CM	7705,4488 litre	60,561 %	5018,0014 litre	O
500	CM	90	CM	104 LEVEL CM	7616,6250 litre	59,863 %	5106,8252 litre	O
500	CM	90	CM	103 LEVEL CM	7527,6438 litre	59,164 %	5195,8064 litre	O
500	CM	90	CM	102 LEVEL CM	7438,5165 litre	58,463 %	5284,9337 litre	O
500	CM	90	CM	101 LEVEL CM	7349,2548 litre	57,761 %	5374,1954 litre	O
500	CM	90	CM	100 LEVEL CM	7259,8698 litre	57,059 %	5463,5804 litre	O
500	CM	90	CM	99 LEVEL CM	7170,3731 litre	56,356 %	5553,0771 litre	O
500	CM	90	CM	98 LEVEL CM	7080,7758 litre	55,651 %	5642,6744 litre	O
500	CM	90	CM	97 LEVEL CM	6991,0894 litre	54,946 %	5732,3608 litre	O
500	CM	90	CM	96 LEVEL CM	6901,3249 litre	54,241 %	5822,1253 litre	O
500	CM	90	CM	95 LEVEL CM	6811,4935 litre	53,535 %	5911,9567 litre	O
500	CM	90	CM	94 LEVEL CM	6721,6066 litre	52,828 %	6001,8436 litre	O
500	CM	90	CM	93 LEVEL CM	6631,6751 litre	52,122 %	6091,7751 litre	O
500	CM	90	CM	92 LEVEL CM	6541,7103 litre	51,415 %	6181,7399 litre	O
500	CM	90	CM	91 LEVEL CM	6451,7233 litre	50,707 %	6271,7269 litre	O
500	CM	90	CM	90 LEVEL CM	6361,7251 litre	50,000 %	6361,7251 litre	O
500	CM	90	CM	89 LEVEL CM	6271,7270 litre	49,293 %	6451,7232 litre	O
500	CM	90	CM	88 LEVEL CM	6181,7399 litre	48,585 %	6541,7103 litre	O
500	CM	90	CM	87 LEVEL CM	6091,7751 litre	47,878 %	6631,6751 litre	O
500	CM	90	CM	86 LEVEL CM	6001,8437 litre	47,172 %	6721,6065 litre	O
500	CM	90	CM	85 LEVEL CM	5911,9567 litre	46,465 %	6811,4935 litre	O
500	CM	90	CM	84 LEVEL CM	5822,1254 litre	45,759 %	6901,3248 litre	O
500	CM	90	CM	83 LEVEL CM	5732,3609 litre	45,054 %	6991,0893 litre	O
500	CM	90	CM	82 LEVEL CM	5642,6744 litre	44,349 %	7080,7758 litre	O
500	CM	90	CM	81 LEVEL CM	5553,0772 litre	43,644 %	7170,3730 litre	O
500	CM	90	CM	80 LEVEL CM	5463,5804 litre	42,941 %	7259,8698 litre	O
500	CM	90	CM	79 LEVEL CM	5374,1955 litre	42,239 %	7349,2547 litre	O
500	CM	90	CM	78 LEVEL CM	5284,9337 litre	41,537 %	7438,5165 litre	O
500	CM	90	CM	77 LEVEL CM	5195,8065 litre	40,836 %	7527,6437 litre	O
500	CM	90	CM	76 LEVEL CM	5106,8252 litre	40,137 %	7616,6250 litre	O

500	CM	90	CM	75 LEVEL CM	5018,0014 litre	39,439 %	7705,4488 litre	O
500	CM	90	CM	74 LEVEL CM	4929,3467 litre	38,742 %	7794,1035 litre	O
500	CM	90	CM	73 LEVEL CM	4840,8726 litre	38,047 %	7882,5776 litre	O
500	CM	90	CM	72 LEVEL CM	4752,5909 litre	37,353 %	7970,8593 litre	O
500	CM	90	CM	71 LEVEL CM	4664,5133 litre	36,661 %	8058,9369 litre	O
500	CM	90	CM	70 LEVEL CM	4576,6517 litre	35,970 %	8146,7985 litre	O
500	CM	90	CM	69 LEVEL CM	4489,0180 litre	35,281 %	8234,4322 litre	O
500	CM	90	CM	68 LEVEL CM	4401,6243 litre	34,595 %	8321,8259 litre	O
500	CM	90	CM	67 LEVEL CM	4314,4826 litre	33,910 %	8408,9676 litre	O
500	CM	90	CM	66 LEVEL CM	4227,6054 litre	33,227 %	8495,8448 litre	O
500	CM	90	CM	65 LEVEL CM	4141,0048 litre	32,546 %	8582,4454 litre	O
500	CM	90	CM	64 LEVEL CM	4054,6934 litre	31,868 %	8668,7568 litre	O
500	CM	90	CM	63 LEVEL CM	3968,6837 litre	31,192 %	8754,7665 litre	O
500	CM	90	CM	62 LEVEL CM	3882,9886 litre	30,518 %	8840,4616 litre	O
500	CM	90	CM	61 LEVEL CM	3797,6208 litre	29,847 %	8925,8294 litre	O
500	CM	90	CM	60 LEVEL CM	3712,5934 litre	29,179 %	9010,8568 litre	O
500	CM	90	CM	59 LEVEL CM	3627,9196 litre	28,514 %	9095,5306 litre	O
500	CM	90	CM	58 LEVEL CM	3543,6127 litre	27,851 %	9179,8375 litre	O
500	CM	90	CM	57 LEVEL CM	3459,6862 litre	27,191 %	9263,7640 litre	O
500	CM	90	CM	56 LEVEL CM	3376,1539 litre	26,535 %	9347,2963 litre	O
500	CM	90	CM	55 LEVEL CM	3293,0296 litre	25,882 %	9430,4206 litre	O
500	CM	90	CM	54 LEVEL CM	3210,3274 litre	25,232 %	9513,1228 litre	O
500	CM	90	CM	53 LEVEL CM	3128,0616 litre	24,585 %	9595,3886 litre	O
500	CM	90	CM	52 LEVEL CM	3046,2469 litre	23,942 %	9677,2033 litre	O
500	CM	90	CM	51 LEVEL CM	2964,8980 litre	23,303 %	9758,5522 litre	O
500	CM	90	CM	50 LEVEL CM	2884,0299 litre	22,667 %	9839,4203 litre	O
500	CM	90	CM	49 LEVEL CM	2803,6580 litre	22,035 %	9919,7922 litre	O
500	CM	90	CM	48 LEVEL CM	2723,7978 litre	21,408 %	9999,6524 litre	O
500	CM	90	CM	47 LEVEL CM	2644,4654 litre	20,784 %	10078,9848 litre	O
500	CM	90	CM	46 LEVEL CM	2565,6768 litre	20,165 %	10157,7734 litre	O
500	CM	90	CM	45 LEVEL CM	2487,4486 litre	19,550 %	10236,0016 litre	O
500	CM	90	CM	44 LEVEL CM	2409,7979 litre	18,940 %	10313,6523 litre	O
500	CM	90	CM	43 LEVEL CM	2332,7418 litre	18,334 %	10390,7084 litre	O
500	CM	90	CM	42 LEVEL CM	2256,2982 litre	17,733 %	10467,1520 litre	O
500	CM	90	CM	41 LEVEL CM	2180,4850 litre	17,138 %	10542,9652 litre	O
500	CM	90	CM	40 LEVEL CM	2105,3210 litre	16,547 %	10618,1292 litre	O
500	CM	90	CM	39 LEVEL CM	2030,8252 litre	15,961 %	10692,6250 litre	O
500	CM	90	CM	38 LEVEL CM	1957,0171 litre	15,381 %	10766,4331 litre	O
500	CM	90	CM	37 LEVEL CM	1883,9170 litre	14,807 %	10839,5332 litre	O
500	CM	90	CM	36 LEVEL CM	1811,5456 litre	14,238 %	10911,9046 litre	O
500	CM	90	CM	35 LEVEL CM	1739,9243 litre	13,675 %	10983,5259 litre	O
500	CM	90	CM	34 LEVEL CM	1669,0750 litre	13,118 %	11054,3752 litre	O
500	CM	90	CM	33 LEVEL CM	1599,0207 litre	12,568 %	11124,4295 litre	O
500	CM	90	CM	32 LEVEL CM	1529,7848 litre	12,023 %	11193,6654 litre	O
500	CM	90	CM	31 LEVEL CM	1461,3918 litre	11,486 %	11262,0584 litre	O
500	CM	90	CM	30 LEVEL CM	1393,8669 litre	10,955 %	11329,5833 litre	O
500	CM	90	CM	29 LEVEL CM	1327,2366 litre	10,431 %	11396,2136 litre	O
500	CM	90	CM	28 LEVEL CM	1261,5282 litre	9,915 %	11461,9220 litre	O
500	CM	90	CM	27 LEVEL CM	1196,7703 litre	9,406 %	11526,6799 litre	O
500	CM	90	CM	26 LEVEL CM	1132,9927 litre	8,905 %	11590,4575 litre	O
500	CM	90	CM	25 LEVEL CM	1070,2266 litre	8,411 %	11653,2236 litre	O
500	CM	90	CM	24 LEVEL CM	1008,5049 litre	7,926 %	11714,9453 litre	O
500	CM	90	CM	23 LEVEL CM	947,8619 litre	7,450 %	11775,5883 litre	O

500	CM	90	CM	22 LEVEL CM	888,3341 litre	6,982 %	11835,1161 litre	O
500	CM	90	CM	21 LEVEL CM	829,9599 litre	6,523 %	11893,4903 litre	O
500	CM	90	CM	20 LEVEL CM	772,7800 litre	6,074 %	11950,6702 litre	O
500	CM	90	CM	19 LEVEL CM	716,8377 litre	5,634 %	12006,6125 litre	O
500	CM	90	CM	18 LEVEL CM	662,1795 litre	5,204 %	12061,2707 litre	O
500	CM	90	CM	17 LEVEL CM	608,8549 litre	4,785 %	12114,5953 litre	O
500	CM	90	CM	16 LEVEL CM	556,9174 litre	4,377 %	12166,5328 litre	O
500	CM	90	CM	15 LEVEL CM	506,4250 litre	3,980 %	12217,0252 litre	O
500	CM	90	CM	14 LEVEL CM	457,4406 litre	3,595 %	12266,0096 litre	O
500	CM	90	CM	13 LEVEL CM	410,0334 litre	3,223 %	12313,4168 litre	O
500	CM	90	CM	12 LEVEL CM	364,2794 litre	2,863 %	12359,1708 litre	O
500	CM	90	CM	11 LEVEL CM	320,2634 litre	2,517 %	12403,1868 litre	O
500	CM	90	CM	10 LEVEL CM	278,0809 litre	2,186 %	12445,3693 litre	O
500	CM	90	CM	9 LEVEL CM	237,8399 litre	1,869 %	12485,6103 litre	O
500	CM	90	CM	8 LEVEL CM	199,6655 litre	1,569 %	12523,7847 litre	O
500	CM	90	CM	7 LEVEL CM	163,7040 litre	1,287 %	12559,7462 litre	O
500	CM	90	CM	6 LEVEL CM	130,1310 litre	1,023 %	12593,3192 litre	O
500	CM	90	CM	5 LEVEL CM	99,1625 litre	0,779 %	12624,2877 litre	O
500	CM	90	CM	4 LEVEL CM	71,0752 litre	0,559 %	12652,3750 litre	O
500	CM	90	CM	3 LEVEL CM	46,2427 litre	0,363 %	12677,2075 litre	O
500	CM	90	CM	2 LEVEL CM	25,2137 litre	0,198 %	12698,2365 litre	O
500	CM	90	CM	1 LEVEL CM	8,9293 litre	0,070 %	12714,5209 litre	O
500	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	12723,4502 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM	85	CM 170 LEVEL CM	11349,0035 litre	100,000 %	0,0000 litre	O
500	CM	85	CM 169 LEVEL CM	11340,3265 litre	99,924 %	8,6770 litre	O
500	CM	85	CM 168 LEVEL CM	11324,5050 litre	99,784 %	24,4985 litre	O
500	CM	85	CM 167 LEVEL CM	11304,0770 litre	99,604 %	44,9265 litre	O
500	CM	85	CM 166 LEVEL CM	11279,9582 litre	99,392 %	69,0453 litre	O
500	CM	85	CM 165 LEVEL CM	11252,6830 litre	99,151 %	96,3205 litre	O
500	CM	85	CM 164 LEVEL CM	11222,6150 litre	98,886 %	126,3885 litre	O
500	CM	85	CM 163 LEVEL CM	11190,0238 litre	98,599 %	158,9797 litre	O
500	CM	85	CM 162 LEVEL CM	11155,1203 litre	98,292 %	193,8832 litre	O
500	CM	85	CM 161 LEVEL CM	11118,0756 litre	97,965 %	230,9279 litre	O
500	CM	85	CM 160 LEVEL CM	11079,0326 litre	97,621 %	269,9709 litre	O
500	CM	85	CM 159 LEVEL CM	11038,1133 litre	97,261 %	310,8902 litre	O
500	CM	85	CM 158 LEVEL CM	10995,4235 litre	96,884 %	353,5800 litre	O
500	CM	85	CM 157 LEVEL CM	10951,0563 litre	96,494 %	397,9472 litre	O
500	CM	85	CM 156 LEVEL CM	10905,0948 litre	96,089 %	443,9087 litre	O
500	CM	85	CM 155 LEVEL CM	10857,6134 litre	95,670 %	491,3901 litre	O
500	CM	85	CM 154 LEVEL CM	10808,6798 litre	95,239 %	540,3237 litre	O
500	CM	85	CM 153 LEVEL CM	10758,3557 litre	94,796 %	590,6478 litre	O
500	CM	85	CM 152 LEVEL CM	10706,6979 litre	94,340 %	642,3056 litre	O
500	CM	85	CM 151 LEVEL CM	10653,7590 litre	93,874 %	695,2445 litre	O
500	CM	85	CM 150 LEVEL CM	10599,5875 litre	93,397 %	749,4160 litre	O
500	CM	85	CM 149 LEVEL CM	10544,2291 litre	92,909 %	804,7744 litre	O
500	CM	85	CM 148 LEVEL CM	10487,7264 litre	92,411 %	861,2771 litre	O
500	CM	85	CM 147 LEVEL CM	10430,1193 litre	91,903 %	918,8842 litre	O
500	CM	85	CM 146 LEVEL CM	10371,4459 litre	91,386 %	977,5576 litre	O
500	CM	85	CM 145 LEVEL CM	10311,7418 litre	90,860 %	1037,2617 litre	O
500	CM	85	CM 144 LEVEL CM	10251,0410 litre	90,325 %	1097,9625 litre	O
500	CM	85	CM 143 LEVEL CM	10189,3758 litre	89,782 %	1159,6277 litre	O
500	CM	85	CM 142 LEVEL CM	10126,7771 litre	89,231 %	1222,2264 litre	O
500	CM	85	CM 141 LEVEL CM	10063,2744 litre	88,671 %	1285,7291 litre	O
500	CM	85	CM 140 LEVEL CM	9998,8958 litre	88,104 %	1350,1077 litre	O
500	CM	85	CM 139 LEVEL CM	9933,6684 litre	87,529 %	1415,3351 litre	O
500	CM	85	CM 138 LEVEL CM	9867,6183 litre	86,947 %	1481,3852 litre	O
500	CM	85	CM 137 LEVEL CM	9800,7706 litre	86,358 %	1548,2329 litre	O
500	CM	85	CM 136 LEVEL CM	9733,1495 litre	85,762 %	1615,8540 litre	O
500	CM	85	CM 135 LEVEL CM	9664,7783 litre	85,160 %	1684,2252 litre	O
500	CM	85	CM 134 LEVEL CM	9595,6796 litre	84,551 %	1753,3239 litre	O
500	CM	85	CM 133 LEVEL CM	9525,8754 litre	83,936 %	1823,1281 litre	O
500	CM	85	CM 132 LEVEL CM	9455,3869 litre	83,315 %	1893,6166 litre	O
500	CM	85	CM 131 LEVEL CM	9384,2348 litre	82,688 %	1964,7687 litre	O
500	CM	85	CM 130 LEVEL CM	9312,4390 litre	82,055 %	2036,5645 litre	O
500	CM	85	CM 129 LEVEL CM	9240,0191 litre	81,417 %	2108,9844 litre	O
500	CM	85	CM 128 LEVEL CM	9166,9942 litre	80,774 %	2182,0093 litre	O
500	CM	85	CM 127 LEVEL CM	9093,3828 litre	80,125 %	2255,6207 litre	O
500	CM	85	CM 126 LEVEL CM	9019,2030 litre	79,471 %	2329,8005 litre	O
500	CM	85	CM 125 LEVEL CM	8944,4726 litre	78,813 %	2404,5309 litre	O
500	CM	85	CM 124 LEVEL CM	8869,2087 litre	78,150 %	2479,7948 litre	O
500	CM	85	CM 123 LEVEL CM	8793,4285 litre	77,482 %	2555,5750 litre	O
500	CM	85	CM 122 LEVEL CM	8717,1484 litre	76,810 %	2631,8551 litre	O
500	CM	85	CM 121 LEVEL CM	8640,3849 litre	76,133 %	2708,6186 litre	O
500	CM	85	CM 120 LEVEL CM	8563,1537 litre	75,453 %	2785,8498 litre	O
500	CM	85	CM 119 LEVEL CM	8485,4707 litre	74,768 %	2863,5328 litre	O

500	CM	85	CM	118 LEVEL CM	8407,3512 litre	74,080 %	2941,6523 litre	O
500	CM	85	CM	117 LEVEL CM	8328,8105 litre	73,388 %	3020,1930 litre	O
500	CM	85	CM	116 LEVEL CM	8249,8633 litre	72,692 %	3099,1402 litre	O
500	CM	85	CM	115 LEVEL CM	8170,5245 litre	71,993 %	3178,4790 litre	O
500	CM	85	CM	114 LEVEL CM	8090,8084 litre	71,291 %	3258,1951 litre	O
500	CM	85	CM	113 LEVEL CM	8010,7293 litre	70,585 %	3338,2742 litre	O
500	CM	85	CM	112 LEVEL CM	7930,3013 litre	69,877 %	3418,7022 litre	O
500	CM	85	CM	111 LEVEL CM	7849,5384 litre	69,165 %	3499,4651 litre	O
500	CM	85	CM	110 LEVEL CM	7768,4541 litre	68,451 %	3580,5494 litre	O
500	CM	85	CM	109 LEVEL CM	7687,0621 litre	67,733 %	3661,9414 litre	O
500	CM	85	CM	108 LEVEL CM	7605,3757 litre	67,014 %	3743,6278 litre	O
500	CM	85	CM	107 LEVEL CM	7523,4083 litre	66,291 %	3825,5952 litre	O
500	CM	85	CM	106 LEVEL CM	7441,1729 litre	65,567 %	3907,8306 litre	O
500	CM	85	CM	105 LEVEL CM	7358,6825 litre	64,840 %	3990,3210 litre	O
500	CM	85	CM	104 LEVEL CM	7275,9501 litre	64,111 %	4073,0534 litre	O
500	CM	85	CM	103 LEVEL CM	7192,9883 litre	63,380 %	4156,0152 litre	O
500	CM	85	CM	102 LEVEL CM	7109,8098 litre	62,647 %	4239,1937 litre	O
500	CM	85	CM	101 LEVEL CM	7026,4271 litre	61,912 %	4322,5764 litre	O
500	CM	85	CM	100 LEVEL CM	6942,8528 litre	61,176 %	4406,1507 litre	O
500	CM	85	CM	99 LEVEL CM	6859,0992 litre	60,438 %	4489,9043 litre	O
500	CM	85	CM	98 LEVEL CM	6775,1786 litre	59,698 %	4573,8249 litre	O
500	CM	85	CM	97 LEVEL CM	6691,1033 litre	58,958 %	4657,9002 litre	O
500	CM	85	CM	96 LEVEL CM	6606,8853 litre	58,216 %	4742,1182 litre	O
500	CM	85	CM	95 LEVEL CM	6522,5369 litre	57,472 %	4826,4666 litre	O
500	CM	85	CM	94 LEVEL CM	6438,0699 litre	56,728 %	4910,9336 litre	O
500	CM	85	CM	93 LEVEL CM	6353,4965 litre	55,983 %	4995,5070 litre	O
500	CM	85	CM	92 LEVEL CM	6268,8285 litre	55,237 %	5080,1750 litre	O
500	CM	85	CM	91 LEVEL CM	6184,0779 litre	54,490 %	5164,9256 litre	O
500	CM	85	CM	90 LEVEL CM	6099,2565 litre	53,743 %	5249,7470 litre	O
500	CM	85	CM	89 LEVEL CM	6014,3762 litre	52,995 %	5334,6273 litre	O
500	CM	85	CM	88 LEVEL CM	5929,4488 litre	52,246 %	5419,5547 litre	O
500	CM	85	CM	87 LEVEL CM	5844,4860 litre	51,498 %	5504,5175 litre	O
500	CM	85	CM	86 LEVEL CM	5759,4998 litre	50,749 %	5589,5037 litre	O
500	CM	85	CM	85 LEVEL CM	5674,5017 litre	50,000 %	5674,5018 litre	O
500	CM	85	CM	84 LEVEL CM	5589,5037 litre	49,251 %	5759,4998 litre	O
500	CM	85	CM	83 LEVEL CM	5504,5174 litre	48,502 %	5844,4861 litre	O
500	CM	85	CM	82 LEVEL CM	5419,5547 litre	47,754 %	5929,4488 litre	O
500	CM	85	CM	81 LEVEL CM	5334,6273 litre	47,005 %	6014,3762 litre	O
500	CM	85	CM	80 LEVEL CM	5249,7470 litre	46,257 %	6099,2565 litre	O
500	CM	85	CM	79 LEVEL CM	5164,9256 litre	45,510 %	6184,0779 litre	O
500	CM	85	CM	78 LEVEL CM	5080,1750 litre	44,763 %	6268,8285 litre	O
500	CM	85	CM	77 LEVEL CM	4995,5070 litre	44,017 %	6353,4965 litre	O
500	CM	85	CM	76 LEVEL CM	4910,9336 litre	43,272 %	6438,0699 litre	O
500	CM	85	CM	75 LEVEL CM	4826,4666 litre	42,528 %	6522,5369 litre	O
500	CM	85	CM	74 LEVEL CM	4742,1181 litre	41,784 %	6606,8854 litre	O
500	CM	85	CM	73 LEVEL CM	4657,9002 litre	41,042 %	6691,1033 litre	O
500	CM	85	CM	72 LEVEL CM	4573,8248 litre	40,302 %	6775,1787 litre	O
500	CM	85	CM	71 LEVEL CM	4489,9042 litre	39,562 %	6859,0993 litre	O
500	CM	85	CM	70 LEVEL CM	4406,1506 litre	38,824 %	6942,8529 litre	O
500	CM	85	CM	69 LEVEL CM	4322,5763 litre	38,088 %	7026,4272 litre	O
500	CM	85	CM	68 LEVEL CM	4239,1937 litre	37,353 %	7109,8098 litre	O
500	CM	85	CM	67 LEVEL CM	4156,0152 litre	36,620 %	7192,9883 litre	O
500	CM	85	CM	66 LEVEL CM	4073,0534 litre	35,889 %	7275,9501 litre	O

500	CM	85	CM	65 LEVEL CM	3990,3209 litre	35,160 %	7358,6826 litre	O
500	CM	85	CM	64 LEVEL CM	3907,8305 litre	34,433 %	7441,1730 litre	O
500	CM	85	CM	63 LEVEL CM	3825,5951 litre	33,709 %	7523,4084 litre	O
500	CM	85	CM	62 LEVEL CM	3743,6277 litre	32,986 %	7605,3758 litre	O
500	CM	85	CM	61 LEVEL CM	3661,9414 litre	32,267 %	7687,0621 litre	O
500	CM	85	CM	60 LEVEL CM	3580,5494 litre	31,549 %	7768,4541 litre	O
500	CM	85	CM	59 LEVEL CM	3499,4651 litre	30,835 %	7849,5384 litre	O
500	CM	85	CM	58 LEVEL CM	3418,7021 litre	30,123 %	7930,3014 litre	O
500	CM	85	CM	57 LEVEL CM	3338,2742 litre	29,415 %	8010,7293 litre	O
500	CM	85	CM	56 LEVEL CM	3258,1951 litre	28,709 %	8090,8084 litre	O
500	CM	85	CM	55 LEVEL CM	3178,4790 litre	28,007 %	8170,5245 litre	O
500	CM	85	CM	54 LEVEL CM	3099,1401 litre	27,308 %	8249,8634 litre	O
500	CM	85	CM	53 LEVEL CM	3020,1930 litre	26,612 %	8328,8105 litre	O
500	CM	85	CM	52 LEVEL CM	2941,6522 litre	25,920 %	8407,3513 litre	O
500	CM	85	CM	51 LEVEL CM	2863,5327 litre	25,232 %	8485,4708 litre	O
500	CM	85	CM	50 LEVEL CM	2785,8497 litre	24,547 %	8563,1538 litre	O
500	CM	85	CM	49 LEVEL CM	2708,6186 litre	23,867 %	8640,3849 litre	O
500	CM	85	CM	48 LEVEL CM	2631,8550 litre	23,190 %	8717,1485 litre	O
500	CM	85	CM	47 LEVEL CM	2555,5750 litre	22,518 %	8793,4285 litre	O
500	CM	85	CM	46 LEVEL CM	2479,7947 litre	21,850 %	8869,2088 litre	O
500	CM	85	CM	45 LEVEL CM	2404,5309 litre	21,187 %	8944,4726 litre	O
500	CM	85	CM	44 LEVEL CM	2329,8004 litre	20,529 %	9019,2031 litre	O
500	CM	85	CM	43 LEVEL CM	2255,6206 litre	19,875 %	9093,3829 litre	O
500	CM	85	CM	42 LEVEL CM	2182,0092 litre	19,226 %	9166,9943 litre	O
500	CM	85	CM	41 LEVEL CM	2108,9843 litre	18,583 %	9240,0192 litre	O
500	CM	85	CM	40 LEVEL CM	2036,5645 litre	17,945 %	9312,4390 litre	O
500	CM	85	CM	39 LEVEL CM	1964,7687 litre	17,312 %	9384,2348 litre	O
500	CM	85	CM	38 LEVEL CM	1893,6165 litre	16,685 %	9455,3870 litre	O
500	CM	85	CM	37 LEVEL CM	1823,1280 litre	16,064 %	9525,8755 litre	O
500	CM	85	CM	36 LEVEL CM	1753,3238 litre	15,449 %	9595,6797 litre	O
500	CM	85	CM	35 LEVEL CM	1684,2252 litre	14,840 %	9664,7783 litre	O
500	CM	85	CM	34 LEVEL CM	1615,8540 litre	14,238 %	9733,1495 litre	O
500	CM	85	CM	33 LEVEL CM	1548,2328 litre	13,642 %	9800,7707 litre	O
500	CM	85	CM	32 LEVEL CM	1481,3851 litre	13,053 %	9867,6184 litre	O
500	CM	85	CM	31 LEVEL CM	1415,3351 litre	12,471 %	9933,6684 litre	O
500	CM	85	CM	30 LEVEL CM	1350,1077 litre	11,896 %	9998,8958 litre	O
500	CM	85	CM	29 LEVEL CM	1285,7291 litre	11,329 %	10063,2744 litre	O
500	CM	85	CM	28 LEVEL CM	1222,2263 litre	10,769 %	10126,7772 litre	O
500	CM	85	CM	27 LEVEL CM	1159,6276 litre	10,218 %	10189,3759 litre	O
500	CM	85	CM	26 LEVEL CM	1097,9625 litre	9,675 %	10251,0410 litre	O
500	CM	85	CM	25 LEVEL CM	1037,2617 litre	9,140 %	10311,7418 litre	O
500	CM	85	CM	24 LEVEL CM	977,5576 litre	8,614 %	10371,4459 litre	O
500	CM	85	CM	23 LEVEL CM	918,8841 litre	8,097 %	10430,1194 litre	O
500	CM	85	CM	22 LEVEL CM	861,2771 litre	7,589 %	10487,7264 litre	O
500	CM	85	CM	21 LEVEL CM	804,7743 litre	7,091 %	10544,2292 litre	O
500	CM	85	CM	20 LEVEL CM	749,4159 litre	6,603 %	10599,5876 litre	O
500	CM	85	CM	19 LEVEL CM	695,2445 litre	6,126 %	10653,7590 litre	O
500	CM	85	CM	18 LEVEL CM	642,3055 litre	5,660 %	10706,6980 litre	O
500	CM	85	CM	17 LEVEL CM	590,6478 litre	5,204 %	10758,3557 litre	O
500	CM	85	CM	16 LEVEL CM	540,3237 litre	4,761 %	10808,6798 litre	O
500	CM	85	CM	15 LEVEL CM	491,3901 litre	4,330 %	10857,6134 litre	O
500	CM	85	CM	14 LEVEL CM	443,9087 litre	3,911 %	10905,0948 litre	O
500	CM	85	CM	13 LEVEL CM	397,9471 litre	3,506 %	10951,0564 litre	O

500	CM	85	CM	12 LEVEL CM	353,5800 litre	3,116 %	10995,4235 litre	O
500	CM	85	CM	11 LEVEL CM	310,8902 litre	2,739 %	11038,1133 litre	O
500	CM	85	CM	10 LEVEL CM	269,9708 litre	2,379 %	11079,0327 litre	O
500	CM	85	CM	9 LEVEL CM	230,9279 litre	2,035 %	11118,0756 litre	O
500	CM	85	CM	8 LEVEL CM	193,8831 litre	1,708 %	11155,1204 litre	O
500	CM	85	CM	7 LEVEL CM	158,9796 litre	1,401 %	11190,0239 litre	O
500	CM	85	CM	6 LEVEL CM	126,3885 litre	1,114 %	11222,6150 litre	O
500	CM	85	CM	5 LEVEL CM	96,3205 litre	0,849 %	11252,6830 litre	O
500	CM	85	CM	4 LEVEL CM	69,0452 litre	0,608 %	11279,9583 litre	O
500	CM	85	CM	3 LEVEL CM	44,9265 litre	0,396 %	11304,0770 litre	O
500	CM	85	CM	2 LEVEL CM	24,4985 litre	0,216 %	11324,5050 litre	O
500	CM	85	CM	1 LEVEL CM	8,6769 litre	0,076 %	11340,3266 litre	O
500	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	11349,0035 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
500	CM	80	CM	160 LEVEL CM	10053,0965 litre	100,000 %	0,0000 litre	O
500	CM	80	CM	159 LEVEL CM	10044,6796 litre	99,916 %	8,4169 litre	O
500	CM	80	CM	158 LEVEL CM	10029,3347 litre	99,764 %	23,7618 litre	O
500	CM	80	CM	157 LEVEL CM	10009,5260 litre	99,567 %	43,5705 litre	O
500	CM	80	CM	156 LEVEL CM	9986,1428 litre	99,334 %	66,9537 litre	O
500	CM	80	CM	155 LEVEL CM	9959,7045 litre	99,071 %	93,3920 litre	O
500	CM	80	CM	154 LEVEL CM	9930,5648 litre	98,781 %	122,5317 litre	O
500	CM	80	CM	153 LEVEL CM	9898,9861 litre	98,467 %	154,1104 litre	O
500	CM	80	CM	152 LEVEL CM	9865,1736 litre	98,131 %	187,9229 litre	O
500	CM	80	CM	151 LEVEL CM	9829,2941 litre	97,774 %	223,8024 litre	O
500	CM	80	CM	150 LEVEL CM	9791,4870 litre	97,398 %	261,6095 litre	O
500	CM	80	CM	149 LEVEL CM	9751,8712 litre	97,004 %	301,2253 litre	O
500	CM	80	CM	148 LEVEL CM	9710,5501 litre	96,593 %	342,5464 litre	O
500	CM	80	CM	147 LEVEL CM	9667,6146 litre	96,166 %	385,4819 litre	O
500	CM	80	CM	146 LEVEL CM	9623,1457 litre	95,723 %	429,9508 litre	O
500	CM	80	CM	145 LEVEL CM	9577,2164 litre	95,266 %	475,8801 litre	O
500	CM	80	CM	144 LEVEL CM	9529,8929 litre	94,796 %	523,2036 litre	O
500	CM	80	CM	143 LEVEL CM	9481,2357 litre	94,312 %	571,8608 litre	O
500	CM	80	CM	142 LEVEL CM	9431,3004 litre	93,815 %	621,7961 litre	O
500	CM	80	CM	141 LEVEL CM	9380,1384 litre	93,306 %	672,9581 litre	O
500	CM	80	CM	140 LEVEL CM	9327,7977 litre	92,785 %	725,2988 litre	O
500	CM	80	CM	139 LEVEL CM	9274,3228 litre	92,253 %	778,7737 litre	O
500	CM	80	CM	138 LEVEL CM	9219,7557 litre	91,711 %	833,3408 litre	O
500	CM	80	CM	137 LEVEL CM	9164,1357 litre	91,157 %	888,9608 litre	O
500	CM	80	CM	136 LEVEL CM	9107,5002 litre	90,594 %	945,5963 litre	O
500	CM	80	CM	135 LEVEL CM	9049,8843 litre	90,021 %	1003,2122 litre	O
500	CM	80	CM	134 LEVEL CM	8991,3216 litre	89,438 %	1061,7749 litre	O
500	CM	80	CM	133 LEVEL CM	8931,8439 litre	88,847 %	1121,2526 litre	O
500	CM	80	CM	132 LEVEL CM	8871,4816 litre	88,246 %	1181,6149 litre	O
500	CM	80	CM	131 LEVEL CM	8810,2639 litre	87,637 %	1242,8326 litre	O
500	CM	80	CM	130 LEVEL CM	8748,2187 litre	87,020 %	1304,8778 litre	O
500	CM	80	CM	129 LEVEL CM	8685,3727 litre	86,395 %	1367,7238 litre	O
500	CM	80	CM	128 LEVEL CM	8621,7518 litre	85,762 %	1431,3447 litre	O
500	CM	80	CM	127 LEVEL CM	8557,3808 litre	85,122 %	1495,7157 litre	O
500	CM	80	CM	126 LEVEL CM	8492,2838 litre	84,474 %	1560,8127 litre	O
500	CM	80	CM	125 LEVEL CM	8426,4839 litre	83,820 %	1626,6126 litre	O
500	CM	80	CM	124 LEVEL CM	8360,0036 litre	83,158 %	1693,0929 litre	O
500	CM	80	CM	123 LEVEL CM	8292,8647 litre	82,491 %	1760,2318 litre	O
500	CM	80	CM	122 LEVEL CM	8225,0883 litre	81,816 %	1828,0082 litre	O
500	CM	80	CM	121 LEVEL CM	8156,6951 litre	81,136 %	1896,4014 litre	O
500	CM	80	CM	120 LEVEL CM	8087,7050 litre	80,450 %	1965,3915 litre	O
500	CM	80	CM	119 LEVEL CM	8018,1375 litre	79,758 %	2034,9590 litre	O
500	CM	80	CM	118 LEVEL CM	7948,0116 litre	79,060 %	2105,0849 litre	O
500	CM	80	CM	117 LEVEL CM	7877,3458 litre	78,357 %	2175,7507 litre	O
500	CM	80	CM	116 LEVEL CM	7806,1584 litre	77,649 %	2246,9381 litre	O
500	CM	80	CM	115 LEVEL CM	7734,4671 litre	76,936 %	2318,6294 litre	O
500	CM	80	CM	114 LEVEL CM	7662,2892 litre	76,218 %	2390,8073 litre	O
500	CM	80	CM	113 LEVEL CM	7589,6418 litre	75,496 %	2463,4547 litre	O
500	CM	80	CM	112 LEVEL CM	7516,5415 litre	74,768 %	2536,5550 litre	O
500	CM	80	CM	111 LEVEL CM	7443,0048 litre	74,037 %	2610,0917 litre	O
500	CM	80	CM	110 LEVEL CM	7369,0477 litre	73,301 %	2684,0488 litre	O
500	CM	80	CM	109 LEVEL CM	7294,6861 litre	72,562 %	2758,4104 litre	O

500	CM	80	CM	108 LEVEL CM	7219,9354 litre	71,818 %	2833,1611 litre	O
500	CM	80	CM	107 LEVEL CM	7144,8112 litre	71,071 %	2908,2853 litre	O
500	CM	80	CM	106 LEVEL CM	7069,3284 litre	70,320 %	2983,7681 litre	O
500	CM	80	CM	105 LEVEL CM	6993,5019 litre	69,566 %	3059,5946 litre	O
500	CM	80	CM	104 LEVEL CM	6917,3464 litre	68,808 %	3135,7501 litre	O
500	CM	80	CM	103 LEVEL CM	6840,8764 litre	68,047 %	3212,2201 litre	O
500	CM	80	CM	102 LEVEL CM	6764,1062 litre	67,284 %	3288,9903 litre	O
500	CM	80	CM	101 LEVEL CM	6687,0500 litre	66,517 %	3366,0465 litre	O
500	CM	80	CM	100 LEVEL CM	6609,7217 litre	65,748 %	3443,3748 litre	O
500	CM	80	CM	99 LEVEL CM	6532,1353 litre	64,976 %	3520,9612 litre	O
500	CM	80	CM	98 LEVEL CM	6454,3043 litre	64,202 %	3598,7922 litre	O
500	CM	80	CM	97 LEVEL CM	6376,2424 litre	63,426 %	3676,8541 litre	O
500	CM	80	CM	96 LEVEL CM	6297,9630 litre	62,647 %	3755,1335 litre	O
500	CM	80	CM	95 LEVEL CM	6219,4794 litre	61,866 %	3833,6171 litre	O
500	CM	80	CM	94 LEVEL CM	6140,8050 litre	61,084 %	3912,2915 litre	O
500	CM	80	CM	93 LEVEL CM	6061,9529 litre	60,299 %	3991,1436 litre	O
500	CM	80	CM	92 LEVEL CM	5982,9360 litre	59,513 %	4070,1605 litre	O
500	CM	80	CM	91 LEVEL CM	5903,7674 litre	58,726 %	4149,3291 litre	O
500	CM	80	CM	90 LEVEL CM	5824,4600 litre	57,937 %	4228,6365 litre	O
500	CM	80	CM	89 LEVEL CM	5745,0266 litre	57,147 %	4308,0699 litre	O
500	CM	80	CM	88 LEVEL CM	5665,4800 litre	56,356 %	4387,6165 litre	O
500	CM	80	CM	87 LEVEL CM	5585,8328 litre	55,563 %	4467,2637 litre	O
500	CM	80	CM	86 LEVEL CM	5506,0979 litre	54,770 %	4546,9986 litre	O
500	CM	80	CM	85 LEVEL CM	5426,2877 litre	53,976 %	4626,8088 litre	O
500	CM	80	CM	84 LEVEL CM	5346,4149 litre	53,182 %	4706,6816 litre	O
500	CM	80	CM	83 LEVEL CM	5266,4920 litre	52,387 %	4786,6045 litre	O
500	CM	80	CM	82 LEVEL CM	5186,5316 litre	51,591 %	4866,5649 litre	O
500	CM	80	CM	81 LEVEL CM	5106,5462 litre	50,796 %	4946,5503 litre	O
500	CM	80	CM	80 LEVEL CM	5026,5482 litre	50,000 %	5026,5483 litre	O
500	CM	80	CM	79 LEVEL CM	4946,5503 litre	49,204 %	5106,5462 litre	O
500	CM	80	CM	78 LEVEL CM	4866,5649 litre	48,409 %	5186,5316 litre	O
500	CM	80	CM	77 LEVEL CM	4786,6045 litre	47,613 %	5266,4920 litre	O
500	CM	80	CM	76 LEVEL CM	4706,6816 litre	46,818 %	5346,4149 litre	O
500	CM	80	CM	75 LEVEL CM	4626,8088 litre	46,024 %	5426,2877 litre	O
500	CM	80	CM	74 LEVEL CM	4546,9986 litre	45,230 %	5506,0979 litre	O
500	CM	80	CM	73 LEVEL CM	4467,2637 litre	44,437 %	5585,8328 litre	O
500	CM	80	CM	72 LEVEL CM	4387,6165 litre	43,644 %	5665,4800 litre	O
500	CM	80	CM	71 LEVEL CM	4308,0699 litre	42,853 %	5745,0266 litre	O
500	CM	80	CM	70 LEVEL CM	4228,6365 litre	42,063 %	5824,4600 litre	O
500	CM	80	CM	69 LEVEL CM	4149,3291 litre	41,274 %	5903,7674 litre	O
500	CM	80	CM	68 LEVEL CM	4070,1605 litre	40,487 %	5982,9360 litre	O
500	CM	80	CM	67 LEVEL CM	3991,1436 litre	39,701 %	6061,9529 litre	O
500	CM	80	CM	66 LEVEL CM	3912,2915 litre	38,916 %	6140,8050 litre	O
500	CM	80	CM	65 LEVEL CM	3833,6170 litre	38,134 %	6219,4795 litre	O
500	CM	80	CM	64 LEVEL CM	3755,1335 litre	37,353 %	6297,9630 litre	O
500	CM	80	CM	63 LEVEL CM	3676,8541 litre	36,574 %	6376,2424 litre	O
500	CM	80	CM	62 LEVEL CM	3598,7922 litre	35,798 %	6454,3043 litre	O
500	CM	80	CM	61 LEVEL CM	3520,9612 litre	35,024 %	6532,1353 litre	O
500	CM	80	CM	60 LEVEL CM	3443,3748 litre	34,252 %	6609,7217 litre	O
500	CM	80	CM	59 LEVEL CM	3366,0465 litre	33,483 %	6687,0500 litre	O
500	CM	80	CM	58 LEVEL CM	3288,9903 litre	32,716 %	6764,1062 litre	O
500	CM	80	CM	57 LEVEL CM	3212,2201 litre	31,953 %	6840,8764 litre	O
500	CM	80	CM	56 LEVEL CM	3135,7501 litre	31,192 %	6917,3464 litre	O

500	CM	80	CM	55 LEVEL CM	3059,5946 litre	30,434 %	6993,5019 litre	O
500	CM	80	CM	54 LEVEL CM	2983,7681 litre	29,680 %	7069,3284 litre	O
500	CM	80	CM	53 LEVEL CM	2908,2853 litre	28,929 %	7144,8112 litre	O
500	CM	80	CM	52 LEVEL CM	2833,1611 litre	28,182 %	7219,9354 litre	O
500	CM	80	CM	51 LEVEL CM	2758,4104 litre	27,438 %	7294,6861 litre	O
500	CM	80	CM	50 LEVEL CM	2684,0488 litre	26,699 %	7369,0477 litre	O
500	CM	80	CM	49 LEVEL CM	2610,0917 litre	25,963 %	7443,0048 litre	O
500	CM	80	CM	48 LEVEL CM	2536,5550 litre	25,232 %	7516,5415 litre	O
500	CM	80	CM	47 LEVEL CM	2463,4547 litre	24,504 %	7589,6418 litre	O
500	CM	80	CM	46 LEVEL CM	2390,8073 litre	23,782 %	7662,2892 litre	O
500	CM	80	CM	45 LEVEL CM	2318,6294 litre	23,064 %	7734,4671 litre	O
500	CM	80	CM	44 LEVEL CM	2246,9380 litre	22,351 %	7806,1585 litre	O
500	CM	80	CM	43 LEVEL CM	2175,7506 litre	21,643 %	7877,3459 litre	O
500	CM	80	CM	42 LEVEL CM	2105,0849 litre	20,940 %	7948,0116 litre	O
500	CM	80	CM	41 LEVEL CM	2034,9590 litre	20,242 %	8018,1375 litre	O
500	CM	80	CM	40 LEVEL CM	1965,3915 litre	19,550 %	8087,7050 litre	O
500	CM	80	CM	39 LEVEL CM	1896,4014 litre	18,864 %	8156,6951 litre	O
500	CM	80	CM	38 LEVEL CM	1828,0081 litre	18,184 %	8225,0884 litre	O
500	CM	80	CM	37 LEVEL CM	1760,2318 litre	17,509 %	8292,8647 litre	O
500	CM	80	CM	36 LEVEL CM	1693,0929 litre	16,842 %	8360,0036 litre	O
500	CM	80	CM	35 LEVEL CM	1626,6126 litre	16,180 %	8426,4839 litre	O
500	CM	80	CM	34 LEVEL CM	1560,8127 litre	15,526 %	8492,2838 litre	O
500	CM	80	CM	33 LEVEL CM	1495,7157 litre	14,878 %	8557,3808 litre	O
500	CM	80	CM	32 LEVEL CM	1431,3447 litre	14,238 %	8621,7518 litre	O
500	CM	80	CM	31 LEVEL CM	1367,7238 litre	13,605 %	8685,3727 litre	O
500	CM	80	CM	30 LEVEL CM	1304,8778 litre	12,980 %	8748,2187 litre	O
500	CM	80	CM	29 LEVEL CM	1242,8326 litre	12,363 %	8810,2639 litre	O
500	CM	80	CM	28 LEVEL CM	1181,6149 litre	11,754 %	8871,4816 litre	O
500	CM	80	CM	27 LEVEL CM	1121,2526 litre	11,153 %	8931,8439 litre	O
500	CM	80	CM	26 LEVEL CM	1061,7749 litre	10,562 %	8991,3216 litre	O
500	CM	80	CM	25 LEVEL CM	1003,2122 litre	9,979 %	9049,8843 litre	O
500	CM	80	CM	24 LEVEL CM	945,5963 litre	9,406 %	9107,5002 litre	O
500	CM	80	CM	23 LEVEL CM	888,9608 litre	8,843 %	9164,1357 litre	O
500	CM	80	CM	22 LEVEL CM	833,3408 litre	8,289 %	9219,7557 litre	O
500	CM	80	CM	21 LEVEL CM	778,7737 litre	7,747 %	9274,3228 litre	O
500	CM	80	CM	20 LEVEL CM	725,2988 litre	7,215 %	9327,7977 litre	O
500	CM	80	CM	19 LEVEL CM	672,9580 litre	6,694 %	9380,1385 litre	O
500	CM	80	CM	18 LEVEL CM	621,7961 litre	6,185 %	9431,3004 litre	O
500	CM	80	CM	17 LEVEL CM	571,8608 litre	5,688 %	9481,2357 litre	O
500	CM	80	CM	16 LEVEL CM	523,2035 litre	5,204 %	9529,8930 litre	O
500	CM	80	CM	15 LEVEL CM	475,8801 litre	4,734 %	9577,2164 litre	O
500	CM	80	CM	14 LEVEL CM	429,9508 litre	4,277 %	9623,1457 litre	O
500	CM	80	CM	13 LEVEL CM	385,4819 litre	3,834 %	9667,6146 litre	O
500	CM	80	CM	12 LEVEL CM	342,5464 litre	3,407 %	9710,5501 litre	O
500	CM	80	CM	11 LEVEL CM	301,2252 litre	2,996 %	9751,8713 litre	O
500	CM	80	CM	10 LEVEL CM	261,6095 litre	2,602 %	9791,4870 litre	O
500	CM	80	CM	9 LEVEL CM	223,8024 litre	2,226 %	9829,2941 litre	O
500	CM	80	CM	8 LEVEL CM	187,9229 litre	1,869 %	9865,1736 litre	O
500	CM	80	CM	7 LEVEL CM	154,1104 litre	1,533 %	9898,9861 litre	O
500	CM	80	CM	6 LEVEL CM	122,5317 litre	1,219 %	9930,5648 litre	O
500	CM	80	CM	5 LEVEL CM	93,3920 litre	0,929 %	9959,7045 litre	O
500	CM	80	CM	4 LEVEL CM	66,9537 litre	0,666 %	9986,1428 litre	O
500	CM	80	CM	3 LEVEL CM	43,5705 litre	0,433 %	10009,5260 litre	O

500	CM 80	CM	2 LEVEL CM	23,7617 litre	0,236 %	10029,3348 litre	O
500	CM 80	CM	1 LEVEL CM	8,4169 litre	0,084 %	10044,6796 litre	O
500	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	10053,0965 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
500	CM	75	CM	150 LEVEL CM	8835,7293 litre	100,000 %	0,0000 litre	O
500	CM	75	CM	149 LEVEL CM	8827,5807 litre	99,908 %	8,1486 litre	O
500	CM	75	CM	148 LEVEL CM	8812,7279 litre	99,740 %	23,0014 litre	O
500	CM	75	CM	147 LEVEL CM	8793,5584 litre	99,523 %	42,1709 litre	O
500	CM	75	CM	146 LEVEL CM	8770,9347 litre	99,267 %	64,7946 litre	O
500	CM	75	CM	145 LEVEL CM	8745,3606 litre	98,977 %	90,3687 litre	O
500	CM	75	CM	144 LEVEL CM	8717,1798 litre	98,658 %	118,5495 litre	O
500	CM	75	CM	143 LEVEL CM	8686,6471 litre	98,313 %	149,0822 litre	O
500	CM	75	CM	142 LEVEL CM	8653,9620 litre	97,943 %	181,7673 litre	O
500	CM	75	CM	141 LEVEL CM	8619,2870 litre	97,550 %	216,4423 litre	O
500	CM	75	CM	140 LEVEL CM	8582,7576 litre	97,137 %	252,9717 litre	O
500	CM	75	CM	139 LEVEL CM	8544,4897 litre	96,704 %	291,2396 litre	O
500	CM	75	CM	138 LEVEL CM	8504,5841 litre	96,252 %	331,1452 litre	O
500	CM	75	CM	137 LEVEL CM	8463,1296 litre	95,783 %	372,5997 litre	O
500	CM	75	CM	136 LEVEL CM	8420,2053 litre	95,297 %	415,5240 litre	O
500	CM	75	CM	135 LEVEL CM	8375,8825 litre	94,796 %	459,8468 litre	O
500	CM	75	CM	134 LEVEL CM	8330,2259 litre	94,279 %	505,5034 litre	O
500	CM	75	CM	133 LEVEL CM	8283,2947 litre	93,748 %	552,4346 litre	O
500	CM	75	CM	132 LEVEL CM	8235,1434 litre	93,203 %	600,5859 litre	O
500	CM	75	CM	131 LEVEL CM	8185,8224 litre	92,645 %	649,9069 litre	O
500	CM	75	CM	130 LEVEL CM	8135,3787 litre	92,074 %	700,3506 litre	O
500	CM	75	CM	129 LEVEL CM	8083,8562 litre	91,491 %	751,8731 litre	O
500	CM	75	CM	128 LEVEL CM	8031,2959 litre	90,896 %	804,4334 litre	O
500	CM	75	CM	127 LEVEL CM	7977,7367 litre	90,290 %	857,9926 litre	O
500	CM	75	CM	126 LEVEL CM	7923,2152 litre	89,672 %	912,5141 litre	O
500	CM	75	CM	125 LEVEL CM	7867,7662 litre	89,045 %	967,9631 litre	O
500	CM	75	CM	124 LEVEL CM	7811,4226 litre	88,407 %	1024,3067 litre	O
500	CM	75	CM	123 LEVEL CM	7754,2159 litre	87,760 %	1081,5134 litre	O
500	CM	75	CM	122 LEVEL CM	7696,1761 litre	87,103 %	1139,5532 litre	O
500	CM	75	CM	121 LEVEL CM	7637,3322 litre	86,437 %	1198,3971 litre	O
500	CM	75	CM	120 LEVEL CM	7577,7115 litre	85,762 %	1258,0178 litre	O
500	CM	75	CM	119 LEVEL CM	7517,3408 litre	85,079 %	1318,3885 litre	O
500	CM	75	CM	118 LEVEL CM	7456,2456 litre	84,387 %	1379,4837 litre	O
500	CM	75	CM	117 LEVEL CM	7394,4506 litre	83,688 %	1441,2787 litre	O
500	CM	75	CM	116 LEVEL CM	7331,9796 litre	82,981 %	1503,7497 litre	O
500	CM	75	CM	115 LEVEL CM	7268,8556 litre	82,267 %	1566,8737 litre	O
500	CM	75	CM	114 LEVEL CM	7205,1011 litre	81,545 %	1630,6282 litre	O
500	CM	75	CM	113 LEVEL CM	7140,7378 litre	80,817 %	1694,9915 litre	O
500	CM	75	CM	112 LEVEL CM	7075,7868 litre	80,082 %	1759,9425 litre	O
500	CM	75	CM	111 LEVEL CM	7010,2685 litre	79,340 %	1825,4608 litre	O
500	CM	75	CM	110 LEVEL CM	6944,2031 litre	78,592 %	1891,5262 litre	O
500	CM	75	CM	109 LEVEL CM	6877,6099 litre	77,839 %	1958,1194 litre	O
500	CM	75	CM	108 LEVEL CM	6810,5082 litre	77,079 %	2025,2211 litre	O
500	CM	75	CM	107 LEVEL CM	6742,9164 litre	76,314 %	2092,8129 litre	O
500	CM	75	CM	106 LEVEL CM	6674,8528 litre	75,544 %	2160,8765 litre	O
500	CM	75	CM	105 LEVEL CM	6606,3353 litre	74,768 %	2229,3940 litre	O
500	CM	75	CM	104 LEVEL CM	6537,3813 litre	73,988 %	2298,3480 litre	O
500	CM	75	CM	103 LEVEL CM	6468,0081 litre	73,203 %	2367,7212 litre	O
500	CM	75	CM	102 LEVEL CM	6398,2323 litre	72,413 %	2437,4970 litre	O
500	CM	75	CM	101 LEVEL CM	6328,0707 litre	71,619 %	2507,6586 litre	O
500	CM	75	CM	100 LEVEL CM	6257,5395 litre	70,821 %	2578,1898 litre	O
500	CM	75	CM	99 LEVEL CM	6186,6546 litre	70,019 %	2649,0747 litre	O

500	CM	75	CM	98 LEVEL CM	6115,4320 litre	69,213 %	2720,2973 litre	O
500	CM	75	CM	97 LEVEL CM	6043,8872 litre	68,403 %	2791,8421 litre	O
500	CM	75	CM	96 LEVEL CM	5972,0356 litre	67,590 %	2863,6937 litre	O
500	CM	75	CM	95 LEVEL CM	5899,8923 litre	66,773 %	2935,8370 litre	O
500	CM	75	CM	94 LEVEL CM	5827,4722 litre	65,953 %	3008,2571 litre	O
500	CM	75	CM	93 LEVEL CM	5754,7903 litre	65,131 %	3080,9390 litre	O
500	CM	75	CM	92 LEVEL CM	5681,8612 litre	64,306 %	3153,8681 litre	O
500	CM	75	CM	91 LEVEL CM	5608,6993 litre	63,477 %	3227,0300 litre	O
500	CM	75	CM	90 LEVEL CM	5535,3190 litre	62,647 %	3300,4103 litre	O
500	CM	75	CM	89 LEVEL CM	5461,7346 litre	61,814 %	3373,9947 litre	O
500	CM	75	CM	88 LEVEL CM	5387,9602 litre	60,979 %	3447,7691 litre	O
500	CM	75	CM	87 LEVEL CM	5314,0098 litre	60,142 %	3521,7195 litre	O
500	CM	75	CM	86 LEVEL CM	5239,8973 litre	59,304 %	3595,8320 litre	O
500	CM	75	CM	85 LEVEL CM	5165,6365 litre	58,463 %	3670,0928 litre	O
500	CM	75	CM	84 LEVEL CM	5091,2412 litre	57,621 %	3744,4881 litre	O
500	CM	75	CM	83 LEVEL CM	5016,7249 litre	56,778 %	3819,0044 litre	O
500	CM	75	CM	82 LEVEL CM	4942,1014 litre	55,933 %	3893,6279 litre	O
500	CM	75	CM	81 LEVEL CM	4867,3842 litre	55,088 %	3968,3451 litre	O
500	CM	75	CM	80 LEVEL CM	4792,5867 litre	54,241 %	4043,1426 litre	O
500	CM	75	CM	79 LEVEL CM	4717,7224 litre	53,394 %	4118,0069 litre	O
500	CM	75	CM	78 LEVEL CM	4642,8047 litre	52,546 %	4192,9246 litre	O
500	CM	75	CM	77 LEVEL CM	4567,8469 litre	51,697 %	4267,8824 litre	O
500	CM	75	CM	76 LEVEL CM	4492,8624 litre	50,849 %	4342,8669 litre	O
500	CM	75	CM	75 LEVEL CM	4417,8647 litre	50,000 %	4417,8646 litre	O
500	CM	75	CM	74 LEVEL CM	4342,8669 litre	49,151 %	4492,8624 litre	O
500	CM	75	CM	73 LEVEL CM	4267,8824 litre	48,303 %	4567,8469 litre	O
500	CM	75	CM	72 LEVEL CM	4192,9247 litre	47,454 %	4642,8046 litre	O
500	CM	75	CM	71 LEVEL CM	4118,0070 litre	46,606 %	4717,7223 litre	O
500	CM	75	CM	70 LEVEL CM	4043,1426 litre	45,759 %	4792,5867 litre	O
500	CM	75	CM	69 LEVEL CM	3968,3451 litre	44,912 %	4867,3842 litre	O
500	CM	75	CM	68 LEVEL CM	3893,6279 litre	44,067 %	4942,1014 litre	O
500	CM	75	CM	67 LEVEL CM	3819,0044 litre	43,222 %	5016,7249 litre	O
500	CM	75	CM	66 LEVEL CM	3744,4882 litre	42,379 %	5091,2411 litre	O
500	CM	75	CM	65 LEVEL CM	3670,0929 litre	41,537 %	5165,6364 litre	O
500	CM	75	CM	64 LEVEL CM	3595,8321 litre	40,696 %	5239,8972 litre	O
500	CM	75	CM	63 LEVEL CM	3521,7196 litre	39,858 %	5314,0097 litre	O
500	CM	75	CM	62 LEVEL CM	3447,7691 litre	39,021 %	5387,9602 litre	O
500	CM	75	CM	61 LEVEL CM	3373,9947 litre	38,186 %	5461,7346 litre	O
500	CM	75	CM	60 LEVEL CM	3300,4103 litre	37,353 %	5535,3190 litre	O
500	CM	75	CM	59 LEVEL CM	3227,0301 litre	36,523 %	5608,6992 litre	O
500	CM	75	CM	58 LEVEL CM	3153,8682 litre	35,694 %	5681,8611 litre	O
500	CM	75	CM	57 LEVEL CM	3080,9390 litre	34,869 %	5754,7903 litre	O
500	CM	75	CM	56 LEVEL CM	3008,2571 litre	34,047 %	5827,4722 litre	O
500	CM	75	CM	55 LEVEL CM	2935,8371 litre	33,227 %	5899,8922 litre	O
500	CM	75	CM	54 LEVEL CM	2863,6937 litre	32,410 %	5972,0356 litre	O
500	CM	75	CM	53 LEVEL CM	2791,8421 litre	31,597 %	6043,8872 litre	O
500	CM	75	CM	52 LEVEL CM	2720,2973 litre	30,787 %	6115,4320 litre	O
500	CM	75	CM	51 LEVEL CM	2649,0747 litre	29,981 %	6186,6546 litre	O
500	CM	75	CM	50 LEVEL CM	2578,1899 litre	29,179 %	6257,5394 litre	O
500	CM	75	CM	49 LEVEL CM	2507,6586 litre	28,381 %	6328,0707 litre	O
500	CM	75	CM	48 LEVEL CM	2437,4970 litre	27,587 %	6398,2323 litre	O
500	CM	75	CM	47 LEVEL CM	2367,7213 litre	26,797 %	6468,0080 litre	O
500	CM	75	CM	46 LEVEL CM	2298,3480 litre	26,012 %	6537,3813 litre	O

500	CM	75	CM	45 LEVEL CM	2229,3940 litre	25,232 %	6606,3353 litre	O
500	CM	75	CM	44 LEVEL CM	2160,8765 litre	24,456 %	6674,8528 litre	O
500	CM	75	CM	43 LEVEL CM	2092,8129 litre	23,686 %	6742,9164 litre	O
500	CM	75	CM	42 LEVEL CM	2025,2212 litre	22,921 %	6810,5081 litre	O
500	CM	75	CM	41 LEVEL CM	1958,1194 litre	22,161 %	6877,6099 litre	O
500	CM	75	CM	40 LEVEL CM	1891,5263 litre	21,408 %	6944,2030 litre	O
500	CM	75	CM	39 LEVEL CM	1825,4608 litre	20,660 %	7010,2685 litre	O
500	CM	75	CM	38 LEVEL CM	1759,9426 litre	19,918 %	7075,7867 litre	O
500	CM	75	CM	37 LEVEL CM	1694,9915 litre	19,183 %	7140,7378 litre	O
500	CM	75	CM	36 LEVEL CM	1630,6282 litre	18,455 %	7205,1011 litre	O
500	CM	75	CM	35 LEVEL CM	1566,8737 litre	17,733 %	7268,8556 litre	O
500	CM	75	CM	34 LEVEL CM	1503,7498 litre	17,019 %	7331,9795 litre	O
500	CM	75	CM	33 LEVEL CM	1441,2788 litre	16,312 %	7394,4505 litre	O
500	CM	75	CM	32 LEVEL CM	1379,4837 litre	15,613 %	7456,2456 litre	O
500	CM	75	CM	31 LEVEL CM	1318,3885 litre	14,921 %	7517,3408 litre	O
500	CM	75	CM	30 LEVEL CM	1258,0178 litre	14,238 %	7577,7115 litre	O
500	CM	75	CM	29 LEVEL CM	1198,3972 litre	13,563 %	7637,3321 litre	O
500	CM	75	CM	28 LEVEL CM	1139,5532 litre	12,897 %	7696,1761 litre	O
500	CM	75	CM	27 LEVEL CM	1081,5135 litre	12,240 %	7754,2158 litre	O
500	CM	75	CM	26 LEVEL CM	1024,3068 litre	11,593 %	7811,4225 litre	O
500	CM	75	CM	25 LEVEL CM	967,9632 litre	10,955 %	7867,7661 litre	O
500	CM	75	CM	24 LEVEL CM	912,5141 litre	10,328 %	7923,2152 litre	O
500	CM	75	CM	23 LEVEL CM	857,9926 litre	9,710 %	7977,7367 litre	O
500	CM	75	CM	22 LEVEL CM	804,4334 litre	9,104 %	8031,2959 litre	O
500	CM	75	CM	21 LEVEL CM	751,8732 litre	8,509 %	8083,8561 litre	O
500	CM	75	CM	20 LEVEL CM	700,3506 litre	7,926 %	8135,3787 litre	O
500	CM	75	CM	19 LEVEL CM	649,9069 litre	7,355 %	8185,8224 litre	O
500	CM	75	CM	18 LEVEL CM	600,5860 litre	6,797 %	8235,1433 litre	O
500	CM	75	CM	17 LEVEL CM	552,4347 litre	6,252 %	8283,2946 litre	O
500	CM	75	CM	16 LEVEL CM	505,5035 litre	5,721 %	8330,2258 litre	O
500	CM	75	CM	15 LEVEL CM	459,8469 litre	5,204 %	8375,8824 litre	O
500	CM	75	CM	14 LEVEL CM	415,5241 litre	4,703 %	8420,2052 litre	O
500	CM	75	CM	13 LEVEL CM	372,5998 litre	4,217 %	8463,1295 litre	O
500	CM	75	CM	12 LEVEL CM	331,1452 litre	3,748 %	8504,5841 litre	O
500	CM	75	CM	11 LEVEL CM	291,2397 litre	3,296 %	8544,4896 litre	O
500	CM	75	CM	10 LEVEL CM	252,9718 litre	2,863 %	8582,7575 litre	O
500	CM	75	CM	9 LEVEL CM	216,4424 litre	2,450 %	8619,2869 litre	O
500	CM	75	CM	8 LEVEL CM	181,7673 litre	2,057 %	8653,9620 litre	O
500	CM	75	CM	7 LEVEL CM	149,0823 litre	1,687 %	8686,6470 litre	O
500	CM	75	CM	6 LEVEL CM	118,5496 litre	1,342 %	8717,1797 litre	O
500	CM	75	CM	5 LEVEL CM	90,3687 litre	1,023 %	8745,3606 litre	O
500	CM	75	CM	4 LEVEL CM	64,7947 litre	0,733 %	8770,9346 litre	O
500	CM	75	CM	3 LEVEL CM	42,1709 litre	0,477 %	8793,5584 litre	O
500	CM	75	CM	2 LEVEL CM	23,0014 litre	0,260 %	8812,7279 litre	O
500	CM	75	CM	1 LEVEL CM	8,1486 litre	0,092 %	8827,5807 litre	O
500	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	8835,7293 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
500	CM 70	CM 140 LEVEL CM	7696,9020 litre	100,000 %	0,0000 litre	O
500	CM 70	CM 139 LEVEL CM	7689,0308 litre	99,898 %	7,8712 litre	O
500	CM 70	CM 138 LEVEL CM	7674,6869 litre	99,711 %	22,2151 litre	O
500	CM 70	CM 137 LEVEL CM	7656,1787 litre	99,471 %	40,7233 litre	O
500	CM 70	CM 136 LEVEL CM	7634,3408 litre	99,187 %	62,5612 litre	O
500	CM 70	CM 135 LEVEL CM	7609,6613 litre	98,867 %	87,2407 litre	O
500	CM 70	CM 134 LEVEL CM	7582,4731 litre	98,513 %	114,4289 litre	O
500	CM 70	CM 133 LEVEL CM	7553,0235 litre	98,131 %	143,8785 litre	O
500	CM 70	CM 132 LEVEL CM	7521,5063 litre	97,721 %	175,3957 litre	O
500	CM 70	CM 131 LEVEL CM	7488,0789 litre	97,287 %	208,8231 litre	O
500	CM 70	CM 130 LEVEL CM	7452,8735 litre	96,830 %	244,0285 litre	O
500	CM 70	CM 129 LEVEL CM	7416,0028 litre	96,350 %	280,8992 litre	O
500	CM 70	CM 128 LEVEL CM	7377,5649 litre	95,851 %	319,3371 litre	O
500	CM 70	CM 127 LEVEL CM	7337,6463 litre	95,332 %	359,2557 litre	O
500	CM 70	CM 126 LEVEL CM	7296,3243 litre	94,796 %	400,5777 litre	O
500	CM 70	CM 125 LEVEL CM	7253,6684 litre	94,241 %	443,2336 litre	O
500	CM 70	CM 124 LEVEL CM	7209,7419 litre	93,671 %	487,1601 litre	O
500	CM 70	CM 123 LEVEL CM	7164,6027 litre	93,084 %	532,2993 litre	O
500	CM 70	CM 122 LEVEL CM	7118,3041 litre	92,483 %	578,5979 litre	O
500	CM 70	CM 121 LEVEL CM	7070,8955 litre	91,867 %	626,0065 litre	O
500	CM 70	CM 120 LEVEL CM	7022,4231 litre	91,237 %	674,4789 litre	O
500	CM 70	CM 119 LEVEL CM	6972,9298 litre	90,594 %	723,9722 litre	O
500	CM 70	CM 118 LEVEL CM	6922,4562 litre	89,938 %	774,4458 litre	O
500	CM 70	CM 117 LEVEL CM	6871,0403 litre	89,270 %	825,8617 litre	O
500	CM 70	CM 116 LEVEL CM	6818,7182 litre	88,590 %	878,1838 litre	O
500	CM 70	CM 115 LEVEL CM	6765,5242 litre	87,899 %	931,3778 litre	O
500	CM 70	CM 114 LEVEL CM	6711,4907 litre	87,197 %	985,4113 litre	O
500	CM 70	CM 113 LEVEL CM	6656,6490 litre	86,485 %	1040,2530 litre	O
500	CM 70	CM 112 LEVEL CM	6601,0287 litre	85,762 %	1095,8733 litre	O
500	CM 70	CM 111 LEVEL CM	6544,6583 litre	85,030 %	1152,2437 litre	O
500	CM 70	CM 110 LEVEL CM	6487,5652 litre	84,288 %	1209,3368 litre	O
500	CM 70	CM 109 LEVEL CM	6429,7757 litre	83,537 %	1267,1263 litre	O
500	CM 70	CM 108 LEVEL CM	6371,3152 litre	82,778 %	1325,5868 litre	O
500	CM 70	CM 107 LEVEL CM	6312,2082 litre	82,010 %	1384,6938 litre	O
500	CM 70	CM 106 LEVEL CM	6252,4785 litre	81,234 %	1444,4235 litre	O
500	CM 70	CM 105 LEVEL CM	6192,1491 litre	80,450 %	1504,7529 litre	O
500	CM 70	CM 104 LEVEL CM	6131,2423 litre	79,659 %	1565,6597 litre	O
500	CM 70	CM 103 LEVEL CM	6069,7798 litre	78,860 %	1627,1222 litre	O
500	CM 70	CM 102 LEVEL CM	6007,7827 litre	78,055 %	1689,1193 litre	O
500	CM 70	CM 101 LEVEL CM	5945,2715 litre	77,242 %	1751,6305 litre	O
500	CM 70	CM 100 LEVEL CM	5882,2664 litre	76,424 %	1814,6356 litre	O
500	CM 70	CM 99 LEVEL CM	5818,7868 litre	75,599 %	1878,1152 litre	O
500	CM 70	CM 98 LEVEL CM	5754,8521 litre	74,768 %	1942,0499 litre	O
500	CM 70	CM 97 LEVEL CM	5690,4809 litre	73,932 %	2006,4211 litre	O
500	CM 70	CM 96 LEVEL CM	5625,6916 litre	73,090 %	2071,2104 litre	O
500	CM 70	CM 95 LEVEL CM	5560,5022 litre	72,243 %	2136,3998 litre	O
500	CM 70	CM 94 LEVEL CM	5494,9305 litre	71,391 %	2201,9715 litre	O
500	CM 70	CM 93 LEVEL CM	5428,9937 litre	70,535 %	2267,9083 litre	O
500	CM 70	CM 92 LEVEL CM	5362,7091 litre	69,674 %	2334,1929 litre	O
500	CM 70	CM 91 LEVEL CM	5296,0933 litre	68,808 %	2400,8087 litre	O
500	CM 70	CM 90 LEVEL CM	5229,1631 litre	67,939 %	2467,7389 litre	O
500	CM 70	CM 89 LEVEL CM	5161,9346 litre	67,065 %	2534,9674 litre	O

500	CM	70	CM	88 LEVEL CM	5094,4242 litre	66,188 %	2602,4778 litre	O
500	CM	70	CM	87 LEVEL CM	5026,6476 litre	65,307 %	2670,2544 litre	O
500	CM	70	CM	86 LEVEL CM	4958,6207 litre	64,424 %	2738,2813 litre	O
500	CM	70	CM	85 LEVEL CM	4890,3590 litre	63,537 %	2806,5430 litre	O
500	CM	70	CM	84 LEVEL CM	4821,8779 litre	62,647 %	2875,0241 litre	O
500	CM	70	CM	83 LEVEL CM	4753,1926 litre	61,755 %	2943,7094 litre	O
500	CM	70	CM	82 LEVEL CM	4684,3184 litre	60,860 %	3012,5836 litre	O
500	CM	70	CM	81 LEVEL CM	4615,2701 litre	59,963 %	3081,6319 litre	O
500	CM	70	CM	80 LEVEL CM	4546,0627 litre	59,064 %	3150,8393 litre	O
500	CM	70	CM	79 LEVEL CM	4476,7110 litre	58,163 %	3220,1910 litre	O
500	CM	70	CM	78 LEVEL CM	4407,2296 litre	57,260 %	3289,6724 litre	O
500	CM	70	CM	77 LEVEL CM	4337,6331 litre	56,356 %	3359,2689 litre	O
500	CM	70	CM	76 LEVEL CM	4267,9361 litre	55,450 %	3428,9659 litre	O
500	CM	70	CM	75 LEVEL CM	4198,1532 litre	54,543 %	3498,7488 litre	O
500	CM	70	CM	74 LEVEL CM	4128,2985 litre	53,636 %	3568,6035 litre	O
500	CM	70	CM	73 LEVEL CM	4058,3867 litre	52,728 %	3638,5153 litre	O
500	CM	70	CM	72 LEVEL CM	3988,4320 litre	51,819 %	3708,4700 litre	O
500	CM	70	CM	71 LEVEL CM	3918,4486 litre	50,909 %	3778,4534 litre	O
500	CM	70	CM	70 LEVEL CM	3848,4510 litre	50,000 %	3848,4510 litre	O
500	CM	70	CM	69 LEVEL CM	3778,4534 litre	49,091 %	3918,4486 litre	O
500	CM	70	CM	68 LEVEL CM	3708,4701 litre	48,181 %	3988,4319 litre	O
500	CM	70	CM	67 LEVEL CM	3638,5153 litre	47,272 %	4058,3867 litre	O
500	CM	70	CM	66 LEVEL CM	3568,6035 litre	46,364 %	4128,2985 litre	O
500	CM	70	CM	65 LEVEL CM	3498,7488 litre	45,457 %	4198,1532 litre	O
500	CM	70	CM	64 LEVEL CM	3428,9659 litre	44,550 %	4267,9361 litre	O
500	CM	70	CM	63 LEVEL CM	3359,2689 litre	43,644 %	4337,6331 litre	O
500	CM	70	CM	62 LEVEL CM	3289,6724 litre	42,740 %	4407,2296 litre	O
500	CM	70	CM	61 LEVEL CM	3220,1910 litre	41,837 %	4476,7110 litre	O
500	CM	70	CM	60 LEVEL CM	3150,8393 litre	40,936 %	4546,0627 litre	O
500	CM	70	CM	59 LEVEL CM	3081,6319 litre	40,037 %	4615,2701 litre	O
500	CM	70	CM	58 LEVEL CM	3012,5836 litre	39,140 %	4684,3184 litre	O
500	CM	70	CM	57 LEVEL CM	2943,7094 litre	38,245 %	4753,1926 litre	O
500	CM	70	CM	56 LEVEL CM	2875,0241 litre	37,353 %	4821,8779 litre	O
500	CM	70	CM	55 LEVEL CM	2806,5430 litre	36,463 %	4890,3590 litre	O
500	CM	70	CM	54 LEVEL CM	2738,2813 litre	35,576 %	4958,6207 litre	O
500	CM	70	CM	53 LEVEL CM	2670,2544 litre	34,693 %	5026,6476 litre	O
500	CM	70	CM	52 LEVEL CM	2602,4778 litre	33,812 %	5094,4242 litre	O
500	CM	70	CM	51 LEVEL CM	2534,9674 litre	32,935 %	5161,9346 litre	O
500	CM	70	CM	50 LEVEL CM	2467,7389 litre	32,061 %	5229,1631 litre	O
500	CM	70	CM	49 LEVEL CM	2400,8087 litre	31,192 %	5296,0933 litre	O
500	CM	70	CM	48 LEVEL CM	2334,1929 litre	30,326 %	5362,7091 litre	O
500	CM	70	CM	47 LEVEL CM	2267,9083 litre	29,465 %	5428,9937 litre	O
500	CM	70	CM	46 LEVEL CM	2201,9715 litre	28,609 %	5494,9305 litre	O
500	CM	70	CM	45 LEVEL CM	2136,3998 litre	27,757 %	5560,5022 litre	O
500	CM	70	CM	44 LEVEL CM	2071,2104 litre	26,910 %	5625,6916 litre	O
500	CM	70	CM	43 LEVEL CM	2006,4211 litre	26,068 %	5690,4809 litre	O
500	CM	70	CM	42 LEVEL CM	1942,0499 litre	25,232 %	5754,8521 litre	O
500	CM	70	CM	41 LEVEL CM	1878,1152 litre	24,401 %	5818,7868 litre	O
500	CM	70	CM	40 LEVEL CM	1814,6356 litre	23,576 %	5882,2664 litre	O
500	CM	70	CM	39 LEVEL CM	1751,6305 litre	22,758 %	5945,2715 litre	O
500	CM	70	CM	38 LEVEL CM	1689,1193 litre	21,945 %	6007,7827 litre	O
500	CM	70	CM	37 LEVEL CM	1627,1222 litre	21,140 %	6069,7798 litre	O
500	CM	70	CM	36 LEVEL CM	1565,6597 litre	20,341 %	6131,2423 litre	O

500	CM	70	CM	35 LEVEL CM	1504,7529 litre	19,550 %	6192,1491 litre	O
500	CM	70	CM	34 LEVEL CM	1444,4235 litre	18,766 %	6252,4785 litre	O
500	CM	70	CM	33 LEVEL CM	1384,6938 litre	17,990 %	6312,2082 litre	O
500	CM	70	CM	32 LEVEL CM	1325,5868 litre	17,222 %	6371,3152 litre	O
500	CM	70	CM	31 LEVEL CM	1267,1263 litre	16,463 %	6429,7757 litre	O
500	CM	70	CM	30 LEVEL CM	1209,3368 litre	15,712 %	6487,5652 litre	O
500	CM	70	CM	29 LEVEL CM	1152,2437 litre	14,970 %	6544,6583 litre	O
500	CM	70	CM	28 LEVEL CM	1095,8733 litre	14,238 %	6601,0287 litre	O
500	CM	70	CM	27 LEVEL CM	1040,2530 litre	13,515 %	6656,6490 litre	O
500	CM	70	CM	26 LEVEL CM	985,4113 litre	12,803 %	6711,4907 litre	O
500	CM	70	CM	25 LEVEL CM	931,3778 litre	12,101 %	6765,5242 litre	O
500	CM	70	CM	24 LEVEL CM	878,1838 litre	11,410 %	6818,7182 litre	O
500	CM	70	CM	23 LEVEL CM	825,8617 litre	10,730 %	6871,0403 litre	O
500	CM	70	CM	22 LEVEL CM	774,4458 litre	10,062 %	6922,4562 litre	O
500	CM	70	CM	21 LEVEL CM	723,9722 litre	9,406 %	6972,9298 litre	O
500	CM	70	CM	20 LEVEL CM	674,4789 litre	8,763 %	7022,4231 litre	O
500	CM	70	CM	19 LEVEL CM	626,0065 litre	8,133 %	7070,8955 litre	O
500	CM	70	CM	18 LEVEL CM	578,5979 litre	7,517 %	7118,3041 litre	O
500	CM	70	CM	17 LEVEL CM	532,2993 litre	6,916 %	7164,6027 litre	O
500	CM	70	CM	16 LEVEL CM	487,1601 litre	6,329 %	7209,7419 litre	O
500	CM	70	CM	15 LEVEL CM	443,2336 litre	5,759 %	7253,6684 litre	O
500	CM	70	CM	14 LEVEL CM	400,5777 litre	5,204 %	7296,3243 litre	O
500	CM	70	CM	13 LEVEL CM	359,2557 litre	4,668 %	7337,6463 litre	O
500	CM	70	CM	12 LEVEL CM	319,3371 litre	4,149 %	7377,5649 litre	O
500	CM	70	CM	11 LEVEL CM	280,8992 litre	3,650 %	7416,0028 litre	O
500	CM	70	CM	10 LEVEL CM	244,0285 litre	3,170 %	7452,8735 litre	O
500	CM	70	CM	9 LEVEL CM	208,8231 litre	2,713 %	7488,0789 litre	O
500	CM	70	CM	8 LEVEL CM	175,3957 litre	2,279 %	7521,5063 litre	O
500	CM	70	CM	7 LEVEL CM	143,8785 litre	1,869 %	7553,0235 litre	O
500	CM	70	CM	6 LEVEL CM	114,4289 litre	1,487 %	7582,4731 litre	O
500	CM	70	CM	5 LEVEL CM	87,2407 litre	1,133 %	7609,6613 litre	O
500	CM	70	CM	4 LEVEL CM	62,5612 litre	0,813 %	7634,3408 litre	O
500	CM	70	CM	3 LEVEL CM	40,7233 litre	0,529 %	7656,1787 litre	O
500	CM	70	CM	2 LEVEL CM	22,2151 litre	0,289 %	7674,6869 litre	O
500	CM	70	CM	1 LEVEL CM	7,8712 litre	0,102 %	7689,0308 litre	O
500	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	7696,9020 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
500	CM	65	CM	130 LEVEL CM	6636,6145 litre	100,000 %	0,0000 litre	O
500	CM	65	CM	129 LEVEL CM	6629,0309 litre	99,886 %	7,5836 litre	O
500	CM	65	CM	128 LEVEL CM	6615,2146 litre	99,678 %	21,3999 litre	O
500	CM	65	CM	127 LEVEL CM	6597,3922 litre	99,409 %	39,2223 litre	O
500	CM	65	CM	126 LEVEL CM	6576,3696 litre	99,092 %	60,2449 litre	O
500	CM	65	CM	125 LEVEL CM	6552,6182 litre	98,734 %	83,9963 litre	O
500	CM	65	CM	124 LEVEL CM	6526,4604 litre	98,340 %	110,1541 litre	O
500	CM	65	CM	123 LEVEL CM	6498,1353 litre	97,913 %	138,4792 litre	O
500	CM	65	CM	122 LEVEL CM	6467,8307 litre	97,457 %	168,7838 litre	O
500	CM	65	CM	121 LEVEL CM	6435,6996 litre	96,973 %	200,9149 litre	O
500	CM	65	CM	120 LEVEL CM	6401,8700 litre	96,463 %	234,7445 litre	O
500	CM	65	CM	119 LEVEL CM	6366,4515 litre	95,929 %	270,1630 litre	O
500	CM	65	CM	118 LEVEL CM	6329,5395 litre	95,373 %	307,0750 litre	O
500	CM	65	CM	117 LEVEL CM	6291,2184 litre	94,796 %	345,3961 litre	O
500	CM	65	CM	116 LEVEL CM	6251,5633 litre	94,198 %	385,0512 litre	O
500	CM	65	CM	115 LEVEL CM	6210,6422 litre	93,581 %	425,9723 litre	O
500	CM	65	CM	114 LEVEL CM	6168,5167 litre	92,947 %	468,0978 litre	O
500	CM	65	CM	113 LEVEL CM	6125,2436 litre	92,295 %	511,3709 litre	O
500	CM	65	CM	112 LEVEL CM	6080,8750 litre	91,626 %	555,7395 litre	O
500	CM	65	CM	111 LEVEL CM	6035,4594 litre	90,942 %	601,1551 litre	O
500	CM	65	CM	110 LEVEL CM	5989,0419 litre	90,242 %	647,5726 litre	O
500	CM	65	CM	109 LEVEL CM	5941,6647 litre	89,529 %	694,9498 litre	O
500	CM	65	CM	108 LEVEL CM	5893,3678 litre	88,801 %	743,2467 litre	O
500	CM	65	CM	107 LEVEL CM	5844,1885 litre	88,060 %	792,4260 litre	O
500	CM	65	CM	106 LEVEL CM	5794,1624 litre	87,306 %	842,4521 litre	O
500	CM	65	CM	105 LEVEL CM	5743,3233 litre	86,540 %	893,2912 litre	O
500	CM	65	CM	104 LEVEL CM	5691,7033 litre	85,762 %	944,9112 litre	O
500	CM	65	CM	103 LEVEL CM	5639,3333 litre	84,973 %	997,2812 litre	O
500	CM	65	CM	102 LEVEL CM	5586,2426 litre	84,173 %	1050,3719 litre	O
500	CM	65	CM	101 LEVEL CM	5532,4594 litre	83,363 %	1104,1551 litre	O
500	CM	65	CM	100 LEVEL CM	5478,0110 litre	82,542 %	1158,6035 litre	O
500	CM	65	CM	99 LEVEL CM	5422,9235 litre	81,712 %	1213,6910 litre	O
500	CM	65	CM	98 LEVEL CM	5367,2221 litre	80,873 %	1269,3924 litre	O
500	CM	65	CM	97 LEVEL CM	5310,9315 litre	80,025 %	1325,6830 litre	O
500	CM	65	CM	96 LEVEL CM	5254,0752 litre	79,168 %	1382,5393 litre	O
500	CM	65	CM	95 LEVEL CM	5196,6762 litre	78,303 %	1439,9383 litre	O
500	CM	65	CM	94 LEVEL CM	5138,7569 litre	77,430 %	1497,8576 litre	O
500	CM	65	CM	93 LEVEL CM	5080,3390 litre	76,550 %	1556,2755 litre	O
500	CM	65	CM	92 LEVEL CM	5021,4438 litre	75,663 %	1615,1707 litre	O
500	CM	65	CM	91 LEVEL CM	4962,0919 litre	74,768 %	1674,5226 litre	O
500	CM	65	CM	90 LEVEL CM	4902,3035 litre	73,868 %	1734,3110 litre	O
500	CM	65	CM	89 LEVEL CM	4842,0984 litre	72,960 %	1794,5161 litre	O
500	CM	65	CM	88 LEVEL CM	4781,4960 litre	72,047 %	1855,1185 litre	O
500	CM	65	CM	87 LEVEL CM	4720,5152 litre	71,128 %	1916,0993 litre	O
500	CM	65	CM	86 LEVEL CM	4659,1747 litre	70,204 %	1977,4398 litre	O
500	CM	65	CM	85 LEVEL CM	4597,4928 litre	69,275 %	2039,1217 litre	O
500	CM	65	CM	84 LEVEL CM	4535,4875 litre	68,340 %	2101,1270 litre	O
500	CM	65	CM	83 LEVEL CM	4473,1765 litre	67,401 %	2163,4380 litre	O
500	CM	65	CM	82 LEVEL CM	4410,5773 litre	66,458 %	2226,0372 litre	O
500	CM	65	CM	81 LEVEL CM	4347,7071 litre	65,511 %	2288,9074 litre	O
500	CM	65	CM	80 LEVEL CM	4284,5829 litre	64,560 %	2352,0316 litre	O
500	CM	65	CM	79 LEVEL CM	4221,2216 litre	63,605 %	2415,3929 litre	O

500	CM	65	CM	78 LEVEL CM	4157,6396 litre	62,647 %	2478,9749 litre	O
500	CM	65	CM	77 LEVEL CM	4093,8535 litre	61,686 %	2542,7610 litre	O
500	CM	65	CM	76 LEVEL CM	4029,8796 litre	60,722 %	2606,7349 litre	O
500	CM	65	CM	75 LEVEL CM	3965,7340 litre	59,755 %	2670,8805 litre	O
500	CM	65	CM	74 LEVEL CM	3901,4326 litre	58,786 %	2735,1819 litre	O
500	CM	65	CM	73 LEVEL CM	3836,9914 litre	57,815 %	2799,6231 litre	O
500	CM	65	CM	72 LEVEL CM	3772,4262 litre	56,843 %	2864,1883 litre	O
500	CM	65	CM	71 LEVEL CM	3707,7527 litre	55,868 %	2928,8618 litre	O
500	CM	65	CM	70 LEVEL CM	3642,9864 litre	54,892 %	2993,6281 litre	O
500	CM	65	CM	69 LEVEL CM	3578,1430 litre	53,915 %	3058,4715 litre	O
500	CM	65	CM	68 LEVEL CM	3513,2380 litre	52,937 %	3123,3765 litre	O
500	CM	65	CM	67 LEVEL CM	3448,2867 litre	51,959 %	3188,3278 litre	O
500	CM	65	CM	66 LEVEL CM	3383,3047 litre	50,979 %	3253,3098 litre	O
500	CM	65	CM	65 LEVEL CM	3318,3072 litre	50,000 %	3318,3073 litre	O
500	CM	65	CM	64 LEVEL CM	3253,3098 litre	49,021 %	3383,3047 litre	O
500	CM	65	CM	63 LEVEL CM	3188,3278 litre	48,041 %	3448,2867 litre	O
500	CM	65	CM	62 LEVEL CM	3123,3765 litre	47,063 %	3513,2380 litre	O
500	CM	65	CM	61 LEVEL CM	3058,4714 litre	46,085 %	3578,1431 litre	O
500	CM	65	CM	60 LEVEL CM	2993,6280 litre	45,108 %	3642,9865 litre	O
500	CM	65	CM	59 LEVEL CM	2928,8618 litre	44,132 %	3707,7527 litre	O
500	CM	65	CM	58 LEVEL CM	2864,1883 litre	43,157 %	3772,4262 litre	O
500	CM	65	CM	57 LEVEL CM	2799,6231 litre	42,185 %	3836,9914 litre	O
500	CM	65	CM	56 LEVEL CM	2735,1819 litre	41,214 %	3901,4326 litre	O
500	CM	65	CM	55 LEVEL CM	2670,8805 litre	40,245 %	3965,7340 litre	O
500	CM	65	CM	54 LEVEL CM	2606,7349 litre	39,278 %	4029,8796 litre	O
500	CM	65	CM	53 LEVEL CM	2542,7609 litre	38,314 %	4093,8536 litre	O
500	CM	65	CM	52 LEVEL CM	2478,9749 litre	37,353 %	4157,6396 litre	O
500	CM	65	CM	51 LEVEL CM	2415,3929 litre	36,395 %	4221,2216 litre	O
500	CM	65	CM	50 LEVEL CM	2352,0316 litre	35,440 %	4284,5829 litre	O
500	CM	65	CM	49 LEVEL CM	2288,9074 litre	34,489 %	4347,7071 litre	O
500	CM	65	CM	48 LEVEL CM	2226,0372 litre	33,542 %	4410,5773 litre	O
500	CM	65	CM	47 LEVEL CM	2163,4380 litre	32,599 %	4473,1765 litre	O
500	CM	65	CM	46 LEVEL CM	2101,1270 litre	31,660 %	4535,4875 litre	O
500	CM	65	CM	45 LEVEL CM	2039,1217 litre	30,725 %	4597,4928 litre	O
500	CM	65	CM	44 LEVEL CM	1977,4398 litre	29,796 %	4659,1747 litre	O
500	CM	65	CM	43 LEVEL CM	1916,0993 litre	28,872 %	4720,5152 litre	O
500	CM	65	CM	42 LEVEL CM	1855,1185 litre	27,953 %	4781,4960 litre	O
500	CM	65	CM	41 LEVEL CM	1794,5161 litre	27,040 %	4842,0984 litre	O
500	CM	65	CM	40 LEVEL CM	1734,3110 litre	26,132 %	4902,3035 litre	O
500	CM	65	CM	39 LEVEL CM	1674,5226 litre	25,232 %	4962,0919 litre	O
500	CM	65	CM	38 LEVEL CM	1615,1707 litre	24,337 %	5021,4438 litre	O
500	CM	65	CM	37 LEVEL CM	1556,2755 litre	23,450 %	5080,3390 litre	O
500	CM	65	CM	36 LEVEL CM	1497,8576 litre	22,570 %	5138,7569 litre	O
500	CM	65	CM	35 LEVEL CM	1439,9383 litre	21,697 %	5196,6762 litre	O
500	CM	65	CM	34 LEVEL CM	1382,5393 litre	20,832 %	5254,0752 litre	O
500	CM	65	CM	33 LEVEL CM	1325,6830 litre	19,975 %	5310,9315 litre	O
500	CM	65	CM	32 LEVEL CM	1269,3923 litre	19,127 %	5367,2222 litre	O
500	CM	65	CM	31 LEVEL CM	1213,6910 litre	18,288 %	5422,9235 litre	O
500	CM	65	CM	30 LEVEL CM	1158,6035 litre	17,458 %	5478,0110 litre	O
500	CM	65	CM	29 LEVEL CM	1104,1551 litre	16,637 %	5532,4594 litre	O
500	CM	65	CM	28 LEVEL CM	1050,3719 litre	15,827 %	5586,2426 litre	O
500	CM	65	CM	27 LEVEL CM	997,2812 litre	15,027 %	5639,3333 litre	O
500	CM	65	CM	26 LEVEL CM	944,9111 litre	14,238 %	5691,7034 litre	O

500	CM	65	CM	25 LEVEL CM	893,2912 litre	13,460 %	5743,3233 litre	O
500	CM	65	CM	24 LEVEL CM	842,4521 litre	12,694 %	5794,1624 litre	O
500	CM	65	CM	23 LEVEL CM	792,4260 litre	11,940 %	5844,1885 litre	O
500	CM	65	CM	22 LEVEL CM	743,2467 litre	11,199 %	5893,3678 litre	O
500	CM	65	CM	21 LEVEL CM	694,9497 litre	10,471 %	5941,6648 litre	O
500	CM	65	CM	20 LEVEL CM	647,5726 litre	9,758 %	5989,0419 litre	O
500	CM	65	CM	19 LEVEL CM	601,1551 litre	9,058 %	6035,4594 litre	O
500	CM	65	CM	18 LEVEL CM	555,7394 litre	8,374 %	6080,8751 litre	O
500	CM	65	CM	17 LEVEL CM	511,3709 litre	7,705 %	6125,2436 litre	O
500	CM	65	CM	16 LEVEL CM	468,0977 litre	7,053 %	6168,5168 litre	O
500	CM	65	CM	15 LEVEL CM	425,9723 litre	6,419 %	6210,6422 litre	O
500	CM	65	CM	14 LEVEL CM	385,0512 litre	5,802 %	6251,5633 litre	O
500	CM	65	CM	13 LEVEL CM	345,3961 litre	5,204 %	6291,2184 litre	O
500	CM	65	CM	12 LEVEL CM	307,0749 litre	4,627 %	6329,5396 litre	O
500	CM	65	CM	11 LEVEL CM	270,1630 litre	4,071 %	6366,4515 litre	O
500	CM	65	CM	10 LEVEL CM	234,7445 litre	3,537 %	6401,8700 litre	O
500	CM	65	CM	9 LEVEL CM	200,9149 litre	3,027 %	6435,6996 litre	O
500	CM	65	CM	8 LEVEL CM	168,7838 litre	2,543 %	6467,8307 litre	O
500	CM	65	CM	7 LEVEL CM	138,4792 litre	2,087 %	6498,1353 litre	O
500	CM	65	CM	6 LEVEL CM	110,1541 litre	1,660 %	6526,4604 litre	O
500	CM	65	CM	5 LEVEL CM	83,9962 litre	1,266 %	6552,6183 litre	O
500	CM	65	CM	4 LEVEL CM	60,2449 litre	0,908 %	6576,3696 litre	O
500	CM	65	CM	3 LEVEL CM	39,2223 litre	0,591 %	6597,3922 litre	O
500	CM	65	CM	2 LEVEL CM	21,3999 litre	0,322 %	6615,2146 litre	O
500	CM	65	CM	1 LEVEL CM	7,5836 litre	0,114 %	6629,0309 litre	O
500	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	6636,6145 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
500	CM	60	CM	120 LEVEL CM	5654,8668 litre	100,000 %	0,0000 litre	O
500	CM	60	CM	119 LEVEL CM	5647,5821 litre	99,871 %	7,2847 litre	O
500	CM	60	CM	118 LEVEL CM	5634,3145 litre	99,637 %	20,5523 litre	O
500	CM	60	CM	117 LEVEL CM	5617,2053 litre	99,334 %	37,6615 litre	O
500	CM	60	CM	116 LEVEL CM	5597,0308 litre	98,977 %	57,8360 litre	O
500	CM	60	CM	115 LEVEL CM	5574,2455 litre	98,574 %	80,6213 litre	O
500	CM	60	CM	114 LEVEL CM	5549,1601 litre	98,131 %	105,7067 litre	O
500	CM	60	CM	113 LEVEL CM	5522,0061 litre	97,651 %	132,8607 litre	O
500	CM	60	CM	112 LEVEL CM	5492,9648 litre	97,137 %	161,9020 litre	O
500	CM	60	CM	111 LEVEL CM	5462,1844 litre	96,593 %	192,6824 litre	O
500	CM	60	CM	110 LEVEL CM	5429,7890 litre	96,020 %	225,0778 litre	O
500	CM	60	CM	109 LEVEL CM	5395,8849 litre	95,420 %	258,9819 litre	O
500	CM	60	CM	108 LEVEL CM	5360,5648 litre	94,796 %	294,3020 litre	O
500	CM	60	CM	107 LEVEL CM	5323,9106 litre	94,147 %	330,9562 litre	O
500	CM	60	CM	106 LEVEL CM	5285,9957 litre	93,477 %	368,8711 litre	O
500	CM	60	CM	105 LEVEL CM	5246,8862 litre	92,785 %	407,9806 litre	O
500	CM	60	CM	104 LEVEL CM	5206,6424 litre	92,074 %	448,2244 litre	O
500	CM	60	CM	103 LEVEL CM	5165,3196 litre	91,343 %	489,5472 litre	O
500	CM	60	CM	102 LEVEL CM	5122,9689 litre	90,594 %	531,8979 litre	O
500	CM	60	CM	101 LEVEL CM	5079,6377 litre	89,828 %	575,2291 litre	O
500	CM	60	CM	100 LEVEL CM	5035,3704 litre	89,045 %	619,4964 litre	O
500	CM	60	CM	99 LEVEL CM	4990,2084 litre	88,246 %	664,6584 litre	O
500	CM	60	CM	98 LEVEL CM	4944,1909 litre	87,432 %	710,6759 litre	O
500	CM	60	CM	97 LEVEL CM	4897,3549 litre	86,604 %	757,5119 litre	O
500	CM	60	CM	96 LEVEL CM	4849,7354 litre	85,762 %	805,1314 litre	O
500	CM	60	CM	95 LEVEL CM	4801,3657 litre	84,907 %	853,5011 litre	O
500	CM	60	CM	94 LEVEL CM	4752,2778 litre	84,039 %	902,5890 litre	O
500	CM	60	CM	93 LEVEL CM	4702,5020 litre	83,158 %	952,3648 litre	O
500	CM	60	CM	92 LEVEL CM	4652,0676 litre	82,267 %	1002,7992 litre	O
500	CM	60	CM	91 LEVEL CM	4601,0026 litre	81,364 %	1053,8642 litre	O
500	CM	60	CM	90 LEVEL CM	4549,3340 litre	80,450 %	1105,5328 litre	O
500	CM	60	CM	89 LEVEL CM	4497,0881 litre	79,526 %	1157,7787 litre	O
500	CM	60	CM	88 LEVEL CM	4444,2900 litre	78,592 %	1210,5768 litre	O
500	CM	60	CM	87 LEVEL CM	4390,9641 litre	77,649 %	1263,9027 litre	O
500	CM	60	CM	86 LEVEL CM	4337,1343 litre	76,697 %	1317,7325 litre	O
500	CM	60	CM	85 LEVEL CM	4282,8237 litre	75,737 %	1372,0431 litre	O
500	CM	60	CM	84 LEVEL CM	4228,0546 litre	74,768 %	1426,8122 litre	O
500	CM	60	CM	83 LEVEL CM	4172,8491 litre	73,792 %	1482,0177 litre	O
500	CM	60	CM	82 LEVEL CM	4117,2285 litre	72,809 %	1537,6383 litre	O
500	CM	60	CM	81 LEVEL CM	4061,2137 litre	71,818 %	1593,6531 litre	O
500	CM	60	CM	80 LEVEL CM	4004,8253 litre	70,821 %	1650,0415 litre	O
500	CM	60	CM	79 LEVEL CM	3948,0832 litre	69,817 %	1706,7836 litre	O
500	CM	60	CM	78 LEVEL CM	3891,0073 litre	68,808 %	1763,8595 litre	O
500	CM	60	CM	77 LEVEL CM	3833,6169 litre	67,793 %	1821,2499 litre	O
500	CM	60	CM	76 LEVEL CM	3775,9311 litre	66,773 %	1878,9357 litre	O
500	CM	60	CM	75 LEVEL CM	3717,9685 litre	65,748 %	1936,8983 litre	O
500	CM	60	CM	74 LEVEL CM	3659,7477 litre	64,719 %	1995,1191 litre	O
500	CM	60	CM	73 LEVEL CM	3601,2869 litre	63,685 %	2053,5799 litre	O
500	CM	60	CM	72 LEVEL CM	3542,6042 litre	62,647 %	2112,2626 litre	O
500	CM	60	CM	71 LEVEL CM	3483,7173 litre	61,606 %	2171,1495 litre	O
500	CM	60	CM	70 LEVEL CM	3424,6439 litre	60,561 %	2230,2229 litre	O
500	CM	60	CM	69 LEVEL CM	3365,4015 litre	59,513 %	2289,4653 litre	O

500	CM	60	CM	68 LEVEL CM	3306,0073 litre	58,463 %	2348,8595 litre	O
500	CM	60	CM	67 LEVEL CM	3246,4787 litre	57,410 %	2408,3881 litre	O
500	CM	60	CM	66 LEVEL CM	3186,8325 litre	56,356 %	2468,0343 litre	O
500	CM	60	CM	65 LEVEL CM	3127,0858 litre	55,299 %	2527,7810 litre	O
500	CM	60	CM	64 LEVEL CM	3067,2555 litre	54,241 %	2587,6113 litre	O
500	CM	60	CM	63 LEVEL CM	3007,3584 litre	53,182 %	2647,5084 litre	O
500	CM	60	CM	62 LEVEL CM	2947,4112 litre	52,122 %	2707,4556 litre	O
500	CM	60	CM	61 LEVEL CM	2887,4306 litre	51,061 %	2767,4362 litre	O
500	CM	60	CM	60 LEVEL CM	2827,4334 litre	50,000 %	2827,4334 litre	O
500	CM	60	CM	59 LEVEL CM	2767,4362 litre	48,939 %	2887,4306 litre	O
500	CM	60	CM	58 LEVEL CM	2707,4556 litre	47,878 %	2947,4112 litre	O
500	CM	60	CM	57 LEVEL CM	2647,5084 litre	46,818 %	3007,3584 litre	O
500	CM	60	CM	56 LEVEL CM	2587,6113 litre	45,759 %	3067,2555 litre	O
500	CM	60	CM	55 LEVEL CM	2527,7810 litre	44,701 %	3127,0858 litre	O
500	CM	60	CM	54 LEVEL CM	2468,0343 litre	43,644 %	3186,8325 litre	O
500	CM	60	CM	53 LEVEL CM	2408,3881 litre	42,590 %	3246,4787 litre	O
500	CM	60	CM	52 LEVEL CM	2348,8594 litre	41,537 %	3306,0074 litre	O
500	CM	60	CM	51 LEVEL CM	2289,4653 litre	40,487 %	3365,4015 litre	O
500	CM	60	CM	50 LEVEL CM	2230,2229 litre	39,439 %	3424,6439 litre	O
500	CM	60	CM	49 LEVEL CM	2171,1495 litre	38,394 %	3483,7173 litre	O
500	CM	60	CM	48 LEVEL CM	2112,2626 litre	37,353 %	3542,6042 litre	O
500	CM	60	CM	47 LEVEL CM	2053,5799 litre	36,315 %	3601,2869 litre	O
500	CM	60	CM	46 LEVEL CM	1995,1191 litre	35,281 %	3659,7477 litre	O
500	CM	60	CM	45 LEVEL CM	1936,8983 litre	34,252 %	3717,9685 litre	O
500	CM	60	CM	44 LEVEL CM	1878,9357 litre	33,227 %	3775,9311 litre	O
500	CM	60	CM	43 LEVEL CM	1821,2499 litre	32,207 %	3833,6169 litre	O
500	CM	60	CM	42 LEVEL CM	1763,8594 litre	31,192 %	3891,0074 litre	O
500	CM	60	CM	41 LEVEL CM	1706,7835 litre	30,183 %	3948,0833 litre	O
500	CM	60	CM	40 LEVEL CM	1650,0415 litre	29,179 %	4004,8253 litre	O
500	CM	60	CM	39 LEVEL CM	1593,6531 litre	28,182 %	4061,2137 litre	O
500	CM	60	CM	38 LEVEL CM	1537,6383 litre	27,191 %	4117,2285 litre	O
500	CM	60	CM	37 LEVEL CM	1482,0177 litre	26,208 %	4172,8491 litre	O
500	CM	60	CM	36 LEVEL CM	1426,8122 litre	25,232 %	4228,0546 litre	O
500	CM	60	CM	35 LEVEL CM	1372,0431 litre	24,263 %	4282,8237 litre	O
500	CM	60	CM	34 LEVEL CM	1317,7324 litre	23,303 %	4337,1344 litre	O
500	CM	60	CM	33 LEVEL CM	1263,9026 litre	22,351 %	4390,9642 litre	O
500	CM	60	CM	32 LEVEL CM	1210,5768 litre	21,408 %	4444,2900 litre	O
500	CM	60	CM	31 LEVEL CM	1157,7787 litre	20,474 %	4497,0881 litre	O
500	CM	60	CM	30 LEVEL CM	1105,5327 litre	19,550 %	4549,3341 litre	O
500	CM	60	CM	29 LEVEL CM	1053,8642 litre	18,636 %	4601,0026 litre	O
500	CM	60	CM	28 LEVEL CM	1002,7992 litre	17,733 %	4652,0676 litre	O
500	CM	60	CM	27 LEVEL CM	952,3648 litre	16,842 %	4702,5020 litre	O
500	CM	60	CM	26 LEVEL CM	902,5890 litre	15,961 %	4752,2778 litre	O
500	CM	60	CM	25 LEVEL CM	853,5010 litre	15,093 %	4801,3658 litre	O
500	CM	60	CM	24 LEVEL CM	805,1314 litre	14,238 %	4849,7354 litre	O
500	CM	60	CM	23 LEVEL CM	757,5119 litre	13,396 %	4897,3549 litre	O
500	CM	60	CM	22 LEVEL CM	710,6759 litre	12,568 %	4944,1909 litre	O
500	CM	60	CM	21 LEVEL CM	664,6584 litre	11,754 %	4990,2084 litre	O
500	CM	60	CM	20 LEVEL CM	619,4964 litre	10,955 %	5035,3704 litre	O
500	CM	60	CM	19 LEVEL CM	575,2291 litre	10,172 %	5079,6377 litre	O
500	CM	60	CM	18 LEVEL CM	531,8979 litre	9,406 %	5122,9689 litre	O
500	CM	60	CM	17 LEVEL CM	489,5472 litre	8,657 %	5165,3196 litre	O
500	CM	60	CM	16 LEVEL CM	448,2244 litre	7,926 %	5206,6424 litre	O

500	CM	60	CM	15 LEVEL CM	407,9806 litre	7,215 %	5246,8862 litre	O
500	CM	60	CM	14 LEVEL CM	368,8711 litre	6,523 %	5285,9957 litre	O
500	CM	60	CM	13 LEVEL CM	330,9561 litre	5,853 %	5323,9107 litre	O
500	CM	60	CM	12 LEVEL CM	294,3020 litre	5,204 %	5360,5648 litre	O
500	CM	60	CM	11 LEVEL CM	258,9819 litre	4,580 %	5395,8849 litre	O
500	CM	60	CM	10 LEVEL CM	225,0778 litre	3,980 %	5429,7890 litre	O
500	CM	60	CM	9 LEVEL CM	192,6823 litre	3,407 %	5462,1845 litre	O
500	CM	60	CM	8 LEVEL CM	161,9019 litre	2,863 %	5492,9649 litre	O
500	CM	60	CM	7 LEVEL CM	132,8607 litre	2,349 %	5522,0061 litre	O
500	CM	60	CM	6 LEVEL CM	105,7066 litre	1,869 %	5549,1602 litre	O
500	CM	60	CM	5 LEVEL CM	80,6213 litre	1,426 %	5574,2455 litre	O
500	CM	60	CM	4 LEVEL CM	57,8360 litre	1,023 %	5597,0308 litre	O
500	CM	60	CM	3 LEVEL CM	37,6614 litre	0,666 %	5617,2054 litre	O
500	CM	60	CM	2 LEVEL CM	20,5523 litre	0,363 %	5634,3145 litre	O
500	CM	60	CM	1 LEVEL CM	7,2847 litre	0,129 %	5647,5821 litre	O
500	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	5654,8668 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
500	CM	55	CM	110 LEVEL CM	4751,6589 litre	100,000 %	0,0000 litre	O
500	CM	55	CM	109 LEVEL CM	4744,6859 litre	99,853 %	6,9730 litre	O
500	CM	55	CM	108 LEVEL CM	4731,9906 litre	99,586 %	19,6683 litre	O
500	CM	55	CM	107 LEVEL CM	4715,6258 litre	99,242 %	36,0331 litre	O
500	CM	55	CM	106 LEVEL CM	4696,3367 litre	98,836 %	55,3222 litre	O
500	CM	55	CM	105 LEVEL CM	4674,5601 litre	98,377 %	77,0988 litre	O
500	CM	55	CM	104 LEVEL CM	4650,5953 litre	97,873 %	101,0636 litre	O
500	CM	55	CM	103 LEVEL CM	4624,6651 litre	97,327 %	126,9938 litre	O
500	CM	55	CM	102 LEVEL CM	4596,9447 litre	96,744 %	154,7142 litre	O
500	CM	55	CM	101 LEVEL CM	4567,5771 litre	96,126 %	184,0818 litre	O
500	CM	55	CM	100 LEVEL CM	4536,6823 litre	95,476 %	214,9766 litre	O
500	CM	55	CM	99 LEVEL CM	4504,3635 litre	94,796 %	247,2954 litre	O
500	CM	55	CM	98 LEVEL CM	4470,7104 litre	94,087 %	280,9485 litre	O
500	CM	55	CM	97 LEVEL CM	4435,8028 litre	93,353 %	315,8561 litre	O
500	CM	55	CM	96 LEVEL CM	4399,7118 litre	92,593 %	351,9471 litre	O
500	CM	55	CM	95 LEVEL CM	4362,5021 litre	91,810 %	389,1568 litre	O
500	CM	55	CM	94 LEVEL CM	4324,2322 litre	91,005 %	427,4267 litre	O
500	CM	55	CM	93 LEVEL CM	4284,9565 litre	90,178 %	466,7024 litre	O
500	CM	55	CM	92 LEVEL CM	4244,7247 litre	89,331 %	506,9342 litre	O
500	CM	55	CM	91 LEVEL CM	4203,5835 litre	88,466 %	548,0754 litre	O
500	CM	55	CM	90 LEVEL CM	4161,5763 litre	87,582 %	590,0826 litre	O
500	CM	55	CM	89 LEVEL CM	4118,7439 litre	86,680 %	632,9150 litre	O
500	CM	55	CM	88 LEVEL CM	4075,1249 litre	85,762 %	676,5340 litre	O
500	CM	55	CM	87 LEVEL CM	4030,7557 litre	84,828 %	720,9032 litre	O
500	CM	55	CM	86 LEVEL CM	3985,6711 litre	83,880 %	765,9878 litre	O
500	CM	55	CM	85 LEVEL CM	3939,9039 litre	82,916 %	811,7550 litre	O
500	CM	55	CM	84 LEVEL CM	3893,4859 litre	81,940 %	858,1730 litre	O
500	CM	55	CM	83 LEVEL CM	3846,4472 litre	80,950 %	905,2117 litre	O
500	CM	55	CM	82 LEVEL CM	3798,8170 litre	79,947 %	952,8419 litre	O
500	CM	55	CM	81 LEVEL CM	3750,6232 litre	78,933 %	1001,0357 litre	O
500	CM	55	CM	80 LEVEL CM	3701,8929 litre	77,907 %	1049,7660 litre	O
500	CM	55	CM	79 LEVEL CM	3652,6522 litre	76,871 %	1099,0067 litre	O
500	CM	55	CM	78 LEVEL CM	3602,9265 litre	75,825 %	1148,7324 litre	O
500	CM	55	CM	77 LEVEL CM	3552,7403 litre	74,768 %	1198,9186 litre	O
500	CM	55	CM	76 LEVEL CM	3502,1177 litre	73,703 %	1249,5412 litre	O
500	CM	55	CM	75 LEVEL CM	3451,0819 litre	72,629 %	1300,5770 litre	O
500	CM	55	CM	74 LEVEL CM	3399,6557 litre	71,547 %	1352,0032 litre	O
500	CM	55	CM	73 LEVEL CM	3347,8613 litre	70,457 %	1403,7976 litre	O
500	CM	55	CM	72 LEVEL CM	3295,7206 litre	69,359 %	1455,9383 litre	O
500	CM	55	CM	71 LEVEL CM	3243,2548 litre	68,255 %	1508,4041 litre	O
500	CM	55	CM	70 LEVEL CM	3190,4849 litre	67,145 %	1561,1740 litre	O
500	CM	55	CM	69 LEVEL CM	3137,4315 litre	66,028 %	1614,2274 litre	O
500	CM	55	CM	68 LEVEL CM	3084,1149 litre	64,906 %	1667,5440 litre	O
500	CM	55	CM	67 LEVEL CM	3030,5550 litre	63,779 %	1721,1039 litre	O
500	CM	55	CM	66 LEVEL CM	2976,7716 litre	62,647 %	1774,8873 litre	O
500	CM	55	CM	65 LEVEL CM	2922,7839 litre	61,511 %	1828,8750 litre	O
500	CM	55	CM	64 LEVEL CM	2868,6114 litre	60,371 %	1883,0475 litre	O
500	CM	55	CM	63 LEVEL CM	2814,2730 litre	59,227 %	1937,3859 litre	O
500	CM	55	CM	62 LEVEL CM	2759,7875 litre	58,081 %	1991,8714 litre	O
500	CM	55	CM	61 LEVEL CM	2705,1737 litre	56,931 %	2046,4852 litre	O
500	CM	55	CM	60 LEVEL CM	2650,4502 litre	55,779 %	2101,2087 litre	O
500	CM	55	CM	59 LEVEL CM	2595,6354 litre	54,626 %	2156,0235 litre	O

500	CM	55	CM	58 LEVEL CM	2540,7476 litre	53,471 %	2210,9113 litre	O
500	CM	55	CM	57 LEVEL CM	2485,8052 litre	52,314 %	2265,8537 litre	O
500	CM	55	CM	56 LEVEL CM	2430,8264 litre	51,157 %	2320,8325 litre	O
500	CM	55	CM	55 LEVEL CM	2375,8294 litre	50,000 %	2375,8295 litre	O
500	CM	55	CM	54 LEVEL CM	2320,8325 litre	48,843 %	2430,8264 litre	O
500	CM	55	CM	53 LEVEL CM	2265,8537 litre	47,686 %	2485,8052 litre	O
500	CM	55	CM	52 LEVEL CM	2210,9113 litre	46,529 %	2540,7476 litre	O
500	CM	55	CM	51 LEVEL CM	2156,0235 litre	45,374 %	2595,6354 litre	O
500	CM	55	CM	50 LEVEL CM	2101,2087 litre	44,221 %	2650,4502 litre	O
500	CM	55	CM	49 LEVEL CM	2046,4852 litre	43,069 %	2705,1737 litre	O
500	CM	55	CM	48 LEVEL CM	1991,8714 litre	41,919 %	2759,7875 litre	O
500	CM	55	CM	47 LEVEL CM	1937,3859 litre	40,773 %	2814,2730 litre	O
500	CM	55	CM	46 LEVEL CM	1883,0475 litre	39,629 %	2868,6114 litre	O
500	CM	55	CM	45 LEVEL CM	1828,8750 litre	38,489 %	2922,7839 litre	O
500	CM	55	CM	44 LEVEL CM	1774,8873 litre	37,353 %	2976,7716 litre	O
500	CM	55	CM	43 LEVEL CM	1721,1038 litre	36,221 %	3030,5551 litre	O
500	CM	55	CM	42 LEVEL CM	1667,5440 litre	35,094 %	3084,1149 litre	O
500	CM	55	CM	41 LEVEL CM	1614,2273 litre	33,972 %	3137,4316 litre	O
500	CM	55	CM	40 LEVEL CM	1561,1740 litre	32,855 %	3190,4849 litre	O
500	CM	55	CM	39 LEVEL CM	1508,4041 litre	31,745 %	3243,2548 litre	O
500	CM	55	CM	38 LEVEL CM	1455,9383 litre	30,641 %	3295,7206 litre	O
500	CM	55	CM	37 LEVEL CM	1403,7976 litre	29,543 %	3347,8613 litre	O
500	CM	55	CM	36 LEVEL CM	1352,0032 litre	28,453 %	3399,6557 litre	O
500	CM	55	CM	35 LEVEL CM	1300,5770 litre	27,371 %	3451,0819 litre	O
500	CM	55	CM	34 LEVEL CM	1249,5412 litre	26,297 %	3502,1177 litre	O
500	CM	55	CM	33 LEVEL CM	1198,9186 litre	25,232 %	3552,7403 litre	O
500	CM	55	CM	32 LEVEL CM	1148,7324 litre	24,175 %	3602,9265 litre	O
500	CM	55	CM	31 LEVEL CM	1099,0067 litre	23,129 %	3652,6522 litre	O
500	CM	55	CM	30 LEVEL CM	1049,7660 litre	22,093 %	3701,8929 litre	O
500	CM	55	CM	29 LEVEL CM	1001,0357 litre	21,067 %	3750,6232 litre	O
500	CM	55	CM	28 LEVEL CM	952,8419 litre	20,053 %	3798,8170 litre	O
500	CM	55	CM	27 LEVEL CM	905,2116 litre	19,050 %	3846,4473 litre	O
500	CM	55	CM	26 LEVEL CM	858,1730 litre	18,060 %	3893,4859 litre	O
500	CM	55	CM	25 LEVEL CM	811,7550 litre	17,084 %	3939,9039 litre	O
500	CM	55	CM	24 LEVEL CM	765,9878 litre	16,120 %	3985,6711 litre	O
500	CM	55	CM	23 LEVEL CM	720,9032 litre	15,172 %	4030,7557 litre	O
500	CM	55	CM	22 LEVEL CM	676,5340 litre	14,238 %	4075,1249 litre	O
500	CM	55	CM	21 LEVEL CM	632,9150 litre	13,320 %	4118,7439 litre	O
500	CM	55	CM	20 LEVEL CM	590,0826 litre	12,418 %	4161,5763 litre	O
500	CM	55	CM	19 LEVEL CM	548,0754 litre	11,534 %	4203,5835 litre	O
500	CM	55	CM	18 LEVEL CM	506,9342 litre	10,669 %	4244,7247 litre	O
500	CM	55	CM	17 LEVEL CM	466,7024 litre	9,822 %	4284,9565 litre	O
500	CM	55	CM	16 LEVEL CM	427,4266 litre	8,995 %	4324,2323 litre	O
500	CM	55	CM	15 LEVEL CM	389,1568 litre	8,190 %	4362,5021 litre	O
500	CM	55	CM	14 LEVEL CM	351,9471 litre	7,407 %	4399,7118 litre	O
500	CM	55	CM	13 LEVEL CM	315,8561 litre	6,647 %	4435,8028 litre	O
500	CM	55	CM	12 LEVEL CM	280,9485 litre	5,913 %	4470,7104 litre	O
500	CM	55	CM	11 LEVEL CM	247,2954 litre	5,204 %	4504,3635 litre	O
500	CM	55	CM	10 LEVEL CM	214,9766 litre	4,524 %	4536,6823 litre	O
500	CM	55	CM	9 LEVEL CM	184,0818 litre	3,874 %	4567,5771 litre	O
500	CM	55	CM	8 LEVEL CM	154,7142 litre	3,256 %	4596,9447 litre	O
500	CM	55	CM	7 LEVEL CM	126,9938 litre	2,673 %	4624,6651 litre	O
500	CM	55	CM	6 LEVEL CM	101,0636 litre	2,127 %	4650,5953 litre	O

500	CM	55	CM	5 LEVEL CM	77,0988 litre	1,623 %	4674,5601 litre	O
500	CM	55	CM	4 LEVEL CM	55,3222 litre	1,164 %	4696,3367 litre	O
500	CM	55	CM	3 LEVEL CM	36,0331 litre	0,758 %	4715,6258 litre	O
500	CM	55	CM	2 LEVEL CM	19,6683 litre	0,414 %	4731,9906 litre	O
500	CM	55	CM	1 LEVEL CM	6,9730 litre	0,147 %	4744,6859 litre	O
500	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	4751,6589 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
500	CM	50	CM	100 LEVEL CM	3926,9908 litre	100,000 %	0,0000 litre	O
500	CM	50	CM	99 LEVEL CM	3920,3442 litre	99,831 %	6,6466 litre	O
500	CM	50	CM	98 LEVEL CM	3908,2482 litre	99,523 %	18,7426 litre	O
500	CM	50	CM	97 LEVEL CM	3892,6633 litre	99,126 %	34,3275 litre	O
500	CM	50	CM	96 LEVEL CM	3874,3021 litre	98,658 %	52,6887 litre	O
500	CM	50	CM	95 LEVEL CM	3853,5834 litre	98,131 %	73,4074 litre	O
500	CM	50	CM	94 LEVEL CM	3830,7942 litre	97,550 %	96,1966 litre	O
500	CM	50	CM	93 LEVEL CM	3806,1486 litre	96,923 %	120,8422 litre	O
500	CM	50	CM	92 LEVEL CM	3779,8152 litre	96,252 %	147,1756 litre	O
500	CM	50	CM	91 LEVEL CM	3751,9318 litre	95,542 %	175,0590 litre	O
500	CM	50	CM	90 LEVEL CM	3722,6144 litre	94,796 %	204,3764 litre	O
500	CM	50	CM	89 LEVEL CM	3691,9627 litre	94,015 %	235,0281 litre	O
500	CM	50	CM	88 LEVEL CM	3660,0637 litre	93,203 %	266,9271 litre	O
500	CM	50	CM	87 LEVEL CM	3626,9947 litre	92,361 %	299,9961 litre	O
500	CM	50	CM	86 LEVEL CM	3592,8250 litre	91,491 %	334,1658 litre	O
500	CM	50	CM	85 LEVEL CM	3557,6173 litre	90,594 %	369,3735 litre	O
500	CM	50	CM	84 LEVEL CM	3521,4290 litre	89,672 %	405,5618 litre	O
500	CM	50	CM	83 LEVEL CM	3484,3130 litre	88,727 %	442,6778 litre	O
500	CM	50	CM	82 LEVEL CM	3446,3182 litre	87,760 %	480,6726 litre	O
500	CM	50	CM	81 LEVEL CM	3407,4902 litre	86,771 %	519,5006 litre	O
500	CM	50	CM	80 LEVEL CM	3367,8718 litre	85,762 %	559,1190 litre	O
500	CM	50	CM	79 LEVEL CM	3327,5032 litre	84,734 %	599,4876 litre	O
500	CM	50	CM	78 LEVEL CM	3286,4225 litre	83,688 %	640,5683 litre	O
500	CM	50	CM	77 LEVEL CM	3244,6657 litre	82,625 %	682,3251 litre	O
500	CM	50	CM	76 LEVEL CM	3202,2672 litre	81,545 %	724,7236 litre	O
500	CM	50	CM	75 LEVEL CM	3159,2598 litre	80,450 %	767,7310 litre	O
500	CM	50	CM	74 LEVEL CM	3115,6749 litre	79,340 %	811,3159 litre	O
500	CM	50	CM	73 LEVEL CM	3071,5428 litre	78,216 %	855,4480 litre	O
500	CM	50	CM	72 LEVEL CM	3026,8925 litre	77,079 %	900,0983 litre	O
500	CM	50	CM	71 LEVEL CM	2981,7522 litre	75,930 %	945,2386 litre	O
500	CM	50	CM	70 LEVEL CM	2936,1490 litre	74,768 %	990,8418 litre	O
500	CM	50	CM	69 LEVEL CM	2890,1094 litre	73,596 %	1036,8814 litre	O
500	CM	50	CM	68 LEVEL CM	2843,6588 litre	72,413 %	1083,3320 litre	O
500	CM	50	CM	67 LEVEL CM	2796,8223 litre	71,220 %	1130,1685 litre	O
500	CM	50	CM	66 LEVEL CM	2749,6243 litre	70,019 %	1177,3665 litre	O
500	CM	50	CM	65 LEVEL CM	2702,0884 litre	68,808 %	1224,9024 litre	O
500	CM	50	CM	64 LEVEL CM	2654,2380 litre	67,590 %	1272,7528 litre	O
500	CM	50	CM	63 LEVEL CM	2606,0960 litre	66,364 %	1320,8948 litre	O
500	CM	50	CM	62 LEVEL CM	2557,6846 litre	65,131 %	1369,3062 litre	O
500	CM	50	CM	61 LEVEL CM	2509,0260 litre	63,892 %	1417,9648 litre	O
500	CM	50	CM	60 LEVEL CM	2460,1418 litre	62,647 %	1466,8490 litre	O
500	CM	50	CM	59 LEVEL CM	2411,0535 litre	61,397 %	1515,9373 litre	O
500	CM	50	CM	58 LEVEL CM	2361,7821 litre	60,142 %	1565,2087 litre	O
500	CM	50	CM	57 LEVEL CM	2312,3487 litre	58,883 %	1614,6421 litre	O
500	CM	50	CM	56 LEVEL CM	2262,7738 litre	57,621 %	1664,2170 litre	O
500	CM	50	CM	55 LEVEL CM	2213,0781 litre	56,356 %	1713,9127 litre	O
500	CM	50	CM	54 LEVEL CM	2163,2819 litre	55,088 %	1763,7089 litre	O
500	CM	50	CM	53 LEVEL CM	2113,4054 litre	53,817 %	1813,5854 litre	O
500	CM	50	CM	52 LEVEL CM	2063,4687 litre	52,546 %	1863,5221 litre	O
500	CM	50	CM	51 LEVEL CM	2013,4921 litre	51,273 %	1913,4987 litre	O
500	CM	50	CM	50 LEVEL CM	1963,4954 litre	50,000 %	1963,4954 litre	O
500	CM	50	CM	49 LEVEL CM	1913,4987 litre	48,727 %	2013,4921 litre	O

500	CM	50	CM	48 LEVEL CM	1863,5221 litre	47,454 %	2063,4687 litre	O
500	CM	50	CM	47 LEVEL CM	1813,5855 litre	46,183 %	2113,4053 litre	O
500	CM	50	CM	46 LEVEL CM	1763,7089 litre	44,912 %	2163,2819 litre	O
500	CM	50	CM	45 LEVEL CM	1713,9127 litre	43,644 %	2213,0781 litre	O
500	CM	50	CM	44 LEVEL CM	1664,2170 litre	42,379 %	2262,7738 litre	O
500	CM	50	CM	43 LEVEL CM	1614,6421 litre	41,117 %	2312,3487 litre	O
500	CM	50	CM	42 LEVEL CM	1565,2087 litre	39,858 %	2361,7821 litre	O
500	CM	50	CM	41 LEVEL CM	1515,9374 litre	38,603 %	2411,0534 litre	O
500	CM	50	CM	40 LEVEL CM	1466,8490 litre	37,353 %	2460,1418 litre	O
500	CM	50	CM	39 LEVEL CM	1417,9649 litre	36,108 %	2509,0259 litre	O
500	CM	50	CM	38 LEVEL CM	1369,3062 litre	34,869 %	2557,6846 litre	O
500	CM	50	CM	37 LEVEL CM	1320,8949 litre	33,636 %	2606,0959 litre	O
500	CM	50	CM	36 LEVEL CM	1272,7528 litre	32,410 %	2654,2380 litre	O
500	CM	50	CM	35 LEVEL CM	1224,9024 litre	31,192 %	2702,0884 litre	O
500	CM	50	CM	34 LEVEL CM	1177,3665 litre	29,981 %	2749,6243 litre	O
500	CM	50	CM	33 LEVEL CM	1130,1685 litre	28,780 %	2796,8223 litre	O
500	CM	50	CM	32 LEVEL CM	1083,3320 litre	27,587 %	2843,6588 litre	O
500	CM	50	CM	31 LEVEL CM	1036,8815 litre	26,404 %	2890,1093 litre	O
500	CM	50	CM	30 LEVEL CM	990,8418 litre	25,232 %	2936,1490 litre	O
500	CM	50	CM	29 LEVEL CM	945,2386 litre	24,070 %	2981,7522 litre	O
500	CM	50	CM	28 LEVEL CM	900,0983 litre	22,921 %	3026,8925 litre	O
500	CM	50	CM	27 LEVEL CM	855,4480 litre	21,784 %	3071,5428 litre	O
500	CM	50	CM	26 LEVEL CM	811,3159 litre	20,660 %	3115,6749 litre	O
500	CM	50	CM	25 LEVEL CM	767,7311 litre	19,550 %	3159,2597 litre	O
500	CM	50	CM	24 LEVEL CM	724,7237 litre	18,455 %	3202,2671 litre	O
500	CM	50	CM	23 LEVEL CM	682,3251 litre	17,375 %	3244,6657 litre	O
500	CM	50	CM	22 LEVEL CM	640,5683 litre	16,312 %	3286,4225 litre	O
500	CM	50	CM	21 LEVEL CM	599,4876 litre	15,266 %	3327,5032 litre	O
500	CM	50	CM	20 LEVEL CM	559,1190 litre	14,238 %	3367,8718 litre	O
500	CM	50	CM	19 LEVEL CM	519,5006 litre	13,229 %	3407,4902 litre	O
500	CM	50	CM	18 LEVEL CM	480,6726 litre	12,240 %	3446,3182 litre	O
500	CM	50	CM	17 LEVEL CM	442,6778 litre	11,273 %	3484,3130 litre	O
500	CM	50	CM	16 LEVEL CM	405,5618 litre	10,328 %	3521,4290 litre	O
500	CM	50	CM	15 LEVEL CM	369,3736 litre	9,406 %	3557,6172 litre	O
500	CM	50	CM	14 LEVEL CM	334,1659 litre	8,509 %	3592,8249 litre	O
500	CM	50	CM	13 LEVEL CM	299,9961 litre	7,639 %	3626,9947 litre	O
500	CM	50	CM	12 LEVEL CM	266,9271 litre	6,797 %	3660,0637 litre	O
500	CM	50	CM	11 LEVEL CM	235,0281 litre	5,985 %	3691,9627 litre	O
500	CM	50	CM	10 LEVEL CM	204,3764 litre	5,204 %	3722,6144 litre	O
500	CM	50	CM	9 LEVEL CM	175,0590 litre	4,458 %	3751,9318 litre	O
500	CM	50	CM	8 LEVEL CM	147,1757 litre	3,748 %	3779,8151 litre	O
500	CM	50	CM	7 LEVEL CM	120,8422 litre	3,077 %	3806,1486 litre	O
500	CM	50	CM	6 LEVEL CM	96,1966 litre	2,450 %	3830,7942 litre	O
500	CM	50	CM	5 LEVEL CM	73,4074 litre	1,869 %	3853,5834 litre	O
500	CM	50	CM	4 LEVEL CM	52,6887 litre	1,342 %	3874,3021 litre	O
500	CM	50	CM	3 LEVEL CM	34,3276 litre	0,874 %	3892,6632 litre	O
500	CM	50	CM	2 LEVEL CM	18,7426 litre	0,477 %	3908,2482 litre	O
500	CM	50	CM	1 LEVEL CM	6,6466 litre	0,169 %	3920,3442 litre	O
500	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3926,9908 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM	150	CM 300 LEVEL CM	34636,0590 litre	100,000 %	0,0000 litre	O
490	CM	150	CM 299 LEVEL CM	34624,7543 litre	99,967 %	11,3047 litre	O
490	CM	150	CM 298 LEVEL CM	34604,1164 litre	99,908 %	31,9426 litre	O
490	CM	150	CM 297 LEVEL CM	34577,4357 litre	99,831 %	58,6233 litre	O
490	CM	150	CM 296 LEVEL CM	34545,8935 litre	99,740 %	90,1655 litre	O
490	CM	150	CM 295 LEVEL CM	34510,1760 litre	99,637 %	125,8830 litre	O
490	CM	150	CM 294 LEVEL CM	34470,7490 litre	99,523 %	165,3100 litre	O
490	CM	150	CM 293 LEVEL CM	34427,9557 litre	99,399 %	208,1033 litre	O
490	CM	150	CM 292 LEVEL CM	34382,0640 litre	99,267 %	253,9950 litre	O
490	CM	150	CM 291 LEVEL CM	34333,2900 litre	99,126 %	302,7690 litre	O
490	CM	150	CM 290 LEVEL CM	34281,8136 litre	98,977 %	354,2454 litre	O
490	CM	150	CM 289 LEVEL CM	34227,7879 litre	98,821 %	408,2711 litre	O
490	CM	150	CM 288 LEVEL CM	34171,3448 litre	98,658 %	464,7142 litre	O
490	CM	150	CM 287 LEVEL CM	34112,6001 litre	98,489 %	523,4589 litre	O
490	CM	150	CM 286 LEVEL CM	34051,6565 litre	98,313 %	584,4025 litre	O
490	CM	150	CM 285 LEVEL CM	33988,6059 litre	98,131 %	647,4531 litre	O
490	CM	150	CM 284 LEVEL CM	33923,5312 litre	97,943 %	712,5278 litre	O
490	CM	150	CM 283 LEVEL CM	33856,5079 litre	97,749 %	779,5511 litre	O
490	CM	150	CM 282 LEVEL CM	33787,6049 litre	97,550 %	848,4541 litre	O
490	CM	150	CM 281 LEVEL CM	33716,8859 litre	97,346 %	919,1731 litre	O
490	CM	150	CM 280 LEVEL CM	33644,4096 litre	97,137 %	991,6494 litre	O
490	CM	150	CM 279 LEVEL CM	33570,2305 litre	96,923 %	1065,8285 litre	O
490	CM	150	CM 278 LEVEL CM	33494,3996 litre	96,704 %	1141,6594 litre	O
490	CM	150	CM 277 LEVEL CM	33416,9644 litre	96,480 %	1219,0946 litre	O
490	CM	150	CM 276 LEVEL CM	33337,9697 litre	96,252 %	1298,0893 litre	O
490	CM	150	CM 275 LEVEL CM	33257,4576 litre	96,020 %	1378,6014 litre	O
490	CM	150	CM 274 LEVEL CM	33175,4679 litre	95,783 %	1460,5911 litre	O
490	CM	150	CM 273 LEVEL CM	33092,0384 litre	95,542 %	1544,0206 litre	O
490	CM	150	CM 272 LEVEL CM	33007,2047 litre	95,297 %	1628,8543 litre	O
490	CM	150	CM 271 LEVEL CM	32921,0008 litre	95,048 %	1715,0582 litre	O
490	CM	150	CM 270 LEVEL CM	32833,4593 litre	94,796 %	1802,5997 litre	O
490	CM	150	CM 269 LEVEL CM	32744,6109 litre	94,539 %	1891,4481 litre	O
490	CM	150	CM 268 LEVEL CM	32654,4854 litre	94,279 %	1981,5736 litre	O
490	CM	150	CM 267 LEVEL CM	32563,1111 litre	94,015 %	2072,9479 litre	O
490	CM	150	CM 266 LEVEL CM	32470,5151 litre	93,748 %	2165,5439 litre	O
490	CM	150	CM 265 LEVEL CM	32376,7237 litre	93,477 %	2259,3353 litre	O
490	CM	150	CM 264 LEVEL CM	32281,7620 litre	93,203 %	2354,2970 litre	O
490	CM	150	CM 263 LEVEL CM	32185,6543 litre	92,925 %	2450,4047 litre	O
490	CM	150	CM 262 LEVEL CM	32088,4238 litre	92,645 %	2547,6352 litre	O
490	CM	150	CM 261 LEVEL CM	31990,0933 litre	92,361 %	2645,9657 litre	O
490	CM	150	CM 260 LEVEL CM	31890,6846 litre	92,074 %	2745,3744 litre	O
490	CM	150	CM 259 LEVEL CM	31790,2187 litre	91,784 %	2845,8403 litre	O
490	CM	150	CM 258 LEVEL CM	31688,7162 litre	91,491 %	2947,3428 litre	O
490	CM	150	CM 257 LEVEL CM	31586,1969 litre	91,195 %	3049,8621 litre	O
490	CM	150	CM 256 LEVEL CM	31482,6800 litre	90,896 %	3153,3790 litre	O
490	CM	150	CM 255 LEVEL CM	31378,1843 litre	90,594 %	3257,8747 litre	O
490	CM	150	CM 254 LEVEL CM	31272,7280 litre	90,290 %	3363,3310 litre	O
490	CM	150	CM 253 LEVEL CM	31166,3287 litre	89,982 %	3469,7303 litre	O
490	CM	150	CM 252 LEVEL CM	31059,0037 litre	89,672 %	3577,0553 litre	O
490	CM	150	CM 251 LEVEL CM	30950,7699 litre	89,360 %	3685,2891 litre	O
490	CM	150	CM 250 LEVEL CM	30841,6435 litre	89,045 %	3794,4155 litre	O
490	CM	150	CM 249 LEVEL CM	30731,6405 litre	88,727 %	3904,4185 litre	O

490	CM	150	CM	248 LEVEL CM	30620,7765 litre	88,407 %	4015,2825 litre	O
490	CM	150	CM	247 LEVEL CM	30509,0668 litre	88,085 %	4126,9922 litre	O
490	CM	150	CM	246 LEVEL CM	30396,5262 litre	87,760 %	4239,5328 litre	O
490	CM	150	CM	245 LEVEL CM	30283,1694 litre	87,432 %	4352,8896 litre	O
490	CM	150	CM	244 LEVEL CM	30169,0105 litre	87,103 %	4467,0485 litre	O
490	CM	150	CM	243 LEVEL CM	30054,0635 litre	86,771 %	4581,9955 litre	O
490	CM	150	CM	242 LEVEL CM	29938,3421 litre	86,437 %	4697,7169 litre	O
490	CM	150	CM	241 LEVEL CM	29821,8596 litre	86,101 %	4814,1994 litre	O
490	CM	150	CM	240 LEVEL CM	29704,6292 litre	85,762 %	4931,4298 litre	O
490	CM	150	CM	239 LEVEL CM	29586,6638 litre	85,422 %	5049,3952 litre	O
490	CM	150	CM	238 LEVEL CM	29467,9761 litre	85,079 %	5168,0829 litre	O
490	CM	150	CM	237 LEVEL CM	29348,5784 litre	84,734 %	5287,4806 litre	O
490	CM	150	CM	236 LEVEL CM	29228,4829 litre	84,387 %	5407,5761 litre	O
490	CM	150	CM	235 LEVEL CM	29107,7016 litre	84,039 %	5528,3574 litre	O
490	CM	150	CM	234 LEVEL CM	28986,2463 litre	83,688 %	5649,8127 litre	O
490	CM	150	CM	233 LEVEL CM	28864,1286 litre	83,335 %	5771,9304 litre	O
490	CM	150	CM	232 LEVEL CM	28741,3599 litre	82,981 %	5894,6991 litre	O
490	CM	150	CM	231 LEVEL CM	28617,9513 litre	82,625 %	6018,1077 litre	O
490	CM	150	CM	230 LEVEL CM	28493,9140 litre	82,267 %	6142,1450 litre	O
490	CM	150	CM	229 LEVEL CM	28369,2588 litre	81,907 %	6266,8002 litre	O
490	CM	150	CM	228 LEVEL CM	28243,9964 litre	81,545 %	6392,0626 litre	O
490	CM	150	CM	227 LEVEL CM	28118,1374 litre	81,182 %	6517,9216 litre	O
490	CM	150	CM	226 LEVEL CM	27991,6922 litre	80,817 %	6644,3668 litre	O
490	CM	150	CM	225 LEVEL CM	27864,6710 litre	80,450 %	6771,3880 litre	O
490	CM	150	CM	224 LEVEL CM	27737,0841 litre	80,082 %	6898,9749 litre	O
490	CM	150	CM	223 LEVEL CM	27608,9413 litre	79,712 %	7027,1177 litre	O
490	CM	150	CM	222 LEVEL CM	27480,2525 litre	79,340 %	7155,8065 litre	O
490	CM	150	CM	221 LEVEL CM	27351,0276 litre	78,967 %	7285,0314 litre	O
490	CM	150	CM	220 LEVEL CM	27221,2760 litre	78,592 %	7414,7830 litre	O
490	CM	150	CM	219 LEVEL CM	27091,0073 litre	78,216 %	7545,0517 litre	O
490	CM	150	CM	218 LEVEL CM	26960,2310 litre	77,839 %	7675,8280 litre	O
490	CM	150	CM	217 LEVEL CM	26828,9561 litre	77,460 %	7807,1029 litre	O
490	CM	150	CM	216 LEVEL CM	26697,1921 litre	77,079 %	7938,8669 litre	O
490	CM	150	CM	215 LEVEL CM	26564,9478 litre	76,697 %	8071,1112 litre	O
490	CM	150	CM	214 LEVEL CM	26432,2323 litre	76,314 %	8203,8267 litre	O
490	CM	150	CM	213 LEVEL CM	26299,0545 litre	75,930 %	8337,0045 litre	O
490	CM	150	CM	212 LEVEL CM	26165,4232 litre	75,544 %	8470,6358 litre	O
490	CM	150	CM	211 LEVEL CM	26031,3469 litre	75,157 %	8604,7121 litre	O
490	CM	150	CM	210 LEVEL CM	25896,8345 litre	74,768 %	8739,2245 litre	O
490	CM	150	CM	209 LEVEL CM	25761,8943 litre	74,379 %	8874,1647 litre	O
490	CM	150	CM	208 LEVEL CM	25626,5349 litre	73,988 %	9009,5241 litre	O
490	CM	150	CM	207 LEVEL CM	25490,7646 litre	73,596 %	9145,2944 litre	O
490	CM	150	CM	206 LEVEL CM	25354,5916 litre	73,203 %	9281,4674 litre	O
490	CM	150	CM	205 LEVEL CM	25218,0243 litre	72,809 %	9418,0347 litre	O
490	CM	150	CM	204 LEVEL CM	25081,0707 litre	72,413 %	9554,9883 litre	O
490	CM	150	CM	203 LEVEL CM	24943,7390 litre	72,017 %	9692,3200 litre	O
490	CM	150	CM	202 LEVEL CM	24806,0371 litre	71,619 %	9830,0219 litre	O
490	CM	150	CM	201 LEVEL CM	24667,9730 litre	71,220 %	9968,0860 litre	O
490	CM	150	CM	200 LEVEL CM	24529,5547 litre	70,821 %	10106,5043 litre	O
490	CM	150	CM	199 LEVEL CM	24390,7898 litre	70,420 %	10245,2692 litre	O
490	CM	150	CM	198 LEVEL CM	24251,6862 litre	70,019 %	10384,3728 litre	O
490	CM	150	CM	197 LEVEL CM	24112,2516 litre	69,616 %	10523,8074 litre	O
490	CM	150	CM	196 LEVEL CM	23972,4936 litre	69,213 %	10663,5654 litre	O

490	CM	150	CM	195 LEVEL CM	23832,4199 litre	68,808 %	10803,6391 litre	O
490	CM	150	CM	194 LEVEL CM	23692,0380 litre	68,403 %	10944,0210 litre	O
490	CM	150	CM	193 LEVEL CM	23551,3554 litre	67,997 %	11084,7036 litre	O
490	CM	150	CM	192 LEVEL CM	23410,3796 litre	67,590 %	11225,6794 litre	O
490	CM	150	CM	191 LEVEL CM	23269,1179 litre	67,182 %	11366,9411 litre	O
490	CM	150	CM	190 LEVEL CM	23127,5777 litre	66,773 %	11508,4813 litre	O
490	CM	150	CM	189 LEVEL CM	22985,7664 litre	66,364 %	11650,2926 litre	O
490	CM	150	CM	188 LEVEL CM	22843,6912 litre	65,953 %	11792,3678 litre	O
490	CM	150	CM	187 LEVEL CM	22701,3594 litre	65,543 %	11934,6996 litre	O
490	CM	150	CM	186 LEVEL CM	22558,7781 litre	65,131 %	12077,2809 litre	O
490	CM	150	CM	185 LEVEL CM	22415,9545 litre	64,719 %	12220,1045 litre	O
490	CM	150	CM	184 LEVEL CM	22272,8958 litre	64,306 %	12363,1632 litre	O
490	CM	150	CM	183 LEVEL CM	22129,6090 litre	63,892 %	12506,4500 litre	O
490	CM	150	CM	182 LEVEL CM	21986,1012 litre	63,477 %	12649,9578 litre	O
490	CM	150	CM	181 LEVEL CM	21842,3793 litre	63,063 %	12793,6797 litre	O
490	CM	150	CM	180 LEVEL CM	21698,4505 litre	62,647 %	12937,6085 litre	O
490	CM	150	CM	179 LEVEL CM	21554,3217 litre	62,231 %	13081,7373 litre	O
490	CM	150	CM	178 LEVEL CM	21409,9997 litre	61,814 %	13226,0593 litre	O
490	CM	150	CM	177 LEVEL CM	21265,4915 litre	61,397 %	13370,5675 litre	O
490	CM	150	CM	176 LEVEL CM	21120,8040 litre	60,979 %	13515,2550 litre	O
490	CM	150	CM	175 LEVEL CM	20975,9440 litre	60,561 %	13660,1150 litre	O
490	CM	150	CM	174 LEVEL CM	20830,9184 litre	60,142 %	13805,1406 litre	O
490	CM	150	CM	173 LEVEL CM	20685,7339 litre	59,723 %	13950,3251 litre	O
490	CM	150	CM	172 LEVEL CM	20540,3973 litre	59,304 %	14095,6617 litre	O
490	CM	150	CM	171 LEVEL CM	20394,9154 litre	58,883 %	14241,1436 litre	O
490	CM	150	CM	170 LEVEL CM	20249,2950 litre	58,463 %	14386,7640 litre	O
490	CM	150	CM	169 LEVEL CM	20103,5427 litre	58,042 %	14532,5163 litre	O
490	CM	150	CM	168 LEVEL CM	19957,6653 litre	57,621 %	14678,3937 litre	O
490	CM	150	CM	167 LEVEL CM	19811,6694 litre	57,200 %	14824,3896 litre	O
490	CM	150	CM	166 LEVEL CM	19665,5618 litre	56,778 %	14970,4972 litre	O
490	CM	150	CM	165 LEVEL CM	19519,3490 litre	56,356 %	15116,7100 litre	O
490	CM	150	CM	164 LEVEL CM	19373,0377 litre	55,933 %	15263,0213 litre	O
490	CM	150	CM	163 LEVEL CM	19226,6345 litre	55,510 %	15409,4245 litre	O
490	CM	150	CM	162 LEVEL CM	19080,1461 litre	55,088 %	15555,9129 litre	O
490	CM	150	CM	161 LEVEL CM	18933,5790 litre	54,664 %	15702,4800 litre	O
490	CM	150	CM	160 LEVEL CM	18786,9399 litre	54,241 %	15849,1191 litre	O
490	CM	150	CM	159 LEVEL CM	18640,2353 litre	53,817 %	15995,8237 litre	O
490	CM	150	CM	158 LEVEL CM	18493,4718 litre	53,394 %	16142,5872 litre	O
490	CM	150	CM	157 LEVEL CM	18346,6559 litre	52,970 %	16289,4031 litre	O
490	CM	150	CM	156 LEVEL CM	18199,7942 litre	52,546 %	16436,2648 litre	O
490	CM	150	CM	155 LEVEL CM	18052,8934 litre	52,122 %	16583,1656 litre	O
490	CM	150	CM	154 LEVEL CM	17905,9598 litre	51,697 %	16730,0992 litre	O
490	CM	150	CM	153 LEVEL CM	17759,0001 litre	51,273 %	16877,0589 litre	O
490	CM	150	CM	152 LEVEL CM	17612,0208 litre	50,849 %	17024,0382 litre	O
490	CM	150	CM	151 LEVEL CM	17465,0284 litre	50,424 %	17171,0306 litre	O
490	CM	150	CM	150 LEVEL CM	17318,0295 litre	50,000 %	17318,0295 litre	O
490	CM	150	CM	149 LEVEL CM	17171,0306 litre	49,576 %	17465,0284 litre	O
490	CM	150	CM	148 LEVEL CM	17024,0382 litre	49,151 %	17612,0208 litre	O
490	CM	150	CM	147 LEVEL CM	16877,0589 litre	48,727 %	17759,0001 litre	O
490	CM	150	CM	146 LEVEL CM	16730,0992 litre	48,303 %	17905,9598 litre	O
490	CM	150	CM	145 LEVEL CM	16583,1656 litre	47,878 %	18052,8934 litre	O
490	CM	150	CM	144 LEVEL CM	16436,2648 litre	47,454 %	18199,7942 litre	O
490	CM	150	CM	143 LEVEL CM	16289,4031 litre	47,030 %	18346,6559 litre	O

490	CM	150	CM	142 LEVEL CM	16142,5873 litre	46,606 %	18493,4717 litre	O
490	CM	150	CM	141 LEVEL CM	15995,8237 litre	46,183 %	18640,2353 litre	O
490	CM	150	CM	140 LEVEL CM	15849,1191 litre	45,759 %	18786,9399 litre	O
490	CM	150	CM	139 LEVEL CM	15702,4800 litre	45,336 %	18933,5790 litre	O
490	CM	150	CM	138 LEVEL CM	15555,9129 litre	44,912 %	19080,1461 litre	O
490	CM	150	CM	137 LEVEL CM	15409,4245 litre	44,490 %	19226,6345 litre	O
490	CM	150	CM	136 LEVEL CM	15263,0213 litre	44,067 %	19373,0377 litre	O
490	CM	150	CM	135 LEVEL CM	15116,7100 litre	43,644 %	19519,3490 litre	O
490	CM	150	CM	134 LEVEL CM	14970,4972 litre	43,222 %	19665,5618 litre	O
490	CM	150	CM	133 LEVEL CM	14824,3896 litre	42,800 %	19811,6694 litre	O
490	CM	150	CM	132 LEVEL CM	14678,3937 litre	42,379 %	19957,6653 litre	O
490	CM	150	CM	131 LEVEL CM	14532,5163 litre	41,958 %	20103,5427 litre	O
490	CM	150	CM	130 LEVEL CM	14386,7640 litre	41,537 %	20249,2950 litre	O
490	CM	150	CM	129 LEVEL CM	14241,1436 litre	41,117 %	20394,9154 litre	O
490	CM	150	CM	128 LEVEL CM	14095,6617 litre	40,696 %	20540,3973 litre	O
490	CM	150	CM	127 LEVEL CM	13950,3251 litre	40,277 %	20685,7339 litre	O
490	CM	150	CM	126 LEVEL CM	13805,1406 litre	39,858 %	20830,9184 litre	O
490	CM	150	CM	125 LEVEL CM	13660,1150 litre	39,439 %	20975,9440 litre	O
490	CM	150	CM	124 LEVEL CM	13515,2550 litre	39,021 %	21120,8040 litre	O
490	CM	150	CM	123 LEVEL CM	13370,5675 litre	38,603 %	21265,4915 litre	O
490	CM	150	CM	122 LEVEL CM	13226,0593 litre	38,186 %	21409,9997 litre	O
490	CM	150	CM	121 LEVEL CM	13081,7373 litre	37,769 %	21554,3217 litre	O
490	CM	150	CM	120 LEVEL CM	12937,6085 litre	37,353 %	21698,4505 litre	O
490	CM	150	CM	119 LEVEL CM	12793,6797 litre	36,937 %	21842,3793 litre	O
490	CM	150	CM	118 LEVEL CM	12649,9578 litre	36,523 %	21986,1012 litre	O
490	CM	150	CM	117 LEVEL CM	12506,4500 litre	36,108 %	22129,6090 litre	O
490	CM	150	CM	116 LEVEL CM	12363,1632 litre	35,694 %	22272,8958 litre	O
490	CM	150	CM	115 LEVEL CM	12220,1045 litre	35,281 %	22415,9545 litre	O
490	CM	150	CM	114 LEVEL CM	12077,2809 litre	34,869 %	22558,7781 litre	O
490	CM	150	CM	113 LEVEL CM	11934,6997 litre	34,457 %	22701,3593 litre	O
490	CM	150	CM	112 LEVEL CM	11792,3678 litre	34,047 %	22843,6912 litre	O
490	CM	150	CM	111 LEVEL CM	11650,2926 litre	33,636 %	22985,7664 litre	O
490	CM	150	CM	110 LEVEL CM	11508,4813 litre	33,227 %	23127,5777 litre	O
490	CM	150	CM	109 LEVEL CM	11366,9411 litre	32,818 %	23269,1179 litre	O
490	CM	150	CM	108 LEVEL CM	11225,6794 litre	32,410 %	23410,3796 litre	O
490	CM	150	CM	107 LEVEL CM	11084,7036 litre	32,003 %	23551,3554 litre	O
490	CM	150	CM	106 LEVEL CM	10944,0210 litre	31,597 %	23692,0380 litre	O
490	CM	150	CM	105 LEVEL CM	10803,6391 litre	31,192 %	23832,4199 litre	O
490	CM	150	CM	104 LEVEL CM	10663,5654 litre	30,787 %	23972,4936 litre	O
490	CM	150	CM	103 LEVEL CM	10523,8074 litre	30,384 %	24112,2516 litre	O
490	CM	150	CM	102 LEVEL CM	10384,3728 litre	29,981 %	24251,6862 litre	O
490	CM	150	CM	101 LEVEL CM	10245,2692 litre	29,580 %	24390,7898 litre	O
490	CM	150	CM	100 LEVEL CM	10106,5043 litre	29,179 %	24529,5547 litre	O
490	CM	150	CM	99 LEVEL CM	9968,0860 litre	28,780 %	24667,9730 litre	O
490	CM	150	CM	98 LEVEL CM	9830,0219 litre	28,381 %	24806,0371 litre	O
490	CM	150	CM	97 LEVEL CM	9692,3200 litre	27,983 %	24943,7390 litre	O
490	CM	150	CM	96 LEVEL CM	9554,9883 litre	27,587 %	25081,0707 litre	O
490	CM	150	CM	95 LEVEL CM	9418,0347 litre	27,191 %	25218,0243 litre	O
490	CM	150	CM	94 LEVEL CM	9281,4674 litre	26,797 %	25354,5916 litre	O
490	CM	150	CM	93 LEVEL CM	9145,2944 litre	26,404 %	25490,7646 litre	O
490	CM	150	CM	92 LEVEL CM	9009,5241 litre	26,012 %	25626,5349 litre	O
490	CM	150	CM	91 LEVEL CM	8874,1647 litre	25,621 %	25761,8943 litre	O
490	CM	150	CM	90 LEVEL CM	8739,2245 litre	25,232 %	25896,8345 litre	O

490	CM	150	CM	89 LEVEL CM	8604,7121 litre	24,843 %	26031,3469 litre	O
490	CM	150	CM	88 LEVEL CM	8470,6358 litre	24,456 %	26165,4232 litre	O
490	CM	150	CM	87 LEVEL CM	8337,0045 litre	24,070 %	26299,0545 litre	O
490	CM	150	CM	86 LEVEL CM	8203,8267 litre	23,686 %	26432,2323 litre	O
490	CM	150	CM	85 LEVEL CM	8071,1112 litre	23,303 %	26564,9478 litre	O
490	CM	150	CM	84 LEVEL CM	7938,8669 litre	22,921 %	26697,1921 litre	O
490	CM	150	CM	83 LEVEL CM	7807,1029 litre	22,540 %	26828,9561 litre	O
490	CM	150	CM	82 LEVEL CM	7675,8280 litre	22,161 %	26960,2310 litre	O
490	CM	150	CM	81 LEVEL CM	7545,0517 litre	21,784 %	27091,0073 litre	O
490	CM	150	CM	80 LEVEL CM	7414,7830 litre	21,408 %	27221,2760 litre	O
490	CM	150	CM	79 LEVEL CM	7285,0314 litre	21,033 %	27351,0276 litre	O
490	CM	150	CM	78 LEVEL CM	7155,8065 litre	20,660 %	27480,2525 litre	O
490	CM	150	CM	77 LEVEL CM	7027,1177 litre	20,288 %	27608,9413 litre	O
490	CM	150	CM	76 LEVEL CM	6898,9749 litre	19,918 %	27737,0841 litre	O
490	CM	150	CM	75 LEVEL CM	6771,3880 litre	19,550 %	27864,6710 litre	O
490	CM	150	CM	74 LEVEL CM	6644,3668 litre	19,183 %	27991,6922 litre	O
490	CM	150	CM	73 LEVEL CM	6517,9216 litre	18,818 %	28118,1374 litre	O
490	CM	150	CM	72 LEVEL CM	6392,0626 litre	18,455 %	28243,9964 litre	O
490	CM	150	CM	71 LEVEL CM	6266,8002 litre	18,093 %	28369,2588 litre	O
490	CM	150	CM	70 LEVEL CM	6142,1450 litre	17,733 %	28493,9140 litre	O
490	CM	150	CM	69 LEVEL CM	6018,1077 litre	17,375 %	28617,9513 litre	O
490	CM	150	CM	68 LEVEL CM	5894,6991 litre	17,019 %	28741,3599 litre	O
490	CM	150	CM	67 LEVEL CM	5771,9304 litre	16,665 %	28864,1286 litre	O
490	CM	150	CM	66 LEVEL CM	5649,8127 litre	16,312 %	28986,2463 litre	O
490	CM	150	CM	65 LEVEL CM	5528,3574 litre	15,961 %	29107,7016 litre	O
490	CM	150	CM	64 LEVEL CM	5407,5761 litre	15,613 %	29228,4829 litre	O
490	CM	150	CM	63 LEVEL CM	5287,4806 litre	15,266 %	29348,5784 litre	O
490	CM	150	CM	62 LEVEL CM	5168,0829 litre	14,921 %	29467,9761 litre	O
490	CM	150	CM	61 LEVEL CM	5049,3952 litre	14,578 %	29586,6638 litre	O
490	CM	150	CM	60 LEVEL CM	4931,4298 litre	14,238 %	29704,6292 litre	O
490	CM	150	CM	59 LEVEL CM	4814,1994 litre	13,899 %	29821,8596 litre	O
490	CM	150	CM	58 LEVEL CM	4697,7170 litre	13,563 %	29938,3420 litre	O
490	CM	150	CM	57 LEVEL CM	4581,9955 litre	13,229 %	30054,0635 litre	O
490	CM	150	CM	56 LEVEL CM	4467,0485 litre	12,897 %	30169,0105 litre	O
490	CM	150	CM	55 LEVEL CM	4352,8896 litre	12,568 %	30283,1694 litre	O
490	CM	150	CM	54 LEVEL CM	4239,5328 litre	12,240 %	30396,5262 litre	O
490	CM	150	CM	53 LEVEL CM	4126,9922 litre	11,915 %	30509,0668 litre	O
490	CM	150	CM	52 LEVEL CM	4015,2825 litre	11,593 %	30620,7765 litre	O
490	CM	150	CM	51 LEVEL CM	3904,4185 litre	11,273 %	30731,6405 litre	O
490	CM	150	CM	50 LEVEL CM	3794,4155 litre	10,955 %	30841,6435 litre	O
490	CM	150	CM	49 LEVEL CM	3685,2891 litre	10,640 %	30950,7699 litre	O
490	CM	150	CM	48 LEVEL CM	3577,0553 litre	10,328 %	31059,0037 litre	O
490	CM	150	CM	47 LEVEL CM	3469,7303 litre	10,018 %	31166,3287 litre	O
490	CM	150	CM	46 LEVEL CM	3363,3310 litre	9,710 %	31272,7280 litre	O
490	CM	150	CM	45 LEVEL CM	3257,8747 litre	9,406 %	31378,1843 litre	O
490	CM	150	CM	44 LEVEL CM	3153,3790 litre	9,104 %	31482,6800 litre	O
490	CM	150	CM	43 LEVEL CM	3049,8622 litre	8,805 %	31586,1968 litre	O
490	CM	150	CM	42 LEVEL CM	2947,3428 litre	8,509 %	31688,7162 litre	O
490	CM	150	CM	41 LEVEL CM	2845,8403 litre	8,216 %	31790,2187 litre	O
490	CM	150	CM	40 LEVEL CM	2745,3744 litre	7,926 %	31890,6846 litre	O
490	CM	150	CM	39 LEVEL CM	2645,9657 litre	7,639 %	31990,0933 litre	O
490	CM	150	CM	38 LEVEL CM	2547,6352 litre	7,355 %	32088,4238 litre	O
490	CM	150	CM	37 LEVEL CM	2450,4047 litre	7,075 %	32185,6543 litre	O

490	CM	150	CM	36 LEVEL CM	2354,2970 litre	6,797 %	32281,7620 litre	O
490	CM	150	CM	35 LEVEL CM	2259,3353 litre	6,523 %	32376,7237 litre	O
490	CM	150	CM	34 LEVEL CM	2165,5439 litre	6,252 %	32470,5151 litre	O
490	CM	150	CM	33 LEVEL CM	2072,9479 litre	5,985 %	32563,1111 litre	O
490	CM	150	CM	32 LEVEL CM	1981,5736 litre	5,721 %	32654,4854 litre	O
490	CM	150	CM	31 LEVEL CM	1891,4481 litre	5,461 %	32744,6109 litre	O
490	CM	150	CM	30 LEVEL CM	1802,5997 litre	5,204 %	32833,4593 litre	O
490	CM	150	CM	29 LEVEL CM	1715,0582 litre	4,952 %	32921,0008 litre	O
490	CM	150	CM	28 LEVEL CM	1628,8543 litre	4,703 %	33007,2047 litre	O
490	CM	150	CM	27 LEVEL CM	1544,0206 litre	4,458 %	33092,0384 litre	O
490	CM	150	CM	26 LEVEL CM	1460,5911 litre	4,217 %	33175,4679 litre	O
490	CM	150	CM	25 LEVEL CM	1378,6014 litre	3,980 %	33257,4576 litre	O
490	CM	150	CM	24 LEVEL CM	1298,0893 litre	3,748 %	33337,9697 litre	O
490	CM	150	CM	23 LEVEL CM	1219,0946 litre	3,520 %	33416,9644 litre	O
490	CM	150	CM	22 LEVEL CM	1141,6594 litre	3,296 %	33494,3996 litre	O
490	CM	150	CM	21 LEVEL CM	1065,8285 litre	3,077 %	33570,2305 litre	O
490	CM	150	CM	20 LEVEL CM	991,6494 litre	2,863 %	33644,4096 litre	O
490	CM	150	CM	19 LEVEL CM	919,1731 litre	2,654 %	33716,8859 litre	O
490	CM	150	CM	18 LEVEL CM	848,4541 litre	2,450 %	33787,6049 litre	O
490	CM	150	CM	17 LEVEL CM	779,5511 litre	2,251 %	33856,5079 litre	O
490	CM	150	CM	16 LEVEL CM	712,5278 litre	2,057 %	33923,5312 litre	O
490	CM	150	CM	15 LEVEL CM	647,4531 litre	1,869 %	33988,6059 litre	O
490	CM	150	CM	14 LEVEL CM	584,4025 litre	1,687 %	34051,6565 litre	O
490	CM	150	CM	13 LEVEL CM	523,4589 litre	1,511 %	34112,6001 litre	O
490	CM	150	CM	12 LEVEL CM	464,7142 litre	1,342 %	34171,3448 litre	O
490	CM	150	CM	11 LEVEL CM	408,2711 litre	1,179 %	34227,7879 litre	O
490	CM	150	CM	10 LEVEL CM	354,2454 litre	1,023 %	34281,8136 litre	O
490	CM	150	CM	9 LEVEL CM	302,7691 litre	0,874 %	34333,2899 litre	O
490	CM	150	CM	8 LEVEL CM	253,9950 litre	0,733 %	34382,0640 litre	O
490	CM	150	CM	7 LEVEL CM	208,1033 litre	0,601 %	34427,9557 litre	O
490	CM	150	CM	6 LEVEL CM	165,3101 litre	0,477 %	34470,7489 litre	O
490	CM	150	CM	5 LEVEL CM	125,8830 litre	0,363 %	34510,1760 litre	O
490	CM	150	CM	4 LEVEL CM	90,1655 litre	0,260 %	34545,8935 litre	O
490	CM	150	CM	3 LEVEL CM	58,6233 litre	0,169 %	34577,4357 litre	O
490	CM	150	CM	2 LEVEL CM	31,9426 litre	0,092 %	34604,1164 litre	O
490	CM	150	CM	1 LEVEL CM	11,3047 litre	0,033 %	34624,7543 litre	O
490	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	34636,0590 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 145	CM 290 LEVEL CM	32365,4729 litre	100,000 %	0,0000 litre	O
490	CM 145	CM 289 LEVEL CM	32354,3586 litre	99,966 %	11,1143 litre	O
490	CM 145	CM 288 LEVEL CM	32334,0694 litre	99,903 %	31,4035 litre	O
490	CM 145	CM 287 LEVEL CM	32307,8410 litre	99,822 %	57,6319 litre	O
490	CM 145	CM 286 LEVEL CM	32276,8352 litre	99,726 %	88,6377 litre	O
490	CM 145	CM 285 LEVEL CM	32241,7274 litre	99,618 %	123,7455 litre	O
490	CM 145	CM 284 LEVEL CM	32202,9755 litre	99,498 %	162,4974 litre	O
490	CM 145	CM 283 LEVEL CM	32160,9176 litre	99,368 %	204,5553 litre	O
490	CM 145	CM 282 LEVEL CM	32115,8171 litre	99,229 %	249,6558 litre	O
490	CM 145	CM 281 LEVEL CM	32067,8870 litre	99,081 %	297,5859 litre	O
490	CM 145	CM 280 LEVEL CM	32017,3045 litre	98,924 %	348,1684 litre	O
490	CM 145	CM 279 LEVEL CM	31964,2200 litre	98,760 %	401,2529 litre	O
490	CM 145	CM 278 LEVEL CM	31908,7638 litre	98,589 %	456,7091 litre	O
490	CM 145	CM 277 LEVEL CM	31851,0498 litre	98,411 %	514,4231 litre	O
490	CM 145	CM 276 LEVEL CM	31791,1793 litre	98,226 %	574,2936 litre	O
490	CM 145	CM 275 LEVEL CM	31729,2427 litre	98,034 %	636,2302 litre	O
490	CM 145	CM 274 LEVEL CM	31665,3219 litre	97,837 %	700,1510 litre	O
490	CM 145	CM 273 LEVEL CM	31599,4913 litre	97,633 %	765,9816 litre	O
490	CM 145	CM 272 LEVEL CM	31531,8189 litre	97,424 %	833,6540 litre	O
490	CM 145	CM 271 LEVEL CM	31462,3674 litre	97,210 %	903,1055 litre	O
490	CM 145	CM 270 LEVEL CM	31391,1947 litre	96,990 %	974,2782 litre	O
490	CM 145	CM 269 LEVEL CM	31318,3547 litre	96,765 %	1047,1182 litre	O
490	CM 145	CM 268 LEVEL CM	31243,8976 litre	96,535 %	1121,5753 litre	O
490	CM 145	CM 267 LEVEL CM	31167,8705 litre	96,300 %	1197,6024 litre	O
490	CM 145	CM 266 LEVEL CM	31090,3174 litre	96,060 %	1275,1555 litre	O
490	CM 145	CM 265 LEVEL CM	31011,2800 litre	95,816 %	1354,1929 litre	O
490	CM 145	CM 264 LEVEL CM	30930,7977 litre	95,567 %	1434,6752 litre	O
490	CM 145	CM 263 LEVEL CM	30848,9076 litre	95,314 %	1516,5653 litre	O
490	CM 145	CM 262 LEVEL CM	30765,6450 litre	95,057 %	1599,8279 litre	O
490	CM 145	CM 261 LEVEL CM	30681,0436 litre	94,796 %	1684,4293 litre	O
490	CM 145	CM 260 LEVEL CM	30595,1354 litre	94,530 %	1770,3375 litre	O
490	CM 145	CM 259 LEVEL CM	30507,9511 litre	94,261 %	1857,5218 litre	O
490	CM 145	CM 258 LEVEL CM	30419,5198 litre	93,988 %	1945,9531 litre	O
490	CM 145	CM 257 LEVEL CM	30329,8697 litre	93,711 %	2035,6032 litre	O
490	CM 145	CM 256 LEVEL CM	30239,0276 litre	93,430 %	2126,4453 litre	O
490	CM 145	CM 255 LEVEL CM	30147,0195 litre	93,146 %	2218,4534 litre	O
490	CM 145	CM 254 LEVEL CM	30053,8702 litre	92,858 %	2311,6027 litre	O
490	CM 145	CM 253 LEVEL CM	29959,6038 litre	92,567 %	2405,8691 litre	O
490	CM 145	CM 252 LEVEL CM	29864,2434 litre	92,272 %	2501,2295 litre	O
490	CM 145	CM 251 LEVEL CM	29767,8113 litre	91,974 %	2597,6616 litre	O
490	CM 145	CM 250 LEVEL CM	29670,3293 litre	91,673 %	2695,1436 litre	O
490	CM 145	CM 249 LEVEL CM	29571,8182 litre	91,368 %	2793,6547 litre	O
490	CM 145	CM 248 LEVEL CM	29472,2983 litre	91,061 %	2893,1746 litre	O
490	CM 145	CM 247 LEVEL CM	29371,7894 litre	90,750 %	2993,6835 litre	O
490	CM 145	CM 246 LEVEL CM	29270,3105 litre	90,437 %	3095,1624 litre	O
490	CM 145	CM 245 LEVEL CM	29167,8801 litre	90,120 %	3197,5928 litre	O
490	CM 145	CM 244 LEVEL CM	29064,5164 litre	89,801 %	3300,9565 litre	O
490	CM 145	CM 243 LEVEL CM	28960,2369 litre	89,479 %	3405,2360 litre	O
490	CM 145	CM 242 LEVEL CM	28855,0586 litre	89,154 %	3510,4143 litre	O
490	CM 145	CM 241 LEVEL CM	28748,9983 litre	88,826 %	3616,4746 litre	O
490	CM 145	CM 240 LEVEL CM	28642,0723 litre	88,496 %	3723,4006 litre	O
490	CM 145	CM 239 LEVEL CM	28534,2963 litre	88,163 %	3831,1766 litre	O

490	CM	145	CM	238 LEVEL CM	28425,6859 litre	87,827 %	3939,7870 litre	O
490	CM	145	CM	237 LEVEL CM	28316,2563 litre	87,489 %	4049,2166 litre	O
490	CM	145	CM	236 LEVEL CM	28206,0221 litre	87,148 %	4159,4508 litre	O
490	CM	145	CM	235 LEVEL CM	28094,9980 litre	86,805 %	4270,4749 litre	O
490	CM	145	CM	234 LEVEL CM	27983,1980 litre	86,460 %	4382,2749 litre	O
490	CM	145	CM	233 LEVEL CM	27870,6360 litre	86,112 %	4494,8369 litre	O
490	CM	145	CM	232 LEVEL CM	27757,3258 litre	85,762 %	4608,1471 litre	O
490	CM	145	CM	231 LEVEL CM	27643,2804 litre	85,410 %	4722,1925 litre	O
490	CM	145	CM	230 LEVEL CM	27528,5132 litre	85,055 %	4836,9597 litre	O
490	CM	145	CM	229 LEVEL CM	27413,0368 litre	84,698 %	4952,4361 litre	O
490	CM	145	CM	228 LEVEL CM	27296,8639 litre	84,339 %	5068,6090 litre	O
490	CM	145	CM	227 LEVEL CM	27180,0069 litre	83,978 %	5185,4660 litre	O
490	CM	145	CM	226 LEVEL CM	27062,4778 litre	83,615 %	5302,9951 litre	O
490	CM	145	CM	225 LEVEL CM	26944,2887 litre	83,250 %	5421,1842 litre	O
490	CM	145	CM	224 LEVEL CM	26825,4513 litre	82,883 %	5540,0216 litre	O
490	CM	145	CM	223 LEVEL CM	26705,9772 litre	82,514 %	5659,4957 litre	O
490	CM	145	CM	222 LEVEL CM	26585,8777 litre	82,143 %	5779,5952 litre	O
490	CM	145	CM	221 LEVEL CM	26465,1640 litre	81,770 %	5900,3089 litre	O
490	CM	145	CM	220 LEVEL CM	26343,8471 litre	81,395 %	6021,6258 litre	O
490	CM	145	CM	219 LEVEL CM	26221,9380 litre	81,018 %	6143,5349 litre	O
490	CM	145	CM	218 LEVEL CM	26099,4472 litre	80,640 %	6266,0257 litre	O
490	CM	145	CM	217 LEVEL CM	25976,3854 litre	80,260 %	6389,0875 litre	O
490	CM	145	CM	216 LEVEL CM	25852,7630 litre	79,878 %	6512,7099 litre	O
490	CM	145	CM	215 LEVEL CM	25728,5903 litre	79,494 %	6636,8826 litre	O
490	CM	145	CM	214 LEVEL CM	25603,8773 litre	79,109 %	6761,5956 litre	O
490	CM	145	CM	213 LEVEL CM	25478,6340 litre	78,722 %	6886,8389 litre	O
490	CM	145	CM	212 LEVEL CM	25352,8704 litre	78,333 %	7012,6025 litre	O
490	CM	145	CM	211 LEVEL CM	25226,5962 litre	77,943 %	7138,8767 litre	O
490	CM	145	CM	210 LEVEL CM	25099,8210 litre	77,551 %	7265,6519 litre	O
490	CM	145	CM	209 LEVEL CM	24972,5543 litre	77,158 %	7392,9186 litre	O
490	CM	145	CM	208 LEVEL CM	24844,8056 litre	76,763 %	7520,6673 litre	O
490	CM	145	CM	207 LEVEL CM	24716,5841 litre	76,367 %	7648,8888 litre	O
490	CM	145	CM	206 LEVEL CM	24587,8990 litre	75,970 %	7777,5739 litre	O
490	CM	145	CM	205 LEVEL CM	24458,7595 litre	75,571 %	7906,7134 litre	O
490	CM	145	CM	204 LEVEL CM	24329,1746 litre	75,170 %	8036,2983 litre	O
490	CM	145	CM	203 LEVEL CM	24199,1531 litre	74,768 %	8166,3198 litre	O
490	CM	145	CM	202 LEVEL CM	24068,7039 litre	74,365 %	8296,7690 litre	O
490	CM	145	CM	201 LEVEL CM	23937,8358 litre	73,961 %	8427,6371 litre	O
490	CM	145	CM	200 LEVEL CM	23806,5573 litre	73,555 %	8558,9156 litre	O
490	CM	145	CM	199 LEVEL CM	23674,8770 litre	73,149 %	8690,5959 litre	O
490	CM	145	CM	198 LEVEL CM	23542,8035 litre	72,740 %	8822,6694 litre	O
490	CM	145	CM	197 LEVEL CM	23410,3451 litre	72,331 %	8955,1278 litre	O
490	CM	145	CM	196 LEVEL CM	23277,5103 litre	71,921 %	9087,9626 litre	O
490	CM	145	CM	195 LEVEL CM	23144,3072 litre	71,509 %	9221,1657 litre	O
490	CM	145	CM	194 LEVEL CM	23010,7441 litre	71,097 %	9354,7288 litre	O
490	CM	145	CM	193 LEVEL CM	22876,8292 litre	70,683 %	9488,6437 litre	O
490	CM	145	CM	192 LEVEL CM	22742,5704 litre	70,268 %	9622,9025 litre	O
490	CM	145	CM	191 LEVEL CM	22607,9758 litre	69,852 %	9757,4971 litre	O
490	CM	145	CM	190 LEVEL CM	22473,0534 litre	69,435 %	9892,4195 litre	O
490	CM	145	CM	189 LEVEL CM	22337,8111 litre	69,017 %	10027,6618 litre	O
490	CM	145	CM	188 LEVEL CM	22202,2567 litre	68,599 %	10163,2162 litre	O
490	CM	145	CM	187 LEVEL CM	22066,3979 litre	68,179 %	10299,0750 litre	O
490	CM	145	CM	186 LEVEL CM	21930,2426 litre	67,758 %	10435,2303 litre	O

490	CM	145	CM	185 LEVEL CM	21793,7983 litre	67,337 %	10571,6746 litre	O
490	CM	145	CM	184 LEVEL CM	21657,0729 litre	66,914 %	10708,4000 litre	O
490	CM	145	CM	183 LEVEL CM	21520,0737 litre	66,491 %	10845,3992 litre	O
490	CM	145	CM	182 LEVEL CM	21382,8084 litre	66,067 %	10982,6645 litre	O
490	CM	145	CM	181 LEVEL CM	21245,2845 litre	65,642 %	11120,1884 litre	O
490	CM	145	CM	180 LEVEL CM	21107,5094 litre	65,216 %	11257,9635 litre	O
490	CM	145	CM	179 LEVEL CM	20969,4905 litre	64,790 %	11395,9824 litre	O
490	CM	145	CM	178 LEVEL CM	20831,2352 litre	64,363 %	11534,2377 litre	O
490	CM	145	CM	177 LEVEL CM	20692,7509 litre	63,935 %	11672,7220 litre	O
490	CM	145	CM	176 LEVEL CM	20554,0449 litre	63,506 %	11811,4280 litre	O
490	CM	145	CM	175 LEVEL CM	20415,1243 litre	63,077 %	11950,3486 litre	O
490	CM	145	CM	174 LEVEL CM	20275,9966 litre	62,647 %	12089,4763 litre	O
490	CM	145	CM	173 LEVEL CM	20136,6687 litre	62,217 %	12228,8042 litre	O
490	CM	145	CM	172 LEVEL CM	19997,1480 litre	61,785 %	12368,3249 litre	O
490	CM	145	CM	171 LEVEL CM	19857,4416 litre	61,354 %	12508,0313 litre	O
490	CM	145	CM	170 LEVEL CM	19717,5566 litre	60,922 %	12647,9163 litre	O
490	CM	145	CM	169 LEVEL CM	19577,5000 litre	60,489 %	12787,9729 litre	O
490	CM	145	CM	168 LEVEL CM	19437,2789 litre	60,056 %	12928,1940 litre	O
490	CM	145	CM	167 LEVEL CM	19296,9004 litre	59,622 %	13068,5725 litre	O
490	CM	145	CM	166 LEVEL CM	19156,3715 litre	59,188 %	13209,1014 litre	O
490	CM	145	CM	165 LEVEL CM	19015,6991 litre	58,753 %	13349,7738 litre	O
490	CM	145	CM	164 LEVEL CM	18874,8902 litre	58,318 %	13490,5827 litre	O
490	CM	145	CM	163 LEVEL CM	18733,9518 litre	57,883 %	13631,5211 litre	O
490	CM	145	CM	162 LEVEL CM	18592,8908 litre	57,447 %	13772,5821 litre	O
490	CM	145	CM	161 LEVEL CM	18451,7141 litre	57,010 %	13913,7588 litre	O
490	CM	145	CM	160 LEVEL CM	18310,4286 litre	56,574 %	14055,0443 litre	O
490	CM	145	CM	159 LEVEL CM	18169,0412 litre	56,137 %	14196,4317 litre	O
490	CM	145	CM	158 LEVEL CM	18027,5587 litre	55,700 %	14337,9142 litre	O
490	CM	145	CM	157 LEVEL CM	17885,9880 litre	55,263 %	14479,4849 litre	O
490	CM	145	CM	156 LEVEL CM	17744,3359 litre	54,825 %	14621,1370 litre	O
490	CM	145	CM	155 LEVEL CM	17602,6092 litre	54,387 %	14762,8637 litre	O
490	CM	145	CM	154 LEVEL CM	17460,8148 litre	53,949 %	14904,6581 litre	O
490	CM	145	CM	153 LEVEL CM	17318,9595 litre	53,511 %	15046,5134 litre	O
490	CM	145	CM	152 LEVEL CM	17177,0500 litre	53,072 %	15188,4229 litre	O
490	CM	145	CM	151 LEVEL CM	17035,0931 litre	52,634 %	15330,3798 litre	O
490	CM	145	CM	150 LEVEL CM	16893,0956 litre	52,195 %	15472,3773 litre	O
490	CM	145	CM	149 LEVEL CM	16751,0644 litre	51,756 %	15614,4085 litre	O
490	CM	145	CM	148 LEVEL CM	16609,0060 litre	51,317 %	15756,4669 litre	O
490	CM	145	CM	147 LEVEL CM	16466,9274 litre	50,878 %	15898,5455 litre	O
490	CM	145	CM	146 LEVEL CM	16324,8353 litre	50,439 %	16040,6376 litre	O
490	CM	145	CM	145 LEVEL CM	16182,7365 litre	50,000 %	16182,7364 litre	O
490	CM	145	CM	144 LEVEL CM	16040,6376 litre	49,561 %	16324,8353 litre	O
490	CM	145	CM	143 LEVEL CM	15898,5455 litre	49,122 %	16466,9274 litre	O
490	CM	145	CM	142 LEVEL CM	15756,4669 litre	48,683 %	16609,0060 litre	O
490	CM	145	CM	141 LEVEL CM	15614,4086 litre	48,244 %	16751,0643 litre	O
490	CM	145	CM	140 LEVEL CM	15472,3773 litre	47,805 %	16893,0956 litre	O
490	CM	145	CM	139 LEVEL CM	15330,3798 litre	47,366 %	17035,0931 litre	O
490	CM	145	CM	138 LEVEL CM	15188,4230 litre	46,928 %	17177,0499 litre	O
490	CM	145	CM	137 LEVEL CM	15046,5135 litre	46,489 %	17318,9594 litre	O
490	CM	145	CM	136 LEVEL CM	14904,6581 litre	46,051 %	17460,8148 litre	O
490	CM	145	CM	135 LEVEL CM	14762,8637 litre	45,613 %	17602,6092 litre	O
490	CM	145	CM	134 LEVEL CM	14621,1370 litre	45,175 %	17744,3359 litre	O
490	CM	145	CM	133 LEVEL CM	14479,4849 litre	44,737 %	17885,9880 litre	O

490	CM	145	CM	132 LEVEL CM	14337,9142 litre	44,300 %	18027,5587 litre	O
490	CM	145	CM	131 LEVEL CM	14196,4317 litre	43,863 %	18169,0412 litre	O
490	CM	145	CM	130 LEVEL CM	14055,0443 litre	43,426 %	18310,4286 litre	O
490	CM	145	CM	129 LEVEL CM	13913,7588 litre	42,990 %	18451,7141 litre	O
490	CM	145	CM	128 LEVEL CM	13772,5821 litre	42,553 %	18592,8908 litre	O
490	CM	145	CM	127 LEVEL CM	13631,5211 litre	42,117 %	18733,9518 litre	O
490	CM	145	CM	126 LEVEL CM	13490,5827 litre	41,682 %	18874,8902 litre	O
490	CM	145	CM	125 LEVEL CM	13349,7738 litre	41,247 %	19015,6991 litre	O
490	CM	145	CM	124 LEVEL CM	13209,1015 litre	40,812 %	19156,3714 litre	O
490	CM	145	CM	123 LEVEL CM	13068,5725 litre	40,378 %	19296,9004 litre	O
490	CM	145	CM	122 LEVEL CM	12928,1940 litre	39,944 %	19437,2789 litre	O
490	CM	145	CM	121 LEVEL CM	12787,9729 litre	39,511 %	19577,5000 litre	O
490	CM	145	CM	120 LEVEL CM	12647,9164 litre	39,078 %	19717,5565 litre	O
490	CM	145	CM	119 LEVEL CM	12508,0313 litre	38,646 %	19857,4416 litre	O
490	CM	145	CM	118 LEVEL CM	12368,3249 litre	38,215 %	19997,1480 litre	O
490	CM	145	CM	117 LEVEL CM	12228,8042 litre	37,783 %	20136,6687 litre	O
490	CM	145	CM	116 LEVEL CM	12089,4764 litre	37,353 %	20275,9965 litre	O
490	CM	145	CM	115 LEVEL CM	11950,3486 litre	36,923 %	20415,1243 litre	O
490	CM	145	CM	114 LEVEL CM	11811,4281 litre	36,494 %	20554,0448 litre	O
490	CM	145	CM	113 LEVEL CM	11672,7220 litre	36,065 %	20692,7509 litre	O
490	CM	145	CM	112 LEVEL CM	11534,2377 litre	35,637 %	20831,2352 litre	O
490	CM	145	CM	111 LEVEL CM	11395,9824 litre	35,210 %	20969,4905 litre	O
490	CM	145	CM	110 LEVEL CM	11257,9636 litre	34,784 %	21107,5093 litre	O
490	CM	145	CM	109 LEVEL CM	11120,1885 litre	34,358 %	21245,2844 litre	O
490	CM	145	CM	108 LEVEL CM	10982,6645 litre	33,933 %	21382,8084 litre	O
490	CM	145	CM	107 LEVEL CM	10845,3992 litre	33,509 %	21520,0737 litre	O
490	CM	145	CM	106 LEVEL CM	10708,4001 litre	33,086 %	21657,0728 litre	O
490	CM	145	CM	105 LEVEL CM	10571,6746 litre	32,663 %	21793,7983 litre	O
490	CM	145	CM	104 LEVEL CM	10435,2303 litre	32,242 %	21930,2426 litre	O
490	CM	145	CM	103 LEVEL CM	10299,0750 litre	31,821 %	22066,3979 litre	O
490	CM	145	CM	102 LEVEL CM	10163,2163 litre	31,401 %	22202,2566 litre	O
490	CM	145	CM	101 LEVEL CM	10027,6618 litre	30,983 %	22337,8111 litre	O
490	CM	145	CM	100 LEVEL CM	9892,4195 litre	30,565 %	22473,0534 litre	O
490	CM	145	CM	99 LEVEL CM	9757,4971 litre	30,148 %	22607,9758 litre	O
490	CM	145	CM	98 LEVEL CM	9622,9025 litre	29,732 %	22742,5704 litre	O
490	CM	145	CM	97 LEVEL CM	9488,6438 litre	29,317 %	22876,8291 litre	O
490	CM	145	CM	96 LEVEL CM	9354,7288 litre	28,903 %	23010,7441 litre	O
490	CM	145	CM	95 LEVEL CM	9221,1657 litre	28,491 %	23144,3072 litre	O
490	CM	145	CM	94 LEVEL CM	9087,9626 litre	28,079 %	23277,5103 litre	O
490	CM	145	CM	93 LEVEL CM	8955,1278 litre	27,669 %	23410,3451 litre	O
490	CM	145	CM	92 LEVEL CM	8822,6694 litre	27,260 %	23542,8035 litre	O
490	CM	145	CM	91 LEVEL CM	8690,5959 litre	26,851 %	23674,8770 litre	O
490	CM	145	CM	90 LEVEL CM	8558,9157 litre	26,445 %	23806,5572 litre	O
490	CM	145	CM	89 LEVEL CM	8427,6372 litre	26,039 %	23937,8357 litre	O
490	CM	145	CM	88 LEVEL CM	8296,7690 litre	25,635 %	24068,7039 litre	O
490	CM	145	CM	87 LEVEL CM	8166,3198 litre	25,232 %	24199,1531 litre	O
490	CM	145	CM	86 LEVEL CM	8036,2983 litre	24,830 %	24329,1746 litre	O
490	CM	145	CM	85 LEVEL CM	7906,7134 litre	24,429 %	24458,7595 litre	O
490	CM	145	CM	84 LEVEL CM	7777,5739 litre	24,030 %	24587,8990 litre	O
490	CM	145	CM	83 LEVEL CM	7648,8888 litre	23,633 %	24716,5841 litre	O
490	CM	145	CM	82 LEVEL CM	7520,6674 litre	23,237 %	24844,8055 litre	O
490	CM	145	CM	81 LEVEL CM	7392,9186 litre	22,842 %	24972,5543 litre	O
490	CM	145	CM	80 LEVEL CM	7265,6519 litre	22,449 %	25099,8210 litre	O

490	CM	145	CM	79 LEVEL CM	7138,8767 litre	22,057 %	25226,5962 litre	O
490	CM	145	CM	78 LEVEL CM	7012,6025 litre	21,667 %	25352,8704 litre	O
490	CM	145	CM	77 LEVEL CM	6886,8389 litre	21,278 %	25478,6340 litre	O
490	CM	145	CM	76 LEVEL CM	6761,5957 litre	20,891 %	25603,8772 litre	O
490	CM	145	CM	75 LEVEL CM	6636,8827 litre	20,506 %	25728,5902 litre	O
490	CM	145	CM	74 LEVEL CM	6512,7099 litre	20,122 %	25852,7630 litre	O
490	CM	145	CM	73 LEVEL CM	6389,0875 litre	19,740 %	25976,3854 litre	O
490	CM	145	CM	72 LEVEL CM	6266,0257 litre	19,360 %	26099,4472 litre	O
490	CM	145	CM	71 LEVEL CM	6143,5350 litre	18,982 %	26221,9379 litre	O
490	CM	145	CM	70 LEVEL CM	6021,6258 litre	18,605 %	26343,8471 litre	O
490	CM	145	CM	69 LEVEL CM	5900,3090 litre	18,230 %	26465,1639 litre	O
490	CM	145	CM	68 LEVEL CM	5779,5952 litre	17,857 %	26585,8777 litre	O
490	CM	145	CM	67 LEVEL CM	5659,4957 litre	17,486 %	26705,9772 litre	O
490	CM	145	CM	66 LEVEL CM	5540,0216 litre	17,117 %	26825,4513 litre	O
490	CM	145	CM	65 LEVEL CM	5421,1842 litre	16,750 %	26944,2887 litre	O
490	CM	145	CM	64 LEVEL CM	5302,9951 litre	16,385 %	27062,4778 litre	O
490	CM	145	CM	63 LEVEL CM	5185,4660 litre	16,022 %	27180,0069 litre	O
490	CM	145	CM	62 LEVEL CM	5068,6090 litre	15,661 %	27296,8639 litre	O
490	CM	145	CM	61 LEVEL CM	4952,4361 litre	15,302 %	27413,0368 litre	O
490	CM	145	CM	60 LEVEL CM	4836,9597 litre	14,945 %	27528,5132 litre	O
490	CM	145	CM	59 LEVEL CM	4722,1925 litre	14,590 %	27643,2804 litre	O
490	CM	145	CM	58 LEVEL CM	4608,1472 litre	14,238 %	27757,3257 litre	O
490	CM	145	CM	57 LEVEL CM	4494,8369 litre	13,888 %	27870,6360 litre	O
490	CM	145	CM	56 LEVEL CM	4382,2749 litre	13,540 %	27983,1980 litre	O
490	CM	145	CM	55 LEVEL CM	4270,4749 litre	13,195 %	28094,9980 litre	O
490	CM	145	CM	54 LEVEL CM	4159,4508 litre	12,852 %	28206,0221 litre	O
490	CM	145	CM	53 LEVEL CM	4049,2166 litre	12,511 %	28316,2563 litre	O
490	CM	145	CM	52 LEVEL CM	3939,7870 litre	12,173 %	28425,6859 litre	O
490	CM	145	CM	51 LEVEL CM	3831,1766 litre	11,837 %	28534,2963 litre	O
490	CM	145	CM	50 LEVEL CM	3723,4006 litre	11,504 %	28642,0723 litre	O
490	CM	145	CM	49 LEVEL CM	3616,4746 litre	11,174 %	28748,9983 litre	O
490	CM	145	CM	48 LEVEL CM	3510,4143 litre	10,846 %	28855,0586 litre	O
490	CM	145	CM	47 LEVEL CM	3405,2361 litre	10,521 %	28960,2368 litre	O
490	CM	145	CM	46 LEVEL CM	3300,9565 litre	10,199 %	29064,5164 litre	O
490	CM	145	CM	45 LEVEL CM	3197,5928 litre	9,880 %	29167,8801 litre	O
490	CM	145	CM	44 LEVEL CM	3095,1625 litre	9,563 %	29270,3104 litre	O
490	CM	145	CM	43 LEVEL CM	2993,6835 litre	9,250 %	29371,7894 litre	O
490	CM	145	CM	42 LEVEL CM	2893,1746 litre	8,939 %	29472,2983 litre	O
490	CM	145	CM	41 LEVEL CM	2793,6547 litre	8,632 %	29571,8182 litre	O
490	CM	145	CM	40 LEVEL CM	2695,1436 litre	8,327 %	29670,3293 litre	O
490	CM	145	CM	39 LEVEL CM	2597,6616 litre	8,026 %	29767,8113 litre	O
490	CM	145	CM	38 LEVEL CM	2501,2296 litre	7,728 %	29864,2433 litre	O
490	CM	145	CM	37 LEVEL CM	2405,8691 litre	7,433 %	29959,6038 litre	O
490	CM	145	CM	36 LEVEL CM	2311,6027 litre	7,142 %	30053,8702 litre	O
490	CM	145	CM	35 LEVEL CM	2218,4534 litre	6,854 %	30147,0195 litre	O
490	CM	145	CM	34 LEVEL CM	2126,4453 litre	6,570 %	30239,0276 litre	O
490	CM	145	CM	33 LEVEL CM	2035,6032 litre	6,289 %	30329,8697 litre	O
490	CM	145	CM	32 LEVEL CM	1945,9531 litre	6,012 %	30419,5198 litre	O
490	CM	145	CM	31 LEVEL CM	1857,5218 litre	5,739 %	30507,9511 litre	O
490	CM	145	CM	30 LEVEL CM	1770,3375 litre	5,470 %	30595,1354 litre	O
490	CM	145	CM	29 LEVEL CM	1684,4293 litre	5,204 %	30681,0436 litre	O
490	CM	145	CM	28 LEVEL CM	1599,8279 litre	4,943 %	30765,6450 litre	O
490	CM	145	CM	27 LEVEL CM	1516,5653 litre	4,686 %	30848,9076 litre	O

490	CM	145	CM	26 LEVEL CM	1434,6752 litre	4,433 %	30930,7977 litre	O
490	CM	145	CM	25 LEVEL CM	1354,1929 litre	4,184 %	31011,2800 litre	O
490	CM	145	CM	24 LEVEL CM	1275,1555 litre	3,940 %	31090,3174 litre	O
490	CM	145	CM	23 LEVEL CM	1197,6025 litre	3,700 %	31167,8704 litre	O
490	CM	145	CM	22 LEVEL CM	1121,5753 litre	3,465 %	31243,8976 litre	O
490	CM	145	CM	21 LEVEL CM	1047,1182 litre	3,235 %	31318,3547 litre	O
490	CM	145	CM	20 LEVEL CM	974,2782 litre	3,010 %	31391,1947 litre	O
490	CM	145	CM	19 LEVEL CM	903,1055 litre	2,790 %	31462,3674 litre	O
490	CM	145	CM	18 LEVEL CM	833,6540 litre	2,576 %	31531,8189 litre	O
490	CM	145	CM	17 LEVEL CM	765,9816 litre	2,367 %	31599,4913 litre	O
490	CM	145	CM	16 LEVEL CM	700,1510 litre	2,163 %	31665,3219 litre	O
490	CM	145	CM	15 LEVEL CM	636,2302 litre	1,966 %	31729,2427 litre	O
490	CM	145	CM	14 LEVEL CM	574,2936 litre	1,774 %	31791,1793 litre	O
490	CM	145	CM	13 LEVEL CM	514,4231 litre	1,589 %	31851,0498 litre	O
490	CM	145	CM	12 LEVEL CM	456,7091 litre	1,411 %	31908,7638 litre	O
490	CM	145	CM	11 LEVEL CM	401,2529 litre	1,240 %	31964,2200 litre	O
490	CM	145	CM	10 LEVEL CM	348,1684 litre	1,076 %	32017,3045 litre	O
490	CM	145	CM	9 LEVEL CM	297,5859 litre	0,919 %	32067,8870 litre	O
490	CM	145	CM	8 LEVEL CM	249,6558 litre	0,771 %	32115,8171 litre	O
490	CM	145	CM	7 LEVEL CM	204,5553 litre	0,632 %	32160,9176 litre	O
490	CM	145	CM	6 LEVEL CM	162,4975 litre	0,502 %	32202,9754 litre	O
490	CM	145	CM	5 LEVEL CM	123,7456 litre	0,382 %	32241,7273 litre	O
490	CM	145	CM	4 LEVEL CM	88,6377 litre	0,274 %	32276,8352 litre	O
490	CM	145	CM	3 LEVEL CM	57,6319 litre	0,178 %	32307,8410 litre	O
490	CM	145	CM	2 LEVEL CM	31,4035 litre	0,097 %	32334,0694 litre	O
490	CM	145	CM	1 LEVEL CM	11,1143 litre	0,034 %	32354,3586 litre	O
490	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	32365,4729 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 140	CM 280 LEVEL CM	30171,8558 litre	100,000 %	0,0000 litre	O
490	CM 140	CM 279 LEVEL CM	30160,9352 litre	99,964 %	10,9206 litre	O
490	CM 140	CM 278 LEVEL CM	30141,0008 litre	99,898 %	30,8550 litre	O
490	CM 140	CM 277 LEVEL CM	30115,2326 litre	99,812 %	56,6232 litre	O
490	CM 140	CM 276 LEVEL CM	30084,7728 litre	99,711 %	87,0830 litre	O
490	CM 140	CM 275 LEVEL CM	30050,2853 litre	99,597 %	121,5705 litre	O
490	CM 140	CM 274 LEVEL CM	30012,2205 litre	99,471 %	159,6353 litre	O
490	CM 140	CM 273 LEVEL CM	29970,9111 litre	99,334 %	200,9447 litre	O
490	CM 140	CM 272 LEVEL CM	29926,6161 litre	99,187 %	245,2397 litre	O
490	CM 140	CM 271 LEVEL CM	29879,5451 litre	99,031 %	292,3107 litre	O
490	CM 140	CM 270 LEVEL CM	29829,8723 litre	98,867 %	341,9835 litre	O
490	CM 140	CM 269 LEVEL CM	29777,7462 litre	98,694 %	394,1096 litre	O
490	CM 140	CM 268 LEVEL CM	29723,2947 litre	98,513 %	448,5611 litre	O
490	CM 140	CM 267 LEVEL CM	29666,6301 litre	98,326 %	505,2257 litre	O
490	CM 140	CM 266 LEVEL CM	29607,8522 litre	98,131 %	564,0036 litre	O
490	CM 140	CM 265 LEVEL CM	29547,0502 litre	97,929 %	624,8056 litre	O
490	CM 140	CM 264 LEVEL CM	29484,3045 litre	97,721 %	687,5513 litre	O
490	CM 140	CM 263 LEVEL CM	29419,6886 litre	97,507 %	752,1672 litre	O
490	CM 140	CM 262 LEVEL CM	29353,2695 litre	97,287 %	818,5863 litre	O
490	CM 140	CM 261 LEVEL CM	29285,1090 litre	97,061 %	886,7468 litre	O
490	CM 140	CM 260 LEVEL CM	29215,2643 litre	96,830 %	956,5915 litre	O
490	CM 140	CM 259 LEVEL CM	29143,7885 litre	96,593 %	1028,0673 litre	O
490	CM 140	CM 258 LEVEL CM	29070,7311 litre	96,350 %	1101,1247 litre	O
490	CM 140	CM 257 LEVEL CM	28996,1386 litre	96,103 %	1175,7172 litre	O
490	CM 140	CM 256 LEVEL CM	28920,0545 litre	95,851 %	1251,8013 litre	O
490	CM 140	CM 255 LEVEL CM	28842,5199 litre	95,594 %	1329,3359 litre	O
490	CM 140	CM 254 LEVEL CM	28763,5736 litre	95,332 %	1408,2822 litre	O
490	CM 140	CM 253 LEVEL CM	28683,2524 litre	95,066 %	1488,6034 litre	O
490	CM 140	CM 252 LEVEL CM	28601,5912 litre	94,796 %	1570,2646 litre	O
490	CM 140	CM 251 LEVEL CM	28518,6232 litre	94,521 %	1653,2326 litre	O
490	CM 140	CM 250 LEVEL CM	28434,3801 litre	94,241 %	1737,4757 litre	O
490	CM 140	CM 249 LEVEL CM	28348,8921 litre	93,958 %	1822,9637 litre	O
490	CM 140	CM 248 LEVEL CM	28262,1882 litre	93,671 %	1909,6676 litre	O
490	CM 140	CM 247 LEVEL CM	28174,2960 litre	93,379 %	1997,5598 litre	O
490	CM 140	CM 246 LEVEL CM	28085,2424 litre	93,084 %	2086,6134 litre	O
490	CM 140	CM 245 LEVEL CM	27995,0528 litre	92,785 %	2176,8030 litre	O
490	CM 140	CM 244 LEVEL CM	27903,7519 litre	92,483 %	2268,1039 litre	O
490	CM 140	CM 243 LEVEL CM	27811,3635 litre	92,177 %	2360,4923 litre	O
490	CM 140	CM 242 LEVEL CM	27717,9105 litre	91,867 %	2453,9453 litre	O
490	CM 140	CM 241 LEVEL CM	27623,4150 litre	91,554 %	2548,4408 litre	O
490	CM 140	CM 240 LEVEL CM	27527,8986 litre	91,237 %	2643,9572 litre	O
490	CM 140	CM 239 LEVEL CM	27431,3819 litre	90,917 %	2740,4739 litre	O
490	CM 140	CM 238 LEVEL CM	27333,8850 litre	90,594 %	2837,9708 litre	O
490	CM 140	CM 237 LEVEL CM	27235,4275 litre	90,268 %	2936,4283 litre	O
490	CM 140	CM 236 LEVEL CM	27136,0283 litre	89,938 %	3035,8275 litre	O
490	CM 140	CM 235 LEVEL CM	27035,7058 litre	89,606 %	3136,1500 litre	O
490	CM 140	CM 234 LEVEL CM	26934,4779 litre	89,270 %	3237,3779 litre	O
490	CM 140	CM 233 LEVEL CM	26832,3621 litre	88,932 %	3339,4937 litre	O
490	CM 140	CM 232 LEVEL CM	26729,3753 litre	88,590 %	3442,4805 litre	O
490	CM 140	CM 231 LEVEL CM	26625,5341 litre	88,246 %	3546,3217 litre	O
490	CM 140	CM 230 LEVEL CM	26520,8547 litre	87,899 %	3651,0011 litre	O
490	CM 140	CM 229 LEVEL CM	26415,3527 litre	87,550 %	3756,5031 litre	O

490	CM	140	CM	228 LEVEL CM	26309,0437 litre	87,197 %	3862,8121 litre	O
490	CM	140	CM	227 LEVEL CM	26201,9426 litre	86,842 %	3969,9132 litre	O
490	CM	140	CM	226 LEVEL CM	26094,0642 litre	86,485 %	4077,7916 litre	O
490	CM	140	CM	225 LEVEL CM	25985,4228 litre	86,125 %	4186,4330 litre	O
490	CM	140	CM	224 LEVEL CM	25876,0326 litre	85,762 %	4295,8232 litre	O
490	CM	140	CM	223 LEVEL CM	25765,9073 litre	85,397 %	4405,9485 litre	O
490	CM	140	CM	222 LEVEL CM	25655,0606 litre	85,030 %	4516,7952 litre	O
490	CM	140	CM	221 LEVEL CM	25543,5057 litre	84,660 %	4628,3501 litre	O
490	CM	140	CM	220 LEVEL CM	25431,2556 litre	84,288 %	4740,6002 litre	O
490	CM	140	CM	219 LEVEL CM	25318,3231 litre	83,914 %	4853,5327 litre	O
490	CM	140	CM	218 LEVEL CM	25204,7207 litre	83,537 %	4967,1351 litre	O
490	CM	140	CM	217 LEVEL CM	25090,4608 litre	83,158 %	5081,3950 litre	O
490	CM	140	CM	216 LEVEL CM	24975,5555 litre	82,778 %	5196,3003 litre	O
490	CM	140	CM	215 LEVEL CM	24860,0167 litre	82,395 %	5311,8391 litre	O
490	CM	140	CM	214 LEVEL CM	24743,8562 litre	82,010 %	5427,9996 litre	O
490	CM	140	CM	213 LEVEL CM	24627,0855 litre	81,623 %	5544,7703 litre	O
490	CM	140	CM	212 LEVEL CM	24509,7158 litre	81,234 %	5662,1400 litre	O
490	CM	140	CM	211 LEVEL CM	24391,7585 litre	80,843 %	5780,0973 litre	O
490	CM	140	CM	210 LEVEL CM	24273,2246 litre	80,450 %	5898,6312 litre	O
490	CM	140	CM	209 LEVEL CM	24154,1248 litre	80,055 %	6017,7310 litre	O
490	CM	140	CM	208 LEVEL CM	24034,4698 litre	79,659 %	6137,3860 litre	O
490	CM	140	CM	207 LEVEL CM	23914,2704 litre	79,260 %	6257,5854 litre	O
490	CM	140	CM	206 LEVEL CM	23793,5367 litre	78,860 %	6378,3191 litre	O
490	CM	140	CM	205 LEVEL CM	23672,2792 litre	78,458 %	6499,5766 litre	O
490	CM	140	CM	204 LEVEL CM	23550,5080 litre	78,055 %	6621,3478 litre	O
490	CM	140	CM	203 LEVEL CM	23428,2330 litre	77,649 %	6743,6228 litre	O
490	CM	140	CM	202 LEVEL CM	23305,4643 litre	77,242 %	6866,3915 litre	O
490	CM	140	CM	201 LEVEL CM	23182,2114 litre	76,834 %	6989,6444 litre	O
490	CM	140	CM	200 LEVEL CM	23058,4841 litre	76,424 %	7113,3717 litre	O
490	CM	140	CM	199 LEVEL CM	22934,2920 litre	76,012 %	7237,5638 litre	O
490	CM	140	CM	198 LEVEL CM	22809,6444 litre	75,599 %	7362,2114 litre	O
490	CM	140	CM	197 LEVEL CM	22684,5508 litre	75,184 %	7487,3050 litre	O
490	CM	140	CM	196 LEVEL CM	22559,0203 litre	74,768 %	7612,8355 litre	O
490	CM	140	CM	195 LEVEL CM	22433,0621 litre	74,351 %	7738,7937 litre	O
490	CM	140	CM	194 LEVEL CM	22306,6852 litre	73,932 %	7865,1706 litre	O
490	CM	140	CM	193 LEVEL CM	22179,8986 litre	73,512 %	7991,9572 litre	O
490	CM	140	CM	192 LEVEL CM	22052,7111 litre	73,090 %	8119,1447 litre	O
490	CM	140	CM	191 LEVEL CM	21925,1316 litre	72,667 %	8246,7242 litre	O
490	CM	140	CM	190 LEVEL CM	21797,1688 litre	72,243 %	8374,6870 litre	O
490	CM	140	CM	189 LEVEL CM	21668,8312 litre	71,818 %	8503,0246 litre	O
490	CM	140	CM	188 LEVEL CM	21540,1275 litre	71,391 %	8631,7283 litre	O
490	CM	140	CM	187 LEVEL CM	21411,0661 litre	70,964 %	8760,7897 litre	O
490	CM	140	CM	186 LEVEL CM	21281,6554 litre	70,535 %	8890,2004 litre	O
490	CM	140	CM	185 LEVEL CM	21151,9038 litre	70,105 %	9019,9520 litre	O
490	CM	140	CM	184 LEVEL CM	21021,8195 litre	69,674 %	9150,0363 litre	O
490	CM	140	CM	183 LEVEL CM	20891,4108 litre	69,241 %	9280,4450 litre	O
490	CM	140	CM	182 LEVEL CM	20760,6858 litre	68,808 %	9411,1700 litre	O
490	CM	140	CM	181 LEVEL CM	20629,6526 litre	68,374 %	9542,2032 litre	O
490	CM	140	CM	180 LEVEL CM	20498,3192 litre	67,939 %	9673,5366 litre	O
490	CM	140	CM	179 LEVEL CM	20366,6936 litre	67,502 %	9805,1622 litre	O
490	CM	140	CM	178 LEVEL CM	20234,7838 litre	67,065 %	9937,0720 litre	O
490	CM	140	CM	177 LEVEL CM	20102,5976 litre	66,627 %	10069,2582 litre	O
490	CM	140	CM	176 LEVEL CM	19970,1429 litre	66,188 %	10201,7129 litre	O

490	CM	140	CM	175 LEVEL CM	19837,4273 litre	65,748 %	10334,4285 litre	O
490	CM	140	CM	174 LEVEL CM	19704,4588 litre	65,307 %	10467,3970 litre	O
490	CM	140	CM	173 LEVEL CM	19571,2449 litre	64,866 %	10600,6109 litre	O
490	CM	140	CM	172 LEVEL CM	19437,7933 litre	64,424 %	10734,0625 litre	O
490	CM	140	CM	171 LEVEL CM	19304,1116 litre	63,981 %	10867,7442 litre	O
490	CM	140	CM	170 LEVEL CM	19170,2073 litre	63,537 %	11001,6485 litre	O
490	CM	140	CM	169 LEVEL CM	19036,0881 litre	63,092 %	11135,7677 litre	O
490	CM	140	CM	168 LEVEL CM	18901,7614 litre	62,647 %	11270,0944 litre	O
490	CM	140	CM	167 LEVEL CM	18767,2346 litre	62,201 %	11404,6212 litre	O
490	CM	140	CM	166 LEVEL CM	18632,5152 litre	61,755 %	11539,3406 litre	O
490	CM	140	CM	165 LEVEL CM	18497,6106 litre	61,308 %	11674,2452 litre	O
490	CM	140	CM	164 LEVEL CM	18362,5281 litre	60,860 %	11809,3277 litre	O
490	CM	140	CM	163 LEVEL CM	18227,2751 litre	60,412 %	11944,5807 litre	O
490	CM	140	CM	162 LEVEL CM	18091,8588 litre	59,963 %	12079,9970 litre	O
490	CM	140	CM	161 LEVEL CM	17956,2867 litre	59,513 %	12215,5691 litre	O
490	CM	140	CM	160 LEVEL CM	17820,5658 litre	59,064 %	12351,2900 litre	O
490	CM	140	CM	159 LEVEL CM	17684,7035 litre	58,613 %	12487,1523 litre	O
490	CM	140	CM	158 LEVEL CM	17548,7070 litre	58,163 %	12623,1488 litre	O
490	CM	140	CM	157 LEVEL CM	17412,5833 litre	57,711 %	12759,2725 litre	O
490	CM	140	CM	156 LEVEL CM	17276,3398 litre	57,260 %	12895,5160 litre	O
490	CM	140	CM	155 LEVEL CM	17139,9836 litre	56,808 %	13031,8722 litre	O
490	CM	140	CM	154 LEVEL CM	17003,5218 litre	56,356 %	13168,3340 litre	O
490	CM	140	CM	153 LEVEL CM	16866,9614 litre	55,903 %	13304,8944 litre	O
490	CM	140	CM	152 LEVEL CM	16730,3097 litre	55,450 %	13441,5461 litre	O
490	CM	140	CM	151 LEVEL CM	16593,5736 litre	54,997 %	13578,2822 litre	O
490	CM	140	CM	150 LEVEL CM	16456,7604 litre	54,543 %	13715,0954 litre	O
490	CM	140	CM	149 LEVEL CM	16319,8769 litre	54,090 %	13851,9789 litre	O
490	CM	140	CM	148 LEVEL CM	16182,9303 litre	53,636 %	13988,9255 litre	O
490	CM	140	CM	147 LEVEL CM	16045,9276 litre	53,182 %	14125,9282 litre	O
490	CM	140	CM	146 LEVEL CM	15908,8759 litre	52,728 %	14262,9799 litre	O
490	CM	140	CM	145 LEVEL CM	15771,7821 litre	52,273 %	14400,0737 litre	O
490	CM	140	CM	144 LEVEL CM	15634,6532 litre	51,819 %	14537,2026 litre	O
490	CM	140	CM	143 LEVEL CM	15497,4964 litre	51,364 %	14674,3594 litre	O
490	CM	140	CM	142 LEVEL CM	15360,3186 litre	50,909 %	14811,5372 litre	O
490	CM	140	CM	141 LEVEL CM	15223,1268 litre	50,455 %	14948,7290 litre	O
490	CM	140	CM	140 LEVEL CM	15085,9279 litre	50,000 %	15085,9279 litre	O
490	CM	140	CM	139 LEVEL CM	14948,7291 litre	49,545 %	15223,1267 litre	O
490	CM	140	CM	138 LEVEL CM	14811,5373 litre	49,091 %	15360,3185 litre	O
490	CM	140	CM	137 LEVEL CM	14674,3594 litre	48,636 %	15497,4964 litre	O
490	CM	140	CM	136 LEVEL CM	14537,2026 litre	48,181 %	15634,6532 litre	O
490	CM	140	CM	135 LEVEL CM	14400,0738 litre	47,727 %	15771,7820 litre	O
490	CM	140	CM	134 LEVEL CM	14262,9800 litre	47,272 %	15908,8758 litre	O
490	CM	140	CM	133 LEVEL CM	14125,9282 litre	46,818 %	16045,9276 litre	O
490	CM	140	CM	132 LEVEL CM	13988,9255 litre	46,364 %	16182,9303 litre	O
490	CM	140	CM	131 LEVEL CM	13851,9790 litre	45,910 %	16319,8768 litre	O
490	CM	140	CM	130 LEVEL CM	13715,0955 litre	45,457 %	16456,7603 litre	O
490	CM	140	CM	129 LEVEL CM	13578,2822 litre	45,003 %	16593,5736 litre	O
490	CM	140	CM	128 LEVEL CM	13441,5462 litre	44,550 %	16730,3096 litre	O
490	CM	140	CM	127 LEVEL CM	13304,8944 litre	44,097 %	16866,9614 litre	O
490	CM	140	CM	126 LEVEL CM	13168,3341 litre	43,644 %	17003,5217 litre	O
490	CM	140	CM	125 LEVEL CM	13031,8722 litre	43,192 %	17139,9836 litre	O
490	CM	140	CM	124 LEVEL CM	12895,5160 litre	42,740 %	17276,3398 litre	O
490	CM	140	CM	123 LEVEL CM	12759,2725 litre	42,289 %	17412,5833 litre	O

490	CM	140	CM	122 LEVEL CM	12623,1489 litre	41,837 %	17548,7069 litre	O
490	CM	140	CM	121 LEVEL CM	12487,1523 litre	41,387 %	17684,7035 litre	O
490	CM	140	CM	120 LEVEL CM	12351,2900 litre	40,936 %	17820,5658 litre	O
490	CM	140	CM	119 LEVEL CM	12215,5692 litre	40,487 %	17956,2866 litre	O
490	CM	140	CM	118 LEVEL CM	12079,9970 litre	40,037 %	18091,8588 litre	O
490	CM	140	CM	117 LEVEL CM	11944,5808 litre	39,588 %	18227,2750 litre	O
490	CM	140	CM	116 LEVEL CM	11809,3278 litre	39,140 %	18362,5280 litre	O
490	CM	140	CM	115 LEVEL CM	11674,2453 litre	38,692 %	18497,6105 litre	O
490	CM	140	CM	114 LEVEL CM	11539,3407 litre	38,245 %	18632,5151 litre	O
490	CM	140	CM	113 LEVEL CM	11404,6213 litre	37,799 %	18767,2345 litre	O
490	CM	140	CM	112 LEVEL CM	11270,0945 litre	37,353 %	18901,7613 litre	O
490	CM	140	CM	111 LEVEL CM	11135,7678 litre	36,908 %	19036,0880 litre	O
490	CM	140	CM	110 LEVEL CM	11001,6485 litre	36,463 %	19170,2073 litre	O
490	CM	140	CM	109 LEVEL CM	10867,7443 litre	36,019 %	19304,1115 litre	O
490	CM	140	CM	108 LEVEL CM	10734,0626 litre	35,576 %	19437,7932 litre	O
490	CM	140	CM	107 LEVEL CM	10600,6110 litre	35,134 %	19571,2448 litre	O
490	CM	140	CM	106 LEVEL CM	10467,3971 litre	34,693 %	19704,4587 litre	O
490	CM	140	CM	105 LEVEL CM	10334,4285 litre	34,252 %	19837,4273 litre	O
490	CM	140	CM	104 LEVEL CM	10201,7130 litre	33,812 %	19970,1428 litre	O
490	CM	140	CM	103 LEVEL CM	10069,2582 litre	33,373 %	20102,5976 litre	O
490	CM	140	CM	102 LEVEL CM	9937,0720 litre	32,935 %	20234,7838 litre	O
490	CM	140	CM	101 LEVEL CM	9805,1622 litre	32,498 %	20366,6936 litre	O
490	CM	140	CM	100 LEVEL CM	9673,5366 litre	32,061 %	20498,3192 litre	O
490	CM	140	CM	99 LEVEL CM	9542,2033 litre	31,626 %	20629,6525 litre	O
490	CM	140	CM	98 LEVEL CM	9411,1700 litre	31,192 %	20760,6858 litre	O
490	CM	140	CM	97 LEVEL CM	9280,4450 litre	30,759 %	20891,4108 litre	O
490	CM	140	CM	96 LEVEL CM	9150,0363 litre	30,326 %	21021,8195 litre	O
490	CM	140	CM	95 LEVEL CM	9019,9520 litre	29,895 %	21151,9038 litre	O
490	CM	140	CM	94 LEVEL CM	8890,2004 litre	29,465 %	21281,6554 litre	O
490	CM	140	CM	93 LEVEL CM	8760,7897 litre	29,036 %	21411,0661 litre	O
490	CM	140	CM	92 LEVEL CM	8631,7283 litre	28,609 %	21540,1275 litre	O
490	CM	140	CM	91 LEVEL CM	8503,0246 litre	28,182 %	21668,8312 litre	O
490	CM	140	CM	90 LEVEL CM	8374,6870 litre	27,757 %	21797,1688 litre	O
490	CM	140	CM	89 LEVEL CM	8246,7242 litre	27,333 %	21925,1316 litre	O
490	CM	140	CM	88 LEVEL CM	8119,1447 litre	26,910 %	22052,7111 litre	O
490	CM	140	CM	87 LEVEL CM	7991,9573 litre	26,488 %	22179,8985 litre	O
490	CM	140	CM	86 LEVEL CM	7865,1707 litre	26,068 %	22306,6851 litre	O
490	CM	140	CM	85 LEVEL CM	7738,7938 litre	25,649 %	22433,0620 litre	O
490	CM	140	CM	84 LEVEL CM	7612,8356 litre	25,232 %	22559,0202 litre	O
490	CM	140	CM	83 LEVEL CM	7487,3051 litre	24,816 %	22684,5507 litre	O
490	CM	140	CM	82 LEVEL CM	7362,2114 litre	24,401 %	22809,6444 litre	O
490	CM	140	CM	81 LEVEL CM	7237,5639 litre	23,988 %	22934,2919 litre	O
490	CM	140	CM	80 LEVEL CM	7113,3717 litre	23,576 %	23058,4841 litre	O
490	CM	140	CM	79 LEVEL CM	6989,6445 litre	23,166 %	23182,2113 litre	O
490	CM	140	CM	78 LEVEL CM	6866,3916 litre	22,758 %	23305,4642 litre	O
490	CM	140	CM	77 LEVEL CM	6743,6228 litre	22,351 %	23428,2330 litre	O
490	CM	140	CM	76 LEVEL CM	6621,3478 litre	21,945 %	23550,5080 litre	O
490	CM	140	CM	75 LEVEL CM	6499,5766 litre	21,542 %	23672,2792 litre	O
490	CM	140	CM	74 LEVEL CM	6378,3191 litre	21,140 %	23793,5367 litre	O
490	CM	140	CM	73 LEVEL CM	6257,5855 litre	20,740 %	23914,2703 litre	O
490	CM	140	CM	72 LEVEL CM	6137,3860 litre	20,341 %	24034,4698 litre	O
490	CM	140	CM	71 LEVEL CM	6017,7311 litre	19,945 %	24154,1247 litre	O
490	CM	140	CM	70 LEVEL CM	5898,6313 litre	19,550 %	24273,2245 litre	O

490	CM	140	CM	69 LEVEL CM	5780,0973 litre	19,157 %	24391,7585 litre	O
490	CM	140	CM	68 LEVEL CM	5662,1400 litre	18,766 %	24509,7158 litre	O
490	CM	140	CM	67 LEVEL CM	5544,7704 litre	18,377 %	24627,0854 litre	O
490	CM	140	CM	66 LEVEL CM	5427,9996 litre	17,990 %	24743,8562 litre	O
490	CM	140	CM	65 LEVEL CM	5311,8391 litre	17,605 %	24860,0167 litre	O
490	CM	140	CM	64 LEVEL CM	5196,3003 litre	17,222 %	24975,5555 litre	O
490	CM	140	CM	63 LEVEL CM	5081,3950 litre	16,842 %	25090,4608 litre	O
490	CM	140	CM	62 LEVEL CM	4967,1352 litre	16,463 %	25204,7206 litre	O
490	CM	140	CM	61 LEVEL CM	4853,5328 litre	16,086 %	25318,3230 litre	O
490	CM	140	CM	60 LEVEL CM	4740,6003 litre	15,712 %	25431,2555 litre	O
490	CM	140	CM	59 LEVEL CM	4628,3502 litre	15,340 %	25543,5056 litre	O
490	CM	140	CM	58 LEVEL CM	4516,7952 litre	14,970 %	25655,0606 litre	O
490	CM	140	CM	57 LEVEL CM	4405,9485 litre	14,603 %	25765,9073 litre	O
490	CM	140	CM	56 LEVEL CM	4295,8233 litre	14,238 %	25876,0325 litre	O
490	CM	140	CM	55 LEVEL CM	4186,4331 litre	13,875 %	25985,4227 litre	O
490	CM	140	CM	54 LEVEL CM	4077,7917 litre	13,515 %	26094,0641 litre	O
490	CM	140	CM	53 LEVEL CM	3969,9133 litre	13,158 %	26201,9425 litre	O
490	CM	140	CM	52 LEVEL CM	3862,8121 litre	12,803 %	26309,0437 litre	O
490	CM	140	CM	51 LEVEL CM	3756,5031 litre	12,450 %	26415,3527 litre	O
490	CM	140	CM	50 LEVEL CM	3651,0012 litre	12,101 %	26520,8546 litre	O
490	CM	140	CM	49 LEVEL CM	3546,3217 litre	11,754 %	26625,5341 litre	O
490	CM	140	CM	48 LEVEL CM	3442,4805 litre	11,410 %	26729,3753 litre	O
490	CM	140	CM	47 LEVEL CM	3339,4938 litre	11,068 %	26832,3620 litre	O
490	CM	140	CM	46 LEVEL CM	3237,3779 litre	10,730 %	26934,4779 litre	O
490	CM	140	CM	45 LEVEL CM	3136,1501 litre	10,394 %	27035,7057 litre	O
490	CM	140	CM	44 LEVEL CM	3035,8276 litre	10,062 %	27136,0282 litre	O
490	CM	140	CM	43 LEVEL CM	2936,4284 litre	9,732 %	27235,4274 litre	O
490	CM	140	CM	42 LEVEL CM	2837,9709 litre	9,406 %	27333,8849 litre	O
490	CM	140	CM	41 LEVEL CM	2740,4740 litre	9,083 %	27431,3818 litre	O
490	CM	140	CM	40 LEVEL CM	2643,9573 litre	8,763 %	27527,8985 litre	O
490	CM	140	CM	39 LEVEL CM	2548,4408 litre	8,446 %	27623,4150 litre	O
490	CM	140	CM	38 LEVEL CM	2453,9453 litre	8,133 %	27717,9105 litre	O
490	CM	140	CM	37 LEVEL CM	2360,4923 litre	7,823 %	27811,3635 litre	O
490	CM	140	CM	36 LEVEL CM	2268,1039 litre	7,517 %	27903,7519 litre	O
490	CM	140	CM	35 LEVEL CM	2176,8030 litre	7,215 %	27995,0528 litre	O
490	CM	140	CM	34 LEVEL CM	2086,6134 litre	6,916 %	28085,2424 litre	O
490	CM	140	CM	33 LEVEL CM	1997,5598 litre	6,621 %	28174,2960 litre	O
490	CM	140	CM	32 LEVEL CM	1909,6677 litre	6,329 %	28262,1881 litre	O
490	CM	140	CM	31 LEVEL CM	1822,9638 litre	6,042 %	28348,8920 litre	O
490	CM	140	CM	30 LEVEL CM	1737,4758 litre	5,759 %	28434,3800 litre	O
490	CM	140	CM	29 LEVEL CM	1653,2326 litre	5,479 %	28518,6232 litre	O
490	CM	140	CM	28 LEVEL CM	1570,2646 litre	5,204 %	28601,5912 litre	O
490	CM	140	CM	27 LEVEL CM	1488,6034 litre	4,934 %	28683,2524 litre	O
490	CM	140	CM	26 LEVEL CM	1408,2823 litre	4,668 %	28763,5735 litre	O
490	CM	140	CM	25 LEVEL CM	1329,3360 litre	4,406 %	28842,5198 litre	O
490	CM	140	CM	24 LEVEL CM	1251,8014 litre	4,149 %	28920,0544 litre	O
490	CM	140	CM	23 LEVEL CM	1175,7173 litre	3,897 %	28996,1385 litre	O
490	CM	140	CM	22 LEVEL CM	1101,1247 litre	3,650 %	29070,7311 litre	O
490	CM	140	CM	21 LEVEL CM	1028,0674 litre	3,407 %	29143,7884 litre	O
490	CM	140	CM	20 LEVEL CM	956,5915 litre	3,170 %	29215,2643 litre	O
490	CM	140	CM	19 LEVEL CM	886,7468 litre	2,939 %	29285,1090 litre	O
490	CM	140	CM	18 LEVEL CM	818,5864 litre	2,713 %	29353,2694 litre	O
490	CM	140	CM	17 LEVEL CM	752,1673 litre	2,493 %	29419,6885 litre	O

490	CM	140	CM	16 LEVEL CM	687,5513 litre	2,279 %	29484,3045 litre	O
490	CM	140	CM	15 LEVEL CM	624,8057 litre	2,071 %	29547,0501 litre	O
490	CM	140	CM	14 LEVEL CM	564,0036 litre	1,869 %	29607,8522 litre	O
490	CM	140	CM	13 LEVEL CM	505,2257 litre	1,674 %	29666,6301 litre	O
490	CM	140	CM	12 LEVEL CM	448,5612 litre	1,487 %	29723,2946 litre	O
490	CM	140	CM	11 LEVEL CM	394,1097 litre	1,306 %	29777,7461 litre	O
490	CM	140	CM	10 LEVEL CM	341,9835 litre	1,133 %	29829,8723 litre	O
490	CM	140	CM	9 LEVEL CM	292,3108 litre	0,969 %	29879,5450 litre	O
490	CM	140	CM	8 LEVEL CM	245,2398 litre	0,813 %	29926,6160 litre	O
490	CM	140	CM	7 LEVEL CM	200,9447 litre	0,666 %	29970,9111 litre	O
490	CM	140	CM	6 LEVEL CM	159,6353 litre	0,529 %	30012,2205 litre	O
490	CM	140	CM	5 LEVEL CM	121,5706 litre	0,403 %	30050,2852 litre	O
490	CM	140	CM	4 LEVEL CM	87,0831 litre	0,289 %	30084,7727 litre	O
490	CM	140	CM	3 LEVEL CM	56,6233 litre	0,188 %	30115,2325 litre	O
490	CM	140	CM	2 LEVEL CM	30,8550 litre	0,102 %	30141,0008 litre	O
490	CM	140	CM	1 LEVEL CM	10,9206 litre	0,036 %	30160,9352 litre	O
490	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	30171,8558 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 135	CM 270 LEVEL CM	28055,2078 litre	100,000 %	0,0000 litre	O
490	CM 135	CM 269 LEVEL CM	28044,4844 litre	99,962 %	10,7234 litre	O
490	CM 135	CM 268 LEVEL CM	28024,9112 litre	99,892 %	30,2966 litre	O
490	CM 135	CM 267 LEVEL CM	27999,6115 litre	99,802 %	55,5963 litre	O
490	CM 135	CM 266 LEVEL CM	27969,7076 litre	99,695 %	85,5002 litre	O
490	CM 135	CM 265 LEVEL CM	27935,8518 litre	99,575 %	119,3560 litre	O
490	CM 135	CM 264 LEVEL CM	27898,4869 litre	99,441 %	156,7209 litre	O
490	CM 135	CM 263 LEVEL CM	27857,9397 litre	99,297 %	197,2681 litre	O
490	CM 135	CM 262 LEVEL CM	27814,4651 litre	99,142 %	240,7427 litre	O
490	CM 135	CM 261 LEVEL CM	27768,2690 litre	98,977 %	286,9388 litre	O
490	CM 135	CM 260 LEVEL CM	27719,5232 litre	98,803 %	335,6846 litre	O
490	CM 135	CM 259 LEVEL CM	27668,3733 litre	98,621 %	386,8345 litre	O
490	CM 135	CM 258 LEVEL CM	27614,9454 litre	98,431 %	440,2624 litre	O
490	CM 135	CM 257 LEVEL CM	27559,3501 litre	98,233 %	495,8577 litre	O
490	CM 135	CM 256 LEVEL CM	27501,6855 litre	98,027 %	553,5223 litre	O
490	CM 135	CM 255 LEVEL CM	27442,0395 litre	97,814 %	613,1683 litre	O
490	CM 135	CM 254 LEVEL CM	27380,4914 litre	97,595 %	674,7164 litre	O
490	CM 135	CM 253 LEVEL CM	27317,1135 litre	97,369 %	738,0943 litre	O
490	CM 135	CM 252 LEVEL CM	27251,9718 litre	97,137 %	803,2360 litre	O
490	CM 135	CM 251 LEVEL CM	27185,1273 litre	96,899 %	870,0805 litre	O
490	CM 135	CM 250 LEVEL CM	27116,6363 litre	96,655 %	938,5715 litre	O
490	CM 135	CM 249 LEVEL CM	27046,5512 litre	96,405 %	1008,6566 litre	O
490	CM 135	CM 248 LEVEL CM	26974,9209 litre	96,149 %	1080,2869 litre	O
490	CM 135	CM 247 LEVEL CM	26901,7911 litre	95,889 %	1153,4167 litre	O
490	CM 135	CM 246 LEVEL CM	26827,2049 litre	95,623 %	1228,0029 litre	O
490	CM 135	CM 245 LEVEL CM	26751,2027 litre	95,352 %	1304,0051 litre	O
490	CM 135	CM 244 LEVEL CM	26673,8230 litre	95,076 %	1381,3848 litre	O
490	CM 135	CM 243 LEVEL CM	26595,1020 litre	94,796 %	1460,1058 litre	O
490	CM 135	CM 242 LEVEL CM	26515,0742 litre	94,510 %	1540,1336 litre	O
490	CM 135	CM 241 LEVEL CM	26433,7724 litre	94,221 %	1621,4354 litre	O
490	CM 135	CM 240 LEVEL CM	26351,2279 litre	93,926 %	1703,9799 litre	O
490	CM 135	CM 239 LEVEL CM	26267,4707 litre	93,628 %	1787,7371 litre	O
490	CM 135	CM 238 LEVEL CM	26182,5292 litre	93,325 %	1872,6786 litre	O
490	CM 135	CM 237 LEVEL CM	26096,4310 litre	93,018 %	1958,7768 litre	O
490	CM 135	CM 236 LEVEL CM	26009,2024 litre	92,707 %	2046,0054 litre	O
490	CM 135	CM 235 LEVEL CM	25920,8688 litre	92,392 %	2134,3390 litre	O
490	CM 135	CM 234 LEVEL CM	25831,4545 litre	92,074 %	2223,7533 litre	O
490	CM 135	CM 233 LEVEL CM	25740,9831 litre	91,751 %	2314,2247 litre	O
490	CM 135	CM 232 LEVEL CM	25649,4772 litre	91,425 %	2405,7306 litre	O
490	CM 135	CM 231 LEVEL CM	25556,9589 litre	91,095 %	2498,2489 litre	O
490	CM 135	CM 230 LEVEL CM	25463,4493 litre	90,762 %	2591,7585 litre	O
490	CM 135	CM 229 LEVEL CM	25368,9691 litre	90,425 %	2686,2387 litre	O
490	CM 135	CM 228 LEVEL CM	25273,5380 litre	90,085 %	2781,6698 litre	O
490	CM 135	CM 227 LEVEL CM	25177,1756 litre	89,742 %	2878,0322 litre	O
490	CM 135	CM 226 LEVEL CM	25079,9006 litre	89,395 %	2975,3072 litre	O
490	CM 135	CM 225 LEVEL CM	24981,7312 litre	89,045 %	3073,4766 litre	O
490	CM 135	CM 224 LEVEL CM	24882,6852 litre	88,692 %	3172,5226 litre	O
490	CM 135	CM 223 LEVEL CM	24782,7800 litre	88,336 %	3272,4278 litre	O
490	CM 135	CM 222 LEVEL CM	24682,0323 litre	87,977 %	3373,1755 litre	O
490	CM 135	CM 221 LEVEL CM	24580,4587 litre	87,615 %	3474,7491 litre	O
490	CM 135	CM 220 LEVEL CM	24478,0752 litre	87,250 %	3577,1326 litre	O
490	CM 135	CM 219 LEVEL CM	24374,8973 litre	86,882 %	3680,3105 litre	O

490	CM	135	CM	218 LEVEL CM	24270,9406 litre	86,511 %	3784,2672 litre	O
490	CM	135	CM	217 LEVEL CM	24166,2198 litre	86,138 %	3888,9880 litre	O
490	CM	135	CM	216 LEVEL CM	24060,7497 litre	85,762 %	3994,4581 litre	O
490	CM	135	CM	215 LEVEL CM	23954,5445 litre	85,384 %	4100,6633 litre	O
490	CM	135	CM	214 LEVEL CM	23847,6184 litre	85,002 %	4207,5894 litre	O
490	CM	135	CM	213 LEVEL CM	23739,9850 litre	84,619 %	4315,2228 litre	O
490	CM	135	CM	212 LEVEL CM	23631,6579 litre	84,233 %	4423,5499 litre	O
490	CM	135	CM	211 LEVEL CM	23522,6502 litre	83,844 %	4532,5576 litre	O
490	CM	135	CM	210 LEVEL CM	23412,9750 litre	83,453 %	4642,2328 litre	O
490	CM	135	CM	209 LEVEL CM	23302,6450 litre	83,060 %	4752,5628 litre	O
490	CM	135	CM	208 LEVEL CM	23191,6726 litre	82,664 %	4863,5352 litre	O
490	CM	135	CM	207 LEVEL CM	23080,0703 litre	82,267 %	4975,1375 litre	O
490	CM	135	CM	206 LEVEL CM	22967,8501 litre	81,867 %	5087,3577 litre	O
490	CM	135	CM	205 LEVEL CM	22855,0239 litre	81,464 %	5200,1839 litre	O
490	CM	135	CM	204 LEVEL CM	22741,6034 litre	81,060 %	5313,6044 litre	O
490	CM	135	CM	203 LEVEL CM	22627,6002 litre	80,654 %	5427,6076 litre	O
490	CM	135	CM	202 LEVEL CM	22513,0255 litre	80,245 %	5542,1823 litre	O
490	CM	135	CM	201 LEVEL CM	22397,8905 litre	79,835 %	5657,3173 litre	O
490	CM	135	CM	200 LEVEL CM	22282,2063 litre	79,423 %	5773,0015 litre	O
490	CM	135	CM	199 LEVEL CM	22165,9838 litre	79,008 %	5889,2240 litre	O
490	CM	135	CM	198 LEVEL CM	22049,2336 litre	78,592 %	6005,9742 litre	O
490	CM	135	CM	197 LEVEL CM	21931,9662 litre	78,174 %	6123,2416 litre	O
490	CM	135	CM	196 LEVEL CM	21814,1922 litre	77,755 %	6241,0156 litre	O
490	CM	135	CM	195 LEVEL CM	21695,9218 litre	77,333 %	6359,2860 litre	O
490	CM	135	CM	194 LEVEL CM	21577,1652 litre	76,910 %	6478,0426 litre	O
490	CM	135	CM	193 LEVEL CM	21457,9324 litre	76,485 %	6597,2754 litre	O
490	CM	135	CM	192 LEVEL CM	21338,2333 litre	76,058 %	6716,9745 litre	O
490	CM	135	CM	191 LEVEL CM	21218,0778 litre	75,630 %	6837,1300 litre	O
490	CM	135	CM	190 LEVEL CM	21097,4755 litre	75,200 %	6957,7323 litre	O
490	CM	135	CM	189 LEVEL CM	20976,4359 litre	74,768 %	7078,7719 litre	O
490	CM	135	CM	188 LEVEL CM	20854,9687 litre	74,335 %	7200,2391 litre	O
490	CM	135	CM	187 LEVEL CM	20733,0831 litre	73,901 %	7322,1247 litre	O
490	CM	135	CM	186 LEVEL CM	20610,7885 litre	73,465 %	7444,4193 litre	O
490	CM	135	CM	185 LEVEL CM	20488,0940 litre	73,028 %	7567,1138 litre	O
490	CM	135	CM	184 LEVEL CM	20365,0088 litre	72,589 %	7690,1990 litre	O
490	CM	135	CM	183 LEVEL CM	20241,5418 litre	72,149 %	7813,6660 litre	O
490	CM	135	CM	182 LEVEL CM	20117,7020 litre	71,708 %	7937,5058 litre	O
490	CM	135	CM	181 LEVEL CM	19993,4982 litre	71,265 %	8061,7096 litre	O
490	CM	135	CM	180 LEVEL CM	19868,9393 litre	70,821 %	8186,2685 litre	O
490	CM	135	CM	179 LEVEL CM	19744,0338 litre	70,376 %	8311,1740 litre	O
490	CM	135	CM	178 LEVEL CM	19618,7905 litre	69,929 %	8436,4173 litre	O
490	CM	135	CM	177 LEVEL CM	19493,2179 litre	69,482 %	8561,9899 litre	O
490	CM	135	CM	176 LEVEL CM	19367,3245 litre	69,033 %	8687,8833 litre	O
490	CM	135	CM	175 LEVEL CM	19241,1187 litre	68,583 %	8814,0891 litre	O
490	CM	135	CM	174 LEVEL CM	19114,6089 litre	68,132 %	8940,5989 litre	O
490	CM	135	CM	173 LEVEL CM	18987,8033 litre	67,680 %	9067,4045 litre	O
490	CM	135	CM	172 LEVEL CM	18860,7103 litre	67,227 %	9194,4975 litre	O
490	CM	135	CM	171 LEVEL CM	18733,3379 litre	66,773 %	9321,8699 litre	O
490	CM	135	CM	170 LEVEL CM	18605,6945 litre	66,318 %	9449,5133 litre	O
490	CM	135	CM	169 LEVEL CM	18477,7879 litre	65,862 %	9577,4199 litre	O
490	CM	135	CM	168 LEVEL CM	18349,6263 litre	65,405 %	9705,5815 litre	O
490	CM	135	CM	167 LEVEL CM	18221,2176 litre	64,948 %	9833,9902 litre	O
490	CM	135	CM	166 LEVEL CM	18092,5699 litre	64,489 %	9962,6379 litre	O

490	CM	135	CM	165 LEVEL CM	17963,6909 litre	64,030 %	10091,5169 litre	O
490	CM	135	CM	164 LEVEL CM	17834,5885 litre	63,570 %	10220,6193 litre	O
490	CM	135	CM	163 LEVEL CM	17705,2706 litre	63,109 %	10349,9372 litre	O
490	CM	135	CM	162 LEVEL CM	17575,7449 litre	62,647 %	10479,4629 litre	O
490	CM	135	CM	161 LEVEL CM	17446,0192 litre	62,185 %	10609,1886 litre	O
490	CM	135	CM	160 LEVEL CM	17316,1011 litre	61,722 %	10739,1067 litre	O
490	CM	135	CM	159 LEVEL CM	17185,9984 litre	61,258 %	10869,2094 litre	O
490	CM	135	CM	158 LEVEL CM	17055,7186 litre	60,793 %	10999,4892 litre	O
490	CM	135	CM	157 LEVEL CM	16925,2693 litre	60,328 %	11129,9385 litre	O
490	CM	135	CM	156 LEVEL CM	16794,6582 litre	59,863 %	11260,5496 litre	O
490	CM	135	CM	155 LEVEL CM	16663,8928 litre	59,397 %	11391,3150 litre	O
490	CM	135	CM	154 LEVEL CM	16532,9805 litre	58,930 %	11522,2273 litre	O
490	CM	135	CM	153 LEVEL CM	16401,9290 litre	58,463 %	11653,2788 litre	O
490	CM	135	CM	152 LEVEL CM	16270,7456 litre	57,995 %	11784,4622 litre	O
490	CM	135	CM	151 LEVEL CM	16139,4377 litre	57,527 %	11915,7701 litre	O
490	CM	135	CM	150 LEVEL CM	16008,0130 litre	57,059 %	12047,1948 litre	O
490	CM	135	CM	149 LEVEL CM	15876,4786 litre	56,590 %	12178,7292 litre	O
490	CM	135	CM	148 LEVEL CM	15744,8421 litre	56,121 %	12310,3657 litre	O
490	CM	135	CM	147 LEVEL CM	15613,1107 litre	55,651 %	12442,0971 litre	O
490	CM	135	CM	146 LEVEL CM	15481,2919 litre	55,182 %	12573,9159 litre	O
490	CM	135	CM	145 LEVEL CM	15349,3930 litre	54,711 %	12705,8148 litre	O
490	CM	135	CM	144 LEVEL CM	15217,4213 litre	54,241 %	12837,7865 litre	O
490	CM	135	CM	143 LEVEL CM	15085,3841 litre	53,770 %	12969,8237 litre	O
490	CM	135	CM	142 LEVEL CM	14953,2887 litre	53,300 %	13101,9191 litre	O
490	CM	135	CM	141 LEVEL CM	14821,1425 litre	52,828 %	13234,0653 litre	O
490	CM	135	CM	140 LEVEL CM	14688,9526 litre	52,357 %	13366,2552 litre	O
490	CM	135	CM	139 LEVEL CM	14556,7265 litre	51,886 %	13498,4813 litre	O
490	CM	135	CM	138 LEVEL CM	14424,4712 litre	51,415 %	13630,7366 litre	O
490	CM	135	CM	137 LEVEL CM	14292,1942 litre	50,943 %	13763,0136 litre	O
490	CM	135	CM	136 LEVEL CM	14159,9027 litre	50,472 %	13895,3051 litre	O
490	CM	135	CM	135 LEVEL CM	14027,6039 litre	50,000 %	14027,6039 litre	O
490	CM	135	CM	134 LEVEL CM	13895,3051 litre	49,528 %	14159,9027 litre	O
490	CM	135	CM	133 LEVEL CM	13763,0136 litre	49,057 %	14292,1942 litre	O
490	CM	135	CM	132 LEVEL CM	13630,7366 litre	48,585 %	14424,4712 litre	O
490	CM	135	CM	131 LEVEL CM	13498,4813 litre	48,114 %	14556,7265 litre	O
490	CM	135	CM	130 LEVEL CM	13366,2552 litre	47,643 %	14688,9526 litre	O
490	CM	135	CM	129 LEVEL CM	13234,0653 litre	47,172 %	14821,1425 litre	O
490	CM	135	CM	128 LEVEL CM	13101,9191 litre	46,700 %	14953,2887 litre	O
490	CM	135	CM	127 LEVEL CM	12969,8237 litre	46,230 %	15085,3841 litre	O
490	CM	135	CM	126 LEVEL CM	12837,7865 litre	45,759 %	15217,4213 litre	O
490	CM	135	CM	125 LEVEL CM	12705,8148 litre	45,289 %	15349,3930 litre	O
490	CM	135	CM	124 LEVEL CM	12573,9159 litre	44,818 %	15481,2919 litre	O
490	CM	135	CM	123 LEVEL CM	12442,0970 litre	44,349 %	15613,1108 litre	O
490	CM	135	CM	122 LEVEL CM	12310,3657 litre	43,879 %	15744,8421 litre	O
490	CM	135	CM	121 LEVEL CM	12178,7292 litre	43,410 %	15876,4786 litre	O
490	CM	135	CM	120 LEVEL CM	12047,1948 litre	42,941 %	16008,0130 litre	O
490	CM	135	CM	119 LEVEL CM	11915,7700 litre	42,473 %	16139,4378 litre	O
490	CM	135	CM	118 LEVEL CM	11784,4622 litre	42,005 %	16270,7456 litre	O
490	CM	135	CM	117 LEVEL CM	11653,2788 litre	41,537 %	16401,9290 litre	O
490	CM	135	CM	116 LEVEL CM	11522,2273 litre	41,070 %	16532,9805 litre	O
490	CM	135	CM	115 LEVEL CM	11391,3150 litre	40,603 %	16663,8928 litre	O
490	CM	135	CM	114 LEVEL CM	11260,5496 litre	40,137 %	16794,6582 litre	O
490	CM	135	CM	113 LEVEL CM	11129,9385 litre	39,672 %	16925,2693 litre	O

490	CM	135	CM	112 LEVEL CM	10999,4892 litre	39,207 %	17055,7186 litre	O
490	CM	135	CM	111 LEVEL CM	10869,2094 litre	38,742 %	17185,9984 litre	O
490	CM	135	CM	110 LEVEL CM	10739,1067 litre	38,278 %	17316,1011 litre	O
490	CM	135	CM	109 LEVEL CM	10609,1886 litre	37,815 %	17446,0192 litre	O
490	CM	135	CM	108 LEVEL CM	10479,4629 litre	37,353 %	17575,7449 litre	O
490	CM	135	CM	107 LEVEL CM	10349,9372 litre	36,891 %	17705,2706 litre	O
490	CM	135	CM	106 LEVEL CM	10220,6193 litre	36,430 %	17834,5885 litre	O
490	CM	135	CM	105 LEVEL CM	10091,5169 litre	35,970 %	17963,6909 litre	O
490	CM	135	CM	104 LEVEL CM	9962,6379 litre	35,511 %	18092,5699 litre	O
490	CM	135	CM	103 LEVEL CM	9833,9902 litre	35,052 %	18221,2176 litre	O
490	CM	135	CM	102 LEVEL CM	9705,5815 litre	34,595 %	18349,6263 litre	O
490	CM	135	CM	101 LEVEL CM	9577,4199 litre	34,138 %	18477,7879 litre	O
490	CM	135	CM	100 LEVEL CM	9449,5133 litre	33,682 %	18605,6945 litre	O
490	CM	135	CM	99 LEVEL CM	9321,8699 litre	33,227 %	18733,3379 litre	O
490	CM	135	CM	98 LEVEL CM	9194,4975 litre	32,773 %	18860,7103 litre	O
490	CM	135	CM	97 LEVEL CM	9067,4045 litre	32,320 %	18987,8033 litre	O
490	CM	135	CM	96 LEVEL CM	8940,5989 litre	31,868 %	19114,6089 litre	O
490	CM	135	CM	95 LEVEL CM	8814,0891 litre	31,417 %	19241,1187 litre	O
490	CM	135	CM	94 LEVEL CM	8687,8833 litre	30,967 %	19367,3245 litre	O
490	CM	135	CM	93 LEVEL CM	8561,9899 litre	30,518 %	19493,2179 litre	O
490	CM	135	CM	92 LEVEL CM	8436,4173 litre	30,071 %	19618,7905 litre	O
490	CM	135	CM	91 LEVEL CM	8311,1740 litre	29,624 %	19744,0338 litre	O
490	CM	135	CM	90 LEVEL CM	8186,2685 litre	29,179 %	19868,9393 litre	O
490	CM	135	CM	89 LEVEL CM	8061,7096 litre	28,735 %	19993,4982 litre	O
490	CM	135	CM	88 LEVEL CM	7937,5058 litre	28,292 %	20117,7020 litre	O
490	CM	135	CM	87 LEVEL CM	7813,6660 litre	27,851 %	20241,5418 litre	O
490	CM	135	CM	86 LEVEL CM	7690,1990 litre	27,411 %	20365,0088 litre	O
490	CM	135	CM	85 LEVEL CM	7567,1138 litre	26,972 %	20488,0940 litre	O
490	CM	135	CM	84 LEVEL CM	7444,4193 litre	26,535 %	20610,7885 litre	O
490	CM	135	CM	83 LEVEL CM	7322,1247 litre	26,099 %	20733,0831 litre	O
490	CM	135	CM	82 LEVEL CM	7200,2391 litre	25,665 %	20854,9687 litre	O
490	CM	135	CM	81 LEVEL CM	7078,7719 litre	25,232 %	20976,4359 litre	O
490	CM	135	CM	80 LEVEL CM	6957,7323 litre	24,800 %	21097,4755 litre	O
490	CM	135	CM	79 LEVEL CM	6837,1300 litre	24,370 %	21218,0778 litre	O
490	CM	135	CM	78 LEVEL CM	6716,9745 litre	23,942 %	21338,2333 litre	O
490	CM	135	CM	77 LEVEL CM	6597,2754 litre	23,515 %	21457,9324 litre	O
490	CM	135	CM	76 LEVEL CM	6478,0426 litre	23,090 %	21577,1652 litre	O
490	CM	135	CM	75 LEVEL CM	6359,2859 litre	22,667 %	21695,9219 litre	O
490	CM	135	CM	74 LEVEL CM	6241,0156 litre	22,245 %	21814,1922 litre	O
490	CM	135	CM	73 LEVEL CM	6123,2415 litre	21,826 %	21931,9663 litre	O
490	CM	135	CM	72 LEVEL CM	6005,9742 litre	21,408 %	22049,2336 litre	O
490	CM	135	CM	71 LEVEL CM	5889,2240 litre	20,992 %	22165,9838 litre	O
490	CM	135	CM	70 LEVEL CM	5773,0014 litre	20,577 %	22282,2064 litre	O
490	CM	135	CM	69 LEVEL CM	5657,3173 litre	20,165 %	22397,8905 litre	O
490	CM	135	CM	68 LEVEL CM	5542,1823 litre	19,755 %	22513,0255 litre	O
490	CM	135	CM	67 LEVEL CM	5427,6076 litre	19,346 %	22627,6002 litre	O
490	CM	135	CM	66 LEVEL CM	5313,6044 litre	18,940 %	22741,6034 litre	O
490	CM	135	CM	65 LEVEL CM	5200,1839 litre	18,536 %	22855,0239 litre	O
490	CM	135	CM	64 LEVEL CM	5087,3577 litre	18,133 %	22967,8501 litre	O
490	CM	135	CM	63 LEVEL CM	4975,1375 litre	17,733 %	23080,0703 litre	O
490	CM	135	CM	62 LEVEL CM	4863,5352 litre	17,336 %	23191,6726 litre	O
490	CM	135	CM	61 LEVEL CM	4752,5628 litre	16,940 %	23302,6450 litre	O
490	CM	135	CM	60 LEVEL CM	4642,2328 litre	16,547 %	23412,9750 litre	O

490	CM	135	CM	59 LEVEL CM	4532,5576 litre	16,156 %	23522,6502 litre	O
490	CM	135	CM	58 LEVEL CM	4423,5499 litre	15,767 %	23631,6579 litre	O
490	CM	135	CM	57 LEVEL CM	4315,2228 litre	15,381 %	23739,9850 litre	O
490	CM	135	CM	56 LEVEL CM	4207,5894 litre	14,998 %	23847,6184 litre	O
490	CM	135	CM	55 LEVEL CM	4100,6633 litre	14,616 %	23954,5445 litre	O
490	CM	135	CM	54 LEVEL CM	3994,4581 litre	14,238 %	24060,7497 litre	O
490	CM	135	CM	53 LEVEL CM	3888,9880 litre	13,862 %	24166,2198 litre	O
490	CM	135	CM	52 LEVEL CM	3784,2672 litre	13,489 %	24270,9406 litre	O
490	CM	135	CM	51 LEVEL CM	3680,3104 litre	13,118 %	24374,8974 litre	O
490	CM	135	CM	50 LEVEL CM	3577,1326 litre	12,750 %	24478,0752 litre	O
490	CM	135	CM	49 LEVEL CM	3474,7491 litre	12,385 %	24580,4587 litre	O
490	CM	135	CM	48 LEVEL CM	3373,1754 litre	12,023 %	24682,0324 litre	O
490	CM	135	CM	47 LEVEL CM	3272,4278 litre	11,664 %	24782,7800 litre	O
490	CM	135	CM	46 LEVEL CM	3172,5226 litre	11,308 %	24882,6852 litre	O
490	CM	135	CM	45 LEVEL CM	3073,4766 litre	10,955 %	24981,7312 litre	O
490	CM	135	CM	44 LEVEL CM	2975,3072 litre	10,605 %	25079,9006 litre	O
490	CM	135	CM	43 LEVEL CM	2878,0322 litre	10,258 %	25177,1756 litre	O
490	CM	135	CM	42 LEVEL CM	2781,6697 litre	9,915 %	25273,5381 litre	O
490	CM	135	CM	41 LEVEL CM	2686,2387 litre	9,575 %	25368,9691 litre	O
490	CM	135	CM	40 LEVEL CM	2591,7585 litre	9,238 %	25463,4493 litre	O
490	CM	135	CM	39 LEVEL CM	2498,2489 litre	8,905 %	25556,9589 litre	O
490	CM	135	CM	38 LEVEL CM	2405,7305 litre	8,575 %	25649,4773 litre	O
490	CM	135	CM	37 LEVEL CM	2314,2247 litre	8,249 %	25740,9831 litre	O
490	CM	135	CM	36 LEVEL CM	2223,7533 litre	7,926 %	25831,4545 litre	O
490	CM	135	CM	35 LEVEL CM	2134,3390 litre	7,608 %	25920,8688 litre	O
490	CM	135	CM	34 LEVEL CM	2046,0054 litre	7,293 %	26009,2024 litre	O
490	CM	135	CM	33 LEVEL CM	1958,7768 litre	6,982 %	26096,4310 litre	O
490	CM	135	CM	32 LEVEL CM	1872,6786 litre	6,675 %	26182,5292 litre	O
490	CM	135	CM	31 LEVEL CM	1787,7371 litre	6,372 %	26267,4707 litre	O
490	CM	135	CM	30 LEVEL CM	1703,9799 litre	6,074 %	26351,2279 litre	O
490	CM	135	CM	29 LEVEL CM	1621,4354 litre	5,779 %	26433,7724 litre	O
490	CM	135	CM	28 LEVEL CM	1540,1336 litre	5,490 %	26515,0742 litre	O
490	CM	135	CM	27 LEVEL CM	1460,1058 litre	5,204 %	26595,1020 litre	O
490	CM	135	CM	26 LEVEL CM	1381,3848 litre	4,924 %	26673,8230 litre	O
490	CM	135	CM	25 LEVEL CM	1304,0051 litre	4,648 %	26751,2027 litre	O
490	CM	135	CM	24 LEVEL CM	1228,0029 litre	4,377 %	26827,2049 litre	O
490	CM	135	CM	23 LEVEL CM	1153,4167 litre	4,111 %	26901,7911 litre	O
490	CM	135	CM	22 LEVEL CM	1080,2869 litre	3,851 %	26974,9209 litre	O
490	CM	135	CM	21 LEVEL CM	1008,6566 litre	3,595 %	27046,5512 litre	O
490	CM	135	CM	20 LEVEL CM	938,5715 litre	3,345 %	27116,6363 litre	O
490	CM	135	CM	19 LEVEL CM	870,0805 litre	3,101 %	27185,1273 litre	O
490	CM	135	CM	18 LEVEL CM	803,2360 litre	2,863 %	27251,9718 litre	O
490	CM	135	CM	17 LEVEL CM	738,0943 litre	2,631 %	27317,1135 litre	O
490	CM	135	CM	16 LEVEL CM	674,7164 litre	2,405 %	27380,4914 litre	O
490	CM	135	CM	15 LEVEL CM	613,1683 litre	2,186 %	27442,0395 litre	O
490	CM	135	CM	14 LEVEL CM	553,5223 litre	1,973 %	27501,6855 litre	O
490	CM	135	CM	13 LEVEL CM	495,8577 litre	1,767 %	27559,3501 litre	O
490	CM	135	CM	12 LEVEL CM	440,2624 litre	1,569 %	27614,9454 litre	O
490	CM	135	CM	11 LEVEL CM	386,8345 litre	1,379 %	27668,3733 litre	O
490	CM	135	CM	10 LEVEL CM	335,6846 litre	1,197 %	27719,5232 litre	O
490	CM	135	CM	9 LEVEL CM	286,9387 litre	1,023 %	27768,2691 litre	O
490	CM	135	CM	8 LEVEL CM	240,7427 litre	0,858 %	27814,4651 litre	O
490	CM	135	CM	7 LEVEL CM	197,2681 litre	0,703 %	27857,9397 litre	O

490	CM	135	CM	6 LEVEL CM	156,7209 litre	0,559 %	27898,4869 litre	0
490	CM	135	CM	5 LEVEL CM	119,3560 litre	0,425 %	27935,8518 litre	0
490	CM	135	CM	4 LEVEL CM	85,5002 litre	0,305 %	27969,7076 litre	0
490	CM	135	CM	3 LEVEL CM	55,5963 litre	0,198 %	27999,6115 litre	0
490	CM	135	CM	2 LEVEL CM	30,2966 litre	0,108 %	28024,9112 litre	0
490	CM	135	CM	1 LEVEL CM	10,7234 litre	0,038 %	28044,4844 litre	0
490	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	28055,2078 litre	0

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 130	CM 260 LEVEL CM	26015,5288 litre	100,000 %	0,0000 litre	O
490	CM 130	CM 259 LEVEL CM	26005,0062 litre	99,960 %	10,5226 litre	O
490	CM 130	CM 258 LEVEL CM	25985,8010 litre	99,886 %	29,7278 litre	O
490	CM 130	CM 257 LEVEL CM	25960,9788 litre	99,790 %	54,5500 litre	O
490	CM 130	CM 256 LEVEL CM	25931,6413 litre	99,678 %	83,8875 litre	O
490	CM 130	CM 255 LEVEL CM	25898,4293 litre	99,550 %	117,0995 litre	O
490	CM 130	CM 254 LEVEL CM	25861,7775 litre	99,409 %	153,7513 litre	O
490	CM 130	CM 253 LEVEL CM	25822,0072 litre	99,256 %	193,5216 litre	O
490	CM 130	CM 252 LEVEL CM	25779,3687 litre	99,092 %	236,1601 litre	O
490	CM 130	CM 251 LEVEL CM	25734,0646 litre	98,918 %	281,4642 litre	O
490	CM 130	CM 250 LEVEL CM	25686,2635 litre	98,734 %	329,2653 litre	O
490	CM 130	CM 249 LEVEL CM	25636,1088 litre	98,542 %	379,4200 litre	O
490	CM 130	CM 248 LEVEL CM	25583,7246 litre	98,340 %	431,8042 litre	O
490	CM 130	CM 247 LEVEL CM	25529,2195 litre	98,131 %	486,3093 litre	O
490	CM 130	CM 246 LEVEL CM	25472,6902 litre	97,913 %	542,8386 litre	O
490	CM 130	CM 245 LEVEL CM	25414,2231 litre	97,689 %	601,3057 litre	O
490	CM 130	CM 244 LEVEL CM	25353,8963 litre	97,457 %	661,6325 litre	O
490	CM 130	CM 243 LEVEL CM	25291,7810 litre	97,218 %	723,7478 litre	O
490	CM 130	CM 242 LEVEL CM	25227,9423 litre	96,973 %	787,5865 litre	O
490	CM 130	CM 241 LEVEL CM	25162,4402 litre	96,721 %	853,0886 litre	O
490	CM 130	CM 240 LEVEL CM	25095,3303 litre	96,463 %	920,1985 litre	O
490	CM 130	CM 239 LEVEL CM	25026,6641 litre	96,199 %	988,8647 litre	O
490	CM 130	CM 238 LEVEL CM	24956,4898 litre	95,929 %	1059,0390 litre	O
490	CM 130	CM 237 LEVEL CM	24884,8526 litre	95,654 %	1130,6762 litre	O
490	CM 130	CM 236 LEVEL CM	24811,7950 litre	95,373 %	1203,7338 litre	O
490	CM 130	CM 235 LEVEL CM	24737,3569 litre	95,087 %	1278,1719 litre	O
490	CM 130	CM 234 LEVEL CM	24661,5761 litre	94,796 %	1353,9527 litre	O
490	CM 130	CM 233 LEVEL CM	24584,4885 litre	94,499 %	1431,0403 litre	O
490	CM 130	CM 232 LEVEL CM	24506,1281 litre	94,198 %	1509,4007 litre	O
490	CM 130	CM 231 LEVEL CM	24426,5274 litre	93,892 %	1589,0014 litre	O
490	CM 130	CM 230 LEVEL CM	24345,7173 litre	93,581 %	1669,8115 litre	O
490	CM 130	CM 229 LEVEL CM	24263,7272 litre	93,266 %	1751,8016 litre	O
490	CM 130	CM 228 LEVEL CM	24180,5856 litre	92,947 %	1834,9432 litre	O
490	CM 130	CM 227 LEVEL CM	24096,3195 litre	92,623 %	1919,2093 litre	O
490	CM 130	CM 226 LEVEL CM	24010,9550 litre	92,295 %	2004,5738 litre	O
490	CM 130	CM 225 LEVEL CM	23924,5172 litre	91,962 %	2091,0116 litre	O
490	CM 130	CM 224 LEVEL CM	23837,0302 litre	91,626 %	2178,4986 litre	O
490	CM 130	CM 223 LEVEL CM	23748,5172 litre	91,286 %	2267,0116 litre	O
490	CM 130	CM 222 LEVEL CM	23659,0009 litre	90,942 %	2356,5279 litre	O
490	CM 130	CM 221 LEVEL CM	23568,5029 litre	90,594 %	2447,0259 litre	O
490	CM 130	CM 220 LEVEL CM	23477,0442 litre	90,242 %	2538,4846 litre	O
490	CM 130	CM 219 LEVEL CM	23384,6453 litre	89,887 %	2630,8835 litre	O
490	CM 130	CM 218 LEVEL CM	23291,3258 litre	89,529 %	2724,2030 litre	O
490	CM 130	CM 217 LEVEL CM	23197,1051 litre	89,166 %	2818,4237 litre	O
490	CM 130	CM 216 LEVEL CM	23102,0016 litre	88,801 %	2913,5272 litre	O
490	CM 130	CM 215 LEVEL CM	23006,0336 litre	88,432 %	3009,4952 litre	O
490	CM 130	CM 214 LEVEL CM	22909,2187 litre	88,060 %	3106,3101 litre	O
490	CM 130	CM 213 LEVEL CM	22811,5741 litre	87,684 %	3203,9547 litre	O
490	CM 130	CM 212 LEVEL CM	22713,1165 litre	87,306 %	3302,4123 litre	O
490	CM 130	CM 211 LEVEL CM	22613,8622 litre	86,924 %	3401,6666 litre	O
490	CM 130	CM 210 LEVEL CM	22513,8272 litre	86,540 %	3501,7016 litre	O
490	CM 130	CM 209 LEVEL CM	22413,0271 litre	86,152 %	3602,5017 litre	O

490	CM	130	CM	208 LEVEL CM	22311,4771 litre	85,762 %	3704,0517 litre	O
490	CM	130	CM	207 LEVEL CM	22209,1920 litre	85,369 %	3806,3368 litre	O
490	CM	130	CM	206 LEVEL CM	22106,1865 litre	84,973 %	3909,3423 litre	O
490	CM	130	CM	205 LEVEL CM	22002,4748 litre	84,574 %	4013,0540 litre	O
490	CM	130	CM	204 LEVEL CM	21898,0708 litre	84,173 %	4117,4580 litre	O
490	CM	130	CM	203 LEVEL CM	21792,9884 litre	83,769 %	4222,5404 litre	O
490	CM	130	CM	202 LEVEL CM	21687,2409 litre	83,363 %	4328,2879 litre	O
490	CM	130	CM	201 LEVEL CM	21580,8414 litre	82,954 %	4434,6874 litre	O
490	CM	130	CM	200 LEVEL CM	21473,8030 litre	82,542 %	4541,7258 litre	O
490	CM	130	CM	199 LEVEL CM	21366,1384 litre	82,128 %	4649,3904 litre	O
490	CM	130	CM	198 LEVEL CM	21257,8600 litre	81,712 %	4757,6688 litre	O
490	CM	130	CM	197 LEVEL CM	21148,9801 litre	81,294 %	4866,5487 litre	O
490	CM	130	CM	196 LEVEL CM	21039,5108 litre	80,873 %	4976,0180 litre	O
490	CM	130	CM	195 LEVEL CM	20929,4640 litre	80,450 %	5086,0648 litre	O
490	CM	130	CM	194 LEVEL CM	20818,8514 litre	80,025 %	5196,6774 litre	O
490	CM	130	CM	193 LEVEL CM	20707,6845 litre	79,597 %	5307,8443 litre	O
490	CM	130	CM	192 LEVEL CM	20595,9746 litre	79,168 %	5419,5542 litre	O
490	CM	130	CM	191 LEVEL CM	20483,7330 litre	78,737 %	5531,7958 litre	O
490	CM	130	CM	190 LEVEL CM	20370,9706 litre	78,303 %	5644,5582 litre	O
490	CM	130	CM	189 LEVEL CM	20257,6984 litre	77,868 %	5757,8304 litre	O
490	CM	130	CM	188 LEVEL CM	20143,9270 litre	77,430 %	5871,6018 litre	O
490	CM	130	CM	187 LEVEL CM	20029,6670 litre	76,991 %	5985,8618 litre	O
490	CM	130	CM	186 LEVEL CM	19914,9290 litre	76,550 %	6100,5998 litre	O
490	CM	130	CM	185 LEVEL CM	19799,7231 litre	76,107 %	6215,8057 litre	O
490	CM	130	CM	184 LEVEL CM	19684,0596 litre	75,663 %	6331,4692 litre	O
490	CM	130	CM	183 LEVEL CM	19567,9487 litre	75,216 %	6447,5801 litre	O
490	CM	130	CM	182 LEVEL CM	19451,4001 litre	74,768 %	6564,1287 litre	O
490	CM	130	CM	181 LEVEL CM	19334,4239 litre	74,319 %	6681,1049 litre	O
490	CM	130	CM	180 LEVEL CM	19217,0296 litre	73,868 %	6798,4992 litre	O
490	CM	130	CM	179 LEVEL CM	19099,2271 litre	73,415 %	6916,3017 litre	O
490	CM	130	CM	178 LEVEL CM	18981,0257 litre	72,960 %	7034,5031 litre	O
490	CM	130	CM	177 LEVEL CM	18862,4349 litre	72,505 %	7153,0939 litre	O
490	CM	130	CM	176 LEVEL CM	18743,4642 litre	72,047 %	7272,0646 litre	O
490	CM	130	CM	175 LEVEL CM	18624,1226 litre	71,588 %	7391,4062 litre	O
490	CM	130	CM	174 LEVEL CM	18504,4195 litre	71,128 %	7511,1093 litre	O
490	CM	130	CM	173 LEVEL CM	18384,3639 litre	70,667 %	7631,1649 litre	O
490	CM	130	CM	172 LEVEL CM	18263,9648 litre	70,204 %	7751,5640 litre	O
490	CM	130	CM	171 LEVEL CM	18143,2311 litre	69,740 %	7872,2977 litre	O
490	CM	130	CM	170 LEVEL CM	18022,1717 litre	69,275 %	7993,3571 litre	O
490	CM	130	CM	169 LEVEL CM	17900,7954 litre	68,808 %	8114,7334 litre	O
490	CM	130	CM	168 LEVEL CM	17779,1109 litre	68,340 %	8236,4179 litre	O
490	CM	130	CM	167 LEVEL CM	17657,1268 litre	67,871 %	8358,4020 litre	O
490	CM	130	CM	166 LEVEL CM	17534,8518 litre	67,401 %	8480,6770 litre	O
490	CM	130	CM	165 LEVEL CM	17412,2944 litre	66,930 %	8603,2344 litre	O
490	CM	130	CM	164 LEVEL CM	17289,4630 litre	66,458 %	8726,0658 litre	O
490	CM	130	CM	163 LEVEL CM	17166,3660 litre	65,985 %	8849,1628 litre	O
490	CM	130	CM	162 LEVEL CM	17043,0118 litre	65,511 %	8972,5170 litre	O
490	CM	130	CM	161 LEVEL CM	16919,4087 litre	65,036 %	9096,1201 litre	O
490	CM	130	CM	160 LEVEL CM	16795,5650 litre	64,560 %	9219,9638 litre	O
490	CM	130	CM	159 LEVEL CM	16671,4889 litre	64,083 %	9344,0399 litre	O
490	CM	130	CM	158 LEVEL CM	16547,1885 litre	63,605 %	9468,3403 litre	O
490	CM	130	CM	157 LEVEL CM	16422,6719 litre	63,126 %	9592,8569 litre	O
490	CM	130	CM	156 LEVEL CM	16297,9473 litre	62,647 %	9717,5815 litre	O

490	CM	130	CM	155 LEVEL CM	16173,0226 litre	62,167 %	9842,5062 litre	O
490	CM	130	CM	154 LEVEL CM	16047,9059 litre	61,686 %	9967,6229 litre	O
490	CM	130	CM	153 LEVEL CM	15922,6050 litre	61,204 %	10092,9238 litre	O
490	CM	130	CM	152 LEVEL CM	15797,1281 litre	60,722 %	10218,4007 litre	O
490	CM	130	CM	151 LEVEL CM	15671,4828 litre	60,239 %	10344,0460 litre	O
490	CM	130	CM	150 LEVEL CM	15545,6771 litre	59,755 %	10469,8517 litre	O
490	CM	130	CM	149 LEVEL CM	15419,7188 litre	59,271 %	10595,8100 litre	O
490	CM	130	CM	148 LEVEL CM	15293,6158 litre	58,786 %	10721,9130 litre	O
490	CM	130	CM	147 LEVEL CM	15167,3757 litre	58,301 %	10848,1531 litre	O
490	CM	130	CM	146 LEVEL CM	15041,0064 litre	57,815 %	10974,5224 litre	O
490	CM	130	CM	145 LEVEL CM	14914,5155 litre	57,329 %	11101,0133 litre	O
490	CM	130	CM	144 LEVEL CM	14787,9108 litre	56,843 %	11227,6180 litre	O
490	CM	130	CM	143 LEVEL CM	14661,1999 litre	56,356 %	11354,3289 litre	O
490	CM	130	CM	142 LEVEL CM	14534,3905 litre	55,868 %	11481,1383 litre	O
490	CM	130	CM	141 LEVEL CM	14407,4903 litre	55,380 %	11608,0385 litre	O
490	CM	130	CM	140 LEVEL CM	14280,5069 litre	54,892 %	11735,0219 litre	O
490	CM	130	CM	139 LEVEL CM	14153,4478 litre	54,404 %	11862,0810 litre	O
490	CM	130	CM	138 LEVEL CM	14026,3207 litre	53,915 %	11989,2081 litre	O
490	CM	130	CM	137 LEVEL CM	13899,1332 litre	53,426 %	12116,3956 litre	O
490	CM	130	CM	136 LEVEL CM	13771,8929 litre	52,937 %	12243,6359 litre	O
490	CM	130	CM	135 LEVEL CM	13644,6073 litre	52,448 %	12370,9215 litre	O
490	CM	130	CM	134 LEVEL CM	13517,2840 litre	51,959 %	12498,2448 litre	O
490	CM	130	CM	133 LEVEL CM	13389,9305 litre	51,469 %	12625,5983 litre	O
490	CM	130	CM	132 LEVEL CM	13262,5543 litre	50,979 %	12752,9745 litre	O
490	CM	130	CM	131 LEVEL CM	13135,1631 litre	50,490 %	12880,3657 litre	O
490	CM	130	CM	130 LEVEL CM	13007,7644 litre	50,000 %	13007,7644 litre	O
490	CM	130	CM	129 LEVEL CM	12880,3656 litre	49,510 %	13135,1632 litre	O
490	CM	130	CM	128 LEVEL CM	12752,9744 litre	49,021 %	13262,5544 litre	O
490	CM	130	CM	127 LEVEL CM	12625,5983 litre	48,531 %	13389,9305 litre	O
490	CM	130	CM	126 LEVEL CM	12498,2448 litre	48,041 %	13517,2840 litre	O
490	CM	130	CM	125 LEVEL CM	12370,9215 litre	47,552 %	13644,6073 litre	O
490	CM	130	CM	124 LEVEL CM	12243,6359 litre	47,063 %	13771,8929 litre	O
490	CM	130	CM	123 LEVEL CM	12116,3955 litre	46,574 %	13899,1333 litre	O
490	CM	130	CM	122 LEVEL CM	11989,2080 litre	46,085 %	14026,3208 litre	O
490	CM	130	CM	121 LEVEL CM	11862,0810 litre	45,596 %	14153,4478 litre	O
490	CM	130	CM	120 LEVEL CM	11735,0219 litre	45,108 %	14280,5069 litre	O
490	CM	130	CM	119 LEVEL CM	11608,0385 litre	44,620 %	14407,4903 litre	O
490	CM	130	CM	118 LEVEL CM	11481,1382 litre	44,132 %	14534,3906 litre	O
490	CM	130	CM	117 LEVEL CM	11354,3289 litre	43,644 %	14661,1999 litre	O
490	CM	130	CM	116 LEVEL CM	11227,6180 litre	43,157 %	14787,9108 litre	O
490	CM	130	CM	115 LEVEL CM	11101,0133 litre	42,671 %	14914,5155 litre	O
490	CM	130	CM	114 LEVEL CM	10974,5224 litre	42,185 %	15041,0064 litre	O
490	CM	130	CM	113 LEVEL CM	10848,1531 litre	41,699 %	15167,3757 litre	O
490	CM	130	CM	112 LEVEL CM	10721,9130 litre	41,214 %	15293,6158 litre	O
490	CM	130	CM	111 LEVEL CM	10595,8099 litre	40,729 %	15419,7189 litre	O
490	CM	130	CM	110 LEVEL CM	10469,8517 litre	40,245 %	15545,6771 litre	O
490	CM	130	CM	109 LEVEL CM	10344,0460 litre	39,761 %	15671,4828 litre	O
490	CM	130	CM	108 LEVEL CM	10218,4007 litre	39,278 %	15797,1281 litre	O
490	CM	130	CM	107 LEVEL CM	10092,9237 litre	38,796 %	15922,6051 litre	O
490	CM	130	CM	106 LEVEL CM	9967,6229 litre	38,314 %	16047,9059 litre	O
490	CM	130	CM	105 LEVEL CM	9842,5062 litre	37,833 %	16173,0226 litre	O
490	CM	130	CM	104 LEVEL CM	9717,5815 litre	37,353 %	16297,9473 litre	O
490	CM	130	CM	103 LEVEL CM	9592,8568 litre	36,874 %	16422,6720 litre	O

490	CM	130	CM	102 LEVEL CM	9468,3403 litre	36,395 %	16547,1885 litre	O
490	CM	130	CM	101 LEVEL CM	9344,0399 litre	35,917 %	16671,4889 litre	O
490	CM	130	CM	100 LEVEL CM	9219,9637 litre	35,440 %	16795,5651 litre	O
490	CM	130	CM	99 LEVEL CM	9096,1200 litre	34,964 %	16919,4088 litre	O
490	CM	130	CM	98 LEVEL CM	8972,5170 litre	34,489 %	17043,0118 litre	O
490	CM	130	CM	97 LEVEL CM	8849,1628 litre	34,015 %	17166,3660 litre	O
490	CM	130	CM	96 LEVEL CM	8726,0658 litre	33,542 %	17289,4630 litre	O
490	CM	130	CM	95 LEVEL CM	8603,2344 litre	33,070 %	17412,2944 litre	O
490	CM	130	CM	94 LEVEL CM	8480,6769 litre	32,599 %	17534,8519 litre	O
490	CM	130	CM	93 LEVEL CM	8358,4019 litre	32,129 %	17657,1269 litre	O
490	CM	130	CM	92 LEVEL CM	8236,4179 litre	31,660 %	17779,1109 litre	O
490	CM	130	CM	91 LEVEL CM	8114,7334 litre	31,192 %	17900,7954 litre	O
490	CM	130	CM	90 LEVEL CM	7993,3570 litre	30,725 %	18022,1718 litre	O
490	CM	130	CM	89 LEVEL CM	7872,2977 litre	30,260 %	18143,2311 litre	O
490	CM	130	CM	88 LEVEL CM	7751,5640 litre	29,796 %	18263,9648 litre	O
490	CM	130	CM	87 LEVEL CM	7631,1649 litre	29,333 %	18384,3639 litre	O
490	CM	130	CM	86 LEVEL CM	7511,1092 litre	28,872 %	18504,4196 litre	O
490	CM	130	CM	85 LEVEL CM	7391,4061 litre	28,412 %	18624,1227 litre	O
490	CM	130	CM	84 LEVEL CM	7272,0646 litre	27,953 %	18743,4642 litre	O
490	CM	130	CM	83 LEVEL CM	7153,0938 litre	27,495 %	18862,4350 litre	O
490	CM	130	CM	82 LEVEL CM	7034,5031 litre	27,040 %	18981,0257 litre	O
490	CM	130	CM	81 LEVEL CM	6916,3017 litre	26,585 %	19099,2271 litre	O
490	CM	130	CM	80 LEVEL CM	6798,4991 litre	26,132 %	19217,0297 litre	O
490	CM	130	CM	79 LEVEL CM	6681,1049 litre	25,681 %	19334,4239 litre	O
490	CM	130	CM	78 LEVEL CM	6564,1286 litre	25,232 %	19451,4002 litre	O
490	CM	130	CM	77 LEVEL CM	6447,5801 litre	24,784 %	19567,9487 litre	O
490	CM	130	CM	76 LEVEL CM	6331,4691 litre	24,337 %	19684,0597 litre	O
490	CM	130	CM	75 LEVEL CM	6215,8057 litre	23,893 %	19799,7231 litre	O
490	CM	130	CM	74 LEVEL CM	6100,5998 litre	23,450 %	19914,9290 litre	O
490	CM	130	CM	73 LEVEL CM	5985,8617 litre	23,009 %	20029,6671 litre	O
490	CM	130	CM	72 LEVEL CM	5871,6018 litre	22,570 %	20143,9270 litre	O
490	CM	130	CM	71 LEVEL CM	5757,8304 litre	22,132 %	20257,6984 litre	O
490	CM	130	CM	70 LEVEL CM	5644,5581 litre	21,697 %	20370,9707 litre	O
490	CM	130	CM	69 LEVEL CM	5531,7958 litre	21,263 %	20483,7330 litre	O
490	CM	130	CM	68 LEVEL CM	5419,5541 litre	20,832 %	20595,9747 litre	O
490	CM	130	CM	67 LEVEL CM	5307,8443 litre	20,403 %	20707,6845 litre	O
490	CM	130	CM	66 LEVEL CM	5196,6773 litre	19,975 %	20818,8515 litre	O
490	CM	130	CM	65 LEVEL CM	5086,0647 litre	19,550 %	20929,4641 litre	O
490	CM	130	CM	64 LEVEL CM	4976,0179 litre	19,127 %	21039,5109 litre	O
490	CM	130	CM	63 LEVEL CM	4866,5487 litre	18,706 %	21148,9801 litre	O
490	CM	130	CM	62 LEVEL CM	4757,6688 litre	18,288 %	21257,8600 litre	O
490	CM	130	CM	61 LEVEL CM	4649,3904 litre	17,872 %	21366,1384 litre	O
490	CM	130	CM	60 LEVEL CM	4541,7257 litre	17,458 %	21473,8031 litre	O
490	CM	130	CM	59 LEVEL CM	4434,6873 litre	17,046 %	21580,8415 litre	O
490	CM	130	CM	58 LEVEL CM	4328,2879 litre	16,637 %	21687,2409 litre	O
490	CM	130	CM	57 LEVEL CM	4222,5404 litre	16,231 %	21792,9884 litre	O
490	CM	130	CM	56 LEVEL CM	4117,4579 litre	15,827 %	21898,0709 litre	O
490	CM	130	CM	55 LEVEL CM	4013,0540 litre	15,426 %	22002,4748 litre	O
490	CM	130	CM	54 LEVEL CM	3909,3423 litre	15,027 %	22106,1865 litre	O
490	CM	130	CM	53 LEVEL CM	3806,3368 litre	14,631 %	22209,1920 litre	O
490	CM	130	CM	52 LEVEL CM	3704,0517 litre	14,238 %	22311,4771 litre	O
490	CM	130	CM	51 LEVEL CM	3602,5017 litre	13,848 %	22413,0271 litre	O
490	CM	130	CM	50 LEVEL CM	3501,7015 litre	13,460 %	22513,8273 litre	O

490	CM	130	CM	49 LEVEL CM	3401,6666 litre	13,076 %	22613,8622 litre	O
490	CM	130	CM	48 LEVEL CM	3302,4123 litre	12,694 %	22713,1165 litre	O
490	CM	130	CM	47 LEVEL CM	3203,9547 litre	12,316 %	22811,5741 litre	O
490	CM	130	CM	46 LEVEL CM	3106,3100 litre	11,940 %	22909,2188 litre	O
490	CM	130	CM	45 LEVEL CM	3009,4951 litre	11,568 %	23006,0337 litre	O
490	CM	130	CM	44 LEVEL CM	2913,5271 litre	11,199 %	23102,0017 litre	O
490	CM	130	CM	43 LEVEL CM	2818,4237 litre	10,834 %	23197,1051 litre	O
490	CM	130	CM	42 LEVEL CM	2724,2029 litre	10,471 %	23291,3259 litre	O
490	CM	130	CM	41 LEVEL CM	2630,8835 litre	10,113 %	23384,6453 litre	O
490	CM	130	CM	40 LEVEL CM	2538,4846 litre	9,758 %	23477,0442 litre	O
490	CM	130	CM	39 LEVEL CM	2447,0259 litre	9,406 %	23568,5029 litre	O
490	CM	130	CM	38 LEVEL CM	2356,5279 litre	9,058 %	23659,0009 litre	O
490	CM	130	CM	37 LEVEL CM	2267,0115 litre	8,714 %	23748,5173 litre	O
490	CM	130	CM	36 LEVEL CM	2178,4986 litre	8,374 %	23837,0302 litre	O
490	CM	130	CM	35 LEVEL CM	2091,0116 litre	8,038 %	23924,5172 litre	O
490	CM	130	CM	34 LEVEL CM	2004,5738 litre	7,705 %	24010,9550 litre	O
490	CM	130	CM	33 LEVEL CM	1919,2093 litre	7,377 %	24096,3195 litre	O
490	CM	130	CM	32 LEVEL CM	1834,9432 litre	7,053 %	24180,5856 litre	O
490	CM	130	CM	31 LEVEL CM	1751,8015 litre	6,734 %	24263,7273 litre	O
490	CM	130	CM	30 LEVEL CM	1669,8115 litre	6,419 %	24345,7173 litre	O
490	CM	130	CM	29 LEVEL CM	1589,0013 litre	6,108 %	24426,5275 litre	O
490	CM	130	CM	28 LEVEL CM	1509,4006 litre	5,802 %	24506,1282 litre	O
490	CM	130	CM	27 LEVEL CM	1431,0403 litre	5,501 %	24584,4885 litre	O
490	CM	130	CM	26 LEVEL CM	1353,9527 litre	5,204 %	24661,5761 litre	O
490	CM	130	CM	25 LEVEL CM	1278,1719 litre	4,913 %	24737,3569 litre	O
490	CM	130	CM	24 LEVEL CM	1203,7338 litre	4,627 %	24811,7950 litre	O
490	CM	130	CM	23 LEVEL CM	1130,6761 litre	4,346 %	24884,8527 litre	O
490	CM	130	CM	22 LEVEL CM	1059,0390 litre	4,071 %	24956,4898 litre	O
490	CM	130	CM	21 LEVEL CM	988,8647 litre	3,801 %	25026,6641 litre	O
490	CM	130	CM	20 LEVEL CM	920,1985 litre	3,537 %	25095,3303 litre	O
490	CM	130	CM	19 LEVEL CM	853,0885 litre	3,279 %	25162,4403 litre	O
490	CM	130	CM	18 LEVEL CM	787,5864 litre	3,027 %	25227,9424 litre	O
490	CM	130	CM	17 LEVEL CM	723,7477 litre	2,782 %	25291,7811 litre	O
490	CM	130	CM	16 LEVEL CM	661,6324 litre	2,543 %	25353,8964 litre	O
490	CM	130	CM	15 LEVEL CM	601,3057 litre	2,311 %	25414,2231 litre	O
490	CM	130	CM	14 LEVEL CM	542,8386 litre	2,087 %	25472,6902 litre	O
490	CM	130	CM	13 LEVEL CM	486,3092 litre	1,869 %	25529,2196 litre	O
490	CM	130	CM	12 LEVEL CM	431,8042 litre	1,660 %	25583,7246 litre	O
490	CM	130	CM	11 LEVEL CM	379,4199 litre	1,458 %	25636,1089 litre	O
490	CM	130	CM	10 LEVEL CM	329,2653 litre	1,266 %	25686,2635 litre	O
490	CM	130	CM	9 LEVEL CM	281,4642 litre	1,082 %	25734,0646 litre	O
490	CM	130	CM	8 LEVEL CM	236,1601 litre	0,908 %	25779,3687 litre	O
490	CM	130	CM	7 LEVEL CM	193,5216 litre	0,744 %	25822,0072 litre	O
490	CM	130	CM	6 LEVEL CM	153,7513 litre	0,591 %	25861,7775 litre	O
490	CM	130	CM	5 LEVEL CM	117,0995 litre	0,450 %	25898,4293 litre	O
490	CM	130	CM	4 LEVEL CM	83,8874 litre	0,322 %	25931,6414 litre	O
490	CM	130	CM	3 LEVEL CM	54,5499 litre	0,210 %	25960,9789 litre	O
490	CM	130	CM	2 LEVEL CM	29,7277 litre	0,114 %	25985,8011 litre	O
490	CM	130	CM	1 LEVEL CM	10,5225 litre	0,040 %	26005,0063 litre	O
490	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	26015,5288 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 125	CM 250 LEVEL CM	24052,8188 litre	100,000 %	0,0000 litre	O
490	CM 125	CM 249 LEVEL CM	24042,5011 litre	99,957 %	10,3177 litre	O
490	CM 125	CM 248 LEVEL CM	24023,6710 litre	99,879 %	29,1478 litre	O
490	CM 125	CM 247 LEVEL CM	23999,3356 litre	99,778 %	53,4832 litre	O
490	CM 125	CM 246 LEVEL CM	23970,5757 litre	99,658 %	82,2431 litre	O
490	CM 125	CM 245 LEVEL CM	23938,0201 litre	99,523 %	114,7987 litre	O
490	CM 125	CM 244 LEVEL CM	23902,0956 litre	99,373 %	150,7232 litre	O
490	CM 125	CM 243 LEVEL CM	23863,1177 litre	99,211 %	189,7011 litre	O
490	CM 125	CM 242 LEVEL CM	23821,3320 litre	99,038 %	231,4868 litre	O
490	CM 125	CM 241 LEVEL CM	23776,9378 litre	98,853 %	275,8810 litre	O
490	CM 125	CM 240 LEVEL CM	23730,1005 litre	98,658 %	322,7183 litre	O
490	CM 125	CM 239 LEVEL CM	23680,9613 litre	98,454 %	371,8575 litre	O
490	CM 125	CM 238 LEVEL CM	23629,6419 litre	98,241 %	423,1769 litre	O
490	CM 125	CM 237 LEVEL CM	23576,2493 litre	98,019 %	476,5695 litre	O
490	CM 125	CM 236 LEVEL CM	23520,8785 litre	97,788 %	531,9403 litre	O
490	CM 125	CM 235 LEVEL CM	23463,6145 litre	97,550 %	589,2043 litre	O
490	CM 125	CM 234 LEVEL CM	23404,5343 litre	97,305 %	648,2845 litre	O
490	CM 125	CM 233 LEVEL CM	23343,7079 litre	97,052 %	709,1109 litre	O
490	CM 125	CM 232 LEVEL CM	23281,1993 litre	96,792 %	771,6195 litre	O
490	CM 125	CM 231 LEVEL CM	23217,0677 litre	96,525 %	835,7511 litre	O
490	CM 125	CM 230 LEVEL CM	23151,3678 litre	96,252 %	901,4510 litre	O
490	CM 125	CM 229 LEVEL CM	23084,1504 litre	95,973 %	968,6684 litre	O
490	CM 125	CM 228 LEVEL CM	23015,4631 litre	95,687 %	1037,3557 litre	O
490	CM 125	CM 227 LEVEL CM	22945,3503 litre	95,396 %	1107,4685 litre	O
490	CM 125	CM 226 LEVEL CM	22873,8539 litre	95,098 %	1178,9649 litre	O
490	CM 125	CM 225 LEVEL CM	22801,0134 litre	94,796 %	1251,8054 litre	O
490	CM 125	CM 224 LEVEL CM	22726,8660 litre	94,487 %	1325,9528 litre	O
490	CM 125	CM 223 LEVEL CM	22651,4472 litre	94,174 %	1401,3716 litre	O
490	CM 125	CM 222 LEVEL CM	22574,7906 litre	93,855 %	1478,0282 litre	O
490	CM 125	CM 221 LEVEL CM	22496,9281 litre	93,531 %	1555,8907 litre	O
490	CM 125	CM 220 LEVEL CM	22417,8903 litre	93,203 %	1634,9285 litre	O
490	CM 125	CM 219 LEVEL CM	22337,7064 litre	92,869 %	1715,1124 litre	O
490	CM 125	CM 218 LEVEL CM	22256,4045 litre	92,531 %	1796,4143 litre	O
490	CM 125	CM 217 LEVEL CM	22174,0112 litre	92,189 %	1878,8076 litre	O
490	CM 125	CM 216 LEVEL CM	22090,5524 litre	91,842 %	1962,2664 litre	O
490	CM 125	CM 215 LEVEL CM	22006,0529 litre	91,491 %	2046,7659 litre	O
490	CM 125	CM 214 LEVEL CM	21920,5366 litre	91,135 %	2132,2822 litre	O
490	CM 125	CM 213 LEVEL CM	21834,0265 litre	90,775 %	2218,7923 litre	O
490	CM 125	CM 212 LEVEL CM	21746,5449 litre	90,412 %	2306,2739 litre	O
490	CM 125	CM 211 LEVEL CM	21658,1133 litre	90,044 %	2394,7055 litre	O
490	CM 125	CM 210 LEVEL CM	21568,7526 litre	89,672 %	2484,0662 litre	O
490	CM 125	CM 209 LEVEL CM	21478,4830 litre	89,297 %	2574,3358 litre	O
490	CM 125	CM 208 LEVEL CM	21387,3240 litre	88,918 %	2665,4948 litre	O
490	CM 125	CM 207 LEVEL CM	21295,2947 litre	88,536 %	2757,5241 litre	O
490	CM 125	CM 206 LEVEL CM	21202,4137 litre	88,149 %	2850,4051 litre	O
490	CM 125	CM 205 LEVEL CM	21108,6988 litre	87,760 %	2944,1200 litre	O
490	CM 125	CM 204 LEVEL CM	21014,1676 litre	87,367 %	3038,6512 litre	O
490	CM 125	CM 203 LEVEL CM	20918,8371 litre	86,970 %	3133,9817 litre	O
490	CM 125	CM 202 LEVEL CM	20822,7241 litre	86,571 %	3230,0947 litre	O
490	CM 125	CM 201 LEVEL CM	20725,8447 litre	86,168 %	3326,9741 litre	O
490	CM 125	CM 200 LEVEL CM	20628,2147 litre	85,762 %	3424,6041 litre	O
490	CM 125	CM 199 LEVEL CM	20529,8498 litre	85,353 %	3522,9690 litre	O

490	CM	125	CM	198 LEVEL CM	20430,7649 litre	84,941 %	3622,0539 litre	O
490	CM	125	CM	197 LEVEL CM	20330,9750 litre	84,526 %	3721,8438 litre	O
490	CM	125	CM	196 LEVEL CM	20230,4945 litre	84,109 %	3822,3243 litre	O
490	CM	125	CM	195 LEVEL CM	20129,3377 litre	83,688 %	3923,4811 litre	O
490	CM	125	CM	194 LEVEL CM	20027,5184 litre	83,265 %	4025,3004 litre	O
490	CM	125	CM	193 LEVEL CM	19925,0504 litre	82,839 %	4127,7684 litre	O
490	CM	125	CM	192 LEVEL CM	19821,9470 litre	82,410 %	4230,8718 litre	O
490	CM	125	CM	191 LEVEL CM	19718,2214 litre	81,979 %	4334,5974 litre	O
490	CM	125	CM	190 LEVEL CM	19613,8864 litre	81,545 %	4438,9324 litre	O
490	CM	125	CM	189 LEVEL CM	19508,9548 litre	81,109 %	4543,8640 litre	O
490	CM	125	CM	188 LEVEL CM	19403,4391 litre	80,670 %	4649,3797 litre	O
490	CM	125	CM	187 LEVEL CM	19297,3515 litre	80,229 %	4755,4673 litre	O
490	CM	125	CM	186 LEVEL CM	19190,7041 litre	79,786 %	4862,1147 litre	O
490	CM	125	CM	185 LEVEL CM	19083,5087 litre	79,340 %	4969,3101 litre	O
490	CM	125	CM	184 LEVEL CM	18975,7771 litre	78,892 %	5077,0417 litre	O
490	CM	125	CM	183 LEVEL CM	18867,5209 litre	78,442 %	5185,2979 litre	O
490	CM	125	CM	182 LEVEL CM	18758,7513 litre	77,990 %	5294,0675 litre	O
490	CM	125	CM	181 LEVEL CM	18649,4795 litre	77,536 %	5403,3393 litre	O
490	CM	125	CM	180 LEVEL CM	18539,7167 litre	77,079 %	5513,1021 litre	O
490	CM	125	CM	179 LEVEL CM	18429,4737 litre	76,621 %	5623,3451 litre	O
490	CM	125	CM	178 LEVEL CM	18318,7612 litre	76,161 %	5734,0576 litre	O
490	CM	125	CM	177 LEVEL CM	18207,5900 litre	75,698 %	5845,2288 litre	O
490	CM	125	CM	176 LEVEL CM	18095,9704 litre	75,234 %	5956,8484 litre	O
490	CM	125	CM	175 LEVEL CM	17983,9128 litre	74,768 %	6068,9060 litre	O
490	CM	125	CM	174 LEVEL CM	17871,4276 litre	74,301 %	6181,3912 litre	O
490	CM	125	CM	173 LEVEL CM	17758,5247 litre	73,831 %	6294,2941 litre	O
490	CM	125	CM	172 LEVEL CM	17645,2143 litre	73,360 %	6407,6045 litre	O
490	CM	125	CM	171 LEVEL CM	17531,5062 litre	72,888 %	6521,3126 litre	O
490	CM	125	CM	170 LEVEL CM	17417,4102 litre	72,413 %	6635,4086 litre	O
490	CM	125	CM	169 LEVEL CM	17302,9361 litre	71,937 %	6749,8827 litre	O
490	CM	125	CM	168 LEVEL CM	17188,0934 litre	71,460 %	6864,7254 litre	O
490	CM	125	CM	167 LEVEL CM	17072,8917 litre	70,981 %	6979,9271 litre	O
490	CM	125	CM	166 LEVEL CM	16957,3404 litre	70,500 %	7095,4784 litre	O
490	CM	125	CM	165 LEVEL CM	16841,4487 litre	70,019 %	7211,3701 litre	O
490	CM	125	CM	164 LEVEL CM	16725,2261 litre	69,535 %	7327,5927 litre	O
490	CM	125	CM	163 LEVEL CM	16608,6817 litre	69,051 %	7444,1371 litre	O
490	CM	125	CM	162 LEVEL CM	16491,8245 litre	68,565 %	7560,9943 litre	O
490	CM	125	CM	161 LEVEL CM	16374,6636 litre	68,078 %	7678,1552 litre	O
490	CM	125	CM	160 LEVEL CM	16257,2080 litre	67,590 %	7795,6108 litre	O
490	CM	125	CM	159 LEVEL CM	16139,4666 litre	67,100 %	7913,3522 litre	O
490	CM	125	CM	158 LEVEL CM	16021,4481 litre	66,609 %	8031,3707 litre	O
490	CM	125	CM	157 LEVEL CM	15903,1614 litre	66,118 %	8149,6574 litre	O
490	CM	125	CM	156 LEVEL CM	15784,6152 litre	65,625 %	8268,2036 litre	O
490	CM	125	CM	155 LEVEL CM	15665,8181 litre	65,131 %	8387,0007 litre	O
490	CM	125	CM	154 LEVEL CM	15546,7787 litre	64,636 %	8506,0401 litre	O
490	CM	125	CM	153 LEVEL CM	15427,5056 litre	64,140 %	8625,3132 litre	O
490	CM	125	CM	152 LEVEL CM	15308,0072 litre	63,643 %	8744,8116 litre	O
490	CM	125	CM	151 LEVEL CM	15188,2920 litre	63,146 %	8864,5268 litre	O
490	CM	125	CM	150 LEVEL CM	15068,3684 litre	62,647 %	8984,4504 litre	O
490	CM	125	CM	149 LEVEL CM	14948,2448 litre	62,148 %	9104,5740 litre	O
490	CM	125	CM	148 LEVEL CM	14827,9294 litre	61,647 %	9224,8894 litre	O
490	CM	125	CM	147 LEVEL CM	14707,4306 litre	61,146 %	9345,3882 litre	O
490	CM	125	CM	146 LEVEL CM	14586,7566 litre	60,645 %	9466,0622 litre	O

490	CM	125	CM	145 LEVEL CM	14465,9155 litre	60,142 %	9586,9033 litre	O
490	CM	125	CM	144 LEVEL CM	14344,9156 litre	59,639 %	9707,9032 litre	O
490	CM	125	CM	143 LEVEL CM	14223,7650 litre	59,136 %	9829,0538 litre	O
490	CM	125	CM	142 LEVEL CM	14102,4718 litre	58,631 %	9950,3470 litre	O
490	CM	125	CM	141 LEVEL CM	13981,0440 litre	58,126 %	10071,7748 litre	O
490	CM	125	CM	140 LEVEL CM	13859,4898 litre	57,621 %	10193,3290 litre	O
490	CM	125	CM	139 LEVEL CM	13737,8171 litre	57,115 %	10315,0017 litre	O
490	CM	125	CM	138 LEVEL CM	13616,0340 litre	56,609 %	10436,7848 litre	O
490	CM	125	CM	137 LEVEL CM	13494,1483 litre	56,102 %	10558,6705 litre	O
490	CM	125	CM	136 LEVEL CM	13372,1682 litre	55,595 %	10680,6506 litre	O
490	CM	125	CM	135 LEVEL CM	13250,1015 litre	55,088 %	10802,7173 litre	O
490	CM	125	CM	134 LEVEL CM	13127,9561 litre	54,580 %	10924,8627 litre	O
490	CM	125	CM	133 LEVEL CM	13005,7400 litre	54,072 %	11047,0788 litre	O
490	CM	125	CM	132 LEVEL CM	12883,4610 litre	53,563 %	11169,3578 litre	O
490	CM	125	CM	131 LEVEL CM	12761,1270 litre	53,055 %	11291,6918 litre	O
490	CM	125	CM	130 LEVEL CM	12638,7460 litre	52,546 %	11414,0728 litre	O
490	CM	125	CM	129 LEVEL CM	12516,3257 litre	52,037 %	11536,4931 litre	O
490	CM	125	CM	128 LEVEL CM	12393,8741 litre	51,528 %	11658,9447 litre	O
490	CM	125	CM	127 LEVEL CM	12271,3989 litre	51,019 %	11781,4199 litre	O
490	CM	125	CM	126 LEVEL CM	12148,9081 litre	50,509 %	11903,9107 litre	O
490	CM	125	CM	125 LEVEL CM	12026,4094 litre	50,000 %	12026,4094 litre	O
490	CM	125	CM	124 LEVEL CM	11903,9107 litre	49,491 %	12148,9081 litre	O
490	CM	125	CM	123 LEVEL CM	11781,4198 litre	48,981 %	12271,3990 litre	O
490	CM	125	CM	122 LEVEL CM	11658,9447 litre	48,472 %	12393,8741 litre	O
490	CM	125	CM	121 LEVEL CM	11536,4930 litre	47,963 %	12516,3258 litre	O
490	CM	125	CM	120 LEVEL CM	11414,0727 litre	47,454 %	12638,7461 litre	O
490	CM	125	CM	119 LEVEL CM	11291,6917 litre	46,945 %	12761,1271 litre	O
490	CM	125	CM	118 LEVEL CM	11169,3578 litre	46,437 %	12883,4610 litre	O
490	CM	125	CM	117 LEVEL CM	11047,0788 litre	45,928 %	13005,7400 litre	O
490	CM	125	CM	116 LEVEL CM	10924,8627 litre	45,420 %	13127,9561 litre	O
490	CM	125	CM	115 LEVEL CM	10802,7173 litre	44,912 %	13250,1015 litre	O
490	CM	125	CM	114 LEVEL CM	10680,6506 litre	44,405 %	13372,1682 litre	O
490	CM	125	CM	113 LEVEL CM	10558,6704 litre	43,898 %	13494,1484 litre	O
490	CM	125	CM	112 LEVEL CM	10436,7848 litre	43,391 %	13616,0340 litre	O
490	CM	125	CM	111 LEVEL CM	10315,0016 litre	42,885 %	13737,8172 litre	O
490	CM	125	CM	110 LEVEL CM	10193,3290 litre	42,379 %	13859,4898 litre	O
490	CM	125	CM	109 LEVEL CM	10071,7747 litre	41,874 %	13981,0441 litre	O
490	CM	125	CM	108 LEVEL CM	9950,3470 litre	41,369 %	14102,4718 litre	O
490	CM	125	CM	107 LEVEL CM	9829,0537 litre	40,864 %	14223,7651 litre	O
490	CM	125	CM	106 LEVEL CM	9707,9031 litre	40,361 %	14344,9157 litre	O
490	CM	125	CM	105 LEVEL CM	9586,9032 litre	39,858 %	14465,9156 litre	O
490	CM	125	CM	104 LEVEL CM	9466,0622 litre	39,355 %	14586,7566 litre	O
490	CM	125	CM	103 LEVEL CM	9345,3881 litre	38,854 %	14707,4307 litre	O
490	CM	125	CM	102 LEVEL CM	9224,8893 litre	38,353 %	14827,9295 litre	O
490	CM	125	CM	101 LEVEL CM	9104,5740 litre	37,852 %	14948,2448 litre	O
490	CM	125	CM	100 LEVEL CM	8984,4503 litre	37,353 %	15068,3685 litre	O
490	CM	125	CM	99 LEVEL CM	8864,5267 litre	36,854 %	15188,2921 litre	O
490	CM	125	CM	98 LEVEL CM	8744,8116 litre	36,357 %	15308,0072 litre	O
490	CM	125	CM	97 LEVEL CM	8625,3132 litre	35,860 %	15427,5056 litre	O
490	CM	125	CM	96 LEVEL CM	8506,0400 litre	35,364 %	15546,7788 litre	O
490	CM	125	CM	95 LEVEL CM	8387,0006 litre	34,869 %	15665,8182 litre	O
490	CM	125	CM	94 LEVEL CM	8268,2035 litre	34,375 %	15784,6153 litre	O
490	CM	125	CM	93 LEVEL CM	8149,6573 litre	33,882 %	15903,1615 litre	O

490	CM	125	CM	92 LEVEL CM	8031,3706 litre	33,391 %	16021,4482 litre	O
490	CM	125	CM	91 LEVEL CM	7913,3522 litre	32,900 %	16139,4666 litre	O
490	CM	125	CM	90 LEVEL CM	7795,6107 litre	32,410 %	16257,2081 litre	O
490	CM	125	CM	89 LEVEL CM	7678,1551 litre	31,922 %	16374,6637 litre	O
490	CM	125	CM	88 LEVEL CM	7560,9943 litre	31,435 %	16491,8245 litre	O
490	CM	125	CM	87 LEVEL CM	7444,1371 litre	30,949 %	16608,6817 litre	O
490	CM	125	CM	86 LEVEL CM	7327,5926 litre	30,465 %	16725,2262 litre	O
490	CM	125	CM	85 LEVEL CM	7211,3700 litre	29,981 %	16841,4488 litre	O
490	CM	125	CM	84 LEVEL CM	7095,4784 litre	29,500 %	16957,3404 litre	O
490	CM	125	CM	83 LEVEL CM	6979,9271 litre	29,019 %	17072,8917 litre	O
490	CM	125	CM	82 LEVEL CM	6864,7253 litre	28,540 %	17188,0935 litre	O
490	CM	125	CM	81 LEVEL CM	6749,8827 litre	28,063 %	17302,9361 litre	O
490	CM	125	CM	80 LEVEL CM	6635,4085 litre	27,587 %	17417,4103 litre	O
490	CM	125	CM	79 LEVEL CM	6521,3126 litre	27,112 %	17531,5062 litre	O
490	CM	125	CM	78 LEVEL CM	6407,6045 litre	26,640 %	17645,2143 litre	O
490	CM	125	CM	77 LEVEL CM	6294,2940 litre	26,169 %	17758,5248 litre	O
490	CM	125	CM	76 LEVEL CM	6181,3912 litre	25,699 %	17871,4276 litre	O
490	CM	125	CM	75 LEVEL CM	6068,9059 litre	25,232 %	17983,9129 litre	O
490	CM	125	CM	74 LEVEL CM	5956,8484 litre	24,766 %	18095,9704 litre	O
490	CM	125	CM	73 LEVEL CM	5845,2288 litre	24,302 %	18207,5900 litre	O
490	CM	125	CM	72 LEVEL CM	5734,0575 litre	23,839 %	18318,7613 litre	O
490	CM	125	CM	71 LEVEL CM	5623,3451 litre	23,379 %	18429,4737 litre	O
490	CM	125	CM	70 LEVEL CM	5513,1020 litre	22,921 %	18539,7168 litre	O
490	CM	125	CM	69 LEVEL CM	5403,3392 litre	22,464 %	18649,4796 litre	O
490	CM	125	CM	68 LEVEL CM	5294,0675 litre	22,010 %	18758,7513 litre	O
490	CM	125	CM	67 LEVEL CM	5185,2979 litre	21,558 %	18867,5209 litre	O
490	CM	125	CM	66 LEVEL CM	5077,0416 litre	21,108 %	18975,7772 litre	O
490	CM	125	CM	65 LEVEL CM	4969,3100 litre	20,660 %	19083,5088 litre	O
490	CM	125	CM	64 LEVEL CM	4862,1147 litre	20,214 %	19190,7041 litre	O
490	CM	125	CM	63 LEVEL CM	4755,4673 litre	19,771 %	19297,3515 litre	O
490	CM	125	CM	62 LEVEL CM	4649,3797 litre	19,330 %	19403,4391 litre	O
490	CM	125	CM	61 LEVEL CM	4543,8639 litre	18,891 %	19508,9549 litre	O
490	CM	125	CM	60 LEVEL CM	4438,9324 litre	18,455 %	19613,8864 litre	O
490	CM	125	CM	59 LEVEL CM	4334,5974 litre	18,021 %	19718,2214 litre	O
490	CM	125	CM	58 LEVEL CM	4230,8718 litre	17,590 %	19821,9470 litre	O
490	CM	125	CM	57 LEVEL CM	4127,7683 litre	17,161 %	19925,0505 litre	O
490	CM	125	CM	56 LEVEL CM	4025,3003 litre	16,735 %	20027,5185 litre	O
490	CM	125	CM	55 LEVEL CM	3923,4810 litre	16,312 %	20129,3378 litre	O
490	CM	125	CM	54 LEVEL CM	3822,3242 litre	15,891 %	20230,4946 litre	O
490	CM	125	CM	53 LEVEL CM	3721,8437 litre	15,474 %	20330,9751 litre	O
490	CM	125	CM	52 LEVEL CM	3622,0538 litre	15,059 %	20430,7650 litre	O
490	CM	125	CM	51 LEVEL CM	3522,9690 litre	14,647 %	20529,8498 litre	O
490	CM	125	CM	50 LEVEL CM	3424,6040 litre	14,238 %	20628,2148 litre	O
490	CM	125	CM	49 LEVEL CM	3326,9741 litre	13,832 %	20725,8447 litre	O
490	CM	125	CM	48 LEVEL CM	3230,0947 litre	13,429 %	20822,7241 litre	O
490	CM	125	CM	47 LEVEL CM	3133,9816 litre	13,030 %	20918,8372 litre	O
490	CM	125	CM	46 LEVEL CM	3038,6512 litre	12,633 %	21014,1676 litre	O
490	CM	125	CM	45 LEVEL CM	2944,1200 litre	12,240 %	21108,6988 litre	O
490	CM	125	CM	44 LEVEL CM	2850,4051 litre	11,851 %	21202,4137 litre	O
490	CM	125	CM	43 LEVEL CM	2757,5240 litre	11,464 %	21295,2948 litre	O
490	CM	125	CM	42 LEVEL CM	2665,4947 litre	11,082 %	21387,3241 litre	O
490	CM	125	CM	41 LEVEL CM	2574,3358 litre	10,703 %	21478,4830 litre	O
490	CM	125	CM	40 LEVEL CM	2484,0662 litre	10,328 %	21568,7526 litre	O

490	CM	125	CM	39 LEVEL CM	2394,7054 litre	9,956 %	21658,1134 litre	O
490	CM	125	CM	38 LEVEL CM	2306,2739 litre	9,588 %	21746,5449 litre	O
490	CM	125	CM	37 LEVEL CM	2218,7923 litre	9,225 %	21834,0265 litre	O
490	CM	125	CM	36 LEVEL CM	2132,2822 litre	8,865 %	21920,5366 litre	O
490	CM	125	CM	35 LEVEL CM	2046,7659 litre	8,509 %	22006,0529 litre	O
490	CM	125	CM	34 LEVEL CM	1962,2663 litre	8,158 %	22090,5525 litre	O
490	CM	125	CM	33 LEVEL CM	1878,8076 litre	7,811 %	22174,0112 litre	O
490	CM	125	CM	32 LEVEL CM	1796,4143 litre	7,469 %	22256,4045 litre	O
490	CM	125	CM	31 LEVEL CM	1715,1123 litre	7,131 %	22337,7065 litre	O
490	CM	125	CM	30 LEVEL CM	1634,9285 litre	6,797 %	22417,8903 litre	O
490	CM	125	CM	29 LEVEL CM	1555,8907 litre	6,469 %	22496,9281 litre	O
490	CM	125	CM	28 LEVEL CM	1478,0282 litre	6,145 %	22574,7906 litre	O
490	CM	125	CM	27 LEVEL CM	1401,3715 litre	5,826 %	22651,4473 litre	O
490	CM	125	CM	26 LEVEL CM	1325,9527 litre	5,513 %	22726,8661 litre	O
490	CM	125	CM	25 LEVEL CM	1251,8054 litre	5,204 %	22801,0134 litre	O
490	CM	125	CM	24 LEVEL CM	1178,9648 litre	4,902 %	22873,8540 litre	O
490	CM	125	CM	23 LEVEL CM	1107,4684 litre	4,604 %	22945,3504 litre	O
490	CM	125	CM	22 LEVEL CM	1037,3556 litre	4,313 %	23015,4632 litre	O
490	CM	125	CM	21 LEVEL CM	968,6683 litre	4,027 %	23084,1505 litre	O
490	CM	125	CM	20 LEVEL CM	901,4509 litre	3,748 %	23151,3679 litre	O
490	CM	125	CM	19 LEVEL CM	835,7510 litre	3,475 %	23217,0678 litre	O
490	CM	125	CM	18 LEVEL CM	771,6194 litre	3,208 %	23281,1994 litre	O
490	CM	125	CM	17 LEVEL CM	709,1109 litre	2,948 %	23343,7079 litre	O
490	CM	125	CM	16 LEVEL CM	648,2844 litre	2,695 %	23404,5344 litre	O
490	CM	125	CM	15 LEVEL CM	589,2042 litre	2,450 %	23463,6146 litre	O
490	CM	125	CM	14 LEVEL CM	531,9403 litre	2,212 %	23520,8785 litre	O
490	CM	125	CM	13 LEVEL CM	476,5695 litre	1,981 %	23576,2493 litre	O
490	CM	125	CM	12 LEVEL CM	423,1769 litre	1,759 %	23629,6419 litre	O
490	CM	125	CM	11 LEVEL CM	371,8575 litre	1,546 %	23680,9613 litre	O
490	CM	125	CM	10 LEVEL CM	322,7182 litre	1,342 %	23730,1006 litre	O
490	CM	125	CM	9 LEVEL CM	275,8810 litre	1,147 %	23776,9378 litre	O
490	CM	125	CM	8 LEVEL CM	231,4867 litre	0,962 %	23821,3321 litre	O
490	CM	125	CM	7 LEVEL CM	189,7011 litre	0,789 %	23863,1177 litre	O
490	CM	125	CM	6 LEVEL CM	150,7231 litre	0,627 %	23902,0957 litre	O
490	CM	125	CM	5 LEVEL CM	114,7986 litre	0,477 %	23938,0202 litre	O
490	CM	125	CM	4 LEVEL CM	82,2430 litre	0,342 %	23970,5758 litre	O
490	CM	125	CM	3 LEVEL CM	53,4832 litre	0,222 %	23999,3356 litre	O
490	CM	125	CM	2 LEVEL CM	29,1477 litre	0,121 %	24023,6711 litre	O
490	CM	125	CM	1 LEVEL CM	10,3177 litre	0,043 %	24042,5011 litre	O
490	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	24052,8188 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 120	CM 240 LEVEL CM	22167,0778 litre	100,000 %	0,0000 litre	O
490	CM 120	CM 239 LEVEL CM	22156,9690 litre	99,954 %	10,1088 litre	O
490	CM 120	CM 238 LEVEL CM	22138,5218 litre	99,871 %	28,5560 litre	O
490	CM 120	CM 237 LEVEL CM	22114,6831 litre	99,764 %	52,3947 litre	O
490	CM 120	CM 236 LEVEL CM	22086,5127 litre	99,637 %	80,5651 litre	O
490	CM 120	CM 235 LEVEL CM	22054,6270 litre	99,493 %	112,4508 litre	O
490	CM 120	CM 234 LEVEL CM	22019,4449 litre	99,334 %	147,6329 litre	O
490	CM 120	CM 233 LEVEL CM	21981,2757 litre	99,162 %	185,8021 litre	O
490	CM 120	CM 232 LEVEL CM	21940,3607 litre	98,977 %	226,7171 litre	O
490	CM 120	CM 231 LEVEL CM	21896,8953 litre	98,781 %	270,1825 litre	O
490	CM 120	CM 230 LEVEL CM	21851,0422 litre	98,574 %	316,0356 litre	O
490	CM 120	CM 229 LEVEL CM	21802,9398 litre	98,357 %	364,1380 litre	O
490	CM 120	CM 228 LEVEL CM	21752,7078 litre	98,131 %	414,3700 litre	O
490	CM 120	CM 227 LEVEL CM	21700,4514 litre	97,895 %	466,6264 litre	O
490	CM 120	CM 226 LEVEL CM	21646,2638 litre	97,651 %	520,8140 litre	O
490	CM 120	CM 225 LEVEL CM	21590,2289 litre	97,398 %	576,8489 litre	O
490	CM 120	CM 224 LEVEL CM	21532,4221 litre	97,137 %	634,6557 litre	O
490	CM 120	CM 223 LEVEL CM	21472,9125 litre	96,868 %	694,1653 litre	O
490	CM 120	CM 222 LEVEL CM	21411,7630 litre	96,593 %	755,3148 litre	O
490	CM 120	CM 221 LEVEL CM	21349,0318 litre	96,310 %	818,0460 litre	O
490	CM 120	CM 220 LEVEL CM	21284,7729 litre	96,020 %	882,3049 litre	O
490	CM 120	CM 219 LEVEL CM	21219,0362 litre	95,723 %	948,0416 litre	O
490	CM 120	CM 218 LEVEL CM	21151,8687 litre	95,420 %	1015,2091 litre	O
490	CM 120	CM 217 LEVEL CM	21083,3142 litre	95,111 %	1083,7636 litre	O
490	CM 120	CM 216 LEVEL CM	21013,4139 litre	94,796 %	1153,6639 litre	O
490	CM 120	CM 215 LEVEL CM	20942,2068 litre	94,474 %	1224,8710 litre	O
490	CM 120	CM 214 LEVEL CM	20869,7297 litre	94,147 %	1297,3481 litre	O
490	CM 120	CM 213 LEVEL CM	20796,0174 litre	93,815 %	1371,0604 litre	O
490	CM 120	CM 212 LEVEL CM	20721,1032 litre	93,477 %	1445,9746 litre	O
490	CM 120	CM 211 LEVEL CM	20645,0186 litre	93,134 %	1522,0592 litre	O
490	CM 120	CM 210 LEVEL CM	20567,7939 litre	92,785 %	1599,2839 litre	O
490	CM 120	CM 209 LEVEL CM	20489,4579 litre	92,432 %	1677,6199 litre	O
490	CM 120	CM 208 LEVEL CM	20410,0381 litre	92,074 %	1757,0397 litre	O
490	CM 120	CM 207 LEVEL CM	20329,5613 litre	91,711 %	1837,5165 litre	O
490	CM 120	CM 206 LEVEL CM	20248,0527 litre	91,343 %	1919,0251 litre	O
490	CM 120	CM 205 LEVEL CM	20165,5371 litre	90,971 %	2001,5407 litre	O
490	CM 120	CM 204 LEVEL CM	20082,0379 litre	90,594 %	2085,0399 litre	O
490	CM 120	CM 203 LEVEL CM	19997,5782 litre	90,213 %	2169,4996 litre	O
490	CM 120	CM 202 LEVEL CM	19912,1798 litre	89,828 %	2254,8980 litre	O
490	CM 120	CM 201 LEVEL CM	19825,8641 litre	89,438 %	2341,2137 litre	O
490	CM 120	CM 200 LEVEL CM	19738,6518 litre	89,045 %	2428,4260 litre	O
490	CM 120	CM 199 LEVEL CM	19650,5629 litre	88,648 %	2516,5149 litre	O
490	CM 120	CM 198 LEVEL CM	19561,6169 litre	88,246 %	2605,4609 litre	O
490	CM 120	CM 197 LEVEL CM	19471,8326 litre	87,841 %	2695,2452 litre	O
490	CM 120	CM 196 LEVEL CM	19381,2284 litre	87,432 %	2785,8494 litre	O
490	CM 120	CM 195 LEVEL CM	19289,8221 litre	87,020 %	2877,2557 litre	O
490	CM 120	CM 194 LEVEL CM	19197,6312 litre	86,604 %	2969,4466 litre	O
490	CM 120	CM 193 LEVEL CM	19104,6725 litre	86,185 %	3062,4053 litre	O
490	CM 120	CM 192 LEVEL CM	19010,9627 litre	85,762 %	3156,1151 litre	O
490	CM 120	CM 191 LEVEL CM	18916,5178 litre	85,336 %	3250,5600 litre	O
490	CM 120	CM 190 LEVEL CM	18821,3537 litre	84,907 %	3345,7241 litre	O
490	CM 120	CM 189 LEVEL CM	18725,4858 litre	84,474 %	3441,5920 litre	O

490	CM	120	CM	188 LEVEL CM	18628,9290 litre	84,039 %	3538,1488 litre	O
490	CM	120	CM	187 LEVEL CM	18531,6983 litre	83,600 %	3635,3795 litre	O
490	CM	120	CM	186 LEVEL CM	18433,8079 litre	83,158 %	3733,2699 litre	O
490	CM	120	CM	185 LEVEL CM	18335,2722 litre	82,714 %	3831,8056 litre	O
490	CM	120	CM	184 LEVEL CM	18236,1050 litre	82,267 %	3930,9728 litre	O
490	CM	120	CM	183 LEVEL CM	18136,3198 litre	81,816 %	4030,7580 litre	O
490	CM	120	CM	182 LEVEL CM	18035,9301 litre	81,364 %	4131,1477 litre	O
490	CM	120	CM	181 LEVEL CM	17934,9490 litre	80,908 %	4232,1288 litre	O
490	CM	120	CM	180 LEVEL CM	17833,3895 litre	80,450 %	4333,6883 litre	O
490	CM	120	CM	179 LEVEL CM	17731,2641 litre	79,989 %	4435,8137 litre	O
490	CM	120	CM	178 LEVEL CM	17628,5853 litre	79,526 %	4538,4925 litre	O
490	CM	120	CM	177 LEVEL CM	17525,3655 litre	79,060 %	4641,7123 litre	O
490	CM	120	CM	176 LEVEL CM	17421,6166 litre	78,592 %	4745,4612 litre	O
490	CM	120	CM	175 LEVEL CM	17317,3507 litre	78,122 %	4849,7271 litre	O
490	CM	120	CM	174 LEVEL CM	17212,5794 litre	77,649 %	4954,4984 litre	O
490	CM	120	CM	173 LEVEL CM	17107,3142 litre	77,174 %	5059,7636 litre	O
490	CM	120	CM	172 LEVEL CM	17001,5666 litre	76,697 %	5165,5112 litre	O
490	CM	120	CM	171 LEVEL CM	16895,3478 litre	76,218 %	5271,7300 litre	O
490	CM	120	CM	170 LEVEL CM	16788,6688 litre	75,737 %	5378,4090 litre	O
490	CM	120	CM	169 LEVEL CM	16681,5406 litre	75,254 %	5485,5372 litre	O
490	CM	120	CM	168 LEVEL CM	16573,9741 litre	74,768 %	5593,1037 litre	O
490	CM	120	CM	167 LEVEL CM	16465,9798 litre	74,281 %	5701,0980 litre	O
490	CM	120	CM	166 LEVEL CM	16357,5684 litre	73,792 %	5809,5094 litre	O
490	CM	120	CM	165 LEVEL CM	16248,7502 litre	73,301 %	5918,3276 litre	O
490	CM	120	CM	164 LEVEL CM	16139,5355 litre	72,809 %	6027,5423 litre	O
490	CM	120	CM	163 LEVEL CM	16029,9347 litre	72,314 %	6137,1431 litre	O
490	CM	120	CM	162 LEVEL CM	15919,9576 litre	71,818 %	6247,1202 litre	O
490	CM	120	CM	161 LEVEL CM	15809,6145 litre	71,320 %	6357,4633 litre	O
490	CM	120	CM	160 LEVEL CM	15698,9150 litre	70,821 %	6468,1628 litre	O
490	CM	120	CM	159 LEVEL CM	15587,8690 litre	70,320 %	6579,2088 litre	O
490	CM	120	CM	158 LEVEL CM	15476,4863 litre	69,817 %	6690,5915 litre	O
490	CM	120	CM	157 LEVEL CM	15364,7763 litre	69,313 %	6802,3015 litre	O
490	CM	120	CM	156 LEVEL CM	15252,7488 litre	68,808 %	6914,3290 litre	O
490	CM	120	CM	155 LEVEL CM	15140,4130 litre	68,301 %	7026,6648 litre	O
490	CM	120	CM	154 LEVEL CM	15027,7784 litre	67,793 %	7139,2994 litre	O
490	CM	120	CM	153 LEVEL CM	14914,8542 litre	67,284 %	7252,2236 litre	O
490	CM	120	CM	152 LEVEL CM	14801,6497 litre	66,773 %	7365,4281 litre	O
490	CM	120	CM	151 LEVEL CM	14688,1741 litre	66,261 %	7478,9037 litre	O
490	CM	120	CM	150 LEVEL CM	14574,4364 litre	65,748 %	7592,6414 litre	O
490	CM	120	CM	149 LEVEL CM	14460,4457 litre	65,234 %	7706,6321 litre	O
490	CM	120	CM	148 LEVEL CM	14346,2109 litre	64,719 %	7820,8669 litre	O
490	CM	120	CM	147 LEVEL CM	14231,7409 litre	64,202 %	7935,3369 litre	O
490	CM	120	CM	146 LEVEL CM	14117,0446 litre	63,685 %	8050,0332 litre	O
490	CM	120	CM	145 LEVEL CM	14002,1309 litre	63,166 %	8164,9469 litre	O
490	CM	120	CM	144 LEVEL CM	13887,0083 litre	62,647 %	8280,0695 litre	O
490	CM	120	CM	143 LEVEL CM	13771,6858 litre	62,127 %	8395,3920 litre	O
490	CM	120	CM	142 LEVEL CM	13656,1718 litre	61,606 %	8510,9060 litre	O
490	CM	120	CM	141 LEVEL CM	13540,4751 litre	61,084 %	8626,6027 litre	O
490	CM	120	CM	140 LEVEL CM	13424,6042 litre	60,561 %	8742,4736 litre	O
490	CM	120	CM	139 LEVEL CM	13308,5676 litre	60,038 %	8858,5102 litre	O
490	CM	120	CM	138 LEVEL CM	13192,3739 litre	59,513 %	8974,7039 litre	O
490	CM	120	CM	137 LEVEL CM	13076,0315 litre	58,989 %	9091,0463 litre	O
490	CM	120	CM	136 LEVEL CM	12959,5488 litre	58,463 %	9207,5290 litre	O

490	CM	120	CM	135 LEVEL CM	12842,9343 litre	57,937 %	9324,1435 litre	O
490	CM	120	CM	134 LEVEL CM	12726,1963 litre	57,410 %	9440,8815 litre	O
490	CM	120	CM	133 LEVEL CM	12609,3432 litre	56,883 %	9557,7346 litre	O
490	CM	120	CM	132 LEVEL CM	12492,3833 litre	56,356 %	9674,6945 litre	O
490	CM	120	CM	131 LEVEL CM	12375,3250 litre	55,827 %	9791,7528 litre	O
490	CM	120	CM	130 LEVEL CM	12258,1763 litre	55,299 %	9908,9015 litre	O
490	CM	120	CM	129 LEVEL CM	12140,9458 litre	54,770 %	10026,1320 litre	O
490	CM	120	CM	128 LEVEL CM	12023,6415 litre	54,241 %	10143,4363 litre	O
490	CM	120	CM	127 LEVEL CM	11906,2718 litre	53,712 %	10260,8060 litre	O
490	CM	120	CM	126 LEVEL CM	11788,8448 litre	53,182 %	10378,2330 litre	O
490	CM	120	CM	125 LEVEL CM	11671,3687 litre	52,652 %	10495,7091 litre	O
490	CM	120	CM	124 LEVEL CM	11553,8518 litre	52,122 %	10613,2260 litre	O
490	CM	120	CM	123 LEVEL CM	11436,3021 litre	51,591 %	10730,7757 litre	O
490	CM	120	CM	122 LEVEL CM	11318,7280 litre	51,061 %	10848,3498 litre	O
490	CM	120	CM	121 LEVEL CM	11201,1375 litre	50,531 %	10965,9403 litre	O
490	CM	120	CM	120 LEVEL CM	11083,5389 litre	50,000 %	11083,5389 litre	O
490	CM	120	CM	119 LEVEL CM	10965,9402 litre	49,469 %	11201,1376 litre	O
490	CM	120	CM	118 LEVEL CM	10848,3498 litre	48,939 %	11318,7280 litre	O
490	CM	120	CM	117 LEVEL CM	10730,7756 litre	48,409 %	11436,3022 litre	O
490	CM	120	CM	116 LEVEL CM	10613,2260 litre	47,878 %	11553,8518 litre	O
490	CM	120	CM	115 LEVEL CM	10495,7091 litre	47,348 %	11671,3687 litre	O
490	CM	120	CM	114 LEVEL CM	10378,2330 litre	46,818 %	11788,8448 litre	O
490	CM	120	CM	113 LEVEL CM	10260,8060 litre	46,288 %	11906,2718 litre	O
490	CM	120	CM	112 LEVEL CM	10143,4362 litre	45,759 %	12023,6416 litre	O
490	CM	120	CM	111 LEVEL CM	10026,1320 litre	45,230 %	12140,9458 litre	O
490	CM	120	CM	110 LEVEL CM	9908,9014 litre	44,701 %	12258,1764 litre	O
490	CM	120	CM	109 LEVEL CM	9791,7528 litre	44,173 %	12375,3250 litre	O
490	CM	120	CM	108 LEVEL CM	9674,6944 litre	43,644 %	12492,3834 litre	O
490	CM	120	CM	107 LEVEL CM	9557,3435 litre	43,117 %	12609,3433 litre	O
490	CM	120	CM	106 LEVEL CM	9440,8814 litre	42,590 %	12726,1964 litre	O
490	CM	120	CM	105 LEVEL CM	9324,1435 litre	42,063 %	12842,9343 litre	O
490	CM	120	CM	104 LEVEL CM	9207,5290 litre	41,537 %	12959,5488 litre	O
490	CM	120	CM	103 LEVEL CM	9091,0463 litre	41,011 %	13076,0315 litre	O
490	CM	120	CM	102 LEVEL CM	8974,7039 litre	40,487 %	13192,3739 litre	O
490	CM	120	CM	101 LEVEL CM	8858,5102 litre	39,962 %	13308,5676 litre	O
490	CM	120	CM	100 LEVEL CM	8742,4736 litre	39,439 %	13424,6042 litre	O
490	CM	120	CM	99 LEVEL CM	8626,6027 litre	38,916 %	13540,4751 litre	O
490	CM	120	CM	98 LEVEL CM	8510,9060 litre	38,394 %	13656,1718 litre	O
490	CM	120	CM	97 LEVEL CM	8395,3920 litre	37,873 %	13771,6858 litre	O
490	CM	120	CM	96 LEVEL CM	8280,0694 litre	37,353 %	13887,0084 litre	O
490	CM	120	CM	95 LEVEL CM	8164,9469 litre	36,834 %	14002,1309 litre	O
490	CM	120	CM	94 LEVEL CM	8050,0331 litre	36,315 %	14117,0447 litre	O
490	CM	120	CM	93 LEVEL CM	7935,3368 litre	35,798 %	14231,7410 litre	O
490	CM	120	CM	92 LEVEL CM	7820,8669 litre	35,281 %	14346,2109 litre	O
490	CM	120	CM	91 LEVEL CM	7706,6321 litre	34,766 %	14460,4457 litre	O
490	CM	120	CM	90 LEVEL CM	7592,6413 litre	34,252 %	14574,4365 litre	O
490	CM	120	CM	89 LEVEL CM	7478,9037 litre	33,739 %	14688,1741 litre	O
490	CM	120	CM	88 LEVEL CM	7365,4280 litre	33,227 %	14801,6498 litre	O
490	CM	120	CM	87 LEVEL CM	7252,2236 litre	32,716 %	14914,8542 litre	O
490	CM	120	CM	86 LEVEL CM	7139,2994 litre	32,207 %	15027,7784 litre	O
490	CM	120	CM	85 LEVEL CM	7026,6648 litre	31,699 %	15140,4130 litre	O
490	CM	120	CM	84 LEVEL CM	6914,3290 litre	31,192 %	15252,7488 litre	O
490	CM	120	CM	83 LEVEL CM	6802,3014 litre	30,687 %	15364,7764 litre	O

490	CM	120	CM	82 LEVEL CM	6690,5915 litre	30,183 %	15476,4863 litre	O
490	CM	120	CM	81 LEVEL CM	6579,2087 litre	29,680 %	15587,8691 litre	O
490	CM	120	CM	80 LEVEL CM	6468,1628 litre	29,179 %	15698,9150 litre	O
490	CM	120	CM	79 LEVEL CM	6357,4633 litre	28,680 %	15809,6145 litre	O
490	CM	120	CM	78 LEVEL CM	6247,1201 litre	28,182 %	15919,9577 litre	O
490	CM	120	CM	77 LEVEL CM	6137,1431 litre	27,686 %	16029,9347 litre	O
490	CM	120	CM	76 LEVEL CM	6027,5422 litre	27,191 %	16139,5356 litre	O
490	CM	120	CM	75 LEVEL CM	5918,3276 litre	26,699 %	16248,7502 litre	O
490	CM	120	CM	74 LEVEL CM	5809,5094 litre	26,208 %	16357,5684 litre	O
490	CM	120	CM	73 LEVEL CM	5701,0980 litre	25,719 %	16465,9798 litre	O
490	CM	120	CM	72 LEVEL CM	5593,1037 litre	25,232 %	16573,9741 litre	O
490	CM	120	CM	71 LEVEL CM	5485,5371 litre	24,746 %	16681,5407 litre	O
490	CM	120	CM	70 LEVEL CM	5378,4090 litre	24,263 %	16788,6688 litre	O
490	CM	120	CM	69 LEVEL CM	5271,7300 litre	23,782 %	16895,3478 litre	O
490	CM	120	CM	68 LEVEL CM	5165,5112 litre	23,303 %	17001,5666 litre	O
490	CM	120	CM	67 LEVEL CM	5059,7635 litre	22,826 %	17107,3143 litre	O
490	CM	120	CM	66 LEVEL CM	4954,4984 litre	22,351 %	17212,5794 litre	O
490	CM	120	CM	65 LEVEL CM	4849,7271 litre	21,878 %	17317,3507 litre	O
490	CM	120	CM	64 LEVEL CM	4745,4611 litre	21,408 %	17421,6167 litre	O
490	CM	120	CM	63 LEVEL CM	4641,7123 litre	20,940 %	17525,3655 litre	O
490	CM	120	CM	62 LEVEL CM	4538,4925 litre	20,474 %	17628,5853 litre	O
490	CM	120	CM	61 LEVEL CM	4435,8137 litre	20,011 %	17731,2641 litre	O
490	CM	120	CM	60 LEVEL CM	4333,6883 litre	19,550 %	17833,3895 litre	O
490	CM	120	CM	59 LEVEL CM	4232,1287 litre	19,092 %	17934,9491 litre	O
490	CM	120	CM	58 LEVEL CM	4131,1476 litre	18,636 %	18035,9302 litre	O
490	CM	120	CM	57 LEVEL CM	4030,7580 litre	18,184 %	18136,3198 litre	O
490	CM	120	CM	56 LEVEL CM	3930,9728 litre	17,733 %	18236,1050 litre	O
490	CM	120	CM	55 LEVEL CM	3831,8056 litre	17,286 %	18335,2722 litre	O
490	CM	120	CM	54 LEVEL CM	3733,2698 litre	16,842 %	18433,8080 litre	O
490	CM	120	CM	53 LEVEL CM	3635,3795 litre	16,400 %	18531,6983 litre	O
490	CM	120	CM	52 LEVEL CM	3538,1487 litre	15,961 %	18628,9291 litre	O
490	CM	120	CM	51 LEVEL CM	3441,5920 litre	15,526 %	18725,4858 litre	O
490	CM	120	CM	50 LEVEL CM	3345,7240 litre	15,093 %	18821,3538 litre	O
490	CM	120	CM	49 LEVEL CM	3250,5599 litre	14,664 %	18916,5179 litre	O
490	CM	120	CM	48 LEVEL CM	3156,1151 litre	14,238 %	19010,9627 litre	O
490	CM	120	CM	47 LEVEL CM	3062,4052 litre	13,815 %	19104,6726 litre	O
490	CM	120	CM	46 LEVEL CM	2969,4466 litre	13,396 %	19197,6312 litre	O
490	CM	120	CM	45 LEVEL CM	2877,2556 litre	12,980 %	19289,8222 litre	O
490	CM	120	CM	44 LEVEL CM	2785,8494 litre	12,568 %	19381,2284 litre	O
490	CM	120	CM	43 LEVEL CM	2695,2451 litre	12,159 %	19471,8327 litre	O
490	CM	120	CM	42 LEVEL CM	2605,4608 litre	11,754 %	19561,6170 litre	O
490	CM	120	CM	41 LEVEL CM	2516,5148 litre	11,352 %	19650,5630 litre	O
490	CM	120	CM	40 LEVEL CM	2428,4260 litre	10,955 %	19738,6518 litre	O
490	CM	120	CM	39 LEVEL CM	2341,2137 litre	10,562 %	19825,8641 litre	O
490	CM	120	CM	38 LEVEL CM	2254,8980 litre	10,172 %	19912,1798 litre	O
490	CM	120	CM	37 LEVEL CM	2169,4996 litre	9,787 %	19997,5782 litre	O
490	CM	120	CM	36 LEVEL CM	2085,0398 litre	9,406 %	20082,0380 litre	O
490	CM	120	CM	35 LEVEL CM	2001,5407 litre	9,029 %	20165,5371 litre	O
490	CM	120	CM	34 LEVEL CM	1919,0250 litre	8,657 %	20248,0528 litre	O
490	CM	120	CM	33 LEVEL CM	1837,5165 litre	8,289 %	20329,5613 litre	O
490	CM	120	CM	32 LEVEL CM	1757,0396 litre	7,926 %	20410,0382 litre	O
490	CM	120	CM	31 LEVEL CM	1677,6199 litre	7,568 %	20489,4579 litre	O
490	CM	120	CM	30 LEVEL CM	1599,2839 litre	7,215 %	20567,7939 litre	O

490	CM	120	CM	29 LEVEL CM	1522,0591 litre	6,866 %	20645,0187 litre	O
490	CM	120	CM	28 LEVEL CM	1445,9746 litre	6,523 %	20721,1032 litre	O
490	CM	120	CM	27 LEVEL CM	1371,0604 litre	6,185 %	20796,0174 litre	O
490	CM	120	CM	26 LEVEL CM	1297,3481 litre	5,853 %	20869,7297 litre	O
490	CM	120	CM	25 LEVEL CM	1224,8709 litre	5,526 %	20942,2069 litre	O
490	CM	120	CM	24 LEVEL CM	1153,6638 litre	5,204 %	21013,4140 litre	O
490	CM	120	CM	23 LEVEL CM	1083,7635 litre	4,889 %	21083,3143 litre	O
490	CM	120	CM	22 LEVEL CM	1015,2090 litre	4,580 %	21151,8688 litre	O
490	CM	120	CM	21 LEVEL CM	948,0415 litre	4,277 %	21219,0363 litre	O
490	CM	120	CM	20 LEVEL CM	882,3049 litre	3,980 %	21284,7729 litre	O
490	CM	120	CM	19 LEVEL CM	818,0460 litre	3,690 %	21349,0318 litre	O
490	CM	120	CM	18 LEVEL CM	755,3148 litre	3,407 %	21411,7630 litre	O
490	CM	120	CM	17 LEVEL CM	694,1653 litre	3,132 %	21472,9125 litre	O
490	CM	120	CM	16 LEVEL CM	634,6556 litre	2,863 %	21532,4222 litre	O
490	CM	120	CM	15 LEVEL CM	576,8489 litre	2,602 %	21590,2289 litre	O
490	CM	120	CM	14 LEVEL CM	520,8139 litre	2,349 %	21646,2639 litre	O
490	CM	120	CM	13 LEVEL CM	466,6264 litre	2,105 %	21700,4514 litre	O
490	CM	120	CM	12 LEVEL CM	414,3700 litre	1,869 %	21752,7078 litre	O
490	CM	120	CM	11 LEVEL CM	364,1380 litre	1,643 %	21802,9398 litre	O
490	CM	120	CM	10 LEVEL CM	316,0356 litre	1,426 %	21851,0422 litre	O
490	CM	120	CM	9 LEVEL CM	270,1824 litre	1,219 %	21896,8954 litre	O
490	CM	120	CM	8 LEVEL CM	226,7170 litre	1,023 %	21940,3608 litre	O
490	CM	120	CM	7 LEVEL CM	185,8020 litre	0,838 %	21981,2758 litre	O
490	CM	120	CM	6 LEVEL CM	147,6329 litre	0,666 %	22019,4449 litre	O
490	CM	120	CM	5 LEVEL CM	112,4507 litre	0,507 %	22054,6271 litre	O
490	CM	120	CM	4 LEVEL CM	80,5651 litre	0,363 %	22086,5127 litre	O
490	CM	120	CM	3 LEVEL CM	52,3947 litre	0,236 %	22114,6831 litre	O
490	CM	120	CM	2 LEVEL CM	28,5560 litre	0,129 %	22138,5218 litre	O
490	CM	120	CM	1 LEVEL CM	10,1087 litre	0,046 %	22156,9691 litre	O
490	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	22167,0778 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 115	CM 230	LEVEL CM 20358,3058 litre	100,000 %	0,0000 litre	O
490	CM 115	CM 229	LEVEL CM 20348,4104 litre	99,951 %	9,8954 litre	O
490	CM 115	CM 228	LEVEL CM 20330,3541 litre	99,863 %	27,9517 litre	O
490	CM 115	CM 227	LEVEL CM 20307,0227 litre	99,748 %	51,2831 litre	O
490	CM 115	CM 226	LEVEL CM 20279,4543 litre	99,613 %	78,8515 litre	O
490	CM 115	CM 225	LEVEL CM 20248,2530 litre	99,459 %	110,0528 litre	O
490	CM 115	CM 224	LEVEL CM 20213,8293 litre	99,290 %	144,4765 litre	O
490	CM 115	CM 223	LEVEL CM 20176,4864 litre	99,107 %	181,8194 litre	O
490	CM 115	CM 222	LEVEL CM 20136,4610 litre	98,910 %	221,8448 litre	O
490	CM 115	CM 221	LEVEL CM 20093,9447 litre	98,701 %	264,3611 litre	O
490	CM 115	CM 220	LEVEL CM 20049,0973 litre	98,481 %	309,2085 litre	O
490	CM 115	CM 219	LEVEL CM 20002,0545 litre	98,250 %	356,2513 litre	O
490	CM 115	CM 218	LEVEL CM 19952,9340 litre	98,009 %	405,3718 litre	O
490	CM 115	CM 217	LEVEL CM 19901,8390 litre	97,758 %	456,4668 litre	O
490	CM 115	CM 216	LEVEL CM 19848,8612 litre	97,498 %	509,4446 litre	O
490	CM 115	CM 215	LEVEL CM 19794,0829 litre	97,229 %	564,2229 litre	O
490	CM 115	CM 214	LEVEL CM 19737,5782 litre	96,951 %	620,7276 litre	O
490	CM 115	CM 213	LEVEL CM 19679,4151 litre	96,665 %	678,8907 litre	O
490	CM 115	CM 212	LEVEL CM 19619,6556 litre	96,372 %	738,6502 litre	O
490	CM 115	CM 211	LEVEL CM 19558,3568 litre	96,071 %	799,9490 litre	O
490	CM 115	CM 210	LEVEL CM 19495,5719 litre	95,762 %	862,7339 litre	O
490	CM 115	CM 209	LEVEL CM 19431,3502 litre	95,447 %	926,9556 litre	O
490	CM 115	CM 208	LEVEL CM 19365,7377 litre	95,125 %	992,5681 litre	O
490	CM 115	CM 207	LEVEL CM 19298,7777 litre	94,796 %	1059,5281 litre	O
490	CM 115	CM 206	LEVEL CM 19230,5109 litre	94,460 %	1127,7949 litre	O
490	CM 115	CM 205	LEVEL CM 19160,9755 litre	94,119 %	1197,3303 litre	O
490	CM 115	CM 204	LEVEL CM 19090,2080 litre	93,771 %	1268,0978 litre	O
490	CM 115	CM 203	LEVEL CM 19018,2427 litre	93,418 %	1340,0631 litre	O
490	CM 115	CM 202	LEVEL CM 18945,1125 litre	93,058 %	1413,1933 litre	O
490	CM 115	CM 201	LEVEL CM 18870,8484 litre	92,694 %	1487,4574 litre	O
490	CM 115	CM 200	LEVEL CM 18795,4803 litre	92,323 %	1562,8255 litre	O
490	CM 115	CM 199	LEVEL CM 18719,0367 litre	91,948 %	1639,2691 litre	O
490	CM 115	CM 198	LEVEL CM 18641,5450 litre	91,567 %	1716,7608 litre	O
490	CM 115	CM 197	LEVEL CM 18563,0313 litre	91,182 %	1795,2745 litre	O
490	CM 115	CM 196	LEVEL CM 18483,5208 litre	90,791 %	1874,7850 litre	O
490	CM 115	CM 195	LEVEL CM 18403,0379 litre	90,396 %	1955,2679 litre	O
490	CM 115	CM 194	LEVEL CM 18321,6059 litre	89,996 %	2036,6999 litre	O
490	CM 115	CM 193	LEVEL CM 18239,2475 litre	89,591 %	2119,0583 litre	O
490	CM 115	CM 192	LEVEL CM 18155,9844 litre	89,182 %	2202,3214 litre	O
490	CM 115	CM 191	LEVEL CM 18071,8378 litre	88,769 %	2286,4680 litre	O
490	CM 115	CM 190	LEVEL CM 17986,8282 litre	88,351 %	2371,4776 litre	O
490	CM 115	CM 189	LEVEL CM 17900,9755 litre	87,930 %	2457,3303 litre	O
490	CM 115	CM 188	LEVEL CM 17814,2989 litre	87,504 %	2544,0069 litre	O
490	CM 115	CM 187	LEVEL CM 17726,8171 litre	87,074 %	2631,4887 litre	O
490	CM 115	CM 186	LEVEL CM 17638,5485 litre	86,641 %	2719,7573 litre	O
490	CM 115	CM 185	LEVEL CM 17549,5107 litre	86,203 %	2808,7951 litre	O
490	CM 115	CM 184	LEVEL CM 17459,7210 litre	85,762 %	2898,5848 litre	O
490	CM 115	CM 183	LEVEL CM 17369,1962 litre	85,317 %	2989,1096 litre	O
490	CM 115	CM 182	LEVEL CM 17277,9529 litre	84,869 %	3080,3529 litre	O
490	CM 115	CM 181	LEVEL CM 17186,0070 litre	84,418 %	3172,2988 litre	O
490	CM 115	CM 180	LEVEL CM 17093,3743 litre	83,963 %	3264,9315 litre	O
490	CM 115	CM 179	LEVEL CM 17000,0702 litre	83,504 %	3358,2356 litre	O

490	CM 115	CM	178 LEVEL CM	16906,1095 litre	83,043 %	3452,1963 litre	O
490	CM 115	CM	177 LEVEL CM	16811,5071 litre	82,578 %	3546,7987 litre	O
490	CM 115	CM	176 LEVEL CM	16716,2774 litre	82,110 %	3642,0284 litre	O
490	CM 115	CM	175 LEVEL CM	16620,4344 litre	81,640 %	3737,8714 litre	O
490	CM 115	CM	174 LEVEL CM	16523,9921 litre	81,166 %	3834,3137 litre	O
490	CM 115	CM	173 LEVEL CM	16426,9640 litre	80,689 %	3931,3418 litre	O
490	CM 115	CM	172 LEVEL CM	16329,3634 litre	80,210 %	4028,9424 litre	O
490	CM 115	CM	171 LEVEL CM	16231,2036 litre	79,728 %	4127,1022 litre	O
490	CM 115	CM	170 LEVEL CM	16132,4974 litre	79,243 %	4225,8084 litre	O
490	CM 115	CM	169 LEVEL CM	16033,2575 litre	78,755 %	4325,0483 litre	O
490	CM 115	CM	168 LEVEL CM	15933,4964 litre	78,265 %	4424,8094 litre	O
490	CM 115	CM	167 LEVEL CM	15833,2263 litre	77,773 %	4525,0795 litre	O
490	CM 115	CM	166 LEVEL CM	15732,4594 litre	77,278 %	4625,8464 litre	O
490	CM 115	CM	165 LEVEL CM	15631,2076 litre	76,780 %	4727,0982 litre	O
490	CM 115	CM	164 LEVEL CM	15529,4826 litre	76,281 %	4828,8232 litre	O
490	CM 115	CM	163 LEVEL CM	15427,2961 litre	75,779 %	4931,0097 litre	O
490	CM 115	CM	162 LEVEL CM	15324,6594 litre	75,275 %	5033,6464 litre	O
490	CM 115	CM	161 LEVEL CM	15221,5838 litre	74,768 %	5136,7220 litre	O
490	CM 115	CM	160 LEVEL CM	15118,0806 litre	74,260 %	5240,2252 litre	O
490	CM 115	CM	159 LEVEL CM	15014,1606 litre	73,750 %	5344,1452 litre	O
490	CM 115	CM	158 LEVEL CM	14909,8347 litre	73,237 %	5448,4711 litre	O
490	CM 115	CM	157 LEVEL CM	14805,1138 litre	72,723 %	5553,1920 litre	O
490	CM 115	CM	156 LEVEL CM	14700,0084 litre	72,206 %	5658,2974 litre	O
490	CM 115	CM	155 LEVEL CM	14594,5290 litre	71,688 %	5763,7768 litre	O
490	CM 115	CM	154 LEVEL CM	14488,6860 litre	71,168 %	5869,6198 litre	O
490	CM 115	CM	153 LEVEL CM	14382,4897 litre	70,647 %	5975,8161 litre	O
490	CM 115	CM	152 LEVEL CM	14275,9504 litre	70,123 %	6082,3554 litre	O
490	CM 115	CM	151 LEVEL CM	14169,0780 litre	69,599 %	6189,2278 litre	O
490	CM 115	CM	150 LEVEL CM	14061,8826 litre	69,072 %	6296,4232 litre	O
490	CM 115	CM	149 LEVEL CM	13954,3740 litre	68,544 %	6403,9318 litre	O
490	CM 115	CM	148 LEVEL CM	13846,5622 litre	68,014 %	6511,7436 litre	O
490	CM 115	CM	147 LEVEL CM	13738,4568 litre	67,483 %	6619,8490 litre	O
490	CM 115	CM	146 LEVEL CM	13630,0674 litre	66,951 %	6728,2384 litre	O
490	CM 115	CM	145 LEVEL CM	13521,4038 litre	66,417 %	6836,9020 litre	O
490	CM 115	CM	144 LEVEL CM	13412,4753 litre	65,882 %	6945,8305 litre	O
490	CM 115	CM	143 LEVEL CM	13303,2914 litre	65,346 %	7055,0144 litre	O
490	CM 115	CM	142 LEVEL CM	13193,8615 litre	64,808 %	7164,4443 litre	O
490	CM 115	CM	141 LEVEL CM	13084,1949 litre	64,270 %	7274,1109 litre	O
490	CM 115	CM	140 LEVEL CM	12974,3008 litre	63,730 %	7384,0050 litre	O
490	CM 115	CM	139 LEVEL CM	12864,1885 litre	63,189 %	7494,1173 litre	O
490	CM 115	CM	138 LEVEL CM	12753,8670 litre	62,647 %	7604,4388 litre	O
490	CM 115	CM	137 LEVEL CM	12643,3455 litre	62,104 %	7714,9603 litre	O
490	CM 115	CM	136 LEVEL CM	12532,6330 litre	61,560 %	7825,6728 litre	O
490	CM 115	CM	135 LEVEL CM	12421,7385 litre	61,016 %	7936,5673 litre	O
490	CM 115	CM	134 LEVEL CM	12310,6708 litre	60,470 %	8047,6350 litre	O
490	CM 115	CM	133 LEVEL CM	12199,4391 litre	59,924 %	8158,8667 litre	O
490	CM 115	CM	132 LEVEL CM	12088,0520 litre	59,377 %	8270,2538 litre	O
490	CM 115	CM	131 LEVEL CM	11976,5184 litre	58,829 %	8381,7874 litre	O
490	CM 115	CM	130 LEVEL CM	11864,8471 litre	58,280 %	8493,4587 litre	O
490	CM 115	CM	129 LEVEL CM	11753,0469 litre	57,731 %	8605,2589 litre	O
490	CM 115	CM	128 LEVEL CM	11641,1265 litre	57,181 %	8717,1793 litre	O
490	CM 115	CM	127 LEVEL CM	11529,0946 litre	56,631 %	8829,2112 litre	O
490	CM 115	CM	126 LEVEL CM	11416,9599 litre	56,080 %	8941,3459 litre	O

490	CM	115	CM	125 LEVEL CM	11304,7310 litre	55,529 %	9053,5748 litre	O
490	CM	115	CM	124 LEVEL CM	11192,4166 litre	54,977 %	9165,8892 litre	O
490	CM	115	CM	123 LEVEL CM	11080,0252 litre	54,425 %	9278,2806 litre	O
490	CM	115	CM	122 LEVEL CM	10967,5655 litre	53,873 %	9390,7403 litre	O
490	CM	115	CM	121 LEVEL CM	10855,0460 litre	53,320 %	9503,2598 litre	O
490	CM	115	CM	120 LEVEL CM	10742,4753 litre	52,767 %	9615,8305 litre	O
490	CM	115	CM	119 LEVEL CM	10629,8620 litre	52,214 %	9728,4438 litre	O
490	CM	115	CM	118 LEVEL CM	10517,2145 litre	51,661 %	9841,0913 litre	O
490	CM	115	CM	117 LEVEL CM	10404,5415 litre	51,107 %	9953,7643 litre	O
490	CM	115	CM	116 LEVEL CM	10291,8515 litre	50,554 %	10066,4543 litre	O
490	CM	115	CM	115 LEVEL CM	10179,1529 litre	50,000 %	10179,1529 litre	O
490	CM	115	CM	114 LEVEL CM	10066,4543 litre	49,446 %	10291,8515 litre	O
490	CM	115	CM	113 LEVEL CM	9953,7643 litre	48,893 %	10404,5415 litre	O
490	CM	115	CM	112 LEVEL CM	9841,0912 litre	48,339 %	10517,2146 litre	O
490	CM	115	CM	111 LEVEL CM	9728,4438 litre	47,786 %	10629,8620 litre	O
490	CM	115	CM	110 LEVEL CM	9615,8305 litre	47,233 %	10742,4753 litre	O
490	CM	115	CM	109 LEVEL CM	9503,2598 litre	46,680 %	10855,0460 litre	O
490	CM	115	CM	108 LEVEL CM	9390,7403 litre	46,127 %	10967,5655 litre	O
490	CM	115	CM	107 LEVEL CM	9278,2806 litre	45,575 %	11080,0252 litre	O
490	CM	115	CM	106 LEVEL CM	9165,8892 litre	45,023 %	11192,4166 litre	O
490	CM	115	CM	105 LEVEL CM	9053,5748 litre	44,471 %	11304,7310 litre	O
490	CM	115	CM	104 LEVEL CM	8941,3459 litre	43,920 %	11416,9599 litre	O
490	CM	115	CM	103 LEVEL CM	8829,2112 litre	43,369 %	11529,0946 litre	O
490	CM	115	CM	102 LEVEL CM	8717,1793 litre	42,819 %	11641,1265 litre	O
490	CM	115	CM	101 LEVEL CM	8605,2589 litre	42,269 %	11753,0469 litre	O
490	CM	115	CM	100 LEVEL CM	8493,4587 litre	41,720 %	11864,8471 litre	O
490	CM	115	CM	99 LEVEL CM	8381,7874 litre	41,171 %	11976,5184 litre	O
490	CM	115	CM	98 LEVEL CM	8270,2538 litre	40,623 %	12088,0520 litre	O
490	CM	115	CM	97 LEVEL CM	8158,8667 litre	40,076 %	12199,4391 litre	O
490	CM	115	CM	96 LEVEL CM	8047,6349 litre	39,530 %	12310,6709 litre	O
490	CM	115	CM	95 LEVEL CM	7936,5673 litre	38,984 %	12421,7385 litre	O
490	CM	115	CM	94 LEVEL CM	7825,6728 litre	38,440 %	12532,6330 litre	O
490	CM	115	CM	93 LEVEL CM	7714,9603 litre	37,896 %	12643,3455 litre	O
490	CM	115	CM	92 LEVEL CM	7604,4388 litre	37,353 %	12753,8670 litre	O
490	CM	115	CM	91 LEVEL CM	7494,1173 litre	36,811 %	12864,1885 litre	O
490	CM	115	CM	90 LEVEL CM	7384,0050 litre	36,270 %	12974,3008 litre	O
490	CM	115	CM	89 LEVEL CM	7274,1109 litre	35,730 %	13084,1949 litre	O
490	CM	115	CM	88 LEVEL CM	7164,4443 litre	35,192 %	13193,8615 litre	O
490	CM	115	CM	87 LEVEL CM	7055,0144 litre	34,654 %	13303,2914 litre	O
490	CM	115	CM	86 LEVEL CM	6945,8305 litre	34,118 %	13412,4753 litre	O
490	CM	115	CM	85 LEVEL CM	6836,9020 litre	33,583 %	13521,4038 litre	O
490	CM	115	CM	84 LEVEL CM	6728,2384 litre	33,049 %	13630,0674 litre	O
490	CM	115	CM	83 LEVEL CM	6619,8490 litre	32,517 %	13738,4568 litre	O
490	CM	115	CM	82 LEVEL CM	6511,7436 litre	31,986 %	13846,5622 litre	O
490	CM	115	CM	81 LEVEL CM	6403,9318 litre	31,456 %	13954,3740 litre	O
490	CM	115	CM	80 LEVEL CM	6296,4232 litre	30,928 %	14061,8826 litre	O
490	CM	115	CM	79 LEVEL CM	6189,2278 litre	30,401 %	14169,0780 litre	O
490	CM	115	CM	78 LEVEL CM	6082,3554 litre	29,877 %	14275,9504 litre	O
490	CM	115	CM	77 LEVEL CM	5975,8160 litre	29,353 %	14382,4898 litre	O
490	CM	115	CM	76 LEVEL CM	5869,6198 litre	28,832 %	14488,6860 litre	O
490	CM	115	CM	75 LEVEL CM	5763,7768 litre	28,312 %	14594,5290 litre	O
490	CM	115	CM	74 LEVEL CM	5658,2974 litre	27,794 %	14700,0084 litre	O
490	CM	115	CM	73 LEVEL CM	5553,1920 litre	27,277 %	14805,1138 litre	O

490	CM	115	CM	72 LEVEL CM	5448,4711 litre	26,763 %	14909,8347 litre	O
490	CM	115	CM	71 LEVEL CM	5344,1452 litre	26,250 %	15014,1606 litre	O
490	CM	115	CM	70 LEVEL CM	5240,2252 litre	25,740 %	15118,0806 litre	O
490	CM	115	CM	69 LEVEL CM	5136,7220 litre	25,232 %	15221,5838 litre	O
490	CM	115	CM	68 LEVEL CM	5033,6464 litre	24,725 %	15324,6594 litre	O
490	CM	115	CM	67 LEVEL CM	4931,0097 litre	24,221 %	15427,2961 litre	O
490	CM	115	CM	66 LEVEL CM	4828,8232 litre	23,719 %	15529,4826 litre	O
490	CM	115	CM	65 LEVEL CM	4727,0982 litre	23,220 %	15631,2076 litre	O
490	CM	115	CM	64 LEVEL CM	4625,8464 litre	22,722 %	15732,4594 litre	O
490	CM	115	CM	63 LEVEL CM	4525,0795 litre	22,227 %	15833,2263 litre	O
490	CM	115	CM	62 LEVEL CM	4424,8094 litre	21,735 %	15933,4964 litre	O
490	CM	115	CM	61 LEVEL CM	4325,0483 litre	21,245 %	16033,2575 litre	O
490	CM	115	CM	60 LEVEL CM	4225,8084 litre	20,757 %	16132,4974 litre	O
490	CM	115	CM	59 LEVEL CM	4127,1022 litre	20,272 %	16231,2036 litre	O
490	CM	115	CM	58 LEVEL CM	4028,9424 litre	19,790 %	16329,3634 litre	O
490	CM	115	CM	57 LEVEL CM	3931,3418 litre	19,311 %	16426,9640 litre	O
490	CM	115	CM	56 LEVEL CM	3834,3137 litre	18,834 %	16523,9921 litre	O
490	CM	115	CM	55 LEVEL CM	3737,8714 litre	18,360 %	16620,4344 litre	O
490	CM	115	CM	54 LEVEL CM	3642,0284 litre	17,890 %	16716,2774 litre	O
490	CM	115	CM	53 LEVEL CM	3546,7987 litre	17,422 %	16811,5071 litre	O
490	CM	115	CM	52 LEVEL CM	3452,1963 litre	16,957 %	16906,1095 litre	O
490	CM	115	CM	51 LEVEL CM	3358,2356 litre	16,496 %	17000,0702 litre	O
490	CM	115	CM	50 LEVEL CM	3264,9315 litre	16,037 %	17093,3743 litre	O
490	CM	115	CM	49 LEVEL CM	3172,2988 litre	15,582 %	17186,0070 litre	O
490	CM	115	CM	48 LEVEL CM	3080,3529 litre	15,131 %	17277,9529 litre	O
490	CM	115	CM	47 LEVEL CM	2989,1096 litre	14,683 %	17369,1962 litre	O
490	CM	115	CM	46 LEVEL CM	2898,5848 litre	14,238 %	17459,7210 litre	O
490	CM	115	CM	45 LEVEL CM	2808,7951 litre	13,797 %	17549,5107 litre	O
490	CM	115	CM	44 LEVEL CM	2719,7573 litre	13,359 %	17638,5485 litre	O
490	CM	115	CM	43 LEVEL CM	2631,4887 litre	12,926 %	17726,8171 litre	O
490	CM	115	CM	42 LEVEL CM	2544,0069 litre	12,496 %	17814,2989 litre	O
490	CM	115	CM	41 LEVEL CM	2457,3303 litre	12,070 %	17900,9755 litre	O
490	CM	115	CM	40 LEVEL CM	2371,4776 litre	11,649 %	17986,8282 litre	O
490	CM	115	CM	39 LEVEL CM	2286,4680 litre	11,231 %	18071,8378 litre	O
490	CM	115	CM	38 LEVEL CM	2202,3214 litre	10,818 %	18155,9844 litre	O
490	CM	115	CM	37 LEVEL CM	2119,0583 litre	10,409 %	18239,2475 litre	O
490	CM	115	CM	36 LEVEL CM	2036,6999 litre	10,004 %	18321,6059 litre	O
490	CM	115	CM	35 LEVEL CM	1955,2679 litre	9,604 %	18403,0379 litre	O
490	CM	115	CM	34 LEVEL CM	1874,7850 litre	9,209 %	18483,5208 litre	O
490	CM	115	CM	33 LEVEL CM	1795,2745 litre	8,818 %	18563,0313 litre	O
490	CM	115	CM	32 LEVEL CM	1716,7608 litre	8,433 %	18641,5450 litre	O
490	CM	115	CM	31 LEVEL CM	1639,2691 litre	8,052 %	18719,0367 litre	O
490	CM	115	CM	30 LEVEL CM	1562,8255 litre	7,677 %	18795,4803 litre	O
490	CM	115	CM	29 LEVEL CM	1487,4574 litre	7,306 %	18870,8484 litre	O
490	CM	115	CM	28 LEVEL CM	1413,1933 litre	6,942 %	18945,1125 litre	O
490	CM	115	CM	27 LEVEL CM	1340,0631 litre	6,582 %	19018,2427 litre	O
490	CM	115	CM	26 LEVEL CM	1268,0978 litre	6,229 %	19090,2080 litre	O
490	CM	115	CM	25 LEVEL CM	1197,3303 litre	5,881 %	19160,9755 litre	O
490	CM	115	CM	24 LEVEL CM	1127,7949 litre	5,540 %	19230,5109 litre	O
490	CM	115	CM	23 LEVEL CM	1059,5281 litre	5,204 %	19298,7777 litre	O
490	CM	115	CM	22 LEVEL CM	992,5681 litre	4,875 %	19365,7377 litre	O
490	CM	115	CM	21 LEVEL CM	926,9556 litre	4,553 %	19431,3502 litre	O
490	CM	115	CM	20 LEVEL CM	862,7339 litre	4,238 %	19495,5719 litre	O

490	CM	115	CM	19 LEVEL CM	799,9490 litre	3,929 %	19558,3568 litre	O
490	CM	115	CM	18 LEVEL CM	738,6502 litre	3,628 %	19619,6556 litre	O
490	CM	115	CM	17 LEVEL CM	678,8907 litre	3,335 %	19679,4151 litre	O
490	CM	115	CM	16 LEVEL CM	620,7276 litre	3,049 %	19737,5782 litre	O
490	CM	115	CM	15 LEVEL CM	564,2229 litre	2,771 %	19794,0829 litre	O
490	CM	115	CM	14 LEVEL CM	509,4446 litre	2,502 %	19848,8612 litre	O
490	CM	115	CM	13 LEVEL CM	456,4668 litre	2,242 %	19901,8390 litre	O
490	CM	115	CM	12 LEVEL CM	405,3718 litre	1,991 %	19952,9340 litre	O
490	CM	115	CM	11 LEVEL CM	356,2513 litre	1,750 %	20002,0545 litre	O
490	CM	115	CM	10 LEVEL CM	309,2085 litre	1,519 %	20049,0973 litre	O
490	CM	115	CM	9 LEVEL CM	264,3611 litre	1,299 %	20093,9447 litre	O
490	CM	115	CM	8 LEVEL CM	221,8448 litre	1,090 %	20136,4610 litre	O
490	CM	115	CM	7 LEVEL CM	181,8194 litre	0,893 %	20176,4864 litre	O
490	CM	115	CM	6 LEVEL CM	144,4765 litre	0,710 %	20213,8293 litre	O
490	CM	115	CM	5 LEVEL CM	110,0528 litre	0,541 %	20248,2530 litre	O
490	CM	115	CM	4 LEVEL CM	78,8515 litre	0,387 %	20279,4543 litre	O
490	CM	115	CM	3 LEVEL CM	51,2831 litre	0,252 %	20307,0227 litre	O
490	CM	115	CM	2 LEVEL CM	27,9517 litre	0,137 %	20330,3541 litre	O
490	CM	115	CM	1 LEVEL CM	9,8954 litre	0,049 %	20348,4104 litre	O
490	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	20358,3058 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM	110	CM 220 LEVEL CM	18626,5028 litre	100,000 %	0,0000 litre	O
490	CM	110	CM 219 LEVEL CM	18616,8256 litre	99,948 %	9,6772 litre	O
490	CM	110	CM 218 LEVEL CM	18599,1688 litre	99,853 %	27,3340 litre	O
490	CM	110	CM 217 LEVEL CM	18576,3560 litre	99,731 %	50,1468 litre	O
490	CM	110	CM 216 LEVEL CM	18549,4031 litre	99,586 %	77,0997 litre	O
490	CM	110	CM 215 LEVEL CM	18518,9015 litre	99,422 %	107,6013 litre	O
490	CM	110	CM 214 LEVEL CM	18485,2532 litre	99,242 %	141,2496 litre	O
490	CM	110	CM 213 LEVEL CM	18448,7553 litre	99,046 %	177,7475 litre	O
490	CM	110	CM 212 LEVEL CM	18409,6397 litre	98,836 %	216,8631 litre	O
490	CM	110	CM 211 LEVEL CM	18368,0943 litre	98,613 %	258,4085 litre	O
490	CM	110	CM 210 LEVEL CM	18324,2756 litre	98,377 %	302,2272 litre	O
490	CM	110	CM 209 LEVEL CM	18278,3169 litre	98,131 %	348,1859 litre	O
490	CM	110	CM 208 LEVEL CM	18230,3337 litre	97,873 %	396,1691 litre	O
490	CM	110	CM 207 LEVEL CM	18180,4271 litre	97,605 %	446,0757 litre	O
490	CM	110	CM 206 LEVEL CM	18128,6873 litre	97,327 %	497,8155 litre	O
490	CM	110	CM 205 LEVEL CM	18075,1950 litre	97,040 %	551,3078 litre	O
490	CM	110	CM 204 LEVEL CM	18020,0232 litre	96,744 %	606,4796 litre	O
490	CM	110	CM 203 LEVEL CM	17963,2386 litre	96,439 %	663,2642 litre	O
490	CM	110	CM 202 LEVEL CM	17904,9021 litre	96,126 %	721,6007 litre	O
490	CM	110	CM 201 LEVEL CM	17845,0701 litre	95,805 %	781,4327 litre	O
490	CM	110	CM 200 LEVEL CM	17783,7947 litre	95,476 %	842,7081 litre	O
490	CM	110	CM 199 LEVEL CM	17721,1245 litre	95,139 %	905,3783 litre	O
490	CM	110	CM 198 LEVEL CM	17657,1048 litre	94,796 %	969,3980 litre	O
490	CM	110	CM 197 LEVEL CM	17591,7782 litre	94,445 %	1034,7246 litre	O
490	CM	110	CM 196 LEVEL CM	17525,1848 litre	94,087 %	1101,3180 litre	O
490	CM	110	CM 195 LEVEL CM	17457,3625 litre	93,723 %	1169,1403 litre	O
490	CM	110	CM 194 LEVEL CM	17388,3469 litre	93,353 %	1238,1559 litre	O
490	CM	110	CM 193 LEVEL CM	17318,1721 litre	92,976 %	1308,3307 litre	O
490	CM	110	CM 192 LEVEL CM	17246,8704 litre	92,593 %	1379,6324 litre	O
490	CM	110	CM 191 LEVEL CM	17174,4726 litre	92,204 %	1452,0302 litre	O
490	CM	110	CM 190 LEVEL CM	17101,0080 litre	91,810 %	1525,4948 litre	O
490	CM	110	CM 189 LEVEL CM	17026,5050 litre	91,410 %	1599,9978 litre	O
490	CM	110	CM 188 LEVEL CM	16950,9904 litre	91,005 %	1675,5124 litre	O
490	CM	110	CM 187 LEVEL CM	16874,4902 litre	90,594 %	1752,0126 litre	O
490	CM	110	CM 186 LEVEL CM	16797,0294 litre	90,178 %	1829,4734 litre	O
490	CM	110	CM 185 LEVEL CM	16718,6319 litre	89,757 %	1907,8709 litre	O
490	CM	110	CM 184 LEVEL CM	16639,3209 litre	89,331 %	1987,1819 litre	O
490	CM	110	CM 183 LEVEL CM	16559,1188 litre	88,901 %	2067,3840 litre	O
490	CM	110	CM 182 LEVEL CM	16478,0472 litre	88,466 %	2148,4556 litre	O
490	CM	110	CM 181 LEVEL CM	16396,1272 litre	88,026 %	2230,3756 litre	O
490	CM	110	CM 180 LEVEL CM	16313,3789 litre	87,582 %	2313,1239 litre	O
490	CM	110	CM 179 LEVEL CM	16229,8221 litre	87,133 %	2396,6807 litre	O
490	CM	110	CM 178 LEVEL CM	16145,4760 litre	86,680 %	2481,0268 litre	O
490	CM	110	CM 177 LEVEL CM	16060,3591 litre	86,223 %	2566,1437 litre	O
490	CM	110	CM 176 LEVEL CM	15974,4895 litre	85,762 %	2652,0133 litre	O
490	CM	110	CM 175 LEVEL CM	15887,8849 litre	85,297 %	2738,6179 litre	O
490	CM	110	CM 174 LEVEL CM	15800,5624 litre	84,828 %	2825,9404 litre	O
490	CM	110	CM 173 LEVEL CM	15712,5388 litre	84,356 %	2913,9640 litre	O
490	CM	110	CM 172 LEVEL CM	15623,8306 litre	83,880 %	3002,6722 litre	O
490	CM	110	CM 171 LEVEL CM	15534,4536 litre	83,400 %	3092,0492 litre	O
490	CM	110	CM 170 LEVEL CM	15444,4234 litre	82,916 %	3182,0794 litre	O
490	CM	110	CM 169 LEVEL CM	15353,7555 litre	82,430 %	3272,7473 litre	O

490	CM 110	CM	168 LEVEL CM	15262,4648 litre	81,940 %	3364,0380 litre	O
490	CM 110	CM	167 LEVEL CM	15170,5659 litre	81,446 %	3455,9369 litre	O
490	CM 110	CM	166 LEVEL CM	15078,0732 litre	80,950 %	3548,4296 litre	O
490	CM 110	CM	165 LEVEL CM	14985,0009 litre	80,450 %	3641,5019 litre	O
490	CM 110	CM	164 LEVEL CM	14891,3627 litre	79,947 %	3735,1401 litre	O
490	CM 110	CM	163 LEVEL CM	14797,1723 litre	79,441 %	3829,3305 litre	O
490	CM 110	CM	162 LEVEL CM	14702,4430 litre	78,933 %	3924,0598 litre	O
490	CM 110	CM	161 LEVEL CM	14607,1880 litre	78,422 %	4019,3148 litre	O
490	CM 110	CM	160 LEVEL CM	14511,4202 litre	77,907 %	4115,0826 litre	O
490	CM 110	CM	159 LEVEL CM	14415,1522 litre	77,391 %	4211,3506 litre	O
490	CM 110	CM	158 LEVEL CM	14318,3967 litre	76,871 %	4308,1061 litre	O
490	CM 110	CM	157 LEVEL CM	14221,1658 litre	76,349 %	4405,3370 litre	O
490	CM 110	CM	156 LEVEL CM	14123,4718 litre	75,825 %	4503,0310 litre	O
490	CM 110	CM	155 LEVEL CM	14025,3266 litre	75,298 %	4601,1762 litre	O
490	CM 110	CM	154 LEVEL CM	13926,7421 litre	74,768 %	4699,7607 litre	O
490	CM 110	CM	153 LEVEL CM	13827,7298 litre	74,237 %	4798,7730 litre	O
490	CM 110	CM	152 LEVEL CM	13728,3014 litre	73,703 %	4898,2014 litre	O
490	CM 110	CM	151 LEVEL CM	13628,4680 litre	73,167 %	4998,0348 litre	O
490	CM 110	CM	150 LEVEL CM	13528,2410 litre	72,629 %	5098,2618 litre	O
490	CM 110	CM	149 LEVEL CM	13427,6314 litre	72,089 %	5198,8714 litre	O
490	CM 110	CM	148 LEVEL CM	13326,6503 litre	71,547 %	5299,8525 litre	O
490	CM 110	CM	147 LEVEL CM	13225,3084 litre	71,003 %	5401,1944 litre	O
490	CM 110	CM	146 LEVEL CM	13123,6164 litre	70,457 %	5502,8864 litre	O
490	CM 110	CM	145 LEVEL CM	13021,5850 litre	69,909 %	5604,9178 litre	O
490	CM 110	CM	144 LEVEL CM	12919,2247 litre	69,359 %	5707,2781 litre	O
490	CM 110	CM	143 LEVEL CM	12816,5458 litre	68,808 %	5809,9570 litre	O
490	CM 110	CM	142 LEVEL CM	12713,5588 litre	68,255 %	5912,9440 litre	O
490	CM 110	CM	141 LEVEL CM	12610,2738 litre	67,701 %	6016,2290 litre	O
490	CM 110	CM	140 LEVEL CM	12506,7009 litre	67,145 %	6119,8019 litre	O
490	CM 110	CM	139 LEVEL CM	12402,8502 litre	66,587 %	6223,6526 litre	O
490	CM 110	CM	138 LEVEL CM	12298,7317 litre	66,028 %	6327,7711 litre	O
490	CM 110	CM	137 LEVEL CM	12194,3552 litre	65,468 %	6432,1476 litre	O
490	CM 110	CM	136 LEVEL CM	12089,7305 litre	64,906 %	6536,7723 litre	O
490	CM 110	CM	135 LEVEL CM	11984,8675 litre	64,343 %	6641,6353 litre	O
490	CM 110	CM	134 LEVEL CM	11879,7758 litre	63,779 %	6746,7270 litre	O
490	CM 110	CM	133 LEVEL CM	11774,4649 litre	63,214 %	6852,0379 litre	O
490	CM 110	CM	132 LEVEL CM	11668,9445 litre	62,647 %	6957,5583 litre	O
490	CM 110	CM	131 LEVEL CM	11563,2241 litre	62,079 %	7063,2787 litre	O
490	CM 110	CM	130 LEVEL CM	11457,3130 litre	61,511 %	7169,1898 litre	O
490	CM 110	CM	129 LEVEL CM	11351,2208 litre	60,941 %	7275,2820 litre	O
490	CM 110	CM	128 LEVEL CM	11244,9567 litre	60,371 %	7381,5461 litre	O
490	CM 110	CM	127 LEVEL CM	11138,5300 litre	59,799 %	7487,9728 litre	O
490	CM 110	CM	126 LEVEL CM	11031,9500 litre	59,227 %	7594,5528 litre	O
490	CM 110	CM	125 LEVEL CM	10925,2260 litre	58,654 %	7701,2768 litre	O
490	CM 110	CM	124 LEVEL CM	10818,3670 litre	58,081 %	7808,1358 litre	O
490	CM 110	CM	123 LEVEL CM	10711,3823 litre	57,506 %	7915,1205 litre	O
490	CM 110	CM	122 LEVEL CM	10604,2810 litre	56,931 %	8022,2218 litre	O
490	CM 110	CM	121 LEVEL CM	10497,0721 litre	56,356 %	8129,4307 litre	O
490	CM 110	CM	120 LEVEL CM	10389,7647 litre	55,779 %	8236,7381 litre	O
490	CM 110	CM	119 LEVEL CM	10282,3679 litre	55,203 %	8344,1349 litre	O
490	CM 110	CM	118 LEVEL CM	10174,8906 litre	54,626 %	8451,6122 litre	O
490	CM 110	CM	117 LEVEL CM	10067,3418 litre	54,048 %	8559,1610 litre	O
490	CM 110	CM	116 LEVEL CM	9959,7306 litre	53,471 %	8666,7722 litre	O

490	CM 110	CM	115 LEVEL CM	9852,0658 litre	52,893 %	8774,4370 litre	O
490	CM 110	CM	114 LEVEL CM	9744,3564 litre	52,314 %	8882,1464 litre	O
490	CM 110	CM	113 LEVEL CM	9636,6113 litre	51,736 %	8989,8915 litre	O
490	CM 110	CM	112 LEVEL CM	9528,8395 litre	51,157 %	9097,6633 litre	O
490	CM 110	CM	111 LEVEL CM	9421,0499 litre	50,579 %	9205,4529 litre	O
490	CM 110	CM	110 LEVEL CM	9313,2514 litre	50,000 %	9313,2514 litre	O
490	CM 110	CM	109 LEVEL CM	9205,4529 litre	49,421 %	9421,0499 litre	O
490	CM 110	CM	108 LEVEL CM	9097,6633 litre	48,843 %	9528,8395 litre	O
490	CM 110	CM	107 LEVEL CM	8989,8915 litre	48,264 %	9636,6113 litre	O
490	CM 110	CM	106 LEVEL CM	8882,1465 litre	47,686 %	9744,3563 litre	O
490	CM 110	CM	105 LEVEL CM	8774,4371 litre	47,107 %	9852,0657 litre	O
490	CM 110	CM	104 LEVEL CM	8666,7723 litre	46,529 %	9959,7305 litre	O
490	CM 110	CM	103 LEVEL CM	8559,1610 litre	45,952 %	10067,3418 litre	O
490	CM 110	CM	102 LEVEL CM	8451,6123 litre	45,374 %	10174,8905 litre	O
490	CM 110	CM	101 LEVEL CM	8344,1350 litre	44,797 %	10282,3678 litre	O
490	CM 110	CM	100 LEVEL CM	8236,7381 litre	44,221 %	10389,7647 litre	O
490	CM 110	CM	99 LEVEL CM	8129,4307 litre	43,644 %	10497,0721 litre	O
490	CM 110	CM	98 LEVEL CM	8022,2218 litre	43,069 %	10604,2810 litre	O
490	CM 110	CM	97 LEVEL CM	7915,1205 litre	42,494 %	10711,3823 litre	O
490	CM 110	CM	96 LEVEL CM	7808,1358 litre	41,919 %	10818,3670 litre	O
490	CM 110	CM	95 LEVEL CM	7701,2769 litre	41,346 %	10925,2259 litre	O
490	CM 110	CM	94 LEVEL CM	7594,5528 litre	40,773 %	11031,9500 litre	O
490	CM 110	CM	93 LEVEL CM	7487,9728 litre	40,201 %	11138,5300 litre	O
490	CM 110	CM	92 LEVEL CM	7381,5462 litre	39,629 %	11244,9566 litre	O
490	CM 110	CM	91 LEVEL CM	7275,2821 litre	39,059 %	11351,2207 litre	O
490	CM 110	CM	90 LEVEL CM	7169,1898 litre	38,489 %	11457,3130 litre	O
490	CM 110	CM	89 LEVEL CM	7063,2788 litre	37,921 %	11563,2240 litre	O
490	CM 110	CM	88 LEVEL CM	6957,5583 litre	37,353 %	11668,9445 litre	O
490	CM 110	CM	87 LEVEL CM	6852,0379 litre	36,786 %	11774,4649 litre	O
490	CM 110	CM	86 LEVEL CM	6746,7271 litre	36,221 %	11879,7757 litre	O
490	CM 110	CM	85 LEVEL CM	6641,6353 litre	35,657 %	11984,8675 litre	O
490	CM 110	CM	84 LEVEL CM	6536,7723 litre	35,094 %	12089,7305 litre	O
490	CM 110	CM	83 LEVEL CM	6432,1477 litre	34,532 %	12194,3551 litre	O
490	CM 110	CM	82 LEVEL CM	6327,7712 litre	33,972 %	12298,7316 litre	O
490	CM 110	CM	81 LEVEL CM	6223,6526 litre	33,413 %	12402,8502 litre	O
490	CM 110	CM	80 LEVEL CM	6119,8020 litre	32,855 %	12506,7008 litre	O
490	CM 110	CM	79 LEVEL CM	6016,2291 litre	32,299 %	12610,2737 litre	O
490	CM 110	CM	78 LEVEL CM	5912,9441 litre	31,745 %	12713,5587 litre	O
490	CM 110	CM	77 LEVEL CM	5809,9570 litre	31,192 %	12816,5458 litre	O
490	CM 110	CM	76 LEVEL CM	5707,2782 litre	30,641 %	12919,2246 litre	O
490	CM 110	CM	75 LEVEL CM	5604,9179 litre	30,091 %	13021,5849 litre	O
490	CM 110	CM	74 LEVEL CM	5502,8865 litre	29,543 %	13123,6163 litre	O
490	CM 110	CM	73 LEVEL CM	5401,1945 litre	28,997 %	13225,3083 litre	O
490	CM 110	CM	72 LEVEL CM	5299,8526 litre	28,453 %	13326,6502 litre	O
490	CM 110	CM	71 LEVEL CM	5198,8714 litre	27,911 %	13427,6314 litre	O
490	CM 110	CM	70 LEVEL CM	5098,2618 litre	27,371 %	13528,2410 litre	O
490	CM 110	CM	69 LEVEL CM	4998,0348 litre	26,833 %	13628,4680 litre	O
490	CM 110	CM	68 LEVEL CM	4898,2015 litre	26,297 %	13728,3013 litre	O
490	CM 110	CM	67 LEVEL CM	4798,7730 litre	25,763 %	13827,7298 litre	O
490	CM 110	CM	66 LEVEL CM	4699,7607 litre	25,232 %	13926,7421 litre	O
490	CM 110	CM	65 LEVEL CM	4601,1762 litre	24,702 %	14025,3266 litre	O
490	CM 110	CM	64 LEVEL CM	4503,0310 litre	24,175 %	14123,4718 litre	O
490	CM 110	CM	63 LEVEL CM	4405,3370 litre	23,651 %	14221,1658 litre	O

490	CM 110	CM	62 LEVEL CM	4308,1062 litre	23,129 %	14318,3966 litre	O
490	CM 110	CM	61 LEVEL CM	4211,3506 litre	22,609 %	14415,1522 litre	O
490	CM 110	CM	60 LEVEL CM	4115,0826 litre	22,093 %	14511,4202 litre	O
490	CM 110	CM	59 LEVEL CM	4019,3148 litre	21,578 %	14607,1880 litre	O
490	CM 110	CM	58 LEVEL CM	3924,0598 litre	21,067 %	14702,4430 litre	O
490	CM 110	CM	57 LEVEL CM	3829,3305 litre	20,559 %	14797,1723 litre	O
490	CM 110	CM	56 LEVEL CM	3735,1401 litre	20,053 %	14891,3627 litre	O
490	CM 110	CM	55 LEVEL CM	3641,5020 litre	19,550 %	14985,0008 litre	O
490	CM 110	CM	54 LEVEL CM	3548,4296 litre	19,050 %	15078,0732 litre	O
490	CM 110	CM	53 LEVEL CM	3455,9370 litre	18,554 %	15170,5658 litre	O
490	CM 110	CM	52 LEVEL CM	3364,0381 litre	18,060 %	15262,4647 litre	O
490	CM 110	CM	51 LEVEL CM	3272,7473 litre	17,570 %	15353,7555 litre	O
490	CM 110	CM	50 LEVEL CM	3182,0794 litre	17,084 %	15444,4234 litre	O
490	CM 110	CM	49 LEVEL CM	3092,0493 litre	16,600 %	15534,4535 litre	O
490	CM 110	CM	48 LEVEL CM	3002,6723 litre	16,120 %	15623,8305 litre	O
490	CM 110	CM	47 LEVEL CM	2913,9640 litre	15,644 %	15712,5388 litre	O
490	CM 110	CM	46 LEVEL CM	2825,9404 litre	15,172 %	15800,5624 litre	O
490	CM 110	CM	45 LEVEL CM	2738,6180 litre	14,703 %	15887,8848 litre	O
490	CM 110	CM	44 LEVEL CM	2652,0133 litre	14,238 %	15974,4895 litre	O
490	CM 110	CM	43 LEVEL CM	2566,1438 litre	13,777 %	16060,3590 litre	O
490	CM 110	CM	42 LEVEL CM	2481,0269 litre	13,320 %	16145,4759 litre	O
490	CM 110	CM	41 LEVEL CM	2396,6807 litre	12,867 %	16229,8221 litre	O
490	CM 110	CM	40 LEVEL CM	2313,1239 litre	12,418 %	16313,3789 litre	O
490	CM 110	CM	39 LEVEL CM	2230,3757 litre	11,974 %	16396,1271 litre	O
490	CM 110	CM	38 LEVEL CM	2148,4556 litre	11,534 %	16478,0472 litre	O
490	CM 110	CM	37 LEVEL CM	2067,3841 litre	11,099 %	16559,1187 litre	O
490	CM 110	CM	36 LEVEL CM	1987,1820 litre	10,669 %	16639,3208 litre	O
490	CM 110	CM	35 LEVEL CM	1907,8710 litre	10,243 %	16718,6318 litre	O
490	CM 110	CM	34 LEVEL CM	1829,4735 litre	9,822 %	16797,0293 litre	O
490	CM 110	CM	33 LEVEL CM	1752,0126 litre	9,406 %	16874,4902 litre	O
490	CM 110	CM	32 LEVEL CM	1675,5124 litre	8,995 %	16950,9904 litre	O
490	CM 110	CM	31 LEVEL CM	1599,9979 litre	8,590 %	17026,5049 litre	O
490	CM 110	CM	30 LEVEL CM	1525,4948 litre	8,190 %	17101,0080 litre	O
490	CM 110	CM	29 LEVEL CM	1452,0303 litre	7,796 %	17174,4725 litre	O
490	CM 110	CM	28 LEVEL CM	1379,6325 litre	7,407 %	17246,8703 litre	O
490	CM 110	CM	27 LEVEL CM	1308,3307 litre	7,024 %	17318,1721 litre	O
490	CM 110	CM	26 LEVEL CM	1238,1559 litre	6,647 %	17388,3469 litre	O
490	CM 110	CM	25 LEVEL CM	1169,1404 litre	6,277 %	17457,3624 litre	O
490	CM 110	CM	24 LEVEL CM	1101,3180 litre	5,913 %	17525,1848 litre	O
490	CM 110	CM	23 LEVEL CM	1034,7246 litre	5,555 %	17591,7782 litre	O
490	CM 110	CM	22 LEVEL CM	969,3981 litre	5,204 %	17657,1047 litre	O
490	CM 110	CM	21 LEVEL CM	905,3784 litre	4,861 %	17721,1244 litre	O
490	CM 110	CM	20 LEVEL CM	842,7081 litre	4,524 %	17783,7947 litre	O
490	CM 110	CM	19 LEVEL CM	781,4327 litre	4,195 %	17845,0701 litre	O
490	CM 110	CM	18 LEVEL CM	721,6007 litre	3,874 %	17904,9021 litre	O
490	CM 110	CM	17 LEVEL CM	663,2642 litre	3,561 %	17963,2386 litre	O
490	CM 110	CM	16 LEVEL CM	606,4796 litre	3,256 %	18020,0232 litre	O
490	CM 110	CM	15 LEVEL CM	551,3078 litre	2,960 %	18075,1950 litre	O
490	CM 110	CM	14 LEVEL CM	497,8155 litre	2,673 %	18128,6873 litre	O
490	CM 110	CM	13 LEVEL CM	446,0757 litre	2,395 %	18180,4271 litre	O
490	CM 110	CM	12 LEVEL CM	396,1692 litre	2,127 %	18230,3336 litre	O
490	CM 110	CM	11 LEVEL CM	348,1859 litre	1,869 %	18278,3169 litre	O
490	CM 110	CM	10 LEVEL CM	302,2272 litre	1,623 %	18324,2756 litre	O

490	CM	110	CM	9 LEVEL CM	258,4086 litre	1,387 %	18368,0942 litre	O
490	CM	110	CM	8 LEVEL CM	216,8632 litre	1,164 %	18409,6396 litre	O
490	CM	110	CM	7 LEVEL CM	177,7476 litre	0,954 %	18448,7552 litre	O
490	CM	110	CM	6 LEVEL CM	141,2497 litre	0,758 %	18485,2531 litre	O
490	CM	110	CM	5 LEVEL CM	107,6013 litre	0,578 %	18518,9015 litre	O
490	CM	110	CM	4 LEVEL CM	77,0998 litre	0,414 %	18549,4030 litre	O
490	CM	110	CM	3 LEVEL CM	50,1468 litre	0,269 %	18576,3560 litre	O
490	CM	110	CM	2 LEVEL CM	27,3340 litre	0,147 %	18599,1688 litre	O
490	CM	110	CM	1 LEVEL CM	9,6773 litre	0,052 %	18616,8255 litre	O
490	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	18626,5028 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 105	CM 210 LEVEL CM	16971,6689 litre	100,000 %	0,0000 litre	O
490	CM 105	CM 209 LEVEL CM	16962,2148 litre	99,944 %	9,4541 litre	O
490	CM 105	CM 208 LEVEL CM	16944,9669 litre	99,843 %	26,7020 litre	O
490	CM 105	CM 207 LEVEL CM	16922,6847 litre	99,711 %	48,9842 litre	O
490	CM 105	CM 206 LEVEL CM	16896,3616 litre	99,556 %	75,3073 litre	O
490	CM 105	CM 205 LEVEL CM	16866,5761 litre	99,381 %	105,0928 litre	O
490	CM 105	CM 204 LEVEL CM	16833,7216 litre	99,187 %	137,9473 litre	O
490	CM 105	CM 203 LEVEL CM	16798,0887 litre	98,977 %	173,5802 litre	O
490	CM 105	CM 202 LEVEL CM	16759,9046 litre	98,752 %	211,7643 litre	O
490	CM 105	CM 201 LEVEL CM	16719,3533 litre	98,513 %	252,3156 litre	O
490	CM 105	CM 200 LEVEL CM	16676,5881 litre	98,261 %	295,0808 litre	O
490	CM 105	CM 199 LEVEL CM	16631,7397 litre	97,997 %	339,9292 litre	O
490	CM 105	CM 198 LEVEL CM	16584,9213 litre	97,721 %	386,7476 litre	O
490	CM 105	CM 197 LEVEL CM	16536,2322 litre	97,434 %	435,4367 litre	O
490	CM 105	CM 196 LEVEL CM	16485,7607 litre	97,137 %	485,9082 litre	O
490	CM 105	CM 195 LEVEL CM	16433,5862 litre	96,830 %	538,0827 litre	O
490	CM 105	CM 194 LEVEL CM	16379,7803 litre	96,512 %	591,8886 litre	O
490	CM 105	CM 193 LEVEL CM	16324,4084 litre	96,186 %	647,2605 litre	O
490	CM 105	CM 192 LEVEL CM	16267,5306 litre	95,851 %	704,1383 litre	O
490	CM 105	CM 191 LEVEL CM	16209,2022 litre	95,507 %	762,4667 litre	O
490	CM 105	CM 190 LEVEL CM	16149,4744 litre	95,155 %	822,1945 litre	O
490	CM 105	CM 189 LEVEL CM	16088,3950 litre	94,796 %	883,2739 litre	O
490	CM 105	CM 188 LEVEL CM	16026,0088 litre	94,428 %	945,6601 litre	O
490	CM 105	CM 187 LEVEL CM	15962,3576 litre	94,053 %	1009,3113 litre	O
490	CM 105	CM 186 LEVEL CM	15897,4808 litre	93,671 %	1074,1881 litre	O
490	CM 105	CM 185 LEVEL CM	15831,4158 litre	93,281 %	1140,2531 litre	O
490	CM 105	CM 184 LEVEL CM	15764,1979 litre	92,885 %	1207,4710 litre	O
490	CM 105	CM 183 LEVEL CM	15695,8605 litre	92,483 %	1275,8084 litre	O
490	CM 105	CM 182 LEVEL CM	15626,4354 litre	92,074 %	1345,2335 litre	O
490	CM 105	CM 181 LEVEL CM	15555,9533 litre	91,658 %	1415,7156 litre	O
490	CM 105	CM 180 LEVEL CM	15484,4430 litre	91,237 %	1487,2259 litre	O
490	CM 105	CM 179 LEVEL CM	15411,9323 litre	90,810 %	1559,7366 litre	O
490	CM 105	CM 178 LEVEL CM	15338,4481 litre	90,377 %	1633,2208 litre	O
490	CM 105	CM 177 LEVEL CM	15264,0159 litre	89,938 %	1707,6530 litre	O
490	CM 105	CM 176 LEVEL CM	15188,6604 litre	89,494 %	1783,0085 litre	O
490	CM 105	CM 175 LEVEL CM	15112,4053 litre	89,045 %	1859,2636 litre	O
490	CM 105	CM 174 LEVEL CM	15035,2736 litre	88,590 %	1936,3953 litre	O
490	CM 105	CM 173 LEVEL CM	14957,2875 litre	88,131 %	2014,3814 litre	O
490	CM 105	CM 172 LEVEL CM	14878,4684 litre	87,667 %	2093,2005 litre	O
490	CM 105	CM 171 LEVEL CM	14798,8371 litre	87,197 %	2172,8318 litre	O
490	CM 105	CM 170 LEVEL CM	14718,4137 litre	86,723 %	2253,2552 litre	O
490	CM 105	CM 169 LEVEL CM	14637,2178 litre	86,245 %	2334,4511 litre	O
490	CM 105	CM 168 LEVEL CM	14555,2683 litre	85,762 %	2416,4006 litre	O
490	CM 105	CM 167 LEVEL CM	14472,5838 litre	85,275 %	2499,0851 litre	O
490	CM 105	CM 166 LEVEL CM	14389,1823 litre	84,784 %	2582,4866 litre	O
490	CM 105	CM 165 LEVEL CM	14305,0813 litre	84,288 %	2666,5876 litre	O
490	CM 105	CM 164 LEVEL CM	14220,2978 litre	83,788 %	2751,3711 litre	O
490	CM 105	CM 163 LEVEL CM	14134,8486 litre	83,285 %	2836,8203 litre	O
490	CM 105	CM 162 LEVEL CM	14048,7500 litre	82,778 %	2922,9189 litre	O
490	CM 105	CM 161 LEVEL CM	13962,0179 litre	82,267 %	3009,6510 litre	O
490	CM 105	CM 160 LEVEL CM	13874,6678 litre	81,752 %	3097,0011 litre	O
490	CM 105	CM 159 LEVEL CM	13786,7152 litre	81,234 %	3184,9537 litre	O

490	CM	105	CM	158 LEVEL CM	13698,1748 litre	80,712 %	3273,4941 litre	O
490	CM	105	CM	157 LEVEL CM	13609,0614 litre	80,187 %	3362,6075 litre	O
490	CM	105	CM	156 LEVEL CM	13519,3893 litre	79,659 %	3452,2796 litre	O
490	CM	105	CM	155 LEVEL CM	13429,1726 litre	79,127 %	3542,4963 litre	O
490	CM	105	CM	154 LEVEL CM	13338,4252 litre	78,592 %	3633,2437 litre	O
490	CM	105	CM	153 LEVEL CM	13247,1608 litre	78,055 %	3724,5081 litre	O
490	CM	105	CM	152 LEVEL CM	13155,3925 litre	77,514 %	3816,2764 litre	O
490	CM	105	CM	151 LEVEL CM	13063,1337 litre	76,970 %	3908,5352 litre	O
490	CM	105	CM	150 LEVEL CM	12970,3973 litre	76,424 %	4001,2716 litre	O
490	CM	105	CM	149 LEVEL CM	12877,1960 litre	75,875 %	4094,4729 litre	O
490	CM	105	CM	148 LEVEL CM	12783,5424 litre	75,323 %	4188,1265 litre	O
490	CM	105	CM	147 LEVEL CM	12689,4489 litre	74,768 %	4282,2200 litre	O
490	CM	105	CM	146 LEVEL CM	12594,9277 litre	74,211 %	4376,7412 litre	O
490	CM	105	CM	145 LEVEL CM	12499,9907 litre	73,652 %	4471,6782 litre	O
490	CM	105	CM	144 LEVEL CM	12404,6500 litre	73,090 %	4567,0189 litre	O
490	CM	105	CM	143 LEVEL CM	12308,9172 litre	72,526 %	4662,7517 litre	O
490	CM	105	CM	142 LEVEL CM	12212,8040 litre	71,960 %	4758,8649 litre	O
490	CM	105	CM	141 LEVEL CM	12116,3217 litre	71,391 %	4855,3472 litre	O
490	CM	105	CM	140 LEVEL CM	12019,4818 litre	70,821 %	4952,1871 litre	O
490	CM	105	CM	139 LEVEL CM	11922,2953 litre	70,248 %	5049,3736 litre	O
490	CM	105	CM	138 LEVEL CM	11824,7735 litre	69,674 %	5146,8954 litre	O
490	CM	105	CM	137 LEVEL CM	11726,9272 litre	69,097 %	5244,7417 litre	O
490	CM	105	CM	136 LEVEL CM	11628,7673 litre	68,519 %	5342,9016 litre	O
490	CM	105	CM	135 LEVEL CM	11530,3046 litre	67,939 %	5441,3643 litre	O
490	CM	105	CM	134 LEVEL CM	11431,5496 litre	67,357 %	5540,1193 litre	O
490	CM	105	CM	133 LEVEL CM	11332,5131 litre	66,773 %	5639,1558 litre	O
490	CM	105	CM	132 LEVEL CM	11233,2054 litre	66,188 %	5738,4635 litre	O
490	CM	105	CM	131 LEVEL CM	11133,6369 litre	65,601 %	5838,0320 litre	O
490	CM	105	CM	130 LEVEL CM	11033,8179 litre	65,013 %	5937,8510 litre	O
490	CM	105	CM	129 LEVEL CM	10933,7587 litre	64,424 %	6037,9102 litre	O
490	CM	105	CM	128 LEVEL CM	10833,4694 litre	63,833 %	6138,1995 litre	O
490	CM	105	CM	127 LEVEL CM	10732,9601 litre	63,240 %	6238,7088 litre	O
490	CM	105	CM	126 LEVEL CM	10632,2408 litre	62,647 %	6339,4281 litre	O
490	CM	105	CM	125 LEVEL CM	10531,3214 litre	62,052 %	6440,3475 litre	O
490	CM	105	CM	124 LEVEL CM	10430,2119 litre	61,457 %	6541,4570 litre	O
490	CM	105	CM	123 LEVEL CM	10328,9220 litre	60,860 %	6642,7469 litre	O
490	CM	105	CM	122 LEVEL CM	10227,4617 litre	60,262 %	6744,2072 litre	O
490	CM	105	CM	121 LEVEL CM	10125,8405 litre	59,663 %	6845,8284 litre	O
490	CM	105	CM	120 LEVEL CM	10024,0683 litre	59,064 %	6947,6006 litre	O
490	CM	105	CM	119 LEVEL CM	9922,1546 litre	58,463 %	7049,5143 litre	O
490	CM	105	CM	118 LEVEL CM	9820,1090 litre	57,862 %	7151,5599 litre	O
490	CM	105	CM	117 LEVEL CM	9717,9412 litre	57,260 %	7253,7277 litre	O
490	CM	105	CM	116 LEVEL CM	9615,6606 litre	56,657 %	7356,0083 litre	O
490	CM	105	CM	115 LEVEL CM	9513,2768 litre	56,054 %	7458,3921 litre	O
490	CM	105	CM	114 LEVEL CM	9410,7992 litre	55,450 %	7560,8697 litre	O
490	CM	105	CM	113 LEVEL CM	9308,2373 litre	54,846 %	7663,4316 litre	O
490	CM	105	CM	112 LEVEL CM	9205,6005 litre	54,241 %	7766,0684 litre	O
490	CM	105	CM	111 LEVEL CM	9102,8983 litre	53,636 %	7868,7706 litre	O
490	CM	105	CM	110 LEVEL CM	9000,1399 litre	53,030 %	7971,5290 litre	O
490	CM	105	CM	109 LEVEL CM	8897,3349 litre	52,425 %	8074,3340 litre	O
490	CM	105	CM	108 LEVEL CM	8794,4925 litre	51,819 %	8177,1764 litre	O
490	CM	105	CM	107 LEVEL CM	8691,6220 litre	51,213 %	8280,0469 litre	O
490	CM	105	CM	106 LEVEL CM	8588,7329 litre	50,606 %	8382,9360 litre	O

490	CM	105	CM	105 LEVEL CM	8485,8345 litre	50,000 %	8485,8344 litre	O
490	CM	105	CM	104 LEVEL CM	8382,9360 litre	49,394 %	8588,7329 litre	O
490	CM	105	CM	103 LEVEL CM	8280,0469 litre	48,787 %	8691,6220 litre	O
490	CM	105	CM	102 LEVEL CM	8177,1765 litre	48,181 %	8794,4924 litre	O
490	CM	105	CM	101 LEVEL CM	8074,3340 litre	47,575 %	8897,3349 litre	O
490	CM	105	CM	100 LEVEL CM	7971,5290 litre	46,970 %	9000,1399 litre	O
490	CM	105	CM	99 LEVEL CM	7868,7706 litre	46,364 %	9102,8983 litre	O
490	CM	105	CM	98 LEVEL CM	7766,0684 litre	45,759 %	9205,6005 litre	O
490	CM	105	CM	97 LEVEL CM	7663,4316 litre	45,154 %	9308,2373 litre	O
490	CM	105	CM	96 LEVEL CM	7560,8697 litre	44,550 %	9410,7992 litre	O
490	CM	105	CM	95 LEVEL CM	7458,3921 litre	43,946 %	9513,2768 litre	O
490	CM	105	CM	94 LEVEL CM	7356,0083 litre	43,343 %	9615,6606 litre	O
490	CM	105	CM	93 LEVEL CM	7253,7277 litre	42,740 %	9717,9412 litre	O
490	CM	105	CM	92 LEVEL CM	7151,5599 litre	42,138 %	9820,1090 litre	O
490	CM	105	CM	91 LEVEL CM	7049,5144 litre	41,537 %	9922,1545 litre	O
490	CM	105	CM	90 LEVEL CM	6947,6006 litre	40,936 %	10024,0683 litre	O
490	CM	105	CM	89 LEVEL CM	6845,8284 litre	40,337 %	10125,8405 litre	O
490	CM	105	CM	88 LEVEL CM	6744,2072 litre	39,738 %	10227,4617 litre	O
490	CM	105	CM	87 LEVEL CM	6642,7469 litre	39,140 %	10328,9220 litre	O
490	CM	105	CM	86 LEVEL CM	6541,4570 litre	38,543 %	10430,2119 litre	O
490	CM	105	CM	85 LEVEL CM	6440,3475 litre	37,948 %	10531,3214 litre	O
490	CM	105	CM	84 LEVEL CM	6339,4282 litre	37,353 %	10632,2407 litre	O
490	CM	105	CM	83 LEVEL CM	6238,7088 litre	36,760 %	10732,9601 litre	O
490	CM	105	CM	82 LEVEL CM	6138,1995 litre	36,167 %	10833,4694 litre	O
490	CM	105	CM	81 LEVEL CM	6037,9102 litre	35,576 %	10933,7587 litre	O
490	CM	105	CM	80 LEVEL CM	5937,8510 litre	34,987 %	11033,8179 litre	O
490	CM	105	CM	79 LEVEL CM	5838,0320 litre	34,399 %	11133,6369 litre	O
490	CM	105	CM	78 LEVEL CM	5738,4635 litre	33,812 %	11233,2054 litre	O
490	CM	105	CM	77 LEVEL CM	5639,1558 litre	33,227 %	11332,5131 litre	O
490	CM	105	CM	76 LEVEL CM	5540,1193 litre	32,643 %	11431,5496 litre	O
490	CM	105	CM	75 LEVEL CM	5441,3644 litre	32,061 %	11530,3045 litre	O
490	CM	105	CM	74 LEVEL CM	5342,9016 litre	31,481 %	11628,7673 litre	O
490	CM	105	CM	73 LEVEL CM	5244,7417 litre	30,903 %	11726,9272 litre	O
490	CM	105	CM	72 LEVEL CM	5146,8954 litre	30,326 %	11824,7735 litre	O
490	CM	105	CM	71 LEVEL CM	5049,3736 litre	29,752 %	11922,2953 litre	O
490	CM	105	CM	70 LEVEL CM	4952,1871 litre	29,179 %	12019,4818 litre	O
490	CM	105	CM	69 LEVEL CM	4855,3472 litre	28,609 %	12116,3217 litre	O
490	CM	105	CM	68 LEVEL CM	4758,8649 litre	28,040 %	12212,8040 litre	O
490	CM	105	CM	67 LEVEL CM	4662,7517 litre	27,474 %	12308,9172 litre	O
490	CM	105	CM	66 LEVEL CM	4567,0189 litre	26,910 %	12404,6500 litre	O
490	CM	105	CM	65 LEVEL CM	4471,6782 litre	26,348 %	12499,9907 litre	O
490	CM	105	CM	64 LEVEL CM	4376,7413 litre	25,789 %	12594,9276 litre	O
490	CM	105	CM	63 LEVEL CM	4282,2200 litre	25,232 %	12689,4489 litre	O
490	CM	105	CM	62 LEVEL CM	4188,1265 litre	24,677 %	12783,5424 litre	O
490	CM	105	CM	61 LEVEL CM	4094,4729 litre	24,125 %	12877,1960 litre	O
490	CM	105	CM	60 LEVEL CM	4001,2716 litre	23,576 %	12970,3973 litre	O
490	CM	105	CM	59 LEVEL CM	3908,5352 litre	23,030 %	13063,1337 litre	O
490	CM	105	CM	58 LEVEL CM	3816,2764 litre	22,486 %	13155,3925 litre	O
490	CM	105	CM	57 LEVEL CM	3724,5082 litre	21,945 %	13247,1607 litre	O
490	CM	105	CM	56 LEVEL CM	3633,2437 litre	21,408 %	13338,4252 litre	O
490	CM	105	CM	55 LEVEL CM	3542,4963 litre	20,873 %	13429,1726 litre	O
490	CM	105	CM	54 LEVEL CM	3452,2796 litre	20,341 %	13519,3893 litre	O
490	CM	105	CM	53 LEVEL CM	3362,6075 litre	19,813 %	13609,0614 litre	O

490	CM	105	CM	52 LEVEL CM	3273,4941 litre	19,288 %	13698,1748 litre	O
490	CM	105	CM	51 LEVEL CM	3184,9538 litre	18,766 %	13786,7151 litre	O
490	CM	105	CM	50 LEVEL CM	3097,0011 litre	18,248 %	13874,6678 litre	O
490	CM	105	CM	49 LEVEL CM	3009,6511 litre	17,733 %	13962,0178 litre	O
490	CM	105	CM	48 LEVEL CM	2922,9189 litre	17,222 %	14048,7500 litre	O
490	CM	105	CM	47 LEVEL CM	2836,8203 litre	16,715 %	14134,8486 litre	O
490	CM	105	CM	46 LEVEL CM	2751,3711 litre	16,212 %	14220,2978 litre	O
490	CM	105	CM	45 LEVEL CM	2666,5877 litre	15,712 %	14305,0812 litre	O
490	CM	105	CM	44 LEVEL CM	2582,4866 litre	15,216 %	14389,1823 litre	O
490	CM	105	CM	43 LEVEL CM	2499,0851 litre	14,725 %	14472,5838 litre	O
490	CM	105	CM	42 LEVEL CM	2416,4006 litre	14,238 %	14555,2683 litre	O
490	CM	105	CM	41 LEVEL CM	2334,4512 litre	13,755 %	14637,2177 litre	O
490	CM	105	CM	40 LEVEL CM	2253,2552 litre	13,277 %	14718,4137 litre	O
490	CM	105	CM	39 LEVEL CM	2172,8318 litre	12,803 %	14798,8371 litre	O
490	CM	105	CM	38 LEVEL CM	2093,2005 litre	12,333 %	14878,4684 litre	O
490	CM	105	CM	37 LEVEL CM	2014,3814 litre	11,869 %	14957,2875 litre	O
490	CM	105	CM	36 LEVEL CM	1936,3953 litre	11,410 %	15035,2736 litre	O
490	CM	105	CM	35 LEVEL CM	1859,2636 litre	10,955 %	15112,4053 litre	O
490	CM	105	CM	34 LEVEL CM	1783,0085 litre	10,506 %	15188,6604 litre	O
490	CM	105	CM	33 LEVEL CM	1707,6530 litre	10,062 %	15264,0159 litre	O
490	CM	105	CM	32 LEVEL CM	1633,2208 litre	9,623 %	15338,4481 litre	O
490	CM	105	CM	31 LEVEL CM	1559,7366 litre	9,190 %	15411,9323 litre	O
490	CM	105	CM	30 LEVEL CM	1487,2260 litre	8,763 %	15484,4429 litre	O
490	CM	105	CM	29 LEVEL CM	1415,7157 litre	8,342 %	15555,9532 litre	O
490	CM	105	CM	28 LEVEL CM	1345,2335 litre	7,926 %	15626,4354 litre	O
490	CM	105	CM	27 LEVEL CM	1275,8085 litre	7,517 %	15695,8604 litre	O
490	CM	105	CM	26 LEVEL CM	1207,4710 litre	7,115 %	15764,1979 litre	O
490	CM	105	CM	25 LEVEL CM	1140,2531 litre	6,719 %	15831,4158 litre	O
490	CM	105	CM	24 LEVEL CM	1074,1881 litre	6,329 %	15897,4808 litre	O
490	CM	105	CM	23 LEVEL CM	1009,3113 litre	5,947 %	15962,3576 litre	O
490	CM	105	CM	22 LEVEL CM	945,6601 litre	5,572 %	16026,0088 litre	O
490	CM	105	CM	21 LEVEL CM	883,2739 litre	5,204 %	16088,3950 litre	O
490	CM	105	CM	20 LEVEL CM	822,1945 litre	4,845 %	16149,4744 litre	O
490	CM	105	CM	19 LEVEL CM	762,4667 litre	4,493 %	16209,2022 litre	O
490	CM	105	CM	18 LEVEL CM	704,1383 litre	4,149 %	16267,5306 litre	O
490	CM	105	CM	17 LEVEL CM	647,2605 litre	3,814 %	16324,4084 litre	O
490	CM	105	CM	16 LEVEL CM	591,8886 litre	3,488 %	16379,7803 litre	O
490	CM	105	CM	15 LEVEL CM	538,0827 litre	3,170 %	16433,5862 litre	O
490	CM	105	CM	14 LEVEL CM	485,9082 litre	2,863 %	16485,7607 litre	O
490	CM	105	CM	13 LEVEL CM	435,4367 litre	2,566 %	16536,2322 litre	O
490	CM	105	CM	12 LEVEL CM	386,7476 litre	2,279 %	16584,9213 litre	O
490	CM	105	CM	11 LEVEL CM	339,9292 litre	2,003 %	16631,7397 litre	O
490	CM	105	CM	10 LEVEL CM	295,0808 litre	1,739 %	16676,5881 litre	O
490	CM	105	CM	9 LEVEL CM	252,3157 litre	1,487 %	16719,3532 litre	O
490	CM	105	CM	8 LEVEL CM	211,7643 litre	1,248 %	16759,9046 litre	O
490	CM	105	CM	7 LEVEL CM	173,5802 litre	1,023 %	16798,0887 litre	O
490	CM	105	CM	6 LEVEL CM	137,9474 litre	0,813 %	16833,7215 litre	O
490	CM	105	CM	5 LEVEL CM	105,0928 litre	0,619 %	16866,5761 litre	O
490	CM	105	CM	4 LEVEL CM	75,3073 litre	0,444 %	16896,3616 litre	O
490	CM	105	CM	3 LEVEL CM	48,9842 litre	0,289 %	16922,6847 litre	O
490	CM	105	CM	2 LEVEL CM	26,7021 litre	0,157 %	16944,9668 litre	O
490	CM	105	CM	1 LEVEL CM	9,4542 litre	0,056 %	16962,2147 litre	O
490	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	16971,6689 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 100	CM 200 LEVEL CM	15393,8040 litre	100,000 %	0,0000 litre	O
490	CM 100	CM 199 LEVEL CM	15384,5783 litre	99,940 %	9,2257 litre	O
490	CM 100	CM 198 LEVEL CM	15367,7492 litre	99,831 %	26,0548 litre	O
490	CM 100	CM 197 LEVEL CM	15346,0106 litre	99,690 %	47,7934 litre	O
490	CM 100	CM 196 LEVEL CM	15320,3329 litre	99,523 %	73,4711 litre	O
490	CM 100	CM 195 LEVEL CM	15291,2812 litre	99,334 %	102,5228 litre	O
490	CM 100	CM 194 LEVEL CM	15259,2400 litre	99,126 %	134,5640 litre	O
490	CM 100	CM 193 LEVEL CM	15224,4937 litre	98,900 %	169,3103 litre	O
490	CM 100	CM 192 LEVEL CM	15187,2643 litre	98,658 %	206,5397 litre	O
490	CM 100	CM 191 LEVEL CM	15147,7321 litre	98,401 %	246,0719 litre	O
490	CM 100	CM 190 LEVEL CM	15106,0471 litre	98,131 %	287,7569 litre	O
490	CM 100	CM 189 LEVEL CM	15062,3372 litre	97,847 %	331,4668 litre	O
490	CM 100	CM 188 LEVEL CM	15016,7133 litre	97,550 %	377,0907 litre	O
490	CM 100	CM 187 LEVEL CM	14969,2729 litre	97,242 %	424,5311 litre	O
490	CM 100	CM 186 LEVEL CM	14920,1025 litre	96,923 %	473,7015 litre	O
490	CM 100	CM 185 LEVEL CM	14869,2798 litre	96,593 %	524,5242 litre	O
490	CM 100	CM 184 LEVEL CM	14816,8754 litre	96,252 %	576,9286 litre	O
490	CM 100	CM 183 LEVEL CM	14762,9534 litre	95,902 %	630,8506 litre	O
490	CM 100	CM 182 LEVEL CM	14707,5726 litre	95,542 %	686,2314 litre	O
490	CM 100	CM 181 LEVEL CM	14650,7875 litre	95,173 %	743,0165 litre	O
490	CM 100	CM 180 LEVEL CM	14592,6486 litre	94,796 %	801,1554 litre	O
490	CM 100	CM 179 LEVEL CM	14533,2027 litre	94,409 %	860,6013 litre	O
490	CM 100	CM 178 LEVEL CM	14472,4938 litre	94,015 %	921,3102 litre	O
490	CM 100	CM 177 LEVEL CM	14410,5632 litre	93,613 %	983,2408 litre	O
490	CM 100	CM 176 LEVEL CM	14347,4498 litre	93,203 %	1046,3542 litre	O
490	CM 100	CM 175 LEVEL CM	14283,1902 litre	92,785 %	1110,6138 litre	O
490	CM 100	CM 174 LEVEL CM	14217,8193 litre	92,361 %	1175,9847 litre	O
490	CM 100	CM 173 LEVEL CM	14151,3700 litre	91,929 %	1242,4340 litre	O
490	CM 100	CM 172 LEVEL CM	14083,8739 litre	91,491 %	1309,9301 litre	O
490	CM 100	CM 171 LEVEL CM	14015,3609 litre	91,045 %	1378,4431 litre	O
490	CM 100	CM 170 LEVEL CM	13945,8597 litre	90,594 %	1447,9443 litre	O
490	CM 100	CM 169 LEVEL CM	13875,3978 litre	90,136 %	1518,4062 litre	O
490	CM 100	CM 168 LEVEL CM	13804,0017 litre	89,672 %	1589,8023 litre	O
490	CM 100	CM 167 LEVEL CM	13731,6965 litre	89,203 %	1662,1075 litre	O
490	CM 100	CM 166 LEVEL CM	13658,5069 litre	88,727 %	1735,2971 litre	O
490	CM 100	CM 165 LEVEL CM	13584,4562 litre	88,246 %	1809,3478 litre	O
490	CM 100	CM 164 LEVEL CM	13509,5672 litre	87,760 %	1884,2368 litre	O
490	CM 100	CM 163 LEVEL CM	13433,8619 litre	87,268 %	1959,9421 litre	O
490	CM 100	CM 162 LEVEL CM	13357,3615 litre	86,771 %	2036,4425 litre	O
490	CM 100	CM 161 LEVEL CM	13280,0867 litre	86,269 %	2113,7173 litre	O
490	CM 100	CM 160 LEVEL CM	13202,0574 litre	85,762 %	2191,7466 litre	O
490	CM 100	CM 159 LEVEL CM	13123,2931 litre	85,250 %	2270,5109 litre	O
490	CM 100	CM 158 LEVEL CM	13043,8126 litre	84,734 %	2349,9914 litre	O
490	CM 100	CM 157 LEVEL CM	12963,6343 litre	84,213 %	2430,1697 litre	O
490	CM 100	CM 156 LEVEL CM	12882,7761 litre	83,688 %	2511,0279 litre	O
490	CM 100	CM 155 LEVEL CM	12801,2555 litre	83,158 %	2592,5485 litre	O
490	CM 100	CM 154 LEVEL CM	12719,0895 litre	82,625 %	2674,7145 litre	O
490	CM 100	CM 153 LEVEL CM	12636,2946 litre	82,087 %	2757,5094 litre	O
490	CM 100	CM 152 LEVEL CM	12552,8873 litre	81,545 %	2840,9167 litre	O
490	CM 100	CM 151 LEVEL CM	12468,8833 litre	80,999 %	2924,9207 litre	O
490	CM 100	CM 150 LEVEL CM	12384,2982 litre	80,450 %	3009,5058 litre	O
490	CM 100	CM 149 LEVEL CM	12299,1474 litre	79,897 %	3094,6566 litre	O

490	CM	100	CM	148 LEVEL CM	12213,4456 litre	79,340 %	3180,3584 litre	O
490	CM	100	CM	147 LEVEL CM	12127,2076 litre	78,780 %	3266,5964 litre	O
490	CM	100	CM	146 LEVEL CM	12040,4477 litre	78,216 %	3353,3563 litre	O
490	CM	100	CM	145 LEVEL CM	11953,1801 litre	77,649 %	3440,6239 litre	O
490	CM	100	CM	144 LEVEL CM	11865,4187 litre	77,079 %	3528,3853 litre	O
490	CM	100	CM	143 LEVEL CM	11777,1771 litre	76,506 %	3616,6269 litre	O
490	CM	100	CM	142 LEVEL CM	11688,4687 litre	75,930 %	3705,3353 litre	O
490	CM	100	CM	141 LEVEL CM	11599,3067 litre	75,350 %	3794,4973 litre	O
490	CM	100	CM	140 LEVEL CM	11509,7042 litre	74,768 %	3884,0998 litre	O
490	CM	100	CM	139 LEVEL CM	11419,6740 litre	74,184 %	3974,1300 litre	O
490	CM	100	CM	138 LEVEL CM	11329,2287 litre	73,596 %	4064,5753 litre	O
490	CM	100	CM	137 LEVEL CM	11238,3808 litre	73,006 %	4155,4232 litre	O
490	CM	100	CM	136 LEVEL CM	11147,1425 litre	72,413 %	4246,6615 litre	O
490	CM	100	CM	135 LEVEL CM	11055,5261 litre	71,818 %	4338,2779 litre	O
490	CM	100	CM	134 LEVEL CM	10963,5436 litre	71,220 %	4430,2604 litre	O
490	CM	100	CM	133 LEVEL CM	10871,2067 litre	70,621 %	4522,5973 litre	O
490	CM	100	CM	132 LEVEL CM	10778,5272 litre	70,019 %	4615,2768 litre	O
490	CM	100	CM	131 LEVEL CM	10685,5167 litre	69,414 %	4708,2873 litre	O
490	CM	100	CM	130 LEVEL CM	10592,1866 litre	68,808 %	4801,6174 litre	O
490	CM	100	CM	129 LEVEL CM	10498,5484 litre	68,200 %	4895,2556 litre	O
490	CM	100	CM	128 LEVEL CM	10404,6131 litre	67,590 %	4989,1909 litre	O
490	CM	100	CM	127 LEVEL CM	10310,3921 litre	66,978 %	5083,4119 litre	O
490	CM	100	CM	126 LEVEL CM	10215,8962 litre	66,364 %	5177,9078 litre	O
490	CM	100	CM	125 LEVEL CM	10121,1364 litre	65,748 %	5272,6676 litre	O
490	CM	100	CM	124 LEVEL CM	10026,1236 litre	65,131 %	5367,6804 litre	O
490	CM	100	CM	123 LEVEL CM	9930,8685 litre	64,512 %	5462,9355 litre	O
490	CM	100	CM	122 LEVEL CM	9835,3818 litre	63,892 %	5558,4222 litre	O
490	CM	100	CM	121 LEVEL CM	9739,6740 litre	63,270 %	5654,1300 litre	O
490	CM	100	CM	120 LEVEL CM	9643,7558 litre	62,647 %	5750,0482 litre	O
490	CM	100	CM	119 LEVEL CM	9547,6375 litre	62,023 %	5846,1665 litre	O
490	CM	100	CM	118 LEVEL CM	9451,3296 litre	61,397 %	5942,4744 litre	O
490	CM	100	CM	117 LEVEL CM	9354,8423 litre	60,770 %	6038,9617 litre	O
490	CM	100	CM	116 LEVEL CM	9258,1859 litre	60,142 %	6135,6181 litre	O
490	CM	100	CM	115 LEVEL CM	9161,3707 litre	59,513 %	6232,4333 litre	O
490	CM	100	CM	114 LEVEL CM	9064,4069 litre	58,883 %	6329,3971 litre	O
490	CM	100	CM	113 LEVEL CM	8967,3044 litre	58,253 %	6426,4996 litre	O
490	CM	100	CM	112 LEVEL CM	8870,0735 litre	57,621 %	6523,7305 litre	O
490	CM	100	CM	111 LEVEL CM	8772,7241 litre	56,989 %	6621,0799 litre	O
490	CM	100	CM	110 LEVEL CM	8675,2662 litre	56,356 %	6718,5378 litre	O
490	CM	100	CM	109 LEVEL CM	8577,7099 litre	55,722 %	6816,0941 litre	O
490	CM	100	CM	108 LEVEL CM	8480,0649 litre	55,088 %	6913,7391 litre	O
490	CM	100	CM	107 LEVEL CM	8382,3414 litre	54,453 %	7011,4626 litre	O
490	CM	100	CM	106 LEVEL CM	8284,5490 litre	53,817 %	7109,2550 litre	O
490	CM	100	CM	105 LEVEL CM	8186,6978 litre	53,182 %	7207,1062 litre	O
490	CM	100	CM	104 LEVEL CM	8088,7974 litre	52,546 %	7305,0066 litre	O
490	CM	100	CM	103 LEVEL CM	7990,8579 litre	51,910 %	7402,9461 litre	O
490	CM	100	CM	102 LEVEL CM	7892,8889 litre	51,273 %	7500,9151 litre	O
490	CM	100	CM	101 LEVEL CM	7794,9004 litre	50,637 %	7598,9036 litre	O
490	CM	100	CM	100 LEVEL CM	7696,9020 litre	50,000 %	7696,9020 litre	O
490	CM	100	CM	99 LEVEL CM	7598,9036 litre	49,363 %	7794,9004 litre	O
490	CM	100	CM	98 LEVEL CM	7500,9151 litre	48,727 %	7892,8889 litre	O
490	CM	100	CM	97 LEVEL CM	7402,9461 litre	48,090 %	7990,8579 litre	O
490	CM	100	CM	96 LEVEL CM	7305,0066 litre	47,454 %	8088,7974 litre	O

490	CM	100	CM	95 LEVEL CM	7207,1062 litre	46,818 %	8186,6978 litre	O
490	CM	100	CM	94 LEVEL CM	7109,2550 litre	46,183 %	8284,5490 litre	O
490	CM	100	CM	93 LEVEL CM	7011,4626 litre	45,547 %	8382,3414 litre	O
490	CM	100	CM	92 LEVEL CM	6913,7391 litre	44,912 %	8480,0649 litre	O
490	CM	100	CM	91 LEVEL CM	6816,0942 litre	44,278 %	8577,7098 litre	O
490	CM	100	CM	90 LEVEL CM	6718,5378 litre	43,644 %	8675,2662 litre	O
490	CM	100	CM	89 LEVEL CM	6621,0799 litre	43,011 %	8772,7241 litre	O
490	CM	100	CM	88 LEVEL CM	6523,7305 litre	42,379 %	8870,0735 litre	O
490	CM	100	CM	87 LEVEL CM	6426,4996 litre	41,747 %	8967,3044 litre	O
490	CM	100	CM	86 LEVEL CM	6329,3971 litre	41,117 %	9064,4069 litre	O
490	CM	100	CM	85 LEVEL CM	6232,4333 litre	40,487 %	9161,3707 litre	O
490	CM	100	CM	84 LEVEL CM	6135,6181 litre	39,858 %	9258,1859 litre	O
490	CM	100	CM	83 LEVEL CM	6038,9617 litre	39,230 %	9354,8423 litre	O
490	CM	100	CM	82 LEVEL CM	5942,4744 litre	38,603 %	9451,3296 litre	O
490	CM	100	CM	81 LEVEL CM	5846,1665 litre	37,977 %	9547,6375 litre	O
490	CM	100	CM	80 LEVEL CM	5750,0482 litre	37,353 %	9643,7558 litre	O
490	CM	100	CM	79 LEVEL CM	5654,1300 litre	36,730 %	9739,6740 litre	O
490	CM	100	CM	78 LEVEL CM	5558,4222 litre	36,108 %	9835,3818 litre	O
490	CM	100	CM	77 LEVEL CM	5462,9355 litre	35,488 %	9930,8685 litre	O
490	CM	100	CM	76 LEVEL CM	5367,6804 litre	34,869 %	10026,1236 litre	O
490	CM	100	CM	75 LEVEL CM	5272,6676 litre	34,252 %	10121,1364 litre	O
490	CM	100	CM	74 LEVEL CM	5177,9078 litre	33,636 %	10215,8962 litre	O
490	CM	100	CM	73 LEVEL CM	5083,4119 litre	33,022 %	10310,3921 litre	O
490	CM	100	CM	72 LEVEL CM	4989,1909 litre	32,410 %	10404,6131 litre	O
490	CM	100	CM	71 LEVEL CM	4895,2556 litre	31,800 %	10498,5484 litre	O
490	CM	100	CM	70 LEVEL CM	4801,6174 litre	31,192 %	10592,1866 litre	O
490	CM	100	CM	69 LEVEL CM	4708,2873 litre	30,586 %	10685,5167 litre	O
490	CM	100	CM	68 LEVEL CM	4615,2768 litre	29,981 %	10778,5272 litre	O
490	CM	100	CM	67 LEVEL CM	4522,5973 litre	29,379 %	10871,2067 litre	O
490	CM	100	CM	66 LEVEL CM	4430,2604 litre	28,780 %	10963,5436 litre	O
490	CM	100	CM	65 LEVEL CM	4338,2779 litre	28,182 %	11055,5261 litre	O
490	CM	100	CM	64 LEVEL CM	4246,6615 litre	27,587 %	11147,1425 litre	O
490	CM	100	CM	63 LEVEL CM	4155,4232 litre	26,994 %	11238,3808 litre	O
490	CM	100	CM	62 LEVEL CM	4064,5753 litre	26,404 %	11329,2287 litre	O
490	CM	100	CM	61 LEVEL CM	3974,1300 litre	25,816 %	11419,6740 litre	O
490	CM	100	CM	60 LEVEL CM	3884,0998 litre	25,232 %	11509,7042 litre	O
490	CM	100	CM	59 LEVEL CM	3794,4973 litre	24,650 %	11599,3067 litre	O
490	CM	100	CM	58 LEVEL CM	3705,3353 litre	24,070 %	11688,4687 litre	O
490	CM	100	CM	57 LEVEL CM	3616,6269 litre	23,494 %	11777,1771 litre	O
490	CM	100	CM	56 LEVEL CM	3528,3853 litre	22,921 %	11865,4187 litre	O
490	CM	100	CM	55 LEVEL CM	3440,6239 litre	22,351 %	11953,1801 litre	O
490	CM	100	CM	54 LEVEL CM	3353,3563 litre	21,784 %	12040,4477 litre	O
490	CM	100	CM	53 LEVEL CM	3266,5964 litre	21,220 %	12127,2076 litre	O
490	CM	100	CM	52 LEVEL CM	3180,3584 litre	20,660 %	12213,4456 litre	O
490	CM	100	CM	51 LEVEL CM	3094,6567 litre	20,103 %	12299,1473 litre	O
490	CM	100	CM	50 LEVEL CM	3009,5058 litre	19,550 %	12384,2982 litre	O
490	CM	100	CM	49 LEVEL CM	2924,9207 litre	19,001 %	12468,8833 litre	O
490	CM	100	CM	48 LEVEL CM	2840,9167 litre	18,455 %	12552,8873 litre	O
490	CM	100	CM	47 LEVEL CM	2757,5094 litre	17,913 %	12636,2946 litre	O
490	CM	100	CM	46 LEVEL CM	2674,7145 litre	17,375 %	12719,0895 litre	O
490	CM	100	CM	45 LEVEL CM	2592,5485 litre	16,842 %	12801,2555 litre	O
490	CM	100	CM	44 LEVEL CM	2511,0279 litre	16,312 %	12882,7761 litre	O
490	CM	100	CM	43 LEVEL CM	2430,1697 litre	15,787 %	12963,6343 litre	O

490	CM	100	CM	42 LEVEL CM	2349,9914 litre	15,266 %	13043,8126 litre	O
490	CM	100	CM	41 LEVEL CM	2270,5109 litre	14,750 %	13123,2931 litre	O
490	CM	100	CM	40 LEVEL CM	2191,7466 litre	14,238 %	13202,0574 litre	O
490	CM	100	CM	39 LEVEL CM	2113,7173 litre	13,731 %	13280,0867 litre	O
490	CM	100	CM	38 LEVEL CM	2036,4425 litre	13,229 %	13357,3615 litre	O
490	CM	100	CM	37 LEVEL CM	1959,9421 litre	12,732 %	13433,8619 litre	O
490	CM	100	CM	36 LEVEL CM	1884,2368 litre	12,240 %	13509,5672 litre	O
490	CM	100	CM	35 LEVEL CM	1809,3478 litre	11,754 %	13584,4562 litre	O
490	CM	100	CM	34 LEVEL CM	1735,2971 litre	11,273 %	13658,5069 litre	O
490	CM	100	CM	33 LEVEL CM	1662,1075 litre	10,797 %	13731,6965 litre	O
490	CM	100	CM	32 LEVEL CM	1589,8023 litre	10,328 %	13804,0017 litre	O
490	CM	100	CM	31 LEVEL CM	1518,4062 litre	9,864 %	13875,3978 litre	O
490	CM	100	CM	30 LEVEL CM	1447,9443 litre	9,406 %	13945,8597 litre	O
490	CM	100	CM	29 LEVEL CM	1378,4431 litre	8,955 %	14015,3609 litre	O
490	CM	100	CM	28 LEVEL CM	1309,9301 litre	8,509 %	14083,8739 litre	O
490	CM	100	CM	27 LEVEL CM	1242,4340 litre	8,071 %	14151,3700 litre	O
490	CM	100	CM	26 LEVEL CM	1175,9847 litre	7,639 %	14217,8193 litre	O
490	CM	100	CM	25 LEVEL CM	1110,6138 litre	7,215 %	14283,1902 litre	O
490	CM	100	CM	24 LEVEL CM	1046,3542 litre	6,797 %	14347,4498 litre	O
490	CM	100	CM	23 LEVEL CM	983,2408 litre	6,387 %	14410,5632 litre	O
490	CM	100	CM	22 LEVEL CM	921,3102 litre	5,985 %	14472,4938 litre	O
490	CM	100	CM	21 LEVEL CM	860,6013 litre	5,591 %	14533,2027 litre	O
490	CM	100	CM	20 LEVEL CM	801,1554 litre	5,204 %	14592,6486 litre	O
490	CM	100	CM	19 LEVEL CM	743,0165 litre	4,827 %	14650,7875 litre	O
490	CM	100	CM	18 LEVEL CM	686,2314 litre	4,458 %	14707,5726 litre	O
490	CM	100	CM	17 LEVEL CM	630,8506 litre	4,098 %	14762,9534 litre	O
490	CM	100	CM	16 LEVEL CM	576,9286 litre	3,748 %	14816,8754 litre	O
490	CM	100	CM	15 LEVEL CM	524,5242 litre	3,407 %	14869,2798 litre	O
490	CM	100	CM	14 LEVEL CM	473,7016 litre	3,077 %	14920,1024 litre	O
490	CM	100	CM	13 LEVEL CM	424,5311 litre	2,758 %	14969,2729 litre	O
490	CM	100	CM	12 LEVEL CM	377,0907 litre	2,450 %	15016,7133 litre	O
490	CM	100	CM	11 LEVEL CM	331,4668 litre	2,153 %	15062,3372 litre	O
490	CM	100	CM	10 LEVEL CM	287,7569 litre	1,869 %	15106,0471 litre	O
490	CM	100	CM	9 LEVEL CM	246,0719 litre	1,599 %	15147,7321 litre	O
490	CM	100	CM	8 LEVEL CM	206,5397 litre	1,342 %	15187,2643 litre	O
490	CM	100	CM	7 LEVEL CM	169,3103 litre	1,100 %	15224,4937 litre	O
490	CM	100	CM	6 LEVEL CM	134,5640 litre	0,874 %	15259,2400 litre	O
490	CM	100	CM	5 LEVEL CM	102,5228 litre	0,666 %	15291,2812 litre	O
490	CM	100	CM	4 LEVEL CM	73,4711 litre	0,477 %	15320,3329 litre	O
490	CM	100	CM	3 LEVEL CM	47,7934 litre	0,310 %	15346,0106 litre	O
490	CM	100	CM	2 LEVEL CM	26,0548 litre	0,169 %	15367,7492 litre	O
490	CM	100	CM	1 LEVEL CM	9,2257 litre	0,060 %	15384,5783 litre	O
490	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	15393,8040 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
490	CM	95	CM	190 LEVEL CM	13892,9081 litre	100,000 %	0,0000 litre	O
490	CM	95	CM	189 LEVEL CM	13883,9168 litre	99,935 %	8,9913 litre	O
490	CM	95	CM	188 LEVEL CM	13867,5171 litre	99,817 %	25,3910 litre	O
490	CM	95	CM	187 LEVEL CM	13846,3360 litre	99,665 %	46,5721 litre	O
490	CM	95	CM	186 LEVEL CM	13821,3202 litre	99,485 %	71,5879 litre	O
490	CM	95	CM	185 LEVEL CM	13793,0213 litre	99,281 %	99,8868 litre	O
490	CM	95	CM	184 LEVEL CM	13761,8147 litre	99,056 %	131,0934 litre	O
490	CM	95	CM	183 LEVEL CM	13727,9782 litre	98,813 %	164,9299 litre	O
490	CM	95	CM	182 LEVEL CM	13691,7288 litre	98,552 %	201,1793 litre	O
490	CM	95	CM	181 LEVEL CM	13653,2426 litre	98,275 %	239,6655 litre	O
490	CM	95	CM	180 LEVEL CM	13612,6664 litre	97,983 %	280,2417 litre	O
490	CM	95	CM	179 LEVEL CM	13570,1255 litre	97,677 %	322,7826 litre	O
490	CM	95	CM	178 LEVEL CM	13525,7283 litre	97,357 %	367,1798 litre	O
490	CM	95	CM	177 LEVEL CM	13479,5703 litre	97,025 %	413,3378 litre	O
490	CM	95	CM	176 LEVEL CM	13431,7363 litre	96,681 %	461,1718 litre	O
490	CM	95	CM	175 LEVEL CM	13382,3026 litre	96,325 %	510,6055 litre	O
490	CM	95	CM	174 LEVEL CM	13331,3381 litre	95,958 %	561,5700 litre	O
490	CM	95	CM	173 LEVEL CM	13278,9060 litre	95,580 %	614,0021 litre	O
490	CM	95	CM	172 LEVEL CM	13225,0639 litre	95,193 %	667,8442 litre	O
490	CM	95	CM	171 LEVEL CM	13169,8653 litre	94,796 %	723,0428 litre	O
490	CM	95	CM	170 LEVEL CM	13113,3598 litre	94,389 %	779,5483 litre	O
490	CM	95	CM	169 LEVEL CM	13055,5936 litre	93,973 %	837,3145 litre	O
490	CM	95	CM	168 LEVEL CM	12996,6097 litre	93,549 %	896,2984 litre	O
490	CM	95	CM	167 LEVEL CM	12936,4490 litre	93,115 %	956,4591 litre	O
490	CM	95	CM	166 LEVEL CM	12875,1496 litre	92,674 %	1017,7585 litre	O
490	CM	95	CM	165 LEVEL CM	12812,7476 litre	92,225 %	1080,1605 litre	O
490	CM	95	CM	164 LEVEL CM	12749,2774 litre	91,768 %	1143,6307 litre	O
490	CM	95	CM	163 LEVEL CM	12684,7716 litre	91,304 %	1208,1365 litre	O
490	CM	95	CM	162 LEVEL CM	12619,2610 litre	90,832 %	1273,6471 litre	O
490	CM	95	CM	161 LEVEL CM	12552,7755 litre	90,354 %	1340,1326 litre	O
490	CM	95	CM	160 LEVEL CM	12485,3433 litre	89,868 %	1407,5648 litre	O
490	CM	95	CM	159 LEVEL CM	12416,9916 litre	89,376 %	1475,9165 litre	O
490	CM	95	CM	158 LEVEL CM	12347,7465 litre	88,878 %	1545,1616 litre	O
490	CM	95	CM	157 LEVEL CM	12277,6329 litre	88,373 %	1615,2752 litre	O
490	CM	95	CM	156 LEVEL CM	12206,6752 litre	87,863 %	1686,2329 litre	O
490	CM	95	CM	155 LEVEL CM	12134,8966 litre	87,346 %	1758,0115 litre	O
490	CM	95	CM	154 LEVEL CM	12062,3196 litre	86,824 %	1830,5885 litre	O
490	CM	95	CM	153 LEVEL CM	11988,9660 litre	86,296 %	1903,9421 litre	O
490	CM	95	CM	152 LEVEL CM	11914,8568 litre	85,762 %	1978,0513 litre	O
490	CM	95	CM	151 LEVEL CM	11840,0127 litre	85,223 %	2052,8954 litre	O
490	CM	95	CM	150 LEVEL CM	11764,4533 litre	84,680 %	2128,4548 litre	O
490	CM	95	CM	149 LEVEL CM	11688,1981 litre	84,131 %	2204,7100 litre	O
490	CM	95	CM	148 LEVEL CM	11611,2657 litre	83,577 %	2281,6424 litre	O
490	CM	95	CM	147 LEVEL CM	11533,6745 litre	83,018 %	2359,2336 litre	O
490	CM	95	CM	146 LEVEL CM	11455,4423 litre	82,455 %	2437,4658 litre	O
490	CM	95	CM	145 LEVEL CM	11376,5865 litre	81,888 %	2516,3216 litre	O
490	CM	95	CM	144 LEVEL CM	11297,1241 litre	81,316 %	2595,7840 litre	O
490	CM	95	CM	143 LEVEL CM	11217,0716 litre	80,740 %	2675,8365 litre	O
490	CM	95	CM	142 LEVEL CM	11136,4453 litre	80,159 %	2756,4628 litre	O
490	CM	95	CM	141 LEVEL CM	11055,2611 litre	79,575 %	2837,6470 litre	O
490	CM	95	CM	140 LEVEL CM	10973,5344 litre	78,987 %	2919,3737 litre	O
490	CM	95	CM	139 LEVEL CM	10891,2807 litre	78,395 %	3001,6274 litre	O

490	CM	95	CM	138 LEVEL CM	10808,5148 litre	77,799 %	3084,3933 litre	O
490	CM	95	CM	137 LEVEL CM	10725,2515 litre	77,199 %	3167,6566 litre	O
490	CM	95	CM	136 LEVEL CM	10641,5051 litre	76,597 %	3251,4030 litre	O
490	CM	95	CM	135 LEVEL CM	10557,2898 litre	75,990 %	3335,6183 litre	O
490	CM	95	CM	134 LEVEL CM	10472,6195 litre	75,381 %	3420,2886 litre	O
490	CM	95	CM	133 LEVEL CM	10387,5081 litre	74,768 %	3505,4000 litre	O
490	CM	95	CM	132 LEVEL CM	10301,9689 litre	74,153 %	3590,9392 litre	O
490	CM	95	CM	131 LEVEL CM	10216,0153 litre	73,534 %	3676,8928 litre	O
490	CM	95	CM	130 LEVEL CM	10129,6603 litre	72,912 %	3763,2478 litre	O
490	CM	95	CM	129 LEVEL CM	10042,9170 litre	72,288 %	3849,9911 litre	O
490	CM	95	CM	128 LEVEL CM	9955,7981 litre	71,661 %	3937,1100 litre	O
490	CM	95	CM	127 LEVEL CM	9868,3161 litre	71,031 %	4024,5920 litre	O
490	CM	95	CM	126 LEVEL CM	9780,4835 litre	70,399 %	4112,4246 litre	O
490	CM	95	CM	125 LEVEL CM	9692,3126 litre	69,764 %	4200,5955 litre	O
490	CM	95	CM	124 LEVEL CM	9603,8155 litre	69,127 %	4289,0926 litre	O
490	CM	95	CM	123 LEVEL CM	9515,0043 litre	68,488 %	4377,9038 litre	O
490	CM	95	CM	122 LEVEL CM	9425,8908 litre	67,847 %	4467,0173 litre	O
490	CM	95	CM	121 LEVEL CM	9336,4867 litre	67,203 %	4556,4214 litre	O
490	CM	95	CM	120 LEVEL CM	9246,8038 litre	66,558 %	4646,1043 litre	O
490	CM	95	CM	119 LEVEL CM	9156,8536 litre	65,910 %	4736,0545 litre	O
490	CM	95	CM	118 LEVEL CM	9066,6475 litre	65,261 %	4826,2606 litre	O
490	CM	95	CM	117 LEVEL CM	8976,1968 litre	64,610 %	4916,7113 litre	O
490	CM	95	CM	116 LEVEL CM	8885,5128 litre	63,957 %	5007,3953 litre	O
490	CM	95	CM	115 LEVEL CM	8794,6067 litre	63,303 %	5098,3014 litre	O
490	CM	95	CM	114 LEVEL CM	8703,4896 litre	62,647 %	5189,4185 litre	O
490	CM	95	CM	113 LEVEL CM	8612,1724 litre	61,990 %	5280,7357 litre	O
490	CM	95	CM	112 LEVEL CM	8520,6661 litre	61,331 %	5372,2420 litre	O
490	CM	95	CM	111 LEVEL CM	8428,9815 litre	60,671 %	5463,9266 litre	O
490	CM	95	CM	110 LEVEL CM	8337,1295 litre	60,010 %	5555,7786 litre	O
490	CM	95	CM	109 LEVEL CM	8245,1208 litre	59,348 %	5647,7873 litre	O
490	CM	95	CM	108 LEVEL CM	8152,9661 litre	58,684 %	5739,9420 litre	O
490	CM	95	CM	107 LEVEL CM	8060,6760 litre	58,020 %	5832,2321 litre	O
490	CM	95	CM	106 LEVEL CM	7968,2610 litre	57,355 %	5924,6471 litre	O
490	CM	95	CM	105 LEVEL CM	7875,7319 litre	56,689 %	6017,1762 litre	O
490	CM	95	CM	104 LEVEL CM	7783,0990 litre	56,022 %	6109,8091 litre	O
490	CM	95	CM	103 LEVEL CM	7690,3728 litre	55,355 %	6202,5353 litre	O
490	CM	95	CM	102 LEVEL CM	7597,5639 litre	54,687 %	6295,3442 litre	O
490	CM	95	CM	101 LEVEL CM	7504,6825 litre	54,018 %	6388,2256 litre	O
490	CM	95	CM	100 LEVEL CM	7411,7391 litre	53,349 %	6481,1690 litre	O
490	CM	95	CM	99 LEVEL CM	7318,7440 litre	52,680 %	6574,1641 litre	O
490	CM	95	CM	98 LEVEL CM	7225,7076 litre	52,010 %	6667,2005 litre	O
490	CM	95	CM	97 LEVEL CM	7132,6403 litre	51,340 %	6760,2678 litre	O
490	CM	95	CM	96 LEVEL CM	7039,5523 litre	50,670 %	6853,3558 litre	O
490	CM	95	CM	95 LEVEL CM	6946,4541 litre	50,000 %	6946,4540 litre	O
490	CM	95	CM	94 LEVEL CM	6853,3558 litre	49,330 %	7039,5523 litre	O
490	CM	95	CM	93 LEVEL CM	6760,2678 litre	48,660 %	7132,6403 litre	O
490	CM	95	CM	92 LEVEL CM	6667,2005 litre	47,990 %	7225,7076 litre	O
490	CM	95	CM	91 LEVEL CM	6574,1641 litre	47,320 %	7318,7440 litre	O
490	CM	95	CM	90 LEVEL CM	6481,1691 litre	46,651 %	7411,7390 litre	O
490	CM	95	CM	89 LEVEL CM	6388,2256 litre	45,982 %	7504,6825 litre	O
490	CM	95	CM	88 LEVEL CM	6295,3443 litre	45,313 %	7597,5638 litre	O
490	CM	95	CM	87 LEVEL CM	6202,5353 litre	44,645 %	7690,3728 litre	O
490	CM	95	CM	86 LEVEL CM	6109,8091 litre	43,978 %	7783,0990 litre	O

490	CM	95	CM	85 LEVEL CM	6017,1762 litre	43,311 %	7875,7319 litre	O
490	CM	95	CM	84 LEVEL CM	5924,6471 litre	42,645 %	7968,2610 litre	O
490	CM	95	CM	83 LEVEL CM	5832,2322 litre	41,980 %	8060,6759 litre	O
490	CM	95	CM	82 LEVEL CM	5739,9420 litre	41,316 %	8152,9661 litre	O
490	CM	95	CM	81 LEVEL CM	5647,7873 litre	40,652 %	8245,1208 litre	O
490	CM	95	CM	80 LEVEL CM	5555,7786 litre	39,990 %	8337,1295 litre	O
490	CM	95	CM	79 LEVEL CM	5463,9266 litre	39,329 %	8428,9815 litre	O
490	CM	95	CM	78 LEVEL CM	5372,2420 litre	38,669 %	8520,6661 litre	O
490	CM	95	CM	77 LEVEL CM	5280,7357 litre	38,010 %	8612,1724 litre	O
490	CM	95	CM	76 LEVEL CM	5189,4185 litre	37,353 %	8703,4896 litre	O
490	CM	95	CM	75 LEVEL CM	5098,3014 litre	36,697 %	8794,6067 litre	O
490	CM	95	CM	74 LEVEL CM	5007,3953 litre	36,043 %	8885,5128 litre	O
490	CM	95	CM	73 LEVEL CM	4916,7113 litre	35,390 %	8976,1968 litre	O
490	CM	95	CM	72 LEVEL CM	4826,2606 litre	34,739 %	9066,6475 litre	O
490	CM	95	CM	71 LEVEL CM	4736,0545 litre	34,090 %	9156,8536 litre	O
490	CM	95	CM	70 LEVEL CM	4646,1043 litre	33,442 %	9246,8038 litre	O
490	CM	95	CM	69 LEVEL CM	4556,4214 litre	32,797 %	9336,4867 litre	O
490	CM	95	CM	68 LEVEL CM	4467,0173 litre	32,153 %	9425,8908 litre	O
490	CM	95	CM	67 LEVEL CM	4377,9038 litre	31,512 %	9515,0043 litre	O
490	CM	95	CM	66 LEVEL CM	4289,0926 litre	30,873 %	9603,8155 litre	O
490	CM	95	CM	65 LEVEL CM	4200,5955 litre	30,236 %	9692,3126 litre	O
490	CM	95	CM	64 LEVEL CM	4112,4246 litre	29,601 %	9780,4835 litre	O
490	CM	95	CM	63 LEVEL CM	4024,5920 litre	28,969 %	9868,3161 litre	O
490	CM	95	CM	62 LEVEL CM	3937,1100 litre	28,339 %	9955,7981 litre	O
490	CM	95	CM	61 LEVEL CM	3849,9911 litre	27,712 %	10042,9170 litre	O
490	CM	95	CM	60 LEVEL CM	3763,2478 litre	27,088 %	10129,6603 litre	O
490	CM	95	CM	59 LEVEL CM	3676,8929 litre	26,466 %	10216,0152 litre	O
490	CM	95	CM	58 LEVEL CM	3590,9392 litre	25,847 %	10301,9689 litre	O
490	CM	95	CM	57 LEVEL CM	3505,4001 litre	25,232 %	10387,5080 litre	O
490	CM	95	CM	56 LEVEL CM	3420,2886 litre	24,619 %	10472,6195 litre	O
490	CM	95	CM	55 LEVEL CM	3335,6184 litre	24,010 %	10557,2897 litre	O
490	CM	95	CM	54 LEVEL CM	3251,4031 litre	23,403 %	10641,5050 litre	O
490	CM	95	CM	53 LEVEL CM	3167,6566 litre	22,801 %	10725,2515 litre	O
490	CM	95	CM	52 LEVEL CM	3084,3933 litre	22,201 %	10808,5148 litre	O
490	CM	95	CM	51 LEVEL CM	3001,6274 litre	21,605 %	10891,2807 litre	O
490	CM	95	CM	50 LEVEL CM	2919,3737 litre	21,013 %	10973,5344 litre	O
490	CM	95	CM	49 LEVEL CM	2837,6471 litre	20,425 %	11055,2610 litre	O
490	CM	95	CM	48 LEVEL CM	2756,4628 litre	19,841 %	11136,4453 litre	O
490	CM	95	CM	47 LEVEL CM	2675,8365 litre	19,260 %	11217,0716 litre	O
490	CM	95	CM	46 LEVEL CM	2595,7840 litre	18,684 %	11297,1241 litre	O
490	CM	95	CM	45 LEVEL CM	2516,3216 litre	18,112 %	11376,5865 litre	O
490	CM	95	CM	44 LEVEL CM	2437,4658 litre	17,545 %	11455,4423 litre	O
490	CM	95	CM	43 LEVEL CM	2359,2336 litre	16,982 %	11533,6745 litre	O
490	CM	95	CM	42 LEVEL CM	2281,6424 litre	16,423 %	11611,2657 litre	O
490	CM	95	CM	41 LEVEL CM	2204,7100 litre	15,869 %	11688,1981 litre	O
490	CM	95	CM	40 LEVEL CM	2128,4548 litre	15,320 %	11764,4533 litre	O
490	CM	95	CM	39 LEVEL CM	2052,8954 litre	14,777 %	11840,0127 litre	O
490	CM	95	CM	38 LEVEL CM	1978,0513 litre	14,238 %	11914,8568 litre	O
490	CM	95	CM	37 LEVEL CM	1903,9422 litre	13,704 %	11988,9659 litre	O
490	CM	95	CM	36 LEVEL CM	1830,5886 litre	13,176 %	12062,3195 litre	O
490	CM	95	CM	35 LEVEL CM	1758,0115 litre	12,654 %	12134,8966 litre	O
490	CM	95	CM	34 LEVEL CM	1686,2329 litre	12,137 %	12206,6752 litre	O
490	CM	95	CM	33 LEVEL CM	1615,2752 litre	11,627 %	12277,6329 litre	O

490	CM	95	CM	32 LEVEL CM	1545,1617 litre	11,122 %	12347,7464 litre	O
490	CM	95	CM	31 LEVEL CM	1475,9165 litre	10,624 %	12416,9916 litre	O
490	CM	95	CM	30 LEVEL CM	1407,5648 litre	10,132 %	12485,3433 litre	O
490	CM	95	CM	29 LEVEL CM	1340,1326 litre	9,646 %	12552,7755 litre	O
490	CM	95	CM	28 LEVEL CM	1273,6471 litre	9,168 %	12619,2610 litre	O
490	CM	95	CM	27 LEVEL CM	1208,1366 litre	8,696 %	12684,7715 litre	O
490	CM	95	CM	26 LEVEL CM	1143,6307 litre	8,232 %	12749,2774 litre	O
490	CM	95	CM	25 LEVEL CM	1080,1605 litre	7,775 %	12812,7476 litre	O
490	CM	95	CM	24 LEVEL CM	1017,7586 litre	7,326 %	12875,1495 litre	O
490	CM	95	CM	23 LEVEL CM	956,4591 litre	6,885 %	12936,4490 litre	O
490	CM	95	CM	22 LEVEL CM	896,2984 litre	6,451 %	12996,6097 litre	O
490	CM	95	CM	21 LEVEL CM	837,3146 litre	6,027 %	13055,5935 litre	O
490	CM	95	CM	20 LEVEL CM	779,5483 litre	5,611 %	13113,3598 litre	O
490	CM	95	CM	19 LEVEL CM	723,0428 litre	5,204 %	13169,8653 litre	O
490	CM	95	CM	18 LEVEL CM	667,8442 litre	4,807 %	13225,0639 litre	O
490	CM	95	CM	17 LEVEL CM	614,0021 litre	4,420 %	13278,9060 litre	O
490	CM	95	CM	16 LEVEL CM	561,5700 litre	4,042 %	13331,3381 litre	O
490	CM	95	CM	15 LEVEL CM	510,6055 litre	3,675 %	13382,3026 litre	O
490	CM	95	CM	14 LEVEL CM	461,1718 litre	3,319 %	13431,7363 litre	O
490	CM	95	CM	13 LEVEL CM	413,3378 litre	2,975 %	13479,5703 litre	O
490	CM	95	CM	12 LEVEL CM	367,1798 litre	2,643 %	13525,7283 litre	O
490	CM	95	CM	11 LEVEL CM	322,7826 litre	2,323 %	13570,1255 litre	O
490	CM	95	CM	10 LEVEL CM	280,2417 litre	2,017 %	13612,6664 litre	O
490	CM	95	CM	9 LEVEL CM	239,6655 litre	1,725 %	13653,2426 litre	O
490	CM	95	CM	8 LEVEL CM	201,1793 litre	1,448 %	13691,7288 litre	O
490	CM	95	CM	7 LEVEL CM	164,9299 litre	1,187 %	13727,9782 litre	O
490	CM	95	CM	6 LEVEL CM	131,0934 litre	0,944 %	13761,8147 litre	O
490	CM	95	CM	5 LEVEL CM	99,8868 litre	0,719 %	13793,0213 litre	O
490	CM	95	CM	4 LEVEL CM	71,5879 litre	0,515 %	13821,3202 litre	O
490	CM	95	CM	3 LEVEL CM	46,5721 litre	0,335 %	13846,3360 litre	O
490	CM	95	CM	2 LEVEL CM	25,3910 litre	0,183 %	13867,5171 litre	O
490	CM	95	CM	1 LEVEL CM	8,9913 litre	0,065 %	13883,9168 litre	O
490	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	13892,9081 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
490	CM	90	CM	180 LEVEL CM	12468,9812 litre	100,000 %	0,0000 litre	O
490	CM	90	CM	179 LEVEL CM	12460,2305 litre	99,930 %	8,7507 litre	O
490	CM	90	CM	178 LEVEL CM	12444,2718 litre	99,802 %	24,7094 litre	O
490	CM	90	CM	177 LEVEL CM	12423,6634 litre	99,637 %	45,3178 litre	O
490	CM	90	CM	176 LEVEL CM	12399,3275 litre	99,441 %	69,6537 litre	O
490	CM	90	CM	175 LEVEL CM	12371,8020 litre	99,221 %	97,1792 litre	O
490	CM	90	CM	174 LEVEL CM	12341,4529 litre	98,977 %	127,5283 litre	O
490	CM	90	CM	173 LEVEL CM	12308,5513 litre	98,713 %	160,4299 litre	O
490	CM	90	CM	172 LEVEL CM	12273,3091 litre	98,431 %	195,6721 litre	O
490	CM	90	CM	171 LEVEL CM	12235,8981 litre	98,131 %	233,0831 litre	O
490	CM	90	CM	170 LEVEL CM	12196,4620 litre	97,814 %	272,5192 litre	O
490	CM	90	CM	169 LEVEL CM	12155,1231 litre	97,483 %	313,8581 litre	O
490	CM	90	CM	168 LEVEL CM	12111,9875 litre	97,137 %	356,9937 litre	O
490	CM	90	CM	167 LEVEL CM	12067,1485 litre	96,777 %	401,8327 litre	O
490	CM	90	CM	166 LEVEL CM	12020,6894 litre	96,405 %	448,2918 litre	O
490	CM	90	CM	165 LEVEL CM	11972,6847 litre	96,020 %	496,2965 litre	O
490	CM	90	CM	164 LEVEL CM	11923,2022 litre	95,623 %	545,7790 litre	O
490	CM	90	CM	163 LEVEL CM	11872,3034 litre	95,215 %	596,6778 litre	O
490	CM	90	CM	162 LEVEL CM	11820,0453 litre	94,796 %	648,9359 litre	O
490	CM	90	CM	161 LEVEL CM	11766,4803 litre	94,366 %	702,5009 litre	O
490	CM	90	CM	160 LEVEL CM	11711,6569 litre	93,926 %	757,3243 litre	O
490	CM	90	CM	159 LEVEL CM	11655,6205 litre	93,477 %	813,3607 litre	O
490	CM	90	CM	158 LEVEL CM	11598,4138 litre	93,018 %	870,5674 litre	O
490	CM	90	CM	157 LEVEL CM	11540,0765 litre	92,550 %	928,9047 litre	O
490	CM	90	CM	156 LEVEL CM	11480,6465 litre	92,074 %	988,3347 litre	O
490	CM	90	CM	155 LEVEL CM	11420,1591 litre	91,589 %	1048,8221 litre	O
490	CM	90	CM	154 LEVEL CM	11358,6484 litre	91,095 %	1110,3328 litre	O
490	CM	90	CM	153 LEVEL CM	11296,1463 litre	90,594 %	1172,8349 litre	O
490	CM	90	CM	152 LEVEL CM	11232,6836 litre	90,085 %	1236,2976 litre	O
490	CM	90	CM	151 LEVEL CM	11168,2893 litre	89,569 %	1300,6919 litre	O
490	CM	90	CM	150 LEVEL CM	11102,9916 litre	89,045 %	1365,9896 litre	O
490	CM	90	CM	149 LEVEL CM	11036,8173 litre	88,514 %	1432,1639 litre	O
490	CM	90	CM	148 LEVEL CM	10969,7922 litre	87,977 %	1499,1890 litre	O
490	CM	90	CM	147 LEVEL CM	10901,9410 litre	87,432 %	1567,0402 litre	O
490	CM	90	CM	146 LEVEL CM	10833,2877 litre	86,882 %	1635,6935 litre	O
490	CM	90	CM	145 LEVEL CM	10763,8554 litre	86,325 %	1705,1258 litre	O
490	CM	90	CM	144 LEVEL CM	10693,6665 litre	85,762 %	1775,3147 litre	O
490	CM	90	CM	143 LEVEL CM	10622,7425 litre	85,193 %	1846,2387 litre	O
490	CM	90	CM	142 LEVEL CM	10551,1044 litre	84,619 %	1917,8768 litre	O
490	CM	90	CM	141 LEVEL CM	10478,7726 litre	84,039 %	1990,2086 litre	O
490	CM	90	CM	140 LEVEL CM	10405,7667 litre	83,453 %	2063,2145 litre	O
490	CM	90	CM	139 LEVEL CM	10332,1059 litre	82,862 %	2136,8753 litre	O
490	CM	90	CM	138 LEVEL CM	10257,8090 litre	82,267 %	2211,1722 litre	O
490	CM	90	CM	137 LEVEL CM	10182,8942 litre	81,666 %	2286,0870 litre	O
490	CM	90	CM	136 LEVEL CM	10107,3793 litre	81,060 %	2361,6019 litre	O
490	CM	90	CM	135 LEVEL CM	10031,2816 litre	80,450 %	2437,6996 litre	O
490	CM	90	CM	134 LEVEL CM	9954,6180 litre	79,835 %	2514,3632 litre	O
490	CM	90	CM	133 LEVEL CM	9877,4052 litre	79,216 %	2591,5760 litre	O
490	CM	90	CM	132 LEVEL CM	9799,6594 litre	78,592 %	2669,3218 litre	O
490	CM	90	CM	131 LEVEL CM	9721,3964 litre	77,965 %	2747,5848 litre	O
490	CM	90	CM	130 LEVEL CM	9642,6319 litre	77,333 %	2826,3493 litre	O
490	CM	90	CM	129 LEVEL CM	9563,3812 litre	76,697 %	2905,6000 litre	O

490	CM	90	CM	128 LEVEL CM	9483,6593 litre	76,058 %	2985,3219 litre	O
490	CM	90	CM	127 LEVEL CM	9403,4808 litre	75,415 %	3065,5004 litre	O
490	CM	90	CM	126 LEVEL CM	9322,8604 litre	74,768 %	3146,1208 litre	O
490	CM	90	CM	125 LEVEL CM	9241,8123 litre	74,118 %	3227,1689 litre	O
490	CM	90	CM	124 LEVEL CM	9160,3504 litre	73,465 %	3308,6308 litre	O
490	CM	90	CM	123 LEVEL CM	9078,4887 litre	72,809 %	3390,4925 litre	O
490	CM	90	CM	122 LEVEL CM	8996,2408 litre	72,149 %	3472,7404 litre	O
490	CM	90	CM	121 LEVEL CM	8913,6200 litre	71,486 %	3555,3612 litre	O
490	CM	90	CM	120 LEVEL CM	8830,6397 litre	70,821 %	3638,3415 litre	O
490	CM	90	CM	119 LEVEL CM	8747,3128 litre	70,153 %	3721,6684 litre	O
490	CM	90	CM	118 LEVEL CM	8663,6524 litre	69,482 %	3805,3288 litre	O
490	CM	90	CM	117 LEVEL CM	8579,6712 litre	68,808 %	3889,3100 litre	O
490	CM	90	CM	116 LEVEL CM	8495,3817 litre	68,132 %	3973,5995 litre	O
490	CM	90	CM	115 LEVEL CM	8410,7965 litre	67,454 %	4058,1847 litre	O
490	CM	90	CM	114 LEVEL CM	8325,9280 litre	66,773 %	4143,0532 litre	O
490	CM	90	CM	113 LEVEL CM	8240,7882 litre	66,090 %	4228,1930 litre	O
490	CM	90	CM	112 LEVEL CM	8155,3895 litre	65,405 %	4313,5917 litre	O
490	CM	90	CM	111 LEVEL CM	8069,7436 litre	64,719 %	4399,2376 litre	O
490	CM	90	CM	110 LEVEL CM	7983,8626 litre	64,030 %	4485,1186 litre	O
490	CM	90	CM	109 LEVEL CM	7897,7582 litre	63,339 %	4571,2230 litre	O
490	CM	90	CM	108 LEVEL CM	7811,4422 litre	62,647 %	4657,5390 litre	O
490	CM	90	CM	107 LEVEL CM	7724,9261 litre	61,953 %	4744,0551 litre	O
490	CM	90	CM	106 LEVEL CM	7638,2215 litre	61,258 %	4830,7597 litre	O
490	CM	90	CM	105 LEVEL CM	7551,3398 litre	60,561 %	4917,6414 litre	O
490	CM	90	CM	104 LEVEL CM	7464,2925 litre	59,863 %	5004,6887 litre	O
490	CM	90	CM	103 LEVEL CM	7377,0909 litre	59,164 %	5091,8903 litre	O
490	CM	90	CM	102 LEVEL CM	7289,7462 litre	58,463 %	5179,2350 litre	O
490	CM	90	CM	101 LEVEL CM	7202,2697 litre	57,761 %	5266,7115 litre	O
490	CM	90	CM	100 LEVEL CM	7114,6724 litre	57,059 %	5354,3088 litre	O
490	CM	90	CM	99 LEVEL CM	7026,9656 litre	56,356 %	5442,0156 litre	O
490	CM	90	CM	98 LEVEL CM	6939,1603 litre	55,651 %	5529,8209 litre	O
490	CM	90	CM	97 LEVEL CM	6851,2676 litre	54,946 %	5617,7136 litre	O
490	CM	90	CM	96 LEVEL CM	6763,2984 litre	54,241 %	5705,6828 litre	O
490	CM	90	CM	95 LEVEL CM	6675,2637 litre	53,535 %	5793,7175 litre	O
490	CM	90	CM	94 LEVEL CM	6587,1744 litre	52,828 %	5881,8068 litre	O
490	CM	90	CM	93 LEVEL CM	6499,0416 litre	52,122 %	5969,9396 litre	O
490	CM	90	CM	92 LEVEL CM	6410,8761 litre	51,415 %	6058,1051 litre	O
490	CM	90	CM	91 LEVEL CM	6322,6888 litre	50,707 %	6146,2924 litre	O
490	CM	90	CM	90 LEVEL CM	6234,4906 litre	50,000 %	6234,4906 litre	O
490	CM	90	CM	89 LEVEL CM	6146,2924 litre	49,293 %	6322,6888 litre	O
490	CM	90	CM	88 LEVEL CM	6058,1051 litre	48,585 %	6410,8761 litre	O
490	CM	90	CM	87 LEVEL CM	5969,9396 litre	47,878 %	6499,0416 litre	O
490	CM	90	CM	86 LEVEL CM	5881,8068 litre	47,172 %	6587,1744 litre	O
490	CM	90	CM	85 LEVEL CM	5793,7176 litre	46,465 %	6675,2636 litre	O
490	CM	90	CM	84 LEVEL CM	5705,6829 litre	45,759 %	6763,2983 litre	O
490	CM	90	CM	83 LEVEL CM	5617,7137 litre	45,054 %	6851,2675 litre	O
490	CM	90	CM	82 LEVEL CM	5529,8209 litre	44,349 %	6939,1603 litre	O
490	CM	90	CM	81 LEVEL CM	5442,0156 litre	43,644 %	7026,9656 litre	O
490	CM	90	CM	80 LEVEL CM	5354,3088 litre	42,941 %	7114,6724 litre	O
490	CM	90	CM	79 LEVEL CM	5266,7116 litre	42,239 %	7202,2696 litre	O
490	CM	90	CM	78 LEVEL CM	5179,2350 litre	41,537 %	7289,7462 litre	O
490	CM	90	CM	77 LEVEL CM	5091,8903 litre	40,836 %	7377,0909 litre	O
490	CM	90	CM	76 LEVEL CM	5004,6887 litre	40,137 %	7464,2925 litre	O

490	CM	90	CM	75 LEVEL CM	4917,6414 litre	39,439 %	7551,3398 litre	O
490	CM	90	CM	74 LEVEL CM	4830,7597 litre	38,742 %	7638,2215 litre	O
490	CM	90	CM	73 LEVEL CM	4744,0551 litre	38,047 %	7724,9261 litre	O
490	CM	90	CM	72 LEVEL CM	4657,5391 litre	37,353 %	7811,4421 litre	O
490	CM	90	CM	71 LEVEL CM	4571,2230 litre	36,661 %	7897,7582 litre	O
490	CM	90	CM	70 LEVEL CM	4485,1186 litre	35,970 %	7983,8626 litre	O
490	CM	90	CM	69 LEVEL CM	4399,2376 litre	35,281 %	8069,7436 litre	O
490	CM	90	CM	68 LEVEL CM	4313,5918 litre	34,595 %	8155,3894 litre	O
490	CM	90	CM	67 LEVEL CM	4228,1930 litre	33,910 %	8240,7882 litre	O
490	CM	90	CM	66 LEVEL CM	4143,0533 litre	33,227 %	8325,9279 litre	O
490	CM	90	CM	65 LEVEL CM	4058,1847 litre	32,546 %	8410,7965 litre	O
490	CM	90	CM	64 LEVEL CM	3973,5995 litre	31,868 %	8495,3817 litre	O
490	CM	90	CM	63 LEVEL CM	3889,3101 litre	31,192 %	8579,6711 litre	O
490	CM	90	CM	62 LEVEL CM	3805,3288 litre	30,518 %	8663,6524 litre	O
490	CM	90	CM	61 LEVEL CM	3721,6684 litre	29,847 %	8747,3128 litre	O
490	CM	90	CM	60 LEVEL CM	3638,3416 litre	29,179 %	8830,6396 litre	O
490	CM	90	CM	59 LEVEL CM	3555,3612 litre	28,514 %	8913,6200 litre	O
490	CM	90	CM	58 LEVEL CM	3472,7404 litre	27,851 %	8996,2408 litre	O
490	CM	90	CM	57 LEVEL CM	3390,4925 litre	27,191 %	9078,4887 litre	O
490	CM	90	CM	56 LEVEL CM	3308,6308 litre	26,535 %	9160,3504 litre	O
490	CM	90	CM	55 LEVEL CM	3227,1690 litre	25,882 %	9241,8122 litre	O
490	CM	90	CM	54 LEVEL CM	3146,1208 litre	25,232 %	9322,8604 litre	O
490	CM	90	CM	53 LEVEL CM	3065,5004 litre	24,585 %	9403,4808 litre	O
490	CM	90	CM	52 LEVEL CM	2985,3220 litre	23,942 %	9483,6592 litre	O
490	CM	90	CM	51 LEVEL CM	2905,6000 litre	23,303 %	9563,3812 litre	O
490	CM	90	CM	50 LEVEL CM	2826,3493 litre	22,667 %	9642,6319 litre	O
490	CM	90	CM	49 LEVEL CM	2747,5848 litre	22,035 %	9721,3964 litre	O
490	CM	90	CM	48 LEVEL CM	2669,3219 litre	21,408 %	9799,6593 litre	O
490	CM	90	CM	47 LEVEL CM	2591,5760 litre	20,784 %	9877,4052 litre	O
490	CM	90	CM	46 LEVEL CM	2514,3632 litre	20,165 %	9954,6180 litre	O
490	CM	90	CM	45 LEVEL CM	2437,6997 litre	19,550 %	10031,2815 litre	O
490	CM	90	CM	44 LEVEL CM	2361,6019 litre	18,940 %	10107,3793 litre	O
490	CM	90	CM	43 LEVEL CM	2286,0870 litre	18,334 %	10182,8942 litre	O
490	CM	90	CM	42 LEVEL CM	2211,1722 litre	17,733 %	10257,8090 litre	O
490	CM	90	CM	41 LEVEL CM	2136,8753 litre	17,138 %	10332,1059 litre	O
490	CM	90	CM	40 LEVEL CM	2063,2146 litre	16,547 %	10405,7666 litre	O
490	CM	90	CM	39 LEVEL CM	1990,2087 litre	15,961 %	10478,7725 litre	O
490	CM	90	CM	38 LEVEL CM	1917,8768 litre	15,381 %	10551,1044 litre	O
490	CM	90	CM	37 LEVEL CM	1846,2387 litre	14,807 %	10622,7425 litre	O
490	CM	90	CM	36 LEVEL CM	1775,3147 litre	14,238 %	10693,6665 litre	O
490	CM	90	CM	35 LEVEL CM	1705,1258 litre	13,675 %	10763,8554 litre	O
490	CM	90	CM	34 LEVEL CM	1635,6935 litre	13,118 %	10833,2877 litre	O
490	CM	90	CM	33 LEVEL CM	1567,0403 litre	12,568 %	10901,9409 litre	O
490	CM	90	CM	32 LEVEL CM	1499,1891 litre	12,023 %	10969,7921 litre	O
490	CM	90	CM	31 LEVEL CM	1432,1639 litre	11,486 %	11036,8173 litre	O
490	CM	90	CM	30 LEVEL CM	1365,9896 litre	10,955 %	11102,9916 litre	O
490	CM	90	CM	29 LEVEL CM	1300,6919 litre	10,431 %	11168,2893 litre	O
490	CM	90	CM	28 LEVEL CM	1236,2977 litre	9,915 %	11232,6835 litre	O
490	CM	90	CM	27 LEVEL CM	1172,8349 litre	9,406 %	11296,1463 litre	O
490	CM	90	CM	26 LEVEL CM	1110,3328 litre	8,905 %	11358,6484 litre	O
490	CM	90	CM	25 LEVEL CM	1048,8221 litre	8,411 %	11420,1591 litre	O
490	CM	90	CM	24 LEVEL CM	988,3348 litre	7,926 %	11480,6464 litre	O
490	CM	90	CM	23 LEVEL CM	928,9047 litre	7,450 %	11540,0765 litre	O

490	CM	90	CM	22 LEVEL CM	870,5675 litre	6,982 %	11598,4137 litre	O
490	CM	90	CM	21 LEVEL CM	813,3607 litre	6,523 %	11655,6205 litre	O
490	CM	90	CM	20 LEVEL CM	757,3244 litre	6,074 %	11711,6568 litre	O
490	CM	90	CM	19 LEVEL CM	702,5010 litre	5,634 %	11766,4802 litre	O
490	CM	90	CM	18 LEVEL CM	648,9359 litre	5,204 %	11820,0453 litre	O
490	CM	90	CM	17 LEVEL CM	596,6778 litre	4,785 %	11872,3034 litre	O
490	CM	90	CM	16 LEVEL CM	545,7791 litre	4,377 %	11923,2021 litre	O
490	CM	90	CM	15 LEVEL CM	496,2965 litre	3,980 %	11972,6847 litre	O
490	CM	90	CM	14 LEVEL CM	448,2918 litre	3,595 %	12020,6894 litre	O
490	CM	90	CM	13 LEVEL CM	401,8327 litre	3,223 %	12067,1485 litre	O
490	CM	90	CM	12 LEVEL CM	356,9938 litre	2,863 %	12111,9874 litre	O
490	CM	90	CM	11 LEVEL CM	313,8582 litre	2,517 %	12155,1230 litre	O
490	CM	90	CM	10 LEVEL CM	272,5192 litre	2,186 %	12196,4620 litre	O
490	CM	90	CM	9 LEVEL CM	233,0831 litre	1,869 %	12235,8981 litre	O
490	CM	90	CM	8 LEVEL CM	195,6722 litre	1,569 %	12273,3090 litre	O
490	CM	90	CM	7 LEVEL CM	160,4299 litre	1,287 %	12308,5513 litre	O
490	CM	90	CM	6 LEVEL CM	127,5283 litre	1,023 %	12341,4529 litre	O
490	CM	90	CM	5 LEVEL CM	97,1792 litre	0,779 %	12371,8020 litre	O
490	CM	90	CM	4 LEVEL CM	69,6537 litre	0,559 %	12399,3275 litre	O
490	CM	90	CM	3 LEVEL CM	45,3179 litre	0,363 %	12423,6633 litre	O
490	CM	90	CM	2 LEVEL CM	24,7095 litre	0,198 %	12444,2717 litre	O
490	CM	90	CM	1 LEVEL CM	8,7508 litre	0,070 %	12460,2304 litre	O
490	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	12468,9812 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 85	CM 170 LEVEL CM	11122,0234 litre	100,000 %	0,0000 litre	O
490	CM 85	CM 169 LEVEL CM	11113,5200 litre	99,924 %	8,5034 litre	O
490	CM 85	CM 168 LEVEL CM	11098,0149 litre	99,784 %	24,0085 litre	O
490	CM 85	CM 167 LEVEL CM	11077,9954 litre	99,604 %	44,0280 litre	O
490	CM 85	CM 166 LEVEL CM	11054,3591 litre	99,392 %	67,6643 litre	O
490	CM 85	CM 165 LEVEL CM	11027,6293 litre	99,151 %	94,3941 litre	O
490	CM 85	CM 164 LEVEL CM	10998,1627 litre	98,886 %	123,8607 litre	O
490	CM 85	CM 163 LEVEL CM	10966,2234 litre	98,599 %	155,8000 litre	O
490	CM 85	CM 162 LEVEL CM	10932,0179 litre	98,292 %	190,0055 litre	O
490	CM 85	CM 161 LEVEL CM	10895,7141 litre	97,965 %	226,3093 litre	O
490	CM 85	CM 160 LEVEL CM	10857,4520 litre	97,621 %	264,5714 litre	O
490	CM 85	CM 159 LEVEL CM	10817,3510 litre	97,261 %	304,6724 litre	O
490	CM 85	CM 158 LEVEL CM	10775,5150 litre	96,884 %	346,5084 litre	O
490	CM 85	CM 157 LEVEL CM	10732,0352 litre	96,494 %	389,9882 litre	O
490	CM 85	CM 156 LEVEL CM	10686,9929 litre	96,089 %	435,0305 litre	O
490	CM 85	CM 155 LEVEL CM	10640,4611 litre	95,670 %	481,5623 litre	O
490	CM 85	CM 154 LEVEL CM	10592,5062 litre	95,239 %	529,5172 litre	O
490	CM 85	CM 153 LEVEL CM	10543,1886 litre	94,796 %	578,8348 litre	O
490	CM 85	CM 152 LEVEL CM	10492,5640 litre	94,340 %	629,4594 litre	O
490	CM 85	CM 151 LEVEL CM	10440,6838 litre	93,874 %	681,3396 litre	O
490	CM 85	CM 150 LEVEL CM	10387,5958 litre	93,397 %	734,4276 litre	O
490	CM 85	CM 149 LEVEL CM	10333,3445 litre	92,909 %	788,6789 litre	O
490	CM 85	CM 148 LEVEL CM	10277,9718 litre	92,411 %	844,0516 litre	O
490	CM 85	CM 147 LEVEL CM	10221,5170 litre	91,903 %	900,5064 litre	O
490	CM 85	CM 146 LEVEL CM	10164,0170 litre	91,386 %	958,0064 litre	O
490	CM 85	CM 145 LEVEL CM	10105,5069 litre	90,860 %	1016,5165 litre	O
490	CM 85	CM 144 LEVEL CM	10046,0202 litre	90,325 %	1076,0032 litre	O
490	CM 85	CM 143 LEVEL CM	9985,5883 litre	89,782 %	1136,4351 litre	O
490	CM 85	CM 142 LEVEL CM	9924,2416 litre	89,231 %	1197,7818 litre	O
490	CM 85	CM 141 LEVEL CM	9862,0089 litre	88,671 %	1260,0145 litre	O
490	CM 85	CM 140 LEVEL CM	9798,9178 litre	88,104 %	1323,1056 litre	O
490	CM 85	CM 139 LEVEL CM	9734,9950 litre	87,529 %	1387,0284 litre	O
490	CM 85	CM 138 LEVEL CM	9670,2660 litre	86,947 %	1451,7574 litre	O
490	CM 85	CM 137 LEVEL CM	9604,7552 litre	86,358 %	1517,2682 litre	O
490	CM 85	CM 136 LEVEL CM	9538,4865 litre	85,762 %	1583,5369 litre	O
490	CM 85	CM 135 LEVEL CM	9471,4827 litre	85,160 %	1650,5407 litre	O
490	CM 85	CM 134 LEVEL CM	9403,7660 litre	84,551 %	1718,2574 litre	O
490	CM 85	CM 133 LEVEL CM	9335,3579 litre	83,936 %	1786,6655 litre	O
490	CM 85	CM 132 LEVEL CM	9266,2792 litre	83,315 %	1855,7442 litre	O
490	CM 85	CM 131 LEVEL CM	9196,5501 litre	82,688 %	1925,4733 litre	O
490	CM 85	CM 130 LEVEL CM	9126,1902 litre	82,055 %	1995,8332 litre	O
490	CM 85	CM 129 LEVEL CM	9055,2188 litre	81,417 %	2066,8046 litre	O
490	CM 85	CM 128 LEVEL CM	8983,6543 litre	80,774 %	2138,3691 litre	O
490	CM 85	CM 127 LEVEL CM	8911,5152 litre	80,125 %	2210,5082 litre	O
490	CM 85	CM 126 LEVEL CM	8838,8190 litre	79,471 %	2283,2044 litre	O
490	CM 85	CM 125 LEVEL CM	8765,5831 litre	78,813 %	2356,4403 litre	O
490	CM 85	CM 124 LEVEL CM	8691,8246 litre	78,150 %	2430,1988 litre	O
490	CM 85	CM 123 LEVEL CM	8617,5599 litre	77,482 %	2504,4635 litre	O
490	CM 85	CM 122 LEVEL CM	8542,8055 litre	76,810 %	2579,2179 litre	O
490	CM 85	CM 121 LEVEL CM	8467,5772 litre	76,133 %	2654,4462 litre	O
490	CM 85	CM 120 LEVEL CM	8391,8906 litre	75,453 %	2730,1328 litre	O
490	CM 85	CM 119 LEVEL CM	8315,7613 litre	74,768 %	2806,2621 litre	O

490	CM	85	CM	118 LEVEL CM	8239,2042 litre	74,080 %	2882,8192 litre	O
490	CM	85	CM	117 LEVEL CM	8162,2343 litre	73,388 %	2959,7891 litre	O
490	CM	85	CM	116 LEVEL CM	8084,8661 litre	72,692 %	3037,1573 litre	O
490	CM	85	CM	115 LEVEL CM	8007,1140 litre	71,993 %	3114,9094 litre	O
490	CM	85	CM	114 LEVEL CM	7928,9922 litre	71,291 %	3193,0312 litre	O
490	CM	85	CM	113 LEVEL CM	7850,5147 litre	70,585 %	3271,5087 litre	O
490	CM	85	CM	112 LEVEL CM	7771,6953 litre	69,877 %	3350,3281 litre	O
490	CM	85	CM	111 LEVEL CM	7692,5476 litre	69,165 %	3429,4758 litre	O
490	CM	85	CM	110 LEVEL CM	7613,0850 litre	68,451 %	3508,9384 litre	O
490	CM	85	CM	109 LEVEL CM	7533,3209 litre	67,733 %	3588,7025 litre	O
490	CM	85	CM	108 LEVEL CM	7453,2682 litre	67,014 %	3668,7552 litre	O
490	CM	85	CM	107 LEVEL CM	7372,9401 litre	66,291 %	3749,0833 litre	O
490	CM	85	CM	106 LEVEL CM	7292,3495 litre	65,567 %	3829,6739 litre	O
490	CM	85	CM	105 LEVEL CM	7211,5089 litre	64,840 %	3910,5145 litre	O
490	CM	85	CM	104 LEVEL CM	7130,4311 litre	64,111 %	3991,5923 litre	O
490	CM	85	CM	103 LEVEL CM	7049,1285 litre	63,380 %	4072,8949 litre	O
490	CM	85	CM	102 LEVEL CM	6967,6136 litre	62,647 %	4154,4098 litre	O
490	CM	85	CM	101 LEVEL CM	6885,8986 litre	61,912 %	4236,1248 litre	O
490	CM	85	CM	100 LEVEL CM	6803,9958 litre	61,176 %	4318,0276 litre	O
490	CM	85	CM	99 LEVEL CM	6721,9172 litre	60,438 %	4400,1062 litre	O
490	CM	85	CM	98 LEVEL CM	6639,6751 litre	59,698 %	4482,3483 litre	O
490	CM	85	CM	97 LEVEL CM	6557,2812 litre	58,958 %	4564,7422 litre	O
490	CM	85	CM	96 LEVEL CM	6474,7476 litre	58,216 %	4647,2758 litre	O
490	CM	85	CM	95 LEVEL CM	6392,0861 litre	57,472 %	4729,9373 litre	O
490	CM	85	CM	94 LEVEL CM	6309,3085 litre	56,728 %	4812,7149 litre	O
490	CM	85	CM	93 LEVEL CM	6226,4265 litre	55,983 %	4895,5969 litre	O
490	CM	85	CM	92 LEVEL CM	6143,4519 litre	55,237 %	4978,5715 litre	O
490	CM	85	CM	91 LEVEL CM	6060,3963 litre	54,490 %	5061,6271 litre	O
490	CM	85	CM	90 LEVEL CM	5977,2714 litre	53,743 %	5144,7520 litre	O
490	CM	85	CM	89 LEVEL CM	5894,0887 litre	52,995 %	5227,9347 litre	O
490	CM	85	CM	88 LEVEL CM	5810,8598 litre	52,246 %	5311,1636 litre	O
490	CM	85	CM	87 LEVEL CM	5727,5963 litre	51,498 %	5394,4271 litre	O
490	CM	85	CM	86 LEVEL CM	5644,3098 litre	50,749 %	5477,7136 litre	O
490	CM	85	CM	85 LEVEL CM	5561,0117 litre	50,000 %	5561,0117 litre	O
490	CM	85	CM	84 LEVEL CM	5477,7136 litre	49,251 %	5644,3098 litre	O
490	CM	85	CM	83 LEVEL CM	5394,4271 litre	48,502 %	5727,5963 litre	O
490	CM	85	CM	82 LEVEL CM	5311,1636 litre	47,754 %	5810,8598 litre	O
490	CM	85	CM	81 LEVEL CM	5227,9347 litre	47,005 %	5894,0887 litre	O
490	CM	85	CM	80 LEVEL CM	5144,7520 litre	46,257 %	5977,2714 litre	O
490	CM	85	CM	79 LEVEL CM	5061,6271 litre	45,510 %	6060,3963 litre	O
490	CM	85	CM	78 LEVEL CM	4978,5715 litre	44,763 %	6143,4519 litre	O
490	CM	85	CM	77 LEVEL CM	4895,5969 litre	44,017 %	6226,4265 litre	O
490	CM	85	CM	76 LEVEL CM	4812,7149 litre	43,272 %	6309,3085 litre	O
490	CM	85	CM	75 LEVEL CM	4729,9373 litre	42,528 %	6392,0861 litre	O
490	CM	85	CM	74 LEVEL CM	4647,2758 litre	41,784 %	6474,7476 litre	O
490	CM	85	CM	73 LEVEL CM	4564,7422 litre	41,042 %	6557,2812 litre	O
490	CM	85	CM	72 LEVEL CM	4482,3483 litre	40,302 %	6639,6751 litre	O
490	CM	85	CM	71 LEVEL CM	4400,1061 litre	39,562 %	6721,9173 litre	O
490	CM	85	CM	70 LEVEL CM	4318,0276 litre	38,824 %	6803,9958 litre	O
490	CM	85	CM	69 LEVEL CM	4236,1248 litre	38,088 %	6885,8986 litre	O
490	CM	85	CM	68 LEVEL CM	4154,4098 litre	37,353 %	6967,6136 litre	O
490	CM	85	CM	67 LEVEL CM	4072,8949 litre	36,620 %	7049,1285 litre	O
490	CM	85	CM	66 LEVEL CM	3991,5923 litre	35,889 %	7130,4311 litre	O

490	CM	85	CM	65 LEVEL CM	3910,5145 litre	35,160 %	7211,5089 litre	O
490	CM	85	CM	64 LEVEL CM	3829,6739 litre	34,433 %	7292,3495 litre	O
490	CM	85	CM	63 LEVEL CM	3749,0832 litre	33,709 %	7372,9402 litre	O
490	CM	85	CM	62 LEVEL CM	3668,7552 litre	32,986 %	7453,2682 litre	O
490	CM	85	CM	61 LEVEL CM	3588,7025 litre	32,267 %	7533,3209 litre	O
490	CM	85	CM	60 LEVEL CM	3508,9384 litre	31,549 %	7613,0850 litre	O
490	CM	85	CM	59 LEVEL CM	3429,4758 litre	30,835 %	7692,5476 litre	O
490	CM	85	CM	58 LEVEL CM	3350,3281 litre	30,123 %	7771,6953 litre	O
490	CM	85	CM	57 LEVEL CM	3271,5087 litre	29,415 %	7850,5147 litre	O
490	CM	85	CM	56 LEVEL CM	3193,0312 litre	28,709 %	7928,9922 litre	O
490	CM	85	CM	55 LEVEL CM	3114,9094 litre	28,007 %	8007,1140 litre	O
490	CM	85	CM	54 LEVEL CM	3037,1573 litre	27,308 %	8084,8661 litre	O
490	CM	85	CM	53 LEVEL CM	2959,7891 litre	26,612 %	8162,2343 litre	O
490	CM	85	CM	52 LEVEL CM	2882,8192 litre	25,920 %	8239,2042 litre	O
490	CM	85	CM	51 LEVEL CM	2806,2621 litre	25,232 %	8315,7613 litre	O
490	CM	85	CM	50 LEVEL CM	2730,1327 litre	24,547 %	8391,8907 litre	O
490	CM	85	CM	49 LEVEL CM	2654,4462 litre	23,867 %	8467,5772 litre	O
490	CM	85	CM	48 LEVEL CM	2579,2179 litre	23,190 %	8542,8055 litre	O
490	CM	85	CM	47 LEVEL CM	2504,4635 litre	22,518 %	8617,5599 litre	O
490	CM	85	CM	46 LEVEL CM	2430,1988 litre	21,850 %	8691,8246 litre	O
490	CM	85	CM	45 LEVEL CM	2356,4403 litre	21,187 %	8765,5831 litre	O
490	CM	85	CM	44 LEVEL CM	2283,2044 litre	20,529 %	8838,8190 litre	O
490	CM	85	CM	43 LEVEL CM	2210,5082 litre	19,875 %	8911,5152 litre	O
490	CM	85	CM	42 LEVEL CM	2138,3691 litre	19,226 %	8983,6543 litre	O
490	CM	85	CM	41 LEVEL CM	2066,8046 litre	18,583 %	9055,2188 litre	O
490	CM	85	CM	40 LEVEL CM	1995,8332 litre	17,945 %	9126,1902 litre	O
490	CM	85	CM	39 LEVEL CM	1925,4733 litre	17,312 %	9196,5501 litre	O
490	CM	85	CM	38 LEVEL CM	1855,7442 litre	16,685 %	9266,2792 litre	O
490	CM	85	CM	37 LEVEL CM	1786,6655 litre	16,064 %	9335,3579 litre	O
490	CM	85	CM	36 LEVEL CM	1718,2574 litre	15,449 %	9403,7660 litre	O
490	CM	85	CM	35 LEVEL CM	1650,5407 litre	14,840 %	9471,4827 litre	O
490	CM	85	CM	34 LEVEL CM	1583,5369 litre	14,238 %	9538,4865 litre	O
490	CM	85	CM	33 LEVEL CM	1517,2682 litre	13,642 %	9604,7552 litre	O
490	CM	85	CM	32 LEVEL CM	1451,7574 litre	13,053 %	9670,2660 litre	O
490	CM	85	CM	31 LEVEL CM	1387,0284 litre	12,471 %	9734,9950 litre	O
490	CM	85	CM	30 LEVEL CM	1323,1055 litre	11,896 %	9798,9179 litre	O
490	CM	85	CM	29 LEVEL CM	1260,0145 litre	11,329 %	9862,0089 litre	O
490	CM	85	CM	28 LEVEL CM	1197,7818 litre	10,769 %	9924,2416 litre	O
490	CM	85	CM	27 LEVEL CM	1136,4351 litre	10,218 %	9985,5883 litre	O
490	CM	85	CM	26 LEVEL CM	1076,0032 litre	9,675 %	10046,0202 litre	O
490	CM	85	CM	25 LEVEL CM	1016,5165 litre	9,140 %	10105,5069 litre	O
490	CM	85	CM	24 LEVEL CM	958,0064 litre	8,614 %	10164,0170 litre	O
490	CM	85	CM	23 LEVEL CM	900,5064 litre	8,097 %	10221,5170 litre	O
490	CM	85	CM	22 LEVEL CM	844,0516 litre	7,589 %	10277,9718 litre	O
490	CM	85	CM	21 LEVEL CM	788,6789 litre	7,091 %	10333,3445 litre	O
490	CM	85	CM	20 LEVEL CM	734,4276 litre	6,603 %	10387,5958 litre	O
490	CM	85	CM	19 LEVEL CM	681,3396 litre	6,126 %	10440,6838 litre	O
490	CM	85	CM	18 LEVEL CM	629,4594 litre	5,660 %	10492,5640 litre	O
490	CM	85	CM	17 LEVEL CM	578,8348 litre	5,204 %	10543,1886 litre	O
490	CM	85	CM	16 LEVEL CM	529,5172 litre	4,761 %	10592,5062 litre	O
490	CM	85	CM	15 LEVEL CM	481,5623 litre	4,330 %	10640,4611 litre	O
490	CM	85	CM	14 LEVEL CM	435,0305 litre	3,911 %	10686,9929 litre	O
490	CM	85	CM	13 LEVEL CM	389,9882 litre	3,506 %	10732,0352 litre	O

490	CM	85	CM	12 LEVEL CM	346,5084 litre	3,116 %	10775,5150 litre	O
490	CM	85	CM	11 LEVEL CM	304,6724 litre	2,739 %	10817,3510 litre	O
490	CM	85	CM	10 LEVEL CM	264,5714 litre	2,379 %	10857,4520 litre	O
490	CM	85	CM	9 LEVEL CM	226,3093 litre	2,035 %	10895,7141 litre	O
490	CM	85	CM	8 LEVEL CM	190,0055 litre	1,708 %	10932,0179 litre	O
490	CM	85	CM	7 LEVEL CM	155,8000 litre	1,401 %	10966,2234 litre	O
490	CM	85	CM	6 LEVEL CM	123,8607 litre	1,114 %	10998,1627 litre	O
490	CM	85	CM	5 LEVEL CM	94,3941 litre	0,849 %	11027,6293 litre	O
490	CM	85	CM	4 LEVEL CM	67,6643 litre	0,608 %	11054,3591 litre	O
490	CM	85	CM	3 LEVEL CM	44,0280 litre	0,396 %	11077,9954 litre	O
490	CM	85	CM	2 LEVEL CM	24,0085 litre	0,216 %	11098,0149 litre	O
490	CM	85	CM	1 LEVEL CM	8,5034 litre	0,076 %	11113,5200 litre	O
490	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	11122,0234 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 80	CM 160 LEVEL CM	9852,0346 litre	100,000 %	0,0000 litre	O
490	CM 80	CM 159 LEVEL CM	9843,7860 litre	99,916 %	8,2486 litre	O
490	CM 80	CM 158 LEVEL CM	9828,7480 litre	99,764 %	23,2866 litre	O
490	CM 80	CM 157 LEVEL CM	9809,3355 litre	99,567 %	42,6991 litre	O
490	CM 80	CM 156 LEVEL CM	9786,4200 litre	99,334 %	65,6146 litre	O
490	CM 80	CM 155 LEVEL CM	9760,5104 litre	99,071 %	91,5242 litre	O
490	CM 80	CM 154 LEVEL CM	9731,9535 litre	98,781 %	120,0811 litre	O
490	CM 80	CM 153 LEVEL CM	9701,0063 litre	98,467 %	151,0283 litre	O
490	CM 80	CM 152 LEVEL CM	9667,8701 litre	98,131 %	184,1645 litre	O
490	CM 80	CM 151 LEVEL CM	9632,7082 litre	97,774 %	219,3264 litre	O
490	CM 80	CM 150 LEVEL CM	9595,6573 litre	97,398 %	256,3773 litre	O
490	CM 80	CM 149 LEVEL CM	9556,8338 litre	97,004 %	295,2008 litre	O
490	CM 80	CM 148 LEVEL CM	9516,3391 litre	96,593 %	335,6955 litre	O
490	CM 80	CM 147 LEVEL CM	9474,2623 litre	96,166 %	377,7723 litre	O
490	CM 80	CM 146 LEVEL CM	9430,6828 litre	95,723 %	421,3518 litre	O
490	CM 80	CM 145 LEVEL CM	9385,6721 litre	95,266 %	466,3625 litre	O
490	CM 80	CM 144 LEVEL CM	9339,2951 litre	94,796 %	512,7395 litre	O
490	CM 80	CM 143 LEVEL CM	9291,6110 litre	94,312 %	560,4236 litre	O
490	CM 80	CM 142 LEVEL CM	9242,6744 litre	93,815 %	609,3602 litre	O
490	CM 80	CM 141 LEVEL CM	9192,5357 litre	93,306 %	659,4989 litre	O
490	CM 80	CM 140 LEVEL CM	9141,2417 litre	92,785 %	710,7929 litre	O
490	CM 80	CM 139 LEVEL CM	9088,8363 litre	92,253 %	763,1983 litre	O
490	CM 80	CM 138 LEVEL CM	9035,3606 litre	91,711 %	816,6740 litre	O
490	CM 80	CM 137 LEVEL CM	8980,8530 litre	91,157 %	871,1816 litre	O
490	CM 80	CM 136 LEVEL CM	8925,3502 litre	90,594 %	926,6844 litre	O
490	CM 80	CM 135 LEVEL CM	8868,8866 litre	90,021 %	983,1480 litre	O
490	CM 80	CM 134 LEVEL CM	8811,4952 litre	89,438 %	1040,5394 litre	O
490	CM 80	CM 133 LEVEL CM	8753,2070 litre	88,847 %	1098,8276 litre	O
490	CM 80	CM 132 LEVEL CM	8694,0520 litre	88,246 %	1157,9826 litre	O
490	CM 80	CM 131 LEVEL CM	8634,0586 litre	87,637 %	1217,9760 litre	O
490	CM 80	CM 130 LEVEL CM	8573,2543 litre	87,020 %	1278,7803 litre	O
490	CM 80	CM 129 LEVEL CM	8511,6652 litre	86,395 %	1340,3694 litre	O
490	CM 80	CM 128 LEVEL CM	8449,3168 litre	85,762 %	1402,7178 litre	O
490	CM 80	CM 127 LEVEL CM	8386,2332 litre	85,122 %	1465,8014 litre	O
490	CM 80	CM 126 LEVEL CM	8322,4381 litre	84,474 %	1529,5965 litre	O
490	CM 80	CM 125 LEVEL CM	8257,9542 litre	83,820 %	1594,0804 litre	O
490	CM 80	CM 124 LEVEL CM	8192,8035 litre	83,158 %	1659,2311 litre	O
490	CM 80	CM 123 LEVEL CM	8127,0074 litre	82,491 %	1725,0272 litre	O
490	CM 80	CM 122 LEVEL CM	8060,5866 litre	81,816 %	1791,4480 litre	O
490	CM 80	CM 121 LEVEL CM	7993,5612 litre	81,136 %	1858,4734 litre	O
490	CM 80	CM 120 LEVEL CM	7925,9509 litre	80,450 %	1926,0837 litre	O
490	CM 80	CM 119 LEVEL CM	7857,7747 litre	79,758 %	1994,2599 litre	O
490	CM 80	CM 118 LEVEL CM	7789,0513 litre	79,060 %	2062,9833 litre	O
490	CM 80	CM 117 LEVEL CM	7719,7989 litre	78,357 %	2132,2357 litre	O
490	CM 80	CM 116 LEVEL CM	7650,0353 litre	77,649 %	2201,9993 litre	O
490	CM 80	CM 115 LEVEL CM	7579,7778 litre	76,936 %	2272,2568 litre	O
490	CM 80	CM 114 LEVEL CM	7509,0435 litre	76,218 %	2342,9911 litre	O
490	CM 80	CM 113 LEVEL CM	7437,8490 litre	75,496 %	2414,1856 litre	O
490	CM 80	CM 112 LEVEL CM	7366,2107 litre	74,768 %	2485,8239 litre	O
490	CM 80	CM 111 LEVEL CM	7294,1447 litre	74,037 %	2557,8899 litre	O
490	CM 80	CM 110 LEVEL CM	7221,6667 litre	73,301 %	2630,3679 litre	O
490	CM 80	CM 109 LEVEL CM	7148,7923 litre	72,562 %	2703,2423 litre	O

490	CM	80	CM	108 LEVEL CM	7075,5367 litre	71,818 %	2776,4979 litre	O
490	CM	80	CM	107 LEVEL CM	7001,9150 litre	71,071 %	2850,1196 litre	O
490	CM	80	CM	106 LEVEL CM	6927,9418 litre	70,320 %	2924,0928 litre	O
490	CM	80	CM	105 LEVEL CM	6853,6318 litre	69,566 %	2998,4028 litre	O
490	CM	80	CM	104 LEVEL CM	6778,9994 litre	68,808 %	3073,0352 litre	O
490	CM	80	CM	103 LEVEL CM	6704,0589 litre	68,047 %	3147,9757 litre	O
490	CM	80	CM	102 LEVEL CM	6628,8241 litre	67,284 %	3223,2105 litre	O
490	CM	80	CM	101 LEVEL CM	6553,3090 litre	66,517 %	3298,7256 litre	O
490	CM	80	CM	100 LEVEL CM	6477,5273 litre	65,748 %	3374,5073 litre	O
490	CM	80	CM	99 LEVEL CM	6401,4925 litre	64,976 %	3450,5421 litre	O
490	CM	80	CM	98 LEVEL CM	6325,2182 litre	64,202 %	3526,8164 litre	O
490	CM	80	CM	97 LEVEL CM	6248,7175 litre	63,426 %	3603,3171 litre	O
490	CM	80	CM	96 LEVEL CM	6172,0037 litre	62,647 %	3680,0309 litre	O
490	CM	80	CM	95 LEVEL CM	6095,0899 litre	61,866 %	3756,9447 litre	O
490	CM	80	CM	94 LEVEL CM	6017,9889 litre	61,084 %	3834,0457 litre	O
490	CM	80	CM	93 LEVEL CM	5940,7138 litre	60,299 %	3911,3208 litre	O
490	CM	80	CM	92 LEVEL CM	5863,2773 litre	59,513 %	3988,7573 litre	O
490	CM	80	CM	91 LEVEL CM	5785,6921 litre	58,726 %	4066,3425 litre	O
490	CM	80	CM	90 LEVEL CM	5707,9708 litre	57,937 %	4144,0638 litre	O
490	CM	80	CM	89 LEVEL CM	5630,1261 litre	57,147 %	4221,9085 litre	O
490	CM	80	CM	88 LEVEL CM	5552,1704 litre	56,356 %	4299,8642 litre	O
490	CM	80	CM	87 LEVEL CM	5474,1162 litre	55,563 %	4377,9184 litre	O
490	CM	80	CM	86 LEVEL CM	5395,9759 litre	54,770 %	4456,0587 litre	O
490	CM	80	CM	85 LEVEL CM	5317,7619 litre	53,976 %	4534,2727 litre	O
490	CM	80	CM	84 LEVEL CM	5239,4866 litre	53,182 %	4612,5480 litre	O
490	CM	80	CM	83 LEVEL CM	5161,1621 litre	52,387 %	4690,8725 litre	O
490	CM	80	CM	82 LEVEL CM	5082,8009 litre	51,591 %	4769,2337 litre	O
490	CM	80	CM	81 LEVEL CM	5004,4152 litre	50,796 %	4847,6194 litre	O
490	CM	80	CM	80 LEVEL CM	4926,0173 litre	50,000 %	4926,0173 litre	O
490	CM	80	CM	79 LEVEL CM	4847,6193 litre	49,204 %	5004,4153 litre	O
490	CM	80	CM	78 LEVEL CM	4769,2336 litre	48,409 %	5082,8010 litre	O
490	CM	80	CM	77 LEVEL CM	4690,8724 litre	47,613 %	5161,1622 litre	O
490	CM	80	CM	76 LEVEL CM	4612,5480 litre	46,818 %	5239,4866 litre	O
490	CM	80	CM	75 LEVEL CM	4534,2726 litre	46,024 %	5317,7620 litre	O
490	CM	80	CM	74 LEVEL CM	4456,0587 litre	45,230 %	5395,9759 litre	O
490	CM	80	CM	73 LEVEL CM	4377,9184 litre	44,437 %	5474,1162 litre	O
490	CM	80	CM	72 LEVEL CM	4299,8642 litre	43,644 %	5552,1704 litre	O
490	CM	80	CM	71 LEVEL CM	4221,9085 litre	42,853 %	5630,1261 litre	O
490	CM	80	CM	70 LEVEL CM	4144,0638 litre	42,063 %	5707,9708 litre	O
490	CM	80	CM	69 LEVEL CM	4066,3425 litre	41,274 %	5785,6921 litre	O
490	CM	80	CM	68 LEVEL CM	3988,7573 litre	40,487 %	5863,2773 litre	O
490	CM	80	CM	67 LEVEL CM	3911,3208 litre	39,701 %	5940,7138 litre	O
490	CM	80	CM	66 LEVEL CM	3834,0456 litre	38,916 %	6017,9890 litre	O
490	CM	80	CM	65 LEVEL CM	3756,9447 litre	38,134 %	6095,0899 litre	O
490	CM	80	CM	64 LEVEL CM	3680,0309 litre	37,353 %	6172,0037 litre	O
490	CM	80	CM	63 LEVEL CM	3603,3171 litre	36,574 %	6248,7175 litre	O
490	CM	80	CM	62 LEVEL CM	3526,8164 litre	35,798 %	6325,2182 litre	O
490	CM	80	CM	61 LEVEL CM	3450,5420 litre	35,024 %	6401,4926 litre	O
490	CM	80	CM	60 LEVEL CM	3374,5073 litre	34,252 %	6477,5273 litre	O
490	CM	80	CM	59 LEVEL CM	3298,7256 litre	33,483 %	6553,3090 litre	O
490	CM	80	CM	58 LEVEL CM	3223,2105 litre	32,716 %	6628,8241 litre	O
490	CM	80	CM	57 LEVEL CM	3147,9757 litre	31,953 %	6704,0589 litre	O
490	CM	80	CM	56 LEVEL CM	3073,0351 litre	31,192 %	6778,9995 litre	O

490	CM	80	CM	55 LEVEL CM	2998,4027 litre	30,434 %	6853,6319 litre	O
490	CM	80	CM	54 LEVEL CM	2924,0928 litre	29,680 %	6927,9418 litre	O
490	CM	80	CM	53 LEVEL CM	2850,1196 litre	28,929 %	7001,9150 litre	O
490	CM	80	CM	52 LEVEL CM	2776,4978 litre	28,182 %	7075,5368 litre	O
490	CM	80	CM	51 LEVEL CM	2703,2422 litre	27,438 %	7148,7924 litre	O
490	CM	80	CM	50 LEVEL CM	2630,3678 litre	26,699 %	7221,6668 litre	O
490	CM	80	CM	49 LEVEL CM	2557,8899 litre	25,963 %	7294,1447 litre	O
490	CM	80	CM	48 LEVEL CM	2485,8239 litre	25,232 %	7366,2107 litre	O
490	CM	80	CM	47 LEVEL CM	2414,1856 litre	24,504 %	7437,8490 litre	O
490	CM	80	CM	46 LEVEL CM	2342,9911 litre	23,782 %	7509,0435 litre	O
490	CM	80	CM	45 LEVEL CM	2272,2568 litre	23,064 %	7579,7778 litre	O
490	CM	80	CM	44 LEVEL CM	2201,9993 litre	22,351 %	7650,0353 litre	O
490	CM	80	CM	43 LEVEL CM	2132,2356 litre	21,643 %	7719,7990 litre	O
490	CM	80	CM	42 LEVEL CM	2062,9832 litre	20,940 %	7789,0514 litre	O
490	CM	80	CM	41 LEVEL CM	1994,2599 litre	20,242 %	7857,7747 litre	O
490	CM	80	CM	40 LEVEL CM	1926,0837 litre	19,550 %	7925,9509 litre	O
490	CM	80	CM	39 LEVEL CM	1858,4734 litre	18,864 %	7993,5612 litre	O
490	CM	80	CM	38 LEVEL CM	1791,4480 litre	18,184 %	8060,5866 litre	O
490	CM	80	CM	37 LEVEL CM	1725,0272 litre	17,509 %	8127,0074 litre	O
490	CM	80	CM	36 LEVEL CM	1659,2310 litre	16,842 %	8192,8036 litre	O
490	CM	80	CM	35 LEVEL CM	1594,0803 litre	16,180 %	8257,9543 litre	O
490	CM	80	CM	34 LEVEL CM	1529,5964 litre	15,526 %	8322,4382 litre	O
490	CM	80	CM	33 LEVEL CM	1465,8014 litre	14,878 %	8386,2332 litre	O
490	CM	80	CM	32 LEVEL CM	1402,7178 litre	14,238 %	8449,3168 litre	O
490	CM	80	CM	31 LEVEL CM	1340,3693 litre	13,605 %	8511,6653 litre	O
490	CM	80	CM	30 LEVEL CM	1278,7803 litre	12,980 %	8573,2543 litre	O
490	CM	80	CM	29 LEVEL CM	1217,9760 litre	12,363 %	8634,0586 litre	O
490	CM	80	CM	28 LEVEL CM	1157,9826 litre	11,754 %	8694,0520 litre	O
490	CM	80	CM	27 LEVEL CM	1098,8276 litre	11,153 %	8753,2070 litre	O
490	CM	80	CM	26 LEVEL CM	1040,5394 litre	10,562 %	8811,4952 litre	O
490	CM	80	CM	25 LEVEL CM	983,1479 litre	9,979 %	8868,8867 litre	O
490	CM	80	CM	24 LEVEL CM	926,6844 litre	9,406 %	8925,3502 litre	O
490	CM	80	CM	23 LEVEL CM	871,1815 litre	8,843 %	8980,8531 litre	O
490	CM	80	CM	22 LEVEL CM	816,6740 litre	8,289 %	9035,3606 litre	O
490	CM	80	CM	21 LEVEL CM	763,1982 litre	7,747 %	9088,8364 litre	O
490	CM	80	CM	20 LEVEL CM	710,7928 litre	7,215 %	9141,2418 litre	O
490	CM	80	CM	19 LEVEL CM	659,4989 litre	6,694 %	9192,5357 litre	O
490	CM	80	CM	18 LEVEL CM	609,3602 litre	6,185 %	9242,6744 litre	O
490	CM	80	CM	17 LEVEL CM	560,4235 litre	5,688 %	9291,6111 litre	O
490	CM	80	CM	16 LEVEL CM	512,7395 litre	5,204 %	9339,2951 litre	O
490	CM	80	CM	15 LEVEL CM	466,3625 litre	4,734 %	9385,6721 litre	O
490	CM	80	CM	14 LEVEL CM	421,3518 litre	4,277 %	9430,6828 litre	O
490	CM	80	CM	13 LEVEL CM	377,7723 litre	3,834 %	9474,2623 litre	O
490	CM	80	CM	12 LEVEL CM	335,6955 litre	3,407 %	9516,3391 litre	O
490	CM	80	CM	11 LEVEL CM	295,2007 litre	2,996 %	9556,8339 litre	O
490	CM	80	CM	10 LEVEL CM	256,3773 litre	2,602 %	9595,6573 litre	O
490	CM	80	CM	9 LEVEL CM	219,3263 litre	2,226 %	9632,7083 litre	O
490	CM	80	CM	8 LEVEL CM	184,1644 litre	1,869 %	9667,8702 litre	O
490	CM	80	CM	7 LEVEL CM	151,0282 litre	1,533 %	9701,0064 litre	O
490	CM	80	CM	6 LEVEL CM	120,0811 litre	1,219 %	9731,9535 litre	O
490	CM	80	CM	5 LEVEL CM	91,5242 litre	0,929 %	9760,5104 litre	O
490	CM	80	CM	4 LEVEL CM	65,6146 litre	0,666 %	9786,4200 litre	O
490	CM	80	CM	3 LEVEL CM	42,6991 litre	0,433 %	9809,3355 litre	O

490	CM	80	CM	2 LEVEL CM	23,2865 litre	0,236 %	9828,7481 litre	O
490	CM	80	CM	1 LEVEL CM	8,2486 litre	0,084 %	9843,7860 litre	O
490	CM	80	CM	0 LEVEL CM	0,0000 litre	0,000 %	9852,0346 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 75	CM 150 LEVEL CM	8659,0148 litre	100,000 %	0,0000 litre	O
490	CM 75	CM 149 LEVEL CM	8651,0291 litre	99,908 %	7,9857 litre	O
490	CM 75	CM 148 LEVEL CM	8636,4734 litre	99,740 %	22,5414 litre	O
490	CM 75	CM 147 LEVEL CM	8617,6872 litre	99,523 %	41,3276 litre	O
490	CM 75	CM 146 LEVEL CM	8595,5160 litre	99,267 %	63,4988 litre	O
490	CM 75	CM 145 LEVEL CM	8570,4534 litre	98,977 %	88,5614 litre	O
490	CM 75	CM 144 LEVEL CM	8542,8362 litre	98,658 %	116,1786 litre	O
490	CM 75	CM 143 LEVEL CM	8512,9141 litre	98,313 %	146,1007 litre	O
490	CM 75	CM 142 LEVEL CM	8480,8828 litre	97,943 %	178,1320 litre	O
490	CM 75	CM 141 LEVEL CM	8446,9012 litre	97,550 %	212,1136 litre	O
490	CM 75	CM 140 LEVEL CM	8411,1024 litre	97,137 %	247,9124 litre	O
490	CM 75	CM 139 LEVEL CM	8373,5999 litre	96,704 %	285,4149 litre	O
490	CM 75	CM 138 LEVEL CM	8334,4924 litre	96,252 %	324,5224 litre	O
490	CM 75	CM 137 LEVEL CM	8293,8670 litre	95,783 %	365,1478 litre	O
490	CM 75	CM 136 LEVEL CM	8251,8012 litre	95,297 %	407,2136 litre	O
490	CM 75	CM 135 LEVEL CM	8208,3648 litre	94,796 %	450,6500 litre	O
490	CM 75	CM 134 LEVEL CM	8163,6214 litre	94,279 %	495,3934 litre	O
490	CM 75	CM 133 LEVEL CM	8117,6288 litre	93,748 %	541,3860 litre	O
490	CM 75	CM 132 LEVEL CM	8070,4405 litre	93,203 %	588,5743 litre	O
490	CM 75	CM 131 LEVEL CM	8022,1060 litre	92,645 %	636,9088 litre	O
490	CM 75	CM 130 LEVEL CM	7972,6711 litre	92,074 %	686,3437 litre	O
490	CM 75	CM 129 LEVEL CM	7922,1790 litre	91,491 %	736,8358 litre	O
490	CM 75	CM 128 LEVEL CM	7870,6700 litre	90,896 %	788,3448 litre	O
490	CM 75	CM 127 LEVEL CM	7818,1820 litre	90,290 %	840,8328 litre	O
490	CM 75	CM 126 LEVEL CM	7764,7509 litre	89,672 %	894,2639 litre	O
490	CM 75	CM 125 LEVEL CM	7710,4109 litre	89,045 %	948,6039 litre	O
490	CM 75	CM 124 LEVEL CM	7655,1941 litre	88,407 %	1003,8207 litre	O
490	CM 75	CM 123 LEVEL CM	7599,1316 litre	87,760 %	1059,8832 litre	O
490	CM 75	CM 122 LEVEL CM	7542,2526 litre	87,103 %	1116,7622 litre	O
490	CM 75	CM 121 LEVEL CM	7484,5855 litre	86,437 %	1174,4293 litre	O
490	CM 75	CM 120 LEVEL CM	7426,1573 litre	85,762 %	1232,8575 litre	O
490	CM 75	CM 119 LEVEL CM	7366,9940 litre	85,079 %	1292,0208 litre	O
490	CM 75	CM 118 LEVEL CM	7307,1207 litre	84,387 %	1351,8941 litre	O
490	CM 75	CM 117 LEVEL CM	7246,5616 litre	83,688 %	1412,4532 litre	O
490	CM 75	CM 116 LEVEL CM	7185,3400 litre	82,981 %	1473,6748 litre	O
490	CM 75	CM 115 LEVEL CM	7123,4785 litre	82,267 %	1535,5363 litre	O
490	CM 75	CM 114 LEVEL CM	7060,9991 litre	81,545 %	1598,0157 litre	O
490	CM 75	CM 113 LEVEL CM	6997,9230 litre	80,817 %	1661,0918 litre	O
490	CM 75	CM 112 LEVEL CM	6934,2710 litre	80,082 %	1724,7438 litre	O
490	CM 75	CM 111 LEVEL CM	6870,0631 litre	79,340 %	1788,9517 litre	O
490	CM 75	CM 110 LEVEL CM	6805,3190 litre	78,592 %	1853,6958 litre	O
490	CM 75	CM 109 LEVEL CM	6740,0577 litre	77,839 %	1918,9571 litre	O
490	CM 75	CM 108 LEVEL CM	6674,2980 litre	77,079 %	1984,7168 litre	O
490	CM 75	CM 107 LEVEL CM	6608,0581 litre	76,314 %	2050,9567 litre	O
490	CM 75	CM 106 LEVEL CM	6541,3558 litre	75,544 %	2117,6590 litre	O
490	CM 75	CM 105 LEVEL CM	6474,2086 litre	74,768 %	2184,8062 litre	O
490	CM 75	CM 104 LEVEL CM	6406,6337 litre	73,988 %	2252,3811 litre	O
490	CM 75	CM 103 LEVEL CM	6338,6479 litre	73,203 %	2320,3669 litre	O
490	CM 75	CM 102 LEVEL CM	6270,2677 litre	72,413 %	2388,7471 litre	O
490	CM 75	CM 101 LEVEL CM	6201,5093 litre	71,619 %	2457,5055 litre	O
490	CM 75	CM 100 LEVEL CM	6132,3887 litre	70,821 %	2526,6261 litre	O
490	CM 75	CM 99 LEVEL CM	6062,9215 litre	70,019 %	2596,0933 litre	O

490	CM	75	CM	98 LEVEL CM	5993,1234 litre	69,213 %	2665,8914 litre	O
490	CM	75	CM	97 LEVEL CM	5923,0095 litre	68,403 %	2736,0053 litre	O
490	CM	75	CM	96 LEVEL CM	5852,5949 litre	67,590 %	2806,4199 litre	O
490	CM	75	CM	95 LEVEL CM	5781,8944 litre	66,773 %	2877,1204 litre	O
490	CM	75	CM	94 LEVEL CM	5710,9228 litre	65,953 %	2948,0920 litre	O
490	CM	75	CM	93 LEVEL CM	5639,6945 litre	65,131 %	3019,3203 litre	O
490	CM	75	CM	92 LEVEL CM	5568,2239 litre	64,306 %	3090,7909 litre	O
490	CM	75	CM	91 LEVEL CM	5496,5253 litre	63,477 %	3162,4895 litre	O
490	CM	75	CM	90 LEVEL CM	5424,6126 litre	62,647 %	3234,4022 litre	O
490	CM	75	CM	89 LEVEL CM	5352,4999 litre	61,814 %	3306,5149 litre	O
490	CM	75	CM	88 LEVEL CM	5280,2010 litre	60,979 %	3378,8138 litre	O
490	CM	75	CM	87 LEVEL CM	5207,7296 litre	60,142 %	3451,2852 litre	O
490	CM	75	CM	86 LEVEL CM	5135,0993 litre	59,304 %	3523,9155 litre	O
490	CM	75	CM	85 LEVEL CM	5062,3238 litre	58,463 %	3596,6910 litre	O
490	CM	75	CM	84 LEVEL CM	4989,4163 litre	57,621 %	3669,5985 litre	O
490	CM	75	CM	83 LEVEL CM	4916,3904 litre	56,778 %	3742,6244 litre	O
490	CM	75	CM	82 LEVEL CM	4843,2594 litre	55,933 %	3815,7554 litre	O
490	CM	75	CM	81 LEVEL CM	4770,0365 litre	55,088 %	3888,9783 litre	O
490	CM	75	CM	80 LEVEL CM	4696,7350 litre	54,241 %	3962,2798 litre	O
490	CM	75	CM	79 LEVEL CM	4623,3679 litre	53,394 %	4035,6469 litre	O
490	CM	75	CM	78 LEVEL CM	4549,9486 litre	52,546 %	4109,0662 litre	O
490	CM	75	CM	77 LEVEL CM	4476,4900 litre	51,697 %	4182,5248 litre	O
490	CM	75	CM	76 LEVEL CM	4403,0052 litre	50,849 %	4256,0096 litre	O
490	CM	75	CM	75 LEVEL CM	4329,5074 litre	50,000 %	4329,5074 litre	O
490	CM	75	CM	74 LEVEL CM	4256,0096 litre	49,151 %	4403,0052 litre	O
490	CM	75	CM	73 LEVEL CM	4182,5248 litre	48,303 %	4476,4900 litre	O
490	CM	75	CM	72 LEVEL CM	4109,0662 litre	47,454 %	4549,9486 litre	O
490	CM	75	CM	71 LEVEL CM	4035,6468 litre	46,606 %	4623,3680 litre	O
490	CM	75	CM	70 LEVEL CM	3962,2798 litre	45,759 %	4696,7350 litre	O
490	CM	75	CM	69 LEVEL CM	3888,9782 litre	44,912 %	4770,0366 litre	O
490	CM	75	CM	68 LEVEL CM	3815,7553 litre	44,067 %	4843,2595 litre	O
490	CM	75	CM	67 LEVEL CM	3742,6243 litre	43,222 %	4916,3905 litre	O
490	CM	75	CM	66 LEVEL CM	3669,5984 litre	42,379 %	4989,4164 litre	O
490	CM	75	CM	65 LEVEL CM	3596,6910 litre	41,537 %	5062,3238 litre	O
490	CM	75	CM	64 LEVEL CM	3523,9154 litre	40,696 %	5135,0994 litre	O
490	CM	75	CM	63 LEVEL CM	3451,2852 litre	39,858 %	5207,7296 litre	O
490	CM	75	CM	62 LEVEL CM	3378,8138 litre	39,021 %	5280,2010 litre	O
490	CM	75	CM	61 LEVEL CM	3306,5148 litre	38,186 %	5352,5000 litre	O
490	CM	75	CM	60 LEVEL CM	3234,4021 litre	37,353 %	5424,6127 litre	O
490	CM	75	CM	59 LEVEL CM	3162,4895 litre	36,523 %	5496,5253 litre	O
490	CM	75	CM	58 LEVEL CM	3090,7908 litre	35,694 %	5568,2240 litre	O
490	CM	75	CM	57 LEVEL CM	3019,3202 litre	34,869 %	5639,6946 litre	O
490	CM	75	CM	56 LEVEL CM	2948,0920 litre	34,047 %	5710,9228 litre	O
490	CM	75	CM	55 LEVEL CM	2877,1203 litre	33,227 %	5781,8945 litre	O
490	CM	75	CM	54 LEVEL CM	2806,4199 litre	32,410 %	5852,5949 litre	O
490	CM	75	CM	53 LEVEL CM	2736,0052 litre	31,597 %	5923,0096 litre	O
490	CM	75	CM	52 LEVEL CM	2665,8913 litre	30,787 %	5993,1235 litre	O
490	CM	75	CM	51 LEVEL CM	2596,0932 litre	29,981 %	6062,9216 litre	O
490	CM	75	CM	50 LEVEL CM	2526,6261 litre	29,179 %	6132,3887 litre	O
490	CM	75	CM	49 LEVEL CM	2457,5055 litre	28,381 %	6201,5093 litre	O
490	CM	75	CM	48 LEVEL CM	2388,7471 litre	27,587 %	6270,2677 litre	O
490	CM	75	CM	47 LEVEL CM	2320,3668 litre	26,797 %	6338,6480 litre	O
490	CM	75	CM	46 LEVEL CM	2252,3810 litre	26,012 %	6406,6338 litre	O

490	CM	75	CM	45 LEVEL CM	2184,8061 litre	25,232 %	6474,2087 litre	O
490	CM	75	CM	44 LEVEL CM	2117,6590 litre	24,456 %	6541,3558 litre	O
490	CM	75	CM	43 LEVEL CM	2050,9567 litre	23,686 %	6608,0581 litre	O
490	CM	75	CM	42 LEVEL CM	1984,7167 litre	22,921 %	6674,2981 litre	O
490	CM	75	CM	41 LEVEL CM	1918,9570 litre	22,161 %	6740,0578 litre	O
490	CM	75	CM	40 LEVEL CM	1853,6957 litre	21,408 %	6805,3191 litre	O
490	CM	75	CM	39 LEVEL CM	1788,9516 litre	20,660 %	6870,0632 litre	O
490	CM	75	CM	38 LEVEL CM	1724,7437 litre	19,918 %	6934,2711 litre	O
490	CM	75	CM	37 LEVEL CM	1661,0917 litre	19,183 %	6997,9231 litre	O
490	CM	75	CM	36 LEVEL CM	1598,0157 litre	18,455 %	7060,9991 litre	O
490	CM	75	CM	35 LEVEL CM	1535,5363 litre	17,733 %	7123,4785 litre	O
490	CM	75	CM	34 LEVEL CM	1473,6748 litre	17,019 %	7185,3400 litre	O
490	CM	75	CM	33 LEVEL CM	1412,4532 litre	16,312 %	7246,5616 litre	O
490	CM	75	CM	32 LEVEL CM	1351,8940 litre	15,613 %	7307,1208 litre	O
490	CM	75	CM	31 LEVEL CM	1292,0207 litre	14,921 %	7366,9941 litre	O
490	CM	75	CM	30 LEVEL CM	1232,8574 litre	14,238 %	7426,1574 litre	O
490	CM	75	CM	29 LEVEL CM	1174,4292 litre	13,563 %	7484,5856 litre	O
490	CM	75	CM	28 LEVEL CM	1116,7621 litre	12,897 %	7542,2527 litre	O
490	CM	75	CM	27 LEVEL CM	1059,8832 litre	12,240 %	7599,1316 litre	O
490	CM	75	CM	26 LEVEL CM	1003,8206 litre	11,593 %	7655,1942 litre	O
490	CM	75	CM	25 LEVEL CM	948,6039 litre	10,955 %	7710,4109 litre	O
490	CM	75	CM	24 LEVEL CM	894,2638 litre	10,328 %	7764,7510 litre	O
490	CM	75	CM	23 LEVEL CM	840,8328 litre	9,710 %	7818,1820 litre	O
490	CM	75	CM	22 LEVEL CM	788,3448 litre	9,104 %	7870,6700 litre	O
490	CM	75	CM	21 LEVEL CM	736,8357 litre	8,509 %	7922,1791 litre	O
490	CM	75	CM	20 LEVEL CM	686,3436 litre	7,926 %	7972,6712 litre	O
490	CM	75	CM	19 LEVEL CM	636,9088 litre	7,355 %	8022,1060 litre	O
490	CM	75	CM	18 LEVEL CM	588,5742 litre	6,797 %	8070,4406 litre	O
490	CM	75	CM	17 LEVEL CM	541,3860 litre	6,252 %	8117,6288 litre	O
490	CM	75	CM	16 LEVEL CM	495,3934 litre	5,721 %	8163,6214 litre	O
490	CM	75	CM	15 LEVEL CM	450,6499 litre	5,204 %	8208,3649 litre	O
490	CM	75	CM	14 LEVEL CM	407,2136 litre	4,703 %	8251,8012 litre	O
490	CM	75	CM	13 LEVEL CM	365,1478 litre	4,217 %	8293,8670 litre	O
490	CM	75	CM	12 LEVEL CM	324,5223 litre	3,748 %	8334,4925 litre	O
490	CM	75	CM	11 LEVEL CM	285,4149 litre	3,296 %	8373,5999 litre	O
490	CM	75	CM	10 LEVEL CM	247,9123 litre	2,863 %	8411,1025 litre	O
490	CM	75	CM	9 LEVEL CM	212,1135 litre	2,450 %	8446,9013 litre	O
490	CM	75	CM	8 LEVEL CM	178,1320 litre	2,057 %	8480,8828 litre	O
490	CM	75	CM	7 LEVEL CM	146,1006 litre	1,687 %	8512,9142 litre	O
490	CM	75	CM	6 LEVEL CM	116,1786 litre	1,342 %	8542,8362 litre	O
490	CM	75	CM	5 LEVEL CM	88,5613 litre	1,023 %	8570,4535 litre	O
490	CM	75	CM	4 LEVEL CM	63,4988 litre	0,733 %	8595,5160 litre	O
490	CM	75	CM	3 LEVEL CM	41,3275 litre	0,477 %	8617,6873 litre	O
490	CM	75	CM	2 LEVEL CM	22,5414 litre	0,260 %	8636,4734 litre	O
490	CM	75	CM	1 LEVEL CM	7,9856 litre	0,092 %	8651,0292 litre	O
490	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	8659,0148 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 70	CM 140 LEVEL CM	7542,9640 litre	100,000 %	0,0000 litre	O
490	CM 70	CM 139 LEVEL CM	7535,2502 litre	99,898 %	7,7138 litre	O
490	CM 70	CM 138 LEVEL CM	7521,1932 litre	99,711 %	21,7708 litre	O
490	CM 70	CM 137 LEVEL CM	7503,0551 litre	99,471 %	39,9089 litre	O
490	CM 70	CM 136 LEVEL CM	7481,6540 litre	99,187 %	61,3100 litre	O
490	CM 70	CM 135 LEVEL CM	7457,4681 litre	98,867 %	85,4959 litre	O
490	CM 70	CM 134 LEVEL CM	7430,8237 litre	98,513 %	112,1403 litre	O
490	CM 70	CM 133 LEVEL CM	7401,9631 litre	98,131 %	141,0009 litre	O
490	CM 70	CM 132 LEVEL CM	7371,0761 litre	97,721 %	171,8879 litre	O
490	CM 70	CM 131 LEVEL CM	7338,3174 litre	97,287 %	204,6466 litre	O
490	CM 70	CM 130 LEVEL CM	7303,8161 litre	96,830 %	239,1479 litre	O
490	CM 70	CM 129 LEVEL CM	7267,6828 litre	96,350 %	275,2812 litre	O
490	CM 70	CM 128 LEVEL CM	7230,0136 litre	95,851 %	312,9504 litre	O
490	CM 70	CM 127 LEVEL CM	7190,8934 litre	95,332 %	352,0706 litre	O
490	CM 70	CM 126 LEVEL CM	7150,3978 litre	94,796 %	392,5662 litre	O
490	CM 70	CM 125 LEVEL CM	7108,5950 litre	94,241 %	434,3690 litre	O
490	CM 70	CM 124 LEVEL CM	7065,5470 litre	93,671 %	477,4170 litre	O
490	CM 70	CM 123 LEVEL CM	7021,3106 litre	93,084 %	521,6534 litre	O
490	CM 70	CM 122 LEVEL CM	6975,9380 litre	92,483 %	567,0260 litre	O
490	CM 70	CM 121 LEVEL CM	6929,4776 litre	91,867 %	613,4864 litre	O
490	CM 70	CM 120 LEVEL CM	6881,9746 litre	91,237 %	660,9894 litre	O
490	CM 70	CM 119 LEVEL CM	6833,4712 litre	90,594 %	709,4928 litre	O
490	CM 70	CM 118 LEVEL CM	6784,0071 litre	89,938 %	758,9569 litre	O
490	CM 70	CM 117 LEVEL CM	6733,6195 litre	89,270 %	809,3445 litre	O
490	CM 70	CM 116 LEVEL CM	6682,3438 litre	88,590 %	860,6202 litre	O
490	CM 70	CM 115 LEVEL CM	6630,2137 litre	87,899 %	912,7503 litre	O
490	CM 70	CM 114 LEVEL CM	6577,2609 litre	87,197 %	965,7031 litre	O
490	CM 70	CM 113 LEVEL CM	6523,5160 litre	86,485 %	1019,4480 litre	O
490	CM 70	CM 112 LEVEL CM	6469,0081 litre	85,762 %	1073,9559 litre	O
490	CM 70	CM 111 LEVEL CM	6413,7652 litre	85,030 %	1129,1988 litre	O
490	CM 70	CM 110 LEVEL CM	6357,8139 litre	84,288 %	1185,1501 litre	O
490	CM 70	CM 109 LEVEL CM	6301,1802 litre	83,537 %	1241,7838 litre	O
490	CM 70	CM 108 LEVEL CM	6243,8889 litre	82,778 %	1299,0751 litre	O
490	CM 70	CM 107 LEVEL CM	6185,9641 litre	82,010 %	1356,9999 litre	O
490	CM 70	CM 106 LEVEL CM	6127,4290 litre	81,234 %	1415,5350 litre	O
490	CM 70	CM 105 LEVEL CM	6068,3061 litre	80,450 %	1474,6579 litre	O
490	CM 70	CM 104 LEVEL CM	6008,6175 litre	79,659 %	1534,3465 litre	O
490	CM 70	CM 103 LEVEL CM	5948,3842 litre	78,860 %	1594,5798 litre	O
490	CM 70	CM 102 LEVEL CM	5887,6270 litre	78,055 %	1655,3370 litre	O
490	CM 70	CM 101 LEVEL CM	5826,3661 litre	77,242 %	1716,5979 litre	O
490	CM 70	CM 100 LEVEL CM	5764,6210 litre	76,424 %	1778,3430 litre	O
490	CM 70	CM 99 LEVEL CM	5702,4111 litre	75,599 %	1840,5529 litre	O
490	CM 70	CM 98 LEVEL CM	5639,7551 litre	74,768 %	1903,2089 litre	O
490	CM 70	CM 97 LEVEL CM	5576,6713 litre	73,932 %	1966,2927 litre	O
490	CM 70	CM 96 LEVEL CM	5513,1778 litre	73,090 %	2029,7862 litre	O
490	CM 70	CM 95 LEVEL CM	5449,2922 litre	72,243 %	2093,6718 litre	O
490	CM 70	CM 94 LEVEL CM	5385,0319 litre	71,391 %	2157,9321 litre	O
490	CM 70	CM 93 LEVEL CM	5320,4139 litre	70,535 %	2222,5501 litre	O
490	CM 70	CM 92 LEVEL CM	5255,4549 litre	69,674 %	2287,5091 litre	O
490	CM 70	CM 91 LEVEL CM	5190,1714 litre	68,808 %	2352,7926 litre	O
490	CM 70	CM 90 LEVEL CM	5124,5798 litre	67,939 %	2418,3842 litre	O
490	CM 70	CM 89 LEVEL CM	5058,6960 litre	67,065 %	2484,2680 litre	O

490	CM	70	CM	88 LEVEL CM	4992,5357 litre	66,188 %	2550,4283 litre	O
490	CM	70	CM	87 LEVEL CM	4926,1147 litre	65,307 %	2616,8493 litre	O
490	CM	70	CM	86 LEVEL CM	4859,4483 litre	64,424 %	2683,5157 litre	O
490	CM	70	CM	85 LEVEL CM	4792,5518 litre	63,537 %	2750,4122 litre	O
490	CM	70	CM	84 LEVEL CM	4725,4403 litre	62,647 %	2817,5237 litre	O
490	CM	70	CM	83 LEVEL CM	4658,1288 litre	61,755 %	2884,8352 litre	O
490	CM	70	CM	82 LEVEL CM	4590,6320 litre	60,860 %	2952,3320 litre	O
490	CM	70	CM	81 LEVEL CM	4522,9647 litre	59,963 %	3019,9993 litre	O
490	CM	70	CM	80 LEVEL CM	4455,1415 litre	59,064 %	3087,8225 litre	O
490	CM	70	CM	79 LEVEL CM	4387,1767 litre	58,163 %	3155,7873 litre	O
490	CM	70	CM	78 LEVEL CM	4319,0850 litre	57,260 %	3223,8790 litre	O
490	CM	70	CM	77 LEVEL CM	4250,8804 litre	56,356 %	3292,0836 litre	O
490	CM	70	CM	76 LEVEL CM	4182,5774 litre	55,450 %	3360,3866 litre	O
490	CM	70	CM	75 LEVEL CM	4114,1901 litre	54,543 %	3428,7739 litre	O
490	CM	70	CM	74 LEVEL CM	4045,7326 litre	53,636 %	3497,2314 litre	O
490	CM	70	CM	73 LEVEL CM	3977,2190 litre	52,728 %	3565,7450 litre	O
490	CM	70	CM	72 LEVEL CM	3908,6633 litre	51,819 %	3634,3007 litre	O
490	CM	70	CM	71 LEVEL CM	3840,0796 litre	50,909 %	3702,8844 litre	O
490	CM	70	CM	70 LEVEL CM	3771,4820 litre	50,000 %	3771,4820 litre	O
490	CM	70	CM	69 LEVEL CM	3702,8843 litre	49,091 %	3840,0797 litre	O
490	CM	70	CM	68 LEVEL CM	3634,3006 litre	48,181 %	3908,6634 litre	O
490	CM	70	CM	67 LEVEL CM	3565,7450 litre	47,272 %	3977,2190 litre	O
490	CM	70	CM	66 LEVEL CM	3497,2314 litre	46,364 %	4045,7326 litre	O
490	CM	70	CM	65 LEVEL CM	3428,7739 litre	45,457 %	4114,1901 litre	O
490	CM	70	CM	64 LEVEL CM	3360,3865 litre	44,550 %	4182,5775 litre	O
490	CM	70	CM	63 LEVEL CM	3292,0835 litre	43,644 %	4250,8805 litre	O
490	CM	70	CM	62 LEVEL CM	3223,8790 litre	42,740 %	4319,0850 litre	O
490	CM	70	CM	61 LEVEL CM	3155,7872 litre	41,837 %	4387,1768 litre	O
490	CM	70	CM	60 LEVEL CM	3087,8225 litre	40,936 %	4455,1415 litre	O
490	CM	70	CM	59 LEVEL CM	3019,9993 litre	40,037 %	4522,9647 litre	O
490	CM	70	CM	58 LEVEL CM	2952,3319 litre	39,140 %	4590,6321 litre	O
490	CM	70	CM	57 LEVEL CM	2884,8352 litre	38,245 %	4658,1288 litre	O
490	CM	70	CM	56 LEVEL CM	2817,5236 litre	37,353 %	4725,4404 litre	O
490	CM	70	CM	55 LEVEL CM	2750,4121 litre	36,463 %	4792,5519 litre	O
490	CM	70	CM	54 LEVEL CM	2683,5156 litre	35,576 %	4859,4484 litre	O
490	CM	70	CM	53 LEVEL CM	2616,8493 litre	34,693 %	4926,1147 litre	O
490	CM	70	CM	52 LEVEL CM	2550,4282 litre	33,812 %	4992,5358 litre	O
490	CM	70	CM	51 LEVEL CM	2484,2680 litre	32,935 %	5058,6960 litre	O
490	CM	70	CM	50 LEVEL CM	2418,3842 litre	32,061 %	5124,5798 litre	O
490	CM	70	CM	49 LEVEL CM	2352,7925 litre	31,192 %	5190,1715 litre	O
490	CM	70	CM	48 LEVEL CM	2287,5091 litre	30,326 %	5255,4549 litre	O
490	CM	70	CM	47 LEVEL CM	2222,5501 litre	29,465 %	5320,4139 litre	O
490	CM	70	CM	46 LEVEL CM	2157,9321 litre	28,609 %	5385,0319 litre	O
490	CM	70	CM	45 LEVEL CM	2093,6718 litre	27,757 %	5449,2922 litre	O
490	CM	70	CM	44 LEVEL CM	2029,7862 litre	26,910 %	5513,1778 litre	O
490	CM	70	CM	43 LEVEL CM	1966,2927 litre	26,068 %	5576,6713 litre	O
490	CM	70	CM	42 LEVEL CM	1903,2089 litre	25,232 %	5639,7551 litre	O
490	CM	70	CM	41 LEVEL CM	1840,5529 litre	24,401 %	5702,4111 litre	O
490	CM	70	CM	40 LEVEL CM	1778,3429 litre	23,576 %	5764,6211 litre	O
490	CM	70	CM	39 LEVEL CM	1716,5979 litre	22,758 %	5826,3661 litre	O
490	CM	70	CM	38 LEVEL CM	1655,3370 litre	21,945 %	5887,6270 litre	O
490	CM	70	CM	37 LEVEL CM	1594,5798 litre	21,140 %	5948,3842 litre	O
490	CM	70	CM	36 LEVEL CM	1534,3465 litre	20,341 %	6008,6175 litre	O

490	CM	70	CM	35 LEVEL CM	1474,6578 litre	19,550 %	6068,3062 litre	O
490	CM	70	CM	34 LEVEL CM	1415,5350 litre	18,766 %	6127,4290 litre	O
490	CM	70	CM	33 LEVEL CM	1356,9999 litre	17,990 %	6185,9641 litre	O
490	CM	70	CM	32 LEVEL CM	1299,0751 litre	17,222 %	6243,8889 litre	O
490	CM	70	CM	31 LEVEL CM	1241,7838 litre	16,463 %	6301,1802 litre	O
490	CM	70	CM	30 LEVEL CM	1185,1501 litre	15,712 %	6357,8139 litre	O
490	CM	70	CM	29 LEVEL CM	1129,1988 litre	14,970 %	6413,7652 litre	O
490	CM	70	CM	28 LEVEL CM	1073,9558 litre	14,238 %	6469,0082 litre	O
490	CM	70	CM	27 LEVEL CM	1019,4479 litre	13,515 %	6523,5161 litre	O
490	CM	70	CM	26 LEVEL CM	965,7030 litre	12,803 %	6577,2610 litre	O
490	CM	70	CM	25 LEVEL CM	912,7503 litre	12,101 %	6630,2137 litre	O
490	CM	70	CM	24 LEVEL CM	860,6201 litre	11,410 %	6682,3439 litre	O
490	CM	70	CM	23 LEVEL CM	809,3445 litre	10,730 %	6733,6195 litre	O
490	CM	70	CM	22 LEVEL CM	758,9569 litre	10,062 %	6784,0071 litre	O
490	CM	70	CM	21 LEVEL CM	709,4927 litre	9,406 %	6833,4713 litre	O
490	CM	70	CM	20 LEVEL CM	660,9893 litre	8,763 %	6881,9747 litre	O
490	CM	70	CM	19 LEVEL CM	613,4863 litre	8,133 %	6929,4777 litre	O
490	CM	70	CM	18 LEVEL CM	567,0260 litre	7,517 %	6975,9380 litre	O
490	CM	70	CM	17 LEVEL CM	521,6534 litre	6,916 %	7021,3106 litre	O
490	CM	70	CM	16 LEVEL CM	477,4169 litre	6,329 %	7065,5471 litre	O
490	CM	70	CM	15 LEVEL CM	434,3689 litre	5,759 %	7108,5951 litre	O
490	CM	70	CM	14 LEVEL CM	392,5662 litre	5,204 %	7150,3978 litre	O
490	CM	70	CM	13 LEVEL CM	352,0706 litre	4,668 %	7190,8934 litre	O
490	CM	70	CM	12 LEVEL CM	312,9503 litre	4,149 %	7230,0137 litre	O
490	CM	70	CM	11 LEVEL CM	275,2812 litre	3,650 %	7267,6828 litre	O
490	CM	70	CM	10 LEVEL CM	239,1479 litre	3,170 %	7303,8161 litre	O
490	CM	70	CM	9 LEVEL CM	204,6466 litre	2,713 %	7338,3174 litre	O
490	CM	70	CM	8 LEVEL CM	171,8878 litre	2,279 %	7371,0762 litre	O
490	CM	70	CM	7 LEVEL CM	141,0009 litre	1,869 %	7401,9631 litre	O
490	CM	70	CM	6 LEVEL CM	112,1403 litre	1,487 %	7430,8237 litre	O
490	CM	70	CM	5 LEVEL CM	85,4959 litre	1,133 %	7457,4681 litre	O
490	CM	70	CM	4 LEVEL CM	61,3099 litre	0,813 %	7481,6541 litre	O
490	CM	70	CM	3 LEVEL CM	39,9088 litre	0,529 %	7503,0552 litre	O
490	CM	70	CM	2 LEVEL CM	21,7708 litre	0,289 %	7521,1932 litre	O
490	CM	70	CM	1 LEVEL CM	7,7138 litre	0,102 %	7535,2502 litre	O
490	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	7542,9640 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
490	CM 65	CM 130 LEVEL CM	6503,8822 litre	100,000 %	0,0000 litre	O
490	CM 65	CM 129 LEVEL CM	6496,4503 litre	99,886 %	7,4319 litre	O
490	CM 65	CM 128 LEVEL CM	6482,9103 litre	99,678 %	20,9719 litre	O
490	CM 65	CM 127 LEVEL CM	6465,4444 litre	99,409 %	38,4378 litre	O
490	CM 65	CM 126 LEVEL CM	6444,8422 litre	99,092 %	59,0400 litre	O
490	CM 65	CM 125 LEVEL CM	6421,5659 litre	98,734 %	82,3163 litre	O
490	CM 65	CM 124 LEVEL CM	6395,9311 litre	98,340 %	107,9511 litre	O
490	CM 65	CM 123 LEVEL CM	6368,1726 litre	97,913 %	135,7096 litre	O
490	CM 65	CM 122 LEVEL CM	6338,4741 litre	97,457 %	165,4081 litre	O
490	CM 65	CM 121 LEVEL CM	6306,9856 litre	96,973 %	196,8966 litre	O
490	CM 65	CM 120 LEVEL CM	6273,8326 litre	96,463 %	230,0496 litre	O
490	CM 65	CM 119 LEVEL CM	6239,1224 litre	95,929 %	264,7598 litre	O
490	CM 65	CM 118 LEVEL CM	6202,9487 litre	95,373 %	300,9335 litre	O
490	CM 65	CM 117 LEVEL CM	6165,3940 litre	94,796 %	338,4882 litre	O
490	CM 65	CM 116 LEVEL CM	6126,5320 litre	94,198 %	377,3502 litre	O
490	CM 65	CM 115 LEVEL CM	6086,4293 litre	93,581 %	417,4529 litre	O
490	CM 65	CM 114 LEVEL CM	6045,1464 litre	92,947 %	458,7358 litre	O
490	CM 65	CM 113 LEVEL CM	6002,7388 litre	92,295 %	501,1434 litre	O
490	CM 65	CM 112 LEVEL CM	5959,2575 litre	91,626 %	544,6247 litre	O
490	CM 65	CM 111 LEVEL CM	5914,7502 litre	90,942 %	589,1320 litre	O
490	CM 65	CM 110 LEVEL CM	5869,2610 litre	90,242 %	634,6212 litre	O
490	CM 65	CM 109 LEVEL CM	5822,8315 litre	89,529 %	681,0507 litre	O
490	CM 65	CM 108 LEVEL CM	5775,5004 litre	88,801 %	728,3818 litre	O
490	CM 65	CM 107 LEVEL CM	5727,3047 litre	88,060 %	776,5775 litre	O
490	CM 65	CM 106 LEVEL CM	5678,2791 litre	87,306 %	825,6031 litre	O
490	CM 65	CM 105 LEVEL CM	5628,4568 litre	86,540 %	875,4254 litre	O
490	CM 65	CM 104 LEVEL CM	5577,8693 litre	85,762 %	926,0129 litre	O
490	CM 65	CM 103 LEVEL CM	5526,5466 litre	84,973 %	977,3356 litre	O
490	CM 65	CM 102 LEVEL CM	5474,5177 litre	84,173 %	1029,3645 litre	O
490	CM 65	CM 101 LEVEL CM	5421,8102 litre	83,363 %	1082,0720 litre	O
490	CM 65	CM 100 LEVEL CM	5368,4508 litre	82,542 %	1135,4314 litre	O
490	CM 65	CM 99 LEVEL CM	5314,4650 litre	81,712 %	1189,4172 litre	O
490	CM 65	CM 98 LEVEL CM	5259,8777 litre	80,873 %	1244,0045 litre	O
490	CM 65	CM 97 LEVEL CM	5204,7129 litre	80,025 %	1299,1693 litre	O
490	CM 65	CM 96 LEVEL CM	5148,9937 litre	79,168 %	1354,8885 litre	O
490	CM 65	CM 95 LEVEL CM	5092,7427 litre	78,303 %	1411,1395 litre	O
490	CM 65	CM 94 LEVEL CM	5035,9817 litre	77,430 %	1467,9005 litre	O
490	CM 65	CM 93 LEVEL CM	4978,7322 litre	76,550 %	1525,1500 litre	O
490	CM 65	CM 92 LEVEL CM	4921,0149 litre	75,663 %	1582,8673 litre	O
490	CM 65	CM 91 LEVEL CM	4862,8500 litre	74,768 %	1641,0322 litre	O
490	CM 65	CM 90 LEVEL CM	4804,2574 litre	73,868 %	1699,6248 litre	O
490	CM 65	CM 89 LEVEL CM	4745,2564 litre	72,960 %	1758,6258 litre	O
490	CM 65	CM 88 LEVEL CM	4685,8660 litre	72,047 %	1818,0162 litre	O
490	CM 65	CM 87 LEVEL CM	4626,1049 litre	71,128 %	1877,7773 litre	O
490	CM 65	CM 86 LEVEL CM	4565,9912 litre	70,204 %	1937,8910 litre	O
490	CM 65	CM 85 LEVEL CM	4505,5429 litre	69,275 %	1998,3393 litre	O
490	CM 65	CM 84 LEVEL CM	4444,7777 litre	68,340 %	2059,1045 litre	O
490	CM 65	CM 83 LEVEL CM	4383,7130 litre	67,401 %	2120,1692 litre	O
490	CM 65	CM 82 LEVEL CM	4322,3657 litre	66,458 %	2181,5165 litre	O
490	CM 65	CM 81 LEVEL CM	4260,7530 litre	65,511 %	2243,1292 litre	O
490	CM 65	CM 80 LEVEL CM	4198,8913 litre	64,560 %	2304,9909 litre	O
490	CM 65	CM 79 LEVEL CM	4136,7971 litre	63,605 %	2367,0851 litre	O

490	CM	65	CM	78 LEVEL CM	4074,4868 litre	62,647 %	2429,3954 litre	O
490	CM	65	CM	77 LEVEL CM	4011,9765 litre	61,686 %	2491,9057 litre	O
490	CM	65	CM	76 LEVEL CM	3949,2820 litre	60,722 %	2554,6002 litre	O
490	CM	65	CM	75 LEVEL CM	3886,4193 litre	59,755 %	2617,4629 litre	O
490	CM	65	CM	74 LEVEL CM	3823,4039 litre	58,786 %	2680,4783 litre	O
490	CM	65	CM	73 LEVEL CM	3760,2516 litre	57,815 %	2743,6306 litre	O
490	CM	65	CM	72 LEVEL CM	3696,9777 litre	56,843 %	2806,9045 litre	O
490	CM	65	CM	71 LEVEL CM	3633,5976 litre	55,868 %	2870,2846 litre	O
490	CM	65	CM	70 LEVEL CM	3570,1267 litre	54,892 %	2933,7555 litre	O
490	CM	65	CM	69 LEVEL CM	3506,5802 litre	53,915 %	2997,3020 litre	O
490	CM	65	CM	68 LEVEL CM	3442,9732 litre	52,937 %	3060,9090 litre	O
490	CM	65	CM	67 LEVEL CM	3379,3210 litre	51,959 %	3124,5612 litre	O
490	CM	65	CM	66 LEVEL CM	3315,6386 litre	50,979 %	3188,2436 litre	O
490	CM	65	CM	65 LEVEL CM	3251,9411 litre	50,000 %	3251,9411 litre	O
490	CM	65	CM	64 LEVEL CM	3188,2436 litre	49,021 %	3315,6386 litre	O
490	CM	65	CM	63 LEVEL CM	3124,5612 litre	48,041 %	3379,3210 litre	O
490	CM	65	CM	62 LEVEL CM	3060,9090 litre	47,063 %	3442,9732 litre	O
490	CM	65	CM	61 LEVEL CM	2997,3020 litre	46,085 %	3506,5802 litre	O
490	CM	65	CM	60 LEVEL CM	2933,7555 litre	45,108 %	3570,1267 litre	O
490	CM	65	CM	59 LEVEL CM	2870,2846 litre	44,132 %	3633,5976 litre	O
490	CM	65	CM	58 LEVEL CM	2806,9045 litre	43,157 %	3696,9777 litre	O
490	CM	65	CM	57 LEVEL CM	2743,6306 litre	42,185 %	3760,2516 litre	O
490	CM	65	CM	56 LEVEL CM	2680,4782 litre	41,214 %	3823,4040 litre	O
490	CM	65	CM	55 LEVEL CM	2617,4629 litre	40,245 %	3886,4193 litre	O
490	CM	65	CM	54 LEVEL CM	2554,6002 litre	39,278 %	3949,2820 litre	O
490	CM	65	CM	53 LEVEL CM	2491,9057 litre	38,314 %	4011,9765 litre	O
490	CM	65	CM	52 LEVEL CM	2429,3954 litre	37,353 %	4074,4868 litre	O
490	CM	65	CM	51 LEVEL CM	2367,0851 litre	36,395 %	4136,7971 litre	O
490	CM	65	CM	50 LEVEL CM	2304,9909 litre	35,440 %	4198,8913 litre	O
490	CM	65	CM	49 LEVEL CM	2243,1292 litre	34,489 %	4260,7530 litre	O
490	CM	65	CM	48 LEVEL CM	2181,5165 litre	33,542 %	4322,3657 litre	O
490	CM	65	CM	47 LEVEL CM	2120,1692 litre	32,599 %	4383,7130 litre	O
490	CM	65	CM	46 LEVEL CM	2059,1045 litre	31,660 %	4444,7777 litre	O
490	CM	65	CM	45 LEVEL CM	1998,3393 litre	30,725 %	4505,5429 litre	O
490	CM	65	CM	44 LEVEL CM	1937,8910 litre	29,796 %	4565,9912 litre	O
490	CM	65	CM	43 LEVEL CM	1877,7773 litre	28,872 %	4626,1049 litre	O
490	CM	65	CM	42 LEVEL CM	1818,0161 litre	27,953 %	4685,8661 litre	O
490	CM	65	CM	41 LEVEL CM	1758,6258 litre	27,040 %	4745,2564 litre	O
490	CM	65	CM	40 LEVEL CM	1699,6248 litre	26,132 %	4804,2574 litre	O
490	CM	65	CM	39 LEVEL CM	1641,0322 litre	25,232 %	4862,8500 litre	O
490	CM	65	CM	38 LEVEL CM	1582,8673 litre	24,337 %	4921,0149 litre	O
490	CM	65	CM	37 LEVEL CM	1525,1500 litre	23,450 %	4978,7322 litre	O
490	CM	65	CM	36 LEVEL CM	1467,9004 litre	22,570 %	5035,9818 litre	O
490	CM	65	CM	35 LEVEL CM	1411,1395 litre	21,697 %	5092,7427 litre	O
490	CM	65	CM	34 LEVEL CM	1354,8885 litre	20,832 %	5148,9937 litre	O
490	CM	65	CM	33 LEVEL CM	1299,1693 litre	19,975 %	5204,7129 litre	O
490	CM	65	CM	32 LEVEL CM	1244,0045 litre	19,127 %	5259,8777 litre	O
490	CM	65	CM	31 LEVEL CM	1189,4172 litre	18,288 %	5314,4650 litre	O
490	CM	65	CM	30 LEVEL CM	1135,4314 litre	17,458 %	5368,4508 litre	O
490	CM	65	CM	29 LEVEL CM	1082,0720 litre	16,637 %	5421,8102 litre	O
490	CM	65	CM	28 LEVEL CM	1029,3645 litre	15,827 %	5474,5177 litre	O
490	CM	65	CM	27 LEVEL CM	977,3356 litre	15,027 %	5526,5466 litre	O
490	CM	65	CM	26 LEVEL CM	926,0129 litre	14,238 %	5577,8693 litre	O

490	CM	65	CM	25 LEVEL CM	875,4254 litre	13,460 %	5628,4568 litre	O
490	CM	65	CM	24 LEVEL CM	825,6031 litre	12,694 %	5678,2791 litre	O
490	CM	65	CM	23 LEVEL CM	776,5775 litre	11,940 %	5727,3047 litre	O
490	CM	65	CM	22 LEVEL CM	728,3818 litre	11,199 %	5775,5004 litre	O
490	CM	65	CM	21 LEVEL CM	681,0507 litre	10,471 %	5822,8315 litre	O
490	CM	65	CM	20 LEVEL CM	634,6211 litre	9,758 %	5869,2611 litre	O
490	CM	65	CM	19 LEVEL CM	589,1320 litre	9,058 %	5914,7502 litre	O
490	CM	65	CM	18 LEVEL CM	544,6247 litre	8,374 %	5959,2575 litre	O
490	CM	65	CM	17 LEVEL CM	501,1434 litre	7,705 %	6002,7388 litre	O
490	CM	65	CM	16 LEVEL CM	458,7358 litre	7,053 %	6045,1464 litre	O
490	CM	65	CM	15 LEVEL CM	417,4529 litre	6,419 %	6086,4293 litre	O
490	CM	65	CM	14 LEVEL CM	377,3502 litre	5,802 %	6126,5320 litre	O
490	CM	65	CM	13 LEVEL CM	338,4882 litre	5,204 %	6165,3940 litre	O
490	CM	65	CM	12 LEVEL CM	300,9334 litre	4,627 %	6202,9488 litre	O
490	CM	65	CM	11 LEVEL CM	264,7597 litre	4,071 %	6239,1225 litre	O
490	CM	65	CM	10 LEVEL CM	230,0496 litre	3,537 %	6273,8326 litre	O
490	CM	65	CM	9 LEVEL CM	196,8966 litre	3,027 %	6306,9856 litre	O
490	CM	65	CM	8 LEVEL CM	165,4081 litre	2,543 %	6338,4741 litre	O
490	CM	65	CM	7 LEVEL CM	135,7096 litre	2,087 %	6368,1726 litre	O
490	CM	65	CM	6 LEVEL CM	107,9510 litre	1,660 %	6395,9312 litre	O
490	CM	65	CM	5 LEVEL CM	82,3163 litre	1,266 %	6421,5659 litre	O
490	CM	65	CM	4 LEVEL CM	59,0400 litre	0,908 %	6444,8422 litre	O
490	CM	65	CM	3 LEVEL CM	38,4378 litre	0,591 %	6465,4444 litre	O
490	CM	65	CM	2 LEVEL CM	20,9719 litre	0,322 %	6482,9103 litre	O
490	CM	65	CM	1 LEVEL CM	7,4319 litre	0,114 %	6496,4503 litre	O
490	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	6503,8822 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
490	CM	60	CM	120 LEVEL CM	5541,7694 litre	100,000 %	0,0000 litre	O
490	CM	60	CM	119 LEVEL CM	5534,6305 litre	99,871 %	7,1389 litre	O
490	CM	60	CM	118 LEVEL CM	5521,6282 litre	99,637 %	20,1412 litre	O
490	CM	60	CM	117 LEVEL CM	5504,8612 litre	99,334 %	36,9082 litre	O
490	CM	60	CM	116 LEVEL CM	5485,0902 litre	98,977 %	56,6792 litre	O
490	CM	60	CM	115 LEVEL CM	5462,7605 litre	98,574 %	79,0089 litre	O
490	CM	60	CM	114 LEVEL CM	5438,1769 litre	98,131 %	103,5925 litre	O
490	CM	60	CM	113 LEVEL CM	5411,5660 litre	97,651 %	130,2034 litre	O
490	CM	60	CM	112 LEVEL CM	5383,1055 litre	97,137 %	158,6639 litre	O
490	CM	60	CM	111 LEVEL CM	5352,9407 litre	96,593 %	188,8287 litre	O
490	CM	60	CM	110 LEVEL CM	5321,1932 litre	96,020 %	220,5762 litre	O
490	CM	60	CM	109 LEVEL CM	5287,9672 litre	95,420 %	253,8022 litre	O
490	CM	60	CM	108 LEVEL CM	5253,3535 litre	94,796 %	288,4159 litre	O
490	CM	60	CM	107 LEVEL CM	5217,4324 litre	94,147 %	324,3370 litre	O
490	CM	60	CM	106 LEVEL CM	5180,2758 litre	93,477 %	361,4936 litre	O
490	CM	60	CM	105 LEVEL CM	5141,9485 litre	92,785 %	399,8209 litre	O
490	CM	60	CM	104 LEVEL CM	5102,5095 litre	92,074 %	439,2599 litre	O
490	CM	60	CM	103 LEVEL CM	5062,0132 litre	91,343 %	479,7562 litre	O
490	CM	60	CM	102 LEVEL CM	5020,5095 litre	90,594 %	521,2599 litre	O
490	CM	60	CM	101 LEVEL CM	4978,0449 litre	89,828 %	563,7245 litre	O
490	CM	60	CM	100 LEVEL CM	4934,6630 litre	89,045 %	607,1064 litre	O
490	CM	60	CM	99 LEVEL CM	4890,4042 litre	88,246 %	651,3652 litre	O
490	CM	60	CM	98 LEVEL CM	4845,3071 litre	87,432 %	696,4623 litre	O
490	CM	60	CM	97 LEVEL CM	4799,4078 litre	86,604 %	742,3616 litre	O
490	CM	60	CM	96 LEVEL CM	4752,7407 litre	85,762 %	789,0287 litre	O
490	CM	60	CM	95 LEVEL CM	4705,3384 litre	84,907 %	836,4310 litre	O
490	CM	60	CM	94 LEVEL CM	4657,2323 litre	84,039 %	884,5371 litre	O
490	CM	60	CM	93 LEVEL CM	4608,4520 litre	83,158 %	933,3174 litre	O
490	CM	60	CM	92 LEVEL CM	4559,0262 litre	82,267 %	982,7432 litre	O
490	CM	60	CM	91 LEVEL CM	4508,9825 litre	81,364 %	1032,7869 litre	O
490	CM	60	CM	90 LEVEL CM	4458,3474 litre	80,450 %	1083,4220 litre	O
490	CM	60	CM	89 LEVEL CM	4407,1463 litre	79,526 %	1134,6231 litre	O
490	CM	60	CM	88 LEVEL CM	4355,4042 litre	78,592 %	1186,3652 litre	O
490	CM	60	CM	87 LEVEL CM	4303,1448 litre	77,649 %	1238,6246 litre	O
490	CM	60	CM	86 LEVEL CM	4250,3916 litre	76,697 %	1291,3778 litre	O
490	CM	60	CM	85 LEVEL CM	4197,1672 litre	75,737 %	1344,6022 litre	O
490	CM	60	CM	84 LEVEL CM	4143,4935 litre	74,768 %	1398,2759 litre	O
490	CM	60	CM	83 LEVEL CM	4089,3921 litre	73,792 %	1452,3773 litre	O
490	CM	60	CM	82 LEVEL CM	4034,8839 litre	72,809 %	1506,8855 litre	O
490	CM	60	CM	81 LEVEL CM	3979,9894 litre	71,818 %	1561,7800 litre	O
490	CM	60	CM	80 LEVEL CM	3924,7287 litre	70,821 %	1617,0407 litre	O
490	CM	60	CM	79 LEVEL CM	3869,1216 litre	69,817 %	1672,6478 litre	O
490	CM	60	CM	78 LEVEL CM	3813,1872 litre	68,808 %	1728,5822 litre	O
490	CM	60	CM	77 LEVEL CM	3756,9446 litre	67,793 %	1784,8248 litre	O
490	CM	60	CM	76 LEVEL CM	3700,4124 litre	66,773 %	1841,3570 litre	O
490	CM	60	CM	75 LEVEL CM	3643,6091 litre	65,748 %	1898,1603 litre	O
490	CM	60	CM	74 LEVEL CM	3586,5527 litre	64,719 %	1955,2167 litre	O
490	CM	60	CM	73 LEVEL CM	3529,2612 litre	63,685 %	2012,5082 litre	O
490	CM	60	CM	72 LEVEL CM	3471,7521 litre	62,647 %	2070,0173 litre	O
490	CM	60	CM	71 LEVEL CM	3414,0430 litre	61,606 %	2127,7264 litre	O
490	CM	60	CM	70 LEVEL CM	3356,1510 litre	60,561 %	2185,6184 litre	O
490	CM	60	CM	69 LEVEL CM	3298,0935 litre	59,513 %	2243,6759 litre	O

490	CM	60	CM	68 LEVEL CM	3239,8872 litre	58,463 %	2301,8822 litre	O
490	CM	60	CM	67 LEVEL CM	3181,5491 litre	57,410 %	2360,2203 litre	O
490	CM	60	CM	66 LEVEL CM	3123,0958 litre	56,356 %	2418,6736 litre	O
490	CM	60	CM	65 LEVEL CM	3064,5441 litre	55,299 %	2477,2253 litre	O
490	CM	60	CM	64 LEVEL CM	3005,9104 litre	54,241 %	2535,8590 litre	O
490	CM	60	CM	63 LEVEL CM	2947,2112 litre	53,182 %	2594,5582 litre	O
490	CM	60	CM	62 LEVEL CM	2888,4629 litre	52,122 %	2653,3065 litre	O
490	CM	60	CM	61 LEVEL CM	2829,6820 litre	51,061 %	2712,0874 litre	O
490	CM	60	CM	60 LEVEL CM	2770,8847 litre	50,000 %	2770,8847 litre	O
490	CM	60	CM	59 LEVEL CM	2712,0874 litre	48,939 %	2829,6820 litre	O
490	CM	60	CM	58 LEVEL CM	2653,3065 litre	47,878 %	2888,4629 litre	O
490	CM	60	CM	57 LEVEL CM	2594,5582 litre	46,818 %	2947,2112 litre	O
490	CM	60	CM	56 LEVEL CM	2535,8591 litre	45,759 %	3005,9103 litre	O
490	CM	60	CM	55 LEVEL CM	2477,2254 litre	44,701 %	3064,5440 litre	O
490	CM	60	CM	54 LEVEL CM	2418,6736 litre	43,644 %	3123,0958 litre	O
490	CM	60	CM	53 LEVEL CM	2360,2204 litre	42,590 %	3181,5490 litre	O
490	CM	60	CM	52 LEVEL CM	2301,8822 litre	41,537 %	3239,8872 litre	O
490	CM	60	CM	51 LEVEL CM	2243,6760 litre	40,487 %	3298,0934 litre	O
490	CM	60	CM	50 LEVEL CM	2185,6184 litre	39,439 %	3356,1510 litre	O
490	CM	60	CM	49 LEVEL CM	2127,7265 litre	38,394 %	3414,0429 litre	O
490	CM	60	CM	48 LEVEL CM	2070,0174 litre	37,353 %	3471,7520 litre	O
490	CM	60	CM	47 LEVEL CM	2012,5083 litre	36,315 %	3529,2611 litre	O
490	CM	60	CM	46 LEVEL CM	1955,2167 litre	35,281 %	3586,5527 litre	O
490	CM	60	CM	45 LEVEL CM	1898,1603 litre	34,252 %	3643,6091 litre	O
490	CM	60	CM	44 LEVEL CM	1841,3570 litre	33,227 %	3700,4124 litre	O
490	CM	60	CM	43 LEVEL CM	1784,8249 litre	32,207 %	3756,9445 litre	O
490	CM	60	CM	42 LEVEL CM	1728,5823 litre	31,192 %	3813,1871 litre	O
490	CM	60	CM	41 LEVEL CM	1672,6479 litre	30,183 %	3869,1215 litre	O
490	CM	60	CM	40 LEVEL CM	1617,0407 litre	29,179 %	3924,7287 litre	O
490	CM	60	CM	39 LEVEL CM	1561,7800 litre	28,182 %	3979,9894 litre	O
490	CM	60	CM	38 LEVEL CM	1506,8856 litre	27,191 %	4034,8838 litre	O
490	CM	60	CM	37 LEVEL CM	1452,3774 litre	26,208 %	4089,3920 litre	O
490	CM	60	CM	36 LEVEL CM	1398,2759 litre	25,232 %	4143,4935 litre	O
490	CM	60	CM	35 LEVEL CM	1344,6022 litre	24,263 %	4197,1672 litre	O
490	CM	60	CM	34 LEVEL CM	1291,3778 litre	23,303 %	4250,3916 litre	O
490	CM	60	CM	33 LEVEL CM	1238,6246 litre	22,351 %	4303,1448 litre	O
490	CM	60	CM	32 LEVEL CM	1186,3653 litre	21,408 %	4355,4041 litre	O
490	CM	60	CM	31 LEVEL CM	1134,6231 litre	20,474 %	4407,1463 litre	O
490	CM	60	CM	30 LEVEL CM	1083,4221 litre	19,550 %	4458,3473 litre	O
490	CM	60	CM	29 LEVEL CM	1032,7869 litre	18,636 %	4508,9825 litre	O
490	CM	60	CM	28 LEVEL CM	982,7432 litre	17,733 %	4559,0262 litre	O
490	CM	60	CM	27 LEVEL CM	933,3175 litre	16,842 %	4608,4519 litre	O
490	CM	60	CM	26 LEVEL CM	884,5372 litre	15,961 %	4657,2322 litre	O
490	CM	60	CM	25 LEVEL CM	836,4310 litre	15,093 %	4705,3384 litre	O
490	CM	60	CM	24 LEVEL CM	789,0288 litre	14,238 %	4752,7406 litre	O
490	CM	60	CM	23 LEVEL CM	742,3616 litre	13,396 %	4799,4078 litre	O
490	CM	60	CM	22 LEVEL CM	696,4623 litre	12,568 %	4845,3071 litre	O
490	CM	60	CM	21 LEVEL CM	651,3652 litre	11,754 %	4890,4042 litre	O
490	CM	60	CM	20 LEVEL CM	607,1065 litre	10,955 %	4934,6629 litre	O
490	CM	60	CM	19 LEVEL CM	563,7245 litre	10,172 %	4978,0449 litre	O
490	CM	60	CM	18 LEVEL CM	521,2600 litre	9,406 %	5020,5094 litre	O
490	CM	60	CM	17 LEVEL CM	479,7563 litre	8,657 %	5062,0131 litre	O
490	CM	60	CM	16 LEVEL CM	439,2599 litre	7,926 %	5102,5095 litre	O

490	CM	60	CM	15 LEVEL CM	399,8210 litre	7,215 %	5141,9484 litre	O
490	CM	60	CM	14 LEVEL CM	361,4936 litre	6,523 %	5180,2758 litre	O
490	CM	60	CM	13 LEVEL CM	324,3370 litre	5,853 %	5217,4324 litre	O
490	CM	60	CM	12 LEVEL CM	288,4160 litre	5,204 %	5253,3534 litre	O
490	CM	60	CM	11 LEVEL CM	253,8023 litre	4,580 %	5287,9671 litre	O
490	CM	60	CM	10 LEVEL CM	220,5762 litre	3,980 %	5321,1932 litre	O
490	CM	60	CM	9 LEVEL CM	188,8287 litre	3,407 %	5352,9407 litre	O
490	CM	60	CM	8 LEVEL CM	158,6639 litre	2,863 %	5383,1055 litre	O
490	CM	60	CM	7 LEVEL CM	130,2035 litre	2,349 %	5411,5659 litre	O
490	CM	60	CM	6 LEVEL CM	103,5925 litre	1,869 %	5438,1769 litre	O
490	CM	60	CM	5 LEVEL CM	79,0089 litre	1,426 %	5462,7605 litre	O
490	CM	60	CM	4 LEVEL CM	56,6793 litre	1,023 %	5485,0901 litre	O
490	CM	60	CM	3 LEVEL CM	36,9082 litre	0,666 %	5504,8612 litre	O
490	CM	60	CM	2 LEVEL CM	20,1413 litre	0,363 %	5521,6281 litre	O
490	CM	60	CM	1 LEVEL CM	7,1390 litre	0,129 %	5534,6304 litre	O
490	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	5541,7694 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
490	CM	55	CM	110 LEVEL CM	4656,6257 litre	100,000 %	0,0000 litre	O
490	CM	55	CM	109 LEVEL CM	4649,7922 litre	99,853 %	6,8335 litre	O
490	CM	55	CM	108 LEVEL CM	4637,3508 litre	99,586 %	19,2749 litre	O
490	CM	55	CM	107 LEVEL CM	4621,3133 litre	99,242 %	35,3124 litre	O
490	CM	55	CM	106 LEVEL CM	4602,4099 litre	98,836 %	54,2158 litre	O
490	CM	55	CM	105 LEVEL CM	4581,0689 litre	98,377 %	75,5568 litre	O
490	CM	55	CM	104 LEVEL CM	4557,5834 litre	97,873 %	99,0423 litre	O
490	CM	55	CM	103 LEVEL CM	4532,1718 litre	97,327 %	124,4539 litre	O
490	CM	55	CM	102 LEVEL CM	4505,0058 litre	96,744 %	151,6199 litre	O
490	CM	55	CM	101 LEVEL CM	4476,2255 litre	96,126 %	180,4002 litre	O
490	CM	55	CM	100 LEVEL CM	4445,9487 litre	95,476 %	210,6770 litre	O
490	CM	55	CM	99 LEVEL CM	4414,2762 litre	94,796 %	242,3495 litre	O
490	CM	55	CM	98 LEVEL CM	4381,2962 litre	94,087 %	275,3295 litre	O
490	CM	55	CM	97 LEVEL CM	4347,0867 litre	93,353 %	309,5390 litre	O
490	CM	55	CM	96 LEVEL CM	4311,7176 litre	92,593 %	344,9081 litre	O
490	CM	55	CM	95 LEVEL CM	4275,2520 litre	91,810 %	381,3737 litre	O
490	CM	55	CM	94 LEVEL CM	4237,7476 litre	91,005 %	418,8781 litre	O
490	CM	55	CM	93 LEVEL CM	4199,2573 litre	90,178 %	457,3684 litre	O
490	CM	55	CM	92 LEVEL CM	4159,8302 litre	89,331 %	496,7955 litre	O
490	CM	55	CM	91 LEVEL CM	4119,5118 litre	88,466 %	537,1139 litre	O
490	CM	55	CM	90 LEVEL CM	4078,3447 litre	87,582 %	578,2810 litre	O
490	CM	55	CM	89 LEVEL CM	4036,3690 litre	86,680 %	620,2567 litre	O
490	CM	55	CM	88 LEVEL CM	3993,6224 litre	85,762 %	663,0033 litre	O
490	CM	55	CM	87 LEVEL CM	3950,1406 litre	84,828 %	706,4851 litre	O
490	CM	55	CM	86 LEVEL CM	3905,9576 litre	83,880 %	750,6681 litre	O
490	CM	55	CM	85 LEVEL CM	3861,1059 litre	82,916 %	795,5198 litre	O
490	CM	55	CM	84 LEVEL CM	3815,6162 litre	81,940 %	841,0095 litre	O
490	CM	55	CM	83 LEVEL CM	3769,5183 litre	80,950 %	887,1074 litre	O
490	CM	55	CM	82 LEVEL CM	3722,8407 litre	79,947 %	933,7850 litre	O
490	CM	55	CM	81 LEVEL CM	3675,6108 litre	78,933 %	981,0149 litre	O
490	CM	55	CM	80 LEVEL CM	3627,8551 litre	77,907 %	1028,7706 litre	O
490	CM	55	CM	79 LEVEL CM	3579,5992 litre	76,871 %	1077,0265 litre	O
490	CM	55	CM	78 LEVEL CM	3530,8680 litre	75,825 %	1125,7577 litre	O
490	CM	55	CM	77 LEVEL CM	3481,6855 litre	74,768 %	1174,9402 litre	O
490	CM	55	CM	76 LEVEL CM	3432,0753 litre	73,703 %	1224,5504 litre	O
490	CM	55	CM	75 LEVEL CM	3382,0603 litre	72,629 %	1274,5654 litre	O
490	CM	55	CM	74 LEVEL CM	3331,6626 litre	71,547 %	1324,9631 litre	O
490	CM	55	CM	73 LEVEL CM	3280,9041 litre	70,457 %	1375,7216 litre	O
490	CM	55	CM	72 LEVEL CM	3229,8062 litre	69,359 %	1426,8195 litre	O
490	CM	55	CM	71 LEVEL CM	3178,3897 litre	68,255 %	1478,2360 litre	O
490	CM	55	CM	70 LEVEL CM	3126,6752 litre	67,145 %	1529,9505 litre	O
490	CM	55	CM	69 LEVEL CM	3074,6829 litre	66,028 %	1581,9428 litre	O
490	CM	55	CM	68 LEVEL CM	3022,4326 litre	64,906 %	1634,1931 litre	O
490	CM	55	CM	67 LEVEL CM	2969,9439 litre	63,779 %	1686,6818 litre	O
490	CM	55	CM	66 LEVEL CM	2917,2361 litre	62,647 %	1739,3896 litre	O
490	CM	55	CM	65 LEVEL CM	2864,3283 litre	61,511 %	1792,2974 litre	O
490	CM	55	CM	64 LEVEL CM	2811,2392 litre	60,371 %	1845,3865 litre	O
490	CM	55	CM	63 LEVEL CM	2757,9875 litre	59,227 %	1898,6382 litre	O
490	CM	55	CM	62 LEVEL CM	2704,5918 litre	58,081 %	1952,0339 litre	O
490	CM	55	CM	61 LEVEL CM	2651,0703 litre	56,931 %	2005,5554 litre	O
490	CM	55	CM	60 LEVEL CM	2597,4412 litre	55,779 %	2059,1845 litre	O
490	CM	55	CM	59 LEVEL CM	2543,7226 litre	54,626 %	2112,9031 litre	O

490	CM	55	CM	58 LEVEL CM	2489,9326 litre	53,471 %	2166,6931 litre	O
490	CM	55	CM	57 LEVEL CM	2436,0891 litre	52,314 %	2220,5366 litre	O
490	CM	55	CM	56 LEVEL CM	2382,2099 litre	51,157 %	2274,4158 litre	O
490	CM	55	CM	55 LEVEL CM	2328,3129 litre	50,000 %	2328,3128 litre	O
490	CM	55	CM	54 LEVEL CM	2274,4158 litre	48,843 %	2382,2099 litre	O
490	CM	55	CM	53 LEVEL CM	2220,5366 litre	47,686 %	2436,0891 litre	O
490	CM	55	CM	52 LEVEL CM	2166,6931 litre	46,529 %	2489,9326 litre	O
490	CM	55	CM	51 LEVEL CM	2112,9031 litre	45,374 %	2543,7226 litre	O
490	CM	55	CM	50 LEVEL CM	2059,1845 litre	44,221 %	2597,4412 litre	O
490	CM	55	CM	49 LEVEL CM	2005,5555 litre	43,069 %	2651,0702 litre	O
490	CM	55	CM	48 LEVEL CM	1952,0340 litre	41,919 %	2704,5917 litre	O
490	CM	55	CM	47 LEVEL CM	1898,6382 litre	40,773 %	2757,9875 litre	O
490	CM	55	CM	46 LEVEL CM	1845,3865 litre	39,629 %	2811,2392 litre	O
490	CM	55	CM	45 LEVEL CM	1792,2975 litre	38,489 %	2864,3282 litre	O
490	CM	55	CM	44 LEVEL CM	1739,3896 litre	37,353 %	2917,2361 litre	O
490	CM	55	CM	43 LEVEL CM	1686,6818 litre	36,221 %	2969,9439 litre	O
490	CM	55	CM	42 LEVEL CM	1634,1931 litre	35,094 %	3022,4326 litre	O
490	CM	55	CM	41 LEVEL CM	1581,9428 litre	33,972 %	3074,6829 litre	O
490	CM	55	CM	40 LEVEL CM	1529,9505 litre	32,855 %	3126,6752 litre	O
490	CM	55	CM	39 LEVEL CM	1478,2360 litre	31,745 %	3178,3897 litre	O
490	CM	55	CM	38 LEVEL CM	1426,8195 litre	30,641 %	3229,8062 litre	O
490	CM	55	CM	37 LEVEL CM	1375,7216 litre	29,543 %	3280,9041 litre	O
490	CM	55	CM	36 LEVEL CM	1324,9631 litre	28,453 %	3331,6626 litre	O
490	CM	55	CM	35 LEVEL CM	1274,5655 litre	27,371 %	3382,0602 litre	O
490	CM	55	CM	34 LEVEL CM	1224,5504 litre	26,297 %	3432,0753 litre	O
490	CM	55	CM	33 LEVEL CM	1174,9402 litre	25,232 %	3481,6855 litre	O
490	CM	55	CM	32 LEVEL CM	1125,7578 litre	24,175 %	3530,8679 litre	O
490	CM	55	CM	31 LEVEL CM	1077,0265 litre	23,129 %	3579,5992 litre	O
490	CM	55	CM	30 LEVEL CM	1028,7707 litre	22,093 %	3627,8550 litre	O
490	CM	55	CM	29 LEVEL CM	981,0149 litre	21,067 %	3675,6108 litre	O
490	CM	55	CM	28 LEVEL CM	933,7850 litre	20,053 %	3722,8407 litre	O
490	CM	55	CM	27 LEVEL CM	887,1074 litre	19,050 %	3769,5183 litre	O
490	CM	55	CM	26 LEVEL CM	841,0095 litre	18,060 %	3815,6162 litre	O
490	CM	55	CM	25 LEVEL CM	795,5199 litre	17,084 %	3861,1058 litre	O
490	CM	55	CM	24 LEVEL CM	750,6681 litre	16,120 %	3905,9576 litre	O
490	CM	55	CM	23 LEVEL CM	706,4851 litre	15,172 %	3950,1406 litre	O
490	CM	55	CM	22 LEVEL CM	663,0033 litre	14,238 %	3993,6224 litre	O
490	CM	55	CM	21 LEVEL CM	620,2567 litre	13,320 %	4036,3690 litre	O
490	CM	55	CM	20 LEVEL CM	578,2810 litre	12,418 %	4078,3447 litre	O
490	CM	55	CM	19 LEVEL CM	537,1139 litre	11,534 %	4119,5118 litre	O
490	CM	55	CM	18 LEVEL CM	496,7955 litre	10,669 %	4159,8302 litre	O
490	CM	55	CM	17 LEVEL CM	457,3684 litre	9,822 %	4199,2573 litre	O
490	CM	55	CM	16 LEVEL CM	418,8781 litre	8,995 %	4237,7476 litre	O
490	CM	55	CM	15 LEVEL CM	381,3737 litre	8,190 %	4275,2520 litre	O
490	CM	55	CM	14 LEVEL CM	344,9081 litre	7,407 %	4311,7176 litre	O
490	CM	55	CM	13 LEVEL CM	309,5390 litre	6,647 %	4347,0867 litre	O
490	CM	55	CM	12 LEVEL CM	275,3295 litre	5,913 %	4381,2962 litre	O
490	CM	55	CM	11 LEVEL CM	242,3495 litre	5,204 %	4414,2762 litre	O
490	CM	55	CM	10 LEVEL CM	210,6770 litre	4,524 %	4445,9487 litre	O
490	CM	55	CM	9 LEVEL CM	180,4002 litre	3,874 %	4476,2255 litre	O
490	CM	55	CM	8 LEVEL CM	151,6199 litre	3,256 %	4505,0058 litre	O
490	CM	55	CM	7 LEVEL CM	124,4539 litre	2,673 %	4532,1718 litre	O
490	CM	55	CM	6 LEVEL CM	99,0423 litre	2,127 %	4557,5834 litre	O

490	CM	55	CM	5 LEVEL CM	75,5568 litre	1,623 %	4581,0689 litre	O
490	CM	55	CM	4 LEVEL CM	54,2158 litre	1,164 %	4602,4099 litre	O
490	CM	55	CM	3 LEVEL CM	35,3124 litre	0,758 %	4621,3133 litre	O
490	CM	55	CM	2 LEVEL CM	19,2749 litre	0,414 %	4637,3508 litre	O
490	CM	55	CM	1 LEVEL CM	6,8335 litre	0,147 %	4649,7922 litre	O
490	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	4656,6257 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
490	CM	50	CM	100 LEVEL CM	3848,4510 litre	100,000 %	0,0000 litre	O
490	CM	50	CM	99 LEVEL CM	3841,9373 litre	99,831 %	6,5137 litre	O
490	CM	50	CM	98 LEVEL CM	3830,0832 litre	99,523 %	18,3678 litre	O
490	CM	50	CM	97 LEVEL CM	3814,8100 litre	99,126 %	33,6410 litre	O
490	CM	50	CM	96 LEVEL CM	3796,8161 litre	98,658 %	51,6349 litre	O
490	CM	50	CM	95 LEVEL CM	3776,5118 litre	98,131 %	71,9392 litre	O
490	CM	50	CM	94 LEVEL CM	3754,1783 litre	97,550 %	94,2727 litre	O
490	CM	50	CM	93 LEVEL CM	3730,0256 litre	96,923 %	118,4254 litre	O
490	CM	50	CM	92 LEVEL CM	3704,2189 litre	96,252 %	144,2321 litre	O
490	CM	50	CM	91 LEVEL CM	3676,8932 litre	95,542 %	171,5578 litre	O
490	CM	50	CM	90 LEVEL CM	3648,1621 litre	94,796 %	200,2889 litre	O
490	CM	50	CM	89 LEVEL CM	3618,1235 litre	94,015 %	230,3275 litre	O
490	CM	50	CM	88 LEVEL CM	3586,8624 litre	93,203 %	261,5886 litre	O
490	CM	50	CM	87 LEVEL CM	3554,4548 litre	92,361 %	293,9962 litre	O
490	CM	50	CM	86 LEVEL CM	3520,9685 litre	91,491 %	327,4825 litre	O
490	CM	50	CM	85 LEVEL CM	3486,4649 litre	90,594 %	361,9861 litre	O
490	CM	50	CM	84 LEVEL CM	3451,0004 litre	89,672 %	397,4506 litre	O
490	CM	50	CM	83 LEVEL CM	3414,6267 litre	88,727 %	433,8243 litre	O
490	CM	50	CM	82 LEVEL CM	3377,3918 litre	87,760 %	471,0592 litre	O
490	CM	50	CM	81 LEVEL CM	3339,3404 litre	86,771 %	509,1106 litre	O
490	CM	50	CM	80 LEVEL CM	3300,5144 litre	85,762 %	547,9366 litre	O
490	CM	50	CM	79 LEVEL CM	3260,9532 litre	84,734 %	587,4978 litre	O
490	CM	50	CM	78 LEVEL CM	3220,6940 litre	83,688 %	627,7570 litre	O
490	CM	50	CM	77 LEVEL CM	3179,7724 litre	82,625 %	668,6786 litre	O
490	CM	50	CM	76 LEVEL CM	3138,2218 litre	81,545 %	710,2292 litre	O
490	CM	50	CM	75 LEVEL CM	3096,0746 litre	80,450 %	752,3764 litre	O
490	CM	50	CM	74 LEVEL CM	3053,3614 litre	79,340 %	795,0896 litre	O
490	CM	50	CM	73 LEVEL CM	3010,1119 litre	78,216 %	838,3391 litre	O
490	CM	50	CM	72 LEVEL CM	2966,3547 litre	77,079 %	882,0963 litre	O
490	CM	50	CM	71 LEVEL CM	2922,1172 litre	75,930 %	926,3338 litre	O
490	CM	50	CM	70 LEVEL CM	2877,4261 litre	74,768 %	971,0249 litre	O
490	CM	50	CM	69 LEVEL CM	2832,3072 litre	73,596 %	1016,1438 litre	O
490	CM	50	CM	68 LEVEL CM	2786,7856 litre	72,413 %	1061,6654 litre	O
490	CM	50	CM	67 LEVEL CM	2740,8859 litre	71,220 %	1107,5651 litre	O
490	CM	50	CM	66 LEVEL CM	2694,6318 litre	70,019 %	1153,8192 litre	O
490	CM	50	CM	65 LEVEL CM	2648,0467 litre	68,808 %	1200,4043 litre	O
490	CM	50	CM	64 LEVEL CM	2601,1533 litre	67,590 %	1247,2977 litre	O
490	CM	50	CM	63 LEVEL CM	2553,9740 litre	66,364 %	1294,4770 litre	O
490	CM	50	CM	62 LEVEL CM	2506,5309 litre	65,131 %	1341,9201 litre	O
490	CM	50	CM	61 LEVEL CM	2458,8454 litre	63,892 %	1389,6056 litre	O
490	CM	50	CM	60 LEVEL CM	2410,9389 litre	62,647 %	1437,5121 litre	O
490	CM	50	CM	59 LEVEL CM	2362,8324 litre	61,397 %	1485,6186 litre	O
490	CM	50	CM	58 LEVEL CM	2314,5465 litre	60,142 %	1533,9045 litre	O
490	CM	50	CM	57 LEVEL CM	2266,1017 litre	58,883 %	1582,3493 litre	O
490	CM	50	CM	56 LEVEL CM	2217,5184 litre	57,621 %	1630,9326 litre	O
490	CM	50	CM	55 LEVEL CM	2168,8166 litre	56,356 %	1679,6344 litre	O
490	CM	50	CM	54 LEVEL CM	2120,0162 litre	55,088 %	1728,4348 litre	O
490	CM	50	CM	53 LEVEL CM	2071,1373 litre	53,817 %	1777,3137 litre	O
490	CM	50	CM	52 LEVEL CM	2022,1994 litre	52,546 %	1826,2516 litre	O
490	CM	50	CM	51 LEVEL CM	1973,2222 litre	51,273 %	1875,2288 litre	O
490	CM	50	CM	50 LEVEL CM	1924,2255 litre	50,000 %	1924,2255 litre	O
490	CM	50	CM	49 LEVEL CM	1875,2288 litre	48,727 %	1973,2222 litre	O

490	CM	50	CM	48 LEVEL CM	1826,2516 litre	47,454 %	2022,1994 litre	O
490	CM	50	CM	47 LEVEL CM	1777,3137 litre	46,183 %	2071,1373 litre	O
490	CM	50	CM	46 LEVEL CM	1728,4348 litre	44,912 %	2120,0162 litre	O
490	CM	50	CM	45 LEVEL CM	1679,6344 litre	43,644 %	2168,8166 litre	O
490	CM	50	CM	44 LEVEL CM	1630,9326 litre	42,379 %	2217,5184 litre	O
490	CM	50	CM	43 LEVEL CM	1582,3493 litre	41,117 %	2266,1017 litre	O
490	CM	50	CM	42 LEVEL CM	1533,9045 litre	39,858 %	2314,5465 litre	O
490	CM	50	CM	41 LEVEL CM	1485,6186 litre	38,603 %	2362,8324 litre	O
490	CM	50	CM	40 LEVEL CM	1437,5121 litre	37,353 %	2410,9389 litre	O
490	CM	50	CM	39 LEVEL CM	1389,6056 litre	36,108 %	2458,8454 litre	O
490	CM	50	CM	38 LEVEL CM	1341,9201 litre	34,869 %	2506,5309 litre	O
490	CM	50	CM	37 LEVEL CM	1294,4770 litre	33,636 %	2553,9740 litre	O
490	CM	50	CM	36 LEVEL CM	1247,2977 litre	32,410 %	2601,1533 litre	O
490	CM	50	CM	35 LEVEL CM	1200,4043 litre	31,192 %	2648,0467 litre	O
490	CM	50	CM	34 LEVEL CM	1153,8192 litre	29,981 %	2694,6318 litre	O
490	CM	50	CM	33 LEVEL CM	1107,5651 litre	28,780 %	2740,8859 litre	O
490	CM	50	CM	32 LEVEL CM	1061,6654 litre	27,587 %	2786,7856 litre	O
490	CM	50	CM	31 LEVEL CM	1016,1438 litre	26,404 %	2832,3072 litre	O
490	CM	50	CM	30 LEVEL CM	971,0249 litre	25,232 %	2877,4261 litre	O
490	CM	50	CM	29 LEVEL CM	926,3338 litre	24,070 %	2922,1172 litre	O
490	CM	50	CM	28 LEVEL CM	882,0963 litre	22,921 %	2966,3547 litre	O
490	CM	50	CM	27 LEVEL CM	838,3391 litre	21,784 %	3010,1119 litre	O
490	CM	50	CM	26 LEVEL CM	795,0896 litre	20,660 %	3053,3614 litre	O
490	CM	50	CM	25 LEVEL CM	752,3764 litre	19,550 %	3096,0746 litre	O
490	CM	50	CM	24 LEVEL CM	710,2292 litre	18,455 %	3138,2218 litre	O
490	CM	50	CM	23 LEVEL CM	668,6786 litre	17,375 %	3179,7724 litre	O
490	CM	50	CM	22 LEVEL CM	627,7570 litre	16,312 %	3220,6940 litre	O
490	CM	50	CM	21 LEVEL CM	587,4978 litre	15,266 %	3260,9532 litre	O
490	CM	50	CM	20 LEVEL CM	547,9366 litre	14,238 %	3300,5144 litre	O
490	CM	50	CM	19 LEVEL CM	509,1106 litre	13,229 %	3339,3404 litre	O
490	CM	50	CM	18 LEVEL CM	471,0592 litre	12,240 %	3377,3918 litre	O
490	CM	50	CM	17 LEVEL CM	433,8243 litre	11,273 %	3414,6267 litre	O
490	CM	50	CM	16 LEVEL CM	397,4506 litre	10,328 %	3451,0004 litre	O
490	CM	50	CM	15 LEVEL CM	361,9861 litre	9,406 %	3486,4649 litre	O
490	CM	50	CM	14 LEVEL CM	327,4825 litre	8,509 %	3520,9685 litre	O
490	CM	50	CM	13 LEVEL CM	293,9962 litre	7,639 %	3554,4548 litre	O
490	CM	50	CM	12 LEVEL CM	261,5886 litre	6,797 %	3586,8624 litre	O
490	CM	50	CM	11 LEVEL CM	230,3275 litre	5,985 %	3618,1235 litre	O
490	CM	50	CM	10 LEVEL CM	200,2889 litre	5,204 %	3648,1621 litre	O
490	CM	50	CM	9 LEVEL CM	171,5578 litre	4,458 %	3676,8932 litre	O
490	CM	50	CM	8 LEVEL CM	144,2321 litre	3,748 %	3704,2189 litre	O
490	CM	50	CM	7 LEVEL CM	118,4254 litre	3,077 %	3730,0256 litre	O
490	CM	50	CM	6 LEVEL CM	94,2727 litre	2,450 %	3754,1783 litre	O
490	CM	50	CM	5 LEVEL CM	71,9392 litre	1,869 %	3776,5118 litre	O
490	CM	50	CM	4 LEVEL CM	51,6349 litre	1,342 %	3796,8161 litre	O
490	CM	50	CM	3 LEVEL CM	33,6410 litre	0,874 %	3814,8100 litre	O
490	CM	50	CM	2 LEVEL CM	18,3678 litre	0,477 %	3830,0832 litre	O
490	CM	50	CM	1 LEVEL CM	6,5137 litre	0,169 %	3841,9373 litre	O
490	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3848,4510 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM	150	CM 300 LEVEL CM	33929,2007 litre	100,000 %	0,0000 litre	O
480	CM	150	CM 299 LEVEL CM	33918,1266 litre	99,967 %	11,0741 litre	O
480	CM	150	CM 298 LEVEL CM	33897,9100 litre	99,908 %	31,2907 litre	O
480	CM	150	CM 297 LEVEL CM	33871,7738 litre	99,831 %	57,4269 litre	O
480	CM	150	CM 296 LEVEL CM	33840,8752 litre	99,740 %	88,3255 litre	O
480	CM	150	CM 295 LEVEL CM	33805,8867 litre	99,637 %	123,3140 litre	O
480	CM	150	CM 294 LEVEL CM	33767,2643 litre	99,523 %	161,9364 litre	O
480	CM	150	CM 293 LEVEL CM	33725,3444 litre	99,399 %	203,8563 litre	O
480	CM	150	CM 292 LEVEL CM	33680,3892 litre	99,267 %	248,8115 litre	O
480	CM	150	CM 291 LEVEL CM	33632,6106 litre	99,126 %	296,5901 litre	O
480	CM	150	CM 290 LEVEL CM	33582,1848 litre	98,977 %	347,0159 litre	O
480	CM	150	CM 289 LEVEL CM	33529,2616 litre	98,821 %	399,9391 litre	O
480	CM	150	CM 288 LEVEL CM	33473,9704 litre	98,658 %	455,2303 litre	O
480	CM	150	CM 287 LEVEL CM	33416,4246 litre	98,489 %	512,7761 litre	O
480	CM	150	CM 286 LEVEL CM	33356,7247 litre	98,313 %	572,4760 litre	O
480	CM	150	CM 285 LEVEL CM	33294,9609 litre	98,131 %	634,2398 litre	O
480	CM	150	CM 284 LEVEL CM	33231,2142 litre	97,943 %	697,9865 litre	O
480	CM	150	CM 283 LEVEL CM	33165,5587 litre	97,749 %	763,6420 litre	O
480	CM	150	CM 282 LEVEL CM	33098,0620 litre	97,550 %	831,1387 litre	O
480	CM	150	CM 281 LEVEL CM	33028,7862 litre	97,346 %	900,4145 litre	O
480	CM	150	CM 280 LEVEL CM	32957,7890 litre	97,137 %	971,4117 litre	O
480	CM	150	CM 279 LEVEL CM	32885,1238 litre	96,923 %	1044,0769 litre	O
480	CM	150	CM 278 LEVEL CM	32810,8404 litre	96,704 %	1118,3603 litre	O
480	CM	150	CM 277 LEVEL CM	32734,9855 litre	96,480 %	1194,2152 litre	O
480	CM	150	CM 276 LEVEL CM	32657,6029 litre	96,252 %	1271,5978 litre	O
480	CM	150	CM 275 LEVEL CM	32578,7340 litre	96,020 %	1350,4667 litre	O
480	CM	150	CM 274 LEVEL CM	32498,4176 litre	95,783 %	1430,7831 litre	O
480	CM	150	CM 273 LEVEL CM	32416,6907 litre	95,542 %	1512,5100 litre	O
480	CM	150	CM 272 LEVEL CM	32333,5883 litre	95,297 %	1595,6124 litre	O
480	CM	150	CM 271 LEVEL CM	32249,1437 litre	95,048 %	1680,0570 litre	O
480	CM	150	CM 270 LEVEL CM	32163,3887 litre	94,796 %	1765,8120 litre	O
480	CM	150	CM 269 LEVEL CM	32076,3536 litre	94,539 %	1852,8471 litre	O
480	CM	150	CM 268 LEVEL CM	31988,0673 litre	94,279 %	1941,1334 litre	O
480	CM	150	CM 267 LEVEL CM	31898,5578 litre	94,015 %	2030,6429 litre	O
480	CM	150	CM 266 LEVEL CM	31807,8515 litre	93,748 %	2121,3492 litre	O
480	CM	150	CM 265 LEVEL CM	31715,9743 litre	93,477 %	2213,2264 litre	O
480	CM	150	CM 264 LEVEL CM	31622,9505 litre	93,203 %	2306,2502 litre	O
480	CM	150	CM 263 LEVEL CM	31528,8042 litre	92,925 %	2400,3965 litre	O
480	CM	150	CM 262 LEVEL CM	31433,5581 litre	92,645 %	2495,6426 litre	O
480	CM	150	CM 261 LEVEL CM	31337,2343 litre	92,361 %	2591,9664 litre	O
480	CM	150	CM 260 LEVEL CM	31239,8543 litre	92,074 %	2689,3464 litre	O
480	CM	150	CM 259 LEVEL CM	31141,4387 litre	91,784 %	2787,7620 litre	O
480	CM	150	CM 258 LEVEL CM	31042,0077 litre	91,491 %	2887,1930 litre	O
480	CM	150	CM 257 LEVEL CM	30941,5806 litre	91,195 %	2987,6201 litre	O
480	CM	150	CM 256 LEVEL CM	30840,1763 litre	90,896 %	3089,0244 litre	O
480	CM	150	CM 255 LEVEL CM	30737,8132 litre	90,594 %	3191,3875 litre	O
480	CM	150	CM 254 LEVEL CM	30634,5090 litre	90,290 %	3294,6917 litre	O
480	CM	150	CM 253 LEVEL CM	30530,2812 litre	89,982 %	3398,9195 litre	O
480	CM	150	CM 252 LEVEL CM	30425,1465 litre	89,672 %	3504,0542 litre	O
480	CM	150	CM 251 LEVEL CM	30319,1215 litre	89,360 %	3610,0792 litre	O
480	CM	150	CM 250 LEVEL CM	30212,2222 litre	89,045 %	3716,9785 litre	O
480	CM	150	CM 249 LEVEL CM	30104,4641 litre	88,727 %	3824,7366 litre	O

480	CM	150	CM	248 LEVEL CM	29995,8627 litre	88,407 %	3933,3380 litre	O
480	CM	150	CM	247 LEVEL CM	29886,4328 litre	88,085 %	4042,7679 litre	O
480	CM	150	CM	246 LEVEL CM	29776,1890 litre	87,760 %	4153,0117 litre	O
480	CM	150	CM	245 LEVEL CM	29665,1455 litre	87,432 %	4264,0552 litre	O
480	CM	150	CM	244 LEVEL CM	29553,3164 litre	87,103 %	4375,8843 litre	O
480	CM	150	CM	243 LEVEL CM	29440,7152 litre	86,771 %	4488,4855 litre	O
480	CM	150	CM	242 LEVEL CM	29327,3555 litre	86,437 %	4601,8452 litre	O
480	CM	150	CM	241 LEVEL CM	29213,2502 litre	86,101 %	4715,9505 litre	O
480	CM	150	CM	240 LEVEL CM	29098,4123 litre	85,762 %	4830,7884 litre	O
480	CM	150	CM	239 LEVEL CM	28982,8544 litre	85,422 %	4946,3463 litre	O
480	CM	150	CM	238 LEVEL CM	28866,5888 litre	85,079 %	5062,6119 litre	O
480	CM	150	CM	237 LEVEL CM	28749,6278 litre	84,734 %	5179,5729 litre	O
480	CM	150	CM	236 LEVEL CM	28631,9832 litre	84,387 %	5297,2175 litre	O
480	CM	150	CM	235 LEVEL CM	28513,6669 litre	84,039 %	5415,5338 litre	O
480	CM	150	CM	234 LEVEL CM	28394,6903 litre	83,688 %	5534,5104 litre	O
480	CM	150	CM	233 LEVEL CM	28275,0647 litre	83,335 %	5654,1360 litre	O
480	CM	150	CM	232 LEVEL CM	28154,8015 litre	82,981 %	5774,3992 litre	O
480	CM	150	CM	231 LEVEL CM	28033,9115 litre	82,625 %	5895,2892 litre	O
480	CM	150	CM	230 LEVEL CM	27912,4055 litre	82,267 %	6016,7952 litre	O
480	CM	150	CM	229 LEVEL CM	27790,2943 litre	81,907 %	6138,9064 litre	O
480	CM	150	CM	228 LEVEL CM	27667,5883 litre	81,545 %	6261,6124 litre	O
480	CM	150	CM	227 LEVEL CM	27544,2979 litre	81,182 %	6384,9028 litre	O
480	CM	150	CM	226 LEVEL CM	27420,4332 litre	80,817 %	6508,7675 litre	O
480	CM	150	CM	225 LEVEL CM	27296,0043 litre	80,450 %	6633,1964 litre	O
480	CM	150	CM	224 LEVEL CM	27171,0211 litre	80,082 %	6758,1796 litre	O
480	CM	150	CM	223 LEVEL CM	27045,4935 litre	79,712 %	6883,7072 litre	O
480	CM	150	CM	222 LEVEL CM	26919,4311 litre	79,340 %	7009,7696 litre	O
480	CM	150	CM	221 LEVEL CM	26792,8433 litre	78,967 %	7136,3574 litre	O
480	CM	150	CM	220 LEVEL CM	26665,7398 litre	78,592 %	7263,4609 litre	O
480	CM	150	CM	219 LEVEL CM	26538,1296 litre	78,216 %	7391,0711 litre	O
480	CM	150	CM	218 LEVEL CM	26410,0222 litre	77,839 %	7519,1785 litre	O
480	CM	150	CM	217 LEVEL CM	26281,4264 litre	77,460 %	7647,7743 litre	O
480	CM	150	CM	216 LEVEL CM	26152,3514 litre	77,079 %	7776,8493 litre	O
480	CM	150	CM	215 LEVEL CM	26022,8060 litre	76,697 %	7906,3947 litre	O
480	CM	150	CM	214 LEVEL CM	25892,7990 litre	76,314 %	8036,4017 litre	O
480	CM	150	CM	213 LEVEL CM	25762,3391 litre	75,930 %	8166,8616 litre	O
480	CM	150	CM	212 LEVEL CM	25631,4349 litre	75,544 %	8297,7658 litre	O
480	CM	150	CM	211 LEVEL CM	25500,0950 litre	75,157 %	8429,1057 litre	O
480	CM	150	CM	210 LEVEL CM	25368,3277 litre	74,768 %	8560,8730 litre	O
480	CM	150	CM	209 LEVEL CM	25236,1414 litre	74,379 %	8693,0593 litre	O
480	CM	150	CM	208 LEVEL CM	25103,5444 litre	73,988 %	8825,6563 litre	O
480	CM	150	CM	207 LEVEL CM	24970,5449 litre	73,596 %	8958,6558 litre	O
480	CM	150	CM	206 LEVEL CM	24837,1510 litre	73,203 %	9092,0497 litre	O
480	CM	150	CM	205 LEVEL CM	24703,3707 litre	72,809 %	9225,8300 litre	O
480	CM	150	CM	204 LEVEL CM	24569,2121 litre	72,413 %	9359,9886 litre	O
480	CM	150	CM	203 LEVEL CM	24434,6831 litre	72,017 %	9494,5176 litre	O
480	CM	150	CM	202 LEVEL CM	24299,7915 litre	71,619 %	9629,4092 litre	O
480	CM	150	CM	201 LEVEL CM	24164,5450 litre	71,220 %	9764,6557 litre	O
480	CM	150	CM	200 LEVEL CM	24028,9515 litre	70,821 %	9900,2492 litre	O
480	CM	150	CM	199 LEVEL CM	23893,0186 litre	70,420 %	10036,1821 litre	O
480	CM	150	CM	198 LEVEL CM	23756,7538 litre	70,019 %	10172,4469 litre	O
480	CM	150	CM	197 LEVEL CM	23620,1648 litre	69,616 %	10309,0359 litre	O
480	CM	150	CM	196 LEVEL CM	23483,2591 litre	69,213 %	10445,9416 litre	O

480	CM	150	CM	195 LEVEL CM	23346,0440 litre	68,808 %	10583,1567 litre	O
480	CM	150	CM	194 LEVEL CM	23208,5270 litre	68,403 %	10720,6737 litre	O
480	CM	150	CM	193 LEVEL CM	23070,7155 litre	67,997 %	10858,4852 litre	O
480	CM	150	CM	192 LEVEL CM	22932,6167 litre	67,590 %	10996,5840 litre	O
480	CM	150	CM	191 LEVEL CM	22794,2379 litre	67,182 %	11134,9628 litre	O
480	CM	150	CM	190 LEVEL CM	22655,5863 litre	66,773 %	11273,6144 litre	O
480	CM	150	CM	189 LEVEL CM	22516,6691 litre	66,364 %	11412,5316 litre	O
480	CM	150	CM	188 LEVEL CM	22377,4934 litre	65,953 %	11551,7073 litre	O
480	CM	150	CM	187 LEVEL CM	22238,0663 litre	65,543 %	11691,1344 litre	O
480	CM	150	CM	186 LEVEL CM	22098,3948 litre	65,131 %	11830,8059 litre	O
480	CM	150	CM	185 LEVEL CM	21958,4860 litre	64,719 %	11970,7147 litre	O
480	CM	150	CM	184 LEVEL CM	21818,3469 litre	64,306 %	12110,8538 litre	O
480	CM	150	CM	183 LEVEL CM	21677,9843 litre	63,892 %	12251,2164 litre	O
480	CM	150	CM	182 LEVEL CM	21537,4052 litre	63,477 %	12391,7955 litre	O
480	CM	150	CM	181 LEVEL CM	21396,6165 litre	63,063 %	12532,5842 litre	O
480	CM	150	CM	180 LEVEL CM	21255,6250 litre	62,647 %	12673,5757 litre	O
480	CM	150	CM	179 LEVEL CM	21114,4376 litre	62,231 %	12814,7631 litre	O
480	CM	150	CM	178 LEVEL CM	20973,0609 litre	61,814 %	12956,1398 litre	O
480	CM	150	CM	177 LEVEL CM	20831,5019 litre	61,397 %	13097,6988 litre	O
480	CM	150	CM	176 LEVEL CM	20689,7672 litre	60,979 %	13239,4335 litre	O
480	CM	150	CM	175 LEVEL CM	20547,8635 litre	60,561 %	13381,3372 litre	O
480	CM	150	CM	174 LEVEL CM	20405,7976 litre	60,142 %	13523,4031 litre	O
480	CM	150	CM	173 LEVEL CM	20263,5760 litre	59,723 %	13665,6247 litre	O
480	CM	150	CM	172 LEVEL CM	20121,2055 litre	59,304 %	13807,9952 litre	O
480	CM	150	CM	171 LEVEL CM	19978,6927 litre	58,883 %	13950,5080 litre	O
480	CM	150	CM	170 LEVEL CM	19836,0441 litre	58,463 %	14093,1566 litre	O
480	CM	150	CM	169 LEVEL CM	19693,2664 litre	58,042 %	14235,9343 litre	O
480	CM	150	CM	168 LEVEL CM	19550,3660 litre	57,621 %	14378,8347 litre	O
480	CM	150	CM	167 LEVEL CM	19407,3497 litre	57,200 %	14521,8510 litre	O
480	CM	150	CM	166 LEVEL CM	19264,2238 litre	56,778 %	14664,9769 litre	O
480	CM	150	CM	165 LEVEL CM	19120,9949 litre	56,356 %	14808,2058 litre	O
480	CM	150	CM	164 LEVEL CM	18977,6696 litre	55,933 %	14951,5311 litre	O
480	CM	150	CM	163 LEVEL CM	18834,2542 litre	55,510 %	15094,9465 litre	O
480	CM	150	CM	162 LEVEL CM	18690,7554 litre	55,088 %	15238,4453 litre	O
480	CM	150	CM	161 LEVEL CM	18547,1794 litre	54,664 %	15382,0213 litre	O
480	CM	150	CM	160 LEVEL CM	18403,5330 litre	54,241 %	15525,6677 litre	O
480	CM	150	CM	159 LEVEL CM	18259,8223 litre	53,817 %	15669,3784 litre	O
480	CM	150	CM	158 LEVEL CM	18116,0540 litre	53,394 %	15813,1467 litre	O
480	CM	150	CM	157 LEVEL CM	17972,2343 litre	52,970 %	15956,9664 litre	O
480	CM	150	CM	156 LEVEL CM	17828,3699 litre	52,546 %	16100,8308 litre	O
480	CM	150	CM	155 LEVEL CM	17684,4670 litre	52,122 %	16244,7337 litre	O
480	CM	150	CM	154 LEVEL CM	17540,5321 litre	51,697 %	16388,6686 litre	O
480	CM	150	CM	153 LEVEL CM	17396,5715 litre	51,273 %	16532,6292 litre	O
480	CM	150	CM	152 LEVEL CM	17252,5918 litre	50,849 %	16676,6089 litre	O
480	CM	150	CM	151 LEVEL CM	17108,5993 litre	50,424 %	16820,6014 litre	O
480	CM	150	CM	150 LEVEL CM	16964,6003 litre	50,000 %	16964,6004 litre	O
480	CM	150	CM	149 LEVEL CM	16820,6014 litre	49,576 %	17108,5993 litre	O
480	CM	150	CM	148 LEVEL CM	16676,6089 litre	49,151 %	17252,5918 litre	O
480	CM	150	CM	147 LEVEL CM	16532,6291 litre	48,727 %	17396,5716 litre	O
480	CM	150	CM	146 LEVEL CM	16388,6686 litre	48,303 %	17540,5321 litre	O
480	CM	150	CM	145 LEVEL CM	16244,7337 litre	47,878 %	17684,4670 litre	O
480	CM	150	CM	144 LEVEL CM	16100,8308 litre	47,454 %	17828,3699 litre	O
480	CM	150	CM	143 LEVEL CM	15956,9663 litre	47,030 %	17972,2344 litre	O

480	CM	150	CM	142 LEVEL CM	15813,1467 litre	46,606 %	18116,0540 litre	O
480	CM	150	CM	141 LEVEL CM	15669,3783 litre	46,183 %	18259,8224 litre	O
480	CM	150	CM	140 LEVEL CM	15525,6677 litre	45,759 %	18403,5330 litre	O
480	CM	150	CM	139 LEVEL CM	15382,0212 litre	45,336 %	18547,1795 litre	O
480	CM	150	CM	138 LEVEL CM	15238,4453 litre	44,912 %	18690,7554 litre	O
480	CM	150	CM	137 LEVEL CM	15094,9464 litre	44,490 %	18834,2543 litre	O
480	CM	150	CM	136 LEVEL CM	14951,5311 litre	44,067 %	18977,6696 litre	O
480	CM	150	CM	135 LEVEL CM	14808,2057 litre	43,644 %	19120,9950 litre	O
480	CM	150	CM	134 LEVEL CM	14664,9769 litre	43,222 %	19264,2238 litre	O
480	CM	150	CM	133 LEVEL CM	14521,8510 litre	42,800 %	19407,3497 litre	O
480	CM	150	CM	132 LEVEL CM	14378,8346 litre	42,379 %	19550,3661 litre	O
480	CM	150	CM	131 LEVEL CM	14235,9343 litre	41,958 %	19693,2664 litre	O
480	CM	150	CM	130 LEVEL CM	14093,1566 litre	41,537 %	19836,0441 litre	O
480	CM	150	CM	129 LEVEL CM	13950,5080 litre	41,117 %	19978,6927 litre	O
480	CM	150	CM	128 LEVEL CM	13807,9951 litre	40,696 %	20121,2056 litre	O
480	CM	150	CM	127 LEVEL CM	13665,6246 litre	40,277 %	20263,5761 litre	O
480	CM	150	CM	126 LEVEL CM	13523,4031 litre	39,858 %	20405,7976 litre	O
480	CM	150	CM	125 LEVEL CM	13381,3371 litre	39,439 %	20547,8636 litre	O
480	CM	150	CM	124 LEVEL CM	13239,4335 litre	39,021 %	20689,7672 litre	O
480	CM	150	CM	123 LEVEL CM	13097,6988 litre	38,603 %	20831,5019 litre	O
480	CM	150	CM	122 LEVEL CM	12956,1397 litre	38,186 %	20973,0610 litre	O
480	CM	150	CM	121 LEVEL CM	12814,7631 litre	37,769 %	21114,4376 litre	O
480	CM	150	CM	120 LEVEL CM	12673,5756 litre	37,353 %	21255,6251 litre	O
480	CM	150	CM	119 LEVEL CM	12532,5842 litre	36,937 %	21396,6165 litre	O
480	CM	150	CM	118 LEVEL CM	12391,7954 litre	36,523 %	21537,4053 litre	O
480	CM	150	CM	117 LEVEL CM	12251,2164 litre	36,108 %	21677,9843 litre	O
480	CM	150	CM	116 LEVEL CM	12110,8538 litre	35,694 %	21818,3469 litre	O
480	CM	150	CM	115 LEVEL CM	11970,7146 litre	35,281 %	21958,4861 litre	O
480	CM	150	CM	114 LEVEL CM	11830,8058 litre	34,869 %	22098,3949 litre	O
480	CM	150	CM	113 LEVEL CM	11691,1344 litre	34,457 %	22238,0663 litre	O
480	CM	150	CM	112 LEVEL CM	11551,7072 litre	34,047 %	22377,4935 litre	O
480	CM	150	CM	111 LEVEL CM	11412,5315 litre	33,636 %	22516,6692 litre	O
480	CM	150	CM	110 LEVEL CM	11273,6143 litre	33,227 %	22655,5864 litre	O
480	CM	150	CM	109 LEVEL CM	11134,9627 litre	32,818 %	22794,2380 litre	O
480	CM	150	CM	108 LEVEL CM	10996,5839 litre	32,410 %	22932,6168 litre	O
480	CM	150	CM	107 LEVEL CM	10858,4852 litre	32,003 %	23070,7155 litre	O
480	CM	150	CM	106 LEVEL CM	10720,6736 litre	31,597 %	23208,5271 litre	O
480	CM	150	CM	105 LEVEL CM	10583,1567 litre	31,192 %	23346,0440 litre	O
480	CM	150	CM	104 LEVEL CM	10445,9416 litre	30,787 %	23483,2591 litre	O
480	CM	150	CM	103 LEVEL CM	10309,0358 litre	30,384 %	23620,1649 litre	O
480	CM	150	CM	102 LEVEL CM	10172,4468 litre	29,981 %	23756,7539 litre	O
480	CM	150	CM	101 LEVEL CM	10036,1821 litre	29,580 %	23893,0186 litre	O
480	CM	150	CM	100 LEVEL CM	9900,2492 litre	29,179 %	24028,9515 litre	O
480	CM	150	CM	99 LEVEL CM	9764,6556 litre	28,780 %	24164,5451 litre	O
480	CM	150	CM	98 LEVEL CM	9629,4092 litre	28,381 %	24299,7915 litre	O
480	CM	150	CM	97 LEVEL CM	9494,5176 litre	27,983 %	24434,6831 litre	O
480	CM	150	CM	96 LEVEL CM	9359,9885 litre	27,587 %	24569,2122 litre	O
480	CM	150	CM	95 LEVEL CM	9225,8299 litre	27,191 %	24703,3708 litre	O
480	CM	150	CM	94 LEVEL CM	9092,0497 litre	26,797 %	24837,1510 litre	O
480	CM	150	CM	93 LEVEL CM	8958,6558 litre	26,404 %	24970,5449 litre	O
480	CM	150	CM	92 LEVEL CM	8825,6563 litre	26,012 %	25103,5444 litre	O
480	CM	150	CM	91 LEVEL CM	8693,0593 litre	25,621 %	25236,1414 litre	O
480	CM	150	CM	90 LEVEL CM	8560,8730 litre	25,232 %	25368,3277 litre	O

480	CM	150	CM	89 LEVEL CM	8429,1057 litre	24,843 %	25500,0950 litre	O
480	CM	150	CM	88 LEVEL CM	8297,7657 litre	24,456 %	25631,4350 litre	O
480	CM	150	CM	87 LEVEL CM	8166,8615 litre	24,070 %	25762,3392 litre	O
480	CM	150	CM	86 LEVEL CM	8036,4016 litre	23,686 %	25892,7991 litre	O
480	CM	150	CM	85 LEVEL CM	7906,3946 litre	23,303 %	26022,8061 litre	O
480	CM	150	CM	84 LEVEL CM	7776,8492 litre	22,921 %	26152,3515 litre	O
480	CM	150	CM	83 LEVEL CM	7647,7742 litre	22,540 %	26281,4265 litre	O
480	CM	150	CM	82 LEVEL CM	7519,1785 litre	22,161 %	26410,0222 litre	O
480	CM	150	CM	81 LEVEL CM	7391,0710 litre	21,784 %	26538,1297 litre	O
480	CM	150	CM	80 LEVEL CM	7263,4609 litre	21,408 %	26665,7398 litre	O
480	CM	150	CM	79 LEVEL CM	7136,3573 litre	21,033 %	26792,8434 litre	O
480	CM	150	CM	78 LEVEL CM	7009,7696 litre	20,660 %	26919,4311 litre	O
480	CM	150	CM	77 LEVEL CM	6883,7071 litre	20,288 %	27045,4936 litre	O
480	CM	150	CM	76 LEVEL CM	6758,1795 litre	19,918 %	27171,0212 litre	O
480	CM	150	CM	75 LEVEL CM	6633,1964 litre	19,550 %	27296,0043 litre	O
480	CM	150	CM	74 LEVEL CM	6508,7675 litre	19,183 %	27420,4332 litre	O
480	CM	150	CM	73 LEVEL CM	6384,9028 litre	18,818 %	27544,2979 litre	O
480	CM	150	CM	72 LEVEL CM	6261,6123 litre	18,455 %	27667,5884 litre	O
480	CM	150	CM	71 LEVEL CM	6138,9063 litre	18,093 %	27790,2944 litre	O
480	CM	150	CM	70 LEVEL CM	6016,7951 litre	17,733 %	27912,4056 litre	O
480	CM	150	CM	69 LEVEL CM	5895,2892 litre	17,375 %	28033,9115 litre	O
480	CM	150	CM	68 LEVEL CM	5774,3992 litre	17,019 %	28154,8015 litre	O
480	CM	150	CM	67 LEVEL CM	5654,1359 litre	16,665 %	28275,0648 litre	O
480	CM	150	CM	66 LEVEL CM	5534,5104 litre	16,312 %	28394,6903 litre	O
480	CM	150	CM	65 LEVEL CM	5415,5338 litre	15,961 %	28513,6669 litre	O
480	CM	150	CM	64 LEVEL CM	5297,2174 litre	15,613 %	28631,9833 litre	O
480	CM	150	CM	63 LEVEL CM	5179,5729 litre	15,266 %	28749,6278 litre	O
480	CM	150	CM	62 LEVEL CM	5062,6118 litre	14,921 %	28866,5889 litre	O
480	CM	150	CM	61 LEVEL CM	4946,3463 litre	14,578 %	28982,8544 litre	O
480	CM	150	CM	60 LEVEL CM	4830,7884 litre	14,238 %	29098,4123 litre	O
480	CM	150	CM	59 LEVEL CM	4715,9504 litre	13,899 %	29213,2503 litre	O
480	CM	150	CM	58 LEVEL CM	4601,8452 litre	13,563 %	29327,3555 litre	O
480	CM	150	CM	57 LEVEL CM	4488,4854 litre	13,229 %	29440,7153 litre	O
480	CM	150	CM	56 LEVEL CM	4375,8843 litre	12,897 %	29553,3164 litre	O
480	CM	150	CM	55 LEVEL CM	4264,0551 litre	12,568 %	29665,1456 litre	O
480	CM	150	CM	54 LEVEL CM	4153,0117 litre	12,240 %	29776,1890 litre	O
480	CM	150	CM	53 LEVEL CM	4042,7679 litre	11,915 %	29886,4328 litre	O
480	CM	150	CM	52 LEVEL CM	3933,3380 litre	11,593 %	29995,8627 litre	O
480	CM	150	CM	51 LEVEL CM	3824,7365 litre	11,273 %	30104,4642 litre	O
480	CM	150	CM	50 LEVEL CM	3716,9785 litre	10,955 %	30212,2222 litre	O
480	CM	150	CM	49 LEVEL CM	3610,0791 litre	10,640 %	30319,1216 litre	O
480	CM	150	CM	48 LEVEL CM	3504,0541 litre	10,328 %	30425,1466 litre	O
480	CM	150	CM	47 LEVEL CM	3398,9195 litre	10,018 %	30530,2812 litre	O
480	CM	150	CM	46 LEVEL CM	3294,6916 litre	9,710 %	30634,5091 litre	O
480	CM	150	CM	45 LEVEL CM	3191,3875 litre	9,406 %	30737,8132 litre	O
480	CM	150	CM	44 LEVEL CM	3089,0243 litre	9,104 %	30840,1764 litre	O
480	CM	150	CM	43 LEVEL CM	2987,6201 litre	8,805 %	30941,5806 litre	O
480	CM	150	CM	42 LEVEL CM	2887,1930 litre	8,509 %	31042,0077 litre	O
480	CM	150	CM	41 LEVEL CM	2787,7619 litre	8,216 %	31141,4388 litre	O
480	CM	150	CM	40 LEVEL CM	2689,3464 litre	7,926 %	31239,8543 litre	O
480	CM	150	CM	39 LEVEL CM	2591,9664 litre	7,639 %	31337,2343 litre	O
480	CM	150	CM	38 LEVEL CM	2495,6426 litre	7,355 %	31433,5581 litre	O
480	CM	150	CM	37 LEVEL CM	2400,3965 litre	7,075 %	31528,8042 litre	O

480	CM	150	CM	36 LEVEL CM	2306,2501 litre	6,797 %	31622,9506 litre	O
480	CM	150	CM	35 LEVEL CM	2213,2264 litre	6,523 %	31715,9743 litre	O
480	CM	150	CM	34 LEVEL CM	2121,3491 litre	6,252 %	31807,8516 litre	O
480	CM	150	CM	33 LEVEL CM	2030,6429 litre	5,985 %	31898,5578 litre	O
480	CM	150	CM	32 LEVEL CM	1941,1333 litre	5,721 %	31988,0674 litre	O
480	CM	150	CM	31 LEVEL CM	1852,8471 litre	5,461 %	32076,3536 litre	O
480	CM	150	CM	30 LEVEL CM	1765,8120 litre	5,204 %	32163,3887 litre	O
480	CM	150	CM	29 LEVEL CM	1680,0570 litre	4,952 %	32249,1437 litre	O
480	CM	150	CM	28 LEVEL CM	1595,6124 litre	4,703 %	32333,5883 litre	O
480	CM	150	CM	27 LEVEL CM	1512,5100 litre	4,458 %	32416,6907 litre	O
480	CM	150	CM	26 LEVEL CM	1430,7831 litre	4,217 %	32498,4176 litre	O
480	CM	150	CM	25 LEVEL CM	1350,4667 litre	3,980 %	32578,7340 litre	O
480	CM	150	CM	24 LEVEL CM	1271,5977 litre	3,748 %	32657,6030 litre	O
480	CM	150	CM	23 LEVEL CM	1194,2152 litre	3,520 %	32734,9855 litre	O
480	CM	150	CM	22 LEVEL CM	1118,3603 litre	3,296 %	32810,8404 litre	O
480	CM	150	CM	21 LEVEL CM	1044,0769 litre	3,077 %	32885,1238 litre	O
480	CM	150	CM	20 LEVEL CM	971,4117 litre	2,863 %	32957,7890 litre	O
480	CM	150	CM	19 LEVEL CM	900,4144 litre	2,654 %	33028,7863 litre	O
480	CM	150	CM	18 LEVEL CM	831,1387 litre	2,450 %	33098,0620 litre	O
480	CM	150	CM	17 LEVEL CM	763,6419 litre	2,251 %	33165,5588 litre	O
480	CM	150	CM	16 LEVEL CM	697,9864 litre	2,057 %	33231,2143 litre	O
480	CM	150	CM	15 LEVEL CM	634,2398 litre	1,869 %	33294,9609 litre	O
480	CM	150	CM	14 LEVEL CM	572,4759 litre	1,687 %	33356,7248 litre	O
480	CM	150	CM	13 LEVEL CM	512,7761 litre	1,511 %	33416,4246 litre	O
480	CM	150	CM	12 LEVEL CM	455,2303 litre	1,342 %	33473,9704 litre	O
480	CM	150	CM	11 LEVEL CM	399,9391 litre	1,179 %	33529,2616 litre	O
480	CM	150	CM	10 LEVEL CM	347,0159 litre	1,023 %	33582,1848 litre	O
480	CM	150	CM	9 LEVEL CM	296,5901 litre	0,874 %	33632,6106 litre	O
480	CM	150	CM	8 LEVEL CM	248,8115 litre	0,733 %	33680,3892 litre	O
480	CM	150	CM	7 LEVEL CM	203,8563 litre	0,601 %	33725,3444 litre	O
480	CM	150	CM	6 LEVEL CM	161,9364 litre	0,477 %	33767,2643 litre	O
480	CM	150	CM	5 LEVEL CM	123,3139 litre	0,363 %	33805,8868 litre	O
480	CM	150	CM	4 LEVEL CM	88,3254 litre	0,260 %	33840,8753 litre	O
480	CM	150	CM	3 LEVEL CM	57,4269 litre	0,169 %	33871,7738 litre	O
480	CM	150	CM	2 LEVEL CM	31,2907 litre	0,092 %	33897,9100 litre	O
480	CM	150	CM	1 LEVEL CM	11,0740 litre	0,033 %	33918,1267 litre	O
480	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	33929,2007 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM 145	CM 290 LEVEL CM	31704,9531 litre	100,000 %	0,0000 litre	O
480	CM 145	CM 289 LEVEL CM	31694,0655 litre	99,966 %	10,8876 litre	O
480	CM 145	CM 288 LEVEL CM	31674,1904 litre	99,903 %	30,7627 litre	O
480	CM 145	CM 287 LEVEL CM	31648,4973 litre	99,822 %	56,4558 litre	O
480	CM 145	CM 286 LEVEL CM	31618,1243 litre	99,726 %	86,8288 litre	O
480	CM 145	CM 285 LEVEL CM	31583,7329 litre	99,618 %	121,2202 litre	O
480	CM 145	CM 284 LEVEL CM	31545,7719 litre	99,498 %	159,1812 litre	O
480	CM 145	CM 283 LEVEL CM	31504,5723 litre	99,368 %	200,3808 litre	O
480	CM 145	CM 282 LEVEL CM	31460,3923 litre	99,229 %	244,5608 litre	O
480	CM 145	CM 281 LEVEL CM	31413,4404 litre	99,081 %	291,5127 litre	O
480	CM 145	CM 280 LEVEL CM	31363,8901 litre	98,924 %	341,0630 litre	O
480	CM 145	CM 279 LEVEL CM	31311,8890 litre	98,760 %	393,0641 litre	O
480	CM 145	CM 278 LEVEL CM	31257,5645 litre	98,589 %	447,3886 litre	O
480	CM 145	CM 277 LEVEL CM	31201,0284 litre	98,411 %	503,9247 litre	O
480	CM 145	CM 276 LEVEL CM	31142,3797 litre	98,226 %	562,5734 litre	O
480	CM 145	CM 275 LEVEL CM	31081,7071 litre	98,034 %	623,2460 litre	O
480	CM 145	CM 274 LEVEL CM	31019,0909 litre	97,837 %	685,8622 litre	O
480	CM 145	CM 273 LEVEL CM	30954,6037 litre	97,633 %	750,3494 litre	O
480	CM 145	CM 272 LEVEL CM	30888,3124 litre	97,424 %	816,6407 litre	O
480	CM 145	CM 271 LEVEL CM	30820,2782 litre	97,210 %	884,6749 litre	O
480	CM 145	CM 270 LEVEL CM	30750,5581 litre	96,990 %	954,3950 litre	O
480	CM 145	CM 269 LEVEL CM	30679,2046 litre	96,765 %	1025,7485 litre	O
480	CM 145	CM 268 LEVEL CM	30606,2670 litre	96,535 %	1098,6861 litre	O
480	CM 145	CM 267 LEVEL CM	30531,7915 litre	96,300 %	1173,1616 litre	O
480	CM 145	CM 266 LEVEL CM	30455,8211 litre	96,060 %	1249,1320 litre	O
480	CM 145	CM 265 LEVEL CM	30378,3968 litre	95,816 %	1326,5563 litre	O
480	CM 145	CM 264 LEVEL CM	30299,5569 litre	95,567 %	1405,3962 litre	O
480	CM 145	CM 263 LEVEL CM	30219,3380 litre	95,314 %	1485,6151 litre	O
480	CM 145	CM 262 LEVEL CM	30137,7747 litre	95,057 %	1567,1784 litre	O
480	CM 145	CM 261 LEVEL CM	30054,8999 litre	94,796 %	1650,0532 litre	O
480	CM 145	CM 260 LEVEL CM	29970,7449 litre	94,530 %	1734,2082 litre	O
480	CM 145	CM 259 LEVEL CM	29885,3398 litre	94,261 %	1819,6133 litre	O
480	CM 145	CM 258 LEVEL CM	29798,7133 litre	93,988 %	1906,2398 litre	O
480	CM 145	CM 257 LEVEL CM	29710,8927 litre	93,711 %	1994,0604 litre	O
480	CM 145	CM 256 LEVEL CM	29621,9046 litre	93,430 %	2083,0485 litre	O
480	CM 145	CM 255 LEVEL CM	29531,7742 litre	93,146 %	2173,1789 litre	O
480	CM 145	CM 254 LEVEL CM	29440,5259 litre	92,858 %	2264,4272 litre	O
480	CM 145	CM 253 LEVEL CM	29348,1833 litre	92,567 %	2356,7698 litre	O
480	CM 145	CM 252 LEVEL CM	29254,7690 litre	92,272 %	2450,1841 litre	O
480	CM 145	CM 251 LEVEL CM	29160,3050 litre	91,974 %	2544,6481 litre	O
480	CM 145	CM 250 LEVEL CM	29064,8123 litre	91,673 %	2640,1408 litre	O
480	CM 145	CM 249 LEVEL CM	28968,3117 litre	91,368 %	2736,6414 litre	O
480	CM 145	CM 248 LEVEL CM	28870,8228 litre	91,061 %	2834,1303 litre	O
480	CM 145	CM 247 LEVEL CM	28772,3651 litre	90,750 %	2932,5880 litre	O
480	CM 145	CM 246 LEVEL CM	28672,9572 litre	90,437 %	3031,9959 litre	O
480	CM 145	CM 245 LEVEL CM	28572,6172 litre	90,120 %	3132,3359 litre	O
480	CM 145	CM 244 LEVEL CM	28471,3630 litre	89,801 %	3233,5901 litre	O
480	CM 145	CM 243 LEVEL CM	28369,2116 litre	89,479 %	3335,7415 litre	O
480	CM 145	CM 242 LEVEL CM	28266,1799 litre	89,154 %	3438,7732 litre	O
480	CM 145	CM 241 LEVEL CM	28162,2841 litre	88,826 %	3542,6690 litre	O
480	CM 145	CM 240 LEVEL CM	28057,5402 litre	88,496 %	3647,4129 litre	O
480	CM 145	CM 239 LEVEL CM	27951,9637 litre	88,163 %	3752,9894 litre	O

480	CM	145	CM	238 LEVEL CM	27845,5699 litre	87,827 %	3859,3832 litre	O
480	CM	145	CM	237 LEVEL CM	27738,3735 litre	87,489 %	3966,5796 litre	O
480	CM	145	CM	236 LEVEL CM	27630,3890 litre	87,148 %	4074,5641 litre	O
480	CM	145	CM	235 LEVEL CM	27521,6307 litre	86,805 %	4183,3224 litre	O
480	CM	145	CM	234 LEVEL CM	27412,1123 litre	86,460 %	4292,8408 litre	O
480	CM	145	CM	233 LEVEL CM	27301,8476 litre	86,112 %	4403,1055 litre	O
480	CM	145	CM	232 LEVEL CM	27190,8497 litre	85,762 %	4514,1034 litre	O
480	CM	145	CM	231 LEVEL CM	27079,1319 litre	85,410 %	4625,8212 litre	O
480	CM	145	CM	230 LEVEL CM	26966,7068 litre	85,055 %	4738,2463 litre	O
480	CM	145	CM	229 LEVEL CM	26853,5871 litre	84,698 %	4851,3660 litre	O
480	CM	145	CM	228 LEVEL CM	26739,7851 litre	84,339 %	4965,1680 litre	O
480	CM	145	CM	227 LEVEL CM	26625,3129 litre	83,978 %	5079,6402 litre	O
480	CM	145	CM	226 LEVEL CM	26510,1824 litre	83,615 %	5194,7707 litre	O
480	CM	145	CM	225 LEVEL CM	26394,4053 litre	83,250 %	5310,5478 litre	O
480	CM	145	CM	224 LEVEL CM	26277,9931 litre	82,883 %	5426,9600 litre	O
480	CM	145	CM	223 LEVEL CM	26160,9572 litre	82,514 %	5543,9959 litre	O
480	CM	145	CM	222 LEVEL CM	26043,3087 litre	82,143 %	5661,6444 litre	O
480	CM	145	CM	221 LEVEL CM	25925,0586 litre	81,770 %	5779,8945 litre	O
480	CM	145	CM	220 LEVEL CM	25806,2176 litre	81,395 %	5898,7355 litre	O
480	CM	145	CM	219 LEVEL CM	25686,7964 litre	81,018 %	6018,1567 litre	O
480	CM	145	CM	218 LEVEL CM	25566,8054 litre	80,640 %	6138,1477 litre	O
480	CM	145	CM	217 LEVEL CM	25446,2551 litre	80,260 %	6258,6980 litre	O
480	CM	145	CM	216 LEVEL CM	25325,1556 litre	79,878 %	6379,7975 litre	O
480	CM	145	CM	215 LEVEL CM	25203,5170 litre	79,494 %	6501,4361 litre	O
480	CM	145	CM	214 LEVEL CM	25081,3491 litre	79,109 %	6623,6040 litre	O
480	CM	145	CM	213 LEVEL CM	24958,6619 litre	78,722 %	6746,2912 litre	O
480	CM	145	CM	212 LEVEL CM	24835,4649 litre	78,333 %	6869,4882 litre	O
480	CM	145	CM	211 LEVEL CM	24711,7677 litre	77,943 %	6993,1854 litre	O
480	CM	145	CM	210 LEVEL CM	24587,5797 litre	77,551 %	7117,3734 litre	O
480	CM	145	CM	209 LEVEL CM	24462,9103 litre	77,158 %	7242,0428 litre	O
480	CM	145	CM	208 LEVEL CM	24337,7687 litre	76,763 %	7367,1844 litre	O
480	CM	145	CM	207 LEVEL CM	24212,1640 litre	76,367 %	7492,7891 litre	O
480	CM	145	CM	206 LEVEL CM	24086,1052 litre	75,970 %	7618,8479 litre	O
480	CM	145	CM	205 LEVEL CM	23959,6012 litre	75,571 %	7745,3519 litre	O
480	CM	145	CM	204 LEVEL CM	23832,6608 litre	75,170 %	7872,2923 litre	O
480	CM	145	CM	203 LEVEL CM	23705,2929 litre	74,768 %	7999,6602 litre	O
480	CM	145	CM	202 LEVEL CM	23577,5059 litre	74,365 %	8127,4472 litre	O
480	CM	145	CM	201 LEVEL CM	23449,3085 litre	73,961 %	8255,6446 litre	O
480	CM	145	CM	200 LEVEL CM	23320,7091 litre	73,555 %	8384,2440 litre	O
480	CM	145	CM	199 LEVEL CM	23191,7162 litre	73,149 %	8513,2369 litre	O
480	CM	145	CM	198 LEVEL CM	23062,3381 litre	72,740 %	8642,6150 litre	O
480	CM	145	CM	197 LEVEL CM	22932,5830 litre	72,331 %	8772,3701 litre	O
480	CM	145	CM	196 LEVEL CM	22802,4591 litre	71,921 %	8902,4940 litre	O
480	CM	145	CM	195 LEVEL CM	22671,9744 litre	71,509 %	9032,9787 litre	O
480	CM	145	CM	194 LEVEL CM	22541,1371 litre	71,097 %	9163,8160 litre	O
480	CM	145	CM	193 LEVEL CM	22409,9551 litre	70,683 %	9294,9980 litre	O
480	CM	145	CM	192 LEVEL CM	22278,4363 litre	70,268 %	9426,5168 litre	O
480	CM	145	CM	191 LEVEL CM	22146,5886 litre	69,852 %	9558,3645 litre	O
480	CM	145	CM	190 LEVEL CM	22014,4197 litre	69,435 %	9690,5334 litre	O
480	CM	145	CM	189 LEVEL CM	21881,9374 litre	69,017 %	9823,0157 litre	O
480	CM	145	CM	188 LEVEL CM	21749,1494 litre	68,599 %	9955,8037 litre	O
480	CM	145	CM	187 LEVEL CM	21616,0633 litre	68,179 %	10088,8898 litre	O
480	CM	145	CM	186 LEVEL CM	21482,6866 litre	67,758 %	10222,2665 litre	O

480	CM	145	CM	185 LEVEL CM	21349,0269 litre	67,337 %	10355,9262 litre	O
480	CM	145	CM	184 LEVEL CM	21215,0918 litre	66,914 %	10489,8613 litre	O
480	CM	145	CM	183 LEVEL CM	21080,8885 litre	66,491 %	10624,0646 litre	O
480	CM	145	CM	182 LEVEL CM	20946,4245 litre	66,067 %	10758,5286 litre	O
480	CM	145	CM	181 LEVEL CM	20811,7072 litre	65,642 %	10893,2459 litre	O
480	CM	145	CM	180 LEVEL CM	20676,7439 litre	65,216 %	11028,2092 litre	O
480	CM	145	CM	179 LEVEL CM	20541,5417 litre	64,790 %	11163,4114 litre	O
480	CM	145	CM	178 LEVEL CM	20406,1080 litre	64,363 %	11298,8451 litre	O
480	CM	145	CM	177 LEVEL CM	20270,4499 litre	63,935 %	11434,5032 litre	O
480	CM	145	CM	176 LEVEL CM	20134,5746 litre	63,506 %	11570,3785 litre	O
480	CM	145	CM	175 LEVEL CM	19998,4891 litre	63,077 %	11706,4640 litre	O
480	CM	145	CM	174 LEVEL CM	19862,2007 litre	62,647 %	11842,7524 litre	O
480	CM	145	CM	173 LEVEL CM	19725,7163 litre	62,217 %	11979,2368 litre	O
480	CM	145	CM	172 LEVEL CM	19589,0430 litre	61,785 %	12115,9101 litre	O
480	CM	145	CM	171 LEVEL CM	19452,1877 litre	61,354 %	12252,7654 litre	O
480	CM	145	CM	170 LEVEL CM	19315,1574 litre	60,922 %	12389,7957 litre	O
480	CM	145	CM	169 LEVEL CM	19177,9592 litre	60,489 %	12526,9939 litre	O
480	CM	145	CM	168 LEVEL CM	19040,5997 litre	60,056 %	12664,3534 litre	O
480	CM	145	CM	167 LEVEL CM	18903,0861 litre	59,622 %	12801,8670 litre	O
480	CM	145	CM	166 LEVEL CM	18765,4251 litre	59,188 %	12939,5280 litre	O
480	CM	145	CM	165 LEVEL CM	18627,6236 litre	58,753 %	13077,3295 litre	O
480	CM	145	CM	164 LEVEL CM	18489,6884 litre	58,318 %	13215,2647 litre	O
480	CM	145	CM	163 LEVEL CM	18351,6263 litre	57,883 %	13353,3268 litre	O
480	CM	145	CM	162 LEVEL CM	18213,4441 litre	57,447 %	13491,5090 litre	O
480	CM	145	CM	161 LEVEL CM	18075,1485 litre	57,010 %	13629,8046 litre	O
480	CM	145	CM	160 LEVEL CM	17936,7464 litre	56,574 %	13768,2067 litre	O
480	CM	145	CM	159 LEVEL CM	17798,2444 litre	56,137 %	13906,7087 litre	O
480	CM	145	CM	158 LEVEL CM	17659,6493 litre	55,700 %	14045,3038 litre	O
480	CM	145	CM	157 LEVEL CM	17520,9678 litre	55,263 %	14183,9853 litre	O
480	CM	145	CM	156 LEVEL CM	17382,2066 litre	54,825 %	14322,7465 litre	O
480	CM	145	CM	155 LEVEL CM	17243,3723 litre	54,387 %	14461,5808 litre	O
480	CM	145	CM	154 LEVEL CM	17104,4717 litre	53,949 %	14600,4814 litre	O
480	CM	145	CM	153 LEVEL CM	16965,5113 litre	53,511 %	14739,4418 litre	O
480	CM	145	CM	152 LEVEL CM	16826,4979 litre	53,072 %	14878,4552 litre	O
480	CM	145	CM	151 LEVEL CM	16687,4381 litre	52,634 %	15017,5150 litre	O
480	CM	145	CM	150 LEVEL CM	16548,3386 litre	52,195 %	15156,6145 litre	O
480	CM	145	CM	149 LEVEL CM	16409,2059 litre	51,756 %	15295,7472 litre	O
480	CM	145	CM	148 LEVEL CM	16270,0467 litre	51,317 %	15434,9064 litre	O
480	CM	145	CM	147 LEVEL CM	16130,8677 litre	50,878 %	15574,0854 litre	O
480	CM	145	CM	146 LEVEL CM	15991,6754 litre	50,439 %	15713,2777 litre	O
480	CM	145	CM	145 LEVEL CM	15852,4765 litre	50,000 %	15852,4766 litre	O
480	CM	145	CM	144 LEVEL CM	15713,2776 litre	49,561 %	15991,6755 litre	O
480	CM	145	CM	143 LEVEL CM	15574,0854 litre	49,122 %	16130,8677 litre	O
480	CM	145	CM	142 LEVEL CM	15434,9063 litre	48,683 %	16270,0468 litre	O
480	CM	145	CM	141 LEVEL CM	15295,7472 litre	48,244 %	16409,2059 litre	O
480	CM	145	CM	140 LEVEL CM	15156,6145 litre	47,805 %	16548,3386 litre	O
480	CM	145	CM	139 LEVEL CM	15017,5149 litre	47,366 %	16687,4382 litre	O
480	CM	145	CM	138 LEVEL CM	14878,4551 litre	46,928 %	16826,4980 litre	O
480	CM	145	CM	137 LEVEL CM	14739,4418 litre	46,489 %	16965,5113 litre	O
480	CM	145	CM	136 LEVEL CM	14600,4814 litre	46,051 %	17104,4717 litre	O
480	CM	145	CM	135 LEVEL CM	14461,5808 litre	45,613 %	17243,3723 litre	O
480	CM	145	CM	134 LEVEL CM	14322,7465 litre	45,175 %	17382,2066 litre	O
480	CM	145	CM	133 LEVEL CM	14183,9853 litre	44,737 %	17520,9678 litre	O

480	CM	145	CM	132 LEVEL CM	14045,3037 litre	44,300 %	17659,6494 litre	O
480	CM	145	CM	131 LEVEL CM	13906,7086 litre	43,863 %	17798,2445 litre	O
480	CM	145	CM	130 LEVEL CM	13768,2067 litre	43,426 %	17936,7464 litre	O
480	CM	145	CM	129 LEVEL CM	13629,8045 litre	42,990 %	18075,1486 litre	O
480	CM	145	CM	128 LEVEL CM	13491,5090 litre	42,553 %	18213,4441 litre	O
480	CM	145	CM	127 LEVEL CM	13353,3268 litre	42,117 %	18351,6263 litre	O
480	CM	145	CM	126 LEVEL CM	13215,2647 litre	41,682 %	18489,6884 litre	O
480	CM	145	CM	125 LEVEL CM	13077,3295 litre	41,247 %	18627,6236 litre	O
480	CM	145	CM	124 LEVEL CM	12939,5280 litre	40,812 %	18765,4251 litre	O
480	CM	145	CM	123 LEVEL CM	12801,8670 litre	40,378 %	18903,0861 litre	O
480	CM	145	CM	122 LEVEL CM	12664,3533 litre	39,944 %	19040,5998 litre	O
480	CM	145	CM	121 LEVEL CM	12526,9939 litre	39,511 %	19177,9592 litre	O
480	CM	145	CM	120 LEVEL CM	12389,7956 litre	39,078 %	19315,1575 litre	O
480	CM	145	CM	119 LEVEL CM	12252,7654 litre	38,646 %	19452,1877 litre	O
480	CM	145	CM	118 LEVEL CM	12115,9101 litre	38,215 %	19589,0430 litre	O
480	CM	145	CM	117 LEVEL CM	11979,2368 litre	37,783 %	19725,7163 litre	O
480	CM	145	CM	116 LEVEL CM	11842,7524 litre	37,353 %	19862,2007 litre	O
480	CM	145	CM	115 LEVEL CM	11706,4639 litre	36,923 %	19998,4892 litre	O
480	CM	145	CM	114 LEVEL CM	11570,3785 litre	36,494 %	20134,5746 litre	O
480	CM	145	CM	113 LEVEL CM	11434,5032 litre	36,065 %	20270,4499 litre	O
480	CM	145	CM	112 LEVEL CM	11298,8451 litre	35,637 %	20406,1080 litre	O
480	CM	145	CM	111 LEVEL CM	11163,4114 litre	35,210 %	20541,5417 litre	O
480	CM	145	CM	110 LEVEL CM	11028,2092 litre	34,784 %	20676,7439 litre	O
480	CM	145	CM	109 LEVEL CM	10893,2458 litre	34,358 %	20811,7073 litre	O
480	CM	145	CM	108 LEVEL CM	10758,5285 litre	33,933 %	20946,4246 litre	O
480	CM	145	CM	107 LEVEL CM	10624,0645 litre	33,509 %	21080,8886 litre	O
480	CM	145	CM	106 LEVEL CM	10489,8613 litre	33,086 %	21215,0918 litre	O
480	CM	145	CM	105 LEVEL CM	10355,9261 litre	32,663 %	21349,0270 litre	O
480	CM	145	CM	104 LEVEL CM	10222,2665 litre	32,242 %	21482,6866 litre	O
480	CM	145	CM	103 LEVEL CM	10088,8898 litre	31,821 %	21616,0633 litre	O
480	CM	145	CM	102 LEVEL CM	9955,8037 litre	31,401 %	21749,1494 litre	O
480	CM	145	CM	101 LEVEL CM	9823,0157 litre	30,983 %	21881,9374 litre	O
480	CM	145	CM	100 LEVEL CM	9690,5334 litre	30,565 %	22014,4197 litre	O
480	CM	145	CM	99 LEVEL CM	9558,3645 litre	30,148 %	22146,5886 litre	O
480	CM	145	CM	98 LEVEL CM	9426,5168 litre	29,732 %	22278,4363 litre	O
480	CM	145	CM	97 LEVEL CM	9294,9980 litre	29,317 %	22409,9551 litre	O
480	CM	145	CM	96 LEVEL CM	9163,8160 litre	28,903 %	22541,1371 litre	O
480	CM	145	CM	95 LEVEL CM	9032,9786 litre	28,491 %	22671,9745 litre	O
480	CM	145	CM	94 LEVEL CM	8902,4940 litre	28,079 %	22802,4591 litre	O
480	CM	145	CM	93 LEVEL CM	8772,3701 litre	27,669 %	22932,5830 litre	O
480	CM	145	CM	92 LEVEL CM	8642,6149 litre	27,260 %	23062,3382 litre	O
480	CM	145	CM	91 LEVEL CM	8513,2368 litre	26,851 %	23191,7163 litre	O
480	CM	145	CM	90 LEVEL CM	8384,2439 litre	26,445 %	23320,7092 litre	O
480	CM	145	CM	89 LEVEL CM	8255,6446 litre	26,039 %	23449,3085 litre	O
480	CM	145	CM	88 LEVEL CM	8127,4472 litre	25,635 %	23577,5059 litre	O
480	CM	145	CM	87 LEVEL CM	7999,6602 litre	25,232 %	23705,2929 litre	O
480	CM	145	CM	86 LEVEL CM	7872,2922 litre	24,830 %	23832,6609 litre	O
480	CM	145	CM	85 LEVEL CM	7745,3519 litre	24,429 %	23959,6012 litre	O
480	CM	145	CM	84 LEVEL CM	7618,8479 litre	24,030 %	24086,1052 litre	O
480	CM	145	CM	83 LEVEL CM	7492,7891 litre	23,633 %	24212,1640 litre	O
480	CM	145	CM	82 LEVEL CM	7367,1843 litre	23,237 %	24337,7688 litre	O
480	CM	145	CM	81 LEVEL CM	7242,0427 litre	22,842 %	24462,9104 litre	O
480	CM	145	CM	80 LEVEL CM	7117,3733 litre	22,449 %	24587,5798 litre	O

480	CM	145	CM	79 LEVEL CM	6993,1854 litre	22,057 %	24711,7677 litre	O
480	CM	145	CM	78 LEVEL CM	6869,4882 litre	21,667 %	24835,4649 litre	O
480	CM	145	CM	77 LEVEL CM	6746,2912 litre	21,278 %	24958,6619 litre	O
480	CM	145	CM	76 LEVEL CM	6623,6039 litre	20,891 %	25081,3492 litre	O
480	CM	145	CM	75 LEVEL CM	6501,4361 litre	20,506 %	25203,5170 litre	O
480	CM	145	CM	74 LEVEL CM	6379,7974 litre	20,122 %	25325,1557 litre	O
480	CM	145	CM	73 LEVEL CM	6258,6979 litre	19,740 %	25446,2552 litre	O
480	CM	145	CM	72 LEVEL CM	6138,1476 litre	19,360 %	25566,8055 litre	O
480	CM	145	CM	71 LEVEL CM	6018,1567 litre	18,982 %	25686,7964 litre	O
480	CM	145	CM	70 LEVEL CM	5898,7355 litre	18,605 %	25806,2176 litre	O
480	CM	145	CM	69 LEVEL CM	5779,8945 litre	18,230 %	25925,0586 litre	O
480	CM	145	CM	68 LEVEL CM	5661,6443 litre	17,857 %	26043,3088 litre	O
480	CM	145	CM	67 LEVEL CM	5543,9958 litre	17,486 %	26160,9573 litre	O
480	CM	145	CM	66 LEVEL CM	5426,9599 litre	17,117 %	26277,9932 litre	O
480	CM	145	CM	65 LEVEL CM	5310,5478 litre	16,750 %	26394,4053 litre	O
480	CM	145	CM	64 LEVEL CM	5194,7707 litre	16,385 %	26510,1824 litre	O
480	CM	145	CM	63 LEVEL CM	5079,6402 litre	16,022 %	26625,3129 litre	O
480	CM	145	CM	62 LEVEL CM	4965,1680 litre	15,661 %	26739,7851 litre	O
480	CM	145	CM	61 LEVEL CM	4851,3660 litre	15,302 %	26853,5871 litre	O
480	CM	145	CM	60 LEVEL CM	4738,2463 litre	14,945 %	26966,7068 litre	O
480	CM	145	CM	59 LEVEL CM	4625,8212 litre	14,590 %	27079,1319 litre	O
480	CM	145	CM	58 LEVEL CM	4514,1033 litre	14,238 %	27190,8498 litre	O
480	CM	145	CM	57 LEVEL CM	4403,1055 litre	13,888 %	27301,8476 litre	O
480	CM	145	CM	56 LEVEL CM	4292,8408 litre	13,540 %	27412,1123 litre	O
480	CM	145	CM	55 LEVEL CM	4183,3224 litre	13,195 %	27521,6307 litre	O
480	CM	145	CM	54 LEVEL CM	4074,5640 litre	12,852 %	27630,3891 litre	O
480	CM	145	CM	53 LEVEL CM	3966,5796 litre	12,511 %	27738,3735 litre	O
480	CM	145	CM	52 LEVEL CM	3859,3832 litre	12,173 %	27845,5699 litre	O
480	CM	145	CM	51 LEVEL CM	3752,9893 litre	11,837 %	27951,9638 litre	O
480	CM	145	CM	50 LEVEL CM	3647,4129 litre	11,504 %	28057,5402 litre	O
480	CM	145	CM	49 LEVEL CM	3542,6690 litre	11,174 %	28162,2841 litre	O
480	CM	145	CM	48 LEVEL CM	3438,7732 litre	10,846 %	28266,1799 litre	O
480	CM	145	CM	47 LEVEL CM	3335,7414 litre	10,521 %	28369,2117 litre	O
480	CM	145	CM	46 LEVEL CM	3233,5901 litre	10,199 %	28471,3630 litre	O
480	CM	145	CM	45 LEVEL CM	3132,3358 litre	9,880 %	28572,6173 litre	O
480	CM	145	CM	44 LEVEL CM	3031,9959 litre	9,563 %	28672,9572 litre	O
480	CM	145	CM	43 LEVEL CM	2932,5880 litre	9,250 %	28772,3651 litre	O
480	CM	145	CM	42 LEVEL CM	2834,1302 litre	8,939 %	28870,8229 litre	O
480	CM	145	CM	41 LEVEL CM	2736,6414 litre	8,632 %	28968,3117 litre	O
480	CM	145	CM	40 LEVEL CM	2640,1407 litre	8,327 %	29064,8124 litre	O
480	CM	145	CM	39 LEVEL CM	2544,6481 litre	8,026 %	29160,3050 litre	O
480	CM	145	CM	38 LEVEL CM	2450,1841 litre	7,728 %	29254,7690 litre	O
480	CM	145	CM	37 LEVEL CM	2356,7698 litre	7,433 %	29348,1833 litre	O
480	CM	145	CM	36 LEVEL CM	2264,4272 litre	7,142 %	29440,5259 litre	O
480	CM	145	CM	35 LEVEL CM	2173,1789 litre	6,854 %	29531,7742 litre	O
480	CM	145	CM	34 LEVEL CM	2083,0485 litre	6,570 %	29621,9046 litre	O
480	CM	145	CM	33 LEVEL CM	1994,0603 litre	6,289 %	29710,8928 litre	O
480	CM	145	CM	32 LEVEL CM	1906,2398 litre	6,012 %	29798,7133 litre	O
480	CM	145	CM	31 LEVEL CM	1819,6132 litre	5,739 %	29885,3399 litre	O
480	CM	145	CM	30 LEVEL CM	1734,2081 litre	5,470 %	29970,7450 litre	O
480	CM	145	CM	29 LEVEL CM	1650,0532 litre	5,204 %	30054,8999 litre	O
480	CM	145	CM	28 LEVEL CM	1567,1784 litre	4,943 %	30137,7747 litre	O
480	CM	145	CM	27 LEVEL CM	1485,6150 litre	4,686 %	30219,3381 litre	O

480	CM	145	CM	26 LEVEL CM	1405,3961 litre	4,433 %	30299,5570 litre	O
480	CM	145	CM	25 LEVEL CM	1326,5563 litre	4,184 %	30378,3968 litre	O
480	CM	145	CM	24 LEVEL CM	1249,1319 litre	3,940 %	30455,8212 litre	O
480	CM	145	CM	23 LEVEL CM	1173,1616 litre	3,700 %	30531,7915 litre	O
480	CM	145	CM	22 LEVEL CM	1098,6860 litre	3,465 %	30606,2671 litre	O
480	CM	145	CM	21 LEVEL CM	1025,7485 litre	3,235 %	30679,2046 litre	O
480	CM	145	CM	20 LEVEL CM	954,3950 litre	3,010 %	30750,5581 litre	O
480	CM	145	CM	19 LEVEL CM	884,6748 litre	2,790 %	30820,2783 litre	O
480	CM	145	CM	18 LEVEL CM	816,6407 litre	2,576 %	30888,3124 litre	O
480	CM	145	CM	17 LEVEL CM	750,3493 litre	2,367 %	30954,6038 litre	O
480	CM	145	CM	16 LEVEL CM	685,8622 litre	2,163 %	31019,0909 litre	O
480	CM	145	CM	15 LEVEL CM	623,2459 litre	1,966 %	31081,7072 litre	O
480	CM	145	CM	14 LEVEL CM	562,5734 litre	1,774 %	31142,3797 litre	O
480	CM	145	CM	13 LEVEL CM	503,9247 litre	1,589 %	31201,0284 litre	O
480	CM	145	CM	12 LEVEL CM	447,3885 litre	1,411 %	31257,5646 litre	O
480	CM	145	CM	11 LEVEL CM	393,0641 litre	1,240 %	31311,8890 litre	O
480	CM	145	CM	10 LEVEL CM	341,0629 litre	1,076 %	31363,8902 litre	O
480	CM	145	CM	9 LEVEL CM	291,5127 litre	0,919 %	31413,4404 litre	O
480	CM	145	CM	8 LEVEL CM	244,5608 litre	0,771 %	31460,3923 litre	O
480	CM	145	CM	7 LEVEL CM	200,3807 litre	0,632 %	31504,5724 litre	O
480	CM	145	CM	6 LEVEL CM	159,1812 litre	0,502 %	31545,7719 litre	O
480	CM	145	CM	5 LEVEL CM	121,2201 litre	0,382 %	31583,7330 litre	O
480	CM	145	CM	4 LEVEL CM	86,8288 litre	0,274 %	31618,1243 litre	O
480	CM	145	CM	3 LEVEL CM	56,4558 litre	0,178 %	31648,4973 litre	O
480	CM	145	CM	2 LEVEL CM	30,7626 litre	0,097 %	31674,1905 litre	O
480	CM	145	CM	1 LEVEL CM	10,8875 litre	0,034 %	31694,0656 litre	O
480	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	31704,9531 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM 140	CM 280 LEVEL CM	29556,1037 litre	100,000 %	0,0000 litre	O
480	CM 140	CM 279 LEVEL CM	29545,4059 litre	99,964 %	10,6978 litre	O
480	CM 140	CM 278 LEVEL CM	29525,8783 litre	99,898 %	30,2254 litre	O
480	CM 140	CM 277 LEVEL CM	29500,6360 litre	99,812 %	55,4677 litre	O
480	CM 140	CM 276 LEVEL CM	29470,7978 litre	99,711 %	85,3059 litre	O
480	CM 140	CM 275 LEVEL CM	29437,0141 litre	99,597 %	119,0896 litre	O
480	CM 140	CM 274 LEVEL CM	29399,7262 litre	99,471 %	156,3775 litre	O
480	CM 140	CM 273 LEVEL CM	29359,2599 litre	99,334 %	196,8438 litre	O
480	CM 140	CM 272 LEVEL CM	29315,8688 litre	99,187 %	240,2349 litre	O
480	CM 140	CM 271 LEVEL CM	29269,7584 litre	99,031 %	286,3453 litre	O
480	CM 140	CM 270 LEVEL CM	29221,0994 litre	98,867 %	335,0043 litre	O
480	CM 140	CM 269 LEVEL CM	29170,0371 litre	98,694 %	386,0666 litre	O
480	CM 140	CM 268 LEVEL CM	29116,6968 litre	98,513 %	439,4069 litre	O
480	CM 140	CM 267 LEVEL CM	29061,1887 litre	98,326 %	494,9150 litre	O
480	CM 140	CM 266 LEVEL CM	29003,6104 litre	98,131 %	552,4933 litre	O
480	CM 140	CM 265 LEVEL CM	28944,0491 litre	97,929 %	612,0546 litre	O
480	CM 140	CM 264 LEVEL CM	28882,5840 litre	97,721 %	673,5197 litre	O
480	CM 140	CM 263 LEVEL CM	28819,2868 litre	97,507 %	736,8169 litre	O
480	CM 140	CM 262 LEVEL CM	28754,2232 litre	97,287 %	801,8805 litre	O
480	CM 140	CM 261 LEVEL CM	28687,4537 litre	97,061 %	868,6500 litre	O
480	CM 140	CM 260 LEVEL CM	28619,0344 litre	96,830 %	937,0693 litre	O
480	CM 140	CM 259 LEVEL CM	28549,0173 litre	96,593 %	1007,0864 litre	O
480	CM 140	CM 258 LEVEL CM	28477,4509 litre	96,350 %	1078,6528 litre	O
480	CM 140	CM 257 LEVEL CM	28404,3806 litre	96,103 %	1151,7231 litre	O
480	CM 140	CM 256 LEVEL CM	28329,8493 litre	95,851 %	1226,2544 litre	O
480	CM 140	CM 255 LEVEL CM	28253,8970 litre	95,594 %	1302,2067 litre	O
480	CM 140	CM 254 LEVEL CM	28176,5619 litre	95,332 %	1379,5418 litre	O
480	CM 140	CM 253 LEVEL CM	28097,8799 litre	95,066 %	1458,2238 litre	O
480	CM 140	CM 252 LEVEL CM	28017,8853 litre	94,796 %	1538,2184 litre	O
480	CM 140	CM 251 LEVEL CM	27936,6105 litre	94,521 %	1619,4932 litre	O
480	CM 140	CM 250 LEVEL CM	27854,0866 litre	94,241 %	1702,0171 litre	O
480	CM 140	CM 249 LEVEL CM	27770,3433 litre	93,958 %	1785,7604 litre	O
480	CM 140	CM 248 LEVEL CM	27685,4088 litre	93,671 %	1870,6949 litre	O
480	CM 140	CM 247 LEVEL CM	27599,3104 litre	93,379 %	1956,7933 litre	O
480	CM 140	CM 246 LEVEL CM	27512,0742 litre	93,084 %	2044,0295 litre	O
480	CM 140	CM 245 LEVEL CM	27423,7252 litre	92,785 %	2132,3785 litre	O
480	CM 140	CM 244 LEVEL CM	27334,2876 litre	92,483 %	2221,8161 litre	O
480	CM 140	CM 243 LEVEL CM	27243,7847 litre	92,177 %	2312,3190 litre	O
480	CM 140	CM 242 LEVEL CM	27152,2389 litre	91,867 %	2403,8648 litre	O
480	CM 140	CM 241 LEVEL CM	27059,6719 litre	91,554 %	2496,4318 litre	O
480	CM 140	CM 240 LEVEL CM	26966,1047 litre	91,237 %	2589,9990 litre	O
480	CM 140	CM 239 LEVEL CM	26871,5577 litre	90,917 %	2684,5460 litre	O
480	CM 140	CM 238 LEVEL CM	26776,0506 litre	90,594 %	2780,0531 litre	O
480	CM 140	CM 237 LEVEL CM	26679,6024 litre	90,268 %	2876,5013 litre	O
480	CM 140	CM 236 LEVEL CM	26582,2318 litre	89,938 %	2973,8719 litre	O
480	CM 140	CM 235 LEVEL CM	26483,9567 litre	89,606 %	3072,1470 litre	O
480	CM 140	CM 234 LEVEL CM	26384,7947 litre	89,270 %	3171,3090 litre	O
480	CM 140	CM 233 LEVEL CM	26284,7629 litre	88,932 %	3271,3408 litre	O
480	CM 140	CM 232 LEVEL CM	26183,8779 litre	88,590 %	3372,2258 litre	O
480	CM 140	CM 231 LEVEL CM	26082,1559 litre	88,246 %	3473,9478 litre	O
480	CM 140	CM 230 LEVEL CM	25979,6128 litre	87,899 %	3576,4909 litre	O
480	CM 140	CM 229 LEVEL CM	25876,2639 litre	87,550 %	3679,8398 litre	O

480	CM	140	CM	228 LEVEL CM	25772,1244 litre	87,197 %	3783,9793 litre	O
480	CM	140	CM	227 LEVEL CM	25667,2091 litre	86,842 %	3888,8946 litre	O
480	CM	140	CM	226 LEVEL CM	25561,5322 litre	86,485 %	3994,5715 litre	O
480	CM	140	CM	225 LEVEL CM	25455,1080 litre	86,125 %	4100,9957 litre	O
480	CM	140	CM	224 LEVEL CM	25347,9503 litre	85,762 %	4208,1534 litre	O
480	CM	140	CM	223 LEVEL CM	25240,0725 litre	85,397 %	4316,0312 litre	O
480	CM	140	CM	222 LEVEL CM	25131,4880 litre	85,030 %	4424,6157 litre	O
480	CM	140	CM	221 LEVEL CM	25022,2097 litre	84,660 %	4533,8940 litre	O
480	CM	140	CM	220 LEVEL CM	24912,2504 litre	84,288 %	4643,8533 litre	O
480	CM	140	CM	219 LEVEL CM	24801,6226 litre	83,914 %	4754,4811 litre	O
480	CM	140	CM	218 LEVEL CM	24690,3386 litre	83,537 %	4865,7651 litre	O
480	CM	140	CM	217 LEVEL CM	24578,4106 litre	83,158 %	4977,6931 litre	O
480	CM	140	CM	216 LEVEL CM	24465,8503 litre	82,778 %	5090,2534 litre	O
480	CM	140	CM	215 LEVEL CM	24352,6695 litre	82,395 %	5203,4342 litre	O
480	CM	140	CM	214 LEVEL CM	24238,8796 litre	82,010 %	5317,2241 litre	O
480	CM	140	CM	213 LEVEL CM	24124,4919 litre	81,623 %	5431,6118 litre	O
480	CM	140	CM	212 LEVEL CM	24009,5176 litre	81,234 %	5546,5861 litre	O
480	CM	140	CM	211 LEVEL CM	23893,9675 litre	80,843 %	5662,1362 litre	O
480	CM	140	CM	210 LEVEL CM	23777,8526 litre	80,450 %	5778,2511 litre	O
480	CM	140	CM	209 LEVEL CM	23661,1834 litre	80,055 %	5894,9203 litre	O
480	CM	140	CM	208 LEVEL CM	23543,9705 litre	79,659 %	6012,1332 litre	O
480	CM	140	CM	207 LEVEL CM	23426,2240 litre	79,260 %	6129,8797 litre	O
480	CM	140	CM	206 LEVEL CM	23307,9544 litre	78,860 %	6248,1493 litre	O
480	CM	140	CM	205 LEVEL CM	23189,1715 litre	78,458 %	6366,9322 litre	O
480	CM	140	CM	204 LEVEL CM	23069,8854 litre	78,055 %	6486,2183 litre	O
480	CM	140	CM	203 LEVEL CM	22950,1058 litre	77,649 %	6605,9979 litre	O
480	CM	140	CM	202 LEVEL CM	22829,8425 litre	77,242 %	6726,2612 litre	O
480	CM	140	CM	201 LEVEL CM	22709,1050 litre	76,834 %	6846,9987 litre	O
480	CM	140	CM	200 LEVEL CM	22587,9028 litre	76,424 %	6968,2009 litre	O
480	CM	140	CM	199 LEVEL CM	22466,2452 litre	76,012 %	7089,8585 litre	O
480	CM	140	CM	198 LEVEL CM	22344,1415 litre	75,599 %	7211,9622 litre	O
480	CM	140	CM	197 LEVEL CM	22221,6008 litre	75,184 %	7334,5029 litre	O
480	CM	140	CM	196 LEVEL CM	22098,6321 litre	74,768 %	7457,4716 litre	O
480	CM	140	CM	195 LEVEL CM	21975,2445 litre	74,351 %	7580,8592 litre	O
480	CM	140	CM	194 LEVEL CM	21851,4467 litre	73,932 %	7704,6570 litre	O
480	CM	140	CM	193 LEVEL CM	21727,2476 litre	73,512 %	7828,8561 litre	O
480	CM	140	CM	192 LEVEL CM	21602,6558 litre	73,090 %	7953,4479 litre	O
480	CM	140	CM	191 LEVEL CM	21477,6800 litre	72,667 %	8078,4237 litre	O
480	CM	140	CM	190 LEVEL CM	21352,3286 litre	72,243 %	8203,7751 litre	O
480	CM	140	CM	189 LEVEL CM	21226,6102 litre	71,818 %	8329,4935 litre	O
480	CM	140	CM	188 LEVEL CM	21100,5331 litre	71,391 %	8455,5706 litre	O
480	CM	140	CM	187 LEVEL CM	20974,1056 litre	70,964 %	8581,9981 litre	O
480	CM	140	CM	186 LEVEL CM	20847,3359 litre	70,535 %	8708,7678 litre	O
480	CM	140	CM	185 LEVEL CM	20720,2323 litre	70,105 %	8835,8714 litre	O
480	CM	140	CM	184 LEVEL CM	20592,8028 litre	69,674 %	8963,3009 litre	O
480	CM	140	CM	183 LEVEL CM	20465,0555 litre	69,241 %	9091,0482 litre	O
480	CM	140	CM	182 LEVEL CM	20336,9983 litre	68,808 %	9219,1054 litre	O
480	CM	140	CM	181 LEVEL CM	20208,6393 litre	68,374 %	9347,4644 litre	O
480	CM	140	CM	180 LEVEL CM	20079,9862 litre	67,939 %	9476,1175 litre	O
480	CM	140	CM	179 LEVEL CM	19951,0468 litre	67,502 %	9605,0569 litre	O
480	CM	140	CM	178 LEVEL CM	19821,8290 litre	67,065 %	9734,2747 litre	O
480	CM	140	CM	177 LEVEL CM	19692,3405 litre	66,627 %	9863,7632 litre	O
480	CM	140	CM	176 LEVEL CM	19562,5889 litre	66,188 %	9993,5148 litre	O

480	CM	140	CM	175 LEVEL CM	19432,5819 litre	65,748 %	10123,5218 litre	O
480	CM	140	CM	174 LEVEL CM	19302,3270 litre	65,307 %	10253,7767 litre	O
480	CM	140	CM	173 LEVEL CM	19171,8317 litre	64,866 %	10384,2720 litre	O
480	CM	140	CM	172 LEVEL CM	19041,1036 litre	64,424 %	10515,0001 litre	O
480	CM	140	CM	171 LEVEL CM	18910,1501 litre	63,981 %	10645,9536 litre	O
480	CM	140	CM	170 LEVEL CM	18778,9786 litre	63,537 %	10777,1251 litre	O
480	CM	140	CM	169 LEVEL CM	18647,5965 litre	63,092 %	10908,5072 litre	O
480	CM	140	CM	168 LEVEL CM	18516,0111 litre	62,647 %	11040,0926 litre	O
480	CM	140	CM	167 LEVEL CM	18384,2298 litre	62,201 %	11171,8739 litre	O
480	CM	140	CM	166 LEVEL CM	18252,2598 litre	61,755 %	11303,8439 litre	O
480	CM	140	CM	165 LEVEL CM	18120,1083 litre	61,308 %	11435,9954 litre	O
480	CM	140	CM	164 LEVEL CM	17987,7826 litre	60,860 %	11568,3211 litre	O
480	CM	140	CM	163 LEVEL CM	17855,2899 litre	60,412 %	11700,8138 litre	O
480	CM	140	CM	162 LEVEL CM	17722,6372 litre	59,963 %	11833,4665 litre	O
480	CM	140	CM	161 LEVEL CM	17589,8318 litre	59,513 %	11966,2719 litre	O
480	CM	140	CM	160 LEVEL CM	17456,8808 litre	59,064 %	12099,2229 litre	O
480	CM	140	CM	159 LEVEL CM	17323,7912 litre	58,613 %	12232,3125 litre	O
480	CM	140	CM	158 LEVEL CM	17190,5701 litre	58,163 %	12365,5336 litre	O
480	CM	140	CM	157 LEVEL CM	17057,2245 litre	57,711 %	12498,8792 litre	O
480	CM	140	CM	156 LEVEL CM	16923,7615 litre	57,260 %	12632,3422 litre	O
480	CM	140	CM	155 LEVEL CM	16790,1880 litre	56,808 %	12765,9157 litre	O
480	CM	140	CM	154 LEVEL CM	16656,5111 litre	56,356 %	12899,5926 litre	O
480	CM	140	CM	153 LEVEL CM	16522,7377 litre	55,903 %	13033,3660 litre	O
480	CM	140	CM	152 LEVEL CM	16388,8748 litre	55,450 %	13167,2289 litre	O
480	CM	140	CM	151 LEVEL CM	16254,9293 litre	54,997 %	13301,1744 litre	O
480	CM	140	CM	150 LEVEL CM	16120,9081 litre	54,543 %	13435,1956 litre	O
480	CM	140	CM	149 LEVEL CM	15986,8182 litre	54,090 %	13569,2855 litre	O
480	CM	140	CM	148 LEVEL CM	15852,6664 litre	53,636 %	13703,4373 litre	O
480	CM	140	CM	147 LEVEL CM	15718,4597 litre	53,182 %	13837,6440 litre	O
480	CM	140	CM	146 LEVEL CM	15584,2049 litre	52,728 %	13971,8988 litre	O
480	CM	140	CM	145 LEVEL CM	15449,9090 litre	52,273 %	14106,1947 litre	O
480	CM	140	CM	144 LEVEL CM	15315,5787 litre	51,819 %	14240,5250 litre	O
480	CM	140	CM	143 LEVEL CM	15181,2210 litre	51,364 %	14374,8827 litre	O
480	CM	140	CM	142 LEVEL CM	15046,8427 litre	50,909 %	14509,2610 litre	O
480	CM	140	CM	141 LEVEL CM	14912,4507 litre	50,455 %	14643,6530 litre	O
480	CM	140	CM	140 LEVEL CM	14778,0518 litre	50,000 %	14778,0519 litre	O
480	CM	140	CM	139 LEVEL CM	14643,6530 litre	49,545 %	14912,4507 litre	O
480	CM	140	CM	138 LEVEL CM	14509,2610 litre	49,091 %	15046,8427 litre	O
480	CM	140	CM	137 LEVEL CM	14374,8827 litre	48,636 %	15181,2210 litre	O
480	CM	140	CM	136 LEVEL CM	14240,5250 litre	48,181 %	15315,5787 litre	O
480	CM	140	CM	135 LEVEL CM	14106,1947 litre	47,727 %	15449,9090 litre	O
480	CM	140	CM	134 LEVEL CM	13971,8988 litre	47,272 %	15584,2049 litre	O
480	CM	140	CM	133 LEVEL CM	13837,6440 litre	46,818 %	15718,4597 litre	O
480	CM	140	CM	132 LEVEL CM	13703,4373 litre	46,364 %	15852,6664 litre	O
480	CM	140	CM	131 LEVEL CM	13569,2855 litre	45,910 %	15986,8182 litre	O
480	CM	140	CM	130 LEVEL CM	13435,1956 litre	45,457 %	16120,9081 litre	O
480	CM	140	CM	129 LEVEL CM	13301,1744 litre	45,003 %	16254,9293 litre	O
480	CM	140	CM	128 LEVEL CM	13167,2289 litre	44,550 %	16388,8748 litre	O
480	CM	140	CM	127 LEVEL CM	13033,3660 litre	44,097 %	16522,7377 litre	O
480	CM	140	CM	126 LEVEL CM	12899,5926 litre	43,644 %	16656,5111 litre	O
480	CM	140	CM	125 LEVEL CM	12765,9157 litre	43,192 %	16790,1880 litre	O
480	CM	140	CM	124 LEVEL CM	12632,3422 litre	42,740 %	16923,7615 litre	O
480	CM	140	CM	123 LEVEL CM	12498,8792 litre	42,289 %	17057,2245 litre	O

480	CM	140	CM	122 LEVEL CM	12365,5336 litre	41,837 %	17190,5701 litre	O
480	CM	140	CM	121 LEVEL CM	12232,3125 litre	41,387 %	17323,7912 litre	O
480	CM	140	CM	120 LEVEL CM	12099,2229 litre	40,936 %	17456,8808 litre	O
480	CM	140	CM	119 LEVEL CM	11966,2719 litre	40,487 %	17589,8318 litre	O
480	CM	140	CM	118 LEVEL CM	11833,4665 litre	40,037 %	17722,6372 litre	O
480	CM	140	CM	117 LEVEL CM	11700,8138 litre	39,588 %	17855,2899 litre	O
480	CM	140	CM	116 LEVEL CM	11568,3211 litre	39,140 %	17987,7826 litre	O
480	CM	140	CM	115 LEVEL CM	11435,9954 litre	38,692 %	18120,1083 litre	O
480	CM	140	CM	114 LEVEL CM	11303,8439 litre	38,245 %	18252,2598 litre	O
480	CM	140	CM	113 LEVEL CM	11171,8739 litre	37,799 %	18384,2298 litre	O
480	CM	140	CM	112 LEVEL CM	11040,0926 litre	37,353 %	18516,0111 litre	O
480	CM	140	CM	111 LEVEL CM	10908,5072 litre	36,908 %	18647,5965 litre	O
480	CM	140	CM	110 LEVEL CM	10777,1251 litre	36,463 %	18778,9786 litre	O
480	CM	140	CM	109 LEVEL CM	10645,9536 litre	36,019 %	18910,1501 litre	O
480	CM	140	CM	108 LEVEL CM	10515,0001 litre	35,576 %	19041,1036 litre	O
480	CM	140	CM	107 LEVEL CM	10384,2720 litre	35,134 %	19171,8317 litre	O
480	CM	140	CM	106 LEVEL CM	10253,7767 litre	34,693 %	19302,3270 litre	O
480	CM	140	CM	105 LEVEL CM	10123,5218 litre	34,252 %	19432,5819 litre	O
480	CM	140	CM	104 LEVEL CM	9993,5148 litre	33,812 %	19562,5889 litre	O
480	CM	140	CM	103 LEVEL CM	9863,7632 litre	33,373 %	19692,3405 litre	O
480	CM	140	CM	102 LEVEL CM	9734,2746 litre	32,935 %	19821,8291 litre	O
480	CM	140	CM	101 LEVEL CM	9605,0569 litre	32,498 %	19951,0468 litre	O
480	CM	140	CM	100 LEVEL CM	9476,1175 litre	32,061 %	20079,9862 litre	O
480	CM	140	CM	99 LEVEL CM	9347,4644 litre	31,626 %	20208,6393 litre	O
480	CM	140	CM	98 LEVEL CM	9219,1054 litre	31,192 %	20336,9983 litre	O
480	CM	140	CM	97 LEVEL CM	9091,0482 litre	30,759 %	20465,0555 litre	O
480	CM	140	CM	96 LEVEL CM	8963,3009 litre	30,326 %	20592,8028 litre	O
480	CM	140	CM	95 LEVEL CM	8835,8714 litre	29,895 %	20720,2323 litre	O
480	CM	140	CM	94 LEVEL CM	8708,7678 litre	29,465 %	20847,3359 litre	O
480	CM	140	CM	93 LEVEL CM	8581,9981 litre	29,036 %	20974,1056 litre	O
480	CM	140	CM	92 LEVEL CM	8455,5706 litre	28,609 %	21100,5331 litre	O
480	CM	140	CM	91 LEVEL CM	8329,4935 litre	28,182 %	21226,6102 litre	O
480	CM	140	CM	90 LEVEL CM	8203,7751 litre	27,757 %	21352,3286 litre	O
480	CM	140	CM	89 LEVEL CM	8078,4237 litre	27,333 %	21477,6800 litre	O
480	CM	140	CM	88 LEVEL CM	7953,4479 litre	26,910 %	21602,6558 litre	O
480	CM	140	CM	87 LEVEL CM	7828,8561 litre	26,488 %	21727,2476 litre	O
480	CM	140	CM	86 LEVEL CM	7704,6570 litre	26,068 %	21851,4467 litre	O
480	CM	140	CM	85 LEVEL CM	7580,8592 litre	25,649 %	21975,2445 litre	O
480	CM	140	CM	84 LEVEL CM	7457,4716 litre	25,232 %	22098,6321 litre	O
480	CM	140	CM	83 LEVEL CM	7334,5029 litre	24,816 %	22221,6008 litre	O
480	CM	140	CM	82 LEVEL CM	7211,9622 litre	24,401 %	22344,1415 litre	O
480	CM	140	CM	81 LEVEL CM	7089,8585 litre	23,988 %	22466,2452 litre	O
480	CM	140	CM	80 LEVEL CM	6968,2009 litre	23,576 %	22587,9028 litre	O
480	CM	140	CM	79 LEVEL CM	6846,9987 litre	23,166 %	22709,1050 litre	O
480	CM	140	CM	78 LEVEL CM	6726,2612 litre	22,758 %	22829,8425 litre	O
480	CM	140	CM	77 LEVEL CM	6605,9978 litre	22,351 %	22950,1059 litre	O
480	CM	140	CM	76 LEVEL CM	6486,2183 litre	21,945 %	23069,8854 litre	O
480	CM	140	CM	75 LEVEL CM	6366,9322 litre	21,542 %	23189,1715 litre	O
480	CM	140	CM	74 LEVEL CM	6248,1493 litre	21,140 %	23307,9544 litre	O
480	CM	140	CM	73 LEVEL CM	6129,8796 litre	20,740 %	23426,2241 litre	O
480	CM	140	CM	72 LEVEL CM	6012,1332 litre	20,341 %	23543,9705 litre	O
480	CM	140	CM	71 LEVEL CM	5894,9203 litre	19,945 %	23661,1834 litre	O
480	CM	140	CM	70 LEVEL CM	5778,2511 litre	19,550 %	23777,8526 litre	O

480	CM	140	CM	69 LEVEL CM	5662,1361 litre	19,157 %	23893,9676 litre	O
480	CM	140	CM	68 LEVEL CM	5546,5861 litre	18,766 %	24009,5176 litre	O
480	CM	140	CM	67 LEVEL CM	5431,6118 litre	18,377 %	24124,4919 litre	O
480	CM	140	CM	66 LEVEL CM	5317,2241 litre	17,990 %	24238,8796 litre	O
480	CM	140	CM	65 LEVEL CM	5203,4342 litre	17,605 %	24352,6695 litre	O
480	CM	140	CM	64 LEVEL CM	5090,2534 litre	17,222 %	24465,8503 litre	O
480	CM	140	CM	63 LEVEL CM	4977,6931 litre	16,842 %	24578,4106 litre	O
480	CM	140	CM	62 LEVEL CM	4865,7651 litre	16,463 %	24690,3386 litre	O
480	CM	140	CM	61 LEVEL CM	4754,4811 litre	16,086 %	24801,6226 litre	O
480	CM	140	CM	60 LEVEL CM	4643,8533 litre	15,712 %	24912,2504 litre	O
480	CM	140	CM	59 LEVEL CM	4533,8940 litre	15,340 %	25022,2097 litre	O
480	CM	140	CM	58 LEVEL CM	4424,6157 litre	14,970 %	25131,4880 litre	O
480	CM	140	CM	57 LEVEL CM	4316,0312 litre	14,603 %	25240,0725 litre	O
480	CM	140	CM	56 LEVEL CM	4208,1534 litre	14,238 %	25347,9503 litre	O
480	CM	140	CM	55 LEVEL CM	4100,9957 litre	13,875 %	25455,1080 litre	O
480	CM	140	CM	54 LEVEL CM	3994,5715 litre	13,515 %	25561,5322 litre	O
480	CM	140	CM	53 LEVEL CM	3888,8946 litre	13,158 %	25667,2091 litre	O
480	CM	140	CM	52 LEVEL CM	3783,9792 litre	12,803 %	25772,1245 litre	O
480	CM	140	CM	51 LEVEL CM	3679,8398 litre	12,450 %	25876,2639 litre	O
480	CM	140	CM	50 LEVEL CM	3576,4909 litre	12,101 %	25979,6128 litre	O
480	CM	140	CM	49 LEVEL CM	3473,9478 litre	11,754 %	26082,1559 litre	O
480	CM	140	CM	48 LEVEL CM	3372,2258 litre	11,410 %	26183,8779 litre	O
480	CM	140	CM	47 LEVEL CM	3271,3408 litre	11,068 %	26284,7629 litre	O
480	CM	140	CM	46 LEVEL CM	3171,3090 litre	10,730 %	26384,7947 litre	O
480	CM	140	CM	45 LEVEL CM	3072,1470 litre	10,394 %	26483,9567 litre	O
480	CM	140	CM	44 LEVEL CM	2973,8719 litre	10,062 %	26582,2318 litre	O
480	CM	140	CM	43 LEVEL CM	2876,5013 litre	9,732 %	26679,6024 litre	O
480	CM	140	CM	42 LEVEL CM	2780,0531 litre	9,406 %	26776,0506 litre	O
480	CM	140	CM	41 LEVEL CM	2684,5459 litre	9,083 %	26871,5578 litre	O
480	CM	140	CM	40 LEVEL CM	2589,9989 litre	8,763 %	26966,1048 litre	O
480	CM	140	CM	39 LEVEL CM	2496,4318 litre	8,446 %	27059,6719 litre	O
480	CM	140	CM	38 LEVEL CM	2403,8648 litre	8,133 %	27152,2389 litre	O
480	CM	140	CM	37 LEVEL CM	2312,3190 litre	7,823 %	27243,7847 litre	O
480	CM	140	CM	36 LEVEL CM	2221,8161 litre	7,517 %	27334,2876 litre	O
480	CM	140	CM	35 LEVEL CM	2132,3785 litre	7,215 %	27423,7252 litre	O
480	CM	140	CM	34 LEVEL CM	2044,0295 litre	6,916 %	27512,0742 litre	O
480	CM	140	CM	33 LEVEL CM	1956,7933 litre	6,621 %	27599,3104 litre	O
480	CM	140	CM	32 LEVEL CM	1870,6949 litre	6,329 %	27685,4088 litre	O
480	CM	140	CM	31 LEVEL CM	1785,7604 litre	6,042 %	27770,3433 litre	O
480	CM	140	CM	30 LEVEL CM	1702,0171 litre	5,759 %	27854,0866 litre	O
480	CM	140	CM	29 LEVEL CM	1619,4932 litre	5,479 %	27936,6105 litre	O
480	CM	140	CM	28 LEVEL CM	1538,2184 litre	5,204 %	28017,8853 litre	O
480	CM	140	CM	27 LEVEL CM	1458,2238 litre	4,934 %	28097,8799 litre	O
480	CM	140	CM	26 LEVEL CM	1379,5418 litre	4,668 %	28176,5619 litre	O
480	CM	140	CM	25 LEVEL CM	1302,2067 litre	4,406 %	28253,8970 litre	O
480	CM	140	CM	24 LEVEL CM	1226,2544 litre	4,149 %	28329,8493 litre	O
480	CM	140	CM	23 LEVEL CM	1151,7231 litre	3,897 %	28404,3806 litre	O
480	CM	140	CM	22 LEVEL CM	1078,6528 litre	3,650 %	28477,4509 litre	O
480	CM	140	CM	21 LEVEL CM	1007,0864 litre	3,407 %	28549,0173 litre	O
480	CM	140	CM	20 LEVEL CM	937,0693 litre	3,170 %	28619,0344 litre	O
480	CM	140	CM	19 LEVEL CM	868,6500 litre	2,939 %	28687,4537 litre	O
480	CM	140	CM	18 LEVEL CM	801,8805 litre	2,713 %	28754,2232 litre	O
480	CM	140	CM	17 LEVEL CM	736,8169 litre	2,493 %	28819,2868 litre	O

480	CM	140	CM	16 LEVEL CM	673,5197 litre	2,279 %	28882,5840 litre	O
480	CM	140	CM	15 LEVEL CM	612,0545 litre	2,071 %	28944,0492 litre	O
480	CM	140	CM	14 LEVEL CM	552,4933 litre	1,869 %	29003,6104 litre	O
480	CM	140	CM	13 LEVEL CM	494,9150 litre	1,674 %	29061,1887 litre	O
480	CM	140	CM	12 LEVEL CM	439,4069 litre	1,487 %	29116,6968 litre	O
480	CM	140	CM	11 LEVEL CM	386,0666 litre	1,306 %	29170,0371 litre	O
480	CM	140	CM	10 LEVEL CM	335,0042 litre	1,133 %	29221,0995 litre	O
480	CM	140	CM	9 LEVEL CM	286,3453 litre	0,969 %	29269,7584 litre	O
480	CM	140	CM	8 LEVEL CM	240,2349 litre	0,813 %	29315,8688 litre	O
480	CM	140	CM	7 LEVEL CM	196,8438 litre	0,666 %	29359,2599 litre	O
480	CM	140	CM	6 LEVEL CM	156,3774 litre	0,529 %	29399,7263 litre	O
480	CM	140	CM	5 LEVEL CM	119,0895 litre	0,403 %	29437,0142 litre	O
480	CM	140	CM	4 LEVEL CM	85,3059 litre	0,289 %	29470,7978 litre	O
480	CM	140	CM	3 LEVEL CM	55,4677 litre	0,188 %	29500,6360 litre	O
480	CM	140	CM	2 LEVEL CM	30,2253 litre	0,102 %	29525,8784 litre	O
480	CM	140	CM	1 LEVEL CM	10,6978 litre	0,036 %	29545,4059 litre	O
480	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	29556,1037 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM	135	CM 270 LEVEL CM	27482,6525 litre	100,000 %	0,0000 litre	O
480	CM	135	CM 269 LEVEL CM	27472,1480 litre	99,962 %	10,5045 litre	O
480	CM	135	CM 268 LEVEL CM	27452,9742 litre	99,892 %	29,6783 litre	O
480	CM	135	CM 267 LEVEL CM	27428,1909 litre	99,802 %	54,4616 litre	O
480	CM	135	CM 266 LEVEL CM	27398,8973 litre	99,695 %	83,7552 litre	O
480	CM	135	CM 265 LEVEL CM	27365,7324 litre	99,575 %	116,9201 litre	O
480	CM	135	CM 264 LEVEL CM	27329,1300 litre	99,441 %	153,5225 litre	O
480	CM	135	CM 263 LEVEL CM	27289,4103 litre	99,297 %	193,2422 litre	O
480	CM	135	CM 262 LEVEL CM	27246,8229 litre	99,142 %	235,8296 litre	O
480	CM	135	CM 261 LEVEL CM	27201,5697 litre	98,977 %	281,0828 litre	O
480	CM	135	CM 260 LEVEL CM	27153,8186 litre	98,803 %	328,8339 litre	O
480	CM	135	CM 259 LEVEL CM	27103,7126 litre	98,621 %	378,9399 litre	O
480	CM	135	CM 258 LEVEL CM	27051,3751 litre	98,431 %	431,2774 litre	O
480	CM	135	CM 257 LEVEL CM	26996,9144 litre	98,233 %	485,7381 litre	O
480	CM	135	CM 256 LEVEL CM	26940,4266 litre	98,027 %	542,2259 litre	O
480	CM	135	CM 255 LEVEL CM	26881,9979 litre	97,814 %	600,6546 litre	O
480	CM	135	CM 254 LEVEL CM	26821,7059 litre	97,595 %	660,9466 litre	O
480	CM	135	CM 253 LEVEL CM	26759,6213 litre	97,369 %	723,0312 litre	O
480	CM	135	CM 252 LEVEL CM	26695,8091 litre	97,137 %	786,8434 litre	O
480	CM	135	CM 251 LEVEL CM	26630,3288 litre	96,899 %	852,3237 litre	O
480	CM	135	CM 250 LEVEL CM	26563,2356 litre	96,655 %	919,4169 litre	O
480	CM	135	CM 249 LEVEL CM	26494,5808 litre	96,405 %	988,0717 litre	O
480	CM	135	CM 248 LEVEL CM	26424,4123 litre	96,149 %	1058,2402 litre	O
480	CM	135	CM 247 LEVEL CM	26352,7749 litre	95,889 %	1129,8776 litre	O
480	CM	135	CM 246 LEVEL CM	26279,7109 litre	95,623 %	1202,9416 litre	O
480	CM	135	CM 245 LEVEL CM	26205,2598 litre	95,352 %	1277,3927 litre	O
480	CM	135	CM 244 LEVEL CM	26129,4593 litre	95,076 %	1353,1932 litre	O
480	CM	135	CM 243 LEVEL CM	26052,3448 litre	94,796 %	1430,3077 litre	O
480	CM	135	CM 242 LEVEL CM	25973,9503 litre	94,510 %	1508,7022 litre	O
480	CM	135	CM 241 LEVEL CM	25894,3077 litre	94,221 %	1588,3448 litre	O
480	CM	135	CM 240 LEVEL CM	25813,4478 litre	93,926 %	1669,2047 litre	O
480	CM	135	CM 239 LEVEL CM	25731,3998 litre	93,628 %	1751,2527 litre	O
480	CM	135	CM 238 LEVEL CM	25648,1919 litre	93,325 %	1834,4606 litre	O
480	CM	135	CM 237 LEVEL CM	25563,8508 litre	93,018 %	1918,8017 litre	O
480	CM	135	CM 236 LEVEL CM	25478,4024 litre	92,707 %	2004,2501 litre	O
480	CM	135	CM 235 LEVEL CM	25391,8715 litre	92,392 %	2090,7810 litre	O
480	CM	135	CM 234 LEVEL CM	25304,2820 litre	92,074 %	2178,3705 litre	O
480	CM	135	CM 233 LEVEL CM	25215,6569 litre	91,751 %	2266,9956 litre	O
480	CM	135	CM 232 LEVEL CM	25126,0185 litre	91,425 %	2356,6340 litre	O
480	CM	135	CM 231 LEVEL CM	25035,3883 litre	91,095 %	2447,2642 litre	O
480	CM	135	CM 230 LEVEL CM	24943,7871 litre	90,762 %	2538,8654 litre	O
480	CM	135	CM 229 LEVEL CM	24851,2350 litre	90,425 %	2631,4175 litre	O
480	CM	135	CM 228 LEVEL CM	24757,7516 litre	90,085 %	2724,9009 litre	O
480	CM	135	CM 227 LEVEL CM	24663,3557 litre	89,742 %	2819,2968 litre	O
480	CM	135	CM 226 LEVEL CM	24568,0659 litre	89,395 %	2914,5866 litre	O
480	CM	135	CM 225 LEVEL CM	24471,9000 litre	89,045 %	3010,7525 litre	O
480	CM	135	CM 224 LEVEL CM	24374,8753 litre	88,692 %	3107,7772 litre	O
480	CM	135	CM 223 LEVEL CM	24277,0090 litre	88,336 %	3205,6435 litre	O
480	CM	135	CM 222 LEVEL CM	24178,3174 litre	87,977 %	3304,3351 litre	O
480	CM	135	CM 221 LEVEL CM	24078,8167 litre	87,615 %	3403,8358 litre	O
480	CM	135	CM 220 LEVEL CM	23978,5226 litre	87,250 %	3504,1299 litre	O
480	CM	135	CM 219 LEVEL CM	23877,4505 litre	86,882 %	3605,2020 litre	O

480	CM	135	CM	218 LEVEL CM	23775,6153 litre	86,511 %	3707,0372 litre	O
480	CM	135	CM	217 LEVEL CM	23673,0316 litre	86,138 %	3809,6209 litre	O
480	CM	135	CM	216 LEVEL CM	23569,7140 litre	85,762 %	3912,9385 litre	O
480	CM	135	CM	215 LEVEL CM	23465,6763 litre	85,384 %	4016,9762 litre	O
480	CM	135	CM	214 LEVEL CM	23360,9323 litre	85,002 %	4121,7202 litre	O
480	CM	135	CM	213 LEVEL CM	23255,4955 litre	84,619 %	4227,1570 litre	O
480	CM	135	CM	212 LEVEL CM	23149,3791 litre	84,233 %	4333,2734 litre	O
480	CM	135	CM	211 LEVEL CM	23042,5961 litre	83,844 %	4440,0564 litre	O
480	CM	135	CM	210 LEVEL CM	22935,1592 litre	83,453 %	4547,4933 litre	O
480	CM	135	CM	209 LEVEL CM	22827,0808 litre	83,060 %	4655,5717 litre	O
480	CM	135	CM	208 LEVEL CM	22718,3732 litre	82,664 %	4764,2793 litre	O
480	CM	135	CM	207 LEVEL CM	22609,0485 litre	82,267 %	4873,6040 litre	O
480	CM	135	CM	206 LEVEL CM	22499,1185 litre	81,867 %	4983,5340 litre	O
480	CM	135	CM	205 LEVEL CM	22388,5949 litre	81,464 %	5094,0576 litre	O
480	CM	135	CM	204 LEVEL CM	22277,4891 litre	81,060 %	5205,1634 litre	O
480	CM	135	CM	203 LEVEL CM	22165,8124 litre	80,654 %	5316,8401 litre	O
480	CM	135	CM	202 LEVEL CM	22053,5760 litre	80,245 %	5429,0765 litre	O
480	CM	135	CM	201 LEVEL CM	21940,7907 litre	79,835 %	5541,8618 litre	O
480	CM	135	CM	200 LEVEL CM	21827,4674 litre	79,423 %	5655,1851 litre	O
480	CM	135	CM	199 LEVEL CM	21713,6168 litre	79,008 %	5769,0357 litre	O
480	CM	135	CM	198 LEVEL CM	21599,2492 litre	78,592 %	5883,4033 litre	O
480	CM	135	CM	197 LEVEL CM	21484,3751 litre	78,174 %	5998,2774 litre	O
480	CM	135	CM	196 LEVEL CM	21369,0046 litre	77,755 %	6113,6479 litre	O
480	CM	135	CM	195 LEVEL CM	21253,1479 litre	77,333 %	6229,5046 litre	O
480	CM	135	CM	194 LEVEL CM	21136,8149 litre	76,910 %	6345,8376 litre	O
480	CM	135	CM	193 LEVEL CM	21020,0154 litre	76,485 %	6462,6371 litre	O
480	CM	135	CM	192 LEVEL CM	20902,7592 litre	76,058 %	6579,8933 litre	O
480	CM	135	CM	191 LEVEL CM	20785,0558 litre	75,630 %	6697,5967 litre	O
480	CM	135	CM	190 LEVEL CM	20666,9147 litre	75,200 %	6815,7378 litre	O
480	CM	135	CM	189 LEVEL CM	20548,3454 litre	74,768 %	6934,3071 litre	O
480	CM	135	CM	188 LEVEL CM	20429,3571 litre	74,335 %	7053,2954 litre	O
480	CM	135	CM	187 LEVEL CM	20309,9590 litre	73,901 %	7172,6935 litre	O
480	CM	135	CM	186 LEVEL CM	20190,1602 litre	73,465 %	7292,4923 litre	O
480	CM	135	CM	185 LEVEL CM	20069,9696 litre	73,028 %	7412,6829 litre	O
480	CM	135	CM	184 LEVEL CM	19949,3963 litre	72,589 %	7533,2562 litre	O
480	CM	135	CM	183 LEVEL CM	19828,4491 litre	72,149 %	7654,2034 litre	O
480	CM	135	CM	182 LEVEL CM	19707,1366 litre	71,708 %	7775,5159 litre	O
480	CM	135	CM	181 LEVEL CM	19585,4676 litre	71,265 %	7897,1849 litre	O
480	CM	135	CM	180 LEVEL CM	19463,4507 litre	70,821 %	8019,2018 litre	O
480	CM	135	CM	179 LEVEL CM	19341,0944 litre	70,376 %	8141,5581 litre	O
480	CM	135	CM	178 LEVEL CM	19218,4071 litre	69,929 %	8264,2454 litre	O
480	CM	135	CM	177 LEVEL CM	19095,3972 litre	69,482 %	8387,2553 litre	O
480	CM	135	CM	176 LEVEL CM	18972,0730 litre	69,033 %	8510,5795 litre	O
480	CM	135	CM	175 LEVEL CM	18848,4428 litre	68,583 %	8634,2097 litre	O
480	CM	135	CM	174 LEVEL CM	18724,5148 litre	68,132 %	8758,1377 litre	O
480	CM	135	CM	173 LEVEL CM	18600,2971 litre	67,680 %	8882,3554 litre	O
480	CM	135	CM	172 LEVEL CM	18475,7978 litre	67,227 %	9006,8547 litre	O
480	CM	135	CM	171 LEVEL CM	18351,0249 litre	66,773 %	9131,6276 litre	O
480	CM	135	CM	170 LEVEL CM	18225,9864 litre	66,318 %	9256,6661 litre	O
480	CM	135	CM	169 LEVEL CM	18100,6902 litre	65,862 %	9381,9623 litre	O
480	CM	135	CM	168 LEVEL CM	17975,1441 litre	65,405 %	9507,5084 litre	O
480	CM	135	CM	167 LEVEL CM	17849,3561 litre	64,948 %	9633,2964 litre	O
480	CM	135	CM	166 LEVEL CM	17723,3338 litre	64,489 %	9759,3187 litre	O

480	CM	135	CM	165 LEVEL CM	17597,0849 litre	64,030 %	9885,5676 litre	O
480	CM	135	CM	164 LEVEL CM	17470,6173 litre	63,570 %	10012,0352 litre	O
480	CM	135	CM	163 LEVEL CM	17343,9386 litre	63,109 %	10138,7139 litre	O
480	CM	135	CM	162 LEVEL CM	17217,0563 litre	62,647 %	10265,5962 litre	O
480	CM	135	CM	161 LEVEL CM	17089,9780 litre	62,185 %	10392,6745 litre	O
480	CM	135	CM	160 LEVEL CM	16962,7113 litre	61,722 %	10519,9412 litre	O
480	CM	135	CM	159 LEVEL CM	16835,2637 litre	61,258 %	10647,3888 litre	O
480	CM	135	CM	158 LEVEL CM	16707,6427 litre	60,793 %	10775,0098 litre	O
480	CM	135	CM	157 LEVEL CM	16579,8557 litre	60,328 %	10902,7968 litre	O
480	CM	135	CM	156 LEVEL CM	16451,9101 litre	59,863 %	11030,7424 litre	O
480	CM	135	CM	155 LEVEL CM	16323,8133 litre	59,397 %	11158,8392 litre	O
480	CM	135	CM	154 LEVEL CM	16195,5728 litre	58,930 %	11287,0797 litre	O
480	CM	135	CM	153 LEVEL CM	16067,1957 litre	58,463 %	11415,4568 litre	O
480	CM	135	CM	152 LEVEL CM	15938,6895 litre	57,995 %	11543,9630 litre	O
480	CM	135	CM	151 LEVEL CM	15810,0615 litre	57,527 %	11672,5910 litre	O
480	CM	135	CM	150 LEVEL CM	15681,3188 litre	57,059 %	11801,3337 litre	O
480	CM	135	CM	149 LEVEL CM	15552,4689 litre	56,590 %	11930,1836 litre	O
480	CM	135	CM	148 LEVEL CM	15423,5188 litre	56,121 %	12059,1337 litre	O
480	CM	135	CM	147 LEVEL CM	15294,4758 litre	55,651 %	12188,1767 litre	O
480	CM	135	CM	146 LEVEL CM	15165,3472 litre	55,182 %	12317,3053 litre	O
480	CM	135	CM	145 LEVEL CM	15036,1401 litre	54,711 %	12446,5124 litre	O
480	CM	135	CM	144 LEVEL CM	14906,8617 litre	54,241 %	12575,7908 litre	O
480	CM	135	CM	143 LEVEL CM	14777,5191 litre	53,770 %	12705,1334 litre	O
480	CM	135	CM	142 LEVEL CM	14648,1196 litre	53,300 %	12834,5329 litre	O
480	CM	135	CM	141 LEVEL CM	14518,6702 litre	52,828 %	12963,9823 litre	O
480	CM	135	CM	140 LEVEL CM	14389,1781 litre	52,357 %	13093,4744 litre	O
480	CM	135	CM	139 LEVEL CM	14259,6504 litre	51,886 %	13223,0021 litre	O
480	CM	135	CM	138 LEVEL CM	14130,0943 litre	51,415 %	13352,5582 litre	O
480	CM	135	CM	137 LEVEL CM	14000,5168 litre	50,943 %	13482,1357 litre	O
480	CM	135	CM	136 LEVEL CM	13870,9251 litre	50,472 %	13611,7274 litre	O
480	CM	135	CM	135 LEVEL CM	13741,3263 litre	50,000 %	13741,3262 litre	O
480	CM	135	CM	134 LEVEL CM	13611,7275 litre	49,528 %	13870,9250 litre	O
480	CM	135	CM	133 LEVEL CM	13482,1357 litre	49,057 %	14000,5168 litre	O
480	CM	135	CM	132 LEVEL CM	13352,5583 litre	48,585 %	14130,0942 litre	O
480	CM	135	CM	131 LEVEL CM	13223,0021 litre	48,114 %	14259,6504 litre	O
480	CM	135	CM	130 LEVEL CM	13093,4744 litre	47,643 %	14389,1781 litre	O
480	CM	135	CM	129 LEVEL CM	12963,9823 litre	47,172 %	14518,6702 litre	O
480	CM	135	CM	128 LEVEL CM	12834,5329 litre	46,700 %	14648,1196 litre	O
480	CM	135	CM	127 LEVEL CM	12705,1334 litre	46,230 %	14777,5191 litre	O
480	CM	135	CM	126 LEVEL CM	12575,7908 litre	45,759 %	14906,8617 litre	O
480	CM	135	CM	125 LEVEL CM	12446,5124 litre	45,289 %	15036,1401 litre	O
480	CM	135	CM	124 LEVEL CM	12317,3053 litre	44,818 %	15165,3472 litre	O
480	CM	135	CM	123 LEVEL CM	12188,1767 litre	44,349 %	15294,4758 litre	O
480	CM	135	CM	122 LEVEL CM	12059,1338 litre	43,879 %	15423,5187 litre	O
480	CM	135	CM	121 LEVEL CM	11930,1837 litre	43,410 %	15552,4688 litre	O
480	CM	135	CM	120 LEVEL CM	11801,3337 litre	42,941 %	15681,3188 litre	O
480	CM	135	CM	119 LEVEL CM	11672,5911 litre	42,473 %	15810,0614 litre	O
480	CM	135	CM	118 LEVEL CM	11543,9630 litre	42,005 %	15938,6895 litre	O
480	CM	135	CM	117 LEVEL CM	11415,4568 litre	41,537 %	16067,1957 litre	O
480	CM	135	CM	116 LEVEL CM	11287,0798 litre	41,070 %	16195,5727 litre	O
480	CM	135	CM	115 LEVEL CM	11158,8392 litre	40,603 %	16323,8133 litre	O
480	CM	135	CM	114 LEVEL CM	11030,7425 litre	40,137 %	16451,9100 litre	O
480	CM	135	CM	113 LEVEL CM	10902,7969 litre	39,672 %	16579,8556 litre	O

480	CM	135	CM	112 LEVEL CM	10775,0099 litre	39,207 %	16707,6426 litre	O
480	CM	135	CM	111 LEVEL CM	10647,3888 litre	38,742 %	16835,2637 litre	O
480	CM	135	CM	110 LEVEL CM	10519,9412 litre	38,278 %	16962,7113 litre	O
480	CM	135	CM	109 LEVEL CM	10392,6745 litre	37,815 %	17089,9780 litre	O
480	CM	135	CM	108 LEVEL CM	10265,5963 litre	37,353 %	17217,0562 litre	O
480	CM	135	CM	107 LEVEL CM	10138,7140 litre	36,891 %	17343,9385 litre	O
480	CM	135	CM	106 LEVEL CM	10012,0352 litre	36,430 %	17470,6173 litre	O
480	CM	135	CM	105 LEVEL CM	9885,5676 litre	35,970 %	17597,0849 litre	O
480	CM	135	CM	104 LEVEL CM	9759,3188 litre	35,511 %	17723,3337 litre	O
480	CM	135	CM	103 LEVEL CM	9633,2965 litre	35,052 %	17849,3560 litre	O
480	CM	135	CM	102 LEVEL CM	9507,5084 litre	34,595 %	17975,1441 litre	O
480	CM	135	CM	101 LEVEL CM	9381,9624 litre	34,138 %	18100,6901 litre	O
480	CM	135	CM	100 LEVEL CM	9256,6661 litre	33,682 %	18225,9864 litre	O
480	CM	135	CM	99 LEVEL CM	9131,6276 litre	33,227 %	18351,0249 litre	O
480	CM	135	CM	98 LEVEL CM	9006,8547 litre	32,773 %	18475,7978 litre	O
480	CM	135	CM	97 LEVEL CM	8882,3554 litre	32,320 %	18600,2971 litre	O
480	CM	135	CM	96 LEVEL CM	8758,1377 litre	31,868 %	18724,5148 litre	O
480	CM	135	CM	95 LEVEL CM	8634,2097 litre	31,417 %	18848,4428 litre	O
480	CM	135	CM	94 LEVEL CM	8510,5795 litre	30,967 %	18972,0730 litre	O
480	CM	135	CM	93 LEVEL CM	8387,2554 litre	30,518 %	19095,3971 litre	O
480	CM	135	CM	92 LEVEL CM	8264,2455 litre	30,071 %	19218,4070 litre	O
480	CM	135	CM	91 LEVEL CM	8141,5582 litre	29,624 %	19341,0943 litre	O
480	CM	135	CM	90 LEVEL CM	8019,2018 litre	29,179 %	19463,4507 litre	O
480	CM	135	CM	89 LEVEL CM	7897,1849 litre	28,735 %	19585,4676 litre	O
480	CM	135	CM	88 LEVEL CM	7775,5159 litre	28,292 %	19707,1366 litre	O
480	CM	135	CM	87 LEVEL CM	7654,2034 litre	27,851 %	19828,4491 litre	O
480	CM	135	CM	86 LEVEL CM	7533,2562 litre	27,411 %	19949,3963 litre	O
480	CM	135	CM	85 LEVEL CM	7412,6829 litre	26,972 %	20069,9696 litre	O
480	CM	135	CM	84 LEVEL CM	7292,4924 litre	26,535 %	20190,1601 litre	O
480	CM	135	CM	83 LEVEL CM	7172,6936 litre	26,099 %	20309,9589 litre	O
480	CM	135	CM	82 LEVEL CM	7053,2954 litre	25,665 %	20429,3571 litre	O
480	CM	135	CM	81 LEVEL CM	6934,3071 litre	25,232 %	20548,3454 litre	O
480	CM	135	CM	80 LEVEL CM	6815,7378 litre	24,800 %	20666,9147 litre	O
480	CM	135	CM	79 LEVEL CM	6697,5967 litre	24,370 %	20785,0558 litre	O
480	CM	135	CM	78 LEVEL CM	6579,8933 litre	23,942 %	20902,7592 litre	O
480	CM	135	CM	77 LEVEL CM	6462,6371 litre	23,515 %	21020,0154 litre	O
480	CM	135	CM	76 LEVEL CM	6345,8376 litre	23,090 %	21136,8149 litre	O
480	CM	135	CM	75 LEVEL CM	6229,5046 litre	22,667 %	21253,1479 litre	O
480	CM	135	CM	74 LEVEL CM	6113,6479 litre	22,245 %	21369,0046 litre	O
480	CM	135	CM	73 LEVEL CM	5998,2774 litre	21,826 %	21484,3751 litre	O
480	CM	135	CM	72 LEVEL CM	5883,4033 litre	21,408 %	21599,2492 litre	O
480	CM	135	CM	71 LEVEL CM	5769,0358 litre	20,992 %	21713,6167 litre	O
480	CM	135	CM	70 LEVEL CM	5655,1851 litre	20,577 %	21827,4674 litre	O
480	CM	135	CM	69 LEVEL CM	5541,8618 litre	20,165 %	21940,7907 litre	O
480	CM	135	CM	68 LEVEL CM	5429,0766 litre	19,755 %	22053,5759 litre	O
480	CM	135	CM	67 LEVEL CM	5316,8401 litre	19,346 %	22165,8124 litre	O
480	CM	135	CM	66 LEVEL CM	5205,1635 litre	18,940 %	22277,4890 litre	O
480	CM	135	CM	65 LEVEL CM	5094,0577 litre	18,536 %	22388,5948 litre	O
480	CM	135	CM	64 LEVEL CM	4983,5340 litre	18,133 %	22499,1185 litre	O
480	CM	135	CM	63 LEVEL CM	4873,6040 litre	17,733 %	22609,0485 litre	O
480	CM	135	CM	62 LEVEL CM	4764,2793 litre	17,336 %	22718,3732 litre	O
480	CM	135	CM	61 LEVEL CM	4655,5718 litre	16,940 %	22827,0807 litre	O
480	CM	135	CM	60 LEVEL CM	4547,4934 litre	16,547 %	22935,1591 litre	O

480	CM	135	CM	59 LEVEL CM	4440,0564 litre	16,156 %	23042,5961 litre	O
480	CM	135	CM	58 LEVEL CM	4333,2734 litre	15,767 %	23149,3791 litre	O
480	CM	135	CM	57 LEVEL CM	4227,1570 litre	15,381 %	23255,4955 litre	O
480	CM	135	CM	56 LEVEL CM	4121,7202 litre	14,998 %	23360,9323 litre	O
480	CM	135	CM	55 LEVEL CM	4016,9763 litre	14,616 %	23465,6762 litre	O
480	CM	135	CM	54 LEVEL CM	3912,9386 litre	14,238 %	23569,7139 litre	O
480	CM	135	CM	53 LEVEL CM	3809,6209 litre	13,862 %	23673,0316 litre	O
480	CM	135	CM	52 LEVEL CM	3707,0373 litre	13,489 %	23775,6152 litre	O
480	CM	135	CM	51 LEVEL CM	3605,2021 litre	13,118 %	23877,4504 litre	O
480	CM	135	CM	50 LEVEL CM	3504,1299 litre	12,750 %	23978,5226 litre	O
480	CM	135	CM	49 LEVEL CM	3403,8358 litre	12,385 %	24078,8167 litre	O
480	CM	135	CM	48 LEVEL CM	3304,3351 litre	12,023 %	24178,3174 litre	O
480	CM	135	CM	47 LEVEL CM	3205,6436 litre	11,664 %	24277,0089 litre	O
480	CM	135	CM	46 LEVEL CM	3107,7772 litre	11,308 %	24374,8753 litre	O
480	CM	135	CM	45 LEVEL CM	3010,7526 litre	10,955 %	24471,8999 litre	O
480	CM	135	CM	44 LEVEL CM	2914,5867 litre	10,605 %	24568,0658 litre	O
480	CM	135	CM	43 LEVEL CM	2819,2968 litre	10,258 %	24663,3557 litre	O
480	CM	135	CM	42 LEVEL CM	2724,9010 litre	9,915 %	24757,7515 litre	O
480	CM	135	CM	41 LEVEL CM	2631,4175 litre	9,575 %	24851,2350 litre	O
480	CM	135	CM	40 LEVEL CM	2538,8654 litre	9,238 %	24943,7871 litre	O
480	CM	135	CM	39 LEVEL CM	2447,2642 litre	8,905 %	25035,3883 litre	O
480	CM	135	CM	38 LEVEL CM	2356,6340 litre	8,575 %	25126,0185 litre	O
480	CM	135	CM	37 LEVEL CM	2266,9956 litre	8,249 %	25215,6569 litre	O
480	CM	135	CM	36 LEVEL CM	2178,3706 litre	7,926 %	25304,2819 litre	O
480	CM	135	CM	35 LEVEL CM	2090,7811 litre	7,608 %	25391,8714 litre	O
480	CM	135	CM	34 LEVEL CM	2004,2502 litre	7,293 %	25478,4023 litre	O
480	CM	135	CM	33 LEVEL CM	1918,8017 litre	6,982 %	25563,8508 litre	O
480	CM	135	CM	32 LEVEL CM	1834,4607 litre	6,675 %	25648,1918 litre	O
480	CM	135	CM	31 LEVEL CM	1751,2527 litre	6,372 %	25731,3998 litre	O
480	CM	135	CM	30 LEVEL CM	1669,2048 litre	6,074 %	25813,4477 litre	O
480	CM	135	CM	29 LEVEL CM	1588,3448 litre	5,779 %	25894,3077 litre	O
480	CM	135	CM	28 LEVEL CM	1508,7023 litre	5,490 %	25973,9502 litre	O
480	CM	135	CM	27 LEVEL CM	1430,3077 litre	5,204 %	26052,3448 litre	O
480	CM	135	CM	26 LEVEL CM	1353,1933 litre	4,924 %	26129,4592 litre	O
480	CM	135	CM	25 LEVEL CM	1277,3927 litre	4,648 %	26205,2598 litre	O
480	CM	135	CM	24 LEVEL CM	1202,9417 litre	4,377 %	26279,7108 litre	O
480	CM	135	CM	23 LEVEL CM	1129,8776 litre	4,111 %	26352,7749 litre	O
480	CM	135	CM	22 LEVEL CM	1058,2403 litre	3,851 %	26424,4122 litre	O
480	CM	135	CM	21 LEVEL CM	988,0718 litre	3,595 %	26494,5807 litre	O
480	CM	135	CM	20 LEVEL CM	919,4170 litre	3,345 %	26563,2355 litre	O
480	CM	135	CM	19 LEVEL CM	852,3238 litre	3,101 %	26630,3287 litre	O
480	CM	135	CM	18 LEVEL CM	786,8434 litre	2,863 %	26695,8091 litre	O
480	CM	135	CM	17 LEVEL CM	723,0312 litre	2,631 %	26759,6213 litre	O
480	CM	135	CM	16 LEVEL CM	660,9467 litre	2,405 %	26821,7058 litre	O
480	CM	135	CM	15 LEVEL CM	600,6547 litre	2,186 %	26881,9978 litre	O
480	CM	135	CM	14 LEVEL CM	542,2259 litre	1,973 %	26940,4266 litre	O
480	CM	135	CM	13 LEVEL CM	485,7381 litre	1,767 %	26996,9144 litre	O
480	CM	135	CM	12 LEVEL CM	431,2775 litre	1,569 %	27051,3750 litre	O
480	CM	135	CM	11 LEVEL CM	378,9400 litre	1,379 %	27103,7125 litre	O
480	CM	135	CM	10 LEVEL CM	328,8339 litre	1,197 %	27153,8186 litre	O
480	CM	135	CM	9 LEVEL CM	281,0829 litre	1,023 %	27201,5696 litre	O
480	CM	135	CM	8 LEVEL CM	235,8296 litre	0,858 %	27246,8229 litre	O
480	CM	135	CM	7 LEVEL CM	193,2422 litre	0,703 %	27289,4103 litre	O

480	CM	135	CM	6 LEVEL CM	153,5225 litre	0,559 %	27329,1300 litre	O
480	CM	135	CM	5 LEVEL CM	116,9201 litre	0,425 %	27365,7324 litre	O
480	CM	135	CM	4 LEVEL CM	83,7553 litre	0,305 %	27398,8972 litre	O
480	CM	135	CM	3 LEVEL CM	54,4616 litre	0,198 %	27428,1909 litre	O
480	CM	135	CM	2 LEVEL CM	29,6783 litre	0,108 %	27452,9742 litre	O
480	CM	135	CM	1 LEVEL CM	10,5046 litre	0,038 %	27472,1479 litre	O
480	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	27482,6525 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM 130	CM 260 LEVEL CM	25484,5996 litre	100,000 %	0,0000 litre	O
480	CM 130	CM 259 LEVEL CM	25474,2918 litre	99,960 %	10,3078 litre	O
480	CM 130	CM 258 LEVEL CM	25455,4786 litre	99,886 %	29,1210 litre	O
480	CM 130	CM 257 LEVEL CM	25431,1629 litre	99,790 %	53,4367 litre	O
480	CM 130	CM 256 LEVEL CM	25402,4242 litre	99,678 %	82,1754 litre	O
480	CM 130	CM 255 LEVEL CM	25369,8899 litre	99,550 %	114,7097 litre	O
480	CM 130	CM 254 LEVEL CM	25333,9861 litre	99,409 %	150,6135 litre	O
480	CM 130	CM 253 LEVEL CM	25295,0275 litre	99,256 %	189,5721 litre	O
480	CM 130	CM 252 LEVEL CM	25253,2591 litre	99,092 %	231,3405 litre	O
480	CM 130	CM 251 LEVEL CM	25208,8796 litre	98,918 %	275,7200 litre	O
480	CM 130	CM 250 LEVEL CM	25162,0540 litre	98,734 %	322,5456 litre	O
480	CM 130	CM 249 LEVEL CM	25112,9229 litre	98,542 %	371,6767 litre	O
480	CM 130	CM 248 LEVEL CM	25061,6077 litre	98,340 %	422,9919 litre	O
480	CM 130	CM 247 LEVEL CM	25008,2150 litre	98,131 %	476,3846 litre	O
480	CM 130	CM 246 LEVEL CM	24952,8394 litre	97,913 %	531,7602 litre	O
480	CM 130	CM 245 LEVEL CM	24895,5655 litre	97,689 %	589,0341 litre	O
480	CM 130	CM 244 LEVEL CM	24836,4699 litre	97,457 %	648,1297 litre	O
480	CM 130	CM 243 LEVEL CM	24775,6222 litre	97,218 %	708,9774 litre	O
480	CM 130	CM 242 LEVEL CM	24713,0864 litre	96,973 %	771,5132 litre	O
480	CM 130	CM 241 LEVEL CM	24648,9210 litre	96,721 %	835,6786 litre	O
480	CM 130	CM 240 LEVEL CM	24583,1807 litre	96,463 %	901,4189 litre	O
480	CM 130	CM 239 LEVEL CM	24515,9158 litre	96,199 %	968,6838 litre	O
480	CM 130	CM 238 LEVEL CM	24447,1737 litre	95,929 %	1037,4259 litre	O
480	CM 130	CM 237 LEVEL CM	24376,9985 litre	95,654 %	1107,6011 litre	O
480	CM 130	CM 236 LEVEL CM	24305,4318 litre	95,373 %	1179,1678 litre	O
480	CM 130	CM 235 LEVEL CM	24232,5128 litre	95,087 %	1252,0868 litre	O
480	CM 130	CM 234 LEVEL CM	24158,2786 litre	94,796 %	1326,3210 litre	O
480	CM 130	CM 233 LEVEL CM	24082,7642 litre	94,499 %	1401,8354 litre	O
480	CM 130	CM 232 LEVEL CM	24006,0031 litre	94,198 %	1478,5965 litre	O
480	CM 130	CM 231 LEVEL CM	23928,0269 litre	93,892 %	1556,5727 litre	O
480	CM 130	CM 230 LEVEL CM	23848,8659 litre	93,581 %	1635,7337 litre	O
480	CM 130	CM 229 LEVEL CM	23768,5491 litre	93,266 %	1716,0505 litre	O
480	CM 130	CM 228 LEVEL CM	23687,1043 litre	92,947 %	1797,4953 litre	O
480	CM 130	CM 227 LEVEL CM	23604,5579 litre	92,623 %	1880,0417 litre	O
480	CM 130	CM 226 LEVEL CM	23520,9355 litre	92,295 %	1963,6641 litre	O
480	CM 130	CM 225 LEVEL CM	23436,2617 litre	91,962 %	2048,3379 litre	O
480	CM 130	CM 224 LEVEL CM	23350,5602 litre	91,626 %	2134,0394 litre	O
480	CM 130	CM 223 LEVEL CM	23263,8536 litre	91,286 %	2220,7460 litre	O
480	CM 130	CM 222 LEVEL CM	23176,1641 litre	90,942 %	2308,4355 litre	O
480	CM 130	CM 221 LEVEL CM	23087,5130 litre	90,594 %	2397,0866 litre	O
480	CM 130	CM 220 LEVEL CM	22997,9208 litre	90,242 %	2486,6788 litre	O
480	CM 130	CM 219 LEVEL CM	22907,4076 litre	89,887 %	2577,1920 litre	O
480	CM 130	CM 218 LEVEL CM	22815,9926 litre	89,529 %	2668,6070 litre	O
480	CM 130	CM 217 LEVEL CM	22723,6948 litre	89,166 %	2760,9048 litre	O
480	CM 130	CM 216 LEVEL CM	22630,5322 litre	88,801 %	2854,0674 litre	O
480	CM 130	CM 215 LEVEL CM	22536,5227 litre	88,432 %	2948,0769 litre	O
480	CM 130	CM 214 LEVEL CM	22441,6837 litre	88,060 %	3042,9159 litre	O
480	CM 130	CM 213 LEVEL CM	22346,0318 litre	87,684 %	3138,5678 litre	O
480	CM 130	CM 212 LEVEL CM	22249,5835 litre	87,306 %	3235,0161 litre	O
480	CM 130	CM 211 LEVEL CM	22152,3548 litre	86,924 %	3332,2448 litre	O
480	CM 130	CM 210 LEVEL CM	22054,3614 litre	86,540 %	3430,2382 litre	O
480	CM 130	CM 209 LEVEL CM	21955,6184 litre	86,152 %	3528,9812 litre	O

480	CM	130	CM	208 LEVEL CM	21856,1408 litre	85,762 %	3628,4588 litre	O
480	CM	130	CM	207 LEVEL CM	21755,9432 litre	85,369 %	3728,6564 litre	O
480	CM	130	CM	206 LEVEL CM	21655,0398 litre	84,973 %	3829,5598 litre	O
480	CM	130	CM	205 LEVEL CM	21553,4447 litre	84,574 %	3931,1549 litre	O
480	CM	130	CM	204 LEVEL CM	21451,1714 litre	84,173 %	4033,4282 litre	O
480	CM	130	CM	203 LEVEL CM	21348,2335 litre	83,769 %	4136,3661 litre	O
480	CM	130	CM	202 LEVEL CM	21244,6441 litre	83,363 %	4239,9555 litre	O
480	CM	130	CM	201 LEVEL CM	21140,4161 litre	82,954 %	4344,1835 litre	O
480	CM	130	CM	200 LEVEL CM	21035,5621 litre	82,542 %	4449,0375 litre	O
480	CM	130	CM	199 LEVEL CM	20930,0947 litre	82,128 %	4554,5049 litre	O
480	CM	130	CM	198 LEVEL CM	20824,0261 litre	81,712 %	4660,5735 litre	O
480	CM	130	CM	197 LEVEL CM	20717,3683 litre	81,294 %	4767,2313 litre	O
480	CM	130	CM	196 LEVEL CM	20610,1330 litre	80,873 %	4874,4666 litre	O
480	CM	130	CM	195 LEVEL CM	20502,3321 litre	80,450 %	4982,2675 litre	O
480	CM	130	CM	194 LEVEL CM	20393,9769 litre	80,025 %	5090,6227 litre	O
480	CM	130	CM	193 LEVEL CM	20285,0787 litre	79,597 %	5199,5209 litre	O
480	CM	130	CM	192 LEVEL CM	20175,6486 litre	79,168 %	5308,9510 litre	O
480	CM	130	CM	191 LEVEL CM	20065,6976 litre	78,737 %	5418,9020 litre	O
480	CM	130	CM	190 LEVEL CM	19955,2365 litre	78,303 %	5529,3631 litre	O
480	CM	130	CM	189 LEVEL CM	19844,2760 litre	77,868 %	5640,3236 litre	O
480	CM	130	CM	188 LEVEL CM	19732,8264 litre	77,430 %	5751,7732 litre	O
480	CM	130	CM	187 LEVEL CM	19620,8983 litre	76,991 %	5863,7013 litre	O
480	CM	130	CM	186 LEVEL CM	19508,5018 litre	76,550 %	5976,0978 litre	O
480	CM	130	CM	185 LEVEL CM	19395,6471 litre	76,107 %	6088,9525 litre	O
480	CM	130	CM	184 LEVEL CM	19282,3441 litre	75,663 %	6202,2555 litre	O
480	CM	130	CM	183 LEVEL CM	19168,6028 litre	75,216 %	6315,9968 litre	O
480	CM	130	CM	182 LEVEL CM	19054,4328 litre	74,768 %	6430,1668 litre	O
480	CM	130	CM	181 LEVEL CM	18939,8438 litre	74,319 %	6544,7558 litre	O
480	CM	130	CM	180 LEVEL CM	18824,8454 litre	73,868 %	6659,7542 litre	O
480	CM	130	CM	179 LEVEL CM	18709,4469 litre	73,415 %	6775,1527 litre	O
480	CM	130	CM	178 LEVEL CM	18593,6578 litre	72,960 %	6890,9418 litre	O
480	CM	130	CM	177 LEVEL CM	18477,4873 litre	72,505 %	7007,1123 litre	O
480	CM	130	CM	176 LEVEL CM	18360,9445 litre	72,047 %	7123,6551 litre	O
480	CM	130	CM	175 LEVEL CM	18244,0385 litre	71,588 %	7240,5611 litre	O
480	CM	130	CM	174 LEVEL CM	18126,7783 litre	71,128 %	7357,8213 litre	O
480	CM	130	CM	173 LEVEL CM	18009,1728 litre	70,667 %	7475,4268 litre	O
480	CM	130	CM	172 LEVEL CM	17891,2308 litre	70,204 %	7593,3688 litre	O
480	CM	130	CM	171 LEVEL CM	17772,9611 litre	69,740 %	7711,6385 litre	O
480	CM	130	CM	170 LEVEL CM	17654,3723 litre	69,275 %	7830,2273 litre	O
480	CM	130	CM	169 LEVEL CM	17535,4731 litre	68,808 %	7949,1265 litre	O
480	CM	130	CM	168 LEVEL CM	17416,2719 litre	68,340 %	8068,3277 litre	O
480	CM	130	CM	167 LEVEL CM	17296,7773 litre	67,871 %	8187,8223 litre	O
480	CM	130	CM	166 LEVEL CM	17176,9977 litre	67,401 %	8307,6019 litre	O
480	CM	130	CM	165 LEVEL CM	17056,9414 litre	66,930 %	8427,6582 litre	O
480	CM	130	CM	164 LEVEL CM	16936,6168 litre	66,458 %	8547,9828 litre	O
480	CM	130	CM	163 LEVEL CM	16816,0320 litre	65,985 %	8668,5676 litre	O
480	CM	130	CM	162 LEVEL CM	16695,1952 litre	65,511 %	8789,4044 litre	O
480	CM	130	CM	161 LEVEL CM	16574,1147 litre	65,036 %	8910,4849 litre	O
480	CM	130	CM	160 LEVEL CM	16452,7984 litre	64,560 %	9031,8012 litre	O
480	CM	130	CM	159 LEVEL CM	16331,2544 litre	64,083 %	9153,3452 litre	O
480	CM	130	CM	158 LEVEL CM	16209,4908 litre	63,605 %	9275,1088 litre	O
480	CM	130	CM	157 LEVEL CM	16087,5154 litre	63,126 %	9397,0842 litre	O
480	CM	130	CM	156 LEVEL CM	15965,3361 litre	62,647 %	9519,2635 litre	O

480	CM	130	CM	155 LEVEL CM	15842,9609 litre	62,167 %	9641,6387 litre	O
480	CM	130	CM	154 LEVEL CM	15720,3976 litre	61,686 %	9764,2020 litre	O
480	CM	130	CM	153 LEVEL CM	15597,6539 litre	61,204 %	9886,9457 litre	O
480	CM	130	CM	152 LEVEL CM	15474,7377 litre	60,722 %	10009,8619 litre	O
480	CM	130	CM	151 LEVEL CM	15351,6566 litre	60,239 %	10132,9430 litre	O
480	CM	130	CM	150 LEVEL CM	15228,4184 litre	59,755 %	10256,1812 litre	O
480	CM	130	CM	149 LEVEL CM	15105,0307 litre	59,271 %	10379,5689 litre	O
480	CM	130	CM	148 LEVEL CM	14981,5012 litre	58,786 %	10503,0984 litre	O
480	CM	130	CM	147 LEVEL CM	14857,8374 litre	58,301 %	10626,7622 litre	O
480	CM	130	CM	146 LEVEL CM	14734,0471 litre	57,815 %	10750,5525 litre	O
480	CM	130	CM	145 LEVEL CM	14610,1376 litre	57,329 %	10874,4620 litre	O
480	CM	130	CM	144 LEVEL CM	14486,1167 litre	56,843 %	10998,4829 litre	O
480	CM	130	CM	143 LEVEL CM	14361,9917 litre	56,356 %	11122,6079 litre	O
480	CM	130	CM	142 LEVEL CM	14237,7703 litre	55,868 %	11246,8293 litre	O
480	CM	130	CM	141 LEVEL CM	14113,4599 litre	55,380 %	11371,1397 litre	O
480	CM	130	CM	140 LEVEL CM	13989,0679 litre	54,892 %	11495,5317 litre	O
480	CM	130	CM	139 LEVEL CM	13864,6019 litre	54,404 %	11619,9977 litre	O
480	CM	130	CM	138 LEVEL CM	13740,0693 litre	53,915 %	11744,5303 litre	O
480	CM	130	CM	137 LEVEL CM	13615,4775 litre	53,426 %	11869,1221 litre	O
480	CM	130	CM	136 LEVEL CM	13490,8339 litre	52,937 %	11993,7657 litre	O
480	CM	130	CM	135 LEVEL CM	13366,1459 litre	52,448 %	12118,4537 litre	O
480	CM	130	CM	134 LEVEL CM	13241,4210 litre	51,959 %	12243,1786 litre	O
480	CM	130	CM	133 LEVEL CM	13116,6666 litre	51,469 %	12367,9330 litre	O
480	CM	130	CM	132 LEVEL CM	12991,8900 litre	50,979 %	12492,7096 litre	O
480	CM	130	CM	131 LEVEL CM	12867,0986 litre	50,490 %	12617,5010 litre	O
480	CM	130	CM	130 LEVEL CM	12742,2998 litre	50,000 %	12742,2998 litre	O
480	CM	130	CM	129 LEVEL CM	12617,5010 litre	49,510 %	12867,0986 litre	O
480	CM	130	CM	128 LEVEL CM	12492,7096 litre	49,021 %	12991,8900 litre	O
480	CM	130	CM	127 LEVEL CM	12367,9330 litre	48,531 %	13116,6666 litre	O
480	CM	130	CM	126 LEVEL CM	12243,1786 litre	48,041 %	13241,4210 litre	O
480	CM	130	CM	125 LEVEL CM	12118,4537 litre	47,552 %	13366,1459 litre	O
480	CM	130	CM	124 LEVEL CM	11993,7657 litre	47,063 %	13490,8339 litre	O
480	CM	130	CM	123 LEVEL CM	11869,1221 litre	46,574 %	13615,4775 litre	O
480	CM	130	CM	122 LEVEL CM	11744,5303 litre	46,085 %	13740,0693 litre	O
480	CM	130	CM	121 LEVEL CM	11619,9977 litre	45,596 %	13864,6019 litre	O
480	CM	130	CM	120 LEVEL CM	11495,5317 litre	45,108 %	13989,0679 litre	O
480	CM	130	CM	119 LEVEL CM	11371,1397 litre	44,620 %	14113,4599 litre	O
480	CM	130	CM	118 LEVEL CM	11246,8293 litre	44,132 %	14237,7703 litre	O
480	CM	130	CM	117 LEVEL CM	11122,6079 litre	43,644 %	14361,9917 litre	O
480	CM	130	CM	116 LEVEL CM	10998,4829 litre	43,157 %	14486,1167 litre	O
480	CM	130	CM	115 LEVEL CM	10874,4620 litre	42,671 %	14610,1376 litre	O
480	CM	130	CM	114 LEVEL CM	10750,5526 litre	42,185 %	14734,0470 litre	O
480	CM	130	CM	113 LEVEL CM	10626,7622 litre	41,699 %	14857,8374 litre	O
480	CM	130	CM	112 LEVEL CM	10503,0984 litre	41,214 %	14981,5012 litre	O
480	CM	130	CM	111 LEVEL CM	10379,5689 litre	40,729 %	15105,0307 litre	O
480	CM	130	CM	110 LEVEL CM	10256,1812 litre	40,245 %	15228,4184 litre	O
480	CM	130	CM	109 LEVEL CM	10132,9430 litre	39,761 %	15351,6566 litre	O
480	CM	130	CM	108 LEVEL CM	10009,8619 litre	39,278 %	15474,7377 litre	O
480	CM	130	CM	107 LEVEL CM	9886,9457 litre	38,796 %	15597,6539 litre	O
480	CM	130	CM	106 LEVEL CM	9764,2020 litre	38,314 %	15720,3976 litre	O
480	CM	130	CM	105 LEVEL CM	9641,6387 litre	37,833 %	15842,9609 litre	O
480	CM	130	CM	104 LEVEL CM	9519,2635 litre	37,353 %	15965,3361 litre	O
480	CM	130	CM	103 LEVEL CM	9397,0842 litre	36,874 %	16087,5154 litre	O

480	CM	130	CM	102 LEVEL CM	9275,1088 litre	36,395 %	16209,4908 litre	O
480	CM	130	CM	101 LEVEL CM	9153,3452 litre	35,917 %	16331,2544 litre	O
480	CM	130	CM	100 LEVEL CM	9031,8012 litre	35,440 %	16452,7984 litre	O
480	CM	130	CM	99 LEVEL CM	8910,4849 litre	34,964 %	16574,1147 litre	O
480	CM	130	CM	98 LEVEL CM	8789,4044 litre	34,489 %	16695,1952 litre	O
480	CM	130	CM	97 LEVEL CM	8668,5676 litre	34,015 %	16816,0320 litre	O
480	CM	130	CM	96 LEVEL CM	8547,9828 litre	33,542 %	16936,6168 litre	O
480	CM	130	CM	95 LEVEL CM	8427,6582 litre	33,070 %	17056,9414 litre	O
480	CM	130	CM	94 LEVEL CM	8307,6019 litre	32,599 %	17176,9977 litre	O
480	CM	130	CM	93 LEVEL CM	8187,8223 litre	32,129 %	17296,7773 litre	O
480	CM	130	CM	92 LEVEL CM	8068,3277 litre	31,660 %	17416,2719 litre	O
480	CM	130	CM	91 LEVEL CM	7949,1266 litre	31,192 %	17535,4730 litre	O
480	CM	130	CM	90 LEVEL CM	7830,2273 litre	30,725 %	17654,3723 litre	O
480	CM	130	CM	89 LEVEL CM	7711,6385 litre	30,260 %	17772,9611 litre	O
480	CM	130	CM	88 LEVEL CM	7593,3688 litre	29,796 %	17891,2308 litre	O
480	CM	130	CM	87 LEVEL CM	7475,4268 litre	29,333 %	18009,1728 litre	O
480	CM	130	CM	86 LEVEL CM	7357,8213 litre	28,872 %	18126,7783 litre	O
480	CM	130	CM	85 LEVEL CM	7240,5611 litre	28,412 %	18244,0385 litre	O
480	CM	130	CM	84 LEVEL CM	7123,6551 litre	27,953 %	18360,9445 litre	O
480	CM	130	CM	83 LEVEL CM	7007,1123 litre	27,495 %	18477,4873 litre	O
480	CM	130	CM	82 LEVEL CM	6890,9418 litre	27,040 %	18593,6578 litre	O
480	CM	130	CM	81 LEVEL CM	6775,1527 litre	26,585 %	18709,4469 litre	O
480	CM	130	CM	80 LEVEL CM	6659,7542 litre	26,132 %	18824,8454 litre	O
480	CM	130	CM	79 LEVEL CM	6544,7558 litre	25,681 %	18939,8438 litre	O
480	CM	130	CM	78 LEVEL CM	6430,1668 litre	25,232 %	19054,4328 litre	O
480	CM	130	CM	77 LEVEL CM	6315,9968 litre	24,784 %	19168,6028 litre	O
480	CM	130	CM	76 LEVEL CM	6202,2555 litre	24,337 %	19282,3441 litre	O
480	CM	130	CM	75 LEVEL CM	6088,9525 litre	23,893 %	19395,6471 litre	O
480	CM	130	CM	74 LEVEL CM	5976,0978 litre	23,450 %	19508,5018 litre	O
480	CM	130	CM	73 LEVEL CM	5863,7013 litre	23,009 %	19620,8983 litre	O
480	CM	130	CM	72 LEVEL CM	5751,7732 litre	22,570 %	19732,8264 litre	O
480	CM	130	CM	71 LEVEL CM	5640,3236 litre	22,132 %	19844,2760 litre	O
480	CM	130	CM	70 LEVEL CM	5529,3631 litre	21,697 %	19955,2365 litre	O
480	CM	130	CM	69 LEVEL CM	5418,9020 litre	21,263 %	20065,6976 litre	O
480	CM	130	CM	68 LEVEL CM	5308,9510 litre	20,832 %	20175,6486 litre	O
480	CM	130	CM	67 LEVEL CM	5199,5209 litre	20,403 %	20285,0787 litre	O
480	CM	130	CM	66 LEVEL CM	5090,6227 litre	19,975 %	20393,9769 litre	O
480	CM	130	CM	65 LEVEL CM	4982,2675 litre	19,550 %	20502,3321 litre	O
480	CM	130	CM	64 LEVEL CM	4874,4666 litre	19,127 %	20610,1330 litre	O
480	CM	130	CM	63 LEVEL CM	4767,2313 litre	18,706 %	20717,3683 litre	O
480	CM	130	CM	62 LEVEL CM	4660,5735 litre	18,288 %	20824,0261 litre	O
480	CM	130	CM	61 LEVEL CM	4554,5049 litre	17,872 %	20930,0947 litre	O
480	CM	130	CM	60 LEVEL CM	4449,0375 litre	17,458 %	21035,5621 litre	O
480	CM	130	CM	59 LEVEL CM	4344,1835 litre	17,046 %	21140,4161 litre	O
480	CM	130	CM	58 LEVEL CM	4239,9555 litre	16,637 %	21244,6441 litre	O
480	CM	130	CM	57 LEVEL CM	4136,3661 litre	16,231 %	21348,2335 litre	O
480	CM	130	CM	56 LEVEL CM	4033,4282 litre	15,827 %	21451,1714 litre	O
480	CM	130	CM	55 LEVEL CM	3931,1549 litre	15,426 %	21553,4447 litre	O
480	CM	130	CM	54 LEVEL CM	3829,5598 litre	15,027 %	21655,0398 litre	O
480	CM	130	CM	53 LEVEL CM	3728,6564 litre	14,631 %	21755,9432 litre	O
480	CM	130	CM	52 LEVEL CM	3628,4588 litre	14,238 %	21856,1408 litre	O
480	CM	130	CM	51 LEVEL CM	3528,9812 litre	13,848 %	21955,6184 litre	O
480	CM	130	CM	50 LEVEL CM	3430,2383 litre	13,460 %	22054,3613 litre	O

480	CM	130	CM	49 LEVEL CM	3332,2448 litre	13,076 %	22152,3548 litre	O
480	CM	130	CM	48 LEVEL CM	3235,0161 litre	12,694 %	22249,5835 litre	O
480	CM	130	CM	47 LEVEL CM	3138,5678 litre	12,316 %	22346,0318 litre	O
480	CM	130	CM	46 LEVEL CM	3042,9159 litre	11,940 %	22441,6837 litre	O
480	CM	130	CM	45 LEVEL CM	2948,0769 litre	11,568 %	22536,5227 litre	O
480	CM	130	CM	44 LEVEL CM	2854,0674 litre	11,199 %	22630,5322 litre	O
480	CM	130	CM	43 LEVEL CM	2760,9049 litre	10,834 %	22723,6947 litre	O
480	CM	130	CM	42 LEVEL CM	2668,6070 litre	10,471 %	22815,9926 litre	O
480	CM	130	CM	41 LEVEL CM	2577,1920 litre	10,113 %	22907,4076 litre	O
480	CM	130	CM	40 LEVEL CM	2486,6788 litre	9,758 %	22997,9208 litre	O
480	CM	130	CM	39 LEVEL CM	2397,0866 litre	9,406 %	23087,5130 litre	O
480	CM	130	CM	38 LEVEL CM	2308,4355 litre	9,058 %	23176,1641 litre	O
480	CM	130	CM	37 LEVEL CM	2220,7460 litre	8,714 %	23263,8536 litre	O
480	CM	130	CM	36 LEVEL CM	2134,0395 litre	8,374 %	23350,5601 litre	O
480	CM	130	CM	35 LEVEL CM	2048,3379 litre	8,038 %	23436,2617 litre	O
480	CM	130	CM	34 LEVEL CM	1963,6641 litre	7,705 %	23520,9355 litre	O
480	CM	130	CM	33 LEVEL CM	1880,0417 litre	7,377 %	23604,5579 litre	O
480	CM	130	CM	32 LEVEL CM	1797,4954 litre	7,053 %	23687,1042 litre	O
480	CM	130	CM	31 LEVEL CM	1716,0505 litre	6,734 %	23768,5491 litre	O
480	CM	130	CM	30 LEVEL CM	1635,7337 litre	6,419 %	23848,8659 litre	O
480	CM	130	CM	29 LEVEL CM	1556,5727 litre	6,108 %	23928,0269 litre	O
480	CM	130	CM	28 LEVEL CM	1478,5965 litre	5,802 %	24006,0031 litre	O
480	CM	130	CM	27 LEVEL CM	1401,8354 litre	5,501 %	24082,7642 litre	O
480	CM	130	CM	26 LEVEL CM	1326,3210 litre	5,204 %	24158,2786 litre	O
480	CM	130	CM	25 LEVEL CM	1252,0868 litre	4,913 %	24232,5128 litre	O
480	CM	130	CM	24 LEVEL CM	1179,1678 litre	4,627 %	24305,4318 litre	O
480	CM	130	CM	23 LEVEL CM	1107,6011 litre	4,346 %	24376,9985 litre	O
480	CM	130	CM	22 LEVEL CM	1037,4259 litre	4,071 %	24447,1737 litre	O
480	CM	130	CM	21 LEVEL CM	968,6838 litre	3,801 %	24515,9158 litre	O
480	CM	130	CM	20 LEVEL CM	901,4189 litre	3,537 %	24583,1807 litre	O
480	CM	130	CM	19 LEVEL CM	835,6786 litre	3,279 %	24648,9210 litre	O
480	CM	130	CM	18 LEVEL CM	771,5132 litre	3,027 %	24713,0864 litre	O
480	CM	130	CM	17 LEVEL CM	708,9774 litre	2,782 %	24775,6222 litre	O
480	CM	130	CM	16 LEVEL CM	648,1297 litre	2,543 %	24836,4699 litre	O
480	CM	130	CM	15 LEVEL CM	589,0341 litre	2,311 %	24895,5655 litre	O
480	CM	130	CM	14 LEVEL CM	531,7602 litre	2,087 %	24952,8394 litre	O
480	CM	130	CM	13 LEVEL CM	476,3846 litre	1,869 %	25008,2150 litre	O
480	CM	130	CM	12 LEVEL CM	422,9919 litre	1,660 %	25061,6077 litre	O
480	CM	130	CM	11 LEVEL CM	371,6767 litre	1,458 %	25112,9229 litre	O
480	CM	130	CM	10 LEVEL CM	322,5456 litre	1,266 %	25162,0540 litre	O
480	CM	130	CM	9 LEVEL CM	275,7200 litre	1,082 %	25208,8796 litre	O
480	CM	130	CM	8 LEVEL CM	231,3405 litre	0,908 %	25253,2591 litre	O
480	CM	130	CM	7 LEVEL CM	189,5721 litre	0,744 %	25295,0275 litre	O
480	CM	130	CM	6 LEVEL CM	150,6135 litre	0,591 %	25333,9861 litre	O
480	CM	130	CM	5 LEVEL CM	114,7097 litre	0,450 %	25369,8899 litre	O
480	CM	130	CM	4 LEVEL CM	82,1754 litre	0,322 %	25402,4242 litre	O
480	CM	130	CM	3 LEVEL CM	53,4367 litre	0,210 %	25431,1629 litre	O
480	CM	130	CM	2 LEVEL CM	29,1210 litre	0,114 %	25455,4786 litre	O
480	CM	130	CM	1 LEVEL CM	10,3078 litre	0,040 %	25474,2918 litre	O
480	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	25484,5996 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM	125	CM 250 LEVEL CM	23561,9449 litre	100,000 %	0,0000 litre	O
480	CM	125	CM 249 LEVEL CM	23551,8378 litre	99,957 %	10,1071 litre	O
480	CM	125	CM 248 LEVEL CM	23533,3920 litre	99,879 %	28,5529 litre	O
480	CM	125	CM 247 LEVEL CM	23509,5532 litre	99,778 %	52,3917 litre	O
480	CM	125	CM 246 LEVEL CM	23481,3803 litre	99,658 %	80,5646 litre	O
480	CM	125	CM 245 LEVEL CM	23449,4891 litre	99,523 %	112,4558 litre	O
480	CM	125	CM 244 LEVEL CM	23414,2978 litre	99,373 %	147,6471 litre	O
480	CM	125	CM 243 LEVEL CM	23376,1153 litre	99,211 %	185,8296 litre	O
480	CM	125	CM 242 LEVEL CM	23335,1824 litre	99,038 %	226,7625 litre	O
480	CM	125	CM 241 LEVEL CM	23291,6941 litre	98,853 %	270,2508 litre	O
480	CM	125	CM 240 LEVEL CM	23245,8128 litre	98,658 %	316,1321 litre	O
480	CM	125	CM 239 LEVEL CM	23197,6763 litre	98,454 %	364,2686 litre	O
480	CM	125	CM 238 LEVEL CM	23147,4043 litre	98,241 %	414,5406 litre	O
480	CM	125	CM 237 LEVEL CM	23095,1013 litre	98,019 %	466,8436 litre	O
480	CM	125	CM 236 LEVEL CM	23040,8606 litre	97,788 %	521,0843 litre	O
480	CM	125	CM 235 LEVEL CM	22984,7653 litre	97,550 %	577,1796 litre	O
480	CM	125	CM 234 LEVEL CM	22926,8908 litre	97,305 %	635,0541 litre	O
480	CM	125	CM 233 LEVEL CM	22867,3057 litre	97,052 %	694,6392 litre	O
480	CM	125	CM 232 LEVEL CM	22806,0728 litre	96,792 %	755,8721 litre	O
480	CM	125	CM 231 LEVEL CM	22743,2500 litre	96,525 %	818,6949 litre	O
480	CM	125	CM 230 LEVEL CM	22678,8909 litre	96,252 %	883,0540 litre	O
480	CM	125	CM 229 LEVEL CM	22613,0453 litre	95,973 %	948,8996 litre	O
480	CM	125	CM 228 LEVEL CM	22545,7598 litre	95,687 %	1016,1851 litre	O
480	CM	125	CM 227 LEVEL CM	22477,0779 litre	95,396 %	1084,8670 litre	O
480	CM	125	CM 226 LEVEL CM	22407,0406 litre	95,098 %	1154,9043 litre	O
480	CM	125	CM 225 LEVEL CM	22335,6866 litre	94,796 %	1226,2583 litre	O
480	CM	125	CM 224 LEVEL CM	22263,0524 litre	94,487 %	1298,8925 litre	O
480	CM	125	CM 223 LEVEL CM	22189,1728 litre	94,174 %	1372,7721 litre	O
480	CM	125	CM 222 LEVEL CM	22114,0805 litre	93,855 %	1447,8644 litre	O
480	CM	125	CM 221 LEVEL CM	22037,8071 litre	93,531 %	1524,1378 litre	O
480	CM	125	CM 220 LEVEL CM	21960,3823 litre	93,203 %	1601,5626 litre	O
480	CM	125	CM 219 LEVEL CM	21881,8349 litre	92,869 %	1680,1100 litre	O
480	CM	125	CM 218 LEVEL CM	21802,1921 litre	92,531 %	1759,7528 litre	O
480	CM	125	CM 217 LEVEL CM	21721,4803 litre	92,189 %	1840,4646 litre	O
480	CM	125	CM 216 LEVEL CM	21639,7248 litre	91,842 %	1922,2201 litre	O
480	CM	125	CM 215 LEVEL CM	21556,9498 litre	91,491 %	2004,9951 litre	O
480	CM	125	CM 214 LEVEL CM	21473,1787 litre	91,135 %	2088,7662 litre	O
480	CM	125	CM 213 LEVEL CM	21388,4341 litre	90,775 %	2173,5108 litre	O
480	CM	125	CM 212 LEVEL CM	21302,7378 litre	90,412 %	2259,2071 litre	O
480	CM	125	CM 211 LEVEL CM	21216,1110 litre	90,044 %	2345,8339 litre	O
480	CM	125	CM 210 LEVEL CM	21128,5740 litre	89,672 %	2433,3709 litre	O
480	CM	125	CM 209 LEVEL CM	21040,1466 litre	89,297 %	2521,7983 litre	O
480	CM	125	CM 208 LEVEL CM	20950,8480 litre	88,918 %	2611,0969 litre	O
480	CM	125	CM 207 LEVEL CM	20860,6969 litre	88,536 %	2701,2480 litre	O
480	CM	125	CM 206 LEVEL CM	20769,7113 litre	88,149 %	2792,2336 litre	O
480	CM	125	CM 205 LEVEL CM	20677,9090 litre	87,760 %	2884,0359 litre	O
480	CM	125	CM 204 LEVEL CM	20585,3070 litre	87,367 %	2976,6379 litre	O
480	CM	125	CM 203 LEVEL CM	20491,9221 litre	86,970 %	3070,0228 litre	O
480	CM	125	CM 202 LEVEL CM	20397,7705 litre	86,571 %	3164,1744 litre	O
480	CM	125	CM 201 LEVEL CM	20302,8683 litre	86,168 %	3259,0766 litre	O
480	CM	125	CM 200 LEVEL CM	20207,2308 litre	85,762 %	3354,7141 litre	O
480	CM	125	CM 199 LEVEL CM	20110,8733 litre	85,353 %	3451,0716 litre	O

480	CM	125	CM	198 LEVEL CM	20013,8105 litre	84,941 %	3548,1344 litre	O
480	CM	125	CM	197 LEVEL CM	19916,0572 litre	84,526 %	3645,8877 litre	O
480	CM	125	CM	196 LEVEL CM	19817,6273 litre	84,109 %	3744,3176 litre	O
480	CM	125	CM	195 LEVEL CM	19718,5349 litre	83,688 %	3843,4100 litre	O
480	CM	125	CM	194 LEVEL CM	19618,7936 litre	83,265 %	3943,1513 litre	O
480	CM	125	CM	193 LEVEL CM	19518,4167 litre	82,839 %	4043,5282 litre	O
480	CM	125	CM	192 LEVEL CM	19417,4175 litre	82,410 %	4144,5274 litre	O
480	CM	125	CM	191 LEVEL CM	19315,8087 litre	81,979 %	4246,1362 litre	O
480	CM	125	CM	190 LEVEL CM	19213,6030 litre	81,545 %	4348,3419 litre	O
480	CM	125	CM	189 LEVEL CM	19110,8129 litre	81,109 %	4451,1320 litre	O
480	CM	125	CM	188 LEVEL CM	19007,4505 litre	80,670 %	4554,4944 litre	O
480	CM	125	CM	187 LEVEL CM	18903,5280 litre	80,229 %	4658,4169 litre	O
480	CM	125	CM	186 LEVEL CM	18799,0570 litre	79,786 %	4762,8879 litre	O
480	CM	125	CM	185 LEVEL CM	18694,0494 litre	79,340 %	4867,8955 litre	O
480	CM	125	CM	184 LEVEL CM	18588,5164 litre	78,892 %	4973,4285 litre	O
480	CM	125	CM	183 LEVEL CM	18482,4694 litre	78,442 %	5079,4755 litre	O
480	CM	125	CM	182 LEVEL CM	18375,9196 litre	77,990 %	5186,0253 litre	O
480	CM	125	CM	181 LEVEL CM	18268,8779 litre	77,536 %	5293,0670 litre	O
480	CM	125	CM	180 LEVEL CM	18161,3552 litre	77,079 %	5400,5897 litre	O
480	CM	125	CM	179 LEVEL CM	18053,3620 litre	76,621 %	5508,5829 litre	O
480	CM	125	CM	178 LEVEL CM	17944,9090 litre	76,161 %	5617,0359 litre	O
480	CM	125	CM	177 LEVEL CM	17836,0065 litre	75,698 %	5725,9384 litre	O
480	CM	125	CM	176 LEVEL CM	17726,6649 litre	75,234 %	5835,2800 litre	O
480	CM	125	CM	175 LEVEL CM	17616,8942 litre	74,768 %	5945,0507 litre	O
480	CM	125	CM	174 LEVEL CM	17506,7046 litre	74,301 %	6055,2403 litre	O
480	CM	125	CM	173 LEVEL CM	17396,1058 litre	73,831 %	6165,8391 litre	O
480	CM	125	CM	172 LEVEL CM	17285,1079 litre	73,360 %	6276,8370 litre	O
480	CM	125	CM	171 LEVEL CM	17173,7203 litre	72,888 %	6388,2246 litre	O
480	CM	125	CM	170 LEVEL CM	17061,9529 litre	72,413 %	6499,9920 litre	O
480	CM	125	CM	169 LEVEL CM	16949,8149 litre	71,937 %	6612,1300 litre	O
480	CM	125	CM	168 LEVEL CM	16837,3160 litre	71,460 %	6724,6289 litre	O
480	CM	125	CM	167 LEVEL CM	16724,4653 litre	70,981 %	6837,4796 litre	O
480	CM	125	CM	166 LEVEL CM	16611,2722 litre	70,500 %	6950,6727 litre	O
480	CM	125	CM	165 LEVEL CM	16497,7457 litre	70,019 %	7064,1992 litre	O
480	CM	125	CM	164 LEVEL CM	16383,8950 litre	69,535 %	7178,0499 litre	O
480	CM	125	CM	163 LEVEL CM	16269,7290 litre	69,051 %	7292,2159 litre	O
480	CM	125	CM	162 LEVEL CM	16155,2567 litre	68,565 %	7406,6882 litre	O
480	CM	125	CM	161 LEVEL CM	16040,4868 litre	68,078 %	7521,4581 litre	O
480	CM	125	CM	160 LEVEL CM	15925,4283 litre	67,590 %	7636,5166 litre	O
480	CM	125	CM	159 LEVEL CM	15810,0897 litre	67,100 %	7751,8552 litre	O
480	CM	125	CM	158 LEVEL CM	15694,4798 litre	66,609 %	7867,4651 litre	O
480	CM	125	CM	157 LEVEL CM	15578,6071 litre	66,118 %	7983,3378 litre	O
480	CM	125	CM	156 LEVEL CM	15462,4802 litre	65,625 %	8099,4647 litre	O
480	CM	125	CM	155 LEVEL CM	15346,1075 litre	65,131 %	8215,8374 litre	O
480	CM	125	CM	154 LEVEL CM	15229,4975 litre	64,636 %	8332,4474 litre	O
480	CM	125	CM	153 LEVEL CM	15112,6585 litre	64,140 %	8449,2864 litre	O
480	CM	125	CM	152 LEVEL CM	14995,5989 litre	63,643 %	8566,3460 litre	O
480	CM	125	CM	151 LEVEL CM	14878,3269 litre	63,146 %	8683,6180 litre	O
480	CM	125	CM	150 LEVEL CM	14760,8507 litre	62,647 %	8801,0942 litre	O
480	CM	125	CM	149 LEVEL CM	14643,1786 litre	62,148 %	8918,7663 litre	O
480	CM	125	CM	148 LEVEL CM	14525,3186 litre	61,647 %	9036,6263 litre	O
480	CM	125	CM	147 LEVEL CM	14407,2790 litre	61,146 %	9154,6659 litre	O
480	CM	125	CM	146 LEVEL CM	14289,0677 litre	60,645 %	9272,8772 litre	O

480	CM	125	CM	145 LEVEL CM	14170,6928 litre	60,142 %	9391,2521 litre	O
480	CM	125	CM	144 LEVEL CM	14052,1623 litre	59,639 %	9509,7826 litre	O
480	CM	125	CM	143 LEVEL CM	13933,4841 litre	59,136 %	9628,4608 litre	O
480	CM	125	CM	142 LEVEL CM	13814,6662 litre	58,631 %	9747,2787 litre	O
480	CM	125	CM	141 LEVEL CM	13695,7166 litre	58,126 %	9866,2283 litre	O
480	CM	125	CM	140 LEVEL CM	13576,6431 litre	57,621 %	9985,3018 litre	O
480	CM	125	CM	139 LEVEL CM	13457,4535 litre	57,115 %	10104,4914 litre	O
480	CM	125	CM	138 LEVEL CM	13338,1557 litre	56,609 %	10223,7892 litre	O
480	CM	125	CM	137 LEVEL CM	13218,7575 litre	56,102 %	10343,1874 litre	O
480	CM	125	CM	136 LEVEL CM	13099,2668 litre	55,595 %	10462,6781 litre	O
480	CM	125	CM	135 LEVEL CM	12979,6912 litre	55,088 %	10582,2537 litre	O
480	CM	125	CM	134 LEVEL CM	12860,0386 litre	54,580 %	10701,9063 litre	O
480	CM	125	CM	133 LEVEL CM	12740,3167 litre	54,072 %	10821,6282 litre	O
480	CM	125	CM	132 LEVEL CM	12620,5332 litre	53,563 %	10941,4117 litre	O
480	CM	125	CM	131 LEVEL CM	12500,6959 litre	53,055 %	11061,2490 litre	O
480	CM	125	CM	130 LEVEL CM	12380,8124 litre	52,546 %	11181,1325 litre	O
480	CM	125	CM	129 LEVEL CM	12260,8905 litre	52,037 %	11301,0544 litre	O
480	CM	125	CM	128 LEVEL CM	12140,9379 litre	51,528 %	11421,0070 litre	O
480	CM	125	CM	127 LEVEL CM	12020,9622 litre	51,019 %	11540,9827 litre	O
480	CM	125	CM	126 LEVEL CM	11900,9712 litre	50,509 %	11660,9737 litre	O
480	CM	125	CM	125 LEVEL CM	11780,9725 litre	50,000 %	11780,9724 litre	O
480	CM	125	CM	124 LEVEL CM	11660,9737 litre	49,491 %	11900,9712 litre	O
480	CM	125	CM	123 LEVEL CM	11540,9827 litre	48,981 %	12020,9622 litre	O
480	CM	125	CM	122 LEVEL CM	11421,0070 litre	48,472 %	12140,9379 litre	O
480	CM	125	CM	121 LEVEL CM	11301,0544 litre	47,963 %	12260,8905 litre	O
480	CM	125	CM	120 LEVEL CM	11181,1325 litre	47,454 %	12380,8124 litre	O
480	CM	125	CM	119 LEVEL CM	11061,2490 litre	46,945 %	12500,6959 litre	O
480	CM	125	CM	118 LEVEL CM	10941,4117 litre	46,437 %	12620,5332 litre	O
480	CM	125	CM	117 LEVEL CM	10821,6282 litre	45,928 %	12740,3167 litre	O
480	CM	125	CM	116 LEVEL CM	10701,9063 litre	45,420 %	12860,0386 litre	O
480	CM	125	CM	115 LEVEL CM	10582,2537 litre	44,912 %	12979,6912 litre	O
480	CM	125	CM	114 LEVEL CM	10462,6781 litre	44,405 %	13099,2668 litre	O
480	CM	125	CM	113 LEVEL CM	10343,1874 litre	43,898 %	13218,7575 litre	O
480	CM	125	CM	112 LEVEL CM	10223,7892 litre	43,391 %	13338,1557 litre	O
480	CM	125	CM	111 LEVEL CM	10104,4914 litre	42,885 %	13457,4535 litre	O
480	CM	125	CM	110 LEVEL CM	9985,3018 litre	42,379 %	13576,6431 litre	O
480	CM	125	CM	109 LEVEL CM	9866,2283 litre	41,874 %	13695,7166 litre	O
480	CM	125	CM	108 LEVEL CM	9747,2787 litre	41,369 %	13814,6662 litre	O
480	CM	125	CM	107 LEVEL CM	9628,4608 litre	40,864 %	13933,4841 litre	O
480	CM	125	CM	106 LEVEL CM	9509,7827 litre	40,361 %	14052,1622 litre	O
480	CM	125	CM	105 LEVEL CM	9391,2521 litre	39,858 %	14170,6928 litre	O
480	CM	125	CM	104 LEVEL CM	9272,8772 litre	39,355 %	14289,0677 litre	O
480	CM	125	CM	103 LEVEL CM	9154,6659 litre	38,854 %	14407,2790 litre	O
480	CM	125	CM	102 LEVEL CM	9036,6263 litre	38,353 %	14525,3186 litre	O
480	CM	125	CM	101 LEVEL CM	8918,7663 litre	37,852 %	14643,1786 litre	O
480	CM	125	CM	100 LEVEL CM	8801,0942 litre	37,353 %	14760,8507 litre	O
480	CM	125	CM	99 LEVEL CM	8683,6180 litre	36,854 %	14878,3269 litre	O
480	CM	125	CM	98 LEVEL CM	8566,3460 litre	36,357 %	14995,5989 litre	O
480	CM	125	CM	97 LEVEL CM	8449,2864 litre	35,860 %	15112,6585 litre	O
480	CM	125	CM	96 LEVEL CM	8332,4474 litre	35,364 %	15229,4975 litre	O
480	CM	125	CM	95 LEVEL CM	8215,8374 litre	34,869 %	15346,1075 litre	O
480	CM	125	CM	94 LEVEL CM	8099,4647 litre	34,375 %	15462,4802 litre	O
480	CM	125	CM	93 LEVEL CM	7983,3378 litre	33,882 %	15578,6071 litre	O

480	CM	125	CM	92 LEVEL CM	7867,4651 litre	33,391 %	15694,4798 litre	O
480	CM	125	CM	91 LEVEL CM	7751,8552 litre	32,900 %	15810,0897 litre	O
480	CM	125	CM	90 LEVEL CM	7636,5166 litre	32,410 %	15925,4283 litre	O
480	CM	125	CM	89 LEVEL CM	7521,4581 litre	31,922 %	16040,4868 litre	O
480	CM	125	CM	88 LEVEL CM	7406,6882 litre	31,435 %	16155,2567 litre	O
480	CM	125	CM	87 LEVEL CM	7292,2159 litre	30,949 %	16269,7290 litre	O
480	CM	125	CM	86 LEVEL CM	7178,0499 litre	30,465 %	16383,8950 litre	O
480	CM	125	CM	85 LEVEL CM	7064,1992 litre	29,981 %	16497,7457 litre	O
480	CM	125	CM	84 LEVEL CM	6950,6727 litre	29,500 %	16611,2722 litre	O
480	CM	125	CM	83 LEVEL CM	6837,4796 litre	29,019 %	16724,4653 litre	O
480	CM	125	CM	82 LEVEL CM	6724,6289 litre	28,540 %	16837,3160 litre	O
480	CM	125	CM	81 LEVEL CM	6612,1300 litre	28,063 %	16949,8149 litre	O
480	CM	125	CM	80 LEVEL CM	6499,9920 litre	27,587 %	17061,9529 litre	O
480	CM	125	CM	79 LEVEL CM	6388,2246 litre	27,112 %	17173,7203 litre	O
480	CM	125	CM	78 LEVEL CM	6276,8370 litre	26,640 %	17285,1079 litre	O
480	CM	125	CM	77 LEVEL CM	6165,8391 litre	26,169 %	17396,1058 litre	O
480	CM	125	CM	76 LEVEL CM	6055,2403 litre	25,699 %	17506,7046 litre	O
480	CM	125	CM	75 LEVEL CM	5945,0507 litre	25,232 %	17616,8942 litre	O
480	CM	125	CM	74 LEVEL CM	5835,2800 litre	24,766 %	17726,6649 litre	O
480	CM	125	CM	73 LEVEL CM	5725,9384 litre	24,302 %	17836,0065 litre	O
480	CM	125	CM	72 LEVEL CM	5617,0359 litre	23,839 %	17944,9090 litre	O
480	CM	125	CM	71 LEVEL CM	5508,5829 litre	23,379 %	18053,3620 litre	O
480	CM	125	CM	70 LEVEL CM	5400,5898 litre	22,921 %	18161,3551 litre	O
480	CM	125	CM	69 LEVEL CM	5293,0670 litre	22,464 %	18268,8779 litre	O
480	CM	125	CM	68 LEVEL CM	5186,0253 litre	22,010 %	18375,9196 litre	O
480	CM	125	CM	67 LEVEL CM	5079,4755 litre	21,558 %	18482,4694 litre	O
480	CM	125	CM	66 LEVEL CM	4973,4285 litre	21,108 %	18588,5164 litre	O
480	CM	125	CM	65 LEVEL CM	4867,8956 litre	20,660 %	18694,0493 litre	O
480	CM	125	CM	64 LEVEL CM	4762,8879 litre	20,214 %	18799,0570 litre	O
480	CM	125	CM	63 LEVEL CM	4658,4169 litre	19,771 %	18903,5280 litre	O
480	CM	125	CM	62 LEVEL CM	4554,4944 litre	19,330 %	19007,4505 litre	O
480	CM	125	CM	61 LEVEL CM	4451,1320 litre	18,891 %	19110,8129 litre	O
480	CM	125	CM	60 LEVEL CM	4348,3419 litre	18,455 %	19213,6030 litre	O
480	CM	125	CM	59 LEVEL CM	4246,1362 litre	18,021 %	19315,8087 litre	O
480	CM	125	CM	58 LEVEL CM	4144,5274 litre	17,590 %	19417,4175 litre	O
480	CM	125	CM	57 LEVEL CM	4043,5282 litre	17,161 %	19518,4167 litre	O
480	CM	125	CM	56 LEVEL CM	3943,1513 litre	16,735 %	19618,7936 litre	O
480	CM	125	CM	55 LEVEL CM	3843,4100 litre	16,312 %	19718,5349 litre	O
480	CM	125	CM	54 LEVEL CM	3744,3176 litre	15,891 %	19817,6273 litre	O
480	CM	125	CM	53 LEVEL CM	3645,8877 litre	15,474 %	19916,0572 litre	O
480	CM	125	CM	52 LEVEL CM	3548,1344 litre	15,059 %	20013,8105 litre	O
480	CM	125	CM	51 LEVEL CM	3451,0716 litre	14,647 %	20110,8733 litre	O
480	CM	125	CM	50 LEVEL CM	3354,7141 litre	14,238 %	20207,2308 litre	O
480	CM	125	CM	49 LEVEL CM	3259,0766 litre	13,832 %	20302,8683 litre	O
480	CM	125	CM	48 LEVEL CM	3164,1744 litre	13,429 %	20397,7705 litre	O
480	CM	125	CM	47 LEVEL CM	3070,0228 litre	13,030 %	20491,9221 litre	O
480	CM	125	CM	46 LEVEL CM	2976,6379 litre	12,633 %	20585,3070 litre	O
480	CM	125	CM	45 LEVEL CM	2884,0359 litre	12,240 %	20677,9090 litre	O
480	CM	125	CM	44 LEVEL CM	2792,2336 litre	11,851 %	20769,7113 litre	O
480	CM	125	CM	43 LEVEL CM	2701,2480 litre	11,464 %	20860,6969 litre	O
480	CM	125	CM	42 LEVEL CM	2611,0969 litre	11,082 %	20950,8480 litre	O
480	CM	125	CM	41 LEVEL CM	2521,7983 litre	10,703 %	21040,1466 litre	O
480	CM	125	CM	40 LEVEL CM	2433,3709 litre	10,328 %	21128,5740 litre	O

480	CM	125	CM	39 LEVEL CM	2345,8339 litre	9,956 %	21216,1110 litre	O
480	CM	125	CM	38 LEVEL CM	2259,2071 litre	9,588 %	21302,7378 litre	O
480	CM	125	CM	37 LEVEL CM	2173,5108 litre	9,225 %	21388,4341 litre	O
480	CM	125	CM	36 LEVEL CM	2088,7662 litre	8,865 %	21473,1787 litre	O
480	CM	125	CM	35 LEVEL CM	2004,9951 litre	8,509 %	21556,9498 litre	O
480	CM	125	CM	34 LEVEL CM	1922,2201 litre	8,158 %	21639,7248 litre	O
480	CM	125	CM	33 LEVEL CM	1840,4646 litre	7,811 %	21721,4803 litre	O
480	CM	125	CM	32 LEVEL CM	1759,7528 litre	7,469 %	21802,1921 litre	O
480	CM	125	CM	31 LEVEL CM	1680,1100 litre	7,131 %	21881,8349 litre	O
480	CM	125	CM	30 LEVEL CM	1601,5626 litre	6,797 %	21960,3823 litre	O
480	CM	125	CM	29 LEVEL CM	1524,1378 litre	6,469 %	22037,8071 litre	O
480	CM	125	CM	28 LEVEL CM	1447,8644 litre	6,145 %	22114,0805 litre	O
480	CM	125	CM	27 LEVEL CM	1372,7721 litre	5,826 %	22189,1728 litre	O
480	CM	125	CM	26 LEVEL CM	1298,8925 litre	5,513 %	22263,0524 litre	O
480	CM	125	CM	25 LEVEL CM	1226,2583 litre	5,204 %	22335,6866 litre	O
480	CM	125	CM	24 LEVEL CM	1154,9043 litre	4,902 %	22407,0406 litre	O
480	CM	125	CM	23 LEVEL CM	1084,8670 litre	4,604 %	22477,0779 litre	O
480	CM	125	CM	22 LEVEL CM	1016,1851 litre	4,313 %	22545,7598 litre	O
480	CM	125	CM	21 LEVEL CM	948,8996 litre	4,027 %	22613,0453 litre	O
480	CM	125	CM	20 LEVEL CM	883,0540 litre	3,748 %	22678,8909 litre	O
480	CM	125	CM	19 LEVEL CM	818,6949 litre	3,475 %	22743,2500 litre	O
480	CM	125	CM	18 LEVEL CM	755,8721 litre	3,208 %	22806,0728 litre	O
480	CM	125	CM	17 LEVEL CM	694,6392 litre	2,948 %	22867,3057 litre	O
480	CM	125	CM	16 LEVEL CM	635,0541 litre	2,695 %	22926,8908 litre	O
480	CM	125	CM	15 LEVEL CM	577,1796 litre	2,450 %	22984,7653 litre	O
480	CM	125	CM	14 LEVEL CM	521,0843 litre	2,212 %	23040,8606 litre	O
480	CM	125	CM	13 LEVEL CM	466,8436 litre	1,981 %	23095,1013 litre	O
480	CM	125	CM	12 LEVEL CM	414,5406 litre	1,759 %	23147,4043 litre	O
480	CM	125	CM	11 LEVEL CM	364,2686 litre	1,546 %	23197,6763 litre	O
480	CM	125	CM	10 LEVEL CM	316,1321 litre	1,342 %	23245,8128 litre	O
480	CM	125	CM	9 LEVEL CM	270,2508 litre	1,147 %	23291,6941 litre	O
480	CM	125	CM	8 LEVEL CM	226,7625 litre	0,962 %	23335,1824 litre	O
480	CM	125	CM	7 LEVEL CM	185,8296 litre	0,789 %	23376,1153 litre	O
480	CM	125	CM	6 LEVEL CM	147,6471 litre	0,627 %	23414,2978 litre	O
480	CM	125	CM	5 LEVEL CM	112,4558 litre	0,477 %	23449,4891 litre	O
480	CM	125	CM	4 LEVEL CM	80,5646 litre	0,342 %	23481,3803 litre	O
480	CM	125	CM	3 LEVEL CM	52,3917 litre	0,222 %	23509,5532 litre	O
480	CM	125	CM	2 LEVEL CM	28,5529 litre	0,121 %	23533,3920 litre	O
480	CM	125	CM	1 LEVEL CM	10,1071 litre	0,043 %	23551,8378 litre	O
480	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	23561,9449 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM 120	CM 240 LEVEL CM	21714,6884 litre	100,000 %	0,0000 litre	O
480	CM 120	CM 239 LEVEL CM	21704,7860 litre	99,954 %	9,9024 litre	O
480	CM 120	CM 238 LEVEL CM	21686,7152 litre	99,871 %	27,9732 litre	O
480	CM 120	CM 237 LEVEL CM	21663,3630 litre	99,764 %	51,3254 litre	O
480	CM 120	CM 236 LEVEL CM	21635,7675 litre	99,637 %	78,9209 litre	O
480	CM 120	CM 235 LEVEL CM	21604,5326 litre	99,493 %	110,1558 litre	O
480	CM 120	CM 234 LEVEL CM	21570,0685 litre	99,334 %	144,6199 litre	O
480	CM 120	CM 233 LEVEL CM	21532,6783 litre	99,162 %	182,0101 litre	O
480	CM 120	CM 232 LEVEL CM	21492,5983 litre	98,977 %	222,0901 litre	O
480	CM 120	CM 231 LEVEL CM	21450,0199 litre	98,781 %	264,6685 litre	O
480	CM 120	CM 230 LEVEL CM	21405,1026 litre	98,574 %	309,5858 litre	O
480	CM 120	CM 229 LEVEL CM	21357,9818 litre	98,357 %	356,7066 litre	O
480	CM 120	CM 228 LEVEL CM	21308,7750 litre	98,131 %	405,9134 litre	O
480	CM 120	CM 227 LEVEL CM	21257,5850 litre	97,895 %	457,1034 litre	O
480	CM 120	CM 226 LEVEL CM	21204,5034 litre	97,651 %	510,1850 litre	O
480	CM 120	CM 225 LEVEL CM	21149,6120 litre	97,398 %	565,0764 litre	O
480	CM 120	CM 224 LEVEL CM	21092,9850 litre	97,137 %	621,7034 litre	O
480	CM 120	CM 223 LEVEL CM	21034,6898 litre	96,868 %	679,9986 litre	O
480	CM 120	CM 222 LEVEL CM	20974,7882 litre	96,593 %	739,9002 litre	O
480	CM 120	CM 221 LEVEL CM	20913,3373 litre	96,310 %	801,3511 litre	O
480	CM 120	CM 220 LEVEL CM	20850,3897 litre	96,020 %	864,2987 litre	O
480	CM 120	CM 219 LEVEL CM	20785,9947 litre	95,723 %	928,6937 litre	O
480	CM 120	CM 218 LEVEL CM	20720,1979 litre	95,420 %	994,4905 litre	O
480	CM 120	CM 217 LEVEL CM	20653,0425 litre	95,111 %	1061,6459 litre	O
480	CM 120	CM 216 LEVEL CM	20584,5688 litre	94,796 %	1130,1196 litre	O
480	CM 120	CM 215 LEVEL CM	20514,8148 litre	94,474 %	1199,8736 litre	O
480	CM 120	CM 214 LEVEL CM	20443,8168 litre	94,147 %	1270,8716 litre	O
480	CM 120	CM 213 LEVEL CM	20371,6089 litre	93,815 %	1343,0795 litre	O
480	CM 120	CM 212 LEVEL CM	20298,2235 litre	93,477 %	1416,4649 litre	O
480	CM 120	CM 211 LEVEL CM	20223,6917 litre	93,134 %	1490,9967 litre	O
480	CM 120	CM 210 LEVEL CM	20148,0430 litre	92,785 %	1566,6454 litre	O
480	CM 120	CM 209 LEVEL CM	20071,3057 litre	92,432 %	1643,3827 litre	O
480	CM 120	CM 208 LEVEL CM	19993,5067 litre	92,074 %	1721,1817 litre	O
480	CM 120	CM 207 LEVEL CM	19914,6723 litre	91,711 %	1800,0161 litre	O
480	CM 120	CM 206 LEVEL CM	19834,8272 litre	91,343 %	1879,8612 litre	O
480	CM 120	CM 205 LEVEL CM	19753,9955 litre	90,971 %	1960,6929 litre	O
480	CM 120	CM 204 LEVEL CM	19672,2004 litre	90,594 %	2042,4880 litre	O
480	CM 120	CM 203 LEVEL CM	19589,4643 litre	90,213 %	2125,2241 litre	O
480	CM 120	CM 202 LEVEL CM	19505,8087 litre	89,828 %	2208,8797 litre	O
480	CM 120	CM 201 LEVEL CM	19421,2546 litre	89,438 %	2293,4338 litre	O
480	CM 120	CM 200 LEVEL CM	19335,8222 litre	89,045 %	2378,8662 litre	O
480	CM 120	CM 199 LEVEL CM	19249,5310 litre	88,648 %	2465,1574 litre	O
480	CM 120	CM 198 LEVEL CM	19162,4002 litre	88,246 %	2552,2882 litre	O
480	CM 120	CM 197 LEVEL CM	19074,4483 litre	87,841 %	2640,2401 litre	O
480	CM 120	CM 196 LEVEL CM	18985,6931 litre	87,432 %	2728,9953 litre	O
480	CM 120	CM 195 LEVEL CM	18896,1523 litre	87,020 %	2818,5361 litre	O
480	CM 120	CM 194 LEVEL CM	18805,8428 litre	86,604 %	2908,8456 litre	O
480	CM 120	CM 193 LEVEL CM	18714,7813 litre	86,185 %	2999,9071 litre	O
480	CM 120	CM 192 LEVEL CM	18622,9839 litre	85,762 %	3091,7045 litre	O
480	CM 120	CM 191 LEVEL CM	18530,4665 litre	85,336 %	3184,2219 litre	O
480	CM 120	CM 190 LEVEL CM	18437,2445 litre	84,907 %	3277,4439 litre	O
480	CM 120	CM 189 LEVEL CM	18343,3330 litre	84,474 %	3371,3554 litre	O

480	CM	120	CM	188 LEVEL CM	18248,7468 litre	84,039 %	3465,9416 litre	O
480	CM	120	CM	187 LEVEL CM	18153,5003 litre	83,600 %	3561,1881 litre	O
480	CM	120	CM	186 LEVEL CM	18057,6078 litre	83,158 %	3657,0806 litre	O
480	CM	120	CM	185 LEVEL CM	17961,0830 litre	82,714 %	3753,6054 litre	O
480	CM	120	CM	184 LEVEL CM	17863,9395 litre	82,267 %	3850,7489 litre	O
480	CM	120	CM	183 LEVEL CM	17766,1908 litre	81,816 %	3948,4976 litre	O
480	CM	120	CM	182 LEVEL CM	17667,8499 litre	81,364 %	4046,8385 litre	O
480	CM	120	CM	181 LEVEL CM	17568,9297 litre	80,908 %	4145,7587 litre	O
480	CM	120	CM	180 LEVEL CM	17469,4427 litre	80,450 %	4245,2457 litre	O
480	CM	120	CM	179 LEVEL CM	17369,4015 litre	79,989 %	4345,2869 litre	O
480	CM	120	CM	178 LEVEL CM	17268,8183 litre	79,526 %	4445,8701 litre	O
480	CM	120	CM	177 LEVEL CM	17167,7050 litre	79,060 %	4546,9834 litre	O
480	CM	120	CM	176 LEVEL CM	17066,0735 litre	78,592 %	4648,6149 litre	O
480	CM	120	CM	175 LEVEL CM	16963,9354 litre	78,122 %	4750,7530 litre	O
480	CM	120	CM	174 LEVEL CM	16861,3023 litre	77,649 %	4853,3861 litre	O
480	CM	120	CM	173 LEVEL CM	16758,1854 litre	77,174 %	4956,5030 litre	O
480	CM	120	CM	172 LEVEL CM	16654,5959 litre	76,697 %	5060,0925 litre	O
480	CM	120	CM	171 LEVEL CM	16550,5447 litre	76,218 %	5164,1437 litre	O
480	CM	120	CM	170 LEVEL CM	16446,0429 litre	75,737 %	5268,6455 litre	O
480	CM	120	CM	169 LEVEL CM	16341,1010 litre	75,254 %	5373,5874 litre	O
480	CM	120	CM	168 LEVEL CM	16235,7297 litre	74,768 %	5478,9587 litre	O
480	CM	120	CM	167 LEVEL CM	16129,9394 litre	74,281 %	5584,7490 litre	O
480	CM	120	CM	166 LEVEL CM	16023,7404 litre	73,792 %	5690,9480 litre	O
480	CM	120	CM	165 LEVEL CM	15917,1430 litre	73,301 %	5797,5454 litre	O
480	CM	120	CM	164 LEVEL CM	15810,1573 litre	72,809 %	5904,5311 litre	O
480	CM	120	CM	163 LEVEL CM	15702,7931 litre	72,314 %	6011,8953 litre	O
480	CM	120	CM	162 LEVEL CM	15595,0606 litre	71,818 %	6119,6278 litre	O
480	CM	120	CM	161 LEVEL CM	15486,9693 litre	71,320 %	6227,7191 litre	O
480	CM	120	CM	160 LEVEL CM	15378,5290 litre	70,821 %	6336,1594 litre	O
480	CM	120	CM	159 LEVEL CM	15269,7492 litre	70,320 %	6444,9392 litre	O
480	CM	120	CM	158 LEVEL CM	15160,6396 litre	69,817 %	6554,0488 litre	O
480	CM	120	CM	157 LEVEL CM	15051,2095 litre	69,313 %	6663,4789 litre	O
480	CM	120	CM	156 LEVEL CM	14941,4682 litre	68,808 %	6773,2202 litre	O
480	CM	120	CM	155 LEVEL CM	14831,4249 litre	68,301 %	6883,2635 litre	O
480	CM	120	CM	154 LEVEL CM	14721,0890 litre	67,793 %	6993,5994 litre	O
480	CM	120	CM	153 LEVEL CM	14610,4694 litre	67,284 %	7104,2190 litre	O
480	CM	120	CM	152 LEVEL CM	14499,5752 litre	66,773 %	7215,1132 litre	O
480	CM	120	CM	151 LEVEL CM	14388,4155 litre	66,261 %	7326,2729 litre	O
480	CM	120	CM	150 LEVEL CM	14276,9989 litre	65,748 %	7437,6895 litre	O
480	CM	120	CM	149 LEVEL CM	14165,3346 litre	65,234 %	7549,3538 litre	O
480	CM	120	CM	148 LEVEL CM	14053,4311 litre	64,719 %	7661,2573 litre	O
480	CM	120	CM	147 LEVEL CM	13941,2972 litre	64,202 %	7773,3912 litre	O
480	CM	120	CM	146 LEVEL CM	13828,9417 litre	63,685 %	7885,7467 litre	O
480	CM	120	CM	145 LEVEL CM	13716,3731 litre	63,166 %	7998,3153 litre	O
480	CM	120	CM	144 LEVEL CM	13603,6000 litre	62,647 %	8111,0884 litre	O
480	CM	120	CM	143 LEVEL CM	13490,6310 litre	62,127 %	8224,0574 litre	O
480	CM	120	CM	142 LEVEL CM	13377,4744 litre	61,606 %	8337,2140 litre	O
480	CM	120	CM	141 LEVEL CM	13264,1389 litre	61,084 %	8450,5495 litre	O
480	CM	120	CM	140 LEVEL CM	13150,6327 litre	60,561 %	8564,0557 litre	O
480	CM	120	CM	139 LEVEL CM	13036,9642 litre	60,038 %	8677,7242 litre	O
480	CM	120	CM	138 LEVEL CM	12923,1418 litre	59,513 %	8791,5466 litre	O
480	CM	120	CM	137 LEVEL CM	12809,1737 litre	58,989 %	8905,5147 litre	O
480	CM	120	CM	136 LEVEL CM	12695,0682 litre	58,463 %	9019,6202 litre	O

480	CM	120	CM	135 LEVEL CM	12580,8336 litre	57,937 %	9133,8548 litre	O
480	CM	120	CM	134 LEVEL CM	12466,4780 litre	57,410 %	9248,2104 litre	O
480	CM	120	CM	133 LEVEL CM	12352,0097 litre	56,883 %	9362,6787 litre	O
480	CM	120	CM	132 LEVEL CM	12237,4367 litre	56,356 %	9477,2517 litre	O
480	CM	120	CM	131 LEVEL CM	12122,7673 litre	55,827 %	9591,9211 litre	O
480	CM	120	CM	130 LEVEL CM	12008,0095 litre	55,299 %	9706,6789 litre	O
480	CM	120	CM	129 LEVEL CM	11893,1714 litre	54,770 %	9821,5170 litre	O
480	CM	120	CM	128 LEVEL CM	11778,2611 litre	54,241 %	9936,4273 litre	O
480	CM	120	CM	127 LEVEL CM	11663,2866 litre	53,712 %	10051,4018 litre	O
480	CM	120	CM	126 LEVEL CM	11548,2561 litre	53,182 %	10166,4323 litre	O
480	CM	120	CM	125 LEVEL CM	11433,1775 litre	52,652 %	10281,5109 litre	O
480	CM	120	CM	124 LEVEL CM	11318,0589 litre	52,122 %	10396,6295 litre	O
480	CM	120	CM	123 LEVEL CM	11202,9082 litre	51,591 %	10511,7802 litre	O
480	CM	120	CM	122 LEVEL CM	11087,7335 litre	51,061 %	10626,9549 litre	O
480	CM	120	CM	121 LEVEL CM	10972,5429 litre	50,531 %	10742,1455 litre	O
480	CM	120	CM	120 LEVEL CM	10857,3442 litre	50,000 %	10857,3442 litre	O
480	CM	120	CM	119 LEVEL CM	10742,1455 litre	49,469 %	10972,5429 litre	O
480	CM	120	CM	118 LEVEL CM	10626,9549 litre	48,939 %	11087,7335 litre	O
480	CM	120	CM	117 LEVEL CM	10511,7802 litre	48,409 %	11202,9082 litre	O
480	CM	120	CM	116 LEVEL CM	10396,6296 litre	47,878 %	11318,0588 litre	O
480	CM	120	CM	115 LEVEL CM	10281,5109 litre	47,348 %	11433,1775 litre	O
480	CM	120	CM	114 LEVEL CM	10166,4323 litre	46,818 %	11548,2561 litre	O
480	CM	120	CM	113 LEVEL CM	10051,4018 litre	46,288 %	11663,2866 litre	O
480	CM	120	CM	112 LEVEL CM	9936,4273 litre	45,759 %	11778,2611 litre	O
480	CM	120	CM	111 LEVEL CM	9821,5170 litre	45,230 %	11893,1714 litre	O
480	CM	120	CM	110 LEVEL CM	9706,6789 litre	44,701 %	12008,0095 litre	O
480	CM	120	CM	109 LEVEL CM	9591,9211 litre	44,173 %	12122,7673 litre	O
480	CM	120	CM	108 LEVEL CM	9477,2517 litre	43,644 %	12237,4367 litre	O
480	CM	120	CM	107 LEVEL CM	9362,6787 litre	43,117 %	12352,0097 litre	O
480	CM	120	CM	106 LEVEL CM	9248,2104 litre	42,590 %	12466,4780 litre	O
480	CM	120	CM	105 LEVEL CM	9133,8548 litre	42,063 %	12580,8336 litre	O
480	CM	120	CM	104 LEVEL CM	9019,6202 litre	41,537 %	12695,0682 litre	O
480	CM	120	CM	103 LEVEL CM	8905,5147 litre	41,011 %	12809,1737 litre	O
480	CM	120	CM	102 LEVEL CM	8791,5467 litre	40,487 %	12923,1417 litre	O
480	CM	120	CM	101 LEVEL CM	8677,7242 litre	39,962 %	13036,9642 litre	O
480	CM	120	CM	100 LEVEL CM	8564,0558 litre	39,439 %	13150,6326 litre	O
480	CM	120	CM	99 LEVEL CM	8450,5496 litre	38,916 %	13264,1388 litre	O
480	CM	120	CM	98 LEVEL CM	8337,2140 litre	38,394 %	13377,4744 litre	O
480	CM	120	CM	97 LEVEL CM	8224,0575 litre	37,873 %	13490,6309 litre	O
480	CM	120	CM	96 LEVEL CM	8111,0884 litre	37,353 %	13603,6000 litre	O
480	CM	120	CM	95 LEVEL CM	7998,3153 litre	36,834 %	13716,3731 litre	O
480	CM	120	CM	94 LEVEL CM	7885,7467 litre	36,315 %	13828,9417 litre	O
480	CM	120	CM	93 LEVEL CM	7773,3912 litre	35,798 %	13941,2972 litre	O
480	CM	120	CM	92 LEVEL CM	7661,2574 litre	35,281 %	14053,4310 litre	O
480	CM	120	CM	91 LEVEL CM	7549,3539 litre	34,766 %	14165,3345 litre	O
480	CM	120	CM	90 LEVEL CM	7437,6895 litre	34,252 %	14276,9989 litre	O
480	CM	120	CM	89 LEVEL CM	7326,2730 litre	33,739 %	14388,4154 litre	O
480	CM	120	CM	88 LEVEL CM	7215,1132 litre	33,227 %	14499,5752 litre	O
480	CM	120	CM	87 LEVEL CM	7104,2190 litre	32,716 %	14610,4694 litre	O
480	CM	120	CM	86 LEVEL CM	6993,5994 litre	32,207 %	14721,0890 litre	O
480	CM	120	CM	85 LEVEL CM	6883,2635 litre	31,699 %	14831,4249 litre	O
480	CM	120	CM	84 LEVEL CM	6773,2203 litre	31,192 %	14941,4681 litre	O
480	CM	120	CM	83 LEVEL CM	6663,4790 litre	30,687 %	15051,2094 litre	O

480	CM	120	CM	82 LEVEL CM	6554,0488 litre	30,183 %	15160,6396 litre	O
480	CM	120	CM	81 LEVEL CM	6444,9392 litre	29,680 %	15269,7492 litre	O
480	CM	120	CM	80 LEVEL CM	6336,1595 litre	29,179 %	15378,5289 litre	O
480	CM	120	CM	79 LEVEL CM	6227,7192 litre	28,680 %	15486,9692 litre	O
480	CM	120	CM	78 LEVEL CM	6119,6279 litre	28,182 %	15595,0605 litre	O
480	CM	120	CM	77 LEVEL CM	6011,8953 litre	27,686 %	15702,7931 litre	O
480	CM	120	CM	76 LEVEL CM	5904,5312 litre	27,191 %	15810,1572 litre	O
480	CM	120	CM	75 LEVEL CM	5797,5454 litre	26,699 %	15917,1430 litre	O
480	CM	120	CM	74 LEVEL CM	5690,9480 litre	26,208 %	16023,7404 litre	O
480	CM	120	CM	73 LEVEL CM	5584,7490 litre	25,719 %	16129,9394 litre	O
480	CM	120	CM	72 LEVEL CM	5478,9587 litre	25,232 %	16235,7297 litre	O
480	CM	120	CM	71 LEVEL CM	5373,5874 litre	24,746 %	16341,1010 litre	O
480	CM	120	CM	70 LEVEL CM	5268,6455 litre	24,263 %	16446,0429 litre	O
480	CM	120	CM	69 LEVEL CM	5164,1437 litre	23,782 %	16550,5447 litre	O
480	CM	120	CM	68 LEVEL CM	5060,0926 litre	23,303 %	16654,5958 litre	O
480	CM	120	CM	67 LEVEL CM	4956,5031 litre	22,826 %	16758,1853 litre	O
480	CM	120	CM	66 LEVEL CM	4853,3862 litre	22,351 %	16861,3022 litre	O
480	CM	120	CM	65 LEVEL CM	4750,7530 litre	21,878 %	16963,9354 litre	O
480	CM	120	CM	64 LEVEL CM	4648,6150 litre	21,408 %	17066,0734 litre	O
480	CM	120	CM	63 LEVEL CM	4546,9835 litre	20,940 %	17167,7049 litre	O
480	CM	120	CM	62 LEVEL CM	4445,8702 litre	20,474 %	17268,8182 litre	O
480	CM	120	CM	61 LEVEL CM	4345,2869 litre	20,011 %	17369,4015 litre	O
480	CM	120	CM	60 LEVEL CM	4245,2457 litre	19,550 %	17469,4427 litre	O
480	CM	120	CM	59 LEVEL CM	4145,7587 litre	19,092 %	17568,9297 litre	O
480	CM	120	CM	58 LEVEL CM	4046,8385 litre	18,636 %	17667,8499 litre	O
480	CM	120	CM	57 LEVEL CM	3948,4976 litre	18,184 %	17766,1908 litre	O
480	CM	120	CM	56 LEVEL CM	3850,7489 litre	17,733 %	17863,9395 litre	O
480	CM	120	CM	55 LEVEL CM	3753,6054 litre	17,286 %	17961,0830 litre	O
480	CM	120	CM	54 LEVEL CM	3657,0806 litre	16,842 %	18057,6078 litre	O
480	CM	120	CM	53 LEVEL CM	3561,1881 litre	16,400 %	18153,5003 litre	O
480	CM	120	CM	52 LEVEL CM	3465,9416 litre	15,961 %	18248,7468 litre	O
480	CM	120	CM	51 LEVEL CM	3371,3554 litre	15,526 %	18343,3330 litre	O
480	CM	120	CM	50 LEVEL CM	3277,4440 litre	15,093 %	18437,2444 litre	O
480	CM	120	CM	49 LEVEL CM	3184,2220 litre	14,664 %	18530,4664 litre	O
480	CM	120	CM	48 LEVEL CM	3091,7045 litre	14,238 %	18622,9839 litre	O
480	CM	120	CM	47 LEVEL CM	2999,9072 litre	13,815 %	18714,7812 litre	O
480	CM	120	CM	46 LEVEL CM	2908,8456 litre	13,396 %	18805,8428 litre	O
480	CM	120	CM	45 LEVEL CM	2818,5361 litre	12,980 %	18896,1523 litre	O
480	CM	120	CM	44 LEVEL CM	2728,9953 litre	12,568 %	18985,6931 litre	O
480	CM	120	CM	43 LEVEL CM	2640,2401 litre	12,159 %	19074,4483 litre	O
480	CM	120	CM	42 LEVEL CM	2552,2882 litre	11,754 %	19162,4002 litre	O
480	CM	120	CM	41 LEVEL CM	2465,1574 litre	11,352 %	19249,5310 litre	O
480	CM	120	CM	40 LEVEL CM	2378,8662 litre	10,955 %	19335,8222 litre	O
480	CM	120	CM	39 LEVEL CM	2293,4338 litre	10,562 %	19421,2546 litre	O
480	CM	120	CM	38 LEVEL CM	2208,8797 litre	10,172 %	19505,8087 litre	O
480	CM	120	CM	37 LEVEL CM	2125,2241 litre	9,787 %	19589,4643 litre	O
480	CM	120	CM	36 LEVEL CM	2042,4880 litre	9,406 %	19672,2004 litre	O
480	CM	120	CM	35 LEVEL CM	1960,6929 litre	9,029 %	19753,9955 litre	O
480	CM	120	CM	34 LEVEL CM	1879,8613 litre	8,657 %	19834,8271 litre	O
480	CM	120	CM	33 LEVEL CM	1800,0162 litre	8,289 %	19914,6722 litre	O
480	CM	120	CM	32 LEVEL CM	1721,1817 litre	7,926 %	19993,5067 litre	O
480	CM	120	CM	31 LEVEL CM	1643,3828 litre	7,568 %	20071,3056 litre	O
480	CM	120	CM	30 LEVEL CM	1566,6454 litre	7,215 %	20148,0430 litre	O

480	CM	120	CM	29 LEVEL CM	1490,9967 litre	6,866 %	20223,6917 litre	O
480	CM	120	CM	28 LEVEL CM	1416,4649 litre	6,523 %	20298,2235 litre	O
480	CM	120	CM	27 LEVEL CM	1343,0795 litre	6,185 %	20371,6089 litre	O
480	CM	120	CM	26 LEVEL CM	1270,8716 litre	5,853 %	20443,8168 litre	O
480	CM	120	CM	25 LEVEL CM	1199,8736 litre	5,526 %	20514,8148 litre	O
480	CM	120	CM	24 LEVEL CM	1130,1197 litre	5,204 %	20584,5687 litre	O
480	CM	120	CM	23 LEVEL CM	1061,6459 litre	4,889 %	20653,0425 litre	O
480	CM	120	CM	22 LEVEL CM	994,4905 litre	4,580 %	20720,1979 litre	O
480	CM	120	CM	21 LEVEL CM	928,6937 litre	4,277 %	20785,9947 litre	O
480	CM	120	CM	20 LEVEL CM	864,2987 litre	3,980 %	20850,3897 litre	O
480	CM	120	CM	19 LEVEL CM	801,3511 litre	3,690 %	20913,3373 litre	O
480	CM	120	CM	18 LEVEL CM	739,9002 litre	3,407 %	20974,7882 litre	O
480	CM	120	CM	17 LEVEL CM	679,9987 litre	3,132 %	21034,6897 litre	O
480	CM	120	CM	16 LEVEL CM	621,7035 litre	2,863 %	21092,9849 litre	O
480	CM	120	CM	15 LEVEL CM	565,0764 litre	2,602 %	21149,6120 litre	O
480	CM	120	CM	14 LEVEL CM	510,1851 litre	2,349 %	21204,5033 litre	O
480	CM	120	CM	13 LEVEL CM	457,1034 litre	2,105 %	21257,5850 litre	O
480	CM	120	CM	12 LEVEL CM	405,9135 litre	1,869 %	21308,7749 litre	O
480	CM	120	CM	11 LEVEL CM	356,7066 litre	1,643 %	21357,9818 litre	O
480	CM	120	CM	10 LEVEL CM	309,5859 litre	1,426 %	21405,1025 litre	O
480	CM	120	CM	9 LEVEL CM	264,6685 litre	1,219 %	21450,0199 litre	O
480	CM	120	CM	8 LEVEL CM	222,0902 litre	1,023 %	21492,5982 litre	O
480	CM	120	CM	7 LEVEL CM	182,0102 litre	0,838 %	21532,6782 litre	O
480	CM	120	CM	6 LEVEL CM	144,6199 litre	0,666 %	21570,0685 litre	O
480	CM	120	CM	5 LEVEL CM	110,1558 litre	0,507 %	21604,5326 litre	O
480	CM	120	CM	4 LEVEL CM	78,9209 litre	0,363 %	21635,7675 litre	O
480	CM	120	CM	3 LEVEL CM	51,3254 litre	0,236 %	21663,3630 litre	O
480	CM	120	CM	2 LEVEL CM	27,9732 litre	0,129 %	21686,7152 litre	O
480	CM	120	CM	1 LEVEL CM	9,9024 litre	0,046 %	21704,7860 litre	O
480	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	21714,6884 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
480	CM	115	CM	230 LEVEL CM	19942,8302 litre	100,000 %	0,0000 litre	O
480	CM	115	CM	229 LEVEL CM	19933,1368 litre	99,951 %	9,6934 litre	O
480	CM	115	CM	228 LEVEL CM	19915,4490 litre	99,863 %	27,3812 litre	O
480	CM	115	CM	227 LEVEL CM	19892,5937 litre	99,748 %	50,2365 litre	O
480	CM	115	CM	226 LEVEL CM	19865,5879 litre	99,613 %	77,2423 litre	O
480	CM	115	CM	225 LEVEL CM	19835,0234 litre	99,459 %	107,8068 litre	O
480	CM	115	CM	224 LEVEL CM	19801,3021 litre	99,290 %	141,5281 litre	O
480	CM	115	CM	223 LEVEL CM	19764,7213 litre	99,107 %	178,1089 litre	O
480	CM	115	CM	222 LEVEL CM	19725,5128 litre	98,910 %	217,3174 litre	O
480	CM	115	CM	221 LEVEL CM	19683,8642 litre	98,701 %	258,9660 litre	O
480	CM	115	CM	220 LEVEL CM	19639,9320 litre	98,481 %	302,8982 litre	O
480	CM	115	CM	219 LEVEL CM	19593,8493 litre	98,250 %	348,9809 litre	O
480	CM	115	CM	218 LEVEL CM	19545,7313 litre	98,009 %	397,0989 litre	O
480	CM	115	CM	217 LEVEL CM	19495,6790 litre	97,758 %	447,1512 litre	O
480	CM	115	CM	216 LEVEL CM	19443,7824 litre	97,498 %	499,0478 litre	O
480	CM	115	CM	215 LEVEL CM	19390,1220 litre	97,229 %	552,7082 litre	O
480	CM	115	CM	214 LEVEL CM	19334,7705 litre	96,951 %	608,0597 litre	O
480	CM	115	CM	213 LEVEL CM	19277,7944 litre	96,665 %	665,0358 litre	O
480	CM	115	CM	212 LEVEL CM	19219,2544 litre	96,372 %	723,5758 litre	O
480	CM	115	CM	211 LEVEL CM	19159,2067 litre	96,071 %	783,6235 litre	O
480	CM	115	CM	210 LEVEL CM	19097,7031 litre	95,762 %	845,1271 litre	O
480	CM	115	CM	209 LEVEL CM	19034,7920 litre	95,447 %	908,0382 litre	O
480	CM	115	CM	208 LEVEL CM	18970,5186 litre	95,125 %	972,3116 litre	O
480	CM	115	CM	207 LEVEL CM	18904,9251 litre	94,796 %	1037,9051 litre	O
480	CM	115	CM	206 LEVEL CM	18838,0515 litre	94,460 %	1104,7787 litre	O
480	CM	115	CM	205 LEVEL CM	18769,9352 litre	94,119 %	1172,8950 litre	O
480	CM	115	CM	204 LEVEL CM	18700,6119 litre	93,771 %	1242,2183 litre	O
480	CM	115	CM	203 LEVEL CM	18630,1153 litre	93,418 %	1312,7149 litre	O
480	CM	115	CM	202 LEVEL CM	18558,4775 litre	93,058 %	1384,3527 litre	O
480	CM	115	CM	201 LEVEL CM	18485,7290 litre	92,694 %	1457,1012 litre	O
480	CM	115	CM	200 LEVEL CM	18411,8991 litre	92,323 %	1530,9311 litre	O
480	CM	115	CM	199 LEVEL CM	18337,0156 litre	91,948 %	1605,8146 litre	O
480	CM	115	CM	198 LEVEL CM	18261,1053 litre	91,567 %	1681,7249 litre	O
480	CM	115	CM	197 LEVEL CM	18184,1939 litre	91,182 %	1758,6363 litre	O
480	CM	115	CM	196 LEVEL CM	18106,3061 litre	90,791 %	1836,5241 litre	O
480	CM	115	CM	195 LEVEL CM	18027,4657 litre	90,396 %	1915,3645 litre	O
480	CM	115	CM	194 LEVEL CM	17947,6956 litre	89,996 %	1995,1346 litre	O
480	CM	115	CM	193 LEVEL CM	17867,0179 litre	89,591 %	2075,8123 litre	O
480	CM	115	CM	192 LEVEL CM	17785,4541 litre	89,182 %	2157,3761 litre	O
480	CM	115	CM	191 LEVEL CM	17703,0248 litre	88,769 %	2239,8054 litre	O
480	CM	115	CM	190 LEVEL CM	17619,7501 litre	88,351 %	2323,0801 litre	O
480	CM	115	CM	189 LEVEL CM	17535,6495 litre	87,930 %	2407,1807 litre	O
480	CM	115	CM	188 LEVEL CM	17450,7418 litre	87,504 %	2492,0884 litre	O
480	CM	115	CM	187 LEVEL CM	17365,0454 litre	87,074 %	2577,7848 litre	O
480	CM	115	CM	186 LEVEL CM	17278,5781 litre	86,641 %	2664,2521 litre	O
480	CM	115	CM	185 LEVEL CM	17191,3574 litre	86,203 %	2751,4728 litre	O
480	CM	115	CM	184 LEVEL CM	17103,4001 litre	85,762 %	2839,4301 litre	O
480	CM	115	CM	183 LEVEL CM	17014,7228 litre	85,317 %	2928,1074 litre	O
480	CM	115	CM	182 LEVEL CM	16925,3416 litre	84,869 %	3017,4886 litre	O
480	CM	115	CM	181 LEVEL CM	16835,2722 litre	84,418 %	3107,5580 litre	O
480	CM	115	CM	180 LEVEL CM	16744,5300 litre	83,963 %	3198,3002 litre	O
480	CM	115	CM	179 LEVEL CM	16653,1300 litre	83,504 %	3289,7002 litre	O

480	CM 115	CM	178 LEVEL CM	16561,0869 litre	83,043 %	3381,7433 litre	O
480	CM 115	CM	177 LEVEL CM	16468,4151 litre	82,578 %	3474,4151 litre	O
480	CM 115	CM	176 LEVEL CM	16375,1289 litre	82,110 %	3567,7013 litre	O
480	CM 115	CM	175 LEVEL CM	16281,2419 litre	81,640 %	3661,5883 litre	O
480	CM 115	CM	174 LEVEL CM	16186,7677 litre	81,166 %	3756,0625 litre	O
480	CM 115	CM	173 LEVEL CM	16091,7198 litre	80,689 %	3851,1104 litre	O
480	CM 115	CM	172 LEVEL CM	15996,1111 litre	80,210 %	3946,7191 litre	O
480	CM 115	CM	171 LEVEL CM	15899,9546 litre	79,728 %	4042,8756 litre	O
480	CM 115	CM	170 LEVEL CM	15803,2628 litre	79,243 %	4139,5674 litre	O
480	CM 115	CM	169 LEVEL CM	15706,0482 litre	78,755 %	4236,7820 litre	O
480	CM 115	CM	168 LEVEL CM	15608,3230 litre	78,265 %	4334,5072 litre	O
480	CM 115	CM	167 LEVEL CM	15510,0993 litre	77,773 %	4432,7309 litre	O
480	CM 115	CM	166 LEVEL CM	15411,3888 litre	77,278 %	4531,4414 litre	O
480	CM 115	CM	165 LEVEL CM	15312,2034 litre	76,780 %	4630,6268 litre	O
480	CM 115	CM	164 LEVEL CM	15212,5544 litre	76,281 %	4730,2758 litre	O
480	CM 115	CM	163 LEVEL CM	15112,4533 litre	75,779 %	4830,3769 litre	O
480	CM 115	CM	162 LEVEL CM	15011,9112 litre	75,275 %	4930,9190 litre	O
480	CM 115	CM	161 LEVEL CM	14910,9393 litre	74,768 %	5031,8909 litre	O
480	CM 115	CM	160 LEVEL CM	14809,5483 litre	74,260 %	5133,2819 litre	O
480	CM 115	CM	159 LEVEL CM	14707,7491 litre	73,750 %	5235,0811 litre	O
480	CM 115	CM	158 LEVEL CM	14605,5524 litre	73,237 %	5337,2778 litre	O
480	CM 115	CM	157 LEVEL CM	14502,9686 litre	72,723 %	5439,8616 litre	O
480	CM 115	CM	156 LEVEL CM	14400,0082 litre	72,206 %	5542,8220 litre	O
480	CM 115	CM	155 LEVEL CM	14296,6815 litre	71,688 %	5646,1487 litre	O
480	CM 115	CM	154 LEVEL CM	14192,9985 litre	71,168 %	5749,8317 litre	O
480	CM 115	CM	153 LEVEL CM	14088,9695 litre	70,647 %	5853,8607 litre	O
480	CM 115	CM	152 LEVEL CM	13984,6044 litre	70,123 %	5958,2258 litre	O
480	CM 115	CM	151 LEVEL CM	13879,9131 litre	69,599 %	6062,9171 litre	O
480	CM 115	CM	150 LEVEL CM	13774,9054 litre	69,072 %	6167,9248 litre	O
480	CM 115	CM	149 LEVEL CM	13669,5909 litre	68,544 %	6273,2393 litre	O
480	CM 115	CM	148 LEVEL CM	13563,9793 litre	68,014 %	6378,8509 litre	O
480	CM 115	CM	147 LEVEL CM	13458,0801 litre	67,483 %	6484,7501 litre	O
480	CM 115	CM	146 LEVEL CM	13351,9028 litre	66,951 %	6590,9274 litre	O
480	CM 115	CM	145 LEVEL CM	13245,4568 litre	66,417 %	6697,3734 litre	O
480	CM 115	CM	144 LEVEL CM	13138,7513 litre	65,882 %	6804,0789 litre	O
480	CM 115	CM	143 LEVEL CM	13031,7957 litre	65,346 %	6911,0345 litre	O
480	CM 115	CM	142 LEVEL CM	12924,5990 litre	64,808 %	7018,2312 litre	O
480	CM 115	CM	141 LEVEL CM	12817,1705 litre	64,270 %	7125,6597 litre	O
480	CM 115	CM	140 LEVEL CM	12709,5192 litre	63,730 %	7233,3110 litre	O
480	CM 115	CM	139 LEVEL CM	12601,6540 litre	63,189 %	7341,1762 litre	O
480	CM 115	CM	138 LEVEL CM	12493,5840 litre	62,647 %	7449,2462 litre	O
480	CM 115	CM	137 LEVEL CM	12385,3181 litre	62,104 %	7557,5121 litre	O
480	CM 115	CM	136 LEVEL CM	12276,8650 litre	61,560 %	7665,9652 litre	O
480	CM 115	CM	135 LEVEL CM	12168,2336 litre	61,016 %	7774,5966 litre	O
480	CM 115	CM	134 LEVEL CM	12059,4327 litre	60,470 %	7883,3975 litre	O
480	CM 115	CM	133 LEVEL CM	11950,4709 litre	59,924 %	7992,3593 litre	O
480	CM 115	CM	132 LEVEL CM	11841,3570 litre	59,377 %	8101,4732 litre	O
480	CM 115	CM	131 LEVEL CM	11732,0996 litre	58,829 %	8210,7306 litre	O
480	CM 115	CM	130 LEVEL CM	11622,7074 litre	58,280 %	8320,1228 litre	O
480	CM 115	CM	129 LEVEL CM	11513,1888 litre	57,731 %	8429,6414 litre	O
480	CM 115	CM	128 LEVEL CM	11403,5525 litre	57,181 %	8539,2777 litre	O
480	CM 115	CM	127 LEVEL CM	11293,8070 litre	56,631 %	8649,0232 litre	O
480	CM 115	CM	126 LEVEL CM	11183,9607 litre	56,080 %	8758,8695 litre	O

480	CM	115	CM	125 LEVEL CM	11074,0222 litre	55,529 %	8868,8080 litre	O
480	CM	115	CM	124 LEVEL CM	10963,9999 litre	54,977 %	8978,8303 litre	O
480	CM	115	CM	123 LEVEL CM	10853,9022 litre	54,425 %	9088,9280 litre	O
480	CM	115	CM	122 LEVEL CM	10743,7376 litre	53,873 %	9199,0926 litre	O
480	CM	115	CM	121 LEVEL CM	10633,5144 litre	53,320 %	9309,3158 litre	O
480	CM	115	CM	120 LEVEL CM	10523,2411 litre	52,767 %	9419,5891 litre	O
480	CM	115	CM	119 LEVEL CM	10412,9260 litre	52,214 %	9529,9042 litre	O
480	CM	115	CM	118 LEVEL CM	10302,5775 litre	51,661 %	9640,2527 litre	O
480	CM	115	CM	117 LEVEL CM	10192,2040 litre	51,107 %	9750,6262 litre	O
480	CM	115	CM	116 LEVEL CM	10081,8137 litre	50,554 %	9861,0165 litre	O
480	CM	115	CM	115 LEVEL CM	9971,4151 litre	50,000 %	9971,4151 litre	O
480	CM	115	CM	114 LEVEL CM	9861,0165 litre	49,446 %	10081,8137 litre	O
480	CM	115	CM	113 LEVEL CM	9750,6262 litre	48,893 %	10192,2040 litre	O
480	CM	115	CM	112 LEVEL CM	9640,2527 litre	48,339 %	10302,5775 litre	O
480	CM	115	CM	111 LEVEL CM	9529,9041 litre	47,786 %	10412,9261 litre	O
480	CM	115	CM	110 LEVEL CM	9419,5890 litre	47,233 %	10523,2412 litre	O
480	CM	115	CM	109 LEVEL CM	9309,3157 litre	46,680 %	10633,5145 litre	O
480	CM	115	CM	108 LEVEL CM	9199,0926 litre	46,127 %	10743,7376 litre	O
480	CM	115	CM	107 LEVEL CM	9088,9279 litre	45,575 %	10853,9023 litre	O
480	CM	115	CM	106 LEVEL CM	8978,8303 litre	45,023 %	10963,9999 litre	O
480	CM	115	CM	105 LEVEL CM	8868,8080 litre	44,471 %	11074,0222 litre	O
480	CM	115	CM	104 LEVEL CM	8758,8695 litre	43,920 %	11183,9607 litre	O
480	CM	115	CM	103 LEVEL CM	8649,0232 litre	43,369 %	11293,8070 litre	O
480	CM	115	CM	102 LEVEL CM	8539,2777 litre	42,819 %	11403,5525 litre	O
480	CM	115	CM	101 LEVEL CM	8429,6414 litre	42,269 %	11513,1888 litre	O
480	CM	115	CM	100 LEVEL CM	8320,1228 litre	41,720 %	11622,7074 litre	O
480	CM	115	CM	99 LEVEL CM	8210,7305 litre	41,171 %	11732,0997 litre	O
480	CM	115	CM	98 LEVEL CM	8101,4731 litre	40,623 %	11841,3571 litre	O
480	CM	115	CM	97 LEVEL CM	7992,3593 litre	40,076 %	11950,4709 litre	O
480	CM	115	CM	96 LEVEL CM	7883,3975 litre	39,530 %	12059,4327 litre	O
480	CM	115	CM	95 LEVEL CM	7774,5966 litre	38,984 %	12168,2336 litre	O
480	CM	115	CM	94 LEVEL CM	7665,9652 litre	38,440 %	12276,8650 litre	O
480	CM	115	CM	93 LEVEL CM	7557,5121 litre	37,896 %	12385,3181 litre	O
480	CM	115	CM	92 LEVEL CM	7449,2461 litre	37,353 %	12493,5841 litre	O
480	CM	115	CM	91 LEVEL CM	7341,1761 litre	36,811 %	12601,6541 litre	O
480	CM	115	CM	90 LEVEL CM	7233,3110 litre	36,270 %	12709,5192 litre	O
480	CM	115	CM	89 LEVEL CM	7125,6597 litre	35,730 %	12817,1705 litre	O
480	CM	115	CM	88 LEVEL CM	7018,2311 litre	35,192 %	12924,5991 litre	O
480	CM	115	CM	87 LEVEL CM	6911,0345 litre	34,654 %	13031,7957 litre	O
480	CM	115	CM	86 LEVEL CM	6804,0789 litre	34,118 %	13138,7513 litre	O
480	CM	115	CM	85 LEVEL CM	6697,3734 litre	33,583 %	13245,4568 litre	O
480	CM	115	CM	84 LEVEL CM	6590,9274 litre	33,049 %	13351,9028 litre	O
480	CM	115	CM	83 LEVEL CM	6484,7501 litre	32,517 %	13458,0801 litre	O
480	CM	115	CM	82 LEVEL CM	6378,8509 litre	31,986 %	13563,9793 litre	O
480	CM	115	CM	81 LEVEL CM	6273,2393 litre	31,456 %	13669,5909 litre	O
480	CM	115	CM	80 LEVEL CM	6167,9248 litre	30,928 %	13774,9054 litre	O
480	CM	115	CM	79 LEVEL CM	6062,9170 litre	30,401 %	13879,9132 litre	O
480	CM	115	CM	78 LEVEL CM	5958,2257 litre	29,877 %	13984,6045 litre	O
480	CM	115	CM	77 LEVEL CM	5853,8606 litre	29,353 %	14088,9696 litre	O
480	CM	115	CM	76 LEVEL CM	5749,8316 litre	28,832 %	14192,9986 litre	O
480	CM	115	CM	75 LEVEL CM	5646,1487 litre	28,312 %	14296,6815 litre	O
480	CM	115	CM	74 LEVEL CM	5542,8220 litre	27,794 %	14400,0082 litre	O
480	CM	115	CM	73 LEVEL CM	5439,8615 litre	27,277 %	14502,9687 litre	O

480	CM	115	CM	72 LEVEL CM	5337,2778 litre	26,763 %	14605,5524 litre	O
480	CM	115	CM	71 LEVEL CM	5235,0810 litre	26,250 %	14707,7492 litre	O
480	CM	115	CM	70 LEVEL CM	5133,2819 litre	25,740 %	14809,5483 litre	O
480	CM	115	CM	69 LEVEL CM	5031,8909 litre	25,232 %	14910,9393 litre	O
480	CM	115	CM	68 LEVEL CM	4930,9189 litre	24,725 %	15011,9113 litre	O
480	CM	115	CM	67 LEVEL CM	4830,3769 litre	24,221 %	15112,4533 litre	O
480	CM	115	CM	66 LEVEL CM	4730,2758 litre	23,719 %	15212,5544 litre	O
480	CM	115	CM	65 LEVEL CM	4630,6268 litre	23,220 %	15312,2034 litre	O
480	CM	115	CM	64 LEVEL CM	4531,4413 litre	22,722 %	15411,3889 litre	O
480	CM	115	CM	63 LEVEL CM	4432,7309 litre	22,227 %	15510,0993 litre	O
480	CM	115	CM	62 LEVEL CM	4334,5072 litre	21,735 %	15608,3230 litre	O
480	CM	115	CM	61 LEVEL CM	4236,7820 litre	21,245 %	15706,0482 litre	O
480	CM	115	CM	60 LEVEL CM	4139,5674 litre	20,757 %	15803,2628 litre	O
480	CM	115	CM	59 LEVEL CM	4042,8756 litre	20,272 %	15899,9546 litre	O
480	CM	115	CM	58 LEVEL CM	3946,7190 litre	19,790 %	15996,1112 litre	O
480	CM	115	CM	57 LEVEL CM	3851,1104 litre	19,311 %	16091,7198 litre	O
480	CM	115	CM	56 LEVEL CM	3756,0624 litre	18,834 %	16186,7678 litre	O
480	CM	115	CM	55 LEVEL CM	3661,5883 litre	18,360 %	16281,2419 litre	O
480	CM	115	CM	54 LEVEL CM	3567,7013 litre	17,890 %	16375,1289 litre	O
480	CM	115	CM	53 LEVEL CM	3474,4150 litre	17,422 %	16468,4152 litre	O
480	CM	115	CM	52 LEVEL CM	3381,7433 litre	16,957 %	16561,0869 litre	O
480	CM	115	CM	51 LEVEL CM	3289,7002 litre	16,496 %	16653,1300 litre	O
480	CM	115	CM	50 LEVEL CM	3198,3002 litre	16,037 %	16744,5300 litre	O
480	CM	115	CM	49 LEVEL CM	3107,5580 litre	15,582 %	16835,2722 litre	O
480	CM	115	CM	48 LEVEL CM	3017,4886 litre	15,131 %	16925,3416 litre	O
480	CM	115	CM	47 LEVEL CM	2928,1073 litre	14,683 %	17014,7229 litre	O
480	CM	115	CM	46 LEVEL CM	2839,4300 litre	14,238 %	17103,4002 litre	O
480	CM	115	CM	45 LEVEL CM	2751,4728 litre	13,797 %	17191,3574 litre	O
480	CM	115	CM	44 LEVEL CM	2664,2521 litre	13,359 %	17278,5781 litre	O
480	CM	115	CM	43 LEVEL CM	2577,7848 litre	12,926 %	17365,0454 litre	O
480	CM	115	CM	42 LEVEL CM	2492,0884 litre	12,496 %	17450,7418 litre	O
480	CM	115	CM	41 LEVEL CM	2407,1807 litre	12,070 %	17535,6495 litre	O
480	CM	115	CM	40 LEVEL CM	2323,0801 litre	11,649 %	17619,7501 litre	O
480	CM	115	CM	39 LEVEL CM	2239,8054 litre	11,231 %	17703,0248 litre	O
480	CM	115	CM	38 LEVEL CM	2157,3761 litre	10,818 %	17785,4541 litre	O
480	CM	115	CM	37 LEVEL CM	2075,8123 litre	10,409 %	17867,0179 litre	O
480	CM	115	CM	36 LEVEL CM	1995,1346 litre	10,004 %	17947,6956 litre	O
480	CM	115	CM	35 LEVEL CM	1915,3645 litre	9,604 %	18027,4657 litre	O
480	CM	115	CM	34 LEVEL CM	1836,5241 litre	9,209 %	18106,3061 litre	O
480	CM	115	CM	33 LEVEL CM	1758,6363 litre	8,818 %	18184,1939 litre	O
480	CM	115	CM	32 LEVEL CM	1681,7249 litre	8,433 %	18261,1053 litre	O
480	CM	115	CM	31 LEVEL CM	1605,8146 litre	8,052 %	18337,0156 litre	O
480	CM	115	CM	30 LEVEL CM	1530,9311 litre	7,677 %	18411,8991 litre	O
480	CM	115	CM	29 LEVEL CM	1457,1011 litre	7,306 %	18485,7291 litre	O
480	CM	115	CM	28 LEVEL CM	1384,3527 litre	6,942 %	18558,4775 litre	O
480	CM	115	CM	27 LEVEL CM	1312,7148 litre	6,582 %	18630,1154 litre	O
480	CM	115	CM	26 LEVEL CM	1242,2182 litre	6,229 %	18700,6120 litre	O
480	CM	115	CM	25 LEVEL CM	1172,8949 litre	5,881 %	18769,9353 litre	O
480	CM	115	CM	24 LEVEL CM	1104,7787 litre	5,540 %	18838,0515 litre	O
480	CM	115	CM	23 LEVEL CM	1037,9050 litre	5,204 %	18904,9252 litre	O
480	CM	115	CM	22 LEVEL CM	972,3116 litre	4,875 %	18970,5186 litre	O
480	CM	115	CM	21 LEVEL CM	908,0381 litre	4,553 %	19034,7921 litre	O
480	CM	115	CM	20 LEVEL CM	845,1270 litre	4,238 %	19097,7032 litre	O

480	CM	115	CM	19 LEVEL CM	783,6235 litre	3,929 %	19159,2067 litre	O
480	CM	115	CM	18 LEVEL CM	723,5757 litre	3,628 %	19219,2545 litre	O
480	CM	115	CM	17 LEVEL CM	665,0358 litre	3,335 %	19277,7944 litre	O
480	CM	115	CM	16 LEVEL CM	608,0596 litre	3,049 %	19334,7706 litre	O
480	CM	115	CM	15 LEVEL CM	552,7082 litre	2,771 %	19390,1220 litre	O
480	CM	115	CM	14 LEVEL CM	499,0477 litre	2,502 %	19443,7825 litre	O
480	CM	115	CM	13 LEVEL CM	447,1511 litre	2,242 %	19495,6791 litre	O
480	CM	115	CM	12 LEVEL CM	397,0989 litre	1,991 %	19545,7313 litre	O
480	CM	115	CM	11 LEVEL CM	348,9808 litre	1,750 %	19593,8494 litre	O
480	CM	115	CM	10 LEVEL CM	302,8981 litre	1,519 %	19639,9321 litre	O
480	CM	115	CM	9 LEVEL CM	258,9659 litre	1,299 %	19683,8643 litre	O
480	CM	115	CM	8 LEVEL CM	217,3174 litre	1,090 %	19725,5128 litre	O
480	CM	115	CM	7 LEVEL CM	178,1088 litre	0,893 %	19764,7214 litre	O
480	CM	115	CM	6 LEVEL CM	141,5280 litre	0,710 %	19801,3022 litre	O
480	CM	115	CM	5 LEVEL CM	107,8068 litre	0,541 %	19835,0234 litre	O
480	CM	115	CM	4 LEVEL CM	77,2423 litre	0,387 %	19865,5879 litre	O
480	CM	115	CM	3 LEVEL CM	50,2365 litre	0,252 %	19892,5937 litre	O
480	CM	115	CM	2 LEVEL CM	27,3812 litre	0,137 %	19915,4490 litre	O
480	CM	115	CM	1 LEVEL CM	9,6934 litre	0,049 %	19933,1368 litre	O
480	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	19942,8302 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM	110	CM 220 LEVEL CM	18246,3701 litre	100,000 %	0,0000 litre	O
480	CM	110	CM 219 LEVEL CM	18236,8904 litre	99,948 %	9,4797 litre	O
480	CM	110	CM 218 LEVEL CM	18219,5940 litre	99,853 %	26,7761 litre	O
480	CM	110	CM 217 LEVEL CM	18197,2467 litre	99,731 %	49,1234 litre	O
480	CM	110	CM 216 LEVEL CM	18170,8438 litre	99,586 %	75,5263 litre	O
480	CM	110	CM 215 LEVEL CM	18140,9647 litre	99,422 %	105,4054 litre	O
480	CM	110	CM 214 LEVEL CM	18108,0031 litre	99,242 %	138,3670 litre	O
480	CM	110	CM 213 LEVEL CM	18072,2501 litre	99,046 %	174,1200 litre	O
480	CM	110	CM 212 LEVEL CM	18033,9327 litre	98,836 %	212,4374 litre	O
480	CM	110	CM 211 LEVEL CM	17993,2352 litre	98,613 %	253,1349 litre	O
480	CM	110	CM 210 LEVEL CM	17950,3108 litre	98,377 %	296,0593 litre	O
480	CM	110	CM 209 LEVEL CM	17905,2901 litre	98,131 %	341,0800 litre	O
480	CM	110	CM 208 LEVEL CM	17858,2860 litre	97,873 %	388,0841 litre	O
480	CM	110	CM 207 LEVEL CM	17809,3980 litre	97,605 %	436,9721 litre	O
480	CM	110	CM 206 LEVEL CM	17758,7141 litre	97,327 %	487,6560 litre	O
480	CM	110	CM 205 LEVEL CM	17706,3135 litre	97,040 %	540,0566 litre	O
480	CM	110	CM 204 LEVEL CM	17652,2677 litre	96,744 %	594,1024 litre	O
480	CM	110	CM 203 LEVEL CM	17596,6419 litre	96,439 %	649,7282 litre	O
480	CM	110	CM 202 LEVEL CM	17539,4960 litre	96,126 %	706,8741 litre	O
480	CM	110	CM 201 LEVEL CM	17480,8850 litre	95,805 %	765,4851 litre	O
480	CM	110	CM 200 LEVEL CM	17420,8601 litre	95,476 %	825,5100 litre	O
480	CM	110	CM 199 LEVEL CM	17359,4689 litre	95,139 %	886,9012 litre	O
480	CM	110	CM 198 LEVEL CM	17296,7557 litre	94,796 %	949,6144 litre	O
480	CM	110	CM 197 LEVEL CM	17232,7623 litre	94,445 %	1013,6078 litre	O
480	CM	110	CM 196 LEVEL CM	17167,5280 litre	94,087 %	1078,8421 litre	O
480	CM	110	CM 195 LEVEL CM	17101,0898 litre	93,723 %	1145,2803 litre	O
480	CM	110	CM 194 LEVEL CM	17033,4827 litre	93,353 %	1212,8874 litre	O
480	CM	110	CM 193 LEVEL CM	16964,7400 litre	92,976 %	1281,6301 litre	O
480	CM	110	CM 192 LEVEL CM	16894,8934 litre	92,593 %	1351,4767 litre	O
480	CM	110	CM 191 LEVEL CM	16823,9731 litre	92,204 %	1422,3970 litre	O
480	CM	110	CM 190 LEVEL CM	16752,0079 litre	91,810 %	1494,3622 litre	O
480	CM	110	CM 189 LEVEL CM	16679,0253 litre	91,410 %	1567,3448 litre	O
480	CM	110	CM 188 LEVEL CM	16605,0518 litre	91,005 %	1641,3183 litre	O
480	CM	110	CM 187 LEVEL CM	16530,1129 litre	90,594 %	1716,2572 litre	O
480	CM	110	CM 186 LEVEL CM	16454,2328 litre	90,178 %	1792,1373 litre	O
480	CM	110	CM 185 LEVEL CM	16377,4353 litre	89,757 %	1868,9348 litre	O
480	CM	110	CM 184 LEVEL CM	16299,7429 litre	89,331 %	1946,6272 litre	O
480	CM	110	CM 183 LEVEL CM	16221,1776 litre	88,901 %	2025,1925 litre	O
480	CM	110	CM 182 LEVEL CM	16141,7606 litre	88,466 %	2104,6095 litre	O
480	CM	110	CM 181 LEVEL CM	16061,5123 litre	88,026 %	2184,8578 litre	O
480	CM	110	CM 180 LEVEL CM	15980,4528 litre	87,582 %	2265,9173 litre	O
480	CM	110	CM 179 LEVEL CM	15898,6013 litre	87,133 %	2347,7688 litre	O
480	CM	110	CM 178 LEVEL CM	15815,9765 litre	86,680 %	2430,3936 litre	O
480	CM	110	CM 177 LEVEL CM	15732,5966 litre	86,223 %	2513,7735 litre	O
480	CM	110	CM 176 LEVEL CM	15648,4795 litre	85,762 %	2597,8906 litre	O
480	CM	110	CM 175 LEVEL CM	15563,6423 litre	85,297 %	2682,7278 litre	O
480	CM	110	CM 174 LEVEL CM	15478,1019 litre	84,828 %	2768,2682 litre	O
480	CM	110	CM 173 LEVEL CM	15391,8748 litre	84,356 %	2854,4953 litre	O
480	CM	110	CM 172 LEVEL CM	15304,9769 litre	83,880 %	2941,3932 litre	O
480	CM	110	CM 171 LEVEL CM	15217,4239 litre	83,400 %	3028,9462 litre	O
480	CM	110	CM 170 LEVEL CM	15129,2311 litre	82,916 %	3117,1390 litre	O
480	CM	110	CM 169 LEVEL CM	15040,4136 litre	82,430 %	3205,9565 litre	O

480	CM 110	CM	168 LEVEL CM	14950,9859 litre	81,940 %	3295,3842 litre	O
480	CM 110	CM	167 LEVEL CM	14860,9625 litre	81,446 %	3385,4076 litre	O
480	CM 110	CM	166 LEVEL CM	14770,3574 litre	80,950 %	3476,0127 litre	O
480	CM 110	CM	165 LEVEL CM	14679,1845 litre	80,450 %	3567,1856 litre	O
480	CM 110	CM	164 LEVEL CM	14587,4573 litre	79,947 %	3658,9128 litre	O
480	CM 110	CM	163 LEVEL CM	14495,1892 litre	79,441 %	3751,1809 litre	O
480	CM 110	CM	162 LEVEL CM	14402,3932 litre	78,933 %	3843,9769 litre	O
480	CM 110	CM	161 LEVEL CM	14309,0822 litre	78,422 %	3937,2879 litre	O
480	CM 110	CM	160 LEVEL CM	14215,2688 litre	77,907 %	4031,1013 litre	O
480	CM 110	CM	159 LEVEL CM	14120,9655 litre	77,391 %	4125,4046 litre	O
480	CM 110	CM	158 LEVEL CM	14026,1845 litre	76,871 %	4220,1856 litre	O
480	CM 110	CM	157 LEVEL CM	13930,9379 litre	76,349 %	4315,4322 litre	O
480	CM 110	CM	156 LEVEL CM	13835,2377 litre	75,825 %	4411,1324 litre	O
480	CM 110	CM	155 LEVEL CM	13739,0955 litre	75,298 %	4507,2746 litre	O
480	CM 110	CM	154 LEVEL CM	13642,5229 litre	74,768 %	4603,8472 litre	O
480	CM 110	CM	153 LEVEL CM	13545,5313 litre	74,237 %	4700,8388 litre	O
480	CM 110	CM	152 LEVEL CM	13448,1319 litre	73,703 %	4798,2382 litre	O
480	CM 110	CM	151 LEVEL CM	13350,3360 litre	73,167 %	4896,0341 litre	O
480	CM 110	CM	150 LEVEL CM	13252,1545 litre	72,629 %	4994,2156 litre	O
480	CM 110	CM	149 LEVEL CM	13153,5982 litre	72,089 %	5092,7719 litre	O
480	CM 110	CM	148 LEVEL CM	13054,6778 litre	71,547 %	5191,6923 litre	O
480	CM 110	CM	147 LEVEL CM	12955,4041 litre	71,003 %	5290,9660 litre	O
480	CM 110	CM	146 LEVEL CM	12855,7875 litre	70,457 %	5390,5826 litre	O
480	CM 110	CM	145 LEVEL CM	12755,8383 litre	69,909 %	5490,5318 litre	O
480	CM 110	CM	144 LEVEL CM	12655,5670 litre	69,359 %	5590,8031 litre	O
480	CM 110	CM	143 LEVEL CM	12554,9837 litre	68,808 %	5691,3864 litre	O
480	CM 110	CM	142 LEVEL CM	12454,0984 litre	68,255 %	5792,2717 litre	O
480	CM 110	CM	141 LEVEL CM	12352,9212 litre	67,701 %	5893,4489 litre	O
480	CM 110	CM	140 LEVEL CM	12251,4621 litre	67,145 %	5994,9080 litre	O
480	CM 110	CM	139 LEVEL CM	12149,7308 litre	66,587 %	6096,6393 litre	O
480	CM 110	CM	138 LEVEL CM	12047,7371 litre	66,028 %	6198,6330 litre	O
480	CM 110	CM	137 LEVEL CM	11945,4908 litre	65,468 %	6300,8793 litre	O
480	CM 110	CM	136 LEVEL CM	11843,0013 litre	64,906 %	6403,3688 litre	O
480	CM 110	CM	135 LEVEL CM	11740,2784 litre	64,343 %	6506,0917 litre	O
480	CM 110	CM	134 LEVEL CM	11637,3314 litre	63,779 %	6609,0387 litre	O
480	CM 110	CM	133 LEVEL CM	11534,1697 litre	63,214 %	6712,2004 litre	O
480	CM 110	CM	132 LEVEL CM	11430,8028 litre	62,647 %	6815,5673 litre	O
480	CM 110	CM	131 LEVEL CM	11327,2399 litre	62,079 %	6919,1302 litre	O
480	CM 110	CM	130 LEVEL CM	11223,4903 litre	61,511 %	7022,8798 litre	O
480	CM 110	CM	129 LEVEL CM	11119,5632 litre	60,941 %	7126,8069 litre	O
480	CM 110	CM	128 LEVEL CM	11015,4678 litre	60,371 %	7230,9023 litre	O
480	CM 110	CM	127 LEVEL CM	10911,2131 litre	59,799 %	7335,1570 litre	O
480	CM 110	CM	126 LEVEL CM	10806,8082 litre	59,227 %	7439,5619 litre	O
480	CM 110	CM	125 LEVEL CM	10702,2622 litre	58,654 %	7544,1079 litre	O
480	CM 110	CM	124 LEVEL CM	10597,5840 litre	58,081 %	7648,7861 litre	O
480	CM 110	CM	123 LEVEL CM	10492,7827 litre	57,506 %	7753,5874 litre	O
480	CM 110	CM	122 LEVEL CM	10387,8671 litre	56,931 %	7858,5030 litre	O
480	CM 110	CM	121 LEVEL CM	10282,8462 litre	56,356 %	7963,5239 litre	O
480	CM 110	CM	120 LEVEL CM	10177,7287 litre	55,779 %	8068,6414 litre	O
480	CM 110	CM	119 LEVEL CM	10072,5236 litre	55,203 %	8173,8465 litre	O
480	CM 110	CM	118 LEVEL CM	9967,2397 litre	54,626 %	8279,1304 litre	O
480	CM 110	CM	117 LEVEL CM	9861,8859 litre	54,048 %	8384,4842 litre	O
480	CM 110	CM	116 LEVEL CM	9756,4707 litre	53,471 %	8489,8994 litre	O

480	CM 110	CM	115 LEVEL CM	9651,0032 litre	52,893 %	8595,3669 litre	O
480	CM 110	CM	114 LEVEL CM	9545,4920 litre	52,314 %	8700,8781 litre	O
480	CM 110	CM	113 LEVEL CM	9439,9458 litre	51,736 %	8806,4243 litre	O
480	CM 110	CM	112 LEVEL CM	9334,3734 litre	51,157 %	8911,9967 litre	O
480	CM 110	CM	111 LEVEL CM	9228,7836 litre	50,579 %	9017,5865 litre	O
480	CM 110	CM	110 LEVEL CM	9123,1851 litre	50,000 %	9123,1850 litre	O
480	CM 110	CM	109 LEVEL CM	9017,5865 litre	49,421 %	9228,7836 litre	O
480	CM 110	CM	108 LEVEL CM	8911,9967 litre	48,843 %	9334,3734 litre	O
480	CM 110	CM	107 LEVEL CM	8806,4243 litre	48,264 %	9439,9458 litre	O
480	CM 110	CM	106 LEVEL CM	8700,8782 litre	47,686 %	9545,4919 litre	O
480	CM 110	CM	105 LEVEL CM	8595,3669 litre	47,107 %	9651,0032 litre	O
480	CM 110	CM	104 LEVEL CM	8489,8994 litre	46,529 %	9756,4707 litre	O
480	CM 110	CM	103 LEVEL CM	8384,4843 litre	45,952 %	9861,8858 litre	O
480	CM 110	CM	102 LEVEL CM	8279,1304 litre	45,374 %	9967,2397 litre	O
480	CM 110	CM	101 LEVEL CM	8173,8465 litre	44,797 %	10072,5236 litre	O
480	CM 110	CM	100 LEVEL CM	8068,6414 litre	44,221 %	10177,7287 litre	O
480	CM 110	CM	99 LEVEL CM	7963,5240 litre	43,644 %	10282,8461 litre	O
480	CM 110	CM	98 LEVEL CM	7858,5030 litre	43,069 %	10387,8671 litre	O
480	CM 110	CM	97 LEVEL CM	7753,5874 litre	42,494 %	10492,7827 litre	O
480	CM 110	CM	96 LEVEL CM	7648,7861 litre	41,919 %	10597,5840 litre	O
480	CM 110	CM	95 LEVEL CM	7544,1079 litre	41,346 %	10702,2622 litre	O
480	CM 110	CM	94 LEVEL CM	7439,5619 litre	40,773 %	10806,8082 litre	O
480	CM 110	CM	93 LEVEL CM	7335,1571 litre	40,201 %	10911,2130 litre	O
480	CM 110	CM	92 LEVEL CM	7230,9024 litre	39,629 %	11015,4677 litre	O
480	CM 110	CM	91 LEVEL CM	7126,8069 litre	39,059 %	11119,5632 litre	O
480	CM 110	CM	90 LEVEL CM	7022,8798 litre	38,489 %	11223,4903 litre	O
480	CM 110	CM	89 LEVEL CM	6919,1302 litre	37,921 %	11327,2399 litre	O
480	CM 110	CM	88 LEVEL CM	6815,5673 litre	37,353 %	11430,8028 litre	O
480	CM 110	CM	87 LEVEL CM	6712,2004 litre	36,786 %	11534,1697 litre	O
480	CM 110	CM	86 LEVEL CM	6609,0388 litre	36,221 %	11637,3313 litre	O
480	CM 110	CM	85 LEVEL CM	6506,0918 litre	35,657 %	11740,2783 litre	O
480	CM 110	CM	84 LEVEL CM	6403,3688 litre	35,094 %	11843,0013 litre	O
480	CM 110	CM	83 LEVEL CM	6300,8794 litre	34,532 %	11945,4907 litre	O
480	CM 110	CM	82 LEVEL CM	6198,6330 litre	33,972 %	12047,7371 litre	O
480	CM 110	CM	81 LEVEL CM	6096,6393 litre	33,413 %	12149,7308 litre	O
480	CM 110	CM	80 LEVEL CM	5994,9080 litre	32,855 %	12251,4621 litre	O
480	CM 110	CM	79 LEVEL CM	5893,4489 litre	32,299 %	12352,9212 litre	O
480	CM 110	CM	78 LEVEL CM	5792,2717 litre	31,745 %	12454,0984 litre	O
480	CM 110	CM	77 LEVEL CM	5691,3865 litre	31,192 %	12554,9836 litre	O
480	CM 110	CM	76 LEVEL CM	5590,8031 litre	30,641 %	12655,5670 litre	O
480	CM 110	CM	75 LEVEL CM	5490,5318 litre	30,091 %	12755,8383 litre	O
480	CM 110	CM	74 LEVEL CM	5390,5827 litre	29,543 %	12855,7874 litre	O
480	CM 110	CM	73 LEVEL CM	5290,9660 litre	28,997 %	12955,4041 litre	O
480	CM 110	CM	72 LEVEL CM	5191,6923 litre	28,453 %	13054,6778 litre	O
480	CM 110	CM	71 LEVEL CM	5092,7720 litre	27,911 %	13153,5981 litre	O
480	CM 110	CM	70 LEVEL CM	4994,2157 litre	27,371 %	13252,1544 litre	O
480	CM 110	CM	69 LEVEL CM	4896,0341 litre	26,833 %	13350,3360 litre	O
480	CM 110	CM	68 LEVEL CM	4798,2382 litre	26,297 %	13448,1319 litre	O
480	CM 110	CM	67 LEVEL CM	4700,8389 litre	25,763 %	13545,5312 litre	O
480	CM 110	CM	66 LEVEL CM	4603,8473 litre	25,232 %	13642,5228 litre	O
480	CM 110	CM	65 LEVEL CM	4507,2746 litre	24,702 %	13739,0955 litre	O
480	CM 110	CM	64 LEVEL CM	4411,1324 litre	24,175 %	13835,2377 litre	O
480	CM 110	CM	63 LEVEL CM	4315,4322 litre	23,651 %	13930,9379 litre	O

480	CM 110	CM	62 LEVEL CM	4220,1856 litre	23,129 %	14026,1845 litre	O
480	CM 110	CM	61 LEVEL CM	4125,4047 litre	22,609 %	14120,9654 litre	O
480	CM 110	CM	60 LEVEL CM	4031,1014 litre	22,093 %	14215,2687 litre	O
480	CM 110	CM	59 LEVEL CM	3937,2880 litre	21,578 %	14309,0821 litre	O
480	CM 110	CM	58 LEVEL CM	3843,9769 litre	21,067 %	14402,3932 litre	O
480	CM 110	CM	57 LEVEL CM	3751,1809 litre	20,559 %	14495,1892 litre	O
480	CM 110	CM	56 LEVEL CM	3658,9128 litre	20,053 %	14587,4573 litre	O
480	CM 110	CM	55 LEVEL CM	3567,1856 litre	19,550 %	14679,1845 litre	O
480	CM 110	CM	54 LEVEL CM	3476,0127 litre	19,050 %	14770,3574 litre	O
480	CM 110	CM	53 LEVEL CM	3385,4076 litre	18,554 %	14860,9625 litre	O
480	CM 110	CM	52 LEVEL CM	3295,3842 litre	18,060 %	14950,9859 litre	O
480	CM 110	CM	51 LEVEL CM	3205,9566 litre	17,570 %	15040,4135 litre	O
480	CM 110	CM	50 LEVEL CM	3117,1390 litre	17,084 %	15129,2311 litre	O
480	CM 110	CM	49 LEVEL CM	3028,9462 litre	16,600 %	15217,4239 litre	O
480	CM 110	CM	48 LEVEL CM	2941,3933 litre	16,120 %	15304,9768 litre	O
480	CM 110	CM	47 LEVEL CM	2854,4953 litre	15,644 %	15391,8748 litre	O
480	CM 110	CM	46 LEVEL CM	2768,2682 litre	15,172 %	15478,1019 litre	O
480	CM 110	CM	45 LEVEL CM	2682,7278 litre	14,703 %	15563,6423 litre	O
480	CM 110	CM	44 LEVEL CM	2597,8906 litre	14,238 %	15648,4795 litre	O
480	CM 110	CM	43 LEVEL CM	2513,7735 litre	13,777 %	15732,5966 litre	O
480	CM 110	CM	42 LEVEL CM	2430,3937 litre	13,320 %	15815,9764 litre	O
480	CM 110	CM	41 LEVEL CM	2347,7689 litre	12,867 %	15898,6012 litre	O
480	CM 110	CM	40 LEVEL CM	2265,9173 litre	12,418 %	15980,4528 litre	O
480	CM 110	CM	39 LEVEL CM	2184,8578 litre	11,974 %	16061,5123 litre	O
480	CM 110	CM	38 LEVEL CM	2104,6096 litre	11,534 %	16141,7605 litre	O
480	CM 110	CM	37 LEVEL CM	2025,1925 litre	11,099 %	16221,1776 litre	O
480	CM 110	CM	36 LEVEL CM	1946,6272 litre	10,669 %	16299,7429 litre	O
480	CM 110	CM	35 LEVEL CM	1868,9348 litre	10,243 %	16377,4353 litre	O
480	CM 110	CM	34 LEVEL CM	1792,1373 litre	9,822 %	16454,2328 litre	O
480	CM 110	CM	33 LEVEL CM	1716,2573 litre	9,406 %	16530,1128 litre	O
480	CM 110	CM	32 LEVEL CM	1641,3183 litre	8,995 %	16605,0518 litre	O
480	CM 110	CM	31 LEVEL CM	1567,3448 litre	8,590 %	16679,0253 litre	O
480	CM 110	CM	30 LEVEL CM	1494,3623 litre	8,190 %	16752,0078 litre	O
480	CM 110	CM	29 LEVEL CM	1422,3970 litre	7,796 %	16823,9731 litre	O
480	CM 110	CM	28 LEVEL CM	1351,4767 litre	7,407 %	16894,8934 litre	O
480	CM 110	CM	27 LEVEL CM	1281,6301 litre	7,024 %	16964,7400 litre	O
480	CM 110	CM	26 LEVEL CM	1212,8875 litre	6,647 %	17033,4826 litre	O
480	CM 110	CM	25 LEVEL CM	1145,2804 litre	6,277 %	17101,0897 litre	O
480	CM 110	CM	24 LEVEL CM	1078,8421 litre	5,913 %	17167,5280 litre	O
480	CM 110	CM	23 LEVEL CM	1013,6078 litre	5,555 %	17232,7623 litre	O
480	CM 110	CM	22 LEVEL CM	949,6144 litre	5,204 %	17296,7557 litre	O
480	CM 110	CM	21 LEVEL CM	886,9013 litre	4,861 %	17359,4688 litre	O
480	CM 110	CM	20 LEVEL CM	825,5100 litre	4,524 %	17420,8601 litre	O
480	CM 110	CM	19 LEVEL CM	765,4851 litre	4,195 %	17480,8850 litre	O
480	CM 110	CM	18 LEVEL CM	706,8742 litre	3,874 %	17539,4959 litre	O
480	CM 110	CM	17 LEVEL CM	649,7282 litre	3,561 %	17596,6419 litre	O
480	CM 110	CM	16 LEVEL CM	594,1025 litre	3,256 %	17652,2676 litre	O
480	CM 110	CM	15 LEVEL CM	540,0567 litre	2,960 %	17706,3134 litre	O
480	CM 110	CM	14 LEVEL CM	487,6560 litre	2,673 %	17758,7141 litre	O
480	CM 110	CM	13 LEVEL CM	436,9721 litre	2,395 %	17809,3980 litre	O
480	CM 110	CM	12 LEVEL CM	388,0841 litre	2,127 %	17858,2860 litre	O
480	CM 110	CM	11 LEVEL CM	341,0801 litre	1,869 %	17905,2900 litre	O
480	CM 110	CM	10 LEVEL CM	296,0593 litre	1,623 %	17950,3108 litre	O

480	CM	110	CM	9 LEVEL CM	253,1349 litre	1,387 %	17993,2352 litre	O
480	CM	110	CM	8 LEVEL CM	212,4374 litre	1,164 %	18033,9327 litre	O
480	CM	110	CM	7 LEVEL CM	174,1201 litre	0,954 %	18072,2500 litre	O
480	CM	110	CM	6 LEVEL CM	138,3670 litre	0,758 %	18108,0031 litre	O
480	CM	110	CM	5 LEVEL CM	105,4054 litre	0,578 %	18140,9647 litre	O
480	CM	110	CM	4 LEVEL CM	75,5263 litre	0,414 %	18170,8438 litre	O
480	CM	110	CM	3 LEVEL CM	49,1234 litre	0,269 %	18197,2467 litre	O
480	CM	110	CM	2 LEVEL CM	26,7762 litre	0,147 %	18219,5939 litre	O
480	CM	110	CM	1 LEVEL CM	9,4798 litre	0,052 %	18236,8903 litre	O
480	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	18246,3701 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM 105	CM 210 LEVEL CM	16625,3083 litre	100,000 %	0,0000 litre	O
480	CM 105	CM 209 LEVEL CM	16616,0471 litre	99,944 %	9,2612 litre	O
480	CM 105	CM 208 LEVEL CM	16599,1512 litre	99,843 %	26,1571 litre	O
480	CM 105	CM 207 LEVEL CM	16577,3238 litre	99,711 %	47,9845 litre	O
480	CM 105	CM 206 LEVEL CM	16551,5379 litre	99,556 %	73,7704 litre	O
480	CM 105	CM 205 LEVEL CM	16522,3603 litre	99,381 %	102,9480 litre	O
480	CM 105	CM 204 LEVEL CM	16490,1762 litre	99,187 %	135,1321 litre	O
480	CM 105	CM 203 LEVEL CM	16455,2705 litre	98,977 %	170,0378 litre	O
480	CM 105	CM 202 LEVEL CM	16417,8657 litre	98,752 %	207,4426 litre	O
480	CM 105	CM 201 LEVEL CM	16378,1420 litre	98,513 %	247,1663 litre	O
480	CM 105	CM 200 LEVEL CM	16336,2496 litre	98,261 %	289,0587 litre	O
480	CM 105	CM 199 LEVEL CM	16292,3165 litre	97,997 %	332,9918 litre	O
480	CM 105	CM 198 LEVEL CM	16246,4535 litre	97,721 %	378,8548 litre	O
480	CM 105	CM 197 LEVEL CM	16198,7580 litre	97,434 %	426,5503 litre	O
480	CM 105	CM 196 LEVEL CM	16149,3166 litre	97,137 %	475,9917 litre	O
480	CM 105	CM 195 LEVEL CM	16098,2069 litre	96,830 %	527,1014 litre	O
480	CM 105	CM 194 LEVEL CM	16045,4991 litre	96,512 %	579,8092 litre	O
480	CM 105	CM 193 LEVEL CM	15991,2573 litre	96,186 %	634,0510 litre	O
480	CM 105	CM 192 LEVEL CM	15935,5402 litre	95,851 %	689,7681 litre	O
480	CM 105	CM 191 LEVEL CM	15878,4021 litre	95,507 %	746,9062 litre	O
480	CM 105	CM 190 LEVEL CM	15819,8933 litre	95,155 %	805,4150 litre	O
480	CM 105	CM 189 LEVEL CM	15760,0605 litre	94,796 %	865,2478 litre	O
480	CM 105	CM 188 LEVEL CM	15698,9474 litre	94,428 %	926,3609 litre	O
480	CM 105	CM 187 LEVEL CM	15636,5952 litre	94,053 %	988,7131 litre	O
480	CM 105	CM 186 LEVEL CM	15573,0425 litre	93,671 %	1052,2658 litre	O
480	CM 105	CM 185 LEVEL CM	15508,3257 litre	93,281 %	1116,9826 litre	O
480	CM 105	CM 184 LEVEL CM	15442,4796 litre	92,885 %	1182,8287 litre	O
480	CM 105	CM 183 LEVEL CM	15375,5368 litre	92,483 %	1249,7715 litre	O
480	CM 105	CM 182 LEVEL CM	15307,5286 litre	92,074 %	1317,7797 litre	O
480	CM 105	CM 181 LEVEL CM	15238,4848 litre	91,658 %	1386,8235 litre	O
480	CM 105	CM 180 LEVEL CM	15168,4339 litre	91,237 %	1456,8744 litre	O
480	CM 105	CM 179 LEVEL CM	15097,4031 litre	90,810 %	1527,9052 litre	O
480	CM 105	CM 178 LEVEL CM	15025,4186 litre	90,377 %	1599,8897 litre	O
480	CM 105	CM 177 LEVEL CM	14952,5054 litre	89,938 %	1672,8029 litre	O
480	CM 105	CM 176 LEVEL CM	14878,6877 litre	89,494 %	1746,6206 litre	O
480	CM 105	CM 175 LEVEL CM	14803,9889 litre	89,045 %	1821,3194 litre	O
480	CM 105	CM 174 LEVEL CM	14728,4313 litre	88,590 %	1896,8770 litre	O
480	CM 105	CM 173 LEVEL CM	14652,0367 litre	88,131 %	1973,2716 litre	O
480	CM 105	CM 172 LEVEL CM	14574,8262 litre	87,667 %	2050,4821 litre	O
480	CM 105	CM 171 LEVEL CM	14496,8200 litre	87,197 %	2128,4883 litre	O
480	CM 105	CM 170 LEVEL CM	14418,0379 litre	86,723 %	2207,2704 litre	O
480	CM 105	CM 169 LEVEL CM	14338,4990 litre	86,245 %	2286,8093 litre	O
480	CM 105	CM 168 LEVEL CM	14258,2220 litre	85,762 %	2367,0863 litre	O
480	CM 105	CM 167 LEVEL CM	14177,2250 litre	85,275 %	2448,0833 litre	O
480	CM 105	CM 166 LEVEL CM	14095,5255 litre	84,784 %	2529,7828 litre	O
480	CM 105	CM 165 LEVEL CM	14013,1408 litre	84,288 %	2612,1675 litre	O
480	CM 105	CM 164 LEVEL CM	13930,0876 litre	83,788 %	2695,2207 litre	O
480	CM 105	CM 163 LEVEL CM	13846,3823 litre	83,285 %	2778,9260 litre	O
480	CM 105	CM 162 LEVEL CM	13762,0408 litre	82,778 %	2863,2675 litre	O
480	CM 105	CM 161 LEVEL CM	13677,0787 litre	82,267 %	2948,2296 litre	O
480	CM 105	CM 160 LEVEL CM	13591,5113 litre	81,752 %	3033,7970 litre	O
480	CM 105	CM 159 LEVEL CM	13505,3536 litre	81,234 %	3119,9547 litre	O

480	CM	105	CM	158 LEVEL CM	13418,6202 litre	80,712 %	3206,6881 litre	O
480	CM	105	CM	157 LEVEL CM	13331,3254 litre	80,187 %	3293,9829 litre	O
480	CM	105	CM	156 LEVEL CM	13243,4834 litre	79,659 %	3381,8249 litre	O
480	CM	105	CM	155 LEVEL CM	13155,1079 litre	79,127 %	3470,2004 litre	O
480	CM	105	CM	154 LEVEL CM	13066,2125 litre	78,592 %	3559,0958 litre	O
480	CM	105	CM	153 LEVEL CM	12976,8105 litre	78,055 %	3648,4978 litre	O
480	CM	105	CM	152 LEVEL CM	12886,9151 litre	77,514 %	3738,3932 litre	O
480	CM	105	CM	151 LEVEL CM	12796,5392 litre	76,970 %	3828,7691 litre	O
480	CM	105	CM	150 LEVEL CM	12705,6953 litre	76,424 %	3919,6130 litre	O
480	CM	105	CM	149 LEVEL CM	12614,3961 litre	75,875 %	4010,9122 litre	O
480	CM	105	CM	148 LEVEL CM	12522,6538 litre	75,323 %	4102,6545 litre	O
480	CM	105	CM	147 LEVEL CM	12430,4806 litre	74,768 %	4194,8277 litre	O
480	CM	105	CM	146 LEVEL CM	12337,8883 litre	74,211 %	4287,4200 litre	O
480	CM	105	CM	145 LEVEL CM	12244,8889 litre	73,652 %	4380,4194 litre	O
480	CM	105	CM	144 LEVEL CM	12151,4939 litre	73,090 %	4473,8144 litre	O
480	CM	105	CM	143 LEVEL CM	12057,7148 litre	72,526 %	4567,5935 litre	O
480	CM	105	CM	142 LEVEL CM	11963,5631 litre	71,960 %	4661,7452 litre	O
480	CM	105	CM	141 LEVEL CM	11869,0499 litre	71,391 %	4756,2584 litre	O
480	CM	105	CM	140 LEVEL CM	11774,1862 litre	70,821 %	4851,1221 litre	O
480	CM	105	CM	139 LEVEL CM	11678,9832 litre	70,248 %	4946,3251 litre	O
480	CM	105	CM	138 LEVEL CM	11583,4516 litre	69,674 %	5041,8567 litre	O
480	CM	105	CM	137 LEVEL CM	11487,6021 litre	69,097 %	5137,7062 litre	O
480	CM	105	CM	136 LEVEL CM	11391,4455 litre	68,519 %	5233,8628 litre	O
480	CM	105	CM	135 LEVEL CM	11294,9922 litre	67,939 %	5330,3161 litre	O
480	CM	105	CM	134 LEVEL CM	11198,2527 litre	67,357 %	5427,0556 litre	O
480	CM	105	CM	133 LEVEL CM	11101,2373 litre	66,773 %	5524,0710 litre	O
480	CM	105	CM	132 LEVEL CM	11003,9563 litre	66,188 %	5621,3520 litre	O
480	CM	105	CM	131 LEVEL CM	10906,4198 litre	65,601 %	5718,8885 litre	O
480	CM	105	CM	130 LEVEL CM	10808,6380 litre	65,013 %	5816,6703 litre	O
480	CM	105	CM	129 LEVEL CM	10710,6208 litre	64,424 %	5914,6875 litre	O
480	CM	105	CM	128 LEVEL CM	10612,3782 litre	63,833 %	6012,9301 litre	O
480	CM	105	CM	127 LEVEL CM	10513,9201 litre	63,240 %	6111,3882 litre	O
480	CM	105	CM	126 LEVEL CM	10415,2563 litre	62,647 %	6210,0520 litre	O
480	CM	105	CM	125 LEVEL CM	10316,3965 litre	62,052 %	6308,9118 litre	O
480	CM	105	CM	124 LEVEL CM	10217,3504 litre	61,457 %	6407,9579 litre	O
480	CM	105	CM	123 LEVEL CM	10118,1277 litre	60,860 %	6507,1806 litre	O
480	CM	105	CM	122 LEVEL CM	10018,7380 litre	60,262 %	6606,5703 litre	O
480	CM	105	CM	121 LEVEL CM	9919,1907 litre	59,663 %	6706,1176 litre	O
480	CM	105	CM	120 LEVEL CM	9819,4954 litre	59,064 %	6805,8129 litre	O
480	CM	105	CM	119 LEVEL CM	9719,6616 litre	58,463 %	6905,6467 litre	O
480	CM	105	CM	118 LEVEL CM	9619,6986 litre	57,862 %	7005,6097 litre	O
480	CM	105	CM	117 LEVEL CM	9519,6158 litre	57,260 %	7105,6925 litre	O
480	CM	105	CM	116 LEVEL CM	9419,4226 litre	56,657 %	7205,8857 litre	O
480	CM	105	CM	115 LEVEL CM	9319,1283 litre	56,054 %	7306,1800 litre	O
480	CM	105	CM	114 LEVEL CM	9218,7421 litre	55,450 %	7406,5662 litre	O
480	CM	105	CM	113 LEVEL CM	9118,2733 litre	54,846 %	7507,0350 litre	O
480	CM	105	CM	112 LEVEL CM	9017,7311 litre	54,241 %	7607,5772 litre	O
480	CM	105	CM	111 LEVEL CM	8917,1249 litre	53,636 %	7708,1834 litre	O
480	CM	105	CM	110 LEVEL CM	8816,4636 litre	53,030 %	7808,8447 litre	O
480	CM	105	CM	109 LEVEL CM	8715,7566 litre	52,425 %	7909,5517 litre	O
480	CM	105	CM	108 LEVEL CM	8615,0130 litre	51,819 %	8010,2953 litre	O
480	CM	105	CM	107 LEVEL CM	8514,2420 litre	51,213 %	8111,0663 litre	O
480	CM	105	CM	106 LEVEL CM	8413,4526 litre	50,606 %	8211,8557 litre	O

480	CM	105	CM	105 LEVEL CM	8312,6542 litre	50,000 %	8312,6541 litre	O
480	CM	105	CM	104 LEVEL CM	8211,8557 litre	49,394 %	8413,4526 litre	O
480	CM	105	CM	103 LEVEL CM	8111,0664 litre	48,787 %	8514,2419 litre	O
480	CM	105	CM	102 LEVEL CM	8010,2953 litre	48,181 %	8615,0130 litre	O
480	CM	105	CM	101 LEVEL CM	7909,5517 litre	47,575 %	8715,7566 litre	O
480	CM	105	CM	100 LEVEL CM	7808,8447 litre	46,970 %	8816,4636 litre	O
480	CM	105	CM	99 LEVEL CM	7708,1835 litre	46,364 %	8917,1248 litre	O
480	CM	105	CM	98 LEVEL CM	7607,5772 litre	45,759 %	9017,7311 litre	O
480	CM	105	CM	97 LEVEL CM	7507,0350 litre	45,154 %	9118,2733 litre	O
480	CM	105	CM	96 LEVEL CM	7406,5662 litre	44,550 %	9218,7421 litre	O
480	CM	105	CM	95 LEVEL CM	7306,1801 litre	43,946 %	9319,1282 litre	O
480	CM	105	CM	94 LEVEL CM	7205,8857 litre	43,343 %	9419,4226 litre	O
480	CM	105	CM	93 LEVEL CM	7105,6925 litre	42,740 %	9519,6158 litre	O
480	CM	105	CM	92 LEVEL CM	7005,6097 litre	42,138 %	9619,6986 litre	O
480	CM	105	CM	91 LEVEL CM	6905,6467 litre	41,537 %	9719,6616 litre	O
480	CM	105	CM	90 LEVEL CM	6805,8129 litre	40,936 %	9819,4954 litre	O
480	CM	105	CM	89 LEVEL CM	6706,1176 litre	40,337 %	9919,1907 litre	O
480	CM	105	CM	88 LEVEL CM	6606,5704 litre	39,738 %	10018,7379 litre	O
480	CM	105	CM	87 LEVEL CM	6507,1806 litre	39,140 %	10118,1277 litre	O
480	CM	105	CM	86 LEVEL CM	6407,9579 litre	38,543 %	10217,3504 litre	O
480	CM	105	CM	85 LEVEL CM	6308,9119 litre	37,948 %	10316,3964 litre	O
480	CM	105	CM	84 LEVEL CM	6210,0521 litre	37,353 %	10415,2562 litre	O
480	CM	105	CM	83 LEVEL CM	6111,3882 litre	36,760 %	10513,9201 litre	O
480	CM	105	CM	82 LEVEL CM	6012,9301 litre	36,167 %	10612,3782 litre	O
480	CM	105	CM	81 LEVEL CM	5914,6875 litre	35,576 %	10710,6208 litre	O
480	CM	105	CM	80 LEVEL CM	5816,6704 litre	34,987 %	10808,6379 litre	O
480	CM	105	CM	79 LEVEL CM	5718,8885 litre	34,399 %	10906,4198 litre	O
480	CM	105	CM	78 LEVEL CM	5621,3520 litre	33,812 %	11003,9563 litre	O
480	CM	105	CM	77 LEVEL CM	5524,0710 litre	33,227 %	11101,2373 litre	O
480	CM	105	CM	76 LEVEL CM	5427,0556 litre	32,643 %	11198,2527 litre	O
480	CM	105	CM	75 LEVEL CM	5330,3161 litre	32,061 %	11294,9922 litre	O
480	CM	105	CM	74 LEVEL CM	5233,8628 litre	31,481 %	11391,4455 litre	O
480	CM	105	CM	73 LEVEL CM	5137,7062 litre	30,903 %	11487,6021 litre	O
480	CM	105	CM	72 LEVEL CM	5041,8567 litre	30,326 %	11583,4516 litre	O
480	CM	105	CM	71 LEVEL CM	4946,3251 litre	29,752 %	11678,9832 litre	O
480	CM	105	CM	70 LEVEL CM	4851,1221 litre	29,179 %	11774,1862 litre	O
480	CM	105	CM	69 LEVEL CM	4756,2585 litre	28,609 %	11869,0498 litre	O
480	CM	105	CM	68 LEVEL CM	4661,7452 litre	28,040 %	11963,5631 litre	O
480	CM	105	CM	67 LEVEL CM	4567,5935 litre	27,474 %	12057,7148 litre	O
480	CM	105	CM	66 LEVEL CM	4473,8144 litre	26,910 %	12151,4939 litre	O
480	CM	105	CM	65 LEVEL CM	4380,4194 litre	26,348 %	12244,8889 litre	O
480	CM	105	CM	64 LEVEL CM	4287,4200 litre	25,789 %	12337,8883 litre	O
480	CM	105	CM	63 LEVEL CM	4194,8278 litre	25,232 %	12430,4805 litre	O
480	CM	105	CM	62 LEVEL CM	4102,6545 litre	24,677 %	12522,6538 litre	O
480	CM	105	CM	61 LEVEL CM	4010,9122 litre	24,125 %	12614,3961 litre	O
480	CM	105	CM	60 LEVEL CM	3919,6130 litre	23,576 %	12705,6953 litre	O
480	CM	105	CM	59 LEVEL CM	3828,7692 litre	23,030 %	12796,5391 litre	O
480	CM	105	CM	58 LEVEL CM	3738,3932 litre	22,486 %	12886,9151 litre	O
480	CM	105	CM	57 LEVEL CM	3648,4978 litre	21,945 %	12976,8105 litre	O
480	CM	105	CM	56 LEVEL CM	3559,0958 litre	21,408 %	13066,2125 litre	O
480	CM	105	CM	55 LEVEL CM	3470,2004 litre	20,873 %	13155,1079 litre	O
480	CM	105	CM	54 LEVEL CM	3381,8249 litre	20,341 %	13243,4834 litre	O
480	CM	105	CM	53 LEVEL CM	3293,9829 litre	19,813 %	13331,3254 litre	O

480	CM	105	CM	52 LEVEL CM	3206,6881 litre	19,288 %	13418,6202 litre	O
480	CM	105	CM	51 LEVEL CM	3119,9547 litre	18,766 %	13505,3536 litre	O
480	CM	105	CM	50 LEVEL CM	3033,7970 litre	18,248 %	13591,5113 litre	O
480	CM	105	CM	49 LEVEL CM	2948,2296 litre	17,733 %	13677,0787 litre	O
480	CM	105	CM	48 LEVEL CM	2863,2675 litre	17,222 %	13762,0408 litre	O
480	CM	105	CM	47 LEVEL CM	2778,9260 litre	16,715 %	13846,3823 litre	O
480	CM	105	CM	46 LEVEL CM	2695,2207 litre	16,212 %	13930,0876 litre	O
480	CM	105	CM	45 LEVEL CM	2612,1675 litre	15,712 %	14013,1408 litre	O
480	CM	105	CM	44 LEVEL CM	2529,7828 litre	15,216 %	14095,5255 litre	O
480	CM	105	CM	43 LEVEL CM	2448,0833 litre	14,725 %	14177,2250 litre	O
480	CM	105	CM	42 LEVEL CM	2367,0863 litre	14,238 %	14258,2220 litre	O
480	CM	105	CM	41 LEVEL CM	2286,8093 litre	13,755 %	14338,4990 litre	O
480	CM	105	CM	40 LEVEL CM	2207,2704 litre	13,277 %	14418,0379 litre	O
480	CM	105	CM	39 LEVEL CM	2128,4883 litre	12,803 %	14496,8200 litre	O
480	CM	105	CM	38 LEVEL CM	2050,4821 litre	12,333 %	14574,8262 litre	O
480	CM	105	CM	37 LEVEL CM	1973,2716 litre	11,869 %	14652,0367 litre	O
480	CM	105	CM	36 LEVEL CM	1896,8770 litre	11,410 %	14728,4313 litre	O
480	CM	105	CM	35 LEVEL CM	1821,3195 litre	10,955 %	14803,9888 litre	O
480	CM	105	CM	34 LEVEL CM	1746,6206 litre	10,506 %	14878,6877 litre	O
480	CM	105	CM	33 LEVEL CM	1672,8030 litre	10,062 %	14952,5053 litre	O
480	CM	105	CM	32 LEVEL CM	1599,8898 litre	9,623 %	15025,4185 litre	O
480	CM	105	CM	31 LEVEL CM	1527,9052 litre	9,190 %	15097,4031 litre	O
480	CM	105	CM	30 LEVEL CM	1456,8744 litre	8,763 %	15168,4339 litre	O
480	CM	105	CM	29 LEVEL CM	1386,8235 litre	8,342 %	15238,4848 litre	O
480	CM	105	CM	28 LEVEL CM	1317,7797 litre	7,926 %	15307,5286 litre	O
480	CM	105	CM	27 LEVEL CM	1249,7716 litre	7,517 %	15375,5367 litre	O
480	CM	105	CM	26 LEVEL CM	1182,8288 litre	7,115 %	15442,4795 litre	O
480	CM	105	CM	25 LEVEL CM	1116,9826 litre	6,719 %	15508,3257 litre	O
480	CM	105	CM	24 LEVEL CM	1052,2659 litre	6,329 %	15573,0424 litre	O
480	CM	105	CM	23 LEVEL CM	988,7131 litre	5,947 %	15636,5952 litre	O
480	CM	105	CM	22 LEVEL CM	926,3609 litre	5,572 %	15698,9474 litre	O
480	CM	105	CM	21 LEVEL CM	865,2479 litre	5,204 %	15760,0604 litre	O
480	CM	105	CM	20 LEVEL CM	805,4150 litre	4,845 %	15819,8933 litre	O
480	CM	105	CM	19 LEVEL CM	746,9062 litre	4,493 %	15878,4021 litre	O
480	CM	105	CM	18 LEVEL CM	689,7681 litre	4,149 %	15935,5402 litre	O
480	CM	105	CM	17 LEVEL CM	634,0511 litre	3,814 %	15991,2572 litre	O
480	CM	105	CM	16 LEVEL CM	579,8093 litre	3,488 %	16045,4990 litre	O
480	CM	105	CM	15 LEVEL CM	527,1015 litre	3,170 %	16098,2068 litre	O
480	CM	105	CM	14 LEVEL CM	475,9917 litre	2,863 %	16149,3166 litre	O
480	CM	105	CM	13 LEVEL CM	426,5503 litre	2,566 %	16198,7580 litre	O
480	CM	105	CM	12 LEVEL CM	378,8548 litre	2,279 %	16246,4535 litre	O
480	CM	105	CM	11 LEVEL CM	332,9919 litre	2,003 %	16292,3164 litre	O
480	CM	105	CM	10 LEVEL CM	289,0588 litre	1,739 %	16336,2495 litre	O
480	CM	105	CM	9 LEVEL CM	247,1664 litre	1,487 %	16378,1419 litre	O
480	CM	105	CM	8 LEVEL CM	207,4426 litre	1,248 %	16417,8657 litre	O
480	CM	105	CM	7 LEVEL CM	170,0378 litre	1,023 %	16455,2705 litre	O
480	CM	105	CM	6 LEVEL CM	135,1321 litre	0,813 %	16490,1762 litre	O
480	CM	105	CM	5 LEVEL CM	102,9480 litre	0,619 %	16522,3603 litre	O
480	CM	105	CM	4 LEVEL CM	73,7704 litre	0,444 %	16551,5379 litre	O
480	CM	105	CM	3 LEVEL CM	47,9846 litre	0,289 %	16577,3237 litre	O
480	CM	105	CM	2 LEVEL CM	26,1571 litre	0,157 %	16599,1512 litre	O
480	CM	105	CM	1 LEVEL CM	9,2612 litre	0,056 %	16616,0471 litre	O
480	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	16625,3083 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM 100	CM 200 LEVEL CM	15079,6447 litre	100,000 %	0,0000 litre	O
480	CM 100	CM 199 LEVEL CM	15070,6074 litre	99,940 %	9,0373 litre	O
480	CM 100	CM 198 LEVEL CM	15054,1217 litre	99,831 %	25,5230 litre	O
480	CM 100	CM 197 LEVEL CM	15032,8267 litre	99,690 %	46,8180 litre	O
480	CM 100	CM 196 LEVEL CM	15007,6730 litre	99,523 %	71,9717 litre	O
480	CM 100	CM 195 LEVEL CM	14979,2142 litre	99,334 %	100,4305 litre	O
480	CM 100	CM 194 LEVEL CM	14947,8269 litre	99,126 %	131,8178 litre	O
480	CM 100	CM 193 LEVEL CM	14913,7897 litre	98,900 %	165,8550 litre	O
480	CM 100	CM 192 LEVEL CM	14877,3202 litre	98,658 %	202,3245 litre	O
480	CM 100	CM 191 LEVEL CM	14838,5947 litre	98,401 %	241,0500 litre	O
480	CM 100	CM 190 LEVEL CM	14797,7604 litre	98,131 %	281,8843 litre	O
480	CM 100	CM 189 LEVEL CM	14754,9425 litre	97,847 %	324,7022 litre	O
480	CM 100	CM 188 LEVEL CM	14710,2498 litre	97,550 %	369,3949 litre	O
480	CM 100	CM 187 LEVEL CM	14663,7775 litre	97,242 %	415,8672 litre	O
480	CM 100	CM 186 LEVEL CM	14615,6106 litre	96,923 %	464,0341 litre	O
480	CM 100	CM 185 LEVEL CM	14565,8251 litre	96,593 %	513,8196 litre	O
480	CM 100	CM 184 LEVEL CM	14514,4902 litre	96,252 %	565,1545 litre	O
480	CM 100	CM 183 LEVEL CM	14461,6686 litre	95,902 %	617,9761 litre	O
480	CM 100	CM 182 LEVEL CM	14407,4181 litre	95,542 %	672,2266 litre	O
480	CM 100	CM 181 LEVEL CM	14351,7919 litre	95,173 %	727,8528 litre	O
480	CM 100	CM 180 LEVEL CM	14294,8394 litre	94,796 %	784,8053 litre	O
480	CM 100	CM 179 LEVEL CM	14236,6067 litre	94,409 %	843,0380 litre	O
480	CM 100	CM 178 LEVEL CM	14177,1368 litre	94,015 %	902,5079 litre	O
480	CM 100	CM 177 LEVEL CM	14116,4701 litre	93,613 %	963,1746 litre	O
480	CM 100	CM 176 LEVEL CM	14054,6447 litre	93,203 %	1025,0000 litre	O
480	CM 100	CM 175 LEVEL CM	13991,6965 litre	92,785 %	1087,9482 litre	O
480	CM 100	CM 174 LEVEL CM	13927,6597 litre	92,361 %	1151,9850 litre	O
480	CM 100	CM 173 LEVEL CM	13862,5665 litre	91,929 %	1217,0782 litre	O
480	CM 100	CM 172 LEVEL CM	13796,4479 litre	91,491 %	1283,1968 litre	O
480	CM 100	CM 171 LEVEL CM	13729,3331 litre	91,045 %	1350,3116 litre	O
480	CM 100	CM 170 LEVEL CM	13661,2503 litre	90,594 %	1418,3944 litre	O
480	CM 100	CM 169 LEVEL CM	13592,2264 litre	90,136 %	1487,4183 litre	O
480	CM 100	CM 168 LEVEL CM	13522,2873 litre	89,672 %	1557,3574 litre	O
480	CM 100	CM 167 LEVEL CM	13451,4578 litre	89,203 %	1628,1869 litre	O
480	CM 100	CM 166 LEVEL CM	13379,7618 litre	88,727 %	1699,8829 litre	O
480	CM 100	CM 165 LEVEL CM	13307,2224 litre	88,246 %	1772,4223 litre	O
480	CM 100	CM 164 LEVEL CM	13233,8618 litre	87,760 %	1845,7829 litre	O
480	CM 100	CM 163 LEVEL CM	13159,7015 litre	87,268 %	1919,9432 litre	O
480	CM 100	CM 162 LEVEL CM	13084,7623 litre	86,771 %	1994,8824 litre	O
480	CM 100	CM 161 LEVEL CM	13009,0645 litre	86,269 %	2070,5802 litre	O
480	CM 100	CM 160 LEVEL CM	12932,6277 litre	85,762 %	2147,0170 litre	O
480	CM 100	CM 159 LEVEL CM	12855,4708 litre	85,250 %	2224,1739 litre	O
480	CM 100	CM 158 LEVEL CM	12777,6123 litre	84,734 %	2302,0324 litre	O
480	CM 100	CM 157 LEVEL CM	12699,0704 litre	84,213 %	2380,5743 litre	O
480	CM 100	CM 156 LEVEL CM	12619,8623 litre	83,688 %	2459,7824 litre	O
480	CM 100	CM 155 LEVEL CM	12540,0054 litre	83,158 %	2539,6393 litre	O
480	CM 100	CM 154 LEVEL CM	12459,5162 litre	82,625 %	2620,1285 litre	O
480	CM 100	CM 153 LEVEL CM	12378,4111 litre	82,087 %	2701,2336 litre	O
480	CM 100	CM 152 LEVEL CM	12296,7059 litre	81,545 %	2782,9388 litre	O
480	CM 100	CM 151 LEVEL CM	12214,4163 litre	80,999 %	2865,2284 litre	O
480	CM 100	CM 150 LEVEL CM	12131,5575 litre	80,450 %	2948,0872 litre	O
480	CM 100	CM 149 LEVEL CM	12048,1443 litre	79,897 %	3031,5004 litre	O

480	CM	100	CM	148 LEVEL CM	11964,1916 litre	79,340 %	3115,4531 litre	O
480	CM	100	CM	147 LEVEL CM	11879,7135 litre	78,780 %	3199,9312 litre	O
480	CM	100	CM	146 LEVEL CM	11794,7243 litre	78,216 %	3284,9204 litre	O
480	CM	100	CM	145 LEVEL CM	11709,2377 litre	77,649 %	3370,4070 litre	O
480	CM	100	CM	144 LEVEL CM	11623,2673 litre	77,079 %	3456,3774 litre	O
480	CM	100	CM	143 LEVEL CM	11536,8265 litre	76,506 %	3542,8182 litre	O
480	CM	100	CM	142 LEVEL CM	11449,9285 litre	75,930 %	3629,7162 litre	O
480	CM	100	CM	141 LEVEL CM	11362,5862 litre	75,350 %	3717,0585 litre	O
480	CM	100	CM	140 LEVEL CM	11274,8123 litre	74,768 %	3804,8324 litre	O
480	CM	100	CM	139 LEVEL CM	11186,6194 litre	74,184 %	3893,0253 litre	O
480	CM	100	CM	138 LEVEL CM	11098,0199 litre	73,596 %	3981,6248 litre	O
480	CM	100	CM	137 LEVEL CM	11009,0261 litre	73,006 %	4070,6186 litre	O
480	CM	100	CM	136 LEVEL CM	10919,6498 litre	72,413 %	4159,9949 litre	O
480	CM	100	CM	135 LEVEL CM	10829,9032 litre	71,818 %	4249,7415 litre	O
480	CM	100	CM	134 LEVEL CM	10739,7978 litre	71,220 %	4339,8469 litre	O
480	CM	100	CM	133 LEVEL CM	10649,3453 litre	70,621 %	4430,2994 litre	O
480	CM	100	CM	132 LEVEL CM	10558,5573 litre	70,019 %	4521,0874 litre	O
480	CM	100	CM	131 LEVEL CM	10467,4449 litre	69,414 %	4612,1998 litre	O
480	CM	100	CM	130 LEVEL CM	10376,0196 litre	68,808 %	4703,6251 litre	O
480	CM	100	CM	129 LEVEL CM	10284,2923 litre	68,200 %	4795,3524 litre	O
480	CM	100	CM	128 LEVEL CM	10192,2741 litre	67,590 %	4887,3706 litre	O
480	CM	100	CM	127 LEVEL CM	10099,9759 litre	66,978 %	4979,6688 litre	O
480	CM	100	CM	126 LEVEL CM	10007,4085 litre	66,364 %	5072,2362 litre	O
480	CM	100	CM	125 LEVEL CM	9914,5826 litre	65,748 %	5165,0621 litre	O
480	CM	100	CM	124 LEVEL CM	9821,5088 litre	65,131 %	5258,1359 litre	O
480	CM	100	CM	123 LEVEL CM	9728,1977 litre	64,512 %	5351,4470 litre	O
480	CM	100	CM	122 LEVEL CM	9634,6597 litre	63,892 %	5444,9850 litre	O
480	CM	100	CM	121 LEVEL CM	9540,9052 litre	63,270 %	5538,7395 litre	O
480	CM	100	CM	120 LEVEL CM	9446,9444 litre	62,647 %	5632,7003 litre	O
480	CM	100	CM	119 LEVEL CM	9352,7878 litre	62,023 %	5726,8569 litre	O
480	CM	100	CM	118 LEVEL CM	9258,4453 litre	61,397 %	5821,1994 litre	O
480	CM	100	CM	117 LEVEL CM	9163,9271 litre	60,770 %	5915,7176 litre	O
480	CM	100	CM	116 LEVEL CM	9069,2434 litre	60,142 %	6010,4013 litre	O
480	CM	100	CM	115 LEVEL CM	8974,4040 litre	59,513 %	6105,2407 litre	O
480	CM	100	CM	114 LEVEL CM	8879,4190 litre	58,883 %	6200,2257 litre	O
480	CM	100	CM	113 LEVEL CM	8784,2982 litre	58,253 %	6295,3465 litre	O
480	CM	100	CM	112 LEVEL CM	8689,0516 litre	57,621 %	6390,5931 litre	O
480	CM	100	CM	111 LEVEL CM	8593,6889 litre	56,989 %	6485,9558 litre	O
480	CM	100	CM	110 LEVEL CM	8498,2200 litre	56,356 %	6581,4247 litre	O
480	CM	100	CM	109 LEVEL CM	8402,6545 litre	55,722 %	6676,9902 litre	O
480	CM	100	CM	108 LEVEL CM	8307,0024 litre	55,088 %	6772,6423 litre	O
480	CM	100	CM	107 LEVEL CM	8211,2732 litre	54,453 %	6868,3715 litre	O
480	CM	100	CM	106 LEVEL CM	8115,4766 litre	53,817 %	6964,1681 litre	O
480	CM	100	CM	105 LEVEL CM	8019,6223 litre	53,182 %	7060,0224 litre	O
480	CM	100	CM	104 LEVEL CM	7923,7199 litre	52,546 %	7155,9248 litre	O
480	CM	100	CM	103 LEVEL CM	7827,7792 litre	51,910 %	7251,8655 litre	O
480	CM	100	CM	102 LEVEL CM	7731,8096 litre	51,273 %	7347,8351 litre	O
480	CM	100	CM	101 LEVEL CM	7635,8208 litre	50,637 %	7443,8239 litre	O
480	CM	100	CM	100 LEVEL CM	7539,8224 litre	50,000 %	7539,8223 litre	O
480	CM	100	CM	99 LEVEL CM	7443,8240 litre	49,363 %	7635,8207 litre	O
480	CM	100	CM	98 LEVEL CM	7347,8352 litre	48,727 %	7731,8095 litre	O
480	CM	100	CM	97 LEVEL CM	7251,8656 litre	48,090 %	7827,7791 litre	O
480	CM	100	CM	96 LEVEL CM	7155,9248 litre	47,454 %	7923,7199 litre	O

480	CM	100	CM	95 LEVEL CM	7060,0224 litre	46,818 %	8019,6223 litre	O
480	CM	100	CM	94 LEVEL CM	6964,1682 litre	46,183 %	8115,4765 litre	O
480	CM	100	CM	93 LEVEL CM	6868,3716 litre	45,547 %	8211,2731 litre	O
480	CM	100	CM	92 LEVEL CM	6772,6424 litre	44,912 %	8307,0023 litre	O
480	CM	100	CM	91 LEVEL CM	6676,9902 litre	44,278 %	8402,6545 litre	O
480	CM	100	CM	90 LEVEL CM	6581,4248 litre	43,644 %	8498,2199 litre	O
480	CM	100	CM	89 LEVEL CM	6485,9559 litre	43,011 %	8593,6888 litre	O
480	CM	100	CM	88 LEVEL CM	6390,5932 litre	42,379 %	8689,0515 litre	O
480	CM	100	CM	87 LEVEL CM	6295,3465 litre	41,747 %	8784,2982 litre	O
480	CM	100	CM	86 LEVEL CM	6200,2258 litre	41,117 %	8879,4189 litre	O
480	CM	100	CM	85 LEVEL CM	6105,2407 litre	40,487 %	8974,4040 litre	O
480	CM	100	CM	84 LEVEL CM	6010,4014 litre	39,858 %	9069,2433 litre	O
480	CM	100	CM	83 LEVEL CM	5915,7176 litre	39,230 %	9163,9271 litre	O
480	CM	100	CM	82 LEVEL CM	5821,1995 litre	38,603 %	9258,4452 litre	O
480	CM	100	CM	81 LEVEL CM	5726,8570 litre	37,977 %	9352,7877 litre	O
480	CM	100	CM	80 LEVEL CM	5632,7003 litre	37,353 %	9446,9444 litre	O
480	CM	100	CM	79 LEVEL CM	5538,7396 litre	36,730 %	9540,9051 litre	O
480	CM	100	CM	78 LEVEL CM	5444,9850 litre	36,108 %	9634,6597 litre	O
480	CM	100	CM	77 LEVEL CM	5351,4470 litre	35,488 %	9728,1977 litre	O
480	CM	100	CM	76 LEVEL CM	5258,1359 litre	34,869 %	9821,5088 litre	O
480	CM	100	CM	75 LEVEL CM	5165,0621 litre	34,252 %	9914,5826 litre	O
480	CM	100	CM	74 LEVEL CM	5072,2362 litre	33,636 %	10007,4085 litre	O
480	CM	100	CM	73 LEVEL CM	4979,6688 litre	33,022 %	10099,9759 litre	O
480	CM	100	CM	72 LEVEL CM	4887,3706 litre	32,410 %	10192,2741 litre	O
480	CM	100	CM	71 LEVEL CM	4795,3525 litre	31,800 %	10284,2922 litre	O
480	CM	100	CM	70 LEVEL CM	4703,6252 litre	31,192 %	10376,0195 litre	O
480	CM	100	CM	69 LEVEL CM	4612,1998 litre	30,586 %	10467,4449 litre	O
480	CM	100	CM	68 LEVEL CM	4521,0875 litre	29,981 %	10558,5572 litre	O
480	CM	100	CM	67 LEVEL CM	4430,2994 litre	29,379 %	10649,3453 litre	O
480	CM	100	CM	66 LEVEL CM	4339,8469 litre	28,780 %	10739,7978 litre	O
480	CM	100	CM	65 LEVEL CM	4249,7416 litre	28,182 %	10829,9031 litre	O
480	CM	100	CM	64 LEVEL CM	4159,9949 litre	27,587 %	10919,6498 litre	O
480	CM	100	CM	63 LEVEL CM	4070,6187 litre	26,994 %	11009,0260 litre	O
480	CM	100	CM	62 LEVEL CM	3981,6248 litre	26,404 %	11098,0199 litre	O
480	CM	100	CM	61 LEVEL CM	3893,0253 litre	25,816 %	11186,6194 litre	O
480	CM	100	CM	60 LEVEL CM	3804,8324 litre	25,232 %	11274,8123 litre	O
480	CM	100	CM	59 LEVEL CM	3717,0586 litre	24,650 %	11362,5861 litre	O
480	CM	100	CM	58 LEVEL CM	3629,7162 litre	24,070 %	11449,9285 litre	O
480	CM	100	CM	57 LEVEL CM	3542,8182 litre	23,494 %	11536,8265 litre	O
480	CM	100	CM	56 LEVEL CM	3456,3774 litre	22,921 %	11623,2673 litre	O
480	CM	100	CM	55 LEVEL CM	3370,4071 litre	22,351 %	11709,2376 litre	O
480	CM	100	CM	54 LEVEL CM	3284,9205 litre	21,784 %	11794,7242 litre	O
480	CM	100	CM	53 LEVEL CM	3199,9312 litre	21,220 %	11879,7135 litre	O
480	CM	100	CM	52 LEVEL CM	3115,4532 litre	20,660 %	11964,1915 litre	O
480	CM	100	CM	51 LEVEL CM	3031,5004 litre	20,103 %	12048,1443 litre	O
480	CM	100	CM	50 LEVEL CM	2948,0873 litre	19,550 %	12131,5574 litre	O
480	CM	100	CM	49 LEVEL CM	2865,2284 litre	19,001 %	12214,4163 litre	O
480	CM	100	CM	48 LEVEL CM	2782,9388 litre	18,455 %	12296,7059 litre	O
480	CM	100	CM	47 LEVEL CM	2701,2337 litre	17,913 %	12378,4110 litre	O
480	CM	100	CM	46 LEVEL CM	2620,1285 litre	17,375 %	12459,5162 litre	O
480	CM	100	CM	45 LEVEL CM	2539,6393 litre	16,842 %	12540,0054 litre	O
480	CM	100	CM	44 LEVEL CM	2459,7824 litre	16,312 %	12619,8623 litre	O
480	CM	100	CM	43 LEVEL CM	2380,5744 litre	15,787 %	12699,0703 litre	O

480	CM	100	CM	42 LEVEL CM	2302,0324 litre	15,266 %	12777,6123 litre	O
480	CM	100	CM	41 LEVEL CM	2224,1739 litre	14,750 %	12855,4708 litre	O
480	CM	100	CM	40 LEVEL CM	2147,0170 litre	14,238 %	12932,6277 litre	O
480	CM	100	CM	39 LEVEL CM	2070,5802 litre	13,731 %	13009,0645 litre	O
480	CM	100	CM	38 LEVEL CM	1994,8824 litre	13,229 %	13084,7623 litre	O
480	CM	100	CM	37 LEVEL CM	1919,9433 litre	12,732 %	13159,7014 litre	O
480	CM	100	CM	36 LEVEL CM	1845,7830 litre	12,240 %	13233,8617 litre	O
480	CM	100	CM	35 LEVEL CM	1772,4223 litre	11,754 %	13307,2224 litre	O
480	CM	100	CM	34 LEVEL CM	1699,8829 litre	11,273 %	13379,7618 litre	O
480	CM	100	CM	33 LEVEL CM	1628,1869 litre	10,797 %	13451,4578 litre	O
480	CM	100	CM	32 LEVEL CM	1557,3574 litre	10,328 %	13522,2873 litre	O
480	CM	100	CM	31 LEVEL CM	1487,4183 litre	9,864 %	13592,2264 litre	O
480	CM	100	CM	30 LEVEL CM	1418,3944 litre	9,406 %	13661,2503 litre	O
480	CM	100	CM	29 LEVEL CM	1350,3117 litre	8,955 %	13729,3330 litre	O
480	CM	100	CM	28 LEVEL CM	1283,1969 litre	8,509 %	13796,4478 litre	O
480	CM	100	CM	27 LEVEL CM	1217,0782 litre	8,071 %	13862,5665 litre	O
480	CM	100	CM	26 LEVEL CM	1151,9851 litre	7,639 %	13927,6596 litre	O
480	CM	100	CM	25 LEVEL CM	1087,9482 litre	7,215 %	13991,6965 litre	O
480	CM	100	CM	24 LEVEL CM	1025,0000 litre	6,797 %	14054,6447 litre	O
480	CM	100	CM	23 LEVEL CM	963,1746 litre	6,387 %	14116,4701 litre	O
480	CM	100	CM	22 LEVEL CM	902,5079 litre	5,985 %	14177,1368 litre	O
480	CM	100	CM	21 LEVEL CM	843,0380 litre	5,591 %	14236,6067 litre	O
480	CM	100	CM	20 LEVEL CM	784,8053 litre	5,204 %	14294,8394 litre	O
480	CM	100	CM	19 LEVEL CM	727,8529 litre	4,827 %	14351,7918 litre	O
480	CM	100	CM	18 LEVEL CM	672,2267 litre	4,458 %	14407,4180 litre	O
480	CM	100	CM	17 LEVEL CM	617,9761 litre	4,098 %	14461,6686 litre	O
480	CM	100	CM	16 LEVEL CM	565,1545 litre	3,748 %	14514,4902 litre	O
480	CM	100	CM	15 LEVEL CM	513,8196 litre	3,407 %	14565,8251 litre	O
480	CM	100	CM	14 LEVEL CM	464,0342 litre	3,077 %	14615,6105 litre	O
480	CM	100	CM	13 LEVEL CM	415,8672 litre	2,758 %	14663,7775 litre	O
480	CM	100	CM	12 LEVEL CM	369,3950 litre	2,450 %	14710,2497 litre	O
480	CM	100	CM	11 LEVEL CM	324,7022 litre	2,153 %	14754,9425 litre	O
480	CM	100	CM	10 LEVEL CM	281,8844 litre	1,869 %	14797,7603 litre	O
480	CM	100	CM	9 LEVEL CM	241,0500 litre	1,599 %	14838,5947 litre	O
480	CM	100	CM	8 LEVEL CM	202,3246 litre	1,342 %	14877,3201 litre	O
480	CM	100	CM	7 LEVEL CM	165,8550 litre	1,100 %	14913,7897 litre	O
480	CM	100	CM	6 LEVEL CM	131,8178 litre	0,874 %	14947,8269 litre	O
480	CM	100	CM	5 LEVEL CM	100,4305 litre	0,666 %	14979,2142 litre	O
480	CM	100	CM	4 LEVEL CM	71,9717 litre	0,477 %	15007,6730 litre	O
480	CM	100	CM	3 LEVEL CM	46,8180 litre	0,310 %	15032,8267 litre	O
480	CM	100	CM	2 LEVEL CM	25,5231 litre	0,169 %	15054,1216 litre	O
480	CM	100	CM	1 LEVEL CM	9,0374 litre	0,060 %	15070,6073 litre	O
480	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	15079,6447 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
480	CM	95	CM	190 LEVEL CM	13609,3794 litre	100,000 %	0,0000 litre	O
480	CM	95	CM	189 LEVEL CM	13600,5715 litre	99,935 %	8,8079 litre	O
480	CM	95	CM	188 LEVEL CM	13584,5065 litre	99,817 %	24,8729 litre	O
480	CM	95	CM	187 LEVEL CM	13563,7578 litre	99,665 %	45,6216 litre	O
480	CM	95	CM	186 LEVEL CM	13539,2525 litre	99,485 %	70,1269 litre	O
480	CM	95	CM	185 LEVEL CM	13511,5311 litre	99,281 %	97,8483 litre	O
480	CM	95	CM	184 LEVEL CM	13480,9614 litre	99,056 %	128,4180 litre	O
480	CM	95	CM	183 LEVEL CM	13447,8154 litre	98,813 %	161,5640 litre	O
480	CM	95	CM	182 LEVEL CM	13412,3057 litre	98,552 %	197,0737 litre	O
480	CM	95	CM	181 LEVEL CM	13374,6050 litre	98,275 %	234,7744 litre	O
480	CM	95	CM	180 LEVEL CM	13334,8569 litre	97,983 %	274,5225 litre	O
480	CM	95	CM	179 LEVEL CM	13293,1841 litre	97,677 %	316,1953 litre	O
480	CM	95	CM	178 LEVEL CM	13249,6930 litre	97,357 %	359,6864 litre	O
480	CM	95	CM	177 LEVEL CM	13204,4770 litre	97,025 %	404,9024 litre	O
480	CM	95	CM	176 LEVEL CM	13157,6193 litre	96,681 %	451,7601 litre	O
480	CM	95	CM	175 LEVEL CM	13109,1944 litre	96,325 %	500,1850 litre	O
480	CM	95	CM	174 LEVEL CM	13059,2700 litre	95,958 %	550,1094 litre	O
480	CM	95	CM	173 LEVEL CM	13007,9079 litre	95,580 %	601,4715 litre	O
480	CM	95	CM	172 LEVEL CM	12955,1646 litre	95,193 %	654,2148 litre	O
480	CM	95	CM	171 LEVEL CM	12901,0926 litre	94,796 %	708,2868 litre	O
480	CM	95	CM	170 LEVEL CM	12845,7402 litre	94,389 %	763,6392 litre	O
480	CM	95	CM	169 LEVEL CM	12789,1529 litre	93,973 %	820,2265 litre	O
480	CM	95	CM	168 LEVEL CM	12731,3728 litre	93,549 %	878,0066 litre	O
480	CM	95	CM	167 LEVEL CM	12672,4398 litre	93,115 %	936,9396 litre	O
480	CM	95	CM	166 LEVEL CM	12612,3914 litre	92,674 %	996,9880 litre	O
480	CM	95	CM	165 LEVEL CM	12551,2630 litre	92,225 %	1058,1164 litre	O
480	CM	95	CM	164 LEVEL CM	12489,0881 litre	91,768 %	1120,2913 litre	O
480	CM	95	CM	163 LEVEL CM	12425,8987 litre	91,304 %	1183,4807 litre	O
480	CM	95	CM	162 LEVEL CM	12361,7251 litre	90,832 %	1247,6543 litre	O
480	CM	95	CM	161 LEVEL CM	12296,5964 litre	90,354 %	1312,7830 litre	O
480	CM	95	CM	160 LEVEL CM	12230,5404 litre	89,868 %	1378,8390 litre	O
480	CM	95	CM	159 LEVEL CM	12163,5836 litre	89,376 %	1445,7958 litre	O
480	CM	95	CM	158 LEVEL CM	12095,7516 litre	88,878 %	1513,6278 litre	O
480	CM	95	CM	157 LEVEL CM	12027,0690 litre	88,373 %	1582,3104 litre	O
480	CM	95	CM	156 LEVEL CM	11957,5594 litre	87,863 %	1651,8200 litre	O
480	CM	95	CM	155 LEVEL CM	11887,2456 litre	87,346 %	1722,1338 litre	O
480	CM	95	CM	154 LEVEL CM	11816,1498 litre	86,824 %	1793,2296 litre	O
480	CM	95	CM	153 LEVEL CM	11744,2932 litre	86,296 %	1865,0862 litre	O
480	CM	95	CM	152 LEVEL CM	11671,6965 litre	85,762 %	1937,6829 litre	O
480	CM	95	CM	151 LEVEL CM	11598,3798 litre	85,223 %	2010,9996 litre	O
480	CM	95	CM	150 LEVEL CM	11524,3624 litre	84,680 %	2085,0170 litre	O
480	CM	95	CM	149 LEVEL CM	11449,6634 litre	84,131 %	2159,7160 litre	O
480	CM	95	CM	148 LEVEL CM	11374,3011 litre	83,577 %	2235,0783 litre	O
480	CM	95	CM	147 LEVEL CM	11298,2934 litre	83,018 %	2311,0860 litre	O
480	CM	95	CM	146 LEVEL CM	11221,6578 litre	82,455 %	2387,7216 litre	O
480	CM	95	CM	145 LEVEL CM	11144,4113 litre	81,888 %	2464,9681 litre	O
480	CM	95	CM	144 LEVEL CM	11066,5705 litre	81,316 %	2542,8089 litre	O
480	CM	95	CM	143 LEVEL CM	10988,1518 litre	80,740 %	2621,2276 litre	O
480	CM	95	CM	142 LEVEL CM	10909,1709 litre	80,159 %	2700,2085 litre	O
480	CM	95	CM	141 LEVEL CM	10829,6435 litre	79,575 %	2779,7359 litre	O
480	CM	95	CM	140 LEVEL CM	10749,5848 litre	78,987 %	2859,7946 litre	O
480	CM	95	CM	139 LEVEL CM	10669,0097 litre	78,395 %	2940,3697 litre	O

480	CM	95	CM	138 LEVEL CM	10587,9329 litre	77,799 %	3021,4465 litre	O
480	CM	95	CM	137 LEVEL CM	10506,3688 litre	77,199 %	3103,0106 litre	O
480	CM	95	CM	136 LEVEL CM	10424,3315 litre	76,597 %	3185,0479 litre	O
480	CM	95	CM	135 LEVEL CM	10341,8349 litre	75,990 %	3267,5445 litre	O
480	CM	95	CM	134 LEVEL CM	10258,8926 litre	75,381 %	3350,4868 litre	O
480	CM	95	CM	133 LEVEL CM	10175,5181 litre	74,768 %	3433,8613 litre	O
480	CM	95	CM	132 LEVEL CM	10091,7246 litre	74,153 %	3517,6548 litre	O
480	CM	95	CM	131 LEVEL CM	10007,5252 litre	73,534 %	3601,8542 litre	O
480	CM	95	CM	130 LEVEL CM	9922,9326 litre	72,912 %	3686,4468 litre	O
480	CM	95	CM	129 LEVEL CM	9837,9595 litre	72,288 %	3771,4199 litre	O
480	CM	95	CM	128 LEVEL CM	9752,6185 litre	71,661 %	3856,7609 litre	O
480	CM	95	CM	127 LEVEL CM	9666,9219 litre	71,031 %	3942,4575 litre	O
480	CM	95	CM	126 LEVEL CM	9580,8818 litre	70,399 %	4028,4976 litre	O
480	CM	95	CM	125 LEVEL CM	9494,5103 litre	69,764 %	4114,8691 litre	O
480	CM	95	CM	124 LEVEL CM	9407,8193 litre	69,127 %	4201,5601 litre	O
480	CM	95	CM	123 LEVEL CM	9320,8205 litre	68,488 %	4288,5589 litre	O
480	CM	95	CM	122 LEVEL CM	9233,5256 litre	67,847 %	4375,8538 litre	O
480	CM	95	CM	121 LEVEL CM	9145,9462 litre	67,203 %	4463,4332 litre	O
480	CM	95	CM	120 LEVEL CM	9058,0935 litre	66,558 %	4551,2859 litre	O
480	CM	95	CM	119 LEVEL CM	8969,9790 litre	65,910 %	4639,4004 litre	O
480	CM	95	CM	118 LEVEL CM	8881,6138 litre	65,261 %	4727,7656 litre	O
480	CM	95	CM	117 LEVEL CM	8793,0091 litre	64,610 %	4816,3703 litre	O
480	CM	95	CM	116 LEVEL CM	8704,1758 litre	63,957 %	4905,2036 litre	O
480	CM	95	CM	115 LEVEL CM	8615,1250 litre	63,303 %	4994,2544 litre	O
480	CM	95	CM	114 LEVEL CM	8525,8674 litre	62,647 %	5083,5120 litre	O
480	CM	95	CM	113 LEVEL CM	8436,4138 litre	61,990 %	5172,9656 litre	O
480	CM	95	CM	112 LEVEL CM	8346,7750 litre	61,331 %	5262,6044 litre	O
480	CM	95	CM	111 LEVEL CM	8256,9615 litre	60,671 %	5352,4179 litre	O
480	CM	95	CM	110 LEVEL CM	8166,9840 litre	60,010 %	5442,3954 litre	O
480	CM	95	CM	109 LEVEL CM	8076,8530 litre	59,348 %	5532,5264 litre	O
480	CM	95	CM	108 LEVEL CM	7986,5790 litre	58,684 %	5622,8004 litre	O
480	CM	95	CM	107 LEVEL CM	7896,1724 litre	58,020 %	5713,2070 litre	O
480	CM	95	CM	106 LEVEL CM	7805,6435 litre	57,355 %	5803,7359 litre	O
480	CM	95	CM	105 LEVEL CM	7715,0027 litre	56,689 %	5894,3767 litre	O
480	CM	95	CM	104 LEVEL CM	7624,2602 litre	56,022 %	5985,1192 litre	O
480	CM	95	CM	103 LEVEL CM	7533,4265 litre	55,355 %	6075,9529 litre	O
480	CM	95	CM	102 LEVEL CM	7442,5115 litre	54,687 %	6166,8679 litre	O
480	CM	95	CM	101 LEVEL CM	7351,5257 litre	54,018 %	6257,8537 litre	O
480	CM	95	CM	100 LEVEL CM	7260,4791 litre	53,349 %	6348,9003 litre	O
480	CM	95	CM	99 LEVEL CM	7169,3819 litre	52,680 %	6439,9975 litre	O
480	CM	95	CM	98 LEVEL CM	7078,2442 litre	52,010 %	6531,1352 litre	O
480	CM	95	CM	97 LEVEL CM	6987,0762 litre	51,340 %	6622,3032 litre	O
480	CM	95	CM	96 LEVEL CM	6895,8880 litre	50,670 %	6713,4914 litre	O
480	CM	95	CM	95 LEVEL CM	6804,6897 litre	50,000 %	6804,6897 litre	O
480	CM	95	CM	94 LEVEL CM	6713,4914 litre	49,330 %	6895,8880 litre	O
480	CM	95	CM	93 LEVEL CM	6622,3032 litre	48,660 %	6987,0762 litre	O
480	CM	95	CM	92 LEVEL CM	6531,1352 litre	47,990 %	7078,2442 litre	O
480	CM	95	CM	91 LEVEL CM	6439,9975 litre	47,320 %	7169,3819 litre	O
480	CM	95	CM	90 LEVEL CM	6348,9003 litre	46,651 %	7260,4791 litre	O
480	CM	95	CM	89 LEVEL CM	6257,8537 litre	45,982 %	7351,5257 litre	O
480	CM	95	CM	88 LEVEL CM	6166,8678 litre	45,313 %	7442,5116 litre	O
480	CM	95	CM	87 LEVEL CM	6075,9529 litre	44,645 %	7533,4265 litre	O
480	CM	95	CM	86 LEVEL CM	5985,1191 litre	43,978 %	7624,2603 litre	O

480	CM	95	CM	85 LEVEL CM	5894,3767 litre	43,311 %	7715,0027 litre	O
480	CM	95	CM	84 LEVEL CM	5803,7359 litre	42,645 %	7805,6435 litre	O
480	CM	95	CM	83 LEVEL CM	5713,2070 litre	41,980 %	7896,1724 litre	O
480	CM	95	CM	82 LEVEL CM	5622,8004 litre	41,316 %	7986,5790 litre	O
480	CM	95	CM	81 LEVEL CM	5532,5263 litre	40,652 %	8076,8531 litre	O
480	CM	95	CM	80 LEVEL CM	5442,3953 litre	39,990 %	8166,9841 litre	O
480	CM	95	CM	79 LEVEL CM	5352,4179 litre	39,329 %	8256,9615 litre	O
480	CM	95	CM	78 LEVEL CM	5262,6044 litre	38,669 %	8346,7750 litre	O
480	CM	95	CM	77 LEVEL CM	5172,9656 litre	38,010 %	8436,4138 litre	O
480	CM	95	CM	76 LEVEL CM	5083,5120 litre	37,353 %	8525,8674 litre	O
480	CM	95	CM	75 LEVEL CM	4994,2544 litre	36,697 %	8615,1250 litre	O
480	CM	95	CM	74 LEVEL CM	4905,2035 litre	36,043 %	8704,1759 litre	O
480	CM	95	CM	73 LEVEL CM	4816,3703 litre	35,390 %	8793,0091 litre	O
480	CM	95	CM	72 LEVEL CM	4727,7655 litre	34,739 %	8881,6139 litre	O
480	CM	95	CM	71 LEVEL CM	4639,4004 litre	34,090 %	8969,9790 litre	O
480	CM	95	CM	70 LEVEL CM	4551,2858 litre	33,442 %	9058,0936 litre	O
480	CM	95	CM	69 LEVEL CM	4463,4332 litre	32,797 %	9145,9462 litre	O
480	CM	95	CM	68 LEVEL CM	4375,8537 litre	32,153 %	9233,5257 litre	O
480	CM	95	CM	67 LEVEL CM	4288,5588 litre	31,512 %	9320,8206 litre	O
480	CM	95	CM	66 LEVEL CM	4201,5601 litre	30,873 %	9407,8193 litre	O
480	CM	95	CM	65 LEVEL CM	4114,8691 litre	30,236 %	9494,5103 litre	O
480	CM	95	CM	64 LEVEL CM	4028,4976 litre	29,601 %	9580,8818 litre	O
480	CM	95	CM	63 LEVEL CM	3942,4575 litre	28,969 %	9666,9219 litre	O
480	CM	95	CM	62 LEVEL CM	3856,7608 litre	28,339 %	9752,6186 litre	O
480	CM	95	CM	61 LEVEL CM	3771,4198 litre	27,712 %	9837,9596 litre	O
480	CM	95	CM	60 LEVEL CM	3686,4468 litre	27,088 %	9922,9326 litre	O
480	CM	95	CM	59 LEVEL CM	3601,8542 litre	26,466 %	10007,5252 litre	O
480	CM	95	CM	58 LEVEL CM	3517,6548 litre	25,847 %	10091,7246 litre	O
480	CM	95	CM	57 LEVEL CM	3433,8613 litre	25,232 %	10175,5181 litre	O
480	CM	95	CM	56 LEVEL CM	3350,4868 litre	24,619 %	10258,8926 litre	O
480	CM	95	CM	55 LEVEL CM	3267,5445 litre	24,010 %	10341,8349 litre	O
480	CM	95	CM	54 LEVEL CM	3185,0479 litre	23,403 %	10424,3315 litre	O
480	CM	95	CM	53 LEVEL CM	3103,0106 litre	22,801 %	10506,3688 litre	O
480	CM	95	CM	52 LEVEL CM	3021,4465 litre	22,201 %	10587,9329 litre	O
480	CM	95	CM	51 LEVEL CM	2940,3697 litre	21,605 %	10669,0097 litre	O
480	CM	95	CM	50 LEVEL CM	2859,7946 litre	21,013 %	10749,5848 litre	O
480	CM	95	CM	49 LEVEL CM	2779,7359 litre	20,425 %	10829,6435 litre	O
480	CM	95	CM	48 LEVEL CM	2700,2085 litre	19,841 %	10909,1709 litre	O
480	CM	95	CM	47 LEVEL CM	2621,2276 litre	19,260 %	10988,1518 litre	O
480	CM	95	CM	46 LEVEL CM	2542,8089 litre	18,684 %	11066,5705 litre	O
480	CM	95	CM	45 LEVEL CM	2464,9681 litre	18,112 %	11144,4113 litre	O
480	CM	95	CM	44 LEVEL CM	2387,7216 litre	17,545 %	11221,6578 litre	O
480	CM	95	CM	43 LEVEL CM	2311,0860 litre	16,982 %	11298,2934 litre	O
480	CM	95	CM	42 LEVEL CM	2235,0783 litre	16,423 %	11374,3011 litre	O
480	CM	95	CM	41 LEVEL CM	2159,7160 litre	15,869 %	11449,6634 litre	O
480	CM	95	CM	40 LEVEL CM	2085,0169 litre	15,320 %	11524,3625 litre	O
480	CM	95	CM	39 LEVEL CM	2010,9996 litre	14,777 %	11598,3798 litre	O
480	CM	95	CM	38 LEVEL CM	1937,6829 litre	14,238 %	11671,6965 litre	O
480	CM	95	CM	37 LEVEL CM	1865,0862 litre	13,704 %	11744,2932 litre	O
480	CM	95	CM	36 LEVEL CM	1793,2296 litre	13,176 %	11816,1498 litre	O
480	CM	95	CM	35 LEVEL CM	1722,1338 litre	12,654 %	11887,2456 litre	O
480	CM	95	CM	34 LEVEL CM	1651,8200 litre	12,137 %	11957,5594 litre	O
480	CM	95	CM	33 LEVEL CM	1582,3104 litre	11,627 %	12027,0690 litre	O

480	CM	95	CM	32 LEVEL CM	1513,6277 litre	11,122 %	12095,7517 litre	O
480	CM	95	CM	31 LEVEL CM	1445,7958 litre	10,624 %	12163,5836 litre	O
480	CM	95	CM	30 LEVEL CM	1378,8390 litre	10,132 %	12230,5404 litre	O
480	CM	95	CM	29 LEVEL CM	1312,7829 litre	9,646 %	12296,5965 litre	O
480	CM	95	CM	28 LEVEL CM	1247,6543 litre	9,168 %	12361,7251 litre	O
480	CM	95	CM	27 LEVEL CM	1183,4807 litre	8,696 %	12425,8987 litre	O
480	CM	95	CM	26 LEVEL CM	1120,2913 litre	8,232 %	12489,0881 litre	O
480	CM	95	CM	25 LEVEL CM	1058,1164 litre	7,775 %	12551,2630 litre	O
480	CM	95	CM	24 LEVEL CM	996,9880 litre	7,326 %	12612,3914 litre	O
480	CM	95	CM	23 LEVEL CM	936,9395 litre	6,885 %	12672,4399 litre	O
480	CM	95	CM	22 LEVEL CM	878,0066 litre	6,451 %	12731,3728 litre	O
480	CM	95	CM	21 LEVEL CM	820,2265 litre	6,027 %	12789,1529 litre	O
480	CM	95	CM	20 LEVEL CM	763,6391 litre	5,611 %	12845,7403 litre	O
480	CM	95	CM	19 LEVEL CM	708,2868 litre	5,204 %	12901,0926 litre	O
480	CM	95	CM	18 LEVEL CM	654,2147 litre	4,807 %	12955,1647 litre	O
480	CM	95	CM	17 LEVEL CM	601,4715 litre	4,420 %	13007,9079 litre	O
480	CM	95	CM	16 LEVEL CM	550,1094 litre	4,042 %	13059,2700 litre	O
480	CM	95	CM	15 LEVEL CM	500,1850 litre	3,675 %	13109,1944 litre	O
480	CM	95	CM	14 LEVEL CM	451,7601 litre	3,319 %	13157,6193 litre	O
480	CM	95	CM	13 LEVEL CM	404,9023 litre	2,975 %	13204,4771 litre	O
480	CM	95	CM	12 LEVEL CM	359,6863 litre	2,643 %	13249,6931 litre	O
480	CM	95	CM	11 LEVEL CM	316,1952 litre	2,323 %	13293,1842 litre	O
480	CM	95	CM	10 LEVEL CM	274,5225 litre	2,017 %	13334,8569 litre	O
480	CM	95	CM	9 LEVEL CM	234,7744 litre	1,725 %	13374,6050 litre	O
480	CM	95	CM	8 LEVEL CM	197,0736 litre	1,448 %	13412,3058 litre	O
480	CM	95	CM	7 LEVEL CM	161,5640 litre	1,187 %	13447,8154 litre	O
480	CM	95	CM	6 LEVEL CM	128,4180 litre	0,944 %	13480,9614 litre	O
480	CM	95	CM	5 LEVEL CM	97,8483 litre	0,719 %	13511,5311 litre	O
480	CM	95	CM	4 LEVEL CM	70,1269 litre	0,515 %	13539,2525 litre	O
480	CM	95	CM	3 LEVEL CM	45,6216 litre	0,335 %	13563,7578 litre	O
480	CM	95	CM	2 LEVEL CM	24,8728 litre	0,183 %	13584,5066 litre	O
480	CM	95	CM	1 LEVEL CM	8,8078 litre	0,065 %	13600,5716 litre	O
480	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	13609,3794 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
480	CM	90	CM	180 LEVEL CM	12214,5122 litre	100,000 %	0,0000 litre	O
480	CM	90	CM	179 LEVEL CM	12205,9401 litre	99,930 %	8,5721 litre	O
480	CM	90	CM	178 LEVEL CM	12190,3071 litre	99,802 %	24,2051 litre	O
480	CM	90	CM	177 LEVEL CM	12170,1192 litre	99,637 %	44,3930 litre	O
480	CM	90	CM	176 LEVEL CM	12146,2800 litre	99,441 %	68,2322 litre	O
480	CM	90	CM	175 LEVEL CM	12119,3162 litre	99,221 %	95,1960 litre	O
480	CM	90	CM	174 LEVEL CM	12089,5865 litre	98,977 %	124,9257 litre	O
480	CM	90	CM	173 LEVEL CM	12057,3564 litre	98,713 %	157,1558 litre	O
480	CM	90	CM	172 LEVEL CM	12022,8334 litre	98,431 %	191,6788 litre	O
480	CM	90	CM	171 LEVEL CM	11986,1859 litre	98,131 %	228,3263 litre	O
480	CM	90	CM	170 LEVEL CM	11947,5546 litre	97,814 %	266,9576 litre	O
480	CM	90	CM	169 LEVEL CM	11907,0593 litre	97,483 %	307,4529 litre	O
480	CM	90	CM	168 LEVEL CM	11864,8040 litre	97,137 %	349,7082 litre	O
480	CM	90	CM	167 LEVEL CM	11820,8802 litre	96,777 %	393,6320 litre	O
480	CM	90	CM	166 LEVEL CM	11775,3692 litre	96,405 %	439,1430 litre	O
480	CM	90	CM	165 LEVEL CM	11728,3442 litre	96,020 %	486,1680 litre	O
480	CM	90	CM	164 LEVEL CM	11679,8715 litre	95,623 %	534,6407 litre	O
480	CM	90	CM	163 LEVEL CM	11630,0115 litre	95,215 %	584,5007 litre	O
480	CM	90	CM	162 LEVEL CM	11578,8199 litre	94,796 %	635,6923 litre	O
480	CM	90	CM	161 LEVEL CM	11526,3480 litre	94,366 %	688,1642 litre	O
480	CM	90	CM	160 LEVEL CM	11472,6435 litre	93,926 %	741,8687 litre	O
480	CM	90	CM	159 LEVEL CM	11417,7507 litre	93,477 %	796,7615 litre	O
480	CM	90	CM	158 LEVEL CM	11361,7115 litre	93,018 %	852,8007 litre	O
480	CM	90	CM	157 LEVEL CM	11304,5648 litre	92,550 %	909,9474 litre	O
480	CM	90	CM	156 LEVEL CM	11246,3475 litre	92,074 %	968,1647 litre	O
480	CM	90	CM	155 LEVEL CM	11187,0947 litre	91,589 %	1027,4175 litre	O
480	CM	90	CM	154 LEVEL CM	11126,8393 litre	91,095 %	1087,6729 litre	O
480	CM	90	CM	153 LEVEL CM	11065,6127 litre	90,594 %	1148,8995 litre	O
480	CM	90	CM	152 LEVEL CM	11003,4451 litre	90,085 %	1211,0671 litre	O
480	CM	90	CM	151 LEVEL CM	10940,3651 litre	89,569 %	1274,1471 litre	O
480	CM	90	CM	150 LEVEL CM	10876,4000 litre	89,045 %	1338,1122 litre	O
480	CM	90	CM	149 LEVEL CM	10811,5761 litre	88,514 %	1402,9361 litre	O
480	CM	90	CM	148 LEVEL CM	10745,9188 litre	87,977 %	1468,5934 litre	O
480	CM	90	CM	147 LEVEL CM	10679,4524 litre	87,432 %	1535,0598 litre	O
480	CM	90	CM	146 LEVEL CM	10612,2002 litre	86,882 %	1602,3120 litre	O
480	CM	90	CM	145 LEVEL CM	10544,1849 litre	86,325 %	1670,3273 litre	O
480	CM	90	CM	144 LEVEL CM	10475,4284 litre	85,762 %	1739,0838 litre	O
480	CM	90	CM	143 LEVEL CM	10405,9519 litre	85,193 %	1808,5603 litre	O
480	CM	90	CM	142 LEVEL CM	10335,7758 litre	84,619 %	1878,7364 litre	O
480	CM	90	CM	141 LEVEL CM	10264,9201 litre	84,039 %	1949,5921 litre	O
480	CM	90	CM	140 LEVEL CM	10193,4041 litre	83,453 %	2021,1081 litre	O
480	CM	90	CM	139 LEVEL CM	10121,2466 litre	82,862 %	2093,2656 litre	O
480	CM	90	CM	138 LEVEL CM	10048,4660 litre	82,267 %	2166,0462 litre	O
480	CM	90	CM	137 LEVEL CM	9975,0801 litre	81,666 %	2239,4321 litre	O
480	CM	90	CM	136 LEVEL CM	9901,1063 litre	81,060 %	2313,4059 litre	O
480	CM	90	CM	135 LEVEL CM	9826,5615 litre	80,450 %	2387,9507 litre	O
480	CM	90	CM	134 LEVEL CM	9751,4625 litre	79,835 %	2463,0497 litre	O
480	CM	90	CM	133 LEVEL CM	9675,8255 litre	79,216 %	2538,6867 litre	O
480	CM	90	CM	132 LEVEL CM	9599,6663 litre	78,592 %	2614,8459 litre	O
480	CM	90	CM	131 LEVEL CM	9523,0006 litre	77,965 %	2691,5116 litre	O
480	CM	90	CM	130 LEVEL CM	9445,8435 litre	77,333 %	2768,6687 litre	O
480	CM	90	CM	129 LEVEL CM	9368,2102 litre	76,697 %	2846,3020 litre	O

480	CM	90	CM	128 LEVEL CM	9290,1152 litre	76,058 %	2924,3970 litre	O
480	CM	90	CM	127 LEVEL CM	9211,5731 litre	75,415 %	3002,9391 litre	O
480	CM	90	CM	126 LEVEL CM	9132,5980 litre	74,768 %	3081,9142 litre	O
480	CM	90	CM	125 LEVEL CM	9053,2039 litre	74,118 %	3161,3083 litre	O
480	CM	90	CM	124 LEVEL CM	8973,4045 litre	73,465 %	3241,1077 litre	O
480	CM	90	CM	123 LEVEL CM	8893,2135 litre	72,809 %	3321,2987 litre	O
480	CM	90	CM	122 LEVEL CM	8812,6440 litre	72,149 %	3401,8682 litre	O
480	CM	90	CM	121 LEVEL CM	8731,7094 litre	71,486 %	3482,8028 litre	O
480	CM	90	CM	120 LEVEL CM	8650,4225 litre	70,821 %	3564,0897 litre	O
480	CM	90	CM	119 LEVEL CM	8568,7962 litre	70,153 %	3645,7160 litre	O
480	CM	90	CM	118 LEVEL CM	8486,8432 litre	69,482 %	3727,6690 litre	O
480	CM	90	CM	117 LEVEL CM	8404,5758 litre	68,808 %	3809,9364 litre	O
480	CM	90	CM	116 LEVEL CM	8322,0066 litre	68,132 %	3892,5056 litre	O
480	CM	90	CM	115 LEVEL CM	8239,1476 litre	67,454 %	3975,3646 litre	O
480	CM	90	CM	114 LEVEL CM	8156,0111 litre	66,773 %	4058,5011 litre	O
480	CM	90	CM	113 LEVEL CM	8072,6089 litre	66,090 %	4141,9033 litre	O
480	CM	90	CM	112 LEVEL CM	7988,9529 litre	65,405 %	4225,5593 litre	O
480	CM	90	CM	111 LEVEL CM	7905,0550 litre	64,719 %	4309,4572 litre	O
480	CM	90	CM	110 LEVEL CM	7820,9266 litre	64,030 %	4393,5856 litre	O
480	CM	90	CM	109 LEVEL CM	7736,5795 litre	63,339 %	4477,9327 litre	O
480	CM	90	CM	108 LEVEL CM	7652,0250 litre	62,647 %	4562,4872 litre	O
480	CM	90	CM	107 LEVEL CM	7567,2745 litre	61,953 %	4647,2377 litre	O
480	CM	90	CM	106 LEVEL CM	7482,3394 litre	61,258 %	4732,1728 litre	O
480	CM	90	CM	105 LEVEL CM	7397,2309 litre	60,561 %	4817,2813 litre	O
480	CM	90	CM	104 LEVEL CM	7311,9600 litre	59,863 %	4902,5522 litre	O
480	CM	90	CM	103 LEVEL CM	7226,5380 litre	59,164 %	4987,9742 litre	O
480	CM	90	CM	102 LEVEL CM	7140,9759 litre	58,463 %	5073,5363 litre	O
480	CM	90	CM	101 LEVEL CM	7055,2846 litre	57,761 %	5159,2276 litre	O
480	CM	90	CM	100 LEVEL CM	6969,4750 litre	57,059 %	5245,0372 litre	O
480	CM	90	CM	99 LEVEL CM	6883,5582 litre	56,356 %	5330,9540 litre	O
480	CM	90	CM	98 LEVEL CM	6797,5448 litre	55,651 %	5416,9674 litre	O
480	CM	90	CM	97 LEVEL CM	6711,4458 litre	54,946 %	5503,0664 litre	O
480	CM	90	CM	96 LEVEL CM	6625,2719 litre	54,241 %	5589,2403 litre	O
480	CM	90	CM	95 LEVEL CM	6539,0338 litre	53,535 %	5675,4784 litre	O
480	CM	90	CM	94 LEVEL CM	6452,7423 litre	52,828 %	5761,7699 litre	O
480	CM	90	CM	93 LEVEL CM	6366,4081 litre	52,122 %	5848,1041 litre	O
480	CM	90	CM	92 LEVEL CM	6280,0419 litre	51,415 %	5934,4703 litre	O
480	CM	90	CM	91 LEVEL CM	6193,6543 litre	50,707 %	6020,8579 litre	O
480	CM	90	CM	90 LEVEL CM	6107,2561 litre	50,000 %	6107,2561 litre	O
480	CM	90	CM	89 LEVEL CM	6020,8579 litre	49,293 %	6193,6543 litre	O
480	CM	90	CM	88 LEVEL CM	5934,4703 litre	48,585 %	6280,0419 litre	O
480	CM	90	CM	87 LEVEL CM	5848,1041 litre	47,878 %	6366,4081 litre	O
480	CM	90	CM	86 LEVEL CM	5761,7699 litre	47,172 %	6452,7423 litre	O
480	CM	90	CM	85 LEVEL CM	5675,4784 litre	46,465 %	6539,0338 litre	O
480	CM	90	CM	84 LEVEL CM	5589,2404 litre	45,759 %	6625,2718 litre	O
480	CM	90	CM	83 LEVEL CM	5503,0665 litre	45,054 %	6711,4457 litre	O
480	CM	90	CM	82 LEVEL CM	5416,9674 litre	44,349 %	6797,5448 litre	O
480	CM	90	CM	81 LEVEL CM	5330,9541 litre	43,644 %	6883,5581 litre	O
480	CM	90	CM	80 LEVEL CM	5245,0372 litre	42,941 %	6969,4750 litre	O
480	CM	90	CM	79 LEVEL CM	5159,2277 litre	42,239 %	7055,2845 litre	O
480	CM	90	CM	78 LEVEL CM	5073,5364 litre	41,537 %	7140,9758 litre	O
480	CM	90	CM	77 LEVEL CM	4987,9742 litre	40,836 %	7226,5380 litre	O
480	CM	90	CM	76 LEVEL CM	4902,5522 litre	40,137 %	7311,9600 litre	O

480	CM	90	CM	75 LEVEL CM	4817,2814 litre	39,439 %	7397,2308 litre	O
480	CM	90	CM	74 LEVEL CM	4732,1728 litre	38,742 %	7482,3394 litre	O
480	CM	90	CM	73 LEVEL CM	4647,2377 litre	38,047 %	7567,2745 litre	O
480	CM	90	CM	72 LEVEL CM	4562,4872 litre	37,353 %	7652,0250 litre	O
480	CM	90	CM	71 LEVEL CM	4477,9327 litre	36,661 %	7736,5795 litre	O
480	CM	90	CM	70 LEVEL CM	4393,5856 litre	35,970 %	7820,9266 litre	O
480	CM	90	CM	69 LEVEL CM	4309,4573 litre	35,281 %	7905,0549 litre	O
480	CM	90	CM	68 LEVEL CM	4225,5593 litre	34,595 %	7988,9529 litre	O
480	CM	90	CM	67 LEVEL CM	4141,9033 litre	33,910 %	8072,6089 litre	O
480	CM	90	CM	66 LEVEL CM	4058,5012 litre	33,227 %	8156,0110 litre	O
480	CM	90	CM	65 LEVEL CM	3975,3646 litre	32,546 %	8239,1476 litre	O
480	CM	90	CM	64 LEVEL CM	3892,5057 litre	31,868 %	8322,0065 litre	O
480	CM	90	CM	63 LEVEL CM	3809,9364 litre	31,192 %	8404,5758 litre	O
480	CM	90	CM	62 LEVEL CM	3727,6691 litre	30,518 %	8486,8431 litre	O
480	CM	90	CM	61 LEVEL CM	3645,7160 litre	29,847 %	8568,7962 litre	O
480	CM	90	CM	60 LEVEL CM	3564,0897 litre	29,179 %	8650,4225 litre	O
480	CM	90	CM	59 LEVEL CM	3482,8028 litre	28,514 %	8731,7094 litre	O
480	CM	90	CM	58 LEVEL CM	3401,8682 litre	27,851 %	8812,6440 litre	O
480	CM	90	CM	57 LEVEL CM	3321,2988 litre	27,191 %	8893,2134 litre	O
480	CM	90	CM	56 LEVEL CM	3241,1077 litre	26,535 %	8973,4045 litre	O
480	CM	90	CM	55 LEVEL CM	3161,3084 litre	25,882 %	9053,2038 litre	O
480	CM	90	CM	54 LEVEL CM	3081,9143 litre	25,232 %	9132,5979 litre	O
480	CM	90	CM	53 LEVEL CM	3002,9392 litre	24,585 %	9211,5730 litre	O
480	CM	90	CM	52 LEVEL CM	2924,3970 litre	23,942 %	9290,1152 litre	O
480	CM	90	CM	51 LEVEL CM	2846,3021 litre	23,303 %	9368,2101 litre	O
480	CM	90	CM	50 LEVEL CM	2768,6687 litre	22,667 %	9445,8435 litre	O
480	CM	90	CM	49 LEVEL CM	2691,5117 litre	22,035 %	9523,0005 litre	O
480	CM	90	CM	48 LEVEL CM	2614,8459 litre	21,408 %	9599,6663 litre	O
480	CM	90	CM	47 LEVEL CM	2538,6867 litre	20,784 %	9675,8255 litre	O
480	CM	90	CM	46 LEVEL CM	2463,0497 litre	20,165 %	9751,4625 litre	O
480	CM	90	CM	45 LEVEL CM	2387,9507 litre	19,550 %	9826,5615 litre	O
480	CM	90	CM	44 LEVEL CM	2313,4060 litre	18,940 %	9901,1062 litre	O
480	CM	90	CM	43 LEVEL CM	2239,4322 litre	18,334 %	9975,0800 litre	O
480	CM	90	CM	42 LEVEL CM	2166,0462 litre	17,733 %	10048,4660 litre	O
480	CM	90	CM	41 LEVEL CM	2093,2656 litre	17,138 %	10121,2466 litre	O
480	CM	90	CM	40 LEVEL CM	2021,1082 litre	16,547 %	10193,4040 litre	O
480	CM	90	CM	39 LEVEL CM	1949,5922 litre	15,961 %	10264,9200 litre	O
480	CM	90	CM	38 LEVEL CM	1878,7365 litre	15,381 %	10335,7757 litre	O
480	CM	90	CM	37 LEVEL CM	1808,5604 litre	14,807 %	10405,9518 litre	O
480	CM	90	CM	36 LEVEL CM	1739,0838 litre	14,238 %	10475,4284 litre	O
480	CM	90	CM	35 LEVEL CM	1670,3273 litre	13,675 %	10544,1849 litre	O
480	CM	90	CM	34 LEVEL CM	1602,3120 litre	13,118 %	10612,2002 litre	O
480	CM	90	CM	33 LEVEL CM	1535,0599 litre	12,568 %	10679,4523 litre	O
480	CM	90	CM	32 LEVEL CM	1468,5934 litre	12,023 %	10745,9188 litre	O
480	CM	90	CM	31 LEVEL CM	1402,9361 litre	11,486 %	10811,5761 litre	O
480	CM	90	CM	30 LEVEL CM	1338,1123 litre	10,955 %	10876,3999 litre	O
480	CM	90	CM	29 LEVEL CM	1274,1472 litre	10,431 %	10940,3650 litre	O
480	CM	90	CM	28 LEVEL CM	1211,0671 litre	9,915 %	11003,4451 litre	O
480	CM	90	CM	27 LEVEL CM	1148,8995 litre	9,406 %	11065,6127 litre	O
480	CM	90	CM	26 LEVEL CM	1087,6730 litre	8,905 %	11126,8392 litre	O
480	CM	90	CM	25 LEVEL CM	1027,4176 litre	8,411 %	11187,0946 litre	O
480	CM	90	CM	24 LEVEL CM	968,1647 litre	7,926 %	11246,3475 litre	O
480	CM	90	CM	23 LEVEL CM	909,9475 litre	7,450 %	11304,5647 litre	O

480	CM	90	CM	22 LEVEL CM	852,8008 litre	6,982 %	11361,7114 litre	O
480	CM	90	CM	21 LEVEL CM	796,7615 litre	6,523 %	11417,7507 litre	O
480	CM	90	CM	20 LEVEL CM	741,8688 litre	6,074 %	11472,6434 litre	O
480	CM	90	CM	19 LEVEL CM	688,1642 litre	5,634 %	11526,3480 litre	O
480	CM	90	CM	18 LEVEL CM	635,6923 litre	5,204 %	11578,8199 litre	O
480	CM	90	CM	17 LEVEL CM	584,5007 litre	4,785 %	11630,0115 litre	O
480	CM	90	CM	16 LEVEL CM	534,6407 litre	4,377 %	11679,8715 litre	O
480	CM	90	CM	15 LEVEL CM	486,1680 litre	3,980 %	11728,3442 litre	O
480	CM	90	CM	14 LEVEL CM	439,1430 litre	3,595 %	11775,3692 litre	O
480	CM	90	CM	13 LEVEL CM	393,6320 litre	3,223 %	11820,8802 litre	O
480	CM	90	CM	12 LEVEL CM	349,7082 litre	2,863 %	11864,8040 litre	O
480	CM	90	CM	11 LEVEL CM	307,4529 litre	2,517 %	11907,0593 litre	O
480	CM	90	CM	10 LEVEL CM	266,9576 litre	2,186 %	11947,5546 litre	O
480	CM	90	CM	9 LEVEL CM	228,3263 litre	1,869 %	11986,1859 litre	O
480	CM	90	CM	8 LEVEL CM	191,6789 litre	1,569 %	12022,8333 litre	O
480	CM	90	CM	7 LEVEL CM	157,1559 litre	1,287 %	12057,3563 litre	O
480	CM	90	CM	6 LEVEL CM	124,9257 litre	1,023 %	12089,5865 litre	O
480	CM	90	CM	5 LEVEL CM	95,1960 litre	0,779 %	12119,3162 litre	O
480	CM	90	CM	4 LEVEL CM	68,2322 litre	0,559 %	12146,2800 litre	O
480	CM	90	CM	3 LEVEL CM	44,3930 litre	0,363 %	12170,1192 litre	O
480	CM	90	CM	2 LEVEL CM	24,2052 litre	0,198 %	12190,3070 litre	O
480	CM	90	CM	1 LEVEL CM	8,5722 litre	0,070 %	12205,9400 litre	O
480	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	12214,5122 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM	85	CM 170 LEVEL CM	10895,0433 litre	100,000 %	0,0000 litre	O
480	CM	85	CM 169 LEVEL CM	10886,7135 litre	99,924 %	8,3298 litre	O
480	CM	85	CM 168 LEVEL CM	10871,5248 litre	99,784 %	23,5185 litre	O
480	CM	85	CM 167 LEVEL CM	10851,9139 litre	99,604 %	43,1294 litre	O
480	CM	85	CM 166 LEVEL CM	10828,7599 litre	99,392 %	66,2834 litre	O
480	CM	85	CM 165 LEVEL CM	10802,5757 litre	99,151 %	92,4676 litre	O
480	CM	85	CM 164 LEVEL CM	10773,7104 litre	98,886 %	121,3329 litre	O
480	CM	85	CM 163 LEVEL CM	10742,4229 litre	98,599 %	152,6204 litre	O
480	CM	85	CM 162 LEVEL CM	10708,9155 litre	98,292 %	186,1278 litre	O
480	CM	85	CM 161 LEVEL CM	10673,3526 litre	97,965 %	221,6907 litre	O
480	CM	85	CM 160 LEVEL CM	10635,8713 litre	97,621 %	259,1720 litre	O
480	CM	85	CM 159 LEVEL CM	10596,5888 litre	97,261 %	298,4545 litre	O
480	CM	85	CM 158 LEVEL CM	10555,6066 litre	96,884 %	339,4367 litre	O
480	CM	85	CM 157 LEVEL CM	10513,0141 litre	96,494 %	382,0292 litre	O
480	CM	85	CM 156 LEVEL CM	10468,8910 litre	96,089 %	426,1523 litre	O
480	CM	85	CM 155 LEVEL CM	10423,3089 litre	95,670 %	471,7344 litre	O
480	CM	85	CM 154 LEVEL CM	10376,3326 litre	95,239 %	518,7107 litre	O
480	CM	85	CM 153 LEVEL CM	10328,0215 litre	94,796 %	567,0218 litre	O
480	CM	85	CM 152 LEVEL CM	10278,4300 litre	94,340 %	616,6133 litre	O
480	CM	85	CM 151 LEVEL CM	10227,6086 litre	93,874 %	667,4347 litre	O
480	CM	85	CM 150 LEVEL CM	10175,6040 litre	93,397 %	719,4393 litre	O
480	CM	85	CM 149 LEVEL CM	10122,4600 litre	92,909 %	772,5833 litre	O
480	CM	85	CM 148 LEVEL CM	10068,2173 litre	92,411 %	826,8260 litre	O
480	CM	85	CM 147 LEVEL CM	10012,9146 litre	91,903 %	882,1287 litre	O
480	CM	85	CM 146 LEVEL CM	9956,5880 litre	91,386 %	938,4553 litre	O
480	CM	85	CM 145 LEVEL CM	9899,2721 litre	90,860 %	995,7712 litre	O
480	CM	85	CM 144 LEVEL CM	9840,9993 litre	90,325 %	1054,0440 litre	O
480	CM	85	CM 143 LEVEL CM	9781,8008 litre	89,782 %	1113,2425 litre	O
480	CM	85	CM 142 LEVEL CM	9721,7060 litre	89,231 %	1173,3373 litre	O
480	CM	85	CM 141 LEVEL CM	9660,7434 litre	88,671 %	1234,2999 litre	O
480	CM	85	CM 140 LEVEL CM	9598,9399 litre	88,104 %	1296,1034 litre	O
480	CM	85	CM 139 LEVEL CM	9536,3217 litre	87,529 %	1358,7216 litre	O
480	CM	85	CM 138 LEVEL CM	9472,9136 litre	86,947 %	1422,1297 litre	O
480	CM	85	CM 137 LEVEL CM	9408,7398 litre	86,358 %	1486,3035 litre	O
480	CM	85	CM 136 LEVEL CM	9343,8235 litre	85,762 %	1551,2198 litre	O
480	CM	85	CM 135 LEVEL CM	9278,1872 litre	85,160 %	1616,8561 litre	O
480	CM	85	CM 134 LEVEL CM	9211,8524 litre	84,551 %	1683,1909 litre	O
480	CM	85	CM 133 LEVEL CM	9144,8404 litre	83,936 %	1750,2029 litre	O
480	CM	85	CM 132 LEVEL CM	9077,1715 litre	83,315 %	1817,8718 litre	O
480	CM	85	CM 131 LEVEL CM	9008,8654 litre	82,688 %	1886,1779 litre	O
480	CM	85	CM 130 LEVEL CM	8939,9414 litre	82,055 %	1955,1019 litre	O
480	CM	85	CM 129 LEVEL CM	8870,4184 litre	81,417 %	2024,6249 litre	O
480	CM	85	CM 128 LEVEL CM	8800,3145 litre	80,774 %	2094,7288 litre	O
480	CM	85	CM 127 LEVEL CM	8729,6475 litre	80,125 %	2165,3958 litre	O
480	CM	85	CM 126 LEVEL CM	8658,4349 litre	79,471 %	2236,6084 litre	O
480	CM	85	CM 125 LEVEL CM	8586,6937 litre	78,813 %	2308,3496 litre	O
480	CM	85	CM 124 LEVEL CM	8514,4404 litre	78,150 %	2380,6029 litre	O
480	CM	85	CM 123 LEVEL CM	8441,6914 litre	77,482 %	2453,3519 litre	O
480	CM	85	CM 122 LEVEL CM	8368,4625 litre	76,810 %	2526,5808 litre	O
480	CM	85	CM 121 LEVEL CM	8294,7695 litre	76,133 %	2600,2738 litre	O
480	CM	85	CM 120 LEVEL CM	8220,6276 litre	75,453 %	2674,4157 litre	O
480	CM	85	CM 119 LEVEL CM	8146,0519 litre	74,768 %	2748,9914 litre	O

480	CM	85	CM	118 LEVEL CM	8071,0572 litre	74,080 %	2823,9861 litre	O
480	CM	85	CM	117 LEVEL CM	7995,6581 litre	73,388 %	2899,3852 litre	O
480	CM	85	CM	116 LEVEL CM	7919,8688 litre	72,692 %	2975,1745 litre	O
480	CM	85	CM	115 LEVEL CM	7843,7035 litre	71,993 %	3051,3398 litre	O
480	CM	85	CM	114 LEVEL CM	7767,1760 litre	71,291 %	3127,8673 litre	O
480	CM	85	CM	113 LEVEL CM	7690,3001 litre	70,585 %	3204,7432 litre	O
480	CM	85	CM	112 LEVEL CM	7613,0893 litre	69,877 %	3281,9540 litre	O
480	CM	85	CM	111 LEVEL CM	7535,5568 litre	69,165 %	3359,4865 litre	O
480	CM	85	CM	110 LEVEL CM	7457,7159 litre	68,451 %	3437,3274 litre	O
480	CM	85	CM	109 LEVEL CM	7379,5796 litre	67,733 %	3515,4637 litre	O
480	CM	85	CM	108 LEVEL CM	7301,1607 litre	67,014 %	3593,8826 litre	O
480	CM	85	CM	107 LEVEL CM	7222,4720 litre	66,291 %	3672,5713 litre	O
480	CM	85	CM	106 LEVEL CM	7143,5260 litre	65,567 %	3751,5173 litre	O
480	CM	85	CM	105 LEVEL CM	7064,3352 litre	64,840 %	3830,7081 litre	O
480	CM	85	CM	104 LEVEL CM	6984,9121 litre	64,111 %	3910,1312 litre	O
480	CM	85	CM	103 LEVEL CM	6905,2687 litre	63,380 %	3989,7746 litre	O
480	CM	85	CM	102 LEVEL CM	6825,4174 litre	62,647 %	4069,6259 litre	O
480	CM	85	CM	101 LEVEL CM	6745,3700 litre	61,912 %	4149,6733 litre	O
480	CM	85	CM	100 LEVEL CM	6665,1387 litre	61,176 %	4229,9046 litre	O
480	CM	85	CM	99 LEVEL CM	6584,7353 litre	60,438 %	4310,3080 litre	O
480	CM	85	CM	98 LEVEL CM	6504,1715 litre	59,698 %	4390,8718 litre	O
480	CM	85	CM	97 LEVEL CM	6423,4592 litre	58,958 %	4471,5841 litre	O
480	CM	85	CM	96 LEVEL CM	6342,6099 litre	58,216 %	4552,4334 litre	O
480	CM	85	CM	95 LEVEL CM	6261,6354 litre	57,472 %	4633,4079 litre	O
480	CM	85	CM	94 LEVEL CM	6180,5471 litre	56,728 %	4714,4962 litre	O
480	CM	85	CM	93 LEVEL CM	6099,3566 litre	55,983 %	4795,6867 litre	O
480	CM	85	CM	92 LEVEL CM	6018,0754 litre	55,237 %	4876,9679 litre	O
480	CM	85	CM	91 LEVEL CM	5936,7148 litre	54,490 %	4958,3285 litre	O
480	CM	85	CM	90 LEVEL CM	5855,2862 litre	53,743 %	5039,7571 litre	O
480	CM	85	CM	89 LEVEL CM	5773,8012 litre	52,995 %	5121,2421 litre	O
480	CM	85	CM	88 LEVEL CM	5692,2708 litre	52,246 %	5202,7725 litre	O
480	CM	85	CM	87 LEVEL CM	5610,7066 litre	51,498 %	5284,3367 litre	O
480	CM	85	CM	86 LEVEL CM	5529,1198 litre	50,749 %	5365,9235 litre	O
480	CM	85	CM	85 LEVEL CM	5447,5217 litre	50,000 %	5447,5216 litre	O
480	CM	85	CM	84 LEVEL CM	5365,9235 litre	49,251 %	5529,1198 litre	O
480	CM	85	CM	83 LEVEL CM	5284,3367 litre	48,502 %	5610,7066 litre	O
480	CM	85	CM	82 LEVEL CM	5202,7725 litre	47,754 %	5692,2708 litre	O
480	CM	85	CM	81 LEVEL CM	5121,2422 litre	47,005 %	5773,8011 litre	O
480	CM	85	CM	80 LEVEL CM	5039,7571 litre	46,257 %	5855,2862 litre	O
480	CM	85	CM	79 LEVEL CM	4958,3286 litre	45,510 %	5936,7147 litre	O
480	CM	85	CM	78 LEVEL CM	4876,9680 litre	44,763 %	6018,0753 litre	O
480	CM	85	CM	77 LEVEL CM	4795,6867 litre	44,017 %	6099,3566 litre	O
480	CM	85	CM	76 LEVEL CM	4714,4962 litre	43,272 %	6180,5471 litre	O
480	CM	85	CM	75 LEVEL CM	4633,4079 litre	42,528 %	6261,6354 litre	O
480	CM	85	CM	74 LEVEL CM	4552,4334 litre	41,784 %	6342,6099 litre	O
480	CM	85	CM	73 LEVEL CM	4471,5842 litre	41,042 %	6423,4591 litre	O
480	CM	85	CM	72 LEVEL CM	4390,8718 litre	40,302 %	6504,1715 litre	O
480	CM	85	CM	71 LEVEL CM	4310,3081 litre	39,562 %	6584,7352 litre	O
480	CM	85	CM	70 LEVEL CM	4229,9046 litre	38,824 %	6665,1387 litre	O
480	CM	85	CM	69 LEVEL CM	4149,6733 litre	38,088 %	6745,3700 litre	O
480	CM	85	CM	68 LEVEL CM	4069,6260 litre	37,353 %	6825,4173 litre	O
480	CM	85	CM	67 LEVEL CM	3989,7746 litre	36,620 %	6905,2687 litre	O
480	CM	85	CM	66 LEVEL CM	3910,1313 litre	35,889 %	6984,9120 litre	O

480	CM	85	CM	65 LEVEL CM	3830,7081 litre	35,160 %	7064,3352 litre	O
480	CM	85	CM	64 LEVEL CM	3751,5173 litre	34,433 %	7143,5260 litre	O
480	CM	85	CM	63 LEVEL CM	3672,5713 litre	33,709 %	7222,4720 litre	O
480	CM	85	CM	62 LEVEL CM	3593,8826 litre	32,986 %	7301,1607 litre	O
480	CM	85	CM	61 LEVEL CM	3515,4637 litre	32,267 %	7379,5796 litre	O
480	CM	85	CM	60 LEVEL CM	3437,3274 litre	31,549 %	7457,7159 litre	O
480	CM	85	CM	59 LEVEL CM	3359,4865 litre	30,835 %	7535,5568 litre	O
480	CM	85	CM	58 LEVEL CM	3281,9540 litre	30,123 %	7613,0893 litre	O
480	CM	85	CM	57 LEVEL CM	3204,7432 litre	29,415 %	7690,3001 litre	O
480	CM	85	CM	56 LEVEL CM	3127,8673 litre	28,709 %	7767,1760 litre	O
480	CM	85	CM	55 LEVEL CM	3051,3398 litre	28,007 %	7843,7035 litre	O
480	CM	85	CM	54 LEVEL CM	2975,1745 litre	27,308 %	7919,8688 litre	O
480	CM	85	CM	53 LEVEL CM	2899,3853 litre	26,612 %	7995,6580 litre	O
480	CM	85	CM	52 LEVEL CM	2823,9861 litre	25,920 %	8071,0572 litre	O
480	CM	85	CM	51 LEVEL CM	2748,9914 litre	25,232 %	8146,0519 litre	O
480	CM	85	CM	50 LEVEL CM	2674,4157 litre	24,547 %	8220,6276 litre	O
480	CM	85	CM	49 LEVEL CM	2600,2739 litre	23,867 %	8294,7694 litre	O
480	CM	85	CM	48 LEVEL CM	2526,5808 litre	23,190 %	8368,4625 litre	O
480	CM	85	CM	47 LEVEL CM	2453,3520 litre	22,518 %	8441,6913 litre	O
480	CM	85	CM	46 LEVEL CM	2380,6029 litre	21,850 %	8514,4404 litre	O
480	CM	85	CM	45 LEVEL CM	2308,3497 litre	21,187 %	8586,6936 litre	O
480	CM	85	CM	44 LEVEL CM	2236,6084 litre	20,529 %	8658,4349 litre	O
480	CM	85	CM	43 LEVEL CM	2165,3958 litre	19,875 %	8729,6475 litre	O
480	CM	85	CM	42 LEVEL CM	2094,7289 litre	19,226 %	8800,3144 litre	O
480	CM	85	CM	41 LEVEL CM	2024,6250 litre	18,583 %	8870,4183 litre	O
480	CM	85	CM	40 LEVEL CM	1955,1019 litre	17,945 %	8939,9414 litre	O
480	CM	85	CM	39 LEVEL CM	1886,1780 litre	17,312 %	9008,8653 litre	O
480	CM	85	CM	38 LEVEL CM	1817,8719 litre	16,685 %	9077,1714 litre	O
480	CM	85	CM	37 LEVEL CM	1750,2029 litre	16,064 %	9144,8404 litre	O
480	CM	85	CM	36 LEVEL CM	1683,1909 litre	15,449 %	9211,8524 litre	O
480	CM	85	CM	35 LEVEL CM	1616,8562 litre	14,840 %	9278,1871 litre	O
480	CM	85	CM	34 LEVEL CM	1551,2198 litre	14,238 %	9343,8235 litre	O
480	CM	85	CM	33 LEVEL CM	1486,3035 litre	13,642 %	9408,7398 litre	O
480	CM	85	CM	32 LEVEL CM	1422,1297 litre	13,053 %	9472,9136 litre	O
480	CM	85	CM	31 LEVEL CM	1358,7217 litre	12,471 %	9536,3216 litre	O
480	CM	85	CM	30 LEVEL CM	1296,1034 litre	11,896 %	9598,9399 litre	O
480	CM	85	CM	29 LEVEL CM	1234,2999 litre	11,329 %	9660,7434 litre	O
480	CM	85	CM	28 LEVEL CM	1173,3373 litre	10,769 %	9721,7060 litre	O
480	CM	85	CM	27 LEVEL CM	1113,2425 litre	10,218 %	9781,8008 litre	O
480	CM	85	CM	26 LEVEL CM	1054,0440 litre	9,675 %	9840,9993 litre	O
480	CM	85	CM	25 LEVEL CM	995,7712 litre	9,140 %	9899,2721 litre	O
480	CM	85	CM	24 LEVEL CM	938,4553 litre	8,614 %	9956,5880 litre	O
480	CM	85	CM	23 LEVEL CM	882,1288 litre	8,097 %	10012,9145 litre	O
480	CM	85	CM	22 LEVEL CM	826,8260 litre	7,589 %	10068,2173 litre	O
480	CM	85	CM	21 LEVEL CM	772,5834 litre	7,091 %	10122,4599 litre	O
480	CM	85	CM	20 LEVEL CM	719,4393 litre	6,603 %	10175,6040 litre	O
480	CM	85	CM	19 LEVEL CM	667,4347 litre	6,126 %	10227,6086 litre	O
480	CM	85	CM	18 LEVEL CM	616,6133 litre	5,660 %	10278,4300 litre	O
480	CM	85	CM	17 LEVEL CM	567,0218 litre	5,204 %	10328,0215 litre	O
480	CM	85	CM	16 LEVEL CM	518,7107 litre	4,761 %	10376,3326 litre	O
480	CM	85	CM	15 LEVEL CM	471,7345 litre	4,330 %	10423,3088 litre	O
480	CM	85	CM	14 LEVEL CM	426,1523 litre	3,911 %	10468,8910 litre	O
480	CM	85	CM	13 LEVEL CM	382,0292 litre	3,506 %	10513,0141 litre	O

480	CM	85	CM	12 LEVEL CM	339,4368 litre	3,116 %	10555,6065 litre	O
480	CM	85	CM	11 LEVEL CM	298,4546 litre	2,739 %	10596,5887 litre	O
480	CM	85	CM	10 LEVEL CM	259,1720 litre	2,379 %	10635,8713 litre	O
480	CM	85	CM	9 LEVEL CM	221,6907 litre	2,035 %	10673,3526 litre	O
480	CM	85	CM	8 LEVEL CM	186,1278 litre	1,708 %	10708,9155 litre	O
480	CM	85	CM	7 LEVEL CM	152,6204 litre	1,401 %	10742,4229 litre	O
480	CM	85	CM	6 LEVEL CM	121,3329 litre	1,114 %	10773,7104 litre	O
480	CM	85	CM	5 LEVEL CM	92,4677 litre	0,849 %	10802,5756 litre	O
480	CM	85	CM	4 LEVEL CM	66,2834 litre	0,608 %	10828,7599 litre	O
480	CM	85	CM	3 LEVEL CM	43,1294 litre	0,396 %	10851,9139 litre	O
480	CM	85	CM	2 LEVEL CM	23,5186 litre	0,216 %	10871,5247 litre	O
480	CM	85	CM	1 LEVEL CM	8,3298 litre	0,076 %	10886,7135 litre	O
480	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	10895,0433 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM	80	CM 160 LEVEL CM	9650,9726 litre	100,000 %	0,0000 litre	O
480	CM	80	CM 159 LEVEL CM	9642,8924 litre	99,916 %	8,0802 litre	O
480	CM	80	CM 158 LEVEL CM	9628,1614 litre	99,764 %	22,8112 litre	O
480	CM	80	CM 157 LEVEL CM	9609,1450 litre	99,567 %	41,8276 litre	O
480	CM	80	CM 156 LEVEL CM	9586,6971 litre	99,334 %	64,2755 litre	O
480	CM	80	CM 155 LEVEL CM	9561,3163 litre	99,071 %	89,6563 litre	O
480	CM	80	CM 154 LEVEL CM	9533,3422 litre	98,781 %	117,6304 litre	O
480	CM	80	CM 153 LEVEL CM	9503,0266 litre	98,467 %	147,9460 litre	O
480	CM	80	CM 152 LEVEL CM	9470,5666 litre	98,131 %	180,4060 litre	O
480	CM	80	CM 151 LEVEL CM	9436,1224 litre	97,774 %	214,8502 litre	O
480	CM	80	CM 150 LEVEL CM	9399,8275 litre	97,398 %	251,1451 litre	O
480	CM	80	CM 149 LEVEL CM	9361,7964 litre	97,004 %	289,1762 litre	O
480	CM	80	CM 148 LEVEL CM	9322,1281 litre	96,593 %	328,8445 litre	O
480	CM	80	CM 147 LEVEL CM	9280,9100 litre	96,166 %	370,0626 litre	O
480	CM	80	CM 146 LEVEL CM	9238,2199 litre	95,723 %	412,7527 litre	O
480	CM	80	CM 145 LEVEL CM	9194,1278 litre	95,266 %	456,8448 litre	O
480	CM	80	CM 144 LEVEL CM	9148,6972 litre	94,796 %	502,2754 litre	O
480	CM	80	CM 143 LEVEL CM	9101,9863 litre	94,312 %	548,9863 litre	O
480	CM	80	CM 142 LEVEL CM	9054,0484 litre	93,815 %	596,9242 litre	O
480	CM	80	CM 141 LEVEL CM	9004,9329 litre	93,306 %	646,0397 litre	O
480	CM	80	CM 140 LEVEL CM	8954,6858 litre	92,785 %	696,2868 litre	O
480	CM	80	CM 139 LEVEL CM	8903,3499 litre	92,253 %	747,6227 litre	O
480	CM	80	CM 138 LEVEL CM	8850,9654 litre	91,711 %	800,0072 litre	O
480	CM	80	CM 137 LEVEL CM	8797,5703 litre	91,157 %	853,4023 litre	O
480	CM	80	CM 136 LEVEL CM	8743,2002 litre	90,594 %	907,7724 litre	O
480	CM	80	CM 135 LEVEL CM	8687,8890 litre	90,021 %	963,0836 litre	O
480	CM	80	CM 134 LEVEL CM	8631,6687 litre	89,438 %	1019,3039 litre	O
480	CM	80	CM 133 LEVEL CM	8574,5701 litre	88,847 %	1076,4025 litre	O
480	CM	80	CM 132 LEVEL CM	8516,6223 litre	88,246 %	1134,3503 litre	O
480	CM	80	CM 131 LEVEL CM	8457,8533 litre	87,637 %	1193,1193 litre	O
480	CM	80	CM 130 LEVEL CM	8398,2899 litre	87,020 %	1252,6827 litre	O
480	CM	80	CM 129 LEVEL CM	8337,9578 litre	86,395 %	1313,0148 litre	O
480	CM	80	CM 128 LEVEL CM	8276,8817 litre	85,762 %	1374,0909 litre	O
480	CM	80	CM 127 LEVEL CM	8215,0856 litre	85,122 %	1435,8870 litre	O
480	CM	80	CM 126 LEVEL CM	8152,5924 litre	84,474 %	1498,3802 litre	O
480	CM	80	CM 125 LEVEL CM	8089,4245 litre	83,820 %	1561,5481 litre	O
480	CM	80	CM 124 LEVEL CM	8025,6035 litre	83,158 %	1625,3691 litre	O
480	CM	80	CM 123 LEVEL CM	7961,1501 litre	82,491 %	1689,8225 litre	O
480	CM	80	CM 122 LEVEL CM	7896,0848 litre	81,816 %	1754,8878 litre	O
480	CM	80	CM 121 LEVEL CM	7830,4273 litre	81,136 %	1820,5453 litre	O
480	CM	80	CM 120 LEVEL CM	7764,1968 litre	80,450 %	1886,7758 litre	O
480	CM	80	CM 119 LEVEL CM	7697,4120 litre	79,758 %	1953,5606 litre	O
480	CM	80	CM 118 LEVEL CM	7630,0911 litre	79,060 %	2020,8815 litre	O
480	CM	80	CM 117 LEVEL CM	7562,2520 litre	78,357 %	2088,7206 litre	O
480	CM	80	CM 116 LEVEL CM	7493,9121 litre	77,649 %	2157,0605 litre	O
480	CM	80	CM 115 LEVEL CM	7425,0884 litre	76,936 %	2225,8842 litre	O
480	CM	80	CM 114 LEVEL CM	7355,7977 litre	76,218 %	2295,1749 litre	O
480	CM	80	CM 113 LEVEL CM	7286,0561 litre	75,496 %	2364,9165 litre	O
480	CM	80	CM 112 LEVEL CM	7215,8799 litre	74,768 %	2435,0927 litre	O
480	CM	80	CM 111 LEVEL CM	7145,2846 litre	74,037 %	2505,6880 litre	O
480	CM	80	CM 110 LEVEL CM	7074,2858 litre	73,301 %	2576,6868 litre	O
480	CM	80	CM 109 LEVEL CM	7002,8986 litre	72,562 %	2648,0740 litre	O

480	CM	80	CM	108 LEVEL CM	6931,1380 litre	71,818 %	2719,8346 litre	O
480	CM	80	CM	107 LEVEL CM	6859,0187 litre	71,071 %	2791,9539 litre	O
480	CM	80	CM	106 LEVEL CM	6786,5552 litre	70,320 %	2864,4174 litre	O
480	CM	80	CM	105 LEVEL CM	6713,7618 litre	69,566 %	2937,2108 litre	O
480	CM	80	CM	104 LEVEL CM	6640,6525 litre	68,808 %	3010,3201 litre	O
480	CM	80	CM	103 LEVEL CM	6567,2413 litre	68,047 %	3083,7313 litre	O
480	CM	80	CM	102 LEVEL CM	6493,5420 litre	67,284 %	3157,4306 litre	O
480	CM	80	CM	101 LEVEL CM	6419,5680 litre	66,517 %	3231,4046 litre	O
480	CM	80	CM	100 LEVEL CM	6345,3329 litre	65,748 %	3305,6397 litre	O
480	CM	80	CM	99 LEVEL CM	6270,8498 litre	64,976 %	3380,1228 litre	O
480	CM	80	CM	98 LEVEL CM	6196,1321 litre	64,202 %	3454,8405 litre	O
480	CM	80	CM	97 LEVEL CM	6121,1927 litre	63,426 %	3529,7799 litre	O
480	CM	80	CM	96 LEVEL CM	6046,0444 litre	62,647 %	3604,9282 litre	O
480	CM	80	CM	95 LEVEL CM	5970,7003 litre	61,866 %	3680,2723 litre	O
480	CM	80	CM	94 LEVEL CM	5895,1728 litre	61,084 %	3755,7998 litre	O
480	CM	80	CM	93 LEVEL CM	5819,4747 litre	60,299 %	3831,4979 litre	O
480	CM	80	CM	92 LEVEL CM	5743,6186 litre	59,513 %	3907,3540 litre	O
480	CM	80	CM	91 LEVEL CM	5667,6167 litre	58,726 %	3983,3559 litre	O
480	CM	80	CM	90 LEVEL CM	5591,4816 litre	57,937 %	4059,4910 litre	O
480	CM	80	CM	89 LEVEL CM	5515,2255 litre	57,147 %	4135,7471 litre	O
480	CM	80	CM	88 LEVEL CM	5438,8608 litre	56,356 %	4212,1118 litre	O
480	CM	80	CM	87 LEVEL CM	5362,3995 litre	55,563 %	4288,5731 litre	O
480	CM	80	CM	86 LEVEL CM	5285,8540 litre	54,770 %	4365,1186 litre	O
480	CM	80	CM	85 LEVEL CM	5209,2362 litre	53,976 %	4441,7364 litre	O
480	CM	80	CM	84 LEVEL CM	5132,5583 litre	53,182 %	4518,4143 litre	O
480	CM	80	CM	83 LEVEL CM	5055,8323 litre	52,387 %	4595,1403 litre	O
480	CM	80	CM	82 LEVEL CM	4979,0703 litre	51,591 %	4671,9023 litre	O
480	CM	80	CM	81 LEVEL CM	4902,2843 litre	50,796 %	4748,6883 litre	O
480	CM	80	CM	80 LEVEL CM	4825,4863 litre	50,000 %	4825,4863 litre	O
480	CM	80	CM	79 LEVEL CM	4748,6883 litre	49,204 %	4902,2843 litre	O
480	CM	80	CM	78 LEVEL CM	4671,9023 litre	48,409 %	4979,0703 litre	O
480	CM	80	CM	77 LEVEL CM	4595,1403 litre	47,613 %	5055,8323 litre	O
480	CM	80	CM	76 LEVEL CM	4518,4144 litre	46,818 %	5132,5582 litre	O
480	CM	80	CM	75 LEVEL CM	4441,7365 litre	46,024 %	5209,2361 litre	O
480	CM	80	CM	74 LEVEL CM	4365,1187 litre	45,230 %	5285,8539 litre	O
480	CM	80	CM	73 LEVEL CM	4288,5731 litre	44,437 %	5362,3995 litre	O
480	CM	80	CM	72 LEVEL CM	4212,1119 litre	43,644 %	5438,8607 litre	O
480	CM	80	CM	71 LEVEL CM	4135,7471 litre	42,853 %	5515,2255 litre	O
480	CM	80	CM	70 LEVEL CM	4059,4910 litre	42,063 %	5591,4816 litre	O
480	CM	80	CM	69 LEVEL CM	3983,3559 litre	41,274 %	5667,6167 litre	O
480	CM	80	CM	68 LEVEL CM	3907,3541 litre	40,487 %	5743,6185 litre	O
480	CM	80	CM	67 LEVEL CM	3831,4979 litre	39,701 %	5819,4747 litre	O
480	CM	80	CM	66 LEVEL CM	3755,7998 litre	38,916 %	5895,1728 litre	O
480	CM	80	CM	65 LEVEL CM	3680,2724 litre	38,134 %	5970,7002 litre	O
480	CM	80	CM	64 LEVEL CM	3604,9282 litre	37,353 %	6046,0444 litre	O
480	CM	80	CM	63 LEVEL CM	3529,7800 litre	36,574 %	6121,1926 litre	O
480	CM	80	CM	62 LEVEL CM	3454,8405 litre	35,798 %	6196,1321 litre	O
480	CM	80	CM	61 LEVEL CM	3380,1228 litre	35,024 %	6270,8498 litre	O
480	CM	80	CM	60 LEVEL CM	3305,6398 litre	34,252 %	6345,3328 litre	O
480	CM	80	CM	59 LEVEL CM	3231,4046 litre	33,483 %	6419,5680 litre	O
480	CM	80	CM	58 LEVEL CM	3157,4307 litre	32,716 %	6493,5419 litre	O
480	CM	80	CM	57 LEVEL CM	3083,7313 litre	31,953 %	6567,2413 litre	O
480	CM	80	CM	56 LEVEL CM	3010,3201 litre	31,192 %	6640,6525 litre	O

480	CM	80	CM	55 LEVEL CM	2937,2108 litre	30,434 %	6713,7618 litre	O
480	CM	80	CM	54 LEVEL CM	2864,4174 litre	29,680 %	6786,5552 litre	O
480	CM	80	CM	53 LEVEL CM	2791,9539 litre	28,929 %	6859,0187 litre	O
480	CM	80	CM	52 LEVEL CM	2719,8346 litre	28,182 %	6931,1380 litre	O
480	CM	80	CM	51 LEVEL CM	2648,0740 litre	27,438 %	7002,8986 litre	O
480	CM	80	CM	50 LEVEL CM	2576,6868 litre	26,699 %	7074,2858 litre	O
480	CM	80	CM	49 LEVEL CM	2505,6880 litre	25,963 %	7145,2846 litre	O
480	CM	80	CM	48 LEVEL CM	2435,0928 litre	25,232 %	7215,8798 litre	O
480	CM	80	CM	47 LEVEL CM	2364,9165 litre	24,504 %	7286,0561 litre	O
480	CM	80	CM	46 LEVEL CM	2295,1750 litre	23,782 %	7355,7976 litre	O
480	CM	80	CM	45 LEVEL CM	2225,8842 litre	23,064 %	7425,0884 litre	O
480	CM	80	CM	44 LEVEL CM	2157,0605 litre	22,351 %	7493,9121 litre	O
480	CM	80	CM	43 LEVEL CM	2088,7206 litre	21,643 %	7562,2520 litre	O
480	CM	80	CM	42 LEVEL CM	2020,8815 litre	20,940 %	7630,0911 litre	O
480	CM	80	CM	41 LEVEL CM	1953,5607 litre	20,242 %	7697,4119 litre	O
480	CM	80	CM	40 LEVEL CM	1886,7759 litre	19,550 %	7764,1967 litre	O
480	CM	80	CM	39 LEVEL CM	1820,5453 litre	18,864 %	7830,4273 litre	O
480	CM	80	CM	38 LEVEL CM	1754,8878 litre	18,184 %	7896,0848 litre	O
480	CM	80	CM	37 LEVEL CM	1689,8225 litre	17,509 %	7961,1501 litre	O
480	CM	80	CM	36 LEVEL CM	1625,3692 litre	16,842 %	8025,6034 litre	O
480	CM	80	CM	35 LEVEL CM	1561,5481 litre	16,180 %	8089,4245 litre	O
480	CM	80	CM	34 LEVEL CM	1498,3802 litre	15,526 %	8152,5924 litre	O
480	CM	80	CM	33 LEVEL CM	1435,8870 litre	14,878 %	8215,0856 litre	O
480	CM	80	CM	32 LEVEL CM	1374,0909 litre	14,238 %	8276,8817 litre	O
480	CM	80	CM	31 LEVEL CM	1313,0149 litre	13,605 %	8337,9577 litre	O
480	CM	80	CM	30 LEVEL CM	1252,6827 litre	12,980 %	8398,2899 litre	O
480	CM	80	CM	29 LEVEL CM	1193,1193 litre	12,363 %	8457,8533 litre	O
480	CM	80	CM	28 LEVEL CM	1134,3503 litre	11,754 %	8516,6223 litre	O
480	CM	80	CM	27 LEVEL CM	1076,4025 litre	11,153 %	8574,5701 litre	O
480	CM	80	CM	26 LEVEL CM	1019,3039 litre	10,562 %	8631,6687 litre	O
480	CM	80	CM	25 LEVEL CM	963,0837 litre	9,979 %	8687,8889 litre	O
480	CM	80	CM	24 LEVEL CM	907,7724 litre	9,406 %	8743,2002 litre	O
480	CM	80	CM	23 LEVEL CM	853,4023 litre	8,843 %	8797,5703 litre	O
480	CM	80	CM	22 LEVEL CM	800,0072 litre	8,289 %	8850,9654 litre	O
480	CM	80	CM	21 LEVEL CM	747,6227 litre	7,747 %	8903,3499 litre	O
480	CM	80	CM	20 LEVEL CM	696,2869 litre	7,215 %	8954,6857 litre	O
480	CM	80	CM	19 LEVEL CM	646,0397 litre	6,694 %	9004,9329 litre	O
480	CM	80	CM	18 LEVEL CM	596,9242 litre	6,185 %	9054,0484 litre	O
480	CM	80	CM	17 LEVEL CM	548,9863 litre	5,688 %	9101,9863 litre	O
480	CM	80	CM	16 LEVEL CM	502,2754 litre	5,204 %	9148,6972 litre	O
480	CM	80	CM	15 LEVEL CM	456,8449 litre	4,734 %	9194,1277 litre	O
480	CM	80	CM	14 LEVEL CM	412,7528 litre	4,277 %	9238,2198 litre	O
480	CM	80	CM	13 LEVEL CM	370,0627 litre	3,834 %	9280,9099 litre	O
480	CM	80	CM	12 LEVEL CM	328,8445 litre	3,407 %	9322,1281 litre	O
480	CM	80	CM	11 LEVEL CM	289,1762 litre	2,996 %	9361,7964 litre	O
480	CM	80	CM	10 LEVEL CM	251,1451 litre	2,602 %	9399,8275 litre	O
480	CM	80	CM	9 LEVEL CM	214,8503 litre	2,226 %	9436,1223 litre	O
480	CM	80	CM	8 LEVEL CM	180,4060 litre	1,869 %	9470,5666 litre	O
480	CM	80	CM	7 LEVEL CM	147,9460 litre	1,533 %	9503,0266 litre	O
480	CM	80	CM	6 LEVEL CM	117,6304 litre	1,219 %	9533,3422 litre	O
480	CM	80	CM	5 LEVEL CM	89,6563 litre	0,929 %	9561,3163 litre	O
480	CM	80	CM	4 LEVEL CM	64,2755 litre	0,666 %	9586,6971 litre	O
480	CM	80	CM	3 LEVEL CM	41,8277 litre	0,433 %	9609,1449 litre	O

480	CM	80	CM	2 LEVEL CM	22,8113 litre	0,236 %	9628,1613 litre	O
480	CM	80	CM	1 LEVEL CM	8,0802 litre	0,084 %	9642,8924 litre	O
480	CM	80	CM	0 LEVEL CM	0,0000 litre	0,000 %	9650,9726 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM 75	CM 150 LEVEL CM	8482,3002 litre	100,000 %	0,0000 litre	O
480	CM 75	CM 149 LEVEL CM	8474,4775 litre	99,908 %	7,8227 litre	O
480	CM 75	CM 148 LEVEL CM	8460,2188 litre	99,740 %	22,0814 litre	O
480	CM 75	CM 147 LEVEL CM	8441,8161 litre	99,523 %	40,4841 litre	O
480	CM 75	CM 146 LEVEL CM	8420,0973 litre	99,267 %	62,2029 litre	O
480	CM 75	CM 145 LEVEL CM	8395,5462 litre	98,977 %	86,7540 litre	O
480	CM 75	CM 144 LEVEL CM	8368,4926 litre	98,658 %	113,8076 litre	O
480	CM 75	CM 143 LEVEL CM	8339,1812 litre	98,313 %	143,1190 litre	O
480	CM 75	CM 142 LEVEL CM	8307,8036 litre	97,943 %	174,4966 litre	O
480	CM 75	CM 141 LEVEL CM	8274,5155 litre	97,550 %	207,7847 litre	O
480	CM 75	CM 140 LEVEL CM	8239,4473 litre	97,137 %	242,8529 litre	O
480	CM 75	CM 139 LEVEL CM	8202,7101 litre	96,704 %	279,5901 litre	O
480	CM 75	CM 138 LEVEL CM	8164,4007 litre	96,252 %	317,8995 litre	O
480	CM 75	CM 137 LEVEL CM	8124,6044 litre	95,783 %	357,6958 litre	O
480	CM 75	CM 136 LEVEL CM	8083,3971 litre	95,297 %	398,9031 litre	O
480	CM 75	CM 135 LEVEL CM	8040,8472 litre	94,796 %	441,4530 litre	O
480	CM 75	CM 134 LEVEL CM	7997,0168 litre	94,279 %	485,2834 litre	O
480	CM 75	CM 133 LEVEL CM	7951,9629 litre	93,748 %	530,3373 litre	O
480	CM 75	CM 132 LEVEL CM	7905,7376 litre	93,203 %	576,5626 litre	O
480	CM 75	CM 131 LEVEL CM	7858,3895 litre	92,645 %	623,9107 litre	O
480	CM 75	CM 130 LEVEL CM	7809,9636 litre	92,074 %	672,3366 litre	O
480	CM 75	CM 129 LEVEL CM	7760,5019 litre	91,491 %	721,7983 litre	O
480	CM 75	CM 128 LEVEL CM	7710,0441 litre	90,896 %	772,2561 litre	O
480	CM 75	CM 127 LEVEL CM	7658,6273 litre	90,290 %	823,6729 litre	O
480	CM 75	CM 126 LEVEL CM	7606,2866 litre	89,672 %	876,0136 litre	O
480	CM 75	CM 125 LEVEL CM	7553,0555 litre	89,045 %	929,2447 litre	O
480	CM 75	CM 124 LEVEL CM	7498,9657 litre	88,407 %	983,3345 litre	O
480	CM 75	CM 123 LEVEL CM	7444,0472 litre	87,760 %	1038,2530 litre	O
480	CM 75	CM 122 LEVEL CM	7388,3291 litre	87,103 %	1093,9711 litre	O
480	CM 75	CM 121 LEVEL CM	7331,8389 litre	86,437 %	1150,4613 litre	O
480	CM 75	CM 120 LEVEL CM	7274,6031 litre	85,762 %	1207,6971 litre	O
480	CM 75	CM 119 LEVEL CM	7216,6472 litre	85,079 %	1265,6530 litre	O
480	CM 75	CM 118 LEVEL CM	7157,9958 litre	84,387 %	1324,3044 litre	O
480	CM 75	CM 117 LEVEL CM	7098,6726 litre	83,688 %	1383,6276 litre	O
480	CM 75	CM 116 LEVEL CM	7038,7004 litre	82,981 %	1443,5998 litre	O
480	CM 75	CM 115 LEVEL CM	6978,1014 litre	82,267 %	1504,1988 litre	O
480	CM 75	CM 114 LEVEL CM	6916,8971 litre	81,545 %	1565,4031 litre	O
480	CM 75	CM 113 LEVEL CM	6855,1083 litre	80,817 %	1627,1919 litre	O
480	CM 75	CM 112 LEVEL CM	6792,7553 litre	80,082 %	1689,5449 litre	O
480	CM 75	CM 111 LEVEL CM	6729,8578 litre	79,340 %	1752,4424 litre	O
480	CM 75	CM 110 LEVEL CM	6666,4349 litre	78,592 %	1815,8653 litre	O
480	CM 75	CM 109 LEVEL CM	6602,5055 litre	77,839 %	1879,7947 litre	O
480	CM 75	CM 108 LEVEL CM	6538,0879 litre	77,079 %	1944,2123 litre	O
480	CM 75	CM 107 LEVEL CM	6473,1998 litre	76,314 %	2009,1004 litre	O
480	CM 75	CM 106 LEVEL CM	6407,8587 litre	75,544 %	2074,4415 litre	O
480	CM 75	CM 105 LEVEL CM	6342,0819 litre	74,768 %	2140,2183 litre	O
480	CM 75	CM 104 LEVEL CM	6275,8861 litre	73,988 %	2206,4141 litre	O
480	CM 75	CM 103 LEVEL CM	6209,2877 litre	73,203 %	2273,0125 litre	O
480	CM 75	CM 102 LEVEL CM	6142,3030 litre	72,413 %	2339,9972 litre	O
480	CM 75	CM 101 LEVEL CM	6074,9479 litre	71,619 %	2407,3523 litre	O
480	CM 75	CM 100 LEVEL CM	6007,2379 litre	70,821 %	2475,0623 litre	O
480	CM 75	CM 99 LEVEL CM	5939,1885 litre	70,019 %	2543,1117 litre	O

480	CM	75	CM	98 LEVEL CM	5870,8148 litre	69,213 %	2611,4854 litre	O
480	CM	75	CM	97 LEVEL CM	5802,1318 litre	68,403 %	2680,1684 litre	O
480	CM	75	CM	96 LEVEL CM	5733,1542 litre	67,590 %	2749,1460 litre	O
480	CM	75	CM	95 LEVEL CM	5663,8966 litre	66,773 %	2818,4036 litre	O
480	CM	75	CM	94 LEVEL CM	5594,3734 litre	65,953 %	2887,9268 litre	O
480	CM	75	CM	93 LEVEL CM	5524,5987 litre	65,131 %	2957,7015 litre	O
480	CM	75	CM	92 LEVEL CM	5454,5867 litre	64,306 %	3027,7135 litre	O
480	CM	75	CM	91 LEVEL CM	5384,3513 litre	63,477 %	3097,9489 litre	O
480	CM	75	CM	90 LEVEL CM	5313,9063 litre	62,647 %	3168,3939 litre	O
480	CM	75	CM	89 LEVEL CM	5243,2652 litre	61,814 %	3239,0350 litre	O
480	CM	75	CM	88 LEVEL CM	5172,4418 litre	60,979 %	3309,8584 litre	O
480	CM	75	CM	87 LEVEL CM	5101,4494 litre	60,142 %	3380,8508 litre	O
480	CM	75	CM	86 LEVEL CM	5030,3014 litre	59,304 %	3451,9988 litre	O
480	CM	75	CM	85 LEVEL CM	4959,0110 litre	58,463 %	3523,2892 litre	O
480	CM	75	CM	84 LEVEL CM	4887,5915 litre	57,621 %	3594,7087 litre	O
480	CM	75	CM	83 LEVEL CM	4816,0559 litre	56,778 %	3666,2443 litre	O
480	CM	75	CM	82 LEVEL CM	4744,4174 litre	55,933 %	3737,8828 litre	O
480	CM	75	CM	81 LEVEL CM	4672,6888 litre	55,088 %	3809,6114 litre	O
480	CM	75	CM	80 LEVEL CM	4600,8832 litre	54,241 %	3881,4170 litre	O
480	CM	75	CM	79 LEVEL CM	4529,0135 litre	53,394 %	3953,2867 litre	O
480	CM	75	CM	78 LEVEL CM	4457,0925 litre	52,546 %	4025,2077 litre	O
480	CM	75	CM	77 LEVEL CM	4385,1330 litre	51,697 %	4097,1672 litre	O
480	CM	75	CM	76 LEVEL CM	4313,1479 litre	50,849 %	4169,1523 litre	O
480	CM	75	CM	75 LEVEL CM	4241,1501 litre	50,000 %	4241,1501 litre	O
480	CM	75	CM	74 LEVEL CM	4169,1522 litre	49,151 %	4313,1480 litre	O
480	CM	75	CM	73 LEVEL CM	4097,1672 litre	48,303 %	4385,1330 litre	O
480	CM	75	CM	72 LEVEL CM	4025,2077 litre	47,454 %	4457,0925 litre	O
480	CM	75	CM	71 LEVEL CM	3953,2867 litre	46,606 %	4529,0135 litre	O
480	CM	75	CM	70 LEVEL CM	3881,4169 litre	45,759 %	4600,8833 litre	O
480	CM	75	CM	69 LEVEL CM	3809,6113 litre	44,912 %	4672,6889 litre	O
480	CM	75	CM	68 LEVEL CM	3737,8828 litre	44,067 %	4744,4174 litre	O
480	CM	75	CM	67 LEVEL CM	3666,2442 litre	43,222 %	4816,0560 litre	O
480	CM	75	CM	66 LEVEL CM	3594,7087 litre	42,379 %	4887,5915 litre	O
480	CM	75	CM	65 LEVEL CM	3523,2891 litre	41,537 %	4959,0111 litre	O
480	CM	75	CM	64 LEVEL CM	3451,9988 litre	40,696 %	5030,3014 litre	O
480	CM	75	CM	63 LEVEL CM	3380,8508 litre	39,858 %	5101,4494 litre	O
480	CM	75	CM	62 LEVEL CM	3309,8584 litre	39,021 %	5172,4418 litre	O
480	CM	75	CM	61 LEVEL CM	3239,0349 litre	38,186 %	5243,2653 litre	O
480	CM	75	CM	60 LEVEL CM	3168,3939 litre	37,353 %	5313,9063 litre	O
480	CM	75	CM	59 LEVEL CM	3097,9489 litre	36,523 %	5384,3513 litre	O
480	CM	75	CM	58 LEVEL CM	3027,7134 litre	35,694 %	5454,5868 litre	O
480	CM	75	CM	57 LEVEL CM	2957,7015 litre	34,869 %	5524,5987 litre	O
480	CM	75	CM	56 LEVEL CM	2887,9268 litre	34,047 %	5594,3734 litre	O
480	CM	75	CM	55 LEVEL CM	2818,4036 litre	33,227 %	5663,8966 litre	O
480	CM	75	CM	54 LEVEL CM	2749,1460 litre	32,410 %	5733,1542 litre	O
480	CM	75	CM	53 LEVEL CM	2680,1684 litre	31,597 %	5802,1318 litre	O
480	CM	75	CM	52 LEVEL CM	2611,4854 litre	30,787 %	5870,8148 litre	O
480	CM	75	CM	51 LEVEL CM	2543,1117 litre	29,981 %	5939,1885 litre	O
480	CM	75	CM	50 LEVEL CM	2475,0623 litre	29,179 %	6007,2379 litre	O
480	CM	75	CM	49 LEVEL CM	2407,3523 litre	28,381 %	6074,9479 litre	O
480	CM	75	CM	48 LEVEL CM	2339,9971 litre	27,587 %	6142,3031 litre	O
480	CM	75	CM	47 LEVEL CM	2273,0124 litre	26,797 %	6209,2878 litre	O
480	CM	75	CM	46 LEVEL CM	2206,4141 litre	26,012 %	6275,8861 litre	O

480	CM	75	CM	45 LEVEL CM	2140,2182 litre	25,232 %	6342,0820 litre	O
480	CM	75	CM	44 LEVEL CM	2074,4414 litre	24,456 %	6407,8588 litre	O
480	CM	75	CM	43 LEVEL CM	2009,1004 litre	23,686 %	6473,1998 litre	O
480	CM	75	CM	42 LEVEL CM	1944,2123 litre	22,921 %	6538,0879 litre	O
480	CM	75	CM	41 LEVEL CM	1879,7946 litre	22,161 %	6602,5056 litre	O
480	CM	75	CM	40 LEVEL CM	1815,8652 litre	21,408 %	6666,4350 litre	O
480	CM	75	CM	39 LEVEL CM	1752,4424 litre	20,660 %	6729,8578 litre	O
480	CM	75	CM	38 LEVEL CM	1689,5449 litre	19,918 %	6792,7553 litre	O
480	CM	75	CM	37 LEVEL CM	1627,1919 litre	19,183 %	6855,1083 litre	O
480	CM	75	CM	36 LEVEL CM	1565,4031 litre	18,455 %	6916,8971 litre	O
480	CM	75	CM	35 LEVEL CM	1504,1988 litre	17,733 %	6978,1014 litre	O
480	CM	75	CM	34 LEVEL CM	1443,5998 litre	17,019 %	7038,7004 litre	O
480	CM	75	CM	33 LEVEL CM	1383,6276 litre	16,312 %	7098,6726 litre	O
480	CM	75	CM	32 LEVEL CM	1324,3044 litre	15,613 %	7157,9958 litre	O
480	CM	75	CM	31 LEVEL CM	1265,6530 litre	14,921 %	7216,6472 litre	O
480	CM	75	CM	30 LEVEL CM	1207,6971 litre	14,238 %	7274,6031 litre	O
480	CM	75	CM	29 LEVEL CM	1150,4613 litre	13,563 %	7331,8389 litre	O
480	CM	75	CM	28 LEVEL CM	1093,9711 litre	12,897 %	7388,3291 litre	O
480	CM	75	CM	27 LEVEL CM	1038,2529 litre	12,240 %	7444,0473 litre	O
480	CM	75	CM	26 LEVEL CM	983,3345 litre	11,593 %	7498,9657 litre	O
480	CM	75	CM	25 LEVEL CM	929,2446 litre	10,955 %	7553,0556 litre	O
480	CM	75	CM	24 LEVEL CM	876,0135 litre	10,328 %	7606,2867 litre	O
480	CM	75	CM	23 LEVEL CM	823,6729 litre	9,710 %	7658,6273 litre	O
480	CM	75	CM	22 LEVEL CM	772,2561 litre	9,104 %	7710,0441 litre	O
480	CM	75	CM	21 LEVEL CM	721,7982 litre	8,509 %	7760,5020 litre	O
480	CM	75	CM	20 LEVEL CM	672,3366 litre	7,926 %	7809,9636 litre	O
480	CM	75	CM	19 LEVEL CM	623,9107 litre	7,355 %	7858,3895 litre	O
480	CM	75	CM	18 LEVEL CM	576,5625 litre	6,797 %	7905,7377 litre	O
480	CM	75	CM	17 LEVEL CM	530,3373 litre	6,252 %	7951,9629 litre	O
480	CM	75	CM	16 LEVEL CM	485,2833 litre	5,721 %	7997,0169 litre	O
480	CM	75	CM	15 LEVEL CM	441,4530 litre	5,204 %	8040,8472 litre	O
480	CM	75	CM	14 LEVEL CM	398,9031 litre	4,703 %	8083,3971 litre	O
480	CM	75	CM	13 LEVEL CM	357,6958 litre	4,217 %	8124,6044 litre	O
480	CM	75	CM	12 LEVEL CM	317,8994 litre	3,748 %	8164,4008 litre	O
480	CM	75	CM	11 LEVEL CM	279,5901 litre	3,296 %	8202,7101 litre	O
480	CM	75	CM	10 LEVEL CM	242,8529 litre	2,863 %	8239,4473 litre	O
480	CM	75	CM	9 LEVEL CM	207,7847 litre	2,450 %	8274,5155 litre	O
480	CM	75	CM	8 LEVEL CM	174,4966 litre	2,057 %	8307,8036 litre	O
480	CM	75	CM	7 LEVEL CM	143,1190 litre	1,687 %	8339,1812 litre	O
480	CM	75	CM	6 LEVEL CM	113,8076 litre	1,342 %	8368,4926 litre	O
480	CM	75	CM	5 LEVEL CM	86,7540 litre	1,023 %	8395,5462 litre	O
480	CM	75	CM	4 LEVEL CM	62,2029 litre	0,733 %	8420,0973 litre	O
480	CM	75	CM	3 LEVEL CM	40,4841 litre	0,477 %	8441,8161 litre	O
480	CM	75	CM	2 LEVEL CM	22,0814 litre	0,260 %	8460,2188 litre	O
480	CM	75	CM	1 LEVEL CM	7,8227 litre	0,092 %	8474,4775 litre	O
480	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	8482,3002 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM 70	CM 140 LEVEL CM	7389,0259 litre	100,000 %	0,0000 litre	O
480	CM 70	CM 139 LEVEL CM	7381,4696 litre	99,898 %	7,5563 litre	O
480	CM 70	CM 138 LEVEL CM	7367,6995 litre	99,711 %	21,3264 litre	O
480	CM 70	CM 137 LEVEL CM	7349,9316 litre	99,471 %	39,0943 litre	O
480	CM 70	CM 136 LEVEL CM	7328,9672 litre	99,187 %	60,0587 litre	O
480	CM 70	CM 135 LEVEL CM	7305,2749 litre	98,867 %	83,7510 litre	O
480	CM 70	CM 134 LEVEL CM	7279,1742 litre	98,513 %	109,8517 litre	O
480	CM 70	CM 133 LEVEL CM	7250,9026 litre	98,131 %	138,1233 litre	O
480	CM 70	CM 132 LEVEL CM	7220,6460 litre	97,721 %	168,3799 litre	O
480	CM 70	CM 131 LEVEL CM	7188,5558 litre	97,287 %	200,4701 litre	O
480	CM 70	CM 130 LEVEL CM	7154,7586 litre	96,830 %	234,2673 litre	O
480	CM 70	CM 129 LEVEL CM	7119,3627 litre	96,350 %	269,6632 litre	O
480	CM 70	CM 128 LEVEL CM	7082,4623 litre	95,851 %	306,5636 litre	O
480	CM 70	CM 127 LEVEL CM	7044,1405 litre	95,332 %	344,8854 litre	O
480	CM 70	CM 126 LEVEL CM	7004,4713 litre	94,796 %	384,5546 litre	O
480	CM 70	CM 125 LEVEL CM	6963,5217 litre	94,241 %	425,5042 litre	O
480	CM 70	CM 124 LEVEL CM	6921,3522 litre	93,671 %	467,6737 litre	O
480	CM 70	CM 123 LEVEL CM	6878,0185 litre	93,084 %	511,0074 litre	O
480	CM 70	CM 122 LEVEL CM	6833,5719 litre	92,483 %	555,4540 litre	O
480	CM 70	CM 121 LEVEL CM	6788,0597 litre	91,867 %	600,9662 litre	O
480	CM 70	CM 120 LEVEL CM	6741,5262 litre	91,237 %	647,4997 litre	O
480	CM 70	CM 119 LEVEL CM	6694,0126 litre	90,594 %	695,0133 litre	O
480	CM 70	CM 118 LEVEL CM	6645,5579 litre	89,938 %	743,4680 litre	O
480	CM 70	CM 117 LEVEL CM	6596,1987 litre	89,270 %	792,8272 litre	O
480	CM 70	CM 116 LEVEL CM	6545,9695 litre	88,590 %	843,0564 litre	O
480	CM 70	CM 115 LEVEL CM	6494,9032 litre	87,899 %	894,1227 litre	O
480	CM 70	CM 114 LEVEL CM	6443,0311 litre	87,197 %	945,9948 litre	O
480	CM 70	CM 113 LEVEL CM	6390,3831 litre	86,485 %	998,6428 litre	O
480	CM 70	CM 112 LEVEL CM	6336,9876 litre	85,762 %	1052,0383 litre	O
480	CM 70	CM 111 LEVEL CM	6282,8720 litre	85,030 %	1106,1539 litre	O
480	CM 70	CM 110 LEVEL CM	6228,0626 litre	84,288 %	1160,9633 litre	O
480	CM 70	CM 109 LEVEL CM	6172,5847 litre	83,537 %	1216,4412 litre	O
480	CM 70	CM 108 LEVEL CM	6116,4626 litre	82,778 %	1272,5633 litre	O
480	CM 70	CM 107 LEVEL CM	6059,7199 litre	82,010 %	1329,3060 litre	O
480	CM 70	CM 106 LEVEL CM	6002,3794 litre	81,234 %	1386,6465 litre	O
480	CM 70	CM 105 LEVEL CM	5944,4632 litre	80,450 %	1444,5627 litre	O
480	CM 70	CM 104 LEVEL CM	5885,9926 litre	79,659 %	1503,0333 litre	O
480	CM 70	CM 103 LEVEL CM	5826,9886 litre	78,860 %	1562,0373 litre	O
480	CM 70	CM 102 LEVEL CM	5767,4713 litre	78,055 %	1621,5546 litre	O
480	CM 70	CM 101 LEVEL CM	5707,4606 litre	77,242 %	1681,5653 litre	O
480	CM 70	CM 100 LEVEL CM	5646,9757 litre	76,424 %	1742,0502 litre	O
480	CM 70	CM 99 LEVEL CM	5586,0354 litre	75,599 %	1802,9905 litre	O
480	CM 70	CM 98 LEVEL CM	5524,6580 litre	74,768 %	1864,3679 litre	O
480	CM 70	CM 97 LEVEL CM	5462,8617 litre	73,932 %	1926,1642 litre	O
480	CM 70	CM 96 LEVEL CM	5400,6639 litre	73,090 %	1988,3620 litre	O
480	CM 70	CM 95 LEVEL CM	5338,0822 litre	72,243 %	2050,9437 litre	O
480	CM 70	CM 94 LEVEL CM	5275,1333 litre	71,391 %	2113,8926 litre	O
480	CM 70	CM 93 LEVEL CM	5211,8340 litre	70,535 %	2177,1919 litre	O
480	CM 70	CM 92 LEVEL CM	5148,2007 litre	69,674 %	2240,8252 litre	O
480	CM 70	CM 91 LEVEL CM	5084,2496 litre	68,808 %	2304,7763 litre	O
480	CM 70	CM 90 LEVEL CM	5019,9965 litre	67,939 %	2369,0294 litre	O
480	CM 70	CM 89 LEVEL CM	4955,4573 litre	67,065 %	2433,5686 litre	O

480	CM	70	CM	88 LEVEL CM	4890,6472 litre	66,188 %	2498,3787 litre	O
480	CM	70	CM	87 LEVEL CM	4825,5817 litre	65,307 %	2563,4442 litre	O
480	CM	70	CM	86 LEVEL CM	4760,2759 litre	64,424 %	2628,7500 litre	O
480	CM	70	CM	85 LEVEL CM	4694,7446 litre	63,537 %	2694,2813 litre	O
480	CM	70	CM	84 LEVEL CM	4629,0028 litre	62,647 %	2760,0231 litre	O
480	CM	70	CM	83 LEVEL CM	4563,0649 litre	61,755 %	2825,9610 litre	O
480	CM	70	CM	82 LEVEL CM	4496,9456 litre	60,860 %	2892,0803 litre	O
480	CM	70	CM	81 LEVEL CM	4430,6593 litre	59,963 %	2958,3666 litre	O
480	CM	70	CM	80 LEVEL CM	4364,2202 litre	59,064 %	3024,8057 litre	O
480	CM	70	CM	79 LEVEL CM	4297,6425 litre	58,163 %	3091,3834 litre	O
480	CM	70	CM	78 LEVEL CM	4230,9404 litre	57,260 %	3158,0855 litre	O
480	CM	70	CM	77 LEVEL CM	4164,1278 litre	56,356 %	3224,8981 litre	O
480	CM	70	CM	76 LEVEL CM	4097,2187 litre	55,450 %	3291,8072 litre	O
480	CM	70	CM	75 LEVEL CM	4030,2270 litre	54,543 %	3358,7989 litre	O
480	CM	70	CM	74 LEVEL CM	3963,1666 litre	53,636 %	3425,8593 litre	O
480	CM	70	CM	73 LEVEL CM	3896,0512 litre	52,728 %	3492,9747 litre	O
480	CM	70	CM	72 LEVEL CM	3828,8947 litre	51,819 %	3560,1312 litre	O
480	CM	70	CM	71 LEVEL CM	3761,7107 litre	50,909 %	3627,3152 litre	O
480	CM	70	CM	70 LEVEL CM	3694,5130 litre	50,000 %	3694,5129 litre	O
480	CM	70	CM	69 LEVEL CM	3627,3152 litre	49,091 %	3761,7107 litre	O
480	CM	70	CM	68 LEVEL CM	3560,1312 litre	48,181 %	3828,8947 litre	O
480	CM	70	CM	67 LEVEL CM	3492,9747 litre	47,272 %	3896,0512 litre	O
480	CM	70	CM	66 LEVEL CM	3425,8593 litre	46,364 %	3963,1666 litre	O
480	CM	70	CM	65 LEVEL CM	3358,7989 litre	45,457 %	4030,2270 litre	O
480	CM	70	CM	64 LEVEL CM	3291,8072 litre	44,550 %	4097,2187 litre	O
480	CM	70	CM	63 LEVEL CM	3224,8981 litre	43,644 %	4164,1278 litre	O
480	CM	70	CM	62 LEVEL CM	3158,0855 litre	42,740 %	4230,9404 litre	O
480	CM	70	CM	61 LEVEL CM	3091,3834 litre	41,837 %	4297,6425 litre	O
480	CM	70	CM	60 LEVEL CM	3024,8057 litre	40,936 %	4364,2202 litre	O
480	CM	70	CM	59 LEVEL CM	2958,3666 litre	40,037 %	4430,6593 litre	O
480	CM	70	CM	58 LEVEL CM	2892,0803 litre	39,140 %	4496,9456 litre	O
480	CM	70	CM	57 LEVEL CM	2825,9610 litre	38,245 %	4563,0649 litre	O
480	CM	70	CM	56 LEVEL CM	2760,0231 litre	37,353 %	4629,0028 litre	O
480	CM	70	CM	55 LEVEL CM	2694,2813 litre	36,463 %	4694,7446 litre	O
480	CM	70	CM	54 LEVEL CM	2628,7500 litre	35,576 %	4760,2759 litre	O
480	CM	70	CM	53 LEVEL CM	2563,4442 litre	34,693 %	4825,5817 litre	O
480	CM	70	CM	52 LEVEL CM	2498,3787 litre	33,812 %	4890,6472 litre	O
480	CM	70	CM	51 LEVEL CM	2433,5687 litre	32,935 %	4955,4572 litre	O
480	CM	70	CM	50 LEVEL CM	2369,0294 litre	32,061 %	5019,9965 litre	O
480	CM	70	CM	49 LEVEL CM	2304,7763 litre	31,192 %	5084,2496 litre	O
480	CM	70	CM	48 LEVEL CM	2240,8252 litre	30,326 %	5148,2007 litre	O
480	CM	70	CM	47 LEVEL CM	2177,1919 litre	29,465 %	5211,8340 litre	O
480	CM	70	CM	46 LEVEL CM	2113,8927 litre	28,609 %	5275,1332 litre	O
480	CM	70	CM	45 LEVEL CM	2050,9438 litre	27,757 %	5338,0821 litre	O
480	CM	70	CM	44 LEVEL CM	1988,3620 litre	26,910 %	5400,6639 litre	O
480	CM	70	CM	43 LEVEL CM	1926,1642 litre	26,068 %	5462,8617 litre	O
480	CM	70	CM	42 LEVEL CM	1864,3679 litre	25,232 %	5524,6580 litre	O
480	CM	70	CM	41 LEVEL CM	1802,9906 litre	24,401 %	5586,0353 litre	O
480	CM	70	CM	40 LEVEL CM	1742,0502 litre	23,576 %	5646,9757 litre	O
480	CM	70	CM	39 LEVEL CM	1681,5653 litre	22,758 %	5707,4606 litre	O
480	CM	70	CM	38 LEVEL CM	1621,5546 litre	21,945 %	5767,4713 litre	O
480	CM	70	CM	37 LEVEL CM	1562,0373 litre	21,140 %	5826,9886 litre	O
480	CM	70	CM	36 LEVEL CM	1503,0333 litre	20,341 %	5885,9926 litre	O

480	CM	70	CM	35 LEVEL CM	1444,5628 litre	19,550 %	5944,4631 litre	O
480	CM	70	CM	34 LEVEL CM	1386,6465 litre	18,766 %	6002,3794 litre	O
480	CM	70	CM	33 LEVEL CM	1329,3060 litre	17,990 %	6059,7199 litre	O
480	CM	70	CM	32 LEVEL CM	1272,5633 litre	17,222 %	6116,4626 litre	O
480	CM	70	CM	31 LEVEL CM	1216,4413 litre	16,463 %	6172,5846 litre	O
480	CM	70	CM	30 LEVEL CM	1160,9633 litre	15,712 %	6228,0626 litre	O
480	CM	70	CM	29 LEVEL CM	1106,1539 litre	14,970 %	6282,8720 litre	O
480	CM	70	CM	28 LEVEL CM	1052,0384 litre	14,238 %	6336,9875 litre	O
480	CM	70	CM	27 LEVEL CM	998,6429 litre	13,515 %	6390,3830 litre	O
480	CM	70	CM	26 LEVEL CM	945,9948 litre	12,803 %	6443,0311 litre	O
480	CM	70	CM	25 LEVEL CM	894,1227 litre	12,101 %	6494,9032 litre	O
480	CM	70	CM	24 LEVEL CM	843,0565 litre	11,410 %	6545,9694 litre	O
480	CM	70	CM	23 LEVEL CM	792,8273 litre	10,730 %	6596,1986 litre	O
480	CM	70	CM	22 LEVEL CM	743,4680 litre	10,062 %	6645,5579 litre	O
480	CM	70	CM	21 LEVEL CM	695,0133 litre	9,406 %	6694,0126 litre	O
480	CM	70	CM	20 LEVEL CM	647,4997 litre	8,763 %	6741,5262 litre	O
480	CM	70	CM	19 LEVEL CM	600,9662 litre	8,133 %	6788,0597 litre	O
480	CM	70	CM	18 LEVEL CM	555,4540 litre	7,517 %	6833,5719 litre	O
480	CM	70	CM	17 LEVEL CM	511,0074 litre	6,916 %	6878,0185 litre	O
480	CM	70	CM	16 LEVEL CM	467,6737 litre	6,329 %	6921,3522 litre	O
480	CM	70	CM	15 LEVEL CM	425,5043 litre	5,759 %	6963,5216 litre	O
480	CM	70	CM	14 LEVEL CM	384,5546 litre	5,204 %	7004,4713 litre	O
480	CM	70	CM	13 LEVEL CM	344,8855 litre	4,668 %	7044,1404 litre	O
480	CM	70	CM	12 LEVEL CM	306,5636 litre	4,149 %	7082,4623 litre	O
480	CM	70	CM	11 LEVEL CM	269,6632 litre	3,650 %	7119,3627 litre	O
480	CM	70	CM	10 LEVEL CM	234,2673 litre	3,170 %	7154,7586 litre	O
480	CM	70	CM	9 LEVEL CM	200,4701 litre	2,713 %	7188,5558 litre	O
480	CM	70	CM	8 LEVEL CM	168,3799 litre	2,279 %	7220,6460 litre	O
480	CM	70	CM	7 LEVEL CM	138,1233 litre	1,869 %	7250,9026 litre	O
480	CM	70	CM	6 LEVEL CM	109,8517 litre	1,487 %	7279,1742 litre	O
480	CM	70	CM	5 LEVEL CM	83,7511 litre	1,133 %	7305,2748 litre	O
480	CM	70	CM	4 LEVEL CM	60,0587 litre	0,813 %	7328,9672 litre	O
480	CM	70	CM	3 LEVEL CM	39,0944 litre	0,529 %	7349,9315 litre	O
480	CM	70	CM	2 LEVEL CM	21,3265 litre	0,289 %	7367,6994 litre	O
480	CM	70	CM	1 LEVEL CM	7,5563 litre	0,102 %	7381,4696 litre	O
480	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	7389,0259 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
480	CM	65	CM	130 LEVEL CM	6371,1499 litre	100,000 %	0,0000 litre	O
480	CM	65	CM	129 LEVEL CM	6363,8696 litre	99,886 %	7,2803 litre	O
480	CM	65	CM	128 LEVEL CM	6350,6060 litre	99,678 %	20,5439 litre	O
480	CM	65	CM	127 LEVEL CM	6333,4965 litre	99,409 %	37,6534 litre	O
480	CM	65	CM	126 LEVEL CM	6313,3148 litre	99,092 %	57,8351 litre	O
480	CM	65	CM	125 LEVEL CM	6290,5135 litre	98,734 %	80,6364 litre	O
480	CM	65	CM	124 LEVEL CM	6265,4019 litre	98,340 %	105,7480 litre	O
480	CM	65	CM	123 LEVEL CM	6238,2098 litre	97,913 %	132,9401 litre	O
480	CM	65	CM	122 LEVEL CM	6209,1175 litre	97,457 %	162,0324 litre	O
480	CM	65	CM	121 LEVEL CM	6178,2716 litre	96,973 %	192,8783 litre	O
480	CM	65	CM	120 LEVEL CM	6145,7952 litre	96,463 %	225,3547 litre	O
480	CM	65	CM	119 LEVEL CM	6111,7934 litre	95,929 %	259,3565 litre	O
480	CM	65	CM	118 LEVEL CM	6076,3580 litre	95,373 %	294,7919 litre	O
480	CM	65	CM	117 LEVEL CM	6039,5697 litre	94,796 %	331,5802 litre	O
480	CM	65	CM	116 LEVEL CM	6001,5008 litre	94,198 %	369,6491 litre	O
480	CM	65	CM	115 LEVEL CM	5962,2165 litre	93,581 %	408,9334 litre	O
480	CM	65	CM	114 LEVEL CM	5921,7761 litre	92,947 %	449,3738 litre	O
480	CM	65	CM	113 LEVEL CM	5880,2339 litre	92,295 %	490,9160 litre	O
480	CM	65	CM	112 LEVEL CM	5837,6400 litre	91,626 %	533,5099 litre	O
480	CM	65	CM	111 LEVEL CM	5794,0410 litre	90,942 %	577,1089 litre	O
480	CM	65	CM	110 LEVEL CM	5749,4802 litre	90,242 %	621,6697 litre	O
480	CM	65	CM	109 LEVEL CM	5703,9982 litre	89,529 %	667,1517 litre	O
480	CM	65	CM	108 LEVEL CM	5657,6331 litre	88,801 %	713,5168 litre	O
480	CM	65	CM	107 LEVEL CM	5610,4209 litre	88,060 %	760,7290 litre	O
480	CM	65	CM	106 LEVEL CM	5562,3959 litre	87,306 %	808,7540 litre	O
480	CM	65	CM	105 LEVEL CM	5513,5903 litre	86,540 %	857,5596 litre	O
480	CM	65	CM	104 LEVEL CM	5464,0352 litre	85,762 %	907,1147 litre	O
480	CM	65	CM	103 LEVEL CM	5413,7600 litre	84,973 %	957,3899 litre	O
480	CM	65	CM	102 LEVEL CM	5362,7929 litre	84,173 %	1008,3570 litre	O
480	CM	65	CM	101 LEVEL CM	5311,1610 litre	83,363 %	1059,9889 litre	O
480	CM	65	CM	100 LEVEL CM	5258,8905 litre	82,542 %	1112,2594 litre	O
480	CM	65	CM	99 LEVEL CM	5206,0065 litre	81,712 %	1165,1434 litre	O
480	CM	65	CM	98 LEVEL CM	5152,5333 litre	80,873 %	1218,6166 litre	O
480	CM	65	CM	97 LEVEL CM	5098,4942 litre	80,025 %	1272,6557 litre	O
480	CM	65	CM	96 LEVEL CM	5043,9122 litre	79,168 %	1327,2377 litre	O
480	CM	65	CM	95 LEVEL CM	4988,8091 litre	78,303 %	1382,3408 litre	O
480	CM	65	CM	94 LEVEL CM	4933,2066 litre	77,430 %	1437,9433 litre	O
480	CM	65	CM	93 LEVEL CM	4877,1255 litre	76,550 %	1494,0244 litre	O
480	CM	65	CM	92 LEVEL CM	4820,5860 litre	75,663 %	1550,5639 litre	O
480	CM	65	CM	91 LEVEL CM	4763,6082 litre	74,768 %	1607,5417 litre	O
480	CM	65	CM	90 LEVEL CM	4706,2113 litre	73,868 %	1664,9386 litre	O
480	CM	65	CM	89 LEVEL CM	4648,4145 litre	72,960 %	1722,7354 litre	O
480	CM	65	CM	88 LEVEL CM	4590,2361 litre	72,047 %	1780,9138 litre	O
480	CM	65	CM	87 LEVEL CM	4531,6946 litre	71,128 %	1839,4553 litre	O
480	CM	65	CM	86 LEVEL CM	4472,8077 litre	70,204 %	1898,3422 litre	O
480	CM	65	CM	85 LEVEL CM	4413,5931 litre	69,275 %	1957,5568 litre	O
480	CM	65	CM	84 LEVEL CM	4354,0680 litre	68,340 %	2017,0819 litre	O
480	CM	65	CM	83 LEVEL CM	4294,2494 litre	67,401 %	2076,9005 litre	O
480	CM	65	CM	82 LEVEL CM	4234,1542 litre	66,458 %	2136,9957 litre	O
480	CM	65	CM	81 LEVEL CM	4173,7988 litre	65,511 %	2197,3511 litre	O
480	CM	65	CM	80 LEVEL CM	4113,1996 litre	64,560 %	2257,9503 litre	O
480	CM	65	CM	79 LEVEL CM	4052,3727 litre	63,605 %	2318,7772 litre	O

480	CM	65	CM	78 LEVEL CM	3991,3340 litre	62,647 %	2379,8159 litre	O
480	CM	65	CM	77 LEVEL CM	3930,0994 litre	61,686 %	2441,0505 litre	O
480	CM	65	CM	76 LEVEL CM	3868,6844 litre	60,722 %	2502,4655 litre	O
480	CM	65	CM	75 LEVEL CM	3807,1046 litre	59,755 %	2564,0453 litre	O
480	CM	65	CM	74 LEVEL CM	3745,3753 litre	58,786 %	2625,7746 litre	O
480	CM	65	CM	73 LEVEL CM	3683,5118 litre	57,815 %	2687,6381 litre	O
480	CM	65	CM	72 LEVEL CM	3621,5292 litre	56,843 %	2749,6207 litre	O
480	CM	65	CM	71 LEVEL CM	3559,4426 litre	55,868 %	2811,7073 litre	O
480	CM	65	CM	70 LEVEL CM	3497,2670 litre	54,892 %	2873,8829 litre	O
480	CM	65	CM	69 LEVEL CM	3435,0173 litre	53,915 %	2936,1326 litre	O
480	CM	65	CM	68 LEVEL CM	3372,7085 litre	52,937 %	2998,4414 litre	O
480	CM	65	CM	67 LEVEL CM	3310,3553 litre	51,959 %	3060,7946 litre	O
480	CM	65	CM	66 LEVEL CM	3247,9725 litre	50,979 %	3123,1774 litre	O
480	CM	65	CM	65 LEVEL CM	3185,5750 litre	50,000 %	3185,5749 litre	O
480	CM	65	CM	64 LEVEL CM	3123,1774 litre	49,021 %	3247,9725 litre	O
480	CM	65	CM	63 LEVEL CM	3060,7946 litre	48,041 %	3310,3553 litre	O
480	CM	65	CM	62 LEVEL CM	2998,4414 litre	47,063 %	3372,7085 litre	O
480	CM	65	CM	61 LEVEL CM	2936,1326 litre	46,085 %	3435,0173 litre	O
480	CM	65	CM	60 LEVEL CM	2873,8829 litre	45,108 %	3497,2670 litre	O
480	CM	65	CM	59 LEVEL CM	2811,7073 litre	44,132 %	3559,4426 litre	O
480	CM	65	CM	58 LEVEL CM	2749,6207 litre	43,157 %	3621,5292 litre	O
480	CM	65	CM	57 LEVEL CM	2687,6381 litre	42,185 %	3683,5118 litre	O
480	CM	65	CM	56 LEVEL CM	2625,7746 litre	41,214 %	3745,3753 litre	O
480	CM	65	CM	55 LEVEL CM	2564,0453 litre	40,245 %	3807,1046 litre	O
480	CM	65	CM	54 LEVEL CM	2502,4655 litre	39,278 %	3868,6844 litre	O
480	CM	65	CM	53 LEVEL CM	2441,0505 litre	38,314 %	3930,0994 litre	O
480	CM	65	CM	52 LEVEL CM	2379,8159 litre	37,353 %	3991,3340 litre	O
480	CM	65	CM	51 LEVEL CM	2318,7772 litre	36,395 %	4052,3727 litre	O
480	CM	65	CM	50 LEVEL CM	2257,9503 litre	35,440 %	4113,1996 litre	O
480	CM	65	CM	49 LEVEL CM	2197,3511 litre	34,489 %	4173,7988 litre	O
480	CM	65	CM	48 LEVEL CM	2136,9957 litre	33,542 %	4234,1542 litre	O
480	CM	65	CM	47 LEVEL CM	2076,9005 litre	32,599 %	4294,2494 litre	O
480	CM	65	CM	46 LEVEL CM	2017,0819 litre	31,660 %	4354,0680 litre	O
480	CM	65	CM	45 LEVEL CM	1957,5568 litre	30,725 %	4413,5931 litre	O
480	CM	65	CM	44 LEVEL CM	1898,3422 litre	29,796 %	4472,8077 litre	O
480	CM	65	CM	43 LEVEL CM	1839,4553 litre	28,872 %	4531,6946 litre	O
480	CM	65	CM	42 LEVEL CM	1780,9138 litre	27,953 %	4590,2361 litre	O
480	CM	65	CM	41 LEVEL CM	1722,7354 litre	27,040 %	4648,4145 litre	O
480	CM	65	CM	40 LEVEL CM	1664,9386 litre	26,132 %	4706,2113 litre	O
480	CM	65	CM	39 LEVEL CM	1607,5417 litre	25,232 %	4763,6082 litre	O
480	CM	65	CM	38 LEVEL CM	1550,5639 litre	24,337 %	4820,5860 litre	O
480	CM	65	CM	37 LEVEL CM	1494,0244 litre	23,450 %	4877,1255 litre	O
480	CM	65	CM	36 LEVEL CM	1437,9433 litre	22,570 %	4933,2066 litre	O
480	CM	65	CM	35 LEVEL CM	1382,3408 litre	21,697 %	4988,8091 litre	O
480	CM	65	CM	34 LEVEL CM	1327,2377 litre	20,832 %	5043,9122 litre	O
480	CM	65	CM	33 LEVEL CM	1272,6557 litre	19,975 %	5098,4942 litre	O
480	CM	65	CM	32 LEVEL CM	1218,6166 litre	19,127 %	5152,5333 litre	O
480	CM	65	CM	31 LEVEL CM	1165,1434 litre	18,288 %	5206,0065 litre	O
480	CM	65	CM	30 LEVEL CM	1112,2594 litre	17,458 %	5258,8905 litre	O
480	CM	65	CM	29 LEVEL CM	1059,9889 litre	16,637 %	5311,1610 litre	O
480	CM	65	CM	28 LEVEL CM	1008,3570 litre	15,827 %	5362,7929 litre	O
480	CM	65	CM	27 LEVEL CM	957,3899 litre	15,027 %	5413,7600 litre	O
480	CM	65	CM	26 LEVEL CM	907,1147 litre	14,238 %	5464,0352 litre	O

480	CM	65	CM	25 LEVEL CM	857,5596 litre	13,460 %	5513,5903 litre	O
480	CM	65	CM	24 LEVEL CM	808,7540 litre	12,694 %	5562,3959 litre	O
480	CM	65	CM	23 LEVEL CM	760,7290 litre	11,940 %	5610,4209 litre	O
480	CM	65	CM	22 LEVEL CM	713,5169 litre	11,199 %	5657,6330 litre	O
480	CM	65	CM	21 LEVEL CM	667,1517 litre	10,471 %	5703,9982 litre	O
480	CM	65	CM	20 LEVEL CM	621,6697 litre	9,758 %	5749,4802 litre	O
480	CM	65	CM	19 LEVEL CM	577,1089 litre	9,058 %	5794,0410 litre	O
480	CM	65	CM	18 LEVEL CM	533,5099 litre	8,374 %	5837,6400 litre	O
480	CM	65	CM	17 LEVEL CM	490,9160 litre	7,705 %	5880,2339 litre	O
480	CM	65	CM	16 LEVEL CM	449,3738 litre	7,053 %	5921,7761 litre	O
480	CM	65	CM	15 LEVEL CM	408,9334 litre	6,419 %	5962,2165 litre	O
480	CM	65	CM	14 LEVEL CM	369,6491 litre	5,802 %	6001,5008 litre	O
480	CM	65	CM	13 LEVEL CM	331,5802 litre	5,204 %	6039,5697 litre	O
480	CM	65	CM	12 LEVEL CM	294,7919 litre	4,627 %	6076,3580 litre	O
480	CM	65	CM	11 LEVEL CM	259,3565 litre	4,071 %	6111,7934 litre	O
480	CM	65	CM	10 LEVEL CM	225,3547 litre	3,537 %	6145,7952 litre	O
480	CM	65	CM	9 LEVEL CM	192,8783 litre	3,027 %	6178,2716 litre	O
480	CM	65	CM	8 LEVEL CM	162,0324 litre	2,543 %	6209,1175 litre	O
480	CM	65	CM	7 LEVEL CM	132,9401 litre	2,087 %	6238,2098 litre	O
480	CM	65	CM	6 LEVEL CM	105,7480 litre	1,660 %	6265,4019 litre	O
480	CM	65	CM	5 LEVEL CM	80,6364 litre	1,266 %	6290,5135 litre	O
480	CM	65	CM	4 LEVEL CM	57,8351 litre	0,908 %	6313,3148 litre	O
480	CM	65	CM	3 LEVEL CM	37,6534 litre	0,591 %	6333,4965 litre	O
480	CM	65	CM	2 LEVEL CM	20,5439 litre	0,322 %	6350,6060 litre	O
480	CM	65	CM	1 LEVEL CM	7,2803 litre	0,114 %	6363,8696 litre	O
480	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	6371,1499 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
480	CM	60	CM	120 LEVEL CM	5428,6721 litre	100,000 %	0,0000 litre	O
480	CM	60	CM	119 LEVEL CM	5421,6788 litre	99,871 %	6,9933 litre	O
480	CM	60	CM	118 LEVEL CM	5408,9419 litre	99,637 %	19,7302 litre	O
480	CM	60	CM	117 LEVEL CM	5392,5171 litre	99,334 %	36,1550 litre	O
480	CM	60	CM	116 LEVEL CM	5373,1496 litre	98,977 %	55,5225 litre	O
480	CM	60	CM	115 LEVEL CM	5351,2756 litre	98,574 %	77,3965 litre	O
480	CM	60	CM	114 LEVEL CM	5327,1937 litre	98,131 %	101,4784 litre	O
480	CM	60	CM	113 LEVEL CM	5301,1258 litre	97,651 %	127,5463 litre	O
480	CM	60	CM	112 LEVEL CM	5273,2462 litre	97,137 %	155,4259 litre	O
480	CM	60	CM	111 LEVEL CM	5243,6971 litre	96,593 %	184,9750 litre	O
480	CM	60	CM	110 LEVEL CM	5212,5974 litre	96,020 %	216,0747 litre	O
480	CM	60	CM	109 LEVEL CM	5180,0495 litre	95,420 %	248,6226 litre	O
480	CM	60	CM	108 LEVEL CM	5146,1422 litre	94,796 %	282,5299 litre	O
480	CM	60	CM	107 LEVEL CM	5110,9542 litre	94,147 %	317,7179 litre	O
480	CM	60	CM	106 LEVEL CM	5074,5559 litre	93,477 %	354,1162 litre	O
480	CM	60	CM	105 LEVEL CM	5037,0107 litre	92,785 %	391,6614 litre	O
480	CM	60	CM	104 LEVEL CM	4998,3767 litre	92,074 %	430,2954 litre	O
480	CM	60	CM	103 LEVEL CM	4958,7068 litre	91,343 %	469,9653 litre	O
480	CM	60	CM	102 LEVEL CM	4918,0501 litre	90,594 %	510,6220 litre	O
480	CM	60	CM	101 LEVEL CM	4876,4522 litre	89,828 %	552,2199 litre	O
480	CM	60	CM	100 LEVEL CM	4833,9555 litre	89,045 %	594,7166 litre	O
480	CM	60	CM	99 LEVEL CM	4790,6001 litre	88,246 %	638,0720 litre	O
480	CM	60	CM	98 LEVEL CM	4746,4233 litre	87,432 %	682,2488 litre	O
480	CM	60	CM	97 LEVEL CM	4701,4607 litre	86,604 %	727,2114 litre	O
480	CM	60	CM	96 LEVEL CM	4655,7460 litre	85,762 %	772,9261 litre	O
480	CM	60	CM	95 LEVEL CM	4609,3111 litre	84,907 %	819,3610 litre	O
480	CM	60	CM	94 LEVEL CM	4562,1867 litre	84,039 %	866,4854 litre	O
480	CM	60	CM	93 LEVEL CM	4514,4019 litre	83,158 %	914,2702 litre	O
480	CM	60	CM	92 LEVEL CM	4465,9849 litre	82,267 %	962,6872 litre	O
480	CM	60	CM	91 LEVEL CM	4416,9625 litre	81,364 %	1011,7096 litre	O
480	CM	60	CM	90 LEVEL CM	4367,3607 litre	80,450 %	1061,3114 litre	O
480	CM	60	CM	89 LEVEL CM	4317,2046 litre	79,526 %	1111,4675 litre	O
480	CM	60	CM	88 LEVEL CM	4266,5184 litre	78,592 %	1162,1537 litre	O
480	CM	60	CM	87 LEVEL CM	4215,3256 litre	77,649 %	1213,3465 litre	O
480	CM	60	CM	86 LEVEL CM	4163,6490 litre	76,697 %	1265,0231 litre	O
480	CM	60	CM	85 LEVEL CM	4111,5107 litre	75,737 %	1317,1614 litre	O
480	CM	60	CM	84 LEVEL CM	4058,9324 litre	74,768 %	1369,7397 litre	O
480	CM	60	CM	83 LEVEL CM	4005,9351 litre	73,792 %	1422,7370 litre	O
480	CM	60	CM	82 LEVEL CM	3952,5393 litre	72,809 %	1476,1328 litre	O
480	CM	60	CM	81 LEVEL CM	3898,7651 litre	71,818 %	1529,9070 litre	O
480	CM	60	CM	80 LEVEL CM	3844,6322 litre	70,821 %	1584,0399 litre	O
480	CM	60	CM	79 LEVEL CM	3790,1599 litre	69,817 %	1638,5122 litre	O
480	CM	60	CM	78 LEVEL CM	3735,3670 litre	68,808 %	1693,3051 litre	O
480	CM	60	CM	77 LEVEL CM	3680,2722 litre	67,793 %	1748,3999 litre	O
480	CM	60	CM	76 LEVEL CM	3624,8938 litre	66,773 %	1803,7783 litre	O
480	CM	60	CM	75 LEVEL CM	3569,2497 litre	65,748 %	1859,4224 litre	O
480	CM	60	CM	74 LEVEL CM	3513,3578 litre	64,719 %	1915,3143 litre	O
480	CM	60	CM	73 LEVEL CM	3457,2354 litre	63,685 %	1971,4367 litre	O
480	CM	60	CM	72 LEVEL CM	3400,9000 litre	62,647 %	2027,7721 litre	O
480	CM	60	CM	71 LEVEL CM	3344,3686 litre	61,606 %	2084,3035 litre	O
480	CM	60	CM	70 LEVEL CM	3287,6582 litre	60,561 %	2141,0139 litre	O
480	CM	60	CM	69 LEVEL CM	3230,7854 litre	59,513 %	2197,8867 litre	O

480	CM	60	CM	68 LEVEL CM	3173,7671 litre	58,463 %	2254,9050 litre	O
480	CM	60	CM	67 LEVEL CM	3116,6195 litre	57,410 %	2312,0526 litre	O
480	CM	60	CM	66 LEVEL CM	3059,3592 litre	56,356 %	2369,3129 litre	O
480	CM	60	CM	65 LEVEL CM	3002,0024 litre	55,299 %	2426,6697 litre	O
480	CM	60	CM	64 LEVEL CM	2944,5653 litre	54,241 %	2484,1068 litre	O
480	CM	60	CM	63 LEVEL CM	2887,0640 litre	53,182 %	2541,6081 litre	O
480	CM	60	CM	62 LEVEL CM	2829,5147 litre	52,122 %	2599,1574 litre	O
480	CM	60	CM	61 LEVEL CM	2771,9334 litre	51,061 %	2656,7387 litre	O
480	CM	60	CM	60 LEVEL CM	2714,3361 litre	50,000 %	2714,3360 litre	O
480	CM	60	CM	59 LEVEL CM	2656,7387 litre	48,939 %	2771,9334 litre	O
480	CM	60	CM	58 LEVEL CM	2599,1574 litre	47,878 %	2829,5147 litre	O
480	CM	60	CM	57 LEVEL CM	2541,6081 litre	46,818 %	2887,0640 litre	O
480	CM	60	CM	56 LEVEL CM	2484,1068 litre	45,759 %	2944,5653 litre	O
480	CM	60	CM	55 LEVEL CM	2426,6697 litre	44,701 %	3002,0024 litre	O
480	CM	60	CM	54 LEVEL CM	2369,3129 litre	43,644 %	3059,3592 litre	O
480	CM	60	CM	53 LEVEL CM	2312,0526 litre	42,590 %	3116,6195 litre	O
480	CM	60	CM	52 LEVEL CM	2254,9051 litre	41,537 %	3173,7670 litre	O
480	CM	60	CM	51 LEVEL CM	2197,8867 litre	40,487 %	3230,7854 litre	O
480	CM	60	CM	50 LEVEL CM	2141,0139 litre	39,439 %	3287,6582 litre	O
480	CM	60	CM	49 LEVEL CM	2084,3035 litre	38,394 %	3344,3686 litre	O
480	CM	60	CM	48 LEVEL CM	2027,7721 litre	37,353 %	3400,9000 litre	O
480	CM	60	CM	47 LEVEL CM	1971,4367 litre	36,315 %	3457,2354 litre	O
480	CM	60	CM	46 LEVEL CM	1915,3143 litre	35,281 %	3513,3578 litre	O
480	CM	60	CM	45 LEVEL CM	1859,4224 litre	34,252 %	3569,2497 litre	O
480	CM	60	CM	44 LEVEL CM	1803,7783 litre	33,227 %	3624,8938 litre	O
480	CM	60	CM	43 LEVEL CM	1748,3999 litre	32,207 %	3680,2722 litre	O
480	CM	60	CM	42 LEVEL CM	1693,3051 litre	31,192 %	3735,3670 litre	O
480	CM	60	CM	41 LEVEL CM	1638,5122 litre	30,183 %	3790,1599 litre	O
480	CM	60	CM	40 LEVEL CM	1584,0399 litre	29,179 %	3844,6322 litre	O
480	CM	60	CM	39 LEVEL CM	1529,9070 litre	28,182 %	3898,7651 litre	O
480	CM	60	CM	38 LEVEL CM	1476,1328 litre	27,191 %	3952,5393 litre	O
480	CM	60	CM	37 LEVEL CM	1422,7370 litre	26,208 %	4005,9351 litre	O
480	CM	60	CM	36 LEVEL CM	1369,7397 litre	25,232 %	4058,9324 litre	O
480	CM	60	CM	35 LEVEL CM	1317,1614 litre	24,263 %	4111,5107 litre	O
480	CM	60	CM	34 LEVEL CM	1265,0231 litre	23,303 %	4163,6490 litre	O
480	CM	60	CM	33 LEVEL CM	1213,3465 litre	22,351 %	4215,3256 litre	O
480	CM	60	CM	32 LEVEL CM	1162,1537 litre	21,408 %	4266,5184 litre	O
480	CM	60	CM	31 LEVEL CM	1111,4675 litre	20,474 %	4317,2046 litre	O
480	CM	60	CM	30 LEVEL CM	1061,3114 litre	19,550 %	4367,3607 litre	O
480	CM	60	CM	29 LEVEL CM	1011,7096 litre	18,636 %	4416,9625 litre	O
480	CM	60	CM	28 LEVEL CM	962,6872 litre	17,733 %	4465,9849 litre	O
480	CM	60	CM	27 LEVEL CM	914,2702 litre	16,842 %	4514,4019 litre	O
480	CM	60	CM	26 LEVEL CM	866,4854 litre	15,961 %	4562,1867 litre	O
480	CM	60	CM	25 LEVEL CM	819,3610 litre	15,093 %	4609,3111 litre	O
480	CM	60	CM	24 LEVEL CM	772,9261 litre	14,238 %	4655,7460 litre	O
480	CM	60	CM	23 LEVEL CM	727,2114 litre	13,396 %	4701,4607 litre	O
480	CM	60	CM	22 LEVEL CM	682,2488 litre	12,568 %	4746,4233 litre	O
480	CM	60	CM	21 LEVEL CM	638,0720 litre	11,754 %	4790,6001 litre	O
480	CM	60	CM	20 LEVEL CM	594,7166 litre	10,955 %	4833,9555 litre	O
480	CM	60	CM	19 LEVEL CM	552,2199 litre	10,172 %	4876,4522 litre	O
480	CM	60	CM	18 LEVEL CM	510,6220 litre	9,406 %	4918,0501 litre	O
480	CM	60	CM	17 LEVEL CM	469,9653 litre	8,657 %	4958,7068 litre	O
480	CM	60	CM	16 LEVEL CM	430,2954 litre	7,926 %	4998,3767 litre	O

480	CM	60	CM	15 LEVEL CM	391,6614 litre	7,215 %	5037,0107 litre	O
480	CM	60	CM	14 LEVEL CM	354,1162 litre	6,523 %	5074,5559 litre	O
480	CM	60	CM	13 LEVEL CM	317,7179 litre	5,853 %	5110,9542 litre	O
480	CM	60	CM	12 LEVEL CM	282,5299 litre	5,204 %	5146,1422 litre	O
480	CM	60	CM	11 LEVEL CM	248,6226 litre	4,580 %	5180,0495 litre	O
480	CM	60	CM	10 LEVEL CM	216,0747 litre	3,980 %	5212,5974 litre	O
480	CM	60	CM	9 LEVEL CM	184,9751 litre	3,407 %	5243,6970 litre	O
480	CM	60	CM	8 LEVEL CM	155,4259 litre	2,863 %	5273,2462 litre	O
480	CM	60	CM	7 LEVEL CM	127,5463 litre	2,349 %	5301,1258 litre	O
480	CM	60	CM	6 LEVEL CM	101,4784 litre	1,869 %	5327,1937 litre	O
480	CM	60	CM	5 LEVEL CM	77,3965 litre	1,426 %	5351,2756 litre	O
480	CM	60	CM	4 LEVEL CM	55,5225 litre	1,023 %	5373,1496 litre	O
480	CM	60	CM	3 LEVEL CM	36,1550 litre	0,666 %	5392,5171 litre	O
480	CM	60	CM	2 LEVEL CM	19,7302 litre	0,363 %	5408,9419 litre	O
480	CM	60	CM	1 LEVEL CM	6,9933 litre	0,129 %	5421,6788 litre	O
480	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	5428,6721 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
480	CM	55	CM 110 LEVEL CM	4561,5925 litre	100,000 %	0,0000 litre	O
480	CM	55	CM 109 LEVEL CM	4554,8985 litre	99,853 %	6,6940 litre	O
480	CM	55	CM 108 LEVEL CM	4542,7110 litre	99,586 %	18,8815 litre	O
480	CM	55	CM 107 LEVEL CM	4527,0008 litre	99,242 %	34,5917 litre	O
480	CM	55	CM 106 LEVEL CM	4508,4832 litre	98,836 %	53,1093 litre	O
480	CM	55	CM 105 LEVEL CM	4487,5777 litre	98,377 %	74,0148 litre	O
480	CM	55	CM 104 LEVEL CM	4464,5715 litre	97,873 %	97,0210 litre	O
480	CM	55	CM 103 LEVEL CM	4439,6785 litre	97,327 %	121,9140 litre	O
480	CM	55	CM 102 LEVEL CM	4413,0669 litre	96,744 %	148,5256 litre	O
480	CM	55	CM 101 LEVEL CM	4384,8740 litre	96,126 %	176,7185 litre	O
480	CM	55	CM 100 LEVEL CM	4355,2150 litre	95,476 %	206,3775 litre	O
480	CM	55	CM 99 LEVEL CM	4324,1889 litre	94,796 %	237,4036 litre	O
480	CM	55	CM 98 LEVEL CM	4291,8820 litre	94,087 %	269,7105 litre	O
480	CM	55	CM 97 LEVEL CM	4258,3707 litre	93,353 %	303,2218 litre	O
480	CM	55	CM 96 LEVEL CM	4223,7234 litre	92,593 %	337,8691 litre	O
480	CM	55	CM 95 LEVEL CM	4188,0020 litre	91,810 %	373,5905 litre	O
480	CM	55	CM 94 LEVEL CM	4151,2630 litre	91,005 %	410,3295 litre	O
480	CM	55	CM 93 LEVEL CM	4113,5582 litre	90,178 %	448,0343 litre	O
480	CM	55	CM 92 LEVEL CM	4074,9357 litre	89,331 %	486,6568 litre	O
480	CM	55	CM 91 LEVEL CM	4035,4401 litre	88,466 %	526,1524 litre	O
480	CM	55	CM 90 LEVEL CM	3995,1132 litre	87,582 %	566,4793 litre	O
480	CM	55	CM 89 LEVEL CM	3953,9941 litre	86,680 %	607,5984 litre	O
480	CM	55	CM 88 LEVEL CM	3912,1199 litre	85,762 %	649,4726 litre	O
480	CM	55	CM 87 LEVEL CM	3869,5255 litre	84,828 %	692,0670 litre	O
480	CM	55	CM 86 LEVEL CM	3826,2442 litre	83,880 %	735,3483 litre	O
480	CM	55	CM 85 LEVEL CM	3782,3078 litre	82,916 %	779,2847 litre	O
480	CM	55	CM 84 LEVEL CM	3737,7465 litre	81,940 %	823,8460 litre	O
480	CM	55	CM 83 LEVEL CM	3692,5894 litre	80,950 %	869,0031 litre	O
480	CM	55	CM 82 LEVEL CM	3646,8643 litre	79,947 %	914,7282 litre	O
480	CM	55	CM 81 LEVEL CM	3600,5983 litre	78,933 %	960,9942 litre	O
480	CM	55	CM 80 LEVEL CM	3553,8172 litre	77,907 %	1007,7753 litre	O
480	CM	55	CM 79 LEVEL CM	3506,5461 litre	76,871 %	1055,0464 litre	O
480	CM	55	CM 78 LEVEL CM	3458,8094 litre	75,825 %	1102,7831 litre	O
480	CM	55	CM 77 LEVEL CM	3410,6307 litre	74,768 %	1150,9618 litre	O
480	CM	55	CM 76 LEVEL CM	3362,0330 litre	73,703 %	1199,5595 litre	O
480	CM	55	CM 75 LEVEL CM	3313,0386 litre	72,629 %	1248,5539 litre	O
480	CM	55	CM 74 LEVEL CM	3263,6695 litre	71,547 %	1297,9230 litre	O
480	CM	55	CM 73 LEVEL CM	3213,9469 litre	70,457 %	1347,6456 litre	O
480	CM	55	CM 72 LEVEL CM	3163,8918 litre	69,359 %	1397,7007 litre	O
480	CM	55	CM 71 LEVEL CM	3113,5246 litre	68,255 %	1448,0679 litre	O
480	CM	55	CM 70 LEVEL CM	3062,8655 litre	67,145 %	1498,7270 litre	O
480	CM	55	CM 69 LEVEL CM	3011,9343 litre	66,028 %	1549,6582 litre	O
480	CM	55	CM 68 LEVEL CM	2960,7503 litre	64,906 %	1600,8422 litre	O
480	CM	55	CM 67 LEVEL CM	2909,3328 litre	63,779 %	1652,2597 litre	O
480	CM	55	CM 66 LEVEL CM	2857,7007 litre	62,647 %	1703,8918 litre	O
480	CM	55	CM 65 LEVEL CM	2805,8726 litre	61,511 %	1755,7199 litre	O
480	CM	55	CM 64 LEVEL CM	2753,8669 litre	60,371 %	1807,7256 litre	O
480	CM	55	CM 63 LEVEL CM	2701,7020 litre	59,227 %	1859,8905 litre	O
480	CM	55	CM 62 LEVEL CM	2649,3960 litre	58,081 %	1912,1965 litre	O
480	CM	55	CM 61 LEVEL CM	2596,9668 litre	56,931 %	1964,6257 litre	O
480	CM	55	CM 60 LEVEL CM	2544,4322 litre	55,779 %	2017,1603 litre	O
480	CM	55	CM 59 LEVEL CM	2491,8099 litre	54,626 %	2069,7826 litre	O

480	CM	55	CM	58 LEVEL CM	2439,1177 litre	53,471 %	2122,4748 litre	O
480	CM	55	CM	57 LEVEL CM	2386,3730 litre	52,314 %	2175,2195 litre	O
480	CM	55	CM	56 LEVEL CM	2333,5934 litre	51,157 %	2227,9991 litre	O
480	CM	55	CM	55 LEVEL CM	2280,7963 litre	50,000 %	2280,7962 litre	O
480	CM	55	CM	54 LEVEL CM	2227,9992 litre	48,843 %	2333,5933 litre	O
480	CM	55	CM	53 LEVEL CM	2175,2195 litre	47,686 %	2386,3730 litre	O
480	CM	55	CM	52 LEVEL CM	2122,4748 litre	46,529 %	2439,1177 litre	O
480	CM	55	CM	51 LEVEL CM	2069,7826 litre	45,374 %	2491,8099 litre	O
480	CM	55	CM	50 LEVEL CM	2017,1604 litre	44,221 %	2544,4321 litre	O
480	CM	55	CM	49 LEVEL CM	1964,6258 litre	43,069 %	2596,9667 litre	O
480	CM	55	CM	48 LEVEL CM	1912,1965 litre	41,919 %	2649,3960 litre	O
480	CM	55	CM	47 LEVEL CM	1859,8905 litre	40,773 %	2701,7020 litre	O
480	CM	55	CM	46 LEVEL CM	1807,7256 litre	39,629 %	2753,8669 litre	O
480	CM	55	CM	45 LEVEL CM	1755,7200 litre	38,489 %	2805,8725 litre	O
480	CM	55	CM	44 LEVEL CM	1703,8918 litre	37,353 %	2857,7007 litre	O
480	CM	55	CM	43 LEVEL CM	1652,2597 litre	36,221 %	2909,3328 litre	O
480	CM	55	CM	42 LEVEL CM	1600,8422 litre	35,094 %	2960,7503 litre	O
480	CM	55	CM	41 LEVEL CM	1549,6582 litre	33,972 %	3011,9343 litre	O
480	CM	55	CM	40 LEVEL CM	1498,7270 litre	32,855 %	3062,8655 litre	O
480	CM	55	CM	39 LEVEL CM	1448,0679 litre	31,745 %	3113,5246 litre	O
480	CM	55	CM	38 LEVEL CM	1397,7008 litre	30,641 %	3163,8917 litre	O
480	CM	55	CM	37 LEVEL CM	1347,6457 litre	29,543 %	3213,9468 litre	O
480	CM	55	CM	36 LEVEL CM	1297,9231 litre	28,453 %	3263,6694 litre	O
480	CM	55	CM	35 LEVEL CM	1248,5539 litre	27,371 %	3313,0386 litre	O
480	CM	55	CM	34 LEVEL CM	1199,5595 litre	26,297 %	3362,0330 litre	O
480	CM	55	CM	33 LEVEL CM	1150,9618 litre	25,232 %	3410,6307 litre	O
480	CM	55	CM	32 LEVEL CM	1102,7831 litre	24,175 %	3458,8094 litre	O
480	CM	55	CM	31 LEVEL CM	1055,0464 litre	23,129 %	3506,5461 litre	O
480	CM	55	CM	30 LEVEL CM	1007,7753 litre	22,093 %	3553,8172 litre	O
480	CM	55	CM	29 LEVEL CM	960,9942 litre	21,067 %	3600,5983 litre	O
480	CM	55	CM	28 LEVEL CM	914,7282 litre	20,053 %	3646,8643 litre	O
480	CM	55	CM	27 LEVEL CM	869,0032 litre	19,050 %	3692,5893 litre	O
480	CM	55	CM	26 LEVEL CM	823,8461 litre	18,060 %	3737,7464 litre	O
480	CM	55	CM	25 LEVEL CM	779,2848 litre	17,084 %	3782,3077 litre	O
480	CM	55	CM	24 LEVEL CM	735,3483 litre	16,120 %	3826,2442 litre	O
480	CM	55	CM	23 LEVEL CM	692,0670 litre	15,172 %	3869,5255 litre	O
480	CM	55	CM	22 LEVEL CM	649,4727 litre	14,238 %	3912,1198 litre	O
480	CM	55	CM	21 LEVEL CM	607,5984 litre	13,320 %	3953,9941 litre	O
480	CM	55	CM	20 LEVEL CM	566,4793 litre	12,418 %	3995,1132 litre	O
480	CM	55	CM	19 LEVEL CM	526,1524 litre	11,534 %	4035,4401 litre	O
480	CM	55	CM	18 LEVEL CM	486,6568 litre	10,669 %	4074,9357 litre	O
480	CM	55	CM	17 LEVEL CM	448,0343 litre	9,822 %	4113,5582 litre	O
480	CM	55	CM	16 LEVEL CM	410,3296 litre	8,995 %	4151,2629 litre	O
480	CM	55	CM	15 LEVEL CM	373,5906 litre	8,190 %	4188,0019 litre	O
480	CM	55	CM	14 LEVEL CM	337,8692 litre	7,407 %	4223,7233 litre	O
480	CM	55	CM	13 LEVEL CM	303,2219 litre	6,647 %	4258,3706 litre	O
480	CM	55	CM	12 LEVEL CM	269,7105 litre	5,913 %	4291,8820 litre	O
480	CM	55	CM	11 LEVEL CM	237,4036 litre	5,204 %	4324,1889 litre	O
480	CM	55	CM	10 LEVEL CM	206,3775 litre	4,524 %	4355,2150 litre	O
480	CM	55	CM	9 LEVEL CM	176,7185 litre	3,874 %	4384,8740 litre	O
480	CM	55	CM	8 LEVEL CM	148,5256 litre	3,256 %	4413,0669 litre	O
480	CM	55	CM	7 LEVEL CM	121,9140 litre	2,673 %	4439,6785 litre	O
480	CM	55	CM	6 LEVEL CM	97,0210 litre	2,127 %	4464,5715 litre	O

480	CM	55	CM	5 LEVEL CM	74,0148 litre	1,623 %	4487,5777 litre	O
480	CM	55	CM	4 LEVEL CM	53,1093 litre	1,164 %	4508,4832 litre	O
480	CM	55	CM	3 LEVEL CM	34,5918 litre	0,758 %	4527,0007 litre	O
480	CM	55	CM	2 LEVEL CM	18,8816 litre	0,414 %	4542,7109 litre	O
480	CM	55	CM	1 LEVEL CM	6,6940 litre	0,147 %	4554,8985 litre	O
480	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	4561,5925 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
480	CM	50	CM	100 LEVEL CM	3769,9112 litre	100,000 %	0,0000 litre	O
480	CM	50	CM	99 LEVEL CM	3763,5304 litre	99,831 %	6,3808 litre	O
480	CM	50	CM	98 LEVEL CM	3751,9183 litre	99,523 %	17,9929 litre	O
480	CM	50	CM	97 LEVEL CM	3736,9567 litre	99,126 %	32,9545 litre	O
480	CM	50	CM	96 LEVEL CM	3719,3300 litre	98,658 %	50,5812 litre	O
480	CM	50	CM	95 LEVEL CM	3699,4401 litre	98,131 %	70,4711 litre	O
480	CM	50	CM	94 LEVEL CM	3677,5624 litre	97,550 %	92,3488 litre	O
480	CM	50	CM	93 LEVEL CM	3653,9026 litre	96,923 %	116,0086 litre	O
480	CM	50	CM	92 LEVEL CM	3628,6225 litre	96,252 %	141,2887 litre	O
480	CM	50	CM	91 LEVEL CM	3601,8545 litre	95,542 %	168,0567 litre	O
480	CM	50	CM	90 LEVEL CM	3573,7099 litre	94,796 %	196,2013 litre	O
480	CM	50	CM	89 LEVEL CM	3544,2842 litre	94,015 %	225,6270 litre	O
480	CM	50	CM	88 LEVEL CM	3513,6612 litre	93,203 %	256,2500 litre	O
480	CM	50	CM	87 LEVEL CM	3481,9149 litre	92,361 %	287,9963 litre	O
480	CM	50	CM	86 LEVEL CM	3449,1120 litre	91,491 %	320,7992 litre	O
480	CM	50	CM	85 LEVEL CM	3415,3126 litre	90,594 %	354,5986 litre	O
480	CM	50	CM	84 LEVEL CM	3380,5718 litre	89,672 %	389,3394 litre	O
480	CM	50	CM	83 LEVEL CM	3344,9405 litre	88,727 %	424,9707 litre	O
480	CM	50	CM	82 LEVEL CM	3308,4654 litre	87,760 %	461,4458 litre	O
480	CM	50	CM	81 LEVEL CM	3271,1906 litre	86,771 %	498,7206 litre	O
480	CM	50	CM	80 LEVEL CM	3233,1569 litre	85,762 %	536,7543 litre	O
480	CM	50	CM	79 LEVEL CM	3194,4031 litre	84,734 %	575,5081 litre	O
480	CM	50	CM	78 LEVEL CM	3154,9656 litre	83,688 %	614,9456 litre	O
480	CM	50	CM	77 LEVEL CM	3114,8791 litre	82,625 %	655,0321 litre	O
480	CM	50	CM	76 LEVEL CM	3074,1765 litre	81,545 %	695,7347 litre	O
480	CM	50	CM	75 LEVEL CM	3032,8894 litre	80,450 %	737,0218 litre	O
480	CM	50	CM	74 LEVEL CM	2991,0479 litre	79,340 %	778,8633 litre	O
480	CM	50	CM	73 LEVEL CM	2948,6811 litre	78,216 %	821,2301 litre	O
480	CM	50	CM	72 LEVEL CM	2905,8168 litre	77,079 %	864,0944 litre	O
480	CM	50	CM	71 LEVEL CM	2862,4821 litre	75,930 %	907,4291 litre	O
480	CM	50	CM	70 LEVEL CM	2818,7031 litre	74,768 %	951,2081 litre	O
480	CM	50	CM	69 LEVEL CM	2774,5050 litre	73,596 %	995,4062 litre	O
480	CM	50	CM	68 LEVEL CM	2729,9125 litre	72,413 %	1039,9987 litre	O
480	CM	50	CM	67 LEVEL CM	2684,9494 litre	71,220 %	1084,9618 litre	O
480	CM	50	CM	66 LEVEL CM	2639,6393 litre	70,019 %	1130,2719 litre	O
480	CM	50	CM	65 LEVEL CM	2594,0049 litre	68,808 %	1175,9063 litre	O
480	CM	50	CM	64 LEVEL CM	2548,0685 litre	67,590 %	1221,8427 litre	O
480	CM	50	CM	63 LEVEL CM	2501,8521 litre	66,364 %	1268,0591 litre	O
480	CM	50	CM	62 LEVEL CM	2455,3772 litre	65,131 %	1314,5340 litre	O
480	CM	50	CM	61 LEVEL CM	2408,6649 litre	63,892 %	1361,2463 litre	O
480	CM	50	CM	60 LEVEL CM	2361,7361 litre	62,647 %	1408,1751 litre	O
480	CM	50	CM	59 LEVEL CM	2314,6113 litre	61,397 %	1455,2999 litre	O
480	CM	50	CM	58 LEVEL CM	2267,3108 litre	60,142 %	1502,6004 litre	O
480	CM	50	CM	57 LEVEL CM	2219,8547 litre	58,883 %	1550,0565 litre	O
480	CM	50	CM	56 LEVEL CM	2172,2629 litre	57,621 %	1597,6483 litre	O
480	CM	50	CM	55 LEVEL CM	2124,5550 litre	56,356 %	1645,3562 litre	O
480	CM	50	CM	54 LEVEL CM	2076,7506 litre	55,088 %	1693,1606 litre	O
480	CM	50	CM	53 LEVEL CM	2028,8691 litre	53,817 %	1741,0421 litre	O
480	CM	50	CM	52 LEVEL CM	1980,9300 litre	52,546 %	1788,9812 litre	O
480	CM	50	CM	51 LEVEL CM	1932,9524 litre	51,273 %	1836,9588 litre	O
480	CM	50	CM	50 LEVEL CM	1884,9556 litre	50,000 %	1884,9556 litre	O
480	CM	50	CM	49 LEVEL CM	1836,9588 litre	48,727 %	1932,9524 litre	O

480	CM	50	CM	48 LEVEL CM	1788,9812 litre	47,454 %	1980,9300 litre	O
480	CM	50	CM	47 LEVEL CM	1741,0420 litre	46,183 %	2028,8692 litre	O
480	CM	50	CM	46 LEVEL CM	1693,1606 litre	44,912 %	2076,7506 litre	O
480	CM	50	CM	45 LEVEL CM	1645,3562 litre	43,644 %	2124,5550 litre	O
480	CM	50	CM	44 LEVEL CM	1597,6483 litre	42,379 %	2172,2629 litre	O
480	CM	50	CM	43 LEVEL CM	1550,0564 litre	41,117 %	2219,8548 litre	O
480	CM	50	CM	42 LEVEL CM	1502,6003 litre	39,858 %	2267,3109 litre	O
480	CM	50	CM	41 LEVEL CM	1455,2999 litre	38,603 %	2314,6113 litre	O
480	CM	50	CM	40 LEVEL CM	1408,1751 litre	37,353 %	2361,7361 litre	O
480	CM	50	CM	39 LEVEL CM	1361,2463 litre	36,108 %	2408,6649 litre	O
480	CM	50	CM	38 LEVEL CM	1314,5340 litre	34,869 %	2455,3772 litre	O
480	CM	50	CM	37 LEVEL CM	1268,0591 litre	33,636 %	2501,8521 litre	O
480	CM	50	CM	36 LEVEL CM	1221,8427 litre	32,410 %	2548,0685 litre	O
480	CM	50	CM	35 LEVEL CM	1175,9063 litre	31,192 %	2594,0049 litre	O
480	CM	50	CM	34 LEVEL CM	1130,2719 litre	29,981 %	2639,6393 litre	O
480	CM	50	CM	33 LEVEL CM	1084,9617 litre	28,780 %	2684,9495 litre	O
480	CM	50	CM	32 LEVEL CM	1039,9987 litre	27,587 %	2729,9125 litre	O
480	CM	50	CM	31 LEVEL CM	995,4062 litre	26,404 %	2774,5050 litre	O
480	CM	50	CM	30 LEVEL CM	951,2081 litre	25,232 %	2818,7031 litre	O
480	CM	50	CM	29 LEVEL CM	907,4291 litre	24,070 %	2862,4821 litre	O
480	CM	50	CM	28 LEVEL CM	864,0944 litre	22,921 %	2905,8168 litre	O
480	CM	50	CM	27 LEVEL CM	821,2301 litre	21,784 %	2948,6811 litre	O
480	CM	50	CM	26 LEVEL CM	778,8633 litre	20,660 %	2991,0479 litre	O
480	CM	50	CM	25 LEVEL CM	737,0218 litre	19,550 %	3032,8894 litre	O
480	CM	50	CM	24 LEVEL CM	695,7347 litre	18,455 %	3074,1765 litre	O
480	CM	50	CM	23 LEVEL CM	655,0321 litre	17,375 %	3114,8791 litre	O
480	CM	50	CM	22 LEVEL CM	614,9456 litre	16,312 %	3154,9656 litre	O
480	CM	50	CM	21 LEVEL CM	575,5081 litre	15,266 %	3194,4031 litre	O
480	CM	50	CM	20 LEVEL CM	536,7543 litre	14,238 %	3233,1569 litre	O
480	CM	50	CM	19 LEVEL CM	498,7206 litre	13,229 %	3271,1906 litre	O
480	CM	50	CM	18 LEVEL CM	461,4457 litre	12,240 %	3308,4655 litre	O
480	CM	50	CM	17 LEVEL CM	424,9707 litre	11,273 %	3344,9405 litre	O
480	CM	50	CM	16 LEVEL CM	389,3393 litre	10,328 %	3380,5719 litre	O
480	CM	50	CM	15 LEVEL CM	354,5986 litre	9,406 %	3415,3126 litre	O
480	CM	50	CM	14 LEVEL CM	320,7992 litre	8,509 %	3449,1120 litre	O
480	CM	50	CM	13 LEVEL CM	287,9963 litre	7,639 %	3481,9149 litre	O
480	CM	50	CM	12 LEVEL CM	256,2500 litre	6,797 %	3513,6612 litre	O
480	CM	50	CM	11 LEVEL CM	225,6270 litre	5,985 %	3544,2842 litre	O
480	CM	50	CM	10 LEVEL CM	196,2013 litre	5,204 %	3573,7099 litre	O
480	CM	50	CM	9 LEVEL CM	168,0567 litre	4,458 %	3601,8545 litre	O
480	CM	50	CM	8 LEVEL CM	141,2886 litre	3,748 %	3628,6226 litre	O
480	CM	50	CM	7 LEVEL CM	116,0085 litre	3,077 %	3653,9027 litre	O
480	CM	50	CM	6 LEVEL CM	92,3487 litre	2,450 %	3677,5625 litre	O
480	CM	50	CM	5 LEVEL CM	70,4711 litre	1,869 %	3699,4401 litre	O
480	CM	50	CM	4 LEVEL CM	50,5811 litre	1,342 %	3719,3301 litre	O
480	CM	50	CM	3 LEVEL CM	32,9545 litre	0,874 %	3736,9567 litre	O
480	CM	50	CM	2 LEVEL CM	17,9929 litre	0,477 %	3751,9183 litre	O
480	CM	50	CM	1 LEVEL CM	6,3808 litre	0,169 %	3763,5304 litre	O
480	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3769,9112 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 150	CM 300 LEVEL CM	33222,3423 litre	100,000 %	0,0000 litre	O
470	CM 150	CM 299 LEVEL CM	33211,4990 litre	99,967 %	10,8433 litre	O
470	CM 150	CM 298 LEVEL CM	33191,7035 litre	99,908 %	30,6388 litre	O
470	CM 150	CM 297 LEVEL CM	33166,1118 litre	99,831 %	56,2305 litre	O
470	CM 150	CM 296 LEVEL CM	33135,8570 litre	99,740 %	86,4853 litre	O
470	CM 150	CM 295 LEVEL CM	33101,5974 litre	99,637 %	120,7449 litre	O
470	CM 150	CM 294 LEVEL CM	33063,7796 litre	99,523 %	158,5627 litre	O
470	CM 150	CM 293 LEVEL CM	33022,7331 litre	99,399 %	199,6092 litre	O
470	CM 150	CM 292 LEVEL CM	32978,7144 litre	99,267 %	243,6279 litre	O
470	CM 150	CM 291 LEVEL CM	32931,9312 litre	99,126 %	290,4111 litre	O
470	CM 150	CM 290 LEVEL CM	32882,5559 litre	98,977 %	339,7864 litre	O
470	CM 150	CM 289 LEVEL CM	32830,7353 litre	98,821 %	391,6070 litre	O
470	CM 150	CM 288 LEVEL CM	32776,5960 litre	98,658 %	445,7463 litre	O
470	CM 150	CM 287 LEVEL CM	32720,2491 litre	98,489 %	502,0932 litre	O
470	CM 150	CM 286 LEVEL CM	32661,7930 litre	98,313 %	560,5493 litre	O
470	CM 150	CM 285 LEVEL CM	32601,3158 litre	98,131 %	621,0265 litre	O
470	CM 150	CM 284 LEVEL CM	32538,8973 litre	97,943 %	683,4450 litre	O
470	CM 150	CM 283 LEVEL CM	32474,6096 litre	97,749 %	747,7327 litre	O
470	CM 150	CM 282 LEVEL CM	32408,5190 litre	97,550 %	813,8233 litre	O
470	CM 150	CM 281 LEVEL CM	32340,6865 litre	97,346 %	881,6558 litre	O
470	CM 150	CM 280 LEVEL CM	32271,1684 litre	97,137 %	951,1739 litre	O
470	CM 150	CM 279 LEVEL CM	32200,0170 litre	96,923 %	1022,3253 litre	O
470	CM 150	CM 278 LEVEL CM	32127,2812 litre	96,704 %	1095,0611 litre	O
470	CM 150	CM 277 LEVEL CM	32053,0066 litre	96,480 %	1169,3357 litre	O
470	CM 150	CM 276 LEVEL CM	31977,2362 litre	96,252 %	1245,1061 litre	O
470	CM 150	CM 275 LEVEL CM	31900,0104 litre	96,020 %	1322,3319 litre	O
470	CM 150	CM 274 LEVEL CM	31821,3672 litre	95,783 %	1400,9751 litre	O
470	CM 150	CM 273 LEVEL CM	31741,3430 litre	95,542 %	1480,9993 litre	O
470	CM 150	CM 272 LEVEL CM	31659,9718 litre	95,297 %	1562,3705 litre	O
470	CM 150	CM 271 LEVEL CM	31577,2865 litre	95,048 %	1645,0558 litre	O
470	CM 150	CM 270 LEVEL CM	31493,3181 litre	94,796 %	1729,0242 litre	O
470	CM 150	CM 269 LEVEL CM	31408,0962 litre	94,539 %	1814,2461 litre	O
470	CM 150	CM 268 LEVEL CM	31321,6493 litre	94,279 %	1900,6930 litre	O
470	CM 150	CM 267 LEVEL CM	31234,0045 litre	94,015 %	1988,3378 litre	O
470	CM 150	CM 266 LEVEL CM	31145,1880 litre	93,748 %	2077,1543 litre	O
470	CM 150	CM 265 LEVEL CM	31055,2248 litre	93,477 %	2167,1175 litre	O
470	CM 150	CM 264 LEVEL CM	30964,1391 litre	93,203 %	2258,2032 litre	O
470	CM 150	CM 263 LEVEL CM	30871,9541 litre	92,925 %	2350,3882 litre	O
470	CM 150	CM 262 LEVEL CM	30778,6923 litre	92,645 %	2443,6500 litre	O
470	CM 150	CM 261 LEVEL CM	30684,3752 litre	92,361 %	2537,9671 litre	O
470	CM 150	CM 260 LEVEL CM	30589,0240 litre	92,074 %	2633,3183 litre	O
470	CM 150	CM 259 LEVEL CM	30492,6588 litre	91,784 %	2729,6835 litre	O
470	CM 150	CM 258 LEVEL CM	30395,2992 litre	91,491 %	2827,0431 litre	O
470	CM 150	CM 257 LEVEL CM	30296,9643 litre	91,195 %	2925,3780 litre	O
470	CM 150	CM 256 LEVEL CM	30197,6726 litre	90,896 %	3024,6697 litre	O
470	CM 150	CM 255 LEVEL CM	30097,4421 litre	90,594 %	3124,9002 litre	O
470	CM 150	CM 254 LEVEL CM	29996,2901 litre	90,290 %	3226,0522 litre	O
470	CM 150	CM 253 LEVEL CM	29894,2337 litre	89,982 %	3328,1086 litre	O
470	CM 150	CM 252 LEVEL CM	29791,2893 litre	89,672 %	3431,0530 litre	O
470	CM 150	CM 251 LEVEL CM	29687,4731 litre	89,360 %	3534,8692 litre	O
470	CM 150	CM 250 LEVEL CM	29582,8009 litre	89,045 %	3639,5414 litre	O
470	CM 150	CM 249 LEVEL CM	29477,2878 litre	88,727 %	3745,0545 litre	O

470	CM	150	CM	248 LEVEL CM	29370,9489 litre	88,407 %	3851,3934 litre	O
470	CM	150	CM	247 LEVEL CM	29263,7988 litre	88,085 %	3958,5435 litre	O
470	CM	150	CM	246 LEVEL CM	29155,8517 litre	87,760 %	4066,4906 litre	O
470	CM	150	CM	245 LEVEL CM	29047,1216 litre	87,432 %	4175,2207 litre	O
470	CM	150	CM	244 LEVEL CM	28937,6223 litre	87,103 %	4284,7200 litre	O
470	CM	150	CM	243 LEVEL CM	28827,3670 litre	86,771 %	4394,9753 litre	O
470	CM	150	CM	242 LEVEL CM	28716,3689 litre	86,437 %	4505,9734 litre	O
470	CM	150	CM	241 LEVEL CM	28604,6408 litre	86,101 %	4617,7015 litre	O
470	CM	150	CM	240 LEVEL CM	28492,1954 litre	85,762 %	4730,1469 litre	O
470	CM	150	CM	239 LEVEL CM	28379,0449 litre	85,422 %	4843,2974 litre	O
470	CM	150	CM	238 LEVEL CM	28265,2016 litre	85,079 %	4957,1407 litre	O
470	CM	150	CM	237 LEVEL CM	28150,6772 litre	84,734 %	5071,6651 litre	O
470	CM	150	CM	236 LEVEL CM	28035,4836 litre	84,387 %	5186,8587 litre	O
470	CM	150	CM	235 LEVEL CM	27919,6321 litre	84,039 %	5302,7102 litre	O
470	CM	150	CM	234 LEVEL CM	27803,1342 litre	83,688 %	5419,2081 litre	O
470	CM	150	CM	233 LEVEL CM	27686,0009 litre	83,335 %	5536,3414 litre	O
470	CM	150	CM	232 LEVEL CM	27568,2431 litre	82,981 %	5654,0992 litre	O
470	CM	150	CM	231 LEVEL CM	27449,8717 litre	82,625 %	5772,4706 litre	O
470	CM	150	CM	230 LEVEL CM	27330,8971 litre	82,267 %	5891,4452 litre	O
470	CM	150	CM	229 LEVEL CM	27211,3299 litre	81,907 %	6011,0124 litre	O
470	CM	150	CM	228 LEVEL CM	27091,1802 litre	81,545 %	6131,1621 litre	O
470	CM	150	CM	227 LEVEL CM	26970,4583 litre	81,182 %	6251,8840 litre	O
470	CM	150	CM	226 LEVEL CM	26849,1741 litre	80,817 %	6373,1682 litre	O
470	CM	150	CM	225 LEVEL CM	26727,3375 litre	80,450 %	6495,0048 litre	O
470	CM	150	CM	224 LEVEL CM	26604,9582 litre	80,082 %	6617,3841 litre	O
470	CM	150	CM	223 LEVEL CM	26482,0457 litre	79,712 %	6740,2966 litre	O
470	CM	150	CM	222 LEVEL CM	26358,6096 litre	79,340 %	6863,7327 litre	O
470	CM	150	CM	221 LEVEL CM	26234,6591 litre	78,967 %	6987,6832 litre	O
470	CM	150	CM	220 LEVEL CM	26110,2035 litre	78,592 %	7112,1388 litre	O
470	CM	150	CM	219 LEVEL CM	25985,2519 litre	78,216 %	7237,0904 litre	O
470	CM	150	CM	218 LEVEL CM	25859,8134 litre	77,839 %	7362,5289 litre	O
470	CM	150	CM	217 LEVEL CM	25733,8967 litre	77,460 %	7488,4456 litre	O
470	CM	150	CM	216 LEVEL CM	25607,5108 litre	77,079 %	7614,8315 litre	O
470	CM	150	CM	215 LEVEL CM	25480,6642 litre	76,697 %	7741,6781 litre	O
470	CM	150	CM	214 LEVEL CM	25353,3657 litre	76,314 %	7868,9766 litre	O
470	CM	150	CM	213 LEVEL CM	25225,6237 litre	75,930 %	7996,7186 litre	O
470	CM	150	CM	212 LEVEL CM	25097,4467 litre	75,544 %	8124,8956 litre	O
470	CM	150	CM	211 LEVEL CM	24968,8430 litre	75,157 %	8253,4993 litre	O
470	CM	150	CM	210 LEVEL CM	24839,8208 litre	74,768 %	8382,5215 litre	O
470	CM	150	CM	209 LEVEL CM	24710,3884 litre	74,379 %	8511,9539 litre	O
470	CM	150	CM	208 LEVEL CM	24580,5539 litre	73,988 %	8641,7884 litre	O
470	CM	150	CM	207 LEVEL CM	24450,3252 litre	73,596 %	8772,0171 litre	O
470	CM	150	CM	206 LEVEL CM	24319,7103 litre	73,203 %	8902,6320 litre	O
470	CM	150	CM	205 LEVEL CM	24188,7172 litre	72,809 %	9033,6251 litre	O
470	CM	150	CM	204 LEVEL CM	24057,3535 litre	72,413 %	9164,9888 litre	O
470	CM	150	CM	203 LEVEL CM	23925,6272 litre	72,017 %	9296,7151 litre	O
470	CM	150	CM	202 LEVEL CM	23793,5458 litre	71,619 %	9428,7965 litre	O
470	CM	150	CM	201 LEVEL CM	23661,1170 litre	71,220 %	9561,2253 litre	O
470	CM	150	CM	200 LEVEL CM	23528,3483 litre	70,821 %	9693,9940 litre	O
470	CM	150	CM	199 LEVEL CM	23395,2473 litre	70,420 %	9827,0950 litre	O
470	CM	150	CM	198 LEVEL CM	23261,8214 litre	70,019 %	9960,5209 litre	O
470	CM	150	CM	197 LEVEL CM	23128,0781 litre	69,616 %	10094,2642 litre	O
470	CM	150	CM	196 LEVEL CM	22994,0245 litre	69,213 %	10228,3178 litre	O

470	CM	150	CM	195 LEVEL CM	22859,6681 litre	68,808 %	10362,6742 litre	O
470	CM	150	CM	194 LEVEL CM	22725,0161 litre	68,403 %	10497,3262 litre	O
470	CM	150	CM	193 LEVEL CM	22590,0756 litre	67,997 %	10632,2667 litre	O
470	CM	150	CM	192 LEVEL CM	22454,8539 litre	67,590 %	10767,4884 litre	O
470	CM	150	CM	191 LEVEL CM	22319,3580 litre	67,182 %	10902,9843 litre	O
470	CM	150	CM	190 LEVEL CM	22183,5949 litre	66,773 %	11038,7474 litre	O
470	CM	150	CM	189 LEVEL CM	22047,5718 litre	66,364 %	11174,7705 litre	O
470	CM	150	CM	188 LEVEL CM	21911,2956 litre	65,953 %	11311,0467 litre	O
470	CM	150	CM	187 LEVEL CM	21774,7733 litre	65,543 %	11447,5690 litre	O
470	CM	150	CM	186 LEVEL CM	21638,0116 litre	65,131 %	11584,3307 litre	O
470	CM	150	CM	185 LEVEL CM	21501,0176 litre	64,719 %	11721,3247 litre	O
470	CM	150	CM	184 LEVEL CM	21363,7980 litre	64,306 %	11858,5443 litre	O
470	CM	150	CM	183 LEVEL CM	21226,3596 litre	63,892 %	11995,9827 litre	O
470	CM	150	CM	182 LEVEL CM	21088,7093 litre	63,477 %	12133,6330 litre	O
470	CM	150	CM	181 LEVEL CM	20950,8537 litre	63,063 %	12271,4886 litre	O
470	CM	150	CM	180 LEVEL CM	20812,7995 litre	62,647 %	12409,5428 litre	O
470	CM	150	CM	179 LEVEL CM	20674,5534 litre	62,231 %	12547,7889 litre	O
470	CM	150	CM	178 LEVEL CM	20536,1222 litre	61,814 %	12686,2201 litre	O
470	CM	150	CM	177 LEVEL CM	20397,5123 litre	61,397 %	12824,8300 litre	O
470	CM	150	CM	176 LEVEL CM	20258,7304 litre	60,979 %	12963,6119 litre	O
470	CM	150	CM	175 LEVEL CM	20119,7830 litre	60,561 %	13102,5593 litre	O
470	CM	150	CM	174 LEVEL CM	19980,6768 litre	60,142 %	13241,6655 litre	O
470	CM	150	CM	173 LEVEL CM	19841,4182 litre	59,723 %	13380,9241 litre	O
470	CM	150	CM	172 LEVEL CM	19702,0137 litre	59,304 %	13520,3286 litre	O
470	CM	150	CM	171 LEVEL CM	19562,4699 litre	58,883 %	13659,8724 litre	O
470	CM	150	CM	170 LEVEL CM	19422,7932 litre	58,463 %	13799,5491 litre	O
470	CM	150	CM	169 LEVEL CM	19282,9900 litre	58,042 %	13939,3523 litre	O
470	CM	150	CM	168 LEVEL CM	19143,0667 litre	57,621 %	14079,2756 litre	O
470	CM	150	CM	167 LEVEL CM	19003,0299 litre	57,200 %	14219,3124 litre	O
470	CM	150	CM	166 LEVEL CM	18862,8858 litre	56,778 %	14359,4565 litre	O
470	CM	150	CM	165 LEVEL CM	18722,6408 litre	56,356 %	14499,7015 litre	O
470	CM	150	CM	164 LEVEL CM	18582,3014 litre	55,933 %	14640,0409 litre	O
470	CM	150	CM	163 LEVEL CM	18441,8739 litre	55,510 %	14780,4684 litre	O
470	CM	150	CM	162 LEVEL CM	18301,3646 litre	55,088 %	14920,9777 litre	O
470	CM	150	CM	161 LEVEL CM	18160,7799 litre	54,664 %	15061,5624 litre	O
470	CM	150	CM	160 LEVEL CM	18020,1260 litre	54,241 %	15202,2163 litre	O
470	CM	150	CM	159 LEVEL CM	17879,4093 litre	53,817 %	15342,9330 litre	O
470	CM	150	CM	158 LEVEL CM	17738,6362 litre	53,394 %	15483,7061 litre	O
470	CM	150	CM	157 LEVEL CM	17597,8128 litre	52,970 %	15624,5295 litre	O
470	CM	150	CM	156 LEVEL CM	17456,9455 litre	52,546 %	15765,3968 litre	O
470	CM	150	CM	155 LEVEL CM	17316,0406 litre	52,122 %	15906,3017 litre	O
470	CM	150	CM	154 LEVEL CM	17175,1043 litre	51,697 %	16047,2380 litre	O
470	CM	150	CM	153 LEVEL CM	17034,1430 litre	51,273 %	16188,1993 litre	O
470	CM	150	CM	152 LEVEL CM	16893,1628 litre	50,849 %	16329,1795 litre	O
470	CM	150	CM	151 LEVEL CM	16752,1701 litre	50,424 %	16470,1722 litre	O
470	CM	150	CM	150 LEVEL CM	16611,1712 litre	50,000 %	16611,1711 litre	O
470	CM	150	CM	149 LEVEL CM	16470,1722 litre	49,576 %	16752,1701 litre	O
470	CM	150	CM	148 LEVEL CM	16329,1795 litre	49,151 %	16893,1628 litre	O
470	CM	150	CM	147 LEVEL CM	16188,1994 litre	48,727 %	17034,1429 litre	O
470	CM	150	CM	146 LEVEL CM	16047,2380 litre	48,303 %	17175,1043 litre	O
470	CM	150	CM	145 LEVEL CM	15906,3017 litre	47,878 %	17316,0406 litre	O
470	CM	150	CM	144 LEVEL CM	15765,3968 litre	47,454 %	17456,9455 litre	O
470	CM	150	CM	143 LEVEL CM	15624,5295 litre	47,030 %	17597,8128 litre	O

470	CM	150	CM	142 LEVEL CM	15483,7061 litre	46,606 %	17738,6362 litre	O
470	CM	150	CM	141 LEVEL CM	15342,9330 litre	46,183 %	17879,4093 litre	O
470	CM	150	CM	140 LEVEL CM	15202,2163 litre	45,759 %	18020,1260 litre	O
470	CM	150	CM	139 LEVEL CM	15061,5624 litre	45,336 %	18160,7799 litre	O
470	CM	150	CM	138 LEVEL CM	14920,9777 litre	44,912 %	18301,3646 litre	O
470	CM	150	CM	137 LEVEL CM	14780,4684 litre	44,490 %	18441,8739 litre	O
470	CM	150	CM	136 LEVEL CM	14640,0409 litre	44,067 %	18582,3014 litre	O
470	CM	150	CM	135 LEVEL CM	14499,7015 litre	43,644 %	18722,6408 litre	O
470	CM	150	CM	134 LEVEL CM	14359,4565 litre	43,222 %	18862,8858 litre	O
470	CM	150	CM	133 LEVEL CM	14219,3124 litre	42,800 %	19003,0299 litre	O
470	CM	150	CM	132 LEVEL CM	14079,2756 litre	42,379 %	19143,0667 litre	O
470	CM	150	CM	131 LEVEL CM	13939,3523 litre	41,958 %	19282,9900 litre	O
470	CM	150	CM	130 LEVEL CM	13799,5491 litre	41,537 %	19422,7932 litre	O
470	CM	150	CM	129 LEVEL CM	13659,8724 litre	41,117 %	19562,4699 litre	O
470	CM	150	CM	128 LEVEL CM	13520,3286 litre	40,696 %	19702,0137 litre	O
470	CM	150	CM	127 LEVEL CM	13380,9241 litre	40,277 %	19841,4182 litre	O
470	CM	150	CM	126 LEVEL CM	13241,6655 litre	39,858 %	19980,6768 litre	O
470	CM	150	CM	125 LEVEL CM	13102,5593 litre	39,439 %	20119,7830 litre	O
470	CM	150	CM	124 LEVEL CM	12963,6119 litre	39,021 %	20258,7304 litre	O
470	CM	150	CM	123 LEVEL CM	12824,8300 litre	38,603 %	20397,5123 litre	O
470	CM	150	CM	122 LEVEL CM	12686,2202 litre	38,186 %	20536,1221 litre	O
470	CM	150	CM	121 LEVEL CM	12547,7889 litre	37,769 %	20674,5534 litre	O
470	CM	150	CM	120 LEVEL CM	12409,5428 litre	37,353 %	20812,7995 litre	O
470	CM	150	CM	119 LEVEL CM	12271,4886 litre	36,937 %	20950,8537 litre	O
470	CM	150	CM	118 LEVEL CM	12133,6330 litre	36,523 %	21088,7093 litre	O
470	CM	150	CM	117 LEVEL CM	11995,9827 litre	36,108 %	21226,3596 litre	O
470	CM	150	CM	116 LEVEL CM	11858,5443 litre	35,694 %	21363,7980 litre	O
470	CM	150	CM	115 LEVEL CM	11721,3247 litre	35,281 %	21501,0176 litre	O
470	CM	150	CM	114 LEVEL CM	11584,3307 litre	34,869 %	21638,0116 litre	O
470	CM	150	CM	113 LEVEL CM	11447,5691 litre	34,457 %	21774,7732 litre	O
470	CM	150	CM	112 LEVEL CM	11311,0467 litre	34,047 %	21911,2956 litre	O
470	CM	150	CM	111 LEVEL CM	11174,7705 litre	33,636 %	22047,5718 litre	O
470	CM	150	CM	110 LEVEL CM	11038,7474 litre	33,227 %	22183,5949 litre	O
470	CM	150	CM	109 LEVEL CM	10902,9844 litre	32,818 %	22319,3579 litre	O
470	CM	150	CM	108 LEVEL CM	10767,4885 litre	32,410 %	22454,8538 litre	O
470	CM	150	CM	107 LEVEL CM	10632,2667 litre	32,003 %	22590,0756 litre	O
470	CM	150	CM	106 LEVEL CM	10497,3263 litre	31,597 %	22725,0160 litre	O
470	CM	150	CM	105 LEVEL CM	10362,6742 litre	31,192 %	22859,6681 litre	O
470	CM	150	CM	104 LEVEL CM	10228,3178 litre	30,787 %	22994,0245 litre	O
470	CM	150	CM	103 LEVEL CM	10094,2643 litre	30,384 %	23128,0780 litre	O
470	CM	150	CM	102 LEVEL CM	9960,5209 litre	29,981 %	23261,8214 litre	O
470	CM	150	CM	101 LEVEL CM	9827,0950 litre	29,580 %	23395,2473 litre	O
470	CM	150	CM	100 LEVEL CM	9693,9940 litre	29,179 %	23528,3483 litre	O
470	CM	150	CM	99 LEVEL CM	9561,2253 litre	28,780 %	23661,1170 litre	O
470	CM	150	CM	98 LEVEL CM	9428,7965 litre	28,381 %	23793,5458 litre	O
470	CM	150	CM	97 LEVEL CM	9296,7151 litre	27,983 %	23925,6272 litre	O
470	CM	150	CM	96 LEVEL CM	9164,9888 litre	27,587 %	24057,3535 litre	O
470	CM	150	CM	95 LEVEL CM	9033,6251 litre	27,191 %	24188,7172 litre	O
470	CM	150	CM	94 LEVEL CM	8902,6320 litre	26,797 %	24319,7103 litre	O
470	CM	150	CM	93 LEVEL CM	8772,0171 litre	26,404 %	24450,3252 litre	O
470	CM	150	CM	92 LEVEL CM	8641,7884 litre	26,012 %	24580,5539 litre	O
470	CM	150	CM	91 LEVEL CM	8511,9539 litre	25,621 %	24710,3884 litre	O
470	CM	150	CM	90 LEVEL CM	8382,5215 litre	25,232 %	24839,8208 litre	O

470	CM	150	CM	89 LEVEL CM	8253,4993 litre	24,843 %	24968,8430 litre	O
470	CM	150	CM	88 LEVEL CM	8124,8956 litre	24,456 %	25097,4467 litre	O
470	CM	150	CM	87 LEVEL CM	7996,7186 litre	24,070 %	25225,6237 litre	O
470	CM	150	CM	86 LEVEL CM	7868,9766 litre	23,686 %	25353,3657 litre	O
470	CM	150	CM	85 LEVEL CM	7741,6781 litre	23,303 %	25480,6642 litre	O
470	CM	150	CM	84 LEVEL CM	7614,8315 litre	22,921 %	25607,5108 litre	O
470	CM	150	CM	83 LEVEL CM	7488,4456 litre	22,540 %	25733,8967 litre	O
470	CM	150	CM	82 LEVEL CM	7362,5289 litre	22,161 %	25859,8134 litre	O
470	CM	150	CM	81 LEVEL CM	7237,0904 litre	21,784 %	25985,2519 litre	O
470	CM	150	CM	80 LEVEL CM	7112,1388 litre	21,408 %	26110,2035 litre	O
470	CM	150	CM	79 LEVEL CM	6987,6832 litre	21,033 %	26234,6591 litre	O
470	CM	150	CM	78 LEVEL CM	6863,7327 litre	20,660 %	26358,6096 litre	O
470	CM	150	CM	77 LEVEL CM	6740,2966 litre	20,288 %	26482,0457 litre	O
470	CM	150	CM	76 LEVEL CM	6617,3841 litre	19,918 %	26604,9582 litre	O
470	CM	150	CM	75 LEVEL CM	6495,0048 litre	19,550 %	26727,3375 litre	O
470	CM	150	CM	74 LEVEL CM	6373,1682 litre	19,183 %	26849,1741 litre	O
470	CM	150	CM	73 LEVEL CM	6251,8840 litre	18,818 %	26970,4583 litre	O
470	CM	150	CM	72 LEVEL CM	6131,1621 litre	18,455 %	27091,1802 litre	O
470	CM	150	CM	71 LEVEL CM	6011,0125 litre	18,093 %	27211,3298 litre	O
470	CM	150	CM	70 LEVEL CM	5891,4452 litre	17,733 %	27330,8971 litre	O
470	CM	150	CM	69 LEVEL CM	5772,4706 litre	17,375 %	27449,8717 litre	O
470	CM	150	CM	68 LEVEL CM	5654,0992 litre	17,019 %	27568,2431 litre	O
470	CM	150	CM	67 LEVEL CM	5536,3414 litre	16,665 %	27686,0009 litre	O
470	CM	150	CM	66 LEVEL CM	5419,2081 litre	16,312 %	27803,1342 litre	O
470	CM	150	CM	65 LEVEL CM	5302,7102 litre	15,961 %	27919,6321 litre	O
470	CM	150	CM	64 LEVEL CM	5186,8587 litre	15,613 %	28035,4836 litre	O
470	CM	150	CM	63 LEVEL CM	5071,6651 litre	15,266 %	28150,6772 litre	O
470	CM	150	CM	62 LEVEL CM	4957,1408 litre	14,921 %	28265,2015 litre	O
470	CM	150	CM	61 LEVEL CM	4843,2974 litre	14,578 %	28379,0449 litre	O
470	CM	150	CM	60 LEVEL CM	4730,1469 litre	14,238 %	28492,1954 litre	O
470	CM	150	CM	59 LEVEL CM	4617,7015 litre	13,899 %	28604,6408 litre	O
470	CM	150	CM	58 LEVEL CM	4505,9734 litre	13,563 %	28716,3689 litre	O
470	CM	150	CM	57 LEVEL CM	4394,9753 litre	13,229 %	28827,3670 litre	O
470	CM	150	CM	56 LEVEL CM	4284,7200 litre	12,897 %	28937,6223 litre	O
470	CM	150	CM	55 LEVEL CM	4175,2207 litre	12,568 %	29047,1216 litre	O
470	CM	150	CM	54 LEVEL CM	4066,4906 litre	12,240 %	29155,8517 litre	O
470	CM	150	CM	53 LEVEL CM	3958,5435 litre	11,915 %	29263,7988 litre	O
470	CM	150	CM	52 LEVEL CM	3851,3934 litre	11,593 %	29370,9489 litre	O
470	CM	150	CM	51 LEVEL CM	3745,0545 litre	11,273 %	29477,2878 litre	O
470	CM	150	CM	50 LEVEL CM	3639,5414 litre	10,955 %	29582,8009 litre	O
470	CM	150	CM	49 LEVEL CM	3534,8692 litre	10,640 %	29687,4731 litre	O
470	CM	150	CM	48 LEVEL CM	3431,0530 litre	10,328 %	29791,2893 litre	O
470	CM	150	CM	47 LEVEL CM	3328,1087 litre	10,018 %	29894,2336 litre	O
470	CM	150	CM	46 LEVEL CM	3226,0522 litre	9,710 %	29996,2901 litre	O
470	CM	150	CM	45 LEVEL CM	3124,9002 litre	9,406 %	30097,4421 litre	O
470	CM	150	CM	44 LEVEL CM	3024,6697 litre	9,104 %	30197,6726 litre	O
470	CM	150	CM	43 LEVEL CM	2925,3780 litre	8,805 %	30296,9643 litre	O
470	CM	150	CM	42 LEVEL CM	2827,0431 litre	8,509 %	30395,2992 litre	O
470	CM	150	CM	41 LEVEL CM	2729,6836 litre	8,216 %	30492,6587 litre	O
470	CM	150	CM	40 LEVEL CM	2633,3183 litre	7,926 %	30589,0240 litre	O
470	CM	150	CM	39 LEVEL CM	2537,9671 litre	7,639 %	30684,3752 litre	O
470	CM	150	CM	38 LEVEL CM	2443,6500 litre	7,355 %	30778,6923 litre	O
470	CM	150	CM	37 LEVEL CM	2350,3882 litre	7,075 %	30871,9541 litre	O

470	CM	150	CM	36 LEVEL CM	2258,2032 litre	6,797 %	30964,1391 litre	O
470	CM	150	CM	35 LEVEL CM	2167,1175 litre	6,523 %	31055,2248 litre	O
470	CM	150	CM	34 LEVEL CM	2077,1543 litre	6,252 %	31145,1880 litre	O
470	CM	150	CM	33 LEVEL CM	1988,3378 litre	5,985 %	31234,0045 litre	O
470	CM	150	CM	32 LEVEL CM	1900,6930 litre	5,721 %	31321,6493 litre	O
470	CM	150	CM	31 LEVEL CM	1814,2461 litre	5,461 %	31408,0962 litre	O
470	CM	150	CM	30 LEVEL CM	1729,0242 litre	5,204 %	31493,3181 litre	O
470	CM	150	CM	29 LEVEL CM	1645,0558 litre	4,952 %	31577,2865 litre	O
470	CM	150	CM	28 LEVEL CM	1562,3705 litre	4,703 %	31659,9718 litre	O
470	CM	150	CM	27 LEVEL CM	1480,9994 litre	4,458 %	31741,3429 litre	O
470	CM	150	CM	26 LEVEL CM	1400,9751 litre	4,217 %	31821,3672 litre	O
470	CM	150	CM	25 LEVEL CM	1322,3320 litre	3,980 %	31900,0103 litre	O
470	CM	150	CM	24 LEVEL CM	1245,1061 litre	3,748 %	31977,2362 litre	O
470	CM	150	CM	23 LEVEL CM	1169,3357 litre	3,520 %	32053,0066 litre	O
470	CM	150	CM	22 LEVEL CM	1095,0611 litre	3,296 %	32127,2812 litre	O
470	CM	150	CM	21 LEVEL CM	1022,3253 litre	3,077 %	32200,0170 litre	O
470	CM	150	CM	20 LEVEL CM	951,1739 litre	2,863 %	32271,1684 litre	O
470	CM	150	CM	19 LEVEL CM	881,6558 litre	2,654 %	32340,6865 litre	O
470	CM	150	CM	18 LEVEL CM	813,8233 litre	2,450 %	32408,5190 litre	O
470	CM	150	CM	17 LEVEL CM	747,7327 litre	2,251 %	32474,6096 litre	O
470	CM	150	CM	16 LEVEL CM	683,4450 litre	2,057 %	32538,8973 litre	O
470	CM	150	CM	15 LEVEL CM	621,0265 litre	1,869 %	32601,3158 litre	O
470	CM	150	CM	14 LEVEL CM	560,5493 litre	1,687 %	32661,7930 litre	O
470	CM	150	CM	13 LEVEL CM	502,0932 litre	1,511 %	32720,2491 litre	O
470	CM	150	CM	12 LEVEL CM	445,7463 litre	1,342 %	32776,5960 litre	O
470	CM	150	CM	11 LEVEL CM	391,6070 litre	1,179 %	32830,7353 litre	O
470	CM	150	CM	10 LEVEL CM	339,7864 litre	1,023 %	32882,5559 litre	O
470	CM	150	CM	9 LEVEL CM	290,4111 litre	0,874 %	32931,9312 litre	O
470	CM	150	CM	8 LEVEL CM	243,6279 litre	0,733 %	32978,7144 litre	O
470	CM	150	CM	7 LEVEL CM	199,6092 litre	0,601 %	33022,7331 litre	O
470	CM	150	CM	6 LEVEL CM	158,5627 litre	0,477 %	33063,7796 litre	O
470	CM	150	CM	5 LEVEL CM	120,7449 litre	0,363 %	33101,5974 litre	O
470	CM	150	CM	4 LEVEL CM	86,4853 litre	0,260 %	33135,8570 litre	O
470	CM	150	CM	3 LEVEL CM	56,2305 litre	0,169 %	33166,1118 litre	O
470	CM	150	CM	2 LEVEL CM	30,6388 litre	0,092 %	33191,7035 litre	O
470	CM	150	CM	1 LEVEL CM	10,8433 litre	0,033 %	33211,4990 litre	O
470	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	33222,3423 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 145	CM 290 LEVEL CM	31044,4332 litre	100,000 %	0,0000 litre	O
470	CM 145	CM 289 LEVEL CM	31033,7725 litre	99,966 %	10,6607 litre	O
470	CM 145	CM 288 LEVEL CM	31014,3115 litre	99,903 %	30,1217 litre	O
470	CM 145	CM 287 LEVEL CM	30989,1536 litre	99,822 %	55,2796 litre	O
470	CM 145	CM 286 LEVEL CM	30959,4134 litre	99,726 %	85,0198 litre	O
470	CM 145	CM 285 LEVEL CM	30925,7385 litre	99,618 %	118,6947 litre	O
470	CM 145	CM 284 LEVEL CM	30888,5683 litre	99,498 %	155,8649 litre	O
470	CM 145	CM 283 LEVEL CM	30848,2271 litre	99,368 %	196,2061 litre	O
470	CM 145	CM 282 LEVEL CM	30804,9675 litre	99,229 %	239,4657 litre	O
470	CM 145	CM 281 LEVEL CM	30758,9937 litre	99,081 %	285,4395 litre	O
470	CM 145	CM 280 LEVEL CM	30710,4757 litre	98,924 %	333,9575 litre	O
470	CM 145	CM 279 LEVEL CM	30659,5580 litre	98,760 %	384,8752 litre	O
470	CM 145	CM 278 LEVEL CM	30606,3653 litre	98,589 %	438,0679 litre	O
470	CM 145	CM 277 LEVEL CM	30551,0070 litre	98,411 %	493,4262 litre	O
470	CM 145	CM 276 LEVEL CM	30493,5801 litre	98,226 %	550,8531 litre	O
470	CM 145	CM 275 LEVEL CM	30434,1716 litre	98,034 %	610,2616 litre	O
470	CM 145	CM 274 LEVEL CM	30372,8598 litre	97,837 %	671,5734 litre	O
470	CM 145	CM 273 LEVEL CM	30309,7161 litre	97,633 %	734,7171 litre	O
470	CM 145	CM 272 LEVEL CM	30244,8059 litre	97,424 %	799,6273 litre	O
470	CM 145	CM 271 LEVEL CM	30178,1891 litre	97,210 %	866,2441 litre	O
470	CM 145	CM 270 LEVEL CM	30109,9214 litre	96,990 %	934,5118 litre	O
470	CM 145	CM 269 LEVEL CM	30040,0545 litre	96,765 %	1004,3787 litre	O
470	CM 145	CM 268 LEVEL CM	29968,6365 litre	96,535 %	1075,7967 litre	O
470	CM 145	CM 267 LEVEL CM	29895,7125 litre	96,300 %	1148,7207 litre	O
470	CM 145	CM 266 LEVEL CM	29821,3248 litre	96,060 %	1223,1084 litre	O
470	CM 145	CM 265 LEVEL CM	29745,5135 litre	95,816 %	1298,9197 litre	O
470	CM 145	CM 264 LEVEL CM	29668,3162 litre	95,567 %	1376,1170 litre	O
470	CM 145	CM 263 LEVEL CM	29589,7685 litre	95,314 %	1454,6647 litre	O
470	CM 145	CM 262 LEVEL CM	29509,9044 litre	95,057 %	1534,5288 litre	O
470	CM 145	CM 261 LEVEL CM	29428,7561 litre	94,796 %	1615,6771 litre	O
470	CM 145	CM 260 LEVEL CM	29346,3544 litre	94,530 %	1698,0788 litre	O
470	CM 145	CM 259 LEVEL CM	29262,7286 litre	94,261 %	1781,7046 litre	O
470	CM 145	CM 258 LEVEL CM	29177,9067 litre	93,988 %	1866,5265 litre	O
470	CM 145	CM 257 LEVEL CM	29091,9158 litre	93,711 %	1952,5174 litre	O
470	CM 145	CM 256 LEVEL CM	29004,7816 litre	93,430 %	2039,6516 litre	O
470	CM 145	CM 255 LEVEL CM	28916,5289 litre	93,146 %	2127,9043 litre	O
470	CM 145	CM 254 LEVEL CM	28827,1816 litre	92,858 %	2217,2516 litre	O
470	CM 145	CM 253 LEVEL CM	28736,7628 litre	92,567 %	2307,6704 litre	O
470	CM 145	CM 252 LEVEL CM	28645,2946 litre	92,272 %	2399,1386 litre	O
470	CM 145	CM 251 LEVEL CM	28552,7986 litre	91,974 %	2491,6346 litre	O
470	CM 145	CM 250 LEVEL CM	28459,2954 litre	91,673 %	2585,1378 litre	O
470	CM 145	CM 249 LEVEL CM	28364,8052 litre	91,368 %	2679,6280 litre	O
470	CM 145	CM 248 LEVEL CM	28269,3474 litre	91,061 %	2775,0858 litre	O
470	CM 145	CM 247 LEVEL CM	28172,9408 litre	90,750 %	2871,4924 litre	O
470	CM 145	CM 246 LEVEL CM	28075,6039 litre	90,437 %	2968,8293 litre	O
470	CM 145	CM 245 LEVEL CM	27977,3544 litre	90,120 %	3067,0788 litre	O
470	CM 145	CM 244 LEVEL CM	27878,2096 litre	89,801 %	3166,2236 litre	O
470	CM 145	CM 243 LEVEL CM	27778,1864 litre	89,479 %	3266,2468 litre	O
470	CM 145	CM 242 LEVEL CM	27677,3011 litre	89,154 %	3367,1321 litre	O
470	CM 145	CM 241 LEVEL CM	27575,5698 litre	88,826 %	3468,8634 litre	O
470	CM 145	CM 240 LEVEL CM	27473,0081 litre	88,496 %	3571,4251 litre	O
470	CM 145	CM 239 LEVEL CM	27369,6312 litre	88,163 %	3674,8020 litre	O

470	CM	145	CM	238 LEVEL CM	27265,4539 litre	87,827 %	3778,9793 litre	O
470	CM	145	CM	237 LEVEL CM	27160,4907 litre	87,489 %	3883,9425 litre	O
470	CM	145	CM	236 LEVEL CM	27054,7559 litre	87,148 %	3989,6773 litre	O
470	CM	145	CM	235 LEVEL CM	26948,2634 litre	86,805 %	4096,1698 litre	O
470	CM	145	CM	234 LEVEL CM	26841,0266 litre	86,460 %	4203,4066 litre	O
470	CM	145	CM	233 LEVEL CM	26733,0591 litre	86,112 %	4311,3741 litre	O
470	CM	145	CM	232 LEVEL CM	26624,3737 litre	85,762 %	4420,0595 litre	O
470	CM	145	CM	231 LEVEL CM	26514,9833 litre	85,410 %	4529,4499 litre	O
470	CM	145	CM	230 LEVEL CM	26404,9004 litre	85,055 %	4639,5328 litre	O
470	CM	145	CM	229 LEVEL CM	26294,1374 litre	84,698 %	4750,2958 litre	O
470	CM	145	CM	228 LEVEL CM	26182,7062 litre	84,339 %	4861,7270 litre	O
470	CM	145	CM	227 LEVEL CM	26070,6188 litre	83,978 %	4973,8144 litre	O
470	CM	145	CM	226 LEVEL CM	25957,8869 litre	83,615 %	5086,5463 litre	O
470	CM	145	CM	225 LEVEL CM	25844,5218 litre	83,250 %	5199,9114 litre	O
470	CM	145	CM	224 LEVEL CM	25730,5350 litre	82,883 %	5313,8982 litre	O
470	CM	145	CM	223 LEVEL CM	25615,9373 litre	82,514 %	5428,4959 litre	O
470	CM	145	CM	222 LEVEL CM	25500,7398 litre	82,143 %	5543,6934 litre	O
470	CM	145	CM	221 LEVEL CM	25384,9532 litre	81,770 %	5659,4800 litre	O
470	CM	145	CM	220 LEVEL CM	25268,5880 litre	81,395 %	5775,8452 litre	O
470	CM	145	CM	219 LEVEL CM	25151,6548 litre	81,018 %	5892,7784 litre	O
470	CM	145	CM	218 LEVEL CM	25034,1637 litre	80,640 %	6010,2695 litre	O
470	CM	145	CM	217 LEVEL CM	24916,1248 litre	80,260 %	6128,3084 litre	O
470	CM	145	CM	216 LEVEL CM	24797,5482 litre	79,878 %	6246,8850 litre	O
470	CM	145	CM	215 LEVEL CM	24678,4437 litre	79,494 %	6365,9895 litre	O
470	CM	145	CM	214 LEVEL CM	24558,8210 litre	79,109 %	6485,6122 litre	O
470	CM	145	CM	213 LEVEL CM	24438,6898 litre	78,722 %	6605,7434 litre	O
470	CM	145	CM	212 LEVEL CM	24318,0594 litre	78,333 %	6726,3738 litre	O
470	CM	145	CM	211 LEVEL CM	24196,9392 litre	77,943 %	6847,4940 litre	O
470	CM	145	CM	210 LEVEL CM	24075,3385 litre	77,551 %	6969,0947 litre	O
470	CM	145	CM	209 LEVEL CM	23953,2664 litre	77,158 %	7091,1668 litre	O
470	CM	145	CM	208 LEVEL CM	23830,7319 litre	76,763 %	7213,7013 litre	O
470	CM	145	CM	207 LEVEL CM	23707,7439 litre	76,367 %	7336,6893 litre	O
470	CM	145	CM	206 LEVEL CM	23584,3113 litre	75,970 %	7460,1219 litre	O
470	CM	145	CM	205 LEVEL CM	23460,4428 litre	75,571 %	7583,9904 litre	O
470	CM	145	CM	204 LEVEL CM	23336,1471 litre	75,170 %	7708,2861 litre	O
470	CM	145	CM	203 LEVEL CM	23211,4326 litre	74,768 %	7833,0006 litre	O
470	CM	145	CM	202 LEVEL CM	23086,3078 litre	74,365 %	7958,1254 litre	O
470	CM	145	CM	201 LEVEL CM	22960,7812 litre	73,961 %	8083,6520 litre	O
470	CM	145	CM	200 LEVEL CM	22834,8610 litre	73,555 %	8209,5722 litre	O
470	CM	145	CM	199 LEVEL CM	22708,5555 litre	73,149 %	8335,8777 litre	O
470	CM	145	CM	198 LEVEL CM	22581,8727 litre	72,740 %	8462,5605 litre	O
470	CM	145	CM	197 LEVEL CM	22454,8208 litre	72,331 %	8589,6124 litre	O
470	CM	145	CM	196 LEVEL CM	22327,4078 litre	71,921 %	8717,0254 litre	O
470	CM	145	CM	195 LEVEL CM	22199,6416 litre	71,509 %	8844,7916 litre	O
470	CM	145	CM	194 LEVEL CM	22071,5301 litre	71,097 %	8972,9031 litre	O
470	CM	145	CM	193 LEVEL CM	21943,0810 litre	70,683 %	9101,3522 litre	O
470	CM	145	CM	192 LEVEL CM	21814,3022 litre	70,268 %	9230,1310 litre	O
470	CM	145	CM	191 LEVEL CM	21685,2013 litre	69,852 %	9359,2319 litre	O
470	CM	145	CM	190 LEVEL CM	21555,7859 litre	69,435 %	9488,6473 litre	O
470	CM	145	CM	189 LEVEL CM	21426,0637 litre	69,017 %	9618,3695 litre	O
470	CM	145	CM	188 LEVEL CM	21296,0421 litre	68,599 %	9748,3911 litre	O
470	CM	145	CM	187 LEVEL CM	21165,7286 litre	68,179 %	9878,7046 litre	O
470	CM	145	CM	186 LEVEL CM	21035,1306 litre	67,758 %	10009,3026 litre	O

470	CM	145	CM	185 LEVEL CM	20904,2556 litre	67,337 %	10140,1776 litre	O
470	CM	145	CM	184 LEVEL CM	20773,1107 litre	66,914 %	10271,3225 litre	O
470	CM	145	CM	183 LEVEL CM	20641,7033 litre	66,491 %	10402,7299 litre	O
470	CM	145	CM	182 LEVEL CM	20510,0407 litre	66,067 %	10534,3925 litre	O
470	CM	145	CM	181 LEVEL CM	20378,1300 litre	65,642 %	10666,3032 litre	O
470	CM	145	CM	180 LEVEL CM	20245,9784 litre	65,216 %	10798,4548 litre	O
470	CM	145	CM	179 LEVEL CM	20113,5929 litre	64,790 %	10930,8403 litre	O
470	CM	145	CM	178 LEVEL CM	19980,9807 litre	64,363 %	11063,4525 litre	O
470	CM	145	CM	177 LEVEL CM	19848,1488 litre	63,935 %	11196,2844 litre	O
470	CM	145	CM	176 LEVEL CM	19715,1043 litre	63,506 %	11329,3289 litre	O
470	CM	145	CM	175 LEVEL CM	19581,8539 litre	63,077 %	11462,5793 litre	O
470	CM	145	CM	174 LEVEL CM	19448,4049 litre	62,647 %	11596,0283 litre	O
470	CM	145	CM	173 LEVEL CM	19314,7639 litre	62,217 %	11729,6693 litre	O
470	CM	145	CM	172 LEVEL CM	19180,9379 litre	61,785 %	11863,4953 litre	O
470	CM	145	CM	171 LEVEL CM	19046,9338 litre	61,354 %	11997,4994 litre	O
470	CM	145	CM	170 LEVEL CM	18912,7583 litre	60,922 %	12131,6749 litre	O
470	CM	145	CM	169 LEVEL CM	18778,4183 litre	60,489 %	12266,0149 litre	O
470	CM	145	CM	168 LEVEL CM	18643,9206 litre	60,056 %	12400,5126 litre	O
470	CM	145	CM	167 LEVEL CM	18509,2718 litre	59,622 %	12535,1614 litre	O
470	CM	145	CM	166 LEVEL CM	18374,4787 litre	59,188 %	12669,9545 litre	O
470	CM	145	CM	165 LEVEL CM	18239,5481 litre	58,753 %	12804,8851 litre	O
470	CM	145	CM	164 LEVEL CM	18104,4865 litre	58,318 %	12939,9467 litre	O
470	CM	145	CM	163 LEVEL CM	17969,3007 litre	57,883 %	13075,1325 litre	O
470	CM	145	CM	162 LEVEL CM	17833,9973 litre	57,447 %	13210,4359 litre	O
470	CM	145	CM	161 LEVEL CM	17698,5829 litre	57,010 %	13345,8503 litre	O
470	CM	145	CM	160 LEVEL CM	17563,0642 litre	56,574 %	13481,3690 litre	O
470	CM	145	CM	159 LEVEL CM	17427,4477 litre	56,137 %	13616,9855 litre	O
470	CM	145	CM	158 LEVEL CM	17291,7400 litre	55,700 %	13752,6932 litre	O
470	CM	145	CM	157 LEVEL CM	17155,9476 litre	55,263 %	13888,4856 litre	O
470	CM	145	CM	156 LEVEL CM	17020,0773 litre	54,825 %	14024,3559 litre	O
470	CM	145	CM	155 LEVEL CM	16884,1354 litre	54,387 %	14160,2978 litre	O
470	CM	145	CM	154 LEVEL CM	16748,1285 litre	53,949 %	14296,3047 litre	O
470	CM	145	CM	153 LEVEL CM	16612,0632 litre	53,511 %	14432,3700 litre	O
470	CM	145	CM	152 LEVEL CM	16475,9459 litre	53,072 %	14568,4873 litre	O
470	CM	145	CM	151 LEVEL CM	16339,7832 litre	52,634 %	14704,6500 litre	O
470	CM	145	CM	150 LEVEL CM	16203,5815 litre	52,195 %	14840,8517 litre	O
470	CM	145	CM	149 LEVEL CM	16067,3474 litre	51,756 %	14977,0858 litre	O
470	CM	145	CM	148 LEVEL CM	15931,0874 litre	51,317 %	15113,3458 litre	O
470	CM	145	CM	147 LEVEL CM	15794,8080 litre	50,878 %	15249,6252 litre	O
470	CM	145	CM	146 LEVEL CM	15658,5155 litre	50,439 %	15385,9177 litre	O
470	CM	145	CM	145 LEVEL CM	15522,2166 litre	50,000 %	15522,2166 litre	O
470	CM	145	CM	144 LEVEL CM	15385,9177 litre	49,561 %	15658,5155 litre	O
470	CM	145	CM	143 LEVEL CM	15249,6252 litre	49,122 %	15794,8080 litre	O
470	CM	145	CM	142 LEVEL CM	15113,3458 litre	48,683 %	15931,0874 litre	O
470	CM	145	CM	141 LEVEL CM	14977,0858 litre	48,244 %	16067,3474 litre	O
470	CM	145	CM	140 LEVEL CM	14840,8517 litre	47,805 %	16203,5815 litre	O
470	CM	145	CM	139 LEVEL CM	14704,6500 litre	47,366 %	16339,7832 litre	O
470	CM	145	CM	138 LEVEL CM	14568,4873 litre	46,928 %	16475,9459 litre	O
470	CM	145	CM	137 LEVEL CM	14432,3701 litre	46,489 %	16612,0631 litre	O
470	CM	145	CM	136 LEVEL CM	14296,3047 litre	46,051 %	16748,1285 litre	O
470	CM	145	CM	135 LEVEL CM	14160,2978 litre	45,613 %	16884,1354 litre	O
470	CM	145	CM	134 LEVEL CM	14024,3559 litre	45,175 %	17020,0773 litre	O
470	CM	145	CM	133 LEVEL CM	13888,4856 litre	44,737 %	17155,9476 litre	O

470	CM	145	CM	132 LEVEL CM	13752,6932 litre	44,300 %	17291,7400 litre	O
470	CM	145	CM	131 LEVEL CM	13616,9855 litre	43,863 %	17427,4477 litre	O
470	CM	145	CM	130 LEVEL CM	13481,3690 litre	43,426 %	17563,0642 litre	O
470	CM	145	CM	129 LEVEL CM	13345,8503 litre	42,990 %	17698,5829 litre	O
470	CM	145	CM	128 LEVEL CM	13210,4359 litre	42,553 %	17833,9973 litre	O
470	CM	145	CM	127 LEVEL CM	13075,1325 litre	42,117 %	17969,3007 litre	O
470	CM	145	CM	126 LEVEL CM	12939,9467 litre	41,682 %	18104,4865 litre	O
470	CM	145	CM	125 LEVEL CM	12804,8851 litre	41,247 %	18239,5481 litre	O
470	CM	145	CM	124 LEVEL CM	12669,9545 litre	40,812 %	18374,4787 litre	O
470	CM	145	CM	123 LEVEL CM	12535,1614 litre	40,378 %	18509,2718 litre	O
470	CM	145	CM	122 LEVEL CM	12400,5126 litre	39,944 %	18643,9206 litre	O
470	CM	145	CM	121 LEVEL CM	12266,0149 litre	39,511 %	18778,4183 litre	O
470	CM	145	CM	120 LEVEL CM	12131,6749 litre	39,078 %	18912,7583 litre	O
470	CM	145	CM	119 LEVEL CM	11997,4994 litre	38,646 %	19046,9338 litre	O
470	CM	145	CM	118 LEVEL CM	11863,4953 litre	38,215 %	19180,9379 litre	O
470	CM	145	CM	117 LEVEL CM	11729,6693 litre	37,783 %	19314,7639 litre	O
470	CM	145	CM	116 LEVEL CM	11596,0283 litre	37,353 %	19448,4049 litre	O
470	CM	145	CM	115 LEVEL CM	11462,5793 litre	36,923 %	19581,8539 litre	O
470	CM	145	CM	114 LEVEL CM	11329,3289 litre	36,494 %	19715,1043 litre	O
470	CM	145	CM	113 LEVEL CM	11196,2844 litre	36,065 %	19848,1488 litre	O
470	CM	145	CM	112 LEVEL CM	11063,4525 litre	35,637 %	19980,9807 litre	O
470	CM	145	CM	111 LEVEL CM	10930,8403 litre	35,210 %	20113,5929 litre	O
470	CM	145	CM	110 LEVEL CM	10798,4548 litre	34,784 %	20245,9784 litre	O
470	CM	145	CM	109 LEVEL CM	10666,3032 litre	34,358 %	20378,1300 litre	O
470	CM	145	CM	108 LEVEL CM	10534,3925 litre	33,933 %	20510,0407 litre	O
470	CM	145	CM	107 LEVEL CM	10402,7299 litre	33,509 %	20641,7033 litre	O
470	CM	145	CM	106 LEVEL CM	10271,3225 litre	33,086 %	20773,1107 litre	O
470	CM	145	CM	105 LEVEL CM	10140,1777 litre	32,663 %	20904,2555 litre	O
470	CM	145	CM	104 LEVEL CM	10009,3026 litre	32,242 %	21035,1306 litre	O
470	CM	145	CM	103 LEVEL CM	9878,7046 litre	31,821 %	21165,7286 litre	O
470	CM	145	CM	102 LEVEL CM	9748,3911 litre	31,401 %	21296,0421 litre	O
470	CM	145	CM	101 LEVEL CM	9618,3695 litre	30,983 %	21426,0637 litre	O
470	CM	145	CM	100 LEVEL CM	9488,6473 litre	30,565 %	21555,7859 litre	O
470	CM	145	CM	99 LEVEL CM	9359,2319 litre	30,148 %	21685,2013 litre	O
470	CM	145	CM	98 LEVEL CM	9230,1310 litre	29,732 %	21814,3022 litre	O
470	CM	145	CM	97 LEVEL CM	9101,3522 litre	29,317 %	21943,0810 litre	O
470	CM	145	CM	96 LEVEL CM	8972,9031 litre	28,903 %	22071,5301 litre	O
470	CM	145	CM	95 LEVEL CM	8844,7916 litre	28,491 %	22199,6416 litre	O
470	CM	145	CM	94 LEVEL CM	8717,0254 litre	28,079 %	22327,4078 litre	O
470	CM	145	CM	93 LEVEL CM	8589,6124 litre	27,669 %	22454,8208 litre	O
470	CM	145	CM	92 LEVEL CM	8462,5605 litre	27,260 %	22581,8727 litre	O
470	CM	145	CM	91 LEVEL CM	8335,8777 litre	26,851 %	22708,5555 litre	O
470	CM	145	CM	90 LEVEL CM	8209,5722 litre	26,445 %	22834,8610 litre	O
470	CM	145	CM	89 LEVEL CM	8083,6520 litre	26,039 %	22960,7812 litre	O
470	CM	145	CM	88 LEVEL CM	7958,1254 litre	25,635 %	23086,3078 litre	O
470	CM	145	CM	87 LEVEL CM	7833,0006 litre	25,232 %	23211,4326 litre	O
470	CM	145	CM	86 LEVEL CM	7708,2861 litre	24,830 %	23336,1471 litre	O
470	CM	145	CM	85 LEVEL CM	7583,9904 litre	24,429 %	23460,4428 litre	O
470	CM	145	CM	84 LEVEL CM	7460,1219 litre	24,030 %	23584,3113 litre	O
470	CM	145	CM	83 LEVEL CM	7336,6893 litre	23,633 %	23707,7439 litre	O
470	CM	145	CM	82 LEVEL CM	7213,7013 litre	23,237 %	23830,7319 litre	O
470	CM	145	CM	81 LEVEL CM	7091,1668 litre	22,842 %	23953,2664 litre	O
470	CM	145	CM	80 LEVEL CM	6969,0947 litre	22,449 %	24075,3385 litre	O

470	CM	145	CM	79 LEVEL CM	6847,4940 litre	22,057 %	24196,9392 litre	O
470	CM	145	CM	78 LEVEL CM	6726,3738 litre	21,667 %	24318,0594 litre	O
470	CM	145	CM	77 LEVEL CM	6605,7434 litre	21,278 %	24438,6898 litre	O
470	CM	145	CM	76 LEVEL CM	6485,6122 litre	20,891 %	24558,8210 litre	O
470	CM	145	CM	75 LEVEL CM	6365,9895 litre	20,506 %	24678,4437 litre	O
470	CM	145	CM	74 LEVEL CM	6246,8850 litre	20,122 %	24797,5482 litre	O
470	CM	145	CM	73 LEVEL CM	6128,3084 litre	19,740 %	24916,1248 litre	O
470	CM	145	CM	72 LEVEL CM	6010,2696 litre	19,360 %	25034,1636 litre	O
470	CM	145	CM	71 LEVEL CM	5892,7784 litre	18,982 %	25151,6548 litre	O
470	CM	145	CM	70 LEVEL CM	5775,8452 litre	18,605 %	25268,5880 litre	O
470	CM	145	CM	69 LEVEL CM	5659,4800 litre	18,230 %	25384,9532 litre	O
470	CM	145	CM	68 LEVEL CM	5543,6934 litre	17,857 %	25500,7398 litre	O
470	CM	145	CM	67 LEVEL CM	5428,4959 litre	17,486 %	25615,9373 litre	O
470	CM	145	CM	66 LEVEL CM	5313,8982 litre	17,117 %	25730,5350 litre	O
470	CM	145	CM	65 LEVEL CM	5199,9114 litre	16,750 %	25844,5218 litre	O
470	CM	145	CM	64 LEVEL CM	5086,5463 litre	16,385 %	25957,8869 litre	O
470	CM	145	CM	63 LEVEL CM	4973,8144 litre	16,022 %	26070,6188 litre	O
470	CM	145	CM	62 LEVEL CM	4861,7270 litre	15,661 %	26182,7062 litre	O
470	CM	145	CM	61 LEVEL CM	4750,2959 litre	15,302 %	26294,1373 litre	O
470	CM	145	CM	60 LEVEL CM	4639,5328 litre	14,945 %	26404,9004 litre	O
470	CM	145	CM	59 LEVEL CM	4529,4499 litre	14,590 %	26514,9833 litre	O
470	CM	145	CM	58 LEVEL CM	4420,0595 litre	14,238 %	26624,3737 litre	O
470	CM	145	CM	57 LEVEL CM	4311,3741 litre	13,888 %	26733,0591 litre	O
470	CM	145	CM	56 LEVEL CM	4203,4066 litre	13,540 %	26841,0266 litre	O
470	CM	145	CM	55 LEVEL CM	4096,1698 litre	13,195 %	26948,2634 litre	O
470	CM	145	CM	54 LEVEL CM	3989,6773 litre	12,852 %	27054,7559 litre	O
470	CM	145	CM	53 LEVEL CM	3883,9425 litre	12,511 %	27160,4907 litre	O
470	CM	145	CM	52 LEVEL CM	3778,9793 litre	12,173 %	27265,4539 litre	O
470	CM	145	CM	51 LEVEL CM	3674,8020 litre	11,837 %	27369,6312 litre	O
470	CM	145	CM	50 LEVEL CM	3571,4251 litre	11,504 %	27473,0081 litre	O
470	CM	145	CM	49 LEVEL CM	3468,8634 litre	11,174 %	27575,5698 litre	O
470	CM	145	CM	48 LEVEL CM	3367,1321 litre	10,846 %	27677,3011 litre	O
470	CM	145	CM	47 LEVEL CM	3266,2468 litre	10,521 %	27778,1864 litre	O
470	CM	145	CM	46 LEVEL CM	3166,2236 litre	10,199 %	27878,2096 litre	O
470	CM	145	CM	45 LEVEL CM	3067,0788 litre	9,880 %	27977,3544 litre	O
470	CM	145	CM	44 LEVEL CM	2968,8293 litre	9,563 %	28075,6039 litre	O
470	CM	145	CM	43 LEVEL CM	2871,4924 litre	9,250 %	28172,9408 litre	O
470	CM	145	CM	42 LEVEL CM	2775,0858 litre	8,939 %	28269,3474 litre	O
470	CM	145	CM	41 LEVEL CM	2679,6280 litre	8,632 %	28364,8052 litre	O
470	CM	145	CM	40 LEVEL CM	2585,1378 litre	8,327 %	28459,2954 litre	O
470	CM	145	CM	39 LEVEL CM	2491,6346 litre	8,026 %	28552,7986 litre	O
470	CM	145	CM	38 LEVEL CM	2399,1386 litre	7,728 %	28645,2946 litre	O
470	CM	145	CM	37 LEVEL CM	2307,6704 litre	7,433 %	28736,7628 litre	O
470	CM	145	CM	36 LEVEL CM	2217,2516 litre	7,142 %	28827,1816 litre	O
470	CM	145	CM	35 LEVEL CM	2127,9043 litre	6,854 %	28916,5289 litre	O
470	CM	145	CM	34 LEVEL CM	2039,6516 litre	6,570 %	29004,7816 litre	O
470	CM	145	CM	33 LEVEL CM	1952,5174 litre	6,289 %	29091,9158 litre	O
470	CM	145	CM	32 LEVEL CM	1866,5265 litre	6,012 %	29177,9067 litre	O
470	CM	145	CM	31 LEVEL CM	1781,7046 litre	5,739 %	29262,7286 litre	O
470	CM	145	CM	30 LEVEL CM	1698,0788 litre	5,470 %	29346,3544 litre	O
470	CM	145	CM	29 LEVEL CM	1615,6771 litre	5,204 %	29428,7561 litre	O
470	CM	145	CM	28 LEVEL CM	1534,5288 litre	4,943 %	29509,9044 litre	O
470	CM	145	CM	27 LEVEL CM	1454,6647 litre	4,686 %	29589,7685 litre	O

470	CM	145	CM	26 LEVEL CM	1376,1170 litre	4,433 %	29668,3162 litre	O
470	CM	145	CM	25 LEVEL CM	1298,9197 litre	4,184 %	29745,5135 litre	O
470	CM	145	CM	24 LEVEL CM	1223,1084 litre	3,940 %	29821,3248 litre	O
470	CM	145	CM	23 LEVEL CM	1148,7207 litre	3,700 %	29895,7125 litre	O
470	CM	145	CM	22 LEVEL CM	1075,7967 litre	3,465 %	29968,6365 litre	O
470	CM	145	CM	21 LEVEL CM	1004,3787 litre	3,235 %	30040,0545 litre	O
470	CM	145	CM	20 LEVEL CM	934,5118 litre	3,010 %	30109,9214 litre	O
470	CM	145	CM	19 LEVEL CM	866,2441 litre	2,790 %	30178,1891 litre	O
470	CM	145	CM	18 LEVEL CM	799,6273 litre	2,576 %	30244,8059 litre	O
470	CM	145	CM	17 LEVEL CM	734,7171 litre	2,367 %	30309,7161 litre	O
470	CM	145	CM	16 LEVEL CM	671,5734 litre	2,163 %	30372,8598 litre	O
470	CM	145	CM	15 LEVEL CM	610,2616 litre	1,966 %	30434,1716 litre	O
470	CM	145	CM	14 LEVEL CM	550,8531 litre	1,774 %	30493,5801 litre	O
470	CM	145	CM	13 LEVEL CM	493,4262 litre	1,589 %	30551,0070 litre	O
470	CM	145	CM	12 LEVEL CM	438,0679 litre	1,411 %	30606,3653 litre	O
470	CM	145	CM	11 LEVEL CM	384,8752 litre	1,240 %	30659,5580 litre	O
470	CM	145	CM	10 LEVEL CM	333,9575 litre	1,076 %	30710,4757 litre	O
470	CM	145	CM	9 LEVEL CM	285,4395 litre	0,919 %	30758,9937 litre	O
470	CM	145	CM	8 LEVEL CM	239,4658 litre	0,771 %	30804,9674 litre	O
470	CM	145	CM	7 LEVEL CM	196,2061 litre	0,632 %	30848,2271 litre	O
470	CM	145	CM	6 LEVEL CM	155,8649 litre	0,502 %	30888,5683 litre	O
470	CM	145	CM	5 LEVEL CM	118,6947 litre	0,382 %	30925,7385 litre	O
470	CM	145	CM	4 LEVEL CM	85,0198 litre	0,274 %	30959,4134 litre	O
470	CM	145	CM	3 LEVEL CM	55,2796 litre	0,178 %	30989,1536 litre	O
470	CM	145	CM	2 LEVEL CM	30,1217 litre	0,097 %	31014,3115 litre	O
470	CM	145	CM	1 LEVEL CM	10,6607 litre	0,034 %	31033,7725 litre	O
470	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	31044,4332 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 140	CM 280 LEVEL CM	28940,3515 litre	100,000 %	0,0000 litre	O
470	CM 140	CM 279 LEVEL CM	28929,8766 litre	99,964 %	10,4749 litre	O
470	CM 140	CM 278 LEVEL CM	28910,7559 litre	99,898 %	29,5956 litre	O
470	CM 140	CM 277 LEVEL CM	28886,0394 litre	99,812 %	54,3121 litre	O
470	CM 140	CM 276 LEVEL CM	28856,8229 litre	99,711 %	83,5286 litre	O
470	CM 140	CM 275 LEVEL CM	28823,7430 litre	99,597 %	116,6085 litre	O
470	CM 140	CM 274 LEVEL CM	28787,2319 litre	99,471 %	153,1196 litre	O
470	CM 140	CM 273 LEVEL CM	28747,6086 litre	99,334 %	192,7429 litre	O
470	CM 140	CM 272 LEVEL CM	28705,1216 litre	99,187 %	235,2299 litre	O
470	CM 140	CM 271 LEVEL CM	28659,9718 litre	99,031 %	280,3797 litre	O
470	CM 140	CM 270 LEVEL CM	28612,3265 litre	98,867 %	328,0250 litre	O
470	CM 140	CM 269 LEVEL CM	28562,3280 litre	98,694 %	378,0235 litre	O
470	CM 140	CM 268 LEVEL CM	28510,0990 litre	98,513 %	430,2525 litre	O
470	CM 140	CM 267 LEVEL CM	28455,7473 litre	98,326 %	484,6042 litre	O
470	CM 140	CM 266 LEVEL CM	28399,3685 litre	98,131 %	540,9830 litre	O
470	CM 140	CM 265 LEVEL CM	28341,0481 litre	97,929 %	599,3034 litre	O
470	CM 140	CM 264 LEVEL CM	28280,8635 litre	97,721 %	659,4880 litre	O
470	CM 140	CM 263 LEVEL CM	28218,8850 litre	97,507 %	721,4665 litre	O
470	CM 140	CM 262 LEVEL CM	28155,1769 litre	97,287 %	785,1746 litre	O
470	CM 140	CM 261 LEVEL CM	28089,7984 litre	97,061 %	850,5531 litre	O
470	CM 140	CM 260 LEVEL CM	28022,8045 litre	96,830 %	917,5470 litre	O
470	CM 140	CM 259 LEVEL CM	27954,2461 litre	96,593 %	986,1054 litre	O
470	CM 140	CM 258 LEVEL CM	27884,1706 litre	96,350 %	1056,1809 litre	O
470	CM 140	CM 257 LEVEL CM	27812,6227 litre	96,103 %	1127,7288 litre	O
470	CM 140	CM 256 LEVEL CM	27739,6441 litre	95,851 %	1200,7074 litre	O
470	CM 140	CM 255 LEVEL CM	27665,2742 litre	95,594 %	1275,0773 litre	O
470	CM 140	CM 254 LEVEL CM	27589,5502 litre	95,332 %	1350,8013 litre	O
470	CM 140	CM 253 LEVEL CM	27512,5074 litre	95,066 %	1427,8441 litre	O
470	CM 140	CM 252 LEVEL CM	27434,1793 litre	94,796 %	1506,1722 litre	O
470	CM 140	CM 251 LEVEL CM	27354,5978 litre	94,521 %	1585,7537 litre	O
470	CM 140	CM 250 LEVEL CM	27273,7931 litre	94,241 %	1666,5584 litre	O
470	CM 140	CM 249 LEVEL CM	27191,7944 litre	93,958 %	1748,5571 litre	O
470	CM 140	CM 248 LEVEL CM	27108,6295 litre	93,671 %	1831,7220 litre	O
470	CM 140	CM 247 LEVEL CM	27024,3248 litre	93,379 %	1916,0267 litre	O
470	CM 140	CM 246 LEVEL CM	26938,9060 litre	93,084 %	2001,4455 litre	O
470	CM 140	CM 245 LEVEL CM	26852,3976 litre	92,785 %	2087,9539 litre	O
470	CM 140	CM 244 LEVEL CM	26764,8233 litre	92,483 %	2175,5282 litre	O
470	CM 140	CM 243 LEVEL CM	26676,2058 litre	92,177 %	2264,1457 litre	O
470	CM 140	CM 242 LEVEL CM	26586,5672 litre	91,867 %	2353,7843 litre	O
470	CM 140	CM 241 LEVEL CM	26495,9287 litre	91,554 %	2444,4228 litre	O
470	CM 140	CM 240 LEVEL CM	26404,3109 litre	91,237 %	2536,0406 litre	O
470	CM 140	CM 239 LEVEL CM	26311,7336 litre	90,917 %	2628,6179 litre	O
470	CM 140	CM 238 LEVEL CM	26218,2162 litre	90,594 %	2722,1353 litre	O
470	CM 140	CM 237 LEVEL CM	26123,7774 litre	90,268 %	2816,5741 litre	O
470	CM 140	CM 236 LEVEL CM	26028,4353 litre	89,938 %	2911,9162 litre	O
470	CM 140	CM 235 LEVEL CM	25932,2076 litre	89,606 %	3008,1439 litre	O
470	CM 140	CM 234 LEVEL CM	25835,1115 litre	89,270 %	3105,2400 litre	O
470	CM 140	CM 233 LEVEL CM	25737,1636 litre	88,932 %	3203,1879 litre	O
470	CM 140	CM 232 LEVEL CM	25638,3804 litre	88,590 %	3301,9711 litre	O
470	CM 140	CM 231 LEVEL CM	25538,7776 litre	88,246 %	3401,5739 litre	O
470	CM 140	CM 230 LEVEL CM	25438,3708 litre	87,899 %	3501,9807 litre	O
470	CM 140	CM 229 LEVEL CM	25337,1751 litre	87,550 %	3603,1764 litre	O

470	CM	140	CM	228 LEVEL CM	25235,2052 litre	87,197 %	3705,1463 litre	O
470	CM	140	CM	227 LEVEL CM	25132,4756 litre	86,842 %	3807,8759 litre	O
470	CM	140	CM	226 LEVEL CM	25029,0003 litre	86,485 %	3911,3512 litre	O
470	CM	140	CM	225 LEVEL CM	24924,7933 litre	86,125 %	4015,5582 litre	O
470	CM	140	CM	224 LEVEL CM	24819,8680 litre	85,762 %	4120,4835 litre	O
470	CM	140	CM	223 LEVEL CM	24714,2377 litre	85,397 %	4226,1138 litre	O
470	CM	140	CM	222 LEVEL CM	24607,9153 litre	85,030 %	4332,4362 litre	O
470	CM	140	CM	221 LEVEL CM	24500,9136 litre	84,660 %	4439,4379 litre	O
470	CM	140	CM	220 LEVEL CM	24393,2451 litre	84,288 %	4547,1064 litre	O
470	CM	140	CM	219 LEVEL CM	24284,9221 litre	83,914 %	4655,4294 litre	O
470	CM	140	CM	218 LEVEL CM	24175,9566 litre	83,537 %	4764,3949 litre	O
470	CM	140	CM	217 LEVEL CM	24066,3604 litre	83,158 %	4873,9911 litre	O
470	CM	140	CM	216 LEVEL CM	23956,1451 litre	82,778 %	4984,2064 litre	O
470	CM	140	CM	215 LEVEL CM	23845,3222 litre	82,395 %	5095,0293 litre	O
470	CM	140	CM	214 LEVEL CM	23733,9029 litre	82,010 %	5206,4486 litre	O
470	CM	140	CM	213 LEVEL CM	23621,8983 litre	81,623 %	5318,4532 litre	O
470	CM	140	CM	212 LEVEL CM	23509,3193 litre	81,234 %	5431,0322 litre	O
470	CM	140	CM	211 LEVEL CM	23396,1766 litre	80,843 %	5544,1749 litre	O
470	CM	140	CM	210 LEVEL CM	23282,4807 litre	80,450 %	5657,8708 litre	O
470	CM	140	CM	209 LEVEL CM	23168,2421 litre	80,055 %	5772,1094 litre	O
470	CM	140	CM	208 LEVEL CM	23053,4711 litre	79,659 %	5886,8804 litre	O
470	CM	140	CM	207 LEVEL CM	22938,1777 litre	79,260 %	6002,1738 litre	O
470	CM	140	CM	206 LEVEL CM	22822,3720 litre	78,860 %	6117,9795 litre	O
470	CM	140	CM	205 LEVEL CM	22706,0638 litre	78,458 %	6234,2877 litre	O
470	CM	140	CM	204 LEVEL CM	22589,2628 litre	78,055 %	6351,0887 litre	O
470	CM	140	CM	203 LEVEL CM	22471,9786 litre	77,649 %	6468,3729 litre	O
470	CM	140	CM	202 LEVEL CM	22354,2208 litre	77,242 %	6586,1307 litre	O
470	CM	140	CM	201 LEVEL CM	22235,9987 litre	76,834 %	6704,3528 litre	O
470	CM	140	CM	200 LEVEL CM	22117,3215 litre	76,424 %	6823,0300 litre	O
470	CM	140	CM	199 LEVEL CM	21998,1984 litre	76,012 %	6942,1531 litre	O
470	CM	140	CM	198 LEVEL CM	21878,6385 litre	75,599 %	7061,7130 litre	O
470	CM	140	CM	197 LEVEL CM	21758,6507 litre	75,184 %	7181,7008 litre	O
470	CM	140	CM	196 LEVEL CM	21638,2439 litre	74,768 %	7302,1076 litre	O
470	CM	140	CM	195 LEVEL CM	21517,4269 litre	74,351 %	7422,9246 litre	O
470	CM	140	CM	194 LEVEL CM	21396,2082 litre	73,932 %	7544,1433 litre	O
470	CM	140	CM	193 LEVEL CM	21274,5966 litre	73,512 %	7665,7549 litre	O
470	CM	140	CM	192 LEVEL CM	21152,6005 litre	73,090 %	7787,7510 litre	O
470	CM	140	CM	191 LEVEL CM	21030,2283 litre	72,667 %	7910,1232 litre	O
470	CM	140	CM	190 LEVEL CM	20907,4884 litre	72,243 %	8032,8631 litre	O
470	CM	140	CM	189 LEVEL CM	20784,3892 litre	71,818 %	8155,9623 litre	O
470	CM	140	CM	188 LEVEL CM	20660,9386 litre	71,391 %	8279,4129 litre	O
470	CM	140	CM	187 LEVEL CM	20537,1450 litre	70,964 %	8403,2065 litre	O
470	CM	140	CM	186 LEVEL CM	20413,0164 litre	70,535 %	8527,3351 litre	O
470	CM	140	CM	185 LEVEL CM	20288,5608 litre	70,105 %	8651,7907 litre	O
470	CM	140	CM	184 LEVEL CM	20163,7861 litre	69,674 %	8776,5654 litre	O
470	CM	140	CM	183 LEVEL CM	20038,7002 litre	69,241 %	8901,6513 litre	O
470	CM	140	CM	182 LEVEL CM	19913,3109 litre	68,808 %	9027,0406 litre	O
470	CM	140	CM	181 LEVEL CM	19787,6259 litre	68,374 %	9152,7256 litre	O
470	CM	140	CM	180 LEVEL CM	19661,6531 litre	67,939 %	9278,6984 litre	O
470	CM	140	CM	179 LEVEL CM	19535,4000 litre	67,502 %	9404,9515 litre	O
470	CM	140	CM	178 LEVEL CM	19408,8743 litre	67,065 %	9531,4772 litre	O
470	CM	140	CM	177 LEVEL CM	19282,0834 litre	66,627 %	9658,2681 litre	O
470	CM	140	CM	176 LEVEL CM	19155,0350 litre	66,188 %	9785,3165 litre	O

470	CM	140	CM	175 LEVEL CM	19027,7364 litre	65,748 %	9912,6151 litre	O
470	CM	140	CM	174 LEVEL CM	18900,1952 litre	65,307 %	10040,1563 litre	O
470	CM	140	CM	173 LEVEL CM	18772,4186 litre	64,866 %	10167,9329 litre	O
470	CM	140	CM	172 LEVEL CM	18644,4139 litre	64,424 %	10295,9376 litre	O
470	CM	140	CM	171 LEVEL CM	18516,1886 litre	63,981 %	10424,1629 litre	O
470	CM	140	CM	170 LEVEL CM	18387,7499 litre	63,537 %	10552,6016 litre	O
470	CM	140	CM	169 LEVEL CM	18259,1049 litre	63,092 %	10681,2466 litre	O
470	CM	140	CM	168 LEVEL CM	18130,2609 litre	62,647 %	10810,0906 litre	O
470	CM	140	CM	167 LEVEL CM	18001,2250 litre	62,201 %	10939,1265 litre	O
470	CM	140	CM	166 LEVEL CM	17872,0044 litre	61,755 %	11068,3471 litre	O
470	CM	140	CM	165 LEVEL CM	17742,6060 litre	61,308 %	11197,7455 litre	O
470	CM	140	CM	164 LEVEL CM	17613,0371 litre	60,860 %	11327,3144 litre	O
470	CM	140	CM	163 LEVEL CM	17483,3046 litre	60,412 %	11457,0469 litre	O
470	CM	140	CM	162 LEVEL CM	17353,4156 litre	59,963 %	11586,9359 litre	O
470	CM	140	CM	161 LEVEL CM	17223,3770 litre	59,513 %	11716,9745 litre	O
470	CM	140	CM	160 LEVEL CM	17093,1958 litre	59,064 %	11847,1557 litre	O
470	CM	140	CM	159 LEVEL CM	16962,8789 litre	58,613 %	11977,4726 litre	O
470	CM	140	CM	158 LEVEL CM	16832,4332 litre	58,163 %	12107,9183 litre	O
470	CM	140	CM	157 LEVEL CM	16701,8657 litre	57,711 %	12238,4858 litre	O
470	CM	140	CM	156 LEVEL CM	16571,1831 litre	57,260 %	12369,1684 litre	O
470	CM	140	CM	155 LEVEL CM	16440,3924 litre	56,808 %	12499,9591 litre	O
470	CM	140	CM	154 LEVEL CM	16309,5005 litre	56,356 %	12630,8510 litre	O
470	CM	140	CM	153 LEVEL CM	16178,5140 litre	55,903 %	12761,8375 litre	O
470	CM	140	CM	152 LEVEL CM	16047,4399 litre	55,450 %	12892,9116 litre	O
470	CM	140	CM	151 LEVEL CM	15916,2849 litre	54,997 %	13024,0666 litre	O
470	CM	140	CM	150 LEVEL CM	15785,0559 litre	54,543 %	13155,2956 litre	O
470	CM	140	CM	149 LEVEL CM	15653,7595 litre	54,090 %	13286,5920 litre	O
470	CM	140	CM	148 LEVEL CM	15522,4025 litre	53,636 %	13417,9490 litre	O
470	CM	140	CM	147 LEVEL CM	15390,9918 litre	53,182 %	13549,3597 litre	O
470	CM	140	CM	146 LEVEL CM	15259,5340 litre	52,728 %	13680,8175 litre	O
470	CM	140	CM	145 LEVEL CM	15128,0359 litre	52,273 %	13812,3156 litre	O
470	CM	140	CM	144 LEVEL CM	14996,5041 litre	51,819 %	13943,8474 litre	O
470	CM	140	CM	143 LEVEL CM	14864,9455 litre	51,364 %	14075,4060 litre	O
470	CM	140	CM	142 LEVEL CM	14733,3668 litre	50,909 %	14206,9847 litre	O
470	CM	140	CM	141 LEVEL CM	14601,7746 litre	50,455 %	14338,5769 litre	O
470	CM	140	CM	140 LEVEL CM	14470,1758 litre	50,000 %	14470,1757 litre	O
470	CM	140	CM	139 LEVEL CM	14338,5769 litre	49,545 %	14601,7746 litre	O
470	CM	140	CM	138 LEVEL CM	14206,9847 litre	49,091 %	14733,3668 litre	O
470	CM	140	CM	137 LEVEL CM	14075,4060 litre	48,636 %	14864,9455 litre	O
470	CM	140	CM	136 LEVEL CM	13943,8474 litre	48,181 %	14996,5041 litre	O
470	CM	140	CM	135 LEVEL CM	13812,3157 litre	47,727 %	15128,0358 litre	O
470	CM	140	CM	134 LEVEL CM	13680,8175 litre	47,272 %	15259,5340 litre	O
470	CM	140	CM	133 LEVEL CM	13549,3597 litre	46,818 %	15390,9918 litre	O
470	CM	140	CM	132 LEVEL CM	13417,9490 litre	46,364 %	15522,4025 litre	O
470	CM	140	CM	131 LEVEL CM	13286,5921 litre	45,910 %	15653,7594 litre	O
470	CM	140	CM	130 LEVEL CM	13155,2957 litre	45,457 %	15785,0558 litre	O
470	CM	140	CM	129 LEVEL CM	13024,0666 litre	45,003 %	15916,2849 litre	O
470	CM	140	CM	128 LEVEL CM	12892,9116 litre	44,550 %	16047,4399 litre	O
470	CM	140	CM	127 LEVEL CM	12761,8375 litre	44,097 %	16178,5140 litre	O
470	CM	140	CM	126 LEVEL CM	12630,8511 litre	43,644 %	16309,5004 litre	O
470	CM	140	CM	125 LEVEL CM	12499,9591 litre	43,192 %	16440,3924 litre	O
470	CM	140	CM	124 LEVEL CM	12369,1684 litre	42,740 %	16571,1831 litre	O
470	CM	140	CM	123 LEVEL CM	12238,4859 litre	42,289 %	16701,8656 litre	O

470	CM	140	CM	122 LEVEL CM	12107,9183 litre	41,837 %	16832,4332 litre	O
470	CM	140	CM	121 LEVEL CM	11977,4727 litre	41,387 %	16962,8788 litre	O
470	CM	140	CM	120 LEVEL CM	11847,1558 litre	40,936 %	17093,1957 litre	O
470	CM	140	CM	119 LEVEL CM	11716,9745 litre	40,487 %	17223,3770 litre	O
470	CM	140	CM	118 LEVEL CM	11586,9359 litre	40,037 %	17353,4156 litre	O
470	CM	140	CM	117 LEVEL CM	11457,0469 litre	39,588 %	17483,3046 litre	O
470	CM	140	CM	116 LEVEL CM	11327,3144 litre	39,140 %	17613,0371 litre	O
470	CM	140	CM	115 LEVEL CM	11197,7455 litre	38,692 %	17742,6060 litre	O
470	CM	140	CM	114 LEVEL CM	11068,3472 litre	38,245 %	17872,0043 litre	O
470	CM	140	CM	113 LEVEL CM	10939,1265 litre	37,799 %	18001,2250 litre	O
470	CM	140	CM	112 LEVEL CM	10810,0906 litre	37,353 %	18130,2609 litre	O
470	CM	140	CM	111 LEVEL CM	10681,2466 litre	36,908 %	18259,1049 litre	O
470	CM	140	CM	110 LEVEL CM	10552,6016 litre	36,463 %	18387,7499 litre	O
470	CM	140	CM	109 LEVEL CM	10424,1629 litre	36,019 %	18516,1886 litre	O
470	CM	140	CM	108 LEVEL CM	10295,9376 litre	35,576 %	18644,4139 litre	O
470	CM	140	CM	107 LEVEL CM	10167,9330 litre	35,134 %	18772,4185 litre	O
470	CM	140	CM	106 LEVEL CM	10040,1564 litre	34,693 %	18900,1951 litre	O
470	CM	140	CM	105 LEVEL CM	9912,6151 litre	34,252 %	19027,7364 litre	O
470	CM	140	CM	104 LEVEL CM	9785,3165 litre	33,812 %	19155,0350 litre	O
470	CM	140	CM	103 LEVEL CM	9658,2681 litre	33,373 %	19282,0834 litre	O
470	CM	140	CM	102 LEVEL CM	9531,4772 litre	32,935 %	19408,8743 litre	O
470	CM	140	CM	101 LEVEL CM	9404,9515 litre	32,498 %	19535,4000 litre	O
470	CM	140	CM	100 LEVEL CM	9278,6984 litre	32,061 %	19661,6531 litre	O
470	CM	140	CM	99 LEVEL CM	9152,7256 litre	31,626 %	19787,6259 litre	O
470	CM	140	CM	98 LEVEL CM	9027,0407 litre	31,192 %	19913,3108 litre	O
470	CM	140	CM	97 LEVEL CM	8901,6514 litre	30,759 %	20038,7001 litre	O
470	CM	140	CM	96 LEVEL CM	8776,5654 litre	30,326 %	20163,7861 litre	O
470	CM	140	CM	95 LEVEL CM	8651,7907 litre	29,895 %	20288,5608 litre	O
470	CM	140	CM	94 LEVEL CM	8527,3351 litre	29,465 %	20413,0164 litre	O
470	CM	140	CM	93 LEVEL CM	8403,2065 litre	29,036 %	20537,1450 litre	O
470	CM	140	CM	92 LEVEL CM	8279,4129 litre	28,609 %	20660,9386 litre	O
470	CM	140	CM	91 LEVEL CM	8155,9624 litre	28,182 %	20784,3891 litre	O
470	CM	140	CM	90 LEVEL CM	8032,8631 litre	27,757 %	20907,4884 litre	O
470	CM	140	CM	89 LEVEL CM	7910,1232 litre	27,333 %	21030,2283 litre	O
470	CM	140	CM	88 LEVEL CM	7787,7511 litre	26,910 %	21152,6004 litre	O
470	CM	140	CM	87 LEVEL CM	7665,7549 litre	26,488 %	21274,5966 litre	O
470	CM	140	CM	86 LEVEL CM	7544,1433 litre	26,068 %	21396,2082 litre	O
470	CM	140	CM	85 LEVEL CM	7422,9247 litre	25,649 %	21517,4268 litre	O
470	CM	140	CM	84 LEVEL CM	7302,1076 litre	25,232 %	21638,2439 litre	O
470	CM	140	CM	83 LEVEL CM	7181,7008 litre	24,816 %	21758,6507 litre	O
470	CM	140	CM	82 LEVEL CM	7061,7130 litre	24,401 %	21878,6385 litre	O
470	CM	140	CM	81 LEVEL CM	6942,1531 litre	23,988 %	21998,1984 litre	O
470	CM	140	CM	80 LEVEL CM	6823,0300 litre	23,576 %	22117,3215 litre	O
470	CM	140	CM	79 LEVEL CM	6704,3528 litre	23,166 %	22235,9987 litre	O
470	CM	140	CM	78 LEVEL CM	6586,1307 litre	22,758 %	22354,2208 litre	O
470	CM	140	CM	77 LEVEL CM	6468,3729 litre	22,351 %	22471,9786 litre	O
470	CM	140	CM	76 LEVEL CM	6351,0887 litre	21,945 %	22589,2628 litre	O
470	CM	140	CM	75 LEVEL CM	6234,2878 litre	21,542 %	22706,0637 litre	O
470	CM	140	CM	74 LEVEL CM	6117,9795 litre	21,140 %	22822,3720 litre	O
470	CM	140	CM	73 LEVEL CM	6002,1738 litre	20,740 %	22938,1777 litre	O
470	CM	140	CM	72 LEVEL CM	5886,8805 litre	20,341 %	23053,4710 litre	O
470	CM	140	CM	71 LEVEL CM	5772,1094 litre	19,945 %	23168,2421 litre	O
470	CM	140	CM	70 LEVEL CM	5657,8708 litre	19,550 %	23282,4807 litre	O

470	CM	140	CM	69 LEVEL CM	5544,1750 litre	19,157 %	23396,1765 litre	O
470	CM	140	CM	68 LEVEL CM	5431,0322 litre	18,766 %	23509,3193 litre	O
470	CM	140	CM	67 LEVEL CM	5318,4532 litre	18,377 %	23621,8983 litre	O
470	CM	140	CM	66 LEVEL CM	5206,4486 litre	17,990 %	23733,9029 litre	O
470	CM	140	CM	65 LEVEL CM	5095,0293 litre	17,605 %	23845,3222 litre	O
470	CM	140	CM	64 LEVEL CM	4984,2064 litre	17,222 %	23956,1451 litre	O
470	CM	140	CM	63 LEVEL CM	4873,9912 litre	16,842 %	24066,3603 litre	O
470	CM	140	CM	62 LEVEL CM	4764,3949 litre	16,463 %	24175,9566 litre	O
470	CM	140	CM	61 LEVEL CM	4655,4294 litre	16,086 %	24284,9221 litre	O
470	CM	140	CM	60 LEVEL CM	4547,1064 litre	15,712 %	24393,2451 litre	O
470	CM	140	CM	59 LEVEL CM	4439,4379 litre	15,340 %	24500,9136 litre	O
470	CM	140	CM	58 LEVEL CM	4332,4362 litre	14,970 %	24607,9153 litre	O
470	CM	140	CM	57 LEVEL CM	4226,1139 litre	14,603 %	24714,2376 litre	O
470	CM	140	CM	56 LEVEL CM	4120,4835 litre	14,238 %	24819,8680 litre	O
470	CM	140	CM	55 LEVEL CM	4015,5582 litre	13,875 %	24924,7933 litre	O
470	CM	140	CM	54 LEVEL CM	3911,3512 litre	13,515 %	25029,0003 litre	O
470	CM	140	CM	53 LEVEL CM	3807,8760 litre	13,158 %	25132,4755 litre	O
470	CM	140	CM	52 LEVEL CM	3705,1463 litre	12,803 %	25235,2052 litre	O
470	CM	140	CM	51 LEVEL CM	3603,1764 litre	12,450 %	25337,1751 litre	O
470	CM	140	CM	50 LEVEL CM	3501,9807 litre	12,101 %	25438,3708 litre	O
470	CM	140	CM	49 LEVEL CM	3401,5739 litre	11,754 %	25538,7776 litre	O
470	CM	140	CM	48 LEVEL CM	3301,9711 litre	11,410 %	25638,3804 litre	O
470	CM	140	CM	47 LEVEL CM	3203,1879 litre	11,068 %	25737,1636 litre	O
470	CM	140	CM	46 LEVEL CM	3105,2401 litre	10,730 %	25835,1114 litre	O
470	CM	140	CM	45 LEVEL CM	3008,1439 litre	10,394 %	25932,2076 litre	O
470	CM	140	CM	44 LEVEL CM	2911,9163 litre	10,062 %	26028,4352 litre	O
470	CM	140	CM	43 LEVEL CM	2816,5742 litre	9,732 %	26123,7773 litre	O
470	CM	140	CM	42 LEVEL CM	2722,1353 litre	9,406 %	26218,2162 litre	O
470	CM	140	CM	41 LEVEL CM	2628,6179 litre	9,083 %	26311,7336 litre	O
470	CM	140	CM	40 LEVEL CM	2536,0406 litre	8,763 %	26404,3109 litre	O
470	CM	140	CM	39 LEVEL CM	2444,4228 litre	8,446 %	26495,9287 litre	O
470	CM	140	CM	38 LEVEL CM	2353,7843 litre	8,133 %	26586,5672 litre	O
470	CM	140	CM	37 LEVEL CM	2264,1457 litre	7,823 %	26676,2058 litre	O
470	CM	140	CM	36 LEVEL CM	2175,5283 litre	7,517 %	26764,8232 litre	O
470	CM	140	CM	35 LEVEL CM	2087,9539 litre	7,215 %	26852,3976 litre	O
470	CM	140	CM	34 LEVEL CM	2001,4456 litre	6,916 %	26938,9059 litre	O
470	CM	140	CM	33 LEVEL CM	1916,0267 litre	6,621 %	27024,3248 litre	O
470	CM	140	CM	32 LEVEL CM	1831,7221 litre	6,329 %	27108,6294 litre	O
470	CM	140	CM	31 LEVEL CM	1748,5571 litre	6,042 %	27191,7944 litre	O
470	CM	140	CM	30 LEVEL CM	1666,5584 litre	5,759 %	27273,7931 litre	O
470	CM	140	CM	29 LEVEL CM	1585,7538 litre	5,479 %	27354,5977 litre	O
470	CM	140	CM	28 LEVEL CM	1506,1722 litre	5,204 %	27434,1793 litre	O
470	CM	140	CM	27 LEVEL CM	1427,8441 litre	4,934 %	27512,5074 litre	O
470	CM	140	CM	26 LEVEL CM	1350,8014 litre	4,668 %	27589,5501 litre	O
470	CM	140	CM	25 LEVEL CM	1275,0774 litre	4,406 %	27665,2741 litre	O
470	CM	140	CM	24 LEVEL CM	1200,7075 litre	4,149 %	27739,6440 litre	O
470	CM	140	CM	23 LEVEL CM	1127,7288 litre	3,897 %	27812,6227 litre	O
470	CM	140	CM	22 LEVEL CM	1056,1809 litre	3,650 %	27884,1706 litre	O
470	CM	140	CM	21 LEVEL CM	986,1054 litre	3,407 %	27954,2461 litre	O
470	CM	140	CM	20 LEVEL CM	917,5470 litre	3,170 %	28022,8045 litre	O
470	CM	140	CM	19 LEVEL CM	850,5531 litre	2,939 %	28089,7984 litre	O
470	CM	140	CM	18 LEVEL CM	785,1747 litre	2,713 %	28155,1768 litre	O
470	CM	140	CM	17 LEVEL CM	721,4666 litre	2,493 %	28218,8849 litre	O

470	CM	140	CM	16 LEVEL CM	659,4880 litre	2,279 %	28280,8635 litre	O
470	CM	140	CM	15 LEVEL CM	599,3034 litre	2,071 %	28341,0481 litre	O
470	CM	140	CM	14 LEVEL CM	540,9831 litre	1,869 %	28399,3684 litre	O
470	CM	140	CM	13 LEVEL CM	484,6042 litre	1,674 %	28455,7473 litre	O
470	CM	140	CM	12 LEVEL CM	430,2526 litre	1,487 %	28510,0989 litre	O
470	CM	140	CM	11 LEVEL CM	378,0236 litre	1,306 %	28562,3279 litre	O
470	CM	140	CM	10 LEVEL CM	328,0250 litre	1,133 %	28612,3265 litre	O
470	CM	140	CM	9 LEVEL CM	280,3797 litre	0,969 %	28659,9718 litre	O
470	CM	140	CM	8 LEVEL CM	235,2300 litre	0,813 %	28705,1215 litre	O
470	CM	140	CM	7 LEVEL CM	192,7429 litre	0,666 %	28747,6086 litre	O
470	CM	140	CM	6 LEVEL CM	153,1196 litre	0,529 %	28787,2319 litre	O
470	CM	140	CM	5 LEVEL CM	116,6085 litre	0,403 %	28823,7430 litre	O
470	CM	140	CM	4 LEVEL CM	83,5287 litre	0,289 %	28856,8228 litre	O
470	CM	140	CM	3 LEVEL CM	54,3121 litre	0,188 %	28886,0394 litre	O
470	CM	140	CM	2 LEVEL CM	29,5956 litre	0,102 %	28910,7559 litre	O
470	CM	140	CM	1 LEVEL CM	10,4749 litre	0,036 %	28929,8766 litre	O
470	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	28940,3515 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 135	CM 270 LEVEL CM	26910,0973 litre	100,000 %	0,0000 litre	O
470	CM 135	CM 269 LEVEL CM	26899,8115 litre	99,962 %	10,2858 litre	O
470	CM 135	CM 268 LEVEL CM	26881,0372 litre	99,892 %	29,0601 litre	O
470	CM 135	CM 267 LEVEL CM	26856,7702 litre	99,802 %	53,3271 litre	O
470	CM 135	CM 266 LEVEL CM	26828,0869 litre	99,695 %	82,0104 litre	O
470	CM 135	CM 265 LEVEL CM	26795,6130 litre	99,575 %	114,4843 litre	O
470	CM 135	CM 264 LEVEL CM	26759,7731 litre	99,441 %	150,3242 litre	O
470	CM 135	CM 263 LEVEL CM	26720,8810 litre	99,297 %	189,2163 litre	O
470	CM 135	CM 262 LEVEL CM	26679,1808 litre	99,142 %	230,9165 litre	O
470	CM 135	CM 261 LEVEL CM	26634,8703 litre	98,977 %	275,2270 litre	O
470	CM 135	CM 260 LEVEL CM	26588,1141 litre	98,803 %	321,9832 litre	O
470	CM 135	CM 259 LEVEL CM	26539,0519 litre	98,621 %	371,0454 litre	O
470	CM 135	CM 258 LEVEL CM	26487,8047 litre	98,431 %	422,2926 litre	O
470	CM 135	CM 257 LEVEL CM	26434,4787 litre	98,233 %	475,6186 litre	O
470	CM 135	CM 256 LEVEL CM	26379,1677 litre	98,027 %	530,9296 litre	O
470	CM 135	CM 255 LEVEL CM	26321,9563 litre	97,814 %	588,1410 litre	O
470	CM 135	CM 254 LEVEL CM	26262,9203 litre	97,595 %	647,1770 litre	O
470	CM 135	CM 253 LEVEL CM	26202,1292 litre	97,369 %	707,9681 litre	O
470	CM 135	CM 252 LEVEL CM	26139,6464 litre	97,137 %	770,4509 litre	O
470	CM 135	CM 251 LEVEL CM	26075,5302 litre	96,899 %	834,5671 litre	O
470	CM 135	CM 250 LEVEL CM	26009,8348 litre	96,655 %	900,2625 litre	O
470	CM 135	CM 249 LEVEL CM	25942,6103 litre	96,405 %	967,4870 litre	O
470	CM 135	CM 248 LEVEL CM	25873,9037 litre	96,149 %	1036,1936 litre	O
470	CM 135	CM 247 LEVEL CM	25803,7588 litre	95,889 %	1106,3385 litre	O
470	CM 135	CM 246 LEVEL CM	25732,2169 litre	95,623 %	1177,8804 litre	O
470	CM 135	CM 245 LEVEL CM	25659,3169 litre	95,352 %	1250,7804 litre	O
470	CM 135	CM 244 LEVEL CM	25585,0955 litre	95,076 %	1325,0018 litre	O
470	CM 135	CM 243 LEVEL CM	25509,5876 litre	94,796 %	1400,5097 litre	O
470	CM 135	CM 242 LEVEL CM	25432,8263 litre	94,510 %	1477,2710 litre	O
470	CM 135	CM 241 LEVEL CM	25354,8429 litre	94,221 %	1555,2544 litre	O
470	CM 135	CM 240 LEVEL CM	25275,6676 litre	93,926 %	1634,4297 litre	O
470	CM 135	CM 239 LEVEL CM	25195,3290 litre	93,628 %	1714,7683 litre	O
470	CM 135	CM 238 LEVEL CM	25113,8545 litre	93,325 %	1796,2428 litre	O
470	CM 135	CM 237 LEVEL CM	25031,2706 litre	93,018 %	1878,8267 litre	O
470	CM 135	CM 236 LEVEL CM	24947,6023 litre	92,707 %	1962,4950 litre	O
470	CM 135	CM 235 LEVEL CM	24862,8742 litre	92,392 %	2047,2231 litre	O
470	CM 135	CM 234 LEVEL CM	24777,1094 litre	92,074 %	2132,9879 litre	O
470	CM 135	CM 233 LEVEL CM	24690,3307 litre	91,751 %	2219,7666 litre	O
470	CM 135	CM 232 LEVEL CM	24602,5598 litre	91,425 %	2307,5375 litre	O
470	CM 135	CM 231 LEVEL CM	24513,8177 litre	91,095 %	2396,2796 litre	O
470	CM 135	CM 230 LEVEL CM	24424,1249 litre	90,762 %	2485,9724 litre	O
470	CM 135	CM 229 LEVEL CM	24333,5009 litre	90,425 %	2576,5964 litre	O
470	CM 135	CM 228 LEVEL CM	24241,9651 litre	90,085 %	2668,1322 litre	O
470	CM 135	CM 227 LEVEL CM	24149,5358 litre	89,742 %	2760,5615 litre	O
470	CM 135	CM 226 LEVEL CM	24056,2312 litre	89,395 %	2853,8661 litre	O
470	CM 135	CM 225 LEVEL CM	23962,0687 litre	89,045 %	2948,0286 litre	O
470	CM 135	CM 224 LEVEL CM	23867,0654 litre	88,692 %	3043,0319 litre	O
470	CM 135	CM 223 LEVEL CM	23771,2380 litre	88,336 %	3138,8593 litre	O
470	CM 135	CM 222 LEVEL CM	23674,6025 litre	87,977 %	3235,4948 litre	O
470	CM 135	CM 221 LEVEL CM	23577,1747 litre	87,615 %	3332,9226 litre	O
470	CM 135	CM 220 LEVEL CM	23478,9701 litre	87,250 %	3431,1272 litre	O
470	CM 135	CM 219 LEVEL CM	23380,0036 litre	86,882 %	3530,0937 litre	O

470	CM	135	CM	218 LEVEL CM	23280,2899 litre	86,511 %	3629,8074 litre	O
470	CM	135	CM	217 LEVEL CM	23179,8435 litre	86,138 %	3730,2538 litre	O
470	CM	135	CM	216 LEVEL CM	23078,6783 litre	85,762 %	3831,4190 litre	O
470	CM	135	CM	215 LEVEL CM	22976,8080 litre	85,384 %	3933,2893 litre	O
470	CM	135	CM	214 LEVEL CM	22874,2462 litre	85,002 %	4035,8511 litre	O
470	CM	135	CM	213 LEVEL CM	22771,0060 litre	84,619 %	4139,0913 litre	O
470	CM	135	CM	212 LEVEL CM	22667,1004 litre	84,233 %	4242,9969 litre	O
470	CM	135	CM	211 LEVEL CM	22562,5420 litre	83,844 %	4347,5553 litre	O
470	CM	135	CM	210 LEVEL CM	22457,3434 litre	83,453 %	4452,7539 litre	O
470	CM	135	CM	209 LEVEL CM	22351,5166 litre	83,060 %	4558,5807 litre	O
470	CM	135	CM	208 LEVEL CM	22245,0738 litre	82,664 %	4665,0235 litre	O
470	CM	135	CM	207 LEVEL CM	22138,0266 litre	82,267 %	4772,0707 litre	O
470	CM	135	CM	206 LEVEL CM	22030,3869 litre	81,867 %	4879,7104 litre	O
470	CM	135	CM	205 LEVEL CM	21922,1658 litre	81,464 %	4987,9315 litre	O
470	CM	135	CM	204 LEVEL CM	21813,3747 litre	81,060 %	5096,7226 litre	O
470	CM	135	CM	203 LEVEL CM	21704,0246 litre	80,654 %	5206,0727 litre	O
470	CM	135	CM	202 LEVEL CM	21594,1265 litre	80,245 %	5315,9708 litre	O
470	CM	135	CM	201 LEVEL CM	21483,6909 litre	79,835 %	5426,4064 litre	O
470	CM	135	CM	200 LEVEL CM	21372,7285 litre	79,423 %	5537,3688 litre	O
470	CM	135	CM	199 LEVEL CM	21261,2498 litre	79,008 %	5648,8475 litre	O
470	CM	135	CM	198 LEVEL CM	21149,2649 litre	78,592 %	5760,8324 litre	O
470	CM	135	CM	197 LEVEL CM	21036,7839 litre	78,174 %	5873,3134 litre	O
470	CM	135	CM	196 LEVEL CM	20923,8170 litre	77,755 %	5986,2803 litre	O
470	CM	135	CM	195 LEVEL CM	20810,3740 litre	77,333 %	6099,7233 litre	O
470	CM	135	CM	194 LEVEL CM	20696,4646 litre	76,910 %	6213,6327 litre	O
470	CM	135	CM	193 LEVEL CM	20582,0984 litre	76,485 %	6327,9989 litre	O
470	CM	135	CM	192 LEVEL CM	20467,2850 litre	76,058 %	6442,8123 litre	O
470	CM	135	CM	191 LEVEL CM	20352,0338 litre	75,630 %	6558,0635 litre	O
470	CM	135	CM	190 LEVEL CM	20236,3540 litre	75,200 %	6673,7433 litre	O
470	CM	135	CM	189 LEVEL CM	20120,2549 litre	74,768 %	6789,8424 litre	O
470	CM	135	CM	188 LEVEL CM	20003,7455 litre	74,335 %	6906,3518 litre	O
470	CM	135	CM	187 LEVEL CM	19886,8348 litre	73,901 %	7023,2625 litre	O
470	CM	135	CM	186 LEVEL CM	19769,5318 litre	73,465 %	7140,5655 litre	O
470	CM	135	CM	185 LEVEL CM	19651,8453 litre	73,028 %	7258,2520 litre	O
470	CM	135	CM	184 LEVEL CM	19533,7839 litre	72,589 %	7376,3134 litre	O
470	CM	135	CM	183 LEVEL CM	19415,3564 litre	72,149 %	7494,7409 litre	O
470	CM	135	CM	182 LEVEL CM	19296,5713 litre	71,708 %	7613,5260 litre	O
470	CM	135	CM	181 LEVEL CM	19177,4371 litre	71,265 %	7732,6602 litre	O
470	CM	135	CM	180 LEVEL CM	19057,9622 litre	70,821 %	7852,1351 litre	O
470	CM	135	CM	179 LEVEL CM	18938,1549 litre	70,376 %	7971,9424 litre	O
470	CM	135	CM	178 LEVEL CM	18818,0236 litre	69,929 %	8092,0737 litre	O
470	CM	135	CM	177 LEVEL CM	18697,5764 litre	69,482 %	8212,5209 litre	O
470	CM	135	CM	176 LEVEL CM	18576,8215 litre	69,033 %	8333,2758 litre	O
470	CM	135	CM	175 LEVEL CM	18455,7669 litre	68,583 %	8454,3304 litre	O
470	CM	135	CM	174 LEVEL CM	18334,4208 litre	68,132 %	8575,6765 litre	O
470	CM	135	CM	173 LEVEL CM	18212,7909 litre	67,680 %	8697,3064 litre	O
470	CM	135	CM	172 LEVEL CM	18090,8854 litre	67,227 %	8819,2119 litre	O
470	CM	135	CM	171 LEVEL CM	17968,7119 litre	66,773 %	8941,3854 litre	O
470	CM	135	CM	170 LEVEL CM	17846,2784 litre	66,318 %	9063,8189 litre	O
470	CM	135	CM	169 LEVEL CM	17723,5925 litre	65,862 %	9186,5048 litre	O
470	CM	135	CM	168 LEVEL CM	17600,6620 litre	65,405 %	9309,4353 litre	O
470	CM	135	CM	167 LEVEL CM	17477,4945 litre	64,948 %	9432,6028 litre	O
470	CM	135	CM	166 LEVEL CM	17354,0976 litre	64,489 %	9555,9997 litre	O

470	CM	135	CM	165 LEVEL CM	17230,4790 litre	64,030 %	9679,6183 litre	O
470	CM	135	CM	164 LEVEL CM	17106,6461 litre	63,570 %	9803,4512 litre	O
470	CM	135	CM	163 LEVEL CM	16982,6065 litre	63,109 %	9927,4908 litre	O
470	CM	135	CM	162 LEVEL CM	16858,3676 litre	62,647 %	10051,7297 litre	O
470	CM	135	CM	161 LEVEL CM	16733,9368 litre	62,185 %	10176,1605 litre	O
470	CM	135	CM	160 LEVEL CM	16609,3215 litre	61,722 %	10300,7758 litre	O
470	CM	135	CM	159 LEVEL CM	16484,5290 litre	61,258 %	10425,5683 litre	O
470	CM	135	CM	158 LEVEL CM	16359,5668 litre	60,793 %	10550,5305 litre	O
470	CM	135	CM	157 LEVEL CM	16234,4420 litre	60,328 %	10675,6553 litre	O
470	CM	135	CM	156 LEVEL CM	16109,1620 litre	59,863 %	10800,9353 litre	O
470	CM	135	CM	155 LEVEL CM	15983,7339 litre	59,397 %	10926,3634 litre	O
470	CM	135	CM	154 LEVEL CM	15858,1650 litre	58,930 %	11051,9323 litre	O
470	CM	135	CM	153 LEVEL CM	15732,4625 litre	58,463 %	11177,6348 litre	O
470	CM	135	CM	152 LEVEL CM	15606,6335 litre	57,995 %	11303,4638 litre	O
470	CM	135	CM	151 LEVEL CM	15480,6852 litre	57,527 %	11429,4121 litre	O
470	CM	135	CM	150 LEVEL CM	15354,6247 litre	57,059 %	11555,4726 litre	O
470	CM	135	CM	149 LEVEL CM	15228,4591 litre	56,590 %	11681,6382 litre	O
470	CM	135	CM	148 LEVEL CM	15102,1955 litre	56,121 %	11807,9018 litre	O
470	CM	135	CM	147 LEVEL CM	14975,8409 litre	55,651 %	11934,2564 litre	O
470	CM	135	CM	146 LEVEL CM	14849,4025 litre	55,182 %	12060,6948 litre	O
470	CM	135	CM	145 LEVEL CM	14722,8872 litre	54,711 %	12187,2101 litre	O
470	CM	135	CM	144 LEVEL CM	14596,3021 litre	54,241 %	12313,7952 litre	O
470	CM	135	CM	143 LEVEL CM	14469,6542 litre	53,770 %	12440,4431 litre	O
470	CM	135	CM	142 LEVEL CM	14342,9504 litre	53,300 %	12567,1469 litre	O
470	CM	135	CM	141 LEVEL CM	14216,1979 litre	52,828 %	12693,8994 litre	O
470	CM	135	CM	140 LEVEL CM	14089,4035 litre	52,357 %	12820,6938 litre	O
470	CM	135	CM	139 LEVEL CM	13962,5744 litre	51,886 %	12947,5229 litre	O
470	CM	135	CM	138 LEVEL CM	13835,7173 litre	51,415 %	13074,3800 litre	O
470	CM	135	CM	137 LEVEL CM	13708,8394 litre	50,943 %	13201,2579 litre	O
470	CM	135	CM	136 LEVEL CM	13581,9475 litre	50,472 %	13328,1498 litre	O
470	CM	135	CM	135 LEVEL CM	13455,0486 litre	50,000 %	13455,0487 litre	O
470	CM	135	CM	134 LEVEL CM	13328,1498 litre	49,528 %	13581,9475 litre	O
470	CM	135	CM	133 LEVEL CM	13201,2579 litre	49,057 %	13708,8394 litre	O
470	CM	135	CM	132 LEVEL CM	13074,3800 litre	48,585 %	13835,7173 litre	O
470	CM	135	CM	131 LEVEL CM	12947,5229 litre	48,114 %	13962,5744 litre	O
470	CM	135	CM	130 LEVEL CM	12820,6937 litre	47,643 %	14089,4036 litre	O
470	CM	135	CM	129 LEVEL CM	12693,8994 litre	47,172 %	14216,1979 litre	O
470	CM	135	CM	128 LEVEL CM	12567,1468 litre	46,700 %	14342,9505 litre	O
470	CM	135	CM	127 LEVEL CM	12440,4431 litre	46,230 %	14469,6542 litre	O
470	CM	135	CM	126 LEVEL CM	12313,7952 litre	45,759 %	14596,3021 litre	O
470	CM	135	CM	125 LEVEL CM	12187,2101 litre	45,289 %	14722,8872 litre	O
470	CM	135	CM	124 LEVEL CM	12060,6948 litre	44,818 %	14849,4025 litre	O
470	CM	135	CM	123 LEVEL CM	11934,2564 litre	44,349 %	14975,8409 litre	O
470	CM	135	CM	122 LEVEL CM	11807,9018 litre	43,879 %	15102,1955 litre	O
470	CM	135	CM	121 LEVEL CM	11681,6382 litre	43,410 %	15228,4591 litre	O
470	CM	135	CM	120 LEVEL CM	11555,4726 litre	42,941 %	15354,6247 litre	O
470	CM	135	CM	119 LEVEL CM	11429,4121 litre	42,473 %	15480,6852 litre	O
470	CM	135	CM	118 LEVEL CM	11303,4638 litre	42,005 %	15606,6335 litre	O
470	CM	135	CM	117 LEVEL CM	11177,6348 litre	41,537 %	15732,4625 litre	O
470	CM	135	CM	116 LEVEL CM	11051,9323 litre	41,070 %	15858,1650 litre	O
470	CM	135	CM	115 LEVEL CM	10926,3634 litre	40,603 %	15983,7339 litre	O
470	CM	135	CM	114 LEVEL CM	10800,9353 litre	40,137 %	16109,1620 litre	O
470	CM	135	CM	113 LEVEL CM	10675,6553 litre	39,672 %	16234,4420 litre	O

470	CM	135	CM	112 LEVEL CM	10550,5305 litre	39,207 %	16359,5668 litre	O
470	CM	135	CM	111 LEVEL CM	10425,5682 litre	38,742 %	16484,5291 litre	O
470	CM	135	CM	110 LEVEL CM	10300,7758 litre	38,278 %	16609,3215 litre	O
470	CM	135	CM	109 LEVEL CM	10176,1605 litre	37,815 %	16733,9368 litre	O
470	CM	135	CM	108 LEVEL CM	10051,7297 litre	37,353 %	16858,3676 litre	O
470	CM	135	CM	107 LEVEL CM	9927,4908 litre	36,891 %	16982,6065 litre	O
470	CM	135	CM	106 LEVEL CM	9803,4511 litre	36,430 %	17106,6462 litre	O
470	CM	135	CM	105 LEVEL CM	9679,6183 litre	35,970 %	17230,4790 litre	O
470	CM	135	CM	104 LEVEL CM	9555,9996 litre	35,511 %	17354,0977 litre	O
470	CM	135	CM	103 LEVEL CM	9432,6028 litre	35,052 %	17477,4945 litre	O
470	CM	135	CM	102 LEVEL CM	9309,4353 litre	34,595 %	17600,6620 litre	O
470	CM	135	CM	101 LEVEL CM	9186,5048 litre	34,138 %	17723,5925 litre	O
470	CM	135	CM	100 LEVEL CM	9063,8189 litre	33,682 %	17846,2784 litre	O
470	CM	135	CM	99 LEVEL CM	8941,3854 litre	33,227 %	17968,7119 litre	O
470	CM	135	CM	98 LEVEL CM	8819,2119 litre	32,773 %	18090,8854 litre	O
470	CM	135	CM	97 LEVEL CM	8697,3063 litre	32,320 %	18212,7910 litre	O
470	CM	135	CM	96 LEVEL CM	8575,6765 litre	31,868 %	18334,4208 litre	O
470	CM	135	CM	95 LEVEL CM	8454,3303 litre	31,417 %	18455,7670 litre	O
470	CM	135	CM	94 LEVEL CM	8333,2758 litre	30,967 %	18576,8215 litre	O
470	CM	135	CM	93 LEVEL CM	8212,5209 litre	30,518 %	18697,5764 litre	O
470	CM	135	CM	92 LEVEL CM	8092,0737 litre	30,071 %	18818,0236 litre	O
470	CM	135	CM	91 LEVEL CM	7971,9424 litre	29,624 %	18938,1549 litre	O
470	CM	135	CM	90 LEVEL CM	7852,1351 litre	29,179 %	19057,9622 litre	O
470	CM	135	CM	89 LEVEL CM	7732,6602 litre	28,735 %	19177,4371 litre	O
470	CM	135	CM	88 LEVEL CM	7613,5260 litre	28,292 %	19296,5713 litre	O
470	CM	135	CM	87 LEVEL CM	7494,7409 litre	27,851 %	19415,3564 litre	O
470	CM	135	CM	86 LEVEL CM	7376,3133 litre	27,411 %	19533,7840 litre	O
470	CM	135	CM	85 LEVEL CM	7258,2520 litre	26,972 %	19651,8453 litre	O
470	CM	135	CM	84 LEVEL CM	7140,5654 litre	26,535 %	19769,5319 litre	O
470	CM	135	CM	83 LEVEL CM	7023,2624 litre	26,099 %	19886,8349 litre	O
470	CM	135	CM	82 LEVEL CM	6906,3518 litre	25,665 %	20003,7455 litre	O
470	CM	135	CM	81 LEVEL CM	6789,8424 litre	25,232 %	20120,2549 litre	O
470	CM	135	CM	80 LEVEL CM	6673,7433 litre	24,800 %	20236,3540 litre	O
470	CM	135	CM	79 LEVEL CM	6558,0635 litre	24,370 %	20352,0338 litre	O
470	CM	135	CM	78 LEVEL CM	6442,8122 litre	23,942 %	20467,2851 litre	O
470	CM	135	CM	77 LEVEL CM	6327,9988 litre	23,515 %	20582,0985 litre	O
470	CM	135	CM	76 LEVEL CM	6213,6327 litre	23,090 %	20696,4646 litre	O
470	CM	135	CM	75 LEVEL CM	6099,7233 litre	22,667 %	20810,3740 litre	O
470	CM	135	CM	74 LEVEL CM	5986,2802 litre	22,245 %	20923,8171 litre	O
470	CM	135	CM	73 LEVEL CM	5873,3133 litre	21,826 %	21036,7840 litre	O
470	CM	135	CM	72 LEVEL CM	5760,8324 litre	21,408 %	21149,2649 litre	O
470	CM	135	CM	71 LEVEL CM	5648,8475 litre	20,992 %	21261,2498 litre	O
470	CM	135	CM	70 LEVEL CM	5537,3687 litre	20,577 %	21372,7286 litre	O
470	CM	135	CM	69 LEVEL CM	5426,4064 litre	20,165 %	21483,6909 litre	O
470	CM	135	CM	68 LEVEL CM	5315,9708 litre	19,755 %	21594,1265 litre	O
470	CM	135	CM	67 LEVEL CM	5206,0726 litre	19,346 %	21704,0247 litre	O
470	CM	135	CM	66 LEVEL CM	5096,7225 litre	18,940 %	21813,3748 litre	O
470	CM	135	CM	65 LEVEL CM	4987,9315 litre	18,536 %	21922,1658 litre	O
470	CM	135	CM	64 LEVEL CM	4879,7104 litre	18,133 %	22030,3869 litre	O
470	CM	135	CM	63 LEVEL CM	4772,0706 litre	17,733 %	22138,0267 litre	O
470	CM	135	CM	62 LEVEL CM	4665,0235 litre	17,336 %	22245,0738 litre	O
470	CM	135	CM	61 LEVEL CM	4558,5807 litre	16,940 %	22351,5166 litre	O
470	CM	135	CM	60 LEVEL CM	4452,7539 litre	16,547 %	22457,3434 litre	O

470	CM	135	CM	59 LEVEL CM	4347,5552 litre	16,156 %	22562,5421 litre	O
470	CM	135	CM	58 LEVEL CM	4242,9969 litre	15,767 %	22667,1004 litre	O
470	CM	135	CM	57 LEVEL CM	4139,0912 litre	15,381 %	22771,0061 litre	O
470	CM	135	CM	56 LEVEL CM	4035,8511 litre	14,998 %	22874,2462 litre	O
470	CM	135	CM	55 LEVEL CM	3933,2893 litre	14,616 %	22976,8080 litre	O
470	CM	135	CM	54 LEVEL CM	3831,4190 litre	14,238 %	23078,6783 litre	O
470	CM	135	CM	53 LEVEL CM	3730,2538 litre	13,862 %	23179,8435 litre	O
470	CM	135	CM	52 LEVEL CM	3629,8073 litre	13,489 %	23280,2900 litre	O
470	CM	135	CM	51 LEVEL CM	3530,0937 litre	13,118 %	23380,0036 litre	O
470	CM	135	CM	50 LEVEL CM	3431,1272 litre	12,750 %	23478,9701 litre	O
470	CM	135	CM	49 LEVEL CM	3332,9226 litre	12,385 %	23577,1747 litre	O
470	CM	135	CM	48 LEVEL CM	3235,4948 litre	12,023 %	23674,6025 litre	O
470	CM	135	CM	47 LEVEL CM	3138,8593 litre	11,664 %	23771,2380 litre	O
470	CM	135	CM	46 LEVEL CM	3043,0318 litre	11,308 %	23867,0655 litre	O
470	CM	135	CM	45 LEVEL CM	2948,0286 litre	10,955 %	23962,0687 litre	O
470	CM	135	CM	44 LEVEL CM	2853,8661 litre	10,605 %	24056,2312 litre	O
470	CM	135	CM	43 LEVEL CM	2760,5615 litre	10,258 %	24149,5358 litre	O
470	CM	135	CM	42 LEVEL CM	2668,1322 litre	9,915 %	24241,9651 litre	O
470	CM	135	CM	41 LEVEL CM	2576,5963 litre	9,575 %	24333,5010 litre	O
470	CM	135	CM	40 LEVEL CM	2485,9724 litre	9,238 %	24424,1249 litre	O
470	CM	135	CM	39 LEVEL CM	2396,2795 litre	8,905 %	24513,8178 litre	O
470	CM	135	CM	38 LEVEL CM	2307,5375 litre	8,575 %	24602,5598 litre	O
470	CM	135	CM	37 LEVEL CM	2219,7665 litre	8,249 %	24690,3308 litre	O
470	CM	135	CM	36 LEVEL CM	2132,9878 litre	7,926 %	24777,1095 litre	O
470	CM	135	CM	35 LEVEL CM	2047,2231 litre	7,608 %	24862,8742 litre	O
470	CM	135	CM	34 LEVEL CM	1962,4949 litre	7,293 %	24947,6024 litre	O
470	CM	135	CM	33 LEVEL CM	1878,8267 litre	6,982 %	25031,2706 litre	O
470	CM	135	CM	32 LEVEL CM	1796,2427 litre	6,675 %	25113,8546 litre	O
470	CM	135	CM	31 LEVEL CM	1714,7683 litre	6,372 %	25195,3290 litre	O
470	CM	135	CM	30 LEVEL CM	1634,4297 litre	6,074 %	25275,6676 litre	O
470	CM	135	CM	29 LEVEL CM	1555,2543 litre	5,779 %	25354,8430 litre	O
470	CM	135	CM	28 LEVEL CM	1477,2710 litre	5,490 %	25432,8263 litre	O
470	CM	135	CM	27 LEVEL CM	1400,5096 litre	5,204 %	25509,5877 litre	O
470	CM	135	CM	26 LEVEL CM	1325,0017 litre	4,924 %	25585,0956 litre	O
470	CM	135	CM	25 LEVEL CM	1250,7804 litre	4,648 %	25659,3169 litre	O
470	CM	135	CM	24 LEVEL CM	1177,8804 litre	4,377 %	25732,2169 litre	O
470	CM	135	CM	23 LEVEL CM	1106,3385 litre	4,111 %	25803,7588 litre	O
470	CM	135	CM	22 LEVEL CM	1036,1936 litre	3,851 %	25873,9037 litre	O
470	CM	135	CM	21 LEVEL CM	967,4869 litre	3,595 %	25942,6104 litre	O
470	CM	135	CM	20 LEVEL CM	900,2625 litre	3,345 %	26009,8348 litre	O
470	CM	135	CM	19 LEVEL CM	834,5670 litre	3,101 %	26075,5303 litre	O
470	CM	135	CM	18 LEVEL CM	770,4509 litre	2,863 %	26139,6464 litre	O
470	CM	135	CM	17 LEVEL CM	707,9680 litre	2,631 %	26202,1293 litre	O
470	CM	135	CM	16 LEVEL CM	647,1769 litre	2,405 %	26262,9204 litre	O
470	CM	135	CM	15 LEVEL CM	588,1410 litre	2,186 %	26321,9563 litre	O
470	CM	135	CM	14 LEVEL CM	530,9295 litre	1,973 %	26379,1678 litre	O
470	CM	135	CM	13 LEVEL CM	475,6186 litre	1,767 %	26434,4787 litre	O
470	CM	135	CM	12 LEVEL CM	422,2925 litre	1,569 %	26487,8048 litre	O
470	CM	135	CM	11 LEVEL CM	371,0454 litre	1,379 %	26539,0519 litre	O
470	CM	135	CM	10 LEVEL CM	321,9832 litre	1,197 %	26588,1141 litre	O
470	CM	135	CM	9 LEVEL CM	275,2270 litre	1,023 %	26634,8703 litre	O
470	CM	135	CM	8 LEVEL CM	230,9165 litre	0,858 %	26679,1808 litre	O
470	CM	135	CM	7 LEVEL CM	189,2163 litre	0,703 %	26720,8810 litre	O

470	CM	135	CM	6 LEVEL CM	150,3241 litre	0,559 %	26759,7732 litre	O
470	CM	135	CM	5 LEVEL CM	114,4843 litre	0,425 %	26795,6130 litre	O
470	CM	135	CM	4 LEVEL CM	82,0104 litre	0,305 %	26828,0869 litre	O
470	CM	135	CM	3 LEVEL CM	53,3270 litre	0,198 %	26856,7703 litre	O
470	CM	135	CM	2 LEVEL CM	29,0600 litre	0,108 %	26881,0373 litre	O
470	CM	135	CM	1 LEVEL CM	10,2857 litre	0,038 %	26899,8116 litre	O
470	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	26910,0973 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 130	CM 260 LEVEL CM	24953,6704 litre	100,000 %	0,0000 litre	O
470	CM 130	CM 259 LEVEL CM	24943,5774 litre	99,960 %	10,0930 litre	O
470	CM 130	CM 258 LEVEL CM	24925,1561 litre	99,886 %	28,5143 litre	O
470	CM 130	CM 257 LEVEL CM	24901,3470 litre	99,790 %	52,3234 litre	O
470	CM 130	CM 256 LEVEL CM	24873,2070 litre	99,678 %	80,4634 litre	O
470	CM 130	CM 255 LEVEL CM	24841,3505 litre	99,550 %	112,3199 litre	O
470	CM 130	CM 254 LEVEL CM	24806,1948 litre	99,409 %	147,4756 litre	O
470	CM 130	CM 253 LEVEL CM	24768,0477 litre	99,256 %	185,6227 litre	O
470	CM 130	CM 252 LEVEL CM	24727,1496 litre	99,092 %	226,5208 litre	O
470	CM 130	CM 251 LEVEL CM	24683,6946 litre	98,918 %	269,9758 litre	O
470	CM 130	CM 250 LEVEL CM	24637,8446 litre	98,734 %	315,8258 litre	O
470	CM 130	CM 249 LEVEL CM	24589,7370 litre	98,542 %	363,9334 litre	O
470	CM 130	CM 248 LEVEL CM	24539,4909 litre	98,340 %	414,1795 litre	O
470	CM 130	CM 247 LEVEL CM	24487,2106 litre	98,131 %	466,4598 litre	O
470	CM 130	CM 246 LEVEL CM	24432,9886 litre	97,913 %	520,6818 litre	O
470	CM 130	CM 245 LEVEL CM	24376,9079 litre	97,689 %	576,7625 litre	O
470	CM 130	CM 244 LEVEL CM	24319,0434 litre	97,457 %	634,6270 litre	O
470	CM 130	CM 243 LEVEL CM	24259,4634 litre	97,218 %	694,2070 litre	O
470	CM 130	CM 242 LEVEL CM	24198,2304 litre	96,973 %	755,4400 litre	O
470	CM 130	CM 241 LEVEL CM	24135,4019 litre	96,721 %	818,2685 litre	O
470	CM 130	CM 240 LEVEL CM	24071,0311 litre	96,463 %	882,6393 litre	O
470	CM 130	CM 239 LEVEL CM	24005,1676 litre	96,199 %	948,5028 litre	O
470	CM 130	CM 238 LEVEL CM	23937,8576 litre	95,929 %	1015,8128 litre	O
470	CM 130	CM 237 LEVEL CM	23869,1444 litre	95,654 %	1084,5260 litre	O
470	CM 130	CM 236 LEVEL CM	23799,0686 litre	95,373 %	1154,6018 litre	O
470	CM 130	CM 235 LEVEL CM	23727,6688 litre	95,087 %	1226,0016 litre	O
470	CM 130	CM 234 LEVEL CM	23654,9811 litre	94,796 %	1298,6893 litre	O
470	CM 130	CM 233 LEVEL CM	23581,0400 litre	94,499 %	1372,6304 litre	O
470	CM 130	CM 232 LEVEL CM	23505,8780 litre	94,198 %	1447,7924 litre	O
470	CM 130	CM 231 LEVEL CM	23429,5263 litre	93,892 %	1524,1441 litre	O
470	CM 130	CM 230 LEVEL CM	23352,0145 litre	93,581 %	1601,6559 litre	O
470	CM 130	CM 229 LEVEL CM	23273,3710 litre	93,266 %	1680,2994 litre	O
470	CM 130	CM 228 LEVEL CM	23193,6229 litre	92,947 %	1760,0475 litre	O
470	CM 130	CM 227 LEVEL CM	23112,7963 litre	92,623 %	1840,8741 litre	O
470	CM 130	CM 226 LEVEL CM	23030,9160 litre	92,295 %	1922,7544 litre	O
470	CM 130	CM 225 LEVEL CM	22948,0063 litre	91,962 %	2005,6641 litre	O
470	CM 130	CM 224 LEVEL CM	22864,0902 litre	91,626 %	2089,5802 litre	O
470	CM 130	CM 223 LEVEL CM	22779,1900 litre	91,286 %	2174,4804 litre	O
470	CM 130	CM 222 LEVEL CM	22693,3274 litre	90,942 %	2260,3430 litre	O
470	CM 130	CM 221 LEVEL CM	22606,5232 litre	90,594 %	2347,1472 litre	O
470	CM 130	CM 220 LEVEL CM	22518,7975 litre	90,242 %	2434,8729 litre	O
470	CM 130	CM 219 LEVEL CM	22430,1699 litre	89,887 %	2523,5005 litre	O
470	CM 130	CM 218 LEVEL CM	22340,6595 litre	89,529 %	2613,0109 litre	O
470	CM 130	CM 217 LEVEL CM	22250,2844 litre	89,166 %	2703,3860 litre	O
470	CM 130	CM 216 LEVEL CM	22159,0628 litre	88,801 %	2794,6076 litre	O
470	CM 130	CM 215 LEVEL CM	22067,0119 litre	88,432 %	2886,6585 litre	O
470	CM 130	CM 214 LEVEL CM	21974,1486 litre	88,060 %	2979,5218 litre	O
470	CM 130	CM 213 LEVEL CM	21880,4894 litre	87,684 %	3073,1810 litre	O
470	CM 130	CM 212 LEVEL CM	21786,0505 litre	87,306 %	3167,6199 litre	O
470	CM 130	CM 211 LEVEL CM	21690,8474 litre	86,924 %	3262,8230 litre	O
470	CM 130	CM 210 LEVEL CM	21594,8955 litre	86,540 %	3358,7749 litre	O
470	CM 130	CM 209 LEVEL CM	21498,2097 litre	86,152 %	3455,4607 litre	O

470	CM	130	CM	208 LEVEL CM	21400,8045 litre	85,762 %	3552,8659 litre	O
470	CM	130	CM	207 LEVEL CM	21302,6944 litre	85,369 %	3650,9760 litre	O
470	CM	130	CM	206 LEVEL CM	21203,8932 litre	84,973 %	3749,7772 litre	O
470	CM	130	CM	205 LEVEL CM	21104,4146 litre	84,574 %	3849,2558 litre	O
470	CM	130	CM	204 LEVEL CM	21004,2720 litre	84,173 %	3949,3984 litre	O
470	CM	130	CM	203 LEVEL CM	20903,4787 litre	83,769 %	4050,1917 litre	O
470	CM	130	CM	202 LEVEL CM	20802,0474 litre	83,363 %	4151,6230 litre	O
470	CM	130	CM	201 LEVEL CM	20699,9908 litre	82,954 %	4253,6796 litre	O
470	CM	130	CM	200 LEVEL CM	20597,3213 litre	82,542 %	4356,3491 litre	O
470	CM	130	CM	199 LEVEL CM	20494,0511 litre	82,128 %	4459,6193 litre	O
470	CM	130	CM	198 LEVEL CM	20390,1922 litre	81,712 %	4563,4782 litre	O
470	CM	130	CM	197 LEVEL CM	20285,7564 litre	81,294 %	4667,9140 litre	O
470	CM	130	CM	196 LEVEL CM	20180,7553 litre	80,873 %	4772,9151 litre	O
470	CM	130	CM	195 LEVEL CM	20075,2002 litre	80,450 %	4878,4702 litre	O
470	CM	130	CM	194 LEVEL CM	19969,1024 litre	80,025 %	4984,5680 litre	O
470	CM	130	CM	193 LEVEL CM	19862,4729 litre	79,597 %	5091,1975 litre	O
470	CM	130	CM	192 LEVEL CM	19755,3226 litre	79,168 %	5198,3478 litre	O
470	CM	130	CM	191 LEVEL CM	19647,6623 litre	78,737 %	5306,0081 litre	O
470	CM	130	CM	190 LEVEL CM	19539,5024 litre	78,303 %	5414,1680 litre	O
470	CM	130	CM	189 LEVEL CM	19430,8536 litre	77,868 %	5522,8168 litre	O
470	CM	130	CM	188 LEVEL CM	19321,7259 litre	77,430 %	5631,9445 litre	O
470	CM	130	CM	187 LEVEL CM	19212,1296 litre	76,991 %	5741,5408 litre	O
470	CM	130	CM	186 LEVEL CM	19102,0747 litre	76,550 %	5851,5957 litre	O
470	CM	130	CM	185 LEVEL CM	18991,5711 litre	76,107 %	5962,0993 litre	O
470	CM	130	CM	184 LEVEL CM	18880,6286 litre	75,663 %	6073,0418 litre	O
470	CM	130	CM	183 LEVEL CM	18769,2569 litre	75,216 %	6184,4135 litre	O
470	CM	130	CM	182 LEVEL CM	18657,4654 litre	74,768 %	6296,2050 litre	O
470	CM	130	CM	181 LEVEL CM	18545,2637 litre	74,319 %	6408,4067 litre	O
470	CM	130	CM	180 LEVEL CM	18432,6611 litre	73,868 %	6521,0093 litre	O
470	CM	130	CM	179 LEVEL CM	18319,6668 litre	73,415 %	6634,0036 litre	O
470	CM	130	CM	178 LEVEL CM	18206,2899 litre	72,960 %	6747,3805 litre	O
470	CM	130	CM	177 LEVEL CM	18092,5396 litre	72,505 %	6861,1308 litre	O
470	CM	130	CM	176 LEVEL CM	17978,4248 litre	72,047 %	6975,2456 litre	O
470	CM	130	CM	175 LEVEL CM	17863,9544 litre	71,588 %	7089,7160 litre	O
470	CM	130	CM	174 LEVEL CM	17749,1371 litre	71,128 %	7204,5333 litre	O
470	CM	130	CM	173 LEVEL CM	17633,9817 litre	70,667 %	7319,6887 litre	O
470	CM	130	CM	172 LEVEL CM	17518,4968 litre	70,204 %	7435,1736 litre	O
470	CM	130	CM	171 LEVEL CM	17402,6911 litre	69,740 %	7550,9793 litre	O
470	CM	130	CM	170 LEVEL CM	17286,5729 litre	69,275 %	7667,0975 litre	O
470	CM	130	CM	169 LEVEL CM	17170,1507 litre	68,808 %	7783,5197 litre	O
470	CM	130	CM	168 LEVEL CM	17053,4329 litre	68,340 %	7900,2375 litre	O
470	CM	130	CM	167 LEVEL CM	16936,4278 litre	67,871 %	8017,2426 litre	O
470	CM	130	CM	166 LEVEL CM	16819,1436 litre	67,401 %	8134,5268 litre	O
470	CM	130	CM	165 LEVEL CM	16701,5885 litre	66,930 %	8252,0819 litre	O
470	CM	130	CM	164 LEVEL CM	16583,7706 litre	66,458 %	8369,8998 litre	O
470	CM	130	CM	163 LEVEL CM	16465,6980 litre	65,985 %	8487,9724 litre	O
470	CM	130	CM	162 LEVEL CM	16347,3787 litre	65,511 %	8606,2917 litre	O
470	CM	130	CM	161 LEVEL CM	16228,8206 litre	65,036 %	8724,8498 litre	O
470	CM	130	CM	160 LEVEL CM	16110,0318 litre	64,560 %	8843,6386 litre	O
470	CM	130	CM	159 LEVEL CM	15991,0200 litre	64,083 %	8962,6504 litre	O
470	CM	130	CM	158 LEVEL CM	15871,7930 litre	63,605 %	9081,8774 litre	O
470	CM	130	CM	157 LEVEL CM	15752,3588 litre	63,126 %	9201,3116 litre	O
470	CM	130	CM	156 LEVEL CM	15632,7250 litre	62,647 %	9320,9454 litre	O

470	CM	130	CM	155 LEVEL CM	15512,8992 litre	62,167 %	9440,7712 litre	O
470	CM	130	CM	154 LEVEL CM	15392,8893 litre	61,686 %	9560,7811 litre	O
470	CM	130	CM	153 LEVEL CM	15272,7028 litre	61,204 %	9680,9676 litre	O
470	CM	130	CM	152 LEVEL CM	15152,3473 litre	60,722 %	9801,3231 litre	O
470	CM	130	CM	151 LEVEL CM	15031,8304 litre	60,239 %	9921,8400 litre	O
470	CM	130	CM	150 LEVEL CM	14911,1597 litre	59,755 %	10042,5107 litre	O
470	CM	130	CM	149 LEVEL CM	14790,3426 litre	59,271 %	10163,3278 litre	O
470	CM	130	CM	148 LEVEL CM	14669,3866 litre	58,786 %	10284,2838 litre	O
470	CM	130	CM	147 LEVEL CM	14548,2991 litre	58,301 %	10405,3713 litre	O
470	CM	130	CM	146 LEVEL CM	14427,0877 litre	57,815 %	10526,5827 litre	O
470	CM	130	CM	145 LEVEL CM	14305,7598 litre	57,329 %	10647,9106 litre	O
470	CM	130	CM	144 LEVEL CM	14184,3226 litre	56,843 %	10769,3478 litre	O
470	CM	130	CM	143 LEVEL CM	14062,7836 litre	56,356 %	10890,8868 litre	O
470	CM	130	CM	142 LEVEL CM	13941,1501 litre	55,868 %	11012,5203 litre	O
470	CM	130	CM	141 LEVEL CM	13819,4295 litre	55,380 %	11134,2409 litre	O
470	CM	130	CM	140 LEVEL CM	13697,6290 litre	54,892 %	11256,0414 litre	O
470	CM	130	CM	139 LEVEL CM	13575,7561 litre	54,404 %	11377,9143 litre	O
470	CM	130	CM	138 LEVEL CM	13453,8178 litre	53,915 %	11499,8526 litre	O
470	CM	130	CM	137 LEVEL CM	13331,8217 litre	53,426 %	11621,8487 litre	O
470	CM	130	CM	136 LEVEL CM	13209,7748 litre	52,937 %	11743,8956 litre	O
470	CM	130	CM	135 LEVEL CM	13087,6845 litre	52,448 %	11865,9859 litre	O
470	CM	130	CM	134 LEVEL CM	12965,5581 litre	51,959 %	11988,1123 litre	O
470	CM	130	CM	133 LEVEL CM	12843,4027 litre	51,469 %	12110,2677 litre	O
470	CM	130	CM	132 LEVEL CM	12721,2256 litre	50,979 %	12232,4448 litre	O
470	CM	130	CM	131 LEVEL CM	12599,0340 litre	50,490 %	12354,6364 litre	O
470	CM	130	CM	130 LEVEL CM	12476,8352 litre	50,000 %	12476,8352 litre	O
470	CM	130	CM	129 LEVEL CM	12354,6364 litre	49,510 %	12599,0340 litre	O
470	CM	130	CM	128 LEVEL CM	12232,4449 litre	49,021 %	12721,2255 litre	O
470	CM	130	CM	127 LEVEL CM	12110,2678 litre	48,531 %	12843,4026 litre	O
470	CM	130	CM	126 LEVEL CM	11988,1124 litre	48,041 %	12965,5580 litre	O
470	CM	130	CM	125 LEVEL CM	11865,9859 litre	47,552 %	13087,6845 litre	O
470	CM	130	CM	124 LEVEL CM	11743,8956 litre	47,063 %	13209,7748 litre	O
470	CM	130	CM	123 LEVEL CM	11621,8488 litre	46,574 %	13331,8216 litre	O
470	CM	130	CM	122 LEVEL CM	11499,8526 litre	46,085 %	13453,8178 litre	O
470	CM	130	CM	121 LEVEL CM	11377,9144 litre	45,596 %	13575,7560 litre	O
470	CM	130	CM	120 LEVEL CM	11256,0414 litre	45,108 %	13697,6290 litre	O
470	CM	130	CM	119 LEVEL CM	11134,2410 litre	44,620 %	13819,4294 litre	O
470	CM	130	CM	118 LEVEL CM	11012,5204 litre	44,132 %	13941,1500 litre	O
470	CM	130	CM	117 LEVEL CM	10890,8869 litre	43,644 %	14062,7835 litre	O
470	CM	130	CM	116 LEVEL CM	10769,3479 litre	43,157 %	14184,3225 litre	O
470	CM	130	CM	115 LEVEL CM	10647,9107 litre	42,671 %	14305,7597 litre	O
470	CM	130	CM	114 LEVEL CM	10526,5827 litre	42,185 %	14427,0877 litre	O
470	CM	130	CM	113 LEVEL CM	10405,3713 litre	41,699 %	14548,2991 litre	O
470	CM	130	CM	112 LEVEL CM	10284,2839 litre	41,214 %	14669,3865 litre	O
470	CM	130	CM	111 LEVEL CM	10163,3279 litre	40,729 %	14790,3425 litre	O
470	CM	130	CM	110 LEVEL CM	10042,5108 litre	40,245 %	14911,1596 litre	O
470	CM	130	CM	109 LEVEL CM	9921,8400 litre	39,761 %	15031,8304 litre	O
470	CM	130	CM	108 LEVEL CM	9801,3231 litre	39,278 %	15152,3473 litre	O
470	CM	130	CM	107 LEVEL CM	9680,9676 litre	38,796 %	15272,7028 litre	O
470	CM	130	CM	106 LEVEL CM	9560,7811 litre	38,314 %	15392,8893 litre	O
470	CM	130	CM	105 LEVEL CM	9440,7712 litre	37,833 %	15512,8992 litre	O
470	CM	130	CM	104 LEVEL CM	9320,9455 litre	37,353 %	15632,7249 litre	O
470	CM	130	CM	103 LEVEL CM	9201,3117 litre	36,874 %	15752,3587 litre	O

470	CM	130	CM	102 LEVEL CM	9081,8774 litre	36,395 %	15871,7930 litre	O
470	CM	130	CM	101 LEVEL CM	8962,6505 litre	35,917 %	15991,0199 litre	O
470	CM	130	CM	100 LEVEL CM	8843,6387 litre	35,440 %	16110,0317 litre	O
470	CM	130	CM	99 LEVEL CM	8724,8498 litre	34,964 %	16228,8206 litre	O
470	CM	130	CM	98 LEVEL CM	8606,2918 litre	34,489 %	16347,3786 litre	O
470	CM	130	CM	97 LEVEL CM	8487,9725 litre	34,015 %	16465,6979 litre	O
470	CM	130	CM	96 LEVEL CM	8369,8999 litre	33,542 %	16583,7705 litre	O
470	CM	130	CM	95 LEVEL CM	8252,0820 litre	33,070 %	16701,5884 litre	O
470	CM	130	CM	94 LEVEL CM	8134,5269 litre	32,599 %	16819,1435 litre	O
470	CM	130	CM	93 LEVEL CM	8017,2427 litre	32,129 %	16936,4277 litre	O
470	CM	130	CM	92 LEVEL CM	7900,2375 litre	31,660 %	17053,4329 litre	O
470	CM	130	CM	91 LEVEL CM	7783,5197 litre	31,192 %	17170,1507 litre	O
470	CM	130	CM	90 LEVEL CM	7667,0976 litre	30,725 %	17286,5728 litre	O
470	CM	130	CM	89 LEVEL CM	7550,9794 litre	30,260 %	17402,6910 litre	O
470	CM	130	CM	88 LEVEL CM	7435,1736 litre	29,796 %	17518,4968 litre	O
470	CM	130	CM	87 LEVEL CM	7319,6887 litre	29,333 %	17633,9817 litre	O
470	CM	130	CM	86 LEVEL CM	7204,5333 litre	28,872 %	17749,1371 litre	O
470	CM	130	CM	85 LEVEL CM	7089,7161 litre	28,412 %	17863,9543 litre	O
470	CM	130	CM	84 LEVEL CM	6975,2456 litre	27,953 %	17978,4248 litre	O
470	CM	130	CM	83 LEVEL CM	6861,1308 litre	27,495 %	18092,5396 litre	O
470	CM	130	CM	82 LEVEL CM	6747,3805 litre	27,040 %	18206,2899 litre	O
470	CM	130	CM	81 LEVEL CM	6634,0037 litre	26,585 %	18319,6667 litre	O
470	CM	130	CM	80 LEVEL CM	6521,0094 litre	26,132 %	18432,6610 litre	O
470	CM	130	CM	79 LEVEL CM	6408,4067 litre	25,681 %	18545,2637 litre	O
470	CM	130	CM	78 LEVEL CM	6296,2050 litre	25,232 %	18657,4654 litre	O
470	CM	130	CM	77 LEVEL CM	6184,4136 litre	24,784 %	18769,2568 litre	O
470	CM	130	CM	76 LEVEL CM	6073,0418 litre	24,337 %	18880,6286 litre	O
470	CM	130	CM	75 LEVEL CM	5962,0993 litre	23,893 %	18991,5711 litre	O
470	CM	130	CM	74 LEVEL CM	5851,5957 litre	23,450 %	19102,0747 litre	O
470	CM	130	CM	73 LEVEL CM	5741,5408 litre	23,009 %	19212,1296 litre	O
470	CM	130	CM	72 LEVEL CM	5631,9446 litre	22,570 %	19321,7258 litre	O
470	CM	130	CM	71 LEVEL CM	5522,8169 litre	22,132 %	19430,8535 litre	O
470	CM	130	CM	70 LEVEL CM	5414,1680 litre	21,697 %	19539,5024 litre	O
470	CM	130	CM	69 LEVEL CM	5306,0082 litre	21,263 %	19647,6622 litre	O
470	CM	130	CM	68 LEVEL CM	5198,3478 litre	20,832 %	19755,3226 litre	O
470	CM	130	CM	67 LEVEL CM	5091,1976 litre	20,403 %	19862,4728 litre	O
470	CM	130	CM	66 LEVEL CM	4984,5681 litre	19,975 %	19969,1023 litre	O
470	CM	130	CM	65 LEVEL CM	4878,4703 litre	19,550 %	20075,2001 litre	O
470	CM	130	CM	64 LEVEL CM	4772,9152 litre	19,127 %	20180,7552 litre	O
470	CM	130	CM	63 LEVEL CM	4667,9140 litre	18,706 %	20285,7564 litre	O
470	CM	130	CM	62 LEVEL CM	4563,4782 litre	18,288 %	20390,1922 litre	O
470	CM	130	CM	61 LEVEL CM	4459,6194 litre	17,872 %	20494,0510 litre	O
470	CM	130	CM	60 LEVEL CM	4356,3492 litre	17,458 %	20597,3212 litre	O
470	CM	130	CM	59 LEVEL CM	4253,6797 litre	17,046 %	20699,9907 litre	O
470	CM	130	CM	58 LEVEL CM	4151,6231 litre	16,637 %	20802,0473 litre	O
470	CM	130	CM	57 LEVEL CM	4050,1918 litre	16,231 %	20903,4786 litre	O
470	CM	130	CM	56 LEVEL CM	3949,3984 litre	15,827 %	21004,2720 litre	O
470	CM	130	CM	55 LEVEL CM	3849,2559 litre	15,426 %	21104,4145 litre	O
470	CM	130	CM	54 LEVEL CM	3749,7773 litre	15,027 %	21203,8931 litre	O
470	CM	130	CM	53 LEVEL CM	3650,9761 litre	14,631 %	21302,6943 litre	O
470	CM	130	CM	52 LEVEL CM	3552,8659 litre	14,238 %	21400,8045 litre	O
470	CM	130	CM	51 LEVEL CM	3455,4608 litre	13,848 %	21498,2096 litre	O
470	CM	130	CM	50 LEVEL CM	3358,7750 litre	13,460 %	21594,8954 litre	O

470	CM	130	CM	49 LEVEL CM	3262,8230 litre	13,076 %	21690,8474 litre	O
470	CM	130	CM	48 LEVEL CM	3167,6199 litre	12,694 %	21786,0505 litre	O
470	CM	130	CM	47 LEVEL CM	3073,1810 litre	12,316 %	21880,4894 litre	O
470	CM	130	CM	46 LEVEL CM	2979,5219 litre	11,940 %	21974,1485 litre	O
470	CM	130	CM	45 LEVEL CM	2886,6586 litre	11,568 %	22067,0118 litre	O
470	CM	130	CM	44 LEVEL CM	2794,6077 litre	11,199 %	22159,0627 litre	O
470	CM	130	CM	43 LEVEL CM	2703,3860 litre	10,834 %	22250,2844 litre	O
470	CM	130	CM	42 LEVEL CM	2613,0110 litre	10,471 %	22340,6594 litre	O
470	CM	130	CM	41 LEVEL CM	2523,5005 litre	10,113 %	22430,1699 litre	O
470	CM	130	CM	40 LEVEL CM	2434,8730 litre	9,758 %	22518,7974 litre	O
470	CM	130	CM	39 LEVEL CM	2347,1473 litre	9,406 %	22606,5231 litre	O
470	CM	130	CM	38 LEVEL CM	2260,3431 litre	9,058 %	22693,3273 litre	O
470	CM	130	CM	37 LEVEL CM	2174,4804 litre	8,714 %	22779,1900 litre	O
470	CM	130	CM	36 LEVEL CM	2089,5803 litre	8,374 %	22864,0901 litre	O
470	CM	130	CM	35 LEVEL CM	2005,6642 litre	8,038 %	22948,0062 litre	O
470	CM	130	CM	34 LEVEL CM	1922,7544 litre	7,705 %	23030,9160 litre	O
470	CM	130	CM	33 LEVEL CM	1840,8742 litre	7,377 %	23112,7962 litre	O
470	CM	130	CM	32 LEVEL CM	1760,0475 litre	7,053 %	23193,6229 litre	O
470	CM	130	CM	31 LEVEL CM	1680,2994 litre	6,734 %	23273,3710 litre	O
470	CM	130	CM	30 LEVEL CM	1601,6559 litre	6,419 %	23352,0145 litre	O
470	CM	130	CM	29 LEVEL CM	1524,1442 litre	6,108 %	23429,5262 litre	O
470	CM	130	CM	28 LEVEL CM	1447,7924 litre	5,802 %	23505,8780 litre	O
470	CM	130	CM	27 LEVEL CM	1372,6305 litre	5,501 %	23581,0399 litre	O
470	CM	130	CM	26 LEVEL CM	1298,6893 litre	5,204 %	23654,9811 litre	O
470	CM	130	CM	25 LEVEL CM	1226,0016 litre	4,913 %	23727,6688 litre	O
470	CM	130	CM	24 LEVEL CM	1154,6018 litre	4,627 %	23799,0686 litre	O
470	CM	130	CM	23 LEVEL CM	1084,5261 litre	4,346 %	23869,1443 litre	O
470	CM	130	CM	22 LEVEL CM	1015,8129 litre	4,071 %	23937,8575 litre	O
470	CM	130	CM	21 LEVEL CM	948,5029 litre	3,801 %	24005,1675 litre	O
470	CM	130	CM	20 LEVEL CM	882,6394 litre	3,537 %	24071,0310 litre	O
470	CM	130	CM	19 LEVEL CM	818,2686 litre	3,279 %	24135,4018 litre	O
470	CM	130	CM	18 LEVEL CM	755,4401 litre	3,027 %	24198,2303 litre	O
470	CM	130	CM	17 LEVEL CM	694,2070 litre	2,782 %	24259,4634 litre	O
470	CM	130	CM	16 LEVEL CM	634,6270 litre	2,543 %	24319,0434 litre	O
470	CM	130	CM	15 LEVEL CM	576,7626 litre	2,311 %	24376,9078 litre	O
470	CM	130	CM	14 LEVEL CM	520,6819 litre	2,087 %	24432,9885 litre	O
470	CM	130	CM	13 LEVEL CM	466,4599 litre	1,869 %	24487,2105 litre	O
470	CM	130	CM	12 LEVEL CM	414,1795 litre	1,660 %	24539,4909 litre	O
470	CM	130	CM	11 LEVEL CM	363,9334 litre	1,458 %	24589,7370 litre	O
470	CM	130	CM	10 LEVEL CM	315,8259 litre	1,266 %	24637,8445 litre	O
470	CM	130	CM	9 LEVEL CM	269,9758 litre	1,082 %	24683,6946 litre	O
470	CM	130	CM	8 LEVEL CM	226,5209 litre	0,908 %	24727,1495 litre	O
470	CM	130	CM	7 LEVEL CM	185,6227 litre	0,744 %	24768,0477 litre	O
470	CM	130	CM	6 LEVEL CM	147,4757 litre	0,591 %	24806,1947 litre	O
470	CM	130	CM	5 LEVEL CM	112,3199 litre	0,450 %	24841,3505 litre	O
470	CM	130	CM	4 LEVEL CM	80,4634 litre	0,322 %	24873,2070 litre	O
470	CM	130	CM	3 LEVEL CM	52,3234 litre	0,210 %	24901,3470 litre	O
470	CM	130	CM	2 LEVEL CM	28,5144 litre	0,114 %	24925,1560 litre	O
470	CM	130	CM	1 LEVEL CM	10,0930 litre	0,040 %	24943,5774 litre	O
470	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	24953,6704 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 125	CM 250 LEVEL CM	23071,0710 litre	100,000 %	0,0000 litre	O
470	CM 125	CM 249 LEVEL CM	23061,1745 litre	99,957 %	9,8965 litre	O
470	CM 125	CM 248 LEVEL CM	23043,1130 litre	99,879 %	27,9580 litre	O
470	CM 125	CM 247 LEVEL CM	23019,7709 litre	99,778 %	51,3001 litre	O
470	CM 125	CM 246 LEVEL CM	22992,1849 litre	99,658 %	78,8861 litre	O
470	CM 125	CM 245 LEVEL CM	22960,9581 litre	99,523 %	110,1129 litre	O
470	CM 125	CM 244 LEVEL CM	22926,4999 litre	99,373 %	144,5711 litre	O
470	CM 125	CM 243 LEVEL CM	22889,1129 litre	99,211 %	181,9581 litre	O
470	CM 125	CM 242 LEVEL CM	22849,0328 litre	99,038 %	222,0382 litre	O
470	CM 125	CM 241 LEVEL CM	22806,4505 litre	98,853 %	264,6205 litre	O
470	CM 125	CM 240 LEVEL CM	22761,5250 litre	98,658 %	309,5460 litre	O
470	CM 125	CM 239 LEVEL CM	22714,3914 litre	98,454 %	356,6796 litre	O
470	CM 125	CM 238 LEVEL CM	22665,1667 litre	98,241 %	405,9043 litre	O
470	CM 125	CM 237 LEVEL CM	22613,9534 litre	98,019 %	457,1176 litre	O
470	CM 125	CM 236 LEVEL CM	22560,8426 litre	97,788 %	510,2284 litre	O
470	CM 125	CM 235 LEVEL CM	22505,9160 litre	97,550 %	565,1550 litre	O
470	CM 125	CM 234 LEVEL CM	22449,2472 litre	97,305 %	621,8238 litre	O
470	CM 125	CM 233 LEVEL CM	22390,9035 litre	97,052 %	680,1675 litre	O
470	CM 125	CM 232 LEVEL CM	22330,9463 litre	96,792 %	740,1247 litre	O
470	CM 125	CM 231 LEVEL CM	22269,4323 litre	96,525 %	801,6387 litre	O
470	CM 125	CM 230 LEVEL CM	22206,4140 litre	96,252 %	864,6570 litre	O
470	CM 125	CM 229 LEVEL CM	22141,9402 litre	95,973 %	929,1308 litre	O
470	CM 125	CM 228 LEVEL CM	22076,0564 litre	95,687 %	995,0146 litre	O
470	CM 125	CM 227 LEVEL CM	22008,8054 litre	95,396 %	1062,2656 litre	O
470	CM 125	CM 226 LEVEL CM	21940,2272 litre	95,098 %	1130,8438 litre	O
470	CM 125	CM 225 LEVEL CM	21870,3598 litre	94,796 %	1200,7112 litre	O
470	CM 125	CM 224 LEVEL CM	21799,2388 litre	94,487 %	1271,8322 litre	O
470	CM 125	CM 223 LEVEL CM	21726,8983 litre	94,174 %	1344,1727 litre	O
470	CM 125	CM 222 LEVEL CM	21653,3705 litre	93,855 %	1417,7005 litre	O
470	CM 125	CM 221 LEVEL CM	21578,6861 litre	93,531 %	1492,3849 litre	O
470	CM 125	CM 220 LEVEL CM	21502,8744 litre	93,203 %	1568,1966 litre	O
470	CM 125	CM 219 LEVEL CM	21425,9633 litre	92,869 %	1645,1077 litre	O
470	CM 125	CM 218 LEVEL CM	21347,9798 litre	92,531 %	1723,0912 litre	O
470	CM 125	CM 217 LEVEL CM	21268,9495 litre	92,189 %	1802,1215 litre	O
470	CM 125	CM 216 LEVEL CM	21188,8972 litre	91,842 %	1882,1738 litre	O
470	CM 125	CM 215 LEVEL CM	21107,8467 litre	91,491 %	1963,2243 litre	O
470	CM 125	CM 214 LEVEL CM	21025,8208 litre	91,135 %	2045,2502 litre	O
470	CM 125	CM 213 LEVEL CM	20942,8417 litre	90,775 %	2128,2293 litre	O
470	CM 125	CM 212 LEVEL CM	20858,9308 litre	90,412 %	2212,1402 litre	O
470	CM 125	CM 211 LEVEL CM	20774,1087 litre	90,044 %	2296,9623 litre	O
470	CM 125	CM 210 LEVEL CM	20688,3954 litre	89,672 %	2382,6756 litre	O
470	CM 125	CM 209 LEVEL CM	20601,8102 litre	89,297 %	2469,2608 litre	O
470	CM 125	CM 208 LEVEL CM	20514,3720 litre	88,918 %	2556,6990 litre	O
470	CM 125	CM 207 LEVEL CM	20426,0990 litre	88,536 %	2644,9720 litre	O
470	CM 125	CM 206 LEVEL CM	20337,0090 litre	88,149 %	2734,0620 litre	O
470	CM 125	CM 205 LEVEL CM	20247,1192 litre	87,760 %	2823,9518 litre	O
470	CM 125	CM 204 LEVEL CM	20156,4465 litre	87,367 %	2914,6245 litre	O
470	CM 125	CM 203 LEVEL CM	20065,0070 litre	86,970 %	3006,0640 litre	O
470	CM 125	CM 202 LEVEL CM	19972,8170 litre	86,571 %	3098,2540 litre	O
470	CM 125	CM 201 LEVEL CM	19879,8918 litre	86,168 %	3191,1792 litre	O
470	CM 125	CM 200 LEVEL CM	19786,2468 litre	85,762 %	3284,8242 litre	O
470	CM 125	CM 199 LEVEL CM	19691,8967 litre	85,353 %	3379,1743 litre	O

470	CM	125	CM	198 LEVEL CM	19596,8562 litre	84,941 %	3474,2148 litre	O
470	CM	125	CM	197 LEVEL CM	19501,1393 litre	84,526 %	3569,9317 litre	O
470	CM	125	CM	196 LEVEL CM	19404,7601 litre	84,109 %	3666,3109 litre	O
470	CM	125	CM	195 LEVEL CM	19307,7321 litre	83,688 %	3763,3389 litre	O
470	CM	125	CM	194 LEVEL CM	19210,0687 litre	83,265 %	3861,0023 litre	O
470	CM	125	CM	193 LEVEL CM	19111,7830 litre	82,839 %	3959,2880 litre	O
470	CM	125	CM	192 LEVEL CM	19012,8879 litre	82,410 %	4058,1831 litre	O
470	CM	125	CM	191 LEVEL CM	18913,3960 litre	81,979 %	4157,6750 litre	O
470	CM	125	CM	190 LEVEL CM	18813,3196 litre	81,545 %	4257,7514 litre	O
470	CM	125	CM	189 LEVEL CM	18712,6709 litre	81,109 %	4358,4001 litre	O
470	CM	125	CM	188 LEVEL CM	18611,4620 litre	80,670 %	4459,6090 litre	O
470	CM	125	CM	187 LEVEL CM	18509,7045 litre	80,229 %	4561,3665 litre	O
470	CM	125	CM	186 LEVEL CM	18407,4100 litre	79,786 %	4663,6610 litre	O
470	CM	125	CM	185 LEVEL CM	18304,5900 litre	79,340 %	4766,4810 litre	O
470	CM	125	CM	184 LEVEL CM	18201,2556 litre	78,892 %	4869,8154 litre	O
470	CM	125	CM	183 LEVEL CM	18097,4180 litre	78,442 %	4973,6530 litre	O
470	CM	125	CM	182 LEVEL CM	17993,0880 litre	77,990 %	5077,9830 litre	O
470	CM	125	CM	181 LEVEL CM	17888,2763 litre	77,536 %	5182,7947 litre	O
470	CM	125	CM	180 LEVEL CM	17782,9936 litre	77,079 %	5288,0774 litre	O
470	CM	125	CM	179 LEVEL CM	17677,2503 litre	76,621 %	5393,8207 litre	O
470	CM	125	CM	178 LEVEL CM	17571,0567 litre	76,161 %	5500,0143 litre	O
470	CM	125	CM	177 LEVEL CM	17464,4230 litre	75,698 %	5606,6480 litre	O
470	CM	125	CM	176 LEVEL CM	17357,3594 litre	75,234 %	5713,7116 litre	O
470	CM	125	CM	175 LEVEL CM	17249,8756 litre	74,768 %	5821,1954 litre	O
470	CM	125	CM	174 LEVEL CM	17141,9816 litre	74,301 %	5929,0894 litre	O
470	CM	125	CM	173 LEVEL CM	17033,6870 litre	73,831 %	6037,3840 litre	O
470	CM	125	CM	172 LEVEL CM	16925,0015 litre	73,360 %	6146,0695 litre	O
470	CM	125	CM	171 LEVEL CM	16815,9345 litre	72,888 %	6255,1365 litre	O
470	CM	125	CM	170 LEVEL CM	16706,4955 litre	72,413 %	6364,5755 litre	O
470	CM	125	CM	169 LEVEL CM	16596,6938 litre	71,937 %	6474,3772 litre	O
470	CM	125	CM	168 LEVEL CM	16486,5386 litre	71,460 %	6584,5324 litre	O
470	CM	125	CM	167 LEVEL CM	16376,0390 litre	70,981 %	6695,0320 litre	O
470	CM	125	CM	166 LEVEL CM	16265,2040 litre	70,500 %	6805,8670 litre	O
470	CM	125	CM	165 LEVEL CM	16154,0427 litre	70,019 %	6917,0283 litre	O
470	CM	125	CM	164 LEVEL CM	16042,5638 litre	69,535 %	7028,5072 litre	O
470	CM	125	CM	163 LEVEL CM	15930,7763 litre	69,051 %	7140,2947 litre	O
470	CM	125	CM	162 LEVEL CM	15818,6888 litre	68,565 %	7252,3822 litre	O
470	CM	125	CM	161 LEVEL CM	15706,3100 litre	68,078 %	7364,7610 litre	O
470	CM	125	CM	160 LEVEL CM	15593,6485 litre	67,590 %	7477,4225 litre	O
470	CM	125	CM	159 LEVEL CM	15480,7128 litre	67,100 %	7590,3582 litre	O
470	CM	125	CM	158 LEVEL CM	15367,5115 litre	66,609 %	7703,5595 litre	O
470	CM	125	CM	157 LEVEL CM	15254,0528 litre	66,118 %	7817,0182 litre	O
470	CM	125	CM	156 LEVEL CM	15140,3452 litre	65,625 %	7930,7258 litre	O
470	CM	125	CM	155 LEVEL CM	15026,3970 litre	65,131 %	8044,6740 litre	O
470	CM	125	CM	154 LEVEL CM	14912,2163 litre	64,636 %	8158,8547 litre	O
470	CM	125	CM	153 LEVEL CM	14797,8115 litre	64,140 %	8273,2595 litre	O
470	CM	125	CM	152 LEVEL CM	14683,1906 litre	63,643 %	8387,8804 litre	O
470	CM	125	CM	151 LEVEL CM	14568,3617 litre	63,146 %	8502,7093 litre	O
470	CM	125	CM	150 LEVEL CM	14453,3330 litre	62,647 %	8617,7380 litre	O
470	CM	125	CM	149 LEVEL CM	14338,1124 litre	62,148 %	8732,9586 litre	O
470	CM	125	CM	148 LEVEL CM	14222,7078 litre	61,647 %	8848,3632 litre	O
470	CM	125	CM	147 LEVEL CM	14107,1273 litre	61,146 %	8963,9437 litre	O
470	CM	125	CM	146 LEVEL CM	13991,3788 litre	60,645 %	9079,6922 litre	O

470	CM	125	CM	145 LEVEL CM	13875,4700 litre	60,142 %	9195,6010 litre	O
470	CM	125	CM	144 LEVEL CM	13759,4089 litre	59,639 %	9311,6621 litre	O
470	CM	125	CM	143 LEVEL CM	13643,2032 litre	59,136 %	9427,8678 litre	O
470	CM	125	CM	142 LEVEL CM	13526,8607 litre	58,631 %	9544,2103 litre	O
470	CM	125	CM	141 LEVEL CM	13410,3892 litre	58,126 %	9660,6818 litre	O
470	CM	125	CM	140 LEVEL CM	13293,7963 litre	57,621 %	9777,2747 litre	O
470	CM	125	CM	139 LEVEL CM	13177,0899 litre	57,115 %	9893,9811 litre	O
470	CM	125	CM	138 LEVEL CM	13060,2775 litre	56,609 %	10010,7935 litre	O
470	CM	125	CM	137 LEVEL CM	12943,3668 litre	56,102 %	10127,7042 litre	O
470	CM	125	CM	136 LEVEL CM	12826,3654 litre	55,595 %	10244,7056 litre	O
470	CM	125	CM	135 LEVEL CM	12709,2810 litre	55,088 %	10361,7900 litre	O
470	CM	125	CM	134 LEVEL CM	12592,1211 litre	54,580 %	10478,9499 litre	O
470	CM	125	CM	133 LEVEL CM	12474,8934 litre	54,072 %	10596,1776 litre	O
470	CM	125	CM	132 LEVEL CM	12357,6054 litre	53,563 %	10713,4656 litre	O
470	CM	125	CM	131 LEVEL CM	12240,2647 litre	53,055 %	10830,8063 litre	O
470	CM	125	CM	130 LEVEL CM	12122,8788 litre	52,546 %	10948,1922 litre	O
470	CM	125	CM	129 LEVEL CM	12005,4553 litre	52,037 %	11065,6157 litre	O
470	CM	125	CM	128 LEVEL CM	11888,0017 litre	51,528 %	11183,0693 litre	O
470	CM	125	CM	127 LEVEL CM	11770,5255 litre	51,019 %	11300,5455 litre	O
470	CM	125	CM	126 LEVEL CM	11653,0343 litre	50,509 %	11418,0367 litre	O
470	CM	125	CM	125 LEVEL CM	11535,5355 litre	50,000 %	11535,5355 litre	O
470	CM	125	CM	124 LEVEL CM	11418,0368 litre	49,491 %	11653,0342 litre	O
470	CM	125	CM	123 LEVEL CM	11300,5456 litre	48,981 %	11770,5254 litre	O
470	CM	125	CM	122 LEVEL CM	11183,0694 litre	48,472 %	11888,0016 litre	O
470	CM	125	CM	121 LEVEL CM	11065,6158 litre	47,963 %	12005,4552 litre	O
470	CM	125	CM	120 LEVEL CM	10948,1922 litre	47,454 %	12122,8788 litre	O
470	CM	125	CM	119 LEVEL CM	10830,8063 litre	46,945 %	12240,2647 litre	O
470	CM	125	CM	118 LEVEL CM	10713,4656 litre	46,437 %	12357,6054 litre	O
470	CM	125	CM	117 LEVEL CM	10596,1776 litre	45,928 %	12474,8934 litre	O
470	CM	125	CM	116 LEVEL CM	10478,9499 litre	45,420 %	12592,1211 litre	O
470	CM	125	CM	115 LEVEL CM	10361,7901 litre	44,912 %	12709,2809 litre	O
470	CM	125	CM	114 LEVEL CM	10244,7057 litre	44,405 %	12826,3653 litre	O
470	CM	125	CM	113 LEVEL CM	10127,7043 litre	43,898 %	12943,3667 litre	O
470	CM	125	CM	112 LEVEL CM	10010,7936 litre	43,391 %	13060,2774 litre	O
470	CM	125	CM	111 LEVEL CM	9893,9812 litre	42,885 %	13177,0898 litre	O
470	CM	125	CM	110 LEVEL CM	9777,2747 litre	42,379 %	13293,7963 litre	O
470	CM	125	CM	109 LEVEL CM	9660,6819 litre	41,874 %	13410,3891 litre	O
470	CM	125	CM	108 LEVEL CM	9544,2103 litre	41,369 %	13526,8607 litre	O
470	CM	125	CM	107 LEVEL CM	9427,8679 litre	40,864 %	13643,2031 litre	O
470	CM	125	CM	106 LEVEL CM	9311,6622 litre	40,361 %	13759,4088 litre	O
470	CM	125	CM	105 LEVEL CM	9195,6011 litre	39,858 %	13875,4699 litre	O
470	CM	125	CM	104 LEVEL CM	9079,6923 litre	39,355 %	13991,3787 litre	O
470	CM	125	CM	103 LEVEL CM	8963,9437 litre	38,854 %	14107,1273 litre	O
470	CM	125	CM	102 LEVEL CM	8848,3632 litre	38,353 %	14222,7078 litre	O
470	CM	125	CM	101 LEVEL CM	8732,9587 litre	37,852 %	14338,1123 litre	O
470	CM	125	CM	100 LEVEL CM	8617,7381 litre	37,353 %	14453,3329 litre	O
470	CM	125	CM	99 LEVEL CM	8502,7093 litre	36,854 %	14568,3617 litre	O
470	CM	125	CM	98 LEVEL CM	8387,8805 litre	36,357 %	14683,1905 litre	O
470	CM	125	CM	97 LEVEL CM	8273,2596 litre	35,860 %	14797,8114 litre	O
470	CM	125	CM	96 LEVEL CM	8158,8547 litre	35,364 %	14912,2163 litre	O
470	CM	125	CM	95 LEVEL CM	8044,6741 litre	34,869 %	15026,3969 litre	O
470	CM	125	CM	94 LEVEL CM	7930,7258 litre	34,375 %	15140,3452 litre	O
470	CM	125	CM	93 LEVEL CM	7817,0182 litre	33,882 %	15254,0528 litre	O

470	CM	125	CM	92 LEVEL CM	7703,5596 litre	33,391 %	15367,5114 litre	O
470	CM	125	CM	91 LEVEL CM	7590,3582 litre	32,900 %	15480,7128 litre	O
470	CM	125	CM	90 LEVEL CM	7477,4225 litre	32,410 %	15593,6485 litre	O
470	CM	125	CM	89 LEVEL CM	7364,7610 litre	31,922 %	15706,3100 litre	O
470	CM	125	CM	88 LEVEL CM	7252,3822 litre	31,435 %	15818,6888 litre	O
470	CM	125	CM	87 LEVEL CM	7140,2947 litre	30,949 %	15930,7763 litre	O
470	CM	125	CM	86 LEVEL CM	7028,5072 litre	30,465 %	16042,5638 litre	O
470	CM	125	CM	85 LEVEL CM	6917,0284 litre	29,981 %	16154,0426 litre	O
470	CM	125	CM	84 LEVEL CM	6805,8670 litre	29,500 %	16265,2040 litre	O
470	CM	125	CM	83 LEVEL CM	6695,0321 litre	29,019 %	16376,0389 litre	O
470	CM	125	CM	82 LEVEL CM	6584,5325 litre	28,540 %	16486,5385 litre	O
470	CM	125	CM	81 LEVEL CM	6474,3772 litre	28,063 %	16596,6938 litre	O
470	CM	125	CM	80 LEVEL CM	6364,5755 litre	27,587 %	16706,4955 litre	O
470	CM	125	CM	79 LEVEL CM	6255,1365 litre	27,112 %	16815,9345 litre	O
470	CM	125	CM	78 LEVEL CM	6146,0696 litre	26,640 %	16925,0014 litre	O
470	CM	125	CM	77 LEVEL CM	6037,3841 litre	26,169 %	17033,6869 litre	O
470	CM	125	CM	76 LEVEL CM	5929,0895 litre	25,699 %	17141,9815 litre	O
470	CM	125	CM	75 LEVEL CM	5821,1955 litre	25,232 %	17249,8755 litre	O
470	CM	125	CM	74 LEVEL CM	5713,7117 litre	24,766 %	17357,3593 litre	O
470	CM	125	CM	73 LEVEL CM	5606,6480 litre	24,302 %	17464,4230 litre	O
470	CM	125	CM	72 LEVEL CM	5500,0143 litre	23,839 %	17571,0567 litre	O
470	CM	125	CM	71 LEVEL CM	5393,8208 litre	23,379 %	17677,2502 litre	O
470	CM	125	CM	70 LEVEL CM	5288,0775 litre	22,921 %	17782,9935 litre	O
470	CM	125	CM	69 LEVEL CM	5182,7948 litre	22,464 %	17888,2762 litre	O
470	CM	125	CM	68 LEVEL CM	5077,9831 litre	22,010 %	17993,0879 litre	O
470	CM	125	CM	67 LEVEL CM	4973,6531 litre	21,558 %	18097,4179 litre	O
470	CM	125	CM	66 LEVEL CM	4869,8154 litre	21,108 %	18201,2556 litre	O
470	CM	125	CM	65 LEVEL CM	4766,4811 litre	20,660 %	18304,5899 litre	O
470	CM	125	CM	64 LEVEL CM	4663,6610 litre	20,214 %	18407,4100 litre	O
470	CM	125	CM	63 LEVEL CM	4561,3666 litre	19,771 %	18509,7044 litre	O
470	CM	125	CM	62 LEVEL CM	4459,6091 litre	19,330 %	18611,4619 litre	O
470	CM	125	CM	61 LEVEL CM	4358,4001 litre	18,891 %	18712,6709 litre	O
470	CM	125	CM	60 LEVEL CM	4257,7514 litre	18,455 %	18813,3196 litre	O
470	CM	125	CM	59 LEVEL CM	4157,6751 litre	18,021 %	18913,3959 litre	O
470	CM	125	CM	58 LEVEL CM	4058,1831 litre	17,590 %	19012,8879 litre	O
470	CM	125	CM	57 LEVEL CM	3959,2880 litre	17,161 %	19111,7830 litre	O
470	CM	125	CM	56 LEVEL CM	3861,0023 litre	16,735 %	19210,0687 litre	O
470	CM	125	CM	55 LEVEL CM	3763,3390 litre	16,312 %	19307,7320 litre	O
470	CM	125	CM	54 LEVEL CM	3666,3110 litre	15,891 %	19404,7600 litre	O
470	CM	125	CM	53 LEVEL CM	3569,9317 litre	15,474 %	19501,1393 litre	O
470	CM	125	CM	52 LEVEL CM	3474,2149 litre	15,059 %	19596,8561 litre	O
470	CM	125	CM	51 LEVEL CM	3379,1743 litre	14,647 %	19691,8967 litre	O
470	CM	125	CM	50 LEVEL CM	3284,8243 litre	14,238 %	19786,2467 litre	O
470	CM	125	CM	49 LEVEL CM	3191,1792 litre	13,832 %	19879,8918 litre	O
470	CM	125	CM	48 LEVEL CM	3098,2541 litre	13,429 %	19972,8169 litre	O
470	CM	125	CM	47 LEVEL CM	3006,0640 litre	13,030 %	20065,0070 litre	O
470	CM	125	CM	46 LEVEL CM	2914,6246 litre	12,633 %	20156,4464 litre	O
470	CM	125	CM	45 LEVEL CM	2823,9518 litre	12,240 %	20247,1192 litre	O
470	CM	125	CM	44 LEVEL CM	2734,0620 litre	11,851 %	20337,0090 litre	O
470	CM	125	CM	43 LEVEL CM	2644,9720 litre	11,464 %	20426,0990 litre	O
470	CM	125	CM	42 LEVEL CM	2556,6990 litre	11,082 %	20514,3720 litre	O
470	CM	125	CM	41 LEVEL CM	2469,2609 litre	10,703 %	20601,8101 litre	O
470	CM	125	CM	40 LEVEL CM	2382,6757 litre	10,328 %	20688,3953 litre	O

470	CM	125	CM	39 LEVEL CM	2296,9624 litre	9,956 %	20774,1086 litre	O
470	CM	125	CM	38 LEVEL CM	2212,1402 litre	9,588 %	20858,9308 litre	O
470	CM	125	CM	37 LEVEL CM	2128,2293 litre	9,225 %	20942,8417 litre	O
470	CM	125	CM	36 LEVEL CM	2045,2502 litre	8,865 %	21025,8208 litre	O
470	CM	125	CM	35 LEVEL CM	1963,2244 litre	8,509 %	21107,8466 litre	O
470	CM	125	CM	34 LEVEL CM	1882,1738 litre	8,158 %	21188,8972 litre	O
470	CM	125	CM	33 LEVEL CM	1802,1215 litre	7,811 %	21268,9495 litre	O
470	CM	125	CM	32 LEVEL CM	1723,0913 litre	7,469 %	21347,9797 litre	O
470	CM	125	CM	31 LEVEL CM	1645,1077 litre	7,131 %	21425,9633 litre	O
470	CM	125	CM	30 LEVEL CM	1568,1967 litre	6,797 %	21502,8743 litre	O
470	CM	125	CM	29 LEVEL CM	1492,3849 litre	6,469 %	21578,6861 litre	O
470	CM	125	CM	28 LEVEL CM	1417,7005 litre	6,145 %	21653,3705 litre	O
470	CM	125	CM	27 LEVEL CM	1344,1727 litre	5,826 %	21726,8983 litre	O
470	CM	125	CM	26 LEVEL CM	1271,8322 litre	5,513 %	21799,2388 litre	O
470	CM	125	CM	25 LEVEL CM	1200,7113 litre	5,204 %	21870,3597 litre	O
470	CM	125	CM	24 LEVEL CM	1130,8438 litre	4,902 %	21940,2272 litre	O
470	CM	125	CM	23 LEVEL CM	1062,2656 litre	4,604 %	22008,8054 litre	O
470	CM	125	CM	22 LEVEL CM	995,0146 litre	4,313 %	22076,0564 litre	O
470	CM	125	CM	21 LEVEL CM	929,1308 litre	4,027 %	22141,9402 litre	O
470	CM	125	CM	20 LEVEL CM	864,6570 litre	3,748 %	22206,4140 litre	O
470	CM	125	CM	19 LEVEL CM	801,6387 litre	3,475 %	22269,4323 litre	O
470	CM	125	CM	18 LEVEL CM	740,1247 litre	3,208 %	22330,9463 litre	O
470	CM	125	CM	17 LEVEL CM	680,1676 litre	2,948 %	22390,9034 litre	O
470	CM	125	CM	16 LEVEL CM	621,8238 litre	2,695 %	22449,2472 litre	O
470	CM	125	CM	15 LEVEL CM	565,1551 litre	2,450 %	22505,9159 litre	O
470	CM	125	CM	14 LEVEL CM	510,2284 litre	2,212 %	22560,8426 litre	O
470	CM	125	CM	13 LEVEL CM	457,1177 litre	1,981 %	22613,9533 litre	O
470	CM	125	CM	12 LEVEL CM	405,9044 litre	1,759 %	22665,1666 litre	O
470	CM	125	CM	11 LEVEL CM	356,6796 litre	1,546 %	22714,3914 litre	O
470	CM	125	CM	10 LEVEL CM	309,5460 litre	1,342 %	22761,5250 litre	O
470	CM	125	CM	9 LEVEL CM	264,6205 litre	1,147 %	22806,4505 litre	O
470	CM	125	CM	8 LEVEL CM	222,0383 litre	0,962 %	22849,0327 litre	O
470	CM	125	CM	7 LEVEL CM	181,9582 litre	0,789 %	22889,1128 litre	O
470	CM	125	CM	6 LEVEL CM	144,5711 litre	0,627 %	22926,4999 litre	O
470	CM	125	CM	5 LEVEL CM	110,1130 litre	0,477 %	22960,9580 litre	O
470	CM	125	CM	4 LEVEL CM	78,8862 litre	0,342 %	22992,1848 litre	O
470	CM	125	CM	3 LEVEL CM	51,3002 litre	0,222 %	23019,7708 litre	O
470	CM	125	CM	2 LEVEL CM	27,9580 litre	0,121 %	23043,1130 litre	O
470	CM	125	CM	1 LEVEL CM	9,8966 litre	0,043 %	23061,1744 litre	O
470	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	23071,0710 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 120	CM 240 LEVEL CM	21262,2991 litre	100,000 %	0,0000 litre	O
470	CM 120	CM 239 LEVEL CM	21252,6029 litre	99,954 %	9,6962 litre	O
470	CM 120	CM 238 LEVEL CM	21234,9087 litre	99,871 %	27,3904 litre	O
470	CM 120	CM 237 LEVEL CM	21212,0430 litre	99,764 %	50,2561 litre	O
470	CM 120	CM 236 LEVEL CM	21185,0223 litre	99,637 %	77,2768 litre	O
470	CM 120	CM 235 LEVEL CM	21154,4382 litre	99,493 %	107,8609 litre	O
470	CM 120	CM 234 LEVEL CM	21120,6921 litre	99,334 %	141,6070 litre	O
470	CM 120	CM 233 LEVEL CM	21084,0808 litre	99,162 %	178,2183 litre	O
470	CM 120	CM 232 LEVEL CM	21044,8358 litre	98,977 %	217,4633 litre	O
470	CM 120	CM 231 LEVEL CM	21003,1445 litre	98,781 %	259,1546 litre	O
470	CM 120	CM 230 LEVEL CM	20959,1629 litre	98,574 %	303,1362 litre	O
470	CM 120	CM 229 LEVEL CM	20913,0238 litre	98,357 %	349,2753 litre	O
470	CM 120	CM 228 LEVEL CM	20864,8421 litre	98,131 %	397,4570 litre	O
470	CM 120	CM 227 LEVEL CM	20814,7186 litre	97,895 %	447,5805 litre	O
470	CM 120	CM 226 LEVEL CM	20762,7429 litre	97,651 %	499,5562 litre	O
470	CM 120	CM 225 LEVEL CM	20708,9951 litre	97,398 %	553,3040 litre	O
470	CM 120	CM 224 LEVEL CM	20653,5478 litre	97,137 %	608,7513 litre	O
470	CM 120	CM 223 LEVEL CM	20596,4671 litre	96,868 %	665,8320 litre	O
470	CM 120	CM 222 LEVEL CM	20537,8135 litre	96,593 %	724,4856 litre	O
470	CM 120	CM 221 LEVEL CM	20477,6428 litre	96,310 %	784,6563 litre	O
470	CM 120	CM 220 LEVEL CM	20416,0066 litre	96,020 %	846,2925 litre	O
470	CM 120	CM 219 LEVEL CM	20352,9531 litre	95,723 %	909,3460 litre	O
470	CM 120	CM 218 LEVEL CM	20288,5272 litre	95,420 %	973,7719 litre	O
470	CM 120	CM 217 LEVEL CM	20222,7708 litre	95,111 %	1039,5283 litre	O
470	CM 120	CM 216 LEVEL CM	20155,7236 litre	94,796 %	1106,5755 litre	O
470	CM 120	CM 215 LEVEL CM	20087,4229 litre	94,474 %	1174,8762 litre	O
470	CM 120	CM 214 LEVEL CM	20017,9040 litre	94,147 %	1244,3951 litre	O
470	CM 120	CM 213 LEVEL CM	19947,2004 litre	93,815 %	1315,0987 litre	O
470	CM 120	CM 212 LEVEL CM	19875,3439 litre	93,477 %	1386,9552 litre	O
470	CM 120	CM 211 LEVEL CM	19802,3648 litre	93,134 %	1459,9343 litre	O
470	CM 120	CM 210 LEVEL CM	19728,2921 litre	92,785 %	1534,0070 litre	O
470	CM 120	CM 209 LEVEL CM	19653,1535 litre	92,432 %	1609,1456 litre	O
470	CM 120	CM 208 LEVEL CM	19576,9754 litre	92,074 %	1685,3237 litre	O
470	CM 120	CM 207 LEVEL CM	19499,7833 litre	91,711 %	1762,5158 litre	O
470	CM 120	CM 206 LEVEL CM	19421,6016 litre	91,343 %	1840,6975 litre	O
470	CM 120	CM 205 LEVEL CM	19342,4539 litre	90,971 %	1919,8452 litre	O
470	CM 120	CM 204 LEVEL CM	19262,3629 litre	90,594 %	1999,9362 litre	O
470	CM 120	CM 203 LEVEL CM	19181,3505 litre	90,213 %	2080,9486 litre	O
470	CM 120	CM 202 LEVEL CM	19099,4377 litre	89,828 %	2162,8614 litre	O
470	CM 120	CM 201 LEVEL CM	19016,6452 litre	89,438 %	2245,6539 litre	O
470	CM 120	CM 200 LEVEL CM	18932,9926 litre	89,045 %	2329,3065 litre	O
470	CM 120	CM 199 LEVEL CM	18848,4991 litre	88,648 %	2413,8000 litre	O
470	CM 120	CM 198 LEVEL CM	18763,1836 litre	88,246 %	2499,1155 litre	O
470	CM 120	CM 197 LEVEL CM	18677,0639 litre	87,841 %	2585,2352 litre	O
470	CM 120	CM 196 LEVEL CM	18590,1579 litre	87,432 %	2672,1412 litre	O
470	CM 120	CM 195 LEVEL CM	18502,4824 litre	87,020 %	2759,8167 litre	O
470	CM 120	CM 194 LEVEL CM	18414,0544 litre	86,604 %	2848,2447 litre	O
470	CM 120	CM 193 LEVEL CM	18324,8900 litre	86,185 %	2937,4091 litre	O
470	CM 120	CM 192 LEVEL CM	18235,0050 litre	85,762 %	3027,2941 litre	O
470	CM 120	CM 191 LEVEL CM	18144,4151 litre	85,336 %	3117,8840 litre	O
470	CM 120	CM 190 LEVEL CM	18053,1352 litre	84,907 %	3209,1639 litre	O
470	CM 120	CM 189 LEVEL CM	17961,1802 litre	84,474 %	3301,1189 litre	O

470	CM	120	CM	188 LEVEL CM	17868,5646 litre	84,039 %	3393,7345 litre	O
470	CM	120	CM	187 LEVEL CM	17775,3024 litre	83,600 %	3486,9967 litre	O
470	CM	120	CM	186 LEVEL CM	17681,4076 litre	83,158 %	3580,8915 litre	O
470	CM	120	CM	185 LEVEL CM	17586,8937 litre	82,714 %	3675,4054 litre	O
470	CM	120	CM	184 LEVEL CM	17491,7741 litre	82,267 %	3770,5250 litre	O
470	CM	120	CM	183 LEVEL CM	17396,0619 litre	81,816 %	3866,2372 litre	O
470	CM	120	CM	182 LEVEL CM	17299,7697 litre	81,364 %	3962,5294 litre	O
470	CM	120	CM	181 LEVEL CM	17202,9103 litre	80,908 %	4059,3888 litre	O
470	CM	120	CM	180 LEVEL CM	17105,4960 litre	80,450 %	4156,8031 litre	O
470	CM	120	CM	179 LEVEL CM	17007,5390 litre	79,989 %	4254,7601 litre	O
470	CM	120	CM	178 LEVEL CM	16909,0512 litre	79,526 %	4353,2479 litre	O
470	CM	120	CM	177 LEVEL CM	16810,0444 litre	79,060 %	4452,2547 litre	O
470	CM	120	CM	176 LEVEL CM	16710,5303 litre	78,592 %	4551,7688 litre	O
470	CM	120	CM	175 LEVEL CM	16610,5201 litre	78,122 %	4651,7790 litre	O
470	CM	120	CM	174 LEVEL CM	16510,0251 litre	77,649 %	4752,2740 litre	O
470	CM	120	CM	173 LEVEL CM	16409,0565 litre	77,174 %	4853,2426 litre	O
470	CM	120	CM	172 LEVEL CM	16307,6251 litre	76,697 %	4954,6740 litre	O
470	CM	120	CM	171 LEVEL CM	16205,7417 litre	76,218 %	5056,5574 litre	O
470	CM	120	CM	170 LEVEL CM	16103,4170 litre	75,737 %	5158,8821 litre	O
470	CM	120	CM	169 LEVEL CM	16000,6614 litre	75,254 %	5261,6377 litre	O
470	CM	120	CM	168 LEVEL CM	15897,4853 litre	74,768 %	5364,8138 litre	O
470	CM	120	CM	167 LEVEL CM	15793,8990 litre	74,281 %	5468,4001 litre	O
470	CM	120	CM	166 LEVEL CM	15689,9125 litre	73,792 %	5572,3866 litre	O
470	CM	120	CM	165 LEVEL CM	15585,5359 litre	73,301 %	5676,7632 litre	O
470	CM	120	CM	164 LEVEL CM	15480,7790 litre	72,809 %	5781,5201 litre	O
470	CM	120	CM	163 LEVEL CM	15375,6516 litre	72,314 %	5886,6475 litre	O
470	CM	120	CM	162 LEVEL CM	15270,1635 litre	71,818 %	5992,1356 litre	O
470	CM	120	CM	161 LEVEL CM	15164,3241 litre	71,320 %	6097,9750 litre	O
470	CM	120	CM	160 LEVEL CM	15058,1429 litre	70,821 %	6204,1562 litre	O
470	CM	120	CM	159 LEVEL CM	14951,6295 litre	70,320 %	6310,6696 litre	O
470	CM	120	CM	158 LEVEL CM	14844,7929 litre	69,817 %	6417,5062 litre	O
470	CM	120	CM	157 LEVEL CM	14737,6426 litre	69,313 %	6524,6565 litre	O
470	CM	120	CM	156 LEVEL CM	14630,1876 litre	68,808 %	6632,1115 litre	O
470	CM	120	CM	155 LEVEL CM	14522,4369 litre	68,301 %	6739,8622 litre	O
470	CM	120	CM	154 LEVEL CM	14414,3996 litre	67,793 %	6847,8995 litre	O
470	CM	120	CM	153 LEVEL CM	14306,0846 litre	67,284 %	6956,2145 litre	O
470	CM	120	CM	152 LEVEL CM	14197,5008 litre	66,773 %	7064,7983 litre	O
470	CM	120	CM	151 LEVEL CM	14088,6568 litre	66,261 %	7173,6423 litre	O
470	CM	120	CM	150 LEVEL CM	13979,5615 litre	65,748 %	7282,7376 litre	O
470	CM	120	CM	149 LEVEL CM	13870,2234 litre	65,234 %	7392,0757 litre	O
470	CM	120	CM	148 LEVEL CM	13760,6513 litre	64,719 %	7501,6478 litre	O
470	CM	120	CM	147 LEVEL CM	13650,8535 litre	64,202 %	7611,4456 litre	O
470	CM	120	CM	146 LEVEL CM	13540,8387 litre	63,685 %	7721,4604 litre	O
470	CM	120	CM	145 LEVEL CM	13430,6153 litre	63,166 %	7831,6838 litre	O
470	CM	120	CM	144 LEVEL CM	13320,1917 litre	62,647 %	7942,1074 litre	O
470	CM	120	CM	143 LEVEL CM	13209,5761 litre	62,127 %	8052,7230 litre	O
470	CM	120	CM	142 LEVEL CM	13098,7770 litre	61,606 %	8163,5221 litre	O
470	CM	120	CM	141 LEVEL CM	12987,8026 litre	61,084 %	8274,4965 litre	O
470	CM	120	CM	140 LEVEL CM	12876,6611 litre	60,561 %	8385,6380 litre	O
470	CM	120	CM	139 LEVEL CM	12765,3608 litre	60,038 %	8496,9383 litre	O
470	CM	120	CM	138 LEVEL CM	12653,9096 litre	59,513 %	8608,3895 litre	O
470	CM	120	CM	137 LEVEL CM	12542,3159 litre	58,989 %	8719,9832 litre	O
470	CM	120	CM	136 LEVEL CM	12430,5876 litre	58,463 %	8831,7115 litre	O

470	CM	120	CM	135 LEVEL CM	12318,7329 litre	57,937 %	8943,5662 litre	O
470	CM	120	CM	134 LEVEL CM	12206,7597 litre	57,410 %	9055,5394 litre	O
470	CM	120	CM	133 LEVEL CM	12094,6762 litre	56,883 %	9167,6229 litre	O
470	CM	120	CM	132 LEVEL CM	11982,4901 litre	56,356 %	9279,8090 litre	O
470	CM	120	CM	131 LEVEL CM	11870,2096 litre	55,827 %	9392,0895 litre	O
470	CM	120	CM	130 LEVEL CM	11757,8426 litre	55,299 %	9504,4565 litre	O
470	CM	120	CM	129 LEVEL CM	11645,3970 litre	54,770 %	9616,9021 litre	O
470	CM	120	CM	128 LEVEL CM	11532,8806 litre	54,241 %	9729,4185 litre	O
470	CM	120	CM	127 LEVEL CM	11420,3015 litre	53,712 %	9841,9976 litre	O
470	CM	120	CM	126 LEVEL CM	11307,6674 litre	53,182 %	9954,6317 litre	O
470	CM	120	CM	125 LEVEL CM	11194,9863 litre	52,652 %	10067,3128 litre	O
470	CM	120	CM	124 LEVEL CM	11082,2660 litre	52,122 %	10180,0331 litre	O
470	CM	120	CM	123 LEVEL CM	10969,5143 litre	51,591 %	10292,7848 litre	O
470	CM	120	CM	122 LEVEL CM	10856,7391 litre	51,061 %	10405,5600 litre	O
470	CM	120	CM	121 LEVEL CM	10743,9482 litre	50,531 %	10518,3509 litre	O
470	CM	120	CM	120 LEVEL CM	10631,1495 litre	50,000 %	10631,1496 litre	O
470	CM	120	CM	119 LEVEL CM	10518,3508 litre	49,469 %	10743,9483 litre	O
470	CM	120	CM	118 LEVEL CM	10405,5600 litre	48,939 %	10856,7391 litre	O
470	CM	120	CM	117 LEVEL CM	10292,7848 litre	48,409 %	10969,5143 litre	O
470	CM	120	CM	116 LEVEL CM	10180,0331 litre	47,878 %	11082,2660 litre	O
470	CM	120	CM	115 LEVEL CM	10067,3128 litre	47,348 %	11194,9863 litre	O
470	CM	120	CM	114 LEVEL CM	9954,6316 litre	46,818 %	11307,6675 litre	O
470	CM	120	CM	113 LEVEL CM	9841,9976 litre	46,288 %	11420,3015 litre	O
470	CM	120	CM	112 LEVEL CM	9729,4184 litre	45,759 %	11532,8807 litre	O
470	CM	120	CM	111 LEVEL CM	9616,9021 litre	45,230 %	11645,3970 litre	O
470	CM	120	CM	110 LEVEL CM	9504,4565 litre	44,701 %	11757,8426 litre	O
470	CM	120	CM	109 LEVEL CM	9392,0894 litre	44,173 %	11870,2097 litre	O
470	CM	120	CM	108 LEVEL CM	9279,8089 litre	43,644 %	11982,4902 litre	O
470	CM	120	CM	107 LEVEL CM	9167,6229 litre	43,117 %	12094,6762 litre	O
470	CM	120	CM	106 LEVEL CM	9055,5393 litre	42,590 %	12206,7598 litre	O
470	CM	120	CM	105 LEVEL CM	8943,5662 litre	42,063 %	12318,7329 litre	O
470	CM	120	CM	104 LEVEL CM	8831,7114 litre	41,537 %	12430,5877 litre	O
470	CM	120	CM	103 LEVEL CM	8719,9832 litre	41,011 %	12542,3159 litre	O
470	CM	120	CM	102 LEVEL CM	8608,3894 litre	40,487 %	12653,9097 litre	O
470	CM	120	CM	101 LEVEL CM	8496,9383 litre	39,962 %	12765,3608 litre	O
470	CM	120	CM	100 LEVEL CM	8385,6379 litre	39,439 %	12876,6612 litre	O
470	CM	120	CM	99 LEVEL CM	8274,4964 litre	38,916 %	12987,8027 litre	O
470	CM	120	CM	98 LEVEL CM	8163,5220 litre	38,394 %	13098,7771 litre	O
470	CM	120	CM	97 LEVEL CM	8052,7229 litre	37,873 %	13209,5762 litre	O
470	CM	120	CM	96 LEVEL CM	7942,1074 litre	37,353 %	13320,1917 litre	O
470	CM	120	CM	95 LEVEL CM	7831,6838 litre	36,834 %	13430,6153 litre	O
470	CM	120	CM	94 LEVEL CM	7721,4603 litre	36,315 %	13540,8388 litre	O
470	CM	120	CM	93 LEVEL CM	7611,4455 litre	35,798 %	13650,8536 litre	O
470	CM	120	CM	92 LEVEL CM	7501,6478 litre	35,281 %	13760,6513 litre	O
470	CM	120	CM	91 LEVEL CM	7392,0757 litre	34,766 %	13870,2234 litre	O
470	CM	120	CM	90 LEVEL CM	7282,7376 litre	34,252 %	13979,5615 litre	O
470	CM	120	CM	89 LEVEL CM	7173,6423 litre	33,739 %	14088,6568 litre	O
470	CM	120	CM	88 LEVEL CM	7064,7983 litre	33,227 %	14197,5008 litre	O
470	CM	120	CM	87 LEVEL CM	6956,2144 litre	32,716 %	14306,0847 litre	O
470	CM	120	CM	86 LEVEL CM	6847,8994 litre	32,207 %	14414,3997 litre	O
470	CM	120	CM	85 LEVEL CM	6739,8622 litre	31,699 %	14522,4369 litre	O
470	CM	120	CM	84 LEVEL CM	6632,1115 litre	31,192 %	14630,1876 litre	O
470	CM	120	CM	83 LEVEL CM	6524,6565 litre	30,687 %	14737,6426 litre	O

470	CM	120	CM	82 LEVEL CM	6417,5061 litre	30,183 %	14844,7930 litre	O
470	CM	120	CM	81 LEVEL CM	6310,6696 litre	29,680 %	14951,6295 litre	O
470	CM	120	CM	80 LEVEL CM	6204,1561 litre	29,179 %	15058,1430 litre	O
470	CM	120	CM	79 LEVEL CM	6097,9750 litre	28,680 %	15164,3241 litre	O
470	CM	120	CM	78 LEVEL CM	5992,1356 litre	28,182 %	15270,1635 litre	O
470	CM	120	CM	77 LEVEL CM	5886,6475 litre	27,686 %	15375,6516 litre	O
470	CM	120	CM	76 LEVEL CM	5781,5201 litre	27,191 %	15480,7790 litre	O
470	CM	120	CM	75 LEVEL CM	5676,7632 litre	26,699 %	15585,5359 litre	O
470	CM	120	CM	74 LEVEL CM	5572,3866 litre	26,208 %	15689,9125 litre	O
470	CM	120	CM	73 LEVEL CM	5468,4001 litre	25,719 %	15793,8990 litre	O
470	CM	120	CM	72 LEVEL CM	5364,8137 litre	25,232 %	15897,4854 litre	O
470	CM	120	CM	71 LEVEL CM	5261,6377 litre	24,746 %	16000,6614 litre	O
470	CM	120	CM	70 LEVEL CM	5158,8821 litre	24,263 %	16103,4170 litre	O
470	CM	120	CM	69 LEVEL CM	5056,5573 litre	23,782 %	16205,7418 litre	O
470	CM	120	CM	68 LEVEL CM	4954,6740 litre	23,303 %	16307,6251 litre	O
470	CM	120	CM	67 LEVEL CM	4853,2426 litre	22,826 %	16409,0565 litre	O
470	CM	120	CM	66 LEVEL CM	4752,2740 litre	22,351 %	16510,0251 litre	O
470	CM	120	CM	65 LEVEL CM	4651,7790 litre	21,878 %	16610,5201 litre	O
470	CM	120	CM	64 LEVEL CM	4551,7688 litre	21,408 %	16710,5303 litre	O
470	CM	120	CM	63 LEVEL CM	4452,2546 litre	20,940 %	16810,0445 litre	O
470	CM	120	CM	62 LEVEL CM	4353,2479 litre	20,474 %	16909,0512 litre	O
470	CM	120	CM	61 LEVEL CM	4254,7601 litre	20,011 %	17007,5390 litre	O
470	CM	120	CM	60 LEVEL CM	4156,8031 litre	19,550 %	17105,4960 litre	O
470	CM	120	CM	59 LEVEL CM	4059,3888 litre	19,092 %	17202,9103 litre	O
470	CM	120	CM	58 LEVEL CM	3962,5294 litre	18,636 %	17299,7697 litre	O
470	CM	120	CM	57 LEVEL CM	3866,2372 litre	18,184 %	17396,0619 litre	O
470	CM	120	CM	56 LEVEL CM	3770,5249 litre	17,733 %	17491,7742 litre	O
470	CM	120	CM	55 LEVEL CM	3675,4053 litre	17,286 %	17586,8938 litre	O
470	CM	120	CM	54 LEVEL CM	3580,8915 litre	16,842 %	17681,4076 litre	O
470	CM	120	CM	53 LEVEL CM	3486,9967 litre	16,400 %	17775,3024 litre	O
470	CM	120	CM	52 LEVEL CM	3393,7345 litre	15,961 %	17868,5646 litre	O
470	CM	120	CM	51 LEVEL CM	3301,1189 litre	15,526 %	17961,1802 litre	O
470	CM	120	CM	50 LEVEL CM	3209,1639 litre	15,093 %	18053,1352 litre	O
470	CM	120	CM	49 LEVEL CM	3117,8840 litre	14,664 %	18144,4151 litre	O
470	CM	120	CM	48 LEVEL CM	3027,2940 litre	14,238 %	18235,0051 litre	O
470	CM	120	CM	47 LEVEL CM	2937,4091 litre	13,815 %	18324,8900 litre	O
470	CM	120	CM	46 LEVEL CM	2848,2447 litre	13,396 %	18414,0544 litre	O
470	CM	120	CM	45 LEVEL CM	2759,8166 litre	12,980 %	18502,4825 litre	O
470	CM	120	CM	44 LEVEL CM	2672,1412 litre	12,568 %	18590,1579 litre	O
470	CM	120	CM	43 LEVEL CM	2585,2351 litre	12,159 %	18677,0640 litre	O
470	CM	120	CM	42 LEVEL CM	2499,1155 litre	11,754 %	18763,1836 litre	O
470	CM	120	CM	41 LEVEL CM	2413,7999 litre	11,352 %	18848,4992 litre	O
470	CM	120	CM	40 LEVEL CM	2329,3065 litre	10,955 %	18932,9926 litre	O
470	CM	120	CM	39 LEVEL CM	2245,6539 litre	10,562 %	19016,6452 litre	O
470	CM	120	CM	38 LEVEL CM	2162,8613 litre	10,172 %	19099,4378 litre	O
470	CM	120	CM	37 LEVEL CM	2080,9486 litre	9,787 %	19181,3505 litre	O
470	CM	120	CM	36 LEVEL CM	1999,9362 litre	9,406 %	19262,3629 litre	O
470	CM	120	CM	35 LEVEL CM	1919,8451 litre	9,029 %	19342,4540 litre	O
470	CM	120	CM	34 LEVEL CM	1840,6975 litre	8,657 %	19421,6016 litre	O
470	CM	120	CM	33 LEVEL CM	1762,5158 litre	8,289 %	19499,7833 litre	O
470	CM	120	CM	32 LEVEL CM	1685,3237 litre	7,926 %	19576,9754 litre	O
470	CM	120	CM	31 LEVEL CM	1609,1456 litre	7,568 %	19653,1535 litre	O
470	CM	120	CM	30 LEVEL CM	1534,0070 litre	7,215 %	19728,2921 litre	O

470	CM	120	CM	29 LEVEL CM	1459,9343 litre	6,866 %	19802,3648 litre	O
470	CM	120	CM	28 LEVEL CM	1386,9552 litre	6,523 %	19875,3439 litre	O
470	CM	120	CM	27 LEVEL CM	1315,0987 litre	6,185 %	19947,2004 litre	O
470	CM	120	CM	26 LEVEL CM	1244,3951 litre	5,853 %	20017,9040 litre	O
470	CM	120	CM	25 LEVEL CM	1174,8762 litre	5,526 %	20087,4229 litre	O
470	CM	120	CM	24 LEVEL CM	1106,5755 litre	5,204 %	20155,7236 litre	O
470	CM	120	CM	23 LEVEL CM	1039,5283 litre	4,889 %	20222,7708 litre	O
470	CM	120	CM	22 LEVEL CM	973,7719 litre	4,580 %	20288,5272 litre	O
470	CM	120	CM	21 LEVEL CM	909,3460 litre	4,277 %	20352,9531 litre	O
470	CM	120	CM	20 LEVEL CM	846,2925 litre	3,980 %	20416,0066 litre	O
470	CM	120	CM	19 LEVEL CM	784,6563 litre	3,690 %	20477,6428 litre	O
470	CM	120	CM	18 LEVEL CM	724,4856 litre	3,407 %	20537,8135 litre	O
470	CM	120	CM	17 LEVEL CM	665,8320 litre	3,132 %	20596,4671 litre	O
470	CM	120	CM	16 LEVEL CM	608,7513 litre	2,863 %	20653,5478 litre	O
470	CM	120	CM	15 LEVEL CM	553,3040 litre	2,602 %	20708,9951 litre	O
470	CM	120	CM	14 LEVEL CM	499,5562 litre	2,349 %	20762,7429 litre	O
470	CM	120	CM	13 LEVEL CM	447,5804 litre	2,105 %	20814,7187 litre	O
470	CM	120	CM	12 LEVEL CM	397,4569 litre	1,869 %	20864,8422 litre	O
470	CM	120	CM	11 LEVEL CM	349,2752 litre	1,643 %	20913,0239 litre	O
470	CM	120	CM	10 LEVEL CM	303,1362 litre	1,426 %	20959,1629 litre	O
470	CM	120	CM	9 LEVEL CM	259,1546 litre	1,219 %	21003,1445 litre	O
470	CM	120	CM	8 LEVEL CM	217,4633 litre	1,023 %	21044,8358 litre	O
470	CM	120	CM	7 LEVEL CM	178,2183 litre	0,838 %	21084,0808 litre	O
470	CM	120	CM	6 LEVEL CM	141,6070 litre	0,666 %	21120,6921 litre	O
470	CM	120	CM	5 LEVEL CM	107,8609 litre	0,507 %	21154,4382 litre	O
470	CM	120	CM	4 LEVEL CM	77,2767 litre	0,363 %	21185,0224 litre	O
470	CM	120	CM	3 LEVEL CM	50,2561 litre	0,236 %	21212,0430 litre	O
470	CM	120	CM	2 LEVEL CM	27,3904 litre	0,129 %	21234,9087 litre	O
470	CM	120	CM	1 LEVEL CM	9,6961 litre	0,046 %	21252,6030 litre	O
470	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	21262,2991 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 115	CM 230 LEVEL CM	19527,3545 litre	100,000 %	0,0000 litre	O
470	CM 115	CM 229 LEVEL CM	19517,8631 litre	99,951 %	9,4914 litre	O
470	CM 115	CM 228 LEVEL CM	19500,5438 litre	99,863 %	26,8107 litre	O
470	CM 115	CM 227 LEVEL CM	19478,1647 litre	99,748 %	49,1898 litre	O
470	CM 115	CM 226 LEVEL CM	19451,7215 litre	99,613 %	75,6330 litre	O
470	CM 115	CM 225 LEVEL CM	19421,7937 litre	99,459 %	105,5608 litre	O
470	CM 115	CM 224 LEVEL CM	19388,7750 litre	99,290 %	138,5795 litre	O
470	CM 115	CM 223 LEVEL CM	19352,9563 litre	99,107 %	174,3982 litre	O
470	CM 115	CM 222 LEVEL CM	19314,5646 litre	98,910 %	212,7899 litre	O
470	CM 115	CM 221 LEVEL CM	19273,7837 litre	98,701 %	253,5708 litre	O
470	CM 115	CM 220 LEVEL CM	19230,7668 litre	98,481 %	296,5877 litre	O
470	CM 115	CM 219 LEVEL CM	19185,6441 litre	98,250 %	341,7104 litre	O
470	CM 115	CM 218 LEVEL CM	19138,5286 litre	98,009 %	388,8259 litre	O
470	CM 115	CM 217 LEVEL CM	19089,5191 litre	97,758 %	437,8354 litre	O
470	CM 115	CM 216 LEVEL CM	19038,7036 litre	97,498 %	488,6509 litre	O
470	CM 115	CM 215 LEVEL CM	18986,1611 litre	97,229 %	541,1934 litre	O
470	CM 115	CM 214 LEVEL CM	18931,9628 litre	96,951 %	595,3917 litre	O
470	CM 115	CM 213 LEVEL CM	18876,1737 litre	96,665 %	651,1808 litre	O
470	CM 115	CM 212 LEVEL CM	18818,8533 litre	96,372 %	708,5012 litre	O
470	CM 115	CM 211 LEVEL CM	18760,0566 litre	96,071 %	767,2979 litre	O
470	CM 115	CM 210 LEVEL CM	18699,8343 litre	95,762 %	827,5202 litre	O
470	CM 115	CM 209 LEVEL CM	18638,2339 litre	95,447 %	889,1206 litre	O
470	CM 115	CM 208 LEVEL CM	18575,2995 litre	95,125 %	952,0550 litre	O
470	CM 115	CM 207 LEVEL CM	18511,0725 litre	94,796 %	1016,2820 litre	O
470	CM 115	CM 206 LEVEL CM	18445,5921 litre	94,460 %	1081,7624 litre	O
470	CM 115	CM 205 LEVEL CM	18378,8949 litre	94,119 %	1148,4596 litre	O
470	CM 115	CM 204 LEVEL CM	18311,0158 litre	93,771 %	1216,3387 litre	O
470	CM 115	CM 203 LEVEL CM	18241,9879 litre	93,418 %	1285,3666 litre	O
470	CM 115	CM 202 LEVEL CM	18171,8426 litre	93,058 %	1355,5119 litre	O
470	CM 115	CM 201 LEVEL CM	18100,6097 litre	92,694 %	1426,7448 litre	O
470	CM 115	CM 200 LEVEL CM	18028,3178 litre	92,323 %	1499,0367 litre	O
470	CM 115	CM 199 LEVEL CM	17954,9944 litre	91,948 %	1572,3601 litre	O
470	CM 115	CM 198 LEVEL CM	17880,6656 litre	91,567 %	1646,6889 litre	O
470	CM 115	CM 197 LEVEL CM	17805,3565 litre	91,182 %	1721,9980 litre	O
470	CM 115	CM 196 LEVEL CM	17729,0914 litre	90,791 %	1798,2631 litre	O
470	CM 115	CM 195 LEVEL CM	17651,8935 litre	90,396 %	1875,4610 litre	O
470	CM 115	CM 194 LEVEL CM	17573,7853 litre	89,996 %	1953,5692 litre	O
470	CM 115	CM 193 LEVEL CM	17494,7884 litre	89,591 %	2032,5661 litre	O
470	CM 115	CM 192 LEVEL CM	17414,9238 litre	89,182 %	2112,4307 litre	O
470	CM 115	CM 191 LEVEL CM	17334,2118 litre	88,769 %	2193,1427 litre	O
470	CM 115	CM 190 LEVEL CM	17252,6720 litre	88,351 %	2274,6825 litre	O
470	CM 115	CM 189 LEVEL CM	17170,3234 litre	87,930 %	2357,0311 litre	O
470	CM 115	CM 188 LEVEL CM	17087,1846 litre	87,504 %	2440,1699 litre	O
470	CM 115	CM 187 LEVEL CM	17003,2736 litre	87,074 %	2524,0809 litre	O
470	CM 115	CM 186 LEVEL CM	16918,6077 litre	86,641 %	2608,7468 litre	O
470	CM 115	CM 185 LEVEL CM	16833,2041 litre	86,203 %	2694,1504 litre	O
470	CM 115	CM 184 LEVEL CM	16747,0793 litre	85,762 %	2780,2752 litre	O
470	CM 115	CM 183 LEVEL CM	16660,2494 litre	85,317 %	2867,1051 litre	O
470	CM 115	CM 182 LEVEL CM	16572,7303 litre	84,869 %	2954,6242 litre	O
470	CM 115	CM 181 LEVEL CM	16484,5374 litre	84,418 %	3042,8171 litre	O
470	CM 115	CM 180 LEVEL CM	16395,6856 litre	83,963 %	3131,6689 litre	O
470	CM 115	CM 179 LEVEL CM	16306,1897 litre	83,504 %	3221,1648 litre	O

470	CM 115	CM	178 LEVEL CM	16216,0642 litre	83,043 %	3311,2903 litre	O
470	CM 115	CM	177 LEVEL CM	16125,3232 litre	82,578 %	3402,0313 litre	O
470	CM 115	CM	176 LEVEL CM	16033,9803 litre	82,110 %	3493,3742 litre	O
470	CM 115	CM	175 LEVEL CM	15942,0493 litre	81,640 %	3585,3052 litre	O
470	CM 115	CM	174 LEVEL CM	15849,5434 litre	81,166 %	3677,8111 litre	O
470	CM 115	CM	173 LEVEL CM	15756,4756 litre	80,689 %	3770,8789 litre	O
470	CM 115	CM	172 LEVEL CM	15662,8588 litre	80,210 %	3864,4957 litre	O
470	CM 115	CM	171 LEVEL CM	15568,7055 litre	79,728 %	3958,6490 litre	O
470	CM 115	CM	170 LEVEL CM	15474,0282 litre	79,243 %	4053,3263 litre	O
470	CM 115	CM	169 LEVEL CM	15378,8389 litre	78,755 %	4148,5156 litre	O
470	CM 115	CM	168 LEVEL CM	15283,1496 litre	78,265 %	4244,2049 litre	O
470	CM 115	CM	167 LEVEL CM	15186,9722 litre	77,773 %	4340,3823 litre	O
470	CM 115	CM	166 LEVEL CM	15090,3182 litre	77,278 %	4437,0363 litre	O
470	CM 115	CM	165 LEVEL CM	14993,1991 litre	76,780 %	4534,1554 litre	O
470	CM 115	CM	164 LEVEL CM	14895,6262 litre	76,281 %	4631,7283 litre	O
470	CM 115	CM	163 LEVEL CM	14797,6105 litre	75,779 %	4729,7440 litre	O
470	CM 115	CM	162 LEVEL CM	14699,1631 litre	75,275 %	4828,1914 litre	O
470	CM 115	CM	161 LEVEL CM	14600,2947 litre	74,768 %	4927,0598 litre	O
470	CM 115	CM	160 LEVEL CM	14501,0160 litre	74,260 %	5026,3385 litre	O
470	CM 115	CM	159 LEVEL CM	14401,3377 litre	73,750 %	5126,0168 litre	O
470	CM 115	CM	158 LEVEL CM	14301,2701 litre	73,237 %	5226,0844 litre	O
470	CM 115	CM	157 LEVEL CM	14200,8234 litre	72,723 %	5326,5311 litre	O
470	CM 115	CM	156 LEVEL CM	14100,0080 litre	72,206 %	5427,3465 litre	O
470	CM 115	CM	155 LEVEL CM	13998,8339 litre	71,688 %	5528,5206 litre	O
470	CM 115	CM	154 LEVEL CM	13897,3111 litre	71,168 %	5630,0434 litre	O
470	CM 115	CM	153 LEVEL CM	13795,4493 litre	70,647 %	5731,9052 litre	O
470	CM 115	CM	152 LEVEL CM	13693,2585 litre	70,123 %	5834,0960 litre	O
470	CM 115	CM	151 LEVEL CM	13590,7483 litre	69,599 %	5936,6062 litre	O
470	CM 115	CM	150 LEVEL CM	13487,9282 litre	69,072 %	6039,4263 litre	O
470	CM 115	CM	149 LEVEL CM	13384,8077 litre	68,544 %	6142,5468 litre	O
470	CM 115	CM	148 LEVEL CM	13281,3964 litre	68,014 %	6245,9581 litre	O
470	CM 115	CM	147 LEVEL CM	13177,7034 litre	67,483 %	6349,6511 litre	O
470	CM 115	CM	146 LEVEL CM	13073,7382 litre	66,951 %	6453,6163 litre	O
470	CM 115	CM	145 LEVEL CM	12969,5097 litre	66,417 %	6557,8448 litre	O
470	CM 115	CM	144 LEVEL CM	12865,0273 litre	65,882 %	6662,3272 litre	O
470	CM 115	CM	143 LEVEL CM	12760,2999 litre	65,346 %	6767,0546 litre	O
470	CM 115	CM	142 LEVEL CM	12655,3365 litre	64,808 %	6872,0180 litre	O
470	CM 115	CM	141 LEVEL CM	12550,1461 litre	64,270 %	6977,2084 litre	O
470	CM 115	CM	140 LEVEL CM	12444,7375 litre	63,730 %	7082,6170 litre	O
470	CM 115	CM	139 LEVEL CM	12339,1196 litre	63,189 %	7188,2349 litre	O
470	CM 115	CM	138 LEVEL CM	12233,3010 litre	62,647 %	7294,0535 litre	O
470	CM 115	CM	137 LEVEL CM	12127,2906 litre	62,104 %	7400,0639 litre	O
470	CM 115	CM	136 LEVEL CM	12021,0970 litre	61,560 %	7506,2575 litre	O
470	CM 115	CM	135 LEVEL CM	11914,7287 litre	61,016 %	7612,6258 litre	O
470	CM 115	CM	134 LEVEL CM	11808,1945 litre	60,470 %	7719,1600 litre	O
470	CM 115	CM	133 LEVEL CM	11701,5028 litre	59,924 %	7825,8517 litre	O
470	CM 115	CM	132 LEVEL CM	11594,6621 litre	59,377 %	7932,6924 litre	O
470	CM 115	CM	131 LEVEL CM	11487,6809 litre	58,829 %	8039,6736 litre	O
470	CM 115	CM	130 LEVEL CM	11380,5676 litre	58,280 %	8146,7869 litre	O
470	CM 115	CM	129 LEVEL CM	11273,3307 litre	57,731 %	8254,0238 litre	O
470	CM 115	CM	128 LEVEL CM	11165,9785 litre	57,181 %	8361,3760 litre	O
470	CM 115	CM	127 LEVEL CM	11058,5193 litre	56,631 %	8468,8352 litre	O
470	CM 115	CM	126 LEVEL CM	10950,9615 litre	56,080 %	8576,3930 litre	O

470	CM 115	CM	125 LEVEL CM	10843,3134 litre	55,529 %	8684,0411 litre	O
470	CM 115	CM	124 LEVEL CM	10735,5832 litre	54,977 %	8791,7713 litre	O
470	CM 115	CM	123 LEVEL CM	10627,7793 litre	54,425 %	8899,5752 litre	O
470	CM 115	CM	122 LEVEL CM	10519,9097 litre	53,873 %	9007,4448 litre	O
470	CM 115	CM	121 LEVEL CM	10411,9829 litre	53,320 %	9115,3716 litre	O
470	CM 115	CM	120 LEVEL CM	10304,0069 litre	52,767 %	9223,3476 litre	O
470	CM 115	CM	119 LEVEL CM	10195,9901 litre	52,214 %	9331,3644 litre	O
470	CM 115	CM	118 LEVEL CM	10087,9405 litre	51,661 %	9439,4140 litre	O
470	CM 115	CM	117 LEVEL CM	9979,8664 litre	51,107 %	9547,4881 litre	O
470	CM 115	CM	116 LEVEL CM	9871,7759 litre	50,554 %	9655,5786 litre	O
470	CM 115	CM	115 LEVEL CM	9763,6773 litre	50,000 %	9763,6772 litre	O
470	CM 115	CM	114 LEVEL CM	9655,5786 litre	49,446 %	9871,7759 litre	O
470	CM 115	CM	113 LEVEL CM	9547,4882 litre	48,893 %	9979,8663 litre	O
470	CM 115	CM	112 LEVEL CM	9439,4141 litre	48,339 %	10087,9404 litre	O
470	CM 115	CM	111 LEVEL CM	9331,3645 litre	47,786 %	10195,9900 litre	O
470	CM 115	CM	110 LEVEL CM	9223,3476 litre	47,233 %	10304,0069 litre	O
470	CM 115	CM	109 LEVEL CM	9115,3716 litre	46,680 %	10411,9829 litre	O
470	CM 115	CM	108 LEVEL CM	9007,4448 litre	46,127 %	10519,9097 litre	O
470	CM 115	CM	107 LEVEL CM	8899,5753 litre	45,575 %	10627,7792 litre	O
470	CM 115	CM	106 LEVEL CM	8791,7713 litre	45,023 %	10735,5832 litre	O
470	CM 115	CM	105 LEVEL CM	8684,0411 litre	44,471 %	10843,3134 litre	O
470	CM 115	CM	104 LEVEL CM	8576,3930 litre	43,920 %	10950,9615 litre	O
470	CM 115	CM	103 LEVEL CM	8468,8352 litre	43,369 %	11058,5193 litre	O
470	CM 115	CM	102 LEVEL CM	8361,3760 litre	42,819 %	11165,9785 litre	O
470	CM 115	CM	101 LEVEL CM	8254,0238 litre	42,269 %	11273,3307 litre	O
470	CM 115	CM	100 LEVEL CM	8146,7869 litre	41,720 %	11380,5676 litre	O
470	CM 115	CM	99 LEVEL CM	8039,6736 litre	41,171 %	11487,6809 litre	O
470	CM 115	CM	98 LEVEL CM	7932,6925 litre	40,623 %	11594,6620 litre	O
470	CM 115	CM	97 LEVEL CM	7825,8518 litre	40,076 %	11701,5027 litre	O
470	CM 115	CM	96 LEVEL CM	7719,1601 litre	39,530 %	11808,1944 litre	O
470	CM 115	CM	95 LEVEL CM	7612,6258 litre	38,984 %	11914,7287 litre	O
470	CM 115	CM	94 LEVEL CM	7506,2576 litre	38,440 %	12021,0969 litre	O
470	CM 115	CM	93 LEVEL CM	7400,0639 litre	37,896 %	12127,2906 litre	O
470	CM 115	CM	92 LEVEL CM	7294,0535 litre	37,353 %	12233,3010 litre	O
470	CM 115	CM	91 LEVEL CM	7188,2350 litre	36,811 %	12339,1195 litre	O
470	CM 115	CM	90 LEVEL CM	7082,6170 litre	36,270 %	12444,7375 litre	O
470	CM 115	CM	89 LEVEL CM	6977,2084 litre	35,730 %	12550,1461 litre	O
470	CM 115	CM	88 LEVEL CM	6872,0180 litre	35,192 %	12655,3365 litre	O
470	CM 115	CM	87 LEVEL CM	6767,0546 litre	34,654 %	12760,2999 litre	O
470	CM 115	CM	86 LEVEL CM	6662,3272 litre	34,118 %	12865,0273 litre	O
470	CM 115	CM	85 LEVEL CM	6557,8448 litre	33,583 %	12969,5097 litre	O
470	CM 115	CM	84 LEVEL CM	6453,6164 litre	33,049 %	13073,7381 litre	O
470	CM 115	CM	83 LEVEL CM	6349,6511 litre	32,517 %	13177,7034 litre	O
470	CM 115	CM	82 LEVEL CM	6245,9582 litre	31,986 %	13281,3963 litre	O
470	CM 115	CM	81 LEVEL CM	6142,5468 litre	31,456 %	13384,8077 litre	O
470	CM 115	CM	80 LEVEL CM	6039,4264 litre	30,928 %	13487,9281 litre	O
470	CM 115	CM	79 LEVEL CM	5936,6063 litre	30,401 %	13590,7482 litre	O
470	CM 115	CM	78 LEVEL CM	5834,0960 litre	29,877 %	13693,2585 litre	O
470	CM 115	CM	77 LEVEL CM	5731,9052 litre	29,353 %	13795,4493 litre	O
470	CM 115	CM	76 LEVEL CM	5630,0435 litre	28,832 %	13897,3110 litre	O
470	CM 115	CM	75 LEVEL CM	5528,5206 litre	28,312 %	13998,8339 litre	O
470	CM 115	CM	74 LEVEL CM	5427,3465 litre	27,794 %	14100,0080 litre	O
470	CM 115	CM	73 LEVEL CM	5326,5311 litre	27,277 %	14200,8234 litre	O

470	CM	115	CM	72 LEVEL CM	5226,0845 litre	26,763 %	14301,2700 litre	O
470	CM	115	CM	71 LEVEL CM	5126,0168 litre	26,250 %	14401,3377 litre	O
470	CM	115	CM	70 LEVEL CM	5026,3385 litre	25,740 %	14501,0160 litre	O
470	CM	115	CM	69 LEVEL CM	4927,0598 litre	25,232 %	14600,2947 litre	O
470	CM	115	CM	68 LEVEL CM	4828,1915 litre	24,725 %	14699,1630 litre	O
470	CM	115	CM	67 LEVEL CM	4729,7440 litre	24,221 %	14797,6105 litre	O
470	CM	115	CM	66 LEVEL CM	4631,7283 litre	23,719 %	14895,6262 litre	O
470	CM	115	CM	65 LEVEL CM	4534,1554 litre	23,220 %	14993,1991 litre	O
470	CM	115	CM	64 LEVEL CM	4437,0363 litre	22,722 %	15090,3182 litre	O
470	CM	115	CM	63 LEVEL CM	4340,3823 litre	22,227 %	15186,9722 litre	O
470	CM	115	CM	62 LEVEL CM	4244,2049 litre	21,735 %	15283,1496 litre	O
470	CM	115	CM	61 LEVEL CM	4148,5157 litre	21,245 %	15378,8388 litre	O
470	CM	115	CM	60 LEVEL CM	4053,3264 litre	20,757 %	15474,0281 litre	O
470	CM	115	CM	59 LEVEL CM	3958,6490 litre	20,272 %	15568,7055 litre	O
470	CM	115	CM	58 LEVEL CM	3864,4957 litre	19,790 %	15662,8588 litre	O
470	CM	115	CM	57 LEVEL CM	3770,8789 litre	19,311 %	15756,4756 litre	O
470	CM	115	CM	56 LEVEL CM	3677,8111 litre	18,834 %	15849,5434 litre	O
470	CM	115	CM	55 LEVEL CM	3585,3052 litre	18,360 %	15942,0493 litre	O
470	CM	115	CM	54 LEVEL CM	3493,3742 litre	17,890 %	16033,9803 litre	O
470	CM	115	CM	53 LEVEL CM	3402,0314 litre	17,422 %	16125,3231 litre	O
470	CM	115	CM	52 LEVEL CM	3311,2903 litre	16,957 %	16216,0642 litre	O
470	CM	115	CM	51 LEVEL CM	3221,1648 litre	16,496 %	16306,1897 litre	O
470	CM	115	CM	50 LEVEL CM	3131,6690 litre	16,037 %	16395,6855 litre	O
470	CM	115	CM	49 LEVEL CM	3042,8172 litre	15,582 %	16484,5373 litre	O
470	CM	115	CM	48 LEVEL CM	2954,6242 litre	15,131 %	16572,7303 litre	O
470	CM	115	CM	47 LEVEL CM	2867,1051 litre	14,683 %	16660,2494 litre	O
470	CM	115	CM	46 LEVEL CM	2780,2753 litre	14,238 %	16747,0792 litre	O
470	CM	115	CM	45 LEVEL CM	2694,1504 litre	13,797 %	16833,2041 litre	O
470	CM	115	CM	44 LEVEL CM	2608,7468 litre	13,359 %	16918,6077 litre	O
470	CM	115	CM	43 LEVEL CM	2524,0810 litre	12,926 %	17003,2735 litre	O
470	CM	115	CM	42 LEVEL CM	2440,1699 litre	12,496 %	17087,1846 litre	O
470	CM	115	CM	41 LEVEL CM	2357,0311 litre	12,070 %	17170,3234 litre	O
470	CM	115	CM	40 LEVEL CM	2274,6826 litre	11,649 %	17252,6719 litre	O
470	CM	115	CM	39 LEVEL CM	2193,1428 litre	11,231 %	17334,2117 litre	O
470	CM	115	CM	38 LEVEL CM	2112,4308 litre	10,818 %	17414,9237 litre	O
470	CM	115	CM	37 LEVEL CM	2032,5662 litre	10,409 %	17494,7883 litre	O
470	CM	115	CM	36 LEVEL CM	1953,5693 litre	10,004 %	17573,7852 litre	O
470	CM	115	CM	35 LEVEL CM	1875,4610 litre	9,604 %	17651,8935 litre	O
470	CM	115	CM	34 LEVEL CM	1798,2631 litre	9,209 %	17729,0914 litre	O
470	CM	115	CM	33 LEVEL CM	1721,9980 litre	8,818 %	17805,3565 litre	O
470	CM	115	CM	32 LEVEL CM	1646,6889 litre	8,433 %	17880,6656 litre	O
470	CM	115	CM	31 LEVEL CM	1572,3601 litre	8,052 %	17954,9944 litre	O
470	CM	115	CM	30 LEVEL CM	1499,0367 litre	7,677 %	18028,3178 litre	O
470	CM	115	CM	29 LEVEL CM	1426,7449 litre	7,306 %	18100,6096 litre	O
470	CM	115	CM	28 LEVEL CM	1355,5120 litre	6,942 %	18171,8425 litre	O
470	CM	115	CM	27 LEVEL CM	1285,3666 litre	6,582 %	18241,9879 litre	O
470	CM	115	CM	26 LEVEL CM	1216,3387 litre	6,229 %	18311,0158 litre	O
470	CM	115	CM	25 LEVEL CM	1148,4596 litre	5,881 %	18378,8949 litre	O
470	CM	115	CM	24 LEVEL CM	1081,7625 litre	5,540 %	18445,5920 litre	O
470	CM	115	CM	23 LEVEL CM	1016,2820 litre	5,204 %	18511,0725 litre	O
470	CM	115	CM	22 LEVEL CM	952,0551 litre	4,875 %	18575,2994 litre	O
470	CM	115	CM	21 LEVEL CM	889,1207 litre	4,553 %	18638,2338 litre	O
470	CM	115	CM	20 LEVEL CM	827,5202 litre	4,238 %	18699,8343 litre	O

470	CM	115	CM	19 LEVEL CM	767,2980 litre	3,929 %	18760,0565 litre	O
470	CM	115	CM	18 LEVEL CM	708,5012 litre	3,628 %	18818,8533 litre	O
470	CM	115	CM	17 LEVEL CM	651,1809 litre	3,335 %	18876,1736 litre	O
470	CM	115	CM	16 LEVEL CM	595,3917 litre	3,049 %	18931,9628 litre	O
470	CM	115	CM	15 LEVEL CM	541,1934 litre	2,771 %	18986,1611 litre	O
470	CM	115	CM	14 LEVEL CM	488,6509 litre	2,502 %	19038,7036 litre	O
470	CM	115	CM	13 LEVEL CM	437,8355 litre	2,242 %	19089,5190 litre	O
470	CM	115	CM	12 LEVEL CM	388,8260 litre	1,991 %	19138,5285 litre	O
470	CM	115	CM	11 LEVEL CM	341,7104 litre	1,750 %	19185,6441 litre	O
470	CM	115	CM	10 LEVEL CM	296,5877 litre	1,519 %	19230,7668 litre	O
470	CM	115	CM	9 LEVEL CM	253,5708 litre	1,299 %	19273,7837 litre	O
470	CM	115	CM	8 LEVEL CM	212,7899 litre	1,090 %	19314,5646 litre	O
470	CM	115	CM	7 LEVEL CM	174,3982 litre	0,893 %	19352,9563 litre	O
470	CM	115	CM	6 LEVEL CM	138,5795 litre	0,710 %	19388,7750 litre	O
470	CM	115	CM	5 LEVEL CM	105,5608 litre	0,541 %	19421,7937 litre	O
470	CM	115	CM	4 LEVEL CM	75,6330 litre	0,387 %	19451,7215 litre	O
470	CM	115	CM	3 LEVEL CM	49,1899 litre	0,252 %	19478,1646 litre	O
470	CM	115	CM	2 LEVEL CM	26,8108 litre	0,137 %	19500,5437 litre	O
470	CM	115	CM	1 LEVEL CM	9,4915 litre	0,049 %	19517,8630 litre	O
470	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	19527,3545 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM	110	CM 220 LEVEL CM	17866,2374 litre	100,000 %	0,0000 litre	O
470	CM	110	CM 219 LEVEL CM	17856,9551 litre	99,948 %	9,2823 litre	O
470	CM	110	CM 218 LEVEL CM	17840,0191 litre	99,853 %	26,2183 litre	O
470	CM	110	CM 217 LEVEL CM	17818,1374 litre	99,731 %	48,1000 litre	O
470	CM	110	CM 216 LEVEL CM	17792,2846 litre	99,586 %	73,9528 litre	O
470	CM	110	CM 215 LEVEL CM	17763,0280 litre	99,422 %	103,2094 litre	O
470	CM	110	CM 214 LEVEL CM	17730,7530 litre	99,242 %	135,4844 litre	O
470	CM	110	CM 213 LEVEL CM	17695,7448 litre	99,046 %	170,4926 litre	O
470	CM	110	CM 212 LEVEL CM	17658,2258 litre	98,836 %	208,0116 litre	O
470	CM	110	CM 211 LEVEL CM	17618,3761 litre	98,613 %	247,8613 litre	O
470	CM	110	CM 210 LEVEL CM	17576,3460 litre	98,377 %	289,8914 litre	O
470	CM	110	CM 209 LEVEL CM	17532,2632 litre	98,131 %	333,9742 litre	O
470	CM	110	CM 208 LEVEL CM	17486,2384 litre	97,873 %	379,9990 litre	O
470	CM	110	CM 207 LEVEL CM	17438,3689 litre	97,605 %	427,8685 litre	O
470	CM	110	CM 206 LEVEL CM	17388,7409 litre	97,327 %	477,4965 litre	O
470	CM	110	CM 205 LEVEL CM	17337,4319 litre	97,040 %	528,8055 litre	O
470	CM	110	CM 204 LEVEL CM	17284,5121 litre	96,744 %	581,7253 litre	O
470	CM	110	CM 203 LEVEL CM	17230,0452 litre	96,439 %	636,1922 litre	O
470	CM	110	CM 202 LEVEL CM	17174,0898 litre	96,126 %	692,1476 litre	O
470	CM	110	CM 201 LEVEL CM	17116,6999 litre	95,805 %	749,5375 litre	O
470	CM	110	CM 200 LEVEL CM	17057,9255 litre	95,476 %	808,3119 litre	O
470	CM	110	CM 199 LEVEL CM	16997,8133 litre	95,139 %	868,4241 litre	O
470	CM	110	CM 198 LEVEL CM	16936,4066 litre	94,796 %	929,8308 litre	O
470	CM	110	CM 197 LEVEL CM	16873,7464 litre	94,445 %	992,4910 litre	O
470	CM	110	CM 196 LEVEL CM	16809,8712 litre	94,087 %	1056,3662 litre	O
470	CM	110	CM 195 LEVEL CM	16744,8171 litre	93,723 %	1121,4203 litre	O
470	CM	110	CM 194 LEVEL CM	16678,6185 litre	93,353 %	1187,6189 litre	O
470	CM	110	CM 193 LEVEL CM	16611,3079 litre	92,976 %	1254,9295 litre	O
470	CM	110	CM 192 LEVEL CM	16542,9165 litre	92,593 %	1323,3209 litre	O
470	CM	110	CM 191 LEVEL CM	16473,4737 litre	92,204 %	1392,7637 litre	O
470	CM	110	CM 190 LEVEL CM	16403,0077 litre	91,810 %	1463,2297 litre	O
470	CM	110	CM 189 LEVEL CM	16331,5456 litre	91,410 %	1534,6918 litre	O
470	CM	110	CM 188 LEVEL CM	16259,1132 litre	91,005 %	1607,1242 litre	O
470	CM	110	CM 187 LEVEL CM	16185,7355 litre	90,594 %	1680,5019 litre	O
470	CM	110	CM 186 LEVEL CM	16111,4363 litre	90,178 %	1754,8011 litre	O
470	CM	110	CM 185 LEVEL CM	16036,2387 litre	89,757 %	1829,9987 litre	O
470	CM	110	CM 184 LEVEL CM	15960,1649 litre	89,331 %	1906,0725 litre	O
470	CM	110	CM 183 LEVEL CM	15883,2364 litre	88,901 %	1983,0010 litre	O
470	CM	110	CM 182 LEVEL CM	15805,4739 litre	88,466 %	2060,7635 litre	O
470	CM	110	CM 181 LEVEL CM	15726,8975 litre	88,026 %	2139,3399 litre	O
470	CM	110	CM 180 LEVEL CM	15647,5267 litre	87,582 %	2218,7107 litre	O
470	CM	110	CM 179 LEVEL CM	15567,3804 litre	87,133 %	2298,8570 litre	O
470	CM	110	CM 178 LEVEL CM	15486,4770 litre	86,680 %	2379,7604 litre	O
470	CM	110	CM 177 LEVEL CM	15404,8342 litre	86,223 %	2461,4032 litre	O
470	CM	110	CM 176 LEVEL CM	15322,4695 litre	85,762 %	2543,7679 litre	O
470	CM	110	CM 175 LEVEL CM	15239,3998 litre	85,297 %	2626,8376 litre	O
470	CM	110	CM 174 LEVEL CM	15155,6415 litre	84,828 %	2710,5959 litre	O
470	CM	110	CM 173 LEVEL CM	15071,2107 litre	84,356 %	2795,0267 litre	O
470	CM	110	CM 172 LEVEL CM	14986,1232 litre	83,880 %	2880,1142 litre	O
470	CM	110	CM 171 LEVEL CM	14900,3942 litre	83,400 %	2965,8432 litre	O
470	CM	110	CM 170 LEVEL CM	14814,0388 litre	82,916 %	3052,1986 litre	O
470	CM	110	CM 169 LEVEL CM	14727,0716 litre	82,430 %	3139,1658 litre	O

470	CM 110	CM	168 LEVEL CM	14639,5070 litre	81,940 %	3226,7304 litre	O
470	CM 110	CM	167 LEVEL CM	14551,3591 litre	81,446 %	3314,8783 litre	O
470	CM 110	CM	166 LEVEL CM	14462,6417 litre	80,950 %	3403,5957 litre	O
470	CM 110	CM	165 LEVEL CM	14373,3682 litre	80,450 %	3492,8692 litre	O
470	CM 110	CM	164 LEVEL CM	14283,5520 litre	79,947 %	3582,6854 litre	O
470	CM 110	CM	163 LEVEL CM	14193,2061 litre	79,441 %	3673,0313 litre	O
470	CM 110	CM	162 LEVEL CM	14102,3433 litre	78,933 %	3763,8941 litre	O
470	CM 110	CM	161 LEVEL CM	14010,9763 litre	78,422 %	3855,2611 litre	O
470	CM 110	CM	160 LEVEL CM	13919,1173 litre	77,907 %	3947,1201 litre	O
470	CM 110	CM	159 LEVEL CM	13826,7787 litre	77,391 %	4039,4587 litre	O
470	CM 110	CM	158 LEVEL CM	13733,9723 litre	76,871 %	4132,2651 litre	O
470	CM 110	CM	157 LEVEL CM	13640,7101 litre	76,349 %	4225,5273 litre	O
470	CM 110	CM	156 LEVEL CM	13547,0036 litre	75,825 %	4319,2338 litre	O
470	CM 110	CM	155 LEVEL CM	13452,8643 litre	75,298 %	4413,3731 litre	O
470	CM 110	CM	154 LEVEL CM	13358,3037 litre	74,768 %	4507,9337 litre	O
470	CM 110	CM	153 LEVEL CM	13263,3327 litre	74,237 %	4602,9047 litre	O
470	CM 110	CM	152 LEVEL CM	13167,9625 litre	73,703 %	4698,2749 litre	O
470	CM 110	CM	151 LEVEL CM	13072,2040 litre	73,167 %	4794,0334 litre	O
470	CM 110	CM	150 LEVEL CM	12976,0679 litre	72,629 %	4890,1695 litre	O
470	CM 110	CM	149 LEVEL CM	12879,5649 litre	72,089 %	4986,6725 litre	O
470	CM 110	CM	148 LEVEL CM	12782,7054 litre	71,547 %	5083,5320 litre	O
470	CM 110	CM	147 LEVEL CM	12685,4998 litre	71,003 %	5180,7376 litre	O
470	CM 110	CM	146 LEVEL CM	12587,9586 litre	70,457 %	5278,2788 litre	O
470	CM 110	CM	145 LEVEL CM	12490,0917 litre	69,909 %	5376,1457 litre	O
470	CM 110	CM	144 LEVEL CM	12391,9094 litre	69,359 %	5474,3280 litre	O
470	CM 110	CM	143 LEVEL CM	12293,4215 litre	68,808 %	5572,8159 litre	O
470	CM 110	CM	142 LEVEL CM	12194,6380 litre	68,255 %	5671,5994 litre	O
470	CM 110	CM	141 LEVEL CM	12095,5687 litre	67,701 %	5770,6687 litre	O
470	CM 110	CM	140 LEVEL CM	11996,2233 litre	67,145 %	5870,0141 litre	O
470	CM 110	CM	139 LEVEL CM	11896,6114 litre	66,587 %	5969,6260 litre	O
470	CM 110	CM	138 LEVEL CM	11796,7426 litre	66,028 %	6069,4948 litre	O
470	CM 110	CM	137 LEVEL CM	11696,6264 litre	65,468 %	6169,6110 litre	O
470	CM 110	CM	136 LEVEL CM	11596,2721 litre	64,906 %	6269,9653 litre	O
470	CM 110	CM	135 LEVEL CM	11495,6892 litre	64,343 %	6370,5482 litre	O
470	CM 110	CM	134 LEVEL CM	11394,8869 litre	63,779 %	6471,3505 litre	O
470	CM 110	CM	133 LEVEL CM	11293,8745 litre	63,214 %	6572,3629 litre	O
470	CM 110	CM	132 LEVEL CM	11192,6611 litre	62,647 %	6673,5763 litre	O
470	CM 110	CM	131 LEVEL CM	11091,2557 litre	62,079 %	6774,9817 litre	O
470	CM 110	CM	130 LEVEL CM	10989,6676 litre	61,511 %	6876,5698 litre	O
470	CM 110	CM	129 LEVEL CM	10887,9056 litre	60,941 %	6978,3318 litre	O
470	CM 110	CM	128 LEVEL CM	10785,9788 litre	60,371 %	7080,2586 litre	O
470	CM 110	CM	127 LEVEL CM	10683,8961 litre	59,799 %	7182,3413 litre	O
470	CM 110	CM	126 LEVEL CM	10581,6664 litre	59,227 %	7284,5710 litre	O
470	CM 110	CM	125 LEVEL CM	10479,2984 litre	58,654 %	7386,9390 litre	O
470	CM 110	CM	124 LEVEL CM	10376,8010 litre	58,081 %	7489,4364 litre	O
470	CM 110	CM	123 LEVEL CM	10274,1831 litre	57,506 %	7592,0543 litre	O
470	CM 110	CM	122 LEVEL CM	10171,4532 litre	56,931 %	7694,7842 litre	O
470	CM 110	CM	121 LEVEL CM	10068,6202 litre	56,356 %	7797,6172 litre	O
470	CM 110	CM	120 LEVEL CM	9965,6927 litre	55,779 %	7900,5447 litre	O
470	CM 110	CM	119 LEVEL CM	9862,6794 litre	55,203 %	8003,5580 litre	O
470	CM 110	CM	118 LEVEL CM	9759,5889 litre	54,626 %	8106,6485 litre	O
470	CM 110	CM	117 LEVEL CM	9656,4299 litre	54,048 %	8209,8075 litre	O
470	CM 110	CM	116 LEVEL CM	9553,2109 litre	53,471 %	8313,0265 litre	O

470	CM 110	CM	115 LEVEL CM	9449,9406 litre	52,893 %	8416,2968 litre	O
470	CM 110	CM	114 LEVEL CM	9346,6275 litre	52,314 %	8519,6099 litre	O
470	CM 110	CM	113 LEVEL CM	9243,2803 litre	51,736 %	8622,9571 litre	O
470	CM 110	CM	112 LEVEL CM	9139,9073 litre	51,157 %	8726,3301 litre	O
470	CM 110	CM	111 LEVEL CM	9036,5173 litre	50,579 %	8829,7201 litre	O
470	CM 110	CM	110 LEVEL CM	8933,1187 litre	50,000 %	8933,1187 litre	O
470	CM 110	CM	109 LEVEL CM	8829,7201 litre	49,421 %	9036,5173 litre	O
470	CM 110	CM	108 LEVEL CM	8726,3301 litre	48,843 %	9139,9073 litre	O
470	CM 110	CM	107 LEVEL CM	8622,9572 litre	48,264 %	9243,2802 litre	O
470	CM 110	CM	106 LEVEL CM	8519,6099 litre	47,686 %	9346,6275 litre	O
470	CM 110	CM	105 LEVEL CM	8416,2968 litre	47,107 %	9449,9406 litre	O
470	CM 110	CM	104 LEVEL CM	8313,0265 litre	46,529 %	9553,2109 litre	O
470	CM 110	CM	103 LEVEL CM	8209,8075 litre	45,952 %	9656,4299 litre	O
470	CM 110	CM	102 LEVEL CM	8106,6485 litre	45,374 %	9759,5889 litre	O
470	CM 110	CM	101 LEVEL CM	8003,5580 litre	44,797 %	9862,6794 litre	O
470	CM 110	CM	100 LEVEL CM	7900,5447 litre	44,221 %	9965,6927 litre	O
470	CM 110	CM	99 LEVEL CM	7797,6172 litre	43,644 %	10068,6202 litre	O
470	CM 110	CM	98 LEVEL CM	7694,7842 litre	43,069 %	10171,4532 litre	O
470	CM 110	CM	97 LEVEL CM	7592,0544 litre	42,494 %	10274,1830 litre	O
470	CM 110	CM	96 LEVEL CM	7489,4364 litre	41,919 %	10376,8010 litre	O
470	CM 110	CM	95 LEVEL CM	7386,9390 litre	41,346 %	10479,2984 litre	O
470	CM 110	CM	94 LEVEL CM	7284,5711 litre	40,773 %	10581,6663 litre	O
470	CM 110	CM	93 LEVEL CM	7182,3413 litre	40,201 %	10683,8961 litre	O
470	CM 110	CM	92 LEVEL CM	7080,2586 litre	39,629 %	10785,9788 litre	O
470	CM 110	CM	91 LEVEL CM	6978,3318 litre	39,059 %	10887,9056 litre	O
470	CM 110	CM	90 LEVEL CM	6876,5698 litre	38,489 %	10989,6676 litre	O
470	CM 110	CM	89 LEVEL CM	6774,9817 litre	37,921 %	11091,2557 litre	O
470	CM 110	CM	88 LEVEL CM	6673,5764 litre	37,353 %	11192,6610 litre	O
470	CM 110	CM	87 LEVEL CM	6572,3629 litre	36,786 %	11293,8745 litre	O
470	CM 110	CM	86 LEVEL CM	6471,3505 litre	36,221 %	11394,8869 litre	O
470	CM 110	CM	85 LEVEL CM	6370,5482 litre	35,657 %	11495,6892 litre	O
470	CM 110	CM	84 LEVEL CM	6269,9653 litre	35,094 %	11596,2721 litre	O
470	CM 110	CM	83 LEVEL CM	6169,6110 litre	34,532 %	11696,6264 litre	O
470	CM 110	CM	82 LEVEL CM	6069,4948 litre	33,972 %	11796,7426 litre	O
470	CM 110	CM	81 LEVEL CM	5969,6260 litre	33,413 %	11896,6114 litre	O
470	CM 110	CM	80 LEVEL CM	5870,0141 litre	32,855 %	11996,2233 litre	O
470	CM 110	CM	79 LEVEL CM	5770,6687 litre	32,299 %	12095,5687 litre	O
470	CM 110	CM	78 LEVEL CM	5671,5994 litre	31,745 %	12194,6380 litre	O
470	CM 110	CM	77 LEVEL CM	5572,8159 litre	31,192 %	12293,4215 litre	O
470	CM 110	CM	76 LEVEL CM	5474,3281 litre	30,641 %	12391,9093 litre	O
470	CM 110	CM	75 LEVEL CM	5376,1457 litre	30,091 %	12490,0917 litre	O
470	CM 110	CM	74 LEVEL CM	5278,2789 litre	29,543 %	12587,9585 litre	O
470	CM 110	CM	73 LEVEL CM	5180,7376 litre	28,997 %	12685,4998 litre	O
470	CM 110	CM	72 LEVEL CM	5083,5320 litre	28,453 %	12782,7054 litre	O
470	CM 110	CM	71 LEVEL CM	4986,6726 litre	27,911 %	12879,5648 litre	O
470	CM 110	CM	70 LEVEL CM	4890,1695 litre	27,371 %	12976,0679 litre	O
470	CM 110	CM	69 LEVEL CM	4794,0334 litre	26,833 %	13072,2040 litre	O
470	CM 110	CM	68 LEVEL CM	4698,2749 litre	26,297 %	13167,9625 litre	O
470	CM 110	CM	67 LEVEL CM	4602,9047 litre	25,763 %	13263,3327 litre	O
470	CM 110	CM	66 LEVEL CM	4507,9338 litre	25,232 %	13358,3036 litre	O
470	CM 110	CM	65 LEVEL CM	4413,3731 litre	24,702 %	13452,8643 litre	O
470	CM 110	CM	64 LEVEL CM	4319,2338 litre	24,175 %	13547,0036 litre	O
470	CM 110	CM	63 LEVEL CM	4225,5273 litre	23,651 %	13640,7101 litre	O

470	CM 110	CM	62 LEVEL CM	4132,2651 litre	23,129 %	13733,9723 litre	O
470	CM 110	CM	61 LEVEL CM	4039,4587 litre	22,609 %	13826,7787 litre	O
470	CM 110	CM	60 LEVEL CM	3947,1201 litre	22,093 %	13919,1173 litre	O
470	CM 110	CM	59 LEVEL CM	3855,2611 litre	21,578 %	14010,9763 litre	O
470	CM 110	CM	58 LEVEL CM	3763,8941 litre	21,067 %	14102,3433 litre	O
470	CM 110	CM	57 LEVEL CM	3673,0313 litre	20,559 %	14193,2061 litre	O
470	CM 110	CM	56 LEVEL CM	3582,6854 litre	20,053 %	14283,5520 litre	O
470	CM 110	CM	55 LEVEL CM	3492,8692 litre	19,550 %	14373,3682 litre	O
470	CM 110	CM	54 LEVEL CM	3403,5958 litre	19,050 %	14462,6416 litre	O
470	CM 110	CM	53 LEVEL CM	3314,8783 litre	18,554 %	14551,3591 litre	O
470	CM 110	CM	52 LEVEL CM	3226,7304 litre	18,060 %	14639,5070 litre	O
470	CM 110	CM	51 LEVEL CM	3139,1658 litre	17,570 %	14727,0716 litre	O
470	CM 110	CM	50 LEVEL CM	3052,1986 litre	17,084 %	14814,0388 litre	O
470	CM 110	CM	49 LEVEL CM	2965,8432 litre	16,600 %	14900,3942 litre	O
470	CM 110	CM	48 LEVEL CM	2880,1142 litre	16,120 %	14986,1232 litre	O
470	CM 110	CM	47 LEVEL CM	2795,0267 litre	15,644 %	15071,2107 litre	O
470	CM 110	CM	46 LEVEL CM	2710,5959 litre	15,172 %	15155,6415 litre	O
470	CM 110	CM	45 LEVEL CM	2626,8376 litre	14,703 %	15239,3998 litre	O
470	CM 110	CM	44 LEVEL CM	2543,7679 litre	14,238 %	15322,4695 litre	O
470	CM 110	CM	43 LEVEL CM	2461,4032 litre	13,777 %	15404,8342 litre	O
470	CM 110	CM	42 LEVEL CM	2379,7604 litre	13,320 %	15486,4770 litre	O
470	CM 110	CM	41 LEVEL CM	2298,8570 litre	12,867 %	15567,3804 litre	O
470	CM 110	CM	40 LEVEL CM	2218,7107 litre	12,418 %	15647,5267 litre	O
470	CM 110	CM	39 LEVEL CM	2139,3399 litre	11,974 %	15726,8975 litre	O
470	CM 110	CM	38 LEVEL CM	2060,7635 litre	11,534 %	15805,4739 litre	O
470	CM 110	CM	37 LEVEL CM	1983,0010 litre	11,099 %	15883,2364 litre	O
470	CM 110	CM	36 LEVEL CM	1906,0725 litre	10,669 %	15960,1649 litre	O
470	CM 110	CM	35 LEVEL CM	1829,9987 litre	10,243 %	16036,2387 litre	O
470	CM 110	CM	34 LEVEL CM	1754,8011 litre	9,822 %	16111,4363 litre	O
470	CM 110	CM	33 LEVEL CM	1680,5019 litre	9,406 %	16185,7355 litre	O
470	CM 110	CM	32 LEVEL CM	1607,1242 litre	8,995 %	16259,1132 litre	O
470	CM 110	CM	31 LEVEL CM	1534,6918 litre	8,590 %	16331,5456 litre	O
470	CM 110	CM	30 LEVEL CM	1463,2297 litre	8,190 %	16403,0077 litre	O
470	CM 110	CM	29 LEVEL CM	1392,7637 litre	7,796 %	16473,4737 litre	O
470	CM 110	CM	28 LEVEL CM	1323,3209 litre	7,407 %	16542,9165 litre	O
470	CM 110	CM	27 LEVEL CM	1254,9295 litre	7,024 %	16611,3079 litre	O
470	CM 110	CM	26 LEVEL CM	1187,6190 litre	6,647 %	16678,6184 litre	O
470	CM 110	CM	25 LEVEL CM	1121,4204 litre	6,277 %	16744,8170 litre	O
470	CM 110	CM	24 LEVEL CM	1056,3663 litre	5,913 %	16809,8711 litre	O
470	CM 110	CM	23 LEVEL CM	992,4910 litre	5,555 %	16873,7464 litre	O
470	CM 110	CM	22 LEVEL CM	929,8308 litre	5,204 %	16936,4066 litre	O
470	CM 110	CM	21 LEVEL CM	868,4242 litre	4,861 %	16997,8132 litre	O
470	CM 110	CM	20 LEVEL CM	808,3119 litre	4,524 %	17057,9255 litre	O
470	CM 110	CM	19 LEVEL CM	749,5375 litre	4,195 %	17116,6999 litre	O
470	CM 110	CM	18 LEVEL CM	692,1476 litre	3,874 %	17174,0898 litre	O
470	CM 110	CM	17 LEVEL CM	636,1922 litre	3,561 %	17230,0452 litre	O
470	CM 110	CM	16 LEVEL CM	581,7253 litre	3,256 %	17284,5121 litre	O
470	CM 110	CM	15 LEVEL CM	528,8055 litre	2,960 %	17337,4319 litre	O
470	CM 110	CM	14 LEVEL CM	477,4965 litre	2,673 %	17388,7409 litre	O
470	CM 110	CM	13 LEVEL CM	427,8686 litre	2,395 %	17438,3688 litre	O
470	CM 110	CM	12 LEVEL CM	379,9990 litre	2,127 %	17486,2384 litre	O
470	CM 110	CM	11 LEVEL CM	333,9742 litre	1,869 %	17532,2632 litre	O
470	CM 110	CM	10 LEVEL CM	289,8914 litre	1,623 %	17576,3460 litre	O

470	CM	110	CM	9 LEVEL CM	247,8613 litre	1,387 %	17618,3761 litre	O
470	CM	110	CM	8 LEVEL CM	208,0116 litre	1,164 %	17658,2258 litre	O
470	CM	110	CM	7 LEVEL CM	170,4926 litre	0,954 %	17695,7448 litre	O
470	CM	110	CM	6 LEVEL CM	135,4844 litre	0,758 %	17730,7530 litre	O
470	CM	110	CM	5 LEVEL CM	103,2095 litre	0,578 %	17763,0279 litre	O
470	CM	110	CM	4 LEVEL CM	73,9528 litre	0,414 %	17792,2846 litre	O
470	CM	110	CM	3 LEVEL CM	48,1000 litre	0,269 %	17818,1374 litre	O
470	CM	110	CM	2 LEVEL CM	26,2183 litre	0,147 %	17840,0191 litre	O
470	CM	110	CM	1 LEVEL CM	9,2823 litre	0,052 %	17856,9551 litre	O
470	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	17866,2374 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 105	CM 210 LEVEL CM	16278,9477 litre	100,000 %	0,0000 litre	O
470	CM 105	CM 209 LEVEL CM	16269,8795 litre	99,944 %	9,0682 litre	O
470	CM 105	CM 208 LEVEL CM	16253,3356 litre	99,843 %	25,6121 litre	O
470	CM 105	CM 207 LEVEL CM	16231,9629 litre	99,711 %	46,9848 litre	O
470	CM 105	CM 206 LEVEL CM	16206,7142 litre	99,556 %	72,2335 litre	O
470	CM 105	CM 205 LEVEL CM	16178,1445 litre	99,381 %	100,8032 litre	O
470	CM 105	CM 204 LEVEL CM	16146,6309 litre	99,187 %	132,3168 litre	O
470	CM 105	CM 203 LEVEL CM	16112,4524 litre	98,977 %	166,4953 litre	O
470	CM 105	CM 202 LEVEL CM	16075,8268 litre	98,752 %	203,1209 litre	O
470	CM 105	CM 201 LEVEL CM	16036,9307 litre	98,513 %	242,0170 litre	O
470	CM 105	CM 200 LEVEL CM	15995,9110 litre	98,261 %	283,0367 litre	O
470	CM 105	CM 199 LEVEL CM	15952,8932 litre	97,997 %	326,0545 litre	O
470	CM 105	CM 198 LEVEL CM	15907,9857 litre	97,721 %	370,9620 litre	O
470	CM 105	CM 197 LEVEL CM	15861,2839 litre	97,434 %	417,6638 litre	O
470	CM 105	CM 196 LEVEL CM	15812,8725 litre	97,137 %	466,0752 litre	O
470	CM 105	CM 195 LEVEL CM	15762,8275 litre	96,830 %	516,1202 litre	O
470	CM 105	CM 194 LEVEL CM	15711,2178 litre	96,512 %	567,7299 litre	O
470	CM 105	CM 193 LEVEL CM	15658,1061 litre	96,186 %	620,8416 litre	O
470	CM 105	CM 192 LEVEL CM	15603,5498 litre	95,851 %	675,3979 litre	O
470	CM 105	CM 191 LEVEL CM	15547,6021 litre	95,507 %	731,3456 litre	O
470	CM 105	CM 190 LEVEL CM	15490,3122 litre	95,155 %	788,6355 litre	O
470	CM 105	CM 189 LEVEL CM	15431,7259 litre	94,796 %	847,2218 litre	O
470	CM 105	CM 188 LEVEL CM	15371,8860 litre	94,428 %	907,0617 litre	O
470	CM 105	CM 187 LEVEL CM	15310,8328 litre	94,053 %	968,1149 litre	O
470	CM 105	CM 186 LEVEL CM	15248,6041 litre	93,671 %	1030,3436 litre	O
470	CM 105	CM 185 LEVEL CM	15185,2356 litre	93,281 %	1093,7121 litre	O
470	CM 105	CM 184 LEVEL CM	15120,7612 litre	92,885 %	1158,1865 litre	O
470	CM 105	CM 183 LEVEL CM	15055,2131 litre	92,483 %	1223,7346 litre	O
470	CM 105	CM 182 LEVEL CM	14988,6218 litre	92,074 %	1290,3259 litre	O
470	CM 105	CM 181 LEVEL CM	14921,0164 litre	91,658 %	1357,9313 litre	O
470	CM 105	CM 180 LEVEL CM	14852,4249 litre	91,237 %	1426,5228 litre	O
470	CM 105	CM 179 LEVEL CM	14782,8739 litre	90,810 %	1496,0738 litre	O
470	CM 105	CM 178 LEVEL CM	14712,3890 litre	90,377 %	1566,5587 litre	O
470	CM 105	CM 177 LEVEL CM	14640,9948 litre	89,938 %	1637,9529 litre	O
470	CM 105	CM 176 LEVEL CM	14568,7150 litre	89,494 %	1710,2327 litre	O
470	CM 105	CM 175 LEVEL CM	14495,5724 litre	89,045 %	1783,3753 litre	O
470	CM 105	CM 174 LEVEL CM	14421,5890 litre	88,590 %	1857,3587 litre	O
470	CM 105	CM 173 LEVEL CM	14346,7860 litre	88,131 %	1932,1617 litre	O
470	CM 105	CM 172 LEVEL CM	14271,1840 litre	87,667 %	2007,7637 litre	O
470	CM 105	CM 171 LEVEL CM	14194,8029 litre	87,197 %	2084,1448 litre	O
470	CM 105	CM 170 LEVEL CM	14117,6621 litre	86,723 %	2161,2856 litre	O
470	CM 105	CM 169 LEVEL CM	14039,7803 litre	86,245 %	2239,1674 litre	O
470	CM 105	CM 168 LEVEL CM	13961,1757 litre	85,762 %	2317,7720 litre	O
470	CM 105	CM 167 LEVEL CM	13881,8661 litre	85,275 %	2397,0816 litre	O
470	CM 105	CM 166 LEVEL CM	13801,8687 litre	84,784 %	2477,0790 litre	O
470	CM 105	CM 165 LEVEL CM	13721,2004 litre	84,288 %	2557,7473 litre	O
470	CM 105	CM 164 LEVEL CM	13639,8775 litre	83,788 %	2639,0702 litre	O
470	CM 105	CM 163 LEVEL CM	13557,9160 litre	83,285 %	2721,0317 litre	O
470	CM 105	CM 162 LEVEL CM	13475,3316 litre	82,778 %	2803,6161 litre	O
470	CM 105	CM 161 LEVEL CM	13392,1396 litre	82,267 %	2886,8081 litre	O
470	CM 105	CM 160 LEVEL CM	13308,3549 litre	81,752 %	2970,5928 litre	O
470	CM 105	CM 159 LEVEL CM	13223,9921 litre	81,234 %	3054,9556 litre	O

470	CM	105	CM	158 LEVEL CM	13139,0656 litre	80,712 %	3139,8821 litre	O
470	CM	105	CM	157 LEVEL CM	13053,5895 litre	80,187 %	3225,3582 litre	O
470	CM	105	CM	156 LEVEL CM	12967,5775 litre	79,659 %	3311,3702 litre	O
470	CM	105	CM	155 LEVEL CM	12881,0431 litre	79,127 %	3397,9046 litre	O
470	CM	105	CM	154 LEVEL CM	12793,9997 litre	78,592 %	3484,9480 litre	O
470	CM	105	CM	153 LEVEL CM	12706,4603 litre	78,055 %	3572,4874 litre	O
470	CM	105	CM	152 LEVEL CM	12618,4377 litre	77,514 %	3660,5100 litre	O
470	CM	105	CM	151 LEVEL CM	12529,9446 litre	76,970 %	3749,0031 litre	O
470	CM	105	CM	150 LEVEL CM	12440,9933 litre	76,424 %	3837,9544 litre	O
470	CM	105	CM	149 LEVEL CM	12351,5962 litre	75,875 %	3927,3515 litre	O
470	CM	105	CM	148 LEVEL CM	12261,7652 litre	75,323 %	4017,1825 litre	O
470	CM	105	CM	147 LEVEL CM	12171,5122 litre	74,768 %	4107,4355 litre	O
470	CM	105	CM	146 LEVEL CM	12080,8490 litre	74,211 %	4198,0987 litre	O
470	CM	105	CM	145 LEVEL CM	11989,7870 litre	73,652 %	4289,1607 litre	O
470	CM	105	CM	144 LEVEL CM	11898,3378 litre	73,090 %	4380,6099 litre	O
470	CM	105	CM	143 LEVEL CM	11806,5124 litre	72,526 %	4472,4353 litre	O
470	CM	105	CM	142 LEVEL CM	11714,3222 litre	71,960 %	4564,6255 litre	O
470	CM	105	CM	141 LEVEL CM	11621,7780 litre	71,391 %	4657,1697 litre	O
470	CM	105	CM	140 LEVEL CM	11528,8907 litre	70,821 %	4750,0570 litre	O
470	CM	105	CM	139 LEVEL CM	11435,6710 litre	70,248 %	4843,2767 litre	O
470	CM	105	CM	138 LEVEL CM	11342,1297 litre	69,674 %	4936,8180 litre	O
470	CM	105	CM	137 LEVEL CM	11248,2771 litre	69,097 %	5030,6706 litre	O
470	CM	105	CM	136 LEVEL CM	11154,1237 litre	68,519 %	5124,8240 litre	O
470	CM	105	CM	135 LEVEL CM	11059,6799 litre	67,939 %	5219,2678 litre	O
470	CM	105	CM	134 LEVEL CM	10964,9558 litre	67,357 %	5313,9919 litre	O
470	CM	105	CM	133 LEVEL CM	10869,9615 litre	66,773 %	5408,9862 litre	O
470	CM	105	CM	132 LEVEL CM	10774,7072 litre	66,188 %	5504,2405 litre	O
470	CM	105	CM	131 LEVEL CM	10679,2027 litre	65,601 %	5599,7450 litre	O
470	CM	105	CM	130 LEVEL CM	10583,4580 litre	65,013 %	5695,4897 litre	O
470	CM	105	CM	129 LEVEL CM	10487,4828 litre	64,424 %	5791,4649 litre	O
470	CM	105	CM	128 LEVEL CM	10391,2870 litre	63,833 %	5887,6607 litre	O
470	CM	105	CM	127 LEVEL CM	10294,8801 litre	63,240 %	5984,0676 litre	O
470	CM	105	CM	126 LEVEL CM	10198,2718 litre	62,647 %	6080,6759 litre	O
470	CM	105	CM	125 LEVEL CM	10101,4715 litre	62,052 %	6177,4762 litre	O
470	CM	105	CM	124 LEVEL CM	10004,4889 litre	61,457 %	6274,4588 litre	O
470	CM	105	CM	123 LEVEL CM	9907,3334 litre	60,860 %	6371,6143 litre	O
470	CM	105	CM	122 LEVEL CM	9810,0143 litre	60,262 %	6468,9334 litre	O
470	CM	105	CM	121 LEVEL CM	9712,5409 litre	59,663 %	6566,4068 litre	O
470	CM	105	CM	120 LEVEL CM	9614,9226 litre	59,064 %	6664,0251 litre	O
470	CM	105	CM	119 LEVEL CM	9517,1687 litre	58,463 %	6761,7790 litre	O
470	CM	105	CM	118 LEVEL CM	9419,2882 litre	57,862 %	6859,6595 litre	O
470	CM	105	CM	117 LEVEL CM	9321,2905 litre	57,260 %	6957,6572 litre	O
470	CM	105	CM	116 LEVEL CM	9223,1846 litre	56,657 %	7055,7631 litre	O
470	CM	105	CM	115 LEVEL CM	9124,9798 litre	56,054 %	7153,9679 litre	O
470	CM	105	CM	114 LEVEL CM	9026,6850 litre	55,450 %	7252,2627 litre	O
470	CM	105	CM	113 LEVEL CM	8928,3093 litre	54,846 %	7350,6384 litre	O
470	CM	105	CM	112 LEVEL CM	8829,8617 litre	54,241 %	7449,0860 litre	O
470	CM	105	CM	111 LEVEL CM	8731,3514 litre	53,636 %	7547,5963 litre	O
470	CM	105	CM	110 LEVEL CM	8632,7873 litre	53,030 %	7646,1604 litre	O
470	CM	105	CM	109 LEVEL CM	8534,1784 litre	52,425 %	7744,7693 litre	O
470	CM	105	CM	108 LEVEL CM	8435,5336 litre	51,819 %	7843,4141 litre	O
470	CM	105	CM	107 LEVEL CM	8336,8619 litre	51,213 %	7942,0858 litre	O
470	CM	105	CM	106 LEVEL CM	8238,1724 litre	50,606 %	8040,7753 litre	O

470	CM	105	CM	105 LEVEL CM	8139,4739 litre	50,000 %	8139,4738 litre	O
470	CM	105	CM	104 LEVEL CM	8040,7754 litre	49,394 %	8238,1723 litre	O
470	CM	105	CM	103 LEVEL CM	7942,0858 litre	48,787 %	8336,8619 litre	O
470	CM	105	CM	102 LEVEL CM	7843,4142 litre	48,181 %	8435,5335 litre	O
470	CM	105	CM	101 LEVEL CM	7744,7694 litre	47,575 %	8534,1783 litre	O
470	CM	105	CM	100 LEVEL CM	7646,1604 litre	46,970 %	8632,7873 litre	O
470	CM	105	CM	99 LEVEL CM	7547,5963 litre	46,364 %	8731,3514 litre	O
470	CM	105	CM	98 LEVEL CM	7449,0860 litre	45,759 %	8829,8617 litre	O
470	CM	105	CM	97 LEVEL CM	7350,6385 litre	45,154 %	8928,3092 litre	O
470	CM	105	CM	96 LEVEL CM	7252,2628 litre	44,550 %	9026,6849 litre	O
470	CM	105	CM	95 LEVEL CM	7153,9680 litre	43,946 %	9124,9797 litre	O
470	CM	105	CM	94 LEVEL CM	7055,7631 litre	43,343 %	9223,1846 litre	O
470	CM	105	CM	93 LEVEL CM	6957,6572 litre	42,740 %	9321,2905 litre	O
470	CM	105	CM	92 LEVEL CM	6859,6595 litre	42,138 %	9419,2882 litre	O
470	CM	105	CM	91 LEVEL CM	6761,7791 litre	41,537 %	9517,1686 litre	O
470	CM	105	CM	90 LEVEL CM	6664,0251 litre	40,936 %	9614,9226 litre	O
470	CM	105	CM	89 LEVEL CM	6566,4068 litre	40,337 %	9712,5409 litre	O
470	CM	105	CM	88 LEVEL CM	6468,9335 litre	39,738 %	9810,0142 litre	O
470	CM	105	CM	87 LEVEL CM	6371,6143 litre	39,140 %	9907,3334 litre	O
470	CM	105	CM	86 LEVEL CM	6274,4588 litre	38,543 %	10004,4889 litre	O
470	CM	105	CM	85 LEVEL CM	6177,4762 litre	37,948 %	10101,4715 litre	O
470	CM	105	CM	84 LEVEL CM	6080,6760 litre	37,353 %	10198,2717 litre	O
470	CM	105	CM	83 LEVEL CM	5984,0677 litre	36,760 %	10294,8800 litre	O
470	CM	105	CM	82 LEVEL CM	5887,6608 litre	36,167 %	10391,2869 litre	O
470	CM	105	CM	81 LEVEL CM	5791,4649 litre	35,576 %	10487,4828 litre	O
470	CM	105	CM	80 LEVEL CM	5695,4897 litre	34,987 %	10583,4580 litre	O
470	CM	105	CM	79 LEVEL CM	5599,7450 litre	34,399 %	10679,2027 litre	O
470	CM	105	CM	78 LEVEL CM	5504,2405 litre	33,812 %	10774,7072 litre	O
470	CM	105	CM	77 LEVEL CM	5408,9862 litre	33,227 %	10869,9615 litre	O
470	CM	105	CM	76 LEVEL CM	5313,9920 litre	32,643 %	10964,9557 litre	O
470	CM	105	CM	75 LEVEL CM	5219,2679 litre	32,061 %	11059,6798 litre	O
470	CM	105	CM	74 LEVEL CM	5124,8240 litre	31,481 %	11154,1237 litre	O
470	CM	105	CM	73 LEVEL CM	5030,6706 litre	30,903 %	11248,2771 litre	O
470	CM	105	CM	72 LEVEL CM	4936,8181 litre	30,326 %	11342,1296 litre	O
470	CM	105	CM	71 LEVEL CM	4843,2767 litre	29,752 %	11435,6710 litre	O
470	CM	105	CM	70 LEVEL CM	4750,0570 litre	29,179 %	11528,8907 litre	O
470	CM	105	CM	69 LEVEL CM	4657,1697 litre	28,609 %	11621,7780 litre	O
470	CM	105	CM	68 LEVEL CM	4564,6255 litre	28,040 %	11714,3222 litre	O
470	CM	105	CM	67 LEVEL CM	4472,4353 litre	27,474 %	11806,5124 litre	O
470	CM	105	CM	66 LEVEL CM	4380,6100 litre	26,910 %	11898,3377 litre	O
470	CM	105	CM	65 LEVEL CM	4289,1607 litre	26,348 %	11989,7870 litre	O
470	CM	105	CM	64 LEVEL CM	4198,0988 litre	25,789 %	12080,8489 litre	O
470	CM	105	CM	63 LEVEL CM	4107,4355 litre	25,232 %	12171,5122 litre	O
470	CM	105	CM	62 LEVEL CM	4017,1825 litre	24,677 %	12261,7652 litre	O
470	CM	105	CM	61 LEVEL CM	3927,3515 litre	24,125 %	12351,5962 litre	O
470	CM	105	CM	60 LEVEL CM	3837,9544 litre	23,576 %	12440,9933 litre	O
470	CM	105	CM	59 LEVEL CM	3749,0031 litre	23,030 %	12529,9446 litre	O
470	CM	105	CM	58 LEVEL CM	3660,5100 litre	22,486 %	12618,4377 litre	O
470	CM	105	CM	57 LEVEL CM	3572,4874 litre	21,945 %	12706,4603 litre	O
470	CM	105	CM	56 LEVEL CM	3484,9480 litre	21,408 %	12793,9997 litre	O
470	CM	105	CM	55 LEVEL CM	3397,9046 litre	20,873 %	12881,0431 litre	O
470	CM	105	CM	54 LEVEL CM	3311,3703 litre	20,341 %	12967,5774 litre	O
470	CM	105	CM	53 LEVEL CM	3225,3582 litre	19,813 %	13053,5895 litre	O

470	CM	105	CM	52 LEVEL CM	3139,8821 litre	19,288 %	13139,0656 litre	O
470	CM	105	CM	51 LEVEL CM	3054,9556 litre	18,766 %	13223,9921 litre	O
470	CM	105	CM	50 LEVEL CM	2970,5929 litre	18,248 %	13308,3548 litre	O
470	CM	105	CM	49 LEVEL CM	2886,8082 litre	17,733 %	13392,1395 litre	O
470	CM	105	CM	48 LEVEL CM	2803,6161 litre	17,222 %	13475,3316 litre	O
470	CM	105	CM	47 LEVEL CM	2721,0317 litre	16,715 %	13557,9160 litre	O
470	CM	105	CM	46 LEVEL CM	2639,0703 litre	16,212 %	13639,8774 litre	O
470	CM	105	CM	45 LEVEL CM	2557,7473 litre	15,712 %	13721,2004 litre	O
470	CM	105	CM	44 LEVEL CM	2477,0790 litre	15,216 %	13801,8687 litre	O
470	CM	105	CM	43 LEVEL CM	2397,0816 litre	14,725 %	13881,8661 litre	O
470	CM	105	CM	42 LEVEL CM	2317,7720 litre	14,238 %	13961,1757 litre	O
470	CM	105	CM	41 LEVEL CM	2239,1674 litre	13,755 %	14039,7803 litre	O
470	CM	105	CM	40 LEVEL CM	2161,2856 litre	13,277 %	14117,6621 litre	O
470	CM	105	CM	39 LEVEL CM	2084,1448 litre	12,803 %	14194,8029 litre	O
470	CM	105	CM	38 LEVEL CM	2007,7638 litre	12,333 %	14271,1839 litre	O
470	CM	105	CM	37 LEVEL CM	1932,1618 litre	11,869 %	14346,7859 litre	O
470	CM	105	CM	36 LEVEL CM	1857,3588 litre	11,410 %	14421,5889 litre	O
470	CM	105	CM	35 LEVEL CM	1783,3753 litre	10,955 %	14495,5724 litre	O
470	CM	105	CM	34 LEVEL CM	1710,2327 litre	10,506 %	14568,7150 litre	O
470	CM	105	CM	33 LEVEL CM	1637,9529 litre	10,062 %	14640,9948 litre	O
470	CM	105	CM	32 LEVEL CM	1566,5587 litre	9,623 %	14712,3890 litre	O
470	CM	105	CM	31 LEVEL CM	1496,0739 litre	9,190 %	14782,8738 litre	O
470	CM	105	CM	30 LEVEL CM	1426,5229 litre	8,763 %	14852,4248 litre	O
470	CM	105	CM	29 LEVEL CM	1357,9313 litre	8,342 %	14921,0164 litre	O
470	CM	105	CM	28 LEVEL CM	1290,3260 litre	7,926 %	14988,6217 litre	O
470	CM	105	CM	27 LEVEL CM	1223,7346 litre	7,517 %	15055,2131 litre	O
470	CM	105	CM	26 LEVEL CM	1158,1865 litre	7,115 %	15120,7612 litre	O
470	CM	105	CM	25 LEVEL CM	1093,7121 litre	6,719 %	15185,2356 litre	O
470	CM	105	CM	24 LEVEL CM	1030,3437 litre	6,329 %	15248,6040 litre	O
470	CM	105	CM	23 LEVEL CM	968,1150 litre	5,947 %	15310,8327 litre	O
470	CM	105	CM	22 LEVEL CM	907,0617 litre	5,572 %	15371,8860 litre	O
470	CM	105	CM	21 LEVEL CM	847,2219 litre	5,204 %	15431,7258 litre	O
470	CM	105	CM	20 LEVEL CM	788,6356 litre	4,845 %	15490,3121 litre	O
470	CM	105	CM	19 LEVEL CM	731,3456 litre	4,493 %	15547,6021 litre	O
470	CM	105	CM	18 LEVEL CM	675,3979 litre	4,149 %	15603,5498 litre	O
470	CM	105	CM	17 LEVEL CM	620,8417 litre	3,814 %	15658,1060 litre	O
470	CM	105	CM	16 LEVEL CM	567,7299 litre	3,488 %	15711,2178 litre	O
470	CM	105	CM	15 LEVEL CM	516,1202 litre	3,170 %	15762,8275 litre	O
470	CM	105	CM	14 LEVEL CM	466,0752 litre	2,863 %	15812,8725 litre	O
470	CM	105	CM	13 LEVEL CM	417,6638 litre	2,566 %	15861,2839 litre	O
470	CM	105	CM	12 LEVEL CM	370,9620 litre	2,279 %	15907,9857 litre	O
470	CM	105	CM	11 LEVEL CM	326,0545 litre	2,003 %	15952,8932 litre	O
470	CM	105	CM	10 LEVEL CM	283,0367 litre	1,739 %	15995,9110 litre	O
470	CM	105	CM	9 LEVEL CM	242,0171 litre	1,487 %	16036,9306 litre	O
470	CM	105	CM	8 LEVEL CM	203,1209 litre	1,248 %	16075,8268 litre	O
470	CM	105	CM	7 LEVEL CM	166,4953 litre	1,023 %	16112,4524 litre	O
470	CM	105	CM	6 LEVEL CM	132,3169 litre	0,813 %	16146,6308 litre	O
470	CM	105	CM	5 LEVEL CM	100,8033 litre	0,619 %	16178,1444 litre	O
470	CM	105	CM	4 LEVEL CM	72,2335 litre	0,444 %	16206,7142 litre	O
470	CM	105	CM	3 LEVEL CM	46,9849 litre	0,289 %	16231,9628 litre	O
470	CM	105	CM	2 LEVEL CM	25,6122 litre	0,157 %	16253,3355 litre	O
470	CM	105	CM	1 LEVEL CM	9,0683 litre	0,056 %	16269,8794 litre	O
470	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	16278,9477 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 100	CM 200 LEVEL CM	14765,4855 litre	100,000 %	0,0000 litre	O
470	CM 100	CM 199 LEVEL CM	14756,6364 litre	99,940 %	8,8491 litre	O
470	CM 100	CM 198 LEVEL CM	14740,4941 litre	99,831 %	24,9914 litre	O
470	CM 100	CM 197 LEVEL CM	14719,6428 litre	99,690 %	45,8427 litre	O
470	CM 100	CM 196 LEVEL CM	14695,0132 litre	99,523 %	70,4723 litre	O
470	CM 100	CM 195 LEVEL CM	14667,1473 litre	99,334 %	98,3382 litre	O
470	CM 100	CM 194 LEVEL CM	14636,4139 litre	99,126 %	129,0716 litre	O
470	CM 100	CM 193 LEVEL CM	14603,0858 litre	98,900 %	162,3997 litre	O
470	CM 100	CM 192 LEVEL CM	14567,3760 litre	98,658 %	198,1095 litre	O
470	CM 100	CM 191 LEVEL CM	14529,4573 litre	98,401 %	236,0282 litre	O
470	CM 100	CM 190 LEVEL CM	14489,4737 litre	98,131 %	276,0118 litre	O
470	CM 100	CM 189 LEVEL CM	14447,5479 litre	97,847 %	317,9376 litre	O
470	CM 100	CM 188 LEVEL CM	14403,7862 litre	97,550 %	361,6993 litre	O
470	CM 100	CM 187 LEVEL CM	14358,2821 litre	97,242 %	407,2034 litre	O
470	CM 100	CM 186 LEVEL CM	14311,1187 litre	96,923 %	454,3668 litre	O
470	CM 100	CM 185 LEVEL CM	14262,3705 litre	96,593 %	503,1150 litre	O
470	CM 100	CM 184 LEVEL CM	14212,1050 litre	96,252 %	553,3805 litre	O
470	CM 100	CM 183 LEVEL CM	14160,3838 litre	95,902 %	605,1017 litre	O
470	CM 100	CM 182 LEVEL CM	14107,2635 litre	95,542 %	658,2220 litre	O
470	CM 100	CM 181 LEVEL CM	14052,7962 litre	95,173 %	712,6893 litre	O
470	CM 100	CM 180 LEVEL CM	13997,0303 litre	94,796 %	768,4552 litre	O
470	CM 100	CM 179 LEVEL CM	13940,0107 litre	94,409 %	825,4748 litre	O
470	CM 100	CM 178 LEVEL CM	13881,7798 litre	94,015 %	883,7057 litre	O
470	CM 100	CM 177 LEVEL CM	13822,3770 litre	93,613 %	943,1085 litre	O
470	CM 100	CM 176 LEVEL CM	13761,8396 litre	93,203 %	1003,6459 litre	O
470	CM 100	CM 175 LEVEL CM	13700,2029 litre	92,785 %	1065,2826 litre	O
470	CM 100	CM 174 LEVEL CM	13637,5001 litre	92,361 %	1127,9854 litre	O
470	CM 100	CM 173 LEVEL CM	13573,7631 litre	91,929 %	1191,7224 litre	O
470	CM 100	CM 172 LEVEL CM	13509,0219 litre	91,491 %	1256,4636 litre	O
470	CM 100	CM 171 LEVEL CM	13443,3053 litre	91,045 %	1322,1802 litre	O
470	CM 100	CM 170 LEVEL CM	13376,6409 litre	90,594 %	1388,8446 litre	O
470	CM 100	CM 169 LEVEL CM	13309,0551 litre	90,136 %	1456,4304 litre	O
470	CM 100	CM 168 LEVEL CM	13240,5730 litre	89,672 %	1524,9125 litre	O
470	CM 100	CM 167 LEVEL CM	13171,2191 litre	89,203 %	1594,2664 litre	O
470	CM 100	CM 166 LEVEL CM	13101,0168 litre	88,727 %	1664,4687 litre	O
470	CM 100	CM 165 LEVEL CM	13029,9886 litre	88,246 %	1735,4969 litre	O
470	CM 100	CM 164 LEVEL CM	12958,1563 litre	87,760 %	1807,3292 litre	O
470	CM 100	CM 163 LEVEL CM	12885,5410 litre	87,268 %	1879,9445 litre	O
470	CM 100	CM 162 LEVEL CM	12812,1631 litre	86,771 %	1953,3224 litre	O
470	CM 100	CM 161 LEVEL CM	12738,0424 litre	86,269 %	2027,4431 litre	O
470	CM 100	CM 160 LEVEL CM	12663,1979 litre	85,762 %	2102,2876 litre	O
470	CM 100	CM 159 LEVEL CM	12587,6485 litre	85,250 %	2177,8370 litre	O
470	CM 100	CM 158 LEVEL CM	12511,4121 litre	84,734 %	2254,0734 litre	O
470	CM 100	CM 157 LEVEL CM	12434,5064 litre	84,213 %	2330,9791 litre	O
470	CM 100	CM 156 LEVEL CM	12356,9485 litre	83,688 %	2408,5370 litre	O
470	CM 100	CM 155 LEVEL CM	12278,7553 litre	83,158 %	2486,7302 litre	O
470	CM 100	CM 154 LEVEL CM	12199,9430 litre	82,625 %	2565,5425 litre	O
470	CM 100	CM 153 LEVEL CM	12120,5275 litre	82,087 %	2644,9580 litre	O
470	CM 100	CM 152 LEVEL CM	12040,5245 litre	81,545 %	2724,9610 litre	O
470	CM 100	CM 151 LEVEL CM	11959,9493 litre	80,999 %	2805,5362 litre	O
470	CM 100	CM 150 LEVEL CM	11878,8167 litre	80,450 %	2886,6688 litre	O
470	CM 100	CM 149 LEVEL CM	11797,1413 litre	79,897 %	2968,3442 litre	O

470	CM	100	CM	148 LEVEL CM	11714,9376 litre	79,340 %	3050,5479 litre	O
470	CM	100	CM	147 LEVEL CM	11632,2195 litre	78,780 %	3133,2660 litre	O
470	CM	100	CM	146 LEVEL CM	11549,0009 litre	78,216 %	3216,4846 litre	O
470	CM	100	CM	145 LEVEL CM	11465,2952 litre	77,649 %	3300,1903 litre	O
470	CM	100	CM	144 LEVEL CM	11381,1159 litre	77,079 %	3384,3696 litre	O
470	CM	100	CM	143 LEVEL CM	11296,4760 litre	76,506 %	3469,0095 litre	O
470	CM	100	CM	142 LEVEL CM	11211,3883 litre	75,930 %	3554,0972 litre	O
470	CM	100	CM	141 LEVEL CM	11125,8656 litre	75,350 %	3639,6199 litre	O
470	CM	100	CM	140 LEVEL CM	11039,9204 litre	74,768 %	3725,5651 litre	O
470	CM	100	CM	139 LEVEL CM	10953,5649 litre	74,184 %	3811,9206 litre	O
470	CM	100	CM	138 LEVEL CM	10866,8112 litre	73,596 %	3898,6743 litre	O
470	CM	100	CM	137 LEVEL CM	10779,6714 litre	73,006 %	3985,8141 litre	O
470	CM	100	CM	136 LEVEL CM	10692,1571 litre	72,413 %	4073,3284 litre	O
470	CM	100	CM	135 LEVEL CM	10604,2802 litre	71,818 %	4161,2053 litre	O
470	CM	100	CM	134 LEVEL CM	10516,0520 litre	71,220 %	4249,4335 litre	O
470	CM	100	CM	133 LEVEL CM	10427,4840 litre	70,621 %	4338,0015 litre	O
470	CM	100	CM	132 LEVEL CM	10338,5873 litre	70,019 %	4426,8982 litre	O
470	CM	100	CM	131 LEVEL CM	10249,3732 litre	69,414 %	4516,1123 litre	O
470	CM	100	CM	130 LEVEL CM	10159,8525 litre	68,808 %	4605,6330 litre	O
470	CM	100	CM	129 LEVEL CM	10070,0362 litre	68,200 %	4695,4493 litre	O
470	CM	100	CM	128 LEVEL CM	9979,9350 litre	67,590 %	4785,5505 litre	O
470	CM	100	CM	127 LEVEL CM	9889,5597 litre	66,978 %	4875,9258 litre	O
470	CM	100	CM	126 LEVEL CM	9798,9208 litre	66,364 %	4966,5647 litre	O
470	CM	100	CM	125 LEVEL CM	9708,0288 litre	65,748 %	5057,4567 litre	O
470	CM	100	CM	124 LEVEL CM	9616,8941 litre	65,131 %	5148,5914 litre	O
470	CM	100	CM	123 LEVEL CM	9525,5269 litre	64,512 %	5239,9586 litre	O
470	CM	100	CM	122 LEVEL CM	9433,9376 litre	63,892 %	5331,5479 litre	O
470	CM	100	CM	121 LEVEL CM	9342,1363 litre	63,270 %	5423,3492 litre	O
470	CM	100	CM	120 LEVEL CM	9250,1331 litre	62,647 %	5515,3524 litre	O
470	CM	100	CM	119 LEVEL CM	9157,9380 litre	62,023 %	5607,5475 litre	O
470	CM	100	CM	118 LEVEL CM	9065,5610 litre	61,397 %	5699,9245 litre	O
470	CM	100	CM	117 LEVEL CM	8973,0120 litre	60,770 %	5792,4735 litre	O
470	CM	100	CM	116 LEVEL CM	8880,3008 litre	60,142 %	5885,1847 litre	O
470	CM	100	CM	115 LEVEL CM	8787,4372 litre	59,513 %	5978,0483 litre	O
470	CM	100	CM	114 LEVEL CM	8694,4311 litre	58,883 %	6071,0544 litre	O
470	CM	100	CM	113 LEVEL CM	8601,2920 litre	58,253 %	6164,1935 litre	O
470	CM	100	CM	112 LEVEL CM	8508,0297 litre	57,621 %	6257,4558 litre	O
470	CM	100	CM	111 LEVEL CM	8414,6537 litre	56,989 %	6350,8318 litre	O
470	CM	100	CM	110 LEVEL CM	8321,1737 litre	56,356 %	6444,3118 litre	O
470	CM	100	CM	109 LEVEL CM	8227,5992 litre	55,722 %	6537,8863 litre	O
470	CM	100	CM	108 LEVEL CM	8133,9398 litre	55,088 %	6631,5457 litre	O
470	CM	100	CM	107 LEVEL CM	8040,2050 litre	54,453 %	6725,2805 litre	O
470	CM	100	CM	106 LEVEL CM	7946,4042 litre	53,817 %	6819,0813 litre	O
470	CM	100	CM	105 LEVEL CM	7852,5468 litre	53,182 %	6912,9387 litre	O
470	CM	100	CM	104 LEVEL CM	7758,6424 litre	52,546 %	7006,8431 litre	O
470	CM	100	CM	103 LEVEL CM	7664,7004 litre	51,910 %	7100,7851 litre	O
470	CM	100	CM	102 LEVEL CM	7570,7302 litre	51,273 %	7194,7553 litre	O
470	CM	100	CM	101 LEVEL CM	7476,7412 litre	50,637 %	7288,7443 litre	O
470	CM	100	CM	100 LEVEL CM	7382,7427 litre	50,000 %	7382,7428 litre	O
470	CM	100	CM	99 LEVEL CM	7288,7443 litre	49,363 %	7476,7412 litre	O
470	CM	100	CM	98 LEVEL CM	7194,7553 litre	48,727 %	7570,7302 litre	O
470	CM	100	CM	97 LEVEL CM	7100,7850 litre	48,090 %	7664,7005 litre	O
470	CM	100	CM	96 LEVEL CM	7006,8430 litre	47,454 %	7758,6425 litre	O

470	CM	100	CM	95 LEVEL CM	6912,9386 litre	46,818 %	7852,5469 litre	O
470	CM	100	CM	94 LEVEL CM	6819,0813 litre	46,183 %	7946,4042 litre	O
470	CM	100	CM	93 LEVEL CM	6725,2805 litre	45,547 %	8040,2050 litre	O
470	CM	100	CM	92 LEVEL CM	6631,5456 litre	44,912 %	8133,9399 litre	O
470	CM	100	CM	91 LEVEL CM	6537,8862 litre	44,278 %	8227,5993 litre	O
470	CM	100	CM	90 LEVEL CM	6444,3118 litre	43,644 %	8321,1737 litre	O
470	CM	100	CM	89 LEVEL CM	6350,8318 litre	43,011 %	8414,6537 litre	O
470	CM	100	CM	88 LEVEL CM	6257,4558 litre	42,379 %	8508,0297 litre	O
470	CM	100	CM	87 LEVEL CM	6164,1935 litre	41,747 %	8601,2920 litre	O
470	CM	100	CM	86 LEVEL CM	6071,0544 litre	41,117 %	8694,4311 litre	O
470	CM	100	CM	85 LEVEL CM	5978,0482 litre	40,487 %	8787,4373 litre	O
470	CM	100	CM	84 LEVEL CM	5885,1847 litre	39,858 %	8880,3008 litre	O
470	CM	100	CM	83 LEVEL CM	5792,4735 litre	39,230 %	8973,0120 litre	O
470	CM	100	CM	82 LEVEL CM	5699,9245 litre	38,603 %	9065,5610 litre	O
470	CM	100	CM	81 LEVEL CM	5607,5475 litre	37,977 %	9157,9380 litre	O
470	CM	100	CM	80 LEVEL CM	5515,3524 litre	37,353 %	9250,1331 litre	O
470	CM	100	CM	79 LEVEL CM	5423,3492 litre	36,730 %	9342,1363 litre	O
470	CM	100	CM	78 LEVEL CM	5331,5479 litre	36,108 %	9433,9376 litre	O
470	CM	100	CM	77 LEVEL CM	5239,9586 litre	35,488 %	9525,5269 litre	O
470	CM	100	CM	76 LEVEL CM	5148,5914 litre	34,869 %	9616,8941 litre	O
470	CM	100	CM	75 LEVEL CM	5057,4567 litre	34,252 %	9708,0288 litre	O
470	CM	100	CM	74 LEVEL CM	4966,5647 litre	33,636 %	9798,9208 litre	O
470	CM	100	CM	73 LEVEL CM	4875,9257 litre	33,022 %	9889,5598 litre	O
470	CM	100	CM	72 LEVEL CM	4785,5504 litre	32,410 %	9979,9351 litre	O
470	CM	100	CM	71 LEVEL CM	4695,4493 litre	31,800 %	10070,0362 litre	O
470	CM	100	CM	70 LEVEL CM	4605,6330 litre	31,192 %	10159,8525 litre	O
470	CM	100	CM	69 LEVEL CM	4516,1123 litre	30,586 %	10249,3732 litre	O
470	CM	100	CM	68 LEVEL CM	4426,8982 litre	29,981 %	10338,5873 litre	O
470	CM	100	CM	67 LEVEL CM	4338,0015 litre	29,379 %	10427,4840 litre	O
470	CM	100	CM	66 LEVEL CM	4249,4335 litre	28,780 %	10516,0520 litre	O
470	CM	100	CM	65 LEVEL CM	4161,2053 litre	28,182 %	10604,2802 litre	O
470	CM	100	CM	64 LEVEL CM	4073,3283 litre	27,587 %	10692,1572 litre	O
470	CM	100	CM	63 LEVEL CM	3985,8141 litre	26,994 %	10779,6714 litre	O
470	CM	100	CM	62 LEVEL CM	3898,6743 litre	26,404 %	10866,8112 litre	O
470	CM	100	CM	61 LEVEL CM	3811,9206 litre	25,816 %	10953,5649 litre	O
470	CM	100	CM	60 LEVEL CM	3725,5651 litre	25,232 %	11039,9204 litre	O
470	CM	100	CM	59 LEVEL CM	3639,6198 litre	24,650 %	11125,8657 litre	O
470	CM	100	CM	58 LEVEL CM	3554,0971 litre	24,070 %	11211,3884 litre	O
470	CM	100	CM	57 LEVEL CM	3469,0095 litre	23,494 %	11296,4760 litre	O
470	CM	100	CM	56 LEVEL CM	3384,3696 litre	22,921 %	11381,1159 litre	O
470	CM	100	CM	55 LEVEL CM	3300,1902 litre	22,351 %	11465,2953 litre	O
470	CM	100	CM	54 LEVEL CM	3216,4846 litre	21,784 %	11549,0009 litre	O
470	CM	100	CM	53 LEVEL CM	3133,2660 litre	21,220 %	11632,2195 litre	O
470	CM	100	CM	52 LEVEL CM	3050,5479 litre	20,660 %	11714,9376 litre	O
470	CM	100	CM	51 LEVEL CM	2968,3441 litre	20,103 %	11797,1414 litre	O
470	CM	100	CM	50 LEVEL CM	2886,6688 litre	19,550 %	11878,8167 litre	O
470	CM	100	CM	49 LEVEL CM	2805,5362 litre	19,001 %	11959,9493 litre	O
470	CM	100	CM	48 LEVEL CM	2724,9609 litre	18,455 %	12040,5246 litre	O
470	CM	100	CM	47 LEVEL CM	2644,9580 litre	17,913 %	12120,5275 litre	O
470	CM	100	CM	46 LEVEL CM	2565,5425 litre	17,375 %	12199,9430 litre	O
470	CM	100	CM	45 LEVEL CM	2486,7302 litre	16,842 %	12278,7553 litre	O
470	CM	100	CM	44 LEVEL CM	2408,5369 litre	16,312 %	12356,9486 litre	O
470	CM	100	CM	43 LEVEL CM	2330,9791 litre	15,787 %	12434,5064 litre	O

470	CM	100	CM	42 LEVEL CM	2254,0734 litre	15,266 %	12511,4121 litre	O
470	CM	100	CM	41 LEVEL CM	2177,8370 litre	14,750 %	12587,6485 litre	O
470	CM	100	CM	40 LEVEL CM	2102,2875 litre	14,238 %	12663,1980 litre	O
470	CM	100	CM	39 LEVEL CM	2027,4431 litre	13,731 %	12738,0424 litre	O
470	CM	100	CM	38 LEVEL CM	1953,3224 litre	13,229 %	12812,1631 litre	O
470	CM	100	CM	37 LEVEL CM	1879,9445 litre	12,732 %	12885,5410 litre	O
470	CM	100	CM	36 LEVEL CM	1807,3292 litre	12,240 %	12958,1563 litre	O
470	CM	100	CM	35 LEVEL CM	1735,4969 litre	11,754 %	13029,9886 litre	O
470	CM	100	CM	34 LEVEL CM	1664,4687 litre	11,273 %	13101,0168 litre	O
470	CM	100	CM	33 LEVEL CM	1594,2663 litre	10,797 %	13171,2192 litre	O
470	CM	100	CM	32 LEVEL CM	1524,9124 litre	10,328 %	13240,5731 litre	O
470	CM	100	CM	31 LEVEL CM	1456,4304 litre	9,864 %	13309,0551 litre	O
470	CM	100	CM	30 LEVEL CM	1388,8445 litre	9,406 %	13376,6410 litre	O
470	CM	100	CM	29 LEVEL CM	1322,1802 litre	8,955 %	13443,3053 litre	O
470	CM	100	CM	28 LEVEL CM	1256,4636 litre	8,509 %	13509,0219 litre	O
470	CM	100	CM	27 LEVEL CM	1191,7224 litre	8,071 %	13573,7631 litre	O
470	CM	100	CM	26 LEVEL CM	1127,9854 litre	7,639 %	13637,5001 litre	O
470	CM	100	CM	25 LEVEL CM	1065,2826 litre	7,215 %	13700,2029 litre	O
470	CM	100	CM	24 LEVEL CM	1003,6459 litre	6,797 %	13761,8396 litre	O
470	CM	100	CM	23 LEVEL CM	943,1085 litre	6,387 %	13822,3770 litre	O
470	CM	100	CM	22 LEVEL CM	883,7057 litre	5,985 %	13881,7798 litre	O
470	CM	100	CM	21 LEVEL CM	825,4747 litre	5,591 %	13940,0108 litre	O
470	CM	100	CM	20 LEVEL CM	768,4552 litre	5,204 %	13997,0303 litre	O
470	CM	100	CM	19 LEVEL CM	712,6893 litre	4,827 %	14052,7962 litre	O
470	CM	100	CM	18 LEVEL CM	658,2219 litre	4,458 %	14107,2636 litre	O
470	CM	100	CM	17 LEVEL CM	605,1016 litre	4,098 %	14160,3839 litre	O
470	CM	100	CM	16 LEVEL CM	553,3805 litre	3,748 %	14212,1050 litre	O
470	CM	100	CM	15 LEVEL CM	503,1150 litre	3,407 %	14262,3705 litre	O
470	CM	100	CM	14 LEVEL CM	454,3668 litre	3,077 %	14311,1187 litre	O
470	CM	100	CM	13 LEVEL CM	407,2033 litre	2,758 %	14358,2822 litre	O
470	CM	100	CM	12 LEVEL CM	361,6992 litre	2,450 %	14403,7863 litre	O
470	CM	100	CM	11 LEVEL CM	317,9376 litre	2,153 %	14447,5479 litre	O
470	CM	100	CM	10 LEVEL CM	276,0118 litre	1,869 %	14489,4737 litre	O
470	CM	100	CM	9 LEVEL CM	236,0282 litre	1,599 %	14529,4573 litre	O
470	CM	100	CM	8 LEVEL CM	198,1095 litre	1,342 %	14567,3760 litre	O
470	CM	100	CM	7 LEVEL CM	162,3997 litre	1,100 %	14603,0858 litre	O
470	CM	100	CM	6 LEVEL CM	129,0716 litre	0,874 %	14636,4139 litre	O
470	CM	100	CM	5 LEVEL CM	98,3382 litre	0,666 %	14667,1473 litre	O
470	CM	100	CM	4 LEVEL CM	70,4723 litre	0,477 %	14695,0132 litre	O
470	CM	100	CM	3 LEVEL CM	45,8426 litre	0,310 %	14719,6429 litre	O
470	CM	100	CM	2 LEVEL CM	24,9913 litre	0,169 %	14740,4942 litre	O
470	CM	100	CM	1 LEVEL CM	8,8491 litre	0,060 %	14756,6364 litre	O
470	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	14765,4855 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 95	CM 190 LEVEL CM	13325,8506 litre	100,000 %	0,0000 litre	O
470	CM 95	CM 189 LEVEL CM	13317,2263 litre	99,935 %	8,6243 litre	O
470	CM 95	CM 188 LEVEL CM	13301,4960 litre	99,817 %	24,3546 litre	O
470	CM 95	CM 187 LEVEL CM	13281,1795 litre	99,665 %	44,6711 litre	O
470	CM 95	CM 186 LEVEL CM	13257,1847 litre	99,485 %	68,6659 litre	O
470	CM 95	CM 185 LEVEL CM	13230,0409 litre	99,281 %	95,8097 litre	O
470	CM 95	CM 184 LEVEL CM	13200,1080 litre	99,056 %	125,7426 litre	O
470	CM 95	CM 183 LEVEL CM	13167,6525 litre	98,813 %	158,1981 litre	O
470	CM 95	CM 182 LEVEL CM	13132,8827 litre	98,552 %	192,9679 litre	O
470	CM 95	CM 181 LEVEL CM	13095,9674 litre	98,275 %	229,8832 litre	O
470	CM 95	CM 180 LEVEL CM	13057,0474 litre	97,983 %	268,8032 litre	O
470	CM 95	CM 179 LEVEL CM	13016,2428 litre	97,677 %	309,6078 litre	O
470	CM 95	CM 178 LEVEL CM	12973,6578 litre	97,357 %	352,1928 litre	O
470	CM 95	CM 177 LEVEL CM	12929,3838 litre	97,025 %	396,4668 litre	O
470	CM 95	CM 176 LEVEL CM	12883,5022 litre	96,681 %	442,3484 litre	O
470	CM 95	CM 175 LEVEL CM	12836,0862 litre	96,325 %	489,7644 litre	O
470	CM 95	CM 174 LEVEL CM	12787,2019 litre	95,958 %	538,6487 litre	O
470	CM 95	CM 173 LEVEL CM	12736,9098 litre	95,580 %	588,9408 litre	O
470	CM 95	CM 172 LEVEL CM	12685,2654 litre	95,193 %	640,5852 litre	O
470	CM 95	CM 171 LEVEL CM	12632,3198 litre	94,796 %	693,5308 litre	O
470	CM 95	CM 170 LEVEL CM	12578,1206 litre	94,389 %	747,7300 litre	O
470	CM 95	CM 169 LEVEL CM	12522,7122 litre	93,973 %	803,1384 litre	O
470	CM 95	CM 168 LEVEL CM	12466,1359 litre	93,549 %	859,7147 litre	O
470	CM 95	CM 167 LEVEL CM	12408,4307 litre	93,115 %	917,4199 litre	O
470	CM 95	CM 166 LEVEL CM	12349,6333 litre	92,674 %	976,2173 litre	O
470	CM 95	CM 165 LEVEL CM	12289,7783 litre	92,225 %	1036,0723 litre	O
470	CM 95	CM 164 LEVEL CM	12228,8987 litre	91,768 %	1096,9519 litre	O
470	CM 95	CM 163 LEVEL CM	12167,0258 litre	91,304 %	1158,8248 litre	O
470	CM 95	CM 162 LEVEL CM	12104,1892 litre	90,832 %	1221,6614 litre	O
470	CM 95	CM 161 LEVEL CM	12040,4173 litre	90,354 %	1285,4333 litre	O
470	CM 95	CM 160 LEVEL CM	11975,7375 litre	89,868 %	1350,1131 litre	O
470	CM 95	CM 159 LEVEL CM	11910,1756 litre	89,376 %	1415,6750 litre	O
470	CM 95	CM 158 LEVEL CM	11843,7568 litre	88,878 %	1482,0938 litre	O
470	CM 95	CM 157 LEVEL CM	11776,5051 litre	88,373 %	1549,3455 litre	O
470	CM 95	CM 156 LEVEL CM	11708,4436 litre	87,863 %	1617,4070 litre	O
470	CM 95	CM 155 LEVEL CM	11639,5947 litre	87,346 %	1686,2559 litre	O
470	CM 95	CM 154 LEVEL CM	11569,9800 litre	86,824 %	1755,8706 litre	O
470	CM 95	CM 153 LEVEL CM	11499,6204 litre	86,296 %	1826,2302 litre	O
470	CM 95	CM 152 LEVEL CM	11428,5361 litre	85,762 %	1897,3145 litre	O
470	CM 95	CM 151 LEVEL CM	11356,7468 litre	85,223 %	1969,1038 litre	O
470	CM 95	CM 150 LEVEL CM	11284,2715 litre	84,680 %	2041,5791 litre	O
470	CM 95	CM 149 LEVEL CM	11211,1288 litre	84,131 %	2114,7218 litre	O
470	CM 95	CM 148 LEVEL CM	11137,3365 litre	83,577 %	2188,5141 litre	O
470	CM 95	CM 147 LEVEL CM	11062,9123 litre	83,018 %	2262,9383 litre	O
470	CM 95	CM 146 LEVEL CM	10987,8733 litre	82,455 %	2337,9773 litre	O
470	CM 95	CM 145 LEVEL CM	10912,2360 litre	81,888 %	2413,6146 litre	O
470	CM 95	CM 144 LEVEL CM	10836,0170 litre	81,316 %	2489,8336 litre	O
470	CM 95	CM 143 LEVEL CM	10759,2319 litre	80,740 %	2566,6187 litre	O
470	CM 95	CM 142 LEVEL CM	10681,8965 litre	80,159 %	2643,9541 litre	O
470	CM 95	CM 141 LEVEL CM	10604,0259 litre	79,575 %	2721,8247 litre	O
470	CM 95	CM 140 LEVEL CM	10525,6351 litre	78,987 %	2800,2155 litre	O
470	CM 95	CM 139 LEVEL CM	10446,7386 litre	78,395 %	2879,1120 litre	O

470	CM	95	CM	138 LEVEL CM	10367,3510 litre	77,799 %	2958,4996 litre	O
470	CM	95	CM	137 LEVEL CM	10287,4861 litre	77,199 %	3038,3645 litre	O
470	CM	95	CM	136 LEVEL CM	10207,1579 litre	76,597 %	3118,6927 litre	O
470	CM	95	CM	135 LEVEL CM	10126,3800 litre	75,990 %	3199,4706 litre	O
470	CM	95	CM	134 LEVEL CM	10045,1657 litre	75,381 %	3280,6849 litre	O
470	CM	95	CM	133 LEVEL CM	9963,5281 litre	74,768 %	3362,3225 litre	O
470	CM	95	CM	132 LEVEL CM	9881,4803 litre	74,153 %	3444,3703 litre	O
470	CM	95	CM	131 LEVEL CM	9799,0350 litre	73,534 %	3526,8156 litre	O
470	CM	95	CM	130 LEVEL CM	9716,2048 litre	72,912 %	3609,6458 litre	O
470	CM	95	CM	129 LEVEL CM	9633,0020 litre	72,288 %	3692,8486 litre	O
470	CM	95	CM	128 LEVEL CM	9549,4390 litre	71,661 %	3776,4116 litre	O
470	CM	95	CM	127 LEVEL CM	9465,5277 litre	71,031 %	3860,3229 litre	O
470	CM	95	CM	126 LEVEL CM	9381,2801 litre	70,399 %	3944,5705 litre	O
470	CM	95	CM	125 LEVEL CM	9296,7080 litre	69,764 %	4029,1426 litre	O
470	CM	95	CM	124 LEVEL CM	9211,8231 litre	69,127 %	4114,0275 litre	O
470	CM	95	CM	123 LEVEL CM	9126,6368 litre	68,488 %	4199,2138 litre	O
470	CM	95	CM	122 LEVEL CM	9041,1605 litre	67,847 %	4284,6901 litre	O
470	CM	95	CM	121 LEVEL CM	8955,4056 litre	67,203 %	4370,4450 litre	O
470	CM	95	CM	120 LEVEL CM	8869,3833 litre	66,558 %	4456,4673 litre	O
470	CM	95	CM	119 LEVEL CM	8783,1045 litre	65,910 %	4542,7461 litre	O
470	CM	95	CM	118 LEVEL CM	8696,5802 litre	65,261 %	4629,2704 litre	O
470	CM	95	CM	117 LEVEL CM	8609,8214 litre	64,610 %	4716,0292 litre	O
470	CM	95	CM	116 LEVEL CM	8522,8388 litre	63,957 %	4803,0118 litre	O
470	CM	95	CM	115 LEVEL CM	8435,6432 litre	63,303 %	4890,2074 litre	O
470	CM	95	CM	114 LEVEL CM	8348,2451 litre	62,647 %	4977,6055 litre	O
470	CM	95	CM	113 LEVEL CM	8260,6552 litre	61,990 %	5065,1954 litre	O
470	CM	95	CM	112 LEVEL CM	8172,8838 litre	61,331 %	5152,9668 litre	O
470	CM	95	CM	111 LEVEL CM	8084,9415 litre	60,671 %	5240,9091 litre	O
470	CM	95	CM	110 LEVEL CM	7996,8385 litre	60,010 %	5329,0121 litre	O
470	CM	95	CM	109 LEVEL CM	7908,5853 litre	59,348 %	5417,2653 litre	O
470	CM	95	CM	108 LEVEL CM	7820,1920 litre	58,684 %	5505,6586 litre	O
470	CM	95	CM	107 LEVEL CM	7731,6688 litre	58,020 %	5594,1818 litre	O
470	CM	95	CM	106 LEVEL CM	7643,0259 litre	57,355 %	5682,8247 litre	O
470	CM	95	CM	105 LEVEL CM	7554,2734 litre	56,689 %	5771,5772 litre	O
470	CM	95	CM	104 LEVEL CM	7465,4215 litre	56,022 %	5860,4291 litre	O
470	CM	95	CM	103 LEVEL CM	7376,4801 litre	55,355 %	5949,3705 litre	O
470	CM	95	CM	102 LEVEL CM	7287,4592 litre	54,687 %	6038,3914 litre	O
470	CM	95	CM	101 LEVEL CM	7198,3689 litre	54,018 %	6127,4817 litre	O
470	CM	95	CM	100 LEVEL CM	7109,2191 litre	53,349 %	6216,6315 litre	O
470	CM	95	CM	99 LEVEL CM	7020,0197 litre	52,680 %	6305,8309 litre	O
470	CM	95	CM	98 LEVEL CM	6930,7808 litre	52,010 %	6395,0698 litre	O
470	CM	95	CM	97 LEVEL CM	6841,5121 litre	51,340 %	6484,3385 litre	O
470	CM	95	CM	96 LEVEL CM	6752,2237 litre	50,670 %	6573,6269 litre	O
470	CM	95	CM	95 LEVEL CM	6662,9253 litre	50,000 %	6662,9253 litre	O
470	CM	95	CM	94 LEVEL CM	6573,6270 litre	49,330 %	6752,2236 litre	O
470	CM	95	CM	93 LEVEL CM	6484,3385 litre	48,660 %	6841,5121 litre	O
470	CM	95	CM	92 LEVEL CM	6395,0699 litre	47,990 %	6930,7807 litre	O
470	CM	95	CM	91 LEVEL CM	6305,8309 litre	47,320 %	7020,0197 litre	O
470	CM	95	CM	90 LEVEL CM	6216,6315 litre	46,651 %	7109,2191 litre	O
470	CM	95	CM	89 LEVEL CM	6127,4817 litre	45,982 %	7198,3689 litre	O
470	CM	95	CM	88 LEVEL CM	6038,3914 litre	45,313 %	7287,4592 litre	O
470	CM	95	CM	87 LEVEL CM	5949,3706 litre	44,645 %	7376,4800 litre	O
470	CM	95	CM	86 LEVEL CM	5860,4292 litre	43,978 %	7465,4214 litre	O

470	CM	95	CM	85 LEVEL CM	5771,5772 litre	43,311 %	7554,2734 litre	O
470	CM	95	CM	84 LEVEL CM	5682,8247 litre	42,645 %	7643,0259 litre	O
470	CM	95	CM	83 LEVEL CM	5594,1819 litre	41,980 %	7731,6687 litre	O
470	CM	95	CM	82 LEVEL CM	5505,6587 litre	41,316 %	7820,1919 litre	O
470	CM	95	CM	81 LEVEL CM	5417,2654 litre	40,652 %	7908,5852 litre	O
470	CM	95	CM	80 LEVEL CM	5329,0121 litre	39,990 %	7996,8385 litre	O
470	CM	95	CM	79 LEVEL CM	5240,9092 litre	39,329 %	8084,9414 litre	O
470	CM	95	CM	78 LEVEL CM	5152,9668 litre	38,669 %	8172,8838 litre	O
470	CM	95	CM	77 LEVEL CM	5065,1955 litre	38,010 %	8260,6551 litre	O
470	CM	95	CM	76 LEVEL CM	4977,6055 litre	37,353 %	8348,2451 litre	O
470	CM	95	CM	75 LEVEL CM	4890,2074 litre	36,697 %	8435,6432 litre	O
470	CM	95	CM	74 LEVEL CM	4803,0118 litre	36,043 %	8522,8388 litre	O
470	CM	95	CM	73 LEVEL CM	4716,0292 litre	35,390 %	8609,8214 litre	O
470	CM	95	CM	72 LEVEL CM	4629,2704 litre	34,739 %	8696,5802 litre	O
470	CM	95	CM	71 LEVEL CM	4542,7462 litre	34,090 %	8783,1044 litre	O
470	CM	95	CM	70 LEVEL CM	4456,4674 litre	33,442 %	8869,3832 litre	O
470	CM	95	CM	69 LEVEL CM	4370,4450 litre	32,797 %	8955,4056 litre	O
470	CM	95	CM	68 LEVEL CM	4284,6901 litre	32,153 %	9041,1605 litre	O
470	CM	95	CM	67 LEVEL CM	4199,2139 litre	31,512 %	9126,6367 litre	O
470	CM	95	CM	66 LEVEL CM	4114,0276 litre	30,873 %	9211,8230 litre	O
470	CM	95	CM	65 LEVEL CM	4029,1426 litre	30,236 %	9296,7080 litre	O
470	CM	95	CM	64 LEVEL CM	3944,5705 litre	29,601 %	9381,2801 litre	O
470	CM	95	CM	63 LEVEL CM	3860,3229 litre	28,969 %	9465,5277 litre	O
470	CM	95	CM	62 LEVEL CM	3776,4117 litre	28,339 %	9549,4389 litre	O
470	CM	95	CM	61 LEVEL CM	3692,8486 litre	27,712 %	9633,0020 litre	O
470	CM	95	CM	60 LEVEL CM	3609,6458 litre	27,088 %	9716,2048 litre	O
470	CM	95	CM	59 LEVEL CM	3526,8156 litre	26,466 %	9799,0350 litre	O
470	CM	95	CM	58 LEVEL CM	3444,3703 litre	25,847 %	9881,4803 litre	O
470	CM	95	CM	57 LEVEL CM	3362,3225 litre	25,232 %	9963,5281 litre	O
470	CM	95	CM	56 LEVEL CM	3280,6850 litre	24,619 %	10045,1656 litre	O
470	CM	95	CM	55 LEVEL CM	3199,4707 litre	24,010 %	10126,3799 litre	O
470	CM	95	CM	54 LEVEL CM	3118,6927 litre	23,403 %	10207,1579 litre	O
470	CM	95	CM	53 LEVEL CM	3038,3645 litre	22,801 %	10287,4861 litre	O
470	CM	95	CM	52 LEVEL CM	2958,4997 litre	22,201 %	10367,3509 litre	O
470	CM	95	CM	51 LEVEL CM	2879,1120 litre	21,605 %	10446,7386 litre	O
470	CM	95	CM	50 LEVEL CM	2800,2156 litre	21,013 %	10525,6350 litre	O
470	CM	95	CM	49 LEVEL CM	2721,8247 litre	20,425 %	10604,0259 litre	O
470	CM	95	CM	48 LEVEL CM	2643,9541 litre	19,841 %	10681,8965 litre	O
470	CM	95	CM	47 LEVEL CM	2566,6187 litre	19,260 %	10759,2319 litre	O
470	CM	95	CM	46 LEVEL CM	2489,8337 litre	18,684 %	10836,0169 litre	O
470	CM	95	CM	45 LEVEL CM	2413,6146 litre	18,112 %	10912,2360 litre	O
470	CM	95	CM	44 LEVEL CM	2337,9774 litre	17,545 %	10987,8732 litre	O
470	CM	95	CM	43 LEVEL CM	2262,9383 litre	16,982 %	11062,9123 litre	O
470	CM	95	CM	42 LEVEL CM	2188,5141 litre	16,423 %	11137,3365 litre	O
470	CM	95	CM	41 LEVEL CM	2114,7219 litre	15,869 %	11211,1287 litre	O
470	CM	95	CM	40 LEVEL CM	2041,5791 litre	15,320 %	11284,2715 litre	O
470	CM	95	CM	39 LEVEL CM	1969,1038 litre	14,777 %	11356,7468 litre	O
470	CM	95	CM	38 LEVEL CM	1897,3145 litre	14,238 %	11428,5361 litre	O
470	CM	95	CM	37 LEVEL CM	1826,2302 litre	13,704 %	11499,6204 litre	O
470	CM	95	CM	36 LEVEL CM	1755,8707 litre	13,176 %	11569,9799 litre	O
470	CM	95	CM	35 LEVEL CM	1686,2560 litre	12,654 %	11639,5946 litre	O
470	CM	95	CM	34 LEVEL CM	1617,4071 litre	12,137 %	11708,4435 litre	O
470	CM	95	CM	33 LEVEL CM	1549,3456 litre	11,627 %	11776,5050 litre	O

470	CM	95	CM	32 LEVEL CM	1482,0938 litre	11,122 %	11843,7568 litre	O
470	CM	95	CM	31 LEVEL CM	1415,6750 litre	10,624 %	11910,1756 litre	O
470	CM	95	CM	30 LEVEL CM	1350,1132 litre	10,132 %	11975,7374 litre	O
470	CM	95	CM	29 LEVEL CM	1285,4333 litre	9,646 %	12040,4173 litre	O
470	CM	95	CM	28 LEVEL CM	1221,6615 litre	9,168 %	12104,1891 litre	O
470	CM	95	CM	27 LEVEL CM	1158,8249 litre	8,696 %	12167,0257 litre	O
470	CM	95	CM	26 LEVEL CM	1096,9519 litre	8,232 %	12228,8987 litre	O
470	CM	95	CM	25 LEVEL CM	1036,0723 litre	7,775 %	12289,7783 litre	O
470	CM	95	CM	24 LEVEL CM	976,2174 litre	7,326 %	12349,6332 litre	O
470	CM	95	CM	23 LEVEL CM	917,4200 litre	6,885 %	12408,4306 litre	O
470	CM	95	CM	22 LEVEL CM	859,7148 litre	6,451 %	12466,1358 litre	O
470	CM	95	CM	21 LEVEL CM	803,1385 litre	6,027 %	12522,7121 litre	O
470	CM	95	CM	20 LEVEL CM	747,7300 litre	5,611 %	12578,1206 litre	O
470	CM	95	CM	19 LEVEL CM	693,5308 litre	5,204 %	12632,3198 litre	O
470	CM	95	CM	18 LEVEL CM	640,5853 litre	4,807 %	12685,2653 litre	O
470	CM	95	CM	17 LEVEL CM	588,9408 litre	4,420 %	12736,9098 litre	O
470	CM	95	CM	16 LEVEL CM	538,6488 litre	4,042 %	12787,2018 litre	O
470	CM	95	CM	15 LEVEL CM	489,7645 litre	3,675 %	12836,0861 litre	O
470	CM	95	CM	14 LEVEL CM	442,3485 litre	3,319 %	12883,5021 litre	O
470	CM	95	CM	13 LEVEL CM	396,4669 litre	2,975 %	12929,3837 litre	O
470	CM	95	CM	12 LEVEL CM	352,1929 litre	2,643 %	12973,6577 litre	O
470	CM	95	CM	11 LEVEL CM	309,6078 litre	2,323 %	13016,2428 litre	O
470	CM	95	CM	10 LEVEL CM	268,8033 litre	2,017 %	13057,0473 litre	O
470	CM	95	CM	9 LEVEL CM	229,8833 litre	1,725 %	13095,9673 litre	O
470	CM	95	CM	8 LEVEL CM	192,9679 litre	1,448 %	13132,8827 litre	O
470	CM	95	CM	7 LEVEL CM	158,1981 litre	1,187 %	13167,6525 litre	O
470	CM	95	CM	6 LEVEL CM	125,7426 litre	0,944 %	13200,1080 litre	O
470	CM	95	CM	5 LEVEL CM	95,8098 litre	0,719 %	13230,0408 litre	O
470	CM	95	CM	4 LEVEL CM	68,6659 litre	0,515 %	13257,1847 litre	O
470	CM	95	CM	3 LEVEL CM	44,6712 litre	0,335 %	13281,1794 litre	O
470	CM	95	CM	2 LEVEL CM	24,3547 litre	0,183 %	13301,4959 litre	O
470	CM	95	CM	1 LEVEL CM	8,6244 litre	0,065 %	13317,2262 litre	O
470	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	13325,8506 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
470	CM	90	CM	180 LEVEL CM	11960,0432 litre	100,000 %	0,0000 litre	O
470	CM	90	CM	179 LEVEL CM	11951,6496 litre	99,930 %	8,3936 litre	O
470	CM	90	CM	178 LEVEL CM	11936,3423 litre	99,802 %	23,7009 litre	O
470	CM	90	CM	177 LEVEL CM	11916,5751 litre	99,637 %	43,4681 litre	O
470	CM	90	CM	176 LEVEL CM	11893,2325 litre	99,441 %	66,8107 litre	O
470	CM	90	CM	175 LEVEL CM	11866,8305 litre	99,221 %	93,2127 litre	O
470	CM	90	CM	174 LEVEL CM	11837,7201 litre	98,977 %	122,3231 litre	O
470	CM	90	CM	173 LEVEL CM	11806,1615 litre	98,713 %	153,8817 litre	O
470	CM	90	CM	172 LEVEL CM	11772,3577 litre	98,431 %	187,6855 litre	O
470	CM	90	CM	171 LEVEL CM	11736,4737 litre	98,131 %	223,5695 litre	O
470	CM	90	CM	170 LEVEL CM	11698,6472 litre	97,814 %	261,3960 litre	O
470	CM	90	CM	169 LEVEL CM	11658,9956 litre	97,483 %	301,0476 litre	O
470	CM	90	CM	168 LEVEL CM	11617,6206 litre	97,137 %	342,4226 litre	O
470	CM	90	CM	167 LEVEL CM	11574,6119 litre	96,777 %	385,4313 litre	O
470	CM	90	CM	166 LEVEL CM	11530,0490 litre	96,405 %	429,9942 litre	O
470	CM	90	CM	165 LEVEL CM	11484,0037 litre	96,020 %	476,0395 litre	O
470	CM	90	CM	164 LEVEL CM	11436,5408 litre	95,623 %	523,5024 litre	O
470	CM	90	CM	163 LEVEL CM	11387,7196 litre	95,215 %	572,3236 litre	O
470	CM	90	CM	162 LEVEL CM	11337,5945 litre	94,796 %	622,4487 litre	O
470	CM	90	CM	161 LEVEL CM	11286,2158 litre	94,366 %	673,8274 litre	O
470	CM	90	CM	160 LEVEL CM	11233,6301 litre	93,926 %	726,4131 litre	O
470	CM	90	CM	159 LEVEL CM	11179,8809 litre	93,477 %	780,1623 litre	O
470	CM	90	CM	158 LEVEL CM	11125,0091 litre	93,018 %	835,0341 litre	O
470	CM	90	CM	157 LEVEL CM	11069,0530 litre	92,550 %	890,9902 litre	O
470	CM	90	CM	156 LEVEL CM	11012,0486 litre	92,074 %	947,9946 litre	O
470	CM	90	CM	155 LEVEL CM	10954,0302 litre	91,589 %	1006,0130 litre	O
470	CM	90	CM	154 LEVEL CM	10895,0301 litre	91,095 %	1065,0131 litre	O
470	CM	90	CM	153 LEVEL CM	10835,0791 litre	90,594 %	1124,9641 litre	O
470	CM	90	CM	152 LEVEL CM	10774,2067 litre	90,085 %	1185,8365 litre	O
470	CM	90	CM	151 LEVEL CM	10712,4408 litre	89,569 %	1247,6024 litre	O
470	CM	90	CM	150 LEVEL CM	10649,8083 litre	89,045 %	1310,2349 litre	O
470	CM	90	CM	149 LEVEL CM	10586,3350 litre	88,514 %	1373,7082 litre	O
470	CM	90	CM	148 LEVEL CM	10522,0455 litre	87,977 %	1437,9977 litre	O
470	CM	90	CM	147 LEVEL CM	10456,9638 litre	87,432 %	1503,0794 litre	O
470	CM	90	CM	146 LEVEL CM	10391,1127 litre	86,882 %	1568,9305 litre	O
470	CM	90	CM	145 LEVEL CM	10324,5144 litre	86,325 %	1635,5288 litre	O
470	CM	90	CM	144 LEVEL CM	10257,1903 litre	85,762 %	1702,8529 litre	O
470	CM	90	CM	143 LEVEL CM	10189,1612 litre	85,193 %	1770,8820 litre	O
470	CM	90	CM	142 LEVEL CM	10120,4471 litre	84,619 %	1839,5961 litre	O
470	CM	90	CM	141 LEVEL CM	10051,0676 litre	84,039 %	1908,9756 litre	O
470	CM	90	CM	140 LEVEL CM	9981,0415 litre	83,453 %	1979,0017 litre	O
470	CM	90	CM	139 LEVEL CM	9910,3873 litre	82,862 %	2049,6559 litre	O
470	CM	90	CM	138 LEVEL CM	9839,1230 litre	82,267 %	2120,9202 litre	O
470	CM	90	CM	137 LEVEL CM	9767,2659 litre	81,666 %	2192,7773 litre	O
470	CM	90	CM	136 LEVEL CM	9694,8332 litre	81,060 %	2265,2100 litre	O
470	CM	90	CM	135 LEVEL CM	9621,8415 litre	80,450 %	2338,2017 litre	O
470	CM	90	CM	134 LEVEL CM	9548,3071 litre	79,835 %	2411,7361 litre	O
470	CM	90	CM	133 LEVEL CM	9474,2458 litre	79,216 %	2485,7974 litre	O
470	CM	90	CM	132 LEVEL CM	9399,6733 litre	78,592 %	2560,3699 litre	O
470	CM	90	CM	131 LEVEL CM	9324,6047 litre	77,965 %	2635,4385 litre	O
470	CM	90	CM	130 LEVEL CM	9249,0551 litre	77,333 %	2710,9881 litre	O
470	CM	90	CM	129 LEVEL CM	9173,0391 litre	76,697 %	2787,0041 litre	O

470	CM	90	CM	128 LEVEL CM	9096,5711 litre	76,058 %	2863,4721 litre	O
470	CM	90	CM	127 LEVEL CM	9019,6653 litre	75,415 %	2940,3779 litre	O
470	CM	90	CM	126 LEVEL CM	8942,3355 litre	74,768 %	3017,7077 litre	O
470	CM	90	CM	125 LEVEL CM	8864,5954 litre	74,118 %	3095,4478 litre	O
470	CM	90	CM	124 LEVEL CM	8786,4586 litre	73,465 %	3173,5846 litre	O
470	CM	90	CM	123 LEVEL CM	8707,9382 litre	72,809 %	3252,1050 litre	O
470	CM	90	CM	122 LEVEL CM	8629,0473 litre	72,149 %	3330,9959 litre	O
470	CM	90	CM	121 LEVEL CM	8549,7988 litre	71,486 %	3410,2444 litre	O
470	CM	90	CM	120 LEVEL CM	8470,2054 litre	70,821 %	3489,8378 litre	O
470	CM	90	CM	119 LEVEL CM	8390,2797 litre	70,153 %	3569,7635 litre	O
470	CM	90	CM	118 LEVEL CM	8310,0339 litre	69,482 %	3650,0093 litre	O
470	CM	90	CM	117 LEVEL CM	8229,4805 litre	68,808 %	3730,5627 litre	O
470	CM	90	CM	116 LEVEL CM	8148,6314 litre	68,132 %	3811,4118 litre	O
470	CM	90	CM	115 LEVEL CM	8067,4987 litre	67,454 %	3892,5445 litre	O
470	CM	90	CM	114 LEVEL CM	7986,0942 litre	66,773 %	3973,9490 litre	O
470	CM	90	CM	113 LEVEL CM	7904,4295 litre	66,090 %	4055,6137 litre	O
470	CM	90	CM	112 LEVEL CM	7822,5164 litre	65,405 %	4137,5268 litre	O
470	CM	90	CM	111 LEVEL CM	7740,3663 litre	64,719 %	4219,6769 litre	O
470	CM	90	CM	110 LEVEL CM	7657,9907 litre	64,030 %	4302,0525 litre	O
470	CM	90	CM	109 LEVEL CM	7575,4008 litre	63,339 %	4384,6424 litre	O
470	CM	90	CM	108 LEVEL CM	7492,6078 litre	62,647 %	4467,4354 litre	O
470	CM	90	CM	107 LEVEL CM	7409,6230 litre	61,953 %	4550,4202 litre	O
470	CM	90	CM	106 LEVEL CM	7326,4574 litre	61,258 %	4633,5858 litre	O
470	CM	90	CM	105 LEVEL CM	7243,1219 litre	60,561 %	4716,9213 litre	O
470	CM	90	CM	104 LEVEL CM	7159,6275 litre	59,863 %	4800,4157 litre	O
470	CM	90	CM	103 LEVEL CM	7075,9851 litre	59,164 %	4884,0581 litre	O
470	CM	90	CM	102 LEVEL CM	6992,2055 litre	58,463 %	4967,8377 litre	O
470	CM	90	CM	101 LEVEL CM	6908,2995 litre	57,761 %	5051,7437 litre	O
470	CM	90	CM	100 LEVEL CM	6824,2776 litre	57,059 %	5135,7656 litre	O
470	CM	90	CM	99 LEVEL CM	6740,1507 litre	56,356 %	5219,8925 litre	O
470	CM	90	CM	98 LEVEL CM	6655,9293 litre	55,651 %	5304,1139 litre	O
470	CM	90	CM	97 LEVEL CM	6571,6240 litre	54,946 %	5388,4192 litre	O
470	CM	90	CM	96 LEVEL CM	6487,2454 litre	54,241 %	5472,7978 litre	O
470	CM	90	CM	95 LEVEL CM	6402,8039 litre	53,535 %	5557,2393 litre	O
470	CM	90	CM	94 LEVEL CM	6318,3102 litre	52,828 %	5641,7330 litre	O
470	CM	90	CM	93 LEVEL CM	6233,7746 litre	52,122 %	5726,2686 litre	O
470	CM	90	CM	92 LEVEL CM	6149,2077 litre	51,415 %	5810,8355 litre	O
470	CM	90	CM	91 LEVEL CM	6064,6199 litre	50,707 %	5895,4233 litre	O
470	CM	90	CM	90 LEVEL CM	5980,0216 litre	50,000 %	5980,0216 litre	O
470	CM	90	CM	89 LEVEL CM	5895,4234 litre	49,293 %	6064,6198 litre	O
470	CM	90	CM	88 LEVEL CM	5810,8355 litre	48,585 %	6149,2077 litre	O
470	CM	90	CM	87 LEVEL CM	5726,2686 litre	47,878 %	6233,7746 litre	O
470	CM	90	CM	86 LEVEL CM	5641,7331 litre	47,172 %	6318,3101 litre	O
470	CM	90	CM	85 LEVEL CM	5557,2393 litre	46,465 %	6402,8039 litre	O
470	CM	90	CM	84 LEVEL CM	5472,7979 litre	45,759 %	6487,2453 litre	O
470	CM	90	CM	83 LEVEL CM	5388,4192 litre	45,054 %	6571,6240 litre	O
470	CM	90	CM	82 LEVEL CM	5304,1139 litre	44,349 %	6655,9293 litre	O
470	CM	90	CM	81 LEVEL CM	5219,8925 litre	43,644 %	6740,1507 litre	O
470	CM	90	CM	80 LEVEL CM	5135,7656 litre	42,941 %	6824,2776 litre	O
470	CM	90	CM	79 LEVEL CM	5051,7438 litre	42,239 %	6908,2994 litre	O
470	CM	90	CM	78 LEVEL CM	4967,8377 litre	41,537 %	6992,2055 litre	O
470	CM	90	CM	77 LEVEL CM	4884,0581 litre	40,836 %	7075,9851 litre	O
470	CM	90	CM	76 LEVEL CM	4800,4157 litre	40,137 %	7159,6275 litre	O

470	CM	90	CM	75 LEVEL CM	4716,9213 litre	39,439 %	7243,1219 litre	O
470	CM	90	CM	74 LEVEL CM	4633,5859 litre	38,742 %	7326,4573 litre	O
470	CM	90	CM	73 LEVEL CM	4550,4202 litre	38,047 %	7409,6230 litre	O
470	CM	90	CM	72 LEVEL CM	4467,4354 litre	37,353 %	7492,6078 litre	O
470	CM	90	CM	71 LEVEL CM	4384,6425 litre	36,661 %	7575,4007 litre	O
470	CM	90	CM	70 LEVEL CM	4302,0526 litre	35,970 %	7657,9906 litre	O
470	CM	90	CM	69 LEVEL CM	4219,6769 litre	35,281 %	7740,3663 litre	O
470	CM	90	CM	68 LEVEL CM	4137,5268 litre	34,595 %	7822,5164 litre	O
470	CM	90	CM	67 LEVEL CM	4055,6137 litre	33,910 %	7904,4295 litre	O
470	CM	90	CM	66 LEVEL CM	3973,9491 litre	33,227 %	7986,0941 litre	O
470	CM	90	CM	65 LEVEL CM	3892,5445 litre	32,546 %	8067,4987 litre	O
470	CM	90	CM	64 LEVEL CM	3811,4118 litre	31,868 %	8148,6314 litre	O
470	CM	90	CM	63 LEVEL CM	3730,5627 litre	31,192 %	8229,4805 litre	O
470	CM	90	CM	62 LEVEL CM	3650,0093 litre	30,518 %	8310,0339 litre	O
470	CM	90	CM	61 LEVEL CM	3569,7636 litre	29,847 %	8390,2796 litre	O
470	CM	90	CM	60 LEVEL CM	3489,8378 litre	29,179 %	8470,2054 litre	O
470	CM	90	CM	59 LEVEL CM	3410,2444 litre	28,514 %	8549,7988 litre	O
470	CM	90	CM	58 LEVEL CM	3330,9959 litre	27,851 %	8629,0473 litre	O
470	CM	90	CM	57 LEVEL CM	3252,1050 litre	27,191 %	8707,9382 litre	O
470	CM	90	CM	56 LEVEL CM	3173,5846 litre	26,535 %	8786,4586 litre	O
470	CM	90	CM	55 LEVEL CM	3095,4478 litre	25,882 %	8864,5954 litre	O
470	CM	90	CM	54 LEVEL CM	3017,7077 litre	25,232 %	8942,3355 litre	O
470	CM	90	CM	53 LEVEL CM	2940,3779 litre	24,585 %	9019,6653 litre	O
470	CM	90	CM	52 LEVEL CM	2863,4721 litre	23,942 %	9096,5711 litre	O
470	CM	90	CM	51 LEVEL CM	2787,0041 litre	23,303 %	9173,0391 litre	O
470	CM	90	CM	50 LEVEL CM	2710,9881 litre	22,667 %	9249,0551 litre	O
470	CM	90	CM	49 LEVEL CM	2635,4385 litre	22,035 %	9324,6047 litre	O
470	CM	90	CM	48 LEVEL CM	2560,3700 litre	21,408 %	9399,6732 litre	O
470	CM	90	CM	47 LEVEL CM	2485,7974 litre	20,784 %	9474,2458 litre	O
470	CM	90	CM	46 LEVEL CM	2411,7362 litre	20,165 %	9548,3070 litre	O
470	CM	90	CM	45 LEVEL CM	2338,2017 litre	19,550 %	9621,8415 litre	O
470	CM	90	CM	44 LEVEL CM	2265,2100 litre	18,940 %	9694,8332 litre	O
470	CM	90	CM	43 LEVEL CM	2192,7773 litre	18,334 %	9767,2659 litre	O
470	CM	90	CM	42 LEVEL CM	2120,9203 litre	17,733 %	9839,1229 litre	O
470	CM	90	CM	41 LEVEL CM	2049,6559 litre	17,138 %	9910,3873 litre	O
470	CM	90	CM	40 LEVEL CM	1979,0017 litre	16,547 %	9981,0415 litre	O
470	CM	90	CM	39 LEVEL CM	1908,9757 litre	15,961 %	10051,0675 litre	O
470	CM	90	CM	38 LEVEL CM	1839,5961 litre	15,381 %	10120,4471 litre	O
470	CM	90	CM	37 LEVEL CM	1770,8820 litre	14,807 %	10189,1612 litre	O
470	CM	90	CM	36 LEVEL CM	1702,8529 litre	14,238 %	10257,1903 litre	O
470	CM	90	CM	35 LEVEL CM	1635,5288 litre	13,675 %	10324,5144 litre	O
470	CM	90	CM	34 LEVEL CM	1568,9305 litre	13,118 %	10391,1127 litre	O
470	CM	90	CM	33 LEVEL CM	1503,0794 litre	12,568 %	10456,9638 litre	O
470	CM	90	CM	32 LEVEL CM	1437,9977 litre	12,023 %	10522,0455 litre	O
470	CM	90	CM	31 LEVEL CM	1373,7083 litre	11,486 %	10586,3349 litre	O
470	CM	90	CM	30 LEVEL CM	1310,2349 litre	10,955 %	10649,8083 litre	O
470	CM	90	CM	29 LEVEL CM	1247,6024 litre	10,431 %	10712,4408 litre	O
470	CM	90	CM	28 LEVEL CM	1185,8365 litre	9,915 %	10774,2067 litre	O
470	CM	90	CM	27 LEVEL CM	1124,9641 litre	9,406 %	10835,0791 litre	O
470	CM	90	CM	26 LEVEL CM	1065,0131 litre	8,905 %	10895,0301 litre	O
470	CM	90	CM	25 LEVEL CM	1006,0130 litre	8,411 %	10954,0302 litre	O
470	CM	90	CM	24 LEVEL CM	947,9946 litre	7,926 %	11012,0486 litre	O
470	CM	90	CM	23 LEVEL CM	890,9902 litre	7,450 %	11069,0530 litre	O

470	CM	90	CM	22 LEVEL CM	835,0341 litre	6,982 %	11125,0091 litre	O
470	CM	90	CM	21 LEVEL CM	780,1623 litre	6,523 %	11179,8809 litre	O
470	CM	90	CM	20 LEVEL CM	726,4132 litre	6,074 %	11233,6300 litre	O
470	CM	90	CM	19 LEVEL CM	673,8275 litre	5,634 %	11286,2157 litre	O
470	CM	90	CM	18 LEVEL CM	622,4487 litre	5,204 %	11337,5945 litre	O
470	CM	90	CM	17 LEVEL CM	572,3236 litre	4,785 %	11387,7196 litre	O
470	CM	90	CM	16 LEVEL CM	523,5024 litre	4,377 %	11436,5408 litre	O
470	CM	90	CM	15 LEVEL CM	476,0395 litre	3,980 %	11484,0037 litre	O
470	CM	90	CM	14 LEVEL CM	429,9942 litre	3,595 %	11530,0490 litre	O
470	CM	90	CM	13 LEVEL CM	385,4314 litre	3,223 %	11574,6118 litre	O
470	CM	90	CM	12 LEVEL CM	342,4226 litre	2,863 %	11617,6206 litre	O
470	CM	90	CM	11 LEVEL CM	301,0476 litre	2,517 %	11658,9956 litre	O
470	CM	90	CM	10 LEVEL CM	261,3960 litre	2,186 %	11698,6472 litre	O
470	CM	90	CM	9 LEVEL CM	223,5695 litre	1,869 %	11736,4737 litre	O
470	CM	90	CM	8 LEVEL CM	187,6856 litre	1,569 %	11772,3576 litre	O
470	CM	90	CM	7 LEVEL CM	153,8818 litre	1,287 %	11806,1614 litre	O
470	CM	90	CM	6 LEVEL CM	122,3231 litre	1,023 %	11837,7201 litre	O
470	CM	90	CM	5 LEVEL CM	93,2127 litre	0,779 %	11866,8305 litre	O
470	CM	90	CM	4 LEVEL CM	66,8107 litre	0,559 %	11893,2325 litre	O
470	CM	90	CM	3 LEVEL CM	43,4682 litre	0,363 %	11916,5750 litre	O
470	CM	90	CM	2 LEVEL CM	23,7009 litre	0,198 %	11936,3423 litre	O
470	CM	90	CM	1 LEVEL CM	8,3936 litre	0,070 %	11951,6496 litre	O
470	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	11960,0432 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 85	CM 170	10668,0633 litre	100,000 %	0,0000 litre	O
470	CM 85	CM 169	10659,9070 litre	99,924 %	8,1563 litre	O
470	CM 85	CM 168	10645,0347 litre	99,784 %	23,0286 litre	O
470	CM 85	CM 167	10625,8324 litre	99,604 %	42,2309 litre	O
470	CM 85	CM 166	10603,1607 litre	99,392 %	64,9026 litre	O
470	CM 85	CM 165	10577,5220 litre	99,151 %	90,5413 litre	O
470	CM 85	CM 164	10549,2581 litre	98,886 %	118,8052 litre	O
470	CM 85	CM 163	10518,6224 litre	98,599 %	149,4409 litre	O
470	CM 85	CM 162	10485,8131 litre	98,292 %	182,2502 litre	O
470	CM 85	CM 161	10450,9911 litre	97,965 %	217,0722 litre	O
470	CM 85	CM 160	10414,2907 litre	97,621 %	253,7726 litre	O
470	CM 85	CM 159	10375,8265 litre	97,261 %	292,2368 litre	O
470	CM 85	CM 158	10335,6981 litre	96,884 %	332,3652 litre	O
470	CM 85	CM 157	10293,9930 litre	96,494 %	374,0703 litre	O
470	CM 85	CM 156	10250,7891 litre	96,089 %	417,2742 litre	O
470	CM 85	CM 155	10206,1566 litre	95,670 %	461,9067 litre	O
470	CM 85	CM 154	10160,1590 litre	95,239 %	507,9043 litre	O
470	CM 85	CM 153	10112,8544 litre	94,796 %	555,2089 litre	O
470	CM 85	CM 152	10064,2961 litre	94,340 %	603,7672 litre	O
470	CM 85	CM 151	10014,5334 litre	93,874 %	653,5299 litre	O
470	CM 85	CM 150	9963,6123 litre	93,397 %	704,4510 litre	O
470	CM 85	CM 149	9911,5754 litre	92,909 %	756,4879 litre	O
470	CM 85	CM 148	9858,4628 litre	92,411 %	809,6005 litre	O
470	CM 85	CM 147	9804,3122 litre	91,903 %	863,7511 litre	O
470	CM 85	CM 146	9749,1591 litre	91,386 %	918,9042 litre	O
470	CM 85	CM 145	9693,0373 litre	90,860 %	975,0260 litre	O
470	CM 85	CM 144	9635,9785 litre	90,325 %	1032,0848 litre	O
470	CM 85	CM 143	9578,0133 litre	89,782 %	1090,0500 litre	O
470	CM 85	CM 142	9519,1705 litre	89,231 %	1148,8928 litre	O
470	CM 85	CM 141	9459,4779 litre	88,671 %	1208,5854 litre	O
470	CM 85	CM 140	9398,9620 litre	88,104 %	1269,1013 litre	O
470	CM 85	CM 139	9337,6483 litre	87,529 %	1330,4150 litre	O
470	CM 85	CM 138	9275,5612 litre	86,947 %	1392,5021 litre	O
470	CM 85	CM 137	9212,7244 litre	86,358 %	1455,3389 litre	O
470	CM 85	CM 136	9149,1605 litre	85,762 %	1518,9028 litre	O
470	CM 85	CM 135	9084,8916 litre	85,160 %	1583,1717 litre	O
470	CM 85	CM 134	9019,9389 litre	84,551 %	1648,1244 litre	O
470	CM 85	CM 133	8954,3229 litre	83,936 %	1713,7404 litre	O
470	CM 85	CM 132	8888,0637 litre	83,315 %	1779,9996 litre	O
470	CM 85	CM 131	8821,1807 litre	82,688 %	1846,8826 litre	O
470	CM 85	CM 130	8753,6926 litre	82,055 %	1914,3707 litre	O
470	CM 85	CM 129	8685,6180 litre	81,417 %	1982,4453 litre	O
470	CM 85	CM 128	8616,9746 litre	80,774 %	2051,0887 litre	O
470	CM 85	CM 127	8547,7799 litre	80,125 %	2120,2834 litre	O
470	CM 85	CM 126	8478,0509 litre	79,471 %	2190,0124 litre	O
470	CM 85	CM 125	8407,8042 litre	78,813 %	2260,2591 litre	O
470	CM 85	CM 124	8337,0562 litre	78,150 %	2331,0071 litre	O
470	CM 85	CM 123	8265,8228 litre	77,482 %	2402,2405 litre	O
470	CM 85	CM 122	8194,1195 litre	76,810 %	2473,9438 litre	O
470	CM 85	CM 121	8121,9618 litre	76,133 %	2546,1015 litre	O
470	CM 85	CM 120	8049,3645 litre	75,453 %	2618,6988 litre	O
470	CM 85	CM 119	7976,3425 litre	74,768 %	2691,7208 litre	O

470	CM	85	CM	118 LEVEL CM	7902,9102 litre	74,080 %	2765,1531 litre	O
470	CM	85	CM	117 LEVEL CM	7829,0818 litre	73,388 %	2838,9815 litre	O
470	CM	85	CM	116 LEVEL CM	7754,8715 litre	72,692 %	2913,1918 litre	O
470	CM	85	CM	115 LEVEL CM	7680,2930 litre	71,993 %	2987,7703 litre	O
470	CM	85	CM	114 LEVEL CM	7605,3599 litre	71,291 %	3062,7034 litre	O
470	CM	85	CM	113 LEVEL CM	7530,0856 litre	70,585 %	3137,9777 litre	O
470	CM	85	CM	112 LEVEL CM	7454,4833 litre	69,877 %	3213,5800 litre	O
470	CM	85	CM	111 LEVEL CM	7378,5661 litre	69,165 %	3289,4972 litre	O
470	CM	85	CM	110 LEVEL CM	7302,3469 litre	68,451 %	3365,7164 litre	O
470	CM	85	CM	109 LEVEL CM	7225,8384 litre	67,733 %	3442,2249 litre	O
470	CM	85	CM	108 LEVEL CM	7149,0532 litre	67,014 %	3519,0101 litre	O
470	CM	85	CM	107 LEVEL CM	7072,0038 litre	66,291 %	3596,0595 litre	O
470	CM	85	CM	106 LEVEL CM	6994,7025 litre	65,567 %	3673,3608 litre	O
470	CM	85	CM	105 LEVEL CM	6917,1616 litre	64,840 %	3750,9017 litre	O
470	CM	85	CM	104 LEVEL CM	6839,3931 litre	64,111 %	3828,6702 litre	O
470	CM	85	CM	103 LEVEL CM	6761,4090 litre	63,380 %	3906,6543 litre	O
470	CM	85	CM	102 LEVEL CM	6683,2212 litre	62,647 %	3984,8421 litre	O
470	CM	85	CM	101 LEVEL CM	6604,8415 litre	61,912 %	4063,2218 litre	O
470	CM	85	CM	100 LEVEL CM	6526,2817 litre	61,176 %	4141,7816 litre	O
470	CM	85	CM	99 LEVEL CM	6447,5533 litre	60,438 %	4220,5100 litre	O
470	CM	85	CM	98 LEVEL CM	6368,6679 litre	59,698 %	4299,3954 litre	O
470	CM	85	CM	97 LEVEL CM	6289,6371 litre	58,958 %	4378,4262 litre	O
470	CM	85	CM	96 LEVEL CM	6210,4722 litre	58,216 %	4457,5911 litre	O
470	CM	85	CM	95 LEVEL CM	6131,1846 litre	57,472 %	4536,8787 litre	O
470	CM	85	CM	94 LEVEL CM	6051,7857 litre	56,728 %	4616,2776 litre	O
470	CM	85	CM	93 LEVEL CM	5972,2867 litre	55,983 %	4695,7766 litre	O
470	CM	85	CM	92 LEVEL CM	5892,6988 litre	55,237 %	4775,3645 litre	O
470	CM	85	CM	91 LEVEL CM	5813,0332 litre	54,490 %	4855,0301 litre	O
470	CM	85	CM	90 LEVEL CM	5733,3011 litre	53,743 %	4934,7622 litre	O
470	CM	85	CM	89 LEVEL CM	5653,5136 litre	52,995 %	5014,5497 litre	O
470	CM	85	CM	88 LEVEL CM	5573,6819 litre	52,246 %	5094,3814 litre	O
470	CM	85	CM	87 LEVEL CM	5493,8169 litre	51,498 %	5174,2464 litre	O
470	CM	85	CM	86 LEVEL CM	5413,9298 litre	50,749 %	5254,1335 litre	O
470	CM	85	CM	85 LEVEL CM	5334,0316 litre	50,000 %	5334,0317 litre	O
470	CM	85	CM	84 LEVEL CM	5254,1335 litre	49,251 %	5413,9298 litre	O
470	CM	85	CM	83 LEVEL CM	5174,2464 litre	48,502 %	5493,8169 litre	O
470	CM	85	CM	82 LEVEL CM	5094,3814 litre	47,754 %	5573,6819 litre	O
470	CM	85	CM	81 LEVEL CM	5014,5496 litre	47,005 %	5653,5137 litre	O
470	CM	85	CM	80 LEVEL CM	4934,7621 litre	46,257 %	5733,3012 litre	O
470	CM	85	CM	79 LEVEL CM	4855,0300 litre	45,510 %	5813,0333 litre	O
470	CM	85	CM	78 LEVEL CM	4775,3645 litre	44,763 %	5892,6988 litre	O
470	CM	85	CM	77 LEVEL CM	4695,7766 litre	44,017 %	5972,2867 litre	O
470	CM	85	CM	76 LEVEL CM	4616,2775 litre	43,272 %	6051,7858 litre	O
470	CM	85	CM	75 LEVEL CM	4536,8786 litre	42,528 %	6131,1847 litre	O
470	CM	85	CM	74 LEVEL CM	4457,5910 litre	41,784 %	6210,4723 litre	O
470	CM	85	CM	73 LEVEL CM	4378,4262 litre	41,042 %	6289,6371 litre	O
470	CM	85	CM	72 LEVEL CM	4299,3953 litre	40,302 %	6368,6680 litre	O
470	CM	85	CM	71 LEVEL CM	4220,5100 litre	39,562 %	6447,5533 litre	O
470	CM	85	CM	70 LEVEL CM	4141,7816 litre	38,824 %	6526,2817 litre	O
470	CM	85	CM	69 LEVEL CM	4063,2218 litre	38,088 %	6604,8415 litre	O
470	CM	85	CM	68 LEVEL CM	3984,8421 litre	37,353 %	6683,2212 litre	O
470	CM	85	CM	67 LEVEL CM	3906,6543 litre	36,620 %	6761,4090 litre	O
470	CM	85	CM	66 LEVEL CM	3828,6702 litre	35,889 %	6839,3931 litre	O

470	CM	85	CM	65 LEVEL CM	3750,9017 litre	35,160 %	6917,1616 litre	O
470	CM	85	CM	64 LEVEL CM	3673,3607 litre	34,433 %	6994,7026 litre	O
470	CM	85	CM	63 LEVEL CM	3596,0594 litre	33,709 %	7072,0039 litre	O
470	CM	85	CM	62 LEVEL CM	3519,0100 litre	32,986 %	7149,0533 litre	O
470	CM	85	CM	61 LEVEL CM	3442,2249 litre	32,267 %	7225,8384 litre	O
470	CM	85	CM	60 LEVEL CM	3365,7164 litre	31,549 %	7302,3469 litre	O
470	CM	85	CM	59 LEVEL CM	3289,4972 litre	30,835 %	7378,5661 litre	O
470	CM	85	CM	58 LEVEL CM	3213,5800 litre	30,123 %	7454,4833 litre	O
470	CM	85	CM	57 LEVEL CM	3137,9777 litre	29,415 %	7530,0856 litre	O
470	CM	85	CM	56 LEVEL CM	3062,7034 litre	28,709 %	7605,3599 litre	O
470	CM	85	CM	55 LEVEL CM	2987,7703 litre	28,007 %	7680,2930 litre	O
470	CM	85	CM	54 LEVEL CM	2913,1917 litre	27,308 %	7754,8716 litre	O
470	CM	85	CM	53 LEVEL CM	2838,9814 litre	26,612 %	7829,0819 litre	O
470	CM	85	CM	52 LEVEL CM	2765,1531 litre	25,920 %	7902,9102 litre	O
470	CM	85	CM	51 LEVEL CM	2691,7208 litre	25,232 %	7976,3425 litre	O
470	CM	85	CM	50 LEVEL CM	2618,6988 litre	24,547 %	8049,3645 litre	O
470	CM	85	CM	49 LEVEL CM	2546,1015 litre	23,867 %	8121,9618 litre	O
470	CM	85	CM	48 LEVEL CM	2473,9437 litre	23,190 %	8194,1196 litre	O
470	CM	85	CM	47 LEVEL CM	2402,2405 litre	22,518 %	8265,8228 litre	O
470	CM	85	CM	46 LEVEL CM	2331,0070 litre	21,850 %	8337,0563 litre	O
470	CM	85	CM	45 LEVEL CM	2260,2590 litre	21,187 %	8407,8043 litre	O
470	CM	85	CM	44 LEVEL CM	2190,0124 litre	20,529 %	8478,0509 litre	O
470	CM	85	CM	43 LEVEL CM	2120,2834 litre	19,875 %	8547,7799 litre	O
470	CM	85	CM	42 LEVEL CM	2051,0887 litre	19,226 %	8616,9746 litre	O
470	CM	85	CM	41 LEVEL CM	1982,4453 litre	18,583 %	8685,6180 litre	O
470	CM	85	CM	40 LEVEL CM	1914,3706 litre	17,945 %	8753,6927 litre	O
470	CM	85	CM	39 LEVEL CM	1846,8826 litre	17,312 %	8821,1807 litre	O
470	CM	85	CM	38 LEVEL CM	1779,9995 litre	16,685 %	8888,0638 litre	O
470	CM	85	CM	37 LEVEL CM	1713,7403 litre	16,064 %	8954,3230 litre	O
470	CM	85	CM	36 LEVEL CM	1648,1244 litre	15,449 %	9019,9389 litre	O
470	CM	85	CM	35 LEVEL CM	1583,1717 litre	14,840 %	9084,8916 litre	O
470	CM	85	CM	34 LEVEL CM	1518,9027 litre	14,238 %	9149,1606 litre	O
470	CM	85	CM	33 LEVEL CM	1455,3389 litre	13,642 %	9212,7244 litre	O
470	CM	85	CM	32 LEVEL CM	1392,5020 litre	13,053 %	9275,5613 litre	O
470	CM	85	CM	31 LEVEL CM	1330,4150 litre	12,471 %	9337,6483 litre	O
470	CM	85	CM	30 LEVEL CM	1269,1012 litre	11,896 %	9398,9621 litre	O
470	CM	85	CM	29 LEVEL CM	1208,5854 litre	11,329 %	9459,4779 litre	O
470	CM	85	CM	28 LEVEL CM	1148,8928 litre	10,769 %	9519,1705 litre	O
470	CM	85	CM	27 LEVEL CM	1090,0500 litre	10,218 %	9578,0133 litre	O
470	CM	85	CM	26 LEVEL CM	1032,0847 litre	9,675 %	9635,9786 litre	O
470	CM	85	CM	25 LEVEL CM	975,0260 litre	9,140 %	9693,0373 litre	O
470	CM	85	CM	24 LEVEL CM	918,9041 litre	8,614 %	9749,1592 litre	O
470	CM	85	CM	23 LEVEL CM	863,7511 litre	8,097 %	9804,3122 litre	O
470	CM	85	CM	22 LEVEL CM	809,6005 litre	7,589 %	9858,4628 litre	O
470	CM	85	CM	21 LEVEL CM	756,4879 litre	7,091 %	9911,5754 litre	O
470	CM	85	CM	20 LEVEL CM	704,4510 litre	6,603 %	9963,6123 litre	O
470	CM	85	CM	19 LEVEL CM	653,5298 litre	6,126 %	10014,5335 litre	O
470	CM	85	CM	18 LEVEL CM	603,7672 litre	5,660 %	10064,2961 litre	O
470	CM	85	CM	17 LEVEL CM	555,2089 litre	5,204 %	10112,8544 litre	O
470	CM	85	CM	16 LEVEL CM	507,9043 litre	4,761 %	10160,1590 litre	O
470	CM	85	CM	15 LEVEL CM	461,9067 litre	4,330 %	10206,1566 litre	O
470	CM	85	CM	14 LEVEL CM	417,2742 litre	3,911 %	10250,7891 litre	O
470	CM	85	CM	13 LEVEL CM	374,0703 litre	3,506 %	10293,9930 litre	O

470	CM	85	CM	12 LEVEL CM	332,3652 litre	3,116 %	10335,6981 litre	O
470	CM	85	CM	11 LEVEL CM	292,2367 litre	2,739 %	10375,8266 litre	O
470	CM	85	CM	10 LEVEL CM	253,7726 litre	2,379 %	10414,2907 litre	O
470	CM	85	CM	9 LEVEL CM	217,0722 litre	2,035 %	10450,9911 litre	O
470	CM	85	CM	8 LEVEL CM	182,2501 litre	1,708 %	10485,8132 litre	O
470	CM	85	CM	7 LEVEL CM	149,4408 litre	1,401 %	10518,6225 litre	O
470	CM	85	CM	6 LEVEL CM	118,8052 litre	1,114 %	10549,2581 litre	O
470	CM	85	CM	5 LEVEL CM	90,5413 litre	0,849 %	10577,5220 litre	O
470	CM	85	CM	4 LEVEL CM	64,9025 litre	0,608 %	10603,1608 litre	O
470	CM	85	CM	3 LEVEL CM	42,2309 litre	0,396 %	10625,8324 litre	O
470	CM	85	CM	2 LEVEL CM	23,0286 litre	0,216 %	10645,0347 litre	O
470	CM	85	CM	1 LEVEL CM	8,1563 litre	0,076 %	10659,9070 litre	O
470	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	10668,0633 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 80	CM 160 LEVEL CM	9449,9107 litre	100,000 %	0,0000 litre	O
470	CM 80	CM 159 LEVEL CM	9441,9988 litre	99,916 %	7,9119 litre	O
470	CM 80	CM 158 LEVEL CM	9427,5747 litre	99,764 %	22,3360 litre	O
470	CM 80	CM 157 LEVEL CM	9408,9544 litre	99,567 %	40,9563 litre	O
470	CM 80	CM 156 LEVEL CM	9386,9742 litre	99,334 %	62,9365 litre	O
470	CM 80	CM 155 LEVEL CM	9362,1222 litre	99,071 %	87,7885 litre	O
470	CM 80	CM 154 LEVEL CM	9334,7309 litre	98,781 %	115,1798 litre	O
470	CM 80	CM 153 LEVEL CM	9305,0469 litre	98,467 %	144,8638 litre	O
470	CM 80	CM 152 LEVEL CM	9273,2632 litre	98,131 %	176,6475 litre	O
470	CM 80	CM 151 LEVEL CM	9239,5365 litre	97,774 %	210,3742 litre	O
470	CM 80	CM 150 LEVEL CM	9203,9978 litre	97,398 %	245,9129 litre	O
470	CM 80	CM 149 LEVEL CM	9166,7590 litre	97,004 %	283,1517 litre	O
470	CM 80	CM 148 LEVEL CM	9127,9171 litre	96,593 %	321,9936 litre	O
470	CM 80	CM 147 LEVEL CM	9087,5577 litre	96,166 %	362,3530 litre	O
470	CM 80	CM 146 LEVEL CM	9045,7569 litre	95,723 %	404,1538 litre	O
470	CM 80	CM 145 LEVEL CM	9002,5834 litre	95,266 %	447,3273 litre	O
470	CM 80	CM 144 LEVEL CM	8958,0994 litre	94,796 %	491,8113 litre	O
470	CM 80	CM 143 LEVEL CM	8912,3616 litre	94,312 %	537,5491 litre	O
470	CM 80	CM 142 LEVEL CM	8865,4224 litre	93,815 %	584,4883 litre	O
470	CM 80	CM 141 LEVEL CM	8817,3301 litre	93,306 %	632,5806 litre	O
470	CM 80	CM 140 LEVEL CM	8768,1298 litre	92,785 %	681,7809 litre	O
470	CM 80	CM 139 LEVEL CM	8717,8634 litre	92,253 %	732,0473 litre	O
470	CM 80	CM 138 LEVEL CM	8666,5703 litre	91,711 %	783,3404 litre	O
470	CM 80	CM 137 LEVEL CM	8614,2876 litre	91,157 %	835,6231 litre	O
470	CM 80	CM 136 LEVEL CM	8561,0502 litre	90,594 %	888,8605 litre	O
470	CM 80	CM 135 LEVEL CM	8506,8913 litre	90,021 %	943,0194 litre	O
470	CM 80	CM 134 LEVEL CM	8451,8423 litre	89,438 %	998,0684 litre	O
470	CM 80	CM 133 LEVEL CM	8395,9332 litre	88,847 %	1053,9775 litre	O
470	CM 80	CM 132 LEVEL CM	8339,1927 litre	88,246 %	1110,7180 litre	O
470	CM 80	CM 131 LEVEL CM	8281,6481 litre	87,637 %	1168,2626 litre	O
470	CM 80	CM 130 LEVEL CM	8223,3255 litre	87,020 %	1226,5852 litre	O
470	CM 80	CM 129 LEVEL CM	8164,2503 litre	86,395 %	1285,6604 litre	O
470	CM 80	CM 128 LEVEL CM	8104,4467 litre	85,762 %	1345,4640 litre	O
470	CM 80	CM 127 LEVEL CM	8043,9380 litre	85,122 %	1405,9727 litre	O
470	CM 80	CM 126 LEVEL CM	7982,7468 litre	84,474 %	1467,1639 litre	O
470	CM 80	CM 125 LEVEL CM	7920,8949 litre	83,820 %	1529,0158 litre	O
470	CM 80	CM 124 LEVEL CM	7858,4034 litre	83,158 %	1591,5073 litre	O
470	CM 80	CM 123 LEVEL CM	7795,2928 litre	82,491 %	1654,6179 litre	O
470	CM 80	CM 122 LEVEL CM	7731,5830 litre	81,816 %	1718,3277 litre	O
470	CM 80	CM 121 LEVEL CM	7667,2934 litre	81,136 %	1782,6173 litre	O
470	CM 80	CM 120 LEVEL CM	7602,4427 litre	80,450 %	1847,4680 litre	O
470	CM 80	CM 119 LEVEL CM	7537,0492 litre	79,758 %	1912,8615 litre	O
470	CM 80	CM 118 LEVEL CM	7471,1309 litre	79,060 %	1978,7798 litre	O
470	CM 80	CM 117 LEVEL CM	7404,7051 litre	78,357 %	2045,2056 litre	O
470	CM 80	CM 116 LEVEL CM	7337,7889 litre	77,649 %	2112,1218 litre	O
470	CM 80	CM 115 LEVEL CM	7270,3991 litre	76,936 %	2179,5116 litre	O
470	CM 80	CM 114 LEVEL CM	7202,5519 litre	76,218 %	2247,3588 litre	O
470	CM 80	CM 113 LEVEL CM	7134,2633 litre	75,496 %	2315,6474 litre	O
470	CM 80	CM 112 LEVEL CM	7065,5490 litre	74,768 %	2384,3617 litre	O
470	CM 80	CM 111 LEVEL CM	6996,4245 litre	74,037 %	2453,4862 litre	O
470	CM 80	CM 110 LEVEL CM	6926,9048 litre	73,301 %	2523,0059 litre	O
470	CM 80	CM 109 LEVEL CM	6857,0049 litre	72,562 %	2592,9058 litre	O

470	CM	80	CM	108 LEVEL CM	6786,7393 litre	71,818 %	2663,1714 litre	O
470	CM	80	CM	107 LEVEL CM	6716,1225 litre	71,071 %	2733,7882 litre	O
470	CM	80	CM	106 LEVEL CM	6645,1687 litre	70,320 %	2804,7420 litre	O
470	CM	80	CM	105 LEVEL CM	6573,8917 litre	69,566 %	2876,0190 litre	O
470	CM	80	CM	104 LEVEL CM	6502,3056 litre	68,808 %	2947,6051 litre	O
470	CM	80	CM	103 LEVEL CM	6430,4238 litre	68,047 %	3019,4869 litre	O
470	CM	80	CM	102 LEVEL CM	6358,2598 litre	67,284 %	3091,6509 litre	O
470	CM	80	CM	101 LEVEL CM	6285,8270 litre	66,517 %	3164,0837 litre	O
470	CM	80	CM	100 LEVEL CM	6213,1384 litre	65,748 %	3236,7723 litre	O
470	CM	80	CM	99 LEVEL CM	6140,2071 litre	64,976 %	3309,7036 litre	O
470	CM	80	CM	98 LEVEL CM	6067,0460 litre	64,202 %	3382,8647 litre	O
470	CM	80	CM	97 LEVEL CM	5993,6678 litre	63,426 %	3456,2429 litre	O
470	CM	80	CM	96 LEVEL CM	5920,0852 litre	62,647 %	3529,8255 litre	O
470	CM	80	CM	95 LEVEL CM	5846,3107 litre	61,866 %	3603,6000 litre	O
470	CM	80	CM	94 LEVEL CM	5772,3567 litre	61,084 %	3677,5540 litre	O
470	CM	80	CM	93 LEVEL CM	5698,2357 litre	60,299 %	3751,6750 litre	O
470	CM	80	CM	92 LEVEL CM	5623,9598 litre	59,513 %	3825,9509 litre	O
470	CM	80	CM	91 LEVEL CM	5549,5414 litre	58,726 %	3900,3693 litre	O
470	CM	80	CM	90 LEVEL CM	5474,9924 litre	57,937 %	3974,9183 litre	O
470	CM	80	CM	89 LEVEL CM	5400,3250 litre	57,147 %	4049,5857 litre	O
470	CM	80	CM	88 LEVEL CM	5325,5512 litre	56,356 %	4124,3595 litre	O
470	CM	80	CM	87 LEVEL CM	5250,6829 litre	55,563 %	4199,2278 litre	O
470	CM	80	CM	86 LEVEL CM	5175,7320 litre	54,770 %	4274,1787 litre	O
470	CM	80	CM	85 LEVEL CM	5100,7104 litre	53,976 %	4349,2003 litre	O
470	CM	80	CM	84 LEVEL CM	5025,6300 litre	53,182 %	4424,2807 litre	O
470	CM	80	CM	83 LEVEL CM	4950,5025 litre	52,387 %	4499,4082 litre	O
470	CM	80	CM	82 LEVEL CM	4875,3397 litre	51,591 %	4574,5710 litre	O
470	CM	80	CM	81 LEVEL CM	4800,1534 litre	50,796 %	4649,7573 litre	O
470	CM	80	CM	80 LEVEL CM	4724,9554 litre	50,000 %	4724,9553 litre	O
470	CM	80	CM	79 LEVEL CM	4649,7573 litre	49,204 %	4800,1534 litre	O
470	CM	80	CM	78 LEVEL CM	4574,5710 litre	48,409 %	4875,3397 litre	O
470	CM	80	CM	77 LEVEL CM	4499,4082 litre	47,613 %	4950,5025 litre	O
470	CM	80	CM	76 LEVEL CM	4424,2807 litre	46,818 %	5025,6300 litre	O
470	CM	80	CM	75 LEVEL CM	4349,2003 litre	46,024 %	5100,7104 litre	O
470	CM	80	CM	74 LEVEL CM	4274,1787 litre	45,230 %	5175,7320 litre	O
470	CM	80	CM	73 LEVEL CM	4199,2278 litre	44,437 %	5250,6829 litre	O
470	CM	80	CM	72 LEVEL CM	4124,3595 litre	43,644 %	5325,5512 litre	O
470	CM	80	CM	71 LEVEL CM	4049,5857 litre	42,853 %	5400,3250 litre	O
470	CM	80	CM	70 LEVEL CM	3974,9183 litre	42,063 %	5474,9924 litre	O
470	CM	80	CM	69 LEVEL CM	3900,3693 litre	41,274 %	5549,5414 litre	O
470	CM	80	CM	68 LEVEL CM	3825,9509 litre	40,487 %	5623,9598 litre	O
470	CM	80	CM	67 LEVEL CM	3751,6750 litre	39,701 %	5698,2357 litre	O
470	CM	80	CM	66 LEVEL CM	3677,5540 litre	38,916 %	5772,3567 litre	O
470	CM	80	CM	65 LEVEL CM	3603,6000 litre	38,134 %	5846,3107 litre	O
470	CM	80	CM	64 LEVEL CM	3529,8255 litre	37,353 %	5920,0852 litre	O
470	CM	80	CM	63 LEVEL CM	3456,2429 litre	36,574 %	5993,6678 litre	O
470	CM	80	CM	62 LEVEL CM	3382,8647 litre	35,798 %	6067,0460 litre	O
470	CM	80	CM	61 LEVEL CM	3309,7036 litre	35,024 %	6140,2071 litre	O
470	CM	80	CM	60 LEVEL CM	3236,7723 litre	34,252 %	6213,1384 litre	O
470	CM	80	CM	59 LEVEL CM	3164,0837 litre	33,483 %	6285,8270 litre	O
470	CM	80	CM	58 LEVEL CM	3091,6509 litre	32,716 %	6358,2598 litre	O
470	CM	80	CM	57 LEVEL CM	3019,4869 litre	31,953 %	6430,4238 litre	O
470	CM	80	CM	56 LEVEL CM	2947,6051 litre	31,192 %	6502,3056 litre	O

470	CM	80	CM	55 LEVEL CM	2876,0190 litre	30,434 %	6573,8917 litre	O
470	CM	80	CM	54 LEVEL CM	2804,7421 litre	29,680 %	6645,1686 litre	O
470	CM	80	CM	53 LEVEL CM	2733,7882 litre	28,929 %	6716,1225 litre	O
470	CM	80	CM	52 LEVEL CM	2663,1714 litre	28,182 %	6786,7393 litre	O
470	CM	80	CM	51 LEVEL CM	2592,9058 litre	27,438 %	6857,0049 litre	O
470	CM	80	CM	50 LEVEL CM	2523,0059 litre	26,699 %	6926,9048 litre	O
470	CM	80	CM	49 LEVEL CM	2453,4862 litre	25,963 %	6996,4245 litre	O
470	CM	80	CM	48 LEVEL CM	2384,3617 litre	25,232 %	7065,5490 litre	O
470	CM	80	CM	47 LEVEL CM	2315,6474 litre	24,504 %	7134,2633 litre	O
470	CM	80	CM	46 LEVEL CM	2247,3588 litre	23,782 %	7202,5519 litre	O
470	CM	80	CM	45 LEVEL CM	2179,5116 litre	23,064 %	7270,3991 litre	O
470	CM	80	CM	44 LEVEL CM	2112,1218 litre	22,351 %	7337,7889 litre	O
470	CM	80	CM	43 LEVEL CM	2045,2056 litre	21,643 %	7404,7051 litre	O
470	CM	80	CM	42 LEVEL CM	1978,7798 litre	20,940 %	7471,1309 litre	O
470	CM	80	CM	41 LEVEL CM	1912,8615 litre	20,242 %	7537,0492 litre	O
470	CM	80	CM	40 LEVEL CM	1847,4680 litre	19,550 %	7602,4427 litre	O
470	CM	80	CM	39 LEVEL CM	1782,6173 litre	18,864 %	7667,2934 litre	O
470	CM	80	CM	38 LEVEL CM	1718,3277 litre	18,184 %	7731,5830 litre	O
470	CM	80	CM	37 LEVEL CM	1654,6179 litre	17,509 %	7795,2928 litre	O
470	CM	80	CM	36 LEVEL CM	1591,5073 litre	16,842 %	7858,4034 litre	O
470	CM	80	CM	35 LEVEL CM	1529,0158 litre	16,180 %	7920,8949 litre	O
470	CM	80	CM	34 LEVEL CM	1467,1639 litre	15,526 %	7982,7468 litre	O
470	CM	80	CM	33 LEVEL CM	1405,9727 litre	14,878 %	8043,9380 litre	O
470	CM	80	CM	32 LEVEL CM	1345,4640 litre	14,238 %	8104,4467 litre	O
470	CM	80	CM	31 LEVEL CM	1285,6604 litre	13,605 %	8164,2503 litre	O
470	CM	80	CM	30 LEVEL CM	1226,5852 litre	12,980 %	8223,3255 litre	O
470	CM	80	CM	29 LEVEL CM	1168,2626 litre	12,363 %	8281,6481 litre	O
470	CM	80	CM	28 LEVEL CM	1110,7180 litre	11,754 %	8339,1927 litre	O
470	CM	80	CM	27 LEVEL CM	1053,9775 litre	11,153 %	8395,9332 litre	O
470	CM	80	CM	26 LEVEL CM	998,0684 litre	10,562 %	8451,8423 litre	O
470	CM	80	CM	25 LEVEL CM	943,0194 litre	9,979 %	8506,8913 litre	O
470	CM	80	CM	24 LEVEL CM	888,8605 litre	9,406 %	8561,0502 litre	O
470	CM	80	CM	23 LEVEL CM	835,6231 litre	8,843 %	8614,2876 litre	O
470	CM	80	CM	22 LEVEL CM	783,3404 litre	8,289 %	8666,5703 litre	O
470	CM	80	CM	21 LEVEL CM	732,0473 litre	7,747 %	8717,8634 litre	O
470	CM	80	CM	20 LEVEL CM	681,7809 litre	7,215 %	8768,1298 litre	O
470	CM	80	CM	19 LEVEL CM	632,5806 litre	6,694 %	8817,3301 litre	O
470	CM	80	CM	18 LEVEL CM	584,4883 litre	6,185 %	8865,4224 litre	O
470	CM	80	CM	17 LEVEL CM	537,5491 litre	5,688 %	8912,3616 litre	O
470	CM	80	CM	16 LEVEL CM	491,8113 litre	5,204 %	8958,0994 litre	O
470	CM	80	CM	15 LEVEL CM	447,3273 litre	4,734 %	9002,5834 litre	O
470	CM	80	CM	14 LEVEL CM	404,1538 litre	4,277 %	9045,7569 litre	O
470	CM	80	CM	13 LEVEL CM	362,3530 litre	3,834 %	9087,5577 litre	O
470	CM	80	CM	12 LEVEL CM	321,9936 litre	3,407 %	9127,9171 litre	O
470	CM	80	CM	11 LEVEL CM	283,1517 litre	2,996 %	9166,7590 litre	O
470	CM	80	CM	10 LEVEL CM	245,9129 litre	2,602 %	9203,9978 litre	O
470	CM	80	CM	9 LEVEL CM	210,3742 litre	2,226 %	9239,5365 litre	O
470	CM	80	CM	8 LEVEL CM	176,6475 litre	1,869 %	9273,2632 litre	O
470	CM	80	CM	7 LEVEL CM	144,8638 litre	1,533 %	9305,0469 litre	O
470	CM	80	CM	6 LEVEL CM	115,1798 litre	1,219 %	9334,7309 litre	O
470	CM	80	CM	5 LEVEL CM	87,7885 litre	0,929 %	9362,1222 litre	O
470	CM	80	CM	4 LEVEL CM	62,9365 litre	0,666 %	9386,9742 litre	O
470	CM	80	CM	3 LEVEL CM	40,9563 litre	0,433 %	9408,9544 litre	O

470	CM 80	CM	2 LEVEL CM	22,3360 litre	0,236 %	9427,5747 litre	O
470	CM 80	CM	1 LEVEL CM	7,9119 litre	0,084 %	9441,9988 litre	O
470	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	9449,9107 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 75	CM 150 LEVEL CM	8305,5856 litre	100,000 %	0,0000 litre	O
470	CM 75	CM 149 LEVEL CM	8297,9259 litre	99,908 %	7,6597 litre	O
470	CM 75	CM 148 LEVEL CM	8283,9642 litre	99,740 %	21,6214 litre	O
470	CM 75	CM 147 LEVEL CM	8265,9449 litre	99,523 %	39,6407 litre	O
470	CM 75	CM 146 LEVEL CM	8244,6786 litre	99,267 %	60,9070 litre	O
470	CM 75	CM 145 LEVEL CM	8220,6390 litre	98,977 %	84,9466 litre	O
470	CM 75	CM 144 LEVEL CM	8194,1490 litre	98,658 %	111,4366 litre	O
470	CM 75	CM 143 LEVEL CM	8165,4482 litre	98,313 %	140,1374 litre	O
470	CM 75	CM 142 LEVEL CM	8134,7243 litre	97,943 %	170,8613 litre	O
470	CM 75	CM 141 LEVEL CM	8102,1298 litre	97,550 %	203,4558 litre	O
470	CM 75	CM 140 LEVEL CM	8067,7921 litre	97,137 %	237,7935 litre	O
470	CM 75	CM 139 LEVEL CM	8031,8203 litre	96,704 %	273,7653 litre	O
470	CM 75	CM 138 LEVEL CM	7994,3091 litre	96,252 %	311,2765 litre	O
470	CM 75	CM 137 LEVEL CM	7955,3418 litre	95,783 %	350,2438 litre	O
470	CM 75	CM 136 LEVEL CM	7914,9930 litre	95,297 %	390,5926 litre	O
470	CM 75	CM 135 LEVEL CM	7873,3295 litre	94,796 %	432,2561 litre	O
470	CM 75	CM 134 LEVEL CM	7830,4123 litre	94,279 %	475,1733 litre	O
470	CM 75	CM 133 LEVEL CM	7786,2970 litre	93,748 %	519,2886 litre	O
470	CM 75	CM 132 LEVEL CM	7741,0348 litre	93,203 %	564,5508 litre	O
470	CM 75	CM 131 LEVEL CM	7694,6731 litre	92,645 %	610,9125 litre	O
470	CM 75	CM 130 LEVEL CM	7647,2560 litre	92,074 %	658,3296 litre	O
470	CM 75	CM 129 LEVEL CM	7598,8248 litre	91,491 %	706,7608 litre	O
470	CM 75	CM 128 LEVEL CM	7549,4182 litre	90,896 %	756,1674 litre	O
470	CM 75	CM 127 LEVEL CM	7499,0725 litre	90,290 %	806,5131 litre	O
470	CM 75	CM 126 LEVEL CM	7447,8223 litre	89,672 %	857,7633 litre	O
470	CM 75	CM 125 LEVEL CM	7395,7002 litre	89,045 %	909,8854 litre	O
470	CM 75	CM 124 LEVEL CM	7342,7372 litre	88,407 %	962,8484 litre	O
470	CM 75	CM 123 LEVEL CM	7288,9629 litre	87,760 %	1016,6227 litre	O
470	CM 75	CM 122 LEVEL CM	7234,4056 litre	87,103 %	1071,1800 litre	O
470	CM 75	CM 121 LEVEL CM	7179,0922 litre	86,437 %	1126,4934 litre	O
470	CM 75	CM 120 LEVEL CM	7123,0488 litre	85,762 %	1182,5368 litre	O
470	CM 75	CM 119 LEVEL CM	7066,3004 litre	85,079 %	1239,2852 litre	O
470	CM 75	CM 118 LEVEL CM	7008,8709 litre	84,387 %	1296,7147 litre	O
470	CM 75	CM 117 LEVEL CM	6950,7836 litre	83,688 %	1354,8020 litre	O
470	CM 75	CM 116 LEVEL CM	6892,0608 litre	82,981 %	1413,5248 litre	O
470	CM 75	CM 115 LEVEL CM	6832,7243 litre	82,267 %	1472,8613 litre	O
470	CM 75	CM 114 LEVEL CM	6772,7951 litre	81,545 %	1532,7905 litre	O
470	CM 75	CM 113 LEVEL CM	6712,2935 litre	80,817 %	1593,2921 litre	O
470	CM 75	CM 112 LEVEL CM	6651,2395 litre	80,082 %	1654,3461 litre	O
470	CM 75	CM 111 LEVEL CM	6589,6524 litre	79,340 %	1715,9332 litre	O
470	CM 75	CM 110 LEVEL CM	6527,5509 litre	78,592 %	1778,0347 litre	O
470	CM 75	CM 109 LEVEL CM	6464,9533 litre	77,839 %	1840,6323 litre	O
470	CM 75	CM 108 LEVEL CM	6401,8777 litre	77,079 %	1903,7079 litre	O
470	CM 75	CM 107 LEVEL CM	6338,3414 litre	76,314 %	1967,2442 litre	O
470	CM 75	CM 106 LEVEL CM	6274,3617 litre	75,544 %	2031,2239 litre	O
470	CM 75	CM 105 LEVEL CM	6209,9552 litre	74,768 %	2095,6304 litre	O
470	CM 75	CM 104 LEVEL CM	6145,1385 litre	73,988 %	2160,4471 litre	O
470	CM 75	CM 103 LEVEL CM	6079,9276 litre	73,203 %	2225,6580 litre	O
470	CM 75	CM 102 LEVEL CM	6014,3384 litre	72,413 %	2291,2472 litre	O
470	CM 75	CM 101 LEVEL CM	5948,3865 litre	71,619 %	2357,1991 litre	O
470	CM 75	CM 100 LEVEL CM	5882,0871 litre	70,821 %	2423,4985 litre	O
470	CM 75	CM 99 LEVEL CM	5815,4554 litre	70,019 %	2490,1302 litre	O

470	CM	75	CM	98 LEVEL CM	5748,5061 litre	69,213 %	2557,0795 litre	O
470	CM	75	CM	97 LEVEL CM	5681,2540 litre	68,403 %	2624,3316 litre	O
470	CM	75	CM	96 LEVEL CM	5613,7135 litre	67,590 %	2691,8721 litre	O
470	CM	75	CM	95 LEVEL CM	5545,8987 litre	66,773 %	2759,6869 litre	O
470	CM	75	CM	94 LEVEL CM	5477,8239 litre	65,953 %	2827,7617 litre	O
470	CM	75	CM	93 LEVEL CM	5409,5029 litre	65,131 %	2896,0827 litre	O
470	CM	75	CM	92 LEVEL CM	5340,9495 litre	64,306 %	2964,6361 litre	O
470	CM	75	CM	91 LEVEL CM	5272,1773 litre	63,477 %	3033,4083 litre	O
470	CM	75	CM	90 LEVEL CM	5203,1999 litre	62,647 %	3102,3857 litre	O
470	CM	75	CM	89 LEVEL CM	5134,0305 litre	61,814 %	3171,5551 litre	O
470	CM	75	CM	88 LEVEL CM	5064,6826 litre	60,979 %	3240,9030 litre	O
470	CM	75	CM	87 LEVEL CM	4995,1692 litre	60,142 %	3310,4164 litre	O
470	CM	75	CM	86 LEVEL CM	4925,5034 litre	59,304 %	3380,0822 litre	O
470	CM	75	CM	85 LEVEL CM	4855,6983 litre	58,463 %	3449,8873 litre	O
470	CM	75	CM	84 LEVEL CM	4785,7667 litre	57,621 %	3519,8189 litre	O
470	CM	75	CM	83 LEVEL CM	4715,7214 litre	56,778 %	3589,8642 litre	O
470	CM	75	CM	82 LEVEL CM	4645,5754 litre	55,933 %	3660,0102 litre	O
470	CM	75	CM	81 LEVEL CM	4575,3412 litre	55,088 %	3730,2444 litre	O
470	CM	75	CM	80 LEVEL CM	4505,0315 litre	54,241 %	3800,5541 litre	O
470	CM	75	CM	79 LEVEL CM	4434,6590 litre	53,394 %	3870,9266 litre	O
470	CM	75	CM	78 LEVEL CM	4364,2364 litre	52,546 %	3941,3492 litre	O
470	CM	75	CM	77 LEVEL CM	4293,7761 litre	51,697 %	4011,8095 litre	O
470	CM	75	CM	76 LEVEL CM	4223,2907 litre	50,849 %	4082,2949 litre	O
470	CM	75	CM	75 LEVEL CM	4152,7928 litre	50,000 %	4152,7928 litre	O
470	CM	75	CM	74 LEVEL CM	4082,2949 litre	49,151 %	4223,2907 litre	O
470	CM	75	CM	73 LEVEL CM	4011,8095 litre	48,303 %	4293,7761 litre	O
470	CM	75	CM	72 LEVEL CM	3941,3492 litre	47,454 %	4364,2364 litre	O
470	CM	75	CM	71 LEVEL CM	3870,9265 litre	46,606 %	4434,6591 litre	O
470	CM	75	CM	70 LEVEL CM	3800,5541 litre	45,759 %	4505,0315 litre	O
470	CM	75	CM	69 LEVEL CM	3730,2444 litre	44,912 %	4575,3412 litre	O
470	CM	75	CM	68 LEVEL CM	3660,0102 litre	44,067 %	4645,5754 litre	O
470	CM	75	CM	67 LEVEL CM	3589,8641 litre	43,222 %	4715,7215 litre	O
470	CM	75	CM	66 LEVEL CM	3519,8189 litre	42,379 %	4785,7667 litre	O
470	CM	75	CM	65 LEVEL CM	3449,8873 litre	41,537 %	4855,6983 litre	O
470	CM	75	CM	64 LEVEL CM	3380,0821 litre	40,696 %	4925,5035 litre	O
470	CM	75	CM	63 LEVEL CM	3310,4164 litre	39,858 %	4995,1692 litre	O
470	CM	75	CM	62 LEVEL CM	3240,9030 litre	39,021 %	5064,6826 litre	O
470	CM	75	CM	61 LEVEL CM	3171,5550 litre	38,186 %	5134,0306 litre	O
470	CM	75	CM	60 LEVEL CM	3102,3857 litre	37,353 %	5203,1999 litre	O
470	CM	75	CM	59 LEVEL CM	3033,4083 litre	36,523 %	5272,1773 litre	O
470	CM	75	CM	58 LEVEL CM	2964,6361 litre	35,694 %	5340,9495 litre	O
470	CM	75	CM	57 LEVEL CM	2896,0827 litre	34,869 %	5409,5029 litre	O
470	CM	75	CM	56 LEVEL CM	2827,7617 litre	34,047 %	5477,8239 litre	O
470	CM	75	CM	55 LEVEL CM	2759,6868 litre	33,227 %	5545,8988 litre	O
470	CM	75	CM	54 LEVEL CM	2691,8721 litre	32,410 %	5613,7135 litre	O
470	CM	75	CM	53 LEVEL CM	2624,3316 litre	31,597 %	5681,2540 litre	O
470	CM	75	CM	52 LEVEL CM	2557,0795 litre	30,787 %	5748,5061 litre	O
470	CM	75	CM	51 LEVEL CM	2490,1302 litre	29,981 %	5815,4554 litre	O
470	CM	75	CM	50 LEVEL CM	2423,4985 litre	29,179 %	5882,0871 litre	O
470	CM	75	CM	49 LEVEL CM	2357,1991 litre	28,381 %	5948,3865 litre	O
470	CM	75	CM	48 LEVEL CM	2291,2472 litre	27,587 %	6014,3384 litre	O
470	CM	75	CM	47 LEVEL CM	2225,6580 litre	26,797 %	6079,9276 litre	O
470	CM	75	CM	46 LEVEL CM	2160,4471 litre	26,012 %	6145,1385 litre	O

470	CM	75	CM	45 LEVEL CM	2095,6304 litre	25,232 %	6209,9552 litre	O
470	CM	75	CM	44 LEVEL CM	2031,2239 litre	24,456 %	6274,3617 litre	O
470	CM	75	CM	43 LEVEL CM	1967,2442 litre	23,686 %	6338,3414 litre	O
470	CM	75	CM	42 LEVEL CM	1903,7079 litre	22,921 %	6401,8777 litre	O
470	CM	75	CM	41 LEVEL CM	1840,6322 litre	22,161 %	6464,9534 litre	O
470	CM	75	CM	40 LEVEL CM	1778,0347 litre	21,408 %	6527,5509 litre	O
470	CM	75	CM	39 LEVEL CM	1715,9332 litre	20,660 %	6589,6524 litre	O
470	CM	75	CM	38 LEVEL CM	1654,3460 litre	19,918 %	6651,2396 litre	O
470	CM	75	CM	37 LEVEL CM	1593,2920 litre	19,183 %	6712,2936 litre	O
470	CM	75	CM	36 LEVEL CM	1532,7905 litre	18,455 %	6772,7951 litre	O
470	CM	75	CM	35 LEVEL CM	1472,8613 litre	17,733 %	6832,7243 litre	O
470	CM	75	CM	34 LEVEL CM	1413,5248 litre	17,019 %	6892,0608 litre	O
470	CM	75	CM	33 LEVEL CM	1354,8020 litre	16,312 %	6950,7836 litre	O
470	CM	75	CM	32 LEVEL CM	1296,7147 litre	15,613 %	7008,8709 litre	O
470	CM	75	CM	31 LEVEL CM	1239,2852 litre	14,921 %	7066,3004 litre	O
470	CM	75	CM	30 LEVEL CM	1182,5367 litre	14,238 %	7123,0489 litre	O
470	CM	75	CM	29 LEVEL CM	1126,4934 litre	13,563 %	7179,0922 litre	O
470	CM	75	CM	28 LEVEL CM	1071,1800 litre	12,897 %	7234,4056 litre	O
470	CM	75	CM	27 LEVEL CM	1016,6227 litre	12,240 %	7288,9629 litre	O
470	CM	75	CM	26 LEVEL CM	962,8484 litre	11,593 %	7342,7372 litre	O
470	CM	75	CM	25 LEVEL CM	909,8854 litre	10,955 %	7395,7002 litre	O
470	CM	75	CM	24 LEVEL CM	857,7633 litre	10,328 %	7447,8223 litre	O
470	CM	75	CM	23 LEVEL CM	806,5131 litre	9,710 %	7499,0725 litre	O
470	CM	75	CM	22 LEVEL CM	756,1674 litre	9,104 %	7549,4182 litre	O
470	CM	75	CM	21 LEVEL CM	706,7608 litre	8,509 %	7598,8248 litre	O
470	CM	75	CM	20 LEVEL CM	658,3296 litre	7,926 %	7647,2560 litre	O
470	CM	75	CM	19 LEVEL CM	610,9125 litre	7,355 %	7694,6731 litre	O
470	CM	75	CM	18 LEVEL CM	564,5508 litre	6,797 %	7741,0348 litre	O
470	CM	75	CM	17 LEVEL CM	519,2886 litre	6,252 %	7786,2970 litre	O
470	CM	75	CM	16 LEVEL CM	475,1733 litre	5,721 %	7830,4123 litre	O
470	CM	75	CM	15 LEVEL CM	432,2561 litre	5,204 %	7873,3295 litre	O
470	CM	75	CM	14 LEVEL CM	390,5926 litre	4,703 %	7914,9930 litre	O
470	CM	75	CM	13 LEVEL CM	350,2438 litre	4,217 %	7955,3418 litre	O
470	CM	75	CM	12 LEVEL CM	311,2765 litre	3,748 %	7994,3091 litre	O
470	CM	75	CM	11 LEVEL CM	273,7653 litre	3,296 %	8031,8203 litre	O
470	CM	75	CM	10 LEVEL CM	237,7935 litre	2,863 %	8067,7921 litre	O
470	CM	75	CM	9 LEVEL CM	203,4558 litre	2,450 %	8102,1298 litre	O
470	CM	75	CM	8 LEVEL CM	170,8613 litre	2,057 %	8134,7243 litre	O
470	CM	75	CM	7 LEVEL CM	140,1373 litre	1,687 %	8165,4483 litre	O
470	CM	75	CM	6 LEVEL CM	111,4366 litre	1,342 %	8194,1490 litre	O
470	CM	75	CM	5 LEVEL CM	84,9466 litre	1,023 %	8220,6390 litre	O
470	CM	75	CM	4 LEVEL CM	60,9070 litre	0,733 %	8244,6786 litre	O
470	CM	75	CM	3 LEVEL CM	39,6407 litre	0,477 %	8265,9449 litre	O
470	CM	75	CM	2 LEVEL CM	21,6213 litre	0,260 %	8283,9643 litre	O
470	CM	75	CM	1 LEVEL CM	7,6597 litre	0,092 %	8297,9259 litre	O
470	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	8305,5856 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 70	CM 140 LEVEL CM	7235,0879 litre	100,000 %	0,0000 litre	O
470	CM 70	CM 139 LEVEL CM	7227,6890 litre	99,898 %	7,3989 litre	O
470	CM 70	CM 138 LEVEL CM	7214,2057 litre	99,711 %	20,8822 litre	O
470	CM 70	CM 137 LEVEL CM	7196,8080 litre	99,471 %	38,2799 litre	O
470	CM 70	CM 136 LEVEL CM	7176,2804 litre	99,187 %	58,8075 litre	O
470	CM 70	CM 135 LEVEL CM	7153,0816 litre	98,867 %	82,0063 litre	O
470	CM 70	CM 134 LEVEL CM	7127,5247 litre	98,513 %	107,5632 litre	O
470	CM 70	CM 133 LEVEL CM	7099,8421 litre	98,131 %	135,2458 litre	O
470	CM 70	CM 132 LEVEL CM	7070,2159 litre	97,721 %	164,8720 litre	O
470	CM 70	CM 131 LEVEL CM	7038,7942 litre	97,287 %	196,2937 litre	O
470	CM 70	CM 130 LEVEL CM	7005,7011 litre	96,830 %	229,3868 litre	O
470	CM 70	CM 129 LEVEL CM	6971,0427 litre	96,350 %	264,0452 litre	O
470	CM 70	CM 128 LEVEL CM	6934,9110 litre	95,851 %	300,1769 litre	O
470	CM 70	CM 127 LEVEL CM	6897,3875 litre	95,332 %	337,7004 litre	O
470	CM 70	CM 126 LEVEL CM	6858,5448 litre	94,796 %	376,5431 litre	O
470	CM 70	CM 125 LEVEL CM	6818,4483 litre	94,241 %	416,6396 litre	O
470	CM 70	CM 124 LEVEL CM	6777,1574 litre	93,671 %	457,9305 litre	O
470	CM 70	CM 123 LEVEL CM	6734,7265 litre	93,084 %	500,3614 litre	O
470	CM 70	CM 122 LEVEL CM	6691,2058 litre	92,483 %	543,8821 litre	O
470	CM 70	CM 121 LEVEL CM	6646,6418 litre	91,867 %	588,4461 litre	O
470	CM 70	CM 120 LEVEL CM	6601,0777 litre	91,237 %	634,0102 litre	O
470	CM 70	CM 119 LEVEL CM	6554,5541 litre	90,594 %	680,5338 litre	O
470	CM 70	CM 118 LEVEL CM	6507,1088 litre	89,938 %	727,9791 litre	O
470	CM 70	CM 117 LEVEL CM	6458,7779 litre	89,270 %	776,3100 litre	O
470	CM 70	CM 116 LEVEL CM	6409,5951 litre	88,590 %	825,4928 litre	O
470	CM 70	CM 115 LEVEL CM	6359,5927 litre	87,899 %	875,4952 litre	O
470	CM 70	CM 114 LEVEL CM	6308,8013 litre	87,197 %	926,2866 litre	O
470	CM 70	CM 113 LEVEL CM	6257,2501 litre	86,485 %	977,8378 litre	O
470	CM 70	CM 112 LEVEL CM	6204,9670 litre	85,762 %	1030,1209 litre	O
470	CM 70	CM 111 LEVEL CM	6151,9788 litre	85,030 %	1083,1091 litre	O
470	CM 70	CM 110 LEVEL CM	6098,3113 litre	84,288 %	1136,7766 litre	O
470	CM 70	CM 109 LEVEL CM	6043,9891 litre	83,537 %	1191,0988 litre	O
470	CM 70	CM 108 LEVEL CM	5989,0363 litre	82,778 %	1246,0516 litre	O
470	CM 70	CM 107 LEVEL CM	5933,4757 litre	82,010 %	1301,6122 litre	O
470	CM 70	CM 106 LEVEL CM	5877,3298 litre	81,234 %	1357,7581 litre	O
470	CM 70	CM 105 LEVEL CM	5820,6202 litre	80,450 %	1414,4677 litre	O
470	CM 70	CM 104 LEVEL CM	5763,3678 litre	79,659 %	1471,7201 litre	O
470	CM 70	CM 103 LEVEL CM	5705,5930 litre	78,860 %	1529,4949 litre	O
470	CM 70	CM 102 LEVEL CM	5647,3157 litre	78,055 %	1587,7722 litre	O
470	CM 70	CM 101 LEVEL CM	5588,5552 litre	77,242 %	1646,5327 litre	O
470	CM 70	CM 100 LEVEL CM	5529,3304 litre	76,424 %	1705,7575 litre	O
470	CM 70	CM 99 LEVEL CM	5469,6596 litre	75,599 %	1765,4283 litre	O
470	CM 70	CM 98 LEVEL CM	5409,5610 litre	74,768 %	1825,5269 litre	O
470	CM 70	CM 97 LEVEL CM	5349,0521 litre	73,932 %	1886,0358 litre	O
470	CM 70	CM 96 LEVEL CM	5288,1501 litre	73,090 %	1946,9378 litre	O
470	CM 70	CM 95 LEVEL CM	5226,8721 litre	72,243 %	2008,2158 litre	O
470	CM 70	CM 94 LEVEL CM	5165,2347 litre	71,391 %	2069,8532 litre	O
470	CM 70	CM 93 LEVEL CM	5103,2541 litre	70,535 %	2131,8338 litre	O
470	CM 70	CM 92 LEVEL CM	5040,9465 litre	69,674 %	2194,1414 litre	O
470	CM 70	CM 91 LEVEL CM	4978,3277 litre	68,808 %	2256,7602 litre	O
470	CM 70	CM 90 LEVEL CM	4915,4133 litre	67,939 %	2319,6746 litre	O
470	CM 70	CM 89 LEVEL CM	4852,2186 litre	67,065 %	2382,8693 litre	O

470	CM	70	CM	88 LEVEL CM	4788,7587 litre	66,188 %	2446,3292 litre	O
470	CM	70	CM	87 LEVEL CM	4725,0488 litre	65,307 %	2510,0391 litre	O
470	CM	70	CM	86 LEVEL CM	4661,1035 litre	64,424 %	2573,9844 litre	O
470	CM	70	CM	85 LEVEL CM	4596,9375 litre	63,537 %	2638,1504 litre	O
470	CM	70	CM	84 LEVEL CM	4532,5652 litre	62,647 %	2702,5227 litre	O
470	CM	70	CM	83 LEVEL CM	4468,0011 litre	61,755 %	2767,0868 litre	O
470	CM	70	CM	82 LEVEL CM	4403,2593 litre	60,860 %	2831,8286 litre	O
470	CM	70	CM	81 LEVEL CM	4338,3539 litre	59,963 %	2896,7340 litre	O
470	CM	70	CM	80 LEVEL CM	4273,2989 litre	59,064 %	2961,7890 litre	O
470	CM	70	CM	79 LEVEL CM	4208,1083 litre	58,163 %	3026,9796 litre	O
470	CM	70	CM	78 LEVEL CM	4142,7958 litre	57,260 %	3092,2921 litre	O
470	CM	70	CM	77 LEVEL CM	4077,3751 litre	56,356 %	3157,7128 litre	O
470	CM	70	CM	76 LEVEL CM	4011,8600 litre	55,450 %	3223,2279 litre	O
470	CM	70	CM	75 LEVEL CM	3946,2640 litre	54,543 %	3288,8239 litre	O
470	CM	70	CM	74 LEVEL CM	3880,6006 litre	53,636 %	3354,4873 litre	O
470	CM	70	CM	73 LEVEL CM	3814,8835 litre	52,728 %	3420,2044 litre	O
470	CM	70	CM	72 LEVEL CM	3749,1260 litre	51,819 %	3485,9619 litre	O
470	CM	70	CM	71 LEVEL CM	3683,3417 litre	50,909 %	3551,7462 litre	O
470	CM	70	CM	70 LEVEL CM	3617,5439 litre	50,000 %	3617,5440 litre	O
470	CM	70	CM	69 LEVEL CM	3551,7462 litre	49,091 %	3683,3417 litre	O
470	CM	70	CM	68 LEVEL CM	3485,9618 litre	48,181 %	3749,1261 litre	O
470	CM	70	CM	67 LEVEL CM	3420,2044 litre	47,272 %	3814,8835 litre	O
470	CM	70	CM	66 LEVEL CM	3354,4872 litre	46,364 %	3880,6007 litre	O
470	CM	70	CM	65 LEVEL CM	3288,8239 litre	45,457 %	3946,2640 litre	O
470	CM	70	CM	64 LEVEL CM	3223,2279 litre	44,550 %	4011,8600 litre	O
470	CM	70	CM	63 LEVEL CM	3157,7128 litre	43,644 %	4077,3751 litre	O
470	CM	70	CM	62 LEVEL CM	3092,2921 litre	42,740 %	4142,7958 litre	O
470	CM	70	CM	61 LEVEL CM	3026,9796 litre	41,837 %	4208,1083 litre	O
470	CM	70	CM	60 LEVEL CM	2961,7889 litre	40,936 %	4273,2990 litre	O
470	CM	70	CM	59 LEVEL CM	2896,7340 litre	40,037 %	4338,3539 litre	O
470	CM	70	CM	58 LEVEL CM	2831,8286 litre	39,140 %	4403,2593 litre	O
470	CM	70	CM	57 LEVEL CM	2767,0868 litre	38,245 %	4468,0011 litre	O
470	CM	70	CM	56 LEVEL CM	2702,5227 litre	37,353 %	4532,5652 litre	O
470	CM	70	CM	55 LEVEL CM	2638,1504 litre	36,463 %	4596,9375 litre	O
470	CM	70	CM	54 LEVEL CM	2573,9844 litre	35,576 %	4661,1035 litre	O
470	CM	70	CM	53 LEVEL CM	2510,0391 litre	34,693 %	4725,0488 litre	O
470	CM	70	CM	52 LEVEL CM	2446,3291 litre	33,812 %	4788,7588 litre	O
470	CM	70	CM	51 LEVEL CM	2382,8693 litre	32,935 %	4852,2186 litre	O
470	CM	70	CM	50 LEVEL CM	2319,6746 litre	32,061 %	4915,4133 litre	O
470	CM	70	CM	49 LEVEL CM	2256,7602 litre	31,192 %	4978,3277 litre	O
470	CM	70	CM	48 LEVEL CM	2194,1414 litre	30,326 %	5040,9465 litre	O
470	CM	70	CM	47 LEVEL CM	2131,8338 litre	29,465 %	5103,2541 litre	O
470	CM	70	CM	46 LEVEL CM	2069,8532 litre	28,609 %	5165,2347 litre	O
470	CM	70	CM	45 LEVEL CM	2008,2158 litre	27,757 %	5226,8721 litre	O
470	CM	70	CM	44 LEVEL CM	1946,9378 litre	26,910 %	5288,1501 litre	O
470	CM	70	CM	43 LEVEL CM	1886,0358 litre	26,068 %	5349,0521 litre	O
470	CM	70	CM	42 LEVEL CM	1825,5269 litre	25,232 %	5409,5610 litre	O
470	CM	70	CM	41 LEVEL CM	1765,4282 litre	24,401 %	5469,6597 litre	O
470	CM	70	CM	40 LEVEL CM	1705,7575 litre	23,576 %	5529,3304 litre	O
470	CM	70	CM	39 LEVEL CM	1646,5327 litre	22,758 %	5588,5552 litre	O
470	CM	70	CM	38 LEVEL CM	1587,7722 litre	21,945 %	5647,3157 litre	O
470	CM	70	CM	37 LEVEL CM	1529,4949 litre	21,140 %	5705,5930 litre	O
470	CM	70	CM	36 LEVEL CM	1471,7201 litre	20,341 %	5763,3678 litre	O

470	CM	70	CM	35 LEVEL CM	1414,4677 litre	19,550 %	5820,6202 litre	O
470	CM	70	CM	34 LEVEL CM	1357,7581 litre	18,766 %	5877,3298 litre	O
470	CM	70	CM	33 LEVEL CM	1301,6122 litre	17,990 %	5933,4757 litre	O
470	CM	70	CM	32 LEVEL CM	1246,0516 litre	17,222 %	5989,0363 litre	O
470	CM	70	CM	31 LEVEL CM	1191,0987 litre	16,463 %	6043,9892 litre	O
470	CM	70	CM	30 LEVEL CM	1136,7766 litre	15,712 %	6098,3113 litre	O
470	CM	70	CM	29 LEVEL CM	1083,1091 litre	14,970 %	6151,9788 litre	O
470	CM	70	CM	28 LEVEL CM	1030,1209 litre	14,238 %	6204,9670 litre	O
470	CM	70	CM	27 LEVEL CM	977,8378 litre	13,515 %	6257,2501 litre	O
470	CM	70	CM	26 LEVEL CM	926,2866 litre	12,803 %	6308,8013 litre	O
470	CM	70	CM	25 LEVEL CM	875,4952 litre	12,101 %	6359,5927 litre	O
470	CM	70	CM	24 LEVEL CM	825,4928 litre	11,410 %	6409,5951 litre	O
470	CM	70	CM	23 LEVEL CM	776,3100 litre	10,730 %	6458,7779 litre	O
470	CM	70	CM	22 LEVEL CM	727,9791 litre	10,062 %	6507,1088 litre	O
470	CM	70	CM	21 LEVEL CM	680,5338 litre	9,406 %	6554,5541 litre	O
470	CM	70	CM	20 LEVEL CM	634,0102 litre	8,763 %	6601,0777 litre	O
470	CM	70	CM	19 LEVEL CM	588,4461 litre	8,133 %	6646,6418 litre	O
470	CM	70	CM	18 LEVEL CM	543,8821 litre	7,517 %	6691,2058 litre	O
470	CM	70	CM	17 LEVEL CM	500,3614 litre	6,916 %	6734,7265 litre	O
470	CM	70	CM	16 LEVEL CM	457,9305 litre	6,329 %	6777,1574 litre	O
470	CM	70	CM	15 LEVEL CM	416,6396 litre	5,759 %	6818,4483 litre	O
470	CM	70	CM	14 LEVEL CM	376,5431 litre	5,204 %	6858,5448 litre	O
470	CM	70	CM	13 LEVEL CM	337,7003 litre	4,668 %	6897,3876 litre	O
470	CM	70	CM	12 LEVEL CM	300,1769 litre	4,149 %	6934,9110 litre	O
470	CM	70	CM	11 LEVEL CM	264,0452 litre	3,650 %	6971,0427 litre	O
470	CM	70	CM	10 LEVEL CM	229,3867 litre	3,170 %	7005,7012 litre	O
470	CM	70	CM	9 LEVEL CM	196,2937 litre	2,713 %	7038,7942 litre	O
470	CM	70	CM	8 LEVEL CM	164,8720 litre	2,279 %	7070,2159 litre	O
470	CM	70	CM	7 LEVEL CM	135,2458 litre	1,869 %	7099,8421 litre	O
470	CM	70	CM	6 LEVEL CM	107,5631 litre	1,487 %	7127,5248 litre	O
470	CM	70	CM	5 LEVEL CM	82,0062 litre	1,133 %	7153,0817 litre	O
470	CM	70	CM	4 LEVEL CM	58,8075 litre	0,813 %	7176,2804 litre	O
470	CM	70	CM	3 LEVEL CM	38,2799 litre	0,529 %	7196,8080 litre	O
470	CM	70	CM	2 LEVEL CM	20,8822 litre	0,289 %	7214,2057 litre	O
470	CM	70	CM	1 LEVEL CM	7,3989 litre	0,102 %	7227,6890 litre	O
470	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	7235,0879 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
470	CM 65	CM 130 LEVEL CM	6238,4176 litre	100,000 %	0,0000 litre	O
470	CM 65	CM 129 LEVEL CM	6231,2890 litre	99,886 %	7,1286 litre	O
470	CM 65	CM 128 LEVEL CM	6218,3018 litre	99,678 %	20,1158 litre	O
470	CM 65	CM 127 LEVEL CM	6201,5487 litre	99,409 %	36,8689 litre	O
470	CM 65	CM 126 LEVEL CM	6181,7874 litre	99,092 %	56,6302 litre	O
470	CM 65	CM 125 LEVEL CM	6159,4611 litre	98,734 %	78,9565 litre	O
470	CM 65	CM 124 LEVEL CM	6134,8727 litre	98,340 %	103,5449 litre	O
470	CM 65	CM 123 LEVEL CM	6108,2471 litre	97,913 %	130,1705 litre	O
470	CM 65	CM 122 LEVEL CM	6079,7609 litre	97,457 %	158,6567 litre	O
470	CM 65	CM 121 LEVEL CM	6049,5576 litre	96,973 %	188,8600 litre	O
470	CM 65	CM 120 LEVEL CM	6017,7578 litre	96,463 %	220,6598 litre	O
470	CM 65	CM 119 LEVEL CM	5984,4644 litre	95,929 %	253,9532 litre	O
470	CM 65	CM 118 LEVEL CM	5949,7672 litre	95,373 %	288,6504 litre	O
470	CM 65	CM 117 LEVEL CM	5913,7453 litre	94,796 %	324,6723 litre	O
470	CM 65	CM 116 LEVEL CM	5876,4695 litre	94,198 %	361,9481 litre	O
470	CM 65	CM 115 LEVEL CM	5838,0036 litre	93,581 %	400,4140 litre	O
470	CM 65	CM 114 LEVEL CM	5798,4057 litre	92,947 %	440,0119 litre	O
470	CM 65	CM 113 LEVEL CM	5757,7290 litre	92,295 %	480,6886 litre	O
470	CM 65	CM 112 LEVEL CM	5716,0225 litre	91,626 %	522,3951 litre	O
470	CM 65	CM 111 LEVEL CM	5673,3318 litre	90,942 %	565,0858 litre	O
470	CM 65	CM 110 LEVEL CM	5629,6994 litre	90,242 %	608,7182 litre	O
470	CM 65	CM 109 LEVEL CM	5585,1649 litre	89,529 %	653,2527 litre	O
470	CM 65	CM 108 LEVEL CM	5539,7657 litre	88,801 %	698,6519 litre	O
470	CM 65	CM 107 LEVEL CM	5493,5371 litre	88,060 %	744,8805 litre	O
470	CM 65	CM 106 LEVEL CM	5446,5126 litre	87,306 %	791,9050 litre	O
470	CM 65	CM 105 LEVEL CM	5398,7239 litre	86,540 %	839,6937 litre	O
470	CM 65	CM 104 LEVEL CM	5350,2011 litre	85,762 %	888,2165 litre	O
470	CM 65	CM 103 LEVEL CM	5300,9733 litre	84,973 %	937,4443 litre	O
470	CM 65	CM 102 LEVEL CM	5251,0680 litre	84,173 %	987,3496 litre	O
470	CM 65	CM 101 LEVEL CM	5200,5118 litre	83,363 %	1037,9058 litre	O
470	CM 65	CM 100 LEVEL CM	5149,3303 litre	82,542 %	1089,0873 litre	O
470	CM 65	CM 99 LEVEL CM	5097,5481 litre	81,712 %	1140,8695 litre	O
470	CM 65	CM 98 LEVEL CM	5045,1888 litre	80,873 %	1193,2288 litre	O
470	CM 65	CM 97 LEVEL CM	4992,2756 litre	80,025 %	1246,1420 litre	O
470	CM 65	CM 96 LEVEL CM	4938,8307 litre	79,168 %	1299,5869 litre	O
470	CM 65	CM 95 LEVEL CM	4884,8756 litre	78,303 %	1353,5420 litre	O
470	CM 65	CM 94 LEVEL CM	4830,4315 litre	77,430 %	1407,9861 litre	O
470	CM 65	CM 93 LEVEL CM	4775,5187 litre	76,550 %	1462,8989 litre	O
470	CM 65	CM 92 LEVEL CM	4720,1572 litre	75,663 %	1518,2604 litre	O
470	CM 65	CM 91 LEVEL CM	4664,3664 litre	74,768 %	1574,0512 litre	O
470	CM 65	CM 90 LEVEL CM	4608,1653 litre	73,868 %	1630,2523 litre	O
470	CM 65	CM 89 LEVEL CM	4551,5725 litre	72,960 %	1686,8451 litre	O
470	CM 65	CM 88 LEVEL CM	4494,6062 litre	72,047 %	1743,8114 litre	O
470	CM 65	CM 87 LEVEL CM	4437,2843 litre	71,128 %	1801,1333 litre	O
470	CM 65	CM 86 LEVEL CM	4379,6242 litre	70,204 %	1858,7934 litre	O
470	CM 65	CM 85 LEVEL CM	4321,6432 litre	69,275 %	1916,7744 litre	O
470	CM 65	CM 84 LEVEL CM	4263,3582 litre	68,340 %	1975,0594 litre	O
470	CM 65	CM 83 LEVEL CM	4204,7859 litre	67,401 %	2033,6317 litre	O
470	CM 65	CM 82 LEVEL CM	4145,9426 litre	66,458 %	2092,4750 litre	O
470	CM 65	CM 81 LEVEL CM	4086,8447 litre	65,511 %	2151,5729 litre	O
470	CM 65	CM 80 LEVEL CM	4027,5079 litre	64,560 %	2210,9097 litre	O
470	CM 65	CM 79 LEVEL CM	3967,9483 litre	63,605 %	2270,4693 litre	O

470	CM	65	CM	78 LEVEL CM	3908,1812 litre	62,647 %	2330,2364 litre	O
470	CM	65	CM	77 LEVEL CM	3848,2223 litre	61,686 %	2390,1953 litre	O
470	CM	65	CM	76 LEVEL CM	3788,0868 litre	60,722 %	2450,3308 litre	O
470	CM	65	CM	75 LEVEL CM	3727,7899 litre	59,755 %	2510,6277 litre	O
470	CM	65	CM	74 LEVEL CM	3667,3466 litre	58,786 %	2571,0710 litre	O
470	CM	65	CM	73 LEVEL CM	3606,7719 litre	57,815 %	2631,6457 litre	O
470	CM	65	CM	72 LEVEL CM	3546,0806 litre	56,843 %	2692,3370 litre	O
470	CM	65	CM	71 LEVEL CM	3485,2875 litre	55,868 %	2753,1301 litre	O
470	CM	65	CM	70 LEVEL CM	3424,4073 litre	54,892 %	2814,0103 litre	O
470	CM	65	CM	69 LEVEL CM	3363,4545 litre	53,915 %	2874,9631 litre	O
470	CM	65	CM	68 LEVEL CM	3302,4437 litre	52,937 %	2935,9739 litre	O
470	CM	65	CM	67 LEVEL CM	3241,3895 litre	51,959 %	2997,0281 litre	O
470	CM	65	CM	66 LEVEL CM	3180,3064 litre	50,979 %	3058,1112 litre	O
470	CM	65	CM	65 LEVEL CM	3119,2088 litre	50,000 %	3119,2088 litre	O
470	CM	65	CM	64 LEVEL CM	3058,1112 litre	49,021 %	3180,3064 litre	O
470	CM	65	CM	63 LEVEL CM	2997,0281 litre	48,041 %	3241,3895 litre	O
470	CM	65	CM	62 LEVEL CM	2935,9739 litre	47,063 %	3302,4437 litre	O
470	CM	65	CM	61 LEVEL CM	2874,9632 litre	46,085 %	3363,4544 litre	O
470	CM	65	CM	60 LEVEL CM	2814,0104 litre	45,108 %	3424,4072 litre	O
470	CM	65	CM	59 LEVEL CM	2753,1301 litre	44,132 %	3485,2875 litre	O
470	CM	65	CM	58 LEVEL CM	2692,3370 litre	43,157 %	3546,0806 litre	O
470	CM	65	CM	57 LEVEL CM	2631,6457 litre	42,185 %	3606,7719 litre	O
470	CM	65	CM	56 LEVEL CM	2571,0710 litre	41,214 %	3667,3466 litre	O
470	CM	65	CM	55 LEVEL CM	2510,6277 litre	40,245 %	3727,7899 litre	O
470	CM	65	CM	54 LEVEL CM	2450,3308 litre	39,278 %	3788,0868 litre	O
470	CM	65	CM	53 LEVEL CM	2390,1953 litre	38,314 %	3848,2223 litre	O
470	CM	65	CM	52 LEVEL CM	2330,2364 litre	37,353 %	3908,1812 litre	O
470	CM	65	CM	51 LEVEL CM	2270,4694 litre	36,395 %	3967,9482 litre	O
470	CM	65	CM	50 LEVEL CM	2210,9097 litre	35,440 %	4027,5079 litre	O
470	CM	65	CM	49 LEVEL CM	2151,5729 litre	34,489 %	4086,8447 litre	O
470	CM	65	CM	48 LEVEL CM	2092,4750 litre	33,542 %	4145,9426 litre	O
470	CM	65	CM	47 LEVEL CM	2033,6317 litre	32,599 %	4204,7859 litre	O
470	CM	65	CM	46 LEVEL CM	1975,0594 litre	31,660 %	4263,3582 litre	O
470	CM	65	CM	45 LEVEL CM	1916,7744 litre	30,725 %	4321,6432 litre	O
470	CM	65	CM	44 LEVEL CM	1858,7934 litre	29,796 %	4379,6242 litre	O
470	CM	65	CM	43 LEVEL CM	1801,1333 litre	28,872 %	4437,2843 litre	O
470	CM	65	CM	42 LEVEL CM	1743,8114 litre	27,953 %	4494,6062 litre	O
470	CM	65	CM	41 LEVEL CM	1686,8451 litre	27,040 %	4551,5725 litre	O
470	CM	65	CM	40 LEVEL CM	1630,2523 litre	26,132 %	4608,1653 litre	O
470	CM	65	CM	39 LEVEL CM	1574,0513 litre	25,232 %	4664,3663 litre	O
470	CM	65	CM	38 LEVEL CM	1518,2605 litre	24,337 %	4720,1571 litre	O
470	CM	65	CM	37 LEVEL CM	1462,8989 litre	23,450 %	4775,5187 litre	O
470	CM	65	CM	36 LEVEL CM	1407,9861 litre	22,570 %	4830,4315 litre	O
470	CM	65	CM	35 LEVEL CM	1353,5420 litre	21,697 %	4884,8756 litre	O
470	CM	65	CM	34 LEVEL CM	1299,5870 litre	20,832 %	4938,8306 litre	O
470	CM	65	CM	33 LEVEL CM	1246,1420 litre	19,975 %	4992,2756 litre	O
470	CM	65	CM	32 LEVEL CM	1193,2288 litre	19,127 %	5045,1888 litre	O
470	CM	65	CM	31 LEVEL CM	1140,8696 litre	18,288 %	5097,5480 litre	O
470	CM	65	CM	30 LEVEL CM	1089,0873 litre	17,458 %	5149,3303 litre	O
470	CM	65	CM	29 LEVEL CM	1037,9058 litre	16,637 %	5200,5118 litre	O
470	CM	65	CM	28 LEVEL CM	987,3496 litre	15,827 %	5251,0680 litre	O
470	CM	65	CM	27 LEVEL CM	937,4443 litre	15,027 %	5300,9733 litre	O
470	CM	65	CM	26 LEVEL CM	888,2165 litre	14,238 %	5350,2011 litre	O

470	CM	65	CM	25 LEVEL CM	839,6937 litre	13,460 %	5398,7239 litre	O
470	CM	65	CM	24 LEVEL CM	791,9050 litre	12,694 %	5446,5126 litre	O
470	CM	65	CM	23 LEVEL CM	744,8805 litre	11,940 %	5493,5371 litre	O
470	CM	65	CM	22 LEVEL CM	698,6519 litre	11,199 %	5539,7657 litre	O
470	CM	65	CM	21 LEVEL CM	653,2527 litre	10,471 %	5585,1649 litre	O
470	CM	65	CM	20 LEVEL CM	608,7182 litre	9,758 %	5629,6994 litre	O
470	CM	65	CM	19 LEVEL CM	565,0858 litre	9,058 %	5673,3318 litre	O
470	CM	65	CM	18 LEVEL CM	522,3951 litre	8,374 %	5716,0225 litre	O
470	CM	65	CM	17 LEVEL CM	480,6886 litre	7,705 %	5757,7290 litre	O
470	CM	65	CM	16 LEVEL CM	440,0119 litre	7,053 %	5798,4057 litre	O
470	CM	65	CM	15 LEVEL CM	400,4140 litre	6,419 %	5838,0036 litre	O
470	CM	65	CM	14 LEVEL CM	361,9481 litre	5,802 %	5876,4695 litre	O
470	CM	65	CM	13 LEVEL CM	324,6723 litre	5,204 %	5913,7453 litre	O
470	CM	65	CM	12 LEVEL CM	288,6504 litre	4,627 %	5949,7672 litre	O
470	CM	65	CM	11 LEVEL CM	253,9532 litre	4,071 %	5984,4644 litre	O
470	CM	65	CM	10 LEVEL CM	220,6598 litre	3,537 %	6017,7578 litre	O
470	CM	65	CM	9 LEVEL CM	188,8600 litre	3,027 %	6049,5576 litre	O
470	CM	65	CM	8 LEVEL CM	158,6568 litre	2,543 %	6079,7608 litre	O
470	CM	65	CM	7 LEVEL CM	130,1705 litre	2,087 %	6108,2471 litre	O
470	CM	65	CM	6 LEVEL CM	103,5449 litre	1,660 %	6134,8727 litre	O
470	CM	65	CM	5 LEVEL CM	78,9565 litre	1,266 %	6159,4611 litre	O
470	CM	65	CM	4 LEVEL CM	56,6302 litre	0,908 %	6181,7874 litre	O
470	CM	65	CM	3 LEVEL CM	36,8689 litre	0,591 %	6201,5487 litre	O
470	CM	65	CM	2 LEVEL CM	20,1159 litre	0,322 %	6218,3017 litre	O
470	CM	65	CM	1 LEVEL CM	7,1286 litre	0,114 %	6231,2890 litre	O
470	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	6238,4176 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
470	CM	60	CM	120 LEVEL CM	5315,5748 litre	100,000 %	0,0000 litre	O
470	CM	60	CM	119 LEVEL CM	5308,7272 litre	99,871 %	6,8476 litre	O
470	CM	60	CM	118 LEVEL CM	5296,2556 litre	99,637 %	19,3192 litre	O
470	CM	60	CM	117 LEVEL CM	5280,1730 litre	99,334 %	35,4018 litre	O
470	CM	60	CM	116 LEVEL CM	5261,2089 litre	98,977 %	54,3659 litre	O
470	CM	60	CM	115 LEVEL CM	5239,7907 litre	98,574 %	75,7841 litre	O
470	CM	60	CM	114 LEVEL CM	5216,2105 litre	98,131 %	99,3643 litre	O
470	CM	60	CM	113 LEVEL CM	5190,6857 litre	97,651 %	124,8891 litre	O
470	CM	60	CM	112 LEVEL CM	5163,3869 litre	97,137 %	152,1879 litre	O
470	CM	60	CM	111 LEVEL CM	5134,4534 litre	96,593 %	181,1214 litre	O
470	CM	60	CM	110 LEVEL CM	5104,0017 litre	96,020 %	211,5731 litre	O
470	CM	60	CM	109 LEVEL CM	5072,1318 litre	95,420 %	243,4430 litre	O
470	CM	60	CM	108 LEVEL CM	5038,9309 litre	94,796 %	276,6439 litre	O
470	CM	60	CM	107 LEVEL CM	5004,4760 litre	94,147 %	311,0988 litre	O
470	CM	60	CM	106 LEVEL CM	4968,8360 litre	93,477 %	346,7388 litre	O
470	CM	60	CM	105 LEVEL CM	4932,0730 litre	92,785 %	383,5018 litre	O
470	CM	60	CM	104 LEVEL CM	4894,2438 litre	92,074 %	421,3310 litre	O
470	CM	60	CM	103 LEVEL CM	4855,4004 litre	91,343 %	460,1744 litre	O
470	CM	60	CM	102 LEVEL CM	4815,5907 litre	90,594 %	499,9841 litre	O
470	CM	60	CM	101 LEVEL CM	4774,8594 litre	89,828 %	540,7154 litre	O
470	CM	60	CM	100 LEVEL CM	4733,2481 litre	89,045 %	582,3267 litre	O
470	CM	60	CM	99 LEVEL CM	4690,7959 litre	88,246 %	624,7789 litre	O
470	CM	60	CM	98 LEVEL CM	4647,5395 litre	87,432 %	668,0353 litre	O
470	CM	60	CM	97 LEVEL CM	4603,5136 litre	86,604 %	712,0612 litre	O
470	CM	60	CM	96 LEVEL CM	4558,7513 litre	85,762 %	756,8235 litre	O
470	CM	60	CM	95 LEVEL CM	4513,2838 litre	84,907 %	802,2910 litre	O
470	CM	60	CM	94 LEVEL CM	4467,1411 litre	84,039 %	848,4337 litre	O
470	CM	60	CM	93 LEVEL CM	4420,3519 litre	83,158 %	895,2229 litre	O
470	CM	60	CM	92 LEVEL CM	4372,9435 litre	82,267 %	942,6313 litre	O
470	CM	60	CM	91 LEVEL CM	4324,9424 litre	81,364 %	990,6324 litre	O
470	CM	60	CM	90 LEVEL CM	4276,3740 litre	80,450 %	1039,2008 litre	O
470	CM	60	CM	89 LEVEL CM	4227,2628 litre	79,526 %	1088,3120 litre	O
470	CM	60	CM	88 LEVEL CM	4177,6326 litre	78,592 %	1137,9422 litre	O
470	CM	60	CM	87 LEVEL CM	4127,5063 litre	77,649 %	1188,0685 litre	O
470	CM	60	CM	86 LEVEL CM	4076,9063 litre	76,697 %	1238,6685 litre	O
470	CM	60	CM	85 LEVEL CM	4025,8543 litre	75,737 %	1289,7205 litre	O
470	CM	60	CM	84 LEVEL CM	3974,3713 litre	74,768 %	1341,2035 litre	O
470	CM	60	CM	83 LEVEL CM	3922,4781 litre	73,792 %	1393,0967 litre	O
470	CM	60	CM	82 LEVEL CM	3870,1947 litre	72,809 %	1445,3801 litre	O
470	CM	60	CM	81 LEVEL CM	3817,5409 litre	71,818 %	1498,0339 litre	O
470	CM	60	CM	80 LEVEL CM	3764,5357 litre	70,821 %	1551,0391 litre	O
470	CM	60	CM	79 LEVEL CM	3711,1982 litre	69,817 %	1604,3766 litre	O
470	CM	60	CM	78 LEVEL CM	3657,5469 litre	68,808 %	1658,0279 litre	O
470	CM	60	CM	77 LEVEL CM	3603,5999 litre	67,793 %	1711,9749 litre	O
470	CM	60	CM	76 LEVEL CM	3549,3752 litre	66,773 %	1766,1996 litre	O
470	CM	60	CM	75 LEVEL CM	3494,8904 litre	65,748 %	1820,6844 litre	O
470	CM	60	CM	74 LEVEL CM	3440,1628 litre	64,719 %	1875,4120 litre	O
470	CM	60	CM	73 LEVEL CM	3385,2097 litre	63,685 %	1930,3651 litre	O
470	CM	60	CM	72 LEVEL CM	3330,0479 litre	62,647 %	1985,5269 litre	O
470	CM	60	CM	71 LEVEL CM	3274,6943 litre	61,606 %	2040,8805 litre	O
470	CM	60	CM	70 LEVEL CM	3219,1653 litre	60,561 %	2096,4095 litre	O
470	CM	60	CM	69 LEVEL CM	3163,4774 litre	59,513 %	2152,0974 litre	O

470	CM	60	CM	68 LEVEL CM	3107,6469 litre	58,463 %	2207,9279 litre	O
470	CM	60	CM	67 LEVEL CM	3051,6899 litre	57,410 %	2263,8849 litre	O
470	CM	60	CM	66 LEVEL CM	2995,6225 litre	56,356 %	2319,9523 litre	O
470	CM	60	CM	65 LEVEL CM	2939,4607 litre	55,299 %	2376,1141 litre	O
470	CM	60	CM	64 LEVEL CM	2883,2202 litre	54,241 %	2432,3546 litre	O
470	CM	60	CM	63 LEVEL CM	2826,9169 litre	53,182 %	2488,6579 litre	O
470	CM	60	CM	62 LEVEL CM	2770,5665 litre	52,122 %	2545,0083 litre	O
470	CM	60	CM	61 LEVEL CM	2714,1848 litre	51,061 %	2601,3900 litre	O
470	CM	60	CM	60 LEVEL CM	2657,7874 litre	50,000 %	2657,7874 litre	O
470	CM	60	CM	59 LEVEL CM	2601,3900 litre	48,939 %	2714,1848 litre	O
470	CM	60	CM	58 LEVEL CM	2545,0083 litre	47,878 %	2770,5665 litre	O
470	CM	60	CM	57 LEVEL CM	2488,6579 litre	46,818 %	2826,9169 litre	O
470	CM	60	CM	56 LEVEL CM	2432,3546 litre	45,759 %	2883,2202 litre	O
470	CM	60	CM	55 LEVEL CM	2376,1141 litre	44,701 %	2939,4607 litre	O
470	CM	60	CM	54 LEVEL CM	2319,9522 litre	43,644 %	2995,6226 litre	O
470	CM	60	CM	53 LEVEL CM	2263,8848 litre	42,590 %	3051,6900 litre	O
470	CM	60	CM	52 LEVEL CM	2207,9279 litre	41,537 %	3107,6469 litre	O
470	CM	60	CM	51 LEVEL CM	2152,0974 litre	40,487 %	3163,4774 litre	O
470	CM	60	CM	50 LEVEL CM	2096,4095 litre	39,439 %	3219,1653 litre	O
470	CM	60	CM	49 LEVEL CM	2040,8805 litre	38,394 %	3274,6943 litre	O
470	CM	60	CM	48 LEVEL CM	1985,5269 litre	37,353 %	3330,0479 litre	O
470	CM	60	CM	47 LEVEL CM	1930,3651 litre	36,315 %	3385,2097 litre	O
470	CM	60	CM	46 LEVEL CM	1875,4120 litre	35,281 %	3440,1628 litre	O
470	CM	60	CM	45 LEVEL CM	1820,6844 litre	34,252 %	3494,8904 litre	O
470	CM	60	CM	44 LEVEL CM	1766,1996 litre	33,227 %	3549,3752 litre	O
470	CM	60	CM	43 LEVEL CM	1711,9749 litre	32,207 %	3603,5999 litre	O
470	CM	60	CM	42 LEVEL CM	1658,0279 litre	31,192 %	3657,5469 litre	O
470	CM	60	CM	41 LEVEL CM	1604,3765 litre	30,183 %	3711,1983 litre	O
470	CM	60	CM	40 LEVEL CM	1551,0390 litre	29,179 %	3764,5358 litre	O
470	CM	60	CM	39 LEVEL CM	1498,0339 litre	28,182 %	3817,5409 litre	O
470	CM	60	CM	38 LEVEL CM	1445,3800 litre	27,191 %	3870,1948 litre	O
470	CM	60	CM	37 LEVEL CM	1393,0966 litre	26,208 %	3922,4782 litre	O
470	CM	60	CM	36 LEVEL CM	1341,2034 litre	25,232 %	3974,3714 litre	O
470	CM	60	CM	35 LEVEL CM	1289,7205 litre	24,263 %	4025,8543 litre	O
470	CM	60	CM	34 LEVEL CM	1238,6685 litre	23,303 %	4076,9063 litre	O
470	CM	60	CM	33 LEVEL CM	1188,0685 litre	22,351 %	4127,5063 litre	O
470	CM	60	CM	32 LEVEL CM	1137,9422 litre	21,408 %	4177,6326 litre	O
470	CM	60	CM	31 LEVEL CM	1088,3120 litre	20,474 %	4227,2628 litre	O
470	CM	60	CM	30 LEVEL CM	1039,2008 litre	19,550 %	4276,3740 litre	O
470	CM	60	CM	29 LEVEL CM	990,6323 litre	18,636 %	4324,9425 litre	O
470	CM	60	CM	28 LEVEL CM	942,6312 litre	17,733 %	4372,9436 litre	O
470	CM	60	CM	27 LEVEL CM	895,2229 litre	16,842 %	4420,3519 litre	O
470	CM	60	CM	26 LEVEL CM	848,4336 litre	15,961 %	4467,1412 litre	O
470	CM	60	CM	25 LEVEL CM	802,2910 litre	15,093 %	4513,2838 litre	O
470	CM	60	CM	24 LEVEL CM	756,8235 litre	14,238 %	4558,7513 litre	O
470	CM	60	CM	23 LEVEL CM	712,0612 litre	13,396 %	4603,5136 litre	O
470	CM	60	CM	22 LEVEL CM	668,0353 litre	12,568 %	4647,5395 litre	O
470	CM	60	CM	21 LEVEL CM	624,7789 litre	11,754 %	4690,7959 litre	O
470	CM	60	CM	20 LEVEL CM	582,3266 litre	10,955 %	4733,2482 litre	O
470	CM	60	CM	19 LEVEL CM	540,7153 litre	10,172 %	4774,8595 litre	O
470	CM	60	CM	18 LEVEL CM	499,9840 litre	9,406 %	4815,5908 litre	O
470	CM	60	CM	17 LEVEL CM	460,1744 litre	8,657 %	4855,4004 litre	O
470	CM	60	CM	16 LEVEL CM	421,3309 litre	7,926 %	4894,2439 litre	O

470	CM	60	CM	15 LEVEL CM	383,5017 litre	7,215 %	4932,0731 litre	O
470	CM	60	CM	14 LEVEL CM	346,7388 litre	6,523 %	4968,8360 litre	O
470	CM	60	CM	13 LEVEL CM	311,0988 litre	5,853 %	5004,4760 litre	O
470	CM	60	CM	12 LEVEL CM	276,6439 litre	5,204 %	5038,9309 litre	O
470	CM	60	CM	11 LEVEL CM	243,4430 litre	4,580 %	5072,1318 litre	O
470	CM	60	CM	10 LEVEL CM	211,5731 litre	3,980 %	5104,0017 litre	O
470	CM	60	CM	9 LEVEL CM	181,1214 litre	3,407 %	5134,4534 litre	O
470	CM	60	CM	8 LEVEL CM	152,1878 litre	2,863 %	5163,3870 litre	O
470	CM	60	CM	7 LEVEL CM	124,8891 litre	2,349 %	5190,6857 litre	O
470	CM	60	CM	6 LEVEL CM	99,3642 litre	1,869 %	5216,2106 litre	O
470	CM	60	CM	5 LEVEL CM	75,7840 litre	1,426 %	5239,7908 litre	O
470	CM	60	CM	4 LEVEL CM	54,3658 litre	1,023 %	5261,2090 litre	O
470	CM	60	CM	3 LEVEL CM	35,4018 litre	0,666 %	5280,1730 litre	O
470	CM	60	CM	2 LEVEL CM	19,3192 litre	0,363 %	5296,2556 litre	O
470	CM	60	CM	1 LEVEL CM	6,8476 litre	0,129 %	5308,7272 litre	O
470	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	5315,5748 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
470	CM	55	CM	110 LEVEL CM	4466,5594 litre	100,000 %	0,0000 litre	O
470	CM	55	CM	109 LEVEL CM	4460,0048 litre	99,853 %	6,5546 litre	O
470	CM	55	CM	108 LEVEL CM	4448,0711 litre	99,586 %	18,4883 litre	O
470	CM	55	CM	107 LEVEL CM	4432,6883 litre	99,242 %	33,8711 litre	O
470	CM	55	CM	106 LEVEL CM	4414,5565 litre	98,836 %	52,0029 litre	O
470	CM	55	CM	105 LEVEL CM	4394,0865 litre	98,377 %	72,4729 litre	O
470	CM	55	CM	104 LEVEL CM	4371,5596 litre	97,873 %	94,9998 litre	O
470	CM	55	CM	103 LEVEL CM	4347,1852 litre	97,327 %	119,3742 litre	O
470	CM	55	CM	102 LEVEL CM	4321,1280 litre	96,744 %	145,4314 litre	O
470	CM	55	CM	101 LEVEL CM	4293,5225 litre	96,126 %	173,0369 litre	O
470	CM	55	CM	100 LEVEL CM	4264,4814 litre	95,476 %	202,0780 litre	O
470	CM	55	CM	99 LEVEL CM	4234,1017 litre	94,796 %	232,4577 litre	O
470	CM	55	CM	98 LEVEL CM	4202,4678 litre	94,087 %	264,0916 litre	O
470	CM	55	CM	97 LEVEL CM	4169,6546 litre	93,353 %	296,9048 litre	O
470	CM	55	CM	96 LEVEL CM	4135,7291 litre	92,593 %	330,8303 litre	O
470	CM	55	CM	95 LEVEL CM	4100,7519 litre	91,810 %	365,8075 litre	O
470	CM	55	CM	94 LEVEL CM	4064,7783 litre	91,005 %	401,7811 litre	O
470	CM	55	CM	93 LEVEL CM	4027,8591 litre	90,178 %	438,7003 litre	O
470	CM	55	CM	92 LEVEL CM	3990,0412 litre	89,331 %	476,5182 litre	O
470	CM	55	CM	91 LEVEL CM	3951,3685 litre	88,466 %	515,1909 litre	O
470	CM	55	CM	90 LEVEL CM	3911,8817 litre	87,582 %	554,6777 litre	O
470	CM	55	CM	89 LEVEL CM	3871,6192 litre	86,680 %	594,9402 litre	O
470	CM	55	CM	88 LEVEL CM	3830,6174 litre	85,762 %	635,9420 litre	O
470	CM	55	CM	87 LEVEL CM	3788,9104 litre	84,828 %	677,6490 litre	O
470	CM	55	CM	86 LEVEL CM	3746,5308 litre	83,880 %	720,0286 litre	O
470	CM	55	CM	85 LEVEL CM	3703,5097 litre	82,916 %	763,0497 litre	O
470	CM	55	CM	84 LEVEL CM	3659,8768 litre	81,940 %	806,6826 litre	O
470	CM	55	CM	83 LEVEL CM	3615,6604 litre	80,950 %	850,8990 litre	O
470	CM	55	CM	82 LEVEL CM	3570,8880 litre	79,947 %	895,6714 litre	O
470	CM	55	CM	81 LEVEL CM	3525,5858 litre	78,933 %	940,9736 litre	O
470	CM	55	CM	80 LEVEL CM	3479,7793 litre	77,907 %	986,7801 litre	O
470	CM	55	CM	79 LEVEL CM	3433,4931 litre	76,871 %	1033,0663 litre	O
470	CM	55	CM	78 LEVEL CM	3386,7509 litre	75,825 %	1079,8085 litre	O
470	CM	55	CM	77 LEVEL CM	3339,5759 litre	74,768 %	1126,9835 litre	O
470	CM	55	CM	76 LEVEL CM	3291,9906 litre	73,703 %	1174,5688 litre	O
470	CM	55	CM	75 LEVEL CM	3244,0170 litre	72,629 %	1222,5424 litre	O
470	CM	55	CM	74 LEVEL CM	3195,6763 litre	71,547 %	1270,8831 litre	O
470	CM	55	CM	73 LEVEL CM	3146,9896 litre	70,457 %	1319,5698 litre	O
470	CM	55	CM	72 LEVEL CM	3097,9773 litre	69,359 %	1368,5821 litre	O
470	CM	55	CM	71 LEVEL CM	3048,6595 litre	68,255 %	1417,8999 litre	O
470	CM	55	CM	70 LEVEL CM	2999,0558 litre	67,145 %	1467,5036 litre	O
470	CM	55	CM	69 LEVEL CM	2949,1857 litre	66,028 %	1517,3737 litre	O
470	CM	55	CM	68 LEVEL CM	2899,0680 litre	64,906 %	1567,4914 litre	O
470	CM	55	CM	67 LEVEL CM	2848,7217 litre	63,779 %	1617,8377 litre	O
470	CM	55	CM	66 LEVEL CM	2798,1653 litre	62,647 %	1668,3941 litre	O
470	CM	55	CM	65 LEVEL CM	2747,4169 litre	61,511 %	1719,1425 litre	O
470	CM	55	CM	64 LEVEL CM	2696,4947 litre	60,371 %	1770,0647 litre	O
470	CM	55	CM	63 LEVEL CM	2645,4166 litre	59,227 %	1821,1428 litre	O
470	CM	55	CM	62 LEVEL CM	2594,2003 litre	58,081 %	1872,3591 litre	O
470	CM	55	CM	61 LEVEL CM	2542,8633 litre	56,931 %	1923,6961 litre	O
470	CM	55	CM	60 LEVEL CM	2491,4232 litre	55,779 %	1975,1362 litre	O
470	CM	55	CM	59 LEVEL CM	2439,8972 litre	54,626 %	2026,6622 litre	O

470	CM	55	CM	58 LEVEL CM	2388,3027 litre	53,471 %	2078,2567 litre	O
470	CM	55	CM	57 LEVEL CM	2336,6569 litre	52,314 %	2129,9025 litre	O
470	CM	55	CM	56 LEVEL CM	2284,9768 litre	51,157 %	2181,5826 litre	O
470	CM	55	CM	55 LEVEL CM	2233,2797 litre	50,000 %	2233,2797 litre	O
470	CM	55	CM	54 LEVEL CM	2181,5825 litre	48,843 %	2284,9769 litre	O
470	CM	55	CM	53 LEVEL CM	2129,9025 litre	47,686 %	2336,6569 litre	O
470	CM	55	CM	52 LEVEL CM	2078,2566 litre	46,529 %	2388,3028 litre	O
470	CM	55	CM	51 LEVEL CM	2026,6621 litre	45,374 %	2439,8973 litre	O
470	CM	55	CM	50 LEVEL CM	1975,1362 litre	44,221 %	2491,4232 litre	O
470	CM	55	CM	49 LEVEL CM	1923,6961 litre	43,069 %	2542,8633 litre	O
470	CM	55	CM	48 LEVEL CM	1872,3591 litre	41,919 %	2594,2003 litre	O
470	CM	55	CM	47 LEVEL CM	1821,1428 litre	40,773 %	2645,4166 litre	O
470	CM	55	CM	46 LEVEL CM	1770,0646 litre	39,629 %	2696,4948 litre	O
470	CM	55	CM	45 LEVEL CM	1719,1425 litre	38,489 %	2747,4169 litre	O
470	CM	55	CM	44 LEVEL CM	1668,3941 litre	37,353 %	2798,1653 litre	O
470	CM	55	CM	43 LEVEL CM	1617,8376 litre	36,221 %	2848,7218 litre	O
470	CM	55	CM	42 LEVEL CM	1567,4913 litre	35,094 %	2899,0681 litre	O
470	CM	55	CM	41 LEVEL CM	1517,3737 litre	33,972 %	2949,1857 litre	O
470	CM	55	CM	40 LEVEL CM	1467,5035 litre	32,855 %	2999,0559 litre	O
470	CM	55	CM	39 LEVEL CM	1417,8999 litre	31,745 %	3048,6595 litre	O
470	CM	55	CM	38 LEVEL CM	1368,5820 litre	30,641 %	3097,9774 litre	O
470	CM	55	CM	37 LEVEL CM	1319,5697 litre	29,543 %	3146,9897 litre	O
470	CM	55	CM	36 LEVEL CM	1270,8830 litre	28,453 %	3195,6764 litre	O
470	CM	55	CM	35 LEVEL CM	1222,5424 litre	27,371 %	3244,0170 litre	O
470	CM	55	CM	34 LEVEL CM	1174,5687 litre	26,297 %	3291,9907 litre	O
470	CM	55	CM	33 LEVEL CM	1126,9834 litre	25,232 %	3339,5760 litre	O
470	CM	55	CM	32 LEVEL CM	1079,8085 litre	24,175 %	3386,7509 litre	O
470	CM	55	CM	31 LEVEL CM	1033,0663 litre	23,129 %	3433,4931 litre	O
470	CM	55	CM	30 LEVEL CM	986,7800 litre	22,093 %	3479,7794 litre	O
470	CM	55	CM	29 LEVEL CM	940,9735 litre	21,067 %	3525,5859 litre	O
470	CM	55	CM	28 LEVEL CM	895,6714 litre	20,053 %	3570,8880 litre	O
470	CM	55	CM	27 LEVEL CM	850,8989 litre	19,050 %	3615,6605 litre	O
470	CM	55	CM	26 LEVEL CM	806,6826 litre	18,060 %	3659,8768 litre	O
470	CM	55	CM	25 LEVEL CM	763,0497 litre	17,084 %	3703,5097 litre	O
470	CM	55	CM	24 LEVEL CM	720,0286 litre	16,120 %	3746,5308 litre	O
470	CM	55	CM	23 LEVEL CM	677,6490 litre	15,172 %	3788,9104 litre	O
470	CM	55	CM	22 LEVEL CM	635,9420 litre	14,238 %	3830,6174 litre	O
470	CM	55	CM	21 LEVEL CM	594,9401 litre	13,320 %	3871,6193 litre	O
470	CM	55	CM	20 LEVEL CM	554,6777 litre	12,418 %	3911,8817 litre	O
470	CM	55	CM	19 LEVEL CM	515,1909 litre	11,534 %	3951,3685 litre	O
470	CM	55	CM	18 LEVEL CM	476,5181 litre	10,669 %	3990,0413 litre	O
470	CM	55	CM	17 LEVEL CM	438,7003 litre	9,822 %	4027,8591 litre	O
470	CM	55	CM	16 LEVEL CM	401,7810 litre	8,995 %	4064,7784 litre	O
470	CM	55	CM	15 LEVEL CM	365,8074 litre	8,190 %	4100,7520 litre	O
470	CM	55	CM	14 LEVEL CM	330,8302 litre	7,407 %	4135,7292 litre	O
470	CM	55	CM	13 LEVEL CM	296,9047 litre	6,647 %	4169,6547 litre	O
470	CM	55	CM	12 LEVEL CM	264,0916 litre	5,913 %	4202,4678 litre	O
470	CM	55	CM	11 LEVEL CM	232,4577 litre	5,204 %	4234,1017 litre	O
470	CM	55	CM	10 LEVEL CM	202,0780 litre	4,524 %	4264,4814 litre	O
470	CM	55	CM	9 LEVEL CM	173,0369 litre	3,874 %	4293,5225 litre	O
470	CM	55	CM	8 LEVEL CM	145,4313 litre	3,256 %	4321,1281 litre	O
470	CM	55	CM	7 LEVEL CM	119,3741 litre	2,673 %	4347,1853 litre	O
470	CM	55	CM	6 LEVEL CM	94,9998 litre	2,127 %	4371,5596 litre	O

470	CM 55	CM	5 LEVEL CM	72,4729 litre	1,623 %	4394,0865 litre	O
470	CM 55	CM	4 LEVEL CM	52,0029 litre	1,164 %	4414,5565 litre	O
470	CM 55	CM	3 LEVEL CM	33,8711 litre	0,758 %	4432,6883 litre	O
470	CM 55	CM	2 LEVEL CM	18,4882 litre	0,414 %	4448,0712 litre	O
470	CM 55	CM	1 LEVEL CM	6,5546 litre	0,147 %	4460,0048 litre	O
470	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	4466,5594 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
470	CM	50	CM	100 LEVEL CM	3691,3714 litre	100,000 %	0,0000 litre	O
470	CM	50	CM	99 LEVEL CM	3685,1235 litre	99,831 %	6,2479 litre	O
470	CM	50	CM	98 LEVEL CM	3673,7533 litre	99,523 %	17,6181 litre	O
470	CM	50	CM	97 LEVEL CM	3659,1035 litre	99,126 %	32,2679 litre	O
470	CM	50	CM	96 LEVEL CM	3641,8440 litre	98,658 %	49,5274 litre	O
470	CM	50	CM	95 LEVEL CM	3622,3684 litre	98,131 %	69,0030 litre	O
470	CM	50	CM	94 LEVEL CM	3600,9466 litre	97,550 %	90,4248 litre	O
470	CM	50	CM	93 LEVEL CM	3577,7797 litre	96,923 %	113,5917 litre	O
470	CM	50	CM	92 LEVEL CM	3553,0262 litre	96,252 %	138,3452 litre	O
470	CM	50	CM	91 LEVEL CM	3526,8159 litre	95,542 %	164,5555 litre	O
470	CM	50	CM	90 LEVEL CM	3499,2576 litre	94,796 %	192,1138 litre	O
470	CM	50	CM	89 LEVEL CM	3470,4449 litre	94,015 %	220,9265 litre	O
470	CM	50	CM	88 LEVEL CM	3440,4599 litre	93,203 %	250,9115 litre	O
470	CM	50	CM	87 LEVEL CM	3409,3750 litre	92,361 %	281,9964 litre	O
470	CM	50	CM	86 LEVEL CM	3377,2555 litre	91,491 %	314,1159 litre	O
470	CM	50	CM	85 LEVEL CM	3344,1602 litre	90,594 %	347,2112 litre	O
470	CM	50	CM	84 LEVEL CM	3310,1433 litre	89,672 %	381,2281 litre	O
470	CM	50	CM	83 LEVEL CM	3275,2542 litre	88,727 %	416,1172 litre	O
470	CM	50	CM	82 LEVEL CM	3239,5391 litre	87,760 %	451,8323 litre	O
470	CM	50	CM	81 LEVEL CM	3203,0408 litre	86,771 %	488,3306 litre	O
470	CM	50	CM	80 LEVEL CM	3165,7995 litre	85,762 %	525,5719 litre	O
470	CM	50	CM	79 LEVEL CM	3127,8530 litre	84,734 %	563,5184 litre	O
470	CM	50	CM	78 LEVEL CM	3089,2371 litre	83,688 %	602,1343 litre	O
470	CM	50	CM	77 LEVEL CM	3049,9857 litre	82,625 %	641,3857 litre	O
470	CM	50	CM	76 LEVEL CM	3010,1311 litre	81,545 %	681,2403 litre	O
470	CM	50	CM	75 LEVEL CM	2969,7042 litre	80,450 %	721,6672 litre	O
470	CM	50	CM	74 LEVEL CM	2928,7344 litre	79,340 %	762,6370 litre	O
470	CM	50	CM	73 LEVEL CM	2887,2502 litre	78,216 %	804,1212 litre	O
470	CM	50	CM	72 LEVEL CM	2845,2790 litre	77,079 %	846,0924 litre	O
470	CM	50	CM	71 LEVEL CM	2802,8471 litre	75,930 %	888,5243 litre	O
470	CM	50	CM	70 LEVEL CM	2759,9801 litre	74,768 %	931,3913 litre	O
470	CM	50	CM	69 LEVEL CM	2716,7028 litre	73,596 %	974,6686 litre	O
470	CM	50	CM	68 LEVEL CM	2673,0393 litre	72,413 %	1018,3321 litre	O
470	CM	50	CM	67 LEVEL CM	2629,0130 litre	71,220 %	1062,3584 litre	O
470	CM	50	CM	66 LEVEL CM	2584,6468 litre	70,019 %	1106,7246 litre	O
470	CM	50	CM	65 LEVEL CM	2539,9631 litre	68,808 %	1151,4083 litre	O
470	CM	50	CM	64 LEVEL CM	2494,9838 litre	67,590 %	1196,3876 litre	O
470	CM	50	CM	63 LEVEL CM	2449,7302 litre	66,364 %	1241,6412 litre	O
470	CM	50	CM	62 LEVEL CM	2404,2235 litre	65,131 %	1287,1479 litre	O
470	CM	50	CM	61 LEVEL CM	2358,4844 litre	63,892 %	1332,8870 litre	O
470	CM	50	CM	60 LEVEL CM	2312,5333 litre	62,647 %	1378,8381 litre	O
470	CM	50	CM	59 LEVEL CM	2266,3903 litre	61,397 %	1424,9811 litre	O
470	CM	50	CM	58 LEVEL CM	2220,0752 litre	60,142 %	1471,2962 litre	O
470	CM	50	CM	57 LEVEL CM	2173,6078 litre	58,883 %	1517,7636 litre	O
470	CM	50	CM	56 LEVEL CM	2127,0074 litre	57,621 %	1564,3640 litre	O
470	CM	50	CM	55 LEVEL CM	2080,2934 litre	56,356 %	1611,0780 litre	O
470	CM	50	CM	54 LEVEL CM	2033,4850 litre	55,088 %	1657,8864 litre	O
470	CM	50	CM	53 LEVEL CM	1986,6010 litre	53,817 %	1704,7704 litre	O
470	CM	50	CM	52 LEVEL CM	1939,6606 litre	52,546 %	1751,7108 litre	O
470	CM	50	CM	51 LEVEL CM	1892,6826 litre	51,273 %	1798,6888 litre	O
470	CM	50	CM	50 LEVEL CM	1845,6857 litre	50,000 %	1845,6857 litre	O
470	CM	50	CM	49 LEVEL CM	1798,6888 litre	48,727 %	1892,6826 litre	O

470	CM	50	CM	48 LEVEL CM	1751,7108 litre	47,454 %	1939,6606 litre	O
470	CM	50	CM	47 LEVEL CM	1704,7703 litre	46,183 %	1986,6011 litre	O
470	CM	50	CM	46 LEVEL CM	1657,8864 litre	44,912 %	2033,4850 litre	O
470	CM	50	CM	45 LEVEL CM	1611,0779 litre	43,644 %	2080,2935 litre	O
470	CM	50	CM	44 LEVEL CM	1564,3640 litre	42,379 %	2127,0074 litre	O
470	CM	50	CM	43 LEVEL CM	1517,7636 litre	41,117 %	2173,6078 litre	O
470	CM	50	CM	42 LEVEL CM	1471,2962 litre	39,858 %	2220,0752 litre	O
470	CM	50	CM	41 LEVEL CM	1424,9811 litre	38,603 %	2266,3903 litre	O
470	CM	50	CM	40 LEVEL CM	1378,8381 litre	37,353 %	2312,5333 litre	O
470	CM	50	CM	39 LEVEL CM	1332,8870 litre	36,108 %	2358,4844 litre	O
470	CM	50	CM	38 LEVEL CM	1287,1479 litre	34,869 %	2404,2235 litre	O
470	CM	50	CM	37 LEVEL CM	1241,6412 litre	33,636 %	2449,7302 litre	O
470	CM	50	CM	36 LEVEL CM	1196,3876 litre	32,410 %	2494,9838 litre	O
470	CM	50	CM	35 LEVEL CM	1151,4082 litre	31,192 %	2539,9632 litre	O
470	CM	50	CM	34 LEVEL CM	1106,7245 litre	29,981 %	2584,6469 litre	O
470	CM	50	CM	33 LEVEL CM	1062,3584 litre	28,780 %	2629,0130 litre	O
470	CM	50	CM	32 LEVEL CM	1018,3321 litre	27,587 %	2673,0393 litre	O
470	CM	50	CM	31 LEVEL CM	974,6686 litre	26,404 %	2716,7028 litre	O
470	CM	50	CM	30 LEVEL CM	931,3913 litre	25,232 %	2759,9801 litre	O
470	CM	50	CM	29 LEVEL CM	888,5243 litre	24,070 %	2802,8471 litre	O
470	CM	50	CM	28 LEVEL CM	846,0924 litre	22,921 %	2845,2790 litre	O
470	CM	50	CM	27 LEVEL CM	804,1212 litre	21,784 %	2887,2502 litre	O
470	CM	50	CM	26 LEVEL CM	762,6370 litre	20,660 %	2928,7344 litre	O
470	CM	50	CM	25 LEVEL CM	721,6672 litre	19,550 %	2969,7042 litre	O
470	CM	50	CM	24 LEVEL CM	681,2402 litre	18,455 %	3010,1312 litre	O
470	CM	50	CM	23 LEVEL CM	641,3856 litre	17,375 %	3049,9858 litre	O
470	CM	50	CM	22 LEVEL CM	602,1342 litre	16,312 %	3089,2372 litre	O
470	CM	50	CM	21 LEVEL CM	563,5183 litre	15,266 %	3127,8531 litre	O
470	CM	50	CM	20 LEVEL CM	525,5719 litre	14,238 %	3165,7995 litre	O
470	CM	50	CM	19 LEVEL CM	488,3306 litre	13,229 %	3203,0408 litre	O
470	CM	50	CM	18 LEVEL CM	451,8323 litre	12,240 %	3239,5391 litre	O
470	CM	50	CM	17 LEVEL CM	416,1172 litre	11,273 %	3275,2542 litre	O
470	CM	50	CM	16 LEVEL CM	381,2281 litre	10,328 %	3310,1433 litre	O
470	CM	50	CM	15 LEVEL CM	347,2111 litre	9,406 %	3344,1603 litre	O
470	CM	50	CM	14 LEVEL CM	314,1159 litre	8,509 %	3377,2555 litre	O
470	CM	50	CM	13 LEVEL CM	281,9963 litre	7,639 %	3409,3751 litre	O
470	CM	50	CM	12 LEVEL CM	250,9115 litre	6,797 %	3440,4599 litre	O
470	CM	50	CM	11 LEVEL CM	220,9264 litre	5,985 %	3470,4450 litre	O
470	CM	50	CM	10 LEVEL CM	192,1138 litre	5,204 %	3499,2576 litre	O
470	CM	50	CM	9 LEVEL CM	164,5555 litre	4,458 %	3526,8159 litre	O
470	CM	50	CM	8 LEVEL CM	138,3451 litre	3,748 %	3553,0263 litre	O
470	CM	50	CM	7 LEVEL CM	113,5917 litre	3,077 %	3577,7797 litre	O
470	CM	50	CM	6 LEVEL CM	90,4248 litre	2,450 %	3600,9466 litre	O
470	CM	50	CM	5 LEVEL CM	69,0029 litre	1,869 %	3622,3685 litre	O
470	CM	50	CM	4 LEVEL CM	49,5274 litre	1,342 %	3641,8440 litre	O
470	CM	50	CM	3 LEVEL CM	32,2679 litre	0,874 %	3659,1035 litre	O
470	CM	50	CM	2 LEVEL CM	17,6181 litre	0,477 %	3673,7533 litre	O
470	CM	50	CM	1 LEVEL CM	6,2478 litre	0,169 %	3685,1236 litre	O
470	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3691,3714 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 150	CM 300 LEVEL CM	32515,4840 litre	100,000 %	0,0000 litre	O
460	CM 150	CM 299 LEVEL CM	32504,8713 litre	99,967 %	10,6127 litre	O
460	CM 150	CM 298 LEVEL CM	32485,4971 litre	99,908 %	29,9869 litre	O
460	CM 150	CM 297 LEVEL CM	32460,4499 litre	99,831 %	55,0341 litre	O
460	CM 150	CM 296 LEVEL CM	32430,8388 litre	99,740 %	84,6452 litre	O
460	CM 150	CM 295 LEVEL CM	32397,3081 litre	99,637 %	118,1759 litre	O
460	CM 150	CM 294 LEVEL CM	32360,2949 litre	99,523 %	155,1891 litre	O
460	CM 150	CM 293 LEVEL CM	32320,1217 litre	99,399 %	195,3623 litre	O
460	CM 150	CM 292 LEVEL CM	32277,0396 litre	99,267 %	238,4444 litre	O
460	CM 150	CM 291 LEVEL CM	32231,2518 litre	99,126 %	284,2322 litre	O
460	CM 150	CM 290 LEVEL CM	32182,9271 litre	98,977 %	332,5569 litre	O
460	CM 150	CM 289 LEVEL CM	32132,2090 litre	98,821 %	383,2750 litre	O
460	CM 150	CM 288 LEVEL CM	32079,2216 litre	98,658 %	436,2624 litre	O
460	CM 150	CM 287 LEVEL CM	32024,0736 litre	98,489 %	491,4104 litre	O
460	CM 150	CM 286 LEVEL CM	31966,8612 litre	98,313 %	548,6228 litre	O
460	CM 150	CM 285 LEVEL CM	31907,6708 litre	98,131 %	607,8132 litre	O
460	CM 150	CM 284 LEVEL CM	31846,5803 litre	97,943 %	668,9037 litre	O
460	CM 150	CM 283 LEVEL CM	31783,6604 litre	97,749 %	731,8236 litre	O
460	CM 150	CM 282 LEVEL CM	31718,9761 litre	97,550 %	796,5079 litre	O
460	CM 150	CM 281 LEVEL CM	31652,5868 litre	97,346 %	862,8972 litre	O
460	CM 150	CM 280 LEVEL CM	31584,5478 litre	97,137 %	930,9362 litre	O
460	CM 150	CM 279 LEVEL CM	31514,9103 litre	96,923 %	1000,5737 litre	O
460	CM 150	CM 278 LEVEL CM	31443,7220 litre	96,704 %	1071,7620 litre	O
460	CM 150	CM 277 LEVEL CM	31371,0278 litre	96,480 %	1144,4562 litre	O
460	CM 150	CM 276 LEVEL CM	31296,8695 litre	96,252 %	1218,6145 litre	O
460	CM 150	CM 275 LEVEL CM	31221,2867 litre	96,020 %	1294,1973 litre	O
460	CM 150	CM 274 LEVEL CM	31144,3169 litre	95,783 %	1371,1671 litre	O
460	CM 150	CM 273 LEVEL CM	31065,9952 litre	95,542 %	1449,4888 litre	O
460	CM 150	CM 272 LEVEL CM	30986,3554 litre	95,297 %	1529,1286 litre	O
460	CM 150	CM 271 LEVEL CM	30905,4294 litre	95,048 %	1610,0546 litre	O
460	CM 150	CM 270 LEVEL CM	30823,2475 litre	94,796 %	1692,2365 litre	O
460	CM 150	CM 269 LEVEL CM	30739,8388 litre	94,539 %	1775,6452 litre	O
460	CM 150	CM 268 LEVEL CM	30655,2312 litre	94,279 %	1860,2528 litre	O
460	CM 150	CM 267 LEVEL CM	30569,4512 litre	94,015 %	1946,0328 litre	O
460	CM 150	CM 266 LEVEL CM	30482,5244 litre	93,748 %	2032,9596 litre	O
460	CM 150	CM 265 LEVEL CM	30394,4753 litre	93,477 %	2121,0087 litre	O
460	CM 150	CM 264 LEVEL CM	30305,3276 litre	93,203 %	2210,1564 litre	O
460	CM 150	CM 263 LEVEL CM	30215,1040 litre	92,925 %	2300,3800 litre	O
460	CM 150	CM 262 LEVEL CM	30123,8265 litre	92,645 %	2391,6575 litre	O
460	CM 150	CM 261 LEVEL CM	30031,5162 litre	92,361 %	2483,9678 litre	O
460	CM 150	CM 260 LEVEL CM	29938,1937 litre	92,074 %	2577,2903 litre	O
460	CM 150	CM 259 LEVEL CM	29843,8788 litre	91,784 %	2671,6052 litre	O
460	CM 150	CM 258 LEVEL CM	29748,5907 litre	91,491 %	2766,8933 litre	O
460	CM 150	CM 257 LEVEL CM	29652,3481 litre	91,195 %	2863,1359 litre	O
460	CM 150	CM 256 LEVEL CM	29555,1690 litre	90,896 %	2960,3150 litre	O
460	CM 150	CM 255 LEVEL CM	29457,0710 litre	90,594 %	3058,4130 litre	O
460	CM 150	CM 254 LEVEL CM	29358,0712 litre	90,290 %	3157,4128 litre	O
460	CM 150	CM 253 LEVEL CM	29258,1861 litre	89,982 %	3257,2979 litre	O
460	CM 150	CM 252 LEVEL CM	29157,4321 litre	89,672 %	3358,0519 litre	O
460	CM 150	CM 251 LEVEL CM	29055,8248 litre	89,360 %	3459,6592 litre	O
460	CM 150	CM 250 LEVEL CM	28953,3796 litre	89,045 %	3562,1044 litre	O
460	CM 150	CM 249 LEVEL CM	28850,1115 litre	88,727 %	3665,3725 litre	O

460	CM	150	CM	248 LEVEL CM	28746,0351 litre	88,407 %	3769,4489 litre	O
460	CM	150	CM	247 LEVEL CM	28641,1648 litre	88,085 %	3874,3192 litre	O
460	CM	150	CM	246 LEVEL CM	28535,5144 litre	87,760 %	3979,9696 litre	O
460	CM	150	CM	245 LEVEL CM	28429,0978 litre	87,432 %	4086,3862 litre	O
460	CM	150	CM	244 LEVEL CM	28321,9282 litre	87,103 %	4193,5558 litre	O
460	CM	150	CM	243 LEVEL CM	28214,0188 litre	86,771 %	4301,4652 litre	O
460	CM	150	CM	242 LEVEL CM	28105,3823 litre	86,437 %	4410,1017 litre	O
460	CM	150	CM	241 LEVEL CM	27996,0315 litre	86,101 %	4519,4525 litre	O
460	CM	150	CM	240 LEVEL CM	27885,9785 litre	85,762 %	4629,5055 litre	O
460	CM	150	CM	239 LEVEL CM	27775,2354 litre	85,422 %	4740,2486 litre	O
460	CM	150	CM	238 LEVEL CM	27663,8143 litre	85,079 %	4851,6697 litre	O
460	CM	150	CM	237 LEVEL CM	27551,7266 litre	84,734 %	4963,7574 litre	O
460	CM	150	CM	236 LEVEL CM	27438,9839 litre	84,387 %	5076,5001 litre	O
460	CM	150	CM	235 LEVEL CM	27325,5974 litre	84,039 %	5189,8866 litre	O
460	CM	150	CM	234 LEVEL CM	27211,5782 litre	83,688 %	5303,9058 litre	O
460	CM	150	CM	233 LEVEL CM	27096,9370 litre	83,335 %	5418,5470 litre	O
460	CM	150	CM	232 LEVEL CM	26981,6848 litre	82,981 %	5533,7992 litre	O
460	CM	150	CM	231 LEVEL CM	26865,8318 litre	82,625 %	5649,6522 litre	O
460	CM	150	CM	230 LEVEL CM	26749,3886 litre	82,267 %	5766,0954 litre	O
460	CM	150	CM	229 LEVEL CM	26632,3654 litre	81,907 %	5883,1186 litre	O
460	CM	150	CM	228 LEVEL CM	26514,7721 litre	81,545 %	6000,7119 litre	O
460	CM	150	CM	227 LEVEL CM	26396,6188 litre	81,182 %	6118,8652 litre	O
460	CM	150	CM	226 LEVEL CM	26277,9151 litre	80,817 %	6237,5689 litre	O
460	CM	150	CM	225 LEVEL CM	26158,6708 litre	80,450 %	6356,8132 litre	O
460	CM	150	CM	224 LEVEL CM	26038,8953 litre	80,082 %	6476,5887 litre	O
460	CM	150	CM	223 LEVEL CM	25918,5979 litre	79,712 %	6596,8861 litre	O
460	CM	150	CM	222 LEVEL CM	25797,7881 litre	79,340 %	6717,6959 litre	O
460	CM	150	CM	221 LEVEL CM	25676,4749 litre	78,967 %	6839,0091 litre	O
460	CM	150	CM	220 LEVEL CM	25554,6673 litre	78,592 %	6960,8167 litre	O
460	CM	150	CM	219 LEVEL CM	25432,3742 litre	78,216 %	7083,1098 litre	O
460	CM	150	CM	218 LEVEL CM	25309,6046 litre	77,839 %	7205,8794 litre	O
460	CM	150	CM	217 LEVEL CM	25186,3670 litre	77,460 %	7329,1170 litre	O
460	CM	150	CM	216 LEVEL CM	25062,6701 litre	77,079 %	7452,8139 litre	O
460	CM	150	CM	215 LEVEL CM	24938,5224 litre	76,697 %	7576,9616 litre	O
460	CM	150	CM	214 LEVEL CM	24813,9324 litre	76,314 %	7701,5516 litre	O
460	CM	150	CM	213 LEVEL CM	24688,9083 litre	75,930 %	7826,5757 litre	O
460	CM	150	CM	212 LEVEL CM	24563,4585 litre	75,544 %	7952,0255 litre	O
460	CM	150	CM	211 LEVEL CM	24437,5910 litre	75,157 %	8077,8930 litre	O
460	CM	150	CM	210 LEVEL CM	24311,3140 litre	74,768 %	8204,1700 litre	O
460	CM	150	CM	209 LEVEL CM	24184,6355 litre	74,379 %	8330,8485 litre	O
460	CM	150	CM	208 LEVEL CM	24057,5634 litre	73,988 %	8457,9206 litre	O
460	CM	150	CM	207 LEVEL CM	23930,1055 litre	73,596 %	8585,3785 litre	O
460	CM	150	CM	206 LEVEL CM	23802,2697 litre	73,203 %	8713,2143 litre	O
460	CM	150	CM	205 LEVEL CM	23674,0636 litre	72,809 %	8841,4204 litre	O
460	CM	150	CM	204 LEVEL CM	23545,4950 litre	72,413 %	8969,9890 litre	O
460	CM	150	CM	203 LEVEL CM	23416,5713 litre	72,017 %	9098,9127 litre	O
460	CM	150	CM	202 LEVEL CM	23287,3002 litre	71,619 %	9228,1838 litre	O
460	CM	150	CM	201 LEVEL CM	23157,6890 litre	71,220 %	9357,7950 litre	O
460	CM	150	CM	200 LEVEL CM	23027,7452 litre	70,821 %	9487,7388 litre	O
460	CM	150	CM	199 LEVEL CM	22897,4761 litre	70,420 %	9618,0079 litre	O
460	CM	150	CM	198 LEVEL CM	22766,8891 litre	70,019 %	9748,5949 litre	O
460	CM	150	CM	197 LEVEL CM	22635,9913 litre	69,616 %	9879,4927 litre	O
460	CM	150	CM	196 LEVEL CM	22504,7899 litre	69,213 %	10010,6941 litre	O

460	CM	150	CM	195 LEVEL CM	22373,2922 litre	68,808 %	10142,1918 litre	O
460	CM	150	CM	194 LEVEL CM	22241,5051 litre	68,403 %	10273,9789 litre	O
460	CM	150	CM	193 LEVEL CM	22109,4357 litre	67,997 %	10406,0483 litre	O
460	CM	150	CM	192 LEVEL CM	21977,0910 litre	67,590 %	10538,3930 litre	O
460	CM	150	CM	191 LEVEL CM	21844,4780 litre	67,182 %	10671,0060 litre	O
460	CM	150	CM	190 LEVEL CM	21711,6036 litre	66,773 %	10803,8804 litre	O
460	CM	150	CM	189 LEVEL CM	21578,4746 litre	66,364 %	10937,0094 litre	O
460	CM	150	CM	188 LEVEL CM	21445,0979 litre	65,953 %	11070,3861 litre	O
460	CM	150	CM	187 LEVEL CM	21311,4802 litre	65,543 %	11204,0038 litre	O
460	CM	150	CM	186 LEVEL CM	21177,6284 litre	65,131 %	11337,8556 litre	O
460	CM	150	CM	185 LEVEL CM	21043,5491 litre	64,719 %	11471,9349 litre	O
460	CM	150	CM	184 LEVEL CM	20909,2491 litre	64,306 %	11606,2349 litre	O
460	CM	150	CM	183 LEVEL CM	20774,7350 litre	63,892 %	11740,7490 litre	O
460	CM	150	CM	182 LEVEL CM	20640,0133 litre	63,477 %	11875,4707 litre	O
460	CM	150	CM	181 LEVEL CM	20505,0908 litre	63,063 %	12010,3932 litre	O
460	CM	150	CM	180 LEVEL CM	20369,9740 litre	62,647 %	12145,5100 litre	O
460	CM	150	CM	179 LEVEL CM	20234,6693 litre	62,231 %	12280,8147 litre	O
460	CM	150	CM	178 LEVEL CM	20099,1834 litre	61,814 %	12416,3006 litre	O
460	CM	150	CM	177 LEVEL CM	19963,5226 litre	61,397 %	12551,9614 litre	O
460	CM	150	CM	176 LEVEL CM	19827,6936 litre	60,979 %	12687,7904 litre	O
460	CM	150	CM	175 LEVEL CM	19691,7025 litre	60,561 %	12823,7815 litre	O
460	CM	150	CM	174 LEVEL CM	19555,5560 litre	60,142 %	12959,9280 litre	O
460	CM	150	CM	173 LEVEL CM	19419,2604 litre	59,723 %	13096,2236 litre	O
460	CM	150	CM	172 LEVEL CM	19282,8220 litre	59,304 %	13232,6620 litre	O
460	CM	150	CM	171 LEVEL CM	19146,2472 litre	58,883 %	13369,2368 litre	O
460	CM	150	CM	170 LEVEL CM	19009,5423 litre	58,463 %	13505,9417 litre	O
460	CM	150	CM	169 LEVEL CM	18872,7136 litre	58,042 %	13642,7704 litre	O
460	CM	150	CM	168 LEVEL CM	18735,7674 litre	57,621 %	13779,7166 litre	O
460	CM	150	CM	167 LEVEL CM	18598,7101 litre	57,200 %	13916,7739 litre	O
460	CM	150	CM	166 LEVEL CM	18461,5478 litre	56,778 %	14053,9362 litre	O
460	CM	150	CM	165 LEVEL CM	18324,2868 litre	56,356 %	14191,1972 litre	O
460	CM	150	CM	164 LEVEL CM	18186,9333 litre	55,933 %	14328,5507 litre	O
460	CM	150	CM	163 LEVEL CM	18049,4936 litre	55,510 %	14465,9904 litre	O
460	CM	150	CM	162 LEVEL CM	17911,9739 litre	55,088 %	14603,5101 litre	O
460	CM	150	CM	161 LEVEL CM	17774,3803 litre	54,664 %	14741,1037 litre	O
460	CM	150	CM	160 LEVEL CM	17636,7191 litre	54,241 %	14878,7649 litre	O
460	CM	150	CM	159 LEVEL CM	17498,9964 litre	53,817 %	15016,4876 litre	O
460	CM	150	CM	158 LEVEL CM	17361,2184 litre	53,394 %	15154,2656 litre	O
460	CM	150	CM	157 LEVEL CM	17223,3912 litre	52,970 %	15292,0928 litre	O
460	CM	150	CM	156 LEVEL CM	17085,5211 litre	52,546 %	15429,9629 litre	O
460	CM	150	CM	155 LEVEL CM	16947,6142 litre	52,122 %	15567,8698 litre	O
460	CM	150	CM	154 LEVEL CM	16809,6766 litre	51,697 %	15705,8074 litre	O
460	CM	150	CM	153 LEVEL CM	16671,7144 litre	51,273 %	15843,7696 litre	O
460	CM	150	CM	152 LEVEL CM	16533,7338 litre	50,849 %	15981,7502 litre	O
460	CM	150	CM	151 LEVEL CM	16395,7410 litre	50,424 %	16119,7430 litre	O
460	CM	150	CM	150 LEVEL CM	16257,7420 litre	50,000 %	16257,7420 litre	O
460	CM	150	CM	149 LEVEL CM	16119,7430 litre	49,576 %	16395,7410 litre	O
460	CM	150	CM	148 LEVEL CM	15981,7502 litre	49,151 %	16533,7338 litre	O
460	CM	150	CM	147 LEVEL CM	15843,7696 litre	48,727 %	16671,7144 litre	O
460	CM	150	CM	146 LEVEL CM	15705,8074 litre	48,303 %	16809,6766 litre	O
460	CM	150	CM	145 LEVEL CM	15567,8698 litre	47,878 %	16947,6142 litre	O
460	CM	150	CM	144 LEVEL CM	15429,9628 litre	47,454 %	17085,5212 litre	O
460	CM	150	CM	143 LEVEL CM	15292,0927 litre	47,030 %	17223,3913 litre	O

460	CM	150	CM	142 LEVEL CM	15154,2656 litre	46,606 %	17361,2184 litre	O
460	CM	150	CM	141 LEVEL CM	15016,4876 litre	46,183 %	17498,9964 litre	O
460	CM	150	CM	140 LEVEL CM	14878,7649 litre	45,759 %	17636,7191 litre	O
460	CM	150	CM	139 LEVEL CM	14741,1037 litre	45,336 %	17774,3803 litre	O
460	CM	150	CM	138 LEVEL CM	14603,5101 litre	44,912 %	17911,9739 litre	O
460	CM	150	CM	137 LEVEL CM	14465,9903 litre	44,490 %	18049,4937 litre	O
460	CM	150	CM	136 LEVEL CM	14328,5506 litre	44,067 %	18186,9334 litre	O
460	CM	150	CM	135 LEVEL CM	14191,1972 litre	43,644 %	18324,2868 litre	O
460	CM	150	CM	134 LEVEL CM	14053,9362 litre	43,222 %	18461,5478 litre	O
460	CM	150	CM	133 LEVEL CM	13916,7739 litre	42,800 %	18598,7101 litre	O
460	CM	150	CM	132 LEVEL CM	13779,7165 litre	42,379 %	18735,7675 litre	O
460	CM	150	CM	131 LEVEL CM	13642,7704 litre	41,958 %	18872,7136 litre	O
460	CM	150	CM	130 LEVEL CM	13505,9417 litre	41,537 %	19009,5423 litre	O
460	CM	150	CM	129 LEVEL CM	13369,2368 litre	41,117 %	19146,2472 litre	O
460	CM	150	CM	128 LEVEL CM	13232,6620 litre	40,696 %	19282,8220 litre	O
460	CM	150	CM	127 LEVEL CM	13096,2236 litre	40,277 %	19419,2604 litre	O
460	CM	150	CM	126 LEVEL CM	12959,9279 litre	39,858 %	19555,5561 litre	O
460	CM	150	CM	125 LEVEL CM	12823,7814 litre	39,439 %	19691,7026 litre	O
460	CM	150	CM	124 LEVEL CM	12687,7904 litre	39,021 %	19827,6936 litre	O
460	CM	150	CM	123 LEVEL CM	12551,9613 litre	38,603 %	19963,5227 litre	O
460	CM	150	CM	122 LEVEL CM	12416,3006 litre	38,186 %	20099,1834 litre	O
460	CM	150	CM	121 LEVEL CM	12280,8146 litre	37,769 %	20234,6694 litre	O
460	CM	150	CM	120 LEVEL CM	12145,5100 litre	37,353 %	20369,9740 litre	O
460	CM	150	CM	119 LEVEL CM	12010,3931 litre	36,937 %	20505,0909 litre	O
460	CM	150	CM	118 LEVEL CM	11875,4706 litre	36,523 %	20640,0134 litre	O
460	CM	150	CM	117 LEVEL CM	11740,7490 litre	36,108 %	20774,7350 litre	O
460	CM	150	CM	116 LEVEL CM	11606,2349 litre	35,694 %	20909,2491 litre	O
460	CM	150	CM	115 LEVEL CM	11471,9348 litre	35,281 %	21043,5492 litre	O
460	CM	150	CM	114 LEVEL CM	11337,8556 litre	34,869 %	21177,6284 litre	O
460	CM	150	CM	113 LEVEL CM	11204,0038 litre	34,457 %	21311,4802 litre	O
460	CM	150	CM	112 LEVEL CM	11070,3861 litre	34,047 %	21445,0979 litre	O
460	CM	150	CM	111 LEVEL CM	10937,0094 litre	33,636 %	21578,4746 litre	O
460	CM	150	CM	110 LEVEL CM	10803,8804 litre	33,227 %	21711,6036 litre	O
460	CM	150	CM	109 LEVEL CM	10671,0060 litre	32,818 %	21844,4780 litre	O
460	CM	150	CM	108 LEVEL CM	10538,3930 litre	32,410 %	21977,0910 litre	O
460	CM	150	CM	107 LEVEL CM	10406,0483 litre	32,003 %	22109,4357 litre	O
460	CM	150	CM	106 LEVEL CM	10273,9789 litre	31,597 %	22241,5051 litre	O
460	CM	150	CM	105 LEVEL CM	10142,1918 litre	31,192 %	22373,2922 litre	O
460	CM	150	CM	104 LEVEL CM	10010,6940 litre	30,787 %	22504,7900 litre	O
460	CM	150	CM	103 LEVEL CM	9879,4927 litre	30,384 %	22635,9913 litre	O
460	CM	150	CM	102 LEVEL CM	9748,5949 litre	29,981 %	22766,8891 litre	O
460	CM	150	CM	101 LEVEL CM	9618,0078 litre	29,580 %	22897,4762 litre	O
460	CM	150	CM	100 LEVEL CM	9487,7388 litre	29,179 %	23027,7452 litre	O
460	CM	150	CM	99 LEVEL CM	9357,7950 litre	28,780 %	23157,6890 litre	O
460	CM	150	CM	98 LEVEL CM	9228,1838 litre	28,381 %	23287,3002 litre	O
460	CM	150	CM	97 LEVEL CM	9098,9127 litre	27,983 %	23416,5713 litre	O
460	CM	150	CM	96 LEVEL CM	8969,9890 litre	27,587 %	23545,4950 litre	O
460	CM	150	CM	95 LEVEL CM	8841,4203 litre	27,191 %	23674,0637 litre	O
460	CM	150	CM	94 LEVEL CM	8713,2143 litre	26,797 %	23802,2697 litre	O
460	CM	150	CM	93 LEVEL CM	8585,3785 litre	26,404 %	23930,1055 litre	O
460	CM	150	CM	92 LEVEL CM	8457,9206 litre	26,012 %	24057,5634 litre	O
460	CM	150	CM	91 LEVEL CM	8330,8485 litre	25,621 %	24184,6355 litre	O
460	CM	150	CM	90 LEVEL CM	8204,1700 litre	25,232 %	24311,3140 litre	O

460	CM	150	CM	89 LEVEL CM	8077,8930 litre	24,843 %	24437,5910 litre	O
460	CM	150	CM	88 LEVEL CM	7952,0255 litre	24,456 %	24563,4585 litre	O
460	CM	150	CM	87 LEVEL CM	7826,5756 litre	24,070 %	24688,9084 litre	O
460	CM	150	CM	86 LEVEL CM	7701,5516 litre	23,686 %	24813,9324 litre	O
460	CM	150	CM	85 LEVEL CM	7576,9615 litre	23,303 %	24938,5225 litre	O
460	CM	150	CM	84 LEVEL CM	7452,8139 litre	22,921 %	25062,6701 litre	O
460	CM	150	CM	83 LEVEL CM	7329,1170 litre	22,540 %	25186,3670 litre	O
460	CM	150	CM	82 LEVEL CM	7205,8794 litre	22,161 %	25309,6046 litre	O
460	CM	150	CM	81 LEVEL CM	7083,1097 litre	21,784 %	25432,3743 litre	O
460	CM	150	CM	80 LEVEL CM	6960,8167 litre	21,408 %	25554,6673 litre	O
460	CM	150	CM	79 LEVEL CM	6839,0091 litre	21,033 %	25676,4749 litre	O
460	CM	150	CM	78 LEVEL CM	6717,6959 litre	20,660 %	25797,7881 litre	O
460	CM	150	CM	77 LEVEL CM	6596,8860 litre	20,288 %	25918,5980 litre	O
460	CM	150	CM	76 LEVEL CM	6476,5887 litre	19,918 %	26038,8953 litre	O
460	CM	150	CM	75 LEVEL CM	6356,8132 litre	19,550 %	26158,6708 litre	O
460	CM	150	CM	74 LEVEL CM	6237,5688 litre	19,183 %	26277,9152 litre	O
460	CM	150	CM	73 LEVEL CM	6118,8652 litre	18,818 %	26396,6188 litre	O
460	CM	150	CM	72 LEVEL CM	6000,7118 litre	18,455 %	26514,7722 litre	O
460	CM	150	CM	71 LEVEL CM	5883,1186 litre	18,093 %	26632,3654 litre	O
460	CM	150	CM	70 LEVEL CM	5766,0953 litre	17,733 %	26749,3887 litre	O
460	CM	150	CM	69 LEVEL CM	5649,6521 litre	17,375 %	26865,8319 litre	O
460	CM	150	CM	68 LEVEL CM	5533,7992 litre	17,019 %	26981,6848 litre	O
460	CM	150	CM	67 LEVEL CM	5418,5469 litre	16,665 %	27096,9371 litre	O
460	CM	150	CM	66 LEVEL CM	5303,9058 litre	16,312 %	27211,5782 litre	O
460	CM	150	CM	65 LEVEL CM	5189,8866 litre	15,961 %	27325,5974 litre	O
460	CM	150	CM	64 LEVEL CM	5076,5000 litre	15,613 %	27438,9840 litre	O
460	CM	150	CM	63 LEVEL CM	4963,7573 litre	15,266 %	27551,7267 litre	O
460	CM	150	CM	62 LEVEL CM	4851,6697 litre	14,921 %	27663,8143 litre	O
460	CM	150	CM	61 LEVEL CM	4740,2485 litre	14,578 %	27775,2355 litre	O
460	CM	150	CM	60 LEVEL CM	4629,5055 litre	14,238 %	27885,9785 litre	O
460	CM	150	CM	59 LEVEL CM	4519,4525 litre	13,899 %	27996,0315 litre	O
460	CM	150	CM	58 LEVEL CM	4410,1016 litre	13,563 %	28105,3824 litre	O
460	CM	150	CM	57 LEVEL CM	4301,4652 litre	13,229 %	28214,0188 litre	O
460	CM	150	CM	56 LEVEL CM	4193,5558 litre	12,897 %	28321,9282 litre	O
460	CM	150	CM	55 LEVEL CM	4086,3862 litre	12,568 %	28429,0978 litre	O
460	CM	150	CM	54 LEVEL CM	3979,9695 litre	12,240 %	28535,5145 litre	O
460	CM	150	CM	53 LEVEL CM	3874,3192 litre	11,915 %	28641,1648 litre	O
460	CM	150	CM	52 LEVEL CM	3769,4489 litre	11,593 %	28746,0351 litre	O
460	CM	150	CM	51 LEVEL CM	3665,3725 litre	11,273 %	28850,1115 litre	O
460	CM	150	CM	50 LEVEL CM	3562,1044 litre	10,955 %	28953,3796 litre	O
460	CM	150	CM	49 LEVEL CM	3459,6592 litre	10,640 %	29055,8248 litre	O
460	CM	150	CM	48 LEVEL CM	3358,0519 litre	10,328 %	29157,4321 litre	O
460	CM	150	CM	47 LEVEL CM	3257,2978 litre	10,018 %	29258,1862 litre	O
460	CM	150	CM	46 LEVEL CM	3157,4128 litre	9,710 %	29358,0712 litre	O
460	CM	150	CM	45 LEVEL CM	3058,4130 litre	9,406 %	29457,0710 litre	O
460	CM	150	CM	44 LEVEL CM	2960,3150 litre	9,104 %	29555,1690 litre	O
460	CM	150	CM	43 LEVEL CM	2863,1359 litre	8,805 %	29652,3481 litre	O
460	CM	150	CM	42 LEVEL CM	2766,8933 litre	8,509 %	29748,5907 litre	O
460	CM	150	CM	41 LEVEL CM	2671,6052 litre	8,216 %	29843,8788 litre	O
460	CM	150	CM	40 LEVEL CM	2577,2903 litre	7,926 %	29938,1937 litre	O
460	CM	150	CM	39 LEVEL CM	2483,9678 litre	7,639 %	30031,5162 litre	O
460	CM	150	CM	38 LEVEL CM	2391,6575 litre	7,355 %	30123,8265 litre	O
460	CM	150	CM	37 LEVEL CM	2300,3800 litre	7,075 %	30215,1040 litre	O

460	CM	150	CM	36 LEVEL CM	2210,1564 litre	6,797 %	30305,3276 litre	O
460	CM	150	CM	35 LEVEL CM	2121,0086 litre	6,523 %	30394,4754 litre	O
460	CM	150	CM	34 LEVEL CM	2032,9596 litre	6,252 %	30482,5244 litre	O
460	CM	150	CM	33 LEVEL CM	1946,0328 litre	5,985 %	30569,4512 litre	O
460	CM	150	CM	32 LEVEL CM	1860,2528 litre	5,721 %	30655,2312 litre	O
460	CM	150	CM	31 LEVEL CM	1775,6451 litre	5,461 %	30739,8389 litre	O
460	CM	150	CM	30 LEVEL CM	1692,2365 litre	5,204 %	30823,2475 litre	O
460	CM	150	CM	29 LEVEL CM	1610,0546 litre	4,952 %	30905,4294 litre	O
460	CM	150	CM	28 LEVEL CM	1529,1285 litre	4,703 %	30986,3555 litre	O
460	CM	150	CM	27 LEVEL CM	1449,4887 litre	4,458 %	31065,9953 litre	O
460	CM	150	CM	26 LEVEL CM	1371,1671 litre	4,217 %	31144,3169 litre	O
460	CM	150	CM	25 LEVEL CM	1294,1972 litre	3,980 %	31221,2868 litre	O
460	CM	150	CM	24 LEVEL CM	1218,6145 litre	3,748 %	31296,8695 litre	O
460	CM	150	CM	23 LEVEL CM	1144,4562 litre	3,520 %	31371,0278 litre	O
460	CM	150	CM	22 LEVEL CM	1071,7619 litre	3,296 %	31443,7221 litre	O
460	CM	150	CM	21 LEVEL CM	1000,5737 litre	3,077 %	31514,9103 litre	O
460	CM	150	CM	20 LEVEL CM	930,9362 litre	2,863 %	31584,5478 litre	O
460	CM	150	CM	19 LEVEL CM	862,8972 litre	2,654 %	31652,5868 litre	O
460	CM	150	CM	18 LEVEL CM	796,5079 litre	2,450 %	31718,9761 litre	O
460	CM	150	CM	17 LEVEL CM	731,8235 litre	2,251 %	31783,6605 litre	O
460	CM	150	CM	16 LEVEL CM	668,9037 litre	2,057 %	31846,5803 litre	O
460	CM	150	CM	15 LEVEL CM	607,8131 litre	1,869 %	31907,6709 litre	O
460	CM	150	CM	14 LEVEL CM	548,6228 litre	1,687 %	31966,8612 litre	O
460	CM	150	CM	13 LEVEL CM	491,4104 litre	1,511 %	32024,0736 litre	O
460	CM	150	CM	12 LEVEL CM	436,2623 litre	1,342 %	32079,2217 litre	O
460	CM	150	CM	11 LEVEL CM	383,2749 litre	1,179 %	32132,2091 litre	O
460	CM	150	CM	10 LEVEL CM	332,5569 litre	1,023 %	32182,9271 litre	O
460	CM	150	CM	9 LEVEL CM	284,2322 litre	0,874 %	32231,2518 litre	O
460	CM	150	CM	8 LEVEL CM	238,4443 litre	0,733 %	32277,0397 litre	O
460	CM	150	CM	7 LEVEL CM	195,3622 litre	0,601 %	32320,1218 litre	O
460	CM	150	CM	6 LEVEL CM	155,1890 litre	0,477 %	32360,2950 litre	O
460	CM	150	CM	5 LEVEL CM	118,1759 litre	0,363 %	32397,3081 litre	O
460	CM	150	CM	4 LEVEL CM	84,6452 litre	0,260 %	32430,8388 litre	O
460	CM	150	CM	3 LEVEL CM	55,0341 litre	0,169 %	32460,4499 litre	O
460	CM	150	CM	2 LEVEL CM	29,9869 litre	0,092 %	32485,4971 litre	O
460	CM	150	CM	1 LEVEL CM	10,6126 litre	0,033 %	32504,8714 litre	O
460	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	32515,4840 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 145	CM 290 LEVEL CM	30383,9133 litre	100,000 %	0,0000 litre	O
460	CM 145	CM 289 LEVEL CM	30373,4795 litre	99,966 %	10,4338 litre	O
460	CM 145	CM 288 LEVEL CM	30354,4325 litre	99,903 %	29,4808 litre	O
460	CM 145	CM 287 LEVEL CM	30329,8099 litre	99,822 %	54,1034 litre	O
460	CM 145	CM 286 LEVEL CM	30300,7024 litre	99,726 %	83,2109 litre	O
460	CM 145	CM 285 LEVEL CM	30267,7440 litre	99,618 %	116,1693 litre	O
460	CM 145	CM 284 LEVEL CM	30231,3647 litre	99,498 %	152,5486 litre	O
460	CM 145	CM 283 LEVEL CM	30191,8818 litre	99,368 %	192,0315 litre	O
460	CM 145	CM 282 LEVEL CM	30149,5426 litre	99,229 %	234,3707 litre	O
460	CM 145	CM 281 LEVEL CM	30104,5470 litre	99,081 %	279,3663 litre	O
460	CM 145	CM 280 LEVEL CM	30057,0614 litre	98,924 %	326,8519 litre	O
460	CM 145	CM 279 LEVEL CM	30007,2270 litre	98,760 %	376,6863 litre	O
460	CM 145	CM 278 LEVEL CM	29955,1660 litre	98,589 %	428,7473 litre	O
460	CM 145	CM 277 LEVEL CM	29900,9855 litre	98,411 %	482,9278 litre	O
460	CM 145	CM 276 LEVEL CM	29844,7805 litre	98,226 %	539,1328 litre	O
460	CM 145	CM 275 LEVEL CM	29786,6360 litre	98,034 %	597,2773 litre	O
460	CM 145	CM 274 LEVEL CM	29726,6288 litre	97,837 %	657,2845 litre	O
460	CM 145	CM 273 LEVEL CM	29664,8286 litre	97,633 %	719,0847 litre	O
460	CM 145	CM 272 LEVEL CM	29601,2994 litre	97,424 %	782,6139 litre	O
460	CM 145	CM 271 LEVEL CM	29536,1000 litre	97,210 %	847,8133 litre	O
460	CM 145	CM 270 LEVEL CM	29469,2848 litre	96,990 %	914,6285 litre	O
460	CM 145	CM 269 LEVEL CM	29400,9044 litre	96,765 %	983,0089 litre	O
460	CM 145	CM 268 LEVEL CM	29331,0059 litre	96,535 %	1052,9074 litre	O
460	CM 145	CM 267 LEVEL CM	29259,6335 litre	96,300 %	1124,2798 litre	O
460	CM 145	CM 266 LEVEL CM	29186,8286 litre	96,060 %	1197,0847 litre	O
460	CM 145	CM 265 LEVEL CM	29112,6302 litre	95,816 %	1271,2831 litre	O
460	CM 145	CM 264 LEVEL CM	29037,0754 litre	95,567 %	1346,8379 litre	O
460	CM 145	CM 263 LEVEL CM	28960,1989 litre	95,314 %	1423,7144 litre	O
460	CM 145	CM 262 LEVEL CM	28882,0341 litre	95,057 %	1501,8792 litre	O
460	CM 145	CM 261 LEVEL CM	28802,6124 litre	94,796 %	1581,3009 litre	O
460	CM 145	CM 260 LEVEL CM	28721,9639 litre	94,530 %	1661,9494 litre	O
460	CM 145	CM 259 LEVEL CM	28640,1173 litre	94,261 %	1743,7960 litre	O
460	CM 145	CM 258 LEVEL CM	28557,1002 litre	93,988 %	1826,8131 litre	O
460	CM 145	CM 257 LEVEL CM	28472,9389 litre	93,711 %	1910,9744 litre	O
460	CM 145	CM 256 LEVEL CM	28387,6586 litre	93,430 %	1996,2547 litre	O
460	CM 145	CM 255 LEVEL CM	28301,2836 litre	93,146 %	2082,6297 litre	O
460	CM 145	CM 254 LEVEL CM	28213,8373 litre	92,858 %	2170,0760 litre	O
460	CM 145	CM 253 LEVEL CM	28125,3423 litre	92,567 %	2258,5710 litre	O
460	CM 145	CM 252 LEVEL CM	28035,8203 litre	92,272 %	2348,0930 litre	O
460	CM 145	CM 251 LEVEL CM	27945,2922 litre	91,974 %	2438,6211 litre	O
460	CM 145	CM 250 LEVEL CM	27853,7785 litre	91,673 %	2530,1348 litre	O
460	CM 145	CM 249 LEVEL CM	27761,2987 litre	91,368 %	2622,6146 litre	O
460	CM 145	CM 248 LEVEL CM	27667,8719 litre	91,061 %	2716,0414 litre	O
460	CM 145	CM 247 LEVEL CM	27573,5166 litre	90,750 %	2810,3967 litre	O
460	CM 145	CM 246 LEVEL CM	27478,2506 litre	90,437 %	2905,6627 litre	O
460	CM 145	CM 245 LEVEL CM	27382,0915 litre	90,120 %	3001,8218 litre	O
460	CM 145	CM 244 LEVEL CM	27285,0562 litre	89,801 %	3098,8571 litre	O
460	CM 145	CM 243 LEVEL CM	27187,1611 litre	89,479 %	3196,7522 litre	O
460	CM 145	CM 242 LEVEL CM	27088,4224 litre	89,154 %	3295,4909 litre	O
460	CM 145	CM 241 LEVEL CM	26988,8556 litre	88,826 %	3395,0577 litre	O
460	CM 145	CM 240 LEVEL CM	26888,4760 litre	88,496 %	3495,4373 litre	O
460	CM 145	CM 239 LEVEL CM	26787,2986 litre	88,163 %	3596,6147 litre	O

460	CM	145	CM	238 LEVEL CM	26685,3378 litre	87,827 %	3698,5755 litre	O
460	CM	145	CM	237 LEVEL CM	26582,6079 litre	87,489 %	3801,3054 litre	O
460	CM	145	CM	236 LEVEL CM	26479,1228 litre	87,148 %	3904,7905 litre	O
460	CM	145	CM	235 LEVEL CM	26374,8960 litre	86,805 %	4009,0173 litre	O
460	CM	145	CM	234 LEVEL CM	26269,9410 litre	86,460 %	4113,9723 litre	O
460	CM	145	CM	233 LEVEL CM	26164,2706 litre	86,112 %	4219,6427 litre	O
460	CM	145	CM	232 LEVEL CM	26057,8976 litre	85,762 %	4326,0157 litre	O
460	CM	145	CM	231 LEVEL CM	25950,8347 litre	85,410 %	4433,0786 litre	O
460	CM	145	CM	230 LEVEL CM	25843,0940 litre	85,055 %	4540,8193 litre	O
460	CM	145	CM	229 LEVEL CM	25734,6876 litre	84,698 %	4649,2257 litre	O
460	CM	145	CM	228 LEVEL CM	25625,6274 litre	84,339 %	4758,2859 litre	O
460	CM	145	CM	227 LEVEL CM	25515,9248 litre	83,978 %	4867,9885 litre	O
460	CM	145	CM	226 LEVEL CM	25405,5914 litre	83,615 %	4978,3219 litre	O
460	CM	145	CM	225 LEVEL CM	25294,6384 litre	83,250 %	5089,2749 litre	O
460	CM	145	CM	224 LEVEL CM	25183,0768 litre	82,883 %	5200,8365 litre	O
460	CM	145	CM	223 LEVEL CM	25070,9174 litre	82,514 %	5312,9959 litre	O
460	CM	145	CM	222 LEVEL CM	24958,1709 litre	82,143 %	5425,7424 litre	O
460	CM	145	CM	221 LEVEL CM	24844,8478 litre	81,770 %	5539,0655 litre	O
460	CM	145	CM	220 LEVEL CM	24730,9585 litre	81,395 %	5652,9548 litre	O
460	CM	145	CM	219 LEVEL CM	24616,5132 litre	81,018 %	5767,4001 litre	O
460	CM	145	CM	218 LEVEL CM	24501,5219 litre	80,640 %	5882,3914 litre	O
460	CM	145	CM	217 LEVEL CM	24385,9945 litre	80,260 %	5997,9188 litre	O
460	CM	145	CM	216 LEVEL CM	24269,9408 litre	79,878 %	6113,9725 litre	O
460	CM	145	CM	215 LEVEL CM	24153,3704 litre	79,494 %	6230,5429 litre	O
460	CM	145	CM	214 LEVEL CM	24036,2929 litre	79,109 %	6347,6204 litre	O
460	CM	145	CM	213 LEVEL CM	23918,7176 litre	78,722 %	6465,1957 litre	O
460	CM	145	CM	212 LEVEL CM	23800,6538 litre	78,333 %	6583,2595 litre	O
460	CM	145	CM	211 LEVEL CM	23682,1107 litre	77,943 %	6701,8026 litre	O
460	CM	145	CM	210 LEVEL CM	23563,0972 litre	77,551 %	6820,8161 litre	O
460	CM	145	CM	209 LEVEL CM	23443,6224 litre	77,158 %	6940,2909 litre	O
460	CM	145	CM	208 LEVEL CM	23323,6950 litre	76,763 %	7060,2183 litre	O
460	CM	145	CM	207 LEVEL CM	23203,3238 litre	76,367 %	7180,5895 litre	O
460	CM	145	CM	206 LEVEL CM	23082,5175 litre	75,970 %	7301,3958 litre	O
460	CM	145	CM	205 LEVEL CM	22961,2845 litre	75,571 %	7422,6288 litre	O
460	CM	145	CM	204 LEVEL CM	22839,6333 litre	75,170 %	7544,2800 litre	O
460	CM	145	CM	203 LEVEL CM	22717,5723 litre	74,768 %	7666,3410 litre	O
460	CM	145	CM	202 LEVEL CM	22595,1098 litre	74,365 %	7788,8035 litre	O
460	CM	145	CM	201 LEVEL CM	22472,2540 litre	73,961 %	7911,6593 litre	O
460	CM	145	CM	200 LEVEL CM	22349,0129 litre	73,555 %	8034,9004 litre	O
460	CM	145	CM	199 LEVEL CM	22225,3947 litre	73,149 %	8158,5186 litre	O
460	CM	145	CM	198 LEVEL CM	22101,4074 litre	72,740 %	8282,5059 litre	O
460	CM	145	CM	197 LEVEL CM	21977,0587 litre	72,331 %	8406,8546 litre	O
460	CM	145	CM	196 LEVEL CM	21852,3566 litre	71,921 %	8531,5567 litre	O
460	CM	145	CM	195 LEVEL CM	21727,3088 litre	71,509 %	8656,6045 litre	O
460	CM	145	CM	194 LEVEL CM	21601,9231 litre	71,097 %	8781,9902 litre	O
460	CM	145	CM	193 LEVEL CM	21476,2070 litre	70,683 %	8907,7063 litre	O
460	CM	145	CM	192 LEVEL CM	21350,1681 litre	70,268 %	9033,7452 litre	O
460	CM	145	CM	191 LEVEL CM	21223,8140 litre	69,852 %	9160,0993 litre	O
460	CM	145	CM	190 LEVEL CM	21097,1522 litre	69,435 %	9286,7611 litre	O
460	CM	145	CM	189 LEVEL CM	20970,1900 litre	69,017 %	9413,7233 litre	O
460	CM	145	CM	188 LEVEL CM	20842,9348 litre	68,599 %	9540,9785 litre	O
460	CM	145	CM	187 LEVEL CM	20715,3939 litre	68,179 %	9668,5194 litre	O
460	CM	145	CM	186 LEVEL CM	20587,5747 litre	67,758 %	9796,3386 litre	O

460	CM	145	CM	185 LEVEL CM	20459,4842 litre	67,337 %	9924,4291 litre	O
460	CM	145	CM	184 LEVEL CM	20331,1296 litre	66,914 %	10052,7837 litre	O
460	CM	145	CM	183 LEVEL CM	20202,5182 litre	66,491 %	10181,3951 litre	O
460	CM	145	CM	182 LEVEL CM	20073,6569 litre	66,067 %	10310,2564 litre	O
460	CM	145	CM	181 LEVEL CM	19944,5528 litre	65,642 %	10439,3605 litre	O
460	CM	145	CM	180 LEVEL CM	19815,2129 litre	65,216 %	10568,7004 litre	O
460	CM	145	CM	179 LEVEL CM	19685,6441 litre	64,790 %	10698,2692 litre	O
460	CM	145	CM	178 LEVEL CM	19555,8535 litre	64,363 %	10828,0598 litre	O
460	CM	145	CM	177 LEVEL CM	19425,8478 litre	63,935 %	10958,0655 litre	O
460	CM	145	CM	176 LEVEL CM	19295,6340 litre	63,506 %	11088,2793 litre	O
460	CM	145	CM	175 LEVEL CM	19165,2188 litre	63,077 %	11218,6945 litre	O
460	CM	145	CM	174 LEVEL CM	19034,6090 litre	62,647 %	11349,3043 litre	O
460	CM	145	CM	173 LEVEL CM	18903,8115 litre	62,217 %	11480,1018 litre	O
460	CM	145	CM	172 LEVEL CM	18772,8329 litre	61,785 %	11611,0804 litre	O
460	CM	145	CM	171 LEVEL CM	18641,6799 litre	61,354 %	11742,2334 litre	O
460	CM	145	CM	170 LEVEL CM	18510,3592 litre	60,922 %	11873,5541 litre	O
460	CM	145	CM	169 LEVEL CM	18378,8775 litre	60,489 %	12005,0358 litre	O
460	CM	145	CM	168 LEVEL CM	18247,2414 litre	60,056 %	12136,6719 litre	O
460	CM	145	CM	167 LEVEL CM	18115,4575 litre	59,622 %	12268,4558 litre	O
460	CM	145	CM	166 LEVEL CM	17983,5324 litre	59,188 %	12400,3809 litre	O
460	CM	145	CM	165 LEVEL CM	17851,4726 litre	58,753 %	12532,4407 litre	O
460	CM	145	CM	164 LEVEL CM	17719,2847 litre	58,318 %	12664,6286 litre	O
460	CM	145	CM	163 LEVEL CM	17586,9752 litre	57,883 %	12796,9381 litre	O
460	CM	145	CM	162 LEVEL CM	17454,5506 litre	57,447 %	12929,3627 litre	O
460	CM	145	CM	161 LEVEL CM	17322,0173 litre	57,010 %	13061,8960 litre	O
460	CM	145	CM	160 LEVEL CM	17189,3820 litre	56,574 %	13194,5313 litre	O
460	CM	145	CM	159 LEVEL CM	17056,6509 litre	56,137 %	13327,2624 litre	O
460	CM	145	CM	158 LEVEL CM	16923,8306 litre	55,700 %	13460,0827 litre	O
460	CM	145	CM	157 LEVEL CM	16790,9275 litre	55,263 %	13592,9858 litre	O
460	CM	145	CM	156 LEVEL CM	16657,9480 litre	54,825 %	13725,9653 litre	O
460	CM	145	CM	155 LEVEL CM	16524,8984 litre	54,387 %	13859,0149 litre	O
460	CM	145	CM	154 LEVEL CM	16391,7853 litre	53,949 %	13992,1280 litre	O
460	CM	145	CM	153 LEVEL CM	16258,6150 litre	53,511 %	14125,2983 litre	O
460	CM	145	CM	152 LEVEL CM	16125,3938 litre	53,072 %	14258,5195 litre	O
460	CM	145	CM	151 LEVEL CM	15992,1282 litre	52,634 %	14391,7851 litre	O
460	CM	145	CM	150 LEVEL CM	15858,8245 litre	52,195 %	14525,0888 litre	O
460	CM	145	CM	149 LEVEL CM	15725,4890 litre	51,756 %	14658,4243 litre	O
460	CM	145	CM	148 LEVEL CM	15592,1281 litre	51,317 %	14791,7852 litre	O
460	CM	145	CM	147 LEVEL CM	15458,7482 litre	50,878 %	14925,1651 litre	O
460	CM	145	CM	146 LEVEL CM	15325,3556 litre	50,439 %	15058,5577 litre	O
460	CM	145	CM	145 LEVEL CM	15191,9567 litre	50,000 %	15191,9566 litre	O
460	CM	145	CM	144 LEVEL CM	15058,5577 litre	49,561 %	15325,3556 litre	O
460	CM	145	CM	143 LEVEL CM	14925,1651 litre	49,122 %	15458,7482 litre	O
460	CM	145	CM	142 LEVEL CM	14791,7852 litre	48,683 %	15592,1281 litre	O
460	CM	145	CM	141 LEVEL CM	14658,4244 litre	48,244 %	15725,4889 litre	O
460	CM	145	CM	140 LEVEL CM	14525,0889 litre	47,805 %	15858,8244 litre	O
460	CM	145	CM	139 LEVEL CM	14391,7851 litre	47,366 %	15992,1282 litre	O
460	CM	145	CM	138 LEVEL CM	14258,5195 litre	46,928 %	16125,3938 litre	O
460	CM	145	CM	137 LEVEL CM	14125,2983 litre	46,489 %	16258,6150 litre	O
460	CM	145	CM	136 LEVEL CM	13992,1280 litre	46,051 %	16391,7853 litre	O
460	CM	145	CM	135 LEVEL CM	13859,0149 litre	45,613 %	16524,8984 litre	O
460	CM	145	CM	134 LEVEL CM	13725,9654 litre	45,175 %	16657,9479 litre	O
460	CM	145	CM	133 LEVEL CM	13592,9859 litre	44,737 %	16790,9274 litre	O

460	CM	145	CM	132 LEVEL CM	13460,0827 litre	44,300 %	16923,8306 litre	O
460	CM	145	CM	131 LEVEL CM	13327,2624 litre	43,863 %	17056,6509 litre	O
460	CM	145	CM	130 LEVEL CM	13194,5314 litre	43,426 %	17189,3819 litre	O
460	CM	145	CM	129 LEVEL CM	13061,8960 litre	42,990 %	17322,0173 litre	O
460	CM	145	CM	128 LEVEL CM	12929,3628 litre	42,553 %	17454,5505 litre	O
460	CM	145	CM	127 LEVEL CM	12796,9382 litre	42,117 %	17586,9751 litre	O
460	CM	145	CM	126 LEVEL CM	12664,6287 litre	41,682 %	17719,2846 litre	O
460	CM	145	CM	125 LEVEL CM	12532,4408 litre	41,247 %	17851,4725 litre	O
460	CM	145	CM	124 LEVEL CM	12400,3810 litre	40,812 %	17983,5323 litre	O
460	CM	145	CM	123 LEVEL CM	12268,4558 litre	40,378 %	18115,4575 litre	O
460	CM	145	CM	122 LEVEL CM	12136,6719 litre	39,944 %	18247,2414 litre	O
460	CM	145	CM	121 LEVEL CM	12005,0358 litre	39,511 %	18378,8775 litre	O
460	CM	145	CM	120 LEVEL CM	11873,5541 litre	39,078 %	18510,3592 litre	O
460	CM	145	CM	119 LEVEL CM	11742,2335 litre	38,646 %	18641,6798 litre	O
460	CM	145	CM	118 LEVEL CM	11611,0805 litre	38,215 %	18772,8328 litre	O
460	CM	145	CM	117 LEVEL CM	11480,1019 litre	37,783 %	18903,8114 litre	O
460	CM	145	CM	116 LEVEL CM	11349,3043 litre	37,353 %	19034,6090 litre	O
460	CM	145	CM	115 LEVEL CM	11218,6946 litre	36,923 %	19165,2187 litre	O
460	CM	145	CM	114 LEVEL CM	11088,2794 litre	36,494 %	19295,6339 litre	O
460	CM	145	CM	113 LEVEL CM	10958,0656 litre	36,065 %	19425,8477 litre	O
460	CM	145	CM	112 LEVEL CM	10828,0599 litre	35,637 %	19555,8534 litre	O
460	CM	145	CM	111 LEVEL CM	10698,2692 litre	35,210 %	19685,6441 litre	O
460	CM	145	CM	110 LEVEL CM	10568,7005 litre	34,784 %	19815,2128 litre	O
460	CM	145	CM	109 LEVEL CM	10439,3606 litre	34,358 %	19944,5527 litre	O
460	CM	145	CM	108 LEVEL CM	10310,2565 litre	33,933 %	20073,6568 litre	O
460	CM	145	CM	107 LEVEL CM	10181,3952 litre	33,509 %	20202,5181 litre	O
460	CM	145	CM	106 LEVEL CM	10052,7837 litre	33,086 %	20331,1296 litre	O
460	CM	145	CM	105 LEVEL CM	9924,4292 litre	32,663 %	20459,4841 litre	O
460	CM	145	CM	104 LEVEL CM	9796,3387 litre	32,242 %	20587,5746 litre	O
460	CM	145	CM	103 LEVEL CM	9668,5194 litre	31,821 %	20715,3939 litre	O
460	CM	145	CM	102 LEVEL CM	9540,9785 litre	31,401 %	20842,9348 litre	O
460	CM	145	CM	101 LEVEL CM	9413,7233 litre	30,983 %	20970,1900 litre	O
460	CM	145	CM	100 LEVEL CM	9286,7612 litre	30,565 %	21097,1521 litre	O
460	CM	145	CM	99 LEVEL CM	9160,0993 litre	30,148 %	21223,8140 litre	O
460	CM	145	CM	98 LEVEL CM	9033,7452 litre	29,732 %	21350,1681 litre	O
460	CM	145	CM	97 LEVEL CM	8907,7064 litre	29,317 %	21476,2069 litre	O
460	CM	145	CM	96 LEVEL CM	8781,9903 litre	28,903 %	21601,9230 litre	O
460	CM	145	CM	95 LEVEL CM	8656,6045 litre	28,491 %	21727,3088 litre	O
460	CM	145	CM	94 LEVEL CM	8531,5568 litre	28,079 %	21852,3565 litre	O
460	CM	145	CM	93 LEVEL CM	8406,8546 litre	27,669 %	21977,0587 litre	O
460	CM	145	CM	92 LEVEL CM	8282,5060 litre	27,260 %	22101,4073 litre	O
460	CM	145	CM	91 LEVEL CM	8158,5186 litre	26,851 %	22225,3947 litre	O
460	CM	145	CM	90 LEVEL CM	8034,9004 litre	26,445 %	22349,0129 litre	O
460	CM	145	CM	89 LEVEL CM	7911,6594 litre	26,039 %	22472,2539 litre	O
460	CM	145	CM	88 LEVEL CM	7788,8035 litre	25,635 %	22595,1098 litre	O
460	CM	145	CM	87 LEVEL CM	7666,3410 litre	25,232 %	22717,5723 litre	O
460	CM	145	CM	86 LEVEL CM	7544,2800 litre	24,830 %	22839,6333 litre	O
460	CM	145	CM	85 LEVEL CM	7422,6289 litre	24,429 %	22961,2844 litre	O
460	CM	145	CM	84 LEVEL CM	7301,3959 litre	24,030 %	23082,5174 litre	O
460	CM	145	CM	83 LEVEL CM	7180,5895 litre	23,633 %	23203,3238 litre	O
460	CM	145	CM	82 LEVEL CM	7060,2183 litre	23,237 %	23323,6950 litre	O
460	CM	145	CM	81 LEVEL CM	6940,2909 litre	22,842 %	23443,6224 litre	O
460	CM	145	CM	80 LEVEL CM	6820,8161 litre	22,449 %	23563,0972 litre	O

460	CM	145	CM	79 LEVEL CM	6701,8027 litre	22,057 %	23682,1106 litre	O
460	CM	145	CM	78 LEVEL CM	6583,2595 litre	21,667 %	23800,6538 litre	O
460	CM	145	CM	77 LEVEL CM	6465,1957 litre	21,278 %	23918,7176 litre	O
460	CM	145	CM	76 LEVEL CM	6347,6204 litre	20,891 %	24036,2929 litre	O
460	CM	145	CM	75 LEVEL CM	6230,5429 litre	20,506 %	24153,3704 litre	O
460	CM	145	CM	74 LEVEL CM	6113,9725 litre	20,122 %	24269,9408 litre	O
460	CM	145	CM	73 LEVEL CM	5997,9189 litre	19,740 %	24385,9944 litre	O
460	CM	145	CM	72 LEVEL CM	5882,3915 litre	19,360 %	24501,5218 litre	O
460	CM	145	CM	71 LEVEL CM	5767,4002 litre	18,982 %	24616,5131 litre	O
460	CM	145	CM	70 LEVEL CM	5652,9548 litre	18,605 %	24730,9585 litre	O
460	CM	145	CM	69 LEVEL CM	5539,0655 litre	18,230 %	24844,8478 litre	O
460	CM	145	CM	68 LEVEL CM	5425,7425 litre	17,857 %	24958,1708 litre	O
460	CM	145	CM	67 LEVEL CM	5312,9960 litre	17,486 %	25070,9173 litre	O
460	CM	145	CM	66 LEVEL CM	5200,8366 litre	17,117 %	25183,0767 litre	O
460	CM	145	CM	65 LEVEL CM	5089,2749 litre	16,750 %	25294,6384 litre	O
460	CM	145	CM	64 LEVEL CM	4978,3219 litre	16,385 %	25405,5914 litre	O
460	CM	145	CM	63 LEVEL CM	4867,9885 litre	16,022 %	25515,9248 litre	O
460	CM	145	CM	62 LEVEL CM	4758,2860 litre	15,661 %	25625,6273 litre	O
460	CM	145	CM	61 LEVEL CM	4649,2257 litre	15,302 %	25734,6876 litre	O
460	CM	145	CM	60 LEVEL CM	4540,8193 litre	14,945 %	25843,0940 litre	O
460	CM	145	CM	59 LEVEL CM	4433,0786 litre	14,590 %	25950,8347 litre	O
460	CM	145	CM	58 LEVEL CM	4326,0157 litre	14,238 %	26057,8976 litre	O
460	CM	145	CM	57 LEVEL CM	4219,6428 litre	13,888 %	26164,2705 litre	O
460	CM	145	CM	56 LEVEL CM	4113,9724 litre	13,540 %	26269,9409 litre	O
460	CM	145	CM	55 LEVEL CM	4009,0173 litre	13,195 %	26374,8960 litre	O
460	CM	145	CM	54 LEVEL CM	3904,7905 litre	12,852 %	26479,1228 litre	O
460	CM	145	CM	53 LEVEL CM	3801,3054 litre	12,511 %	26582,6079 litre	O
460	CM	145	CM	52 LEVEL CM	3698,5755 litre	12,173 %	26685,3378 litre	O
460	CM	145	CM	51 LEVEL CM	3596,6148 litre	11,837 %	26787,2985 litre	O
460	CM	145	CM	50 LEVEL CM	3495,4373 litre	11,504 %	26888,4760 litre	O
460	CM	145	CM	49 LEVEL CM	3395,0578 litre	11,174 %	26988,8555 litre	O
460	CM	145	CM	48 LEVEL CM	3295,4910 litre	10,846 %	27088,4223 litre	O
460	CM	145	CM	47 LEVEL CM	3196,7522 litre	10,521 %	27187,1611 litre	O
460	CM	145	CM	46 LEVEL CM	3098,8572 litre	10,199 %	27285,0561 litre	O
460	CM	145	CM	45 LEVEL CM	3001,8218 litre	9,880 %	27382,0915 litre	O
460	CM	145	CM	44 LEVEL CM	2905,6627 litre	9,563 %	27478,2506 litre	O
460	CM	145	CM	43 LEVEL CM	2810,3968 litre	9,250 %	27573,5165 litre	O
460	CM	145	CM	42 LEVEL CM	2716,0415 litre	8,939 %	27667,8718 litre	O
460	CM	145	CM	41 LEVEL CM	2622,6147 litre	8,632 %	27761,2986 litre	O
460	CM	145	CM	40 LEVEL CM	2530,1349 litre	8,327 %	27853,7784 litre	O
460	CM	145	CM	39 LEVEL CM	2438,6211 litre	8,026 %	27945,2922 litre	O
460	CM	145	CM	38 LEVEL CM	2348,0931 litre	7,728 %	28035,8202 litre	O
460	CM	145	CM	37 LEVEL CM	2258,5710 litre	7,433 %	28125,3423 litre	O
460	CM	145	CM	36 LEVEL CM	2170,0760 litre	7,142 %	28213,8373 litre	O
460	CM	145	CM	35 LEVEL CM	2082,6298 litre	6,854 %	28301,2835 litre	O
460	CM	145	CM	34 LEVEL CM	1996,2548 litre	6,570 %	28387,6585 litre	O
460	CM	145	CM	33 LEVEL CM	1910,9745 litre	6,289 %	28472,9388 litre	O
460	CM	145	CM	32 LEVEL CM	1826,8131 litre	6,012 %	28557,1002 litre	O
460	CM	145	CM	31 LEVEL CM	1743,7960 litre	5,739 %	28640,1173 litre	O
460	CM	145	CM	30 LEVEL CM	1661,9495 litre	5,470 %	28721,9638 litre	O
460	CM	145	CM	29 LEVEL CM	1581,3010 litre	5,204 %	28802,6123 litre	O
460	CM	145	CM	28 LEVEL CM	1501,8793 litre	4,943 %	28882,0340 litre	O
460	CM	145	CM	27 LEVEL CM	1423,7144 litre	4,686 %	28960,1989 litre	O

460	CM	145	CM	26 LEVEL CM	1346,8380 litre	4,433 %	29037,0753 litre	O
460	CM	145	CM	25 LEVEL CM	1271,2831 litre	4,184 %	29112,6302 litre	O
460	CM	145	CM	24 LEVEL CM	1197,0848 litre	3,940 %	29186,8285 litre	O
460	CM	145	CM	23 LEVEL CM	1124,2799 litre	3,700 %	29259,6334 litre	O
460	CM	145	CM	22 LEVEL CM	1052,9074 litre	3,465 %	29331,0059 litre	O
460	CM	145	CM	21 LEVEL CM	983,0089 litre	3,235 %	29400,9044 litre	O
460	CM	145	CM	20 LEVEL CM	914,6285 litre	3,010 %	29469,2848 litre	O
460	CM	145	CM	19 LEVEL CM	847,8134 litre	2,790 %	29536,0999 litre	O
460	CM	145	CM	18 LEVEL CM	782,6140 litre	2,576 %	29601,2993 litre	O
460	CM	145	CM	17 LEVEL CM	719,0848 litre	2,367 %	29664,8285 litre	O
460	CM	145	CM	16 LEVEL CM	657,2846 litre	2,163 %	29726,6287 litre	O
460	CM	145	CM	15 LEVEL CM	597,2773 litre	1,966 %	29786,6360 litre	O
460	CM	145	CM	14 LEVEL CM	539,1328 litre	1,774 %	29844,7805 litre	O
460	CM	145	CM	13 LEVEL CM	482,9278 litre	1,589 %	29900,9855 litre	O
460	CM	145	CM	12 LEVEL CM	428,7474 litre	1,411 %	29955,1659 litre	O
460	CM	145	CM	11 LEVEL CM	376,6864 litre	1,240 %	30007,2269 litre	O
460	CM	145	CM	10 LEVEL CM	326,8520 litre	1,076 %	30057,0613 litre	O
460	CM	145	CM	9 LEVEL CM	279,3663 litre	0,919 %	30104,5470 litre	O
460	CM	145	CM	8 LEVEL CM	234,3707 litre	0,771 %	30149,5426 litre	O
460	CM	145	CM	7 LEVEL CM	192,0315 litre	0,632 %	30191,8818 litre	O
460	CM	145	CM	6 LEVEL CM	152,5486 litre	0,502 %	30231,3647 litre	O
460	CM	145	CM	5 LEVEL CM	116,1693 litre	0,382 %	30267,7440 litre	O
460	CM	145	CM	4 LEVEL CM	83,2109 litre	0,274 %	30300,7024 litre	O
460	CM	145	CM	3 LEVEL CM	54,1035 litre	0,178 %	30329,8098 litre	O
460	CM	145	CM	2 LEVEL CM	29,4808 litre	0,097 %	30354,4325 litre	O
460	CM	145	CM	1 LEVEL CM	10,4339 litre	0,034 %	30373,4794 litre	O
460	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	30383,9133 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 140	CM 280 LEVEL CM	28324,5994 litre	100,000 %	0,0000 litre	O
460	CM 140	CM 279 LEVEL CM	28314,3473 litre	99,964 %	10,2521 litre	O
460	CM 140	CM 278 LEVEL CM	28295,6334 litre	99,898 %	28,9660 litre	O
460	CM 140	CM 277 LEVEL CM	28271,4428 litre	99,812 %	53,1566 litre	O
460	CM 140	CM 276 LEVEL CM	28242,8479 litre	99,711 %	81,7515 litre	O
460	CM 140	CM 275 LEVEL CM	28210,4719 litre	99,597 %	114,1275 litre	O
460	CM 140	CM 274 LEVEL CM	28174,7376 litre	99,471 %	149,8618 litre	O
460	CM 140	CM 273 LEVEL CM	28135,9574 litre	99,334 %	188,6420 litre	O
460	CM 140	CM 272 LEVEL CM	28094,3743 litre	99,187 %	230,2251 litre	O
460	CM 140	CM 271 LEVEL CM	28050,1851 litre	99,031 %	274,4143 litre	O
460	CM 140	CM 270 LEVEL CM	28003,5536 litre	98,867 %	321,0458 litre	O
460	CM 140	CM 269 LEVEL CM	27954,6189 litre	98,694 %	369,9805 litre	O
460	CM 140	CM 268 LEVEL CM	27903,5011 litre	98,513 %	421,0983 litre	O
460	CM 140	CM 267 LEVEL CM	27850,3059 litre	98,326 %	474,2935 litre	O
460	CM 140	CM 266 LEVEL CM	27795,1266 litre	98,131 %	529,4728 litre	O
460	CM 140	CM 265 LEVEL CM	27738,0471 litre	97,929 %	586,5523 litre	O
460	CM 140	CM 264 LEVEL CM	27679,1430 litre	97,721 %	645,4564 litre	O
460	CM 140	CM 263 LEVEL CM	27618,4832 litre	97,507 %	706,1162 litre	O
460	CM 140	CM 262 LEVEL CM	27556,1305 litre	97,287 %	768,4689 litre	O
460	CM 140	CM 261 LEVEL CM	27492,1431 litre	97,061 %	832,4563 litre	O
460	CM 140	CM 260 LEVEL CM	27426,5746 litre	96,830 %	898,0248 litre	O
460	CM 140	CM 259 LEVEL CM	27359,4749 litre	96,593 %	965,1245 litre	O
460	CM 140	CM 258 LEVEL CM	27290,8904 litre	96,350 %	1033,7090 litre	O
460	CM 140	CM 257 LEVEL CM	27220,8648 litre	96,103 %	1103,7346 litre	O
460	CM 140	CM 256 LEVEL CM	27149,4389 litre	95,851 %	1175,1605 litre	O
460	CM 140	CM 255 LEVEL CM	27076,6513 litre	95,594 %	1247,9481 litre	O
460	CM 140	CM 254 LEVEL CM	27002,5385 litre	95,332 %	1322,0609 litre	O
460	CM 140	CM 253 LEVEL CM	26927,1349 litre	95,066 %	1397,4645 litre	O
460	CM 140	CM 252 LEVEL CM	26850,4734 litre	94,796 %	1474,1260 litre	O
460	CM 140	CM 251 LEVEL CM	26772,5850 litre	94,521 %	1552,0144 litre	O
460	CM 140	CM 250 LEVEL CM	26693,4997 litre	94,241 %	1631,0997 litre	O
460	CM 140	CM 249 LEVEL CM	26613,2456 litre	93,958 %	1711,3538 litre	O
460	CM 140	CM 248 LEVEL CM	26531,8501 litre	93,671 %	1792,7493 litre	O
460	CM 140	CM 247 LEVEL CM	26449,3391 litre	93,379 %	1875,2603 litre	O
460	CM 140	CM 246 LEVEL CM	26365,7378 litre	93,084 %	1958,8616 litre	O
460	CM 140	CM 245 LEVEL CM	26281,0700 litre	92,785 %	2043,5294 litre	O
460	CM 140	CM 244 LEVEL CM	26195,3589 litre	92,483 %	2129,2405 litre	O
460	CM 140	CM 243 LEVEL CM	26108,6270 litre	92,177 %	2215,9724 litre	O
460	CM 140	CM 242 LEVEL CM	26020,8956 litre	91,867 %	2303,7038 litre	O
460	CM 140	CM 241 LEVEL CM	25932,1856 litre	91,554 %	2392,4138 litre	O
460	CM 140	CM 240 LEVEL CM	25842,5170 litre	91,237 %	2482,0824 litre	O
460	CM 140	CM 239 LEVEL CM	25751,9095 litre	90,917 %	2572,6899 litre	O
460	CM 140	CM 238 LEVEL CM	25660,3818 litre	90,594 %	2664,2176 litre	O
460	CM 140	CM 237 LEVEL CM	25567,9523 litre	90,268 %	2756,6471 litre	O
460	CM 140	CM 236 LEVEL CM	25474,6388 litre	89,938 %	2849,9606 litre	O
460	CM 140	CM 235 LEVEL CM	25380,4585 litre	89,606 %	2944,1409 litre	O
460	CM 140	CM 234 LEVEL CM	25285,4282 litre	89,270 %	3039,1712 litre	O
460	CM 140	CM 233 LEVEL CM	25189,5644 litre	88,932 %	3135,0350 litre	O
460	CM 140	CM 232 LEVEL CM	25092,8830 litre	88,590 %	3231,7164 litre	O
460	CM 140	CM 231 LEVEL CM	24995,3994 litre	88,246 %	3329,2000 litre	O
460	CM 140	CM 230 LEVEL CM	24897,1289 litre	87,899 %	3427,4705 litre	O
460	CM 140	CM 229 LEVEL CM	24798,0863 litre	87,550 %	3526,5131 litre	O

460	CM	140	CM	228 LEVEL CM	24698,2859 litre	87,197 %	3626,3135 litre	O
460	CM	140	CM	227 LEVEL CM	24597,7420 litre	86,842 %	3726,8574 litre	O
460	CM	140	CM	226 LEVEL CM	24496,4684 litre	86,485 %	3828,1310 litre	O
460	CM	140	CM	225 LEVEL CM	24394,4785 litre	86,125 %	3930,1209 litre	O
460	CM	140	CM	224 LEVEL CM	24291,7857 litre	85,762 %	4032,8137 litre	O
460	CM	140	CM	223 LEVEL CM	24188,4028 litre	85,397 %	4136,1966 litre	O
460	CM	140	CM	222 LEVEL CM	24084,3426 litre	85,030 %	4240,2568 litre	O
460	CM	140	CM	221 LEVEL CM	23979,6176 litre	84,660 %	4344,9818 litre	O
460	CM	140	CM	220 LEVEL CM	23874,2399 litre	84,288 %	4450,3595 litre	O
460	CM	140	CM	219 LEVEL CM	23768,2216 litre	83,914 %	4556,3778 litre	O
460	CM	140	CM	218 LEVEL CM	23661,5745 litre	83,537 %	4663,0249 litre	O
460	CM	140	CM	217 LEVEL CM	23554,3101 litre	83,158 %	4770,2893 litre	O
460	CM	140	CM	216 LEVEL CM	23446,4399 litre	82,778 %	4878,1595 litre	O
460	CM	140	CM	215 LEVEL CM	23337,9749 litre	82,395 %	4986,6245 litre	O
460	CM	140	CM	214 LEVEL CM	23228,9262 litre	82,010 %	5095,6732 litre	O
460	CM	140	CM	213 LEVEL CM	23119,3047 litre	81,623 %	5205,2947 litre	O
460	CM	140	CM	212 LEVEL CM	23009,1210 litre	81,234 %	5315,4784 litre	O
460	CM	140	CM	211 LEVEL CM	22898,3856 litre	80,843 %	5426,2138 litre	O
460	CM	140	CM	210 LEVEL CM	22787,1088 litre	80,450 %	5537,4906 litre	O
460	CM	140	CM	209 LEVEL CM	22675,3008 litre	80,055 %	5649,2986 litre	O
460	CM	140	CM	208 LEVEL CM	22562,9717 litre	79,659 %	5761,6277 litre	O
460	CM	140	CM	207 LEVEL CM	22450,1314 litre	79,260 %	5874,4680 litre	O
460	CM	140	CM	206 LEVEL CM	22336,7896 litre	78,860 %	5987,8098 litre	O
460	CM	140	CM	205 LEVEL CM	22222,9560 litre	78,458 %	6101,6434 litre	O
460	CM	140	CM	204 LEVEL CM	22108,6402 litre	78,055 %	6215,9592 litre	O
460	CM	140	CM	203 LEVEL CM	21993,8514 litre	77,649 %	6330,7480 litre	O
460	CM	140	CM	202 LEVEL CM	21878,5991 litre	77,242 %	6446,0003 litre	O
460	CM	140	CM	201 LEVEL CM	21762,8923 litre	76,834 %	6561,7071 litre	O
460	CM	140	CM	200 LEVEL CM	21646,7402 litre	76,424 %	6677,8592 litre	O
460	CM	140	CM	199 LEVEL CM	21530,1517 litre	76,012 %	6794,4477 litre	O
460	CM	140	CM	198 LEVEL CM	21413,1356 litre	75,599 %	6911,4638 litre	O
460	CM	140	CM	197 LEVEL CM	21295,7007 litre	75,184 %	7028,8987 litre	O
460	CM	140	CM	196 LEVEL CM	21177,8558 litre	74,768 %	7146,7436 litre	O
460	CM	140	CM	195 LEVEL CM	21059,6093 litre	74,351 %	7264,9901 litre	O
460	CM	140	CM	194 LEVEL CM	20940,9697 litre	73,932 %	7383,6297 litre	O
460	CM	140	CM	193 LEVEL CM	20821,9456 litre	73,512 %	7502,6538 litre	O
460	CM	140	CM	192 LEVEL CM	20702,5451 litre	73,090 %	7622,0543 litre	O
460	CM	140	CM	191 LEVEL CM	20582,7766 litre	72,667 %	7741,8228 litre	O
460	CM	140	CM	190 LEVEL CM	20462,6483 litre	72,243 %	7861,9511 litre	O
460	CM	140	CM	189 LEVEL CM	20342,1681 litre	71,818 %	7982,4313 litre	O
460	CM	140	CM	188 LEVEL CM	20221,3442 litre	71,391 %	8103,2552 litre	O
460	CM	140	CM	187 LEVEL CM	20100,1845 litre	70,964 %	8224,4149 litre	O
460	CM	140	CM	186 LEVEL CM	19978,6969 litre	70,535 %	8345,9025 litre	O
460	CM	140	CM	185 LEVEL CM	19856,8893 litre	70,105 %	8467,7101 litre	O
460	CM	140	CM	184 LEVEL CM	19734,7694 litre	69,674 %	8589,8300 litre	O
460	CM	140	CM	183 LEVEL CM	19612,3448 litre	69,241 %	8712,2546 litre	O
460	CM	140	CM	182 LEVEL CM	19489,6234 litre	68,808 %	8834,9760 litre	O
460	CM	140	CM	181 LEVEL CM	19366,6126 litre	68,374 %	8957,9868 litre	O
460	CM	140	CM	180 LEVEL CM	19243,3201 litre	67,939 %	9081,2793 litre	O
460	CM	140	CM	179 LEVEL CM	19119,7532 litre	67,502 %	9204,8462 litre	O
460	CM	140	CM	178 LEVEL CM	18995,9195 litre	67,065 %	9328,6799 litre	O
460	CM	140	CM	177 LEVEL CM	18871,8263 litre	66,627 %	9452,7731 litre	O
460	CM	140	CM	176 LEVEL CM	18747,4811 litre	66,188 %	9577,1183 litre	O

460	CM	140	CM	175 LEVEL CM	18622,8910 litre	65,748 %	9701,7084 litre	O
460	CM	140	CM	174 LEVEL CM	18498,0633 litre	65,307 %	9826,5361 litre	O
460	CM	140	CM	173 LEVEL CM	18373,0054 litre	64,866 %	9951,5940 litre	O
460	CM	140	CM	172 LEVEL CM	18247,7243 litre	64,424 %	10076,8751 litre	O
460	CM	140	CM	171 LEVEL CM	18122,2272 litre	63,981 %	10202,3722 litre	O
460	CM	140	CM	170 LEVEL CM	17996,5212 litre	63,537 %	10328,0782 litre	O
460	CM	140	CM	169 LEVEL CM	17870,6133 litre	63,092 %	10453,9861 litre	O
460	CM	140	CM	168 LEVEL CM	17744,5107 litre	62,647 %	10580,0887 litre	O
460	CM	140	CM	167 LEVEL CM	17618,2202 litre	62,201 %	10706,3792 litre	O
460	CM	140	CM	166 LEVEL CM	17491,7489 litre	61,755 %	10832,8505 litre	O
460	CM	140	CM	165 LEVEL CM	17365,1038 litre	61,308 %	10959,4956 litre	O
460	CM	140	CM	164 LEVEL CM	17238,2917 litre	60,860 %	11086,3077 litre	O
460	CM	140	CM	163 LEVEL CM	17111,3194 litre	60,412 %	11213,2800 litre	O
460	CM	140	CM	162 LEVEL CM	16984,1940 litre	59,963 %	11340,4054 litre	O
460	CM	140	CM	161 LEVEL CM	16856,9222 litre	59,513 %	11467,6772 litre	O
460	CM	140	CM	160 LEVEL CM	16729,5108 litre	59,064 %	11595,0886 litre	O
460	CM	140	CM	159 LEVEL CM	16601,9666 litre	58,613 %	11722,6328 litre	O
460	CM	140	CM	158 LEVEL CM	16474,2963 litre	58,163 %	11850,3031 litre	O
460	CM	140	CM	157 LEVEL CM	16346,5068 litre	57,711 %	11978,0926 litre	O
460	CM	140	CM	156 LEVEL CM	16218,6048 litre	57,260 %	12105,9946 litre	O
460	CM	140	CM	155 LEVEL CM	16090,5969 litre	56,808 %	12234,0025 litre	O
460	CM	140	CM	154 LEVEL CM	15962,4898 litre	56,356 %	12362,1096 litre	O
460	CM	140	CM	153 LEVEL CM	15834,2903 litre	55,903 %	12490,3091 litre	O
460	CM	140	CM	152 LEVEL CM	15706,0050 litre	55,450 %	12618,5944 litre	O
460	CM	140	CM	151 LEVEL CM	15577,6406 litre	54,997 %	12746,9588 litre	O
460	CM	140	CM	150 LEVEL CM	15449,2036 litre	54,543 %	12875,3958 litre	O
460	CM	140	CM	149 LEVEL CM	15320,7008 litre	54,090 %	13003,8986 litre	O
460	CM	140	CM	148 LEVEL CM	15192,1386 litre	53,636 %	13132,4608 litre	O
460	CM	140	CM	147 LEVEL CM	15063,5239 litre	53,182 %	13261,0755 litre	O
460	CM	140	CM	146 LEVEL CM	14934,8630 litre	52,728 %	13389,7364 litre	O
460	CM	140	CM	145 LEVEL CM	14806,1628 litre	52,273 %	13518,4366 litre	O
460	CM	140	CM	144 LEVEL CM	14677,4296 litre	51,819 %	13647,1698 litre	O
460	CM	140	CM	143 LEVEL CM	14548,6701 litre	51,364 %	13775,9293 litre	O
460	CM	140	CM	142 LEVEL CM	14419,8909 litre	50,909 %	13904,7085 litre	O
460	CM	140	CM	141 LEVEL CM	14291,0986 litre	50,455 %	14033,5008 litre	O
460	CM	140	CM	140 LEVEL CM	14162,2997 litre	50,000 %	14162,2997 litre	O
460	CM	140	CM	139 LEVEL CM	14033,5008 litre	49,545 %	14291,0986 litre	O
460	CM	140	CM	138 LEVEL CM	13904,7084 litre	49,091 %	14419,8910 litre	O
460	CM	140	CM	137 LEVEL CM	13775,9293 litre	48,636 %	14548,6701 litre	O
460	CM	140	CM	136 LEVEL CM	13647,1698 litre	48,181 %	14677,4296 litre	O
460	CM	140	CM	135 LEVEL CM	13518,4366 litre	47,727 %	14806,1628 litre	O
460	CM	140	CM	134 LEVEL CM	13389,7363 litre	47,272 %	14934,8631 litre	O
460	CM	140	CM	133 LEVEL CM	13261,0755 litre	46,818 %	15063,5239 litre	O
460	CM	140	CM	132 LEVEL CM	13132,4607 litre	46,364 %	15192,1387 litre	O
460	CM	140	CM	131 LEVEL CM	13003,8986 litre	45,910 %	15320,7008 litre	O
460	CM	140	CM	130 LEVEL CM	12875,3958 litre	45,457 %	15449,2036 litre	O
460	CM	140	CM	129 LEVEL CM	12746,9588 litre	45,003 %	15577,6406 litre	O
460	CM	140	CM	128 LEVEL CM	12618,5943 litre	44,550 %	15706,0051 litre	O
460	CM	140	CM	127 LEVEL CM	12490,3090 litre	44,097 %	15834,2904 litre	O
460	CM	140	CM	126 LEVEL CM	12362,1095 litre	43,644 %	15962,4899 litre	O
460	CM	140	CM	125 LEVEL CM	12234,0025 litre	43,192 %	16090,5969 litre	O
460	CM	140	CM	124 LEVEL CM	12105,9946 litre	42,740 %	16218,6048 litre	O
460	CM	140	CM	123 LEVEL CM	11978,0926 litre	42,289 %	16346,5068 litre	O

460	CM	140	CM	122 LEVEL CM	11850,3030 litre	41,837 %	16474,2964 litre	O
460	CM	140	CM	121 LEVEL CM	11722,6328 litre	41,387 %	16601,9666 litre	O
460	CM	140	CM	120 LEVEL CM	11595,0886 litre	40,936 %	16729,5108 litre	O
460	CM	140	CM	119 LEVEL CM	11467,6772 litre	40,487 %	16856,9222 litre	O
460	CM	140	CM	118 LEVEL CM	11340,4054 litre	40,037 %	16984,1940 litre	O
460	CM	140	CM	117 LEVEL CM	11213,2799 litre	39,588 %	17111,3195 litre	O
460	CM	140	CM	116 LEVEL CM	11086,3077 litre	39,140 %	17238,2917 litre	O
460	CM	140	CM	115 LEVEL CM	10959,4956 litre	38,692 %	17365,1038 litre	O
460	CM	140	CM	114 LEVEL CM	10832,8504 litre	38,245 %	17491,7490 litre	O
460	CM	140	CM	113 LEVEL CM	10706,3792 litre	37,799 %	17618,2202 litre	O
460	CM	140	CM	112 LEVEL CM	10580,0887 litre	37,353 %	17744,5107 litre	O
460	CM	140	CM	111 LEVEL CM	10453,9861 litre	36,908 %	17870,6133 litre	O
460	CM	140	CM	110 LEVEL CM	10328,0782 litre	36,463 %	17996,5212 litre	O
460	CM	140	CM	109 LEVEL CM	10202,3722 litre	36,019 %	18122,2272 litre	O
460	CM	140	CM	108 LEVEL CM	10076,8751 litre	35,576 %	18247,7243 litre	O
460	CM	140	CM	107 LEVEL CM	9951,5940 litre	35,134 %	18373,0054 litre	O
460	CM	140	CM	106 LEVEL CM	9826,5360 litre	34,693 %	18498,0634 litre	O
460	CM	140	CM	105 LEVEL CM	9701,7084 litre	34,252 %	18622,8910 litre	O
460	CM	140	CM	104 LEVEL CM	9577,1183 litre	33,812 %	18747,4811 litre	O
460	CM	140	CM	103 LEVEL CM	9452,7730 litre	33,373 %	18871,8264 litre	O
460	CM	140	CM	102 LEVEL CM	9328,6799 litre	32,935 %	18995,9195 litre	O
460	CM	140	CM	101 LEVEL CM	9204,8462 litre	32,498 %	19119,7532 litre	O
460	CM	140	CM	100 LEVEL CM	9081,2793 litre	32,061 %	19243,3201 litre	O
460	CM	140	CM	99 LEVEL CM	8957,9867 litre	31,626 %	19366,6127 litre	O
460	CM	140	CM	98 LEVEL CM	8834,9760 litre	31,192 %	19489,6234 litre	O
460	CM	140	CM	97 LEVEL CM	8712,2545 litre	30,759 %	19612,3449 litre	O
460	CM	140	CM	96 LEVEL CM	8589,8300 litre	30,326 %	19734,7694 litre	O
460	CM	140	CM	95 LEVEL CM	8467,7101 litre	29,895 %	19856,8893 litre	O
460	CM	140	CM	94 LEVEL CM	8345,9024 litre	29,465 %	19978,6970 litre	O
460	CM	140	CM	93 LEVEL CM	8224,4149 litre	29,036 %	20100,1845 litre	O
460	CM	140	CM	92 LEVEL CM	8103,2552 litre	28,609 %	20221,3442 litre	O
460	CM	140	CM	91 LEVEL CM	7982,4313 litre	28,182 %	20342,1681 litre	O
460	CM	140	CM	90 LEVEL CM	7861,9511 litre	27,757 %	20462,6483 litre	O
460	CM	140	CM	89 LEVEL CM	7741,8227 litre	27,333 %	20582,7767 litre	O
460	CM	140	CM	88 LEVEL CM	7622,0542 litre	26,910 %	20702,5452 litre	O
460	CM	140	CM	87 LEVEL CM	7502,6538 litre	26,488 %	20821,9456 litre	O
460	CM	140	CM	86 LEVEL CM	7383,6296 litre	26,068 %	20940,9698 litre	O
460	CM	140	CM	85 LEVEL CM	7264,9901 litre	25,649 %	21059,6093 litre	O
460	CM	140	CM	84 LEVEL CM	7146,7436 litre	25,232 %	21177,8558 litre	O
460	CM	140	CM	83 LEVEL CM	7028,8986 litre	24,816 %	21295,7008 litre	O
460	CM	140	CM	82 LEVEL CM	6911,4638 litre	24,401 %	21413,1356 litre	O
460	CM	140	CM	81 LEVEL CM	6794,4477 litre	23,988 %	21530,1517 litre	O
460	CM	140	CM	80 LEVEL CM	6677,8592 litre	23,576 %	21646,7402 litre	O
460	CM	140	CM	79 LEVEL CM	6561,7070 litre	23,166 %	21762,8924 litre	O
460	CM	140	CM	78 LEVEL CM	6446,0003 litre	22,758 %	21878,5991 litre	O
460	CM	140	CM	77 LEVEL CM	6330,7479 litre	22,351 %	21993,8515 litre	O
460	CM	140	CM	76 LEVEL CM	6215,9592 litre	21,945 %	22108,6402 litre	O
460	CM	140	CM	75 LEVEL CM	6101,6433 litre	21,542 %	22222,9561 litre	O
460	CM	140	CM	74 LEVEL CM	5987,8098 litre	21,140 %	22336,7896 litre	O
460	CM	140	CM	73 LEVEL CM	5874,4680 litre	20,740 %	22450,1314 litre	O
460	CM	140	CM	72 LEVEL CM	5761,6277 litre	20,341 %	22562,9717 litre	O
460	CM	140	CM	71 LEVEL CM	5649,2986 litre	19,945 %	22675,3008 litre	O
460	CM	140	CM	70 LEVEL CM	5537,4906 litre	19,550 %	22787,1088 litre	O

460	CM	140	CM	69 LEVEL CM	5426,2138 litre	19,157 %	22898,3856 litre	O
460	CM	140	CM	68 LEVEL CM	5315,4784 litre	18,766 %	23009,1210 litre	O
460	CM	140	CM	67 LEVEL CM	5205,2946 litre	18,377 %	23119,3048 litre	O
460	CM	140	CM	66 LEVEL CM	5095,6731 litre	17,990 %	23228,9263 litre	O
460	CM	140	CM	65 LEVEL CM	4986,6245 litre	17,605 %	23337,9749 litre	O
460	CM	140	CM	64 LEVEL CM	4878,1595 litre	17,222 %	23446,4399 litre	O
460	CM	140	CM	63 LEVEL CM	4770,2892 litre	16,842 %	23554,3102 litre	O
460	CM	140	CM	62 LEVEL CM	4663,0248 litre	16,463 %	23661,5746 litre	O
460	CM	140	CM	61 LEVEL CM	4556,3777 litre	16,086 %	23768,2217 litre	O
460	CM	140	CM	60 LEVEL CM	4450,3594 litre	15,712 %	23874,2400 litre	O
460	CM	140	CM	59 LEVEL CM	4344,9818 litre	15,340 %	23979,6176 litre	O
460	CM	140	CM	58 LEVEL CM	4240,2567 litre	14,970 %	24084,3427 litre	O
460	CM	140	CM	57 LEVEL CM	4136,1966 litre	14,603 %	24188,4028 litre	O
460	CM	140	CM	56 LEVEL CM	4032,8137 litre	14,238 %	24291,7857 litre	O
460	CM	140	CM	55 LEVEL CM	3930,1208 litre	13,875 %	24394,4786 litre	O
460	CM	140	CM	54 LEVEL CM	3828,1310 litre	13,515 %	24496,4684 litre	O
460	CM	140	CM	53 LEVEL CM	3726,8573 litre	13,158 %	24597,7421 litre	O
460	CM	140	CM	52 LEVEL CM	3626,3134 litre	12,803 %	24698,2860 litre	O
460	CM	140	CM	51 LEVEL CM	3526,5131 litre	12,450 %	24798,0863 litre	O
460	CM	140	CM	50 LEVEL CM	3427,4705 litre	12,101 %	24897,1289 litre	O
460	CM	140	CM	49 LEVEL CM	3329,2000 litre	11,754 %	24995,3994 litre	O
460	CM	140	CM	48 LEVEL CM	3231,7164 litre	11,410 %	25092,8830 litre	O
460	CM	140	CM	47 LEVEL CM	3135,0349 litre	11,068 %	25189,5645 litre	O
460	CM	140	CM	46 LEVEL CM	3039,1711 litre	10,730 %	25285,4283 litre	O
460	CM	140	CM	45 LEVEL CM	2944,1409 litre	10,394 %	25380,4585 litre	O
460	CM	140	CM	44 LEVEL CM	2849,9606 litre	10,062 %	25474,6388 litre	O
460	CM	140	CM	43 LEVEL CM	2756,6470 litre	9,732 %	25567,9524 litre	O
460	CM	140	CM	42 LEVEL CM	2664,2175 litre	9,406 %	25660,3819 litre	O
460	CM	140	CM	41 LEVEL CM	2572,6899 litre	9,083 %	25751,9095 litre	O
460	CM	140	CM	40 LEVEL CM	2482,0823 litre	8,763 %	25842,5171 litre	O
460	CM	140	CM	39 LEVEL CM	2392,4138 litre	8,446 %	25932,1856 litre	O
460	CM	140	CM	38 LEVEL CM	2303,7038 litre	8,133 %	26020,8956 litre	O
460	CM	140	CM	37 LEVEL CM	2215,9724 litre	7,823 %	26108,6270 litre	O
460	CM	140	CM	36 LEVEL CM	2129,2404 litre	7,517 %	26195,3590 litre	O
460	CM	140	CM	35 LEVEL CM	2043,5294 litre	7,215 %	26281,0700 litre	O
460	CM	140	CM	34 LEVEL CM	1958,8616 litre	6,916 %	26365,7378 litre	O
460	CM	140	CM	33 LEVEL CM	1875,2602 litre	6,621 %	26449,3392 litre	O
460	CM	140	CM	32 LEVEL CM	1792,7493 litre	6,329 %	26531,8501 litre	O
460	CM	140	CM	31 LEVEL CM	1711,3537 litre	6,042 %	26613,2457 litre	O
460	CM	140	CM	30 LEVEL CM	1631,0997 litre	5,759 %	26693,4997 litre	O
460	CM	140	CM	29 LEVEL CM	1552,0143 litre	5,479 %	26772,5851 litre	O
460	CM	140	CM	28 LEVEL CM	1474,1260 litre	5,204 %	26850,4734 litre	O
460	CM	140	CM	27 LEVEL CM	1397,4645 litre	4,934 %	26927,1349 litre	O
460	CM	140	CM	26 LEVEL CM	1322,0609 litre	4,668 %	27002,5385 litre	O
460	CM	140	CM	25 LEVEL CM	1247,9481 litre	4,406 %	27076,6513 litre	O
460	CM	140	CM	24 LEVEL CM	1175,1605 litre	4,149 %	27149,4389 litre	O
460	CM	140	CM	23 LEVEL CM	1103,7346 litre	3,897 %	27220,8648 litre	O
460	CM	140	CM	22 LEVEL CM	1033,7089 litre	3,650 %	27290,8905 litre	O
460	CM	140	CM	21 LEVEL CM	965,1245 litre	3,407 %	27359,4749 litre	O
460	CM	140	CM	20 LEVEL CM	898,0247 litre	3,170 %	27426,5747 litre	O
460	CM	140	CM	19 LEVEL CM	832,4562 litre	2,939 %	27492,1432 litre	O
460	CM	140	CM	18 LEVEL CM	768,4688 litre	2,713 %	27556,1306 litre	O
460	CM	140	CM	17 LEVEL CM	706,1162 litre	2,493 %	27618,4832 litre	O

460	CM	140	CM	16 LEVEL CM	645,4564 litre	2,279 %	27679,1430 litre	O
460	CM	140	CM	15 LEVEL CM	586,5523 litre	2,071 %	27738,0471 litre	O
460	CM	140	CM	14 LEVEL CM	529,4728 litre	1,869 %	27795,1266 litre	O
460	CM	140	CM	13 LEVEL CM	474,2935 litre	1,674 %	27850,3059 litre	O
460	CM	140	CM	12 LEVEL CM	421,0982 litre	1,487 %	27903,5012 litre	O
460	CM	140	CM	11 LEVEL CM	369,9805 litre	1,306 %	27954,6189 litre	O
460	CM	140	CM	10 LEVEL CM	321,0457 litre	1,133 %	28003,5537 litre	O
460	CM	140	CM	9 LEVEL CM	274,4142 litre	0,969 %	28050,1852 litre	O
460	CM	140	CM	8 LEVEL CM	230,2251 litre	0,813 %	28094,3743 litre	O
460	CM	140	CM	7 LEVEL CM	188,6420 litre	0,666 %	28135,9574 litre	O
460	CM	140	CM	6 LEVEL CM	149,8617 litre	0,529 %	28174,7377 litre	O
460	CM	140	CM	5 LEVEL CM	114,1275 litre	0,403 %	28210,4719 litre	O
460	CM	140	CM	4 LEVEL CM	81,7515 litre	0,289 %	28242,8479 litre	O
460	CM	140	CM	3 LEVEL CM	53,1565 litre	0,188 %	28271,4429 litre	O
460	CM	140	CM	2 LEVEL CM	28,9659 litre	0,102 %	28295,6335 litre	O
460	CM	140	CM	1 LEVEL CM	10,2520 litre	0,036 %	28314,3474 litre	O
460	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	28324,5994 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 135	CM 270 LEVEL CM	26337,5420 litre	100,000 %	0,0000 litre	O
460	CM 135	CM 269 LEVEL CM	26327,4751 litre	99,962 %	10,0669 litre	O
460	CM 135	CM 268 LEVEL CM	26309,1003 litre	99,892 %	28,4417 litre	O
460	CM 135	CM 267 LEVEL CM	26285,3496 litre	99,802 %	52,1924 litre	O
460	CM 135	CM 266 LEVEL CM	26257,2765 litre	99,695 %	80,2655 litre	O
460	CM 135	CM 265 LEVEL CM	26225,4935 litre	99,575 %	112,0485 litre	O
460	CM 135	CM 264 LEVEL CM	26190,4163 litre	99,441 %	147,1257 litre	O
460	CM 135	CM 263 LEVEL CM	26152,3516 litre	99,297 %	185,1904 litre	O
460	CM 135	CM 262 LEVEL CM	26111,5386 litre	99,142 %	226,0034 litre	O
460	CM 135	CM 261 LEVEL CM	26068,1709 litre	98,977 %	269,3711 litre	O
460	CM 135	CM 260 LEVEL CM	26022,4095 litre	98,803 %	315,1325 litre	O
460	CM 135	CM 259 LEVEL CM	25974,3912 litre	98,621 %	363,1508 litre	O
460	CM 135	CM 258 LEVEL CM	25924,2344 litre	98,431 %	413,3076 litre	O
460	CM 135	CM 257 LEVEL CM	25872,0430 litre	98,233 %	465,4990 litre	O
460	CM 135	CM 256 LEVEL CM	25817,9089 litre	98,027 %	519,6331 litre	O
460	CM 135	CM 255 LEVEL CM	25761,9146 litre	97,814 %	575,6274 litre	O
460	CM 135	CM 254 LEVEL CM	25704,1348 litre	97,595 %	633,4072 litre	O
460	CM 135	CM 253 LEVEL CM	25644,6371 litre	97,369 %	692,9049 litre	O
460	CM 135	CM 252 LEVEL CM	25583,4837 litre	97,137 %	754,0583 litre	O
460	CM 135	CM 251 LEVEL CM	25520,7317 litre	96,899 %	816,8103 litre	O
460	CM 135	CM 250 LEVEL CM	25456,4341 litre	96,655 %	881,1079 litre	O
460	CM 135	CM 249 LEVEL CM	25390,6399 litre	96,405 %	946,9021 litre	O
460	CM 135	CM 248 LEVEL CM	25323,3951 litre	96,149 %	1014,1469 litre	O
460	CM 135	CM 247 LEVEL CM	25254,7426 litre	95,889 %	1082,7994 litre	O
460	CM 135	CM 246 LEVEL CM	25184,7229 litre	95,623 %	1152,8191 litre	O
460	CM 135	CM 245 LEVEL CM	25113,3740 litre	95,352 %	1224,1680 litre	O
460	CM 135	CM 244 LEVEL CM	25040,7318 litre	95,076 %	1296,8102 litre	O
460	CM 135	CM 243 LEVEL CM	24966,8305 litre	94,796 %	1370,7115 litre	O
460	CM 135	CM 242 LEVEL CM	24891,7023 litre	94,510 %	1445,8397 litre	O
460	CM 135	CM 241 LEVEL CM	24815,3782 litre	94,221 %	1522,1638 litre	O
460	CM 135	CM 240 LEVEL CM	24737,8875 litre	93,926 %	1599,6545 litre	O
460	CM 135	CM 239 LEVEL CM	24659,2582 litre	93,628 %	1678,2838 litre	O
460	CM 135	CM 238 LEVEL CM	24579,5172 litre	93,325 %	1758,0248 litre	O
460	CM 135	CM 237 LEVEL CM	24498,6903 litre	93,018 %	1838,8517 litre	O
460	CM 135	CM 236 LEVEL CM	24416,8023 litre	92,707 %	1920,7397 litre	O
460	CM 135	CM 235 LEVEL CM	24333,8768 litre	92,392 %	2003,6652 litre	O
460	CM 135	CM 234 LEVEL CM	24249,9369 litre	92,074 %	2087,6051 litre	O
460	CM 135	CM 233 LEVEL CM	24165,0045 litre	91,751 %	2172,5375 litre	O
460	CM 135	CM 232 LEVEL CM	24079,1011 litre	91,425 %	2258,4409 litre	O
460	CM 135	CM 231 LEVEL CM	23992,2471 litre	91,095 %	2345,2949 litre	O
460	CM 135	CM 230 LEVEL CM	23904,4626 litre	90,762 %	2433,0794 litre	O
460	CM 135	CM 229 LEVEL CM	23815,7669 litre	90,425 %	2521,7751 litre	O
460	CM 135	CM 228 LEVEL CM	23726,1786 litre	90,085 %	2611,3634 litre	O
460	CM 135	CM 227 LEVEL CM	23635,7159 litre	89,742 %	2701,8261 litre	O
460	CM 135	CM 226 LEVEL CM	23544,3965 litre	89,395 %	2793,1455 litre	O
460	CM 135	CM 225 LEVEL CM	23452,2375 litre	89,045 %	2885,3045 litre	O
460	CM 135	CM 224 LEVEL CM	23359,2555 litre	88,692 %	2978,2865 litre	O
460	CM 135	CM 223 LEVEL CM	23265,4669 litre	88,336 %	3072,0751 litre	O
460	CM 135	CM 222 LEVEL CM	23170,8875 litre	87,977 %	3166,6545 litre	O
460	CM 135	CM 221 LEVEL CM	23075,5327 litre	87,615 %	3262,0093 litre	O
460	CM 135	CM 220 LEVEL CM	22979,4175 litre	87,250 %	3358,1245 litre	O
460	CM 135	CM 219 LEVEL CM	22882,5567 litre	86,882 %	3454,9853 litre	O

460	CM	135	CM	218 LEVEL CM	22784,9646 litre	86,511 %	3552,5774 litre	O
460	CM	135	CM	217 LEVEL CM	22686,6553 litre	86,138 %	3650,8867 litre	O
460	CM	135	CM	216 LEVEL CM	22587,6426 litre	85,762 %	3749,8994 litre	O
460	CM	135	CM	215 LEVEL CM	22487,9398 litre	85,384 %	3849,6022 litre	O
460	CM	135	CM	214 LEVEL CM	22387,5601 litre	85,002 %	3949,9819 litre	O
460	CM	135	CM	213 LEVEL CM	22286,5165 litre	84,619 %	4051,0255 litre	O
460	CM	135	CM	212 LEVEL CM	22184,8217 litre	84,233 %	4152,7203 litre	O
460	CM	135	CM	211 LEVEL CM	22082,4879 litre	83,844 %	4255,0541 litre	O
460	CM	135	CM	210 LEVEL CM	21979,5275 litre	83,453 %	4358,0145 litre	O
460	CM	135	CM	209 LEVEL CM	21875,9524 litre	83,060 %	4461,5896 litre	O
460	CM	135	CM	208 LEVEL CM	21771,7743 litre	82,664 %	4565,7677 litre	O
460	CM	135	CM	207 LEVEL CM	21667,0048 litre	82,267 %	4670,5372 litre	O
460	CM	135	CM	206 LEVEL CM	21561,6552 litre	81,867 %	4775,8868 litre	O
460	CM	135	CM	205 LEVEL CM	21455,7368 litre	81,464 %	4881,8052 litre	O
460	CM	135	CM	204 LEVEL CM	21349,2604 litre	81,060 %	4988,2816 litre	O
460	CM	135	CM	203 LEVEL CM	21242,2369 litre	80,654 %	5095,3051 litre	O
460	CM	135	CM	202 LEVEL CM	21134,6770 litre	80,245 %	5202,8650 litre	O
460	CM	135	CM	201 LEVEL CM	21026,5911 litre	79,835 %	5310,9509 litre	O
460	CM	135	CM	200 LEVEL CM	20917,9896 litre	79,423 %	5419,5524 litre	O
460	CM	135	CM	199 LEVEL CM	20808,8827 litre	79,008 %	5528,6593 litre	O
460	CM	135	CM	198 LEVEL CM	20699,2805 litre	78,592 %	5638,2615 litre	O
460	CM	135	CM	197 LEVEL CM	20589,1928 litre	78,174 %	5748,3492 litre	O
460	CM	135	CM	196 LEVEL CM	20478,6295 litre	77,755 %	5858,9125 litre	O
460	CM	135	CM	195 LEVEL CM	20367,6001 litre	77,333 %	5969,9419 litre	O
460	CM	135	CM	194 LEVEL CM	20256,1143 litre	76,910 %	6081,4277 litre	O
460	CM	135	CM	193 LEVEL CM	20144,1815 litre	76,485 %	6193,3605 litre	O
460	CM	135	CM	192 LEVEL CM	20031,8109 litre	76,058 %	6305,7311 litre	O
460	CM	135	CM	191 LEVEL CM	19919,0118 litre	75,630 %	6418,5302 litre	O
460	CM	135	CM	190 LEVEL CM	19805,7933 litre	75,200 %	6531,7487 litre	O
460	CM	135	CM	189 LEVEL CM	19692,1644 litre	74,768 %	6645,3776 litre	O
460	CM	135	CM	188 LEVEL CM	19578,1339 litre	74,335 %	6759,4081 litre	O
460	CM	135	CM	187 LEVEL CM	19463,7107 litre	73,901 %	6873,8313 litre	O
460	CM	135	CM	186 LEVEL CM	19348,9035 litre	73,465 %	6988,6385 litre	O
460	CM	135	CM	185 LEVEL CM	19233,7209 litre	73,028 %	7103,8211 litre	O
460	CM	135	CM	184 LEVEL CM	19118,1715 litre	72,589 %	7219,3705 litre	O
460	CM	135	CM	183 LEVEL CM	19002,2637 litre	72,149 %	7335,2783 litre	O
460	CM	135	CM	182 LEVEL CM	18886,0059 litre	71,708 %	7451,5361 litre	O
460	CM	135	CM	181 LEVEL CM	18769,4065 litre	71,265 %	7568,1355 litre	O
460	CM	135	CM	180 LEVEL CM	18652,4736 litre	70,821 %	7685,0684 litre	O
460	CM	135	CM	179 LEVEL CM	18535,2154 litre	70,376 %	7802,3266 litre	O
460	CM	135	CM	178 LEVEL CM	18417,6401 litre	69,929 %	7919,9019 litre	O
460	CM	135	CM	177 LEVEL CM	18299,7556 litre	69,482 %	8037,7864 litre	O
460	CM	135	CM	176 LEVEL CM	18181,5700 litre	69,033 %	8155,9720 litre	O
460	CM	135	CM	175 LEVEL CM	18063,0910 litre	68,583 %	8274,4510 litre	O
460	CM	135	CM	174 LEVEL CM	17944,3267 litre	68,132 %	8393,2153 litre	O
460	CM	135	CM	173 LEVEL CM	17825,2847 litre	67,680 %	8512,2573 litre	O
460	CM	135	CM	172 LEVEL CM	17705,9729 litre	67,227 %	8631,5691 litre	O
460	CM	135	CM	171 LEVEL CM	17586,3989 litre	66,773 %	8751,1431 litre	O
460	CM	135	CM	170 LEVEL CM	17466,5703 litre	66,318 %	8870,9717 litre	O
460	CM	135	CM	169 LEVEL CM	17346,4948 litre	65,862 %	8991,0472 litre	O
460	CM	135	CM	168 LEVEL CM	17226,1798 litre	65,405 %	9111,3622 litre	O
460	CM	135	CM	167 LEVEL CM	17105,6329 litre	64,948 %	9231,9091 litre	O
460	CM	135	CM	166 LEVEL CM	16984,8615 litre	64,489 %	9352,6805 litre	O

460	CM	135	CM	165 LEVEL CM	16863,8731 litre	64,030 %	9473,6689 litre	O
460	CM	135	CM	164 LEVEL CM	16742,6749 litre	63,570 %	9594,8671 litre	O
460	CM	135	CM	163 LEVEL CM	16621,2745 litre	63,109 %	9716,2675 litre	O
460	CM	135	CM	162 LEVEL CM	16499,6789 litre	62,647 %	9837,8631 litre	O
460	CM	135	CM	161 LEVEL CM	16377,8956 litre	62,185 %	9959,6464 litre	O
460	CM	135	CM	160 LEVEL CM	16255,9317 litre	61,722 %	10081,6103 litre	O
460	CM	135	CM	159 LEVEL CM	16133,7944 litre	61,258 %	10203,7476 litre	O
460	CM	135	CM	158 LEVEL CM	16011,4909 litre	60,793 %	10326,0511 litre	O
460	CM	135	CM	157 LEVEL CM	15889,0283 litre	60,328 %	10448,5137 litre	O
460	CM	135	CM	156 LEVEL CM	15766,4138 litre	59,863 %	10571,1282 litre	O
460	CM	135	CM	155 LEVEL CM	15643,6544 litre	59,397 %	10693,8876 litre	O
460	CM	135	CM	154 LEVEL CM	15520,7572 litre	58,930 %	10816,7848 litre	O
460	CM	135	CM	153 LEVEL CM	15397,7292 litre	58,463 %	10939,8128 litre	O
460	CM	135	CM	152 LEVEL CM	15274,5775 litre	57,995 %	11062,9645 litre	O
460	CM	135	CM	151 LEVEL CM	15151,3089 litre	57,527 %	11186,2331 litre	O
460	CM	135	CM	150 LEVEL CM	15027,9305 litre	57,059 %	11309,6115 litre	O
460	CM	135	CM	149 LEVEL CM	14904,4493 litre	56,590 %	11433,0927 litre	O
460	CM	135	CM	148 LEVEL CM	14780,8722 litre	56,121 %	11556,6698 litre	O
460	CM	135	CM	147 LEVEL CM	14657,2060 litre	55,651 %	11680,3360 litre	O
460	CM	135	CM	146 LEVEL CM	14533,4577 litre	55,182 %	11804,0843 litre	O
460	CM	135	CM	145 LEVEL CM	14409,6343 litre	54,711 %	11927,9077 litre	O
460	CM	135	CM	144 LEVEL CM	14285,7425 litre	54,241 %	12051,7995 litre	O
460	CM	135	CM	143 LEVEL CM	14161,7892 litre	53,770 %	12175,7528 litre	O
460	CM	135	CM	142 LEVEL CM	14037,7813 litre	53,300 %	12299,7607 litre	O
460	CM	135	CM	141 LEVEL CM	13913,7256 litre	52,828 %	12423,8164 litre	O
460	CM	135	CM	140 LEVEL CM	13789,6290 litre	52,357 %	12547,9130 litre	O
460	CM	135	CM	139 LEVEL CM	13665,4983 litre	51,886 %	12672,0437 litre	O
460	CM	135	CM	138 LEVEL CM	13541,3403 litre	51,415 %	12796,2017 litre	O
460	CM	135	CM	137 LEVEL CM	13417,1619 litre	50,943 %	12920,3801 litre	O
460	CM	135	CM	136 LEVEL CM	13292,9699 litre	50,472 %	13044,5721 litre	O
460	CM	135	CM	135 LEVEL CM	13168,7710 litre	50,000 %	13168,7710 litre	O
460	CM	135	CM	134 LEVEL CM	13044,5721 litre	49,528 %	13292,9699 litre	O
460	CM	135	CM	133 LEVEL CM	12920,3801 litre	49,057 %	13417,1619 litre	O
460	CM	135	CM	132 LEVEL CM	12796,2017 litre	48,585 %	13541,3403 litre	O
460	CM	135	CM	131 LEVEL CM	12672,0437 litre	48,114 %	13665,4983 litre	O
460	CM	135	CM	130 LEVEL CM	12547,9130 litre	47,643 %	13789,6290 litre	O
460	CM	135	CM	129 LEVEL CM	12423,8164 litre	47,172 %	13913,7256 litre	O
460	CM	135	CM	128 LEVEL CM	12299,7607 litre	46,700 %	14037,7813 litre	O
460	CM	135	CM	127 LEVEL CM	12175,7528 litre	46,230 %	14161,7892 litre	O
460	CM	135	CM	126 LEVEL CM	12051,7996 litre	45,759 %	14285,7424 litre	O
460	CM	135	CM	125 LEVEL CM	11927,9077 litre	45,289 %	14409,6343 litre	O
460	CM	135	CM	124 LEVEL CM	11804,0843 litre	44,818 %	14533,4577 litre	O
460	CM	135	CM	123 LEVEL CM	11680,3360 litre	44,349 %	14657,2060 litre	O
460	CM	135	CM	122 LEVEL CM	11556,6698 litre	43,879 %	14780,8722 litre	O
460	CM	135	CM	121 LEVEL CM	11433,0927 litre	43,410 %	14904,4493 litre	O
460	CM	135	CM	120 LEVEL CM	11309,6115 litre	42,941 %	15027,9305 litre	O
460	CM	135	CM	119 LEVEL CM	11186,2331 litre	42,473 %	15151,3089 litre	O
460	CM	135	CM	118 LEVEL CM	11062,9646 litre	42,005 %	15274,5774 litre	O
460	CM	135	CM	117 LEVEL CM	10939,8128 litre	41,537 %	15397,7292 litre	O
460	CM	135	CM	116 LEVEL CM	10816,7848 litre	41,070 %	15520,7572 litre	O
460	CM	135	CM	115 LEVEL CM	10693,8876 litre	40,603 %	15643,6544 litre	O
460	CM	135	CM	114 LEVEL CM	10571,1282 litre	40,137 %	15766,4138 litre	O
460	CM	135	CM	113 LEVEL CM	10448,5137 litre	39,672 %	15889,0283 litre	O

460	CM	135	CM	112 LEVEL CM	10326,0511 litre	39,207 %	16011,4909 litre	O
460	CM	135	CM	111 LEVEL CM	10203,7476 litre	38,742 %	16133,7944 litre	O
460	CM	135	CM	110 LEVEL CM	10081,6103 litre	38,278 %	16255,9317 litre	O
460	CM	135	CM	109 LEVEL CM	9959,6464 litre	37,815 %	16377,8956 litre	O
460	CM	135	CM	108 LEVEL CM	9837,8631 litre	37,353 %	16499,6789 litre	O
460	CM	135	CM	107 LEVEL CM	9716,2676 litre	36,891 %	16621,2744 litre	O
460	CM	135	CM	106 LEVEL CM	9594,8671 litre	36,430 %	16742,6749 litre	O
460	CM	135	CM	105 LEVEL CM	9473,6689 litre	35,970 %	16863,8731 litre	O
460	CM	135	CM	104 LEVEL CM	9352,6805 litre	35,511 %	16984,8615 litre	O
460	CM	135	CM	103 LEVEL CM	9231,9091 litre	35,052 %	17105,6329 litre	O
460	CM	135	CM	102 LEVEL CM	9111,3622 litre	34,595 %	17226,1798 litre	O
460	CM	135	CM	101 LEVEL CM	8991,0473 litre	34,138 %	17346,4947 litre	O
460	CM	135	CM	100 LEVEL CM	8870,9717 litre	33,682 %	17466,5703 litre	O
460	CM	135	CM	99 LEVEL CM	8751,1431 litre	33,227 %	17586,3989 litre	O
460	CM	135	CM	98 LEVEL CM	8631,5691 litre	32,773 %	17705,9729 litre	O
460	CM	135	CM	97 LEVEL CM	8512,2573 litre	32,320 %	17825,2847 litre	O
460	CM	135	CM	96 LEVEL CM	8393,2153 litre	31,868 %	17944,3267 litre	O
460	CM	135	CM	95 LEVEL CM	8274,4510 litre	31,417 %	18063,0910 litre	O
460	CM	135	CM	94 LEVEL CM	8155,9721 litre	30,967 %	18181,5699 litre	O
460	CM	135	CM	93 LEVEL CM	8037,7864 litre	30,518 %	18299,7556 litre	O
460	CM	135	CM	92 LEVEL CM	7919,9019 litre	30,071 %	18417,6401 litre	O
460	CM	135	CM	91 LEVEL CM	7802,3266 litre	29,624 %	18535,2154 litre	O
460	CM	135	CM	90 LEVEL CM	7685,0684 litre	29,179 %	18652,4736 litre	O
460	CM	135	CM	89 LEVEL CM	7568,1355 litre	28,735 %	18769,4065 litre	O
460	CM	135	CM	88 LEVEL CM	7451,5361 litre	28,292 %	18886,0059 litre	O
460	CM	135	CM	87 LEVEL CM	7335,2783 litre	27,851 %	19002,2637 litre	O
460	CM	135	CM	86 LEVEL CM	7219,3705 litre	27,411 %	19118,1715 litre	O
460	CM	135	CM	85 LEVEL CM	7103,8211 litre	26,972 %	19233,7209 litre	O
460	CM	135	CM	84 LEVEL CM	6988,6385 litre	26,535 %	19348,9035 litre	O
460	CM	135	CM	83 LEVEL CM	6873,8313 litre	26,099 %	19463,7107 litre	O
460	CM	135	CM	82 LEVEL CM	6759,4081 litre	25,665 %	19578,1339 litre	O
460	CM	135	CM	81 LEVEL CM	6645,3777 litre	25,232 %	19692,1643 litre	O
460	CM	135	CM	80 LEVEL CM	6531,7487 litre	24,800 %	19805,7933 litre	O
460	CM	135	CM	79 LEVEL CM	6418,5302 litre	24,370 %	19919,0118 litre	O
460	CM	135	CM	78 LEVEL CM	6305,7311 litre	23,942 %	20031,8109 litre	O
460	CM	135	CM	77 LEVEL CM	6193,3606 litre	23,515 %	20144,1814 litre	O
460	CM	135	CM	76 LEVEL CM	6081,4277 litre	23,090 %	20256,1143 litre	O
460	CM	135	CM	75 LEVEL CM	5969,9419 litre	22,667 %	20367,6001 litre	O
460	CM	135	CM	74 LEVEL CM	5858,9126 litre	22,245 %	20478,6294 litre	O
460	CM	135	CM	73 LEVEL CM	5748,3492 litre	21,826 %	20589,1928 litre	O
460	CM	135	CM	72 LEVEL CM	5638,2615 litre	21,408 %	20699,2805 litre	O
460	CM	135	CM	71 LEVEL CM	5528,6593 litre	20,992 %	20808,8827 litre	O
460	CM	135	CM	70 LEVEL CM	5419,5524 litre	20,577 %	20917,9896 litre	O
460	CM	135	CM	69 LEVEL CM	5310,9509 litre	20,165 %	21026,5911 litre	O
460	CM	135	CM	68 LEVEL CM	5202,8650 litre	19,755 %	21134,6770 litre	O
460	CM	135	CM	67 LEVEL CM	5095,3051 litre	19,346 %	21242,2369 litre	O
460	CM	135	CM	66 LEVEL CM	4988,2816 litre	18,940 %	21349,2604 litre	O
460	CM	135	CM	65 LEVEL CM	4881,8053 litre	18,536 %	21455,7367 litre	O
460	CM	135	CM	64 LEVEL CM	4775,8868 litre	18,133 %	21561,6552 litre	O
460	CM	135	CM	63 LEVEL CM	4670,5372 litre	17,733 %	21667,0048 litre	O
460	CM	135	CM	62 LEVEL CM	4565,7677 litre	17,336 %	21771,7743 litre	O
460	CM	135	CM	61 LEVEL CM	4461,5896 litre	16,940 %	21875,9524 litre	O
460	CM	135	CM	60 LEVEL CM	4358,0145 litre	16,547 %	21979,5275 litre	O

460	CM	135	CM	59 LEVEL CM	4255,0541 litre	16,156 %	22082,4879 litre	O
460	CM	135	CM	58 LEVEL CM	4152,7203 litre	15,767 %	22184,8217 litre	O
460	CM	135	CM	57 LEVEL CM	4051,0255 litre	15,381 %	22286,5165 litre	O
460	CM	135	CM	56 LEVEL CM	3949,9819 litre	14,998 %	22387,5601 litre	O
460	CM	135	CM	55 LEVEL CM	3849,6023 litre	14,616 %	22487,9397 litre	O
460	CM	135	CM	54 LEVEL CM	3749,8995 litre	14,238 %	22587,6425 litre	O
460	CM	135	CM	53 LEVEL CM	3650,8867 litre	13,862 %	22686,6553 litre	O
460	CM	135	CM	52 LEVEL CM	3552,5774 litre	13,489 %	22784,9646 litre	O
460	CM	135	CM	51 LEVEL CM	3454,9853 litre	13,118 %	22882,5567 litre	O
460	CM	135	CM	50 LEVEL CM	3358,1245 litre	12,750 %	22979,4175 litre	O
460	CM	135	CM	49 LEVEL CM	3262,0093 litre	12,385 %	23075,5327 litre	O
460	CM	135	CM	48 LEVEL CM	3166,6545 litre	12,023 %	23170,8875 litre	O
460	CM	135	CM	47 LEVEL CM	3072,0751 litre	11,664 %	23265,4669 litre	O
460	CM	135	CM	46 LEVEL CM	2978,2865 litre	11,308 %	23359,2555 litre	O
460	CM	135	CM	45 LEVEL CM	2885,3046 litre	10,955 %	23452,2374 litre	O
460	CM	135	CM	44 LEVEL CM	2793,1455 litre	10,605 %	23544,3965 litre	O
460	CM	135	CM	43 LEVEL CM	2701,8261 litre	10,258 %	23635,7159 litre	O
460	CM	135	CM	42 LEVEL CM	2611,3634 litre	9,915 %	23726,1786 litre	O
460	CM	135	CM	41 LEVEL CM	2521,7751 litre	9,575 %	23815,7669 litre	O
460	CM	135	CM	40 LEVEL CM	2433,0794 litre	9,238 %	23904,4626 litre	O
460	CM	135	CM	39 LEVEL CM	2345,2949 litre	8,905 %	23992,2471 litre	O
460	CM	135	CM	38 LEVEL CM	2258,4409 litre	8,575 %	24079,1011 litre	O
460	CM	135	CM	37 LEVEL CM	2172,5375 litre	8,249 %	24165,0045 litre	O
460	CM	135	CM	36 LEVEL CM	2087,6051 litre	7,926 %	24249,9369 litre	O
460	CM	135	CM	35 LEVEL CM	2003,6652 litre	7,608 %	24333,8768 litre	O
460	CM	135	CM	34 LEVEL CM	1920,7397 litre	7,293 %	24416,8023 litre	O
460	CM	135	CM	33 LEVEL CM	1838,8517 litre	6,982 %	24498,6903 litre	O
460	CM	135	CM	32 LEVEL CM	1758,0248 litre	6,675 %	24579,5172 litre	O
460	CM	135	CM	31 LEVEL CM	1678,2838 litre	6,372 %	24659,2582 litre	O
460	CM	135	CM	30 LEVEL CM	1599,6546 litre	6,074 %	24737,8874 litre	O
460	CM	135	CM	29 LEVEL CM	1522,1638 litre	5,779 %	24815,3782 litre	O
460	CM	135	CM	28 LEVEL CM	1445,8397 litre	5,490 %	24891,7023 litre	O
460	CM	135	CM	27 LEVEL CM	1370,7115 litre	5,204 %	24966,8305 litre	O
460	CM	135	CM	26 LEVEL CM	1296,8102 litre	4,924 %	25040,7318 litre	O
460	CM	135	CM	25 LEVEL CM	1224,1680 litre	4,648 %	25113,3740 litre	O
460	CM	135	CM	24 LEVEL CM	1152,8191 litre	4,377 %	25184,7229 litre	O
460	CM	135	CM	23 LEVEL CM	1082,7994 litre	4,111 %	25254,7426 litre	O
460	CM	135	CM	22 LEVEL CM	1014,1469 litre	3,851 %	25323,3951 litre	O
460	CM	135	CM	21 LEVEL CM	946,9021 litre	3,595 %	25390,6399 litre	O
460	CM	135	CM	20 LEVEL CM	881,1079 litre	3,345 %	25456,4341 litre	O
460	CM	135	CM	19 LEVEL CM	816,8103 litre	3,101 %	25520,7317 litre	O
460	CM	135	CM	18 LEVEL CM	754,0583 litre	2,863 %	25583,4837 litre	O
460	CM	135	CM	17 LEVEL CM	692,9049 litre	2,631 %	25644,6371 litre	O
460	CM	135	CM	16 LEVEL CM	633,4072 litre	2,405 %	25704,1348 litre	O
460	CM	135	CM	15 LEVEL CM	575,6274 litre	2,186 %	25761,9146 litre	O
460	CM	135	CM	14 LEVEL CM	519,6332 litre	1,973 %	25817,9088 litre	O
460	CM	135	CM	13 LEVEL CM	465,4991 litre	1,767 %	25872,0429 litre	O
460	CM	135	CM	12 LEVEL CM	413,3076 litre	1,569 %	25924,2344 litre	O
460	CM	135	CM	11 LEVEL CM	363,1508 litre	1,379 %	25974,3912 litre	O
460	CM	135	CM	10 LEVEL CM	315,1325 litre	1,197 %	26022,4095 litre	O
460	CM	135	CM	9 LEVEL CM	269,3711 litre	1,023 %	26068,1709 litre	O
460	CM	135	CM	8 LEVEL CM	226,0034 litre	0,858 %	26111,5386 litre	O
460	CM	135	CM	7 LEVEL CM	185,1904 litre	0,703 %	26152,3516 litre	O

460	CM	135	CM	6 LEVEL CM	147,1257 litre	0,559 %	26190,4163 litre	O
460	CM	135	CM	5 LEVEL CM	112,0485 litre	0,425 %	26225,4935 litre	O
460	CM	135	CM	4 LEVEL CM	80,2655 litre	0,305 %	26257,2765 litre	O
460	CM	135	CM	3 LEVEL CM	52,1924 litre	0,198 %	26285,3496 litre	O
460	CM	135	CM	2 LEVEL CM	28,4417 litre	0,108 %	26309,1003 litre	O
460	CM	135	CM	1 LEVEL CM	10,0669 litre	0,038 %	26327,4751 litre	O
460	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	26337,5420 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 130	CM 260 LEVEL CM	24422,7413 litre	100,000 %	0,0000 litre	O
460	CM 130	CM 259 LEVEL CM	24412,8630 litre	99,960 %	9,8783 litre	O
460	CM 130	CM 258 LEVEL CM	24394,8336 litre	99,886 %	27,9077 litre	O
460	CM 130	CM 257 LEVEL CM	24371,5311 litre	99,790 %	51,2102 litre	O
460	CM 130	CM 256 LEVEL CM	24343,9898 litre	99,678 %	78,7515 litre	O
460	CM 130	CM 255 LEVEL CM	24312,8112 litre	99,550 %	109,9301 litre	O
460	CM 130	CM 254 LEVEL CM	24278,4034 litre	99,409 %	144,3379 litre	O
460	CM 130	CM 253 LEVEL CM	24241,0680 litre	99,256 %	181,6733 litre	O
460	CM 130	CM 252 LEVEL CM	24201,0400 litre	99,092 %	221,7013 litre	O
460	CM 130	CM 251 LEVEL CM	24158,5096 litre	98,918 %	264,2317 litre	O
460	CM 130	CM 250 LEVEL CM	24113,6351 litre	98,734 %	309,1062 litre	O
460	CM 130	CM 249 LEVEL CM	24066,5511 litre	98,542 %	356,1902 litre	O
460	CM 130	CM 248 LEVEL CM	24017,3741 litre	98,340 %	405,3672 litre	O
460	CM 130	CM 247 LEVEL CM	23966,2061 litre	98,131 %	456,5352 litre	O
460	CM 130	CM 246 LEVEL CM	23913,1377 litre	97,913 %	509,6036 litre	O
460	CM 130	CM 245 LEVEL CM	23858,2502 litre	97,689 %	564,4911 litre	O
460	CM 130	CM 244 LEVEL CM	23801,6170 litre	97,457 %	621,1243 litre	O
460	CM 130	CM 243 LEVEL CM	23743,3046 litre	97,218 %	679,4367 litre	O
460	CM 130	CM 242 LEVEL CM	23683,3744 litre	96,973 %	739,3669 litre	O
460	CM 130	CM 241 LEVEL CM	23621,8827 litre	96,721 %	800,8586 litre	O
460	CM 130	CM 240 LEVEL CM	23558,8815 litre	96,463 %	863,8598 litre	O
460	CM 130	CM 239 LEVEL CM	23494,4193 litre	96,199 %	928,3220 litre	O
460	CM 130	CM 238 LEVEL CM	23428,5414 litre	95,929 %	994,1999 litre	O
460	CM 130	CM 237 LEVEL CM	23361,2902 litre	95,654 %	1061,4511 litre	O
460	CM 130	CM 236 LEVEL CM	23292,7055 litre	95,373 %	1130,0358 litre	O
460	CM 130	CM 235 LEVEL CM	23222,8248 litre	95,087 %	1199,9165 litre	O
460	CM 130	CM 234 LEVEL CM	23151,6837 litre	94,796 %	1271,0576 litre	O
460	CM 130	CM 233 LEVEL CM	23079,3157 litre	94,499 %	1343,4256 litre	O
460	CM 130	CM 232 LEVEL CM	23005,7529 litre	94,198 %	1416,9884 litre	O
460	CM 130	CM 231 LEVEL CM	22931,0257 litre	93,892 %	1491,7156 litre	O
460	CM 130	CM 230 LEVEL CM	22855,1631 litre	93,581 %	1567,5782 litre	O
460	CM 130	CM 229 LEVEL CM	22778,1929 litre	93,266 %	1644,5484 litre	O
460	CM 130	CM 228 LEVEL CM	22700,1416 litre	92,947 %	1722,5997 litre	O
460	CM 130	CM 227 LEVEL CM	22621,0346 litre	92,623 %	1801,7067 litre	O
460	CM 130	CM 226 LEVEL CM	22540,8965 litre	92,295 %	1881,8448 litre	O
460	CM 130	CM 225 LEVEL CM	22459,7508 litre	91,962 %	1962,9905 litre	O
460	CM 130	CM 224 LEVEL CM	22377,6201 litre	91,626 %	2045,1212 litre	O
460	CM 130	CM 223 LEVEL CM	22294,5264 litre	91,286 %	2128,2149 litre	O
460	CM 130	CM 222 LEVEL CM	22210,4906 litre	90,942 %	2212,2507 litre	O
460	CM 130	CM 221 LEVEL CM	22125,5333 litre	90,594 %	2297,2080 litre	O
460	CM 130	CM 220 LEVEL CM	22039,6741 litre	90,242 %	2383,0672 litre	O
460	CM 130	CM 219 LEVEL CM	21952,9323 litre	89,887 %	2469,8090 litre	O
460	CM 130	CM 218 LEVEL CM	21865,3263 litre	89,529 %	2557,4150 litre	O
460	CM 130	CM 217 LEVEL CM	21776,8741 litre	89,166 %	2645,8672 litre	O
460	CM 130	CM 216 LEVEL CM	21687,5934 litre	88,801 %	2735,1479 litre	O
460	CM 130	CM 215 LEVEL CM	21597,5010 litre	88,432 %	2825,2403 litre	O
460	CM 130	CM 214 LEVEL CM	21506,6135 litre	88,060 %	2916,1278 litre	O
460	CM 130	CM 213 LEVEL CM	21414,9471 litre	87,684 %	3007,7942 litre	O
460	CM 130	CM 212 LEVEL CM	21322,5175 litre	87,306 %	3100,2238 litre	O
460	CM 130	CM 211 LEVEL CM	21229,3400 litre	86,924 %	3193,4013 litre	O
460	CM 130	CM 210 LEVEL CM	21135,4296 litre	86,540 %	3287,3117 litre	O
460	CM 130	CM 209 LEVEL CM	21040,8009 litre	86,152 %	3381,9404 litre	O

460	CM	130	CM	208 LEVEL CM	20945,4683 litre	85,762 %	3477,2730 litre	O
460	CM	130	CM	207 LEVEL CM	20849,4456 litre	85,369 %	3573,2957 litre	O
460	CM	130	CM	206 LEVEL CM	20752,7465 litre	84,973 %	3669,9948 litre	O
460	CM	130	CM	205 LEVEL CM	20655,3845 litre	84,574 %	3767,3568 litre	O
460	CM	130	CM	204 LEVEL CM	20557,3726 litre	84,173 %	3865,3687 litre	O
460	CM	130	CM	203 LEVEL CM	20458,7238 litre	83,769 %	3964,0175 litre	O
460	CM	130	CM	202 LEVEL CM	20359,4506 litre	83,363 %	4063,2907 litre	O
460	CM	130	CM	201 LEVEL CM	20259,5654 litre	82,954 %	4163,1759 litre	O
460	CM	130	CM	200 LEVEL CM	20159,0804 litre	82,542 %	4263,6609 litre	O
460	CM	130	CM	199 LEVEL CM	20058,0075 litre	82,128 %	4364,7338 litre	O
460	CM	130	CM	198 LEVEL CM	19956,3583 litre	81,712 %	4466,3830 litre	O
460	CM	130	CM	197 LEVEL CM	19854,1446 litre	81,294 %	4568,5967 litre	O
460	CM	130	CM	196 LEVEL CM	19751,3775 litre	80,873 %	4671,3638 litre	O
460	CM	130	CM	195 LEVEL CM	19648,0683 litre	80,450 %	4774,6730 litre	O
460	CM	130	CM	194 LEVEL CM	19544,2279 litre	80,025 %	4878,5134 litre	O
460	CM	130	CM	193 LEVEL CM	19439,8671 litre	79,597 %	4982,8742 litre	O
460	CM	130	CM	192 LEVEL CM	19334,9966 litre	79,168 %	5087,7447 litre	O
460	CM	130	CM	191 LEVEL CM	19229,6269 litre	78,737 %	5193,1144 litre	O
460	CM	130	CM	190 LEVEL CM	19123,7683 litre	78,303 %	5298,9730 litre	O
460	CM	130	CM	189 LEVEL CM	19017,4311 litre	77,868 %	5405,3102 litre	O
460	CM	130	CM	188 LEVEL CM	18910,6253 litre	77,430 %	5512,1160 litre	O
460	CM	130	CM	187 LEVEL CM	18803,3609 litre	76,991 %	5619,3804 litre	O
460	CM	130	CM	186 LEVEL CM	18695,6476 litre	76,550 %	5727,0937 litre	O
460	CM	130	CM	185 LEVEL CM	18587,4952 litre	76,107 %	5835,2461 litre	O
460	CM	130	CM	184 LEVEL CM	18478,9131 litre	75,663 %	5943,8282 litre	O
460	CM	130	CM	183 LEVEL CM	18369,9110 litre	75,216 %	6052,8303 litre	O
460	CM	130	CM	182 LEVEL CM	18260,4981 litre	74,768 %	6162,2432 litre	O
460	CM	130	CM	181 LEVEL CM	18150,6836 litre	74,319 %	6272,0577 litre	O
460	CM	130	CM	180 LEVEL CM	18040,4768 litre	73,868 %	6382,2645 litre	O
460	CM	130	CM	179 LEVEL CM	17929,8866 litre	73,415 %	6492,8547 litre	O
460	CM	130	CM	178 LEVEL CM	17818,9221 litre	72,960 %	6603,8192 litre	O
460	CM	130	CM	177 LEVEL CM	17707,5920 litre	72,505 %	6715,1493 litre	O
460	CM	130	CM	176 LEVEL CM	17595,9051 litre	72,047 %	6826,8362 litre	O
460	CM	130	CM	175 LEVEL CM	17483,8702 litre	71,588 %	6938,8711 litre	O
460	CM	130	CM	174 LEVEL CM	17371,4959 litre	71,128 %	7051,2454 litre	O
460	CM	130	CM	173 LEVEL CM	17258,7906 litre	70,667 %	7163,9507 litre	O
460	CM	130	CM	172 LEVEL CM	17145,7629 litre	70,204 %	7276,9784 litre	O
460	CM	130	CM	171 LEVEL CM	17032,4210 litre	69,740 %	7390,3203 litre	O
460	CM	130	CM	170 LEVEL CM	16918,7734 litre	69,275 %	7503,9679 litre	O
460	CM	130	CM	169 LEVEL CM	16804,8283 litre	68,808 %	7617,9130 litre	O
460	CM	130	CM	168 LEVEL CM	16690,5939 litre	68,340 %	7732,1474 litre	O
460	CM	130	CM	167 LEVEL CM	16576,0783 litre	67,871 %	7846,6630 litre	O
460	CM	130	CM	166 LEVEL CM	16461,2895 litre	67,401 %	7961,4518 litre	O
460	CM	130	CM	165 LEVEL CM	16346,2355 litre	66,930 %	8076,5058 litre	O
460	CM	130	CM	164 LEVEL CM	16230,9244 litre	66,458 %	8191,8169 litre	O
460	CM	130	CM	163 LEVEL CM	16115,3640 litre	65,985 %	8307,3773 litre	O
460	CM	130	CM	162 LEVEL CM	15999,5621 litre	65,511 %	8423,1792 litre	O
460	CM	130	CM	161 LEVEL CM	15883,5266 litre	65,036 %	8539,2147 litre	O
460	CM	130	CM	160 LEVEL CM	15767,2651 litre	64,560 %	8655,4762 litre	O
460	CM	130	CM	159 LEVEL CM	15650,7855 litre	64,083 %	8771,9558 litre	O
460	CM	130	CM	158 LEVEL CM	15534,0953 litre	63,605 %	8888,6460 litre	O
460	CM	130	CM	157 LEVEL CM	15417,2022 litre	63,126 %	9005,5391 litre	O
460	CM	130	CM	156 LEVEL CM	15300,1138 litre	62,647 %	9122,6275 litre	O

460	CM	130	CM	155 LEVEL CM	15182,8375 litre	62,167 %	9239,9038 litre	O
460	CM	130	CM	154 LEVEL CM	15065,3810 litre	61,686 %	9357,3603 litre	O
460	CM	130	CM	153 LEVEL CM	14947,7517 litre	61,204 %	9474,9896 litre	O
460	CM	130	CM	152 LEVEL CM	14829,9570 litre	60,722 %	9592,7843 litre	O
460	CM	130	CM	151 LEVEL CM	14712,0043 litre	60,239 %	9710,7370 litre	O
460	CM	130	CM	150 LEVEL CM	14593,9010 litre	59,755 %	9828,8403 litre	O
460	CM	130	CM	149 LEVEL CM	14475,6544 litre	59,271 %	9947,0869 litre	O
460	CM	130	CM	148 LEVEL CM	14357,2720 litre	58,786 %	10065,4693 litre	O
460	CM	130	CM	147 LEVEL CM	14238,7609 litre	58,301 %	10183,9804 litre	O
460	CM	130	CM	146 LEVEL CM	14120,1284 litre	57,815 %	10302,6129 litre	O
460	CM	130	CM	145 LEVEL CM	14001,3819 litre	57,329 %	10421,3594 litre	O
460	CM	130	CM	144 LEVEL CM	13882,5285 litre	56,843 %	10540,2128 litre	O
460	CM	130	CM	143 LEVEL CM	13763,5754 litre	56,356 %	10659,1659 litre	O
460	CM	130	CM	142 LEVEL CM	13644,5299 litre	55,868 %	10778,2114 litre	O
460	CM	130	CM	141 LEVEL CM	13525,3991 litre	55,380 %	10897,3422 litre	O
460	CM	130	CM	140 LEVEL CM	13406,1901 litre	54,892 %	11016,5512 litre	O
460	CM	130	CM	139 LEVEL CM	13286,9102 litre	54,404 %	11135,8311 litre	O
460	CM	130	CM	138 LEVEL CM	13167,5664 litre	53,915 %	11255,1749 litre	O
460	CM	130	CM	137 LEVEL CM	13048,1659 litre	53,426 %	11374,5754 litre	O
460	CM	130	CM	136 LEVEL CM	12928,7158 litre	52,937 %	11494,0255 litre	O
460	CM	130	CM	135 LEVEL CM	12809,2232 litre	52,448 %	11613,5181 litre	O
460	CM	130	CM	134 LEVEL CM	12689,6951 litre	51,959 %	11733,0462 litre	O
460	CM	130	CM	133 LEVEL CM	12570,1388 litre	51,469 %	11852,6025 litre	O
460	CM	130	CM	132 LEVEL CM	12450,5612 litre	50,979 %	11972,1801 litre	O
460	CM	130	CM	131 LEVEL CM	12330,9695 litre	50,490 %	12091,7718 litre	O
460	CM	130	CM	130 LEVEL CM	12211,3706 litre	50,000 %	12211,3707 litre	O
460	CM	130	CM	129 LEVEL CM	12091,7718 litre	49,510 %	12330,9695 litre	O
460	CM	130	CM	128 LEVEL CM	11972,1801 litre	49,021 %	12450,5612 litre	O
460	CM	130	CM	127 LEVEL CM	11852,6025 litre	48,531 %	12570,1388 litre	O
460	CM	130	CM	126 LEVEL CM	11733,0461 litre	48,041 %	12689,6952 litre	O
460	CM	130	CM	125 LEVEL CM	11613,5181 litre	47,552 %	12809,2232 litre	O
460	CM	130	CM	124 LEVEL CM	11494,0255 litre	47,063 %	12928,7158 litre	O
460	CM	130	CM	123 LEVEL CM	11374,5754 litre	46,574 %	13048,1659 litre	O
460	CM	130	CM	122 LEVEL CM	11255,1749 litre	46,085 %	13167,5664 litre	O
460	CM	130	CM	121 LEVEL CM	11135,8311 litre	45,596 %	13286,9102 litre	O
460	CM	130	CM	120 LEVEL CM	11016,5512 litre	45,108 %	13406,1901 litre	O
460	CM	130	CM	119 LEVEL CM	10897,3422 litre	44,620 %	13525,3991 litre	O
460	CM	130	CM	118 LEVEL CM	10778,2114 litre	44,132 %	13644,5299 litre	O
460	CM	130	CM	117 LEVEL CM	10659,1659 litre	43,644 %	13763,5754 litre	O
460	CM	130	CM	116 LEVEL CM	10540,2128 litre	43,157 %	13882,5285 litre	O
460	CM	130	CM	115 LEVEL CM	10421,3594 litre	42,671 %	14001,3819 litre	O
460	CM	130	CM	114 LEVEL CM	10302,6129 litre	42,185 %	14120,1284 litre	O
460	CM	130	CM	113 LEVEL CM	10183,9804 litre	41,699 %	14238,7609 litre	O
460	CM	130	CM	112 LEVEL CM	10065,4693 litre	41,214 %	14357,2720 litre	O
460	CM	130	CM	111 LEVEL CM	9947,0869 litre	40,729 %	14475,6544 litre	O
460	CM	130	CM	110 LEVEL CM	9828,8403 litre	40,245 %	14593,9010 litre	O
460	CM	130	CM	109 LEVEL CM	9710,7370 litre	39,761 %	14712,0043 litre	O
460	CM	130	CM	108 LEVEL CM	9592,7843 litre	39,278 %	14829,9570 litre	O
460	CM	130	CM	107 LEVEL CM	9474,9896 litre	38,796 %	14947,7517 litre	O
460	CM	130	CM	106 LEVEL CM	9357,3603 litre	38,314 %	15065,3810 litre	O
460	CM	130	CM	105 LEVEL CM	9239,9037 litre	37,833 %	15182,8376 litre	O
460	CM	130	CM	104 LEVEL CM	9122,6275 litre	37,353 %	15300,1138 litre	O
460	CM	130	CM	103 LEVEL CM	9005,5391 litre	36,874 %	15417,2022 litre	O

460	CM	130	CM	102 LEVEL CM	8888,6460 litre	36,395 %	15534,0953 litre	O
460	CM	130	CM	101 LEVEL CM	8771,9558 litre	35,917 %	15650,7855 litre	O
460	CM	130	CM	100 LEVEL CM	8655,4762 litre	35,440 %	15767,2651 litre	O
460	CM	130	CM	99 LEVEL CM	8539,2147 litre	34,964 %	15883,5266 litre	O
460	CM	130	CM	98 LEVEL CM	8423,1792 litre	34,489 %	15999,5621 litre	O
460	CM	130	CM	97 LEVEL CM	8307,3773 litre	34,015 %	16115,3640 litre	O
460	CM	130	CM	96 LEVEL CM	8191,8169 litre	33,542 %	16230,9244 litre	O
460	CM	130	CM	95 LEVEL CM	8076,5058 litre	33,070 %	16346,2355 litre	O
460	CM	130	CM	94 LEVEL CM	7961,4518 litre	32,599 %	16461,2895 litre	O
460	CM	130	CM	93 LEVEL CM	7846,6630 litre	32,129 %	16576,0783 litre	O
460	CM	130	CM	92 LEVEL CM	7732,1474 litre	31,660 %	16690,5939 litre	O
460	CM	130	CM	91 LEVEL CM	7617,9129 litre	31,192 %	16804,8284 litre	O
460	CM	130	CM	90 LEVEL CM	7503,9678 litre	30,725 %	16918,7735 litre	O
460	CM	130	CM	89 LEVEL CM	7390,3203 litre	30,260 %	17032,4210 litre	O
460	CM	130	CM	88 LEVEL CM	7276,9784 litre	29,796 %	17145,7629 litre	O
460	CM	130	CM	87 LEVEL CM	7163,9507 litre	29,333 %	17258,7906 litre	O
460	CM	130	CM	86 LEVEL CM	7051,2454 litre	28,872 %	17371,4959 litre	O
460	CM	130	CM	85 LEVEL CM	6938,8710 litre	28,412 %	17483,8703 litre	O
460	CM	130	CM	84 LEVEL CM	6826,8361 litre	27,953 %	17595,9052 litre	O
460	CM	130	CM	83 LEVEL CM	6715,1493 litre	27,495 %	17707,5920 litre	O
460	CM	130	CM	82 LEVEL CM	6603,8192 litre	27,040 %	17818,9221 litre	O
460	CM	130	CM	81 LEVEL CM	6492,8547 litre	26,585 %	17929,8866 litre	O
460	CM	130	CM	80 LEVEL CM	6382,2645 litre	26,132 %	18040,4768 litre	O
460	CM	130	CM	79 LEVEL CM	6272,0577 litre	25,681 %	18150,6836 litre	O
460	CM	130	CM	78 LEVEL CM	6162,2432 litre	25,232 %	18260,4981 litre	O
460	CM	130	CM	77 LEVEL CM	6052,8303 litre	24,784 %	18369,9110 litre	O
460	CM	130	CM	76 LEVEL CM	5943,8282 litre	24,337 %	18478,9131 litre	O
460	CM	130	CM	75 LEVEL CM	5835,2461 litre	23,893 %	18587,4952 litre	O
460	CM	130	CM	74 LEVEL CM	5727,0937 litre	23,450 %	18695,6476 litre	O
460	CM	130	CM	73 LEVEL CM	5619,3804 litre	23,009 %	18803,3609 litre	O
460	CM	130	CM	72 LEVEL CM	5512,1160 litre	22,570 %	18910,6253 litre	O
460	CM	130	CM	71 LEVEL CM	5405,3102 litre	22,132 %	19017,4311 litre	O
460	CM	130	CM	70 LEVEL CM	5298,9729 litre	21,697 %	19123,7684 litre	O
460	CM	130	CM	69 LEVEL CM	5193,1144 litre	21,263 %	19229,6269 litre	O
460	CM	130	CM	68 LEVEL CM	5087,7447 litre	20,832 %	19334,9966 litre	O
460	CM	130	CM	67 LEVEL CM	4982,8742 litre	20,403 %	19439,8671 litre	O
460	CM	130	CM	66 LEVEL CM	4878,5134 litre	19,975 %	19544,2279 litre	O
460	CM	130	CM	65 LEVEL CM	4774,6730 litre	19,550 %	19648,0683 litre	O
460	CM	130	CM	64 LEVEL CM	4671,3638 litre	19,127 %	19751,3775 litre	O
460	CM	130	CM	63 LEVEL CM	4568,5967 litre	18,706 %	19854,1446 litre	O
460	CM	130	CM	62 LEVEL CM	4466,3829 litre	18,288 %	19956,3584 litre	O
460	CM	130	CM	61 LEVEL CM	4364,7338 litre	17,872 %	20058,0075 litre	O
460	CM	130	CM	60 LEVEL CM	4263,6609 litre	17,458 %	20159,0804 litre	O
460	CM	130	CM	59 LEVEL CM	4163,1759 litre	17,046 %	20259,5654 litre	O
460	CM	130	CM	58 LEVEL CM	4063,2907 litre	16,637 %	20359,4506 litre	O
460	CM	130	CM	57 LEVEL CM	3964,0175 litre	16,231 %	20458,7238 litre	O
460	CM	130	CM	56 LEVEL CM	3865,3687 litre	15,827 %	20557,3726 litre	O
460	CM	130	CM	55 LEVEL CM	3767,3568 litre	15,426 %	20655,3845 litre	O
460	CM	130	CM	54 LEVEL CM	3669,9948 litre	15,027 %	20752,7465 litre	O
460	CM	130	CM	53 LEVEL CM	3573,2957 litre	14,631 %	20849,4456 litre	O
460	CM	130	CM	52 LEVEL CM	3477,2730 litre	14,238 %	20945,4683 litre	O
460	CM	130	CM	51 LEVEL CM	3381,9403 litre	13,848 %	21040,8010 litre	O
460	CM	130	CM	50 LEVEL CM	3287,3117 litre	13,460 %	21135,4296 litre	O

460	CM	130	CM	49 LEVEL CM	3193,4013 litre	13,076 %	21229,3400 litre	O
460	CM	130	CM	48 LEVEL CM	3100,2238 litre	12,694 %	21322,5175 litre	O
460	CM	130	CM	47 LEVEL CM	3007,7942 litre	12,316 %	21414,9471 litre	O
460	CM	130	CM	46 LEVEL CM	2916,1278 litre	11,940 %	21506,6135 litre	O
460	CM	130	CM	45 LEVEL CM	2825,2403 litre	11,568 %	21597,5010 litre	O
460	CM	130	CM	44 LEVEL CM	2735,1479 litre	11,199 %	21687,5934 litre	O
460	CM	130	CM	43 LEVEL CM	2645,8671 litre	10,834 %	21776,8742 litre	O
460	CM	130	CM	42 LEVEL CM	2557,4150 litre	10,471 %	21865,3263 litre	O
460	CM	130	CM	41 LEVEL CM	2469,8090 litre	10,113 %	21952,9323 litre	O
460	CM	130	CM	40 LEVEL CM	2383,0671 litre	9,758 %	22039,6742 litre	O
460	CM	130	CM	39 LEVEL CM	2297,2080 litre	9,406 %	22125,5333 litre	O
460	CM	130	CM	38 LEVEL CM	2212,2507 litre	9,058 %	22210,4906 litre	O
460	CM	130	CM	37 LEVEL CM	2128,2149 litre	8,714 %	22294,5264 litre	O
460	CM	130	CM	36 LEVEL CM	2045,1211 litre	8,374 %	22377,6202 litre	O
460	CM	130	CM	35 LEVEL CM	1962,9905 litre	8,038 %	22459,7508 litre	O
460	CM	130	CM	34 LEVEL CM	1881,8448 litre	7,705 %	22540,8965 litre	O
460	CM	130	CM	33 LEVEL CM	1801,7067 litre	7,377 %	22621,0346 litre	O
460	CM	130	CM	32 LEVEL CM	1722,5997 litre	7,053 %	22700,1416 litre	O
460	CM	130	CM	31 LEVEL CM	1644,5484 litre	6,734 %	22778,1929 litre	O
460	CM	130	CM	30 LEVEL CM	1567,5781 litre	6,419 %	22855,1632 litre	O
460	CM	130	CM	29 LEVEL CM	1491,7156 litre	6,108 %	22931,0257 litre	O
460	CM	130	CM	28 LEVEL CM	1416,9883 litre	5,802 %	23005,7530 litre	O
460	CM	130	CM	27 LEVEL CM	1343,4256 litre	5,501 %	23079,3157 litre	O
460	CM	130	CM	26 LEVEL CM	1271,0576 litre	5,204 %	23151,6837 litre	O
460	CM	130	CM	25 LEVEL CM	1199,9165 litre	4,913 %	23222,8248 litre	O
460	CM	130	CM	24 LEVEL CM	1130,0358 litre	4,627 %	23292,7055 litre	O
460	CM	130	CM	23 LEVEL CM	1061,4511 litre	4,346 %	23361,2902 litre	O
460	CM	130	CM	22 LEVEL CM	994,1999 litre	4,071 %	23428,5414 litre	O
460	CM	130	CM	21 LEVEL CM	928,3220 litre	3,801 %	23494,4193 litre	O
460	CM	130	CM	20 LEVEL CM	863,8598 litre	3,537 %	23558,8815 litre	O
460	CM	130	CM	19 LEVEL CM	800,8586 litre	3,279 %	23621,8827 litre	O
460	CM	130	CM	18 LEVEL CM	739,3669 litre	3,027 %	23683,3744 litre	O
460	CM	130	CM	17 LEVEL CM	679,4367 litre	2,782 %	23743,3046 litre	O
460	CM	130	CM	16 LEVEL CM	621,1243 litre	2,543 %	23801,6170 litre	O
460	CM	130	CM	15 LEVEL CM	564,4910 litre	2,311 %	23858,2503 litre	O
460	CM	130	CM	14 LEVEL CM	509,6035 litre	2,087 %	23913,1378 litre	O
460	CM	130	CM	13 LEVEL CM	456,5352 litre	1,869 %	23966,2061 litre	O
460	CM	130	CM	12 LEVEL CM	405,3672 litre	1,660 %	24017,3741 litre	O
460	CM	130	CM	11 LEVEL CM	356,1901 litre	1,458 %	24066,5512 litre	O
460	CM	130	CM	10 LEVEL CM	309,1062 litre	1,266 %	24113,6351 litre	O
460	CM	130	CM	9 LEVEL CM	264,2317 litre	1,082 %	24158,5096 litre	O
460	CM	130	CM	8 LEVEL CM	221,7013 litre	0,908 %	24201,0400 litre	O
460	CM	130	CM	7 LEVEL CM	181,6733 litre	0,744 %	24241,0680 litre	O
460	CM	130	CM	6 LEVEL CM	144,3379 litre	0,591 %	24278,4034 litre	O
460	CM	130	CM	5 LEVEL CM	109,9301 litre	0,450 %	24312,8112 litre	O
460	CM	130	CM	4 LEVEL CM	78,7515 litre	0,322 %	24343,9898 litre	O
460	CM	130	CM	3 LEVEL CM	51,2102 litre	0,210 %	24371,5311 litre	O
460	CM	130	CM	2 LEVEL CM	27,9077 litre	0,114 %	24394,8336 litre	O
460	CM	130	CM	1 LEVEL CM	9,8783 litre	0,040 %	24412,8630 litre	O
460	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	24422,7413 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 125	CM 250 LEVEL CM	22580,1972 litre	100,000 %	0,0000 litre	O
460	CM 125	CM 249 LEVEL CM	22570,5112 litre	99,957 %	9,6860 litre	O
460	CM 125	CM 248 LEVEL CM	22552,8340 litre	99,879 %	27,3632 litre	O
460	CM 125	CM 247 LEVEL CM	22529,9885 litre	99,778 %	50,2087 litre	O
460	CM 125	CM 246 LEVEL CM	22502,9894 litre	99,658 %	77,2078 litre	O
460	CM 125	CM 245 LEVEL CM	22472,4270 litre	99,523 %	107,7702 litre	O
460	CM 125	CM 244 LEVEL CM	22438,7020 litre	99,373 %	141,4952 litre	O
460	CM 125	CM 243 LEVEL CM	22402,1105 litre	99,211 %	178,0867 litre	O
460	CM 125	CM 242 LEVEL CM	22362,8831 litre	99,038 %	217,3141 litre	O
460	CM 125	CM 241 LEVEL CM	22321,2069 litre	98,853 %	258,9903 litre	O
460	CM 125	CM 240 LEVEL CM	22277,2372 litre	98,658 %	302,9600 litre	O
460	CM 125	CM 239 LEVEL CM	22231,1065 litre	98,454 %	349,0907 litre	O
460	CM 125	CM 238 LEVEL CM	22182,9291 litre	98,241 %	397,2681 litre	O
460	CM 125	CM 237 LEVEL CM	22132,8055 litre	98,019 %	447,3917 litre	O
460	CM 125	CM 236 LEVEL CM	22080,8247 litre	97,788 %	499,3725 litre	O
460	CM 125	CM 235 LEVEL CM	22027,0667 litre	97,550 %	553,1305 litre	O
460	CM 125	CM 234 LEVEL CM	21971,6037 litre	97,305 %	608,5935 litre	O
460	CM 125	CM 233 LEVEL CM	21914,5013 litre	97,052 %	665,6959 litre	O
460	CM 125	CM 232 LEVEL CM	21855,8198 litre	96,792 %	724,3774 litre	O
460	CM 125	CM 231 LEVEL CM	21795,6146 litre	96,525 %	784,5826 litre	O
460	CM 125	CM 230 LEVEL CM	21733,9371 litre	96,252 %	846,2601 litre	O
460	CM 125	CM 229 LEVEL CM	21670,8351 litre	95,973 %	909,3621 litre	O
460	CM 125	CM 228 LEVEL CM	21606,3531 litre	95,687 %	973,8441 litre	O
460	CM 125	CM 227 LEVEL CM	21540,5330 litre	95,396 %	1039,6642 litre	O
460	CM 125	CM 226 LEVEL CM	21473,4139 litre	95,098 %	1106,7833 litre	O
460	CM 125	CM 225 LEVEL CM	21405,0330 litre	94,796 %	1175,1642 litre	O
460	CM 125	CM 224 LEVEL CM	21335,4252 litre	94,487 %	1244,7720 litre	O
460	CM 125	CM 223 LEVEL CM	21264,6239 litre	94,174 %	1315,5733 litre	O
460	CM 125	CM 222 LEVEL CM	21192,6605 litre	93,855 %	1387,5367 litre	O
460	CM 125	CM 221 LEVEL CM	21119,5651 litre	93,531 %	1460,6321 litre	O
460	CM 125	CM 220 LEVEL CM	21045,3664 litre	93,203 %	1534,8308 litre	O
460	CM 125	CM 219 LEVEL CM	20970,0918 litre	92,869 %	1610,1054 litre	O
460	CM 125	CM 218 LEVEL CM	20893,7674 litre	92,531 %	1686,4298 litre	O
460	CM 125	CM 217 LEVEL CM	20816,4187 litre	92,189 %	1763,7785 litre	O
460	CM 125	CM 216 LEVEL CM	20738,0696 litre	91,842 %	1842,1276 litre	O
460	CM 125	CM 215 LEVEL CM	20658,7435 litre	91,491 %	1921,4537 litre	O
460	CM 125	CM 214 LEVEL CM	20578,4629 litre	91,135 %	2001,7343 litre	O
460	CM 125	CM 213 LEVEL CM	20497,2494 litre	90,775 %	2082,9478 litre	O
460	CM 125	CM 212 LEVEL CM	20415,1238 litre	90,412 %	2165,0734 litre	O
460	CM 125	CM 211 LEVEL CM	20332,1064 litre	90,044 %	2248,0908 litre	O
460	CM 125	CM 210 LEVEL CM	20248,2167 litre	89,672 %	2331,9805 litre	O
460	CM 125	CM 209 LEVEL CM	20163,4738 litre	89,297 %	2416,7234 litre	O
460	CM 125	CM 208 LEVEL CM	20077,8960 litre	88,918 %	2502,3012 litre	O
460	CM 125	CM 207 LEVEL CM	19991,5012 litre	88,536 %	2588,6960 litre	O
460	CM 125	CM 206 LEVEL CM	19904,3067 litre	88,149 %	2675,8905 litre	O
460	CM 125	CM 205 LEVEL CM	19816,3295 litre	87,760 %	2763,8677 litre	O
460	CM 125	CM 204 LEVEL CM	19727,5859 litre	87,367 %	2852,6113 litre	O
460	CM 125	CM 203 LEVEL CM	19638,0920 litre	86,970 %	2942,1052 litre	O
460	CM 125	CM 202 LEVEL CM	19547,8634 litre	86,571 %	3032,3338 litre	O
460	CM 125	CM 201 LEVEL CM	19456,9154 litre	86,168 %	3123,2818 litre	O
460	CM 125	CM 200 LEVEL CM	19365,2628 litre	85,762 %	3214,9344 litre	O
460	CM 125	CM 199 LEVEL CM	19272,9202 litre	85,353 %	3307,2770 litre	O

460	CM	125	CM	198 LEVEL CM	19179,9018 litre	84,941 %	3400,2954 litre	O
460	CM	125	CM	197 LEVEL CM	19086,2214 litre	84,526 %	3493,9758 litre	O
460	CM	125	CM	196 LEVEL CM	18991,8928 litre	84,109 %	3588,3044 litre	O
460	CM	125	CM	195 LEVEL CM	18896,9293 litre	83,688 %	3683,2679 litre	O
460	CM	125	CM	194 LEVEL CM	18801,3439 litre	83,265 %	3778,8533 litre	O
460	CM	125	CM	193 LEVEL CM	18705,1494 litre	82,839 %	3875,0478 litre	O
460	CM	125	CM	192 LEVEL CM	18608,3584 litre	82,410 %	3971,8388 litre	O
460	CM	125	CM	191 LEVEL CM	18510,9833 litre	81,979 %	4069,2139 litre	O
460	CM	125	CM	190 LEVEL CM	18413,0362 litre	81,545 %	4167,1610 litre	O
460	CM	125	CM	189 LEVEL CM	18314,5290 litre	81,109 %	4265,6682 litre	O
460	CM	125	CM	188 LEVEL CM	18215,4734 litre	80,670 %	4364,7238 litre	O
460	CM	125	CM	187 LEVEL CM	18115,8810 litre	80,229 %	4464,3162 litre	O
460	CM	125	CM	186 LEVEL CM	18015,7630 litre	79,786 %	4564,4342 litre	O
460	CM	125	CM	185 LEVEL CM	17915,1306 litre	79,340 %	4665,0666 litre	O
460	CM	125	CM	184 LEVEL CM	17813,9949 litre	78,892 %	4766,2023 litre	O
460	CM	125	CM	183 LEVEL CM	17712,3665 litre	78,442 %	4867,8307 litre	O
460	CM	125	CM	182 LEVEL CM	17610,2563 litre	77,990 %	4969,9409 litre	O
460	CM	125	CM	181 LEVEL CM	17507,6747 litre	77,536 %	5072,5225 litre	O
460	CM	125	CM	180 LEVEL CM	17404,6320 litre	77,079 %	5175,5652 litre	O
460	CM	125	CM	179 LEVEL CM	17301,1386 litre	76,621 %	5279,0586 litre	O
460	CM	125	CM	178 LEVEL CM	17197,2044 litre	76,161 %	5382,9928 litre	O
460	CM	125	CM	177 LEVEL CM	17092,8396 litre	75,698 %	5487,3576 litre	O
460	CM	125	CM	176 LEVEL CM	16988,0538 litre	75,234 %	5592,1434 litre	O
460	CM	125	CM	175 LEVEL CM	16882,8570 litre	74,768 %	5697,3402 litre	O
460	CM	125	CM	174 LEVEL CM	16777,2585 litre	74,301 %	5802,9387 litre	O
460	CM	125	CM	173 LEVEL CM	16671,2681 litre	73,831 %	5908,9291 litre	O
460	CM	125	CM	172 LEVEL CM	16564,8950 litre	73,360 %	6015,3022 litre	O
460	CM	125	CM	171 LEVEL CM	16458,1487 litre	72,888 %	6122,0485 litre	O
460	CM	125	CM	170 LEVEL CM	16351,0382 litre	72,413 %	6229,1590 litre	O
460	CM	125	CM	169 LEVEL CM	16243,5727 litre	71,937 %	6336,6245 litre	O
460	CM	125	CM	168 LEVEL CM	16135,7612 litre	71,460 %	6444,4360 litre	O
460	CM	125	CM	167 LEVEL CM	16027,6126 litre	70,981 %	6552,5846 litre	O
460	CM	125	CM	166 LEVEL CM	15919,1358 litre	70,500 %	6661,0614 litre	O
460	CM	125	CM	165 LEVEL CM	15810,3396 litre	70,019 %	6769,8576 litre	O
460	CM	125	CM	164 LEVEL CM	15701,2327 litre	69,535 %	6878,9645 litre	O
460	CM	125	CM	163 LEVEL CM	15591,8236 litre	69,051 %	6988,3736 litre	O
460	CM	125	CM	162 LEVEL CM	15482,1210 litre	68,565 %	7098,0762 litre	O
460	CM	125	CM	161 LEVEL CM	15372,1332 litre	68,078 %	7208,0640 litre	O
460	CM	125	CM	160 LEVEL CM	15261,8688 litre	67,590 %	7318,3284 litre	O
460	CM	125	CM	159 LEVEL CM	15151,3360 litre	67,100 %	7428,8612 litre	O
460	CM	125	CM	158 LEVEL CM	15040,5431 litre	66,609 %	7539,6541 litre	O
460	CM	125	CM	157 LEVEL CM	14929,4985 litre	66,118 %	7650,6987 litre	O
460	CM	125	CM	156 LEVEL CM	14818,2102 litre	65,625 %	7761,9870 litre	O
460	CM	125	CM	155 LEVEL CM	14706,6864 litre	65,131 %	7873,5108 litre	O
460	CM	125	CM	154 LEVEL CM	14594,9351 litre	64,636 %	7985,2621 litre	O
460	CM	125	CM	153 LEVEL CM	14482,9644 litre	64,140 %	8097,2328 litre	O
460	CM	125	CM	152 LEVEL CM	14370,7823 litre	63,643 %	8209,4149 litre	O
460	CM	125	CM	151 LEVEL CM	14258,3966 litre	63,146 %	8321,8006 litre	O
460	CM	125	CM	150 LEVEL CM	14145,8153 litre	62,647 %	8434,3819 litre	O
460	CM	125	CM	149 LEVEL CM	14033,0461 litre	62,148 %	8547,1511 litre	O
460	CM	125	CM	148 LEVEL CM	13920,0970 litre	61,647 %	8660,1002 litre	O
460	CM	125	CM	147 LEVEL CM	13806,9757 litre	61,146 %	8773,2215 litre	O
460	CM	125	CM	146 LEVEL CM	13693,6899 litre	60,645 %	8886,5073 litre	O

460	CM	125	CM	145 LEVEL CM	13580,2472 litre	60,142 %	8999,9500 litre	O
460	CM	125	CM	144 LEVEL CM	13466,6555 litre	59,639 %	9113,5417 litre	O
460	CM	125	CM	143 LEVEL CM	13352,9223 litre	59,136 %	9227,2749 litre	O
460	CM	125	CM	142 LEVEL CM	13239,0552 litre	58,631 %	9341,1420 litre	O
460	CM	125	CM	141 LEVEL CM	13125,0618 litre	58,126 %	9455,1354 litre	O
460	CM	125	CM	140 LEVEL CM	13010,9496 litre	57,621 %	9569,2476 litre	O
460	CM	125	CM	139 LEVEL CM	12896,7263 litre	57,115 %	9683,4709 litre	O
460	CM	125	CM	138 LEVEL CM	12782,3992 litre	56,609 %	9797,7980 litre	O
460	CM	125	CM	137 LEVEL CM	12667,9760 litre	56,102 %	9912,2212 litre	O
460	CM	125	CM	136 LEVEL CM	12553,4640 litre	55,595 %	10026,7332 litre	O
460	CM	125	CM	135 LEVEL CM	12438,8708 litre	55,088 %	10141,3264 litre	O
460	CM	125	CM	134 LEVEL CM	12324,2037 litre	54,580 %	10255,9935 litre	O
460	CM	125	CM	133 LEVEL CM	12209,4702 litre	54,072 %	10370,7270 litre	O
460	CM	125	CM	132 LEVEL CM	12094,6777 litre	53,563 %	10485,5195 litre	O
460	CM	125	CM	131 LEVEL CM	11979,8335 litre	53,055 %	10600,3637 litre	O
460	CM	125	CM	130 LEVEL CM	11864,9452 litre	52,546 %	10715,2520 litre	O
460	CM	125	CM	129 LEVEL CM	11750,0201 litre	52,037 %	10830,1771 litre	O
460	CM	125	CM	128 LEVEL CM	11635,0655 litre	51,528 %	10945,1317 litre	O
460	CM	125	CM	127 LEVEL CM	11520,0888 litre	51,019 %	11060,1084 litre	O
460	CM	125	CM	126 LEVEL CM	11405,0974 litre	50,509 %	11175,0998 litre	O
460	CM	125	CM	125 LEVEL CM	11290,0986 litre	50,000 %	11290,0986 litre	O
460	CM	125	CM	124 LEVEL CM	11175,0998 litre	49,491 %	11405,0974 litre	O
460	CM	125	CM	123 LEVEL CM	11060,1084 litre	48,981 %	11520,0888 litre	O
460	CM	125	CM	122 LEVEL CM	10945,1317 litre	48,472 %	11635,0655 litre	O
460	CM	125	CM	121 LEVEL CM	10830,1771 litre	47,963 %	11750,0201 litre	O
460	CM	125	CM	120 LEVEL CM	10715,2520 litre	47,454 %	11864,9452 litre	O
460	CM	125	CM	119 LEVEL CM	10600,3637 litre	46,945 %	11979,8335 litre	O
460	CM	125	CM	118 LEVEL CM	10485,5195 litre	46,437 %	12094,6777 litre	O
460	CM	125	CM	117 LEVEL CM	10370,7270 litre	45,928 %	12209,4702 litre	O
460	CM	125	CM	116 LEVEL CM	10255,9935 litre	45,420 %	12324,2037 litre	O
460	CM	125	CM	115 LEVEL CM	10141,3264 litre	44,912 %	12438,8708 litre	O
460	CM	125	CM	114 LEVEL CM	10026,7332 litre	44,405 %	12553,4640 litre	O
460	CM	125	CM	113 LEVEL CM	9912,2212 litre	43,898 %	12667,9760 litre	O
460	CM	125	CM	112 LEVEL CM	9797,7980 litre	43,391 %	12782,3992 litre	O
460	CM	125	CM	111 LEVEL CM	9683,4709 litre	42,885 %	12896,7263 litre	O
460	CM	125	CM	110 LEVEL CM	9569,2476 litre	42,379 %	13010,9496 litre	O
460	CM	125	CM	109 LEVEL CM	9455,1354 litre	41,874 %	13125,0618 litre	O
460	CM	125	CM	108 LEVEL CM	9341,1420 litre	41,369 %	13239,0552 litre	O
460	CM	125	CM	107 LEVEL CM	9227,2749 litre	40,864 %	13352,9223 litre	O
460	CM	125	CM	106 LEVEL CM	9113,5417 litre	40,361 %	13466,6555 litre	O
460	CM	125	CM	105 LEVEL CM	8999,9500 litre	39,858 %	13580,2472 litre	O
460	CM	125	CM	104 LEVEL CM	8886,5073 litre	39,355 %	13693,6899 litre	O
460	CM	125	CM	103 LEVEL CM	8773,2215 litre	38,854 %	13806,9757 litre	O
460	CM	125	CM	102 LEVEL CM	8660,1002 litre	38,353 %	13920,0970 litre	O
460	CM	125	CM	101 LEVEL CM	8547,1511 litre	37,852 %	14033,0461 litre	O
460	CM	125	CM	100 LEVEL CM	8434,3819 litre	37,353 %	14145,8153 litre	O
460	CM	125	CM	99 LEVEL CM	8321,8006 litre	36,854 %	14258,3966 litre	O
460	CM	125	CM	98 LEVEL CM	8209,4149 litre	36,357 %	14370,7823 litre	O
460	CM	125	CM	97 LEVEL CM	8097,2328 litre	35,860 %	14482,9644 litre	O
460	CM	125	CM	96 LEVEL CM	7985,2621 litre	35,364 %	14594,9351 litre	O
460	CM	125	CM	95 LEVEL CM	7873,5108 litre	34,869 %	14706,6864 litre	O
460	CM	125	CM	94 LEVEL CM	7761,9870 litre	34,375 %	14818,2102 litre	O
460	CM	125	CM	93 LEVEL CM	7650,6987 litre	33,882 %	14929,4985 litre	O

460	CM	125	CM	92 LEVEL CM	7539,6541 litre	33,391 %	15040,5431 litre	O
460	CM	125	CM	91 LEVEL CM	7428,8612 litre	32,900 %	15151,3360 litre	O
460	CM	125	CM	90 LEVEL CM	7318,3284 litre	32,410 %	15261,8688 litre	O
460	CM	125	CM	89 LEVEL CM	7208,0640 litre	31,922 %	15372,1332 litre	O
460	CM	125	CM	88 LEVEL CM	7098,0762 litre	31,435 %	15482,1210 litre	O
460	CM	125	CM	87 LEVEL CM	6988,3736 litre	30,949 %	15591,8236 litre	O
460	CM	125	CM	86 LEVEL CM	6878,9645 litre	30,465 %	15701,2327 litre	O
460	CM	125	CM	85 LEVEL CM	6769,8576 litre	29,981 %	15810,3396 litre	O
460	CM	125	CM	84 LEVEL CM	6661,0614 litre	29,500 %	15919,1358 litre	O
460	CM	125	CM	83 LEVEL CM	6552,5846 litre	29,019 %	16027,6126 litre	O
460	CM	125	CM	82 LEVEL CM	6444,4360 litre	28,540 %	16135,7612 litre	O
460	CM	125	CM	81 LEVEL CM	6336,6245 litre	28,063 %	16243,5727 litre	O
460	CM	125	CM	80 LEVEL CM	6229,1590 litre	27,587 %	16351,0382 litre	O
460	CM	125	CM	79 LEVEL CM	6122,0485 litre	27,112 %	16458,1487 litre	O
460	CM	125	CM	78 LEVEL CM	6015,3022 litre	26,640 %	16564,8950 litre	O
460	CM	125	CM	77 LEVEL CM	5908,9291 litre	26,169 %	16671,2681 litre	O
460	CM	125	CM	76 LEVEL CM	5802,9387 litre	25,699 %	16777,2585 litre	O
460	CM	125	CM	75 LEVEL CM	5697,3402 litre	25,232 %	16882,8570 litre	O
460	CM	125	CM	74 LEVEL CM	5592,1434 litre	24,766 %	16988,0538 litre	O
460	CM	125	CM	73 LEVEL CM	5487,3576 litre	24,302 %	17092,8396 litre	O
460	CM	125	CM	72 LEVEL CM	5382,9928 litre	23,839 %	17197,2044 litre	O
460	CM	125	CM	71 LEVEL CM	5279,0586 litre	23,379 %	17301,1386 litre	O
460	CM	125	CM	70 LEVEL CM	5175,5652 litre	22,921 %	17404,6320 litre	O
460	CM	125	CM	69 LEVEL CM	5072,5225 litre	22,464 %	17507,6747 litre	O
460	CM	125	CM	68 LEVEL CM	4969,9409 litre	22,010 %	17610,2563 litre	O
460	CM	125	CM	67 LEVEL CM	4867,8307 litre	21,558 %	17712,3665 litre	O
460	CM	125	CM	66 LEVEL CM	4766,2023 litre	21,108 %	17813,9949 litre	O
460	CM	125	CM	65 LEVEL CM	4665,0666 litre	20,660 %	17915,1306 litre	O
460	CM	125	CM	64 LEVEL CM	4564,4342 litre	20,214 %	18015,7630 litre	O
460	CM	125	CM	63 LEVEL CM	4464,3162 litre	19,771 %	18115,8810 litre	O
460	CM	125	CM	62 LEVEL CM	4364,7238 litre	19,330 %	18215,4734 litre	O
460	CM	125	CM	61 LEVEL CM	4265,6682 litre	18,891 %	18314,5290 litre	O
460	CM	125	CM	60 LEVEL CM	4167,1610 litre	18,455 %	18413,0362 litre	O
460	CM	125	CM	59 LEVEL CM	4069,2139 litre	18,021 %	18510,9833 litre	O
460	CM	125	CM	58 LEVEL CM	3971,8388 litre	17,590 %	18608,3584 litre	O
460	CM	125	CM	57 LEVEL CM	3875,0478 litre	17,161 %	18705,1494 litre	O
460	CM	125	CM	56 LEVEL CM	3778,8533 litre	16,735 %	18801,3439 litre	O
460	CM	125	CM	55 LEVEL CM	3683,2679 litre	16,312 %	18896,9293 litre	O
460	CM	125	CM	54 LEVEL CM	3588,3044 litre	15,891 %	18991,8928 litre	O
460	CM	125	CM	53 LEVEL CM	3493,9758 litre	15,474 %	19086,2214 litre	O
460	CM	125	CM	52 LEVEL CM	3400,2954 litre	15,059 %	19179,9018 litre	O
460	CM	125	CM	51 LEVEL CM	3307,2770 litre	14,647 %	19272,9202 litre	O
460	CM	125	CM	50 LEVEL CM	3214,9344 litre	14,238 %	19365,2628 litre	O
460	CM	125	CM	49 LEVEL CM	3123,2818 litre	13,832 %	19456,9154 litre	O
460	CM	125	CM	48 LEVEL CM	3032,3338 litre	13,429 %	19547,8634 litre	O
460	CM	125	CM	47 LEVEL CM	2942,1052 litre	13,030 %	19638,0920 litre	O
460	CM	125	CM	46 LEVEL CM	2852,6113 litre	12,633 %	19727,5859 litre	O
460	CM	125	CM	45 LEVEL CM	2763,8677 litre	12,240 %	19816,3295 litre	O
460	CM	125	CM	44 LEVEL CM	2675,8905 litre	11,851 %	19904,3067 litre	O
460	CM	125	CM	43 LEVEL CM	2588,6960 litre	11,464 %	19991,5012 litre	O
460	CM	125	CM	42 LEVEL CM	2502,3012 litre	11,082 %	20077,8960 litre	O
460	CM	125	CM	41 LEVEL CM	2416,7234 litre	10,703 %	20163,4738 litre	O
460	CM	125	CM	40 LEVEL CM	2331,9805 litre	10,328 %	20248,2167 litre	O

460	CM	125	CM	39 LEVEL CM	2248,0908 litre	9,956 %	20332,1064 litre	O
460	CM	125	CM	38 LEVEL CM	2165,0734 litre	9,588 %	20415,1238 litre	O
460	CM	125	CM	37 LEVEL CM	2082,9478 litre	9,225 %	20497,2494 litre	O
460	CM	125	CM	36 LEVEL CM	2001,7343 litre	8,865 %	20578,4629 litre	O
460	CM	125	CM	35 LEVEL CM	1921,4537 litre	8,509 %	20658,7435 litre	O
460	CM	125	CM	34 LEVEL CM	1842,1276 litre	8,158 %	20738,0696 litre	O
460	CM	125	CM	33 LEVEL CM	1763,7785 litre	7,811 %	20816,4187 litre	O
460	CM	125	CM	32 LEVEL CM	1686,4297 litre	7,469 %	20893,7675 litre	O
460	CM	125	CM	31 LEVEL CM	1610,1054 litre	7,131 %	20970,0918 litre	O
460	CM	125	CM	30 LEVEL CM	1534,8308 litre	6,797 %	21045,3664 litre	O
460	CM	125	CM	29 LEVEL CM	1460,6321 litre	6,469 %	21119,5651 litre	O
460	CM	125	CM	28 LEVEL CM	1387,5367 litre	6,145 %	21192,6605 litre	O
460	CM	125	CM	27 LEVEL CM	1315,5733 litre	5,826 %	21264,6239 litre	O
460	CM	125	CM	26 LEVEL CM	1244,7719 litre	5,513 %	21335,4253 litre	O
460	CM	125	CM	25 LEVEL CM	1175,1642 litre	5,204 %	21405,0330 litre	O
460	CM	125	CM	24 LEVEL CM	1106,7833 litre	4,902 %	21473,4139 litre	O
460	CM	125	CM	23 LEVEL CM	1039,6642 litre	4,604 %	21540,5330 litre	O
460	CM	125	CM	22 LEVEL CM	973,8441 litre	4,313 %	21606,3531 litre	O
460	CM	125	CM	21 LEVEL CM	909,3621 litre	4,027 %	21670,8351 litre	O
460	CM	125	CM	20 LEVEL CM	846,2601 litre	3,748 %	21733,9371 litre	O
460	CM	125	CM	19 LEVEL CM	784,5826 litre	3,475 %	21795,6146 litre	O
460	CM	125	CM	18 LEVEL CM	724,3774 litre	3,208 %	21855,8198 litre	O
460	CM	125	CM	17 LEVEL CM	665,6959 litre	2,948 %	21914,5013 litre	O
460	CM	125	CM	16 LEVEL CM	608,5935 litre	2,695 %	21971,6037 litre	O
460	CM	125	CM	15 LEVEL CM	553,1305 litre	2,450 %	22027,0667 litre	O
460	CM	125	CM	14 LEVEL CM	499,3725 litre	2,212 %	22080,8247 litre	O
460	CM	125	CM	13 LEVEL CM	447,3917 litre	1,981 %	22132,8055 litre	O
460	CM	125	CM	12 LEVEL CM	397,2681 litre	1,759 %	22182,9291 litre	O
460	CM	125	CM	11 LEVEL CM	349,0907 litre	1,546 %	22231,1065 litre	O
460	CM	125	CM	10 LEVEL CM	302,9600 litre	1,342 %	22277,2372 litre	O
460	CM	125	CM	9 LEVEL CM	258,9903 litre	1,147 %	22321,2069 litre	O
460	CM	125	CM	8 LEVEL CM	217,3141 litre	0,962 %	22362,8831 litre	O
460	CM	125	CM	7 LEVEL CM	178,0867 litre	0,789 %	22402,1105 litre	O
460	CM	125	CM	6 LEVEL CM	141,4952 litre	0,627 %	22438,7020 litre	O
460	CM	125	CM	5 LEVEL CM	107,7702 litre	0,477 %	22472,4270 litre	O
460	CM	125	CM	4 LEVEL CM	77,2078 litre	0,342 %	22502,9894 litre	O
460	CM	125	CM	3 LEVEL CM	50,2087 litre	0,222 %	22529,9885 litre	O
460	CM	125	CM	2 LEVEL CM	27,3632 litre	0,121 %	22552,8340 litre	O
460	CM	125	CM	1 LEVEL CM	9,6860 litre	0,043 %	22570,5112 litre	O
460	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	22580,1972 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 120	CM 240 LEVEL CM	20809,9097 litre	100,000 %	0,0000 litre	O
460	CM 120	CM 239 LEVEL CM	20800,4199 litre	99,954 %	9,4898 litre	O
460	CM 120	CM 238 LEVEL CM	20783,1021 litre	99,871 %	26,8076 litre	O
460	CM 120	CM 237 LEVEL CM	20760,7229 litre	99,764 %	49,1868 litre	O
460	CM 120	CM 236 LEVEL CM	20734,2772 litre	99,637 %	75,6325 litre	O
460	CM 120	CM 235 LEVEL CM	20704,3437 litre	99,493 %	105,5660 litre	O
460	CM 120	CM 234 LEVEL CM	20671,3156 litre	99,334 %	138,5941 litre	O
460	CM 120	CM 233 LEVEL CM	20635,4833 litre	99,162 %	174,4264 litre	O
460	CM 120	CM 232 LEVEL CM	20597,0733 litre	98,977 %	212,8364 litre	O
460	CM 120	CM 231 LEVEL CM	20556,2691 litre	98,781 %	253,6406 litre	O
460	CM 120	CM 230 LEVEL CM	20513,2233 litre	98,574 %	296,6864 litre	O
460	CM 120	CM 229 LEVEL CM	20468,0659 litre	98,357 %	341,8438 litre	O
460	CM 120	CM 228 LEVEL CM	20420,9093 litre	98,131 %	389,0004 litre	O
460	CM 120	CM 227 LEVEL CM	20371,8523 litre	97,895 %	438,0574 litre	O
460	CM 120	CM 226 LEVEL CM	20320,9824 litre	97,651 %	488,9273 litre	O
460	CM 120	CM 225 LEVEL CM	20268,3782 litre	97,398 %	541,5315 litre	O
460	CM 120	CM 224 LEVEL CM	20214,1106 litre	97,137 %	595,7991 litre	O
460	CM 120	CM 223 LEVEL CM	20158,2444 litre	96,868 %	651,6653 litre	O
460	CM 120	CM 222 LEVEL CM	20100,8387 litre	96,593 %	709,0710 litre	O
460	CM 120	CM 221 LEVEL CM	20041,9482 litre	96,310 %	767,9615 litre	O
460	CM 120	CM 220 LEVEL CM	19981,6235 litre	96,020 %	828,2862 litre	O
460	CM 120	CM 219 LEVEL CM	19919,9116 litre	95,723 %	889,9981 litre	O
460	CM 120	CM 218 LEVEL CM	19856,8564 litre	95,420 %	953,0533 litre	O
460	CM 120	CM 217 LEVEL CM	19792,4991 litre	95,111 %	1017,4106 litre	O
460	CM 120	CM 216 LEVEL CM	19726,8784 litre	94,796 %	1083,0313 litre	O
460	CM 120	CM 215 LEVEL CM	19660,0309 litre	94,474 %	1149,8788 litre	O
460	CM 120	CM 214 LEVEL CM	19591,9911 litre	94,147 %	1217,9186 litre	O
460	CM 120	CM 213 LEVEL CM	19522,7918 litre	93,815 %	1287,1179 litre	O
460	CM 120	CM 212 LEVEL CM	19452,4642 litre	93,477 %	1357,4455 litre	O
460	CM 120	CM 211 LEVEL CM	19381,0379 litre	93,134 %	1428,8718 litre	O
460	CM 120	CM 210 LEVEL CM	19308,5412 litre	92,785 %	1501,3685 litre	O
460	CM 120	CM 209 LEVEL CM	19235,0013 litre	92,432 %	1574,9084 litre	O
460	CM 120	CM 208 LEVEL CM	19160,4440 litre	92,074 %	1649,4657 litre	O
460	CM 120	CM 207 LEVEL CM	19084,8942 litre	91,711 %	1725,0155 litre	O
460	CM 120	CM 206 LEVEL CM	19008,3760 litre	91,343 %	1801,5337 litre	O
460	CM 120	CM 205 LEVEL CM	18930,9124 litre	90,971 %	1878,9973 litre	O
460	CM 120	CM 204 LEVEL CM	18852,5254 litre	90,594 %	1957,3843 litre	O
460	CM 120	CM 203 LEVEL CM	18773,2366 litre	90,213 %	2036,6731 litre	O
460	CM 120	CM 202 LEVEL CM	18693,0667 litre	89,828 %	2116,8430 litre	O
460	CM 120	CM 201 LEVEL CM	18612,0357 litre	89,438 %	2197,8740 litre	O
460	CM 120	CM 200 LEVEL CM	18530,1629 litre	89,045 %	2279,7468 litre	O
460	CM 120	CM 199 LEVEL CM	18447,4673 litre	88,648 %	2362,4424 litre	O
460	CM 120	CM 198 LEVEL CM	18363,9669 litre	88,246 %	2445,9428 litre	O
460	CM 120	CM 197 LEVEL CM	18279,6796 litre	87,841 %	2530,2301 litre	O
460	CM 120	CM 196 LEVEL CM	18194,6226 litre	87,432 %	2615,2871 litre	O
460	CM 120	CM 195 LEVEL CM	18108,8126 litre	87,020 %	2701,0971 litre	O
460	CM 120	CM 194 LEVEL CM	18022,2660 litre	86,604 %	2787,6437 litre	O
460	CM 120	CM 193 LEVEL CM	17934,9987 litre	86,185 %	2874,9110 litre	O
460	CM 120	CM 192 LEVEL CM	17847,0262 litre	85,762 %	2962,8835 litre	O
460	CM 120	CM 191 LEVEL CM	17758,3637 litre	85,336 %	3051,5460 litre	O
460	CM 120	CM 190 LEVEL CM	17669,0259 litre	84,907 %	3140,8838 litre	O
460	CM 120	CM 189 LEVEL CM	17579,0274 litre	84,474 %	3230,8823 litre	O

460	CM	120	CM	188 LEVEL CM	17488,3823 litre	84,039 %	3321,5274 litre	O
460	CM	120	CM	187 LEVEL CM	17397,1045 litre	83,600 %	3412,8052 litre	O
460	CM	120	CM	186 LEVEL CM	17305,2074 litre	83,158 %	3504,7023 litre	O
460	CM	120	CM	185 LEVEL CM	17212,7045 litre	82,714 %	3597,2052 litre	O
460	CM	120	CM	184 LEVEL CM	17119,6087 litre	82,267 %	3690,3010 litre	O
460	CM	120	CM	183 LEVEL CM	17025,9329 litre	81,816 %	3783,9768 litre	O
460	CM	120	CM	182 LEVEL CM	16931,6895 litre	81,364 %	3878,2202 litre	O
460	CM	120	CM	181 LEVEL CM	16836,8909 litre	80,908 %	3973,0188 litre	O
460	CM	120	CM	180 LEVEL CM	16741,5493 litre	80,450 %	4068,3604 litre	O
460	CM	120	CM	179 LEVEL CM	16645,6765 litre	79,989 %	4164,2332 litre	O
460	CM	120	CM	178 LEVEL CM	16549,2842 litre	79,526 %	4260,6255 litre	O
460	CM	120	CM	177 LEVEL CM	16452,3839 litre	79,060 %	4357,5258 litre	O
460	CM	120	CM	176 LEVEL CM	16354,9871 litre	78,592 %	4454,9226 litre	O
460	CM	120	CM	175 LEVEL CM	16257,1047 litre	78,122 %	4552,8050 litre	O
460	CM	120	CM	174 LEVEL CM	16158,7480 litre	77,649 %	4651,1617 litre	O
460	CM	120	CM	173 LEVEL CM	16059,9276 litre	77,174 %	4749,9821 litre	O
460	CM	120	CM	172 LEVEL CM	15960,6544 litre	76,697 %	4849,2553 litre	O
460	CM	120	CM	171 LEVEL CM	15860,9387 litre	76,218 %	4948,9710 litre	O
460	CM	120	CM	170 LEVEL CM	15760,7911 litre	75,737 %	5049,1186 litre	O
460	CM	120	CM	169 LEVEL CM	15660,2218 litre	75,254 %	5149,6879 litre	O
460	CM	120	CM	168 LEVEL CM	15559,2410 litre	74,768 %	5250,6687 litre	O
460	CM	120	CM	167 LEVEL CM	15457,8586 litre	74,281 %	5352,0511 litre	O
460	CM	120	CM	166 LEVEL CM	15356,0846 litre	73,792 %	5453,8251 litre	O
460	CM	120	CM	165 LEVEL CM	15253,9287 litre	73,301 %	5555,9810 litre	O
460	CM	120	CM	164 LEVEL CM	15151,4007 litre	72,809 %	5658,5090 litre	O
460	CM	120	CM	163 LEVEL CM	15048,5101 litre	72,314 %	5761,3996 litre	O
460	CM	120	CM	162 LEVEL CM	14945,2664 litre	71,818 %	5864,6433 litre	O
460	CM	120	CM	161 LEVEL CM	14841,6789 litre	71,320 %	5968,2308 litre	O
460	CM	120	CM	160 LEVEL CM	14737,7569 litre	70,821 %	6072,1528 litre	O
460	CM	120	CM	159 LEVEL CM	14633,5097 litre	70,320 %	6176,4000 litre	O
460	CM	120	CM	158 LEVEL CM	14528,9463 litre	69,817 %	6280,9634 litre	O
460	CM	120	CM	157 LEVEL CM	14424,0757 litre	69,313 %	6385,8340 litre	O
460	CM	120	CM	156 LEVEL CM	14318,9070 litre	68,808 %	6491,0027 litre	O
460	CM	120	CM	155 LEVEL CM	14213,4489 litre	68,301 %	6596,4608 litre	O
460	CM	120	CM	154 LEVEL CM	14107,7103 litre	67,793 %	6702,1994 litre	O
460	CM	120	CM	153 LEVEL CM	14001,6999 litre	67,284 %	6808,2098 litre	O
460	CM	120	CM	152 LEVEL CM	13895,4263 litre	66,773 %	6914,4834 litre	O
460	CM	120	CM	151 LEVEL CM	13788,8981 litre	66,261 %	7021,0116 litre	O
460	CM	120	CM	150 LEVEL CM	13682,1240 litre	65,748 %	7127,7857 litre	O
460	CM	120	CM	149 LEVEL CM	13575,1123 litre	65,234 %	7234,7974 litre	O
460	CM	120	CM	148 LEVEL CM	13467,8714 litre	64,719 %	7342,0383 litre	O
460	CM	120	CM	147 LEVEL CM	13360,4098 litre	64,202 %	7449,4999 litre	O
460	CM	120	CM	146 LEVEL CM	13252,7358 litre	63,685 %	7557,1739 litre	O
460	CM	120	CM	145 LEVEL CM	13144,8576 litre	63,166 %	7665,0521 litre	O
460	CM	120	CM	144 LEVEL CM	13036,7833 litre	62,647 %	7773,1264 litre	O
460	CM	120	CM	143 LEVEL CM	12928,5213 litre	62,127 %	7881,3884 litre	O
460	CM	120	CM	142 LEVEL CM	12820,0797 litre	61,606 %	7989,8300 litre	O
460	CM	120	CM	141 LEVEL CM	12711,4664 litre	61,084 %	8098,4433 litre	O
460	CM	120	CM	140 LEVEL CM	12602,6896 litre	60,561 %	8207,2201 litre	O
460	CM	120	CM	139 LEVEL CM	12493,7573 litre	60,038 %	8316,1524 litre	O
460	CM	120	CM	138 LEVEL CM	12384,6775 litre	59,513 %	8425,2322 litre	O
460	CM	120	CM	137 LEVEL CM	12275,4581 litre	58,989 %	8534,4516 litre	O
460	CM	120	CM	136 LEVEL CM	12166,1070 litre	58,463 %	8643,8027 litre	O

460	CM	120	CM	135 LEVEL CM	12056,6322 litre	57,937 %	8753,2775 litre	O
460	CM	120	CM	134 LEVEL CM	11947,0415 litre	57,410 %	8862,8682 litre	O
460	CM	120	CM	133 LEVEL CM	11837,3426 litre	56,883 %	8972,5671 litre	O
460	CM	120	CM	132 LEVEL CM	11727,5435 litre	56,356 %	9082,3662 litre	O
460	CM	120	CM	131 LEVEL CM	11617,6520 litre	55,827 %	9192,2577 litre	O
460	CM	120	CM	130 LEVEL CM	11507,6758 litre	55,299 %	9302,2339 litre	O
460	CM	120	CM	129 LEVEL CM	11397,6226 litre	54,770 %	9412,2871 litre	O
460	CM	120	CM	128 LEVEL CM	11287,5002 litre	54,241 %	9522,4095 litre	O
460	CM	120	CM	127 LEVEL CM	11177,3164 litre	53,712 %	9632,5933 litre	O
460	CM	120	CM	126 LEVEL CM	11067,0788 litre	53,182 %	9742,8309 litre	O
460	CM	120	CM	125 LEVEL CM	10956,7951 litre	52,652 %	9853,1146 litre	O
460	CM	120	CM	124 LEVEL CM	10846,4731 litre	52,122 %	9963,4366 litre	O
460	CM	120	CM	123 LEVEL CM	10736,1204 litre	51,591 %	10073,7893 litre	O
460	CM	120	CM	122 LEVEL CM	10625,7446 litre	51,061 %	10184,1651 litre	O
460	CM	120	CM	121 LEVEL CM	10515,3536 litre	50,531 %	10294,5561 litre	O
460	CM	120	CM	120 LEVEL CM	10404,9549 litre	50,000 %	10404,9548 litre	O
460	CM	120	CM	119 LEVEL CM	10294,5561 litre	49,469 %	10515,3536 litre	O
460	CM	120	CM	118 LEVEL CM	10184,1651 litre	48,939 %	10625,7446 litre	O
460	CM	120	CM	117 LEVEL CM	10073,7894 litre	48,409 %	10736,1203 litre	O
460	CM	120	CM	116 LEVEL CM	9963,4367 litre	47,878 %	10846,4730 litre	O
460	CM	120	CM	115 LEVEL CM	9853,1146 litre	47,348 %	10956,7951 litre	O
460	CM	120	CM	114 LEVEL CM	9742,8310 litre	46,818 %	11067,0787 litre	O
460	CM	120	CM	113 LEVEL CM	9632,5934 litre	46,288 %	11177,3163 litre	O
460	CM	120	CM	112 LEVEL CM	9522,4095 litre	45,759 %	11287,5002 litre	O
460	CM	120	CM	111 LEVEL CM	9412,2872 litre	45,230 %	11397,6225 litre	O
460	CM	120	CM	110 LEVEL CM	9302,2340 litre	44,701 %	11507,6757 litre	O
460	CM	120	CM	109 LEVEL CM	9192,2577 litre	44,173 %	11617,6520 litre	O
460	CM	120	CM	108 LEVEL CM	9082,3662 litre	43,644 %	11727,5435 litre	O
460	CM	120	CM	107 LEVEL CM	8972,5671 litre	43,117 %	11837,3426 litre	O
460	CM	120	CM	106 LEVEL CM	8862,8683 litre	42,590 %	11947,0414 litre	O
460	CM	120	CM	105 LEVEL CM	8753,2775 litre	42,063 %	12056,6322 litre	O
460	CM	120	CM	104 LEVEL CM	8643,8027 litre	41,537 %	12166,1070 litre	O
460	CM	120	CM	103 LEVEL CM	8534,4516 litre	41,011 %	12275,4581 litre	O
460	CM	120	CM	102 LEVEL CM	8425,2322 litre	40,487 %	12384,6775 litre	O
460	CM	120	CM	101 LEVEL CM	8316,1524 litre	39,962 %	12493,7573 litre	O
460	CM	120	CM	100 LEVEL CM	8207,2201 litre	39,439 %	12602,6896 litre	O
460	CM	120	CM	99 LEVEL CM	8098,4433 litre	38,916 %	12711,4664 litre	O
460	CM	120	CM	98 LEVEL CM	7989,8301 litre	38,394 %	12820,0796 litre	O
460	CM	120	CM	97 LEVEL CM	7881,3884 litre	37,873 %	12928,5213 litre	O
460	CM	120	CM	96 LEVEL CM	7773,1264 litre	37,353 %	13036,7833 litre	O
460	CM	120	CM	95 LEVEL CM	7665,0522 litre	36,834 %	13144,8575 litre	O
460	CM	120	CM	94 LEVEL CM	7557,1739 litre	36,315 %	13252,7358 litre	O
460	CM	120	CM	93 LEVEL CM	7449,4999 litre	35,798 %	13360,4098 litre	O
460	CM	120	CM	92 LEVEL CM	7342,0383 litre	35,281 %	13467,8714 litre	O
460	CM	120	CM	91 LEVEL CM	7234,7975 litre	34,766 %	13575,1122 litre	O
460	CM	120	CM	90 LEVEL CM	7127,7858 litre	34,252 %	13682,1239 litre	O
460	CM	120	CM	89 LEVEL CM	7021,0116 litre	33,739 %	13788,8981 litre	O
460	CM	120	CM	88 LEVEL CM	6914,4835 litre	33,227 %	13895,4262 litre	O
460	CM	120	CM	87 LEVEL CM	6808,2099 litre	32,716 %	14001,6998 litre	O
460	CM	120	CM	86 LEVEL CM	6702,1994 litre	32,207 %	14107,7103 litre	O
460	CM	120	CM	85 LEVEL CM	6596,4608 litre	31,699 %	14213,4489 litre	O
460	CM	120	CM	84 LEVEL CM	6491,0027 litre	31,192 %	14318,9070 litre	O
460	CM	120	CM	83 LEVEL CM	6385,8340 litre	30,687 %	14424,0757 litre	O

460	CM	120	CM	82 LEVEL CM	6280,9634 litre	30,183 %	14528,9463 litre	O
460	CM	120	CM	81 LEVEL CM	6176,4000 litre	29,680 %	14633,5097 litre	O
460	CM	120	CM	80 LEVEL CM	6072,1528 litre	29,179 %	14737,7569 litre	O
460	CM	120	CM	79 LEVEL CM	5968,2309 litre	28,680 %	14841,6788 litre	O
460	CM	120	CM	78 LEVEL CM	5864,6434 litre	28,182 %	14945,2663 litre	O
460	CM	120	CM	77 LEVEL CM	5761,3996 litre	27,686 %	15048,5101 litre	O
460	CM	120	CM	76 LEVEL CM	5658,5090 litre	27,191 %	15151,4007 litre	O
460	CM	120	CM	75 LEVEL CM	5555,9810 litre	26,699 %	15253,9287 litre	O
460	CM	120	CM	74 LEVEL CM	5453,8252 litre	26,208 %	15356,0845 litre	O
460	CM	120	CM	73 LEVEL CM	5352,0511 litre	25,719 %	15457,8586 litre	O
460	CM	120	CM	72 LEVEL CM	5250,6688 litre	25,232 %	15559,2409 litre	O
460	CM	120	CM	71 LEVEL CM	5149,6879 litre	24,746 %	15660,2218 litre	O
460	CM	120	CM	70 LEVEL CM	5049,1186 litre	24,263 %	15760,7911 litre	O
460	CM	120	CM	69 LEVEL CM	4948,9710 litre	23,782 %	15860,9387 litre	O
460	CM	120	CM	68 LEVEL CM	4849,2554 litre	23,303 %	15960,6543 litre	O
460	CM	120	CM	67 LEVEL CM	4749,9821 litre	22,826 %	16059,9276 litre	O
460	CM	120	CM	66 LEVEL CM	4651,1617 litre	22,351 %	16158,7480 litre	O
460	CM	120	CM	65 LEVEL CM	4552,8050 litre	21,878 %	16257,1047 litre	O
460	CM	120	CM	64 LEVEL CM	4454,9227 litre	21,408 %	16354,9870 litre	O
460	CM	120	CM	63 LEVEL CM	4357,5258 litre	20,940 %	16452,3839 litre	O
460	CM	120	CM	62 LEVEL CM	4260,6256 litre	20,474 %	16549,2841 litre	O
460	CM	120	CM	61 LEVEL CM	4164,2333 litre	20,011 %	16645,6764 litre	O
460	CM	120	CM	60 LEVEL CM	4068,3604 litre	19,550 %	16741,5493 litre	O
460	CM	120	CM	59 LEVEL CM	3973,0188 litre	19,092 %	16836,8909 litre	O
460	CM	120	CM	58 LEVEL CM	3878,2202 litre	18,636 %	16931,6895 litre	O
460	CM	120	CM	57 LEVEL CM	3783,9769 litre	18,184 %	17025,9328 litre	O
460	CM	120	CM	56 LEVEL CM	3690,3010 litre	17,733 %	17119,6087 litre	O
460	CM	120	CM	55 LEVEL CM	3597,2052 litre	17,286 %	17212,7045 litre	O
460	CM	120	CM	54 LEVEL CM	3504,7023 litre	16,842 %	17305,2074 litre	O
460	CM	120	CM	53 LEVEL CM	3412,8052 litre	16,400 %	17397,1045 litre	O
460	CM	120	CM	52 LEVEL CM	3321,5274 litre	15,961 %	17488,3823 litre	O
460	CM	120	CM	51 LEVEL CM	3230,8823 litre	15,526 %	17579,0274 litre	O
460	CM	120	CM	50 LEVEL CM	3140,8838 litre	15,093 %	17669,0259 litre	O
460	CM	120	CM	49 LEVEL CM	3051,5460 litre	14,664 %	17758,3637 litre	O
460	CM	120	CM	48 LEVEL CM	2962,8835 litre	14,238 %	17847,0262 litre	O
460	CM	120	CM	47 LEVEL CM	2874,9110 litre	13,815 %	17934,9987 litre	O
460	CM	120	CM	46 LEVEL CM	2787,6437 litre	13,396 %	18022,2660 litre	O
460	CM	120	CM	45 LEVEL CM	2701,0971 litre	12,980 %	18108,8126 litre	O
460	CM	120	CM	44 LEVEL CM	2615,2872 litre	12,568 %	18194,6225 litre	O
460	CM	120	CM	43 LEVEL CM	2530,2301 litre	12,159 %	18279,6796 litre	O
460	CM	120	CM	42 LEVEL CM	2445,9428 litre	11,754 %	18363,9669 litre	O
460	CM	120	CM	41 LEVEL CM	2362,4425 litre	11,352 %	18447,4672 litre	O
460	CM	120	CM	40 LEVEL CM	2279,7468 litre	10,955 %	18530,1629 litre	O
460	CM	120	CM	39 LEVEL CM	2197,8741 litre	10,562 %	18612,0356 litre	O
460	CM	120	CM	38 LEVEL CM	2116,8430 litre	10,172 %	18693,0667 litre	O
460	CM	120	CM	37 LEVEL CM	2036,6731 litre	9,787 %	18773,2366 litre	O
460	CM	120	CM	36 LEVEL CM	1957,3843 litre	9,406 %	18852,5254 litre	O
460	CM	120	CM	35 LEVEL CM	1878,9974 litre	9,029 %	18930,9123 litre	O
460	CM	120	CM	34 LEVEL CM	1801,5337 litre	8,657 %	19008,3760 litre	O
460	CM	120	CM	33 LEVEL CM	1725,0155 litre	8,289 %	19084,8942 litre	O
460	CM	120	CM	32 LEVEL CM	1649,4658 litre	7,926 %	19160,4439 litre	O
460	CM	120	CM	31 LEVEL CM	1574,9085 litre	7,568 %	19235,0012 litre	O
460	CM	120	CM	30 LEVEL CM	1501,3685 litre	7,215 %	19308,5412 litre	O

460	CM	120	CM	29 LEVEL CM	1428,8718 litre	6,866 %	19381,0379 litre	O
460	CM	120	CM	28 LEVEL CM	1357,4455 litre	6,523 %	19452,4642 litre	O
460	CM	120	CM	27 LEVEL CM	1287,1179 litre	6,185 %	19522,7918 litre	O
460	CM	120	CM	26 LEVEL CM	1217,9186 litre	5,853 %	19591,9911 litre	O
460	CM	120	CM	25 LEVEL CM	1149,8788 litre	5,526 %	19660,0309 litre	O
460	CM	120	CM	24 LEVEL CM	1083,0313 litre	5,204 %	19726,8784 litre	O
460	CM	120	CM	23 LEVEL CM	1017,4107 litre	4,889 %	19792,4990 litre	O
460	CM	120	CM	22 LEVEL CM	953,0534 litre	4,580 %	19856,8563 litre	O
460	CM	120	CM	21 LEVEL CM	889,9982 litre	4,277 %	19919,9115 litre	O
460	CM	120	CM	20 LEVEL CM	828,2862 litre	3,980 %	19981,6235 litre	O
460	CM	120	CM	19 LEVEL CM	767,9615 litre	3,690 %	20041,9482 litre	O
460	CM	120	CM	18 LEVEL CM	709,0710 litre	3,407 %	20100,8387 litre	O
460	CM	120	CM	17 LEVEL CM	651,6654 litre	3,132 %	20158,2443 litre	O
460	CM	120	CM	16 LEVEL CM	595,7991 litre	2,863 %	20214,1106 litre	O
460	CM	120	CM	15 LEVEL CM	541,5316 litre	2,602 %	20268,3781 litre	O
460	CM	120	CM	14 LEVEL CM	488,9273 litre	2,349 %	20320,9824 litre	O
460	CM	120	CM	13 LEVEL CM	438,0574 litre	2,105 %	20371,8523 litre	O
460	CM	120	CM	12 LEVEL CM	389,0004 litre	1,869 %	20420,9093 litre	O
460	CM	120	CM	11 LEVEL CM	341,8438 litre	1,643 %	20468,0659 litre	O
460	CM	120	CM	10 LEVEL CM	296,6864 litre	1,426 %	20513,2233 litre	O
460	CM	120	CM	9 LEVEL CM	253,6407 litre	1,219 %	20556,2690 litre	O
460	CM	120	CM	8 LEVEL CM	212,8364 litre	1,023 %	20597,0733 litre	O
460	CM	120	CM	7 LEVEL CM	174,4264 litre	0,838 %	20635,4833 litre	O
460	CM	120	CM	6 LEVEL CM	138,5941 litre	0,666 %	20671,3156 litre	O
460	CM	120	CM	5 LEVEL CM	105,5660 litre	0,507 %	20704,3437 litre	O
460	CM	120	CM	4 LEVEL CM	75,6325 litre	0,363 %	20734,2772 litre	O
460	CM	120	CM	3 LEVEL CM	49,1868 litre	0,236 %	20760,7229 litre	O
460	CM	120	CM	2 LEVEL CM	26,8076 litre	0,129 %	20783,1021 litre	O
460	CM	120	CM	1 LEVEL CM	9,4898 litre	0,046 %	20800,4199 litre	O
460	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	20809,9097 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	115	CM	230 LEVEL CM	19111,8789 litre	100,000 %	0,0000 litre	O
460	CM	115	CM	229 LEVEL CM	19102,5894 litre	99,951 %	9,2895 litre	O
460	CM	115	CM	228 LEVEL CM	19085,6386 litre	99,863 %	26,2403 litre	O
460	CM	115	CM	227 LEVEL CM	19063,7356 litre	99,748 %	48,1433 litre	O
460	CM	115	CM	226 LEVEL CM	19037,8551 litre	99,613 %	74,0238 litre	O
460	CM	115	CM	225 LEVEL CM	19008,5641 litre	99,459 %	103,3148 litre	O
460	CM	115	CM	224 LEVEL CM	18976,2479 litre	99,290 %	135,6310 litre	O
460	CM	115	CM	223 LEVEL CM	18941,1913 litre	99,107 %	170,6876 litre	O
460	CM	115	CM	222 LEVEL CM	18903,6164 litre	98,910 %	208,2625 litre	O
460	CM	115	CM	221 LEVEL CM	18863,7032 litre	98,701 %	248,1757 litre	O
460	CM	115	CM	220 LEVEL CM	18821,6015 litre	98,481 %	290,2774 litre	O
460	CM	115	CM	219 LEVEL CM	18777,4389 litre	98,250 %	334,4400 litre	O
460	CM	115	CM	218 LEVEL CM	18731,3258 litre	98,009 %	380,5531 litre	O
460	CM	115	CM	217 LEVEL CM	18683,3591 litre	97,758 %	428,5198 litre	O
460	CM	115	CM	216 LEVEL CM	18633,6248 litre	97,498 %	478,2541 litre	O
460	CM	115	CM	215 LEVEL CM	18582,2002 litre	97,229 %	529,6787 litre	O
460	CM	115	CM	214 LEVEL CM	18529,1551 litre	96,951 %	582,7238 litre	O
460	CM	115	CM	213 LEVEL CM	18474,5530 litre	96,665 %	637,3259 litre	O
460	CM	115	CM	212 LEVEL CM	18418,4522 litre	96,372 %	693,4267 litre	O
460	CM	115	CM	211 LEVEL CM	18360,9064 litre	96,071 %	750,9725 litre	O
460	CM	115	CM	210 LEVEL CM	18301,9655 litre	95,762 %	809,9134 litre	O
460	CM	115	CM	209 LEVEL CM	18241,6757 litre	95,447 %	870,2032 litre	O
460	CM	115	CM	208 LEVEL CM	18180,0803 litre	95,125 %	931,7986 litre	O
460	CM	115	CM	207 LEVEL CM	18117,2199 litre	94,796 %	994,6590 litre	O
460	CM	115	CM	206 LEVEL CM	18053,1327 litre	94,460 %	1058,7462 litre	O
460	CM	115	CM	205 LEVEL CM	17987,8546 litre	94,119 %	1124,0243 litre	O
460	CM	115	CM	204 LEVEL CM	17921,4198 litre	93,771 %	1190,4591 litre	O
460	CM	115	CM	203 LEVEL CM	17853,8605 litre	93,418 %	1258,0184 litre	O
460	CM	115	CM	202 LEVEL CM	17785,2076 litre	93,058 %	1326,6713 litre	O
460	CM	115	CM	201 LEVEL CM	17715,4903 litre	92,694 %	1396,3886 litre	O
460	CM	115	CM	200 LEVEL CM	17644,7366 litre	92,323 %	1467,1423 litre	O
460	CM	115	CM	199 LEVEL CM	17572,9733 litre	91,948 %	1538,9056 litre	O
460	CM	115	CM	198 LEVEL CM	17500,2259 litre	91,567 %	1611,6530 litre	O
460	CM	115	CM	197 LEVEL CM	17426,5192 litre	91,182 %	1685,3597 litre	O
460	CM	115	CM	196 LEVEL CM	17351,8767 litre	90,791 %	1760,0022 litre	O
460	CM	115	CM	195 LEVEL CM	17276,3213 litre	90,396 %	1835,5576 litre	O
460	CM	115	CM	194 LEVEL CM	17199,8749 litre	89,996 %	1912,0040 litre	O
460	CM	115	CM	193 LEVEL CM	17122,5588 litre	89,591 %	1989,3201 litre	O
460	CM	115	CM	192 LEVEL CM	17044,3935 litre	89,182 %	2067,4854 litre	O
460	CM	115	CM	191 LEVEL CM	16965,3988 litre	88,769 %	2146,4801 litre	O
460	CM	115	CM	190 LEVEL CM	16885,5938 litre	88,351 %	2226,2851 litre	O
460	CM	115	CM	189 LEVEL CM	16804,9974 litre	87,930 %	2306,8815 litre	O
460	CM	115	CM	188 LEVEL CM	16723,6275 litre	87,504 %	2388,2514 litre	O
460	CM	115	CM	187 LEVEL CM	16641,5018 litre	87,074 %	2470,3771 litre	O
460	CM	115	CM	186 LEVEL CM	16558,6374 litre	86,641 %	2553,2415 litre	O
460	CM	115	CM	185 LEVEL CM	16475,0508 litre	86,203 %	2636,8281 litre	O
460	CM	115	CM	184 LEVEL CM	16390,7584 litre	85,762 %	2721,1205 litre	O
460	CM	115	CM	183 LEVEL CM	16305,7760 litre	85,317 %	2806,1029 litre	O
460	CM	115	CM	182 LEVEL CM	16220,1190 litre	84,869 %	2891,7599 litre	O
460	CM	115	CM	181 LEVEL CM	16133,8025 litre	84,418 %	2978,0764 litre	O
460	CM	115	CM	180 LEVEL CM	16046,8412 litre	83,963 %	3065,0377 litre	O
460	CM	115	CM	179 LEVEL CM	15959,2495 litre	83,504 %	3152,6294 litre	O

460	CM 115	CM	178 LEVEL CM	15871,0416 litre	83,043 %	3240,8373 litre	O
460	CM 115	CM	177 LEVEL CM	15782,2312 litre	82,578 %	3329,6477 litre	O
460	CM 115	CM	176 LEVEL CM	15692,8318 litre	82,110 %	3419,0471 litre	O
460	CM 115	CM	175 LEVEL CM	15602,8568 litre	81,640 %	3509,0221 litre	O
460	CM 115	CM	174 LEVEL CM	15512,3191 litre	81,166 %	3599,5598 litre	O
460	CM 115	CM	173 LEVEL CM	15421,2315 litre	80,689 %	3690,6474 litre	O
460	CM 115	CM	172 LEVEL CM	15329,6065 litre	80,210 %	3782,2724 litre	O
460	CM 115	CM	171 LEVEL CM	15237,4565 litre	79,728 %	3874,4224 litre	O
460	CM 115	CM	170 LEVEL CM	15144,7935 litre	79,243 %	3967,0854 litre	O
460	CM 115	CM	169 LEVEL CM	15051,6295 litre	78,755 %	4060,2494 litre	O
460	CM 115	CM	168 LEVEL CM	14957,9762 litre	78,265 %	4153,9027 litre	O
460	CM 115	CM	167 LEVEL CM	14863,8451 litre	77,773 %	4248,0338 litre	O
460	CM 115	CM	166 LEVEL CM	14769,2476 litre	77,278 %	4342,6313 litre	O
460	CM 115	CM	165 LEVEL CM	14674,1949 litre	76,780 %	4437,6840 litre	O
460	CM 115	CM	164 LEVEL CM	14578,6980 litre	76,281 %	4533,1809 litre	O
460	CM 115	CM	163 LEVEL CM	14482,7677 litre	75,779 %	4629,1112 litre	O
460	CM 115	CM	162 LEVEL CM	14386,4149 litre	75,275 %	4725,4640 litre	O
460	CM 115	CM	161 LEVEL CM	14289,6501 litre	74,768 %	4822,2288 litre	O
460	CM 115	CM	160 LEVEL CM	14192,4838 litre	74,260 %	4919,3951 litre	O
460	CM 115	CM	159 LEVEL CM	14094,9263 litre	73,750 %	5016,9526 litre	O
460	CM 115	CM	158 LEVEL CM	13996,9877 litre	73,237 %	5114,8912 litre	O
460	CM 115	CM	157 LEVEL CM	13898,6783 litre	72,723 %	5213,2006 litre	O
460	CM 115	CM	156 LEVEL CM	13800,0079 litre	72,206 %	5311,8710 litre	O
460	CM 115	CM	155 LEVEL CM	13700,9864 litre	71,688 %	5410,8925 litre	O
460	CM 115	CM	154 LEVEL CM	13601,6236 litre	71,168 %	5510,2553 litre	O
460	CM 115	CM	153 LEVEL CM	13501,9292 litre	70,647 %	5609,9497 litre	O
460	CM 115	CM	152 LEVEL CM	13401,9126 litre	70,123 %	5709,9663 litre	O
460	CM 115	CM	151 LEVEL CM	13301,5834 litre	69,599 %	5810,2955 litre	O
460	CM 115	CM	150 LEVEL CM	13200,9510 litre	69,072 %	5910,9279 litre	O
460	CM 115	CM	149 LEVEL CM	13100,0246 litre	68,544 %	6011,8543 litre	O
460	CM 115	CM	148 LEVEL CM	12998,8135 litre	68,014 %	6113,0654 litre	O
460	CM 115	CM	147 LEVEL CM	12897,3268 litre	67,483 %	6214,5521 litre	O
460	CM 115	CM	146 LEVEL CM	12795,5735 litre	66,951 %	6316,3054 litre	O
460	CM 115	CM	145 LEVEL CM	12693,5627 litre	66,417 %	6418,3162 litre	O
460	CM 115	CM	144 LEVEL CM	12591,3033 litre	65,882 %	6520,5756 litre	O
460	CM 115	CM	143 LEVEL CM	12488,8042 litre	65,346 %	6623,0747 litre	O
460	CM 115	CM	142 LEVEL CM	12386,0741 litre	64,808 %	6725,8048 litre	O
460	CM 115	CM	141 LEVEL CM	12283,1217 litre	64,270 %	6828,7572 litre	O
460	CM 115	CM	140 LEVEL CM	12179,9559 litre	63,730 %	6931,9230 litre	O
460	CM 115	CM	139 LEVEL CM	12076,5851 litre	63,189 %	7035,2938 litre	O
460	CM 115	CM	138 LEVEL CM	11973,0180 litre	62,647 %	7138,8609 litre	O
460	CM 115	CM	137 LEVEL CM	11869,2631 litre	62,104 %	7242,6158 litre	O
460	CM 115	CM	136 LEVEL CM	11765,3289 litre	61,560 %	7346,5500 litre	O
460	CM 115	CM	135 LEVEL CM	11661,2239 litre	61,016 %	7450,6550 litre	O
460	CM 115	CM	134 LEVEL CM	11556,9563 litre	60,470 %	7554,9226 litre	O
460	CM 115	CM	133 LEVEL CM	11452,5346 litre	59,924 %	7659,3443 litre	O
460	CM 115	CM	132 LEVEL CM	11347,9671 litre	59,377 %	7763,9118 litre	O
460	CM 115	CM	131 LEVEL CM	11243,2622 litre	58,829 %	7868,6167 litre	O
460	CM 115	CM	130 LEVEL CM	11138,4279 litre	58,280 %	7973,4510 litre	O
460	CM 115	CM	129 LEVEL CM	11033,4726 litre	57,731 %	8078,4063 litre	O
460	CM 115	CM	128 LEVEL CM	10928,4045 litre	57,181 %	8183,4744 litre	O
460	CM 115	CM	127 LEVEL CM	10823,2317 litre	56,631 %	8288,6472 litre	O
460	CM 115	CM	126 LEVEL CM	10717,9623 litre	56,080 %	8393,9166 litre	O

460	CM 115	CM	125 LEVEL CM	10612,6046 litre	55,529 %	8499,2743 litre	O
460	CM 115	CM	124 LEVEL CM	10507,1666 litre	54,977 %	8604,7123 litre	O
460	CM 115	CM	123 LEVEL CM	10401,6563 litre	54,425 %	8710,2226 litre	O
460	CM 115	CM	122 LEVEL CM	10296,0819 litre	53,873 %	8815,7970 litre	O
460	CM 115	CM	121 LEVEL CM	10190,4513 litre	53,320 %	8921,4276 litre	O
460	CM 115	CM	120 LEVEL CM	10084,7727 litre	52,767 %	9027,1062 litre	O
460	CM 115	CM	119 LEVEL CM	9979,0541 litre	52,214 %	9132,8248 litre	O
460	CM 115	CM	118 LEVEL CM	9873,3035 litre	51,661 %	9238,5754 litre	O
460	CM 115	CM	117 LEVEL CM	9767,5288 litre	51,107 %	9344,3501 litre	O
460	CM 115	CM	116 LEVEL CM	9661,7381 litre	50,554 %	9450,1408 litre	O
460	CM 115	CM	115 LEVEL CM	9555,9395 litre	50,000 %	9555,9394 litre	O
460	CM 115	CM	114 LEVEL CM	9450,1408 litre	49,446 %	9661,7381 litre	O
460	CM 115	CM	113 LEVEL CM	9344,3501 litre	48,893 %	9767,5288 litre	O
460	CM 115	CM	112 LEVEL CM	9238,5755 litre	48,339 %	9873,3034 litre	O
460	CM 115	CM	111 LEVEL CM	9132,8248 litre	47,786 %	9979,0541 litre	O
460	CM 115	CM	110 LEVEL CM	9027,1062 litre	47,233 %	10084,7727 litre	O
460	CM 115	CM	109 LEVEL CM	8921,4276 litre	46,680 %	10190,4513 litre	O
460	CM 115	CM	108 LEVEL CM	8815,7970 litre	46,127 %	10296,0819 litre	O
460	CM 115	CM	107 LEVEL CM	8710,2226 litre	45,575 %	10401,6563 litre	O
460	CM 115	CM	106 LEVEL CM	8604,7123 litre	45,023 %	10507,1666 litre	O
460	CM 115	CM	105 LEVEL CM	8499,2743 litre	44,471 %	10612,6046 litre	O
460	CM 115	CM	104 LEVEL CM	8393,9166 litre	43,920 %	10717,9623 litre	O
460	CM 115	CM	103 LEVEL CM	8288,6472 litre	43,369 %	10823,2317 litre	O
460	CM 115	CM	102 LEVEL CM	8183,4744 litre	42,819 %	10928,4045 litre	O
460	CM 115	CM	101 LEVEL CM	8078,4063 litre	42,269 %	11033,4726 litre	O
460	CM 115	CM	100 LEVEL CM	7973,4510 litre	41,720 %	11138,4279 litre	O
460	CM 115	CM	99 LEVEL CM	7868,6168 litre	41,171 %	11243,2621 litre	O
460	CM 115	CM	98 LEVEL CM	7763,9118 litre	40,623 %	11347,9671 litre	O
460	CM 115	CM	97 LEVEL CM	7659,3443 litre	40,076 %	11452,5346 litre	O
460	CM 115	CM	96 LEVEL CM	7554,9226 litre	39,530 %	11556,9563 litre	O
460	CM 115	CM	95 LEVEL CM	7450,6550 litre	38,984 %	11661,2239 litre	O
460	CM 115	CM	94 LEVEL CM	7346,5500 litre	38,440 %	11765,3289 litre	O
460	CM 115	CM	93 LEVEL CM	7242,6158 litre	37,896 %	11869,2631 litre	O
460	CM 115	CM	92 LEVEL CM	7138,8609 litre	37,353 %	11973,0180 litre	O
460	CM 115	CM	91 LEVEL CM	7035,2938 litre	36,811 %	12076,5851 litre	O
460	CM 115	CM	90 LEVEL CM	6931,9230 litre	36,270 %	12179,9559 litre	O
460	CM 115	CM	89 LEVEL CM	6828,7572 litre	35,730 %	12283,1217 litre	O
460	CM 115	CM	88 LEVEL CM	6725,8048 litre	35,192 %	12386,0741 litre	O
460	CM 115	CM	87 LEVEL CM	6623,0747 litre	34,654 %	12488,8042 litre	O
460	CM 115	CM	86 LEVEL CM	6520,5756 litre	34,118 %	12591,3033 litre	O
460	CM 115	CM	85 LEVEL CM	6418,3162 litre	33,583 %	12693,5627 litre	O
460	CM 115	CM	84 LEVEL CM	6316,3054 litre	33,049 %	12795,5735 litre	O
460	CM 115	CM	83 LEVEL CM	6214,5521 litre	32,517 %	12897,3268 litre	O
460	CM 115	CM	82 LEVEL CM	6113,0654 litre	31,986 %	12998,8135 litre	O
460	CM 115	CM	81 LEVEL CM	6011,8543 litre	31,456 %	13100,0246 litre	O
460	CM 115	CM	80 LEVEL CM	5910,9279 litre	30,928 %	13200,9510 litre	O
460	CM 115	CM	79 LEVEL CM	5810,2955 litre	30,401 %	13301,5834 litre	O
460	CM 115	CM	78 LEVEL CM	5709,9663 litre	29,877 %	13401,9126 litre	O
460	CM 115	CM	77 LEVEL CM	5609,9498 litre	29,353 %	13501,9291 litre	O
460	CM 115	CM	76 LEVEL CM	5510,2553 litre	28,832 %	13601,6236 litre	O
460	CM 115	CM	75 LEVEL CM	5410,8925 litre	28,312 %	13700,9864 litre	O
460	CM 115	CM	74 LEVEL CM	5311,8710 litre	27,794 %	13800,0079 litre	O
460	CM 115	CM	73 LEVEL CM	5213,2006 litre	27,277 %	13898,6783 litre	O

460	CM 115	CM	72 LEVEL CM	5114,8912 litre	26,763 %	13996,9877 litre	O
460	CM 115	CM	71 LEVEL CM	5016,9527 litre	26,250 %	14094,9262 litre	O
460	CM 115	CM	70 LEVEL CM	4919,3951 litre	25,740 %	14192,4838 litre	O
460	CM 115	CM	69 LEVEL CM	4822,2288 litre	25,232 %	14289,6501 litre	O
460	CM 115	CM	68 LEVEL CM	4725,4640 litre	24,725 %	14386,4149 litre	O
460	CM 115	CM	67 LEVEL CM	4629,1112 litre	24,221 %	14482,7677 litre	O
460	CM 115	CM	66 LEVEL CM	4533,1809 litre	23,719 %	14578,6980 litre	O
460	CM 115	CM	65 LEVEL CM	4437,6840 litre	23,220 %	14674,1949 litre	O
460	CM 115	CM	64 LEVEL CM	4342,6313 litre	22,722 %	14769,2476 litre	O
460	CM 115	CM	63 LEVEL CM	4248,0338 litre	22,227 %	14863,8451 litre	O
460	CM 115	CM	62 LEVEL CM	4153,9027 litre	21,735 %	14957,9762 litre	O
460	CM 115	CM	61 LEVEL CM	4060,2494 litre	21,245 %	15051,6295 litre	O
460	CM 115	CM	60 LEVEL CM	3967,0854 litre	20,757 %	15144,7935 litre	O
460	CM 115	CM	59 LEVEL CM	3874,4224 litre	20,272 %	15237,4565 litre	O
460	CM 115	CM	58 LEVEL CM	3782,2724 litre	19,790 %	15329,6065 litre	O
460	CM 115	CM	57 LEVEL CM	3690,6474 litre	19,311 %	15421,2315 litre	O
460	CM 115	CM	56 LEVEL CM	3599,5598 litre	18,834 %	15512,3191 litre	O
460	CM 115	CM	55 LEVEL CM	3509,0221 litre	18,360 %	15602,8568 litre	O
460	CM 115	CM	54 LEVEL CM	3419,0471 litre	17,890 %	15692,8318 litre	O
460	CM 115	CM	53 LEVEL CM	3329,6477 litre	17,422 %	15782,2312 litre	O
460	CM 115	CM	52 LEVEL CM	3240,8373 litre	16,957 %	15871,0416 litre	O
460	CM 115	CM	51 LEVEL CM	3152,6294 litre	16,496 %	15959,2495 litre	O
460	CM 115	CM	50 LEVEL CM	3065,0377 litre	16,037 %	16046,8412 litre	O
460	CM 115	CM	49 LEVEL CM	2978,0764 litre	15,582 %	16133,8025 litre	O
460	CM 115	CM	48 LEVEL CM	2891,7599 litre	15,131 %	16220,1190 litre	O
460	CM 115	CM	47 LEVEL CM	2806,1029 litre	14,683 %	16305,7760 litre	O
460	CM 115	CM	46 LEVEL CM	2721,1205 litre	14,238 %	16390,7584 litre	O
460	CM 115	CM	45 LEVEL CM	2636,8281 litre	13,797 %	16475,0508 litre	O
460	CM 115	CM	44 LEVEL CM	2553,2416 litre	13,359 %	16558,6373 litre	O
460	CM 115	CM	43 LEVEL CM	2470,3771 litre	12,926 %	16641,5018 litre	O
460	CM 115	CM	42 LEVEL CM	2388,2514 litre	12,496 %	16723,6275 litre	O
460	CM 115	CM	41 LEVEL CM	2306,8815 litre	12,070 %	16804,9974 litre	O
460	CM 115	CM	40 LEVEL CM	2226,2851 litre	11,649 %	16885,5938 litre	O
460	CM 115	CM	39 LEVEL CM	2146,4802 litre	11,231 %	16965,3987 litre	O
460	CM 115	CM	38 LEVEL CM	2067,4854 litre	10,818 %	17044,3935 litre	O
460	CM 115	CM	37 LEVEL CM	1989,3201 litre	10,409 %	17122,5588 litre	O
460	CM 115	CM	36 LEVEL CM	1912,0040 litre	10,004 %	17199,8749 litre	O
460	CM 115	CM	35 LEVEL CM	1835,5576 litre	9,604 %	17276,3213 litre	O
460	CM 115	CM	34 LEVEL CM	1760,0022 litre	9,209 %	17351,8767 litre	O
460	CM 115	CM	33 LEVEL CM	1685,3598 litre	8,818 %	17426,5191 litre	O
460	CM 115	CM	32 LEVEL CM	1611,6530 litre	8,433 %	17500,2259 litre	O
460	CM 115	CM	31 LEVEL CM	1538,9056 litre	8,052 %	17572,9733 litre	O
460	CM 115	CM	30 LEVEL CM	1467,1423 litre	7,677 %	17644,7366 litre	O
460	CM 115	CM	29 LEVEL CM	1396,3886 litre	7,306 %	17715,4903 litre	O
460	CM 115	CM	28 LEVEL CM	1326,6713 litre	6,942 %	17785,2076 litre	O
460	CM 115	CM	27 LEVEL CM	1258,0184 litre	6,582 %	17853,8605 litre	O
460	CM 115	CM	26 LEVEL CM	1190,4591 litre	6,229 %	17921,4198 litre	O
460	CM 115	CM	25 LEVEL CM	1124,0243 litre	5,881 %	17987,8546 litre	O
460	CM 115	CM	24 LEVEL CM	1058,7462 litre	5,540 %	18053,1327 litre	O
460	CM 115	CM	23 LEVEL CM	994,6590 litre	5,204 %	18117,2199 litre	O
460	CM 115	CM	22 LEVEL CM	931,7986 litre	4,875 %	18180,0803 litre	O
460	CM 115	CM	21 LEVEL CM	870,2032 litre	4,553 %	18241,6757 litre	O
460	CM 115	CM	20 LEVEL CM	809,9134 litre	4,238 %	18301,9655 litre	O

460	CM	115	CM	19 LEVEL CM	750,9725 litre	3,929 %	18360,9064 litre	O
460	CM	115	CM	18 LEVEL CM	693,4267 litre	3,628 %	18418,4522 litre	O
460	CM	115	CM	17 LEVEL CM	637,3259 litre	3,335 %	18474,5530 litre	O
460	CM	115	CM	16 LEVEL CM	582,7238 litre	3,049 %	18529,1551 litre	O
460	CM	115	CM	15 LEVEL CM	529,6787 litre	2,771 %	18582,2002 litre	O
460	CM	115	CM	14 LEVEL CM	478,2541 litre	2,502 %	18633,6248 litre	O
460	CM	115	CM	13 LEVEL CM	428,5198 litre	2,242 %	18683,3591 litre	O
460	CM	115	CM	12 LEVEL CM	380,5531 litre	1,991 %	18731,3258 litre	O
460	CM	115	CM	11 LEVEL CM	334,4400 litre	1,750 %	18777,4389 litre	O
460	CM	115	CM	10 LEVEL CM	290,2774 litre	1,519 %	18821,6015 litre	O
460	CM	115	CM	9 LEVEL CM	248,1757 litre	1,299 %	18863,7032 litre	O
460	CM	115	CM	8 LEVEL CM	208,2625 litre	1,090 %	18903,6164 litre	O
460	CM	115	CM	7 LEVEL CM	170,6876 litre	0,893 %	18941,1913 litre	O
460	CM	115	CM	6 LEVEL CM	135,6310 litre	0,710 %	18976,2479 litre	O
460	CM	115	CM	5 LEVEL CM	103,3148 litre	0,541 %	19008,5641 litre	O
460	CM	115	CM	4 LEVEL CM	74,0238 litre	0,387 %	19037,8551 litre	O
460	CM	115	CM	3 LEVEL CM	48,1433 litre	0,252 %	19063,7356 litre	O
460	CM	115	CM	2 LEVEL CM	26,2403 litre	0,137 %	19085,6386 litre	O
460	CM	115	CM	1 LEVEL CM	9,2895 litre	0,049 %	19102,5894 litre	O
460	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	19111,8789 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	110	CM	220 LEVEL CM	17486,1047 litre	100,000 %	0,0000 litre	O
460	CM	110	CM	219 LEVEL CM	17477,0199 litre	99,948 %	9,0848 litre	O
460	CM	110	CM	218 LEVEL CM	17460,4442 litre	99,853 %	25,6605 litre	O
460	CM	110	CM	217 LEVEL CM	17439,0281 litre	99,731 %	47,0766 litre	O
460	CM	110	CM	216 LEVEL CM	17413,7253 litre	99,586 %	72,3794 litre	O
460	CM	110	CM	215 LEVEL CM	17385,0912 litre	99,422 %	101,0135 litre	O
460	CM	110	CM	214 LEVEL CM	17353,5030 litre	99,242 %	132,6017 litre	O
460	CM	110	CM	213 LEVEL CM	17319,2396 litre	99,046 %	166,8651 litre	O
460	CM	110	CM	212 LEVEL CM	17282,5189 litre	98,836 %	203,5858 litre	O
460	CM	110	CM	211 LEVEL CM	17243,5171 litre	98,613 %	242,5876 litre	O
460	CM	110	CM	210 LEVEL CM	17202,3812 litre	98,377 %	283,7235 litre	O
460	CM	110	CM	209 LEVEL CM	17159,2363 litre	98,131 %	326,8684 litre	O
460	CM	110	CM	208 LEVEL CM	17114,1908 litre	97,873 %	371,9139 litre	O
460	CM	110	CM	207 LEVEL CM	17067,3397 litre	97,605 %	418,7650 litre	O
460	CM	110	CM	206 LEVEL CM	17018,7677 litre	97,327 %	467,3370 litre	O
460	CM	110	CM	205 LEVEL CM	16968,5504 litre	97,040 %	517,5543 litre	O
460	CM	110	CM	204 LEVEL CM	16916,7565 litre	96,744 %	569,3482 litre	O
460	CM	110	CM	203 LEVEL CM	16863,4485 litre	96,439 %	622,6562 litre	O
460	CM	110	CM	202 LEVEL CM	16808,6836 litre	96,126 %	677,4211 litre	O
460	CM	110	CM	201 LEVEL CM	16752,5148 litre	95,805 %	733,5899 litre	O
460	CM	110	CM	200 LEVEL CM	16694,9909 litre	95,476 %	791,1138 litre	O
460	CM	110	CM	199 LEVEL CM	16636,1577 litre	95,139 %	849,9470 litre	O
460	CM	110	CM	198 LEVEL CM	16576,0575 litre	94,796 %	910,0472 litre	O
460	CM	110	CM	197 LEVEL CM	16514,7306 litre	94,445 %	971,3741 litre	O
460	CM	110	CM	196 LEVEL CM	16452,2143 litre	94,087 %	1033,8904 litre	O
460	CM	110	CM	195 LEVEL CM	16388,5444 litre	93,723 %	1097,5603 litre	O
460	CM	110	CM	194 LEVEL CM	16323,7542 litre	93,353 %	1162,3505 litre	O
460	CM	110	CM	193 LEVEL CM	16257,8758 litre	92,976 %	1228,2289 litre	O
460	CM	110	CM	192 LEVEL CM	16190,9395 litre	92,593 %	1295,1652 litre	O
460	CM	110	CM	191 LEVEL CM	16122,9742 litre	92,204 %	1363,1305 litre	O
460	CM	110	CM	190 LEVEL CM	16054,0075 litre	91,810 %	1432,0972 litre	O
460	CM	110	CM	189 LEVEL CM	15984,0659 litre	91,410 %	1502,0388 litre	O
460	CM	110	CM	188 LEVEL CM	15913,1747 litre	91,005 %	1572,9300 litre	O
460	CM	110	CM	187 LEVEL CM	15841,3582 litre	90,594 %	1644,7465 litre	O
460	CM	110	CM	186 LEVEL CM	15768,6398 litre	90,178 %	1717,4649 litre	O
460	CM	110	CM	185 LEVEL CM	15695,0422 litre	89,757 %	1791,0625 litre	O
460	CM	110	CM	184 LEVEL CM	15620,5869 litre	89,331 %	1865,5178 litre	O
460	CM	110	CM	183 LEVEL CM	15545,2952 litre	88,901 %	1940,8095 litre	O
460	CM	110	CM	182 LEVEL CM	15469,1872 litre	88,466 %	2016,9175 litre	O
460	CM	110	CM	181 LEVEL CM	15392,2827 litre	88,026 %	2093,8220 litre	O
460	CM	110	CM	180 LEVEL CM	15314,6006 litre	87,582 %	2171,5041 litre	O
460	CM	110	CM	179 LEVEL CM	15236,1596 litre	87,133 %	2249,9451 litre	O
460	CM	110	CM	178 LEVEL CM	15156,9775 litre	86,680 %	2329,1272 litre	O
460	CM	110	CM	177 LEVEL CM	15077,0718 litre	86,223 %	2409,0329 litre	O
460	CM	110	CM	176 LEVEL CM	14996,4595 litre	85,762 %	2489,6452 litre	O
460	CM	110	CM	175 LEVEL CM	14915,1572 litre	85,297 %	2570,9475 litre	O
460	CM	110	CM	174 LEVEL CM	14833,1810 litre	84,828 %	2652,9237 litre	O
460	CM	110	CM	173 LEVEL CM	14750,5467 litre	84,356 %	2735,5580 litre	O
460	CM	110	CM	172 LEVEL CM	14667,2695 litre	83,880 %	2818,8352 litre	O
460	CM	110	CM	171 LEVEL CM	14583,3646 litre	83,400 %	2902,7401 litre	O
460	CM	110	CM	170 LEVEL CM	14498,8465 litre	82,916 %	2987,2582 litre	O
460	CM	110	CM	169 LEVEL CM	14413,7297 litre	82,430 %	3072,3750 litre	O

460	CM 110	CM	168 LEVEL CM	14328,0282 litre	81,940 %	3158,0765 litre	O
460	CM 110	CM	167 LEVEL CM	14241,7557 litre	81,446 %	3244,3490 litre	O
460	CM 110	CM	166 LEVEL CM	14154,9259 litre	80,950 %	3331,1788 litre	O
460	CM 110	CM	165 LEVEL CM	14067,5518 litre	80,450 %	3418,5529 litre	O
460	CM 110	CM	164 LEVEL CM	13979,6466 litre	79,947 %	3506,4581 litre	O
460	CM 110	CM	163 LEVEL CM	13891,2230 litre	79,441 %	3594,8817 litre	O
460	CM 110	CM	162 LEVEL CM	13802,2935 litre	78,933 %	3683,8112 litre	O
460	CM 110	CM	161 LEVEL CM	13712,8704 litre	78,422 %	3773,2343 litre	O
460	CM 110	CM	160 LEVEL CM	13622,9659 litre	77,907 %	3863,1388 litre	O
460	CM 110	CM	159 LEVEL CM	13532,5919 litre	77,391 %	3953,5128 litre	O
460	CM 110	CM	158 LEVEL CM	13441,7601 litre	76,871 %	4044,3446 litre	O
460	CM 110	CM	157 LEVEL CM	13350,4822 litre	76,349 %	4135,6225 litre	O
460	CM 110	CM	156 LEVEL CM	13258,7695 litre	75,825 %	4227,3352 litre	O
460	CM 110	CM	155 LEVEL CM	13166,6332 litre	75,298 %	4319,4715 litre	O
460	CM 110	CM	154 LEVEL CM	13074,0844 litre	74,768 %	4412,0203 litre	O
460	CM 110	CM	153 LEVEL CM	12981,1341 litre	74,237 %	4504,9706 litre	O
460	CM 110	CM	152 LEVEL CM	12887,7931 litre	73,703 %	4598,3116 litre	O
460	CM 110	CM	151 LEVEL CM	12794,0720 litre	73,167 %	4692,0327 litre	O
460	CM 110	CM	150 LEVEL CM	12699,9814 litre	72,629 %	4786,1233 litre	O
460	CM 110	CM	149 LEVEL CM	12605,5316 litre	72,089 %	4880,5731 litre	O
460	CM 110	CM	148 LEVEL CM	12510,7329 litre	71,547 %	4975,3718 litre	O
460	CM 110	CM	147 LEVEL CM	12415,5956 litre	71,003 %	5070,5091 litre	O
460	CM 110	CM	146 LEVEL CM	12320,1297 litre	70,457 %	5165,9750 litre	O
460	CM 110	CM	145 LEVEL CM	12224,3451 litre	69,909 %	5261,7596 litre	O
460	CM 110	CM	144 LEVEL CM	12128,2517 litre	69,359 %	5357,8530 litre	O
460	CM 110	CM	143 LEVEL CM	12031,8593 litre	68,808 %	5454,2454 litre	O
460	CM 110	CM	142 LEVEL CM	11935,1776 litre	68,255 %	5550,9271 litre	O
460	CM 110	CM	141 LEVEL CM	11838,2162 litre	67,701 %	5647,8885 litre	O
460	CM 110	CM	140 LEVEL CM	11740,9845 litre	67,145 %	5745,1202 litre	O
460	CM 110	CM	139 LEVEL CM	11643,4920 litre	66,587 %	5842,6127 litre	O
460	CM 110	CM	138 LEVEL CM	11545,7481 litre	66,028 %	5940,3566 litre	O
460	CM 110	CM	137 LEVEL CM	11447,7620 litre	65,468 %	6038,3427 litre	O
460	CM 110	CM	136 LEVEL CM	11349,5430 litre	64,906 %	6136,5617 litre	O
460	CM 110	CM	135 LEVEL CM	11251,1001 litre	64,343 %	6235,0046 litre	O
460	CM 110	CM	134 LEVEL CM	11152,4425 litre	63,779 %	6333,6622 litre	O
460	CM 110	CM	133 LEVEL CM	11053,5793 litre	63,214 %	6432,5254 litre	O
460	CM 110	CM	132 LEVEL CM	10954,5193 litre	62,647 %	6531,5854 litre	O
460	CM 110	CM	131 LEVEL CM	10855,2716 litre	62,079 %	6630,8331 litre	O
460	CM 110	CM	130 LEVEL CM	10755,8449 litre	61,511 %	6730,2598 litre	O
460	CM 110	CM	129 LEVEL CM	10656,2481 litre	60,941 %	6829,8566 litre	O
460	CM 110	CM	128 LEVEL CM	10556,4899 litre	60,371 %	6929,6148 litre	O
460	CM 110	CM	127 LEVEL CM	10456,5792 litre	59,799 %	7029,5255 litre	O
460	CM 110	CM	126 LEVEL CM	10356,5245 litre	59,227 %	7129,5802 litre	O
460	CM 110	CM	125 LEVEL CM	10256,3346 litre	58,654 %	7229,7701 litre	O
460	CM 110	CM	124 LEVEL CM	10156,0180 litre	58,081 %	7330,0867 litre	O
460	CM 110	CM	123 LEVEL CM	10055,5834 litre	57,506 %	7430,5213 litre	O
460	CM 110	CM	122 LEVEL CM	9955,0393 litre	56,931 %	7531,0654 litre	O
460	CM 110	CM	121 LEVEL CM	9854,3942 litre	56,356 %	7631,7105 litre	O
460	CM 110	CM	120 LEVEL CM	9753,6567 litre	55,779 %	7732,4480 litre	O
460	CM 110	CM	119 LEVEL CM	9652,8352 litre	55,203 %	7833,2695 litre	O
460	CM 110	CM	118 LEVEL CM	9551,9381 litre	54,626 %	7934,1666 litre	O
460	CM 110	CM	117 LEVEL CM	9450,9739 litre	54,048 %	8035,1308 litre	O
460	CM 110	CM	116 LEVEL CM	9349,9511 litre	53,471 %	8136,1536 litre	O

460	CM 110	CM	115 LEVEL CM	9248,8781 litre	52,893 %	8237,2266 litre	O
460	CM 110	CM	114 LEVEL CM	9147,7631 litre	52,314 %	8338,3416 litre	O
460	CM 110	CM	113 LEVEL CM	9046,6147 litre	51,736 %	8439,4900 litre	O
460	CM 110	CM	112 LEVEL CM	8945,4412 litre	51,157 %	8540,6635 litre	O
460	CM 110	CM	111 LEVEL CM	8844,2510 litre	50,579 %	8641,8537 litre	O
460	CM 110	CM	110 LEVEL CM	8743,0524 litre	50,000 %	8743,0523 litre	O
460	CM 110	CM	109 LEVEL CM	8641,8537 litre	49,421 %	8844,2510 litre	O
460	CM 110	CM	108 LEVEL CM	8540,6635 litre	48,843 %	8945,4412 litre	O
460	CM 110	CM	107 LEVEL CM	8439,4900 litre	48,264 %	9046,6147 litre	O
460	CM 110	CM	106 LEVEL CM	8338,3416 litre	47,686 %	9147,7631 litre	O
460	CM 110	CM	105 LEVEL CM	8237,2267 litre	47,107 %	9248,8780 litre	O
460	CM 110	CM	104 LEVEL CM	8136,1536 litre	46,529 %	9349,9511 litre	O
460	CM 110	CM	103 LEVEL CM	8035,1308 litre	45,952 %	9450,9739 litre	O
460	CM 110	CM	102 LEVEL CM	7934,1666 litre	45,374 %	9551,9381 litre	O
460	CM 110	CM	101 LEVEL CM	7833,2696 litre	44,797 %	9652,8351 litre	O
460	CM 110	CM	100 LEVEL CM	7732,4480 litre	44,221 %	9753,6567 litre	O
460	CM 110	CM	99 LEVEL CM	7631,7105 litre	43,644 %	9854,3942 litre	O
460	CM 110	CM	98 LEVEL CM	7531,0654 litre	43,069 %	9955,0393 litre	O
460	CM 110	CM	97 LEVEL CM	7430,5213 litre	42,494 %	10055,5834 litre	O
460	CM 110	CM	96 LEVEL CM	7330,0867 litre	41,919 %	10156,0180 litre	O
460	CM 110	CM	95 LEVEL CM	7229,7701 litre	41,346 %	10256,3346 litre	O
460	CM 110	CM	94 LEVEL CM	7129,5802 litre	40,773 %	10356,5245 litre	O
460	CM 110	CM	93 LEVEL CM	7029,5255 litre	40,201 %	10456,5792 litre	O
460	CM 110	CM	92 LEVEL CM	6929,6148 litre	39,629 %	10556,4899 litre	O
460	CM 110	CM	91 LEVEL CM	6829,8566 litre	39,059 %	10656,2481 litre	O
460	CM 110	CM	90 LEVEL CM	6730,2598 litre	38,489 %	10755,8449 litre	O
460	CM 110	CM	89 LEVEL CM	6630,8331 litre	37,921 %	10855,2716 litre	O
460	CM 110	CM	88 LEVEL CM	6531,5854 litre	37,353 %	10954,5193 litre	O
460	CM 110	CM	87 LEVEL CM	6432,5254 litre	36,786 %	11053,5793 litre	O
460	CM 110	CM	86 LEVEL CM	6333,6622 litre	36,221 %	11152,4425 litre	O
460	CM 110	CM	85 LEVEL CM	6235,0046 litre	35,657 %	11251,1001 litre	O
460	CM 110	CM	84 LEVEL CM	6136,5618 litre	35,094 %	11349,5429 litre	O
460	CM 110	CM	83 LEVEL CM	6038,3427 litre	34,532 %	11447,7620 litre	O
460	CM 110	CM	82 LEVEL CM	5940,3566 litre	33,972 %	11545,7481 litre	O
460	CM 110	CM	81 LEVEL CM	5842,6127 litre	33,413 %	11643,4920 litre	O
460	CM 110	CM	80 LEVEL CM	5745,1202 litre	32,855 %	11740,9845 litre	O
460	CM 110	CM	79 LEVEL CM	5647,8885 litre	32,299 %	11838,2162 litre	O
460	CM 110	CM	78 LEVEL CM	5550,9271 litre	31,745 %	11935,1776 litre	O
460	CM 110	CM	77 LEVEL CM	5454,2454 litre	31,192 %	12031,8593 litre	O
460	CM 110	CM	76 LEVEL CM	5357,8530 litre	30,641 %	12128,2517 litre	O
460	CM 110	CM	75 LEVEL CM	5261,7596 litre	30,091 %	12224,3451 litre	O
460	CM 110	CM	74 LEVEL CM	5165,9750 litre	29,543 %	12320,1297 litre	O
460	CM 110	CM	73 LEVEL CM	5070,5091 litre	28,997 %	12415,5956 litre	O
460	CM 110	CM	72 LEVEL CM	4975,3718 litre	28,453 %	12510,7329 litre	O
460	CM 110	CM	71 LEVEL CM	4880,5731 litre	27,911 %	12605,5316 litre	O
460	CM 110	CM	70 LEVEL CM	4786,1234 litre	27,371 %	12699,9813 litre	O
460	CM 110	CM	69 LEVEL CM	4692,0327 litre	26,833 %	12794,0720 litre	O
460	CM 110	CM	68 LEVEL CM	4598,3116 litre	26,297 %	12887,7931 litre	O
460	CM 110	CM	67 LEVEL CM	4504,9706 litre	25,763 %	12981,1341 litre	O
460	CM 110	CM	66 LEVEL CM	4412,0203 litre	25,232 %	13074,0844 litre	O
460	CM 110	CM	65 LEVEL CM	4319,4715 litre	24,702 %	13166,6332 litre	O
460	CM 110	CM	64 LEVEL CM	4227,3352 litre	24,175 %	13258,7695 litre	O
460	CM 110	CM	63 LEVEL CM	4135,6225 litre	23,651 %	13350,4822 litre	O

460	CM 110	CM	62 LEVEL CM	4044,3446 litre	23,129 %	13441,7601 litre	O
460	CM 110	CM	61 LEVEL CM	3953,5128 litre	22,609 %	13532,5919 litre	O
460	CM 110	CM	60 LEVEL CM	3863,1388 litre	22,093 %	13622,9659 litre	O
460	CM 110	CM	59 LEVEL CM	3773,2343 litre	21,578 %	13712,8704 litre	O
460	CM 110	CM	58 LEVEL CM	3683,8112 litre	21,067 %	13802,2935 litre	O
460	CM 110	CM	57 LEVEL CM	3594,8817 litre	20,559 %	13891,2230 litre	O
460	CM 110	CM	56 LEVEL CM	3506,4581 litre	20,053 %	13979,6466 litre	O
460	CM 110	CM	55 LEVEL CM	3418,5529 litre	19,550 %	14067,5518 litre	O
460	CM 110	CM	54 LEVEL CM	3331,1788 litre	19,050 %	14154,9259 litre	O
460	CM 110	CM	53 LEVEL CM	3244,3490 litre	18,554 %	14241,7557 litre	O
460	CM 110	CM	52 LEVEL CM	3158,0765 litre	18,060 %	14328,0282 litre	O
460	CM 110	CM	51 LEVEL CM	3072,3750 litre	17,570 %	14413,7297 litre	O
460	CM 110	CM	50 LEVEL CM	2987,2582 litre	17,084 %	14498,8465 litre	O
460	CM 110	CM	49 LEVEL CM	2902,7402 litre	16,600 %	14583,3645 litre	O
460	CM 110	CM	48 LEVEL CM	2818,8352 litre	16,120 %	14667,2695 litre	O
460	CM 110	CM	47 LEVEL CM	2735,5580 litre	15,644 %	14750,5467 litre	O
460	CM 110	CM	46 LEVEL CM	2652,9237 litre	15,172 %	14833,1810 litre	O
460	CM 110	CM	45 LEVEL CM	2570,9475 litre	14,703 %	14915,1572 litre	O
460	CM 110	CM	44 LEVEL CM	2489,6452 litre	14,238 %	14996,4595 litre	O
460	CM 110	CM	43 LEVEL CM	2409,0329 litre	13,777 %	15077,0718 litre	O
460	CM 110	CM	42 LEVEL CM	2329,1272 litre	13,320 %	15156,9775 litre	O
460	CM 110	CM	41 LEVEL CM	2249,9452 litre	12,867 %	15236,1595 litre	O
460	CM 110	CM	40 LEVEL CM	2171,5041 litre	12,418 %	15314,6006 litre	O
460	CM 110	CM	39 LEVEL CM	2093,8220 litre	11,974 %	15392,2827 litre	O
460	CM 110	CM	38 LEVEL CM	2016,9175 litre	11,534 %	15469,1872 litre	O
460	CM 110	CM	37 LEVEL CM	1940,8095 litre	11,099 %	15545,2952 litre	O
460	CM 110	CM	36 LEVEL CM	1865,5178 litre	10,669 %	15620,5869 litre	O
460	CM 110	CM	35 LEVEL CM	1791,0626 litre	10,243 %	15695,0421 litre	O
460	CM 110	CM	34 LEVEL CM	1717,4649 litre	9,822 %	15768,6398 litre	O
460	CM 110	CM	33 LEVEL CM	1644,7465 litre	9,406 %	15841,3582 litre	O
460	CM 110	CM	32 LEVEL CM	1572,9300 litre	8,995 %	15913,1747 litre	O
460	CM 110	CM	31 LEVEL CM	1502,0388 litre	8,590 %	15984,0659 litre	O
460	CM 110	CM	30 LEVEL CM	1432,0972 litre	8,190 %	16054,0075 litre	O
460	CM 110	CM	29 LEVEL CM	1363,1305 litre	7,796 %	16122,9742 litre	O
460	CM 110	CM	28 LEVEL CM	1295,1652 litre	7,407 %	16190,9395 litre	O
460	CM 110	CM	27 LEVEL CM	1228,2289 litre	7,024 %	16257,8758 litre	O
460	CM 110	CM	26 LEVEL CM	1162,3505 litre	6,647 %	16323,7542 litre	O
460	CM 110	CM	25 LEVEL CM	1097,5604 litre	6,277 %	16388,5443 litre	O
460	CM 110	CM	24 LEVEL CM	1033,8904 litre	5,913 %	16452,2143 litre	O
460	CM 110	CM	23 LEVEL CM	971,3741 litre	5,555 %	16514,7306 litre	O
460	CM 110	CM	22 LEVEL CM	910,0472 litre	5,204 %	16576,0575 litre	O
460	CM 110	CM	21 LEVEL CM	849,9471 litre	4,861 %	16636,1576 litre	O
460	CM 110	CM	20 LEVEL CM	791,1138 litre	4,524 %	16694,9909 litre	O
460	CM 110	CM	19 LEVEL CM	733,5899 litre	4,195 %	16752,5148 litre	O
460	CM 110	CM	18 LEVEL CM	677,4211 litre	3,874 %	16808,6836 litre	O
460	CM 110	CM	17 LEVEL CM	622,6562 litre	3,561 %	16863,4485 litre	O
460	CM 110	CM	16 LEVEL CM	569,3482 litre	3,256 %	16916,7565 litre	O
460	CM 110	CM	15 LEVEL CM	517,5543 litre	2,960 %	16968,5504 litre	O
460	CM 110	CM	14 LEVEL CM	467,3370 litre	2,673 %	17018,7677 litre	O
460	CM 110	CM	13 LEVEL CM	418,7650 litre	2,395 %	17067,3397 litre	O
460	CM 110	CM	12 LEVEL CM	371,9139 litre	2,127 %	17114,1908 litre	O
460	CM 110	CM	11 LEVEL CM	326,8684 litre	1,869 %	17159,2363 litre	O
460	CM 110	CM	10 LEVEL CM	283,7235 litre	1,623 %	17202,3812 litre	O

460	CM	110	CM	9 LEVEL CM	242,5876 litre	1,387 %	17243,5171 litre	O
460	CM	110	CM	8 LEVEL CM	203,5858 litre	1,164 %	17282,5189 litre	O
460	CM	110	CM	7 LEVEL CM	166,8651 litre	0,954 %	17319,2396 litre	O
460	CM	110	CM	6 LEVEL CM	132,6017 litre	0,758 %	17353,5030 litre	O
460	CM	110	CM	5 LEVEL CM	101,0135 litre	0,578 %	17385,0912 litre	O
460	CM	110	CM	4 LEVEL CM	72,3794 litre	0,414 %	17413,7253 litre	O
460	CM	110	CM	3 LEVEL CM	47,0766 litre	0,269 %	17439,0281 litre	O
460	CM	110	CM	2 LEVEL CM	25,6605 litre	0,147 %	17460,4442 litre	O
460	CM	110	CM	1 LEVEL CM	9,0848 litre	0,052 %	17477,0199 litre	O
460	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	17486,1047 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 105	CM 210 LEVEL CM	15932,5871 litre	100,000 %	0,0000 litre	O
460	CM 105	CM 209 LEVEL CM	15923,7118 litre	99,944 %	8,8753 litre	O
460	CM 105	CM 208 LEVEL CM	15907,5199 litre	99,843 %	25,0672 litre	O
460	CM 105	CM 207 LEVEL CM	15886,6019 litre	99,711 %	45,9852 litre	O
460	CM 105	CM 206 LEVEL CM	15861,8905 litre	99,556 %	70,6966 litre	O
460	CM 105	CM 205 LEVEL CM	15833,9286 litre	99,381 %	98,6585 litre	O
460	CM 105	CM 204 LEVEL CM	15803,0855 litre	99,187 %	129,5016 litre	O
460	CM 105	CM 203 LEVEL CM	15769,6343 litre	98,977 %	162,9528 litre	O
460	CM 105	CM 202 LEVEL CM	15733,7880 litre	98,752 %	198,7991 litre	O
460	CM 105	CM 201 LEVEL CM	15695,7194 litre	98,513 %	236,8677 litre	O
460	CM 105	CM 200 LEVEL CM	15655,5725 litre	98,261 %	277,0146 litre	O
460	CM 105	CM 199 LEVEL CM	15613,4699 litre	97,997 %	319,1172 litre	O
460	CM 105	CM 198 LEVEL CM	15569,5179 litre	97,721 %	363,0692 litre	O
460	CM 105	CM 197 LEVEL CM	15523,8098 litre	97,434 %	408,7773 litre	O
460	CM 105	CM 196 LEVEL CM	15476,4284 litre	97,137 %	456,1587 litre	O
460	CM 105	CM 195 LEVEL CM	15427,4482 litre	96,830 %	505,1389 litre	O
460	CM 105	CM 194 LEVEL CM	15376,9366 litre	96,512 %	555,6505 litre	O
460	CM 105	CM 193 LEVEL CM	15324,9549 litre	96,186 %	607,6322 litre	O
460	CM 105	CM 192 LEVEL CM	15271,5594 litre	95,851 %	661,0277 litre	O
460	CM 105	CM 191 LEVEL CM	15216,8020 litre	95,507 %	715,7851 litre	O
460	CM 105	CM 190 LEVEL CM	15160,7311 litre	95,155 %	771,8560 litre	O
460	CM 105	CM 189 LEVEL CM	15103,3913 litre	94,796 %	829,1958 litre	O
460	CM 105	CM 188 LEVEL CM	15044,8246 litre	94,428 %	887,7625 litre	O
460	CM 105	CM 187 LEVEL CM	14985,0704 litre	94,053 %	947,5167 litre	O
460	CM 105	CM 186 LEVEL CM	14924,1657 litre	93,671 %	1008,4214 litre	O
460	CM 105	CM 185 LEVEL CM	14862,1455 litre	93,281 %	1070,4416 litre	O
460	CM 105	CM 184 LEVEL CM	14799,0429 litre	92,885 %	1133,5442 litre	O
460	CM 105	CM 183 LEVEL CM	14734,8894 litre	92,483 %	1197,6977 litre	O
460	CM 105	CM 182 LEVEL CM	14669,7149 litre	92,074 %	1262,8722 litre	O
460	CM 105	CM 181 LEVEL CM	14603,5480 litre	91,658 %	1329,0391 litre	O
460	CM 105	CM 180 LEVEL CM	14536,4158 litre	91,237 %	1396,1713 litre	O
460	CM 105	CM 179 LEVEL CM	14468,3446 litre	90,810 %	1464,2425 litre	O
460	CM 105	CM 178 LEVEL CM	14399,3595 litre	90,377 %	1533,2276 litre	O
460	CM 105	CM 177 LEVEL CM	14329,4843 litre	89,938 %	1603,1028 litre	O
460	CM 105	CM 176 LEVEL CM	14258,7424 litre	89,494 %	1673,8447 litre	O
460	CM 105	CM 175 LEVEL CM	14187,1560 litre	89,045 %	1745,4311 litre	O
460	CM 105	CM 174 LEVEL CM	14114,7467 litre	88,590 %	1817,8404 litre	O
460	CM 105	CM 173 LEVEL CM	14041,5352 litre	88,131 %	1891,0519 litre	O
460	CM 105	CM 172 LEVEL CM	13967,5418 litre	87,667 %	1965,0453 litre	O
460	CM 105	CM 171 LEVEL CM	13892,7858 litre	87,197 %	2039,8013 litre	O
460	CM 105	CM 170 LEVEL CM	13817,2863 litre	86,723 %	2115,3008 litre	O
460	CM 105	CM 169 LEVEL CM	13741,0616 litre	86,245 %	2191,5255 litre	O
460	CM 105	CM 168 LEVEL CM	13664,1294 litre	85,762 %	2268,4577 litre	O
460	CM 105	CM 167 LEVEL CM	13586,5073 litre	85,275 %	2346,0798 litre	O
460	CM 105	CM 166 LEVEL CM	13508,2120 litre	84,784 %	2424,3751 litre	O
460	CM 105	CM 165 LEVEL CM	13429,2600 litre	84,288 %	2503,3271 litre	O
460	CM 105	CM 164 LEVEL CM	13349,6673 litre	83,788 %	2582,9198 litre	O
460	CM 105	CM 163 LEVEL CM	13269,4497 litre	83,285 %	2663,1374 litre	O
460	CM 105	CM 162 LEVEL CM	13188,6224 litre	82,778 %	2743,9647 litre	O
460	CM 105	CM 161 LEVEL CM	13107,2004 litre	82,267 %	2825,3867 litre	O
460	CM 105	CM 160 LEVEL CM	13025,1984 litre	81,752 %	2907,3887 litre	O
460	CM 105	CM 159 LEVEL CM	12942,6306 litre	81,234 %	2989,9565 litre	O

460	CM	105	CM	158 LEVEL CM	12859,5110 litre	80,712 %	3073,0761 litre	O
460	CM	105	CM	157 LEVEL CM	12775,8535 litre	80,187 %	3156,7336 litre	O
460	CM	105	CM	156 LEVEL CM	12691,6716 litre	79,659 %	3240,9155 litre	O
460	CM	105	CM	155 LEVEL CM	12606,9784 litre	79,127 %	3325,6087 litre	O
460	CM	105	CM	154 LEVEL CM	12521,7870 litre	78,592 %	3410,8001 litre	O
460	CM	105	CM	153 LEVEL CM	12436,1101 litre	78,055 %	3496,4770 litre	O
460	CM	105	CM	152 LEVEL CM	12349,9603 litre	77,514 %	3582,6268 litre	O
460	CM	105	CM	151 LEVEL CM	12263,3500 litre	76,970 %	3669,2371 litre	O
460	CM	105	CM	150 LEVEL CM	12176,2914 litre	76,424 %	3756,2957 litre	O
460	CM	105	CM	149 LEVEL CM	12088,7963 litre	75,875 %	3843,7908 litre	O
460	CM	105	CM	148 LEVEL CM	12000,8766 litre	75,323 %	3931,7105 litre	O
460	CM	105	CM	147 LEVEL CM	11912,5439 litre	74,768 %	4020,0432 litre	O
460	CM	105	CM	146 LEVEL CM	11823,8096 litre	74,211 %	4108,7775 litre	O
460	CM	105	CM	145 LEVEL CM	11734,6852 litre	73,652 %	4197,9019 litre	O
460	CM	105	CM	144 LEVEL CM	11645,1816 litre	73,090 %	4287,4055 litre	O
460	CM	105	CM	143 LEVEL CM	11555,3101 litre	72,526 %	4377,2770 litre	O
460	CM	105	CM	142 LEVEL CM	11465,0813 litre	71,960 %	4467,5058 litre	O
460	CM	105	CM	141 LEVEL CM	11374,5061 litre	71,391 %	4558,0810 litre	O
460	CM	105	CM	140 LEVEL CM	11283,5951 litre	70,821 %	4648,9920 litre	O
460	CM	105	CM	139 LEVEL CM	11192,3589 litre	70,248 %	4740,2282 litre	O
460	CM	105	CM	138 LEVEL CM	11100,8078 litre	69,674 %	4831,7793 litre	O
460	CM	105	CM	137 LEVEL CM	11008,9521 litre	69,097 %	4923,6350 litre	O
460	CM	105	CM	136 LEVEL CM	10916,8019 litre	68,519 %	5015,7852 litre	O
460	CM	105	CM	135 LEVEL CM	10824,3675 litre	67,939 %	5108,2196 litre	O
460	CM	105	CM	134 LEVEL CM	10731,6588 litre	67,357 %	5200,9283 litre	O
460	CM	105	CM	133 LEVEL CM	10638,6857 litre	66,773 %	5293,9014 litre	O
460	CM	105	CM	132 LEVEL CM	10545,4581 litre	66,188 %	5387,1290 litre	O
460	CM	105	CM	131 LEVEL CM	10451,9856 litre	65,601 %	5480,6015 litre	O
460	CM	105	CM	130 LEVEL CM	10358,2780 litre	65,013 %	5574,3091 litre	O
460	CM	105	CM	129 LEVEL CM	10264,3449 litre	64,424 %	5668,2422 litre	O
460	CM	105	CM	128 LEVEL CM	10170,1958 litre	63,833 %	5762,3913 litre	O
460	CM	105	CM	127 LEVEL CM	10075,8401 litre	63,240 %	5856,7470 litre	O
460	CM	105	CM	126 LEVEL CM	9981,2872 litre	62,647 %	5951,2999 litre	O
460	CM	105	CM	125 LEVEL CM	9886,5466 litre	62,052 %	6046,0405 litre	O
460	CM	105	CM	124 LEVEL CM	9791,6275 litre	61,457 %	6140,9596 litre	O
460	CM	105	CM	123 LEVEL CM	9696,5391 litre	60,860 %	6236,0480 litre	O
460	CM	105	CM	122 LEVEL CM	9601,2906 litre	60,262 %	6331,2965 litre	O
460	CM	105	CM	121 LEVEL CM	9505,8911 litre	59,663 %	6426,6960 litre	O
460	CM	105	CM	120 LEVEL CM	9410,3498 litre	59,064 %	6522,2373 litre	O
460	CM	105	CM	119 LEVEL CM	9314,6757 litre	58,463 %	6617,9114 litre	O
460	CM	105	CM	118 LEVEL CM	9218,8778 litre	57,862 %	6713,7093 litre	O
460	CM	105	CM	117 LEVEL CM	9122,9652 litre	57,260 %	6809,6219 litre	O
460	CM	105	CM	116 LEVEL CM	9026,9467 litre	56,657 %	6905,6404 litre	O
460	CM	105	CM	115 LEVEL CM	8930,8313 litre	56,054 %	7001,7558 litre	O
460	CM	105	CM	114 LEVEL CM	8834,6278 litre	55,450 %	7097,9593 litre	O
460	CM	105	CM	113 LEVEL CM	8738,3452 litre	54,846 %	7194,2419 litre	O
460	CM	105	CM	112 LEVEL CM	8641,9923 litre	54,241 %	7290,5948 litre	O
460	CM	105	CM	111 LEVEL CM	8545,5780 litre	53,636 %	7387,0091 litre	O
460	CM	105	CM	110 LEVEL CM	8449,1110 litre	53,030 %	7483,4761 litre	O
460	CM	105	CM	109 LEVEL CM	8352,6001 litre	52,425 %	7579,9870 litre	O
460	CM	105	CM	108 LEVEL CM	8256,0541 litre	51,819 %	7676,5330 litre	O
460	CM	105	CM	107 LEVEL CM	8159,4819 litre	51,213 %	7773,1052 litre	O
460	CM	105	CM	106 LEVEL CM	8062,8921 litre	50,606 %	7869,6950 litre	O

460	CM	105	CM	105 LEVEL CM	7966,2936 litre	50,000 %	7966,2935 litre	O
460	CM	105	CM	104 LEVEL CM	7869,6950 litre	49,394 %	8062,8921 litre	O
460	CM	105	CM	103 LEVEL CM	7773,1053 litre	48,787 %	8159,4818 litre	O
460	CM	105	CM	102 LEVEL CM	7676,5330 litre	48,181 %	8256,0541 litre	O
460	CM	105	CM	101 LEVEL CM	7579,9871 litre	47,575 %	8352,6000 litre	O
460	CM	105	CM	100 LEVEL CM	7483,4762 litre	46,970 %	8449,1109 litre	O
460	CM	105	CM	99 LEVEL CM	7387,0092 litre	46,364 %	8545,5779 litre	O
460	CM	105	CM	98 LEVEL CM	7290,5948 litre	45,759 %	8641,9923 litre	O
460	CM	105	CM	97 LEVEL CM	7194,2419 litre	45,154 %	8738,3452 litre	O
460	CM	105	CM	96 LEVEL CM	7097,9593 litre	44,550 %	8834,6278 litre	O
460	CM	105	CM	95 LEVEL CM	7001,7559 litre	43,946 %	8930,8312 litre	O
460	CM	105	CM	94 LEVEL CM	6905,6405 litre	43,343 %	9026,9466 litre	O
460	CM	105	CM	93 LEVEL CM	6809,6220 litre	42,740 %	9122,9651 litre	O
460	CM	105	CM	92 LEVEL CM	6713,7093 litre	42,138 %	9218,8778 litre	O
460	CM	105	CM	91 LEVEL CM	6617,9114 litre	41,537 %	9314,6757 litre	O
460	CM	105	CM	90 LEVEL CM	6522,2373 litre	40,936 %	9410,3498 litre	O
460	CM	105	CM	89 LEVEL CM	6426,6960 litre	40,337 %	9505,8911 litre	O
460	CM	105	CM	88 LEVEL CM	6331,2966 litre	39,738 %	9601,2905 litre	O
460	CM	105	CM	87 LEVEL CM	6236,0481 litre	39,140 %	9696,5390 litre	O
460	CM	105	CM	86 LEVEL CM	6140,9597 litre	38,543 %	9791,6274 litre	O
460	CM	105	CM	85 LEVEL CM	6046,0405 litre	37,948 %	9886,5466 litre	O
460	CM	105	CM	84 LEVEL CM	5951,2999 litre	37,353 %	9981,2872 litre	O
460	CM	105	CM	83 LEVEL CM	5856,7471 litre	36,760 %	10075,8400 litre	O
460	CM	105	CM	82 LEVEL CM	5762,3914 litre	36,167 %	10170,1957 litre	O
460	CM	105	CM	81 LEVEL CM	5668,2422 litre	35,576 %	10264,3449 litre	O
460	CM	105	CM	80 LEVEL CM	5574,3091 litre	34,987 %	10358,2780 litre	O
460	CM	105	CM	79 LEVEL CM	5480,6015 litre	34,399 %	10451,9856 litre	O
460	CM	105	CM	78 LEVEL CM	5387,1290 litre	33,812 %	10545,4581 litre	O
460	CM	105	CM	77 LEVEL CM	5293,9014 litre	33,227 %	10638,6857 litre	O
460	CM	105	CM	76 LEVEL CM	5200,9283 litre	32,643 %	10731,6588 litre	O
460	CM	105	CM	75 LEVEL CM	5108,2196 litre	32,061 %	10824,3675 litre	O
460	CM	105	CM	74 LEVEL CM	5015,7852 litre	31,481 %	10916,8019 litre	O
460	CM	105	CM	73 LEVEL CM	4923,6351 litre	30,903 %	11008,9520 litre	O
460	CM	105	CM	72 LEVEL CM	4831,7794 litre	30,326 %	11100,8077 litre	O
460	CM	105	CM	71 LEVEL CM	4740,2283 litre	29,752 %	11192,3588 litre	O
460	CM	105	CM	70 LEVEL CM	4648,9920 litre	29,179 %	11283,5951 litre	O
460	CM	105	CM	69 LEVEL CM	4558,0810 litre	28,609 %	11374,5061 litre	O
460	CM	105	CM	68 LEVEL CM	4467,5058 litre	28,040 %	11465,0813 litre	O
460	CM	105	CM	67 LEVEL CM	4377,2771 litre	27,474 %	11555,3100 litre	O
460	CM	105	CM	66 LEVEL CM	4287,4055 litre	26,910 %	11645,1816 litre	O
460	CM	105	CM	65 LEVEL CM	4197,9020 litre	26,348 %	11734,6851 litre	O
460	CM	105	CM	64 LEVEL CM	4108,7775 litre	25,789 %	11823,8096 litre	O
460	CM	105	CM	63 LEVEL CM	4020,0433 litre	25,232 %	11912,5438 litre	O
460	CM	105	CM	62 LEVEL CM	3931,7106 litre	24,677 %	12000,8765 litre	O
460	CM	105	CM	61 LEVEL CM	3843,7909 litre	24,125 %	12088,7962 litre	O
460	CM	105	CM	60 LEVEL CM	3756,2958 litre	23,576 %	12176,2913 litre	O
460	CM	105	CM	59 LEVEL CM	3669,2371 litre	23,030 %	12263,3500 litre	O
460	CM	105	CM	58 LEVEL CM	3582,6268 litre	22,486 %	12349,9603 litre	O
460	CM	105	CM	57 LEVEL CM	3496,4770 litre	21,945 %	12436,1101 litre	O
460	CM	105	CM	56 LEVEL CM	3410,8002 litre	21,408 %	12521,7869 litre	O
460	CM	105	CM	55 LEVEL CM	3325,6088 litre	20,873 %	12606,9783 litre	O
460	CM	105	CM	54 LEVEL CM	3240,9156 litre	20,341 %	12691,6715 litre	O
460	CM	105	CM	53 LEVEL CM	3156,7336 litre	19,813 %	12775,8535 litre	O

460	CM	105	CM	52 LEVEL CM	3073,0761 litre	19,288 %	12859,5110 litre	O
460	CM	105	CM	51 LEVEL CM	2989,9566 litre	18,766 %	12942,6305 litre	O
460	CM	105	CM	50 LEVEL CM	2907,3888 litre	18,248 %	13025,1983 litre	O
460	CM	105	CM	49 LEVEL CM	2825,3867 litre	17,733 %	13107,2004 litre	O
460	CM	105	CM	48 LEVEL CM	2743,9647 litre	17,222 %	13188,6224 litre	O
460	CM	105	CM	47 LEVEL CM	2663,1374 litre	16,715 %	13269,4497 litre	O
460	CM	105	CM	46 LEVEL CM	2582,9198 litre	16,212 %	13349,6673 litre	O
460	CM	105	CM	45 LEVEL CM	2503,3272 litre	15,712 %	13429,2599 litre	O
460	CM	105	CM	44 LEVEL CM	2424,3752 litre	15,216 %	13508,2119 litre	O
460	CM	105	CM	43 LEVEL CM	2346,0799 litre	14,725 %	13586,5072 litre	O
460	CM	105	CM	42 LEVEL CM	2268,4577 litre	14,238 %	13664,1294 litre	O
460	CM	105	CM	41 LEVEL CM	2191,5256 litre	13,755 %	13741,0615 litre	O
460	CM	105	CM	40 LEVEL CM	2115,3008 litre	13,277 %	13817,2863 litre	O
460	CM	105	CM	39 LEVEL CM	2039,8013 litre	12,803 %	13892,7858 litre	O
460	CM	105	CM	38 LEVEL CM	1965,0454 litre	12,333 %	13967,5417 litre	O
460	CM	105	CM	37 LEVEL CM	1891,0519 litre	11,869 %	14041,5352 litre	O
460	CM	105	CM	36 LEVEL CM	1817,8405 litre	11,410 %	14114,7466 litre	O
460	CM	105	CM	35 LEVEL CM	1745,4312 litre	10,955 %	14187,1559 litre	O
460	CM	105	CM	34 LEVEL CM	1673,8448 litre	10,506 %	14258,7423 litre	O
460	CM	105	CM	33 LEVEL CM	1603,1028 litre	10,062 %	14329,4843 litre	O
460	CM	105	CM	32 LEVEL CM	1533,2277 litre	9,623 %	14399,3594 litre	O
460	CM	105	CM	31 LEVEL CM	1464,2425 litre	9,190 %	14468,3446 litre	O
460	CM	105	CM	30 LEVEL CM	1396,1713 litre	8,763 %	14536,4158 litre	O
460	CM	105	CM	29 LEVEL CM	1329,0392 litre	8,342 %	14603,5479 litre	O
460	CM	105	CM	28 LEVEL CM	1262,8722 litre	7,926 %	14669,7149 litre	O
460	CM	105	CM	27 LEVEL CM	1197,6977 litre	7,517 %	14734,8894 litre	O
460	CM	105	CM	26 LEVEL CM	1133,5442 litre	7,115 %	14799,0429 litre	O
460	CM	105	CM	25 LEVEL CM	1070,4417 litre	6,719 %	14862,1454 litre	O
460	CM	105	CM	24 LEVEL CM	1008,4215 litre	6,329 %	14924,1656 litre	O
460	CM	105	CM	23 LEVEL CM	947,5168 litre	5,947 %	14985,0703 litre	O
460	CM	105	CM	22 LEVEL CM	887,7626 litre	5,572 %	15044,8245 litre	O
460	CM	105	CM	21 LEVEL CM	829,1959 litre	5,204 %	15103,3912 litre	O
460	CM	105	CM	20 LEVEL CM	771,8561 litre	4,845 %	15160,7310 litre	O
460	CM	105	CM	19 LEVEL CM	715,7851 litre	4,493 %	15216,8020 litre	O
460	CM	105	CM	18 LEVEL CM	661,0278 litre	4,149 %	15271,5593 litre	O
460	CM	105	CM	17 LEVEL CM	607,6323 litre	3,814 %	15324,9548 litre	O
460	CM	105	CM	16 LEVEL CM	555,6506 litre	3,488 %	15376,9365 litre	O
460	CM	105	CM	15 LEVEL CM	505,1389 litre	3,170 %	15427,4482 litre	O
460	CM	105	CM	14 LEVEL CM	456,1587 litre	2,863 %	15476,4284 litre	O
460	CM	105	CM	13 LEVEL CM	408,7774 litre	2,566 %	15523,8097 litre	O
460	CM	105	CM	12 LEVEL CM	363,0692 litre	2,279 %	15569,5179 litre	O
460	CM	105	CM	11 LEVEL CM	319,1172 litre	2,003 %	15613,4699 litre	O
460	CM	105	CM	10 LEVEL CM	277,0146 litre	1,739 %	15655,5725 litre	O
460	CM	105	CM	9 LEVEL CM	236,8678 litre	1,487 %	15695,7193 litre	O
460	CM	105	CM	8 LEVEL CM	198,7992 litre	1,248 %	15733,7879 litre	O
460	CM	105	CM	7 LEVEL CM	162,9529 litre	1,023 %	15769,6342 litre	O
460	CM	105	CM	6 LEVEL CM	129,5016 litre	0,813 %	15803,0855 litre	O
460	CM	105	CM	5 LEVEL CM	98,6585 litre	0,619 %	15833,9286 litre	O
460	CM	105	CM	4 LEVEL CM	70,6967 litre	0,444 %	15861,8904 litre	O
460	CM	105	CM	3 LEVEL CM	45,9852 litre	0,289 %	15886,6019 litre	O
460	CM	105	CM	2 LEVEL CM	25,0672 litre	0,157 %	15907,5199 litre	O
460	CM	105	CM	1 LEVEL CM	8,8753 litre	0,056 %	15923,7118 litre	O
460	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	15932,5871 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 100	CM 200 LEVEL CM	14451,3262 litre	100,000 %	0,0000 litre	O
460	CM 100	CM 199 LEVEL CM	14442,6654 litre	99,940 %	8,6608 litre	O
460	CM 100	CM 198 LEVEL CM	14426,8666 litre	99,831 %	24,4596 litre	O
460	CM 100	CM 197 LEVEL CM	14406,4590 litre	99,690 %	44,8672 litre	O
460	CM 100	CM 196 LEVEL CM	14382,3533 litre	99,523 %	68,9729 litre	O
460	CM 100	CM 195 LEVEL CM	14355,0803 litre	99,334 %	96,2459 litre	O
460	CM 100	CM 194 LEVEL CM	14325,0008 litre	99,126 %	126,3254 litre	O
460	CM 100	CM 193 LEVEL CM	14292,3818 litre	98,900 %	158,9444 litre	O
460	CM 100	CM 192 LEVEL CM	14257,4318 litre	98,658 %	193,8944 litre	O
460	CM 100	CM 191 LEVEL CM	14220,3199 litre	98,401 %	231,0063 litre	O
460	CM 100	CM 190 LEVEL CM	14181,1870 litre	98,131 %	270,1392 litre	O
460	CM 100	CM 189 LEVEL CM	14140,1533 litre	97,847 %	311,1729 litre	O
460	CM 100	CM 188 LEVEL CM	14097,3227 litre	97,550 %	354,0035 litre	O
460	CM 100	CM 187 LEVEL CM	14052,7868 litre	97,242 %	398,5394 litre	O
460	CM 100	CM 186 LEVEL CM	14006,6268 litre	96,923 %	444,6994 litre	O
460	CM 100	CM 185 LEVEL CM	13958,9158 litre	96,593 %	492,4104 litre	O
460	CM 100	CM 184 LEVEL CM	13909,7198 litre	96,252 %	541,6064 litre	O
460	CM 100	CM 183 LEVEL CM	13859,0991 litre	95,902 %	592,2271 litre	O
460	CM 100	CM 182 LEVEL CM	13807,1090 litre	95,542 %	644,2172 litre	O
460	CM 100	CM 181 LEVEL CM	13753,8006 litre	95,173 %	697,5256 litre	O
460	CM 100	CM 180 LEVEL CM	13699,2211 litre	94,796 %	752,1051 litre	O
460	CM 100	CM 179 LEVEL CM	13643,4148 litre	94,409 %	807,9114 litre	O
460	CM 100	CM 178 LEVEL CM	13586,4228 litre	94,015 %	864,9034 litre	O
460	CM 100	CM 177 LEVEL CM	13528,2838 litre	93,613 %	923,0424 litre	O
460	CM 100	CM 176 LEVEL CM	13469,0345 litre	93,203 %	982,2917 litre	O
460	CM 100	CM 175 LEVEL CM	13408,7092 litre	92,785 %	1042,6170 litre	O
460	CM 100	CM 174 LEVEL CM	13347,3405 litre	92,361 %	1103,9857 litre	O
460	CM 100	CM 173 LEVEL CM	13284,9596 litre	91,929 %	1166,3666 litre	O
460	CM 100	CM 172 LEVEL CM	13221,5959 litre	91,491 %	1229,7303 litre	O
460	CM 100	CM 171 LEVEL CM	13157,2775 litre	91,045 %	1294,0487 litre	O
460	CM 100	CM 170 LEVEL CM	13092,0315 litre	90,594 %	1359,2947 litre	O
460	CM 100	CM 169 LEVEL CM	13025,8837 litre	90,136 %	1425,4425 litre	O
460	CM 100	CM 168 LEVEL CM	12958,8587 litre	89,672 %	1492,4675 litre	O
460	CM 100	CM 167 LEVEL CM	12890,9804 litre	89,203 %	1560,3458 litre	O
460	CM 100	CM 166 LEVEL CM	12822,2718 litre	88,727 %	1629,0544 litre	O
460	CM 100	CM 165 LEVEL CM	12752,7548 litre	88,246 %	1698,5714 litre	O
460	CM 100	CM 164 LEVEL CM	12682,4509 litre	87,760 %	1768,8753 litre	O
460	CM 100	CM 163 LEVEL CM	12611,3806 litre	87,268 %	1839,9456 litre	O
460	CM 100	CM 162 LEVEL CM	12539,5639 litre	86,771 %	1911,7623 litre	O
460	CM 100	CM 161 LEVEL CM	12467,0202 litre	86,269 %	1984,3060 litre	O
460	CM 100	CM 160 LEVEL CM	12393,7682 litre	85,762 %	2057,5580 litre	O
460	CM 100	CM 159 LEVEL CM	12319,8262 litre	85,250 %	2131,5000 litre	O
460	CM 100	CM 158 LEVEL CM	12245,2118 litre	84,734 %	2206,1144 litre	O
460	CM 100	CM 157 LEVEL CM	12169,9424 litre	84,213 %	2281,3838 litre	O
460	CM 100	CM 156 LEVEL CM	12094,0347 litre	83,688 %	2357,2915 litre	O
460	CM 100	CM 155 LEVEL CM	12017,5052 litre	83,158 %	2433,8210 litre	O
460	CM 100	CM 154 LEVEL CM	11940,3697 litre	82,625 %	2510,9565 litre	O
460	CM 100	CM 153 LEVEL CM	11862,6440 litre	82,087 %	2588,6822 litre	O
460	CM 100	CM 152 LEVEL CM	11784,3432 litre	81,545 %	2666,9830 litre	O
460	CM 100	CM 151 LEVEL CM	11705,4823 litre	80,999 %	2745,8439 litre	O
460	CM 100	CM 150 LEVEL CM	11626,0759 litre	80,450 %	2825,2503 litre	O
460	CM 100	CM 149 LEVEL CM	11546,1383 litre	79,897 %	2905,1879 litre	O

460	CM	100	CM	148 LEVEL CM	11465,6836 litre	79,340 %	2985,6426 litre	O
460	CM	100	CM	147 LEVEL CM	11384,7255 litre	78,780 %	3066,6007 litre	O
460	CM	100	CM	146 LEVEL CM	11303,2774 litre	78,216 %	3148,0488 litre	O
460	CM	100	CM	145 LEVEL CM	11221,3528 litre	77,649 %	3229,9734 litre	O
460	CM	100	CM	144 LEVEL CM	11138,9645 litre	77,079 %	3312,3617 litre	O
460	CM	100	CM	143 LEVEL CM	11056,1254 litre	76,506 %	3395,2008 litre	O
460	CM	100	CM	142 LEVEL CM	10972,8481 litre	75,930 %	3478,4781 litre	O
460	CM	100	CM	141 LEVEL CM	10889,1451 litre	75,350 %	3562,1811 litre	O
460	CM	100	CM	140 LEVEL CM	10805,0285 litre	74,768 %	3646,2977 litre	O
460	CM	100	CM	139 LEVEL CM	10720,5103 litre	74,184 %	3730,8159 litre	O
460	CM	100	CM	138 LEVEL CM	10635,6024 litre	73,596 %	3815,7238 litre	O
460	CM	100	CM	137 LEVEL CM	10550,3166 litre	73,006 %	3901,0096 litre	O
460	CM	100	CM	136 LEVEL CM	10464,6644 litre	72,413 %	3986,6618 litre	O
460	CM	100	CM	135 LEVEL CM	10378,6572 litre	71,818 %	4072,6690 litre	O
460	CM	100	CM	134 LEVEL CM	10292,3062 litre	71,220 %	4159,0200 litre	O
460	CM	100	CM	133 LEVEL CM	10205,6226 litre	70,621 %	4245,7036 litre	O
460	CM	100	CM	132 LEVEL CM	10118,6174 litre	70,019 %	4332,7088 litre	O
460	CM	100	CM	131 LEVEL CM	10031,3014 litre	69,414 %	4420,0248 litre	O
460	CM	100	CM	130 LEVEL CM	9943,6854 litre	68,808 %	4507,6408 litre	O
460	CM	100	CM	129 LEVEL CM	9855,7801 litre	68,200 %	4595,5461 litre	O
460	CM	100	CM	128 LEVEL CM	9767,5960 litre	67,590 %	4683,7302 litre	O
460	CM	100	CM	127 LEVEL CM	9679,1436 litre	66,978 %	4772,1826 litre	O
460	CM	100	CM	126 LEVEL CM	9590,4331 litre	66,364 %	4860,8931 litre	O
460	CM	100	CM	125 LEVEL CM	9501,4750 litre	65,748 %	4949,8512 litre	O
460	CM	100	CM	124 LEVEL CM	9412,2793 litre	65,131 %	5039,0469 litre	O
460	CM	100	CM	123 LEVEL CM	9322,8561 litre	64,512 %	5128,4701 litre	O
460	CM	100	CM	122 LEVEL CM	9233,2155 litre	63,892 %	5218,1107 litre	O
460	CM	100	CM	121 LEVEL CM	9143,3675 litre	63,270 %	5307,9587 litre	O
460	CM	100	CM	120 LEVEL CM	9053,3218 litre	62,647 %	5398,0044 litre	O
460	CM	100	CM	119 LEVEL CM	8963,0883 litre	62,023 %	5488,2379 litre	O
460	CM	100	CM	118 LEVEL CM	8872,6767 litre	61,397 %	5578,6495 litre	O
460	CM	100	CM	117 LEVEL CM	8782,0968 litre	60,770 %	5669,2294 litre	O
460	CM	100	CM	116 LEVEL CM	8691,3582 litre	60,142 %	5759,9680 litre	O
460	CM	100	CM	115 LEVEL CM	8600,4705 litre	59,513 %	5850,8557 litre	O
460	CM	100	CM	114 LEVEL CM	8509,4432 litre	58,883 %	5941,8830 litre	O
460	CM	100	CM	113 LEVEL CM	8418,2858 litre	58,253 %	6033,0404 litre	O
460	CM	100	CM	112 LEVEL CM	8327,0078 litre	57,621 %	6124,3184 litre	O
460	CM	100	CM	111 LEVEL CM	8235,6185 litre	56,989 %	6215,7077 litre	O
460	CM	100	CM	110 LEVEL CM	8144,1275 litre	56,356 %	6307,1987 litre	O
460	CM	100	CM	109 LEVEL CM	8052,5439 litre	55,722 %	6398,7823 litre	O
460	CM	100	CM	108 LEVEL CM	7960,8773 litre	55,088 %	6490,4489 litre	O
460	CM	100	CM	107 LEVEL CM	7869,1368 litre	54,453 %	6582,1894 litre	O
460	CM	100	CM	106 LEVEL CM	7777,3317 litre	53,817 %	6673,9945 litre	O
460	CM	100	CM	105 LEVEL CM	7685,4714 litre	53,182 %	6765,8548 litre	O
460	CM	100	CM	104 LEVEL CM	7593,5649 litre	52,546 %	6857,7613 litre	O
460	CM	100	CM	103 LEVEL CM	7501,6217 litre	51,910 %	6949,7045 litre	O
460	CM	100	CM	102 LEVEL CM	7409,6508 litre	51,273 %	7041,6754 litre	O
460	CM	100	CM	101 LEVEL CM	7317,6616 litre	50,637 %	7133,6646 litre	O
460	CM	100	CM	100 LEVEL CM	7225,6631 litre	50,000 %	7225,6631 litre	O
460	CM	100	CM	99 LEVEL CM	7133,6646 litre	49,363 %	7317,6616 litre	O
460	CM	100	CM	98 LEVEL CM	7041,6754 litre	48,727 %	7409,6508 litre	O
460	CM	100	CM	97 LEVEL CM	6949,7045 litre	48,090 %	7501,6217 litre	O
460	CM	100	CM	96 LEVEL CM	6857,7613 litre	47,454 %	7593,5649 litre	O

460	CM	100	CM	95 LEVEL CM	6765,8548 litre	46,818 %	7685,4714 litre	O
460	CM	100	CM	94 LEVEL CM	6673,9945 litre	46,183 %	7777,3317 litre	O
460	CM	100	CM	93 LEVEL CM	6582,1894 litre	45,547 %	7869,1368 litre	O
460	CM	100	CM	92 LEVEL CM	6490,4489 litre	44,912 %	7960,8773 litre	O
460	CM	100	CM	91 LEVEL CM	6398,7823 litre	44,278 %	8052,5439 litre	O
460	CM	100	CM	90 LEVEL CM	6307,1987 litre	43,644 %	8144,1275 litre	O
460	CM	100	CM	89 LEVEL CM	6215,7077 litre	43,011 %	8235,6185 litre	O
460	CM	100	CM	88 LEVEL CM	6124,3185 litre	42,379 %	8327,0077 litre	O
460	CM	100	CM	87 LEVEL CM	6033,0404 litre	41,747 %	8418,2858 litre	O
460	CM	100	CM	86 LEVEL CM	5941,8830 litre	41,117 %	8509,4432 litre	O
460	CM	100	CM	85 LEVEL CM	5850,8557 litre	40,487 %	8600,4705 litre	O
460	CM	100	CM	84 LEVEL CM	5759,9680 litre	39,858 %	8691,3582 litre	O
460	CM	100	CM	83 LEVEL CM	5669,2294 litre	39,230 %	8782,0968 litre	O
460	CM	100	CM	82 LEVEL CM	5578,6495 litre	38,603 %	8872,6767 litre	O
460	CM	100	CM	81 LEVEL CM	5488,2379 litre	37,977 %	8963,0883 litre	O
460	CM	100	CM	80 LEVEL CM	5398,0044 litre	37,353 %	9053,3218 litre	O
460	CM	100	CM	79 LEVEL CM	5307,9587 litre	36,730 %	9143,3675 litre	O
460	CM	100	CM	78 LEVEL CM	5218,1107 litre	36,108 %	9233,2155 litre	O
460	CM	100	CM	77 LEVEL CM	5128,4701 litre	35,488 %	9322,8561 litre	O
460	CM	100	CM	76 LEVEL CM	5039,0469 litre	34,869 %	9412,2793 litre	O
460	CM	100	CM	75 LEVEL CM	4949,8512 litre	34,252 %	9501,4750 litre	O
460	CM	100	CM	74 LEVEL CM	4860,8931 litre	33,636 %	9590,4331 litre	O
460	CM	100	CM	73 LEVEL CM	4772,1826 litre	33,022 %	9679,1436 litre	O
460	CM	100	CM	72 LEVEL CM	4683,7302 litre	32,410 %	9767,5960 litre	O
460	CM	100	CM	71 LEVEL CM	4595,5461 litre	31,800 %	9855,7801 litre	O
460	CM	100	CM	70 LEVEL CM	4507,6408 litre	31,192 %	9943,6854 litre	O
460	CM	100	CM	69 LEVEL CM	4420,0248 litre	30,586 %	10031,3014 litre	O
460	CM	100	CM	68 LEVEL CM	4332,7088 litre	29,981 %	10118,6174 litre	O
460	CM	100	CM	67 LEVEL CM	4245,7036 litre	29,379 %	10205,6226 litre	O
460	CM	100	CM	66 LEVEL CM	4159,0200 litre	28,780 %	10292,3062 litre	O
460	CM	100	CM	65 LEVEL CM	4072,6690 litre	28,182 %	10378,6572 litre	O
460	CM	100	CM	64 LEVEL CM	3986,6618 litre	27,587 %	10464,6644 litre	O
460	CM	100	CM	63 LEVEL CM	3901,0096 litre	26,994 %	10550,3166 litre	O
460	CM	100	CM	62 LEVEL CM	3815,7238 litre	26,404 %	10635,6024 litre	O
460	CM	100	CM	61 LEVEL CM	3730,8159 litre	25,816 %	10720,5103 litre	O
460	CM	100	CM	60 LEVEL CM	3646,2978 litre	25,232 %	10805,0284 litre	O
460	CM	100	CM	59 LEVEL CM	3562,1811 litre	24,650 %	10889,1451 litre	O
460	CM	100	CM	58 LEVEL CM	3478,4781 litre	24,070 %	10972,8481 litre	O
460	CM	100	CM	57 LEVEL CM	3395,2008 litre	23,494 %	11056,1254 litre	O
460	CM	100	CM	56 LEVEL CM	3312,3617 litre	22,921 %	11138,9645 litre	O
460	CM	100	CM	55 LEVEL CM	3229,9734 litre	22,351 %	11221,3528 litre	O
460	CM	100	CM	54 LEVEL CM	3148,0488 litre	21,784 %	11303,2774 litre	O
460	CM	100	CM	53 LEVEL CM	3066,6007 litre	21,220 %	11384,7255 litre	O
460	CM	100	CM	52 LEVEL CM	2985,6426 litre	20,660 %	11465,6836 litre	O
460	CM	100	CM	51 LEVEL CM	2905,1879 litre	20,103 %	11546,1383 litre	O
460	CM	100	CM	50 LEVEL CM	2825,2503 litre	19,550 %	11626,0759 litre	O
460	CM	100	CM	49 LEVEL CM	2745,8439 litre	19,001 %	11705,4823 litre	O
460	CM	100	CM	48 LEVEL CM	2666,9830 litre	18,455 %	11784,3432 litre	O
460	CM	100	CM	47 LEVEL CM	2588,6823 litre	17,913 %	11862,6439 litre	O
460	CM	100	CM	46 LEVEL CM	2510,9565 litre	17,375 %	11940,3697 litre	O
460	CM	100	CM	45 LEVEL CM	2433,8210 litre	16,842 %	12017,5052 litre	O
460	CM	100	CM	44 LEVEL CM	2357,2915 litre	16,312 %	12094,0347 litre	O
460	CM	100	CM	43 LEVEL CM	2281,3838 litre	15,787 %	12169,9424 litre	O

460	CM	100	CM	42 LEVEL CM	2206,1144 litre	15,266 %	12245,2118 litre	O
460	CM	100	CM	41 LEVEL CM	2131,5000 litre	14,750 %	12319,8262 litre	O
460	CM	100	CM	40 LEVEL CM	2057,5580 litre	14,238 %	12393,7682 litre	O
460	CM	100	CM	39 LEVEL CM	1984,3060 litre	13,731 %	12467,0202 litre	O
460	CM	100	CM	38 LEVEL CM	1911,7623 litre	13,229 %	12539,5639 litre	O
460	CM	100	CM	37 LEVEL CM	1839,9456 litre	12,732 %	12611,3806 litre	O
460	CM	100	CM	36 LEVEL CM	1768,8754 litre	12,240 %	12682,4508 litre	O
460	CM	100	CM	35 LEVEL CM	1698,5714 litre	11,754 %	12752,7548 litre	O
460	CM	100	CM	34 LEVEL CM	1629,0544 litre	11,273 %	12822,2718 litre	O
460	CM	100	CM	33 LEVEL CM	1560,3458 litre	10,797 %	12890,9804 litre	O
460	CM	100	CM	32 LEVEL CM	1492,4675 litre	10,328 %	12958,8587 litre	O
460	CM	100	CM	31 LEVEL CM	1425,4425 litre	9,864 %	13025,8837 litre	O
460	CM	100	CM	30 LEVEL CM	1359,2947 litre	9,406 %	13092,0315 litre	O
460	CM	100	CM	29 LEVEL CM	1294,0487 litre	8,955 %	13157,2775 litre	O
460	CM	100	CM	28 LEVEL CM	1229,7303 litre	8,509 %	13221,5959 litre	O
460	CM	100	CM	27 LEVEL CM	1166,3666 litre	8,071 %	13284,9596 litre	O
460	CM	100	CM	26 LEVEL CM	1103,9857 litre	7,639 %	13347,3405 litre	O
460	CM	100	CM	25 LEVEL CM	1042,6170 litre	7,215 %	13408,7092 litre	O
460	CM	100	CM	24 LEVEL CM	982,2917 litre	6,797 %	13469,0345 litre	O
460	CM	100	CM	23 LEVEL CM	923,0424 litre	6,387 %	13528,2838 litre	O
460	CM	100	CM	22 LEVEL CM	864,9034 litre	5,985 %	13586,4228 litre	O
460	CM	100	CM	21 LEVEL CM	807,9115 litre	5,591 %	13643,4147 litre	O
460	CM	100	CM	20 LEVEL CM	752,1051 litre	5,204 %	13699,2211 litre	O
460	CM	100	CM	19 LEVEL CM	697,5257 litre	4,827 %	13753,8005 litre	O
460	CM	100	CM	18 LEVEL CM	644,2172 litre	4,458 %	13807,1090 litre	O
460	CM	100	CM	17 LEVEL CM	592,2271 litre	4,098 %	13859,0991 litre	O
460	CM	100	CM	16 LEVEL CM	541,6064 litre	3,748 %	13909,7198 litre	O
460	CM	100	CM	15 LEVEL CM	492,4104 litre	3,407 %	13958,9158 litre	O
460	CM	100	CM	14 LEVEL CM	444,6994 litre	3,077 %	14006,6268 litre	O
460	CM	100	CM	13 LEVEL CM	398,5394 litre	2,758 %	14052,7868 litre	O
460	CM	100	CM	12 LEVEL CM	354,0035 litre	2,450 %	14097,3227 litre	O
460	CM	100	CM	11 LEVEL CM	311,1729 litre	2,153 %	14140,1533 litre	O
460	CM	100	CM	10 LEVEL CM	270,1392 litre	1,869 %	14181,1870 litre	O
460	CM	100	CM	9 LEVEL CM	231,0063 litre	1,599 %	14220,3199 litre	O
460	CM	100	CM	8 LEVEL CM	193,8944 litre	1,342 %	14257,4318 litre	O
460	CM	100	CM	7 LEVEL CM	158,9444 litre	1,100 %	14292,3818 litre	O
460	CM	100	CM	6 LEVEL CM	126,3254 litre	0,874 %	14325,0008 litre	O
460	CM	100	CM	5 LEVEL CM	96,2459 litre	0,666 %	14355,0803 litre	O
460	CM	100	CM	4 LEVEL CM	68,9729 litre	0,477 %	14382,3533 litre	O
460	CM	100	CM	3 LEVEL CM	44,8672 litre	0,310 %	14406,4590 litre	O
460	CM	100	CM	2 LEVEL CM	24,4596 litre	0,169 %	14426,8666 litre	O
460	CM	100	CM	1 LEVEL CM	8,6608 litre	0,060 %	14442,6654 litre	O
460	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	14451,3262 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	95	CM	190 LEVEL CM	13042,3219 litre	100,000 %	0,0000 litre	O
460	CM	95	CM	189 LEVEL CM	13033,8810 litre	99,935 %	8,4409 litre	O
460	CM	95	CM	188 LEVEL CM	13018,4854 litre	99,817 %	23,8365 litre	O
460	CM	95	CM	187 LEVEL CM	12998,6012 litre	99,665 %	43,7207 litre	O
460	CM	95	CM	186 LEVEL CM	12975,1169 litre	99,485 %	67,2050 litre	O
460	CM	95	CM	185 LEVEL CM	12948,5506 litre	99,281 %	93,7713 litre	O
460	CM	95	CM	184 LEVEL CM	12919,2546 litre	99,056 %	123,0673 litre	O
460	CM	95	CM	183 LEVEL CM	12887,4897 litre	98,813 %	154,8322 litre	O
460	CM	95	CM	182 LEVEL CM	12853,4597 litre	98,552 %	188,8622 litre	O
460	CM	95	CM	181 LEVEL CM	12817,3298 litre	98,275 %	224,9921 litre	O
460	CM	95	CM	180 LEVEL CM	12779,2379 litre	97,983 %	263,0840 litre	O
460	CM	95	CM	179 LEVEL CM	12739,3015 litre	97,677 %	303,0204 litre	O
460	CM	95	CM	178 LEVEL CM	12697,6225 litre	97,357 %	344,6994 litre	O
460	CM	95	CM	177 LEVEL CM	12654,2905 litre	97,025 %	388,0314 litre	O
460	CM	95	CM	176 LEVEL CM	12609,3851 litre	96,681 %	432,9368 litre	O
460	CM	95	CM	175 LEVEL CM	12562,9779 litre	96,325 %	479,3440 litre	O
460	CM	95	CM	174 LEVEL CM	12515,1338 litre	95,958 %	527,1881 litre	O
460	CM	95	CM	173 LEVEL CM	12465,9117 litre	95,580 %	576,4102 litre	O
460	CM	95	CM	172 LEVEL CM	12415,3661 litre	95,193 %	626,9558 litre	O
460	CM	95	CM	171 LEVEL CM	12363,5470 litre	94,796 %	678,7749 litre	O
460	CM	95	CM	170 LEVEL CM	12310,5011 litre	94,389 %	731,8208 litre	O
460	CM	95	CM	169 LEVEL CM	12256,2715 litre	93,973 %	786,0504 litre	O
460	CM	95	CM	168 LEVEL CM	12200,8989 litre	93,549 %	841,4230 litre	O
460	CM	95	CM	167 LEVEL CM	12144,4215 litre	93,115 %	897,9004 litre	O
460	CM	95	CM	166 LEVEL CM	12086,8751 litre	92,674 %	955,4468 litre	O
460	CM	95	CM	165 LEVEL CM	12028,2937 litre	92,225 %	1014,0282 litre	O
460	CM	95	CM	164 LEVEL CM	11968,7094 litre	91,768 %	1073,6125 litre	O
460	CM	95	CM	163 LEVEL CM	11908,1529 litre	91,304 %	1134,1690 litre	O
460	CM	95	CM	162 LEVEL CM	11846,6532 litre	90,832 %	1195,6687 litre	O
460	CM	95	CM	161 LEVEL CM	11784,2383 litre	90,354 %	1258,0836 litre	O
460	CM	95	CM	160 LEVEL CM	11720,9346 litre	89,868 %	1321,3873 litre	O
460	CM	95	CM	159 LEVEL CM	11656,7676 litre	89,376 %	1385,5543 litre	O
460	CM	95	CM	158 LEVEL CM	11591,7620 litre	88,878 %	1450,5599 litre	O
460	CM	95	CM	157 LEVEL CM	11525,9411 litre	88,373 %	1516,3808 litre	O
460	CM	95	CM	156 LEVEL CM	11459,3277 litre	87,863 %	1582,9942 litre	O
460	CM	95	CM	155 LEVEL CM	11391,9437 litre	87,346 %	1650,3782 litre	O
460	CM	95	CM	154 LEVEL CM	11323,8102 litre	86,824 %	1718,5117 litre	O
460	CM	95	CM	153 LEVEL CM	11254,9476 litre	86,296 %	1787,3743 litre	O
460	CM	95	CM	152 LEVEL CM	11185,3758 litre	85,762 %	1856,9461 litre	O
460	CM	95	CM	151 LEVEL CM	11115,1139 litre	85,223 %	1927,2080 litre	O
460	CM	95	CM	150 LEVEL CM	11044,1807 litre	84,680 %	1998,1412 litre	O
460	CM	95	CM	149 LEVEL CM	10972,5941 litre	84,131 %	2069,7278 litre	O
460	CM	95	CM	148 LEVEL CM	10900,3719 litre	83,577 %	2141,9500 litre	O
460	CM	95	CM	147 LEVEL CM	10827,5312 litre	83,018 %	2214,7907 litre	O
460	CM	95	CM	146 LEVEL CM	10754,0887 litre	82,455 %	2288,2332 litre	O
460	CM	95	CM	145 LEVEL CM	10680,0608 litre	81,888 %	2362,2611 litre	O
460	CM	95	CM	144 LEVEL CM	10605,4634 litre	81,316 %	2436,8585 litre	O
460	CM	95	CM	143 LEVEL CM	10530,3121 litre	80,740 %	2512,0098 litre	O
460	CM	95	CM	142 LEVEL CM	10454,6221 litre	80,159 %	2587,6998 litre	O
460	CM	95	CM	141 LEVEL CM	10378,4083 litre	79,575 %	2663,9136 litre	O
460	CM	95	CM	140 LEVEL CM	10301,6854 litre	78,987 %	2740,6365 litre	O
460	CM	95	CM	139 LEVEL CM	10224,4676 litre	78,395 %	2817,8543 litre	O

460	CM 95	CM	138 LEVEL CM	10146,7690 litre	77,799 %	2895,5529 litre	O
460	CM 95	CM	137 LEVEL CM	10068,6034 litre	77,199 %	2973,7185 litre	O
460	CM 95	CM	136 LEVEL CM	9989,9843 litre	76,597 %	3052,3376 litre	O
460	CM 95	CM	135 LEVEL CM	9910,9251 litre	75,990 %	3131,3968 litre	O
460	CM 95	CM	134 LEVEL CM	9831,4387 litre	75,381 %	3210,8832 litre	O
460	CM 95	CM	133 LEVEL CM	9751,5382 litre	74,768 %	3290,7837 litre	O
460	CM 95	CM	132 LEVEL CM	9671,2361 litre	74,153 %	3371,0858 litre	O
460	CM 95	CM	131 LEVEL CM	9590,5449 litre	73,534 %	3451,7770 litre	O
460	CM 95	CM	130 LEVEL CM	9509,4770 litre	72,912 %	3532,8449 litre	O
460	CM 95	CM	129 LEVEL CM	9428,0446 litre	72,288 %	3614,2773 litre	O
460	CM 95	CM	128 LEVEL CM	9346,2594 litre	71,661 %	3696,0625 litre	O
460	CM 95	CM	127 LEVEL CM	9264,1335 litre	71,031 %	3778,1884 litre	O
460	CM 95	CM	126 LEVEL CM	9181,6784 litre	70,399 %	3860,6435 litre	O
460	CM 95	CM	125 LEVEL CM	9098,9057 litre	69,764 %	3943,4162 litre	O
460	CM 95	CM	124 LEVEL CM	9015,8268 litre	69,127 %	4026,4951 litre	O
460	CM 95	CM	123 LEVEL CM	8932,4530 litre	68,488 %	4109,8689 litre	O
460	CM 95	CM	122 LEVEL CM	8848,7954 litre	67,847 %	4193,5265 litre	O
460	CM 95	CM	121 LEVEL CM	8764,8651 litre	67,203 %	4277,4568 litre	O
460	CM 95	CM	120 LEVEL CM	8680,6730 litre	66,558 %	4361,6489 litre	O
460	CM 95	CM	119 LEVEL CM	8596,2299 litre	65,910 %	4446,0920 litre	O
460	CM 95	CM	118 LEVEL CM	8511,5466 litre	65,261 %	4530,7753 litre	O
460	CM 95	CM	117 LEVEL CM	8426,6337 litre	64,610 %	4615,6882 litre	O
460	CM 95	CM	116 LEVEL CM	8341,5019 litre	63,957 %	4700,8200 litre	O
460	CM 95	CM	115 LEVEL CM	8256,1614 litre	63,303 %	4786,1605 litre	O
460	CM 95	CM	114 LEVEL CM	8170,6229 litre	62,647 %	4871,6990 litre	O
460	CM 95	CM	113 LEVEL CM	8084,8965 litre	61,990 %	4957,4254 litre	O
460	CM 95	CM	112 LEVEL CM	7998,9927 litre	61,331 %	5043,3292 litre	O
460	CM 95	CM	111 LEVEL CM	7912,9214 litre	60,671 %	5129,4005 litre	O
460	CM 95	CM	110 LEVEL CM	7826,6930 litre	60,010 %	5215,6289 litre	O
460	CM 95	CM	109 LEVEL CM	7740,3175 litre	59,348 %	5302,0044 litre	O
460	CM 95	CM	108 LEVEL CM	7653,8049 litre	58,684 %	5388,5170 litre	O
460	CM 95	CM	107 LEVEL CM	7567,1652 litre	58,020 %	5475,1567 litre	O
460	CM 95	CM	106 LEVEL CM	7480,4083 litre	57,355 %	5561,9136 litre	O
460	CM 95	CM	105 LEVEL CM	7393,5442 litre	56,689 %	5648,7777 litre	O
460	CM 95	CM	104 LEVEL CM	7306,5827 litre	56,022 %	5735,7392 litre	O
460	CM 95	CM	103 LEVEL CM	7219,5337 litre	55,355 %	5822,7882 litre	O
460	CM 95	CM	102 LEVEL CM	7132,4069 litre	54,687 %	5909,9150 litre	O
460	CM 95	CM	101 LEVEL CM	7045,2121 litre	54,018 %	5997,1098 litre	O
460	CM 95	CM	100 LEVEL CM	6957,9591 litre	53,349 %	6084,3628 litre	O
460	CM 95	CM	99 LEVEL CM	6870,6576 litre	52,680 %	6171,6643 litre	O
460	CM 95	CM	98 LEVEL CM	6783,3174 litre	52,010 %	6259,0045 litre	O
460	CM 95	CM	97 LEVEL CM	6695,9480 litre	51,340 %	6346,3739 litre	O
460	CM 95	CM	96 LEVEL CM	6608,5593 litre	50,670 %	6433,7626 litre	O
460	CM 95	CM	95 LEVEL CM	6521,1610 litre	50,000 %	6521,1609 litre	O
460	CM 95	CM	94 LEVEL CM	6433,7626 litre	49,330 %	6608,5593 litre	O
460	CM 95	CM	93 LEVEL CM	6346,3739 litre	48,660 %	6695,9480 litre	O
460	CM 95	CM	92 LEVEL CM	6259,0045 litre	47,990 %	6783,3174 litre	O
460	CM 95	CM	91 LEVEL CM	6171,6643 litre	47,320 %	6870,6576 litre	O
460	CM 95	CM	90 LEVEL CM	6084,3628 litre	46,651 %	6957,9591 litre	O
460	CM 95	CM	89 LEVEL CM	5997,1098 litre	45,982 %	7045,2121 litre	O
460	CM 95	CM	88 LEVEL CM	5909,9150 litre	45,313 %	7132,4069 litre	O
460	CM 95	CM	87 LEVEL CM	5822,7882 litre	44,645 %	7219,5337 litre	O
460	CM 95	CM	86 LEVEL CM	5735,7392 litre	43,978 %	7306,5827 litre	O

460	CM	95	CM	85 LEVEL CM	5648,7777 litre	43,311 %	7393,5442 litre	O
460	CM	95	CM	84 LEVEL CM	5561,9136 litre	42,645 %	7480,4083 litre	O
460	CM	95	CM	83 LEVEL CM	5475,1567 litre	41,980 %	7567,1652 litre	O
460	CM	95	CM	82 LEVEL CM	5388,5170 litre	41,316 %	7653,8049 litre	O
460	CM	95	CM	81 LEVEL CM	5302,0044 litre	40,652 %	7740,3175 litre	O
460	CM	95	CM	80 LEVEL CM	5215,6289 litre	39,990 %	7826,6930 litre	O
460	CM	95	CM	79 LEVEL CM	5129,4005 litre	39,329 %	7912,9214 litre	O
460	CM	95	CM	78 LEVEL CM	5043,3292 litre	38,669 %	7998,9927 litre	O
460	CM	95	CM	77 LEVEL CM	4957,4254 litre	38,010 %	8084,8965 litre	O
460	CM	95	CM	76 LEVEL CM	4871,6990 litre	37,353 %	8170,6229 litre	O
460	CM	95	CM	75 LEVEL CM	4786,1605 litre	36,697 %	8256,1614 litre	O
460	CM	95	CM	74 LEVEL CM	4700,8200 litre	36,043 %	8341,5019 litre	O
460	CM	95	CM	73 LEVEL CM	4615,6882 litre	35,390 %	8426,6337 litre	O
460	CM	95	CM	72 LEVEL CM	4530,7753 litre	34,739 %	8511,5466 litre	O
460	CM	95	CM	71 LEVEL CM	4446,0920 litre	34,090 %	8596,2299 litre	O
460	CM	95	CM	70 LEVEL CM	4361,6489 litre	33,442 %	8680,6730 litre	O
460	CM	95	CM	69 LEVEL CM	4277,4568 litre	32,797 %	8764,8651 litre	O
460	CM	95	CM	68 LEVEL CM	4193,5265 litre	32,153 %	8848,7954 litre	O
460	CM	95	CM	67 LEVEL CM	4109,8689 litre	31,512 %	8932,4530 litre	O
460	CM	95	CM	66 LEVEL CM	4026,4951 litre	30,873 %	9015,8268 litre	O
460	CM	95	CM	65 LEVEL CM	3943,4162 litre	30,236 %	9098,9057 litre	O
460	CM	95	CM	64 LEVEL CM	3860,6435 litre	29,601 %	9181,6784 litre	O
460	CM	95	CM	63 LEVEL CM	3778,1884 litre	28,969 %	9264,1335 litre	O
460	CM	95	CM	62 LEVEL CM	3696,0625 litre	28,339 %	9346,2594 litre	O
460	CM	95	CM	61 LEVEL CM	3614,2773 litre	27,712 %	9428,0446 litre	O
460	CM	95	CM	60 LEVEL CM	3532,8449 litre	27,088 %	9509,4770 litre	O
460	CM	95	CM	59 LEVEL CM	3451,7770 litre	26,466 %	9590,5449 litre	O
460	CM	95	CM	58 LEVEL CM	3371,0858 litre	25,847 %	9671,2361 litre	O
460	CM	95	CM	57 LEVEL CM	3290,7837 litre	25,232 %	9751,5382 litre	O
460	CM	95	CM	56 LEVEL CM	3210,8832 litre	24,619 %	9831,4387 litre	O
460	CM	95	CM	55 LEVEL CM	3131,3968 litre	24,010 %	9910,9251 litre	O
460	CM	95	CM	54 LEVEL CM	3052,3376 litre	23,403 %	9989,9843 litre	O
460	CM	95	CM	53 LEVEL CM	2973,7185 litre	22,801 %	10068,6034 litre	O
460	CM	95	CM	52 LEVEL CM	2895,5529 litre	22,201 %	10146,7690 litre	O
460	CM	95	CM	51 LEVEL CM	2817,8543 litre	21,605 %	10224,4676 litre	O
460	CM	95	CM	50 LEVEL CM	2740,6365 litre	21,013 %	10301,6854 litre	O
460	CM	95	CM	49 LEVEL CM	2663,9136 litre	20,425 %	10378,4083 litre	O
460	CM	95	CM	48 LEVEL CM	2587,6998 litre	19,841 %	10454,6221 litre	O
460	CM	95	CM	47 LEVEL CM	2512,0098 litre	19,260 %	10530,3121 litre	O
460	CM	95	CM	46 LEVEL CM	2436,8585 litre	18,684 %	10605,4634 litre	O
460	CM	95	CM	45 LEVEL CM	2362,2611 litre	18,112 %	10680,0608 litre	O
460	CM	95	CM	44 LEVEL CM	2288,2332 litre	17,545 %	10754,0887 litre	O
460	CM	95	CM	43 LEVEL CM	2214,7907 litre	16,982 %	10827,5312 litre	O
460	CM	95	CM	42 LEVEL CM	2141,9500 litre	16,423 %	10900,3719 litre	O
460	CM	95	CM	41 LEVEL CM	2069,7278 litre	15,869 %	10972,5941 litre	O
460	CM	95	CM	40 LEVEL CM	1998,1412 litre	15,320 %	11044,1807 litre	O
460	CM	95	CM	39 LEVEL CM	1927,2080 litre	14,777 %	11115,1139 litre	O
460	CM	95	CM	38 LEVEL CM	1856,9461 litre	14,238 %	11185,3758 litre	O
460	CM	95	CM	37 LEVEL CM	1787,3743 litre	13,704 %	11254,9476 litre	O
460	CM	95	CM	36 LEVEL CM	1718,5117 litre	13,176 %	11323,8102 litre	O
460	CM	95	CM	35 LEVEL CM	1650,3782 litre	12,654 %	11391,9437 litre	O
460	CM	95	CM	34 LEVEL CM	1582,9942 litre	12,137 %	11459,3277 litre	O
460	CM	95	CM	33 LEVEL CM	1516,3808 litre	11,627 %	11525,9411 litre	O

460	CM	95	CM	32 LEVEL CM	1450,5599 litre	11,122 %	11591,7620 litre	O
460	CM	95	CM	31 LEVEL CM	1385,5543 litre	10,624 %	11656,7676 litre	O
460	CM	95	CM	30 LEVEL CM	1321,3873 litre	10,132 %	11720,9346 litre	O
460	CM	95	CM	29 LEVEL CM	1258,0836 litre	9,646 %	11784,2383 litre	O
460	CM	95	CM	28 LEVEL CM	1195,6687 litre	9,168 %	11846,6532 litre	O
460	CM	95	CM	27 LEVEL CM	1134,1690 litre	8,696 %	11908,1529 litre	O
460	CM	95	CM	26 LEVEL CM	1073,6125 litre	8,232 %	11968,7094 litre	O
460	CM	95	CM	25 LEVEL CM	1014,0282 litre	7,775 %	12028,2937 litre	O
460	CM	95	CM	24 LEVEL CM	955,4468 litre	7,326 %	12086,8751 litre	O
460	CM	95	CM	23 LEVEL CM	897,9004 litre	6,885 %	12144,4215 litre	O
460	CM	95	CM	22 LEVEL CM	841,4230 litre	6,451 %	12200,8989 litre	O
460	CM	95	CM	21 LEVEL CM	786,0504 litre	6,027 %	12256,2715 litre	O
460	CM	95	CM	20 LEVEL CM	731,8208 litre	5,611 %	12310,5011 litre	O
460	CM	95	CM	19 LEVEL CM	678,7749 litre	5,204 %	12363,5470 litre	O
460	CM	95	CM	18 LEVEL CM	626,9558 litre	4,807 %	12415,3661 litre	O
460	CM	95	CM	17 LEVEL CM	576,4102 litre	4,420 %	12465,9117 litre	O
460	CM	95	CM	16 LEVEL CM	527,1881 litre	4,042 %	12515,1338 litre	O
460	CM	95	CM	15 LEVEL CM	479,3440 litre	3,675 %	12562,9779 litre	O
460	CM	95	CM	14 LEVEL CM	432,9368 litre	3,319 %	12609,3851 litre	O
460	CM	95	CM	13 LEVEL CM	388,0314 litre	2,975 %	12654,2905 litre	O
460	CM	95	CM	12 LEVEL CM	344,6994 litre	2,643 %	12697,6225 litre	O
460	CM	95	CM	11 LEVEL CM	303,0204 litre	2,323 %	12739,3015 litre	O
460	CM	95	CM	10 LEVEL CM	263,0840 litre	2,017 %	12779,2379 litre	O
460	CM	95	CM	9 LEVEL CM	224,9921 litre	1,725 %	12817,3298 litre	O
460	CM	95	CM	8 LEVEL CM	188,8622 litre	1,448 %	12853,4597 litre	O
460	CM	95	CM	7 LEVEL CM	154,8322 litre	1,187 %	12887,4897 litre	O
460	CM	95	CM	6 LEVEL CM	123,0673 litre	0,944 %	12919,2546 litre	O
460	CM	95	CM	5 LEVEL CM	93,7713 litre	0,719 %	12948,5506 litre	O
460	CM	95	CM	4 LEVEL CM	67,2050 litre	0,515 %	12975,1169 litre	O
460	CM	95	CM	3 LEVEL CM	43,7207 litre	0,335 %	12998,6012 litre	O
460	CM	95	CM	2 LEVEL CM	23,8365 litre	0,183 %	13018,4854 litre	O
460	CM	95	CM	1 LEVEL CM	8,4409 litre	0,065 %	13033,8810 litre	O
460	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	13042,3219 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	90	CM	180 LEVEL CM	11705,5742 litre	100,000 %	0,0000 litre	O
460	CM	90	CM	179 LEVEL CM	11697,3592 litre	99,930 %	8,2150 litre	O
460	CM	90	CM	178 LEVEL CM	11682,3776 litre	99,802 %	23,1966 litre	O
460	CM	90	CM	177 LEVEL CM	11663,0309 litre	99,637 %	42,5433 litre	O
460	CM	90	CM	176 LEVEL CM	11640,1850 litre	99,441 %	65,3892 litre	O
460	CM	90	CM	175 LEVEL CM	11614,3447 litre	99,221 %	91,2295 litre	O
460	CM	90	CM	174 LEVEL CM	11585,8538 litre	98,977 %	119,7204 litre	O
460	CM	90	CM	173 LEVEL CM	11554,9665 litre	98,713 %	150,6077 litre	O
460	CM	90	CM	172 LEVEL CM	11521,8820 litre	98,431 %	183,6922 litre	O
460	CM	90	CM	171 LEVEL CM	11486,7615 litre	98,131 %	218,8127 litre	O
460	CM	90	CM	170 LEVEL CM	11449,7398 litre	97,814 %	255,8344 litre	O
460	CM	90	CM	169 LEVEL CM	11410,9319 litre	97,483 %	294,6423 litre	O
460	CM	90	CM	168 LEVEL CM	11370,4372 litre	97,137 %	335,1370 litre	O
460	CM	90	CM	167 LEVEL CM	11328,3435 litre	96,777 %	377,2307 litre	O
460	CM	90	CM	166 LEVEL CM	11284,7288 litre	96,405 %	420,8454 litre	O
460	CM	90	CM	165 LEVEL CM	11239,6632 litre	96,020 %	465,9110 litre	O
460	CM	90	CM	164 LEVEL CM	11193,2102 litre	95,623 %	512,3640 litre	O
460	CM	90	CM	163 LEVEL CM	11145,4277 litre	95,215 %	560,1465 litre	O
460	CM	90	CM	162 LEVEL CM	11096,3691 litre	94,796 %	609,2051 litre	O
460	CM	90	CM	161 LEVEL CM	11046,0835 litre	94,366 %	659,4907 litre	O
460	CM	90	CM	160 LEVEL CM	10994,6166 litre	93,926 %	710,9576 litre	O
460	CM	90	CM	159 LEVEL CM	10942,0111 litre	93,477 %	763,5631 litre	O
460	CM	90	CM	158 LEVEL CM	10888,3068 litre	93,018 %	817,2674 litre	O
460	CM	90	CM	157 LEVEL CM	10833,5412 litre	92,550 %	872,0330 litre	O
460	CM	90	CM	156 LEVEL CM	10777,7497 litre	92,074 %	927,8245 litre	O
460	CM	90	CM	155 LEVEL CM	10720,9657 litre	91,589 %	984,6085 litre	O
460	CM	90	CM	154 LEVEL CM	10663,2210 litre	91,095 %	1042,3532 litre	O
460	CM	90	CM	153 LEVEL CM	10604,5455 litre	90,594 %	1101,0287 litre	O
460	CM	90	CM	152 LEVEL CM	10544,9683 litre	90,085 %	1160,6059 litre	O
460	CM	90	CM	151 LEVEL CM	10484,5165 litre	89,569 %	1221,0577 litre	O
460	CM	90	CM	150 LEVEL CM	10423,2166 litre	89,045 %	1282,3576 litre	O
460	CM	90	CM	149 LEVEL CM	10361,0938 litre	88,514 %	1344,4804 litre	O
460	CM	90	CM	148 LEVEL CM	10298,1722 litre	87,977 %	1407,4020 litre	O
460	CM	90	CM	147 LEVEL CM	10234,4752 litre	87,432 %	1471,0990 litre	O
460	CM	90	CM	146 LEVEL CM	10170,0252 litre	86,882 %	1535,5490 litre	O
460	CM	90	CM	145 LEVEL CM	10104,8439 litre	86,325 %	1600,7303 litre	O
460	CM	90	CM	144 LEVEL CM	10038,9522 litre	85,762 %	1666,6220 litre	O
460	CM	90	CM	143 LEVEL CM	9972,3705 litre	85,193 %	1733,2037 litre	O
460	CM	90	CM	142 LEVEL CM	9905,1185 litre	84,619 %	1800,4557 litre	O
460	CM	90	CM	141 LEVEL CM	9837,2151 litre	84,039 %	1868,3591 litre	O
460	CM	90	CM	140 LEVEL CM	9768,6789 litre	83,453 %	1936,8953 litre	O
460	CM	90	CM	139 LEVEL CM	9699,5280 litre	82,862 %	2006,0462 litre	O
460	CM	90	CM	138 LEVEL CM	9629,7799 litre	82,267 %	2075,7943 litre	O
460	CM	90	CM	137 LEVEL CM	9559,4517 litre	81,666 %	2146,1225 litre	O
460	CM	90	CM	136 LEVEL CM	9488,5602 litre	81,060 %	2217,0140 litre	O
460	CM	90	CM	135 LEVEL CM	9417,1215 litre	80,450 %	2288,4527 litre	O
460	CM	90	CM	134 LEVEL CM	9345,1516 litre	79,835 %	2360,4226 litre	O
460	CM	90	CM	133 LEVEL CM	9272,6661 litre	79,216 %	2432,9081 litre	O
460	CM	90	CM	132 LEVEL CM	9199,6802 litre	78,592 %	2505,8940 litre	O
460	CM	90	CM	131 LEVEL CM	9126,2089 litre	77,965 %	2579,3653 litre	O
460	CM	90	CM	130 LEVEL CM	9052,2667 litre	77,333 %	2653,3075 litre	O
460	CM	90	CM	129 LEVEL CM	8977,8681 litre	76,697 %	2727,7061 litre	O

460	CM	90	CM	128 LEVEL CM	8903,0271 litre	76,058 %	2802,5471 litre	O
460	CM	90	CM	127 LEVEL CM	8827,7575 litre	75,415 %	2877,8167 litre	O
460	CM	90	CM	126 LEVEL CM	8752,0730 litre	74,768 %	2953,5012 litre	O
460	CM	90	CM	125 LEVEL CM	8675,9870 litre	74,118 %	3029,5872 litre	O
460	CM	90	CM	124 LEVEL CM	8599,5127 litre	73,465 %	3106,0615 litre	O
460	CM	90	CM	123 LEVEL CM	8522,6629 litre	72,809 %	3182,9113 litre	O
460	CM	90	CM	122 LEVEL CM	8445,4505 litre	72,149 %	3260,1237 litre	O
460	CM	90	CM	121 LEVEL CM	8367,8882 litre	71,486 %	3337,6860 litre	O
460	CM	90	CM	120 LEVEL CM	8289,9883 litre	70,821 %	3415,5859 litre	O
460	CM	90	CM	119 LEVEL CM	8211,7631 litre	70,153 %	3493,8111 litre	O
460	CM	90	CM	118 LEVEL CM	8133,2247 litre	69,482 %	3572,3495 litre	O
460	CM	90	CM	117 LEVEL CM	8054,3852 litre	68,808 %	3651,1890 litre	O
460	CM	90	CM	116 LEVEL CM	7975,2563 litre	68,132 %	3730,3179 litre	O
460	CM	90	CM	115 LEVEL CM	7895,8498 litre	67,454 %	3809,7244 litre	O
460	CM	90	CM	114 LEVEL CM	7816,1773 litre	66,773 %	3889,3969 litre	O
460	CM	90	CM	113 LEVEL CM	7736,2502 litre	66,090 %	3969,3240 litre	O
460	CM	90	CM	112 LEVEL CM	7656,0799 litre	65,405 %	4049,4943 litre	O
460	CM	90	CM	111 LEVEL CM	7575,6777 litre	64,719 %	4129,8965 litre	O
460	CM	90	CM	110 LEVEL CM	7495,0547 litre	64,030 %	4210,5195 litre	O
460	CM	90	CM	109 LEVEL CM	7414,2220 litre	63,339 %	4291,3522 litre	O
460	CM	90	CM	108 LEVEL CM	7333,1906 litre	62,647 %	4372,3836 litre	O
460	CM	90	CM	107 LEVEL CM	7251,9714 litre	61,953 %	4453,6028 litre	O
460	CM	90	CM	106 LEVEL CM	7170,5753 litre	61,258 %	4534,9989 litre	O
460	CM	90	CM	105 LEVEL CM	7089,0129 litre	60,561 %	4616,5613 litre	O
460	CM	90	CM	104 LEVEL CM	7007,2950 litre	59,863 %	4698,2792 litre	O
460	CM	90	CM	103 LEVEL CM	6925,4323 litre	59,164 %	4780,1419 litre	O
460	CM	90	CM	102 LEVEL CM	6843,4352 litre	58,463 %	4862,1390 litre	O
460	CM	90	CM	101 LEVEL CM	6761,3144 litre	57,761 %	4944,2598 litre	O
460	CM	90	CM	100 LEVEL CM	6679,0802 litre	57,059 %	5026,4940 litre	O
460	CM	90	CM	99 LEVEL CM	6596,7432 litre	56,356 %	5108,8310 litre	O
460	CM	90	CM	98 LEVEL CM	6514,3138 litre	55,651 %	5191,2604 litre	O
460	CM	90	CM	97 LEVEL CM	6431,8022 litre	54,946 %	5273,7720 litre	O
460	CM	90	CM	96 LEVEL CM	6349,2189 litre	54,241 %	5356,3553 litre	O
460	CM	90	CM	95 LEVEL CM	6266,5741 litre	53,535 %	5439,0001 litre	O
460	CM	90	CM	94 LEVEL CM	6183,8780 litre	52,828 %	5521,6962 litre	O
460	CM	90	CM	93 LEVEL CM	6101,1411 litre	52,122 %	5604,4331 litre	O
460	CM	90	CM	92 LEVEL CM	6018,3735 litre	51,415 %	5687,2007 litre	O
460	CM	90	CM	91 LEVEL CM	5935,5854 litre	50,707 %	5769,9888 litre	O
460	CM	90	CM	90 LEVEL CM	5852,7871 litre	50,000 %	5852,7871 litre	O
460	CM	90	CM	89 LEVEL CM	5769,9888 litre	49,293 %	5935,5854 litre	O
460	CM	90	CM	88 LEVEL CM	5687,2007 litre	48,585 %	6018,3735 litre	O
460	CM	90	CM	87 LEVEL CM	5604,4331 litre	47,878 %	6101,1411 litre	O
460	CM	90	CM	86 LEVEL CM	5521,6962 litre	47,172 %	6183,8780 litre	O
460	CM	90	CM	85 LEVEL CM	5439,0002 litre	46,465 %	6266,5740 litre	O
460	CM	90	CM	84 LEVEL CM	5356,3554 litre	45,759 %	6349,2188 litre	O
460	CM	90	CM	83 LEVEL CM	5273,7720 litre	45,054 %	6431,8022 litre	O
460	CM	90	CM	82 LEVEL CM	5191,2604 litre	44,349 %	6514,3138 litre	O
460	CM	90	CM	81 LEVEL CM	5108,8310 litre	43,644 %	6596,7432 litre	O
460	CM	90	CM	80 LEVEL CM	5026,4940 litre	42,941 %	6679,0802 litre	O
460	CM	90	CM	79 LEVEL CM	4944,2599 litre	42,239 %	6761,3143 litre	O
460	CM	90	CM	78 LEVEL CM	4862,1390 litre	41,537 %	6843,4352 litre	O
460	CM	90	CM	77 LEVEL CM	4780,1420 litre	40,836 %	6925,4322 litre	O
460	CM	90	CM	76 LEVEL CM	4698,2792 litre	40,137 %	7007,2950 litre	O

460	CM	90	CM	75 LEVEL CM	4616,5613 litre	39,439 %	7089,0129 litre	O
460	CM	90	CM	74 LEVEL CM	4534,9989 litre	38,742 %	7170,5753 litre	O
460	CM	90	CM	73 LEVEL CM	4453,6028 litre	38,047 %	7251,9714 litre	O
460	CM	90	CM	72 LEVEL CM	4372,3836 litre	37,353 %	7333,1906 litre	O
460	CM	90	CM	71 LEVEL CM	4291,3522 litre	36,661 %	7414,2220 litre	O
460	CM	90	CM	70 LEVEL CM	4210,5195 litre	35,970 %	7495,0547 litre	O
460	CM	90	CM	69 LEVEL CM	4129,8965 litre	35,281 %	7575,6777 litre	O
460	CM	90	CM	68 LEVEL CM	4049,4943 litre	34,595 %	7656,0799 litre	O
460	CM	90	CM	67 LEVEL CM	3969,3240 litre	33,910 %	7736,2502 litre	O
460	CM	90	CM	66 LEVEL CM	3889,3969 litre	33,227 %	7816,1773 litre	O
460	CM	90	CM	65 LEVEL CM	3809,7244 litre	32,546 %	7895,8498 litre	O
460	CM	90	CM	64 LEVEL CM	3730,3179 litre	31,868 %	7975,2563 litre	O
460	CM	90	CM	63 LEVEL CM	3651,1890 litre	31,192 %	8054,3852 litre	O
460	CM	90	CM	62 LEVEL CM	3572,3495 litre	30,518 %	8133,2247 litre	O
460	CM	90	CM	61 LEVEL CM	3493,8112 litre	29,847 %	8211,7630 litre	O
460	CM	90	CM	60 LEVEL CM	3415,5860 litre	29,179 %	8289,9882 litre	O
460	CM	90	CM	59 LEVEL CM	3337,6860 litre	28,514 %	8367,8882 litre	O
460	CM	90	CM	58 LEVEL CM	3260,1237 litre	27,851 %	8445,4505 litre	O
460	CM	90	CM	57 LEVEL CM	3182,9113 litre	27,191 %	8522,6629 litre	O
460	CM	90	CM	56 LEVEL CM	3106,0616 litre	26,535 %	8599,5126 litre	O
460	CM	90	CM	55 LEVEL CM	3029,5872 litre	25,882 %	8675,9870 litre	O
460	CM	90	CM	54 LEVEL CM	2953,5012 litre	25,232 %	8752,0730 litre	O
460	CM	90	CM	53 LEVEL CM	2877,8167 litre	24,585 %	8827,7575 litre	O
460	CM	90	CM	52 LEVEL CM	2802,5472 litre	23,942 %	8903,0270 litre	O
460	CM	90	CM	51 LEVEL CM	2727,7062 litre	23,303 %	8977,8680 litre	O
460	CM	90	CM	50 LEVEL CM	2653,3075 litre	22,667 %	9052,2667 litre	O
460	CM	90	CM	49 LEVEL CM	2579,3653 litre	22,035 %	9126,2089 litre	O
460	CM	90	CM	48 LEVEL CM	2505,8940 litre	21,408 %	9199,6802 litre	O
460	CM	90	CM	47 LEVEL CM	2432,9081 litre	20,784 %	9272,6661 litre	O
460	CM	90	CM	46 LEVEL CM	2360,4226 litre	20,165 %	9345,1516 litre	O
460	CM	90	CM	45 LEVEL CM	2288,4527 litre	19,550 %	9417,1215 litre	O
460	CM	90	CM	44 LEVEL CM	2217,0141 litre	18,940 %	9488,5601 litre	O
460	CM	90	CM	43 LEVEL CM	2146,1225 litre	18,334 %	9559,4517 litre	O
460	CM	90	CM	42 LEVEL CM	2075,7943 litre	17,733 %	9629,7799 litre	O
460	CM	90	CM	41 LEVEL CM	2006,0462 litre	17,138 %	9699,5280 litre	O
460	CM	90	CM	40 LEVEL CM	1936,8953 litre	16,547 %	9768,6789 litre	O
460	CM	90	CM	39 LEVEL CM	1868,3592 litre	15,961 %	9837,2150 litre	O
460	CM	90	CM	38 LEVEL CM	1800,4558 litre	15,381 %	9905,1184 litre	O
460	CM	90	CM	37 LEVEL CM	1733,2037 litre	14,807 %	9972,3705 litre	O
460	CM	90	CM	36 LEVEL CM	1666,6220 litre	14,238 %	10038,9522 litre	O
460	CM	90	CM	35 LEVEL CM	1600,7303 litre	13,675 %	10104,8439 litre	O
460	CM	90	CM	34 LEVEL CM	1535,5490 litre	13,118 %	10170,0252 litre	O
460	CM	90	CM	33 LEVEL CM	1471,0990 litre	12,568 %	10234,4752 litre	O
460	CM	90	CM	32 LEVEL CM	1407,4020 litre	12,023 %	10298,1722 litre	O
460	CM	90	CM	31 LEVEL CM	1344,4804 litre	11,486 %	10361,0938 litre	O
460	CM	90	CM	30 LEVEL CM	1282,3576 litre	10,955 %	10423,2166 litre	O
460	CM	90	CM	29 LEVEL CM	1221,0577 litre	10,431 %	10484,5165 litre	O
460	CM	90	CM	28 LEVEL CM	1160,6060 litre	9,915 %	10544,9682 litre	O
460	CM	90	CM	27 LEVEL CM	1101,0287 litre	9,406 %	10604,5455 litre	O
460	CM	90	CM	26 LEVEL CM	1042,3533 litre	8,905 %	10663,2209 litre	O
460	CM	90	CM	25 LEVEL CM	984,6085 litre	8,411 %	10720,9657 litre	O
460	CM	90	CM	24 LEVEL CM	927,8245 litre	7,926 %	10777,7497 litre	O
460	CM	90	CM	23 LEVEL CM	872,0330 litre	7,450 %	10833,5412 litre	O

460	CM	90	CM	22 LEVEL CM	817,2674 litre	6,982 %	10888,3068 litre	O
460	CM	90	CM	21 LEVEL CM	763,5631 litre	6,523 %	10942,0111 litre	O
460	CM	90	CM	20 LEVEL CM	710,9576 litre	6,074 %	10994,6166 litre	O
460	CM	90	CM	19 LEVEL CM	659,4907 litre	5,634 %	11046,0835 litre	O
460	CM	90	CM	18 LEVEL CM	609,2051 litre	5,204 %	11096,3691 litre	O
460	CM	90	CM	17 LEVEL CM	560,1465 litre	4,785 %	11145,4277 litre	O
460	CM	90	CM	16 LEVEL CM	512,3640 litre	4,377 %	11193,2102 litre	O
460	CM	90	CM	15 LEVEL CM	465,9110 litre	3,980 %	11239,6632 litre	O
460	CM	90	CM	14 LEVEL CM	420,8454 litre	3,595 %	11284,7288 litre	O
460	CM	90	CM	13 LEVEL CM	377,2307 litre	3,223 %	11328,3435 litre	O
460	CM	90	CM	12 LEVEL CM	335,1370 litre	2,863 %	11370,4372 litre	O
460	CM	90	CM	11 LEVEL CM	294,6424 litre	2,517 %	11410,9318 litre	O
460	CM	90	CM	10 LEVEL CM	255,8344 litre	2,186 %	11449,7398 litre	O
460	CM	90	CM	9 LEVEL CM	218,8127 litre	1,869 %	11486,7615 litre	O
460	CM	90	CM	8 LEVEL CM	183,6923 litre	1,569 %	11521,8819 litre	O
460	CM	90	CM	7 LEVEL CM	150,6077 litre	1,287 %	11554,9665 litre	O
460	CM	90	CM	6 LEVEL CM	119,7205 litre	1,023 %	11585,8537 litre	O
460	CM	90	CM	5 LEVEL CM	91,2295 litre	0,779 %	11614,3447 litre	O
460	CM	90	CM	4 LEVEL CM	65,3892 litre	0,559 %	11640,1850 litre	O
460	CM	90	CM	3 LEVEL CM	42,5433 litre	0,363 %	11663,0309 litre	O
460	CM	90	CM	2 LEVEL CM	23,1966 litre	0,198 %	11682,3776 litre	O
460	CM	90	CM	1 LEVEL CM	8,2150 litre	0,070 %	11697,3592 litre	O
460	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	11705,5742 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 85	CM 170 LEVEL CM	10441,0832 litre	100,000 %	0,0000 litre	O
460	CM 85	CM 169 LEVEL CM	10433,1004 litre	99,924 %	7,9828 litre	O
460	CM 85	CM 168 LEVEL CM	10418,5446 litre	99,784 %	22,5386 litre	O
460	CM 85	CM 167 LEVEL CM	10399,7508 litre	99,604 %	41,3324 litre	O
460	CM 85	CM 166 LEVEL CM	10377,5616 litre	99,392 %	63,5216 litre	O
460	CM 85	CM 165 LEVEL CM	10352,4683 litre	99,151 %	88,6149 litre	O
460	CM 85	CM 164 LEVEL CM	10324,8058 litre	98,886 %	116,2774 litre	O
460	CM 85	CM 163 LEVEL CM	10294,8219 litre	98,599 %	146,2613 litre	O
460	CM 85	CM 162 LEVEL CM	10262,7107 litre	98,292 %	178,3725 litre	O
460	CM 85	CM 161 LEVEL CM	10228,6296 litre	97,965 %	212,4536 litre	O
460	CM 85	CM 160 LEVEL CM	10192,7100 litre	97,621 %	248,3732 litre	O
460	CM 85	CM 159 LEVEL CM	10155,0642 litre	97,261 %	286,0190 litre	O
460	CM 85	CM 158 LEVEL CM	10115,7896 litre	96,884 %	325,2936 litre	O
460	CM 85	CM 157 LEVEL CM	10074,9718 litre	96,494 %	366,1114 litre	O
460	CM 85	CM 156 LEVEL CM	10032,6872 litre	96,089 %	408,3960 litre	O
460	CM 85	CM 155 LEVEL CM	9989,0043 litre	95,670 %	452,0789 litre	O
460	CM 85	CM 154 LEVEL CM	9943,9854 litre	95,239 %	497,0978 litre	O
460	CM 85	CM 153 LEVEL CM	9897,6872 litre	94,796 %	543,3960 litre	O
460	CM 85	CM 152 LEVEL CM	9850,1621 litre	94,340 %	590,9211 litre	O
460	CM 85	CM 151 LEVEL CM	9801,4583 litre	93,874 %	639,6249 litre	O
460	CM 85	CM 150 LEVEL CM	9751,6205 litre	93,397 %	689,4627 litre	O
460	CM 85	CM 149 LEVEL CM	9700,6908 litre	92,909 %	740,3924 litre	O
460	CM 85	CM 148 LEVEL CM	9648,7083 litre	92,411 %	792,3749 litre	O
460	CM 85	CM 147 LEVEL CM	9595,7098 litre	91,903 %	845,3734 litre	O
460	CM 85	CM 146 LEVEL CM	9541,7302 litre	91,386 %	899,3530 litre	O
460	CM 85	CM 145 LEVEL CM	9486,8024 litre	90,860 %	954,2808 litre	O
460	CM 85	CM 144 LEVEL CM	9430,9577 litre	90,325 %	1010,1255 litre	O
460	CM 85	CM 143 LEVEL CM	9374,2258 litre	89,782 %	1066,8574 litre	O
460	CM 85	CM 142 LEVEL CM	9316,6350 litre	89,231 %	1124,4482 litre	O
460	CM 85	CM 141 LEVEL CM	9258,2124 litre	88,671 %	1182,8708 litre	O
460	CM 85	CM 140 LEVEL CM	9198,9841 litre	88,104 %	1242,0991 litre	O
460	CM 85	CM 139 LEVEL CM	9138,9749 litre	87,529 %	1302,1083 litre	O
460	CM 85	CM 138 LEVEL CM	9078,2089 litre	86,947 %	1362,8743 litre	O
460	CM 85	CM 137 LEVEL CM	9016,7090 litre	86,358 %	1424,3742 litre	O
460	CM 85	CM 136 LEVEL CM	8954,4975 litre	85,762 %	1486,5857 litre	O
460	CM 85	CM 135 LEVEL CM	8891,5960 litre	85,160 %	1549,4872 litre	O
460	CM 85	CM 134 LEVEL CM	8828,0253 litre	84,551 %	1613,0579 litre	O
460	CM 85	CM 133 LEVEL CM	8763,8054 litre	83,936 %	1677,2778 litre	O
460	CM 85	CM 132 LEVEL CM	8698,9560 litre	83,315 %	1742,1272 litre	O
460	CM 85	CM 131 LEVEL CM	8633,4960 litre	82,688 %	1807,5872 litre	O
460	CM 85	CM 130 LEVEL CM	8567,4439 litre	82,055 %	1873,6393 litre	O
460	CM 85	CM 129 LEVEL CM	8500,8176 litre	81,417 %	1940,2656 litre	O
460	CM 85	CM 128 LEVEL CM	8433,6347 litre	80,774 %	2007,4485 litre	O
460	CM 85	CM 127 LEVEL CM	8365,9122 litre	80,125 %	2075,1710 litre	O
460	CM 85	CM 126 LEVEL CM	8297,6668 litre	79,471 %	2143,4164 litre	O
460	CM 85	CM 125 LEVEL CM	8228,9148 litre	78,813 %	2212,1684 litre	O
460	CM 85	CM 124 LEVEL CM	8159,6720 litre	78,150 %	2281,4112 litre	O
460	CM 85	CM 123 LEVEL CM	8089,9542 litre	77,482 %	2351,1290 litre	O
460	CM 85	CM 122 LEVEL CM	8019,7766 litre	76,810 %	2421,3066 litre	O
460	CM 85	CM 121 LEVEL CM	7949,1541 litre	76,133 %	2491,9291 litre	O
460	CM 85	CM 120 LEVEL CM	7878,1014 litre	75,453 %	2562,9818 litre	O
460	CM 85	CM 119 LEVEL CM	7806,6331 litre	74,768 %	2634,4501 litre	O

460	CM	85	CM	118 LEVEL CM	7734,7631 litre	74,080 %	2706,3201 litre	O
460	CM	85	CM	117 LEVEL CM	7662,5056 litre	73,388 %	2778,5776 litre	O
460	CM	85	CM	116 LEVEL CM	7589,8743 litre	72,692 %	2851,2089 litre	O
460	CM	85	CM	115 LEVEL CM	7516,8825 litre	71,993 %	2924,2007 litre	O
460	CM	85	CM	114 LEVEL CM	7443,5437 litre	71,291 %	2997,5395 litre	O
460	CM	85	CM	113 LEVEL CM	7369,8710 litre	70,585 %	3071,2122 litre	O
460	CM	85	CM	112 LEVEL CM	7295,8772 litre	69,877 %	3145,2060 litre	O
460	CM	85	CM	111 LEVEL CM	7221,5753 litre	69,165 %	3219,5079 litre	O
460	CM	85	CM	110 LEVEL CM	7146,9778 litre	68,451 %	3294,1054 litre	O
460	CM	85	CM	109 LEVEL CM	7072,0971 litre	67,733 %	3368,9861 litre	O
460	CM	85	CM	108 LEVEL CM	6996,9457 litre	67,014 %	3444,1375 litre	O
460	CM	85	CM	107 LEVEL CM	6921,5356 litre	66,291 %	3519,5476 litre	O
460	CM	85	CM	106 LEVEL CM	6845,8791 litre	65,567 %	3595,2041 litre	O
460	CM	85	CM	105 LEVEL CM	6769,9879 litre	64,840 %	3671,0953 litre	O
460	CM	85	CM	104 LEVEL CM	6693,8741 litre	64,111 %	3747,2091 litre	O
460	CM	85	CM	103 LEVEL CM	6617,5492 litre	63,380 %	3823,5340 litre	O
460	CM	85	CM	102 LEVEL CM	6541,0250 litre	62,647 %	3900,0582 litre	O
460	CM	85	CM	101 LEVEL CM	6464,3130 litre	61,912 %	3976,7702 litre	O
460	CM	85	CM	100 LEVEL CM	6387,4246 litre	61,176 %	4053,6586 litre	O
460	CM	85	CM	99 LEVEL CM	6310,3713 litre	60,438 %	4130,7119 litre	O
460	CM	85	CM	98 LEVEL CM	6233,1644 litre	59,698 %	4207,9188 litre	O
460	CM	85	CM	97 LEVEL CM	6155,8150 litre	58,958 %	4285,2682 litre	O
460	CM	85	CM	96 LEVEL CM	6078,3345 litre	58,216 %	4362,7487 litre	O
460	CM	85	CM	95 LEVEL CM	6000,7339 litre	57,472 %	4440,3493 litre	O
460	CM	85	CM	94 LEVEL CM	5923,0243 litre	56,728 %	4518,0589 litre	O
460	CM	85	CM	93 LEVEL CM	5845,2168 litre	55,983 %	4595,8664 litre	O
460	CM	85	CM	92 LEVEL CM	5767,3222 litre	55,237 %	4673,7610 litre	O
460	CM	85	CM	91 LEVEL CM	5689,3517 litre	54,490 %	4751,7315 litre	O
460	CM	85	CM	90 LEVEL CM	5611,3160 litre	53,743 %	4829,7672 litre	O
460	CM	85	CM	89 LEVEL CM	5533,2261 litre	52,995 %	4907,8571 litre	O
460	CM	85	CM	88 LEVEL CM	5455,0929 litre	52,246 %	4985,9903 litre	O
460	CM	85	CM	87 LEVEL CM	5376,9272 litre	51,498 %	5064,1560 litre	O
460	CM	85	CM	86 LEVEL CM	5298,7398 litre	50,749 %	5142,3434 litre	O
460	CM	85	CM	85 LEVEL CM	5220,5416 litre	50,000 %	5220,5416 litre	O
460	CM	85	CM	84 LEVEL CM	5142,3434 litre	49,251 %	5298,7398 litre	O
460	CM	85	CM	83 LEVEL CM	5064,1560 litre	48,502 %	5376,9272 litre	O
460	CM	85	CM	82 LEVEL CM	4985,9903 litre	47,754 %	5455,0929 litre	O
460	CM	85	CM	81 LEVEL CM	4907,8571 litre	47,005 %	5533,2261 litre	O
460	CM	85	CM	80 LEVEL CM	4829,7672 litre	46,257 %	5611,3160 litre	O
460	CM	85	CM	79 LEVEL CM	4751,7315 litre	45,510 %	5689,3517 litre	O
460	CM	85	CM	78 LEVEL CM	4673,7610 litre	44,763 %	5767,3222 litre	O
460	CM	85	CM	77 LEVEL CM	4595,8664 litre	44,017 %	5845,2168 litre	O
460	CM	85	CM	76 LEVEL CM	4518,0589 litre	43,272 %	5923,0243 litre	O
460	CM	85	CM	75 LEVEL CM	4440,3493 litre	42,528 %	6000,7339 litre	O
460	CM	85	CM	74 LEVEL CM	4362,7487 litre	41,784 %	6078,3345 litre	O
460	CM	85	CM	73 LEVEL CM	4285,2682 litre	41,042 %	6155,8150 litre	O
460	CM	85	CM	72 LEVEL CM	4207,9188 litre	40,302 %	6233,1644 litre	O
460	CM	85	CM	71 LEVEL CM	4130,7119 litre	39,562 %	6310,3713 litre	O
460	CM	85	CM	70 LEVEL CM	4053,6586 litre	38,824 %	6387,4246 litre	O
460	CM	85	CM	69 LEVEL CM	3976,7702 litre	38,088 %	6464,3130 litre	O
460	CM	85	CM	68 LEVEL CM	3900,0582 litre	37,353 %	6541,0250 litre	O
460	CM	85	CM	67 LEVEL CM	3823,5340 litre	36,620 %	6617,5492 litre	O
460	CM	85	CM	66 LEVEL CM	3747,2091 litre	35,889 %	6693,8741 litre	O

460	CM	85	CM	65 LEVEL CM	3671,0952 litre	35,160 %	6769,9880 litre	O
460	CM	85	CM	64 LEVEL CM	3595,2041 litre	34,433 %	6845,8791 litre	O
460	CM	85	CM	63 LEVEL CM	3519,5475 litre	33,709 %	6921,5357 litre	O
460	CM	85	CM	62 LEVEL CM	3444,1375 litre	32,986 %	6996,9457 litre	O
460	CM	85	CM	61 LEVEL CM	3368,9861 litre	32,267 %	7072,0971 litre	O
460	CM	85	CM	60 LEVEL CM	3294,1054 litre	31,549 %	7146,9778 litre	O
460	CM	85	CM	59 LEVEL CM	3219,5079 litre	30,835 %	7221,5753 litre	O
460	CM	85	CM	58 LEVEL CM	3145,2059 litre	30,123 %	7295,8773 litre	O
460	CM	85	CM	57 LEVEL CM	3071,2122 litre	29,415 %	7369,8710 litre	O
460	CM	85	CM	56 LEVEL CM	2997,5395 litre	28,709 %	7443,5437 litre	O
460	CM	85	CM	55 LEVEL CM	2924,2007 litre	28,007 %	7516,8825 litre	O
460	CM	85	CM	54 LEVEL CM	2851,2089 litre	27,308 %	7589,8743 litre	O
460	CM	85	CM	53 LEVEL CM	2778,5775 litre	26,612 %	7662,5057 litre	O
460	CM	85	CM	52 LEVEL CM	2706,3200 litre	25,920 %	7734,7632 litre	O
460	CM	85	CM	51 LEVEL CM	2634,4501 litre	25,232 %	7806,6331 litre	O
460	CM	85	CM	50 LEVEL CM	2562,9818 litre	24,547 %	7878,1014 litre	O
460	CM	85	CM	49 LEVEL CM	2491,9291 litre	23,867 %	7949,1541 litre	O
460	CM	85	CM	48 LEVEL CM	2421,3066 litre	23,190 %	8019,7766 litre	O
460	CM	85	CM	47 LEVEL CM	2351,1290 litre	22,518 %	8089,9542 litre	O
460	CM	85	CM	46 LEVEL CM	2281,4111 litre	21,850 %	8159,6721 litre	O
460	CM	85	CM	45 LEVEL CM	2212,1684 litre	21,187 %	8228,9148 litre	O
460	CM	85	CM	44 LEVEL CM	2143,4164 litre	20,529 %	8297,6668 litre	O
460	CM	85	CM	43 LEVEL CM	2075,1710 litre	19,875 %	8365,9122 litre	O
460	CM	85	CM	42 LEVEL CM	2007,4485 litre	19,226 %	8433,6347 litre	O
460	CM	85	CM	41 LEVEL CM	1940,2656 litre	18,583 %	8500,8176 litre	O
460	CM	85	CM	40 LEVEL CM	1873,6393 litre	17,945 %	8567,4439 litre	O
460	CM	85	CM	39 LEVEL CM	1807,5872 litre	17,312 %	8633,4960 litre	O
460	CM	85	CM	38 LEVEL CM	1742,1272 litre	16,685 %	8698,9560 litre	O
460	CM	85	CM	37 LEVEL CM	1677,2778 litre	16,064 %	8763,8054 litre	O
460	CM	85	CM	36 LEVEL CM	1613,0579 litre	15,449 %	8828,0253 litre	O
460	CM	85	CM	35 LEVEL CM	1549,4872 litre	14,840 %	8891,5960 litre	O
460	CM	85	CM	34 LEVEL CM	1486,5857 litre	14,238 %	8954,4975 litre	O
460	CM	85	CM	33 LEVEL CM	1424,3742 litre	13,642 %	9016,7090 litre	O
460	CM	85	CM	32 LEVEL CM	1362,8743 litre	13,053 %	9078,2089 litre	O
460	CM	85	CM	31 LEVEL CM	1302,1083 litre	12,471 %	9138,9749 litre	O
460	CM	85	CM	30 LEVEL CM	1242,0991 litre	11,896 %	9198,9841 litre	O
460	CM	85	CM	29 LEVEL CM	1182,8708 litre	11,329 %	9258,2124 litre	O
460	CM	85	CM	28 LEVEL CM	1124,4482 litre	10,769 %	9316,6350 litre	O
460	CM	85	CM	27 LEVEL CM	1066,8574 litre	10,218 %	9374,2258 litre	O
460	CM	85	CM	26 LEVEL CM	1010,1255 litre	9,675 %	9430,9577 litre	O
460	CM	85	CM	25 LEVEL CM	954,2808 litre	9,140 %	9486,8024 litre	O
460	CM	85	CM	24 LEVEL CM	899,3530 litre	8,614 %	9541,7302 litre	O
460	CM	85	CM	23 LEVEL CM	845,3734 litre	8,097 %	9595,7098 litre	O
460	CM	85	CM	22 LEVEL CM	792,3749 litre	7,589 %	9648,7083 litre	O
460	CM	85	CM	21 LEVEL CM	740,3924 litre	7,091 %	9700,6908 litre	O
460	CM	85	CM	20 LEVEL CM	689,4627 litre	6,603 %	9751,6205 litre	O
460	CM	85	CM	19 LEVEL CM	639,6249 litre	6,126 %	9801,4583 litre	O
460	CM	85	CM	18 LEVEL CM	590,9211 litre	5,660 %	9850,1621 litre	O
460	CM	85	CM	17 LEVEL CM	543,3959 litre	5,204 %	9897,6873 litre	O
460	CM	85	CM	16 LEVEL CM	497,0978 litre	4,761 %	9943,9854 litre	O
460	CM	85	CM	15 LEVEL CM	452,0789 litre	4,330 %	9989,0043 litre	O
460	CM	85	CM	14 LEVEL CM	408,3960 litre	3,911 %	10032,6872 litre	O
460	CM	85	CM	13 LEVEL CM	366,1113 litre	3,506 %	10074,9719 litre	O

460	CM	85	CM	12 LEVEL CM	325,2936 litre	3,116 %	10115,7896 litre	O
460	CM	85	CM	11 LEVEL CM	286,0189 litre	2,739 %	10155,0643 litre	O
460	CM	85	CM	10 LEVEL CM	248,3732 litre	2,379 %	10192,7100 litre	O
460	CM	85	CM	9 LEVEL CM	212,4536 litre	2,035 %	10228,6296 litre	O
460	CM	85	CM	8 LEVEL CM	178,3725 litre	1,708 %	10262,7107 litre	O
460	CM	85	CM	7 LEVEL CM	146,2612 litre	1,401 %	10294,8220 litre	O
460	CM	85	CM	6 LEVEL CM	116,2774 litre	1,114 %	10324,8058 litre	O
460	CM	85	CM	5 LEVEL CM	88,6148 litre	0,849 %	10352,4684 litre	O
460	CM	85	CM	4 LEVEL CM	63,5216 litre	0,608 %	10377,5616 litre	O
460	CM	85	CM	3 LEVEL CM	41,3324 litre	0,396 %	10399,7508 litre	O
460	CM	85	CM	2 LEVEL CM	22,5386 litre	0,216 %	10418,5446 litre	O
460	CM	85	CM	1 LEVEL CM	7,9828 litre	0,076 %	10433,1004 litre	O
460	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	10441,0832 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 80	CM 160 LEVEL CM	9248,8488 litre	100,000 %	0,0000 litre	O
460	CM 80	CM 159 LEVEL CM	9241,1052 litre	99,916 %	7,7436 litre	O
460	CM 80	CM 158 LEVEL CM	9226,9880 litre	99,764 %	21,8608 litre	O
460	CM 80	CM 157 LEVEL CM	9208,7639 litre	99,567 %	40,0849 litre	O
460	CM 80	CM 156 LEVEL CM	9187,2514 litre	99,334 %	61,5974 litre	O
460	CM 80	CM 155 LEVEL CM	9162,9281 litre	99,071 %	85,9207 litre	O
460	CM 80	CM 154 LEVEL CM	9136,1196 litre	98,781 %	112,7292 litre	O
460	CM 80	CM 153 LEVEL CM	9107,0672 litre	98,467 %	141,7816 litre	O
460	CM 80	CM 152 LEVEL CM	9075,9597 litre	98,131 %	172,8891 litre	O
460	CM 80	CM 151 LEVEL CM	9042,9506 litre	97,774 %	205,8982 litre	O
460	CM 80	CM 150 LEVEL CM	9008,1681 litre	97,398 %	240,6807 litre	O
460	CM 80	CM 149 LEVEL CM	8971,7215 litre	97,004 %	277,1273 litre	O
460	CM 80	CM 148 LEVEL CM	8933,7061 litre	96,593 %	315,1427 litre	O
460	CM 80	CM 147 LEVEL CM	8894,2054 litre	96,166 %	354,6434 litre	O
460	CM 80	CM 146 LEVEL CM	8853,2940 litre	95,723 %	395,5548 litre	O
460	CM 80	CM 145 LEVEL CM	8811,0391 litre	95,266 %	437,8097 litre	O
460	CM 80	CM 144 LEVEL CM	8767,5015 litre	94,796 %	481,3473 litre	O
460	CM 80	CM 143 LEVEL CM	8722,7369 litre	94,312 %	526,1119 litre	O
460	CM 80	CM 142 LEVEL CM	8676,7964 litre	93,815 %	572,0524 litre	O
460	CM 80	CM 141 LEVEL CM	8629,7274 litre	93,306 %	619,1214 litre	O
460	CM 80	CM 140 LEVEL CM	8581,5739 litre	92,785 %	667,2749 litre	O
460	CM 80	CM 139 LEVEL CM	8532,3770 litre	92,253 %	716,4718 litre	O
460	CM 80	CM 138 LEVEL CM	8482,1752 litre	91,711 %	766,6736 litre	O
460	CM 80	CM 137 LEVEL CM	8431,0049 litre	91,157 %	817,8439 litre	O
460	CM 80	CM 136 LEVEL CM	8378,9002 litre	90,594 %	869,9486 litre	O
460	CM 80	CM 135 LEVEL CM	8325,8936 litre	90,021 %	922,9552 litre	O
460	CM 80	CM 134 LEVEL CM	8272,0159 litre	89,438 %	976,8329 litre	O
460	CM 80	CM 133 LEVEL CM	8217,2964 litre	88,847 %	1031,5524 litre	O
460	CM 80	CM 132 LEVEL CM	8161,7631 litre	88,246 %	1087,0857 litre	O
460	CM 80	CM 131 LEVEL CM	8105,4428 litre	87,637 %	1143,4060 litre	O
460	CM 80	CM 130 LEVEL CM	8048,3612 litre	87,020 %	1200,4876 litre	O
460	CM 80	CM 129 LEVEL CM	7990,5429 litre	86,395 %	1258,3059 litre	O
460	CM 80	CM 128 LEVEL CM	7932,0117 litre	85,762 %	1316,8371 litre	O
460	CM 80	CM 127 LEVEL CM	7872,7904 litre	85,122 %	1376,0584 litre	O
460	CM 80	CM 126 LEVEL CM	7812,9011 litre	84,474 %	1435,9477 litre	O
460	CM 80	CM 125 LEVEL CM	7752,3652 litre	83,820 %	1496,4836 litre	O
460	CM 80	CM 124 LEVEL CM	7691,2033 litre	83,158 %	1557,6455 litre	O
460	CM 80	CM 123 LEVEL CM	7629,4355 litre	82,491 %	1619,4133 litre	O
460	CM 80	CM 122 LEVEL CM	7567,0813 litre	81,816 %	1681,7675 litre	O
460	CM 80	CM 121 LEVEL CM	7504,1595 litre	81,136 %	1744,6893 litre	O
460	CM 80	CM 120 LEVEL CM	7440,6886 litre	80,450 %	1808,1602 litre	O
460	CM 80	CM 119 LEVEL CM	7376,6865 litre	79,758 %	1872,1623 litre	O
460	CM 80	CM 118 LEVEL CM	7312,1706 litre	79,060 %	1936,6782 litre	O
460	CM 80	CM 117 LEVEL CM	7247,1582 litre	78,357 %	2001,6906 litre	O
460	CM 80	CM 116 LEVEL CM	7181,6658 litre	77,649 %	2067,1830 litre	O
460	CM 80	CM 115 LEVEL CM	7115,7098 litre	76,936 %	2133,1390 litre	O
460	CM 80	CM 114 LEVEL CM	7049,3061 litre	76,218 %	2199,5427 litre	O
460	CM 80	CM 113 LEVEL CM	6982,4705 litre	75,496 %	2266,3783 litre	O
460	CM 80	CM 112 LEVEL CM	6915,2182 litre	74,768 %	2333,6306 litre	O
460	CM 80	CM 111 LEVEL CM	6847,5644 litre	74,037 %	2401,2844 litre	O
460	CM 80	CM 110 LEVEL CM	6779,5239 litre	73,301 %	2469,3249 litre	O
460	CM 80	CM 109 LEVEL CM	6711,1112 litre	72,562 %	2537,7376 litre	O

460	CM	80	CM	108 LEVEL CM	6642,3406 litre	71,818 %	2606,5082 litre	O
460	CM	80	CM	107 LEVEL CM	6573,2263 litre	71,071 %	2675,6225 litre	O
460	CM	80	CM	106 LEVEL CM	6503,7821 litre	70,320 %	2745,0667 litre	O
460	CM	80	CM	105 LEVEL CM	6434,0217 litre	69,566 %	2814,8271 litre	O
460	CM	80	CM	104 LEVEL CM	6363,9587 litre	68,808 %	2884,8901 litre	O
460	CM	80	CM	103 LEVEL CM	6293,6063 litre	68,047 %	2955,2425 litre	O
460	CM	80	CM	102 LEVEL CM	6222,9777 litre	67,284 %	3025,8711 litre	O
460	CM	80	CM	101 LEVEL CM	6152,0860 litre	66,517 %	3096,7628 litre	O
460	CM	80	CM	100 LEVEL CM	6080,9440 litre	65,748 %	3167,9048 litre	O
460	CM	80	CM	99 LEVEL CM	6009,5644 litre	64,976 %	3239,2844 litre	O
460	CM	80	CM	98 LEVEL CM	5937,9599 litre	64,202 %	3310,8889 litre	O
460	CM	80	CM	97 LEVEL CM	5866,1430 litre	63,426 %	3382,7058 litre	O
460	CM	80	CM	96 LEVEL CM	5794,1259 litre	62,647 %	3454,7229 litre	O
460	CM	80	CM	95 LEVEL CM	5721,9211 litre	61,866 %	3526,9277 litre	O
460	CM	80	CM	94 LEVEL CM	5649,5406 litre	61,084 %	3599,3082 litre	O
460	CM	80	CM	93 LEVEL CM	5576,9966 litre	60,299 %	3671,8522 litre	O
460	CM	80	CM	92 LEVEL CM	5504,3011 litre	59,513 %	3744,5477 litre	O
460	CM	80	CM	91 LEVEL CM	5431,4660 litre	58,726 %	3817,3828 litre	O
460	CM	80	CM	90 LEVEL CM	5358,5032 litre	57,937 %	3890,3456 litre	O
460	CM	80	CM	89 LEVEL CM	5285,4245 litre	57,147 %	3963,4243 litre	O
460	CM	80	CM	88 LEVEL CM	5212,2416 litre	56,356 %	4036,6072 litre	O
460	CM	80	CM	87 LEVEL CM	5138,9662 litre	55,563 %	4109,8826 litre	O
460	CM	80	CM	86 LEVEL CM	5065,6100 litre	54,770 %	4183,2388 litre	O
460	CM	80	CM	85 LEVEL CM	4992,1847 litre	53,976 %	4256,6641 litre	O
460	CM	80	CM	84 LEVEL CM	4918,7017 litre	53,182 %	4330,1471 litre	O
460	CM	80	CM	83 LEVEL CM	4845,1726 litre	52,387 %	4403,6762 litre	O
460	CM	80	CM	82 LEVEL CM	4771,6091 litre	51,591 %	4477,2397 litre	O
460	CM	80	CM	81 LEVEL CM	4698,0225 litre	50,796 %	4550,8263 litre	O
460	CM	80	CM	80 LEVEL CM	4624,4244 litre	50,000 %	4624,4244 litre	O
460	CM	80	CM	79 LEVEL CM	4550,8263 litre	49,204 %	4698,0225 litre	O
460	CM	80	CM	78 LEVEL CM	4477,2397 litre	48,409 %	4771,6091 litre	O
460	CM	80	CM	77 LEVEL CM	4403,6761 litre	47,613 %	4845,1727 litre	O
460	CM	80	CM	76 LEVEL CM	4330,1471 litre	46,818 %	4918,7017 litre	O
460	CM	80	CM	75 LEVEL CM	4256,6641 litre	46,024 %	4992,1847 litre	O
460	CM	80	CM	74 LEVEL CM	4183,2387 litre	45,230 %	5065,6101 litre	O
460	CM	80	CM	73 LEVEL CM	4109,8826 litre	44,437 %	5138,9662 litre	O
460	CM	80	CM	72 LEVEL CM	4036,6072 litre	43,644 %	5212,2416 litre	O
460	CM	80	CM	71 LEVEL CM	3963,4243 litre	42,853 %	5285,4245 litre	O
460	CM	80	CM	70 LEVEL CM	3890,3456 litre	42,063 %	5358,5032 litre	O
460	CM	80	CM	69 LEVEL CM	3817,3828 litre	41,274 %	5431,4660 litre	O
460	CM	80	CM	68 LEVEL CM	3744,5477 litre	40,487 %	5504,3011 litre	O
460	CM	80	CM	67 LEVEL CM	3671,8521 litre	39,701 %	5576,9967 litre	O
460	CM	80	CM	66 LEVEL CM	3599,3081 litre	38,916 %	5649,5407 litre	O
460	CM	80	CM	65 LEVEL CM	3526,9277 litre	38,134 %	5721,9211 litre	O
460	CM	80	CM	64 LEVEL CM	3454,7228 litre	37,353 %	5794,1260 litre	O
460	CM	80	CM	63 LEVEL CM	3382,7058 litre	36,574 %	5866,1430 litre	O
460	CM	80	CM	62 LEVEL CM	3310,8888 litre	35,798 %	5937,9600 litre	O
460	CM	80	CM	61 LEVEL CM	3239,2843 litre	35,024 %	6009,5645 litre	O
460	CM	80	CM	60 LEVEL CM	3167,9048 litre	34,252 %	6080,9440 litre	O
460	CM	80	CM	59 LEVEL CM	3096,7628 litre	33,483 %	6152,0860 litre	O
460	CM	80	CM	58 LEVEL CM	3025,8711 litre	32,716 %	6222,9777 litre	O
460	CM	80	CM	57 LEVEL CM	2955,2425 litre	31,953 %	6293,6063 litre	O
460	CM	80	CM	56 LEVEL CM	2884,8901 litre	31,192 %	6363,9587 litre	O

460	CM	80	CM	55 LEVEL CM	2814,8271 litre	30,434 %	6434,0217 litre	O
460	CM	80	CM	54 LEVEL CM	2745,0667 litre	29,680 %	6503,7821 litre	O
460	CM	80	CM	53 LEVEL CM	2675,6225 litre	28,929 %	6573,2263 litre	O
460	CM	80	CM	52 LEVEL CM	2606,5082 litre	28,182 %	6642,3406 litre	O
460	CM	80	CM	51 LEVEL CM	2537,7376 litre	27,438 %	6711,1112 litre	O
460	CM	80	CM	50 LEVEL CM	2469,3249 litre	26,699 %	6779,5239 litre	O
460	CM	80	CM	49 LEVEL CM	2401,2844 litre	25,963 %	6847,5644 litre	O
460	CM	80	CM	48 LEVEL CM	2333,6306 litre	25,232 %	6915,2182 litre	O
460	CM	80	CM	47 LEVEL CM	2266,3783 litre	24,504 %	6982,4705 litre	O
460	CM	80	CM	46 LEVEL CM	2199,5427 litre	23,782 %	7049,3061 litre	O
460	CM	80	CM	45 LEVEL CM	2133,1390 litre	23,064 %	7115,7098 litre	O
460	CM	80	CM	44 LEVEL CM	2067,1830 litre	22,351 %	7181,6658 litre	O
460	CM	80	CM	43 LEVEL CM	2001,6906 litre	21,643 %	7247,1582 litre	O
460	CM	80	CM	42 LEVEL CM	1936,6781 litre	20,940 %	7312,1707 litre	O
460	CM	80	CM	41 LEVEL CM	1872,1623 litre	20,242 %	7376,6865 litre	O
460	CM	80	CM	40 LEVEL CM	1808,1602 litre	19,550 %	7440,6886 litre	O
460	CM	80	CM	39 LEVEL CM	1744,6893 litre	18,864 %	7504,1595 litre	O
460	CM	80	CM	38 LEVEL CM	1681,7675 litre	18,184 %	7567,0813 litre	O
460	CM	80	CM	37 LEVEL CM	1619,4132 litre	17,509 %	7629,4356 litre	O
460	CM	80	CM	36 LEVEL CM	1557,6455 litre	16,842 %	7691,2033 litre	O
460	CM	80	CM	35 LEVEL CM	1496,4836 litre	16,180 %	7752,3652 litre	O
460	CM	80	CM	34 LEVEL CM	1435,9477 litre	15,526 %	7812,9011 litre	O
460	CM	80	CM	33 LEVEL CM	1376,0584 litre	14,878 %	7872,7904 litre	O
460	CM	80	CM	32 LEVEL CM	1316,8371 litre	14,238 %	7932,0117 litre	O
460	CM	80	CM	31 LEVEL CM	1258,3059 litre	13,605 %	7990,5429 litre	O
460	CM	80	CM	30 LEVEL CM	1200,4876 litre	12,980 %	8048,3612 litre	O
460	CM	80	CM	29 LEVEL CM	1143,4060 litre	12,363 %	8105,4428 litre	O
460	CM	80	CM	28 LEVEL CM	1087,0857 litre	11,754 %	8161,7631 litre	O
460	CM	80	CM	27 LEVEL CM	1031,5524 litre	11,153 %	8217,2964 litre	O
460	CM	80	CM	26 LEVEL CM	976,8329 litre	10,562 %	8272,0159 litre	O
460	CM	80	CM	25 LEVEL CM	922,9552 litre	9,979 %	8325,8936 litre	O
460	CM	80	CM	24 LEVEL CM	869,9486 litre	9,406 %	8378,9002 litre	O
460	CM	80	CM	23 LEVEL CM	817,8439 litre	8,843 %	8431,0049 litre	O
460	CM	80	CM	22 LEVEL CM	766,6736 litre	8,289 %	8482,1752 litre	O
460	CM	80	CM	21 LEVEL CM	716,4718 litre	7,747 %	8532,3770 litre	O
460	CM	80	CM	20 LEVEL CM	667,2749 litre	7,215 %	8581,5739 litre	O
460	CM	80	CM	19 LEVEL CM	619,1214 litre	6,694 %	8629,7274 litre	O
460	CM	80	CM	18 LEVEL CM	572,0524 litre	6,185 %	8676,7964 litre	O
460	CM	80	CM	17 LEVEL CM	526,1119 litre	5,688 %	8722,7369 litre	O
460	CM	80	CM	16 LEVEL CM	481,3473 litre	5,204 %	8767,5015 litre	O
460	CM	80	CM	15 LEVEL CM	437,8097 litre	4,734 %	8811,0391 litre	O
460	CM	80	CM	14 LEVEL CM	395,5547 litre	4,277 %	8853,2941 litre	O
460	CM	80	CM	13 LEVEL CM	354,6434 litre	3,834 %	8894,2054 litre	O
460	CM	80	CM	12 LEVEL CM	315,1427 litre	3,407 %	8933,7061 litre	O
460	CM	80	CM	11 LEVEL CM	277,1272 litre	2,996 %	8971,7216 litre	O
460	CM	80	CM	10 LEVEL CM	240,6807 litre	2,602 %	9008,1681 litre	O
460	CM	80	CM	9 LEVEL CM	205,8982 litre	2,226 %	9042,9506 litre	O
460	CM	80	CM	8 LEVEL CM	172,8891 litre	1,869 %	9075,9597 litre	O
460	CM	80	CM	7 LEVEL CM	141,7816 litre	1,533 %	9107,0672 litre	O
460	CM	80	CM	6 LEVEL CM	112,7292 litre	1,219 %	9136,1196 litre	O
460	CM	80	CM	5 LEVEL CM	85,9207 litre	0,929 %	9162,9281 litre	O
460	CM	80	CM	4 LEVEL CM	61,5974 litre	0,666 %	9187,2514 litre	O
460	CM	80	CM	3 LEVEL CM	40,0849 litre	0,433 %	9208,7639 litre	O

460_80

-1021-

460	CM 80	CM	2 LEVEL CM	21,8608 litre	0,236 %	9226,9880 litre	O
460	CM 80	CM	1 LEVEL CM	7,7436 litre	0,084 %	9241,1052 litre	O
460	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	9248,8488 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	75	CM	150 LEVEL CM	8128,8710 litre	100,000 %	0,0000 litre	O
460	CM	75	CM	149 LEVEL CM	8121,3743 litre	99,908 %	7,4967 litre	O
460	CM	75	CM	148 LEVEL CM	8107,7097 litre	99,740 %	21,1613 litre	O
460	CM	75	CM	147 LEVEL CM	8090,0737 litre	99,523 %	38,7973 litre	O
460	CM	75	CM	146 LEVEL CM	8069,2599 litre	99,267 %	59,6111 litre	O
460	CM	75	CM	145 LEVEL CM	8045,7318 litre	98,977 %	83,1392 litre	O
460	CM	75	CM	144 LEVEL CM	8019,8054 litre	98,658 %	109,0656 litre	O
460	CM	75	CM	143 LEVEL CM	7991,7153 litre	98,313 %	137,1557 litre	O
460	CM	75	CM	142 LEVEL CM	7961,6451 litre	97,943 %	167,2259 litre	O
460	CM	75	CM	141 LEVEL CM	7929,7440 litre	97,550 %	199,1270 litre	O
460	CM	75	CM	140 LEVEL CM	7896,1369 litre	97,137 %	232,7341 litre	O
460	CM	75	CM	139 LEVEL CM	7860,9305 litre	96,704 %	267,9405 litre	O
460	CM	75	CM	138 LEVEL CM	7824,2174 litre	96,252 %	304,6536 litre	O
460	CM	75	CM	137 LEVEL CM	7786,0792 litre	95,783 %	342,7918 litre	O
460	CM	75	CM	136 LEVEL CM	7746,5889 litre	95,297 %	382,2821 litre	O
460	CM	75	CM	135 LEVEL CM	7705,8119 litre	94,796 %	423,0591 litre	O
460	CM	75	CM	134 LEVEL CM	7663,8078 litre	94,279 %	465,0632 litre	O
460	CM	75	CM	133 LEVEL CM	7620,6311 litre	93,748 %	508,2399 litre	O
460	CM	75	CM	132 LEVEL CM	7576,3319 litre	93,203 %	552,5391 litre	O
460	CM	75	CM	131 LEVEL CM	7530,9566 litre	92,645 %	597,9144 litre	O
460	CM	75	CM	130 LEVEL CM	7484,5484 litre	92,074 %	644,3226 litre	O
460	CM	75	CM	129 LEVEL CM	7437,1477 litre	91,491 %	691,7233 litre	O
460	CM	75	CM	128 LEVEL CM	7388,7922 litre	90,896 %	740,0788 litre	O
460	CM	75	CM	127 LEVEL CM	7339,5178 litre	90,290 %	789,3532 litre	O
460	CM	75	CM	126 LEVEL CM	7289,3580 litre	89,672 %	839,5130 litre	O
460	CM	75	CM	125 LEVEL CM	7238,3449 litre	89,045 %	890,5261 litre	O
460	CM	75	CM	124 LEVEL CM	7186,5088 litre	88,407 %	942,3622 litre	O
460	CM	75	CM	123 LEVEL CM	7133,8786 litre	87,760 %	994,9924 litre	O
460	CM	75	CM	122 LEVEL CM	7080,4821 litre	87,103 %	1048,3889 litre	O
460	CM	75	CM	121 LEVEL CM	7026,3456 litre	86,437 %	1102,5254 litre	O
460	CM	75	CM	120 LEVEL CM	6971,4946 litre	85,762 %	1157,3764 litre	O
460	CM	75	CM	119 LEVEL CM	6915,9536 litre	85,079 %	1212,9174 litre	O
460	CM	75	CM	118 LEVEL CM	6859,7460 litre	84,387 %	1269,1250 litre	O
460	CM	75	CM	117 LEVEL CM	6802,8945 litre	83,688 %	1325,9765 litre	O
460	CM	75	CM	116 LEVEL CM	6745,4212 litre	82,981 %	1383,4498 litre	O
460	CM	75	CM	115 LEVEL CM	6687,3472 litre	82,267 %	1441,5238 litre	O
460	CM	75	CM	114 LEVEL CM	6628,6930 litre	81,545 %	1500,1780 litre	O
460	CM	75	CM	113 LEVEL CM	6569,4788 litre	80,817 %	1559,3922 litre	O
460	CM	75	CM	112 LEVEL CM	6509,7238 litre	80,082 %	1619,1472 litre	O
460	CM	75	CM	111 LEVEL CM	6449,4470 litre	79,340 %	1679,4240 litre	O
460	CM	75	CM	110 LEVEL CM	6388,6668 litre	78,592 %	1740,2042 litre	O
460	CM	75	CM	109 LEVEL CM	6327,4011 litre	77,839 %	1801,4699 litre	O
460	CM	75	CM	108 LEVEL CM	6265,6675 litre	77,079 %	1863,2035 litre	O
460	CM	75	CM	107 LEVEL CM	6203,4831 litre	76,314 %	1925,3879 litre	O
460	CM	75	CM	106 LEVEL CM	6140,8646 litre	75,544 %	1988,0064 litre	O
460	CM	75	CM	105 LEVEL CM	6077,8285 litre	74,768 %	2051,0425 litre	O
460	CM	75	CM	104 LEVEL CM	6014,3908 litre	73,988 %	2114,4802 litre	O
460	CM	75	CM	103 LEVEL CM	5950,5674 litre	73,203 %	2178,3036 litre	O
460	CM	75	CM	102 LEVEL CM	5886,3737 litre	72,413 %	2242,4973 litre	O
460	CM	75	CM	101 LEVEL CM	5821,8250 litre	71,619 %	2307,0460 litre	O
460	CM	75	CM	100 LEVEL CM	5756,9363 litre	70,821 %	2371,9347 litre	O
460	CM	75	CM	99 LEVEL CM	5691,7223 litre	70,019 %	2437,1487 litre	O

460	CM	75	CM	98 LEVEL CM	5626,1975 litre	69,213 %	2502,6735 litre	O
460	CM	75	CM	97 LEVEL CM	5560,3763 litre	68,403 %	2568,4947 litre	O
460	CM	75	CM	96 LEVEL CM	5494,2728 litre	67,590 %	2634,5982 litre	O
460	CM	75	CM	95 LEVEL CM	5427,9009 litre	66,773 %	2700,9701 litre	O
460	CM	75	CM	94 LEVEL CM	5361,2745 litre	65,953 %	2767,5965 litre	O
460	CM	75	CM	93 LEVEL CM	5294,4071 litre	65,131 %	2834,4639 litre	O
460	CM	75	CM	92 LEVEL CM	5227,3123 litre	64,306 %	2901,5587 litre	O
460	CM	75	CM	91 LEVEL CM	5160,0033 litre	63,477 %	2968,8677 litre	O
460	CM	75	CM	90 LEVEL CM	5092,4935 litre	62,647 %	3036,3775 litre	O
460	CM	75	CM	89 LEVEL CM	5024,7958 litre	61,814 %	3104,0752 litre	O
460	CM	75	CM	88 LEVEL CM	4956,9234 litre	60,979 %	3171,9476 litre	O
460	CM	75	CM	87 LEVEL CM	4888,8890 litre	60,142 %	3239,9820 litre	O
460	CM	75	CM	86 LEVEL CM	4820,7055 litre	59,304 %	3308,1655 litre	O
460	CM	75	CM	85 LEVEL CM	4752,3856 litre	58,463 %	3376,4854 litre	O
460	CM	75	CM	84 LEVEL CM	4683,9419 litre	57,621 %	3444,9291 litre	O
460	CM	75	CM	83 LEVEL CM	4615,3869 litre	56,778 %	3513,4841 litre	O
460	CM	75	CM	82 LEVEL CM	4546,7333 litre	55,933 %	3582,1377 litre	O
460	CM	75	CM	81 LEVEL CM	4477,9935 litre	55,088 %	3650,8775 litre	O
460	CM	75	CM	80 LEVEL CM	4409,1798 litre	54,241 %	3719,6912 litre	O
460	CM	75	CM	79 LEVEL CM	4340,3046 litre	53,394 %	3788,5664 litre	O
460	CM	75	CM	78 LEVEL CM	4271,3803 litre	52,546 %	3857,4907 litre	O
460	CM	75	CM	77 LEVEL CM	4202,4191 litre	51,697 %	3926,4519 litre	O
460	CM	75	CM	76 LEVEL CM	4133,4335 litre	50,849 %	3995,4375 litre	O
460	CM	75	CM	75 LEVEL CM	4064,4355 litre	50,000 %	4064,4355 litre	O
460	CM	75	CM	74 LEVEL CM	3995,4375 litre	49,151 %	4133,4335 litre	O
460	CM	75	CM	73 LEVEL CM	3926,4519 litre	48,303 %	4202,4191 litre	O
460	CM	75	CM	72 LEVEL CM	3857,4907 litre	47,454 %	4271,3803 litre	O
460	CM	75	CM	71 LEVEL CM	3788,5664 litre	46,606 %	4340,3046 litre	O
460	CM	75	CM	70 LEVEL CM	3719,6912 litre	45,759 %	4409,1798 litre	O
460	CM	75	CM	69 LEVEL CM	3650,8775 litre	44,912 %	4477,9935 litre	O
460	CM	75	CM	68 LEVEL CM	3582,1377 litre	44,067 %	4546,7333 litre	O
460	CM	75	CM	67 LEVEL CM	3513,4840 litre	43,222 %	4615,3870 litre	O
460	CM	75	CM	66 LEVEL CM	3444,9291 litre	42,379 %	4683,9419 litre	O
460	CM	75	CM	65 LEVEL CM	3376,4854 litre	41,537 %	4752,3856 litre	O
460	CM	75	CM	64 LEVEL CM	3308,1655 litre	40,696 %	4820,7055 litre	O
460	CM	75	CM	63 LEVEL CM	3239,9820 litre	39,858 %	4888,8890 litre	O
460	CM	75	CM	62 LEVEL CM	3171,9476 litre	39,021 %	4956,9234 litre	O
460	CM	75	CM	61 LEVEL CM	3104,0751 litre	38,186 %	5024,7959 litre	O
460	CM	75	CM	60 LEVEL CM	3036,3775 litre	37,353 %	5092,4935 litre	O
460	CM	75	CM	59 LEVEL CM	2968,8677 litre	36,523 %	5160,0033 litre	O
460	CM	75	CM	58 LEVEL CM	2901,5587 litre	35,694 %	5227,3123 litre	O
460	CM	75	CM	57 LEVEL CM	2834,4639 litre	34,869 %	5294,4071 litre	O
460	CM	75	CM	56 LEVEL CM	2767,5965 litre	34,047 %	5361,2745 litre	O
460	CM	75	CM	55 LEVEL CM	2700,9701 litre	33,227 %	5427,9009 litre	O
460	CM	75	CM	54 LEVEL CM	2634,5982 litre	32,410 %	5494,2728 litre	O
460	CM	75	CM	53 LEVEL CM	2568,4947 litre	31,597 %	5560,3763 litre	O
460	CM	75	CM	52 LEVEL CM	2502,6735 litre	30,787 %	5626,1975 litre	O
460	CM	75	CM	51 LEVEL CM	2437,1487 litre	29,981 %	5691,7223 litre	O
460	CM	75	CM	50 LEVEL CM	2371,9347 litre	29,179 %	5756,9363 litre	O
460	CM	75	CM	49 LEVEL CM	2307,0460 litre	28,381 %	5821,8250 litre	O
460	CM	75	CM	48 LEVEL CM	2242,4973 litre	27,587 %	5886,3737 litre	O
460	CM	75	CM	47 LEVEL CM	2178,3036 litre	26,797 %	5950,5674 litre	O
460	CM	75	CM	46 LEVEL CM	2114,4801 litre	26,012 %	6014,3909 litre	O

460	CM	75	CM	45 LEVEL CM	2051,0425 litre	25,232 %	6077,8285 litre	O
460	CM	75	CM	44 LEVEL CM	1988,0064 litre	24,456 %	6140,8646 litre	O
460	CM	75	CM	43 LEVEL CM	1925,3879 litre	23,686 %	6203,4831 litre	O
460	CM	75	CM	42 LEVEL CM	1863,2035 litre	22,921 %	6265,6675 litre	O
460	CM	75	CM	41 LEVEL CM	1801,4698 litre	22,161 %	6327,4012 litre	O
460	CM	75	CM	40 LEVEL CM	1740,2042 litre	21,408 %	6388,6668 litre	O
460	CM	75	CM	39 LEVEL CM	1679,4240 litre	20,660 %	6449,4470 litre	O
460	CM	75	CM	38 LEVEL CM	1619,1472 litre	19,918 %	6509,7238 litre	O
460	CM	75	CM	37 LEVEL CM	1559,3922 litre	19,183 %	6569,4788 litre	O
460	CM	75	CM	36 LEVEL CM	1500,1780 litre	18,455 %	6628,6930 litre	O
460	CM	75	CM	35 LEVEL CM	1441,5238 litre	17,733 %	6687,3472 litre	O
460	CM	75	CM	34 LEVEL CM	1383,4498 litre	17,019 %	6745,4212 litre	O
460	CM	75	CM	33 LEVEL CM	1325,9765 litre	16,312 %	6802,8945 litre	O
460	CM	75	CM	32 LEVEL CM	1269,1250 litre	15,613 %	6859,7460 litre	O
460	CM	75	CM	31 LEVEL CM	1212,9174 litre	14,921 %	6915,9536 litre	O
460	CM	75	CM	30 LEVEL CM	1157,3764 litre	14,238 %	6971,4946 litre	O
460	CM	75	CM	29 LEVEL CM	1102,5254 litre	13,563 %	7026,3456 litre	O
460	CM	75	CM	28 LEVEL CM	1048,3889 litre	12,897 %	7080,4821 litre	O
460	CM	75	CM	27 LEVEL CM	994,9924 litre	12,240 %	7133,8786 litre	O
460	CM	75	CM	26 LEVEL CM	942,3622 litre	11,593 %	7186,5088 litre	O
460	CM	75	CM	25 LEVEL CM	890,5261 litre	10,955 %	7238,3449 litre	O
460	CM	75	CM	24 LEVEL CM	839,5130 litre	10,328 %	7289,3580 litre	O
460	CM	75	CM	23 LEVEL CM	789,3532 litre	9,710 %	7339,5178 litre	O
460	CM	75	CM	22 LEVEL CM	740,0787 litre	9,104 %	7388,7923 litre	O
460	CM	75	CM	21 LEVEL CM	691,7233 litre	8,509 %	7437,1477 litre	O
460	CM	75	CM	20 LEVEL CM	644,3226 litre	7,926 %	7484,5484 litre	O
460	CM	75	CM	19 LEVEL CM	597,9144 litre	7,355 %	7530,9566 litre	O
460	CM	75	CM	18 LEVEL CM	552,5391 litre	6,797 %	7576,3319 litre	O
460	CM	75	CM	17 LEVEL CM	508,2399 litre	6,252 %	7620,6311 litre	O
460	CM	75	CM	16 LEVEL CM	465,0632 litre	5,721 %	7663,8078 litre	O
460	CM	75	CM	15 LEVEL CM	423,0591 litre	5,204 %	7705,8119 litre	O
460	CM	75	CM	14 LEVEL CM	382,2821 litre	4,703 %	7746,5889 litre	O
460	CM	75	CM	13 LEVEL CM	342,7918 litre	4,217 %	7786,0792 litre	O
460	CM	75	CM	12 LEVEL CM	304,6536 litre	3,748 %	7824,2174 litre	O
460	CM	75	CM	11 LEVEL CM	267,9405 litre	3,296 %	7860,9305 litre	O
460	CM	75	CM	10 LEVEL CM	232,7340 litre	2,863 %	7896,1370 litre	O
460	CM	75	CM	9 LEVEL CM	199,1270 litre	2,450 %	7929,7440 litre	O
460	CM	75	CM	8 LEVEL CM	167,2259 litre	2,057 %	7961,6451 litre	O
460	CM	75	CM	7 LEVEL CM	137,1557 litre	1,687 %	7991,7153 litre	O
460	CM	75	CM	6 LEVEL CM	109,0656 litre	1,342 %	8019,8054 litre	O
460	CM	75	CM	5 LEVEL CM	83,1392 litre	1,023 %	8045,7318 litre	O
460	CM	75	CM	4 LEVEL CM	59,6111 litre	0,733 %	8069,2599 litre	O
460	CM	75	CM	3 LEVEL CM	38,7973 litre	0,477 %	8090,0737 litre	O
460	CM	75	CM	2 LEVEL CM	21,1613 litre	0,260 %	8107,7097 litre	O
460	CM	75	CM	1 LEVEL CM	7,4967 litre	0,092 %	8121,3743 litre	O
460	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	8128,8710 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM 70	CM 140 LEVEL CM	7081,1498 litre	100,000 %	0,0000 litre	O
460	CM 70	CM 139 LEVEL CM	7073,9084 litre	99,898 %	7,2414 litre	O
460	CM 70	CM 138 LEVEL CM	7060,7120 litre	99,711 %	20,4378 litre	O
460	CM 70	CM 137 LEVEL CM	7043,6844 litre	99,471 %	37,4654 litre	O
460	CM 70	CM 136 LEVEL CM	7023,5936 litre	99,187 %	57,5562 litre	O
460	CM 70	CM 135 LEVEL CM	7000,8884 litre	98,867 %	80,2614 litre	O
460	CM 70	CM 134 LEVEL CM	6975,8753 litre	98,513 %	105,2745 litre	O
460	CM 70	CM 133 LEVEL CM	6948,7816 litre	98,131 %	132,3682 litre	O
460	CM 70	CM 132 LEVEL CM	6919,7858 litre	97,721 %	161,3640 litre	O
460	CM 70	CM 131 LEVEL CM	6889,0326 litre	97,287 %	192,1172 litre	O
460	CM 70	CM 130 LEVEL CM	6856,6437 litre	96,830 %	224,5061 litre	O
460	CM 70	CM 129 LEVEL CM	6822,7226 litre	96,350 %	258,4272 litre	O
460	CM 70	CM 128 LEVEL CM	6787,3597 litre	95,851 %	293,7901 litre	O
460	CM 70	CM 127 LEVEL CM	6750,6346 litre	95,332 %	330,5152 litre	O
460	CM 70	CM 126 LEVEL CM	6712,6183 litre	94,796 %	368,5315 litre	O
460	CM 70	CM 125 LEVEL CM	6673,3749 litre	94,241 %	407,7749 litre	O
460	CM 70	CM 124 LEVEL CM	6632,9625 litre	93,671 %	448,1873 litre	O
460	CM 70	CM 123 LEVEL CM	6591,4344 litre	93,084 %	489,7154 litre	O
460	CM 70	CM 122 LEVEL CM	6548,8397 litre	92,483 %	532,3101 litre	O
460	CM 70	CM 121 LEVEL CM	6505,2239 litre	91,867 %	575,9259 litre	O
460	CM 70	CM 120 LEVEL CM	6460,6293 litre	91,237 %	620,5205 litre	O
460	CM 70	CM 119 LEVEL CM	6415,0955 litre	90,594 %	666,0543 litre	O
460	CM 70	CM 118 LEVEL CM	6368,6597 litre	89,938 %	712,4901 litre	O
460	CM 70	CM 117 LEVEL CM	6321,3571 litre	89,270 %	759,7927 litre	O
460	CM 70	CM 116 LEVEL CM	6273,2207 litre	88,590 %	807,9291 litre	O
460	CM 70	CM 115 LEVEL CM	6224,2822 litre	87,899 %	856,8676 litre	O
460	CM 70	CM 114 LEVEL CM	6174,5715 litre	87,197 %	906,5783 litre	O
460	CM 70	CM 113 LEVEL CM	6124,1171 litre	86,485 %	957,0327 litre	O
460	CM 70	CM 112 LEVEL CM	6072,9464 litre	85,762 %	1008,2034 litre	O
460	CM 70	CM 111 LEVEL CM	6021,0857 litre	85,030 %	1060,0641 litre	O
460	CM 70	CM 110 LEVEL CM	5968,5600 litre	84,288 %	1112,5898 litre	O
460	CM 70	CM 109 LEVEL CM	5915,3936 litre	83,537 %	1165,7562 litre	O
460	CM 70	CM 108 LEVEL CM	5861,6100 litre	82,778 %	1219,5398 litre	O
460	CM 70	CM 107 LEVEL CM	5807,2316 litre	82,010 %	1273,9182 litre	O
460	CM 70	CM 106 LEVEL CM	5752,2802 litre	81,234 %	1328,8696 litre	O
460	CM 70	CM 105 LEVEL CM	5696,7772 litre	80,450 %	1384,3726 litre	O
460	CM 70	CM 104 LEVEL CM	5640,7429 litre	79,659 %	1440,4069 litre	O
460	CM 70	CM 103 LEVEL CM	5584,1974 litre	78,860 %	1496,9524 litre	O
460	CM 70	CM 102 LEVEL CM	5527,1600 litre	78,055 %	1553,9898 litre	O
460	CM 70	CM 101 LEVEL CM	5469,6498 litre	77,242 %	1611,5000 litre	O
460	CM 70	CM 100 LEVEL CM	5411,6850 litre	76,424 %	1669,4648 litre	O
460	CM 70	CM 99 LEVEL CM	5353,2839 litre	75,599 %	1727,8659 litre	O
460	CM 70	CM 98 LEVEL CM	5294,4639 litre	74,768 %	1786,6859 litre	O
460	CM 70	CM 97 LEVEL CM	5235,2424 litre	73,932 %	1845,9074 litre	O
460	CM 70	CM 96 LEVEL CM	5175,6363 litre	73,090 %	1905,5135 litre	O
460	CM 70	CM 95 LEVEL CM	5115,6621 litre	72,243 %	1965,4877 litre	O
460	CM 70	CM 94 LEVEL CM	5055,3361 litre	71,391 %	2025,8137 litre	O
460	CM 70	CM 93 LEVEL CM	4994,6742 litre	70,535 %	2086,4756 litre	O
460	CM 70	CM 92 LEVEL CM	4933,6923 litre	69,674 %	2147,4575 litre	O
460	CM 70	CM 91 LEVEL CM	4872,4059 litre	68,808 %	2208,7439 litre	O
460	CM 70	CM 90 LEVEL CM	4810,8300 litre	67,939 %	2270,3198 litre	O
460	CM 70	CM 89 LEVEL CM	4748,9799 litre	67,065 %	2332,1699 litre	O

460	CM	70	CM	88 LEVEL CM	4686,8703 litre	66,188 %	2394,2795 litre	O
460	CM	70	CM	87 LEVEL CM	4624,5158 litre	65,307 %	2456,6340 litre	O
460	CM	70	CM	86 LEVEL CM	4561,9311 litre	64,424 %	2519,2187 litre	O
460	CM	70	CM	85 LEVEL CM	4499,1303 litre	63,537 %	2582,0195 litre	O
460	CM	70	CM	84 LEVEL CM	4436,1277 litre	62,647 %	2645,0221 litre	O
460	CM	70	CM	83 LEVEL CM	4372,9372 litre	61,755 %	2708,2126 litre	O
460	CM	70	CM	82 LEVEL CM	4309,5729 litre	60,860 %	2771,5769 litre	O
460	CM	70	CM	81 LEVEL CM	4246,0485 litre	59,963 %	2835,1013 litre	O
460	CM	70	CM	80 LEVEL CM	4182,3777 litre	59,064 %	2898,7721 litre	O
460	CM	70	CM	79 LEVEL CM	4118,5741 litre	58,163 %	2962,5757 litre	O
460	CM	70	CM	78 LEVEL CM	4054,6512 litre	57,260 %	3026,4986 litre	O
460	CM	70	CM	77 LEVEL CM	3990,6225 litre	56,356 %	3090,5273 litre	O
460	CM	70	CM	76 LEVEL CM	3926,5013 litre	55,450 %	3154,6485 litre	O
460	CM	70	CM	75 LEVEL CM	3862,3009 litre	54,543 %	3218,8489 litre	O
460	CM	70	CM	74 LEVEL CM	3798,0347 litre	53,636 %	3283,1151 litre	O
460	CM	70	CM	73 LEVEL CM	3733,7158 litre	52,728 %	3347,4340 litre	O
460	CM	70	CM	72 LEVEL CM	3669,3574 litre	51,819 %	3411,7924 litre	O
460	CM	70	CM	71 LEVEL CM	3604,9727 litre	50,909 %	3476,1771 litre	O
460	CM	70	CM	70 LEVEL CM	3540,5749 litre	50,000 %	3540,5749 litre	O
460	CM	70	CM	69 LEVEL CM	3476,1771 litre	49,091 %	3604,9727 litre	O
460	CM	70	CM	68 LEVEL CM	3411,7924 litre	48,181 %	3669,3574 litre	O
460	CM	70	CM	67 LEVEL CM	3347,4341 litre	47,272 %	3733,7157 litre	O
460	CM	70	CM	66 LEVEL CM	3283,1152 litre	46,364 %	3798,0346 litre	O
460	CM	70	CM	65 LEVEL CM	3218,8489 litre	45,457 %	3862,3009 litre	O
460	CM	70	CM	64 LEVEL CM	3154,6486 litre	44,550 %	3926,5012 litre	O
460	CM	70	CM	63 LEVEL CM	3090,5274 litre	43,644 %	3990,6224 litre	O
460	CM	70	CM	62 LEVEL CM	3026,4987 litre	42,740 %	4054,6511 litre	O
460	CM	70	CM	61 LEVEL CM	2962,5758 litre	41,837 %	4118,5740 litre	O
460	CM	70	CM	60 LEVEL CM	2898,7722 litre	40,936 %	4182,3776 litre	O
460	CM	70	CM	59 LEVEL CM	2835,1013 litre	40,037 %	4246,0485 litre	O
460	CM	70	CM	58 LEVEL CM	2771,5769 litre	39,140 %	4309,5729 litre	O
460	CM	70	CM	57 LEVEL CM	2708,2126 litre	38,245 %	4372,9372 litre	O
460	CM	70	CM	56 LEVEL CM	2645,0222 litre	37,353 %	4436,1276 litre	O
460	CM	70	CM	55 LEVEL CM	2582,0196 litre	36,463 %	4499,1302 litre	O
460	CM	70	CM	54 LEVEL CM	2519,2188 litre	35,576 %	4561,9310 litre	O
460	CM	70	CM	53 LEVEL CM	2456,6340 litre	34,693 %	4624,5158 litre	O
460	CM	70	CM	52 LEVEL CM	2394,2796 litre	33,812 %	4686,8702 litre	O
460	CM	70	CM	51 LEVEL CM	2332,1700 litre	32,935 %	4748,9798 litre	O
460	CM	70	CM	50 LEVEL CM	2270,3198 litre	32,061 %	4810,8300 litre	O
460	CM	70	CM	49 LEVEL CM	2208,7440 litre	31,192 %	4872,4058 litre	O
460	CM	70	CM	48 LEVEL CM	2147,4575 litre	30,326 %	4933,6923 litre	O
460	CM	70	CM	47 LEVEL CM	2086,4756 litre	29,465 %	4994,6742 litre	O
460	CM	70	CM	46 LEVEL CM	2025,8138 litre	28,609 %	5055,3360 litre	O
460	CM	70	CM	45 LEVEL CM	1965,4878 litre	27,757 %	5115,6620 litre	O
460	CM	70	CM	44 LEVEL CM	1905,5136 litre	26,910 %	5175,6362 litre	O
460	CM	70	CM	43 LEVEL CM	1845,9074 litre	26,068 %	5235,2424 litre	O
460	CM	70	CM	42 LEVEL CM	1786,6859 litre	25,232 %	5294,4639 litre	O
460	CM	70	CM	41 LEVEL CM	1727,8659 litre	24,401 %	5353,2839 litre	O
460	CM	70	CM	40 LEVEL CM	1669,4648 litre	23,576 %	5411,6850 litre	O
460	CM	70	CM	39 LEVEL CM	1611,5001 litre	22,758 %	5469,6497 litre	O
460	CM	70	CM	38 LEVEL CM	1553,9898 litre	21,945 %	5527,1600 litre	O
460	CM	70	CM	37 LEVEL CM	1496,9524 litre	21,140 %	5584,1974 litre	O
460	CM	70	CM	36 LEVEL CM	1440,4069 litre	20,341 %	5640,7429 litre	O

460	CM	70	CM	35 LEVEL CM	1384,3727 litre	19,550 %	5696,7771 litre	O
460	CM	70	CM	34 LEVEL CM	1328,8696 litre	18,766 %	5752,2802 litre	O
460	CM	70	CM	33 LEVEL CM	1273,9183 litre	17,990 %	5807,2315 litre	O
460	CM	70	CM	32 LEVEL CM	1219,5399 litre	17,222 %	5861,6099 litre	O
460	CM	70	CM	31 LEVEL CM	1165,7562 litre	16,463 %	5915,3936 litre	O
460	CM	70	CM	30 LEVEL CM	1112,5899 litre	15,712 %	5968,5599 litre	O
460	CM	70	CM	29 LEVEL CM	1060,0642 litre	14,970 %	6021,0856 litre	O
460	CM	70	CM	28 LEVEL CM	1008,2034 litre	14,238 %	6072,9464 litre	O
460	CM	70	CM	27 LEVEL CM	957,0327 litre	13,515 %	6124,1171 litre	O
460	CM	70	CM	26 LEVEL CM	906,5784 litre	12,803 %	6174,5714 litre	O
460	CM	70	CM	25 LEVEL CM	856,8676 litre	12,101 %	6224,2822 litre	O
460	CM	70	CM	24 LEVEL CM	807,9291 litre	11,410 %	6273,2207 litre	O
460	CM	70	CM	23 LEVEL CM	759,7928 litre	10,730 %	6321,3570 litre	O
460	CM	70	CM	22 LEVEL CM	712,4901 litre	10,062 %	6368,6597 litre	O
460	CM	70	CM	21 LEVEL CM	666,0544 litre	9,406 %	6415,0954 litre	O
460	CM	70	CM	20 LEVEL CM	620,5206 litre	8,763 %	6460,6292 litre	O
460	CM	70	CM	19 LEVEL CM	575,9259 litre	8,133 %	6505,2239 litre	O
460	CM	70	CM	18 LEVEL CM	532,3101 litre	7,517 %	6548,8397 litre	O
460	CM	70	CM	17 LEVEL CM	489,7154 litre	6,916 %	6591,4344 litre	O
460	CM	70	CM	16 LEVEL CM	448,1873 litre	6,329 %	6632,9625 litre	O
460	CM	70	CM	15 LEVEL CM	407,7749 litre	5,759 %	6673,3749 litre	O
460	CM	70	CM	14 LEVEL CM	368,5315 litre	5,204 %	6712,6183 litre	O
460	CM	70	CM	13 LEVEL CM	330,5152 litre	4,668 %	6750,6346 litre	O
460	CM	70	CM	12 LEVEL CM	293,7901 litre	4,149 %	6787,3597 litre	O
460	CM	70	CM	11 LEVEL CM	258,4272 litre	3,650 %	6822,7226 litre	O
460	CM	70	CM	10 LEVEL CM	224,5062 litre	3,170 %	6856,6436 litre	O
460	CM	70	CM	9 LEVEL CM	192,1172 litre	2,713 %	6889,0326 litre	O
460	CM	70	CM	8 LEVEL CM	161,3641 litre	2,279 %	6919,7857 litre	O
460	CM	70	CM	7 LEVEL CM	132,3682 litre	1,869 %	6948,7816 litre	O
460	CM	70	CM	6 LEVEL CM	105,2746 litre	1,487 %	6975,8752 litre	O
460	CM	70	CM	5 LEVEL CM	80,2614 litre	1,133 %	7000,8884 litre	O
460	CM	70	CM	4 LEVEL CM	57,5563 litre	0,813 %	7023,5935 litre	O
460	CM	70	CM	3 LEVEL CM	37,4654 litre	0,529 %	7043,6844 litre	O
460	CM	70	CM	2 LEVEL CM	20,4379 litre	0,289 %	7060,7119 litre	O
460	CM	70	CM	1 LEVEL CM	7,2415 litre	0,102 %	7073,9083 litre	O
460	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	7081,1498 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	65	CM	130 LEVEL CM	6105,6853 litre	100,000 %	0,0000 litre	O
460	CM	65	CM	129 LEVEL CM	6098,7084 litre	99,886 %	6,9769 litre	O
460	CM	65	CM	128 LEVEL CM	6085,9975 litre	99,678 %	19,6878 litre	O
460	CM	65	CM	127 LEVEL CM	6069,6008 litre	99,409 %	36,0845 litre	O
460	CM	65	CM	126 LEVEL CM	6050,2600 litre	99,092 %	55,4253 litre	O
460	CM	65	CM	125 LEVEL CM	6028,4088 litre	98,734 %	77,2765 litre	O
460	CM	65	CM	124 LEVEL CM	6004,3435 litre	98,340 %	101,3418 litre	O
460	CM	65	CM	123 LEVEL CM	5978,2844 litre	97,913 %	127,4009 litre	O
460	CM	65	CM	122 LEVEL CM	5950,4042 litre	97,457 %	155,2811 litre	O
460	CM	65	CM	121 LEVEL CM	5920,8436 litre	96,973 %	184,8417 litre	O
460	CM	65	CM	120 LEVEL CM	5889,7204 litre	96,463 %	215,9649 litre	O
460	CM	65	CM	119 LEVEL CM	5857,1354 litre	95,929 %	248,5499 litre	O
460	CM	65	CM	118 LEVEL CM	5823,1764 litre	95,373 %	282,5089 litre	O
460	CM	65	CM	117 LEVEL CM	5787,9209 litre	94,796 %	317,7644 litre	O
460	CM	65	CM	116 LEVEL CM	5751,4382 litre	94,198 %	354,2471 litre	O
460	CM	65	CM	115 LEVEL CM	5713,7908 litre	93,581 %	391,8945 litre	O
460	CM	65	CM	114 LEVEL CM	5675,0354 litre	92,947 %	430,6499 litre	O
460	CM	65	CM	113 LEVEL CM	5635,2241 litre	92,295 %	470,4612 litre	O
460	CM	65	CM	112 LEVEL CM	5594,4050 litre	91,626 %	511,2803 litre	O
460	CM	65	CM	111 LEVEL CM	5552,6227 litre	90,942 %	553,0626 litre	O
460	CM	65	CM	110 LEVEL CM	5509,9185 litre	90,242 %	595,7668 litre	O
460	CM	65	CM	109 LEVEL CM	5466,3316 litre	89,529 %	639,3537 litre	O
460	CM	65	CM	108 LEVEL CM	5421,8983 litre	88,801 %	683,7870 litre	O
460	CM	65	CM	107 LEVEL CM	5376,6534 litre	88,060 %	729,0319 litre	O
460	CM	65	CM	106 LEVEL CM	5330,6294 litre	87,306 %	775,0559 litre	O
460	CM	65	CM	105 LEVEL CM	5283,8574 litre	86,540 %	821,8279 litre	O
460	CM	65	CM	104 LEVEL CM	5236,3671 litre	85,762 %	869,3182 litre	O
460	CM	65	CM	103 LEVEL CM	5188,1866 litre	84,973 %	917,4987 litre	O
460	CM	65	CM	102 LEVEL CM	5139,3432 litre	84,173 %	966,3421 litre	O
460	CM	65	CM	101 LEVEL CM	5089,8627 litre	83,363 %	1015,8226 litre	O
460	CM	65	CM	100 LEVEL CM	5039,7701 litre	82,542 %	1065,9152 litre	O
460	CM	65	CM	99 LEVEL CM	4989,0896 litre	81,712 %	1116,5957 litre	O
460	CM	65	CM	98 LEVEL CM	4937,8444 litre	80,873 %	1167,8409 litre	O
460	CM	65	CM	97 LEVEL CM	4886,0570 litre	80,025 %	1219,6283 litre	O
460	CM	65	CM	96 LEVEL CM	4833,7492 litre	79,168 %	1271,9361 litre	O
460	CM	65	CM	95 LEVEL CM	4780,9421 litre	78,303 %	1324,7432 litre	O
460	CM	65	CM	94 LEVEL CM	4727,6563 litre	77,430 %	1378,0290 litre	O
460	CM	65	CM	93 LEVEL CM	4673,9119 litre	76,550 %	1431,7734 litre	O
460	CM	65	CM	92 LEVEL CM	4619,7283 litre	75,663 %	1485,9570 litre	O
460	CM	65	CM	91 LEVEL CM	4565,1245 litre	74,768 %	1540,5608 litre	O
460	CM	65	CM	90 LEVEL CM	4510,1192 litre	73,868 %	1595,5661 litre	O
460	CM	65	CM	89 LEVEL CM	4454,7305 litre	72,960 %	1650,9548 litre	O
460	CM	65	CM	88 LEVEL CM	4398,9763 litre	72,047 %	1706,7090 litre	O
460	CM	65	CM	87 LEVEL CM	4342,8740 litre	71,128 %	1762,8113 litre	O
460	CM	65	CM	86 LEVEL CM	4286,4407 litre	70,204 %	1819,2446 litre	O
460	CM	65	CM	85 LEVEL CM	4229,6934 litre	69,275 %	1875,9919 litre	O
460	CM	65	CM	84 LEVEL CM	4172,6485 litre	68,340 %	1933,0368 litre	O
460	CM	65	CM	83 LEVEL CM	4115,3224 litre	67,401 %	1990,3629 litre	O
460	CM	65	CM	82 LEVEL CM	4057,7311 litre	66,458 %	2047,9542 litre	O
460	CM	65	CM	81 LEVEL CM	3999,8905 litre	65,511 %	2105,7948 litre	O
460	CM	65	CM	80 LEVEL CM	3941,8163 litre	64,560 %	2163,8690 litre	O
460	CM	65	CM	79 LEVEL CM	3883,5238 litre	63,605 %	2222,1615 litre	O

460	CM	65	CM	78 LEVEL CM	3825,0284 litre	62,647 %	2280,6569 litre	O
460	CM	65	CM	77 LEVEL CM	3766,3453 litre	61,686 %	2339,3400 litre	O
460	CM	65	CM	76 LEVEL CM	3707,4892 litre	60,722 %	2398,1961 litre	O
460	CM	65	CM	75 LEVEL CM	3648,4752 litre	59,755 %	2457,2101 litre	O
460	CM	65	CM	74 LEVEL CM	3589,3180 litre	58,786 %	2516,3673 litre	O
460	CM	65	CM	73 LEVEL CM	3530,0321 litre	57,815 %	2575,6532 litre	O
460	CM	65	CM	72 LEVEL CM	3470,6321 litre	56,843 %	2635,0532 litre	O
460	CM	65	CM	71 LEVEL CM	3411,1325 litre	55,868 %	2694,5528 litre	O
460	CM	65	CM	70 LEVEL CM	3351,5475 litre	54,892 %	2754,1378 litre	O
460	CM	65	CM	69 LEVEL CM	3291,8916 litre	53,915 %	2813,7937 litre	O
460	CM	65	CM	68 LEVEL CM	3232,1789 litre	52,937 %	2873,5064 litre	O
460	CM	65	CM	67 LEVEL CM	3172,4238 litre	51,959 %	2933,2615 litre	O
460	CM	65	CM	66 LEVEL CM	3112,6403 litre	50,979 %	2993,0450 litre	O
460	CM	65	CM	65 LEVEL CM	3052,8427 litre	50,000 %	3052,8426 litre	O
460	CM	65	CM	64 LEVEL CM	2993,0450 litre	49,021 %	3112,6403 litre	O
460	CM	65	CM	63 LEVEL CM	2933,2615 litre	48,041 %	3172,4238 litre	O
460	CM	65	CM	62 LEVEL CM	2873,5064 litre	47,063 %	3232,1789 litre	O
460	CM	65	CM	61 LEVEL CM	2813,7937 litre	46,085 %	3291,8916 litre	O
460	CM	65	CM	60 LEVEL CM	2754,1378 litre	45,108 %	3351,5475 litre	O
460	CM	65	CM	59 LEVEL CM	2694,5529 litre	44,132 %	3411,1324 litre	O
460	CM	65	CM	58 LEVEL CM	2635,0532 litre	43,157 %	3470,6321 litre	O
460	CM	65	CM	57 LEVEL CM	2575,6532 litre	42,185 %	3530,0321 litre	O
460	CM	65	CM	56 LEVEL CM	2516,3673 litre	41,214 %	3589,3180 litre	O
460	CM	65	CM	55 LEVEL CM	2457,2101 litre	40,245 %	3648,4752 litre	O
460	CM	65	CM	54 LEVEL CM	2398,1961 litre	39,278 %	3707,4892 litre	O
460	CM	65	CM	53 LEVEL CM	2339,3401 litre	38,314 %	3766,3452 litre	O
460	CM	65	CM	52 LEVEL CM	2280,6569 litre	37,353 %	3825,0284 litre	O
460	CM	65	CM	51 LEVEL CM	2222,1615 litre	36,395 %	3883,5238 litre	O
460	CM	65	CM	50 LEVEL CM	2163,8690 litre	35,440 %	3941,8163 litre	O
460	CM	65	CM	49 LEVEL CM	2105,7948 litre	34,489 %	3999,8905 litre	O
460	CM	65	CM	48 LEVEL CM	2047,9542 litre	33,542 %	4057,7311 litre	O
460	CM	65	CM	47 LEVEL CM	1990,3630 litre	32,599 %	4115,3223 litre	O
460	CM	65	CM	46 LEVEL CM	1933,0368 litre	31,660 %	4172,6485 litre	O
460	CM	65	CM	45 LEVEL CM	1875,9920 litre	30,725 %	4229,6933 litre	O
460	CM	65	CM	44 LEVEL CM	1819,2446 litre	29,796 %	4286,4407 litre	O
460	CM	65	CM	43 LEVEL CM	1762,8114 litre	28,872 %	4342,8739 litre	O
460	CM	65	CM	42 LEVEL CM	1706,7090 litre	27,953 %	4398,9763 litre	O
460	CM	65	CM	41 LEVEL CM	1650,9548 litre	27,040 %	4454,7305 litre	O
460	CM	65	CM	40 LEVEL CM	1595,5661 litre	26,132 %	4510,1192 litre	O
460	CM	65	CM	39 LEVEL CM	1540,5608 litre	25,232 %	4565,1245 litre	O
460	CM	65	CM	38 LEVEL CM	1485,9570 litre	24,337 %	4619,7283 litre	O
460	CM	65	CM	37 LEVEL CM	1431,7734 litre	23,450 %	4673,9119 litre	O
460	CM	65	CM	36 LEVEL CM	1378,0290 litre	22,570 %	4727,6563 litre	O
460	CM	65	CM	35 LEVEL CM	1324,7432 litre	21,697 %	4780,9421 litre	O
460	CM	65	CM	34 LEVEL CM	1271,9362 litre	20,832 %	4833,7491 litre	O
460	CM	65	CM	33 LEVEL CM	1219,6284 litre	19,975 %	4886,0569 litre	O
460	CM	65	CM	32 LEVEL CM	1167,8409 litre	19,127 %	4937,8444 litre	O
460	CM	65	CM	31 LEVEL CM	1116,5957 litre	18,288 %	4989,0896 litre	O
460	CM	65	CM	30 LEVEL CM	1065,9152 litre	17,458 %	5039,7701 litre	O
460	CM	65	CM	29 LEVEL CM	1015,8227 litre	16,637 %	5089,8626 litre	O
460	CM	65	CM	28 LEVEL CM	966,3422 litre	15,827 %	5139,3431 litre	O
460	CM	65	CM	27 LEVEL CM	917,4987 litre	15,027 %	5188,1866 litre	O
460	CM	65	CM	26 LEVEL CM	869,3183 litre	14,238 %	5236,3670 litre	O

460	CM	65	CM	25 LEVEL CM	821,8279 litre	13,460 %	5283,8574 litre	O
460	CM	65	CM	24 LEVEL CM	775,0559 litre	12,694 %	5330,6294 litre	O
460	CM	65	CM	23 LEVEL CM	729,0319 litre	11,940 %	5376,6534 litre	O
460	CM	65	CM	22 LEVEL CM	683,7870 litre	11,199 %	5421,8983 litre	O
460	CM	65	CM	21 LEVEL CM	639,3538 litre	10,471 %	5466,3315 litre	O
460	CM	65	CM	20 LEVEL CM	595,7668 litre	9,758 %	5509,9185 litre	O
460	CM	65	CM	19 LEVEL CM	553,0627 litre	9,058 %	5552,6226 litre	O
460	CM	65	CM	18 LEVEL CM	511,2803 litre	8,374 %	5594,4050 litre	O
460	CM	65	CM	17 LEVEL CM	470,4612 litre	7,705 %	5635,2241 litre	O
460	CM	65	CM	16 LEVEL CM	430,6499 litre	7,053 %	5675,0354 litre	O
460	CM	65	CM	15 LEVEL CM	391,8945 litre	6,419 %	5713,7908 litre	O
460	CM	65	CM	14 LEVEL CM	354,2471 litre	5,802 %	5751,4382 litre	O
460	CM	65	CM	13 LEVEL CM	317,7644 litre	5,204 %	5787,9209 litre	O
460	CM	65	CM	12 LEVEL CM	282,5090 litre	4,627 %	5823,1763 litre	O
460	CM	65	CM	11 LEVEL CM	248,5500 litre	4,071 %	5857,1353 litre	O
460	CM	65	CM	10 LEVEL CM	215,9650 litre	3,537 %	5889,7203 litre	O
460	CM	65	CM	9 LEVEL CM	184,8417 litre	3,027 %	5920,8436 litre	O
460	CM	65	CM	8 LEVEL CM	155,2811 litre	2,543 %	5950,4042 litre	O
460	CM	65	CM	7 LEVEL CM	127,4009 litre	2,087 %	5978,2844 litre	O
460	CM	65	CM	6 LEVEL CM	101,3418 litre	1,660 %	6004,3435 litre	O
460	CM	65	CM	5 LEVEL CM	77,2765 litre	1,266 %	6028,4088 litre	O
460	CM	65	CM	4 LEVEL CM	55,4253 litre	0,908 %	6050,2600 litre	O
460	CM	65	CM	3 LEVEL CM	36,0845 litre	0,591 %	6069,6008 litre	O
460	CM	65	CM	2 LEVEL CM	19,6879 litre	0,322 %	6085,9974 litre	O
460	CM	65	CM	1 LEVEL CM	6,9769 litre	0,114 %	6098,7084 litre	O
460	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	6105,6853 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	60	CM	120 LEVEL CM	5202,4774 litre	100,000 %	0,0000 litre	O
460	CM	60	CM	119 LEVEL CM	5195,7755 litre	99,871 %	6,7019 litre	O
460	CM	60	CM	118 LEVEL CM	5183,5693 litre	99,637 %	18,9081 litre	O
460	CM	60	CM	117 LEVEL CM	5167,8289 litre	99,334 %	34,6485 litre	O
460	CM	60	CM	116 LEVEL CM	5149,2683 litre	98,977 %	53,2091 litre	O
460	CM	60	CM	115 LEVEL CM	5128,3058 litre	98,574 %	74,1716 litre	O
460	CM	60	CM	114 LEVEL CM	5105,2273 litre	98,131 %	97,2501 litre	O
460	CM	60	CM	113 LEVEL CM	5080,2456 litre	97,651 %	122,2318 litre	O
460	CM	60	CM	112 LEVEL CM	5053,5276 litre	97,137 %	148,9498 litre	O
460	CM	60	CM	111 LEVEL CM	5025,2097 litre	96,593 %	177,2677 litre	O
460	CM	60	CM	110 LEVEL CM	4995,4059 litre	96,020 %	207,0715 litre	O
460	CM	60	CM	109 LEVEL CM	4964,2141 litre	95,420 %	238,2633 litre	O
460	CM	60	CM	108 LEVEL CM	4931,7196 litre	94,796 %	270,7578 litre	O
460	CM	60	CM	107 LEVEL CM	4897,9978 litre	94,147 %	304,4796 litre	O
460	CM	60	CM	106 LEVEL CM	4863,1161 litre	93,477 %	339,3613 litre	O
460	CM	60	CM	105 LEVEL CM	4827,1353 litre	92,785 %	375,3421 litre	O
460	CM	60	CM	104 LEVEL CM	4790,1110 litre	92,074 %	412,3664 litre	O
460	CM	60	CM	103 LEVEL CM	4752,0940 litre	91,343 %	450,3834 litre	O
460	CM	60	CM	102 LEVEL CM	4713,1314 litre	90,594 %	489,3460 litre	O
460	CM	60	CM	101 LEVEL CM	4673,2667 litre	89,828 %	529,2107 litre	O
460	CM	60	CM	100 LEVEL CM	4632,5407 litre	89,045 %	569,9367 litre	O
460	CM	60	CM	99 LEVEL CM	4590,9917 litre	88,246 %	611,4857 litre	O
460	CM	60	CM	98 LEVEL CM	4548,6556 litre	87,432 %	653,8218 litre	O
460	CM	60	CM	97 LEVEL CM	4505,5665 litre	86,604 %	696,9109 litre	O
460	CM	60	CM	96 LEVEL CM	4461,7566 litre	85,762 %	740,7208 litre	O
460	CM	60	CM	95 LEVEL CM	4417,2565 litre	84,907 %	785,2209 litre	O
460	CM	60	CM	94 LEVEL CM	4372,0956 litre	84,039 %	830,3818 litre	O
460	CM	60	CM	93 LEVEL CM	4326,3019 litre	83,158 %	876,1755 litre	O
460	CM	60	CM	92 LEVEL CM	4279,9022 litre	82,267 %	922,5752 litre	O
460	CM	60	CM	91 LEVEL CM	4232,9224 litre	81,364 %	969,5550 litre	O
460	CM	60	CM	90 LEVEL CM	4185,3873 litre	80,450 %	1017,0901 litre	O
460	CM	60	CM	89 LEVEL CM	4137,3210 litre	79,526 %	1065,1564 litre	O
460	CM	60	CM	88 LEVEL CM	4088,7468 litre	78,592 %	1113,7306 litre	O
460	CM	60	CM	87 LEVEL CM	4039,6870 litre	77,649 %	1162,7904 litre	O
460	CM	60	CM	86 LEVEL CM	3990,1636 litre	76,697 %	1212,3138 litre	O
460	CM	60	CM	85 LEVEL CM	3940,1978 litre	75,737 %	1262,2796 litre	O
460	CM	60	CM	84 LEVEL CM	3889,8102 litre	74,768 %	1312,6672 litre	O
460	CM	60	CM	83 LEVEL CM	3839,0211 litre	73,792 %	1363,4563 litre	O
460	CM	60	CM	82 LEVEL CM	3787,8502 litre	72,809 %	1414,6272 litre	O
460	CM	60	CM	81 LEVEL CM	3736,3166 litre	71,818 %	1466,1608 litre	O
460	CM	60	CM	80 LEVEL CM	3684,4392 litre	70,821 %	1518,0382 litre	O
460	CM	60	CM	79 LEVEL CM	3632,2366 litre	69,817 %	1570,2408 litre	O
460	CM	60	CM	78 LEVEL CM	3579,7267 litre	68,808 %	1622,7507 litre	O
460	CM	60	CM	77 LEVEL CM	3526,9276 litre	67,793 %	1675,5498 litre	O
460	CM	60	CM	76 LEVEL CM	3473,8566 litre	66,773 %	1728,6208 litre	O
460	CM	60	CM	75 LEVEL CM	3420,5310 litre	65,748 %	1781,9464 litre	O
460	CM	60	CM	74 LEVEL CM	3366,9679 litre	64,719 %	1835,5095 litre	O
460	CM	60	CM	73 LEVEL CM	3313,1839 litre	63,685 %	1889,2935 litre	O
460	CM	60	CM	72 LEVEL CM	3259,1958 litre	62,647 %	1943,2816 litre	O
460	CM	60	CM	71 LEVEL CM	3205,0199 litre	61,606 %	1997,4575 litre	O
460	CM	60	CM	70 LEVEL CM	3150,6724 litre	60,561 %	2051,8050 litre	O
460	CM	60	CM	69 LEVEL CM	3096,1694 litre	59,513 %	2106,3080 litre	O

460	CM	60	CM	68 LEVEL CM	3041,5268 litre	58,463 %	2160,9506 litre	O
460	CM	60	CM	67 LEVEL CM	2986,7604 litre	57,410 %	2215,7170 litre	O
460	CM	60	CM	66 LEVEL CM	2931,8859 litre	56,356 %	2270,5915 litre	O
460	CM	60	CM	65 LEVEL CM	2876,9189 litre	55,299 %	2325,5585 litre	O
460	CM	60	CM	64 LEVEL CM	2821,8751 litre	54,241 %	2380,6023 litre	O
460	CM	60	CM	63 LEVEL CM	2766,7697 litre	53,182 %	2435,7077 litre	O
460	CM	60	CM	62 LEVEL CM	2711,6183 litre	52,122 %	2490,8591 litre	O
460	CM	60	CM	61 LEVEL CM	2656,4362 litre	51,061 %	2546,0412 litre	O
460	CM	60	CM	60 LEVEL CM	2601,2387 litre	50,000 %	2601,2387 litre	O
460	CM	60	CM	59 LEVEL CM	2546,0413 litre	48,939 %	2656,4361 litre	O
460	CM	60	CM	58 LEVEL CM	2490,8592 litre	47,878 %	2711,6182 litre	O
460	CM	60	CM	57 LEVEL CM	2435,7077 litre	46,818 %	2766,7697 litre	O
460	CM	60	CM	56 LEVEL CM	2380,6024 litre	45,759 %	2821,8750 litre	O
460	CM	60	CM	55 LEVEL CM	2325,5585 litre	44,701 %	2876,9189 litre	O
460	CM	60	CM	54 LEVEL CM	2270,5915 litre	43,644 %	2931,8859 litre	O
460	CM	60	CM	53 LEVEL CM	2215,7171 litre	42,590 %	2986,7603 litre	O
460	CM	60	CM	52 LEVEL CM	2160,9507 litre	41,537 %	3041,5267 litre	O
460	CM	60	CM	51 LEVEL CM	2106,3081 litre	40,487 %	3096,1693 litre	O
460	CM	60	CM	50 LEVEL CM	2051,8050 litre	39,439 %	3150,6724 litre	O
460	CM	60	CM	49 LEVEL CM	1997,4575 litre	38,394 %	3205,0199 litre	O
460	CM	60	CM	48 LEVEL CM	1943,2816 litre	37,353 %	3259,1958 litre	O
460	CM	60	CM	47 LEVEL CM	1889,2935 litre	36,315 %	3313,1839 litre	O
460	CM	60	CM	46 LEVEL CM	1835,5096 litre	35,281 %	3366,9678 litre	O
460	CM	60	CM	45 LEVEL CM	1781,9464 litre	34,252 %	3420,5310 litre	O
460	CM	60	CM	44 LEVEL CM	1728,6209 litre	33,227 %	3473,8565 litre	O
460	CM	60	CM	43 LEVEL CM	1675,5499 litre	32,207 %	3526,9275 litre	O
460	CM	60	CM	42 LEVEL CM	1622,7507 litre	31,192 %	3579,7267 litre	O
460	CM	60	CM	41 LEVEL CM	1570,2409 litre	30,183 %	3632,2365 litre	O
460	CM	60	CM	40 LEVEL CM	1518,0382 litre	29,179 %	3684,4392 litre	O
460	CM	60	CM	39 LEVEL CM	1466,1608 litre	28,182 %	3736,3166 litre	O
460	CM	60	CM	38 LEVEL CM	1414,6273 litre	27,191 %	3787,8501 litre	O
460	CM	60	CM	37 LEVEL CM	1363,4563 litre	26,208 %	3839,0211 litre	O
460	CM	60	CM	36 LEVEL CM	1312,6672 litre	25,232 %	3889,8102 litre	O
460	CM	60	CM	35 LEVEL CM	1262,2797 litre	24,263 %	3940,1977 litre	O
460	CM	60	CM	34 LEVEL CM	1212,3138 litre	23,303 %	3990,1636 litre	O
460	CM	60	CM	33 LEVEL CM	1162,7904 litre	22,351 %	4039,6870 litre	O
460	CM	60	CM	32 LEVEL CM	1113,7307 litre	21,408 %	4088,7467 litre	O
460	CM	60	CM	31 LEVEL CM	1065,1564 litre	20,474 %	4137,3210 litre	O
460	CM	60	CM	30 LEVEL CM	1017,0901 litre	19,550 %	4185,3873 litre	O
460	CM	60	CM	29 LEVEL CM	969,5551 litre	18,636 %	4232,9223 litre	O
460	CM	60	CM	28 LEVEL CM	922,5753 litre	17,733 %	4279,9021 litre	O
460	CM	60	CM	27 LEVEL CM	876,1756 litre	16,842 %	4326,3018 litre	O
460	CM	60	CM	26 LEVEL CM	830,3818 litre	15,961 %	4372,0956 litre	O
460	CM	60	CM	25 LEVEL CM	785,2209 litre	15,093 %	4417,2565 litre	O
460	CM	60	CM	24 LEVEL CM	740,7209 litre	14,238 %	4461,7565 litre	O
460	CM	60	CM	23 LEVEL CM	696,9109 litre	13,396 %	4505,5665 litre	O
460	CM	60	CM	22 LEVEL CM	653,8218 litre	12,568 %	4548,6556 litre	O
460	CM	60	CM	21 LEVEL CM	611,4857 litre	11,754 %	4590,9917 litre	O
460	CM	60	CM	20 LEVEL CM	569,9367 litre	10,955 %	4632,5407 litre	O
460	CM	60	CM	19 LEVEL CM	529,2108 litre	10,172 %	4673,2666 litre	O
460	CM	60	CM	18 LEVEL CM	489,3461 litre	9,406 %	4713,1313 litre	O
460	CM	60	CM	17 LEVEL CM	450,3834 litre	8,657 %	4752,0940 litre	O
460	CM	60	CM	16 LEVEL CM	412,3664 litre	7,926 %	4790,1110 litre	O

460	CM	60	CM	15 LEVEL CM	375,3421 litre	7,215 %	4827,1353 litre	O
460	CM	60	CM	14 LEVEL CM	339,3614 litre	6,523 %	4863,1160 litre	O
460	CM	60	CM	13 LEVEL CM	304,4797 litre	5,853 %	4897,9977 litre	O
460	CM	60	CM	12 LEVEL CM	270,7578 litre	5,204 %	4931,7196 litre	O
460	CM	60	CM	11 LEVEL CM	238,2633 litre	4,580 %	4964,2141 litre	O
460	CM	60	CM	10 LEVEL CM	207,0716 litre	3,980 %	4995,4058 litre	O
460	CM	60	CM	9 LEVEL CM	177,2678 litre	3,407 %	5025,2096 litre	O
460	CM	60	CM	8 LEVEL CM	148,9498 litre	2,863 %	5053,5276 litre	O
460	CM	60	CM	7 LEVEL CM	122,2318 litre	2,349 %	5080,2456 litre	O
460	CM	60	CM	6 LEVEL CM	97,2501 litre	1,869 %	5105,2273 litre	O
460	CM	60	CM	5 LEVEL CM	74,1716 litre	1,426 %	5128,3058 litre	O
460	CM	60	CM	4 LEVEL CM	53,2091 litre	1,023 %	5149,2683 litre	O
460	CM	60	CM	3 LEVEL CM	34,6485 litre	0,666 %	5167,8289 litre	O
460	CM	60	CM	2 LEVEL CM	18,9081 litre	0,363 %	5183,5693 litre	O
460	CM	60	CM	1 LEVEL CM	6,7019 litre	0,129 %	5195,7755 litre	O
460	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	5202,4774 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	55	CM	110 LEVEL CM	4371,5262 litre	100,000 %	0,0000 litre	O
460	CM	55	CM	109 LEVEL CM	4365,1111 litre	99,853 %	6,4151 litre	O
460	CM	55	CM	108 LEVEL CM	4353,4313 litre	99,586 %	18,0949 litre	O
460	CM	55	CM	107 LEVEL CM	4338,3757 litre	99,242 %	33,1505 litre	O
460	CM	55	CM	106 LEVEL CM	4320,6297 litre	98,836 %	50,8965 litre	O
460	CM	55	CM	105 LEVEL CM	4300,5953 litre	98,377 %	70,9309 litre	O
460	CM	55	CM	104 LEVEL CM	4278,5477 litre	97,873 %	92,9785 litre	O
460	CM	55	CM	103 LEVEL CM	4254,6919 litre	97,327 %	116,8343 litre	O
460	CM	55	CM	102 LEVEL CM	4229,1891 litre	96,744 %	142,3371 litre	O
460	CM	55	CM	101 LEVEL CM	4202,1709 litre	96,126 %	169,3553 litre	O
460	CM	55	CM	100 LEVEL CM	4173,7477 litre	95,476 %	197,7785 litre	O
460	CM	55	CM	99 LEVEL CM	4144,0144 litre	94,796 %	227,5118 litre	O
460	CM	55	CM	98 LEVEL CM	4113,0536 litre	94,087 %	258,4726 litre	O
460	CM	55	CM	97 LEVEL CM	4080,9386 litre	93,353 %	290,5876 litre	O
460	CM	55	CM	96 LEVEL CM	4047,7349 litre	92,593 %	323,7913 litre	O
460	CM	55	CM	95 LEVEL CM	4013,5019 litre	91,810 %	358,0243 litre	O
460	CM	55	CM	94 LEVEL CM	3978,2937 litre	91,005 %	393,2325 litre	O
460	CM	55	CM	93 LEVEL CM	3942,1600 litre	90,178 %	429,3662 litre	O
460	CM	55	CM	92 LEVEL CM	3905,1467 litre	89,331 %	466,3795 litre	O
460	CM	55	CM	91 LEVEL CM	3867,2968 litre	88,466 %	504,2294 litre	O
460	CM	55	CM	90 LEVEL CM	3828,6502 litre	87,582 %	542,8760 litre	O
460	CM	55	CM	89 LEVEL CM	3789,2444 litre	86,680 %	582,2818 litre	O
460	CM	55	CM	88 LEVEL CM	3749,1149 litre	85,762 %	622,4113 litre	O
460	CM	55	CM	87 LEVEL CM	3708,2953 litre	84,828 %	663,2309 litre	O
460	CM	55	CM	86 LEVEL CM	3666,8174 litre	83,880 %	704,7088 litre	O
460	CM	55	CM	85 LEVEL CM	3624,7116 litre	82,916 %	746,8146 litre	O
460	CM	55	CM	84 LEVEL CM	3582,0070 litre	81,940 %	789,5192 litre	O
460	CM	55	CM	83 LEVEL CM	3538,7315 litre	80,950 %	832,7947 litre	O
460	CM	55	CM	82 LEVEL CM	3494,9117 litre	79,947 %	876,6145 litre	O
460	CM	55	CM	81 LEVEL CM	3450,5734 litre	78,933 %	920,9528 litre	O
460	CM	55	CM	80 LEVEL CM	3405,7415 litre	77,907 %	965,7847 litre	O
460	CM	55	CM	79 LEVEL CM	3360,4400 litre	76,871 %	1011,0862 litre	O
460	CM	55	CM	78 LEVEL CM	3314,6924 litre	75,825 %	1056,8338 litre	O
460	CM	55	CM	77 LEVEL CM	3268,5211 litre	74,768 %	1103,0051 litre	O
460	CM	55	CM	76 LEVEL CM	3221,9483 litre	73,703 %	1149,5779 litre	O
460	CM	55	CM	75 LEVEL CM	3174,9953 litre	72,629 %	1196,5309 litre	O
460	CM	55	CM	74 LEVEL CM	3127,6832 litre	71,547 %	1243,8430 litre	O
460	CM	55	CM	73 LEVEL CM	3080,0324 litre	70,457 %	1291,4938 litre	O
460	CM	55	CM	72 LEVEL CM	3032,0629 litre	69,359 %	1339,4633 litre	O
460	CM	55	CM	71 LEVEL CM	2983,7944 litre	68,255 %	1387,7318 litre	O
460	CM	55	CM	70 LEVEL CM	2935,2461 litre	67,145 %	1436,2801 litre	O
460	CM	55	CM	69 LEVEL CM	2886,4370 litre	66,028 %	1485,0892 litre	O
460	CM	55	CM	68 LEVEL CM	2837,3857 litre	64,906 %	1534,1405 litre	O
460	CM	55	CM	67 LEVEL CM	2788,1106 litre	63,779 %	1583,4156 litre	O
460	CM	55	CM	66 LEVEL CM	2738,6298 litre	62,647 %	1632,8964 litre	O
460	CM	55	CM	65 LEVEL CM	2688,9612 litre	61,511 %	1682,5650 litre	O
460	CM	55	CM	64 LEVEL CM	2639,1225 litre	60,371 %	1732,4037 litre	O
460	CM	55	CM	63 LEVEL CM	2589,1311 litre	59,227 %	1782,3951 litre	O
460	CM	55	CM	62 LEVEL CM	2539,0045 litre	58,081 %	1832,5217 litre	O
460	CM	55	CM	61 LEVEL CM	2488,7598 litre	56,931 %	1882,7664 litre	O
460	CM	55	CM	60 LEVEL CM	2438,4142 litre	55,779 %	1933,1120 litre	O
460	CM	55	CM	59 LEVEL CM	2387,9845 litre	54,626 %	1983,5417 litre	O

460	CM	55	CM	58 LEVEL CM	2337,4878 litre	53,471 %	2034,0384 litre	O
460	CM	55	CM	57 LEVEL CM	2286,9408 litre	52,314 %	2084,5854 litre	O
460	CM	55	CM	56 LEVEL CM	2236,3603 litre	51,157 %	2135,1659 litre	O
460	CM	55	CM	55 LEVEL CM	2185,7631 litre	50,000 %	2185,7631 litre	O
460	CM	55	CM	54 LEVEL CM	2135,1659 litre	48,843 %	2236,3603 litre	O
460	CM	55	CM	53 LEVEL CM	2084,5854 litre	47,686 %	2286,9408 litre	O
460	CM	55	CM	52 LEVEL CM	2034,0384 litre	46,529 %	2337,4878 litre	O
460	CM	55	CM	51 LEVEL CM	1983,5417 litre	45,374 %	2387,9845 litre	O
460	CM	55	CM	50 LEVEL CM	1933,1120 litre	44,221 %	2438,4142 litre	O
460	CM	55	CM	49 LEVEL CM	1882,7664 litre	43,069 %	2488,7598 litre	O
460	CM	55	CM	48 LEVEL CM	1832,5217 litre	41,919 %	2539,0045 litre	O
460	CM	55	CM	47 LEVEL CM	1782,3950 litre	40,773 %	2589,1312 litre	O
460	CM	55	CM	46 LEVEL CM	1732,4037 litre	39,629 %	2639,1225 litre	O
460	CM	55	CM	45 LEVEL CM	1682,5650 litre	38,489 %	2688,9612 litre	O
460	CM	55	CM	44 LEVEL CM	1632,8963 litre	37,353 %	2738,6299 litre	O
460	CM	55	CM	43 LEVEL CM	1583,4155 litre	36,221 %	2788,1107 litre	O
460	CM	55	CM	42 LEVEL CM	1534,1404 litre	35,094 %	2837,3858 litre	O
460	CM	55	CM	41 LEVEL CM	1485,0892 litre	33,972 %	2886,4370 litre	O
460	CM	55	CM	40 LEVEL CM	1436,2801 litre	32,855 %	2935,2461 litre	O
460	CM	55	CM	39 LEVEL CM	1387,7318 litre	31,745 %	2983,7944 litre	O
460	CM	55	CM	38 LEVEL CM	1339,4632 litre	30,641 %	3032,0630 litre	O
460	CM	55	CM	37 LEVEL CM	1291,4938 litre	29,543 %	3080,0324 litre	O
460	CM	55	CM	36 LEVEL CM	1243,8429 litre	28,453 %	3127,6833 litre	O
460	CM	55	CM	35 LEVEL CM	1196,5308 litre	27,371 %	3174,9954 litre	O
460	CM	55	CM	34 LEVEL CM	1149,5779 litre	26,297 %	3221,9483 litre	O
460	CM	55	CM	33 LEVEL CM	1103,0051 litre	25,232 %	3268,5211 litre	O
460	CM	55	CM	32 LEVEL CM	1056,8338 litre	24,175 %	3314,6924 litre	O
460	CM	55	CM	31 LEVEL CM	1011,0861 litre	23,129 %	3360,4401 litre	O
460	CM	55	CM	30 LEVEL CM	965,7847 litre	22,093 %	3405,7415 litre	O
460	CM	55	CM	29 LEVEL CM	920,9528 litre	21,067 %	3450,5734 litre	O
460	CM	55	CM	28 LEVEL CM	876,6145 litre	20,053 %	3494,9117 litre	O
460	CM	55	CM	27 LEVEL CM	832,7947 litre	19,050 %	3538,7315 litre	O
460	CM	55	CM	26 LEVEL CM	789,5191 litre	18,060 %	3582,0071 litre	O
460	CM	55	CM	25 LEVEL CM	746,8146 litre	17,084 %	3624,7116 litre	O
460	CM	55	CM	24 LEVEL CM	704,7088 litre	16,120 %	3666,8174 litre	O
460	CM	55	CM	23 LEVEL CM	663,2309 litre	15,172 %	3708,2953 litre	O
460	CM	55	CM	22 LEVEL CM	622,4113 litre	14,238 %	3749,1149 litre	O
460	CM	55	CM	21 LEVEL CM	582,2818 litre	13,320 %	3789,2444 litre	O
460	CM	55	CM	20 LEVEL CM	542,8760 litre	12,418 %	3828,6502 litre	O
460	CM	55	CM	19 LEVEL CM	504,2294 litre	11,534 %	3867,2968 litre	O
460	CM	55	CM	18 LEVEL CM	466,3794 litre	10,669 %	3905,1468 litre	O
460	CM	55	CM	17 LEVEL CM	429,3662 litre	9,822 %	3942,1600 litre	O
460	CM	55	CM	16 LEVEL CM	393,2325 litre	8,995 %	3978,2937 litre	O
460	CM	55	CM	15 LEVEL CM	358,0243 litre	8,190 %	4013,5019 litre	O
460	CM	55	CM	14 LEVEL CM	323,7913 litre	7,407 %	4047,7349 litre	O
460	CM	55	CM	13 LEVEL CM	290,5876 litre	6,647 %	4080,9386 litre	O
460	CM	55	CM	12 LEVEL CM	258,4726 litre	5,913 %	4113,0536 litre	O
460	CM	55	CM	11 LEVEL CM	227,5118 litre	5,204 %	4144,0144 litre	O
460	CM	55	CM	10 LEVEL CM	197,7784 litre	4,524 %	4173,7478 litre	O
460	CM	55	CM	9 LEVEL CM	169,3553 litre	3,874 %	4202,1709 litre	O
460	CM	55	CM	8 LEVEL CM	142,3370 litre	3,256 %	4229,1892 litre	O
460	CM	55	CM	7 LEVEL CM	116,8343 litre	2,673 %	4254,6919 litre	O
460	CM	55	CM	6 LEVEL CM	92,9785 litre	2,127 %	4278,5477 litre	O

460	CM	55	CM	5 LEVEL CM	70,9309 litre	1,623 %	4300,5953 litre	O
460	CM	55	CM	4 LEVEL CM	50,8965 litre	1,164 %	4320,6297 litre	O
460	CM	55	CM	3 LEVEL CM	33,1504 litre	0,758 %	4338,3758 litre	O
460	CM	55	CM	2 LEVEL CM	18,0948 litre	0,414 %	4353,4314 litre	O
460	CM	55	CM	1 LEVEL CM	6,4151 litre	0,147 %	4365,1111 litre	O
460	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	4371,5262 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
460	CM	50	CM	100 LEVEL CM	3612,8316 litre	100,000 %	0,0000 litre	O
460	CM	50	CM	99 LEVEL CM	3606,7167 litre	99,831 %	6,1149 litre	O
460	CM	50	CM	98 LEVEL CM	3595,5883 litre	99,523 %	17,2433 litre	O
460	CM	50	CM	97 LEVEL CM	3581,2502 litre	99,126 %	31,5814 litre	O
460	CM	50	CM	96 LEVEL CM	3564,3580 litre	98,658 %	48,4736 litre	O
460	CM	50	CM	95 LEVEL CM	3545,2968 litre	98,131 %	67,5348 litre	O
460	CM	50	CM	94 LEVEL CM	3524,3307 litre	97,550 %	88,5009 litre	O
460	CM	50	CM	93 LEVEL CM	3501,6567 litre	96,923 %	111,1749 litre	O
460	CM	50	CM	92 LEVEL CM	3477,4299 litre	96,252 %	135,4017 litre	O
460	CM	50	CM	91 LEVEL CM	3451,7772 litre	95,542 %	161,0544 litre	O
460	CM	50	CM	90 LEVEL CM	3424,8053 litre	94,796 %	188,0263 litre	O
460	CM	50	CM	89 LEVEL CM	3396,6057 litre	94,015 %	216,2259 litre	O
460	CM	50	CM	88 LEVEL CM	3367,2586 litre	93,203 %	245,5730 litre	O
460	CM	50	CM	87 LEVEL CM	3336,8351 litre	92,361 %	275,9965 litre	O
460	CM	50	CM	86 LEVEL CM	3305,3990 litre	91,491 %	307,4326 litre	O
460	CM	50	CM	85 LEVEL CM	3273,0079 litre	90,594 %	339,8237 litre	O
460	CM	50	CM	84 LEVEL CM	3239,7147 litre	89,672 %	373,1169 litre	O
460	CM	50	CM	83 LEVEL CM	3205,5679 litre	88,727 %	407,2637 litre	O
460	CM	50	CM	82 LEVEL CM	3170,6127 litre	87,760 %	442,2189 litre	O
460	CM	50	CM	81 LEVEL CM	3134,8910 litre	86,771 %	477,9406 litre	O
460	CM	50	CM	80 LEVEL CM	3098,4421 litre	85,762 %	514,3895 litre	O
460	CM	50	CM	79 LEVEL CM	3061,3030 litre	84,734 %	551,5286 litre	O
460	CM	50	CM	78 LEVEL CM	3023,5087 litre	83,688 %	589,3229 litre	O
460	CM	50	CM	77 LEVEL CM	2985,0924 litre	82,625 %	627,7392 litre	O
460	CM	50	CM	76 LEVEL CM	2946,0858 litre	81,545 %	666,7458 litre	O
460	CM	50	CM	75 LEVEL CM	2906,5190 litre	80,450 %	706,3126 litre	O
460	CM	50	CM	74 LEVEL CM	2866,4209 litre	79,340 %	746,4107 litre	O
460	CM	50	CM	73 LEVEL CM	2825,8194 litre	78,216 %	787,0122 litre	O
460	CM	50	CM	72 LEVEL CM	2784,7411 litre	77,079 %	828,0905 litre	O
460	CM	50	CM	71 LEVEL CM	2743,2120 litre	75,930 %	869,6196 litre	O
460	CM	50	CM	70 LEVEL CM	2701,2571 litre	74,768 %	911,5745 litre	O
460	CM	50	CM	69 LEVEL CM	2658,9006 litre	73,596 %	953,9310 litre	O
460	CM	50	CM	68 LEVEL CM	2616,1661 litre	72,413 %	996,6655 litre	O
460	CM	50	CM	67 LEVEL CM	2573,0766 litre	71,220 %	1039,7550 litre	O
460	CM	50	CM	66 LEVEL CM	2529,6543 litre	70,019 %	1083,1773 litre	O
460	CM	50	CM	65 LEVEL CM	2485,9214 litre	68,808 %	1126,9102 litre	O
460	CM	50	CM	64 LEVEL CM	2441,8990 litre	67,590 %	1170,9326 litre	O
460	CM	50	CM	63 LEVEL CM	2397,6083 litre	66,364 %	1215,2233 litre	O
460	CM	50	CM	62 LEVEL CM	2353,0698 litre	65,131 %	1259,7618 litre	O
460	CM	50	CM	61 LEVEL CM	2308,3039 litre	63,892 %	1304,5277 litre	O
460	CM	50	CM	60 LEVEL CM	2263,3304 litre	62,647 %	1349,5012 litre	O
460	CM	50	CM	59 LEVEL CM	2218,1692 litre	61,397 %	1394,6624 litre	O
460	CM	50	CM	58 LEVEL CM	2172,8396 litre	60,142 %	1439,9920 litre	O
460	CM	50	CM	57 LEVEL CM	2127,3608 litre	58,883 %	1485,4708 litre	O
460	CM	50	CM	56 LEVEL CM	2081,7519 litre	57,621 %	1531,0797 litre	O
460	CM	50	CM	55 LEVEL CM	2036,0319 litre	56,356 %	1576,7997 litre	O
460	CM	50	CM	54 LEVEL CM	1990,2193 litre	55,088 %	1622,6123 litre	O
460	CM	50	CM	53 LEVEL CM	1944,3329 litre	53,817 %	1668,4987 litre	O
460	CM	50	CM	52 LEVEL CM	1898,3912 litre	52,546 %	1714,4404 litre	O
460	CM	50	CM	51 LEVEL CM	1852,4127 litre	51,273 %	1760,4189 litre	O
460	CM	50	CM	50 LEVEL CM	1806,4158 litre	50,000 %	1806,4158 litre	O
460	CM	50	CM	49 LEVEL CM	1760,4188 litre	48,727 %	1852,4128 litre	O

460	CM	50	CM	48 LEVEL CM	1714,4403 litre	47,454 %	1898,3913 litre	O
460	CM	50	CM	47 LEVEL CM	1668,4986 litre	46,183 %	1944,3330 litre	O
460	CM	50	CM	46 LEVEL CM	1622,6122 litre	44,912 %	1990,2194 litre	O
460	CM	50	CM	45 LEVEL CM	1576,7997 litre	43,644 %	2036,0319 litre	O
460	CM	50	CM	44 LEVEL CM	1531,0796 litre	42,379 %	2081,7520 litre	O
460	CM	50	CM	43 LEVEL CM	1485,4708 litre	41,117 %	2127,3608 litre	O
460	CM	50	CM	42 LEVEL CM	1439,9920 litre	39,858 %	2172,8396 litre	O
460	CM	50	CM	41 LEVEL CM	1394,6624 litre	38,603 %	2218,1692 litre	O
460	CM	50	CM	40 LEVEL CM	1349,5011 litre	37,353 %	2263,3305 litre	O
460	CM	50	CM	39 LEVEL CM	1304,5277 litre	36,108 %	2308,3039 litre	O
460	CM	50	CM	38 LEVEL CM	1259,7617 litre	34,869 %	2353,0699 litre	O
460	CM	50	CM	37 LEVEL CM	1215,2233 litre	33,636 %	2397,6083 litre	O
460	CM	50	CM	36 LEVEL CM	1170,9326 litre	32,410 %	2441,8990 litre	O
460	CM	50	CM	35 LEVEL CM	1126,9102 litre	31,192 %	2485,9214 litre	O
460	CM	50	CM	34 LEVEL CM	1083,1772 litre	29,981 %	2529,6544 litre	O
460	CM	50	CM	33 LEVEL CM	1039,7550 litre	28,780 %	2573,0766 litre	O
460	CM	50	CM	32 LEVEL CM	996,6654 litre	27,587 %	2616,1662 litre	O
460	CM	50	CM	31 LEVEL CM	953,9309 litre	26,404 %	2658,9007 litre	O
460	CM	50	CM	30 LEVEL CM	911,5744 litre	25,232 %	2701,2572 litre	O
460	CM	50	CM	29 LEVEL CM	869,6195 litre	24,070 %	2743,2121 litre	O
460	CM	50	CM	28 LEVEL CM	828,0904 litre	22,921 %	2784,7412 litre	O
460	CM	50	CM	27 LEVEL CM	787,0122 litre	21,784 %	2825,8194 litre	O
460	CM	50	CM	26 LEVEL CM	746,4107 litre	20,660 %	2866,4209 litre	O
460	CM	50	CM	25 LEVEL CM	706,3126 litre	19,550 %	2906,5190 litre	O
460	CM	50	CM	24 LEVEL CM	666,7458 litre	18,455 %	2946,0858 litre	O
460	CM	50	CM	23 LEVEL CM	627,7391 litre	17,375 %	2985,0925 litre	O
460	CM	50	CM	22 LEVEL CM	589,3229 litre	16,312 %	3023,5087 litre	O
460	CM	50	CM	21 LEVEL CM	551,5286 litre	15,266 %	3061,3030 litre	O
460	CM	50	CM	20 LEVEL CM	514,3895 litre	14,238 %	3098,4421 litre	O
460	CM	50	CM	19 LEVEL CM	477,9406 litre	13,229 %	3134,8910 litre	O
460	CM	50	CM	18 LEVEL CM	442,2188 litre	12,240 %	3170,6128 litre	O
460	CM	50	CM	17 LEVEL CM	407,2636 litre	11,273 %	3205,5680 litre	O
460	CM	50	CM	16 LEVEL CM	373,1169 litre	10,328 %	3239,7147 litre	O
460	CM	50	CM	15 LEVEL CM	339,8237 litre	9,406 %	3273,0079 litre	O
460	CM	50	CM	14 LEVEL CM	307,4326 litre	8,509 %	3305,3990 litre	O
460	CM	50	CM	13 LEVEL CM	275,9964 litre	7,639 %	3336,8352 litre	O
460	CM	50	CM	12 LEVEL CM	245,5729 litre	6,797 %	3367,2587 litre	O
460	CM	50	CM	11 LEVEL CM	216,2259 litre	5,985 %	3396,6057 litre	O
460	CM	50	CM	10 LEVEL CM	188,0263 litre	5,204 %	3424,8053 litre	O
460	CM	50	CM	9 LEVEL CM	161,0543 litre	4,458 %	3451,7773 litre	O
460	CM	50	CM	8 LEVEL CM	135,4016 litre	3,748 %	3477,4300 litre	O
460	CM	50	CM	7 LEVEL CM	111,1749 litre	3,077 %	3501,6567 litre	O
460	CM	50	CM	6 LEVEL CM	88,5009 litre	2,450 %	3524,3307 litre	O
460	CM	50	CM	5 LEVEL CM	67,5348 litre	1,869 %	3545,2968 litre	O
460	CM	50	CM	4 LEVEL CM	48,4736 litre	1,342 %	3564,3580 litre	O
460	CM	50	CM	3 LEVEL CM	31,5814 litre	0,874 %	3581,2502 litre	O
460	CM	50	CM	2 LEVEL CM	17,2432 litre	0,477 %	3595,5884 litre	O
460	CM	50	CM	1 LEVEL CM	6,1149 litre	0,169 %	3606,7167 litre	O
460	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3612,8316 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 150	CM 300 LEVEL CM	31808,6256 litre	100,000 %	0,0000 litre	O
450	CM 150	CM 299 LEVEL CM	31798,2437 litre	99,967 %	10,3819 litre	O
450	CM 150	CM 298 LEVEL CM	31779,2906 litre	99,908 %	29,3350 litre	O
450	CM 150	CM 297 LEVEL CM	31754,7879 litre	99,831 %	53,8377 litre	O
450	CM 150	CM 296 LEVEL CM	31725,8205 litre	99,740 %	82,8051 litre	O
450	CM 150	CM 295 LEVEL CM	31693,0188 litre	99,637 %	115,6068 litre	O
450	CM 150	CM 294 LEVEL CM	31656,8103 litre	99,523 %	151,8153 litre	O
450	CM 150	CM 293 LEVEL CM	31617,5104 litre	99,399 %	191,1152 litre	O
450	CM 150	CM 292 LEVEL CM	31575,3649 litre	99,267 %	233,2607 litre	O
450	CM 150	CM 291 LEVEL CM	31530,5724 litre	99,126 %	278,0532 litre	O
450	CM 150	CM 290 LEVEL CM	31483,2982 litre	98,977 %	325,3274 litre	O
450	CM 150	CM 289 LEVEL CM	31433,6827 litre	98,821 %	374,9429 litre	O
450	CM 150	CM 288 LEVEL CM	31381,8472 litre	98,658 %	426,7784 litre	O
450	CM 150	CM 287 LEVEL CM	31327,8980 litre	98,489 %	480,7276 litre	O
450	CM 150	CM 286 LEVEL CM	31271,9294 litre	98,313 %	536,6962 litre	O
450	CM 150	CM 285 LEVEL CM	31214,0258 litre	98,131 %	594,5998 litre	O
450	CM 150	CM 284 LEVEL CM	31154,2633 litre	97,943 %	654,3623 litre	O
450	CM 150	CM 283 LEVEL CM	31092,7113 litre	97,749 %	715,9143 litre	O
450	CM 150	CM 282 LEVEL CM	31029,4331 litre	97,550 %	779,1925 litre	O
450	CM 150	CM 281 LEVEL CM	30964,4871 litre	97,346 %	844,1385 litre	O
450	CM 150	CM 280 LEVEL CM	30897,9272 litre	97,137 %	910,6984 litre	O
450	CM 150	CM 279 LEVEL CM	30829,8035 litre	96,923 %	978,8221 litre	O
450	CM 150	CM 278 LEVEL CM	30760,1629 litre	96,704 %	1048,4627 litre	O
450	CM 150	CM 277 LEVEL CM	30689,0489 litre	96,480 %	1119,5767 litre	O
450	CM 150	CM 276 LEVEL CM	30616,5028 litre	96,252 %	1192,1228 litre	O
450	CM 150	CM 275 LEVEL CM	30542,5631 litre	96,020 %	1266,0625 litre	O
450	CM 150	CM 274 LEVEL CM	30467,2665 litre	95,783 %	1341,3591 litre	O
450	CM 150	CM 273 LEVEL CM	30390,6475 litre	95,542 %	1417,9781 litre	O
450	CM 150	CM 272 LEVEL CM	30312,7390 litre	95,297 %	1495,8866 litre	O
450	CM 150	CM 271 LEVEL CM	30233,5722 litre	95,048 %	1575,0534 litre	O
450	CM 150	CM 270 LEVEL CM	30153,1769 litre	94,796 %	1655,4487 litre	O
450	CM 150	CM 269 LEVEL CM	30071,5815 litre	94,539 %	1737,0441 litre	O
450	CM 150	CM 268 LEVEL CM	29988,8131 litre	94,279 %	1819,8125 litre	O
450	CM 150	CM 267 LEVEL CM	29904,8979 litre	94,015 %	1903,7277 litre	O
450	CM 150	CM 266 LEVEL CM	29819,8608 litre	93,748 %	1988,7648 litre	O
450	CM 150	CM 265 LEVEL CM	29733,7259 litre	93,477 %	2074,8997 litre	O
450	CM 150	CM 264 LEVEL CM	29646,5161 litre	93,203 %	2162,1095 litre	O
450	CM 150	CM 263 LEVEL CM	29558,2539 litre	92,925 %	2250,3717 litre	O
450	CM 150	CM 262 LEVEL CM	29468,9607 litre	92,645 %	2339,6649 litre	O
450	CM 150	CM 261 LEVEL CM	29378,6572 litre	92,361 %	2429,9684 litre	O
450	CM 150	CM 260 LEVEL CM	29287,3634 litre	92,074 %	2521,2622 litre	O
450	CM 150	CM 259 LEVEL CM	29195,0988 litre	91,784 %	2613,5268 litre	O
450	CM 150	CM 258 LEVEL CM	29101,8822 litre	91,491 %	2706,7434 litre	O
450	CM 150	CM 257 LEVEL CM	29007,7318 litre	91,195 %	2800,8938 litre	O
450	CM 150	CM 256 LEVEL CM	28912,6653 litre	90,896 %	2895,9603 litre	O
450	CM 150	CM 255 LEVEL CM	28816,6999 litre	90,594 %	2991,9257 litre	O
450	CM 150	CM 254 LEVEL CM	28719,8522 litre	90,290 %	3088,7734 litre	O
450	CM 150	CM 253 LEVEL CM	28622,1386 litre	89,982 %	3186,4870 litre	O
450	CM 150	CM 252 LEVEL CM	28523,5749 litre	89,672 %	3285,0507 litre	O
450	CM 150	CM 251 LEVEL CM	28424,1764 litre	89,360 %	3384,4492 litre	O
450	CM 150	CM 250 LEVEL CM	28323,9583 litre	89,045 %	3484,6673 litre	O
450	CM 150	CM 249 LEVEL CM	28222,9351 litre	88,727 %	3585,6905 litre	O

450	CM	150	CM	248 LEVEL CM	28121,1213 litre	88,407 %	3687,5043 litre	O
450	CM	150	CM	247 LEVEL CM	28018,5307 litre	88,085 %	3790,0949 litre	O
450	CM	150	CM	246 LEVEL CM	27915,1772 litre	87,760 %	3893,4484 litre	O
450	CM	150	CM	245 LEVEL CM	27811,0739 litre	87,432 %	3997,5517 litre	O
450	CM	150	CM	244 LEVEL CM	27706,2341 litre	87,103 %	4102,3915 litre	O
450	CM	150	CM	243 LEVEL CM	27600,6705 litre	86,771 %	4207,9551 litre	O
450	CM	150	CM	242 LEVEL CM	27494,3958 litre	86,437 %	4314,2298 litre	O
450	CM	150	CM	241 LEVEL CM	27387,4221 litre	86,101 %	4421,2035 litre	O
450	CM	150	CM	240 LEVEL CM	27279,7615 litre	85,762 %	4528,8641 litre	O
450	CM	150	CM	239 LEVEL CM	27171,4260 litre	85,422 %	4637,1996 litre	O
450	CM	150	CM	238 LEVEL CM	27062,4270 litre	85,079 %	4746,1986 litre	O
450	CM	150	CM	237 LEVEL CM	26952,7760 litre	84,734 %	4855,8496 litre	O
450	CM	150	CM	236 LEVEL CM	26842,4843 litre	84,387 %	4966,1413 litre	O
450	CM	150	CM	235 LEVEL CM	26731,5627 litre	84,039 %	5077,0629 litre	O
450	CM	150	CM	234 LEVEL CM	26620,0221 litre	83,688 %	5188,6035 litre	O
450	CM	150	CM	233 LEVEL CM	26507,8732 litre	83,335 %	5300,7524 litre	O
450	CM	150	CM	232 LEVEL CM	26395,1264 litre	82,981 %	5413,4992 litre	O
450	CM	150	CM	231 LEVEL CM	26281,7920 litre	82,625 %	5526,8336 litre	O
450	CM	150	CM	230 LEVEL CM	26167,8802 litre	82,267 %	5640,7454 litre	O
450	CM	150	CM	229 LEVEL CM	26053,4009 litre	81,907 %	5755,2247 litre	O
450	CM	150	CM	228 LEVEL CM	25938,3640 litre	81,545 %	5870,2616 litre	O
450	CM	150	CM	227 LEVEL CM	25822,7792 litre	81,182 %	5985,8464 litre	O
450	CM	150	CM	226 LEVEL CM	25706,6561 litre	80,817 %	6101,9695 litre	O
450	CM	150	CM	225 LEVEL CM	25590,0040 litre	80,450 %	6218,6216 litre	O
450	CM	150	CM	224 LEVEL CM	25472,8323 litre	80,082 %	6335,7933 litre	O
450	CM	150	CM	223 LEVEL CM	25355,1502 litre	79,712 %	6453,4754 litre	O
450	CM	150	CM	222 LEVEL CM	25236,9666 litre	79,340 %	6571,6590 litre	O
450	CM	150	CM	221 LEVEL CM	25118,2906 litre	78,967 %	6690,3350 litre	O
450	CM	150	CM	220 LEVEL CM	24999,1310 litre	78,592 %	6809,4946 litre	O
450	CM	150	CM	219 LEVEL CM	24879,4965 litre	78,216 %	6929,1291 litre	O
450	CM	150	CM	218 LEVEL CM	24759,3958 litre	77,839 %	7049,2298 litre	O
450	CM	150	CM	217 LEVEL CM	24638,8373 litre	77,460 %	7169,7883 litre	O
450	CM	150	CM	216 LEVEL CM	24517,8295 litre	77,079 %	7290,7961 litre	O
450	CM	150	CM	215 LEVEL CM	24396,3806 litre	76,697 %	7412,2450 litre	O
450	CM	150	CM	214 LEVEL CM	24274,4991 litre	76,314 %	7534,1265 litre	O
450	CM	150	CM	213 LEVEL CM	24152,1929 litre	75,930 %	7656,4327 litre	O
450	CM	150	CM	212 LEVEL CM	24029,4702 litre	75,544 %	7779,1554 litre	O
450	CM	150	CM	211 LEVEL CM	23906,3390 litre	75,157 %	7902,2866 litre	O
450	CM	150	CM	210 LEVEL CM	23782,8072 litre	74,768 %	8025,8184 litre	O
450	CM	150	CM	209 LEVEL CM	23658,8825 litre	74,379 %	8149,7431 litre	O
450	CM	150	CM	208 LEVEL CM	23534,5729 litre	73,988 %	8274,0527 litre	O
450	CM	150	CM	207 LEVEL CM	23409,8858 litre	73,596 %	8398,7398 litre	O
450	CM	150	CM	206 LEVEL CM	23284,8290 litre	73,203 %	8523,7966 litre	O
450	CM	150	CM	205 LEVEL CM	23159,4101 litre	72,809 %	8649,2155 litre	O
450	CM	150	CM	204 LEVEL CM	23033,6364 litre	72,413 %	8774,9892 litre	O
450	CM	150	CM	203 LEVEL CM	22907,5154 litre	72,017 %	8901,1102 litre	O
450	CM	150	CM	202 LEVEL CM	22781,0545 litre	71,619 %	9027,5711 litre	O
450	CM	150	CM	201 LEVEL CM	22654,2610 litre	71,220 %	9154,3646 litre	O
450	CM	150	CM	200 LEVEL CM	22527,1420 litre	70,821 %	9281,4836 litre	O
450	CM	150	CM	199 LEVEL CM	22399,7049 litre	70,420 %	9408,9207 litre	O
450	CM	150	CM	198 LEVEL CM	22271,9567 litre	70,019 %	9536,6689 litre	O
450	CM	150	CM	197 LEVEL CM	22143,9045 litre	69,616 %	9664,7211 litre	O
450	CM	150	CM	196 LEVEL CM	22015,5554 litre	69,213 %	9793,0702 litre	O

450	CM	150	CM	195 LEVEL CM	21886,9163 litre	68,808 %	9921,7093 litre	O
450	CM	150	CM	194 LEVEL CM	21757,9941 litre	68,403 %	10050,6315 litre	O
450	CM	150	CM	193 LEVEL CM	21628,7958 litre	67,997 %	10179,8298 litre	O
450	CM	150	CM	192 LEVEL CM	21499,3282 litre	67,590 %	10309,2974 litre	O
450	CM	150	CM	191 LEVEL CM	21369,5980 litre	67,182 %	10439,0276 litre	O
450	CM	150	CM	190 LEVEL CM	21239,6122 litre	66,773 %	10569,0134 litre	O
450	CM	150	CM	189 LEVEL CM	21109,3773 litre	66,364 %	10699,2483 litre	O
450	CM	150	CM	188 LEVEL CM	20978,9001 litre	65,953 %	10829,7255 litre	O
450	CM	150	CM	187 LEVEL CM	20848,1872 litre	65,543 %	10960,4384 litre	O
450	CM	150	CM	186 LEVEL CM	20717,2452 litre	65,131 %	11091,3804 litre	O
450	CM	150	CM	185 LEVEL CM	20586,0807 litre	64,719 %	11222,5449 litre	O
450	CM	150	CM	184 LEVEL CM	20454,7002 litre	64,306 %	11353,9254 litre	O
450	CM	150	CM	183 LEVEL CM	20323,1103 litre	63,892 %	11485,5153 litre	O
450	CM	150	CM	182 LEVEL CM	20191,3174 litre	63,477 %	11617,3082 litre	O
450	CM	150	CM	181 LEVEL CM	20059,3280 litre	63,063 %	11749,2976 litre	O
450	CM	150	CM	180 LEVEL CM	19927,1484 litre	62,647 %	11881,4772 litre	O
450	CM	150	CM	179 LEVEL CM	19794,7852 litre	62,231 %	12013,8404 litre	O
450	CM	150	CM	178 LEVEL CM	19662,2446 litre	61,814 %	12146,3810 litre	O
450	CM	150	CM	177 LEVEL CM	19529,5330 litre	61,397 %	12279,0926 litre	O
450	CM	150	CM	176 LEVEL CM	19396,6567 litre	60,979 %	12411,9689 litre	O
450	CM	150	CM	175 LEVEL CM	19263,6220 litre	60,561 %	12545,0036 litre	O
450	CM	150	CM	174 LEVEL CM	19130,4352 litre	60,142 %	12678,1904 litre	O
450	CM	150	CM	173 LEVEL CM	18997,1025 litre	59,723 %	12811,5231 litre	O
450	CM	150	CM	172 LEVEL CM	18863,6302 litre	59,304 %	12944,9954 litre	O
450	CM	150	CM	171 LEVEL CM	18730,0244 litre	58,883 %	13078,6012 litre	O
450	CM	150	CM	170 LEVEL CM	18596,2913 litre	58,463 %	13212,3343 litre	O
450	CM	150	CM	169 LEVEL CM	18462,4372 litre	58,042 %	13346,1884 litre	O
450	CM	150	CM	168 LEVEL CM	18328,4681 litre	57,621 %	13480,1575 litre	O
450	CM	150	CM	167 LEVEL CM	18194,3903 litre	57,200 %	13614,2353 litre	O
450	CM	150	CM	166 LEVEL CM	18060,2098 litre	56,778 %	13748,4158 litre	O
450	CM	150	CM	165 LEVEL CM	17925,9327 litre	56,356 %	13882,6929 litre	O
450	CM	150	CM	164 LEVEL CM	17791,5652 litre	55,933 %	14017,0604 litre	O
450	CM	150	CM	163 LEVEL CM	17657,1133 litre	55,510 %	14151,5123 litre	O
450	CM	150	CM	162 LEVEL CM	17522,5831 litre	55,088 %	14286,0425 litre	O
450	CM	150	CM	161 LEVEL CM	17387,9807 litre	54,664 %	14420,6449 litre	O
450	CM	150	CM	160 LEVEL CM	17253,3121 litre	54,241 %	14555,3135 litre	O
450	CM	150	CM	159 LEVEL CM	17118,5834 litre	53,817 %	14690,0422 litre	O
450	CM	150	CM	158 LEVEL CM	16983,8006 litre	53,394 %	14824,8250 litre	O
450	CM	150	CM	157 LEVEL CM	16848,9697 litre	52,970 %	14959,6559 litre	O
450	CM	150	CM	156 LEVEL CM	16714,0968 litre	52,546 %	15094,5288 litre	O
450	CM	150	CM	155 LEVEL CM	16579,1878 litre	52,122 %	15229,4378 litre	O
450	CM	150	CM	154 LEVEL CM	16444,2488 litre	51,697 %	15364,3768 litre	O
450	CM	150	CM	153 LEVEL CM	16309,2858 litre	51,273 %	15499,3398 litre	O
450	CM	150	CM	152 LEVEL CM	16174,3048 litre	50,849 %	15634,3208 litre	O
450	CM	150	CM	151 LEVEL CM	16039,3118 litre	50,424 %	15769,3138 litre	O
450	CM	150	CM	150 LEVEL CM	15904,3128 litre	50,000 %	15904,3128 litre	O
450	CM	150	CM	149 LEVEL CM	15769,3138 litre	49,576 %	16039,3118 litre	O
450	CM	150	CM	148 LEVEL CM	15634,3208 litre	49,151 %	16174,3048 litre	O
450	CM	150	CM	147 LEVEL CM	15499,3398 litre	48,727 %	16309,2858 litre	O
450	CM	150	CM	146 LEVEL CM	15364,3768 litre	48,303 %	16444,2488 litre	O
450	CM	150	CM	145 LEVEL CM	15229,4378 litre	47,878 %	16579,1878 litre	O
450	CM	150	CM	144 LEVEL CM	15094,5289 litre	47,454 %	16714,0967 litre	O
450	CM	150	CM	143 LEVEL CM	14959,6559 litre	47,030 %	16848,9697 litre	O

450	CM	150	CM	142 LEVEL CM	14824,8250 litre	46,606 %	16983,8006 litre	O
450	CM	150	CM	141 LEVEL CM	14690,0422 litre	46,183 %	17118,5834 litre	O
450	CM	150	CM	140 LEVEL CM	14555,3135 litre	45,759 %	17253,3121 litre	O
450	CM	150	CM	139 LEVEL CM	14420,6449 litre	45,336 %	17387,9807 litre	O
450	CM	150	CM	138 LEVEL CM	14286,0425 litre	44,912 %	17522,5831 litre	O
450	CM	150	CM	137 LEVEL CM	14151,5123 litre	44,490 %	17657,1133 litre	O
450	CM	150	CM	136 LEVEL CM	14017,0604 litre	44,067 %	17791,5652 litre	O
450	CM	150	CM	135 LEVEL CM	13882,6929 litre	43,644 %	17925,9327 litre	O
450	CM	150	CM	134 LEVEL CM	13748,4158 litre	43,222 %	18060,2098 litre	O
450	CM	150	CM	133 LEVEL CM	13614,2353 litre	42,800 %	18194,3903 litre	O
450	CM	150	CM	132 LEVEL CM	13480,1575 litre	42,379 %	18328,4681 litre	O
450	CM	150	CM	131 LEVEL CM	13346,1884 litre	41,958 %	18462,4372 litre	O
450	CM	150	CM	130 LEVEL CM	13212,3343 litre	41,537 %	18596,2913 litre	O
450	CM	150	CM	129 LEVEL CM	13078,6012 litre	41,117 %	18730,0244 litre	O
450	CM	150	CM	128 LEVEL CM	12944,9954 litre	40,696 %	18863,6302 litre	O
450	CM	150	CM	127 LEVEL CM	12811,5231 litre	40,277 %	18997,1025 litre	O
450	CM	150	CM	126 LEVEL CM	12678,1904 litre	39,858 %	19130,4352 litre	O
450	CM	150	CM	125 LEVEL CM	12545,0036 litre	39,439 %	19263,6220 litre	O
450	CM	150	CM	124 LEVEL CM	12411,9689 litre	39,021 %	19396,6567 litre	O
450	CM	150	CM	123 LEVEL CM	12279,0926 litre	38,603 %	19529,5330 litre	O
450	CM	150	CM	122 LEVEL CM	12146,3810 litre	38,186 %	19662,2446 litre	O
450	CM	150	CM	121 LEVEL CM	12013,8404 litre	37,769 %	19794,7852 litre	O
450	CM	150	CM	120 LEVEL CM	11881,4772 litre	37,353 %	19927,1484 litre	O
450	CM	150	CM	119 LEVEL CM	11749,2976 litre	36,937 %	20059,3280 litre	O
450	CM	150	CM	118 LEVEL CM	11617,3082 litre	36,523 %	20191,3174 litre	O
450	CM	150	CM	117 LEVEL CM	11485,5153 litre	36,108 %	20323,1103 litre	O
450	CM	150	CM	116 LEVEL CM	11353,9254 litre	35,694 %	20454,7002 litre	O
450	CM	150	CM	115 LEVEL CM	11222,5449 litre	35,281 %	20586,0807 litre	O
450	CM	150	CM	114 LEVEL CM	11091,3804 litre	34,869 %	20717,2452 litre	O
450	CM	150	CM	113 LEVEL CM	10960,4385 litre	34,457 %	20848,1871 litre	O
450	CM	150	CM	112 LEVEL CM	10829,7255 litre	34,047 %	20978,9001 litre	O
450	CM	150	CM	111 LEVEL CM	10699,2483 litre	33,636 %	21109,3773 litre	O
450	CM	150	CM	110 LEVEL CM	10569,0134 litre	33,227 %	21239,6122 litre	O
450	CM	150	CM	109 LEVEL CM	10439,0276 litre	32,818 %	21369,5980 litre	O
450	CM	150	CM	108 LEVEL CM	10309,2975 litre	32,410 %	21499,3281 litre	O
450	CM	150	CM	107 LEVEL CM	10179,8298 litre	32,003 %	21628,7958 litre	O
450	CM	150	CM	106 LEVEL CM	10050,6315 litre	31,597 %	21757,9941 litre	O
450	CM	150	CM	105 LEVEL CM	9921,7094 litre	31,192 %	21886,9162 litre	O
450	CM	150	CM	104 LEVEL CM	9793,0702 litre	30,787 %	22015,5554 litre	O
450	CM	150	CM	103 LEVEL CM	9664,7211 litre	30,384 %	22143,9045 litre	O
450	CM	150	CM	102 LEVEL CM	9536,6689 litre	29,981 %	22271,9567 litre	O
450	CM	150	CM	101 LEVEL CM	9408,9207 litre	29,580 %	22399,7049 litre	O
450	CM	150	CM	100 LEVEL CM	9281,4836 litre	29,179 %	22527,1420 litre	O
450	CM	150	CM	99 LEVEL CM	9154,3647 litre	28,780 %	22654,2609 litre	O
450	CM	150	CM	98 LEVEL CM	9027,5711 litre	28,381 %	22781,0545 litre	O
450	CM	150	CM	97 LEVEL CM	8901,1102 litre	27,983 %	22907,5154 litre	O
450	CM	150	CM	96 LEVEL CM	8774,9892 litre	27,587 %	23033,6364 litre	O
450	CM	150	CM	95 LEVEL CM	8649,2156 litre	27,191 %	23159,4100 litre	O
450	CM	150	CM	94 LEVEL CM	8523,7966 litre	26,797 %	23284,8290 litre	O
450	CM	150	CM	93 LEVEL CM	8398,7398 litre	26,404 %	23409,8858 litre	O
450	CM	150	CM	92 LEVEL CM	8274,0528 litre	26,012 %	23534,5728 litre	O
450	CM	150	CM	91 LEVEL CM	8149,7431 litre	25,621 %	23658,8825 litre	O
450	CM	150	CM	90 LEVEL CM	8025,8184 litre	25,232 %	23782,8072 litre	O

450	CM	150	CM	89 LEVEL CM	7902,2866 litre	24,843 %	23906,3390 litre	O
450	CM	150	CM	88 LEVEL CM	7779,1554 litre	24,456 %	24029,4702 litre	O
450	CM	150	CM	87 LEVEL CM	7656,4327 litre	24,070 %	24152,1929 litre	O
450	CM	150	CM	86 LEVEL CM	7534,1265 litre	23,686 %	24274,4991 litre	O
450	CM	150	CM	85 LEVEL CM	7412,2450 litre	23,303 %	24396,3806 litre	O
450	CM	150	CM	84 LEVEL CM	7290,7962 litre	22,921 %	24517,8294 litre	O
450	CM	150	CM	83 LEVEL CM	7169,7883 litre	22,540 %	24638,8373 litre	O
450	CM	150	CM	82 LEVEL CM	7049,2298 litre	22,161 %	24759,3958 litre	O
450	CM	150	CM	81 LEVEL CM	6929,1291 litre	21,784 %	24879,4965 litre	O
450	CM	150	CM	80 LEVEL CM	6809,4946 litre	21,408 %	24999,1310 litre	O
450	CM	150	CM	79 LEVEL CM	6690,3350 litre	21,033 %	25118,2906 litre	O
450	CM	150	CM	78 LEVEL CM	6571,6590 litre	20,660 %	25236,9666 litre	O
450	CM	150	CM	77 LEVEL CM	6453,4755 litre	20,288 %	25355,1501 litre	O
450	CM	150	CM	76 LEVEL CM	6335,7933 litre	19,918 %	25472,8323 litre	O
450	CM	150	CM	75 LEVEL CM	6218,6216 litre	19,550 %	25590,0040 litre	O
450	CM	150	CM	74 LEVEL CM	6101,9695 litre	19,183 %	25706,6561 litre	O
450	CM	150	CM	73 LEVEL CM	5985,8464 litre	18,818 %	25822,7792 litre	O
450	CM	150	CM	72 LEVEL CM	5870,2616 litre	18,455 %	25938,3640 litre	O
450	CM	150	CM	71 LEVEL CM	5755,2247 litre	18,093 %	26053,4009 litre	O
450	CM	150	CM	70 LEVEL CM	5640,7454 litre	17,733 %	26167,8802 litre	O
450	CM	150	CM	69 LEVEL CM	5526,8336 litre	17,375 %	26281,7920 litre	O
450	CM	150	CM	68 LEVEL CM	5413,4992 litre	17,019 %	26395,1264 litre	O
450	CM	150	CM	67 LEVEL CM	5300,7524 litre	16,665 %	26507,8732 litre	O
450	CM	150	CM	66 LEVEL CM	5188,6035 litre	16,312 %	26620,0221 litre	O
450	CM	150	CM	65 LEVEL CM	5077,0629 litre	15,961 %	26731,5627 litre	O
450	CM	150	CM	64 LEVEL CM	4966,1413 litre	15,613 %	26842,4843 litre	O
450	CM	150	CM	63 LEVEL CM	4855,8496 litre	15,266 %	26952,7760 litre	O
450	CM	150	CM	62 LEVEL CM	4746,1986 litre	14,921 %	27062,4270 litre	O
450	CM	150	CM	61 LEVEL CM	4637,1996 litre	14,578 %	27171,4260 litre	O
450	CM	150	CM	60 LEVEL CM	4528,8641 litre	14,238 %	27279,7615 litre	O
450	CM	150	CM	59 LEVEL CM	4421,2035 litre	13,899 %	27387,4221 litre	O
450	CM	150	CM	58 LEVEL CM	4314,2299 litre	13,563 %	27494,3957 litre	O
450	CM	150	CM	57 LEVEL CM	4207,9551 litre	13,229 %	27600,6705 litre	O
450	CM	150	CM	56 LEVEL CM	4102,3915 litre	12,897 %	27706,2341 litre	O
450	CM	150	CM	55 LEVEL CM	3997,5517 litre	12,568 %	27811,0739 litre	O
450	CM	150	CM	54 LEVEL CM	3893,4485 litre	12,240 %	27915,1771 litre	O
450	CM	150	CM	53 LEVEL CM	3790,0949 litre	11,915 %	28018,5307 litre	O
450	CM	150	CM	52 LEVEL CM	3687,5043 litre	11,593 %	28121,1213 litre	O
450	CM	150	CM	51 LEVEL CM	3585,6905 litre	11,273 %	28222,9351 litre	O
450	CM	150	CM	50 LEVEL CM	3484,6673 litre	10,955 %	28323,9583 litre	O
450	CM	150	CM	49 LEVEL CM	3384,4492 litre	10,640 %	28424,1764 litre	O
450	CM	150	CM	48 LEVEL CM	3285,0507 litre	10,328 %	28523,5749 litre	O
450	CM	150	CM	47 LEVEL CM	3186,4870 litre	10,018 %	28622,1386 litre	O
450	CM	150	CM	46 LEVEL CM	3088,7734 litre	9,710 %	28719,8522 litre	O
450	CM	150	CM	45 LEVEL CM	2991,9258 litre	9,406 %	28816,6998 litre	O
450	CM	150	CM	44 LEVEL CM	2895,9603 litre	9,104 %	28912,6653 litre	O
450	CM	150	CM	43 LEVEL CM	2800,8938 litre	8,805 %	29007,7318 litre	O
450	CM	150	CM	42 LEVEL CM	2706,7434 litre	8,509 %	29101,8822 litre	O
450	CM	150	CM	41 LEVEL CM	2613,5268 litre	8,216 %	29195,0988 litre	O
450	CM	150	CM	40 LEVEL CM	2521,2622 litre	7,926 %	29287,3634 litre	O
450	CM	150	CM	39 LEVEL CM	2429,9685 litre	7,639 %	29378,6571 litre	O
450	CM	150	CM	38 LEVEL CM	2339,6649 litre	7,355 %	29468,9607 litre	O
450	CM	150	CM	37 LEVEL CM	2250,3717 litre	7,075 %	29558,2539 litre	O

450	CM	150	CM	36 LEVEL CM	2162,1095 litre	6,797 %	29646,5161 litre	O
450	CM	150	CM	35 LEVEL CM	2074,8998 litre	6,523 %	29733,7258 litre	O
450	CM	150	CM	34 LEVEL CM	1988,7648 litre	6,252 %	29819,8608 litre	O
450	CM	150	CM	33 LEVEL CM	1903,7277 litre	5,985 %	29904,8979 litre	O
450	CM	150	CM	32 LEVEL CM	1819,8125 litre	5,721 %	29988,8131 litre	O
450	CM	150	CM	31 LEVEL CM	1737,0441 litre	5,461 %	30071,5815 litre	O
450	CM	150	CM	30 LEVEL CM	1655,4487 litre	5,204 %	30153,1769 litre	O
450	CM	150	CM	29 LEVEL CM	1575,0534 litre	4,952 %	30233,5722 litre	O
450	CM	150	CM	28 LEVEL CM	1495,8866 litre	4,703 %	30312,7390 litre	O
450	CM	150	CM	27 LEVEL CM	1417,9781 litre	4,458 %	30390,6475 litre	O
450	CM	150	CM	26 LEVEL CM	1341,3591 litre	4,217 %	30467,2665 litre	O
450	CM	150	CM	25 LEVEL CM	1266,0625 litre	3,980 %	30542,5631 litre	O
450	CM	150	CM	24 LEVEL CM	1192,1229 litre	3,748 %	30616,5027 litre	O
450	CM	150	CM	23 LEVEL CM	1119,5767 litre	3,520 %	30689,0489 litre	O
450	CM	150	CM	22 LEVEL CM	1048,4628 litre	3,296 %	30760,1628 litre	O
450	CM	150	CM	21 LEVEL CM	978,8221 litre	3,077 %	30829,8035 litre	O
450	CM	150	CM	20 LEVEL CM	910,6984 litre	2,863 %	30897,9272 litre	O
450	CM	150	CM	19 LEVEL CM	844,1385 litre	2,654 %	30964,4871 litre	O
450	CM	150	CM	18 LEVEL CM	779,1925 litre	2,450 %	31029,4331 litre	O
450	CM	150	CM	17 LEVEL CM	715,9143 litre	2,251 %	31092,7113 litre	O
450	CM	150	CM	16 LEVEL CM	654,3623 litre	2,057 %	31154,2633 litre	O
450	CM	150	CM	15 LEVEL CM	594,5998 litre	1,869 %	31214,0258 litre	O
450	CM	150	CM	14 LEVEL CM	536,6962 litre	1,687 %	31271,9294 litre	O
450	CM	150	CM	13 LEVEL CM	480,7276 litre	1,511 %	31327,8980 litre	O
450	CM	150	CM	12 LEVEL CM	426,7784 litre	1,342 %	31381,8472 litre	O
450	CM	150	CM	11 LEVEL CM	374,9429 litre	1,179 %	31433,6827 litre	O
450	CM	150	CM	10 LEVEL CM	325,3274 litre	1,023 %	31483,2982 litre	O
450	CM	150	CM	9 LEVEL CM	278,0532 litre	0,874 %	31530,5724 litre	O
450	CM	150	CM	8 LEVEL CM	233,2608 litre	0,733 %	31575,3648 litre	O
450	CM	150	CM	7 LEVEL CM	191,1152 litre	0,601 %	31617,5104 litre	O
450	CM	150	CM	6 LEVEL CM	151,8154 litre	0,477 %	31656,8102 litre	O
450	CM	150	CM	5 LEVEL CM	115,6068 litre	0,363 %	31693,0188 litre	O
450	CM	150	CM	4 LEVEL CM	82,8051 litre	0,260 %	31725,8205 litre	O
450	CM	150	CM	3 LEVEL CM	53,8377 litre	0,169 %	31754,7879 litre	O
450	CM	150	CM	2 LEVEL CM	29,3350 litre	0,092 %	31779,2906 litre	O
450	CM	150	CM	1 LEVEL CM	10,3819 litre	0,033 %	31798,2437 litre	O
450	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	31808,6256 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 145	CM 290 LEVEL CM	29723,3935 litre	100,000 %	0,0000 litre	O
450	CM 145	CM 289 LEVEL CM	29713,1864 litre	99,966 %	10,2071 litre	O
450	CM 145	CM 288 LEVEL CM	29694,5535 litre	99,903 %	28,8400 litre	O
450	CM 145	CM 287 LEVEL CM	29670,4662 litre	99,822 %	52,9273 litre	O
450	CM 145	CM 286 LEVEL CM	29641,9915 litre	99,726 %	81,4020 litre	O
450	CM 145	CM 285 LEVEL CM	29609,7496 litre	99,618 %	113,6439 litre	O
450	CM 145	CM 284 LEVEL CM	29574,1611 litre	99,498 %	149,2324 litre	O
450	CM 145	CM 283 LEVEL CM	29535,5366 litre	99,368 %	187,8569 litre	O
450	CM 145	CM 282 LEVEL CM	29494,1178 litre	99,229 %	229,2757 litre	O
450	CM 145	CM 281 LEVEL CM	29450,1003 litre	99,081 %	273,2932 litre	O
450	CM 145	CM 280 LEVEL CM	29403,6470 litre	98,924 %	319,7465 litre	O
450	CM 145	CM 279 LEVEL CM	29354,8959 litre	98,760 %	368,4976 litre	O
450	CM 145	CM 278 LEVEL CM	29303,9667 litre	98,589 %	419,4268 litre	O
450	CM 145	CM 277 LEVEL CM	29250,9641 litre	98,411 %	472,4294 litre	O
450	CM 145	CM 276 LEVEL CM	29195,9810 litre	98,226 %	527,4125 litre	O
450	CM 145	CM 275 LEVEL CM	29139,1005 litre	98,034 %	584,2930 litre	O
450	CM 145	CM 274 LEVEL CM	29080,3977 litre	97,837 %	642,9958 litre	O
450	CM 145	CM 273 LEVEL CM	29019,9410 litre	97,633 %	703,4525 litre	O
450	CM 145	CM 272 LEVEL CM	28957,7929 litre	97,424 %	765,6006 litre	O
450	CM 145	CM 271 LEVEL CM	28894,0108 litre	97,210 %	829,3827 litre	O
450	CM 145	CM 270 LEVEL CM	28828,6482 litre	96,990 %	894,7453 litre	O
450	CM 145	CM 269 LEVEL CM	28761,7543 litre	96,765 %	961,6392 litre	O
450	CM 145	CM 268 LEVEL CM	28693,3753 litre	96,535 %	1030,0182 litre	O
450	CM 145	CM 267 LEVEL CM	28623,5545 litre	96,300 %	1099,8390 litre	O
450	CM 145	CM 266 LEVEL CM	28552,3323 litre	96,060 %	1171,0612 litre	O
450	CM 145	CM 265 LEVEL CM	28479,7470 litre	95,816 %	1243,6465 litre	O
450	CM 145	CM 264 LEVEL CM	28405,8346 litre	95,567 %	1317,5589 litre	O
450	CM 145	CM 263 LEVEL CM	28330,6294 litre	95,314 %	1392,7641 litre	O
450	CM 145	CM 262 LEVEL CM	28254,1638 litre	95,057 %	1469,2297 litre	O
450	CM 145	CM 261 LEVEL CM	28176,4686 litre	94,796 %	1546,9249 litre	O
450	CM 145	CM 260 LEVEL CM	28097,5734 litre	94,530 %	1625,8201 litre	O
450	CM 145	CM 259 LEVEL CM	28017,5061 litre	94,261 %	1705,8874 litre	O
450	CM 145	CM 258 LEVEL CM	27936,2937 litre	93,988 %	1787,0998 litre	O
450	CM 145	CM 257 LEVEL CM	27853,9619 litre	93,711 %	1869,4316 litre	O
450	CM 145	CM 256 LEVEL CM	27770,5356 litre	93,430 %	1952,8579 litre	O
450	CM 145	CM 255 LEVEL CM	27686,0383 litre	93,146 %	2037,3552 litre	O
450	CM 145	CM 254 LEVEL CM	27600,4930 litre	92,858 %	2122,9005 litre	O
450	CM 145	CM 253 LEVEL CM	27513,9218 litre	92,567 %	2209,4717 litre	O
450	CM 145	CM 252 LEVEL CM	27426,3459 litre	92,272 %	2297,0476 litre	O
450	CM 145	CM 251 LEVEL CM	27337,7859 litre	91,974 %	2385,6076 litre	O
450	CM 145	CM 250 LEVEL CM	27248,2616 litre	91,673 %	2475,1319 litre	O
450	CM 145	CM 249 LEVEL CM	27157,7922 litre	91,368 %	2565,6013 litre	O
450	CM 145	CM 248 LEVEL CM	27066,3964 litre	91,061 %	2656,9971 litre	O
450	CM 145	CM 247 LEVEL CM	26974,0923 litre	90,750 %	2749,3012 litre	O
450	CM 145	CM 246 LEVEL CM	26880,8974 litre	90,437 %	2842,4961 litre	O
450	CM 145	CM 245 LEVEL CM	26786,8287 litre	90,120 %	2936,5648 litre	O
450	CM 145	CM 244 LEVEL CM	26691,9028 litre	89,801 %	3031,4907 litre	O
450	CM 145	CM 243 LEVEL CM	26596,1359 litre	89,479 %	3127,2576 litre	O
450	CM 145	CM 242 LEVEL CM	26499,5436 litre	89,154 %	3223,8499 litre	O
450	CM 145	CM 241 LEVEL CM	26402,1413 litre	88,826 %	3321,2522 litre	O
450	CM 145	CM 240 LEVEL CM	26303,9439 litre	88,496 %	3419,4496 litre	O
450	CM 145	CM 239 LEVEL CM	26204,9660 litre	88,163 %	3518,4275 litre	O

450	CM	145	CM	238 LEVEL CM	26105,2218 litre	87,827 %	3618,1717 litre	O
450	CM	145	CM	237 LEVEL CM	26004,7251 litre	87,489 %	3718,6684 litre	O
450	CM	145	CM	236 LEVEL CM	25903,4897 litre	87,148 %	3819,9038 litre	O
450	CM	145	CM	235 LEVEL CM	25801,5287 litre	86,805 %	3921,8648 litre	O
450	CM	145	CM	234 LEVEL CM	25698,8553 litre	86,460 %	4024,5382 litre	O
450	CM	145	CM	233 LEVEL CM	25595,4821 litre	86,112 %	4127,9114 litre	O
450	CM	145	CM	232 LEVEL CM	25491,4216 litre	85,762 %	4231,9719 litre	O
450	CM	145	CM	231 LEVEL CM	25386,6861 litre	85,410 %	4336,7074 litre	O
450	CM	145	CM	230 LEVEL CM	25281,2876 litre	85,055 %	4442,1059 litre	O
450	CM	145	CM	229 LEVEL CM	25175,2379 litre	84,698 %	4548,1556 litre	O
450	CM	145	CM	228 LEVEL CM	25068,5485 litre	84,339 %	4654,8450 litre	O
450	CM	145	CM	227 LEVEL CM	24961,2308 litre	83,978 %	4762,1627 litre	O
450	CM	145	CM	226 LEVEL CM	24853,2960 litre	83,615 %	4870,0975 litre	O
450	CM	145	CM	225 LEVEL CM	24744,7550 litre	83,250 %	4978,6385 litre	O
450	CM	145	CM	224 LEVEL CM	24635,6186 litre	82,883 %	5087,7749 litre	O
450	CM	145	CM	223 LEVEL CM	24525,8974 litre	82,514 %	5197,4961 litre	O
450	CM	145	CM	222 LEVEL CM	24415,6019 litre	82,143 %	5307,7916 litre	O
450	CM	145	CM	221 LEVEL CM	24304,7424 litre	81,770 %	5418,6511 litre	O
450	CM	145	CM	220 LEVEL CM	24193,3290 litre	81,395 %	5530,0645 litre	O
450	CM	145	CM	219 LEVEL CM	24081,3716 litre	81,018 %	5642,0219 litre	O
450	CM	145	CM	218 LEVEL CM	23968,8801 litre	80,640 %	5754,5134 litre	O
450	CM	145	CM	217 LEVEL CM	23855,8642 litre	80,260 %	5867,5293 litre	O
450	CM	145	CM	216 LEVEL CM	23742,3334 litre	79,878 %	5981,0601 litre	O
450	CM	145	CM	215 LEVEL CM	23628,2972 litre	79,494 %	6095,0963 litre	O
450	CM	145	CM	214 LEVEL CM	23513,7648 litre	79,109 %	6209,6287 litre	O
450	CM	145	CM	213 LEVEL CM	23398,7455 litre	78,722 %	6324,6480 litre	O
450	CM	145	CM	212 LEVEL CM	23283,2483 litre	78,333 %	6440,1452 litre	O
450	CM	145	CM	211 LEVEL CM	23167,2822 litre	77,943 %	6556,1113 litre	O
450	CM	145	CM	210 LEVEL CM	23050,8560 litre	77,551 %	6672,5375 litre	O
450	CM	145	CM	209 LEVEL CM	22933,9784 litre	77,158 %	6789,4151 litre	O
450	CM	145	CM	208 LEVEL CM	22816,6582 litre	76,763 %	6906,7353 litre	O
450	CM	145	CM	207 LEVEL CM	22698,9037 litre	76,367 %	7024,4898 litre	O
450	CM	145	CM	206 LEVEL CM	22580,7236 litre	75,970 %	7142,6699 litre	O
450	CM	145	CM	205 LEVEL CM	22462,1261 litre	75,571 %	7261,2674 litre	O
450	CM	145	CM	204 LEVEL CM	22343,1195 litre	75,170 %	7380,2740 litre	O
450	CM	145	CM	203 LEVEL CM	22223,7121 litre	74,768 %	7499,6814 litre	O
450	CM	145	CM	202 LEVEL CM	22103,9118 litre	74,365 %	7619,4817 litre	O
450	CM	145	CM	201 LEVEL CM	21983,7267 litre	73,961 %	7739,6668 litre	O
450	CM	145	CM	200 LEVEL CM	21863,1648 litre	73,555 %	7860,2287 litre	O
450	CM	145	CM	199 LEVEL CM	21742,2340 litre	73,149 %	7981,1595 litre	O
450	CM	145	CM	198 LEVEL CM	21620,9420 litre	72,740 %	8102,4515 litre	O
450	CM	145	CM	197 LEVEL CM	21499,2966 litre	72,331 %	8224,0969 litre	O
450	CM	145	CM	196 LEVEL CM	21377,3054 litre	71,921 %	8346,0881 litre	O
450	CM	145	CM	195 LEVEL CM	21254,9760 litre	71,509 %	8468,4175 litre	O
450	CM	145	CM	194 LEVEL CM	21132,3160 litre	71,097 %	8591,0775 litre	O
450	CM	145	CM	193 LEVEL CM	21009,3329 litre	70,683 %	8714,0606 litre	O
450	CM	145	CM	192 LEVEL CM	20886,0340 litre	70,268 %	8837,3595 litre	O
450	CM	145	CM	191 LEVEL CM	20762,4268 litre	69,852 %	8960,9667 litre	O
450	CM	145	CM	190 LEVEL CM	20638,5185 litre	69,435 %	9084,8750 litre	O
450	CM	145	CM	189 LEVEL CM	20514,3163 litre	69,017 %	9209,0772 litre	O
450	CM	145	CM	188 LEVEL CM	20389,8275 litre	68,599 %	9333,5660 litre	O
450	CM	145	CM	187 LEVEL CM	20265,0593 litre	68,179 %	9458,3342 litre	O
450	CM	145	CM	186 LEVEL CM	20140,0187 litre	67,758 %	9583,3748 litre	O

450	CM	145	CM	185 LEVEL CM	20014,7128 litre	67,337 %	9708,6807 litre	O
450	CM	145	CM	184 LEVEL CM	19889,1485 litre	66,914 %	9834,2450 litre	O
450	CM	145	CM	183 LEVEL CM	19763,3330 litre	66,491 %	9960,0605 litre	O
450	CM	145	CM	182 LEVEL CM	19637,2730 litre	66,067 %	10086,1205 litre	O
450	CM	145	CM	181 LEVEL CM	19510,9755 litre	65,642 %	10212,4180 litre	O
450	CM	145	CM	180 LEVEL CM	19384,4474 litre	65,216 %	10338,9461 litre	O
450	CM	145	CM	179 LEVEL CM	19257,6953 litre	64,790 %	10465,6982 litre	O
450	CM	145	CM	178 LEVEL CM	19130,7262 litre	64,363 %	10592,6673 litre	O
450	CM	145	CM	177 LEVEL CM	19003,5468 litre	63,935 %	10719,8467 litre	O
450	CM	145	CM	176 LEVEL CM	18876,1636 litre	63,506 %	10847,2299 litre	O
450	CM	145	CM	175 LEVEL CM	18748,5836 litre	63,077 %	10974,8099 litre	O
450	CM	145	CM	174 LEVEL CM	18620,8132 litre	62,647 %	11102,5803 litre	O
450	CM	145	CM	173 LEVEL CM	18492,8590 litre	62,217 %	11230,5345 litre	O
450	CM	145	CM	172 LEVEL CM	18364,7278 litre	61,785 %	11358,6657 litre	O
450	CM	145	CM	171 LEVEL CM	18236,4260 litre	61,354 %	11486,9675 litre	O
450	CM	145	CM	170 LEVEL CM	18107,9601 litre	60,922 %	11615,4334 litre	O
450	CM	145	CM	169 LEVEL CM	17979,3367 litre	60,489 %	11744,0568 litre	O
450	CM	145	CM	168 LEVEL CM	17850,5623 litre	60,056 %	11872,8312 litre	O
450	CM	145	CM	167 LEVEL CM	17721,6432 litre	59,622 %	12001,7503 litre	O
450	CM	145	CM	166 LEVEL CM	17592,5860 litre	59,188 %	12130,8075 litre	O
450	CM	145	CM	165 LEVEL CM	17463,3971 litre	58,753 %	12259,9964 litre	O
450	CM	145	CM	164 LEVEL CM	17334,0828 litre	58,318 %	12389,3107 litre	O
450	CM	145	CM	163 LEVEL CM	17204,6496 litre	57,883 %	12518,7439 litre	O
450	CM	145	CM	162 LEVEL CM	17075,1038 litre	57,447 %	12648,2897 litre	O
450	CM	145	CM	161 LEVEL CM	16945,4517 litre	57,010 %	12777,9418 litre	O
450	CM	145	CM	160 LEVEL CM	16815,6997 litre	56,574 %	12907,6938 litre	O
450	CM	145	CM	159 LEVEL CM	16685,8541 litre	56,137 %	13037,5394 litre	O
450	CM	145	CM	158 LEVEL CM	16555,9212 litre	55,700 %	13167,4723 litre	O
450	CM	145	CM	157 LEVEL CM	16425,9073 litre	55,263 %	13297,4862 litre	O
450	CM	145	CM	156 LEVEL CM	16295,8187 litre	54,825 %	13427,5748 litre	O
450	CM	145	CM	155 LEVEL CM	16165,6615 litre	54,387 %	13557,7320 litre	O
450	CM	145	CM	154 LEVEL CM	16035,4422 litre	53,949 %	13687,9513 litre	O
450	CM	145	CM	153 LEVEL CM	15905,1668 litre	53,511 %	13818,2267 litre	O
450	CM	145	CM	152 LEVEL CM	15774,8418 litre	53,072 %	13948,5517 litre	O
450	CM	145	CM	151 LEVEL CM	15644,4732 litre	52,634 %	14078,9203 litre	O
450	CM	145	CM	150 LEVEL CM	15514,0674 litre	52,195 %	14209,3261 litre	O
450	CM	145	CM	149 LEVEL CM	15383,6305 litre	51,756 %	14339,7630 litre	O
450	CM	145	CM	148 LEVEL CM	15253,1688 litre	51,317 %	14470,2247 litre	O
450	CM	145	CM	147 LEVEL CM	15122,6885 litre	50,878 %	14600,7050 litre	O
450	CM	145	CM	146 LEVEL CM	14992,1957 litre	50,439 %	14731,1978 litre	O
450	CM	145	CM	145 LEVEL CM	14861,6967 litre	50,000 %	14861,6968 litre	O
450	CM	145	CM	144 LEVEL CM	14731,1978 litre	49,561 %	14992,1957 litre	O
450	CM	145	CM	143 LEVEL CM	14600,7050 litre	49,122 %	15122,6885 litre	O
450	CM	145	CM	142 LEVEL CM	14470,2247 litre	48,683 %	15253,1688 litre	O
450	CM	145	CM	141 LEVEL CM	14339,7630 litre	48,244 %	15383,6305 litre	O
450	CM	145	CM	140 LEVEL CM	14209,3261 litre	47,805 %	15514,0674 litre	O
450	CM	145	CM	139 LEVEL CM	14078,9203 litre	47,366 %	15644,4732 litre	O
450	CM	145	CM	138 LEVEL CM	13948,5517 litre	46,928 %	15774,8418 litre	O
450	CM	145	CM	137 LEVEL CM	13818,2266 litre	46,489 %	15905,1669 litre	O
450	CM	145	CM	136 LEVEL CM	13687,9513 litre	46,051 %	16035,4422 litre	O
450	CM	145	CM	135 LEVEL CM	13557,7320 litre	45,613 %	16165,6615 litre	O
450	CM	145	CM	134 LEVEL CM	13427,5748 litre	45,175 %	16295,8187 litre	O
450	CM	145	CM	133 LEVEL CM	13297,4862 litre	44,737 %	16425,9073 litre	O

450	CM	145	CM	132 LEVEL CM	13167,4723 litre	44,300 %	16555,9212 litre	O
450	CM	145	CM	131 LEVEL CM	13037,5394 litre	43,863 %	16685,8541 litre	O
450	CM	145	CM	130 LEVEL CM	12907,6938 litre	43,426 %	16815,6997 litre	O
450	CM	145	CM	129 LEVEL CM	12777,9418 litre	42,990 %	16945,4517 litre	O
450	CM	145	CM	128 LEVEL CM	12648,2897 litre	42,553 %	17075,1038 litre	O
450	CM	145	CM	127 LEVEL CM	12518,7439 litre	42,117 %	17204,6496 litre	O
450	CM	145	CM	126 LEVEL CM	12389,3107 litre	41,682 %	17334,0828 litre	O
450	CM	145	CM	125 LEVEL CM	12259,9964 litre	41,247 %	17463,3971 litre	O
450	CM	145	CM	124 LEVEL CM	12130,8075 litre	40,812 %	17592,5860 litre	O
450	CM	145	CM	123 LEVEL CM	12001,7503 litre	40,378 %	17721,6432 litre	O
450	CM	145	CM	122 LEVEL CM	11872,8312 litre	39,944 %	17850,5623 litre	O
450	CM	145	CM	121 LEVEL CM	11744,0568 litre	39,511 %	17979,3367 litre	O
450	CM	145	CM	120 LEVEL CM	11615,4334 litre	39,078 %	18107,9601 litre	O
450	CM	145	CM	119 LEVEL CM	11486,9675 litre	38,646 %	18236,4260 litre	O
450	CM	145	CM	118 LEVEL CM	11358,6657 litre	38,215 %	18364,7278 litre	O
450	CM	145	CM	117 LEVEL CM	11230,5345 litre	37,783 %	18492,8590 litre	O
450	CM	145	CM	116 LEVEL CM	11102,5803 litre	37,353 %	18620,8132 litre	O
450	CM	145	CM	115 LEVEL CM	10974,8099 litre	36,923 %	18748,5836 litre	O
450	CM	145	CM	114 LEVEL CM	10847,2298 litre	36,494 %	18876,1637 litre	O
450	CM	145	CM	113 LEVEL CM	10719,8467 litre	36,065 %	19003,5468 litre	O
450	CM	145	CM	112 LEVEL CM	10592,6673 litre	35,637 %	19130,7262 litre	O
450	CM	145	CM	111 LEVEL CM	10465,6982 litre	35,210 %	19257,6953 litre	O
450	CM	145	CM	110 LEVEL CM	10338,9461 litre	34,784 %	19384,4474 litre	O
450	CM	145	CM	109 LEVEL CM	10212,4180 litre	34,358 %	19510,9755 litre	O
450	CM	145	CM	108 LEVEL CM	10086,1205 litre	33,933 %	19637,2730 litre	O
450	CM	145	CM	107 LEVEL CM	9960,0605 litre	33,509 %	19763,3330 litre	O
450	CM	145	CM	106 LEVEL CM	9834,2450 litre	33,086 %	19889,1485 litre	O
450	CM	145	CM	105 LEVEL CM	9708,6807 litre	32,663 %	20014,7128 litre	O
450	CM	145	CM	104 LEVEL CM	9583,3748 litre	32,242 %	20140,0187 litre	O
450	CM	145	CM	103 LEVEL CM	9458,3342 litre	31,821 %	20265,0593 litre	O
450	CM	145	CM	102 LEVEL CM	9333,5660 litre	31,401 %	20389,8275 litre	O
450	CM	145	CM	101 LEVEL CM	9209,0772 litre	30,983 %	20514,3163 litre	O
450	CM	145	CM	100 LEVEL CM	9084,8750 litre	30,565 %	20638,5185 litre	O
450	CM	145	CM	99 LEVEL CM	8960,9667 litre	30,148 %	20762,4268 litre	O
450	CM	145	CM	98 LEVEL CM	8837,3595 litre	29,732 %	20886,0340 litre	O
450	CM	145	CM	97 LEVEL CM	8714,0606 litre	29,317 %	21009,3329 litre	O
450	CM	145	CM	96 LEVEL CM	8591,0775 litre	28,903 %	21132,3160 litre	O
450	CM	145	CM	95 LEVEL CM	8468,4175 litre	28,491 %	21254,9760 litre	O
450	CM	145	CM	94 LEVEL CM	8346,0881 litre	28,079 %	21377,3054 litre	O
450	CM	145	CM	93 LEVEL CM	8224,0969 litre	27,669 %	21499,2966 litre	O
450	CM	145	CM	92 LEVEL CM	8102,4515 litre	27,260 %	21620,9420 litre	O
450	CM	145	CM	91 LEVEL CM	7981,1595 litre	26,851 %	21742,2340 litre	O
450	CM	145	CM	90 LEVEL CM	7860,2287 litre	26,445 %	21863,1648 litre	O
450	CM	145	CM	89 LEVEL CM	7739,6668 litre	26,039 %	21983,7267 litre	O
450	CM	145	CM	88 LEVEL CM	7619,4817 litre	25,635 %	22103,9118 litre	O
450	CM	145	CM	87 LEVEL CM	7499,6814 litre	25,232 %	22223,7121 litre	O
450	CM	145	CM	86 LEVEL CM	7380,2740 litre	24,830 %	22343,1195 litre	O
450	CM	145	CM	85 LEVEL CM	7261,2674 litre	24,429 %	22462,1261 litre	O
450	CM	145	CM	84 LEVEL CM	7142,6699 litre	24,030 %	22580,7236 litre	O
450	CM	145	CM	83 LEVEL CM	7024,4897 litre	23,633 %	22698,9038 litre	O
450	CM	145	CM	82 LEVEL CM	6906,7353 litre	23,237 %	22816,6582 litre	O
450	CM	145	CM	81 LEVEL CM	6789,4151 litre	22,842 %	22933,9784 litre	O
450	CM	145	CM	80 LEVEL CM	6672,5375 litre	22,449 %	23050,8560 litre	O

450	CM	145	CM	79 LEVEL CM	6556,1113 litre	22,057 %	23167,2822 litre	O
450	CM	145	CM	78 LEVEL CM	6440,1452 litre	21,667 %	23283,2483 litre	O
450	CM	145	CM	77 LEVEL CM	6324,6480 litre	21,278 %	23398,7455 litre	O
450	CM	145	CM	76 LEVEL CM	6209,6287 litre	20,891 %	23513,7648 litre	O
450	CM	145	CM	75 LEVEL CM	6095,0963 litre	20,506 %	23628,2972 litre	O
450	CM	145	CM	74 LEVEL CM	5981,0601 litre	20,122 %	23742,3334 litre	O
450	CM	145	CM	73 LEVEL CM	5867,5293 litre	19,740 %	23855,8642 litre	O
450	CM	145	CM	72 LEVEL CM	5754,5134 litre	19,360 %	23968,8801 litre	O
450	CM	145	CM	71 LEVEL CM	5642,0219 litre	18,982 %	24081,3716 litre	O
450	CM	145	CM	70 LEVEL CM	5530,0645 litre	18,605 %	24193,3290 litre	O
450	CM	145	CM	69 LEVEL CM	5418,6511 litre	18,230 %	24304,7424 litre	O
450	CM	145	CM	68 LEVEL CM	5307,7916 litre	17,857 %	24415,6019 litre	O
450	CM	145	CM	67 LEVEL CM	5197,4961 litre	17,486 %	24525,8974 litre	O
450	CM	145	CM	66 LEVEL CM	5087,7749 litre	17,117 %	24635,6186 litre	O
450	CM	145	CM	65 LEVEL CM	4978,6385 litre	16,750 %	24744,7550 litre	O
450	CM	145	CM	64 LEVEL CM	4870,0975 litre	16,385 %	24853,2960 litre	O
450	CM	145	CM	63 LEVEL CM	4762,1627 litre	16,022 %	24961,2308 litre	O
450	CM	145	CM	62 LEVEL CM	4654,8450 litre	15,661 %	25068,5485 litre	O
450	CM	145	CM	61 LEVEL CM	4548,1556 litre	15,302 %	25175,2379 litre	O
450	CM	145	CM	60 LEVEL CM	4442,1059 litre	14,945 %	25281,2876 litre	O
450	CM	145	CM	59 LEVEL CM	4336,7074 litre	14,590 %	25386,6861 litre	O
450	CM	145	CM	58 LEVEL CM	4231,9719 litre	14,238 %	25491,4216 litre	O
450	CM	145	CM	57 LEVEL CM	4127,9114 litre	13,888 %	25595,4821 litre	O
450	CM	145	CM	56 LEVEL CM	4024,5382 litre	13,540 %	25698,8553 litre	O
450	CM	145	CM	55 LEVEL CM	3921,8647 litre	13,195 %	25801,5288 litre	O
450	CM	145	CM	54 LEVEL CM	3819,9038 litre	12,852 %	25903,4897 litre	O
450	CM	145	CM	53 LEVEL CM	3718,6683 litre	12,511 %	26004,7252 litre	O
450	CM	145	CM	52 LEVEL CM	3618,1717 litre	12,173 %	26105,2218 litre	O
450	CM	145	CM	51 LEVEL CM	3518,4275 litre	11,837 %	26204,9660 litre	O
450	CM	145	CM	50 LEVEL CM	3419,4496 litre	11,504 %	26303,9439 litre	O
450	CM	145	CM	49 LEVEL CM	3321,2522 litre	11,174 %	26402,1413 litre	O
450	CM	145	CM	48 LEVEL CM	3223,8499 litre	10,846 %	26499,5436 litre	O
450	CM	145	CM	47 LEVEL CM	3127,2576 litre	10,521 %	26596,1359 litre	O
450	CM	145	CM	46 LEVEL CM	3031,4907 litre	10,199 %	26691,9028 litre	O
450	CM	145	CM	45 LEVEL CM	2936,5648 litre	9,880 %	26786,8287 litre	O
450	CM	145	CM	44 LEVEL CM	2842,4961 litre	9,563 %	26880,8974 litre	O
450	CM	145	CM	43 LEVEL CM	2749,3012 litre	9,250 %	26974,0923 litre	O
450	CM	145	CM	42 LEVEL CM	2656,9971 litre	8,939 %	27066,3964 litre	O
450	CM	145	CM	41 LEVEL CM	2565,6013 litre	8,632 %	27157,7922 litre	O
450	CM	145	CM	40 LEVEL CM	2475,1319 litre	8,327 %	27248,2616 litre	O
450	CM	145	CM	39 LEVEL CM	2385,6076 litre	8,026 %	27337,7859 litre	O
450	CM	145	CM	38 LEVEL CM	2297,0476 litre	7,728 %	27426,3459 litre	O
450	CM	145	CM	37 LEVEL CM	2209,4717 litre	7,433 %	27513,9218 litre	O
450	CM	145	CM	36 LEVEL CM	2122,9005 litre	7,142 %	27600,4930 litre	O
450	CM	145	CM	35 LEVEL CM	2037,3552 litre	6,854 %	27686,0383 litre	O
450	CM	145	CM	34 LEVEL CM	1952,8579 litre	6,570 %	27770,5356 litre	O
450	CM	145	CM	33 LEVEL CM	1869,4316 litre	6,289 %	27853,9619 litre	O
450	CM	145	CM	32 LEVEL CM	1787,0998 litre	6,012 %	27936,2937 litre	O
450	CM	145	CM	31 LEVEL CM	1705,8874 litre	5,739 %	28017,5061 litre	O
450	CM	145	CM	30 LEVEL CM	1625,8201 litre	5,470 %	28097,5734 litre	O
450	CM	145	CM	29 LEVEL CM	1546,9249 litre	5,204 %	28176,4686 litre	O
450	CM	145	CM	28 LEVEL CM	1469,2297 litre	4,943 %	28254,1638 litre	O
450	CM	145	CM	27 LEVEL CM	1392,7641 litre	4,686 %	28330,6294 litre	O

450	CM	145	CM	26 LEVEL CM	1317,5589 litre	4,433 %	28405,8346 litre	O
450	CM	145	CM	25 LEVEL CM	1243,6465 litre	4,184 %	28479,7470 litre	O
450	CM	145	CM	24 LEVEL CM	1171,0612 litre	3,940 %	28552,3323 litre	O
450	CM	145	CM	23 LEVEL CM	1099,8390 litre	3,700 %	28623,5545 litre	O
450	CM	145	CM	22 LEVEL CM	1030,0181 litre	3,465 %	28693,3754 litre	O
450	CM	145	CM	21 LEVEL CM	961,6392 litre	3,235 %	28761,7543 litre	O
450	CM	145	CM	20 LEVEL CM	894,7453 litre	3,010 %	28828,6482 litre	O
450	CM	145	CM	19 LEVEL CM	829,3826 litre	2,790 %	28894,0109 litre	O
450	CM	145	CM	18 LEVEL CM	765,6006 litre	2,576 %	28957,7929 litre	O
450	CM	145	CM	17 LEVEL CM	703,4525 litre	2,367 %	29019,9410 litre	O
450	CM	145	CM	16 LEVEL CM	642,9958 litre	2,163 %	29080,3977 litre	O
450	CM	145	CM	15 LEVEL CM	584,2930 litre	1,966 %	29139,1005 litre	O
450	CM	145	CM	14 LEVEL CM	527,4125 litre	1,774 %	29195,9810 litre	O
450	CM	145	CM	13 LEVEL CM	472,4294 litre	1,589 %	29250,9641 litre	O
450	CM	145	CM	12 LEVEL CM	419,4268 litre	1,411 %	29303,9667 litre	O
450	CM	145	CM	11 LEVEL CM	368,4975 litre	1,240 %	29354,8960 litre	O
450	CM	145	CM	10 LEVEL CM	319,7465 litre	1,076 %	29403,6470 litre	O
450	CM	145	CM	9 LEVEL CM	273,2931 litre	0,919 %	29450,1004 litre	O
450	CM	145	CM	8 LEVEL CM	229,2757 litre	0,771 %	29494,1178 litre	O
450	CM	145	CM	7 LEVEL CM	187,8569 litre	0,632 %	29535,5366 litre	O
450	CM	145	CM	6 LEVEL CM	149,2324 litre	0,502 %	29574,1611 litre	O
450	CM	145	CM	5 LEVEL CM	113,6439 litre	0,382 %	29609,7496 litre	O
450	CM	145	CM	4 LEVEL CM	81,4020 litre	0,274 %	29641,9915 litre	O
450	CM	145	CM	3 LEVEL CM	52,9273 litre	0,178 %	29670,4662 litre	O
450	CM	145	CM	2 LEVEL CM	28,8400 litre	0,097 %	29694,5535 litre	O
450	CM	145	CM	1 LEVEL CM	10,2071 litre	0,034 %	29713,1864 litre	O
450	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	29723,3935 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 140	CM 280 LEVEL CM	27708,8472 litre	100,000 %	0,0000 litre	O
450	CM 140	CM 279 LEVEL CM	27698,8180 litre	99,964 %	10,0292 litre	O
450	CM 140	CM 278 LEVEL CM	27680,5110 litre	99,898 %	28,3362 litre	O
450	CM 140	CM 277 LEVEL CM	27656,8463 litre	99,812 %	52,0009 litre	O
450	CM 140	CM 276 LEVEL CM	27628,8730 litre	99,711 %	79,9742 litre	O
450	CM 140	CM 275 LEVEL CM	27597,2008 litre	99,597 %	111,6464 litre	O
450	CM 140	CM 274 LEVEL CM	27562,2433 litre	99,471 %	146,6039 litre	O
450	CM 140	CM 273 LEVEL CM	27524,3061 litre	99,334 %	184,5411 litre	O
450	CM 140	CM 272 LEVEL CM	27483,6270 litre	99,187 %	225,2202 litre	O
450	CM 140	CM 271 LEVEL CM	27440,3985 litre	99,031 %	268,4487 litre	O
450	CM 140	CM 270 LEVEL CM	27394,7807 litre	98,867 %	314,0665 litre	O
450	CM 140	CM 269 LEVEL CM	27346,9098 litre	98,694 %	361,9374 litre	O
450	CM 140	CM 268 LEVEL CM	27296,9033 litre	98,513 %	411,9439 litre	O
450	CM 140	CM 267 LEVEL CM	27244,8644 litre	98,326 %	463,9828 litre	O
450	CM 140	CM 266 LEVEL CM	27190,8847 litre	98,131 %	517,9625 litre	O
450	CM 140	CM 265 LEVEL CM	27135,0461 litre	97,929 %	573,8011 litre	O
450	CM 140	CM 264 LEVEL CM	27077,4225 litre	97,721 %	631,4247 litre	O
450	CM 140	CM 263 LEVEL CM	27018,0813 litre	97,507 %	690,7659 litre	O
450	CM 140	CM 262 LEVEL CM	26957,0842 litre	97,287 %	751,7630 litre	O
450	CM 140	CM 261 LEVEL CM	26894,4879 litre	97,061 %	814,3593 litre	O
450	CM 140	CM 260 LEVEL CM	26830,3448 litre	96,830 %	878,5024 litre	O
450	CM 140	CM 259 LEVEL CM	26764,7037 litre	96,593 %	944,1435 litre	O
450	CM 140	CM 258 LEVEL CM	26697,6102 litre	96,350 %	1011,2370 litre	O
450	CM 140	CM 257 LEVEL CM	26629,1068 litre	96,103 %	1079,7404 litre	O
450	CM 140	CM 256 LEVEL CM	26559,2337 litre	95,851 %	1149,6135 litre	O
450	CM 140	CM 255 LEVEL CM	26488,0284 litre	95,594 %	1220,8188 litre	O
450	CM 140	CM 254 LEVEL CM	26415,5268 litre	95,332 %	1293,3204 litre	O
450	CM 140	CM 253 LEVEL CM	26341,7624 litre	95,066 %	1367,0848 litre	O
450	CM 140	CM 252 LEVEL CM	26266,7674 litre	94,796 %	1442,0798 litre	O
450	CM 140	CM 251 LEVEL CM	26190,5723 litre	94,521 %	1518,2749 litre	O
450	CM 140	CM 250 LEVEL CM	26113,2062 litre	94,241 %	1595,6410 litre	O
450	CM 140	CM 249 LEVEL CM	26034,6968 litre	93,958 %	1674,1504 litre	O
450	CM 140	CM 248 LEVEL CM	25955,0708 litre	93,671 %	1753,7764 litre	O
450	CM 140	CM 247 LEVEL CM	25874,3535 litre	93,379 %	1834,4937 litre	O
450	CM 140	CM 246 LEVEL CM	25792,5695 litre	93,084 %	1916,2777 litre	O
450	CM 140	CM 245 LEVEL CM	25709,7424 litre	92,785 %	1999,1048 litre	O
450	CM 140	CM 244 LEVEL CM	25625,8946 litre	92,483 %	2082,9526 litre	O
450	CM 140	CM 243 LEVEL CM	25541,0481 litre	92,177 %	2167,7991 litre	O
450	CM 140	CM 242 LEVEL CM	25455,2239 litre	91,867 %	2253,6233 litre	O
450	CM 140	CM 241 LEVEL CM	25368,4424 litre	91,554 %	2340,4048 litre	O
450	CM 140	CM 240 LEVEL CM	25280,7232 litre	91,237 %	2428,1240 litre	O
450	CM 140	CM 239 LEVEL CM	25192,0854 litre	90,917 %	2516,7618 litre	O
450	CM 140	CM 238 LEVEL CM	25102,5474 litre	90,594 %	2606,2998 litre	O
450	CM 140	CM 237 LEVEL CM	25012,1273 litre	90,268 %	2696,7199 litre	O
450	CM 140	CM 236 LEVEL CM	24920,8423 litre	89,938 %	2788,0049 litre	O
450	CM 140	CM 235 LEVEL CM	24828,7094 litre	89,606 %	2880,1378 litre	O
450	CM 140	CM 234 LEVEL CM	24735,7450 litre	89,270 %	2973,1022 litre	O
450	CM 140	CM 233 LEVEL CM	24641,9652 litre	88,932 %	3066,8820 litre	O
450	CM 140	CM 232 LEVEL CM	24547,3855 litre	88,590 %	3161,4617 litre	O
450	CM 140	CM 231 LEVEL CM	24452,0211 litre	88,246 %	3256,8261 litre	O
450	CM 140	CM 230 LEVEL CM	24355,8870 litre	87,899 %	3352,9602 litre	O
450	CM 140	CM 229 LEVEL CM	24258,9974 litre	87,550 %	3449,8498 litre	O

450	CM	140	CM	228 LEVEL CM	24161,3667 litre	87,197 %	3547,4805 litre	O
450	CM	140	CM	227 LEVEL CM	24063,0085 litre	86,842 %	3645,8387 litre	O
450	CM	140	CM	226 LEVEL CM	23963,9365 litre	86,485 %	3744,9107 litre	O
450	CM	140	CM	225 LEVEL CM	23864,1638 litre	86,125 %	3844,6834 litre	O
450	CM	140	CM	224 LEVEL CM	23763,7034 litre	85,762 %	3945,1438 litre	O
450	CM	140	CM	223 LEVEL CM	23662,5680 litre	85,397 %	4046,2792 litre	O
450	CM	140	CM	222 LEVEL CM	23560,7700 litre	85,030 %	4148,0772 litre	O
450	CM	140	CM	221 LEVEL CM	23458,3216 litre	84,660 %	4250,5256 litre	O
450	CM	140	CM	220 LEVEL CM	23355,2347 litre	84,288 %	4353,6125 litre	O
450	CM	140	CM	219 LEVEL CM	23251,5212 litre	83,914 %	4457,3260 litre	O
450	CM	140	CM	218 LEVEL CM	23147,1925 litre	83,537 %	4561,6547 litre	O
450	CM	140	CM	217 LEVEL CM	23042,2599 litre	83,158 %	4666,5873 litre	O
450	CM	140	CM	216 LEVEL CM	22936,7347 litre	82,778 %	4772,1125 litre	O
450	CM	140	CM	215 LEVEL CM	22830,6276 litre	82,395 %	4878,2196 litre	O
450	CM	140	CM	214 LEVEL CM	22723,9496 litre	82,010 %	4984,8976 litre	O
450	CM	140	CM	213 LEVEL CM	22616,7111 litre	81,623 %	5092,1361 litre	O
450	CM	140	CM	212 LEVEL CM	22508,9227 litre	81,234 %	5199,9245 litre	O
450	CM	140	CM	211 LEVEL CM	22400,5946 litre	80,843 %	5308,2526 litre	O
450	CM	140	CM	210 LEVEL CM	22291,7368 litre	80,450 %	5417,1104 litre	O
450	CM	140	CM	209 LEVEL CM	22182,3595 litre	80,055 %	5526,4877 litre	O
450	CM	140	CM	208 LEVEL CM	22072,4723 litre	79,659 %	5636,3749 litre	O
450	CM	140	CM	207 LEVEL CM	21962,0850 litre	79,260 %	5746,7622 litre	O
450	CM	140	CM	206 LEVEL CM	21851,2072 litre	78,860 %	5857,6400 litre	O
450	CM	140	CM	205 LEVEL CM	21739,8483 litre	78,458 %	5968,9989 litre	O
450	CM	140	CM	204 LEVEL CM	21628,0176 litre	78,055 %	6080,8296 litre	O
450	CM	140	CM	203 LEVEL CM	21515,7242 litre	77,649 %	6193,1230 litre	O
450	CM	140	CM	202 LEVEL CM	21402,9774 litre	77,242 %	6305,8698 litre	O
450	CM	140	CM	201 LEVEL CM	21289,7860 litre	76,834 %	6419,0612 litre	O
450	CM	140	CM	200 LEVEL CM	21176,1589 litre	76,424 %	6532,6883 litre	O
450	CM	140	CM	199 LEVEL CM	21062,1049 litre	76,012 %	6646,7423 litre	O
450	CM	140	CM	198 LEVEL CM	20947,6326 litre	75,599 %	6761,2146 litre	O
450	CM	140	CM	197 LEVEL CM	20832,7507 litre	75,184 %	6876,0965 litre	O
450	CM	140	CM	196 LEVEL CM	20717,4676 litre	74,768 %	6991,3796 litre	O
450	CM	140	CM	195 LEVEL CM	20601,7917 litre	74,351 %	7107,0555 litre	O
450	CM	140	CM	194 LEVEL CM	20485,7313 litre	73,932 %	7223,1159 litre	O
450	CM	140	CM	193 LEVEL CM	20369,2946 litre	73,512 %	7339,5526 litre	O
450	CM	140	CM	192 LEVEL CM	20252,4898 litre	73,090 %	7456,3574 litre	O
450	CM	140	CM	191 LEVEL CM	20135,3250 litre	72,667 %	7573,5222 litre	O
450	CM	140	CM	190 LEVEL CM	20017,8081 litre	72,243 %	7691,0391 litre	O
450	CM	140	CM	189 LEVEL CM	19899,9471 litre	71,818 %	7808,9001 litre	O
450	CM	140	CM	188 LEVEL CM	19781,7498 litre	71,391 %	7927,0974 litre	O
450	CM	140	CM	187 LEVEL CM	19663,2240 litre	70,964 %	8045,6232 litre	O
450	CM	140	CM	186 LEVEL CM	19544,3774 litre	70,535 %	8164,4698 litre	O
450	CM	140	CM	185 LEVEL CM	19425,2178 litre	70,105 %	8283,6294 litre	O
450	CM	140	CM	184 LEVEL CM	19305,7526 litre	69,674 %	8403,0946 litre	O
450	CM	140	CM	183 LEVEL CM	19185,9895 litre	69,241 %	8522,8577 litre	O
450	CM	140	CM	182 LEVEL CM	19065,9359 litre	68,808 %	8642,9113 litre	O
450	CM	140	CM	181 LEVEL CM	18945,5993 litre	68,374 %	8763,2479 litre	O
450	CM	140	CM	180 LEVEL CM	18824,9870 litre	67,939 %	8883,8602 litre	O
450	CM	140	CM	179 LEVEL CM	18704,1064 litre	67,502 %	9004,7408 litre	O
450	CM	140	CM	178 LEVEL CM	18582,9647 litre	67,065 %	9125,8825 litre	O
450	CM	140	CM	177 LEVEL CM	18461,5692 litre	66,627 %	9247,2780 litre	O
450	CM	140	CM	176 LEVEL CM	18339,9271 litre	66,188 %	9368,9201 litre	O

450	CM	140	CM	175 LEVEL CM	18218,0455 litre	65,748 %	9490,8017 litre	O
450	CM	140	CM	174 LEVEL CM	18095,9315 litre	65,307 %	9612,9157 litre	O
450	CM	140	CM	173 LEVEL CM	17973,5922 litre	64,866 %	9735,2550 litre	O
450	CM	140	CM	172 LEVEL CM	17851,0346 litre	64,424 %	9857,8126 litre	O
450	CM	140	CM	171 LEVEL CM	17728,2657 litre	63,981 %	9980,5815 litre	O
450	CM	140	CM	170 LEVEL CM	17605,2924 litre	63,537 %	10103,5548 litre	O
450	CM	140	CM	169 LEVEL CM	17482,1217 litre	63,092 %	10226,7255 litre	O
450	CM	140	CM	168 LEVEL CM	17358,7604 litre	62,647 %	10350,0868 litre	O
450	CM	140	CM	167 LEVEL CM	17235,2154 litre	62,201 %	10473,6318 litre	O
450	CM	140	CM	166 LEVEL CM	17111,4935 litre	61,755 %	10597,3537 litre	O
450	CM	140	CM	165 LEVEL CM	16987,6015 litre	61,308 %	10721,2457 litre	O
450	CM	140	CM	164 LEVEL CM	16863,5462 litre	60,860 %	10845,3010 litre	O
450	CM	140	CM	163 LEVEL CM	16739,3342 litre	60,412 %	10969,5130 litre	O
450	CM	140	CM	162 LEVEL CM	16614,9724 litre	59,963 %	11093,8748 litre	O
450	CM	140	CM	161 LEVEL CM	16490,4673 litre	59,513 %	11218,3799 litre	O
450	CM	140	CM	160 LEVEL CM	16365,8257 litre	59,064 %	11343,0215 litre	O
450	CM	140	CM	159 LEVEL CM	16241,0542 litre	58,613 %	11467,7930 litre	O
450	CM	140	CM	158 LEVEL CM	16116,1594 litre	58,163 %	11592,6878 litre	O
450	CM	140	CM	157 LEVEL CM	15991,1480 litre	57,711 %	11717,6992 litre	O
450	CM	140	CM	156 LEVEL CM	15866,0264 litre	57,260 %	11842,8208 litre	O
450	CM	140	CM	155 LEVEL CM	15740,8013 litre	56,808 %	11968,0459 litre	O
450	CM	140	CM	154 LEVEL CM	15615,4792 litre	56,356 %	12093,3680 litre	O
450	CM	140	CM	153 LEVEL CM	15490,0666 litre	55,903 %	12218,7806 litre	O
450	CM	140	CM	152 LEVEL CM	15364,5701 litre	55,450 %	12344,2771 litre	O
450	CM	140	CM	151 LEVEL CM	15238,9962 litre	54,997 %	12469,8510 litre	O
450	CM	140	CM	150 LEVEL CM	15113,3514 litre	54,543 %	12595,4958 litre	O
450	CM	140	CM	149 LEVEL CM	14987,6420 litre	54,090 %	12721,2052 litre	O
450	CM	140	CM	148 LEVEL CM	14861,8748 litre	53,636 %	12846,9724 litre	O
450	CM	140	CM	147 LEVEL CM	14736,0560 litre	53,182 %	12972,7912 litre	O
450	CM	140	CM	146 LEVEL CM	14610,1921 litre	52,728 %	13098,6551 litre	O
450	CM	140	CM	145 LEVEL CM	14484,2896 litre	52,273 %	13224,5576 litre	O
450	CM	140	CM	144 LEVEL CM	14358,3550 litre	51,819 %	13350,4922 litre	O
450	CM	140	CM	143 LEVEL CM	14232,3947 litre	51,364 %	13476,4525 litre	O
450	CM	140	CM	142 LEVEL CM	14106,4150 litre	50,909 %	13602,4322 litre	O
450	CM	140	CM	141 LEVEL CM	13980,4225 litre	50,455 %	13728,4247 litre	O
450	CM	140	CM	140 LEVEL CM	13854,4236 litre	50,000 %	13854,4236 litre	O
450	CM	140	CM	139 LEVEL CM	13728,4247 litre	49,545 %	13980,4225 litre	O
450	CM	140	CM	138 LEVEL CM	13602,4322 litre	49,091 %	14106,4150 litre	O
450	CM	140	CM	137 LEVEL CM	13476,4525 litre	48,636 %	14232,3947 litre	O
450	CM	140	CM	136 LEVEL CM	13350,4922 litre	48,181 %	14358,3550 litre	O
450	CM	140	CM	135 LEVEL CM	13224,5576 litre	47,727 %	14484,2896 litre	O
450	CM	140	CM	134 LEVEL CM	13098,6551 litre	47,272 %	14610,1921 litre	O
450	CM	140	CM	133 LEVEL CM	12972,7912 litre	46,818 %	14736,0560 litre	O
450	CM	140	CM	132 LEVEL CM	12846,9724 litre	46,364 %	14861,8748 litre	O
450	CM	140	CM	131 LEVEL CM	12721,2052 litre	45,910 %	14987,6420 litre	O
450	CM	140	CM	130 LEVEL CM	12595,4959 litre	45,457 %	15113,3513 litre	O
450	CM	140	CM	129 LEVEL CM	12469,8510 litre	45,003 %	15238,9962 litre	O
450	CM	140	CM	128 LEVEL CM	12344,2771 litre	44,550 %	15364,5701 litre	O
450	CM	140	CM	127 LEVEL CM	12218,7806 litre	44,097 %	15490,0666 litre	O
450	CM	140	CM	126 LEVEL CM	12093,3680 litre	43,644 %	15615,4792 litre	O
450	CM	140	CM	125 LEVEL CM	11968,0459 litre	43,192 %	15740,8013 litre	O
450	CM	140	CM	124 LEVEL CM	11842,8208 litre	42,740 %	15866,0264 litre	O
450	CM	140	CM	123 LEVEL CM	11717,6992 litre	42,289 %	15991,1480 litre	O

450	CM	140	CM	122 LEVEL CM	11592,6878 litre	41,837 %	16116,1594 litre	O
450	CM	140	CM	121 LEVEL CM	11467,7930 litre	41,387 %	16241,0542 litre	O
450	CM	140	CM	120 LEVEL CM	11343,0215 litre	40,936 %	16365,8257 litre	O
450	CM	140	CM	119 LEVEL CM	11218,3799 litre	40,487 %	16490,4673 litre	O
450	CM	140	CM	118 LEVEL CM	11093,8748 litre	40,037 %	16614,9724 litre	O
450	CM	140	CM	117 LEVEL CM	10969,5130 litre	39,588 %	16739,3342 litre	O
450	CM	140	CM	116 LEVEL CM	10845,3010 litre	39,140 %	16863,5462 litre	O
450	CM	140	CM	115 LEVEL CM	10721,2457 litre	38,692 %	16987,6015 litre	O
450	CM	140	CM	114 LEVEL CM	10597,3537 litre	38,245 %	17111,4935 litre	O
450	CM	140	CM	113 LEVEL CM	10473,6318 litre	37,799 %	17235,2154 litre	O
450	CM	140	CM	112 LEVEL CM	10350,0868 litre	37,353 %	17358,7604 litre	O
450	CM	140	CM	111 LEVEL CM	10226,7255 litre	36,908 %	17482,1217 litre	O
450	CM	140	CM	110 LEVEL CM	10103,5548 litre	36,463 %	17605,2924 litre	O
450	CM	140	CM	109 LEVEL CM	9980,5815 litre	36,019 %	17728,2657 litre	O
450	CM	140	CM	108 LEVEL CM	9857,8126 litre	35,576 %	17851,0346 litre	O
450	CM	140	CM	107 LEVEL CM	9735,2550 litre	35,134 %	17973,5922 litre	O
450	CM	140	CM	106 LEVEL CM	9612,9157 litre	34,693 %	18095,9315 litre	O
450	CM	140	CM	105 LEVEL CM	9490,8017 litre	34,252 %	18218,0455 litre	O
450	CM	140	CM	104 LEVEL CM	9368,9201 litre	33,812 %	18339,9271 litre	O
450	CM	140	CM	103 LEVEL CM	9247,2780 litre	33,373 %	18461,5692 litre	O
450	CM	140	CM	102 LEVEL CM	9125,8825 litre	32,935 %	18582,9647 litre	O
450	CM	140	CM	101 LEVEL CM	9004,7408 litre	32,498 %	18704,1064 litre	O
450	CM	140	CM	100 LEVEL CM	8883,8602 litre	32,061 %	18824,9870 litre	O
450	CM	140	CM	99 LEVEL CM	8763,2479 litre	31,626 %	18945,5993 litre	O
450	CM	140	CM	98 LEVEL CM	8642,9113 litre	31,192 %	19065,9359 litre	O
450	CM	140	CM	97 LEVEL CM	8522,8577 litre	30,759 %	19185,9895 litre	O
450	CM	140	CM	96 LEVEL CM	8403,0946 litre	30,326 %	19305,7526 litre	O
450	CM	140	CM	95 LEVEL CM	8283,6294 litre	29,895 %	19425,2178 litre	O
450	CM	140	CM	94 LEVEL CM	8164,4698 litre	29,465 %	19544,3774 litre	O
450	CM	140	CM	93 LEVEL CM	8045,6232 litre	29,036 %	19663,2240 litre	O
450	CM	140	CM	92 LEVEL CM	7927,0974 litre	28,609 %	19781,7498 litre	O
450	CM	140	CM	91 LEVEL CM	7808,9001 litre	28,182 %	19899,9471 litre	O
450	CM	140	CM	90 LEVEL CM	7691,0391 litre	27,757 %	20017,8081 litre	O
450	CM	140	CM	89 LEVEL CM	7573,5222 litre	27,333 %	20135,3250 litre	O
450	CM	140	CM	88 LEVEL CM	7456,3574 litre	26,910 %	20252,4898 litre	O
450	CM	140	CM	87 LEVEL CM	7339,5526 litre	26,488 %	20369,2946 litre	O
450	CM	140	CM	86 LEVEL CM	7223,1159 litre	26,068 %	20485,7313 litre	O
450	CM	140	CM	85 LEVEL CM	7107,0555 litre	25,649 %	20601,7917 litre	O
450	CM	140	CM	84 LEVEL CM	6991,3796 litre	25,232 %	20717,4676 litre	O
450	CM	140	CM	83 LEVEL CM	6876,0965 litre	24,816 %	20832,7507 litre	O
450	CM	140	CM	82 LEVEL CM	6761,2146 litre	24,401 %	20947,6326 litre	O
450	CM	140	CM	81 LEVEL CM	6646,7423 litre	23,988 %	21062,1049 litre	O
450	CM	140	CM	80 LEVEL CM	6532,6883 litre	23,576 %	21176,1589 litre	O
450	CM	140	CM	79 LEVEL CM	6419,0612 litre	23,166 %	21289,7860 litre	O
450	CM	140	CM	78 LEVEL CM	6305,8698 litre	22,758 %	21402,9774 litre	O
450	CM	140	CM	77 LEVEL CM	6193,1230 litre	22,351 %	21515,7242 litre	O
450	CM	140	CM	76 LEVEL CM	6080,8296 litre	21,945 %	21628,0176 litre	O
450	CM	140	CM	75 LEVEL CM	5968,9989 litre	21,542 %	21739,8483 litre	O
450	CM	140	CM	74 LEVEL CM	5857,6400 litre	21,140 %	21851,2072 litre	O
450	CM	140	CM	73 LEVEL CM	5746,7622 litre	20,740 %	21962,0850 litre	O
450	CM	140	CM	72 LEVEL CM	5636,3749 litre	20,341 %	22072,4723 litre	O
450	CM	140	CM	71 LEVEL CM	5526,4877 litre	19,945 %	22182,3595 litre	O
450	CM	140	CM	70 LEVEL CM	5417,1104 litre	19,550 %	22291,7368 litre	O

450	CM	140	CM	69 LEVEL CM	5308,2526 litre	19,157 %	22400,5946 litre	O
450	CM	140	CM	68 LEVEL CM	5199,9245 litre	18,766 %	22508,9227 litre	O
450	CM	140	CM	67 LEVEL CM	5092,1361 litre	18,377 %	22616,7111 litre	O
450	CM	140	CM	66 LEVEL CM	4984,8976 litre	17,990 %	22723,9496 litre	O
450	CM	140	CM	65 LEVEL CM	4878,2196 litre	17,605 %	22830,6276 litre	O
450	CM	140	CM	64 LEVEL CM	4772,1125 litre	17,222 %	22936,7347 litre	O
450	CM	140	CM	63 LEVEL CM	4666,5873 litre	16,842 %	23042,2599 litre	O
450	CM	140	CM	62 LEVEL CM	4561,6547 litre	16,463 %	23147,1925 litre	O
450	CM	140	CM	61 LEVEL CM	4457,3260 litre	16,086 %	23251,5212 litre	O
450	CM	140	CM	60 LEVEL CM	4353,6125 litre	15,712 %	23355,2347 litre	O
450	CM	140	CM	59 LEVEL CM	4250,5257 litre	15,340 %	23458,3215 litre	O
450	CM	140	CM	58 LEVEL CM	4148,0772 litre	14,970 %	23560,7700 litre	O
450	CM	140	CM	57 LEVEL CM	4046,2792 litre	14,603 %	23662,5680 litre	O
450	CM	140	CM	56 LEVEL CM	3945,1438 litre	14,238 %	23763,7034 litre	O
450	CM	140	CM	55 LEVEL CM	3844,6834 litre	13,875 %	23864,1638 litre	O
450	CM	140	CM	54 LEVEL CM	3744,9107 litre	13,515 %	23963,9365 litre	O
450	CM	140	CM	53 LEVEL CM	3645,8387 litre	13,158 %	24063,0085 litre	O
450	CM	140	CM	52 LEVEL CM	3547,4805 litre	12,803 %	24161,3667 litre	O
450	CM	140	CM	51 LEVEL CM	3449,8498 litre	12,450 %	24258,9974 litre	O
450	CM	140	CM	50 LEVEL CM	3352,9602 litre	12,101 %	24355,8870 litre	O
450	CM	140	CM	49 LEVEL CM	3256,8261 litre	11,754 %	24452,0211 litre	O
450	CM	140	CM	48 LEVEL CM	3161,4617 litre	11,410 %	24547,3855 litre	O
450	CM	140	CM	47 LEVEL CM	3066,8820 litre	11,068 %	24641,9652 litre	O
450	CM	140	CM	46 LEVEL CM	2973,1022 litre	10,730 %	24735,7450 litre	O
450	CM	140	CM	45 LEVEL CM	2880,1378 litre	10,394 %	24828,7094 litre	O
450	CM	140	CM	44 LEVEL CM	2788,0049 litre	10,062 %	24920,8423 litre	O
450	CM	140	CM	43 LEVEL CM	2696,7199 litre	9,732 %	25012,1273 litre	O
450	CM	140	CM	42 LEVEL CM	2606,2998 litre	9,406 %	25102,5474 litre	O
450	CM	140	CM	41 LEVEL CM	2516,7618 litre	9,083 %	25192,0854 litre	O
450	CM	140	CM	40 LEVEL CM	2428,1240 litre	8,763 %	25280,7232 litre	O
450	CM	140	CM	39 LEVEL CM	2340,4048 litre	8,446 %	25368,4424 litre	O
450	CM	140	CM	38 LEVEL CM	2253,6233 litre	8,133 %	25455,2239 litre	O
450	CM	140	CM	37 LEVEL CM	2167,7991 litre	7,823 %	25541,0481 litre	O
450	CM	140	CM	36 LEVEL CM	2082,9526 litre	7,517 %	25625,8946 litre	O
450	CM	140	CM	35 LEVEL CM	1999,1048 litre	7,215 %	25709,7424 litre	O
450	CM	140	CM	34 LEVEL CM	1916,2777 litre	6,916 %	25792,5695 litre	O
450	CM	140	CM	33 LEVEL CM	1834,4937 litre	6,621 %	25874,3535 litre	O
450	CM	140	CM	32 LEVEL CM	1753,7764 litre	6,329 %	25955,0708 litre	O
450	CM	140	CM	31 LEVEL CM	1674,1504 litre	6,042 %	26034,6968 litre	O
450	CM	140	CM	30 LEVEL CM	1595,6410 litre	5,759 %	26113,2062 litre	O
450	CM	140	CM	29 LEVEL CM	1518,2749 litre	5,479 %	26190,5723 litre	O
450	CM	140	CM	28 LEVEL CM	1442,0798 litre	5,204 %	26266,7674 litre	O
450	CM	140	CM	27 LEVEL CM	1367,0848 litre	4,934 %	26341,7624 litre	O
450	CM	140	CM	26 LEVEL CM	1293,3204 litre	4,668 %	26415,5268 litre	O
450	CM	140	CM	25 LEVEL CM	1220,8188 litre	4,406 %	26488,0284 litre	O
450	CM	140	CM	24 LEVEL CM	1149,6135 litre	4,149 %	26559,2337 litre	O
450	CM	140	CM	23 LEVEL CM	1079,7404 litre	3,897 %	26629,1068 litre	O
450	CM	140	CM	22 LEVEL CM	1011,2370 litre	3,650 %	26697,6102 litre	O
450	CM	140	CM	21 LEVEL CM	944,1435 litre	3,407 %	26764,7037 litre	O
450	CM	140	CM	20 LEVEL CM	878,5024 litre	3,170 %	26830,3448 litre	O
450	CM	140	CM	19 LEVEL CM	814,3593 litre	2,939 %	26894,4879 litre	O
450	CM	140	CM	18 LEVEL CM	751,7630 litre	2,713 %	26957,0842 litre	O
450	CM	140	CM	17 LEVEL CM	690,7659 litre	2,493 %	27018,0813 litre	O

450	CM	140	CM	16 LEVEL CM	631,4247 litre	2,279 %	27077,4225 litre	O
450	CM	140	CM	15 LEVEL CM	573,8011 litre	2,071 %	27135,0461 litre	O
450	CM	140	CM	14 LEVEL CM	517,9625 litre	1,869 %	27190,8847 litre	O
450	CM	140	CM	13 LEVEL CM	463,9828 litre	1,674 %	27244,8644 litre	O
450	CM	140	CM	12 LEVEL CM	411,9439 litre	1,487 %	27296,9033 litre	O
450	CM	140	CM	11 LEVEL CM	361,9374 litre	1,306 %	27346,9098 litre	O
450	CM	140	CM	10 LEVEL CM	314,0665 litre	1,133 %	27394,7807 litre	O
450	CM	140	CM	9 LEVEL CM	268,4487 litre	0,969 %	27440,3985 litre	O
450	CM	140	CM	8 LEVEL CM	225,2202 litre	0,813 %	27483,6270 litre	O
450	CM	140	CM	7 LEVEL CM	184,5411 litre	0,666 %	27524,3061 litre	O
450	CM	140	CM	6 LEVEL CM	146,6039 litre	0,529 %	27562,2433 litre	O
450	CM	140	CM	5 LEVEL CM	111,6465 litre	0,403 %	27597,2007 litre	O
450	CM	140	CM	4 LEVEL CM	79,9743 litre	0,289 %	27628,8729 litre	O
450	CM	140	CM	3 LEVEL CM	52,0009 litre	0,188 %	27656,8463 litre	O
450	CM	140	CM	2 LEVEL CM	28,3363 litre	0,102 %	27680,5109 litre	O
450	CM	140	CM	1 LEVEL CM	10,0292 litre	0,036 %	27698,8180 litre	O
450	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	27708,8472 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 135	CM 270 LEVEL CM	25764,9868 litre	100,000 %	0,0000 litre	O
450	CM 135	CM 269 LEVEL CM	25755,1387 litre	99,962 %	9,8481 litre	O
450	CM 135	CM 268 LEVEL CM	25737,1633 litre	99,892 %	27,8235 litre	O
450	CM 135	CM 267 LEVEL CM	25713,9290 litre	99,802 %	51,0578 litre	O
450	CM 135	CM 266 LEVEL CM	25686,4662 litre	99,695 %	78,5206 litre	O
450	CM 135	CM 265 LEVEL CM	25655,3741 litre	99,575 %	109,6127 litre	O
450	CM 135	CM 264 LEVEL CM	25621,0594 litre	99,441 %	143,9274 litre	O
450	CM 135	CM 263 LEVEL CM	25583,8222 litre	99,297 %	181,1646 litre	O
450	CM 135	CM 262 LEVEL CM	25543,8965 litre	99,142 %	221,0903 litre	O
450	CM 135	CM 261 LEVEL CM	25501,4716 litre	98,977 %	263,5152 litre	O
450	CM 135	CM 260 LEVEL CM	25456,7050 litre	98,803 %	308,2818 litre	O
450	CM 135	CM 259 LEVEL CM	25409,7305 litre	98,621 %	355,2563 litre	O
450	CM 135	CM 258 LEVEL CM	25360,6641 litre	98,431 %	404,3227 litre	O
450	CM 135	CM 257 LEVEL CM	25309,6072 litre	98,233 %	455,3796 litre	O
450	CM 135	CM 256 LEVEL CM	25256,6500 litre	98,027 %	508,3368 litre	O
450	CM 135	CM 255 LEVEL CM	25201,8730 litre	97,814 %	563,1138 litre	O
450	CM 135	CM 254 LEVEL CM	25145,3492 litre	97,595 %	619,6376 litre	O
450	CM 135	CM 253 LEVEL CM	25087,1450 litre	97,369 %	677,8418 litre	O
450	CM 135	CM 252 LEVEL CM	25027,3210 litre	97,137 %	737,6658 litre	O
450	CM 135	CM 251 LEVEL CM	24965,9332 litre	96,899 %	799,0536 litre	O
450	CM 135	CM 250 LEVEL CM	24903,0333 litre	96,655 %	861,9535 litre	O
450	CM 135	CM 249 LEVEL CM	24838,6695 litre	96,405 %	926,3173 litre	O
450	CM 135	CM 248 LEVEL CM	24772,8865 litre	96,149 %	992,1003 litre	O
450	CM 135	CM 247 LEVEL CM	24705,7265 litre	95,889 %	1059,2603 litre	O
450	CM 135	CM 246 LEVEL CM	24637,2289 litre	95,623 %	1127,7579 litre	O
450	CM 135	CM 245 LEVEL CM	24567,4311 litre	95,352 %	1197,5557 litre	O
450	CM 135	CM 244 LEVEL CM	24496,3681 litre	95,076 %	1268,6187 litre	O
450	CM 135	CM 243 LEVEL CM	24424,0733 litre	94,796 %	1340,9135 litre	O
450	CM 135	CM 242 LEVEL CM	24350,5784 litre	94,510 %	1414,4084 litre	O
450	CM 135	CM 241 LEVEL CM	24275,9135 litre	94,221 %	1489,0733 litre	O
450	CM 135	CM 240 LEVEL CM	24200,1073 litre	93,926 %	1564,8795 litre	O
450	CM 135	CM 239 LEVEL CM	24123,1873 litre	93,628 %	1641,7995 litre	O
450	CM 135	CM 238 LEVEL CM	24045,1799 litre	93,325 %	1719,8069 litre	O
450	CM 135	CM 237 LEVEL CM	23966,1101 litre	93,018 %	1798,8767 litre	O
450	CM 135	CM 236 LEVEL CM	23886,0022 litre	92,707 %	1878,9846 litre	O
450	CM 135	CM 235 LEVEL CM	23804,8795 litre	92,392 %	1960,1073 litre	O
450	CM 135	CM 234 LEVEL CM	23722,7644 litre	92,074 %	2042,2224 litre	O
450	CM 135	CM 233 LEVEL CM	23639,6784 litre	91,751 %	2125,3084 litre	O
450	CM 135	CM 232 LEVEL CM	23555,6424 litre	91,425 %	2209,3444 litre	O
450	CM 135	CM 231 LEVEL CM	23470,6766 litre	91,095 %	2294,3102 litre	O
450	CM 135	CM 230 LEVEL CM	23384,8004 litre	90,762 %	2380,1864 litre	O
450	CM 135	CM 229 LEVEL CM	23298,0328 litre	90,425 %	2466,9540 litre	O
450	CM 135	CM 228 LEVEL CM	23210,3921 litre	90,085 %	2554,5947 litre	O
450	CM 135	CM 227 LEVEL CM	23121,8960 litre	89,742 %	2643,0908 litre	O
450	CM 135	CM 226 LEVEL CM	23032,5618 litre	89,395 %	2732,4250 litre	O
450	CM 135	CM 225 LEVEL CM	22942,4062 litre	89,045 %	2822,5806 litre	O
450	CM 135	CM 224 LEVEL CM	22851,4456 litre	88,692 %	2913,5412 litre	O
450	CM 135	CM 223 LEVEL CM	22759,6959 litre	88,336 %	3005,2909 litre	O
450	CM 135	CM 222 LEVEL CM	22667,1726 litre	87,977 %	3097,8142 litre	O
450	CM 135	CM 221 LEVEL CM	22573,8907 litre	87,615 %	3191,0961 litre	O
450	CM 135	CM 220 LEVEL CM	22479,8649 litre	87,250 %	3285,1219 litre	O
450	CM 135	CM 219 LEVEL CM	22385,1098 litre	86,882 %	3379,8770 litre	O

450	CM	135	CM	218 LEVEL CM	22289,6393 litre	86,511 %	3475,3475 litre	O
450	CM	135	CM	217 LEVEL CM	22193,4672 litre	86,138 %	3571,5196 litre	O
450	CM	135	CM	216 LEVEL CM	22096,6068 litre	85,762 %	3668,3800 litre	O
450	CM	135	CM	215 LEVEL CM	21999,0715 litre	85,384 %	3765,9153 litre	O
450	CM	135	CM	214 LEVEL CM	21900,8740 litre	85,002 %	3864,1128 litre	O
450	CM	135	CM	213 LEVEL CM	21802,0270 litre	84,619 %	3962,9598 litre	O
450	CM	135	CM	212 LEVEL CM	21702,5429 litre	84,233 %	4062,4439 litre	O
450	CM	135	CM	211 LEVEL CM	21602,4339 litre	83,844 %	4162,5529 litre	O
450	CM	135	CM	210 LEVEL CM	21501,7117 litre	83,453 %	4263,2751 litre	O
450	CM	135	CM	209 LEVEL CM	21400,3882 litre	83,060 %	4364,5986 litre	O
450	CM	135	CM	208 LEVEL CM	21298,4749 litre	82,664 %	4466,5119 litre	O
450	CM	135	CM	207 LEVEL CM	21195,9830 litre	82,267 %	4569,0038 litre	O
450	CM	135	CM	206 LEVEL CM	21092,9236 litre	81,867 %	4672,0632 litre	O
450	CM	135	CM	205 LEVEL CM	20989,3077 litre	81,464 %	4775,6791 litre	O
450	CM	135	CM	204 LEVEL CM	20885,1460 litre	81,060 %	4879,8408 litre	O
450	CM	135	CM	203 LEVEL CM	20780,4491 litre	80,654 %	4984,5377 litre	O
450	CM	135	CM	202 LEVEL CM	20675,2275 litre	80,245 %	5089,7593 litre	O
450	CM	135	CM	201 LEVEL CM	20569,4913 litre	79,835 %	5195,4955 litre	O
450	CM	135	CM	200 LEVEL CM	20463,2507 litre	79,423 %	5301,7361 litre	O
450	CM	135	CM	199 LEVEL CM	20356,5157 litre	79,008 %	5408,4711 litre	O
450	CM	135	CM	198 LEVEL CM	20249,2961 litre	78,592 %	5515,6907 litre	O
450	CM	135	CM	197 LEVEL CM	20141,6017 litre	78,174 %	5623,3851 litre	O
450	CM	135	CM	196 LEVEL CM	20033,4419 litre	77,755 %	5731,5449 litre	O
450	CM	135	CM	195 LEVEL CM	19924,8262 litre	77,333 %	5840,1606 litre	O
450	CM	135	CM	194 LEVEL CM	19815,7640 litre	76,910 %	5949,2228 litre	O
450	CM	135	CM	193 LEVEL CM	19706,2645 litre	76,485 %	6058,7223 litre	O
450	CM	135	CM	192 LEVEL CM	19596,3367 litre	76,058 %	6168,6501 litre	O
450	CM	135	CM	191 LEVEL CM	19485,9898 litre	75,630 %	6278,9970 litre	O
450	CM	135	CM	190 LEVEL CM	19375,2326 litre	75,200 %	6389,7542 litre	O
450	CM	135	CM	189 LEVEL CM	19264,0738 litre	74,768 %	6500,9130 litre	O
450	CM	135	CM	188 LEVEL CM	19152,5223 litre	74,335 %	6612,4645 litre	O
450	CM	135	CM	187 LEVEL CM	19040,5865 litre	73,901 %	6724,4003 litre	O
450	CM	135	CM	186 LEVEL CM	18928,2752 litre	73,465 %	6836,7116 litre	O
450	CM	135	CM	185 LEVEL CM	18815,5965 litre	73,028 %	6949,3903 litre	O
450	CM	135	CM	184 LEVEL CM	18702,5591 litre	72,589 %	7062,4277 litre	O
450	CM	135	CM	183 LEVEL CM	18589,1710 litre	72,149 %	7175,8158 litre	O
450	CM	135	CM	182 LEVEL CM	18475,4406 litre	71,708 %	7289,5462 litre	O
450	CM	135	CM	181 LEVEL CM	18361,3759 litre	71,265 %	7403,6109 litre	O
450	CM	135	CM	180 LEVEL CM	18246,9850 litre	70,821 %	7518,0018 litre	O
450	CM	135	CM	179 LEVEL CM	18132,2760 litre	70,376 %	7632,7108 litre	O
450	CM	135	CM	178 LEVEL CM	18017,2566 litre	69,929 %	7747,7302 litre	O
450	CM	135	CM	177 LEVEL CM	17901,9348 litre	69,482 %	7863,0520 litre	O
450	CM	135	CM	176 LEVEL CM	17786,3184 litre	69,033 %	7978,6684 litre	O
450	CM	135	CM	175 LEVEL CM	17670,4151 litre	68,583 %	8094,5717 litre	O
450	CM	135	CM	174 LEVEL CM	17554,2326 litre	68,132 %	8210,7542 litre	O
450	CM	135	CM	173 LEVEL CM	17437,7786 litre	67,680 %	8327,2082 litre	O
450	CM	135	CM	172 LEVEL CM	17321,0605 litre	67,227 %	8443,9263 litre	O
450	CM	135	CM	171 LEVEL CM	17204,0859 litre	66,773 %	8560,9009 litre	O
450	CM	135	CM	170 LEVEL CM	17086,8623 litre	66,318 %	8678,1245 litre	O
450	CM	135	CM	169 LEVEL CM	16969,3970 litre	65,862 %	8795,5898 litre	O
450	CM	135	CM	168 LEVEL CM	16851,6976 litre	65,405 %	8913,2892 litre	O
450	CM	135	CM	167 LEVEL CM	16733,7713 litre	64,948 %	9031,2155 litre	O
450	CM	135	CM	166 LEVEL CM	16615,6254 litre	64,489 %	9149,3614 litre	O

450	CM	135	CM	165 LEVEL CM	16497,2671 litre	64,030 %	9267,7197 litre	O
450	CM	135	CM	164 LEVEL CM	16378,7038 litre	63,570 %	9386,2830 litre	O
450	CM	135	CM	163 LEVEL CM	16259,9424 litre	63,109 %	9505,0444 litre	O
450	CM	135	CM	162 LEVEL CM	16140,9902 litre	62,647 %	9623,9966 litre	O
450	CM	135	CM	161 LEVEL CM	16021,8544 litre	62,185 %	9743,1324 litre	O
450	CM	135	CM	160 LEVEL CM	15902,5418 litre	61,722 %	9862,4450 litre	O
450	CM	135	CM	159 LEVEL CM	15783,0597 litre	61,258 %	9981,9271 litre	O
450	CM	135	CM	158 LEVEL CM	15663,4150 litre	60,793 %	10101,5718 litre	O
450	CM	135	CM	157 LEVEL CM	15543,6147 litre	60,328 %	10221,3721 litre	O
450	CM	135	CM	156 LEVEL CM	15423,6657 litre	59,863 %	10341,3211 litre	O
450	CM	135	CM	155 LEVEL CM	15303,5750 litre	59,397 %	10461,4118 litre	O
450	CM	135	CM	154 LEVEL CM	15183,3495 litre	58,930 %	10581,6373 litre	O
450	CM	135	CM	153 LEVEL CM	15062,9960 litre	58,463 %	10701,9908 litre	O
450	CM	135	CM	152 LEVEL CM	14942,5214 litre	57,995 %	10822,4654 litre	O
450	CM	135	CM	151 LEVEL CM	14821,9326 litre	57,527 %	10943,0542 litre	O
450	CM	135	CM	150 LEVEL CM	14701,2364 litre	57,059 %	11063,7504 litre	O
450	CM	135	CM	149 LEVEL CM	14580,4395 litre	56,590 %	11184,5473 litre	O
450	CM	135	CM	148 LEVEL CM	14459,5489 litre	56,121 %	11305,4379 litre	O
450	CM	135	CM	147 LEVEL CM	14338,5711 litre	55,651 %	11426,4157 litre	O
450	CM	135	CM	146 LEVEL CM	14217,5130 litre	55,182 %	11547,4738 litre	O
450	CM	135	CM	145 LEVEL CM	14096,3813 litre	54,711 %	11668,6055 litre	O
450	CM	135	CM	144 LEVEL CM	13975,1828 litre	54,241 %	11789,8040 litre	O
450	CM	135	CM	143 LEVEL CM	13853,9242 litre	53,770 %	11911,0626 litre	O
450	CM	135	CM	142 LEVEL CM	13732,6121 litre	53,300 %	12032,3747 litre	O
450	CM	135	CM	141 LEVEL CM	13611,2533 litre	52,828 %	12153,7335 litre	O
450	CM	135	CM	140 LEVEL CM	13489,8545 litre	52,357 %	12275,1323 litre	O
450	CM	135	CM	139 LEVEL CM	13368,4223 litre	51,886 %	12396,5645 litre	O
450	CM	135	CM	138 LEVEL CM	13246,9634 litre	51,415 %	12518,0234 litre	O
450	CM	135	CM	137 LEVEL CM	13125,4845 litre	50,943 %	12639,5023 litre	O
450	CM	135	CM	136 LEVEL CM	13003,9923 litre	50,472 %	12760,9945 litre	O
450	CM	135	CM	135 LEVEL CM	12882,4934 litre	50,000 %	12882,4934 litre	O
450	CM	135	CM	134 LEVEL CM	12760,9945 litre	49,528 %	13003,9923 litre	O
450	CM	135	CM	133 LEVEL CM	12639,5023 litre	49,057 %	13125,4845 litre	O
450	CM	135	CM	132 LEVEL CM	12518,0234 litre	48,585 %	13246,9634 litre	O
450	CM	135	CM	131 LEVEL CM	12396,5645 litre	48,114 %	13368,4223 litre	O
450	CM	135	CM	130 LEVEL CM	12275,1323 litre	47,643 %	13489,8545 litre	O
450	CM	135	CM	129 LEVEL CM	12153,7334 litre	47,172 %	13611,2534 litre	O
450	CM	135	CM	128 LEVEL CM	12032,3746 litre	46,700 %	13732,6122 litre	O
450	CM	135	CM	127 LEVEL CM	11911,0626 litre	46,230 %	13853,9242 litre	O
450	CM	135	CM	126 LEVEL CM	11789,8039 litre	45,759 %	13975,1829 litre	O
450	CM	135	CM	125 LEVEL CM	11668,6054 litre	45,289 %	14096,3814 litre	O
450	CM	135	CM	124 LEVEL CM	11547,4737 litre	44,818 %	14217,5131 litre	O
450	CM	135	CM	123 LEVEL CM	11426,4157 litre	44,349 %	14338,5711 litre	O
450	CM	135	CM	122 LEVEL CM	11305,4379 litre	43,879 %	14459,5489 litre	O
450	CM	135	CM	121 LEVEL CM	11184,5472 litre	43,410 %	14580,4396 litre	O
450	CM	135	CM	120 LEVEL CM	11063,7504 litre	42,941 %	14701,2364 litre	O
450	CM	135	CM	119 LEVEL CM	10943,0541 litre	42,473 %	14821,9327 litre	O
450	CM	135	CM	118 LEVEL CM	10822,4653 litre	42,005 %	14942,5215 litre	O
450	CM	135	CM	117 LEVEL CM	10701,9908 litre	41,537 %	15062,9960 litre	O
450	CM	135	CM	116 LEVEL CM	10581,6373 litre	41,070 %	15183,3495 litre	O
450	CM	135	CM	115 LEVEL CM	10461,4118 litre	40,603 %	15303,5750 litre	O
450	CM	135	CM	114 LEVEL CM	10341,3211 litre	40,137 %	15423,6657 litre	O
450	CM	135	CM	113 LEVEL CM	10221,3721 litre	39,672 %	15543,6147 litre	O

450	CM	135	CM	112 LEVEL CM	10101,5717 litre	39,207 %	15663,4151 litre	O
450	CM	135	CM	111 LEVEL CM	9981,9270 litre	38,742 %	15783,0598 litre	O
450	CM	135	CM	110 LEVEL CM	9862,4449 litre	38,278 %	15902,5419 litre	O
450	CM	135	CM	109 LEVEL CM	9743,1324 litre	37,815 %	16021,8544 litre	O
450	CM	135	CM	108 LEVEL CM	9623,9965 litre	37,353 %	16140,9903 litre	O
450	CM	135	CM	107 LEVEL CM	9505,0443 litre	36,891 %	16259,9425 litre	O
450	CM	135	CM	106 LEVEL CM	9386,2830 litre	36,430 %	16378,7038 litre	O
450	CM	135	CM	105 LEVEL CM	9267,7196 litre	35,970 %	16497,2672 litre	O
450	CM	135	CM	104 LEVEL CM	9149,3614 litre	35,511 %	16615,6254 litre	O
450	CM	135	CM	103 LEVEL CM	9031,2154 litre	35,052 %	16733,7714 litre	O
450	CM	135	CM	102 LEVEL CM	8913,2891 litre	34,595 %	16851,6977 litre	O
450	CM	135	CM	101 LEVEL CM	8795,5897 litre	34,138 %	16969,3971 litre	O
450	CM	135	CM	100 LEVEL CM	8678,1245 litre	33,682 %	17086,8623 litre	O
450	CM	135	CM	99 LEVEL CM	8560,9009 litre	33,227 %	17204,0859 litre	O
450	CM	135	CM	98 LEVEL CM	8443,9263 litre	32,773 %	17321,0605 litre	O
450	CM	135	CM	97 LEVEL CM	8327,2082 litre	32,320 %	17437,7786 litre	O
450	CM	135	CM	96 LEVEL CM	8210,7541 litre	31,868 %	17554,2327 litre	O
450	CM	135	CM	95 LEVEL CM	8094,5716 litre	31,417 %	17670,4152 litre	O
450	CM	135	CM	94 LEVEL CM	7978,6683 litre	30,967 %	17786,3185 litre	O
450	CM	135	CM	93 LEVEL CM	7863,0519 litre	30,518 %	17901,9349 litre	O
450	CM	135	CM	92 LEVEL CM	7747,7301 litre	30,071 %	18017,2567 litre	O
450	CM	135	CM	91 LEVEL CM	7632,7108 litre	29,624 %	18132,2760 litre	O
450	CM	135	CM	90 LEVEL CM	7518,0017 litre	29,179 %	18246,9851 litre	O
450	CM	135	CM	89 LEVEL CM	7403,6108 litre	28,735 %	18361,3760 litre	O
450	CM	135	CM	88 LEVEL CM	7289,5462 litre	28,292 %	18475,4406 litre	O
450	CM	135	CM	87 LEVEL CM	7175,8157 litre	27,851 %	18589,1711 litre	O
450	CM	135	CM	86 LEVEL CM	7062,4277 litre	27,411 %	18702,5591 litre	O
450	CM	135	CM	85 LEVEL CM	6949,3902 litre	26,972 %	18815,5966 litre	O
450	CM	135	CM	84 LEVEL CM	6836,7116 litre	26,535 %	18928,2752 litre	O
450	CM	135	CM	83 LEVEL CM	6724,4002 litre	26,099 %	19040,5866 litre	O
450	CM	135	CM	82 LEVEL CM	6612,4645 litre	25,665 %	19152,5223 litre	O
450	CM	135	CM	81 LEVEL CM	6500,9129 litre	25,232 %	19264,0739 litre	O
450	CM	135	CM	80 LEVEL CM	6389,7542 litre	24,800 %	19375,2326 litre	O
450	CM	135	CM	79 LEVEL CM	6278,9969 litre	24,370 %	19485,9899 litre	O
450	CM	135	CM	78 LEVEL CM	6168,6500 litre	23,942 %	19596,3368 litre	O
450	CM	135	CM	77 LEVEL CM	6058,7223 litre	23,515 %	19706,2645 litre	O
450	CM	135	CM	76 LEVEL CM	5949,2228 litre	23,090 %	19815,7640 litre	O
450	CM	135	CM	75 LEVEL CM	5840,1606 litre	22,667 %	19924,8262 litre	O
450	CM	135	CM	74 LEVEL CM	5731,5449 litre	22,245 %	20033,4419 litre	O
450	CM	135	CM	73 LEVEL CM	5623,3851 litre	21,826 %	20141,6017 litre	O
450	CM	135	CM	72 LEVEL CM	5515,6906 litre	21,408 %	20249,2962 litre	O
450	CM	135	CM	71 LEVEL CM	5408,4710 litre	20,992 %	20356,5158 litre	O
450	CM	135	CM	70 LEVEL CM	5301,7360 litre	20,577 %	20463,2508 litre	O
450	CM	135	CM	69 LEVEL CM	5195,4955 litre	20,165 %	20569,4913 litre	O
450	CM	135	CM	68 LEVEL CM	5089,7593 litre	19,755 %	20675,2275 litre	O
450	CM	135	CM	67 LEVEL CM	4984,5376 litre	19,346 %	20780,4492 litre	O
450	CM	135	CM	66 LEVEL CM	4879,8407 litre	18,940 %	20885,1461 litre	O
450	CM	135	CM	65 LEVEL CM	4775,6791 litre	18,536 %	20989,3077 litre	O
450	CM	135	CM	64 LEVEL CM	4672,0632 litre	18,133 %	21092,9236 litre	O
450	CM	135	CM	63 LEVEL CM	4569,0038 litre	17,733 %	21195,9830 litre	O
450	CM	135	CM	62 LEVEL CM	4466,5119 litre	17,336 %	21298,4749 litre	O
450	CM	135	CM	61 LEVEL CM	4364,5985 litre	16,940 %	21400,3883 litre	O
450	CM	135	CM	60 LEVEL CM	4263,2750 litre	16,547 %	21501,7118 litre	O

450	CM	135	CM	59 LEVEL CM	4162,5529 litre	16,156 %	21602,4339 litre	O
450	CM	135	CM	58 LEVEL CM	4062,4438 litre	15,767 %	21702,5430 litre	O
450	CM	135	CM	57 LEVEL CM	3962,9597 litre	15,381 %	21802,0271 litre	O
450	CM	135	CM	56 LEVEL CM	3864,1127 litre	14,998 %	21900,8741 litre	O
450	CM	135	CM	55 LEVEL CM	3765,9152 litre	14,616 %	21999,0716 litre	O
450	CM	135	CM	54 LEVEL CM	3668,3799 litre	14,238 %	22096,6069 litre	O
450	CM	135	CM	53 LEVEL CM	3571,5196 litre	13,862 %	22193,4672 litre	O
450	CM	135	CM	52 LEVEL CM	3475,3475 litre	13,489 %	22289,6393 litre	O
450	CM	135	CM	51 LEVEL CM	3379,8769 litre	13,118 %	22385,1099 litre	O
450	CM	135	CM	50 LEVEL CM	3285,1218 litre	12,750 %	22479,8650 litre	O
450	CM	135	CM	49 LEVEL CM	3191,0961 litre	12,385 %	22573,8907 litre	O
450	CM	135	CM	48 LEVEL CM	3097,8142 litre	12,023 %	22667,1726 litre	O
450	CM	135	CM	47 LEVEL CM	3005,2908 litre	11,664 %	22759,6960 litre	O
450	CM	135	CM	46 LEVEL CM	2913,5411 litre	11,308 %	22851,4457 litre	O
450	CM	135	CM	45 LEVEL CM	2822,5805 litre	10,955 %	22942,4063 litre	O
450	CM	135	CM	44 LEVEL CM	2732,4250 litre	10,605 %	23032,5618 litre	O
450	CM	135	CM	43 LEVEL CM	2643,0908 litre	10,258 %	23121,8960 litre	O
450	CM	135	CM	42 LEVEL CM	2554,5947 litre	9,915 %	23210,3921 litre	O
450	CM	135	CM	41 LEVEL CM	2466,9539 litre	9,575 %	23298,0329 litre	O
450	CM	135	CM	40 LEVEL CM	2380,1863 litre	9,238 %	23384,8005 litre	O
450	CM	135	CM	39 LEVEL CM	2294,3102 litre	8,905 %	23470,6766 litre	O
450	CM	135	CM	38 LEVEL CM	2209,3444 litre	8,575 %	23555,6424 litre	O
450	CM	135	CM	37 LEVEL CM	2125,3084 litre	8,249 %	23639,6784 litre	O
450	CM	135	CM	36 LEVEL CM	2042,2224 litre	7,926 %	23722,7644 litre	O
450	CM	135	CM	35 LEVEL CM	1960,1072 litre	7,608 %	23804,8796 litre	O
450	CM	135	CM	34 LEVEL CM	1878,9845 litre	7,293 %	23886,0023 litre	O
450	CM	135	CM	33 LEVEL CM	1798,8766 litre	6,982 %	23966,1102 litre	O
450	CM	135	CM	32 LEVEL CM	1719,8069 litre	6,675 %	24045,1799 litre	O
450	CM	135	CM	31 LEVEL CM	1641,7994 litre	6,372 %	24123,1874 litre	O
450	CM	135	CM	30 LEVEL CM	1564,8795 litre	6,074 %	24200,1073 litre	O
450	CM	135	CM	29 LEVEL CM	1489,0733 litre	5,779 %	24275,9135 litre	O
450	CM	135	CM	28 LEVEL CM	1414,4084 litre	5,490 %	24350,5784 litre	O
450	CM	135	CM	27 LEVEL CM	1340,9135 litre	5,204 %	24424,0733 litre	O
450	CM	135	CM	26 LEVEL CM	1268,6187 litre	4,924 %	24496,3681 litre	O
450	CM	135	CM	25 LEVEL CM	1197,5557 litre	4,648 %	24567,4311 litre	O
450	CM	135	CM	24 LEVEL CM	1127,7578 litre	4,377 %	24637,2290 litre	O
450	CM	135	CM	23 LEVEL CM	1059,2602 litre	4,111 %	24705,7266 litre	O
450	CM	135	CM	22 LEVEL CM	992,1002 litre	3,851 %	24772,8866 litre	O
450	CM	135	CM	21 LEVEL CM	926,3173 litre	3,595 %	24838,6695 litre	O
450	CM	135	CM	20 LEVEL CM	861,9534 litre	3,345 %	24903,0334 litre	O
450	CM	135	CM	19 LEVEL CM	799,0535 litre	3,101 %	24965,9333 litre	O
450	CM	135	CM	18 LEVEL CM	737,6657 litre	2,863 %	25027,3211 litre	O
450	CM	135	CM	17 LEVEL CM	677,8417 litre	2,631 %	25087,1451 litre	O
450	CM	135	CM	16 LEVEL CM	619,6375 litre	2,405 %	25145,3493 litre	O
450	CM	135	CM	15 LEVEL CM	563,1137 litre	2,186 %	25201,8731 litre	O
450	CM	135	CM	14 LEVEL CM	508,3368 litre	1,973 %	25256,6500 litre	O
450	CM	135	CM	13 LEVEL CM	455,3795 litre	1,767 %	25309,6073 litre	O
450	CM	135	CM	12 LEVEL CM	404,3226 litre	1,569 %	25360,6642 litre	O
450	CM	135	CM	11 LEVEL CM	355,2562 litre	1,379 %	25409,7306 litre	O
450	CM	135	CM	10 LEVEL CM	308,2818 litre	1,197 %	25456,7050 litre	O
450	CM	135	CM	9 LEVEL CM	263,5152 litre	1,023 %	25501,4716 litre	O
450	CM	135	CM	8 LEVEL CM	221,0903 litre	0,858 %	25543,8965 litre	O
450	CM	135	CM	7 LEVEL CM	181,1646 litre	0,703 %	25583,8222 litre	O

450	CM	135	CM	6 LEVEL CM	143,9274 litre	0,559 %	25621,0594 litre	O
450	CM	135	CM	5 LEVEL CM	109,6126 litre	0,425 %	25655,3742 litre	O
450	CM	135	CM	4 LEVEL CM	78,5206 litre	0,305 %	25686,4662 litre	O
450	CM	135	CM	3 LEVEL CM	51,0578 litre	0,198 %	25713,9290 litre	O
450	CM	135	CM	2 LEVEL CM	27,8234 litre	0,108 %	25737,1634 litre	O
450	CM	135	CM	1 LEVEL CM	9,8480 litre	0,038 %	25755,1388 litre	O
450	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	25764,9868 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 130	CM 260 LEVEL CM	23891,8121 litre	100,000 %	0,0000 litre	O
450	CM 130	CM 259 LEVEL CM	23882,1486 litre	99,960 %	9,6635 litre	O
450	CM 130	CM 258 LEVEL CM	23864,5112 litre	99,886 %	27,3009 litre	O
450	CM 130	CM 257 LEVEL CM	23841,7152 litre	99,790 %	50,0969 litre	O
450	CM 130	CM 256 LEVEL CM	23814,7727 litre	99,678 %	77,0394 litre	O
450	CM 130	CM 255 LEVEL CM	23784,2718 litre	99,550 %	107,5403 litre	O
450	CM 130	CM 254 LEVEL CM	23750,6120 litre	99,409 %	141,2001 litre	O
450	CM 130	CM 253 LEVEL CM	23714,0882 litre	99,256 %	177,7239 litre	O
450	CM 130	CM 252 LEVEL CM	23674,9304 litre	99,092 %	216,8817 litre	O
450	CM 130	CM 251 LEVEL CM	23633,3246 litre	98,918 %	258,4875 litre	O
450	CM 130	CM 250 LEVEL CM	23589,4257 litre	98,734 %	302,3864 litre	O
450	CM 130	CM 249 LEVEL CM	23543,3652 litre	98,542 %	348,4469 litre	O
450	CM 130	CM 248 LEVEL CM	23495,2573 litre	98,340 %	396,5548 litre	O
450	CM 130	CM 247 LEVEL CM	23445,2016 litre	98,131 %	446,6105 litre	O
450	CM 130	CM 246 LEVEL CM	23393,2869 litre	97,913 %	498,5252 litre	O
450	CM 130	CM 245 LEVEL CM	23339,5926 litre	97,689 %	552,2195 litre	O
450	CM 130	CM 244 LEVEL CM	23284,1905 litre	97,457 %	607,6216 litre	O
450	CM 130	CM 243 LEVEL CM	23227,1458 litre	97,218 %	664,6663 litre	O
450	CM 130	CM 242 LEVEL CM	23168,5185 litre	96,973 %	723,2936 litre	O
450	CM 130	CM 241 LEVEL CM	23108,3635 litre	96,721 %	783,4486 litre	O
450	CM 130	CM 240 LEVEL CM	23046,7319 litre	96,463 %	845,0802 litre	O
450	CM 130	CM 239 LEVEL CM	22983,6711 litre	96,199 %	908,1410 litre	O
450	CM 130	CM 238 LEVEL CM	22919,2253 litre	95,929 %	972,5868 litre	O
450	CM 130	CM 237 LEVEL CM	22853,4361 litre	95,654 %	1038,3760 litre	O
450	CM 130	CM 236 LEVEL CM	22786,3423 litre	95,373 %	1105,4698 litre	O
450	CM 130	CM 235 LEVEL CM	22717,9808 litre	95,087 %	1173,8313 litre	O
450	CM 130	CM 234 LEVEL CM	22648,3862 litre	94,796 %	1243,4259 litre	O
450	CM 130	CM 233 LEVEL CM	22577,5915 litre	94,499 %	1314,2206 litre	O
450	CM 130	CM 232 LEVEL CM	22505,6279 litre	94,198 %	1386,1842 litre	O
450	CM 130	CM 231 LEVEL CM	22432,5252 litre	93,892 %	1459,2869 litre	O
450	CM 130	CM 230 LEVEL CM	22358,3118 litre	93,581 %	1533,5003 litre	O
450	CM 130	CM 229 LEVEL CM	22283,0148 litre	93,266 %	1608,7973 litre	O
450	CM 130	CM 228 LEVEL CM	22206,6602 litre	92,947 %	1685,1519 litre	O
450	CM 130	CM 227 LEVEL CM	22129,2730 litre	92,623 %	1762,5391 litre	O
450	CM 130	CM 226 LEVEL CM	22050,8770 litre	92,295 %	1840,9351 litre	O
450	CM 130	CM 225 LEVEL CM	21971,4954 litre	91,962 %	1920,3167 litre	O
450	CM 130	CM 224 LEVEL CM	21891,1501 litre	91,626 %	2000,6620 litre	O
450	CM 130	CM 223 LEVEL CM	21809,8628 litre	91,286 %	2081,9493 litre	O
450	CM 130	CM 222 LEVEL CM	21727,6539 litre	90,942 %	2164,1582 litre	O
450	CM 130	CM 221 LEVEL CM	21644,5435 litre	90,594 %	2247,2686 litre	O
450	CM 130	CM 220 LEVEL CM	21560,5508 litre	90,242 %	2331,2613 litre	O
450	CM 130	CM 219 LEVEL CM	21475,6946 litre	89,887 %	2416,1175 litre	O
450	CM 130	CM 218 LEVEL CM	21389,9931 litre	89,529 %	2501,8190 litre	O
450	CM 130	CM 217 LEVEL CM	21303,4638 litre	89,166 %	2588,3483 litre	O
450	CM 130	CM 216 LEVEL CM	21216,1239 litre	88,801 %	2675,6882 litre	O
450	CM 130	CM 215 LEVEL CM	21127,9901 litre	88,432 %	2763,8220 litre	O
450	CM 130	CM 214 LEVEL CM	21039,0784 litre	88,060 %	2852,7337 litre	O
450	CM 130	CM 213 LEVEL CM	20949,4048 litre	87,684 %	2942,4073 litre	O
450	CM 130	CM 212 LEVEL CM	20858,9845 litre	87,306 %	3032,8276 litre	O
450	CM 130	CM 211 LEVEL CM	20767,8326 litre	86,924 %	3123,9795 litre	O
450	CM 130	CM 210 LEVEL CM	20675,9638 litre	86,540 %	3215,8483 litre	O
450	CM 130	CM 209 LEVEL CM	20583,3922 litre	86,152 %	3308,4199 litre	O

450	CM	130	CM	208 LEVEL CM	20490,1320 litre	85,762 %	3401,6801 litre	O
450	CM	130	CM	207 LEVEL CM	20396,1967 litre	85,369 %	3495,6154 litre	O
450	CM	130	CM	206 LEVEL CM	20301,5998 litre	84,973 %	3590,2123 litre	O
450	CM	130	CM	205 LEVEL CM	20206,3544 litre	84,574 %	3685,4577 litre	O
450	CM	130	CM	204 LEVEL CM	20110,4732 litre	84,173 %	3781,3389 litre	O
450	CM	130	CM	203 LEVEL CM	20013,9689 litre	83,769 %	3877,8432 litre	O
450	CM	130	CM	202 LEVEL CM	19916,8538 litre	83,363 %	3974,9583 litre	O
450	CM	130	CM	201 LEVEL CM	19819,1401 litre	82,954 %	4072,6720 litre	O
450	CM	130	CM	200 LEVEL CM	19720,8395 litre	82,542 %	4170,9726 litre	O
450	CM	130	CM	199 LEVEL CM	19621,9638 litre	82,128 %	4269,8483 litre	O
450	CM	130	CM	198 LEVEL CM	19522,5245 litre	81,712 %	4369,2876 litre	O
450	CM	130	CM	197 LEVEL CM	19422,5327 litre	81,294 %	4469,2794 litre	O
450	CM	130	CM	196 LEVEL CM	19321,9997 litre	80,873 %	4569,8124 litre	O
450	CM	130	CM	195 LEVEL CM	19220,9364 litre	80,450 %	4670,8757 litre	O
450	CM	130	CM	194 LEVEL CM	19119,3533 litre	80,025 %	4772,4588 litre	O
450	CM	130	CM	193 LEVEL CM	19017,2613 litre	79,597 %	4874,5508 litre	O
450	CM	130	CM	192 LEVEL CM	18914,6706 litre	79,168 %	4977,1415 litre	O
450	CM	130	CM	191 LEVEL CM	18811,5915 litre	78,737 %	5080,2206 litre	O
450	CM	130	CM	190 LEVEL CM	18708,0343 litre	78,303 %	5183,7778 litre	O
450	CM	130	CM	189 LEVEL CM	18604,0087 litre	77,868 %	5287,8034 litre	O
450	CM	130	CM	188 LEVEL CM	18499,5248 litre	77,430 %	5392,2873 litre	O
450	CM	130	CM	187 LEVEL CM	18394,5922 litre	76,991 %	5497,2199 litre	O
450	CM	130	CM	186 LEVEL CM	18289,2205 litre	76,550 %	5602,5916 litre	O
450	CM	130	CM	185 LEVEL CM	18183,4192 litre	76,107 %	5708,3929 litre	O
450	CM	130	CM	184 LEVEL CM	18077,1976 litre	75,663 %	5814,6145 litre	O
450	CM	130	CM	183 LEVEL CM	17970,5651 litre	75,216 %	5921,2470 litre	O
450	CM	130	CM	182 LEVEL CM	17863,5307 litre	74,768 %	6028,2814 litre	O
450	CM	130	CM	181 LEVEL CM	17756,1036 litre	74,319 %	6135,7085 litre	O
450	CM	130	CM	180 LEVEL CM	17648,2925 litre	73,868 %	6243,5196 litre	O
450	CM	130	CM	179 LEVEL CM	17540,1065 litre	73,415 %	6351,7056 litre	O
450	CM	130	CM	178 LEVEL CM	17431,5542 litre	72,960 %	6460,2579 litre	O
450	CM	130	CM	177 LEVEL CM	17322,6443 litre	72,505 %	6569,1678 litre	O
450	CM	130	CM	176 LEVEL CM	17213,3855 litre	72,047 %	6678,4266 litre	O
450	CM	130	CM	175 LEVEL CM	17103,7861 litre	71,588 %	6788,0260 litre	O
450	CM	130	CM	174 LEVEL CM	16993,8547 litre	71,128 %	6897,9574 litre	O
450	CM	130	CM	173 LEVEL CM	16883,5995 litre	70,667 %	7008,2126 litre	O
450	CM	130	CM	172 LEVEL CM	16773,0289 litre	70,204 %	7118,7832 litre	O
450	CM	130	CM	171 LEVEL CM	16662,1510 litre	69,740 %	7229,6611 litre	O
450	CM	130	CM	170 LEVEL CM	16550,9740 litre	69,275 %	7340,8381 litre	O
450	CM	130	CM	169 LEVEL CM	16439,5060 litre	68,808 %	7452,3061 litre	O
450	CM	130	CM	168 LEVEL CM	16327,7549 litre	68,340 %	7564,0572 litre	O
450	CM	130	CM	167 LEVEL CM	16215,7287 litre	67,871 %	7676,0834 litre	O
450	CM	130	CM	166 LEVEL CM	16103,4353 litre	67,401 %	7788,3768 litre	O
450	CM	130	CM	165 LEVEL CM	15990,8826 litre	66,930 %	7900,9295 litre	O
450	CM	130	CM	164 LEVEL CM	15878,0782 litre	66,458 %	8013,7339 litre	O
450	CM	130	CM	163 LEVEL CM	15765,0300 litre	65,985 %	8126,7821 litre	O
450	CM	130	CM	162 LEVEL CM	15651,7455 litre	65,511 %	8240,0666 litre	O
450	CM	130	CM	161 LEVEL CM	15538,2325 litre	65,036 %	8353,5796 litre	O
450	CM	130	CM	160 LEVEL CM	15424,4985 litre	64,560 %	8467,3136 litre	O
450	CM	130	CM	159 LEVEL CM	15310,5510 litre	64,083 %	8581,2611 litre	O
450	CM	130	CM	158 LEVEL CM	15196,3976 litre	63,605 %	8695,4145 litre	O
450	CM	130	CM	157 LEVEL CM	15082,0456 litre	63,126 %	8809,7665 litre	O
450	CM	130	CM	156 LEVEL CM	14967,5026 litre	62,647 %	8924,3095 litre	O

450	CM	130	CM	155 LEVEL CM	14852,7759 litre	62,167 %	9039,0362 litre	O
450	CM	130	CM	154 LEVEL CM	14737,8727 litre	61,686 %	9153,9394 litre	O
450	CM	130	CM	153 LEVEL CM	14622,8006 litre	61,204 %	9269,0115 litre	O
450	CM	130	CM	152 LEVEL CM	14507,5666 litre	60,722 %	9384,2455 litre	O
450	CM	130	CM	151 LEVEL CM	14392,1781 litre	60,239 %	9499,6340 litre	O
450	CM	130	CM	150 LEVEL CM	14276,6422 litre	59,755 %	9615,1699 litre	O
450	CM	130	CM	149 LEVEL CM	14160,9663 litre	59,271 %	9730,8458 litre	O
450	CM	130	CM	148 LEVEL CM	14045,1573 litre	58,786 %	9846,6548 litre	O
450	CM	130	CM	147 LEVEL CM	13929,2226 litre	58,301 %	9962,5895 litre	O
450	CM	130	CM	146 LEVEL CM	13813,1691 litre	57,815 %	10078,6430 litre	O
450	CM	130	CM	145 LEVEL CM	13697,0040 litre	57,329 %	10194,8081 litre	O
450	CM	130	CM	144 LEVEL CM	13580,7344 litre	56,843 %	10311,0777 litre	O
450	CM	130	CM	143 LEVEL CM	13464,3672 litre	56,356 %	10427,4449 litre	O
450	CM	130	CM	142 LEVEL CM	13347,9097 litre	55,868 %	10543,9024 litre	O
450	CM	130	CM	141 LEVEL CM	13231,3686 litre	55,380 %	10660,4435 litre	O
450	CM	130	CM	140 LEVEL CM	13114,7512 litre	54,892 %	10777,0609 litre	O
450	CM	130	CM	139 LEVEL CM	12998,0643 litre	54,404 %	10893,7478 litre	O
450	CM	130	CM	138 LEVEL CM	12881,3150 litre	53,915 %	11010,4971 litre	O
450	CM	130	CM	137 LEVEL CM	12764,5101 litre	53,426 %	11127,3020 litre	O
450	CM	130	CM	136 LEVEL CM	12647,6568 litre	52,937 %	11244,1553 litre	O
450	CM	130	CM	135 LEVEL CM	12530,7618 litre	52,448 %	11361,0503 litre	O
450	CM	130	CM	134 LEVEL CM	12413,8322 litre	51,959 %	11477,9799 litre	O
450	CM	130	CM	133 LEVEL CM	12296,8749 litre	51,469 %	11594,9372 litre	O
450	CM	130	CM	132 LEVEL CM	12179,8968 litre	50,979 %	11711,9153 litre	O
450	CM	130	CM	131 LEVEL CM	12062,9049 litre	50,490 %	11828,9072 litre	O
450	CM	130	CM	130 LEVEL CM	11945,9061 litre	50,000 %	11945,9060 litre	O
450	CM	130	CM	129 LEVEL CM	11828,9072 litre	49,510 %	12062,9049 litre	O
450	CM	130	CM	128 LEVEL CM	11711,9153 litre	49,021 %	12179,8968 litre	O
450	CM	130	CM	127 LEVEL CM	11594,9372 litre	48,531 %	12296,8749 litre	O
450	CM	130	CM	126 LEVEL CM	11477,9799 litre	48,041 %	12413,8322 litre	O
450	CM	130	CM	125 LEVEL CM	11361,0503 litre	47,552 %	12530,7618 litre	O
450	CM	130	CM	124 LEVEL CM	11244,1554 litre	47,063 %	12647,6567 litre	O
450	CM	130	CM	123 LEVEL CM	11127,3020 litre	46,574 %	12764,5101 litre	O
450	CM	130	CM	122 LEVEL CM	11010,4972 litre	46,085 %	12881,3149 litre	O
450	CM	130	CM	121 LEVEL CM	10893,7478 litre	45,596 %	12998,0643 litre	O
450	CM	130	CM	120 LEVEL CM	10777,0609 litre	45,108 %	13114,7512 litre	O
450	CM	130	CM	119 LEVEL CM	10660,4435 litre	44,620 %	13231,3686 litre	O
450	CM	130	CM	118 LEVEL CM	10543,9025 litre	44,132 %	13347,9096 litre	O
450	CM	130	CM	117 LEVEL CM	10427,4449 litre	43,644 %	13464,3672 litre	O
450	CM	130	CM	116 LEVEL CM	10311,0778 litre	43,157 %	13580,7343 litre	O
450	CM	130	CM	115 LEVEL CM	10194,8081 litre	42,671 %	13697,0040 litre	O
450	CM	130	CM	114 LEVEL CM	10078,6430 litre	42,185 %	13813,1691 litre	O
450	CM	130	CM	113 LEVEL CM	9962,5895 litre	41,699 %	13929,2226 litre	O
450	CM	130	CM	112 LEVEL CM	9846,6548 litre	41,214 %	14045,1573 litre	O
450	CM	130	CM	111 LEVEL CM	9730,8458 litre	40,729 %	14160,9663 litre	O
450	CM	130	CM	110 LEVEL CM	9615,1699 litre	40,245 %	14276,6422 litre	O
450	CM	130	CM	109 LEVEL CM	9499,6341 litre	39,761 %	14392,1780 litre	O
450	CM	130	CM	108 LEVEL CM	9384,2455 litre	39,278 %	14507,5666 litre	O
450	CM	130	CM	107 LEVEL CM	9269,0116 litre	38,796 %	14622,8005 litre	O
450	CM	130	CM	106 LEVEL CM	9153,9394 litre	38,314 %	14737,8727 litre	O
450	CM	130	CM	105 LEVEL CM	9039,0363 litre	37,833 %	14852,7758 litre	O
450	CM	130	CM	104 LEVEL CM	8924,3095 litre	37,353 %	14967,5026 litre	O
450	CM	130	CM	103 LEVEL CM	8809,7665 litre	36,874 %	15082,0456 litre	O

450	CM	130	CM	102 LEVEL CM	8695,4145 litre	36,395 %	15196,3976 litre	O
450	CM	130	CM	101 LEVEL CM	8581,2611 litre	35,917 %	15310,5510 litre	O
450	CM	130	CM	100 LEVEL CM	8467,3136 litre	35,440 %	15424,4985 litre	O
450	CM	130	CM	99 LEVEL CM	8353,5796 litre	34,964 %	15538,2325 litre	O
450	CM	130	CM	98 LEVEL CM	8240,0666 litre	34,489 %	15651,7455 litre	O
450	CM	130	CM	97 LEVEL CM	8126,7822 litre	34,015 %	15765,0299 litre	O
450	CM	130	CM	96 LEVEL CM	8013,7339 litre	33,542 %	15878,0782 litre	O
450	CM	130	CM	95 LEVEL CM	7900,9295 litre	33,070 %	15990,8826 litre	O
450	CM	130	CM	94 LEVEL CM	7788,3768 litre	32,599 %	16103,4353 litre	O
450	CM	130	CM	93 LEVEL CM	7676,0834 litre	32,129 %	16215,7287 litre	O
450	CM	130	CM	92 LEVEL CM	7564,0572 litre	31,660 %	16327,7549 litre	O
450	CM	130	CM	91 LEVEL CM	7452,3061 litre	31,192 %	16439,5060 litre	O
450	CM	130	CM	90 LEVEL CM	7340,8381 litre	30,725 %	16550,9740 litre	O
450	CM	130	CM	89 LEVEL CM	7229,6611 litre	30,260 %	16662,1510 litre	O
450	CM	130	CM	88 LEVEL CM	7118,7832 litre	29,796 %	16773,0289 litre	O
450	CM	130	CM	87 LEVEL CM	7008,2126 litre	29,333 %	16883,5995 litre	O
450	CM	130	CM	86 LEVEL CM	6897,9575 litre	28,872 %	16993,8546 litre	O
450	CM	130	CM	85 LEVEL CM	6788,0260 litre	28,412 %	17103,7861 litre	O
450	CM	130	CM	84 LEVEL CM	6678,4267 litre	27,953 %	17213,3854 litre	O
450	CM	130	CM	83 LEVEL CM	6569,1678 litre	27,495 %	17322,6443 litre	O
450	CM	130	CM	82 LEVEL CM	6460,2579 litre	27,040 %	17431,5542 litre	O
450	CM	130	CM	81 LEVEL CM	6351,7056 litre	26,585 %	17540,1065 litre	O
450	CM	130	CM	80 LEVEL CM	6243,5196 litre	26,132 %	17648,2925 litre	O
450	CM	130	CM	79 LEVEL CM	6135,7086 litre	25,681 %	17756,1035 litre	O
450	CM	130	CM	78 LEVEL CM	6028,2814 litre	25,232 %	17863,5307 litre	O
450	CM	130	CM	77 LEVEL CM	5921,2470 litre	24,784 %	17970,5651 litre	O
450	CM	130	CM	76 LEVEL CM	5814,6145 litre	24,337 %	18077,1976 litre	O
450	CM	130	CM	75 LEVEL CM	5708,3930 litre	23,893 %	18183,4191 litre	O
450	CM	130	CM	74 LEVEL CM	5602,5917 litre	23,450 %	18289,2204 litre	O
450	CM	130	CM	73 LEVEL CM	5497,2200 litre	23,009 %	18394,5921 litre	O
450	CM	130	CM	72 LEVEL CM	5392,2873 litre	22,570 %	18499,5248 litre	O
450	CM	130	CM	71 LEVEL CM	5287,8034 litre	22,132 %	18604,0087 litre	O
450	CM	130	CM	70 LEVEL CM	5183,7779 litre	21,697 %	18708,0342 litre	O
450	CM	130	CM	69 LEVEL CM	5080,2206 litre	21,263 %	18811,5915 litre	O
450	CM	130	CM	68 LEVEL CM	4977,1415 litre	20,832 %	18914,6706 litre	O
450	CM	130	CM	67 LEVEL CM	4874,5508 litre	20,403 %	19017,2613 litre	O
450	CM	130	CM	66 LEVEL CM	4772,4588 litre	19,975 %	19119,3533 litre	O
450	CM	130	CM	65 LEVEL CM	4670,8758 litre	19,550 %	19220,9363 litre	O
450	CM	130	CM	64 LEVEL CM	4569,8124 litre	19,127 %	19321,9997 litre	O
450	CM	130	CM	63 LEVEL CM	4469,2794 litre	18,706 %	19422,5327 litre	O
450	CM	130	CM	62 LEVEL CM	4369,2877 litre	18,288 %	19522,5244 litre	O
450	CM	130	CM	61 LEVEL CM	4269,8483 litre	17,872 %	19621,9638 litre	O
450	CM	130	CM	60 LEVEL CM	4170,9726 litre	17,458 %	19720,8395 litre	O
450	CM	130	CM	59 LEVEL CM	4072,6721 litre	17,046 %	19819,1400 litre	O
450	CM	130	CM	58 LEVEL CM	3974,9583 litre	16,637 %	19916,8538 litre	O
450	CM	130	CM	57 LEVEL CM	3877,8432 litre	16,231 %	20013,9689 litre	O
450	CM	130	CM	56 LEVEL CM	3781,3389 litre	15,827 %	20110,4732 litre	O
450	CM	130	CM	55 LEVEL CM	3685,4577 litre	15,426 %	20206,3544 litre	O
450	CM	130	CM	54 LEVEL CM	3590,2123 litre	15,027 %	20301,5998 litre	O
450	CM	130	CM	53 LEVEL CM	3495,6154 litre	14,631 %	20396,1967 litre	O
450	CM	130	CM	52 LEVEL CM	3401,6801 litre	14,238 %	20490,1320 litre	O
450	CM	130	CM	51 LEVEL CM	3308,4199 litre	13,848 %	20583,3922 litre	O
450	CM	130	CM	50 LEVEL CM	3215,8484 litre	13,460 %	20675,9637 litre	O

450	CM	130	CM	49 LEVEL CM	3123,9795 litre	13,076 %	20767,8326 litre	O
450	CM	130	CM	48 LEVEL CM	3032,8276 litre	12,694 %	20858,9845 litre	O
450	CM	130	CM	47 LEVEL CM	2942,4073 litre	12,316 %	20949,4048 litre	O
450	CM	130	CM	46 LEVEL CM	2852,7337 litre	11,940 %	21039,0784 litre	O
450	CM	130	CM	45 LEVEL CM	2763,8221 litre	11,568 %	21127,9900 litre	O
450	CM	130	CM	44 LEVEL CM	2675,6882 litre	11,199 %	21216,1239 litre	O
450	CM	130	CM	43 LEVEL CM	2588,3483 litre	10,834 %	21303,4638 litre	O
450	CM	130	CM	42 LEVEL CM	2501,8190 litre	10,471 %	21389,9931 litre	O
450	CM	130	CM	41 LEVEL CM	2416,1175 litre	10,113 %	21475,6946 litre	O
450	CM	130	CM	40 LEVEL CM	2331,2613 litre	9,758 %	21560,5508 litre	O
450	CM	130	CM	39 LEVEL CM	2247,2687 litre	9,406 %	21644,5434 litre	O
450	CM	130	CM	38 LEVEL CM	2164,1582 litre	9,058 %	21727,6539 litre	O
450	CM	130	CM	37 LEVEL CM	2081,9494 litre	8,714 %	21809,8627 litre	O
450	CM	130	CM	36 LEVEL CM	2000,6620 litre	8,374 %	21891,1501 litre	O
450	CM	130	CM	35 LEVEL CM	1920,3168 litre	8,038 %	21971,4953 litre	O
450	CM	130	CM	34 LEVEL CM	1840,9351 litre	7,705 %	22050,8770 litre	O
450	CM	130	CM	33 LEVEL CM	1762,5391 litre	7,377 %	22129,2730 litre	O
450	CM	130	CM	32 LEVEL CM	1685,1519 litre	7,053 %	22206,6602 litre	O
450	CM	130	CM	31 LEVEL CM	1608,7973 litre	6,734 %	22283,0148 litre	O
450	CM	130	CM	30 LEVEL CM	1533,5004 litre	6,419 %	22358,3117 litre	O
450	CM	130	CM	29 LEVEL CM	1459,2870 litre	6,108 %	22432,5251 litre	O
450	CM	130	CM	28 LEVEL CM	1386,1843 litre	5,802 %	22505,6278 litre	O
450	CM	130	CM	27 LEVEL CM	1314,2207 litre	5,501 %	22577,5914 litre	O
450	CM	130	CM	26 LEVEL CM	1243,4259 litre	5,204 %	22648,3862 litre	O
450	CM	130	CM	25 LEVEL CM	1173,8313 litre	4,913 %	22717,9808 litre	O
450	CM	130	CM	24 LEVEL CM	1105,4698 litre	4,627 %	22786,3423 litre	O
450	CM	130	CM	23 LEVEL CM	1038,3760 litre	4,346 %	22853,4361 litre	O
450	CM	130	CM	22 LEVEL CM	972,5868 litre	4,071 %	22919,2253 litre	O
450	CM	130	CM	21 LEVEL CM	908,1411 litre	3,801 %	22983,6710 litre	O
450	CM	130	CM	20 LEVEL CM	845,0803 litre	3,537 %	23046,7318 litre	O
450	CM	130	CM	19 LEVEL CM	783,4487 litre	3,279 %	23108,3634 litre	O
450	CM	130	CM	18 LEVEL CM	723,2937 litre	3,027 %	23168,5184 litre	O
450	CM	130	CM	17 LEVEL CM	664,6663 litre	2,782 %	23227,1458 litre	O
450	CM	130	CM	16 LEVEL CM	607,6216 litre	2,543 %	23284,1905 litre	O
450	CM	130	CM	15 LEVEL CM	552,2195 litre	2,311 %	23339,5926 litre	O
450	CM	130	CM	14 LEVEL CM	498,5252 litre	2,087 %	23393,2869 litre	O
450	CM	130	CM	13 LEVEL CM	446,6105 litre	1,869 %	23445,2016 litre	O
450	CM	130	CM	12 LEVEL CM	396,5549 litre	1,660 %	23495,2572 litre	O
450	CM	130	CM	11 LEVEL CM	348,4469 litre	1,458 %	23543,3652 litre	O
450	CM	130	CM	10 LEVEL CM	302,3865 litre	1,266 %	23589,4256 litre	O
450	CM	130	CM	9 LEVEL CM	258,4875 litre	1,082 %	23633,3246 litre	O
450	CM	130	CM	8 LEVEL CM	216,8817 litre	0,908 %	23674,9304 litre	O
450	CM	130	CM	7 LEVEL CM	177,7239 litre	0,744 %	23714,0882 litre	O
450	CM	130	CM	6 LEVEL CM	141,2001 litre	0,591 %	23750,6120 litre	O
450	CM	130	CM	5 LEVEL CM	107,5403 litre	0,450 %	23784,2718 litre	O
450	CM	130	CM	4 LEVEL CM	77,0395 litre	0,322 %	23814,7726 litre	O
450	CM	130	CM	3 LEVEL CM	50,0969 litre	0,210 %	23841,7152 litre	O
450	CM	130	CM	2 LEVEL CM	27,3010 litre	0,114 %	23864,5111 litre	O
450	CM	130	CM	1 LEVEL CM	9,6635 litre	0,040 %	23882,1486 litre	O
450	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	23891,8121 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 125	CM 250 LEVEL CM	22089,3233 litre	100,000 %	0,0000 litre	O
450	CM 125	CM 249 LEVEL CM	22079,8479 litre	99,957 %	9,4754 litre	O
450	CM 125	CM 248 LEVEL CM	22062,5550 litre	99,879 %	26,7683 litre	O
450	CM 125	CM 247 LEVEL CM	22040,2062 litre	99,778 %	49,1171 litre	O
450	CM 125	CM 246 LEVEL CM	22013,7940 litre	99,658 %	75,5293 litre	O
450	CM 125	CM 245 LEVEL CM	21983,8960 litre	99,523 %	105,4273 litre	O
450	CM 125	CM 244 LEVEL CM	21950,9042 litre	99,373 %	138,4191 litre	O
450	CM 125	CM 243 LEVEL CM	21915,1081 litre	99,211 %	174,2152 litre	O
450	CM 125	CM 242 LEVEL CM	21876,7335 litre	99,038 %	212,5898 litre	O
450	CM 125	CM 241 LEVEL CM	21835,9633 litre	98,853 %	253,3600 litre	O
450	CM 125	CM 240 LEVEL CM	21792,9495 litre	98,658 %	296,3738 litre	O
450	CM 125	CM 239 LEVEL CM	21747,8216 litre	98,454 %	341,5017 litre	O
450	CM 125	CM 238 LEVEL CM	21700,6915 litre	98,241 %	388,6318 litre	O
450	CM 125	CM 237 LEVEL CM	21651,6575 litre	98,019 %	437,6658 litre	O
450	CM 125	CM 236 LEVEL CM	21600,8068 litre	97,788 %	488,5165 litre	O
450	CM 125	CM 235 LEVEL CM	21548,2174 litre	97,550 %	541,1059 litre	O
450	CM 125	CM 234 LEVEL CM	21493,9601 litre	97,305 %	595,3632 litre	O
450	CM 125	CM 233 LEVEL CM	21438,0991 litre	97,052 %	651,2242 litre	O
450	CM 125	CM 232 LEVEL CM	21380,6933 litre	96,792 %	708,6300 litre	O
450	CM 125	CM 231 LEVEL CM	21321,7969 litre	96,525 %	767,5264 litre	O
450	CM 125	CM 230 LEVEL CM	21261,4602 litre	96,252 %	827,8631 litre	O
450	CM 125	CM 229 LEVEL CM	21199,7300 litre	95,973 %	889,5933 litre	O
450	CM 125	CM 228 LEVEL CM	21136,6498 litre	95,687 %	952,6735 litre	O
450	CM 125	CM 227 LEVEL CM	21072,2605 litre	95,396 %	1017,0628 litre	O
450	CM 125	CM 226 LEVEL CM	21006,6005 litre	95,098 %	1082,7228 litre	O
450	CM 125	CM 225 LEVEL CM	20939,7062 litre	94,796 %	1149,6171 litre	O
450	CM 125	CM 224 LEVEL CM	20871,6117 litre	94,487 %	1217,7116 litre	O
450	CM 125	CM 223 LEVEL CM	20802,3495 litre	94,174 %	1286,9738 litre	O
450	CM 125	CM 222 LEVEL CM	20731,9505 litre	93,855 %	1357,3728 litre	O
450	CM 125	CM 221 LEVEL CM	20660,4441 litre	93,531 %	1428,8792 litre	O
450	CM 125	CM 220 LEVEL CM	20587,8584 litre	93,203 %	1501,4649 litre	O
450	CM 125	CM 219 LEVEL CM	20514,2202 litre	92,869 %	1575,1031 litre	O
450	CM 125	CM 218 LEVEL CM	20439,5551 litre	92,531 %	1649,7682 litre	O
450	CM 125	CM 217 LEVEL CM	20363,8878 litre	92,189 %	1725,4355 litre	O
450	CM 125	CM 216 LEVEL CM	20287,2420 litre	91,842 %	1802,0813 litre	O
450	CM 125	CM 215 LEVEL CM	20209,6404 litre	91,491 %	1879,6829 litre	O
450	CM 125	CM 214 LEVEL CM	20131,1050 litre	91,135 %	1958,2183 litre	O
450	CM 125	CM 213 LEVEL CM	20051,6570 litre	90,775 %	2037,6663 litre	O
450	CM 125	CM 212 LEVEL CM	19971,3167 litre	90,412 %	2118,0066 litre	O
450	CM 125	CM 211 LEVEL CM	19890,1041 litre	90,044 %	2199,2192 litre	O
450	CM 125	CM 210 LEVEL CM	19808,0381 litre	89,672 %	2281,2852 litre	O
450	CM 125	CM 209 LEVEL CM	19725,1374 litre	89,297 %	2364,1859 litre	O
450	CM 125	CM 208 LEVEL CM	19641,4200 litre	88,918 %	2447,9033 litre	O
450	CM 125	CM 207 LEVEL CM	19556,9033 litre	88,536 %	2532,4200 litre	O
450	CM 125	CM 206 LEVEL CM	19471,6044 litre	88,149 %	2617,7189 litre	O
450	CM 125	CM 205 LEVEL CM	19385,5397 litre	87,760 %	2703,7836 litre	O
450	CM 125	CM 204 LEVEL CM	19298,7253 litre	87,367 %	2790,5980 litre	O
450	CM 125	CM 203 LEVEL CM	19211,1770 litre	86,970 %	2878,1463 litre	O
450	CM 125	CM 202 LEVEL CM	19122,9099 litre	86,571 %	2966,4134 litre	O
450	CM 125	CM 201 LEVEL CM	19033,9390 litre	86,168 %	3055,3843 litre	O
450	CM 125	CM 200 LEVEL CM	18944,2788 litre	85,762 %	3145,0445 litre	O
450	CM 125	CM 199 LEVEL CM	18853,9437 litre	85,353 %	3235,3796 litre	O

450	CM	125	CM	198 LEVEL CM	18762,9474 litre	84,941 %	3326,3759 litre	O
450	CM	125	CM	197 LEVEL CM	18671,3036 litre	84,526 %	3418,0197 litre	O
450	CM	125	CM	196 LEVEL CM	18579,0256 litre	84,109 %	3510,2977 litre	O
450	CM	125	CM	195 LEVEL CM	18486,1265 litre	83,688 %	3603,1968 litre	O
450	CM	125	CM	194 LEVEL CM	18392,6190 litre	83,265 %	3696,7043 litre	O
450	CM	125	CM	193 LEVEL CM	18298,5157 litre	82,839 %	3790,8076 litre	O
450	CM	125	CM	192 LEVEL CM	18203,8289 litre	82,410 %	3885,4944 litre	O
450	CM	125	CM	191 LEVEL CM	18108,5706 litre	81,979 %	3980,7527 litre	O
450	CM	125	CM	190 LEVEL CM	18012,7528 litre	81,545 %	4076,5705 litre	O
450	CM	125	CM	189 LEVEL CM	17916,3871 litre	81,109 %	4172,9362 litre	O
450	CM	125	CM	188 LEVEL CM	17819,4849 litre	80,670 %	4269,8384 litre	O
450	CM	125	CM	187 LEVEL CM	17722,0575 litre	80,229 %	4367,2658 litre	O
450	CM	125	CM	186 LEVEL CM	17624,1160 litre	79,786 %	4465,2073 litre	O
450	CM	125	CM	185 LEVEL CM	17525,6713 litre	79,340 %	4563,6520 litre	O
450	CM	125	CM	184 LEVEL CM	17426,7341 litre	78,892 %	4662,5892 litre	O
450	CM	125	CM	183 LEVEL CM	17327,3151 litre	78,442 %	4762,0082 litre	O
450	CM	125	CM	182 LEVEL CM	17227,4246 litre	77,990 %	4861,8987 litre	O
450	CM	125	CM	181 LEVEL CM	17127,0731 litre	77,536 %	4962,2502 litre	O
450	CM	125	CM	180 LEVEL CM	17026,2705 litre	77,079 %	5063,0528 litre	O
450	CM	125	CM	179 LEVEL CM	16925,0269 litre	76,621 %	5164,2964 litre	O
450	CM	125	CM	178 LEVEL CM	16823,3522 litre	76,161 %	5265,9711 litre	O
450	CM	125	CM	177 LEVEL CM	16721,2561 litre	75,698 %	5368,0672 litre	O
450	CM	125	CM	176 LEVEL CM	16618,7483 litre	75,234 %	5470,5750 litre	O
450	CM	125	CM	175 LEVEL CM	16515,8383 litre	74,768 %	5573,4850 litre	O
450	CM	125	CM	174 LEVEL CM	16412,5355 litre	74,301 %	5676,7878 litre	O
450	CM	125	CM	173 LEVEL CM	16308,8492 litre	73,831 %	5780,4741 litre	O
450	CM	125	CM	172 LEVEL CM	16204,7886 litre	73,360 %	5884,5347 litre	O
450	CM	125	CM	171 LEVEL CM	16100,3628 litre	72,888 %	5988,9605 litre	O
450	CM	125	CM	170 LEVEL CM	15995,5808 litre	72,413 %	6093,7425 litre	O
450	CM	125	CM	169 LEVEL CM	15890,4515 litre	71,937 %	6198,8718 litre	O
450	CM	125	CM	168 LEVEL CM	15784,9837 litre	71,460 %	6304,3396 litre	O
450	CM	125	CM	167 LEVEL CM	15679,1862 litre	70,981 %	6410,1371 litre	O
450	CM	125	CM	166 LEVEL CM	15573,0677 litre	70,500 %	6516,2556 litre	O
450	CM	125	CM	165 LEVEL CM	15466,6366 litre	70,019 %	6622,6867 litre	O
450	CM	125	CM	164 LEVEL CM	15359,9015 litre	69,535 %	6729,4218 litre	O
450	CM	125	CM	163 LEVEL CM	15252,8709 litre	69,051 %	6836,4524 litre	O
450	CM	125	CM	162 LEVEL CM	15145,5531 litre	68,565 %	6943,7702 litre	O
450	CM	125	CM	161 LEVEL CM	15037,9564 litre	68,078 %	7051,3669 litre	O
450	CM	125	CM	160 LEVEL CM	14930,0890 litre	67,590 %	7159,2343 litre	O
450	CM	125	CM	159 LEVEL CM	14821,9591 litre	67,100 %	7267,3642 litre	O
450	CM	125	CM	158 LEVEL CM	14713,5748 litre	66,609 %	7375,7485 litre	O
450	CM	125	CM	157 LEVEL CM	14604,9442 litre	66,118 %	7484,3791 litre	O
450	CM	125	CM	156 LEVEL CM	14496,0752 litre	65,625 %	7593,2481 litre	O
450	CM	125	CM	155 LEVEL CM	14386,9758 litre	65,131 %	7702,3475 litre	O
450	CM	125	CM	154 LEVEL CM	14277,6539 litre	64,636 %	7811,6694 litre	O
450	CM	125	CM	153 LEVEL CM	14168,1174 litre	64,140 %	7921,2059 litre	O
450	CM	125	CM	152 LEVEL CM	14058,3740 litre	63,643 %	8030,9493 litre	O
450	CM	125	CM	151 LEVEL CM	13948,4314 litre	63,146 %	8140,8919 litre	O
450	CM	125	CM	150 LEVEL CM	13838,2975 litre	62,647 %	8251,0258 litre	O
450	CM	125	CM	149 LEVEL CM	13727,9799 litre	62,148 %	8361,3434 litre	O
450	CM	125	CM	148 LEVEL CM	13617,4862 litre	61,647 %	8471,8371 litre	O
450	CM	125	CM	147 LEVEL CM	13506,8240 litre	61,146 %	8582,4993 litre	O
450	CM	125	CM	146 LEVEL CM	13396,0009 litre	60,645 %	8693,3224 litre	O

450	CM	125	CM	145 LEVEL CM	13285,0245 litre	60,142 %	8804,2988 litre	O
450	CM	125	CM	144 LEVEL CM	13173,9021 litre	59,639 %	8915,4212 litre	O
450	CM	125	CM	143 LEVEL CM	13062,6413 litre	59,136 %	9026,6820 litre	O
450	CM	125	CM	142 LEVEL CM	12951,2496 litre	58,631 %	9138,0737 litre	O
450	CM	125	CM	141 LEVEL CM	12839,7343 litre	58,126 %	9249,5890 litre	O
450	CM	125	CM	140 LEVEL CM	12728,1029 litre	57,621 %	9361,2204 litre	O
450	CM	125	CM	139 LEVEL CM	12616,3626 litre	57,115 %	9472,9607 litre	O
450	CM	125	CM	138 LEVEL CM	12504,5210 litre	56,609 %	9584,8023 litre	O
450	CM	125	CM	137 LEVEL CM	12392,5852 litre	56,102 %	9696,7381 litre	O
450	CM	125	CM	136 LEVEL CM	12280,5626 litre	55,595 %	9808,7607 litre	O
450	CM	125	CM	135 LEVEL CM	12168,4605 litre	55,088 %	9920,8628 litre	O
450	CM	125	CM	134 LEVEL CM	12056,2862 litre	54,580 %	10033,0371 litre	O
450	CM	125	CM	133 LEVEL CM	11944,0469 litre	54,072 %	10145,2764 litre	O
450	CM	125	CM	132 LEVEL CM	11831,7499 litre	53,563 %	10257,5734 litre	O
450	CM	125	CM	131 LEVEL CM	11719,4024 litre	53,055 %	10369,9209 litre	O
450	CM	125	CM	130 LEVEL CM	11607,0116 litre	52,546 %	10482,3117 litre	O
450	CM	125	CM	129 LEVEL CM	11494,5849 litre	52,037 %	10594,7384 litre	O
450	CM	125	CM	128 LEVEL CM	11382,1293 litre	51,528 %	10707,1940 litre	O
450	CM	125	CM	127 LEVEL CM	11269,6521 litre	51,019 %	10819,6712 litre	O
450	CM	125	CM	126 LEVEL CM	11157,1605 litre	50,509 %	10932,1628 litre	O
450	CM	125	CM	125 LEVEL CM	11044,6617 litre	50,000 %	11044,6616 litre	O
450	CM	125	CM	124 LEVEL CM	10932,1629 litre	49,491 %	11157,1604 litre	O
450	CM	125	CM	123 LEVEL CM	10819,6713 litre	48,981 %	11269,6520 litre	O
450	CM	125	CM	122 LEVEL CM	10707,1941 litre	48,472 %	11382,1292 litre	O
450	CM	125	CM	121 LEVEL CM	10594,7385 litre	47,963 %	11494,5848 litre	O
450	CM	125	CM	120 LEVEL CM	10482,3117 litre	47,454 %	11607,0116 litre	O
450	CM	125	CM	119 LEVEL CM	10369,9210 litre	46,945 %	11719,4023 litre	O
450	CM	125	CM	118 LEVEL CM	10257,5735 litre	46,437 %	11831,7498 litre	O
450	CM	125	CM	117 LEVEL CM	10145,2765 litre	45,928 %	11944,0468 litre	O
450	CM	125	CM	116 LEVEL CM	10033,0372 litre	45,420 %	12056,2861 litre	O
450	CM	125	CM	115 LEVEL CM	9920,8628 litre	44,912 %	12168,4605 litre	O
450	CM	125	CM	114 LEVEL CM	9808,7607 litre	44,405 %	12280,5626 litre	O
450	CM	125	CM	113 LEVEL CM	9696,7381 litre	43,898 %	12392,5852 litre	O
450	CM	125	CM	112 LEVEL CM	9584,8024 litre	43,391 %	12504,5209 litre	O
450	CM	125	CM	111 LEVEL CM	9472,9607 litre	42,885 %	12616,3626 litre	O
450	CM	125	CM	110 LEVEL CM	9361,2205 litre	42,379 %	12728,1028 litre	O
450	CM	125	CM	109 LEVEL CM	9249,5890 litre	41,874 %	12839,7343 litre	O
450	CM	125	CM	108 LEVEL CM	9138,0737 litre	41,369 %	12951,2496 litre	O
450	CM	125	CM	107 LEVEL CM	9026,6820 litre	40,864 %	13062,6413 litre	O
450	CM	125	CM	106 LEVEL CM	8915,4212 litre	40,361 %	13173,9021 litre	O
450	CM	125	CM	105 LEVEL CM	8804,2989 litre	39,858 %	13285,0244 litre	O
450	CM	125	CM	104 LEVEL CM	8693,3224 litre	39,355 %	13396,0009 litre	O
450	CM	125	CM	103 LEVEL CM	8582,4993 litre	38,854 %	13506,8240 litre	O
450	CM	125	CM	102 LEVEL CM	8471,8371 litre	38,353 %	13617,4862 litre	O
450	CM	125	CM	101 LEVEL CM	8361,3434 litre	37,852 %	13727,9799 litre	O
450	CM	125	CM	100 LEVEL CM	8251,0258 litre	37,353 %	13838,2975 litre	O
450	CM	125	CM	99 LEVEL CM	8140,8919 litre	36,854 %	13948,4314 litre	O
450	CM	125	CM	98 LEVEL CM	8030,9494 litre	36,357 %	14058,3739 litre	O
450	CM	125	CM	97 LEVEL CM	7921,2060 litre	35,860 %	14168,1173 litre	O
450	CM	125	CM	96 LEVEL CM	7811,6694 litre	35,364 %	14277,6539 litre	O
450	CM	125	CM	95 LEVEL CM	7702,3475 litre	34,869 %	14386,9758 litre	O
450	CM	125	CM	94 LEVEL CM	7593,2481 litre	34,375 %	14496,0752 litre	O
450	CM	125	CM	93 LEVEL CM	7484,3792 litre	33,882 %	14604,9441 litre	O

450	CM	125	CM	92 LEVEL CM	7375,7485 litre	33,391 %	14713,5748 litre	O
450	CM	125	CM	91 LEVEL CM	7267,3642 litre	32,900 %	14821,9591 litre	O
450	CM	125	CM	90 LEVEL CM	7159,2343 litre	32,410 %	14930,0890 litre	O
450	CM	125	CM	89 LEVEL CM	7051,3670 litre	31,922 %	15037,9563 litre	O
450	CM	125	CM	88 LEVEL CM	6943,7702 litre	31,435 %	15145,5531 litre	O
450	CM	125	CM	87 LEVEL CM	6836,4524 litre	30,949 %	15252,8709 litre	O
450	CM	125	CM	86 LEVEL CM	6729,4218 litre	30,465 %	15359,9015 litre	O
450	CM	125	CM	85 LEVEL CM	6622,6867 litre	29,981 %	15466,6366 litre	O
450	CM	125	CM	84 LEVEL CM	6516,2557 litre	29,500 %	15573,0676 litre	O
450	CM	125	CM	83 LEVEL CM	6410,1371 litre	29,019 %	15679,1862 litre	O
450	CM	125	CM	82 LEVEL CM	6304,3396 litre	28,540 %	15784,9837 litre	O
450	CM	125	CM	81 LEVEL CM	6198,8718 litre	28,063 %	15890,4515 litre	O
450	CM	125	CM	80 LEVEL CM	6093,7425 litre	27,587 %	15995,5808 litre	O
450	CM	125	CM	79 LEVEL CM	5988,9605 litre	27,112 %	16100,3628 litre	O
450	CM	125	CM	78 LEVEL CM	5884,5347 litre	26,640 %	16204,7886 litre	O
450	CM	125	CM	77 LEVEL CM	5780,4741 litre	26,169 %	16308,8492 litre	O
450	CM	125	CM	76 LEVEL CM	5676,7878 litre	25,699 %	16412,5355 litre	O
450	CM	125	CM	75 LEVEL CM	5573,4850 litre	25,232 %	16515,8383 litre	O
450	CM	125	CM	74 LEVEL CM	5470,5750 litre	24,766 %	16618,7483 litre	O
450	CM	125	CM	73 LEVEL CM	5368,0672 litre	24,302 %	16721,2561 litre	O
450	CM	125	CM	72 LEVEL CM	5265,9712 litre	23,839 %	16823,3521 litre	O
450	CM	125	CM	71 LEVEL CM	5164,2965 litre	23,379 %	16925,0268 litre	O
450	CM	125	CM	70 LEVEL CM	5063,0529 litre	22,921 %	17026,2704 litre	O
450	CM	125	CM	69 LEVEL CM	4962,2503 litre	22,464 %	17127,0730 litre	O
450	CM	125	CM	68 LEVEL CM	4861,8987 litre	22,010 %	17227,4246 litre	O
450	CM	125	CM	67 LEVEL CM	4762,0082 litre	21,558 %	17327,3151 litre	O
450	CM	125	CM	66 LEVEL CM	4662,5892 litre	21,108 %	17426,7341 litre	O
450	CM	125	CM	65 LEVEL CM	4563,6521 litre	20,660 %	17525,6712 litre	O
450	CM	125	CM	64 LEVEL CM	4465,2074 litre	20,214 %	17624,1159 litre	O
450	CM	125	CM	63 LEVEL CM	4367,2659 litre	19,771 %	17722,0574 litre	O
450	CM	125	CM	62 LEVEL CM	4269,8385 litre	19,330 %	17819,4848 litre	O
450	CM	125	CM	61 LEVEL CM	4172,9363 litre	18,891 %	17916,3870 litre	O
450	CM	125	CM	60 LEVEL CM	4076,5705 litre	18,455 %	18012,7528 litre	O
450	CM	125	CM	59 LEVEL CM	3980,7527 litre	18,021 %	18108,5706 litre	O
450	CM	125	CM	58 LEVEL CM	3885,4945 litre	17,590 %	18203,8288 litre	O
450	CM	125	CM	57 LEVEL CM	3790,8077 litre	17,161 %	18298,5156 litre	O
450	CM	125	CM	56 LEVEL CM	3696,7044 litre	16,735 %	18392,6189 litre	O
450	CM	125	CM	55 LEVEL CM	3603,1969 litre	16,312 %	18486,1264 litre	O
450	CM	125	CM	54 LEVEL CM	3510,2977 litre	15,891 %	18579,0256 litre	O
450	CM	125	CM	53 LEVEL CM	3418,0198 litre	15,474 %	18671,3035 litre	O
450	CM	125	CM	52 LEVEL CM	3326,3760 litre	15,059 %	18762,9473 litre	O
450	CM	125	CM	51 LEVEL CM	3235,3797 litre	14,647 %	18853,9436 litre	O
450	CM	125	CM	50 LEVEL CM	3145,0445 litre	14,238 %	18944,2788 litre	O
450	CM	125	CM	49 LEVEL CM	3055,3844 litre	13,832 %	19033,9389 litre	O
450	CM	125	CM	48 LEVEL CM	2966,4135 litre	13,429 %	19122,9098 litre	O
450	CM	125	CM	47 LEVEL CM	2878,1464 litre	13,030 %	19211,1769 litre	O
450	CM	125	CM	46 LEVEL CM	2790,5980 litre	12,633 %	19298,7253 litre	O
450	CM	125	CM	45 LEVEL CM	2703,7837 litre	12,240 %	19385,5396 litre	O
450	CM	125	CM	44 LEVEL CM	2617,7190 litre	11,851 %	19471,6043 litre	O
450	CM	125	CM	43 LEVEL CM	2532,4200 litre	11,464 %	19556,9033 litre	O
450	CM	125	CM	42 LEVEL CM	2447,9033 litre	11,082 %	19641,4200 litre	O
450	CM	125	CM	41 LEVEL CM	2364,1859 litre	10,703 %	19725,1374 litre	O
450	CM	125	CM	40 LEVEL CM	2281,2852 litre	10,328 %	19808,0381 litre	O

450	CM	125	CM	39 LEVEL CM	2199,2193 litre	9,956 %	19890,1040 litre	O
450	CM	125	CM	38 LEVEL CM	2118,0066 litre	9,588 %	19971,3167 litre	O
450	CM	125	CM	37 LEVEL CM	2037,6664 litre	9,225 %	20051,6569 litre	O
450	CM	125	CM	36 LEVEL CM	1958,2183 litre	8,865 %	20131,1050 litre	O
450	CM	125	CM	35 LEVEL CM	1879,6829 litre	8,509 %	20209,6404 litre	O
450	CM	125	CM	34 LEVEL CM	1802,0813 litre	8,158 %	20287,2420 litre	O
450	CM	125	CM	33 LEVEL CM	1725,4355 litre	7,811 %	20363,8878 litre	O
450	CM	125	CM	32 LEVEL CM	1649,7682 litre	7,469 %	20439,5551 litre	O
450	CM	125	CM	31 LEVEL CM	1575,1032 litre	7,131 %	20514,2201 litre	O
450	CM	125	CM	30 LEVEL CM	1501,4649 litre	6,797 %	20587,8584 litre	O
450	CM	125	CM	29 LEVEL CM	1428,8792 litre	6,469 %	20660,4441 litre	O
450	CM	125	CM	28 LEVEL CM	1357,3728 litre	6,145 %	20731,9505 litre	O
450	CM	125	CM	27 LEVEL CM	1286,9739 litre	5,826 %	20802,3494 litre	O
450	CM	125	CM	26 LEVEL CM	1217,7117 litre	5,513 %	20871,6116 litre	O
450	CM	125	CM	25 LEVEL CM	1149,6172 litre	5,204 %	20939,7061 litre	O
450	CM	125	CM	24 LEVEL CM	1082,7228 litre	4,902 %	21006,6005 litre	O
450	CM	125	CM	23 LEVEL CM	1017,0629 litre	4,604 %	21072,2605 litre	O
450	CM	125	CM	22 LEVEL CM	952,6736 litre	4,313 %	21136,6497 litre	O
450	CM	125	CM	21 LEVEL CM	889,5933 litre	4,027 %	21199,7300 litre	O
450	CM	125	CM	20 LEVEL CM	827,8631 litre	3,748 %	21261,4602 litre	O
450	CM	125	CM	19 LEVEL CM	767,5264 litre	3,475 %	21321,7969 litre	O
450	CM	125	CM	18 LEVEL CM	708,6301 litre	3,208 %	21380,6932 litre	O
450	CM	125	CM	17 LEVEL CM	651,2243 litre	2,948 %	21438,0990 litre	O
450	CM	125	CM	16 LEVEL CM	595,3632 litre	2,695 %	21493,9601 litre	O
450	CM	125	CM	15 LEVEL CM	541,1059 litre	2,450 %	21548,2174 litre	O
450	CM	125	CM	14 LEVEL CM	488,5166 litre	2,212 %	21600,8067 litre	O
450	CM	125	CM	13 LEVEL CM	437,6658 litre	1,981 %	21651,6575 litre	O
450	CM	125	CM	12 LEVEL CM	388,6318 litre	1,759 %	21700,6915 litre	O
450	CM	125	CM	11 LEVEL CM	341,5018 litre	1,546 %	21747,8215 litre	O
450	CM	125	CM	10 LEVEL CM	296,3739 litre	1,342 %	21792,9494 litre	O
450	CM	125	CM	9 LEVEL CM	253,3601 litre	1,147 %	21835,9632 litre	O
450	CM	125	CM	8 LEVEL CM	212,5898 litre	0,962 %	21876,7335 litre	O
450	CM	125	CM	7 LEVEL CM	174,2153 litre	0,789 %	21915,1080 litre	O
450	CM	125	CM	6 LEVEL CM	138,4192 litre	0,627 %	21950,9041 litre	O
450	CM	125	CM	5 LEVEL CM	105,4273 litre	0,477 %	21983,8960 litre	O
450	CM	125	CM	4 LEVEL CM	75,5293 litre	0,342 %	22013,7940 litre	O
450	CM	125	CM	3 LEVEL CM	49,1172 litre	0,222 %	22040,2061 litre	O
450	CM	125	CM	2 LEVEL CM	26,7683 litre	0,121 %	22062,5550 litre	O
450	CM	125	CM	1 LEVEL CM	9,4754 litre	0,043 %	22079,8479 litre	O
450	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	22089,3233 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 120	CM 240 LEVEL CM	20357,5204 litre	100,000 %	0,0000 litre	O
450	CM 120	CM 239 LEVEL CM	20348,2369 litre	99,954 %	9,2835 litre	O
450	CM 120	CM 238 LEVEL CM	20331,2955 litre	99,871 %	26,2249 litre	O
450	CM 120	CM 237 LEVEL CM	20309,4029 litre	99,764 %	48,1175 litre	O
450	CM 120	CM 236 LEVEL CM	20283,5320 litre	99,637 %	73,9884 litre	O
450	CM 120	CM 235 LEVEL CM	20254,2493 litre	99,493 %	103,2711 litre	O
450	CM 120	CM 234 LEVEL CM	20221,9392 litre	99,334 %	135,5812 litre	O
450	CM 120	CM 233 LEVEL CM	20186,8859 litre	99,162 %	170,6345 litre	O
450	CM 120	CM 232 LEVEL CM	20149,3109 litre	98,977 %	208,2095 litre	O
450	CM 120	CM 231 LEVEL CM	20109,3937 litre	98,781 %	248,1267 litre	O
450	CM 120	CM 230 LEVEL CM	20067,2837 litre	98,574 %	290,2367 litre	O
450	CM 120	CM 229 LEVEL CM	20023,1079 litre	98,357 %	334,4125 litre	O
450	CM 120	CM 228 LEVEL CM	19976,9765 litre	98,131 %	380,5439 litre	O
450	CM 120	CM 227 LEVEL CM	19928,9859 litre	97,895 %	428,5345 litre	O
450	CM 120	CM 226 LEVEL CM	19879,2219 litre	97,651 %	478,2985 litre	O
450	CM 120	CM 225 LEVEL CM	19827,7612 litre	97,398 %	529,7592 litre	O
450	CM 120	CM 224 LEVEL CM	19774,6734 litre	97,137 %	582,8470 litre	O
450	CM 120	CM 223 LEVEL CM	19720,0217 litre	96,868 %	637,4987 litre	O
450	CM 120	CM 222 LEVEL CM	19663,8639 litre	96,593 %	693,6565 litre	O
450	CM 120	CM 221 LEVEL CM	19606,2537 litre	96,310 %	751,2667 litre	O
450	CM 120	CM 220 LEVEL CM	19547,2404 litre	96,020 %	810,2800 litre	O
450	CM 120	CM 219 LEVEL CM	19486,8700 litre	95,723 %	870,6504 litre	O
450	CM 120	CM 218 LEVEL CM	19425,1856 litre	95,420 %	932,3348 litre	O
450	CM 120	CM 217 LEVEL CM	19362,2273 litre	95,111 %	995,2931 litre	O
450	CM 120	CM 216 LEVEL CM	19298,0332 litre	94,796 %	1059,4872 litre	O
450	CM 120	CM 215 LEVEL CM	19232,6389 litre	94,474 %	1124,8815 litre	O
450	CM 120	CM 214 LEVEL CM	19166,0783 litre	94,147 %	1191,4421 litre	O
450	CM 120	CM 213 LEVEL CM	19098,3833 litre	93,815 %	1259,1371 litre	O
450	CM 120	CM 212 LEVEL CM	19029,5846 litre	93,477 %	1327,9358 litre	O
450	CM 120	CM 211 LEVEL CM	18959,7110 litre	93,134 %	1397,8094 litre	O
450	CM 120	CM 210 LEVEL CM	18888,7903 litre	92,785 %	1468,7301 litre	O
450	CM 120	CM 209 LEVEL CM	18816,8490 litre	92,432 %	1540,6714 litre	O
450	CM 120	CM 208 LEVEL CM	18743,9126 litre	92,074 %	1613,6078 litre	O
450	CM 120	CM 207 LEVEL CM	18670,0052 litre	91,711 %	1687,5152 litre	O
450	CM 120	CM 206 LEVEL CM	18595,1505 litre	91,343 %	1762,3699 litre	O
450	CM 120	CM 205 LEVEL CM	18519,3708 litre	90,971 %	1838,1496 litre	O
450	CM 120	CM 204 LEVEL CM	18442,6879 litre	90,594 %	1914,8325 litre	O
450	CM 120	CM 203 LEVEL CM	18365,1228 litre	90,213 %	1992,3976 litre	O
450	CM 120	CM 202 LEVEL CM	18286,6957 litre	89,828 %	2070,8247 litre	O
450	CM 120	CM 201 LEVEL CM	18207,4262 litre	89,438 %	2150,0942 litre	O
450	CM 120	CM 200 LEVEL CM	18127,3333 litre	89,045 %	2230,1871 litre	O
450	CM 120	CM 199 LEVEL CM	18046,4354 litre	88,648 %	2311,0850 litre	O
450	CM 120	CM 198 LEVEL CM	17964,7502 litre	88,246 %	2392,7702 litre	O
450	CM 120	CM 197 LEVEL CM	17882,2953 litre	87,841 %	2475,2251 litre	O
450	CM 120	CM 196 LEVEL CM	17799,0873 litre	87,432 %	2558,4331 litre	O
450	CM 120	CM 195 LEVEL CM	17715,1428 litre	87,020 %	2642,3776 litre	O
450	CM 120	CM 194 LEVEL CM	17630,4776 litre	86,604 %	2727,0428 litre	O
450	CM 120	CM 193 LEVEL CM	17545,1074 litre	86,185 %	2812,4130 litre	O
450	CM 120	CM 192 LEVEL CM	17459,0474 litre	85,762 %	2898,4730 litre	O
450	CM 120	CM 191 LEVEL CM	17372,3123 litre	85,336 %	2985,2081 litre	O
450	CM 120	CM 190 LEVEL CM	17284,9167 litre	84,907 %	3072,6037 litre	O
450	CM 120	CM 189 LEVEL CM	17196,8747 litre	84,474 %	3160,6457 litre	O

450	CM	120	CM	188 LEVEL CM	17108,2001 litre	84,039 %	3249,3203 litre	O
450	CM	120	CM	187 LEVEL CM	17018,9066 litre	83,600 %	3338,6138 litre	O
450	CM	120	CM	186 LEVEL CM	16929,0073 litre	83,158 %	3428,5131 litre	O
450	CM	120	CM	185 LEVEL CM	16838,5153 litre	82,714 %	3519,0051 litre	O
450	CM	120	CM	184 LEVEL CM	16747,4433 litre	82,267 %	3610,0771 litre	O
450	CM	120	CM	183 LEVEL CM	16655,8039 litre	81,816 %	3701,7165 litre	O
450	CM	120	CM	182 LEVEL CM	16563,6093 litre	81,364 %	3793,9111 litre	O
450	CM	120	CM	181 LEVEL CM	16470,8716 litre	80,908 %	3886,6488 litre	O
450	CM	120	CM	180 LEVEL CM	16377,6026 litre	80,450 %	3979,9178 litre	O
450	CM	120	CM	179 LEVEL CM	16283,8139 litre	79,989 %	4073,7065 litre	O
450	CM	120	CM	178 LEVEL CM	16189,5171 litre	79,526 %	4168,0033 litre	O
450	CM	120	CM	177 LEVEL CM	16094,7234 litre	79,060 %	4262,7970 litre	O
450	CM	120	CM	176 LEVEL CM	15999,4439 litre	78,592 %	4358,0765 litre	O
450	CM	120	CM	175 LEVEL CM	15903,6894 litre	78,122 %	4453,8310 litre	O
450	CM	120	CM	174 LEVEL CM	15807,4709 litre	77,649 %	4550,0495 litre	O
450	CM	120	CM	173 LEVEL CM	15710,7988 litre	77,174 %	4646,7216 litre	O
450	CM	120	CM	172 LEVEL CM	15613,6836 litre	76,697 %	4743,8368 litre	O
450	CM	120	CM	171 LEVEL CM	15516,1357 litre	76,218 %	4841,3847 litre	O
450	CM	120	CM	170 LEVEL CM	15418,1652 litre	75,737 %	4939,3552 litre	O
450	CM	120	CM	169 LEVEL CM	15319,7822 litre	75,254 %	5037,7382 litre	O
450	CM	120	CM	168 LEVEL CM	15220,9966 litre	74,768 %	5136,5238 litre	O
450	CM	120	CM	167 LEVEL CM	15121,8182 litre	74,281 %	5235,7022 litre	O
450	CM	120	CM	166 LEVEL CM	15022,2567 litre	73,792 %	5335,2637 litre	O
450	CM	120	CM	165 LEVEL CM	14922,3216 litre	73,301 %	5435,1988 litre	O
450	CM	120	CM	164 LEVEL CM	14822,0224 litre	72,809 %	5535,4980 litre	O
450	CM	120	CM	163 LEVEL CM	14721,3686 litre	72,314 %	5636,1518 litre	O
450	CM	120	CM	162 LEVEL CM	14620,3693 litre	71,818 %	5737,1511 litre	O
450	CM	120	CM	161 LEVEL CM	14519,0337 litre	71,320 %	5838,4867 litre	O
450	CM	120	CM	160 LEVEL CM	14417,3709 litre	70,821 %	5940,1495 litre	O
450	CM	120	CM	159 LEVEL CM	14315,3899 litre	70,320 %	6042,1305 litre	O
450	CM	120	CM	158 LEVEL CM	14213,0996 litre	69,817 %	6144,4208 litre	O
450	CM	120	CM	157 LEVEL CM	14110,5089 litre	69,313 %	6247,0115 litre	O
450	CM	120	CM	156 LEVEL CM	14007,6264 litre	68,808 %	6349,8940 litre	O
450	CM	120	CM	155 LEVEL CM	13904,4609 litre	68,301 %	6453,0595 litre	O
450	CM	120	CM	154 LEVEL CM	13801,0209 litre	67,793 %	6556,4995 litre	O
450	CM	120	CM	153 LEVEL CM	13697,3151 litre	67,284 %	6660,2053 litre	O
450	CM	120	CM	152 LEVEL CM	13593,3518 litre	66,773 %	6764,1686 litre	O
450	CM	120	CM	151 LEVEL CM	13489,1395 litre	66,261 %	6868,3809 litre	O
450	CM	120	CM	150 LEVEL CM	13384,6865 litre	65,748 %	6972,8339 litre	O
450	CM	120	CM	149 LEVEL CM	13280,0011 litre	65,234 %	7077,5193 litre	O
450	CM	120	CM	148 LEVEL CM	13175,0916 litre	64,719 %	7182,4288 litre	O
450	CM	120	CM	147 LEVEL CM	13069,9661 litre	64,202 %	7287,5543 litre	O
450	CM	120	CM	146 LEVEL CM	12964,6328 litre	63,685 %	7392,8876 litre	O
450	CM	120	CM	145 LEVEL CM	12859,0998 litre	63,166 %	7498,4206 litre	O
450	CM	120	CM	144 LEVEL CM	12753,3750 litre	62,647 %	7604,1454 litre	O
450	CM	120	CM	143 LEVEL CM	12647,4665 litre	62,127 %	7710,0539 litre	O
450	CM	120	CM	142 LEVEL CM	12541,3823 litre	61,606 %	7816,1381 litre	O
450	CM	120	CM	141 LEVEL CM	12435,1302 litre	61,084 %	7922,3902 litre	O
450	CM	120	CM	140 LEVEL CM	12328,7181 litre	60,561 %	8028,8023 litre	O
450	CM	120	CM	139 LEVEL CM	12222,1539 litre	60,038 %	8135,3665 litre	O
450	CM	120	CM	138 LEVEL CM	12115,4454 litre	59,513 %	8242,0750 litre	O
450	CM	120	CM	137 LEVEL CM	12008,6003 litre	58,989 %	8348,9201 litre	O
450	CM	120	CM	136 LEVEL CM	11901,6265 litre	58,463 %	8455,8939 litre	O

450	CM	120	CM	135 LEVEL CM	11794,5315 litre	57,937 %	8562,9889 litre	O
450	CM	120	CM	134 LEVEL CM	11687,3232 litre	57,410 %	8670,1972 litre	O
450	CM	120	CM	133 LEVEL CM	11580,0091 litre	56,883 %	8777,5113 litre	O
450	CM	120	CM	132 LEVEL CM	11472,5969 litre	56,356 %	8884,9235 litre	O
450	CM	120	CM	131 LEVEL CM	11365,0943 litre	55,827 %	8992,4261 litre	O
450	CM	120	CM	130 LEVEL CM	11257,5089 litre	55,299 %	9100,0115 litre	O
450	CM	120	CM	129 LEVEL CM	11149,8482 litre	54,770 %	9207,6722 litre	O
450	CM	120	CM	128 LEVEL CM	11042,1198 litre	54,241 %	9315,4006 litre	O
450	CM	120	CM	127 LEVEL CM	10934,3312 litre	53,712 %	9423,1892 litre	O
450	CM	120	CM	126 LEVEL CM	10826,4901 litre	53,182 %	9531,0303 litre	O
450	CM	120	CM	125 LEVEL CM	10718,6039 litre	52,652 %	9638,9165 litre	O
450	CM	120	CM	124 LEVEL CM	10610,6802 litre	52,122 %	9746,8402 litre	O
450	CM	120	CM	123 LEVEL CM	10502,7264 litre	51,591 %	9854,7940 litre	O
450	CM	120	CM	122 LEVEL CM	10394,7502 litre	51,061 %	9962,7702 litre	O
450	CM	120	CM	121 LEVEL CM	10286,7589 litre	50,531 %	10070,7615 litre	O
450	CM	120	CM	120 LEVEL CM	10178,7602 litre	50,000 %	10178,7602 litre	O
450	CM	120	CM	119 LEVEL CM	10070,7614 litre	49,469 %	10286,7590 litre	O
450	CM	120	CM	118 LEVEL CM	9962,7702 litre	48,939 %	10394,7502 litre	O
450	CM	120	CM	117 LEVEL CM	9854,7940 litre	48,409 %	10502,7264 litre	O
450	CM	120	CM	116 LEVEL CM	9746,8402 litre	47,878 %	10610,6802 litre	O
450	CM	120	CM	115 LEVEL CM	9638,9165 litre	47,348 %	10718,6039 litre	O
450	CM	120	CM	114 LEVEL CM	9531,0303 litre	46,818 %	10826,4901 litre	O
450	CM	120	CM	113 LEVEL CM	9423,1892 litre	46,288 %	10934,3312 litre	O
450	CM	120	CM	112 LEVEL CM	9315,4006 litre	45,759 %	11042,1198 litre	O
450	CM	120	CM	111 LEVEL CM	9207,6722 litre	45,230 %	11149,8482 litre	O
450	CM	120	CM	110 LEVEL CM	9100,0115 litre	44,701 %	11257,5089 litre	O
450	CM	120	CM	109 LEVEL CM	8992,4261 litre	44,173 %	11365,0943 litre	O
450	CM	120	CM	108 LEVEL CM	8884,9234 litre	43,644 %	11472,5970 litre	O
450	CM	120	CM	107 LEVEL CM	8777,5113 litre	43,117 %	11580,0091 litre	O
450	CM	120	CM	106 LEVEL CM	8670,1972 litre	42,590 %	11687,3232 litre	O
450	CM	120	CM	105 LEVEL CM	8562,9889 litre	42,063 %	11794,5315 litre	O
450	CM	120	CM	104 LEVEL CM	8455,8939 litre	41,537 %	11901,6265 litre	O
450	CM	120	CM	103 LEVEL CM	8348,9201 litre	41,011 %	12008,6003 litre	O
450	CM	120	CM	102 LEVEL CM	8242,0750 litre	40,487 %	12115,4454 litre	O
450	CM	120	CM	101 LEVEL CM	8135,3665 litre	39,962 %	12222,1539 litre	O
450	CM	120	CM	100 LEVEL CM	8028,8023 litre	39,439 %	12328,7181 litre	O
450	CM	120	CM	99 LEVEL CM	7922,3902 litre	38,916 %	12435,1302 litre	O
450	CM	120	CM	98 LEVEL CM	7816,1381 litre	38,394 %	12541,3823 litre	O
450	CM	120	CM	97 LEVEL CM	7710,0539 litre	37,873 %	12647,4665 litre	O
450	CM	120	CM	96 LEVEL CM	7604,1454 litre	37,353 %	12753,3750 litre	O
450	CM	120	CM	95 LEVEL CM	7498,4206 litre	36,834 %	12859,0998 litre	O
450	CM	120	CM	94 LEVEL CM	7392,8876 litre	36,315 %	12964,6328 litre	O
450	CM	120	CM	93 LEVEL CM	7287,5542 litre	35,798 %	13069,9662 litre	O
450	CM	120	CM	92 LEVEL CM	7182,4288 litre	35,281 %	13175,0916 litre	O
450	CM	120	CM	91 LEVEL CM	7077,5193 litre	34,766 %	13280,0011 litre	O
450	CM	120	CM	90 LEVEL CM	6972,8339 litre	34,252 %	13384,6865 litre	O
450	CM	120	CM	89 LEVEL CM	6868,3809 litre	33,739 %	13489,1395 litre	O
450	CM	120	CM	88 LEVEL CM	6764,1686 litre	33,227 %	13593,3518 litre	O
450	CM	120	CM	87 LEVEL CM	6660,2053 litre	32,716 %	13697,3151 litre	O
450	CM	120	CM	86 LEVEL CM	6556,4995 litre	32,207 %	13801,0209 litre	O
450	CM	120	CM	85 LEVEL CM	6453,0595 litre	31,699 %	13904,4609 litre	O
450	CM	120	CM	84 LEVEL CM	6349,8940 litre	31,192 %	14007,6264 litre	O
450	CM	120	CM	83 LEVEL CM	6247,0115 litre	30,687 %	14110,5089 litre	O

450	CM	120	CM	82 LEVEL CM	6144,4208 litre	30,183 %	14213,0996 litre	O
450	CM	120	CM	81 LEVEL CM	6042,1305 litre	29,680 %	14315,3899 litre	O
450	CM	120	CM	80 LEVEL CM	5940,1495 litre	29,179 %	14417,3709 litre	O
450	CM	120	CM	79 LEVEL CM	5838,4867 litre	28,680 %	14519,0337 litre	O
450	CM	120	CM	78 LEVEL CM	5737,1511 litre	28,182 %	14620,3693 litre	O
450	CM	120	CM	77 LEVEL CM	5636,1518 litre	27,686 %	14721,3686 litre	O
450	CM	120	CM	76 LEVEL CM	5535,4980 litre	27,191 %	14822,0224 litre	O
450	CM	120	CM	75 LEVEL CM	5435,1988 litre	26,699 %	14922,3216 litre	O
450	CM	120	CM	74 LEVEL CM	5335,2637 litre	26,208 %	15022,2567 litre	O
450	CM	120	CM	73 LEVEL CM	5235,7022 litre	25,719 %	15121,8182 litre	O
450	CM	120	CM	72 LEVEL CM	5136,5238 litre	25,232 %	15220,9966 litre	O
450	CM	120	CM	71 LEVEL CM	5037,7382 litre	24,746 %	15319,7822 litre	O
450	CM	120	CM	70 LEVEL CM	4939,3552 litre	24,263 %	15418,1652 litre	O
450	CM	120	CM	69 LEVEL CM	4841,3847 litre	23,782 %	15516,1357 litre	O
450	CM	120	CM	68 LEVEL CM	4743,8368 litre	23,303 %	15613,6836 litre	O
450	CM	120	CM	67 LEVEL CM	4646,7216 litre	22,826 %	15710,7988 litre	O
450	CM	120	CM	66 LEVEL CM	4550,0495 litre	22,351 %	15807,4709 litre	O
450	CM	120	CM	65 LEVEL CM	4453,8310 litre	21,878 %	15903,6894 litre	O
450	CM	120	CM	64 LEVEL CM	4358,0765 litre	21,408 %	15999,4439 litre	O
450	CM	120	CM	63 LEVEL CM	4262,7970 litre	20,940 %	16094,7234 litre	O
450	CM	120	CM	62 LEVEL CM	4168,0033 litre	20,474 %	16189,5171 litre	O
450	CM	120	CM	61 LEVEL CM	4073,7065 litre	20,011 %	16283,8139 litre	O
450	CM	120	CM	60 LEVEL CM	3979,9178 litre	19,550 %	16377,6026 litre	O
450	CM	120	CM	59 LEVEL CM	3886,6488 litre	19,092 %	16470,8716 litre	O
450	CM	120	CM	58 LEVEL CM	3793,9111 litre	18,636 %	16563,6093 litre	O
450	CM	120	CM	57 LEVEL CM	3701,7165 litre	18,184 %	16655,8039 litre	O
450	CM	120	CM	56 LEVEL CM	3610,0771 litre	17,733 %	16747,4433 litre	O
450	CM	120	CM	55 LEVEL CM	3519,0051 litre	17,286 %	16838,5153 litre	O
450	CM	120	CM	54 LEVEL CM	3428,5131 litre	16,842 %	16929,0073 litre	O
450	CM	120	CM	53 LEVEL CM	3338,6138 litre	16,400 %	17018,9066 litre	O
450	CM	120	CM	52 LEVEL CM	3249,3203 litre	15,961 %	17108,2001 litre	O
450	CM	120	CM	51 LEVEL CM	3160,6457 litre	15,526 %	17196,8747 litre	O
450	CM	120	CM	50 LEVEL CM	3072,6037 litre	15,093 %	17284,9167 litre	O
450	CM	120	CM	49 LEVEL CM	2985,2081 litre	14,664 %	17372,3123 litre	O
450	CM	120	CM	48 LEVEL CM	2898,4730 litre	14,238 %	17459,0474 litre	O
450	CM	120	CM	47 LEVEL CM	2812,4130 litre	13,815 %	17545,1074 litre	O
450	CM	120	CM	46 LEVEL CM	2727,0428 litre	13,396 %	17630,4776 litre	O
450	CM	120	CM	45 LEVEL CM	2642,3776 litre	12,980 %	17715,1428 litre	O
450	CM	120	CM	44 LEVEL CM	2558,4331 litre	12,568 %	17799,0873 litre	O
450	CM	120	CM	43 LEVEL CM	2475,2251 litre	12,159 %	17882,2953 litre	O
450	CM	120	CM	42 LEVEL CM	2392,7702 litre	11,754 %	17964,7502 litre	O
450	CM	120	CM	41 LEVEL CM	2311,0850 litre	11,352 %	18046,4354 litre	O
450	CM	120	CM	40 LEVEL CM	2230,1871 litre	10,955 %	18127,3333 litre	O
450	CM	120	CM	39 LEVEL CM	2150,0942 litre	10,562 %	18207,4262 litre	O
450	CM	120	CM	38 LEVEL CM	2070,8247 litre	10,172 %	18286,6957 litre	O
450	CM	120	CM	37 LEVEL CM	1992,3976 litre	9,787 %	18365,1228 litre	O
450	CM	120	CM	36 LEVEL CM	1914,8325 litre	9,406 %	18442,6879 litre	O
450	CM	120	CM	35 LEVEL CM	1838,1496 litre	9,029 %	18519,3708 litre	O
450	CM	120	CM	34 LEVEL CM	1762,3699 litre	8,657 %	18595,1505 litre	O
450	CM	120	CM	33 LEVEL CM	1687,5152 litre	8,289 %	18670,0052 litre	O
450	CM	120	CM	32 LEVEL CM	1613,6078 litre	7,926 %	18743,9126 litre	O
450	CM	120	CM	31 LEVEL CM	1540,6713 litre	7,568 %	18816,8491 litre	O
450	CM	120	CM	30 LEVEL CM	1468,7301 litre	7,215 %	18888,7903 litre	O

450	CM	120	CM	29 LEVEL CM	1397,8094 litre	6,866 %	18959,7110 litre	O
450	CM	120	CM	28 LEVEL CM	1327,9358 litre	6,523 %	19029,5846 litre	O
450	CM	120	CM	27 LEVEL CM	1259,1371 litre	6,185 %	19098,3833 litre	O
450	CM	120	CM	26 LEVEL CM	1191,4421 litre	5,853 %	19166,0783 litre	O
450	CM	120	CM	25 LEVEL CM	1124,8815 litre	5,526 %	19232,6389 litre	O
450	CM	120	CM	24 LEVEL CM	1059,4872 litre	5,204 %	19298,0332 litre	O
450	CM	120	CM	23 LEVEL CM	995,2931 litre	4,889 %	19362,2273 litre	O
450	CM	120	CM	22 LEVEL CM	932,3348 litre	4,580 %	19425,1856 litre	O
450	CM	120	CM	21 LEVEL CM	870,6504 litre	4,277 %	19486,8700 litre	O
450	CM	120	CM	20 LEVEL CM	810,2800 litre	3,980 %	19547,2404 litre	O
450	CM	120	CM	19 LEVEL CM	751,2667 litre	3,690 %	19606,2537 litre	O
450	CM	120	CM	18 LEVEL CM	693,6565 litre	3,407 %	19663,8639 litre	O
450	CM	120	CM	17 LEVEL CM	637,4987 litre	3,132 %	19720,0217 litre	O
450	CM	120	CM	16 LEVEL CM	582,8470 litre	2,863 %	19774,6734 litre	O
450	CM	120	CM	15 LEVEL CM	529,7592 litre	2,602 %	19827,7612 litre	O
450	CM	120	CM	14 LEVEL CM	478,2985 litre	2,349 %	19879,2219 litre	O
450	CM	120	CM	13 LEVEL CM	428,5345 litre	2,105 %	19928,9859 litre	O
450	CM	120	CM	12 LEVEL CM	380,5439 litre	1,869 %	19976,9765 litre	O
450	CM	120	CM	11 LEVEL CM	334,4125 litre	1,643 %	20023,1079 litre	O
450	CM	120	CM	10 LEVEL CM	290,2367 litre	1,426 %	20067,2837 litre	O
450	CM	120	CM	9 LEVEL CM	248,1267 litre	1,219 %	20109,3937 litre	O
450	CM	120	CM	8 LEVEL CM	208,2095 litre	1,023 %	20149,3109 litre	O
450	CM	120	CM	7 LEVEL CM	170,6345 litre	0,838 %	20186,8859 litre	O
450	CM	120	CM	6 LEVEL CM	135,5812 litre	0,666 %	20221,9392 litre	O
450	CM	120	CM	5 LEVEL CM	103,2711 litre	0,507 %	20254,2493 litre	O
450	CM	120	CM	4 LEVEL CM	73,9884 litre	0,363 %	20283,5320 litre	O
450	CM	120	CM	3 LEVEL CM	48,1175 litre	0,236 %	20309,4029 litre	O
450	CM	120	CM	2 LEVEL CM	26,2249 litre	0,129 %	20331,2955 litre	O
450	CM	120	CM	1 LEVEL CM	9,2835 litre	0,046 %	20348,2369 litre	O
450	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	20357,5204 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
450	CM	115	CM	230 LEVEL CM	18696,4033 litre	100,000 %	0,0000 litre	O
450	CM	115	CM	229 LEVEL CM	18687,3157 litre	99,951 %	9,0876 litre	O
450	CM	115	CM	228 LEVEL CM	18670,7334 litre	99,863 %	25,6699 litre	O
450	CM	115	CM	227 LEVEL CM	18649,3066 litre	99,748 %	47,0967 litre	O
450	CM	115	CM	226 LEVEL CM	18623,9887 litre	99,613 %	72,4146 litre	O
450	CM	115	CM	225 LEVEL CM	18595,3344 litre	99,459 %	101,0689 litre	O
450	CM	115	CM	224 LEVEL CM	18563,7208 litre	99,290 %	132,6825 litre	O
450	CM	115	CM	223 LEVEL CM	18529,4263 litre	99,107 %	166,9770 litre	O
450	CM	115	CM	222 LEVEL CM	18492,6682 litre	98,910 %	203,7351 litre	O
450	CM	115	CM	221 LEVEL CM	18453,6227 litre	98,701 %	242,7806 litre	O
450	CM	115	CM	220 LEVEL CM	18412,4363 litre	98,481 %	283,9670 litre	O
450	CM	115	CM	219 LEVEL CM	18369,2337 litre	98,250 %	327,1696 litre	O
450	CM	115	CM	218 LEVEL CM	18324,1231 litre	98,009 %	372,2802 litre	O
450	CM	115	CM	217 LEVEL CM	18277,1991 litre	97,758 %	419,2042 litre	O
450	CM	115	CM	216 LEVEL CM	18228,5460 litre	97,498 %	467,8573 litre	O
450	CM	115	CM	215 LEVEL CM	18178,2394 litre	97,229 %	518,1639 litre	O
450	CM	115	CM	214 LEVEL CM	18126,3474 litre	96,951 %	570,0559 litre	O
450	CM	115	CM	213 LEVEL CM	18072,9322 litre	96,665 %	623,4711 litre	O
450	CM	115	CM	212 LEVEL CM	18018,0510 litre	96,372 %	678,3523 litre	O
450	CM	115	CM	211 LEVEL CM	17961,7563 litre	96,071 %	734,6470 litre	O
450	CM	115	CM	210 LEVEL CM	17904,0967 litre	95,762 %	792,3066 litre	O
450	CM	115	CM	209 LEVEL CM	17845,1175 litre	95,447 %	851,2858 litre	O
450	CM	115	CM	208 LEVEL CM	17784,8612 litre	95,125 %	911,5421 litre	O
450	CM	115	CM	207 LEVEL CM	17723,3673 litre	94,796 %	973,0360 litre	O
450	CM	115	CM	206 LEVEL CM	17660,6733 litre	94,460 %	1035,7300 litre	O
450	CM	115	CM	205 LEVEL CM	17596,8143 litre	94,119 %	1099,5890 litre	O
450	CM	115	CM	204 LEVEL CM	17531,8237 litre	93,771 %	1164,5796 litre	O
450	CM	115	CM	203 LEVEL CM	17465,7331 litre	93,418 %	1230,6702 litre	O
450	CM	115	CM	202 LEVEL CM	17398,5727 litre	93,058 %	1297,8306 litre	O
450	CM	115	CM	201 LEVEL CM	17330,3710 litre	92,694 %	1366,0323 litre	O
450	CM	115	CM	200 LEVEL CM	17261,1554 litre	92,323 %	1435,2479 litre	O
450	CM	115	CM	199 LEVEL CM	17190,9521 litre	91,948 %	1505,4512 litre	O
450	CM	115	CM	198 LEVEL CM	17119,7862 litre	91,567 %	1576,6171 litre	O
450	CM	115	CM	197 LEVEL CM	17047,6818 litre	91,182 %	1648,7215 litre	O
450	CM	115	CM	196 LEVEL CM	16974,6620 litre	90,791 %	1721,7413 litre	O
450	CM	115	CM	195 LEVEL CM	16900,7491 litre	90,396 %	1795,6542 litre	O
450	CM	115	CM	194 LEVEL CM	16825,9646 litre	89,996 %	1870,4387 litre	O
450	CM	115	CM	193 LEVEL CM	16750,3293 litre	89,591 %	1946,0740 litre	O
450	CM	115	CM	192 LEVEL CM	16673,8632 litre	89,182 %	2022,5401 litre	O
450	CM	115	CM	191 LEVEL CM	16596,5857 litre	88,769 %	2099,8176 litre	O
450	CM	115	CM	190 LEVEL CM	16518,5157 litre	88,351 %	2177,8876 litre	O
450	CM	115	CM	189 LEVEL CM	16439,6714 litre	87,930 %	2256,7319 litre	O
450	CM	115	CM	188 LEVEL CM	16360,0704 litre	87,504 %	2336,3329 litre	O
450	CM	115	CM	187 LEVEL CM	16279,7300 litre	87,074 %	2416,6733 litre	O
450	CM	115	CM	186 LEVEL CM	16198,6670 litre	86,641 %	2497,7363 litre	O
450	CM	115	CM	185 LEVEL CM	16116,8976 litre	86,203 %	2579,5057 litre	O
450	CM	115	CM	184 LEVEL CM	16034,4376 litre	85,762 %	2661,9657 litre	O
450	CM	115	CM	183 LEVEL CM	15951,3026 litre	85,317 %	2745,1007 litre	O
450	CM	115	CM	182 LEVEL CM	15867,5078 litre	84,869 %	2828,8955 litre	O
450	CM	115	CM	181 LEVEL CM	15783,0677 litre	84,418 %	2913,3356 litre	O
450	CM	115	CM	180 LEVEL CM	15697,9968 litre	83,963 %	2998,4065 litre	O
450	CM	115	CM	179 LEVEL CM	15612,3093 litre	83,504 %	3084,0940 litre	O

450	CM 115	CM	178 LEVEL CM	15526,0189 litre	83,043 %	3170,3844 litre	O
450	CM 115	CM	177 LEVEL CM	15439,1392 litre	82,578 %	3257,2641 litre	O
450	CM 115	CM	176 LEVEL CM	15351,6833 litre	82,110 %	3344,7200 litre	O
450	CM 115	CM	175 LEVEL CM	15263,6642 litre	81,640 %	3432,7391 litre	O
450	CM 115	CM	174 LEVEL CM	15175,0947 litre	81,166 %	3521,3086 litre	O
450	CM 115	CM	173 LEVEL CM	15085,9873 litre	80,689 %	3610,4160 litre	O
450	CM 115	CM	172 LEVEL CM	14996,3542 litre	80,210 %	3700,0491 litre	O
450	CM 115	CM	171 LEVEL CM	14906,2074 litre	79,728 %	3790,1959 litre	O
450	CM 115	CM	170 LEVEL CM	14815,5589 litre	79,243 %	3880,8444 litre	O
450	CM 115	CM	169 LEVEL CM	14724,4202 litre	78,755 %	3971,9831 litre	O
450	CM 115	CM	168 LEVEL CM	14632,8028 litre	78,265 %	4063,6005 litre	O
450	CM 115	CM	167 LEVEL CM	14540,7181 litre	77,773 %	4155,6852 litre	O
450	CM 115	CM	166 LEVEL CM	14448,1770 litre	77,278 %	4248,2263 litre	O
450	CM 115	CM	165 LEVEL CM	14355,1907 litre	76,780 %	4341,2126 litre	O
450	CM 115	CM	164 LEVEL CM	14261,7698 litre	76,281 %	4434,6335 litre	O
450	CM 115	CM	163 LEVEL CM	14167,9250 litre	75,779 %	4528,4783 litre	O
450	CM 115	CM	162 LEVEL CM	14073,6668 litre	75,275 %	4622,7365 litre	O
450	CM 115	CM	161 LEVEL CM	13979,0056 litre	74,768 %	4717,3977 litre	O
450	CM 115	CM	160 LEVEL CM	13883,9515 litre	74,260 %	4812,4518 litre	O
450	CM 115	CM	159 LEVEL CM	13788,5148 litre	73,750 %	4907,8885 litre	O
450	CM 115	CM	158 LEVEL CM	13692,7054 litre	73,237 %	5003,6979 litre	O
450	CM 115	CM	157 LEVEL CM	13596,5331 litre	72,723 %	5099,8702 litre	O
450	CM 115	CM	156 LEVEL CM	13500,0077 litre	72,206 %	5196,3956 litre	O
450	CM 115	CM	155 LEVEL CM	13403,1389 litre	71,688 %	5293,2644 litre	O
450	CM 115	CM	154 LEVEL CM	13305,9361 litre	71,168 %	5390,4672 litre	O
450	CM 115	CM	153 LEVEL CM	13208,4090 litre	70,647 %	5487,9943 litre	O
450	CM 115	CM	152 LEVEL CM	13110,5667 litre	70,123 %	5585,8366 litre	O
450	CM 115	CM	151 LEVEL CM	13012,4186 litre	69,599 %	5683,9847 litre	O
450	CM 115	CM	150 LEVEL CM	12913,9738 litre	69,072 %	5782,4295 litre	O
450	CM 115	CM	149 LEVEL CM	12815,2415 litre	68,544 %	5881,1618 litre	O
450	CM 115	CM	148 LEVEL CM	12716,2306 litre	68,014 %	5980,1727 litre	O
450	CM 115	CM	147 LEVEL CM	12616,9501 litre	67,483 %	6079,4532 litre	O
450	CM 115	CM	146 LEVEL CM	12517,4089 litre	66,951 %	6178,9944 litre	O
450	CM 115	CM	145 LEVEL CM	12417,6157 litre	66,417 %	6278,7876 litre	O
450	CM 115	CM	144 LEVEL CM	12317,5793 litre	65,882 %	6378,8240 litre	O
450	CM 115	CM	143 LEVEL CM	12217,3084 litre	65,346 %	6479,0949 litre	O
450	CM 115	CM	142 LEVEL CM	12116,8116 litre	64,808 %	6579,5917 litre	O
450	CM 115	CM	141 LEVEL CM	12016,0974 litre	64,270 %	6680,3059 litre	O
450	CM 115	CM	140 LEVEL CM	11915,1742 litre	63,730 %	6781,2291 litre	O
450	CM 115	CM	139 LEVEL CM	11814,0507 litre	63,189 %	6882,3526 litre	O
450	CM 115	CM	138 LEVEL CM	11712,7350 litre	62,647 %	6983,6683 litre	O
450	CM 115	CM	137 LEVEL CM	11611,2357 litre	62,104 %	7085,1676 litre	O
450	CM 115	CM	136 LEVEL CM	11509,5609 litre	61,560 %	7186,8424 litre	O
450	CM 115	CM	135 LEVEL CM	11407,7190 litre	61,016 %	7288,6843 litre	O
450	CM 115	CM	134 LEVEL CM	11305,7181 litre	60,470 %	7390,6852 litre	O
450	CM 115	CM	133 LEVEL CM	11203,5665 litre	59,924 %	7492,8368 litre	O
450	CM 115	CM	132 LEVEL CM	11101,2722 litre	59,377 %	7595,1311 litre	O
450	CM 115	CM	131 LEVEL CM	10998,8434 litre	58,829 %	7697,5599 litre	O
450	CM 115	CM	130 LEVEL CM	10896,2882 litre	58,280 %	7800,1151 litre	O
450	CM 115	CM	129 LEVEL CM	10793,6145 litre	57,731 %	7902,7888 litre	O
450	CM 115	CM	128 LEVEL CM	10690,8305 litre	57,181 %	8005,5728 litre	O
450	CM 115	CM	127 LEVEL CM	10587,9440 litre	56,631 %	8108,4593 litre	O
450	CM 115	CM	126 LEVEL CM	10484,9632 litre	56,080 %	8211,4401 litre	O

450	CM 115	CM	125 LEVEL CM	10381,8958 litre	55,529 %	8314,5075 litre	O
450	CM 115	CM	124 LEVEL CM	10278,7499 litre	54,977 %	8417,6534 litre	O
450	CM 115	CM	123 LEVEL CM	10175,5333 litre	54,425 %	8520,8700 litre	O
450	CM 115	CM	122 LEVEL CM	10072,2540 litre	53,873 %	8624,1493 litre	O
450	CM 115	CM	121 LEVEL CM	9968,9198 litre	53,320 %	8727,4835 litre	O
450	CM 115	CM	120 LEVEL CM	9865,5386 litre	52,767 %	8830,8647 litre	O
450	CM 115	CM	119 LEVEL CM	9762,1181 litre	52,214 %	8934,2852 litre	O
450	CM 115	CM	118 LEVEL CM	9658,6664 litre	51,661 %	9037,7369 litre	O
450	CM 115	CM	117 LEVEL CM	9555,1912 litre	51,107 %	9141,2121 litre	O
450	CM 115	CM	116 LEVEL CM	9451,7003 litre	50,554 %	9244,7030 litre	O
450	CM 115	CM	115 LEVEL CM	9348,2016 litre	50,000 %	9348,2017 litre	O
450	CM 115	CM	114 LEVEL CM	9244,7029 litre	49,446 %	9451,7004 litre	O
450	CM 115	CM	113 LEVEL CM	9141,2121 litre	48,893 %	9555,1912 litre	O
450	CM 115	CM	112 LEVEL CM	9037,7369 litre	48,339 %	9658,6664 litre	O
450	CM 115	CM	111 LEVEL CM	8934,2851 litre	47,786 %	9762,1182 litre	O
450	CM 115	CM	110 LEVEL CM	8830,8647 litre	47,233 %	9865,5386 litre	O
450	CM 115	CM	109 LEVEL CM	8727,4835 litre	46,680 %	9968,9198 litre	O
450	CM 115	CM	108 LEVEL CM	8624,1493 litre	46,127 %	10072,2540 litre	O
450	CM 115	CM	107 LEVEL CM	8520,8700 litre	45,575 %	10175,5333 litre	O
450	CM 115	CM	106 LEVEL CM	8417,6534 litre	45,023 %	10278,7499 litre	O
450	CM 115	CM	105 LEVEL CM	8314,5075 litre	44,471 %	10381,8958 litre	O
450	CM 115	CM	104 LEVEL CM	8211,4401 litre	43,920 %	10484,9632 litre	O
450	CM 115	CM	103 LEVEL CM	8108,4592 litre	43,369 %	10587,9441 litre	O
450	CM 115	CM	102 LEVEL CM	8005,5728 litre	42,819 %	10690,8305 litre	O
450	CM 115	CM	101 LEVEL CM	7902,7888 litre	42,269 %	10793,6145 litre	O
450	CM 115	CM	100 LEVEL CM	7800,1151 litre	41,720 %	10896,2882 litre	O
450	CM 115	CM	99 LEVEL CM	7697,5599 litre	41,171 %	10998,8434 litre	O
450	CM 115	CM	98 LEVEL CM	7595,1311 litre	40,623 %	11101,2722 litre	O
450	CM 115	CM	97 LEVEL CM	7492,8368 litre	40,076 %	11203,5665 litre	O
450	CM 115	CM	96 LEVEL CM	7390,6852 litre	39,530 %	11305,7181 litre	O
450	CM 115	CM	95 LEVEL CM	7288,6843 litre	38,984 %	11407,7190 litre	O
450	CM 115	CM	94 LEVEL CM	7186,8424 litre	38,440 %	11509,5609 litre	O
450	CM 115	CM	93 LEVEL CM	7085,1676 litre	37,896 %	11611,2357 litre	O
450	CM 115	CM	92 LEVEL CM	6983,6682 litre	37,353 %	11712,7351 litre	O
450	CM 115	CM	91 LEVEL CM	6882,3526 litre	36,811 %	11814,0507 litre	O
450	CM 115	CM	90 LEVEL CM	6781,2290 litre	36,270 %	11915,1743 litre	O
450	CM 115	CM	89 LEVEL CM	6680,3059 litre	35,730 %	12016,0974 litre	O
450	CM 115	CM	88 LEVEL CM	6579,5917 litre	35,192 %	12116,8116 litre	O
450	CM 115	CM	87 LEVEL CM	6479,0948 litre	34,654 %	12217,3085 litre	O
450	CM 115	CM	86 LEVEL CM	6378,8239 litre	34,118 %	12317,5794 litre	O
450	CM 115	CM	85 LEVEL CM	6278,7876 litre	33,583 %	12417,6157 litre	O
450	CM 115	CM	84 LEVEL CM	6178,9944 litre	33,049 %	12517,4089 litre	O
450	CM 115	CM	83 LEVEL CM	6079,4532 litre	32,517 %	12616,9501 litre	O
450	CM 115	CM	82 LEVEL CM	5980,1727 litre	31,986 %	12716,2306 litre	O
450	CM 115	CM	81 LEVEL CM	5881,1618 litre	31,456 %	12815,2415 litre	O
450	CM 115	CM	80 LEVEL CM	5782,4295 litre	30,928 %	12913,9738 litre	O
450	CM 115	CM	79 LEVEL CM	5683,9847 litre	30,401 %	13012,4186 litre	O
450	CM 115	CM	78 LEVEL CM	5585,8366 litre	29,877 %	13110,5667 litre	O
450	CM 115	CM	77 LEVEL CM	5487,9943 litre	29,353 %	13208,4090 litre	O
450	CM 115	CM	76 LEVEL CM	5390,4671 litre	28,832 %	13305,9362 litre	O
450	CM 115	CM	75 LEVEL CM	5293,2644 litre	28,312 %	13403,1389 litre	O
450	CM 115	CM	74 LEVEL CM	5196,3956 litre	27,794 %	13500,0077 litre	O
450	CM 115	CM	73 LEVEL CM	5099,8702 litre	27,277 %	13596,5331 litre	O

450	CM	115	CM	72 LEVEL CM	5003,6979 litre	26,763 %	13692,7054 litre	O
450	CM	115	CM	71 LEVEL CM	4907,8885 litre	26,250 %	13788,5148 litre	O
450	CM	115	CM	70 LEVEL CM	4812,4517 litre	25,740 %	13883,9516 litre	O
450	CM	115	CM	69 LEVEL CM	4717,3977 litre	25,232 %	13979,0056 litre	O
450	CM	115	CM	68 LEVEL CM	4622,7365 litre	24,725 %	14073,6668 litre	O
450	CM	115	CM	67 LEVEL CM	4528,4783 litre	24,221 %	14167,9250 litre	O
450	CM	115	CM	66 LEVEL CM	4434,6335 litre	23,719 %	14261,7698 litre	O
450	CM	115	CM	65 LEVEL CM	4341,2126 litre	23,220 %	14355,1907 litre	O
450	CM	115	CM	64 LEVEL CM	4248,2263 litre	22,722 %	14448,1770 litre	O
450	CM	115	CM	63 LEVEL CM	4155,6852 litre	22,227 %	14540,7181 litre	O
450	CM	115	CM	62 LEVEL CM	4063,6005 litre	21,735 %	14632,8028 litre	O
450	CM	115	CM	61 LEVEL CM	3971,9831 litre	21,245 %	14724,4202 litre	O
450	CM	115	CM	60 LEVEL CM	3880,8444 litre	20,757 %	14815,5589 litre	O
450	CM	115	CM	59 LEVEL CM	3790,1959 litre	20,272 %	14906,2074 litre	O
450	CM	115	CM	58 LEVEL CM	3700,0491 litre	19,790 %	14996,3542 litre	O
450	CM	115	CM	57 LEVEL CM	3610,4160 litre	19,311 %	15085,9873 litre	O
450	CM	115	CM	56 LEVEL CM	3521,3085 litre	18,834 %	15175,0948 litre	O
450	CM	115	CM	55 LEVEL CM	3432,7390 litre	18,360 %	15263,6643 litre	O
450	CM	115	CM	54 LEVEL CM	3344,7200 litre	17,890 %	15351,6833 litre	O
450	CM	115	CM	53 LEVEL CM	3257,2641 litre	17,422 %	15439,1392 litre	O
450	CM	115	CM	52 LEVEL CM	3170,3843 litre	16,957 %	15526,0190 litre	O
450	CM	115	CM	51 LEVEL CM	3084,0940 litre	16,496 %	15612,3093 litre	O
450	CM	115	CM	50 LEVEL CM	2998,4064 litre	16,037 %	15697,9969 litre	O
450	CM	115	CM	49 LEVEL CM	2913,3356 litre	15,582 %	15783,0677 litre	O
450	CM	115	CM	48 LEVEL CM	2828,8955 litre	15,131 %	15867,5078 litre	O
450	CM	115	CM	47 LEVEL CM	2745,1006 litre	14,683 %	15951,3027 litre	O
450	CM	115	CM	46 LEVEL CM	2661,9657 litre	14,238 %	16034,4376 litre	O
450	CM	115	CM	45 LEVEL CM	2579,5057 litre	13,797 %	16116,8976 litre	O
450	CM	115	CM	44 LEVEL CM	2497,7363 litre	13,359 %	16198,6670 litre	O
450	CM	115	CM	43 LEVEL CM	2416,6733 litre	12,926 %	16279,7300 litre	O
450	CM	115	CM	42 LEVEL CM	2336,3329 litre	12,496 %	16360,0704 litre	O
450	CM	115	CM	41 LEVEL CM	2256,7319 litre	12,070 %	16439,6714 litre	O
450	CM	115	CM	40 LEVEL CM	2177,8876 litre	11,649 %	16518,5157 litre	O
450	CM	115	CM	39 LEVEL CM	2099,8175 litre	11,231 %	16596,5858 litre	O
450	CM	115	CM	38 LEVEL CM	2022,5401 litre	10,818 %	16673,8632 litre	O
450	CM	115	CM	37 LEVEL CM	1946,0740 litre	10,409 %	16750,3293 litre	O
450	CM	115	CM	36 LEVEL CM	1870,4387 litre	10,004 %	16825,9646 litre	O
450	CM	115	CM	35 LEVEL CM	1795,6542 litre	9,604 %	16900,7491 litre	O
450	CM	115	CM	34 LEVEL CM	1721,7413 litre	9,209 %	16974,6620 litre	O
450	CM	115	CM	33 LEVEL CM	1648,7215 litre	8,818 %	17047,6818 litre	O
450	CM	115	CM	32 LEVEL CM	1576,6171 litre	8,433 %	17119,7862 litre	O
450	CM	115	CM	31 LEVEL CM	1505,4512 litre	8,052 %	17190,9521 litre	O
450	CM	115	CM	30 LEVEL CM	1435,2479 litre	7,677 %	17261,1554 litre	O
450	CM	115	CM	29 LEVEL CM	1366,0323 litre	7,306 %	17330,3710 litre	O
450	CM	115	CM	28 LEVEL CM	1297,8306 litre	6,942 %	17398,5727 litre	O
450	CM	115	CM	27 LEVEL CM	1230,6702 litre	6,582 %	17465,7331 litre	O
450	CM	115	CM	26 LEVEL CM	1164,5796 litre	6,229 %	17531,8237 litre	O
450	CM	115	CM	25 LEVEL CM	1099,5890 litre	5,881 %	17596,8143 litre	O
450	CM	115	CM	24 LEVEL CM	1035,7300 litre	5,540 %	17660,6733 litre	O
450	CM	115	CM	23 LEVEL CM	973,0360 litre	5,204 %	17723,3673 litre	O
450	CM	115	CM	22 LEVEL CM	911,5421 litre	4,875 %	17784,8612 litre	O
450	CM	115	CM	21 LEVEL CM	851,2857 litre	4,553 %	17845,1176 litre	O
450	CM	115	CM	20 LEVEL CM	792,3066 litre	4,238 %	17904,0967 litre	O

450	CM	115	CM	19 LEVEL CM	734,6470 litre	3,929 %	17961,7563 litre	O
450	CM	115	CM	18 LEVEL CM	678,3522 litre	3,628 %	18018,0511 litre	O
450	CM	115	CM	17 LEVEL CM	623,4710 litre	3,335 %	18072,9323 litre	O
450	CM	115	CM	16 LEVEL CM	570,0559 litre	3,049 %	18126,3474 litre	O
450	CM	115	CM	15 LEVEL CM	518,1639 litre	2,771 %	18178,2394 litre	O
450	CM	115	CM	14 LEVEL CM	467,8572 litre	2,502 %	18228,5461 litre	O
450	CM	115	CM	13 LEVEL CM	419,2042 litre	2,242 %	18277,1991 litre	O
450	CM	115	CM	12 LEVEL CM	372,2802 litre	1,991 %	18324,1231 litre	O
450	CM	115	CM	11 LEVEL CM	327,1695 litre	1,750 %	18369,2338 litre	O
450	CM	115	CM	10 LEVEL CM	283,9670 litre	1,519 %	18412,4363 litre	O
450	CM	115	CM	9 LEVEL CM	242,7806 litre	1,299 %	18453,6227 litre	O
450	CM	115	CM	8 LEVEL CM	203,7350 litre	1,090 %	18492,6683 litre	O
450	CM	115	CM	7 LEVEL CM	166,9770 litre	0,893 %	18529,4263 litre	O
450	CM	115	CM	6 LEVEL CM	132,6825 litre	0,710 %	18563,7208 litre	O
450	CM	115	CM	5 LEVEL CM	101,0689 litre	0,541 %	18595,3344 litre	O
450	CM	115	CM	4 LEVEL CM	72,4146 litre	0,387 %	18623,9887 litre	O
450	CM	115	CM	3 LEVEL CM	47,0967 litre	0,252 %	18649,3066 litre	O
450	CM	115	CM	2 LEVEL CM	25,6699 litre	0,137 %	18670,7334 litre	O
450	CM	115	CM	1 LEVEL CM	9,0876 litre	0,049 %	18687,3157 litre	O
450	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	18696,4033 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM	110	CM 220 LEVEL CM	17105,9720 litre	100,000 %	0,0000 litre	O
450	CM	110	CM 219 LEVEL CM	17097,0847 litre	99,948 %	8,8873 litre	O
450	CM	110	CM 218 LEVEL CM	17080,8693 litre	99,853 %	25,1027 litre	O
450	CM	110	CM 217 LEVEL CM	17059,9188 litre	99,731 %	46,0532 litre	O
450	CM	110	CM 216 LEVEL CM	17035,1661 litre	99,586 %	70,8059 litre	O
450	CM	110	CM 215 LEVEL CM	17007,1544 litre	99,422 %	98,8176 litre	O
450	CM	110	CM 214 LEVEL CM	16976,2529 litre	99,242 %	129,7191 litre	O
450	CM	110	CM 213 LEVEL CM	16942,7344 litre	99,046 %	163,2376 litre	O
450	CM	110	CM 212 LEVEL CM	16906,8119 litre	98,836 %	199,1601 litre	O
450	CM	110	CM 211 LEVEL CM	16868,6580 litre	98,613 %	237,3140 litre	O
450	CM	110	CM 210 LEVEL CM	16828,4164 litre	98,377 %	277,5556 litre	O
450	CM	110	CM 209 LEVEL CM	16786,2094 litre	98,131 %	319,7626 litre	O
450	CM	110	CM 208 LEVEL CM	16742,1432 litre	97,873 %	363,8288 litre	O
450	CM	110	CM 207 LEVEL CM	16696,3106 litre	97,605 %	409,6614 litre	O
450	CM	110	CM 206 LEVEL CM	16648,7945 litre	97,327 %	457,1775 litre	O
450	CM	110	CM 205 LEVEL CM	16599,6689 litre	97,040 %	506,3031 litre	O
450	CM	110	CM 204 LEVEL CM	16549,0009 litre	96,744 %	556,9711 litre	O
450	CM	110	CM 203 LEVEL CM	16496,8518 litre	96,439 %	609,1202 litre	O
450	CM	110	CM 202 LEVEL CM	16443,2775 litre	96,126 %	662,6945 litre	O
450	CM	110	CM 201 LEVEL CM	16388,3297 litre	95,805 %	717,6423 litre	O
450	CM	110	CM 200 LEVEL CM	16332,0564 litre	95,476 %	773,9156 litre	O
450	CM	110	CM 199 LEVEL CM	16274,5021 litre	95,139 %	831,4699 litre	O
450	CM	110	CM 198 LEVEL CM	16215,7085 litre	94,796 %	890,2635 litre	O
450	CM	110	CM 197 LEVEL CM	16155,7147 litre	94,445 %	950,2573 litre	O
450	CM	110	CM 196 LEVEL CM	16094,5575 litre	94,087 %	1011,4145 litre	O
450	CM	110	CM 195 LEVEL CM	16032,2717 litre	93,723 %	1073,7003 litre	O
450	CM	110	CM 194 LEVEL CM	15968,8900 litre	93,353 %	1137,0820 litre	O
450	CM	110	CM 193 LEVEL CM	15904,4438 litre	92,976 %	1201,5282 litre	O
450	CM	110	CM 192 LEVEL CM	15838,9626 litre	92,593 %	1267,0094 litre	O
450	CM	110	CM 191 LEVEL CM	15772,4748 litre	92,204 %	1333,4972 litre	O
450	CM	110	CM 190 LEVEL CM	15705,0074 litre	91,810 %	1400,9646 litre	O
450	CM	110	CM 189 LEVEL CM	15636,5862 litre	91,410 %	1469,3858 litre	O
450	CM	110	CM 188 LEVEL CM	15567,2361 litre	91,005 %	1538,7359 litre	O
450	CM	110	CM 187 LEVEL CM	15496,9808 litre	90,594 %	1608,9912 litre	O
450	CM	110	CM 186 LEVEL CM	15425,8433 litre	90,178 %	1680,1287 litre	O
450	CM	110	CM 185 LEVEL CM	15353,8456 litre	89,757 %	1752,1264 litre	O
450	CM	110	CM 184 LEVEL CM	15281,0090 litre	89,331 %	1824,9630 litre	O
450	CM	110	CM 183 LEVEL CM	15207,3540 litre	88,901 %	1898,6180 litre	O
450	CM	110	CM 182 LEVEL CM	15132,9005 litre	88,466 %	1973,0715 litre	O
450	CM	110	CM 181 LEVEL CM	15057,6678 litre	88,026 %	2048,3042 litre	O
450	CM	110	CM 180 LEVEL CM	14981,6745 litre	87,582 %	2124,2975 litre	O
450	CM	110	CM 179 LEVEL CM	14904,9387 litre	87,133 %	2201,0333 litre	O
450	CM	110	CM 178 LEVEL CM	14827,4780 litre	86,680 %	2278,4940 litre	O
450	CM	110	CM 177 LEVEL CM	14749,3094 litre	86,223 %	2356,6626 litre	O
450	CM	110	CM 176 LEVEL CM	14670,4495 litre	85,762 %	2435,5225 litre	O
450	CM	110	CM 175 LEVEL CM	14590,9147 litre	85,297 %	2515,0573 litre	O
450	CM	110	CM 174 LEVEL CM	14510,7206 litre	84,828 %	2595,2514 litre	O
450	CM	110	CM 173 LEVEL CM	14429,8826 litre	84,356 %	2676,0894 litre	O
450	CM	110	CM 172 LEVEL CM	14348,4158 litre	83,880 %	2757,5562 litre	O
450	CM	110	CM 171 LEVEL CM	14266,3349 litre	83,400 %	2839,6371 litre	O
450	CM	110	CM 170 LEVEL CM	14183,6542 litre	82,916 %	2922,3178 litre	O
450	CM	110	CM 169 LEVEL CM	14100,3877 litre	82,430 %	3005,5843 litre	O

450	CM 110	CM	168 LEVEL CM	14016,5493 litre	81,940 %	3089,4227 litre	O
450	CM 110	CM	167 LEVEL CM	13932,1523 litre	81,446 %	3173,8197 litre	O
450	CM 110	CM	166 LEVEL CM	13847,2101 litre	80,950 %	3258,7619 litre	O
450	CM 110	CM	165 LEVEL CM	13761,7355 litre	80,450 %	3344,2365 litre	O
450	CM 110	CM	164 LEVEL CM	13675,7413 litre	79,947 %	3430,2307 litre	O
450	CM 110	CM	163 LEVEL CM	13589,2399 litre	79,441 %	3516,7321 litre	O
450	CM 110	CM	162 LEVEL CM	13502,2436 litre	78,933 %	3603,7284 litre	O
450	CM 110	CM	161 LEVEL CM	13414,7645 litre	78,422 %	3691,2075 litre	O
450	CM 110	CM	160 LEVEL CM	13326,8145 litre	77,907 %	3779,1575 litre	O
450	CM 110	CM	159 LEVEL CM	13238,4051 litre	77,391 %	3867,5669 litre	O
450	CM 110	CM	158 LEVEL CM	13149,5480 litre	76,871 %	3956,4240 litre	O
450	CM 110	CM	157 LEVEL CM	13060,2543 litre	76,349 %	4045,7177 litre	O
450	CM 110	CM	156 LEVEL CM	12970,5353 litre	75,825 %	4135,4367 litre	O
450	CM 110	CM	155 LEVEL CM	12880,4020 litre	75,298 %	4225,5700 litre	O
450	CM 110	CM	154 LEVEL CM	12789,8652 litre	74,768 %	4316,1068 litre	O
450	CM 110	CM	153 LEVEL CM	12698,9356 litre	74,237 %	4407,0364 litre	O
450	CM 110	CM	152 LEVEL CM	12607,6237 litre	73,703 %	4498,3483 litre	O
450	CM 110	CM	151 LEVEL CM	12515,9400 litre	73,167 %	4590,0320 litre	O
450	CM 110	CM	150 LEVEL CM	12423,8948 litre	72,629 %	4682,0772 litre	O
450	CM 110	CM	149 LEVEL CM	12331,4983 litre	72,089 %	4774,4737 litre	O
450	CM 110	CM	148 LEVEL CM	12238,7605 litre	71,547 %	4867,2115 litre	O
450	CM 110	CM	147 LEVEL CM	12145,6913 litre	71,003 %	4960,2807 litre	O
450	CM 110	CM	146 LEVEL CM	12052,3008 litre	70,457 %	5053,6712 litre	O
450	CM 110	CM	145 LEVEL CM	11958,5984 litre	69,909 %	5147,3736 litre	O
450	CM 110	CM	144 LEVEL CM	11864,5941 litre	69,359 %	5241,3779 litre	O
450	CM 110	CM	143 LEVEL CM	11770,2972 litre	68,808 %	5335,6748 litre	O
450	CM 110	CM	142 LEVEL CM	11675,7173 litre	68,255 %	5430,2547 litre	O
450	CM 110	CM	141 LEVEL CM	11580,8637 litre	67,701 %	5525,1083 litre	O
450	CM 110	CM	140 LEVEL CM	11485,7457 litre	67,145 %	5620,2263 litre	O
450	CM 110	CM	139 LEVEL CM	11390,3726 litre	66,587 %	5715,5994 litre	O
450	CM 110	CM	138 LEVEL CM	11294,7536 litre	66,028 %	5811,2184 litre	O
450	CM 110	CM	137 LEVEL CM	11198,8976 litre	65,468 %	5907,0744 litre	O
450	CM 110	CM	136 LEVEL CM	11102,8138 litre	64,906 %	6003,1582 litre	O
450	CM 110	CM	135 LEVEL CM	11006,5110 litre	64,343 %	6099,4610 litre	O
450	CM 110	CM	134 LEVEL CM	10909,9981 litre	63,779 %	6195,9739 litre	O
450	CM 110	CM	133 LEVEL CM	10813,2841 litre	63,214 %	6292,6879 litre	O
450	CM 110	CM	132 LEVEL CM	10716,3776 litre	62,647 %	6389,5944 litre	O
450	CM 110	CM	131 LEVEL CM	10619,2874 litre	62,079 %	6486,6846 litre	O
450	CM 110	CM	130 LEVEL CM	10522,0222 litre	61,511 %	6583,9498 litre	O
450	CM 110	CM	129 LEVEL CM	10424,5905 litre	60,941 %	6681,3815 litre	O
450	CM 110	CM	128 LEVEL CM	10327,0010 litre	60,371 %	6778,9710 litre	O
450	CM 110	CM	127 LEVEL CM	10229,2622 litre	59,799 %	6876,7098 litre	O
450	CM 110	CM	126 LEVEL CM	10131,3827 litre	59,227 %	6974,5893 litre	O
450	CM 110	CM	125 LEVEL CM	10033,3708 litre	58,654 %	7072,6012 litre	O
450	CM 110	CM	124 LEVEL CM	9935,2350 litre	58,081 %	7170,7370 litre	O
450	CM 110	CM	123 LEVEL CM	9836,9838 litre	57,506 %	7268,9882 litre	O
450	CM 110	CM	122 LEVEL CM	9738,6254 litre	56,931 %	7367,3466 litre	O
450	CM 110	CM	121 LEVEL CM	9640,1683 litre	56,356 %	7465,8037 litre	O
450	CM 110	CM	120 LEVEL CM	9541,6207 litre	55,779 %	7564,3513 litre	O
450	CM 110	CM	119 LEVEL CM	9442,9909 litre	55,203 %	7662,9811 litre	O
450	CM 110	CM	118 LEVEL CM	9344,2873 litre	54,626 %	7761,6847 litre	O
450	CM 110	CM	117 LEVEL CM	9245,5180 litre	54,048 %	7860,4540 litre	O
450	CM 110	CM	116 LEVEL CM	9146,6913 litre	53,471 %	7959,2807 litre	O

450	CM 110	CM	115 LEVEL CM	9047,8155 litre	52,893 %	8058,1565 litre	O
450	CM 110	CM	114 LEVEL CM	8948,8987 litre	52,314 %	8157,0733 litre	O
450	CM 110	CM	113 LEVEL CM	8849,9492 litre	51,736 %	8256,0228 litre	O
450	CM 110	CM	112 LEVEL CM	8750,9751 litre	51,157 %	8354,9969 litre	O
450	CM 110	CM	111 LEVEL CM	8651,9846 litre	50,579 %	8453,9874 litre	O
450	CM 110	CM	110 LEVEL CM	8552,9860 litre	50,000 %	8552,9860 litre	O
450	CM 110	CM	109 LEVEL CM	8453,9874 litre	49,421 %	8651,9846 litre	O
450	CM 110	CM	108 LEVEL CM	8354,9969 litre	48,843 %	8750,9751 litre	O
450	CM 110	CM	107 LEVEL CM	8256,0228 litre	48,264 %	8849,9492 litre	O
450	CM 110	CM	106 LEVEL CM	8157,0733 litre	47,686 %	8948,8987 litre	O
450	CM 110	CM	105 LEVEL CM	8058,1565 litre	47,107 %	9047,8155 litre	O
450	CM 110	CM	104 LEVEL CM	7959,2807 litre	46,529 %	9146,6913 litre	O
450	CM 110	CM	103 LEVEL CM	7860,4540 litre	45,952 %	9245,5180 litre	O
450	CM 110	CM	102 LEVEL CM	7761,6847 litre	45,374 %	9344,2873 litre	O
450	CM 110	CM	101 LEVEL CM	7662,9811 litre	44,797 %	9442,9909 litre	O
450	CM 110	CM	100 LEVEL CM	7564,3513 litre	44,221 %	9541,6207 litre	O
450	CM 110	CM	99 LEVEL CM	7465,8037 litre	43,644 %	9640,1683 litre	O
450	CM 110	CM	98 LEVEL CM	7367,3466 litre	43,069 %	9738,6254 litre	O
450	CM 110	CM	97 LEVEL CM	7268,9882 litre	42,494 %	9836,9838 litre	O
450	CM 110	CM	96 LEVEL CM	7170,7370 litre	41,919 %	9935,2350 litre	O
450	CM 110	CM	95 LEVEL CM	7072,6012 litre	41,346 %	10033,3708 litre	O
450	CM 110	CM	94 LEVEL CM	6974,5893 litre	40,773 %	10131,3827 litre	O
450	CM 110	CM	93 LEVEL CM	6876,7098 litre	40,201 %	10229,2622 litre	O
450	CM 110	CM	92 LEVEL CM	6778,9710 litre	39,629 %	10327,0010 litre	O
450	CM 110	CM	91 LEVEL CM	6681,3815 litre	39,059 %	10424,5905 litre	O
450	CM 110	CM	90 LEVEL CM	6583,9498 litre	38,489 %	10522,0222 litre	O
450	CM 110	CM	89 LEVEL CM	6486,6846 litre	37,921 %	10619,2874 litre	O
450	CM 110	CM	88 LEVEL CM	6389,5944 litre	37,353 %	10716,3776 litre	O
450	CM 110	CM	87 LEVEL CM	6292,6879 litre	36,786 %	10813,2841 litre	O
450	CM 110	CM	86 LEVEL CM	6195,9739 litre	36,221 %	10909,9981 litre	O
450	CM 110	CM	85 LEVEL CM	6099,4610 litre	35,657 %	11006,5110 litre	O
450	CM 110	CM	84 LEVEL CM	6003,1582 litre	35,094 %	11102,8138 litre	O
450	CM 110	CM	83 LEVEL CM	5907,0744 litre	34,532 %	11198,8976 litre	O
450	CM 110	CM	82 LEVEL CM	5811,2184 litre	33,972 %	11294,7536 litre	O
450	CM 110	CM	81 LEVEL CM	5715,5994 litre	33,413 %	11390,3726 litre	O
450	CM 110	CM	80 LEVEL CM	5620,2263 litre	32,855 %	11485,7457 litre	O
450	CM 110	CM	79 LEVEL CM	5525,1083 litre	32,299 %	11580,8637 litre	O
450	CM 110	CM	78 LEVEL CM	5430,2547 litre	31,745 %	11675,7173 litre	O
450	CM 110	CM	77 LEVEL CM	5335,6748 litre	31,192 %	11770,2972 litre	O
450	CM 110	CM	76 LEVEL CM	5241,3779 litre	30,641 %	11864,5941 litre	O
450	CM 110	CM	75 LEVEL CM	5147,3735 litre	30,091 %	11958,5985 litre	O
450	CM 110	CM	74 LEVEL CM	5053,6712 litre	29,543 %	12052,3008 litre	O
450	CM 110	CM	73 LEVEL CM	4960,2807 litre	28,997 %	12145,6913 litre	O
450	CM 110	CM	72 LEVEL CM	4867,2115 litre	28,453 %	12238,7605 litre	O
450	CM 110	CM	71 LEVEL CM	4774,4737 litre	27,911 %	12331,4983 litre	O
450	CM 110	CM	70 LEVEL CM	4682,0772 litre	27,371 %	12423,8948 litre	O
450	CM 110	CM	69 LEVEL CM	4590,0320 litre	26,833 %	12515,9400 litre	O
450	CM 110	CM	68 LEVEL CM	4498,3483 litre	26,297 %	12607,6237 litre	O
450	CM 110	CM	67 LEVEL CM	4407,0364 litre	25,763 %	12698,9356 litre	O
450	CM 110	CM	66 LEVEL CM	4316,1068 litre	25,232 %	12789,8652 litre	O
450	CM 110	CM	65 LEVEL CM	4225,5700 litre	24,702 %	12880,4020 litre	O
450	CM 110	CM	64 LEVEL CM	4135,4367 litre	24,175 %	12970,5353 litre	O
450	CM 110	CM	63 LEVEL CM	4045,7177 litre	23,651 %	13060,2543 litre	O

450	CM 110	CM	62 LEVEL CM	3956,4240 litre	23,129 %	13149,5480 litre	O
450	CM 110	CM	61 LEVEL CM	3867,5669 litre	22,609 %	13238,4051 litre	O
450	CM 110	CM	60 LEVEL CM	3779,1575 litre	22,093 %	13326,8145 litre	O
450	CM 110	CM	59 LEVEL CM	3691,2075 litre	21,578 %	13414,7645 litre	O
450	CM 110	CM	58 LEVEL CM	3603,7284 litre	21,067 %	13502,2436 litre	O
450	CM 110	CM	57 LEVEL CM	3516,7321 litre	20,559 %	13589,2399 litre	O
450	CM 110	CM	56 LEVEL CM	3430,2307 litre	20,053 %	13675,7413 litre	O
450	CM 110	CM	55 LEVEL CM	3344,2365 litre	19,550 %	13761,7355 litre	O
450	CM 110	CM	54 LEVEL CM	3258,7619 litre	19,050 %	13847,2101 litre	O
450	CM 110	CM	53 LEVEL CM	3173,8197 litre	18,554 %	13932,1523 litre	O
450	CM 110	CM	52 LEVEL CM	3089,4227 litre	18,060 %	14016,5493 litre	O
450	CM 110	CM	51 LEVEL CM	3005,5843 litre	17,570 %	14100,3877 litre	O
450	CM 110	CM	50 LEVEL CM	2922,3178 litre	17,084 %	14183,6542 litre	O
450	CM 110	CM	49 LEVEL CM	2839,6371 litre	16,600 %	14266,3349 litre	O
450	CM 110	CM	48 LEVEL CM	2757,5562 litre	16,120 %	14348,4158 litre	O
450	CM 110	CM	47 LEVEL CM	2676,0894 litre	15,644 %	14429,8826 litre	O
450	CM 110	CM	46 LEVEL CM	2595,2514 litre	15,172 %	14510,7206 litre	O
450	CM 110	CM	45 LEVEL CM	2515,0573 litre	14,703 %	14590,9147 litre	O
450	CM 110	CM	44 LEVEL CM	2435,5225 litre	14,238 %	14670,4495 litre	O
450	CM 110	CM	43 LEVEL CM	2356,6626 litre	13,777 %	14749,3094 litre	O
450	CM 110	CM	42 LEVEL CM	2278,4940 litre	13,320 %	14827,4780 litre	O
450	CM 110	CM	41 LEVEL CM	2201,0333 litre	12,867 %	14904,9387 litre	O
450	CM 110	CM	40 LEVEL CM	2124,2975 litre	12,418 %	14981,6745 litre	O
450	CM 110	CM	39 LEVEL CM	2048,3042 litre	11,974 %	15057,6678 litre	O
450	CM 110	CM	38 LEVEL CM	1973,0715 litre	11,534 %	15132,9005 litre	O
450	CM 110	CM	37 LEVEL CM	1898,6180 litre	11,099 %	15207,3540 litre	O
450	CM 110	CM	36 LEVEL CM	1824,9630 litre	10,669 %	15281,0090 litre	O
450	CM 110	CM	35 LEVEL CM	1752,1264 litre	10,243 %	15353,8456 litre	O
450	CM 110	CM	34 LEVEL CM	1680,1287 litre	9,822 %	15425,8433 litre	O
450	CM 110	CM	33 LEVEL CM	1608,9912 litre	9,406 %	15496,9808 litre	O
450	CM 110	CM	32 LEVEL CM	1538,7359 litre	8,995 %	15567,2361 litre	O
450	CM 110	CM	31 LEVEL CM	1469,3858 litre	8,590 %	15636,5862 litre	O
450	CM 110	CM	30 LEVEL CM	1400,9646 litre	8,190 %	15705,0074 litre	O
450	CM 110	CM	29 LEVEL CM	1333,4972 litre	7,796 %	15772,4748 litre	O
450	CM 110	CM	28 LEVEL CM	1267,0094 litre	7,407 %	15838,9626 litre	O
450	CM 110	CM	27 LEVEL CM	1201,5282 litre	7,024 %	15904,4438 litre	O
450	CM 110	CM	26 LEVEL CM	1137,0820 litre	6,647 %	15968,8900 litre	O
450	CM 110	CM	25 LEVEL CM	1073,7003 litre	6,277 %	16032,2717 litre	O
450	CM 110	CM	24 LEVEL CM	1011,4145 litre	5,913 %	16094,5575 litre	O
450	CM 110	CM	23 LEVEL CM	950,2573 litre	5,555 %	16155,7147 litre	O
450	CM 110	CM	22 LEVEL CM	890,2635 litre	5,204 %	16215,7085 litre	O
450	CM 110	CM	21 LEVEL CM	831,4699 litre	4,861 %	16274,5021 litre	O
450	CM 110	CM	20 LEVEL CM	773,9156 litre	4,524 %	16332,0564 litre	O
450	CM 110	CM	19 LEVEL CM	717,6423 litre	4,195 %	16388,3297 litre	O
450	CM 110	CM	18 LEVEL CM	662,6945 litre	3,874 %	16443,2775 litre	O
450	CM 110	CM	17 LEVEL CM	609,1202 litre	3,561 %	16496,8518 litre	O
450	CM 110	CM	16 LEVEL CM	556,9711 litre	3,256 %	16549,0009 litre	O
450	CM 110	CM	15 LEVEL CM	506,3031 litre	2,960 %	16599,6689 litre	O
450	CM 110	CM	14 LEVEL CM	457,1775 litre	2,673 %	16648,7945 litre	O
450	CM 110	CM	13 LEVEL CM	409,6614 litre	2,395 %	16696,3106 litre	O
450	CM 110	CM	12 LEVEL CM	363,8288 litre	2,127 %	16742,1432 litre	O
450	CM 110	CM	11 LEVEL CM	319,7626 litre	1,869 %	16786,2094 litre	O
450	CM 110	CM	10 LEVEL CM	277,5556 litre	1,623 %	16828,4164 litre	O

450	CM	110	CM	9 LEVEL CM	237,3140 litre	1,387 %	16868,6580 litre	O
450	CM	110	CM	8 LEVEL CM	199,1601 litre	1,164 %	16906,8119 litre	O
450	CM	110	CM	7 LEVEL CM	163,2376 litre	0,954 %	16942,7344 litre	O
450	CM	110	CM	6 LEVEL CM	129,7191 litre	0,758 %	16976,2529 litre	O
450	CM	110	CM	5 LEVEL CM	98,8176 litre	0,578 %	17007,1544 litre	O
450	CM	110	CM	4 LEVEL CM	70,8059 litre	0,414 %	17035,1661 litre	O
450	CM	110	CM	3 LEVEL CM	46,0532 litre	0,269 %	17059,9188 litre	O
450	CM	110	CM	2 LEVEL CM	25,1027 litre	0,147 %	17080,8693 litre	O
450	CM	110	CM	1 LEVEL CM	8,8873 litre	0,052 %	17097,0847 litre	O
450	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	17105,9720 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 105	CM 210 LEVEL CM	15586,2266 litre	100,000 %	0,0000 litre	O
450	CM 105	CM 209 LEVEL CM	15577,5442 litre	99,944 %	8,6824 litre	O
450	CM 105	CM 208 LEVEL CM	15561,7043 litre	99,843 %	24,5223 litre	O
450	CM 105	CM 207 LEVEL CM	15541,2410 litre	99,711 %	44,9856 litre	O
450	CM 105	CM 206 LEVEL CM	15517,0668 litre	99,556 %	69,1598 litre	O
450	CM 105	CM 205 LEVEL CM	15489,7128 litre	99,381 %	96,5138 litre	O
450	CM 105	CM 204 LEVEL CM	15459,5402 litre	99,187 %	126,6864 litre	O
450	CM 105	CM 203 LEVEL CM	15426,8161 litre	98,977 %	159,4105 litre	O
450	CM 105	CM 202 LEVEL CM	15391,7491 litre	98,752 %	194,4775 litre	O
450	CM 105	CM 201 LEVEL CM	15354,5081 litre	98,513 %	231,7185 litre	O
450	CM 105	CM 200 LEVEL CM	15315,2340 litre	98,261 %	270,9926 litre	O
450	CM 105	CM 199 LEVEL CM	15274,0467 litre	97,997 %	312,1799 litre	O
450	CM 105	CM 198 LEVEL CM	15231,0502 litre	97,721 %	355,1764 litre	O
450	CM 105	CM 197 LEVEL CM	15186,3357 litre	97,434 %	399,8909 litre	O
450	CM 105	CM 196 LEVEL CM	15139,9843 litre	97,137 %	446,2423 litre	O
450	CM 105	CM 195 LEVEL CM	15092,0689 litre	96,830 %	494,1577 litre	O
450	CM 105	CM 194 LEVEL CM	15042,6554 litre	96,512 %	543,5712 litre	O
450	CM 105	CM 193 LEVEL CM	14991,8037 litre	96,186 %	594,4229 litre	O
450	CM 105	CM 192 LEVEL CM	14939,5689 litre	95,851 %	646,6577 litre	O
450	CM 105	CM 191 LEVEL CM	14886,0020 litre	95,507 %	700,2246 litre	O
450	CM 105	CM 190 LEVEL CM	14831,1500 litre	95,155 %	755,0766 litre	O
450	CM 105	CM 189 LEVEL CM	14775,0567 litre	94,796 %	811,1699 litre	O
450	CM 105	CM 188 LEVEL CM	14717,7632 litre	94,428 %	868,4634 litre	O
450	CM 105	CM 187 LEVEL CM	14659,3080 litre	94,053 %	926,9186 litre	O
450	CM 105	CM 186 LEVEL CM	14599,7273 litre	93,671 %	986,4993 litre	O
450	CM 105	CM 185 LEVEL CM	14539,0554 litre	93,281 %	1047,1712 litre	O
450	CM 105	CM 184 LEVEL CM	14477,3246 litre	92,885 %	1108,9020 litre	O
450	CM 105	CM 183 LEVEL CM	14414,5657 litre	92,483 %	1171,6609 litre	O
450	CM 105	CM 182 LEVEL CM	14350,8081 litre	92,074 %	1235,4185 litre	O
450	CM 105	CM 181 LEVEL CM	14286,0795 litre	91,658 %	1300,1471 litre	O
450	CM 105	CM 180 LEVEL CM	14220,4068 litre	91,237 %	1365,8198 litre	O
450	CM 105	CM 179 LEVEL CM	14153,8154 litre	90,810 %	1432,4112 litre	O
450	CM 105	CM 178 LEVEL CM	14086,3299 litre	90,377 %	1499,8967 litre	O
450	CM 105	CM 177 LEVEL CM	14017,9738 litre	89,938 %	1568,2528 litre	O
450	CM 105	CM 176 LEVEL CM	13948,7697 litre	89,494 %	1637,4569 litre	O
450	CM 105	CM 175 LEVEL CM	13878,7396 litre	89,045 %	1707,4870 litre	O
450	CM 105	CM 174 LEVEL CM	13807,9043 litre	88,590 %	1778,3223 litre	O
450	CM 105	CM 173 LEVEL CM	13736,2844 litre	88,131 %	1849,9422 litre	O
450	CM 105	CM 172 LEVEL CM	13663,8996 litre	87,667 %	1922,3270 litre	O
450	CM 105	CM 171 LEVEL CM	13590,7687 litre	87,197 %	1995,4579 litre	O
450	CM 105	CM 170 LEVEL CM	13516,9105 litre	86,723 %	2069,3161 litre	O
450	CM 105	CM 169 LEVEL CM	13442,3428 litre	86,245 %	2143,8838 litre	O
450	CM 105	CM 168 LEVEL CM	13367,0832 litre	85,762 %	2219,1434 litre	O
450	CM 105	CM 167 LEVEL CM	13291,1484 litre	85,275 %	2295,0782 litre	O
450	CM 105	CM 166 LEVEL CM	13214,5552 litre	84,784 %	2371,6714 litre	O
450	CM 105	CM 165 LEVEL CM	13137,3195 litre	84,288 %	2448,9071 litre	O
450	CM 105	CM 164 LEVEL CM	13059,4572 litre	83,788 %	2526,7694 litre	O
450	CM 105	CM 163 LEVEL CM	12980,9834 litre	83,285 %	2605,2432 litre	O
450	CM 105	CM 162 LEVEL CM	12901,9132 litre	82,778 %	2684,3134 litre	O
450	CM 105	CM 161 LEVEL CM	12822,2613 litre	82,267 %	2763,9653 litre	O
450	CM 105	CM 160 LEVEL CM	12742,0419 litre	81,752 %	2844,1847 litre	O
450	CM 105	CM 159 LEVEL CM	12661,2690 litre	81,234 %	2924,9576 litre	O

450	CM	105	CM	158 LEVEL CM	12579,9564 litre	80,712 %	3006,2702 litre	O
450	CM	105	CM	157 LEVEL CM	12498,1176 litre	80,187 %	3088,1090 litre	O
450	CM	105	CM	156 LEVEL CM	12415,7657 litre	79,659 %	3170,4609 litre	O
450	CM	105	CM	155 LEVEL CM	12332,9136 litre	79,127 %	3253,3130 litre	O
450	CM	105	CM	154 LEVEL CM	12249,5742 litre	78,592 %	3336,6524 litre	O
450	CM	105	CM	153 LEVEL CM	12165,7599 litre	78,055 %	3420,4667 litre	O
450	CM	105	CM	152 LEVEL CM	12081,4829 litre	77,514 %	3504,7437 litre	O
450	CM	105	CM	151 LEVEL CM	11996,7555 litre	76,970 %	3589,4711 litre	O
450	CM	105	CM	150 LEVEL CM	11911,5894 litre	76,424 %	3674,6372 litre	O
450	CM	105	CM	149 LEVEL CM	11825,9964 litre	75,875 %	3760,2302 litre	O
450	CM	105	CM	148 LEVEL CM	11739,9879 litre	75,323 %	3846,2387 litre	O
450	CM	105	CM	147 LEVEL CM	11653,5755 litre	74,768 %	3932,6511 litre	O
450	CM	105	CM	146 LEVEL CM	11566,7703 litre	74,211 %	4019,4563 litre	O
450	CM	105	CM	145 LEVEL CM	11479,5833 litre	73,652 %	4106,6433 litre	O
450	CM	105	CM	144 LEVEL CM	11392,0255 litre	73,090 %	4194,2011 litre	O
450	CM	105	CM	143 LEVEL CM	11304,1077 litre	72,526 %	4282,1189 litre	O
450	CM	105	CM	142 LEVEL CM	11215,8404 litre	71,960 %	4370,3862 litre	O
450	CM	105	CM	141 LEVEL CM	11127,2342 litre	71,391 %	4458,9924 litre	O
450	CM	105	CM	140 LEVEL CM	11038,2996 litre	70,821 %	4547,9270 litre	O
450	CM	105	CM	139 LEVEL CM	10949,0467 litre	70,248 %	4637,1799 litre	O
450	CM	105	CM	138 LEVEL CM	10859,4859 litre	69,674 %	4726,7407 litre	O
450	CM	105	CM	137 LEVEL CM	10769,6270 litre	69,097 %	4816,5996 litre	O
450	CM	105	CM	136 LEVEL CM	10679,4802 litre	68,519 %	4906,7464 litre	O
450	CM	105	CM	135 LEVEL CM	10589,0552 litre	67,939 %	4997,1714 litre	O
450	CM	105	CM	134 LEVEL CM	10498,3619 litre	67,357 %	5087,8647 litre	O
450	CM	105	CM	133 LEVEL CM	10407,4100 litre	66,773 %	5178,8166 litre	O
450	CM	105	CM	132 LEVEL CM	10316,2090 litre	66,188 %	5270,0176 litre	O
450	CM	105	CM	131 LEVEL CM	10224,7686 litre	65,601 %	5361,4580 litre	O
450	CM	105	CM	130 LEVEL CM	10133,0981 litre	65,013 %	5453,1285 litre	O
450	CM	105	CM	129 LEVEL CM	10041,2070 litre	64,424 %	5545,0196 litre	O
450	CM	105	CM	128 LEVEL CM	9949,1046 litre	63,833 %	5637,1220 litre	O
450	CM	105	CM	127 LEVEL CM	9856,8001 litre	63,240 %	5729,4265 litre	O
450	CM	105	CM	126 LEVEL CM	9764,3027 litre	62,647 %	5821,9239 litre	O
450	CM	105	CM	125 LEVEL CM	9671,6217 litre	62,052 %	5914,6049 litre	O
450	CM	105	CM	124 LEVEL CM	9578,7660 litre	61,457 %	6007,4606 litre	O
450	CM	105	CM	123 LEVEL CM	9485,7447 litre	60,860 %	6100,4819 litre	O
450	CM	105	CM	122 LEVEL CM	9392,5668 litre	60,262 %	6193,6598 litre	O
450	CM	105	CM	121 LEVEL CM	9299,2413 litre	59,663 %	6286,9853 litre	O
450	CM	105	CM	120 LEVEL CM	9205,7770 litre	59,064 %	6380,4496 litre	O
450	CM	105	CM	119 LEVEL CM	9112,1828 litre	58,463 %	6474,0438 litre	O
450	CM	105	CM	118 LEVEL CM	9018,4674 litre	57,862 %	6567,7592 litre	O
450	CM	105	CM	117 LEVEL CM	8924,6398 litre	57,260 %	6661,5868 litre	O
450	CM	105	CM	116 LEVEL CM	8830,7087 litre	56,657 %	6755,5179 litre	O
450	CM	105	CM	115 LEVEL CM	8736,6828 litre	56,054 %	6849,5438 litre	O
450	CM	105	CM	114 LEVEL CM	8642,5707 litre	55,450 %	6943,6559 litre	O
450	CM	105	CM	113 LEVEL CM	8548,3812 litre	54,846 %	7037,8454 litre	O
450	CM	105	CM	112 LEVEL CM	8454,1229 litre	54,241 %	7132,1037 litre	O
450	CM	105	CM	111 LEVEL CM	8359,8046 litre	53,636 %	7226,4220 litre	O
450	CM	105	CM	110 LEVEL CM	8265,4346 litre	53,030 %	7320,7920 litre	O
450	CM	105	CM	109 LEVEL CM	8171,0218 litre	52,425 %	7415,2048 litre	O
450	CM	105	CM	108 LEVEL CM	8076,5747 litre	51,819 %	7509,6519 litre	O
450	CM	105	CM	107 LEVEL CM	7982,1018 litre	51,213 %	7604,1248 litre	O
450	CM	105	CM	106 LEVEL CM	7887,6118 litre	50,606 %	7698,6148 litre	O

450	CM	105	CM	105 LEVEL CM	7793,1133 litre	50,000 %	7793,1133 litre	O
450	CM	105	CM	104 LEVEL CM	7698,6147 litre	49,394 %	7887,6119 litre	O
450	CM	105	CM	103 LEVEL CM	7604,1247 litre	48,787 %	7982,1019 litre	O
450	CM	105	CM	102 LEVEL CM	7509,6519 litre	48,181 %	8076,5747 litre	O
450	CM	105	CM	101 LEVEL CM	7415,2047 litre	47,575 %	8171,0219 litre	O
450	CM	105	CM	100 LEVEL CM	7320,7919 litre	46,970 %	8265,4347 litre	O
450	CM	105	CM	99 LEVEL CM	7226,4220 litre	46,364 %	8359,8046 litre	O
450	CM	105	CM	98 LEVEL CM	7132,1036 litre	45,759 %	8454,1230 litre	O
450	CM	105	CM	97 LEVEL CM	7037,8453 litre	45,154 %	8548,3813 litre	O
450	CM	105	CM	96 LEVEL CM	6943,6559 litre	44,550 %	8642,5707 litre	O
450	CM	105	CM	95 LEVEL CM	6849,5438 litre	43,946 %	8736,6828 litre	O
450	CM	105	CM	94 LEVEL CM	6755,5178 litre	43,343 %	8830,7088 litre	O
450	CM	105	CM	93 LEVEL CM	6661,5867 litre	42,740 %	8924,6399 litre	O
450	CM	105	CM	92 LEVEL CM	6567,7591 litre	42,138 %	9018,4675 litre	O
450	CM	105	CM	91 LEVEL CM	6474,0438 litre	41,537 %	9112,1828 litre	O
450	CM	105	CM	90 LEVEL CM	6380,4496 litre	40,936 %	9205,7770 litre	O
450	CM	105	CM	89 LEVEL CM	6286,9853 litre	40,337 %	9299,2413 litre	O
450	CM	105	CM	88 LEVEL CM	6193,6597 litre	39,738 %	9392,5669 litre	O
450	CM	105	CM	87 LEVEL CM	6100,4818 litre	39,140 %	9485,7448 litre	O
450	CM	105	CM	86 LEVEL CM	6007,4605 litre	38,543 %	9578,7661 litre	O
450	CM	105	CM	85 LEVEL CM	5914,6049 litre	37,948 %	9671,6217 litre	O
450	CM	105	CM	84 LEVEL CM	5821,9238 litre	37,353 %	9764,3028 litre	O
450	CM	105	CM	83 LEVEL CM	5729,4265 litre	36,760 %	9856,8001 litre	O
450	CM	105	CM	82 LEVEL CM	5637,1220 litre	36,167 %	9949,1046 litre	O
450	CM	105	CM	81 LEVEL CM	5545,0196 litre	35,576 %	10041,2070 litre	O
450	CM	105	CM	80 LEVEL CM	5453,1285 litre	34,987 %	10133,0981 litre	O
450	CM	105	CM	79 LEVEL CM	5361,4580 litre	34,399 %	10224,7686 litre	O
450	CM	105	CM	78 LEVEL CM	5270,0175 litre	33,812 %	10316,2091 litre	O
450	CM	105	CM	77 LEVEL CM	5178,8166 litre	33,227 %	10407,4100 litre	O
450	CM	105	CM	76 LEVEL CM	5087,8646 litre	32,643 %	10498,3620 litre	O
450	CM	105	CM	75 LEVEL CM	4997,1714 litre	32,061 %	10589,0552 litre	O
450	CM	105	CM	74 LEVEL CM	4906,7464 litre	31,481 %	10679,4802 litre	O
450	CM	105	CM	73 LEVEL CM	4816,5995 litre	30,903 %	10769,6271 litre	O
450	CM	105	CM	72 LEVEL CM	4726,7407 litre	30,326 %	10859,4859 litre	O
450	CM	105	CM	71 LEVEL CM	4637,1798 litre	29,752 %	10949,0468 litre	O
450	CM	105	CM	70 LEVEL CM	4547,9270 litre	29,179 %	11038,2996 litre	O
450	CM	105	CM	69 LEVEL CM	4458,9923 litre	28,609 %	11127,2343 litre	O
450	CM	105	CM	68 LEVEL CM	4370,3862 litre	28,040 %	11215,8404 litre	O
450	CM	105	CM	67 LEVEL CM	4282,1189 litre	27,474 %	11304,1077 litre	O
450	CM	105	CM	66 LEVEL CM	4194,2010 litre	26,910 %	11392,0256 litre	O
450	CM	105	CM	65 LEVEL CM	4106,6432 litre	26,348 %	11479,5834 litre	O
450	CM	105	CM	64 LEVEL CM	4019,4563 litre	25,789 %	11566,7703 litre	O
450	CM	105	CM	63 LEVEL CM	3932,6510 litre	25,232 %	11653,5756 litre	O
450	CM	105	CM	62 LEVEL CM	3846,2386 litre	24,677 %	11739,9880 litre	O
450	CM	105	CM	61 LEVEL CM	3760,2302 litre	24,125 %	11825,9964 litre	O
450	CM	105	CM	60 LEVEL CM	3674,6372 litre	23,576 %	11911,5894 litre	O
450	CM	105	CM	59 LEVEL CM	3589,4711 litre	23,030 %	11996,7555 litre	O
450	CM	105	CM	58 LEVEL CM	3504,7436 litre	22,486 %	12081,4830 litre	O
450	CM	105	CM	57 LEVEL CM	3420,4667 litre	21,945 %	12165,7599 litre	O
450	CM	105	CM	56 LEVEL CM	3336,6523 litre	21,408 %	12249,5743 litre	O
450	CM	105	CM	55 LEVEL CM	3253,3129 litre	20,873 %	12332,9137 litre	O
450	CM	105	CM	54 LEVEL CM	3170,4609 litre	20,341 %	12415,7657 litre	O
450	CM	105	CM	53 LEVEL CM	3088,1090 litre	19,813 %	12498,1176 litre	O

450	CM	105	CM	52 LEVEL CM	3006,2701 litre	19,288 %	12579,9565 litre	O
450	CM	105	CM	51 LEVEL CM	2924,9575 litre	18,766 %	12661,2691 litre	O
450	CM	105	CM	50 LEVEL CM	2844,1847 litre	18,248 %	12742,0419 litre	O
450	CM	105	CM	49 LEVEL CM	2763,9653 litre	17,733 %	12822,2613 litre	O
450	CM	105	CM	48 LEVEL CM	2684,3133 litre	17,222 %	12901,9133 litre	O
450	CM	105	CM	47 LEVEL CM	2605,2431 litre	16,715 %	12980,9835 litre	O
450	CM	105	CM	46 LEVEL CM	2526,7694 litre	16,212 %	13059,4572 litre	O
450	CM	105	CM	45 LEVEL CM	2448,9070 litre	15,712 %	13137,3196 litre	O
450	CM	105	CM	44 LEVEL CM	2371,6714 litre	15,216 %	13214,5552 litre	O
450	CM	105	CM	43 LEVEL CM	2295,0781 litre	14,725 %	13291,1485 litre	O
450	CM	105	CM	42 LEVEL CM	2219,1434 litre	14,238 %	13367,0832 litre	O
450	CM	105	CM	41 LEVEL CM	2143,8837 litre	13,755 %	13442,3429 litre	O
450	CM	105	CM	40 LEVEL CM	2069,3160 litre	13,277 %	13516,9106 litre	O
450	CM	105	CM	39 LEVEL CM	1995,4578 litre	12,803 %	13590,7688 litre	O
450	CM	105	CM	38 LEVEL CM	1922,3270 litre	12,333 %	13663,8996 litre	O
450	CM	105	CM	37 LEVEL CM	1849,9421 litre	11,869 %	13736,2845 litre	O
450	CM	105	CM	36 LEVEL CM	1778,3222 litre	11,410 %	13807,9044 litre	O
450	CM	105	CM	35 LEVEL CM	1707,4870 litre	10,955 %	13878,7396 litre	O
450	CM	105	CM	34 LEVEL CM	1637,4568 litre	10,506 %	13948,7698 litre	O
450	CM	105	CM	33 LEVEL CM	1568,2528 litre	10,062 %	14017,9738 litre	O
450	CM	105	CM	32 LEVEL CM	1499,8967 litre	9,623 %	14086,3299 litre	O
450	CM	105	CM	31 LEVEL CM	1432,4111 litre	9,190 %	14153,8155 litre	O
450	CM	105	CM	30 LEVEL CM	1365,8198 litre	8,763 %	14220,4068 litre	O
450	CM	105	CM	29 LEVEL CM	1300,1470 litre	8,342 %	14286,0796 litre	O
450	CM	105	CM	28 LEVEL CM	1235,4185 litre	7,926 %	14350,8081 litre	O
450	CM	105	CM	27 LEVEL CM	1171,6608 litre	7,517 %	14414,5658 litre	O
450	CM	105	CM	26 LEVEL CM	1108,9020 litre	7,115 %	14477,3246 litre	O
450	CM	105	CM	25 LEVEL CM	1047,1712 litre	6,719 %	14539,0554 litre	O
450	CM	105	CM	24 LEVEL CM	986,4993 litre	6,329 %	14599,7273 litre	O
450	CM	105	CM	23 LEVEL CM	926,9186 litre	5,947 %	14659,3080 litre	O
450	CM	105	CM	22 LEVEL CM	868,4634 litre	5,572 %	14717,7632 litre	O
450	CM	105	CM	21 LEVEL CM	811,1699 litre	5,204 %	14775,0567 litre	O
450	CM	105	CM	20 LEVEL CM	755,0766 litre	4,845 %	14831,1500 litre	O
450	CM	105	CM	19 LEVEL CM	700,2245 litre	4,493 %	14886,0021 litre	O
450	CM	105	CM	18 LEVEL CM	646,6576 litre	4,149 %	14939,5690 litre	O
450	CM	105	CM	17 LEVEL CM	594,4229 litre	3,814 %	14991,8037 litre	O
450	CM	105	CM	16 LEVEL CM	543,5712 litre	3,488 %	15042,6554 litre	O
450	CM	105	CM	15 LEVEL CM	494,1576 litre	3,170 %	15092,0690 litre	O
450	CM	105	CM	14 LEVEL CM	446,2422 litre	2,863 %	15139,9844 litre	O
450	CM	105	CM	13 LEVEL CM	399,8909 litre	2,566 %	15186,3357 litre	O
450	CM	105	CM	12 LEVEL CM	355,1764 litre	2,279 %	15231,0502 litre	O
450	CM	105	CM	11 LEVEL CM	312,1799 litre	2,003 %	15274,0467 litre	O
450	CM	105	CM	10 LEVEL CM	270,9926 litre	1,739 %	15315,2340 litre	O
450	CM	105	CM	9 LEVEL CM	231,7185 litre	1,487 %	15354,5081 litre	O
450	CM	105	CM	8 LEVEL CM	194,4775 litre	1,248 %	15391,7491 litre	O
450	CM	105	CM	7 LEVEL CM	159,4104 litre	1,023 %	15426,8162 litre	O
450	CM	105	CM	6 LEVEL CM	126,6864 litre	0,813 %	15459,5402 litre	O
450	CM	105	CM	5 LEVEL CM	96,5138 litre	0,619 %	15489,7128 litre	O
450	CM	105	CM	4 LEVEL CM	69,1598 litre	0,444 %	15517,0668 litre	O
450	CM	105	CM	3 LEVEL CM	44,9855 litre	0,289 %	15541,2411 litre	O
450	CM	105	CM	2 LEVEL CM	24,5223 litre	0,157 %	15561,7043 litre	O
450	CM	105	CM	1 LEVEL CM	8,6824 litre	0,056 %	15577,5442 litre	O
450	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	15586,2266 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 100	CM 200 LEVEL CM	14137,1669 litre	100,000 %	0,0000 litre	O
450	CM 100	CM 199 LEVEL CM	14128,6944 litre	99,940 %	8,4725 litre	O
450	CM 100	CM 198 LEVEL CM	14113,2391 litre	99,831 %	23,9278 litre	O
450	CM 100	CM 197 LEVEL CM	14093,2751 litre	99,690 %	43,8918 litre	O
450	CM 100	CM 196 LEVEL CM	14069,6934 litre	99,523 %	67,4735 litre	O
450	CM 100	CM 195 LEVEL CM	14043,0133 litre	99,334 %	94,1536 litre	O
450	CM 100	CM 194 LEVEL CM	14013,5877 litre	99,126 %	123,5792 litre	O
450	CM 100	CM 193 LEVEL CM	13981,6779 litre	98,900 %	155,4890 litre	O
450	CM 100	CM 192 LEVEL CM	13947,4877 litre	98,658 %	189,6792 litre	O
450	CM 100	CM 191 LEVEL CM	13911,1825 litre	98,401 %	225,9844 litre	O
450	CM 100	CM 190 LEVEL CM	13872,9004 litre	98,131 %	264,2665 litre	O
450	CM 100	CM 189 LEVEL CM	13832,7586 litre	97,847 %	304,4083 litre	O
450	CM 100	CM 188 LEVEL CM	13790,8592 litre	97,550 %	346,3077 litre	O
450	CM 100	CM 187 LEVEL CM	13747,2914 litre	97,242 %	389,8755 litre	O
450	CM 100	CM 186 LEVEL CM	13702,1349 litre	96,923 %	435,0320 litre	O
450	CM 100	CM 185 LEVEL CM	13655,4611 litre	96,593 %	481,7058 litre	O
450	CM 100	CM 184 LEVEL CM	13607,3346 litre	96,252 %	529,8323 litre	O
450	CM 100	CM 183 LEVEL CM	13557,8143 litre	95,902 %	579,3526 litre	O
450	CM 100	CM 182 LEVEL CM	13506,9544 litre	95,542 %	630,2125 litre	O
450	CM 100	CM 181 LEVEL CM	13454,8049 litre	95,173 %	682,3620 litre	O
450	CM 100	CM 180 LEVEL CM	13401,4120 litre	94,796 %	735,7549 litre	O
450	CM 100	CM 179 LEVEL CM	13346,8188 litre	94,409 %	790,3481 litre	O
450	CM 100	CM 178 LEVEL CM	13291,0657 litre	94,015 %	846,1012 litre	O
450	CM 100	CM 177 LEVEL CM	13234,1907 litre	93,613 %	902,9762 litre	O
450	CM 100	CM 176 LEVEL CM	13176,2294 litre	93,203 %	960,9375 litre	O
450	CM 100	CM 175 LEVEL CM	13117,2155 litre	92,785 %	1019,9514 litre	O
450	CM 100	CM 174 LEVEL CM	13057,1810 litre	92,361 %	1079,9859 litre	O
450	CM 100	CM 173 LEVEL CM	12996,1561 litre	91,929 %	1141,0108 litre	O
450	CM 100	CM 172 LEVEL CM	12934,1699 litre	91,491 %	1202,9970 litre	O
450	CM 100	CM 171 LEVEL CM	12871,2498 litre	91,045 %	1265,9171 litre	O
450	CM 100	CM 170 LEVEL CM	12807,4222 litre	90,594 %	1329,7447 litre	O
450	CM 100	CM 169 LEVEL CM	12742,7123 litre	90,136 %	1394,4546 litre	O
450	CM 100	CM 168 LEVEL CM	12677,1444 litre	89,672 %	1460,0225 litre	O
450	CM 100	CM 167 LEVEL CM	12610,7417 litre	89,203 %	1526,4252 litre	O
450	CM 100	CM 166 LEVEL CM	12543,5267 litre	88,727 %	1593,6402 litre	O
450	CM 100	CM 165 LEVEL CM	12475,5210 litre	88,246 %	1661,6459 litre	O
450	CM 100	CM 164 LEVEL CM	12406,7454 litre	87,760 %	1730,4215 litre	O
450	CM 100	CM 163 LEVEL CM	12337,2201 litre	87,268 %	1799,9468 litre	O
450	CM 100	CM 162 LEVEL CM	12266,9647 litre	86,771 %	1870,2022 litre	O
450	CM 100	CM 161 LEVEL CM	12195,9980 litre	86,269 %	1941,1689 litre	O
450	CM 100	CM 160 LEVEL CM	12124,3385 litre	85,762 %	2012,8284 litre	O
450	CM 100	CM 159 LEVEL CM	12052,0039 litre	85,250 %	2085,1630 litre	O
450	CM 100	CM 158 LEVEL CM	11979,0116 litre	84,734 %	2158,1553 litre	O
450	CM 100	CM 157 LEVEL CM	11905,3785 litre	84,213 %	2231,7884 litre	O
450	CM 100	CM 156 LEVEL CM	11831,1209 litre	83,688 %	2306,0460 litre	O
450	CM 100	CM 155 LEVEL CM	11756,2551 litre	83,158 %	2380,9118 litre	O
450	CM 100	CM 154 LEVEL CM	11680,7965 litre	82,625 %	2456,3704 litre	O
450	CM 100	CM 153 LEVEL CM	11604,7604 litre	82,087 %	2532,4065 litre	O
450	CM 100	CM 152 LEVEL CM	11528,1618 litre	81,545 %	2609,0051 litre	O
450	CM 100	CM 151 LEVEL CM	11451,0153 litre	80,999 %	2686,1516 litre	O
450	CM 100	CM 150 LEVEL CM	11373,3351 litre	80,450 %	2763,8318 litre	O
450	CM 100	CM 149 LEVEL CM	11295,1353 litre	79,897 %	2842,0316 litre	O

450	CM	100	CM	148 LEVEL CM	11216,4296 litre	79,340 %	2920,7373 litre	O
450	CM	100	CM	147 LEVEL CM	11137,2314 litre	78,780 %	2999,9355 litre	O
450	CM	100	CM	146 LEVEL CM	11057,5540 litre	78,216 %	3079,6129 litre	O
450	CM	100	CM	145 LEVEL CM	10977,4103 litre	77,649 %	3159,7566 litre	O
450	CM	100	CM	144 LEVEL CM	10896,8131 litre	77,079 %	3240,3538 litre	O
450	CM	100	CM	143 LEVEL CM	10815,7749 litre	76,506 %	3321,3920 litre	O
450	CM	100	CM	142 LEVEL CM	10734,3080 litre	75,930 %	3402,8589 litre	O
450	CM	100	CM	141 LEVEL CM	10652,4245 litre	75,350 %	3484,7424 litre	O
450	CM	100	CM	140 LEVEL CM	10570,1365 litre	74,768 %	3567,0304 litre	O
450	CM	100	CM	139 LEVEL CM	10487,4557 litre	74,184 %	3649,7112 litre	O
450	CM	100	CM	138 LEVEL CM	10404,3937 litre	73,596 %	3732,7732 litre	O
450	CM	100	CM	137 LEVEL CM	10320,9619 litre	73,006 %	3816,2050 litre	O
450	CM	100	CM	136 LEVEL CM	10237,1717 litre	72,413 %	3899,9952 litre	O
450	CM	100	CM	135 LEVEL CM	10153,0342 litre	71,818 %	3984,1327 litre	O
450	CM	100	CM	134 LEVEL CM	10068,5604 litre	71,220 %	4068,6065 litre	O
450	CM	100	CM	133 LEVEL CM	9983,7612 litre	70,621 %	4153,4057 litre	O
450	CM	100	CM	132 LEVEL CM	9898,6474 litre	70,019 %	4238,5195 litre	O
450	CM	100	CM	131 LEVEL CM	9813,2296 litre	69,414 %	4323,9373 litre	O
450	CM	100	CM	130 LEVEL CM	9727,5183 litre	68,808 %	4409,6486 litre	O
450	CM	100	CM	129 LEVEL CM	9641,5240 litre	68,200 %	4495,6429 litre	O
450	CM	100	CM	128 LEVEL CM	9555,2570 litre	67,590 %	4581,9099 litre	O
450	CM	100	CM	127 LEVEL CM	9468,7274 litre	66,978 %	4668,4395 litre	O
450	CM	100	CM	126 LEVEL CM	9381,9455 litre	66,364 %	4755,2214 litre	O
450	CM	100	CM	125 LEVEL CM	9294,9212 litre	65,748 %	4842,2457 litre	O
450	CM	100	CM	124 LEVEL CM	9207,6645 litre	65,131 %	4929,5024 litre	O
450	CM	100	CM	123 LEVEL CM	9120,1853 litre	64,512 %	5016,9816 litre	O
450	CM	100	CM	122 LEVEL CM	9032,4935 litre	63,892 %	5104,6734 litre	O
450	CM	100	CM	121 LEVEL CM	8944,5986 litre	63,270 %	5192,5683 litre	O
450	CM	100	CM	120 LEVEL CM	8856,5104 litre	62,647 %	5280,6565 litre	O
450	CM	100	CM	119 LEVEL CM	8768,2385 litre	62,023 %	5368,9284 litre	O
450	CM	100	CM	118 LEVEL CM	8679,7925 litre	61,397 %	5457,3744 litre	O
450	CM	100	CM	117 LEVEL CM	8591,1817 litre	60,770 %	5545,9852 litre	O
450	CM	100	CM	116 LEVEL CM	8502,4157 litre	60,142 %	5634,7512 litre	O
450	CM	100	CM	115 LEVEL CM	8413,5037 litre	59,513 %	5723,6632 litre	O
450	CM	100	CM	114 LEVEL CM	8324,4553 litre	58,883 %	5812,7116 litre	O
450	CM	100	CM	113 LEVEL CM	8235,2796 litre	58,253 %	5901,8873 litre	O
450	CM	100	CM	112 LEVEL CM	8145,9858 litre	57,621 %	5991,1811 litre	O
450	CM	100	CM	111 LEVEL CM	8056,5833 litre	56,989 %	6080,5836 litre	O
450	CM	100	CM	110 LEVEL CM	7967,0812 litre	56,356 %	6170,0857 litre	O
450	CM	100	CM	109 LEVEL CM	7877,4886 litre	55,722 %	6259,6783 litre	O
450	CM	100	CM	108 LEVEL CM	7787,8147 litre	55,088 %	6349,3522 litre	O
450	CM	100	CM	107 LEVEL CM	7698,0686 litre	54,453 %	6439,0983 litre	O
450	CM	100	CM	106 LEVEL CM	7608,2593 litre	53,817 %	6528,9076 litre	O
450	CM	100	CM	105 LEVEL CM	7518,3959 litre	53,182 %	6618,7710 litre	O
450	CM	100	CM	104 LEVEL CM	7428,4874 litre	52,546 %	6708,6795 litre	O
450	CM	100	CM	103 LEVEL CM	7338,5430 litre	51,910 %	6798,6239 litre	O
450	CM	100	CM	102 LEVEL CM	7248,5715 litre	51,273 %	6888,5954 litre	O
450	CM	100	CM	101 LEVEL CM	7158,5820 litre	50,637 %	6978,5849 litre	O
450	CM	100	CM	100 LEVEL CM	7068,5835 litre	50,000 %	7068,5834 litre	O
450	CM	100	CM	99 LEVEL CM	6978,5850 litre	49,363 %	7158,5819 litre	O
450	CM	100	CM	98 LEVEL CM	6888,5955 litre	48,727 %	7248,5714 litre	O
450	CM	100	CM	97 LEVEL CM	6798,6240 litre	48,090 %	7338,5429 litre	O
450	CM	100	CM	96 LEVEL CM	6708,6795 litre	47,454 %	7428,4874 litre	O

450	CM	100	CM	95 LEVEL CM	6618,7710 litre	46,818 %	7518,3959 litre	O
450	CM	100	CM	94 LEVEL CM	6528,9076 litre	46,183 %	7608,2593 litre	O
450	CM	100	CM	93 LEVEL CM	6439,0983 litre	45,547 %	7698,0686 litre	O
450	CM	100	CM	92 LEVEL CM	6349,3522 litre	44,912 %	7787,8147 litre	O
450	CM	100	CM	91 LEVEL CM	6259,6783 litre	44,278 %	7877,4886 litre	O
450	CM	100	CM	90 LEVEL CM	6170,0857 litre	43,644 %	7967,0812 litre	O
450	CM	100	CM	89 LEVEL CM	6080,5836 litre	43,011 %	8056,5833 litre	O
450	CM	100	CM	88 LEVEL CM	5991,1811 litre	42,379 %	8145,9858 litre	O
450	CM	100	CM	87 LEVEL CM	5901,8874 litre	41,747 %	8235,2795 litre	O
450	CM	100	CM	86 LEVEL CM	5812,7117 litre	41,117 %	8324,4552 litre	O
450	CM	100	CM	85 LEVEL CM	5723,6632 litre	40,487 %	8413,5037 litre	O
450	CM	100	CM	84 LEVEL CM	5634,7513 litre	39,858 %	8502,4156 litre	O
450	CM	100	CM	83 LEVEL CM	5545,9853 litre	39,230 %	8591,1816 litre	O
450	CM	100	CM	82 LEVEL CM	5457,3745 litre	38,603 %	8679,7924 litre	O
450	CM	100	CM	81 LEVEL CM	5368,9284 litre	37,977 %	8768,2385 litre	O
450	CM	100	CM	80 LEVEL CM	5280,6565 litre	37,353 %	8856,5104 litre	O
450	CM	100	CM	79 LEVEL CM	5192,5683 litre	36,730 %	8944,5986 litre	O
450	CM	100	CM	78 LEVEL CM	5104,6735 litre	36,108 %	9032,4934 litre	O
450	CM	100	CM	77 LEVEL CM	5016,9816 litre	35,488 %	9120,1853 litre	O
450	CM	100	CM	76 LEVEL CM	4929,5024 litre	34,869 %	9207,6645 litre	O
450	CM	100	CM	75 LEVEL CM	4842,2458 litre	34,252 %	9294,9211 litre	O
450	CM	100	CM	74 LEVEL CM	4755,2215 litre	33,636 %	9381,9454 litre	O
450	CM	100	CM	73 LEVEL CM	4668,4395 litre	33,022 %	9468,7274 litre	O
450	CM	100	CM	72 LEVEL CM	4581,9100 litre	32,410 %	9555,2569 litre	O
450	CM	100	CM	71 LEVEL CM	4495,6429 litre	31,800 %	9641,5240 litre	O
450	CM	100	CM	70 LEVEL CM	4409,6486 litre	31,192 %	9727,5183 litre	O
450	CM	100	CM	69 LEVEL CM	4323,9373 litre	30,586 %	9813,2296 litre	O
450	CM	100	CM	68 LEVEL CM	4238,5195 litre	29,981 %	9898,6474 litre	O
450	CM	100	CM	67 LEVEL CM	4153,4057 litre	29,379 %	9983,7612 litre	O
450	CM	100	CM	66 LEVEL CM	4068,6065 litre	28,780 %	10068,5604 litre	O
450	CM	100	CM	65 LEVEL CM	3984,1327 litre	28,182 %	10153,0342 litre	O
450	CM	100	CM	64 LEVEL CM	3899,9952 litre	27,587 %	10237,1717 litre	O
450	CM	100	CM	63 LEVEL CM	3816,2050 litre	26,994 %	10320,9619 litre	O
450	CM	100	CM	62 LEVEL CM	3732,7732 litre	26,404 %	10404,3937 litre	O
450	CM	100	CM	61 LEVEL CM	3649,7112 litre	25,816 %	10487,4557 litre	O
450	CM	100	CM	60 LEVEL CM	3567,0304 litre	25,232 %	10570,1365 litre	O
450	CM	100	CM	59 LEVEL CM	3484,7424 litre	24,650 %	10652,4245 litre	O
450	CM	100	CM	58 LEVEL CM	3402,8590 litre	24,070 %	10734,3079 litre	O
450	CM	100	CM	57 LEVEL CM	3321,3921 litre	23,494 %	10815,7748 litre	O
450	CM	100	CM	56 LEVEL CM	3240,3539 litre	22,921 %	10896,8130 litre	O
450	CM	100	CM	55 LEVEL CM	3159,7566 litre	22,351 %	10977,4103 litre	O
450	CM	100	CM	54 LEVEL CM	3079,6129 litre	21,784 %	11057,5540 litre	O
450	CM	100	CM	53 LEVEL CM	2999,9355 litre	21,220 %	11137,2314 litre	O
450	CM	100	CM	52 LEVEL CM	2920,7373 litre	20,660 %	11216,4296 litre	O
450	CM	100	CM	51 LEVEL CM	2842,0316 litre	20,103 %	11295,1353 litre	O
450	CM	100	CM	50 LEVEL CM	2763,8318 litre	19,550 %	11373,3351 litre	O
450	CM	100	CM	49 LEVEL CM	2686,1517 litre	19,001 %	11451,0152 litre	O
450	CM	100	CM	48 LEVEL CM	2609,0051 litre	18,455 %	11528,1618 litre	O
450	CM	100	CM	47 LEVEL CM	2532,4066 litre	17,913 %	11604,7603 litre	O
450	CM	100	CM	46 LEVEL CM	2456,3705 litre	17,375 %	11680,7964 litre	O
450	CM	100	CM	45 LEVEL CM	2380,9119 litre	16,842 %	11756,2550 litre	O
450	CM	100	CM	44 LEVEL CM	2306,0460 litre	16,312 %	11831,1209 litre	O
450	CM	100	CM	43 LEVEL CM	2231,7885 litre	15,787 %	11905,3784 litre	O

450	CM	100	CM	42 LEVEL CM	2158,1554 litre	15,266 %	11979,0115 litre	O
450	CM	100	CM	41 LEVEL CM	2085,1631 litre	14,750 %	12052,0038 litre	O
450	CM	100	CM	40 LEVEL CM	2012,8285 litre	14,238 %	12124,3384 litre	O
450	CM	100	CM	39 LEVEL CM	1941,1689 litre	13,731 %	12195,9980 litre	O
450	CM	100	CM	38 LEVEL CM	1870,2023 litre	13,229 %	12266,9646 litre	O
450	CM	100	CM	37 LEVEL CM	1799,9468 litre	12,732 %	12337,2201 litre	O
450	CM	100	CM	36 LEVEL CM	1730,4215 litre	12,240 %	12406,7454 litre	O
450	CM	100	CM	35 LEVEL CM	1661,6459 litre	11,754 %	12475,5210 litre	O
450	CM	100	CM	34 LEVEL CM	1593,6402 litre	11,273 %	12543,5267 litre	O
450	CM	100	CM	33 LEVEL CM	1526,4252 litre	10,797 %	12610,7417 litre	O
450	CM	100	CM	32 LEVEL CM	1460,0226 litre	10,328 %	12677,1443 litre	O
450	CM	100	CM	31 LEVEL CM	1394,4546 litre	9,864 %	12742,7123 litre	O
450	CM	100	CM	30 LEVEL CM	1329,7448 litre	9,406 %	12807,4221 litre	O
450	CM	100	CM	29 LEVEL CM	1265,9172 litre	8,955 %	12871,2497 litre	O
450	CM	100	CM	28 LEVEL CM	1202,9971 litre	8,509 %	12934,1698 litre	O
450	CM	100	CM	27 LEVEL CM	1141,0108 litre	8,071 %	12996,1561 litre	O
450	CM	100	CM	26 LEVEL CM	1079,9860 litre	7,639 %	13057,1809 litre	O
450	CM	100	CM	25 LEVEL CM	1019,9514 litre	7,215 %	13117,2155 litre	O
450	CM	100	CM	24 LEVEL CM	960,9375 litre	6,797 %	13176,2294 litre	O
450	CM	100	CM	23 LEVEL CM	902,9762 litre	6,387 %	13234,1907 litre	O
450	CM	100	CM	22 LEVEL CM	846,1012 litre	5,985 %	13291,0657 litre	O
450	CM	100	CM	21 LEVEL CM	790,3482 litre	5,591 %	13346,8187 litre	O
450	CM	100	CM	20 LEVEL CM	735,7550 litre	5,204 %	13401,4119 litre	O
450	CM	100	CM	19 LEVEL CM	682,3621 litre	4,827 %	13454,8048 litre	O
450	CM	100	CM	18 LEVEL CM	630,2125 litre	4,458 %	13506,9544 litre	O
450	CM	100	CM	17 LEVEL CM	579,3526 litre	4,098 %	13557,8143 litre	O
450	CM	100	CM	16 LEVEL CM	529,8324 litre	3,748 %	13607,3345 litre	O
450	CM	100	CM	15 LEVEL CM	481,7059 litre	3,407 %	13655,4610 litre	O
450	CM	100	CM	14 LEVEL CM	435,0320 litre	3,077 %	13702,1349 litre	O
450	CM	100	CM	13 LEVEL CM	389,8755 litre	2,758 %	13747,2914 litre	O
450	CM	100	CM	12 LEVEL CM	346,3078 litre	2,450 %	13790,8591 litre	O
450	CM	100	CM	11 LEVEL CM	304,4083 litre	2,153 %	13832,7586 litre	O
450	CM	100	CM	10 LEVEL CM	264,2666 litre	1,869 %	13872,9003 litre	O
450	CM	100	CM	9 LEVEL CM	225,9844 litre	1,599 %	13911,1825 litre	O
450	CM	100	CM	8 LEVEL CM	189,6793 litre	1,342 %	13947,4876 litre	O
450	CM	100	CM	7 LEVEL CM	155,4891 litre	1,100 %	13981,6778 litre	O
450	CM	100	CM	6 LEVEL CM	123,5792 litre	0,874 %	14013,5877 litre	O
450	CM	100	CM	5 LEVEL CM	94,1536 litre	0,666 %	14043,0133 litre	O
450	CM	100	CM	4 LEVEL CM	67,4735 litre	0,477 %	14069,6934 litre	O
450	CM	100	CM	3 LEVEL CM	43,8919 litre	0,310 %	14093,2750 litre	O
450	CM	100	CM	2 LEVEL CM	23,9279 litre	0,169 %	14113,2390 litre	O
450	CM	100	CM	1 LEVEL CM	8,4725 litre	0,060 %	14128,6944 litre	O
450	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	14137,1669 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
450	CM	95	CM	190 LEVEL CM	12758,7932 litre	100,000 %	0,0000 litre	O
450	CM	95	CM	189 LEVEL CM	12750,5358 litre	99,935 %	8,2574 litre	O
450	CM	95	CM	188 LEVEL CM	12735,4749 litre	99,817 %	23,3183 litre	O
450	CM	95	CM	187 LEVEL CM	12716,0229 litre	99,665 %	42,7703 litre	O
450	CM	95	CM	186 LEVEL CM	12693,0492 litre	99,485 %	65,7440 litre	O
450	CM	95	CM	185 LEVEL CM	12667,0604 litre	99,281 %	91,7328 litre	O
450	CM	95	CM	184 LEVEL CM	12638,4013 litre	99,056 %	120,3919 litre	O
450	CM	95	CM	183 LEVEL CM	12607,3269 litre	98,813 %	151,4663 litre	O
450	CM	95	CM	182 LEVEL CM	12574,0366 litre	98,552 %	184,7566 litre	O
450	CM	95	CM	181 LEVEL CM	12538,6922 litre	98,275 %	220,1010 litre	O
450	CM	95	CM	180 LEVEL CM	12501,4283 litre	97,983 %	257,3649 litre	O
450	CM	95	CM	179 LEVEL CM	12462,3601 litre	97,677 %	296,4331 litre	O
450	CM	95	CM	178 LEVEL CM	12421,5872 litre	97,357 %	337,2060 litre	O
450	CM	95	CM	177 LEVEL CM	12379,1972 litre	97,025 %	379,5960 litre	O
450	CM	95	CM	176 LEVEL CM	12335,2680 litre	96,681 %	423,5252 litre	O
450	CM	95	CM	175 LEVEL CM	12289,8697 litre	96,325 %	468,9235 litre	O
450	CM	95	CM	174 LEVEL CM	12243,0656 litre	95,958 %	515,7276 litre	O
450	CM	95	CM	173 LEVEL CM	12194,9136 litre	95,580 %	563,8796 litre	O
450	CM	95	CM	172 LEVEL CM	12145,4668 litre	95,193 %	613,3264 litre	O
450	CM	95	CM	171 LEVEL CM	12094,7743 litre	94,796 %	664,0189 litre	O
450	CM	95	CM	170 LEVEL CM	12042,8815 litre	94,389 %	715,9117 litre	O
450	CM	95	CM	169 LEVEL CM	11989,8308 litre	93,973 %	768,9624 litre	O
450	CM	95	CM	168 LEVEL CM	11935,6620 litre	93,549 %	823,1312 litre	O
450	CM	95	CM	167 LEVEL CM	11880,4123 litre	93,115 %	878,3809 litre	O
450	CM	95	CM	166 LEVEL CM	11824,1169 litre	92,674 %	934,6763 litre	O
450	CM	95	CM	165 LEVEL CM	11766,8090 litre	92,225 %	991,9842 litre	O
450	CM	95	CM	164 LEVEL CM	11708,5201 litre	91,768 %	1050,2731 litre	O
450	CM	95	CM	163 LEVEL CM	11649,2800 litre	91,304 %	1109,5132 litre	O
450	CM	95	CM	162 LEVEL CM	11589,1173 litre	90,832 %	1169,6759 litre	O
450	CM	95	CM	161 LEVEL CM	11528,0592 litre	90,354 %	1230,7340 litre	O
450	CM	95	CM	160 LEVEL CM	11466,1316 litre	89,868 %	1292,6616 litre	O
450	CM	95	CM	159 LEVEL CM	11403,3596 litre	89,376 %	1355,4336 litre	O
450	CM	95	CM	158 LEVEL CM	11339,7671 litre	88,878 %	1419,0261 litre	O
450	CM	95	CM	157 LEVEL CM	11275,3772 litre	88,373 %	1483,4160 litre	O
450	CM	95	CM	156 LEVEL CM	11210,2119 litre	87,863 %	1548,5813 litre	O
450	CM	95	CM	155 LEVEL CM	11144,2928 litre	87,346 %	1614,5004 litre	O
450	CM	95	CM	154 LEVEL CM	11077,6404 litre	86,824 %	1681,1528 litre	O
450	CM	95	CM	153 LEVEL CM	11010,2749 litre	86,296 %	1748,5183 litre	O
450	CM	95	CM	152 LEVEL CM	10942,2155 litre	85,762 %	1816,5777 litre	O
450	CM	95	CM	151 LEVEL CM	10873,4810 litre	85,223 %	1885,3122 litre	O
450	CM	95	CM	150 LEVEL CM	10804,0898 litre	84,680 %	1954,7034 litre	O
450	CM	95	CM	149 LEVEL CM	10734,0594 litre	84,131 %	2024,7338 litre	O
450	CM	95	CM	148 LEVEL CM	10663,4073 litre	83,577 %	2095,3859 litre	O
450	CM	95	CM	147 LEVEL CM	10592,1501 litre	83,018 %	2166,6431 litre	O
450	CM	95	CM	146 LEVEL CM	10520,3042 litre	82,455 %	2238,4890 litre	O
450	CM	95	CM	145 LEVEL CM	10447,8856 litre	81,888 %	2310,9076 litre	O
450	CM	95	CM	144 LEVEL CM	10374,9099 litre	81,316 %	2383,8833 litre	O
450	CM	95	CM	143 LEVEL CM	10301,3923 litre	80,740 %	2457,4009 litre	O
450	CM	95	CM	142 LEVEL CM	10227,3477 litre	80,159 %	2531,4455 litre	O
450	CM	95	CM	141 LEVEL CM	10152,7908 litre	79,575 %	2606,0024 litre	O
450	CM	95	CM	140 LEVEL CM	10077,7357 litre	78,987 %	2681,0575 litre	O
450	CM	95	CM	139 LEVEL CM	10002,1966 litre	78,395 %	2756,5966 litre	O

450	CM	95	CM	138 LEVEL CM	9926,1871 litre	77,799 %	2832,6061 litre	O
450	CM	95	CM	137 LEVEL CM	9849,7207 litre	77,199 %	2909,0725 litre	O
450	CM	95	CM	136 LEVEL CM	9772,8108 litre	76,597 %	2985,9824 litre	O
450	CM	95	CM	135 LEVEL CM	9695,4702 litre	75,990 %	3063,3230 litre	O
450	CM	95	CM	134 LEVEL CM	9617,7118 litre	75,381 %	3141,0814 litre	O
450	CM	95	CM	133 LEVEL CM	9539,5482 litre	74,768 %	3219,2450 litre	O
450	CM	95	CM	132 LEVEL CM	9460,9918 litre	74,153 %	3297,8014 litre	O
450	CM	95	CM	131 LEVEL CM	9382,0548 litre	73,534 %	3376,7384 litre	O
450	CM	95	CM	130 LEVEL CM	9302,7493 litre	72,912 %	3456,0439 litre	O
450	CM	95	CM	129 LEVEL CM	9223,0871 litre	72,288 %	3535,7061 litre	O
450	CM	95	CM	128 LEVEL CM	9143,0799 litre	71,661 %	3615,7133 litre	O
450	CM	95	CM	127 LEVEL CM	9062,7393 litre	71,031 %	3696,0539 litre	O
450	CM	95	CM	126 LEVEL CM	8982,0767 litre	70,399 %	3776,7165 litre	O
450	CM	95	CM	125 LEVEL CM	8901,1034 litre	69,764 %	3857,6898 litre	O
450	CM	95	CM	124 LEVEL CM	8819,8306 litre	69,127 %	3938,9626 litre	O
450	CM	95	CM	123 LEVEL CM	8738,2692 litre	68,488 %	4020,5240 litre	O
450	CM	95	CM	122 LEVEL CM	8656,4303 litre	67,847 %	4102,3629 litre	O
450	CM	95	CM	121 LEVEL CM	8574,3245 litre	67,203 %	4184,4687 litre	O
450	CM	95	CM	120 LEVEL CM	8491,9627 litre	66,558 %	4266,8305 litre	O
450	CM	95	CM	119 LEVEL CM	8409,3553 litre	65,910 %	4349,4379 litre	O
450	CM	95	CM	118 LEVEL CM	8326,5130 litre	65,261 %	4432,2802 litre	O
450	CM	95	CM	117 LEVEL CM	8243,4460 litre	64,610 %	4515,3472 litre	O
450	CM	95	CM	116 LEVEL CM	8160,1649 litre	63,957 %	4598,6283 litre	O
450	CM	95	CM	115 LEVEL CM	8076,6797 litre	63,303 %	4682,1135 litre	O
450	CM	95	CM	114 LEVEL CM	7993,0007 litre	62,647 %	4765,7925 litre	O
450	CM	95	CM	113 LEVEL CM	7909,1379 litre	61,990 %	4849,6553 litre	O
450	CM	95	CM	112 LEVEL CM	7825,1015 litre	61,331 %	4933,6917 litre	O
450	CM	95	CM	111 LEVEL CM	7740,9014 litre	60,671 %	5017,8918 litre	O
450	CM	95	CM	110 LEVEL CM	7656,5475 litre	60,010 %	5102,2457 litre	O
450	CM	95	CM	109 LEVEL CM	7572,0497 litre	59,348 %	5186,7435 litre	O
450	CM	95	CM	108 LEVEL CM	7487,4178 litre	58,684 %	5271,3754 litre	O
450	CM	95	CM	107 LEVEL CM	7402,6616 litre	58,020 %	5356,1316 litre	O
450	CM	95	CM	106 LEVEL CM	7317,7908 litre	57,355 %	5441,0024 litre	O
450	CM	95	CM	105 LEVEL CM	7232,8150 litre	56,689 %	5525,9782 litre	O
450	CM	95	CM	104 LEVEL CM	7147,7440 litre	56,022 %	5611,0492 litre	O
450	CM	95	CM	103 LEVEL CM	7062,5873 litre	55,355 %	5696,2059 litre	O
450	CM	95	CM	102 LEVEL CM	6977,3546 litre	54,687 %	5781,4386 litre	O
450	CM	95	CM	101 LEVEL CM	6892,0553 litre	54,018 %	5866,7379 litre	O
450	CM	95	CM	100 LEVEL CM	6806,6991 litre	53,349 %	5952,0941 litre	O
450	CM	95	CM	99 LEVEL CM	6721,2955 litre	52,680 %	6037,4977 litre	O
450	CM	95	CM	98 LEVEL CM	6635,8539 litre	52,010 %	6122,9393 litre	O
450	CM	95	CM	97 LEVEL CM	6550,3839 litre	51,340 %	6208,4093 litre	O
450	CM	95	CM	96 LEVEL CM	6464,8950 litre	50,670 %	6293,8982 litre	O
450	CM	95	CM	95 LEVEL CM	6379,3966 litre	50,000 %	6379,3966 litre	O
450	CM	95	CM	94 LEVEL CM	6293,8982 litre	49,330 %	6464,8950 litre	O
450	CM	95	CM	93 LEVEL CM	6208,4092 litre	48,660 %	6550,3840 litre	O
450	CM	95	CM	92 LEVEL CM	6122,9392 litre	47,990 %	6635,8540 litre	O
450	CM	95	CM	91 LEVEL CM	6037,4977 litre	47,320 %	6721,2955 litre	O
450	CM	95	CM	90 LEVEL CM	5952,0940 litre	46,651 %	6806,6992 litre	O
450	CM	95	CM	89 LEVEL CM	5866,7378 litre	45,982 %	6892,0554 litre	O
450	CM	95	CM	88 LEVEL CM	5781,4386 litre	45,313 %	6977,3546 litre	O
450	CM	95	CM	87 LEVEL CM	5696,2059 litre	44,645 %	7062,5873 litre	O
450	CM	95	CM	86 LEVEL CM	5611,0492 litre	43,978 %	7147,7440 litre	O

450	CM	95	CM	85 LEVEL CM	5525,9782 litre	43,311 %	7232,8150 litre	O
450	CM	95	CM	84 LEVEL CM	5441,0024 litre	42,645 %	7317,7908 litre	O
450	CM	95	CM	83 LEVEL CM	5356,1316 litre	41,980 %	7402,6616 litre	O
450	CM	95	CM	82 LEVEL CM	5271,3753 litre	41,316 %	7487,4179 litre	O
450	CM	95	CM	81 LEVEL CM	5186,7434 litre	40,652 %	7572,0498 litre	O
450	CM	95	CM	80 LEVEL CM	5102,2456 litre	39,990 %	7656,5476 litre	O
450	CM	95	CM	79 LEVEL CM	5017,8918 litre	39,329 %	7740,9014 litre	O
450	CM	95	CM	78 LEVEL CM	4933,6916 litre	38,669 %	7825,1016 litre	O
450	CM	95	CM	77 LEVEL CM	4849,6552 litre	38,010 %	7909,1380 litre	O
450	CM	95	CM	76 LEVEL CM	4765,7925 litre	37,353 %	7993,0007 litre	O
450	CM	95	CM	75 LEVEL CM	4682,1135 litre	36,697 %	8076,6797 litre	O
450	CM	95	CM	74 LEVEL CM	4598,6283 litre	36,043 %	8160,1649 litre	O
450	CM	95	CM	73 LEVEL CM	4515,3471 litre	35,390 %	8243,4461 litre	O
450	CM	95	CM	72 LEVEL CM	4432,2802 litre	34,739 %	8326,5130 litre	O
450	CM	95	CM	71 LEVEL CM	4349,4378 litre	34,090 %	8409,3554 litre	O
450	CM	95	CM	70 LEVEL CM	4266,8305 litre	33,442 %	8491,9627 litre	O
450	CM	95	CM	69 LEVEL CM	4184,4686 litre	32,797 %	8574,3246 litre	O
450	CM	95	CM	68 LEVEL CM	4102,3629 litre	32,153 %	8656,4303 litre	O
450	CM	95	CM	67 LEVEL CM	4020,5239 litre	31,512 %	8738,2693 litre	O
450	CM	95	CM	66 LEVEL CM	3938,9626 litre	30,873 %	8819,8306 litre	O
450	CM	95	CM	65 LEVEL CM	3857,6897 litre	30,236 %	8901,1035 litre	O
450	CM	95	CM	64 LEVEL CM	3776,7165 litre	29,601 %	8982,0767 litre	O
450	CM	95	CM	63 LEVEL CM	3696,0539 litre	28,969 %	9062,7393 litre	O
450	CM	95	CM	62 LEVEL CM	3615,7133 litre	28,339 %	9143,0799 litre	O
450	CM	95	CM	61 LEVEL CM	3535,7061 litre	27,712 %	9223,0871 litre	O
450	CM	95	CM	60 LEVEL CM	3456,0439 litre	27,088 %	9302,7493 litre	O
450	CM	95	CM	59 LEVEL CM	3376,7383 litre	26,466 %	9382,0549 litre	O
450	CM	95	CM	58 LEVEL CM	3297,8013 litre	25,847 %	9460,9919 litre	O
450	CM	95	CM	57 LEVEL CM	3219,2449 litre	25,232 %	9539,5483 litre	O
450	CM	95	CM	56 LEVEL CM	3141,0814 litre	24,619 %	9617,7118 litre	O
450	CM	95	CM	55 LEVEL CM	3063,3230 litre	24,010 %	9695,4702 litre	O
450	CM	95	CM	54 LEVEL CM	2985,9824 litre	23,403 %	9772,8108 litre	O
450	CM	95	CM	53 LEVEL CM	2909,0724 litre	22,801 %	9849,7208 litre	O
450	CM	95	CM	52 LEVEL CM	2832,6061 litre	22,201 %	9926,1871 litre	O
450	CM	95	CM	51 LEVEL CM	2756,5966 litre	21,605 %	10002,1966 litre	O
450	CM	95	CM	50 LEVEL CM	2681,0574 litre	21,013 %	10077,7358 litre	O
450	CM	95	CM	49 LEVEL CM	2606,0024 litre	20,425 %	10152,7908 litre	O
450	CM	95	CM	48 LEVEL CM	2531,4455 litre	19,841 %	10227,3477 litre	O
450	CM	95	CM	47 LEVEL CM	2457,4009 litre	19,260 %	10301,3923 litre	O
450	CM	95	CM	46 LEVEL CM	2383,8833 litre	18,684 %	10374,9099 litre	O
450	CM	95	CM	45 LEVEL CM	2310,9076 litre	18,112 %	10447,8856 litre	O
450	CM	95	CM	44 LEVEL CM	2238,4890 litre	17,545 %	10520,3042 litre	O
450	CM	95	CM	43 LEVEL CM	2166,6431 litre	16,982 %	10592,1501 litre	O
450	CM	95	CM	42 LEVEL CM	2095,3859 litre	16,423 %	10663,4073 litre	O
450	CM	95	CM	41 LEVEL CM	2024,7337 litre	15,869 %	10734,0595 litre	O
450	CM	95	CM	40 LEVEL CM	1954,7034 litre	15,320 %	10804,0898 litre	O
450	CM	95	CM	39 LEVEL CM	1885,3121 litre	14,777 %	10873,4811 litre	O
450	CM	95	CM	38 LEVEL CM	1816,5777 litre	14,238 %	10942,2155 litre	O
450	CM	95	CM	37 LEVEL CM	1748,5183 litre	13,704 %	11010,2749 litre	O
450	CM	95	CM	36 LEVEL CM	1681,1528 litre	13,176 %	11077,6404 litre	O
450	CM	95	CM	35 LEVEL CM	1614,5004 litre	12,654 %	11144,2928 litre	O
450	CM	95	CM	34 LEVEL CM	1548,5812 litre	12,137 %	11210,2120 litre	O
450	CM	95	CM	33 LEVEL CM	1483,4160 litre	11,627 %	11275,3772 litre	O

450	CM	95	CM	32 LEVEL CM	1419,0260 litre	11,122 %	11339,7672 litre	O
450	CM	95	CM	31 LEVEL CM	1355,4335 litre	10,624 %	11403,3597 litre	O
450	CM	95	CM	30 LEVEL CM	1292,6615 litre	10,132 %	11466,1317 litre	O
450	CM	95	CM	29 LEVEL CM	1230,7340 litre	9,646 %	11528,0592 litre	O
450	CM	95	CM	28 LEVEL CM	1169,6759 litre	9,168 %	11589,1173 litre	O
450	CM	95	CM	27 LEVEL CM	1109,5132 litre	8,696 %	11649,2800 litre	O
450	CM	95	CM	26 LEVEL CM	1050,2731 litre	8,232 %	11708,5201 litre	O
450	CM	95	CM	25 LEVEL CM	991,9841 litre	7,775 %	11766,8091 litre	O
450	CM	95	CM	24 LEVEL CM	934,6762 litre	7,326 %	11824,1170 litre	O
450	CM	95	CM	23 LEVEL CM	878,3808 litre	6,885 %	11880,4124 litre	O
450	CM	95	CM	22 LEVEL CM	823,1312 litre	6,451 %	11935,6620 litre	O
450	CM	95	CM	21 LEVEL CM	768,9623 litre	6,027 %	11989,8309 litre	O
450	CM	95	CM	20 LEVEL CM	715,9117 litre	5,611 %	12042,8815 litre	O
450	CM	95	CM	19 LEVEL CM	664,0189 litre	5,204 %	12094,7743 litre	O
450	CM	95	CM	18 LEVEL CM	613,3263 litre	4,807 %	12145,4669 litre	O
450	CM	95	CM	17 LEVEL CM	563,8795 litre	4,420 %	12194,9137 litre	O
450	CM	95	CM	16 LEVEL CM	515,7275 litre	4,042 %	12243,0657 litre	O
450	CM	95	CM	15 LEVEL CM	468,9234 litre	3,675 %	12289,8698 litre	O
450	CM	95	CM	14 LEVEL CM	423,5251 litre	3,319 %	12335,2681 litre	O
450	CM	95	CM	13 LEVEL CM	379,5959 litre	2,975 %	12379,1973 litre	O
450	CM	95	CM	12 LEVEL CM	337,2059 litre	2,643 %	12421,5873 litre	O
450	CM	95	CM	11 LEVEL CM	296,4330 litre	2,323 %	12462,3602 litre	O
450	CM	95	CM	10 LEVEL CM	257,3648 litre	2,017 %	12501,4284 litre	O
450	CM	95	CM	9 LEVEL CM	220,1010 litre	1,725 %	12538,6922 litre	O
450	CM	95	CM	8 LEVEL CM	184,7565 litre	1,448 %	12574,0367 litre	O
450	CM	95	CM	7 LEVEL CM	151,4663 litre	1,187 %	12607,3269 litre	O
450	CM	95	CM	6 LEVEL CM	120,3919 litre	0,944 %	12638,4013 litre	O
450	CM	95	CM	5 LEVEL CM	91,7327 litre	0,719 %	12667,0605 litre	O
450	CM	95	CM	4 LEVEL CM	65,7440 litre	0,515 %	12693,0492 litre	O
450	CM	95	CM	3 LEVEL CM	42,7703 litre	0,335 %	12716,0229 litre	O
450	CM	95	CM	2 LEVEL CM	23,3183 litre	0,183 %	12735,4749 litre	O
450	CM	95	CM	1 LEVEL CM	8,2574 litre	0,065 %	12750,5358 litre	O
450	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	12758,7932 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
450	CM	90	CM	180 LEVEL CM	11451,1052 litre	100,000 %	0,0000 litre	O
450	CM	90	CM	179 LEVEL CM	11443,0688 litre	99,930 %	8,0364 litre	O
450	CM	90	CM	178 LEVEL CM	11428,4129 litre	99,802 %	22,6923 litre	O
450	CM	90	CM	177 LEVEL CM	11409,4868 litre	99,637 %	41,6184 litre	O
450	CM	90	CM	176 LEVEL CM	11387,1375 litre	99,441 %	63,9677 litre	O
450	CM	90	CM	175 LEVEL CM	11361,8590 litre	99,221 %	89,2462 litre	O
450	CM	90	CM	174 LEVEL CM	11333,9874 litre	98,977 %	117,1178 litre	O
450	CM	90	CM	173 LEVEL CM	11303,7716 litre	98,713 %	147,3336 litre	O
450	CM	90	CM	172 LEVEL CM	11271,4063 litre	98,431 %	179,6989 litre	O
450	CM	90	CM	171 LEVEL CM	11237,0493 litre	98,131 %	214,0559 litre	O
450	CM	90	CM	170 LEVEL CM	11200,8324 litre	97,814 %	250,2728 litre	O
450	CM	90	CM	169 LEVEL CM	11162,8681 litre	97,483 %	288,2371 litre	O
450	CM	90	CM	168 LEVEL CM	11123,2538 litre	97,137 %	327,8514 litre	O
450	CM	90	CM	167 LEVEL CM	11082,0752 litre	96,777 %	369,0300 litre	O
450	CM	90	CM	166 LEVEL CM	11039,4087 litre	96,405 %	411,6965 litre	O
450	CM	90	CM	165 LEVEL CM	10995,3227 litre	96,020 %	455,7825 litre	O
450	CM	90	CM	164 LEVEL CM	10949,8795 litre	95,623 %	501,2257 litre	O
450	CM	90	CM	163 LEVEL CM	10903,1358 litre	95,215 %	547,9694 litre	O
450	CM	90	CM	162 LEVEL CM	10855,1437 litre	94,796 %	595,9615 litre	O
450	CM	90	CM	161 LEVEL CM	10805,9513 litre	94,366 %	645,1539 litre	O
450	CM	90	CM	160 LEVEL CM	10755,6032 litre	93,926 %	695,5020 litre	O
450	CM	90	CM	159 LEVEL CM	10704,1413 litre	93,477 %	746,9639 litre	O
450	CM	90	CM	158 LEVEL CM	10651,6045 litre	93,018 %	799,5007 litre	O
450	CM	90	CM	157 LEVEL CM	10598,0295 litre	92,550 %	853,0757 litre	O
450	CM	90	CM	156 LEVEL CM	10543,4508 litre	92,074 %	907,6544 litre	O
450	CM	90	CM	155 LEVEL CM	10487,9013 litre	91,589 %	963,2039 litre	O
450	CM	90	CM	154 LEVEL CM	10431,4118 litre	91,095 %	1019,6934 litre	O
450	CM	90	CM	153 LEVEL CM	10374,0119 litre	90,594 %	1077,0933 litre	O
450	CM	90	CM	152 LEVEL CM	10315,7298 litre	90,085 %	1135,3754 litre	O
450	CM	90	CM	151 LEVEL CM	10256,5923 litre	89,569 %	1194,5129 litre	O
450	CM	90	CM	150 LEVEL CM	10196,6250 litre	89,045 %	1254,4802 litre	O
450	CM	90	CM	149 LEVEL CM	10135,8526 litre	88,514 %	1315,2526 litre	O
450	CM	90	CM	148 LEVEL CM	10074,2989 litre	87,977 %	1376,8063 litre	O
450	CM	90	CM	147 LEVEL CM	10011,9866 litre	87,432 %	1439,1186 litre	O
450	CM	90	CM	146 LEVEL CM	9948,9377 litre	86,882 %	1502,1675 litre	O
450	CM	90	CM	145 LEVEL CM	9885,1734 litre	86,325 %	1565,9318 litre	O
450	CM	90	CM	144 LEVEL CM	9820,7142 litre	85,762 %	1630,3910 litre	O
450	CM	90	CM	143 LEVEL CM	9755,5799 litre	85,193 %	1695,5253 litre	O
450	CM	90	CM	142 LEVEL CM	9689,7898 litre	84,619 %	1761,3154 litre	O
450	CM	90	CM	141 LEVEL CM	9623,3626 litre	84,039 %	1827,7426 litre	O
450	CM	90	CM	140 LEVEL CM	9556,3163 litre	83,453 %	1894,7889 litre	O
450	CM	90	CM	139 LEVEL CM	9488,6687 litre	82,862 %	1962,4365 litre	O
450	CM	90	CM	138 LEVEL CM	9420,4369 litre	82,267 %	2030,6683 litre	O
450	CM	90	CM	137 LEVEL CM	9351,6376 litre	81,666 %	2099,4676 litre	O
450	CM	90	CM	136 LEVEL CM	9282,2871 litre	81,060 %	2168,8181 litre	O
450	CM	90	CM	135 LEVEL CM	9212,4014 litre	80,450 %	2238,7038 litre	O
450	CM	90	CM	134 LEVEL CM	9141,9961 litre	79,835 %	2309,1091 litre	O
450	CM	90	CM	133 LEVEL CM	9071,0864 litre	79,216 %	2380,0188 litre	O
450	CM	90	CM	132 LEVEL CM	8999,6872 litre	78,592 %	2451,4180 litre	O
450	CM	90	CM	131 LEVEL CM	8927,8130 litre	77,965 %	2523,2922 litre	O
450	CM	90	CM	130 LEVEL CM	8855,4783 litre	77,333 %	2595,6269 litre	O
450	CM	90	CM	129 LEVEL CM	8782,6970 litre	76,697 %	2668,4082 litre	O

450	CM	90	CM	128 LEVEL CM	8709,4830 litre	76,058 %	2741,6222 litre	O
450	CM	90	CM	127 LEVEL CM	8635,8497 litre	75,415 %	2815,2555 litre	O
450	CM	90	CM	126 LEVEL CM	8561,8106 litre	74,768 %	2889,2946 litre	O
450	CM	90	CM	125 LEVEL CM	8487,3786 litre	74,118 %	2963,7266 litre	O
450	CM	90	CM	124 LEVEL CM	8412,5667 litre	73,465 %	3038,5385 litre	O
450	CM	90	CM	123 LEVEL CM	8337,3876 litre	72,809 %	3113,7176 litre	O
450	CM	90	CM	122 LEVEL CM	8261,8538 litre	72,149 %	3189,2514 litre	O
450	CM	90	CM	121 LEVEL CM	8185,9776 litre	71,486 %	3265,1276 litre	O
450	CM	90	CM	120 LEVEL CM	8109,7711 litre	70,821 %	3341,3341 litre	O
450	CM	90	CM	119 LEVEL CM	8033,2465 litre	70,153 %	3417,8587 litre	O
450	CM	90	CM	118 LEVEL CM	7956,4155 litre	69,482 %	3494,6897 litre	O
450	CM	90	CM	117 LEVEL CM	7879,2899 litre	68,808 %	3571,8153 litre	O
450	CM	90	CM	116 LEVEL CM	7801,8812 litre	68,132 %	3649,2240 litre	O
450	CM	90	CM	115 LEVEL CM	7724,2009 litre	67,454 %	3726,9043 litre	O
450	CM	90	CM	114 LEVEL CM	7646,2604 litre	66,773 %	3804,8448 litre	O
450	CM	90	CM	113 LEVEL CM	7568,0708 litre	66,090 %	3883,0344 litre	O
450	CM	90	CM	112 LEVEL CM	7489,6434 litre	65,405 %	3961,4618 litre	O
450	CM	90	CM	111 LEVEL CM	7410,9890 litre	64,719 %	4040,1162 litre	O
450	CM	90	CM	110 LEVEL CM	7332,1187 litre	64,030 %	4118,9865 litre	O
450	CM	90	CM	109 LEVEL CM	7253,0433 litre	63,339 %	4198,0619 litre	O
450	CM	90	CM	108 LEVEL CM	7173,7734 litre	62,647 %	4277,3318 litre	O
450	CM	90	CM	107 LEVEL CM	7094,3199 litre	61,953 %	4356,7853 litre	O
450	CM	90	CM	106 LEVEL CM	7014,6932 litre	61,258 %	4436,4120 litre	O
450	CM	90	CM	105 LEVEL CM	6934,9039 litre	60,561 %	4516,2013 litre	O
450	CM	90	CM	104 LEVEL CM	6854,9625 litre	59,863 %	4596,1427 litre	O
450	CM	90	CM	103 LEVEL CM	6774,8794 litre	59,164 %	4676,2258 litre	O
450	CM	90	CM	102 LEVEL CM	6694,6649 litre	58,463 %	4756,4403 litre	O
450	CM	90	CM	101 LEVEL CM	6614,3293 litre	57,761 %	4836,7759 litre	O
450	CM	90	CM	100 LEVEL CM	6533,8828 litre	57,059 %	4917,2224 litre	O
450	CM	90	CM	99 LEVEL CM	6453,3358 litre	56,356 %	4997,7694 litre	O
450	CM	90	CM	98 LEVEL CM	6372,6983 litre	55,651 %	5078,4069 litre	O
450	CM	90	CM	97 LEVEL CM	6291,9804 litre	54,946 %	5159,1248 litre	O
450	CM	90	CM	96 LEVEL CM	6211,1924 litre	54,241 %	5239,9128 litre	O
450	CM	90	CM	95 LEVEL CM	6130,3442 litre	53,535 %	5320,7610 litre	O
450	CM	90	CM	94 LEVEL CM	6049,4459 litre	52,828 %	5401,6593 litre	O
450	CM	90	CM	93 LEVEL CM	5968,5076 litre	52,122 %	5482,5976 litre	O
450	CM	90	CM	92 LEVEL CM	5887,5393 litre	51,415 %	5563,5659 litre	O
450	CM	90	CM	91 LEVEL CM	5806,5509 litre	50,707 %	5644,5543 litre	O
450	CM	90	CM	90 LEVEL CM	5725,5526 litre	50,000 %	5725,5526 litre	O
450	CM	90	CM	89 LEVEL CM	5644,5543 litre	49,293 %	5806,5509 litre	O
450	CM	90	CM	88 LEVEL CM	5563,5659 litre	48,585 %	5887,5393 litre	O
450	CM	90	CM	87 LEVEL CM	5482,5976 litre	47,878 %	5968,5076 litre	O
450	CM	90	CM	86 LEVEL CM	5401,6593 litre	47,172 %	6049,4459 litre	O
450	CM	90	CM	85 LEVEL CM	5320,7610 litre	46,465 %	6130,3442 litre	O
450	CM	90	CM	84 LEVEL CM	5239,9129 litre	45,759 %	6211,1923 litre	O
450	CM	90	CM	83 LEVEL CM	5159,1248 litre	45,054 %	6291,9804 litre	O
450	CM	90	CM	82 LEVEL CM	5078,4070 litre	44,349 %	6372,6982 litre	O
450	CM	90	CM	81 LEVEL CM	4997,7694 litre	43,644 %	6453,3358 litre	O
450	CM	90	CM	80 LEVEL CM	4917,2224 litre	42,941 %	6533,8828 litre	O
450	CM	90	CM	79 LEVEL CM	4836,7759 litre	42,239 %	6614,3293 litre	O
450	CM	90	CM	78 LEVEL CM	4756,4403 litre	41,537 %	6694,6649 litre	O
450	CM	90	CM	77 LEVEL CM	4676,2258 litre	40,836 %	6774,8794 litre	O
450	CM	90	CM	76 LEVEL CM	4596,1427 litre	40,137 %	6854,9625 litre	O

450	CM	90	CM	75 LEVEL CM	4516,2013 litre	39,439 %	6934,9039 litre	O
450	CM	90	CM	74 LEVEL CM	4436,4120 litre	38,742 %	7014,6932 litre	O
450	CM	90	CM	73 LEVEL CM	4356,7853 litre	38,047 %	7094,3199 litre	O
450	CM	90	CM	72 LEVEL CM	4277,3318 litre	37,353 %	7173,7734 litre	O
450	CM	90	CM	71 LEVEL CM	4198,0619 litre	36,661 %	7253,0433 litre	O
450	CM	90	CM	70 LEVEL CM	4118,9865 litre	35,970 %	7332,1187 litre	O
450	CM	90	CM	69 LEVEL CM	4040,1162 litre	35,281 %	7410,9890 litre	O
450	CM	90	CM	68 LEVEL CM	3961,4618 litre	34,595 %	7489,6434 litre	O
450	CM	90	CM	67 LEVEL CM	3883,0344 litre	33,910 %	7568,0708 litre	O
450	CM	90	CM	66 LEVEL CM	3804,8448 litre	33,227 %	7646,2604 litre	O
450	CM	90	CM	65 LEVEL CM	3726,9043 litre	32,546 %	7724,2009 litre	O
450	CM	90	CM	64 LEVEL CM	3649,2240 litre	31,868 %	7801,8812 litre	O
450	CM	90	CM	63 LEVEL CM	3571,8154 litre	31,192 %	7879,2898 litre	O
450	CM	90	CM	62 LEVEL CM	3494,6897 litre	30,518 %	7956,4155 litre	O
450	CM	90	CM	61 LEVEL CM	3417,8587 litre	29,847 %	8033,2465 litre	O
450	CM	90	CM	60 LEVEL CM	3341,3341 litre	29,179 %	8109,7711 litre	O
450	CM	90	CM	59 LEVEL CM	3265,1277 litre	28,514 %	8185,9775 litre	O
450	CM	90	CM	58 LEVEL CM	3189,2514 litre	27,851 %	8261,8538 litre	O
450	CM	90	CM	57 LEVEL CM	3113,7176 litre	27,191 %	8337,3876 litre	O
450	CM	90	CM	56 LEVEL CM	3038,5385 litre	26,535 %	8412,5667 litre	O
450	CM	90	CM	55 LEVEL CM	2963,7266 litre	25,882 %	8487,3786 litre	O
450	CM	90	CM	54 LEVEL CM	2889,2946 litre	25,232 %	8561,8106 litre	O
450	CM	90	CM	53 LEVEL CM	2815,2555 litre	24,585 %	8635,8497 litre	O
450	CM	90	CM	52 LEVEL CM	2741,6222 litre	23,942 %	8709,4830 litre	O
450	CM	90	CM	51 LEVEL CM	2668,4082 litre	23,303 %	8782,6970 litre	O
450	CM	90	CM	50 LEVEL CM	2595,6269 litre	22,667 %	8855,4783 litre	O
450	CM	90	CM	49 LEVEL CM	2523,2922 litre	22,035 %	8927,8130 litre	O
450	CM	90	CM	48 LEVEL CM	2451,4181 litre	21,408 %	8999,6871 litre	O
450	CM	90	CM	47 LEVEL CM	2380,0188 litre	20,784 %	9071,0864 litre	O
450	CM	90	CM	46 LEVEL CM	2309,1091 litre	20,165 %	9141,9961 litre	O
450	CM	90	CM	45 LEVEL CM	2238,7038 litre	19,550 %	9212,4014 litre	O
450	CM	90	CM	44 LEVEL CM	2168,8181 litre	18,940 %	9282,2871 litre	O
450	CM	90	CM	43 LEVEL CM	2099,4677 litre	18,334 %	9351,6375 litre	O
450	CM	90	CM	42 LEVEL CM	2030,6684 litre	17,733 %	9420,4368 litre	O
450	CM	90	CM	41 LEVEL CM	1962,4365 litre	17,138 %	9488,6687 litre	O
450	CM	90	CM	40 LEVEL CM	1894,7889 litre	16,547 %	9556,3163 litre	O
450	CM	90	CM	39 LEVEL CM	1827,7427 litre	15,961 %	9623,3625 litre	O
450	CM	90	CM	38 LEVEL CM	1761,3154 litre	15,381 %	9689,7898 litre	O
450	CM	90	CM	37 LEVEL CM	1695,5253 litre	14,807 %	9755,5799 litre	O
450	CM	90	CM	36 LEVEL CM	1630,3911 litre	14,238 %	9820,7141 litre	O
450	CM	90	CM	35 LEVEL CM	1565,9319 litre	13,675 %	9885,1733 litre	O
450	CM	90	CM	34 LEVEL CM	1502,1675 litre	13,118 %	9948,9377 litre	O
450	CM	90	CM	33 LEVEL CM	1439,1186 litre	12,568 %	10011,9866 litre	O
450	CM	90	CM	32 LEVEL CM	1376,8063 litre	12,023 %	10074,2989 litre	O
450	CM	90	CM	31 LEVEL CM	1315,2526 litre	11,486 %	10135,8526 litre	O
450	CM	90	CM	30 LEVEL CM	1254,4802 litre	10,955 %	10196,6250 litre	O
450	CM	90	CM	29 LEVEL CM	1194,5130 litre	10,431 %	10256,5922 litre	O
450	CM	90	CM	28 LEVEL CM	1135,3754 litre	9,915 %	10315,7298 litre	O
450	CM	90	CM	27 LEVEL CM	1077,0933 litre	9,406 %	10374,0119 litre	O
450	CM	90	CM	26 LEVEL CM	1019,6934 litre	8,905 %	10431,4118 litre	O
450	CM	90	CM	25 LEVEL CM	963,2040 litre	8,411 %	10487,9012 litre	O
450	CM	90	CM	24 LEVEL CM	907,6544 litre	7,926 %	10543,4508 litre	O
450	CM	90	CM	23 LEVEL CM	853,0758 litre	7,450 %	10598,0294 litre	O

450	CM	90	CM	22 LEVEL CM	799,5007 litre	6,982 %	10651,6045 litre	O
450	CM	90	CM	21 LEVEL CM	746,9639 litre	6,523 %	10704,1413 litre	O
450	CM	90	CM	20 LEVEL CM	695,5020 litre	6,074 %	10755,6032 litre	O
450	CM	90	CM	19 LEVEL CM	645,1540 litre	5,634 %	10805,9512 litre	O
450	CM	90	CM	18 LEVEL CM	595,9615 litre	5,204 %	10855,1437 litre	O
450	CM	90	CM	17 LEVEL CM	547,9694 litre	4,785 %	10903,1358 litre	O
450	CM	90	CM	16 LEVEL CM	501,2257 litre	4,377 %	10949,8795 litre	O
450	CM	90	CM	15 LEVEL CM	455,7825 litre	3,980 %	10995,3227 litre	O
450	CM	90	CM	14 LEVEL CM	411,6966 litre	3,595 %	11039,4086 litre	O
450	CM	90	CM	13 LEVEL CM	369,0300 litre	3,223 %	11082,0752 litre	O
450	CM	90	CM	12 LEVEL CM	327,8514 litre	2,863 %	11123,2538 litre	O
450	CM	90	CM	11 LEVEL CM	288,2371 litre	2,517 %	11162,8681 litre	O
450	CM	90	CM	10 LEVEL CM	250,2728 litre	2,186 %	11200,8324 litre	O
450	CM	90	CM	9 LEVEL CM	214,0559 litre	1,869 %	11237,0493 litre	O
450	CM	90	CM	8 LEVEL CM	179,6989 litre	1,569 %	11271,4063 litre	O
450	CM	90	CM	7 LEVEL CM	147,3336 litre	1,287 %	11303,7716 litre	O
450	CM	90	CM	6 LEVEL CM	117,1179 litre	1,023 %	11333,9873 litre	O
450	CM	90	CM	5 LEVEL CM	89,2462 litre	0,779 %	11361,8590 litre	O
450	CM	90	CM	4 LEVEL CM	63,9677 litre	0,559 %	11387,1375 litre	O
450	CM	90	CM	3 LEVEL CM	41,6185 litre	0,363 %	11409,4867 litre	O
450	CM	90	CM	2 LEVEL CM	22,6924 litre	0,198 %	11428,4128 litre	O
450	CM	90	CM	1 LEVEL CM	8,0364 litre	0,070 %	11443,0688 litre	O
450	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	11451,1052 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
450	CM	85	CM	170 LEVEL CM	10214,1031 litre	100,000 %	0,0000 litre	O
450	CM	85	CM	169 LEVEL CM	10206,2939 litre	99,924 %	7,8092 litre	O
450	CM	85	CM	168 LEVEL CM	10192,0545 litre	99,784 %	22,0486 litre	O
450	CM	85	CM	167 LEVEL CM	10173,6693 litre	99,604 %	40,4338 litre	O
450	CM	85	CM	166 LEVEL CM	10151,9624 litre	99,392 %	62,1407 litre	O
450	CM	85	CM	165 LEVEL CM	10127,4147 litre	99,151 %	86,6884 litre	O
450	CM	85	CM	164 LEVEL CM	10100,3535 litre	98,886 %	113,7496 litre	O
450	CM	85	CM	163 LEVEL CM	10071,0215 litre	98,599 %	143,0816 litre	O
450	CM	85	CM	162 LEVEL CM	10039,6083 litre	98,292 %	174,4948 litre	O
450	CM	85	CM	161 LEVEL CM	10006,2680 litre	97,965 %	207,8351 litre	O
450	CM	85	CM	160 LEVEL CM	9971,1294 litre	97,621 %	242,9737 litre	O
450	CM	85	CM	159 LEVEL CM	9934,3020 litre	97,261 %	279,8011 litre	O
450	CM	85	CM	158 LEVEL CM	9895,8811 litre	96,884 %	318,2220 litre	O
450	CM	85	CM	157 LEVEL CM	9855,9507 litre	96,494 %	358,1524 litre	O
450	CM	85	CM	156 LEVEL CM	9814,5853 litre	96,089 %	399,5178 litre	O
450	CM	85	CM	155 LEVEL CM	9771,8521 litre	95,670 %	442,2510 litre	O
450	CM	85	CM	154 LEVEL CM	9727,8118 litre	95,239 %	486,2913 litre	O
450	CM	85	CM	153 LEVEL CM	9682,5201 litre	94,796 %	531,5830 litre	O
450	CM	85	CM	152 LEVEL CM	9636,0281 litre	94,340 %	578,0750 litre	O
450	CM	85	CM	151 LEVEL CM	9588,3831 litre	93,874 %	625,7200 litre	O
450	CM	85	CM	150 LEVEL CM	9539,6288 litre	93,397 %	674,4743 litre	O
450	CM	85	CM	149 LEVEL CM	9489,8062 litre	92,909 %	724,2969 litre	O
450	CM	85	CM	148 LEVEL CM	9438,9537 litre	92,411 %	775,1494 litre	O
450	CM	85	CM	147 LEVEL CM	9387,1074 litre	91,903 %	826,9957 litre	O
450	CM	85	CM	146 LEVEL CM	9334,3013 litre	91,386 %	879,8018 litre	O
450	CM	85	CM	145 LEVEL CM	9280,5676 litre	90,860 %	933,5355 litre	O
450	CM	85	CM	144 LEVEL CM	9225,9369 litre	90,325 %	988,1662 litre	O
450	CM	85	CM	143 LEVEL CM	9170,4382 litre	89,782 %	1043,6649 litre	O
450	CM	85	CM	142 LEVEL CM	9114,0994 litre	89,231 %	1100,0037 litre	O
450	CM	85	CM	141 LEVEL CM	9056,9469 litre	88,671 %	1157,1562 litre	O
450	CM	85	CM	140 LEVEL CM	8999,0062 litre	88,104 %	1215,0969 litre	O
450	CM	85	CM	139 LEVEL CM	8940,3016 litre	87,529 %	1273,8015 litre	O
450	CM	85	CM	138 LEVEL CM	8880,8565 litre	86,947 %	1333,2466 litre	O
450	CM	85	CM	137 LEVEL CM	8820,6936 litre	86,358 %	1393,4095 litre	O
450	CM	85	CM	136 LEVEL CM	8759,8345 litre	85,762 %	1454,2686 litre	O
450	CM	85	CM	135 LEVEL CM	8698,3005 litre	85,160 %	1515,8026 litre	O
450	CM	85	CM	134 LEVEL CM	8636,1117 litre	84,551 %	1577,9914 litre	O
450	CM	85	CM	133 LEVEL CM	8573,2879 litre	83,936 %	1640,8152 litre	O
450	CM	85	CM	132 LEVEL CM	8509,8482 litre	83,315 %	1704,2549 litre	O
450	CM	85	CM	131 LEVEL CM	8445,8113 litre	82,688 %	1768,2918 litre	O
450	CM	85	CM	130 LEVEL CM	8381,1951 litre	82,055 %	1832,9080 litre	O
450	CM	85	CM	129 LEVEL CM	8316,0172 litre	81,417 %	1898,0859 litre	O
450	CM	85	CM	128 LEVEL CM	8250,2948 litre	80,774 %	1963,8083 litre	O
450	CM	85	CM	127 LEVEL CM	8184,0445 litre	80,125 %	2030,0586 litre	O
450	CM	85	CM	126 LEVEL CM	8117,2827 litre	79,471 %	2096,8204 litre	O
450	CM	85	CM	125 LEVEL CM	8050,0253 litre	78,813 %	2164,0778 litre	O
450	CM	85	CM	124 LEVEL CM	7982,2879 litre	78,150 %	2231,8152 litre	O
450	CM	85	CM	123 LEVEL CM	7914,0857 litre	77,482 %	2300,0174 litre	O
450	CM	85	CM	122 LEVEL CM	7845,4336 litre	76,810 %	2368,6695 litre	O
450	CM	85	CM	121 LEVEL CM	7776,3464 litre	76,133 %	2437,7567 litre	O
450	CM	85	CM	120 LEVEL CM	7706,8384 litre	75,453 %	2507,2647 litre	O
450	CM	85	CM	119 LEVEL CM	7636,9236 litre	74,768 %	2577,1795 litre	O

450	CM	85	CM	118 LEVEL CM	7566,6161 litre	74,080 %	2647,4870 litre	O
450	CM	85	CM	117 LEVEL CM	7495,9294 litre	73,388 %	2718,1737 litre	O
450	CM	85	CM	116 LEVEL CM	7424,8770 litre	72,692 %	2789,2261 litre	O
450	CM	85	CM	115 LEVEL CM	7353,4720 litre	71,993 %	2860,6311 litre	O
450	CM	85	CM	114 LEVEL CM	7281,7275 litre	71,291 %	2932,3756 litre	O
450	CM	85	CM	113 LEVEL CM	7209,6564 litre	70,585 %	3004,4467 litre	O
450	CM	85	CM	112 LEVEL CM	7137,2712 litre	69,877 %	3076,8319 litre	O
450	CM	85	CM	111 LEVEL CM	7064,5845 litre	69,165 %	3149,5186 litre	O
450	CM	85	CM	110 LEVEL CM	6991,6087 litre	68,451 %	3222,4944 litre	O
450	CM	85	CM	109 LEVEL CM	6918,3559 litre	67,733 %	3295,7472 litre	O
450	CM	85	CM	108 LEVEL CM	6844,8382 litre	67,014 %	3369,2649 litre	O
450	CM	85	CM	107 LEVEL CM	6771,0675 litre	66,291 %	3443,0356 litre	O
450	CM	85	CM	106 LEVEL CM	6697,0556 litre	65,567 %	3517,0475 litre	O
450	CM	85	CM	105 LEVEL CM	6622,8143 litre	64,840 %	3591,2888 litre	O
450	CM	85	CM	104 LEVEL CM	6548,3551 litre	64,111 %	3665,7480 litre	O
450	CM	85	CM	103 LEVEL CM	6473,6894 litre	63,380 %	3740,4137 litre	O
450	CM	85	CM	102 LEVEL CM	6398,8288 litre	62,647 %	3815,2743 litre	O
450	CM	85	CM	101 LEVEL CM	6323,7844 litre	61,912 %	3890,3187 litre	O
450	CM	85	CM	100 LEVEL CM	6248,5675 litre	61,176 %	3965,5356 litre	O
450	CM	85	CM	99 LEVEL CM	6173,1893 litre	60,438 %	4040,9138 litre	O
450	CM	85	CM	98 LEVEL CM	6097,6608 litre	59,698 %	4116,4423 litre	O
450	CM	85	CM	97 LEVEL CM	6021,9930 litre	58,958 %	4192,1101 litre	O
450	CM	85	CM	96 LEVEL CM	5946,1968 litre	58,216 %	4267,9063 litre	O
450	CM	85	CM	95 LEVEL CM	5870,2832 litre	57,472 %	4343,8199 litre	O
450	CM	85	CM	94 LEVEL CM	5794,2629 litre	56,728 %	4419,8402 litre	O
450	CM	85	CM	93 LEVEL CM	5718,1468 litre	55,983 %	4495,9563 litre	O
450	CM	85	CM	92 LEVEL CM	5641,9456 litre	55,237 %	4572,1575 litre	O
450	CM	85	CM	91 LEVEL CM	5565,6701 litre	54,490 %	4648,4330 litre	O
450	CM	85	CM	90 LEVEL CM	5489,3309 litre	53,743 %	4724,7722 litre	O
450	CM	85	CM	89 LEVEL CM	5412,9386 litre	52,995 %	4801,1645 litre	O
450	CM	85	CM	88 LEVEL CM	5336,5039 litre	52,246 %	4877,5992 litre	O
450	CM	85	CM	87 LEVEL CM	5260,0374 litre	51,498 %	4954,0657 litre	O
450	CM	85	CM	86 LEVEL CM	5183,5498 litre	50,749 %	5030,5533 litre	O
450	CM	85	CM	85 LEVEL CM	5107,0516 litre	50,000 %	5107,0515 litre	O
450	CM	85	CM	84 LEVEL CM	5030,5533 litre	49,251 %	5183,5498 litre	O
450	CM	85	CM	83 LEVEL CM	4954,0657 litre	48,502 %	5260,0374 litre	O
450	CM	85	CM	82 LEVEL CM	4877,5992 litre	47,754 %	5336,5039 litre	O
450	CM	85	CM	81 LEVEL CM	4801,1645 litre	47,005 %	5412,9386 litre	O
450	CM	85	CM	80 LEVEL CM	4724,7723 litre	46,257 %	5489,3308 litre	O
450	CM	85	CM	79 LEVEL CM	4648,4330 litre	45,510 %	5565,6701 litre	O
450	CM	85	CM	78 LEVEL CM	4572,1575 litre	44,763 %	5641,9456 litre	O
450	CM	85	CM	77 LEVEL CM	4495,9563 litre	44,017 %	5718,1468 litre	O
450	CM	85	CM	76 LEVEL CM	4419,8402 litre	43,272 %	5794,2629 litre	O
450	CM	85	CM	75 LEVEL CM	4343,8199 litre	42,528 %	5870,2832 litre	O
450	CM	85	CM	74 LEVEL CM	4267,9063 litre	41,784 %	5946,1968 litre	O
450	CM	85	CM	73 LEVEL CM	4192,1102 litre	41,042 %	6021,9929 litre	O
450	CM	85	CM	72 LEVEL CM	4116,4423 litre	40,302 %	6097,6608 litre	O
450	CM	85	CM	71 LEVEL CM	4040,9138 litre	39,562 %	6173,1893 litre	O
450	CM	85	CM	70 LEVEL CM	3965,5356 litre	38,824 %	6248,5675 litre	O
450	CM	85	CM	69 LEVEL CM	3890,3187 litre	38,088 %	6323,7844 litre	O
450	CM	85	CM	68 LEVEL CM	3815,2743 litre	37,353 %	6398,8288 litre	O
450	CM	85	CM	67 LEVEL CM	3740,4137 litre	36,620 %	6473,6894 litre	O
450	CM	85	CM	66 LEVEL CM	3665,7481 litre	35,889 %	6548,3550 litre	O

450	CM	85	CM	65 LEVEL CM	3591,2888 litre	35,160 %	6622,8143 litre	O
450	CM	85	CM	64 LEVEL CM	3517,0475 litre	34,433 %	6697,0556 litre	O
450	CM	85	CM	63 LEVEL CM	3443,0356 litre	33,709 %	6771,0675 litre	O
450	CM	85	CM	62 LEVEL CM	3369,2649 litre	32,986 %	6844,8382 litre	O
450	CM	85	CM	61 LEVEL CM	3295,7472 litre	32,267 %	6918,3559 litre	O
450	CM	85	CM	60 LEVEL CM	3222,4944 litre	31,549 %	6991,6087 litre	O
450	CM	85	CM	59 LEVEL CM	3149,5186 litre	30,835 %	7064,5845 litre	O
450	CM	85	CM	58 LEVEL CM	3076,8319 litre	30,123 %	7137,2712 litre	O
450	CM	85	CM	57 LEVEL CM	3004,4467 litre	29,415 %	7209,6564 litre	O
450	CM	85	CM	56 LEVEL CM	2932,3756 litre	28,709 %	7281,7275 litre	O
450	CM	85	CM	55 LEVEL CM	2860,6311 litre	28,007 %	7353,4720 litre	O
450	CM	85	CM	54 LEVEL CM	2789,2261 litre	27,308 %	7424,8770 litre	O
450	CM	85	CM	53 LEVEL CM	2718,1737 litre	26,612 %	7495,9294 litre	O
450	CM	85	CM	52 LEVEL CM	2647,4870 litre	25,920 %	7566,6161 litre	O
450	CM	85	CM	51 LEVEL CM	2577,1795 litre	25,232 %	7636,9236 litre	O
450	CM	85	CM	50 LEVEL CM	2507,2648 litre	24,547 %	7706,8383 litre	O
450	CM	85	CM	49 LEVEL CM	2437,7567 litre	23,867 %	7776,3464 litre	O
450	CM	85	CM	48 LEVEL CM	2368,6695 litre	23,190 %	7845,4336 litre	O
450	CM	85	CM	47 LEVEL CM	2300,0175 litre	22,518 %	7914,0856 litre	O
450	CM	85	CM	46 LEVEL CM	2231,8152 litre	21,850 %	7982,2879 litre	O
450	CM	85	CM	45 LEVEL CM	2164,0778 litre	21,187 %	8050,0253 litre	O
450	CM	85	CM	44 LEVEL CM	2096,8204 litre	20,529 %	8117,2827 litre	O
450	CM	85	CM	43 LEVEL CM	2030,0586 litre	19,875 %	8184,0445 litre	O
450	CM	85	CM	42 LEVEL CM	1963,8083 litre	19,226 %	8250,2948 litre	O
450	CM	85	CM	41 LEVEL CM	1898,0859 litre	18,583 %	8316,0172 litre	O
450	CM	85	CM	40 LEVEL CM	1832,9080 litre	17,945 %	8381,1951 litre	O
450	CM	85	CM	39 LEVEL CM	1768,2918 litre	17,312 %	8445,8113 litre	O
450	CM	85	CM	38 LEVEL CM	1704,2549 litre	16,685 %	8509,8482 litre	O
450	CM	85	CM	37 LEVEL CM	1640,8152 litre	16,064 %	8573,2879 litre	O
450	CM	85	CM	36 LEVEL CM	1577,9914 litre	15,449 %	8636,1117 litre	O
450	CM	85	CM	35 LEVEL CM	1515,8027 litre	14,840 %	8698,3004 litre	O
450	CM	85	CM	34 LEVEL CM	1454,2686 litre	14,238 %	8759,8345 litre	O
450	CM	85	CM	33 LEVEL CM	1393,4096 litre	13,642 %	8820,6935 litre	O
450	CM	85	CM	32 LEVEL CM	1333,2466 litre	13,053 %	8880,8565 litre	O
450	CM	85	CM	31 LEVEL CM	1273,8016 litre	12,471 %	8940,3015 litre	O
450	CM	85	CM	30 LEVEL CM	1215,0969 litre	11,896 %	8999,0062 litre	O
450	CM	85	CM	29 LEVEL CM	1157,1562 litre	11,329 %	9056,9469 litre	O
450	CM	85	CM	28 LEVEL CM	1100,0037 litre	10,769 %	9114,0994 litre	O
450	CM	85	CM	27 LEVEL CM	1043,6649 litre	10,218 %	9170,4382 litre	O
450	CM	85	CM	26 LEVEL CM	988,1662 litre	9,675 %	9225,9369 litre	O
450	CM	85	CM	25 LEVEL CM	933,5355 litre	9,140 %	9280,5676 litre	O
450	CM	85	CM	24 LEVEL CM	879,8018 litre	8,614 %	9334,3013 litre	O
450	CM	85	CM	23 LEVEL CM	826,9957 litre	8,097 %	9387,1074 litre	O
450	CM	85	CM	22 LEVEL CM	775,1494 litre	7,589 %	9438,9537 litre	O
450	CM	85	CM	21 LEVEL CM	724,2969 litre	7,091 %	9489,8062 litre	O
450	CM	85	CM	20 LEVEL CM	674,4743 litre	6,603 %	9539,6288 litre	O
450	CM	85	CM	19 LEVEL CM	625,7200 litre	6,126 %	9588,3831 litre	O
450	CM	85	CM	18 LEVEL CM	578,0750 litre	5,660 %	9636,0281 litre	O
450	CM	85	CM	17 LEVEL CM	531,5830 litre	5,204 %	9682,5201 litre	O
450	CM	85	CM	16 LEVEL CM	486,2913 litre	4,761 %	9727,8118 litre	O
450	CM	85	CM	15 LEVEL CM	442,2511 litre	4,330 %	9771,8520 litre	O
450	CM	85	CM	14 LEVEL CM	399,5178 litre	3,911 %	9814,5853 litre	O
450	CM	85	CM	13 LEVEL CM	358,1524 litre	3,506 %	9855,9507 litre	O

450	CM	85	CM	12 LEVEL CM	318,2220 litre	3,116 %	9895,8811 litre	O
450	CM	85	CM	11 LEVEL CM	279,8011 litre	2,739 %	9934,3020 litre	O
450	CM	85	CM	10 LEVEL CM	242,9738 litre	2,379 %	9971,1293 litre	O
450	CM	85	CM	9 LEVEL CM	207,8351 litre	2,035 %	10006,2680 litre	O
450	CM	85	CM	8 LEVEL CM	174,4948 litre	1,708 %	10039,6083 litre	O
450	CM	85	CM	7 LEVEL CM	143,0817 litre	1,401 %	10071,0214 litre	O
450	CM	85	CM	6 LEVEL CM	113,7496 litre	1,114 %	10100,3535 litre	O
450	CM	85	CM	5 LEVEL CM	86,6884 litre	0,849 %	10127,4147 litre	O
450	CM	85	CM	4 LEVEL CM	62,1407 litre	0,608 %	10151,9624 litre	O
450	CM	85	CM	3 LEVEL CM	40,4338 litre	0,396 %	10173,6693 litre	O
450	CM	85	CM	2 LEVEL CM	22,0486 litre	0,216 %	10192,0545 litre	O
450	CM	85	CM	1 LEVEL CM	7,8092 litre	0,076 %	10206,2939 litre	O
450	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	10214,1031 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
450	CM 80	CM 160 LEVEL CM	9047,7868 litre	100,000 %	0,0000 litre O
450	CM 80	CM 159 LEVEL CM	9040,2116 litre	99,916 %	7,5752 litre O
450	CM 80	CM 158 LEVEL CM	9026,4013 litre	99,764 %	21,3855 litre O
450	CM 80	CM 157 LEVEL CM	9008,5734 litre	99,567 %	39,2134 litre O
450	CM 80	CM 156 LEVEL CM	8987,5285 litre	99,334 %	60,2583 litre O
450	CM 80	CM 155 LEVEL CM	8963,7340 litre	99,071 %	84,0528 litre O
450	CM 80	CM 154 LEVEL CM	8937,5083 litre	98,781 %	110,2785 litre O
450	CM 80	CM 153 LEVEL CM	8909,0875 litre	98,467 %	138,6993 litre O
450	CM 80	CM 152 LEVEL CM	8878,6562 litre	98,131 %	169,1306 litre O
450	CM 80	CM 151 LEVEL CM	8846,3647 litre	97,774 %	201,4221 litre O
450	CM 80	CM 150 LEVEL CM	8812,3383 litre	97,398 %	235,4485 litre O
450	CM 80	CM 149 LEVEL CM	8776,6841 litre	97,004 %	271,1027 litre O
450	CM 80	CM 148 LEVEL CM	8739,4951 litre	96,593 %	308,2917 litre O
450	CM 80	CM 147 LEVEL CM	8700,8531 litre	96,166 %	346,9337 litre O
450	CM 80	CM 146 LEVEL CM	8660,8311 litre	95,723 %	386,9557 litre O
450	CM 80	CM 145 LEVEL CM	8619,4948 litre	95,266 %	428,2920 litre O
450	CM 80	CM 144 LEVEL CM	8576,9036 litre	94,796 %	470,8832 litre O
450	CM 80	CM 143 LEVEL CM	8533,1122 litre	94,312 %	514,6746 litre O
450	CM 80	CM 142 LEVEL CM	8488,1704 litre	93,815 %	559,6164 litre O
450	CM 80	CM 141 LEVEL CM	8442,1246 litre	93,306 %	605,6622 litre O
450	CM 80	CM 140 LEVEL CM	8395,0179 litre	92,785 %	652,7689 litre O
450	CM 80	CM 139 LEVEL CM	8346,8905 litre	92,253 %	700,8963 litre O
450	CM 80	CM 138 LEVEL CM	8297,7801 litre	91,711 %	750,0067 litre O
450	CM 80	CM 137 LEVEL CM	8247,7222 litre	91,157 %	800,0646 litre O
450	CM 80	CM 136 LEVEL CM	8196,7502 litre	90,594 %	851,0366 litre O
450	CM 80	CM 135 LEVEL CM	8144,8959 litre	90,021 %	902,8909 litre O
450	CM 80	CM 134 LEVEL CM	8092,1894 litre	89,438 %	955,5974 litre O
450	CM 80	CM 133 LEVEL CM	8038,6595 litre	88,847 %	1009,1273 litre O
450	CM 80	CM 132 LEVEL CM	7984,3334 litre	88,246 %	1063,4534 litre O
450	CM 80	CM 131 LEVEL CM	7929,2375 litre	87,637 %	1118,5493 litre O
450	CM 80	CM 130 LEVEL CM	7873,3968 litre	87,020 %	1174,3900 litre O
450	CM 80	CM 129 LEVEL CM	7816,8354 litre	86,395 %	1230,9514 litre O
450	CM 80	CM 128 LEVEL CM	7759,5766 litre	85,762 %	1288,2102 litre O
450	CM 80	CM 127 LEVEL CM	7701,6427 litre	85,122 %	1346,1441 litre O
450	CM 80	CM 126 LEVEL CM	7643,0554 litre	84,474 %	1404,7314 litre O
450	CM 80	CM 125 LEVEL CM	7583,8355 litre	83,820 %	1463,9513 litre O
450	CM 80	CM 124 LEVEL CM	7524,0032 litre	83,158 %	1523,7836 litre O
450	CM 80	CM 123 LEVEL CM	7463,5782 litre	82,491 %	1584,2086 litre O
450	CM 80	CM 122 LEVEL CM	7402,5795 litre	81,816 %	1645,2073 litre O
450	CM 80	CM 121 LEVEL CM	7341,0256 litre	81,136 %	1706,7612 litre O
450	CM 80	CM 120 LEVEL CM	7278,9345 litre	80,450 %	1768,8523 litre O
450	CM 80	CM 119 LEVEL CM	7216,3237 litre	79,758 %	1831,4631 litre O
450	CM 80	CM 118 LEVEL CM	7153,2104 litre	79,060 %	1894,5764 litre O
450	CM 80	CM 117 LEVEL CM	7089,6113 litre	78,357 %	1958,1755 litre O
450	CM 80	CM 116 LEVEL CM	7025,5426 litre	77,649 %	2022,2442 litre O
450	CM 80	CM 115 LEVEL CM	6961,0204 litre	76,936 %	2086,7664 litre O
450	CM 80	CM 114 LEVEL CM	6896,0603 litre	76,218 %	2151,7265 litre O
450	CM 80	CM 113 LEVEL CM	6830,6776 litre	75,496 %	2217,1092 litre O
450	CM 80	CM 112 LEVEL CM	6764,8874 litre	74,768 %	2282,8994 litre O
450	CM 80	CM 111 LEVEL CM	6698,7043 litre	74,037 %	2349,0825 litre O
450	CM 80	CM 110 LEVEL CM	6632,1429 litre	73,301 %	2415,6439 litre O
450	CM 80	CM 109 LEVEL CM	6565,2175 litre	72,562 %	2482,5693 litre O

450	CM	80	CM	108 LEVEL CM	6497,9419 litre	71,818 %	2549,8449 litre	O
450	CM	80	CM	107 LEVEL CM	6430,3301 litre	71,071 %	2617,4567 litre	O
450	CM	80	CM	106 LEVEL CM	6362,3955 litre	70,320 %	2685,3913 litre	O
450	CM	80	CM	105 LEVEL CM	6294,1517 litre	69,566 %	2753,6351 litre	O
450	CM	80	CM	104 LEVEL CM	6225,6117 litre	68,808 %	2822,1751 litre	O
450	CM	80	CM	103 LEVEL CM	6156,7887 litre	68,047 %	2890,9981 litre	O
450	CM	80	CM	102 LEVEL CM	6087,6956 litre	67,284 %	2960,0912 litre	O
450	CM	80	CM	101 LEVEL CM	6018,3450 litre	66,517 %	3029,4418 litre	O
450	CM	80	CM	100 LEVEL CM	5948,7496 litre	65,748 %	3099,0372 litre	O
450	CM	80	CM	99 LEVEL CM	5878,9217 litre	64,976 %	3168,8651 litre	O
450	CM	80	CM	98 LEVEL CM	5808,8738 litre	64,202 %	3238,9130 litre	O
450	CM	80	CM	97 LEVEL CM	5738,6181 litre	63,426 %	3309,1687 litre	O
450	CM	80	CM	96 LEVEL CM	5668,1667 litre	62,647 %	3379,6201 litre	O
450	CM	80	CM	95 LEVEL CM	5597,5315 litre	61,866 %	3450,2553 litre	O
450	CM	80	CM	94 LEVEL CM	5526,7245 litre	61,084 %	3521,0623 litre	O
450	CM	80	CM	93 LEVEL CM	5455,7576 litre	60,299 %	3592,0292 litre	O
450	CM	80	CM	92 LEVEL CM	5384,6424 litre	59,513 %	3663,1444 litre	O
450	CM	80	CM	91 LEVEL CM	5313,3907 litre	58,726 %	3734,3961 litre	O
450	CM	80	CM	90 LEVEL CM	5242,0140 litre	57,937 %	3805,7728 litre	O
450	CM	80	CM	89 LEVEL CM	5170,5239 litre	57,147 %	3877,2629 litre	O
450	CM	80	CM	88 LEVEL CM	5098,9320 litre	56,356 %	3948,8548 litre	O
450	CM	80	CM	87 LEVEL CM	5027,2496 litre	55,563 %	4020,5372 litre	O
450	CM	80	CM	86 LEVEL CM	4955,4881 litre	54,770 %	4092,2987 litre	O
450	CM	80	CM	85 LEVEL CM	4883,6589 litre	53,976 %	4164,1279 litre	O
450	CM	80	CM	84 LEVEL CM	4811,7734 litre	53,182 %	4236,0134 litre	O
450	CM	80	CM	83 LEVEL CM	4739,8428 litre	52,387 %	4307,9440 litre	O
450	CM	80	CM	82 LEVEL CM	4667,8784 litre	51,591 %	4379,9084 litre	O
450	CM	80	CM	81 LEVEL CM	4595,8915 litre	50,796 %	4451,8953 litre	O
450	CM	80	CM	80 LEVEL CM	4523,8934 litre	50,000 %	4523,8934 litre	O
450	CM	80	CM	79 LEVEL CM	4451,8953 litre	49,204 %	4595,8915 litre	O
450	CM	80	CM	78 LEVEL CM	4379,9084 litre	48,409 %	4667,8784 litre	O
450	CM	80	CM	77 LEVEL CM	4307,9441 litre	47,613 %	4739,8427 litre	O
450	CM	80	CM	76 LEVEL CM	4236,0135 litre	46,818 %	4811,7733 litre	O
450	CM	80	CM	75 LEVEL CM	4164,1279 litre	46,024 %	4883,6589 litre	O
450	CM	80	CM	74 LEVEL CM	4092,2988 litre	45,230 %	4955,4880 litre	O
450	CM	80	CM	73 LEVEL CM	4020,5373 litre	44,437 %	5027,2495 litre	O
450	CM	80	CM	72 LEVEL CM	3948,8549 litre	43,644 %	5098,9319 litre	O
450	CM	80	CM	71 LEVEL CM	3877,2629 litre	42,853 %	5170,5239 litre	O
450	CM	80	CM	70 LEVEL CM	3805,7728 litre	42,063 %	5242,0140 litre	O
450	CM	80	CM	69 LEVEL CM	3734,3962 litre	41,274 %	5313,3906 litre	O
450	CM	80	CM	68 LEVEL CM	3663,1444 litre	40,487 %	5384,6424 litre	O
450	CM	80	CM	67 LEVEL CM	3592,0293 litre	39,701 %	5455,7575 litre	O
450	CM	80	CM	66 LEVEL CM	3521,0623 litre	38,916 %	5526,7245 litre	O
450	CM	80	CM	65 LEVEL CM	3450,2553 litre	38,134 %	5597,5315 litre	O
450	CM	80	CM	64 LEVEL CM	3379,6202 litre	37,353 %	5668,1666 litre	O
450	CM	80	CM	63 LEVEL CM	3309,1687 litre	36,574 %	5738,6181 litre	O
450	CM	80	CM	62 LEVEL CM	3238,9130 litre	35,798 %	5808,8738 litre	O
450	CM	80	CM	61 LEVEL CM	3168,8651 litre	35,024 %	5878,9217 litre	O
450	CM	80	CM	60 LEVEL CM	3099,0373 litre	34,252 %	5948,7495 litre	O
450	CM	80	CM	59 LEVEL CM	3029,4418 litre	33,483 %	6018,3450 litre	O
450	CM	80	CM	58 LEVEL CM	2960,0913 litre	32,716 %	6087,6955 litre	O
450	CM	80	CM	57 LEVEL CM	2890,9981 litre	31,953 %	6156,7887 litre	O
450	CM	80	CM	56 LEVEL CM	2822,1751 litre	31,192 %	6225,6117 litre	O

450	CM	80	CM	55 LEVEL CM	2753,6352 litre	30,434 %	6294,1516 litre	O
450	CM	80	CM	54 LEVEL CM	2685,3913 litre	29,680 %	6362,3955 litre	O
450	CM	80	CM	53 LEVEL CM	2617,4568 litre	28,929 %	6430,3300 litre	O
450	CM	80	CM	52 LEVEL CM	2549,8449 litre	28,182 %	6497,9419 litre	O
450	CM	80	CM	51 LEVEL CM	2482,5694 litre	27,438 %	6565,2174 litre	O
450	CM	80	CM	50 LEVEL CM	2415,6439 litre	26,699 %	6632,1429 litre	O
450	CM	80	CM	49 LEVEL CM	2349,0825 litre	25,963 %	6698,7043 litre	O
450	CM	80	CM	48 LEVEL CM	2282,8995 litre	25,232 %	6764,8873 litre	O
450	CM	80	CM	47 LEVEL CM	2217,1092 litre	24,504 %	6830,6776 litre	O
450	CM	80	CM	46 LEVEL CM	2151,7265 litre	23,782 %	6896,0603 litre	O
450	CM	80	CM	45 LEVEL CM	2086,7664 litre	23,064 %	6961,0204 litre	O
450	CM	80	CM	44 LEVEL CM	2022,2442 litre	22,351 %	7025,5426 litre	O
450	CM	80	CM	43 LEVEL CM	1958,1756 litre	21,643 %	7089,6112 litre	O
450	CM	80	CM	42 LEVEL CM	1894,5764 litre	20,940 %	7153,2104 litre	O
450	CM	80	CM	41 LEVEL CM	1831,4631 litre	20,242 %	7216,3237 litre	O
450	CM	80	CM	40 LEVEL CM	1768,8524 litre	19,550 %	7278,9344 litre	O
450	CM	80	CM	39 LEVEL CM	1706,7612 litre	18,864 %	7341,0256 litre	O
450	CM	80	CM	38 LEVEL CM	1645,2073 litre	18,184 %	7402,5795 litre	O
450	CM	80	CM	37 LEVEL CM	1584,2086 litre	17,509 %	7463,5782 litre	O
450	CM	80	CM	36 LEVEL CM	1523,7836 litre	16,842 %	7524,0032 litre	O
450	CM	80	CM	35 LEVEL CM	1463,9513 litre	16,180 %	7583,8355 litre	O
450	CM	80	CM	34 LEVEL CM	1404,7314 litre	15,526 %	7643,0554 litre	O
450	CM	80	CM	33 LEVEL CM	1346,1441 litre	14,878 %	7701,6427 litre	O
450	CM	80	CM	32 LEVEL CM	1288,2102 litre	14,238 %	7759,5766 litre	O
450	CM	80	CM	31 LEVEL CM	1230,9514 litre	13,605 %	7816,8354 litre	O
450	CM	80	CM	30 LEVEL CM	1174,3901 litre	12,980 %	7873,3967 litre	O
450	CM	80	CM	29 LEVEL CM	1118,5493 litre	12,363 %	7929,2375 litre	O
450	CM	80	CM	28 LEVEL CM	1063,4534 litre	11,754 %	7984,3334 litre	O
450	CM	80	CM	27 LEVEL CM	1009,1274 litre	11,153 %	8038,6594 litre	O
450	CM	80	CM	26 LEVEL CM	955,5974 litre	10,562 %	8092,1894 litre	O
450	CM	80	CM	25 LEVEL CM	902,8909 litre	9,979 %	8144,8959 litre	O
450	CM	80	CM	24 LEVEL CM	851,0367 litre	9,406 %	8196,7501 litre	O
450	CM	80	CM	23 LEVEL CM	800,0647 litre	8,843 %	8247,7221 litre	O
450	CM	80	CM	22 LEVEL CM	750,0067 litre	8,289 %	8297,7801 litre	O
450	CM	80	CM	21 LEVEL CM	700,8963 litre	7,747 %	8346,8905 litre	O
450	CM	80	CM	20 LEVEL CM	652,7689 litre	7,215 %	8395,0179 litre	O
450	CM	80	CM	19 LEVEL CM	605,6622 litre	6,694 %	8442,1246 litre	O
450	CM	80	CM	18 LEVEL CM	559,6165 litre	6,185 %	8488,1703 litre	O
450	CM	80	CM	17 LEVEL CM	514,6747 litre	5,688 %	8533,1121 litre	O
450	CM	80	CM	16 LEVEL CM	470,8832 litre	5,204 %	8576,9036 litre	O
450	CM	80	CM	15 LEVEL CM	428,2921 litre	4,734 %	8619,4947 litre	O
450	CM	80	CM	14 LEVEL CM	386,9557 litre	4,277 %	8660,8311 litre	O
450	CM	80	CM	13 LEVEL CM	346,9337 litre	3,834 %	8700,8531 litre	O
450	CM	80	CM	12 LEVEL CM	308,2918 litre	3,407 %	8739,4950 litre	O
450	CM	80	CM	11 LEVEL CM	271,1027 litre	2,996 %	8776,6841 litre	O
450	CM	80	CM	10 LEVEL CM	235,4485 litre	2,602 %	8812,3383 litre	O
450	CM	80	CM	9 LEVEL CM	201,4221 litre	2,226 %	8846,3647 litre	O
450	CM	80	CM	8 LEVEL CM	169,1306 litre	1,869 %	8878,6562 litre	O
450	CM	80	CM	7 LEVEL CM	138,6994 litre	1,533 %	8909,0874 litre	O
450	CM	80	CM	6 LEVEL CM	110,2785 litre	1,219 %	8937,5083 litre	O
450	CM	80	CM	5 LEVEL CM	84,0528 litre	0,929 %	8963,7340 litre	O
450	CM	80	CM	4 LEVEL CM	60,2583 litre	0,666 %	8987,5285 litre	O
450	CM	80	CM	3 LEVEL CM	39,2134 litre	0,433 %	9008,5734 litre	O

450_80

-1111-

450	CM 80	CM	2 LEVEL CM	21,3856 litre	0,236 %	9026,4012 litre	O
450	CM 80	CM	1 LEVEL CM	7,5752 litre	0,084 %	9040,2116 litre	O
450	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	9047,7868 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
450	CM	75	CM	150 LEVEL CM	7952,1564 litre	100,000 %	0,0000 litre	O
450	CM	75	CM	149 LEVEL CM	7944,8226 litre	99,908 %	7,3338 litre	O
450	CM	75	CM	148 LEVEL CM	7931,4551 litre	99,740 %	20,7013 litre	O
450	CM	75	CM	147 LEVEL CM	7914,2026 litre	99,523 %	37,9538 litre	O
450	CM	75	CM	146 LEVEL CM	7893,8412 litre	99,267 %	58,3152 litre	O
450	CM	75	CM	145 LEVEL CM	7870,8246 litre	98,977 %	81,3318 litre	O
450	CM	75	CM	144 LEVEL CM	7845,4618 litre	98,658 %	106,6946 litre	O
450	CM	75	CM	143 LEVEL CM	7817,9824 litre	98,313 %	134,1740 litre	O
450	CM	75	CM	142 LEVEL CM	7788,5658 litre	97,943 %	163,5906 litre	O
450	CM	75	CM	141 LEVEL CM	7757,3583 litre	97,550 %	194,7981 litre	O
450	CM	75	CM	140 LEVEL CM	7724,4818 litre	97,137 %	227,6746 litre	O
450	CM	75	CM	139 LEVEL CM	7690,0407 litre	96,704 %	262,1157 litre	O
450	CM	75	CM	138 LEVEL CM	7654,1257 litre	96,252 %	298,0307 litre	O
450	CM	75	CM	137 LEVEL CM	7616,8166 litre	95,783 %	335,3398 litre	O
450	CM	75	CM	136 LEVEL CM	7578,1848 litre	95,297 %	373,9716 litre	O
450	CM	75	CM	135 LEVEL CM	7538,2942 litre	94,796 %	413,8622 litre	O
450	CM	75	CM	134 LEVEL CM	7497,2033 litre	94,279 %	454,9531 litre	O
450	CM	75	CM	133 LEVEL CM	7454,9652 litre	93,748 %	497,1912 litre	O
450	CM	75	CM	132 LEVEL CM	7411,6290 litre	93,203 %	540,5274 litre	O
450	CM	75	CM	131 LEVEL CM	7367,2402 litre	92,645 %	584,9162 litre	O
450	CM	75	CM	130 LEVEL CM	7321,8408 litre	92,074 %	630,3156 litre	O
450	CM	75	CM	129 LEVEL CM	7275,4706 litre	91,491 %	676,6858 litre	O
450	CM	75	CM	128 LEVEL CM	7228,1663 litre	90,896 %	723,9901 litre	O
450	CM	75	CM	127 LEVEL CM	7179,9631 litre	90,290 %	772,1933 litre	O
450	CM	75	CM	126 LEVEL CM	7130,8937 litre	89,672 %	821,2627 litre	O
450	CM	75	CM	125 LEVEL CM	7080,9896 litre	89,045 %	871,1668 litre	O
450	CM	75	CM	124 LEVEL CM	7030,2803 litre	88,407 %	921,8761 litre	O
450	CM	75	CM	123 LEVEL CM	6978,7943 litre	87,760 %	973,3621 litre	O
450	CM	75	CM	122 LEVEL CM	6926,5585 litre	87,103 %	1025,5979 litre	O
450	CM	75	CM	121 LEVEL CM	6873,5989 litre	86,437 %	1078,5575 litre	O
450	CM	75	CM	120 LEVEL CM	6819,9404 litre	85,762 %	1132,2160 litre	O
450	CM	75	CM	119 LEVEL CM	6765,6068 litre	85,079 %	1186,5496 litre	O
450	CM	75	CM	118 LEVEL CM	6710,6211 litre	84,387 %	1241,5353 litre	O
450	CM	75	CM	117 LEVEL CM	6655,0055 litre	83,688 %	1297,1509 litre	O
450	CM	75	CM	116 LEVEL CM	6598,7816 litre	82,981 %	1353,3748 litre	O
450	CM	75	CM	115 LEVEL CM	6541,9700 litre	82,267 %	1410,1864 litre	O
450	CM	75	CM	114 LEVEL CM	6484,5910 litre	81,545 %	1467,5654 litre	O
450	CM	75	CM	113 LEVEL CM	6426,6640 litre	80,817 %	1525,4924 litre	O
450	CM	75	CM	112 LEVEL CM	6368,2081 litre	80,082 %	1583,9483 litre	O
450	CM	75	CM	111 LEVEL CM	6309,2417 litre	79,340 %	1642,9147 litre	O
450	CM	75	CM	110 LEVEL CM	6249,7828 litre	78,592 %	1702,3736 litre	O
450	CM	75	CM	109 LEVEL CM	6189,8489 litre	77,839 %	1762,3075 litre	O
450	CM	75	CM	108 LEVEL CM	6129,4574 litre	77,079 %	1822,6990 litre	O
450	CM	75	CM	107 LEVEL CM	6068,6248 litre	76,314 %	1883,5316 litre	O
450	CM	75	CM	106 LEVEL CM	6007,3676 litre	75,544 %	1944,7888 litre	O
450	CM	75	CM	105 LEVEL CM	5945,7018 litre	74,768 %	2006,4546 litre	O
450	CM	75	CM	104 LEVEL CM	5883,6432 litre	73,988 %	2068,5132 litre	O
450	CM	75	CM	103 LEVEL CM	5821,2073 litre	73,203 %	2130,9491 litre	O
450	CM	75	CM	102 LEVEL CM	5758,4091 litre	72,413 %	2193,7473 litre	O
450	CM	75	CM	101 LEVEL CM	5695,2636 litre	71,619 %	2256,8928 litre	O
450	CM	75	CM	100 LEVEL CM	5631,7855 litre	70,821 %	2320,3709 litre	O
450	CM	75	CM	99 LEVEL CM	5567,9892 litre	70,019 %	2384,1672 litre	O

450	CM	75	CM	98 LEVEL CM	5503,8888 litre	69,213 %	2448,2676 litre	O
450	CM	75	CM	97 LEVEL CM	5439,4985 litre	68,403 %	2512,6579 litre	O
450	CM	75	CM	96 LEVEL CM	5374,8320 litre	67,590 %	2577,3244 litre	O
450	CM	75	CM	95 LEVEL CM	5309,9030 litre	66,773 %	2642,2534 litre	O
450	CM	75	CM	94 LEVEL CM	5244,7250 litre	65,953 %	2707,4314 litre	O
450	CM	75	CM	93 LEVEL CM	5179,3113 litre	65,131 %	2772,8451 litre	O
450	CM	75	CM	92 LEVEL CM	5113,6751 litre	64,306 %	2838,4813 litre	O
450	CM	75	CM	91 LEVEL CM	5047,8293 litre	63,477 %	2904,3271 litre	O
450	CM	75	CM	90 LEVEL CM	4981,7871 litre	62,647 %	2970,3693 litre	O
450	CM	75	CM	89 LEVEL CM	4915,5612 litre	61,814 %	3036,5952 litre	O
450	CM	75	CM	88 LEVEL CM	4849,1642 litre	60,979 %	3102,9922 litre	O
450	CM	75	CM	87 LEVEL CM	4782,6088 litre	60,142 %	3169,5476 litre	O
450	CM	75	CM	86 LEVEL CM	4715,9075 litre	59,304 %	3236,2489 litre	O
450	CM	75	CM	85 LEVEL CM	4649,0728 litre	58,463 %	3303,0836 litre	O
450	CM	75	CM	84 LEVEL CM	4582,1170 litre	57,621 %	3370,0394 litre	O
450	CM	75	CM	83 LEVEL CM	4515,0524 litre	56,778 %	3437,1040 litre	O
450	CM	75	CM	82 LEVEL CM	4447,8913 litre	55,933 %	3504,2651 litre	O
450	CM	75	CM	81 LEVEL CM	4380,6458 litre	55,088 %	3571,5106 litre	O
450	CM	75	CM	80 LEVEL CM	4313,3280 litre	54,241 %	3638,8284 litre	O
450	CM	75	CM	79 LEVEL CM	4245,9501 litre	53,394 %	3706,2063 litre	O
450	CM	75	CM	78 LEVEL CM	4178,5242 litre	52,546 %	3773,6322 litre	O
450	CM	75	CM	77 LEVEL CM	4111,0622 litre	51,697 %	3841,0942 litre	O
450	CM	75	CM	76 LEVEL CM	4043,5762 litre	50,849 %	3908,5802 litre	O
450	CM	75	CM	75 LEVEL CM	3976,0782 litre	50,000 %	3976,0782 litre	O
450	CM	75	CM	74 LEVEL CM	3908,5802 litre	49,151 %	4043,5762 litre	O
450	CM	75	CM	73 LEVEL CM	3841,0942 litre	48,303 %	4111,0622 litre	O
450	CM	75	CM	72 LEVEL CM	3773,6322 litre	47,454 %	4178,5242 litre	O
450	CM	75	CM	71 LEVEL CM	3706,2063 litre	46,606 %	4245,9501 litre	O
450	CM	75	CM	70 LEVEL CM	3638,8284 litre	45,759 %	4313,3280 litre	O
450	CM	75	CM	69 LEVEL CM	3571,5106 litre	44,912 %	4380,6458 litre	O
450	CM	75	CM	68 LEVEL CM	3504,2651 litre	44,067 %	4447,8913 litre	O
450	CM	75	CM	67 LEVEL CM	3437,1040 litre	43,222 %	4515,0524 litre	O
450	CM	75	CM	66 LEVEL CM	3370,0394 litre	42,379 %	4582,1170 litre	O
450	CM	75	CM	65 LEVEL CM	3303,0836 litre	41,537 %	4649,0728 litre	O
450	CM	75	CM	64 LEVEL CM	3236,2489 litre	40,696 %	4715,9075 litre	O
450	CM	75	CM	63 LEVEL CM	3169,5476 litre	39,858 %	4782,6088 litre	O
450	CM	75	CM	62 LEVEL CM	3102,9922 litre	39,021 %	4849,1642 litre	O
450	CM	75	CM	61 LEVEL CM	3036,5952 litre	38,186 %	4915,5612 litre	O
450	CM	75	CM	60 LEVEL CM	2970,3693 litre	37,353 %	4981,7871 litre	O
450	CM	75	CM	59 LEVEL CM	2904,3271 litre	36,523 %	5047,8293 litre	O
450	CM	75	CM	58 LEVEL CM	2838,4814 litre	35,694 %	5113,6750 litre	O
450	CM	75	CM	57 LEVEL CM	2772,8451 litre	34,869 %	5179,3113 litre	O
450	CM	75	CM	56 LEVEL CM	2707,4314 litre	34,047 %	5244,7250 litre	O
450	CM	75	CM	55 LEVEL CM	2642,2534 litre	33,227 %	5309,9030 litre	O
450	CM	75	CM	54 LEVEL CM	2577,3244 litre	32,410 %	5374,8320 litre	O
450	CM	75	CM	53 LEVEL CM	2512,6579 litre	31,597 %	5439,4985 litre	O
450	CM	75	CM	52 LEVEL CM	2448,2676 litre	30,787 %	5503,8888 litre	O
450	CM	75	CM	51 LEVEL CM	2384,1672 litre	29,981 %	5567,9892 litre	O
450	CM	75	CM	50 LEVEL CM	2320,3709 litre	29,179 %	5631,7855 litre	O
450	CM	75	CM	49 LEVEL CM	2256,8928 litre	28,381 %	5695,2636 litre	O
450	CM	75	CM	48 LEVEL CM	2193,7473 litre	27,587 %	5758,4091 litre	O
450	CM	75	CM	47 LEVEL CM	2130,9491 litre	26,797 %	5821,2073 litre	O
450	CM	75	CM	46 LEVEL CM	2068,5132 litre	26,012 %	5883,6432 litre	O

450	CM	75	CM	45 LEVEL CM	2006,4546 litre	25,232 %	5945,7018 litre	O
450	CM	75	CM	44 LEVEL CM	1944,7888 litre	24,456 %	6007,3676 litre	O
450	CM	75	CM	43 LEVEL CM	1883,5316 litre	23,686 %	6068,6248 litre	O
450	CM	75	CM	42 LEVEL CM	1822,6990 litre	22,921 %	6129,4574 litre	O
450	CM	75	CM	41 LEVEL CM	1762,3075 litre	22,161 %	6189,8489 litre	O
450	CM	75	CM	40 LEVEL CM	1702,3736 litre	21,408 %	6249,7828 litre	O
450	CM	75	CM	39 LEVEL CM	1642,9147 litre	20,660 %	6309,2417 litre	O
450	CM	75	CM	38 LEVEL CM	1583,9483 litre	19,918 %	6368,2081 litre	O
450	CM	75	CM	37 LEVEL CM	1525,4924 litre	19,183 %	6426,6640 litre	O
450	CM	75	CM	36 LEVEL CM	1467,5654 litre	18,455 %	6484,5910 litre	O
450	CM	75	CM	35 LEVEL CM	1410,1864 litre	17,733 %	6541,9700 litre	O
450	CM	75	CM	34 LEVEL CM	1353,3748 litre	17,019 %	6598,7816 litre	O
450	CM	75	CM	33 LEVEL CM	1297,1509 litre	16,312 %	6655,0055 litre	O
450	CM	75	CM	32 LEVEL CM	1241,5353 litre	15,613 %	6710,6211 litre	O
450	CM	75	CM	31 LEVEL CM	1186,5497 litre	14,921 %	6765,6067 litre	O
450	CM	75	CM	30 LEVEL CM	1132,2160 litre	14,238 %	6819,9404 litre	O
450	CM	75	CM	29 LEVEL CM	1078,5575 litre	13,563 %	6873,5989 litre	O
450	CM	75	CM	28 LEVEL CM	1025,5979 litre	12,897 %	6926,5585 litre	O
450	CM	75	CM	27 LEVEL CM	973,3621 litre	12,240 %	6978,7943 litre	O
450	CM	75	CM	26 LEVEL CM	921,8761 litre	11,593 %	7030,2803 litre	O
450	CM	75	CM	25 LEVEL CM	871,1668 litre	10,955 %	7080,9896 litre	O
450	CM	75	CM	24 LEVEL CM	821,2627 litre	10,328 %	7130,8937 litre	O
450	CM	75	CM	23 LEVEL CM	772,1934 litre	9,710 %	7179,9630 litre	O
450	CM	75	CM	22 LEVEL CM	723,9901 litre	9,104 %	7228,1663 litre	O
450	CM	75	CM	21 LEVEL CM	676,6859 litre	8,509 %	7275,4705 litre	O
450	CM	75	CM	20 LEVEL CM	630,3156 litre	7,926 %	7321,8408 litre	O
450	CM	75	CM	19 LEVEL CM	584,9162 litre	7,355 %	7367,2402 litre	O
450	CM	75	CM	18 LEVEL CM	540,5274 litre	6,797 %	7411,6290 litre	O
450	CM	75	CM	17 LEVEL CM	497,1912 litre	6,252 %	7454,9652 litre	O
450	CM	75	CM	16 LEVEL CM	454,9531 litre	5,721 %	7497,2033 litre	O
450	CM	75	CM	15 LEVEL CM	413,8622 litre	5,204 %	7538,2942 litre	O
450	CM	75	CM	14 LEVEL CM	373,9717 litre	4,703 %	7578,1847 litre	O
450	CM	75	CM	13 LEVEL CM	335,3398 litre	4,217 %	7616,8166 litre	O
450	CM	75	CM	12 LEVEL CM	298,0307 litre	3,748 %	7654,1257 litre	O
450	CM	75	CM	11 LEVEL CM	262,1157 litre	3,296 %	7690,0407 litre	O
450	CM	75	CM	10 LEVEL CM	227,6746 litre	2,863 %	7724,4818 litre	O
450	CM	75	CM	9 LEVEL CM	194,7981 litre	2,450 %	7757,3583 litre	O
450	CM	75	CM	8 LEVEL CM	163,5906 litre	2,057 %	7788,5658 litre	O
450	CM	75	CM	7 LEVEL CM	134,1740 litre	1,687 %	7817,9824 litre	O
450	CM	75	CM	6 LEVEL CM	106,6946 litre	1,342 %	7845,4618 litre	O
450	CM	75	CM	5 LEVEL CM	81,3318 litre	1,023 %	7870,8246 litre	O
450	CM	75	CM	4 LEVEL CM	58,3152 litre	0,733 %	7893,8412 litre	O
450	CM	75	CM	3 LEVEL CM	37,9538 litre	0,477 %	7914,2026 litre	O
450	CM	75	CM	2 LEVEL CM	20,7013 litre	0,260 %	7931,4551 litre	O
450	CM	75	CM	1 LEVEL CM	7,3338 litre	0,092 %	7944,8226 litre	O
450	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	7952,1564 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM 70	CM 140 LEVEL CM	6927,2118 litre	100,000 %	0,0000 litre	O
450	CM 70	CM 139 LEVEL CM	6920,1277 litre	99,898 %	7,0841 litre	O
450	CM 70	CM 138 LEVEL CM	6907,2182 litre	99,711 %	19,9936 litre	O
450	CM 70	CM 137 LEVEL CM	6890,5608 litre	99,471 %	36,6510 litre	O
450	CM 70	CM 136 LEVEL CM	6870,9068 litre	99,187 %	56,3050 litre	O
450	CM 70	CM 135 LEVEL CM	6848,6952 litre	98,867 %	78,5166 litre	O
450	CM 70	CM 134 LEVEL CM	6824,2258 litre	98,513 %	102,9860 litre	O
450	CM 70	CM 133 LEVEL CM	6797,7212 litre	98,131 %	129,4906 litre	O
450	CM 70	CM 132 LEVEL CM	6769,3556 litre	97,721 %	157,8562 litre	O
450	CM 70	CM 131 LEVEL CM	6739,2711 litre	97,287 %	187,9407 litre	O
450	CM 70	CM 130 LEVEL CM	6707,5862 litre	96,830 %	219,6256 litre	O
450	CM 70	CM 129 LEVEL CM	6674,4025 litre	96,350 %	252,8093 litre	O
450	CM 70	CM 128 LEVEL CM	6639,8084 litre	95,851 %	287,4034 litre	O
450	CM 70	CM 127 LEVEL CM	6603,8817 litre	95,332 %	323,3301 litre	O
450	CM 70	CM 126 LEVEL CM	6566,6919 litre	94,796 %	360,5199 litre	O
450	CM 70	CM 125 LEVEL CM	6528,3015 litre	94,241 %	398,9103 litre	O
450	CM 70	CM 124 LEVEL CM	6488,7677 litre	93,671 %	438,4441 litre	O
450	CM 70	CM 123 LEVEL CM	6448,1424 litre	93,084 %	479,0694 litre	O
450	CM 70	CM 122 LEVEL CM	6406,4737 litre	92,483 %	520,7381 litre	O
450	CM 70	CM 121 LEVEL CM	6363,8060 litre	91,867 %	563,4058 litre	O
450	CM 70	CM 120 LEVEL CM	6320,1808 litre	91,237 %	607,0310 litre	O
450	CM 70	CM 119 LEVEL CM	6275,6369 litre	90,594 %	651,5749 litre	O
450	CM 70	CM 118 LEVEL CM	6230,2106 litre	89,938 %	697,0012 litre	O
450	CM 70	CM 117 LEVEL CM	6183,9363 litre	89,270 %	743,2755 litre	O
450	CM 70	CM 116 LEVEL CM	6136,8464 litre	88,590 %	790,3654 litre	O
450	CM 70	CM 115 LEVEL CM	6088,9717 litre	87,899 %	838,2401 litre	O
450	CM 70	CM 114 LEVEL CM	6040,3417 litre	87,197 %	886,8701 litre	O
450	CM 70	CM 113 LEVEL CM	5990,9841 litre	86,485 %	936,2277 litre	O
450	CM 70	CM 112 LEVEL CM	5940,9258 litre	85,762 %	986,2860 litre	O
450	CM 70	CM 111 LEVEL CM	5890,1925 litre	85,030 %	1037,0193 litre	O
450	CM 70	CM 110 LEVEL CM	5838,8087 litre	84,288 %	1088,4031 litre	O
450	CM 70	CM 109 LEVEL CM	5786,7981 litre	83,537 %	1140,4137 litre	O
450	CM 70	CM 108 LEVEL CM	5734,1837 litre	82,778 %	1193,0281 litre	O
450	CM 70	CM 107 LEVEL CM	5680,9874 litre	82,010 %	1246,2244 litre	O
450	CM 70	CM 106 LEVEL CM	5627,2307 litre	81,234 %	1299,9811 litre	O
450	CM 70	CM 105 LEVEL CM	5572,9342 litre	80,450 %	1354,2776 litre	O
450	CM 70	CM 104 LEVEL CM	5518,1181 litre	79,659 %	1409,0937 litre	O
450	CM 70	CM 103 LEVEL CM	5462,8018 litre	78,860 %	1464,4100 litre	O
450	CM 70	CM 102 LEVEL CM	5407,0044 litre	78,055 %	1520,2074 litre	O
450	CM 70	CM 101 LEVEL CM	5350,7443 litre	77,242 %	1576,4675 litre	O
450	CM 70	CM 100 LEVEL CM	5294,0397 litre	76,424 %	1633,1721 litre	O
450	CM 70	CM 99 LEVEL CM	5236,9082 litre	75,599 %	1690,3036 litre	O
450	CM 70	CM 98 LEVEL CM	5179,3669 litre	74,768 %	1747,8449 litre	O
450	CM 70	CM 97 LEVEL CM	5121,4328 litre	73,932 %	1805,7790 litre	O
450	CM 70	CM 96 LEVEL CM	5063,1225 litre	73,090 %	1864,0893 litre	O
450	CM 70	CM 95 LEVEL CM	5004,4520 litre	72,243 %	1922,7598 litre	O
450	CM 70	CM 94 LEVEL CM	4945,4374 litre	71,391 %	1981,7744 litre	O
450	CM 70	CM 93 LEVEL CM	4886,0944 litre	70,535 %	2041,1174 litre	O
450	CM 70	CM 92 LEVEL CM	4826,4382 litre	69,674 %	2100,7736 litre	O
450	CM 70	CM 91 LEVEL CM	4766,4840 litre	68,808 %	2160,7278 litre	O
450	CM 70	CM 90 LEVEL CM	4706,2468 litre	67,939 %	2220,9650 litre	O
450	CM 70	CM 89 LEVEL CM	4645,7412 litre	67,065 %	2281,4706 litre	O

450	CM	70	CM	88 LEVEL CM	4584,9818 litre	66,188 %	2342,2300 litre	O
450	CM	70	CM	87 LEVEL CM	4523,9829 litre	65,307 %	2403,2289 litre	O
450	CM	70	CM	86 LEVEL CM	4462,7587 litre	64,424 %	2464,4531 litre	O
450	CM	70	CM	85 LEVEL CM	4401,3231 litre	63,537 %	2525,8887 litre	O
450	CM	70	CM	84 LEVEL CM	4339,6901 litre	62,647 %	2587,5217 litre	O
450	CM	70	CM	83 LEVEL CM	4277,8734 litre	61,755 %	2649,3384 litre	O
450	CM	70	CM	82 LEVEL CM	4215,8865 litre	60,860 %	2711,3253 litre	O
450	CM	70	CM	81 LEVEL CM	4153,7431 litre	59,963 %	2773,4687 litre	O
450	CM	70	CM	80 LEVEL CM	4091,4564 litre	59,064 %	2835,7554 litre	O
450	CM	70	CM	79 LEVEL CM	4029,0399 litre	58,163 %	2898,1719 litre	O
450	CM	70	CM	78 LEVEL CM	3966,5066 litre	57,260 %	2960,7052 litre	O
450	CM	70	CM	77 LEVEL CM	3903,8698 litre	56,356 %	3023,3420 litre	O
450	CM	70	CM	76 LEVEL CM	3841,1425 litre	55,450 %	3086,0693 litre	O
450	CM	70	CM	75 LEVEL CM	3778,3378 litre	54,543 %	3148,8740 litre	O
450	CM	70	CM	74 LEVEL CM	3715,4687 litre	53,636 %	3211,7431 litre	O
450	CM	70	CM	73 LEVEL CM	3652,5480 litre	52,728 %	3274,6638 litre	O
450	CM	70	CM	72 LEVEL CM	3589,5888 litre	51,819 %	3337,6230 litre	O
450	CM	70	CM	71 LEVEL CM	3526,6038 litre	50,909 %	3400,6080 litre	O
450	CM	70	CM	70 LEVEL CM	3463,6059 litre	50,000 %	3463,6059 litre	O
450	CM	70	CM	69 LEVEL CM	3400,6080 litre	49,091 %	3526,6038 litre	O
450	CM	70	CM	68 LEVEL CM	3337,6230 litre	48,181 %	3589,5888 litre	O
450	CM	70	CM	67 LEVEL CM	3274,6638 litre	47,272 %	3652,5480 litre	O
450	CM	70	CM	66 LEVEL CM	3211,7431 litre	46,364 %	3715,4687 litre	O
450	CM	70	CM	65 LEVEL CM	3148,8740 litre	45,457 %	3778,3378 litre	O
450	CM	70	CM	64 LEVEL CM	3086,0693 litre	44,550 %	3841,1425 litre	O
450	CM	70	CM	63 LEVEL CM	3023,3420 litre	43,644 %	3903,8698 litre	O
450	CM	70	CM	62 LEVEL CM	2960,7052 litre	42,740 %	3966,5066 litre	O
450	CM	70	CM	61 LEVEL CM	2898,1719 litre	41,837 %	4029,0399 litre	O
450	CM	70	CM	60 LEVEL CM	2835,7554 litre	40,936 %	4091,4564 litre	O
450	CM	70	CM	59 LEVEL CM	2773,4687 litre	40,037 %	4153,7431 litre	O
450	CM	70	CM	58 LEVEL CM	2711,3253 litre	39,140 %	4215,8865 litre	O
450	CM	70	CM	57 LEVEL CM	2649,3384 litre	38,245 %	4277,8734 litre	O
450	CM	70	CM	56 LEVEL CM	2587,5217 litre	37,353 %	4339,6901 litre	O
450	CM	70	CM	55 LEVEL CM	2525,8887 litre	36,463 %	4401,3231 litre	O
450	CM	70	CM	54 LEVEL CM	2464,4531 litre	35,576 %	4462,7587 litre	O
450	CM	70	CM	53 LEVEL CM	2403,2289 litre	34,693 %	4523,9829 litre	O
450	CM	70	CM	52 LEVEL CM	2342,2300 litre	33,812 %	4584,9818 litre	O
450	CM	70	CM	51 LEVEL CM	2281,4706 litre	32,935 %	4645,7412 litre	O
450	CM	70	CM	50 LEVEL CM	2220,9650 litre	32,061 %	4706,2468 litre	O
450	CM	70	CM	49 LEVEL CM	2160,7278 litre	31,192 %	4766,4840 litre	O
450	CM	70	CM	48 LEVEL CM	2100,7736 litre	30,326 %	4826,4382 litre	O
450	CM	70	CM	47 LEVEL CM	2041,1174 litre	29,465 %	4886,0944 litre	O
450	CM	70	CM	46 LEVEL CM	1981,7744 litre	28,609 %	4945,4374 litre	O
450	CM	70	CM	45 LEVEL CM	1922,7598 litre	27,757 %	5004,4520 litre	O
450	CM	70	CM	44 LEVEL CM	1864,0893 litre	26,910 %	5063,1225 litre	O
450	CM	70	CM	43 LEVEL CM	1805,7790 litre	26,068 %	5121,4328 litre	O
450	CM	70	CM	42 LEVEL CM	1747,8449 litre	25,232 %	5179,3669 litre	O
450	CM	70	CM	41 LEVEL CM	1690,3036 litre	24,401 %	5236,9082 litre	O
450	CM	70	CM	40 LEVEL CM	1633,1721 litre	23,576 %	5294,0397 litre	O
450	CM	70	CM	39 LEVEL CM	1576,4675 litre	22,758 %	5350,7443 litre	O
450	CM	70	CM	38 LEVEL CM	1520,2074 litre	21,945 %	5407,0044 litre	O
450	CM	70	CM	37 LEVEL CM	1464,4100 litre	21,140 %	5462,8018 litre	O
450	CM	70	CM	36 LEVEL CM	1409,0937 litre	20,341 %	5518,1181 litre	O

450	CM	70	CM	35 LEVEL CM	1354,2776 litre	19,550 %	5572,9342 litre	O
450	CM	70	CM	34 LEVEL CM	1299,9811 litre	18,766 %	5627,2307 litre	O
450	CM	70	CM	33 LEVEL CM	1246,2244 litre	17,990 %	5680,9874 litre	O
450	CM	70	CM	32 LEVEL CM	1193,0281 litre	17,222 %	5734,1837 litre	O
450	CM	70	CM	31 LEVEL CM	1140,4137 litre	16,463 %	5786,7981 litre	O
450	CM	70	CM	30 LEVEL CM	1088,4031 litre	15,712 %	5838,8087 litre	O
450	CM	70	CM	29 LEVEL CM	1037,0193 litre	14,970 %	5890,1925 litre	O
450	CM	70	CM	28 LEVEL CM	986,2860 litre	14,238 %	5940,9258 litre	O
450	CM	70	CM	27 LEVEL CM	936,2277 litre	13,515 %	5990,9841 litre	O
450	CM	70	CM	26 LEVEL CM	886,8701 litre	12,803 %	6040,3417 litre	O
450	CM	70	CM	25 LEVEL CM	838,2401 litre	12,101 %	6088,9717 litre	O
450	CM	70	CM	24 LEVEL CM	790,3654 litre	11,410 %	6136,8464 litre	O
450	CM	70	CM	23 LEVEL CM	743,2755 litre	10,730 %	6183,9363 litre	O
450	CM	70	CM	22 LEVEL CM	697,0012 litre	10,062 %	6230,2106 litre	O
450	CM	70	CM	21 LEVEL CM	651,5749 litre	9,406 %	6275,6369 litre	O
450	CM	70	CM	20 LEVEL CM	607,0310 litre	8,763 %	6320,1808 litre	O
450	CM	70	CM	19 LEVEL CM	563,4058 litre	8,133 %	6363,8060 litre	O
450	CM	70	CM	18 LEVEL CM	520,7381 litre	7,517 %	6406,4737 litre	O
450	CM	70	CM	17 LEVEL CM	479,0694 litre	6,916 %	6448,1424 litre	O
450	CM	70	CM	16 LEVEL CM	438,4441 litre	6,329 %	6488,7677 litre	O
450	CM	70	CM	15 LEVEL CM	398,9103 litre	5,759 %	6528,3015 litre	O
450	CM	70	CM	14 LEVEL CM	360,5199 litre	5,204 %	6566,6919 litre	O
450	CM	70	CM	13 LEVEL CM	323,3301 litre	4,668 %	6603,8817 litre	O
450	CM	70	CM	12 LEVEL CM	287,4034 litre	4,149 %	6639,8084 litre	O
450	CM	70	CM	11 LEVEL CM	252,8093 litre	3,650 %	6674,4025 litre	O
450	CM	70	CM	10 LEVEL CM	219,6256 litre	3,170 %	6707,5862 litre	O
450	CM	70	CM	9 LEVEL CM	187,9407 litre	2,713 %	6739,2711 litre	O
450	CM	70	CM	8 LEVEL CM	157,8562 litre	2,279 %	6769,3556 litre	O
450	CM	70	CM	7 LEVEL CM	129,4906 litre	1,869 %	6797,7212 litre	O
450	CM	70	CM	6 LEVEL CM	102,9860 litre	1,487 %	6824,2258 litre	O
450	CM	70	CM	5 LEVEL CM	78,5166 litre	1,133 %	6848,6952 litre	O
450	CM	70	CM	4 LEVEL CM	56,3050 litre	0,813 %	6870,9068 litre	O
450	CM	70	CM	3 LEVEL CM	36,6510 litre	0,529 %	6890,5608 litre	O
450	CM	70	CM	2 LEVEL CM	19,9936 litre	0,289 %	6907,2182 litre	O
450	CM	70	CM	1 LEVEL CM	7,0841 litre	0,102 %	6920,1277 litre	O
450	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	6927,2118 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
450	CM	65	CM	130 LEVEL CM	5972,9530 litre	100,000 %	0,0000 litre	O
450	CM	65	CM	129 LEVEL CM	5966,1278 litre	99,886 %	6,8252 litre	O
450	CM	65	CM	128 LEVEL CM	5953,6932 litre	99,678 %	19,2598 litre	O
450	CM	65	CM	127 LEVEL CM	5937,6530 litre	99,409 %	35,3000 litre	O
450	CM	65	CM	126 LEVEL CM	5918,7326 litre	99,092 %	54,2204 litre	O
450	CM	65	CM	125 LEVEL CM	5897,3564 litre	98,734 %	75,5966 litre	O
450	CM	65	CM	124 LEVEL CM	5873,8143 litre	98,340 %	99,1387 litre	O
450	CM	65	CM	123 LEVEL CM	5848,3217 litre	97,913 %	124,6313 litre	O
450	CM	65	CM	122 LEVEL CM	5821,0476 litre	97,457 %	151,9054 litre	O
450	CM	65	CM	121 LEVEL CM	5792,1296 litre	96,973 %	180,8234 litre	O
450	CM	65	CM	120 LEVEL CM	5761,6830 litre	96,463 %	211,2700 litre	O
450	CM	65	CM	119 LEVEL CM	5729,8063 litre	95,929 %	243,1467 litre	O
450	CM	65	CM	118 LEVEL CM	5696,5856 litre	95,373 %	276,3674 litre	O
450	CM	65	CM	117 LEVEL CM	5662,0965 litre	94,796 %	310,8565 litre	O
450	CM	65	CM	116 LEVEL CM	5626,4070 litre	94,198 %	346,5460 litre	O
450	CM	65	CM	115 LEVEL CM	5589,5779 litre	93,581 %	383,3751 litre	O
450	CM	65	CM	114 LEVEL CM	5551,6651 litre	92,947 %	421,2879 litre	O
450	CM	65	CM	113 LEVEL CM	5512,7193 litre	92,295 %	460,2337 litre	O
450	CM	65	CM	112 LEVEL CM	5472,7875 litre	91,626 %	500,1655 litre	O
450	CM	65	CM	111 LEVEL CM	5431,9135 litre	90,942 %	541,0395 litre	O
450	CM	65	CM	110 LEVEL CM	5390,1377 litre	90,242 %	582,8153 litre	O
450	CM	65	CM	109 LEVEL CM	5347,4983 litre	89,529 %	625,4547 litre	O
450	CM	65	CM	108 LEVEL CM	5304,0310 litre	88,801 %	668,9220 litre	O
450	CM	65	CM	107 LEVEL CM	5259,7696 litre	88,060 %	713,1834 litre	O
450	CM	65	CM	106 LEVEL CM	5214,7461 litre	87,306 %	758,2069 litre	O
450	CM	65	CM	105 LEVEL CM	5168,9909 litre	86,540 %	803,9621 litre	O
450	CM	65	CM	104 LEVEL CM	5122,5330 litre	85,762 %	850,4200 litre	O
450	CM	65	CM	103 LEVEL CM	5075,4000 litre	84,973 %	897,5530 litre	O
450	CM	65	CM	102 LEVEL CM	5027,6183 litre	84,173 %	945,3347 litre	O
450	CM	65	CM	101 LEVEL CM	4979,2135 litre	83,363 %	993,7395 litre	O
450	CM	65	CM	100 LEVEL CM	4930,2099 litre	82,542 %	1042,7431 litre	O
450	CM	65	CM	99 LEVEL CM	4880,6311 litre	81,712 %	1092,3219 litre	O
450	CM	65	CM	98 LEVEL CM	4830,4999 litre	80,873 %	1142,4531 litre	O
450	CM	65	CM	97 LEVEL CM	4779,8383 litre	80,025 %	1193,1147 litre	O
450	CM	65	CM	96 LEVEL CM	4728,6676 litre	79,168 %	1244,2854 litre	O
450	CM	65	CM	95 LEVEL CM	4677,0086 litre	78,303 %	1295,9444 litre	O
450	CM	65	CM	94 LEVEL CM	4624,8812 litre	77,430 %	1348,0718 litre	O
450	CM	65	CM	93 LEVEL CM	4572,3051 litre	76,550 %	1400,6479 litre	O
450	CM	65	CM	92 LEVEL CM	4519,2994 litre	75,663 %	1453,6536 litre	O
450	CM	65	CM	91 LEVEL CM	4465,8827 litre	74,768 %	1507,0703 litre	O
450	CM	65	CM	90 LEVEL CM	4412,0731 litre	73,868 %	1560,8799 litre	O
450	CM	65	CM	89 LEVEL CM	4357,8886 litre	72,960 %	1615,0644 litre	O
450	CM	65	CM	88 LEVEL CM	4303,3464 litre	72,047 %	1669,6066 litre	O
450	CM	65	CM	87 LEVEL CM	4248,4637 litre	71,128 %	1724,4893 litre	O
450	CM	65	CM	86 LEVEL CM	4193,2572 litre	70,204 %	1779,6958 litre	O
450	CM	65	CM	85 LEVEL CM	4137,7435 litre	69,275 %	1835,2095 litre	O
450	CM	65	CM	84 LEVEL CM	4081,9387 litre	68,340 %	1891,0143 litre	O
450	CM	65	CM	83 LEVEL CM	4025,8588 litre	67,401 %	1947,0942 litre	O
450	CM	65	CM	82 LEVEL CM	3969,5196 litre	66,458 %	2003,4334 litre	O
450	CM	65	CM	81 LEVEL CM	3912,9364 litre	65,511 %	2060,0166 litre	O
450	CM	65	CM	80 LEVEL CM	3856,1246 litre	64,560 %	2116,8284 litre	O
450	CM	65	CM	79 LEVEL CM	3799,0994 litre	63,605 %	2173,8536 litre	O

450	CM	65	CM	78 LEVEL CM	3741,8757 litre	62,647 %	2231,0773 litre	O
450	CM	65	CM	77 LEVEL CM	3684,4682 litre	61,686 %	2288,4848 litre	O
450	CM	65	CM	76 LEVEL CM	3626,8916 litre	60,722 %	2346,0614 litre	O
450	CM	65	CM	75 LEVEL CM	3569,1606 litre	59,755 %	2403,7924 litre	O
450	CM	65	CM	74 LEVEL CM	3511,2893 litre	58,786 %	2461,6637 litre	O
450	CM	65	CM	73 LEVEL CM	3453,2923 litre	57,815 %	2519,6607 litre	O
450	CM	65	CM	72 LEVEL CM	3395,1836 litre	56,843 %	2577,7694 litre	O
450	CM	65	CM	71 LEVEL CM	3336,9774 litre	55,868 %	2635,9756 litre	O
450	CM	65	CM	70 LEVEL CM	3278,6878 litre	54,892 %	2694,2652 litre	O
450	CM	65	CM	69 LEVEL CM	3220,3287 litre	53,915 %	2752,6243 litre	O
450	CM	65	CM	68 LEVEL CM	3161,9142 litre	52,937 %	2811,0388 litre	O
450	CM	65	CM	67 LEVEL CM	3103,4581 litre	51,959 %	2869,4949 litre	O
450	CM	65	CM	66 LEVEL CM	3044,9742 litre	50,979 %	2927,9788 litre	O
450	CM	65	CM	65 LEVEL CM	2986,4765 litre	50,000 %	2986,4765 litre	O
450	CM	65	CM	64 LEVEL CM	2927,9788 litre	49,021 %	3044,9742 litre	O
450	CM	65	CM	63 LEVEL CM	2869,4950 litre	48,041 %	3103,4580 litre	O
450	CM	65	CM	62 LEVEL CM	2811,0388 litre	47,063 %	3161,9142 litre	O
450	CM	65	CM	61 LEVEL CM	2752,6243 litre	46,085 %	3220,3287 litre	O
450	CM	65	CM	60 LEVEL CM	2694,2652 litre	45,108 %	3278,6878 litre	O
450	CM	65	CM	59 LEVEL CM	2635,9756 litre	44,132 %	3336,9774 litre	O
450	CM	65	CM	58 LEVEL CM	2577,7694 litre	43,157 %	3395,1836 litre	O
450	CM	65	CM	57 LEVEL CM	2519,6608 litre	42,185 %	3453,2922 litre	O
450	CM	65	CM	56 LEVEL CM	2461,6637 litre	41,214 %	3511,2893 litre	O
450	CM	65	CM	55 LEVEL CM	2403,7925 litre	40,245 %	3569,1605 litre	O
450	CM	65	CM	54 LEVEL CM	2346,0614 litre	39,278 %	3626,8916 litre	O
450	CM	65	CM	53 LEVEL CM	2288,4848 litre	38,314 %	3684,4682 litre	O
450	CM	65	CM	52 LEVEL CM	2231,0774 litre	37,353 %	3741,8756 litre	O
450	CM	65	CM	51 LEVEL CM	2173,8536 litre	36,395 %	3799,0994 litre	O
450	CM	65	CM	50 LEVEL CM	2116,8284 litre	35,440 %	3856,1246 litre	O
450	CM	65	CM	49 LEVEL CM	2060,0166 litre	34,489 %	3912,9364 litre	O
450	CM	65	CM	48 LEVEL CM	2003,4335 litre	33,542 %	3969,5195 litre	O
450	CM	65	CM	47 LEVEL CM	1947,0942 litre	32,599 %	4025,8588 litre	O
450	CM	65	CM	46 LEVEL CM	1891,0143 litre	31,660 %	4081,9387 litre	O
450	CM	65	CM	45 LEVEL CM	1835,2095 litre	30,725 %	4137,7435 litre	O
450	CM	65	CM	44 LEVEL CM	1779,6958 litre	29,796 %	4193,2572 litre	O
450	CM	65	CM	43 LEVEL CM	1724,4894 litre	28,872 %	4248,4636 litre	O
450	CM	65	CM	42 LEVEL CM	1669,6067 litre	27,953 %	4303,3463 litre	O
450	CM	65	CM	41 LEVEL CM	1615,0645 litre	27,040 %	4357,8885 litre	O
450	CM	65	CM	40 LEVEL CM	1560,8799 litre	26,132 %	4412,0731 litre	O
450	CM	65	CM	39 LEVEL CM	1507,0703 litre	25,232 %	4465,8827 litre	O
450	CM	65	CM	38 LEVEL CM	1453,6536 litre	24,337 %	4519,2994 litre	O
450	CM	65	CM	37 LEVEL CM	1400,6479 litre	23,450 %	4572,3051 litre	O
450	CM	65	CM	36 LEVEL CM	1348,0718 litre	22,570 %	4624,8812 litre	O
450	CM	65	CM	35 LEVEL CM	1295,9445 litre	21,697 %	4677,0085 litre	O
450	CM	65	CM	34 LEVEL CM	1244,2854 litre	20,832 %	4728,6676 litre	O
450	CM	65	CM	33 LEVEL CM	1193,1147 litre	19,975 %	4779,8383 litre	O
450	CM	65	CM	32 LEVEL CM	1142,4531 litre	19,127 %	4830,4999 litre	O
450	CM	65	CM	31 LEVEL CM	1092,3219 litre	18,288 %	4880,6311 litre	O
450	CM	65	CM	30 LEVEL CM	1042,7432 litre	17,458 %	4930,2098 litre	O
450	CM	65	CM	29 LEVEL CM	993,7396 litre	16,637 %	4979,2134 litre	O
450	CM	65	CM	28 LEVEL CM	945,3347 litre	15,827 %	5027,6183 litre	O
450	CM	65	CM	27 LEVEL CM	897,5531 litre	15,027 %	5075,3999 litre	O
450	CM	65	CM	26 LEVEL CM	850,4200 litre	14,238 %	5122,5330 litre	O

450	CM	65	CM	25 LEVEL CM	803,9621 litre	13,460 %	5168,9909 litre	O
450	CM	65	CM	24 LEVEL CM	758,2069 litre	12,694 %	5214,7461 litre	O
450	CM	65	CM	23 LEVEL CM	713,1834 litre	11,940 %	5259,7696 litre	O
450	CM	65	CM	22 LEVEL CM	668,9220 litre	11,199 %	5304,0310 litre	O
450	CM	65	CM	21 LEVEL CM	625,4548 litre	10,471 %	5347,4982 litre	O
450	CM	65	CM	20 LEVEL CM	582,8153 litre	9,758 %	5390,1377 litre	O
450	CM	65	CM	19 LEVEL CM	541,0396 litre	9,058 %	5431,9134 litre	O
450	CM	65	CM	18 LEVEL CM	500,1655 litre	8,374 %	5472,7875 litre	O
450	CM	65	CM	17 LEVEL CM	460,2338 litre	7,705 %	5512,7192 litre	O
450	CM	65	CM	16 LEVEL CM	421,2880 litre	7,053 %	5551,6650 litre	O
450	CM	65	CM	15 LEVEL CM	383,3751 litre	6,419 %	5589,5779 litre	O
450	CM	65	CM	14 LEVEL CM	346,5461 litre	5,802 %	5626,4069 litre	O
450	CM	65	CM	13 LEVEL CM	310,8565 litre	5,204 %	5662,0965 litre	O
450	CM	65	CM	12 LEVEL CM	276,3675 litre	4,627 %	5696,5855 litre	O
450	CM	65	CM	11 LEVEL CM	243,1467 litre	4,071 %	5729,8063 litre	O
450	CM	65	CM	10 LEVEL CM	211,2701 litre	3,537 %	5761,6829 litre	O
450	CM	65	CM	9 LEVEL CM	180,8234 litre	3,027 %	5792,1296 litre	O
450	CM	65	CM	8 LEVEL CM	151,9054 litre	2,543 %	5821,0476 litre	O
450	CM	65	CM	7 LEVEL CM	124,6313 litre	2,087 %	5848,3217 litre	O
450	CM	65	CM	6 LEVEL CM	99,1387 litre	1,660 %	5873,8143 litre	O
450	CM	65	CM	5 LEVEL CM	75,5966 litre	1,266 %	5897,3564 litre	O
450	CM	65	CM	4 LEVEL CM	54,2204 litre	0,908 %	5918,7326 litre	O
450	CM	65	CM	3 LEVEL CM	35,3000 litre	0,591 %	5937,6530 litre	O
450	CM	65	CM	2 LEVEL CM	19,2599 litre	0,322 %	5953,6931 litre	O
450	CM	65	CM	1 LEVEL CM	6,8252 litre	0,114 %	5966,1278 litre	O
450	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	5972,9530 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
450	CM	60	CM 120 LEVEL CM	5089,3801 litre	100,000 %	0,0000 litre	O
450	CM	60	CM 119 LEVEL CM	5082,8239 litre	99,871 %	6,5562 litre	O
450	CM	60	CM 118 LEVEL CM	5070,8830 litre	99,637 %	18,4971 litre	O
450	CM	60	CM 117 LEVEL CM	5055,4848 litre	99,334 %	33,8953 litre	O
450	CM	60	CM 116 LEVEL CM	5037,3277 litre	98,977 %	52,0524 litre	O
450	CM	60	CM 115 LEVEL CM	5016,8209 litre	98,574 %	72,5592 litre	O
450	CM	60	CM 114 LEVEL CM	4994,2441 litre	98,131 %	95,1360 litre	O
450	CM	60	CM 113 LEVEL CM	4969,8055 litre	97,651 %	119,5746 litre	O
450	CM	60	CM 112 LEVEL CM	4943,6684 litre	97,137 %	145,7117 litre	O
450	CM	60	CM 111 LEVEL CM	4915,9660 litre	96,593 %	173,4141 litre	O
450	CM	60	CM 110 LEVEL CM	4886,8101 litre	96,020 %	202,5700 litre	O
450	CM	60	CM 109 LEVEL CM	4856,2964 litre	95,420 %	233,0837 litre	O
450	CM	60	CM 108 LEVEL CM	4824,5083 litre	94,796 %	264,8718 litre	O
450	CM	60	CM 107 LEVEL CM	4791,5196 litre	94,147 %	297,8605 litre	O
450	CM	60	CM 106 LEVEL CM	4757,3961 litre	93,477 %	331,9840 litre	O
450	CM	60	CM 105 LEVEL CM	4722,1976 litre	92,785 %	367,1825 litre	O
450	CM	60	CM 104 LEVEL CM	4685,9781 litre	92,074 %	403,4020 litre	O
450	CM	60	CM 103 LEVEL CM	4648,7876 litre	91,343 %	440,5925 litre	O
450	CM	60	CM 102 LEVEL CM	4610,6720 litre	90,594 %	478,7081 litre	O
450	CM	60	CM 101 LEVEL CM	4571,6739 litre	89,828 %	517,7062 litre	O
450	CM	60	CM 100 LEVEL CM	4531,8333 litre	89,045 %	557,5468 litre	O
450	CM	60	CM 99 LEVEL CM	4491,1876 litre	88,246 %	598,1925 litre	O
450	CM	60	CM 98 LEVEL CM	4449,7718 litre	87,432 %	639,6083 litre	O
450	CM	60	CM 97 LEVEL CM	4407,6194 litre	86,604 %	681,7607 litre	O
450	CM	60	CM 96 LEVEL CM	4364,7618 litre	85,762 %	724,6183 litre	O
450	CM	60	CM 95 LEVEL CM	4321,2292 litre	84,907 %	768,1509 litre	O
450	CM	60	CM 94 LEVEL CM	4277,0500 litre	84,039 %	812,3301 litre	O
450	CM	60	CM 93 LEVEL CM	4232,2518 litre	83,158 %	857,1283 litre	O
450	CM	60	CM 92 LEVEL CM	4186,8608 litre	82,267 %	902,5193 litre	O
450	CM	60	CM 91 LEVEL CM	4140,9023 litre	81,364 %	948,4778 litre	O
450	CM	60	CM 90 LEVEL CM	4094,4006 litre	80,450 %	994,9795 litre	O
450	CM	60	CM 89 LEVEL CM	4047,3793 litre	79,526 %	1042,0008 litre	O
450	CM	60	CM 88 LEVEL CM	3999,8610 litre	78,592 %	1089,5191 litre	O
450	CM	60	CM 87 LEVEL CM	3951,8677 litre	77,649 %	1137,5124 litre	O
450	CM	60	CM 86 LEVEL CM	3903,4209 litre	76,697 %	1185,9592 litre	O
450	CM	60	CM 85 LEVEL CM	3854,5413 litre	75,737 %	1234,8388 litre	O
450	CM	60	CM 84 LEVEL CM	3805,2492 litre	74,768 %	1284,1309 litre	O
450	CM	60	CM 83 LEVEL CM	3755,5642 litre	73,792 %	1333,8159 litre	O
450	CM	60	CM 82 LEVEL CM	3705,5056 litre	72,809 %	1383,8745 litre	O
450	CM	60	CM 81 LEVEL CM	3655,0923 litre	71,818 %	1434,2878 litre	O
450	CM	60	CM 80 LEVEL CM	3604,3427 litre	70,821 %	1485,0374 litre	O
450	CM	60	CM 79 LEVEL CM	3553,2749 litre	69,817 %	1536,1052 litre	O
450	CM	60	CM 78 LEVEL CM	3501,9066 litre	68,808 %	1587,4735 litre	O
450	CM	60	CM 77 LEVEL CM	3450,2552 litre	67,793 %	1639,1249 litre	O
450	CM	60	CM 76 LEVEL CM	3398,3379 litre	66,773 %	1691,0422 litre	O
450	CM	60	CM 75 LEVEL CM	3346,1716 litre	65,748 %	1743,2085 litre	O
450	CM	60	CM 74 LEVEL CM	3293,7729 litre	64,719 %	1795,6072 litre	O
450	CM	60	CM 73 LEVEL CM	3241,1582 litre	63,685 %	1848,2219 litre	O
450	CM	60	CM 72 LEVEL CM	3188,3438 litre	62,647 %	1901,0363 litre	O
450	CM	60	CM 71 LEVEL CM	3135,3456 litre	61,606 %	1954,0345 litre	O
450	CM	60	CM 70 LEVEL CM	3082,1795 litre	60,561 %	2007,2006 litre	O
450	CM	60	CM 69 LEVEL CM	3028,8613 litre	59,513 %	2060,5188 litre	O

450	CM	60	CM	68 LEVEL CM	2975,4066 litre	58,463 %	2113,9735 litre	O
450	CM	60	CM	67 LEVEL CM	2921,8308 litre	57,410 %	2167,5493 litre	O
450	CM	60	CM	66 LEVEL CM	2868,1492 litre	56,356 %	2221,2309 litre	O
450	CM	60	CM	65 LEVEL CM	2814,3772 litre	55,299 %	2275,0029 litre	O
450	CM	60	CM	64 LEVEL CM	2760,5299 litre	54,241 %	2328,8502 litre	O
450	CM	60	CM	63 LEVEL CM	2706,6225 litre	53,182 %	2382,7576 litre	O
450	CM	60	CM	62 LEVEL CM	2652,6700 litre	52,122 %	2436,7101 litre	O
450	CM	60	CM	61 LEVEL CM	2598,6875 litre	51,061 %	2490,6926 litre	O
450	CM	60	CM	60 LEVEL CM	2544,6900 litre	50,000 %	2544,6901 litre	O
450	CM	60	CM	59 LEVEL CM	2490,6925 litre	48,939 %	2598,6876 litre	O
450	CM	60	CM	58 LEVEL CM	2436,7101 litre	47,878 %	2652,6700 litre	O
450	CM	60	CM	57 LEVEL CM	2382,7576 litre	46,818 %	2706,6225 litre	O
450	CM	60	CM	56 LEVEL CM	2328,8502 litre	45,759 %	2760,5299 litre	O
450	CM	60	CM	55 LEVEL CM	2275,0029 litre	44,701 %	2814,3772 litre	O
450	CM	60	CM	54 LEVEL CM	2221,2309 litre	43,644 %	2868,1492 litre	O
450	CM	60	CM	53 LEVEL CM	2167,5493 litre	42,590 %	2921,8308 litre	O
450	CM	60	CM	52 LEVEL CM	2113,9735 litre	41,537 %	2975,4066 litre	O
450	CM	60	CM	51 LEVEL CM	2060,5188 litre	40,487 %	3028,8613 litre	O
450	CM	60	CM	50 LEVEL CM	2007,2006 litre	39,439 %	3082,1795 litre	O
450	CM	60	CM	49 LEVEL CM	1954,0345 litre	38,394 %	3135,3456 litre	O
450	CM	60	CM	48 LEVEL CM	1901,0363 litre	37,353 %	3188,3438 litre	O
450	CM	60	CM	47 LEVEL CM	1848,2219 litre	36,315 %	3241,1582 litre	O
450	CM	60	CM	46 LEVEL CM	1795,6072 litre	35,281 %	3293,7729 litre	O
450	CM	60	CM	45 LEVEL CM	1743,2085 litre	34,252 %	3346,1716 litre	O
450	CM	60	CM	44 LEVEL CM	1691,0422 litre	33,227 %	3398,3379 litre	O
450	CM	60	CM	43 LEVEL CM	1639,1249 litre	32,207 %	3450,2552 litre	O
450	CM	60	CM	42 LEVEL CM	1587,4735 litre	31,192 %	3501,9066 litre	O
450	CM	60	CM	41 LEVEL CM	1536,1052 litre	30,183 %	3553,2749 litre	O
450	CM	60	CM	40 LEVEL CM	1485,0374 litre	29,179 %	3604,3427 litre	O
450	CM	60	CM	39 LEVEL CM	1434,2878 litre	28,182 %	3655,0923 litre	O
450	CM	60	CM	38 LEVEL CM	1383,8745 litre	27,191 %	3705,5056 litre	O
450	CM	60	CM	37 LEVEL CM	1333,8159 litre	26,208 %	3755,5642 litre	O
450	CM	60	CM	36 LEVEL CM	1284,1309 litre	25,232 %	3805,2492 litre	O
450	CM	60	CM	35 LEVEL CM	1234,8388 litre	24,263 %	3854,5413 litre	O
450	CM	60	CM	34 LEVEL CM	1185,9592 litre	23,303 %	3903,4209 litre	O
450	CM	60	CM	33 LEVEL CM	1137,5124 litre	22,351 %	3951,8677 litre	O
450	CM	60	CM	32 LEVEL CM	1089,5191 litre	21,408 %	3999,8610 litre	O
450	CM	60	CM	31 LEVEL CM	1042,0008 litre	20,474 %	4047,3793 litre	O
450	CM	60	CM	30 LEVEL CM	994,9795 litre	19,550 %	4094,4006 litre	O
450	CM	60	CM	29 LEVEL CM	948,4778 litre	18,636 %	4140,9023 litre	O
450	CM	60	CM	28 LEVEL CM	902,5193 litre	17,733 %	4186,8608 litre	O
450	CM	60	CM	27 LEVEL CM	857,1283 litre	16,842 %	4232,2518 litre	O
450	CM	60	CM	26 LEVEL CM	812,3301 litre	15,961 %	4277,0500 litre	O
450	CM	60	CM	25 LEVEL CM	768,1509 litre	15,093 %	4321,2292 litre	O
450	CM	60	CM	24 LEVEL CM	724,6183 litre	14,238 %	4364,7618 litre	O
450	CM	60	CM	23 LEVEL CM	681,7607 litre	13,396 %	4407,6194 litre	O
450	CM	60	CM	22 LEVEL CM	639,6083 litre	12,568 %	4449,7718 litre	O
450	CM	60	CM	21 LEVEL CM	598,1925 litre	11,754 %	4491,1876 litre	O
450	CM	60	CM	20 LEVEL CM	557,5468 litre	10,955 %	4531,8333 litre	O
450	CM	60	CM	19 LEVEL CM	517,7062 litre	10,172 %	4571,6739 litre	O
450	CM	60	CM	18 LEVEL CM	478,7081 litre	9,406 %	4610,6720 litre	O
450	CM	60	CM	17 LEVEL CM	440,5925 litre	8,657 %	4648,7876 litre	O
450	CM	60	CM	16 LEVEL CM	403,4020 litre	7,926 %	4685,9781 litre	O

450	CM	60	CM	15 LEVEL CM	367,1825 litre	7,215 %	4722,1976 litre	O
450	CM	60	CM	14 LEVEL CM	331,9840 litre	6,523 %	4757,3961 litre	O
450	CM	60	CM	13 LEVEL CM	297,8605 litre	5,853 %	4791,5196 litre	O
450	CM	60	CM	12 LEVEL CM	264,8718 litre	5,204 %	4824,5083 litre	O
450	CM	60	CM	11 LEVEL CM	233,0837 litre	4,580 %	4856,2964 litre	O
450	CM	60	CM	10 LEVEL CM	202,5700 litre	3,980 %	4886,8101 litre	O
450	CM	60	CM	9 LEVEL CM	173,4141 litre	3,407 %	4915,9660 litre	O
450	CM	60	CM	8 LEVEL CM	145,7117 litre	2,863 %	4943,6684 litre	O
450	CM	60	CM	7 LEVEL CM	119,5746 litre	2,349 %	4969,8055 litre	O
450	CM	60	CM	6 LEVEL CM	95,1360 litre	1,869 %	4994,2441 litre	O
450	CM	60	CM	5 LEVEL CM	72,5592 litre	1,426 %	5016,8209 litre	O
450	CM	60	CM	4 LEVEL CM	52,0524 litre	1,023 %	5037,3277 litre	O
450	CM	60	CM	3 LEVEL CM	33,8953 litre	0,666 %	5055,4848 litre	O
450	CM	60	CM	2 LEVEL CM	18,4971 litre	0,363 %	5070,8830 litre	O
450	CM	60	CM	1 LEVEL CM	6,5562 litre	0,129 %	5082,8239 litre	O
450	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	5089,3801 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
450	CM	55	CM	110 LEVEL CM	4276,4930 litre	100,000 %	0,0000 litre	O
450	CM	55	CM	109 LEVEL CM	4270,2173 litre	99,853 %	6,2757 litre	O
450	CM	55	CM	108 LEVEL CM	4258,7915 litre	99,586 %	17,7015 litre	O
450	CM	55	CM	107 LEVEL CM	4244,0632 litre	99,242 %	32,4298 litre	O
450	CM	55	CM	106 LEVEL CM	4226,7030 litre	98,836 %	49,7900 litre	O
450	CM	55	CM	105 LEVEL CM	4207,1041 litre	98,377 %	69,3889 litre	O
450	CM	55	CM	104 LEVEL CM	4185,5358 litre	97,873 %	90,9572 litre	O
450	CM	55	CM	103 LEVEL CM	4162,1986 litre	97,327 %	114,2944 litre	O
450	CM	55	CM	102 LEVEL CM	4137,2502 litre	96,744 %	139,2428 litre	O
450	CM	55	CM	101 LEVEL CM	4110,8194 litre	96,126 %	165,6736 litre	O
450	CM	55	CM	100 LEVEL CM	4083,0141 litre	95,476 %	193,4789 litre	O
450	CM	55	CM	99 LEVEL CM	4053,9271 litre	94,796 %	222,5659 litre	O
450	CM	55	CM	98 LEVEL CM	4023,6394 litre	94,087 %	252,8536 litre	O
450	CM	55	CM	97 LEVEL CM	3992,2225 litre	93,353 %	284,2705 litre	O
450	CM	55	CM	96 LEVEL CM	3959,7406 litre	92,593 %	316,7524 litre	O
450	CM	55	CM	95 LEVEL CM	3926,2518 litre	91,810 %	350,2412 litre	O
450	CM	55	CM	94 LEVEL CM	3891,8090 litre	91,005 %	384,6840 litre	O
450	CM	55	CM	93 LEVEL CM	3856,4608 litre	90,178 %	420,0322 litre	O
450	CM	55	CM	92 LEVEL CM	3820,2522 litre	89,331 %	456,2408 litre	O
450	CM	55	CM	91 LEVEL CM	3783,2251 litre	88,466 %	493,2679 litre	O
450	CM	55	CM	90 LEVEL CM	3745,4186 litre	87,582 %	531,0744 litre	O
450	CM	55	CM	89 LEVEL CM	3706,8695 litre	86,680 %	569,6235 litre	O
450	CM	55	CM	88 LEVEL CM	3667,6124 litre	85,762 %	608,8806 litre	O
450	CM	55	CM	87 LEVEL CM	3627,6801 litre	84,828 %	648,8129 litre	O
450	CM	55	CM	86 LEVEL CM	3587,1040 litre	83,880 %	689,3890 litre	O
450	CM	55	CM	85 LEVEL CM	3545,9135 litre	82,916 %	730,5795 litre	O
450	CM	55	CM	84 LEVEL CM	3504,1373 litre	81,940 %	772,3557 litre	O
450	CM	55	CM	83 LEVEL CM	3461,8025 litre	80,950 %	814,6905 litre	O
450	CM	55	CM	82 LEVEL CM	3418,9353 litre	79,947 %	857,5577 litre	O
450	CM	55	CM	81 LEVEL CM	3375,5609 litre	78,933 %	900,9321 litre	O
450	CM	55	CM	80 LEVEL CM	3331,7036 litre	77,907 %	944,7894 litre	O
450	CM	55	CM	79 LEVEL CM	3287,3870 litre	76,871 %	989,1060 litre	O
450	CM	55	CM	78 LEVEL CM	3242,6338 litre	75,825 %	1033,8592 litre	O
450	CM	55	CM	77 LEVEL CM	3197,4663 litre	74,768 %	1079,0267 litre	O
450	CM	55	CM	76 LEVEL CM	3151,9059 litre	73,703 %	1124,5871 litre	O
450	CM	55	CM	75 LEVEL CM	3105,9737 litre	72,629 %	1170,5193 litre	O
450	CM	55	CM	74 LEVEL CM	3059,6901 litre	71,547 %	1216,8029 litre	O
450	CM	55	CM	73 LEVEL CM	3013,0752 litre	70,457 %	1263,4178 litre	O
450	CM	55	CM	72 LEVEL CM	2966,1485 litre	69,359 %	1310,3445 litre	O
450	CM	55	CM	71 LEVEL CM	2918,9293 litre	68,255 %	1357,5637 litre	O
450	CM	55	CM	70 LEVEL CM	2871,4364 litre	67,145 %	1405,0566 litre	O
450	CM	55	CM	69 LEVEL CM	2823,6884 litre	66,028 %	1452,8046 litre	O
450	CM	55	CM	68 LEVEL CM	2775,7034 litre	64,906 %	1500,7896 litre	O
450	CM	55	CM	67 LEVEL CM	2727,4995 litre	63,779 %	1548,9935 litre	O
450	CM	55	CM	66 LEVEL CM	2679,0944 litre	62,647 %	1597,3986 litre	O
450	CM	55	CM	65 LEVEL CM	2630,5055 litre	61,511 %	1645,9875 litre	O
450	CM	55	CM	64 LEVEL CM	2581,7503 litre	60,371 %	1694,7427 litre	O
450	CM	55	CM	63 LEVEL CM	2532,8457 litre	59,227 %	1743,6473 litre	O
450	CM	55	CM	62 LEVEL CM	2483,8088 litre	58,081 %	1792,6842 litre	O
450	CM	55	CM	61 LEVEL CM	2434,6564 litre	56,931 %	1841,8366 litre	O
450	CM	55	CM	60 LEVEL CM	2385,4052 litre	55,779 %	1891,0878 litre	O
450	CM	55	CM	59 LEVEL CM	2336,0718 litre	54,626 %	1940,4212 litre	O

450	CM	55	CM	58 LEVEL CM	2286,6728 litre	53,471 %	1989,8202 litre	O
450	CM	55	CM	57 LEVEL CM	2237,2247 litre	52,314 %	2039,2683 litre	O
450	CM	55	CM	56 LEVEL CM	2187,7438 litre	51,157 %	2088,7492 litre	O
450	CM	55	CM	55 LEVEL CM	2138,2465 litre	50,000 %	2138,2465 litre	O
450	CM	55	CM	54 LEVEL CM	2088,7492 litre	48,843 %	2187,7438 litre	O
450	CM	55	CM	53 LEVEL CM	2039,2683 litre	47,686 %	2237,2247 litre	O
450	CM	55	CM	52 LEVEL CM	1989,8202 litre	46,529 %	2286,6728 litre	O
450	CM	55	CM	51 LEVEL CM	1940,4212 litre	45,374 %	2336,0718 litre	O
450	CM	55	CM	50 LEVEL CM	1891,0878 litre	44,221 %	2385,4052 litre	O
450	CM	55	CM	49 LEVEL CM	1841,8366 litre	43,069 %	2434,6564 litre	O
450	CM	55	CM	48 LEVEL CM	1792,6842 litre	41,919 %	2483,8088 litre	O
450	CM	55	CM	47 LEVEL CM	1743,6473 litre	40,773 %	2532,8457 litre	O
450	CM	55	CM	46 LEVEL CM	1694,7427 litre	39,629 %	2581,7503 litre	O
450	CM	55	CM	45 LEVEL CM	1645,9875 litre	38,489 %	2630,5055 litre	O
450	CM	55	CM	44 LEVEL CM	1597,3986 litre	37,353 %	2679,0944 litre	O
450	CM	55	CM	43 LEVEL CM	1548,9935 litre	36,221 %	2727,4995 litre	O
450	CM	55	CM	42 LEVEL CM	1500,7896 litre	35,094 %	2775,7034 litre	O
450	CM	55	CM	41 LEVEL CM	1452,8046 litre	33,972 %	2823,6884 litre	O
450	CM	55	CM	40 LEVEL CM	1405,0566 litre	32,855 %	2871,4364 litre	O
450	CM	55	CM	39 LEVEL CM	1357,5637 litre	31,745 %	2918,9293 litre	O
450	CM	55	CM	38 LEVEL CM	1310,3445 litre	30,641 %	2966,1485 litre	O
450	CM	55	CM	37 LEVEL CM	1263,4178 litre	29,543 %	3013,0752 litre	O
450	CM	55	CM	36 LEVEL CM	1216,8029 litre	28,453 %	3059,6901 litre	O
450	CM	55	CM	35 LEVEL CM	1170,5193 litre	27,371 %	3105,9737 litre	O
450	CM	55	CM	34 LEVEL CM	1124,5871 litre	26,297 %	3151,9059 litre	O
450	CM	55	CM	33 LEVEL CM	1079,0267 litre	25,232 %	3197,4663 litre	O
450	CM	55	CM	32 LEVEL CM	1033,8592 litre	24,175 %	3242,6338 litre	O
450	CM	55	CM	31 LEVEL CM	989,1060 litre	23,129 %	3287,3870 litre	O
450	CM	55	CM	30 LEVEL CM	944,7894 litre	22,093 %	3331,7036 litre	O
450	CM	55	CM	29 LEVEL CM	900,9321 litre	21,067 %	3375,5609 litre	O
450	CM	55	CM	28 LEVEL CM	857,5577 litre	20,053 %	3418,9353 litre	O
450	CM	55	CM	27 LEVEL CM	814,6905 litre	19,050 %	3461,8025 litre	O
450	CM	55	CM	26 LEVEL CM	772,3557 litre	18,060 %	3504,1373 litre	O
450	CM	55	CM	25 LEVEL CM	730,5795 litre	17,084 %	3545,9135 litre	O
450	CM	55	CM	24 LEVEL CM	689,3890 litre	16,120 %	3587,1040 litre	O
450	CM	55	CM	23 LEVEL CM	648,8129 litre	15,172 %	3627,6801 litre	O
450	CM	55	CM	22 LEVEL CM	608,8806 litre	14,238 %	3667,6124 litre	O
450	CM	55	CM	21 LEVEL CM	569,6235 litre	13,320 %	3706,8695 litre	O
450	CM	55	CM	20 LEVEL CM	531,0744 litre	12,418 %	3745,4186 litre	O
450	CM	55	CM	19 LEVEL CM	493,2679 litre	11,534 %	3783,2251 litre	O
450	CM	55	CM	18 LEVEL CM	456,2408 litre	10,669 %	3820,2522 litre	O
450	CM	55	CM	17 LEVEL CM	420,0322 litre	9,822 %	3856,4608 litre	O
450	CM	55	CM	16 LEVEL CM	384,6840 litre	8,995 %	3891,8090 litre	O
450	CM	55	CM	15 LEVEL CM	350,2412 litre	8,190 %	3926,2518 litre	O
450	CM	55	CM	14 LEVEL CM	316,7524 litre	7,407 %	3959,7406 litre	O
450	CM	55	CM	13 LEVEL CM	284,2705 litre	6,647 %	3992,2225 litre	O
450	CM	55	CM	12 LEVEL CM	252,8536 litre	5,913 %	4023,6394 litre	O
450	CM	55	CM	11 LEVEL CM	222,5659 litre	5,204 %	4053,9271 litre	O
450	CM	55	CM	10 LEVEL CM	193,4789 litre	4,524 %	4083,0141 litre	O
450	CM	55	CM	9 LEVEL CM	165,6736 litre	3,874 %	4110,8194 litre	O
450	CM	55	CM	8 LEVEL CM	139,2428 litre	3,256 %	4137,2502 litre	O
450	CM	55	CM	7 LEVEL CM	114,2944 litre	2,673 %	4162,1986 litre	O
450	CM	55	CM	6 LEVEL CM	90,9572 litre	2,127 %	4185,5358 litre	O

450	CM	55	CM	5 LEVEL CM	69,3889 litre	1,623 %	4207,1041 litre	O
450	CM	55	CM	4 LEVEL CM	49,7900 litre	1,164 %	4226,7030 litre	O
450	CM	55	CM	3 LEVEL CM	32,4298 litre	0,758 %	4244,0632 litre	O
450	CM	55	CM	2 LEVEL CM	17,7015 litre	0,414 %	4258,7915 litre	O
450	CM	55	CM	1 LEVEL CM	6,2757 litre	0,147 %	4270,2173 litre	O
450	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	4276,4930 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
450	CM	50	CM	100 LEVEL CM	3534,2917 litre	100,000 %	0,0000 litre	O
450	CM	50	CM	99 LEVEL CM	3528,3098 litre	99,831 %	5,9819 litre	O
450	CM	50	CM	98 LEVEL CM	3517,4234 litre	99,523 %	16,8683 litre	O
450	CM	50	CM	97 LEVEL CM	3503,3969 litre	99,126 %	30,8948 litre	O
450	CM	50	CM	96 LEVEL CM	3486,8719 litre	98,658 %	47,4198 litre	O
450	CM	50	CM	95 LEVEL CM	3468,2251 litre	98,131 %	66,0666 litre	O
450	CM	50	CM	94 LEVEL CM	3447,7148 litre	97,550 %	86,5769 litre	O
450	CM	50	CM	93 LEVEL CM	3425,5337 litre	96,923 %	108,7580 litre	O
450	CM	50	CM	92 LEVEL CM	3401,8336 litre	96,252 %	132,4581 litre	O
450	CM	50	CM	91 LEVEL CM	3376,7386 litre	95,542 %	157,5531 litre	O
450	CM	50	CM	90 LEVEL CM	3350,3530 litre	94,796 %	183,9387 litre	O
450	CM	50	CM	89 LEVEL CM	3322,7664 litre	94,015 %	211,5253 litre	O
450	CM	50	CM	88 LEVEL CM	3294,0573 litre	93,203 %	240,2344 litre	O
450	CM	50	CM	87 LEVEL CM	3264,2952 litre	92,361 %	269,9965 litre	O
450	CM	50	CM	86 LEVEL CM	3233,5425 litre	91,491 %	300,7492 litre	O
450	CM	50	CM	85 LEVEL CM	3201,8555 litre	90,594 %	332,4362 litre	O
450	CM	50	CM	84 LEVEL CM	3169,2861 litre	89,672 %	365,0056 litre	O
450	CM	50	CM	83 LEVEL CM	3135,8817 litre	88,727 %	398,4100 litre	O
450	CM	50	CM	82 LEVEL CM	3101,6864 litre	87,760 %	432,6053 litre	O
450	CM	50	CM	81 LEVEL CM	3066,7412 litre	86,771 %	467,5505 litre	O
450	CM	50	CM	80 LEVEL CM	3031,0846 litre	85,762 %	503,2071 litre	O
450	CM	50	CM	79 LEVEL CM	2994,7529 litre	84,734 %	539,5388 litre	O
450	CM	50	CM	78 LEVEL CM	2957,7802 litre	83,688 %	576,5115 litre	O
450	CM	50	CM	77 LEVEL CM	2920,1991 litre	82,625 %	614,0926 litre	O
450	CM	50	CM	76 LEVEL CM	2882,0404 litre	81,545 %	652,2513 litre	O
450	CM	50	CM	75 LEVEL CM	2843,3338 litre	80,450 %	690,9579 litre	O
450	CM	50	CM	74 LEVEL CM	2804,1074 litre	79,340 %	730,1843 litre	O
450	CM	50	CM	73 LEVEL CM	2764,3885 litre	78,216 %	769,9032 litre	O
450	CM	50	CM	72 LEVEL CM	2724,2033 litre	77,079 %	810,0884 litre	O
450	CM	50	CM	71 LEVEL CM	2683,5770 litre	75,930 %	850,7147 litre	O
450	CM	50	CM	70 LEVEL CM	2642,5341 litre	74,768 %	891,7576 litre	O
450	CM	50	CM	69 LEVEL CM	2601,0984 litre	73,596 %	933,1933 litre	O
450	CM	50	CM	68 LEVEL CM	2559,2929 litre	72,413 %	974,9988 litre	O
450	CM	50	CM	67 LEVEL CM	2517,1401 litre	71,220 %	1017,1516 litre	O
450	CM	50	CM	66 LEVEL CM	2474,6619 litre	70,019 %	1059,6298 litre	O
450	CM	50	CM	65 LEVEL CM	2431,8796 litre	68,808 %	1102,4121 litre	O
450	CM	50	CM	64 LEVEL CM	2388,8142 litre	67,590 %	1145,4775 litre	O
450	CM	50	CM	63 LEVEL CM	2345,4864 litre	66,364 %	1188,8053 litre	O
450	CM	50	CM	62 LEVEL CM	2301,9161 litre	65,131 %	1232,3756 litre	O
450	CM	50	CM	61 LEVEL CM	2258,1234 litre	63,892 %	1276,1683 litre	O
450	CM	50	CM	60 LEVEL CM	2214,1276 litre	62,647 %	1320,1641 litre	O
450	CM	50	CM	59 LEVEL CM	2169,9481 litre	61,397 %	1364,3436 litre	O
450	CM	50	CM	58 LEVEL CM	2125,6039 litre	60,142 %	1408,6878 litre	O
450	CM	50	CM	57 LEVEL CM	2081,1138 litre	58,883 %	1453,1779 litre	O
450	CM	50	CM	56 LEVEL CM	2036,4965 litre	57,621 %	1497,7952 litre	O
450	CM	50	CM	55 LEVEL CM	1991,7703 litre	56,356 %	1542,5214 litre	O
450	CM	50	CM	54 LEVEL CM	1946,9537 litre	55,088 %	1587,3380 litre	O
450	CM	50	CM	53 LEVEL CM	1902,0648 litre	53,817 %	1632,2269 litre	O
450	CM	50	CM	52 LEVEL CM	1857,1219 litre	52,546 %	1677,1698 litre	O
450	CM	50	CM	51 LEVEL CM	1812,1429 litre	51,273 %	1722,1488 litre	O
450	CM	50	CM	50 LEVEL CM	1767,1459 litre	50,000 %	1767,1458 litre	O
450	CM	50	CM	49 LEVEL CM	1722,1489 litre	48,727 %	1812,1428 litre	O

450	CM	50	CM	48 LEVEL CM	1677,1699 litre	47,454 %	1857,1218 litre	O
450	CM	50	CM	47 LEVEL CM	1632,2269 litre	46,183 %	1902,0648 litre	O
450	CM	50	CM	46 LEVEL CM	1587,3381 litre	44,912 %	1946,9536 litre	O
450	CM	50	CM	45 LEVEL CM	1542,5214 litre	43,644 %	1991,7703 litre	O
450	CM	50	CM	44 LEVEL CM	1497,7953 litre	42,379 %	2036,4964 litre	O
450	CM	50	CM	43 LEVEL CM	1453,1779 litre	41,117 %	2081,1138 litre	O
450	CM	50	CM	42 LEVEL CM	1408,6878 litre	39,858 %	2125,6039 litre	O
450	CM	50	CM	41 LEVEL CM	1364,3436 litre	38,603 %	2169,9481 litre	O
450	CM	50	CM	40 LEVEL CM	1320,1641 litre	37,353 %	2214,1276 litre	O
450	CM	50	CM	39 LEVEL CM	1276,1684 litre	36,108 %	2258,1233 litre	O
450	CM	50	CM	38 LEVEL CM	1232,3756 litre	34,869 %	2301,9161 litre	O
450	CM	50	CM	37 LEVEL CM	1188,8054 litre	33,636 %	2345,4863 litre	O
450	CM	50	CM	36 LEVEL CM	1145,4775 litre	32,410 %	2388,8142 litre	O
450	CM	50	CM	35 LEVEL CM	1102,4122 litre	31,192 %	2431,8795 litre	O
450	CM	50	CM	34 LEVEL CM	1059,6299 litre	29,981 %	2474,6618 litre	O
450	CM	50	CM	33 LEVEL CM	1017,1516 litre	28,780 %	2517,1401 litre	O
450	CM	50	CM	32 LEVEL CM	974,9988 litre	27,587 %	2559,2929 litre	O
450	CM	50	CM	31 LEVEL CM	933,1933 litre	26,404 %	2601,0984 litre	O
450	CM	50	CM	30 LEVEL CM	891,7576 litre	25,232 %	2642,5341 litre	O
450	CM	50	CM	29 LEVEL CM	850,7147 litre	24,070 %	2683,5770 litre	O
450	CM	50	CM	28 LEVEL CM	810,0885 litre	22,921 %	2724,2032 litre	O
450	CM	50	CM	27 LEVEL CM	769,9032 litre	21,784 %	2764,3885 litre	O
450	CM	50	CM	26 LEVEL CM	730,1843 litre	20,660 %	2804,1074 litre	O
450	CM	50	CM	25 LEVEL CM	690,9580 litre	19,550 %	2843,3337 litre	O
450	CM	50	CM	24 LEVEL CM	652,2513 litre	18,455 %	2882,0404 litre	O
450	CM	50	CM	23 LEVEL CM	614,0926 litre	17,375 %	2920,1991 litre	O
450	CM	50	CM	22 LEVEL CM	576,5115 litre	16,312 %	2957,7802 litre	O
450	CM	50	CM	21 LEVEL CM	539,5388 litre	15,266 %	2994,7529 litre	O
450	CM	50	CM	20 LEVEL CM	503,2071 litre	14,238 %	3031,0846 litre	O
450	CM	50	CM	19 LEVEL CM	467,5506 litre	13,229 %	3066,7411 litre	O
450	CM	50	CM	18 LEVEL CM	432,6054 litre	12,240 %	3101,6863 litre	O
450	CM	50	CM	17 LEVEL CM	398,4101 litre	11,273 %	3135,8816 litre	O
450	CM	50	CM	16 LEVEL CM	365,0056 litre	10,328 %	3169,2861 litre	O
450	CM	50	CM	15 LEVEL CM	332,4362 litre	9,406 %	3201,8555 litre	O
450	CM	50	CM	14 LEVEL CM	300,7493 litre	8,509 %	3233,5424 litre	O
450	CM	50	CM	13 LEVEL CM	269,9965 litre	7,639 %	3264,2952 litre	O
450	CM	50	CM	12 LEVEL CM	240,2344 litre	6,797 %	3294,0573 litre	O
450	CM	50	CM	11 LEVEL CM	211,5253 litre	5,985 %	3322,7664 litre	O
450	CM	50	CM	10 LEVEL CM	183,9387 litre	5,204 %	3350,3530 litre	O
450	CM	50	CM	9 LEVEL CM	157,5531 litre	4,458 %	3376,7386 litre	O
450	CM	50	CM	8 LEVEL CM	132,4581 litre	3,748 %	3401,8336 litre	O
450	CM	50	CM	7 LEVEL CM	108,7580 litre	3,077 %	3425,5337 litre	O
450	CM	50	CM	6 LEVEL CM	86,5769 litre	2,450 %	3447,7148 litre	O
450	CM	50	CM	5 LEVEL CM	66,0666 litre	1,869 %	3468,2251 litre	O
450	CM	50	CM	4 LEVEL CM	47,4198 litre	1,342 %	3486,8719 litre	O
450	CM	50	CM	3 LEVEL CM	30,8948 litre	0,874 %	3503,3969 litre	O
450	CM	50	CM	2 LEVEL CM	16,8684 litre	0,477 %	3517,4233 litre	O
450	CM	50	CM	1 LEVEL CM	5,9820 litre	0,169 %	3528,3097 litre	O
450	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3534,2917 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
440	CM	150	CM	300 LEVEL CM	31101,7673 litre	100,000 %	0,0000 litre	O
440	CM	150	CM	299 LEVEL CM	31091,6161 litre	99,967 %	10,1512 litre	O
440	CM	150	CM	298 LEVEL CM	31073,0841 litre	99,908 %	28,6832 litre	O
440	CM	150	CM	297 LEVEL CM	31049,1260 litre	99,831 %	52,6413 litre	O
440	CM	150	CM	296 LEVEL CM	31020,8023 litre	99,740 %	80,9650 litre	O
440	CM	150	CM	295 LEVEL CM	30988,7295 litre	99,637 %	113,0378 litre	O
440	CM	150	CM	294 LEVEL CM	30953,3256 litre	99,523 %	148,4417 litre	O
440	CM	150	CM	293 LEVEL CM	30914,8990 litre	99,399 %	186,8683 litre	O
440	CM	150	CM	292 LEVEL CM	30873,6901 litre	99,267 %	228,0772 litre	O
440	CM	150	CM	291 LEVEL CM	30829,8930 litre	99,126 %	271,8743 litre	O
440	CM	150	CM	290 LEVEL CM	30783,6694 litre	98,977 %	318,0979 litre	O
440	CM	150	CM	289 LEVEL CM	30735,1565 litre	98,821 %	366,6108 litre	O
440	CM	150	CM	288 LEVEL CM	30684,4729 litre	98,658 %	417,2944 litre	O
440	CM	150	CM	287 LEVEL CM	30631,7225 litre	98,489 %	470,0448 litre	O
440	CM	150	CM	286 LEVEL CM	30576,9977 litre	98,313 %	524,7696 litre	O
440	CM	150	CM	285 LEVEL CM	30520,3808 litre	98,131 %	581,3865 litre	O
440	CM	150	CM	284 LEVEL CM	30461,9464 litre	97,943 %	639,8209 litre	O
440	CM	150	CM	283 LEVEL CM	30401,7622 litre	97,749 %	700,0051 litre	O
440	CM	150	CM	282 LEVEL CM	30339,8902 litre	97,550 %	761,8771 litre	O
440	CM	150	CM	281 LEVEL CM	30276,3874 litre	97,346 %	825,3799 litre	O
440	CM	150	CM	280 LEVEL CM	30211,3066 litre	97,137 %	890,4607 litre	O
440	CM	150	CM	279 LEVEL CM	30144,6968 litre	96,923 %	957,0705 litre	O
440	CM	150	CM	278 LEVEL CM	30076,6037 litre	96,704 %	1025,1636 litre	O
440	CM	150	CM	277 LEVEL CM	30007,0700 litre	96,480 %	1094,6973 litre	O
440	CM	150	CM	276 LEVEL CM	29936,1360 litre	96,252 %	1165,6313 litre	O
440	CM	150	CM	275 LEVEL CM	29863,8395 litre	96,020 %	1237,9278 litre	O
440	CM	150	CM	274 LEVEL CM	29790,2161 litre	95,783 %	1311,5512 litre	O
440	CM	150	CM	273 LEVEL CM	29715,2998 litre	95,542 %	1386,4675 litre	O
440	CM	150	CM	272 LEVEL CM	29639,1226 litre	95,297 %	1462,6447 litre	O
440	CM	150	CM	271 LEVEL CM	29561,7150 litre	95,048 %	1540,0523 litre	O
440	CM	150	CM	270 LEVEL CM	29483,1063 litre	94,796 %	1618,6610 litre	O
440	CM	150	CM	269 LEVEL CM	29403,3241 litre	94,539 %	1698,4432 litre	O
440	CM	150	CM	268 LEVEL CM	29322,3951 litre	94,279 %	1779,3722 litre	O
440	CM	150	CM	267 LEVEL CM	29240,3446 litre	94,015 %	1861,4227 litre	O
440	CM	150	CM	266 LEVEL CM	29157,1973 litre	93,748 %	1944,5700 litre	O
440	CM	150	CM	265 LEVEL CM	29072,9764 litre	93,477 %	2028,7909 litre	O
440	CM	150	CM	264 LEVEL CM	28987,7047 litre	93,203 %	2114,0626 litre	O
440	CM	150	CM	263 LEVEL CM	28901,4038 litre	92,925 %	2200,3635 litre	O
440	CM	150	CM	262 LEVEL CM	28814,0949 litre	92,645 %	2287,6724 litre	O
440	CM	150	CM	261 LEVEL CM	28725,7981 litre	92,361 %	2375,9692 litre	O
440	CM	150	CM	260 LEVEL CM	28636,5331 litre	92,074 %	2465,2342 litre	O
440	CM	150	CM	259 LEVEL CM	28546,3188 litre	91,784 %	2555,4485 litre	O
440	CM	150	CM	258 LEVEL CM	28455,1737 litre	91,491 %	2646,5936 litre	O
440	CM	150	CM	257 LEVEL CM	28363,1155 litre	91,195 %	2738,6518 litre	O
440	CM	150	CM	256 LEVEL CM	28270,1616 litre	90,896 %	2831,6057 litre	O
440	CM	150	CM	255 LEVEL CM	28176,3288 litre	90,594 %	2925,4385 litre	O
440	CM	150	CM	254 LEVEL CM	28081,6333 litre	90,290 %	3020,1340 litre	O
440	CM	150	CM	253 LEVEL CM	27986,0911 litre	89,982 %	3115,6762 litre	O
440	CM	150	CM	252 LEVEL CM	27889,7177 litre	89,672 %	3212,0496 litre	O
440	CM	150	CM	251 LEVEL CM	27792,5280 litre	89,360 %	3309,2393 litre	O
440	CM	150	CM	250 LEVEL CM	27694,5370 litre	89,045 %	3407,2303 litre	O
440	CM	150	CM	249 LEVEL CM	27595,7588 litre	88,727 %	3506,0085 litre	O

440	CM	150	CM	248 LEVEL CM	27496,2075 litre	88,407 %	3605,5598 litre	O
440	CM	150	CM	247 LEVEL CM	27395,8967 litre	88,085 %	3705,8706 litre	O
440	CM	150	CM	246 LEVEL CM	27294,8399 litre	87,760 %	3806,9274 litre	O
440	CM	150	CM	245 LEVEL CM	27193,0501 litre	87,432 %	3908,7172 litre	O
440	CM	150	CM	244 LEVEL CM	27090,5400 litre	87,103 %	4011,2273 litre	O
440	CM	150	CM	243 LEVEL CM	26987,3223 litre	86,771 %	4114,4450 litre	O
440	CM	150	CM	242 LEVEL CM	26883,4092 litre	86,437 %	4218,3581 litre	O
440	CM	150	CM	241 LEVEL CM	26778,8127 litre	86,101 %	4322,9546 litre	O
440	CM	150	CM	240 LEVEL CM	26673,5446 litre	85,762 %	4428,2227 litre	O
440	CM	150	CM	239 LEVEL CM	26567,6165 litre	85,422 %	4534,1508 litre	O
440	CM	150	CM	238 LEVEL CM	26461,0397 litre	85,079 %	4640,7276 litre	O
440	CM	150	CM	237 LEVEL CM	26353,8255 litre	84,734 %	4747,9418 litre	O
440	CM	150	CM	236 LEVEL CM	26245,9846 litre	84,387 %	4855,7827 litre	O
440	CM	150	CM	235 LEVEL CM	26137,5280 litre	84,039 %	4964,2393 litre	O
440	CM	150	CM	234 LEVEL CM	26028,4661 litre	83,688 %	5073,3012 litre	O
440	CM	150	CM	233 LEVEL CM	25918,8093 litre	83,335 %	5182,9580 litre	O
440	CM	150	CM	232 LEVEL CM	25808,5680 litre	82,981 %	5293,1993 litre	O
440	CM	150	CM	231 LEVEL CM	25697,7522 litre	82,625 %	5404,0151 litre	O
440	CM	150	CM	230 LEVEL CM	25586,3718 litre	82,267 %	5515,3955 litre	O
440	CM	150	CM	229 LEVEL CM	25474,4365 litre	81,907 %	5627,3308 litre	O
440	CM	150	CM	228 LEVEL CM	25361,9560 litre	81,545 %	5739,8113 litre	O
440	CM	150	CM	227 LEVEL CM	25248,9397 litre	81,182 %	5852,8276 litre	O
440	CM	150	CM	226 LEVEL CM	25135,3971 litre	80,817 %	5966,3702 litre	O
440	CM	150	CM	225 LEVEL CM	25021,3373 litre	80,450 %	6080,4300 litre	O
440	CM	150	CM	224 LEVEL CM	24906,7694 litre	80,082 %	6194,9979 litre	O
440	CM	150	CM	223 LEVEL CM	24791,7024 litre	79,712 %	6310,0649 litre	O
440	CM	150	CM	222 LEVEL CM	24676,1451 litre	79,340 %	6425,6222 litre	O
440	CM	150	CM	221 LEVEL CM	24560,1064 litre	78,967 %	6541,6609 litre	O
440	CM	150	CM	220 LEVEL CM	24443,5948 litre	78,592 %	6658,1725 litre	O
440	CM	150	CM	219 LEVEL CM	24326,6188 litre	78,216 %	6775,1485 litre	O
440	CM	150	CM	218 LEVEL CM	24209,1870 litre	77,839 %	6892,5803 litre	O
440	CM	150	CM	217 LEVEL CM	24091,3076 litre	77,460 %	7010,4597 litre	O
440	CM	150	CM	216 LEVEL CM	23972,9888 litre	77,079 %	7128,7785 litre	O
440	CM	150	CM	215 LEVEL CM	23854,2389 litre	76,697 %	7247,5284 litre	O
440	CM	150	CM	214 LEVEL CM	23735,0658 litre	76,314 %	7366,7015 litre	O
440	CM	150	CM	213 LEVEL CM	23615,4775 litre	75,930 %	7486,2898 litre	O
440	CM	150	CM	212 LEVEL CM	23495,4820 litre	75,544 %	7606,2853 litre	O
440	CM	150	CM	211 LEVEL CM	23375,0871 litre	75,157 %	7726,6802 litre	O
440	CM	150	CM	210 LEVEL CM	23254,3004 litre	74,768 %	7847,4669 litre	O
440	CM	150	CM	209 LEVEL CM	23133,1296 litre	74,379 %	7968,6377 litre	O
440	CM	150	CM	208 LEVEL CM	23011,5824 litre	73,988 %	8090,1849 litre	O
440	CM	150	CM	207 LEVEL CM	22889,6661 litre	73,596 %	8212,1012 litre	O
440	CM	150	CM	206 LEVEL CM	22767,3884 litre	73,203 %	8334,3789 litre	O
440	CM	150	CM	205 LEVEL CM	22644,7565 litre	72,809 %	8457,0108 litre	O
440	CM	150	CM	204 LEVEL CM	22521,7778 litre	72,413 %	8579,9895 litre	O
440	CM	150	CM	203 LEVEL CM	22398,4595 litre	72,017 %	8703,3078 litre	O
440	CM	150	CM	202 LEVEL CM	22274,8088 litre	71,619 %	8826,9585 litre	O
440	CM	150	CM	201 LEVEL CM	22150,8329 litre	71,220 %	8950,9344 litre	O
440	CM	150	CM	200 LEVEL CM	22026,5389 litre	70,821 %	9075,2284 litre	O
440	CM	150	CM	199 LEVEL CM	21901,9337 litre	70,420 %	9199,8336 litre	O
440	CM	150	CM	198 LEVEL CM	21777,0243 litre	70,019 %	9324,7430 litre	O
440	CM	150	CM	197 LEVEL CM	21651,8178 litre	69,616 %	9449,9495 litre	O
440	CM	150	CM	196 LEVEL CM	21526,3208 litre	69,213 %	9575,4465 litre	O

440	CM	150	CM	195 LEVEL CM	21400,5403 litre	68,808 %	9701,2270 litre	O
440	CM	150	CM	194 LEVEL CM	21274,4831 litre	68,403 %	9827,2842 litre	O
440	CM	150	CM	193 LEVEL CM	21148,1559 litre	67,997 %	9953,6114 litre	O
440	CM	150	CM	192 LEVEL CM	21021,5653 litre	67,590 %	10080,2020 litre	O
440	CM	150	CM	191 LEVEL CM	20894,7181 litre	67,182 %	10207,0492 litre	O
440	CM	150	CM	190 LEVEL CM	20767,6208 litre	66,773 %	10334,1465 litre	O
440	CM	150	CM	189 LEVEL CM	20640,2800 litre	66,364 %	10461,4873 litre	O
440	CM	150	CM	188 LEVEL CM	20512,7023 litre	65,953 %	10589,0650 litre	O
440	CM	150	CM	187 LEVEL CM	20384,8941 litre	65,543 %	10716,8732 litre	O
440	CM	150	CM	186 LEVEL CM	20256,8619 litre	65,131 %	10844,9054 litre	O
440	CM	150	CM	185 LEVEL CM	20128,6122 litre	64,719 %	10973,1551 litre	O
440	CM	150	CM	184 LEVEL CM	20000,1513 litre	64,306 %	11101,6160 litre	O
440	CM	150	CM	183 LEVEL CM	19871,4856 litre	63,892 %	11230,2817 litre	O
440	CM	150	CM	182 LEVEL CM	19742,6215 litre	63,477 %	11359,1458 litre	O
440	CM	150	CM	181 LEVEL CM	19613,5651 litre	63,063 %	11488,2022 litre	O
440	CM	150	CM	180 LEVEL CM	19484,3229 litre	62,647 %	11617,4444 litre	O
440	CM	150	CM	179 LEVEL CM	19354,9011 litre	62,231 %	11746,8662 litre	O
440	CM	150	CM	178 LEVEL CM	19225,3059 litre	61,814 %	11876,4614 litre	O
440	CM	150	CM	177 LEVEL CM	19095,5434 litre	61,397 %	12006,2239 litre	O
440	CM	150	CM	176 LEVEL CM	18965,6199 litre	60,979 %	12136,1474 litre	O
440	CM	150	CM	175 LEVEL CM	18835,5416 litre	60,561 %	12266,2257 litre	O
440	CM	150	CM	174 LEVEL CM	18705,3145 litre	60,142 %	12396,4528 litre	O
440	CM	150	CM	173 LEVEL CM	18574,9447 litre	59,723 %	12526,8226 litre	O
440	CM	150	CM	172 LEVEL CM	18444,4384 litre	59,304 %	12657,3289 litre	O
440	CM	150	CM	171 LEVEL CM	18313,8016 litre	58,883 %	12787,9657 litre	O
440	CM	150	CM	170 LEVEL CM	18183,0404 litre	58,463 %	12918,7269 litre	O
440	CM	150	CM	169 LEVEL CM	18052,1608 litre	58,042 %	13049,6065 litre	O
440	CM	150	CM	168 LEVEL CM	17921,1689 litre	57,621 %	13180,5984 litre	O
440	CM	150	CM	167 LEVEL CM	17790,0705 litre	57,200 %	13311,6968 litre	O
440	CM	150	CM	166 LEVEL CM	17658,8718 litre	56,778 %	13442,8955 litre	O
440	CM	150	CM	165 LEVEL CM	17527,5787 litre	56,356 %	13574,1886 litre	O
440	CM	150	CM	164 LEVEL CM	17396,1971 litre	55,933 %	13705,5702 litre	O
440	CM	150	CM	163 LEVEL CM	17264,7330 litre	55,510 %	13837,0343 litre	O
440	CM	150	CM	162 LEVEL CM	17133,1924 litre	55,088 %	13968,5749 litre	O
440	CM	150	CM	161 LEVEL CM	17001,5812 litre	54,664 %	14100,1861 litre	O
440	CM	150	CM	160 LEVEL CM	16869,9052 litre	54,241 %	14231,8621 litre	O
440	CM	150	CM	159 LEVEL CM	16738,1704 litre	53,817 %	14363,5969 litre	O
440	CM	150	CM	158 LEVEL CM	16606,3828 litre	53,394 %	14495,3845 litre	O
440	CM	150	CM	157 LEVEL CM	16474,5481 litre	52,970 %	14627,2192 litre	O
440	CM	150	CM	156 LEVEL CM	16342,6724 litre	52,546 %	14759,0949 litre	O
440	CM	150	CM	155 LEVEL CM	16210,7614 litre	52,122 %	14891,0059 litre	O
440	CM	150	CM	154 LEVEL CM	16078,8211 litre	51,697 %	15022,9462 litre	O
440	CM	150	CM	153 LEVEL CM	15946,8572 litre	51,273 %	15154,9101 litre	O
440	CM	150	CM	152 LEVEL CM	15814,8758 litre	50,849 %	15286,8915 litre	O
440	CM	150	CM	151 LEVEL CM	15682,8827 litre	50,424 %	15418,8846 litre	O
440	CM	150	CM	150 LEVEL CM	15550,8836 litre	50,000 %	15550,8837 litre	O
440	CM	150	CM	149 LEVEL CM	15418,8846 litre	49,576 %	15682,8827 litre	O
440	CM	150	CM	148 LEVEL CM	15286,8915 litre	49,151 %	15814,8758 litre	O
440	CM	150	CM	147 LEVEL CM	15154,9100 litre	48,727 %	15946,8573 litre	O
440	CM	150	CM	146 LEVEL CM	15022,9462 litre	48,303 %	16078,8211 litre	O
440	CM	150	CM	145 LEVEL CM	14891,0059 litre	47,878 %	16210,7614 litre	O
440	CM	150	CM	144 LEVEL CM	14759,0949 litre	47,454 %	16342,6724 litre	O
440	CM	150	CM	143 LEVEL CM	14627,2191 litre	47,030 %	16474,5482 litre	O

440	CM	150	CM	142 LEVEL CM	14495,3845 litre	46,606 %	16606,3828 litre	O
440	CM	150	CM	141 LEVEL CM	14363,5968 litre	46,183 %	16738,1705 litre	O
440	CM	150	CM	140 LEVEL CM	14231,8621 litre	45,759 %	16869,9052 litre	O
440	CM	150	CM	139 LEVEL CM	14100,1861 litre	45,336 %	17001,5812 litre	O
440	CM	150	CM	138 LEVEL CM	13968,5749 litre	44,912 %	17133,1924 litre	O
440	CM	150	CM	137 LEVEL CM	13837,0342 litre	44,490 %	17264,7331 litre	O
440	CM	150	CM	136 LEVEL CM	13705,5702 litre	44,067 %	17396,1971 litre	O
440	CM	150	CM	135 LEVEL CM	13574,1886 litre	43,644 %	17527,5787 litre	O
440	CM	150	CM	134 LEVEL CM	13442,8955 litre	43,222 %	17658,8718 litre	O
440	CM	150	CM	133 LEVEL CM	13311,6968 litre	42,800 %	17790,0705 litre	O
440	CM	150	CM	132 LEVEL CM	13180,5984 litre	42,379 %	17921,1689 litre	O
440	CM	150	CM	131 LEVEL CM	13049,6064 litre	41,958 %	18052,1609 litre	O
440	CM	150	CM	130 LEVEL CM	12918,7269 litre	41,537 %	18183,0404 litre	O
440	CM	150	CM	129 LEVEL CM	12787,9656 litre	41,117 %	18313,8017 litre	O
440	CM	150	CM	128 LEVEL CM	12657,3289 litre	40,696 %	18444,4384 litre	O
440	CM	150	CM	127 LEVEL CM	12526,8226 litre	40,277 %	18574,9447 litre	O
440	CM	150	CM	126 LEVEL CM	12396,4528 litre	39,858 %	18705,3145 litre	O
440	CM	150	CM	125 LEVEL CM	12266,2257 litre	39,439 %	18835,5416 litre	O
440	CM	150	CM	124 LEVEL CM	12136,1473 litre	39,021 %	18965,6200 litre	O
440	CM	150	CM	123 LEVEL CM	12006,2239 litre	38,603 %	19095,5434 litre	O
440	CM	150	CM	122 LEVEL CM	11876,4614 litre	38,186 %	19225,3059 litre	O
440	CM	150	CM	121 LEVEL CM	11746,8662 litre	37,769 %	19354,9011 litre	O
440	CM	150	CM	120 LEVEL CM	11617,4443 litre	37,353 %	19484,3230 litre	O
440	CM	150	CM	119 LEVEL CM	11488,2021 litre	36,937 %	19613,5652 litre	O
440	CM	150	CM	118 LEVEL CM	11359,1458 litre	36,523 %	19742,6215 litre	O
440	CM	150	CM	117 LEVEL CM	11230,2817 litre	36,108 %	19871,4856 litre	O
440	CM	150	CM	116 LEVEL CM	11101,6160 litre	35,694 %	20000,1513 litre	O
440	CM	150	CM	115 LEVEL CM	10973,1551 litre	35,281 %	20128,6122 litre	O
440	CM	150	CM	114 LEVEL CM	10844,9053 litre	34,869 %	20256,8620 litre	O
440	CM	150	CM	113 LEVEL CM	10716,8732 litre	34,457 %	20384,8941 litre	O
440	CM	150	CM	112 LEVEL CM	10589,0650 litre	34,047 %	20512,7023 litre	O
440	CM	150	CM	111 LEVEL CM	10461,4872 litre	33,636 %	20640,2801 litre	O
440	CM	150	CM	110 LEVEL CM	10334,1465 litre	33,227 %	20767,6208 litre	O
440	CM	150	CM	109 LEVEL CM	10207,0492 litre	32,818 %	20894,7181 litre	O
440	CM	150	CM	108 LEVEL CM	10080,2020 litre	32,410 %	21021,5653 litre	O
440	CM	150	CM	107 LEVEL CM	9953,6114 litre	32,003 %	21148,1559 litre	O
440	CM	150	CM	106 LEVEL CM	9827,2842 litre	31,597 %	21274,4831 litre	O
440	CM	150	CM	105 LEVEL CM	9701,2269 litre	31,192 %	21400,5404 litre	O
440	CM	150	CM	104 LEVEL CM	9575,4465 litre	30,787 %	21526,3208 litre	O
440	CM	150	CM	103 LEVEL CM	9449,9495 litre	30,384 %	21651,8178 litre	O
440	CM	150	CM	102 LEVEL CM	9324,7429 litre	29,981 %	21777,0244 litre	O
440	CM	150	CM	101 LEVEL CM	9199,8336 litre	29,580 %	21901,9337 litre	O
440	CM	150	CM	100 LEVEL CM	9075,2284 litre	29,179 %	22026,5389 litre	O
440	CM	150	CM	99 LEVEL CM	8950,9343 litre	28,780 %	22150,8330 litre	O
440	CM	150	CM	98 LEVEL CM	8826,9584 litre	28,381 %	22274,8089 litre	O
440	CM	150	CM	97 LEVEL CM	8703,3078 litre	27,983 %	22398,4595 litre	O
440	CM	150	CM	96 LEVEL CM	8579,9895 litre	27,587 %	22521,7778 litre	O
440	CM	150	CM	95 LEVEL CM	8457,0108 litre	27,191 %	22644,7565 litre	O
440	CM	150	CM	94 LEVEL CM	8334,3789 litre	26,797 %	22767,3884 litre	O
440	CM	150	CM	93 LEVEL CM	8212,1011 litre	26,404 %	22889,6662 litre	O
440	CM	150	CM	92 LEVEL CM	8090,1849 litre	26,012 %	23011,5824 litre	O
440	CM	150	CM	91 LEVEL CM	7968,6377 litre	25,621 %	23133,1296 litre	O
440	CM	150	CM	90 LEVEL CM	7847,4669 litre	25,232 %	23254,3004 litre	O

440	CM	150	CM	89 LEVEL CM	7726,6802 litre	24,843 %	23375,0871 litre	O
440	CM	150	CM	88 LEVEL CM	7606,2852 litre	24,456 %	23495,4821 litre	O
440	CM	150	CM	87 LEVEL CM	7486,2897 litre	24,070 %	23615,4776 litre	O
440	CM	150	CM	86 LEVEL CM	7366,7015 litre	23,686 %	23735,0658 litre	O
440	CM	150	CM	85 LEVEL CM	7247,5284 litre	23,303 %	23854,2389 litre	O
440	CM	150	CM	84 LEVEL CM	7128,7785 litre	22,921 %	23972,9888 litre	O
440	CM	150	CM	83 LEVEL CM	7010,4597 litre	22,540 %	24091,3076 litre	O
440	CM	150	CM	82 LEVEL CM	6892,5803 litre	22,161 %	24209,1870 litre	O
440	CM	150	CM	81 LEVEL CM	6775,1484 litre	21,784 %	24326,6189 litre	O
440	CM	150	CM	80 LEVEL CM	6658,1725 litre	21,408 %	24443,5948 litre	O
440	CM	150	CM	79 LEVEL CM	6541,6609 litre	21,033 %	24560,1064 litre	O
440	CM	150	CM	78 LEVEL CM	6425,6221 litre	20,660 %	24676,1452 litre	O
440	CM	150	CM	77 LEVEL CM	6310,0649 litre	20,288 %	24791,7024 litre	O
440	CM	150	CM	76 LEVEL CM	6194,9979 litre	19,918 %	24906,7694 litre	O
440	CM	150	CM	75 LEVEL CM	6080,4300 litre	19,550 %	25021,3373 litre	O
440	CM	150	CM	74 LEVEL CM	5966,3702 litre	19,183 %	25135,3971 litre	O
440	CM	150	CM	73 LEVEL CM	5852,8276 litre	18,818 %	25248,9397 litre	O
440	CM	150	CM	72 LEVEL CM	5739,8113 litre	18,455 %	25361,9560 litre	O
440	CM	150	CM	71 LEVEL CM	5627,3308 litre	18,093 %	25474,4365 litre	O
440	CM	150	CM	70 LEVEL CM	5515,3955 litre	17,733 %	25586,3718 litre	O
440	CM	150	CM	69 LEVEL CM	5404,0151 litre	17,375 %	25697,7522 litre	O
440	CM	150	CM	68 LEVEL CM	5293,1992 litre	17,019 %	25808,5681 litre	O
440	CM	150	CM	67 LEVEL CM	5182,9579 litre	16,665 %	25918,8094 litre	O
440	CM	150	CM	66 LEVEL CM	5073,3012 litre	16,312 %	26028,4661 litre	O
440	CM	150	CM	65 LEVEL CM	4964,2393 litre	15,961 %	26137,5280 litre	O
440	CM	150	CM	64 LEVEL CM	4855,7827 litre	15,613 %	26245,9846 litre	O
440	CM	150	CM	63 LEVEL CM	4747,9418 litre	15,266 %	26353,8255 litre	O
440	CM	150	CM	62 LEVEL CM	4640,7275 litre	14,921 %	26461,0398 litre	O
440	CM	150	CM	61 LEVEL CM	4534,1508 litre	14,578 %	26567,6165 litre	O
440	CM	150	CM	60 LEVEL CM	4428,2227 litre	14,238 %	26673,5446 litre	O
440	CM	150	CM	59 LEVEL CM	4322,9546 litre	13,899 %	26778,8127 litre	O
440	CM	150	CM	58 LEVEL CM	4218,3581 litre	13,563 %	26883,4092 litre	O
440	CM	150	CM	57 LEVEL CM	4114,4450 litre	13,229 %	26987,3223 litre	O
440	CM	150	CM	56 LEVEL CM	4011,2273 litre	12,897 %	27090,5400 litre	O
440	CM	150	CM	55 LEVEL CM	3908,7172 litre	12,568 %	27193,0501 litre	O
440	CM	150	CM	54 LEVEL CM	3806,9274 litre	12,240 %	27294,8399 litre	O
440	CM	150	CM	53 LEVEL CM	3705,8706 litre	11,915 %	27395,8967 litre	O
440	CM	150	CM	52 LEVEL CM	3605,5598 litre	11,593 %	27496,2075 litre	O
440	CM	150	CM	51 LEVEL CM	3506,0085 litre	11,273 %	27595,7588 litre	O
440	CM	150	CM	50 LEVEL CM	3407,2303 litre	10,955 %	27694,5370 litre	O
440	CM	150	CM	49 LEVEL CM	3309,2392 litre	10,640 %	27792,5281 litre	O
440	CM	150	CM	48 LEVEL CM	3212,0496 litre	10,328 %	27889,7177 litre	O
440	CM	150	CM	47 LEVEL CM	3115,6762 litre	10,018 %	27986,0911 litre	O
440	CM	150	CM	46 LEVEL CM	3020,1340 litre	9,710 %	28081,6333 litre	O
440	CM	150	CM	45 LEVEL CM	2925,4385 litre	9,406 %	28176,3288 litre	O
440	CM	150	CM	44 LEVEL CM	2831,6057 litre	9,104 %	28270,1616 litre	O
440	CM	150	CM	43 LEVEL CM	2738,6517 litre	8,805 %	28363,1156 litre	O
440	CM	150	CM	42 LEVEL CM	2646,5936 litre	8,509 %	28455,1737 litre	O
440	CM	150	CM	41 LEVEL CM	2555,4484 litre	8,216 %	28546,3189 litre	O
440	CM	150	CM	40 LEVEL CM	2465,2342 litre	7,926 %	28636,5331 litre	O
440	CM	150	CM	39 LEVEL CM	2375,9692 litre	7,639 %	28725,7981 litre	O
440	CM	150	CM	38 LEVEL CM	2287,6724 litre	7,355 %	28814,0949 litre	O
440	CM	150	CM	37 LEVEL CM	2200,3634 litre	7,075 %	28901,4039 litre	O

440	CM	150	CM	36 LEVEL CM	2114,0626 litre	6,797 %	28987,7047 litre	O
440	CM	150	CM	35 LEVEL CM	2028,7909 litre	6,523 %	29072,9764 litre	O
440	CM	150	CM	34 LEVEL CM	1944,5700 litre	6,252 %	29157,1973 litre	O
440	CM	150	CM	33 LEVEL CM	1861,4226 litre	5,985 %	29240,3447 litre	O
440	CM	150	CM	32 LEVEL CM	1779,3722 litre	5,721 %	29322,3951 litre	O
440	CM	150	CM	31 LEVEL CM	1698,4432 litre	5,461 %	29403,3241 litre	O
440	CM	150	CM	30 LEVEL CM	1618,6610 litre	5,204 %	29483,1063 litre	O
440	CM	150	CM	29 LEVEL CM	1540,0522 litre	4,952 %	29561,7151 litre	O
440	CM	150	CM	28 LEVEL CM	1462,6447 litre	4,703 %	29639,1226 litre	O
440	CM	150	CM	27 LEVEL CM	1386,4675 litre	4,458 %	29715,2998 litre	O
440	CM	150	CM	26 LEVEL CM	1311,5512 litre	4,217 %	29790,2161 litre	O
440	CM	150	CM	25 LEVEL CM	1237,9278 litre	3,980 %	29863,8395 litre	O
440	CM	150	CM	24 LEVEL CM	1165,6312 litre	3,748 %	29936,1361 litre	O
440	CM	150	CM	23 LEVEL CM	1094,6972 litre	3,520 %	30007,0701 litre	O
440	CM	150	CM	22 LEVEL CM	1025,1636 litre	3,296 %	30076,6037 litre	O
440	CM	150	CM	21 LEVEL CM	957,0705 litre	3,077 %	30144,6968 litre	O
440	CM	150	CM	20 LEVEL CM	890,4607 litre	2,863 %	30211,3066 litre	O
440	CM	150	CM	19 LEVEL CM	825,3799 litre	2,654 %	30276,3874 litre	O
440	CM	150	CM	18 LEVEL CM	761,8771 litre	2,450 %	30339,8902 litre	O
440	CM	150	CM	17 LEVEL CM	700,0051 litre	2,251 %	30401,7622 litre	O
440	CM	150	CM	16 LEVEL CM	639,8209 litre	2,057 %	30461,9464 litre	O
440	CM	150	CM	15 LEVEL CM	581,3865 litre	1,869 %	30520,3808 litre	O
440	CM	150	CM	14 LEVEL CM	524,7696 litre	1,687 %	30576,9977 litre	O
440	CM	150	CM	13 LEVEL CM	470,0447 litre	1,511 %	30631,7226 litre	O
440	CM	150	CM	12 LEVEL CM	417,2944 litre	1,342 %	30684,4729 litre	O
440	CM	150	CM	11 LEVEL CM	366,6108 litre	1,179 %	30735,1565 litre	O
440	CM	150	CM	10 LEVEL CM	318,0979 litre	1,023 %	30783,6694 litre	O
440	CM	150	CM	9 LEVEL CM	271,8743 litre	0,874 %	30829,8930 litre	O
440	CM	150	CM	8 LEVEL CM	228,0772 litre	0,733 %	30873,6901 litre	O
440	CM	150	CM	7 LEVEL CM	186,8682 litre	0,601 %	30914,8991 litre	O
440	CM	150	CM	6 LEVEL CM	148,4417 litre	0,477 %	30953,3256 litre	O
440	CM	150	CM	5 LEVEL CM	113,0378 litre	0,363 %	30988,7295 litre	O
440	CM	150	CM	4 LEVEL CM	80,9650 litre	0,260 %	31020,8023 litre	O
440	CM	150	CM	3 LEVEL CM	52,6413 litre	0,169 %	31049,1260 litre	O
440	CM	150	CM	2 LEVEL CM	28,6831 litre	0,092 %	31073,0842 litre	O
440	CM	150	CM	1 LEVEL CM	10,1512 litre	0,033 %	31091,6161 litre	O
440	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	31101,7673 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 145	CM 290 LEVEL CM	29062,8736 litre	100,000 %	0,0000 litre	O
440	CM 145	CM 289 LEVEL CM	29052,8934 litre	99,966 %	9,9802 litre	O
440	CM 145	CM 288 LEVEL CM	29034,6746 litre	99,903 %	28,1990 litre	O
440	CM 145	CM 287 LEVEL CM	29011,1225 litre	99,822 %	51,7511 litre	O
440	CM 145	CM 286 LEVEL CM	28983,2806 litre	99,726 %	79,5930 litre	O
440	CM 145	CM 285 LEVEL CM	28951,7552 litre	99,618 %	111,1184 litre	O
440	CM 145	CM 284 LEVEL CM	28916,9576 litre	99,498 %	145,9160 litre	O
440	CM 145	CM 283 LEVEL CM	28879,1913 litre	99,368 %	183,6823 litre	O
440	CM 145	CM 282 LEVEL CM	28838,6929 litre	99,229 %	224,1807 litre	O
440	CM 145	CM 281 LEVEL CM	28795,6537 litre	99,081 %	267,2199 litre	O
440	CM 145	CM 280 LEVEL CM	28750,2326 litre	98,924 %	312,6410 litre	O
440	CM 145	CM 279 LEVEL CM	28702,5649 litre	98,760 %	360,3087 litre	O
440	CM 145	CM 278 LEVEL CM	28652,7675 litre	98,589 %	410,1061 litre	O
440	CM 145	CM 277 LEVEL CM	28600,9427 litre	98,411 %	461,9309 litre	O
440	CM 145	CM 276 LEVEL CM	28547,1814 litre	98,226 %	515,6922 litre	O
440	CM 145	CM 275 LEVEL CM	28491,5649 litre	98,034 %	571,3087 litre	O
440	CM 145	CM 274 LEVEL CM	28434,1666 litre	97,837 %	628,7070 litre	O
440	CM 145	CM 273 LEVEL CM	28375,0534 litre	97,633 %	687,8202 litre	O
440	CM 145	CM 272 LEVEL CM	28314,2864 litre	97,424 %	748,5872 litre	O
440	CM 145	CM 271 LEVEL CM	28251,9217 litre	97,210 %	810,9519 litre	O
440	CM 145	CM 270 LEVEL CM	28188,0116 litre	96,990 %	874,8620 litre	O
440	CM 145	CM 269 LEVEL CM	28122,6042 litre	96,765 %	940,2694 litre	O
440	CM 145	CM 268 LEVEL CM	28055,7448 litre	96,535 %	1007,1288 litre	O
440	CM 145	CM 267 LEVEL CM	27987,4755 litre	96,300 %	1075,3981 litre	O
440	CM 145	CM 266 LEVEL CM	27917,8360 litre	96,060 %	1145,0376 litre	O
440	CM 145	CM 265 LEVEL CM	27846,8637 litre	95,816 %	1216,0099 litre	O
440	CM 145	CM 264 LEVEL CM	27774,5938 litre	95,567 %	1288,2798 litre	O
440	CM 145	CM 263 LEVEL CM	27701,0599 litre	95,314 %	1361,8137 litre	O
440	CM 145	CM 262 LEVEL CM	27626,2935 litre	95,057 %	1436,5801 litre	O
440	CM 145	CM 261 LEVEL CM	27550,3249 litre	94,796 %	1512,5487 litre	O
440	CM 145	CM 260 LEVEL CM	27473,1828 litre	94,530 %	1589,6908 litre	O
440	CM 145	CM 259 LEVEL CM	27394,8948 litre	94,261 %	1667,9788 litre	O
440	CM 145	CM 258 LEVEL CM	27315,4872 litre	93,988 %	1747,3864 litre	O
440	CM 145	CM 257 LEVEL CM	27234,9850 litre	93,711 %	1827,8886 litre	O
440	CM 145	CM 256 LEVEL CM	27153,4125 litre	93,430 %	1909,4611 litre	O
440	CM 145	CM 255 LEVEL CM	27070,7930 litre	93,146 %	1992,0806 litre	O
440	CM 145	CM 254 LEVEL CM	26987,1488 litre	92,858 %	2075,7248 litre	O
440	CM 145	CM 253 LEVEL CM	26902,5013 litre	92,567 %	2160,3723 litre	O
440	CM 145	CM 252 LEVEL CM	26816,8716 litre	92,272 %	2246,0020 litre	O
440	CM 145	CM 251 LEVEL CM	26730,2795 litre	91,974 %	2332,5941 litre	O
440	CM 145	CM 250 LEVEL CM	26642,7446 litre	91,673 %	2420,1290 litre	O
440	CM 145	CM 249 LEVEL CM	26554,2857 litre	91,368 %	2508,5879 litre	O
440	CM 145	CM 248 LEVEL CM	26464,9209 litre	91,061 %	2597,9527 litre	O
440	CM 145	CM 247 LEVEL CM	26374,6680 litre	90,750 %	2688,2056 litre	O
440	CM 145	CM 246 LEVEL CM	26283,5441 litre	90,437 %	2779,3295 litre	O
440	CM 145	CM 245 LEVEL CM	26191,5658 litre	90,120 %	2871,3078 litre	O
440	CM 145	CM 244 LEVEL CM	26098,7494 litre	89,801 %	2964,1242 litre	O
440	CM 145	CM 243 LEVEL CM	26005,1106 litre	89,479 %	3057,7630 litre	O
440	CM 145	CM 242 LEVEL CM	25910,6649 litre	89,154 %	3152,2087 litre	O
440	CM 145	CM 241 LEVEL CM	25815,4271 litre	88,826 %	3247,4465 litre	O
440	CM 145	CM 240 LEVEL CM	25719,4119 litre	88,496 %	3343,4617 litre	O
440	CM 145	CM 239 LEVEL CM	25622,6334 litre	88,163 %	3440,2402 litre	O

440	CM	145	CM	238 LEVEL CM	25525,1057 litre	87,827 %	3537,7679 litre	O
440	CM	145	CM	237 LEVEL CM	25426,8424 litre	87,489 %	3636,0312 litre	O
440	CM	145	CM	236 LEVEL CM	25327,8566 litre	87,148 %	3735,0170 litre	O
440	CM	145	CM	235 LEVEL CM	25228,1614 litre	86,805 %	3834,7122 litre	O
440	CM	145	CM	234 LEVEL CM	25127,7696 litre	86,460 %	3935,1040 litre	O
440	CM	145	CM	233 LEVEL CM	25026,6936 litre	86,112 %	4036,1800 litre	O
440	CM	145	CM	232 LEVEL CM	24924,9456 litre	85,762 %	4137,9280 litre	O
440	CM	145	CM	231 LEVEL CM	24822,5375 litre	85,410 %	4240,3361 litre	O
440	CM	145	CM	230 LEVEL CM	24719,4812 litre	85,055 %	4343,3924 litre	O
440	CM	145	CM	229 LEVEL CM	24615,7882 litre	84,698 %	4447,0854 litre	O
440	CM	145	CM	228 LEVEL CM	24511,4696 litre	84,339 %	4551,4040 litre	O
440	CM	145	CM	227 LEVEL CM	24406,5368 litre	83,978 %	4656,3368 litre	O
440	CM	145	CM	226 LEVEL CM	24301,0005 litre	83,615 %	4761,8731 litre	O
440	CM	145	CM	225 LEVEL CM	24194,8715 litre	83,250 %	4868,0021 litre	O
440	CM	145	CM	224 LEVEL CM	24088,1604 litre	82,883 %	4974,7132 litre	O
440	CM	145	CM	223 LEVEL CM	23980,8775 litre	82,514 %	5081,9961 litre	O
440	CM	145	CM	222 LEVEL CM	23873,0330 litre	82,143 %	5189,8406 litre	O
440	CM	145	CM	221 LEVEL CM	23764,6370 litre	81,770 %	5298,2366 litre	O
440	CM	145	CM	220 LEVEL CM	23655,6994 litre	81,395 %	5407,1742 litre	O
440	CM	145	CM	219 LEVEL CM	23546,2300 litre	81,018 %	5516,6436 litre	O
440	CM	145	CM	218 LEVEL CM	23436,2383 litre	80,640 %	5626,6353 litre	O
440	CM	145	CM	217 LEVEL CM	23325,7339 litre	80,260 %	5737,1397 litre	O
440	CM	145	CM	216 LEVEL CM	23214,7260 litre	79,878 %	5848,1476 litre	O
440	CM	145	CM	215 LEVEL CM	23103,2239 litre	79,494 %	5959,6497 litre	O
440	CM	145	CM	214 LEVEL CM	22991,2367 litre	79,109 %	6071,6369 litre	O
440	CM	145	CM	213 LEVEL CM	22878,7734 litre	78,722 %	6184,1002 litre	O
440	CM	145	CM	212 LEVEL CM	22765,8428 litre	78,333 %	6297,0308 litre	O
440	CM	145	CM	211 LEVEL CM	22652,4537 litre	77,943 %	6410,4199 litre	O
440	CM	145	CM	210 LEVEL CM	22538,6147 litre	77,551 %	6524,2589 litre	O
440	CM	145	CM	209 LEVEL CM	22424,3345 litre	77,158 %	6638,5391 litre	O
440	CM	145	CM	208 LEVEL CM	22309,6213 litre	76,763 %	6753,2523 litre	O
440	CM	145	CM	207 LEVEL CM	22194,4837 litre	76,367 %	6868,3899 litre	O
440	CM	145	CM	206 LEVEL CM	22078,9298 litre	75,970 %	6983,9438 litre	O
440	CM	145	CM	205 LEVEL CM	21962,9678 litre	75,571 %	7099,9058 litre	O
440	CM	145	CM	204 LEVEL CM	21846,6058 litre	75,170 %	7216,2678 litre	O
440	CM	145	CM	203 LEVEL CM	21729,8518 litre	74,768 %	7333,0218 litre	O
440	CM	145	CM	202 LEVEL CM	21612,7137 litre	74,365 %	7450,1599 litre	O
440	CM	145	CM	201 LEVEL CM	21495,1995 litre	73,961 %	7567,6741 litre	O
440	CM	145	CM	200 LEVEL CM	21377,3167 litre	73,555 %	7685,5569 litre	O
440	CM	145	CM	199 LEVEL CM	21259,0732 litre	73,149 %	7803,8004 litre	O
440	CM	145	CM	198 LEVEL CM	21140,4766 litre	72,740 %	7922,3970 litre	O
440	CM	145	CM	197 LEVEL CM	21021,5344 litre	72,331 %	8041,3392 litre	O
440	CM	145	CM	196 LEVEL CM	20902,2541 litre	71,921 %	8160,6195 litre	O
440	CM	145	CM	195 LEVEL CM	20782,6432 litre	71,509 %	8280,2304 litre	O
440	CM	145	CM	194 LEVEL CM	20662,7090 litre	71,097 %	8400,1646 litre	O
440	CM	145	CM	193 LEVEL CM	20542,4588 litre	70,683 %	8520,4148 litre	O
440	CM	145	CM	192 LEVEL CM	20421,8999 litre	70,268 %	8640,9737 litre	O
440	CM	145	CM	191 LEVEL CM	20301,0395 litre	69,852 %	8761,8341 litre	O
440	CM	145	CM	190 LEVEL CM	20179,8847 litre	69,435 %	8882,9889 litre	O
440	CM	145	CM	189 LEVEL CM	20058,4426 litre	69,017 %	9004,4310 litre	O
440	CM	145	CM	188 LEVEL CM	19936,7203 litre	68,599 %	9126,1533 litre	O
440	CM	145	CM	187 LEVEL CM	19814,7246 litre	68,179 %	9248,1490 litre	O
440	CM	145	CM	186 LEVEL CM	19692,4627 litre	67,758 %	9370,4109 litre	O

440	CM	145	CM	185 LEVEL CM	19569,9414 litre	67,337 %	9492,9322 litre	O
440	CM	145	CM	184 LEVEL CM	19447,1675 litre	66,914 %	9615,7061 litre	O
440	CM	145	CM	183 LEVEL CM	19324,1478 litre	66,491 %	9738,7258 litre	O
440	CM	145	CM	182 LEVEL CM	19200,8892 litre	66,067 %	9861,9844 litre	O
440	CM	145	CM	181 LEVEL CM	19077,3983 litre	65,642 %	9985,4753 litre	O
440	CM	145	CM	180 LEVEL CM	18953,6819 litre	65,216 %	10109,1917 litre	O
440	CM	145	CM	179 LEVEL CM	18829,7466 litre	64,790 %	10233,1270 litre	O
440	CM	145	CM	178 LEVEL CM	18705,5990 litre	64,363 %	10357,2746 litre	O
440	CM	145	CM	177 LEVEL CM	18581,2457 litre	63,935 %	10481,6279 litre	O
440	CM	145	CM	176 LEVEL CM	18456,6933 litre	63,506 %	10606,1803 litre	O
440	CM	145	CM	175 LEVEL CM	18331,9484 litre	63,077 %	10730,9252 litre	O
440	CM	145	CM	174 LEVEL CM	18207,0173 litre	62,647 %	10855,8563 litre	O
440	CM	145	CM	173 LEVEL CM	18081,9066 litre	62,217 %	10980,9670 litre	O
440	CM	145	CM	172 LEVEL CM	17956,6227 litre	61,785 %	11106,2509 litre	O
440	CM	145	CM	171 LEVEL CM	17831,1721 litre	61,354 %	11231,7015 litre	O
440	CM	145	CM	170 LEVEL CM	17705,5610 litre	60,922 %	11357,3126 litre	O
440	CM	145	CM	169 LEVEL CM	17579,7959 litre	60,489 %	11483,0777 litre	O
440	CM	145	CM	168 LEVEL CM	17453,8831 litre	60,056 %	11608,9905 litre	O
440	CM	145	CM	167 LEVEL CM	17327,8289 litre	59,622 %	11735,0447 litre	O
440	CM	145	CM	166 LEVEL CM	17201,6397 litre	59,188 %	11861,2339 litre	O
440	CM	145	CM	165 LEVEL CM	17075,3216 litre	58,753 %	11987,5520 litre	O
440	CM	145	CM	164 LEVEL CM	16948,8810 litre	58,318 %	12113,9926 litre	O
440	CM	145	CM	163 LEVEL CM	16822,3241 litre	57,883 %	12240,5495 litre	O
440	CM	145	CM	162 LEVEL CM	16695,6571 litre	57,447 %	12367,2165 litre	O
440	CM	145	CM	161 LEVEL CM	16568,8861 litre	57,010 %	12493,9875 litre	O
440	CM	145	CM	160 LEVEL CM	16442,0175 litre	56,574 %	12620,8561 litre	O
440	CM	145	CM	159 LEVEL CM	16315,0574 litre	56,137 %	12747,8162 litre	O
440	CM	145	CM	158 LEVEL CM	16188,0119 litre	55,700 %	12874,8617 litre	O
440	CM	145	CM	157 LEVEL CM	16060,8872 litre	55,263 %	13001,9864 litre	O
440	CM	145	CM	156 LEVEL CM	15933,6894 litre	54,825 %	13129,1842 litre	O
440	CM	145	CM	155 LEVEL CM	15806,4246 litre	54,387 %	13256,4490 litre	O
440	CM	145	CM	154 LEVEL CM	15679,0990 litre	53,949 %	13383,7746 litre	O
440	CM	145	CM	153 LEVEL CM	15551,7187 litre	53,511 %	13511,1549 litre	O
440	CM	145	CM	152 LEVEL CM	15424,2898 litre	53,072 %	13638,5838 litre	O
440	CM	145	CM	151 LEVEL CM	15296,8183 litre	52,634 %	13766,0553 litre	O
440	CM	145	CM	150 LEVEL CM	15169,3104 litre	52,195 %	13893,5632 litre	O
440	CM	145	CM	149 LEVEL CM	15041,7721 litre	51,756 %	14021,1015 litre	O
440	CM	145	CM	148 LEVEL CM	14914,2095 litre	51,317 %	14148,6641 litre	O
440	CM	145	CM	147 LEVEL CM	14786,6287 litre	50,878 %	14276,2449 litre	O
440	CM	145	CM	146 LEVEL CM	14659,0358 litre	50,439 %	14403,8378 litre	O
440	CM	145	CM	145 LEVEL CM	14531,4368 litre	50,000 %	14531,4368 litre	O
440	CM	145	CM	144 LEVEL CM	14403,8378 litre	49,561 %	14659,0358 litre	O
440	CM	145	CM	143 LEVEL CM	14276,2449 litre	49,122 %	14786,6287 litre	O
440	CM	145	CM	142 LEVEL CM	14148,6641 litre	48,683 %	14914,2095 litre	O
440	CM	145	CM	141 LEVEL CM	14021,1016 litre	48,244 %	15041,7720 litre	O
440	CM	145	CM	140 LEVEL CM	13893,5633 litre	47,805 %	15169,3103 litre	O
440	CM	145	CM	139 LEVEL CM	13766,0554 litre	47,366 %	15296,8182 litre	O
440	CM	145	CM	138 LEVEL CM	13638,5839 litre	46,928 %	15424,2897 litre	O
440	CM	145	CM	137 LEVEL CM	13511,1549 litre	46,489 %	15551,7187 litre	O
440	CM	145	CM	136 LEVEL CM	13383,7746 litre	46,051 %	15679,0990 litre	O
440	CM	145	CM	135 LEVEL CM	13256,4490 litre	45,613 %	15806,4246 litre	O
440	CM	145	CM	134 LEVEL CM	13129,1843 litre	45,175 %	15933,6893 litre	O
440	CM	145	CM	133 LEVEL CM	13001,9865 litre	44,737 %	16060,8871 litre	O

440	CM	145	CM	132 LEVEL CM	12874,8618 litre	44,300 %	16188,0118 litre	O
440	CM	145	CM	131 LEVEL CM	12747,8163 litre	43,863 %	16315,0573 litre	O
440	CM	145	CM	130 LEVEL CM	12620,8561 litre	43,426 %	16442,0175 litre	O
440	CM	145	CM	129 LEVEL CM	12493,9875 litre	42,990 %	16568,8861 litre	O
440	CM	145	CM	128 LEVEL CM	12367,2166 litre	42,553 %	16695,6570 litre	O
440	CM	145	CM	127 LEVEL CM	12240,5496 litre	42,117 %	16822,3240 litre	O
440	CM	145	CM	126 LEVEL CM	12113,9926 litre	41,682 %	16948,8810 litre	O
440	CM	145	CM	125 LEVEL CM	11987,5520 litre	41,247 %	17075,3216 litre	O
440	CM	145	CM	124 LEVEL CM	11861,2340 litre	40,812 %	17201,6396 litre	O
440	CM	145	CM	123 LEVEL CM	11735,0447 litre	40,378 %	17327,8289 litre	O
440	CM	145	CM	122 LEVEL CM	11608,9905 litre	39,944 %	17453,8831 litre	O
440	CM	145	CM	121 LEVEL CM	11483,0777 litre	39,511 %	17579,7959 litre	O
440	CM	145	CM	120 LEVEL CM	11357,3126 litre	39,078 %	17705,5610 litre	O
440	CM	145	CM	119 LEVEL CM	11231,7016 litre	38,646 %	17831,1720 litre	O
440	CM	145	CM	118 LEVEL CM	11106,2509 litre	38,215 %	17956,6227 litre	O
440	CM	145	CM	117 LEVEL CM	10980,9670 litre	37,783 %	18081,9066 litre	O
440	CM	145	CM	116 LEVEL CM	10855,8563 litre	37,353 %	18207,0173 litre	O
440	CM	145	CM	115 LEVEL CM	10730,9253 litre	36,923 %	18331,9483 litre	O
440	CM	145	CM	114 LEVEL CM	10606,1803 litre	36,494 %	18456,6933 litre	O
440	CM	145	CM	113 LEVEL CM	10481,6279 litre	36,065 %	18581,2457 litre	O
440	CM	145	CM	112 LEVEL CM	10357,2747 litre	35,637 %	18705,5989 litre	O
440	CM	145	CM	111 LEVEL CM	10233,1271 litre	35,210 %	18829,7465 litre	O
440	CM	145	CM	110 LEVEL CM	10109,1918 litre	34,784 %	18953,6818 litre	O
440	CM	145	CM	109 LEVEL CM	9985,4753 litre	34,358 %	19077,3983 litre	O
440	CM	145	CM	108 LEVEL CM	9861,9845 litre	33,933 %	19200,8891 litre	O
440	CM	145	CM	107 LEVEL CM	9738,7258 litre	33,509 %	19324,1478 litre	O
440	CM	145	CM	106 LEVEL CM	9615,7062 litre	33,086 %	19447,1674 litre	O
440	CM	145	CM	105 LEVEL CM	9492,9323 litre	32,663 %	19569,9413 litre	O
440	CM	145	CM	104 LEVEL CM	9370,4109 litre	32,242 %	19692,4627 litre	O
440	CM	145	CM	103 LEVEL CM	9248,1490 litre	31,821 %	19814,7246 litre	O
440	CM	145	CM	102 LEVEL CM	9126,1534 litre	31,401 %	19936,7202 litre	O
440	CM	145	CM	101 LEVEL CM	9004,4310 litre	30,983 %	20058,4426 litre	O
440	CM	145	CM	100 LEVEL CM	8882,9889 litre	30,565 %	20179,8847 litre	O
440	CM	145	CM	99 LEVEL CM	8761,8341 litre	30,148 %	20301,0395 litre	O
440	CM	145	CM	98 LEVEL CM	8640,9737 litre	29,732 %	20421,8999 litre	O
440	CM	145	CM	97 LEVEL CM	8520,4148 litre	29,317 %	20542,4588 litre	O
440	CM	145	CM	96 LEVEL CM	8400,1646 litre	28,903 %	20662,7090 litre	O
440	CM	145	CM	95 LEVEL CM	8280,2304 litre	28,491 %	20782,6432 litre	O
440	CM	145	CM	94 LEVEL CM	8160,6195 litre	28,079 %	20902,2541 litre	O
440	CM	145	CM	93 LEVEL CM	8041,3392 litre	27,669 %	21021,5344 litre	O
440	CM	145	CM	92 LEVEL CM	7922,3970 litre	27,260 %	21140,4766 litre	O
440	CM	145	CM	91 LEVEL CM	7803,8004 litre	26,851 %	21259,0732 litre	O
440	CM	145	CM	90 LEVEL CM	7685,5569 litre	26,445 %	21377,3167 litre	O
440	CM	145	CM	89 LEVEL CM	7567,6742 litre	26,039 %	21495,1994 litre	O
440	CM	145	CM	88 LEVEL CM	7450,1599 litre	25,635 %	21612,7137 litre	O
440	CM	145	CM	87 LEVEL CM	7333,0219 litre	25,232 %	21729,8517 litre	O
440	CM	145	CM	86 LEVEL CM	7216,2679 litre	24,830 %	21846,6057 litre	O
440	CM	145	CM	85 LEVEL CM	7099,9059 litre	24,429 %	21962,9677 litre	O
440	CM	145	CM	84 LEVEL CM	6983,9439 litre	24,030 %	22078,9297 litre	O
440	CM	145	CM	83 LEVEL CM	6868,3900 litre	23,633 %	22194,4836 litre	O
440	CM	145	CM	82 LEVEL CM	6753,2523 litre	23,237 %	22309,6213 litre	O
440	CM	145	CM	81 LEVEL CM	6638,5392 litre	22,842 %	22424,3344 litre	O
440	CM	145	CM	80 LEVEL CM	6524,2589 litre	22,449 %	22538,6147 litre	O

440	CM	145	CM	79 LEVEL CM	6410,4199 litre	22,057 %	22652,4537 litre	O
440	CM	145	CM	78 LEVEL CM	6297,0308 litre	21,667 %	22765,8428 litre	O
440	CM	145	CM	77 LEVEL CM	6184,1002 litre	21,278 %	22878,7734 litre	O
440	CM	145	CM	76 LEVEL CM	6071,6369 litre	20,891 %	22991,2367 litre	O
440	CM	145	CM	75 LEVEL CM	5959,6497 litre	20,506 %	23103,2239 litre	O
440	CM	145	CM	74 LEVEL CM	5848,1477 litre	20,122 %	23214,7259 litre	O
440	CM	145	CM	73 LEVEL CM	5737,1398 litre	19,740 %	23325,7338 litre	O
440	CM	145	CM	72 LEVEL CM	5626,6353 litre	19,360 %	23436,2383 litre	O
440	CM	145	CM	71 LEVEL CM	5516,6436 litre	18,982 %	23546,2300 litre	O
440	CM	145	CM	70 LEVEL CM	5407,1742 litre	18,605 %	23655,6994 litre	O
440	CM	145	CM	69 LEVEL CM	5298,2366 litre	18,230 %	23764,6370 litre	O
440	CM	145	CM	68 LEVEL CM	5189,8406 litre	17,857 %	23873,0330 litre	O
440	CM	145	CM	67 LEVEL CM	5081,9962 litre	17,486 %	23980,8774 litre	O
440	CM	145	CM	66 LEVEL CM	4974,7133 litre	17,117 %	24088,1603 litre	O
440	CM	145	CM	65 LEVEL CM	4868,0021 litre	16,750 %	24194,8715 litre	O
440	CM	145	CM	64 LEVEL CM	4761,8731 litre	16,385 %	24301,0005 litre	O
440	CM	145	CM	63 LEVEL CM	4656,3369 litre	16,022 %	24406,5367 litre	O
440	CM	145	CM	62 LEVEL CM	4551,4040 litre	15,661 %	24511,4696 litre	O
440	CM	145	CM	61 LEVEL CM	4447,0855 litre	15,302 %	24615,7881 litre	O
440	CM	145	CM	60 LEVEL CM	4343,3924 litre	14,945 %	24719,4812 litre	O
440	CM	145	CM	59 LEVEL CM	4240,3361 litre	14,590 %	24822,5375 litre	O
440	CM	145	CM	58 LEVEL CM	4137,9281 litre	14,238 %	24924,9455 litre	O
440	CM	145	CM	57 LEVEL CM	4036,1800 litre	13,888 %	25026,6936 litre	O
440	CM	145	CM	56 LEVEL CM	3935,1040 litre	13,540 %	25127,7696 litre	O
440	CM	145	CM	55 LEVEL CM	3834,7122 litre	13,195 %	25228,1614 litre	O
440	CM	145	CM	54 LEVEL CM	3735,0170 litre	12,852 %	25327,8566 litre	O
440	CM	145	CM	53 LEVEL CM	3636,0313 litre	12,511 %	25426,8423 litre	O
440	CM	145	CM	52 LEVEL CM	3537,7679 litre	12,173 %	25525,1057 litre	O
440	CM	145	CM	51 LEVEL CM	3440,2402 litre	11,837 %	25622,6334 litre	O
440	CM	145	CM	50 LEVEL CM	3343,4618 litre	11,504 %	25719,4118 litre	O
440	CM	145	CM	49 LEVEL CM	3247,4466 litre	11,174 %	25815,4270 litre	O
440	CM	145	CM	48 LEVEL CM	3152,2088 litre	10,846 %	25910,6648 litre	O
440	CM	145	CM	47 LEVEL CM	3057,7630 litre	10,521 %	26005,1106 litre	O
440	CM	145	CM	46 LEVEL CM	2964,1242 litre	10,199 %	26098,7494 litre	O
440	CM	145	CM	45 LEVEL CM	2871,3078 litre	9,880 %	26191,5658 litre	O
440	CM	145	CM	44 LEVEL CM	2779,3296 litre	9,563 %	26283,5440 litre	O
440	CM	145	CM	43 LEVEL CM	2688,2056 litre	9,250 %	26374,6680 litre	O
440	CM	145	CM	42 LEVEL CM	2597,9527 litre	8,939 %	26464,9209 litre	O
440	CM	145	CM	41 LEVEL CM	2508,5879 litre	8,632 %	26554,2857 litre	O
440	CM	145	CM	40 LEVEL CM	2420,1290 litre	8,327 %	26642,7446 litre	O
440	CM	145	CM	39 LEVEL CM	2332,5941 litre	8,026 %	26730,2795 litre	O
440	CM	145	CM	38 LEVEL CM	2246,0021 litre	7,728 %	26816,8715 litre	O
440	CM	145	CM	37 LEVEL CM	2160,3723 litre	7,433 %	26902,5013 litre	O
440	CM	145	CM	36 LEVEL CM	2075,7249 litre	7,142 %	26987,1487 litre	O
440	CM	145	CM	35 LEVEL CM	1992,0806 litre	6,854 %	27070,7930 litre	O
440	CM	145	CM	34 LEVEL CM	1909,4611 litre	6,570 %	27153,4125 litre	O
440	CM	145	CM	33 LEVEL CM	1827,8886 litre	6,289 %	27234,9850 litre	O
440	CM	145	CM	32 LEVEL CM	1747,3865 litre	6,012 %	27315,4871 litre	O
440	CM	145	CM	31 LEVEL CM	1667,9788 litre	5,739 %	27394,8948 litre	O
440	CM	145	CM	30 LEVEL CM	1589,6908 litre	5,470 %	27473,1828 litre	O
440	CM	145	CM	29 LEVEL CM	1512,5488 litre	5,204 %	27550,3248 litre	O
440	CM	145	CM	28 LEVEL CM	1436,5802 litre	4,943 %	27626,2934 litre	O
440	CM	145	CM	27 LEVEL CM	1361,8138 litre	4,686 %	27701,0598 litre	O

440	CM	145	CM	26 LEVEL CM	1288,2798 litre	4,433 %	27774,5938 litre	O
440	CM	145	CM	25 LEVEL CM	1216,0099 litre	4,184 %	27846,8637 litre	O
440	CM	145	CM	24 LEVEL CM	1145,0376 litre	3,940 %	27917,8360 litre	O
440	CM	145	CM	23 LEVEL CM	1075,3981 litre	3,700 %	27987,4755 litre	O
440	CM	145	CM	22 LEVEL CM	1007,1289 litre	3,465 %	28055,7447 litre	O
440	CM	145	CM	21 LEVEL CM	940,2694 litre	3,235 %	28122,6042 litre	O
440	CM	145	CM	20 LEVEL CM	874,8621 litre	3,010 %	28188,0115 litre	O
440	CM	145	CM	19 LEVEL CM	810,9519 litre	2,790 %	28251,9217 litre	O
440	CM	145	CM	18 LEVEL CM	748,5873 litre	2,576 %	28314,2863 litre	O
440	CM	145	CM	17 LEVEL CM	687,8202 litre	2,367 %	28375,0534 litre	O
440	CM	145	CM	16 LEVEL CM	628,7070 litre	2,163 %	28434,1666 litre	O
440	CM	145	CM	15 LEVEL CM	571,3088 litre	1,966 %	28491,5648 litre	O
440	CM	145	CM	14 LEVEL CM	515,6923 litre	1,774 %	28547,1813 litre	O
440	CM	145	CM	13 LEVEL CM	461,9310 litre	1,589 %	28600,9426 litre	O
440	CM	145	CM	12 LEVEL CM	410,1062 litre	1,411 %	28652,7674 litre	O
440	CM	145	CM	11 LEVEL CM	360,3087 litre	1,240 %	28702,5649 litre	O
440	CM	145	CM	10 LEVEL CM	312,6410 litre	1,076 %	28750,2326 litre	O
440	CM	145	CM	9 LEVEL CM	267,2200 litre	0,919 %	28795,6536 litre	O
440	CM	145	CM	8 LEVEL CM	224,1807 litre	0,771 %	28838,6929 litre	O
440	CM	145	CM	7 LEVEL CM	183,6823 litre	0,632 %	28879,1913 litre	O
440	CM	145	CM	6 LEVEL CM	145,9161 litre	0,502 %	28916,9575 litre	O
440	CM	145	CM	5 LEVEL CM	111,1185 litre	0,382 %	28951,7551 litre	O
440	CM	145	CM	4 LEVEL CM	79,5930 litre	0,274 %	28983,2806 litre	O
440	CM	145	CM	3 LEVEL CM	51,7511 litre	0,178 %	29011,1225 litre	O
440	CM	145	CM	2 LEVEL CM	28,1991 litre	0,097 %	29034,6745 litre	O
440	CM	145	CM	1 LEVEL CM	9,9802 litre	0,034 %	29052,8934 litre	O
440	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	29062,8736 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 140	CM 280	LEVEL CM 27093,0950 litre	100,000 %	0,0000 litre	O
440	CM 140	CM 279	LEVEL CM 27083,2888 litre	99,964 %	9,8062 litre	O
440	CM 140	CM 278	LEVEL CM 27065,3885 litre	99,898 %	27,7065 litre	O
440	CM 140	CM 277	LEVEL CM 27042,2497 litre	99,812 %	50,8453 litre	O
440	CM 140	CM 276	LEVEL CM 27014,8980 litre	99,711 %	78,1970 litre	O
440	CM 140	CM 275	LEVEL CM 26983,9296 litre	99,597 %	109,1654 litre	O
440	CM 140	CM 274	LEVEL CM 26949,7491 litre	99,471 %	143,3459 litre	O
440	CM 140	CM 273	LEVEL CM 26912,6549 litre	99,334 %	180,4401 litre	O
440	CM 140	CM 272	LEVEL CM 26872,8798 litre	99,187 %	220,2152 litre	O
440	CM 140	CM 271	LEVEL CM 26830,6119 litre	99,031 %	262,4831 litre	O
440	CM 140	CM 270	LEVEL CM 26786,0078 litre	98,867 %	307,0872 litre	O
440	CM 140	CM 269	LEVEL CM 26739,2007 litre	98,694 %	353,8943 litre	O
440	CM 140	CM 268	LEVEL CM 26690,3054 litre	98,513 %	402,7896 litre	O
440	CM 140	CM 267	LEVEL CM 26639,4230 litre	98,326 %	453,6720 litre	O
440	CM 140	CM 266	LEVEL CM 26586,6428 litre	98,131 %	506,4522 litre	O
440	CM 140	CM 265	LEVEL CM 26532,0450 litre	97,929 %	561,0500 litre	O
440	CM 140	CM 264	LEVEL CM 26475,7020 litre	97,721 %	617,3930 litre	O
440	CM 140	CM 263	LEVEL CM 26417,6795 litre	97,507 %	675,4155 litre	O
440	CM 140	CM 262	LEVEL CM 26358,0379 litre	97,287 %	735,0571 litre	O
440	CM 140	CM 261	LEVEL CM 26296,8326 litre	97,061 %	796,2624 litre	O
440	CM 140	CM 260	LEVEL CM 26234,1149 litre	96,830 %	858,9801 litre	O
440	CM 140	CM 259	LEVEL CM 26169,9325 litre	96,593 %	923,1625 litre	O
440	CM 140	CM 258	LEVEL CM 26104,3300 litre	96,350 %	988,7650 litre	O
440	CM 140	CM 257	LEVEL CM 26037,3489 litre	96,103 %	1055,7461 litre	O
440	CM 140	CM 256	LEVEL CM 25969,0285 litre	95,851 %	1124,0665 litre	O
440	CM 140	CM 255	LEVEL CM 25899,4056 litre	95,594 %	1193,6894 litre	O
440	CM 140	CM 254	LEVEL CM 25828,5151 litre	95,332 %	1264,5799 litre	O
440	CM 140	CM 253	LEVEL CM 25756,3899 litre	95,066 %	1336,7051 litre	O
440	CM 140	CM 252	LEVEL CM 25683,0615 litre	94,796 %	1410,0335 litre	O
440	CM 140	CM 251	LEVEL CM 25608,5596 litre	94,521 %	1484,5354 litre	O
440	CM 140	CM 250	LEVEL CM 25532,9127 litre	94,241 %	1560,1823 litre	O
440	CM 140	CM 249	LEVEL CM 25456,1480 litre	93,958 %	1636,9470 litre	O
440	CM 140	CM 248	LEVEL CM 25378,2914 litre	93,671 %	1714,8036 litre	O
440	CM 140	CM 247	LEVEL CM 25299,3679 litre	93,379 %	1793,7271 litre	O
440	CM 140	CM 246	LEVEL CM 25219,4013 litre	93,084 %	1873,6937 litre	O
440	CM 140	CM 245	LEVEL CM 25138,4148 litre	92,785 %	1954,6802 litre	O
440	CM 140	CM 244	LEVEL CM 25056,4303 litre	92,483 %	2036,6647 litre	O
440	CM 140	CM 243	LEVEL CM 24973,4693 litre	92,177 %	2119,6257 litre	O
440	CM 140	CM 242	LEVEL CM 24889,5523 litre	91,867 %	2203,5427 litre	O
440	CM 140	CM 241	LEVEL CM 24804,6992 litre	91,554 %	2288,3958 litre	O
440	CM 140	CM 240	LEVEL CM 24718,9293 litre	91,237 %	2374,1657 litre	O
440	CM 140	CM 239	LEVEL CM 24632,2613 litre	90,917 %	2460,8337 litre	O
440	CM 140	CM 238	LEVEL CM 24544,7130 litre	90,594 %	2548,3820 litre	O
440	CM 140	CM 237	LEVEL CM 24456,3022 litre	90,268 %	2636,7928 litre	O
440	CM 140	CM 236	LEVEL CM 24367,0458 litre	89,938 %	2726,0492 litre	O
440	CM 140	CM 235	LEVEL CM 24276,9603 litre	89,606 %	2816,1347 litre	O
440	CM 140	CM 234	LEVEL CM 24186,0618 litre	89,270 %	2907,0332 litre	O
440	CM 140	CM 233	LEVEL CM 24094,3660 litre	88,932 %	2998,7290 litre	O
440	CM 140	CM 232	LEVEL CM 24001,8880 litre	88,590 %	3091,2070 litre	O
440	CM 140	CM 231	LEVEL CM 23908,6429 litre	88,246 %	3184,4521 litre	O
440	CM 140	CM 230	LEVEL CM 23814,6450 litre	87,899 %	3278,4500 litre	O
440	CM 140	CM 229	LEVEL CM 23719,9086 litre	87,550 %	3373,1864 litre	O

440	CM	140	CM	228 LEVEL CM	23624,4474 litre	87,197 %	3468,6476 litre	O
440	CM	140	CM	227 LEVEL CM	23528,2750 litre	86,842 %	3564,8200 litre	O
440	CM	140	CM	226 LEVEL CM	23431,4045 litre	86,485 %	3661,6905 litre	O
440	CM	140	CM	225 LEVEL CM	23333,8490 litre	86,125 %	3759,2460 litre	O
440	CM	140	CM	224 LEVEL CM	23235,6211 litre	85,762 %	3857,4739 litre	O
440	CM	140	CM	223 LEVEL CM	23136,7331 litre	85,397 %	3956,3619 litre	O
440	CM	140	CM	222 LEVEL CM	23037,1973 litre	85,030 %	4055,8977 litre	O
440	CM	140	CM	221 LEVEL CM	22937,0255 litre	84,660 %	4156,0695 litre	O
440	CM	140	CM	220 LEVEL CM	22836,2295 litre	84,288 %	4256,8655 litre	O
440	CM	140	CM	219 LEVEL CM	22734,8207 litre	83,914 %	4358,2743 litre	O
440	CM	140	CM	218 LEVEL CM	22632,8104 litre	83,537 %	4460,2846 litre	O
440	CM	140	CM	217 LEVEL CM	22530,2097 litre	83,158 %	4562,8853 litre	O
440	CM	140	CM	216 LEVEL CM	22427,0294 litre	82,778 %	4666,0656 litre	O
440	CM	140	CM	215 LEVEL CM	22323,2803 litre	82,395 %	4769,8147 litre	O
440	CM	140	CM	214 LEVEL CM	22218,9729 litre	82,010 %	4874,1221 litre	O
440	CM	140	CM	213 LEVEL CM	22114,1176 litre	81,623 %	4978,9774 litre	O
440	CM	140	CM	212 LEVEL CM	22008,7244 litre	81,234 %	5084,3706 litre	O
440	CM	140	CM	211 LEVEL CM	21902,8036 litre	80,843 %	5190,2914 litre	O
440	CM	140	CM	210 LEVEL CM	21796,3649 litre	80,450 %	5296,7301 litre	O
440	CM	140	CM	209 LEVEL CM	21689,4181 litre	80,055 %	5403,6769 litre	O
440	CM	140	CM	208 LEVEL CM	21581,9729 litre	79,659 %	5511,1221 litre	O
440	CM	140	CM	207 LEVEL CM	21474,0387 litre	79,260 %	5619,0563 litre	O
440	CM	140	CM	206 LEVEL CM	21365,6248 litre	78,860 %	5727,4702 litre	O
440	CM	140	CM	205 LEVEL CM	21256,7405 litre	78,458 %	5836,3545 litre	O
440	CM	140	CM	204 LEVEL CM	21147,3949 litre	78,055 %	5945,7001 litre	O
440	CM	140	CM	203 LEVEL CM	21037,5970 litre	77,649 %	6055,4980 litre	O
440	CM	140	CM	202 LEVEL CM	20927,3557 litre	77,242 %	6165,7393 litre	O
440	CM	140	CM	201 LEVEL CM	20816,6796 litre	76,834 %	6276,4154 litre	O
440	CM	140	CM	200 LEVEL CM	20705,5776 litre	76,424 %	6387,5174 litre	O
440	CM	140	CM	199 LEVEL CM	20594,0581 litre	76,012 %	6499,0369 litre	O
440	CM	140	CM	198 LEVEL CM	20482,1297 litre	75,599 %	6610,9653 litre	O
440	CM	140	CM	197 LEVEL CM	20369,8007 litre	75,184 %	6723,2943 litre	O
440	CM	140	CM	196 LEVEL CM	20257,0794 litre	74,768 %	6836,0156 litre	O
440	CM	140	CM	195 LEVEL CM	20143,9741 litre	74,351 %	6949,1209 litre	O
440	CM	140	CM	194 LEVEL CM	20030,4928 litre	73,932 %	7062,6022 litre	O
440	CM	140	CM	193 LEVEL CM	19916,6436 litre	73,512 %	7176,4514 litre	O
440	CM	140	CM	192 LEVEL CM	19802,4345 litre	73,090 %	7290,6605 litre	O
440	CM	140	CM	191 LEVEL CM	19687,8733 litre	72,667 %	7405,2217 litre	O
440	CM	140	CM	190 LEVEL CM	19572,9679 litre	72,243 %	7520,1271 litre	O
440	CM	140	CM	189 LEVEL CM	19457,7260 litre	71,818 %	7635,3690 litre	O
440	CM	140	CM	188 LEVEL CM	19342,1553 litre	71,391 %	7750,9397 litre	O
440	CM	140	CM	187 LEVEL CM	19226,2634 litre	70,964 %	7866,8316 litre	O
440	CM	140	CM	186 LEVEL CM	19110,0579 litre	70,535 %	7983,0371 litre	O
440	CM	140	CM	185 LEVEL CM	18993,5463 litre	70,105 %	8099,5487 litre	O
440	CM	140	CM	184 LEVEL CM	18876,7359 litre	69,674 %	8216,3591 litre	O
440	CM	140	CM	183 LEVEL CM	18759,6342 litre	69,241 %	8333,4608 litre	O
440	CM	140	CM	182 LEVEL CM	18642,2485 litre	68,808 %	8450,8465 litre	O
440	CM	140	CM	181 LEVEL CM	18524,5860 litre	68,374 %	8568,5090 litre	O
440	CM	140	CM	180 LEVEL CM	18406,6540 litre	67,939 %	8686,4410 litre	O
440	CM	140	CM	179 LEVEL CM	18288,4596 litre	67,502 %	8804,6354 litre	O
440	CM	140	CM	178 LEVEL CM	18170,0100 litre	67,065 %	8923,0850 litre	O
440	CM	140	CM	177 LEVEL CM	18051,3122 litre	66,627 %	9041,7828 litre	O
440	CM	140	CM	176 LEVEL CM	17932,3732 litre	66,188 %	9160,7218 litre	O

440	CM	140	CM	175 LEVEL CM	17813,2001 litre	65,748 %	9279,8949 litre	O
440	CM	140	CM	174 LEVEL CM	17693,7997 litre	65,307 %	9399,2953 litre	O
440	CM	140	CM	173 LEVEL CM	17574,1791 litre	64,866 %	9518,9159 litre	O
440	CM	140	CM	172 LEVEL CM	17454,3450 litre	64,424 %	9638,7500 litre	O
440	CM	140	CM	171 LEVEL CM	17334,3043 litre	63,981 %	9758,7907 litre	O
440	CM	140	CM	170 LEVEL CM	17214,0637 litre	63,537 %	9879,0313 litre	O
440	CM	140	CM	169 LEVEL CM	17093,6301 litre	63,092 %	9999,4649 litre	O
440	CM	140	CM	168 LEVEL CM	16973,0102 litre	62,647 %	10120,0848 litre	O
440	CM	140	CM	167 LEVEL CM	16852,2106 litre	62,201 %	10240,8844 litre	O
440	CM	140	CM	166 LEVEL CM	16731,2381 litre	61,755 %	10361,8569 litre	O
440	CM	140	CM	165 LEVEL CM	16610,0993 litre	61,308 %	10482,9957 litre	O
440	CM	140	CM	164 LEVEL CM	16488,8007 litre	60,860 %	10604,2943 litre	O
440	CM	140	CM	163 LEVEL CM	16367,3490 litre	60,412 %	10725,7460 litre	O
440	CM	140	CM	162 LEVEL CM	16245,7508 litre	59,963 %	10847,3442 litre	O
440	CM	140	CM	161 LEVEL CM	16124,0125 litre	59,513 %	10969,0825 litre	O
440	CM	140	CM	160 LEVEL CM	16002,1407 litre	59,064 %	11090,9543 litre	O
440	CM	140	CM	159 LEVEL CM	15880,1419 litre	58,613 %	11212,9531 litre	O
440	CM	140	CM	158 LEVEL CM	15758,0226 litre	58,163 %	11335,0724 litre	O
440	CM	140	CM	157 LEVEL CM	15635,7891 litre	57,711 %	11457,3059 litre	O
440	CM	140	CM	156 LEVEL CM	15513,4480 litre	57,260 %	11579,6470 litre	O
440	CM	140	CM	155 LEVEL CM	15391,0057 litre	56,808 %	11702,0893 litre	O
440	CM	140	CM	154 LEVEL CM	15268,4685 litre	56,356 %	11824,6265 litre	O
440	CM	140	CM	153 LEVEL CM	15145,8429 litre	55,903 %	11947,2521 litre	O
440	CM	140	CM	152 LEVEL CM	15023,1352 litre	55,450 %	12069,9598 litre	O
440	CM	140	CM	151 LEVEL CM	14900,3518 litre	54,997 %	12192,7432 litre	O
440	CM	140	CM	150 LEVEL CM	14777,4991 litre	54,543 %	12315,5959 litre	O
440	CM	140	CM	149 LEVEL CM	14654,5833 litre	54,090 %	12438,5117 litre	O
440	CM	140	CM	148 LEVEL CM	14531,6109 litre	53,636 %	12561,4841 litre	O
440	CM	140	CM	147 LEVEL CM	14408,5881 litre	53,182 %	12684,5069 litre	O
440	CM	140	CM	146 LEVEL CM	14285,5212 litre	52,728 %	12807,5738 litre	O
440	CM	140	CM	145 LEVEL CM	14162,4165 litre	52,273 %	12930,6785 litre	O
440	CM	140	CM	144 LEVEL CM	14039,2805 litre	51,819 %	13053,8145 litre	O
440	CM	140	CM	143 LEVEL CM	13916,1192 litre	51,364 %	13176,9758 litre	O
440	CM	140	CM	142 LEVEL CM	13792,9391 litre	50,909 %	13300,1559 litre	O
440	CM	140	CM	141 LEVEL CM	13669,7465 litre	50,455 %	13423,3485 litre	O
440	CM	140	CM	140 LEVEL CM	13546,5475 litre	50,000 %	13546,5475 litre	O
440	CM	140	CM	139 LEVEL CM	13423,3486 litre	49,545 %	13669,7464 litre	O
440	CM	140	CM	138 LEVEL CM	13300,1559 litre	49,091 %	13792,9391 litre	O
440	CM	140	CM	137 LEVEL CM	13176,9758 litre	48,636 %	13916,1192 litre	O
440	CM	140	CM	136 LEVEL CM	13053,8146 litre	48,181 %	14039,2804 litre	O
440	CM	140	CM	135 LEVEL CM	12930,6785 litre	47,727 %	14162,4165 litre	O
440	CM	140	CM	134 LEVEL CM	12807,5739 litre	47,272 %	14285,5211 litre	O
440	CM	140	CM	133 LEVEL CM	12684,5070 litre	46,818 %	14408,5880 litre	O
440	CM	140	CM	132 LEVEL CM	12561,4842 litre	46,364 %	14531,6108 litre	O
440	CM	140	CM	131 LEVEL CM	12438,5117 litre	45,910 %	14654,5833 litre	O
440	CM	140	CM	130 LEVEL CM	12315,5959 litre	45,457 %	14777,4991 litre	O
440	CM	140	CM	129 LEVEL CM	12192,7432 litre	45,003 %	14900,3518 litre	O
440	CM	140	CM	128 LEVEL CM	12069,9598 litre	44,550 %	15023,1352 litre	O
440	CM	140	CM	127 LEVEL CM	11947,2521 litre	44,097 %	15145,8429 litre	O
440	CM	140	CM	126 LEVEL CM	11824,6265 litre	43,644 %	15268,4685 litre	O
440	CM	140	CM	125 LEVEL CM	11702,0893 litre	43,192 %	15391,0057 litre	O
440	CM	140	CM	124 LEVEL CM	11579,6470 litre	42,740 %	15513,4480 litre	O
440	CM	140	CM	123 LEVEL CM	11457,3059 litre	42,289 %	15635,7891 litre	O

440	CM	140	CM	122 LEVEL CM	11335,0725 litre	41,837 %	15758,0225 litre	O
440	CM	140	CM	121 LEVEL CM	11212,9531 litre	41,387 %	15880,1419 litre	O
440	CM	140	CM	120 LEVEL CM	11090,9543 litre	40,936 %	16002,1407 litre	O
440	CM	140	CM	119 LEVEL CM	10969,0825 litre	40,487 %	16124,0125 litre	O
440	CM	140	CM	118 LEVEL CM	10847,3443 litre	40,037 %	16245,7507 litre	O
440	CM	140	CM	117 LEVEL CM	10725,7460 litre	39,588 %	16367,3490 litre	O
440	CM	140	CM	116 LEVEL CM	10604,2943 litre	39,140 %	16488,8007 litre	O
440	CM	140	CM	115 LEVEL CM	10482,9958 litre	38,692 %	16610,0992 litre	O
440	CM	140	CM	114 LEVEL CM	10361,8569 litre	38,245 %	16731,2381 litre	O
440	CM	140	CM	113 LEVEL CM	10240,8844 litre	37,799 %	16852,2106 litre	O
440	CM	140	CM	112 LEVEL CM	10120,0849 litre	37,353 %	16973,0101 litre	O
440	CM	140	CM	111 LEVEL CM	9999,4649 litre	36,908 %	17093,6301 litre	O
440	CM	140	CM	110 LEVEL CM	9879,0313 litre	36,463 %	17214,0637 litre	O
440	CM	140	CM	109 LEVEL CM	9758,7908 litre	36,019 %	17334,3042 litre	O
440	CM	140	CM	108 LEVEL CM	9638,7501 litre	35,576 %	17454,3449 litre	O
440	CM	140	CM	107 LEVEL CM	9518,9160 litre	35,134 %	17574,1790 litre	O
440	CM	140	CM	106 LEVEL CM	9399,2953 litre	34,693 %	17693,7997 litre	O
440	CM	140	CM	105 LEVEL CM	9279,8950 litre	34,252 %	17813,2000 litre	O
440	CM	140	CM	104 LEVEL CM	9160,7219 litre	33,812 %	17932,3731 litre	O
440	CM	140	CM	103 LEVEL CM	9041,7829 litre	33,373 %	18051,3121 litre	O
440	CM	140	CM	102 LEVEL CM	8923,0851 litre	32,935 %	18170,0099 litre	O
440	CM	140	CM	101 LEVEL CM	8804,6354 litre	32,498 %	18288,4596 litre	O
440	CM	140	CM	100 LEVEL CM	8686,4411 litre	32,061 %	18406,6539 litre	O
440	CM	140	CM	99 LEVEL CM	8568,5091 litre	31,626 %	18524,5859 litre	O
440	CM	140	CM	98 LEVEL CM	8450,8466 litre	31,192 %	18642,2484 litre	O
440	CM	140	CM	97 LEVEL CM	8333,4608 litre	30,759 %	18759,6342 litre	O
440	CM	140	CM	96 LEVEL CM	8216,3591 litre	30,326 %	18876,7359 litre	O
440	CM	140	CM	95 LEVEL CM	8099,5488 litre	29,895 %	18993,5462 litre	O
440	CM	140	CM	94 LEVEL CM	7983,0371 litre	29,465 %	19110,0579 litre	O
440	CM	140	CM	93 LEVEL CM	7866,8316 litre	29,036 %	19226,2634 litre	O
440	CM	140	CM	92 LEVEL CM	7750,9397 litre	28,609 %	19342,1553 litre	O
440	CM	140	CM	91 LEVEL CM	7635,3690 litre	28,182 %	19457,7260 litre	O
440	CM	140	CM	90 LEVEL CM	7520,1271 litre	27,757 %	19572,9679 litre	O
440	CM	140	CM	89 LEVEL CM	7405,2217 litre	27,333 %	19687,8733 litre	O
440	CM	140	CM	88 LEVEL CM	7290,6606 litre	26,910 %	19802,4344 litre	O
440	CM	140	CM	87 LEVEL CM	7176,4514 litre	26,488 %	19916,6436 litre	O
440	CM	140	CM	86 LEVEL CM	7062,6022 litre	26,068 %	20030,4928 litre	O
440	CM	140	CM	85 LEVEL CM	6949,1210 litre	25,649 %	20143,9740 litre	O
440	CM	140	CM	84 LEVEL CM	6836,0156 litre	25,232 %	20257,0794 litre	O
440	CM	140	CM	83 LEVEL CM	6723,2943 litre	24,816 %	20369,8007 litre	O
440	CM	140	CM	82 LEVEL CM	6610,9654 litre	24,401 %	20482,1296 litre	O
440	CM	140	CM	81 LEVEL CM	6499,0369 litre	23,988 %	20594,0581 litre	O
440	CM	140	CM	80 LEVEL CM	6387,5175 litre	23,576 %	20705,5775 litre	O
440	CM	140	CM	79 LEVEL CM	6276,4154 litre	23,166 %	20816,6796 litre	O
440	CM	140	CM	78 LEVEL CM	6165,7394 litre	22,758 %	20927,3556 litre	O
440	CM	140	CM	77 LEVEL CM	6055,4980 litre	22,351 %	21037,5970 litre	O
440	CM	140	CM	76 LEVEL CM	5945,7001 litre	21,945 %	21147,3949 litre	O
440	CM	140	CM	75 LEVEL CM	5836,3545 litre	21,542 %	21256,7405 litre	O
440	CM	140	CM	74 LEVEL CM	5727,4702 litre	21,140 %	21365,6248 litre	O
440	CM	140	CM	73 LEVEL CM	5619,0563 litre	20,740 %	21474,0387 litre	O
440	CM	140	CM	72 LEVEL CM	5511,1221 litre	20,341 %	21581,9729 litre	O
440	CM	140	CM	71 LEVEL CM	5403,6769 litre	19,945 %	21689,4181 litre	O
440	CM	140	CM	70 LEVEL CM	5296,7301 litre	19,550 %	21796,3649 litre	O

440	CM	140	CM	69 LEVEL CM	5190,2915 litre	19,157 %	21902,8035 litre	O
440	CM	140	CM	68 LEVEL CM	5084,3706 litre	18,766 %	22008,7244 litre	O
440	CM	140	CM	67 LEVEL CM	4978,9775 litre	18,377 %	22114,1175 litre	O
440	CM	140	CM	66 LEVEL CM	4874,1221 litre	17,990 %	22218,9729 litre	O
440	CM	140	CM	65 LEVEL CM	4769,8147 litre	17,605 %	22323,2803 litre	O
440	CM	140	CM	64 LEVEL CM	4666,0656 litre	17,222 %	22427,0294 litre	O
440	CM	140	CM	63 LEVEL CM	4562,8853 litre	16,842 %	22530,2097 litre	O
440	CM	140	CM	62 LEVEL CM	4460,2846 litre	16,463 %	22632,8104 litre	O
440	CM	140	CM	61 LEVEL CM	4358,2743 litre	16,086 %	22734,8207 litre	O
440	CM	140	CM	60 LEVEL CM	4256,8655 litre	15,712 %	22836,2295 litre	O
440	CM	140	CM	59 LEVEL CM	4156,0695 litre	15,340 %	22937,0255 litre	O
440	CM	140	CM	58 LEVEL CM	4055,8978 litre	14,970 %	23037,1972 litre	O
440	CM	140	CM	57 LEVEL CM	3956,3619 litre	14,603 %	23136,7331 litre	O
440	CM	140	CM	56 LEVEL CM	3857,4740 litre	14,238 %	23235,6210 litre	O
440	CM	140	CM	55 LEVEL CM	3759,2460 litre	13,875 %	23333,8490 litre	O
440	CM	140	CM	54 LEVEL CM	3661,6905 litre	13,515 %	23431,4045 litre	O
440	CM	140	CM	53 LEVEL CM	3564,8201 litre	13,158 %	23528,2749 litre	O
440	CM	140	CM	52 LEVEL CM	3468,6476 litre	12,803 %	23624,4474 litre	O
440	CM	140	CM	51 LEVEL CM	3373,1865 litre	12,450 %	23719,9085 litre	O
440	CM	140	CM	50 LEVEL CM	3278,4500 litre	12,101 %	23814,6450 litre	O
440	CM	140	CM	49 LEVEL CM	3184,4521 litre	11,754 %	23908,6429 litre	O
440	CM	140	CM	48 LEVEL CM	3091,2070 litre	11,410 %	24001,8880 litre	O
440	CM	140	CM	47 LEVEL CM	2998,7291 litre	11,068 %	24094,3659 litre	O
440	CM	140	CM	46 LEVEL CM	2907,0333 litre	10,730 %	24186,0617 litre	O
440	CM	140	CM	45 LEVEL CM	2816,1348 litre	10,394 %	24276,9602 litre	O
440	CM	140	CM	44 LEVEL CM	2726,0493 litre	10,062 %	24367,0457 litre	O
440	CM	140	CM	43 LEVEL CM	2636,7928 litre	9,732 %	24456,3022 litre	O
440	CM	140	CM	42 LEVEL CM	2548,3820 litre	9,406 %	24544,7130 litre	O
440	CM	140	CM	41 LEVEL CM	2460,8338 litre	9,083 %	24632,2612 litre	O
440	CM	140	CM	40 LEVEL CM	2374,1657 litre	8,763 %	24718,9293 litre	O
440	CM	140	CM	39 LEVEL CM	2288,3958 litre	8,446 %	24804,6992 litre	O
440	CM	140	CM	38 LEVEL CM	2203,5428 litre	8,133 %	24889,5522 litre	O
440	CM	140	CM	37 LEVEL CM	2119,6258 litre	7,823 %	24973,4692 litre	O
440	CM	140	CM	36 LEVEL CM	2036,6647 litre	7,517 %	25056,4303 litre	O
440	CM	140	CM	35 LEVEL CM	1954,6803 litre	7,215 %	25138,4147 litre	O
440	CM	140	CM	34 LEVEL CM	1873,6937 litre	6,916 %	25219,4013 litre	O
440	CM	140	CM	33 LEVEL CM	1793,7272 litre	6,621 %	25299,3678 litre	O
440	CM	140	CM	32 LEVEL CM	1714,8036 litre	6,329 %	25378,2914 litre	O
440	CM	140	CM	31 LEVEL CM	1636,9471 litre	6,042 %	25456,1479 litre	O
440	CM	140	CM	30 LEVEL CM	1560,1823 litre	5,759 %	25532,9127 litre	O
440	CM	140	CM	29 LEVEL CM	1484,5354 litre	5,479 %	25608,5596 litre	O
440	CM	140	CM	28 LEVEL CM	1410,0336 litre	5,204 %	25683,0614 litre	O
440	CM	140	CM	27 LEVEL CM	1336,7051 litre	4,934 %	25756,3899 litre	O
440	CM	140	CM	26 LEVEL CM	1264,5800 litre	4,668 %	25828,5150 litre	O
440	CM	140	CM	25 LEVEL CM	1193,6895 litre	4,406 %	25899,4055 litre	O
440	CM	140	CM	24 LEVEL CM	1124,0666 litre	4,149 %	25969,0284 litre	O
440	CM	140	CM	23 LEVEL CM	1055,7461 litre	3,897 %	26037,3489 litre	O
440	CM	140	CM	22 LEVEL CM	988,7651 litre	3,650 %	26104,3299 litre	O
440	CM	140	CM	21 LEVEL CM	923,1625 litre	3,407 %	26169,9325 litre	O
440	CM	140	CM	20 LEVEL CM	858,9802 litre	3,170 %	26234,1148 litre	O
440	CM	140	CM	19 LEVEL CM	796,2625 litre	2,939 %	26296,8325 litre	O
440	CM	140	CM	18 LEVEL CM	735,0571 litre	2,713 %	26358,0379 litre	O
440	CM	140	CM	17 LEVEL CM	675,4155 litre	2,493 %	26417,6795 litre	O

440	CM	140	CM	16 LEVEL CM	617,3930 litre	2,279 %	26475,7020 litre	O
440	CM	140	CM	15 LEVEL CM	561,0500 litre	2,071 %	26532,0450 litre	O
440	CM	140	CM	14 LEVEL CM	506,4522 litre	1,869 %	26586,6428 litre	O
440	CM	140	CM	13 LEVEL CM	453,6721 litre	1,674 %	26639,4229 litre	O
440	CM	140	CM	12 LEVEL CM	402,7896 litre	1,487 %	26690,3054 litre	O
440	CM	140	CM	11 LEVEL CM	353,8944 litre	1,306 %	26739,2006 litre	O
440	CM	140	CM	10 LEVEL CM	307,0872 litre	1,133 %	26786,0078 litre	O
440	CM	140	CM	9 LEVEL CM	262,4832 litre	0,969 %	26830,6118 litre	O
440	CM	140	CM	8 LEVEL CM	220,2153 litre	0,813 %	26872,8797 litre	O
440	CM	140	CM	7 LEVEL CM	180,4402 litre	0,666 %	26912,6548 litre	O
440	CM	140	CM	6 LEVEL CM	143,3460 litre	0,529 %	26949,7490 litre	O
440	CM	140	CM	5 LEVEL CM	109,1654 litre	0,403 %	26983,9296 litre	O
440	CM	140	CM	4 LEVEL CM	78,1970 litre	0,289 %	27014,8980 litre	O
440	CM	140	CM	3 LEVEL CM	50,8454 litre	0,188 %	27042,2496 litre	O
440	CM	140	CM	2 LEVEL CM	27,7066 litre	0,102 %	27065,3884 litre	O
440	CM	140	CM	1 LEVEL CM	9,8063 litre	0,036 %	27083,2887 litre	O
440	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	27093,0950 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM	135	CM 270 LEVEL CM	25192,4315 litre	100,000 %	0,0000 litre	O
440	CM	135	CM 269 LEVEL CM	25182,8023 litre	99,962 %	9,6292 litre	O
440	CM	135	CM 268 LEVEL CM	25165,2264 litre	99,892 %	27,2051 litre	O
440	CM	135	CM 267 LEVEL CM	25142,5083 litre	99,802 %	49,9232 litre	O
440	CM	135	CM 266 LEVEL CM	25115,6558 litre	99,695 %	76,7757 litre	O
440	CM	135	CM 265 LEVEL CM	25085,2547 litre	99,575 %	107,1768 litre	O
440	CM	135	CM 264 LEVEL CM	25051,7025 litre	99,441 %	140,7290 litre	O
440	CM	135	CM 263 LEVEL CM	25015,2928 litre	99,297 %	177,1387 litre	O
440	CM	135	CM 262 LEVEL CM	24976,2543 litre	99,142 %	216,1772 litre	O
440	CM	135	CM 261 LEVEL CM	24934,7722 litre	98,977 %	257,6593 litre	O
440	CM	135	CM 260 LEVEL CM	24891,0004 litre	98,803 %	301,4311 litre	O
440	CM	135	CM 259 LEVEL CM	24845,0699 litre	98,621 %	347,3616 litre	O
440	CM	135	CM 258 LEVEL CM	24797,0938 litre	98,431 %	395,3377 litre	O
440	CM	135	CM 257 LEVEL CM	24747,1715 litre	98,233 %	445,2600 litre	O
440	CM	135	CM 256 LEVEL CM	24695,3911 litre	98,027 %	497,0404 litre	O
440	CM	135	CM 255 LEVEL CM	24641,8314 litre	97,814 %	550,6001 litre	O
440	CM	135	CM 254 LEVEL CM	24586,5637 litre	97,595 %	605,8678 litre	O
440	CM	135	CM 253 LEVEL CM	24529,6529 litre	97,369 %	662,7786 litre	O
440	CM	135	CM 252 LEVEL CM	24471,1583 litre	97,137 %	721,2732 litre	O
440	CM	135	CM 251 LEVEL CM	24411,1347 litre	96,899 %	781,2968 litre	O
440	CM	135	CM 250 LEVEL CM	24349,6326 litre	96,655 %	842,7989 litre	O
440	CM	135	CM 249 LEVEL CM	24286,6990 litre	96,405 %	905,7325 litre	O
440	CM	135	CM 248 LEVEL CM	24222,3779 litre	96,149 %	970,0536 litre	O
440	CM	135	CM 247 LEVEL CM	24156,7104 litre	95,889 %	1035,7211 litre	O
440	CM	135	CM 246 LEVEL CM	24089,7350 litre	95,623 %	1102,6965 litre	O
440	CM	135	CM 245 LEVEL CM	24021,4882 litre	95,352 %	1170,9433 litre	O
440	CM	135	CM 244 LEVEL CM	23952,0043 litre	95,076 %	1240,4272 litre	O
440	CM	135	CM 243 LEVEL CM	23881,3161 litre	94,796 %	1311,1154 litre	O
440	CM	135	CM 242 LEVEL CM	23809,4544 litre	94,510 %	1382,9771 litre	O
440	CM	135	CM 241 LEVEL CM	23736,4487 litre	94,221 %	1455,9828 litre	O
440	CM	135	CM 240 LEVEL CM	23662,3271 litre	93,926 %	1530,1044 litre	O
440	CM	135	CM 239 LEVEL CM	23587,1165 litre	93,628 %	1605,3150 litre	O
440	CM	135	CM 238 LEVEL CM	23510,8425 litre	93,325 %	1681,5890 litre	O
440	CM	135	CM 237 LEVEL CM	23433,5299 litre	93,018 %	1758,9016 litre	O
440	CM	135	CM 236 LEVEL CM	23355,2022 litre	92,707 %	1837,2293 litre	O
440	CM	135	CM 235 LEVEL CM	23275,8822 litre	92,392 %	1916,5493 litre	O
440	CM	135	CM 234 LEVEL CM	23195,5918 litre	92,074 %	1996,8397 litre	O
440	CM	135	CM 233 LEVEL CM	23114,3522 litre	91,751 %	2078,0793 litre	O
440	CM	135	CM 232 LEVEL CM	23032,1836 litre	91,425 %	2160,2479 litre	O
440	CM	135	CM 231 LEVEL CM	22949,1060 litre	91,095 %	2243,3255 litre	O
440	CM	135	CM 230 LEVEL CM	22865,1382 litre	90,762 %	2327,2933 litre	O
440	CM	135	CM 229 LEVEL CM	22780,2988 litre	90,425 %	2412,1327 litre	O
440	CM	135	CM 228 LEVEL CM	22694,6056 litre	90,085 %	2497,8259 litre	O
440	CM	135	CM 227 LEVEL CM	22608,0761 litre	89,742 %	2584,3554 litre	O
440	CM	135	CM 226 LEVEL CM	22520,7271 litre	89,395 %	2671,7044 litre	O
440	CM	135	CM 225 LEVEL CM	22432,5750 litre	89,045 %	2759,8565 litre	O
440	CM	135	CM 224 LEVEL CM	22343,6357 litre	88,692 %	2848,7958 litre	O
440	CM	135	CM 223 LEVEL CM	22253,9249 litre	88,336 %	2938,5066 litre	O
440	CM	135	CM 222 LEVEL CM	22163,4576 litre	87,977 %	3028,9739 litre	O
440	CM	135	CM 221 LEVEL CM	22072,2486 litre	87,615 %	3120,1829 litre	O
440	CM	135	CM 220 LEVEL CM	21980,3124 litre	87,250 %	3212,1191 litre	O
440	CM	135	CM 219 LEVEL CM	21887,6629 litre	86,882 %	3304,7686 litre	O

440	CM	135	CM	218 LEVEL CM	21794,3140 litre	86,511 %	3398,1175 litre	O
440	CM	135	CM	217 LEVEL CM	21700,2790 litre	86,138 %	3492,1525 litre	O
440	CM	135	CM	216 LEVEL CM	21605,5711 litre	85,762 %	3586,8604 litre	O
440	CM	135	CM	215 LEVEL CM	21510,2032 litre	85,384 %	3682,2283 litre	O
440	CM	135	CM	214 LEVEL CM	21414,1879 litre	85,002 %	3778,2436 litre	O
440	CM	135	CM	213 LEVEL CM	21317,5376 litre	84,619 %	3874,8939 litre	O
440	CM	135	CM	212 LEVEL CM	21220,2642 litre	84,233 %	3972,1673 litre	O
440	CM	135	CM	211 LEVEL CM	21122,3798 litre	83,844 %	4070,0517 litre	O
440	CM	135	CM	210 LEVEL CM	21023,8959 litre	83,453 %	4168,5356 litre	O
440	CM	135	CM	209 LEVEL CM	20924,8240 litre	83,060 %	4267,6075 litre	O
440	CM	135	CM	208 LEVEL CM	20825,1754 litre	82,664 %	4367,2561 litre	O
440	CM	135	CM	207 LEVEL CM	20724,9611 litre	82,267 %	4467,4704 litre	O
440	CM	135	CM	206 LEVEL CM	20624,1920 litre	81,867 %	4568,2395 litre	O
440	CM	135	CM	205 LEVEL CM	20522,8786 litre	81,464 %	4669,5529 litre	O
440	CM	135	CM	204 LEVEL CM	20421,0317 litre	81,060 %	4771,3998 litre	O
440	CM	135	CM	203 LEVEL CM	20318,6614 litre	80,654 %	4873,7701 litre	O
440	CM	135	CM	202 LEVEL CM	20215,7780 litre	80,245 %	4976,6535 litre	O
440	CM	135	CM	201 LEVEL CM	20112,3915 litre	79,835 %	5080,0400 litre	O
440	CM	135	CM	200 LEVEL CM	20008,5118 litre	79,423 %	5183,9197 litre	O
440	CM	135	CM	199 LEVEL CM	19904,1487 litre	79,008 %	5288,2828 litre	O
440	CM	135	CM	198 LEVEL CM	19799,3118 litre	78,592 %	5393,1197 litre	O
440	CM	135	CM	197 LEVEL CM	19694,0105 litre	78,174 %	5498,4210 litre	O
440	CM	135	CM	196 LEVEL CM	19588,2543 litre	77,755 %	5604,1772 litre	O
440	CM	135	CM	195 LEVEL CM	19482,0523 litre	77,333 %	5710,3792 litre	O
440	CM	135	CM	194 LEVEL CM	19375,4137 litre	76,910 %	5817,0178 litre	O
440	CM	135	CM	193 LEVEL CM	19268,3475 litre	76,485 %	5924,0840 litre	O
440	CM	135	CM	192 LEVEL CM	19160,8626 litre	76,058 %	6031,5689 litre	O
440	CM	135	CM	191 LEVEL CM	19052,9678 litre	75,630 %	6139,4637 litre	O
440	CM	135	CM	190 LEVEL CM	18944,6718 litre	75,200 %	6247,7597 litre	O
440	CM	135	CM	189 LEVEL CM	18835,9833 litre	74,768 %	6356,4482 litre	O
440	CM	135	CM	188 LEVEL CM	18726,9107 litre	74,335 %	6465,5208 litre	O
440	CM	135	CM	187 LEVEL CM	18617,4624 litre	73,901 %	6574,9691 litre	O
440	CM	135	CM	186 LEVEL CM	18507,6468 litre	73,465 %	6684,7847 litre	O
440	CM	135	CM	185 LEVEL CM	18397,4722 litre	73,028 %	6794,9593 litre	O
440	CM	135	CM	184 LEVEL CM	18286,9467 litre	72,589 %	6905,4848 litre	O
440	CM	135	CM	183 LEVEL CM	18176,0783 litre	72,149 %	7016,3532 litre	O
440	CM	135	CM	182 LEVEL CM	18064,8752 litre	71,708 %	7127,5563 litre	O
440	CM	135	CM	181 LEVEL CM	17953,3453 litre	71,265 %	7239,0862 litre	O
440	CM	135	CM	180 LEVEL CM	17841,4965 litre	70,821 %	7350,9350 litre	O
440	CM	135	CM	179 LEVEL CM	17729,3365 litre	70,376 %	7463,0950 litre	O
440	CM	135	CM	178 LEVEL CM	17616,8731 litre	69,929 %	7575,5584 litre	O
440	CM	135	CM	177 LEVEL CM	17504,1141 litre	69,482 %	7688,3174 litre	O
440	CM	135	CM	176 LEVEL CM	17391,0669 litre	69,033 %	7801,3646 litre	O
440	CM	135	CM	175 LEVEL CM	17277,7392 litre	68,583 %	7914,6923 litre	O
440	CM	135	CM	174 LEVEL CM	17164,1386 litre	68,132 %	8028,2929 litre	O
440	CM	135	CM	173 LEVEL CM	17050,2724 litre	67,680 %	8142,1591 litre	O
440	CM	135	CM	172 LEVEL CM	16936,1480 litre	67,227 %	8256,2835 litre	O
440	CM	135	CM	171 LEVEL CM	16821,7728 litre	66,773 %	8370,6587 litre	O
440	CM	135	CM	170 LEVEL CM	16707,1542 litre	66,318 %	8485,2773 litre	O
440	CM	135	CM	169 LEVEL CM	16592,2993 litre	65,862 %	8600,1322 litre	O
440	CM	135	CM	168 LEVEL CM	16477,2154 litre	65,405 %	8715,2161 litre	O
440	CM	135	CM	167 LEVEL CM	16361,9097 litre	64,948 %	8830,5218 litre	O
440	CM	135	CM	166 LEVEL CM	16246,3893 litre	64,489 %	8946,0422 litre	O

440	CM	135	CM	165 LEVEL CM	16130,6612 litre	64,030 %	9061,7703 litre	O
440	CM	135	CM	164 LEVEL CM	16014,7326 litre	63,570 %	9177,6989 litre	O
440	CM	135	CM	163 LEVEL CM	15898,6104 litre	63,109 %	9293,8211 litre	O
440	CM	135	CM	162 LEVEL CM	15782,3016 litre	62,647 %	9410,1299 litre	O
440	CM	135	CM	161 LEVEL CM	15665,8132 litre	62,185 %	9526,6183 litre	O
440	CM	135	CM	160 LEVEL CM	15549,1520 litre	61,722 %	9643,2795 litre	O
440	CM	135	CM	159 LEVEL CM	15432,3251 litre	61,258 %	9760,1064 litre	O
440	CM	135	CM	158 LEVEL CM	15315,3391 litre	60,793 %	9877,0924 litre	O
440	CM	135	CM	157 LEVEL CM	15198,2010 litre	60,328 %	9994,2305 litre	O
440	CM	135	CM	156 LEVEL CM	15080,9176 litre	59,863 %	10111,5139 litre	O
440	CM	135	CM	155 LEVEL CM	14963,4955 litre	59,397 %	10228,9360 litre	O
440	CM	135	CM	154 LEVEL CM	14845,9417 litre	58,930 %	10346,4898 litre	O
440	CM	135	CM	153 LEVEL CM	14728,2627 litre	58,463 %	10464,1688 litre	O
440	CM	135	CM	152 LEVEL CM	14610,4654 litre	57,995 %	10581,9661 litre	O
440	CM	135	CM	151 LEVEL CM	14492,5563 litre	57,527 %	10699,8752 litre	O
440	CM	135	CM	150 LEVEL CM	14374,5423 litre	57,059 %	10817,8892 litre	O
440	CM	135	CM	149 LEVEL CM	14256,4298 litre	56,590 %	10936,0017 litre	O
440	CM	135	CM	148 LEVEL CM	14138,2255 litre	56,121 %	11054,2060 litre	O
440	CM	135	CM	147 LEVEL CM	14019,9362 litre	55,651 %	11172,4953 litre	O
440	CM	135	CM	146 LEVEL CM	13901,5683 litre	55,182 %	11290,8632 litre	O
440	CM	135	CM	145 LEVEL CM	13783,1284 litre	54,711 %	11409,3031 litre	O
440	CM	135	CM	144 LEVEL CM	13664,6232 litre	54,241 %	11527,8083 litre	O
440	CM	135	CM	143 LEVEL CM	13546,0592 litre	53,770 %	11646,3723 litre	O
440	CM	135	CM	142 LEVEL CM	13427,4430 litre	53,300 %	11764,9885 litre	O
440	CM	135	CM	141 LEVEL CM	13308,7810 litre	52,828 %	11883,6505 litre	O
440	CM	135	CM	140 LEVEL CM	13190,0799 litre	52,357 %	12002,3516 litre	O
440	CM	135	CM	139 LEVEL CM	13071,3462 litre	51,886 %	12121,0853 litre	O
440	CM	135	CM	138 LEVEL CM	12952,5864 litre	51,415 %	12239,8451 litre	O
440	CM	135	CM	137 LEVEL CM	12833,8071 litre	50,943 %	12358,6244 litre	O
440	CM	135	CM	136 LEVEL CM	12715,0147 litre	50,472 %	12477,4168 litre	O
440	CM	135	CM	135 LEVEL CM	12596,2157 litre	50,000 %	12596,2158 litre	O
440	CM	135	CM	134 LEVEL CM	12477,4168 litre	49,528 %	12715,0147 litre	O
440	CM	135	CM	133 LEVEL CM	12358,6244 litre	49,057 %	12833,8071 litre	O
440	CM	135	CM	132 LEVEL CM	12239,8451 litre	48,585 %	12952,5864 litre	O
440	CM	135	CM	131 LEVEL CM	12121,0853 litre	48,114 %	13071,3462 litre	O
440	CM	135	CM	130 LEVEL CM	12002,3516 litre	47,643 %	13190,0799 litre	O
440	CM	135	CM	129 LEVEL CM	11883,6505 litre	47,172 %	13308,7810 litre	O
440	CM	135	CM	128 LEVEL CM	11764,9885 litre	46,700 %	13427,4430 litre	O
440	CM	135	CM	127 LEVEL CM	11646,3723 litre	46,230 %	13546,0592 litre	O
440	CM	135	CM	126 LEVEL CM	11527,8083 litre	45,759 %	13664,6232 litre	O
440	CM	135	CM	125 LEVEL CM	11409,3031 litre	45,289 %	13783,1284 litre	O
440	CM	135	CM	124 LEVEL CM	11290,8632 litre	44,818 %	13901,5683 litre	O
440	CM	135	CM	123 LEVEL CM	11172,4953 litre	44,349 %	14019,9362 litre	O
440	CM	135	CM	122 LEVEL CM	11054,2059 litre	43,879 %	14138,2256 litre	O
440	CM	135	CM	121 LEVEL CM	10936,0017 litre	43,410 %	14256,4298 litre	O
440	CM	135	CM	120 LEVEL CM	10817,8892 litre	42,941 %	14374,5423 litre	O
440	CM	135	CM	119 LEVEL CM	10699,8751 litre	42,473 %	14492,5564 litre	O
440	CM	135	CM	118 LEVEL CM	10581,9661 litre	42,005 %	14610,4654 litre	O
440	CM	135	CM	117 LEVEL CM	10464,1687 litre	41,537 %	14728,2628 litre	O
440	CM	135	CM	116 LEVEL CM	10346,4898 litre	41,070 %	14845,9417 litre	O
440	CM	135	CM	115 LEVEL CM	10228,9359 litre	40,603 %	14963,4956 litre	O
440	CM	135	CM	114 LEVEL CM	10111,5139 litre	40,137 %	15080,9176 litre	O
440	CM	135	CM	113 LEVEL CM	9994,2305 litre	39,672 %	15198,2010 litre	O

440	CM	135	CM	112 LEVEL CM	9877,0924 litre	39,207 %	15315,3391 litre	O
440	CM	135	CM	111 LEVEL CM	9760,1064 litre	38,742 %	15432,3251 litre	O
440	CM	135	CM	110 LEVEL CM	9643,2795 litre	38,278 %	15549,1520 litre	O
440	CM	135	CM	109 LEVEL CM	9526,6183 litre	37,815 %	15665,8132 litre	O
440	CM	135	CM	108 LEVEL CM	9410,1299 litre	37,353 %	15782,3016 litre	O
440	CM	135	CM	107 LEVEL CM	9293,8211 litre	36,891 %	15898,6104 litre	O
440	CM	135	CM	106 LEVEL CM	9177,6989 litre	36,430 %	16014,7326 litre	O
440	CM	135	CM	105 LEVEL CM	9061,7703 litre	35,970 %	16130,6612 litre	O
440	CM	135	CM	104 LEVEL CM	8946,0422 litre	35,511 %	16246,3893 litre	O
440	CM	135	CM	103 LEVEL CM	8830,5218 litre	35,052 %	16361,9097 litre	O
440	CM	135	CM	102 LEVEL CM	8715,2160 litre	34,595 %	16477,2155 litre	O
440	CM	135	CM	101 LEVEL CM	8600,1322 litre	34,138 %	16592,2993 litre	O
440	CM	135	CM	100 LEVEL CM	8485,2773 litre	33,682 %	16707,1542 litre	O
440	CM	135	CM	99 LEVEL CM	8370,6586 litre	33,227 %	16821,7729 litre	O
440	CM	135	CM	98 LEVEL CM	8256,2835 litre	32,773 %	16936,1480 litre	O
440	CM	135	CM	97 LEVEL CM	8142,1591 litre	32,320 %	17050,2724 litre	O
440	CM	135	CM	96 LEVEL CM	8028,2929 litre	31,868 %	17164,1386 litre	O
440	CM	135	CM	95 LEVEL CM	7914,6922 litre	31,417 %	17277,7393 litre	O
440	CM	135	CM	94 LEVEL CM	7801,3646 litre	30,967 %	17391,0669 litre	O
440	CM	135	CM	93 LEVEL CM	7688,3174 litre	30,518 %	17504,1141 litre	O
440	CM	135	CM	92 LEVEL CM	7575,5584 litre	30,071 %	17616,8731 litre	O
440	CM	135	CM	91 LEVEL CM	7463,0950 litre	29,624 %	17729,3365 litre	O
440	CM	135	CM	90 LEVEL CM	7350,9350 litre	29,179 %	17841,4965 litre	O
440	CM	135	CM	89 LEVEL CM	7239,0861 litre	28,735 %	17953,3454 litre	O
440	CM	135	CM	88 LEVEL CM	7127,5562 litre	28,292 %	18064,8753 litre	O
440	CM	135	CM	87 LEVEL CM	7016,3532 litre	27,851 %	18176,0783 litre	O
440	CM	135	CM	86 LEVEL CM	6905,4848 litre	27,411 %	18286,9467 litre	O
440	CM	135	CM	85 LEVEL CM	6794,9593 litre	26,972 %	18397,4722 litre	O
440	CM	135	CM	84 LEVEL CM	6684,7847 litre	26,535 %	18507,6468 litre	O
440	CM	135	CM	83 LEVEL CM	6574,9691 litre	26,099 %	18617,4624 litre	O
440	CM	135	CM	82 LEVEL CM	6465,5208 litre	25,665 %	18726,9107 litre	O
440	CM	135	CM	81 LEVEL CM	6356,4482 litre	25,232 %	18835,9833 litre	O
440	CM	135	CM	80 LEVEL CM	6247,7596 litre	24,800 %	18944,6719 litre	O
440	CM	135	CM	79 LEVEL CM	6139,4637 litre	24,370 %	19052,9678 litre	O
440	CM	135	CM	78 LEVEL CM	6031,5689 litre	23,942 %	19160,8626 litre	O
440	CM	135	CM	77 LEVEL CM	5924,0840 litre	23,515 %	19268,3475 litre	O
440	CM	135	CM	76 LEVEL CM	5817,0178 litre	23,090 %	19375,4137 litre	O
440	CM	135	CM	75 LEVEL CM	5710,3792 litre	22,667 %	19482,0523 litre	O
440	CM	135	CM	74 LEVEL CM	5604,1772 litre	22,245 %	19588,2543 litre	O
440	CM	135	CM	73 LEVEL CM	5498,4210 litre	21,826 %	19694,0105 litre	O
440	CM	135	CM	72 LEVEL CM	5393,1197 litre	21,408 %	19799,3118 litre	O
440	CM	135	CM	71 LEVEL CM	5288,2828 litre	20,992 %	19904,1487 litre	O
440	CM	135	CM	70 LEVEL CM	5183,9197 litre	20,577 %	20008,5118 litre	O
440	CM	135	CM	69 LEVEL CM	5080,0400 litre	20,165 %	20112,3915 litre	O
440	CM	135	CM	68 LEVEL CM	4976,6535 litre	19,755 %	20215,7780 litre	O
440	CM	135	CM	67 LEVEL CM	4873,7701 litre	19,346 %	20318,6614 litre	O
440	CM	135	CM	66 LEVEL CM	4771,3998 litre	18,940 %	20421,0317 litre	O
440	CM	135	CM	65 LEVEL CM	4669,5529 litre	18,536 %	20522,8786 litre	O
440	CM	135	CM	64 LEVEL CM	4568,2395 litre	18,133 %	20624,1920 litre	O
440	CM	135	CM	63 LEVEL CM	4467,4704 litre	17,733 %	20724,9611 litre	O
440	CM	135	CM	62 LEVEL CM	4367,2561 litre	17,336 %	20825,1754 litre	O
440	CM	135	CM	61 LEVEL CM	4267,6074 litre	16,940 %	20924,8241 litre	O
440	CM	135	CM	60 LEVEL CM	4168,5356 litre	16,547 %	21023,8959 litre	O

440	CM	135	CM	59 LEVEL CM	4070,0517 litre	16,156 %	21122,3798 litre	O
440	CM	135	CM	58 LEVEL CM	3972,1673 litre	15,767 %	21220,2642 litre	O
440	CM	135	CM	57 LEVEL CM	3874,8939 litre	15,381 %	21317,5376 litre	O
440	CM	135	CM	56 LEVEL CM	3778,2436 litre	14,998 %	21414,1879 litre	O
440	CM	135	CM	55 LEVEL CM	3682,2282 litre	14,616 %	21510,2033 litre	O
440	CM	135	CM	54 LEVEL CM	3586,8604 litre	14,238 %	21605,5711 litre	O
440	CM	135	CM	53 LEVEL CM	3492,1525 litre	13,862 %	21700,2790 litre	O
440	CM	135	CM	52 LEVEL CM	3398,1175 litre	13,489 %	21794,3140 litre	O
440	CM	135	CM	51 LEVEL CM	3304,7686 litre	13,118 %	21887,6629 litre	O
440	CM	135	CM	50 LEVEL CM	3212,1191 litre	12,750 %	21980,3124 litre	O
440	CM	135	CM	49 LEVEL CM	3120,1828 litre	12,385 %	22072,2487 litre	O
440	CM	135	CM	48 LEVEL CM	3028,9739 litre	12,023 %	22163,4576 litre	O
440	CM	135	CM	47 LEVEL CM	2938,5066 litre	11,664 %	22253,9249 litre	O
440	CM	135	CM	46 LEVEL CM	2848,7958 litre	11,308 %	22343,6357 litre	O
440	CM	135	CM	45 LEVEL CM	2759,8565 litre	10,955 %	22432,5750 litre	O
440	CM	135	CM	44 LEVEL CM	2671,7044 litre	10,605 %	22520,7271 litre	O
440	CM	135	CM	43 LEVEL CM	2584,3554 litre	10,258 %	22608,0761 litre	O
440	CM	135	CM	42 LEVEL CM	2497,8259 litre	9,915 %	22694,6056 litre	O
440	CM	135	CM	41 LEVEL CM	2412,1327 litre	9,575 %	22780,2988 litre	O
440	CM	135	CM	40 LEVEL CM	2327,2933 litre	9,238 %	22865,1382 litre	O
440	CM	135	CM	39 LEVEL CM	2243,3255 litre	8,905 %	22949,1060 litre	O
440	CM	135	CM	38 LEVEL CM	2160,2478 litre	8,575 %	23032,1837 litre	O
440	CM	135	CM	37 LEVEL CM	2078,0793 litre	8,249 %	23114,3522 litre	O
440	CM	135	CM	36 LEVEL CM	1996,8397 litre	7,926 %	23195,5918 litre	O
440	CM	135	CM	35 LEVEL CM	1916,5493 litre	7,608 %	23275,8822 litre	O
440	CM	135	CM	34 LEVEL CM	1837,2293 litre	7,293 %	23355,2022 litre	O
440	CM	135	CM	33 LEVEL CM	1758,9016 litre	6,982 %	23433,5299 litre	O
440	CM	135	CM	32 LEVEL CM	1681,5889 litre	6,675 %	23510,8426 litre	O
440	CM	135	CM	31 LEVEL CM	1605,3150 litre	6,372 %	23587,1165 litre	O
440	CM	135	CM	30 LEVEL CM	1530,1044 litre	6,074 %	23662,3271 litre	O
440	CM	135	CM	29 LEVEL CM	1455,9828 litre	5,779 %	23736,4487 litre	O
440	CM	135	CM	28 LEVEL CM	1382,9771 litre	5,490 %	23809,4544 litre	O
440	CM	135	CM	27 LEVEL CM	1311,1154 litre	5,204 %	23881,3161 litre	O
440	CM	135	CM	26 LEVEL CM	1240,4272 litre	4,924 %	23952,0043 litre	O
440	CM	135	CM	25 LEVEL CM	1170,9433 litre	4,648 %	24021,4882 litre	O
440	CM	135	CM	24 LEVEL CM	1102,6965 litre	4,377 %	24089,7350 litre	O
440	CM	135	CM	23 LEVEL CM	1035,7211 litre	4,111 %	24156,7104 litre	O
440	CM	135	CM	22 LEVEL CM	970,0536 litre	3,851 %	24222,3779 litre	O
440	CM	135	CM	21 LEVEL CM	905,7325 litre	3,595 %	24286,6990 litre	O
440	CM	135	CM	20 LEVEL CM	842,7989 litre	3,345 %	24349,6326 litre	O
440	CM	135	CM	19 LEVEL CM	781,2968 litre	3,101 %	24411,1347 litre	O
440	CM	135	CM	18 LEVEL CM	721,2732 litre	2,863 %	24471,1583 litre	O
440	CM	135	CM	17 LEVEL CM	662,7786 litre	2,631 %	24529,6529 litre	O
440	CM	135	CM	16 LEVEL CM	605,8678 litre	2,405 %	24586,5637 litre	O
440	CM	135	CM	15 LEVEL CM	550,6001 litre	2,186 %	24641,8314 litre	O
440	CM	135	CM	14 LEVEL CM	497,0404 litre	1,973 %	24695,3911 litre	O
440	CM	135	CM	13 LEVEL CM	445,2600 litre	1,767 %	24747,1715 litre	O
440	CM	135	CM	12 LEVEL CM	395,3377 litre	1,569 %	24797,0938 litre	O
440	CM	135	CM	11 LEVEL CM	347,3616 litre	1,379 %	24845,0699 litre	O
440	CM	135	CM	10 LEVEL CM	301,4311 litre	1,197 %	24891,0004 litre	O
440	CM	135	CM	9 LEVEL CM	257,6593 litre	1,023 %	24934,7722 litre	O
440	CM	135	CM	8 LEVEL CM	216,1771 litre	0,858 %	24976,2544 litre	O
440	CM	135	CM	7 LEVEL CM	177,1387 litre	0,703 %	25015,2928 litre	O

440	CM	135	CM	6 LEVEL CM	140,7290 litre	0,559 %	25051,7025 litre	O
440	CM	135	CM	5 LEVEL CM	107,1768 litre	0,425 %	25085,2547 litre	O
440	CM	135	CM	4 LEVEL CM	76,7757 litre	0,305 %	25115,6558 litre	O
440	CM	135	CM	3 LEVEL CM	49,9232 litre	0,198 %	25142,5083 litre	O
440	CM	135	CM	2 LEVEL CM	27,2051 litre	0,108 %	25165,2264 litre	O
440	CM	135	CM	1 LEVEL CM	9,6292 litre	0,038 %	25182,8023 litre	O
440	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	25192,4315 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 130	CM 260 LEVEL CM	23360,8830 litre	100,000 %	0,0000 litre	O
440	CM 130	CM 259 LEVEL CM	23351,4342 litre	99,960 %	9,4488 litre	O
440	CM 130	CM 258 LEVEL CM	23334,1887 litre	99,886 %	26,6943 litre	O
440	CM 130	CM 257 LEVEL CM	23311,8993 litre	99,790 %	48,9837 litre	O
440	CM 130	CM 256 LEVEL CM	23285,5555 litre	99,678 %	75,3275 litre	O
440	CM 130	CM 255 LEVEL CM	23255,7324 litre	99,550 %	105,1506 litre	O
440	CM 130	CM 254 LEVEL CM	23222,8206 litre	99,409 %	138,0624 litre	O
440	CM 130	CM 253 LEVEL CM	23187,1085 litre	99,256 %	173,7745 litre	O
440	CM 130	CM 252 LEVEL CM	23148,8209 litre	99,092 %	212,0621 litre	O
440	CM 130	CM 251 LEVEL CM	23108,1396 litre	98,918 %	252,7434 litre	O
440	CM 130	CM 250 LEVEL CM	23065,2162 litre	98,734 %	295,6668 litre	O
440	CM 130	CM 249 LEVEL CM	23020,1794 litre	98,542 %	340,7036 litre	O
440	CM 130	CM 248 LEVEL CM	22973,1404 litre	98,340 %	387,7426 litre	O
440	CM 130	CM 247 LEVEL CM	22924,1971 litre	98,131 %	436,6859 litre	O
440	CM 130	CM 246 LEVEL CM	22873,4361 litre	97,913 %	487,4469 litre	O
440	CM 130	CM 245 LEVEL CM	22820,9350 litre	97,689 %	539,9480 litre	O
440	CM 130	CM 244 LEVEL CM	22766,7640 litre	97,457 %	594,1190 litre	O
440	CM 130	CM 243 LEVEL CM	22710,9870 litre	97,218 %	649,8960 litre	O
440	CM 130	CM 242 LEVEL CM	22653,6625 litre	96,973 %	707,2205 litre	O
440	CM 130	CM 241 LEVEL CM	22594,8443 litre	96,721 %	766,0387 litre	O
440	CM 130	CM 240 LEVEL CM	22534,5823 litre	96,463 %	826,3007 litre	O
440	CM 130	CM 239 LEVEL CM	22472,9228 litre	96,199 %	887,9602 litre	O
440	CM 130	CM 238 LEVEL CM	22409,9092 litre	95,929 %	950,9738 litre	O
440	CM 130	CM 237 LEVEL CM	22345,5819 litre	95,654 %	1015,3011 litre	O
440	CM 130	CM 236 LEVEL CM	22279,9792 litre	95,373 %	1080,9038 litre	O
440	CM 130	CM 235 LEVEL CM	22213,1368 litre	95,087 %	1147,7462 litre	O
440	CM 130	CM 234 LEVEL CM	22145,0887 litre	94,796 %	1215,7943 litre	O
440	CM 130	CM 233 LEVEL CM	22075,8672 litre	94,499 %	1285,0158 litre	O
440	CM 130	CM 232 LEVEL CM	22005,5028 litre	94,198 %	1355,3802 litre	O
440	CM 130	CM 231 LEVEL CM	21934,0246 litre	93,892 %	1426,8584 litre	O
440	CM 130	CM 230 LEVEL CM	21861,4604 litre	93,581 %	1499,4226 litre	O
440	CM 130	CM 229 LEVEL CM	21787,8367 litre	93,266 %	1573,0463 litre	O
440	CM 130	CM 228 LEVEL CM	21713,1789 litre	92,947 %	1647,7041 litre	O
440	CM 130	CM 227 LEVEL CM	21637,5114 litre	92,623 %	1723,3716 litre	O
440	CM 130	CM 226 LEVEL CM	21560,8576 litre	92,295 %	1800,0254 litre	O
440	CM 130	CM 225 LEVEL CM	21483,2399 litre	91,962 %	1877,6431 litre	O
440	CM 130	CM 224 LEVEL CM	21404,6801 litre	91,626 %	1956,2029 litre	O
440	CM 130	CM 223 LEVEL CM	21325,1991 litre	91,286 %	2035,6839 litre	O
440	CM 130	CM 222 LEVEL CM	21244,8171 litre	90,942 %	2116,0659 litre	O
440	CM 130	CM 221 LEVEL CM	21163,5536 litre	90,594 %	2197,3294 litre	O
440	CM 130	CM 220 LEVEL CM	21081,4274 litre	90,242 %	2279,4556 litre	O
440	CM 130	CM 219 LEVEL CM	20998,4570 litre	89,887 %	2362,4260 litre	O
440	CM 130	CM 218 LEVEL CM	20914,6599 litre	89,529 %	2446,2231 litre	O
440	CM 130	CM 217 LEVEL CM	20830,0535 litre	89,166 %	2530,8295 litre	O
440	CM 130	CM 216 LEVEL CM	20744,6545 litre	88,801 %	2616,2285 litre	O
440	CM 130	CM 215 LEVEL CM	20658,4792 litre	88,432 %	2702,4038 litre	O
440	CM 130	CM 214 LEVEL CM	20571,5434 litre	88,060 %	2789,3396 litre	O
440	CM 130	CM 213 LEVEL CM	20483,8625 litre	87,684 %	2877,0205 litre	O
440	CM 130	CM 212 LEVEL CM	20395,4515 litre	87,306 %	2965,4315 litre	O
440	CM 130	CM 211 LEVEL CM	20306,3252 litre	86,924 %	3054,5578 litre	O
440	CM 130	CM 210 LEVEL CM	20216,4979 litre	86,540 %	3144,3851 litre	O
440	CM 130	CM 209 LEVEL CM	20125,9835 litre	86,152 %	3234,8995 litre	O

440	CM 130	CM	208 LEVEL CM	20034,7957 litre	85,762 %	3326,0873 litre	O
440	CM 130	CM	207 LEVEL CM	19942,9479 litre	85,369 %	3417,9351 litre	O
440	CM 130	CM	206 LEVEL CM	19850,4532 litre	84,973 %	3510,4298 litre	O
440	CM 130	CM	205 LEVEL CM	19757,3243 litre	84,574 %	3603,5587 litre	O
440	CM 130	CM	204 LEVEL CM	19663,5738 litre	84,173 %	3697,3092 litre	O
440	CM 130	CM	203 LEVEL CM	19569,2141 litre	83,769 %	3791,6689 litre	O
440	CM 130	CM	202 LEVEL CM	19474,2571 litre	83,363 %	3886,6259 litre	O
440	CM 130	CM	201 LEVEL CM	19378,7147 litre	82,954 %	3982,1683 litre	O
440	CM 130	CM	200 LEVEL CM	19282,5986 litre	82,542 %	4078,2844 litre	O
440	CM 130	CM	199 LEVEL CM	19185,9202 litre	82,128 %	4174,9628 litre	O
440	CM 130	CM	198 LEVEL CM	19088,6906 litre	81,712 %	4272,1924 litre	O
440	CM 130	CM	197 LEVEL CM	18990,9209 litre	81,294 %	4369,9621 litre	O
440	CM 130	CM	196 LEVEL CM	18892,6220 litre	80,873 %	4468,2610 litre	O
440	CM 130	CM	195 LEVEL CM	18793,8044 litre	80,450 %	4567,0786 litre	O
440	CM 130	CM	194 LEVEL CM	18694,4788 litre	80,025 %	4666,4042 litre	O
440	CM 130	CM	193 LEVEL CM	18594,6555 litre	79,597 %	4766,2275 litre	O
440	CM 130	CM	192 LEVEL CM	18494,3446 litre	79,168 %	4866,5384 litre	O
440	CM 130	CM	191 LEVEL CM	18393,5562 litre	78,737 %	4967,3268 litre	O
440	CM 130	CM	190 LEVEL CM	18292,3002 litre	78,303 %	5068,5828 litre	O
440	CM 130	CM	189 LEVEL CM	18190,5863 litre	77,868 %	5170,2967 litre	O
440	CM 130	CM	188 LEVEL CM	18088,4242 litre	77,430 %	5272,4588 litre	O
440	CM 130	CM	187 LEVEL CM	17985,8235 litre	76,991 %	5375,0595 litre	O
440	CM 130	CM	186 LEVEL CM	17882,7934 litre	76,550 %	5478,0896 litre	O
440	CM 130	CM	185 LEVEL CM	17779,3432 litre	76,107 %	5581,5398 litre	O
440	CM 130	CM	184 LEVEL CM	17675,4821 litre	75,663 %	5685,4009 litre	O
440	CM 130	CM	183 LEVEL CM	17571,2192 litre	75,216 %	5789,6638 litre	O
440	CM 130	CM	182 LEVEL CM	17466,5634 litre	74,768 %	5894,3196 litre	O
440	CM 130	CM	181 LEVEL CM	17361,5235 litre	74,319 %	5999,3595 litre	O
440	CM 130	CM	180 LEVEL CM	17256,1083 litre	73,868 %	6104,7747 litre	O
440	CM 130	CM	179 LEVEL CM	17150,3263 litre	73,415 %	6210,5567 litre	O
440	CM 130	CM	178 LEVEL CM	17044,1863 litre	72,960 %	6316,6967 litre	O
440	CM 130	CM	177 LEVEL CM	16937,6967 litre	72,505 %	6423,1863 litre	O
440	CM 130	CM	176 LEVEL CM	16830,8658 litre	72,047 %	6530,0172 litre	O
440	CM 130	CM	175 LEVEL CM	16723,7020 litre	71,588 %	6637,1810 litre	O
440	CM 130	CM	174 LEVEL CM	16616,2135 litre	71,128 %	6744,6695 litre	O
440	CM 130	CM	173 LEVEL CM	16508,4084 litre	70,667 %	6852,4746 litre	O
440	CM 130	CM	172 LEVEL CM	16400,2949 litre	70,204 %	6960,5881 litre	O
440	CM 130	CM	171 LEVEL CM	16291,8810 litre	69,740 %	7069,0020 litre	O
440	CM 130	CM	170 LEVEL CM	16183,1746 litre	69,275 %	7177,7084 litre	O
440	CM 130	CM	169 LEVEL CM	16074,1836 litre	68,808 %	7286,6994 litre	O
440	CM 130	CM	168 LEVEL CM	15964,9159 litre	68,340 %	7395,9671 litre	O
440	CM 130	CM	167 LEVEL CM	15855,3792 litre	67,871 %	7505,5038 litre	O
440	CM 130	CM	166 LEVEL CM	15745,5812 litre	67,401 %	7615,3018 litre	O
440	CM 130	CM	165 LEVEL CM	15635,5296 litre	66,930 %	7725,3534 litre	O
440	CM 130	CM	164 LEVEL CM	15525,2320 litre	66,458 %	7835,6510 litre	O
440	CM 130	CM	163 LEVEL CM	15414,6960 litre	65,985 %	7946,1870 litre	O
440	CM 130	CM	162 LEVEL CM	15303,9290 litre	65,511 %	8056,9540 litre	O
440	CM 130	CM	161 LEVEL CM	15192,9385 litre	65,036 %	8167,9445 litre	O
440	CM 130	CM	160 LEVEL CM	15081,7319 litre	64,560 %	8279,1511 litre	O
440	CM 130	CM	159 LEVEL CM	14970,3166 litre	64,083 %	8390,5664 litre	O
440	CM 130	CM	158 LEVEL CM	14858,6999 litre	63,605 %	8502,1831 litre	O
440	CM 130	CM	157 LEVEL CM	14746,8891 litre	63,126 %	8613,9939 litre	O
440	CM 130	CM	156 LEVEL CM	14634,8914 litre	62,647 %	8725,9916 litre	O

440	CM	130	CM	155 LEVEL CM	14522,7142 litre	62,167 %	8838,1688 litre	O
440	CM	130	CM	154 LEVEL CM	14410,3645 litre	61,686 %	8950,5185 litre	O
440	CM	130	CM	153 LEVEL CM	14297,8494 litre	61,204 %	9063,0336 litre	O
440	CM	130	CM	152 LEVEL CM	14185,1762 litre	60,722 %	9175,7068 litre	O
440	CM	130	CM	151 LEVEL CM	14072,3519 litre	60,239 %	9288,5311 litre	O
440	CM	130	CM	150 LEVEL CM	13959,3835 litre	59,755 %	9401,4995 litre	O
440	CM	130	CM	149 LEVEL CM	13846,2781 litre	59,271 %	9514,6049 litre	O
440	CM	130	CM	148 LEVEL CM	13733,0427 litre	58,786 %	9627,8403 litre	O
440	CM	130	CM	147 LEVEL CM	13619,6843 litre	58,301 %	9741,1987 litre	O
440	CM	130	CM	146 LEVEL CM	13506,2098 litre	57,815 %	9854,6732 litre	O
440	CM	130	CM	145 LEVEL CM	13392,6262 litre	57,329 %	9968,2568 litre	O
440	CM	130	CM	144 LEVEL CM	13278,9403 litre	56,843 %	10081,9427 litre	O
440	CM	130	CM	143 LEVEL CM	13165,1591 litre	56,356 %	10195,7239 litre	O
440	CM	130	CM	142 LEVEL CM	13051,2894 litre	55,868 %	10309,5936 litre	O
440	CM	130	CM	141 LEVEL CM	12937,3382 litre	55,380 %	10423,5448 litre	O
440	CM	130	CM	140 LEVEL CM	12823,3123 litre	54,892 %	10537,5707 litre	O
440	CM	130	CM	139 LEVEL CM	12709,2184 litre	54,404 %	10651,6646 litre	O
440	CM	130	CM	138 LEVEL CM	12595,0635 litre	53,915 %	10765,8195 litre	O
440	CM	130	CM	137 LEVEL CM	12480,8543 litre	53,426 %	10880,0287 litre	O
440	CM	130	CM	136 LEVEL CM	12366,5977 litre	52,937 %	10994,2853 litre	O
440	CM	130	CM	135 LEVEL CM	12252,3004 litre	52,448 %	11108,5826 litre	O
440	CM	130	CM	134 LEVEL CM	12137,9693 litre	51,959 %	11222,9137 litre	O
440	CM	130	CM	133 LEVEL CM	12023,6110 litre	51,469 %	11337,2720 litre	O
440	CM	130	CM	132 LEVEL CM	11909,2325 litre	50,979 %	11451,6505 litre	O
440	CM	130	CM	131 LEVEL CM	11794,8404 litre	50,490 %	11566,0426 litre	O
440	CM	130	CM	130 LEVEL CM	11680,4415 litre	50,000 %	11680,4415 litre	O
440	CM	130	CM	129 LEVEL CM	11566,0426 litre	49,510 %	11794,8404 litre	O
440	CM	130	CM	128 LEVEL CM	11451,6505 litre	49,021 %	11909,2325 litre	O
440	CM	130	CM	127 LEVEL CM	11337,2720 litre	48,531 %	12023,6110 litre	O
440	CM	130	CM	126 LEVEL CM	11222,9137 litre	48,041 %	12137,9693 litre	O
440	CM	130	CM	125 LEVEL CM	11108,5825 litre	47,552 %	12252,3005 litre	O
440	CM	130	CM	124 LEVEL CM	10994,2853 litre	47,063 %	12366,5977 litre	O
440	CM	130	CM	123 LEVEL CM	10880,0286 litre	46,574 %	12480,8544 litre	O
440	CM	130	CM	122 LEVEL CM	10765,8195 litre	46,085 %	12595,0635 litre	O
440	CM	130	CM	121 LEVEL CM	10651,6645 litre	45,596 %	12709,2185 litre	O
440	CM	130	CM	120 LEVEL CM	10537,5707 litre	45,108 %	12823,3123 litre	O
440	CM	130	CM	119 LEVEL CM	10423,5447 litre	44,620 %	12937,3383 litre	O
440	CM	130	CM	118 LEVEL CM	10309,5935 litre	44,132 %	13051,2895 litre	O
440	CM	130	CM	117 LEVEL CM	10195,7239 litre	43,644 %	13165,1591 litre	O
440	CM	130	CM	116 LEVEL CM	10081,9427 litre	43,157 %	13278,9403 litre	O
440	CM	130	CM	115 LEVEL CM	9968,2568 litre	42,671 %	13392,6262 litre	O
440	CM	130	CM	114 LEVEL CM	9854,6732 litre	42,185 %	13506,2098 litre	O
440	CM	130	CM	113 LEVEL CM	9741,1987 litre	41,699 %	13619,6843 litre	O
440	CM	130	CM	112 LEVEL CM	9627,8402 litre	41,214 %	13733,0428 litre	O
440	CM	130	CM	111 LEVEL CM	9514,6048 litre	40,729 %	13846,2782 litre	O
440	CM	130	CM	110 LEVEL CM	9401,4994 litre	40,245 %	13959,3836 litre	O
440	CM	130	CM	109 LEVEL CM	9288,5311 litre	39,761 %	14072,3519 litre	O
440	CM	130	CM	108 LEVEL CM	9175,7068 litre	39,278 %	14185,1762 litre	O
440	CM	130	CM	107 LEVEL CM	9063,0335 litre	38,796 %	14297,8495 litre	O
440	CM	130	CM	106 LEVEL CM	8950,5185 litre	38,314 %	14410,3645 litre	O
440	CM	130	CM	105 LEVEL CM	8838,1688 litre	37,833 %	14522,7142 litre	O
440	CM	130	CM	104 LEVEL CM	8725,9915 litre	37,353 %	14634,8915 litre	O
440	CM	130	CM	103 LEVEL CM	8613,9939 litre	36,874 %	14746,8891 litre	O

440	CM	130	CM	102 LEVEL CM	8502,1831 litre	36,395 %	14858,6999 litre	O
440	CM	130	CM	101 LEVEL CM	8390,5664 litre	35,917 %	14970,3166 litre	O
440	CM	130	CM	100 LEVEL CM	8279,1511 litre	35,440 %	15081,7319 litre	O
440	CM	130	CM	99 LEVEL CM	8167,9445 litre	34,964 %	15192,9385 litre	O
440	CM	130	CM	98 LEVEL CM	8056,9540 litre	34,489 %	15303,9290 litre	O
440	CM	130	CM	97 LEVEL CM	7946,1870 litre	34,015 %	15414,6960 litre	O
440	CM	130	CM	96 LEVEL CM	7835,6509 litre	33,542 %	15525,2321 litre	O
440	CM	130	CM	95 LEVEL CM	7725,3533 litre	33,070 %	15635,5297 litre	O
440	CM	130	CM	94 LEVEL CM	7615,3017 litre	32,599 %	15745,5813 litre	O
440	CM	130	CM	93 LEVEL CM	7505,5038 litre	32,129 %	15855,3792 litre	O
440	CM	130	CM	92 LEVEL CM	7395,9671 litre	31,660 %	15964,9159 litre	O
440	CM	130	CM	91 LEVEL CM	7286,6993 litre	31,192 %	16074,1837 litre	O
440	CM	130	CM	90 LEVEL CM	7177,7084 litre	30,725 %	16183,1746 litre	O
440	CM	130	CM	89 LEVEL CM	7069,0020 litre	30,260 %	16291,8810 litre	O
440	CM	130	CM	88 LEVEL CM	6960,5881 litre	29,796 %	16400,2949 litre	O
440	CM	130	CM	87 LEVEL CM	6852,4746 litre	29,333 %	16508,4084 litre	O
440	CM	130	CM	86 LEVEL CM	6744,6695 litre	28,872 %	16616,2135 litre	O
440	CM	130	CM	85 LEVEL CM	6637,1810 litre	28,412 %	16723,7020 litre	O
440	CM	130	CM	84 LEVEL CM	6530,0172 litre	27,953 %	16830,8658 litre	O
440	CM	130	CM	83 LEVEL CM	6423,1863 litre	27,495 %	16937,6967 litre	O
440	CM	130	CM	82 LEVEL CM	6316,6966 litre	27,040 %	17044,1864 litre	O
440	CM	130	CM	81 LEVEL CM	6210,5566 litre	26,585 %	17150,3264 litre	O
440	CM	130	CM	80 LEVEL CM	6104,7747 litre	26,132 %	17256,1083 litre	O
440	CM	130	CM	79 LEVEL CM	5999,3595 litre	25,681 %	17361,5235 litre	O
440	CM	130	CM	78 LEVEL CM	5894,3196 litre	25,232 %	17466,5634 litre	O
440	CM	130	CM	77 LEVEL CM	5789,6638 litre	24,784 %	17571,2192 litre	O
440	CM	130	CM	76 LEVEL CM	5685,4008 litre	24,337 %	17675,4822 litre	O
440	CM	130	CM	75 LEVEL CM	5581,5398 litre	23,893 %	17779,3432 litre	O
440	CM	130	CM	74 LEVEL CM	5478,0896 litre	23,450 %	17882,7934 litre	O
440	CM	130	CM	73 LEVEL CM	5375,0595 litre	23,009 %	17985,8235 litre	O
440	CM	130	CM	72 LEVEL CM	5272,4587 litre	22,570 %	18088,4243 litre	O
440	CM	130	CM	71 LEVEL CM	5170,2967 litre	22,132 %	18190,5863 litre	O
440	CM	130	CM	70 LEVEL CM	5068,5828 litre	21,697 %	18292,3002 litre	O
440	CM	130	CM	69 LEVEL CM	4967,3268 litre	21,263 %	18393,5562 litre	O
440	CM	130	CM	68 LEVEL CM	4866,5384 litre	20,832 %	18494,3446 litre	O
440	CM	130	CM	67 LEVEL CM	4766,2275 litre	20,403 %	18594,6555 litre	O
440	CM	130	CM	66 LEVEL CM	4666,4041 litre	19,975 %	18694,4789 litre	O
440	CM	130	CM	65 LEVEL CM	4567,0785 litre	19,550 %	18793,8045 litre	O
440	CM	130	CM	64 LEVEL CM	4468,2610 litre	19,127 %	18892,6220 litre	O
440	CM	130	CM	63 LEVEL CM	4369,9621 litre	18,706 %	18990,9209 litre	O
440	CM	130	CM	62 LEVEL CM	4272,1924 litre	18,288 %	19088,6906 litre	O
440	CM	130	CM	61 LEVEL CM	4174,9628 litre	17,872 %	19185,9202 litre	O
440	CM	130	CM	60 LEVEL CM	4078,2843 litre	17,458 %	19282,5987 litre	O
440	CM	130	CM	59 LEVEL CM	3982,1682 litre	17,046 %	19378,7148 litre	O
440	CM	130	CM	58 LEVEL CM	3886,6259 litre	16,637 %	19474,2571 litre	O
440	CM	130	CM	57 LEVEL CM	3791,6689 litre	16,231 %	19569,2141 litre	O
440	CM	130	CM	56 LEVEL CM	3697,3092 litre	15,827 %	19663,5738 litre	O
440	CM	130	CM	55 LEVEL CM	3603,5587 litre	15,426 %	19757,3243 litre	O
440	CM	130	CM	54 LEVEL CM	3510,4298 litre	15,027 %	19850,4532 litre	O
440	CM	130	CM	53 LEVEL CM	3417,9350 litre	14,631 %	19942,9480 litre	O
440	CM	130	CM	52 LEVEL CM	3326,0872 litre	14,238 %	20034,7958 litre	O
440	CM	130	CM	51 LEVEL CM	3234,8995 litre	13,848 %	20125,9835 litre	O
440	CM	130	CM	50 LEVEL CM	3144,3851 litre	13,460 %	20216,4979 litre	O

440	CM	130	CM	49 LEVEL CM	3054,5577 litre	13,076 %	20306,3253 litre	O
440	CM	130	CM	48 LEVEL CM	2965,4314 litre	12,694 %	20395,4516 litre	O
440	CM	130	CM	47 LEVEL CM	2877,0205 litre	12,316 %	20483,8625 litre	O
440	CM	130	CM	46 LEVEL CM	2789,3396 litre	11,940 %	20571,5434 litre	O
440	CM	130	CM	45 LEVEL CM	2702,4038 litre	11,568 %	20658,4792 litre	O
440	CM	130	CM	44 LEVEL CM	2616,2285 litre	11,199 %	20744,6545 litre	O
440	CM	130	CM	43 LEVEL CM	2530,8294 litre	10,834 %	20830,0536 litre	O
440	CM	130	CM	42 LEVEL CM	2446,2231 litre	10,471 %	20914,6599 litre	O
440	CM	130	CM	41 LEVEL CM	2362,4260 litre	10,113 %	20998,4570 litre	O
440	CM	130	CM	40 LEVEL CM	2279,4555 litre	9,758 %	21081,4275 litre	O
440	CM	130	CM	39 LEVEL CM	2197,3294 litre	9,406 %	21163,5536 litre	O
440	CM	130	CM	38 LEVEL CM	2116,0658 litre	9,058 %	21244,8172 litre	O
440	CM	130	CM	37 LEVEL CM	2035,6838 litre	8,714 %	21325,1992 litre	O
440	CM	130	CM	36 LEVEL CM	1956,2028 litre	8,374 %	21404,6802 litre	O
440	CM	130	CM	35 LEVEL CM	1877,6431 litre	8,038 %	21483,2399 litre	O
440	CM	130	CM	34 LEVEL CM	1800,0254 litre	7,705 %	21560,8576 litre	O
440	CM	130	CM	33 LEVEL CM	1723,3716 litre	7,377 %	21637,5114 litre	O
440	CM	130	CM	32 LEVEL CM	1647,7041 litre	7,053 %	21713,1789 litre	O
440	CM	130	CM	31 LEVEL CM	1573,0463 litre	6,734 %	21787,8367 litre	O
440	CM	130	CM	30 LEVEL CM	1499,4226 litre	6,419 %	21861,4604 litre	O
440	CM	130	CM	29 LEVEL CM	1426,8584 litre	6,108 %	21934,0246 litre	O
440	CM	130	CM	28 LEVEL CM	1355,3802 litre	5,802 %	22005,5028 litre	O
440	CM	130	CM	27 LEVEL CM	1285,0158 litre	5,501 %	22075,8672 litre	O
440	CM	130	CM	26 LEVEL CM	1215,7942 litre	5,204 %	22145,0888 litre	O
440	CM	130	CM	25 LEVEL CM	1147,7462 litre	4,913 %	22213,1368 litre	O
440	CM	130	CM	24 LEVEL CM	1080,9038 litre	4,627 %	22279,9792 litre	O
440	CM	130	CM	23 LEVEL CM	1015,3010 litre	4,346 %	22345,5820 litre	O
440	CM	130	CM	22 LEVEL CM	950,9738 litre	4,071 %	22409,9092 litre	O
440	CM	130	CM	21 LEVEL CM	887,9601 litre	3,801 %	22472,9229 litre	O
440	CM	130	CM	20 LEVEL CM	826,3007 litre	3,537 %	22534,5823 litre	O
440	CM	130	CM	19 LEVEL CM	766,0387 litre	3,279 %	22594,8443 litre	O
440	CM	130	CM	18 LEVEL CM	707,2205 litre	3,027 %	22653,6625 litre	O
440	CM	130	CM	17 LEVEL CM	649,8959 litre	2,782 %	22710,9871 litre	O
440	CM	130	CM	16 LEVEL CM	594,1189 litre	2,543 %	22766,7641 litre	O
440	CM	130	CM	15 LEVEL CM	539,9480 litre	2,311 %	22820,9350 litre	O
440	CM	130	CM	14 LEVEL CM	487,4469 litre	2,087 %	22873,4361 litre	O
440	CM	130	CM	13 LEVEL CM	436,6858 litre	1,869 %	22924,1972 litre	O
440	CM	130	CM	12 LEVEL CM	387,7425 litre	1,660 %	22973,1405 litre	O
440	CM	130	CM	11 LEVEL CM	340,7036 litre	1,458 %	23020,1794 litre	O
440	CM	130	CM	10 LEVEL CM	295,6668 litre	1,266 %	23065,2162 litre	O
440	CM	130	CM	9 LEVEL CM	252,7433 litre	1,082 %	23108,1397 litre	O
440	CM	130	CM	8 LEVEL CM	212,0621 litre	0,908 %	23148,8209 litre	O
440	CM	130	CM	7 LEVEL CM	173,7745 litre	0,744 %	23187,1085 litre	O
440	CM	130	CM	6 LEVEL CM	138,0624 litre	0,591 %	23222,8206 litre	O
440	CM	130	CM	5 LEVEL CM	105,1506 litre	0,450 %	23255,7324 litre	O
440	CM	130	CM	4 LEVEL CM	75,3275 litre	0,322 %	23285,5555 litre	O
440	CM	130	CM	3 LEVEL CM	48,9836 litre	0,210 %	23311,8994 litre	O
440	CM	130	CM	2 LEVEL CM	26,6943 litre	0,114 %	23334,1887 litre	O
440	CM	130	CM	1 LEVEL CM	9,4488 litre	0,040 %	23351,4342 litre	O
440	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	23360,8830 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 125	CM 250 LEVEL CM	21598,4495 litre	100,000 %	0,0000 litre	O
440	CM 125	CM 249 LEVEL CM	21589,1846 litre	99,957 %	9,2649 litre	O
440	CM 125	CM 248 LEVEL CM	21572,2760 litre	99,879 %	26,1735 litre	O
440	CM 125	CM 247 LEVEL CM	21550,4238 litre	99,778 %	48,0257 litre	O
440	CM 125	CM 246 LEVEL CM	21524,5986 litre	99,658 %	73,8509 litre	O
440	CM 125	CM 245 LEVEL CM	21495,3650 litre	99,523 %	103,0845 litre	O
440	CM 125	CM 244 LEVEL CM	21463,1063 litre	99,373 %	135,3432 litre	O
440	CM 125	CM 243 LEVEL CM	21428,1057 litre	99,211 %	170,3438 litre	O
440	CM 125	CM 242 LEVEL CM	21390,5839 litre	99,038 %	207,8656 litre	O
440	CM 125	CM 241 LEVEL CM	21350,7196 litre	98,853 %	247,7299 litre	O
440	CM 125	CM 240 LEVEL CM	21308,6617 litre	98,658 %	289,7878 litre	O
440	CM 125	CM 239 LEVEL CM	21264,5366 litre	98,454 %	333,9129 litre	O
440	CM 125	CM 238 LEVEL CM	21218,4539 litre	98,241 %	379,9956 litre	O
440	CM 125	CM 237 LEVEL CM	21170,5096 litre	98,019 %	427,9399 litre	O
440	CM 125	CM 236 LEVEL CM	21120,7888 litre	97,788 %	477,6607 litre	O
440	CM 125	CM 235 LEVEL CM	21069,3682 litre	97,550 %	529,0813 litre	O
440	CM 125	CM 234 LEVEL CM	21016,3166 litre	97,305 %	582,1329 litre	O
440	CM 125	CM 233 LEVEL CM	20961,6969 litre	97,052 %	636,7526 litre	O
440	CM 125	CM 232 LEVEL CM	20905,5668 litre	96,792 %	692,8827 litre	O
440	CM 125	CM 231 LEVEL CM	20847,9792 litre	96,525 %	750,4703 litre	O
440	CM 125	CM 230 LEVEL CM	20788,9834 litre	96,252 %	809,4661 litre	O
440	CM 125	CM 229 LEVEL CM	20728,6249 litre	95,973 %	869,8246 litre	O
440	CM 125	CM 228 LEVEL CM	20666,9465 litre	95,687 %	931,5030 litre	O
440	CM 125	CM 227 LEVEL CM	20603,9880 litre	95,396 %	994,4615 litre	O
440	CM 125	CM 226 LEVEL CM	20539,7872 litre	95,098 %	1058,6623 litre	O
440	CM 125	CM 225 LEVEL CM	20474,3794 litre	94,796 %	1124,0701 litre	O
440	CM 125	CM 224 LEVEL CM	20407,7981 litre	94,487 %	1190,6514 litre	O
440	CM 125	CM 223 LEVEL CM	20340,0750 litre	94,174 %	1258,3745 litre	O
440	CM 125	CM 222 LEVEL CM	20271,2405 litre	93,855 %	1327,2090 litre	O
440	CM 125	CM 221 LEVEL CM	20201,3232 litre	93,531 %	1397,1263 litre	O
440	CM 125	CM 220 LEVEL CM	20130,3505 litre	93,203 %	1468,0990 litre	O
440	CM 125	CM 219 LEVEL CM	20058,3486 litre	92,869 %	1540,1009 litre	O
440	CM 125	CM 218 LEVEL CM	19985,3428 litre	92,531 %	1613,1067 litre	O
440	CM 125	CM 217 LEVEL CM	19911,3570 litre	92,189 %	1687,0925 litre	O
440	CM 125	CM 216 LEVEL CM	19836,4144 litre	91,842 %	1762,0351 litre	O
440	CM 125	CM 215 LEVEL CM	19760,5373 litre	91,491 %	1837,9122 litre	O
440	CM 125	CM 214 LEVEL CM	19683,7471 litre	91,135 %	1914,7024 litre	O
440	CM 125	CM 213 LEVEL CM	19606,0646 litre	90,775 %	1992,3849 litre	O
440	CM 125	CM 212 LEVEL CM	19527,5097 litre	90,412 %	2070,9398 litre	O
440	CM 125	CM 211 LEVEL CM	19448,1017 litre	90,044 %	2150,3478 litre	O
440	CM 125	CM 210 LEVEL CM	19367,8595 litre	89,672 %	2230,5900 litre	O
440	CM 125	CM 209 LEVEL CM	19286,8010 litre	89,297 %	2311,6485 litre	O
440	CM 125	CM 208 LEVEL CM	19204,9440 litre	88,918 %	2393,5055 litre	O
440	CM 125	CM 207 LEVEL CM	19122,3055 litre	88,536 %	2476,1440 litre	O
440	CM 125	CM 206 LEVEL CM	19038,9021 litre	88,149 %	2559,5474 litre	O
440	CM 125	CM 205 LEVEL CM	18954,7499 litre	87,760 %	2643,6996 litre	O
440	CM 125	CM 204 LEVEL CM	18869,8648 litre	87,367 %	2728,5847 litre	O
440	CM 125	CM 203 LEVEL CM	18784,2619 litre	86,970 %	2814,1876 litre	O
440	CM 125	CM 202 LEVEL CM	18697,9563 litre	86,571 %	2900,4932 litre	O
440	CM 125	CM 201 LEVEL CM	18610,9626 litre	86,168 %	2987,4869 litre	O
440	CM 125	CM 200 LEVEL CM	18523,2949 litre	85,762 %	3075,1546 litre	O
440	CM 125	CM 199 LEVEL CM	18434,9671 litre	85,353 %	3163,4824 litre	O

440	CM	125	CM	198 LEVEL CM	18345,9930 litre	84,941 %	3252,4565 litre	O
440	CM	125	CM	197 LEVEL CM	18256,3857 litre	84,526 %	3342,0638 litre	O
440	CM	125	CM	196 LEVEL CM	18166,1584 litre	84,109 %	3432,2911 litre	O
440	CM	125	CM	195 LEVEL CM	18075,3237 litre	83,688 %	3523,1258 litre	O
440	CM	125	CM	194 LEVEL CM	17983,8941 litre	83,265 %	3614,5554 litre	O
440	CM	125	CM	193 LEVEL CM	17891,8820 litre	82,839 %	3706,5675 litre	O
440	CM	125	CM	192 LEVEL CM	17799,2993 litre	82,410 %	3799,1502 litre	O
440	CM	125	CM	191 LEVEL CM	17706,1579 litre	81,979 %	3892,2916 litre	O
440	CM	125	CM	190 LEVEL CM	17612,4694 litre	81,545 %	3985,9801 litre	O
440	CM	125	CM	189 LEVEL CM	17518,2451 litre	81,109 %	4080,2044 litre	O
440	CM	125	CM	188 LEVEL CM	17423,4963 litre	80,670 %	4174,9532 litre	O
440	CM	125	CM	187 LEVEL CM	17328,2340 litre	80,229 %	4270,2155 litre	O
440	CM	125	CM	186 LEVEL CM	17232,4689 litre	79,786 %	4365,9806 litre	O
440	CM	125	CM	185 LEVEL CM	17136,2119 litre	79,340 %	4462,2376 litre	O
440	CM	125	CM	184 LEVEL CM	17039,4734 litre	78,892 %	4558,9761 litre	O
440	CM	125	CM	183 LEVEL CM	16942,2636 litre	78,442 %	4656,1859 litre	O
440	CM	125	CM	182 LEVEL CM	16844,5930 litre	77,990 %	4753,8565 litre	O
440	CM	125	CM	181 LEVEL CM	16746,4714 litre	77,536 %	4851,9781 litre	O
440	CM	125	CM	180 LEVEL CM	16647,9089 litre	77,079 %	4950,5406 litre	O
440	CM	125	CM	179 LEVEL CM	16548,9152 litre	76,621 %	5049,5343 litre	O
440	CM	125	CM	178 LEVEL CM	16449,4999 litre	76,161 %	5148,9496 litre	O
440	CM	125	CM	177 LEVEL CM	16349,6726 litre	75,698 %	5248,7769 litre	O
440	CM	125	CM	176 LEVEL CM	16249,4428 litre	75,234 %	5349,0067 litre	O
440	CM	125	CM	175 LEVEL CM	16148,8197 litre	74,768 %	5449,6298 litre	O
440	CM	125	CM	174 LEVEL CM	16047,8125 litre	74,301 %	5550,6370 litre	O
440	CM	125	CM	173 LEVEL CM	15946,4304 litre	73,831 %	5652,0191 litre	O
440	CM	125	CM	172 LEVEL CM	15844,6822 litre	73,360 %	5753,7673 litre	O
440	CM	125	CM	171 LEVEL CM	15742,5770 litre	72,888 %	5855,8725 litre	O
440	CM	125	CM	170 LEVEL CM	15640,1235 litre	72,413 %	5958,3260 litre	O
440	CM	125	CM	169 LEVEL CM	15537,3304 litre	71,937 %	6061,1191 litre	O
440	CM	125	CM	168 LEVEL CM	15434,2063 litre	71,460 %	6164,2432 litre	O
440	CM	125	CM	167 LEVEL CM	15330,7599 litre	70,981 %	6267,6896 litre	O
440	CM	125	CM	166 LEVEL CM	15226,9995 litre	70,500 %	6371,4500 litre	O
440	CM	125	CM	165 LEVEL CM	15122,9336 litre	70,019 %	6475,5159 litre	O
440	CM	125	CM	164 LEVEL CM	15018,5704 litre	69,535 %	6579,8791 litre	O
440	CM	125	CM	163 LEVEL CM	14913,9182 litre	69,051 %	6684,5313 litre	O
440	CM	125	CM	162 LEVEL CM	14808,9853 litre	68,565 %	6789,4642 litre	O
440	CM	125	CM	161 LEVEL CM	14703,7796 litre	68,078 %	6894,6699 litre	O
440	CM	125	CM	160 LEVEL CM	14598,3092 litre	67,590 %	7000,1403 litre	O
440	CM	125	CM	159 LEVEL CM	14492,5822 litre	67,100 %	7105,8673 litre	O
440	CM	125	CM	158 LEVEL CM	14386,6065 litre	66,609 %	7211,8430 litre	O
440	CM	125	CM	157 LEVEL CM	14280,3899 litre	66,118 %	7318,0596 litre	O
440	CM	125	CM	156 LEVEL CM	14173,9402 litre	65,625 %	7424,5093 litre	O
440	CM	125	CM	155 LEVEL CM	14067,2652 litre	65,131 %	7531,1843 litre	O
440	CM	125	CM	154 LEVEL CM	13960,3727 litre	64,636 %	7638,0768 litre	O
440	CM	125	CM	153 LEVEL CM	13853,2703 litre	64,140 %	7745,1792 litre	O
440	CM	125	CM	152 LEVEL CM	13745,9656 litre	63,643 %	7852,4839 litre	O
440	CM	125	CM	151 LEVEL CM	13638,4663 litre	63,146 %	7959,9832 litre	O
440	CM	125	CM	150 LEVEL CM	13530,7798 litre	62,647 %	8067,6697 litre	O
440	CM	125	CM	149 LEVEL CM	13422,9137 litre	62,148 %	8175,5358 litre	O
440	CM	125	CM	148 LEVEL CM	13314,8754 litre	61,647 %	8283,5741 litre	O
440	CM	125	CM	147 LEVEL CM	13206,6724 litre	61,146 %	8391,7771 litre	O
440	CM	125	CM	146 LEVEL CM	13098,3120 litre	60,645 %	8500,1375 litre	O

440	CM	125	CM	145 LEVEL CM	12989,8017 litre	60,142 %	8608,6478 litre	O
440	CM	125	CM	144 LEVEL CM	12881,1487 litre	59,639 %	8717,3008 litre	O
440	CM	125	CM	143 LEVEL CM	12772,3604 litre	59,136 %	8826,0891 litre	O
440	CM	125	CM	142 LEVEL CM	12663,4441 litre	58,631 %	8935,0054 litre	O
440	CM	125	CM	141 LEVEL CM	12554,4069 litre	58,126 %	9044,0426 litre	O
440	CM	125	CM	140 LEVEL CM	12445,2561 litre	57,621 %	9153,1934 litre	O
440	CM	125	CM	139 LEVEL CM	12335,9990 litre	57,115 %	9262,4505 litre	O
440	CM	125	CM	138 LEVEL CM	12226,6427 litre	56,609 %	9371,8068 litre	O
440	CM	125	CM	137 LEVEL CM	12117,1944 litre	56,102 %	9481,2551 litre	O
440	CM	125	CM	136 LEVEL CM	12007,6612 litre	55,595 %	9590,7883 litre	O
440	CM	125	CM	135 LEVEL CM	11898,0503 litre	55,088 %	9700,3992 litre	O
440	CM	125	CM	134 LEVEL CM	11788,3687 litre	54,580 %	9810,0808 litre	O
440	CM	125	CM	133 LEVEL CM	11678,6236 litre	54,072 %	9919,8259 litre	O
440	CM	125	CM	132 LEVEL CM	11568,8221 litre	53,563 %	10029,6274 litre	O
440	CM	125	CM	131 LEVEL CM	11458,9712 litre	53,055 %	10139,4783 litre	O
440	CM	125	CM	130 LEVEL CM	11349,0780 litre	52,546 %	10249,3715 litre	O
440	CM	125	CM	129 LEVEL CM	11239,1496 litre	52,037 %	10359,2999 litre	O
440	CM	125	CM	128 LEVEL CM	11129,1931 litre	51,528 %	10469,2564 litre	O
440	CM	125	CM	127 LEVEL CM	11019,2154 litre	51,019 %	10579,2341 litre	O
440	CM	125	CM	126 LEVEL CM	10909,2236 litre	50,509 %	10689,2259 litre	O
440	CM	125	CM	125 LEVEL CM	10799,2247 litre	50,000 %	10799,2248 litre	O
440	CM	125	CM	124 LEVEL CM	10689,2259 litre	49,491 %	10909,2236 litre	O
440	CM	125	CM	123 LEVEL CM	10579,2341 litre	48,981 %	11019,2154 litre	O
440	CM	125	CM	122 LEVEL CM	10469,2564 litre	48,472 %	11129,1931 litre	O
440	CM	125	CM	121 LEVEL CM	10359,2999 litre	47,963 %	11239,1496 litre	O
440	CM	125	CM	120 LEVEL CM	10249,3714 litre	47,454 %	11349,0781 litre	O
440	CM	125	CM	119 LEVEL CM	10139,4783 litre	46,945 %	11458,9712 litre	O
440	CM	125	CM	118 LEVEL CM	10029,6274 litre	46,437 %	11568,8221 litre	O
440	CM	125	CM	117 LEVEL CM	9919,8259 litre	45,928 %	11678,6236 litre	O
440	CM	125	CM	116 LEVEL CM	9810,0808 litre	45,420 %	11788,3687 litre	O
440	CM	125	CM	115 LEVEL CM	9700,3992 litre	44,912 %	11898,0503 litre	O
440	CM	125	CM	114 LEVEL CM	9590,7883 litre	44,405 %	12007,6612 litre	O
440	CM	125	CM	113 LEVEL CM	9481,2551 litre	43,898 %	12117,1944 litre	O
440	CM	125	CM	112 LEVEL CM	9371,8068 litre	43,391 %	12226,6427 litre	O
440	CM	125	CM	111 LEVEL CM	9262,4505 litre	42,885 %	12335,9990 litre	O
440	CM	125	CM	110 LEVEL CM	9153,1933 litre	42,379 %	12445,2562 litre	O
440	CM	125	CM	109 LEVEL CM	9044,0426 litre	41,874 %	12554,4069 litre	O
440	CM	125	CM	108 LEVEL CM	8935,0054 litre	41,369 %	12663,4441 litre	O
440	CM	125	CM	107 LEVEL CM	8826,0891 litre	40,864 %	12772,3604 litre	O
440	CM	125	CM	106 LEVEL CM	8717,3008 litre	40,361 %	12881,1487 litre	O
440	CM	125	CM	105 LEVEL CM	8608,6478 litre	39,858 %	12989,8017 litre	O
440	CM	125	CM	104 LEVEL CM	8500,1375 litre	39,355 %	13098,3120 litre	O
440	CM	125	CM	103 LEVEL CM	8391,7771 litre	38,854 %	13206,6724 litre	O
440	CM	125	CM	102 LEVEL CM	8283,5741 litre	38,353 %	13314,8754 litre	O
440	CM	125	CM	101 LEVEL CM	8175,5358 litre	37,852 %	13422,9137 litre	O
440	CM	125	CM	100 LEVEL CM	8067,6697 litre	37,353 %	13530,7798 litre	O
440	CM	125	CM	99 LEVEL CM	7959,9832 litre	36,854 %	13638,4663 litre	O
440	CM	125	CM	98 LEVEL CM	7852,4838 litre	36,357 %	13745,9657 litre	O
440	CM	125	CM	97 LEVEL CM	7745,1792 litre	35,860 %	13853,2703 litre	O
440	CM	125	CM	96 LEVEL CM	7638,0768 litre	35,364 %	13960,3727 litre	O
440	CM	125	CM	95 LEVEL CM	7531,1843 litre	34,869 %	14067,2652 litre	O
440	CM	125	CM	94 LEVEL CM	7424,5093 litre	34,375 %	14173,9402 litre	O
440	CM	125	CM	93 LEVEL CM	7318,0596 litre	33,882 %	14280,3899 litre	O

440	CM	125	CM	92 LEVEL CM	7211,8430 litre	33,391 %	14386,6065 litre	O
440	CM	125	CM	91 LEVEL CM	7105,8673 litre	32,900 %	14492,5822 litre	O
440	CM	125	CM	90 LEVEL CM	7000,1402 litre	32,410 %	14598,3093 litre	O
440	CM	125	CM	89 LEVEL CM	6894,6699 litre	31,922 %	14703,7796 litre	O
440	CM	125	CM	88 LEVEL CM	6789,4642 litre	31,435 %	14808,9853 litre	O
440	CM	125	CM	87 LEVEL CM	6684,5313 litre	30,949 %	14913,9182 litre	O
440	CM	125	CM	86 LEVEL CM	6579,8791 litre	30,465 %	15018,5704 litre	O
440	CM	125	CM	85 LEVEL CM	6475,5159 litre	29,981 %	15122,9336 litre	O
440	CM	125	CM	84 LEVEL CM	6371,4500 litre	29,500 %	15226,9995 litre	O
440	CM	125	CM	83 LEVEL CM	6267,6896 litre	29,019 %	15330,7599 litre	O
440	CM	125	CM	82 LEVEL CM	6164,2432 litre	28,540 %	15434,2063 litre	O
440	CM	125	CM	81 LEVEL CM	6061,1191 litre	28,063 %	15537,3304 litre	O
440	CM	125	CM	80 LEVEL CM	5958,3260 litre	27,587 %	15640,1235 litre	O
440	CM	125	CM	79 LEVEL CM	5855,8725 litre	27,112 %	15742,5770 litre	O
440	CM	125	CM	78 LEVEL CM	5753,7673 litre	26,640 %	15844,6822 litre	O
440	CM	125	CM	77 LEVEL CM	5652,0191 litre	26,169 %	15946,4304 litre	O
440	CM	125	CM	76 LEVEL CM	5550,6370 litre	25,699 %	16047,8125 litre	O
440	CM	125	CM	75 LEVEL CM	5449,6298 litre	25,232 %	16148,8197 litre	O
440	CM	125	CM	74 LEVEL CM	5349,0067 litre	24,766 %	16249,4428 litre	O
440	CM	125	CM	73 LEVEL CM	5248,7769 litre	24,302 %	16349,6726 litre	O
440	CM	125	CM	72 LEVEL CM	5148,9496 litre	23,839 %	16449,4999 litre	O
440	CM	125	CM	71 LEVEL CM	5049,5343 litre	23,379 %	16548,9152 litre	O
440	CM	125	CM	70 LEVEL CM	4950,5406 litre	22,921 %	16647,9089 litre	O
440	CM	125	CM	69 LEVEL CM	4851,9781 litre	22,464 %	16746,4714 litre	O
440	CM	125	CM	68 LEVEL CM	4753,8565 litre	22,010 %	16844,5930 litre	O
440	CM	125	CM	67 LEVEL CM	4656,1858 litre	21,558 %	16942,2637 litre	O
440	CM	125	CM	66 LEVEL CM	4558,9761 litre	21,108 %	17039,4734 litre	O
440	CM	125	CM	65 LEVEL CM	4462,2376 litre	20,660 %	17136,2119 litre	O
440	CM	125	CM	64 LEVEL CM	4365,9805 litre	20,214 %	17232,4690 litre	O
440	CM	125	CM	63 LEVEL CM	4270,2155 litre	19,771 %	17328,2340 litre	O
440	CM	125	CM	62 LEVEL CM	4174,9532 litre	19,330 %	17423,4963 litre	O
440	CM	125	CM	61 LEVEL CM	4080,2044 litre	18,891 %	17518,2451 litre	O
440	CM	125	CM	60 LEVEL CM	3985,9801 litre	18,455 %	17612,4694 litre	O
440	CM	125	CM	59 LEVEL CM	3892,2915 litre	18,021 %	17706,1580 litre	O
440	CM	125	CM	58 LEVEL CM	3799,1502 litre	17,590 %	17799,2993 litre	O
440	CM	125	CM	57 LEVEL CM	3706,5675 litre	17,161 %	17891,8820 litre	O
440	CM	125	CM	56 LEVEL CM	3614,5554 litre	16,735 %	17983,8941 litre	O
440	CM	125	CM	55 LEVEL CM	3523,1258 litre	16,312 %	18075,3237 litre	O
440	CM	125	CM	54 LEVEL CM	3432,2911 litre	15,891 %	18166,1584 litre	O
440	CM	125	CM	53 LEVEL CM	3342,0638 litre	15,474 %	18256,3857 litre	O
440	CM	125	CM	52 LEVEL CM	3252,4565 litre	15,059 %	18345,9930 litre	O
440	CM	125	CM	51 LEVEL CM	3163,4823 litre	14,647 %	18434,9672 litre	O
440	CM	125	CM	50 LEVEL CM	3075,1546 litre	14,238 %	18523,2949 litre	O
440	CM	125	CM	49 LEVEL CM	2987,4869 litre	13,832 %	18610,9626 litre	O
440	CM	125	CM	48 LEVEL CM	2900,4932 litre	13,429 %	18697,9563 litre	O
440	CM	125	CM	47 LEVEL CM	2814,1876 litre	13,030 %	18784,2619 litre	O
440	CM	125	CM	46 LEVEL CM	2728,5847 litre	12,633 %	18869,8648 litre	O
440	CM	125	CM	45 LEVEL CM	2643,6996 litre	12,240 %	18954,7499 litre	O
440	CM	125	CM	44 LEVEL CM	2559,5474 litre	11,851 %	19038,9021 litre	O
440	CM	125	CM	43 LEVEL CM	2476,1440 litre	11,464 %	19122,3055 litre	O
440	CM	125	CM	42 LEVEL CM	2393,5055 litre	11,082 %	19204,9440 litre	O
440	CM	125	CM	41 LEVEL CM	2311,6485 litre	10,703 %	19286,8010 litre	O
440	CM	125	CM	40 LEVEL CM	2230,5900 litre	10,328 %	19367,8595 litre	O

440	CM	125	CM	39 LEVEL CM	2150,3477 litre	9,956 %	19448,1018 litre	O
440	CM	125	CM	38 LEVEL CM	2070,9398 litre	9,588 %	19527,5097 litre	O
440	CM	125	CM	37 LEVEL CM	1992,3849 litre	9,225 %	19606,0646 litre	O
440	CM	125	CM	36 LEVEL CM	1914,7024 litre	8,865 %	19683,7471 litre	O
440	CM	125	CM	35 LEVEL CM	1837,9122 litre	8,509 %	19760,5373 litre	O
440	CM	125	CM	34 LEVEL CM	1762,0351 litre	8,158 %	19836,4144 litre	O
440	CM	125	CM	33 LEVEL CM	1687,0925 litre	7,811 %	19911,3570 litre	O
440	CM	125	CM	32 LEVEL CM	1613,1067 litre	7,469 %	19985,3428 litre	O
440	CM	125	CM	31 LEVEL CM	1540,1009 litre	7,131 %	20058,3486 litre	O
440	CM	125	CM	30 LEVEL CM	1468,0990 litre	6,797 %	20130,3505 litre	O
440	CM	125	CM	29 LEVEL CM	1397,1263 litre	6,469 %	20201,3232 litre	O
440	CM	125	CM	28 LEVEL CM	1327,2090 litre	6,145 %	20271,2405 litre	O
440	CM	125	CM	27 LEVEL CM	1258,3744 litre	5,826 %	20340,0751 litre	O
440	CM	125	CM	26 LEVEL CM	1190,6514 litre	5,513 %	20407,7981 litre	O
440	CM	125	CM	25 LEVEL CM	1124,0701 litre	5,204 %	20474,3794 litre	O
440	CM	125	CM	24 LEVEL CM	1058,6623 litre	4,902 %	20539,7872 litre	O
440	CM	125	CM	23 LEVEL CM	994,4615 litre	4,604 %	20603,9880 litre	O
440	CM	125	CM	22 LEVEL CM	931,5030 litre	4,313 %	20666,9465 litre	O
440	CM	125	CM	21 LEVEL CM	869,8246 litre	4,027 %	20728,6249 litre	O
440	CM	125	CM	20 LEVEL CM	809,4661 litre	3,748 %	20788,9834 litre	O
440	CM	125	CM	19 LEVEL CM	750,4703 litre	3,475 %	20847,9792 litre	O
440	CM	125	CM	18 LEVEL CM	692,8827 litre	3,208 %	20905,5668 litre	O
440	CM	125	CM	17 LEVEL CM	636,7526 litre	2,948 %	20961,6969 litre	O
440	CM	125	CM	16 LEVEL CM	582,1329 litre	2,695 %	21016,3166 litre	O
440	CM	125	CM	15 LEVEL CM	529,0813 litre	2,450 %	21069,3682 litre	O
440	CM	125	CM	14 LEVEL CM	477,6606 litre	2,212 %	21120,7889 litre	O
440	CM	125	CM	13 LEVEL CM	427,9399 litre	1,981 %	21170,5096 litre	O
440	CM	125	CM	12 LEVEL CM	379,9956 litre	1,759 %	21218,4539 litre	O
440	CM	125	CM	11 LEVEL CM	333,9129 litre	1,546 %	21264,5366 litre	O
440	CM	125	CM	10 LEVEL CM	289,7878 litre	1,342 %	21308,6617 litre	O
440	CM	125	CM	9 LEVEL CM	247,7299 litre	1,147 %	21350,7196 litre	O
440	CM	125	CM	8 LEVEL CM	207,8656 litre	0,962 %	21390,5839 litre	O
440	CM	125	CM	7 LEVEL CM	170,3438 litre	0,789 %	21428,1057 litre	O
440	CM	125	CM	6 LEVEL CM	135,3432 litre	0,627 %	21463,1063 litre	O
440	CM	125	CM	5 LEVEL CM	103,0845 litre	0,477 %	21495,3650 litre	O
440	CM	125	CM	4 LEVEL CM	73,8509 litre	0,342 %	21524,5986 litre	O
440	CM	125	CM	3 LEVEL CM	48,0257 litre	0,222 %	21550,4238 litre	O
440	CM	125	CM	2 LEVEL CM	26,1735 litre	0,121 %	21572,2760 litre	O
440	CM	125	CM	1 LEVEL CM	9,2649 litre	0,043 %	21589,1846 litre	O
440	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	21598,4495 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM	120	CM 240 LEVEL CM	19905,1311 litre	100,000 %	0,0000 litre	O
440	CM	120	CM 239 LEVEL CM	19896,0538 litre	99,954 %	9,0773 litre	O
440	CM	120	CM 238 LEVEL CM	19879,4890 litre	99,871 %	25,6421 litre	O
440	CM	120	CM 237 LEVEL CM	19858,0828 litre	99,764 %	47,0483 litre	O
440	CM	120	CM 236 LEVEL CM	19832,7869 litre	99,637 %	72,3442 litre	O
440	CM	120	CM 235 LEVEL CM	19804,1549 litre	99,493 %	100,9762 litre	O
440	CM	120	CM 234 LEVEL CM	19772,5628 litre	99,334 %	132,5683 litre	O
440	CM	120	CM 233 LEVEL CM	19738,2884 litre	99,162 %	166,8427 litre	O
440	CM	120	CM 232 LEVEL CM	19701,5484 litre	98,977 %	203,5827 litre	O
440	CM	120	CM 231 LEVEL CM	19662,5183 litre	98,781 %	242,6128 litre	O
440	CM	120	CM 230 LEVEL CM	19621,3440 litre	98,574 %	283,7871 litre	O
440	CM	120	CM 229 LEVEL CM	19578,1500 litre	98,357 %	326,9811 litre	O
440	CM	120	CM 228 LEVEL CM	19533,0437 litre	98,131 %	372,0874 litre	O
440	CM	120	CM 227 LEVEL CM	19486,1196 litre	97,895 %	419,0115 litre	O
440	CM	120	CM 226 LEVEL CM	19437,4614 litre	97,651 %	467,6697 litre	O
440	CM	120	CM 225 LEVEL CM	19387,1443 litre	97,398 %	517,9868 litre	O
440	CM	120	CM 224 LEVEL CM	19335,2362 litre	97,137 %	569,8949 litre	O
440	CM	120	CM 223 LEVEL CM	19281,7989 litre	96,868 %	623,3322 litre	O
440	CM	120	CM 222 LEVEL CM	19226,8892 litre	96,593 %	678,2419 litre	O
440	CM	120	CM 221 LEVEL CM	19170,5592 litre	96,310 %	734,5719 litre	O
440	CM	120	CM 220 LEVEL CM	19112,8573 litre	96,020 %	792,2738 litre	O
440	CM	120	CM 219 LEVEL CM	19053,8285 litre	95,723 %	851,3026 litre	O
440	CM	120	CM 218 LEVEL CM	18993,5148 litre	95,420 %	911,6163 litre	O
440	CM	120	CM 217 LEVEL CM	18931,9556 litre	95,111 %	973,1755 litre	O
440	CM	120	CM 216 LEVEL CM	18869,1880 litre	94,796 %	1035,9431 litre	O
440	CM	120	CM 215 LEVEL CM	18805,2469 litre	94,474 %	1099,8842 litre	O
440	CM	120	CM 214 LEVEL CM	18740,1654 litre	94,147 %	1164,9657 litre	O
440	CM	120	CM 213 LEVEL CM	18673,9748 litre	93,815 %	1231,1563 litre	O
440	CM	120	CM 212 LEVEL CM	18606,7049 litre	93,477 %	1298,4262 litre	O
440	CM	120	CM 211 LEVEL CM	18538,3841 litre	93,134 %	1366,7470 litre	O
440	CM	120	CM 210 LEVEL CM	18469,0394 litre	92,785 %	1436,0917 litre	O
440	CM	120	CM 209 LEVEL CM	18398,6968 litre	92,432 %	1506,4343 litre	O
440	CM	120	CM 208 LEVEL CM	18327,3812 litre	92,074 %	1577,7499 litre	O
440	CM	120	CM 207 LEVEL CM	18255,1162 litre	91,711 %	1650,0149 litre	O
440	CM	120	CM 206 LEVEL CM	18181,9249 litre	91,343 %	1723,2062 litre	O
440	CM	120	CM 205 LEVEL CM	18107,8292 litre	90,971 %	1797,3019 litre	O
440	CM	120	CM 204 LEVEL CM	18032,8504 litre	90,594 %	1872,2807 litre	O
440	CM	120	CM 203 LEVEL CM	17957,0090 litre	90,213 %	1948,1221 litre	O
440	CM	120	CM 202 LEVEL CM	17880,3247 litre	89,828 %	2024,8064 litre	O
440	CM	120	CM 201 LEVEL CM	17802,8167 litre	89,438 %	2102,3144 litre	O
440	CM	120	CM 200 LEVEL CM	17724,5037 litre	89,045 %	2180,6274 litre	O
440	CM	120	CM 199 LEVEL CM	17645,4035 litre	88,648 %	2259,7276 litre	O
440	CM	120	CM 198 LEVEL CM	17565,5336 litre	88,246 %	2339,5975 litre	O
440	CM	120	CM 197 LEVEL CM	17484,9109 litre	87,841 %	2420,2202 litre	O
440	CM	120	CM 196 LEVEL CM	17403,5520 litre	87,432 %	2501,5791 litre	O
440	CM	120	CM 195 LEVEL CM	17321,4729 litre	87,020 %	2583,6582 litre	O
440	CM	120	CM 194 LEVEL CM	17238,6892 litre	86,604 %	2666,4419 litre	O
440	CM	120	CM 193 LEVEL CM	17155,2162 litre	86,185 %	2749,9149 litre	O
440	CM	120	CM 192 LEVEL CM	17071,0686 litre	85,762 %	2834,0625 litre	O
440	CM	120	CM 191 LEVEL CM	16986,2609 litre	85,336 %	2918,8702 litre	O
440	CM	120	CM 190 LEVEL CM	16900,8074 litre	84,907 %	3004,3237 litre	O
440	CM	120	CM 189 LEVEL CM	16814,7219 litre	84,474 %	3090,4092 litre	O

440	CM	120	CM	188 LEVEL CM	16728,0179 litre	84,039 %	3177,1132 litre	O
440	CM	120	CM	187 LEVEL CM	16640,7086 litre	83,600 %	3264,4225 litre	O
440	CM	120	CM	186 LEVEL CM	16552,8071 litre	83,158 %	3352,3240 litre	O
440	CM	120	CM	185 LEVEL CM	16464,3261 litre	82,714 %	3440,8050 litre	O
440	CM	120	CM	184 LEVEL CM	16375,2779 litre	82,267 %	3529,8532 litre	O
440	CM	120	CM	183 LEVEL CM	16285,6749 litre	81,816 %	3619,4562 litre	O
440	CM	120	CM	182 LEVEL CM	16195,5291 litre	81,364 %	3709,6020 litre	O
440	CM	120	CM	181 LEVEL CM	16104,8522 litre	80,908 %	3800,2789 litre	O
440	CM	120	CM	180 LEVEL CM	16013,6558 litre	80,450 %	3891,4753 litre	O
440	CM	120	CM	179 LEVEL CM	15921,9514 litre	79,989 %	3983,1797 litre	O
440	CM	120	CM	178 LEVEL CM	15829,7501 litre	79,526 %	4075,3810 litre	O
440	CM	120	CM	177 LEVEL CM	15737,0629 litre	79,060 %	4168,0682 litre	O
440	CM	120	CM	176 LEVEL CM	15643,9007 litre	78,592 %	4261,2304 litre	O
440	CM	120	CM	175 LEVEL CM	15550,2741 litre	78,122 %	4354,8570 litre	O
440	CM	120	CM	174 LEVEL CM	15456,1937 litre	77,649 %	4448,9374 litre	O
440	CM	120	CM	173 LEVEL CM	15361,6699 litre	77,174 %	4543,4612 litre	O
440	CM	120	CM	172 LEVEL CM	15266,7129 litre	76,697 %	4638,4182 litre	O
440	CM	120	CM	171 LEVEL CM	15171,3327 litre	76,218 %	4733,7984 litre	O
440	CM	120	CM	170 LEVEL CM	15075,5393 litre	75,737 %	4829,5918 litre	O
440	CM	120	CM	169 LEVEL CM	14979,3426 litre	75,254 %	4925,7885 litre	O
440	CM	120	CM	168 LEVEL CM	14882,7522 litre	74,768 %	5022,3789 litre	O
440	CM	120	CM	167 LEVEL CM	14785,7778 litre	74,281 %	5119,3533 litre	O
440	CM	120	CM	166 LEVEL CM	14688,4287 litre	73,792 %	5216,7024 litre	O
440	CM	120	CM	165 LEVEL CM	14590,7144 litre	73,301 %	5314,4167 litre	O
440	CM	120	CM	164 LEVEL CM	14492,6442 litre	72,809 %	5412,4869 litre	O
440	CM	120	CM	163 LEVEL CM	14394,2271 litre	72,314 %	5510,9040 litre	O
440	CM	120	CM	162 LEVEL CM	14295,4722 litre	71,818 %	5609,6589 litre	O
440	CM	120	CM	161 LEVEL CM	14196,3885 litre	71,320 %	5708,7426 litre	O
440	CM	120	CM	160 LEVEL CM	14096,9849 litre	70,821 %	5808,1462 litre	O
440	CM	120	CM	159 LEVEL CM	13997,2701 litre	70,320 %	5907,8610 litre	O
440	CM	120	CM	158 LEVEL CM	13897,2530 litre	69,817 %	6007,8781 litre	O
440	CM	120	CM	157 LEVEL CM	13796,9420 litre	69,313 %	6108,1891 litre	O
440	CM	120	CM	156 LEVEL CM	13696,3458 litre	68,808 %	6208,7853 litre	O
440	CM	120	CM	155 LEVEL CM	13595,4729 litre	68,301 %	6309,6582 litre	O
440	CM	120	CM	154 LEVEL CM	13494,3316 litre	67,793 %	6410,7995 litre	O
440	CM	120	CM	153 LEVEL CM	13392,9303 litre	67,284 %	6512,2008 litre	O
440	CM	120	CM	152 LEVEL CM	13291,2773 litre	66,773 %	6613,8538 litre	O
440	CM	120	CM	151 LEVEL CM	13189,3808 litre	66,261 %	6715,7503 litre	O
440	CM	120	CM	150 LEVEL CM	13087,2490 litre	65,748 %	6817,8821 litre	O
440	CM	120	CM	149 LEVEL CM	12984,8900 litre	65,234 %	6920,2411 litre	O
440	CM	120	CM	148 LEVEL CM	12882,3118 litre	64,719 %	7022,8193 litre	O
440	CM	120	CM	147 LEVEL CM	12779,5225 litre	64,202 %	7125,6086 litre	O
440	CM	120	CM	146 LEVEL CM	12676,5299 litre	63,685 %	7228,6012 litre	O
440	CM	120	CM	145 LEVEL CM	12573,3420 litre	63,166 %	7331,7891 litre	O
440	CM	120	CM	144 LEVEL CM	12469,9667 litre	62,647 %	7435,1644 litre	O
440	CM	120	CM	143 LEVEL CM	12366,4117 litre	62,127 %	7538,7194 litre	O
440	CM	120	CM	142 LEVEL CM	12262,6849 litre	61,606 %	7642,4462 litre	O
440	CM	120	CM	141 LEVEL CM	12158,7940 litre	61,084 %	7746,3371 litre	O
440	CM	120	CM	140 LEVEL CM	12054,7466 litre	60,561 %	7850,3845 litre	O
440	CM	120	CM	139 LEVEL CM	11950,5505 litre	60,038 %	7954,5806 litre	O
440	CM	120	CM	138 LEVEL CM	11846,2133 litre	59,513 %	8058,9178 litre	O
440	CM	120	CM	137 LEVEL CM	11741,7425 litre	58,989 %	8163,3886 litre	O
440	CM	120	CM	136 LEVEL CM	11637,1459 litre	58,463 %	8267,9852 litre	O

440	CM	120	CM	135 LEVEL CM	11532,4308 litre	57,937 %	8372,7003 litre	O
440	CM	120	CM	134 LEVEL CM	11427,6049 litre	57,410 %	8477,5262 litre	O
440	CM	120	CM	133 LEVEL CM	11322,6756 litre	56,883 %	8582,4555 litre	O
440	CM	120	CM	132 LEVEL CM	11217,6503 litre	56,356 %	8687,4808 litre	O
440	CM	120	CM	131 LEVEL CM	11112,5367 litre	55,827 %	8792,5944 litre	O
440	CM	120	CM	130 LEVEL CM	11007,3420 litre	55,299 %	8897,7891 litre	O
440	CM	120	CM	129 LEVEL CM	10902,0738 litre	54,770 %	9003,0573 litre	O
440	CM	120	CM	128 LEVEL CM	10796,7393 litre	54,241 %	9108,3918 litre	O
440	CM	120	CM	127 LEVEL CM	10691,3461 litre	53,712 %	9213,7850 litre	O
440	CM	120	CM	126 LEVEL CM	10585,9014 litre	53,182 %	9319,2297 litre	O
440	CM	120	CM	125 LEVEL CM	10480,4127 litre	52,652 %	9424,7184 litre	O
440	CM	120	CM	124 LEVEL CM	10374,8873 litre	52,122 %	9530,2438 litre	O
440	CM	120	CM	123 LEVEL CM	10269,3325 litre	51,591 %	9635,7986 litre	O
440	CM	120	CM	122 LEVEL CM	10163,7557 litre	51,061 %	9741,3754 litre	O
440	CM	120	CM	121 LEVEL CM	10058,1643 litre	50,531 %	9846,9668 litre	O
440	CM	120	CM	120 LEVEL CM	9952,5655 litre	50,000 %	9952,5656 litre	O
440	CM	120	CM	119 LEVEL CM	9846,9667 litre	49,469 %	10058,1644 litre	O
440	CM	120	CM	118 LEVEL CM	9741,3753 litre	48,939 %	10163,7558 litre	O
440	CM	120	CM	117 LEVEL CM	9635,7985 litre	48,409 %	10269,3326 litre	O
440	CM	120	CM	116 LEVEL CM	9530,2438 litre	47,878 %	10374,8873 litre	O
440	CM	120	CM	115 LEVEL CM	9424,7183 litre	47,348 %	10480,4128 litre	O
440	CM	120	CM	114 LEVEL CM	9319,2296 litre	46,818 %	10585,9015 litre	O
440	CM	120	CM	113 LEVEL CM	9213,7850 litre	46,288 %	10691,3461 litre	O
440	CM	120	CM	112 LEVEL CM	9108,3917 litre	45,759 %	10796,7394 litre	O
440	CM	120	CM	111 LEVEL CM	9003,0573 litre	45,230 %	10902,0738 litre	O
440	CM	120	CM	110 LEVEL CM	8897,7890 litre	44,701 %	11007,3421 litre	O
440	CM	120	CM	109 LEVEL CM	8792,5944 litre	44,173 %	11112,5367 litre	O
440	CM	120	CM	108 LEVEL CM	8687,4807 litre	43,644 %	11217,6504 litre	O
440	CM	120	CM	107 LEVEL CM	8582,4555 litre	43,117 %	11322,6756 litre	O
440	CM	120	CM	106 LEVEL CM	8477,5262 litre	42,590 %	11427,6049 litre	O
440	CM	120	CM	105 LEVEL CM	8372,7002 litre	42,063 %	11532,4309 litre	O
440	CM	120	CM	104 LEVEL CM	8267,9852 litre	41,537 %	11637,1459 litre	O
440	CM	120	CM	103 LEVEL CM	8163,3885 litre	41,011 %	11741,7426 litre	O
440	CM	120	CM	102 LEVEL CM	8058,9178 litre	40,487 %	11846,2133 litre	O
440	CM	120	CM	101 LEVEL CM	7954,5806 litre	39,962 %	11950,5505 litre	O
440	CM	120	CM	100 LEVEL CM	7850,3845 litre	39,439 %	12054,7466 litre	O
440	CM	120	CM	99 LEVEL CM	7746,3371 litre	38,916 %	12158,7940 litre	O
440	CM	120	CM	98 LEVEL CM	7642,4462 litre	38,394 %	12262,6849 litre	O
440	CM	120	CM	97 LEVEL CM	7538,7193 litre	37,873 %	12366,4118 litre	O
440	CM	120	CM	96 LEVEL CM	7435,1644 litre	37,353 %	12469,9667 litre	O
440	CM	120	CM	95 LEVEL CM	7331,7890 litre	36,834 %	12573,3421 litre	O
440	CM	120	CM	94 LEVEL CM	7228,6012 litre	36,315 %	12676,5299 litre	O
440	CM	120	CM	93 LEVEL CM	7125,6086 litre	35,798 %	12779,5225 litre	O
440	CM	120	CM	92 LEVEL CM	7022,8192 litre	35,281 %	12882,3119 litre	O
440	CM	120	CM	91 LEVEL CM	6920,2410 litre	34,766 %	12984,8901 litre	O
440	CM	120	CM	90 LEVEL CM	6817,8820 litre	34,252 %	13087,2491 litre	O
440	CM	120	CM	89 LEVEL CM	6715,7502 litre	33,739 %	13189,3809 litre	O
440	CM	120	CM	88 LEVEL CM	6613,8537 litre	33,227 %	13291,2774 litre	O
440	CM	120	CM	87 LEVEL CM	6512,2008 litre	32,716 %	13392,9303 litre	O
440	CM	120	CM	86 LEVEL CM	6410,7995 litre	32,207 %	13494,3316 litre	O
440	CM	120	CM	85 LEVEL CM	6309,6582 litre	31,699 %	13595,4729 litre	O
440	CM	120	CM	84 LEVEL CM	6208,7852 litre	31,192 %	13696,3459 litre	O
440	CM	120	CM	83 LEVEL CM	6108,1890 litre	30,687 %	13796,9421 litre	O

440	CM	120	CM	82 LEVEL CM	6007,8781 litre	30,183 %	13897,2530 litre	O
440	CM	120	CM	81 LEVEL CM	5907,8609 litre	29,680 %	13997,2702 litre	O
440	CM	120	CM	80 LEVEL CM	5808,1462 litre	29,179 %	14096,9849 litre	O
440	CM	120	CM	79 LEVEL CM	5708,7426 litre	28,680 %	14196,3885 litre	O
440	CM	120	CM	78 LEVEL CM	5609,6589 litre	28,182 %	14295,4722 litre	O
440	CM	120	CM	77 LEVEL CM	5510,9040 litre	27,686 %	14394,2271 litre	O
440	CM	120	CM	76 LEVEL CM	5412,4869 litre	27,191 %	14492,6442 litre	O
440	CM	120	CM	75 LEVEL CM	5314,4166 litre	26,699 %	14590,7145 litre	O
440	CM	120	CM	74 LEVEL CM	5216,7023 litre	26,208 %	14688,4288 litre	O
440	CM	120	CM	73 LEVEL CM	5119,3533 litre	25,719 %	14785,7778 litre	O
440	CM	120	CM	72 LEVEL CM	5022,3788 litre	25,232 %	14882,7523 litre	O
440	CM	120	CM	71 LEVEL CM	4925,7884 litre	24,746 %	14979,3427 litre	O
440	CM	120	CM	70 LEVEL CM	4829,5917 litre	24,263 %	15075,5394 litre	O
440	CM	120	CM	69 LEVEL CM	4733,7984 litre	23,782 %	15171,3327 litre	O
440	CM	120	CM	68 LEVEL CM	4638,4182 litre	23,303 %	15266,7129 litre	O
440	CM	120	CM	67 LEVEL CM	4543,4611 litre	22,826 %	15361,6700 litre	O
440	CM	120	CM	66 LEVEL CM	4448,9373 litre	22,351 %	15456,1938 litre	O
440	CM	120	CM	65 LEVEL CM	4354,8569 litre	21,878 %	15550,2742 litre	O
440	CM	120	CM	64 LEVEL CM	4261,2304 litre	21,408 %	15643,9007 litre	O
440	CM	120	CM	63 LEVEL CM	4168,0682 litre	20,940 %	15737,0629 litre	O
440	CM	120	CM	62 LEVEL CM	4075,3810 litre	20,474 %	15829,7501 litre	O
440	CM	120	CM	61 LEVEL CM	3983,1796 litre	20,011 %	15921,9515 litre	O
440	CM	120	CM	60 LEVEL CM	3891,4752 litre	19,550 %	16013,6559 litre	O
440	CM	120	CM	59 LEVEL CM	3800,2788 litre	19,092 %	16104,8523 litre	O
440	CM	120	CM	58 LEVEL CM	3709,6020 litre	18,636 %	16195,5291 litre	O
440	CM	120	CM	57 LEVEL CM	3619,4561 litre	18,184 %	16285,6750 litre	O
440	CM	120	CM	56 LEVEL CM	3529,8531 litre	17,733 %	16375,2780 litre	O
440	CM	120	CM	55 LEVEL CM	3440,8050 litre	17,286 %	16464,3261 litre	O
440	CM	120	CM	54 LEVEL CM	3352,3239 litre	16,842 %	16552,8072 litre	O
440	CM	120	CM	53 LEVEL CM	3264,4224 litre	16,400 %	16640,7087 litre	O
440	CM	120	CM	52 LEVEL CM	3177,1132 litre	15,961 %	16728,0179 litre	O
440	CM	120	CM	51 LEVEL CM	3090,4091 litre	15,526 %	16814,7220 litre	O
440	CM	120	CM	50 LEVEL CM	3004,3236 litre	15,093 %	16900,8075 litre	O
440	CM	120	CM	49 LEVEL CM	2918,8701 litre	14,664 %	16986,2610 litre	O
440	CM	120	CM	48 LEVEL CM	2834,0625 litre	14,238 %	17071,0686 litre	O
440	CM	120	CM	47 LEVEL CM	2749,9149 litre	13,815 %	17155,2162 litre	O
440	CM	120	CM	46 LEVEL CM	2666,4418 litre	13,396 %	17238,6893 litre	O
440	CM	120	CM	45 LEVEL CM	2583,6581 litre	12,980 %	17321,4730 litre	O
440	CM	120	CM	44 LEVEL CM	2501,5790 litre	12,568 %	17403,5521 litre	O
440	CM	120	CM	43 LEVEL CM	2420,2201 litre	12,159 %	17484,9110 litre	O
440	CM	120	CM	42 LEVEL CM	2339,5975 litre	11,754 %	17565,5336 litre	O
440	CM	120	CM	41 LEVEL CM	2259,7276 litre	11,352 %	17645,4035 litre	O
440	CM	120	CM	40 LEVEL CM	2180,6274 litre	10,955 %	17724,5037 litre	O
440	CM	120	CM	39 LEVEL CM	2102,3143 litre	10,562 %	17802,8168 litre	O
440	CM	120	CM	38 LEVEL CM	2024,8064 litre	10,172 %	17880,3247 litre	O
440	CM	120	CM	37 LEVEL CM	1948,1221 litre	9,787 %	17957,0090 litre	O
440	CM	120	CM	36 LEVEL CM	1872,2807 litre	9,406 %	18032,8504 litre	O
440	CM	120	CM	35 LEVEL CM	1797,3018 litre	9,029 %	18107,8293 litre	O
440	CM	120	CM	34 LEVEL CM	1723,2061 litre	8,657 %	18181,9250 litre	O
440	CM	120	CM	33 LEVEL CM	1650,0148 litre	8,289 %	18255,1163 litre	O
440	CM	120	CM	32 LEVEL CM	1577,7499 litre	7,926 %	18327,3812 litre	O
440	CM	120	CM	31 LEVEL CM	1506,4342 litre	7,568 %	18398,6969 litre	O
440	CM	120	CM	30 LEVEL CM	1436,0916 litre	7,215 %	18469,0395 litre	O

440	CM	120	CM	29 LEVEL CM	1366,7470 litre	6,866 %	18538,3841 litre	O
440	CM	120	CM	28 LEVEL CM	1298,4262 litre	6,523 %	18606,7049 litre	O
440	CM	120	CM	27 LEVEL CM	1231,1562 litre	6,185 %	18673,9749 litre	O
440	CM	120	CM	26 LEVEL CM	1164,9656 litre	5,853 %	18740,1655 litre	O
440	CM	120	CM	25 LEVEL CM	1099,8841 litre	5,526 %	18805,2470 litre	O
440	CM	120	CM	24 LEVEL CM	1035,9430 litre	5,204 %	18869,1881 litre	O
440	CM	120	CM	23 LEVEL CM	973,1754 litre	4,889 %	18931,9557 litre	O
440	CM	120	CM	22 LEVEL CM	911,6163 litre	4,580 %	18993,5148 litre	O
440	CM	120	CM	21 LEVEL CM	851,3026 litre	4,277 %	19053,8285 litre	O
440	CM	120	CM	20 LEVEL CM	792,2738 litre	3,980 %	19112,8573 litre	O
440	CM	120	CM	19 LEVEL CM	734,5719 litre	3,690 %	19170,5592 litre	O
440	CM	120	CM	18 LEVEL CM	678,2419 litre	3,407 %	19226,8892 litre	O
440	CM	120	CM	17 LEVEL CM	623,3321 litre	3,132 %	19281,7990 litre	O
440	CM	120	CM	16 LEVEL CM	569,8948 litre	2,863 %	19335,2363 litre	O
440	CM	120	CM	15 LEVEL CM	517,9867 litre	2,602 %	19387,1444 litre	O
440	CM	120	CM	14 LEVEL CM	467,6696 litre	2,349 %	19437,4615 litre	O
440	CM	120	CM	13 LEVEL CM	419,0115 litre	2,105 %	19486,1196 litre	O
440	CM	120	CM	12 LEVEL CM	372,0873 litre	1,869 %	19533,0438 litre	O
440	CM	120	CM	11 LEVEL CM	326,9811 litre	1,643 %	19578,1500 litre	O
440	CM	120	CM	10 LEVEL CM	283,7870 litre	1,426 %	19621,3441 litre	O
440	CM	120	CM	9 LEVEL CM	242,6128 litre	1,219 %	19662,5183 litre	O
440	CM	120	CM	8 LEVEL CM	203,5826 litre	1,023 %	19701,5485 litre	O
440	CM	120	CM	7 LEVEL CM	166,8427 litre	0,838 %	19738,2884 litre	O
440	CM	120	CM	6 LEVEL CM	132,5683 litre	0,666 %	19772,5628 litre	O
440	CM	120	CM	5 LEVEL CM	100,9762 litre	0,507 %	19804,1549 litre	O
440	CM	120	CM	4 LEVEL CM	72,3442 litre	0,363 %	19832,7869 litre	O
440	CM	120	CM	3 LEVEL CM	47,0483 litre	0,236 %	19858,0828 litre	O
440	CM	120	CM	2 LEVEL CM	25,6421 litre	0,129 %	19879,4890 litre	O
440	CM	120	CM	1 LEVEL CM	9,0772 litre	0,046 %	19896,0539 litre	O
440	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	19905,1311 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
440	CM	115	CM	230 LEVEL CM	18280,9277 litre	100,000 %	0,0000 litre	O
440	CM	115	CM	229 LEVEL CM	18272,0420 litre	99,951 %	8,8857 litre	O
440	CM	115	CM	228 LEVEL CM	18255,8282 litre	99,863 %	25,0995 litre	O
440	CM	115	CM	227 LEVEL CM	18234,8776 litre	99,748 %	46,0501 litre	O
440	CM	115	CM	226 LEVEL CM	18210,1223 litre	99,613 %	70,8054 litre	O
440	CM	115	CM	225 LEVEL CM	18182,1048 litre	99,459 %	98,8229 litre	O
440	CM	115	CM	224 LEVEL CM	18151,1936 litre	99,290 %	129,7341 litre	O
440	CM	115	CM	223 LEVEL CM	18117,6612 litre	99,107 %	163,2665 litre	O
440	CM	115	CM	222 LEVEL CM	18081,7201 litre	98,910 %	199,2076 litre	O
440	CM	115	CM	221 LEVEL CM	18043,5422 litre	98,701 %	237,3855 litre	O
440	CM	115	CM	220 LEVEL CM	18003,2710 litre	98,481 %	277,6567 litre	O
440	CM	115	CM	219 LEVEL CM	17961,0286 litre	98,250 %	319,8991 litre	O
440	CM	115	CM	218 LEVEL CM	17916,9203 litre	98,009 %	364,0074 litre	O
440	CM	115	CM	217 LEVEL CM	17871,0391 litre	97,758 %	409,8886 litre	O
440	CM	115	CM	216 LEVEL CM	17823,4672 litre	97,498 %	457,4605 litre	O
440	CM	115	CM	215 LEVEL CM	17774,2785 litre	97,229 %	506,6492 litre	O
440	CM	115	CM	214 LEVEL CM	17723,5396 litre	96,951 %	557,3881 litre	O
440	CM	115	CM	213 LEVEL CM	17671,3115 litre	96,665 %	609,6162 litre	O
440	CM	115	CM	212 LEVEL CM	17617,6499 litre	96,372 %	663,2778 litre	O
440	CM	115	CM	211 LEVEL CM	17562,6061 litre	96,071 %	718,3216 litre	O
440	CM	115	CM	210 LEVEL CM	17506,2279 litre	95,762 %	774,6998 litre	O
440	CM	115	CM	209 LEVEL CM	17448,5594 litre	95,447 %	832,3683 litre	O
440	CM	115	CM	208 LEVEL CM	17389,6420 litre	95,125 %	891,2857 litre	O
440	CM	115	CM	207 LEVEL CM	17329,5147 litre	94,796 %	951,4130 litre	O
440	CM	115	CM	206 LEVEL CM	17268,2139 litre	94,460 %	1012,7138 litre	O
440	CM	115	CM	205 LEVEL CM	17205,7740 litre	94,119 %	1075,1537 litre	O
440	CM	115	CM	204 LEVEL CM	17142,2276 litre	93,771 %	1138,7001 litre	O
440	CM	115	CM	203 LEVEL CM	17077,6057 litre	93,418 %	1203,3220 litre	O
440	CM	115	CM	202 LEVEL CM	17011,9377 litre	93,058 %	1268,9900 litre	O
440	CM	115	CM	201 LEVEL CM	16945,2516 litre	92,694 %	1335,6761 litre	O
440	CM	115	CM	200 LEVEL CM	16877,5742 litre	92,323 %	1403,3535 litre	O
440	CM	115	CM	199 LEVEL CM	16808,9309 litre	91,948 %	1471,9968 litre	O
440	CM	115	CM	198 LEVEL CM	16739,3465 litre	91,567 %	1541,5812 litre	O
440	CM	115	CM	197 LEVEL CM	16668,8444 litre	91,182 %	1612,0833 litre	O
440	CM	115	CM	196 LEVEL CM	16597,4473 litre	90,791 %	1683,4804 litre	O
440	CM	115	CM	195 LEVEL CM	16525,1769 litre	90,396 %	1755,7508 litre	O
440	CM	115	CM	194 LEVEL CM	16452,0543 litre	89,996 %	1828,8734 litre	O
440	CM	115	CM	193 LEVEL CM	16378,0998 litre	89,591 %	1902,8279 litre	O
440	CM	115	CM	192 LEVEL CM	16303,3329 litre	89,182 %	1977,5948 litre	O
440	CM	115	CM	191 LEVEL CM	16227,7727 litre	88,769 %	2053,1550 litre	O
440	CM	115	CM	190 LEVEL CM	16151,4376 litre	88,351 %	2129,4901 litre	O
440	CM	115	CM	189 LEVEL CM	16074,3453 litre	87,930 %	2206,5824 litre	O
440	CM	115	CM	188 LEVEL CM	15996,5133 litre	87,504 %	2284,4144 litre	O
440	CM	115	CM	187 LEVEL CM	15917,9582 litre	87,074 %	2362,9695 litre	O
440	CM	115	CM	186 LEVEL CM	15838,6966 litre	86,641 %	2442,2311 litre	O
440	CM	115	CM	185 LEVEL CM	15758,7443 litre	86,203 %	2522,1834 litre	O
440	CM	115	CM	184 LEVEL CM	15678,1168 litre	85,762 %	2602,8109 litre	O
440	CM	115	CM	183 LEVEL CM	15596,8293 litre	85,317 %	2684,0984 litre	O
440	CM	115	CM	182 LEVEL CM	15514,8965 litre	84,869 %	2766,0312 litre	O
440	CM	115	CM	181 LEVEL CM	15432,3328 litre	84,418 %	2848,5949 litre	O
440	CM	115	CM	180 LEVEL CM	15349,1525 litre	83,963 %	2931,7752 litre	O
440	CM	115	CM	179 LEVEL CM	15265,3691 litre	83,504 %	3015,5586 litre	O

440	CM 115	CM	178 LEVEL CM	15180,9963 litre	83,043 %	3099,9314 litre	O
440	CM 115	CM	177 LEVEL CM	15096,0472 litre	82,578 %	3184,8805 litre	O
440	CM 115	CM	176 LEVEL CM	15010,5348 litre	82,110 %	3270,3929 litre	O
440	CM 115	CM	175 LEVEL CM	14924,4717 litre	81,640 %	3356,4560 litre	O
440	CM 115	CM	174 LEVEL CM	14837,8704 litre	81,166 %	3443,0573 litre	O
440	CM 115	CM	173 LEVEL CM	14750,7431 litre	80,689 %	3530,1846 litre	O
440	CM 115	CM	172 LEVEL CM	14663,1019 litre	80,210 %	3617,8258 litre	O
440	CM 115	CM	171 LEVEL CM	14574,9584 litre	79,728 %	3705,9693 litre	O
440	CM 115	CM	170 LEVEL CM	14486,3242 litre	79,243 %	3794,6035 litre	O
440	CM 115	CM	169 LEVEL CM	14397,2108 litre	78,755 %	3883,7169 litre	O
440	CM 115	CM	168 LEVEL CM	14307,6294 litre	78,265 %	3973,2983 litre	O
440	CM 115	CM	167 LEVEL CM	14217,5910 litre	77,773 %	4063,3367 litre	O
440	CM 115	CM	166 LEVEL CM	14127,1064 litre	77,278 %	4153,8213 litre	O
440	CM 115	CM	165 LEVEL CM	14036,1864 litre	76,780 %	4244,7413 litre	O
440	CM 115	CM	164 LEVEL CM	13944,8415 litre	76,281 %	4336,0862 litre	O
440	CM 115	CM	163 LEVEL CM	13853,0822 litre	75,779 %	4427,8455 litre	O
440	CM 115	CM	162 LEVEL CM	13760,9186 litre	75,275 %	4520,0091 litre	O
440	CM 115	CM	161 LEVEL CM	13668,3610 litre	74,768 %	4612,5667 litre	O
440	CM 115	CM	160 LEVEL CM	13575,4193 litre	74,260 %	4705,5084 litre	O
440	CM 115	CM	159 LEVEL CM	13482,1034 litre	73,750 %	4798,8243 litre	O
440	CM 115	CM	158 LEVEL CM	13388,4230 litre	73,237 %	4892,5047 litre	O
440	CM 115	CM	157 LEVEL CM	13294,3879 litre	72,723 %	4986,5398 litre	O
440	CM 115	CM	156 LEVEL CM	13200,0075 litre	72,206 %	5080,9202 litre	O
440	CM 115	CM	155 LEVEL CM	13105,2913 litre	71,688 %	5175,6364 litre	O
440	CM 115	CM	154 LEVEL CM	13010,2487 litre	71,168 %	5270,6790 litre	O
440	CM 115	CM	153 LEVEL CM	12914,8888 litre	70,647 %	5366,0389 litre	O
440	CM 115	CM	152 LEVEL CM	12819,2207 litre	70,123 %	5461,7070 litre	O
440	CM 115	CM	151 LEVEL CM	12723,2537 litre	69,599 %	5557,6740 litre	O
440	CM 115	CM	150 LEVEL CM	12626,9966 litre	69,072 %	5653,9311 litre	O
440	CM 115	CM	149 LEVEL CM	12530,4583 litre	68,544 %	5750,4694 litre	O
440	CM 115	CM	148 LEVEL CM	12433,6477 litre	68,014 %	5847,2800 litre	O
440	CM 115	CM	147 LEVEL CM	12336,5734 litre	67,483 %	5944,3543 litre	O
440	CM 115	CM	146 LEVEL CM	12239,2442 litre	66,951 %	6041,6835 litre	O
440	CM 115	CM	145 LEVEL CM	12141,6687 litre	66,417 %	6139,2590 litre	O
440	CM 115	CM	144 LEVEL CM	12043,8554 litre	65,882 %	6237,0723 litre	O
440	CM 115	CM	143 LEVEL CM	11945,8127 litre	65,346 %	6335,1150 litre	O
440	CM 115	CM	142 LEVEL CM	11847,5491 litre	64,808 %	6433,3786 litre	O
440	CM 115	CM	141 LEVEL CM	11749,0730 litre	64,270 %	6531,8547 litre	O
440	CM 115	CM	140 LEVEL CM	11650,3926 litre	63,730 %	6630,5351 litre	O
440	CM 115	CM	139 LEVEL CM	11551,5162 litre	63,189 %	6729,4115 litre	O
440	CM 115	CM	138 LEVEL CM	11452,4520 litre	62,647 %	6828,4757 litre	O
440	CM 115	CM	137 LEVEL CM	11353,2082 litre	62,104 %	6927,7195 litre	O
440	CM 115	CM	136 LEVEL CM	11253,7929 litre	61,560 %	7027,1348 litre	O
440	CM 115	CM	135 LEVEL CM	11154,2141 litre	61,016 %	7126,7136 litre	O
440	CM 115	CM	134 LEVEL CM	11054,4799 litre	60,470 %	7226,4478 litre	O
440	CM 115	CM	133 LEVEL CM	10954,5983 litre	59,924 %	7326,3294 litre	O
440	CM 115	CM	132 LEVEL CM	10854,5773 litre	59,377 %	7426,3504 litre	O
440	CM 115	CM	131 LEVEL CM	10754,4247 litre	58,829 %	7526,5030 litre	O
440	CM 115	CM	130 LEVEL CM	10654,1484 litre	58,280 %	7626,7793 litre	O
440	CM 115	CM	129 LEVEL CM	10553,7564 litre	57,731 %	7727,1713 litre	O
440	CM 115	CM	128 LEVEL CM	10453,2565 litre	57,181 %	7827,6712 litre	O
440	CM 115	CM	127 LEVEL CM	10352,6564 litre	56,631 %	7928,2713 litre	O
440	CM 115	CM	126 LEVEL CM	10251,9640 litre	56,080 %	8028,9637 litre	O

440	CM 115	CM	125 LEVEL CM	10151,1870 litre	55,529 %	8129,7407 litre	O
440	CM 115	CM	124 LEVEL CM	10050,3332 litre	54,977 %	8230,5945 litre	O
440	CM 115	CM	123 LEVEL CM	9949,4104 litre	54,425 %	8331,5173 litre	O
440	CM 115	CM	122 LEVEL CM	9848,4261 litre	53,873 %	8432,5016 litre	O
440	CM 115	CM	121 LEVEL CM	9747,3882 litre	53,320 %	8533,5395 litre	O
440	CM 115	CM	120 LEVEL CM	9646,3044 litre	52,767 %	8634,6233 litre	O
440	CM 115	CM	119 LEVEL CM	9545,1822 litre	52,214 %	8735,7455 litre	O
440	CM 115	CM	118 LEVEL CM	9444,0294 litre	51,661 %	8836,8983 litre	O
440	CM 115	CM	117 LEVEL CM	9342,8536 litre	51,107 %	8938,0741 litre	O
440	CM 115	CM	116 LEVEL CM	9241,6626 litre	50,554 %	9039,2651 litre	O
440	CM 115	CM	115 LEVEL CM	9140,4638 litre	50,000 %	9140,4639 litre	O
440	CM 115	CM	114 LEVEL CM	9039,2651 litre	49,446 %	9241,6626 litre	O
440	CM 115	CM	113 LEVEL CM	8938,0740 litre	48,893 %	9342,8537 litre	O
440	CM 115	CM	112 LEVEL CM	8836,8983 litre	48,339 %	9444,0294 litre	O
440	CM 115	CM	111 LEVEL CM	8735,7455 litre	47,786 %	9545,1822 litre	O
440	CM 115	CM	110 LEVEL CM	8634,6233 litre	47,233 %	9646,3044 litre	O
440	CM 115	CM	109 LEVEL CM	8533,5394 litre	46,680 %	9747,3883 litre	O
440	CM 115	CM	108 LEVEL CM	8432,5015 litre	46,127 %	9848,4262 litre	O
440	CM 115	CM	107 LEVEL CM	8331,5173 litre	45,575 %	9949,4104 litre	O
440	CM 115	CM	106 LEVEL CM	8230,5944 litre	45,023 %	10050,3333 litre	O
440	CM 115	CM	105 LEVEL CM	8129,7406 litre	44,471 %	10151,1871 litre	O
440	CM 115	CM	104 LEVEL CM	8028,9637 litre	43,920 %	10251,9640 litre	O
440	CM 115	CM	103 LEVEL CM	7928,2713 litre	43,369 %	10352,6564 litre	O
440	CM 115	CM	102 LEVEL CM	7827,6712 litre	42,819 %	10453,2565 litre	O
440	CM 115	CM	101 LEVEL CM	7727,1712 litre	42,269 %	10553,7565 litre	O
440	CM 115	CM	100 LEVEL CM	7626,7792 litre	41,720 %	10654,1485 litre	O
440	CM 115	CM	99 LEVEL CM	7526,5030 litre	41,171 %	10754,4247 litre	O
440	CM 115	CM	98 LEVEL CM	7426,3504 litre	40,623 %	10854,5773 litre	O
440	CM 115	CM	97 LEVEL CM	7326,3293 litre	40,076 %	10954,5984 litre	O
440	CM 115	CM	96 LEVEL CM	7226,4477 litre	39,530 %	11054,4800 litre	O
440	CM 115	CM	95 LEVEL CM	7126,7135 litre	38,984 %	11154,2142 litre	O
440	CM 115	CM	94 LEVEL CM	7027,1347 litre	38,440 %	11253,7930 litre	O
440	CM 115	CM	93 LEVEL CM	6927,7194 litre	37,896 %	11353,2083 litre	O
440	CM 115	CM	92 LEVEL CM	6828,4756 litre	37,353 %	11452,4521 litre	O
440	CM 115	CM	91 LEVEL CM	6729,4114 litre	36,811 %	11551,5163 litre	O
440	CM 115	CM	90 LEVEL CM	6630,5351 litre	36,270 %	11650,3926 litre	O
440	CM 115	CM	89 LEVEL CM	6531,8547 litre	35,730 %	11749,0730 litre	O
440	CM 115	CM	88 LEVEL CM	6433,3785 litre	35,192 %	11847,5492 litre	O
440	CM 115	CM	87 LEVEL CM	6335,1150 litre	34,654 %	11945,8127 litre	O
440	CM 115	CM	86 LEVEL CM	6237,0723 litre	34,118 %	12043,8554 litre	O
440	CM 115	CM	85 LEVEL CM	6139,2590 litre	33,583 %	12141,6687 litre	O
440	CM 115	CM	84 LEVEL CM	6041,6834 litre	33,049 %	12239,2443 litre	O
440	CM 115	CM	83 LEVEL CM	5944,3542 litre	32,517 %	12336,5735 litre	O
440	CM 115	CM	82 LEVEL CM	5847,2800 litre	31,986 %	12433,6477 litre	O
440	CM 115	CM	81 LEVEL CM	5750,4693 litre	31,456 %	12530,4584 litre	O
440	CM 115	CM	80 LEVEL CM	5653,9311 litre	30,928 %	12626,9966 litre	O
440	CM 115	CM	79 LEVEL CM	5557,6740 litre	30,401 %	12723,2537 litre	O
440	CM 115	CM	78 LEVEL CM	5461,7069 litre	29,877 %	12819,2208 litre	O
440	CM 115	CM	77 LEVEL CM	5366,0389 litre	29,353 %	12914,8888 litre	O
440	CM 115	CM	76 LEVEL CM	5270,6790 litre	28,832 %	13010,2487 litre	O
440	CM 115	CM	75 LEVEL CM	5175,6363 litre	28,312 %	13105,2914 litre	O
440	CM 115	CM	74 LEVEL CM	5080,9201 litre	27,794 %	13200,0076 litre	O
440	CM 115	CM	73 LEVEL CM	4986,5397 litre	27,277 %	13294,3880 litre	O

440	CM	115	CM	72 LEVEL CM	4892,5046 litre	26,763 %	13388,4231 litre	O
440	CM	115	CM	71 LEVEL CM	4798,8243 litre	26,250 %	13482,1034 litre	O
440	CM	115	CM	70 LEVEL CM	4705,5084 litre	25,740 %	13575,4193 litre	O
440	CM	115	CM	69 LEVEL CM	4612,5667 litre	25,232 %	13668,3610 litre	O
440	CM	115	CM	68 LEVEL CM	4520,0090 litre	24,725 %	13760,9187 litre	O
440	CM	115	CM	67 LEVEL CM	4427,8455 litre	24,221 %	13853,0822 litre	O
440	CM	115	CM	66 LEVEL CM	4336,0861 litre	23,719 %	13944,8416 litre	O
440	CM	115	CM	65 LEVEL CM	4244,7412 litre	23,220 %	14036,1865 litre	O
440	CM	115	CM	64 LEVEL CM	4153,8212 litre	22,722 %	14127,1065 litre	O
440	CM	115	CM	63 LEVEL CM	4063,3367 litre	22,227 %	14217,5910 litre	O
440	CM	115	CM	62 LEVEL CM	3973,2982 litre	21,735 %	14307,6295 litre	O
440	CM	115	CM	61 LEVEL CM	3883,7168 litre	21,245 %	14397,2109 litre	O
440	CM	115	CM	60 LEVEL CM	3794,6034 litre	20,757 %	14486,3243 litre	O
440	CM	115	CM	59 LEVEL CM	3705,9693 litre	20,272 %	14574,9584 litre	O
440	CM	115	CM	58 LEVEL CM	3617,8258 litre	19,790 %	14663,1019 litre	O
440	CM	115	CM	57 LEVEL CM	3530,1845 litre	19,311 %	14750,7432 litre	O
440	CM	115	CM	56 LEVEL CM	3443,0572 litre	18,834 %	14837,8705 litre	O
440	CM	115	CM	55 LEVEL CM	3356,4559 litre	18,360 %	14924,4718 litre	O
440	CM	115	CM	54 LEVEL CM	3270,3929 litre	17,890 %	15010,5348 litre	O
440	CM	115	CM	53 LEVEL CM	3184,8804 litre	17,422 %	15096,0473 litre	O
440	CM	115	CM	52 LEVEL CM	3099,9313 litre	16,957 %	15180,9964 litre	O
440	CM	115	CM	51 LEVEL CM	3015,5585 litre	16,496 %	15265,3692 litre	O
440	CM	115	CM	50 LEVEL CM	2931,7752 litre	16,037 %	15349,1525 litre	O
440	CM	115	CM	49 LEVEL CM	2848,5948 litre	15,582 %	15432,3329 litre	O
440	CM	115	CM	48 LEVEL CM	2766,0312 litre	15,131 %	15514,8965 litre	O
440	CM	115	CM	47 LEVEL CM	2684,0984 litre	14,683 %	15596,8293 litre	O
440	CM	115	CM	46 LEVEL CM	2602,8109 litre	14,238 %	15678,1168 litre	O
440	CM	115	CM	45 LEVEL CM	2522,1834 litre	13,797 %	15758,7443 litre	O
440	CM	115	CM	44 LEVEL CM	2442,2311 litre	13,359 %	15838,6966 litre	O
440	CM	115	CM	43 LEVEL CM	2362,9694 litre	12,926 %	15917,9583 litre	O
440	CM	115	CM	42 LEVEL CM	2284,4144 litre	12,496 %	15996,5133 litre	O
440	CM	115	CM	41 LEVEL CM	2206,5823 litre	12,070 %	16074,3454 litre	O
440	CM	115	CM	40 LEVEL CM	2129,4901 litre	11,649 %	16151,4376 litre	O
440	CM	115	CM	39 LEVEL CM	2053,1549 litre	11,231 %	16227,7728 litre	O
440	CM	115	CM	38 LEVEL CM	1977,5947 litre	10,818 %	16303,3330 litre	O
440	CM	115	CM	37 LEVEL CM	1902,8279 litre	10,409 %	16378,0998 litre	O
440	CM	115	CM	36 LEVEL CM	1828,8734 litre	10,004 %	16452,0543 litre	O
440	CM	115	CM	35 LEVEL CM	1755,7508 litre	9,604 %	16525,1769 litre	O
440	CM	115	CM	34 LEVEL CM	1683,4804 litre	9,209 %	16597,4473 litre	O
440	CM	115	CM	33 LEVEL CM	1612,0832 litre	8,818 %	16668,8445 litre	O
440	CM	115	CM	32 LEVEL CM	1541,5811 litre	8,433 %	16739,3466 litre	O
440	CM	115	CM	31 LEVEL CM	1471,9967 litre	8,052 %	16808,9310 litre	O
440	CM	115	CM	30 LEVEL CM	1403,3535 litre	7,677 %	16877,5742 litre	O
440	CM	115	CM	29 LEVEL CM	1335,6760 litre	7,306 %	16945,2517 litre	O
440	CM	115	CM	28 LEVEL CM	1268,9899 litre	6,942 %	17011,9378 litre	O
440	CM	115	CM	27 LEVEL CM	1203,3219 litre	6,582 %	17077,6058 litre	O
440	CM	115	CM	26 LEVEL CM	1138,7000 litre	6,229 %	17142,2277 litre	O
440	CM	115	CM	25 LEVEL CM	1075,1537 litre	5,881 %	17205,7740 litre	O
440	CM	115	CM	24 LEVEL CM	1012,7138 litre	5,540 %	17268,2139 litre	O
440	CM	115	CM	23 LEVEL CM	951,4130 litre	5,204 %	17329,5147 litre	O
440	CM	115	CM	22 LEVEL CM	891,2856 litre	4,875 %	17389,6421 litre	O
440	CM	115	CM	21 LEVEL CM	832,3683 litre	4,553 %	17448,5594 litre	O
440	CM	115	CM	20 LEVEL CM	774,6998 litre	4,238 %	17506,2279 litre	O

440	CM	115	CM	19 LEVEL CM	718,3215 litre	3,929 %	17562,6062 litre	O
440	CM	115	CM	18 LEVEL CM	663,2777 litre	3,628 %	17617,6500 litre	O
440	CM	115	CM	17 LEVEL CM	609,6161 litre	3,335 %	17671,3116 litre	O
440	CM	115	CM	16 LEVEL CM	557,3880 litre	3,049 %	17723,5397 litre	O
440	CM	115	CM	15 LEVEL CM	506,6492 litre	2,771 %	17774,2785 litre	O
440	CM	115	CM	14 LEVEL CM	457,4604 litre	2,502 %	17823,4673 litre	O
440	CM	115	CM	13 LEVEL CM	409,8885 litre	2,242 %	17871,0392 litre	O
440	CM	115	CM	12 LEVEL CM	364,0073 litre	1,991 %	17916,9204 litre	O
440	CM	115	CM	11 LEVEL CM	319,8991 litre	1,750 %	17961,0286 litre	O
440	CM	115	CM	10 LEVEL CM	277,6566 litre	1,519 %	18003,2711 litre	O
440	CM	115	CM	9 LEVEL CM	237,3854 litre	1,299 %	18043,5423 litre	O
440	CM	115	CM	8 LEVEL CM	199,2076 litre	1,090 %	18081,7201 litre	O
440	CM	115	CM	7 LEVEL CM	163,2664 litre	0,893 %	18117,6613 litre	O
440	CM	115	CM	6 LEVEL CM	129,7340 litre	0,710 %	18151,1937 litre	O
440	CM	115	CM	5 LEVEL CM	98,8229 litre	0,541 %	18182,1048 litre	O
440	CM	115	CM	4 LEVEL CM	70,8054 litre	0,387 %	18210,1223 litre	O
440	CM	115	CM	3 LEVEL CM	46,0501 litre	0,252 %	18234,8776 litre	O
440	CM	115	CM	2 LEVEL CM	25,0994 litre	0,137 %	18255,8283 litre	O
440	CM	115	CM	1 LEVEL CM	8,8856 litre	0,049 %	18272,0421 litre	O
440	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	18280,9277 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM	110	CM 220 LEVEL CM	16725,8393 litre	100,000 %	0,0000 litre	O
440	CM	110	CM 219 LEVEL CM	16717,1495 litre	99,948 %	8,6898 litre	O
440	CM	110	CM 218 LEVEL CM	16701,2945 litre	99,853 %	24,5448 litre	O
440	CM	110	CM 217 LEVEL CM	16680,8095 litre	99,731 %	45,0298 litre	O
440	CM	110	CM 216 LEVEL CM	16656,6069 litre	99,586 %	69,2324 litre	O
440	CM	110	CM 215 LEVEL CM	16629,2177 litre	99,422 %	96,6216 litre	O
440	CM	110	CM 214 LEVEL CM	16599,0028 litre	99,242 %	126,8365 litre	O
440	CM	110	CM 213 LEVEL CM	16566,2292 litre	99,046 %	159,6101 litre	O
440	CM	110	CM 212 LEVEL CM	16531,1050 litre	98,836 %	194,7343 litre	O
440	CM	110	CM 211 LEVEL CM	16493,7989 litre	98,613 %	232,0404 litre	O
440	CM	110	CM 210 LEVEL CM	16454,4516 litre	98,377 %	271,3877 litre	O
440	CM	110	CM 209 LEVEL CM	16413,1826 litre	98,131 %	312,6567 litre	O
440	CM	110	CM 208 LEVEL CM	16370,0955 litre	97,873 %	355,7438 litre	O
440	CM	110	CM 207 LEVEL CM	16325,2815 litre	97,605 %	400,5578 litre	O
440	CM	110	CM 206 LEVEL CM	16278,8213 litre	97,327 %	447,0180 litre	O
440	CM	110	CM 205 LEVEL CM	16230,7873 litre	97,040 %	495,0520 litre	O
440	CM	110	CM 204 LEVEL CM	16181,2454 litre	96,744 %	544,5939 litre	O
440	CM	110	CM 203 LEVEL CM	16130,2551 litre	96,439 %	595,5842 litre	O
440	CM	110	CM 202 LEVEL CM	16077,8713 litre	96,126 %	647,9680 litre	O
440	CM	110	CM 201 LEVEL CM	16024,1446 litre	95,805 %	701,6947 litre	O
440	CM	110	CM 200 LEVEL CM	15969,1218 litre	95,476 %	756,7175 litre	O
440	CM	110	CM 199 LEVEL CM	15912,8464 litre	95,139 %	812,9929 litre	O
440	CM	110	CM 198 LEVEL CM	15855,3594 litre	94,796 %	870,4799 litre	O
440	CM	110	CM 197 LEVEL CM	15796,6988 litre	94,445 %	929,1405 litre	O
440	CM	110	CM 196 LEVEL CM	15736,9007 litre	94,087 %	988,9386 litre	O
440	CM	110	CM 195 LEVEL CM	15675,9989 litre	93,723 %	1049,8404 litre	O
440	CM	110	CM 194 LEVEL CM	15614,0258 litre	93,353 %	1111,8135 litre	O
440	CM	110	CM 193 LEVEL CM	15551,0117 litre	92,976 %	1174,8276 litre	O
440	CM	110	CM 192 LEVEL CM	15486,9857 litre	92,593 %	1238,8536 litre	O
440	CM	110	CM 191 LEVEL CM	15421,9754 litre	92,204 %	1303,8639 litre	O
440	CM	110	CM 190 LEVEL CM	15356,0072 litre	91,810 %	1369,8321 litre	O
440	CM	110	CM 189 LEVEL CM	15289,1065 litre	91,410 %	1436,7328 litre	O
440	CM	110	CM 188 LEVEL CM	15221,2975 litre	91,005 %	1504,5418 litre	O
440	CM	110	CM 187 LEVEL CM	15152,6035 litre	90,594 %	1573,2358 litre	O
440	CM	110	CM 186 LEVEL CM	15083,0468 litre	90,178 %	1642,7925 litre	O
440	CM	110	CM 185 LEVEL CM	15012,6490 litre	89,757 %	1713,1903 litre	O
440	CM	110	CM 184 LEVEL CM	14941,4310 litre	89,331 %	1784,4083 litre	O
440	CM	110	CM 183 LEVEL CM	14869,4128 litre	88,901 %	1856,4265 litre	O
440	CM	110	CM 182 LEVEL CM	14796,6139 litre	88,466 %	1929,2254 litre	O
440	CM	110	CM 181 LEVEL CM	14723,0530 litre	88,026 %	2002,7863 litre	O
440	CM	110	CM 180 LEVEL CM	14648,7484 litre	87,582 %	2077,0909 litre	O
440	CM	110	CM 179 LEVEL CM	14573,7178 litre	87,133 %	2152,1215 litre	O
440	CM	110	CM 178 LEVEL CM	14497,9784 litre	86,680 %	2227,8609 litre	O
440	CM	110	CM 177 LEVEL CM	14421,5469 litre	86,223 %	2304,2924 litre	O
440	CM	110	CM 176 LEVEL CM	14344,4395 litre	85,762 %	2381,3998 litre	O
440	CM	110	CM 175 LEVEL CM	14266,6721 litre	85,297 %	2459,1672 litre	O
440	CM	110	CM 174 LEVEL CM	14188,2601 litre	84,828 %	2537,5792 litre	O
440	CM	110	CM 173 LEVEL CM	14109,2186 litre	84,356 %	2616,6207 litre	O
440	CM	110	CM 172 LEVEL CM	14029,5621 litre	83,880 %	2696,2772 litre	O
440	CM	110	CM 171 LEVEL CM	13949,3052 litre	83,400 %	2776,5341 litre	O
440	CM	110	CM 170 LEVEL CM	13868,4619 litre	82,916 %	2857,3774 litre	O
440	CM	110	CM 169 LEVEL CM	13787,0458 litre	82,430 %	2938,7935 litre	O

440	CM 110	CM	168 LEVEL CM	13705,0704 litre	81,940 %	3020,7689 litre	O
440	CM 110	CM	167 LEVEL CM	13622,5490 litre	81,446 %	3103,2903 litre	O
440	CM 110	CM	166 LEVEL CM	13539,4943 litre	80,950 %	3186,3450 litre	O
440	CM 110	CM	165 LEVEL CM	13455,9192 litre	80,450 %	3269,9201 litre	O
440	CM 110	CM	164 LEVEL CM	13371,8359 litre	79,947 %	3354,0034 litre	O
440	CM 110	CM	163 LEVEL CM	13287,2568 litre	79,441 %	3438,5825 litre	O
440	CM 110	CM	162 LEVEL CM	13202,1938 litre	78,933 %	3523,6455 litre	O
440	CM 110	CM	161 LEVEL CM	13116,6586 litre	78,422 %	3609,1807 litre	O
440	CM 110	CM	160 LEVEL CM	13030,6630 litre	77,907 %	3695,1763 litre	O
440	CM 110	CM	159 LEVEL CM	12944,2183 litre	77,391 %	3781,6210 litre	O
440	CM 110	CM	158 LEVEL CM	12857,3358 litre	76,871 %	3868,5035 litre	O
440	CM 110	CM	157 LEVEL CM	12770,0265 litre	76,349 %	3955,8128 litre	O
440	CM 110	CM	156 LEVEL CM	12682,3012 litre	75,825 %	4043,5381 litre	O
440	CM 110	CM	155 LEVEL CM	12594,1709 litre	75,298 %	4131,6684 litre	O
440	CM 110	CM	154 LEVEL CM	12505,6460 litre	74,768 %	4220,1933 litre	O
440	CM 110	CM	153 LEVEL CM	12416,7370 litre	74,237 %	4309,1023 litre	O
440	CM 110	CM	152 LEVEL CM	12327,4543 litre	73,703 %	4398,3850 litre	O
440	CM 110	CM	151 LEVEL CM	12237,8080 litre	73,167 %	4488,0313 litre	O
440	CM 110	CM	150 LEVEL CM	12147,8083 litre	72,629 %	4578,0310 litre	O
440	CM 110	CM	149 LEVEL CM	12057,4650 litre	72,089 %	4668,3743 litre	O
440	CM 110	CM	148 LEVEL CM	11966,7880 litre	71,547 %	4759,0513 litre	O
440	CM 110	CM	147 LEVEL CM	11875,7871 litre	71,003 %	4850,0522 litre	O
440	CM 110	CM	146 LEVEL CM	11784,4719 litre	70,457 %	4941,3674 litre	O
440	CM 110	CM	145 LEVEL CM	11692,8518 litre	69,909 %	5032,9875 litre	O
440	CM 110	CM	144 LEVEL CM	11600,9364 litre	69,359 %	5124,9029 litre	O
440	CM 110	CM	143 LEVEL CM	11508,7350 litre	68,808 %	5217,1043 litre	O
440	CM 110	CM	142 LEVEL CM	11416,2569 litre	68,255 %	5309,5824 litre	O
440	CM 110	CM	141 LEVEL CM	11323,5111 litre	67,701 %	5402,3282 litre	O
440	CM 110	CM	140 LEVEL CM	11230,5069 litre	67,145 %	5495,3324 litre	O
440	CM 110	CM	139 LEVEL CM	11137,2532 litre	66,587 %	5588,5861 litre	O
440	CM 110	CM	138 LEVEL CM	11043,7590 litre	66,028 %	5682,0803 litre	O
440	CM 110	CM	137 LEVEL CM	10950,0332 litre	65,468 %	5775,8061 litre	O
440	CM 110	CM	136 LEVEL CM	10856,0846 litre	64,906 %	5869,7547 litre	O
440	CM 110	CM	135 LEVEL CM	10761,9218 litre	64,343 %	5963,9175 litre	O
440	CM 110	CM	134 LEVEL CM	10667,5537 litre	63,779 %	6058,2856 litre	O
440	CM 110	CM	133 LEVEL CM	10572,9889 litre	63,214 %	6152,8504 litre	O
440	CM 110	CM	132 LEVEL CM	10478,2359 litre	62,647 %	6247,6034 litre	O
440	CM 110	CM	131 LEVEL CM	10383,3032 litre	62,079 %	6342,5361 litre	O
440	CM 110	CM	130 LEVEL CM	10288,1994 litre	61,511 %	6437,6399 litre	O
440	CM 110	CM	129 LEVEL CM	10192,9329 litre	60,941 %	6532,9064 litre	O
440	CM 110	CM	128 LEVEL CM	10097,5121 litre	60,371 %	6628,3272 litre	O
440	CM 110	CM	127 LEVEL CM	10001,9453 litre	59,799 %	6723,8940 litre	O
440	CM 110	CM	126 LEVEL CM	9906,2408 litre	59,227 %	6819,5985 litre	O
440	CM 110	CM	125 LEVEL CM	9810,4070 litre	58,654 %	6915,4323 litre	O
440	CM 110	CM	124 LEVEL CM	9714,4520 litre	58,081 %	7011,3873 litre	O
440	CM 110	CM	123 LEVEL CM	9618,3841 litre	57,506 %	7107,4552 litre	O
440	CM 110	CM	122 LEVEL CM	9522,2115 litre	56,931 %	7203,6278 litre	O
440	CM 110	CM	121 LEVEL CM	9425,9423 litre	56,356 %	7299,8970 litre	O
440	CM 110	CM	120 LEVEL CM	9329,5847 litre	55,779 %	7396,2546 litre	O
440	CM 110	CM	119 LEVEL CM	9233,1467 litre	55,203 %	7492,6926 litre	O
440	CM 110	CM	118 LEVEL CM	9136,6364 litre	54,626 %	7589,2029 litre	O
440	CM 110	CM	117 LEVEL CM	9040,0620 litre	54,048 %	7685,7773 litre	O
440	CM 110	CM	116 LEVEL CM	8943,4315 litre	53,471 %	7782,4078 litre	O

440	CM 110	CM	115 LEVEL CM	8846,7529 litre	52,893 %	7879,0864 litre	O
440	CM 110	CM	114 LEVEL CM	8750,0343 litre	52,314 %	7975,8050 litre	O
440	CM 110	CM	113 LEVEL CM	8653,2836 litre	51,736 %	8072,5557 litre	O
440	CM 110	CM	112 LEVEL CM	8556,5090 litre	51,157 %	8169,3303 litre	O
440	CM 110	CM	111 LEVEL CM	8459,7183 litre	50,579 %	8266,1210 litre	O
440	CM 110	CM	110 LEVEL CM	8362,9196 litre	50,000 %	8362,9197 litre	O
440	CM 110	CM	109 LEVEL CM	8266,1210 litre	49,421 %	8459,7183 litre	O
440	CM 110	CM	108 LEVEL CM	8169,3303 litre	48,843 %	8556,5090 litre	O
440	CM 110	CM	107 LEVEL CM	8072,5556 litre	48,264 %	8653,2837 litre	O
440	CM 110	CM	106 LEVEL CM	7975,8050 litre	47,686 %	8750,0343 litre	O
440	CM 110	CM	105 LEVEL CM	7879,0864 litre	47,107 %	8846,7529 litre	O
440	CM 110	CM	104 LEVEL CM	7782,4078 litre	46,529 %	8943,4315 litre	O
440	CM 110	CM	103 LEVEL CM	7685,7773 litre	45,952 %	9040,0620 litre	O
440	CM 110	CM	102 LEVEL CM	7589,2029 litre	45,374 %	9136,6364 litre	O
440	CM 110	CM	101 LEVEL CM	7492,6926 litre	44,797 %	9233,1467 litre	O
440	CM 110	CM	100 LEVEL CM	7396,2546 litre	44,221 %	9329,5847 litre	O
440	CM 110	CM	99 LEVEL CM	7299,8970 litre	43,644 %	9425,9423 litre	O
440	CM 110	CM	98 LEVEL CM	7203,6278 litre	43,069 %	9522,2115 litre	O
440	CM 110	CM	97 LEVEL CM	7107,4551 litre	42,494 %	9618,3842 litre	O
440	CM 110	CM	96 LEVEL CM	7011,3873 litre	41,919 %	9714,4520 litre	O
440	CM 110	CM	95 LEVEL CM	6915,4323 litre	41,346 %	9810,4070 litre	O
440	CM 110	CM	94 LEVEL CM	6819,5984 litre	40,773 %	9906,2409 litre	O
440	CM 110	CM	93 LEVEL CM	6723,8940 litre	40,201 %	10001,9453 litre	O
440	CM 110	CM	92 LEVEL CM	6628,3272 litre	39,629 %	10097,5121 litre	O
440	CM 110	CM	91 LEVEL CM	6532,9063 litre	39,059 %	10192,9330 litre	O
440	CM 110	CM	90 LEVEL CM	6437,6398 litre	38,489 %	10288,1995 litre	O
440	CM 110	CM	89 LEVEL CM	6342,5360 litre	37,921 %	10383,3033 litre	O
440	CM 110	CM	88 LEVEL CM	6247,6034 litre	37,353 %	10478,2359 litre	O
440	CM 110	CM	87 LEVEL CM	6152,8504 litre	36,786 %	10572,9889 litre	O
440	CM 110	CM	86 LEVEL CM	6058,2855 litre	36,221 %	10667,5538 litre	O
440	CM 110	CM	85 LEVEL CM	5963,9174 litre	35,657 %	10761,9219 litre	O
440	CM 110	CM	84 LEVEL CM	5869,7547 litre	35,094 %	10856,0846 litre	O
440	CM 110	CM	83 LEVEL CM	5775,8061 litre	34,532 %	10950,0332 litre	O
440	CM 110	CM	82 LEVEL CM	5682,0802 litre	33,972 %	11043,7591 litre	O
440	CM 110	CM	81 LEVEL CM	5588,5860 litre	33,413 %	11137,2533 litre	O
440	CM 110	CM	80 LEVEL CM	5495,3324 litre	32,855 %	11230,5069 litre	O
440	CM 110	CM	79 LEVEL CM	5402,3282 litre	32,299 %	11323,5111 litre	O
440	CM 110	CM	78 LEVEL CM	5309,5824 litre	31,745 %	11416,2569 litre	O
440	CM 110	CM	77 LEVEL CM	5217,1043 litre	31,192 %	11508,7350 litre	O
440	CM 110	CM	76 LEVEL CM	5124,9029 litre	30,641 %	11600,9364 litre	O
440	CM 110	CM	75 LEVEL CM	5032,9875 litre	30,091 %	11692,8518 litre	O
440	CM 110	CM	74 LEVEL CM	4941,3674 litre	29,543 %	11784,4719 litre	O
440	CM 110	CM	73 LEVEL CM	4850,0522 litre	28,997 %	11875,7871 litre	O
440	CM 110	CM	72 LEVEL CM	4759,0513 litre	28,453 %	11966,7880 litre	O
440	CM 110	CM	71 LEVEL CM	4668,3743 litre	27,911 %	12057,4650 litre	O
440	CM 110	CM	70 LEVEL CM	4578,0310 litre	27,371 %	12147,8083 litre	O
440	CM 110	CM	69 LEVEL CM	4488,0313 litre	26,833 %	12237,8080 litre	O
440	CM 110	CM	68 LEVEL CM	4398,3850 litre	26,297 %	12327,4543 litre	O
440	CM 110	CM	67 LEVEL CM	4309,1023 litre	25,763 %	12416,7370 litre	O
440	CM 110	CM	66 LEVEL CM	4220,1933 litre	25,232 %	12505,6460 litre	O
440	CM 110	CM	65 LEVEL CM	4131,6684 litre	24,702 %	12594,1709 litre	O
440	CM 110	CM	64 LEVEL CM	4043,5381 litre	24,175 %	12682,3012 litre	O
440	CM 110	CM	63 LEVEL CM	3955,8128 litre	23,651 %	12770,0265 litre	O

440	CM 110	CM	62 LEVEL CM	3868,5035 litre	23,129 %	12857,3358 litre	O
440	CM 110	CM	61 LEVEL CM	3781,6209 litre	22,609 %	12944,2184 litre	O
440	CM 110	CM	60 LEVEL CM	3695,1762 litre	22,093 %	13030,6631 litre	O
440	CM 110	CM	59 LEVEL CM	3609,1806 litre	21,578 %	13116,6587 litre	O
440	CM 110	CM	58 LEVEL CM	3523,6455 litre	21,067 %	13202,1938 litre	O
440	CM 110	CM	57 LEVEL CM	3438,5825 litre	20,559 %	13287,2568 litre	O
440	CM 110	CM	56 LEVEL CM	3354,0034 litre	20,053 %	13371,8359 litre	O
440	CM 110	CM	55 LEVEL CM	3269,9201 litre	19,550 %	13455,9192 litre	O
440	CM 110	CM	54 LEVEL CM	3186,3450 litre	19,050 %	13539,4943 litre	O
440	CM 110	CM	53 LEVEL CM	3103,2903 litre	18,554 %	13622,5490 litre	O
440	CM 110	CM	52 LEVEL CM	3020,7689 litre	18,060 %	13705,0704 litre	O
440	CM 110	CM	51 LEVEL CM	2938,7935 litre	17,570 %	13787,0458 litre	O
440	CM 110	CM	50 LEVEL CM	2857,3774 litre	17,084 %	13868,4619 litre	O
440	CM 110	CM	49 LEVEL CM	2776,5341 litre	16,600 %	13949,3052 litre	O
440	CM 110	CM	48 LEVEL CM	2696,2771 litre	16,120 %	14029,5622 litre	O
440	CM 110	CM	47 LEVEL CM	2616,6207 litre	15,644 %	14109,2186 litre	O
440	CM 110	CM	46 LEVEL CM	2537,5792 litre	15,172 %	14188,2601 litre	O
440	CM 110	CM	45 LEVEL CM	2459,1672 litre	14,703 %	14266,6721 litre	O
440	CM 110	CM	44 LEVEL CM	2381,3997 litre	14,238 %	14344,4396 litre	O
440	CM 110	CM	43 LEVEL CM	2304,2924 litre	13,777 %	14421,5469 litre	O
440	CM 110	CM	42 LEVEL CM	2227,8608 litre	13,320 %	14497,9785 litre	O
440	CM 110	CM	41 LEVEL CM	2152,1215 litre	12,867 %	14573,7178 litre	O
440	CM 110	CM	40 LEVEL CM	2077,0909 litre	12,418 %	14648,7484 litre	O
440	CM 110	CM	39 LEVEL CM	2002,7863 litre	11,974 %	14723,0530 litre	O
440	CM 110	CM	38 LEVEL CM	1929,2254 litre	11,534 %	14796,6139 litre	O
440	CM 110	CM	37 LEVEL CM	1856,4265 litre	11,099 %	14869,4128 litre	O
440	CM 110	CM	36 LEVEL CM	1784,4083 litre	10,669 %	14941,4310 litre	O
440	CM 110	CM	35 LEVEL CM	1713,1903 litre	10,243 %	15012,6490 litre	O
440	CM 110	CM	34 LEVEL CM	1642,7925 litre	9,822 %	15083,0468 litre	O
440	CM 110	CM	33 LEVEL CM	1573,2358 litre	9,406 %	15152,6035 litre	O
440	CM 110	CM	32 LEVEL CM	1504,5418 litre	8,995 %	15221,2975 litre	O
440	CM 110	CM	31 LEVEL CM	1436,7328 litre	8,590 %	15289,1065 litre	O
440	CM 110	CM	30 LEVEL CM	1369,8321 litre	8,190 %	15356,0072 litre	O
440	CM 110	CM	29 LEVEL CM	1303,8639 litre	7,796 %	15421,9754 litre	O
440	CM 110	CM	28 LEVEL CM	1238,8536 litre	7,407 %	15486,9857 litre	O
440	CM 110	CM	27 LEVEL CM	1174,8276 litre	7,024 %	15551,0117 litre	O
440	CM 110	CM	26 LEVEL CM	1111,8135 litre	6,647 %	15614,0258 litre	O
440	CM 110	CM	25 LEVEL CM	1049,8403 litre	6,277 %	15675,9990 litre	O
440	CM 110	CM	24 LEVEL CM	988,9386 litre	5,913 %	15736,9007 litre	O
440	CM 110	CM	23 LEVEL CM	929,1405 litre	5,555 %	15796,6988 litre	O
440	CM 110	CM	22 LEVEL CM	870,4799 litre	5,204 %	15855,3594 litre	O
440	CM 110	CM	21 LEVEL CM	812,9928 litre	4,861 %	15912,8465 litre	O
440	CM 110	CM	20 LEVEL CM	756,7175 litre	4,524 %	15969,1218 litre	O
440	CM 110	CM	19 LEVEL CM	701,6947 litre	4,195 %	16024,1446 litre	O
440	CM 110	CM	18 LEVEL CM	647,9680 litre	3,874 %	16077,8713 litre	O
440	CM 110	CM	17 LEVEL CM	595,5842 litre	3,561 %	16130,2551 litre	O
440	CM 110	CM	16 LEVEL CM	544,5939 litre	3,256 %	16181,2454 litre	O
440	CM 110	CM	15 LEVEL CM	495,0519 litre	2,960 %	16230,7874 litre	O
440	CM 110	CM	14 LEVEL CM	447,0180 litre	2,673 %	16278,8213 litre	O
440	CM 110	CM	13 LEVEL CM	400,5578 litre	2,395 %	16325,2815 litre	O
440	CM 110	CM	12 LEVEL CM	355,7438 litre	2,127 %	16370,0955 litre	O
440	CM 110	CM	11 LEVEL CM	312,6567 litre	1,869 %	16413,1826 litre	O
440	CM 110	CM	10 LEVEL CM	271,3877 litre	1,623 %	16454,4516 litre	O

440	CM	110	CM	9 LEVEL CM	232,0403 litre	1,387 %	16493,7990 litre	O
440	CM	110	CM	8 LEVEL CM	194,7343 litre	1,164 %	16531,1050 litre	O
440	CM	110	CM	7 LEVEL CM	159,6101 litre	0,954 %	16566,2292 litre	O
440	CM	110	CM	6 LEVEL CM	126,8364 litre	0,758 %	16599,0029 litre	O
440	CM	110	CM	5 LEVEL CM	96,6216 litre	0,578 %	16629,2177 litre	O
440	CM	110	CM	4 LEVEL CM	69,2324 litre	0,414 %	16656,6069 litre	O
440	CM	110	CM	3 LEVEL CM	45,0298 litre	0,269 %	16680,8095 litre	O
440	CM	110	CM	2 LEVEL CM	24,5448 litre	0,147 %	16701,2945 litre	O
440	CM	110	CM	1 LEVEL CM	8,6898 litre	0,052 %	16717,1495 litre	O
440	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	16725,8393 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 105	CM 210 LEVEL CM	15239,8660 litre	100,000 %	0,0000 litre	O
440	CM 105	CM 209 LEVEL CM	15231,3765 litre	99,944 %	8,4895 litre	O
440	CM 105	CM 208 LEVEL CM	15215,8886 litre	99,843 %	23,9774 litre	O
440	CM 105	CM 207 LEVEL CM	15195,8801 litre	99,711 %	43,9859 litre	O
440	CM 105	CM 206 LEVEL CM	15172,2431 litre	99,556 %	67,6229 litre	O
440	CM 105	CM 205 LEVEL CM	15145,4969 litre	99,381 %	94,3691 litre	O
440	CM 105	CM 204 LEVEL CM	15115,9949 litre	99,187 %	123,8711 litre	O
440	CM 105	CM 203 LEVEL CM	15083,9980 litre	98,977 %	155,8680 litre	O
440	CM 105	CM 202 LEVEL CM	15049,7102 litre	98,752 %	190,1558 litre	O
440	CM 105	CM 201 LEVEL CM	15013,2968 litre	98,513 %	226,5692 litre	O
440	CM 105	CM 200 LEVEL CM	14974,8954 litre	98,261 %	264,9706 litre	O
440	CM 105	CM 199 LEVEL CM	14934,6234 litre	97,997 %	305,2426 litre	O
440	CM 105	CM 198 LEVEL CM	14892,5824 litre	97,721 %	347,2836 litre	O
440	CM 105	CM 197 LEVEL CM	14848,8615 litre	97,434 %	391,0045 litre	O
440	CM 105	CM 196 LEVEL CM	14803,5402 litre	97,137 %	436,3258 litre	O
440	CM 105	CM 195 LEVEL CM	14756,6896 litre	96,830 %	483,1764 litre	O
440	CM 105	CM 194 LEVEL CM	14708,3741 litre	96,512 %	531,4919 litre	O
440	CM 105	CM 193 LEVEL CM	14658,6525 litre	96,186 %	581,2135 litre	O
440	CM 105	CM 192 LEVEL CM	14607,5785 litre	95,851 %	632,2875 litre	O
440	CM 105	CM 191 LEVEL CM	14555,2020 litre	95,507 %	684,6640 litre	O
440	CM 105	CM 190 LEVEL CM	14501,5688 litre	95,155 %	738,2972 litre	O
440	CM 105	CM 189 LEVEL CM	14446,7221 litre	94,796 %	793,1439 litre	O
440	CM 105	CM 188 LEVEL CM	14390,7018 litre	94,428 %	849,1642 litre	O
440	CM 105	CM 187 LEVEL CM	14333,5456 litre	94,053 %	906,3204 litre	O
440	CM 105	CM 186 LEVEL CM	14275,2889 litre	93,671 %	964,5771 litre	O
440	CM 105	CM 185 LEVEL CM	14215,9652 litre	93,281 %	1023,9008 litre	O
440	CM 105	CM 184 LEVEL CM	14155,6063 litre	92,885 %	1084,2597 litre	O
440	CM 105	CM 183 LEVEL CM	14094,2420 litre	92,483 %	1145,6240 litre	O
440	CM 105	CM 182 LEVEL CM	14031,9012 litre	92,074 %	1207,9648 litre	O
440	CM 105	CM 181 LEVEL CM	13968,6111 litre	91,658 %	1271,2549 litre	O
440	CM 105	CM 180 LEVEL CM	13904,3978 litre	91,237 %	1335,4682 litre	O
440	CM 105	CM 179 LEVEL CM	13839,2862 litre	90,810 %	1400,5798 litre	O
440	CM 105	CM 178 LEVEL CM	13773,3003 litre	90,377 %	1466,5657 litre	O
440	CM 105	CM 177 LEVEL CM	13706,4633 litre	89,938 %	1533,4027 litre	O
440	CM 105	CM 176 LEVEL CM	13638,7971 litre	89,494 %	1601,0689 litre	O
440	CM 105	CM 175 LEVEL CM	13570,3231 litre	89,045 %	1669,5429 litre	O
440	CM 105	CM 174 LEVEL CM	13501,0620 litre	88,590 %	1738,8040 litre	O
440	CM 105	CM 173 LEVEL CM	13431,0337 litre	88,131 %	1808,8323 litre	O
440	CM 105	CM 172 LEVEL CM	13360,2573 litre	87,667 %	1879,6087 litre	O
440	CM 105	CM 171 LEVEL CM	13288,7517 litre	87,197 %	1951,1143 litre	O
440	CM 105	CM 170 LEVEL CM	13216,5347 litre	86,723 %	2023,3313 litre	O
440	CM 105	CM 169 LEVEL CM	13143,6241 litre	86,245 %	2096,2419 litre	O
440	CM 105	CM 168 LEVEL CM	13070,0369 litre	85,762 %	2169,8291 litre	O
440	CM 105	CM 167 LEVEL CM	12995,7896 litre	85,275 %	2244,0764 litre	O
440	CM 105	CM 166 LEVEL CM	12920,8984 litre	84,784 %	2318,9676 litre	O
440	CM 105	CM 165 LEVEL CM	12845,3791 litre	84,288 %	2394,4869 litre	O
440	CM 105	CM 164 LEVEL CM	12769,2470 litre	83,788 %	2470,6190 litre	O
440	CM 105	CM 163 LEVEL CM	12692,5171 litre	83,285 %	2547,3489 litre	O
440	CM 105	CM 162 LEVEL CM	12615,2041 litre	82,778 %	2624,6619 litre	O
440	CM 105	CM 161 LEVEL CM	12537,3222 litre	82,267 %	2702,5438 litre	O
440	CM 105	CM 160 LEVEL CM	12458,8854 litre	81,752 %	2780,9806 litre	O
440	CM 105	CM 159 LEVEL CM	12379,9075 litre	81,234 %	2859,9585 litre	O

440	CM	105	CM	158 LEVEL CM	12300,4019 litre	80,712 %	2939,4641 litre	O
440	CM	105	CM	157 LEVEL CM	12220,3816 litre	80,187 %	3019,4844 litre	O
440	CM	105	CM	156 LEVEL CM	12139,8598 litre	79,659 %	3100,0062 litre	O
440	CM	105	CM	155 LEVEL CM	12058,8489 litre	79,127 %	3181,0171 litre	O
440	CM	105	CM	154 LEVEL CM	11977,3614 litre	78,592 %	3262,5046 litre	O
440	CM	105	CM	153 LEVEL CM	11895,4097 litre	78,055 %	3344,4563 litre	O
440	CM	105	CM	152 LEVEL CM	11813,0055 litre	77,514 %	3426,8605 litre	O
440	CM	105	CM	151 LEVEL CM	11730,1609 litre	76,970 %	3509,7051 litre	O
440	CM	105	CM	150 LEVEL CM	11646,8874 litre	76,424 %	3592,9786 litre	O
440	CM	105	CM	149 LEVEL CM	11563,1964 litre	75,875 %	3676,6696 litre	O
440	CM	105	CM	148 LEVEL CM	11479,0993 litre	75,323 %	3760,7667 litre	O
440	CM	105	CM	147 LEVEL CM	11394,6072 litre	74,768 %	3845,2588 litre	O
440	CM	105	CM	146 LEVEL CM	11309,7310 litre	74,211 %	3930,1350 litre	O
440	CM	105	CM	145 LEVEL CM	11224,4815 litre	73,652 %	4015,3845 litre	O
440	CM	105	CM	144 LEVEL CM	11138,8694 litre	73,090 %	4100,9966 litre	O
440	CM	105	CM	143 LEVEL CM	11052,9053 litre	72,526 %	4186,9607 litre	O
440	CM	105	CM	142 LEVEL CM	10966,5995 litre	71,960 %	4273,2665 litre	O
440	CM	105	CM	141 LEVEL CM	10879,9624 litre	71,391 %	4359,9036 litre	O
440	CM	105	CM	140 LEVEL CM	10793,0040 litre	70,821 %	4446,8620 litre	O
440	CM	105	CM	139 LEVEL CM	10705,7346 litre	70,248 %	4534,1314 litre	O
440	CM	105	CM	138 LEVEL CM	10618,1639 litre	69,674 %	4621,7021 litre	O
440	CM	105	CM	137 LEVEL CM	10530,3020 litre	69,097 %	4709,5640 litre	O
440	CM	105	CM	136 LEVEL CM	10442,1584 litre	68,519 %	4797,7076 litre	O
440	CM	105	CM	135 LEVEL CM	10353,7429 litre	67,939 %	4886,1231 litre	O
440	CM	105	CM	134 LEVEL CM	10265,0650 litre	67,357 %	4974,8010 litre	O
440	CM	105	CM	133 LEVEL CM	10176,1342 litre	66,773 %	5063,7318 litre	O
440	CM	105	CM	132 LEVEL CM	10086,9599 litre	66,188 %	5152,9061 litre	O
440	CM	105	CM	131 LEVEL CM	9997,5515 litre	65,601 %	5242,3145 litre	O
440	CM	105	CM	130 LEVEL CM	9907,9181 litre	65,013 %	5331,9479 litre	O
440	CM	105	CM	129 LEVEL CM	9818,0690 litre	64,424 %	5421,7970 litre	O
440	CM	105	CM	128 LEVEL CM	9728,0133 litre	63,833 %	5511,8527 litre	O
440	CM	105	CM	127 LEVEL CM	9637,7601 litre	63,240 %	5602,1059 litre	O
440	CM	105	CM	126 LEVEL CM	9547,3182 litre	62,647 %	5692,5478 litre	O
440	CM	105	CM	125 LEVEL CM	9456,6968 litre	62,052 %	5783,1692 litre	O
440	CM	105	CM	124 LEVEL CM	9365,9045 litre	61,457 %	5873,9615 litre	O
440	CM	105	CM	123 LEVEL CM	9274,9504 litre	60,860 %	5964,9156 litre	O
440	CM	105	CM	122 LEVEL CM	9183,8431 litre	60,262 %	6056,0229 litre	O
440	CM	105	CM	121 LEVEL CM	9092,5915 litre	59,663 %	6147,2745 litre	O
440	CM	105	CM	120 LEVEL CM	9001,2042 litre	59,064 %	6238,6618 litre	O
440	CM	105	CM	119 LEVEL CM	8909,6898 litre	58,463 %	6330,1762 litre	O
440	CM	105	CM	118 LEVEL CM	8818,0571 litre	57,862 %	6421,8089 litre	O
440	CM	105	CM	117 LEVEL CM	8726,3145 litre	57,260 %	6513,5515 litre	O
440	CM	105	CM	116 LEVEL CM	8634,4707 litre	56,657 %	6605,3953 litre	O
440	CM	105	CM	115 LEVEL CM	8542,5342 litre	56,054 %	6697,3318 litre	O
440	CM	105	CM	114 LEVEL CM	8450,5136 litre	55,450 %	6789,3524 litre	O
440	CM	105	CM	113 LEVEL CM	8358,4172 litre	54,846 %	6881,4488 litre	O
440	CM	105	CM	112 LEVEL CM	8266,2536 litre	54,241 %	6973,6124 litre	O
440	CM	105	CM	111 LEVEL CM	8174,0311 litre	53,636 %	7065,8349 litre	O
440	CM	105	CM	110 LEVEL CM	8081,7583 litre	53,030 %	7158,1077 litre	O
440	CM	105	CM	109 LEVEL CM	7989,4436 litre	52,425 %	7250,4224 litre	O
440	CM	105	CM	108 LEVEL CM	7897,0953 litre	51,819 %	7342,7707 litre	O
440	CM	105	CM	107 LEVEL CM	7804,7218 litre	51,213 %	7435,1442 litre	O
440	CM	105	CM	106 LEVEL CM	7712,3316 litre	50,606 %	7527,5344 litre	O

440	CM	105	CM	105 LEVEL CM	7619,9330 litre	50,000 %	7619,9330 litre	O
440	CM	105	CM	104 LEVEL CM	7527,5344 litre	49,394 %	7712,3316 litre	O
440	CM	105	CM	103 LEVEL CM	7435,1442 litre	48,787 %	7804,7218 litre	O
440	CM	105	CM	102 LEVEL CM	7342,7707 litre	48,181 %	7897,0953 litre	O
440	CM	105	CM	101 LEVEL CM	7250,4224 litre	47,575 %	7989,4436 litre	O
440	CM	105	CM	100 LEVEL CM	7158,1076 litre	46,970 %	8081,7584 litre	O
440	CM	105	CM	99 LEVEL CM	7065,8348 litre	46,364 %	8174,0312 litre	O
440	CM	105	CM	98 LEVEL CM	6973,6124 litre	45,759 %	8266,2536 litre	O
440	CM	105	CM	97 LEVEL CM	6881,4488 litre	45,154 %	8358,4172 litre	O
440	CM	105	CM	96 LEVEL CM	6789,3524 litre	44,550 %	8450,5136 litre	O
440	CM	105	CM	95 LEVEL CM	6697,3317 litre	43,946 %	8542,5343 litre	O
440	CM	105	CM	94 LEVEL CM	6605,3952 litre	43,343 %	8634,4708 litre	O
440	CM	105	CM	93 LEVEL CM	6513,5514 litre	42,740 %	8726,3146 litre	O
440	CM	105	CM	92 LEVEL CM	6421,8089 litre	42,138 %	8818,0571 litre	O
440	CM	105	CM	91 LEVEL CM	6330,1762 litre	41,537 %	8909,6898 litre	O
440	CM	105	CM	90 LEVEL CM	6238,6618 litre	40,936 %	9001,2042 litre	O
440	CM	105	CM	89 LEVEL CM	6147,2745 litre	40,337 %	9092,5915 litre	O
440	CM	105	CM	88 LEVEL CM	6056,0228 litre	39,738 %	9183,8432 litre	O
440	CM	105	CM	87 LEVEL CM	5964,9156 litre	39,140 %	9274,9504 litre	O
440	CM	105	CM	86 LEVEL CM	5873,9614 litre	38,543 %	9365,9046 litre	O
440	CM	105	CM	85 LEVEL CM	5783,1692 litre	37,948 %	9456,6968 litre	O
440	CM	105	CM	84 LEVEL CM	5692,5477 litre	37,353 %	9547,3183 litre	O
440	CM	105	CM	83 LEVEL CM	5602,1059 litre	36,760 %	9637,7601 litre	O
440	CM	105	CM	82 LEVEL CM	5511,8526 litre	36,167 %	9728,0134 litre	O
440	CM	105	CM	81 LEVEL CM	5421,7969 litre	35,576 %	9818,0691 litre	O
440	CM	105	CM	80 LEVEL CM	5331,9478 litre	34,987 %	9907,9182 litre	O
440	CM	105	CM	79 LEVEL CM	5242,3145 litre	34,399 %	9997,5515 litre	O
440	CM	105	CM	78 LEVEL CM	5152,9060 litre	33,812 %	10086,9600 litre	O
440	CM	105	CM	77 LEVEL CM	5063,7318 litre	33,227 %	10176,1342 litre	O
440	CM	105	CM	76 LEVEL CM	4974,8010 litre	32,643 %	10265,0650 litre	O
440	CM	105	CM	75 LEVEL CM	4886,1231 litre	32,061 %	10353,7429 litre	O
440	CM	105	CM	74 LEVEL CM	4797,7076 litre	31,481 %	10442,1584 litre	O
440	CM	105	CM	73 LEVEL CM	4709,5640 litre	30,903 %	10530,3020 litre	O
440	CM	105	CM	72 LEVEL CM	4621,7020 litre	30,326 %	10618,1640 litre	O
440	CM	105	CM	71 LEVEL CM	4534,1314 litre	29,752 %	10705,7346 litre	O
440	CM	105	CM	70 LEVEL CM	4446,8619 litre	29,179 %	10793,0041 litre	O
440	CM	105	CM	69 LEVEL CM	4359,9036 litre	28,609 %	10879,9624 litre	O
440	CM	105	CM	68 LEVEL CM	4273,2665 litre	28,040 %	10966,5995 litre	O
440	CM	105	CM	67 LEVEL CM	4186,9607 litre	27,474 %	11052,9053 litre	O
440	CM	105	CM	66 LEVEL CM	4100,9966 litre	26,910 %	11138,8694 litre	O
440	CM	105	CM	65 LEVEL CM	4015,3845 litre	26,348 %	11224,4815 litre	O
440	CM	105	CM	64 LEVEL CM	3930,1350 litre	25,789 %	11309,7310 litre	O
440	CM	105	CM	63 LEVEL CM	3845,2588 litre	25,232 %	11394,6072 litre	O
440	CM	105	CM	62 LEVEL CM	3760,7666 litre	24,677 %	11479,0994 litre	O
440	CM	105	CM	61 LEVEL CM	3676,6695 litre	24,125 %	11563,1965 litre	O
440	CM	105	CM	60 LEVEL CM	3592,9786 litre	23,576 %	11646,8874 litre	O
440	CM	105	CM	59 LEVEL CM	3509,7051 litre	23,030 %	11730,1609 litre	O
440	CM	105	CM	58 LEVEL CM	3426,8604 litre	22,486 %	11813,0056 litre	O
440	CM	105	CM	57 LEVEL CM	3344,4563 litre	21,945 %	11895,4097 litre	O
440	CM	105	CM	56 LEVEL CM	3262,5045 litre	21,408 %	11977,3615 litre	O
440	CM	105	CM	55 LEVEL CM	3181,0171 litre	20,873 %	12058,8489 litre	O
440	CM	105	CM	54 LEVEL CM	3100,0062 litre	20,341 %	12139,8598 litre	O
440	CM	105	CM	53 LEVEL CM	3019,4843 litre	19,813 %	12220,3817 litre	O

440	CM	105	CM	52 LEVEL CM	2939,4641 litre	19,288 %	12300,4019 litre	O
440	CM	105	CM	51 LEVEL CM	2859,9585 litre	18,766 %	12379,9075 litre	O
440	CM	105	CM	50 LEVEL CM	2780,9806 litre	18,248 %	12458,8854 litre	O
440	CM	105	CM	49 LEVEL CM	2702,5438 litre	17,733 %	12537,3222 litre	O
440	CM	105	CM	48 LEVEL CM	2624,6619 litre	17,222 %	12615,2041 litre	O
440	CM	105	CM	47 LEVEL CM	2547,3489 litre	16,715 %	12692,5171 litre	O
440	CM	105	CM	46 LEVEL CM	2470,6190 litre	16,212 %	12769,2470 litre	O
440	CM	105	CM	45 LEVEL CM	2394,4869 litre	15,712 %	12845,3791 litre	O
440	CM	105	CM	44 LEVEL CM	2318,9676 litre	15,216 %	12920,8984 litre	O
440	CM	105	CM	43 LEVEL CM	2244,0764 litre	14,725 %	12995,7896 litre	O
440	CM	105	CM	42 LEVEL CM	2169,8291 litre	14,238 %	13070,0369 litre	O
440	CM	105	CM	41 LEVEL CM	2096,2418 litre	13,755 %	13143,6242 litre	O
440	CM	105	CM	40 LEVEL CM	2023,3312 litre	13,277 %	13216,5348 litre	O
440	CM	105	CM	39 LEVEL CM	1951,1143 litre	12,803 %	13288,7517 litre	O
440	CM	105	CM	38 LEVEL CM	1879,6086 litre	12,333 %	13360,2574 litre	O
440	CM	105	CM	37 LEVEL CM	1808,8323 litre	11,869 %	13431,0337 litre	O
440	CM	105	CM	36 LEVEL CM	1738,8039 litre	11,410 %	13501,0621 litre	O
440	CM	105	CM	35 LEVEL CM	1669,5428 litre	10,955 %	13570,3232 litre	O
440	CM	105	CM	34 LEVEL CM	1601,0689 litre	10,506 %	13638,7971 litre	O
440	CM	105	CM	33 LEVEL CM	1533,4027 litre	10,062 %	13706,4633 litre	O
440	CM	105	CM	32 LEVEL CM	1466,5656 litre	9,623 %	13773,3004 litre	O
440	CM	105	CM	31 LEVEL CM	1400,5798 litre	9,190 %	13839,2862 litre	O
440	CM	105	CM	30 LEVEL CM	1335,4682 litre	8,763 %	13904,3978 litre	O
440	CM	105	CM	29 LEVEL CM	1271,2549 litre	8,342 %	13968,6111 litre	O
440	CM	105	CM	28 LEVEL CM	1207,9647 litre	7,926 %	14031,9013 litre	O
440	CM	105	CM	27 LEVEL CM	1145,6239 litre	7,517 %	14094,2421 litre	O
440	CM	105	CM	26 LEVEL CM	1084,2597 litre	7,115 %	14155,6063 litre	O
440	CM	105	CM	25 LEVEL CM	1023,9007 litre	6,719 %	14215,9653 litre	O
440	CM	105	CM	24 LEVEL CM	964,5770 litre	6,329 %	14275,2890 litre	O
440	CM	105	CM	23 LEVEL CM	906,3204 litre	5,947 %	14333,5456 litre	O
440	CM	105	CM	22 LEVEL CM	849,1642 litre	5,572 %	14390,7018 litre	O
440	CM	105	CM	21 LEVEL CM	793,1439 litre	5,204 %	14446,7221 litre	O
440	CM	105	CM	20 LEVEL CM	738,2971 litre	4,845 %	14501,5689 litre	O
440	CM	105	CM	19 LEVEL CM	684,6640 litre	4,493 %	14555,2020 litre	O
440	CM	105	CM	18 LEVEL CM	632,2874 litre	4,149 %	14607,5786 litre	O
440	CM	105	CM	17 LEVEL CM	581,2135 litre	3,814 %	14658,6525 litre	O
440	CM	105	CM	16 LEVEL CM	531,4918 litre	3,488 %	14708,3742 litre	O
440	CM	105	CM	15 LEVEL CM	483,1763 litre	3,170 %	14756,6897 litre	O
440	CM	105	CM	14 LEVEL CM	436,3257 litre	2,863 %	14803,5403 litre	O
440	CM	105	CM	13 LEVEL CM	391,0044 litre	2,566 %	14848,8616 litre	O
440	CM	105	CM	12 LEVEL CM	347,2836 litre	2,279 %	14892,5824 litre	O
440	CM	105	CM	11 LEVEL CM	305,2425 litre	2,003 %	14934,6235 litre	O
440	CM	105	CM	10 LEVEL CM	264,9705 litre	1,739 %	14974,8955 litre	O
440	CM	105	CM	9 LEVEL CM	226,5692 litre	1,487 %	15013,2968 litre	O
440	CM	105	CM	8 LEVEL CM	190,1557 litre	1,248 %	15049,7103 litre	O
440	CM	105	CM	7 LEVEL CM	155,8680 litre	1,023 %	15083,9980 litre	O
440	CM	105	CM	6 LEVEL CM	123,8711 litre	0,813 %	15115,9949 litre	O
440	CM	105	CM	5 LEVEL CM	94,3690 litre	0,619 %	15145,4970 litre	O
440	CM	105	CM	4 LEVEL CM	67,6229 litre	0,444 %	15172,2431 litre	O
440	CM	105	CM	3 LEVEL CM	43,9858 litre	0,289 %	15195,8802 litre	O
440	CM	105	CM	2 LEVEL CM	23,9774 litre	0,157 %	15215,8886 litre	O
440	CM	105	CM	1 LEVEL CM	8,4895 litre	0,056 %	15231,3765 litre	O
440	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	15239,8660 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 100	CM 200 LEVEL CM	13823,0077 litre	100,000 %	0,0000 litre	O
440	CM 100	CM 199 LEVEL CM	13814,7234 litre	99,940 %	8,2843 litre	O
440	CM 100	CM 198 LEVEL CM	13799,6115 litre	99,831 %	23,3962 litre	O
440	CM 100	CM 197 LEVEL CM	13780,0912 litre	99,690 %	42,9165 litre	O
440	CM 100	CM 196 LEVEL CM	13757,0336 litre	99,523 %	65,9741 litre	O
440	CM 100	CM 195 LEVEL CM	13730,9464 litre	99,334 %	92,0613 litre	O
440	CM 100	CM 194 LEVEL CM	13702,1747 litre	99,126 %	120,8330 litre	O
440	CM 100	CM 193 LEVEL CM	13670,9739 litre	98,900 %	152,0338 litre	O
440	CM 100	CM 192 LEVEL CM	13637,5435 litre	98,658 %	185,4642 litre	O
440	CM 100	CM 191 LEVEL CM	13602,0451 litre	98,401 %	220,9626 litre	O
440	CM 100	CM 190 LEVEL CM	13564,6137 litre	98,131 %	258,3940 litre	O
440	CM 100	CM 189 LEVEL CM	13525,3640 litre	97,847 %	297,6437 litre	O
440	CM 100	CM 188 LEVEL CM	13484,3956 litre	97,550 %	338,6121 litre	O
440	CM 100	CM 187 LEVEL CM	13441,7960 litre	97,242 %	381,2117 litre	O
440	CM 100	CM 186 LEVEL CM	13397,6430 litre	96,923 %	425,3647 litre	O
440	CM 100	CM 185 LEVEL CM	13352,0064 litre	96,593 %	471,0013 litre	O
440	CM 100	CM 184 LEVEL CM	13304,9493 litre	96,252 %	518,0584 litre	O
440	CM 100	CM 183 LEVEL CM	13256,5296 litre	95,902 %	566,4781 litre	O
440	CM 100	CM 182 LEVEL CM	13206,7999 litre	95,542 %	616,2078 litre	O
440	CM 100	CM 181 LEVEL CM	13155,8092 litre	95,173 %	667,1985 litre	O
440	CM 100	CM 180 LEVEL CM	13103,6028 litre	94,796 %	719,4049 litre	O
440	CM 100	CM 179 LEVEL CM	13050,2228 litre	94,409 %	772,7849 litre	O
440	CM 100	CM 178 LEVEL CM	12995,7087 litre	94,015 %	827,2990 litre	O
440	CM 100	CM 177 LEVEL CM	12940,0976 litre	93,613 %	882,9101 litre	O
440	CM 100	CM 176 LEVEL CM	12883,4243 litre	93,203 %	939,5834 litre	O
440	CM 100	CM 175 LEVEL CM	12825,7218 litre	92,785 %	997,2859 litre	O
440	CM 100	CM 174 LEVEL CM	12767,0214 litre	92,361 %	1055,9863 litre	O
440	CM 100	CM 173 LEVEL CM	12707,3527 litre	91,929 %	1115,6550 litre	O
440	CM 100	CM 172 LEVEL CM	12646,7439 litre	91,491 %	1176,2638 litre	O
440	CM 100	CM 171 LEVEL CM	12585,2220 litre	91,045 %	1237,7857 litre	O
440	CM 100	CM 170 LEVEL CM	12522,8128 litre	90,594 %	1300,1949 litre	O
440	CM 100	CM 169 LEVEL CM	12459,5409 litre	90,136 %	1363,4668 litre	O
440	CM 100	CM 168 LEVEL CM	12395,4301 litre	89,672 %	1427,5776 litre	O
440	CM 100	CM 167 LEVEL CM	12330,5030 litre	89,203 %	1492,5047 litre	O
440	CM 100	CM 166 LEVEL CM	12264,7817 litre	88,727 %	1558,2260 litre	O
440	CM 100	CM 165 LEVEL CM	12198,2872 litre	88,246 %	1624,7205 litre	O
440	CM 100	CM 164 LEVEL CM	12131,0399 litre	87,760 %	1691,9678 litre	O
440	CM 100	CM 163 LEVEL CM	12063,0597 litre	87,268 %	1759,9480 litre	O
440	CM 100	CM 162 LEVEL CM	11994,3655 litre	86,771 %	1828,6422 litre	O
440	CM 100	CM 161 LEVEL CM	11924,9758 litre	86,269 %	1898,0319 litre	O
440	CM 100	CM 160 LEVEL CM	11854,9087 litre	85,762 %	1968,0990 litre	O
440	CM 100	CM 159 LEVEL CM	11784,1816 litre	85,250 %	2038,8261 litre	O
440	CM 100	CM 158 LEVEL CM	11712,8113 litre	84,734 %	2110,1964 litre	O
440	CM 100	CM 157 LEVEL CM	11640,8145 litre	84,213 %	2182,1932 litre	O
440	CM 100	CM 156 LEVEL CM	11568,2071 litre	83,688 %	2254,8006 litre	O
440	CM 100	CM 155 LEVEL CM	11495,0049 litre	83,158 %	2328,0028 litre	O
440	CM 100	CM 154 LEVEL CM	11421,2232 litre	82,625 %	2401,7845 litre	O
440	CM 100	CM 153 LEVEL CM	11346,8768 litre	82,087 %	2476,1309 litre	O
440	CM 100	CM 152 LEVEL CM	11271,9804 litre	81,545 %	2551,0273 litre	O
440	CM 100	CM 151 LEVEL CM	11196,5483 litre	80,999 %	2626,4594 litre	O
440	CM 100	CM 150 LEVEL CM	11120,5943 litre	80,450 %	2702,4134 litre	O
440	CM 100	CM 149 LEVEL CM	11044,1323 litre	79,897 %	2778,8754 litre	O

440	CM	100	CM	148 LEVEL CM	10967,1756 litre	79,340 %	2855,8321 litre	O
440	CM	100	CM	147 LEVEL CM	10889,7374 litre	78,780 %	2933,2703 litre	O
440	CM	100	CM	146 LEVEL CM	10811,8306 litre	78,216 %	3011,1771 litre	O
440	CM	100	CM	145 LEVEL CM	10733,4679 litre	77,649 %	3089,5398 litre	O
440	CM	100	CM	144 LEVEL CM	10654,6617 litre	77,079 %	3168,3460 litre	O
440	CM	100	CM	143 LEVEL CM	10575,4243 litre	76,506 %	3247,5834 litre	O
440	CM	100	CM	142 LEVEL CM	10495,7678 litre	75,930 %	3327,2399 litre	O
440	CM	100	CM	141 LEVEL CM	10415,7040 litre	75,350 %	3407,3037 litre	O
440	CM	100	CM	140 LEVEL CM	10335,2446 litre	74,768 %	3487,7631 litre	O
440	CM	100	CM	139 LEVEL CM	10254,4011 litre	74,184 %	3568,6066 litre	O
440	CM	100	CM	138 LEVEL CM	10173,1849 litre	73,596 %	3649,8228 litre	O
440	CM	100	CM	137 LEVEL CM	10091,6072 litre	73,006 %	3731,4005 litre	O
440	CM	100	CM	136 LEVEL CM	10009,6790 litre	72,413 %	3813,3287 litre	O
440	CM	100	CM	135 LEVEL CM	9927,4112 litre	71,818 %	3895,5965 litre	O
440	CM	100	CM	134 LEVEL CM	9844,8146 litre	71,220 %	3978,1931 litre	O
440	CM	100	CM	133 LEVEL CM	9761,8999 litre	70,621 %	4061,1078 litre	O
440	CM	100	CM	132 LEVEL CM	9678,6775 litre	70,019 %	4144,3302 litre	O
440	CM	100	CM	131 LEVEL CM	9595,1578 litre	69,414 %	4227,8499 litre	O
440	CM	100	CM	130 LEVEL CM	9511,3513 litre	68,808 %	4311,6564 litre	O
440	CM	100	CM	129 LEVEL CM	9427,2679 litre	68,200 %	4395,7398 litre	O
440	CM	100	CM	128 LEVEL CM	9342,9179 litre	67,590 %	4480,0898 litre	O
440	CM	100	CM	127 LEVEL CM	9258,3112 litre	66,978 %	4564,6965 litre	O
440	CM	100	CM	126 LEVEL CM	9173,4578 litre	66,364 %	4649,5499 litre	O
440	CM	100	CM	125 LEVEL CM	9088,3674 litre	65,748 %	4734,6403 litre	O
440	CM	100	CM	124 LEVEL CM	9003,0498 litre	65,131 %	4819,9579 litre	O
440	CM	100	CM	123 LEVEL CM	8917,5146 litre	64,512 %	4905,4931 litre	O
440	CM	100	CM	122 LEVEL CM	8831,7714 litre	63,892 %	4991,2363 litre	O
440	CM	100	CM	121 LEVEL CM	8745,8297 litre	63,270 %	5077,1780 litre	O
440	CM	100	CM	120 LEVEL CM	8659,6991 litre	62,647 %	5163,3086 litre	O
440	CM	100	CM	119 LEVEL CM	8573,3888 litre	62,023 %	5249,6189 litre	O
440	CM	100	CM	118 LEVEL CM	8486,9082 litre	61,397 %	5336,0995 litre	O
440	CM	100	CM	117 LEVEL CM	8400,2665 litre	60,770 %	5422,7412 litre	O
440	CM	100	CM	116 LEVEL CM	8313,4731 litre	60,142 %	5509,5346 litre	O
440	CM	100	CM	115 LEVEL CM	8226,5370 litre	59,513 %	5596,4707 litre	O
440	CM	100	CM	114 LEVEL CM	8139,4674 litre	58,883 %	5683,5403 litre	O
440	CM	100	CM	113 LEVEL CM	8052,2734 litre	58,253 %	5770,7343 litre	O
440	CM	100	CM	112 LEVEL CM	7964,9639 litre	57,621 %	5858,0438 litre	O
440	CM	100	CM	111 LEVEL CM	7877,5481 litre	56,989 %	5945,4596 litre	O
440	CM	100	CM	110 LEVEL CM	7790,0350 litre	56,356 %	6032,9727 litre	O
440	CM	100	CM	109 LEVEL CM	7702,4333 litre	55,722 %	6120,5744 litre	O
440	CM	100	CM	108 LEVEL CM	7614,7522 litre	55,088 %	6208,2555 litre	O
440	CM	100	CM	107 LEVEL CM	7527,0004 litre	54,453 %	6296,0073 litre	O
440	CM	100	CM	106 LEVEL CM	7439,1869 litre	53,817 %	6383,8208 litre	O
440	CM	100	CM	105 LEVEL CM	7351,3204 litre	53,182 %	6471,6873 litre	O
440	CM	100	CM	104 LEVEL CM	7263,4099 litre	52,546 %	6559,5978 litre	O
440	CM	100	CM	103 LEVEL CM	7175,4642 litre	51,910 %	6647,5435 litre	O
440	CM	100	CM	102 LEVEL CM	7087,4921 litre	51,273 %	6735,5156 litre	O
440	CM	100	CM	101 LEVEL CM	6999,5024 litre	50,637 %	6823,5053 litre	O
440	CM	100	CM	100 LEVEL CM	6911,5038 litre	50,000 %	6911,5039 litre	O
440	CM	100	CM	99 LEVEL CM	6823,5053 litre	49,363 %	6999,5024 litre	O
440	CM	100	CM	98 LEVEL CM	6735,5156 litre	48,727 %	7087,4921 litre	O
440	CM	100	CM	97 LEVEL CM	6647,5434 litre	48,090 %	7175,4643 litre	O
440	CM	100	CM	96 LEVEL CM	6559,5977 litre	47,454 %	7263,4100 litre	O

440	CM	100	CM	95 LEVEL CM	6471,6872 litre	46,818 %	7351,3205 litre	O
440	CM	100	CM	94 LEVEL CM	6383,8208 litre	46,183 %	7439,1869 litre	O
440	CM	100	CM	93 LEVEL CM	6296,0073 litre	45,547 %	7527,0004 litre	O
440	CM	100	CM	92 LEVEL CM	6208,2555 litre	44,912 %	7614,7522 litre	O
440	CM	100	CM	91 LEVEL CM	6120,5743 litre	44,278 %	7702,4334 litre	O
440	CM	100	CM	90 LEVEL CM	6032,9727 litre	43,644 %	7790,0350 litre	O
440	CM	100	CM	89 LEVEL CM	5945,4595 litre	43,011 %	7877,5482 litre	O
440	CM	100	CM	88 LEVEL CM	5858,0437 litre	42,379 %	7964,9640 litre	O
440	CM	100	CM	87 LEVEL CM	5770,7343 litre	41,747 %	8052,2734 litre	O
440	CM	100	CM	86 LEVEL CM	5683,5403 litre	41,117 %	8139,4674 litre	O
440	CM	100	CM	85 LEVEL CM	5596,4707 litre	40,487 %	8226,5370 litre	O
440	CM	100	CM	84 LEVEL CM	5509,5346 litre	39,858 %	8313,4731 litre	O
440	CM	100	CM	83 LEVEL CM	5422,7411 litre	39,230 %	8400,2666 litre	O
440	CM	100	CM	82 LEVEL CM	5336,0995 litre	38,603 %	8486,9082 litre	O
440	CM	100	CM	81 LEVEL CM	5249,6189 litre	37,977 %	8573,3888 litre	O
440	CM	100	CM	80 LEVEL CM	5163,3086 litre	37,353 %	8659,6991 litre	O
440	CM	100	CM	79 LEVEL CM	5077,1779 litre	36,730 %	8745,8298 litre	O
440	CM	100	CM	78 LEVEL CM	4991,2363 litre	36,108 %	8831,7714 litre	O
440	CM	100	CM	77 LEVEL CM	4905,4931 litre	35,488 %	8917,5146 litre	O
440	CM	100	CM	76 LEVEL CM	4819,9579 litre	34,869 %	9003,0498 litre	O
440	CM	100	CM	75 LEVEL CM	4734,6403 litre	34,252 %	9088,3674 litre	O
440	CM	100	CM	74 LEVEL CM	4649,5499 litre	33,636 %	9173,4578 litre	O
440	CM	100	CM	73 LEVEL CM	4564,6964 litre	33,022 %	9258,3113 litre	O
440	CM	100	CM	72 LEVEL CM	4480,0898 litre	32,410 %	9342,9179 litre	O
440	CM	100	CM	71 LEVEL CM	4395,7398 litre	31,800 %	9427,2679 litre	O
440	CM	100	CM	70 LEVEL CM	4311,6564 litre	31,192 %	9511,3513 litre	O
440	CM	100	CM	69 LEVEL CM	4227,8498 litre	30,586 %	9595,1579 litre	O
440	CM	100	CM	68 LEVEL CM	4144,3302 litre	29,981 %	9678,6775 litre	O
440	CM	100	CM	67 LEVEL CM	4061,1078 litre	29,379 %	9761,8999 litre	O
440	CM	100	CM	66 LEVEL CM	3978,1930 litre	28,780 %	9844,8147 litre	O
440	CM	100	CM	65 LEVEL CM	3895,5964 litre	28,182 %	9927,4113 litre	O
440	CM	100	CM	64 LEVEL CM	3813,3287 litre	27,587 %	10009,6790 litre	O
440	CM	100	CM	63 LEVEL CM	3731,4005 litre	26,994 %	10091,6072 litre	O
440	CM	100	CM	62 LEVEL CM	3649,8227 litre	26,404 %	10173,1850 litre	O
440	CM	100	CM	61 LEVEL CM	3568,6065 litre	25,816 %	10254,4012 litre	O
440	CM	100	CM	60 LEVEL CM	3487,7631 litre	25,232 %	10335,2446 litre	O
440	CM	100	CM	59 LEVEL CM	3407,3037 litre	24,650 %	10415,7040 litre	O
440	CM	100	CM	58 LEVEL CM	3327,2399 litre	24,070 %	10495,7678 litre	O
440	CM	100	CM	57 LEVEL CM	3247,5834 litre	23,494 %	10575,4243 litre	O
440	CM	100	CM	56 LEVEL CM	3168,3460 litre	22,921 %	10654,6617 litre	O
440	CM	100	CM	55 LEVEL CM	3089,5398 litre	22,351 %	10733,4679 litre	O
440	CM	100	CM	54 LEVEL CM	3011,1771 litre	21,784 %	10811,8306 litre	O
440	CM	100	CM	53 LEVEL CM	2933,2703 litre	21,220 %	10889,7374 litre	O
440	CM	100	CM	52 LEVEL CM	2855,8321 litre	20,660 %	10967,1756 litre	O
440	CM	100	CM	51 LEVEL CM	2778,8754 litre	20,103 %	11044,1323 litre	O
440	CM	100	CM	50 LEVEL CM	2702,4133 litre	19,550 %	11120,5944 litre	O
440	CM	100	CM	49 LEVEL CM	2626,4594 litre	19,001 %	11196,5483 litre	O
440	CM	100	CM	48 LEVEL CM	2551,0273 litre	18,455 %	11271,9804 litre	O
440	CM	100	CM	47 LEVEL CM	2476,1309 litre	17,913 %	11346,8768 litre	O
440	CM	100	CM	46 LEVEL CM	2401,7845 litre	17,375 %	11421,2232 litre	O
440	CM	100	CM	45 LEVEL CM	2328,0027 litre	16,842 %	11495,0050 litre	O
440	CM	100	CM	44 LEVEL CM	2254,8005 litre	16,312 %	11568,2072 litre	O
440	CM	100	CM	43 LEVEL CM	2182,1932 litre	15,787 %	11640,8145 litre	O

440	CM	100	CM	42 LEVEL CM	2110,1964 litre	15,266 %	11712,8113 litre	O
440	CM	100	CM	41 LEVEL CM	2038,8261 litre	14,750 %	11784,1816 litre	O
440	CM	100	CM	40 LEVEL CM	1968,0990 litre	14,238 %	11854,9087 litre	O
440	CM	100	CM	39 LEVEL CM	1898,0318 litre	13,731 %	11924,9759 litre	O
440	CM	100	CM	38 LEVEL CM	1828,6422 litre	13,229 %	11994,3655 litre	O
440	CM	100	CM	37 LEVEL CM	1759,9480 litre	12,732 %	12063,0597 litre	O
440	CM	100	CM	36 LEVEL CM	1691,9677 litre	12,240 %	12131,0400 litre	O
440	CM	100	CM	35 LEVEL CM	1624,7205 litre	11,754 %	12198,2872 litre	O
440	CM	100	CM	34 LEVEL CM	1558,2260 litre	11,273 %	12264,7817 litre	O
440	CM	100	CM	33 LEVEL CM	1492,5047 litre	10,797 %	12330,5030 litre	O
440	CM	100	CM	32 LEVEL CM	1427,5776 litre	10,328 %	12395,4301 litre	O
440	CM	100	CM	31 LEVEL CM	1363,4668 litre	9,864 %	12459,5409 litre	O
440	CM	100	CM	30 LEVEL CM	1300,1949 litre	9,406 %	12522,8128 litre	O
440	CM	100	CM	29 LEVEL CM	1237,7857 litre	8,955 %	12585,2220 litre	O
440	CM	100	CM	28 LEVEL CM	1176,2638 litre	8,509 %	12646,7439 litre	O
440	CM	100	CM	27 LEVEL CM	1115,6550 litre	8,071 %	12707,3527 litre	O
440	CM	100	CM	26 LEVEL CM	1055,9863 litre	7,639 %	12767,0214 litre	O
440	CM	100	CM	25 LEVEL CM	997,2859 litre	7,215 %	12825,7218 litre	O
440	CM	100	CM	24 LEVEL CM	939,5834 litre	6,797 %	12883,4243 litre	O
440	CM	100	CM	23 LEVEL CM	882,9101 litre	6,387 %	12940,0976 litre	O
440	CM	100	CM	22 LEVEL CM	827,2990 litre	5,985 %	12995,7087 litre	O
440	CM	100	CM	21 LEVEL CM	772,7849 litre	5,591 %	13050,2228 litre	O
440	CM	100	CM	20 LEVEL CM	719,4049 litre	5,204 %	13103,6028 litre	O
440	CM	100	CM	19 LEVEL CM	667,1985 litre	4,827 %	13155,8092 litre	O
440	CM	100	CM	18 LEVEL CM	616,2078 litre	4,458 %	13206,7999 litre	O
440	CM	100	CM	17 LEVEL CM	566,4781 litre	4,098 %	13256,5296 litre	O
440	CM	100	CM	16 LEVEL CM	518,0583 litre	3,748 %	13304,9494 litre	O
440	CM	100	CM	15 LEVEL CM	471,0013 litre	3,407 %	13352,0064 litre	O
440	CM	100	CM	14 LEVEL CM	425,3647 litre	3,077 %	13397,6430 litre	O
440	CM	100	CM	13 LEVEL CM	381,2116 litre	2,758 %	13441,7961 litre	O
440	CM	100	CM	12 LEVEL CM	338,6121 litre	2,450 %	13484,3956 litre	O
440	CM	100	CM	11 LEVEL CM	297,6437 litre	2,153 %	13525,3640 litre	O
440	CM	100	CM	10 LEVEL CM	258,3940 litre	1,869 %	13564,6137 litre	O
440	CM	100	CM	9 LEVEL CM	220,9625 litre	1,599 %	13602,0452 litre	O
440	CM	100	CM	8 LEVEL CM	185,4642 litre	1,342 %	13637,5435 litre	O
440	CM	100	CM	7 LEVEL CM	152,0338 litre	1,100 %	13670,9739 litre	O
440	CM	100	CM	6 LEVEL CM	120,8330 litre	0,874 %	13702,1747 litre	O
440	CM	100	CM	5 LEVEL CM	92,0613 litre	0,666 %	13730,9464 litre	O
440	CM	100	CM	4 LEVEL CM	65,9741 litre	0,477 %	13757,0336 litre	O
440	CM	100	CM	3 LEVEL CM	42,9165 litre	0,310 %	13780,0912 litre	O
440	CM	100	CM	2 LEVEL CM	23,3961 litre	0,169 %	13799,6116 litre	O
440	CM	100	CM	1 LEVEL CM	8,2843 litre	0,060 %	13814,7234 litre	O
440	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	13823,0077 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
440	CM	95	CM	190 LEVEL CM	12475,2644 litre	100,000 %	0,0000 litre	O
440	CM	95	CM	189 LEVEL CM	12467,1906 litre	99,935 %	8,0738 litre	O
440	CM	95	CM	188 LEVEL CM	12452,4643 litre	99,817 %	22,8001 litre	O
440	CM	95	CM	187 LEVEL CM	12433,4446 litre	99,665 %	41,8198 litre	O
440	CM	95	CM	186 LEVEL CM	12410,9814 litre	99,485 %	64,2830 litre	O
440	CM	95	CM	185 LEVEL CM	12385,5702 litre	99,281 %	89,6942 litre	O
440	CM	95	CM	184 LEVEL CM	12357,5479 litre	99,056 %	117,7165 litre	O
440	CM	95	CM	183 LEVEL CM	12327,1641 litre	98,813 %	148,1003 litre	O
440	CM	95	CM	182 LEVEL CM	12294,6136 litre	98,552 %	180,6508 litre	O
440	CM	95	CM	181 LEVEL CM	12260,0546 litre	98,275 %	215,2098 litre	O
440	CM	95	CM	180 LEVEL CM	12223,6188 litre	97,983 %	251,6456 litre	O
440	CM	95	CM	179 LEVEL CM	12185,4188 litre	97,677 %	289,8456 litre	O
440	CM	95	CM	178 LEVEL CM	12145,5520 litre	97,357 %	329,7124 litre	O
440	CM	95	CM	177 LEVEL CM	12104,1039 litre	97,025 %	371,1605 litre	O
440	CM	95	CM	176 LEVEL CM	12061,1510 litre	96,681 %	414,1134 litre	O
440	CM	95	CM	175 LEVEL CM	12016,7615 litre	96,325 %	458,5029 litre	O
440	CM	95	CM	174 LEVEL CM	11970,9975 litre	95,958 %	504,2669 litre	O
440	CM	95	CM	173 LEVEL CM	11923,9156 litre	95,580 %	551,3488 litre	O
440	CM	95	CM	172 LEVEL CM	11875,5676 litre	95,193 %	599,6968 litre	O
440	CM	95	CM	171 LEVEL CM	11826,0015 litre	94,796 %	649,2629 litre	O
440	CM	95	CM	170 LEVEL CM	11775,2619 litre	94,389 %	700,0025 litre	O
440	CM	95	CM	169 LEVEL CM	11723,3901 litre	93,973 %	751,8743 litre	O
440	CM	95	CM	168 LEVEL CM	11670,4251 litre	93,549 %	804,8393 litre	O
440	CM	95	CM	167 LEVEL CM	11616,4032 litre	93,115 %	858,8612 litre	O
440	CM	95	CM	166 LEVEL CM	11561,3588 litre	92,674 %	913,9056 litre	O
440	CM	95	CM	165 LEVEL CM	11505,3244 litre	92,225 %	969,9400 litre	O
440	CM	95	CM	164 LEVEL CM	11448,3307 litre	91,768 %	1026,9337 litre	O
440	CM	95	CM	163 LEVEL CM	11390,4071 litre	91,304 %	1084,8573 litre	O
440	CM	95	CM	162 LEVEL CM	11331,5813 litre	90,832 %	1143,6831 litre	O
440	CM	95	CM	161 LEVEL CM	11271,8801 litre	90,354 %	1203,3843 litre	O
440	CM	95	CM	160 LEVEL CM	11211,3287 litre	89,868 %	1263,9357 litre	O
440	CM	95	CM	159 LEVEL CM	11149,9517 litre	89,376 %	1325,3127 litre	O
440	CM	95	CM	158 LEVEL CM	11087,7723 litre	88,878 %	1387,4921 litre	O
440	CM	95	CM	157 LEVEL CM	11024,8132 litre	88,373 %	1450,4512 litre	O
440	CM	95	CM	156 LEVEL CM	10961,0961 litre	87,863 %	1514,1683 litre	O
440	CM	95	CM	155 LEVEL CM	10896,6418 litre	87,346 %	1578,6226 litre	O
440	CM	95	CM	154 LEVEL CM	10831,4706 litre	86,824 %	1643,7938 litre	O
440	CM	95	CM	153 LEVEL CM	10765,6021 litre	86,296 %	1709,6623 litre	O
440	CM	95	CM	152 LEVEL CM	10699,0551 litre	85,762 %	1776,2093 litre	O
440	CM	95	CM	151 LEVEL CM	10631,8481 litre	85,223 %	1843,4163 litre	O
440	CM	95	CM	150 LEVEL CM	10563,9989 litre	84,680 %	1911,2655 litre	O
440	CM	95	CM	149 LEVEL CM	10495,5248 litre	84,131 %	1979,7396 litre	O
440	CM	95	CM	148 LEVEL CM	10426,4427 litre	83,577 %	2048,8217 litre	O
440	CM	95	CM	147 LEVEL CM	10356,7690 litre	83,018 %	2118,4954 litre	O
440	CM	95	CM	146 LEVEL CM	10286,5196 litre	82,455 %	2188,7448 litre	O
440	CM	95	CM	145 LEVEL CM	10215,7103 litre	81,888 %	2259,5541 litre	O
440	CM	95	CM	144 LEVEL CM	10144,3563 litre	81,316 %	2330,9081 litre	O
440	CM	95	CM	143 LEVEL CM	10072,4724 litre	80,740 %	2402,7920 litre	O
440	CM	95	CM	142 LEVEL CM	10000,0733 litre	80,159 %	2475,1911 litre	O
440	CM	95	CM	141 LEVEL CM	9927,1732 litre	79,575 %	2548,0912 litre	O
440	CM	95	CM	140 LEVEL CM	9853,7860 litre	78,987 %	2621,4784 litre	O
440	CM	95	CM	139 LEVEL CM	9779,9255 litre	78,395 %	2695,3389 litre	O

440	CM	95	CM	138 LEVEL CM	9705,6052 litre	77,799 %	2769,6592 litre	O
440	CM	95	CM	137 LEVEL CM	9630,8381 litre	77,199 %	2844,4263 litre	O
440	CM	95	CM	136 LEVEL CM	9555,6372 litre	76,597 %	2919,6272 litre	O
440	CM	95	CM	135 LEVEL CM	9480,0153 litre	75,990 %	2995,2491 litre	O
440	CM	95	CM	134 LEVEL CM	9403,9849 litre	75,381 %	3071,2795 litre	O
440	CM	95	CM	133 LEVEL CM	9327,5583 litre	74,768 %	3147,7061 litre	O
440	CM	95	CM	132 LEVEL CM	9250,7476 litre	74,153 %	3224,5168 litre	O
440	CM	95	CM	131 LEVEL CM	9173,5647 litre	73,534 %	3301,6997 litre	O
440	CM	95	CM	130 LEVEL CM	9096,0215 litre	72,912 %	3379,2429 litre	O
440	CM	95	CM	129 LEVEL CM	9018,1296 litre	72,288 %	3457,1348 litre	O
440	CM	95	CM	128 LEVEL CM	8939,9003 litre	71,661 %	3535,3641 litre	O
440	CM	95	CM	127 LEVEL CM	8861,3451 litre	71,031 %	3613,9193 litre	O
440	CM	95	CM	126 LEVEL CM	8782,4750 litre	70,399 %	3692,7894 litre	O
440	CM	95	CM	125 LEVEL CM	8703,3011 litre	69,764 %	3771,9633 litre	O
440	CM	95	CM	124 LEVEL CM	8623,8344 litre	69,127 %	3851,4300 litre	O
440	CM	95	CM	123 LEVEL CM	8544,0855 litre	68,488 %	3931,1789 litre	O
440	CM	95	CM	122 LEVEL CM	8464,0652 litre	67,847 %	4011,1992 litre	O
440	CM	95	CM	121 LEVEL CM	8383,7840 litre	67,203 %	4091,4804 litre	O
440	CM	95	CM	120 LEVEL CM	8303,2524 litre	66,558 %	4172,0120 litre	O
440	CM	95	CM	119 LEVEL CM	8222,4808 litre	65,910 %	4252,7836 litre	O
440	CM	95	CM	118 LEVEL CM	8141,4794 litre	65,261 %	4333,7850 litre	O
440	CM	95	CM	117 LEVEL CM	8060,2584 litre	64,610 %	4415,0060 litre	O
440	CM	95	CM	116 LEVEL CM	7978,8279 litre	63,957 %	4496,4365 litre	O
440	CM	95	CM	115 LEVEL CM	7897,1979 litre	63,303 %	4578,0665 litre	O
440	CM	95	CM	114 LEVEL CM	7815,3784 litre	62,647 %	4659,8860 litre	O
440	CM	95	CM	113 LEVEL CM	7733,3793 litre	61,990 %	4741,8851 litre	O
440	CM	95	CM	112 LEVEL CM	7651,2104 litre	61,331 %	4824,0540 litre	O
440	CM	95	CM	111 LEVEL CM	7568,8814 litre	60,671 %	4906,3830 litre	O
440	CM	95	CM	110 LEVEL CM	7486,4020 litre	60,010 %	4988,8624 litre	O
440	CM	95	CM	109 LEVEL CM	7403,7820 litre	59,348 %	5071,4824 litre	O
440	CM	95	CM	108 LEVEL CM	7321,0308 litre	58,684 %	5154,2336 litre	O
440	CM	95	CM	107 LEVEL CM	7238,1580 litre	58,020 %	5237,1064 litre	O
440	CM	95	CM	106 LEVEL CM	7155,1732 litre	57,355 %	5320,0912 litre	O
440	CM	95	CM	105 LEVEL CM	7072,0858 litre	56,689 %	5403,1786 litre	O
440	CM	95	CM	104 LEVEL CM	6988,9052 litre	56,022 %	5486,3592 litre	O
440	CM	95	CM	103 LEVEL CM	6905,6409 litre	55,355 %	5569,6235 litre	O
440	CM	95	CM	102 LEVEL CM	6822,3022 litre	54,687 %	5652,9622 litre	O
440	CM	95	CM	101 LEVEL CM	6738,8985 litre	54,018 %	5736,3659 litre	O
440	CM	95	CM	100 LEVEL CM	6655,4392 litre	53,349 %	5819,8252 litre	O
440	CM	95	CM	99 LEVEL CM	6571,9334 litre	52,680 %	5903,3310 litre	O
440	CM	95	CM	98 LEVEL CM	6488,3905 litre	52,010 %	5986,8739 litre	O
440	CM	95	CM	97 LEVEL CM	6404,8199 litre	51,340 %	6070,4445 litre	O
440	CM	95	CM	96 LEVEL CM	6321,2307 litre	50,670 %	6154,0337 litre	O
440	CM	95	CM	95 LEVEL CM	6237,6322 litre	50,000 %	6237,6322 litre	O
440	CM	95	CM	94 LEVEL CM	6154,0338 litre	49,330 %	6321,2306 litre	O
440	CM	95	CM	93 LEVEL CM	6070,4446 litre	48,660 %	6404,8198 litre	O
440	CM	95	CM	92 LEVEL CM	5986,8739 litre	47,990 %	6488,3905 litre	O
440	CM	95	CM	91 LEVEL CM	5903,3310 litre	47,320 %	6571,9334 litre	O
440	CM	95	CM	90 LEVEL CM	5819,8253 litre	46,651 %	6655,4391 litre	O
440	CM	95	CM	89 LEVEL CM	5736,3659 litre	45,982 %	6738,8985 litre	O
440	CM	95	CM	88 LEVEL CM	5652,9622 litre	45,313 %	6822,3022 litre	O
440	CM	95	CM	87 LEVEL CM	5569,6235 litre	44,645 %	6905,6409 litre	O
440	CM	95	CM	86 LEVEL CM	5486,3592 litre	43,978 %	6988,9052 litre	O

440	CM 95	CM	85 LEVEL CM	5403,1786 litre	43,311 %	7072,0858 litre	O
440	CM 95	CM	84 LEVEL CM	5320,0912 litre	42,645 %	7155,1732 litre	O
440	CM 95	CM	83 LEVEL CM	5237,1064 litre	41,980 %	7238,1580 litre	O
440	CM 95	CM	82 LEVEL CM	5154,2337 litre	41,316 %	7321,0307 litre	O
440	CM 95	CM	81 LEVEL CM	5071,4825 litre	40,652 %	7403,7819 litre	O
440	CM 95	CM	80 LEVEL CM	4988,8624 litre	39,990 %	7486,4020 litre	O
440	CM 95	CM	79 LEVEL CM	4906,3830 litre	39,329 %	7568,8814 litre	O
440	CM 95	CM	78 LEVEL CM	4824,0541 litre	38,669 %	7651,2103 litre	O
440	CM 95	CM	77 LEVEL CM	4741,8851 litre	38,010 %	7733,3793 litre	O
440	CM 95	CM	76 LEVEL CM	4659,8860 litre	37,353 %	7815,3784 litre	O
440	CM 95	CM	75 LEVEL CM	4578,0665 litre	36,697 %	7897,1979 litre	O
440	CM 95	CM	74 LEVEL CM	4496,4366 litre	36,043 %	7978,8278 litre	O
440	CM 95	CM	73 LEVEL CM	4415,0061 litre	35,390 %	8060,2583 litre	O
440	CM 95	CM	72 LEVEL CM	4333,7851 litre	34,739 %	8141,4793 litre	O
440	CM 95	CM	71 LEVEL CM	4252,7837 litre	34,090 %	8222,4807 litre	O
440	CM 95	CM	70 LEVEL CM	4172,0120 litre	33,442 %	8303,2524 litre	O
440	CM 95	CM	69 LEVEL CM	4091,4804 litre	32,797 %	8383,7840 litre	O
440	CM 95	CM	68 LEVEL CM	4011,1993 litre	32,153 %	8464,0651 litre	O
440	CM 95	CM	67 LEVEL CM	3931,1789 litre	31,512 %	8544,0855 litre	O
440	CM 95	CM	66 LEVEL CM	3851,4301 litre	30,873 %	8623,8343 litre	O
440	CM 95	CM	65 LEVEL CM	3771,9633 litre	30,236 %	8703,3011 litre	O
440	CM 95	CM	64 LEVEL CM	3692,7894 litre	29,601 %	8782,4750 litre	O
440	CM 95	CM	63 LEVEL CM	3613,9194 litre	28,969 %	8861,3450 litre	O
440	CM 95	CM	62 LEVEL CM	3535,3641 litre	28,339 %	8939,9003 litre	O
440	CM 95	CM	61 LEVEL CM	3457,1349 litre	27,712 %	9018,1295 litre	O
440	CM 95	CM	60 LEVEL CM	3379,2429 litre	27,088 %	9096,0215 litre	O
440	CM 95	CM	59 LEVEL CM	3301,6997 litre	26,466 %	9173,5647 litre	O
440	CM 95	CM	58 LEVEL CM	3224,5169 litre	25,847 %	9250,7475 litre	O
440	CM 95	CM	57 LEVEL CM	3147,7062 litre	25,232 %	9327,5582 litre	O
440	CM 95	CM	56 LEVEL CM	3071,2796 litre	24,619 %	9403,9848 litre	O
440	CM 95	CM	55 LEVEL CM	2995,2491 litre	24,010 %	9480,0153 litre	O
440	CM 95	CM	54 LEVEL CM	2919,6272 litre	23,403 %	9555,6372 litre	O
440	CM 95	CM	53 LEVEL CM	2844,4264 litre	22,801 %	9630,8380 litre	O
440	CM 95	CM	52 LEVEL CM	2769,6593 litre	22,201 %	9705,6051 litre	O
440	CM 95	CM	51 LEVEL CM	2695,3389 litre	21,605 %	9779,9255 litre	O
440	CM 95	CM	50 LEVEL CM	2621,4784 litre	21,013 %	9853,7860 litre	O
440	CM 95	CM	49 LEVEL CM	2548,0912 litre	20,425 %	9927,1732 litre	O
440	CM 95	CM	48 LEVEL CM	2475,1911 litre	19,841 %	10000,0733 litre	O
440	CM 95	CM	47 LEVEL CM	2402,7920 litre	19,260 %	10072,4724 litre	O
440	CM 95	CM	46 LEVEL CM	2330,9081 litre	18,684 %	10144,3563 litre	O
440	CM 95	CM	45 LEVEL CM	2259,5541 litre	18,112 %	10215,7103 litre	O
440	CM 95	CM	44 LEVEL CM	2188,7448 litre	17,545 %	10286,5196 litre	O
440	CM 95	CM	43 LEVEL CM	2118,4955 litre	16,982 %	10356,7689 litre	O
440	CM 95	CM	42 LEVEL CM	2048,8218 litre	16,423 %	10426,4426 litre	O
440	CM 95	CM	41 LEVEL CM	1979,7396 litre	15,869 %	10495,5248 litre	O
440	CM 95	CM	40 LEVEL CM	1911,2655 litre	15,320 %	10563,9989 litre	O
440	CM 95	CM	39 LEVEL CM	1843,4163 litre	14,777 %	10631,8481 litre	O
440	CM 95	CM	38 LEVEL CM	1776,2093 litre	14,238 %	10699,0551 litre	O
440	CM 95	CM	37 LEVEL CM	1709,6623 litre	13,704 %	10765,6021 litre	O
440	CM 95	CM	36 LEVEL CM	1643,7938 litre	13,176 %	10831,4706 litre	O
440	CM 95	CM	35 LEVEL CM	1578,6226 litre	12,654 %	10896,6418 litre	O
440	CM 95	CM	34 LEVEL CM	1514,1683 litre	12,137 %	10961,0961 litre	O
440	CM 95	CM	33 LEVEL CM	1450,4512 litre	11,627 %	11024,8132 litre	O

440	CM	95	CM	32 LEVEL CM	1387,4921 litre	11,122 %	11087,7723 litre	O
440	CM	95	CM	31 LEVEL CM	1325,3128 litre	10,624 %	11149,9516 litre	O
440	CM	95	CM	30 LEVEL CM	1263,9357 litre	10,132 %	11211,3287 litre	O
440	CM	95	CM	29 LEVEL CM	1203,3844 litre	9,646 %	11271,8800 litre	O
440	CM	95	CM	28 LEVEL CM	1143,6831 litre	9,168 %	11331,5813 litre	O
440	CM	95	CM	27 LEVEL CM	1084,8573 litre	8,696 %	11390,4071 litre	O
440	CM	95	CM	26 LEVEL CM	1026,9337 litre	8,232 %	11448,3307 litre	O
440	CM	95	CM	25 LEVEL CM	969,9400 litre	7,775 %	11505,3244 litre	O
440	CM	95	CM	24 LEVEL CM	913,9056 litre	7,326 %	11561,3588 litre	O
440	CM	95	CM	23 LEVEL CM	858,8612 litre	6,885 %	11616,4032 litre	O
440	CM	95	CM	22 LEVEL CM	804,8394 litre	6,451 %	11670,4250 litre	O
440	CM	95	CM	21 LEVEL CM	751,8743 litre	6,027 %	11723,3901 litre	O
440	CM	95	CM	20 LEVEL CM	700,0025 litre	5,611 %	11775,2619 litre	O
440	CM	95	CM	19 LEVEL CM	649,2629 litre	5,204 %	11826,0015 litre	O
440	CM	95	CM	18 LEVEL CM	599,6968 litre	4,807 %	11875,5676 litre	O
440	CM	95	CM	17 LEVEL CM	551,3489 litre	4,420 %	11923,9155 litre	O
440	CM	95	CM	16 LEVEL CM	504,2669 litre	4,042 %	11970,9975 litre	O
440	CM	95	CM	15 LEVEL CM	458,5029 litre	3,675 %	12016,7615 litre	O
440	CM	95	CM	14 LEVEL CM	414,1134 litre	3,319 %	12061,1510 litre	O
440	CM	95	CM	13 LEVEL CM	371,1605 litre	2,975 %	12104,1039 litre	O
440	CM	95	CM	12 LEVEL CM	329,7125 litre	2,643 %	12145,5519 litre	O
440	CM	95	CM	11 LEVEL CM	289,8456 litre	2,323 %	12185,4188 litre	O
440	CM	95	CM	10 LEVEL CM	251,6456 litre	2,017 %	12223,6188 litre	O
440	CM	95	CM	9 LEVEL CM	215,2099 litre	1,725 %	12260,0545 litre	O
440	CM	95	CM	8 LEVEL CM	180,6508 litre	1,448 %	12294,6136 litre	O
440	CM	95	CM	7 LEVEL CM	148,1003 litre	1,187 %	12327,1641 litre	O
440	CM	95	CM	6 LEVEL CM	117,7165 litre	0,944 %	12357,5479 litre	O
440	CM	95	CM	5 LEVEL CM	89,6942 litre	0,719 %	12385,5702 litre	O
440	CM	95	CM	4 LEVEL CM	64,2830 litre	0,515 %	12410,9814 litre	O
440	CM	95	CM	3 LEVEL CM	41,8198 litre	0,335 %	12433,4446 litre	O
440	CM	95	CM	2 LEVEL CM	22,8001 litre	0,183 %	12452,4643 litre	O
440	CM	95	CM	1 LEVEL CM	8,0739 litre	0,065 %	12467,1905 litre	O
440	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	12475,2644 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
440	CM	90	CM	180 LEVEL CM	11196,6362 litre	100,000 %	0,0000 litre	O
440	CM	90	CM	179 LEVEL CM	11188,7784 litre	99,930 %	7,8578 litre	O
440	CM	90	CM	178 LEVEL CM	11174,4481 litre	99,802 %	22,1881 litre	O
440	CM	90	CM	177 LEVEL CM	11155,9426 litre	99,637 %	40,6936 litre	O
440	CM	90	CM	176 LEVEL CM	11134,0900 litre	99,441 %	62,5462 litre	O
440	CM	90	CM	175 LEVEL CM	11109,3732 litre	99,221 %	87,2630 litre	O
440	CM	90	CM	174 LEVEL CM	11082,1210 litre	98,977 %	114,5152 litre	O
440	CM	90	CM	173 LEVEL CM	11052,5767 litre	98,713 %	144,0595 litre	O
440	CM	90	CM	172 LEVEL CM	11020,9306 litre	98,431 %	175,7056 litre	O
440	CM	90	CM	171 LEVEL CM	10987,3371 litre	98,131 %	209,2991 litre	O
440	CM	90	CM	170 LEVEL CM	10951,9251 litre	97,814 %	244,7111 litre	O
440	CM	90	CM	169 LEVEL CM	10914,8044 litre	97,483 %	281,8318 litre	O
440	CM	90	CM	168 LEVEL CM	10876,0704 litre	97,137 %	320,5658 litre	O
440	CM	90	CM	167 LEVEL CM	10835,8069 litre	96,777 %	360,8293 litre	O
440	CM	90	CM	166 LEVEL CM	10794,0885 litre	96,405 %	402,5477 litre	O
440	CM	90	CM	165 LEVEL CM	10750,9822 litre	96,020 %	445,6540 litre	O
440	CM	90	CM	164 LEVEL CM	10706,5489 litre	95,623 %	490,0873 litre	O
440	CM	90	CM	163 LEVEL CM	10660,8439 litre	95,215 %	535,7923 litre	O
440	CM	90	CM	162 LEVEL CM	10613,9183 litre	94,796 %	582,7179 litre	O
440	CM	90	CM	161 LEVEL CM	10565,8190 litre	94,366 %	630,8172 litre	O
440	CM	90	CM	160 LEVEL CM	10516,5898 litre	93,926 %	680,0464 litre	O
440	CM	90	CM	159 LEVEL CM	10466,2715 litre	93,477 %	730,3647 litre	O
440	CM	90	CM	158 LEVEL CM	10414,9022 litre	93,018 %	781,7340 litre	O
440	CM	90	CM	157 LEVEL CM	10362,5177 litre	92,550 %	834,1185 litre	O
440	CM	90	CM	156 LEVEL CM	10309,1519 litre	92,074 %	887,4843 litre	O
440	CM	90	CM	155 LEVEL CM	10254,8368 litre	91,589 %	941,7994 litre	O
440	CM	90	CM	154 LEVEL CM	10199,6027 litre	91,095 %	997,0335 litre	O
440	CM	90	CM	153 LEVEL CM	10143,4784 litre	90,594 %	1053,1578 litre	O
440	CM	90	CM	152 LEVEL CM	10086,4914 litre	90,085 %	1110,1448 litre	O
440	CM	90	CM	151 LEVEL CM	10028,6680 litre	89,569 %	1167,9682 litre	O
440	CM	90	CM	150 LEVEL CM	9970,0333 litre	89,045 %	1226,6029 litre	O
440	CM	90	CM	149 LEVEL CM	9910,6115 litre	88,514 %	1286,0247 litre	O
440	CM	90	CM	148 LEVEL CM	9850,4256 litre	87,977 %	1346,2106 litre	O
440	CM	90	CM	147 LEVEL CM	9789,4980 litre	87,432 %	1407,1382 litre	O
440	CM	90	CM	146 LEVEL CM	9727,8502 litre	86,882 %	1468,7860 litre	O
440	CM	90	CM	145 LEVEL CM	9665,5029 litre	86,325 %	1531,1333 litre	O
440	CM	90	CM	144 LEVEL CM	9602,4761 litre	85,762 %	1594,1601 litre	O
440	CM	90	CM	143 LEVEL CM	9538,7892 litre	85,193 %	1657,8470 litre	O
440	CM	90	CM	142 LEVEL CM	9474,4611 litre	84,619 %	1722,1751 litre	O
440	CM	90	CM	141 LEVEL CM	9409,5101 litre	84,039 %	1787,1261 litre	O
440	CM	90	CM	140 LEVEL CM	9343,9537 litre	83,453 %	1852,6825 litre	O
440	CM	90	CM	139 LEVEL CM	9277,8094 litre	82,862 %	1918,8268 litre	O
440	CM	90	CM	138 LEVEL CM	9211,0938 litre	82,267 %	1985,5424 litre	O
440	CM	90	CM	137 LEVEL CM	9143,8234 litre	81,666 %	2052,8128 litre	O
440	CM	90	CM	136 LEVEL CM	9076,0141 litre	81,060 %	2120,6221 litre	O
440	CM	90	CM	135 LEVEL CM	9007,6814 litre	80,450 %	2188,9548 litre	O
440	CM	90	CM	134 LEVEL CM	8938,8407 litre	79,835 %	2257,7955 litre	O
440	CM	90	CM	133 LEVEL CM	8869,5067 litre	79,216 %	2327,1295 litre	O
440	CM	90	CM	132 LEVEL CM	8799,6941 litre	78,592 %	2396,9421 litre	O
440	CM	90	CM	131 LEVEL CM	8729,4172 litre	77,965 %	2467,2190 litre	O
440	CM	90	CM	130 LEVEL CM	8658,6899 litre	77,333 %	2537,9463 litre	O
440	CM	90	CM	129 LEVEL CM	8587,5260 litre	76,697 %	2609,1102 litre	O

440	CM	90	CM	128 LEVEL CM	8515,9389 litre	76,058 %	2680,6973 litre	O
440	CM	90	CM	127 LEVEL CM	8443,9420 litre	75,415 %	2752,6942 litre	O
440	CM	90	CM	126 LEVEL CM	8371,5481 litre	74,768 %	2825,0881 litre	O
440	CM	90	CM	125 LEVEL CM	8298,7702 litre	74,118 %	2897,8660 litre	O
440	CM	90	CM	124 LEVEL CM	8225,6208 litre	73,465 %	2971,0154 litre	O
440	CM	90	CM	123 LEVEL CM	8152,1123 litre	72,809 %	3044,5239 litre	O
440	CM	90	CM	122 LEVEL CM	8078,2570 litre	72,149 %	3118,3792 litre	O
440	CM	90	CM	121 LEVEL CM	8004,0670 litre	71,486 %	3192,5692 litre	O
440	CM	90	CM	120 LEVEL CM	7929,5540 litre	70,821 %	3267,0822 litre	O
440	CM	90	CM	119 LEVEL CM	7854,7299 litre	70,153 %	3341,9063 litre	O
440	CM	90	CM	118 LEVEL CM	7779,6063 litre	69,482 %	3417,0299 litre	O
440	CM	90	CM	117 LEVEL CM	7704,1945 litre	68,808 %	3492,4417 litre	O
440	CM	90	CM	116 LEVEL CM	7628,5060 litre	68,132 %	3568,1302 litre	O
440	CM	90	CM	115 LEVEL CM	7552,5520 litre	67,454 %	3644,0842 litre	O
440	CM	90	CM	114 LEVEL CM	7476,3435 litre	66,773 %	3720,2927 litre	O
440	CM	90	CM	113 LEVEL CM	7399,8915 litre	66,090 %	3796,7447 litre	O
440	CM	90	CM	112 LEVEL CM	7323,2069 litre	65,405 %	3873,4293 litre	O
440	CM	90	CM	111 LEVEL CM	7246,3004 litre	64,719 %	3950,3358 litre	O
440	CM	90	CM	110 LEVEL CM	7169,1828 litre	64,030 %	4027,4534 litre	O
440	CM	90	CM	109 LEVEL CM	7091,8645 litre	63,339 %	4104,7717 litre	O
440	CM	90	CM	108 LEVEL CM	7014,3563 litre	62,647 %	4182,2799 litre	O
440	CM	90	CM	107 LEVEL CM	6936,6683 litre	61,953 %	4259,9679 litre	O
440	CM	90	CM	106 LEVEL CM	6858,8111 litre	61,258 %	4337,8251 litre	O
440	CM	90	CM	105 LEVEL CM	6780,7950 litre	60,561 %	4415,8412 litre	O
440	CM	90	CM	104 LEVEL CM	6702,6300 litre	59,863 %	4494,0062 litre	O
440	CM	90	CM	103 LEVEL CM	6624,3265 litre	59,164 %	4572,3097 litre	O
440	CM	90	CM	102 LEVEL CM	6545,8946 litre	58,463 %	4650,7416 litre	O
440	CM	90	CM	101 LEVEL CM	6467,3442 litre	57,761 %	4729,2920 litre	O
440	CM	90	CM	100 LEVEL CM	6388,6854 litre	57,059 %	4807,9508 litre	O
440	CM	90	CM	99 LEVEL CM	6309,9283 litre	56,356 %	4886,7079 litre	O
440	CM	90	CM	98 LEVEL CM	6231,0827 litre	55,651 %	4965,5535 litre	O
440	CM	90	CM	97 LEVEL CM	6152,1586 litre	54,946 %	5044,4776 litre	O
440	CM	90	CM	96 LEVEL CM	6073,1659 litre	54,241 %	5123,4703 litre	O
440	CM	90	CM	95 LEVEL CM	5994,1143 litre	53,535 %	5202,5219 litre	O
440	CM	90	CM	94 LEVEL CM	5915,0138 litre	52,828 %	5281,6224 litre	O
440	CM	90	CM	93 LEVEL CM	5835,8741 litre	52,122 %	5360,7621 litre	O
440	CM	90	CM	92 LEVEL CM	5756,7051 litre	51,415 %	5439,9311 litre	O
440	CM	90	CM	91 LEVEL CM	5677,5165 litre	50,707 %	5519,1197 litre	O
440	CM	90	CM	90 LEVEL CM	5598,3181 litre	50,000 %	5598,3181 litre	O
440	CM	90	CM	89 LEVEL CM	5519,1197 litre	49,293 %	5677,5165 litre	O
440	CM	90	CM	88 LEVEL CM	5439,9311 litre	48,585 %	5756,7051 litre	O
440	CM	90	CM	87 LEVEL CM	5360,7621 litre	47,878 %	5835,8741 litre	O
440	CM	90	CM	86 LEVEL CM	5281,6224 litre	47,172 %	5915,0138 litre	O
440	CM	90	CM	85 LEVEL CM	5202,5219 litre	46,465 %	5994,1143 litre	O
440	CM	90	CM	84 LEVEL CM	5123,4703 litre	45,759 %	6073,1659 litre	O
440	CM	90	CM	83 LEVEL CM	5044,4776 litre	45,054 %	6152,1586 litre	O
440	CM	90	CM	82 LEVEL CM	4965,5535 litre	44,349 %	6231,0827 litre	O
440	CM	90	CM	81 LEVEL CM	4886,7079 litre	43,644 %	6309,9283 litre	O
440	CM	90	CM	80 LEVEL CM	4807,9508 litre	42,941 %	6388,6854 litre	O
440	CM	90	CM	79 LEVEL CM	4729,2920 litre	42,239 %	6467,3442 litre	O
440	CM	90	CM	78 LEVEL CM	4650,7417 litre	41,537 %	6545,8945 litre	O
440	CM	90	CM	77 LEVEL CM	4572,3097 litre	40,836 %	6624,3265 litre	O
440	CM	90	CM	76 LEVEL CM	4494,0062 litre	40,137 %	6702,6300 litre	O

440	CM	90	CM	75 LEVEL CM	4415,8413 litre	39,439 %	6780,7949 litre	O
440	CM	90	CM	74 LEVEL CM	4337,8251 litre	38,742 %	6858,8111 litre	O
440	CM	90	CM	73 LEVEL CM	4259,9679 litre	38,047 %	6936,6683 litre	O
440	CM	90	CM	72 LEVEL CM	4182,2800 litre	37,353 %	7014,3562 litre	O
440	CM	90	CM	71 LEVEL CM	4104,7717 litre	36,661 %	7091,8645 litre	O
440	CM	90	CM	70 LEVEL CM	4027,4535 litre	35,970 %	7169,1827 litre	O
440	CM	90	CM	69 LEVEL CM	3950,3358 litre	35,281 %	7246,3004 litre	O
440	CM	90	CM	68 LEVEL CM	3873,4294 litre	34,595 %	7323,2068 litre	O
440	CM	90	CM	67 LEVEL CM	3796,7447 litre	33,910 %	7399,8915 litre	O
440	CM	90	CM	66 LEVEL CM	3720,2927 litre	33,227 %	7476,3435 litre	O
440	CM	90	CM	65 LEVEL CM	3644,0842 litre	32,546 %	7552,5520 litre	O
440	CM	90	CM	64 LEVEL CM	3568,1302 litre	31,868 %	7628,5060 litre	O
440	CM	90	CM	63 LEVEL CM	3492,4417 litre	31,192 %	7704,1945 litre	O
440	CM	90	CM	62 LEVEL CM	3417,0300 litre	30,518 %	7779,6062 litre	O
440	CM	90	CM	61 LEVEL CM	3341,9063 litre	29,847 %	7854,7299 litre	O
440	CM	90	CM	60 LEVEL CM	3267,0822 litre	29,179 %	7929,5540 litre	O
440	CM	90	CM	59 LEVEL CM	3192,5693 litre	28,514 %	8004,0669 litre	O
440	CM	90	CM	58 LEVEL CM	3118,3792 litre	27,851 %	8078,2570 litre	O
440	CM	90	CM	57 LEVEL CM	3044,5239 litre	27,191 %	8152,1123 litre	O
440	CM	90	CM	56 LEVEL CM	2971,0154 litre	26,535 %	8225,6208 litre	O
440	CM	90	CM	55 LEVEL CM	2897,8660 litre	25,882 %	8298,7702 litre	O
440	CM	90	CM	54 LEVEL CM	2825,0881 litre	25,232 %	8371,5481 litre	O
440	CM	90	CM	53 LEVEL CM	2752,6942 litre	24,585 %	8443,9420 litre	O
440	CM	90	CM	52 LEVEL CM	2680,6973 litre	23,942 %	8515,9389 litre	O
440	CM	90	CM	51 LEVEL CM	2609,1102 litre	23,303 %	8587,5260 litre	O
440	CM	90	CM	50 LEVEL CM	2537,9463 litre	22,667 %	8658,6899 litre	O
440	CM	90	CM	49 LEVEL CM	2467,2190 litre	22,035 %	8729,4172 litre	O
440	CM	90	CM	48 LEVEL CM	2396,9421 litre	21,408 %	8799,6941 litre	O
440	CM	90	CM	47 LEVEL CM	2327,1295 litre	20,784 %	8869,5067 litre	O
440	CM	90	CM	46 LEVEL CM	2257,7956 litre	20,165 %	8938,8406 litre	O
440	CM	90	CM	45 LEVEL CM	2188,9548 litre	19,550 %	9007,6814 litre	O
440	CM	90	CM	44 LEVEL CM	2120,6221 litre	18,940 %	9076,0141 litre	O
440	CM	90	CM	43 LEVEL CM	2052,8128 litre	18,334 %	9143,8234 litre	O
440	CM	90	CM	42 LEVEL CM	1985,5424 litre	17,733 %	9211,0938 litre	O
440	CM	90	CM	41 LEVEL CM	1918,8268 litre	17,138 %	9277,8094 litre	O
440	CM	90	CM	40 LEVEL CM	1852,6825 litre	16,547 %	9343,9537 litre	O
440	CM	90	CM	39 LEVEL CM	1787,1262 litre	15,961 %	9409,5100 litre	O
440	CM	90	CM	38 LEVEL CM	1722,1751 litre	15,381 %	9474,4611 litre	O
440	CM	90	CM	37 LEVEL CM	1657,8470 litre	14,807 %	9538,7892 litre	O
440	CM	90	CM	36 LEVEL CM	1594,1602 litre	14,238 %	9602,4760 litre	O
440	CM	90	CM	35 LEVEL CM	1531,1334 litre	13,675 %	9665,5028 litre	O
440	CM	90	CM	34 LEVEL CM	1468,7860 litre	13,118 %	9727,8502 litre	O
440	CM	90	CM	33 LEVEL CM	1407,1382 litre	12,568 %	9789,4980 litre	O
440	CM	90	CM	32 LEVEL CM	1346,2106 litre	12,023 %	9850,4256 litre	O
440	CM	90	CM	31 LEVEL CM	1286,0247 litre	11,486 %	9910,6115 litre	O
440	CM	90	CM	30 LEVEL CM	1226,6029 litre	10,955 %	9970,0333 litre	O
440	CM	90	CM	29 LEVEL CM	1167,9682 litre	10,431 %	10028,6680 litre	O
440	CM	90	CM	28 LEVEL CM	1110,1448 litre	9,915 %	10086,4914 litre	O
440	CM	90	CM	27 LEVEL CM	1053,1579 litre	9,406 %	10143,4783 litre	O
440	CM	90	CM	26 LEVEL CM	997,0336 litre	8,905 %	10199,6026 litre	O
440	CM	90	CM	25 LEVEL CM	941,7994 litre	8,411 %	10254,8368 litre	O
440	CM	90	CM	24 LEVEL CM	887,4843 litre	7,926 %	10309,1519 litre	O
440	CM	90	CM	23 LEVEL CM	834,1185 litre	7,450 %	10362,5177 litre	O

440	CM	90	CM	22 LEVEL CM	781,7340 litre	6,982 %	10414,9022 litre	O
440	CM	90	CM	21 LEVEL CM	730,3647 litre	6,523 %	10466,2715 litre	O
440	CM	90	CM	20 LEVEL CM	680,0464 litre	6,074 %	10516,5898 litre	O
440	CM	90	CM	19 LEVEL CM	630,8172 litre	5,634 %	10565,8190 litre	O
440	CM	90	CM	18 LEVEL CM	582,7180 litre	5,204 %	10613,9182 litre	O
440	CM	90	CM	17 LEVEL CM	535,7923 litre	4,785 %	10660,8439 litre	O
440	CM	90	CM	16 LEVEL CM	490,0873 litre	4,377 %	10706,5489 litre	O
440	CM	90	CM	15 LEVEL CM	445,6540 litre	3,980 %	10750,9822 litre	O
440	CM	90	CM	14 LEVEL CM	402,5478 litre	3,595 %	10794,0884 litre	O
440	CM	90	CM	13 LEVEL CM	360,8294 litre	3,223 %	10835,8068 litre	O
440	CM	90	CM	12 LEVEL CM	320,5658 litre	2,863 %	10876,0704 litre	O
440	CM	90	CM	11 LEVEL CM	281,8318 litre	2,517 %	10914,8044 litre	O
440	CM	90	CM	10 LEVEL CM	244,7112 litre	2,186 %	10951,9250 litre	O
440	CM	90	CM	9 LEVEL CM	209,2991 litre	1,869 %	10987,3371 litre	O
440	CM	90	CM	8 LEVEL CM	175,7056 litre	1,569 %	11020,9306 litre	O
440	CM	90	CM	7 LEVEL CM	144,0595 litre	1,287 %	11052,5767 litre	O
440	CM	90	CM	6 LEVEL CM	114,5152 litre	1,023 %	11082,1210 litre	O
440	CM	90	CM	5 LEVEL CM	87,2630 litre	0,779 %	11109,3732 litre	O
440	CM	90	CM	4 LEVEL CM	62,5462 litre	0,559 %	11134,0900 litre	O
440	CM	90	CM	3 LEVEL CM	40,6936 litre	0,363 %	11155,9426 litre	O
440	CM	90	CM	2 LEVEL CM	22,1881 litre	0,198 %	11174,4481 litre	O
440	CM	90	CM	1 LEVEL CM	7,8578 litre	0,070 %	11188,7784 litre	O
440	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	11196,6362 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 85	CM 170 LEVEL CM	9987,1230 litre	100,000 %	0,0000 litre	O
440	CM 85	CM 169 LEVEL CM	9979,4874 litre	99,924 %	7,6356 litre	O
440	CM 85	CM 168 LEVEL CM	9965,5644 litre	99,784 %	21,5586 litre	O
440	CM 85	CM 167 LEVEL CM	9947,5877 litre	99,604 %	39,5353 litre	O
440	CM 85	CM 166 LEVEL CM	9926,3633 litre	99,392 %	60,7597 litre	O
440	CM 85	CM 165 LEVEL CM	9902,3610 litre	99,151 %	84,7620 litre	O
440	CM 85	CM 164 LEVEL CM	9875,9012 litre	98,886 %	111,2218 litre	O
440	CM 85	CM 163 LEVEL CM	9847,2210 litre	98,599 %	139,9020 litre	O
440	CM 85	CM 162 LEVEL CM	9816,5059 litre	98,292 %	170,6171 litre	O
440	CM 85	CM 161 LEVEL CM	9783,9065 litre	97,965 %	203,2165 litre	O
440	CM 85	CM 160 LEVEL CM	9749,5487 litre	97,621 %	237,5743 litre	O
440	CM 85	CM 159 LEVEL CM	9713,5397 litre	97,261 %	273,5833 litre	O
440	CM 85	CM 158 LEVEL CM	9675,9727 litre	96,884 %	311,1503 litre	O
440	CM 85	CM 157 LEVEL CM	9636,9296 litre	96,494 %	350,1934 litre	O
440	CM 85	CM 156 LEVEL CM	9596,4834 litre	96,089 %	390,6396 litre	O
440	CM 85	CM 155 LEVEL CM	9554,6998 litre	95,670 %	432,4232 litre	O
440	CM 85	CM 154 LEVEL CM	9511,6382 litre	95,239 %	475,4848 litre	O
440	CM 85	CM 153 LEVEL CM	9467,3530 litre	94,796 %	519,7700 litre	O
440	CM 85	CM 152 LEVEL CM	9421,8942 litre	94,340 %	565,2288 litre	O
440	CM 85	CM 151 LEVEL CM	9375,3079 litre	93,874 %	611,8151 litre	O
440	CM 85	CM 150 LEVEL CM	9327,6370 litre	93,397 %	659,4860 litre	O
440	CM 85	CM 149 LEVEL CM	9278,9216 litre	92,909 %	708,2014 litre	O
440	CM 85	CM 148 LEVEL CM	9229,1992 litre	92,411 %	757,9238 litre	O
440	CM 85	CM 147 LEVEL CM	9178,5050 litre	91,903 %	808,6180 litre	O
440	CM 85	CM 146 LEVEL CM	9126,8724 litre	91,386 %	860,2506 litre	O
440	CM 85	CM 145 LEVEL CM	9074,3328 litre	90,860 %	912,7902 litre	O
440	CM 85	CM 144 LEVEL CM	9020,9161 litre	90,325 %	966,2069 litre	O
440	CM 85	CM 143 LEVEL CM	8966,6507 litre	89,782 %	1020,4723 litre	O
440	CM 85	CM 142 LEVEL CM	8911,5639 litre	89,231 %	1075,5591 litre	O
440	CM 85	CM 141 LEVEL CM	8855,6814 litre	88,671 %	1131,4416 litre	O
440	CM 85	CM 140 LEVEL CM	8799,0283 litre	88,104 %	1188,0947 litre	O
440	CM 85	CM 139 LEVEL CM	8741,6282 litre	87,529 %	1245,4948 litre	O
440	CM 85	CM 138 LEVEL CM	8683,5041 litre	86,947 %	1303,6189 litre	O
440	CM 85	CM 137 LEVEL CM	8624,6781 litre	86,358 %	1362,4449 litre	O
440	CM 85	CM 136 LEVEL CM	8565,1715 litre	85,762 %	1421,9515 litre	O
440	CM 85	CM 135 LEVEL CM	8505,0049 litre	85,160 %	1482,1181 litre	O
440	CM 85	CM 134 LEVEL CM	8444,1981 litre	84,551 %	1542,9249 litre	O
440	CM 85	CM 133 LEVEL CM	8382,7704 litre	83,936 %	1604,3526 litre	O
440	CM 85	CM 132 LEVEL CM	8320,7405 litre	83,315 %	1666,3825 litre	O
440	CM 85	CM 131 LEVEL CM	8258,1266 litre	82,688 %	1728,9964 litre	O
440	CM 85	CM 130 LEVEL CM	8194,9463 litre	82,055 %	1792,1767 litre	O
440	CM 85	CM 129 LEVEL CM	8131,2168 litre	81,417 %	1855,9062 litre	O
440	CM 85	CM 128 LEVEL CM	8066,9549 litre	80,774 %	1920,1681 litre	O
440	CM 85	CM 127 LEVEL CM	8002,1769 litre	80,125 %	1984,9461 litre	O
440	CM 85	CM 126 LEVEL CM	7936,8987 litre	79,471 %	2050,2243 litre	O
440	CM 85	CM 125 LEVEL CM	7871,1359 litre	78,813 %	2115,9871 litre	O
440	CM 85	CM 124 LEVEL CM	7804,9037 litre	78,150 %	2182,2193 litre	O
440	CM 85	CM 123 LEVEL CM	7738,2171 litre	77,482 %	2248,9059 litre	O
440	CM 85	CM 122 LEVEL CM	7671,0906 litre	76,810 %	2316,0324 litre	O
440	CM 85	CM 121 LEVEL CM	7603,5387 litre	76,133 %	2383,5843 litre	O
440	CM 85	CM 120 LEVEL CM	7535,5753 litre	75,453 %	2451,5477 litre	O
440	CM 85	CM 119 LEVEL CM	7467,2142 litre	74,768 %	2519,9088 litre	O

440	CM 85	CM	118 LEVEL CM	7398,4691 litre	74,080 %	2588,6539 litre	O
440	CM 85	CM	117 LEVEL CM	7329,3532 litre	73,388 %	2657,7698 litre	O
440	CM 85	CM	116 LEVEL CM	7259,8797 litre	72,692 %	2727,2433 litre	O
440	CM 85	CM	115 LEVEL CM	7190,0615 litre	71,993 %	2797,0615 litre	O
440	CM 85	CM	114 LEVEL CM	7119,9114 litre	71,291 %	2867,2116 litre	O
440	CM 85	CM	113 LEVEL CM	7049,4418 litre	70,585 %	2937,6812 litre	O
440	CM 85	CM	112 LEVEL CM	6978,6652 litre	69,877 %	3008,4578 litre	O
440	CM 85	CM	111 LEVEL CM	6907,5938 litre	69,165 %	3079,5292 litre	O
440	CM 85	CM	110 LEVEL CM	6836,2396 litre	68,451 %	3150,8834 litre	O
440	CM 85	CM	109 LEVEL CM	6764,6146 litre	67,733 %	3222,5084 litre	O
440	CM 85	CM	108 LEVEL CM	6692,7307 litre	67,014 %	3294,3923 litre	O
440	CM 85	CM	107 LEVEL CM	6620,5993 litre	66,291 %	3366,5237 litre	O
440	CM 85	CM	106 LEVEL CM	6548,2322 litre	65,567 %	3438,8908 litre	O
440	CM 85	CM	105 LEVEL CM	6475,6406 litre	64,840 %	3511,4824 litre	O
440	CM 85	CM	104 LEVEL CM	6402,8361 litre	64,111 %	3584,2869 litre	O
440	CM 85	CM	103 LEVEL CM	6329,8297 litre	63,380 %	3657,2933 litre	O
440	CM 85	CM	102 LEVEL CM	6256,6326 litre	62,647 %	3730,4904 litre	O
440	CM 85	CM	101 LEVEL CM	6183,2559 litre	61,912 %	3803,8671 litre	O
440	CM 85	CM	100 LEVEL CM	6109,7105 litre	61,176 %	3877,4125 litre	O
440	CM 85	CM	99 LEVEL CM	6036,0073 litre	60,438 %	3951,1157 litre	O
440	CM 85	CM	98 LEVEL CM	5962,1572 litre	59,698 %	4024,9658 litre	O
440	CM 85	CM	97 LEVEL CM	5888,1709 litre	58,958 %	4098,9521 litre	O
440	CM 85	CM	96 LEVEL CM	5814,0591 litre	58,216 %	4173,0639 litre	O
440	CM 85	CM	95 LEVEL CM	5739,8324 litre	57,472 %	4247,2906 litre	O
440	CM 85	CM	94 LEVEL CM	5665,5015 litre	56,728 %	4321,6215 litre	O
440	CM 85	CM	93 LEVEL CM	5591,0769 litre	55,983 %	4396,0461 litre	O
440	CM 85	CM	92 LEVEL CM	5516,5691 litre	55,237 %	4470,5539 litre	O
440	CM 85	CM	91 LEVEL CM	5441,9885 litre	54,490 %	4545,1345 litre	O
440	CM 85	CM	90 LEVEL CM	5367,3457 litre	53,743 %	4619,7773 litre	O
440	CM 85	CM	89 LEVEL CM	5292,6511 litre	52,995 %	4694,4719 litre	O
440	CM 85	CM	88 LEVEL CM	5217,9149 litre	52,246 %	4769,2081 litre	O
440	CM 85	CM	87 LEVEL CM	5143,1477 litre	51,498 %	4843,9753 litre	O
440	CM 85	CM	86 LEVEL CM	5068,3598 litre	50,749 %	4918,7632 litre	O
440	CM 85	CM	85 LEVEL CM	4993,5615 litre	50,000 %	4993,5615 litre	O
440	CM 85	CM	84 LEVEL CM	4918,7632 litre	49,251 %	5068,3598 litre	O
440	CM 85	CM	83 LEVEL CM	4843,9753 litre	48,502 %	5143,1477 litre	O
440	CM 85	CM	82 LEVEL CM	4769,2081 litre	47,754 %	5217,9149 litre	O
440	CM 85	CM	81 LEVEL CM	4694,4720 litre	47,005 %	5292,6510 litre	O
440	CM 85	CM	80 LEVEL CM	4619,7773 litre	46,257 %	5367,3457 litre	O
440	CM 85	CM	79 LEVEL CM	4545,1345 litre	45,510 %	5441,9885 litre	O
440	CM 85	CM	78 LEVEL CM	4470,5540 litre	44,763 %	5516,5690 litre	O
440	CM 85	CM	77 LEVEL CM	4396,0462 litre	44,017 %	5591,0768 litre	O
440	CM 85	CM	76 LEVEL CM	4321,6215 litre	43,272 %	5665,5015 litre	O
440	CM 85	CM	75 LEVEL CM	4247,2906 litre	42,528 %	5739,8324 litre	O
440	CM 85	CM	74 LEVEL CM	4173,0640 litre	41,784 %	5814,0590 litre	O
440	CM 85	CM	73 LEVEL CM	4098,9521 litre	41,042 %	5888,1709 litre	O
440	CM 85	CM	72 LEVEL CM	4024,9658 litre	40,302 %	5962,1572 litre	O
440	CM 85	CM	71 LEVEL CM	3951,1157 litre	39,562 %	6036,0073 litre	O
440	CM 85	CM	70 LEVEL CM	3877,4126 litre	38,824 %	6109,7104 litre	O
440	CM 85	CM	69 LEVEL CM	3803,8672 litre	38,088 %	6183,2558 litre	O
440	CM 85	CM	68 LEVEL CM	3730,4905 litre	37,353 %	6256,6325 litre	O
440	CM 85	CM	67 LEVEL CM	3657,2934 litre	36,620 %	6329,8296 litre	O
440	CM 85	CM	66 LEVEL CM	3584,2870 litre	35,889 %	6402,8360 litre	O

440	CM	85	CM	65 LEVEL CM	3511,4824 litre	35,160 %	6475,6406 litre	O
440	CM	85	CM	64 LEVEL CM	3438,8909 litre	34,433 %	6548,2321 litre	O
440	CM	85	CM	63 LEVEL CM	3366,5237 litre	33,709 %	6620,5993 litre	O
440	CM	85	CM	62 LEVEL CM	3294,3924 litre	32,986 %	6692,7306 litre	O
440	CM	85	CM	61 LEVEL CM	3222,5084 litre	32,267 %	6764,6146 litre	O
440	CM	85	CM	60 LEVEL CM	3150,8834 litre	31,549 %	6836,2396 litre	O
440	CM	85	CM	59 LEVEL CM	3079,5293 litre	30,835 %	6907,5937 litre	O
440	CM	85	CM	58 LEVEL CM	3008,4579 litre	30,123 %	6978,6651 litre	O
440	CM	85	CM	57 LEVEL CM	2937,6813 litre	29,415 %	7049,4417 litre	O
440	CM	85	CM	56 LEVEL CM	2867,2117 litre	28,709 %	7119,9113 litre	O
440	CM	85	CM	55 LEVEL CM	2797,0615 litre	28,007 %	7190,0615 litre	O
440	CM	85	CM	54 LEVEL CM	2727,2433 litre	27,308 %	7259,8797 litre	O
440	CM	85	CM	53 LEVEL CM	2657,7698 litre	26,612 %	7329,3532 litre	O
440	CM	85	CM	52 LEVEL CM	2588,6540 litre	25,920 %	7398,4690 litre	O
440	CM	85	CM	51 LEVEL CM	2519,9088 litre	25,232 %	7467,2142 litre	O
440	CM	85	CM	50 LEVEL CM	2451,5478 litre	24,547 %	7535,5752 litre	O
440	CM	85	CM	49 LEVEL CM	2383,5844 litre	23,867 %	7603,5386 litre	O
440	CM	85	CM	48 LEVEL CM	2316,0324 litre	23,190 %	7671,0906 litre	O
440	CM	85	CM	47 LEVEL CM	2248,9060 litre	22,518 %	7738,2170 litre	O
440	CM	85	CM	46 LEVEL CM	2182,2194 litre	21,850 %	7804,9036 litre	O
440	CM	85	CM	45 LEVEL CM	2115,9872 litre	21,187 %	7871,1358 litre	O
440	CM	85	CM	44 LEVEL CM	2050,2244 litre	20,529 %	7936,8986 litre	O
440	CM	85	CM	43 LEVEL CM	1984,9462 litre	19,875 %	8002,1768 litre	O
440	CM	85	CM	42 LEVEL CM	1920,1681 litre	19,226 %	8066,9549 litre	O
440	CM	85	CM	41 LEVEL CM	1855,9062 litre	18,583 %	8131,2168 litre	O
440	CM	85	CM	40 LEVEL CM	1792,1767 litre	17,945 %	8194,9463 litre	O
440	CM	85	CM	39 LEVEL CM	1728,9965 litre	17,312 %	8258,1265 litre	O
440	CM	85	CM	38 LEVEL CM	1666,3825 litre	16,685 %	8320,7405 litre	O
440	CM	85	CM	37 LEVEL CM	1604,3527 litre	16,064 %	8382,7703 litre	O
440	CM	85	CM	36 LEVEL CM	1542,9250 litre	15,449 %	8444,1980 litre	O
440	CM	85	CM	35 LEVEL CM	1482,1182 litre	14,840 %	8505,0048 litre	O
440	CM	85	CM	34 LEVEL CM	1421,9515 litre	14,238 %	8565,1715 litre	O
440	CM	85	CM	33 LEVEL CM	1362,4449 litre	13,642 %	8624,6781 litre	O
440	CM	85	CM	32 LEVEL CM	1303,6189 litre	13,053 %	8683,5041 litre	O
440	CM	85	CM	31 LEVEL CM	1245,4949 litre	12,471 %	8741,6281 litre	O
440	CM	85	CM	30 LEVEL CM	1188,0948 litre	11,896 %	8799,0282 litre	O
440	CM	85	CM	29 LEVEL CM	1131,4416 litre	11,329 %	8855,6814 litre	O
440	CM	85	CM	28 LEVEL CM	1075,5592 litre	10,769 %	8911,5638 litre	O
440	CM	85	CM	27 LEVEL CM	1020,4723 litre	10,218 %	8966,6507 litre	O
440	CM	85	CM	26 LEVEL CM	966,2070 litre	9,675 %	9020,9160 litre	O
440	CM	85	CM	25 LEVEL CM	912,7903 litre	9,140 %	9074,3327 litre	O
440	CM	85	CM	24 LEVEL CM	860,2507 litre	8,614 %	9126,8723 litre	O
440	CM	85	CM	23 LEVEL CM	808,6180 litre	8,097 %	9178,5050 litre	O
440	CM	85	CM	22 LEVEL CM	757,9238 litre	7,589 %	9229,1992 litre	O
440	CM	85	CM	21 LEVEL CM	708,2014 litre	7,091 %	9278,9216 litre	O
440	CM	85	CM	20 LEVEL CM	659,4860 litre	6,603 %	9327,6370 litre	O
440	CM	85	CM	19 LEVEL CM	611,8152 litre	6,126 %	9375,3078 litre	O
440	CM	85	CM	18 LEVEL CM	565,2289 litre	5,660 %	9421,8941 litre	O
440	CM	85	CM	17 LEVEL CM	519,7700 litre	5,204 %	9467,3530 litre	O
440	CM	85	CM	16 LEVEL CM	475,4848 litre	4,761 %	9511,6382 litre	O
440	CM	85	CM	15 LEVEL CM	432,4233 litre	4,330 %	9554,6997 litre	O
440	CM	85	CM	14 LEVEL CM	390,6396 litre	3,911 %	9596,4834 litre	O
440	CM	85	CM	13 LEVEL CM	350,1935 litre	3,506 %	9636,9295 litre	O

440	CM	85	CM	12 LEVEL CM	311,1504 litre	3,116 %	9675,9726 litre	O
440	CM	85	CM	11 LEVEL CM	273,5833 litre	2,739 %	9713,5397 litre	O
440	CM	85	CM	10 LEVEL CM	237,5743 litre	2,379 %	9749,5487 litre	O
440	CM	85	CM	9 LEVEL CM	203,2165 litre	2,035 %	9783,9065 litre	O
440	CM	85	CM	8 LEVEL CM	170,6172 litre	1,708 %	9816,5058 litre	O
440	CM	85	CM	7 LEVEL CM	139,9021 litre	1,401 %	9847,2209 litre	O
440	CM	85	CM	6 LEVEL CM	111,2219 litre	1,114 %	9875,9011 litre	O
440	CM	85	CM	5 LEVEL CM	84,7620 litre	0,849 %	9902,3610 litre	O
440	CM	85	CM	4 LEVEL CM	60,7598 litre	0,608 %	9926,3632 litre	O
440	CM	85	CM	3 LEVEL CM	39,5353 litre	0,396 %	9947,5877 litre	O
440	CM	85	CM	2 LEVEL CM	21,5587 litre	0,216 %	9965,5643 litre	O
440	CM	85	CM	1 LEVEL CM	7,6357 litre	0,076 %	9979,4873 litre	O
440	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	9987,1230 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 80	CM 160 LEVEL CM	8846,7249 litre	100,000 %	0,0000 litre	O
440	CM 80	CM 159 LEVEL CM	8839,3180 litre	99,916 %	7,4069 litre	O
440	CM 80	CM 158 LEVEL CM	8825,8146 litre	99,764 %	20,9103 litre	O
440	CM 80	CM 157 LEVEL CM	8808,3829 litre	99,567 %	38,3420 litre	O
440	CM 80	CM 156 LEVEL CM	8787,8057 litre	99,334 %	58,9192 litre	O
440	CM 80	CM 155 LEVEL CM	8764,5399 litre	99,071 %	82,1850 litre	O
440	CM 80	CM 154 LEVEL CM	8738,8970 litre	98,781 %	107,8279 litre	O
440	CM 80	CM 153 LEVEL CM	8711,1077 litre	98,467 %	135,6172 litre	O
440	CM 80	CM 152 LEVEL CM	8681,3528 litre	98,131 %	165,3721 litre	O
440	CM 80	CM 151 LEVEL CM	8649,7788 litre	97,774 %	196,9461 litre	O
440	CM 80	CM 150 LEVEL CM	8616,5086 litre	97,398 %	230,2163 litre	O
440	CM 80	CM 149 LEVEL CM	8581,6467 litre	97,004 %	265,0782 litre	O
440	CM 80	CM 148 LEVEL CM	8545,2841 litre	96,593 %	301,4408 litre	O
440	CM 80	CM 147 LEVEL CM	8507,5008 litre	96,166 %	339,2241 litre	O
440	CM 80	CM 146 LEVEL CM	8468,3682 litre	95,723 %	378,3567 litre	O
440	CM 80	CM 145 LEVEL CM	8427,9505 litre	95,266 %	418,7744 litre	O
440	CM 80	CM 144 LEVEL CM	8386,3058 litre	94,796 %	460,4191 litre	O
440	CM 80	CM 143 LEVEL CM	8343,4874 litre	94,312 %	503,2375 litre	O
440	CM 80	CM 142 LEVEL CM	8299,5444 litre	93,815 %	547,1805 litre	O
440	CM 80	CM 141 LEVEL CM	8254,5218 litre	93,306 %	592,2031 litre	O
440	CM 80	CM 140 LEVEL CM	8208,4620 litre	92,785 %	638,2629 litre	O
440	CM 80	CM 139 LEVEL CM	8161,4041 litre	92,253 %	685,3208 litre	O
440	CM 80	CM 138 LEVEL CM	8113,3850 litre	91,711 %	733,3399 litre	O
440	CM 80	CM 137 LEVEL CM	8064,4394 litre	91,157 %	782,2855 litre	O
440	CM 80	CM 136 LEVEL CM	8014,6002 litre	90,594 %	832,1247 litre	O
440	CM 80	CM 135 LEVEL CM	7963,8982 litre	90,021 %	882,8267 litre	O
440	CM 80	CM 134 LEVEL CM	7912,3630 litre	89,438 %	934,3619 litre	O
440	CM 80	CM 133 LEVEL CM	7860,0226 litre	88,847 %	986,7023 litre	O
440	CM 80	CM 132 LEVEL CM	7806,9038 litre	88,246 %	1039,8211 litre	O
440	CM 80	CM 131 LEVEL CM	7753,0322 litre	87,637 %	1093,6927 litre	O
440	CM 80	CM 130 LEVEL CM	7698,4324 litre	87,020 %	1148,2925 litre	O
440	CM 80	CM 129 LEVEL CM	7643,1280 litre	86,395 %	1203,5969 litre	O
440	CM 80	CM 128 LEVEL CM	7587,1416 litre	85,762 %	1259,5833 litre	O
440	CM 80	CM 127 LEVEL CM	7530,4951 litre	85,122 %	1316,2298 litre	O
440	CM 80	CM 126 LEVEL CM	7473,2097 litre	84,474 %	1373,5152 litre	O
440	CM 80	CM 125 LEVEL CM	7415,3058 litre	83,820 %	1431,4191 litre	O
440	CM 80	CM 124 LEVEL CM	7356,8032 litre	83,158 %	1489,9217 litre	O
440	CM 80	CM 123 LEVEL CM	7297,7209 litre	82,491 %	1549,0040 litre	O
440	CM 80	CM 122 LEVEL CM	7238,0777 litre	81,816 %	1608,6472 litre	O
440	CM 80	CM 121 LEVEL CM	7177,8917 litre	81,136 %	1668,8332 litre	O
440	CM 80	CM 120 LEVEL CM	7117,1804 litre	80,450 %	1729,5445 litre	O
440	CM 80	CM 119 LEVEL CM	7055,9610 litre	79,758 %	1790,7639 litre	O
440	CM 80	CM 118 LEVEL CM	6994,2502 litre	79,060 %	1852,4747 litre	O
440	CM 80	CM 117 LEVEL CM	6932,0643 litre	78,357 %	1914,6606 litre	O
440	CM 80	CM 116 LEVEL CM	6869,4194 litre	77,649 %	1977,3055 litre	O
440	CM 80	CM 115 LEVEL CM	6806,3311 litre	76,936 %	2040,3938 litre	O
440	CM 80	CM 114 LEVEL CM	6742,8145 litre	76,218 %	2103,9104 litre	O
440	CM 80	CM 113 LEVEL CM	6678,8848 litre	75,496 %	2167,8401 litre	O
440	CM 80	CM 112 LEVEL CM	6614,5565 litre	74,768 %	2232,1684 litre	O
440	CM 80	CM 111 LEVEL CM	6549,8442 litre	74,037 %	2296,8807 litre	O
440	CM 80	CM 110 LEVEL CM	6484,7620 litre	73,301 %	2361,9629 litre	O
440	CM 80	CM 109 LEVEL CM	6419,3237 litre	72,562 %	2427,4012 litre	O

440	CM	80	CM	108 LEVEL CM	6353,5432 litre	71,818 %	2493,1817 litre	O
440	CM	80	CM	107 LEVEL CM	6287,4338 litre	71,071 %	2559,2911 litre	O
440	CM	80	CM	106 LEVEL CM	6221,0089 litre	70,320 %	2625,7160 litre	O
440	CM	80	CM	105 LEVEL CM	6154,2816 litre	69,566 %	2692,4433 litre	O
440	CM	80	CM	104 LEVEL CM	6087,2648 litre	68,808 %	2759,4601 litre	O
440	CM	80	CM	103 LEVEL CM	6019,9712 litre	68,047 %	2826,7537 litre	O
440	CM	80	CM	102 LEVEL CM	5952,4135 litre	67,284 %	2894,3114 litre	O
440	CM	80	CM	101 LEVEL CM	5884,6040 litre	66,517 %	2962,1209 litre	O
440	CM	80	CM	100 LEVEL CM	5816,5551 litre	65,748 %	3030,1698 litre	O
440	CM	80	CM	99 LEVEL CM	5748,2790 litre	64,976 %	3098,4459 litre	O
440	CM	80	CM	98 LEVEL CM	5679,7878 litre	64,202 %	3166,9371 litre	O
440	CM	80	CM	97 LEVEL CM	5611,0933 litre	63,426 %	3235,6316 litre	O
440	CM	80	CM	96 LEVEL CM	5542,2074 litre	62,647 %	3304,5175 litre	O
440	CM	80	CM	95 LEVEL CM	5473,1419 litre	61,866 %	3373,5830 litre	O
440	CM	80	CM	94 LEVEL CM	5403,9084 litre	61,084 %	3442,8165 litre	O
440	CM	80	CM	93 LEVEL CM	5334,5185 litre	60,299 %	3512,2064 litre	O
440	CM	80	CM	92 LEVEL CM	5264,9837 litre	59,513 %	3581,7412 litre	O
440	CM	80	CM	91 LEVEL CM	5195,3153 litre	58,726 %	3651,4096 litre	O
440	CM	80	CM	90 LEVEL CM	5125,5248 litre	57,937 %	3721,2001 litre	O
440	CM	80	CM	89 LEVEL CM	5055,6234 litre	57,147 %	3791,1015 litre	O
440	CM	80	CM	88 LEVEL CM	4985,6224 litre	56,356 %	3861,1025 litre	O
440	CM	80	CM	87 LEVEL CM	4915,5329 litre	55,563 %	3931,1920 litre	O
440	CM	80	CM	86 LEVEL CM	4845,3661 litre	54,770 %	4001,3588 litre	O
440	CM	80	CM	85 LEVEL CM	4775,1332 litre	53,976 %	4071,5917 litre	O
440	CM	80	CM	84 LEVEL CM	4704,8451 litre	53,182 %	4141,8798 litre	O
440	CM	80	CM	83 LEVEL CM	4634,5129 litre	52,387 %	4212,2120 litre	O
440	CM	80	CM	82 LEVEL CM	4564,1478 litre	51,591 %	4282,5771 litre	O
440	CM	80	CM	81 LEVEL CM	4493,7606 litre	50,796 %	4352,9643 litre	O
440	CM	80	CM	80 LEVEL CM	4423,3625 litre	50,000 %	4423,3624 litre	O
440	CM	80	CM	79 LEVEL CM	4352,9643 litre	49,204 %	4493,7606 litre	O
440	CM	80	CM	78 LEVEL CM	4282,5771 litre	48,409 %	4564,1478 litre	O
440	CM	80	CM	77 LEVEL CM	4212,2120 litre	47,613 %	4634,5129 litre	O
440	CM	80	CM	76 LEVEL CM	4141,8798 litre	46,818 %	4704,8451 litre	O
440	CM	80	CM	75 LEVEL CM	4071,5918 litre	46,024 %	4775,1331 litre	O
440	CM	80	CM	74 LEVEL CM	4001,3588 litre	45,230 %	4845,3661 litre	O
440	CM	80	CM	73 LEVEL CM	3931,1920 litre	44,437 %	4915,5329 litre	O
440	CM	80	CM	72 LEVEL CM	3861,1025 litre	43,644 %	4985,6224 litre	O
440	CM	80	CM	71 LEVEL CM	3791,1015 litre	42,853 %	5055,6234 litre	O
440	CM	80	CM	70 LEVEL CM	3721,2001 litre	42,063 %	5125,5248 litre	O
440	CM	80	CM	69 LEVEL CM	3651,4096 litre	41,274 %	5195,3153 litre	O
440	CM	80	CM	68 LEVEL CM	3581,7412 litre	40,487 %	5264,9837 litre	O
440	CM	80	CM	67 LEVEL CM	3512,2064 litre	39,701 %	5334,5185 litre	O
440	CM	80	CM	66 LEVEL CM	3442,8165 litre	38,916 %	5403,9084 litre	O
440	CM	80	CM	65 LEVEL CM	3373,5830 litre	38,134 %	5473,1419 litre	O
440	CM	80	CM	64 LEVEL CM	3304,5175 litre	37,353 %	5542,2074 litre	O
440	CM	80	CM	63 LEVEL CM	3235,6316 litre	36,574 %	5611,0933 litre	O
440	CM	80	CM	62 LEVEL CM	3166,9372 litre	35,798 %	5679,7877 litre	O
440	CM	80	CM	61 LEVEL CM	3098,4459 litre	35,024 %	5748,2790 litre	O
440	CM	80	CM	60 LEVEL CM	3030,1698 litre	34,252 %	5816,5551 litre	O
440	CM	80	CM	59 LEVEL CM	2962,1209 litre	33,483 %	5884,6040 litre	O
440	CM	80	CM	58 LEVEL CM	2894,3114 litre	32,716 %	5952,4135 litre	O
440	CM	80	CM	57 LEVEL CM	2826,7537 litre	31,953 %	6019,9712 litre	O
440	CM	80	CM	56 LEVEL CM	2759,4601 litre	31,192 %	6087,2648 litre	O

440	CM	80	CM	55 LEVEL CM	2692,4433 litre	30,434 %	6154,2816 litre	O
440	CM	80	CM	54 LEVEL CM	2625,7160 litre	29,680 %	6221,0089 litre	O
440	CM	80	CM	53 LEVEL CM	2559,2911 litre	28,929 %	6287,4338 litre	O
440	CM	80	CM	52 LEVEL CM	2493,1817 litre	28,182 %	6353,5432 litre	O
440	CM	80	CM	51 LEVEL CM	2427,4012 litre	27,438 %	6419,3237 litre	O
440	CM	80	CM	50 LEVEL CM	2361,9629 litre	26,699 %	6484,7620 litre	O
440	CM	80	CM	49 LEVEL CM	2296,8807 litre	25,963 %	6549,8442 litre	O
440	CM	80	CM	48 LEVEL CM	2232,1684 litre	25,232 %	6614,5565 litre	O
440	CM	80	CM	47 LEVEL CM	2167,8401 litre	24,504 %	6678,8848 litre	O
440	CM	80	CM	46 LEVEL CM	2103,9104 litre	23,782 %	6742,8145 litre	O
440	CM	80	CM	45 LEVEL CM	2040,3938 litre	23,064 %	6806,3311 litre	O
440	CM	80	CM	44 LEVEL CM	1977,3055 litre	22,351 %	6869,4194 litre	O
440	CM	80	CM	43 LEVEL CM	1914,6606 litre	21,643 %	6932,0643 litre	O
440	CM	80	CM	42 LEVEL CM	1852,4747 litre	20,940 %	6994,2502 litre	O
440	CM	80	CM	41 LEVEL CM	1790,7640 litre	20,242 %	7055,9609 litre	O
440	CM	80	CM	40 LEVEL CM	1729,5445 litre	19,550 %	7117,1804 litre	O
440	CM	80	CM	39 LEVEL CM	1668,8332 litre	18,864 %	7177,8917 litre	O
440	CM	80	CM	38 LEVEL CM	1608,6472 litre	18,184 %	7238,0777 litre	O
440	CM	80	CM	37 LEVEL CM	1549,0040 litre	17,509 %	7297,7209 litre	O
440	CM	80	CM	36 LEVEL CM	1489,9217 litre	16,842 %	7356,8032 litre	O
440	CM	80	CM	35 LEVEL CM	1431,4191 litre	16,180 %	7415,3058 litre	O
440	CM	80	CM	34 LEVEL CM	1373,5152 litre	15,526 %	7473,2097 litre	O
440	CM	80	CM	33 LEVEL CM	1316,2298 litre	14,878 %	7530,4951 litre	O
440	CM	80	CM	32 LEVEL CM	1259,5833 litre	14,238 %	7587,1416 litre	O
440	CM	80	CM	31 LEVEL CM	1203,5969 litre	13,605 %	7643,1280 litre	O
440	CM	80	CM	30 LEVEL CM	1148,2925 litre	12,980 %	7698,4324 litre	O
440	CM	80	CM	29 LEVEL CM	1093,6927 litre	12,363 %	7753,0322 litre	O
440	CM	80	CM	28 LEVEL CM	1039,8211 litre	11,754 %	7806,9038 litre	O
440	CM	80	CM	27 LEVEL CM	986,7023 litre	11,153 %	7860,0226 litre	O
440	CM	80	CM	26 LEVEL CM	934,3619 litre	10,562 %	7912,3630 litre	O
440	CM	80	CM	25 LEVEL CM	882,8267 litre	9,979 %	7963,8982 litre	O
440	CM	80	CM	24 LEVEL CM	832,1247 litre	9,406 %	8014,6002 litre	O
440	CM	80	CM	23 LEVEL CM	782,2855 litre	8,843 %	8064,4394 litre	O
440	CM	80	CM	22 LEVEL CM	733,3399 litre	8,289 %	8113,3850 litre	O
440	CM	80	CM	21 LEVEL CM	685,3208 litre	7,747 %	8161,4041 litre	O
440	CM	80	CM	20 LEVEL CM	638,2629 litre	7,215 %	8208,4620 litre	O
440	CM	80	CM	19 LEVEL CM	592,2031 litre	6,694 %	8254,5218 litre	O
440	CM	80	CM	18 LEVEL CM	547,1806 litre	6,185 %	8299,5443 litre	O
440	CM	80	CM	17 LEVEL CM	503,2375 litre	5,688 %	8343,4874 litre	O
440	CM	80	CM	16 LEVEL CM	460,4191 litre	5,204 %	8386,3058 litre	O
440	CM	80	CM	15 LEVEL CM	418,7745 litre	4,734 %	8427,9504 litre	O
440	CM	80	CM	14 LEVEL CM	378,3567 litre	4,277 %	8468,3682 litre	O
440	CM	80	CM	13 LEVEL CM	339,2241 litre	3,834 %	8507,5008 litre	O
440	CM	80	CM	12 LEVEL CM	301,4408 litre	3,407 %	8545,2841 litre	O
440	CM	80	CM	11 LEVEL CM	265,0782 litre	2,996 %	8581,6467 litre	O
440	CM	80	CM	10 LEVEL CM	230,2163 litre	2,602 %	8616,5086 litre	O
440	CM	80	CM	9 LEVEL CM	196,9461 litre	2,226 %	8649,7788 litre	O
440	CM	80	CM	8 LEVEL CM	165,3722 litre	1,869 %	8681,3527 litre	O
440	CM	80	CM	7 LEVEL CM	135,6172 litre	1,533 %	8711,1077 litre	O
440	CM	80	CM	6 LEVEL CM	107,8279 litre	1,219 %	8738,8970 litre	O
440	CM	80	CM	5 LEVEL CM	82,1850 litre	0,929 %	8764,5399 litre	O
440	CM	80	CM	4 LEVEL CM	58,9192 litre	0,666 %	8787,8057 litre	O
440	CM	80	CM	3 LEVEL CM	38,3420 litre	0,433 %	8808,3829 litre	O

440_80

-1201-

440	CM 80	CM	2 LEVEL CM	20,9103 litre	0,236 %	8825,8146 litre	O
440	CM 80	CM	1 LEVEL CM	7,4069 litre	0,084 %	8839,3180 litre	O
440	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	8846,7249 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
440	CM	75	CM	150 LEVEL CM	7775,4418 litre	100,000 %	0,0000 litre	O
440	CM	75	CM	149 LEVEL CM	7768,2710 litre	99,908 %	7,1708 litre	O
440	CM	75	CM	148 LEVEL CM	7755,2006 litre	99,740 %	20,2412 litre	O
440	CM	75	CM	147 LEVEL CM	7738,3314 litre	99,523 %	37,1104 litre	O
440	CM	75	CM	146 LEVEL CM	7718,4225 litre	99,267 %	57,0193 litre	O
440	CM	75	CM	145 LEVEL CM	7695,9173 litre	98,977 %	79,5245 litre	O
440	CM	75	CM	144 LEVEL CM	7671,1182 litre	98,658 %	104,3236 litre	O
440	CM	75	CM	143 LEVEL CM	7644,2494 litre	98,313 %	131,1924 litre	O
440	CM	75	CM	142 LEVEL CM	7615,4866 litre	97,943 %	159,9552 litre	O
440	CM	75	CM	141 LEVEL CM	7584,9725 litre	97,550 %	190,4693 litre	O
440	CM	75	CM	140 LEVEL CM	7552,8266 litre	97,137 %	222,6152 litre	O
440	CM	75	CM	139 LEVEL CM	7519,1509 litre	96,704 %	256,2909 litre	O
440	CM	75	CM	138 LEVEL CM	7484,0340 litre	96,252 %	291,4078 litre	O
440	CM	75	CM	137 LEVEL CM	7447,5540 litre	95,783 %	327,8878 litre	O
440	CM	75	CM	136 LEVEL CM	7409,7806 litre	95,297 %	365,6612 litre	O
440	CM	75	CM	135 LEVEL CM	7370,7766 litre	94,796 %	404,6652 litre	O
440	CM	75	CM	134 LEVEL CM	7330,5988 litre	94,279 %	444,8430 litre	O
440	CM	75	CM	133 LEVEL CM	7289,2993 litre	93,748 %	486,1425 litre	O
440	CM	75	CM	132 LEVEL CM	7246,9262 litre	93,203 %	528,5156 litre	O
440	CM	75	CM	131 LEVEL CM	7203,5237 litre	92,645 %	571,9181 litre	O
440	CM	75	CM	130 LEVEL CM	7159,1333 litre	92,074 %	616,3085 litre	O
440	CM	75	CM	129 LEVEL CM	7113,7934 litre	91,491 %	661,6484 litre	O
440	CM	75	CM	128 LEVEL CM	7067,5404 litre	90,896 %	707,9014 litre	O
440	CM	75	CM	127 LEVEL CM	7020,4083 litre	90,290 %	755,0335 litre	O
440	CM	75	CM	126 LEVEL CM	6972,4294 litre	89,672 %	803,0124 litre	O
440	CM	75	CM	125 LEVEL CM	6923,6342 litre	89,045 %	851,8076 litre	O
440	CM	75	CM	124 LEVEL CM	6874,0519 litre	88,407 %	901,3899 litre	O
440	CM	75	CM	123 LEVEL CM	6823,7100 litre	87,760 %	951,7318 litre	O
440	CM	75	CM	122 LEVEL CM	6772,6350 litre	87,103 %	1002,8068 litre	O
440	CM	75	CM	121 LEVEL CM	6720,8523 litre	86,437 %	1054,5895 litre	O
440	CM	75	CM	120 LEVEL CM	6668,3862 litre	85,762 %	1107,0556 litre	O
440	CM	75	CM	119 LEVEL CM	6615,2599 litre	85,079 %	1160,1819 litre	O
440	CM	75	CM	118 LEVEL CM	6561,4962 litre	84,387 %	1213,9456 litre	O
440	CM	75	CM	117 LEVEL CM	6507,1165 litre	83,688 %	1268,3253 litre	O
440	CM	75	CM	116 LEVEL CM	6452,1420 litre	82,981 %	1323,2998 litre	O
440	CM	75	CM	115 LEVEL CM	6396,5929 litre	82,267 %	1378,8489 litre	O
440	CM	75	CM	114 LEVEL CM	6340,4890 litre	81,545 %	1434,9528 litre	O
440	CM	75	CM	113 LEVEL CM	6283,8493 litre	80,817 %	1491,5925 litre	O
440	CM	75	CM	112 LEVEL CM	6226,6923 litre	80,082 %	1548,7495 litre	O
440	CM	75	CM	111 LEVEL CM	6169,0363 litre	79,340 %	1606,4055 litre	O
440	CM	75	CM	110 LEVEL CM	6110,8987 litre	78,592 %	1664,5431 litre	O
440	CM	75	CM	109 LEVEL CM	6052,2967 litre	77,839 %	1723,1451 litre	O
440	CM	75	CM	108 LEVEL CM	5993,2472 litre	77,079 %	1782,1946 litre	O
440	CM	75	CM	107 LEVEL CM	5933,7664 litre	76,314 %	1841,6754 litre	O
440	CM	75	CM	106 LEVEL CM	5873,8705 litre	75,544 %	1901,5713 litre	O
440	CM	75	CM	105 LEVEL CM	5813,5751 litre	74,768 %	1961,8667 litre	O
440	CM	75	CM	104 LEVEL CM	5752,8956 litre	73,988 %	2022,5462 litre	O
440	CM	75	CM	103 LEVEL CM	5691,8471 litre	73,203 %	2083,5947 litre	O
440	CM	75	CM	102 LEVEL CM	5630,4444 litre	72,413 %	2144,9974 litre	O
440	CM	75	CM	101 LEVEL CM	5568,7022 litre	71,619 %	2206,7396 litre	O
440	CM	75	CM	100 LEVEL CM	5506,6347 litre	70,821 %	2268,8071 litre	O
440	CM	75	CM	99 LEVEL CM	5444,2561 litre	70,019 %	2331,1857 litre	O

440	CM	75	CM	98 LEVEL CM	5381,5802 litre	69,213 %	2393,8616 litre	O
440	CM	75	CM	97 LEVEL CM	5318,6208 litre	68,403 %	2456,8210 litre	O
440	CM	75	CM	96 LEVEL CM	5255,3913 litre	67,590 %	2520,0505 litre	O
440	CM	75	CM	95 LEVEL CM	5191,9052 litre	66,773 %	2583,5366 litre	O
440	CM	75	CM	94 LEVEL CM	5128,1756 litre	65,953 %	2647,2662 litre	O
440	CM	75	CM	93 LEVEL CM	5064,2155 litre	65,131 %	2711,2263 litre	O
440	CM	75	CM	92 LEVEL CM	5000,0378 litre	64,306 %	2775,4040 litre	O
440	CM	75	CM	91 LEVEL CM	4935,6554 litre	63,477 %	2839,7864 litre	O
440	CM	75	CM	90 LEVEL CM	4871,0807 litre	62,647 %	2904,3611 litre	O
440	CM	75	CM	89 LEVEL CM	4806,3265 litre	61,814 %	2969,1153 litre	O
440	CM	75	CM	88 LEVEL CM	4741,4050 litre	60,979 %	3034,0368 litre	O
440	CM	75	CM	87 LEVEL CM	4676,3286 litre	60,142 %	3099,1132 litre	O
440	CM	75	CM	86 LEVEL CM	4611,1096 litre	59,304 %	3164,3322 litre	O
440	CM	75	CM	85 LEVEL CM	4545,7601 litre	58,463 %	3229,6817 litre	O
440	CM	75	CM	84 LEVEL CM	4480,2922 litre	57,621 %	3295,1496 litre	O
440	CM	75	CM	83 LEVEL CM	4414,7179 litre	56,778 %	3360,7239 litre	O
440	CM	75	CM	82 LEVEL CM	4349,0493 litre	55,933 %	3426,3925 litre	O
440	CM	75	CM	81 LEVEL CM	4283,2981 litre	55,088 %	3492,1437 litre	O
440	CM	75	CM	80 LEVEL CM	4217,4763 litre	54,241 %	3557,9655 litre	O
440	CM	75	CM	79 LEVEL CM	4151,5957 litre	53,394 %	3623,8461 litre	O
440	CM	75	CM	78 LEVEL CM	4085,6681 litre	52,546 %	3689,7737 litre	O
440	CM	75	CM	77 LEVEL CM	4019,7053 litre	51,697 %	3755,7365 litre	O
440	CM	75	CM	76 LEVEL CM	3953,7190 litre	50,849 %	3821,7228 litre	O
440	CM	75	CM	75 LEVEL CM	3887,7209 litre	50,000 %	3887,7209 litre	O
440	CM	75	CM	74 LEVEL CM	3821,7229 litre	49,151 %	3953,7189 litre	O
440	CM	75	CM	73 LEVEL CM	3755,7366 litre	48,303 %	4019,7052 litre	O
440	CM	75	CM	72 LEVEL CM	3689,7737 litre	47,454 %	4085,6681 litre	O
440	CM	75	CM	71 LEVEL CM	3623,8461 litre	46,606 %	4151,5957 litre	O
440	CM	75	CM	70 LEVEL CM	3557,9655 litre	45,759 %	4217,4763 litre	O
440	CM	75	CM	69 LEVEL CM	3492,1437 litre	44,912 %	4283,2981 litre	O
440	CM	75	CM	68 LEVEL CM	3426,3925 litre	44,067 %	4349,0493 litre	O
440	CM	75	CM	67 LEVEL CM	3360,7239 litre	43,222 %	4414,7179 litre	O
440	CM	75	CM	66 LEVEL CM	3295,1496 litre	42,379 %	4480,2922 litre	O
440	CM	75	CM	65 LEVEL CM	3229,6817 litre	41,537 %	4545,7601 litre	O
440	CM	75	CM	64 LEVEL CM	3164,3322 litre	40,696 %	4611,1096 litre	O
440	CM	75	CM	63 LEVEL CM	3099,1132 litre	39,858 %	4676,3286 litre	O
440	CM	75	CM	62 LEVEL CM	3034,0368 litre	39,021 %	4741,4050 litre	O
440	CM	75	CM	61 LEVEL CM	2969,1154 litre	38,186 %	4806,3264 litre	O
440	CM	75	CM	60 LEVEL CM	2904,3611 litre	37,353 %	4871,0807 litre	O
440	CM	75	CM	59 LEVEL CM	2839,7865 litre	36,523 %	4935,6553 litre	O
440	CM	75	CM	58 LEVEL CM	2775,4040 litre	35,694 %	5000,0378 litre	O
440	CM	75	CM	57 LEVEL CM	2711,2263 litre	34,869 %	5064,2155 litre	O
440	CM	75	CM	56 LEVEL CM	2647,2662 litre	34,047 %	5128,1756 litre	O
440	CM	75	CM	55 LEVEL CM	2583,5366 litre	33,227 %	5191,9052 litre	O
440	CM	75	CM	54 LEVEL CM	2520,0505 litre	32,410 %	5255,3913 litre	O
440	CM	75	CM	53 LEVEL CM	2456,8210 litre	31,597 %	5318,6208 litre	O
440	CM	75	CM	52 LEVEL CM	2393,8616 litre	30,787 %	5381,5802 litre	O
440	CM	75	CM	51 LEVEL CM	2331,1857 litre	29,981 %	5444,2561 litre	O
440	CM	75	CM	50 LEVEL CM	2268,8071 litre	29,179 %	5506,6347 litre	O
440	CM	75	CM	49 LEVEL CM	2206,7396 litre	28,381 %	5568,7022 litre	O
440	CM	75	CM	48 LEVEL CM	2144,9974 litre	27,587 %	5630,4444 litre	O
440	CM	75	CM	47 LEVEL CM	2083,5947 litre	26,797 %	5691,8471 litre	O
440	CM	75	CM	46 LEVEL CM	2022,5462 litre	26,012 %	5752,8956 litre	O

440	CM	75	CM	45 LEVEL CM	1961,8667 litre	25,232 %	5813,5751 litre	O
440	CM	75	CM	44 LEVEL CM	1901,5713 litre	24,456 %	5873,8705 litre	O
440	CM	75	CM	43 LEVEL CM	1841,6754 litre	23,686 %	5933,7664 litre	O
440	CM	75	CM	42 LEVEL CM	1782,1946 litre	22,921 %	5993,2472 litre	O
440	CM	75	CM	41 LEVEL CM	1723,1451 litre	22,161 %	6052,2967 litre	O
440	CM	75	CM	40 LEVEL CM	1664,5431 litre	21,408 %	6110,8987 litre	O
440	CM	75	CM	39 LEVEL CM	1606,4055 litre	20,660 %	6169,0363 litre	O
440	CM	75	CM	38 LEVEL CM	1548,7495 litre	19,918 %	6226,6923 litre	O
440	CM	75	CM	37 LEVEL CM	1491,5925 litre	19,183 %	6283,8493 litre	O
440	CM	75	CM	36 LEVEL CM	1434,9528 litre	18,455 %	6340,4890 litre	O
440	CM	75	CM	35 LEVEL CM	1378,8489 litre	17,733 %	6396,5929 litre	O
440	CM	75	CM	34 LEVEL CM	1323,2998 litre	17,019 %	6452,1420 litre	O
440	CM	75	CM	33 LEVEL CM	1268,3253 litre	16,312 %	6507,1165 litre	O
440	CM	75	CM	32 LEVEL CM	1213,9457 litre	15,613 %	6561,4961 litre	O
440	CM	75	CM	31 LEVEL CM	1160,1819 litre	14,921 %	6615,2599 litre	O
440	CM	75	CM	30 LEVEL CM	1107,0557 litre	14,238 %	6668,3861 litre	O
440	CM	75	CM	29 LEVEL CM	1054,5895 litre	13,563 %	6720,8523 litre	O
440	CM	75	CM	28 LEVEL CM	1002,8068 litre	12,897 %	6772,6350 litre	O
440	CM	75	CM	27 LEVEL CM	951,7318 litre	12,240 %	6823,7100 litre	O
440	CM	75	CM	26 LEVEL CM	901,3899 litre	11,593 %	6874,0519 litre	O
440	CM	75	CM	25 LEVEL CM	851,8076 litre	10,955 %	6923,6342 litre	O
440	CM	75	CM	24 LEVEL CM	803,0124 litre	10,328 %	6972,4294 litre	O
440	CM	75	CM	23 LEVEL CM	755,0335 litre	9,710 %	7020,4083 litre	O
440	CM	75	CM	22 LEVEL CM	707,9014 litre	9,104 %	7067,5404 litre	O
440	CM	75	CM	21 LEVEL CM	661,6484 litre	8,509 %	7113,7934 litre	O
440	CM	75	CM	20 LEVEL CM	616,3085 litre	7,926 %	7159,1333 litre	O
440	CM	75	CM	19 LEVEL CM	571,9181 litre	7,355 %	7203,5237 litre	O
440	CM	75	CM	18 LEVEL CM	528,5157 litre	6,797 %	7246,9261 litre	O
440	CM	75	CM	17 LEVEL CM	486,1425 litre	6,252 %	7289,2993 litre	O
440	CM	75	CM	16 LEVEL CM	444,8431 litre	5,721 %	7330,5987 litre	O
440	CM	75	CM	15 LEVEL CM	404,6652 litre	5,204 %	7370,7766 litre	O
440	CM	75	CM	14 LEVEL CM	365,6612 litre	4,703 %	7409,7806 litre	O
440	CM	75	CM	13 LEVEL CM	327,8878 litre	4,217 %	7447,5540 litre	O
440	CM	75	CM	12 LEVEL CM	291,4078 litre	3,748 %	7484,0340 litre	O
440	CM	75	CM	11 LEVEL CM	256,2909 litre	3,296 %	7519,1509 litre	O
440	CM	75	CM	10 LEVEL CM	222,6152 litre	2,863 %	7552,8266 litre	O
440	CM	75	CM	9 LEVEL CM	190,4693 litre	2,450 %	7584,9725 litre	O
440	CM	75	CM	8 LEVEL CM	159,9552 litre	2,057 %	7615,4866 litre	O
440	CM	75	CM	7 LEVEL CM	131,1924 litre	1,687 %	7644,2494 litre	O
440	CM	75	CM	6 LEVEL CM	104,3236 litre	1,342 %	7671,1182 litre	O
440	CM	75	CM	5 LEVEL CM	79,5245 litre	1,023 %	7695,9173 litre	O
440	CM	75	CM	4 LEVEL CM	57,0193 litre	0,733 %	7718,4225 litre	O
440	CM	75	CM	3 LEVEL CM	37,1104 litre	0,477 %	7738,3314 litre	O
440	CM	75	CM	2 LEVEL CM	20,2412 litre	0,260 %	7755,2006 litre	O
440	CM	75	CM	1 LEVEL CM	7,1708 litre	0,092 %	7768,2710 litre	O
440	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	7775,4418 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM 70	CM 140 LEVEL CM	6773,2738 litre	100,000 %	0,0000 litre	O
440	CM 70	CM 139 LEVEL CM	6766,3471 litre	99,898 %	6,9267 litre	O
440	CM 70	CM 138 LEVEL CM	6753,7245 litre	99,711 %	19,5493 litre	O
440	CM 70	CM 137 LEVEL CM	6737,4373 litre	99,471 %	35,8365 litre	O
440	CM 70	CM 136 LEVEL CM	6718,2199 litre	99,187 %	55,0539 litre	O
440	CM 70	CM 135 LEVEL CM	6696,5020 litre	98,867 %	76,7718 litre	O
440	CM 70	CM 134 LEVEL CM	6672,5764 litre	98,513 %	100,6974 litre	O
440	CM 70	CM 133 LEVEL CM	6646,6607 litre	98,131 %	126,6131 litre	O
440	CM 70	CM 132 LEVEL CM	6618,9255 litre	97,721 %	154,3483 litre	O
440	CM 70	CM 131 LEVEL CM	6589,5095 litre	97,287 %	183,7643 litre	O
440	CM 70	CM 130 LEVEL CM	6558,5287 litre	96,830 %	214,7451 litre	O
440	CM 70	CM 129 LEVEL CM	6526,0825 litre	96,350 %	247,1913 litre	O
440	CM 70	CM 128 LEVEL CM	6492,2571 litre	95,851 %	281,0167 litre	O
440	CM 70	CM 127 LEVEL CM	6457,1288 litre	95,332 %	316,1450 litre	O
440	CM 70	CM 126 LEVEL CM	6420,7654 litre	94,796 %	352,5084 litre	O
440	CM 70	CM 125 LEVEL CM	6383,2282 litre	94,241 %	390,0456 litre	O
440	CM 70	CM 124 LEVEL CM	6344,5729 litre	93,671 %	428,7009 litre	O
440	CM 70	CM 123 LEVEL CM	6304,8503 litre	93,084 %	468,4235 litre	O
440	CM 70	CM 122 LEVEL CM	6264,1076 litre	92,483 %	509,1662 litre	O
440	CM 70	CM 121 LEVEL CM	6222,3881 litre	91,867 %	550,8857 litre	O
440	CM 70	CM 120 LEVEL CM	6179,7323 litre	91,237 %	593,5415 litre	O
440	CM 70	CM 119 LEVEL CM	6136,1783 litre	90,594 %	637,0955 litre	O
440	CM 70	CM 118 LEVEL CM	6091,7614 litre	89,938 %	681,5124 litre	O
440	CM 70	CM 117 LEVEL CM	6046,5154 litre	89,270 %	726,7584 litre	O
440	CM 70	CM 116 LEVEL CM	6000,4720 litre	88,590 %	772,8018 litre	O
440	CM 70	CM 115 LEVEL CM	5953,6613 litre	87,899 %	819,6125 litre	O
440	CM 70	CM 114 LEVEL CM	5906,1119 litre	87,197 %	867,1619 litre	O
440	CM 70	CM 113 LEVEL CM	5857,8511 litre	86,485 %	915,4227 litre	O
440	CM 70	CM 112 LEVEL CM	5808,9053 litre	85,762 %	964,3685 litre	O
440	CM 70	CM 111 LEVEL CM	5759,2993 litre	85,030 %	1013,9745 litre	O
440	CM 70	CM 110 LEVEL CM	5709,0574 litre	84,288 %	1064,2164 litre	O
440	CM 70	CM 109 LEVEL CM	5658,2026 litre	83,537 %	1115,0712 litre	O
440	CM 70	CM 108 LEVEL CM	5606,7574 litre	82,778 %	1166,5164 litre	O
440	CM 70	CM 107 LEVEL CM	5554,7432 litre	82,010 %	1218,5306 litre	O
440	CM 70	CM 106 LEVEL CM	5502,1811 litre	81,234 %	1271,0927 litre	O
440	CM 70	CM 105 LEVEL CM	5449,0912 litre	80,450 %	1324,1826 litre	O
440	CM 70	CM 104 LEVEL CM	5395,4932 litre	79,659 %	1377,7806 litre	O
440	CM 70	CM 103 LEVEL CM	5341,4062 litre	78,860 %	1431,8676 litre	O
440	CM 70	CM 102 LEVEL CM	5286,8487 litre	78,055 %	1486,4251 litre	O
440	CM 70	CM 101 LEVEL CM	5231,8389 litre	77,242 %	1541,4349 litre	O
440	CM 70	CM 100 LEVEL CM	5176,3944 litre	76,424 %	1596,8794 litre	O
440	CM 70	CM 99 LEVEL CM	5120,5324 litre	75,599 %	1652,7414 litre	O
440	CM 70	CM 98 LEVEL CM	5064,2699 litre	74,768 %	1709,0039 litre	O
440	CM 70	CM 97 LEVEL CM	5007,6232 litre	73,932 %	1765,6506 litre	O
440	CM 70	CM 96 LEVEL CM	4950,6086 litre	73,090 %	1822,6652 litre	O
440	CM 70	CM 95 LEVEL CM	4893,2420 litre	72,243 %	1880,0318 litre	O
440	CM 70	CM 94 LEVEL CM	4835,5388 litre	71,391 %	1937,7350 litre	O
440	CM 70	CM 93 LEVEL CM	4777,5145 litre	70,535 %	1995,7593 litre	O
440	CM 70	CM 92 LEVEL CM	4719,1840 litre	69,674 %	2054,0898 litre	O
440	CM 70	CM 91 LEVEL CM	4660,5621 litre	68,808 %	2112,7117 litre	O
440	CM 70	CM 90 LEVEL CM	4601,6635 litre	67,939 %	2171,6103 litre	O
440	CM 70	CM 89 LEVEL CM	4542,5025 litre	67,065 %	2230,7713 litre	O

440	CM	70	CM	88 LEVEL CM	4483,0933 litre	66,188 %	2290,1805 litre	O
440	CM	70	CM	87 LEVEL CM	4423,4499 litre	65,307 %	2349,8239 litre	O
440	CM	70	CM	86 LEVEL CM	4363,5862 litre	64,424 %	2409,6876 litre	O
440	CM	70	CM	85 LEVEL CM	4303,5159 litre	63,537 %	2469,7579 litre	O
440	CM	70	CM	84 LEVEL CM	4243,2525 litre	62,647 %	2530,0213 litre	O
440	CM	70	CM	83 LEVEL CM	4182,8095 litre	61,755 %	2590,4643 litre	O
440	CM	70	CM	82 LEVEL CM	4122,2002 litre	60,860 %	2651,0736 litre	O
440	CM	70	CM	81 LEVEL CM	4061,4377 litre	59,963 %	2711,8361 litre	O
440	CM	70	CM	80 LEVEL CM	4000,5352 litre	59,064 %	2772,7386 litre	O
440	CM	70	CM	79 LEVEL CM	3939,5056 litre	58,163 %	2833,7682 litre	O
440	CM	70	CM	78 LEVEL CM	3878,3620 litre	57,260 %	2894,9118 litre	O
440	CM	70	CM	77 LEVEL CM	3817,1171 litre	56,356 %	2956,1567 litre	O
440	CM	70	CM	76 LEVEL CM	3755,7838 litre	55,450 %	3017,4900 litre	O
440	CM	70	CM	75 LEVEL CM	3694,3748 litre	54,543 %	3078,8990 litre	O
440	CM	70	CM	74 LEVEL CM	3632,9027 litre	53,636 %	3140,3711 litre	O
440	CM	70	CM	73 LEVEL CM	3571,3803 litre	52,728 %	3201,8935 litre	O
440	CM	70	CM	72 LEVEL CM	3509,8201 litre	51,819 %	3263,4537 litre	O
440	CM	70	CM	71 LEVEL CM	3448,2348 litre	50,909 %	3325,0390 litre	O
440	CM	70	CM	70 LEVEL CM	3386,6369 litre	50,000 %	3386,6369 litre	O
440	CM	70	CM	69 LEVEL CM	3325,0390 litre	49,091 %	3448,2348 litre	O
440	CM	70	CM	68 LEVEL CM	3263,4536 litre	48,181 %	3509,8202 litre	O
440	CM	70	CM	67 LEVEL CM	3201,8935 litre	47,272 %	3571,3803 litre	O
440	CM	70	CM	66 LEVEL CM	3140,3710 litre	46,364 %	3632,9028 litre	O
440	CM	70	CM	65 LEVEL CM	3078,8990 litre	45,457 %	3694,3748 litre	O
440	CM	70	CM	64 LEVEL CM	3017,4900 litre	44,550 %	3755,7838 litre	O
440	CM	70	CM	63 LEVEL CM	2956,1566 litre	43,644 %	3817,1172 litre	O
440	CM	70	CM	62 LEVEL CM	2894,9118 litre	42,740 %	3878,3620 litre	O
440	CM	70	CM	61 LEVEL CM	2833,7681 litre	41,837 %	3939,5057 litre	O
440	CM	70	CM	60 LEVEL CM	2772,7386 litre	40,936 %	4000,5352 litre	O
440	CM	70	CM	59 LEVEL CM	2711,8361 litre	40,037 %	4061,4377 litre	O
440	CM	70	CM	58 LEVEL CM	2651,0736 litre	39,140 %	4122,2002 litre	O
440	CM	70	CM	57 LEVEL CM	2590,4642 litre	38,245 %	4182,8096 litre	O
440	CM	70	CM	56 LEVEL CM	2530,0212 litre	37,353 %	4243,2526 litre	O
440	CM	70	CM	55 LEVEL CM	2469,7578 litre	36,463 %	4303,5160 litre	O
440	CM	70	CM	54 LEVEL CM	2409,6875 litre	35,576 %	4363,5863 litre	O
440	CM	70	CM	53 LEVEL CM	2349,8238 litre	34,693 %	4423,4500 litre	O
440	CM	70	CM	52 LEVEL CM	2290,1805 litre	33,812 %	4483,0933 litre	O
440	CM	70	CM	51 LEVEL CM	2230,7713 litre	32,935 %	4542,5025 litre	O
440	CM	70	CM	50 LEVEL CM	2171,6103 litre	32,061 %	4601,6635 litre	O
440	CM	70	CM	49 LEVEL CM	2112,7116 litre	31,192 %	4660,5622 litre	O
440	CM	70	CM	48 LEVEL CM	2054,0898 litre	30,326 %	4719,1840 litre	O
440	CM	70	CM	47 LEVEL CM	1995,7593 litre	29,465 %	4777,5145 litre	O
440	CM	70	CM	46 LEVEL CM	1937,7349 litre	28,609 %	4835,5389 litre	O
440	CM	70	CM	45 LEVEL CM	1880,0318 litre	27,757 %	4893,2420 litre	O
440	CM	70	CM	44 LEVEL CM	1822,6651 litre	26,910 %	4950,6087 litre	O
440	CM	70	CM	43 LEVEL CM	1765,6506 litre	26,068 %	5007,6232 litre	O
440	CM	70	CM	42 LEVEL CM	1709,0039 litre	25,232 %	5064,2699 litre	O
440	CM	70	CM	41 LEVEL CM	1652,7413 litre	24,401 %	5120,5325 litre	O
440	CM	70	CM	40 LEVEL CM	1596,8794 litre	23,576 %	5176,3944 litre	O
440	CM	70	CM	39 LEVEL CM	1541,4348 litre	22,758 %	5231,8390 litre	O
440	CM	70	CM	38 LEVEL CM	1486,4250 litre	21,945 %	5286,8488 litre	O
440	CM	70	CM	37 LEVEL CM	1431,8676 litre	21,140 %	5341,4062 litre	O
440	CM	70	CM	36 LEVEL CM	1377,7805 litre	20,341 %	5395,4933 litre	O

440	CM	70	CM	35 LEVEL CM	1324,1825 litre	19,550 %	5449,0913 litre	O
440	CM	70	CM	34 LEVEL CM	1271,0927 litre	18,766 %	5502,1811 litre	O
440	CM	70	CM	33 LEVEL CM	1218,5305 litre	17,990 %	5554,7433 litre	O
440	CM	70	CM	32 LEVEL CM	1166,5164 litre	17,222 %	5606,7574 litre	O
440	CM	70	CM	31 LEVEL CM	1115,0712 litre	16,463 %	5658,2026 litre	O
440	CM	70	CM	30 LEVEL CM	1064,2164 litre	15,712 %	5709,0574 litre	O
440	CM	70	CM	29 LEVEL CM	1013,9744 litre	14,970 %	5759,2994 litre	O
440	CM	70	CM	28 LEVEL CM	964,3685 litre	14,238 %	5808,9053 litre	O
440	CM	70	CM	27 LEVEL CM	915,4226 litre	13,515 %	5857,8512 litre	O
440	CM	70	CM	26 LEVEL CM	867,1619 litre	12,803 %	5906,1119 litre	O
440	CM	70	CM	25 LEVEL CM	819,6125 litre	12,101 %	5953,6613 litre	O
440	CM	70	CM	24 LEVEL CM	772,8018 litre	11,410 %	6000,4720 litre	O
440	CM	70	CM	23 LEVEL CM	726,7583 litre	10,730 %	6046,5155 litre	O
440	CM	70	CM	22 LEVEL CM	681,5123 litre	10,062 %	6091,7615 litre	O
440	CM	70	CM	21 LEVEL CM	637,0955 litre	9,406 %	6136,1783 litre	O
440	CM	70	CM	20 LEVEL CM	593,5414 litre	8,763 %	6179,7324 litre	O
440	CM	70	CM	19 LEVEL CM	550,8857 litre	8,133 %	6222,3881 litre	O
440	CM	70	CM	18 LEVEL CM	509,1662 litre	7,517 %	6264,1076 litre	O
440	CM	70	CM	17 LEVEL CM	468,4234 litre	6,916 %	6304,8504 litre	O
440	CM	70	CM	16 LEVEL CM	428,7009 litre	6,329 %	6344,5729 litre	O
440	CM	70	CM	15 LEVEL CM	390,0456 litre	5,759 %	6383,2282 litre	O
440	CM	70	CM	14 LEVEL CM	352,5084 litre	5,204 %	6420,7654 litre	O
440	CM	70	CM	13 LEVEL CM	316,1450 litre	4,668 %	6457,1288 litre	O
440	CM	70	CM	12 LEVEL CM	281,0166 litre	4,149 %	6492,2572 litre	O
440	CM	70	CM	11 LEVEL CM	247,1913 litre	3,650 %	6526,0825 litre	O
440	CM	70	CM	10 LEVEL CM	214,7450 litre	3,170 %	6558,5288 litre	O
440	CM	70	CM	9 LEVEL CM	183,7643 litre	2,713 %	6589,5095 litre	O
440	CM	70	CM	8 LEVEL CM	154,3483 litre	2,279 %	6618,9255 litre	O
440	CM	70	CM	7 LEVEL CM	126,6131 litre	1,869 %	6646,6607 litre	O
440	CM	70	CM	6 LEVEL CM	100,6974 litre	1,487 %	6672,5764 litre	O
440	CM	70	CM	5 LEVEL CM	76,7718 litre	1,133 %	6696,5020 litre	O
440	CM	70	CM	4 LEVEL CM	55,0538 litre	0,813 %	6718,2200 litre	O
440	CM	70	CM	3 LEVEL CM	35,8365 litre	0,529 %	6737,4373 litre	O
440	CM	70	CM	2 LEVEL CM	19,5493 litre	0,289 %	6753,7245 litre	O
440	CM	70	CM	1 LEVEL CM	6,9266 litre	0,102 %	6766,3472 litre	O
440	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	6773,2738 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
440	CM	65	CM 130 LEVEL CM	5840,2207 litre	100,000 %	0,0000 litre	O
440	CM	65	CM 129 LEVEL CM	5833,5472 litre	99,886 %	6,6735 litre	O
440	CM	65	CM 128 LEVEL CM	5821,3889 litre	99,678 %	18,8318 litre	O
440	CM	65	CM 127 LEVEL CM	5805,7052 litre	99,409 %	34,5155 litre	O
440	CM	65	CM 126 LEVEL CM	5787,2052 litre	99,092 %	53,0155 litre	O
440	CM	65	CM 125 LEVEL CM	5766,3041 litre	98,734 %	73,9166 litre	O
440	CM	65	CM 124 LEVEL CM	5743,2851 litre	98,340 %	96,9356 litre	O
440	CM	65	CM 123 LEVEL CM	5718,3590 litre	97,913 %	121,8617 litre	O
440	CM	65	CM 122 LEVEL CM	5691,6910 litre	97,457 %	148,5297 litre	O
440	CM	65	CM 121 LEVEL CM	5663,4156 litre	96,973 %	176,8051 litre	O
440	CM	65	CM 120 LEVEL CM	5633,6456 litre	96,463 %	206,5751 litre	O
440	CM	65	CM 119 LEVEL CM	5602,4773 litre	95,929 %	237,7434 litre	O
440	CM	65	CM 118 LEVEL CM	5569,9948 litre	95,373 %	270,2259 litre	O
440	CM	65	CM 117 LEVEL CM	5536,2722 litre	94,796 %	303,9485 litre	O
440	CM	65	CM 116 LEVEL CM	5501,3757 litre	94,198 %	338,8450 litre	O
440	CM	65	CM 115 LEVEL CM	5465,3651 litre	93,581 %	374,8556 litre	O
440	CM	65	CM 114 LEVEL CM	5428,2947 litre	92,947 %	411,9260 litre	O
440	CM	65	CM 113 LEVEL CM	5390,2144 litre	92,295 %	450,0063 litre	O
440	CM	65	CM 112 LEVEL CM	5351,1700 litre	91,626 %	489,0507 litre	O
440	CM	65	CM 111 LEVEL CM	5311,2043 litre	90,942 %	529,0164 litre	O
440	CM	65	CM 110 LEVEL CM	5270,3569 litre	90,242 %	569,8638 litre	O
440	CM	65	CM 109 LEVEL CM	5228,6650 litre	89,529 %	611,5557 litre	O
440	CM	65	CM 108 LEVEL CM	5186,1636 litre	88,801 %	654,0571 litre	O
440	CM	65	CM 107 LEVEL CM	5142,8858 litre	88,060 %	697,3349 litre	O
440	CM	65	CM 106 LEVEL CM	5098,8629 litre	87,306 %	741,3578 litre	O
440	CM	65	CM 105 LEVEL CM	5054,1245 litre	86,540 %	786,0962 litre	O
440	CM	65	CM 104 LEVEL CM	5008,6989 litre	85,762 %	831,5218 litre	O
440	CM	65	CM 103 LEVEL CM	4962,6133 litre	84,973 %	877,6074 litre	O
440	CM	65	CM 102 LEVEL CM	4915,8935 litre	84,173 %	924,3272 litre	O
440	CM	65	CM 101 LEVEL CM	4868,5643 litre	83,363 %	971,6564 litre	O
440	CM	65	CM 100 LEVEL CM	4820,6497 litre	82,542 %	1019,5710 litre	O
440	CM	65	CM 99 LEVEL CM	4772,1726 litre	81,712 %	1068,0481 litre	O
440	CM	65	CM 98 LEVEL CM	4723,1555 litre	80,873 %	1117,0652 litre	O
440	CM	65	CM 97 LEVEL CM	4673,6197 litre	80,025 %	1166,6010 litre	O
440	CM	65	CM 96 LEVEL CM	4623,5861 litre	79,168 %	1216,6346 litre	O
440	CM	65	CM 95 LEVEL CM	4573,0750 litre	78,303 %	1267,1457 litre	O
440	CM	65	CM 94 LEVEL CM	4522,1061 litre	77,430 %	1318,1146 litre	O
440	CM	65	CM 93 LEVEL CM	4470,6983 litre	76,550 %	1369,5224 litre	O
440	CM	65	CM 92 LEVEL CM	4418,8705 litre	75,663 %	1421,3502 litre	O
440	CM	65	CM 91 LEVEL CM	4366,6408 litre	74,768 %	1473,5799 litre	O
440	CM	65	CM 90 LEVEL CM	4314,0271 litre	73,868 %	1526,1936 litre	O
440	CM	65	CM 89 LEVEL CM	4261,0466 litre	72,960 %	1579,1741 litre	O
440	CM	65	CM 88 LEVEL CM	4207,7164 litre	72,047 %	1632,5043 litre	O
440	CM	65	CM 87 LEVEL CM	4154,0534 litre	71,128 %	1686,1673 litre	O
440	CM	65	CM 86 LEVEL CM	4100,0737 litre	70,204 %	1740,1470 litre	O
440	CM	65	CM 85 LEVEL CM	4045,7937 litre	69,275 %	1794,4270 litre	O
440	CM	65	CM 84 LEVEL CM	3991,2290 litre	68,340 %	1848,9917 litre	O
440	CM	65	CM 83 LEVEL CM	3936,3953 litre	67,401 %	1903,8254 litre	O
440	CM	65	CM 82 LEVEL CM	3881,3080 litre	66,458 %	1958,9127 litre	O
440	CM	65	CM 81 LEVEL CM	3825,9822 litre	65,511 %	2014,2385 litre	O
440	CM	65	CM 80 LEVEL CM	3770,4330 litre	64,560 %	2069,7877 litre	O
440	CM	65	CM 79 LEVEL CM	3714,6750 litre	63,605 %	2125,5457 litre	O

440	CM	65	CM	78 LEVEL CM	3658,7229 litre	62,647 %	2181,4978 litre	O
440	CM	65	CM	77 LEVEL CM	3602,5911 litre	61,686 %	2237,6296 litre	O
440	CM	65	CM	76 LEVEL CM	3546,2941 litre	60,722 %	2293,9266 litre	O
440	CM	65	CM	75 LEVEL CM	3489,8459 litre	59,755 %	2350,3748 litre	O
440	CM	65	CM	74 LEVEL CM	3433,2607 litre	58,786 %	2406,9600 litre	O
440	CM	65	CM	73 LEVEL CM	3376,5525 litre	57,815 %	2463,6682 litre	O
440	CM	65	CM	72 LEVEL CM	3319,7351 litre	56,843 %	2520,4856 litre	O
440	CM	65	CM	71 LEVEL CM	3262,8224 litre	55,868 %	2577,3983 litre	O
440	CM	65	CM	70 LEVEL CM	3205,8281 litre	54,892 %	2634,3926 litre	O
440	CM	65	CM	69 LEVEL CM	3148,7659 litre	53,915 %	2691,4548 litre	O
440	CM	65	CM	68 LEVEL CM	3091,6494 litre	52,937 %	2748,5713 litre	O
440	CM	65	CM	67 LEVEL CM	3034,4923 litre	51,959 %	2805,7284 litre	O
440	CM	65	CM	66 LEVEL CM	2977,3081 litre	50,979 %	2862,9126 litre	O
440	CM	65	CM	65 LEVEL CM	2920,1104 litre	50,000 %	2920,1103 litre	O
440	CM	65	CM	64 LEVEL CM	2862,9126 litre	49,021 %	2977,3081 litre	O
440	CM	65	CM	63 LEVEL CM	2805,7284 litre	48,041 %	3034,4923 litre	O
440	CM	65	CM	62 LEVEL CM	2748,5713 litre	47,063 %	3091,6494 litre	O
440	CM	65	CM	61 LEVEL CM	2691,4549 litre	46,085 %	3148,7658 litre	O
440	CM	65	CM	60 LEVEL CM	2634,3927 litre	45,108 %	3205,8280 litre	O
440	CM	65	CM	59 LEVEL CM	2577,3984 litre	44,132 %	3262,8223 litre	O
440	CM	65	CM	58 LEVEL CM	2520,4857 litre	43,157 %	3319,7350 litre	O
440	CM	65	CM	57 LEVEL CM	2463,6683 litre	42,185 %	3376,5524 litre	O
440	CM	65	CM	56 LEVEL CM	2406,9601 litre	41,214 %	3433,2606 litre	O
440	CM	65	CM	55 LEVEL CM	2350,3749 litre	40,245 %	3489,8458 litre	O
440	CM	65	CM	54 LEVEL CM	2293,9267 litre	39,278 %	3546,2940 litre	O
440	CM	65	CM	53 LEVEL CM	2237,6296 litre	38,314 %	3602,5911 litre	O
440	CM	65	CM	52 LEVEL CM	2181,4979 litre	37,353 %	3658,7228 litre	O
440	CM	65	CM	51 LEVEL CM	2125,5458 litre	36,395 %	3714,6749 litre	O
440	CM	65	CM	50 LEVEL CM	2069,7878 litre	35,440 %	3770,4329 litre	O
440	CM	65	CM	49 LEVEL CM	2014,2385 litre	34,489 %	3825,9822 litre	O
440	CM	65	CM	48 LEVEL CM	1958,9127 litre	33,542 %	3881,3080 litre	O
440	CM	65	CM	47 LEVEL CM	1903,8254 litre	32,599 %	3936,3953 litre	O
440	CM	65	CM	46 LEVEL CM	1848,9918 litre	31,660 %	3991,2289 litre	O
440	CM	65	CM	45 LEVEL CM	1794,4271 litre	30,725 %	4045,7936 litre	O
440	CM	65	CM	44 LEVEL CM	1740,1470 litre	29,796 %	4100,0737 litre	O
440	CM	65	CM	43 LEVEL CM	1686,1674 litre	28,872 %	4154,0533 litre	O
440	CM	65	CM	42 LEVEL CM	1632,5043 litre	27,953 %	4207,7164 litre	O
440	CM	65	CM	41 LEVEL CM	1579,1742 litre	27,040 %	4261,0465 litre	O
440	CM	65	CM	40 LEVEL CM	1526,1937 litre	26,132 %	4314,0270 litre	O
440	CM	65	CM	39 LEVEL CM	1473,5799 litre	25,232 %	4366,6408 litre	O
440	CM	65	CM	38 LEVEL CM	1421,3502 litre	24,337 %	4418,8705 litre	O
440	CM	65	CM	37 LEVEL CM	1369,5224 litre	23,450 %	4470,6983 litre	O
440	CM	65	CM	36 LEVEL CM	1318,1147 litre	22,570 %	4522,1060 litre	O
440	CM	65	CM	35 LEVEL CM	1267,1457 litre	21,697 %	4573,0750 litre	O
440	CM	65	CM	34 LEVEL CM	1216,6346 litre	20,832 %	4623,5861 litre	O
440	CM	65	CM	33 LEVEL CM	1166,6010 litre	19,975 %	4673,6197 litre	O
440	CM	65	CM	32 LEVEL CM	1117,0653 litre	19,127 %	4723,1554 litre	O
440	CM	65	CM	31 LEVEL CM	1068,0481 litre	18,288 %	4772,1726 litre	O
440	CM	65	CM	30 LEVEL CM	1019,5711 litre	17,458 %	4820,6496 litre	O
440	CM	65	CM	29 LEVEL CM	971,6565 litre	16,637 %	4868,5642 litre	O
440	CM	65	CM	28 LEVEL CM	924,3273 litre	15,827 %	4915,8934 litre	O
440	CM	65	CM	27 LEVEL CM	877,6074 litre	15,027 %	4962,6133 litre	O
440	CM	65	CM	26 LEVEL CM	831,5218 litre	14,238 %	5008,6989 litre	O

440	CM	65	CM	25 LEVEL CM	786,0963 litre	13,460 %	5054,1244 litre	O
440	CM	65	CM	24 LEVEL CM	741,3579 litre	12,694 %	5098,8628 litre	O
440	CM	65	CM	23 LEVEL CM	697,3349 litre	11,940 %	5142,8858 litre	O
440	CM	65	CM	22 LEVEL CM	654,0571 litre	11,199 %	5186,1636 litre	O
440	CM	65	CM	21 LEVEL CM	611,5558 litre	10,471 %	5228,6649 litre	O
440	CM	65	CM	20 LEVEL CM	569,8639 litre	9,758 %	5270,3568 litre	O
440	CM	65	CM	19 LEVEL CM	529,0165 litre	9,058 %	5311,2042 litre	O
440	CM	65	CM	18 LEVEL CM	489,0507 litre	8,374 %	5351,1700 litre	O
440	CM	65	CM	17 LEVEL CM	450,0064 litre	7,705 %	5390,2143 litre	O
440	CM	65	CM	16 LEVEL CM	411,9260 litre	7,053 %	5428,2947 litre	O
440	CM	65	CM	15 LEVEL CM	374,8556 litre	6,419 %	5465,3651 litre	O
440	CM	65	CM	14 LEVEL CM	338,8450 litre	5,802 %	5501,3757 litre	O
440	CM	65	CM	13 LEVEL CM	303,9486 litre	5,204 %	5536,2721 litre	O
440	CM	65	CM	12 LEVEL CM	270,2260 litre	4,627 %	5569,9947 litre	O
440	CM	65	CM	11 LEVEL CM	237,7434 litre	4,071 %	5602,4773 litre	O
440	CM	65	CM	10 LEVEL CM	206,5752 litre	3,537 %	5633,6455 litre	O
440	CM	65	CM	9 LEVEL CM	176,8051 litre	3,027 %	5663,4156 litre	O
440	CM	65	CM	8 LEVEL CM	148,5297 litre	2,543 %	5691,6910 litre	O
440	CM	65	CM	7 LEVEL CM	121,8617 litre	2,087 %	5718,3590 litre	O
440	CM	65	CM	6 LEVEL CM	96,9356 litre	1,660 %	5743,2851 litre	O
440	CM	65	CM	5 LEVEL CM	73,9167 litre	1,266 %	5766,3040 litre	O
440	CM	65	CM	4 LEVEL CM	53,0155 litre	0,908 %	5787,2052 litre	O
440	CM	65	CM	3 LEVEL CM	34,5156 litre	0,591 %	5805,7051 litre	O
440	CM	65	CM	2 LEVEL CM	18,8319 litre	0,322 %	5821,3888 litre	O
440	CM	65	CM	1 LEVEL CM	6,6736 litre	0,114 %	5833,5471 litre	O
440	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	5840,2207 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
440	CM	60	CM	120 LEVEL CM	4976,2828 litre	100,000 %	0,0000 litre	O
440	CM	60	CM	119 LEVEL CM	4969,8722 litre	99,871 %	6,4106 litre	O
440	CM	60	CM	118 LEVEL CM	4958,1967 litre	99,637 %	18,0861 litre	O
440	CM	60	CM	117 LEVEL CM	4943,1407 litre	99,334 %	33,1421 litre	O
440	CM	60	CM	116 LEVEL CM	4925,3871 litre	98,977 %	50,8957 litre	O
440	CM	60	CM	115 LEVEL CM	4905,3360 litre	98,574 %	70,9468 litre	O
440	CM	60	CM	114 LEVEL CM	4883,2609 litre	98,131 %	93,0219 litre	O
440	CM	60	CM	113 LEVEL CM	4859,3654 litre	97,651 %	116,9174 litre	O
440	CM	60	CM	112 LEVEL CM	4833,8091 litre	97,137 %	142,4737 litre	O
440	CM	60	CM	111 LEVEL CM	4806,7223 litre	96,593 %	169,5605 litre	O
440	CM	60	CM	110 LEVEL CM	4778,2143 litre	96,020 %	198,0685 litre	O
440	CM	60	CM	109 LEVEL CM	4748,3787 litre	95,420 %	227,9041 litre	O
440	CM	60	CM	108 LEVEL CM	4717,2970 litre	94,796 %	258,9858 litre	O
440	CM	60	CM	107 LEVEL CM	4685,0414 litre	94,147 %	291,2414 litre	O
440	CM	60	CM	106 LEVEL CM	4651,6762 litre	93,477 %	324,6066 litre	O
440	CM	60	CM	105 LEVEL CM	4617,2599 litre	92,785 %	359,0229 litre	O
440	CM	60	CM	104 LEVEL CM	4581,8453 litre	92,074 %	394,4375 litre	O
440	CM	60	CM	103 LEVEL CM	4545,4812 litre	91,343 %	430,8016 litre	O
440	CM	60	CM	102 LEVEL CM	4508,2126 litre	90,594 %	468,0702 litre	O
440	CM	60	CM	101 LEVEL CM	4470,0812 litre	89,828 %	506,2016 litre	O
440	CM	60	CM	100 LEVEL CM	4431,1259 litre	89,045 %	545,1569 litre	O
440	CM	60	CM	99 LEVEL CM	4391,3834 litre	88,246 %	584,8994 litre	O
440	CM	60	CM	98 LEVEL CM	4350,8880 litre	87,432 %	625,3948 litre	O
440	CM	60	CM	97 LEVEL CM	4309,6723 litre	86,604 %	666,6105 litre	O
440	CM	60	CM	96 LEVEL CM	4267,7671 litre	85,762 %	708,5157 litre	O
440	CM	60	CM	95 LEVEL CM	4225,2019 litre	84,907 %	751,0809 litre	O
440	CM	60	CM	94 LEVEL CM	4182,0045 litre	84,039 %	794,2783 litre	O
440	CM	60	CM	93 LEVEL CM	4138,2018 litre	83,158 %	838,0810 litre	O
440	CM	60	CM	92 LEVEL CM	4093,8195 litre	82,267 %	882,4633 litre	O
440	CM	60	CM	91 LEVEL CM	4048,8823 litre	81,364 %	927,4005 litre	O
440	CM	60	CM	90 LEVEL CM	4003,4140 litre	80,450 %	972,8688 litre	O
440	CM	60	CM	89 LEVEL CM	3957,4375 litre	79,526 %	1018,8453 litre	O
440	CM	60	CM	88 LEVEL CM	3910,9752 litre	78,592 %	1065,3076 litre	O
440	CM	60	CM	87 LEVEL CM	3864,0484 litre	77,649 %	1112,2344 litre	O
440	CM	60	CM	86 LEVEL CM	3816,6782 litre	76,697 %	1159,6046 litre	O
440	CM	60	CM	85 LEVEL CM	3768,8848 litre	75,737 %	1207,3980 litre	O
440	CM	60	CM	84 LEVEL CM	3720,6881 litre	74,768 %	1255,5947 litre	O
440	CM	60	CM	83 LEVEL CM	3672,1072 litre	73,792 %	1304,1756 litre	O
440	CM	60	CM	82 LEVEL CM	3623,1610 litre	72,809 %	1353,1218 litre	O
440	CM	60	CM	81 LEVEL CM	3573,8680 litre	71,818 %	1402,4148 litre	O
440	CM	60	CM	80 LEVEL CM	3524,2462 litre	70,821 %	1452,0366 litre	O
440	CM	60	CM	79 LEVEL CM	3474,3132 litre	69,817 %	1501,9696 litre	O
440	CM	60	CM	78 LEVEL CM	3424,0865 litre	68,808 %	1552,1963 litre	O
440	CM	60	CM	77 LEVEL CM	3373,5829 litre	67,793 %	1602,6999 litre	O
440	CM	60	CM	76 LEVEL CM	3322,8193 litre	66,773 %	1653,4635 litre	O
440	CM	60	CM	75 LEVEL CM	3271,8123 litre	65,748 %	1704,4705 litre	O
440	CM	60	CM	74 LEVEL CM	3220,5780 litre	64,719 %	1755,7048 litre	O
440	CM	60	CM	73 LEVEL CM	3169,1325 litre	63,685 %	1807,1503 litre	O
440	CM	60	CM	72 LEVEL CM	3117,4917 litre	62,647 %	1858,7911 litre	O
440	CM	60	CM	71 LEVEL CM	3065,6712 litre	61,606 %	1910,6116 litre	O
440	CM	60	CM	70 LEVEL CM	3013,6866 litre	60,561 %	1962,5962 litre	O
440	CM	60	CM	69 LEVEL CM	2961,5533 litre	59,513 %	2014,7295 litre	O

440	CM	60	CM	68 LEVEL CM	2909,2865 litre	58,463 %	2066,9963 litre	O
440	CM	60	CM	67 LEVEL CM	2856,9012 litre	57,410 %	2119,3816 litre	O
440	CM	60	CM	66 LEVEL CM	2804,4126 litre	56,356 %	2171,8702 litre	O
440	CM	60	CM	65 LEVEL CM	2751,8355 litre	55,299 %	2224,4473 litre	O
440	CM	60	CM	64 LEVEL CM	2699,1848 litre	54,241 %	2277,0980 litre	O
440	CM	60	CM	63 LEVEL CM	2646,4754 litre	53,182 %	2329,8074 litre	O
440	CM	60	CM	62 LEVEL CM	2593,7218 litre	52,122 %	2382,5610 litre	O
440	CM	60	CM	61 LEVEL CM	2540,9389 litre	51,061 %	2435,3439 litre	O
440	CM	60	CM	60 LEVEL CM	2488,1414 litre	50,000 %	2488,1414 litre	O
440	CM	60	CM	59 LEVEL CM	2435,3438 litre	48,939 %	2540,9390 litre	O
440	CM	60	CM	58 LEVEL CM	2382,5609 litre	47,878 %	2593,7219 litre	O
440	CM	60	CM	57 LEVEL CM	2329,8074 litre	46,818 %	2646,4754 litre	O
440	CM	60	CM	56 LEVEL CM	2277,0979 litre	45,759 %	2699,1849 litre	O
440	CM	60	CM	55 LEVEL CM	2224,4473 litre	44,701 %	2751,8355 litre	O
440	CM	60	CM	54 LEVEL CM	2171,8702 litre	43,644 %	2804,4126 litre	O
440	CM	60	CM	53 LEVEL CM	2119,3815 litre	42,590 %	2856,9013 litre	O
440	CM	60	CM	52 LEVEL CM	2066,9963 litre	41,537 %	2909,2865 litre	O
440	CM	60	CM	51 LEVEL CM	2014,7294 litre	40,487 %	2961,5534 litre	O
440	CM	60	CM	50 LEVEL CM	1962,5961 litre	39,439 %	3013,6867 litre	O
440	CM	60	CM	49 LEVEL CM	1910,6115 litre	38,394 %	3065,6713 litre	O
440	CM	60	CM	48 LEVEL CM	1858,7911 litre	37,353 %	3117,4917 litre	O
440	CM	60	CM	47 LEVEL CM	1807,1503 litre	36,315 %	3169,1325 litre	O
440	CM	60	CM	46 LEVEL CM	1755,7048 litre	35,281 %	3220,5780 litre	O
440	CM	60	CM	45 LEVEL CM	1704,4705 litre	34,252 %	3271,8123 litre	O
440	CM	60	CM	44 LEVEL CM	1653,4634 litre	33,227 %	3322,8194 litre	O
440	CM	60	CM	43 LEVEL CM	1602,6999 litre	32,207 %	3373,5829 litre	O
440	CM	60	CM	42 LEVEL CM	1552,1963 litre	31,192 %	3424,0865 litre	O
440	CM	60	CM	41 LEVEL CM	1501,9695 litre	30,183 %	3474,3133 litre	O
440	CM	60	CM	40 LEVEL CM	1452,0365 litre	29,179 %	3524,2463 litre	O
440	CM	60	CM	39 LEVEL CM	1402,4147 litre	28,182 %	3573,8681 litre	O
440	CM	60	CM	38 LEVEL CM	1353,1217 litre	27,191 %	3623,1611 litre	O
440	CM	60	CM	37 LEVEL CM	1304,1756 litre	26,208 %	3672,1072 litre	O
440	CM	60	CM	36 LEVEL CM	1255,5947 litre	25,232 %	3720,6881 litre	O
440	CM	60	CM	35 LEVEL CM	1207,3979 litre	24,263 %	3768,8849 litre	O
440	CM	60	CM	34 LEVEL CM	1159,6045 litre	23,303 %	3816,6783 litre	O
440	CM	60	CM	33 LEVEL CM	1112,2343 litre	22,351 %	3864,0485 litre	O
440	CM	60	CM	32 LEVEL CM	1065,3076 litre	21,408 %	3910,9752 litre	O
440	CM	60	CM	31 LEVEL CM	1018,8452 litre	20,474 %	3957,4376 litre	O
440	CM	60	CM	30 LEVEL CM	972,8688 litre	19,550 %	4003,4140 litre	O
440	CM	60	CM	29 LEVEL CM	927,4005 litre	18,636 %	4048,8823 litre	O
440	CM	60	CM	28 LEVEL CM	882,4633 litre	17,733 %	4093,8195 litre	O
440	CM	60	CM	27 LEVEL CM	838,0810 litre	16,842 %	4138,2018 litre	O
440	CM	60	CM	26 LEVEL CM	794,2783 litre	15,961 %	4182,0045 litre	O
440	CM	60	CM	25 LEVEL CM	751,0809 litre	15,093 %	4225,2019 litre	O
440	CM	60	CM	24 LEVEL CM	708,5156 litre	14,238 %	4267,7672 litre	O
440	CM	60	CM	23 LEVEL CM	666,6105 litre	13,396 %	4309,6723 litre	O
440	CM	60	CM	22 LEVEL CM	625,3948 litre	12,568 %	4350,8880 litre	O
440	CM	60	CM	21 LEVEL CM	584,8994 litre	11,754 %	4391,3834 litre	O
440	CM	60	CM	20 LEVEL CM	545,1568 litre	10,955 %	4431,1260 litre	O
440	CM	60	CM	19 LEVEL CM	506,2016 litre	10,172 %	4470,0812 litre	O
440	CM	60	CM	18 LEVEL CM	468,0702 litre	9,406 %	4508,2126 litre	O
440	CM	60	CM	17 LEVEL CM	430,8015 litre	8,657 %	4545,4813 litre	O
440	CM	60	CM	16 LEVEL CM	394,4375 litre	7,926 %	4581,8453 litre	O

440	CM	60	CM	15 LEVEL CM	359,0229 litre	7,215 %	4617,2599 litre	O
440	CM	60	CM	14 LEVEL CM	324,6065 litre	6,523 %	4651,6763 litre	O
440	CM	60	CM	13 LEVEL CM	291,2414 litre	5,853 %	4685,0414 litre	O
440	CM	60	CM	12 LEVEL CM	258,9858 litre	5,204 %	4717,2970 litre	O
440	CM	60	CM	11 LEVEL CM	227,9041 litre	4,580 %	4748,3787 litre	O
440	CM	60	CM	10 LEVEL CM	198,0684 litre	3,980 %	4778,2144 litre	O
440	CM	60	CM	9 LEVEL CM	169,5605 litre	3,407 %	4806,7223 litre	O
440	CM	60	CM	8 LEVEL CM	142,4737 litre	2,863 %	4833,8091 litre	O
440	CM	60	CM	7 LEVEL CM	116,9174 litre	2,349 %	4859,3654 litre	O
440	CM	60	CM	6 LEVEL CM	93,0218 litre	1,869 %	4883,2610 litre	O
440	CM	60	CM	5 LEVEL CM	70,9468 litre	1,426 %	4905,3360 litre	O
440	CM	60	CM	4 LEVEL CM	50,8957 litre	1,023 %	4925,3871 litre	O
440	CM	60	CM	3 LEVEL CM	33,1421 litre	0,666 %	4943,1407 litre	O
440	CM	60	CM	2 LEVEL CM	18,0860 litre	0,363 %	4958,1968 litre	O
440	CM	60	CM	1 LEVEL CM	6,4105 litre	0,129 %	4969,8723 litre	O
440	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4976,2828 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
440	CM	55	CM	110 LEVEL CM	4181,4598 litre	100,000 %	0,0000 litre	O
440	CM	55	CM	109 LEVEL CM	4175,3236 litre	99,853 %	6,1362 litre	O
440	CM	55	CM	108 LEVEL CM	4164,1517 litre	99,586 %	17,3081 litre	O
440	CM	55	CM	107 LEVEL CM	4149,7507 litre	99,242 %	31,7091 litre	O
440	CM	55	CM	106 LEVEL CM	4132,7763 litre	98,836 %	48,6835 litre	O
440	CM	55	CM	105 LEVEL CM	4113,6129 litre	98,377 %	67,8469 litre	O
440	CM	55	CM	104 LEVEL CM	4092,5239 litre	97,873 %	88,9359 litre	O
440	CM	55	CM	103 LEVEL CM	4069,7053 litre	97,327 %	111,7545 litre	O
440	CM	55	CM	102 LEVEL CM	4045,3113 litre	96,744 %	136,1485 litre	O
440	CM	55	CM	101 LEVEL CM	4019,4678 litre	96,126 %	161,9920 litre	O
440	CM	55	CM	100 LEVEL CM	3992,2804 litre	95,476 %	189,1794 litre	O
440	CM	55	CM	99 LEVEL CM	3963,8398 litre	94,796 %	217,6200 litre	O
440	CM	55	CM	98 LEVEL CM	3934,2252 litre	94,087 %	247,2346 litre	O
440	CM	55	CM	97 LEVEL CM	3903,5064 litre	93,353 %	277,9534 litre	O
440	CM	55	CM	96 LEVEL CM	3871,7464 litre	92,593 %	309,7134 litre	O
440	CM	55	CM	95 LEVEL CM	3839,0018 litre	91,810 %	342,4580 litre	O
440	CM	55	CM	94 LEVEL CM	3805,3244 litre	91,005 %	376,1354 litre	O
440	CM	55	CM	93 LEVEL CM	3770,7617 litre	90,178 %	410,6981 litre	O
440	CM	55	CM	92 LEVEL CM	3735,3577 litre	89,331 %	446,1021 litre	O
440	CM	55	CM	91 LEVEL CM	3699,1535 litre	88,466 %	482,3063 litre	O
440	CM	55	CM	90 LEVEL CM	3662,1871 litre	87,582 %	519,2727 litre	O
440	CM	55	CM	89 LEVEL CM	3624,4946 litre	86,680 %	556,9652 litre	O
440	CM	55	CM	88 LEVEL CM	3586,1099 litre	85,762 %	595,3499 litre	O
440	CM	55	CM	87 LEVEL CM	3547,0650 litre	84,828 %	634,3948 litre	O
440	CM	55	CM	86 LEVEL CM	3507,3905 litre	83,880 %	674,0693 litre	O
440	CM	55	CM	85 LEVEL CM	3467,1155 litre	82,916 %	714,3443 litre	O
440	CM	55	CM	84 LEVEL CM	3426,2676 litre	81,940 %	755,1922 litre	O
440	CM	55	CM	83 LEVEL CM	3384,8736 litre	80,950 %	796,5862 litre	O
440	CM	55	CM	82 LEVEL CM	3342,9590 litre	79,947 %	838,5008 litre	O
440	CM	55	CM	81 LEVEL CM	3300,5484 litre	78,933 %	880,9114 litre	O
440	CM	55	CM	80 LEVEL CM	3257,6658 litre	77,907 %	923,7940 litre	O
440	CM	55	CM	79 LEVEL CM	3214,3339 litre	76,871 %	967,1259 litre	O
440	CM	55	CM	78 LEVEL CM	3170,5753 litre	75,825 %	1010,8845 litre	O
440	CM	55	CM	77 LEVEL CM	3126,4115 litre	74,768 %	1055,0483 litre	O
440	CM	55	CM	76 LEVEL CM	3081,8636 litre	73,703 %	1099,5962 litre	O
440	CM	55	CM	75 LEVEL CM	3036,9521 litre	72,629 %	1144,5077 litre	O
440	CM	55	CM	74 LEVEL CM	2991,6970 litre	71,547 %	1189,7628 litre	O
440	CM	55	CM	73 LEVEL CM	2946,1180 litre	70,457 %	1235,3418 litre	O
440	CM	55	CM	72 LEVEL CM	2900,2341 litre	69,359 %	1281,2257 litre	O
440	CM	55	CM	71 LEVEL CM	2854,0642 litre	68,255 %	1327,3956 litre	O
440	CM	55	CM	70 LEVEL CM	2807,6267 litre	67,145 %	1373,8331 litre	O
440	CM	55	CM	69 LEVEL CM	2760,9398 litre	66,028 %	1420,5200 litre	O
440	CM	55	CM	68 LEVEL CM	2714,0211 litre	64,906 %	1467,4387 litre	O
440	CM	55	CM	67 LEVEL CM	2666,8884 litre	63,779 %	1514,5714 litre	O
440	CM	55	CM	66 LEVEL CM	2619,5590 litre	62,647 %	1561,9008 litre	O
440	CM	55	CM	65 LEVEL CM	2572,0499 litre	61,511 %	1609,4099 litre	O
440	CM	55	CM	64 LEVEL CM	2524,3780 litre	60,371 %	1657,0818 litre	O
440	CM	55	CM	63 LEVEL CM	2476,5602 litre	59,227 %	1704,8996 litre	O
440	CM	55	CM	62 LEVEL CM	2428,6130 litre	58,081 %	1752,8468 litre	O
440	CM	55	CM	61 LEVEL CM	2380,5529 litre	56,931 %	1800,9069 litre	O
440	CM	55	CM	60 LEVEL CM	2332,3962 litre	55,779 %	1849,0636 litre	O
440	CM	55	CM	59 LEVEL CM	2284,1591 litre	54,626 %	1897,3007 litre	O

440	CM	55	CM	58 LEVEL CM	2235,8579 litre	53,471 %	1945,6019 litre	O
440	CM	55	CM	57 LEVEL CM	2187,5086 litre	52,314 %	1993,9512 litre	O
440	CM	55	CM	56 LEVEL CM	2139,1272 litre	51,157 %	2042,3326 litre	O
440	CM	55	CM	55 LEVEL CM	2090,7299 litre	50,000 %	2090,7299 litre	O
440	CM	55	CM	54 LEVEL CM	2042,3326 litre	48,843 %	2139,1272 litre	O
440	CM	55	CM	53 LEVEL CM	1993,9512 litre	47,686 %	2187,5086 litre	O
440	CM	55	CM	52 LEVEL CM	1945,6019 litre	46,529 %	2235,8579 litre	O
440	CM	55	CM	51 LEVEL CM	1897,3007 litre	45,374 %	2284,1591 litre	O
440	CM	55	CM	50 LEVEL CM	1849,0637 litre	44,221 %	2332,3961 litre	O
440	CM	55	CM	49 LEVEL CM	1800,9069 litre	43,069 %	2380,5529 litre	O
440	CM	55	CM	48 LEVEL CM	1752,8468 litre	41,919 %	2428,6130 litre	O
440	CM	55	CM	47 LEVEL CM	1704,8996 litre	40,773 %	2476,5602 litre	O
440	CM	55	CM	46 LEVEL CM	1657,0818 litre	39,629 %	2524,3780 litre	O
440	CM	55	CM	45 LEVEL CM	1609,4100 litre	38,489 %	2572,0498 litre	O
440	CM	55	CM	44 LEVEL CM	1561,9009 litre	37,353 %	2619,5589 litre	O
440	CM	55	CM	43 LEVEL CM	1514,5714 litre	36,221 %	2666,8884 litre	O
440	CM	55	CM	42 LEVEL CM	1467,4387 litre	35,094 %	2714,0211 litre	O
440	CM	55	CM	41 LEVEL CM	1420,5201 litre	33,972 %	2760,9397 litre	O
440	CM	55	CM	40 LEVEL CM	1373,8331 litre	32,855 %	2807,6267 litre	O
440	CM	55	CM	39 LEVEL CM	1327,3956 litre	31,745 %	2854,0642 litre	O
440	CM	55	CM	38 LEVEL CM	1281,2257 litre	30,641 %	2900,2341 litre	O
440	CM	55	CM	37 LEVEL CM	1235,3419 litre	29,543 %	2946,1179 litre	O
440	CM	55	CM	36 LEVEL CM	1189,7628 litre	28,453 %	2991,6970 litre	O
440	CM	55	CM	35 LEVEL CM	1144,5078 litre	27,371 %	3036,9520 litre	O
440	CM	55	CM	34 LEVEL CM	1099,5963 litre	26,297 %	3081,8635 litre	O
440	CM	55	CM	33 LEVEL CM	1055,0483 litre	25,232 %	3126,4115 litre	O
440	CM	55	CM	32 LEVEL CM	1010,8845 litre	24,175 %	3170,5753 litre	O
440	CM	55	CM	31 LEVEL CM	967,1259 litre	23,129 %	3214,3339 litre	O
440	CM	55	CM	30 LEVEL CM	923,7941 litre	22,093 %	3257,6657 litre	O
440	CM	55	CM	29 LEVEL CM	880,9114 litre	21,067 %	3300,5484 litre	O
440	CM	55	CM	28 LEVEL CM	838,5008 litre	20,053 %	3342,9590 litre	O
440	CM	55	CM	27 LEVEL CM	796,5862 litre	19,050 %	3384,8736 litre	O
440	CM	55	CM	26 LEVEL CM	755,1922 litre	18,060 %	3426,2676 litre	O
440	CM	55	CM	25 LEVEL CM	714,3444 litre	17,084 %	3467,1154 litre	O
440	CM	55	CM	24 LEVEL CM	674,0693 litre	16,120 %	3507,3905 litre	O
440	CM	55	CM	23 LEVEL CM	634,3948 litre	15,172 %	3547,0650 litre	O
440	CM	55	CM	22 LEVEL CM	595,3499 litre	14,238 %	3586,1099 litre	O
440	CM	55	CM	21 LEVEL CM	556,9652 litre	13,320 %	3624,4946 litre	O
440	CM	55	CM	20 LEVEL CM	519,2727 litre	12,418 %	3662,1871 litre	O
440	CM	55	CM	19 LEVEL CM	482,3064 litre	11,534 %	3699,1534 litre	O
440	CM	55	CM	18 LEVEL CM	446,1021 litre	10,669 %	3735,3577 litre	O
440	CM	55	CM	17 LEVEL CM	410,6981 litre	9,822 %	3770,7617 litre	O
440	CM	55	CM	16 LEVEL CM	376,1354 litre	8,995 %	3805,3244 litre	O
440	CM	55	CM	15 LEVEL CM	342,4580 litre	8,190 %	3839,0018 litre	O
440	CM	55	CM	14 LEVEL CM	309,7134 litre	7,407 %	3871,7464 litre	O
440	CM	55	CM	13 LEVEL CM	277,9534 litre	6,647 %	3903,5064 litre	O
440	CM	55	CM	12 LEVEL CM	247,2347 litre	5,913 %	3934,2251 litre	O
440	CM	55	CM	11 LEVEL CM	217,6200 litre	5,204 %	3963,8398 litre	O
440	CM	55	CM	10 LEVEL CM	189,1794 litre	4,524 %	3992,2804 litre	O
440	CM	55	CM	9 LEVEL CM	161,9920 litre	3,874 %	4019,4678 litre	O
440	CM	55	CM	8 LEVEL CM	136,1485 litre	3,256 %	4045,3113 litre	O
440	CM	55	CM	7 LEVEL CM	111,7545 litre	2,673 %	4069,7053 litre	O
440	CM	55	CM	6 LEVEL CM	88,9359 litre	2,127 %	4092,5239 litre	O

440	CM	55	CM	5 LEVEL CM	67,8469 litre	1,623 %	4113,6129 litre	O
440	CM	55	CM	4 LEVEL CM	48,6836 litre	1,164 %	4132,7762 litre	O
440	CM	55	CM	3 LEVEL CM	31,7091 litre	0,758 %	4149,7507 litre	O
440	CM	55	CM	2 LEVEL CM	17,3081 litre	0,414 %	4164,1517 litre	O
440	CM	55	CM	1 LEVEL CM	6,1362 litre	0,147 %	4175,3236 litre	O
440	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	4181,4598 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
440	CM	50	CM	100 LEVEL CM	3455,7519 litre	100,000 %	0,0000 litre	O
440	CM	50	CM	99 LEVEL CM	3449,9029 litre	99,831 %	5,8490 litre	O
440	CM	50	CM	98 LEVEL CM	3439,2584 litre	99,523 %	16,4935 litre	O
440	CM	50	CM	97 LEVEL CM	3425,5437 litre	99,126 %	30,2082 litre	O
440	CM	50	CM	96 LEVEL CM	3409,3859 litre	98,658 %	46,3660 litre	O
440	CM	50	CM	95 LEVEL CM	3391,1534 litre	98,131 %	64,5985 litre	O
440	CM	50	CM	94 LEVEL CM	3371,0989 litre	97,550 %	84,6530 litre	O
440	CM	50	CM	93 LEVEL CM	3349,4108 litre	96,923 %	106,3411 litre	O
440	CM	50	CM	92 LEVEL CM	3326,2373 litre	96,252 %	129,5146 litre	O
440	CM	50	CM	91 LEVEL CM	3301,7000 litre	95,542 %	154,0519 litre	O
440	CM	50	CM	90 LEVEL CM	3275,9007 litre	94,796 %	179,8512 litre	O
440	CM	50	CM	89 LEVEL CM	3248,9272 litre	94,015 %	206,8247 litre	O
440	CM	50	CM	88 LEVEL CM	3220,8561 litre	93,203 %	234,8958 litre	O
440	CM	50	CM	87 LEVEL CM	3191,7553 litre	92,361 %	263,9966 litre	O
440	CM	50	CM	86 LEVEL CM	3161,6860 litre	91,491 %	294,0659 litre	O
440	CM	50	CM	85 LEVEL CM	3130,7032 litre	90,594 %	325,0487 litre	O
440	CM	50	CM	84 LEVEL CM	3098,8575 litre	89,672 %	356,8944 litre	O
440	CM	50	CM	83 LEVEL CM	3066,1954 litre	88,727 %	389,5565 litre	O
440	CM	50	CM	82 LEVEL CM	3032,7600 litre	87,760 %	422,9919 litre	O
440	CM	50	CM	81 LEVEL CM	2998,5914 litre	86,771 %	457,1605 litre	O
440	CM	50	CM	80 LEVEL CM	2963,7272 litre	85,762 %	492,0247 litre	O
440	CM	50	CM	79 LEVEL CM	2928,2028 litre	84,734 %	527,5491 litre	O
440	CM	50	CM	78 LEVEL CM	2892,0518 litre	83,688 %	563,7001 litre	O
440	CM	50	CM	77 LEVEL CM	2855,3058 litre	82,625 %	600,4461 litre	O
440	CM	50	CM	76 LEVEL CM	2817,9951 litre	81,545 %	637,7568 litre	O
440	CM	50	CM	75 LEVEL CM	2780,1486 litre	80,450 %	675,6033 litre	O
440	CM	50	CM	74 LEVEL CM	2741,7939 litre	79,340 %	713,9580 litre	O
440	CM	50	CM	73 LEVEL CM	2702,9576 litre	78,216 %	752,7943 litre	O
440	CM	50	CM	72 LEVEL CM	2663,6654 litre	77,079 %	792,0865 litre	O
440	CM	50	CM	71 LEVEL CM	2623,9419 litre	75,930 %	831,8100 litre	O
440	CM	50	CM	70 LEVEL CM	2583,8112 litre	74,768 %	871,9407 litre	O
440	CM	50	CM	69 LEVEL CM	2543,2962 litre	73,596 %	912,4557 litre	O
440	CM	50	CM	68 LEVEL CM	2502,4198 litre	72,413 %	953,3321 litre	O
440	CM	50	CM	67 LEVEL CM	2461,2037 litre	71,220 %	994,5482 litre	O
440	CM	50	CM	66 LEVEL CM	2419,6694 litre	70,019 %	1036,0825 litre	O
440	CM	50	CM	65 LEVEL CM	2377,8378 litre	68,808 %	1077,9141 litre	O
440	CM	50	CM	64 LEVEL CM	2335,7295 litre	67,590 %	1120,0224 litre	O
440	CM	50	CM	63 LEVEL CM	2293,3644 litre	66,364 %	1162,3875 litre	O
440	CM	50	CM	62 LEVEL CM	2250,7624 litre	65,131 %	1204,9895 litre	O
440	CM	50	CM	61 LEVEL CM	2207,9428 litre	63,892 %	1247,8091 litre	O
440	CM	50	CM	60 LEVEL CM	2164,9248 litre	62,647 %	1290,8271 litre	O
440	CM	50	CM	59 LEVEL CM	2121,7270 litre	61,397 %	1334,0249 litre	O
440	CM	50	CM	58 LEVEL CM	2078,3683 litre	60,142 %	1377,3836 litre	O
440	CM	50	CM	57 LEVEL CM	2034,8668 litre	58,883 %	1420,8851 litre	O
440	CM	50	CM	56 LEVEL CM	1991,2410 litre	57,621 %	1464,5109 litre	O
440	CM	50	CM	55 LEVEL CM	1947,5087 litre	56,356 %	1508,2432 litre	O
440	CM	50	CM	54 LEVEL CM	1903,6880 litre	55,088 %	1552,0639 litre	O
440	CM	50	CM	53 LEVEL CM	1859,7967 litre	53,817 %	1595,9552 litre	O
440	CM	50	CM	52 LEVEL CM	1815,8525 litre	52,546 %	1639,8994 litre	O
440	CM	50	CM	51 LEVEL CM	1771,8730 litre	51,273 %	1683,8789 litre	O
440	CM	50	CM	50 LEVEL CM	1727,8760 litre	50,000 %	1727,8759 litre	O
440	CM	50	CM	49 LEVEL CM	1683,8789 litre	48,727 %	1771,8730 litre	O

440	CM	50	CM	48 LEVEL CM	1639,8994 litre	47,454 %	1815,8525 litre	O
440	CM	50	CM	47 LEVEL CM	1595,9552 litre	46,183 %	1859,7967 litre	O
440	CM	50	CM	46 LEVEL CM	1552,0639 litre	44,912 %	1903,6880 litre	O
440	CM	50	CM	45 LEVEL CM	1508,2432 litre	43,644 %	1947,5087 litre	O
440	CM	50	CM	44 LEVEL CM	1464,5109 litre	42,379 %	1991,2410 litre	O
440	CM	50	CM	43 LEVEL CM	1420,8851 litre	41,117 %	2034,8668 litre	O
440	CM	50	CM	42 LEVEL CM	1377,3836 litre	39,858 %	2078,3683 litre	O
440	CM	50	CM	41 LEVEL CM	1334,0249 litre	38,603 %	2121,7270 litre	O
440	CM	50	CM	40 LEVEL CM	1290,8271 litre	37,353 %	2164,9248 litre	O
440	CM	50	CM	39 LEVEL CM	1247,8091 litre	36,108 %	2207,9428 litre	O
440	CM	50	CM	38 LEVEL CM	1204,9895 litre	34,869 %	2250,7624 litre	O
440	CM	50	CM	37 LEVEL CM	1162,3875 litre	33,636 %	2293,3644 litre	O
440	CM	50	CM	36 LEVEL CM	1120,0224 litre	32,410 %	2335,7295 litre	O
440	CM	50	CM	35 LEVEL CM	1077,9141 litre	31,192 %	2377,8378 litre	O
440	CM	50	CM	34 LEVEL CM	1036,0825 litre	29,981 %	2419,6694 litre	O
440	CM	50	CM	33 LEVEL CM	994,5483 litre	28,780 %	2461,2036 litre	O
440	CM	50	CM	32 LEVEL CM	953,3322 litre	27,587 %	2502,4197 litre	O
440	CM	50	CM	31 LEVEL CM	912,4557 litre	26,404 %	2543,2962 litre	O
440	CM	50	CM	30 LEVEL CM	871,9408 litre	25,232 %	2583,8111 litre	O
440	CM	50	CM	29 LEVEL CM	831,8100 litre	24,070 %	2623,9419 litre	O
440	CM	50	CM	28 LEVEL CM	792,0865 litre	22,921 %	2663,6654 litre	O
440	CM	50	CM	27 LEVEL CM	752,7943 litre	21,784 %	2702,9576 litre	O
440	CM	50	CM	26 LEVEL CM	713,9580 litre	20,660 %	2741,7939 litre	O
440	CM	50	CM	25 LEVEL CM	675,6033 litre	19,550 %	2780,1486 litre	O
440	CM	50	CM	24 LEVEL CM	637,7568 litre	18,455 %	2817,9951 litre	O
440	CM	50	CM	23 LEVEL CM	600,4461 litre	17,375 %	2855,3058 litre	O
440	CM	50	CM	22 LEVEL CM	563,7001 litre	16,312 %	2892,0518 litre	O
440	CM	50	CM	21 LEVEL CM	527,5491 litre	15,266 %	2928,2028 litre	O
440	CM	50	CM	20 LEVEL CM	492,0247 litre	14,238 %	2963,7272 litre	O
440	CM	50	CM	19 LEVEL CM	457,1606 litre	13,229 %	2998,5913 litre	O
440	CM	50	CM	18 LEVEL CM	422,9919 litre	12,240 %	3032,7600 litre	O
440	CM	50	CM	17 LEVEL CM	389,5565 litre	11,273 %	3066,1954 litre	O
440	CM	50	CM	16 LEVEL CM	356,8944 litre	10,328 %	3098,8575 litre	O
440	CM	50	CM	15 LEVEL CM	325,0487 litre	9,406 %	3130,7032 litre	O
440	CM	50	CM	14 LEVEL CM	294,0660 litre	8,509 %	3161,6859 litre	O
440	CM	50	CM	13 LEVEL CM	263,9966 litre	7,639 %	3191,7553 litre	O
440	CM	50	CM	12 LEVEL CM	234,8958 litre	6,797 %	3220,8561 litre	O
440	CM	50	CM	11 LEVEL CM	206,8247 litre	5,985 %	3248,9272 litre	O
440	CM	50	CM	10 LEVEL CM	179,8512 litre	5,204 %	3275,9007 litre	O
440	CM	50	CM	9 LEVEL CM	154,0519 litre	4,458 %	3301,7000 litre	O
440	CM	50	CM	8 LEVEL CM	129,5146 litre	3,748 %	3326,2373 litre	O
440	CM	50	CM	7 LEVEL CM	106,3412 litre	3,077 %	3349,4107 litre	O
440	CM	50	CM	6 LEVEL CM	84,6530 litre	2,450 %	3371,0989 litre	O
440	CM	50	CM	5 LEVEL CM	64,5985 litre	1,869 %	3391,1534 litre	O
440	CM	50	CM	4 LEVEL CM	46,3660 litre	1,342 %	3409,3859 litre	O
440	CM	50	CM	3 LEVEL CM	30,2083 litre	0,874 %	3425,5436 litre	O
440	CM	50	CM	2 LEVEL CM	16,4935 litre	0,477 %	3439,2584 litre	O
440	CM	50	CM	1 LEVEL CM	5,8490 litre	0,169 %	3449,9029 litre	O
440	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3455,7519 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
430	CM 150	CM 300 LEVEL CM	30394,9089 litre	100,000 %	0,0000 litre O
430	CM 150	CM 299 LEVEL CM	30384,9884 litre	99,967 %	9,9205 litre O
430	CM 150	CM 298 LEVEL CM	30366,8777 litre	99,908 %	28,0312 litre O
430	CM 150	CM 297 LEVEL CM	30343,4640 litre	99,831 %	51,4449 litre O
430	CM 150	CM 296 LEVEL CM	30315,7841 litre	99,740 %	79,1248 litre O
430	CM 150	CM 295 LEVEL CM	30284,4402 litre	99,637 %	110,4687 litre O
430	CM 150	CM 294 LEVEL CM	30249,8409 litre	99,523 %	145,0680 litre O
430	CM 150	CM 293 LEVEL CM	30212,2877 litre	99,399 %	182,6212 litre O
430	CM 150	CM 292 LEVEL CM	30172,0153 litre	99,267 %	222,8936 litre O
430	CM 150	CM 291 LEVEL CM	30129,2136 litre	99,126 %	265,6953 litre O
430	CM 150	CM 290 LEVEL CM	30084,0405 litre	98,977 %	310,8684 litre O
430	CM 150	CM 289 LEVEL CM	30036,6302 litre	98,821 %	358,2787 litre O
430	CM 150	CM 288 LEVEL CM	29987,0985 litre	98,658 %	407,8104 litre O
430	CM 150	CM 287 LEVEL CM	29935,5470 litre	98,489 %	459,3619 litre O
430	CM 150	CM 286 LEVEL CM	29882,0659 litre	98,313 %	512,8430 litre O
430	CM 150	CM 285 LEVEL CM	29826,7358 litre	98,131 %	568,1731 litre O
430	CM 150	CM 284 LEVEL CM	29769,6294 litre	97,943 %	625,2795 litre O
430	CM 150	CM 283 LEVEL CM	29710,8130 litre	97,749 %	684,0959 litre O
430	CM 150	CM 282 LEVEL CM	29650,3472 litre	97,550 %	744,5617 litre O
430	CM 150	CM 281 LEVEL CM	29588,2877 litre	97,346 %	806,6212 litre O
430	CM 150	CM 280 LEVEL CM	29524,6860 litre	97,137 %	870,2229 litre O
430	CM 150	CM 279 LEVEL CM	29459,5900 litre	96,923 %	935,3189 litre O
430	CM 150	CM 278 LEVEL CM	29393,0445 litre	96,704 %	1001,8644 litre O
430	CM 150	CM 277 LEVEL CM	29325,0912 litre	96,480 %	1069,8177 litre O
430	CM 150	CM 276 LEVEL CM	29255,7693 litre	96,252 %	1139,1396 litre O
430	CM 150	CM 275 LEVEL CM	29185,1159 litre	96,020 %	1209,7930 litre O
430	CM 150	CM 274 LEVEL CM	29113,1658 litre	95,783 %	1281,7431 litre O
430	CM 150	CM 273 LEVEL CM	29039,9521 litre	95,542 %	1354,9568 litre O
430	CM 150	CM 272 LEVEL CM	28965,5062 litre	95,297 %	1429,4027 litre O
430	CM 150	CM 271 LEVEL CM	28889,8579 litre	95,048 %	1505,0510 litre O
430	CM 150	CM 270 LEVEL CM	28813,0357 litre	94,796 %	1581,8732 litre O
430	CM 150	CM 269 LEVEL CM	28735,0667 litre	94,539 %	1659,8422 litre O
430	CM 150	CM 268 LEVEL CM	28655,9770 litre	94,279 %	1738,9319 litre O
430	CM 150	CM 267 LEVEL CM	28575,7913 litre	94,015 %	1819,1176 litre O
430	CM 150	CM 266 LEVEL CM	28494,5337 litre	93,748 %	1900,3752 litre O
430	CM 150	CM 265 LEVEL CM	28412,2269 litre	93,477 %	1982,6820 litre O
430	CM 150	CM 264 LEVEL CM	28328,8932 litre	93,203 %	2066,0157 litre O
430	CM 150	CM 263 LEVEL CM	28244,5537 litre	92,925 %	2150,3552 litre O
430	CM 150	CM 262 LEVEL CM	28159,2291 litre	92,645 %	2235,6798 litre O
430	CM 150	CM 261 LEVEL CM	28072,9391 litre	92,361 %	2321,9698 litre O
430	CM 150	CM 260 LEVEL CM	27985,7028 litre	92,074 %	2409,2061 litre O
430	CM 150	CM 259 LEVEL CM	27897,5389 litre	91,784 %	2497,3700 litre O
430	CM 150	CM 258 LEVEL CM	27808,4652 litre	91,491 %	2586,4437 litre O
430	CM 150	CM 257 LEVEL CM	27718,4993 litre	91,195 %	2676,4096 litre O
430	CM 150	CM 256 LEVEL CM	27627,6579 litre	90,896 %	2767,2510 litre O
430	CM 150	CM 255 LEVEL CM	27535,9576 litre	90,594 %	2858,9513 litre O
430	CM 150	CM 254 LEVEL CM	27443,4143 litre	90,290 %	2951,4946 litre O
430	CM 150	CM 253 LEVEL CM	27350,0436 litre	89,982 %	3044,8653 litre O
430	CM 150	CM 252 LEVEL CM	27255,8604 litre	89,672 %	3139,0485 litre O
430	CM 150	CM 251 LEVEL CM	27160,8797 litre	89,360 %	3234,0292 litre O
430	CM 150	CM 250 LEVEL CM	27065,1157 litre	89,045 %	3329,7932 litre O
430	CM 150	CM 249 LEVEL CM	26968,5825 litre	88,727 %	3426,3264 litre O

430	CM	150	CM	248 LEVEL CM	26871,2937 litre	88,407 %	3523,6152 litre	O
430	CM	150	CM	247 LEVEL CM	26773,2627 litre	88,085 %	3621,6462 litre	O
430	CM	150	CM	246 LEVEL CM	26674,5026 litre	87,760 %	3720,4063 litre	O
430	CM	150	CM	245 LEVEL CM	26575,0262 litre	87,432 %	3819,8827 litre	O
430	CM	150	CM	244 LEVEL CM	26474,8459 litre	87,103 %	3920,0630 litre	O
430	CM	150	CM	243 LEVEL CM	26373,9741 litre	86,771 %	4020,9348 litre	O
430	CM	150	CM	242 LEVEL CM	26272,4226 litre	86,437 %	4122,4863 litre	O
430	CM	150	CM	241 LEVEL CM	26170,2033 litre	86,101 %	4224,7056 litre	O
430	CM	150	CM	240 LEVEL CM	26067,3277 litre	85,762 %	4327,5812 litre	O
430	CM	150	CM	239 LEVEL CM	25963,8070 litre	85,422 %	4431,1019 litre	O
430	CM	150	CM	238 LEVEL CM	25859,6525 litre	85,079 %	4535,2564 litre	O
430	CM	150	CM	237 LEVEL CM	25754,8749 litre	84,734 %	4640,0340 litre	O
430	CM	150	CM	236 LEVEL CM	25649,4850 litre	84,387 %	4745,4239 litre	O
430	CM	150	CM	235 LEVEL CM	25543,4932 litre	84,039 %	4851,4157 litre	O
430	CM	150	CM	234 LEVEL CM	25436,9100 litre	83,688 %	4957,9989 litre	O
430	CM	150	CM	233 LEVEL CM	25329,7455 litre	83,335 %	5065,1634 litre	O
430	CM	150	CM	232 LEVEL CM	25222,0097 litre	82,981 %	5172,8992 litre	O
430	CM	150	CM	231 LEVEL CM	25113,7124 litre	82,625 %	5281,1965 litre	O
430	CM	150	CM	230 LEVEL CM	25004,8633 litre	82,267 %	5390,0456 litre	O
430	CM	150	CM	229 LEVEL CM	24895,4720 litre	81,907 %	5499,4369 litre	O
430	CM	150	CM	228 LEVEL CM	24785,5479 litre	81,545 %	5609,3610 litre	O
430	CM	150	CM	227 LEVEL CM	24675,1002 litre	81,182 %	5719,8087 litre	O
430	CM	150	CM	226 LEVEL CM	24564,1380 litre	80,817 %	5830,7709 litre	O
430	CM	150	CM	225 LEVEL CM	24452,6705 litre	80,450 %	5942,2384 litre	O
430	CM	150	CM	224 LEVEL CM	24340,7064 litre	80,082 %	6054,2025 litre	O
430	CM	150	CM	223 LEVEL CM	24228,2546 litre	79,712 %	6166,6543 litre	O
430	CM	150	CM	222 LEVEL CM	24115,3237 litre	79,340 %	6279,5852 litre	O
430	CM	150	CM	221 LEVEL CM	24001,9222 litre	78,967 %	6392,9867 litre	O
430	CM	150	CM	220 LEVEL CM	23888,0585 litre	78,592 %	6506,8504 litre	O
430	CM	150	CM	219 LEVEL CM	23773,7411 litre	78,216 %	6621,1678 litre	O
430	CM	150	CM	218 LEVEL CM	23658,9782 litre	77,839 %	6735,9307 litre	O
430	CM	150	CM	217 LEVEL CM	23543,7778 litre	77,460 %	6851,1311 litre	O
430	CM	150	CM	216 LEVEL CM	23428,1481 litre	77,079 %	6966,7608 litre	O
430	CM	150	CM	215 LEVEL CM	23312,0971 litre	76,697 %	7082,8118 litre	O
430	CM	150	CM	214 LEVEL CM	23195,6325 litre	76,314 %	7199,2764 litre	O
430	CM	150	CM	213 LEVEL CM	23078,7621 litre	75,930 %	7316,1468 litre	O
430	CM	150	CM	212 LEVEL CM	22961,4938 litre	75,544 %	7433,4151 litre	O
430	CM	150	CM	211 LEVEL CM	22843,8351 litre	75,157 %	7551,0738 litre	O
430	CM	150	CM	210 LEVEL CM	22725,7935 litre	74,768 %	7669,1154 litre	O
430	CM	150	CM	209 LEVEL CM	22607,3767 litre	74,379 %	7787,5322 litre	O
430	CM	150	CM	208 LEVEL CM	22488,5918 litre	73,988 %	7906,3171 litre	O
430	CM	150	CM	207 LEVEL CM	22369,4464 litre	73,596 %	8025,4625 litre	O
430	CM	150	CM	206 LEVEL CM	22249,9477 litre	73,203 %	8144,9612 litre	O
430	CM	150	CM	205 LEVEL CM	22130,1029 litre	72,809 %	8264,8060 litre	O
430	CM	150	CM	204 LEVEL CM	22009,9192 litre	72,413 %	8384,9897 litre	O
430	CM	150	CM	203 LEVEL CM	21889,4036 litre	72,017 %	8505,5053 litre	O
430	CM	150	CM	202 LEVEL CM	21768,5632 litre	71,619 %	8626,3457 litre	O
430	CM	150	CM	201 LEVEL CM	21647,4049 litre	71,220 %	8747,5040 litre	O
430	CM	150	CM	200 LEVEL CM	21525,9357 litre	70,821 %	8868,9732 litre	O
430	CM	150	CM	199 LEVEL CM	21404,1625 litre	70,420 %	8990,7464 litre	O
430	CM	150	CM	198 LEVEL CM	21282,0920 litre	70,019 %	9112,8169 litre	O
430	CM	150	CM	197 LEVEL CM	21159,7310 litre	69,616 %	9235,1779 litre	O
430	CM	150	CM	196 LEVEL CM	21037,0862 litre	69,213 %	9357,8227 litre	O

430	CM	150	CM	195 LEVEL CM	20914,1644 litre	68,808 %	9480,7445 litre	O
430	CM	150	CM	194 LEVEL CM	20790,9721 litre	68,403 %	9603,9368 litre	O
430	CM	150	CM	193 LEVEL CM	20667,5160 litre	67,997 %	9727,3929 litre	O
430	CM	150	CM	192 LEVEL CM	20543,8025 litre	67,590 %	9851,1064 litre	O
430	CM	150	CM	191 LEVEL CM	20419,8381 litre	67,182 %	9975,0708 litre	O
430	CM	150	CM	190 LEVEL CM	20295,6294 litre	66,773 %	10099,2795 litre	O
430	CM	150	CM	189 LEVEL CM	20171,1827 litre	66,364 %	10223,7262 litre	O
430	CM	150	CM	188 LEVEL CM	20046,5045 litre	65,953 %	10348,4044 litre	O
430	CM	150	CM	187 LEVEL CM	19921,6011 litre	65,543 %	10473,3078 litre	O
430	CM	150	CM	186 LEVEL CM	19796,4787 litre	65,131 %	10598,4302 litre	O
430	CM	150	CM	185 LEVEL CM	19671,1437 litre	64,719 %	10723,7652 litre	O
430	CM	150	CM	184 LEVEL CM	19545,6024 litre	64,306 %	10849,3065 litre	O
430	CM	150	CM	183 LEVEL CM	19419,8609 litre	63,892 %	10975,0480 litre	O
430	CM	150	CM	182 LEVEL CM	19293,9255 litre	63,477 %	11100,9834 litre	O
430	CM	150	CM	181 LEVEL CM	19167,8023 litre	63,063 %	11227,1066 litre	O
430	CM	150	CM	180 LEVEL CM	19041,4974 litre	62,647 %	11353,4115 litre	O
430	CM	150	CM	179 LEVEL CM	18915,0170 litre	62,231 %	11479,8919 litre	O
430	CM	150	CM	178 LEVEL CM	18788,3671 litre	61,814 %	11606,5418 litre	O
430	CM	150	CM	177 LEVEL CM	18661,5538 litre	61,397 %	11733,3551 litre	O
430	CM	150	CM	176 LEVEL CM	18534,5831 litre	60,979 %	11860,3258 litre	O
430	CM	150	CM	175 LEVEL CM	18407,4611 litre	60,561 %	11987,4478 litre	O
430	CM	150	CM	174 LEVEL CM	18280,1937 litre	60,142 %	12114,7152 litre	O
430	CM	150	CM	173 LEVEL CM	18152,7869 litre	59,723 %	12242,1220 litre	O
430	CM	150	CM	172 LEVEL CM	18025,2466 litre	59,304 %	12369,6623 litre	O
430	CM	150	CM	171 LEVEL CM	17897,5789 litre	58,883 %	12497,3300 litre	O
430	CM	150	CM	170 LEVEL CM	17769,7895 litre	58,463 %	12625,1194 litre	O
430	CM	150	CM	169 LEVEL CM	17641,8844 litre	58,042 %	12753,0245 litre	O
430	CM	150	CM	168 LEVEL CM	17513,8696 litre	57,621 %	12881,0393 litre	O
430	CM	150	CM	167 LEVEL CM	17385,7507 litre	57,200 %	13009,1582 litre	O
430	CM	150	CM	166 LEVEL CM	17257,5338 litre	56,778 %	13137,3751 litre	O
430	CM	150	CM	165 LEVEL CM	17129,2246 litre	56,356 %	13265,6843 litre	O
430	CM	150	CM	164 LEVEL CM	17000,8290 litre	55,933 %	13394,0799 litre	O
430	CM	150	CM	163 LEVEL CM	16872,3527 litre	55,510 %	13522,5562 litre	O
430	CM	150	CM	162 LEVEL CM	16743,8017 litre	55,088 %	13651,1072 litre	O
430	CM	150	CM	161 LEVEL CM	16615,1816 litre	54,664 %	13779,7273 litre	O
430	CM	150	CM	160 LEVEL CM	16486,4983 litre	54,241 %	13908,4106 litre	O
430	CM	150	CM	159 LEVEL CM	16357,7575 litre	53,817 %	14037,1514 litre	O
430	CM	150	CM	158 LEVEL CM	16228,9650 litre	53,394 %	14165,9439 litre	O
430	CM	150	CM	157 LEVEL CM	16100,1266 litre	52,970 %	14294,7823 litre	O
430	CM	150	CM	156 LEVEL CM	15971,2480 litre	52,546 %	14423,6609 litre	O
430	CM	150	CM	155 LEVEL CM	15842,3350 litre	52,122 %	14552,5739 litre	O
430	CM	150	CM	154 LEVEL CM	15713,3933 litre	51,697 %	14681,5156 litre	O
430	CM	150	CM	153 LEVEL CM	15584,4287 litre	51,273 %	14810,4802 litre	O
430	CM	150	CM	152 LEVEL CM	15455,4468 litre	50,849 %	14939,4621 litre	O
430	CM	150	CM	151 LEVEL CM	15326,4535 litre	50,424 %	15068,4554 litre	O
430	CM	150	CM	150 LEVEL CM	15197,4545 litre	50,000 %	15197,4544 litre	O
430	CM	150	CM	149 LEVEL CM	15068,4554 litre	49,576 %	15326,4535 litre	O
430	CM	150	CM	148 LEVEL CM	14939,4621 litre	49,151 %	15455,4468 litre	O
430	CM	150	CM	147 LEVEL CM	14810,4803 litre	48,727 %	15584,4286 litre	O
430	CM	150	CM	146 LEVEL CM	14681,5156 litre	48,303 %	15713,3933 litre	O
430	CM	150	CM	145 LEVEL CM	14552,5739 litre	47,878 %	15842,3350 litre	O
430	CM	150	CM	144 LEVEL CM	14423,6609 litre	47,454 %	15971,2480 litre	O
430	CM	150	CM	143 LEVEL CM	14294,7823 litre	47,030 %	16100,1266 litre	O

430	CM	150	CM	142 LEVEL CM	14165,9439 litre	46,606 %	16228,9650 litre	O
430	CM	150	CM	141 LEVEL CM	14037,1514 litre	46,183 %	16357,7575 litre	O
430	CM	150	CM	140 LEVEL CM	13908,4107 litre	45,759 %	16486,4982 litre	O
430	CM	150	CM	139 LEVEL CM	13779,7273 litre	45,336 %	16615,1816 litre	O
430	CM	150	CM	138 LEVEL CM	13651,1073 litre	44,912 %	16743,8016 litre	O
430	CM	150	CM	137 LEVEL CM	13522,5562 litre	44,490 %	16872,3527 litre	O
430	CM	150	CM	136 LEVEL CM	13394,0799 litre	44,067 %	17000,8290 litre	O
430	CM	150	CM	135 LEVEL CM	13265,6843 litre	43,644 %	17129,2246 litre	O
430	CM	150	CM	134 LEVEL CM	13137,3751 litre	43,222 %	17257,5338 litre	O
430	CM	150	CM	133 LEVEL CM	13009,1582 litre	42,800 %	17385,7507 litre	O
430	CM	150	CM	132 LEVEL CM	12881,0394 litre	42,379 %	17513,8695 litre	O
430	CM	150	CM	131 LEVEL CM	12753,0245 litre	41,958 %	17641,8844 litre	O
430	CM	150	CM	130 LEVEL CM	12625,1194 litre	41,537 %	17769,7895 litre	O
430	CM	150	CM	129 LEVEL CM	12497,3301 litre	41,117 %	17897,5788 litre	O
430	CM	150	CM	128 LEVEL CM	12369,6623 litre	40,696 %	18025,2466 litre	O
430	CM	150	CM	127 LEVEL CM	12242,1221 litre	40,277 %	18152,7868 litre	O
430	CM	150	CM	126 LEVEL CM	12114,7153 litre	39,858 %	18280,1936 litre	O
430	CM	150	CM	125 LEVEL CM	11987,4479 litre	39,439 %	18407,4610 litre	O
430	CM	150	CM	124 LEVEL CM	11860,3258 litre	39,021 %	18534,5831 litre	O
430	CM	150	CM	123 LEVEL CM	11733,3551 litre	38,603 %	18661,5538 litre	O
430	CM	150	CM	122 LEVEL CM	11606,5418 litre	38,186 %	18788,3671 litre	O
430	CM	150	CM	121 LEVEL CM	11479,8919 litre	37,769 %	18915,0170 litre	O
430	CM	150	CM	120 LEVEL CM	11353,4115 litre	37,353 %	19041,4974 litre	O
430	CM	150	CM	119 LEVEL CM	11227,1066 litre	36,937 %	19167,8023 litre	O
430	CM	150	CM	118 LEVEL CM	11100,9834 litre	36,523 %	19293,9255 litre	O
430	CM	150	CM	117 LEVEL CM	10975,0480 litre	36,108 %	19419,8609 litre	O
430	CM	150	CM	116 LEVEL CM	10849,3065 litre	35,694 %	19545,6024 litre	O
430	CM	150	CM	115 LEVEL CM	10723,7652 litre	35,281 %	19671,1437 litre	O
430	CM	150	CM	114 LEVEL CM	10598,4302 litre	34,869 %	19796,4787 litre	O
430	CM	150	CM	113 LEVEL CM	10473,3079 litre	34,457 %	19921,6010 litre	O
430	CM	150	CM	112 LEVEL CM	10348,4044 litre	34,047 %	20046,5045 litre	O
430	CM	150	CM	111 LEVEL CM	10223,7262 litre	33,636 %	20171,1827 litre	O
430	CM	150	CM	110 LEVEL CM	10099,2795 litre	33,227 %	20295,6294 litre	O
430	CM	150	CM	109 LEVEL CM	9975,0708 litre	32,818 %	20419,8381 litre	O
430	CM	150	CM	108 LEVEL CM	9851,1065 litre	32,410 %	20543,8024 litre	O
430	CM	150	CM	107 LEVEL CM	9727,3930 litre	32,003 %	20667,5159 litre	O
430	CM	150	CM	106 LEVEL CM	9603,9368 litre	31,597 %	20790,9721 litre	O
430	CM	150	CM	105 LEVEL CM	9480,7445 litre	31,192 %	20914,1644 litre	O
430	CM	150	CM	104 LEVEL CM	9357,8227 litre	30,787 %	21037,0862 litre	O
430	CM	150	CM	103 LEVEL CM	9235,1779 litre	30,384 %	21159,7310 litre	O
430	CM	150	CM	102 LEVEL CM	9112,8170 litre	29,981 %	21282,0919 litre	O
430	CM	150	CM	101 LEVEL CM	8990,7465 litre	29,580 %	21404,1624 litre	O
430	CM	150	CM	100 LEVEL CM	8868,9732 litre	29,179 %	21525,9357 litre	O
430	CM	150	CM	99 LEVEL CM	8747,5040 litre	28,780 %	21647,4049 litre	O
430	CM	150	CM	98 LEVEL CM	8626,3457 litre	28,381 %	21768,5632 litre	O
430	CM	150	CM	97 LEVEL CM	8505,5053 litre	27,983 %	21889,4036 litre	O
430	CM	150	CM	96 LEVEL CM	8384,9897 litre	27,587 %	22009,9192 litre	O
430	CM	150	CM	95 LEVEL CM	8264,8060 litre	27,191 %	22130,1029 litre	O
430	CM	150	CM	94 LEVEL CM	8144,9612 litre	26,797 %	22249,9477 litre	O
430	CM	150	CM	93 LEVEL CM	8025,4625 litre	26,404 %	22369,4464 litre	O
430	CM	150	CM	92 LEVEL CM	7906,3171 litre	26,012 %	22488,5918 litre	O
430	CM	150	CM	91 LEVEL CM	7787,5323 litre	25,621 %	22607,3766 litre	O
430	CM	150	CM	90 LEVEL CM	7669,1154 litre	25,232 %	22725,7935 litre	O

430	CM	150	CM	89 LEVEL CM	7551,0738 litre	24,843 %	22843,8351 litre	O
430	CM	150	CM	88 LEVEL CM	7433,4151 litre	24,456 %	22961,4938 litre	O
430	CM	150	CM	87 LEVEL CM	7316,1468 litre	24,070 %	23078,7621 litre	O
430	CM	150	CM	86 LEVEL CM	7199,2765 litre	23,686 %	23195,6324 litre	O
430	CM	150	CM	85 LEVEL CM	7082,8119 litre	23,303 %	23312,0970 litre	O
430	CM	150	CM	84 LEVEL CM	6966,7608 litre	22,921 %	23428,1481 litre	O
430	CM	150	CM	83 LEVEL CM	6851,1311 litre	22,540 %	23543,7778 litre	O
430	CM	150	CM	82 LEVEL CM	6735,9307 litre	22,161 %	23658,9782 litre	O
430	CM	150	CM	81 LEVEL CM	6621,1678 litre	21,784 %	23773,7411 litre	O
430	CM	150	CM	80 LEVEL CM	6506,8504 litre	21,408 %	23888,0585 litre	O
430	CM	150	CM	79 LEVEL CM	6392,9868 litre	21,033 %	24001,9221 litre	O
430	CM	150	CM	78 LEVEL CM	6279,5853 litre	20,660 %	24115,3236 litre	O
430	CM	150	CM	77 LEVEL CM	6166,6543 litre	20,288 %	24228,2546 litre	O
430	CM	150	CM	76 LEVEL CM	6054,2025 litre	19,918 %	24340,7064 litre	O
430	CM	150	CM	75 LEVEL CM	5942,2384 litre	19,550 %	24452,6705 litre	O
430	CM	150	CM	74 LEVEL CM	5830,7709 litre	19,183 %	24564,1380 litre	O
430	CM	150	CM	73 LEVEL CM	5719,8088 litre	18,818 %	24675,1001 litre	O
430	CM	150	CM	72 LEVEL CM	5609,3611 litre	18,455 %	24785,5478 litre	O
430	CM	150	CM	71 LEVEL CM	5499,4369 litre	18,093 %	24895,4720 litre	O
430	CM	150	CM	70 LEVEL CM	5390,0456 litre	17,733 %	25004,8633 litre	O
430	CM	150	CM	69 LEVEL CM	5281,1965 litre	17,375 %	25113,7124 litre	O
430	CM	150	CM	68 LEVEL CM	5172,8993 litre	17,019 %	25222,0096 litre	O
430	CM	150	CM	67 LEVEL CM	5065,1634 litre	16,665 %	25329,7455 litre	O
430	CM	150	CM	66 LEVEL CM	4957,9989 litre	16,312 %	25436,9100 litre	O
430	CM	150	CM	65 LEVEL CM	4851,4157 litre	15,961 %	25543,4932 litre	O
430	CM	150	CM	64 LEVEL CM	4745,4240 litre	15,613 %	25649,4849 litre	O
430	CM	150	CM	63 LEVEL CM	4640,0340 litre	15,266 %	25754,8749 litre	O
430	CM	150	CM	62 LEVEL CM	4535,2564 litre	14,921 %	25859,6525 litre	O
430	CM	150	CM	61 LEVEL CM	4431,1019 litre	14,578 %	25963,8070 litre	O
430	CM	150	CM	60 LEVEL CM	4327,5812 litre	14,238 %	26067,3277 litre	O
430	CM	150	CM	59 LEVEL CM	4224,7056 litre	13,899 %	26170,2033 litre	O
430	CM	150	CM	58 LEVEL CM	4122,4863 litre	13,563 %	26272,4226 litre	O
430	CM	150	CM	57 LEVEL CM	4020,9349 litre	13,229 %	26373,9740 litre	O
430	CM	150	CM	56 LEVEL CM	3920,0630 litre	12,897 %	26474,8459 litre	O
430	CM	150	CM	55 LEVEL CM	3819,8827 litre	12,568 %	26575,0262 litre	O
430	CM	150	CM	54 LEVEL CM	3720,4063 litre	12,240 %	26674,5026 litre	O
430	CM	150	CM	53 LEVEL CM	3621,6462 litre	11,915 %	26773,2627 litre	O
430	CM	150	CM	52 LEVEL CM	3523,6153 litre	11,593 %	26871,2936 litre	O
430	CM	150	CM	51 LEVEL CM	3426,3265 litre	11,273 %	26968,5824 litre	O
430	CM	150	CM	50 LEVEL CM	3329,7932 litre	10,955 %	27065,1157 litre	O
430	CM	150	CM	49 LEVEL CM	3234,0292 litre	10,640 %	27160,8797 litre	O
430	CM	150	CM	48 LEVEL CM	3139,0485 litre	10,328 %	27255,8604 litre	O
430	CM	150	CM	47 LEVEL CM	3044,8654 litre	10,018 %	27350,0435 litre	O
430	CM	150	CM	46 LEVEL CM	2951,4946 litre	9,710 %	27443,4143 litre	O
430	CM	150	CM	45 LEVEL CM	2858,9513 litre	9,406 %	27535,9576 litre	O
430	CM	150	CM	44 LEVEL CM	2767,2510 litre	9,104 %	27627,6579 litre	O
430	CM	150	CM	43 LEVEL CM	2676,4096 litre	8,805 %	27718,4993 litre	O
430	CM	150	CM	42 LEVEL CM	2586,4437 litre	8,509 %	27808,4652 litre	O
430	CM	150	CM	41 LEVEL CM	2497,3701 litre	8,216 %	27897,5388 litre	O
430	CM	150	CM	40 LEVEL CM	2409,2061 litre	7,926 %	27985,7028 litre	O
430	CM	150	CM	39 LEVEL CM	2321,9699 litre	7,639 %	28072,9390 litre	O
430	CM	150	CM	38 LEVEL CM	2235,6798 litre	7,355 %	28159,2291 litre	O
430	CM	150	CM	37 LEVEL CM	2150,3552 litre	7,075 %	28244,5537 litre	O

430	CM	150	CM	36 LEVEL CM	2066,0157 litre	6,797 %	28328,8932 litre	O
430	CM	150	CM	35 LEVEL CM	1982,6820 litre	6,523 %	28412,2269 litre	O
430	CM	150	CM	34 LEVEL CM	1900,3752 litre	6,252 %	28494,5337 litre	O
430	CM	150	CM	33 LEVEL CM	1819,1176 litre	5,985 %	28575,7913 litre	O
430	CM	150	CM	32 LEVEL CM	1738,9319 litre	5,721 %	28655,9770 litre	O
430	CM	150	CM	31 LEVEL CM	1659,8422 litre	5,461 %	28735,0667 litre	O
430	CM	150	CM	30 LEVEL CM	1581,8732 litre	5,204 %	28813,0357 litre	O
430	CM	150	CM	29 LEVEL CM	1505,0510 litre	4,952 %	28889,8579 litre	O
430	CM	150	CM	28 LEVEL CM	1429,4028 litre	4,703 %	28965,5061 litre	O
430	CM	150	CM	27 LEVEL CM	1354,9569 litre	4,458 %	29039,9520 litre	O
430	CM	150	CM	26 LEVEL CM	1281,7432 litre	4,217 %	29113,1657 litre	O
430	CM	150	CM	25 LEVEL CM	1209,7931 litre	3,980 %	29185,1158 litre	O
430	CM	150	CM	24 LEVEL CM	1139,1396 litre	3,748 %	29255,7693 litre	O
430	CM	150	CM	23 LEVEL CM	1069,8177 litre	3,520 %	29325,0912 litre	O
430	CM	150	CM	22 LEVEL CM	1001,8644 litre	3,296 %	29393,0445 litre	O
430	CM	150	CM	21 LEVEL CM	935,3189 litre	3,077 %	29459,5900 litre	O
430	CM	150	CM	20 LEVEL CM	870,2229 litre	2,863 %	29524,6860 litre	O
430	CM	150	CM	19 LEVEL CM	806,6213 litre	2,654 %	29588,2876 litre	O
430	CM	150	CM	18 LEVEL CM	744,5617 litre	2,450 %	29650,3472 litre	O
430	CM	150	CM	17 LEVEL CM	684,0959 litre	2,251 %	29710,8130 litre	O
430	CM	150	CM	16 LEVEL CM	625,2795 litre	2,057 %	29769,6294 litre	O
430	CM	150	CM	15 LEVEL CM	568,1731 litre	1,869 %	29826,7358 litre	O
430	CM	150	CM	14 LEVEL CM	512,8430 litre	1,687 %	29882,0659 litre	O
430	CM	150	CM	13 LEVEL CM	459,3619 litre	1,511 %	29935,5470 litre	O
430	CM	150	CM	12 LEVEL CM	407,8105 litre	1,342 %	29987,0984 litre	O
430	CM	150	CM	11 LEVEL CM	358,2788 litre	1,179 %	30036,6301 litre	O
430	CM	150	CM	10 LEVEL CM	310,8684 litre	1,023 %	30084,0405 litre	O
430	CM	150	CM	9 LEVEL CM	265,6953 litre	0,874 %	30129,2136 litre	O
430	CM	150	CM	8 LEVEL CM	222,8936 litre	0,733 %	30172,0153 litre	O
430	CM	150	CM	7 LEVEL CM	182,6212 litre	0,601 %	30212,2877 litre	O
430	CM	150	CM	6 LEVEL CM	145,0680 litre	0,477 %	30249,8409 litre	O
430	CM	150	CM	5 LEVEL CM	110,4687 litre	0,363 %	30284,4402 litre	O
430	CM	150	CM	4 LEVEL CM	79,1249 litre	0,260 %	30315,7840 litre	O
430	CM	150	CM	3 LEVEL CM	51,4449 litre	0,169 %	30343,4640 litre	O
430	CM	150	CM	2 LEVEL CM	28,0312 litre	0,092 %	30366,8777 litre	O
430	CM	150	CM	1 LEVEL CM	9,9205 litre	0,033 %	30384,9884 litre	O
430	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	30394,9089 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 145	CM 290 LEVEL CM	28402,3538 litre	100,000 %	0,0000 litre	O
430	CM 145	CM 289 LEVEL CM	28392,6004 litre	99,966 %	9,7534 litre	O
430	CM 145	CM 288 LEVEL CM	28374,7956 litre	99,903 %	27,5582 litre	O
430	CM 145	CM 287 LEVEL CM	28351,7788 litre	99,822 %	50,5750 litre	O
430	CM 145	CM 286 LEVEL CM	28324,5697 litre	99,726 %	77,7841 litre	O
430	CM 145	CM 285 LEVEL CM	28293,7607 litre	99,618 %	108,5931 litre	O
430	CM 145	CM 284 LEVEL CM	28259,7540 litre	99,498 %	142,5998 litre	O
430	CM 145	CM 283 LEVEL CM	28222,8461 litre	99,368 %	179,5077 litre	O
430	CM 145	CM 282 LEVEL CM	28183,2681 litre	99,229 %	219,0857 litre	O
430	CM 145	CM 281 LEVEL CM	28141,2070 litre	99,081 %	261,1468 litre	O
430	CM 145	CM 280 LEVEL CM	28096,8182 litre	98,924 %	305,5356 litre	O
430	CM 145	CM 279 LEVEL CM	28050,2339 litre	98,760 %	352,1199 litre	O
430	CM 145	CM 278 LEVEL CM	28001,5682 litre	98,589 %	400,7856 litre	O
430	CM 145	CM 277 LEVEL CM	27950,9213 litre	98,411 %	451,4325 litre	O
430	CM 145	CM 276 LEVEL CM	27898,3818 litre	98,226 %	503,9720 litre	O
430	CM 145	CM 275 LEVEL CM	27844,0293 litre	98,034 %	558,3245 litre	O
430	CM 145	CM 274 LEVEL CM	27787,9356 litre	97,837 %	614,4182 litre	O
430	CM 145	CM 273 LEVEL CM	27730,1658 litre	97,633 %	672,1880 litre	O
430	CM 145	CM 272 LEVEL CM	27670,7798 litre	97,424 %	731,5740 litre	O
430	CM 145	CM 271 LEVEL CM	27609,8326 litre	97,210 %	792,5212 litre	O
430	CM 145	CM 270 LEVEL CM	27547,3749 litre	96,990 %	854,9789 litre	O
430	CM 145	CM 269 LEVEL CM	27483,4541 litre	96,765 %	918,8997 litre	O
430	CM 145	CM 268 LEVEL CM	27418,1142 litre	96,535 %	984,2396 litre	O
430	CM 145	CM 267 LEVEL CM	27351,3965 litre	96,300 %	1050,9573 litre	O
430	CM 145	CM 266 LEVEL CM	27283,3398 litre	96,060 %	1119,0140 litre	O
430	CM 145	CM 265 LEVEL CM	27213,9804 litre	95,816 %	1188,3734 litre	O
430	CM 145	CM 264 LEVEL CM	27143,3531 litre	95,567 %	1259,0007 litre	O
430	CM 145	CM 263 LEVEL CM	27071,4903 litre	95,314 %	1330,8635 litre	O
430	CM 145	CM 262 LEVEL CM	26998,4232 litre	95,057 %	1403,9306 litre	O
430	CM 145	CM 261 LEVEL CM	26924,1811 litre	94,796 %	1478,1727 litre	O
430	CM 145	CM 260 LEVEL CM	26848,7923 litre	94,530 %	1553,5615 litre	O
430	CM 145	CM 259 LEVEL CM	26772,2836 litre	94,261 %	1630,0702 litre	O
430	CM 145	CM 258 LEVEL CM	26694,6806 litre	93,988 %	1707,6732 litre	O
430	CM 145	CM 257 LEVEL CM	26616,0081 litre	93,711 %	1786,3457 litre	O
430	CM 145	CM 256 LEVEL CM	26536,2895 litre	93,430 %	1866,0643 litre	O
430	CM 145	CM 255 LEVEL CM	26455,5477 litre	93,146 %	1946,8061 litre	O
430	CM 145	CM 254 LEVEL CM	26373,8045 litre	92,858 %	2028,5493 litre	O
430	CM 145	CM 253 LEVEL CM	26291,0809 litre	92,567 %	2111,2729 litre	O
430	CM 145	CM 252 LEVEL CM	26207,3972 litre	92,272 %	2194,9566 litre	O
430	CM 145	CM 251 LEVEL CM	26122,7732 litre	91,974 %	2279,5806 litre	O
430	CM 145	CM 250 LEVEL CM	26037,2277 litre	91,673 %	2365,1261 litre	O
430	CM 145	CM 249 LEVEL CM	25950,7792 litre	91,368 %	2451,5746 litre	O
430	CM 145	CM 248 LEVEL CM	25863,4455 litre	91,061 %	2538,9083 litre	O
430	CM 145	CM 247 LEVEL CM	25775,2437 litre	90,750 %	2627,1101 litre	O
430	CM 145	CM 246 LEVEL CM	25686,1908 litre	90,437 %	2716,1630 litre	O
430	CM 145	CM 245 LEVEL CM	25596,3029 litre	90,120 %	2806,0509 litre	O
430	CM 145	CM 244 LEVEL CM	25505,5960 litre	89,801 %	2896,7578 litre	O
430	CM 145	CM 243 LEVEL CM	25414,0854 litre	89,479 %	2988,2684 litre	O
430	CM 145	CM 242 LEVEL CM	25321,7861 litre	89,154 %	3080,5677 litre	O
430	CM 145	CM 241 LEVEL CM	25228,7128 litre	88,826 %	3173,6410 litre	O
430	CM 145	CM 240 LEVEL CM	25134,8798 litre	88,496 %	3267,4740 litre	O
430	CM 145	CM 239 LEVEL CM	25040,3009 litre	88,163 %	3362,0529 litre	O

430	CM	145	CM	238 LEVEL CM	24944,9897 litre	87,827 %	3457,3641 litre	O
430	CM	145	CM	237 LEVEL CM	24848,9596 litre	87,489 %	3553,3942 litre	O
430	CM	145	CM	236 LEVEL CM	24752,2235 litre	87,148 %	3650,1303 litre	O
430	CM	145	CM	235 LEVEL CM	24654,7941 litre	86,805 %	3747,5597 litre	O
430	CM	145	CM	234 LEVEL CM	24556,6839 litre	86,460 %	3845,6699 litre	O
430	CM	145	CM	233 LEVEL CM	24457,9051 litre	86,112 %	3944,4487 litre	O
430	CM	145	CM	232 LEVEL CM	24358,4695 litre	85,762 %	4043,8843 litre	O
430	CM	145	CM	231 LEVEL CM	24258,3890 litre	85,410 %	4143,9648 litre	O
430	CM	145	CM	230 LEVEL CM	24157,6748 litre	85,055 %	4244,6790 litre	O
430	CM	145	CM	229 LEVEL CM	24056,3384 litre	84,698 %	4346,0154 litre	O
430	CM	145	CM	228 LEVEL CM	23954,3908 litre	84,339 %	4447,9630 litre	O
430	CM	145	CM	227 LEVEL CM	23851,8428 litre	83,978 %	4550,5110 litre	O
430	CM	145	CM	226 LEVEL CM	23748,7050 litre	83,615 %	4653,6488 litre	O
430	CM	145	CM	225 LEVEL CM	23644,9881 litre	83,250 %	4757,3657 litre	O
430	CM	145	CM	224 LEVEL CM	23540,7022 litre	82,883 %	4861,6516 litre	O
430	CM	145	CM	223 LEVEL CM	23435,8575 litre	82,514 %	4966,4963 litre	O
430	CM	145	CM	222 LEVEL CM	23330,4641 litre	82,143 %	5071,8897 litre	O
430	CM	145	CM	221 LEVEL CM	23224,5316 litre	81,770 %	5177,8222 litre	O
430	CM	145	CM	220 LEVEL CM	23118,0699 litre	81,395 %	5284,2839 litre	O
430	CM	145	CM	219 LEVEL CM	23011,0884 litre	81,018 %	5391,2654 litre	O
430	CM	145	CM	218 LEVEL CM	22903,5965 litre	80,640 %	5498,7573 litre	O
430	CM	145	CM	217 LEVEL CM	22795,6035 litre	80,260 %	5606,7503 litre	O
430	CM	145	CM	216 LEVEL CM	22687,1186 litre	79,878 %	5715,2352 litre	O
430	CM	145	CM	215 LEVEL CM	22578,1506 litre	79,494 %	5824,2032 litre	O
430	CM	145	CM	214 LEVEL CM	22468,7086 litre	79,109 %	5933,6452 litre	O
430	CM	145	CM	213 LEVEL CM	22358,8013 litre	78,722 %	6043,5525 litre	O
430	CM	145	CM	212 LEVEL CM	22248,4373 litre	78,333 %	6153,9165 litre	O
430	CM	145	CM	211 LEVEL CM	22137,6252 litre	77,943 %	6264,7286 litre	O
430	CM	145	CM	210 LEVEL CM	22026,3735 litre	77,551 %	6375,9803 litre	O
430	CM	145	CM	209 LEVEL CM	21914,6905 litre	77,158 %	6487,6633 litre	O
430	CM	145	CM	208 LEVEL CM	21802,5845 litre	76,763 %	6599,7693 litre	O
430	CM	145	CM	207 LEVEL CM	21690,0636 litre	76,367 %	6712,2902 litre	O
430	CM	145	CM	206 LEVEL CM	21577,1359 litre	75,970 %	6825,2179 litre	O
430	CM	145	CM	205 LEVEL CM	21463,8094 litre	75,571 %	6938,5444 litre	O
430	CM	145	CM	204 LEVEL CM	21350,0920 litre	75,170 %	7052,2618 litre	O
430	CM	145	CM	203 LEVEL CM	21235,9915 litre	74,768 %	7166,3623 litre	O
430	CM	145	CM	202 LEVEL CM	21121,5157 litre	74,365 %	7280,8381 litre	O
430	CM	145	CM	201 LEVEL CM	21006,6722 litre	73,961 %	7395,6816 litre	O
430	CM	145	CM	200 LEVEL CM	20891,4686 litre	73,555 %	7510,8852 litre	O
430	CM	145	CM	199 LEVEL CM	20775,9125 litre	73,149 %	7626,4413 litre	O
430	CM	145	CM	198 LEVEL CM	20660,0112 litre	72,740 %	7742,3426 litre	O
430	CM	145	CM	197 LEVEL CM	20543,7723 litre	72,331 %	7858,5815 litre	O
430	CM	145	CM	196 LEVEL CM	20427,2029 litre	71,921 %	7975,1509 litre	O
430	CM	145	CM	195 LEVEL CM	20310,3104 litre	71,509 %	8092,0434 litre	O
430	CM	145	CM	194 LEVEL CM	20193,1020 litre	71,097 %	8209,2518 litre	O
430	CM	145	CM	193 LEVEL CM	20075,5848 litre	70,683 %	8326,7690 litre	O
430	CM	145	CM	192 LEVEL CM	19957,7658 litre	70,268 %	8444,5880 litre	O
430	CM	145	CM	191 LEVEL CM	19839,6523 litre	69,852 %	8562,7015 litre	O
430	CM	145	CM	190 LEVEL CM	19721,2510 litre	69,435 %	8681,1028 litre	O
430	CM	145	CM	189 LEVEL CM	19602,5689 litre	69,017 %	8799,7849 litre	O
430	CM	145	CM	188 LEVEL CM	19483,6130 litre	68,599 %	8918,7408 litre	O
430	CM	145	CM	187 LEVEL CM	19364,3900 litre	68,179 %	9037,9638 litre	O
430	CM	145	CM	186 LEVEL CM	19244,9067 litre	67,758 %	9157,4471 litre	O

430	CM	145	CM	185 LEVEL CM	19125,1700 litre	67,337 %	9277,1838 litre	O
430	CM	145	CM	184 LEVEL CM	19005,1864 litre	66,914 %	9397,1674 litre	O
430	CM	145	CM	183 LEVEL CM	18884,9626 litre	66,491 %	9517,3912 litre	O
430	CM	145	CM	182 LEVEL CM	18764,5053 litre	66,067 %	9637,8485 litre	O
430	CM	145	CM	181 LEVEL CM	18643,8211 litre	65,642 %	9758,5327 litre	O
430	CM	145	CM	180 LEVEL CM	18522,9164 litre	65,216 %	9879,4374 litre	O
430	CM	145	CM	179 LEVEL CM	18401,7978 litre	64,790 %	10000,5560 litre	O
430	CM	145	CM	178 LEVEL CM	18280,4717 litre	64,363 %	10121,8821 litre	O
430	CM	145	CM	177 LEVEL CM	18158,9447 litre	63,935 %	10243,4091 litre	O
430	CM	145	CM	176 LEVEL CM	18037,2230 litre	63,506 %	10365,1308 litre	O
430	CM	145	CM	175 LEVEL CM	17915,3132 litre	63,077 %	10487,0406 litre	O
430	CM	145	CM	174 LEVEL CM	17793,2215 litre	62,647 %	10609,1323 litre	O
430	CM	145	CM	173 LEVEL CM	17670,9542 litre	62,217 %	10731,3996 litre	O
430	CM	145	CM	172 LEVEL CM	17548,5177 litre	61,785 %	10853,8361 litre	O
430	CM	145	CM	171 LEVEL CM	17425,9181 litre	61,354 %	10976,4357 litre	O
430	CM	145	CM	170 LEVEL CM	17303,1619 litre	60,922 %	11099,1919 litre	O
430	CM	145	CM	169 LEVEL CM	17180,2551 litre	60,489 %	11222,0987 litre	O
430	CM	145	CM	168 LEVEL CM	17057,2039 litre	60,056 %	11345,1499 litre	O
430	CM	145	CM	167 LEVEL CM	16934,0146 litre	59,622 %	11468,3392 litre	O
430	CM	145	CM	166 LEVEL CM	16810,6933 litre	59,188 %	11591,6605 litre	O
430	CM	145	CM	165 LEVEL CM	16687,2461 litre	58,753 %	11715,1077 litre	O
430	CM	145	CM	164 LEVEL CM	16563,6792 litre	58,318 %	11838,6746 litre	O
430	CM	145	CM	163 LEVEL CM	16439,9985 litre	57,883 %	11962,3553 litre	O
430	CM	145	CM	162 LEVEL CM	16316,2103 litre	57,447 %	12086,1435 litre	O
430	CM	145	CM	161 LEVEL CM	16192,3205 litre	57,010 %	12210,0333 litre	O
430	CM	145	CM	160 LEVEL CM	16068,3353 litre	56,574 %	12334,0185 litre	O
430	CM	145	CM	159 LEVEL CM	15944,2606 litre	56,137 %	12458,0932 litre	O
430	CM	145	CM	158 LEVEL CM	15820,1025 litre	55,700 %	12582,2513 litre	O
430	CM	145	CM	157 LEVEL CM	15695,8670 litre	55,263 %	12706,4868 litre	O
430	CM	145	CM	156 LEVEL CM	15571,5601 litre	54,825 %	12830,7937 litre	O
430	CM	145	CM	155 LEVEL CM	15447,1877 litre	54,387 %	12955,1661 litre	O
430	CM	145	CM	154 LEVEL CM	15322,7559 litre	53,949 %	13079,5979 litre	O
430	CM	145	CM	153 LEVEL CM	15198,2705 litre	53,511 %	13204,0833 litre	O
430	CM	145	CM	152 LEVEL CM	15073,7377 litre	53,072 %	13328,6161 litre	O
430	CM	145	CM	151 LEVEL CM	14949,1633 litre	52,634 %	13453,1905 litre	O
430	CM	145	CM	150 LEVEL CM	14824,5533 litre	52,195 %	13577,8005 litre	O
430	CM	145	CM	149 LEVEL CM	14699,9136 litre	51,756 %	13702,4402 litre	O
430	CM	145	CM	148 LEVEL CM	14575,2502 litre	51,317 %	13827,1036 litre	O
430	CM	145	CM	147 LEVEL CM	14450,5690 litre	50,878 %	13951,7848 litre	O
430	CM	145	CM	146 LEVEL CM	14325,8759 litre	50,439 %	14076,4779 litre	O
430	CM	145	CM	145 LEVEL CM	14201,1769 litre	50,000 %	14201,1769 litre	O
430	CM	145	CM	144 LEVEL CM	14076,4779 litre	49,561 %	14325,8759 litre	O
430	CM	145	CM	143 LEVEL CM	13951,7848 litre	49,122 %	14450,5690 litre	O
430	CM	145	CM	142 LEVEL CM	13827,1036 litre	48,683 %	14575,2502 litre	O
430	CM	145	CM	141 LEVEL CM	13702,4402 litre	48,244 %	14699,9136 litre	O
430	CM	145	CM	140 LEVEL CM	13577,8005 litre	47,805 %	14824,5533 litre	O
430	CM	145	CM	139 LEVEL CM	13453,1905 litre	47,366 %	14949,1633 litre	O
430	CM	145	CM	138 LEVEL CM	13328,6161 litre	46,928 %	15073,7377 litre	O
430	CM	145	CM	137 LEVEL CM	13204,0832 litre	46,489 %	15198,2706 litre	O
430	CM	145	CM	136 LEVEL CM	13079,5979 litre	46,051 %	15322,7559 litre	O
430	CM	145	CM	135 LEVEL CM	12955,1661 litre	45,613 %	15447,1877 litre	O
430	CM	145	CM	134 LEVEL CM	12830,7937 litre	45,175 %	15571,5601 litre	O
430	CM	145	CM	133 LEVEL CM	12706,4868 litre	44,737 %	15695,8670 litre	O

430	CM	145	CM	132 LEVEL CM	12582,2513 litre	44,300 %	15820,1025 litre	O
430	CM	145	CM	131 LEVEL CM	12458,0932 litre	43,863 %	15944,2606 litre	O
430	CM	145	CM	130 LEVEL CM	12334,0185 litre	43,426 %	16068,3353 litre	O
430	CM	145	CM	129 LEVEL CM	12210,0332 litre	42,990 %	16192,3206 litre	O
430	CM	145	CM	128 LEVEL CM	12086,1435 litre	42,553 %	16316,2103 litre	O
430	CM	145	CM	127 LEVEL CM	11962,3553 litre	42,117 %	16439,9985 litre	O
430	CM	145	CM	126 LEVEL CM	11838,6746 litre	41,682 %	16563,6792 litre	O
430	CM	145	CM	125 LEVEL CM	11715,1077 litre	41,247 %	16687,2461 litre	O
430	CM	145	CM	124 LEVEL CM	11591,6605 litre	40,812 %	16810,6933 litre	O
430	CM	145	CM	123 LEVEL CM	11468,3391 litre	40,378 %	16934,0147 litre	O
430	CM	145	CM	122 LEVEL CM	11345,1498 litre	39,944 %	17057,2040 litre	O
430	CM	145	CM	121 LEVEL CM	11222,0987 litre	39,511 %	17180,2551 litre	O
430	CM	145	CM	120 LEVEL CM	11099,1919 litre	39,078 %	17303,1619 litre	O
430	CM	145	CM	119 LEVEL CM	10976,4356 litre	38,646 %	17425,9182 litre	O
430	CM	145	CM	118 LEVEL CM	10853,8361 litre	38,215 %	17548,5177 litre	O
430	CM	145	CM	117 LEVEL CM	10731,3996 litre	37,783 %	17670,9542 litre	O
430	CM	145	CM	116 LEVEL CM	10609,1323 litre	37,353 %	17793,2215 litre	O
430	CM	145	CM	115 LEVEL CM	10487,0406 litre	36,923 %	17915,3132 litre	O
430	CM	145	CM	114 LEVEL CM	10365,1307 litre	36,494 %	18037,2231 litre	O
430	CM	145	CM	113 LEVEL CM	10243,4091 litre	36,065 %	18158,9447 litre	O
430	CM	145	CM	112 LEVEL CM	10121,8821 litre	35,637 %	18280,4717 litre	O
430	CM	145	CM	111 LEVEL CM	10000,5560 litre	35,210 %	18401,7978 litre	O
430	CM	145	CM	110 LEVEL CM	9879,4374 litre	34,784 %	18522,9164 litre	O
430	CM	145	CM	109 LEVEL CM	9758,5327 litre	34,358 %	18643,8211 litre	O
430	CM	145	CM	108 LEVEL CM	9637,8485 litre	33,933 %	18764,5053 litre	O
430	CM	145	CM	107 LEVEL CM	9517,3912 litre	33,509 %	18884,9626 litre	O
430	CM	145	CM	106 LEVEL CM	9397,1674 litre	33,086 %	19005,1864 litre	O
430	CM	145	CM	105 LEVEL CM	9277,1838 litre	32,663 %	19125,1700 litre	O
430	CM	145	CM	104 LEVEL CM	9157,4470 litre	32,242 %	19244,9068 litre	O
430	CM	145	CM	103 LEVEL CM	9037,9638 litre	31,821 %	19364,3900 litre	O
430	CM	145	CM	102 LEVEL CM	8918,7408 litre	31,401 %	19483,6130 litre	O
430	CM	145	CM	101 LEVEL CM	8799,7849 litre	30,983 %	19602,5689 litre	O
430	CM	145	CM	100 LEVEL CM	8681,1028 litre	30,565 %	19721,2510 litre	O
430	CM	145	CM	99 LEVEL CM	8562,7015 litre	30,148 %	19839,6523 litre	O
430	CM	145	CM	98 LEVEL CM	8444,5879 litre	29,732 %	19957,7659 litre	O
430	CM	145	CM	97 LEVEL CM	8326,7690 litre	29,317 %	20075,5848 litre	O
430	CM	145	CM	96 LEVEL CM	8209,2518 litre	28,903 %	20193,1020 litre	O
430	CM	145	CM	95 LEVEL CM	8092,0434 litre	28,491 %	20310,3104 litre	O
430	CM	145	CM	94 LEVEL CM	7975,1509 litre	28,079 %	20427,2029 litre	O
430	CM	145	CM	93 LEVEL CM	7858,5815 litre	27,669 %	20543,7723 litre	O
430	CM	145	CM	92 LEVEL CM	7742,3426 litre	27,260 %	20660,0112 litre	O
430	CM	145	CM	91 LEVEL CM	7626,4413 litre	26,851 %	20775,9125 litre	O
430	CM	145	CM	90 LEVEL CM	7510,8852 litre	26,445 %	20891,4686 litre	O
430	CM	145	CM	89 LEVEL CM	7395,6816 litre	26,039 %	21006,6722 litre	O
430	CM	145	CM	88 LEVEL CM	7280,8381 litre	25,635 %	21121,5157 litre	O
430	CM	145	CM	87 LEVEL CM	7166,3623 litre	25,232 %	21235,9915 litre	O
430	CM	145	CM	86 LEVEL CM	7052,2618 litre	24,830 %	21350,0920 litre	O
430	CM	145	CM	85 LEVEL CM	6938,5444 litre	24,429 %	21463,8094 litre	O
430	CM	145	CM	84 LEVEL CM	6825,2179 litre	24,030 %	21577,1359 litre	O
430	CM	145	CM	83 LEVEL CM	6712,2902 litre	23,633 %	21690,0636 litre	O
430	CM	145	CM	82 LEVEL CM	6599,7693 litre	23,237 %	21802,5845 litre	O
430	CM	145	CM	81 LEVEL CM	6487,6633 litre	22,842 %	21914,6905 litre	O
430	CM	145	CM	80 LEVEL CM	6375,9803 litre	22,449 %	22026,3735 litre	O

430	CM	145	CM	79 LEVEL CM	6264,7286 litre	22,057 %	22137,6252 litre	O
430	CM	145	CM	78 LEVEL CM	6153,9165 litre	21,667 %	22248,4373 litre	O
430	CM	145	CM	77 LEVEL CM	6043,5525 litre	21,278 %	22358,8013 litre	O
430	CM	145	CM	76 LEVEL CM	5933,6452 litre	20,891 %	22468,7086 litre	O
430	CM	145	CM	75 LEVEL CM	5824,2031 litre	20,506 %	22578,1507 litre	O
430	CM	145	CM	74 LEVEL CM	5715,2352 litre	20,122 %	22687,1186 litre	O
430	CM	145	CM	73 LEVEL CM	5606,7502 litre	19,740 %	22795,6036 litre	O
430	CM	145	CM	72 LEVEL CM	5498,7572 litre	19,360 %	22903,5966 litre	O
430	CM	145	CM	71 LEVEL CM	5391,2654 litre	18,982 %	23011,0884 litre	O
430	CM	145	CM	70 LEVEL CM	5284,2839 litre	18,605 %	23118,0699 litre	O
430	CM	145	CM	69 LEVEL CM	5177,8221 litre	18,230 %	23224,5317 litre	O
430	CM	145	CM	68 LEVEL CM	5071,8897 litre	17,857 %	23330,4641 litre	O
430	CM	145	CM	67 LEVEL CM	4966,4962 litre	17,486 %	23435,8576 litre	O
430	CM	145	CM	66 LEVEL CM	4861,6516 litre	17,117 %	23540,7022 litre	O
430	CM	145	CM	65 LEVEL CM	4757,3657 litre	16,750 %	23644,9881 litre	O
430	CM	145	CM	64 LEVEL CM	4653,6487 litre	16,385 %	23748,7051 litre	O
430	CM	145	CM	63 LEVEL CM	4550,5110 litre	16,022 %	23851,8428 litre	O
430	CM	145	CM	62 LEVEL CM	4447,9630 litre	15,661 %	23954,3908 litre	O
430	CM	145	CM	61 LEVEL CM	4346,0154 litre	15,302 %	24056,3384 litre	O
430	CM	145	CM	60 LEVEL CM	4244,6789 litre	14,945 %	24157,6749 litre	O
430	CM	145	CM	59 LEVEL CM	4143,9648 litre	14,590 %	24258,3890 litre	O
430	CM	145	CM	58 LEVEL CM	4043,8842 litre	14,238 %	24358,4696 litre	O
430	CM	145	CM	57 LEVEL CM	3944,4487 litre	13,888 %	24457,9051 litre	O
430	CM	145	CM	56 LEVEL CM	3845,6698 litre	13,540 %	24556,6840 litre	O
430	CM	145	CM	55 LEVEL CM	3747,5596 litre	13,195 %	24654,7942 litre	O
430	CM	145	CM	54 LEVEL CM	3650,1303 litre	12,852 %	24752,2235 litre	O
430	CM	145	CM	53 LEVEL CM	3553,3942 litre	12,511 %	24848,9596 litre	O
430	CM	145	CM	52 LEVEL CM	3457,3641 litre	12,173 %	24944,9897 litre	O
430	CM	145	CM	51 LEVEL CM	3362,0529 litre	11,837 %	25040,3009 litre	O
430	CM	145	CM	50 LEVEL CM	3267,4740 litre	11,504 %	25134,8798 litre	O
430	CM	145	CM	49 LEVEL CM	3173,6409 litre	11,174 %	25228,7129 litre	O
430	CM	145	CM	48 LEVEL CM	3080,5676 litre	10,846 %	25321,7862 litre	O
430	CM	145	CM	47 LEVEL CM	2988,2684 litre	10,521 %	25414,0854 litre	O
430	CM	145	CM	46 LEVEL CM	2896,7578 litre	10,199 %	25505,5960 litre	O
430	CM	145	CM	45 LEVEL CM	2806,0508 litre	9,880 %	25596,3030 litre	O
430	CM	145	CM	44 LEVEL CM	2716,1630 litre	9,563 %	25686,1908 litre	O
430	CM	145	CM	43 LEVEL CM	2627,1100 litre	9,250 %	25775,2438 litre	O
430	CM	145	CM	42 LEVEL CM	2538,9083 litre	8,939 %	25863,4455 litre	O
430	CM	145	CM	41 LEVEL CM	2451,5746 litre	8,632 %	25950,7792 litre	O
430	CM	145	CM	40 LEVEL CM	2365,1261 litre	8,327 %	26037,2277 litre	O
430	CM	145	CM	39 LEVEL CM	2279,5806 litre	8,026 %	26122,7732 litre	O
430	CM	145	CM	38 LEVEL CM	2194,9566 litre	7,728 %	26207,3972 litre	O
430	CM	145	CM	37 LEVEL CM	2111,2729 litre	7,433 %	26291,0809 litre	O
430	CM	145	CM	36 LEVEL CM	2028,5493 litre	7,142 %	26373,8045 litre	O
430	CM	145	CM	35 LEVEL CM	1946,8061 litre	6,854 %	26455,5477 litre	O
430	CM	145	CM	34 LEVEL CM	1866,0643 litre	6,570 %	26536,2895 litre	O
430	CM	145	CM	33 LEVEL CM	1786,3457 litre	6,289 %	26616,0081 litre	O
430	CM	145	CM	32 LEVEL CM	1707,6731 litre	6,012 %	26694,6807 litre	O
430	CM	145	CM	31 LEVEL CM	1630,0702 litre	5,739 %	26772,2836 litre	O
430	CM	145	CM	30 LEVEL CM	1553,5615 litre	5,470 %	26848,7923 litre	O
430	CM	145	CM	29 LEVEL CM	1478,1726 litre	5,204 %	26924,1812 litre	O
430	CM	145	CM	28 LEVEL CM	1403,9306 litre	4,943 %	26998,4232 litre	O
430	CM	145	CM	27 LEVEL CM	1330,8635 litre	4,686 %	27071,4903 litre	O

430	CM	145	CM	26 LEVEL CM	1259,0007 litre	4,433 %	27143,3531 litre	O
430	CM	145	CM	25 LEVEL CM	1188,3733 litre	4,184 %	27213,9805 litre	O
430	CM	145	CM	24 LEVEL CM	1119,0140 litre	3,940 %	27283,3398 litre	O
430	CM	145	CM	23 LEVEL CM	1050,9573 litre	3,700 %	27351,3965 litre	O
430	CM	145	CM	22 LEVEL CM	984,2396 litre	3,465 %	27418,1142 litre	O
430	CM	145	CM	21 LEVEL CM	918,8997 litre	3,235 %	27483,4541 litre	O
430	CM	145	CM	20 LEVEL CM	854,9789 litre	3,010 %	27547,3749 litre	O
430	CM	145	CM	19 LEVEL CM	792,5212 litre	2,790 %	27609,8326 litre	O
430	CM	145	CM	18 LEVEL CM	731,5739 litre	2,576 %	27670,7799 litre	O
430	CM	145	CM	17 LEVEL CM	672,1879 litre	2,367 %	27730,1659 litre	O
430	CM	145	CM	16 LEVEL CM	614,4182 litre	2,163 %	27787,9356 litre	O
430	CM	145	CM	15 LEVEL CM	558,3245 litre	1,966 %	27844,0293 litre	O
430	CM	145	CM	14 LEVEL CM	503,9720 litre	1,774 %	27898,3818 litre	O
430	CM	145	CM	13 LEVEL CM	451,4325 litre	1,589 %	27950,9213 litre	O
430	CM	145	CM	12 LEVEL CM	400,7856 litre	1,411 %	28001,5682 litre	O
430	CM	145	CM	11 LEVEL CM	352,1199 litre	1,240 %	28050,2339 litre	O
430	CM	145	CM	10 LEVEL CM	305,5356 litre	1,076 %	28096,8182 litre	O
430	CM	145	CM	9 LEVEL CM	261,1468 litre	0,919 %	28141,2070 litre	O
430	CM	145	CM	8 LEVEL CM	219,0857 litre	0,771 %	28183,2681 litre	O
430	CM	145	CM	7 LEVEL CM	179,5077 litre	0,632 %	28222,8461 litre	O
430	CM	145	CM	6 LEVEL CM	142,5998 litre	0,502 %	28259,7540 litre	O
430	CM	145	CM	5 LEVEL CM	108,5930 litre	0,382 %	28293,7608 litre	O
430	CM	145	CM	4 LEVEL CM	77,7841 litre	0,274 %	28324,5697 litre	O
430	CM	145	CM	3 LEVEL CM	50,5750 litre	0,178 %	28351,7788 litre	O
430	CM	145	CM	2 LEVEL CM	27,5582 litre	0,097 %	28374,7956 litre	O
430	CM	145	CM	1 LEVEL CM	9,7534 litre	0,034 %	28392,6004 litre	O
430	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	28402,3538 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 140	CM 280 LEVEL CM	26477,3429 litre	100,000 %	0,0000 litre	O
430	CM 140	CM 279 LEVEL CM	26467,7595 litre	99,964 %	9,5834 litre	O
430	CM 140	CM 278 LEVEL CM	26450,2660 litre	99,898 %	27,0769 litre	O
430	CM 140	CM 277 LEVEL CM	26427,6531 litre	99,812 %	49,6898 litre	O
430	CM 140	CM 276 LEVEL CM	26400,9230 litre	99,711 %	76,4199 litre	O
430	CM 140	CM 275 LEVEL CM	26370,6585 litre	99,597 %	106,6844 litre	O
430	CM 140	CM 274 LEVEL CM	26337,2548 litre	99,471 %	140,0881 litre	O
430	CM 140	CM 273 LEVEL CM	26301,0036 litre	99,334 %	176,3393 litre	O
430	CM 140	CM 272 LEVEL CM	26262,1325 litre	99,187 %	215,2104 litre	O
430	CM 140	CM 271 LEVEL CM	26220,8252 litre	99,031 %	256,5177 litre	O
430	CM 140	CM 270 LEVEL CM	26177,2349 litre	98,867 %	300,1080 litre	O
430	CM 140	CM 269 LEVEL CM	26131,4915 litre	98,694 %	345,8514 litre	O
430	CM 140	CM 268 LEVEL CM	26083,7076 litre	98,513 %	393,6353 litre	O
430	CM 140	CM 267 LEVEL CM	26033,9816 litre	98,326 %	443,3613 litre	O
430	CM 140	CM 266 LEVEL CM	25982,4009 litre	98,131 %	494,9420 litre	O
430	CM 140	CM 265 LEVEL CM	25929,0440 litre	97,929 %	548,2989 litre	O
430	CM 140	CM 264 LEVEL CM	25873,9815 litre	97,721 %	603,3614 litre	O
430	CM 140	CM 263 LEVEL CM	25817,2777 litre	97,507 %	660,0652 litre	O
430	CM 140	CM 262 LEVEL CM	25758,9916 litre	97,287 %	718,3513 litre	O
430	CM 140	CM 261 LEVEL CM	25699,1773 litre	97,061 %	778,1656 litre	O
430	CM 140	CM 260 LEVEL CM	25637,8850 litre	96,830 %	839,4579 litre	O
430	CM 140	CM 259 LEVEL CM	25575,1613 litre	96,593 %	902,1816 litre	O
430	CM 140	CM 258 LEVEL CM	25511,0497 litre	96,350 %	966,2932 litre	O
430	CM 140	CM 257 LEVEL CM	25445,5910 litre	96,103 %	1031,7519 litre	O
430	CM 140	CM 256 LEVEL CM	25378,8233 litre	95,851 %	1098,5196 litre	O
430	CM 140	CM 255 LEVEL CM	25310,7827 litre	95,594 %	1166,5602 litre	O
430	CM 140	CM 254 LEVEL CM	25241,5034 litre	95,332 %	1235,8395 litre	O
430	CM 140	CM 253 LEVEL CM	25171,0174 litre	95,066 %	1306,3255 litre	O
430	CM 140	CM 252 LEVEL CM	25099,3555 litre	94,796 %	1377,9874 litre	O
430	CM 140	CM 251 LEVEL CM	25026,5469 litre	94,521 %	1450,7960 litre	O
430	CM 140	CM 250 LEVEL CM	24952,6193 litre	94,241 %	1524,7236 litre	O
430	CM 140	CM 249 LEVEL CM	24877,5992 litre	93,958 %	1599,7437 litre	O
430	CM 140	CM 248 LEVEL CM	24801,5121 litre	93,671 %	1675,8308 litre	O
430	CM 140	CM 247 LEVEL CM	24724,3822 litre	93,379 %	1752,9607 litre	O
430	CM 140	CM 246 LEVEL CM	24646,2331 litre	93,084 %	1831,1098 litre	O
430	CM 140	CM 245 LEVEL CM	24567,0872 litre	92,785 %	1910,2557 litre	O
430	CM 140	CM 244 LEVEL CM	24486,9660 litre	92,483 %	1990,3769 litre	O
430	CM 140	CM 243 LEVEL CM	24405,8904 litre	92,177 %	2071,4525 litre	O
430	CM 140	CM 242 LEVEL CM	24323,8806 litre	91,867 %	2153,4623 litre	O
430	CM 140	CM 241 LEVEL CM	24240,9561 litre	91,554 %	2236,3868 litre	O
430	CM 140	CM 240 LEVEL CM	24157,1355 litre	91,237 %	2320,2074 litre	O
430	CM 140	CM 239 LEVEL CM	24072,4371 litre	90,917 %	2404,9058 litre	O
430	CM 140	CM 238 LEVEL CM	23986,8787 litre	90,594 %	2490,4642 litre	O
430	CM 140	CM 237 LEVEL CM	23900,4772 litre	90,268 %	2576,8657 litre	O
430	CM 140	CM 236 LEVEL CM	23813,2493 litre	89,938 %	2664,0936 litre	O
430	CM 140	CM 235 LEVEL CM	23725,2112 litre	89,606 %	2752,1317 litre	O
430	CM 140	CM 234 LEVEL CM	23636,3786 litre	89,270 %	2840,9643 litre	O
430	CM 140	CM 233 LEVEL CM	23546,7667 litre	88,932 %	2930,5762 litre	O
430	CM 140	CM 232 LEVEL CM	23456,3906 litre	88,590 %	3020,9523 litre	O
430	CM 140	CM 231 LEVEL CM	23365,2647 litre	88,246 %	3112,0782 litre	O
430	CM 140	CM 230 LEVEL CM	23273,4031 litre	87,899 %	3203,9398 litre	O
430	CM 140	CM 229 LEVEL CM	23180,8198 litre	87,550 %	3296,5231 litre	O

430	CM	140	CM	228 LEVEL CM	23087,5281 litre	87,197 %	3389,8148 litre	O
430	CM	140	CM	227 LEVEL CM	22993,5415 litre	86,842 %	3483,8014 litre	O
430	CM	140	CM	226 LEVEL CM	22898,8726 litre	86,485 %	3578,4703 litre	O
430	CM	140	CM	225 LEVEL CM	22803,5343 litre	86,125 %	3673,8086 litre	O
430	CM	140	CM	224 LEVEL CM	22707,5388 litre	85,762 %	3769,8041 litre	O
430	CM	140	CM	223 LEVEL CM	22610,8983 litre	85,397 %	3866,4446 litre	O
430	CM	140	CM	222 LEVEL CM	22513,6246 litre	85,030 %	3963,7183 litre	O
430	CM	140	CM	221 LEVEL CM	22415,7295 litre	84,660 %	4061,6134 litre	O
430	CM	140	CM	220 LEVEL CM	22317,2243 litre	84,288 %	4160,1186 litre	O
430	CM	140	CM	219 LEVEL CM	22218,1202 litre	83,914 %	4259,2227 litre	O
430	CM	140	CM	218 LEVEL CM	22118,4284 litre	83,537 %	4358,9145 litre	O
430	CM	140	CM	217 LEVEL CM	22018,1595 litre	83,158 %	4459,1834 litre	O
430	CM	140	CM	216 LEVEL CM	21917,3242 litre	82,778 %	4560,0187 litre	O
430	CM	140	CM	215 LEVEL CM	21815,9331 litre	82,395 %	4661,4098 litre	O
430	CM	140	CM	214 LEVEL CM	21713,9963 litre	82,010 %	4763,3466 litre	O
430	CM	140	CM	213 LEVEL CM	21611,5240 litre	81,623 %	4865,8189 litre	O
430	CM	140	CM	212 LEVEL CM	21508,5261 litre	81,234 %	4968,8168 litre	O
430	CM	140	CM	211 LEVEL CM	21405,0126 litre	80,843 %	5072,3303 litre	O
430	CM	140	CM	210 LEVEL CM	21300,9930 litre	80,450 %	5176,3499 litre	O
430	CM	140	CM	209 LEVEL CM	21196,4768 litre	80,055 %	5280,8661 litre	O
430	CM	140	CM	208 LEVEL CM	21091,4735 litre	79,659 %	5385,8694 litre	O
430	CM	140	CM	207 LEVEL CM	20985,9924 litre	79,260 %	5491,3505 litre	O
430	CM	140	CM	206 LEVEL CM	20880,0425 litre	78,860 %	5597,3004 litre	O
430	CM	140	CM	205 LEVEL CM	20773,6328 litre	78,458 %	5703,7101 litre	O
430	CM	140	CM	204 LEVEL CM	20666,7723 litre	78,055 %	5810,5706 litre	O
430	CM	140	CM	203 LEVEL CM	20559,4698 litre	77,649 %	5917,8731 litre	O
430	CM	140	CM	202 LEVEL CM	20451,7339 litre	77,242 %	6025,6090 litre	O
430	CM	140	CM	201 LEVEL CM	20343,5733 litre	76,834 %	6133,7696 litre	O
430	CM	140	CM	200 LEVEL CM	20234,9963 litre	76,424 %	6242,3466 litre	O
430	CM	140	CM	199 LEVEL CM	20126,0113 litre	76,012 %	6351,3316 litre	O
430	CM	140	CM	198 LEVEL CM	20016,6267 litre	75,599 %	6460,7162 litre	O
430	CM	140	CM	197 LEVEL CM	19906,8507 litre	75,184 %	6570,4922 litre	O
430	CM	140	CM	196 LEVEL CM	19796,6913 litre	74,768 %	6680,6516 litre	O
430	CM	140	CM	195 LEVEL CM	19686,1565 litre	74,351 %	6791,1864 litre	O
430	CM	140	CM	194 LEVEL CM	19575,2543 litre	73,932 %	6902,0886 litre	O
430	CM	140	CM	193 LEVEL CM	19463,9926 litre	73,512 %	7013,3503 litre	O
430	CM	140	CM	192 LEVEL CM	19352,3792 litre	73,090 %	7124,9637 litre	O
430	CM	140	CM	191 LEVEL CM	19240,4216 litre	72,667 %	7236,9213 litre	O
430	CM	140	CM	190 LEVEL CM	19128,1277 litre	72,243 %	7349,2152 litre	O
430	CM	140	CM	189 LEVEL CM	19015,5050 litre	71,818 %	7461,8379 litre	O
430	CM	140	CM	188 LEVEL CM	18902,5609 litre	71,391 %	7574,7820 litre	O
430	CM	140	CM	187 LEVEL CM	18789,3029 litre	70,964 %	7688,0400 litre	O
430	CM	140	CM	186 LEVEL CM	18675,7384 litre	70,535 %	7801,6045 litre	O
430	CM	140	CM	185 LEVEL CM	18561,8748 litre	70,105 %	7915,4681 litre	O
430	CM	140	CM	184 LEVEL CM	18447,7192 litre	69,674 %	8029,6237 litre	O
430	CM	140	CM	183 LEVEL CM	18333,2789 litre	69,241 %	8144,0640 litre	O
430	CM	140	CM	182 LEVEL CM	18218,5610 litre	68,808 %	8258,7819 litre	O
430	CM	140	CM	181 LEVEL CM	18103,5727 litre	68,374 %	8373,7702 litre	O
430	CM	140	CM	180 LEVEL CM	17988,3209 litre	67,939 %	8489,0220 litre	O
430	CM	140	CM	179 LEVEL CM	17872,8128 litre	67,502 %	8604,5301 litre	O
430	CM	140	CM	178 LEVEL CM	17757,0552 litre	67,065 %	8720,2877 litre	O
430	CM	140	CM	177 LEVEL CM	17641,0551 litre	66,627 %	8836,2878 litre	O
430	CM	140	CM	176 LEVEL CM	17524,8193 litre	66,188 %	8952,5236 litre	O

430	CM	140	CM	175 LEVEL CM	17408,3546 litre	65,748 %	9068,9883 litre	O
430	CM	140	CM	174 LEVEL CM	17291,6679 litre	65,307 %	9185,6750 litre	O
430	CM	140	CM	173 LEVEL CM	17174,7659 litre	64,866 %	9302,5770 litre	O
430	CM	140	CM	172 LEVEL CM	17057,6553 litre	64,424 %	9419,6876 litre	O
430	CM	140	CM	171 LEVEL CM	16940,3428 litre	63,981 %	9537,0001 litre	O
430	CM	140	CM	170 LEVEL CM	16822,8350 litre	63,537 %	9654,5079 litre	O
430	CM	140	CM	169 LEVEL CM	16705,1385 litre	63,092 %	9772,2044 litre	O
430	CM	140	CM	168 LEVEL CM	16587,2600 litre	62,647 %	9890,0829 litre	O
430	CM	140	CM	167 LEVEL CM	16469,2059 litre	62,201 %	10008,1370 litre	O
430	CM	140	CM	166 LEVEL CM	16350,9827 litre	61,755 %	10126,3602 litre	O
430	CM	140	CM	165 LEVEL CM	16232,5970 litre	61,308 %	10244,7459 litre	O
430	CM	140	CM	164 LEVEL CM	16114,0552 litre	60,860 %	10363,2877 litre	O
430	CM	140	CM	163 LEVEL CM	15995,3638 litre	60,412 %	10481,9791 litre	O
430	CM	140	CM	162 LEVEL CM	15876,5292 litre	59,963 %	10600,8137 litre	O
430	CM	140	CM	161 LEVEL CM	15757,5577 litre	59,513 %	10719,7852 litre	O
430	CM	140	CM	160 LEVEL CM	15638,4557 litre	59,064 %	10838,8872 litre	O
430	CM	140	CM	159 LEVEL CM	15519,2296 litre	58,613 %	10958,1133 litre	O
430	CM	140	CM	158 LEVEL CM	15399,8857 litre	58,163 %	11077,4572 litre	O
430	CM	140	CM	157 LEVEL CM	15280,4303 litre	57,711 %	11196,9126 litre	O
430	CM	140	CM	156 LEVEL CM	15160,8697 litre	57,260 %	11316,4732 litre	O
430	CM	140	CM	155 LEVEL CM	15041,2101 litre	56,808 %	11436,1328 litre	O
430	CM	140	CM	154 LEVEL CM	14921,4579 litre	56,356 %	11555,8850 litre	O
430	CM	140	CM	153 LEVEL CM	14801,6192 litre	55,903 %	11675,7237 litre	O
430	CM	140	CM	152 LEVEL CM	14681,7003 litre	55,450 %	11795,6426 litre	O
430	CM	140	CM	151 LEVEL CM	14561,7075 litre	54,997 %	11915,6354 litre	O
430	CM	140	CM	150 LEVEL CM	14441,6468 litre	54,543 %	12035,6961 litre	O
430	CM	140	CM	149 LEVEL CM	14321,5246 litre	54,090 %	12155,8183 litre	O
430	CM	140	CM	148 LEVEL CM	14201,3470 litre	53,636 %	12275,9959 litre	O
430	CM	140	CM	147 LEVEL CM	14081,1201 litre	53,182 %	12396,2228 litre	O
430	CM	140	CM	146 LEVEL CM	13960,8502 litre	52,728 %	12516,4927 litre	O
430	CM	140	CM	145 LEVEL CM	13840,5434 litre	52,273 %	12636,7995 litre	O
430	CM	140	CM	144 LEVEL CM	13720,2059 litre	51,819 %	12757,1370 litre	O
430	CM	140	CM	143 LEVEL CM	13599,8438 litre	51,364 %	12877,4991 litre	O
430	CM	140	CM	142 LEVEL CM	13479,4633 litre	50,909 %	12997,8796 litre	O
430	CM	140	CM	141 LEVEL CM	13359,0704 litre	50,455 %	13118,2725 litre	O
430	CM	140	CM	140 LEVEL CM	13238,6714 litre	50,000 %	13238,6715 litre	O
430	CM	140	CM	139 LEVEL CM	13118,2725 litre	49,545 %	13359,0704 litre	O
430	CM	140	CM	138 LEVEL CM	12997,8796 litre	49,091 %	13479,4633 litre	O
430	CM	140	CM	137 LEVEL CM	12877,4991 litre	48,636 %	13599,8438 litre	O
430	CM	140	CM	136 LEVEL CM	12757,1370 litre	48,181 %	13720,2059 litre	O
430	CM	140	CM	135 LEVEL CM	12636,7994 litre	47,727 %	13840,5435 litre	O
430	CM	140	CM	134 LEVEL CM	12516,4926 litre	47,272 %	13960,8503 litre	O
430	CM	140	CM	133 LEVEL CM	12396,2227 litre	46,818 %	14081,1202 litre	O
430	CM	140	CM	132 LEVEL CM	12275,9959 litre	46,364 %	14201,3470 litre	O
430	CM	140	CM	131 LEVEL CM	12155,8183 litre	45,910 %	14321,5246 litre	O
430	CM	140	CM	130 LEVEL CM	12035,6960 litre	45,457 %	14441,6469 litre	O
430	CM	140	CM	129 LEVEL CM	11915,6354 litre	45,003 %	14561,7075 litre	O
430	CM	140	CM	128 LEVEL CM	11795,6425 litre	44,550 %	14681,7004 litre	O
430	CM	140	CM	127 LEVEL CM	11675,7237 litre	44,097 %	14801,6192 litre	O
430	CM	140	CM	126 LEVEL CM	11555,8850 litre	43,644 %	14921,4579 litre	O
430	CM	140	CM	125 LEVEL CM	11436,1328 litre	43,192 %	15041,2101 litre	O
430	CM	140	CM	124 LEVEL CM	11316,4732 litre	42,740 %	15160,8697 litre	O
430	CM	140	CM	123 LEVEL CM	11196,9126 litre	42,289 %	15280,4303 litre	O

430	CM	140	CM	122 LEVEL CM	11077,4572 litre	41,837 %	15399,8857 litre	O
430	CM	140	CM	121 LEVEL CM	10958,1133 litre	41,387 %	15519,2296 litre	O
430	CM	140	CM	120 LEVEL CM	10838,8872 litre	40,936 %	15638,4557 litre	O
430	CM	140	CM	119 LEVEL CM	10719,7852 litre	40,487 %	15757,5577 litre	O
430	CM	140	CM	118 LEVEL CM	10600,8137 litre	40,037 %	15876,5292 litre	O
430	CM	140	CM	117 LEVEL CM	10481,9791 litre	39,588 %	15995,3638 litre	O
430	CM	140	CM	116 LEVEL CM	10363,2876 litre	39,140 %	16114,0553 litre	O
430	CM	140	CM	115 LEVEL CM	10244,7459 litre	38,692 %	16232,5970 litre	O
430	CM	140	CM	114 LEVEL CM	10126,3602 litre	38,245 %	16350,9827 litre	O
430	CM	140	CM	113 LEVEL CM	10008,1370 litre	37,799 %	16469,2059 litre	O
430	CM	140	CM	112 LEVEL CM	9890,0829 litre	37,353 %	16587,2600 litre	O
430	CM	140	CM	111 LEVEL CM	9772,2044 litre	36,908 %	16705,1385 litre	O
430	CM	140	CM	110 LEVEL CM	9654,5079 litre	36,463 %	16822,8350 litre	O
430	CM	140	CM	109 LEVEL CM	9537,0001 litre	36,019 %	16940,3428 litre	O
430	CM	140	CM	108 LEVEL CM	9419,6876 litre	35,576 %	17057,6553 litre	O
430	CM	140	CM	107 LEVEL CM	9302,5770 litre	35,134 %	17174,7659 litre	O
430	CM	140	CM	106 LEVEL CM	9185,6750 litre	34,693 %	17291,6679 litre	O
430	CM	140	CM	105 LEVEL CM	9068,9883 litre	34,252 %	17408,3546 litre	O
430	CM	140	CM	104 LEVEL CM	8952,5236 litre	33,812 %	17524,8193 litre	O
430	CM	140	CM	103 LEVEL CM	8836,2878 litre	33,373 %	17641,0551 litre	O
430	CM	140	CM	102 LEVEL CM	8720,2877 litre	32,935 %	17757,0552 litre	O
430	CM	140	CM	101 LEVEL CM	8604,5301 litre	32,498 %	17872,8128 litre	O
430	CM	140	CM	100 LEVEL CM	8489,0219 litre	32,061 %	17988,3210 litre	O
430	CM	140	CM	99 LEVEL CM	8373,7702 litre	31,626 %	18103,5727 litre	O
430	CM	140	CM	98 LEVEL CM	8258,7819 litre	31,192 %	18218,5610 litre	O
430	CM	140	CM	97 LEVEL CM	8144,0640 litre	30,759 %	18333,2789 litre	O
430	CM	140	CM	96 LEVEL CM	8029,6237 litre	30,326 %	18447,7192 litre	O
430	CM	140	CM	95 LEVEL CM	7915,4681 litre	29,895 %	18561,8748 litre	O
430	CM	140	CM	94 LEVEL CM	7801,6044 litre	29,465 %	18675,7385 litre	O
430	CM	140	CM	93 LEVEL CM	7688,0400 litre	29,036 %	18789,3029 litre	O
430	CM	140	CM	92 LEVEL CM	7574,7820 litre	28,609 %	18902,5609 litre	O
430	CM	140	CM	91 LEVEL CM	7461,8379 litre	28,182 %	19015,5050 litre	O
430	CM	140	CM	90 LEVEL CM	7349,2152 litre	27,757 %	19128,1277 litre	O
430	CM	140	CM	89 LEVEL CM	7236,9212 litre	27,333 %	19240,4217 litre	O
430	CM	140	CM	88 LEVEL CM	7124,9637 litre	26,910 %	19352,3792 litre	O
430	CM	140	CM	87 LEVEL CM	7013,3503 litre	26,488 %	19463,9926 litre	O
430	CM	140	CM	86 LEVEL CM	6902,0886 litre	26,068 %	19575,2543 litre	O
430	CM	140	CM	85 LEVEL CM	6791,1864 litre	25,649 %	19686,1565 litre	O
430	CM	140	CM	84 LEVEL CM	6680,6516 litre	25,232 %	19796,6913 litre	O
430	CM	140	CM	83 LEVEL CM	6570,4922 litre	24,816 %	19906,8507 litre	O
430	CM	140	CM	82 LEVEL CM	6460,7161 litre	24,401 %	20016,6268 litre	O
430	CM	140	CM	81 LEVEL CM	6351,3316 litre	23,988 %	20126,0113 litre	O
430	CM	140	CM	80 LEVEL CM	6242,3466 litre	23,576 %	20234,9963 litre	O
430	CM	140	CM	79 LEVEL CM	6133,7696 litre	23,166 %	20343,5733 litre	O
430	CM	140	CM	78 LEVEL CM	6025,6090 litre	22,758 %	20451,7339 litre	O
430	CM	140	CM	77 LEVEL CM	5917,8731 litre	22,351 %	20559,4698 litre	O
430	CM	140	CM	76 LEVEL CM	5810,5705 litre	21,945 %	20666,7724 litre	O
430	CM	140	CM	75 LEVEL CM	5703,7101 litre	21,542 %	20773,6328 litre	O
430	CM	140	CM	74 LEVEL CM	5597,3004 litre	21,140 %	20880,0425 litre	O
430	CM	140	CM	73 LEVEL CM	5491,3505 litre	20,740 %	20985,9924 litre	O
430	CM	140	CM	72 LEVEL CM	5385,8693 litre	20,341 %	21091,4736 litre	O
430	CM	140	CM	71 LEVEL CM	5280,8661 litre	19,945 %	21196,4768 litre	O
430	CM	140	CM	70 LEVEL CM	5176,3499 litre	19,550 %	21300,9930 litre	O

430	CM	140	CM	69 LEVEL CM	5072,3303 litre	19,157 %	21405,0126 litre	O
430	CM	140	CM	68 LEVEL CM	4968,8167 litre	18,766 %	21508,5262 litre	O
430	CM	140	CM	67 LEVEL CM	4865,8189 litre	18,377 %	21611,5240 litre	O
430	CM	140	CM	66 LEVEL CM	4763,3466 litre	17,990 %	21713,9963 litre	O
430	CM	140	CM	65 LEVEL CM	4661,4098 litre	17,605 %	21815,9331 litre	O
430	CM	140	CM	64 LEVEL CM	4560,0187 litre	17,222 %	21917,3242 litre	O
430	CM	140	CM	63 LEVEL CM	4459,1834 litre	16,842 %	22018,1595 litre	O
430	CM	140	CM	62 LEVEL CM	4358,9145 litre	16,463 %	22118,4284 litre	O
430	CM	140	CM	61 LEVEL CM	4259,2226 litre	16,086 %	22218,1203 litre	O
430	CM	140	CM	60 LEVEL CM	4160,1186 litre	15,712 %	22317,2243 litre	O
430	CM	140	CM	59 LEVEL CM	4061,6134 litre	15,340 %	22415,7295 litre	O
430	CM	140	CM	58 LEVEL CM	3963,7183 litre	14,970 %	22513,6246 litre	O
430	CM	140	CM	57 LEVEL CM	3866,4446 litre	14,603 %	22610,8983 litre	O
430	CM	140	CM	56 LEVEL CM	3769,8041 litre	14,238 %	22707,5388 litre	O
430	CM	140	CM	55 LEVEL CM	3673,8086 litre	13,875 %	22803,5343 litre	O
430	CM	140	CM	54 LEVEL CM	3578,4703 litre	13,515 %	22898,8726 litre	O
430	CM	140	CM	53 LEVEL CM	3483,8014 litre	13,158 %	22993,5415 litre	O
430	CM	140	CM	52 LEVEL CM	3389,8147 litre	12,803 %	23087,5282 litre	O
430	CM	140	CM	51 LEVEL CM	3296,5231 litre	12,450 %	23180,8198 litre	O
430	CM	140	CM	50 LEVEL CM	3203,9398 litre	12,101 %	23273,4031 litre	O
430	CM	140	CM	49 LEVEL CM	3112,0782 litre	11,754 %	23365,2647 litre	O
430	CM	140	CM	48 LEVEL CM	3020,9523 litre	11,410 %	23456,3906 litre	O
430	CM	140	CM	47 LEVEL CM	2930,5761 litre	11,068 %	23546,7668 litre	O
430	CM	140	CM	46 LEVEL CM	2840,9643 litre	10,730 %	23636,3786 litre	O
430	CM	140	CM	45 LEVEL CM	2752,1317 litre	10,394 %	23725,2112 litre	O
430	CM	140	CM	44 LEVEL CM	2664,0936 litre	10,062 %	23813,2493 litre	O
430	CM	140	CM	43 LEVEL CM	2576,8657 litre	9,732 %	23900,4772 litre	O
430	CM	140	CM	42 LEVEL CM	2490,4642 litre	9,406 %	23986,8787 litre	O
430	CM	140	CM	41 LEVEL CM	2404,9057 litre	9,083 %	24072,4372 litre	O
430	CM	140	CM	40 LEVEL CM	2320,2074 litre	8,763 %	24157,1355 litre	O
430	CM	140	CM	39 LEVEL CM	2236,3868 litre	8,446 %	24240,9561 litre	O
430	CM	140	CM	38 LEVEL CM	2153,4622 litre	8,133 %	24323,8807 litre	O
430	CM	140	CM	37 LEVEL CM	2071,4525 litre	7,823 %	24405,8904 litre	O
430	CM	140	CM	36 LEVEL CM	1990,3769 litre	7,517 %	24486,9660 litre	O
430	CM	140	CM	35 LEVEL CM	1910,2557 litre	7,215 %	24567,0872 litre	O
430	CM	140	CM	34 LEVEL CM	1831,1098 litre	6,916 %	24646,2331 litre	O
430	CM	140	CM	33 LEVEL CM	1752,9606 litre	6,621 %	24724,3823 litre	O
430	CM	140	CM	32 LEVEL CM	1675,8308 litre	6,329 %	24801,5121 litre	O
430	CM	140	CM	31 LEVEL CM	1599,7437 litre	6,042 %	24877,5992 litre	O
430	CM	140	CM	30 LEVEL CM	1524,7236 litre	5,759 %	24952,6193 litre	O
430	CM	140	CM	29 LEVEL CM	1450,7960 litre	5,479 %	25026,5469 litre	O
430	CM	140	CM	28 LEVEL CM	1377,9873 litre	5,204 %	25099,3556 litre	O
430	CM	140	CM	27 LEVEL CM	1306,3255 litre	4,934 %	25171,0174 litre	O
430	CM	140	CM	26 LEVEL CM	1235,8395 litre	4,668 %	25241,5034 litre	O
430	CM	140	CM	25 LEVEL CM	1166,5601 litre	4,406 %	25310,7828 litre	O
430	CM	140	CM	24 LEVEL CM	1098,5196 litre	4,149 %	25378,8233 litre	O
430	CM	140	CM	23 LEVEL CM	1031,7519 litre	3,897 %	25445,5910 litre	O
430	CM	140	CM	22 LEVEL CM	966,2931 litre	3,650 %	25511,0498 litre	O
430	CM	140	CM	21 LEVEL CM	902,1816 litre	3,407 %	25575,1613 litre	O
430	CM	140	CM	20 LEVEL CM	839,4579 litre	3,170 %	25637,8850 litre	O
430	CM	140	CM	19 LEVEL CM	778,1656 litre	2,939 %	25699,1773 litre	O
430	CM	140	CM	18 LEVEL CM	718,3513 litre	2,713 %	25758,9916 litre	O
430	CM	140	CM	17 LEVEL CM	660,0652 litre	2,493 %	25817,2777 litre	O

430	CM	140	CM	16 LEVEL CM	603,3614 litre	2,279 %	25873,9815 litre	O
430	CM	140	CM	15 LEVEL CM	548,2989 litre	2,071 %	25929,0440 litre	O
430	CM	140	CM	14 LEVEL CM	494,9419 litre	1,869 %	25982,4010 litre	O
430	CM	140	CM	13 LEVEL CM	443,3613 litre	1,674 %	26033,9816 litre	O
430	CM	140	CM	12 LEVEL CM	393,6353 litre	1,487 %	26083,7076 litre	O
430	CM	140	CM	11 LEVEL CM	345,8513 litre	1,306 %	26131,4916 litre	O
430	CM	140	CM	10 LEVEL CM	300,1080 litre	1,133 %	26177,2349 litre	O
430	CM	140	CM	9 LEVEL CM	256,5176 litre	0,969 %	26220,8253 litre	O
430	CM	140	CM	8 LEVEL CM	215,2104 litre	0,813 %	26262,1325 litre	O
430	CM	140	CM	7 LEVEL CM	176,3392 litre	0,666 %	26301,0037 litre	O
430	CM	140	CM	6 LEVEL CM	140,0881 litre	0,529 %	26337,2548 litre	O
430	CM	140	CM	5 LEVEL CM	106,6844 litre	0,403 %	26370,6585 litre	O
430	CM	140	CM	4 LEVEL CM	76,4198 litre	0,289 %	26400,9231 litre	O
430	CM	140	CM	3 LEVEL CM	49,6898 litre	0,188 %	26427,6531 litre	O
430	CM	140	CM	2 LEVEL CM	27,0769 litre	0,102 %	26450,2660 litre	O
430	CM	140	CM	1 LEVEL CM	9,5834 litre	0,036 %	26467,7595 litre	O
430	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	26477,3429 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 135	CM 270 LEVEL CM	24619,8762 litre	100,000 %	0,0000 litre	O
430	CM 135	CM 269 LEVEL CM	24610,4659 litre	99,962 %	9,4103 litre	O
430	CM 135	CM 268 LEVEL CM	24593,2894 litre	99,892 %	26,5868 litre	O
430	CM 135	CM 267 LEVEL CM	24571,0877 litre	99,802 %	48,7885 litre	O
430	CM 135	CM 266 LEVEL CM	24544,8455 litre	99,695 %	75,0307 litre	O
430	CM 135	CM 265 LEVEL CM	24515,1353 litre	99,575 %	104,7409 litre	O
430	CM 135	CM 264 LEVEL CM	24482,3456 litre	99,441 %	137,5306 litre	O
430	CM 135	CM 263 LEVEL CM	24446,7634 litre	99,297 %	173,1128 litre	O
430	CM 135	CM 262 LEVEL CM	24408,6122 litre	99,142 %	211,2640 litre	O
430	CM 135	CM 261 LEVEL CM	24368,0728 litre	98,977 %	251,8034 litre	O
430	CM 135	CM 260 LEVEL CM	24325,2958 litre	98,803 %	294,5804 litre	O
430	CM 135	CM 259 LEVEL CM	24280,4092 litre	98,621 %	339,4670 litre	O
430	CM 135	CM 258 LEVEL CM	24233,5235 litre	98,431 %	386,3527 litre	O
430	CM 135	CM 257 LEVEL CM	24184,7358 litre	98,233 %	435,1404 litre	O
430	CM 135	CM 256 LEVEL CM	24134,1322 litre	98,027 %	485,7440 litre	O
430	CM 135	CM 255 LEVEL CM	24081,7898 litre	97,814 %	538,0864 litre	O
430	CM 135	CM 254 LEVEL CM	24027,7782 litre	97,595 %	592,0980 litre	O
430	CM 135	CM 253 LEVEL CM	23972,1608 litre	97,369 %	647,7154 litre	O
430	CM 135	CM 252 LEVEL CM	23914,9956 litre	97,137 %	704,8806 litre	O
430	CM 135	CM 251 LEVEL CM	23856,3362 litre	96,899 %	763,5400 litre	O
430	CM 135	CM 250 LEVEL CM	23796,2318 litre	96,655 %	823,6444 litre	O
430	CM 135	CM 249 LEVEL CM	23734,7286 litre	96,405 %	885,1476 litre	O
430	CM 135	CM 248 LEVEL CM	23671,8693 litre	96,149 %	948,0069 litre	O
430	CM 135	CM 247 LEVEL CM	23607,6942 litre	95,889 %	1012,1820 litre	O
430	CM 135	CM 246 LEVEL CM	23542,2410 litre	95,623 %	1077,6352 litre	O
430	CM 135	CM 245 LEVEL CM	23475,5452 litre	95,352 %	1144,3310 litre	O
430	CM 135	CM 244 LEVEL CM	23407,6406 litre	95,076 %	1212,2356 litre	O
430	CM 135	CM 243 LEVEL CM	23338,5589 litre	94,796 %	1281,3173 litre	O
430	CM 135	CM 242 LEVEL CM	23268,3304 litre	94,510 %	1351,5458 litre	O
430	CM 135	CM 241 LEVEL CM	23196,9840 litre	94,221 %	1422,8922 litre	O
430	CM 135	CM 240 LEVEL CM	23124,5470 litre	93,926 %	1495,3292 litre	O
430	CM 135	CM 239 LEVEL CM	23051,0457 litre	93,628 %	1568,8305 litre	O
430	CM 135	CM 238 LEVEL CM	22976,5052 litre	93,325 %	1643,3710 litre	O
430	CM 135	CM 237 LEVEL CM	22900,9497 litre	93,018 %	1718,9265 litre	O
430	CM 135	CM 236 LEVEL CM	22824,4021 litre	92,707 %	1795,4741 litre	O
430	CM 135	CM 235 LEVEL CM	22746,8849 litre	92,392 %	1872,9913 litre	O
430	CM 135	CM 234 LEVEL CM	22668,4193 litre	92,074 %	1951,4569 litre	O
430	CM 135	CM 233 LEVEL CM	22589,0260 litre	91,751 %	2030,8502 litre	O
430	CM 135	CM 232 LEVEL CM	22508,7249 litre	91,425 %	2111,1513 litre	O
430	CM 135	CM 231 LEVEL CM	22427,5354 litre	91,095 %	2192,3408 litre	O
430	CM 135	CM 230 LEVEL CM	22345,4759 litre	90,762 %	2274,4003 litre	O
430	CM 135	CM 229 LEVEL CM	22262,5647 litre	90,425 %	2357,3115 litre	O
430	CM 135	CM 228 LEVEL CM	22178,8191 litre	90,085 %	2441,0571 litre	O
430	CM 135	CM 227 LEVEL CM	22094,2562 litre	89,742 %	2525,6200 litre	O
430	CM 135	CM 226 LEVEL CM	22008,8924 litre	89,395 %	2610,9838 litre	O
430	CM 135	CM 225 LEVEL CM	21922,7437 litre	89,045 %	2697,1325 litre	O
430	CM 135	CM 224 LEVEL CM	21835,8258 litre	88,692 %	2784,0504 litre	O
430	CM 135	CM 223 LEVEL CM	21748,1539 litre	88,336 %	2871,7223 litre	O
430	CM 135	CM 222 LEVEL CM	21659,7427 litre	87,977 %	2960,1335 litre	O
430	CM 135	CM 221 LEVEL CM	21570,6066 litre	87,615 %	3049,2696 litre	O
430	CM 135	CM 220 LEVEL CM	21480,7598 litre	87,250 %	3139,1164 litre	O
430	CM 135	CM 219 LEVEL CM	21390,2160 litre	86,882 %	3229,6602 litre	O

430	CM	135	CM	218 LEVEL CM	21298,9887 litre	86,511 %	3320,8875 litre	O
430	CM	135	CM	217 LEVEL CM	21207,0908 litre	86,138 %	3412,7854 litre	O
430	CM	135	CM	216 LEVEL CM	21114,5354 litre	85,762 %	3505,3408 litre	O
430	CM	135	CM	215 LEVEL CM	21021,3350 litre	85,384 %	3598,5412 litre	O
430	CM	135	CM	214 LEVEL CM	20927,5018 litre	85,002 %	3692,3744 litre	O
430	CM	135	CM	213 LEVEL CM	20833,0481 litre	84,619 %	3786,8281 litre	O
430	CM	135	CM	212 LEVEL CM	20737,9855 litre	84,233 %	3881,8907 litre	O
430	CM	135	CM	211 LEVEL CM	20642,3257 litre	83,844 %	3977,5505 litre	O
430	CM	135	CM	210 LEVEL CM	20546,0801 litre	83,453 %	4073,7961 litre	O
430	CM	135	CM	209 LEVEL CM	20449,2599 litre	83,060 %	4170,6163 litre	O
430	CM	135	CM	208 LEVEL CM	20351,8760 litre	82,664 %	4268,0002 litre	O
430	CM	135	CM	207 LEVEL CM	20253,9393 litre	82,267 %	4365,9369 litre	O
430	CM	135	CM	206 LEVEL CM	20155,4603 litre	81,867 %	4464,4159 litre	O
430	CM	135	CM	205 LEVEL CM	20056,4496 litre	81,464 %	4563,4266 litre	O
430	CM	135	CM	204 LEVEL CM	19956,9173 litre	81,060 %	4662,9589 litre	O
430	CM	135	CM	203 LEVEL CM	19856,8736 litre	80,654 %	4763,0026 litre	O
430	CM	135	CM	202 LEVEL CM	19756,3285 litre	80,245 %	4863,5477 litre	O
430	CM	135	CM	201 LEVEL CM	19655,2917 litre	79,835 %	4964,5845 litre	O
430	CM	135	CM	200 LEVEL CM	19553,7729 litre	79,423 %	5066,1033 litre	O
430	CM	135	CM	199 LEVEL CM	19451,7817 litre	79,008 %	5168,0945 litre	O
430	CM	135	CM	198 LEVEL CM	19349,3274 litre	78,592 %	5270,5488 litre	O
430	CM	135	CM	197 LEVEL CM	19246,4194 litre	78,174 %	5373,4568 litre	O
430	CM	135	CM	196 LEVEL CM	19143,0667 litre	77,755 %	5476,8095 litre	O
430	CM	135	CM	195 LEVEL CM	19039,2784 litre	77,333 %	5580,5978 litre	O
430	CM	135	CM	194 LEVEL CM	18935,0634 litre	76,910 %	5684,8128 litre	O
430	CM	135	CM	193 LEVEL CM	18830,4305 litre	76,485 %	5789,4457 litre	O
430	CM	135	CM	192 LEVEL CM	18725,3884 litre	76,058 %	5894,4878 litre	O
430	CM	135	CM	191 LEVEL CM	18619,9458 litre	75,630 %	5999,9304 litre	O
430	CM	135	CM	190 LEVEL CM	18514,1111 litre	75,200 %	6105,7651 litre	O
430	CM	135	CM	189 LEVEL CM	18407,8928 litre	74,768 %	6211,9834 litre	O
430	CM	135	CM	188 LEVEL CM	18301,2991 litre	74,335 %	6318,5771 litre	O
430	CM	135	CM	187 LEVEL CM	18194,3383 litre	73,901 %	6425,5379 litre	O
430	CM	135	CM	186 LEVEL CM	18087,0185 litre	73,465 %	6532,8577 litre	O
430	CM	135	CM	185 LEVEL CM	17979,3478 litre	73,028 %	6640,5284 litre	O
430	CM	135	CM	184 LEVEL CM	17871,3342 litre	72,589 %	6748,5420 litre	O
430	CM	135	CM	183 LEVEL CM	17762,9856 litre	72,149 %	6856,8906 litre	O
430	CM	135	CM	182 LEVEL CM	17654,3099 litre	71,708 %	6965,5663 litre	O
430	CM	135	CM	181 LEVEL CM	17545,3148 litre	71,265 %	7074,5614 litre	O
430	CM	135	CM	180 LEVEL CM	17436,0079 litre	70,821 %	7183,8683 litre	O
430	CM	135	CM	179 LEVEL CM	17326,3970 litre	70,376 %	7293,4792 litre	O
430	CM	135	CM	178 LEVEL CM	17216,4897 litre	69,929 %	7403,3865 litre	O
430	CM	135	CM	177 LEVEL CM	17106,2933 litre	69,482 %	7513,5829 litre	O
430	CM	135	CM	176 LEVEL CM	16995,8154 litre	69,033 %	7624,0608 litre	O
430	CM	135	CM	175 LEVEL CM	16885,0634 litre	68,583 %	7734,8128 litre	O
430	CM	135	CM	174 LEVEL CM	16774,0445 litre	68,132 %	7845,8317 litre	O
430	CM	135	CM	173 LEVEL CM	16662,7662 litre	67,680 %	7957,1100 litre	O
430	CM	135	CM	172 LEVEL CM	16551,2355 litre	67,227 %	8068,6407 litre	O
430	CM	135	CM	171 LEVEL CM	16439,4598 litre	66,773 %	8180,4164 litre	O
430	CM	135	CM	170 LEVEL CM	16327,4462 litre	66,318 %	8292,4300 litre	O
430	CM	135	CM	169 LEVEL CM	16215,2016 litre	65,862 %	8404,6746 litre	O
430	CM	135	CM	168 LEVEL CM	16102,7333 litre	65,405 %	8517,1429 litre	O
430	CM	135	CM	167 LEVEL CM	15990,0481 litre	64,948 %	8629,8281 litre	O
430	CM	135	CM	166 LEVEL CM	15877,1532 litre	64,489 %	8742,7230 litre	O

430	CM	135	CM	165 LEVEL CM	15764,0553 litre	64,030 %	8855,8209 litre	O
430	CM	135	CM	164 LEVEL CM	15650,7614 litre	63,570 %	8969,1148 litre	O
430	CM	135	CM	163 LEVEL CM	15537,2783 litre	63,109 %	9082,5979 litre	O
430	CM	135	CM	162 LEVEL CM	15423,6129 litre	62,647 %	9196,2633 litre	O
430	CM	135	CM	161 LEVEL CM	15309,7719 litre	62,185 %	9310,1043 litre	O
430	CM	135	CM	160 LEVEL CM	15195,7622 litre	61,722 %	9424,1140 litre	O
430	CM	135	CM	159 LEVEL CM	15081,5904 litre	61,258 %	9538,2858 litre	O
430	CM	135	CM	158 LEVEL CM	14967,2632 litre	60,793 %	9652,6130 litre	O
430	CM	135	CM	157 LEVEL CM	14852,7874 litre	60,328 %	9767,0888 litre	O
430	CM	135	CM	156 LEVEL CM	14738,1694 litre	59,863 %	9881,7068 litre	O
430	CM	135	CM	155 LEVEL CM	14623,4161 litre	59,397 %	9996,4601 litre	O
430	CM	135	CM	154 LEVEL CM	14508,5339 litre	58,930 %	10111,3423 litre	O
430	CM	135	CM	153 LEVEL CM	14393,5295 litre	58,463 %	10226,3467 litre	O
430	CM	135	CM	152 LEVEL CM	14278,4094 litre	57,995 %	10341,4668 litre	O
430	CM	135	CM	151 LEVEL CM	14163,1801 litre	57,527 %	10456,6961 litre	O
430	CM	135	CM	150 LEVEL CM	14047,8481 litre	57,059 %	10572,0281 litre	O
430	CM	135	CM	149 LEVEL CM	13932,4200 litre	56,590 %	10687,4562 litre	O
430	CM	135	CM	148 LEVEL CM	13816,9022 litre	56,121 %	10802,9740 litre	O
430	CM	135	CM	147 LEVEL CM	13701,3013 litre	55,651 %	10918,5749 litre	O
430	CM	135	CM	146 LEVEL CM	13585,6235 litre	55,182 %	11034,2527 litre	O
430	CM	135	CM	145 LEVEL CM	13469,8755 litre	54,711 %	11150,0007 litre	O
430	CM	135	CM	144 LEVEL CM	13354,0636 litre	54,241 %	11265,8126 litre	O
430	CM	135	CM	143 LEVEL CM	13238,1942 litre	53,770 %	11381,6820 litre	O
430	CM	135	CM	142 LEVEL CM	13122,2738 litre	53,300 %	11497,6024 litre	O
430	CM	135	CM	141 LEVEL CM	13006,3087 litre	52,828 %	11613,5675 litre	O
430	CM	135	CM	140 LEVEL CM	12890,3054 litre	52,357 %	11729,5708 litre	O
430	CM	135	CM	139 LEVEL CM	12774,2702 litre	51,886 %	11845,6060 litre	O
430	CM	135	CM	138 LEVEL CM	12658,2094 litre	51,415 %	11961,6668 litre	O
430	CM	135	CM	137 LEVEL CM	12542,1296 litre	50,943 %	12077,7466 litre	O
430	CM	135	CM	136 LEVEL CM	12426,0371 litre	50,472 %	12193,8391 litre	O
430	CM	135	CM	135 LEVEL CM	12309,9381 litre	50,000 %	12309,9381 litre	O
430	CM	135	CM	134 LEVEL CM	12193,8392 litre	49,528 %	12426,0370 litre	O
430	CM	135	CM	133 LEVEL CM	12077,7466 litre	49,057 %	12542,1296 litre	O
430	CM	135	CM	132 LEVEL CM	11961,6668 litre	48,585 %	12658,2094 litre	O
430	CM	135	CM	131 LEVEL CM	11845,6061 litre	48,114 %	12774,2701 litre	O
430	CM	135	CM	130 LEVEL CM	11729,5709 litre	47,643 %	12890,3053 litre	O
430	CM	135	CM	129 LEVEL CM	11613,5675 litre	47,172 %	13006,3087 litre	O
430	CM	135	CM	128 LEVEL CM	11497,6024 litre	46,700 %	13122,2738 litre	O
430	CM	135	CM	127 LEVEL CM	11381,6820 litre	46,230 %	13238,1942 litre	O
430	CM	135	CM	126 LEVEL CM	11265,8126 litre	45,759 %	13354,0636 litre	O
430	CM	135	CM	125 LEVEL CM	11150,0007 litre	45,289 %	13469,8755 litre	O
430	CM	135	CM	124 LEVEL CM	11034,2527 litre	44,818 %	13585,6235 litre	O
430	CM	135	CM	123 LEVEL CM	10918,5750 litre	44,349 %	13701,3012 litre	O
430	CM	135	CM	122 LEVEL CM	10802,9740 litre	43,879 %	13816,9022 litre	O
430	CM	135	CM	121 LEVEL CM	10687,4562 litre	43,410 %	13932,4200 litre	O
430	CM	135	CM	120 LEVEL CM	10572,0281 litre	42,941 %	14047,8481 litre	O
430	CM	135	CM	119 LEVEL CM	10456,6962 litre	42,473 %	14163,1800 litre	O
430	CM	135	CM	118 LEVEL CM	10341,4669 litre	42,005 %	14278,4093 litre	O
430	CM	135	CM	117 LEVEL CM	10226,3467 litre	41,537 %	14393,5295 litre	O
430	CM	135	CM	116 LEVEL CM	10111,3423 litre	41,070 %	14508,5339 litre	O
430	CM	135	CM	115 LEVEL CM	9996,4601 litre	40,603 %	14623,4161 litre	O
430	CM	135	CM	114 LEVEL CM	9881,7068 litre	40,137 %	14738,1694 litre	O
430	CM	135	CM	113 LEVEL CM	9767,0889 litre	39,672 %	14852,7873 litre	O

430	CM	135	CM	112 LEVEL CM	9652,6130 litre	39,207 %	14967,2632 litre	O
430	CM	135	CM	111 LEVEL CM	9538,2858 litre	38,742 %	15081,5904 litre	O
430	CM	135	CM	110 LEVEL CM	9424,1140 litre	38,278 %	15195,7622 litre	O
430	CM	135	CM	109 LEVEL CM	9310,1043 litre	37,815 %	15309,7719 litre	O
430	CM	135	CM	108 LEVEL CM	9196,2633 litre	37,353 %	15423,6129 litre	O
430	CM	135	CM	107 LEVEL CM	9082,5979 litre	36,891 %	15537,2783 litre	O
430	CM	135	CM	106 LEVEL CM	8969,1149 litre	36,430 %	15650,7613 litre	O
430	CM	135	CM	105 LEVEL CM	8855,8210 litre	35,970 %	15764,0552 litre	O
430	CM	135	CM	104 LEVEL CM	8742,7231 litre	35,511 %	15877,1531 litre	O
430	CM	135	CM	103 LEVEL CM	8629,8281 litre	35,052 %	15990,0481 litre	O
430	CM	135	CM	102 LEVEL CM	8517,1429 litre	34,595 %	16102,7333 litre	O
430	CM	135	CM	101 LEVEL CM	8404,6746 litre	34,138 %	16215,2016 litre	O
430	CM	135	CM	100 LEVEL CM	8292,4301 litre	33,682 %	16327,4461 litre	O
430	CM	135	CM	99 LEVEL CM	8180,4164 litre	33,227 %	16439,4598 litre	O
430	CM	135	CM	98 LEVEL CM	8068,6407 litre	32,773 %	16551,2355 litre	O
430	CM	135	CM	97 LEVEL CM	7957,1101 litre	32,320 %	16662,7661 litre	O
430	CM	135	CM	96 LEVEL CM	7845,8317 litre	31,868 %	16774,0445 litre	O
430	CM	135	CM	95 LEVEL CM	7734,8129 litre	31,417 %	16885,0633 litre	O
430	CM	135	CM	94 LEVEL CM	7624,0608 litre	30,967 %	16995,8154 litre	O
430	CM	135	CM	93 LEVEL CM	7513,5829 litre	30,518 %	17106,2933 litre	O
430	CM	135	CM	92 LEVEL CM	7403,3866 litre	30,071 %	17216,4896 litre	O
430	CM	135	CM	91 LEVEL CM	7293,4792 litre	29,624 %	17326,3970 litre	O
430	CM	135	CM	90 LEVEL CM	7183,8683 litre	29,179 %	17436,0079 litre	O
430	CM	135	CM	89 LEVEL CM	7074,5615 litre	28,735 %	17545,3147 litre	O
430	CM	135	CM	88 LEVEL CM	6965,5663 litre	28,292 %	17654,3099 litre	O
430	CM	135	CM	87 LEVEL CM	6856,8906 litre	27,851 %	17762,9856 litre	O
430	CM	135	CM	86 LEVEL CM	6748,5420 litre	27,411 %	17871,3342 litre	O
430	CM	135	CM	85 LEVEL CM	6640,5284 litre	26,972 %	17979,3478 litre	O
430	CM	135	CM	84 LEVEL CM	6532,8577 litre	26,535 %	18087,0185 litre	O
430	CM	135	CM	83 LEVEL CM	6425,5380 litre	26,099 %	18194,3382 litre	O
430	CM	135	CM	82 LEVEL CM	6318,5772 litre	25,665 %	18301,2990 litre	O
430	CM	135	CM	81 LEVEL CM	6211,9835 litre	25,232 %	18407,8927 litre	O
430	CM	135	CM	80 LEVEL CM	6105,7651 litre	24,800 %	18514,1111 litre	O
430	CM	135	CM	79 LEVEL CM	5999,9304 litre	24,370 %	18619,9458 litre	O
430	CM	135	CM	78 LEVEL CM	5894,4878 litre	23,942 %	18725,3884 litre	O
430	CM	135	CM	77 LEVEL CM	5789,4457 litre	23,515 %	18830,4305 litre	O
430	CM	135	CM	76 LEVEL CM	5684,8129 litre	23,090 %	18935,0633 litre	O
430	CM	135	CM	75 LEVEL CM	5580,5979 litre	22,667 %	19039,2783 litre	O
430	CM	135	CM	74 LEVEL CM	5476,8096 litre	22,245 %	19143,0666 litre	O
430	CM	135	CM	73 LEVEL CM	5373,4569 litre	21,826 %	19246,4193 litre	O
430	CM	135	CM	72 LEVEL CM	5270,5488 litre	21,408 %	19349,3274 litre	O
430	CM	135	CM	71 LEVEL CM	5168,0945 litre	20,992 %	19451,7817 litre	O
430	CM	135	CM	70 LEVEL CM	5066,1033 litre	20,577 %	19553,7729 litre	O
430	CM	135	CM	69 LEVEL CM	4964,5845 litre	20,165 %	19655,2917 litre	O
430	CM	135	CM	68 LEVEL CM	4863,5478 litre	19,755 %	19756,3284 litre	O
430	CM	135	CM	67 LEVEL CM	4763,0026 litre	19,346 %	19856,8736 litre	O
430	CM	135	CM	66 LEVEL CM	4662,9589 litre	18,940 %	19956,9173 litre	O
430	CM	135	CM	65 LEVEL CM	4563,4267 litre	18,536 %	20056,4495 litre	O
430	CM	135	CM	64 LEVEL CM	4464,4159 litre	18,133 %	20155,4603 litre	O
430	CM	135	CM	63 LEVEL CM	4365,9370 litre	17,733 %	20253,9392 litre	O
430	CM	135	CM	62 LEVEL CM	4268,0002 litre	17,336 %	20351,8760 litre	O
430	CM	135	CM	61 LEVEL CM	4170,6164 litre	16,940 %	20449,2598 litre	O
430	CM	135	CM	60 LEVEL CM	4073,7961 litre	16,547 %	20546,0801 litre	O

430	CM	135	CM	59 LEVEL CM	3977,5505 litre	16,156 %	20642,3257 litre	O
430	CM	135	CM	58 LEVEL CM	3881,8907 litre	15,767 %	20737,9855 litre	O
430	CM	135	CM	57 LEVEL CM	3786,8282 litre	15,381 %	20833,0480 litre	O
430	CM	135	CM	56 LEVEL CM	3692,3744 litre	14,998 %	20927,5018 litre	O
430	CM	135	CM	55 LEVEL CM	3598,5412 litre	14,616 %	21021,3350 litre	O
430	CM	135	CM	54 LEVEL CM	3505,3408 litre	14,238 %	21114,5354 litre	O
430	CM	135	CM	53 LEVEL CM	3412,7854 litre	13,862 %	21207,0908 litre	O
430	CM	135	CM	52 LEVEL CM	3320,8876 litre	13,489 %	21298,9886 litre	O
430	CM	135	CM	51 LEVEL CM	3229,6602 litre	13,118 %	21390,2160 litre	O
430	CM	135	CM	50 LEVEL CM	3139,1164 litre	12,750 %	21480,7598 litre	O
430	CM	135	CM	49 LEVEL CM	3049,2696 litre	12,385 %	21570,6066 litre	O
430	CM	135	CM	48 LEVEL CM	2960,1336 litre	12,023 %	21659,7426 litre	O
430	CM	135	CM	47 LEVEL CM	2871,7224 litre	11,664 %	21748,1538 litre	O
430	CM	135	CM	46 LEVEL CM	2784,0504 litre	11,308 %	21835,8258 litre	O
430	CM	135	CM	45 LEVEL CM	2697,1325 litre	10,955 %	21922,7437 litre	O
430	CM	135	CM	44 LEVEL CM	2610,9839 litre	10,605 %	22008,8923 litre	O
430	CM	135	CM	43 LEVEL CM	2525,6201 litre	10,258 %	22094,2561 litre	O
430	CM	135	CM	42 LEVEL CM	2441,0571 litre	9,915 %	22178,8191 litre	O
430	CM	135	CM	41 LEVEL CM	2357,3115 litre	9,575 %	22262,5647 litre	O
430	CM	135	CM	40 LEVEL CM	2274,4003 litre	9,238 %	22345,4759 litre	O
430	CM	135	CM	39 LEVEL CM	2192,3409 litre	8,905 %	22427,5353 litre	O
430	CM	135	CM	38 LEVEL CM	2111,1513 litre	8,575 %	22508,7249 litre	O
430	CM	135	CM	37 LEVEL CM	2030,8502 litre	8,249 %	22589,0260 litre	O
430	CM	135	CM	36 LEVEL CM	1951,4570 litre	7,926 %	22668,4192 litre	O
430	CM	135	CM	35 LEVEL CM	1872,9914 litre	7,608 %	22746,8848 litre	O
430	CM	135	CM	34 LEVEL CM	1795,4741 litre	7,293 %	22824,4021 litre	O
430	CM	135	CM	33 LEVEL CM	1718,9266 litre	6,982 %	22900,9496 litre	O
430	CM	135	CM	32 LEVEL CM	1643,3710 litre	6,675 %	22976,5052 litre	O
430	CM	135	CM	31 LEVEL CM	1568,8305 litre	6,372 %	23051,0457 litre	O
430	CM	135	CM	30 LEVEL CM	1495,3293 litre	6,074 %	23124,5469 litre	O
430	CM	135	CM	29 LEVEL CM	1422,8923 litre	5,779 %	23196,9839 litre	O
430	CM	135	CM	28 LEVEL CM	1351,5458 litre	5,490 %	23268,3304 litre	O
430	CM	135	CM	27 LEVEL CM	1281,3173 litre	5,204 %	23338,5589 litre	O
430	CM	135	CM	26 LEVEL CM	1212,2356 litre	4,924 %	23407,6406 litre	O
430	CM	135	CM	25 LEVEL CM	1144,3310 litre	4,648 %	23475,5452 litre	O
430	CM	135	CM	24 LEVEL CM	1077,6352 litre	4,377 %	23542,2410 litre	O
430	CM	135	CM	23 LEVEL CM	1012,1820 litre	4,111 %	23607,6942 litre	O
430	CM	135	CM	22 LEVEL CM	948,0069 litre	3,851 %	23671,8693 litre	O
430	CM	135	CM	21 LEVEL CM	885,1476 litre	3,595 %	23734,7286 litre	O
430	CM	135	CM	20 LEVEL CM	823,6444 litre	3,345 %	23796,2318 litre	O
430	CM	135	CM	19 LEVEL CM	763,5400 litre	3,101 %	23856,3362 litre	O
430	CM	135	CM	18 LEVEL CM	704,8806 litre	2,863 %	23914,9956 litre	O
430	CM	135	CM	17 LEVEL CM	647,7154 litre	2,631 %	23972,1608 litre	O
430	CM	135	CM	16 LEVEL CM	592,0981 litre	2,405 %	24027,7781 litre	O
430	CM	135	CM	15 LEVEL CM	538,0865 litre	2,186 %	24081,7897 litre	O
430	CM	135	CM	14 LEVEL CM	485,7440 litre	1,973 %	24134,1322 litre	O
430	CM	135	CM	13 LEVEL CM	435,1404 litre	1,767 %	24184,7358 litre	O
430	CM	135	CM	12 LEVEL CM	386,3527 litre	1,569 %	24233,5235 litre	O
430	CM	135	CM	11 LEVEL CM	339,4670 litre	1,379 %	24280,4092 litre	O
430	CM	135	CM	10 LEVEL CM	294,5804 litre	1,197 %	24325,2958 litre	O
430	CM	135	CM	9 LEVEL CM	251,8034 litre	1,023 %	24368,0728 litre	O
430	CM	135	CM	8 LEVEL CM	211,2640 litre	0,858 %	24408,6122 litre	O
430	CM	135	CM	7 LEVEL CM	173,1128 litre	0,703 %	24446,7634 litre	O

430	CM	135	CM	6 LEVEL CM	137,5306 litre	0,559 %	24482,3456 litre	O
430	CM	135	CM	5 LEVEL CM	104,7410 litre	0,425 %	24515,1352 litre	O
430	CM	135	CM	4 LEVEL CM	75,0308 litre	0,305 %	24544,8454 litre	O
430	CM	135	CM	3 LEVEL CM	48,7886 litre	0,198 %	24571,0876 litre	O
430	CM	135	CM	2 LEVEL CM	26,5868 litre	0,108 %	24593,2894 litre	O
430	CM	135	CM	1 LEVEL CM	9,4104 litre	0,038 %	24610,4658 litre	O
430	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	24619,8762 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 130	CM 260 LEVEL CM	22829,9538 litre	100,000 %	0,0000 litre	O
430	CM 130	CM 259 LEVEL CM	22820,7198 litre	99,960 %	9,2340 litre	O
430	CM 130	CM 258 LEVEL CM	22803,8662 litre	99,886 %	26,0876 litre	O
430	CM 130	CM 257 LEVEL CM	22782,0835 litre	99,790 %	47,8703 litre	O
430	CM 130	CM 256 LEVEL CM	22756,3383 litre	99,678 %	73,6155 litre	O
430	CM 130	CM 255 LEVEL CM	22727,1930 litre	99,550 %	102,7608 litre	O
430	CM 130	CM 254 LEVEL CM	22695,0292 litre	99,409 %	134,9246 litre	O
430	CM 130	CM 253 LEVEL CM	22660,1288 litre	99,256 %	169,8250 litre	O
430	CM 130	CM 252 LEVEL CM	22622,7113 litre	99,092 %	207,2425 litre	O
430	CM 130	CM 251 LEVEL CM	22582,9546 litre	98,918 %	246,9992 litre	O
430	CM 130	CM 250 LEVEL CM	22541,0067 litre	98,734 %	288,9471 litre	O
430	CM 130	CM 249 LEVEL CM	22496,9935 litre	98,542 %	332,9603 litre	O
430	CM 130	CM 248 LEVEL CM	22451,0236 litre	98,340 %	378,9302 litre	O
430	CM 130	CM 247 LEVEL CM	22403,1926 litre	98,131 %	426,7612 litre	O
430	CM 130	CM 246 LEVEL CM	22353,5853 litre	97,913 %	476,3685 litre	O
430	CM 130	CM 245 LEVEL CM	22302,2774 litre	97,689 %	527,6764 litre	O
430	CM 130	CM 244 LEVEL CM	22249,3376 litre	97,457 %	580,6162 litre	O
430	CM 130	CM 243 LEVEL CM	22194,8282 litre	97,218 %	635,1256 litre	O
430	CM 130	CM 242 LEVEL CM	22138,8065 litre	96,973 %	691,1473 litre	O
430	CM 130	CM 241 LEVEL CM	22081,3251 litre	96,721 %	748,6287 litre	O
430	CM 130	CM 240 LEVEL CM	22022,4327 litre	96,463 %	807,5211 litre	O
430	CM 130	CM 239 LEVEL CM	21962,1746 litre	96,199 %	867,7792 litre	O
430	CM 130	CM 238 LEVEL CM	21900,5931 litre	95,929 %	929,3607 litre	O
430	CM 130	CM 237 LEVEL CM	21837,7278 litre	95,654 %	992,2260 litre	O
430	CM 130	CM 236 LEVEL CM	21773,6160 litre	95,373 %	1056,3378 litre	O
430	CM 130	CM 235 LEVEL CM	21708,2928 litre	95,087 %	1121,6610 litre	O
430	CM 130	CM 234 LEVEL CM	21641,7913 litre	94,796 %	1188,1625 litre	O
430	CM 130	CM 233 LEVEL CM	21574,1430 litre	94,499 %	1255,8108 litre	O
430	CM 130	CM 232 LEVEL CM	21505,3777 litre	94,198 %	1324,5761 litre	O
430	CM 130	CM 231 LEVEL CM	21435,5241 litre	93,892 %	1394,4297 litre	O
430	CM 130	CM 230 LEVEL CM	21364,6090 litre	93,581 %	1465,3448 litre	O
430	CM 130	CM 229 LEVEL CM	21292,6586 litre	93,266 %	1537,2952 litre	O
430	CM 130	CM 228 LEVEL CM	21219,6976 litre	92,947 %	1610,2562 litre	O
430	CM 130	CM 227 LEVEL CM	21145,7498 litre	92,623 %	1684,2040 litre	O
430	CM 130	CM 226 LEVEL CM	21070,8381 litre	92,295 %	1759,1157 litre	O
430	CM 130	CM 225 LEVEL CM	20994,9845 litre	91,962 %	1834,9693 litre	O
430	CM 130	CM 224 LEVEL CM	20918,2101 litre	91,626 %	1911,7437 litre	O
430	CM 130	CM 223 LEVEL CM	20840,5355 litre	91,286 %	1989,4183 litre	O
430	CM 130	CM 222 LEVEL CM	20761,9804 litre	90,942 %	2067,9734 litre	O
430	CM 130	CM 221 LEVEL CM	20682,5637 litre	90,594 %	2147,3901 litre	O
430	CM 130	CM 220 LEVEL CM	20602,3041 litre	90,242 %	2227,6497 litre	O
430	CM 130	CM 219 LEVEL CM	20521,2193 litre	89,887 %	2308,7345 litre	O
430	CM 130	CM 218 LEVEL CM	20439,3267 litre	89,529 %	2390,6271 litre	O
430	CM 130	CM 217 LEVEL CM	20356,6432 litre	89,166 %	2473,3106 litre	O
430	CM 130	CM 216 LEVEL CM	20273,1851 litre	88,801 %	2556,7687 litre	O
430	CM 130	CM 215 LEVEL CM	20188,9683 litre	88,432 %	2640,9855 litre	O
430	CM 130	CM 214 LEVEL CM	20104,0083 litre	88,060 %	2725,9455 litre	O
430	CM 130	CM 213 LEVEL CM	20018,3201 litre	87,684 %	2811,6337 litre	O
430	CM 130	CM 212 LEVEL CM	19931,9185 litre	87,306 %	2898,0353 litre	O
430	CM 130	CM 211 LEVEL CM	19844,8178 litre	86,924 %	2985,1360 litre	O
430	CM 130	CM 210 LEVEL CM	19757,0320 litre	86,540 %	3072,9218 litre	O
430	CM 130	CM 209 LEVEL CM	19668,5748 litre	86,152 %	3161,3790 litre	O

430	CM	130	CM	208 LEVEL CM	19579,4595 litre	85,762 %	3250,4943 litre	O
430	CM	130	CM	207 LEVEL CM	19489,6991 litre	85,369 %	3340,2547 litre	O
430	CM	130	CM	206 LEVEL CM	19399,3065 litre	84,973 %	3430,6473 litre	O
430	CM	130	CM	205 LEVEL CM	19308,2942 litre	84,574 %	3521,6596 litre	O
430	CM	130	CM	204 LEVEL CM	19216,6744 litre	84,173 %	3613,2794 litre	O
430	CM	130	CM	203 LEVEL CM	19124,4592 litre	83,769 %	3705,4946 litre	O
430	CM	130	CM	202 LEVEL CM	19031,6603 litre	83,363 %	3798,2935 litre	O
430	CM	130	CM	201 LEVEL CM	18938,2894 litre	82,954 %	3891,6644 litre	O
430	CM	130	CM	200 LEVEL CM	18844,3578 litre	82,542 %	3985,5960 litre	O
430	CM	130	CM	199 LEVEL CM	18749,8765 litre	82,128 %	4080,0773 litre	O
430	CM	130	CM	198 LEVEL CM	18654,8567 litre	81,712 %	4175,0971 litre	O
430	CM	130	CM	197 LEVEL CM	18559,3091 litre	81,294 %	4270,6447 litre	O
430	CM	130	CM	196 LEVEL CM	18463,2442 litre	80,873 %	4366,7096 litre	O
430	CM	130	CM	195 LEVEL CM	18366,6725 litre	80,450 %	4463,2813 litre	O
430	CM	130	CM	194 LEVEL CM	18269,6043 litre	80,025 %	4560,3495 litre	O
430	CM	130	CM	193 LEVEL CM	18172,0497 litre	79,597 %	4657,9041 litre	O
430	CM	130	CM	192 LEVEL CM	18074,0186 litre	79,168 %	4755,9352 litre	O
430	CM	130	CM	191 LEVEL CM	17975,5208 litre	78,737 %	4854,4330 litre	O
430	CM	130	CM	190 LEVEL CM	17876,5661 litre	78,303 %	4953,3877 litre	O
430	CM	130	CM	189 LEVEL CM	17777,1639 litre	77,868 %	5052,7899 litre	O
430	CM	130	CM	188 LEVEL CM	17677,3237 litre	77,430 %	5152,6301 litre	O
430	CM	130	CM	187 LEVEL CM	17577,0547 litre	76,991 %	5252,8991 litre	O
430	CM	130	CM	186 LEVEL CM	17476,3662 litre	76,550 %	5353,5876 litre	O
430	CM	130	CM	185 LEVEL CM	17375,2672 litre	76,107 %	5454,6866 litre	O
430	CM	130	CM	184 LEVEL CM	17273,7666 litre	75,663 %	5556,1872 litre	O
430	CM	130	CM	183 LEVEL CM	17171,8733 litre	75,216 %	5658,0805 litre	O
430	CM	130	CM	182 LEVEL CM	17069,5960 litre	74,768 %	5760,3578 litre	O
430	CM	130	CM	181 LEVEL CM	16966,9434 litre	74,319 %	5863,0104 litre	O
430	CM	130	CM	180 LEVEL CM	16863,9240 litre	73,868 %	5966,0298 litre	O
430	CM	130	CM	179 LEVEL CM	16760,5462 litre	73,415 %	6069,4076 litre	O
430	CM	130	CM	178 LEVEL CM	16656,8185 litre	72,960 %	6173,1353 litre	O
430	CM	130	CM	177 LEVEL CM	16552,7490 litre	72,505 %	6277,2048 litre	O
430	CM	130	CM	176 LEVEL CM	16448,3461 litre	72,047 %	6381,6077 litre	O
430	CM	130	CM	175 LEVEL CM	16343,6178 litre	71,588 %	6486,3360 litre	O
430	CM	130	CM	174 LEVEL CM	16238,5722 litre	71,128 %	6591,3816 litre	O
430	CM	130	CM	173 LEVEL CM	16133,2173 litre	70,667 %	6696,7365 litre	O
430	CM	130	CM	172 LEVEL CM	16027,5609 litre	70,204 %	6802,3929 litre	O
430	CM	130	CM	171 LEVEL CM	15921,6110 litre	69,740 %	6908,3428 litre	O
430	CM	130	CM	170 LEVEL CM	15815,3752 litre	69,275 %	7014,5786 litre	O
430	CM	130	CM	169 LEVEL CM	15708,8613 litre	68,808 %	7121,0925 litre	O
430	CM	130	CM	168 LEVEL CM	15602,0769 litre	68,340 %	7227,8769 litre	O
430	CM	130	CM	167 LEVEL CM	15495,0297 litre	67,871 %	7334,9241 litre	O
430	CM	130	CM	166 LEVEL CM	15387,7271 litre	67,401 %	7442,2267 litre	O
430	CM	130	CM	165 LEVEL CM	15280,1767 litre	66,930 %	7549,7771 litre	O
430	CM	130	CM	164 LEVEL CM	15172,3859 litre	66,458 %	7657,5679 litre	O
430	CM	130	CM	163 LEVEL CM	15064,3620 litre	65,985 %	7765,5918 litre	O
430	CM	130	CM	162 LEVEL CM	14956,1124 litre	65,511 %	7873,8414 litre	O
430	CM	130	CM	161 LEVEL CM	14847,6444 litre	65,036 %	7982,3094 litre	O
430	CM	130	CM	160 LEVEL CM	14738,9652 litre	64,560 %	8090,9886 litre	O
430	CM	130	CM	159 LEVEL CM	14630,0821 litre	64,083 %	8199,8717 litre	O
430	CM	130	CM	158 LEVEL CM	14521,0021 litre	63,605 %	8308,9517 litre	O
430	CM	130	CM	157 LEVEL CM	14411,7325 litre	63,126 %	8418,2213 litre	O
430	CM	130	CM	156 LEVEL CM	14302,2803 litre	62,647 %	8527,6735 litre	O

430	CM	130	CM	155 LEVEL CM	14192,6525 litre	62,167 %	8637,3013 litre	O
430	CM	130	CM	154 LEVEL CM	14082,8562 litre	61,686 %	8747,0976 litre	O
430	CM	130	CM	153 LEVEL CM	13972,8983 litre	61,204 %	8857,0555 litre	O
430	CM	130	CM	152 LEVEL CM	13862,7858 litre	60,722 %	8967,1680 litre	O
430	CM	130	CM	151 LEVEL CM	13752,5257 litre	60,239 %	9077,4281 litre	O
430	CM	130	CM	150 LEVEL CM	13642,1248 litre	59,755 %	9187,8290 litre	O
430	CM	130	CM	149 LEVEL CM	13531,5900 litre	59,271 %	9298,3638 litre	O
430	CM	130	CM	148 LEVEL CM	13420,9281 litre	58,786 %	9409,0257 litre	O
430	CM	130	CM	147 LEVEL CM	13310,1460 litre	58,301 %	9519,8078 litre	O
430	CM	130	CM	146 LEVEL CM	13199,2505 litre	57,815 %	9630,7033 litre	O
430	CM	130	CM	145 LEVEL CM	13088,2483 litre	57,329 %	9741,7055 litre	O
430	CM	130	CM	144 LEVEL CM	12977,1462 litre	56,843 %	9852,8076 litre	O
430	CM	130	CM	143 LEVEL CM	12865,9509 litre	56,356 %	9964,0029 litre	O
430	CM	130	CM	142 LEVEL CM	12754,6692 litre	55,868 %	10075,2846 litre	O
430	CM	130	CM	141 LEVEL CM	12643,3078 litre	55,380 %	10186,6460 litre	O
430	CM	130	CM	140 LEVEL CM	12531,8734 litre	54,892 %	10298,0804 litre	O
430	CM	130	CM	139 LEVEL CM	12420,3726 litre	54,404 %	10409,5812 litre	O
430	CM	130	CM	138 LEVEL CM	12308,8121 litre	53,915 %	10521,1417 litre	O
430	CM	130	CM	137 LEVEL CM	12197,1986 litre	53,426 %	10632,7552 litre	O
430	CM	130	CM	136 LEVEL CM	12085,5387 litre	52,937 %	10744,4151 litre	O
430	CM	130	CM	135 LEVEL CM	11973,8391 litre	52,448 %	10856,1147 litre	O
430	CM	130	CM	134 LEVEL CM	11862,1063 litre	51,959 %	10967,8475 litre	O
430	CM	130	CM	133 LEVEL CM	11750,3471 litre	51,469 %	11079,6067 litre	O
430	CM	130	CM	132 LEVEL CM	11638,5681 litre	50,979 %	11191,3857 litre	O
430	CM	130	CM	131 LEVEL CM	11526,7758 litre	50,490 %	11303,1780 litre	O
430	CM	130	CM	130 LEVEL CM	11414,9769 litre	50,000 %	11414,9769 litre	O
430	CM	130	CM	129 LEVEL CM	11303,1780 litre	49,510 %	11526,7758 litre	O
430	CM	130	CM	128 LEVEL CM	11191,3857 litre	49,021 %	11638,5681 litre	O
430	CM	130	CM	127 LEVEL CM	11079,6067 litre	48,531 %	11750,3471 litre	O
430	CM	130	CM	126 LEVEL CM	10967,8475 litre	48,041 %	11862,1063 litre	O
430	CM	130	CM	125 LEVEL CM	10856,1148 litre	47,552 %	11973,8390 litre	O
430	CM	130	CM	124 LEVEL CM	10744,4151 litre	47,063 %	12085,5387 litre	O
430	CM	130	CM	123 LEVEL CM	10632,7553 litre	46,574 %	12197,1985 litre	O
430	CM	130	CM	122 LEVEL CM	10521,1417 litre	46,085 %	12308,8121 litre	O
430	CM	130	CM	121 LEVEL CM	10409,5813 litre	45,596 %	12420,3725 litre	O
430	CM	130	CM	120 LEVEL CM	10298,0805 litre	45,108 %	12531,8733 litre	O
430	CM	130	CM	119 LEVEL CM	10186,6460 litre	44,620 %	12643,3078 litre	O
430	CM	130	CM	118 LEVEL CM	10075,2846 litre	44,132 %	12754,6692 litre	O
430	CM	130	CM	117 LEVEL CM	9964,0029 litre	43,644 %	12865,9509 litre	O
430	CM	130	CM	116 LEVEL CM	9852,8076 litre	43,157 %	12977,1462 litre	O
430	CM	130	CM	115 LEVEL CM	9741,7055 litre	42,671 %	13088,2483 litre	O
430	CM	130	CM	114 LEVEL CM	9630,7033 litre	42,185 %	13199,2505 litre	O
430	CM	130	CM	113 LEVEL CM	9519,8078 litre	41,699 %	13310,1460 litre	O
430	CM	130	CM	112 LEVEL CM	9409,0257 litre	41,214 %	13420,9281 litre	O
430	CM	130	CM	111 LEVEL CM	9298,3638 litre	40,729 %	13531,5900 litre	O
430	CM	130	CM	110 LEVEL CM	9187,8290 litre	40,245 %	13642,1248 litre	O
430	CM	130	CM	109 LEVEL CM	9077,4281 litre	39,761 %	13752,5257 litre	O
430	CM	130	CM	108 LEVEL CM	8967,1680 litre	39,278 %	13862,7858 litre	O
430	CM	130	CM	107 LEVEL CM	8857,0555 litre	38,796 %	13972,8983 litre	O
430	CM	130	CM	106 LEVEL CM	8747,0976 litre	38,314 %	14082,8562 litre	O
430	CM	130	CM	105 LEVEL CM	8637,3013 litre	37,833 %	14192,6525 litre	O
430	CM	130	CM	104 LEVEL CM	8527,6735 litre	37,353 %	14302,2803 litre	O
430	CM	130	CM	103 LEVEL CM	8418,2213 litre	36,874 %	14411,7325 litre	O

430	CM	130	CM	102 LEVEL CM	8308,9517 litre	36,395 %	14521,0021 litre	O
430	CM	130	CM	101 LEVEL CM	8199,8717 litre	35,917 %	14630,0821 litre	O
430	CM	130	CM	100 LEVEL CM	8090,9886 litre	35,440 %	14738,9652 litre	O
430	CM	130	CM	99 LEVEL CM	7982,3094 litre	34,964 %	14847,6444 litre	O
430	CM	130	CM	98 LEVEL CM	7873,8414 litre	34,489 %	14956,1124 litre	O
430	CM	130	CM	97 LEVEL CM	7765,5918 litre	34,015 %	15064,3620 litre	O
430	CM	130	CM	96 LEVEL CM	7657,5680 litre	33,542 %	15172,3858 litre	O
430	CM	130	CM	95 LEVEL CM	7549,7771 litre	33,070 %	15280,1767 litre	O
430	CM	130	CM	94 LEVEL CM	7442,2267 litre	32,599 %	15387,7271 litre	O
430	CM	130	CM	93 LEVEL CM	7334,9241 litre	32,129 %	15495,0297 litre	O
430	CM	130	CM	92 LEVEL CM	7227,8769 litre	31,660 %	15602,0769 litre	O
430	CM	130	CM	91 LEVEL CM	7121,0925 litre	31,192 %	15708,8613 litre	O
430	CM	130	CM	90 LEVEL CM	7014,5786 litre	30,725 %	15815,3752 litre	O
430	CM	130	CM	89 LEVEL CM	6908,3428 litre	30,260 %	15921,6110 litre	O
430	CM	130	CM	88 LEVEL CM	6802,3929 litre	29,796 %	16027,5609 litre	O
430	CM	130	CM	87 LEVEL CM	6696,7365 litre	29,333 %	16133,2173 litre	O
430	CM	130	CM	86 LEVEL CM	6591,3816 litre	28,872 %	16238,5722 litre	O
430	CM	130	CM	85 LEVEL CM	6486,3360 litre	28,412 %	16343,6178 litre	O
430	CM	130	CM	84 LEVEL CM	6381,6077 litre	27,953 %	16448,3461 litre	O
430	CM	130	CM	83 LEVEL CM	6277,2048 litre	27,495 %	16552,7490 litre	O
430	CM	130	CM	82 LEVEL CM	6173,1353 litre	27,040 %	16656,8185 litre	O
430	CM	130	CM	81 LEVEL CM	6069,4076 litre	26,585 %	16760,5462 litre	O
430	CM	130	CM	80 LEVEL CM	5966,0298 litre	26,132 %	16863,9240 litre	O
430	CM	130	CM	79 LEVEL CM	5863,0104 litre	25,681 %	16966,9434 litre	O
430	CM	130	CM	78 LEVEL CM	5760,3578 litre	25,232 %	17069,5960 litre	O
430	CM	130	CM	77 LEVEL CM	5658,0805 litre	24,784 %	17171,8733 litre	O
430	CM	130	CM	76 LEVEL CM	5556,1872 litre	24,337 %	17273,7666 litre	O
430	CM	130	CM	75 LEVEL CM	5454,6866 litre	23,893 %	17375,2672 litre	O
430	CM	130	CM	74 LEVEL CM	5353,5876 litre	23,450 %	17476,3662 litre	O
430	CM	130	CM	73 LEVEL CM	5252,8991 litre	23,009 %	17577,0547 litre	O
430	CM	130	CM	72 LEVEL CM	5152,6301 litre	22,570 %	17677,3237 litre	O
430	CM	130	CM	71 LEVEL CM	5052,7899 litre	22,132 %	17777,1639 litre	O
430	CM	130	CM	70 LEVEL CM	4953,3877 litre	21,697 %	17876,5661 litre	O
430	CM	130	CM	69 LEVEL CM	4854,4330 litre	21,263 %	17975,5208 litre	O
430	CM	130	CM	68 LEVEL CM	4755,9352 litre	20,832 %	18074,0186 litre	O
430	CM	130	CM	67 LEVEL CM	4657,9041 litre	20,403 %	18172,0497 litre	O
430	CM	130	CM	66 LEVEL CM	4560,3495 litre	19,975 %	18269,6043 litre	O
430	CM	130	CM	65 LEVEL CM	4463,2813 litre	19,550 %	18366,6725 litre	O
430	CM	130	CM	64 LEVEL CM	4366,7096 litre	19,127 %	18463,2442 litre	O
430	CM	130	CM	63 LEVEL CM	4270,6447 litre	18,706 %	18559,3091 litre	O
430	CM	130	CM	62 LEVEL CM	4175,0971 litre	18,288 %	18654,8567 litre	O
430	CM	130	CM	61 LEVEL CM	4080,0773 litre	17,872 %	18749,8765 litre	O
430	CM	130	CM	60 LEVEL CM	3985,5961 litre	17,458 %	18844,3577 litre	O
430	CM	130	CM	59 LEVEL CM	3891,6644 litre	17,046 %	18938,2894 litre	O
430	CM	130	CM	58 LEVEL CM	3798,2935 litre	16,637 %	19031,6603 litre	O
430	CM	130	CM	57 LEVEL CM	3705,4946 litre	16,231 %	19124,4592 litre	O
430	CM	130	CM	56 LEVEL CM	3613,2794 litre	15,827 %	19216,6744 litre	O
430	CM	130	CM	55 LEVEL CM	3521,6596 litre	15,426 %	19308,2942 litre	O
430	CM	130	CM	54 LEVEL CM	3430,6473 litre	15,027 %	19399,3065 litre	O
430	CM	130	CM	53 LEVEL CM	3340,2547 litre	14,631 %	19489,6991 litre	O
430	CM	130	CM	52 LEVEL CM	3250,4943 litre	14,238 %	19579,4595 litre	O
430	CM	130	CM	51 LEVEL CM	3161,3790 litre	13,848 %	19668,5748 litre	O
430	CM	130	CM	50 LEVEL CM	3072,9218 litre	13,460 %	19757,0320 litre	O

430	CM	130	CM	49 LEVEL CM	2985,1360 litre	13,076 %	19844,8178 litre	O
430	CM	130	CM	48 LEVEL CM	2898,0353 litre	12,694 %	19931,9185 litre	O
430	CM	130	CM	47 LEVEL CM	2811,6337 litre	12,316 %	20018,3201 litre	O
430	CM	130	CM	46 LEVEL CM	2725,9455 litre	11,940 %	20104,0083 litre	O
430	CM	130	CM	45 LEVEL CM	2640,9855 litre	11,568 %	20188,9683 litre	O
430	CM	130	CM	44 LEVEL CM	2556,7687 litre	11,199 %	20273,1851 litre	O
430	CM	130	CM	43 LEVEL CM	2473,3106 litre	10,834 %	20356,6432 litre	O
430	CM	130	CM	42 LEVEL CM	2390,6271 litre	10,471 %	20439,3267 litre	O
430	CM	130	CM	41 LEVEL CM	2308,7345 litre	10,113 %	20521,2193 litre	O
430	CM	130	CM	40 LEVEL CM	2227,6497 litre	9,758 %	20602,3041 litre	O
430	CM	130	CM	39 LEVEL CM	2147,3901 litre	9,406 %	20682,5637 litre	O
430	CM	130	CM	38 LEVEL CM	2067,9734 litre	9,058 %	20761,9804 litre	O
430	CM	130	CM	37 LEVEL CM	1989,4183 litre	8,714 %	20840,5355 litre	O
430	CM	130	CM	36 LEVEL CM	1911,7437 litre	8,374 %	20918,2101 litre	O
430	CM	130	CM	35 LEVEL CM	1834,9694 litre	8,038 %	20994,9844 litre	O
430	CM	130	CM	34 LEVEL CM	1759,1158 litre	7,705 %	21070,8380 litre	O
430	CM	130	CM	33 LEVEL CM	1684,2041 litre	7,377 %	21145,7497 litre	O
430	CM	130	CM	32 LEVEL CM	1610,2563 litre	7,053 %	21219,6975 litre	O
430	CM	130	CM	31 LEVEL CM	1537,2952 litre	6,734 %	21292,6586 litre	O
430	CM	130	CM	30 LEVEL CM	1465,3448 litre	6,419 %	21364,6090 litre	O
430	CM	130	CM	29 LEVEL CM	1394,4298 litre	6,108 %	21435,5240 litre	O
430	CM	130	CM	28 LEVEL CM	1324,5761 litre	5,802 %	21505,3777 litre	O
430	CM	130	CM	27 LEVEL CM	1255,8109 litre	5,501 %	21574,1429 litre	O
430	CM	130	CM	26 LEVEL CM	1188,1626 litre	5,204 %	21641,7912 litre	O
430	CM	130	CM	25 LEVEL CM	1121,6611 litre	4,913 %	21708,2927 litre	O
430	CM	130	CM	24 LEVEL CM	1056,3378 litre	4,627 %	21773,6160 litre	O
430	CM	130	CM	23 LEVEL CM	992,2260 litre	4,346 %	21837,7278 litre	O
430	CM	130	CM	22 LEVEL CM	929,3607 litre	4,071 %	21900,5931 litre	O
430	CM	130	CM	21 LEVEL CM	867,7792 litre	3,801 %	21962,1746 litre	O
430	CM	130	CM	20 LEVEL CM	807,5211 litre	3,537 %	22022,4327 litre	O
430	CM	130	CM	19 LEVEL CM	748,6287 litre	3,279 %	22081,3251 litre	O
430	CM	130	CM	18 LEVEL CM	691,1473 litre	3,027 %	22138,8065 litre	O
430	CM	130	CM	17 LEVEL CM	635,1256 litre	2,782 %	22194,8282 litre	O
430	CM	130	CM	16 LEVEL CM	580,6162 litre	2,543 %	22249,3376 litre	O
430	CM	130	CM	15 LEVEL CM	527,6764 litre	2,311 %	22302,2774 litre	O
430	CM	130	CM	14 LEVEL CM	476,3685 litre	2,087 %	22353,5853 litre	O
430	CM	130	CM	13 LEVEL CM	426,7612 litre	1,869 %	22403,1926 litre	O
430	CM	130	CM	12 LEVEL CM	378,9302 litre	1,660 %	22451,0236 litre	O
430	CM	130	CM	11 LEVEL CM	332,9604 litre	1,458 %	22496,9934 litre	O
430	CM	130	CM	10 LEVEL CM	288,9471 litre	1,266 %	22541,0067 litre	O
430	CM	130	CM	9 LEVEL CM	246,9992 litre	1,082 %	22582,9546 litre	O
430	CM	130	CM	8 LEVEL CM	207,2425 litre	0,908 %	22622,7113 litre	O
430	CM	130	CM	7 LEVEL CM	169,8250 litre	0,744 %	22660,1288 litre	O
430	CM	130	CM	6 LEVEL CM	134,9246 litre	0,591 %	22695,0292 litre	O
430	CM	130	CM	5 LEVEL CM	102,7608 litre	0,450 %	22727,1930 litre	O
430	CM	130	CM	4 LEVEL CM	73,6155 litre	0,322 %	22756,3383 litre	O
430	CM	130	CM	3 LEVEL CM	47,8704 litre	0,210 %	22782,0834 litre	O
430	CM	130	CM	2 LEVEL CM	26,0876 litre	0,114 %	22803,8662 litre	O
430	CM	130	CM	1 LEVEL CM	9,2340 litre	0,040 %	22820,7198 litre	O
430	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	22829,9538 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM	125	CM 250 LEVEL CM	21107,5756 litre	100,000 %	0,0000 litre	O
430	CM	125	CM 249 LEVEL CM	21098,5213 litre	99,957 %	9,0543 litre	O
430	CM	125	CM 248 LEVEL CM	21081,9970 litre	99,879 %	25,5786 litre	O
430	CM	125	CM 247 LEVEL CM	21060,6414 litre	99,778 %	46,9342 litre	O
430	CM	125	CM 246 LEVEL CM	21035,4032 litre	99,658 %	72,1724 litre	O
430	CM	125	CM 245 LEVEL CM	21006,8340 litre	99,523 %	100,7416 litre	O
430	CM	125	CM 244 LEVEL CM	20975,3084 litre	99,373 %	132,2672 litre	O
430	CM	125	CM 243 LEVEL CM	20941,1033 litre	99,211 %	166,4723 litre	O
430	CM	125	CM 242 LEVEL CM	20904,4342 litre	99,038 %	203,1414 litre	O
430	CM	125	CM 241 LEVEL CM	20865,4760 litre	98,853 %	242,0996 litre	O
430	CM	125	CM 240 LEVEL CM	20824,3739 litre	98,658 %	283,2017 litre	O
430	CM	125	CM 239 LEVEL CM	20781,2517 litre	98,454 %	326,3239 litre	O
430	CM	125	CM 238 LEVEL CM	20736,2163 litre	98,241 %	371,3593 litre	O
430	CM	125	CM 237 LEVEL CM	20689,3616 litre	98,019 %	418,2140 litre	O
430	CM	125	CM 236 LEVEL CM	20640,7709 litre	97,788 %	466,8047 litre	O
430	CM	125	CM 235 LEVEL CM	20590,5189 litre	97,550 %	517,0567 litre	O
430	CM	125	CM 234 LEVEL CM	20538,6730 litre	97,305 %	568,9026 litre	O
430	CM	125	CM 233 LEVEL CM	20485,2947 litre	97,052 %	622,2809 litre	O
430	CM	125	CM 232 LEVEL CM	20430,4402 litre	96,792 %	677,1354 litre	O
430	CM	125	CM 231 LEVEL CM	20374,1615 litre	96,525 %	733,4141 litre	O
430	CM	125	CM 230 LEVEL CM	20316,5065 litre	96,252 %	791,0691 litre	O
430	CM	125	CM 229 LEVEL CM	20257,5198 litre	95,973 %	850,0558 litre	O
430	CM	125	CM 228 LEVEL CM	20197,2431 litre	95,687 %	910,3325 litre	O
430	CM	125	CM 227 LEVEL CM	20135,7156 litre	95,396 %	971,8600 litre	O
430	CM	125	CM 226 LEVEL CM	20072,9739 litre	95,098 %	1034,6017 litre	O
430	CM	125	CM 225 LEVEL CM	20009,0526 litre	94,796 %	1098,5230 litre	O
430	CM	125	CM 224 LEVEL CM	19943,9845 litre	94,487 %	1163,5911 litre	O
430	CM	125	CM 223 LEVEL CM	19877,8006 litre	94,174 %	1229,7750 litre	O
430	CM	125	CM 222 LEVEL CM	19810,5305 litre	93,855 %	1297,0451 litre	O
430	CM	125	CM 221 LEVEL CM	19742,2022 litre	93,531 %	1365,3734 litre	O
430	CM	125	CM 220 LEVEL CM	19672,8425 litre	93,203 %	1434,7331 litre	O
430	CM	125	CM 219 LEVEL CM	19602,4771 litre	92,869 %	1505,0985 litre	O
430	CM	125	CM 218 LEVEL CM	19531,1304 litre	92,531 %	1576,4452 litre	O
430	CM	125	CM 217 LEVEL CM	19458,8261 litre	92,189 %	1648,7495 litre	O
430	CM	125	CM 216 LEVEL CM	19385,5868 litre	91,842 %	1721,9888 litre	O
430	CM	125	CM 215 LEVEL CM	19311,4342 litre	91,491 %	1796,1414 litre	O
430	CM	125	CM 214 LEVEL CM	19236,3892 litre	91,135 %	1871,1864 litre	O
430	CM	125	CM 213 LEVEL CM	19160,4722 litre	90,775 %	1947,1034 litre	O
430	CM	125	CM 212 LEVEL CM	19083,7027 litre	90,412 %	2023,8729 litre	O
430	CM	125	CM 211 LEVEL CM	19006,0994 litre	90,044 %	2101,4762 litre	O
430	CM	125	CM 210 LEVEL CM	18927,6809 litre	89,672 %	2179,8947 litre	O
430	CM	125	CM 209 LEVEL CM	18848,4646 litre	89,297 %	2259,1110 litre	O
430	CM	125	CM 208 LEVEL CM	18768,4680 litre	88,918 %	2339,1076 litre	O
430	CM	125	CM 207 LEVEL CM	18687,7076 litre	88,536 %	2419,8680 litre	O
430	CM	125	CM 206 LEVEL CM	18606,1997 litre	88,149 %	2501,3759 litre	O
430	CM	125	CM 205 LEVEL CM	18523,9601 litre	87,760 %	2583,6155 litre	O
430	CM	125	CM 204 LEVEL CM	18441,0042 litre	87,367 %	2666,5714 litre	O
430	CM	125	CM 203 LEVEL CM	18357,3469 litre	86,970 %	2750,2287 litre	O
430	CM	125	CM 202 LEVEL CM	18273,0028 litre	86,571 %	2834,5728 litre	O
430	CM	125	CM 201 LEVEL CM	18187,9861 litre	86,168 %	2919,5895 litre	O
430	CM	125	CM 200 LEVEL CM	18102,3109 litre	85,762 %	3005,2647 litre	O
430	CM	125	CM 199 LEVEL CM	18015,9906 litre	85,353 %	3091,5850 litre	O

430	CM	125	CM	198 LEVEL CM	17929,0386 litre	84,941 %	3178,5370 litre	O
430	CM	125	CM	197 LEVEL CM	17841,4679 litre	84,526 %	3266,1077 litre	O
430	CM	125	CM	196 LEVEL CM	17753,2911 litre	84,109 %	3354,2845 litre	O
430	CM	125	CM	195 LEVEL CM	17664,5208 litre	83,688 %	3443,0548 litre	O
430	CM	125	CM	194 LEVEL CM	17575,1693 litre	83,265 %	3532,4063 litre	O
430	CM	125	CM	193 LEVEL CM	17485,2483 litre	82,839 %	3622,3273 litre	O
430	CM	125	CM	192 LEVEL CM	17394,7698 litre	82,410 %	3712,8058 litre	O
430	CM	125	CM	191 LEVEL CM	17303,7453 litre	81,979 %	3803,8303 litre	O
430	CM	125	CM	190 LEVEL CM	17212,1860 litre	81,545 %	3895,3896 litre	O
430	CM	125	CM	189 LEVEL CM	17120,1032 litre	81,109 %	3987,4724 litre	O
430	CM	125	CM	188 LEVEL CM	17027,5078 litre	80,670 %	4080,0678 litre	O
430	CM	125	CM	187 LEVEL CM	16934,4105 litre	80,229 %	4173,1651 litre	O
430	CM	125	CM	186 LEVEL CM	16840,8219 litre	79,786 %	4266,7537 litre	O
430	CM	125	CM	185 LEVEL CM	16746,7525 litre	79,340 %	4360,8231 litre	O
430	CM	125	CM	184 LEVEL CM	16652,2126 litre	78,892 %	4455,3630 litre	O
430	CM	125	CM	183 LEVEL CM	16557,2122 litre	78,442 %	4550,3634 litre	O
430	CM	125	CM	182 LEVEL CM	16461,7613 litre	77,990 %	4645,8143 litre	O
430	CM	125	CM	181 LEVEL CM	16365,8698 litre	77,536 %	4741,7058 litre	O
430	CM	125	CM	180 LEVEL CM	16269,5473 litre	77,079 %	4838,0283 litre	O
430	CM	125	CM	179 LEVEL CM	16172,8035 litre	76,621 %	4934,7721 litre	O
430	CM	125	CM	178 LEVEL CM	16075,6476 litre	76,161 %	5031,9280 litre	O
430	CM	125	CM	177 LEVEL CM	15978,0892 litre	75,698 %	5129,4864 litre	O
430	CM	125	CM	176 LEVEL CM	15880,1373 litre	75,234 %	5227,4383 litre	O
430	CM	125	CM	175 LEVEL CM	15781,8011 litre	74,768 %	5325,7745 litre	O
430	CM	125	CM	174 LEVEL CM	15683,0895 litre	74,301 %	5424,4861 litre	O
430	CM	125	CM	173 LEVEL CM	15584,0115 litre	73,831 %	5523,5641 litre	O
430	CM	125	CM	172 LEVEL CM	15484,5758 litre	73,360 %	5622,9998 litre	O
430	CM	125	CM	171 LEVEL CM	15384,7911 litre	72,888 %	5722,7845 litre	O
430	CM	125	CM	170 LEVEL CM	15284,6661 litre	72,413 %	5822,9095 litre	O
430	CM	125	CM	169 LEVEL CM	15184,2092 litre	71,937 %	5923,3664 litre	O
430	CM	125	CM	168 LEVEL CM	15083,4289 litre	71,460 %	6024,1467 litre	O
430	CM	125	CM	167 LEVEL CM	14982,3335 litre	70,981 %	6125,2421 litre	O
430	CM	125	CM	166 LEVEL CM	14880,9313 litre	70,500 %	6226,6443 litre	O
430	CM	125	CM	165 LEVEL CM	14779,2305 litre	70,019 %	6328,3451 litre	O
430	CM	125	CM	164 LEVEL CM	14677,2393 litre	69,535 %	6430,3363 litre	O
430	CM	125	CM	163 LEVEL CM	14574,9656 litre	69,051 %	6532,6100 litre	O
430	CM	125	CM	162 LEVEL CM	14472,4174 litre	68,565 %	6635,1582 litre	O
430	CM	125	CM	161 LEVEL CM	14369,6028 litre	68,078 %	6737,9728 litre	O
430	CM	125	CM	160 LEVEL CM	14266,5295 litre	67,590 %	6841,0461 litre	O
430	CM	125	CM	159 LEVEL CM	14163,2054 litre	67,100 %	6944,3702 litre	O
430	CM	125	CM	158 LEVEL CM	14059,6382 litre	66,609 %	7047,9374 litre	O
430	CM	125	CM	157 LEVEL CM	13955,8355 litre	66,118 %	7151,7401 litre	O
430	CM	125	CM	156 LEVEL CM	13851,8052 litre	65,625 %	7255,7704 litre	O
430	CM	125	CM	155 LEVEL CM	13747,5547 litre	65,131 %	7360,0209 litre	O
430	CM	125	CM	154 LEVEL CM	13643,0915 litre	64,636 %	7464,4841 litre	O
430	CM	125	CM	153 LEVEL CM	13538,4233 litre	64,140 %	7569,1523 litre	O
430	CM	125	CM	152 LEVEL CM	13433,5573 litre	63,643 %	7674,0183 litre	O
430	CM	125	CM	151 LEVEL CM	13328,5012 litre	63,146 %	7779,0744 litre	O
430	CM	125	CM	150 LEVEL CM	13223,2621 litre	62,647 %	7884,3135 litre	O
430	CM	125	CM	149 LEVEL CM	13117,8475 litre	62,148 %	7989,7281 litre	O
430	CM	125	CM	148 LEVEL CM	13012,2646 litre	61,647 %	8095,3110 litre	O
430	CM	125	CM	147 LEVEL CM	12906,5207 litre	61,146 %	8201,0549 litre	O
430	CM	125	CM	146 LEVEL CM	12800,6231 litre	60,645 %	8306,9525 litre	O

430	CM	125	CM	145 LEVEL CM	12694,5789 litre	60,142 %	8412,9967 litre	O
430	CM	125	CM	144 LEVEL CM	12588,3953 litre	59,639 %	8519,1803 litre	O
430	CM	125	CM	143 LEVEL CM	12482,0795 litre	59,136 %	8625,4961 litre	O
430	CM	125	CM	142 LEVEL CM	12375,6385 litre	58,631 %	8731,9371 litre	O
430	CM	125	CM	141 LEVEL CM	12269,0795 litre	58,126 %	8838,4961 litre	O
430	CM	125	CM	140 LEVEL CM	12162,4094 litre	57,621 %	8945,1662 litre	O
430	CM	125	CM	139 LEVEL CM	12055,6354 litre	57,115 %	9051,9402 litre	O
430	CM	125	CM	138 LEVEL CM	11948,7645 litre	56,609 %	9158,8111 litre	O
430	CM	125	CM	137 LEVEL CM	11841,8036 litre	56,102 %	9265,7720 litre	O
430	CM	125	CM	136 LEVEL CM	11734,7598 litre	55,595 %	9372,8158 litre	O
430	CM	125	CM	135 LEVEL CM	11627,6401 litre	55,088 %	9479,9355 litre	O
430	CM	125	CM	134 LEVEL CM	11520,4512 litre	54,580 %	9587,1244 litre	O
430	CM	125	CM	133 LEVEL CM	11413,2004 litre	54,072 %	9694,3752 litre	O
430	CM	125	CM	132 LEVEL CM	11305,8943 litre	53,563 %	9801,6813 litre	O
430	CM	125	CM	131 LEVEL CM	11198,5401 litre	53,055 %	9909,0355 litre	O
430	CM	125	CM	130 LEVEL CM	11091,1445 litre	52,546 %	10016,4311 litre	O
430	CM	125	CM	129 LEVEL CM	10983,7144 litre	52,037 %	10123,8612 litre	O
430	CM	125	CM	128 LEVEL CM	10876,2569 litre	51,528 %	10231,3187 litre	O
430	CM	125	CM	127 LEVEL CM	10768,7786 litre	51,019 %	10338,7970 litre	O
430	CM	125	CM	126 LEVEL CM	10661,2867 litre	50,509 %	10446,2889 litre	O
430	CM	125	CM	125 LEVEL CM	10553,7878 litre	50,000 %	10553,7878 litre	O
430	CM	125	CM	124 LEVEL CM	10446,2890 litre	49,491 %	10661,2866 litre	O
430	CM	125	CM	123 LEVEL CM	10338,7970 litre	48,981 %	10768,7786 litre	O
430	CM	125	CM	122 LEVEL CM	10231,3188 litre	48,472 %	10876,2568 litre	O
430	CM	125	CM	121 LEVEL CM	10123,8612 litre	47,963 %	10983,7144 litre	O
430	CM	125	CM	120 LEVEL CM	10016,4312 litre	47,454 %	11091,1444 litre	O
430	CM	125	CM	119 LEVEL CM	9909,0356 litre	46,945 %	11198,5400 litre	O
430	CM	125	CM	118 LEVEL CM	9801,6813 litre	46,437 %	11305,8943 litre	O
430	CM	125	CM	117 LEVEL CM	9694,3753 litre	45,928 %	11413,2003 litre	O
430	CM	125	CM	116 LEVEL CM	9587,1244 litre	45,420 %	11520,4512 litre	O
430	CM	125	CM	115 LEVEL CM	9479,9356 litre	44,912 %	11627,6400 litre	O
430	CM	125	CM	114 LEVEL CM	9372,8158 litre	44,405 %	11734,7598 litre	O
430	CM	125	CM	113 LEVEL CM	9265,7720 litre	43,898 %	11841,8036 litre	O
430	CM	125	CM	112 LEVEL CM	9158,8112 litre	43,391 %	11948,7644 litre	O
430	CM	125	CM	111 LEVEL CM	9051,9402 litre	42,885 %	12055,6354 litre	O
430	CM	125	CM	110 LEVEL CM	8945,1662 litre	42,379 %	12162,4094 litre	O
430	CM	125	CM	109 LEVEL CM	8838,4962 litre	41,874 %	12269,0794 litre	O
430	CM	125	CM	108 LEVEL CM	8731,9371 litre	41,369 %	12375,6385 litre	O
430	CM	125	CM	107 LEVEL CM	8625,4961 litre	40,864 %	12482,0795 litre	O
430	CM	125	CM	106 LEVEL CM	8519,1803 litre	40,361 %	12588,3953 litre	O
430	CM	125	CM	105 LEVEL CM	8412,9967 litre	39,858 %	12694,5789 litre	O
430	CM	125	CM	104 LEVEL CM	8306,9525 litre	39,355 %	12800,6231 litre	O
430	CM	125	CM	103 LEVEL CM	8201,0549 litre	38,854 %	12906,5207 litre	O
430	CM	125	CM	102 LEVEL CM	8095,3110 litre	38,353 %	13012,2646 litre	O
430	CM	125	CM	101 LEVEL CM	7989,7282 litre	37,852 %	13117,8474 litre	O
430	CM	125	CM	100 LEVEL CM	7884,3136 litre	37,353 %	13223,2620 litre	O
430	CM	125	CM	99 LEVEL CM	7779,0745 litre	36,854 %	13328,5011 litre	O
430	CM	125	CM	98 LEVEL CM	7674,0183 litre	36,357 %	13433,5573 litre	O
430	CM	125	CM	97 LEVEL CM	7569,1524 litre	35,860 %	13538,4232 litre	O
430	CM	125	CM	96 LEVEL CM	7464,4841 litre	35,364 %	13643,0915 litre	O
430	CM	125	CM	95 LEVEL CM	7360,0210 litre	34,869 %	13747,5546 litre	O
430	CM	125	CM	94 LEVEL CM	7255,7705 litre	34,375 %	13851,8051 litre	O
430	CM	125	CM	93 LEVEL CM	7151,7401 litre	33,882 %	13955,8355 litre	O

430	CM	125	CM	92 LEVEL CM	7047,9375 litre	33,391 %	14059,6381 litre	O
430	CM	125	CM	91 LEVEL CM	6944,3703 litre	32,900 %	14163,2053 litre	O
430	CM	125	CM	90 LEVEL CM	6841,0461 litre	32,410 %	14266,5295 litre	O
430	CM	125	CM	89 LEVEL CM	6737,9729 litre	31,922 %	14369,6027 litre	O
430	CM	125	CM	88 LEVEL CM	6635,1582 litre	31,435 %	14472,4174 litre	O
430	CM	125	CM	87 LEVEL CM	6532,6101 litre	30,949 %	14574,9655 litre	O
430	CM	125	CM	86 LEVEL CM	6430,3364 litre	30,465 %	14677,2392 litre	O
430	CM	125	CM	85 LEVEL CM	6328,3451 litre	29,981 %	14779,2305 litre	O
430	CM	125	CM	84 LEVEL CM	6226,6443 litre	29,500 %	14880,9313 litre	O
430	CM	125	CM	83 LEVEL CM	6125,2421 litre	29,019 %	14982,3335 litre	O
430	CM	125	CM	82 LEVEL CM	6024,1467 litre	28,540 %	15083,4289 litre	O
430	CM	125	CM	81 LEVEL CM	5923,3664 litre	28,063 %	15184,2092 litre	O
430	CM	125	CM	80 LEVEL CM	5822,9095 litre	27,587 %	15284,6661 litre	O
430	CM	125	CM	79 LEVEL CM	5722,7845 litre	27,112 %	15384,7911 litre	O
430	CM	125	CM	78 LEVEL CM	5622,9998 litre	26,640 %	15484,5758 litre	O
430	CM	125	CM	77 LEVEL CM	5523,5642 litre	26,169 %	15584,0114 litre	O
430	CM	125	CM	76 LEVEL CM	5424,4861 litre	25,699 %	15683,0895 litre	O
430	CM	125	CM	75 LEVEL CM	5325,7746 litre	25,232 %	15781,8010 litre	O
430	CM	125	CM	74 LEVEL CM	5227,4384 litre	24,766 %	15880,1372 litre	O
430	CM	125	CM	73 LEVEL CM	5129,4865 litre	24,302 %	15978,0891 litre	O
430	CM	125	CM	72 LEVEL CM	5031,9280 litre	23,839 %	16075,6476 litre	O
430	CM	125	CM	71 LEVEL CM	4934,7722 litre	23,379 %	16172,8034 litre	O
430	CM	125	CM	70 LEVEL CM	4838,0283 litre	22,921 %	16269,5473 litre	O
430	CM	125	CM	69 LEVEL CM	4741,7058 litre	22,464 %	16365,8698 litre	O
430	CM	125	CM	68 LEVEL CM	4645,8143 litre	22,010 %	16461,7613 litre	O
430	CM	125	CM	67 LEVEL CM	4550,3634 litre	21,558 %	16557,2122 litre	O
430	CM	125	CM	66 LEVEL CM	4455,3630 litre	21,108 %	16652,2126 litre	O
430	CM	125	CM	65 LEVEL CM	4360,8231 litre	20,660 %	16746,7525 litre	O
430	CM	125	CM	64 LEVEL CM	4266,7537 litre	20,214 %	16840,8219 litre	O
430	CM	125	CM	63 LEVEL CM	4173,1652 litre	19,771 %	16934,4104 litre	O
430	CM	125	CM	62 LEVEL CM	4080,0679 litre	19,330 %	17027,5077 litre	O
430	CM	125	CM	61 LEVEL CM	3987,4724 litre	18,891 %	17120,1032 litre	O
430	CM	125	CM	60 LEVEL CM	3895,3896 litre	18,455 %	17212,1860 litre	O
430	CM	125	CM	59 LEVEL CM	3803,8304 litre	18,021 %	17303,7452 litre	O
430	CM	125	CM	58 LEVEL CM	3712,8058 litre	17,590 %	17394,7698 litre	O
430	CM	125	CM	57 LEVEL CM	3622,3273 litre	17,161 %	17485,2483 litre	O
430	CM	125	CM	56 LEVEL CM	3532,4064 litre	16,735 %	17575,1692 litre	O
430	CM	125	CM	55 LEVEL CM	3443,0548 litre	16,312 %	17664,5208 litre	O
430	CM	125	CM	54 LEVEL CM	3354,2845 litre	15,891 %	17753,2911 litre	O
430	CM	125	CM	53 LEVEL CM	3266,1078 litre	15,474 %	17841,4678 litre	O
430	CM	125	CM	52 LEVEL CM	3178,5370 litre	15,059 %	17929,0386 litre	O
430	CM	125	CM	51 LEVEL CM	3091,5850 litre	14,647 %	18015,9906 litre	O
430	CM	125	CM	50 LEVEL CM	3005,2647 litre	14,238 %	18102,3109 litre	O
430	CM	125	CM	49 LEVEL CM	2919,5895 litre	13,832 %	18187,9861 litre	O
430	CM	125	CM	48 LEVEL CM	2834,5729 litre	13,429 %	18273,0027 litre	O
430	CM	125	CM	47 LEVEL CM	2750,2288 litre	13,030 %	18357,3468 litre	O
430	CM	125	CM	46 LEVEL CM	2666,5714 litre	12,633 %	18441,0042 litre	O
430	CM	125	CM	45 LEVEL CM	2583,6155 litre	12,240 %	18523,9601 litre	O
430	CM	125	CM	44 LEVEL CM	2501,3759 litre	11,851 %	18606,1997 litre	O
430	CM	125	CM	43 LEVEL CM	2419,8680 litre	11,464 %	18687,7076 litre	O
430	CM	125	CM	42 LEVEL CM	2339,1076 litre	11,082 %	18768,4680 litre	O
430	CM	125	CM	41 LEVEL CM	2259,1110 litre	10,703 %	18848,4646 litre	O
430	CM	125	CM	40 LEVEL CM	2179,8948 litre	10,328 %	18927,6808 litre	O

430	CM	125	CM	39 LEVEL CM	2101,4762 litre	9,956 %	19006,0994 litre	O
430	CM	125	CM	38 LEVEL CM	2023,8730 litre	9,588 %	19083,7026 litre	O
430	CM	125	CM	37 LEVEL CM	1947,1034 litre	9,225 %	19160,4722 litre	O
430	CM	125	CM	36 LEVEL CM	1871,1864 litre	8,865 %	19236,3892 litre	O
430	CM	125	CM	35 LEVEL CM	1796,1415 litre	8,509 %	19311,4341 litre	O
430	CM	125	CM	34 LEVEL CM	1721,9888 litre	8,158 %	19385,5868 litre	O
430	CM	125	CM	33 LEVEL CM	1648,7495 litre	7,811 %	19458,8261 litre	O
430	CM	125	CM	32 LEVEL CM	1576,4452 litre	7,469 %	19531,1304 litre	O
430	CM	125	CM	31 LEVEL CM	1505,0986 litre	7,131 %	19602,4770 litre	O
430	CM	125	CM	30 LEVEL CM	1434,7331 litre	6,797 %	19672,8425 litre	O
430	CM	125	CM	29 LEVEL CM	1365,3735 litre	6,469 %	19742,2021 litre	O
430	CM	125	CM	28 LEVEL CM	1297,0452 litre	6,145 %	19810,5304 litre	O
430	CM	125	CM	27 LEVEL CM	1229,7750 litre	5,826 %	19877,8006 litre	O
430	CM	125	CM	26 LEVEL CM	1163,5912 litre	5,513 %	19943,9844 litre	O
430	CM	125	CM	25 LEVEL CM	1098,5231 litre	5,204 %	20009,0525 litre	O
430	CM	125	CM	24 LEVEL CM	1034,6018 litre	4,902 %	20072,9738 litre	O
430	CM	125	CM	23 LEVEL CM	971,8601 litre	4,604 %	20135,7155 litre	O
430	CM	125	CM	22 LEVEL CM	910,3325 litre	4,313 %	20197,2431 litre	O
430	CM	125	CM	21 LEVEL CM	850,0559 litre	4,027 %	20257,5197 litre	O
430	CM	125	CM	20 LEVEL CM	791,0692 litre	3,748 %	20316,5064 litre	O
430	CM	125	CM	19 LEVEL CM	733,4142 litre	3,475 %	20374,1614 litre	O
430	CM	125	CM	18 LEVEL CM	677,1354 litre	3,208 %	20430,4402 litre	O
430	CM	125	CM	17 LEVEL CM	622,2810 litre	2,948 %	20485,2946 litre	O
430	CM	125	CM	16 LEVEL CM	568,9026 litre	2,695 %	20538,6730 litre	O
430	CM	125	CM	15 LEVEL CM	517,0568 litre	2,450 %	20590,5188 litre	O
430	CM	125	CM	14 LEVEL CM	466,8047 litre	2,212 %	20640,7709 litre	O
430	CM	125	CM	13 LEVEL CM	418,2140 litre	1,981 %	20689,3616 litre	O
430	CM	125	CM	12 LEVEL CM	371,3593 litre	1,759 %	20736,2163 litre	O
430	CM	125	CM	11 LEVEL CM	326,3239 litre	1,546 %	20781,2517 litre	O
430	CM	125	CM	10 LEVEL CM	283,2017 litre	1,342 %	20824,3739 litre	O
430	CM	125	CM	9 LEVEL CM	242,0996 litre	1,147 %	20865,4760 litre	O
430	CM	125	CM	8 LEVEL CM	203,1414 litre	0,962 %	20904,4342 litre	O
430	CM	125	CM	7 LEVEL CM	166,4724 litre	0,789 %	20941,1032 litre	O
430	CM	125	CM	6 LEVEL CM	132,2672 litre	0,627 %	20975,3084 litre	O
430	CM	125	CM	5 LEVEL CM	100,7417 litre	0,477 %	21006,8339 litre	O
430	CM	125	CM	4 LEVEL CM	72,1725 litre	0,342 %	21035,4031 litre	O
430	CM	125	CM	3 LEVEL CM	46,9342 litre	0,222 %	21060,6414 litre	O
430	CM	125	CM	2 LEVEL CM	25,5786 litre	0,121 %	21081,9970 litre	O
430	CM	125	CM	1 LEVEL CM	9,0543 litre	0,043 %	21098,5213 litre	O
430	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	21107,5756 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 120	CM 240 LEVEL CM	19452,7417 litre	100,000 %	0,0000 litre	O
430	CM 120	CM 239 LEVEL CM	19443,8708 litre	99,954 %	8,8709 litre	O
430	CM 120	CM 238 LEVEL CM	19427,6824 litre	99,871 %	25,0593 litre	O
430	CM 120	CM 237 LEVEL CM	19406,7627 litre	99,764 %	45,9790 litre	O
430	CM 120	CM 236 LEVEL CM	19382,0417 litre	99,637 %	70,7000 litre	O
430	CM 120	CM 235 LEVEL CM	19354,0604 litre	99,493 %	98,6813 litre	O
430	CM 120	CM 234 LEVEL CM	19323,1863 litre	99,334 %	129,5554 litre	O
430	CM 120	CM 233 LEVEL CM	19289,6909 litre	99,162 %	163,0508 litre	O
430	CM 120	CM 232 LEVEL CM	19253,7859 litre	98,977 %	198,9558 litre	O
430	CM 120	CM 231 LEVEL CM	19215,6428 litre	98,781 %	237,0989 litre	O
430	CM 120	CM 230 LEVEL CM	19175,4044 litre	98,574 %	277,3373 litre	O
430	CM 120	CM 229 LEVEL CM	19133,1920 litre	98,357 %	319,5497 litre	O
430	CM 120	CM 228 LEVEL CM	19089,1109 litre	98,131 %	363,6308 litre	O
430	CM 120	CM 227 LEVEL CM	19043,2532 litre	97,895 %	409,4885 litre	O
430	CM 120	CM 226 LEVEL CM	18995,7009 litre	97,651 %	457,0408 litre	O
430	CM 120	CM 225 LEVEL CM	18946,5274 litre	97,398 %	506,2143 litre	O
430	CM 120	CM 224 LEVEL CM	18895,7990 litre	97,137 %	556,9427 litre	O
430	CM 120	CM 223 LEVEL CM	18843,5762 litre	96,868 %	609,1655 litre	O
430	CM 120	CM 222 LEVEL CM	18789,9144 litre	96,593 %	662,8273 litre	O
430	CM 120	CM 221 LEVEL CM	18734,8646 litre	96,310 %	717,8771 litre	O
430	CM 120	CM 220 LEVEL CM	18678,4741 litre	96,020 %	774,2676 litre	O
430	CM 120	CM 219 LEVEL CM	18620,7869 litre	95,723 %	831,9548 litre	O
430	CM 120	CM 218 LEVEL CM	18561,8440 litre	95,420 %	890,8977 litre	O
430	CM 120	CM 217 LEVEL CM	18501,6839 litre	95,111 %	951,0578 litre	O
430	CM 120	CM 216 LEVEL CM	18440,3428 litre	94,796 %	1012,3989 litre	O
430	CM 120	CM 215 LEVEL CM	18377,8550 litre	94,474 %	1074,8867 litre	O
430	CM 120	CM 214 LEVEL CM	18314,2526 litre	94,147 %	1138,4891 litre	O
430	CM 120	CM 213 LEVEL CM	18249,5663 litre	93,815 %	1203,1754 litre	O
430	CM 120	CM 212 LEVEL CM	18183,8252 litre	93,477 %	1268,9165 litre	O
430	CM 120	CM 211 LEVEL CM	18117,0572 litre	93,134 %	1335,6845 litre	O
430	CM 120	CM 210 LEVEL CM	18049,2885 litre	92,785 %	1403,4532 litre	O
430	CM 120	CM 209 LEVEL CM	17980,5446 litre	92,432 %	1472,1971 litre	O
430	CM 120	CM 208 LEVEL CM	17910,8498 litre	92,074 %	1541,8919 litre	O
430	CM 120	CM 207 LEVEL CM	17840,2272 litre	91,711 %	1612,5145 litre	O
430	CM 120	CM 206 LEVEL CM	17768,6993 litre	91,343 %	1684,0424 litre	O
430	CM 120	CM 205 LEVEL CM	17696,2876 litre	90,971 %	1756,4541 litre	O
430	CM 120	CM 204 LEVEL CM	17623,0129 litre	90,594 %	1829,7288 litre	O
430	CM 120	CM 203 LEVEL CM	17548,8951 litre	90,213 %	1903,8466 litre	O
430	CM 120	CM 202 LEVEL CM	17473,9537 litre	89,828 %	1978,7880 litre	O
430	CM 120	CM 201 LEVEL CM	17398,2073 litre	89,438 %	2054,5344 litre	O
430	CM 120	CM 200 LEVEL CM	17321,6740 litre	89,045 %	2131,0677 litre	O
430	CM 120	CM 199 LEVEL CM	17244,3716 litre	88,648 %	2208,3701 litre	O
430	CM 120	CM 198 LEVEL CM	17166,3169 litre	88,246 %	2286,4248 litre	O
430	CM 120	CM 197 LEVEL CM	17087,5266 litre	87,841 %	2365,2151 litre	O
430	CM 120	CM 196 LEVEL CM	17008,0168 litre	87,432 %	2444,7249 litre	O
430	CM 120	CM 195 LEVEL CM	16927,8031 litre	87,020 %	2524,9386 litre	O
430	CM 120	CM 194 LEVEL CM	16846,9008 litre	86,604 %	2605,8409 litre	O
430	CM 120	CM 193 LEVEL CM	16765,3249 litre	86,185 %	2687,4168 litre	O
430	CM 120	CM 192 LEVEL CM	16683,0897 litre	85,762 %	2769,6520 litre	O
430	CM 120	CM 191 LEVEL CM	16600,2095 litre	85,336 %	2852,5322 litre	O
430	CM 120	CM 190 LEVEL CM	16516,6982 litre	84,907 %	2936,0435 litre	O
430	CM 120	CM 189 LEVEL CM	16432,5691 litre	84,474 %	3020,1726 litre	O

430	CM	120	CM	188 LEVEL CM	16347,8357 litre	84,039 %	3104,9060 litre	O
430	CM	120	CM	187 LEVEL CM	16262,5107 litre	83,600 %	3190,2310 litre	O
430	CM	120	CM	186 LEVEL CM	16176,6070 litre	83,158 %	3276,1347 litre	O
430	CM	120	CM	185 LEVEL CM	16090,1368 litre	82,714 %	3362,6049 litre	O
430	CM	120	CM	184 LEVEL CM	16003,1125 litre	82,267 %	3449,6292 litre	O
430	CM	120	CM	183 LEVEL CM	15915,5460 litre	81,816 %	3537,1957 litre	O
430	CM	120	CM	182 LEVEL CM	15827,4489 litre	81,364 %	3625,2928 litre	O
430	CM	120	CM	181 LEVEL CM	15738,8328 litre	80,908 %	3713,9089 litre	O
430	CM	120	CM	180 LEVEL CM	15649,7091 litre	80,450 %	3803,0326 litre	O
430	CM	120	CM	179 LEVEL CM	15560,0889 litre	79,989 %	3892,6528 litre	O
430	CM	120	CM	178 LEVEL CM	15469,9830 litre	79,526 %	3982,7587 litre	O
430	CM	120	CM	177 LEVEL CM	15379,4024 litre	79,060 %	4073,3393 litre	O
430	CM	120	CM	176 LEVEL CM	15288,3575 litre	78,592 %	4164,3842 litre	O
430	CM	120	CM	175 LEVEL CM	15196,8588 litre	78,122 %	4255,8829 litre	O
430	CM	120	CM	174 LEVEL CM	15104,9166 litre	77,649 %	4347,8251 litre	O
430	CM	120	CM	173 LEVEL CM	15012,5410 litre	77,174 %	4440,2007 litre	O
430	CM	120	CM	172 LEVEL CM	14919,7421 litre	76,697 %	4532,9996 litre	O
430	CM	120	CM	171 LEVEL CM	14826,5297 litre	76,218 %	4626,2120 litre	O
430	CM	120	CM	170 LEVEL CM	14732,9134 litre	75,737 %	4719,8283 litre	O
430	CM	120	CM	169 LEVEL CM	14638,9030 litre	75,254 %	4813,8387 litre	O
430	CM	120	CM	168 LEVEL CM	14544,5079 litre	74,768 %	4908,2338 litre	O
430	CM	120	CM	167 LEVEL CM	14449,7374 litre	74,281 %	5003,0043 litre	O
430	CM	120	CM	166 LEVEL CM	14354,6008 litre	73,792 %	5098,1409 litre	O
430	CM	120	CM	165 LEVEL CM	14259,1073 litre	73,301 %	5193,6344 litre	O
430	CM	120	CM	164 LEVEL CM	14163,2659 litre	72,809 %	5289,4758 litre	O
430	CM	120	CM	163 LEVEL CM	14067,0855 litre	72,314 %	5385,6562 litre	O
430	CM	120	CM	162 LEVEL CM	13970,5751 litre	71,818 %	5482,1666 litre	O
430	CM	120	CM	161 LEVEL CM	13873,7433 litre	71,320 %	5578,9984 litre	O
430	CM	120	CM	160 LEVEL CM	13776,5989 litre	70,821 %	5676,1428 litre	O
430	CM	120	CM	159 LEVEL CM	13679,1504 litre	70,320 %	5773,5913 litre	O
430	CM	120	CM	158 LEVEL CM	13581,4063 litre	69,817 %	5871,3354 litre	O
430	CM	120	CM	157 LEVEL CM	13483,3751 litre	69,313 %	5969,3666 litre	O
430	CM	120	CM	156 LEVEL CM	13385,0652 litre	68,808 %	6067,6765 litre	O
430	CM	120	CM	155 LEVEL CM	13286,4848 litre	68,301 %	6166,2569 litre	O
430	CM	120	CM	154 LEVEL CM	13187,6422 litre	67,793 %	6265,0995 litre	O
430	CM	120	CM	153 LEVEL CM	13088,5455 litre	67,284 %	6364,1962 litre	O
430	CM	120	CM	152 LEVEL CM	12989,2028 litre	66,773 %	6463,5389 litre	O
430	CM	120	CM	151 LEVEL CM	12889,6222 litre	66,261 %	6563,1195 litre	O
430	CM	120	CM	150 LEVEL CM	12789,8116 litre	65,748 %	6662,9301 litre	O
430	CM	120	CM	149 LEVEL CM	12689,7789 litre	65,234 %	6762,9628 litre	O
430	CM	120	CM	148 LEVEL CM	12589,5320 litre	64,719 %	6863,2097 litre	O
430	CM	120	CM	147 LEVEL CM	12489,0788 litre	64,202 %	6963,6629 litre	O
430	CM	120	CM	146 LEVEL CM	12388,4269 litre	63,685 %	7064,3148 litre	O
430	CM	120	CM	145 LEVEL CM	12287,5842 litre	63,166 %	7165,1575 litre	O
430	CM	120	CM	144 LEVEL CM	12186,5583 litre	62,647 %	7266,1834 litre	O
430	CM	120	CM	143 LEVEL CM	12085,3569 litre	62,127 %	7367,3848 litre	O
430	CM	120	CM	142 LEVEL CM	11983,9875 litre	61,606 %	7468,7542 litre	O
430	CM	120	CM	141 LEVEL CM	11882,4577 litre	61,084 %	7570,2840 litre	O
430	CM	120	CM	140 LEVEL CM	11780,7751 litre	60,561 %	7671,9666 litre	O
430	CM	120	CM	139 LEVEL CM	11678,9471 litre	60,038 %	7773,7946 litre	O
430	CM	120	CM	138 LEVEL CM	11576,9812 litre	59,513 %	7875,7605 litre	O
430	CM	120	CM	137 LEVEL CM	11474,8848 litre	58,989 %	7977,8569 litre	O
430	CM	120	CM	136 LEVEL CM	11372,6653 litre	58,463 %	8080,0764 litre	O

430	CM	120	CM	135 LEVEL CM	11270,3301 litre	57,937 %	8182,4116 litre	O
430	CM	120	CM	134 LEVEL CM	11167,8866 litre	57,410 %	8284,8551 litre	O
430	CM	120	CM	133 LEVEL CM	11065,3420 litre	56,883 %	8387,3997 litre	O
430	CM	120	CM	132 LEVEL CM	10962,7037 litre	56,356 %	8490,0380 litre	O
430	CM	120	CM	131 LEVEL CM	10859,9790 litre	55,827 %	8592,7627 litre	O
430	CM	120	CM	130 LEVEL CM	10757,1752 litre	55,299 %	8695,5665 litre	O
430	CM	120	CM	129 LEVEL CM	10654,2994 litre	54,770 %	8798,4423 litre	O
430	CM	120	CM	128 LEVEL CM	10551,3589 litre	54,241 %	8901,3828 litre	O
430	CM	120	CM	127 LEVEL CM	10448,3610 litre	53,712 %	9004,3807 litre	O
430	CM	120	CM	126 LEVEL CM	10345,3128 litre	53,182 %	9107,4289 litre	O
430	CM	120	CM	125 LEVEL CM	10242,2215 litre	52,652 %	9210,5202 litre	O
430	CM	120	CM	124 LEVEL CM	10139,0944 litre	52,122 %	9313,6473 litre	O
430	CM	120	CM	123 LEVEL CM	10035,9386 litre	51,591 %	9416,8031 litre	O
430	CM	120	CM	122 LEVEL CM	9932,7613 litre	51,061 %	9519,9804 litre	O
430	CM	120	CM	121 LEVEL CM	9829,5697 litre	50,531 %	9623,1720 litre	O
430	CM	120	CM	120 LEVEL CM	9726,3709 litre	50,000 %	9726,3708 litre	O
430	CM	120	CM	119 LEVEL CM	9623,1720 litre	49,469 %	9829,5697 litre	O
430	CM	120	CM	118 LEVEL CM	9519,9804 litre	48,939 %	9932,7613 litre	O
430	CM	120	CM	117 LEVEL CM	9416,8031 litre	48,409 %	10035,9386 litre	O
430	CM	120	CM	116 LEVEL CM	9313,6473 litre	47,878 %	10139,0944 litre	O
430	CM	120	CM	115 LEVEL CM	9210,5202 litre	47,348 %	10242,2215 litre	O
430	CM	120	CM	114 LEVEL CM	9107,4290 litre	46,818 %	10345,3127 litre	O
430	CM	120	CM	113 LEVEL CM	9004,3808 litre	46,288 %	10448,3609 litre	O
430	CM	120	CM	112 LEVEL CM	8901,3828 litre	45,759 %	10551,3589 litre	O
430	CM	120	CM	111 LEVEL CM	8798,4423 litre	45,230 %	10654,2994 litre	O
430	CM	120	CM	110 LEVEL CM	8695,5665 litre	44,701 %	10757,1752 litre	O
430	CM	120	CM	109 LEVEL CM	8592,7627 litre	44,173 %	10859,9790 litre	O
430	CM	120	CM	108 LEVEL CM	8490,0380 litre	43,644 %	10962,7037 litre	O
430	CM	120	CM	107 LEVEL CM	8387,3997 litre	43,117 %	11065,3420 litre	O
430	CM	120	CM	106 LEVEL CM	8284,8551 litre	42,590 %	11167,8866 litre	O
430	CM	120	CM	105 LEVEL CM	8182,4116 litre	42,063 %	11270,3301 litre	O
430	CM	120	CM	104 LEVEL CM	8080,0764 litre	41,537 %	11372,6653 litre	O
430	CM	120	CM	103 LEVEL CM	7977,8570 litre	41,011 %	11474,8847 litre	O
430	CM	120	CM	102 LEVEL CM	7875,7606 litre	40,487 %	11576,9811 litre	O
430	CM	120	CM	101 LEVEL CM	7773,7946 litre	39,962 %	11678,9471 litre	O
430	CM	120	CM	100 LEVEL CM	7671,9666 litre	39,439 %	11780,7751 litre	O
430	CM	120	CM	99 LEVEL CM	7570,2840 litre	38,916 %	11882,4577 litre	O
430	CM	120	CM	98 LEVEL CM	7468,7542 litre	38,394 %	11983,9875 litre	O
430	CM	120	CM	97 LEVEL CM	7367,3848 litre	37,873 %	12085,3569 litre	O
430	CM	120	CM	96 LEVEL CM	7266,1834 litre	37,353 %	12186,5583 litre	O
430	CM	120	CM	95 LEVEL CM	7165,1575 litre	36,834 %	12287,5842 litre	O
430	CM	120	CM	94 LEVEL CM	7064,3148 litre	36,315 %	12388,4269 litre	O
430	CM	120	CM	93 LEVEL CM	6963,6629 litre	35,798 %	12489,0788 litre	O
430	CM	120	CM	92 LEVEL CM	6863,2097 litre	35,281 %	12589,5320 litre	O
430	CM	120	CM	91 LEVEL CM	6762,9628 litre	34,766 %	12689,7789 litre	O
430	CM	120	CM	90 LEVEL CM	6662,9302 litre	34,252 %	12789,8115 litre	O
430	CM	120	CM	89 LEVEL CM	6563,1195 litre	33,739 %	12889,6222 litre	O
430	CM	120	CM	88 LEVEL CM	6463,5389 litre	33,227 %	12989,2028 litre	O
430	CM	120	CM	87 LEVEL CM	6364,1962 litre	32,716 %	13088,5455 litre	O
430	CM	120	CM	86 LEVEL CM	6265,0995 litre	32,207 %	13187,6422 litre	O
430	CM	120	CM	85 LEVEL CM	6166,2569 litre	31,699 %	13286,4848 litre	O
430	CM	120	CM	84 LEVEL CM	6067,6765 litre	31,192 %	13385,0652 litre	O
430	CM	120	CM	83 LEVEL CM	5969,3666 litre	30,687 %	13483,3751 litre	O

430	CM	120	CM	82 LEVEL CM	5871,3354 litre	30,183 %	13581,4063 litre	O
430	CM	120	CM	81 LEVEL CM	5773,5913 litre	29,680 %	13679,1504 litre	O
430	CM	120	CM	80 LEVEL CM	5676,1429 litre	29,179 %	13776,5988 litre	O
430	CM	120	CM	79 LEVEL CM	5578,9984 litre	28,680 %	13873,7433 litre	O
430	CM	120	CM	78 LEVEL CM	5482,1666 litre	28,182 %	13970,5751 litre	O
430	CM	120	CM	77 LEVEL CM	5385,6562 litre	27,686 %	14067,0855 litre	O
430	CM	120	CM	76 LEVEL CM	5289,4758 litre	27,191 %	14163,2659 litre	O
430	CM	120	CM	75 LEVEL CM	5193,6344 litre	26,699 %	14259,1073 litre	O
430	CM	120	CM	74 LEVEL CM	5098,1409 litre	26,208 %	14354,6008 litre	O
430	CM	120	CM	73 LEVEL CM	5003,0043 litre	25,719 %	14449,7374 litre	O
430	CM	120	CM	72 LEVEL CM	4908,2338 litre	25,232 %	14544,5079 litre	O
430	CM	120	CM	71 LEVEL CM	4813,8387 litre	24,746 %	14638,9030 litre	O
430	CM	120	CM	70 LEVEL CM	4719,8283 litre	24,263 %	14732,9134 litre	O
430	CM	120	CM	69 LEVEL CM	4626,2120 litre	23,782 %	14826,5297 litre	O
430	CM	120	CM	68 LEVEL CM	4532,9996 litre	23,303 %	14919,7421 litre	O
430	CM	120	CM	67 LEVEL CM	4440,2007 litre	22,826 %	15012,5410 litre	O
430	CM	120	CM	66 LEVEL CM	4347,8251 litre	22,351 %	15104,9166 litre	O
430	CM	120	CM	65 LEVEL CM	4255,8829 litre	21,878 %	15196,8588 litre	O
430	CM	120	CM	64 LEVEL CM	4164,3842 litre	21,408 %	15288,3575 litre	O
430	CM	120	CM	63 LEVEL CM	4073,3393 litre	20,940 %	15379,4024 litre	O
430	CM	120	CM	62 LEVEL CM	3982,7587 litre	20,474 %	15469,9830 litre	O
430	CM	120	CM	61 LEVEL CM	3892,6528 litre	20,011 %	15560,0889 litre	O
430	CM	120	CM	60 LEVEL CM	3803,0326 litre	19,550 %	15649,7091 litre	O
430	CM	120	CM	59 LEVEL CM	3713,9089 litre	19,092 %	15738,8328 litre	O
430	CM	120	CM	58 LEVEL CM	3625,2928 litre	18,636 %	15827,4489 litre	O
430	CM	120	CM	57 LEVEL CM	3537,1958 litre	18,184 %	15915,5459 litre	O
430	CM	120	CM	56 LEVEL CM	3449,6292 litre	17,733 %	16003,1125 litre	O
430	CM	120	CM	55 LEVEL CM	3362,6049 litre	17,286 %	16090,1368 litre	O
430	CM	120	CM	54 LEVEL CM	3276,1347 litre	16,842 %	16176,6070 litre	O
430	CM	120	CM	53 LEVEL CM	3190,2310 litre	16,400 %	16262,5107 litre	O
430	CM	120	CM	52 LEVEL CM	3104,9060 litre	15,961 %	16347,8357 litre	O
430	CM	120	CM	51 LEVEL CM	3020,1726 litre	15,526 %	16432,5691 litre	O
430	CM	120	CM	50 LEVEL CM	2936,0435 litre	15,093 %	16516,6982 litre	O
430	CM	120	CM	49 LEVEL CM	2852,5322 litre	14,664 %	16600,2095 litre	O
430	CM	120	CM	48 LEVEL CM	2769,6520 litre	14,238 %	16683,0897 litre	O
430	CM	120	CM	47 LEVEL CM	2687,4168 litre	13,815 %	16765,3249 litre	O
430	CM	120	CM	46 LEVEL CM	2605,8409 litre	13,396 %	16846,9008 litre	O
430	CM	120	CM	45 LEVEL CM	2524,9386 litre	12,980 %	16927,8031 litre	O
430	CM	120	CM	44 LEVEL CM	2444,7250 litre	12,568 %	17008,0167 litre	O
430	CM	120	CM	43 LEVEL CM	2365,2151 litre	12,159 %	17087,5266 litre	O
430	CM	120	CM	42 LEVEL CM	2286,4248 litre	11,754 %	17166,3169 litre	O
430	CM	120	CM	41 LEVEL CM	2208,3702 litre	11,352 %	17244,3715 litre	O
430	CM	120	CM	40 LEVEL CM	2131,0677 litre	10,955 %	17321,6740 litre	O
430	CM	120	CM	39 LEVEL CM	2054,5344 litre	10,562 %	17398,2073 litre	O
430	CM	120	CM	38 LEVEL CM	1978,7880 litre	10,172 %	17473,9537 litre	O
430	CM	120	CM	37 LEVEL CM	1903,8466 litre	9,787 %	17548,8951 litre	O
430	CM	120	CM	36 LEVEL CM	1829,7288 litre	9,406 %	17623,0129 litre	O
430	CM	120	CM	35 LEVEL CM	1756,4541 litre	9,029 %	17696,2876 litre	O
430	CM	120	CM	34 LEVEL CM	1684,0424 litre	8,657 %	17768,6993 litre	O
430	CM	120	CM	33 LEVEL CM	1612,5145 litre	8,289 %	17840,2272 litre	O
430	CM	120	CM	32 LEVEL CM	1541,8919 litre	7,926 %	17910,8498 litre	O
430	CM	120	CM	31 LEVEL CM	1472,1971 litre	7,568 %	17980,5446 litre	O
430	CM	120	CM	30 LEVEL CM	1403,4532 litre	7,215 %	18049,2885 litre	O

430	CM	120	CM	29 LEVEL CM	1335,6846 litre	6,866 %	18117,0571 litre	O
430	CM	120	CM	28 LEVEL CM	1268,9165 litre	6,523 %	18183,8252 litre	O
430	CM	120	CM	27 LEVEL CM	1203,1754 litre	6,185 %	18249,5663 litre	O
430	CM	120	CM	26 LEVEL CM	1138,4891 litre	5,853 %	18314,2526 litre	O
430	CM	120	CM	25 LEVEL CM	1074,8867 litre	5,526 %	18377,8550 litre	O
430	CM	120	CM	24 LEVEL CM	1012,3989 litre	5,204 %	18440,3428 litre	O
430	CM	120	CM	23 LEVEL CM	951,0578 litre	4,889 %	18501,6839 litre	O
430	CM	120	CM	22 LEVEL CM	890,8977 litre	4,580 %	18561,8440 litre	O
430	CM	120	CM	21 LEVEL CM	831,9548 litre	4,277 %	18620,7869 litre	O
430	CM	120	CM	20 LEVEL CM	774,2676 litre	3,980 %	18678,4741 litre	O
430	CM	120	CM	19 LEVEL CM	717,8771 litre	3,690 %	18734,8646 litre	O
430	CM	120	CM	18 LEVEL CM	662,8273 litre	3,407 %	18789,9144 litre	O
430	CM	120	CM	17 LEVEL CM	609,1655 litre	3,132 %	18843,5762 litre	O
430	CM	120	CM	16 LEVEL CM	556,9427 litre	2,863 %	18895,7990 litre	O
430	CM	120	CM	15 LEVEL CM	506,2143 litre	2,602 %	18946,5274 litre	O
430	CM	120	CM	14 LEVEL CM	457,0408 litre	2,349 %	18995,7009 litre	O
430	CM	120	CM	13 LEVEL CM	409,4885 litre	2,105 %	19043,2532 litre	O
430	CM	120	CM	12 LEVEL CM	363,6308 litre	1,869 %	19089,1109 litre	O
430	CM	120	CM	11 LEVEL CM	319,5497 litre	1,643 %	19133,1920 litre	O
430	CM	120	CM	10 LEVEL CM	277,3373 litre	1,426 %	19175,4044 litre	O
430	CM	120	CM	9 LEVEL CM	237,0989 litre	1,219 %	19215,6428 litre	O
430	CM	120	CM	8 LEVEL CM	198,9558 litre	1,023 %	19253,7859 litre	O
430	CM	120	CM	7 LEVEL CM	163,0508 litre	0,838 %	19289,6909 litre	O
430	CM	120	CM	6 LEVEL CM	129,5554 litre	0,666 %	19323,1863 litre	O
430	CM	120	CM	5 LEVEL CM	98,6813 litre	0,507 %	19354,0604 litre	O
430	CM	120	CM	4 LEVEL CM	70,7000 litre	0,363 %	19382,0417 litre	O
430	CM	120	CM	3 LEVEL CM	45,9790 litre	0,236 %	19406,7627 litre	O
430	CM	120	CM	2 LEVEL CM	25,0593 litre	0,129 %	19427,6824 litre	O
430	CM	120	CM	1 LEVEL CM	8,8709 litre	0,046 %	19443,8708 litre	O
430	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	19452,7417 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM	115	CM 230 LEVEL CM	17865,4520 litre	100,000 %	0,0000 litre	O
430	CM	115	CM 229 LEVEL CM	17856,7683 litre	99,951 %	8,6837 litre	O
430	CM	115	CM 228 LEVEL CM	17840,9230 litre	99,863 %	24,5290 litre	O
430	CM	115	CM 227 LEVEL CM	17820,4485 litre	99,748 %	45,0035 litre	O
430	CM	115	CM 226 LEVEL CM	17796,2558 litre	99,613 %	69,1962 litre	O
430	CM	115	CM 225 LEVEL CM	17768,8751 litre	99,459 %	96,5769 litre	O
430	CM	115	CM 224 LEVEL CM	17738,6665 litre	99,290 %	126,7855 litre	O
430	CM	115	CM 223 LEVEL CM	17705,8962 litre	99,107 %	159,5558 litre	O
430	CM	115	CM 222 LEVEL CM	17670,7719 litre	98,910 %	194,6801 litre	O
430	CM	115	CM 221 LEVEL CM	17633,4617 litre	98,701 %	231,9903 litre	O
430	CM	115	CM 220 LEVEL CM	17594,1058 litre	98,481 %	271,3462 litre	O
430	CM	115	CM 219 LEVEL CM	17552,8234 litre	98,250 %	312,6286 litre	O
430	CM	115	CM 218 LEVEL CM	17509,7176 litre	98,009 %	355,7344 litre	O
430	CM	115	CM 217 LEVEL CM	17464,8791 litre	97,758 %	400,5729 litre	O
430	CM	115	CM 216 LEVEL CM	17418,3884 litre	97,498 %	447,0636 litre	O
430	CM	115	CM 215 LEVEL CM	17370,3176 litre	97,229 %	495,1344 litre	O
430	CM	115	CM 214 LEVEL CM	17320,7319 litre	96,951 %	544,7201 litre	O
430	CM	115	CM 213 LEVEL CM	17269,6908 litre	96,665 %	595,7612 litre	O
430	CM	115	CM 212 LEVEL CM	17217,2488 litre	96,372 %	648,2032 litre	O
430	CM	115	CM 211 LEVEL CM	17163,4560 litre	96,071 %	701,9960 litre	O
430	CM	115	CM 210 LEVEL CM	17108,3590 litre	95,762 %	757,0930 litre	O
430	CM	115	CM 209 LEVEL CM	17052,0012 litre	95,447 %	813,4508 litre	O
430	CM	115	CM 208 LEVEL CM	16994,4229 litre	95,125 %	871,0291 litre	O
430	CM	115	CM 207 LEVEL CM	16935,6621 litre	94,796 %	929,7899 litre	O
430	CM	115	CM 206 LEVEL CM	16875,7544 litre	94,460 %	989,6976 litre	O
430	CM	115	CM 205 LEVEL CM	16814,7336 litre	94,119 %	1050,7184 litre	O
430	CM	115	CM 204 LEVEL CM	16752,6315 litre	93,771 %	1112,8205 litre	O
430	CM	115	CM 203 LEVEL CM	16689,4783 litre	93,418 %	1175,9737 litre	O
430	CM	115	CM 202 LEVEL CM	16625,3028 litre	93,058 %	1240,1492 litre	O
430	CM	115	CM 201 LEVEL CM	16560,1323 litre	92,694 %	1305,3197 litre	O
430	CM	115	CM 200 LEVEL CM	16493,9929 litre	92,323 %	1371,4591 litre	O
430	CM	115	CM 199 LEVEL CM	16426,9098 litre	91,948 %	1438,5422 litre	O
430	CM	115	CM 198 LEVEL CM	16358,9068 litre	91,567 %	1506,5452 litre	O
430	CM	115	CM 197 LEVEL CM	16290,0070 litre	91,182 %	1575,4450 litre	O
430	CM	115	CM 196 LEVEL CM	16220,2326 litre	90,791 %	1645,2194 litre	O
430	CM	115	CM 195 LEVEL CM	16149,6047 litre	90,396 %	1715,8473 litre	O
430	CM	115	CM 194 LEVEL CM	16078,1440 litre	89,996 %	1787,3080 litre	O
430	CM	115	CM 193 LEVEL CM	16005,8702 litre	89,591 %	1859,5818 litre	O
430	CM	115	CM 192 LEVEL CM	15932,8026 litre	89,182 %	1932,6494 litre	O
430	CM	115	CM 191 LEVEL CM	15858,9597 litre	88,769 %	2006,4923 litre	O
430	CM	115	CM 190 LEVEL CM	15784,3595 litre	88,351 %	2081,0925 litre	O
430	CM	115	CM 189 LEVEL CM	15709,0193 litre	87,930 %	2156,4327 litre	O
430	CM	115	CM 188 LEVEL CM	15632,9562 litre	87,504 %	2232,4958 litre	O
430	CM	115	CM 187 LEVEL CM	15556,1865 litre	87,074 %	2309,2655 litre	O
430	CM	115	CM 186 LEVEL CM	15478,7262 litre	86,641 %	2386,7258 litre	O
430	CM	115	CM 185 LEVEL CM	15400,5910 litre	86,203 %	2464,8610 litre	O
430	CM	115	CM 184 LEVEL CM	15321,7959 litre	85,762 %	2543,6561 litre	O
430	CM	115	CM 183 LEVEL CM	15242,3559 litre	85,317 %	2623,0961 litre	O
430	CM	115	CM 182 LEVEL CM	15162,2852 litre	84,869 %	2703,1668 litre	O
430	CM	115	CM 181 LEVEL CM	15081,5980 litre	84,418 %	2783,8540 litre	O
430	CM	115	CM 180 LEVEL CM	15000,3081 litre	83,963 %	2865,1439 litre	O
430	CM	115	CM 179 LEVEL CM	14918,4289 litre	83,504 %	2947,0231 litre	O

430	CM 115	CM	178 LEVEL CM	14835,9737 litre	83,043 %	3029,4783 litre	O
430	CM 115	CM	177 LEVEL CM	14752,9552 litre	82,578 %	3112,4968 litre	O
430	CM 115	CM	176 LEVEL CM	14669,3863 litre	82,110 %	3196,0657 litre	O
430	CM 115	CM	175 LEVEL CM	14585,2792 litre	81,640 %	3280,1728 litre	O
430	CM 115	CM	174 LEVEL CM	14500,6461 litre	81,166 %	3364,8059 litre	O
430	CM 115	CM	173 LEVEL CM	14415,4990 litre	80,689 %	3449,9530 litre	O
430	CM 115	CM	172 LEVEL CM	14329,8495 litre	80,210 %	3535,6025 litre	O
430	CM 115	CM	171 LEVEL CM	14243,7093 litre	79,728 %	3621,7427 litre	O
430	CM 115	CM	170 LEVEL CM	14157,0896 litre	79,243 %	3708,3624 litre	O
430	CM 115	CM	169 LEVEL CM	14070,0015 litre	78,755 %	3795,4505 litre	O
430	CM 115	CM	168 LEVEL CM	13982,4560 litre	78,265 %	3882,9960 litre	O
430	CM 115	CM	167 LEVEL CM	13894,4639 litre	77,773 %	3970,9881 litre	O
430	CM 115	CM	166 LEVEL CM	13806,0358 litre	77,278 %	4059,4162 litre	O
430	CM 115	CM	165 LEVEL CM	13717,1822 litre	76,780 %	4148,2698 litre	O
430	CM 115	CM	164 LEVEL CM	13627,9133 litre	76,281 %	4237,5387 litre	O
430	CM 115	CM	163 LEVEL CM	13538,2394 litre	75,779 %	4327,2126 litre	O
430	CM 115	CM	162 LEVEL CM	13448,1705 litre	75,275 %	4417,2815 litre	O
430	CM 115	CM	161 LEVEL CM	13357,7164 litre	74,768 %	4507,7356 litre	O
430	CM 115	CM	160 LEVEL CM	13266,8870 litre	74,260 %	4598,5650 litre	O
430	CM 115	CM	159 LEVEL CM	13175,6919 litre	73,750 %	4689,7601 litre	O
430	CM 115	CM	158 LEVEL CM	13084,1407 litre	73,237 %	4781,3113 litre	O
430	CM 115	CM	157 LEVEL CM	12992,2427 litre	72,723 %	4873,2093 litre	O
430	CM 115	CM	156 LEVEL CM	12900,0074 litre	72,206 %	4965,4446 litre	O
430	CM 115	CM	155 LEVEL CM	12807,4438 litre	71,688 %	5058,0082 litre	O
430	CM 115	CM	154 LEVEL CM	12714,5612 litre	71,168 %	5150,8908 litre	O
430	CM 115	CM	153 LEVEL CM	12621,3686 litre	70,647 %	5244,0834 litre	O
430	CM 115	CM	152 LEVEL CM	12527,8748 litre	70,123 %	5337,5772 litre	O
430	CM 115	CM	151 LEVEL CM	12434,0888 litre	69,599 %	5431,3632 litre	O
430	CM 115	CM	150 LEVEL CM	12340,0194 litre	69,072 %	5525,4326 litre	O
430	CM 115	CM	149 LEVEL CM	12245,6752 litre	68,544 %	5619,7768 litre	O
430	CM 115	CM	148 LEVEL CM	12151,0648 litre	68,014 %	5714,3872 litre	O
430	CM 115	CM	147 LEVEL CM	12056,1968 litre	67,483 %	5809,2552 litre	O
430	CM 115	CM	146 LEVEL CM	11961,0796 litre	66,951 %	5904,3724 litre	O
430	CM 115	CM	145 LEVEL CM	11865,7217 litre	66,417 %	5999,7303 litre	O
430	CM 115	CM	144 LEVEL CM	11770,1314 litre	65,882 %	6095,3206 litre	O
430	CM 115	CM	143 LEVEL CM	11674,3169 litre	65,346 %	6191,1351 litre	O
430	CM 115	CM	142 LEVEL CM	11578,2866 litre	64,808 %	6287,1654 litre	O
430	CM 115	CM	141 LEVEL CM	11482,0486 litre	64,270 %	6383,4034 litre	O
430	CM 115	CM	140 LEVEL CM	11385,6109 litre	63,730 %	6479,8411 litre	O
430	CM 115	CM	139 LEVEL CM	11288,9817 litre	63,189 %	6576,4703 litre	O
430	CM 115	CM	138 LEVEL CM	11192,1690 litre	62,647 %	6673,2830 litre	O
430	CM 115	CM	137 LEVEL CM	11095,1808 litre	62,104 %	6770,2712 litre	O
430	CM 115	CM	136 LEVEL CM	10998,0249 litre	61,560 %	6867,4271 litre	O
430	CM 115	CM	135 LEVEL CM	10900,7093 litre	61,016 %	6964,7427 litre	O
430	CM 115	CM	134 LEVEL CM	10803,2418 litre	60,470 %	7062,2102 litre	O
430	CM 115	CM	133 LEVEL CM	10705,6302 litre	59,924 %	7159,8218 litre	O
430	CM 115	CM	132 LEVEL CM	10607,8823 litre	59,377 %	7257,5697 litre	O
430	CM 115	CM	131 LEVEL CM	10510,0059 litre	58,829 %	7355,4461 litre	O
430	CM 115	CM	130 LEVEL CM	10412,0087 litre	58,280 %	7453,4433 litre	O
430	CM 115	CM	129 LEVEL CM	10313,8983 litre	57,731 %	7551,5537 litre	O
430	CM 115	CM	128 LEVEL CM	10215,6824 litre	57,181 %	7649,7696 litre	O
430	CM 115	CM	127 LEVEL CM	10117,3687 litre	56,631 %	7748,0833 litre	O
430	CM 115	CM	126 LEVEL CM	10018,9648 litre	56,080 %	7846,4872 litre	O

430	CM 115	CM	125 LEVEL CM	9920,4782 litre	55,529 %	7944,9738 litre	O
430	CM 115	CM	124 LEVEL CM	9821,9166 litre	54,977 %	8043,5354 litre	O
430	CM 115	CM	123 LEVEL CM	9723,2874 litre	54,425 %	8142,1646 litre	O
430	CM 115	CM	122 LEVEL CM	9624,5983 litre	53,873 %	8240,8537 litre	O
430	CM 115	CM	121 LEVEL CM	9525,8567 litre	53,320 %	8339,5953 litre	O
430	CM 115	CM	120 LEVEL CM	9427,0702 litre	52,767 %	8438,3818 litre	O
430	CM 115	CM	119 LEVEL CM	9328,2462 litre	52,214 %	8537,2058 litre	O
430	CM 115	CM	118 LEVEL CM	9229,3924 litre	51,661 %	8636,0596 litre	O
430	CM 115	CM	117 LEVEL CM	9130,5160 litre	51,107 %	8734,9360 litre	O
430	CM 115	CM	116 LEVEL CM	9031,6248 litre	50,554 %	8833,8272 litre	O
430	CM 115	CM	115 LEVEL CM	8932,7260 litre	50,000 %	8932,7260 litre	O
430	CM 115	CM	114 LEVEL CM	8833,8273 litre	49,446 %	9031,6247 litre	O
430	CM 115	CM	113 LEVEL CM	8734,9360 litre	48,893 %	9130,5160 litre	O
430	CM 115	CM	112 LEVEL CM	8636,0597 litre	48,339 %	9229,3923 litre	O
430	CM 115	CM	111 LEVEL CM	8537,2058 litre	47,786 %	9328,2462 litre	O
430	CM 115	CM	110 LEVEL CM	8438,3819 litre	47,233 %	9427,0701 litre	O
430	CM 115	CM	109 LEVEL CM	8339,5953 litre	46,680 %	9525,8567 litre	O
430	CM 115	CM	108 LEVEL CM	8240,8538 litre	46,127 %	9624,5982 litre	O
430	CM 115	CM	107 LEVEL CM	8142,1646 litre	45,575 %	9723,2874 litre	O
430	CM 115	CM	106 LEVEL CM	8043,5355 litre	45,023 %	9821,9165 litre	O
430	CM 115	CM	105 LEVEL CM	7944,9738 litre	44,471 %	9920,4782 litre	O
430	CM 115	CM	104 LEVEL CM	7846,4872 litre	43,920 %	10018,9648 litre	O
430	CM 115	CM	103 LEVEL CM	7748,0833 litre	43,369 %	10117,3687 litre	O
430	CM 115	CM	102 LEVEL CM	7649,7696 litre	42,819 %	10215,6824 litre	O
430	CM 115	CM	101 LEVEL CM	7551,5537 litre	42,269 %	10313,8983 litre	O
430	CM 115	CM	100 LEVEL CM	7453,4433 litre	41,720 %	10412,0087 litre	O
430	CM 115	CM	99 LEVEL CM	7355,4461 litre	41,171 %	10510,0059 litre	O
430	CM 115	CM	98 LEVEL CM	7257,5697 litre	40,623 %	10607,8823 litre	O
430	CM 115	CM	97 LEVEL CM	7159,8218 litre	40,076 %	10705,6302 litre	O
430	CM 115	CM	96 LEVEL CM	7062,2103 litre	39,530 %	10803,2417 litre	O
430	CM 115	CM	95 LEVEL CM	6964,7428 litre	38,984 %	10900,7092 litre	O
430	CM 115	CM	94 LEVEL CM	6867,4271 litre	38,440 %	10998,0249 litre	O
430	CM 115	CM	93 LEVEL CM	6770,2713 litre	37,896 %	11095,1807 litre	O
430	CM 115	CM	92 LEVEL CM	6673,2830 litre	37,353 %	11192,1690 litre	O
430	CM 115	CM	91 LEVEL CM	6576,4703 litre	36,811 %	11288,9817 litre	O
430	CM 115	CM	90 LEVEL CM	6479,8411 litre	36,270 %	11385,6109 litre	O
430	CM 115	CM	89 LEVEL CM	6383,4034 litre	35,730 %	11482,0486 litre	O
430	CM 115	CM	88 LEVEL CM	6287,1654 litre	35,192 %	11578,2866 litre	O
430	CM 115	CM	87 LEVEL CM	6191,1351 litre	34,654 %	11674,3169 litre	O
430	CM 115	CM	86 LEVEL CM	6095,3206 litre	34,118 %	11770,1314 litre	O
430	CM 115	CM	85 LEVEL CM	5999,7303 litre	33,583 %	11865,7217 litre	O
430	CM 115	CM	84 LEVEL CM	5904,3724 litre	33,049 %	11961,0796 litre	O
430	CM 115	CM	83 LEVEL CM	5809,2553 litre	32,517 %	12056,1967 litre	O
430	CM 115	CM	82 LEVEL CM	5714,3872 litre	31,986 %	12151,0648 litre	O
430	CM 115	CM	81 LEVEL CM	5619,7769 litre	31,456 %	12245,6751 litre	O
430	CM 115	CM	80 LEVEL CM	5525,4326 litre	30,928 %	12340,0194 litre	O
430	CM 115	CM	79 LEVEL CM	5431,3632 litre	30,401 %	12434,0888 litre	O
430	CM 115	CM	78 LEVEL CM	5337,5772 litre	29,877 %	12527,8748 litre	O
430	CM 115	CM	77 LEVEL CM	5244,0835 litre	29,353 %	12621,3685 litre	O
430	CM 115	CM	76 LEVEL CM	5150,8908 litre	28,832 %	12714,5612 litre	O
430	CM 115	CM	75 LEVEL CM	5058,0082 litre	28,312 %	12807,4438 litre	O
430	CM 115	CM	74 LEVEL CM	4965,4447 litre	27,794 %	12900,0073 litre	O
430	CM 115	CM	73 LEVEL CM	4873,2093 litre	27,277 %	12992,2427 litre	O

430	CM	115	CM	72 LEVEL CM	4781,3113 litre	26,763 %	13084,1407 litre	O
430	CM	115	CM	71 LEVEL CM	4689,7601 litre	26,250 %	13175,6919 litre	O
430	CM	115	CM	70 LEVEL CM	4598,5650 litre	25,740 %	13266,8870 litre	O
430	CM	115	CM	69 LEVEL CM	4507,7356 litre	25,232 %	13357,7164 litre	O
430	CM	115	CM	68 LEVEL CM	4417,2815 litre	24,725 %	13448,1705 litre	O
430	CM	115	CM	67 LEVEL CM	4327,2126 litre	24,221 %	13538,2394 litre	O
430	CM	115	CM	66 LEVEL CM	4237,5387 litre	23,719 %	13627,9133 litre	O
430	CM	115	CM	65 LEVEL CM	4148,2698 litre	23,220 %	13717,1822 litre	O
430	CM	115	CM	64 LEVEL CM	4059,4162 litre	22,722 %	13806,0358 litre	O
430	CM	115	CM	63 LEVEL CM	3970,9881 litre	22,227 %	13894,4639 litre	O
430	CM	115	CM	62 LEVEL CM	3882,9960 litre	21,735 %	13982,4560 litre	O
430	CM	115	CM	61 LEVEL CM	3795,4505 litre	21,245 %	14070,0015 litre	O
430	CM	115	CM	60 LEVEL CM	3708,3624 litre	20,757 %	14157,0896 litre	O
430	CM	115	CM	59 LEVEL CM	3621,7427 litre	20,272 %	14243,7093 litre	O
430	CM	115	CM	58 LEVEL CM	3535,6025 litre	19,790 %	14329,8495 litre	O
430	CM	115	CM	57 LEVEL CM	3449,9530 litre	19,311 %	14415,4990 litre	O
430	CM	115	CM	56 LEVEL CM	3364,8059 litre	18,834 %	14500,6461 litre	O
430	CM	115	CM	55 LEVEL CM	3280,1729 litre	18,360 %	14585,2791 litre	O
430	CM	115	CM	54 LEVEL CM	3196,0658 litre	17,890 %	14669,3862 litre	O
430	CM	115	CM	53 LEVEL CM	3112,4968 litre	17,422 %	14752,9552 litre	O
430	CM	115	CM	52 LEVEL CM	3029,4784 litre	16,957 %	14835,9736 litre	O
430	CM	115	CM	51 LEVEL CM	2947,0231 litre	16,496 %	14918,4289 litre	O
430	CM	115	CM	50 LEVEL CM	2865,1439 litre	16,037 %	15000,3081 litre	O
430	CM	115	CM	49 LEVEL CM	2783,8540 litre	15,582 %	15081,5980 litre	O
430	CM	115	CM	48 LEVEL CM	2703,1668 litre	15,131 %	15162,2852 litre	O
430	CM	115	CM	47 LEVEL CM	2623,0962 litre	14,683 %	15242,3558 litre	O
430	CM	115	CM	46 LEVEL CM	2543,6561 litre	14,238 %	15321,7959 litre	O
430	CM	115	CM	45 LEVEL CM	2464,8610 litre	13,797 %	15400,5910 litre	O
430	CM	115	CM	44 LEVEL CM	2386,7258 litre	13,359 %	15478,7262 litre	O
430	CM	115	CM	43 LEVEL CM	2309,2656 litre	12,926 %	15556,1864 litre	O
430	CM	115	CM	42 LEVEL CM	2232,4959 litre	12,496 %	15632,9561 litre	O
430	CM	115	CM	41 LEVEL CM	2156,4327 litre	12,070 %	15709,0193 litre	O
430	CM	115	CM	40 LEVEL CM	2081,0926 litre	11,649 %	15784,3594 litre	O
430	CM	115	CM	39 LEVEL CM	2006,4923 litre	11,231 %	15858,9597 litre	O
430	CM	115	CM	38 LEVEL CM	1932,6494 litre	10,818 %	15932,8026 litre	O
430	CM	115	CM	37 LEVEL CM	1859,5818 litre	10,409 %	16005,8702 litre	O
430	CM	115	CM	36 LEVEL CM	1787,3081 litre	10,004 %	16078,1439 litre	O
430	CM	115	CM	35 LEVEL CM	1715,8473 litre	9,604 %	16149,6047 litre	O
430	CM	115	CM	34 LEVEL CM	1645,2195 litre	9,209 %	16220,2325 litre	O
430	CM	115	CM	33 LEVEL CM	1575,4450 litre	8,818 %	16290,0070 litre	O
430	CM	115	CM	32 LEVEL CM	1506,5452 litre	8,433 %	16358,9068 litre	O
430	CM	115	CM	31 LEVEL CM	1438,5422 litre	8,052 %	16426,9098 litre	O
430	CM	115	CM	30 LEVEL CM	1371,4591 litre	7,677 %	16493,9929 litre	O
430	CM	115	CM	29 LEVEL CM	1305,3198 litre	7,306 %	16560,1322 litre	O
430	CM	115	CM	28 LEVEL CM	1240,1493 litre	6,942 %	16625,3027 litre	O
430	CM	115	CM	27 LEVEL CM	1175,9737 litre	6,582 %	16689,4783 litre	O
430	CM	115	CM	26 LEVEL CM	1112,8205 litre	6,229 %	16752,6315 litre	O
430	CM	115	CM	25 LEVEL CM	1050,7184 litre	5,881 %	16814,7336 litre	O
430	CM	115	CM	24 LEVEL CM	989,6976 litre	5,540 %	16875,7544 litre	O
430	CM	115	CM	23 LEVEL CM	929,7899 litre	5,204 %	16935,6621 litre	O
430	CM	115	CM	22 LEVEL CM	871,0291 litre	4,875 %	16994,4229 litre	O
430	CM	115	CM	21 LEVEL CM	813,4508 litre	4,553 %	17052,0012 litre	O
430	CM	115	CM	20 LEVEL CM	757,0930 litre	4,238 %	17108,3590 litre	O

430	CM	115	CM	19 LEVEL CM	701,9960 litre	3,929 %	17163,4560 litre	O
430	CM	115	CM	18 LEVEL CM	648,2033 litre	3,628 %	17217,2487 litre	O
430	CM	115	CM	17 LEVEL CM	595,7612 litre	3,335 %	17269,6908 litre	O
430	CM	115	CM	16 LEVEL CM	544,7201 litre	3,049 %	17320,7319 litre	O
430	CM	115	CM	15 LEVEL CM	495,1344 litre	2,771 %	17370,3176 litre	O
430	CM	115	CM	14 LEVEL CM	447,0636 litre	2,502 %	17418,3884 litre	O
430	CM	115	CM	13 LEVEL CM	400,5729 litre	2,242 %	17464,8791 litre	O
430	CM	115	CM	12 LEVEL CM	355,7344 litre	1,991 %	17509,7176 litre	O
430	CM	115	CM	11 LEVEL CM	312,6287 litre	1,750 %	17552,8233 litre	O
430	CM	115	CM	10 LEVEL CM	271,3462 litre	1,519 %	17594,1058 litre	O
430	CM	115	CM	9 LEVEL CM	231,9903 litre	1,299 %	17633,4617 litre	O
430	CM	115	CM	8 LEVEL CM	194,6802 litre	1,090 %	17670,7718 litre	O
430	CM	115	CM	7 LEVEL CM	159,5558 litre	0,893 %	17705,8962 litre	O
430	CM	115	CM	6 LEVEL CM	126,7855 litre	0,710 %	17738,6665 litre	O
430	CM	115	CM	5 LEVEL CM	96,5769 litre	0,541 %	17768,8751 litre	O
430	CM	115	CM	4 LEVEL CM	69,1962 litre	0,387 %	17796,2558 litre	O
430	CM	115	CM	3 LEVEL CM	45,0035 litre	0,252 %	17820,4485 litre	O
430	CM	115	CM	2 LEVEL CM	24,5290 litre	0,137 %	17840,9230 litre	O
430	CM	115	CM	1 LEVEL CM	8,6837 litre	0,049 %	17856,7683 litre	O
430	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	17865,4520 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM	110	CM 220 LEVEL CM	16345,7066 litre	100,000 %	0,0000 litre	O
430	CM	110	CM 219 LEVEL CM	16337,2143 litre	99,948 %	8,4923 litre	O
430	CM	110	CM 218 LEVEL CM	16321,7196 litre	99,853 %	23,9870 litre	O
430	CM	110	CM 217 LEVEL CM	16301,7002 litre	99,731 %	44,0064 litre	O
430	CM	110	CM 216 LEVEL CM	16278,0476 litre	99,586 %	67,6590 litre	O
430	CM	110	CM 215 LEVEL CM	16251,2809 litre	99,422 %	94,4257 litre	O
430	CM	110	CM 214 LEVEL CM	16221,7528 litre	99,242 %	123,9538 litre	O
430	CM	110	CM 213 LEVEL CM	16189,7240 litre	99,046 %	155,9826 litre	O
430	CM	110	CM 212 LEVEL CM	16155,3981 litre	98,836 %	190,3085 litre	O
430	CM	110	CM 211 LEVEL CM	16118,9399 litre	98,613 %	226,7667 litre	O
430	CM	110	CM 210 LEVEL CM	16080,4868 litre	98,377 %	265,2198 litre	O
430	CM	110	CM 209 LEVEL CM	16040,1557 litre	98,131 %	305,5509 litre	O
430	CM	110	CM 208 LEVEL CM	15998,0479 litre	97,873 %	347,6587 litre	O
430	CM	110	CM 207 LEVEL CM	15954,2524 litre	97,605 %	391,4542 litre	O
430	CM	110	CM 206 LEVEL CM	15908,8480 litre	97,327 %	436,8586 litre	O
430	CM	110	CM 205 LEVEL CM	15861,9058 litre	97,040 %	483,8008 litre	O
430	CM	110	CM 204 LEVEL CM	15813,4898 litre	96,744 %	532,2168 litre	O
430	CM	110	CM 203 LEVEL CM	15763,6584 litre	96,439 %	582,0482 litre	O
430	CM	110	CM 202 LEVEL CM	15712,4651 litre	96,126 %	633,2415 litre	O
430	CM	110	CM 201 LEVEL CM	15659,9595 litre	95,805 %	685,7471 litre	O
430	CM	110	CM 200 LEVEL CM	15606,1872 litre	95,476 %	739,5194 litre	O
430	CM	110	CM 199 LEVEL CM	15551,1908 litre	95,139 %	794,5158 litre	O
430	CM	110	CM 198 LEVEL CM	15495,0103 litre	94,796 %	850,6963 litre	O
430	CM	110	CM 197 LEVEL CM	15437,6829 litre	94,445 %	908,0237 litre	O
430	CM	110	CM 196 LEVEL CM	15379,2438 litre	94,087 %	966,4628 litre	O
430	CM	110	CM 195 LEVEL CM	15319,7262 litre	93,723 %	1025,9804 litre	O
430	CM	110	CM 194 LEVEL CM	15259,1616 litre	93,353 %	1086,5450 litre	O
430	CM	110	CM 193 LEVEL CM	15197,5796 litre	92,976 %	1148,1270 litre	O
430	CM	110	CM 192 LEVEL CM	15135,0087 litre	92,593 %	1210,6979 litre	O
430	CM	110	CM 191 LEVEL CM	15071,4759 litre	92,204 %	1274,2307 litre	O
430	CM	110	CM 190 LEVEL CM	15007,0071 litre	91,810 %	1338,6995 litre	O
430	CM	110	CM 189 LEVEL CM	14941,6268 litre	91,410 %	1404,0798 litre	O
430	CM	110	CM 188 LEVEL CM	14875,3589 litre	91,005 %	1470,3477 litre	O
430	CM	110	CM 187 LEVEL CM	14808,2261 litre	90,594 %	1537,4805 litre	O
430	CM	110	CM 186 LEVEL CM	14740,2503 litre	90,178 %	1605,4563 litre	O
430	CM	110	CM 185 LEVEL CM	14671,4524 litre	89,757 %	1674,2542 litre	O
430	CM	110	CM 184 LEVEL CM	14601,8530 litre	89,331 %	1743,8536 litre	O
430	CM	110	CM 183 LEVEL CM	14531,4716 litre	88,901 %	1814,2350 litre	O
430	CM	110	CM 182 LEVEL CM	14460,3272 litre	88,466 %	1885,3794 litre	O
430	CM	110	CM 181 LEVEL CM	14388,4381 litre	88,026 %	1957,2685 litre	O
430	CM	110	CM 180 LEVEL CM	14315,8223 litre	87,582 %	2029,8843 litre	O
430	CM	110	CM 179 LEVEL CM	14242,4970 litre	87,133 %	2103,2096 litre	O
430	CM	110	CM 178 LEVEL CM	14168,4789 litre	86,680 %	2177,2277 litre	O
430	CM	110	CM 177 LEVEL CM	14093,7845 litre	86,223 %	2251,9221 litre	O
430	CM	110	CM 176 LEVEL CM	14018,4296 litre	85,762 %	2327,2770 litre	O
430	CM	110	CM 175 LEVEL CM	13942,4296 litre	85,297 %	2403,2770 litre	O
430	CM	110	CM 174 LEVEL CM	13865,7997 litre	84,828 %	2479,9069 litre	O
430	CM	110	CM 173 LEVEL CM	13788,5545 litre	84,356 %	2557,1521 litre	O
430	CM	110	CM 172 LEVEL CM	13710,7085 litre	83,880 %	2634,9981 litre	O
430	CM	110	CM 171 LEVEL CM	13632,2756 litre	83,400 %	2713,4310 litre	O
430	CM	110	CM 170 LEVEL CM	13553,2695 litre	82,916 %	2792,4371 litre	O
430	CM	110	CM 169 LEVEL CM	13473,7038 litre	82,430 %	2872,0028 litre	O

430	CM 110	CM	168 LEVEL CM	13393,5915 litre	81,940 %	2952,1151 litre	O
430	CM 110	CM	167 LEVEL CM	13312,9456 litre	81,446 %	3032,7610 litre	O
430	CM 110	CM	166 LEVEL CM	13231,7785 litre	80,950 %	3113,9281 litre	O
430	CM 110	CM	165 LEVEL CM	13150,1028 litre	80,450 %	3195,6038 litre	O
430	CM 110	CM	164 LEVEL CM	13067,9305 litre	79,947 %	3277,7761 litre	O
430	CM 110	CM	163 LEVEL CM	12985,2737 litre	79,441 %	3360,4329 litre	O
430	CM 110	CM	162 LEVEL CM	12902,1439 litre	78,933 %	3443,5627 litre	O
430	CM 110	CM	161 LEVEL CM	12818,5528 litre	78,422 %	3527,1538 litre	O
430	CM 110	CM	160 LEVEL CM	12734,5116 litre	77,907 %	3611,1950 litre	O
430	CM 110	CM	159 LEVEL CM	12650,0316 litre	77,391 %	3695,6750 litre	O
430	CM 110	CM	158 LEVEL CM	12565,1236 litre	76,871 %	3780,5830 litre	O
430	CM 110	CM	157 LEVEL CM	12479,7986 litre	76,349 %	3865,9080 litre	O
430	CM 110	CM	156 LEVEL CM	12394,0671 litre	75,825 %	3951,6395 litre	O
430	CM 110	CM	155 LEVEL CM	12307,9397 litre	75,298 %	4037,7669 litre	O
430	CM 110	CM	154 LEVEL CM	12221,4267 litre	74,768 %	4124,2799 litre	O
430	CM 110	CM	153 LEVEL CM	12134,5384 litre	74,237 %	4211,1682 litre	O
430	CM 110	CM	152 LEVEL CM	12047,2849 litre	73,703 %	4298,4217 litre	O
430	CM 110	CM	151 LEVEL CM	11959,6760 litre	73,167 %	4386,0306 litre	O
430	CM 110	CM	150 LEVEL CM	11871,7217 litre	72,629 %	4473,9849 litre	O
430	CM 110	CM	149 LEVEL CM	11783,4317 litre	72,089 %	4562,2749 litre	O
430	CM 110	CM	148 LEVEL CM	11694,8156 litre	71,547 %	4650,8910 litre	O
430	CM 110	CM	147 LEVEL CM	11605,8828 litre	71,003 %	4739,8238 litre	O
430	CM 110	CM	146 LEVEL CM	11516,6429 litre	70,457 %	4829,0637 litre	O
430	CM 110	CM	145 LEVEL CM	11427,1052 litre	69,909 %	4918,6014 litre	O
430	CM 110	CM	144 LEVEL CM	11337,2788 litre	69,359 %	5008,4278 litre	O
430	CM 110	CM	143 LEVEL CM	11247,1729 litre	68,808 %	5098,5337 litre	O
430	CM 110	CM	142 LEVEL CM	11156,7965 litre	68,255 %	5188,9101 litre	O
430	CM 110	CM	141 LEVEL CM	11066,1586 litre	67,701 %	5279,5480 litre	O
430	CM 110	CM	140 LEVEL CM	10975,2681 litre	67,145 %	5370,4385 litre	O
430	CM 110	CM	139 LEVEL CM	10884,1338 litre	66,587 %	5461,5728 litre	O
430	CM 110	CM	138 LEVEL CM	10792,7645 litre	66,028 %	5552,9421 litre	O
430	CM 110	CM	137 LEVEL CM	10701,1688 litre	65,468 %	5644,5378 litre	O
430	CM 110	CM	136 LEVEL CM	10609,3554 litre	64,906 %	5736,3512 litre	O
430	CM 110	CM	135 LEVEL CM	10517,3327 litre	64,343 %	5828,3739 litre	O
430	CM 110	CM	134 LEVEL CM	10425,1093 litre	63,779 %	5920,5973 litre	O
430	CM 110	CM	133 LEVEL CM	10332,6937 litre	63,214 %	6013,0129 litre	O
430	CM 110	CM	132 LEVEL CM	10240,0942 litre	62,647 %	6105,6124 litre	O
430	CM 110	CM	131 LEVEL CM	10147,3191 litre	62,079 %	6198,3875 litre	O
430	CM 110	CM	130 LEVEL CM	10054,3767 litre	61,511 %	6291,3299 litre	O
430	CM 110	CM	129 LEVEL CM	9961,2754 litre	60,941 %	6384,4312 litre	O
430	CM 110	CM	128 LEVEL CM	9868,0232 litre	60,371 %	6477,6834 litre	O
430	CM 110	CM	127 LEVEL CM	9774,6284 litre	59,799 %	6571,0782 litre	O
430	CM 110	CM	126 LEVEL CM	9681,0990 litre	59,227 %	6664,6076 litre	O
430	CM 110	CM	125 LEVEL CM	9587,4432 litre	58,654 %	6758,2634 litre	O
430	CM 110	CM	124 LEVEL CM	9493,6690 litre	58,081 %	6852,0376 litre	O
430	CM 110	CM	123 LEVEL CM	9399,7845 litre	57,506 %	6945,9221 litre	O
430	CM 110	CM	122 LEVEL CM	9305,7976 litre	56,931 %	7039,9090 litre	O
430	CM 110	CM	121 LEVEL CM	9211,7163 litre	56,356 %	7133,9903 litre	O
430	CM 110	CM	120 LEVEL CM	9117,5486 litre	55,779 %	7228,1580 litre	O
430	CM 110	CM	119 LEVEL CM	9023,3024 litre	55,203 %	7322,4042 litre	O
430	CM 110	CM	118 LEVEL CM	8928,9856 litre	54,626 %	7416,7210 litre	O
430	CM 110	CM	117 LEVEL CM	8834,6061 litre	54,048 %	7511,1005 litre	O
430	CM 110	CM	116 LEVEL CM	8740,1717 litre	53,471 %	7605,5349 litre	O

430	CM 110	CM	115 LEVEL CM	8645,6904 litre	52,893 %	7700,0162 litre	O
430	CM 110	CM	114 LEVEL CM	8551,1699 litre	52,314 %	7794,5367 litre	O
430	CM 110	CM	113 LEVEL CM	8456,6181 litre	51,736 %	7889,0885 litre	O
430	CM 110	CM	112 LEVEL CM	8362,0429 litre	51,157 %	7983,6637 litre	O
430	CM 110	CM	111 LEVEL CM	8267,4520 litre	50,579 %	8078,2546 litre	O
430	CM 110	CM	110 LEVEL CM	8172,8533 litre	50,000 %	8172,8533 litre	O
430	CM 110	CM	109 LEVEL CM	8078,2546 litre	49,421 %	8267,4520 litre	O
430	CM 110	CM	108 LEVEL CM	7983,6637 litre	48,843 %	8362,0429 litre	O
430	CM 110	CM	107 LEVEL CM	7889,0885 litre	48,264 %	8456,6181 litre	O
430	CM 110	CM	106 LEVEL CM	7794,5367 litre	47,686 %	8551,1699 litre	O
430	CM 110	CM	105 LEVEL CM	7700,0162 litre	47,107 %	8645,6904 litre	O
430	CM 110	CM	104 LEVEL CM	7605,5349 litre	46,529 %	8740,1717 litre	O
430	CM 110	CM	103 LEVEL CM	7511,1005 litre	45,952 %	8834,6061 litre	O
430	CM 110	CM	102 LEVEL CM	7416,7210 litre	45,374 %	8928,9856 litre	O
430	CM 110	CM	101 LEVEL CM	7322,4042 litre	44,797 %	9023,3024 litre	O
430	CM 110	CM	100 LEVEL CM	7228,1579 litre	44,221 %	9117,5487 litre	O
430	CM 110	CM	99 LEVEL CM	7133,9902 litre	43,644 %	9211,7164 litre	O
430	CM 110	CM	98 LEVEL CM	7039,9090 litre	43,069 %	9305,7976 litre	O
430	CM 110	CM	97 LEVEL CM	6945,9221 litre	42,494 %	9399,7845 litre	O
430	CM 110	CM	96 LEVEL CM	6852,0375 litre	41,919 %	9493,6691 litre	O
430	CM 110	CM	95 LEVEL CM	6758,2634 litre	41,346 %	9587,4432 litre	O
430	CM 110	CM	94 LEVEL CM	6664,6076 litre	40,773 %	9681,0990 litre	O
430	CM 110	CM	93 LEVEL CM	6571,0782 litre	40,201 %	9774,6284 litre	O
430	CM 110	CM	92 LEVEL CM	6477,6834 litre	39,629 %	9868,0232 litre	O
430	CM 110	CM	91 LEVEL CM	6384,4312 litre	39,059 %	9961,2754 litre	O
430	CM 110	CM	90 LEVEL CM	6291,3298 litre	38,489 %	10054,3768 litre	O
430	CM 110	CM	89 LEVEL CM	6198,3875 litre	37,921 %	10147,3191 litre	O
430	CM 110	CM	88 LEVEL CM	6105,6124 litre	37,353 %	10240,0942 litre	O
430	CM 110	CM	87 LEVEL CM	6013,0129 litre	36,786 %	10332,6937 litre	O
430	CM 110	CM	86 LEVEL CM	5920,5972 litre	36,221 %	10425,1094 litre	O
430	CM 110	CM	85 LEVEL CM	5828,3739 litre	35,657 %	10517,3327 litre	O
430	CM 110	CM	84 LEVEL CM	5736,3512 litre	35,094 %	10609,3554 litre	O
430	CM 110	CM	83 LEVEL CM	5644,5378 litre	34,532 %	10701,1688 litre	O
430	CM 110	CM	82 LEVEL CM	5552,9421 litre	33,972 %	10792,7645 litre	O
430	CM 110	CM	81 LEVEL CM	5461,5727 litre	33,413 %	10884,1339 litre	O
430	CM 110	CM	80 LEVEL CM	5370,4385 litre	32,855 %	10975,2681 litre	O
430	CM 110	CM	79 LEVEL CM	5279,5480 litre	32,299 %	11066,1586 litre	O
430	CM 110	CM	78 LEVEL CM	5188,9101 litre	31,745 %	11156,7965 litre	O
430	CM 110	CM	77 LEVEL CM	5098,5337 litre	31,192 %	11247,1729 litre	O
430	CM 110	CM	76 LEVEL CM	5008,4278 litre	30,641 %	11337,2788 litre	O
430	CM 110	CM	75 LEVEL CM	4918,6014 litre	30,091 %	11427,1052 litre	O
430	CM 110	CM	74 LEVEL CM	4829,0636 litre	29,543 %	11516,6430 litre	O
430	CM 110	CM	73 LEVEL CM	4739,8237 litre	28,997 %	11605,8829 litre	O
430	CM 110	CM	72 LEVEL CM	4650,8910 litre	28,453 %	11694,8156 litre	O
430	CM 110	CM	71 LEVEL CM	4562,2749 litre	27,911 %	11783,4317 litre	O
430	CM 110	CM	70 LEVEL CM	4473,9849 litre	27,371 %	11871,7217 litre	O
430	CM 110	CM	69 LEVEL CM	4386,0306 litre	26,833 %	11959,6760 litre	O
430	CM 110	CM	68 LEVEL CM	4298,4217 litre	26,297 %	12047,2849 litre	O
430	CM 110	CM	67 LEVEL CM	4211,1681 litre	25,763 %	12134,5385 litre	O
430	CM 110	CM	66 LEVEL CM	4124,2798 litre	25,232 %	12221,4268 litre	O
430	CM 110	CM	65 LEVEL CM	4037,7669 litre	24,702 %	12307,9397 litre	O
430	CM 110	CM	64 LEVEL CM	3951,6395 litre	24,175 %	12394,0671 litre	O
430	CM 110	CM	63 LEVEL CM	3865,9080 litre	23,651 %	12479,7986 litre	O

430	CM 110	CM	62 LEVEL CM	3780,5830 litre	23,129 %	12565,1236 litre	O
430	CM 110	CM	61 LEVEL CM	3695,6750 litre	22,609 %	12650,0316 litre	O
430	CM 110	CM	60 LEVEL CM	3611,1950 litre	22,093 %	12734,5116 litre	O
430	CM 110	CM	59 LEVEL CM	3527,1538 litre	21,578 %	12818,5528 litre	O
430	CM 110	CM	58 LEVEL CM	3443,5627 litre	21,067 %	12902,1439 litre	O
430	CM 110	CM	57 LEVEL CM	3360,4329 litre	20,559 %	12985,2737 litre	O
430	CM 110	CM	56 LEVEL CM	3277,7760 litre	20,053 %	13067,9306 litre	O
430	CM 110	CM	55 LEVEL CM	3195,6038 litre	19,550 %	13150,1028 litre	O
430	CM 110	CM	54 LEVEL CM	3113,9280 litre	19,050 %	13231,7786 litre	O
430	CM 110	CM	53 LEVEL CM	3032,7610 litre	18,554 %	13312,9456 litre	O
430	CM 110	CM	52 LEVEL CM	2952,1150 litre	18,060 %	13393,5916 litre	O
430	CM 110	CM	51 LEVEL CM	2872,0028 litre	17,570 %	13473,7038 litre	O
430	CM 110	CM	50 LEVEL CM	2792,4370 litre	17,084 %	13553,2696 litre	O
430	CM 110	CM	49 LEVEL CM	2713,4310 litre	16,600 %	13632,2756 litre	O
430	CM 110	CM	48 LEVEL CM	2634,9981 litre	16,120 %	13710,7085 litre	O
430	CM 110	CM	47 LEVEL CM	2557,1521 litre	15,644 %	13788,5545 litre	O
430	CM 110	CM	46 LEVEL CM	2479,9069 litre	15,172 %	13865,7997 litre	O
430	CM 110	CM	45 LEVEL CM	2403,2770 litre	14,703 %	13942,4296 litre	O
430	CM 110	CM	44 LEVEL CM	2327,2770 litre	14,238 %	14018,4296 litre	O
430	CM 110	CM	43 LEVEL CM	2251,9221 litre	13,777 %	14093,7845 litre	O
430	CM 110	CM	42 LEVEL CM	2177,2276 litre	13,320 %	14168,4790 litre	O
430	CM 110	CM	41 LEVEL CM	2103,2096 litre	12,867 %	14242,4970 litre	O
430	CM 110	CM	40 LEVEL CM	2029,8843 litre	12,418 %	14315,8223 litre	O
430	CM 110	CM	39 LEVEL CM	1957,2684 litre	11,974 %	14388,4382 litre	O
430	CM 110	CM	38 LEVEL CM	1885,3794 litre	11,534 %	14460,3272 litre	O
430	CM 110	CM	37 LEVEL CM	1814,2350 litre	11,099 %	14531,4716 litre	O
430	CM 110	CM	36 LEVEL CM	1743,8536 litre	10,669 %	14601,8530 litre	O
430	CM 110	CM	35 LEVEL CM	1674,2541 litre	10,243 %	14671,4525 litre	O
430	CM 110	CM	34 LEVEL CM	1605,4563 litre	9,822 %	14740,2503 litre	O
430	CM 110	CM	33 LEVEL CM	1537,4805 litre	9,406 %	14808,2261 litre	O
430	CM 110	CM	32 LEVEL CM	1470,3476 litre	8,995 %	14875,3590 litre	O
430	CM 110	CM	31 LEVEL CM	1404,0798 litre	8,590 %	14941,6268 litre	O
430	CM 110	CM	30 LEVEL CM	1338,6995 litre	8,190 %	15007,0071 litre	O
430	CM 110	CM	29 LEVEL CM	1274,2307 litre	7,796 %	15071,4759 litre	O
430	CM 110	CM	28 LEVEL CM	1210,6979 litre	7,407 %	15135,0087 litre	O
430	CM 110	CM	27 LEVEL CM	1148,1270 litre	7,024 %	15197,5796 litre	O
430	CM 110	CM	26 LEVEL CM	1086,5450 litre	6,647 %	15259,1616 litre	O
430	CM 110	CM	25 LEVEL CM	1025,9803 litre	6,277 %	15319,7263 litre	O
430	CM 110	CM	24 LEVEL CM	966,4627 litre	5,913 %	15379,2439 litre	O
430	CM 110	CM	23 LEVEL CM	908,0237 litre	5,555 %	15437,6829 litre	O
430	CM 110	CM	22 LEVEL CM	850,6963 litre	5,204 %	15495,0103 litre	O
430	CM 110	CM	21 LEVEL CM	794,5157 litre	4,861 %	15551,1909 litre	O
430	CM 110	CM	20 LEVEL CM	739,5194 litre	4,524 %	15606,1872 litre	O
430	CM 110	CM	19 LEVEL CM	685,7471 litre	4,195 %	15659,9595 litre	O
430	CM 110	CM	18 LEVEL CM	633,2414 litre	3,874 %	15712,4652 litre	O
430	CM 110	CM	17 LEVEL CM	582,0482 litre	3,561 %	15763,6584 litre	O
430	CM 110	CM	16 LEVEL CM	532,2168 litre	3,256 %	15813,4898 litre	O
430	CM 110	CM	15 LEVEL CM	483,8008 litre	2,960 %	15861,9058 litre	O
430	CM 110	CM	14 LEVEL CM	436,8585 litre	2,673 %	15908,8481 litre	O
430	CM 110	CM	13 LEVEL CM	391,4542 litre	2,395 %	15954,2524 litre	O
430	CM 110	CM	12 LEVEL CM	347,6587 litre	2,127 %	15998,0479 litre	O
430	CM 110	CM	11 LEVEL CM	305,5509 litre	1,869 %	16040,1557 litre	O
430	CM 110	CM	10 LEVEL CM	265,2198 litre	1,623 %	16080,4868 litre	O

430	CM	110	CM	9 LEVEL CM	226,7667 litre	1,387 %	16118,9399 litre	O
430	CM	110	CM	8 LEVEL CM	190,3085 litre	1,164 %	16155,3981 litre	O
430	CM	110	CM	7 LEVEL CM	155,9826 litre	0,954 %	16189,7240 litre	O
430	CM	110	CM	6 LEVEL CM	123,9538 litre	0,758 %	16221,7528 litre	O
430	CM	110	CM	5 LEVEL CM	94,4257 litre	0,578 %	16251,2809 litre	O
430	CM	110	CM	4 LEVEL CM	67,6590 litre	0,414 %	16278,0476 litre	O
430	CM	110	CM	3 LEVEL CM	44,0064 litre	0,269 %	16301,7002 litre	O
430	CM	110	CM	2 LEVEL CM	23,9870 litre	0,147 %	16321,7196 litre	O
430	CM	110	CM	1 LEVEL CM	8,4923 litre	0,052 %	16337,2143 litre	O
430	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	16345,7066 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 105	CM 210 LEVEL CM	14893,5054 litre	100,000 %	0,0000 litre	O
430	CM 105	CM 209 LEVEL CM	14885,2089 litre	99,944 %	8,2965 litre	O
430	CM 105	CM 208 LEVEL CM	14870,0730 litre	99,843 %	23,4324 litre	O
430	CM 105	CM 207 LEVEL CM	14850,5192 litre	99,711 %	42,9862 litre	O
430	CM 105	CM 206 LEVEL CM	14827,4194 litre	99,556 %	66,0860 litre	O
430	CM 105	CM 205 LEVEL CM	14801,2811 litre	99,381 %	92,2243 litre	O
430	CM 105	CM 204 LEVEL CM	14772,4495 litre	99,187 %	121,0559 litre	O
430	CM 105	CM 203 LEVEL CM	14741,1799 litre	98,977 %	152,3255 litre	O
430	CM 105	CM 202 LEVEL CM	14707,6714 litre	98,752 %	185,8340 litre	O
430	CM 105	CM 201 LEVEL CM	14672,0855 litre	98,513 %	221,4199 litre	O
430	CM 105	CM 200 LEVEL CM	14634,5569 litre	98,261 %	258,9485 litre	O
430	CM 105	CM 199 LEVEL CM	14595,2002 litre	97,997 %	298,3052 litre	O
430	CM 105	CM 198 LEVEL CM	14554,1146 litre	97,721 %	339,3908 litre	O
430	CM 105	CM 197 LEVEL CM	14511,3874 litre	97,434 %	382,1180 litre	O
430	CM 105	CM 196 LEVEL CM	14467,0961 litre	97,137 %	426,4093 litre	O
430	CM 105	CM 195 LEVEL CM	14421,3103 litre	96,830 %	472,1951 litre	O
430	CM 105	CM 194 LEVEL CM	14374,0929 litre	96,512 %	519,4125 litre	O
430	CM 105	CM 193 LEVEL CM	14325,5013 litre	96,186 %	568,0041 litre	O
430	CM 105	CM 192 LEVEL CM	14275,5881 litre	95,851 %	617,9173 litre	O
430	CM 105	CM 191 LEVEL CM	14224,4019 litre	95,507 %	669,1035 litre	O
430	CM 105	CM 190 LEVEL CM	14171,9877 litre	95,155 %	721,5177 litre	O
430	CM 105	CM 189 LEVEL CM	14118,3875 litre	94,796 %	775,1179 litre	O
430	CM 105	CM 188 LEVEL CM	14063,6404 litre	94,428 %	829,8650 litre	O
430	CM 105	CM 187 LEVEL CM	14007,7832 litre	94,053 %	885,7222 litre	O
430	CM 105	CM 186 LEVEL CM	13950,8505 litre	93,671 %	942,6549 litre	O
430	CM 105	CM 185 LEVEL CM	13892,8751 litre	93,281 %	1000,6303 litre	O
430	CM 105	CM 184 LEVEL CM	13833,8879 litre	92,885 %	1059,6175 litre	O
430	CM 105	CM 183 LEVEL CM	13773,9184 litre	92,483 %	1119,5870 litre	O
430	CM 105	CM 182 LEVEL CM	13712,9944 litre	92,074 %	1180,5110 litre	O
430	CM 105	CM 181 LEVEL CM	13651,1427 litre	91,658 %	1242,3627 litre	O
430	CM 105	CM 180 LEVEL CM	13588,3887 litre	91,237 %	1305,1167 litre	O
430	CM 105	CM 179 LEVEL CM	13524,7570 litre	90,810 %	1368,7484 litre	O
430	CM 105	CM 178 LEVEL CM	13460,2708 litre	90,377 %	1433,2346 litre	O
430	CM 105	CM 177 LEVEL CM	13394,9527 litre	89,938 %	1498,5527 litre	O
430	CM 105	CM 176 LEVEL CM	13328,8244 litre	89,494 %	1564,6810 litre	O
430	CM 105	CM 175 LEVEL CM	13261,9067 litre	89,045 %	1631,5987 litre	O
430	CM 105	CM 174 LEVEL CM	13194,2197 litre	88,590 %	1699,2857 litre	O
430	CM 105	CM 173 LEVEL CM	13125,7829 litre	88,131 %	1767,7225 litre	O
430	CM 105	CM 172 LEVEL CM	13056,6151 litre	87,667 %	1836,8903 litre	O
430	CM 105	CM 171 LEVEL CM	12986,7346 litre	87,197 %	1906,7708 litre	O
430	CM 105	CM 170 LEVEL CM	12916,1589 litre	86,723 %	1977,3465 litre	O
430	CM 105	CM 169 LEVEL CM	12844,9054 litre	86,245 %	2048,6000 litre	O
430	CM 105	CM 168 LEVEL CM	12772,9906 litre	85,762 %	2120,5148 litre	O
430	CM 105	CM 167 LEVEL CM	12700,4307 litre	85,275 %	2193,0747 litre	O
430	CM 105	CM 166 LEVEL CM	12627,2416 litre	84,784 %	2266,2638 litre	O
430	CM 105	CM 165 LEVEL CM	12553,4387 litre	84,288 %	2340,0667 litre	O
430	CM 105	CM 164 LEVEL CM	12479,0368 litre	83,788 %	2414,4686 litre	O
430	CM 105	CM 163 LEVEL CM	12404,0508 litre	83,285 %	2489,4546 litre	O
430	CM 105	CM 162 LEVEL CM	12328,4949 litre	82,778 %	2565,0105 litre	O
430	CM 105	CM 161 LEVEL CM	12252,3830 litre	82,267 %	2641,1224 litre	O
430	CM 105	CM 160 LEVEL CM	12175,7289 litre	81,752 %	2717,7765 litre	O
430	CM 105	CM 159 LEVEL CM	12098,5460 litre	81,234 %	2794,9594 litre	O

430	CM	105	CM	158 LEVEL CM	12020,8473 litre	80,712 %	2872,6581 litre	O
430	CM	105	CM	157 LEVEL CM	11942,6457 litre	80,187 %	2950,8597 litre	O
430	CM	105	CM	156 LEVEL CM	11863,9539 litre	79,659 %	3029,5515 litre	O
430	CM	105	CM	155 LEVEL CM	11784,7841 litre	79,127 %	3108,7213 litre	O
430	CM	105	CM	154 LEVEL CM	11705,1487 litre	78,592 %	3188,3567 litre	O
430	CM	105	CM	153 LEVEL CM	11625,0594 litre	78,055 %	3268,4460 litre	O
430	CM	105	CM	152 LEVEL CM	11544,5281 litre	77,514 %	3348,9773 litre	O
430	CM	105	CM	151 LEVEL CM	11463,5663 litre	76,970 %	3429,9391 litre	O
430	CM	105	CM	150 LEVEL CM	11382,1854 litre	76,424 %	3511,3200 litre	O
430	CM	105	CM	149 LEVEL CM	11300,3965 litre	75,875 %	3593,1089 litre	O
430	CM	105	CM	148 LEVEL CM	11218,2107 litre	75,323 %	3675,2947 litre	O
430	CM	105	CM	147 LEVEL CM	11135,6388 litre	74,768 %	3757,8666 litre	O
430	CM	105	CM	146 LEVEL CM	11052,6916 litre	74,211 %	3840,8138 litre	O
430	CM	105	CM	145 LEVEL CM	10969,3796 litre	73,652 %	3924,1258 litre	O
430	CM	105	CM	144 LEVEL CM	10885,7133 litre	73,090 %	4007,7921 litre	O
430	CM	105	CM	143 LEVEL CM	10801,7029 litre	72,526 %	4091,8025 litre	O
430	CM	105	CM	142 LEVEL CM	10717,3586 litre	71,960 %	4176,1468 litre	O
430	CM	105	CM	141 LEVEL CM	10632,6905 litre	71,391 %	4260,8149 litre	O
430	CM	105	CM	140 LEVEL CM	10547,7085 litre	70,821 %	4345,7969 litre	O
430	CM	105	CM	139 LEVEL CM	10462,4224 litre	70,248 %	4431,0830 litre	O
430	CM	105	CM	138 LEVEL CM	10376,8420 litre	69,674 %	4516,6634 litre	O
430	CM	105	CM	137 LEVEL CM	10290,9769 litre	69,097 %	4602,5285 litre	O
430	CM	105	CM	136 LEVEL CM	10204,8366 litre	68,519 %	4688,6688 litre	O
430	CM	105	CM	135 LEVEL CM	10118,4305 litre	67,939 %	4775,0749 litre	O
430	CM	105	CM	134 LEVEL CM	10031,7680 litre	67,357 %	4861,7374 litre	O
430	CM	105	CM	133 LEVEL CM	9944,8584 litre	66,773 %	4948,6470 litre	O
430	CM	105	CM	132 LEVEL CM	9857,7108 litre	66,188 %	5035,7946 litre	O
430	CM	105	CM	131 LEVEL CM	9770,3344 litre	65,601 %	5123,1710 litre	O
430	CM	105	CM	130 LEVEL CM	9682,7382 litre	65,013 %	5210,7672 litre	O
430	CM	105	CM	129 LEVEL CM	9594,9311 litre	64,424 %	5298,5743 litre	O
430	CM	105	CM	128 LEVEL CM	9506,9221 litre	63,833 %	5386,5833 litre	O
430	CM	105	CM	127 LEVEL CM	9418,7201 litre	63,240 %	5474,7853 litre	O
430	CM	105	CM	126 LEVEL CM	9330,3337 litre	62,647 %	5563,1717 litre	O
430	CM	105	CM	125 LEVEL CM	9241,7718 litre	62,052 %	5651,7336 litre	O
430	CM	105	CM	124 LEVEL CM	9153,0431 litre	61,457 %	5740,4623 litre	O
430	CM	105	CM	123 LEVEL CM	9064,1561 litre	60,860 %	5829,3493 litre	O
430	CM	105	CM	122 LEVEL CM	8975,1194 litre	60,262 %	5918,3860 litre	O
430	CM	105	CM	121 LEVEL CM	8885,9417 litre	59,663 %	6007,5637 litre	O
430	CM	105	CM	120 LEVEL CM	8796,6313 litre	59,064 %	6096,8741 litre	O
430	CM	105	CM	119 LEVEL CM	8707,1969 litre	58,463 %	6186,3085 litre	O
430	CM	105	CM	118 LEVEL CM	8617,6467 litre	57,862 %	6275,8587 litre	O
430	CM	105	CM	117 LEVEL CM	8527,9892 litre	57,260 %	6365,5162 litre	O
430	CM	105	CM	116 LEVEL CM	8438,2328 litre	56,657 %	6455,2726 litre	O
430	CM	105	CM	115 LEVEL CM	8348,3857 litre	56,054 %	6545,1197 litre	O
430	CM	105	CM	114 LEVEL CM	8258,4564 litre	55,450 %	6635,0490 litre	O
430	CM	105	CM	113 LEVEL CM	8168,4532 litre	54,846 %	6725,0522 litre	O
430	CM	105	CM	112 LEVEL CM	8078,3842 litre	54,241 %	6815,1212 litre	O
430	CM	105	CM	111 LEVEL CM	7988,2577 litre	53,636 %	6905,2477 litre	O
430	CM	105	CM	110 LEVEL CM	7898,0820 litre	53,030 %	6995,4234 litre	O
430	CM	105	CM	109 LEVEL CM	7807,8653 litre	52,425 %	7085,6401 litre	O
430	CM	105	CM	108 LEVEL CM	7717,6158 litre	51,819 %	7175,8896 litre	O
430	CM	105	CM	107 LEVEL CM	7627,3418 litre	51,213 %	7266,1636 litre	O
430	CM	105	CM	106 LEVEL CM	7537,0513 litre	50,606 %	7356,4541 litre	O

430	CM	105	CM	105 LEVEL CM	7446,7527 litre	50,000 %	7446,7527 litre	O
430	CM	105	CM	104 LEVEL CM	7356,4541 litre	49,394 %	7537,0513 litre	O
430	CM	105	CM	103 LEVEL CM	7266,1636 litre	48,787 %	7627,3418 litre	O
430	CM	105	CM	102 LEVEL CM	7175,8895 litre	48,181 %	7717,6159 litre	O
430	CM	105	CM	101 LEVEL CM	7085,6401 litre	47,575 %	7807,8653 litre	O
430	CM	105	CM	100 LEVEL CM	6995,4234 litre	46,970 %	7898,0820 litre	O
430	CM	105	CM	99 LEVEL CM	6905,2477 litre	46,364 %	7988,2577 litre	O
430	CM	105	CM	98 LEVEL CM	6815,1212 litre	45,759 %	8078,3842 litre	O
430	CM	105	CM	97 LEVEL CM	6725,0522 litre	45,154 %	8168,4532 litre	O
430	CM	105	CM	96 LEVEL CM	6635,0489 litre	44,550 %	8258,4565 litre	O
430	CM	105	CM	95 LEVEL CM	6545,1196 litre	43,946 %	8348,3858 litre	O
430	CM	105	CM	94 LEVEL CM	6455,2726 litre	43,343 %	8438,2328 litre	O
430	CM	105	CM	93 LEVEL CM	6365,5162 litre	42,740 %	8527,9892 litre	O
430	CM	105	CM	92 LEVEL CM	6275,8587 litre	42,138 %	8617,6467 litre	O
430	CM	105	CM	91 LEVEL CM	6186,3085 litre	41,537 %	8707,1969 litre	O
430	CM	105	CM	90 LEVEL CM	6096,8740 litre	40,936 %	8796,6314 litre	O
430	CM	105	CM	89 LEVEL CM	6007,5637 litre	40,337 %	8885,9417 litre	O
430	CM	105	CM	88 LEVEL CM	5918,3859 litre	39,738 %	8975,1195 litre	O
430	CM	105	CM	87 LEVEL CM	5829,3493 litre	39,140 %	9064,1561 litre	O
430	CM	105	CM	86 LEVEL CM	5740,4623 litre	38,543 %	9153,0431 litre	O
430	CM	105	CM	85 LEVEL CM	5651,7335 litre	37,948 %	9241,7719 litre	O
430	CM	105	CM	84 LEVEL CM	5563,1716 litre	37,353 %	9330,3338 litre	O
430	CM	105	CM	83 LEVEL CM	5474,7853 litre	36,760 %	9418,7201 litre	O
430	CM	105	CM	82 LEVEL CM	5386,5832 litre	36,167 %	9506,9222 litre	O
430	CM	105	CM	81 LEVEL CM	5298,5743 litre	35,576 %	9594,9311 litre	O
430	CM	105	CM	80 LEVEL CM	5210,7672 litre	34,987 %	9682,7382 litre	O
430	CM	105	CM	79 LEVEL CM	5123,1710 litre	34,399 %	9770,3344 litre	O
430	CM	105	CM	78 LEVEL CM	5035,7945 litre	33,812 %	9857,7109 litre	O
430	CM	105	CM	77 LEVEL CM	4948,6470 litre	33,227 %	9944,8584 litre	O
430	CM	105	CM	76 LEVEL CM	4861,7373 litre	32,643 %	10031,7681 litre	O
430	CM	105	CM	75 LEVEL CM	4775,0748 litre	32,061 %	10118,4306 litre	O
430	CM	105	CM	74 LEVEL CM	4688,6688 litre	31,481 %	10204,8366 litre	O
430	CM	105	CM	73 LEVEL CM	4602,5285 litre	30,903 %	10290,9769 litre	O
430	CM	105	CM	72 LEVEL CM	4516,6633 litre	30,326 %	10376,8421 litre	O
430	CM	105	CM	71 LEVEL CM	4431,0829 litre	29,752 %	10462,4225 litre	O
430	CM	105	CM	70 LEVEL CM	4345,7969 litre	29,179 %	10547,7085 litre	O
430	CM	105	CM	69 LEVEL CM	4260,8149 litre	28,609 %	10632,6905 litre	O
430	CM	105	CM	68 LEVEL CM	4176,1468 litre	28,040 %	10717,3586 litre	O
430	CM	105	CM	67 LEVEL CM	4091,8025 litre	27,474 %	10801,7029 litre	O
430	CM	105	CM	66 LEVEL CM	4007,7921 litre	26,910 %	10885,7133 litre	O
430	CM	105	CM	65 LEVEL CM	3924,1258 litre	26,348 %	10969,3796 litre	O
430	CM	105	CM	64 LEVEL CM	3840,8138 litre	25,789 %	11052,6916 litre	O
430	CM	105	CM	63 LEVEL CM	3757,8665 litre	25,232 %	11135,6389 litre	O
430	CM	105	CM	62 LEVEL CM	3675,2947 litre	24,677 %	11218,2107 litre	O
430	CM	105	CM	61 LEVEL CM	3593,1089 litre	24,125 %	11300,3965 litre	O
430	CM	105	CM	60 LEVEL CM	3511,3200 litre	23,576 %	11382,1854 litre	O
430	CM	105	CM	59 LEVEL CM	3429,9390 litre	23,030 %	11463,5664 litre	O
430	CM	105	CM	58 LEVEL CM	3348,9772 litre	22,486 %	11544,5282 litre	O
430	CM	105	CM	57 LEVEL CM	3268,4459 litre	21,945 %	11625,0595 litre	O
430	CM	105	CM	56 LEVEL CM	3188,3567 litre	21,408 %	11705,1487 litre	O
430	CM	105	CM	55 LEVEL CM	3108,7212 litre	20,873 %	11784,7842 litre	O
430	CM	105	CM	54 LEVEL CM	3029,5515 litre	20,341 %	11863,9539 litre	O
430	CM	105	CM	53 LEVEL CM	2950,8597 litre	19,813 %	11942,6457 litre	O

430	CM	105	CM	52 LEVEL CM	2872,6581 litre	19,288 %	12020,8473 litre	O
430	CM	105	CM	51 LEVEL CM	2794,9594 litre	18,766 %	12098,5460 litre	O
430	CM	105	CM	50 LEVEL CM	2717,7765 litre	18,248 %	12175,7289 litre	O
430	CM	105	CM	49 LEVEL CM	2641,1224 litre	17,733 %	12252,3830 litre	O
430	CM	105	CM	48 LEVEL CM	2565,0105 litre	17,222 %	12328,4949 litre	O
430	CM	105	CM	47 LEVEL CM	2489,4546 litre	16,715 %	12404,0508 litre	O
430	CM	105	CM	46 LEVEL CM	2414,4685 litre	16,212 %	12479,0369 litre	O
430	CM	105	CM	45 LEVEL CM	2340,0667 litre	15,712 %	12553,4387 litre	O
430	CM	105	CM	44 LEVEL CM	2266,2638 litre	15,216 %	12627,2416 litre	O
430	CM	105	CM	43 LEVEL CM	2193,0747 litre	14,725 %	12700,4307 litre	O
430	CM	105	CM	42 LEVEL CM	2120,5148 litre	14,238 %	12772,9906 litre	O
430	CM	105	CM	41 LEVEL CM	2048,6000 litre	13,755 %	12844,9054 litre	O
430	CM	105	CM	40 LEVEL CM	1977,3464 litre	13,277 %	12916,1590 litre	O
430	CM	105	CM	39 LEVEL CM	1906,7708 litre	12,803 %	12986,7346 litre	O
430	CM	105	CM	38 LEVEL CM	1836,8902 litre	12,333 %	13056,6152 litre	O
430	CM	105	CM	37 LEVEL CM	1767,7225 litre	11,869 %	13125,7829 litre	O
430	CM	105	CM	36 LEVEL CM	1699,2857 litre	11,410 %	13194,2197 litre	O
430	CM	105	CM	35 LEVEL CM	1631,5987 litre	10,955 %	13261,9067 litre	O
430	CM	105	CM	34 LEVEL CM	1564,6810 litre	10,506 %	13328,8244 litre	O
430	CM	105	CM	33 LEVEL CM	1498,5526 litre	10,062 %	13394,9528 litre	O
430	CM	105	CM	32 LEVEL CM	1433,2346 litre	9,623 %	13460,2708 litre	O
430	CM	105	CM	31 LEVEL CM	1368,7484 litre	9,190 %	13524,7570 litre	O
430	CM	105	CM	30 LEVEL CM	1305,1167 litre	8,763 %	13588,3887 litre	O
430	CM	105	CM	29 LEVEL CM	1242,3627 litre	8,342 %	13651,1427 litre	O
430	CM	105	CM	28 LEVEL CM	1180,5110 litre	7,926 %	13712,9944 litre	O
430	CM	105	CM	27 LEVEL CM	1119,5870 litre	7,517 %	13773,9184 litre	O
430	CM	105	CM	26 LEVEL CM	1059,6174 litre	7,115 %	13833,8880 litre	O
430	CM	105	CM	25 LEVEL CM	1000,6302 litre	6,719 %	13892,8752 litre	O
430	CM	105	CM	24 LEVEL CM	942,6548 litre	6,329 %	13950,8506 litre	O
430	CM	105	CM	23 LEVEL CM	885,7222 litre	5,947 %	14007,7832 litre	O
430	CM	105	CM	22 LEVEL CM	829,8650 litre	5,572 %	14063,6404 litre	O
430	CM	105	CM	21 LEVEL CM	775,1179 litre	5,204 %	14118,3875 litre	O
430	CM	105	CM	20 LEVEL CM	721,5176 litre	4,845 %	14171,9878 litre	O
430	CM	105	CM	19 LEVEL CM	669,1035 litre	4,493 %	14224,4019 litre	O
430	CM	105	CM	18 LEVEL CM	617,9173 litre	4,149 %	14275,5881 litre	O
430	CM	105	CM	17 LEVEL CM	568,0041 litre	3,814 %	14325,5013 litre	O
430	CM	105	CM	16 LEVEL CM	519,4125 litre	3,488 %	14374,0929 litre	O
430	CM	105	CM	15 LEVEL CM	472,1951 litre	3,170 %	14421,3103 litre	O
430	CM	105	CM	14 LEVEL CM	426,4092 litre	2,863 %	14467,0962 litre	O
430	CM	105	CM	13 LEVEL CM	382,1180 litre	2,566 %	14511,3874 litre	O
430	CM	105	CM	12 LEVEL CM	339,3908 litre	2,279 %	14554,1146 litre	O
430	CM	105	CM	11 LEVEL CM	298,3052 litre	2,003 %	14595,2002 litre	O
430	CM	105	CM	10 LEVEL CM	258,9485 litre	1,739 %	14634,5569 litre	O
430	CM	105	CM	9 LEVEL CM	221,4199 litre	1,487 %	14672,0855 litre	O
430	CM	105	CM	8 LEVEL CM	185,8340 litre	1,248 %	14707,6714 litre	O
430	CM	105	CM	7 LEVEL CM	152,3255 litre	1,023 %	14741,1799 litre	O
430	CM	105	CM	6 LEVEL CM	121,0558 litre	0,813 %	14772,4496 litre	O
430	CM	105	CM	5 LEVEL CM	92,2243 litre	0,619 %	14801,2811 litre	O
430	CM	105	CM	4 LEVEL CM	66,0860 litre	0,444 %	14827,4194 litre	O
430	CM	105	CM	3 LEVEL CM	42,9862 litre	0,289 %	14850,5192 litre	O
430	CM	105	CM	2 LEVEL CM	23,4324 litre	0,157 %	14870,0730 litre	O
430	CM	105	CM	1 LEVEL CM	8,2965 litre	0,056 %	14885,2089 litre	O
430	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	14893,5054 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 100	CM 200 LEVEL CM	13508,8484 litre	100,000 %	0,0000 litre	O
430	CM 100	CM 199 LEVEL CM	13500,7524 litre	99,940 %	8,0960 litre	O
430	CM 100	CM 198 LEVEL CM	13485,9840 litre	99,831 %	22,8644 litre	O
430	CM 100	CM 197 LEVEL CM	13466,9073 litre	99,690 %	41,9411 litre	O
430	CM 100	CM 196 LEVEL CM	13444,3737 litre	99,523 %	64,4747 litre	O
430	CM 100	CM 195 LEVEL CM	13418,8794 litre	99,334 %	89,9690 litre	O
430	CM 100	CM 194 LEVEL CM	13390,7616 litre	99,126 %	118,0868 litre	O
430	CM 100	CM 193 LEVEL CM	13360,2700 litre	98,900 %	148,5784 litre	O
430	CM 100	CM 192 LEVEL CM	13327,5993 litre	98,658 %	181,2491 litre	O
430	CM 100	CM 191 LEVEL CM	13292,9077 litre	98,401 %	215,9407 litre	O
430	CM 100	CM 190 LEVEL CM	13256,3270 litre	98,131 %	252,5214 litre	O
430	CM 100	CM 189 LEVEL CM	13217,9694 litre	97,847 %	290,8790 litre	O
430	CM 100	CM 188 LEVEL CM	13177,9321 litre	97,550 %	330,9163 litre	O
430	CM 100	CM 187 LEVEL CM	13136,3007 litre	97,242 %	372,5477 litre	O
430	CM 100	CM 186 LEVEL CM	13093,1511 litre	96,923 %	415,6973 litre	O
430	CM 100	CM 185 LEVEL CM	13048,5517 litre	96,593 %	460,2967 litre	O
430	CM 100	CM 184 LEVEL CM	13002,5641 litre	96,252 %	506,2843 litre	O
430	CM 100	CM 183 LEVEL CM	12955,2448 litre	95,902 %	553,6036 litre	O
430	CM 100	CM 182 LEVEL CM	12906,6454 litre	95,542 %	602,2030 litre	O
430	CM 100	CM 181 LEVEL CM	12856,8136 litre	95,173 %	652,0348 litre	O
430	CM 100	CM 180 LEVEL CM	12805,7936 litre	94,796 %	703,0548 litre	O
430	CM 100	CM 179 LEVEL CM	12753,6268 litre	94,409 %	755,2216 litre	O
430	CM 100	CM 178 LEVEL CM	12700,3517 litre	94,015 %	808,4967 litre	O
430	CM 100	CM 177 LEVEL CM	12646,0045 litre	93,613 %	862,8439 litre	O
430	CM 100	CM 176 LEVEL CM	12590,6192 litre	93,203 %	918,2292 litre	O
430	CM 100	CM 175 LEVEL CM	12534,2281 litre	92,785 %	974,6203 litre	O
430	CM 100	CM 174 LEVEL CM	12476,8618 litre	92,361 %	1031,9866 litre	O
430	CM 100	CM 173 LEVEL CM	12418,5492 litre	91,929 %	1090,2992 litre	O
430	CM 100	CM 172 LEVEL CM	12359,3179 litre	91,491 %	1149,5305 litre	O
430	CM 100	CM 171 LEVEL CM	12299,1942 litre	91,045 %	1209,6542 litre	O
430	CM 100	CM 170 LEVEL CM	12238,2034 litre	90,594 %	1270,6450 litre	O
430	CM 100	CM 169 LEVEL CM	12176,3695 litre	90,136 %	1332,4789 litre	O
430	CM 100	CM 168 LEVEL CM	12113,7157 litre	89,672 %	1395,1327 litre	O
430	CM 100	CM 167 LEVEL CM	12050,2643 litre	89,203 %	1458,5841 litre	O
430	CM 100	CM 166 LEVEL CM	11986,0366 litre	88,727 %	1522,8118 litre	O
430	CM 100	CM 165 LEVEL CM	11921,0534 litre	88,246 %	1587,7950 litre	O
430	CM 100	CM 164 LEVEL CM	11855,3345 litre	87,760 %	1653,5139 litre	O
430	CM 100	CM 163 LEVEL CM	11788,8992 litre	87,268 %	1719,9492 litre	O
430	CM 100	CM 162 LEVEL CM	11721,7663 litre	86,771 %	1787,0821 litre	O
430	CM 100	CM 161 LEVEL CM	11653,9537 litre	86,269 %	1854,8947 litre	O
430	CM 100	CM 160 LEVEL CM	11585,4790 litre	85,762 %	1923,3694 litre	O
430	CM 100	CM 159 LEVEL CM	11516,3593 litre	85,250 %	1992,4891 litre	O
430	CM 100	CM 158 LEVEL CM	11446,6111 litre	84,734 %	2062,2373 litre	O
430	CM 100	CM 157 LEVEL CM	11376,2505 litre	84,213 %	2132,5979 litre	O
430	CM 100	CM 156 LEVEL CM	11305,2933 litre	83,688 %	2203,5551 litre	O
430	CM 100	CM 155 LEVEL CM	11233,7548 litre	83,158 %	2275,0936 litre	O
430	CM 100	CM 154 LEVEL CM	11161,6499 litre	82,625 %	2347,1985 litre	O
430	CM 100	CM 153 LEVEL CM	11088,9933 litre	82,087 %	2419,8551 litre	O
430	CM 100	CM 152 LEVEL CM	11015,7991 litre	81,545 %	2493,0493 litre	O
430	CM 100	CM 151 LEVEL CM	10942,0813 litre	80,999 %	2566,7671 litre	O
430	CM 100	CM 150 LEVEL CM	10867,8536 litre	80,450 %	2640,9948 litre	O
430	CM 100	CM 149 LEVEL CM	10793,1293 litre	79,897 %	2715,7191 litre	O

430	CM	100	CM	148 LEVEL CM	10717,9216 litre	79,340 %	2790,9268 litre	O
430	CM	100	CM	147 LEVEL CM	10642,2434 litre	78,780 %	2866,6050 litre	O
430	CM	100	CM	146 LEVEL CM	10566,1072 litre	78,216 %	2942,7412 litre	O
430	CM	100	CM	145 LEVEL CM	10489,5254 litre	77,649 %	3019,3230 litre	O
430	CM	100	CM	144 LEVEL CM	10412,5103 litre	77,079 %	3096,3381 litre	O
430	CM	100	CM	143 LEVEL CM	10335,0738 litre	76,506 %	3173,7746 litre	O
430	CM	100	CM	142 LEVEL CM	10257,2276 litre	75,930 %	3251,6208 litre	O
430	CM	100	CM	141 LEVEL CM	10178,9834 litre	75,350 %	3329,8650 litre	O
430	CM	100	CM	140 LEVEL CM	10100,3527 litre	74,768 %	3408,4957 litre	O
430	CM	100	CM	139 LEVEL CM	10021,3466 litre	74,184 %	3487,5018 litre	O
430	CM	100	CM	138 LEVEL CM	9941,9762 litre	73,596 %	3566,8722 litre	O
430	CM	100	CM	137 LEVEL CM	9862,2525 litre	73,006 %	3646,5959 litre	O
430	CM	100	CM	136 LEVEL CM	9782,1863 litre	72,413 %	3726,6621 litre	O
430	CM	100	CM	135 LEVEL CM	9701,7882 litre	71,818 %	3807,0602 litre	O
430	CM	100	CM	134 LEVEL CM	9621,0689 litre	71,220 %	3887,7795 litre	O
430	CM	100	CM	133 LEVEL CM	9540,0385 litre	70,621 %	3968,8099 litre	O
430	CM	100	CM	132 LEVEL CM	9458,7075 litre	70,019 %	4050,1409 litre	O
430	CM	100	CM	131 LEVEL CM	9377,0861 litre	69,414 %	4131,7623 litre	O
430	CM	100	CM	130 LEVEL CM	9295,1842 litre	68,808 %	4213,6642 litre	O
430	CM	100	CM	129 LEVEL CM	9213,0118 litre	68,200 %	4295,8366 litre	O
430	CM	100	CM	128 LEVEL CM	9130,5789 litre	67,590 %	4378,2695 litre	O
430	CM	100	CM	127 LEVEL CM	9047,8951 litre	66,978 %	4460,9533 litre	O
430	CM	100	CM	126 LEVEL CM	8964,9701 litre	66,364 %	4543,8783 litre	O
430	CM	100	CM	125 LEVEL CM	8881,8136 litre	65,748 %	4627,0348 litre	O
430	CM	100	CM	124 LEVEL CM	8798,4350 litre	65,131 %	4710,4134 litre	O
430	CM	100	CM	123 LEVEL CM	8714,8438 litre	64,512 %	4794,0046 litre	O
430	CM	100	CM	122 LEVEL CM	8631,0493 litre	63,892 %	4877,7991 litre	O
430	CM	100	CM	121 LEVEL CM	8547,0609 litre	63,270 %	4961,7875 litre	O
430	CM	100	CM	120 LEVEL CM	8462,8877 litre	62,647 %	5045,9607 litre	O
430	CM	100	CM	119 LEVEL CM	8378,5390 litre	62,023 %	5130,3094 litre	O
430	CM	100	CM	118 LEVEL CM	8294,0239 litre	61,397 %	5214,8245 litre	O
430	CM	100	CM	117 LEVEL CM	8209,3514 litre	60,770 %	5299,4970 litre	O
430	CM	100	CM	116 LEVEL CM	8124,5305 litre	60,142 %	5384,3179 litre	O
430	CM	100	CM	115 LEVEL CM	8039,5702 litre	59,513 %	5469,2782 litre	O
430	CM	100	CM	114 LEVEL CM	7954,4795 litre	58,883 %	5554,3689 litre	O
430	CM	100	CM	113 LEVEL CM	7869,2671 litre	58,253 %	5639,5813 litre	O
430	CM	100	CM	112 LEVEL CM	7783,9420 litre	57,621 %	5724,9064 litre	O
430	CM	100	CM	111 LEVEL CM	7698,5130 litre	56,989 %	5810,3354 litre	O
430	CM	100	CM	110 LEVEL CM	7612,9887 litre	56,356 %	5895,8597 litre	O
430	CM	100	CM	109 LEVEL CM	7527,3780 litre	55,722 %	5981,4704 litre	O
430	CM	100	CM	108 LEVEL CM	7441,6896 litre	55,088 %	6067,1588 litre	O
430	CM	100	CM	107 LEVEL CM	7355,9322 litre	54,453 %	6152,9162 litre	O
430	CM	100	CM	106 LEVEL CM	7270,1144 litre	53,817 %	6238,7340 litre	O
430	CM	100	CM	105 LEVEL CM	7184,2450 litre	53,182 %	6324,6034 litre	O
430	CM	100	CM	104 LEVEL CM	7098,3324 litre	52,546 %	6410,5160 litre	O
430	CM	100	CM	103 LEVEL CM	7012,3855 litre	51,910 %	6496,4629 litre	O
430	CM	100	CM	102 LEVEL CM	6926,4127 litre	51,273 %	6582,4357 litre	O
430	CM	100	CM	101 LEVEL CM	6840,4228 litre	50,637 %	6668,4256 litre	O
430	CM	100	CM	100 LEVEL CM	6754,4242 litre	50,000 %	6754,4242 litre	O
430	CM	100	CM	99 LEVEL CM	6668,4256 litre	49,363 %	6840,4228 litre	O
430	CM	100	CM	98 LEVEL CM	6582,4357 litre	48,727 %	6926,4127 litre	O
430	CM	100	CM	97 LEVEL CM	6496,4629 litre	48,090 %	7012,3855 litre	O
430	CM	100	CM	96 LEVEL CM	6410,5160 litre	47,454 %	7098,3324 litre	O

430	CM	100	CM	95 LEVEL CM	6324,6034 litre	46,818 %	7184,2450 litre	O
430	CM	100	CM	94 LEVEL CM	6238,7340 litre	46,183 %	7270,1144 litre	O
430	CM	100	CM	93 LEVEL CM	6152,9162 litre	45,547 %	7355,9322 litre	O
430	CM	100	CM	92 LEVEL CM	6067,1588 litre	44,912 %	7441,6896 litre	O
430	CM	100	CM	91 LEVEL CM	5981,4704 litre	44,278 %	7527,3780 litre	O
430	CM	100	CM	90 LEVEL CM	5895,8597 litre	43,644 %	7612,9887 litre	O
430	CM	100	CM	89 LEVEL CM	5810,3354 litre	43,011 %	7698,5130 litre	O
430	CM	100	CM	88 LEVEL CM	5724,9064 litre	42,379 %	7783,9420 litre	O
430	CM	100	CM	87 LEVEL CM	5639,5813 litre	41,747 %	7869,2671 litre	O
430	CM	100	CM	86 LEVEL CM	5554,3689 litre	41,117 %	7954,4795 litre	O
430	CM	100	CM	85 LEVEL CM	5469,2782 litre	40,487 %	8039,5702 litre	O
430	CM	100	CM	84 LEVEL CM	5384,3179 litre	39,858 %	8124,5305 litre	O
430	CM	100	CM	83 LEVEL CM	5299,4970 litre	39,230 %	8209,3514 litre	O
430	CM	100	CM	82 LEVEL CM	5214,8245 litre	38,603 %	8294,0239 litre	O
430	CM	100	CM	81 LEVEL CM	5130,3094 litre	37,977 %	8378,5390 litre	O
430	CM	100	CM	80 LEVEL CM	5045,9607 litre	37,353 %	8462,8877 litre	O
430	CM	100	CM	79 LEVEL CM	4961,7875 litre	36,730 %	8547,0609 litre	O
430	CM	100	CM	78 LEVEL CM	4877,7991 litre	36,108 %	8631,0493 litre	O
430	CM	100	CM	77 LEVEL CM	4794,0046 litre	35,488 %	8714,8438 litre	O
430	CM	100	CM	76 LEVEL CM	4710,4134 litre	34,869 %	8798,4350 litre	O
430	CM	100	CM	75 LEVEL CM	4627,0348 litre	34,252 %	8881,8136 litre	O
430	CM	100	CM	74 LEVEL CM	4543,8783 litre	33,636 %	8964,9701 litre	O
430	CM	100	CM	73 LEVEL CM	4460,9533 litre	33,022 %	9047,8951 litre	O
430	CM	100	CM	72 LEVEL CM	4378,2695 litre	32,410 %	9130,5789 litre	O
430	CM	100	CM	71 LEVEL CM	4295,8366 litre	31,800 %	9213,0118 litre	O
430	CM	100	CM	70 LEVEL CM	4213,6642 litre	31,192 %	9295,1842 litre	O
430	CM	100	CM	69 LEVEL CM	4131,7623 litre	30,586 %	9377,0861 litre	O
430	CM	100	CM	68 LEVEL CM	4050,1409 litre	29,981 %	9458,7075 litre	O
430	CM	100	CM	67 LEVEL CM	3968,8099 litre	29,379 %	9540,0385 litre	O
430	CM	100	CM	66 LEVEL CM	3887,7796 litre	28,780 %	9621,0688 litre	O
430	CM	100	CM	65 LEVEL CM	3807,0602 litre	28,182 %	9701,7882 litre	O
430	CM	100	CM	64 LEVEL CM	3726,6621 litre	27,587 %	9782,1863 litre	O
430	CM	100	CM	63 LEVEL CM	3646,5959 litre	26,994 %	9862,2525 litre	O
430	CM	100	CM	62 LEVEL CM	3566,8722 litre	26,404 %	9941,9762 litre	O
430	CM	100	CM	61 LEVEL CM	3487,5018 litre	25,816 %	10021,3466 litre	O
430	CM	100	CM	60 LEVEL CM	3408,4957 litre	25,232 %	10100,3527 litre	O
430	CM	100	CM	59 LEVEL CM	3329,8650 litre	24,650 %	10178,9834 litre	O
430	CM	100	CM	58 LEVEL CM	3251,6208 litre	24,070 %	10257,2276 litre	O
430	CM	100	CM	57 LEVEL CM	3173,7747 litre	23,494 %	10335,0737 litre	O
430	CM	100	CM	56 LEVEL CM	3096,3381 litre	22,921 %	10412,5103 litre	O
430	CM	100	CM	55 LEVEL CM	3019,3230 litre	22,351 %	10489,5254 litre	O
430	CM	100	CM	54 LEVEL CM	2942,7412 litre	21,784 %	10566,1072 litre	O
430	CM	100	CM	53 LEVEL CM	2866,6050 litre	21,220 %	10642,2434 litre	O
430	CM	100	CM	52 LEVEL CM	2790,9268 litre	20,660 %	10717,9216 litre	O
430	CM	100	CM	51 LEVEL CM	2715,7191 litre	20,103 %	10793,1293 litre	O
430	CM	100	CM	50 LEVEL CM	2640,9949 litre	19,550 %	10867,8535 litre	O
430	CM	100	CM	49 LEVEL CM	2566,7671 litre	19,001 %	10942,0813 litre	O
430	CM	100	CM	48 LEVEL CM	2493,0494 litre	18,455 %	11015,7990 litre	O
430	CM	100	CM	47 LEVEL CM	2419,8551 litre	17,913 %	11088,9933 litre	O
430	CM	100	CM	46 LEVEL CM	2347,1985 litre	17,375 %	11161,6499 litre	O
430	CM	100	CM	45 LEVEL CM	2275,0936 litre	16,842 %	11233,7548 litre	O
430	CM	100	CM	44 LEVEL CM	2203,5551 litre	16,312 %	11305,2933 litre	O
430	CM	100	CM	43 LEVEL CM	2132,5979 litre	15,787 %	11376,2505 litre	O

430	CM	100	CM	42 LEVEL CM	2062,2373 litre	15,266 %	11446,6111 litre	O
430	CM	100	CM	41 LEVEL CM	1992,4892 litre	14,750 %	11516,3592 litre	O
430	CM	100	CM	40 LEVEL CM	1923,3694 litre	14,238 %	11585,4790 litre	O
430	CM	100	CM	39 LEVEL CM	1854,8948 litre	13,731 %	11653,9536 litre	O
430	CM	100	CM	38 LEVEL CM	1787,0822 litre	13,229 %	11721,7662 litre	O
430	CM	100	CM	37 LEVEL CM	1719,9492 litre	12,732 %	11788,8992 litre	O
430	CM	100	CM	36 LEVEL CM	1653,5139 litre	12,240 %	11855,3345 litre	O
430	CM	100	CM	35 LEVEL CM	1587,7950 litre	11,754 %	11921,0534 litre	O
430	CM	100	CM	34 LEVEL CM	1522,8118 litre	11,273 %	11986,0366 litre	O
430	CM	100	CM	33 LEVEL CM	1458,5841 litre	10,797 %	12050,2643 litre	O
430	CM	100	CM	32 LEVEL CM	1395,1327 litre	10,328 %	12113,7157 litre	O
430	CM	100	CM	31 LEVEL CM	1332,4789 litre	9,864 %	12176,3695 litre	O
430	CM	100	CM	30 LEVEL CM	1270,6450 litre	9,406 %	12238,2034 litre	O
430	CM	100	CM	29 LEVEL CM	1209,6542 litre	8,955 %	12299,1942 litre	O
430	CM	100	CM	28 LEVEL CM	1149,5305 litre	8,509 %	12359,3179 litre	O
430	CM	100	CM	27 LEVEL CM	1090,2992 litre	8,071 %	12418,5492 litre	O
430	CM	100	CM	26 LEVEL CM	1031,9866 litre	7,639 %	12476,8618 litre	O
430	CM	100	CM	25 LEVEL CM	974,6203 litre	7,215 %	12534,2281 litre	O
430	CM	100	CM	24 LEVEL CM	918,2292 litre	6,797 %	12590,6192 litre	O
430	CM	100	CM	23 LEVEL CM	862,8439 litre	6,387 %	12646,0045 litre	O
430	CM	100	CM	22 LEVEL CM	808,4967 litre	5,985 %	12700,3517 litre	O
430	CM	100	CM	21 LEVEL CM	755,2216 litre	5,591 %	12753,6268 litre	O
430	CM	100	CM	20 LEVEL CM	703,0548 litre	5,204 %	12805,7936 litre	O
430	CM	100	CM	19 LEVEL CM	652,0349 litre	4,827 %	12856,8135 litre	O
430	CM	100	CM	18 LEVEL CM	602,2031 litre	4,458 %	12906,6453 litre	O
430	CM	100	CM	17 LEVEL CM	553,6036 litre	4,098 %	12955,2448 litre	O
430	CM	100	CM	16 LEVEL CM	506,2843 litre	3,748 %	13002,5641 litre	O
430	CM	100	CM	15 LEVEL CM	460,2967 litre	3,407 %	13048,5517 litre	O
430	CM	100	CM	14 LEVEL CM	415,6973 litre	3,077 %	13093,1511 litre	O
430	CM	100	CM	13 LEVEL CM	372,5477 litre	2,758 %	13136,3007 litre	O
430	CM	100	CM	12 LEVEL CM	330,9163 litre	2,450 %	13177,9321 litre	O
430	CM	100	CM	11 LEVEL CM	290,8790 litre	2,153 %	13217,9694 litre	O
430	CM	100	CM	10 LEVEL CM	252,5214 litre	1,869 %	13256,3270 litre	O
430	CM	100	CM	9 LEVEL CM	215,9407 litre	1,599 %	13292,9077 litre	O
430	CM	100	CM	8 LEVEL CM	181,2491 litre	1,342 %	13327,5993 litre	O
430	CM	100	CM	7 LEVEL CM	148,5785 litre	1,100 %	13360,2699 litre	O
430	CM	100	CM	6 LEVEL CM	118,0868 litre	0,874 %	13390,7616 litre	O
430	CM	100	CM	5 LEVEL CM	89,9690 litre	0,666 %	13418,8794 litre	O
430	CM	100	CM	4 LEVEL CM	64,4747 litre	0,477 %	13444,3737 litre	O
430	CM	100	CM	3 LEVEL CM	41,9411 litre	0,310 %	13466,9073 litre	O
430	CM	100	CM	2 LEVEL CM	22,8644 litre	0,169 %	13485,9840 litre	O
430	CM	100	CM	1 LEVEL CM	8,0960 litre	0,060 %	13500,7524 litre	O
430	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	13508,8484 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
430	CM	95	CM	190 LEVEL CM	12191,7357 litre	100,000 %	0,0000 litre	O
430	CM	95	CM	189 LEVEL CM	12183,8453 litre	99,935 %	7,8904 litre	O
430	CM	95	CM	188 LEVEL CM	12169,4538 litre	99,817 %	22,2819 litre	O
430	CM	95	CM	187 LEVEL CM	12150,8663 litre	99,665 %	40,8694 litre	O
430	CM	95	CM	186 LEVEL CM	12128,9137 litre	99,485 %	62,8220 litre	O
430	CM	95	CM	185 LEVEL CM	12104,0800 litre	99,281 %	87,6557 litre	O
430	CM	95	CM	184 LEVEL CM	12076,6946 litre	99,056 %	115,0411 litre	O
430	CM	95	CM	183 LEVEL CM	12047,0013 litre	98,813 %	144,7344 litre	O
430	CM	95	CM	182 LEVEL CM	12015,1906 litre	98,552 %	176,5451 litre	O
430	CM	95	CM	181 LEVEL CM	11981,4169 litre	98,275 %	210,3188 litre	O
430	CM	95	CM	180 LEVEL CM	11945,8093 litre	97,983 %	245,9264 litre	O
430	CM	95	CM	179 LEVEL CM	11908,4775 litre	97,677 %	283,2582 litre	O
430	CM	95	CM	178 LEVEL CM	11869,5167 litre	97,357 %	322,2190 litre	O
430	CM	95	CM	177 LEVEL CM	11829,0107 litre	97,025 %	362,7250 litre	O
430	CM	95	CM	176 LEVEL CM	11787,0339 litre	96,681 %	404,7018 litre	O
430	CM	95	CM	175 LEVEL CM	11743,6533 litre	96,325 %	448,0824 litre	O
430	CM	95	CM	174 LEVEL CM	11698,9294 litre	95,958 %	492,8063 litre	O
430	CM	95	CM	173 LEVEL CM	11652,9175 litre	95,580 %	538,8182 litre	O
430	CM	95	CM	172 LEVEL CM	11605,6683 litre	95,193 %	586,0674 litre	O
430	CM	95	CM	171 LEVEL CM	11557,2288 litre	94,796 %	634,5069 litre	O
430	CM	95	CM	170 LEVEL CM	11507,6423 litre	94,389 %	684,0934 litre	O
430	CM	95	CM	169 LEVEL CM	11456,9494 litre	93,973 %	734,7863 litre	O
430	CM	95	CM	168 LEVEL CM	11405,1881 litre	93,549 %	786,5476 litre	O
430	CM	95	CM	167 LEVEL CM	11352,3940 litre	93,115 %	839,3417 litre	O
430	CM	95	CM	166 LEVEL CM	11298,6006 litre	92,674 %	893,1351 litre	O
430	CM	95	CM	165 LEVEL CM	11243,8397 litre	92,225 %	947,8960 litre	O
430	CM	95	CM	164 LEVEL CM	11188,1414 litre	91,768 %	1003,5943 litre	O
430	CM	95	CM	163 LEVEL CM	11131,5342 litre	91,304 %	1060,2015 litre	O
430	CM	95	CM	162 LEVEL CM	11074,0454 litre	90,832 %	1117,6903 litre	O
430	CM	95	CM	161 LEVEL CM	11015,7010 litre	90,354 %	1176,0347 litre	O
430	CM	95	CM	160 LEVEL CM	10956,5258 litre	89,868 %	1235,2099 litre	O
430	CM	95	CM	159 LEVEL CM	10896,5437 litre	89,376 %	1295,1920 litre	O
430	CM	95	CM	158 LEVEL CM	10835,7775 litre	88,878 %	1355,9582 litre	O
430	CM	95	CM	157 LEVEL CM	10774,2493 litre	88,373 %	1417,4864 litre	O
430	CM	95	CM	156 LEVEL CM	10711,9803 litre	87,863 %	1479,7554 litre	O
430	CM	95	CM	155 LEVEL CM	10648,9909 litre	87,346 %	1542,7448 litre	O
430	CM	95	CM	154 LEVEL CM	10585,3008 litre	86,824 %	1606,4349 litre	O
430	CM	95	CM	153 LEVEL CM	10520,9293 litre	86,296 %	1670,8064 litre	O
430	CM	95	CM	152 LEVEL CM	10455,8948 litre	85,762 %	1735,8409 litre	O
430	CM	95	CM	151 LEVEL CM	10390,2152 litre	85,223 %	1801,5205 litre	O
430	CM	95	CM	150 LEVEL CM	10323,9080 litre	84,680 %	1867,8277 litre	O
430	CM	95	CM	149 LEVEL CM	10256,9901 litre	84,131 %	1934,7456 litre	O
430	CM	95	CM	148 LEVEL CM	10189,4781 litre	83,577 %	2002,2576 litre	O
430	CM	95	CM	147 LEVEL CM	10121,3878 litre	83,018 %	2070,3479 litre	O
430	CM	95	CM	146 LEVEL CM	10052,7351 litre	82,455 %	2139,0006 litre	O
430	CM	95	CM	145 LEVEL CM	9983,5351 litre	81,888 %	2208,2006 litre	O
430	CM	95	CM	144 LEVEL CM	9913,8028 litre	81,316 %	2277,9329 litre	O
430	CM	95	CM	143 LEVEL CM	9843,5526 litre	80,740 %	2348,1831 litre	O
430	CM	95	CM	142 LEVEL CM	9772,7989 litre	80,159 %	2418,9368 litre	O
430	CM	95	CM	141 LEVEL CM	9701,5556 litre	79,575 %	2490,1801 litre	O
430	CM	95	CM	140 LEVEL CM	9629,8363 litre	78,987 %	2561,8994 litre	O
430	CM	95	CM	139 LEVEL CM	9557,6545 litre	78,395 %	2634,0812 litre	O

430	CM	95	CM	138 LEVEL CM	9485,0232 litre	77,799 %	2706,7125 litre	O
430	CM	95	CM	137 LEVEL CM	9411,9554 litre	77,199 %	2779,7803 litre	O
430	CM	95	CM	136 LEVEL CM	9338,4636 litre	76,597 %	2853,2721 litre	O
430	CM	95	CM	135 LEVEL CM	9264,5604 litre	75,990 %	2927,1753 litre	O
430	CM	95	CM	134 LEVEL CM	9190,2579 litre	75,381 %	3001,4778 litre	O
430	CM	95	CM	133 LEVEL CM	9115,5683 litre	74,768 %	3076,1674 litre	O
430	CM	95	CM	132 LEVEL CM	9040,5033 litre	74,153 %	3151,2324 litre	O
430	CM	95	CM	131 LEVEL CM	8965,0746 litre	73,534 %	3226,6611 litre	O
430	CM	95	CM	130 LEVEL CM	8889,2938 litre	72,912 %	3302,4419 litre	O
430	CM	95	CM	129 LEVEL CM	8813,1721 litre	72,288 %	3378,5636 litre	O
430	CM	95	CM	128 LEVEL CM	8736,7208 litre	71,661 %	3455,0149 litre	O
430	CM	95	CM	127 LEVEL CM	8659,9509 litre	71,031 %	3531,7848 litre	O
430	CM	95	CM	126 LEVEL CM	8582,8733 litre	70,399 %	3608,8624 litre	O
430	CM	95	CM	125 LEVEL CM	8505,4988 litre	69,764 %	3686,2369 litre	O
430	CM	95	CM	124 LEVEL CM	8427,8381 litre	69,127 %	3763,8976 litre	O
430	CM	95	CM	123 LEVEL CM	8349,9017 litre	68,488 %	3841,8340 litre	O
430	CM	95	CM	122 LEVEL CM	8271,7001 litre	67,847 %	3920,0356 litre	O
430	CM	95	CM	121 LEVEL CM	8193,2435 litre	67,203 %	3998,4922 litre	O
430	CM	95	CM	120 LEVEL CM	8114,5421 litre	66,558 %	4077,1936 litre	O
430	CM	95	CM	119 LEVEL CM	8035,6062 litre	65,910 %	4156,1295 litre	O
430	CM	95	CM	118 LEVEL CM	7956,4457 litre	65,261 %	4235,2900 litre	O
430	CM	95	CM	117 LEVEL CM	7877,0707 litre	64,610 %	4314,6650 litre	O
430	CM	95	CM	116 LEVEL CM	7797,4909 litre	63,957 %	4394,2448 litre	O
430	CM	95	CM	115 LEVEL CM	7717,7161 litre	63,303 %	4474,0196 litre	O
430	CM	95	CM	114 LEVEL CM	7637,7562 litre	62,647 %	4553,9795 litre	O
430	CM	95	CM	113 LEVEL CM	7557,6207 litre	61,990 %	4634,1150 litre	O
430	CM	95	CM	112 LEVEL CM	7477,3192 litre	61,331 %	4714,4165 litre	O
430	CM	95	CM	111 LEVEL CM	7396,8614 litre	60,671 %	4794,8743 litre	O
430	CM	95	CM	110 LEVEL CM	7316,2565 litre	60,010 %	4875,4792 litre	O
430	CM	95	CM	109 LEVEL CM	7235,5142 litre	59,348 %	4956,2215 litre	O
430	CM	95	CM	108 LEVEL CM	7154,6437 litre	58,684 %	5037,0920 litre	O
430	CM	95	CM	107 LEVEL CM	7073,6544 litre	58,020 %	5118,0813 litre	O
430	CM	95	CM	106 LEVEL CM	6992,5556 litre	57,355 %	5199,1801 litre	O
430	CM	95	CM	105 LEVEL CM	6911,3566 litre	56,689 %	5280,3791 litre	O
430	CM	95	CM	104 LEVEL CM	6830,0665 litre	56,022 %	5361,6692 litre	O
430	CM	95	CM	103 LEVEL CM	6748,6945 litre	55,355 %	5443,0412 litre	O
430	CM	95	CM	102 LEVEL CM	6667,2499 litre	54,687 %	5524,4858 litre	O
430	CM	95	CM	101 LEVEL CM	6585,7418 litre	54,018 %	5605,9939 litre	O
430	CM	95	CM	100 LEVEL CM	6504,1792 litre	53,349 %	5687,5565 litre	O
430	CM	95	CM	99 LEVEL CM	6422,5713 litre	52,680 %	5769,1644 litre	O
430	CM	95	CM	98 LEVEL CM	6340,9271 litre	52,010 %	5850,8086 litre	O
430	CM	95	CM	97 LEVEL CM	6259,2558 litre	51,340 %	5932,4799 litre	O
430	CM	95	CM	96 LEVEL CM	6177,5663 litre	50,670 %	6014,1694 litre	O
430	CM	95	CM	95 LEVEL CM	6095,8678 litre	50,000 %	6095,8679 litre	O
430	CM	95	CM	94 LEVEL CM	6014,1694 litre	49,330 %	6177,5663 litre	O
430	CM	95	CM	93 LEVEL CM	5932,4799 litre	48,660 %	6259,2558 litre	O
430	CM	95	CM	92 LEVEL CM	5850,8086 litre	47,990 %	6340,9271 litre	O
430	CM	95	CM	91 LEVEL CM	5769,1644 litre	47,320 %	6422,5713 litre	O
430	CM	95	CM	90 LEVEL CM	5687,5565 litre	46,651 %	6504,1792 litre	O
430	CM	95	CM	89 LEVEL CM	5605,9939 litre	45,982 %	6585,7418 litre	O
430	CM	95	CM	88 LEVEL CM	5524,4858 litre	45,313 %	6667,2499 litre	O
430	CM	95	CM	87 LEVEL CM	5443,0412 litre	44,645 %	6748,6945 litre	O
430	CM	95	CM	86 LEVEL CM	5361,6692 litre	43,978 %	6830,0665 litre	O

430	CM 95	CM	85 LEVEL CM	5280,3791 litre	43,311 %	6911,3566 litre	O
430	CM 95	CM	84 LEVEL CM	5199,1801 litre	42,645 %	6992,5556 litre	O
430	CM 95	CM	83 LEVEL CM	5118,0813 litre	41,980 %	7073,6544 litre	O
430	CM 95	CM	82 LEVEL CM	5037,0920 litre	41,316 %	7154,6437 litre	O
430	CM 95	CM	81 LEVEL CM	4956,2215 litre	40,652 %	7235,5142 litre	O
430	CM 95	CM	80 LEVEL CM	4875,4792 litre	39,990 %	7316,2565 litre	O
430	CM 95	CM	79 LEVEL CM	4794,8743 litre	39,329 %	7396,8614 litre	O
430	CM 95	CM	78 LEVEL CM	4714,4165 litre	38,669 %	7477,3192 litre	O
430	CM 95	CM	77 LEVEL CM	4634,1150 litre	38,010 %	7557,6207 litre	O
430	CM 95	CM	76 LEVEL CM	4553,9795 litre	37,353 %	7637,7562 litre	O
430	CM 95	CM	75 LEVEL CM	4474,0196 litre	36,697 %	7717,7161 litre	O
430	CM 95	CM	74 LEVEL CM	4394,2448 litre	36,043 %	7797,4909 litre	O
430	CM 95	CM	73 LEVEL CM	4314,6650 litre	35,390 %	7877,0707 litre	O
430	CM 95	CM	72 LEVEL CM	4235,2900 litre	34,739 %	7956,4457 litre	O
430	CM 95	CM	71 LEVEL CM	4156,1295 litre	34,090 %	8035,6062 litre	O
430	CM 95	CM	70 LEVEL CM	4077,1936 litre	33,442 %	8114,5421 litre	O
430	CM 95	CM	69 LEVEL CM	3998,4922 litre	32,797 %	8193,2435 litre	O
430	CM 95	CM	68 LEVEL CM	3920,0356 litre	32,153 %	8271,7001 litre	O
430	CM 95	CM	67 LEVEL CM	3841,8340 litre	31,512 %	8349,9017 litre	O
430	CM 95	CM	66 LEVEL CM	3763,8976 litre	30,873 %	8427,8381 litre	O
430	CM 95	CM	65 LEVEL CM	3686,2369 litre	30,236 %	8505,4988 litre	O
430	CM 95	CM	64 LEVEL CM	3608,8624 litre	29,601 %	8582,8733 litre	O
430	CM 95	CM	63 LEVEL CM	3531,7848 litre	28,969 %	8659,9509 litre	O
430	CM 95	CM	62 LEVEL CM	3455,0149 litre	28,339 %	8736,7208 litre	O
430	CM 95	CM	61 LEVEL CM	3378,5636 litre	27,712 %	8813,1721 litre	O
430	CM 95	CM	60 LEVEL CM	3302,4419 litre	27,088 %	8889,2938 litre	O
430	CM 95	CM	59 LEVEL CM	3226,6611 litre	26,466 %	8965,0746 litre	O
430	CM 95	CM	58 LEVEL CM	3151,2324 litre	25,847 %	9040,5033 litre	O
430	CM 95	CM	57 LEVEL CM	3076,1674 litre	25,232 %	9115,5683 litre	O
430	CM 95	CM	56 LEVEL CM	3001,4777 litre	24,619 %	9190,2580 litre	O
430	CM 95	CM	55 LEVEL CM	2927,1753 litre	24,010 %	9264,5604 litre	O
430	CM 95	CM	54 LEVEL CM	2853,2721 litre	23,403 %	9338,4636 litre	O
430	CM 95	CM	53 LEVEL CM	2779,7803 litre	22,801 %	9411,9554 litre	O
430	CM 95	CM	52 LEVEL CM	2706,7125 litre	22,201 %	9485,0232 litre	O
430	CM 95	CM	51 LEVEL CM	2634,0812 litre	21,605 %	9557,6545 litre	O
430	CM 95	CM	50 LEVEL CM	2561,8993 litre	21,013 %	9629,8364 litre	O
430	CM 95	CM	49 LEVEL CM	2490,1801 litre	20,425 %	9701,5556 litre	O
430	CM 95	CM	48 LEVEL CM	2418,9368 litre	19,841 %	9772,7989 litre	O
430	CM 95	CM	47 LEVEL CM	2348,1831 litre	19,260 %	9843,5526 litre	O
430	CM 95	CM	46 LEVEL CM	2277,9329 litre	18,684 %	9913,8028 litre	O
430	CM 95	CM	45 LEVEL CM	2208,2006 litre	18,112 %	9983,5351 litre	O
430	CM 95	CM	44 LEVEL CM	2139,0006 litre	17,545 %	10052,7351 litre	O
430	CM 95	CM	43 LEVEL CM	2070,3478 litre	16,982 %	10121,3879 litre	O
430	CM 95	CM	42 LEVEL CM	2002,2576 litre	16,423 %	10189,4781 litre	O
430	CM 95	CM	41 LEVEL CM	1934,7456 litre	15,869 %	10256,9901 litre	O
430	CM 95	CM	40 LEVEL CM	1867,8277 litre	15,320 %	10323,9080 litre	O
430	CM 95	CM	39 LEVEL CM	1801,5205 litre	14,777 %	10390,2152 litre	O
430	CM 95	CM	38 LEVEL CM	1735,8409 litre	14,238 %	10455,8948 litre	O
430	CM 95	CM	37 LEVEL CM	1670,8064 litre	13,704 %	10520,9293 litre	O
430	CM 95	CM	36 LEVEL CM	1606,4349 litre	13,176 %	10585,3008 litre	O
430	CM 95	CM	35 LEVEL CM	1542,7448 litre	12,654 %	10648,9909 litre	O
430	CM 95	CM	34 LEVEL CM	1479,7554 litre	12,137 %	10711,9803 litre	O
430	CM 95	CM	33 LEVEL CM	1417,4864 litre	11,627 %	10774,2493 litre	O

430	CM	95	CM	32 LEVEL CM	1355,9582 litre	11,122 %	10835,7775 litre	O
430	CM	95	CM	31 LEVEL CM	1295,1920 litre	10,624 %	10896,5437 litre	O
430	CM	95	CM	30 LEVEL CM	1235,2099 litre	10,132 %	10956,5258 litre	O
430	CM	95	CM	29 LEVEL CM	1176,0347 litre	9,646 %	11015,7010 litre	O
430	CM	95	CM	28 LEVEL CM	1117,6903 litre	9,168 %	11074,0454 litre	O
430	CM	95	CM	27 LEVEL CM	1060,2015 litre	8,696 %	11131,5342 litre	O
430	CM	95	CM	26 LEVEL CM	1003,5943 litre	8,232 %	11188,1414 litre	O
430	CM	95	CM	25 LEVEL CM	947,8960 litre	7,775 %	11243,8397 litre	O
430	CM	95	CM	24 LEVEL CM	893,1351 litre	7,326 %	11298,6006 litre	O
430	CM	95	CM	23 LEVEL CM	839,3417 litre	6,885 %	11352,3940 litre	O
430	CM	95	CM	22 LEVEL CM	786,5475 litre	6,451 %	11405,1882 litre	O
430	CM	95	CM	21 LEVEL CM	734,7862 litre	6,027 %	11456,9495 litre	O
430	CM	95	CM	20 LEVEL CM	684,0934 litre	5,611 %	11507,6423 litre	O
430	CM	95	CM	19 LEVEL CM	634,5069 litre	5,204 %	11557,2288 litre	O
430	CM	95	CM	18 LEVEL CM	586,0674 litre	4,807 %	11605,6683 litre	O
430	CM	95	CM	17 LEVEL CM	538,8182 litre	4,420 %	11652,9175 litre	O
430	CM	95	CM	16 LEVEL CM	492,8063 litre	4,042 %	11698,9294 litre	O
430	CM	95	CM	15 LEVEL CM	448,0824 litre	3,675 %	11743,6533 litre	O
430	CM	95	CM	14 LEVEL CM	404,7018 litre	3,319 %	11787,0339 litre	O
430	CM	95	CM	13 LEVEL CM	362,7250 litre	2,975 %	11829,0107 litre	O
430	CM	95	CM	12 LEVEL CM	322,2190 litre	2,643 %	11869,5167 litre	O
430	CM	95	CM	11 LEVEL CM	283,2582 litre	2,323 %	11908,4775 litre	O
430	CM	95	CM	10 LEVEL CM	245,9264 litre	2,017 %	11945,8093 litre	O
430	CM	95	CM	9 LEVEL CM	210,3187 litre	1,725 %	11981,4170 litre	O
430	CM	95	CM	8 LEVEL CM	176,5451 litre	1,448 %	12015,1906 litre	O
430	CM	95	CM	7 LEVEL CM	144,7344 litre	1,187 %	12047,0013 litre	O
430	CM	95	CM	6 LEVEL CM	115,0411 litre	0,944 %	12076,6946 litre	O
430	CM	95	CM	5 LEVEL CM	87,6557 litre	0,719 %	12104,0800 litre	O
430	CM	95	CM	4 LEVEL CM	62,8220 litre	0,515 %	12128,9137 litre	O
430	CM	95	CM	3 LEVEL CM	40,8694 litre	0,335 %	12150,8663 litre	O
430	CM	95	CM	2 LEVEL CM	22,2819 litre	0,183 %	12169,4538 litre	O
430	CM	95	CM	1 LEVEL CM	7,8904 litre	0,065 %	12183,8453 litre	O
430	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	12191,7357 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
430	CM	90	CM	180 LEVEL CM	10942,1672 litre	100,000 %	0,0000 litre	O
430	CM	90	CM	179 LEVEL CM	10934,4880 litre	99,930 %	7,6792 litre	O
430	CM	90	CM	178 LEVEL CM	10920,4834 litre	99,802 %	21,6838 litre	O
430	CM	90	CM	177 LEVEL CM	10902,3985 litre	99,637 %	39,7687 litre	O
430	CM	90	CM	176 LEVEL CM	10881,0425 litre	99,441 %	61,1247 litre	O
430	CM	90	CM	175 LEVEL CM	10856,8875 litre	99,221 %	85,2797 litre	O
430	CM	90	CM	174 LEVEL CM	10830,2546 litre	98,977 %	111,9126 litre	O
430	CM	90	CM	173 LEVEL CM	10801,3818 litre	98,713 %	140,7854 litre	O
430	CM	90	CM	172 LEVEL CM	10770,4549 litre	98,431 %	171,7123 litre	O
430	CM	90	CM	171 LEVEL CM	10737,6249 litre	98,131 %	204,5423 litre	O
430	CM	90	CM	170 LEVEL CM	10703,0177 litre	97,814 %	239,1495 litre	O
430	CM	90	CM	169 LEVEL CM	10666,7406 litre	97,483 %	275,4266 litre	O
430	CM	90	CM	168 LEVEL CM	10628,8870 litre	97,137 %	313,2802 litre	O
430	CM	90	CM	167 LEVEL CM	10589,5385 litre	96,777 %	352,6287 litre	O
430	CM	90	CM	166 LEVEL CM	10548,7683 litre	96,405 %	393,3989 litre	O
430	CM	90	CM	165 LEVEL CM	10506,6417 litre	96,020 %	435,5255 litre	O
430	CM	90	CM	164 LEVEL CM	10463,2182 litre	95,623 %	478,9490 litre	O
430	CM	90	CM	163 LEVEL CM	10418,5520 litre	95,215 %	523,6152 litre	O
430	CM	90	CM	162 LEVEL CM	10372,6929 litre	94,796 %	569,4743 litre	O
430	CM	90	CM	161 LEVEL CM	10325,6868 litre	94,366 %	616,4804 litre	O
430	CM	90	CM	160 LEVEL CM	10277,5764 litre	93,926 %	664,5908 litre	O
430	CM	90	CM	159 LEVEL CM	10228,4017 litre	93,477 %	713,7655 litre	O
430	CM	90	CM	158 LEVEL CM	10178,1999 litre	93,018 %	763,9673 litre	O
430	CM	90	CM	157 LEVEL CM	10127,0059 litre	92,550 %	815,1613 litre	O
430	CM	90	CM	156 LEVEL CM	10074,8530 litre	92,074 %	867,3142 litre	O
430	CM	90	CM	155 LEVEL CM	10021,7723 litre	91,589 %	920,3949 litre	O
430	CM	90	CM	154 LEVEL CM	9967,7935 litre	91,095 %	974,3737 litre	O
430	CM	90	CM	153 LEVEL CM	9912,9448 litre	90,594 %	1029,2224 litre	O
430	CM	90	CM	152 LEVEL CM	9857,2529 litre	90,085 %	1084,9143 litre	O
430	CM	90	CM	151 LEVEL CM	9800,7437 litre	89,569 %	1141,4235 litre	O
430	CM	90	CM	150 LEVEL CM	9743,4416 litre	89,045 %	1198,7256 litre	O
430	CM	90	CM	149 LEVEL CM	9685,3703 litre	88,514 %	1256,7969 litre	O
430	CM	90	CM	148 LEVEL CM	9626,5523 litre	87,977 %	1315,6149 litre	O
430	CM	90	CM	147 LEVEL CM	9567,0094 litre	87,432 %	1375,1578 litre	O
430	CM	90	CM	146 LEVEL CM	9506,7627 litre	86,882 %	1435,4045 litre	O
430	CM	90	CM	145 LEVEL CM	9445,8323 litre	86,325 %	1496,3349 litre	O
430	CM	90	CM	144 LEVEL CM	9384,2380 litre	85,762 %	1557,9292 litre	O
430	CM	90	CM	143 LEVEL CM	9321,9986 litre	85,193 %	1620,1686 litre	O
430	CM	90	CM	142 LEVEL CM	9259,1325 litre	84,619 %	1683,0347 litre	O
430	CM	90	CM	141 LEVEL CM	9195,6576 litre	84,039 %	1746,5096 litre	O
430	CM	90	CM	140 LEVEL CM	9131,5912 litre	83,453 %	1810,5760 litre	O
430	CM	90	CM	139 LEVEL CM	9066,9501 litre	82,862 %	1875,2171 litre	O
430	CM	90	CM	138 LEVEL CM	9001,7508 litre	82,267 %	1940,4164 litre	O
430	CM	90	CM	137 LEVEL CM	8936,0092 litre	81,666 %	2006,1580 litre	O
430	CM	90	CM	136 LEVEL CM	8869,7410 litre	81,060 %	2072,4262 litre	O
430	CM	90	CM	135 LEVEL CM	8802,9614 litre	80,450 %	2139,2058 litre	O
430	CM	90	CM	134 LEVEL CM	8735,6852 litre	79,835 %	2206,4820 litre	O
430	CM	90	CM	133 LEVEL CM	8667,9270 litre	79,216 %	2274,2402 litre	O
430	CM	90	CM	132 LEVEL CM	8599,7011 litre	78,592 %	2342,4661 litre	O
430	CM	90	CM	131 LEVEL CM	8531,0213 litre	77,965 %	2411,1459 litre	O
430	CM	90	CM	130 LEVEL CM	8461,9015 litre	77,333 %	2480,2657 litre	O
430	CM	90	CM	129 LEVEL CM	8392,3549 litre	76,697 %	2549,8123 litre	O

430	CM	90	CM	128 LEVEL CM	8322,3949 litre	76,058 %	2619,7723 litre	O
430	CM	90	CM	127 LEVEL CM	8252,0342 litre	75,415 %	2690,1330 litre	O
430	CM	90	CM	126 LEVEL CM	8181,2857 litre	74,768 %	2760,8815 litre	O
430	CM	90	CM	125 LEVEL CM	8110,1618 litre	74,118 %	2832,0054 litre	O
430	CM	90	CM	124 LEVEL CM	8038,6749 litre	73,465 %	2903,4923 litre	O
430	CM	90	CM	123 LEVEL CM	7966,8371 litre	72,809 %	2975,3301 litre	O
430	CM	90	CM	122 LEVEL CM	7894,6603 litre	72,149 %	3047,5069 litre	O
430	CM	90	CM	121 LEVEL CM	7822,1563 litre	71,486 %	3120,0109 litre	O
430	CM	90	CM	120 LEVEL CM	7749,3369 litre	70,821 %	3192,8303 litre	O
430	CM	90	CM	119 LEVEL CM	7676,2133 litre	70,153 %	3265,9539 litre	O
430	CM	90	CM	118 LEVEL CM	7602,7970 litre	69,482 %	3339,3702 litre	O
430	CM	90	CM	117 LEVEL CM	7529,0992 litre	68,808 %	3413,0680 litre	O
430	CM	90	CM	116 LEVEL CM	7455,1309 litre	68,132 %	3487,0363 litre	O
430	CM	90	CM	115 LEVEL CM	7380,9031 litre	67,454 %	3561,2641 litre	O
430	CM	90	CM	114 LEVEL CM	7306,4266 litre	66,773 %	3635,7406 litre	O
430	CM	90	CM	113 LEVEL CM	7231,7121 litre	66,090 %	3710,4551 litre	O
430	CM	90	CM	112 LEVEL CM	7156,7703 litre	65,405 %	3785,3969 litre	O
430	CM	90	CM	111 LEVEL CM	7081,6117 litre	64,719 %	3860,5555 litre	O
430	CM	90	CM	110 LEVEL CM	7006,2468 litre	64,030 %	3935,9204 litre	O
430	CM	90	CM	109 LEVEL CM	6930,6858 litre	63,339 %	4011,4814 litre	O
430	CM	90	CM	108 LEVEL CM	6854,9391 litre	62,647 %	4087,2281 litre	O
430	CM	90	CM	107 LEVEL CM	6779,0168 litre	61,953 %	4163,1504 litre	O
430	CM	90	CM	106 LEVEL CM	6702,9291 litre	61,258 %	4239,2381 litre	O
430	CM	90	CM	105 LEVEL CM	6626,6860 litre	60,561 %	4315,4812 litre	O
430	CM	90	CM	104 LEVEL CM	6550,2975 litre	59,863 %	4391,8697 litre	O
430	CM	90	CM	103 LEVEL CM	6473,7736 litre	59,164 %	4468,3936 litre	O
430	CM	90	CM	102 LEVEL CM	6397,1242 litre	58,463 %	4545,0430 litre	O
430	CM	90	CM	101 LEVEL CM	6320,3591 litre	57,761 %	4621,8081 litre	O
430	CM	90	CM	100 LEVEL CM	6243,4881 litre	57,059 %	4698,6791 litre	O
430	CM	90	CM	99 LEVEL CM	6166,5209 litre	56,356 %	4775,6463 litre	O
430	CM	90	CM	98 LEVEL CM	6089,4672 litre	55,651 %	4852,7000 litre	O
430	CM	90	CM	97 LEVEL CM	6012,3369 litre	54,946 %	4929,8303 litre	O
430	CM	90	CM	96 LEVEL CM	5935,1394 litre	54,241 %	5007,0278 litre	O
430	CM	90	CM	95 LEVEL CM	5857,8844 litre	53,535 %	5084,2828 litre	O
430	CM	90	CM	94 LEVEL CM	5780,5817 litre	52,828 %	5161,5855 litre	O
430	CM	90	CM	93 LEVEL CM	5703,2406 litre	52,122 %	5238,9266 litre	O
430	CM	90	CM	92 LEVEL CM	5625,8709 litre	51,415 %	5316,2963 litre	O
430	CM	90	CM	91 LEVEL CM	5548,4820 litre	50,707 %	5393,6852 litre	O
430	CM	90	CM	90 LEVEL CM	5471,0836 litre	50,000 %	5471,0836 litre	O
430	CM	90	CM	89 LEVEL CM	5393,6852 litre	49,293 %	5548,4820 litre	O
430	CM	90	CM	88 LEVEL CM	5316,2963 litre	48,585 %	5625,8709 litre	O
430	CM	90	CM	87 LEVEL CM	5238,9266 litre	47,878 %	5703,2406 litre	O
430	CM	90	CM	86 LEVEL CM	5161,5856 litre	47,172 %	5780,5816 litre	O
430	CM	90	CM	85 LEVEL CM	5084,2828 litre	46,465 %	5857,8844 litre	O
430	CM	90	CM	84 LEVEL CM	5007,0278 litre	45,759 %	5935,1394 litre	O
430	CM	90	CM	83 LEVEL CM	4929,8304 litre	45,054 %	6012,3368 litre	O
430	CM	90	CM	82 LEVEL CM	4852,7000 litre	44,349 %	6089,4672 litre	O
430	CM	90	CM	81 LEVEL CM	4775,6464 litre	43,644 %	6166,5208 litre	O
430	CM	90	CM	80 LEVEL CM	4698,6792 litre	42,941 %	6243,4880 litre	O
430	CM	90	CM	79 LEVEL CM	4621,8081 litre	42,239 %	6320,3591 litre	O
430	CM	90	CM	78 LEVEL CM	4545,0430 litre	41,537 %	6397,1242 litre	O
430	CM	90	CM	77 LEVEL CM	4468,3936 litre	40,836 %	6473,7736 litre	O
430	CM	90	CM	76 LEVEL CM	4391,8697 litre	40,137 %	6550,2975 litre	O

430	CM	90	CM	75 LEVEL CM	4315,4812 litre	39,439 %	6626,6860 litre	O
430	CM	90	CM	74 LEVEL CM	4239,2381 litre	38,742 %	6702,9291 litre	O
430	CM	90	CM	73 LEVEL CM	4163,1504 litre	38,047 %	6779,0168 litre	O
430	CM	90	CM	72 LEVEL CM	4087,2281 litre	37,353 %	6854,9391 litre	O
430	CM	90	CM	71 LEVEL CM	4011,4814 litre	36,661 %	6930,6858 litre	O
430	CM	90	CM	70 LEVEL CM	3935,9204 litre	35,970 %	7006,2468 litre	O
430	CM	90	CM	69 LEVEL CM	3860,5555 litre	35,281 %	7081,6117 litre	O
430	CM	90	CM	68 LEVEL CM	3785,3969 litre	34,595 %	7156,7703 litre	O
430	CM	90	CM	67 LEVEL CM	3710,4551 litre	33,910 %	7231,7121 litre	O
430	CM	90	CM	66 LEVEL CM	3635,7406 litre	33,227 %	7306,4266 litre	O
430	CM	90	CM	65 LEVEL CM	3561,2641 litre	32,546 %	7380,9031 litre	O
430	CM	90	CM	64 LEVEL CM	3487,0363 litre	31,868 %	7455,1309 litre	O
430	CM	90	CM	63 LEVEL CM	3413,0680 litre	31,192 %	7529,0992 litre	O
430	CM	90	CM	62 LEVEL CM	3339,3702 litre	30,518 %	7602,7970 litre	O
430	CM	90	CM	61 LEVEL CM	3265,9539 litre	29,847 %	7676,2133 litre	O
430	CM	90	CM	60 LEVEL CM	3192,8304 litre	29,179 %	7749,3368 litre	O
430	CM	90	CM	59 LEVEL CM	3120,0109 litre	28,514 %	7822,1563 litre	O
430	CM	90	CM	58 LEVEL CM	3047,5069 litre	27,851 %	7894,6603 litre	O
430	CM	90	CM	57 LEVEL CM	2975,3302 litre	27,191 %	7966,8370 litre	O
430	CM	90	CM	56 LEVEL CM	2903,4923 litre	26,535 %	8038,6749 litre	O
430	CM	90	CM	55 LEVEL CM	2832,0054 litre	25,882 %	8110,1618 litre	O
430	CM	90	CM	54 LEVEL CM	2760,8815 litre	25,232 %	8181,2857 litre	O
430	CM	90	CM	53 LEVEL CM	2690,1330 litre	24,585 %	8252,0342 litre	O
430	CM	90	CM	52 LEVEL CM	2619,7723 litre	23,942 %	8322,3949 litre	O
430	CM	90	CM	51 LEVEL CM	2549,8123 litre	23,303 %	8392,3549 litre	O
430	CM	90	CM	50 LEVEL CM	2480,2657 litre	22,667 %	8461,9015 litre	O
430	CM	90	CM	49 LEVEL CM	2411,1459 litre	22,035 %	8531,0213 litre	O
430	CM	90	CM	48 LEVEL CM	2342,4661 litre	21,408 %	8599,7011 litre	O
430	CM	90	CM	47 LEVEL CM	2274,2402 litre	20,784 %	8667,9270 litre	O
430	CM	90	CM	46 LEVEL CM	2206,4820 litre	20,165 %	8735,6852 litre	O
430	CM	90	CM	45 LEVEL CM	2139,2058 litre	19,550 %	8802,9614 litre	O
430	CM	90	CM	44 LEVEL CM	2072,4262 litre	18,940 %	8869,7410 litre	O
430	CM	90	CM	43 LEVEL CM	2006,1580 litre	18,334 %	8936,0092 litre	O
430	CM	90	CM	42 LEVEL CM	1940,4164 litre	17,733 %	9001,7508 litre	O
430	CM	90	CM	41 LEVEL CM	1875,2171 litre	17,138 %	9066,9501 litre	O
430	CM	90	CM	40 LEVEL CM	1810,5761 litre	16,547 %	9131,5911 litre	O
430	CM	90	CM	39 LEVEL CM	1746,5096 litre	15,961 %	9195,6576 litre	O
430	CM	90	CM	38 LEVEL CM	1683,0347 litre	15,381 %	9259,1325 litre	O
430	CM	90	CM	37 LEVEL CM	1620,1687 litre	14,807 %	9321,9985 litre	O
430	CM	90	CM	36 LEVEL CM	1557,9292 litre	14,238 %	9384,2380 litre	O
430	CM	90	CM	35 LEVEL CM	1496,3349 litre	13,675 %	9445,8323 litre	O
430	CM	90	CM	34 LEVEL CM	1435,4045 litre	13,118 %	9506,7627 litre	O
430	CM	90	CM	33 LEVEL CM	1375,1578 litre	12,568 %	9567,0094 litre	O
430	CM	90	CM	32 LEVEL CM	1315,6149 litre	12,023 %	9626,5523 litre	O
430	CM	90	CM	31 LEVEL CM	1256,7969 litre	11,486 %	9685,3703 litre	O
430	CM	90	CM	30 LEVEL CM	1198,7256 litre	10,955 %	9743,4416 litre	O
430	CM	90	CM	29 LEVEL CM	1141,4235 litre	10,431 %	9800,7437 litre	O
430	CM	90	CM	28 LEVEL CM	1084,9143 litre	9,915 %	9857,2529 litre	O
430	CM	90	CM	27 LEVEL CM	1029,2225 litre	9,406 %	9912,9447 litre	O
430	CM	90	CM	26 LEVEL CM	974,3737 litre	8,905 %	9967,7935 litre	O
430	CM	90	CM	25 LEVEL CM	920,3949 litre	8,411 %	10021,7723 litre	O
430	CM	90	CM	24 LEVEL CM	867,3142 litre	7,926 %	10074,8530 litre	O
430	CM	90	CM	23 LEVEL CM	815,1613 litre	7,450 %	10127,0059 litre	O

430	CM	90	CM	22 LEVEL CM	763,9674 litre	6,982 %	10178,1998 litre	O
430	CM	90	CM	21 LEVEL CM	713,7655 litre	6,523 %	10228,4017 litre	O
430	CM	90	CM	20 LEVEL CM	664,5908 litre	6,074 %	10277,5764 litre	O
430	CM	90	CM	19 LEVEL CM	616,4805 litre	5,634 %	10325,6867 litre	O
430	CM	90	CM	18 LEVEL CM	569,4744 litre	5,204 %	10372,6928 litre	O
430	CM	90	CM	17 LEVEL CM	523,6152 litre	4,785 %	10418,5520 litre	O
430	CM	90	CM	16 LEVEL CM	478,9490 litre	4,377 %	10463,2182 litre	O
430	CM	90	CM	15 LEVEL CM	435,5255 litre	3,980 %	10506,6417 litre	O
430	CM	90	CM	14 LEVEL CM	393,3989 litre	3,595 %	10548,7683 litre	O
430	CM	90	CM	13 LEVEL CM	352,6287 litre	3,223 %	10589,5385 litre	O
430	CM	90	CM	12 LEVEL CM	313,2803 litre	2,863 %	10628,8869 litre	O
430	CM	90	CM	11 LEVEL CM	275,4266 litre	2,517 %	10666,7406 litre	O
430	CM	90	CM	10 LEVEL CM	239,1495 litre	2,186 %	10703,0177 litre	O
430	CM	90	CM	9 LEVEL CM	204,5423 litre	1,869 %	10737,6249 litre	O
430	CM	90	CM	8 LEVEL CM	171,7123 litre	1,569 %	10770,4549 litre	O
430	CM	90	CM	7 LEVEL CM	140,7855 litre	1,287 %	10801,3817 litre	O
430	CM	90	CM	6 LEVEL CM	111,9126 litre	1,023 %	10830,2546 litre	O
430	CM	90	CM	5 LEVEL CM	85,2797 litre	0,779 %	10856,8875 litre	O
430	CM	90	CM	4 LEVEL CM	61,1247 litre	0,559 %	10881,0425 litre	O
430	CM	90	CM	3 LEVEL CM	39,7687 litre	0,363 %	10902,3985 litre	O
430	CM	90	CM	2 LEVEL CM	21,6838 litre	0,198 %	10920,4834 litre	O
430	CM	90	CM	1 LEVEL CM	7,6792 litre	0,070 %	10934,4880 litre	O
430	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	10942,1672 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM	85	CM 170 LEVEL CM	9760,1430 litre	100,000 %	0,0000 litre	O
430	CM	85	CM 169 LEVEL CM	9752,6808 litre	99,924 %	7,4622 litre	O
430	CM	85	CM 168 LEVEL CM	9739,0743 litre	99,784 %	21,0687 litre	O
430	CM	85	CM 167 LEVEL CM	9721,5062 litre	99,604 %	38,6368 litre	O
430	CM	85	CM 166 LEVEL CM	9700,7641 litre	99,392 %	59,3789 litre	O
430	CM	85	CM 165 LEVEL CM	9677,3074 litre	99,151 %	82,8356 litre	O
430	CM	85	CM 164 LEVEL CM	9651,4489 litre	98,886 %	108,6941 litre	O
430	CM	85	CM 163 LEVEL CM	9623,4205 litre	98,599 %	136,7225 litre	O
430	CM	85	CM 162 LEVEL CM	9593,4035 litre	98,292 %	166,7395 litre	O
430	CM	85	CM 161 LEVEL CM	9561,5450 litre	97,965 %	198,5980 litre	O
430	CM	85	CM 160 LEVEL CM	9527,9681 litre	97,621 %	232,1749 litre	O
430	CM	85	CM 159 LEVEL CM	9492,7774 litre	97,261 %	267,3656 litre	O
430	CM	85	CM 158 LEVEL CM	9456,0642 litre	96,884 %	304,0788 litre	O
430	CM	85	CM 157 LEVEL CM	9417,9085 litre	96,494 %	342,2345 litre	O
430	CM	85	CM 156 LEVEL CM	9378,3815 litre	96,089 %	381,7615 litre	O
430	CM	85	CM 155 LEVEL CM	9337,5475 litre	95,670 %	422,5955 litre	O
430	CM	85	CM 154 LEVEL CM	9295,4646 litre	95,239 %	464,6784 litre	O
430	CM	85	CM 153 LEVEL CM	9252,1859 litre	94,796 %	507,9571 litre	O
430	CM	85	CM 152 LEVEL CM	9207,7602 litre	94,340 %	552,3828 litre	O
430	CM	85	CM 151 LEVEL CM	9162,2327 litre	93,874 %	597,9103 litre	O
430	CM	85	CM 150 LEVEL CM	9115,6453 litre	93,397 %	644,4977 litre	O
430	CM	85	CM 149 LEVEL CM	9068,0370 litre	92,909 %	692,1060 litre	O
430	CM	85	CM 148 LEVEL CM	9019,4447 litre	92,411 %	740,6983 litre	O
430	CM	85	CM 147 LEVEL CM	8969,9026 litre	91,903 %	790,2404 litre	O
430	CM	85	CM 146 LEVEL CM	8919,4435 litre	91,386 %	840,6995 litre	O
430	CM	85	CM 145 LEVEL CM	8868,0979 litre	90,860 %	892,0451 litre	O
430	CM	85	CM 144 LEVEL CM	8815,8952 litre	90,325 %	944,2478 litre	O
430	CM	85	CM 143 LEVEL CM	8762,8632 litre	89,782 %	997,2798 litre	O
430	CM	85	CM 142 LEVEL CM	8709,0283 litre	89,231 %	1051,1147 litre	O
430	CM	85	CM 141 LEVEL CM	8654,4160 litre	88,671 %	1105,7270 litre	O
430	CM	85	CM 140 LEVEL CM	8599,0504 litre	88,104 %	1161,0926 litre	O
430	CM	85	CM 139 LEVEL CM	8542,9548 litre	87,529 %	1217,1882 litre	O
430	CM	85	CM 138 LEVEL CM	8486,1518 litre	86,947 %	1273,9912 litre	O
430	CM	85	CM 137 LEVEL CM	8428,6627 litre	86,358 %	1331,4803 litre	O
430	CM	85	CM 136 LEVEL CM	8370,5086 litre	85,762 %	1389,6344 litre	O
430	CM	85	CM 135 LEVEL CM	8311,7093 litre	85,160 %	1448,4337 litre	O
430	CM	85	CM 134 LEVEL CM	8252,2845 litre	84,551 %	1507,8585 litre	O
430	CM	85	CM 133 LEVEL CM	8192,2529 litre	83,936 %	1567,8901 litre	O
430	CM	85	CM 132 LEVEL CM	8131,6328 litre	83,315 %	1628,5102 litre	O
430	CM	85	CM 131 LEVEL CM	8070,4419 litre	82,688 %	1689,7011 litre	O
430	CM	85	CM 130 LEVEL CM	8008,6975 litre	82,055 %	1751,4455 litre	O
430	CM	85	CM 129 LEVEL CM	7946,4165 litre	81,417 %	1813,7265 litre	O
430	CM	85	CM 128 LEVEL CM	7883,6150 litre	80,774 %	1876,5280 litre	O
430	CM	85	CM 127 LEVEL CM	7820,3092 litre	80,125 %	1939,8338 litre	O
430	CM	85	CM 126 LEVEL CM	7756,5146 litre	79,471 %	2003,6284 litre	O
430	CM	85	CM 125 LEVEL CM	7692,2464 litre	78,813 %	2067,8966 litre	O
430	CM	85	CM 124 LEVEL CM	7627,5195 litre	78,150 %	2132,6235 litre	O
430	CM	85	CM 123 LEVEL CM	7562,3485 litre	77,482 %	2197,7945 litre	O
430	CM	85	CM 122 LEVEL CM	7496,7477 litre	76,810 %	2263,3953 litre	O
430	CM	85	CM 121 LEVEL CM	7430,7310 litre	76,133 %	2329,4120 litre	O
430	CM	85	CM 120 LEVEL CM	7364,3122 litre	75,453 %	2395,8308 litre	O
430	CM	85	CM 119 LEVEL CM	7297,5048 litre	74,768 %	2462,6382 litre	O

430	CM 85	CM	118 LEVEL CM	7230,3221 litre	74,080 %	2529,8209 litre	O
430	CM 85	CM	117 LEVEL CM	7162,7770 litre	73,388 %	2597,3660 litre	O
430	CM 85	CM	116 LEVEL CM	7094,8825 litre	72,692 %	2665,2605 litre	O
430	CM 85	CM	115 LEVEL CM	7026,6510 litre	71,993 %	2733,4920 litre	O
430	CM 85	CM	114 LEVEL CM	6958,0952 litre	71,291 %	2802,0478 litre	O
430	CM 85	CM	113 LEVEL CM	6889,2272 litre	70,585 %	2870,9158 litre	O
430	CM 85	CM	112 LEVEL CM	6820,0592 litre	69,877 %	2940,0838 litre	O
430	CM 85	CM	111 LEVEL CM	6750,6030 litre	69,165 %	3009,5400 litre	O
430	CM 85	CM	110 LEVEL CM	6680,8705 litre	68,451 %	3079,2725 litre	O
430	CM 85	CM	109 LEVEL CM	6610,8734 litre	67,733 %	3149,2696 litre	O
430	CM 85	CM	108 LEVEL CM	6540,6231 litre	67,014 %	3219,5199 litre	O
430	CM 85	CM	107 LEVEL CM	6470,1312 litre	66,291 %	3290,0118 litre	O
430	CM 85	CM	106 LEVEL CM	6399,4087 litre	65,567 %	3360,7343 litre	O
430	CM 85	CM	105 LEVEL CM	6328,4670 litre	64,840 %	3431,6760 litre	O
430	CM 85	CM	104 LEVEL CM	6257,3171 litre	64,111 %	3502,8259 litre	O
430	CM 85	CM	103 LEVEL CM	6185,9699 litre	63,380 %	3574,1731 litre	O
430	CM 85	CM	102 LEVEL CM	6114,4364 litre	62,647 %	3645,7066 litre	O
430	CM 85	CM	101 LEVEL CM	6042,7273 litre	61,912 %	3717,4157 litre	O
430	CM 85	CM	100 LEVEL CM	5970,8534 litre	61,176 %	3789,2896 litre	O
430	CM 85	CM	99 LEVEL CM	5898,8253 litre	60,438 %	3861,3177 litre	O
430	CM 85	CM	98 LEVEL CM	5826,6536 litre	59,698 %	3933,4894 litre	O
430	CM 85	CM	97 LEVEL CM	5754,3488 litre	58,958 %	4005,7942 litre	O
430	CM 85	CM	96 LEVEL CM	5681,9214 litre	58,216 %	4078,2216 litre	O
430	CM 85	CM	95 LEVEL CM	5609,3817 litre	57,472 %	4150,7613 litre	O
430	CM 85	CM	94 LEVEL CM	5536,7401 litre	56,728 %	4223,4029 litre	O
430	CM 85	CM	93 LEVEL CM	5464,0070 litre	55,983 %	4296,1360 litre	O
430	CM 85	CM	92 LEVEL CM	5391,1925 litre	55,237 %	4368,9505 litre	O
430	CM 85	CM	91 LEVEL CM	5318,3070 litre	54,490 %	4441,8360 litre	O
430	CM 85	CM	90 LEVEL CM	5245,3606 litre	53,743 %	4514,7824 litre	O
430	CM 85	CM	89 LEVEL CM	5172,3635 litre	52,995 %	4587,7795 litre	O
430	CM 85	CM	88 LEVEL CM	5099,3260 litre	52,246 %	4660,8170 litre	O
430	CM 85	CM	87 LEVEL CM	5026,2580 litre	51,498 %	4733,8850 litre	O
430	CM 85	CM	86 LEVEL CM	4953,1698 litre	50,749 %	4806,9732 litre	O
430	CM 85	CM	85 LEVEL CM	4880,0715 litre	50,000 %	4880,0715 litre	O
430	CM 85	CM	84 LEVEL CM	4806,9732 litre	49,251 %	4953,1698 litre	O
430	CM 85	CM	83 LEVEL CM	4733,8850 litre	48,502 %	5026,2580 litre	O
430	CM 85	CM	82 LEVEL CM	4660,8170 litre	47,754 %	5099,3260 litre	O
430	CM 85	CM	81 LEVEL CM	4587,7794 litre	47,005 %	5172,3636 litre	O
430	CM 85	CM	80 LEVEL CM	4514,7824 litre	46,257 %	5245,3606 litre	O
430	CM 85	CM	79 LEVEL CM	4441,8360 litre	45,510 %	5318,3070 litre	O
430	CM 85	CM	78 LEVEL CM	4368,9505 litre	44,763 %	5391,1925 litre	O
430	CM 85	CM	77 LEVEL CM	4296,1360 litre	44,017 %	5464,0070 litre	O
430	CM 85	CM	76 LEVEL CM	4223,4029 litre	43,272 %	5536,7401 litre	O
430	CM 85	CM	75 LEVEL CM	4150,7613 litre	42,528 %	5609,3817 litre	O
430	CM 85	CM	74 LEVEL CM	4078,2216 litre	41,784 %	5681,9214 litre	O
430	CM 85	CM	73 LEVEL CM	4005,7941 litre	41,042 %	5754,3489 litre	O
430	CM 85	CM	72 LEVEL CM	3933,4893 litre	40,302 %	5826,6537 litre	O
430	CM 85	CM	71 LEVEL CM	3861,3176 litre	39,562 %	5898,8254 litre	O
430	CM 85	CM	70 LEVEL CM	3789,2896 litre	38,824 %	5970,8534 litre	O
430	CM 85	CM	69 LEVEL CM	3717,4157 litre	38,088 %	6042,7273 litre	O
430	CM 85	CM	68 LEVEL CM	3645,7066 litre	37,353 %	6114,4364 litre	O
430	CM 85	CM	67 LEVEL CM	3574,1731 litre	36,620 %	6185,9699 litre	O
430	CM 85	CM	66 LEVEL CM	3502,8259 litre	35,889 %	6257,3171 litre	O

430	CM	85	CM	65 LEVEL CM	3431,6760 litre	35,160 %	6328,4670 litre	O
430	CM	85	CM	64 LEVEL CM	3360,7343 litre	34,433 %	6399,4087 litre	O
430	CM	85	CM	63 LEVEL CM	3290,0118 litre	33,709 %	6470,1312 litre	O
430	CM	85	CM	62 LEVEL CM	3219,5198 litre	32,986 %	6540,6232 litre	O
430	CM	85	CM	61 LEVEL CM	3149,2696 litre	32,267 %	6610,8734 litre	O
430	CM	85	CM	60 LEVEL CM	3079,2724 litre	31,549 %	6680,8706 litre	O
430	CM	85	CM	59 LEVEL CM	3009,5400 litre	30,835 %	6750,6030 litre	O
430	CM	85	CM	58 LEVEL CM	2940,0838 litre	30,123 %	6820,0592 litre	O
430	CM	85	CM	57 LEVEL CM	2870,9158 litre	29,415 %	6889,2272 litre	O
430	CM	85	CM	56 LEVEL CM	2802,0478 litre	28,709 %	6958,0952 litre	O
430	CM	85	CM	55 LEVEL CM	2733,4919 litre	28,007 %	7026,6511 litre	O
430	CM	85	CM	54 LEVEL CM	2665,2605 litre	27,308 %	7094,8825 litre	O
430	CM	85	CM	53 LEVEL CM	2597,3660 litre	26,612 %	7162,7770 litre	O
430	CM	85	CM	52 LEVEL CM	2529,8209 litre	25,920 %	7230,3221 litre	O
430	CM	85	CM	51 LEVEL CM	2462,6382 litre	25,232 %	7297,5048 litre	O
430	CM	85	CM	50 LEVEL CM	2395,8308 litre	24,547 %	7364,3122 litre	O
430	CM	85	CM	49 LEVEL CM	2329,4120 litre	23,867 %	7430,7310 litre	O
430	CM	85	CM	48 LEVEL CM	2263,3953 litre	23,190 %	7496,7477 litre	O
430	CM	85	CM	47 LEVEL CM	2197,7945 litre	22,518 %	7562,3485 litre	O
430	CM	85	CM	46 LEVEL CM	2132,6235 litre	21,850 %	7627,5195 litre	O
430	CM	85	CM	45 LEVEL CM	2067,8966 litre	21,187 %	7692,2464 litre	O
430	CM	85	CM	44 LEVEL CM	2003,6284 litre	20,529 %	7756,5146 litre	O
430	CM	85	CM	43 LEVEL CM	1939,8338 litre	19,875 %	7820,3092 litre	O
430	CM	85	CM	42 LEVEL CM	1876,5279 litre	19,226 %	7883,6151 litre	O
430	CM	85	CM	41 LEVEL CM	1813,7265 litre	18,583 %	7946,4165 litre	O
430	CM	85	CM	40 LEVEL CM	1751,4454 litre	17,945 %	8008,6976 litre	O
430	CM	85	CM	39 LEVEL CM	1689,7011 litre	17,312 %	8070,4419 litre	O
430	CM	85	CM	38 LEVEL CM	1628,5102 litre	16,685 %	8131,6328 litre	O
430	CM	85	CM	37 LEVEL CM	1567,8901 litre	16,064 %	8192,2529 litre	O
430	CM	85	CM	36 LEVEL CM	1507,8585 litre	15,449 %	8252,2845 litre	O
430	CM	85	CM	35 LEVEL CM	1448,4337 litre	14,840 %	8311,7093 litre	O
430	CM	85	CM	34 LEVEL CM	1389,6344 litre	14,238 %	8370,5086 litre	O
430	CM	85	CM	33 LEVEL CM	1331,4802 litre	13,642 %	8428,6628 litre	O
430	CM	85	CM	32 LEVEL CM	1273,9912 litre	13,053 %	8486,1518 litre	O
430	CM	85	CM	31 LEVEL CM	1217,1882 litre	12,471 %	8542,9548 litre	O
430	CM	85	CM	30 LEVEL CM	1161,0926 litre	11,896 %	8599,0504 litre	O
430	CM	85	CM	29 LEVEL CM	1105,7270 litre	11,329 %	8654,4160 litre	O
430	CM	85	CM	28 LEVEL CM	1051,1146 litre	10,769 %	8709,0284 litre	O
430	CM	85	CM	27 LEVEL CM	997,2798 litre	10,218 %	8762,8632 litre	O
430	CM	85	CM	26 LEVEL CM	944,2477 litre	9,675 %	8815,8953 litre	O
430	CM	85	CM	25 LEVEL CM	892,0451 litre	9,140 %	8868,0979 litre	O
430	CM	85	CM	24 LEVEL CM	840,6995 litre	8,614 %	8919,4435 litre	O
430	CM	85	CM	23 LEVEL CM	790,2403 litre	8,097 %	8969,9027 litre	O
430	CM	85	CM	22 LEVEL CM	740,6983 litre	7,589 %	9019,4447 litre	O
430	CM	85	CM	21 LEVEL CM	692,1059 litre	7,091 %	9068,0371 litre	O
430	CM	85	CM	20 LEVEL CM	644,4977 litre	6,603 %	9115,6453 litre	O
430	CM	85	CM	19 LEVEL CM	597,9103 litre	6,126 %	9162,2327 litre	O
430	CM	85	CM	18 LEVEL CM	552,3827 litre	5,660 %	9207,7603 litre	O
430	CM	85	CM	17 LEVEL CM	507,9571 litre	5,204 %	9252,1859 litre	O
430	CM	85	CM	16 LEVEL CM	464,6784 litre	4,761 %	9295,4646 litre	O
430	CM	85	CM	15 LEVEL CM	422,5955 litre	4,330 %	9337,5475 litre	O
430	CM	85	CM	14 LEVEL CM	381,7615 litre	3,911 %	9378,3815 litre	O
430	CM	85	CM	13 LEVEL CM	342,2345 litre	3,506 %	9417,9085 litre	O

430	CM	85	CM	12 LEVEL CM	304,0788 litre	3,116 %	9456,0642 litre	O
430	CM	85	CM	11 LEVEL CM	267,3655 litre	2,739 %	9492,7775 litre	O
430	CM	85	CM	10 LEVEL CM	232,1749 litre	2,379 %	9527,9681 litre	O
430	CM	85	CM	9 LEVEL CM	198,5980 litre	2,035 %	9561,5450 litre	O
430	CM	85	CM	8 LEVEL CM	166,7395 litre	1,708 %	9593,4035 litre	O
430	CM	85	CM	7 LEVEL CM	136,7225 litre	1,401 %	9623,4205 litre	O
430	CM	85	CM	6 LEVEL CM	108,6941 litre	1,114 %	9651,4489 litre	O
430	CM	85	CM	5 LEVEL CM	82,8356 litre	0,849 %	9677,3074 litre	O
430	CM	85	CM	4 LEVEL CM	59,3789 litre	0,608 %	9700,7641 litre	O
430	CM	85	CM	3 LEVEL CM	38,6368 litre	0,396 %	9721,5062 litre	O
430	CM	85	CM	2 LEVEL CM	21,0687 litre	0,216 %	9739,0743 litre	O
430	CM	85	CM	1 LEVEL CM	7,4621 litre	0,076 %	9752,6809 litre	O
430	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	9760,1430 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 80	CM 160 LEVEL CM	8645,6630 litre	100,000 %	0,0000 litre	O
430	CM 80	CM 159 LEVEL CM	8638,4244 litre	99,916 %	7,2386 litre	O
430	CM 80	CM 158 LEVEL CM	8625,2279 litre	99,764 %	20,4351 litre	O
430	CM 80	CM 157 LEVEL CM	8608,1924 litre	99,567 %	37,4706 litre	O
430	CM 80	CM 156 LEVEL CM	8588,0828 litre	99,334 %	57,5802 litre	O
430	CM 80	CM 155 LEVEL CM	8565,3458 litre	99,071 %	80,3172 litre	O
430	CM 80	CM 154 LEVEL CM	8540,2857 litre	98,781 %	105,3773 litre	O
430	CM 80	CM 153 LEVEL CM	8513,1280 litre	98,467 %	132,5350 litre	O
430	CM 80	CM 152 LEVEL CM	8484,0493 litre	98,131 %	161,6137 litre	O
430	CM 80	CM 151 LEVEL CM	8453,1930 litre	97,774 %	192,4700 litre	O
430	CM 80	CM 150 LEVEL CM	8420,6788 litre	97,398 %	224,9842 litre	O
430	CM 80	CM 149 LEVEL CM	8386,6093 litre	97,004 %	259,0537 litre	O
430	CM 80	CM 148 LEVEL CM	8351,0731 litre	96,593 %	294,5899 litre	O
430	CM 80	CM 147 LEVEL CM	8314,1485 litre	96,166 %	331,5145 litre	O
430	CM 80	CM 146 LEVEL CM	8275,9053 litre	95,723 %	369,7577 litre	O
430	CM 80	CM 145 LEVEL CM	8236,4061 litre	95,266 %	409,2569 litre	O
430	CM 80	CM 144 LEVEL CM	8195,7079 litre	94,796 %	449,9551 litre	O
430	CM 80	CM 143 LEVEL CM	8153,8627 litre	94,312 %	491,8003 litre	O
430	CM 80	CM 142 LEVEL CM	8110,9184 litre	93,815 %	534,7446 litre	O
430	CM 80	CM 141 LEVEL CM	8066,9191 litre	93,306 %	578,7439 litre	O
430	CM 80	CM 140 LEVEL CM	8021,9060 litre	92,785 %	623,7570 litre	O
430	CM 80	CM 139 LEVEL CM	7975,9176 litre	92,253 %	669,7454 litre	O
430	CM 80	CM 138 LEVEL CM	7928,9899 litre	91,711 %	716,6731 litre	O
430	CM 80	CM 137 LEVEL CM	7881,1567 litre	91,157 %	764,5063 litre	O
430	CM 80	CM 136 LEVEL CM	7832,4502 litre	90,594 %	813,2128 litre	O
430	CM 80	CM 135 LEVEL CM	7782,9005 litre	90,021 %	862,7625 litre	O
430	CM 80	CM 134 LEVEL CM	7732,5366 litre	89,438 %	913,1264 litre	O
430	CM 80	CM 133 LEVEL CM	7681,3857 litre	88,847 %	964,2773 litre	O
430	CM 80	CM 132 LEVEL CM	7629,4742 litre	88,246 %	1016,1888 litre	O
430	CM 80	CM 131 LEVEL CM	7576,8269 litre	87,637 %	1068,8361 litre	O
430	CM 80	CM 130 LEVEL CM	7523,4680 litre	87,020 %	1122,1950 litre	O
430	CM 80	CM 129 LEVEL CM	7469,4205 litre	86,395 %	1176,2425 litre	O
430	CM 80	CM 128 LEVEL CM	7414,7065 litre	85,762 %	1230,9565 litre	O
430	CM 80	CM 127 LEVEL CM	7359,3475 litre	85,122 %	1286,3155 litre	O
430	CM 80	CM 126 LEVEL CM	7303,3641 litre	84,474 %	1342,2989 litre	O
430	CM 80	CM 125 LEVEL CM	7246,7761 litre	83,820 %	1398,8869 litre	O
430	CM 80	CM 124 LEVEL CM	7189,6031 litre	83,158 %	1456,0599 litre	O
430	CM 80	CM 123 LEVEL CM	7131,8636 litre	82,491 %	1513,7994 litre	O
430	CM 80	CM 122 LEVEL CM	7073,5760 litre	81,816 %	1572,0870 litre	O
430	CM 80	CM 121 LEVEL CM	7014,7578 litre	81,136 %	1630,9052 litre	O
430	CM 80	CM 120 LEVEL CM	6955,4263 litre	80,450 %	1690,2367 litre	O
430	CM 80	CM 119 LEVEL CM	6895,5982 litre	79,758 %	1750,0648 litre	O
430	CM 80	CM 118 LEVEL CM	6835,2899 litre	79,060 %	1810,3731 litre	O
430	CM 80	CM 117 LEVEL CM	6774,5174 litre	78,357 %	1871,1456 litre	O
430	CM 80	CM 116 LEVEL CM	6713,2963 litre	77,649 %	1932,3667 litre	O
430	CM 80	CM 115 LEVEL CM	6651,6417 litre	76,936 %	1994,0213 litre	O
430	CM 80	CM 114 LEVEL CM	6589,5687 litre	76,218 %	2056,0943 litre	O
430	CM 80	CM 113 LEVEL CM	6527,0920 litre	75,496 %	2118,5710 litre	O
430	CM 80	CM 112 LEVEL CM	6464,2257 litre	74,768 %	2181,4373 litre	O
430	CM 80	CM 111 LEVEL CM	6400,9841 litre	74,037 %	2244,6789 litre	O
430	CM 80	CM 110 LEVEL CM	6337,3810 litre	73,301 %	2308,2820 litre	O
430	CM 80	CM 109 LEVEL CM	6273,4300 litre	72,562 %	2372,2330 litre	O

430	CM	80	CM	108 LEVEL CM	6209,1445 litre	71,818 %	2436,5185 litre	O
430	CM	80	CM	107 LEVEL CM	6144,5376 litre	71,071 %	2501,1254 litre	O
430	CM	80	CM	106 LEVEL CM	6079,6224 litre	70,320 %	2566,0406 litre	O
430	CM	80	CM	105 LEVEL CM	6014,4116 litre	69,566 %	2631,2514 litre	O
430	CM	80	CM	104 LEVEL CM	5948,9179 litre	68,808 %	2696,7451 litre	O
430	CM	80	CM	103 LEVEL CM	5883,1537 litre	68,047 %	2762,5093 litre	O
430	CM	80	CM	102 LEVEL CM	5817,1313 litre	67,284 %	2828,5317 litre	O
430	CM	80	CM	101 LEVEL CM	5750,8630 litre	66,517 %	2894,8000 litre	O
430	CM	80	CM	100 LEVEL CM	5684,3607 litre	65,748 %	2961,3023 litre	O
430	CM	80	CM	99 LEVEL CM	5617,6363 litre	64,976 %	3028,0267 litre	O
430	CM	80	CM	98 LEVEL CM	5550,7017 litre	64,202 %	3094,9613 litre	O
430	CM	80	CM	97 LEVEL CM	5483,5684 litre	63,426 %	3162,0946 litre	O
430	CM	80	CM	96 LEVEL CM	5416,2482 litre	62,647 %	3229,4148 litre	O
430	CM	80	CM	95 LEVEL CM	5348,7523 litre	61,866 %	3296,9107 litre	O
430	CM	80	CM	94 LEVEL CM	5281,0923 litre	61,084 %	3364,5707 litre	O
430	CM	80	CM	93 LEVEL CM	5213,2795 litre	60,299 %	3432,3835 litre	O
430	CM	80	CM	92 LEVEL CM	5145,3250 litre	59,513 %	3500,3380 litre	O
430	CM	80	CM	91 LEVEL CM	5077,2400 litre	58,726 %	3568,4230 litre	O
430	CM	80	CM	90 LEVEL CM	5009,0356 litre	57,937 %	3636,6274 litre	O
430	CM	80	CM	89 LEVEL CM	4940,7229 litre	57,147 %	3704,9401 litre	O
430	CM	80	CM	88 LEVEL CM	4872,3128 litre	56,356 %	3773,3502 litre	O
430	CM	80	CM	87 LEVEL CM	4803,8162 litre	55,563 %	3841,8468 litre	O
430	CM	80	CM	86 LEVEL CM	4735,2442 litre	54,770 %	3910,4188 litre	O
430	CM	80	CM	85 LEVEL CM	4666,6074 litre	53,976 %	3979,0556 litre	O
430	CM	80	CM	84 LEVEL CM	4597,9168 litre	53,182 %	4047,7462 litre	O
430	CM	80	CM	83 LEVEL CM	4529,1831 litre	52,387 %	4116,4799 litre	O
430	CM	80	CM	82 LEVEL CM	4460,4172 litre	51,591 %	4185,2458 litre	O
430	CM	80	CM	81 LEVEL CM	4391,6297 litre	50,796 %	4254,0333 litre	O
430	CM	80	CM	80 LEVEL CM	4322,8315 litre	50,000 %	4322,8315 litre	O
430	CM	80	CM	79 LEVEL CM	4254,0333 litre	49,204 %	4391,6297 litre	O
430	CM	80	CM	78 LEVEL CM	4185,2458 litre	48,409 %	4460,4172 litre	O
430	CM	80	CM	77 LEVEL CM	4116,4799 litre	47,613 %	4529,1831 litre	O
430	CM	80	CM	76 LEVEL CM	4047,7462 litre	46,818 %	4597,9168 litre	O
430	CM	80	CM	75 LEVEL CM	3979,0556 litre	46,024 %	4666,6074 litre	O
430	CM	80	CM	74 LEVEL CM	3910,4188 litre	45,230 %	4735,2442 litre	O
430	CM	80	CM	73 LEVEL CM	3841,8467 litre	44,437 %	4803,8163 litre	O
430	CM	80	CM	72 LEVEL CM	3773,3502 litre	43,644 %	4872,3128 litre	O
430	CM	80	CM	71 LEVEL CM	3704,9401 litre	42,853 %	4940,7229 litre	O
430	CM	80	CM	70 LEVEL CM	3636,6274 litre	42,063 %	5009,0356 litre	O
430	CM	80	CM	69 LEVEL CM	3568,4230 litre	41,274 %	5077,2400 litre	O
430	CM	80	CM	68 LEVEL CM	3500,3380 litre	40,487 %	5145,3250 litre	O
430	CM	80	CM	67 LEVEL CM	3432,3835 litre	39,701 %	5213,2795 litre	O
430	CM	80	CM	66 LEVEL CM	3364,5707 litre	38,916 %	5281,0923 litre	O
430	CM	80	CM	65 LEVEL CM	3296,9107 litre	38,134 %	5348,7523 litre	O
430	CM	80	CM	64 LEVEL CM	3229,4148 litre	37,353 %	5416,2482 litre	O
430	CM	80	CM	63 LEVEL CM	3162,0946 litre	36,574 %	5483,5684 litre	O
430	CM	80	CM	62 LEVEL CM	3094,9613 litre	35,798 %	5550,7017 litre	O
430	CM	80	CM	61 LEVEL CM	3028,0267 litre	35,024 %	5617,6363 litre	O
430	CM	80	CM	60 LEVEL CM	2961,3023 litre	34,252 %	5684,3607 litre	O
430	CM	80	CM	59 LEVEL CM	2894,8000 litre	33,483 %	5750,8630 litre	O
430	CM	80	CM	58 LEVEL CM	2828,5316 litre	32,716 %	5817,1314 litre	O
430	CM	80	CM	57 LEVEL CM	2762,5093 litre	31,953 %	5883,1537 litre	O
430	CM	80	CM	56 LEVEL CM	2696,7451 litre	31,192 %	5948,9179 litre	O

430	CM	80	CM	55 LEVEL CM	2631,2514 litre	30,434 %	6014,4116 litre	O
430	CM	80	CM	54 LEVEL CM	2566,0406 litre	29,680 %	6079,6224 litre	O
430	CM	80	CM	53 LEVEL CM	2501,1254 litre	28,929 %	6144,5376 litre	O
430	CM	80	CM	52 LEVEL CM	2436,5185 litre	28,182 %	6209,1445 litre	O
430	CM	80	CM	51 LEVEL CM	2372,2330 litre	27,438 %	6273,4300 litre	O
430	CM	80	CM	50 LEVEL CM	2308,2820 litre	26,699 %	6337,3810 litre	O
430	CM	80	CM	49 LEVEL CM	2244,6789 litre	25,963 %	6400,9841 litre	O
430	CM	80	CM	48 LEVEL CM	2181,4373 litre	25,232 %	6464,2257 litre	O
430	CM	80	CM	47 LEVEL CM	2118,5710 litre	24,504 %	6527,0920 litre	O
430	CM	80	CM	46 LEVEL CM	2056,0942 litre	23,782 %	6589,5688 litre	O
430	CM	80	CM	45 LEVEL CM	1994,0213 litre	23,064 %	6651,6417 litre	O
430	CM	80	CM	44 LEVEL CM	1932,3667 litre	22,351 %	6713,2963 litre	O
430	CM	80	CM	43 LEVEL CM	1871,1456 litre	21,643 %	6774,5174 litre	O
430	CM	80	CM	42 LEVEL CM	1810,3730 litre	20,940 %	6835,2900 litre	O
430	CM	80	CM	41 LEVEL CM	1750,0648 litre	20,242 %	6895,5982 litre	O
430	CM	80	CM	40 LEVEL CM	1690,2367 litre	19,550 %	6955,4263 litre	O
430	CM	80	CM	39 LEVEL CM	1630,9052 litre	18,864 %	7014,7578 litre	O
430	CM	80	CM	38 LEVEL CM	1572,0870 litre	18,184 %	7073,5760 litre	O
430	CM	80	CM	37 LEVEL CM	1513,7993 litre	17,509 %	7131,8637 litre	O
430	CM	80	CM	36 LEVEL CM	1456,0599 litre	16,842 %	7189,6031 litre	O
430	CM	80	CM	35 LEVEL CM	1398,8868 litre	16,180 %	7246,7762 litre	O
430	CM	80	CM	34 LEVEL CM	1342,2989 litre	15,526 %	7303,3641 litre	O
430	CM	80	CM	33 LEVEL CM	1286,3155 litre	14,878 %	7359,3475 litre	O
430	CM	80	CM	32 LEVEL CM	1230,9564 litre	14,238 %	7414,7066 litre	O
430	CM	80	CM	31 LEVEL CM	1176,2425 litre	13,605 %	7469,4205 litre	O
430	CM	80	CM	30 LEVEL CM	1122,1949 litre	12,980 %	7523,4681 litre	O
430	CM	80	CM	29 LEVEL CM	1068,8360 litre	12,363 %	7576,8270 litre	O
430	CM	80	CM	28 LEVEL CM	1016,1888 litre	11,754 %	7629,4742 litre	O
430	CM	80	CM	27 LEVEL CM	964,2773 litre	11,153 %	7681,3857 litre	O
430	CM	80	CM	26 LEVEL CM	913,1264 litre	10,562 %	7732,5366 litre	O
430	CM	80	CM	25 LEVEL CM	862,7625 litre	9,979 %	7782,9005 litre	O
430	CM	80	CM	24 LEVEL CM	813,2128 litre	9,406 %	7832,4502 litre	O
430	CM	80	CM	23 LEVEL CM	764,5062 litre	8,843 %	7881,1568 litre	O
430	CM	80	CM	22 LEVEL CM	716,6731 litre	8,289 %	7928,9899 litre	O
430	CM	80	CM	21 LEVEL CM	669,7454 litre	7,747 %	7975,9176 litre	O
430	CM	80	CM	20 LEVEL CM	623,7570 litre	7,215 %	8021,9060 litre	O
430	CM	80	CM	19 LEVEL CM	578,7439 litre	6,694 %	8066,9191 litre	O
430	CM	80	CM	18 LEVEL CM	534,7446 litre	6,185 %	8110,9184 litre	O
430	CM	80	CM	17 LEVEL CM	491,8003 litre	5,688 %	8153,8627 litre	O
430	CM	80	CM	16 LEVEL CM	449,9551 litre	5,204 %	8195,7079 litre	O
430	CM	80	CM	15 LEVEL CM	409,2569 litre	4,734 %	8236,4061 litre	O
430	CM	80	CM	14 LEVEL CM	369,7577 litre	4,277 %	8275,9053 litre	O
430	CM	80	CM	13 LEVEL CM	331,5145 litre	3,834 %	8314,1485 litre	O
430	CM	80	CM	12 LEVEL CM	294,5899 litre	3,407 %	8351,0731 litre	O
430	CM	80	CM	11 LEVEL CM	259,0537 litre	2,996 %	8386,6093 litre	O
430	CM	80	CM	10 LEVEL CM	224,9841 litre	2,602 %	8420,6789 litre	O
430	CM	80	CM	9 LEVEL CM	192,4700 litre	2,226 %	8453,1930 litre	O
430	CM	80	CM	8 LEVEL CM	161,6137 litre	1,869 %	8484,0493 litre	O
430	CM	80	CM	7 LEVEL CM	132,5350 litre	1,533 %	8513,1280 litre	O
430	CM	80	CM	6 LEVEL CM	105,3773 litre	1,219 %	8540,2857 litre	O
430	CM	80	CM	5 LEVEL CM	80,3171 litre	0,929 %	8565,3459 litre	O
430	CM	80	CM	4 LEVEL CM	57,5802 litre	0,666 %	8588,0828 litre	O
430	CM	80	CM	3 LEVEL CM	37,4706 litre	0,433 %	8608,1924 litre	O

430_80

-1291-

430	CM 80	CM	2 LEVEL CM	20,4351 litre	0,236 %	8625,2279 litre	O
430	CM 80	CM	1 LEVEL CM	7,2385 litre	0,084 %	8638,4245 litre	O
430	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	8645,6630 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 75	CM 150 LEVEL CM	7598,7272 litre	100,000 %	0,0000 litre	O
430	CM 75	CM 149 LEVEL CM	7591,7194 litre	99,908 %	7,0078 litre	O
430	CM 75	CM 148 LEVEL CM	7578,9460 litre	99,740 %	19,7812 litre	O
430	CM 75	CM 147 LEVEL CM	7562,4602 litre	99,523 %	36,2670 litre	O
430	CM 75	CM 146 LEVEL CM	7543,0038 litre	99,267 %	55,7234 litre	O
430	CM 75	CM 145 LEVEL CM	7521,0101 litre	98,977 %	77,7171 litre	O
430	CM 75	CM 144 LEVEL CM	7496,7746 litre	98,658 %	101,9526 litre	O
430	CM 75	CM 143 LEVEL CM	7470,5165 litre	98,313 %	128,2107 litre	O
430	CM 75	CM 142 LEVEL CM	7442,4074 litre	97,943 %	156,3198 litre	O
430	CM 75	CM 141 LEVEL CM	7412,5868 litre	97,550 %	186,1404 litre	O
430	CM 75	CM 140 LEVEL CM	7381,1715 litre	97,137 %	217,5557 litre	O
430	CM 75	CM 139 LEVEL CM	7348,2611 litre	96,704 %	250,4661 litre	O
430	CM 75	CM 138 LEVEL CM	7313,9423 litre	96,252 %	284,7849 litre	O
430	CM 75	CM 137 LEVEL CM	7278,2914 litre	95,783 %	320,4358 litre	O
430	CM 75	CM 136 LEVEL CM	7241,3765 litre	95,297 %	357,3507 litre	O
430	CM 75	CM 135 LEVEL CM	7203,2589 litre	94,796 %	395,4683 litre	O
430	CM 75	CM 134 LEVEL CM	7163,9942 litre	94,279 %	434,7330 litre	O
430	CM 75	CM 133 LEVEL CM	7123,6334 litre	93,748 %	475,0938 litre	O
430	CM 75	CM 132 LEVEL CM	7082,2233 litre	93,203 %	516,5039 litre	O
430	CM 75	CM 131 LEVEL CM	7039,8073 litre	92,645 %	558,9199 litre	O
430	CM 75	CM 130 LEVEL CM	6996,4257 litre	92,074 %	602,3015 litre	O
430	CM 75	CM 129 LEVEL CM	6952,1163 litre	91,491 %	646,6109 litre	O
430	CM 75	CM 128 LEVEL CM	6906,9145 litre	90,896 %	691,8127 litre	O
430	CM 75	CM 127 LEVEL CM	6860,8536 litre	90,290 %	737,8736 litre	O
430	CM 75	CM 126 LEVEL CM	6813,9651 litre	89,672 %	784,7621 litre	O
430	CM 75	CM 125 LEVEL CM	6766,2789 litre	89,045 %	832,4483 litre	O
430	CM 75	CM 124 LEVEL CM	6717,8234 litre	88,407 %	880,9038 litre	O
430	CM 75	CM 123 LEVEL CM	6668,6257 litre	87,760 %	930,1015 litre	O
430	CM 75	CM 122 LEVEL CM	6618,7115 litre	87,103 %	980,0157 litre	O
430	CM 75	CM 121 LEVEL CM	6568,1057 litre	86,437 %	1030,6215 litre	O
430	CM 75	CM 120 LEVEL CM	6516,8319 litre	85,762 %	1081,8953 litre	O
430	CM 75	CM 119 LEVEL CM	6464,9131 litre	85,079 %	1133,8141 litre	O
430	CM 75	CM 118 LEVEL CM	6412,3712 litre	84,387 %	1186,3560 litre	O
430	CM 75	CM 117 LEVEL CM	6359,2275 litre	83,688 %	1239,4997 litre	O
430	CM 75	CM 116 LEVEL CM	6305,5024 litre	82,981 %	1293,2248 litre	O
430	CM 75	CM 115 LEVEL CM	6251,2158 litre	82,267 %	1347,5114 litre	O
430	CM 75	CM 114 LEVEL CM	6196,3870 litre	81,545 %	1402,3402 litre	O
430	CM 75	CM 113 LEVEL CM	6141,0345 litre	80,817 %	1457,6927 litre	O
430	CM 75	CM 112 LEVEL CM	6085,1766 litre	80,082 %	1513,5506 litre	O
430	CM 75	CM 111 LEVEL CM	6028,8309 litre	79,340 %	1569,8963 litre	O
430	CM 75	CM 110 LEVEL CM	5972,0146 litre	78,592 %	1626,7126 litre	O
430	CM 75	CM 109 LEVEL CM	5914,7445 litre	77,839 %	1683,9827 litre	O
430	CM 75	CM 108 LEVEL CM	5857,0370 litre	77,079 %	1741,6902 litre	O
430	CM 75	CM 107 LEVEL CM	5798,9081 litre	76,314 %	1799,8191 litre	O
430	CM 75	CM 106 LEVEL CM	5740,3734 litre	75,544 %	1858,3538 litre	O
430	CM 75	CM 105 LEVEL CM	5681,4484 litre	74,768 %	1917,2788 litre	O
430	CM 75	CM 104 LEVEL CM	5622,1480 litre	73,988 %	1976,5792 litre	O
430	CM 75	CM 103 LEVEL CM	5562,4869 litre	73,203 %	2036,2403 litre	O
430	CM 75	CM 102 LEVEL CM	5502,4798 litre	72,413 %	2096,2474 litre	O
430	CM 75	CM 101 LEVEL CM	5442,1408 litre	71,619 %	2156,5864 litre	O
430	CM 75	CM 100 LEVEL CM	5381,4839 litre	70,821 %	2217,2433 litre	O
430	CM 75	CM 99 LEVEL CM	5320,5230 litre	70,019 %	2278,2042 litre	O

430	CM	75	CM	98 LEVEL CM	5259,2716 litre	69,213 %	2339,4556 litre	O
430	CM	75	CM	97 LEVEL CM	5197,7430 litre	68,403 %	2400,9842 litre	O
430	CM	75	CM	96 LEVEL CM	5135,9506 litre	67,590 %	2462,7766 litre	O
430	CM	75	CM	95 LEVEL CM	5073,9074 litre	66,773 %	2524,8198 litre	O
430	CM	75	CM	94 LEVEL CM	5011,6261 litre	65,953 %	2587,1011 litre	O
430	CM	75	CM	93 LEVEL CM	4949,1197 litre	65,131 %	2649,6075 litre	O
430	CM	75	CM	92 LEVEL CM	4886,4006 litre	64,306 %	2712,3266 litre	O
430	CM	75	CM	91 LEVEL CM	4823,4814 litre	63,477 %	2775,2458 litre	O
430	CM	75	CM	90 LEVEL CM	4760,3744 litre	62,647 %	2838,3528 litre	O
430	CM	75	CM	89 LEVEL CM	4697,0918 litre	61,814 %	2901,6354 litre	O
430	CM	75	CM	88 LEVEL CM	4633,6458 litre	60,979 %	2965,0814 litre	O
430	CM	75	CM	87 LEVEL CM	4570,0484 litre	60,142 %	3028,6788 litre	O
430	CM	75	CM	86 LEVEL CM	4506,3117 litre	59,304 %	3092,4155 litre	O
430	CM	75	CM	85 LEVEL CM	4442,4474 litre	58,463 %	3156,2798 litre	O
430	CM	75	CM	84 LEVEL CM	4378,4674 litre	57,621 %	3220,2598 litre	O
430	CM	75	CM	83 LEVEL CM	4314,3834 litre	56,778 %	3284,3438 litre	O
430	CM	75	CM	82 LEVEL CM	4250,2072 litre	55,933 %	3348,5200 litre	O
430	CM	75	CM	81 LEVEL CM	4185,9504 litre	55,088 %	3412,7768 litre	O
430	CM	75	CM	80 LEVEL CM	4121,6246 litre	54,241 %	3477,1026 litre	O
430	CM	75	CM	79 LEVEL CM	4057,2413 litre	53,394 %	3541,4859 litre	O
430	CM	75	CM	78 LEVEL CM	3992,8120 litre	52,546 %	3605,9152 litre	O
430	CM	75	CM	77 LEVEL CM	3928,3483 litre	51,697 %	3670,3789 litre	O
430	CM	75	CM	76 LEVEL CM	3863,8617 litre	50,849 %	3734,8655 litre	O
430	CM	75	CM	75 LEVEL CM	3799,3636 litre	50,000 %	3799,3636 litre	O
430	CM	75	CM	74 LEVEL CM	3734,8655 litre	49,151 %	3863,8617 litre	O
430	CM	75	CM	73 LEVEL CM	3670,3789 litre	48,303 %	3928,3483 litre	O
430	CM	75	CM	72 LEVEL CM	3605,9152 litre	47,454 %	3992,8120 litre	O
430	CM	75	CM	71 LEVEL CM	3541,4860 litre	46,606 %	4057,2412 litre	O
430	CM	75	CM	70 LEVEL CM	3477,1027 litre	45,759 %	4121,6245 litre	O
430	CM	75	CM	69 LEVEL CM	3412,7768 litre	44,912 %	4185,9504 litre	O
430	CM	75	CM	68 LEVEL CM	3348,5200 litre	44,067 %	4250,2072 litre	O
430	CM	75	CM	67 LEVEL CM	3284,3438 litre	43,222 %	4314,3834 litre	O
430	CM	75	CM	66 LEVEL CM	3220,2598 litre	42,379 %	4378,4674 litre	O
430	CM	75	CM	65 LEVEL CM	3156,2799 litre	41,537 %	4442,4473 litre	O
430	CM	75	CM	64 LEVEL CM	3092,4156 litre	40,696 %	4506,3116 litre	O
430	CM	75	CM	63 LEVEL CM	3028,6788 litre	39,858 %	4570,0484 litre	O
430	CM	75	CM	62 LEVEL CM	2965,0815 litre	39,021 %	4633,6457 litre	O
430	CM	75	CM	61 LEVEL CM	2901,6355 litre	38,186 %	4697,0917 litre	O
430	CM	75	CM	60 LEVEL CM	2838,3529 litre	37,353 %	4760,3743 litre	O
430	CM	75	CM	59 LEVEL CM	2775,2459 litre	36,523 %	4823,4813 litre	O
430	CM	75	CM	58 LEVEL CM	2712,3266 litre	35,694 %	4886,4006 litre	O
430	CM	75	CM	57 LEVEL CM	2649,6076 litre	34,869 %	4949,1196 litre	O
430	CM	75	CM	56 LEVEL CM	2587,1011 litre	34,047 %	5011,6261 litre	O
430	CM	75	CM	55 LEVEL CM	2524,8199 litre	33,227 %	5073,9073 litre	O
430	CM	75	CM	54 LEVEL CM	2462,7766 litre	32,410 %	5135,9506 litre	O
430	CM	75	CM	53 LEVEL CM	2400,9842 litre	31,597 %	5197,7430 litre	O
430	CM	75	CM	52 LEVEL CM	2339,4557 litre	30,787 %	5259,2715 litre	O
430	CM	75	CM	51 LEVEL CM	2278,2042 litre	29,981 %	5320,5230 litre	O
430	CM	75	CM	50 LEVEL CM	2217,2433 litre	29,179 %	5381,4839 litre	O
430	CM	75	CM	49 LEVEL CM	2156,5864 litre	28,381 %	5442,1408 litre	O
430	CM	75	CM	48 LEVEL CM	2096,2474 litre	27,587 %	5502,4798 litre	O
430	CM	75	CM	47 LEVEL CM	2036,2403 litre	26,797 %	5562,4869 litre	O
430	CM	75	CM	46 LEVEL CM	1976,5793 litre	26,012 %	5622,1479 litre	O

430	CM	75	CM	45 LEVEL CM	1917,2788 litre	25,232 %	5681,4484 litre	O
430	CM	75	CM	44 LEVEL CM	1858,3538 litre	24,456 %	5740,3734 litre	O
430	CM	75	CM	43 LEVEL CM	1799,8191 litre	23,686 %	5798,9081 litre	O
430	CM	75	CM	42 LEVEL CM	1741,6902 litre	22,921 %	5857,0370 litre	O
430	CM	75	CM	41 LEVEL CM	1683,9827 litre	22,161 %	5914,7445 litre	O
430	CM	75	CM	40 LEVEL CM	1626,7126 litre	21,408 %	5972,0146 litre	O
430	CM	75	CM	39 LEVEL CM	1569,8963 litre	20,660 %	6028,8309 litre	O
430	CM	75	CM	38 LEVEL CM	1513,5506 litre	19,918 %	6085,1766 litre	O
430	CM	75	CM	37 LEVEL CM	1457,6927 litre	19,183 %	6141,0345 litre	O
430	CM	75	CM	36 LEVEL CM	1402,3403 litre	18,455 %	6196,3869 litre	O
430	CM	75	CM	35 LEVEL CM	1347,5114 litre	17,733 %	6251,2158 litre	O
430	CM	75	CM	34 LEVEL CM	1293,2248 litre	17,019 %	6305,5024 litre	O
430	CM	75	CM	33 LEVEL CM	1239,4997 litre	16,312 %	6359,2275 litre	O
430	CM	75	CM	32 LEVEL CM	1186,3560 litre	15,613 %	6412,3712 litre	O
430	CM	75	CM	31 LEVEL CM	1133,8141 litre	14,921 %	6464,9131 litre	O
430	CM	75	CM	30 LEVEL CM	1081,8953 litre	14,238 %	6516,8319 litre	O
430	CM	75	CM	29 LEVEL CM	1030,6216 litre	13,563 %	6568,1056 litre	O
430	CM	75	CM	28 LEVEL CM	980,0157 litre	12,897 %	6618,7115 litre	O
430	CM	75	CM	27 LEVEL CM	930,1016 litre	12,240 %	6668,6256 litre	O
430	CM	75	CM	26 LEVEL CM	880,9038 litre	11,593 %	6717,8234 litre	O
430	CM	75	CM	25 LEVEL CM	832,4483 litre	10,955 %	6766,2789 litre	O
430	CM	75	CM	24 LEVEL CM	784,7621 litre	10,328 %	6813,9651 litre	O
430	CM	75	CM	23 LEVEL CM	737,8736 litre	9,710 %	6860,8536 litre	O
430	CM	75	CM	22 LEVEL CM	691,8127 litre	9,104 %	6906,9145 litre	O
430	CM	75	CM	21 LEVEL CM	646,6109 litre	8,509 %	6952,1163 litre	O
430	CM	75	CM	20 LEVEL CM	602,3015 litre	7,926 %	6996,4257 litre	O
430	CM	75	CM	19 LEVEL CM	558,9200 litre	7,355 %	7039,8072 litre	O
430	CM	75	CM	18 LEVEL CM	516,5039 litre	6,797 %	7082,2233 litre	O
430	CM	75	CM	17 LEVEL CM	475,0938 litre	6,252 %	7123,6334 litre	O
430	CM	75	CM	16 LEVEL CM	434,7330 litre	5,721 %	7163,9942 litre	O
430	CM	75	CM	15 LEVEL CM	395,4683 litre	5,204 %	7203,2589 litre	O
430	CM	75	CM	14 LEVEL CM	357,3507 litre	4,703 %	7241,3765 litre	O
430	CM	75	CM	13 LEVEL CM	320,4358 litre	4,217 %	7278,2914 litre	O
430	CM	75	CM	12 LEVEL CM	284,7849 litre	3,748 %	7313,9423 litre	O
430	CM	75	CM	11 LEVEL CM	250,4661 litre	3,296 %	7348,2611 litre	O
430	CM	75	CM	10 LEVEL CM	217,5557 litre	2,863 %	7381,1715 litre	O
430	CM	75	CM	9 LEVEL CM	186,1404 litre	2,450 %	7412,5868 litre	O
430	CM	75	CM	8 LEVEL CM	156,3199 litre	2,057 %	7442,4073 litre	O
430	CM	75	CM	7 LEVEL CM	128,2108 litre	1,687 %	7470,5164 litre	O
430	CM	75	CM	6 LEVEL CM	101,9526 litre	1,342 %	7496,7746 litre	O
430	CM	75	CM	5 LEVEL CM	77,7171 litre	1,023 %	7521,0101 litre	O
430	CM	75	CM	4 LEVEL CM	55,7234 litre	0,733 %	7543,0038 litre	O
430	CM	75	CM	3 LEVEL CM	36,2670 litre	0,477 %	7562,4602 litre	O
430	CM	75	CM	2 LEVEL CM	19,7812 litre	0,260 %	7578,9460 litre	O
430	CM	75	CM	1 LEVEL CM	7,0078 litre	0,092 %	7591,7194 litre	O
430	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	7598,7272 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM 70	CM 140 LEVEL CM	6619,3357 litre	100,000 %	0,0000 litre	O
430	CM 70	CM 139 LEVEL CM	6612,5665 litre	99,898 %	6,7692 litre	O
430	CM 70	CM 138 LEVEL CM	6600,2308 litre	99,711 %	19,1049 litre	O
430	CM 70	CM 137 LEVEL CM	6584,3137 litre	99,471 %	35,0220 litre	O
430	CM 70	CM 136 LEVEL CM	6565,5331 litre	99,187 %	53,8026 litre	O
430	CM 70	CM 135 LEVEL CM	6544,3087 litre	98,867 %	75,0270 litre	O
430	CM 70	CM 134 LEVEL CM	6520,9269 litre	98,513 %	98,4088 litre	O
430	CM 70	CM 133 LEVEL CM	6495,6002 litre	98,131 %	123,7355 litre	O
430	CM 70	CM 132 LEVEL CM	6468,4954 litre	97,721 %	150,8403 litre	O
430	CM 70	CM 131 LEVEL CM	6439,7479 litre	97,287 %	179,5878 litre	O
430	CM 70	CM 130 LEVEL CM	6409,4712 litre	96,830 %	209,8645 litre	O
430	CM 70	CM 129 LEVEL CM	6377,7624 litre	96,350 %	241,5733 litre	O
430	CM 70	CM 128 LEVEL CM	6344,7058 litre	95,851 %	274,6299 litre	O
430	CM 70	CM 127 LEVEL CM	6310,3758 litre	95,332 %	308,9599 litre	O
430	CM 70	CM 126 LEVEL CM	6274,8389 litre	94,796 %	344,4968 litre	O
430	CM 70	CM 125 LEVEL CM	6238,1548 litre	94,241 %	381,1809 litre	O
430	CM 70	CM 124 LEVEL CM	6200,3780 litre	93,671 %	418,9577 litre	O
430	CM 70	CM 123 LEVEL CM	6161,5583 litre	93,084 %	457,7774 litre	O
430	CM 70	CM 122 LEVEL CM	6121,7415 litre	92,483 %	497,5942 litre	O
430	CM 70	CM 121 LEVEL CM	6080,9702 litre	91,867 %	538,3655 litre	O
430	CM 70	CM 120 LEVEL CM	6039,2839 litre	91,237 %	580,0518 litre	O
430	CM 70	CM 119 LEVEL CM	5996,7197 litre	90,594 %	622,6160 litre	O
430	CM 70	CM 118 LEVEL CM	5953,3123 litre	89,938 %	666,0234 litre	O
430	CM 70	CM 117 LEVEL CM	5909,0946 litre	89,270 %	710,2411 litre	O
430	CM 70	CM 116 LEVEL CM	5864,0976 litre	88,590 %	755,2381 litre	O
430	CM 70	CM 115 LEVEL CM	5818,3508 litre	87,899 %	800,9849 litre	O
430	CM 70	CM 114 LEVEL CM	5771,8820 litre	87,197 %	847,4537 litre	O
430	CM 70	CM 113 LEVEL CM	5724,7182 litre	86,485 %	894,6175 litre	O
430	CM 70	CM 112 LEVEL CM	5676,8847 litre	85,762 %	942,4510 litre	O
430	CM 70	CM 111 LEVEL CM	5628,4062 litre	85,030 %	990,9295 litre	O
430	CM 70	CM 110 LEVEL CM	5579,3061 litre	84,288 %	1040,0296 litre	O
430	CM 70	CM 109 LEVEL CM	5529,6071 litre	83,537 %	1089,7286 litre	O
430	CM 70	CM 108 LEVEL CM	5479,3311 litre	82,778 %	1140,0046 litre	O
430	CM 70	CM 107 LEVEL CM	5428,4991 litre	82,010 %	1190,8366 litre	O
430	CM 70	CM 106 LEVEL CM	5377,1315 litre	81,234 %	1242,2042 litre	O
430	CM 70	CM 105 LEVEL CM	5325,2482 litre	80,450 %	1294,0875 litre	O
430	CM 70	CM 104 LEVEL CM	5272,8684 litre	79,659 %	1346,4673 litre	O
430	CM 70	CM 103 LEVEL CM	5220,0106 litre	78,860 %	1399,3251 litre	O
430	CM 70	CM 102 LEVEL CM	5166,6931 litre	78,055 %	1452,6426 litre	O
430	CM 70	CM 101 LEVEL CM	5112,9335 litre	77,242 %	1506,4022 litre	O
430	CM 70	CM 100 LEVEL CM	5058,7491 litre	76,424 %	1560,5866 litre	O
430	CM 70	CM 99 LEVEL CM	5004,1567 litre	75,599 %	1615,1790 litre	O
430	CM 70	CM 98 LEVEL CM	4949,1728 litre	74,768 %	1670,1629 litre	O
430	CM 70	CM 97 LEVEL CM	4893,8136 litre	73,932 %	1725,5221 litre	O
430	CM 70	CM 96 LEVEL CM	4838,0948 litre	73,090 %	1781,2409 litre	O
430	CM 70	CM 95 LEVEL CM	4782,0319 litre	72,243 %	1837,3038 litre	O
430	CM 70	CM 94 LEVEL CM	4725,6402 litre	71,391 %	1893,6955 litre	O
430	CM 70	CM 93 LEVEL CM	4668,9346 litre	70,535 %	1950,4011 litre	O
430	CM 70	CM 92 LEVEL CM	4611,9298 litre	69,674 %	2007,4059 litre	O
430	CM 70	CM 91 LEVEL CM	4554,6403 litre	68,808 %	2064,6954 litre	O
430	CM 70	CM 90 LEVEL CM	4497,0802 litre	67,939 %	2122,2555 litre	O
430	CM 70	CM 89 LEVEL CM	4439,2638 litre	67,065 %	2180,0719 litre	O

430	CM	70	CM	88 LEVEL CM	4381,2048 litre	66,188 %	2238,1309 litre	O
430	CM	70	CM	87 LEVEL CM	4322,9170 litre	65,307 %	2296,4187 litre	O
430	CM	70	CM	86 LEVEL CM	4264,4138 litre	64,424 %	2354,9219 litre	O
430	CM	70	CM	85 LEVEL CM	4205,7087 litre	63,537 %	2413,6270 litre	O
430	CM	70	CM	84 LEVEL CM	4146,8150 litre	62,647 %	2472,5207 litre	O
430	CM	70	CM	83 LEVEL CM	4087,7457 litre	61,755 %	2531,5900 litre	O
430	CM	70	CM	82 LEVEL CM	4028,5138 litre	60,860 %	2590,8219 litre	O
430	CM	70	CM	81 LEVEL CM	3969,1323 litre	59,963 %	2650,2034 litre	O
430	CM	70	CM	80 LEVEL CM	3909,6139 litre	59,064 %	2709,7218 litre	O
430	CM	70	CM	79 LEVEL CM	3849,9714 litre	58,163 %	2769,3643 litre	O
430	CM	70	CM	78 LEVEL CM	3790,2174 litre	57,260 %	2829,1183 litre	O
430	CM	70	CM	77 LEVEL CM	3730,3645 litre	56,356 %	2888,9712 litre	O
430	CM	70	CM	76 LEVEL CM	3670,4251 litre	55,450 %	2948,9106 litre	O
430	CM	70	CM	75 LEVEL CM	3610,4117 litre	54,543 %	3008,9240 litre	O
430	CM	70	CM	74 LEVEL CM	3550,3367 litre	53,636 %	3068,9990 litre	O
430	CM	70	CM	73 LEVEL CM	3490,2126 litre	52,728 %	3129,1231 litre	O
430	CM	70	CM	72 LEVEL CM	3430,0515 litre	51,819 %	3189,2842 litre	O
430	CM	70	CM	71 LEVEL CM	3369,8658 litre	50,909 %	3249,4699 litre	O
430	CM	70	CM	70 LEVEL CM	3309,6679 litre	50,000 %	3309,6678 litre	O
430	CM	70	CM	69 LEVEL CM	3249,4699 litre	49,091 %	3369,8658 litre	O
430	CM	70	CM	68 LEVEL CM	3189,2842 litre	48,181 %	3430,0515 litre	O
430	CM	70	CM	67 LEVEL CM	3129,1232 litre	47,272 %	3490,2125 litre	O
430	CM	70	CM	66 LEVEL CM	3068,9990 litre	46,364 %	3550,3367 litre	O
430	CM	70	CM	65 LEVEL CM	3008,9240 litre	45,457 %	3610,4117 litre	O
430	CM	70	CM	64 LEVEL CM	2948,9106 litre	44,550 %	3670,4251 litre	O
430	CM	70	CM	63 LEVEL CM	2888,9713 litre	43,644 %	3730,3644 litre	O
430	CM	70	CM	62 LEVEL CM	2829,1183 litre	42,740 %	3790,2174 litre	O
430	CM	70	CM	61 LEVEL CM	2769,3643 litre	41,837 %	3849,9714 litre	O
430	CM	70	CM	60 LEVEL CM	2709,7218 litre	40,936 %	3909,6139 litre	O
430	CM	70	CM	59 LEVEL CM	2650,2034 litre	40,037 %	3969,1323 litre	O
430	CM	70	CM	58 LEVEL CM	2590,8219 litre	39,140 %	4028,5138 litre	O
430	CM	70	CM	57 LEVEL CM	2531,5900 litre	38,245 %	4087,7457 litre	O
430	CM	70	CM	56 LEVEL CM	2472,5207 litre	37,353 %	4146,8150 litre	O
430	CM	70	CM	55 LEVEL CM	2413,6270 litre	36,463 %	4205,7087 litre	O
430	CM	70	CM	54 LEVEL CM	2354,9219 litre	35,576 %	4264,4138 litre	O
430	CM	70	CM	53 LEVEL CM	2296,4187 litre	34,693 %	4322,9170 litre	O
430	CM	70	CM	52 LEVEL CM	2238,1309 litre	33,812 %	4381,2048 litre	O
430	CM	70	CM	51 LEVEL CM	2180,0719 litre	32,935 %	4439,2638 litre	O
430	CM	70	CM	50 LEVEL CM	2122,2555 litre	32,061 %	4497,0802 litre	O
430	CM	70	CM	49 LEVEL CM	2064,6955 litre	31,192 %	4554,6402 litre	O
430	CM	70	CM	48 LEVEL CM	2007,4059 litre	30,326 %	4611,9298 litre	O
430	CM	70	CM	47 LEVEL CM	1950,4011 litre	29,465 %	4668,9346 litre	O
430	CM	70	CM	46 LEVEL CM	1893,6955 litre	28,609 %	4725,6402 litre	O
430	CM	70	CM	45 LEVEL CM	1837,3038 litre	27,757 %	4782,0319 litre	O
430	CM	70	CM	44 LEVEL CM	1781,2409 litre	26,910 %	4838,0948 litre	O
430	CM	70	CM	43 LEVEL CM	1725,5221 litre	26,068 %	4893,8136 litre	O
430	CM	70	CM	42 LEVEL CM	1670,1629 litre	25,232 %	4949,1728 litre	O
430	CM	70	CM	41 LEVEL CM	1615,1790 litre	24,401 %	5004,1567 litre	O
430	CM	70	CM	40 LEVEL CM	1560,5867 litre	23,576 %	5058,7490 litre	O
430	CM	70	CM	39 LEVEL CM	1506,4022 litre	22,758 %	5112,9335 litre	O
430	CM	70	CM	38 LEVEL CM	1452,6426 litre	21,945 %	5166,6931 litre	O
430	CM	70	CM	37 LEVEL CM	1399,3251 litre	21,140 %	5220,0106 litre	O
430	CM	70	CM	36 LEVEL CM	1346,4673 litre	20,341 %	5272,8684 litre	O

430	CM	70	CM	35 LEVEL CM	1294,0875 litre	19,550 %	5325,2482 litre	O
430	CM	70	CM	34 LEVEL CM	1242,2042 litre	18,766 %	5377,1315 litre	O
430	CM	70	CM	33 LEVEL CM	1190,8367 litre	17,990 %	5428,4990 litre	O
430	CM	70	CM	32 LEVEL CM	1140,0047 litre	17,222 %	5479,3310 litre	O
430	CM	70	CM	31 LEVEL CM	1089,7286 litre	16,463 %	5529,6071 litre	O
430	CM	70	CM	30 LEVEL CM	1040,0297 litre	15,712 %	5579,3060 litre	O
430	CM	70	CM	29 LEVEL CM	990,9296 litre	14,970 %	5628,4061 litre	O
430	CM	70	CM	28 LEVEL CM	942,4510 litre	14,238 %	5676,8847 litre	O
430	CM	70	CM	27 LEVEL CM	894,6176 litre	13,515 %	5724,7181 litre	O
430	CM	70	CM	26 LEVEL CM	847,4537 litre	12,803 %	5771,8820 litre	O
430	CM	70	CM	25 LEVEL CM	800,9849 litre	12,101 %	5818,3508 litre	O
430	CM	70	CM	24 LEVEL CM	755,2381 litre	11,410 %	5864,0976 litre	O
430	CM	70	CM	23 LEVEL CM	710,2411 litre	10,730 %	5909,0946 litre	O
430	CM	70	CM	22 LEVEL CM	666,0234 litre	10,062 %	5953,3123 litre	O
430	CM	70	CM	21 LEVEL CM	622,6161 litre	9,406 %	5996,7196 litre	O
430	CM	70	CM	20 LEVEL CM	580,0518 litre	8,763 %	6039,2839 litre	O
430	CM	70	CM	19 LEVEL CM	538,3656 litre	8,133 %	6080,9701 litre	O
430	CM	70	CM	18 LEVEL CM	497,5942 litre	7,517 %	6121,7415 litre	O
430	CM	70	CM	17 LEVEL CM	457,7774 litre	6,916 %	6161,5583 litre	O
430	CM	70	CM	16 LEVEL CM	418,9577 litre	6,329 %	6200,3780 litre	O
430	CM	70	CM	15 LEVEL CM	381,1809 litre	5,759 %	6238,1548 litre	O
430	CM	70	CM	14 LEVEL CM	344,4968 litre	5,204 %	6274,8389 litre	O
430	CM	70	CM	13 LEVEL CM	308,9599 litre	4,668 %	6310,3758 litre	O
430	CM	70	CM	12 LEVEL CM	274,6299 litre	4,149 %	6344,7058 litre	O
430	CM	70	CM	11 LEVEL CM	241,5733 litre	3,650 %	6377,7624 litre	O
430	CM	70	CM	10 LEVEL CM	209,8645 litre	3,170 %	6409,4712 litre	O
430	CM	70	CM	9 LEVEL CM	179,5878 litre	2,713 %	6439,7479 litre	O
430	CM	70	CM	8 LEVEL CM	150,8403 litre	2,279 %	6468,4954 litre	O
430	CM	70	CM	7 LEVEL CM	123,7355 litre	1,869 %	6495,6002 litre	O
430	CM	70	CM	6 LEVEL CM	98,4088 litre	1,487 %	6520,9269 litre	O
430	CM	70	CM	5 LEVEL CM	75,0270 litre	1,133 %	6544,3087 litre	O
430	CM	70	CM	4 LEVEL CM	53,8026 litre	0,813 %	6565,5331 litre	O
430	CM	70	CM	3 LEVEL CM	35,0220 litre	0,529 %	6584,3137 litre	O
430	CM	70	CM	2 LEVEL CM	19,1050 litre	0,289 %	6600,2307 litre	O
430	CM	70	CM	1 LEVEL CM	6,7692 litre	0,102 %	6612,5665 litre	O
430	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	6619,3357 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
430	CM 65	CM 130 LEVEL CM	5707,4885 litre	100,000 %	0,0000 litre O
430	CM 65	CM 129 LEVEL CM	5700,9666 litre	99,886 %	6,5219 litre O
430	CM 65	CM 128 LEVEL CM	5689,0846 litre	99,678 %	18,4039 litre O
430	CM 65	CM 127 LEVEL CM	5673,7573 litre	99,409 %	33,7312 litre O
430	CM 65	CM 126 LEVEL CM	5655,6778 litre	99,092 %	51,8107 litre O
430	CM 65	CM 125 LEVEL CM	5635,2517 litre	98,734 %	72,2368 litre O
430	CM 65	CM 124 LEVEL CM	5612,7559 litre	98,340 %	94,7326 litre O
430	CM 65	CM 123 LEVEL CM	5588,3963 litre	97,913 %	119,0922 litre O
430	CM 65	CM 122 LEVEL CM	5562,3344 litre	97,457 %	145,1541 litre O
430	CM 65	CM 121 LEVEL CM	5534,7016 litre	96,973 %	172,7869 litre O
430	CM 65	CM 120 LEVEL CM	5505,6082 litre	96,463 %	201,8803 litre O
430	CM 65	CM 119 LEVEL CM	5475,1483 litre	95,929 %	232,3402 litre O
430	CM 65	CM 118 LEVEL CM	5443,4040 litre	95,373 %	264,0845 litre O
430	CM 65	CM 117 LEVEL CM	5410,4478 litre	94,796 %	297,0407 litre O
430	CM 65	CM 116 LEVEL CM	5376,3444 litre	94,198 %	331,1441 litre O
430	CM 65	CM 115 LEVEL CM	5341,1523 litre	93,581 %	366,3362 litre O
430	CM 65	CM 114 LEVEL CM	5304,9244 litre	92,947 %	402,5641 litre O
430	CM 65	CM 113 LEVEL CM	5267,7095 litre	92,295 %	439,7790 litre O
430	CM 65	CM 112 LEVEL CM	5229,5525 litre	91,626 %	477,9360 litre O
430	CM 65	CM 111 LEVEL CM	5190,4951 litre	90,942 %	516,9934 litre O
430	CM 65	CM 110 LEVEL CM	5150,5760 litre	90,242 %	556,9125 litre O
430	CM 65	CM 109 LEVEL CM	5109,8317 litre	89,529 %	597,6568 litre O
430	CM 65	CM 108 LEVEL CM	5068,2963 litre	88,801 %	639,1922 litre O
430	CM 65	CM 107 LEVEL CM	5026,0021 litre	88,060 %	681,4864 litre O
430	CM 65	CM 106 LEVEL CM	4982,9796 litre	87,306 %	724,5089 litre O
430	CM 65	CM 105 LEVEL CM	4939,2580 litre	86,540 %	768,2305 litre O
430	CM 65	CM 104 LEVEL CM	4894,8649 litre	85,762 %	812,6236 litre O
430	CM 65	CM 103 LEVEL CM	4849,8266 litre	84,973 %	857,6619 litre O
430	CM 65	CM 102 LEVEL CM	4804,1686 litre	84,173 %	903,3199 litre O
430	CM 65	CM 101 LEVEL CM	4757,9151 litre	83,363 %	949,5734 litre O
430	CM 65	CM 100 LEVEL CM	4711,0894 litre	82,542 %	996,3991 litre O
430	CM 65	CM 99 LEVEL CM	4663,7142 litre	81,712 %	1043,7743 litre O
430	CM 65	CM 98 LEVEL CM	4615,8110 litre	80,873 %	1091,6775 litre O
430	CM 65	CM 97 LEVEL CM	4567,4011 litre	80,025 %	1140,0874 litre O
430	CM 65	CM 96 LEVEL CM	4518,5046 litre	79,168 %	1188,9839 litre O
430	CM 65	CM 95 LEVEL CM	4469,1415 litre	78,303 %	1238,3470 litre O
430	CM 65	CM 94 LEVEL CM	4419,3309 litre	77,430 %	1288,1576 litre O
430	CM 65	CM 93 LEVEL CM	4369,0916 litre	76,550 %	1338,3969 litre O
430	CM 65	CM 92 LEVEL CM	4318,4417 litre	75,663 %	1389,0468 litre O
430	CM 65	CM 91 LEVEL CM	4267,3990 litre	74,768 %	1440,0895 litre O
430	CM 65	CM 90 LEVEL CM	4215,9810 litre	73,868 %	1491,5075 litre O
430	CM 65	CM 89 LEVEL CM	4164,2046 litre	72,960 %	1543,2839 litre O
430	CM 65	CM 88 LEVEL CM	4112,0865 litre	72,047 %	1595,4020 litre O
430	CM 65	CM 87 LEVEL CM	4059,6431 litre	71,128 %	1647,8454 litre O
430	CM 65	CM 86 LEVEL CM	4006,8902 litre	70,204 %	1700,5983 litre O
430	CM 65	CM 85 LEVEL CM	3953,8438 litre	69,275 %	1753,6447 litre O
430	CM 65	CM 84 LEVEL CM	3900,5192 litre	68,340 %	1806,9693 litre O
430	CM 65	CM 83 LEVEL CM	3846,9318 litre	67,401 %	1860,5567 litre O
430	CM 65	CM 82 LEVEL CM	3793,0965 litre	66,458 %	1914,3920 litre O
430	CM 65	CM 81 LEVEL CM	3739,0281 litre	65,511 %	1968,4604 litre O
430	CM 65	CM 80 LEVEL CM	3684,7413 litre	64,560 %	2022,7472 litre O
430	CM 65	CM 79 LEVEL CM	3630,2505 litre	63,605 %	2077,2380 litre O

430	CM	65	CM	78 LEVEL CM	3575,5701 litre	62,647 %	2131,9184 litre	O
430	CM	65	CM	77 LEVEL CM	3520,7140 litre	61,686 %	2186,7745 litre	O
430	CM	65	CM	76 LEVEL CM	3465,6965 litre	60,722 %	2241,7920 litre	O
430	CM	65	CM	75 LEVEL CM	3410,5312 litre	59,755 %	2296,9573 litre	O
430	CM	65	CM	74 LEVEL CM	3355,2320 litre	58,786 %	2352,2565 litre	O
430	CM	65	CM	73 LEVEL CM	3299,8126 litre	57,815 %	2407,6759 litre	O
430	CM	65	CM	72 LEVEL CM	3244,2865 litre	56,843 %	2463,2020 litre	O
430	CM	65	CM	71 LEVEL CM	3188,6673 litre	55,868 %	2518,8212 litre	O
430	CM	65	CM	70 LEVEL CM	3132,9683 litre	54,892 %	2574,5202 litre	O
430	CM	65	CM	69 LEVEL CM	3077,2030 litre	53,915 %	2630,2855 litre	O
430	CM	65	CM	68 LEVEL CM	3021,3847 litre	52,937 %	2686,1038 litre	O
430	CM	65	CM	67 LEVEL CM	2965,5266 litre	51,959 %	2741,9619 litre	O
430	CM	65	CM	66 LEVEL CM	2909,6420 litre	50,979 %	2797,8465 litre	O
430	CM	65	CM	65 LEVEL CM	2853,7442 litre	50,000 %	2853,7443 litre	O
430	CM	65	CM	64 LEVEL CM	2797,8464 litre	49,021 %	2909,6421 litre	O
430	CM	65	CM	63 LEVEL CM	2741,9619 litre	48,041 %	2965,5266 litre	O
430	CM	65	CM	62 LEVEL CM	2686,1038 litre	47,063 %	3021,3847 litre	O
430	CM	65	CM	61 LEVEL CM	2630,2854 litre	46,085 %	3077,2031 litre	O
430	CM	65	CM	60 LEVEL CM	2574,5201 litre	45,108 %	3132,9684 litre	O
430	CM	65	CM	59 LEVEL CM	2518,8211 litre	44,132 %	3188,6674 litre	O
430	CM	65	CM	58 LEVEL CM	2463,2019 litre	43,157 %	3244,2866 litre	O
430	CM	65	CM	57 LEVEL CM	2407,6758 litre	42,185 %	3299,8127 litre	O
430	CM	65	CM	56 LEVEL CM	2352,2564 litre	41,214 %	3355,2321 litre	O
430	CM	65	CM	55 LEVEL CM	2296,9573 litre	40,245 %	3410,5312 litre	O
430	CM	65	CM	54 LEVEL CM	2241,7920 litre	39,278 %	3465,6965 litre	O
430	CM	65	CM	53 LEVEL CM	2186,7744 litre	38,314 %	3520,7141 litre	O
430	CM	65	CM	52 LEVEL CM	2131,9184 litre	37,353 %	3575,5701 litre	O
430	CM	65	CM	51 LEVEL CM	2077,2379 litre	36,395 %	3630,2506 litre	O
430	CM	65	CM	50 LEVEL CM	2022,7471 litre	35,440 %	3684,7414 litre	O
430	CM	65	CM	49 LEVEL CM	1968,4604 litre	34,489 %	3739,0281 litre	O
430	CM	65	CM	48 LEVEL CM	1914,3920 litre	33,542 %	3793,0965 litre	O
430	CM	65	CM	47 LEVEL CM	1860,5567 litre	32,599 %	3846,9318 litre	O
430	CM	65	CM	46 LEVEL CM	1806,9692 litre	31,660 %	3900,5193 litre	O
430	CM	65	CM	45 LEVEL CM	1753,6447 litre	30,725 %	3953,8438 litre	O
430	CM	65	CM	44 LEVEL CM	1700,5982 litre	29,796 %	4006,8903 litre	O
430	CM	65	CM	43 LEVEL CM	1647,8454 litre	28,872 %	4059,6431 litre	O
430	CM	65	CM	42 LEVEL CM	1595,4019 litre	27,953 %	4112,0866 litre	O
430	CM	65	CM	41 LEVEL CM	1543,2838 litre	27,040 %	4164,2047 litre	O
430	CM	65	CM	40 LEVEL CM	1491,5075 litre	26,132 %	4215,9810 litre	O
430	CM	65	CM	39 LEVEL CM	1440,0894 litre	25,232 %	4267,3991 litre	O
430	CM	65	CM	38 LEVEL CM	1389,0468 litre	24,337 %	4318,4417 litre	O
430	CM	65	CM	37 LEVEL CM	1338,3969 litre	23,450 %	4369,0916 litre	O
430	CM	65	CM	36 LEVEL CM	1288,1575 litre	22,570 %	4419,3310 litre	O
430	CM	65	CM	35 LEVEL CM	1238,3469 litre	21,697 %	4469,1416 litre	O
430	CM	65	CM	34 LEVEL CM	1188,9838 litre	20,832 %	4518,5047 litre	O
430	CM	65	CM	33 LEVEL CM	1140,0874 litre	19,975 %	4567,4011 litre	O
430	CM	65	CM	32 LEVEL CM	1091,6774 litre	19,127 %	4615,8111 litre	O
430	CM	65	CM	31 LEVEL CM	1043,7743 litre	18,288 %	4663,7142 litre	O
430	CM	65	CM	30 LEVEL CM	996,3990 litre	17,458 %	4711,0895 litre	O
430	CM	65	CM	29 LEVEL CM	949,5734 litre	16,637 %	4757,9151 litre	O
430	CM	65	CM	28 LEVEL CM	903,3198 litre	15,827 %	4804,1687 litre	O
430	CM	65	CM	27 LEVEL CM	857,6618 litre	15,027 %	4849,8267 litre	O
430	CM	65	CM	26 LEVEL CM	812,6236 litre	14,238 %	4894,8649 litre	O

430	CM	65	CM	25 LEVEL CM	768,2304 litre	13,460 %	4939,2581 litre	O
430	CM	65	CM	24 LEVEL CM	724,5088 litre	12,694 %	4982,9797 litre	O
430	CM	65	CM	23 LEVEL CM	681,4864 litre	11,940 %	5026,0021 litre	O
430	CM	65	CM	22 LEVEL CM	639,1922 litre	11,199 %	5068,2963 litre	O
430	CM	65	CM	21 LEVEL CM	597,6568 litre	10,471 %	5109,8317 litre	O
430	CM	65	CM	20 LEVEL CM	556,9124 litre	9,758 %	5150,5761 litre	O
430	CM	65	CM	19 LEVEL CM	516,9934 litre	9,058 %	5190,4951 litre	O
430	CM	65	CM	18 LEVEL CM	477,9359 litre	8,374 %	5229,5526 litre	O
430	CM	65	CM	17 LEVEL CM	439,7789 litre	7,705 %	5267,7096 litre	O
430	CM	65	CM	16 LEVEL CM	402,5641 litre	7,053 %	5304,9244 litre	O
430	CM	65	CM	15 LEVEL CM	366,3362 litre	6,419 %	5341,1523 litre	O
430	CM	65	CM	14 LEVEL CM	331,1440 litre	5,802 %	5376,3445 litre	O
430	CM	65	CM	13 LEVEL CM	297,0406 litre	5,204 %	5410,4479 litre	O
430	CM	65	CM	12 LEVEL CM	264,0845 litre	4,627 %	5443,4040 litre	O
430	CM	65	CM	11 LEVEL CM	232,3402 litre	4,071 %	5475,1483 litre	O
430	CM	65	CM	10 LEVEL CM	201,8803 litre	3,537 %	5505,6082 litre	O
430	CM	65	CM	9 LEVEL CM	172,7868 litre	3,027 %	5534,7017 litre	O
430	CM	65	CM	8 LEVEL CM	145,1541 litre	2,543 %	5562,3344 litre	O
430	CM	65	CM	7 LEVEL CM	119,0921 litre	2,087 %	5588,3964 litre	O
430	CM	65	CM	6 LEVEL CM	94,7326 litre	1,660 %	5612,7559 litre	O
430	CM	65	CM	5 LEVEL CM	72,2368 litre	1,266 %	5635,2517 litre	O
430	CM	65	CM	4 LEVEL CM	51,8106 litre	0,908 %	5655,6779 litre	O
430	CM	65	CM	3 LEVEL CM	33,7311 litre	0,591 %	5673,7574 litre	O
430	CM	65	CM	2 LEVEL CM	18,4039 litre	0,322 %	5689,0846 litre	O
430	CM	65	CM	1 LEVEL CM	6,5219 litre	0,114 %	5700,9666 litre	O
430	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	5707,4885 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
430	CM	60	CM 120 LEVEL CM	4863,1854 litre	100,000 %	0,0000 litre	O
430	CM	60	CM 119 LEVEL CM	4856,9206 litre	99,871 %	6,2648 litre	O
430	CM	60	CM 118 LEVEL CM	4845,5104 litre	99,637 %	17,6750 litre	O
430	CM	60	CM 117 LEVEL CM	4830,7966 litre	99,334 %	32,3888 litre	O
430	CM	60	CM 116 LEVEL CM	4813,4465 litre	98,977 %	49,7389 litre	O
430	CM	60	CM 115 LEVEL CM	4793,8511 litre	98,574 %	69,3343 litre	O
430	CM	60	CM 114 LEVEL CM	4772,2777 litre	98,131 %	90,9077 litre	O
430	CM	60	CM 113 LEVEL CM	4748,9252 litre	97,651 %	114,2602 litre	O
430	CM	60	CM 112 LEVEL CM	4723,9498 litre	97,137 %	139,2356 litre	O
430	CM	60	CM 111 LEVEL CM	4697,4786 litre	96,593 %	165,7068 litre	O
430	CM	60	CM 110 LEVEL CM	4669,6185 litre	96,020 %	193,5669 litre	O
430	CM	60	CM 109 LEVEL CM	4640,4610 litre	95,420 %	222,7244 litre	O
430	CM	60	CM 108 LEVEL CM	4610,0857 litre	94,796 %	253,0997 litre	O
430	CM	60	CM 107 LEVEL CM	4578,5631 litre	94,147 %	284,6223 litre	O
430	CM	60	CM 106 LEVEL CM	4545,9563 litre	93,477 %	317,2291 litre	O
430	CM	60	CM 105 LEVEL CM	4512,3221 litre	92,785 %	350,8633 litre	O
430	CM	60	CM 104 LEVEL CM	4477,7124 litre	92,074 %	385,4730 litre	O
430	CM	60	CM 103 LEVEL CM	4442,1748 litre	91,343 %	421,0106 litre	O
430	CM	60	CM 102 LEVEL CM	4405,7532 litre	90,594 %	457,4322 litre	O
430	CM	60	CM 101 LEVEL CM	4368,4884 litre	89,828 %	494,6970 litre	O
430	CM	60	CM 100 LEVEL CM	4330,4185 litre	89,045 %	532,7669 litre	O
430	CM	60	CM 99 LEVEL CM	4291,5792 litre	88,246 %	571,6062 litre	O
430	CM	60	CM 98 LEVEL CM	4252,0042 litre	87,432 %	611,1812 litre	O
430	CM	60	CM 97 LEVEL CM	4211,7252 litre	86,604 %	651,4602 litre	O
430	CM	60	CM 96 LEVEL CM	4170,7724 litre	85,762 %	692,4130 litre	O
430	CM	60	CM 95 LEVEL CM	4129,1745 litre	84,907 %	734,0109 litre	O
430	CM	60	CM 94 LEVEL CM	4086,9589 litre	84,039 %	776,2265 litre	O
430	CM	60	CM 93 LEVEL CM	4044,1517 litre	83,158 %	819,0337 litre	O
430	CM	60	CM 92 LEVEL CM	4000,7781 litre	82,267 %	862,4073 litre	O
430	CM	60	CM 91 LEVEL CM	3956,8622 litre	81,364 %	906,3232 litre	O
430	CM	60	CM 90 LEVEL CM	3912,4273 litre	80,450 %	950,7581 litre	O
430	CM	60	CM 89 LEVEL CM	3867,4958 litre	79,526 %	995,6896 litre	O
430	CM	60	CM 88 LEVEL CM	3822,0894 litre	78,592 %	1041,0960 litre	O
430	CM	60	CM 87 LEVEL CM	3776,2292 litre	77,649 %	1086,9562 litre	O
430	CM	60	CM 86 LEVEL CM	3729,9355 litre	76,697 %	1133,2499 litre	O
430	CM	60	CM 85 LEVEL CM	3683,2284 litre	75,737 %	1179,9570 litre	O
430	CM	60	CM 84 LEVEL CM	3636,1270 litre	74,768 %	1227,0584 litre	O
430	CM	60	CM 83 LEVEL CM	3588,6502 litre	73,792 %	1274,5352 litre	O
430	CM	60	CM 82 LEVEL CM	3540,8165 litre	72,809 %	1322,3689 litre	O
430	CM	60	CM 81 LEVEL CM	3492,6438 litre	71,818 %	1370,5416 litre	O
430	CM	60	CM 80 LEVEL CM	3444,1497 litre	70,821 %	1419,0357 litre	O
430	CM	60	CM 79 LEVEL CM	3395,3516 litre	69,817 %	1467,8338 litre	O
430	CM	60	CM 78 LEVEL CM	3346,2663 litre	68,808 %	1516,9191 litre	O
430	CM	60	CM 77 LEVEL CM	3296,9106 litre	67,793 %	1566,2748 litre	O
430	CM	60	CM 76 LEVEL CM	3247,3007 litre	66,773 %	1615,8847 litre	O
430	CM	60	CM 75 LEVEL CM	3197,4529 litre	65,748 %	1665,7325 litre	O
430	CM	60	CM 74 LEVEL CM	3147,3830 litre	64,719 %	1715,8024 litre	O
430	CM	60	CM 73 LEVEL CM	3097,1067 litre	63,685 %	1766,0787 litre	O
430	CM	60	CM 72 LEVEL CM	3046,6396 litre	62,647 %	1816,5458 litre	O
430	CM	60	CM 71 LEVEL CM	2995,9969 litre	61,606 %	1867,1885 litre	O
430	CM	60	CM 70 LEVEL CM	2945,1938 litre	60,561 %	1917,9916 litre	O
430	CM	60	CM 69 LEVEL CM	2894,2453 litre	59,513 %	1968,9401 litre	O

430	CM	60	CM	68 LEVEL CM	2843,1663 litre	58,463 %	2020,0191 litre	O
430	CM	60	CM	67 LEVEL CM	2791,9716 litre	57,410 %	2071,2138 litre	O
430	CM	60	CM	66 LEVEL CM	2740,6759 litre	56,356 %	2122,5095 litre	O
430	CM	60	CM	65 LEVEL CM	2689,2938 litre	55,299 %	2173,8916 litre	O
430	CM	60	CM	64 LEVEL CM	2637,8397 litre	54,241 %	2225,3457 litre	O
430	CM	60	CM	63 LEVEL CM	2586,3282 litre	53,182 %	2276,8572 litre	O
430	CM	60	CM	62 LEVEL CM	2534,7736 litre	52,122 %	2328,4118 litre	O
430	CM	60	CM	61 LEVEL CM	2483,1903 litre	51,061 %	2379,9951 litre	O
430	CM	60	CM	60 LEVEL CM	2431,5927 litre	50,000 %	2431,5927 litre	O
430	CM	60	CM	59 LEVEL CM	2379,9951 litre	48,939 %	2483,1903 litre	O
430	CM	60	CM	58 LEVEL CM	2328,4118 litre	47,878 %	2534,7736 litre	O
430	CM	60	CM	57 LEVEL CM	2276,8572 litre	46,818 %	2586,3282 litre	O
430	CM	60	CM	56 LEVEL CM	2225,3457 litre	45,759 %	2637,8397 litre	O
430	CM	60	CM	55 LEVEL CM	2173,8916 litre	44,701 %	2689,2938 litre	O
430	CM	60	CM	54 LEVEL CM	2122,5095 litre	43,644 %	2740,6759 litre	O
430	CM	60	CM	53 LEVEL CM	2071,2138 litre	42,590 %	2791,9716 litre	O
430	CM	60	CM	52 LEVEL CM	2020,0191 litre	41,537 %	2843,1663 litre	O
430	CM	60	CM	51 LEVEL CM	1968,9401 litre	40,487 %	2894,2453 litre	O
430	CM	60	CM	50 LEVEL CM	1917,9917 litre	39,439 %	2945,1937 litre	O
430	CM	60	CM	49 LEVEL CM	1867,1886 litre	38,394 %	2995,9968 litre	O
430	CM	60	CM	48 LEVEL CM	1816,5458 litre	37,353 %	3046,6396 litre	O
430	CM	60	CM	47 LEVEL CM	1766,0787 litre	36,315 %	3097,1067 litre	O
430	CM	60	CM	46 LEVEL CM	1715,8024 litre	35,281 %	3147,3830 litre	O
430	CM	60	CM	45 LEVEL CM	1665,7325 litre	34,252 %	3197,4529 litre	O
430	CM	60	CM	44 LEVEL CM	1615,8847 litre	33,227 %	3247,3007 litre	O
430	CM	60	CM	43 LEVEL CM	1566,2749 litre	32,207 %	3296,9105 litre	O
430	CM	60	CM	42 LEVEL CM	1516,9191 litre	31,192 %	3346,2663 litre	O
430	CM	60	CM	41 LEVEL CM	1467,8338 litre	30,183 %	3395,3516 litre	O
430	CM	60	CM	40 LEVEL CM	1419,0357 litre	29,179 %	3444,1497 litre	O
430	CM	60	CM	39 LEVEL CM	1370,5417 litre	28,182 %	3492,6437 litre	O
430	CM	60	CM	38 LEVEL CM	1322,3690 litre	27,191 %	3540,8164 litre	O
430	CM	60	CM	37 LEVEL CM	1274,5352 litre	26,208 %	3588,6502 litre	O
430	CM	60	CM	36 LEVEL CM	1227,0585 litre	25,232 %	3636,1269 litre	O
430	CM	60	CM	35 LEVEL CM	1179,9571 litre	24,263 %	3683,2283 litre	O
430	CM	60	CM	34 LEVEL CM	1133,2499 litre	23,303 %	3729,9355 litre	O
430	CM	60	CM	33 LEVEL CM	1086,9563 litre	22,351 %	3776,2291 litre	O
430	CM	60	CM	32 LEVEL CM	1041,0961 litre	21,408 %	3822,0893 litre	O
430	CM	60	CM	31 LEVEL CM	995,6897 litre	20,474 %	3867,4957 litre	O
430	CM	60	CM	30 LEVEL CM	950,7581 litre	19,550 %	3912,4273 litre	O
430	CM	60	CM	29 LEVEL CM	906,3232 litre	18,636 %	3956,8622 litre	O
430	CM	60	CM	28 LEVEL CM	862,4073 litre	17,733 %	4000,7781 litre	O
430	CM	60	CM	27 LEVEL CM	819,0337 litre	16,842 %	4044,1517 litre	O
430	CM	60	CM	26 LEVEL CM	776,2265 litre	15,961 %	4086,9589 litre	O
430	CM	60	CM	25 LEVEL CM	734,0109 litre	15,093 %	4129,1745 litre	O
430	CM	60	CM	24 LEVEL CM	692,4130 litre	14,238 %	4170,7724 litre	O
430	CM	60	CM	23 LEVEL CM	651,4602 litre	13,396 %	4211,7252 litre	O
430	CM	60	CM	22 LEVEL CM	611,1812 litre	12,568 %	4252,0042 litre	O
430	CM	60	CM	21 LEVEL CM	571,6062 litre	11,754 %	4291,5792 litre	O
430	CM	60	CM	20 LEVEL CM	532,7669 litre	10,955 %	4330,4185 litre	O
430	CM	60	CM	19 LEVEL CM	494,6970 litre	10,172 %	4368,4884 litre	O
430	CM	60	CM	18 LEVEL CM	457,4322 litre	9,406 %	4405,7532 litre	O
430	CM	60	CM	17 LEVEL CM	421,0106 litre	8,657 %	4442,1748 litre	O
430	CM	60	CM	16 LEVEL CM	385,4730 litre	7,926 %	4477,7124 litre	O

430	CM	60	CM	15 LEVEL CM	350,8633 litre	7,215 %	4512,3221 litre	O
430	CM	60	CM	14 LEVEL CM	317,2291 litre	6,523 %	4545,9563 litre	O
430	CM	60	CM	13 LEVEL CM	284,6223 litre	5,853 %	4578,5631 litre	O
430	CM	60	CM	12 LEVEL CM	253,0997 litre	5,204 %	4610,0857 litre	O
430	CM	60	CM	11 LEVEL CM	222,7244 litre	4,580 %	4640,4610 litre	O
430	CM	60	CM	10 LEVEL CM	193,5669 litre	3,980 %	4669,6185 litre	O
430	CM	60	CM	9 LEVEL CM	165,7068 litre	3,407 %	4697,4786 litre	O
430	CM	60	CM	8 LEVEL CM	139,2357 litre	2,863 %	4723,9497 litre	O
430	CM	60	CM	7 LEVEL CM	114,2602 litre	2,349 %	4748,9252 litre	O
430	CM	60	CM	6 LEVEL CM	90,9077 litre	1,869 %	4772,2777 litre	O
430	CM	60	CM	5 LEVEL CM	69,3343 litre	1,426 %	4793,8511 litre	O
430	CM	60	CM	4 LEVEL CM	49,7389 litre	1,023 %	4813,4465 litre	O
430	CM	60	CM	3 LEVEL CM	32,3888 litre	0,666 %	4830,7966 litre	O
430	CM	60	CM	2 LEVEL CM	17,6750 litre	0,363 %	4845,5104 litre	O
430	CM	60	CM	1 LEVEL CM	6,2648 litre	0,129 %	4856,9206 litre	O
430	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4863,1854 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
430	CM	55	CM	110 LEVEL CM	4086,4266 litre	100,000 %	0,0000 litre	O
430	CM	55	CM	109 LEVEL CM	4080,4299 litre	99,853 %	5,9967 litre	O
430	CM	55	CM	108 LEVEL CM	4069,5119 litre	99,586 %	16,9147 litre	O
430	CM	55	CM	107 LEVEL CM	4055,4382 litre	99,242 %	30,9884 litre	O
430	CM	55	CM	106 LEVEL CM	4038,8495 litre	98,836 %	47,5771 litre	O
430	CM	55	CM	105 LEVEL CM	4020,1217 litre	98,377 %	66,3049 litre	O
430	CM	55	CM	104 LEVEL CM	3999,5120 litre	97,873 %	86,9146 litre	O
430	CM	55	CM	103 LEVEL CM	3977,2120 litre	97,327 %	109,2146 litre	O
430	CM	55	CM	102 LEVEL CM	3953,3724 litre	96,744 %	133,0542 litre	O
430	CM	55	CM	101 LEVEL CM	3928,1163 litre	96,126 %	158,3103 litre	O
430	CM	55	CM	100 LEVEL CM	3901,5468 litre	95,476 %	184,8798 litre	O
430	CM	55	CM	99 LEVEL CM	3873,7526 litre	94,796 %	212,6740 litre	O
430	CM	55	CM	98 LEVEL CM	3844,8110 litre	94,087 %	241,6156 litre	O
430	CM	55	CM	97 LEVEL CM	3814,7904 litre	93,353 %	271,6362 litre	O
430	CM	55	CM	96 LEVEL CM	3783,7522 litre	92,593 %	302,6744 litre	O
430	CM	55	CM	95 LEVEL CM	3751,7518 litre	91,810 %	334,6748 litre	O
430	CM	55	CM	94 LEVEL CM	3718,8397 litre	91,005 %	367,5869 litre	O
430	CM	55	CM	93 LEVEL CM	3685,0626 litre	90,178 %	401,3640 litre	O
430	CM	55	CM	92 LEVEL CM	3650,4633 litre	89,331 %	435,9633 litre	O
430	CM	55	CM	91 LEVEL CM	3615,0818 litre	88,466 %	471,3448 litre	O
430	CM	55	CM	90 LEVEL CM	3578,9556 litre	87,582 %	507,4710 litre	O
430	CM	55	CM	89 LEVEL CM	3542,1197 litre	86,680 %	544,3069 litre	O
430	CM	55	CM	88 LEVEL CM	3504,6074 litre	85,762 %	581,8192 litre	O
430	CM	55	CM	87 LEVEL CM	3466,4499 litre	84,828 %	619,9767 litre	O
430	CM	55	CM	86 LEVEL CM	3427,6771 litre	83,880 %	658,7495 litre	O
430	CM	55	CM	85 LEVEL CM	3388,3174 litre	82,916 %	698,1092 litre	O
430	CM	55	CM	84 LEVEL CM	3348,3979 litre	81,940 %	738,0287 litre	O
430	CM	55	CM	83 LEVEL CM	3307,9446 litre	80,950 %	778,4820 litre	O
430	CM	55	CM	82 LEVEL CM	3266,9826 litre	79,947 %	819,4440 litre	O
430	CM	55	CM	81 LEVEL CM	3225,5360 litre	78,933 %	860,8906 litre	O
430	CM	55	CM	80 LEVEL CM	3183,6279 litre	77,907 %	902,7987 litre	O
430	CM	55	CM	79 LEVEL CM	3141,2809 litre	76,871 %	945,1457 litre	O
430	CM	55	CM	78 LEVEL CM	3098,5168 litre	75,825 %	987,9098 litre	O
430	CM	55	CM	77 LEVEL CM	3055,3567 litre	74,768 %	1031,0699 litre	O
430	CM	55	CM	76 LEVEL CM	3011,8212 litre	73,703 %	1074,6054 litre	O
430	CM	55	CM	75 LEVEL CM	2967,9304 litre	72,629 %	1118,4962 litre	O
430	CM	55	CM	74 LEVEL CM	2923,7039 litre	71,547 %	1162,7227 litre	O
430	CM	55	CM	73 LEVEL CM	2879,1607 litre	70,457 %	1207,2659 litre	O
430	CM	55	CM	72 LEVEL CM	2834,3197 litre	69,359 %	1252,1069 litre	O
430	CM	55	CM	71 LEVEL CM	2789,1991 litre	68,255 %	1297,2275 litre	O
430	CM	55	CM	70 LEVEL CM	2743,8170 litre	67,145 %	1342,6096 litre	O
430	CM	55	CM	69 LEVEL CM	2698,1911 litre	66,028 %	1388,2355 litre	O
430	CM	55	CM	68 LEVEL CM	2652,3388 litre	64,906 %	1434,0878 litre	O
430	CM	55	CM	67 LEVEL CM	2606,2773 litre	63,779 %	1480,1493 litre	O
430	CM	55	CM	66 LEVEL CM	2560,0235 litre	62,647 %	1526,4031 litre	O
430	CM	55	CM	65 LEVEL CM	2513,5942 litre	61,511 %	1572,8324 litre	O
430	CM	55	CM	64 LEVEL CM	2467,0058 litre	60,371 %	1619,4208 litre	O
430	CM	55	CM	63 LEVEL CM	2420,2748 litre	59,227 %	1666,1518 litre	O
430	CM	55	CM	62 LEVEL CM	2373,4173 litre	58,081 %	1713,0093 litre	O
430	CM	55	CM	61 LEVEL CM	2326,4494 litre	56,931 %	1759,9772 litre	O
430	CM	55	CM	60 LEVEL CM	2279,3872 litre	55,779 %	1807,0394 litre	O
430	CM	55	CM	59 LEVEL CM	2232,2464 litre	54,626 %	1854,1802 litre	O

430	CM	55	CM	58 LEVEL CM	2185,0429 litre	53,471 %	1901,3837 litre	O
430	CM	55	CM	57 LEVEL CM	2137,7925 litre	52,314 %	1948,6341 litre	O
430	CM	55	CM	56 LEVEL CM	2090,5107 litre	51,157 %	1995,9159 litre	O
430	CM	55	CM	55 LEVEL CM	2043,2133 litre	50,000 %	2043,2133 litre	O
430	CM	55	CM	54 LEVEL CM	1995,9159 litre	48,843 %	2090,5107 litre	O
430	CM	55	CM	53 LEVEL CM	1948,6342 litre	47,686 %	2137,7924 litre	O
430	CM	55	CM	52 LEVEL CM	1901,3837 litre	46,529 %	2185,0429 litre	O
430	CM	55	CM	51 LEVEL CM	1854,1802 litre	45,374 %	2232,2464 litre	O
430	CM	55	CM	50 LEVEL CM	1807,0395 litre	44,221 %	2279,3871 litre	O
430	CM	55	CM	49 LEVEL CM	1759,9772 litre	43,069 %	2326,4494 litre	O
430	CM	55	CM	48 LEVEL CM	1713,0094 litre	41,919 %	2373,4172 litre	O
430	CM	55	CM	47 LEVEL CM	1666,1519 litre	40,773 %	2420,2747 litre	O
430	CM	55	CM	46 LEVEL CM	1619,4208 litre	39,629 %	2467,0058 litre	O
430	CM	55	CM	45 LEVEL CM	1572,8325 litre	38,489 %	2513,5941 litre	O
430	CM	55	CM	44 LEVEL CM	1526,4031 litre	37,353 %	2560,0235 litre	O
430	CM	55	CM	43 LEVEL CM	1480,1493 litre	36,221 %	2606,2773 litre	O
430	CM	55	CM	42 LEVEL CM	1434,0878 litre	35,094 %	2652,3388 litre	O
430	CM	55	CM	41 LEVEL CM	1388,2355 litre	33,972 %	2698,1911 litre	O
430	CM	55	CM	40 LEVEL CM	1342,6096 litre	32,855 %	2743,8170 litre	O
430	CM	55	CM	39 LEVEL CM	1297,2275 litre	31,745 %	2789,1991 litre	O
430	CM	55	CM	38 LEVEL CM	1252,1069 litre	30,641 %	2834,3197 litre	O
430	CM	55	CM	37 LEVEL CM	1207,2659 litre	29,543 %	2879,1607 litre	O
430	CM	55	CM	36 LEVEL CM	1162,7228 litre	28,453 %	2923,7038 litre	O
430	CM	55	CM	35 LEVEL CM	1118,4962 litre	27,371 %	2967,9304 litre	O
430	CM	55	CM	34 LEVEL CM	1074,6054 litre	26,297 %	3011,8212 litre	O
430	CM	55	CM	33 LEVEL CM	1031,0700 litre	25,232 %	3055,3566 litre	O
430	CM	55	CM	32 LEVEL CM	987,9099 litre	24,175 %	3098,5167 litre	O
430	CM	55	CM	31 LEVEL CM	945,1457 litre	23,129 %	3141,2809 litre	O
430	CM	55	CM	30 LEVEL CM	902,7987 litre	22,093 %	3183,6279 litre	O
430	CM	55	CM	29 LEVEL CM	860,8907 litre	21,067 %	3225,5359 litre	O
430	CM	55	CM	28 LEVEL CM	819,4440 litre	20,053 %	3266,9826 litre	O
430	CM	55	CM	27 LEVEL CM	778,4820 litre	19,050 %	3307,9446 litre	O
430	CM	55	CM	26 LEVEL CM	738,0288 litre	18,060 %	3348,3978 litre	O
430	CM	55	CM	25 LEVEL CM	698,1093 litre	17,084 %	3388,3173 litre	O
430	CM	55	CM	24 LEVEL CM	658,7495 litre	16,120 %	3427,6771 litre	O
430	CM	55	CM	23 LEVEL CM	619,9767 litre	15,172 %	3466,4499 litre	O
430	CM	55	CM	22 LEVEL CM	581,8193 litre	14,238 %	3504,6073 litre	O
430	CM	55	CM	21 LEVEL CM	544,3069 litre	13,320 %	3542,1197 litre	O
430	CM	55	CM	20 LEVEL CM	507,4711 litre	12,418 %	3578,9555 litre	O
430	CM	55	CM	19 LEVEL CM	471,3449 litre	11,534 %	3615,0817 litre	O
430	CM	55	CM	18 LEVEL CM	435,9634 litre	10,669 %	3650,4632 litre	O
430	CM	55	CM	17 LEVEL CM	401,3641 litre	9,822 %	3685,0625 litre	O
430	CM	55	CM	16 LEVEL CM	367,5869 litre	8,995 %	3718,8397 litre	O
430	CM	55	CM	15 LEVEL CM	334,6749 litre	8,190 %	3751,7517 litre	O
430	CM	55	CM	14 LEVEL CM	302,6745 litre	7,407 %	3783,7521 litre	O
430	CM	55	CM	13 LEVEL CM	271,6363 litre	6,647 %	3814,7903 litre	O
430	CM	55	CM	12 LEVEL CM	241,6157 litre	5,913 %	3844,8109 litre	O
430	CM	55	CM	11 LEVEL CM	212,6741 litre	5,204 %	3873,7525 litre	O
430	CM	55	CM	10 LEVEL CM	184,8798 litre	4,524 %	3901,5468 litre	O
430	CM	55	CM	9 LEVEL CM	158,3104 litre	3,874 %	3928,1162 litre	O
430	CM	55	CM	8 LEVEL CM	133,0542 litre	3,256 %	3953,3724 litre	O
430	CM	55	CM	7 LEVEL CM	109,2146 litre	2,673 %	3977,2120 litre	O
430	CM	55	CM	6 LEVEL CM	86,9147 litre	2,127 %	3999,5119 litre	O

430	CM 55	CM	5 LEVEL CM	66,3050 litre	1,623 %	4020,1216 litre	O
430	CM 55	CM	4 LEVEL CM	47,5771 litre	1,164 %	4038,8495 litre	O
430	CM 55	CM	3 LEVEL CM	30,9884 litre	0,758 %	4055,4382 litre	O
430	CM 55	CM	2 LEVEL CM	16,9147 litre	0,414 %	4069,5119 litre	O
430	CM 55	CM	1 LEVEL CM	5,9967 litre	0,147 %	4080,4299 litre	O
430	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	4086,4266 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
430	CM	50	CM	100 LEVEL CM	3377,2121 litre	100,000 %	0,0000 litre	O
430	CM	50	CM	99 LEVEL CM	3371,4960 litre	99,831 %	5,7161 litre	O
430	CM	50	CM	98 LEVEL CM	3361,0934 litre	99,523 %	16,1187 litre	O
430	CM	50	CM	97 LEVEL CM	3347,6904 litre	99,126 %	29,5217 litre	O
430	CM	50	CM	96 LEVEL CM	3331,8998 litre	98,658 %	45,3123 litre	O
430	CM	50	CM	95 LEVEL CM	3314,0818 litre	98,131 %	63,1303 litre	O
430	CM	50	CM	94 LEVEL CM	3294,4830 litre	97,550 %	82,7291 litre	O
430	CM	50	CM	93 LEVEL CM	3273,2878 litre	96,923 %	103,9243 litre	O
430	CM	50	CM	92 LEVEL CM	3250,6410 litre	96,252 %	126,5711 litre	O
430	CM	50	CM	91 LEVEL CM	3226,6613 litre	95,542 %	150,5508 litre	O
430	CM	50	CM	90 LEVEL CM	3201,4484 litre	94,796 %	175,7637 litre	O
430	CM	50	CM	89 LEVEL CM	3175,0879 litre	94,015 %	202,1242 litre	O
430	CM	50	CM	88 LEVEL CM	3147,6548 litre	93,203 %	229,5573 litre	O
430	CM	50	CM	87 LEVEL CM	3119,2155 litre	92,361 %	257,9966 litre	O
430	CM	50	CM	86 LEVEL CM	3089,8295 litre	91,491 %	287,3826 litre	O
430	CM	50	CM	85 LEVEL CM	3059,5508 litre	90,594 %	317,6613 litre	O
430	CM	50	CM	84 LEVEL CM	3028,4289 litre	89,672 %	348,7832 litre	O
430	CM	50	CM	83 LEVEL CM	2996,5092 litre	88,727 %	380,7029 litre	O
430	CM	50	CM	82 LEVEL CM	2963,8336 litre	87,760 %	413,3785 litre	O
430	CM	50	CM	81 LEVEL CM	2930,4416 litre	86,771 %	446,7705 litre	O
430	CM	50	CM	80 LEVEL CM	2896,3697 litre	85,762 %	480,8424 litre	O
430	CM	50	CM	79 LEVEL CM	2861,6528 litre	84,734 %	515,5593 litre	O
430	CM	50	CM	78 LEVEL CM	2826,3233 litre	83,688 %	550,8888 litre	O
430	CM	50	CM	77 LEVEL CM	2790,4125 litre	82,625 %	586,7996 litre	O
430	CM	50	CM	76 LEVEL CM	2753,9498 litre	81,545 %	623,2623 litre	O
430	CM	50	CM	75 LEVEL CM	2716,9634 litre	80,450 %	660,2487 litre	O
430	CM	50	CM	74 LEVEL CM	2679,4804 litre	79,340 %	697,7317 litre	O
430	CM	50	CM	73 LEVEL CM	2641,5268 litre	78,216 %	735,6853 litre	O
430	CM	50	CM	72 LEVEL CM	2603,1276 litre	77,079 %	774,0845 litre	O
430	CM	50	CM	71 LEVEL CM	2564,3069 litre	75,930 %	812,9052 litre	O
430	CM	50	CM	70 LEVEL CM	2525,0882 litre	74,768 %	852,1239 litre	O
430	CM	50	CM	69 LEVEL CM	2485,4940 litre	73,596 %	891,7181 litre	O
430	CM	50	CM	68 LEVEL CM	2445,5466 litre	72,413 %	931,6655 litre	O
430	CM	50	CM	67 LEVEL CM	2405,2672 litre	71,220 %	971,9449 litre	O
430	CM	50	CM	66 LEVEL CM	2364,6769 litre	70,019 %	1012,5352 litre	O
430	CM	50	CM	65 LEVEL CM	2323,7960 litre	68,808 %	1053,4161 litre	O
430	CM	50	CM	64 LEVEL CM	2282,6447 litre	67,590 %	1094,5674 litre	O
430	CM	50	CM	63 LEVEL CM	2241,2425 litre	66,364 %	1135,9696 litre	O
430	CM	50	CM	62 LEVEL CM	2199,6087 litre	65,131 %	1177,6034 litre	O
430	CM	50	CM	61 LEVEL CM	2157,7623 litre	63,892 %	1219,4498 litre	O
430	CM	50	CM	60 LEVEL CM	2115,7219 litre	62,647 %	1261,4902 litre	O
430	CM	50	CM	59 LEVEL CM	2073,5060 litre	61,397 %	1303,7061 litre	O
430	CM	50	CM	58 LEVEL CM	2031,1326 litre	60,142 %	1346,0795 litre	O
430	CM	50	CM	57 LEVEL CM	1988,6199 litre	58,883 %	1388,5922 litre	O
430	CM	50	CM	56 LEVEL CM	1945,9855 litre	57,621 %	1431,2266 litre	O
430	CM	50	CM	55 LEVEL CM	1903,2472 litre	56,356 %	1473,9649 litre	O
430	CM	50	CM	54 LEVEL CM	1860,4224 litre	55,088 %	1516,7897 litre	O
430	CM	50	CM	53 LEVEL CM	1817,5286 litre	53,817 %	1559,6835 litre	O
430	CM	50	CM	52 LEVEL CM	1774,5831 litre	52,546 %	1602,6290 litre	O
430	CM	50	CM	51 LEVEL CM	1731,6032 litre	51,273 %	1645,6089 litre	O
430	CM	50	CM	50 LEVEL CM	1688,6061 litre	50,000 %	1688,6060 litre	O
430	CM	50	CM	49 LEVEL CM	1645,6089 litre	48,727 %	1731,6032 litre	O

430	CM	50	CM	48 LEVEL CM	1602,6290 litre	47,454 %	1774,5831 litre	O
430	CM	50	CM	47 LEVEL CM	1559,6835 litre	46,183 %	1817,5286 litre	O
430	CM	50	CM	46 LEVEL CM	1516,7897 litre	44,912 %	1860,4224 litre	O
430	CM	50	CM	45 LEVEL CM	1473,9649 litre	43,644 %	1903,2472 litre	O
430	CM	50	CM	44 LEVEL CM	1431,2266 litre	42,379 %	1945,9855 litre	O
430	CM	50	CM	43 LEVEL CM	1388,5922 litre	41,117 %	1988,6199 litre	O
430	CM	50	CM	42 LEVEL CM	1346,0795 litre	39,858 %	2031,1326 litre	O
430	CM	50	CM	41 LEVEL CM	1303,7061 litre	38,603 %	2073,5060 litre	O
430	CM	50	CM	40 LEVEL CM	1261,4902 litre	37,353 %	2115,7219 litre	O
430	CM	50	CM	39 LEVEL CM	1219,4498 litre	36,108 %	2157,7623 litre	O
430	CM	50	CM	38 LEVEL CM	1177,6034 litre	34,869 %	2199,6087 litre	O
430	CM	50	CM	37 LEVEL CM	1135,9696 litre	33,636 %	2241,2425 litre	O
430	CM	50	CM	36 LEVEL CM	1094,5674 litre	32,410 %	2282,6447 litre	O
430	CM	50	CM	35 LEVEL CM	1053,4161 litre	31,192 %	2323,7960 litre	O
430	CM	50	CM	34 LEVEL CM	1012,5352 litre	29,981 %	2364,6769 litre	O
430	CM	50	CM	33 LEVEL CM	971,9449 litre	28,780 %	2405,2672 litre	O
430	CM	50	CM	32 LEVEL CM	931,6655 litre	27,587 %	2445,5466 litre	O
430	CM	50	CM	31 LEVEL CM	891,7181 litre	26,404 %	2485,4940 litre	O
430	CM	50	CM	30 LEVEL CM	852,1239 litre	25,232 %	2525,0882 litre	O
430	CM	50	CM	29 LEVEL CM	812,9052 litre	24,070 %	2564,3069 litre	O
430	CM	50	CM	28 LEVEL CM	774,0845 litre	22,921 %	2603,1276 litre	O
430	CM	50	CM	27 LEVEL CM	735,6853 litre	21,784 %	2641,5268 litre	O
430	CM	50	CM	26 LEVEL CM	697,7317 litre	20,660 %	2679,4804 litre	O
430	CM	50	CM	25 LEVEL CM	660,2487 litre	19,550 %	2716,9634 litre	O
430	CM	50	CM	24 LEVEL CM	623,2623 litre	18,455 %	2753,9498 litre	O
430	CM	50	CM	23 LEVEL CM	586,7996 litre	17,375 %	2790,4125 litre	O
430	CM	50	CM	22 LEVEL CM	550,8888 litre	16,312 %	2826,3233 litre	O
430	CM	50	CM	21 LEVEL CM	515,5593 litre	15,266 %	2861,6528 litre	O
430	CM	50	CM	20 LEVEL CM	480,8424 litre	14,238 %	2896,3697 litre	O
430	CM	50	CM	19 LEVEL CM	446,7705 litre	13,229 %	2930,4416 litre	O
430	CM	50	CM	18 LEVEL CM	413,3785 litre	12,240 %	2963,8336 litre	O
430	CM	50	CM	17 LEVEL CM	380,7029 litre	11,273 %	2996,5092 litre	O
430	CM	50	CM	16 LEVEL CM	348,7832 litre	10,328 %	3028,4289 litre	O
430	CM	50	CM	15 LEVEL CM	317,6613 litre	9,406 %	3059,5508 litre	O
430	CM	50	CM	14 LEVEL CM	287,3826 litre	8,509 %	3089,8295 litre	O
430	CM	50	CM	13 LEVEL CM	257,9967 litre	7,639 %	3119,2154 litre	O
430	CM	50	CM	12 LEVEL CM	229,5573 litre	6,797 %	3147,6548 litre	O
430	CM	50	CM	11 LEVEL CM	202,1242 litre	5,985 %	3175,0879 litre	O
430	CM	50	CM	10 LEVEL CM	175,7637 litre	5,204 %	3201,4484 litre	O
430	CM	50	CM	9 LEVEL CM	150,5508 litre	4,458 %	3226,6613 litre	O
430	CM	50	CM	8 LEVEL CM	126,5711 litre	3,748 %	3250,6410 litre	O
430	CM	50	CM	7 LEVEL CM	103,9243 litre	3,077 %	3273,2878 litre	O
430	CM	50	CM	6 LEVEL CM	82,7291 litre	2,450 %	3294,4830 litre	O
430	CM	50	CM	5 LEVEL CM	63,1303 litre	1,869 %	3314,0818 litre	O
430	CM	50	CM	4 LEVEL CM	45,3123 litre	1,342 %	3331,8998 litre	O
430	CM	50	CM	3 LEVEL CM	29,5217 litre	0,874 %	3347,6904 litre	O
430	CM	50	CM	2 LEVEL CM	16,1187 litre	0,477 %	3361,0934 litre	O
430	CM	50	CM	1 LEVEL CM	5,7161 litre	0,169 %	3371,4960 litre	O
430	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3377,2121 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM	150	CM 300 LEVEL CM	29688,0506 litre	100,000 %	0,0000 litre	O
420	CM	150	CM 299 LEVEL CM	29678,3608 litre	99,967 %	9,6898 litre	O
420	CM	150	CM 298 LEVEL CM	29660,6712 litre	99,908 %	27,3794 litre	O
420	CM	150	CM 297 LEVEL CM	29637,8020 litre	99,831 %	50,2486 litre	O
420	CM	150	CM 296 LEVEL CM	29610,7658 litre	99,740 %	77,2848 litre	O
420	CM	150	CM 295 LEVEL CM	29580,1509 litre	99,637 %	107,8997 litre	O
420	CM	150	CM 294 LEVEL CM	29546,3562 litre	99,523 %	141,6944 litre	O
420	CM	150	CM 293 LEVEL CM	29509,6764 litre	99,399 %	178,3742 litre	O
420	CM	150	CM 292 LEVEL CM	29470,3405 litre	99,267 %	217,7101 litre	O
420	CM	150	CM 291 LEVEL CM	29428,5342 litre	99,126 %	259,5164 litre	O
420	CM	150	CM 290 LEVEL CM	29384,4117 litre	98,977 %	303,6389 litre	O
420	CM	150	CM 289 LEVEL CM	29338,1039 litre	98,821 %	349,9467 litre	O
420	CM	150	CM 288 LEVEL CM	29289,7241 litre	98,658 %	398,3265 litre	O
420	CM	150	CM 287 LEVEL CM	29239,3715 litre	98,489 %	448,6791 litre	O
420	CM	150	CM 286 LEVEL CM	29187,1341 litre	98,313 %	500,9165 litre	O
420	CM	150	CM 285 LEVEL CM	29133,0908 litre	98,131 %	554,9598 litre	O
420	CM	150	CM 284 LEVEL CM	29077,3124 litre	97,943 %	610,7382 litre	O
420	CM	150	CM 283 LEVEL CM	29019,8639 litre	97,749 %	668,1867 litre	O
420	CM	150	CM 282 LEVEL CM	28960,8042 litre	97,550 %	727,2464 litre	O
420	CM	150	CM 281 LEVEL CM	28900,1879 litre	97,346 %	787,8627 litre	O
420	CM	150	CM 280 LEVEL CM	28838,0654 litre	97,137 %	849,9852 litre	O
420	CM	150	CM 279 LEVEL CM	28774,4833 litre	96,923 %	913,5673 litre	O
420	CM	150	CM 278 LEVEL CM	28709,4853 litre	96,704 %	978,5653 litre	O
420	CM	150	CM 277 LEVEL CM	28643,1123 litre	96,480 %	1044,9383 litre	O
420	CM	150	CM 276 LEVEL CM	28575,4026 litre	96,252 %	1112,6480 litre	O
420	CM	150	CM 275 LEVEL CM	28506,3922 litre	96,020 %	1181,6584 litre	O
420	CM	150	CM 274 LEVEL CM	28436,1154 litre	95,783 %	1251,9352 litre	O
420	CM	150	CM 273 LEVEL CM	28364,6043 litre	95,542 %	1323,4463 litre	O
420	CM	150	CM 272 LEVEL CM	28291,8897 litre	95,297 %	1396,1609 litre	O
420	CM	150	CM 271 LEVEL CM	28218,0007 litre	95,048 %	1470,0499 litre	O
420	CM	150	CM 270 LEVEL CM	28142,9651 litre	94,796 %	1545,0855 litre	O
420	CM	150	CM 269 LEVEL CM	28066,8094 litre	94,539 %	1621,2412 litre	O
420	CM	150	CM 268 LEVEL CM	27989,5589 litre	94,279 %	1698,4917 litre	O
420	CM	150	CM 267 LEVEL CM	27911,2381 litre	94,015 %	1776,8125 litre	O
420	CM	150	CM 266 LEVEL CM	27831,8701 litre	93,748 %	1856,1805 litre	O
420	CM	150	CM 265 LEVEL CM	27751,4775 litre	93,477 %	1936,5731 litre	O
420	CM	150	CM 264 LEVEL CM	27670,0817 litre	93,203 %	2017,9689 litre	O
420	CM	150	CM 263 LEVEL CM	27587,7037 litre	92,925 %	2100,3469 litre	O
420	CM	150	CM 262 LEVEL CM	27504,3633 litre	92,645 %	2183,6873 litre	O
420	CM	150	CM 261 LEVEL CM	27420,0800 litre	92,361 %	2267,9706 litre	O
420	CM	150	CM 260 LEVEL CM	27334,8725 litre	92,074 %	2353,1781 litre	O
420	CM	150	CM 259 LEVEL CM	27248,7589 litre	91,784 %	2439,2917 litre	O
420	CM	150	CM 258 LEVEL CM	27161,7567 litre	91,491 %	2526,2939 litre	O
420	CM	150	CM 257 LEVEL CM	27073,8830 litre	91,195 %	2614,1676 litre	O
420	CM	150	CM 256 LEVEL CM	26985,1543 litre	90,896 %	2702,8963 litre	O
420	CM	150	CM 255 LEVEL CM	26895,5865 litre	90,594 %	2792,4641 litre	O
420	CM	150	CM 254 LEVEL CM	26805,1954 litre	90,290 %	2882,8552 litre	O
420	CM	150	CM 253 LEVEL CM	26713,9960 litre	89,982 %	2974,0546 litre	O
420	CM	150	CM 252 LEVEL CM	26622,0032 litre	89,672 %	3066,0474 litre	O
420	CM	150	CM 251 LEVEL CM	26529,2313 litre	89,360 %	3158,8193 litre	O
420	CM	150	CM 250 LEVEL CM	26435,6944 litre	89,045 %	3252,3562 litre	O
420	CM	150	CM 249 LEVEL CM	26341,4061 litre	88,727 %	3346,6445 litre	O

420	CM	150	CM	248 LEVEL CM	26246,3799 litre	88,407 %	3441,6707 litre	O
420	CM	150	CM	247 LEVEL CM	26150,6287 litre	88,085 %	3537,4219 litre	O
420	CM	150	CM	246 LEVEL CM	26054,1653 litre	87,760 %	3633,8853 litre	O
420	CM	150	CM	245 LEVEL CM	25957,0023 litre	87,432 %	3731,0483 litre	O
420	CM	150	CM	244 LEVEL CM	25859,1518 litre	87,103 %	3828,8988 litre	O
420	CM	150	CM	243 LEVEL CM	25760,6258 litre	86,771 %	3927,4248 litre	O
420	CM	150	CM	242 LEVEL CM	25661,4360 litre	86,437 %	4026,6146 litre	O
420	CM	150	CM	241 LEVEL CM	25561,5939 litre	86,101 %	4126,4567 litre	O
420	CM	150	CM	240 LEVEL CM	25461,1108 litre	85,762 %	4226,9398 litre	O
420	CM	150	CM	239 LEVEL CM	25359,9976 litre	85,422 %	4328,0530 litre	O
420	CM	150	CM	238 LEVEL CM	25258,2652 litre	85,079 %	4429,7854 litre	O
420	CM	150	CM	237 LEVEL CM	25155,9243 litre	84,734 %	4532,1263 litre	O
420	CM	150	CM	236 LEVEL CM	25052,9853 litre	84,387 %	4635,0653 litre	O
420	CM	150	CM	235 LEVEL CM	24949,4585 litre	84,039 %	4738,5921 litre	O
420	CM	150	CM	234 LEVEL CM	24845,3540 litre	83,688 %	4842,6966 litre	O
420	CM	150	CM	233 LEVEL CM	24740,6817 litre	83,335 %	4947,3689 litre	O
420	CM	150	CM	232 LEVEL CM	24635,4513 litre	82,981 %	5052,5993 litre	O
420	CM	150	CM	231 LEVEL CM	24529,6726 litre	82,625 %	5158,3780 litre	O
420	CM	150	CM	230 LEVEL CM	24423,3549 litre	82,267 %	5264,6957 litre	O
420	CM	150	CM	229 LEVEL CM	24316,5075 litre	81,907 %	5371,5431 litre	O
420	CM	150	CM	228 LEVEL CM	24209,1398 litre	81,545 %	5478,9108 litre	O
420	CM	150	CM	227 LEVEL CM	24101,2606 litre	81,182 %	5586,7900 litre	O
420	CM	150	CM	226 LEVEL CM	23992,8790 litre	80,817 %	5695,1716 litre	O
420	CM	150	CM	225 LEVEL CM	23884,0038 litre	80,450 %	5804,0468 litre	O
420	CM	150	CM	224 LEVEL CM	23774,6435 litre	80,082 %	5913,4071 litre	O
420	CM	150	CM	223 LEVEL CM	23664,8068 litre	79,712 %	6023,2438 litre	O
420	CM	150	CM	222 LEVEL CM	23554,5022 litre	79,340 %	6133,5484 litre	O
420	CM	150	CM	221 LEVEL CM	23443,7379 litre	78,967 %	6244,3127 litre	O
420	CM	150	CM	220 LEVEL CM	23332,5223 litre	78,592 %	6355,5283 litre	O
420	CM	150	CM	219 LEVEL CM	23220,8634 litre	78,216 %	6467,1872 litre	O
420	CM	150	CM	218 LEVEL CM	23108,7694 litre	77,839 %	6579,2812 litre	O
420	CM	150	CM	217 LEVEL CM	22996,2481 litre	77,460 %	6691,8025 litre	O
420	CM	150	CM	216 LEVEL CM	22883,3075 litre	77,079 %	6804,7431 litre	O
420	CM	150	CM	215 LEVEL CM	22769,9553 litre	76,697 %	6918,0953 litre	O
420	CM	150	CM	214 LEVEL CM	22656,1991 litre	76,314 %	7031,8515 litre	O
420	CM	150	CM	213 LEVEL CM	22542,0467 litre	75,930 %	7146,0039 litre	O
420	CM	150	CM	212 LEVEL CM	22427,5056 litre	75,544 %	7260,5450 litre	O
420	CM	150	CM	211 LEVEL CM	22312,5831 litre	75,157 %	7375,4675 litre	O
420	CM	150	CM	210 LEVEL CM	22197,2867 litre	74,768 %	7490,7639 litre	O
420	CM	150	CM	209 LEVEL CM	22081,6237 litre	74,379 %	7606,4269 litre	O
420	CM	150	CM	208 LEVEL CM	21965,6013 litre	73,988 %	7722,4493 litre	O
420	CM	150	CM	207 LEVEL CM	21849,2268 litre	73,596 %	7838,8238 litre	O
420	CM	150	CM	206 LEVEL CM	21732,5071 litre	73,203 %	7955,5435 litre	O
420	CM	150	CM	205 LEVEL CM	21615,4494 litre	72,809 %	8072,6012 litre	O
420	CM	150	CM	204 LEVEL CM	21498,0606 litre	72,413 %	8189,9900 litre	O
420	CM	150	CM	203 LEVEL CM	21380,3477 litre	72,017 %	8307,7029 litre	O
420	CM	150	CM	202 LEVEL CM	21262,3175 litre	71,619 %	8425,7331 litre	O
420	CM	150	CM	201 LEVEL CM	21143,9769 litre	71,220 %	8544,0737 litre	O
420	CM	150	CM	200 LEVEL CM	21025,3326 litre	70,821 %	8662,7180 litre	O
420	CM	150	CM	199 LEVEL CM	20906,3912 litre	70,420 %	8781,6594 litre	O
420	CM	150	CM	198 LEVEL CM	20787,1596 litre	70,019 %	8900,8910 litre	O
420	CM	150	CM	197 LEVEL CM	20667,6442 litre	69,616 %	9020,4064 litre	O
420	CM	150	CM	196 LEVEL CM	20547,8517 litre	69,213 %	9140,1989 litre	O

420	CM	150	CM	195 LEVEL CM	20427,7885 litre	68,808 %	9260,2621 litre	O
420	CM	150	CM	194 LEVEL CM	20307,4612 litre	68,403 %	9380,5894 litre	O
420	CM	150	CM	193 LEVEL CM	20186,8761 litre	67,997 %	9501,1745 litre	O
420	CM	150	CM	192 LEVEL CM	20066,0396 litre	67,590 %	9622,0110 litre	O
420	CM	150	CM	191 LEVEL CM	19944,9582 litre	67,182 %	9743,0924 litre	O
420	CM	150	CM	190 LEVEL CM	19823,6380 litre	66,773 %	9864,4126 litre	O
420	CM	150	CM	189 LEVEL CM	19702,0855 litre	66,364 %	9985,9651 litre	O
420	CM	150	CM	188 LEVEL CM	19580,3067 litre	65,953 %	10107,7439 litre	O
420	CM	150	CM	187 LEVEL CM	19458,3080 litre	65,543 %	10229,7426 litre	O
420	CM	150	CM	186 LEVEL CM	19336,0955 litre	65,131 %	10351,9551 litre	O
420	CM	150	CM	185 LEVEL CM	19213,6753 litre	64,719 %	10474,3753 litre	O
420	CM	150	CM	184 LEVEL CM	19091,0535 litre	64,306 %	10596,9971 litre	O
420	CM	150	CM	183 LEVEL CM	18968,2363 litre	63,892 %	10719,8143 litre	O
420	CM	150	CM	182 LEVEL CM	18845,2296 litre	63,477 %	10842,8210 litre	O
420	CM	150	CM	181 LEVEL CM	18722,0394 litre	63,063 %	10966,0112 litre	O
420	CM	150	CM	180 LEVEL CM	18598,6719 litre	62,647 %	11089,3787 litre	O
420	CM	150	CM	179 LEVEL CM	18475,1329 litre	62,231 %	11212,9177 litre	O
420	CM	150	CM	178 LEVEL CM	18351,4283 litre	61,814 %	11336,6223 litre	O
420	CM	150	CM	177 LEVEL CM	18227,5642 litre	61,397 %	11460,4864 litre	O
420	CM	150	CM	176 LEVEL CM	18103,5463 litre	60,979 %	11584,5043 litre	O
420	CM	150	CM	175 LEVEL CM	17979,3806 litre	60,561 %	11708,6700 litre	O
420	CM	150	CM	174 LEVEL CM	17855,0729 litre	60,142 %	11832,9777 litre	O
420	CM	150	CM	173 LEVEL CM	17730,6290 litre	59,723 %	11957,4216 litre	O
420	CM	150	CM	172 LEVEL CM	17606,0548 litre	59,304 %	12081,9958 litre	O
420	CM	150	CM	171 LEVEL CM	17481,3561 litre	58,883 %	12206,6945 litre	O
420	CM	150	CM	170 LEVEL CM	17356,5386 litre	58,463 %	12331,5120 litre	O
420	CM	150	CM	169 LEVEL CM	17231,6081 litre	58,042 %	12456,4425 litre	O
420	CM	150	CM	168 LEVEL CM	17106,5703 litre	57,621 %	12581,4803 litre	O
420	CM	150	CM	167 LEVEL CM	16981,4309 litre	57,200 %	12706,6197 litre	O
420	CM	150	CM	166 LEVEL CM	16856,1958 litre	56,778 %	12831,8548 litre	O
420	CM	150	CM	165 LEVEL CM	16730,8705 litre	56,356 %	12957,1801 litre	O
420	CM	150	CM	164 LEVEL CM	16605,4609 litre	55,933 %	13082,5897 litre	O
420	CM	150	CM	163 LEVEL CM	16479,9724 litre	55,510 %	13208,0782 litre	O
420	CM	150	CM	162 LEVEL CM	16354,4109 litre	55,088 %	13333,6397 litre	O
420	CM	150	CM	161 LEVEL CM	16228,7820 litre	54,664 %	13459,2686 litre	O
420	CM	150	CM	160 LEVEL CM	16103,0913 litre	54,241 %	13584,9593 litre	O
420	CM	150	CM	159 LEVEL CM	15977,3445 litre	53,817 %	13710,7061 litre	O
420	CM	150	CM	158 LEVEL CM	15851,5472 litre	53,394 %	13836,5034 litre	O
420	CM	150	CM	157 LEVEL CM	15725,7051 litre	52,970 %	13962,3455 litre	O
420	CM	150	CM	156 LEVEL CM	15599,8236 litre	52,546 %	14088,2270 litre	O
420	CM	150	CM	155 LEVEL CM	15473,9086 litre	52,122 %	14214,1420 litre	O
420	CM	150	CM	154 LEVEL CM	15347,9655 litre	51,697 %	14340,0851 litre	O
420	CM	150	CM	153 LEVEL CM	15222,0001 litre	51,273 %	14466,0505 litre	O
420	CM	150	CM	152 LEVEL CM	15096,0178 litre	50,849 %	14592,0328 litre	O
420	CM	150	CM	151 LEVEL CM	14970,0244 litre	50,424 %	14718,0262 litre	O
420	CM	150	CM	150 LEVEL CM	14844,0253 litre	50,000 %	14844,0253 litre	O
420	CM	150	CM	149 LEVEL CM	14718,0262 litre	49,576 %	14970,0244 litre	O
420	CM	150	CM	148 LEVEL CM	14592,0328 litre	49,151 %	15096,0178 litre	O
420	CM	150	CM	147 LEVEL CM	14466,0505 litre	48,727 %	15222,0001 litre	O
420	CM	150	CM	146 LEVEL CM	14340,0850 litre	48,303 %	15347,9656 litre	O
420	CM	150	CM	145 LEVEL CM	14214,1420 litre	47,878 %	15473,9086 litre	O
420	CM	150	CM	144 LEVEL CM	14088,2269 litre	47,454 %	15599,8237 litre	O
420	CM	150	CM	143 LEVEL CM	13962,3455 litre	47,030 %	15725,7051 litre	O

420	CM	150	CM	142 LEVEL CM	13836,5034 litre	46,606 %	15851,5472 litre	O
420	CM	150	CM	141 LEVEL CM	13710,7061 litre	46,183 %	15977,3445 litre	O
420	CM	150	CM	140 LEVEL CM	13584,9592 litre	45,759 %	16103,0914 litre	O
420	CM	150	CM	139 LEVEL CM	13459,2686 litre	45,336 %	16228,7820 litre	O
420	CM	150	CM	138 LEVEL CM	13333,6396 litre	44,912 %	16354,4110 litre	O
420	CM	150	CM	137 LEVEL CM	13208,0781 litre	44,490 %	16479,9725 litre	O
420	CM	150	CM	136 LEVEL CM	13082,5897 litre	44,067 %	16605,4609 litre	O
420	CM	150	CM	135 LEVEL CM	12957,1800 litre	43,644 %	16730,8706 litre	O
420	CM	150	CM	134 LEVEL CM	12831,8548 litre	43,222 %	16856,1958 litre	O
420	CM	150	CM	133 LEVEL CM	12706,6196 litre	42,800 %	16981,4310 litre	O
420	CM	150	CM	132 LEVEL CM	12581,4803 litre	42,379 %	17106,5703 litre	O
420	CM	150	CM	131 LEVEL CM	12456,4425 litre	41,958 %	17231,6081 litre	O
420	CM	150	CM	130 LEVEL CM	12331,5120 litre	41,537 %	17356,5386 litre	O
420	CM	150	CM	129 LEVEL CM	12206,6945 litre	41,117 %	17481,3561 litre	O
420	CM	150	CM	128 LEVEL CM	12081,9957 litre	40,696 %	17606,0549 litre	O
420	CM	150	CM	127 LEVEL CM	11957,4215 litre	40,277 %	17730,6291 litre	O
420	CM	150	CM	126 LEVEL CM	11832,9777 litre	39,858 %	17855,0729 litre	O
420	CM	150	CM	125 LEVEL CM	11708,6700 litre	39,439 %	17979,3806 litre	O
420	CM	150	CM	124 LEVEL CM	11584,5043 litre	39,021 %	18103,5463 litre	O
420	CM	150	CM	123 LEVEL CM	11460,4864 litre	38,603 %	18227,5642 litre	O
420	CM	150	CM	122 LEVEL CM	11336,6223 litre	38,186 %	18351,4283 litre	O
420	CM	150	CM	121 LEVEL CM	11212,9177 litre	37,769 %	18475,1329 litre	O
420	CM	150	CM	120 LEVEL CM	11089,3787 litre	37,353 %	18598,6719 litre	O
420	CM	150	CM	119 LEVEL CM	10966,0111 litre	36,937 %	18722,0395 litre	O
420	CM	150	CM	118 LEVEL CM	10842,8210 litre	36,523 %	18845,2296 litre	O
420	CM	150	CM	117 LEVEL CM	10719,8143 litre	36,108 %	18968,2363 litre	O
420	CM	150	CM	116 LEVEL CM	10596,9971 litre	35,694 %	19091,0535 litre	O
420	CM	150	CM	115 LEVEL CM	10474,3753 litre	35,281 %	19213,6753 litre	O
420	CM	150	CM	114 LEVEL CM	10351,9551 litre	34,869 %	19336,0955 litre	O
420	CM	150	CM	113 LEVEL CM	10229,7426 litre	34,457 %	19458,3080 litre	O
420	CM	150	CM	112 LEVEL CM	10107,7438 litre	34,047 %	19580,3068 litre	O
420	CM	150	CM	111 LEVEL CM	9985,9651 litre	33,636 %	19702,0855 litre	O
420	CM	150	CM	110 LEVEL CM	9864,4125 litre	33,227 %	19823,6381 litre	O
420	CM	150	CM	109 LEVEL CM	9743,0924 litre	32,818 %	19944,9582 litre	O
420	CM	150	CM	108 LEVEL CM	9622,0110 litre	32,410 %	20066,0396 litre	O
420	CM	150	CM	107 LEVEL CM	9501,1745 litre	32,003 %	20186,8761 litre	O
420	CM	150	CM	106 LEVEL CM	9380,5894 litre	31,597 %	20307,4612 litre	O
420	CM	150	CM	105 LEVEL CM	9260,2621 litre	31,192 %	20427,7885 litre	O
420	CM	150	CM	104 LEVEL CM	9140,1989 litre	30,787 %	20547,8517 litre	O
420	CM	150	CM	103 LEVEL CM	9020,4064 litre	30,384 %	20667,6442 litre	O
420	CM	150	CM	102 LEVEL CM	8900,8910 litre	29,981 %	20787,1596 litre	O
420	CM	150	CM	101 LEVEL CM	8781,6593 litre	29,580 %	20906,3913 litre	O
420	CM	150	CM	100 LEVEL CM	8662,7180 litre	29,179 %	21025,3326 litre	O
420	CM	150	CM	99 LEVEL CM	8544,0737 litre	28,780 %	21143,9769 litre	O
420	CM	150	CM	98 LEVEL CM	8425,7330 litre	28,381 %	21262,3176 litre	O
420	CM	150	CM	97 LEVEL CM	8307,7029 litre	27,983 %	21380,3477 litre	O
420	CM	150	CM	96 LEVEL CM	8189,9900 litre	27,587 %	21498,0606 litre	O
420	CM	150	CM	95 LEVEL CM	8072,6012 litre	27,191 %	21615,4494 litre	O
420	CM	150	CM	94 LEVEL CM	7955,5435 litre	26,797 %	21732,5071 litre	O
420	CM	150	CM	93 LEVEL CM	7838,8238 litre	26,404 %	21849,2268 litre	O
420	CM	150	CM	92 LEVEL CM	7722,4492 litre	26,012 %	21965,6014 litre	O
420	CM	150	CM	91 LEVEL CM	7606,4269 litre	25,621 %	22081,6237 litre	O
420	CM	150	CM	90 LEVEL CM	7490,7639 litre	25,232 %	22197,2867 litre	O

420	CM	150	CM	89 LEVEL CM	7375,4675 litre	24,843 %	22312,5831 litre	O
420	CM	150	CM	88 LEVEL CM	7260,5450 litre	24,456 %	22427,5056 litre	O
420	CM	150	CM	87 LEVEL CM	7146,0038 litre	24,070 %	22542,0468 litre	O
420	CM	150	CM	86 LEVEL CM	7031,8514 litre	23,686 %	22656,1992 litre	O
420	CM	150	CM	85 LEVEL CM	6918,0953 litre	23,303 %	22769,9553 litre	O
420	CM	150	CM	84 LEVEL CM	6804,7431 litre	22,921 %	22883,3075 litre	O
420	CM	150	CM	83 LEVEL CM	6691,8024 litre	22,540 %	22996,2482 litre	O
420	CM	150	CM	82 LEVEL CM	6579,2812 litre	22,161 %	23108,7694 litre	O
420	CM	150	CM	81 LEVEL CM	6467,1871 litre	21,784 %	23220,8635 litre	O
420	CM	150	CM	80 LEVEL CM	6355,5283 litre	21,408 %	23332,5223 litre	O
420	CM	150	CM	79 LEVEL CM	6244,3127 litre	21,033 %	23443,7379 litre	O
420	CM	150	CM	78 LEVEL CM	6133,5484 litre	20,660 %	23554,5022 litre	O
420	CM	150	CM	77 LEVEL CM	6023,2438 litre	20,288 %	23664,8068 litre	O
420	CM	150	CM	76 LEVEL CM	5913,4071 litre	19,918 %	23774,6435 litre	O
420	CM	150	CM	75 LEVEL CM	5804,0468 litre	19,550 %	23884,0038 litre	O
420	CM	150	CM	74 LEVEL CM	5695,1716 litre	19,183 %	23992,8790 litre	O
420	CM	150	CM	73 LEVEL CM	5586,7899 litre	18,818 %	24101,2607 litre	O
420	CM	150	CM	72 LEVEL CM	5478,9108 litre	18,455 %	24209,1398 litre	O
420	CM	150	CM	71 LEVEL CM	5371,5430 litre	18,093 %	24316,5076 litre	O
420	CM	150	CM	70 LEVEL CM	5264,6957 litre	17,733 %	24423,3549 litre	O
420	CM	150	CM	69 LEVEL CM	5158,3780 litre	17,375 %	24529,6726 litre	O
420	CM	150	CM	68 LEVEL CM	5052,5993 litre	17,019 %	24635,4513 litre	O
420	CM	150	CM	67 LEVEL CM	4947,3689 litre	16,665 %	24740,6817 litre	O
420	CM	150	CM	66 LEVEL CM	4842,6966 litre	16,312 %	24845,3540 litre	O
420	CM	150	CM	65 LEVEL CM	4738,5921 litre	15,961 %	24949,4585 litre	O
420	CM	150	CM	64 LEVEL CM	4635,0653 litre	15,613 %	25052,9853 litre	O
420	CM	150	CM	63 LEVEL CM	4532,1263 litre	15,266 %	25155,9243 litre	O
420	CM	150	CM	62 LEVEL CM	4429,7854 litre	14,921 %	25258,2652 litre	O
420	CM	150	CM	61 LEVEL CM	4328,0530 litre	14,578 %	25359,9976 litre	O
420	CM	150	CM	60 LEVEL CM	4226,9398 litre	14,238 %	25461,1108 litre	O
420	CM	150	CM	59 LEVEL CM	4126,4566 litre	13,899 %	25561,5940 litre	O
420	CM	150	CM	58 LEVEL CM	4026,6145 litre	13,563 %	25661,4361 litre	O
420	CM	150	CM	57 LEVEL CM	3927,4247 litre	13,229 %	25760,6259 litre	O
420	CM	150	CM	56 LEVEL CM	3828,8987 litre	12,897 %	25859,1519 litre	O
420	CM	150	CM	55 LEVEL CM	3731,0483 litre	12,568 %	25957,0023 litre	O
420	CM	150	CM	54 LEVEL CM	3633,8852 litre	12,240 %	26054,1654 litre	O
420	CM	150	CM	53 LEVEL CM	3537,4219 litre	11,915 %	26150,6287 litre	O
420	CM	150	CM	52 LEVEL CM	3441,6707 litre	11,593 %	26246,3799 litre	O
420	CM	150	CM	51 LEVEL CM	3346,6445 litre	11,273 %	26341,4061 litre	O
420	CM	150	CM	50 LEVEL CM	3252,3562 litre	10,955 %	26435,6944 litre	O
420	CM	150	CM	49 LEVEL CM	3158,8193 litre	10,640 %	26529,2313 litre	O
420	CM	150	CM	48 LEVEL CM	3066,0474 litre	10,328 %	26622,0032 litre	O
420	CM	150	CM	47 LEVEL CM	2974,0545 litre	10,018 %	26713,9961 litre	O
420	CM	150	CM	46 LEVEL CM	2882,8552 litre	9,710 %	26805,1954 litre	O
420	CM	150	CM	45 LEVEL CM	2792,4640 litre	9,406 %	26895,5866 litre	O
420	CM	150	CM	44 LEVEL CM	2702,8963 litre	9,104 %	26985,1543 litre	O
420	CM	150	CM	43 LEVEL CM	2614,1676 litre	8,805 %	27073,8830 litre	O
420	CM	150	CM	42 LEVEL CM	2526,2939 litre	8,509 %	27161,7567 litre	O
420	CM	150	CM	41 LEVEL CM	2439,2917 litre	8,216 %	27248,7589 litre	O
420	CM	150	CM	40 LEVEL CM	2353,1781 litre	7,926 %	27334,8725 litre	O
420	CM	150	CM	39 LEVEL CM	2267,9706 litre	7,639 %	27420,0800 litre	O
420	CM	150	CM	38 LEVEL CM	2183,6873 litre	7,355 %	27504,3633 litre	O
420	CM	150	CM	37 LEVEL CM	2100,3469 litre	7,075 %	27587,7037 litre	O

420	CM	150	CM	36 LEVEL CM	2017,9688 litre	6,797 %	27670,0818 litre	O
420	CM	150	CM	35 LEVEL CM	1936,5731 litre	6,523 %	27751,4775 litre	O
420	CM	150	CM	34 LEVEL CM	1856,1805 litre	6,252 %	27831,8701 litre	O
420	CM	150	CM	33 LEVEL CM	1776,8125 litre	5,985 %	27911,2381 litre	O
420	CM	150	CM	32 LEVEL CM	1698,4917 litre	5,721 %	27989,5589 litre	O
420	CM	150	CM	31 LEVEL CM	1621,2412 litre	5,461 %	28066,8094 litre	O
420	CM	150	CM	30 LEVEL CM	1545,0855 litre	5,204 %	28142,9651 litre	O
420	CM	150	CM	29 LEVEL CM	1470,0498 litre	4,952 %	28218,0008 litre	O
420	CM	150	CM	28 LEVEL CM	1396,1608 litre	4,703 %	28291,8898 litre	O
420	CM	150	CM	27 LEVEL CM	1323,4462 litre	4,458 %	28364,6044 litre	O
420	CM	150	CM	26 LEVEL CM	1251,9352 litre	4,217 %	28436,1154 litre	O
420	CM	150	CM	25 LEVEL CM	1181,6583 litre	3,980 %	28506,3923 litre	O
420	CM	150	CM	24 LEVEL CM	1112,6480 litre	3,748 %	28575,4026 litre	O
420	CM	150	CM	23 LEVEL CM	1044,9383 litre	3,520 %	28643,1123 litre	O
420	CM	150	CM	22 LEVEL CM	978,5652 litre	3,296 %	28709,4854 litre	O
420	CM	150	CM	21 LEVEL CM	913,5673 litre	3,077 %	28774,4833 litre	O
420	CM	150	CM	20 LEVEL CM	849,9852 litre	2,863 %	28838,0654 litre	O
420	CM	150	CM	19 LEVEL CM	787,8626 litre	2,654 %	28900,1880 litre	O
420	CM	150	CM	18 LEVEL CM	727,2463 litre	2,450 %	28960,8043 litre	O
420	CM	150	CM	17 LEVEL CM	668,1867 litre	2,251 %	29019,8639 litre	O
420	CM	150	CM	16 LEVEL CM	610,7381 litre	2,057 %	29077,3125 litre	O
420	CM	150	CM	15 LEVEL CM	554,9598 litre	1,869 %	29133,0908 litre	O
420	CM	150	CM	14 LEVEL CM	500,9164 litre	1,687 %	29187,1342 litre	O
420	CM	150	CM	13 LEVEL CM	448,6791 litre	1,511 %	29239,3715 litre	O
420	CM	150	CM	12 LEVEL CM	398,3265 litre	1,342 %	29289,7241 litre	O
420	CM	150	CM	11 LEVEL CM	349,9467 litre	1,179 %	29338,1039 litre	O
420	CM	150	CM	10 LEVEL CM	303,6389 litre	1,023 %	29384,4117 litre	O
420	CM	150	CM	9 LEVEL CM	259,5163 litre	0,874 %	29428,5343 litre	O
420	CM	150	CM	8 LEVEL CM	217,7100 litre	0,733 %	29470,3406 litre	O
420	CM	150	CM	7 LEVEL CM	178,3742 litre	0,601 %	29509,6764 litre	O
420	CM	150	CM	6 LEVEL CM	141,6943 litre	0,477 %	29546,3563 litre	O
420	CM	150	CM	5 LEVEL CM	107,8997 litre	0,363 %	29580,1509 litre	O
420	CM	150	CM	4 LEVEL CM	77,2847 litre	0,260 %	29610,7659 litre	O
420	CM	150	CM	3 LEVEL CM	50,2485 litre	0,169 %	29637,8021 litre	O
420	CM	150	CM	2 LEVEL CM	27,3794 litre	0,092 %	29660,6712 litre	O
420	CM	150	CM	1 LEVEL CM	9,6898 litre	0,033 %	29678,3608 litre	O
420	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	29688,0506 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 145	CM 290 LEVEL CM	27741,8339 litre	100,000 %	0,0000 litre	O
420	CM 145	CM 289 LEVEL CM	27732,3073 litre	99,966 %	9,5266 litre	O
420	CM 145	CM 288 LEVEL CM	27714,9166 litre	99,903 %	26,9173 litre	O
420	CM 145	CM 287 LEVEL CM	27692,4351 litre	99,822 %	49,3988 litre	O
420	CM 145	CM 286 LEVEL CM	27665,8587 litre	99,726 %	75,9752 litre	O
420	CM 145	CM 285 LEVEL CM	27635,7663 litre	99,618 %	106,0676 litre	O
420	CM 145	CM 284 LEVEL CM	27602,5504 litre	99,498 %	139,2835 litre	O
420	CM 145	CM 283 LEVEL CM	27566,5008 litre	99,368 %	175,3331 litre	O
420	CM 145	CM 282 LEVEL CM	27527,8433 litre	99,229 %	213,9906 litre	O
420	CM 145	CM 281 LEVEL CM	27486,7603 litre	99,081 %	255,0736 litre	O
420	CM 145	CM 280 LEVEL CM	27443,4039 litre	98,924 %	298,4300 litre	O
420	CM 145	CM 279 LEVEL CM	27397,9029 litre	98,760 %	343,9310 litre	O
420	CM 145	CM 278 LEVEL CM	27350,3690 litre	98,589 %	391,4649 litre	O
420	CM 145	CM 277 LEVEL CM	27300,8998 litre	98,411 %	440,9341 litre	O
420	CM 145	CM 276 LEVEL CM	27249,5822 litre	98,226 %	492,2517 litre	O
420	CM 145	CM 275 LEVEL CM	27196,4938 litre	98,034 %	545,3401 litre	O
420	CM 145	CM 274 LEVEL CM	27141,7045 litre	97,837 %	600,1294 litre	O
420	CM 145	CM 273 LEVEL CM	27085,2783 litre	97,633 %	656,5556 litre	O
420	CM 145	CM 272 LEVEL CM	27027,2733 litre	97,424 %	714,5606 litre	O
420	CM 145	CM 271 LEVEL CM	26967,7435 litre	97,210 %	774,0904 litre	O
420	CM 145	CM 270 LEVEL CM	26906,7383 litre	96,990 %	835,0956 litre	O
420	CM 145	CM 269 LEVEL CM	26844,3040 litre	96,765 %	897,5299 litre	O
420	CM 145	CM 268 LEVEL CM	26780,4837 litre	96,535 %	961,3502 litre	O
420	CM 145	CM 267 LEVEL CM	26715,3175 litre	96,300 %	1026,5164 litre	O
420	CM 145	CM 266 LEVEL CM	26648,8435 litre	96,060 %	1092,9904 litre	O
420	CM 145	CM 265 LEVEL CM	26581,0972 litre	95,816 %	1160,7367 litre	O
420	CM 145	CM 264 LEVEL CM	26512,1123 litre	95,567 %	1229,7216 litre	O
420	CM 145	CM 263 LEVEL CM	26441,9208 litre	95,314 %	1299,9131 litre	O
420	CM 145	CM 262 LEVEL CM	26370,5529 litre	95,057 %	1371,2810 litre	O
420	CM 145	CM 261 LEVEL CM	26298,0374 litre	94,796 %	1443,7965 litre	O
420	CM 145	CM 260 LEVEL CM	26224,4018 litre	94,530 %	1517,4321 litre	O
420	CM 145	CM 259 LEVEL CM	26149,6724 litre	94,261 %	1592,1615 litre	O
420	CM 145	CM 258 LEVEL CM	26073,8741 litre	93,988 %	1667,9598 litre	O
420	CM 145	CM 257 LEVEL CM	25997,0311 litre	93,711 %	1744,8028 litre	O
420	CM 145	CM 256 LEVEL CM	25919,1665 litre	93,430 %	1822,6674 litre	O
420	CM 145	CM 255 LEVEL CM	25840,3024 litre	93,146 %	1901,5315 litre	O
420	CM 145	CM 254 LEVEL CM	25760,4602 litre	92,858 %	1981,3737 litre	O
420	CM 145	CM 253 LEVEL CM	25679,6604 litre	92,567 %	2062,1735 litre	O
420	CM 145	CM 252 LEVEL CM	25597,9229 litre	92,272 %	2143,9110 litre	O
420	CM 145	CM 251 LEVEL CM	25515,2668 litre	91,974 %	2226,5671 litre	O
420	CM 145	CM 250 LEVEL CM	25431,7108 litre	91,673 %	2310,1231 litre	O
420	CM 145	CM 249 LEVEL CM	25347,2727 litre	91,368 %	2394,5612 litre	O
420	CM 145	CM 248 LEVEL CM	25261,9700 litre	91,061 %	2479,8639 litre	O
420	CM 145	CM 247 LEVEL CM	25175,8195 litre	90,750 %	2566,0144 litre	O
420	CM 145	CM 246 LEVEL CM	25088,8375 litre	90,437 %	2652,9964 litre	O
420	CM 145	CM 245 LEVEL CM	25001,0401 litre	90,120 %	2740,7938 litre	O
420	CM 145	CM 244 LEVEL CM	24912,4426 litre	89,801 %	2829,3913 litre	O
420	CM 145	CM 243 LEVEL CM	24823,0602 litre	89,479 %	2918,7737 litre	O
420	CM 145	CM 242 LEVEL CM	24732,9074 litre	89,154 %	3008,9265 litre	O
420	CM 145	CM 241 LEVEL CM	24641,9986 litre	88,826 %	3099,8353 litre	O
420	CM 145	CM 240 LEVEL CM	24550,3477 litre	88,496 %	3191,4862 litre	O
420	CM 145	CM 239 LEVEL CM	24457,9683 litre	88,163 %	3283,8656 litre	O

420	CM	145	CM	238 LEVEL CM	24364,8737 litre	87,827 %	3376,9602 litre	O
420	CM	145	CM	237 LEVEL CM	24271,0768 litre	87,489 %	3470,7571 litre	O
420	CM	145	CM	236 LEVEL CM	24176,5904 litre	87,148 %	3565,2435 litre	O
420	CM	145	CM	235 LEVEL CM	24081,4268 litre	86,805 %	3660,4071 litre	O
420	CM	145	CM	234 LEVEL CM	23985,5983 litre	86,460 %	3756,2356 litre	O
420	CM	145	CM	233 LEVEL CM	23889,1166 litre	86,112 %	3852,7173 litre	O
420	CM	145	CM	232 LEVEL CM	23791,9935 litre	85,762 %	3949,8404 litre	O
420	CM	145	CM	231 LEVEL CM	23694,2404 litre	85,410 %	4047,5935 litre	O
420	CM	145	CM	230 LEVEL CM	23595,8684 litre	85,055 %	4145,9655 litre	O
420	CM	145	CM	229 LEVEL CM	23496,8887 litre	84,698 %	4244,9452 litre	O
420	CM	145	CM	228 LEVEL CM	23397,3119 litre	84,339 %	4344,5220 litre	O
420	CM	145	CM	227 LEVEL CM	23297,1488 litre	83,978 %	4444,6851 litre	O
420	CM	145	CM	226 LEVEL CM	23196,4096 litre	83,615 %	4545,4243 litre	O
420	CM	145	CM	225 LEVEL CM	23095,1046 litre	83,250 %	4646,7293 litre	O
420	CM	145	CM	224 LEVEL CM	22993,2440 litre	82,883 %	4748,5899 litre	O
420	CM	145	CM	223 LEVEL CM	22890,8376 litre	82,514 %	4850,9963 litre	O
420	CM	145	CM	222 LEVEL CM	22787,8951 litre	82,143 %	4953,9388 litre	O
420	CM	145	CM	221 LEVEL CM	22684,4263 litre	81,770 %	5057,4076 litre	O
420	CM	145	CM	220 LEVEL CM	22580,4404 litre	81,395 %	5161,3935 litre	O
420	CM	145	CM	219 LEVEL CM	22475,9468 litre	81,018 %	5265,8871 litre	O
420	CM	145	CM	218 LEVEL CM	22370,9548 litre	80,640 %	5370,8791 litre	O
420	CM	145	CM	217 LEVEL CM	22265,4732 litre	80,260 %	5476,3607 litre	O
420	CM	145	CM	216 LEVEL CM	22159,5112 litre	79,878 %	5582,3227 litre	O
420	CM	145	CM	215 LEVEL CM	22053,0774 litre	79,494 %	5688,7565 litre	O
420	CM	145	CM	214 LEVEL CM	21946,1805 litre	79,109 %	5795,6534 litre	O
420	CM	145	CM	213 LEVEL CM	21838,8292 litre	78,722 %	5903,0047 litre	O
420	CM	145	CM	212 LEVEL CM	21731,0318 litre	78,333 %	6010,8021 litre	O
420	CM	145	CM	211 LEVEL CM	21622,7967 litre	77,943 %	6119,0372 litre	O
420	CM	145	CM	210 LEVEL CM	21514,1323 litre	77,551 %	6227,7016 litre	O
420	CM	145	CM	209 LEVEL CM	21405,0465 litre	77,158 %	6336,7874 litre	O
420	CM	145	CM	208 LEVEL CM	21295,5476 litre	76,763 %	6446,2863 litre	O
420	CM	145	CM	207 LEVEL CM	21185,6435 litre	76,367 %	6556,1904 litre	O
420	CM	145	CM	206 LEVEL CM	21075,3420 litre	75,970 %	6666,4919 litre	O
420	CM	145	CM	205 LEVEL CM	20964,6510 litre	75,571 %	6777,1829 litre	O
420	CM	145	CM	204 LEVEL CM	20853,5782 litre	75,170 %	6888,2557 litre	O
420	CM	145	CM	203 LEVEL CM	20742,1312 litre	74,768 %	6999,7027 litre	O
420	CM	145	CM	202 LEVEL CM	20630,3177 litre	74,365 %	7111,5162 litre	O
420	CM	145	CM	201 LEVEL CM	20518,1449 litre	73,961 %	7223,6890 litre	O
420	CM	145	CM	200 LEVEL CM	20405,6205 litre	73,555 %	7336,2134 litre	O
420	CM	145	CM	199 LEVEL CM	20292,7517 litre	73,149 %	7449,0822 litre	O
420	CM	145	CM	198 LEVEL CM	20179,5458 litre	72,740 %	7562,2881 litre	O
420	CM	145	CM	197 LEVEL CM	20066,0101 litre	72,331 %	7675,8238 litre	O
420	CM	145	CM	196 LEVEL CM	19952,1517 litre	71,921 %	7789,6822 litre	O
420	CM	145	CM	195 LEVEL CM	19837,9776 litre	71,509 %	7903,8563 litre	O
420	CM	145	CM	194 LEVEL CM	19723,4950 litre	71,097 %	8018,3389 litre	O
420	CM	145	CM	193 LEVEL CM	19608,7107 litre	70,683 %	8133,1232 litre	O
420	CM	145	CM	192 LEVEL CM	19493,6318 litre	70,268 %	8248,2021 litre	O
420	CM	145	CM	191 LEVEL CM	19378,2650 litre	69,852 %	8363,5689 litre	O
420	CM	145	CM	190 LEVEL CM	19262,6172 litre	69,435 %	8479,2167 litre	O
420	CM	145	CM	189 LEVEL CM	19146,6952 litre	69,017 %	8595,1387 litre	O
420	CM	145	CM	188 LEVEL CM	19030,5057 litre	68,599 %	8711,3282 litre	O
420	CM	145	CM	187 LEVEL CM	18914,0553 litre	68,179 %	8827,7786 litre	O
420	CM	145	CM	186 LEVEL CM	18797,3508 litre	67,758 %	8944,4831 litre	O

420	CM	145	CM	185 LEVEL CM	18680,3986 litre	67,337 %	9061,4353 litre	O
420	CM	145	CM	184 LEVEL CM	18563,2053 litre	66,914 %	9178,6286 litre	O
420	CM	145	CM	183 LEVEL CM	18445,7774 litre	66,491 %	9296,0565 litre	O
420	CM	145	CM	182 LEVEL CM	18328,1215 litre	66,067 %	9413,7124 litre	O
420	CM	145	CM	181 LEVEL CM	18210,2438 litre	65,642 %	9531,5901 litre	O
420	CM	145	CM	180 LEVEL CM	18092,1509 litre	65,216 %	9649,6830 litre	O
420	CM	145	CM	179 LEVEL CM	17973,8490 litre	64,790 %	9767,9849 litre	O
420	CM	145	CM	178 LEVEL CM	17855,3445 litre	64,363 %	9886,4894 litre	O
420	CM	145	CM	177 LEVEL CM	17736,6436 litre	63,935 %	10005,1903 litre	O
420	CM	145	CM	176 LEVEL CM	17617,7527 litre	63,506 %	10124,0812 litre	O
420	CM	145	CM	175 LEVEL CM	17498,6780 litre	63,077 %	10243,1559 litre	O
420	CM	145	CM	174 LEVEL CM	17379,4256 litre	62,647 %	10362,4083 litre	O
420	CM	145	CM	173 LEVEL CM	17260,0018 litre	62,217 %	10481,8321 litre	O
420	CM	145	CM	172 LEVEL CM	17140,4126 litre	61,785 %	10601,4213 litre	O
420	CM	145	CM	171 LEVEL CM	17020,6642 litre	61,354 %	10721,1697 litre	O
420	CM	145	CM	170 LEVEL CM	16900,7628 litre	60,922 %	10841,0711 litre	O
420	CM	145	CM	169 LEVEL CM	16780,7143 litre	60,489 %	10961,1196 litre	O
420	CM	145	CM	168 LEVEL CM	16660,5248 litre	60,056 %	11081,3091 litre	O
420	CM	145	CM	167 LEVEL CM	16540,2003 litre	59,622 %	11201,6336 litre	O
420	CM	145	CM	166 LEVEL CM	16419,7470 litre	59,188 %	11322,0869 litre	O
420	CM	145	CM	165 LEVEL CM	16299,1706 litre	58,753 %	11442,6633 litre	O
420	CM	145	CM	164 LEVEL CM	16178,4773 litre	58,318 %	11563,3566 litre	O
420	CM	145	CM	163 LEVEL CM	16057,6730 litre	57,883 %	11684,1609 litre	O
420	CM	145	CM	162 LEVEL CM	15936,7635 litre	57,447 %	11805,0704 litre	O
420	CM	145	CM	161 LEVEL CM	15815,7550 litre	57,010 %	11926,0789 litre	O
420	CM	145	CM	160 LEVEL CM	15694,6531 litre	56,574 %	12047,1808 litre	O
420	CM	145	CM	159 LEVEL CM	15573,4639 litre	56,137 %	12168,3700 litre	O
420	CM	145	CM	158 LEVEL CM	15452,1932 litre	55,700 %	12289,6407 litre	O
420	CM	145	CM	157 LEVEL CM	15330,8468 litre	55,263 %	12410,9871 litre	O
420	CM	145	CM	156 LEVEL CM	15209,4307 litre	54,825 %	12532,4032 litre	O
420	CM	145	CM	155 LEVEL CM	15087,9508 litre	54,387 %	12653,8831 litre	O
420	CM	145	CM	154 LEVEL CM	14966,4127 litre	53,949 %	12775,4212 litre	O
420	CM	145	CM	153 LEVEL CM	14844,8224 litre	53,511 %	12897,0115 litre	O
420	CM	145	CM	152 LEVEL CM	14723,1857 litre	53,072 %	13018,6482 litre	O
420	CM	145	CM	151 LEVEL CM	14601,5084 litre	52,634 %	13140,3255 litre	O
420	CM	145	CM	150 LEVEL CM	14479,7963 litre	52,195 %	13262,0376 litre	O
420	CM	145	CM	149 LEVEL CM	14358,0552 litre	51,756 %	13383,7787 litre	O
420	CM	145	CM	148 LEVEL CM	14236,2909 litre	51,317 %	13505,5430 litre	O
420	CM	145	CM	147 LEVEL CM	14114,5092 litre	50,878 %	13627,3247 litre	O
420	CM	145	CM	146 LEVEL CM	13992,7160 litre	50,439 %	13749,1179 litre	O
420	CM	145	CM	145 LEVEL CM	13870,9170 litre	50,000 %	13870,9169 litre	O
420	CM	145	CM	144 LEVEL CM	13749,1179 litre	49,561 %	13992,7160 litre	O
420	CM	145	CM	143 LEVEL CM	13627,3247 litre	49,122 %	14114,5092 litre	O
420	CM	145	CM	142 LEVEL CM	13505,5430 litre	48,683 %	14236,2909 litre	O
420	CM	145	CM	141 LEVEL CM	13383,7788 litre	48,244 %	14358,0551 litre	O
420	CM	145	CM	140 LEVEL CM	13262,0377 litre	47,805 %	14479,7962 litre	O
420	CM	145	CM	139 LEVEL CM	13140,3256 litre	47,366 %	14601,5083 litre	O
420	CM	145	CM	138 LEVEL CM	13018,6483 litre	46,928 %	14723,1856 litre	O
420	CM	145	CM	137 LEVEL CM	12897,0115 litre	46,489 %	14844,8224 litre	O
420	CM	145	CM	136 LEVEL CM	12775,4212 litre	46,051 %	14966,4127 litre	O
420	CM	145	CM	135 LEVEL CM	12653,8832 litre	45,613 %	15087,9507 litre	O
420	CM	145	CM	134 LEVEL CM	12532,4032 litre	45,175 %	15209,4307 litre	O
420	CM	145	CM	133 LEVEL CM	12410,9871 litre	44,737 %	15330,8468 litre	O

420	CM	145	CM	132 LEVEL CM	12289,6408 litre	44,300 %	15452,1931 litre	O
420	CM	145	CM	131 LEVEL CM	12168,3701 litre	43,863 %	15573,4638 litre	O
420	CM	145	CM	130 LEVEL CM	12047,1808 litre	43,426 %	15694,6531 litre	O
420	CM	145	CM	129 LEVEL CM	11926,0790 litre	42,990 %	15815,7549 litre	O
420	CM	145	CM	128 LEVEL CM	11805,0704 litre	42,553 %	15936,7635 litre	O
420	CM	145	CM	127 LEVEL CM	11684,1609 litre	42,117 %	16057,6730 litre	O
420	CM	145	CM	126 LEVEL CM	11563,3566 litre	41,682 %	16178,4773 litre	O
420	CM	145	CM	125 LEVEL CM	11442,6633 litre	41,247 %	16299,1706 litre	O
420	CM	145	CM	124 LEVEL CM	11322,0870 litre	40,812 %	16419,7469 litre	O
420	CM	145	CM	123 LEVEL CM	11201,6336 litre	40,378 %	16540,2003 litre	O
420	CM	145	CM	122 LEVEL CM	11081,3092 litre	39,944 %	16660,5247 litre	O
420	CM	145	CM	121 LEVEL CM	10961,1197 litre	39,511 %	16780,7142 litre	O
420	CM	145	CM	120 LEVEL CM	10841,0712 litre	39,078 %	16900,7627 litre	O
420	CM	145	CM	119 LEVEL CM	10721,1697 litre	38,646 %	17020,6642 litre	O
420	CM	145	CM	118 LEVEL CM	10601,4213 litre	38,215 %	17140,4126 litre	O
420	CM	145	CM	117 LEVEL CM	10481,8322 litre	37,783 %	17260,0017 litre	O
420	CM	145	CM	116 LEVEL CM	10362,4083 litre	37,353 %	17379,4256 litre	O
420	CM	145	CM	115 LEVEL CM	10243,1559 litre	36,923 %	17498,6780 litre	O
420	CM	145	CM	114 LEVEL CM	10124,0812 litre	36,494 %	17617,7527 litre	O
420	CM	145	CM	113 LEVEL CM	10005,1903 litre	36,065 %	17736,6436 litre	O
420	CM	145	CM	112 LEVEL CM	9886,4895 litre	35,637 %	17855,3444 litre	O
420	CM	145	CM	111 LEVEL CM	9767,9849 litre	35,210 %	17973,8490 litre	O
420	CM	145	CM	110 LEVEL CM	9649,6831 litre	34,784 %	18092,1508 litre	O
420	CM	145	CM	109 LEVEL CM	9531,5901 litre	34,358 %	18210,2438 litre	O
420	CM	145	CM	108 LEVEL CM	9413,7124 litre	33,933 %	18328,1215 litre	O
420	CM	145	CM	107 LEVEL CM	9296,0565 litre	33,509 %	18445,7774 litre	O
420	CM	145	CM	106 LEVEL CM	9178,6286 litre	33,086 %	18563,2053 litre	O
420	CM	145	CM	105 LEVEL CM	9061,4353 litre	32,663 %	18680,3986 litre	O
420	CM	145	CM	104 LEVEL CM	8944,4832 litre	32,242 %	18797,3507 litre	O
420	CM	145	CM	103 LEVEL CM	8827,7786 litre	31,821 %	18914,0553 litre	O
420	CM	145	CM	102 LEVEL CM	8711,3282 litre	31,401 %	19030,5057 litre	O
420	CM	145	CM	101 LEVEL CM	8595,1387 litre	30,983 %	19146,6952 litre	O
420	CM	145	CM	100 LEVEL CM	8479,2167 litre	30,565 %	19262,6172 litre	O
420	CM	145	CM	99 LEVEL CM	8363,5689 litre	30,148 %	19378,2650 litre	O
420	CM	145	CM	98 LEVEL CM	8248,2022 litre	29,732 %	19493,6317 litre	O
420	CM	145	CM	97 LEVEL CM	8133,1232 litre	29,317 %	19608,7107 litre	O
420	CM	145	CM	96 LEVEL CM	8018,3390 litre	28,903 %	19723,4949 litre	O
420	CM	145	CM	95 LEVEL CM	7903,8563 litre	28,491 %	19837,9776 litre	O
420	CM	145	CM	94 LEVEL CM	7789,6823 litre	28,079 %	19952,1516 litre	O
420	CM	145	CM	93 LEVEL CM	7675,8238 litre	27,669 %	20066,0101 litre	O
420	CM	145	CM	92 LEVEL CM	7562,2881 litre	27,260 %	20179,5458 litre	O
420	CM	145	CM	91 LEVEL CM	7449,0822 litre	26,851 %	20292,7517 litre	O
420	CM	145	CM	90 LEVEL CM	7336,2134 litre	26,445 %	20405,6205 litre	O
420	CM	145	CM	89 LEVEL CM	7223,6890 litre	26,039 %	20518,1449 litre	O
420	CM	145	CM	88 LEVEL CM	7111,5163 litre	25,635 %	20630,3176 litre	O
420	CM	145	CM	87 LEVEL CM	6999,7027 litre	25,232 %	20742,1312 litre	O
420	CM	145	CM	86 LEVEL CM	6888,2557 litre	24,830 %	20853,5782 litre	O
420	CM	145	CM	85 LEVEL CM	6777,1829 litre	24,429 %	20964,6510 litre	O
420	CM	145	CM	84 LEVEL CM	6666,4919 litre	24,030 %	21075,3420 litre	O
420	CM	145	CM	83 LEVEL CM	6556,1904 litre	23,633 %	21185,6435 litre	O
420	CM	145	CM	82 LEVEL CM	6446,2863 litre	23,237 %	21295,5476 litre	O
420	CM	145	CM	81 LEVEL CM	6336,7874 litre	22,842 %	21405,0465 litre	O
420	CM	145	CM	80 LEVEL CM	6227,7017 litre	22,449 %	21514,1322 litre	O

420	CM	145	CM	79 LEVEL CM	6119,0372 litre	22,057 %	21622,7967 litre	O
420	CM	145	CM	78 LEVEL CM	6010,8022 litre	21,667 %	21731,0317 litre	O
420	CM	145	CM	77 LEVEL CM	5903,0048 litre	21,278 %	21838,8291 litre	O
420	CM	145	CM	76 LEVEL CM	5795,6534 litre	20,891 %	21946,1805 litre	O
420	CM	145	CM	75 LEVEL CM	5688,7566 litre	20,506 %	22053,0773 litre	O
420	CM	145	CM	74 LEVEL CM	5582,3228 litre	20,122 %	22159,5111 litre	O
420	CM	145	CM	73 LEVEL CM	5476,3607 litre	19,740 %	22265,4732 litre	O
420	CM	145	CM	72 LEVEL CM	5370,8792 litre	19,360 %	22370,9547 litre	O
420	CM	145	CM	71 LEVEL CM	5265,8871 litre	18,982 %	22475,9468 litre	O
420	CM	145	CM	70 LEVEL CM	5161,3936 litre	18,605 %	22580,4403 litre	O
420	CM	145	CM	69 LEVEL CM	5057,4077 litre	18,230 %	22684,4262 litre	O
420	CM	145	CM	68 LEVEL CM	4953,9388 litre	17,857 %	22787,8951 litre	O
420	CM	145	CM	67 LEVEL CM	4850,9963 litre	17,486 %	22890,8376 litre	O
420	CM	145	CM	66 LEVEL CM	4748,5899 litre	17,117 %	22993,2440 litre	O
420	CM	145	CM	65 LEVEL CM	4646,7293 litre	16,750 %	23095,1046 litre	O
420	CM	145	CM	64 LEVEL CM	4545,4244 litre	16,385 %	23196,4095 litre	O
420	CM	145	CM	63 LEVEL CM	4444,6852 litre	16,022 %	23297,1487 litre	O
420	CM	145	CM	62 LEVEL CM	4344,5220 litre	15,661 %	23397,3119 litre	O
420	CM	145	CM	61 LEVEL CM	4244,9452 litre	15,302 %	23496,8887 litre	O
420	CM	145	CM	60 LEVEL CM	4145,9655 litre	14,945 %	23595,8684 litre	O
420	CM	145	CM	59 LEVEL CM	4047,5935 litre	14,590 %	23694,2404 litre	O
420	CM	145	CM	58 LEVEL CM	3949,8404 litre	14,238 %	23791,9935 litre	O
420	CM	145	CM	57 LEVEL CM	3852,7173 litre	13,888 %	23889,1166 litre	O
420	CM	145	CM	56 LEVEL CM	3756,2357 litre	13,540 %	23985,5982 litre	O
420	CM	145	CM	55 LEVEL CM	3660,4071 litre	13,195 %	24081,4268 litre	O
420	CM	145	CM	54 LEVEL CM	3565,2435 litre	12,852 %	24176,5904 litre	O
420	CM	145	CM	53 LEVEL CM	3470,7571 litre	12,511 %	24271,0768 litre	O
420	CM	145	CM	52 LEVEL CM	3376,9603 litre	12,173 %	24364,8736 litre	O
420	CM	145	CM	51 LEVEL CM	3283,8656 litre	11,837 %	24457,9683 litre	O
420	CM	145	CM	50 LEVEL CM	3191,4862 litre	11,504 %	24550,3477 litre	O
420	CM	145	CM	49 LEVEL CM	3099,8353 litre	11,174 %	24641,9986 litre	O
420	CM	145	CM	48 LEVEL CM	3008,9265 litre	10,846 %	24732,9074 litre	O
420	CM	145	CM	47 LEVEL CM	2918,7738 litre	10,521 %	24823,0601 litre	O
420	CM	145	CM	46 LEVEL CM	2829,3913 litre	10,199 %	24912,4426 litre	O
420	CM	145	CM	45 LEVEL CM	2740,7938 litre	9,880 %	25001,0401 litre	O
420	CM	145	CM	44 LEVEL CM	2652,9964 litre	9,563 %	25088,8375 litre	O
420	CM	145	CM	43 LEVEL CM	2566,0145 litre	9,250 %	25175,8194 litre	O
420	CM	145	CM	42 LEVEL CM	2479,8639 litre	8,939 %	25261,9700 litre	O
420	CM	145	CM	41 LEVEL CM	2394,5612 litre	8,632 %	25347,2727 litre	O
420	CM	145	CM	40 LEVEL CM	2310,1231 litre	8,327 %	25431,7108 litre	O
420	CM	145	CM	39 LEVEL CM	2226,5671 litre	8,026 %	25515,2668 litre	O
420	CM	145	CM	38 LEVEL CM	2143,9111 litre	7,728 %	25597,9228 litre	O
420	CM	145	CM	37 LEVEL CM	2062,1736 litre	7,433 %	25679,6603 litre	O
420	CM	145	CM	36 LEVEL CM	1981,3738 litre	7,142 %	25760,4601 litre	O
420	CM	145	CM	35 LEVEL CM	1901,5315 litre	6,854 %	25840,3024 litre	O
420	CM	145	CM	34 LEVEL CM	1822,6674 litre	6,570 %	25919,1665 litre	O
420	CM	145	CM	33 LEVEL CM	1744,8028 litre	6,289 %	25997,0311 litre	O
420	CM	145	CM	32 LEVEL CM	1667,9598 litre	6,012 %	26073,8741 litre	O
420	CM	145	CM	31 LEVEL CM	1592,1616 litre	5,739 %	26149,6723 litre	O
420	CM	145	CM	30 LEVEL CM	1517,4321 litre	5,470 %	26224,4018 litre	O
420	CM	145	CM	29 LEVEL CM	1443,7965 litre	5,204 %	26298,0374 litre	O
420	CM	145	CM	28 LEVEL CM	1371,2811 litre	4,943 %	26370,5528 litre	O
420	CM	145	CM	27 LEVEL CM	1299,9132 litre	4,686 %	26441,9207 litre	O

420	CM	145	CM	26 LEVEL CM	1229,7216 litre	4,433 %	26512,1123 litre	O
420	CM	145	CM	25 LEVEL CM	1160,7367 litre	4,184 %	26581,0972 litre	O
420	CM	145	CM	24 LEVEL CM	1092,9904 litre	3,940 %	26648,8435 litre	O
420	CM	145	CM	23 LEVEL CM	1026,5164 litre	3,700 %	26715,3175 litre	O
420	CM	145	CM	22 LEVEL CM	961,3503 litre	3,465 %	26780,4836 litre	O
420	CM	145	CM	21 LEVEL CM	897,5299 litre	3,235 %	26844,3040 litre	O
420	CM	145	CM	20 LEVEL CM	835,0956 litre	3,010 %	26906,7383 litre	O
420	CM	145	CM	19 LEVEL CM	774,0905 litre	2,790 %	26967,7434 litre	O
420	CM	145	CM	18 LEVEL CM	714,5606 litre	2,576 %	27027,2733 litre	O
420	CM	145	CM	17 LEVEL CM	656,5557 litre	2,367 %	27085,2782 litre	O
420	CM	145	CM	16 LEVEL CM	600,1294 litre	2,163 %	27141,7045 litre	O
420	CM	145	CM	15 LEVEL CM	545,3402 litre	1,966 %	27196,4937 litre	O
420	CM	145	CM	14 LEVEL CM	492,2517 litre	1,774 %	27249,5822 litre	O
420	CM	145	CM	13 LEVEL CM	440,9341 litre	1,589 %	27300,8998 litre	O
420	CM	145	CM	12 LEVEL CM	391,4650 litre	1,411 %	27350,3689 litre	O
420	CM	145	CM	11 LEVEL CM	343,9310 litre	1,240 %	27397,9029 litre	O
420	CM	145	CM	10 LEVEL CM	298,4301 litre	1,076 %	27443,4038 litre	O
420	CM	145	CM	9 LEVEL CM	255,0736 litre	0,919 %	27486,7603 litre	O
420	CM	145	CM	8 LEVEL CM	213,9907 litre	0,771 %	27527,8432 litre	O
420	CM	145	CM	7 LEVEL CM	175,3331 litre	0,632 %	27566,5008 litre	O
420	CM	145	CM	6 LEVEL CM	139,2835 litre	0,502 %	27602,5504 litre	O
420	CM	145	CM	5 LEVEL CM	106,0676 litre	0,382 %	27635,7663 litre	O
420	CM	145	CM	4 LEVEL CM	75,9752 litre	0,274 %	27665,8587 litre	O
420	CM	145	CM	3 LEVEL CM	49,3988 litre	0,178 %	27692,4351 litre	O
420	CM	145	CM	2 LEVEL CM	26,9173 litre	0,097 %	27714,9166 litre	O
420	CM	145	CM	1 LEVEL CM	9,5266 litre	0,034 %	27732,3073 litre	O
420	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	27741,8339 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 140	CM 280 LEVEL CM	25861,5907 litre	100,000 %	0,0000 litre	O
420	CM 140	CM 279 LEVEL CM	25852,2302 litre	99,964 %	9,3605 litre	O
420	CM 140	CM 278 LEVEL CM	25835,1436 litre	99,898 %	26,4471 litre	O
420	CM 140	CM 277 LEVEL CM	25813,0565 litre	99,812 %	48,5342 litre	O
420	CM 140	CM 276 LEVEL CM	25786,9481 litre	99,711 %	74,6426 litre	O
420	CM 140	CM 275 LEVEL CM	25757,3874 litre	99,597 %	104,2033 litre	O
420	CM 140	CM 274 LEVEL CM	25724,7605 litre	99,471 %	136,8302 litre	O
420	CM 140	CM 273 LEVEL CM	25689,3524 litre	99,334 %	172,2383 litre	O
420	CM 140	CM 272 LEVEL CM	25651,3852 litre	99,187 %	210,2055 litre	O
420	CM 140	CM 271 LEVEL CM	25611,0386 litre	99,031 %	250,5521 litre	O
420	CM 140	CM 270 LEVEL CM	25568,4620 litre	98,867 %	293,1287 litre	O
420	CM 140	CM 269 LEVEL CM	25523,7824 litre	98,694 %	337,8083 litre	O
420	CM 140	CM 268 LEVEL CM	25477,1097 litre	98,513 %	384,4810 litre	O
420	CM 140	CM 267 LEVEL CM	25428,5401 litre	98,326 %	433,0506 litre	O
420	CM 140	CM 266 LEVEL CM	25378,1591 litre	98,131 %	483,4316 litre	O
420	CM 140	CM 265 LEVEL CM	25326,0430 litre	97,929 %	535,5477 litre	O
420	CM 140	CM 264 LEVEL CM	25272,2610 litre	97,721 %	589,3297 litre	O
420	CM 140	CM 263 LEVEL CM	25216,8759 litre	97,507 %	644,7148 litre	O
420	CM 140	CM 262 LEVEL CM	25159,9453 litre	97,287 %	701,6454 litre	O
420	CM 140	CM 261 LEVEL CM	25101,5220 litre	97,061 %	760,0687 litre	O
420	CM 140	CM 260 LEVEL CM	25041,6551 litre	96,830 %	819,9356 litre	O
420	CM 140	CM 259 LEVEL CM	24980,3901 litre	96,593 %	881,2006 litre	O
420	CM 140	CM 258 LEVEL CM	24917,7695 litre	96,350 %	943,8212 litre	O
420	CM 140	CM 257 LEVEL CM	24853,8330 litre	96,103 %	1007,7577 litre	O
420	CM 140	CM 256 LEVEL CM	24788,6181 litre	95,851 %	1072,9726 litre	O
420	CM 140	CM 255 LEVEL CM	24722,1599 litre	95,594 %	1139,4308 litre	O
420	CM 140	CM 254 LEVEL CM	24654,4916 litre	95,332 %	1207,0991 litre	O
420	CM 140	CM 253 LEVEL CM	24585,6449 litre	95,066 %	1275,9458 litre	O
420	CM 140	CM 252 LEVEL CM	24515,6496 litre	94,796 %	1345,9411 litre	O
420	CM 140	CM 251 LEVEL CM	24444,5342 litre	94,521 %	1417,0565 litre	O
420	CM 140	CM 250 LEVEL CM	24372,3258 litre	94,241 %	1489,2649 litre	O
420	CM 140	CM 249 LEVEL CM	24299,0504 litre	93,958 %	1562,5403 litre	O
420	CM 140	CM 248 LEVEL CM	24224,7327 litre	93,671 %	1636,8580 litre	O
420	CM 140	CM 247 LEVEL CM	24149,3966 litre	93,379 %	1712,1941 litre	O
420	CM 140	CM 246 LEVEL CM	24073,0649 litre	93,084 %	1788,5258 litre	O
420	CM 140	CM 245 LEVEL CM	23995,7595 litre	92,785 %	1865,8312 litre	O
420	CM 140	CM 244 LEVEL CM	23917,5016 litre	92,483 %	1944,0891 litre	O
420	CM 140	CM 243 LEVEL CM	23838,3116 litre	92,177 %	2023,2791 litre	O
420	CM 140	CM 242 LEVEL CM	23758,2090 litre	91,867 %	2103,3817 litre	O
420	CM 140	CM 241 LEVEL CM	23677,2129 litre	91,554 %	2184,3778 litre	O
420	CM 140	CM 240 LEVEL CM	23595,3416 litre	91,237 %	2266,2491 litre	O
420	CM 140	CM 239 LEVEL CM	23512,6130 litre	90,917 %	2348,9777 litre	O
420	CM 140	CM 238 LEVEL CM	23429,0443 litre	90,594 %	2432,5464 litre	O
420	CM 140	CM 237 LEVEL CM	23344,6521 litre	90,268 %	2516,9386 litre	O
420	CM 140	CM 236 LEVEL CM	23259,4528 litre	89,938 %	2602,1379 litre	O
420	CM 140	CM 235 LEVEL CM	23173,4621 litre	89,606 %	2688,1286 litre	O
420	CM 140	CM 234 LEVEL CM	23086,6953 litre	89,270 %	2774,8954 litre	O
420	CM 140	CM 233 LEVEL CM	22999,1675 litre	88,932 %	2862,4232 litre	O
420	CM 140	CM 232 LEVEL CM	22910,8931 litre	88,590 %	2950,6976 litre	O
420	CM 140	CM 231 LEVEL CM	22821,8864 litre	88,246 %	3039,7043 litre	O
420	CM 140	CM 230 LEVEL CM	22732,1612 litre	87,899 %	3129,4295 litre	O
420	CM 140	CM 229 LEVEL CM	22641,7309 litre	87,550 %	3219,8598 litre	O

420	CM	140	CM	228 LEVEL CM	22550,6089 litre	87,197 %	3310,9818 litre	O
420	CM	140	CM	227 LEVEL CM	22458,8079 litre	86,842 %	3402,7828 litre	O
420	CM	140	CM	226 LEVEL CM	22366,3407 litre	86,485 %	3495,2500 litre	O
420	CM	140	CM	225 LEVEL CM	22273,2195 litre	86,125 %	3588,3712 litre	O
420	CM	140	CM	224 LEVEL CM	22179,4565 litre	85,762 %	3682,1342 litre	O
420	CM	140	CM	223 LEVEL CM	22085,0634 litre	85,397 %	3776,5273 litre	O
420	CM	140	CM	222 LEVEL CM	21990,0520 litre	85,030 %	3871,5387 litre	O
420	CM	140	CM	221 LEVEL CM	21894,4335 litre	84,660 %	3967,1572 litre	O
420	CM	140	CM	220 LEVEL CM	21798,2191 litre	84,288 %	4063,3716 litre	O
420	CM	140	CM	219 LEVEL CM	21701,4198 litre	83,914 %	4160,1709 litre	O
420	CM	140	CM	218 LEVEL CM	21604,0463 litre	83,537 %	4257,5444 litre	O
420	CM	140	CM	217 LEVEL CM	21506,1093 litre	83,158 %	4355,4814 litre	O
420	CM	140	CM	216 LEVEL CM	21407,6190 litre	82,778 %	4453,9717 litre	O
420	CM	140	CM	215 LEVEL CM	21308,5858 litre	82,395 %	4553,0049 litre	O
420	CM	140	CM	214 LEVEL CM	21209,0196 litre	82,010 %	4652,5711 litre	O
420	CM	140	CM	213 LEVEL CM	21108,9304 litre	81,623 %	4752,6603 litre	O
420	CM	140	CM	212 LEVEL CM	21008,3279 litre	81,234 %	4853,2628 litre	O
420	CM	140	CM	211 LEVEL CM	20907,2216 litre	80,843 %	4954,3691 litre	O
420	CM	140	CM	210 LEVEL CM	20805,6210 litre	80,450 %	5055,9697 litre	O
420	CM	140	CM	209 LEVEL CM	20703,5355 litre	80,055 %	5158,0552 litre	O
420	CM	140	CM	208 LEVEL CM	20600,9742 litre	79,659 %	5260,6165 litre	O
420	CM	140	CM	207 LEVEL CM	20497,9460 litre	79,260 %	5363,6447 litre	O
420	CM	140	CM	206 LEVEL CM	20394,4601 litre	78,860 %	5467,1306 litre	O
420	CM	140	CM	205 LEVEL CM	20290,5251 litre	78,458 %	5571,0656 litre	O
420	CM	140	CM	204 LEVEL CM	20186,1497 litre	78,055 %	5675,4410 litre	O
420	CM	140	CM	203 LEVEL CM	20081,3426 litre	77,649 %	5780,2481 litre	O
420	CM	140	CM	202 LEVEL CM	19976,1122 litre	77,242 %	5885,4785 litre	O
420	CM	140	CM	201 LEVEL CM	19870,4669 litre	76,834 %	5991,1238 litre	O
420	CM	140	CM	200 LEVEL CM	19764,4150 litre	76,424 %	6097,1757 litre	O
420	CM	140	CM	199 LEVEL CM	19657,9646 litre	76,012 %	6203,6261 litre	O
420	CM	140	CM	198 LEVEL CM	19551,1238 litre	75,599 %	6310,4669 litre	O
420	CM	140	CM	197 LEVEL CM	19443,9007 litre	75,184 %	6417,6900 litre	O
420	CM	140	CM	196 LEVEL CM	19336,3031 litre	74,768 %	6525,2876 litre	O
420	CM	140	CM	195 LEVEL CM	19228,3389 litre	74,351 %	6633,2518 litre	O
420	CM	140	CM	194 LEVEL CM	19120,0159 litre	73,932 %	6741,5748 litre	O
420	CM	140	CM	193 LEVEL CM	19011,3416 litre	73,512 %	6850,2491 litre	O
420	CM	140	CM	192 LEVEL CM	18902,3238 litre	73,090 %	6959,2669 litre	O
420	CM	140	CM	191 LEVEL CM	18792,9700 litre	72,667 %	7068,6207 litre	O
420	CM	140	CM	190 LEVEL CM	18683,2875 litre	72,243 %	7178,3032 litre	O
420	CM	140	CM	189 LEVEL CM	18573,2839 litre	71,818 %	7288,3068 litre	O
420	CM	140	CM	188 LEVEL CM	18462,9664 litre	71,391 %	7398,6243 litre	O
420	CM	140	CM	187 LEVEL CM	18352,3424 litre	70,964 %	7509,2483 litre	O
420	CM	140	CM	186 LEVEL CM	18241,4189 litre	70,535 %	7620,1718 litre	O
420	CM	140	CM	185 LEVEL CM	18130,2033 litre	70,105 %	7731,3874 litre	O
420	CM	140	CM	184 LEVEL CM	18018,7025 litre	69,674 %	7842,8882 litre	O
420	CM	140	CM	183 LEVEL CM	17906,9236 litre	69,241 %	7954,6671 litre	O
420	CM	140	CM	182 LEVEL CM	17794,8735 litre	68,808 %	8066,7172 litre	O
420	CM	140	CM	181 LEVEL CM	17682,5594 litre	68,374 %	8179,0313 litre	O
420	CM	140	CM	180 LEVEL CM	17569,9879 litre	67,939 %	8291,6028 litre	O
420	CM	140	CM	179 LEVEL CM	17457,1660 litre	67,502 %	8404,4247 litre	O
420	CM	140	CM	178 LEVEL CM	17344,1004 litre	67,065 %	8517,4903 litre	O
420	CM	140	CM	177 LEVEL CM	17230,7980 litre	66,627 %	8630,7927 litre	O
420	CM	140	CM	176 LEVEL CM	17117,2653 litre	66,188 %	8744,3254 litre	O

420	CM	140	CM	175 LEVEL CM	17003,5092 litre	65,748 %	8858,0815 litre	O
420	CM	140	CM	174 LEVEL CM	16889,5361 litre	65,307 %	8972,0546 litre	O
420	CM	140	CM	173 LEVEL CM	16775,3527 litre	64,866 %	9086,2380 litre	O
420	CM	140	CM	172 LEVEL CM	16660,9657 litre	64,424 %	9200,6250 litre	O
420	CM	140	CM	171 LEVEL CM	16546,3813 litre	63,981 %	9315,2094 litre	O
420	CM	140	CM	170 LEVEL CM	16431,6063 litre	63,537 %	9429,9844 litre	O
420	CM	140	CM	169 LEVEL CM	16316,6469 litre	63,092 %	9544,9438 litre	O
420	CM	140	CM	168 LEVEL CM	16201,5097 litre	62,647 %	9660,0810 litre	O
420	CM	140	CM	167 LEVEL CM	16086,2011 litre	62,201 %	9775,3896 litre	O
420	CM	140	CM	166 LEVEL CM	15970,7273 litre	61,755 %	9890,8634 litre	O
420	CM	140	CM	165 LEVEL CM	15855,0948 litre	61,308 %	10006,4959 litre	O
420	CM	140	CM	164 LEVEL CM	15739,3098 litre	60,860 %	10122,2809 litre	O
420	CM	140	CM	163 LEVEL CM	15623,3786 litre	60,412 %	10238,2121 litre	O
420	CM	140	CM	162 LEVEL CM	15507,3076 litre	59,963 %	10354,2831 litre	O
420	CM	140	CM	161 LEVEL CM	15391,1029 litre	59,513 %	10470,4878 litre	O
420	CM	140	CM	160 LEVEL CM	15274,7707 litre	59,064 %	10586,8200 litre	O
420	CM	140	CM	159 LEVEL CM	15158,3173 litre	58,613 %	10703,2734 litre	O
420	CM	140	CM	158 LEVEL CM	15041,7488 litre	58,163 %	10819,8419 litre	O
420	CM	140	CM	157 LEVEL CM	14925,0714 litre	57,711 %	10936,5193 litre	O
420	CM	140	CM	156 LEVEL CM	14808,2913 litre	57,260 %	11053,2994 litre	O
420	CM	140	CM	155 LEVEL CM	14691,4145 litre	56,808 %	11170,1762 litre	O
420	CM	140	CM	154 LEVEL CM	14574,4472 litre	56,356 %	11287,1435 litre	O
420	CM	140	CM	153 LEVEL CM	14457,3955 litre	55,903 %	11404,1952 litre	O
420	CM	140	CM	152 LEVEL CM	14340,2655 litre	55,450 %	11521,3252 litre	O
420	CM	140	CM	151 LEVEL CM	14223,0631 litre	54,997 %	11638,5276 litre	O
420	CM	140	CM	150 LEVEL CM	14105,7946 litre	54,543 %	11755,7961 litre	O
420	CM	140	CM	149 LEVEL CM	13988,4659 litre	54,090 %	11873,1248 litre	O
420	CM	140	CM	148 LEVEL CM	13871,0831 litre	53,636 %	11990,5076 litre	O
420	CM	140	CM	147 LEVEL CM	13753,6522 litre	53,182 %	12107,9385 litre	O
420	CM	140	CM	146 LEVEL CM	13636,1793 litre	52,728 %	12225,4114 litre	O
420	CM	140	CM	145 LEVEL CM	13518,6703 litre	52,273 %	12342,9204 litre	O
420	CM	140	CM	144 LEVEL CM	13401,1314 litre	51,819 %	12460,4593 litre	O
420	CM	140	CM	143 LEVEL CM	13283,5684 litre	51,364 %	12578,0223 litre	O
420	CM	140	CM	142 LEVEL CM	13165,9874 litre	50,909 %	12695,6033 litre	O
420	CM	140	CM	141 LEVEL CM	13048,3944 litre	50,455 %	12813,1963 litre	O
420	CM	140	CM	140 LEVEL CM	12930,7954 litre	50,000 %	12930,7953 litre	O
420	CM	140	CM	139 LEVEL CM	12813,1964 litre	49,545 %	13048,3943 litre	O
420	CM	140	CM	138 LEVEL CM	12695,6034 litre	49,091 %	13165,9873 litre	O
420	CM	140	CM	137 LEVEL CM	12578,0224 litre	48,636 %	13283,5683 litre	O
420	CM	140	CM	136 LEVEL CM	12460,4594 litre	48,181 %	13401,1313 litre	O
420	CM	140	CM	135 LEVEL CM	12342,9204 litre	47,727 %	13518,6703 litre	O
420	CM	140	CM	134 LEVEL CM	12225,4114 litre	47,272 %	13636,1793 litre	O
420	CM	140	CM	133 LEVEL CM	12107,9385 litre	46,818 %	13753,6522 litre	O
420	CM	140	CM	132 LEVEL CM	11990,5076 litre	46,364 %	13871,0831 litre	O
420	CM	140	CM	131 LEVEL CM	11873,1248 litre	45,910 %	13988,4659 litre	O
420	CM	140	CM	130 LEVEL CM	11755,7961 litre	45,457 %	14105,7946 litre	O
420	CM	140	CM	129 LEVEL CM	11638,5276 litre	45,003 %	14223,0631 litre	O
420	CM	140	CM	128 LEVEL CM	11521,3253 litre	44,550 %	14340,2654 litre	O
420	CM	140	CM	127 LEVEL CM	11404,1952 litre	44,097 %	14457,3955 litre	O
420	CM	140	CM	126 LEVEL CM	11287,1435 litre	43,644 %	14574,4472 litre	O
420	CM	140	CM	125 LEVEL CM	11170,1762 litre	43,192 %	14691,4145 litre	O
420	CM	140	CM	124 LEVEL CM	11053,2994 litre	42,740 %	14808,2913 litre	O
420	CM	140	CM	123 LEVEL CM	10936,5193 litre	42,289 %	14925,0714 litre	O

420	CM	140	CM	122 LEVEL CM	10819,8419 litre	41,837 %	15041,7488 litre	O
420	CM	140	CM	121 LEVEL CM	10703,2734 litre	41,387 %	15158,3173 litre	O
420	CM	140	CM	120 LEVEL CM	10586,8200 litre	40,936 %	15274,7707 litre	O
420	CM	140	CM	119 LEVEL CM	10470,4879 litre	40,487 %	15391,1028 litre	O
420	CM	140	CM	118 LEVEL CM	10354,2832 litre	40,037 %	15507,3075 litre	O
420	CM	140	CM	117 LEVEL CM	10238,2121 litre	39,588 %	15623,3786 litre	O
420	CM	140	CM	116 LEVEL CM	10122,2809 litre	39,140 %	15739,3098 litre	O
420	CM	140	CM	115 LEVEL CM	10006,4960 litre	38,692 %	15855,0947 litre	O
420	CM	140	CM	114 LEVEL CM	9890,8634 litre	38,245 %	15970,7273 litre	O
420	CM	140	CM	113 LEVEL CM	9775,3897 litre	37,799 %	16086,2010 litre	O
420	CM	140	CM	112 LEVEL CM	9660,0810 litre	37,353 %	16201,5097 litre	O
420	CM	140	CM	111 LEVEL CM	9544,9438 litre	36,908 %	16316,6469 litre	O
420	CM	140	CM	110 LEVEL CM	9429,9845 litre	36,463 %	16431,6062 litre	O
420	CM	140	CM	109 LEVEL CM	9315,2094 litre	36,019 %	16546,3813 litre	O
420	CM	140	CM	108 LEVEL CM	9200,6251 litre	35,576 %	16660,9656 litre	O
420	CM	140	CM	107 LEVEL CM	9086,2380 litre	35,134 %	16775,3527 litre	O
420	CM	140	CM	106 LEVEL CM	8972,0546 litre	34,693 %	16889,5361 litre	O
420	CM	140	CM	105 LEVEL CM	8858,0816 litre	34,252 %	17003,5091 litre	O
420	CM	140	CM	104 LEVEL CM	8744,3254 litre	33,812 %	17117,2653 litre	O
420	CM	140	CM	103 LEVEL CM	8630,7928 litre	33,373 %	17230,7979 litre	O
420	CM	140	CM	102 LEVEL CM	8517,4903 litre	32,935 %	17344,1004 litre	O
420	CM	140	CM	101 LEVEL CM	8404,4247 litre	32,498 %	17457,1660 litre	O
420	CM	140	CM	100 LEVEL CM	8291,6028 litre	32,061 %	17569,9879 litre	O
420	CM	140	CM	99 LEVEL CM	8179,0314 litre	31,626 %	17682,5593 litre	O
420	CM	140	CM	98 LEVEL CM	8066,7172 litre	31,192 %	17794,8735 litre	O
420	CM	140	CM	97 LEVEL CM	7954,6672 litre	30,759 %	17906,9235 litre	O
420	CM	140	CM	96 LEVEL CM	7842,8883 litre	30,326 %	18018,7024 litre	O
420	CM	140	CM	95 LEVEL CM	7731,3875 litre	29,895 %	18130,2032 litre	O
420	CM	140	CM	94 LEVEL CM	7620,1718 litre	29,465 %	18241,4189 litre	O
420	CM	140	CM	93 LEVEL CM	7509,2483 litre	29,036 %	18352,3424 litre	O
420	CM	140	CM	92 LEVEL CM	7398,6243 litre	28,609 %	18462,9664 litre	O
420	CM	140	CM	91 LEVEL CM	7288,3068 litre	28,182 %	18573,2839 litre	O
420	CM	140	CM	90 LEVEL CM	7178,3032 litre	27,757 %	18683,2875 litre	O
420	CM	140	CM	89 LEVEL CM	7068,6207 litre	27,333 %	18792,9700 litre	O
420	CM	140	CM	88 LEVEL CM	6959,2669 litre	26,910 %	18902,3238 litre	O
420	CM	140	CM	87 LEVEL CM	6850,2491 litre	26,488 %	19011,3416 litre	O
420	CM	140	CM	86 LEVEL CM	6741,5749 litre	26,068 %	19120,0158 litre	O
420	CM	140	CM	85 LEVEL CM	6633,2518 litre	25,649 %	19228,3389 litre	O
420	CM	140	CM	84 LEVEL CM	6525,2876 litre	25,232 %	19336,3031 litre	O
420	CM	140	CM	83 LEVEL CM	6417,6901 litre	24,816 %	19443,9006 litre	O
420	CM	140	CM	82 LEVEL CM	6310,4669 litre	24,401 %	19551,1238 litre	O
420	CM	140	CM	81 LEVEL CM	6203,6262 litre	23,988 %	19657,9645 litre	O
420	CM	140	CM	80 LEVEL CM	6097,1758 litre	23,576 %	19764,4149 litre	O
420	CM	140	CM	79 LEVEL CM	5991,1238 litre	23,166 %	19870,4669 litre	O
420	CM	140	CM	78 LEVEL CM	5885,4785 litre	22,758 %	19976,1122 litre	O
420	CM	140	CM	77 LEVEL CM	5780,2481 litre	22,351 %	20081,3426 litre	O
420	CM	140	CM	76 LEVEL CM	5675,4410 litre	21,945 %	20186,1497 litre	O
420	CM	140	CM	75 LEVEL CM	5571,0657 litre	21,542 %	20290,5250 litre	O
420	CM	140	CM	74 LEVEL CM	5467,1307 litre	21,140 %	20394,4600 litre	O
420	CM	140	CM	73 LEVEL CM	5363,6447 litre	20,740 %	20497,9460 litre	O
420	CM	140	CM	72 LEVEL CM	5260,6166 litre	20,341 %	20600,9741 litre	O
420	CM	140	CM	71 LEVEL CM	5158,0552 litre	19,945 %	20703,5355 litre	O
420	CM	140	CM	70 LEVEL CM	5055,9697 litre	19,550 %	20805,6210 litre	O

420	CM	140	CM	69 LEVEL CM	4954,3691 litre	19,157 %	20907,2216 litre	O
420	CM	140	CM	68 LEVEL CM	4853,2629 litre	18,766 %	21008,3278 litre	O
420	CM	140	CM	67 LEVEL CM	4752,6603 litre	18,377 %	21108,9304 litre	O
420	CM	140	CM	66 LEVEL CM	4652,5711 litre	17,990 %	21209,0196 litre	O
420	CM	140	CM	65 LEVEL CM	4553,0049 litre	17,605 %	21308,5858 litre	O
420	CM	140	CM	64 LEVEL CM	4453,9717 litre	17,222 %	21407,6190 litre	O
420	CM	140	CM	63 LEVEL CM	4355,4815 litre	16,842 %	21506,1092 litre	O
420	CM	140	CM	62 LEVEL CM	4257,5444 litre	16,463 %	21604,0463 litre	O
420	CM	140	CM	61 LEVEL CM	4160,1710 litre	16,086 %	21701,4197 litre	O
420	CM	140	CM	60 LEVEL CM	4063,3717 litre	15,712 %	21798,2190 litre	O
420	CM	140	CM	59 LEVEL CM	3967,1573 litre	15,340 %	21894,4334 litre	O
420	CM	140	CM	58 LEVEL CM	3871,5388 litre	14,970 %	21990,0519 litre	O
420	CM	140	CM	57 LEVEL CM	3776,5273 litre	14,603 %	22085,0634 litre	O
420	CM	140	CM	56 LEVEL CM	3682,1342 litre	14,238 %	22179,4565 litre	O
420	CM	140	CM	55 LEVEL CM	3588,3712 litre	13,875 %	22273,2195 litre	O
420	CM	140	CM	54 LEVEL CM	3495,2500 litre	13,515 %	22366,3407 litre	O
420	CM	140	CM	53 LEVEL CM	3402,7828 litre	13,158 %	22458,8079 litre	O
420	CM	140	CM	52 LEVEL CM	3310,9818 litre	12,803 %	22550,6089 litre	O
420	CM	140	CM	51 LEVEL CM	3219,8598 litre	12,450 %	22641,7309 litre	O
420	CM	140	CM	50 LEVEL CM	3129,4296 litre	12,101 %	22732,1611 litre	O
420	CM	140	CM	49 LEVEL CM	3039,7043 litre	11,754 %	22821,8864 litre	O
420	CM	140	CM	48 LEVEL CM	2950,6976 litre	11,410 %	22910,8931 litre	O
420	CM	140	CM	47 LEVEL CM	2862,4232 litre	11,068 %	22999,1675 litre	O
420	CM	140	CM	46 LEVEL CM	2774,8954 litre	10,730 %	23086,6953 litre	O
420	CM	140	CM	45 LEVEL CM	2688,1286 litre	10,394 %	23173,4621 litre	O
420	CM	140	CM	44 LEVEL CM	2602,1379 litre	10,062 %	23259,4528 litre	O
420	CM	140	CM	43 LEVEL CM	2516,9386 litre	9,732 %	23344,6521 litre	O
420	CM	140	CM	42 LEVEL CM	2432,5465 litre	9,406 %	23429,0442 litre	O
420	CM	140	CM	41 LEVEL CM	2348,9777 litre	9,083 %	23512,6130 litre	O
420	CM	140	CM	40 LEVEL CM	2266,2491 litre	8,763 %	23595,3416 litre	O
420	CM	140	CM	39 LEVEL CM	2184,3778 litre	8,446 %	23677,2129 litre	O
420	CM	140	CM	38 LEVEL CM	2103,3817 litre	8,133 %	23758,2090 litre	O
420	CM	140	CM	37 LEVEL CM	2023,2791 litre	7,823 %	23838,3116 litre	O
420	CM	140	CM	36 LEVEL CM	1944,0891 litre	7,517 %	23917,5016 litre	O
420	CM	140	CM	35 LEVEL CM	1865,8312 litre	7,215 %	23995,7595 litre	O
420	CM	140	CM	34 LEVEL CM	1788,5258 litre	6,916 %	24073,0649 litre	O
420	CM	140	CM	33 LEVEL CM	1712,1941 litre	6,621 %	24149,3966 litre	O
420	CM	140	CM	32 LEVEL CM	1636,8580 litre	6,329 %	24224,7327 litre	O
420	CM	140	CM	31 LEVEL CM	1562,5404 litre	6,042 %	24299,0503 litre	O
420	CM	140	CM	30 LEVEL CM	1489,2649 litre	5,759 %	24372,3258 litre	O
420	CM	140	CM	29 LEVEL CM	1417,0566 litre	5,479 %	24444,5341 litre	O
420	CM	140	CM	28 LEVEL CM	1345,9411 litre	5,204 %	24515,6496 litre	O
420	CM	140	CM	27 LEVEL CM	1275,9458 litre	4,934 %	24585,6449 litre	O
420	CM	140	CM	26 LEVEL CM	1207,0991 litre	4,668 %	24654,4916 litre	O
420	CM	140	CM	25 LEVEL CM	1139,4308 litre	4,406 %	24722,1599 litre	O
420	CM	140	CM	24 LEVEL CM	1072,9726 litre	4,149 %	24788,6181 litre	O
420	CM	140	CM	23 LEVEL CM	1007,7577 litre	3,897 %	24853,8330 litre	O
420	CM	140	CM	22 LEVEL CM	943,8212 litre	3,650 %	24917,7695 litre	O
420	CM	140	CM	21 LEVEL CM	881,2006 litre	3,407 %	24980,3901 litre	O
420	CM	140	CM	20 LEVEL CM	819,9356 litre	3,170 %	25041,6551 litre	O
420	CM	140	CM	19 LEVEL CM	760,0687 litre	2,939 %	25101,5220 litre	O
420	CM	140	CM	18 LEVEL CM	701,6455 litre	2,713 %	25159,9452 litre	O
420	CM	140	CM	17 LEVEL CM	644,7148 litre	2,493 %	25216,8759 litre	O

420	CM	140	CM	16 LEVEL CM	589,3297 litre	2,279 %	25272,2610 litre	O
420	CM	140	CM	15 LEVEL CM	535,5477 litre	2,071 %	25326,0430 litre	O
420	CM	140	CM	14 LEVEL CM	483,4317 litre	1,869 %	25378,1590 litre	O
420	CM	140	CM	13 LEVEL CM	433,0506 litre	1,674 %	25428,5401 litre	O
420	CM	140	CM	12 LEVEL CM	384,4810 litre	1,487 %	25477,1097 litre	O
420	CM	140	CM	11 LEVEL CM	337,8083 litre	1,306 %	25523,7824 litre	O
420	CM	140	CM	10 LEVEL CM	293,1287 litre	1,133 %	25568,4620 litre	O
420	CM	140	CM	9 LEVEL CM	250,5521 litre	0,969 %	25611,0386 litre	O
420	CM	140	CM	8 LEVEL CM	210,2055 litre	0,813 %	25651,3852 litre	O
420	CM	140	CM	7 LEVEL CM	172,2383 litre	0,666 %	25689,3524 litre	O
420	CM	140	CM	6 LEVEL CM	136,8303 litre	0,529 %	25724,7604 litre	O
420	CM	140	CM	5 LEVEL CM	104,2034 litre	0,403 %	25757,3873 litre	O
420	CM	140	CM	4 LEVEL CM	74,6426 litre	0,289 %	25786,9481 litre	O
420	CM	140	CM	3 LEVEL CM	48,5342 litre	0,188 %	25813,0565 litre	O
420	CM	140	CM	2 LEVEL CM	26,4472 litre	0,102 %	25835,1435 litre	O
420	CM	140	CM	1 LEVEL CM	9,3605 litre	0,036 %	25852,2302 litre	O
420	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	25861,5907 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 135	CM 270 LEVEL CM	24047,3210 litre	100,000 %	0,0000 litre	O
420	CM 135	CM 269 LEVEL CM	24038,1295 litre	99,962 %	9,1915 litre	O
420	CM 135	CM 268 LEVEL CM	24021,3524 litre	99,892 %	25,9686 litre	O
420	CM 135	CM 267 LEVEL CM	23999,6670 litre	99,802 %	47,6540 litre	O
420	CM 135	CM 266 LEVEL CM	23974,0351 litre	99,695 %	73,2859 litre	O
420	CM 135	CM 265 LEVEL CM	23945,0158 litre	99,575 %	102,3052 litre	O
420	CM 135	CM 264 LEVEL CM	23912,9888 litre	99,441 %	134,3322 litre	O
420	CM 135	CM 263 LEVEL CM	23878,2341 litre	99,297 %	169,0869 litre	O
420	CM 135	CM 262 LEVEL CM	23840,9701 litre	99,142 %	206,3509 litre	O
420	CM 135	CM 261 LEVEL CM	23801,3735 litre	98,977 %	245,9475 litre	O
420	CM 135	CM 260 LEVEL CM	23759,5913 litre	98,803 %	287,7297 litre	O
420	CM 135	CM 259 LEVEL CM	23715,7485 litre	98,621 %	331,5725 litre	O
420	CM 135	CM 258 LEVEL CM	23669,9532 litre	98,431 %	377,3678 litre	O
420	CM 135	CM 257 LEVEL CM	23622,3001 litre	98,233 %	425,0209 litre	O
420	CM 135	CM 256 LEVEL CM	23572,8733 litre	98,027 %	474,4477 litre	O
420	CM 135	CM 255 LEVEL CM	23521,7481 litre	97,814 %	525,5729 litre	O
420	CM 135	CM 254 LEVEL CM	23468,9926 litre	97,595 %	578,3284 litre	O
420	CM 135	CM 253 LEVEL CM	23414,6687 litre	97,369 %	632,6523 litre	O
420	CM 135	CM 252 LEVEL CM	23358,8330 litre	97,137 %	688,4880 litre	O
420	CM 135	CM 251 LEVEL CM	23301,5377 litre	96,899 %	745,7833 litre	O
420	CM 135	CM 250 LEVEL CM	23242,8311 litre	96,655 %	804,4899 litre	O
420	CM 135	CM 249 LEVEL CM	23182,7582 litre	96,405 %	864,5628 litre	O
420	CM 135	CM 248 LEVEL CM	23121,3607 litre	96,149 %	925,9603 litre	O
420	CM 135	CM 247 LEVEL CM	23058,6781 litre	95,889 %	988,6429 litre	O
420	CM 135	CM 246 LEVEL CM	22994,7470 litre	95,623 %	1052,5740 litre	O
420	CM 135	CM 245 LEVEL CM	22929,6023 litre	95,352 %	1117,7187 litre	O
420	CM 135	CM 244 LEVEL CM	22863,2769 litre	95,076 %	1184,0441 litre	O
420	CM 135	CM 243 LEVEL CM	22795,8017 litre	94,796 %	1251,5193 litre	O
420	CM 135	CM 242 LEVEL CM	22727,2065 litre	94,510 %	1320,1145 litre	O
420	CM 135	CM 241 LEVEL CM	22657,5192 litre	94,221 %	1389,8018 litre	O
420	CM 135	CM 240 LEVEL CM	22586,7668 litre	93,926 %	1460,5542 litre	O
420	CM 135	CM 239 LEVEL CM	22514,9749 litre	93,628 %	1532,3461 litre	O
420	CM 135	CM 238 LEVEL CM	22442,1679 litre	93,325 %	1605,1531 litre	O
420	CM 135	CM 237 LEVEL CM	22368,3694 litre	93,018 %	1678,9516 litre	O
420	CM 135	CM 236 LEVEL CM	22293,6021 litre	92,707 %	1753,7189 litre	O
420	CM 135	CM 235 LEVEL CM	22217,8875 litre	92,392 %	1829,4335 litre	O
420	CM 135	CM 234 LEVEL CM	22141,2467 litre	92,074 %	1906,0743 litre	O
420	CM 135	CM 233 LEVEL CM	22063,6998 litre	91,751 %	1983,6212 litre	O
420	CM 135	CM 232 LEVEL CM	21985,2662 litre	91,425 %	2062,0548 litre	O
420	CM 135	CM 231 LEVEL CM	21905,9648 litre	91,095 %	2141,3562 litre	O
420	CM 135	CM 230 LEVEL CM	21825,8137 litre	90,762 %	2221,5073 litre	O
420	CM 135	CM 229 LEVEL CM	21744,8306 litre	90,425 %	2302,4904 litre	O
420	CM 135	CM 228 LEVEL CM	21663,0326 litre	90,085 %	2384,2884 litre	O
420	CM 135	CM 227 LEVEL CM	21580,4363 litre	89,742 %	2466,8847 litre	O
420	CM 135	CM 226 LEVEL CM	21497,0576 litre	89,395 %	2550,2634 litre	O
420	CM 135	CM 225 LEVEL CM	21412,9125 litre	89,045 %	2634,4085 litre	O
420	CM 135	CM 224 LEVEL CM	21328,0159 litre	88,692 %	2719,3051 litre	O
420	CM 135	CM 223 LEVEL CM	21242,3829 litre	88,336 %	2804,9381 litre	O
420	CM 135	CM 222 LEVEL CM	21156,0277 litre	87,977 %	2891,2933 litre	O
420	CM 135	CM 221 LEVEL CM	21068,9646 litre	87,615 %	2978,3564 litre	O
420	CM 135	CM 220 LEVEL CM	20981,2073 litre	87,250 %	3066,1137 litre	O
420	CM 135	CM 219 LEVEL CM	20892,7692 litre	86,882 %	3154,5518 litre	O

420	CM	135	CM	218 LEVEL CM	20803,6633 litre	86,511 %	3243,6577 litre	O
420	CM	135	CM	217 LEVEL CM	20713,9027 litre	86,138 %	3333,4183 litre	O
420	CM	135	CM	216 LEVEL CM	20623,4997 litre	85,762 %	3423,8213 litre	O
420	CM	135	CM	215 LEVEL CM	20532,4667 litre	85,384 %	3514,8543 litre	O
420	CM	135	CM	214 LEVEL CM	20440,8158 litre	85,002 %	3606,5052 litre	O
420	CM	135	CM	213 LEVEL CM	20348,5586 litre	84,619 %	3698,7624 litre	O
420	CM	135	CM	212 LEVEL CM	20255,7067 litre	84,233 %	3791,6143 litre	O
420	CM	135	CM	211 LEVEL CM	20162,2716 litre	83,844 %	3885,0494 litre	O
420	CM	135	CM	210 LEVEL CM	20068,2643 litre	83,453 %	3979,0567 litre	O
420	CM	135	CM	209 LEVEL CM	19973,6957 litre	83,060 %	4073,6253 litre	O
420	CM	135	CM	208 LEVEL CM	19878,5766 litre	82,664 %	4168,7444 litre	O
420	CM	135	CM	207 LEVEL CM	19782,9174 litre	82,267 %	4264,4036 litre	O
420	CM	135	CM	206 LEVEL CM	19686,7287 litre	81,867 %	4360,5923 litre	O
420	CM	135	CM	205 LEVEL CM	19590,0205 litre	81,464 %	4457,3005 litre	O
420	CM	135	CM	204 LEVEL CM	19492,8029 litre	81,060 %	4554,5181 litre	O
420	CM	135	CM	203 LEVEL CM	19395,0859 litre	80,654 %	4652,2351 litre	O
420	CM	135	CM	202 LEVEL CM	19296,8790 litre	80,245 %	4750,4420 litre	O
420	CM	135	CM	201 LEVEL CM	19198,1919 litre	79,835 %	4849,1291 litre	O
420	CM	135	CM	200 LEVEL CM	19099,0340 litre	79,423 %	4948,2870 litre	O
420	CM	135	CM	199 LEVEL CM	18999,4147 litre	79,008 %	5047,9063 litre	O
420	CM	135	CM	198 LEVEL CM	18899,3431 litre	78,592 %	5147,9779 litre	O
420	CM	135	CM	197 LEVEL CM	18798,8282 litre	78,174 %	5248,4928 litre	O
420	CM	135	CM	196 LEVEL CM	18697,8791 litre	77,755 %	5349,4419 litre	O
420	CM	135	CM	195 LEVEL CM	18596,5044 litre	77,333 %	5450,8166 litre	O
420	CM	135	CM	194 LEVEL CM	18494,7131 litre	76,910 %	5552,6079 litre	O
420	CM	135	CM	193 LEVEL CM	18392,5135 litre	76,485 %	5654,8075 litre	O
420	CM	135	CM	192 LEVEL CM	18289,9143 litre	76,058 %	5757,4067 litre	O
420	CM	135	CM	191 LEVEL CM	18186,9238 litre	75,630 %	5860,3972 litre	O
420	CM	135	CM	190 LEVEL CM	18083,5504 litre	75,200 %	5963,7706 litre	O
420	CM	135	CM	189 LEVEL CM	17979,8022 litre	74,768 %	6067,5188 litre	O
420	CM	135	CM	188 LEVEL CM	17875,6875 litre	74,335 %	6171,6335 litre	O
420	CM	135	CM	187 LEVEL CM	17771,2141 litre	73,901 %	6276,1069 litre	O
420	CM	135	CM	186 LEVEL CM	17666,3901 litre	73,465 %	6380,9309 litre	O
420	CM	135	CM	185 LEVEL CM	17561,2234 litre	73,028 %	6486,0976 litre	O
420	CM	135	CM	184 LEVEL CM	17455,7218 litre	72,589 %	6591,5992 litre	O
420	CM	135	CM	183 LEVEL CM	17349,8930 litre	72,149 %	6697,4280 litre	O
420	CM	135	CM	182 LEVEL CM	17243,7446 litre	71,708 %	6803,5764 litre	O
420	CM	135	CM	181 LEVEL CM	17137,2842 litre	71,265 %	6910,0368 litre	O
420	CM	135	CM	180 LEVEL CM	17030,5194 litre	70,821 %	7016,8016 litre	O
420	CM	135	CM	179 LEVEL CM	16923,4576 litre	70,376 %	7123,8634 litre	O
420	CM	135	CM	178 LEVEL CM	16816,1062 litre	69,929 %	7231,2148 litre	O
420	CM	135	CM	177 LEVEL CM	16708,4725 litre	69,482 %	7338,8485 litre	O
420	CM	135	CM	176 LEVEL CM	16600,5639 litre	69,033 %	7446,7571 litre	O
420	CM	135	CM	175 LEVEL CM	16492,3875 litre	68,583 %	7554,9335 litre	O
420	CM	135	CM	174 LEVEL CM	16383,9505 litre	68,132 %	7663,3705 litre	O
420	CM	135	CM	173 LEVEL CM	16275,2600 litre	67,680 %	7772,0610 litre	O
420	CM	135	CM	172 LEVEL CM	16166,3231 litre	67,227 %	7880,9979 litre	O
420	CM	135	CM	171 LEVEL CM	16057,1468 litre	66,773 %	7990,1742 litre	O
420	CM	135	CM	170 LEVEL CM	15947,7381 litre	66,318 %	8099,5829 litre	O
420	CM	135	CM	169 LEVEL CM	15838,1039 litre	65,862 %	8209,2171 litre	O
420	CM	135	CM	168 LEVEL CM	15728,2511 litre	65,405 %	8319,0699 litre	O
420	CM	135	CM	167 LEVEL CM	15618,1865 litre	64,948 %	8429,1345 litre	O
420	CM	135	CM	166 LEVEL CM	15507,9170 litre	64,489 %	8539,4040 litre	O

420	CM	135	CM	165 LEVEL CM	15397,4493 litre	64,030 %	8649,8717 litre	O
420	CM	135	CM	164 LEVEL CM	15286,7902 litre	63,570 %	8760,5308 litre	O
420	CM	135	CM	163 LEVEL CM	15175,9462 litre	63,109 %	8871,3748 litre	O
420	CM	135	CM	162 LEVEL CM	15064,9242 litre	62,647 %	8982,3968 litre	O
420	CM	135	CM	161 LEVEL CM	14953,7307 litre	62,185 %	9093,5903 litre	O
420	CM	135	CM	160 LEVEL CM	14842,3724 litre	61,722 %	9204,9486 litre	O
420	CM	135	CM	159 LEVEL CM	14730,8557 litre	61,258 %	9316,4653 litre	O
420	CM	135	CM	158 LEVEL CM	14619,1873 litre	60,793 %	9428,1337 litre	O
420	CM	135	CM	157 LEVEL CM	14507,3737 litre	60,328 %	9539,9473 litre	O
420	CM	135	CM	156 LEVEL CM	14395,4213 litre	59,863 %	9651,8997 litre	O
420	CM	135	CM	155 LEVEL CM	14283,3367 litre	59,397 %	9763,9843 litre	O
420	CM	135	CM	154 LEVEL CM	14171,1262 litre	58,930 %	9876,1948 litre	O
420	CM	135	CM	153 LEVEL CM	14058,7963 litre	58,463 %	9988,5247 litre	O
420	CM	135	CM	152 LEVEL CM	13946,3533 litre	57,995 %	10100,9677 litre	O
420	CM	135	CM	151 LEVEL CM	13833,8038 litre	57,527 %	10213,5172 litre	O
420	CM	135	CM	150 LEVEL CM	13721,1540 litre	57,059 %	10326,1670 litre	O
420	CM	135	CM	149 LEVEL CM	13608,4102 litre	56,590 %	10438,9108 litre	O
420	CM	135	CM	148 LEVEL CM	13495,5789 litre	56,121 %	10551,7421 litre	O
420	CM	135	CM	147 LEVEL CM	13382,6664 litre	55,651 %	10664,6546 litre	O
420	CM	135	CM	146 LEVEL CM	13269,6788 litre	55,182 %	10777,6422 litre	O
420	CM	135	CM	145 LEVEL CM	13156,6226 litre	54,711 %	10890,6984 litre	O
420	CM	135	CM	144 LEVEL CM	13043,5040 litre	54,241 %	11003,8170 litre	O
420	CM	135	CM	143 LEVEL CM	12930,3292 litre	53,770 %	11116,9918 litre	O
420	CM	135	CM	142 LEVEL CM	12817,1046 litre	53,300 %	11230,2164 litre	O
420	CM	135	CM	141 LEVEL CM	12703,8364 litre	52,828 %	11343,4846 litre	O
420	CM	135	CM	140 LEVEL CM	12590,5308 litre	52,357 %	11456,7902 litre	O
420	CM	135	CM	139 LEVEL CM	12477,1941 litre	51,886 %	11570,1269 litre	O
420	CM	135	CM	138 LEVEL CM	12363,8325 litre	51,415 %	11683,4885 litre	O
420	CM	135	CM	137 LEVEL CM	12250,4522 litre	50,943 %	11796,8688 litre	O
420	CM	135	CM	136 LEVEL CM	12137,0594 litre	50,472 %	11910,2616 litre	O
420	CM	135	CM	135 LEVEL CM	12023,6605 litre	50,000 %	12023,6605 litre	O
420	CM	135	CM	134 LEVEL CM	11910,2615 litre	49,528 %	12137,0595 litre	O
420	CM	135	CM	133 LEVEL CM	11796,8688 litre	49,057 %	12250,4522 litre	O
420	CM	135	CM	132 LEVEL CM	11683,4885 litre	48,585 %	12363,8325 litre	O
420	CM	135	CM	131 LEVEL CM	11570,1269 litre	48,114 %	12477,1941 litre	O
420	CM	135	CM	130 LEVEL CM	11456,7901 litre	47,643 %	12590,5309 litre	O
420	CM	135	CM	129 LEVEL CM	11343,4845 litre	47,172 %	12703,8365 litre	O
420	CM	135	CM	128 LEVEL CM	11230,2163 litre	46,700 %	12817,1047 litre	O
420	CM	135	CM	127 LEVEL CM	11116,9917 litre	46,230 %	12930,3293 litre	O
420	CM	135	CM	126 LEVEL CM	11003,8170 litre	45,759 %	13043,5040 litre	O
420	CM	135	CM	125 LEVEL CM	10890,6984 litre	45,289 %	13156,6226 litre	O
420	CM	135	CM	124 LEVEL CM	10777,6422 litre	44,818 %	13269,6788 litre	O
420	CM	135	CM	123 LEVEL CM	10664,6546 litre	44,349 %	13382,6664 litre	O
420	CM	135	CM	122 LEVEL CM	10551,7420 litre	43,879 %	13495,5790 litre	O
420	CM	135	CM	121 LEVEL CM	10438,9107 litre	43,410 %	13608,4103 litre	O
420	CM	135	CM	120 LEVEL CM	10326,1670 litre	42,941 %	13721,1540 litre	O
420	CM	135	CM	119 LEVEL CM	10213,5172 litre	42,473 %	13833,8038 litre	O
420	CM	135	CM	118 LEVEL CM	10100,9676 litre	42,005 %	13946,3534 litre	O
420	CM	135	CM	117 LEVEL CM	9988,5247 litre	41,537 %	14058,7963 litre	O
420	CM	135	CM	116 LEVEL CM	9876,1948 litre	41,070 %	14171,1262 litre	O
420	CM	135	CM	115 LEVEL CM	9763,9843 litre	40,603 %	14283,3367 litre	O
420	CM	135	CM	114 LEVEL CM	9651,8996 litre	40,137 %	14395,4214 litre	O
420	CM	135	CM	113 LEVEL CM	9539,9473 litre	39,672 %	14507,3737 litre	O

420	CM	135	CM	112 LEVEL CM	9428,1336 litre	39,207 %	14619,1874 litre	O
420	CM	135	CM	111 LEVEL CM	9316,4652 litre	38,742 %	14730,8558 litre	O
420	CM	135	CM	110 LEVEL CM	9204,9486 litre	38,278 %	14842,3724 litre	O
420	CM	135	CM	109 LEVEL CM	9093,5902 litre	37,815 %	14953,7308 litre	O
420	CM	135	CM	108 LEVEL CM	8982,3967 litre	37,353 %	15064,9243 litre	O
420	CM	135	CM	107 LEVEL CM	8871,3747 litre	36,891 %	15175,9463 litre	O
420	CM	135	CM	106 LEVEL CM	8760,5308 litre	36,430 %	15286,7902 litre	O
420	CM	135	CM	105 LEVEL CM	8649,8716 litre	35,970 %	15397,4494 litre	O
420	CM	135	CM	104 LEVEL CM	8539,4039 litre	35,511 %	15507,9171 litre	O
420	CM	135	CM	103 LEVEL CM	8429,1344 litre	35,052 %	15618,1866 litre	O
420	CM	135	CM	102 LEVEL CM	8319,0699 litre	34,595 %	15728,2511 litre	O
420	CM	135	CM	101 LEVEL CM	8209,2171 litre	34,138 %	15838,1039 litre	O
420	CM	135	CM	100 LEVEL CM	8099,5829 litre	33,682 %	15947,7381 litre	O
420	CM	135	CM	99 LEVEL CM	7990,1742 litre	33,227 %	16057,1468 litre	O
420	CM	135	CM	98 LEVEL CM	7880,9979 litre	32,773 %	16166,3231 litre	O
420	CM	135	CM	97 LEVEL CM	7772,0610 litre	32,320 %	16275,2600 litre	O
420	CM	135	CM	96 LEVEL CM	7663,3705 litre	31,868 %	16383,9505 litre	O
420	CM	135	CM	95 LEVEL CM	7554,9335 litre	31,417 %	16492,3875 litre	O
420	CM	135	CM	94 LEVEL CM	7446,7571 litre	30,967 %	16600,5639 litre	O
420	CM	135	CM	93 LEVEL CM	7338,8485 litre	30,518 %	16708,4725 litre	O
420	CM	135	CM	92 LEVEL CM	7231,2148 litre	30,071 %	16816,1062 litre	O
420	CM	135	CM	91 LEVEL CM	7123,8634 litre	29,624 %	16923,4576 litre	O
420	CM	135	CM	90 LEVEL CM	7016,8016 litre	29,179 %	17030,5194 litre	O
420	CM	135	CM	89 LEVEL CM	6910,0368 litre	28,735 %	17137,2842 litre	O
420	CM	135	CM	88 LEVEL CM	6803,5764 litre	28,292 %	17243,7446 litre	O
420	CM	135	CM	87 LEVEL CM	6697,4280 litre	27,851 %	17349,8930 litre	O
420	CM	135	CM	86 LEVEL CM	6591,5992 litre	27,411 %	17455,7218 litre	O
420	CM	135	CM	85 LEVEL CM	6486,0975 litre	26,972 %	17561,2235 litre	O
420	CM	135	CM	84 LEVEL CM	6380,9308 litre	26,535 %	17666,3902 litre	O
420	CM	135	CM	83 LEVEL CM	6276,1069 litre	26,099 %	17771,2141 litre	O
420	CM	135	CM	82 LEVEL CM	6171,6335 litre	25,665 %	17875,6875 litre	O
420	CM	135	CM	81 LEVEL CM	6067,5187 litre	25,232 %	17979,8023 litre	O
420	CM	135	CM	80 LEVEL CM	5963,7706 litre	24,800 %	18083,5504 litre	O
420	CM	135	CM	79 LEVEL CM	5860,3971 litre	24,370 %	18186,9239 litre	O
420	CM	135	CM	78 LEVEL CM	5757,4067 litre	23,942 %	18289,9143 litre	O
420	CM	135	CM	77 LEVEL CM	5654,8075 litre	23,515 %	18392,5135 litre	O
420	CM	135	CM	76 LEVEL CM	5552,6079 litre	23,090 %	18494,7131 litre	O
420	CM	135	CM	75 LEVEL CM	5450,8165 litre	22,667 %	18596,5045 litre	O
420	CM	135	CM	74 LEVEL CM	5349,4419 litre	22,245 %	18697,8791 litre	O
420	CM	135	CM	73 LEVEL CM	5248,4928 litre	21,826 %	18798,8282 litre	O
420	CM	135	CM	72 LEVEL CM	5147,9779 litre	21,408 %	18899,3431 litre	O
420	CM	135	CM	71 LEVEL CM	5047,9063 litre	20,992 %	18999,4147 litre	O
420	CM	135	CM	70 LEVEL CM	4948,2870 litre	20,577 %	19099,0340 litre	O
420	CM	135	CM	69 LEVEL CM	4849,1291 litre	20,165 %	19198,1919 litre	O
420	CM	135	CM	68 LEVEL CM	4750,4420 litre	19,755 %	19296,8790 litre	O
420	CM	135	CM	67 LEVEL CM	4652,2351 litre	19,346 %	19395,0859 litre	O
420	CM	135	CM	66 LEVEL CM	4554,5180 litre	18,940 %	19492,8030 litre	O
420	CM	135	CM	65 LEVEL CM	4457,3005 litre	18,536 %	19590,0205 litre	O
420	CM	135	CM	64 LEVEL CM	4360,5923 litre	18,133 %	19686,7287 litre	O
420	CM	135	CM	63 LEVEL CM	4264,4035 litre	17,733 %	19782,9175 litre	O
420	CM	135	CM	62 LEVEL CM	4168,7444 litre	17,336 %	19878,5766 litre	O
420	CM	135	CM	61 LEVEL CM	4073,6253 litre	16,940 %	19973,6957 litre	O
420	CM	135	CM	60 LEVEL CM	3979,0567 litre	16,547 %	20068,2643 litre	O

420	CM	135	CM	59 LEVEL CM	3885,0494 litre	16,156 %	20162,2716 litre	O
420	CM	135	CM	58 LEVEL CM	3791,6142 litre	15,767 %	20255,7068 litre	O
420	CM	135	CM	57 LEVEL CM	3698,7624 litre	15,381 %	20348,5586 litre	O
420	CM	135	CM	56 LEVEL CM	3606,5052 litre	14,998 %	20440,8158 litre	O
420	CM	135	CM	55 LEVEL CM	3514,8542 litre	14,616 %	20532,4668 litre	O
420	CM	135	CM	54 LEVEL CM	3423,8212 litre	14,238 %	20623,4998 litre	O
420	CM	135	CM	53 LEVEL CM	3333,4183 litre	13,862 %	20713,9027 litre	O
420	CM	135	CM	52 LEVEL CM	3243,6576 litre	13,489 %	20803,6634 litre	O
420	CM	135	CM	51 LEVEL CM	3154,5518 litre	13,118 %	20892,7692 litre	O
420	CM	135	CM	50 LEVEL CM	3066,1137 litre	12,750 %	20981,2073 litre	O
420	CM	135	CM	49 LEVEL CM	2978,3564 litre	12,385 %	21068,9646 litre	O
420	CM	135	CM	48 LEVEL CM	2891,2932 litre	12,023 %	21156,0278 litre	O
420	CM	135	CM	47 LEVEL CM	2804,9381 litre	11,664 %	21242,3829 litre	O
420	CM	135	CM	46 LEVEL CM	2719,3051 litre	11,308 %	21328,0159 litre	O
420	CM	135	CM	45 LEVEL CM	2634,4085 litre	10,955 %	21412,9125 litre	O
420	CM	135	CM	44 LEVEL CM	2550,2633 litre	10,605 %	21497,0577 litre	O
420	CM	135	CM	43 LEVEL CM	2466,8847 litre	10,258 %	21580,4363 litre	O
420	CM	135	CM	42 LEVEL CM	2384,2884 litre	9,915 %	21663,0326 litre	O
420	CM	135	CM	41 LEVEL CM	2302,4903 litre	9,575 %	21744,8307 litre	O
420	CM	135	CM	40 LEVEL CM	2221,5073 litre	9,238 %	21825,8137 litre	O
420	CM	135	CM	39 LEVEL CM	2141,3562 litre	8,905 %	21905,9648 litre	O
420	CM	135	CM	38 LEVEL CM	2062,0548 litre	8,575 %	21985,2662 litre	O
420	CM	135	CM	37 LEVEL CM	1983,6212 litre	8,249 %	22063,6998 litre	O
420	CM	135	CM	36 LEVEL CM	1906,0742 litre	7,926 %	22141,2468 litre	O
420	CM	135	CM	35 LEVEL CM	1829,4334 litre	7,608 %	22217,8876 litre	O
420	CM	135	CM	34 LEVEL CM	1753,7189 litre	7,293 %	22293,6021 litre	O
420	CM	135	CM	33 LEVEL CM	1678,9515 litre	6,982 %	22368,3695 litre	O
420	CM	135	CM	32 LEVEL CM	1605,1531 litre	6,675 %	22442,1679 litre	O
420	CM	135	CM	31 LEVEL CM	1532,3461 litre	6,372 %	22514,9749 litre	O
420	CM	135	CM	30 LEVEL CM	1460,5542 litre	6,074 %	22586,7668 litre	O
420	CM	135	CM	29 LEVEL CM	1389,8017 litre	5,779 %	22657,5193 litre	O
420	CM	135	CM	28 LEVEL CM	1320,1145 litre	5,490 %	22727,2065 litre	O
420	CM	135	CM	27 LEVEL CM	1251,5192 litre	5,204 %	22795,8018 litre	O
420	CM	135	CM	26 LEVEL CM	1184,0441 litre	4,924 %	22863,2769 litre	O
420	CM	135	CM	25 LEVEL CM	1117,7186 litre	4,648 %	22929,6024 litre	O
420	CM	135	CM	24 LEVEL CM	1052,5740 litre	4,377 %	22994,7470 litre	O
420	CM	135	CM	23 LEVEL CM	988,6429 litre	4,111 %	23058,6781 litre	O
420	CM	135	CM	22 LEVEL CM	925,9602 litre	3,851 %	23121,3608 litre	O
420	CM	135	CM	21 LEVEL CM	864,5628 litre	3,595 %	23182,7582 litre	O
420	CM	135	CM	20 LEVEL CM	804,4899 litre	3,345 %	23242,8311 litre	O
420	CM	135	CM	19 LEVEL CM	745,7833 litre	3,101 %	23301,5377 litre	O
420	CM	135	CM	18 LEVEL CM	688,4880 litre	2,863 %	23358,8330 litre	O
420	CM	135	CM	17 LEVEL CM	632,6523 litre	2,631 %	23414,6687 litre	O
420	CM	135	CM	16 LEVEL CM	578,3283 litre	2,405 %	23468,9927 litre	O
420	CM	135	CM	15 LEVEL CM	525,5728 litre	2,186 %	23521,7482 litre	O
420	CM	135	CM	14 LEVEL CM	474,4477 litre	1,973 %	23572,8733 litre	O
420	CM	135	CM	13 LEVEL CM	425,0209 litre	1,767 %	23622,3001 litre	O
420	CM	135	CM	12 LEVEL CM	377,3678 litre	1,569 %	23669,9532 litre	O
420	CM	135	CM	11 LEVEL CM	331,5725 litre	1,379 %	23715,7485 litre	O
420	CM	135	CM	10 LEVEL CM	287,7297 litre	1,197 %	23759,5913 litre	O
420	CM	135	CM	9 LEVEL CM	245,9475 litre	1,023 %	23801,3735 litre	O
420	CM	135	CM	8 LEVEL CM	206,3509 litre	0,858 %	23840,9701 litre	O
420	CM	135	CM	7 LEVEL CM	169,0869 litre	0,703 %	23878,2341 litre	O

420	CM	135	CM	6 LEVEL CM	134,3322 litre	0,559 %	23912,9888 litre	0
420	CM	135	CM	5 LEVEL CM	102,3051 litre	0,425 %	23945,0159 litre	0
420	CM	135	CM	4 LEVEL CM	73,2859 litre	0,305 %	23974,0351 litre	0
420	CM	135	CM	3 LEVEL CM	47,6539 litre	0,198 %	23999,6671 litre	0
420	CM	135	CM	2 LEVEL CM	25,9685 litre	0,108 %	24021,3525 litre	0
420	CM	135	CM	1 LEVEL CM	9,1915 litre	0,038 %	24038,1295 litre	0
420	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	24047,3210 litre	0

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 130	CM 260 LEVEL CM	22299,0247 litre	100,000 %	0,0000 litre	O
420	CM 130	CM 259 LEVEL CM	22290,0054 litre	99,960 %	9,0193 litre	O
420	CM 130	CM 258 LEVEL CM	22273,5437 litre	99,886 %	25,4810 litre	O
420	CM 130	CM 257 LEVEL CM	22252,2676 litre	99,790 %	46,7571 litre	O
420	CM 130	CM 256 LEVEL CM	22227,1212 litre	99,678 %	71,9035 litre	O
420	CM 130	CM 255 LEVEL CM	22198,6537 litre	99,550 %	100,3710 litre	O
420	CM 130	CM 254 LEVEL CM	22167,2379 litre	99,409 %	131,7868 litre	O
420	CM 130	CM 253 LEVEL CM	22133,1490 litre	99,256 %	165,8757 litre	O
420	CM 130	CM 252 LEVEL CM	22096,6017 litre	99,092 %	202,4230 litre	O
420	CM 130	CM 251 LEVEL CM	22057,7696 litre	98,918 %	241,2551 litre	O
420	CM 130	CM 250 LEVEL CM	22016,7973 litre	98,734 %	282,2274 litre	O
420	CM 130	CM 249 LEVEL CM	21973,8076 litre	98,542 %	325,2171 litre	O
420	CM 130	CM 248 LEVEL CM	21928,9068 litre	98,340 %	370,1179 litre	O
420	CM 130	CM 247 LEVEL CM	21882,1882 litre	98,131 %	416,8365 litre	O
420	CM 130	CM 246 LEVEL CM	21833,7345 litre	97,913 %	465,2902 litre	O
420	CM 130	CM 245 LEVEL CM	21783,6198 litre	97,689 %	515,4049 litre	O
420	CM 130	CM 244 LEVEL CM	21731,9111 litre	97,457 %	567,1136 litre	O
420	CM 130	CM 243 LEVEL CM	21678,6694 litre	97,218 %	620,3553 litre	O
420	CM 130	CM 242 LEVEL CM	21623,9506 litre	96,973 %	675,0741 litre	O
420	CM 130	CM 241 LEVEL CM	21567,8059 litre	96,721 %	731,2188 litre	O
420	CM 130	CM 240 LEVEL CM	21510,2831 litre	96,463 %	788,7416 litre	O
420	CM 130	CM 239 LEVEL CM	21451,4263 litre	96,199 %	847,5984 litre	O
420	CM 130	CM 238 LEVEL CM	21391,2770 litre	95,929 %	907,7477 litre	O
420	CM 130	CM 237 LEVEL CM	21329,8737 litre	95,654 %	969,1510 litre	O
420	CM 130	CM 236 LEVEL CM	21267,2528 litre	95,373 %	1031,7719 litre	O
420	CM 130	CM 235 LEVEL CM	21203,4487 litre	95,087 %	1095,5760 litre	O
420	CM 130	CM 234 LEVEL CM	21138,4938 litre	94,796 %	1160,5309 litre	O
420	CM 130	CM 233 LEVEL CM	21072,4187 litre	94,499 %	1226,6060 litre	O
420	CM 130	CM 232 LEVEL CM	21005,2527 litre	94,198 %	1293,7720 litre	O
420	CM 130	CM 231 LEVEL CM	20937,0235 litre	93,892 %	1362,0012 litre	O
420	CM 130	CM 230 LEVEL CM	20867,7577 litre	93,581 %	1431,2670 litre	O
420	CM 130	CM 229 LEVEL CM	20797,4805 litre	93,266 %	1501,5442 litre	O
420	CM 130	CM 228 LEVEL CM	20726,2162 litre	92,947 %	1572,8085 litre	O
420	CM 130	CM 227 LEVEL CM	20653,9881 litre	92,623 %	1645,0366 litre	O
420	CM 130	CM 226 LEVEL CM	20580,8186 litre	92,295 %	1718,2061 litre	O
420	CM 130	CM 225 LEVEL CM	20506,7290 litre	91,962 %	1792,2957 litre	O
420	CM 130	CM 224 LEVEL CM	20431,7401 litre	91,626 %	1867,2846 litre	O
420	CM 130	CM 223 LEVEL CM	20355,8719 litre	91,286 %	1943,1528 litre	O
420	CM 130	CM 222 LEVEL CM	20279,1436 litre	90,942 %	2019,8811 litre	O
420	CM 130	CM 221 LEVEL CM	20201,5739 litre	90,594 %	2097,4508 litre	O
420	CM 130	CM 220 LEVEL CM	20123,1807 litre	90,242 %	2175,8440 litre	O
420	CM 130	CM 219 LEVEL CM	20043,9817 litre	89,887 %	2255,0430 litre	O
420	CM 130	CM 218 LEVEL CM	19963,9936 litre	89,529 %	2335,0311 litre	O
420	CM 130	CM 217 LEVEL CM	19883,2329 litre	89,166 %	2415,7918 litre	O
420	CM 130	CM 216 LEVEL CM	19801,7157 litre	88,801 %	2497,3090 litre	O
420	CM 130	CM 215 LEVEL CM	19719,4574 litre	88,432 %	2579,5673 litre	O
420	CM 130	CM 214 LEVEL CM	19636,4732 litre	88,060 %	2662,5515 litre	O
420	CM 130	CM 213 LEVEL CM	19552,7778 litre	87,684 %	2746,2469 litre	O
420	CM 130	CM 212 LEVEL CM	19468,3856 litre	87,306 %	2830,6391 litre	O
420	CM 130	CM 211 LEVEL CM	19383,3105 litre	86,924 %	2915,7142 litre	O
420	CM 130	CM 210 LEVEL CM	19297,5662 litre	86,540 %	3001,4585 litre	O
420	CM 130	CM 209 LEVEL CM	19211,1661 litre	86,152 %	3087,8586 litre	O

420	CM	130	CM	208 LEVEL CM	19124,1232 litre	85,762 %	3174,9015 litre	O
420	CM	130	CM	207 LEVEL CM	19036,4503 litre	85,369 %	3262,5744 litre	O
420	CM	130	CM	206 LEVEL CM	18948,1598 litre	84,973 %	3350,8649 litre	O
420	CM	130	CM	205 LEVEL CM	18859,2641 litre	84,574 %	3439,7606 litre	O
420	CM	130	CM	204 LEVEL CM	18769,7750 litre	84,173 %	3529,2497 litre	O
420	CM	130	CM	203 LEVEL CM	18679,7043 litre	83,769 %	3619,3204 litre	O
420	CM	130	CM	202 LEVEL CM	18589,0636 litre	83,363 %	3709,9611 litre	O
420	CM	130	CM	201 LEVEL CM	18497,8641 litre	82,954 %	3801,1606 litre	O
420	CM	130	CM	200 LEVEL CM	18406,1169 litre	82,542 %	3892,9078 litre	O
420	CM	130	CM	199 LEVEL CM	18313,8329 litre	82,128 %	3985,1918 litre	O
420	CM	130	CM	198 LEVEL CM	18221,0228 litre	81,712 %	4078,0019 litre	O
420	CM	130	CM	197 LEVEL CM	18127,6972 litre	81,294 %	4171,3275 litre	O
420	CM	130	CM	196 LEVEL CM	18033,8664 litre	80,873 %	4265,1583 litre	O
420	CM	130	CM	195 LEVEL CM	17939,5406 litre	80,450 %	4359,4841 litre	O
420	CM	130	CM	194 LEVEL CM	17844,7298 litre	80,025 %	4454,2949 litre	O
420	CM	130	CM	193 LEVEL CM	17749,4439 litre	79,597 %	4549,5808 litre	O
420	CM	130	CM	192 LEVEL CM	17653,6926 litre	79,168 %	4645,3321 litre	O
420	CM	130	CM	191 LEVEL CM	17557,4854 litre	78,737 %	4741,5393 litre	O
420	CM	130	CM	190 LEVEL CM	17460,8320 litre	78,303 %	4838,1927 litre	O
420	CM	130	CM	189 LEVEL CM	17363,7415 litre	77,868 %	4935,2832 litre	O
420	CM	130	CM	188 LEVEL CM	17266,2231 litre	77,430 %	5032,8016 litre	O
420	CM	130	CM	187 LEVEL CM	17168,2860 litre	76,991 %	5130,7387 litre	O
420	CM	130	CM	186 LEVEL CM	17069,9391 litre	76,550 %	5229,0856 litre	O
420	CM	130	CM	185 LEVEL CM	16971,1912 litre	76,107 %	5327,8335 litre	O
420	CM	130	CM	184 LEVEL CM	16872,0511 litre	75,663 %	5426,9736 litre	O
420	CM	130	CM	183 LEVEL CM	16772,5274 litre	75,216 %	5526,4973 litre	O
420	CM	130	CM	182 LEVEL CM	16672,6287 litre	74,768 %	5626,3960 litre	O
420	CM	130	CM	181 LEVEL CM	16572,3633 litre	74,319 %	5726,6614 litre	O
420	CM	130	CM	180 LEVEL CM	16471,7397 litre	73,868 %	5827,2850 litre	O
420	CM	130	CM	179 LEVEL CM	16370,7661 litre	73,415 %	5928,2586 litre	O
420	CM	130	CM	178 LEVEL CM	16269,4506 litre	72,960 %	6029,5741 litre	O
420	CM	130	CM	177 LEVEL CM	16167,8014 litre	72,505 %	6131,2233 litre	O
420	CM	130	CM	176 LEVEL CM	16065,8264 litre	72,047 %	6233,1983 litre	O
420	CM	130	CM	175 LEVEL CM	15963,5337 litre	71,588 %	6335,4910 litre	O
420	CM	130	CM	174 LEVEL CM	15860,9310 litre	71,128 %	6438,0937 litre	O
420	CM	130	CM	173 LEVEL CM	15758,0262 litre	70,667 %	6540,9985 litre	O
420	CM	130	CM	172 LEVEL CM	15654,8270 litre	70,204 %	6644,1977 litre	O
420	CM	130	CM	171 LEVEL CM	15551,3409 litre	69,740 %	6747,6838 litre	O
420	CM	130	CM	170 LEVEL CM	15447,5758 litre	69,275 %	6851,4489 litre	O
420	CM	130	CM	169 LEVEL CM	15343,5389 litre	68,808 %	6955,4858 litre	O
420	CM	130	CM	168 LEVEL CM	15239,2379 litre	68,340 %	7059,7868 litre	O
420	CM	130	CM	167 LEVEL CM	15134,6802 litre	67,871 %	7164,3445 litre	O
420	CM	130	CM	166 LEVEL CM	15029,8730 litre	67,401 %	7269,1517 litre	O
420	CM	130	CM	165 LEVEL CM	14924,8237 litre	66,930 %	7374,2010 litre	O
420	CM	130	CM	164 LEVEL CM	14819,5397 litre	66,458 %	7479,4850 litre	O
420	CM	130	CM	163 LEVEL CM	14714,0280 litre	65,985 %	7584,9967 litre	O
420	CM	130	CM	162 LEVEL CM	14608,2958 litre	65,511 %	7690,7289 litre	O
420	CM	130	CM	161 LEVEL CM	14502,3503 litre	65,036 %	7796,6744 litre	O
420	CM	130	CM	160 LEVEL CM	14396,1986 litre	64,560 %	7902,8261 litre	O
420	CM	130	CM	159 LEVEL CM	14289,8476 litre	64,083 %	8009,1771 litre	O
420	CM	130	CM	158 LEVEL CM	14183,3044 litre	63,605 %	8115,7203 litre	O
420	CM	130	CM	157 LEVEL CM	14076,5759 litre	63,126 %	8222,4488 litre	O
420	CM	130	CM	156 LEVEL CM	13969,6691 litre	62,647 %	8329,3556 litre	O

420	CM	130	CM	155 LEVEL CM	13862,5908 litre	62,167 %	8436,4339 litre	O
420	CM	130	CM	154 LEVEL CM	13755,3479 litre	61,686 %	8543,6768 litre	O
420	CM	130	CM	153 LEVEL CM	13647,9472 litre	61,204 %	8651,0775 litre	O
420	CM	130	CM	152 LEVEL CM	13540,3955 litre	60,722 %	8758,6292 litre	O
420	CM	130	CM	151 LEVEL CM	13432,6995 litre	60,239 %	8866,3252 litre	O
420	CM	130	CM	150 LEVEL CM	13324,8661 litre	59,755 %	8974,1586 litre	O
420	CM	130	CM	149 LEVEL CM	13216,9019 litre	59,271 %	9082,1228 litre	O
420	CM	130	CM	148 LEVEL CM	13108,8135 litre	58,786 %	9190,2112 litre	O
420	CM	130	CM	147 LEVEL CM	13000,6077 litre	58,301 %	9298,4170 litre	O
420	CM	130	CM	146 LEVEL CM	12892,2912 litre	57,815 %	9406,7335 litre	O
420	CM	130	CM	145 LEVEL CM	12783,8704 litre	57,329 %	9515,1543 litre	O
420	CM	130	CM	144 LEVEL CM	12675,3521 litre	56,843 %	9623,6726 litre	O
420	CM	130	CM	143 LEVEL CM	12566,7428 litre	56,356 %	9732,2819 litre	O
420	CM	130	CM	142 LEVEL CM	12458,0490 litre	55,868 %	9840,9757 litre	O
420	CM	130	CM	141 LEVEL CM	12349,2774 litre	55,380 %	9949,7473 litre	O
420	CM	130	CM	140 LEVEL CM	12240,4344 litre	54,892 %	10058,5903 litre	O
420	CM	130	CM	139 LEVEL CM	12131,5267 litre	54,404 %	10167,4980 litre	O
420	CM	130	CM	138 LEVEL CM	12022,5606 litre	53,915 %	10276,4641 litre	O
420	CM	130	CM	137 LEVEL CM	11913,5428 litre	53,426 %	10385,4819 litre	O
420	CM	130	CM	136 LEVEL CM	11804,4796 litre	52,937 %	10494,5451 litre	O
420	CM	130	CM	135 LEVEL CM	11695,3777 litre	52,448 %	10603,6470 litre	O
420	CM	130	CM	134 LEVEL CM	11586,2434 litre	51,959 %	10712,7813 litre	O
420	CM	130	CM	133 LEVEL CM	11477,0832 litre	51,469 %	10821,9415 litre	O
420	CM	130	CM	132 LEVEL CM	11367,9037 litre	50,979 %	10931,1210 litre	O
420	CM	130	CM	131 LEVEL CM	11258,7113 litre	50,490 %	11040,3134 litre	O
420	CM	130	CM	130 LEVEL CM	11149,5123 litre	50,000 %	11149,5124 litre	O
420	CM	130	CM	129 LEVEL CM	11040,3134 litre	49,510 %	11258,7113 litre	O
420	CM	130	CM	128 LEVEL CM	10931,1209 litre	49,021 %	11367,9038 litre	O
420	CM	130	CM	127 LEVEL CM	10821,9414 litre	48,531 %	11477,0833 litre	O
420	CM	130	CM	126 LEVEL CM	10712,7813 litre	48,041 %	11586,2434 litre	O
420	CM	130	CM	125 LEVEL CM	10603,6470 litre	47,552 %	11695,3777 litre	O
420	CM	130	CM	124 LEVEL CM	10494,5450 litre	47,063 %	11804,4797 litre	O
420	CM	130	CM	123 LEVEL CM	10385,4819 litre	46,574 %	11913,5428 litre	O
420	CM	130	CM	122 LEVEL CM	10276,4640 litre	46,085 %	12022,5607 litre	O
420	CM	130	CM	121 LEVEL CM	10167,4980 litre	45,596 %	12131,5267 litre	O
420	CM	130	CM	120 LEVEL CM	10058,5902 litre	45,108 %	12240,4345 litre	O
420	CM	130	CM	119 LEVEL CM	9949,7473 litre	44,620 %	12349,2774 litre	O
420	CM	130	CM	118 LEVEL CM	9840,9756 litre	44,132 %	12458,0491 litre	O
420	CM	130	CM	117 LEVEL CM	9732,2819 litre	43,644 %	12566,7428 litre	O
420	CM	130	CM	116 LEVEL CM	9623,6726 litre	43,157 %	12675,3521 litre	O
420	CM	130	CM	115 LEVEL CM	9515,1542 litre	42,671 %	12783,8705 litre	O
420	CM	130	CM	114 LEVEL CM	9406,7335 litre	42,185 %	12892,2912 litre	O
420	CM	130	CM	113 LEVEL CM	9298,4169 litre	41,699 %	13000,6078 litre	O
420	CM	130	CM	112 LEVEL CM	9190,2111 litre	41,214 %	13108,8136 litre	O
420	CM	130	CM	111 LEVEL CM	9082,1228 litre	40,729 %	13216,9019 litre	O
420	CM	130	CM	110 LEVEL CM	8974,1586 litre	40,245 %	13324,8661 litre	O
420	CM	130	CM	109 LEVEL CM	8866,3251 litre	39,761 %	13432,6996 litre	O
420	CM	130	CM	108 LEVEL CM	8758,6292 litre	39,278 %	13540,3955 litre	O
420	CM	130	CM	107 LEVEL CM	8651,0775 litre	38,796 %	13647,9472 litre	O
420	CM	130	CM	106 LEVEL CM	8543,6768 litre	38,314 %	13755,3479 litre	O
420	CM	130	CM	105 LEVEL CM	8436,4339 litre	37,833 %	13862,5908 litre	O
420	CM	130	CM	104 LEVEL CM	8329,3556 litre	37,353 %	13969,6691 litre	O
420	CM	130	CM	103 LEVEL CM	8222,4487 litre	36,874 %	14076,5760 litre	O

420	CM	130	CM	102 LEVEL CM	8115,7202 litre	36,395 %	14183,3045 litre	O
420	CM	130	CM	101 LEVEL CM	8009,1770 litre	35,917 %	14289,8477 litre	O
420	CM	130	CM	100 LEVEL CM	7902,8261 litre	35,440 %	14396,1986 litre	O
420	CM	130	CM	99 LEVEL CM	7796,6743 litre	34,964 %	14502,3504 litre	O
420	CM	130	CM	98 LEVEL CM	7690,7288 litre	34,489 %	14608,2959 litre	O
420	CM	130	CM	97 LEVEL CM	7584,9967 litre	34,015 %	14714,0280 litre	O
420	CM	130	CM	96 LEVEL CM	7479,4850 litre	33,542 %	14819,5397 litre	O
420	CM	130	CM	95 LEVEL CM	7374,2009 litre	33,070 %	14924,8238 litre	O
420	CM	130	CM	94 LEVEL CM	7269,1517 litre	32,599 %	15029,8730 litre	O
420	CM	130	CM	93 LEVEL CM	7164,3445 litre	32,129 %	15134,6802 litre	O
420	CM	130	CM	92 LEVEL CM	7059,7867 litre	31,660 %	15239,2380 litre	O
420	CM	130	CM	91 LEVEL CM	6955,4857 litre	31,192 %	15343,5390 litre	O
420	CM	130	CM	90 LEVEL CM	6851,4489 litre	30,725 %	15447,5758 litre	O
420	CM	130	CM	89 LEVEL CM	6747,6837 litre	30,260 %	15551,3410 litre	O
420	CM	130	CM	88 LEVEL CM	6644,1977 litre	29,796 %	15654,8270 litre	O
420	CM	130	CM	87 LEVEL CM	6540,9985 litre	29,333 %	15758,0262 litre	O
420	CM	130	CM	86 LEVEL CM	6438,0936 litre	28,872 %	15860,9311 litre	O
420	CM	130	CM	85 LEVEL CM	6335,4910 litre	28,412 %	15963,5337 litre	O
420	CM	130	CM	84 LEVEL CM	6233,1982 litre	27,953 %	16065,8265 litre	O
420	CM	130	CM	83 LEVEL CM	6131,2233 litre	27,495 %	16167,8014 litre	O
420	CM	130	CM	82 LEVEL CM	6029,5741 litre	27,040 %	16269,4506 litre	O
420	CM	130	CM	81 LEVEL CM	5928,2586 litre	26,585 %	16370,7661 litre	O
420	CM	130	CM	80 LEVEL CM	5827,2850 litre	26,132 %	16471,7397 litre	O
420	CM	130	CM	79 LEVEL CM	5726,6613 litre	25,681 %	16572,3634 litre	O
420	CM	130	CM	78 LEVEL CM	5626,3960 litre	25,232 %	16672,6287 litre	O
420	CM	130	CM	77 LEVEL CM	5526,4972 litre	24,784 %	16772,5275 litre	O
420	CM	130	CM	76 LEVEL CM	5426,9735 litre	24,337 %	16872,0512 litre	O
420	CM	130	CM	75 LEVEL CM	5327,8334 litre	23,893 %	16971,1913 litre	O
420	CM	130	CM	74 LEVEL CM	5229,0855 litre	23,450 %	17069,9392 litre	O
420	CM	130	CM	73 LEVEL CM	5130,7386 litre	23,009 %	17168,2861 litre	O
420	CM	130	CM	72 LEVEL CM	5032,8015 litre	22,570 %	17266,2232 litre	O
420	CM	130	CM	71 LEVEL CM	4935,2832 litre	22,132 %	17363,7415 litre	O
420	CM	130	CM	70 LEVEL CM	4838,1927 litre	21,697 %	17460,8320 litre	O
420	CM	130	CM	69 LEVEL CM	4741,5392 litre	21,263 %	17557,4855 litre	O
420	CM	130	CM	68 LEVEL CM	4645,3321 litre	20,832 %	17653,6926 litre	O
420	CM	130	CM	67 LEVEL CM	4549,5808 litre	20,403 %	17749,4439 litre	O
420	CM	130	CM	66 LEVEL CM	4454,2949 litre	19,975 %	17844,7298 litre	O
420	CM	130	CM	65 LEVEL CM	4359,4841 litre	19,550 %	17939,5406 litre	O
420	CM	130	CM	64 LEVEL CM	4265,1582 litre	19,127 %	18033,8665 litre	O
420	CM	130	CM	63 LEVEL CM	4171,3274 litre	18,706 %	18127,6973 litre	O
420	CM	130	CM	62 LEVEL CM	4078,0018 litre	18,288 %	18221,0229 litre	O
420	CM	130	CM	61 LEVEL CM	3985,1918 litre	17,872 %	18313,8329 litre	O
420	CM	130	CM	60 LEVEL CM	3892,9078 litre	17,458 %	18406,1169 litre	O
420	CM	130	CM	59 LEVEL CM	3801,1606 litre	17,046 %	18497,8641 litre	O
420	CM	130	CM	58 LEVEL CM	3709,9611 litre	16,637 %	18589,0636 litre	O
420	CM	130	CM	57 LEVEL CM	3619,3203 litre	16,231 %	18679,7044 litre	O
420	CM	130	CM	56 LEVEL CM	3529,2496 litre	15,827 %	18769,7751 litre	O
420	CM	130	CM	55 LEVEL CM	3439,7606 litre	15,426 %	18859,2641 litre	O
420	CM	130	CM	54 LEVEL CM	3350,8648 litre	15,027 %	18948,1599 litre	O
420	CM	130	CM	53 LEVEL CM	3262,5744 litre	14,631 %	19036,4503 litre	O
420	CM	130	CM	52 LEVEL CM	3174,9015 litre	14,238 %	19124,1232 litre	O
420	CM	130	CM	51 LEVEL CM	3087,8586 litre	13,848 %	19211,1661 litre	O
420	CM	130	CM	50 LEVEL CM	3001,4585 litre	13,460 %	19297,5662 litre	O

420	CM	130	CM	49 LEVEL CM	2915,7142 litre	13,076 %	19383,3105 litre	O
420	CM	130	CM	48 LEVEL CM	2830,6391 litre	12,694 %	19468,3856 litre	O
420	CM	130	CM	47 LEVEL CM	2746,2469 litre	12,316 %	19552,7778 litre	O
420	CM	130	CM	46 LEVEL CM	2662,5515 litre	11,940 %	19636,4732 litre	O
420	CM	130	CM	45 LEVEL CM	2579,5673 litre	11,568 %	19719,4574 litre	O
420	CM	130	CM	44 LEVEL CM	2497,3090 litre	11,199 %	19801,7157 litre	O
420	CM	130	CM	43 LEVEL CM	2415,7917 litre	10,834 %	19883,2330 litre	O
420	CM	130	CM	42 LEVEL CM	2335,0311 litre	10,471 %	19963,9936 litre	O
420	CM	130	CM	41 LEVEL CM	2255,0430 litre	10,113 %	20043,9817 litre	O
420	CM	130	CM	40 LEVEL CM	2175,8439 litre	9,758 %	20123,1808 litre	O
420	CM	130	CM	39 LEVEL CM	2097,4508 litre	9,406 %	20201,5739 litre	O
420	CM	130	CM	38 LEVEL CM	2019,8810 litre	9,058 %	20279,1437 litre	O
420	CM	130	CM	37 LEVEL CM	1943,1527 litre	8,714 %	20355,8720 litre	O
420	CM	130	CM	36 LEVEL CM	1867,2845 litre	8,374 %	20431,7402 litre	O
420	CM	130	CM	35 LEVEL CM	1792,2956 litre	8,038 %	20506,7291 litre	O
420	CM	130	CM	34 LEVEL CM	1718,2061 litre	7,705 %	20580,8186 litre	O
420	CM	130	CM	33 LEVEL CM	1645,0365 litre	7,377 %	20653,9882 litre	O
420	CM	130	CM	32 LEVEL CM	1572,8084 litre	7,053 %	20726,2163 litre	O
420	CM	130	CM	31 LEVEL CM	1501,5442 litre	6,734 %	20797,4805 litre	O
420	CM	130	CM	30 LEVEL CM	1431,2670 litre	6,419 %	20867,7577 litre	O
420	CM	130	CM	29 LEVEL CM	1362,0012 litre	6,108 %	20937,0235 litre	O
420	CM	130	CM	28 LEVEL CM	1293,7720 litre	5,802 %	21005,2527 litre	O
420	CM	130	CM	27 LEVEL CM	1226,6059 litre	5,501 %	21072,4188 litre	O
420	CM	130	CM	26 LEVEL CM	1160,5309 litre	5,204 %	21138,4938 litre	O
420	CM	130	CM	25 LEVEL CM	1095,5759 litre	4,913 %	21203,4488 litre	O
420	CM	130	CM	24 LEVEL CM	1031,7718 litre	4,627 %	21267,2529 litre	O
420	CM	130	CM	23 LEVEL CM	969,1510 litre	4,346 %	21329,8737 litre	O
420	CM	130	CM	22 LEVEL CM	907,7477 litre	4,071 %	21391,2770 litre	O
420	CM	130	CM	21 LEVEL CM	847,5983 litre	3,801 %	21451,4264 litre	O
420	CM	130	CM	20 LEVEL CM	788,7416 litre	3,537 %	21510,2831 litre	O
420	CM	130	CM	19 LEVEL CM	731,2187 litre	3,279 %	21567,8060 litre	O
420	CM	130	CM	18 LEVEL CM	675,0741 litre	3,027 %	21623,9506 litre	O
420	CM	130	CM	17 LEVEL CM	620,3552 litre	2,782 %	21678,6695 litre	O
420	CM	130	CM	16 LEVEL CM	567,1135 litre	2,543 %	21731,9112 litre	O
420	CM	130	CM	15 LEVEL CM	515,4049 litre	2,311 %	21783,6198 litre	O
420	CM	130	CM	14 LEVEL CM	465,2902 litre	2,087 %	21833,7345 litre	O
420	CM	130	CM	13 LEVEL CM	416,8365 litre	1,869 %	21882,1882 litre	O
420	CM	130	CM	12 LEVEL CM	370,1179 litre	1,660 %	21928,9068 litre	O
420	CM	130	CM	11 LEVEL CM	325,2171 litre	1,458 %	21973,8076 litre	O
420	CM	130	CM	10 LEVEL CM	282,2274 litre	1,266 %	22016,7973 litre	O
420	CM	130	CM	9 LEVEL CM	241,2550 litre	1,082 %	22057,7697 litre	O
420	CM	130	CM	8 LEVEL CM	202,4229 litre	0,908 %	22096,6018 litre	O
420	CM	130	CM	7 LEVEL CM	165,8756 litre	0,744 %	22133,1491 litre	O
420	CM	130	CM	6 LEVEL CM	131,7868 litre	0,591 %	22167,2379 litre	O
420	CM	130	CM	5 LEVEL CM	100,3710 litre	0,450 %	22198,6537 litre	O
420	CM	130	CM	4 LEVEL CM	71,9035 litre	0,322 %	22227,1212 litre	O
420	CM	130	CM	3 LEVEL CM	46,7571 litre	0,210 %	22252,2676 litre	O
420	CM	130	CM	2 LEVEL CM	25,4809 litre	0,114 %	22273,5438 litre	O
420	CM	130	CM	1 LEVEL CM	9,0193 litre	0,040 %	22290,0054 litre	O
420	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	22299,0247 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM	125	CM 250 LEVEL CM	20616,7018 litre	100,000 %	0,0000 litre	O
420	CM	125	CM 249 LEVEL CM	20607,8580 litre	99,957 %	8,8438 litre	O
420	CM	125	CM 248 LEVEL CM	20591,7180 litre	99,879 %	24,9838 litre	O
420	CM	125	CM 247 LEVEL CM	20570,8591 litre	99,778 %	45,8427 litre	O
420	CM	125	CM 246 LEVEL CM	20546,2078 litre	99,658 %	70,4940 litre	O
420	CM	125	CM 245 LEVEL CM	20518,3029 litre	99,523 %	98,3989 litre	O
420	CM	125	CM 244 LEVEL CM	20487,5106 litre	99,373 %	129,1912 litre	O
420	CM	125	CM 243 LEVEL CM	20454,1009 litre	99,211 %	162,6009 litre	O
420	CM	125	CM 242 LEVEL CM	20418,2846 litre	99,038 %	198,4172 litre	O
420	CM	125	CM 241 LEVEL CM	20380,2324 litre	98,853 %	236,4694 litre	O
420	CM	125	CM 240 LEVEL CM	20340,0862 litre	98,658 %	276,6156 litre	O
420	CM	125	CM 239 LEVEL CM	20297,9668 litre	98,454 %	318,7350 litre	O
420	CM	125	CM 238 LEVEL CM	20253,9787 litre	98,241 %	362,7231 litre	O
420	CM	125	CM 237 LEVEL CM	20208,2137 litre	98,019 %	408,4881 litre	O
420	CM	125	CM 236 LEVEL CM	20160,7530 litre	97,788 %	455,9488 litre	O
420	CM	125	CM 235 LEVEL CM	20111,6696 litre	97,550 %	505,0322 litre	O
420	CM	125	CM 234 LEVEL CM	20061,0294 litre	97,305 %	555,6724 litre	O
420	CM	125	CM 233 LEVEL CM	20008,8925 litre	97,052 %	607,8093 litre	O
420	CM	125	CM 232 LEVEL CM	19955,3137 litre	96,792 %	661,3881 litre	O
420	CM	125	CM 231 LEVEL CM	19900,3438 litre	96,525 %	716,3580 litre	O
420	CM	125	CM 230 LEVEL CM	19844,0296 litre	96,252 %	772,6722 litre	O
420	CM	125	CM 229 LEVEL CM	19786,4147 litre	95,973 %	830,2871 litre	O
420	CM	125	CM 228 LEVEL CM	19727,5398 litre	95,687 %	889,1620 litre	O
420	CM	125	CM 227 LEVEL CM	19667,4431 litre	95,396 %	949,2587 litre	O
420	CM	125	CM 226 LEVEL CM	19606,1605 litre	95,098 %	1010,5413 litre	O
420	CM	125	CM 225 LEVEL CM	19543,7258 litre	94,796 %	1072,9760 litre	O
420	CM	125	CM 224 LEVEL CM	19480,1709 litre	94,487 %	1136,5309 litre	O
420	CM	125	CM 223 LEVEL CM	19415,5262 litre	94,174 %	1201,1756 litre	O
420	CM	125	CM 222 LEVEL CM	19349,8205 litre	93,855 %	1266,8813 litre	O
420	CM	125	CM 221 LEVEL CM	19283,0812 litre	93,531 %	1333,6206 litre	O
420	CM	125	CM 220 LEVEL CM	19215,3345 litre	93,203 %	1401,3673 litre	O
420	CM	125	CM 219 LEVEL CM	19146,6055 litre	92,869 %	1470,0963 litre	O
420	CM	125	CM 218 LEVEL CM	19076,9181 litre	92,531 %	1539,7837 litre	O
420	CM	125	CM 217 LEVEL CM	19006,2953 litre	92,189 %	1610,4065 litre	O
420	CM	125	CM 216 LEVEL CM	18934,7592 litre	91,842 %	1681,9426 litre	O
420	CM	125	CM 215 LEVEL CM	18862,3311 litre	91,491 %	1754,3707 litre	O
420	CM	125	CM 214 LEVEL CM	18789,0314 litre	91,135 %	1827,6704 litre	O
420	CM	125	CM 213 LEVEL CM	18714,8798 litre	90,775 %	1901,8220 litre	O
420	CM	125	CM 212 LEVEL CM	18639,8956 litre	90,412 %	1976,8062 litre	O
420	CM	125	CM 211 LEVEL CM	18564,0971 litre	90,044 %	2052,6047 litre	O
420	CM	125	CM 210 LEVEL CM	18487,5022 litre	89,672 %	2129,1996 litre	O
420	CM	125	CM 209 LEVEL CM	18410,1283 litre	89,297 %	2206,5735 litre	O
420	CM	125	CM 208 LEVEL CM	18331,9920 litre	88,918 %	2284,7098 litre	O
420	CM	125	CM 207 LEVEL CM	18253,1098 litre	88,536 %	2363,5920 litre	O
420	CM	125	CM 206 LEVEL CM	18173,4974 litre	88,149 %	2443,2044 litre	O
420	CM	125	CM 205 LEVEL CM	18093,1704 litre	87,760 %	2523,5314 litre	O
420	CM	125	CM 204 LEVEL CM	18012,1436 litre	87,367 %	2604,5582 litre	O
420	CM	125	CM 203 LEVEL CM	17930,4318 litre	86,970 %	2686,2700 litre	O
420	CM	125	CM 202 LEVEL CM	17848,0492 litre	86,571 %	2768,6526 litre	O
420	CM	125	CM 201 LEVEL CM	17765,0097 litre	86,168 %	2851,6921 litre	O
420	CM	125	CM 200 LEVEL CM	17681,3269 litre	85,762 %	2935,3749 litre	O
420	CM	125	CM 199 LEVEL CM	17597,0141 litre	85,353 %	3019,6877 litre	O

420	CM	125	CM	198 LEVEL CM	17512,0842 litre	84,941 %	3104,6176 litre	O
420	CM	125	CM	197 LEVEL CM	17426,5500 litre	84,526 %	3190,1518 litre	O
420	CM	125	CM	196 LEVEL CM	17340,4239 litre	84,109 %	3276,2779 litre	O
420	CM	125	CM	195 LEVEL CM	17253,7180 litre	83,688 %	3362,9838 litre	O
420	CM	125	CM	194 LEVEL CM	17166,4444 litre	83,265 %	3450,2574 litre	O
420	CM	125	CM	193 LEVEL CM	17078,6146 litre	82,839 %	3538,0872 litre	O
420	CM	125	CM	192 LEVEL CM	16990,2403 litre	82,410 %	3626,4615 litre	O
420	CM	125	CM	191 LEVEL CM	16901,3326 litre	81,979 %	3715,3692 litre	O
420	CM	125	CM	190 LEVEL CM	16811,9026 litre	81,545 %	3804,7992 litre	O
420	CM	125	CM	189 LEVEL CM	16721,9613 litre	81,109 %	3894,7405 litre	O
420	CM	125	CM	188 LEVEL CM	16631,5192 litre	80,670 %	3985,1826 litre	O
420	CM	125	CM	187 LEVEL CM	16540,5870 litre	80,229 %	4076,1148 litre	O
420	CM	125	CM	186 LEVEL CM	16449,1749 litre	79,786 %	4167,5269 litre	O
420	CM	125	CM	185 LEVEL CM	16357,2932 litre	79,340 %	4259,4086 litre	O
420	CM	125	CM	184 LEVEL CM	16264,9518 litre	78,892 %	4351,7500 litre	O
420	CM	125	CM	183 LEVEL CM	16172,1608 litre	78,442 %	4444,5410 litre	O
420	CM	125	CM	182 LEVEL CM	16078,9297 litre	77,990 %	4537,7721 litre	O
420	CM	125	CM	181 LEVEL CM	15985,2682 litre	77,536 %	4631,4336 litre	O
420	CM	125	CM	180 LEVEL CM	15891,1858 litre	77,079 %	4725,5160 litre	O
420	CM	125	CM	179 LEVEL CM	15796,6917 litre	76,621 %	4820,0101 litre	O
420	CM	125	CM	178 LEVEL CM	15701,7954 litre	76,161 %	4914,9064 litre	O
420	CM	125	CM	177 LEVEL CM	15606,5057 litre	75,698 %	5010,1961 litre	O
420	CM	125	CM	176 LEVEL CM	15510,8318 litre	75,234 %	5105,8700 litre	O
420	CM	125	CM	175 LEVEL CM	15414,7824 litre	74,768 %	5201,9194 litre	O
420	CM	125	CM	174 LEVEL CM	15318,3665 litre	74,301 %	5298,3353 litre	O
420	CM	125	CM	173 LEVEL CM	15221,5926 litre	73,831 %	5395,1092 litre	O
420	CM	125	CM	172 LEVEL CM	15124,4694 litre	73,360 %	5492,2324 litre	O
420	CM	125	CM	171 LEVEL CM	15027,0053 litre	72,888 %	5589,6965 litre	O
420	CM	125	CM	170 LEVEL CM	14929,2088 litre	72,413 %	5687,4930 litre	O
420	CM	125	CM	169 LEVEL CM	14831,0881 litre	71,937 %	5785,6137 litre	O
420	CM	125	CM	168 LEVEL CM	14732,6515 litre	71,460 %	5884,0503 litre	O
420	CM	125	CM	167 LEVEL CM	14633,9072 litre	70,981 %	5982,7946 litre	O
420	CM	125	CM	166 LEVEL CM	14534,8632 litre	70,500 %	6081,8386 litre	O
420	CM	125	CM	165 LEVEL CM	14435,5275 litre	70,019 %	6181,1743 litre	O
420	CM	125	CM	164 LEVEL CM	14335,9081 litre	69,535 %	6280,7937 litre	O
420	CM	125	CM	163 LEVEL CM	14236,0129 litre	69,051 %	6380,6889 litre	O
420	CM	125	CM	162 LEVEL CM	14135,8496 litre	68,565 %	6480,8522 litre	O
420	CM	125	CM	161 LEVEL CM	14035,4260 litre	68,078 %	6581,2758 litre	O
420	CM	125	CM	160 LEVEL CM	13934,7497 litre	67,590 %	6681,9521 litre	O
420	CM	125	CM	159 LEVEL CM	13833,8285 litre	67,100 %	6782,8733 litre	O
420	CM	125	CM	158 LEVEL CM	13732,6698 litre	66,609 %	6884,0320 litre	O
420	CM	125	CM	157 LEVEL CM	13631,2812 litre	66,118 %	6985,4206 litre	O
420	CM	125	CM	156 LEVEL CM	13529,6702 litre	65,625 %	7087,0316 litre	O
420	CM	125	CM	155 LEVEL CM	13427,8441 litre	65,131 %	7188,8577 litre	O
420	CM	125	CM	154 LEVEL CM	13325,8103 litre	64,636 %	7290,8915 litre	O
420	CM	125	CM	153 LEVEL CM	13223,5762 litre	64,140 %	7393,1256 litre	O
420	CM	125	CM	152 LEVEL CM	13121,1490 litre	63,643 %	7495,5528 litre	O
420	CM	125	CM	151 LEVEL CM	13018,5360 litre	63,146 %	7598,1658 litre	O
420	CM	125	CM	150 LEVEL CM	12915,7444 litre	62,647 %	7700,9574 litre	O
420	CM	125	CM	149 LEVEL CM	12812,7813 litre	62,148 %	7803,9205 litre	O
420	CM	125	CM	148 LEVEL CM	12709,6538 litre	61,647 %	7907,0480 litre	O
420	CM	125	CM	147 LEVEL CM	12606,3691 litre	61,146 %	8010,3327 litre	O
420	CM	125	CM	146 LEVEL CM	12502,9342 litre	60,645 %	8113,7676 litre	O

420	CM	125	CM	145 LEVEL CM	12399,3562 litre	60,142 %	8217,3456 litre	O
420	CM	125	CM	144 LEVEL CM	12295,6420 litre	59,639 %	8321,0598 litre	O
420	CM	125	CM	143 LEVEL CM	12191,7986 litre	59,136 %	8424,9032 litre	O
420	CM	125	CM	142 LEVEL CM	12087,8330 litre	58,631 %	8528,8688 litre	O
420	CM	125	CM	141 LEVEL CM	11983,7520 litre	58,126 %	8632,9498 litre	O
420	CM	125	CM	140 LEVEL CM	11879,5627 litre	57,621 %	8737,1391 litre	O
420	CM	125	CM	139 LEVEL CM	11775,2718 litre	57,115 %	8841,4300 litre	O
420	CM	125	CM	138 LEVEL CM	11670,8862 litre	56,609 %	8945,8156 litre	O
420	CM	125	CM	137 LEVEL CM	11566,4129 litre	56,102 %	9050,2889 litre	O
420	CM	125	CM	136 LEVEL CM	11461,8584 litre	55,595 %	9154,8434 litre	O
420	CM	125	CM	135 LEVEL CM	11357,2298 litre	55,088 %	9259,4720 litre	O
420	CM	125	CM	134 LEVEL CM	11252,5338 litre	54,580 %	9364,1680 litre	O
420	CM	125	CM	133 LEVEL CM	11147,7771 litre	54,072 %	9468,9247 litre	O
420	CM	125	CM	132 LEVEL CM	11042,9666 litre	53,563 %	9573,7352 litre	O
420	CM	125	CM	131 LEVEL CM	10938,1089 litre	53,055 %	9678,5929 litre	O
420	CM	125	CM	130 LEVEL CM	10833,2109 litre	52,546 %	9783,4909 litre	O
420	CM	125	CM	129 LEVEL CM	10728,2792 litre	52,037 %	9888,4226 litre	O
420	CM	125	CM	128 LEVEL CM	10623,3207 litre	51,528 %	9993,3811 litre	O
420	CM	125	CM	127 LEVEL CM	10518,3419 litre	51,019 %	10098,3599 litre	O
420	CM	125	CM	126 LEVEL CM	10413,3498 litre	50,509 %	10203,3520 litre	O
420	CM	125	CM	125 LEVEL CM	10308,3509 litre	50,000 %	10308,3509 litre	O
420	CM	125	CM	124 LEVEL CM	10203,3520 litre	49,491 %	10413,3498 litre	O
420	CM	125	CM	123 LEVEL CM	10098,3599 litre	48,981 %	10518,3419 litre	O
420	CM	125	CM	122 LEVEL CM	9993,3811 litre	48,472 %	10623,3207 litre	O
420	CM	125	CM	121 LEVEL CM	9888,4226 litre	47,963 %	10728,2792 litre	O
420	CM	125	CM	120 LEVEL CM	9783,4909 litre	47,454 %	10833,2109 litre	O
420	CM	125	CM	119 LEVEL CM	9678,5929 litre	46,945 %	10938,1089 litre	O
420	CM	125	CM	118 LEVEL CM	9573,7352 litre	46,437 %	11042,9666 litre	O
420	CM	125	CM	117 LEVEL CM	9468,9247 litre	45,928 %	11147,7771 litre	O
420	CM	125	CM	116 LEVEL CM	9364,1680 litre	45,420 %	11252,5338 litre	O
420	CM	125	CM	115 LEVEL CM	9259,4720 litre	44,912 %	11357,2298 litre	O
420	CM	125	CM	114 LEVEL CM	9154,8434 litre	44,405 %	11461,8584 litre	O
420	CM	125	CM	113 LEVEL CM	9050,2889 litre	43,898 %	11566,4129 litre	O
420	CM	125	CM	112 LEVEL CM	8945,8156 litre	43,391 %	11670,8863 litre	O
420	CM	125	CM	111 LEVEL CM	8841,4300 litre	42,885 %	11775,2718 litre	O
420	CM	125	CM	110 LEVEL CM	8737,1391 litre	42,379 %	11879,5627 litre	O
420	CM	125	CM	109 LEVEL CM	8632,9498 litre	41,874 %	11983,7520 litre	O
420	CM	125	CM	108 LEVEL CM	8528,8688 litre	41,369 %	12087,8330 litre	O
420	CM	125	CM	107 LEVEL CM	8424,9032 litre	40,864 %	12191,7986 litre	O
420	CM	125	CM	106 LEVEL CM	8321,0598 litre	40,361 %	12295,6420 litre	O
420	CM	125	CM	105 LEVEL CM	8217,3456 litre	39,858 %	12399,3562 litre	O
420	CM	125	CM	104 LEVEL CM	8113,7676 litre	39,355 %	12502,9342 litre	O
420	CM	125	CM	103 LEVEL CM	8010,3327 litre	38,854 %	12606,3691 litre	O
420	CM	125	CM	102 LEVEL CM	7907,0480 litre	38,353 %	12709,6538 litre	O
420	CM	125	CM	101 LEVEL CM	7803,9205 litre	37,852 %	12812,7813 litre	O
420	CM	125	CM	100 LEVEL CM	7700,9574 litre	37,353 %	12915,7444 litre	O
420	CM	125	CM	99 LEVEL CM	7598,1658 litre	36,854 %	13018,5360 litre	O
420	CM	125	CM	98 LEVEL CM	7495,5528 litre	36,357 %	13121,1490 litre	O
420	CM	125	CM	97 LEVEL CM	7393,1256 litre	35,860 %	13223,5762 litre	O
420	CM	125	CM	96 LEVEL CM	7290,8915 litre	35,364 %	13325,8103 litre	O
420	CM	125	CM	95 LEVEL CM	7188,8577 litre	34,869 %	13427,8441 litre	O
420	CM	125	CM	94 LEVEL CM	7087,0316 litre	34,375 %	13529,6702 litre	O
420	CM	125	CM	93 LEVEL CM	6985,4206 litre	33,882 %	13631,2812 litre	O

420	CM	125	CM	92 LEVEL CM	6884,0320 litre	33,391 %	13732,6698 litre	O
420	CM	125	CM	91 LEVEL CM	6782,8733 litre	32,900 %	13833,8285 litre	O
420	CM	125	CM	90 LEVEL CM	6681,9521 litre	32,410 %	13934,7497 litre	O
420	CM	125	CM	89 LEVEL CM	6581,2758 litre	31,922 %	14035,4260 litre	O
420	CM	125	CM	88 LEVEL CM	6480,8522 litre	31,435 %	14135,8496 litre	O
420	CM	125	CM	87 LEVEL CM	6380,6889 litre	30,949 %	14236,0129 litre	O
420	CM	125	CM	86 LEVEL CM	6280,7937 litre	30,465 %	14335,9081 litre	O
420	CM	125	CM	85 LEVEL CM	6181,1743 litre	29,981 %	14435,5275 litre	O
420	CM	125	CM	84 LEVEL CM	6081,8386 litre	29,500 %	14534,8632 litre	O
420	CM	125	CM	83 LEVEL CM	5982,7946 litre	29,019 %	14633,9072 litre	O
420	CM	125	CM	82 LEVEL CM	5884,0503 litre	28,540 %	14732,6515 litre	O
420	CM	125	CM	81 LEVEL CM	5785,6137 litre	28,063 %	14831,0881 litre	O
420	CM	125	CM	80 LEVEL CM	5687,4930 litre	27,587 %	14929,2088 litre	O
420	CM	125	CM	79 LEVEL CM	5589,6965 litre	27,112 %	15027,0053 litre	O
420	CM	125	CM	78 LEVEL CM	5492,2324 litre	26,640 %	15124,4694 litre	O
420	CM	125	CM	77 LEVEL CM	5395,1092 litre	26,169 %	15221,5926 litre	O
420	CM	125	CM	76 LEVEL CM	5298,3353 litre	25,699 %	15318,3665 litre	O
420	CM	125	CM	75 LEVEL CM	5201,9194 litre	25,232 %	15414,7824 litre	O
420	CM	125	CM	74 LEVEL CM	5105,8700 litre	24,766 %	15510,8318 litre	O
420	CM	125	CM	73 LEVEL CM	5010,1961 litre	24,302 %	15606,5057 litre	O
420	CM	125	CM	72 LEVEL CM	4914,9064 litre	23,839 %	15701,7954 litre	O
420	CM	125	CM	71 LEVEL CM	4820,0100 litre	23,379 %	15796,6918 litre	O
420	CM	125	CM	70 LEVEL CM	4725,5160 litre	22,921 %	15891,1858 litre	O
420	CM	125	CM	69 LEVEL CM	4631,4336 litre	22,464 %	15985,2682 litre	O
420	CM	125	CM	68 LEVEL CM	4537,7721 litre	22,010 %	16078,9297 litre	O
420	CM	125	CM	67 LEVEL CM	4444,5410 litre	21,558 %	16172,1608 litre	O
420	CM	125	CM	66 LEVEL CM	4351,7500 litre	21,108 %	16264,9518 litre	O
420	CM	125	CM	65 LEVEL CM	4259,4086 litre	20,660 %	16357,2932 litre	O
420	CM	125	CM	64 LEVEL CM	4167,5269 litre	20,214 %	16449,1749 litre	O
420	CM	125	CM	63 LEVEL CM	4076,1148 litre	19,771 %	16540,5870 litre	O
420	CM	125	CM	62 LEVEL CM	3985,1826 litre	19,330 %	16631,5192 litre	O
420	CM	125	CM	61 LEVEL CM	3894,7405 litre	18,891 %	16721,9613 litre	O
420	CM	125	CM	60 LEVEL CM	3804,7992 litre	18,455 %	16811,9026 litre	O
420	CM	125	CM	59 LEVEL CM	3715,3692 litre	18,021 %	16901,3326 litre	O
420	CM	125	CM	58 LEVEL CM	3626,4615 litre	17,590 %	16990,2403 litre	O
420	CM	125	CM	57 LEVEL CM	3538,0872 litre	17,161 %	17078,6146 litre	O
420	CM	125	CM	56 LEVEL CM	3450,2574 litre	16,735 %	17166,4444 litre	O
420	CM	125	CM	55 LEVEL CM	3362,9838 litre	16,312 %	17253,7180 litre	O
420	CM	125	CM	54 LEVEL CM	3276,2779 litre	15,891 %	17340,4239 litre	O
420	CM	125	CM	53 LEVEL CM	3190,1518 litre	15,474 %	17426,5500 litre	O
420	CM	125	CM	52 LEVEL CM	3104,6176 litre	15,059 %	17512,0842 litre	O
420	CM	125	CM	51 LEVEL CM	3019,6877 litre	14,647 %	17597,0141 litre	O
420	CM	125	CM	50 LEVEL CM	2935,3749 litre	14,238 %	17681,3269 litre	O
420	CM	125	CM	49 LEVEL CM	2851,6921 litre	13,832 %	17765,0097 litre	O
420	CM	125	CM	48 LEVEL CM	2768,6526 litre	13,429 %	17848,0492 litre	O
420	CM	125	CM	47 LEVEL CM	2686,2700 litre	13,030 %	17930,4318 litre	O
420	CM	125	CM	46 LEVEL CM	2604,5582 litre	12,633 %	18012,1436 litre	O
420	CM	125	CM	45 LEVEL CM	2523,5314 litre	12,240 %	18093,1704 litre	O
420	CM	125	CM	44 LEVEL CM	2443,2044 litre	11,851 %	18173,4974 litre	O
420	CM	125	CM	43 LEVEL CM	2363,5920 litre	11,464 %	18253,1098 litre	O
420	CM	125	CM	42 LEVEL CM	2284,7098 litre	11,082 %	18331,9920 litre	O
420	CM	125	CM	41 LEVEL CM	2206,5735 litre	10,703 %	18410,1283 litre	O
420	CM	125	CM	40 LEVEL CM	2129,1996 litre	10,328 %	18487,5022 litre	O

420	CM	125	CM	39 LEVEL CM	2052,6047 litre	9,956 %	18564,0971 litre	O
420	CM	125	CM	38 LEVEL CM	1976,8062 litre	9,588 %	18639,8956 litre	O
420	CM	125	CM	37 LEVEL CM	1901,8219 litre	9,225 %	18714,8799 litre	O
420	CM	125	CM	36 LEVEL CM	1827,6704 litre	8,865 %	18789,0314 litre	O
420	CM	125	CM	35 LEVEL CM	1754,3707 litre	8,509 %	18862,3311 litre	O
420	CM	125	CM	34 LEVEL CM	1681,9426 litre	8,158 %	18934,7592 litre	O
420	CM	125	CM	33 LEVEL CM	1610,4065 litre	7,811 %	19006,2953 litre	O
420	CM	125	CM	32 LEVEL CM	1539,7837 litre	7,469 %	19076,9181 litre	O
420	CM	125	CM	31 LEVEL CM	1470,0963 litre	7,131 %	19146,6055 litre	O
420	CM	125	CM	30 LEVEL CM	1401,3673 litre	6,797 %	19215,3345 litre	O
420	CM	125	CM	29 LEVEL CM	1333,6206 litre	6,469 %	19283,0812 litre	O
420	CM	125	CM	28 LEVEL CM	1266,8813 litre	6,145 %	19349,8205 litre	O
420	CM	125	CM	27 LEVEL CM	1201,1756 litre	5,826 %	19415,5262 litre	O
420	CM	125	CM	26 LEVEL CM	1136,5309 litre	5,513 %	19480,1709 litre	O
420	CM	125	CM	25 LEVEL CM	1072,9760 litre	5,204 %	19543,7258 litre	O
420	CM	125	CM	24 LEVEL CM	1010,5413 litre	4,902 %	19606,1605 litre	O
420	CM	125	CM	23 LEVEL CM	949,2587 litre	4,604 %	19667,4431 litre	O
420	CM	125	CM	22 LEVEL CM	889,1620 litre	4,313 %	19727,5398 litre	O
420	CM	125	CM	21 LEVEL CM	830,2871 litre	4,027 %	19786,4147 litre	O
420	CM	125	CM	20 LEVEL CM	772,6722 litre	3,748 %	19844,0296 litre	O
420	CM	125	CM	19 LEVEL CM	716,3580 litre	3,475 %	19900,3438 litre	O
420	CM	125	CM	18 LEVEL CM	661,3881 litre	3,208 %	19955,3137 litre	O
420	CM	125	CM	17 LEVEL CM	607,8093 litre	2,948 %	20008,8925 litre	O
420	CM	125	CM	16 LEVEL CM	555,6724 litre	2,695 %	20061,0294 litre	O
420	CM	125	CM	15 LEVEL CM	505,0322 litre	2,450 %	20111,6696 litre	O
420	CM	125	CM	14 LEVEL CM	455,9488 litre	2,212 %	20160,7530 litre	O
420	CM	125	CM	13 LEVEL CM	408,4881 litre	1,981 %	20208,2137 litre	O
420	CM	125	CM	12 LEVEL CM	362,7231 litre	1,759 %	20253,9787 litre	O
420	CM	125	CM	11 LEVEL CM	318,7350 litre	1,546 %	20297,9668 litre	O
420	CM	125	CM	10 LEVEL CM	276,6156 litre	1,342 %	20340,0862 litre	O
420	CM	125	CM	9 LEVEL CM	236,4694 litre	1,147 %	20380,2324 litre	O
420	CM	125	CM	8 LEVEL CM	198,4172 litre	0,962 %	20418,2846 litre	O
420	CM	125	CM	7 LEVEL CM	162,6009 litre	0,789 %	20454,1009 litre	O
420	CM	125	CM	6 LEVEL CM	129,1912 litre	0,627 %	20487,5106 litre	O
420	CM	125	CM	5 LEVEL CM	98,3988 litre	0,477 %	20518,3030 litre	O
420	CM	125	CM	4 LEVEL CM	70,4940 litre	0,342 %	20546,2078 litre	O
420	CM	125	CM	3 LEVEL CM	45,8427 litre	0,222 %	20570,8591 litre	O
420	CM	125	CM	2 LEVEL CM	24,9838 litre	0,121 %	20591,7180 litre	O
420	CM	125	CM	1 LEVEL CM	8,8437 litre	0,043 %	20607,8581 litre	O
420	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	20616,7018 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 120	CM 240 LEVEL CM	19000,3524 litre	100,000 %	0,0000 litre	O
420	CM 120	CM 239 LEVEL CM	18991,6877 litre	99,954 %	8,6647 litre	O
420	CM 120	CM 238 LEVEL CM	18975,8758 litre	99,871 %	24,4766 litre	O
420	CM 120	CM 237 LEVEL CM	18955,4427 litre	99,764 %	44,9097 litre	O
420	CM 120	CM 236 LEVEL CM	18931,2966 litre	99,637 %	69,0558 litre	O
420	CM 120	CM 235 LEVEL CM	18903,9660 litre	99,493 %	96,3864 litre	O
420	CM 120	CM 234 LEVEL CM	18873,8099 litre	99,334 %	126,5425 litre	O
420	CM 120	CM 233 LEVEL CM	18841,0935 litre	99,162 %	159,2589 litre	O
420	CM 120	CM 232 LEVEL CM	18806,0235 litre	98,977 %	194,3289 litre	O
420	CM 120	CM 231 LEVEL CM	18768,7674 litre	98,781 %	231,5850 litre	O
420	CM 120	CM 230 LEVEL CM	18729,4647 litre	98,574 %	270,8877 litre	O
420	CM 120	CM 229 LEVEL CM	18688,2341 litre	98,357 %	312,1183 litre	O
420	CM 120	CM 228 LEVEL CM	18645,1781 litre	98,131 %	355,1743 litre	O
420	CM 120	CM 227 LEVEL CM	18600,3869 litre	97,895 %	399,9655 litre	O
420	CM 120	CM 226 LEVEL CM	18553,9404 litre	97,651 %	446,4120 litre	O
420	CM 120	CM 225 LEVEL CM	18505,9105 litre	97,398 %	494,4419 litre	O
420	CM 120	CM 224 LEVEL CM	18456,3618 litre	97,137 %	543,9906 litre	O
420	CM 120	CM 223 LEVEL CM	18405,3535 litre	96,868 %	594,9989 litre	O
420	CM 120	CM 222 LEVEL CM	18352,9397 litre	96,593 %	647,4127 litre	O
420	CM 120	CM 221 LEVEL CM	18299,1701 litre	96,310 %	701,1823 litre	O
420	CM 120	CM 220 LEVEL CM	18244,0910 litre	96,020 %	756,2614 litre	O
420	CM 120	CM 219 LEVEL CM	18187,7453 litre	95,723 %	812,6071 litre	O
420	CM 120	CM 218 LEVEL CM	18130,1732 litre	95,420 %	870,1792 litre	O
420	CM 120	CM 217 LEVEL CM	18071,4122 litre	95,111 %	928,9402 litre	O
420	CM 120	CM 216 LEVEL CM	18011,4977 litre	94,796 %	988,8547 litre	O
420	CM 120	CM 215 LEVEL CM	17950,4630 litre	94,474 %	1049,8894 litre	O
420	CM 120	CM 214 LEVEL CM	17888,3397 litre	94,147 %	1112,0127 litre	O
420	CM 120	CM 213 LEVEL CM	17825,1578 litre	93,815 %	1175,1946 litre	O
420	CM 120	CM 212 LEVEL CM	17760,9456 litre	93,477 %	1239,4068 litre	O
420	CM 120	CM 211 LEVEL CM	17695,7302 litre	93,134 %	1304,6222 litre	O
420	CM 120	CM 210 LEVEL CM	17629,5376 litre	92,785 %	1370,8148 litre	O
420	CM 120	CM 209 LEVEL CM	17562,3924 litre	92,432 %	1437,9600 litre	O
420	CM 120	CM 208 LEVEL CM	17494,3184 litre	92,074 %	1506,0340 litre	O
420	CM 120	CM 207 LEVEL CM	17425,3382 litre	91,711 %	1575,0142 litre	O
420	CM 120	CM 206 LEVEL CM	17355,4738 litre	91,343 %	1644,8786 litre	O
420	CM 120	CM 205 LEVEL CM	17284,7461 litre	90,971 %	1715,6063 litre	O
420	CM 120	CM 204 LEVEL CM	17213,1754 litre	90,594 %	1787,1770 litre	O
420	CM 120	CM 203 LEVEL CM	17140,7813 litre	90,213 %	1859,5711 litre	O
420	CM 120	CM 202 LEVEL CM	17067,5827 litre	89,828 %	1932,7697 litre	O
420	CM 120	CM 201 LEVEL CM	16993,5978 litre	89,438 %	2006,7546 litre	O
420	CM 120	CM 200 LEVEL CM	16918,8444 litre	89,045 %	2081,5080 litre	O
420	CM 120	CM 199 LEVEL CM	16843,3397 litre	88,648 %	2157,0127 litre	O
420	CM 120	CM 198 LEVEL CM	16767,1002 litre	88,246 %	2233,2522 litre	O
420	CM 120	CM 197 LEVEL CM	16690,1422 litre	87,841 %	2310,2102 litre	O
420	CM 120	CM 196 LEVEL CM	16612,4815 litre	87,432 %	2387,8709 litre	O
420	CM 120	CM 195 LEVEL CM	16534,1332 litre	87,020 %	2466,2192 litre	O
420	CM 120	CM 194 LEVEL CM	16455,1124 litre	86,604 %	2545,2400 litre	O
420	CM 120	CM 193 LEVEL CM	16375,4336 litre	86,185 %	2624,9188 litre	O
420	CM 120	CM 192 LEVEL CM	16295,1109 litre	85,762 %	2705,2415 litre	O
420	CM 120	CM 191 LEVEL CM	16214,1582 litre	85,336 %	2786,1942 litre	O
420	CM 120	CM 190 LEVEL CM	16132,5889 litre	84,907 %	2867,7635 litre	O
420	CM 120	CM 189 LEVEL CM	16050,4164 litre	84,474 %	2949,9360 litre	O

420	CM	120	CM	188 LEVEL CM	15967,6534 litre	84,039 %	3032,6990 litre	O
420	CM	120	CM	187 LEVEL CM	15884,3128 litre	83,600 %	3116,0396 litre	O
420	CM	120	CM	186 LEVEL CM	15800,4068 litre	83,158 %	3199,9456 litre	O
420	CM	120	CM	185 LEVEL CM	15715,9476 litre	82,714 %	3284,4048 litre	O
420	CM	120	CM	184 LEVEL CM	15630,9471 litre	82,267 %	3369,4053 litre	O
420	CM	120	CM	183 LEVEL CM	15545,4170 litre	81,816 %	3454,9354 litre	O
420	CM	120	CM	182 LEVEL CM	15459,3687 litre	81,364 %	3540,9837 litre	O
420	CM	120	CM	181 LEVEL CM	15372,8135 litre	80,908 %	3627,5389 litre	O
420	CM	120	CM	180 LEVEL CM	15285,7624 litre	80,450 %	3714,5900 litre	O
420	CM	120	CM	179 LEVEL CM	15198,2263 litre	79,989 %	3802,1261 litre	O
420	CM	120	CM	178 LEVEL CM	15110,2160 litre	79,526 %	3890,1364 litre	O
420	CM	120	CM	177 LEVEL CM	15021,7418 litre	79,060 %	3978,6106 litre	O
420	CM	120	CM	176 LEVEL CM	14932,8143 litre	78,592 %	4067,5381 litre	O
420	CM	120	CM	175 LEVEL CM	14843,4435 litre	78,122 %	4156,9089 litre	O
420	CM	120	CM	174 LEVEL CM	14753,6395 litre	77,649 %	4246,7129 litre	O
420	CM	120	CM	173 LEVEL CM	14663,4122 litre	77,174 %	4336,9402 litre	O
420	CM	120	CM	172 LEVEL CM	14572,7714 litre	76,697 %	4427,5810 litre	O
420	CM	120	CM	171 LEVEL CM	14481,7267 litre	76,218 %	4518,6257 litre	O
420	CM	120	CM	170 LEVEL CM	14390,2875 litre	75,737 %	4610,0649 litre	O
420	CM	120	CM	169 LEVEL CM	14298,4634 litre	75,254 %	4701,8890 litre	O
420	CM	120	CM	168 LEVEL CM	14206,2635 litre	74,768 %	4794,0889 litre	O
420	CM	120	CM	167 LEVEL CM	14113,6970 litre	74,281 %	4886,6554 litre	O
420	CM	120	CM	166 LEVEL CM	14020,7729 litre	73,792 %	4979,5795 litre	O
420	CM	120	CM	165 LEVEL CM	13927,5001 litre	73,301 %	5072,8523 litre	O
420	CM	120	CM	164 LEVEL CM	13833,8876 litre	72,809 %	5166,4648 litre	O
420	CM	120	CM	163 LEVEL CM	13739,9440 litre	72,314 %	5260,4084 litre	O
420	CM	120	CM	162 LEVEL CM	13645,6780 litre	71,818 %	5354,6744 litre	O
420	CM	120	CM	161 LEVEL CM	13551,0981 litre	71,320 %	5449,2543 litre	O
420	CM	120	CM	160 LEVEL CM	13456,2128 litre	70,821 %	5544,1396 litre	O
420	CM	120	CM	159 LEVEL CM	13361,0306 litre	70,320 %	5639,3218 litre	O
420	CM	120	CM	158 LEVEL CM	13265,5597 litre	69,817 %	5734,7927 litre	O
420	CM	120	CM	157 LEVEL CM	13169,8083 litre	69,313 %	5830,5441 litre	O
420	CM	120	CM	156 LEVEL CM	13073,7846 litre	68,808 %	5926,5678 litre	O
420	CM	120	CM	155 LEVEL CM	12977,4968 litre	68,301 %	6022,8556 litre	O
420	CM	120	CM	154 LEVEL CM	12880,9529 litre	67,793 %	6119,3995 litre	O
420	CM	120	CM	153 LEVEL CM	12784,1607 litre	67,284 %	6216,1917 litre	O
420	CM	120	CM	152 LEVEL CM	12687,1283 litre	66,773 %	6313,2241 litre	O
420	CM	120	CM	151 LEVEL CM	12589,8635 litre	66,261 %	6410,4889 litre	O
420	CM	120	CM	150 LEVEL CM	12492,3741 litre	65,748 %	6507,9783 litre	O
420	CM	120	CM	149 LEVEL CM	12394,6677 litre	65,234 %	6605,6847 litre	O
420	CM	120	CM	148 LEVEL CM	12296,7522 litre	64,719 %	6703,6002 litre	O
420	CM	120	CM	147 LEVEL CM	12198,6351 litre	64,202 %	6801,7173 litre	O
420	CM	120	CM	146 LEVEL CM	12100,3240 litre	63,685 %	6900,0284 litre	O
420	CM	120	CM	145 LEVEL CM	12001,8265 litre	63,166 %	6998,5259 litre	O
420	CM	120	CM	144 LEVEL CM	11903,1500 litre	62,647 %	7097,2024 litre	O
420	CM	120	CM	143 LEVEL CM	11804,3021 litre	62,127 %	7196,0503 litre	O
420	CM	120	CM	142 LEVEL CM	11705,2901 litre	61,606 %	7295,0623 litre	O
420	CM	120	CM	141 LEVEL CM	11606,1215 litre	61,084 %	7394,2309 litre	O
420	CM	120	CM	140 LEVEL CM	11506,8036 litre	60,561 %	7493,5488 litre	O
420	CM	120	CM	139 LEVEL CM	11407,3437 litre	60,038 %	7593,0087 litre	O
420	CM	120	CM	138 LEVEL CM	11307,7490 litre	59,513 %	7692,6034 litre	O
420	CM	120	CM	137 LEVEL CM	11208,0270 litre	58,989 %	7792,3254 litre	O
420	CM	120	CM	136 LEVEL CM	11108,1847 litre	58,463 %	7892,1677 litre	O

420	CM	120	CM	135 LEVEL CM	11008,2294 litre	57,937 %	7992,1230 litre	O
420	CM	120	CM	134 LEVEL CM	10908,1683 litre	57,410 %	8092,1841 litre	O
420	CM	120	CM	133 LEVEL CM	10808,0085 litre	56,883 %	8192,3439 litre	O
420	CM	120	CM	132 LEVEL CM	10707,7571 litre	56,356 %	8292,5953 litre	O
420	CM	120	CM	131 LEVEL CM	10607,4214 litre	55,827 %	8392,9310 litre	O
420	CM	120	CM	130 LEVEL CM	10507,0083 litre	55,299 %	8493,3441 litre	O
420	CM	120	CM	129 LEVEL CM	10406,5250 litre	54,770 %	8593,8274 litre	O
420	CM	120	CM	128 LEVEL CM	10305,9785 litre	54,241 %	8694,3739 litre	O
420	CM	120	CM	127 LEVEL CM	10205,3758 litre	53,712 %	8794,9766 litre	O
420	CM	120	CM	126 LEVEL CM	10104,7241 litre	53,182 %	8895,6283 litre	O
420	CM	120	CM	125 LEVEL CM	10004,0303 litre	52,652 %	8996,3221 litre	O
420	CM	120	CM	124 LEVEL CM	9903,3015 litre	52,122 %	9097,0509 litre	O
420	CM	120	CM	123 LEVEL CM	9802,5447 litre	51,591 %	9197,8077 litre	O
420	CM	120	CM	122 LEVEL CM	9701,7669 litre	51,061 %	9298,5855 litre	O
420	CM	120	CM	121 LEVEL CM	9600,9750 litre	50,531 %	9399,3774 litre	O
420	CM	120	CM	120 LEVEL CM	9500,1762 litre	50,000 %	9500,1762 litre	O
420	CM	120	CM	119 LEVEL CM	9399,3774 litre	49,469 %	9600,9750 litre	O
420	CM	120	CM	118 LEVEL CM	9298,5855 litre	48,939 %	9701,7669 litre	O
420	CM	120	CM	117 LEVEL CM	9197,8077 litre	48,409 %	9802,5447 litre	O
420	CM	120	CM	116 LEVEL CM	9097,0509 litre	47,878 %	9903,3015 litre	O
420	CM	120	CM	115 LEVEL CM	8996,3221 litre	47,348 %	10004,0303 litre	O
420	CM	120	CM	114 LEVEL CM	8895,6283 litre	46,818 %	10104,7241 litre	O
420	CM	120	CM	113 LEVEL CM	8794,9766 litre	46,288 %	10205,3758 litre	O
420	CM	120	CM	112 LEVEL CM	8694,3739 litre	45,759 %	10305,9785 litre	O
420	CM	120	CM	111 LEVEL CM	8593,8274 litre	45,230 %	10406,5250 litre	O
420	CM	120	CM	110 LEVEL CM	8493,3441 litre	44,701 %	10507,0083 litre	O
420	CM	120	CM	109 LEVEL CM	8392,9310 litre	44,173 %	10607,4214 litre	O
420	CM	120	CM	108 LEVEL CM	8292,5952 litre	43,644 %	10707,7572 litre	O
420	CM	120	CM	107 LEVEL CM	8192,3439 litre	43,117 %	10808,0085 litre	O
420	CM	120	CM	106 LEVEL CM	8092,1841 litre	42,590 %	10908,1683 litre	O
420	CM	120	CM	105 LEVEL CM	7992,1230 litre	42,063 %	11008,2294 litre	O
420	CM	120	CM	104 LEVEL CM	7892,1677 litre	41,537 %	11108,1847 litre	O
420	CM	120	CM	103 LEVEL CM	7792,3254 litre	41,011 %	11208,0270 litre	O
420	CM	120	CM	102 LEVEL CM	7692,6033 litre	40,487 %	11307,7491 litre	O
420	CM	120	CM	101 LEVEL CM	7593,0087 litre	39,962 %	11407,3437 litre	O
420	CM	120	CM	100 LEVEL CM	7493,5488 litre	39,439 %	11506,8036 litre	O
420	CM	120	CM	99 LEVEL CM	7394,2309 litre	38,916 %	11606,1215 litre	O
420	CM	120	CM	98 LEVEL CM	7295,0622 litre	38,394 %	11705,2902 litre	O
420	CM	120	CM	97 LEVEL CM	7196,0503 litre	37,873 %	11804,3021 litre	O
420	CM	120	CM	96 LEVEL CM	7097,2024 litre	37,353 %	11903,1500 litre	O
420	CM	120	CM	95 LEVEL CM	6998,5259 litre	36,834 %	12001,8265 litre	O
420	CM	120	CM	94 LEVEL CM	6900,0284 litre	36,315 %	12100,3240 litre	O
420	CM	120	CM	93 LEVEL CM	6801,7173 litre	35,798 %	12198,6351 litre	O
420	CM	120	CM	92 LEVEL CM	6703,6002 litre	35,281 %	12296,7522 litre	O
420	CM	120	CM	91 LEVEL CM	6605,6846 litre	34,766 %	12394,6678 litre	O
420	CM	120	CM	90 LEVEL CM	6507,9783 litre	34,252 %	12492,3741 litre	O
420	CM	120	CM	89 LEVEL CM	6410,4888 litre	33,739 %	12589,8636 litre	O
420	CM	120	CM	88 LEVEL CM	6313,2240 litre	33,227 %	12687,1284 litre	O
420	CM	120	CM	87 LEVEL CM	6216,1916 litre	32,716 %	12784,1608 litre	O
420	CM	120	CM	86 LEVEL CM	6119,3995 litre	32,207 %	12880,9529 litre	O
420	CM	120	CM	85 LEVEL CM	6022,8555 litre	31,699 %	12977,4969 litre	O
420	CM	120	CM	84 LEVEL CM	5926,5677 litre	31,192 %	13073,7847 litre	O
420	CM	120	CM	83 LEVEL CM	5830,5441 litre	30,687 %	13169,8083 litre	O

420	CM	120	CM	82 LEVEL CM	5734,7927 litre	30,183 %	13265,5597 litre	O
420	CM	120	CM	81 LEVEL CM	5639,3218 litre	29,680 %	13361,0306 litre	O
420	CM	120	CM	80 LEVEL CM	5544,1395 litre	29,179 %	13456,2129 litre	O
420	CM	120	CM	79 LEVEL CM	5449,2543 litre	28,680 %	13551,0981 litre	O
420	CM	120	CM	78 LEVEL CM	5354,6744 litre	28,182 %	13645,6780 litre	O
420	CM	120	CM	77 LEVEL CM	5260,4084 litre	27,686 %	13739,9440 litre	O
420	CM	120	CM	76 LEVEL CM	5166,4648 litre	27,191 %	13833,8876 litre	O
420	CM	120	CM	75 LEVEL CM	5072,8522 litre	26,699 %	13927,5002 litre	O
420	CM	120	CM	74 LEVEL CM	4979,5795 litre	26,208 %	14020,7729 litre	O
420	CM	120	CM	73 LEVEL CM	4886,6554 litre	25,719 %	14113,6970 litre	O
420	CM	120	CM	72 LEVEL CM	4794,0889 litre	25,232 %	14206,2635 litre	O
420	CM	120	CM	71 LEVEL CM	4701,8890 litre	24,746 %	14298,4634 litre	O
420	CM	120	CM	70 LEVEL CM	4610,0648 litre	24,263 %	14390,2876 litre	O
420	CM	120	CM	69 LEVEL CM	4518,6257 litre	23,782 %	14481,7267 litre	O
420	CM	120	CM	68 LEVEL CM	4427,5810 litre	23,303 %	14572,7714 litre	O
420	CM	120	CM	67 LEVEL CM	4336,9402 litre	22,826 %	14663,4122 litre	O
420	CM	120	CM	66 LEVEL CM	4246,7129 litre	22,351 %	14753,6395 litre	O
420	CM	120	CM	65 LEVEL CM	4156,9089 litre	21,878 %	14843,4435 litre	O
420	CM	120	CM	64 LEVEL CM	4067,5381 litre	21,408 %	14932,8143 litre	O
420	CM	120	CM	63 LEVEL CM	3978,6105 litre	20,940 %	15021,7419 litre	O
420	CM	120	CM	62 LEVEL CM	3890,1364 litre	20,474 %	15110,2160 litre	O
420	CM	120	CM	61 LEVEL CM	3802,1260 litre	20,011 %	15198,2264 litre	O
420	CM	120	CM	60 LEVEL CM	3714,5900 litre	19,550 %	15285,7624 litre	O
420	CM	120	CM	59 LEVEL CM	3627,5389 litre	19,092 %	15372,8135 litre	O
420	CM	120	CM	58 LEVEL CM	3540,9837 litre	18,636 %	15459,3687 litre	O
420	CM	120	CM	57 LEVEL CM	3454,9354 litre	18,184 %	15545,4170 litre	O
420	CM	120	CM	56 LEVEL CM	3369,4053 litre	17,733 %	15630,9471 litre	O
420	CM	120	CM	55 LEVEL CM	3284,4048 litre	17,286 %	15715,9476 litre	O
420	CM	120	CM	54 LEVEL CM	3199,9456 litre	16,842 %	15800,4068 litre	O
420	CM	120	CM	53 LEVEL CM	3116,0396 litre	16,400 %	15884,3128 litre	O
420	CM	120	CM	52 LEVEL CM	3032,6989 litre	15,961 %	15967,6535 litre	O
420	CM	120	CM	51 LEVEL CM	2949,9360 litre	15,526 %	16050,4164 litre	O
420	CM	120	CM	50 LEVEL CM	2867,7635 litre	15,093 %	16132,5889 litre	O
420	CM	120	CM	49 LEVEL CM	2786,1942 litre	14,664 %	16214,1582 litre	O
420	CM	120	CM	48 LEVEL CM	2705,2415 litre	14,238 %	16295,1109 litre	O
420	CM	120	CM	47 LEVEL CM	2624,9188 litre	13,815 %	16375,4336 litre	O
420	CM	120	CM	46 LEVEL CM	2545,2399 litre	13,396 %	16455,1125 litre	O
420	CM	120	CM	45 LEVEL CM	2466,2191 litre	12,980 %	16534,1333 litre	O
420	CM	120	CM	44 LEVEL CM	2387,8709 litre	12,568 %	16612,4815 litre	O
420	CM	120	CM	43 LEVEL CM	2310,2101 litre	12,159 %	16690,1423 litre	O
420	CM	120	CM	42 LEVEL CM	2233,2522 litre	11,754 %	16767,1002 litre	O
420	CM	120	CM	41 LEVEL CM	2157,0127 litre	11,352 %	16843,3397 litre	O
420	CM	120	CM	40 LEVEL CM	2081,5080 litre	10,955 %	16918,8444 litre	O
420	CM	120	CM	39 LEVEL CM	2006,7546 litre	10,562 %	16993,5978 litre	O
420	CM	120	CM	38 LEVEL CM	1932,7697 litre	10,172 %	17067,5827 litre	O
420	CM	120	CM	37 LEVEL CM	1859,5711 litre	9,787 %	17140,7813 litre	O
420	CM	120	CM	36 LEVEL CM	1787,1770 litre	9,406 %	17213,1754 litre	O
420	CM	120	CM	35 LEVEL CM	1715,6063 litre	9,029 %	17284,7461 litre	O
420	CM	120	CM	34 LEVEL CM	1644,8786 litre	8,657 %	17355,4738 litre	O
420	CM	120	CM	33 LEVEL CM	1575,0141 litre	8,289 %	17425,3383 litre	O
420	CM	120	CM	32 LEVEL CM	1506,0340 litre	7,926 %	17494,3184 litre	O
420	CM	120	CM	31 LEVEL CM	1437,9599 litre	7,568 %	17562,3925 litre	O
420	CM	120	CM	30 LEVEL CM	1370,8147 litre	7,215 %	17629,5377 litre	O

420	CM	120	CM	29 LEVEL CM	1304,6221 litre	6,866 %	17695,7303 litre	O
420	CM	120	CM	28 LEVEL CM	1239,4068 litre	6,523 %	17760,9456 litre	O
420	CM	120	CM	27 LEVEL CM	1175,1946 litre	6,185 %	17825,1578 litre	O
420	CM	120	CM	26 LEVEL CM	1112,0126 litre	5,853 %	17888,3398 litre	O
420	CM	120	CM	25 LEVEL CM	1049,8894 litre	5,526 %	17950,4630 litre	O
420	CM	120	CM	24 LEVEL CM	988,8547 litre	5,204 %	18011,4977 litre	O
420	CM	120	CM	23 LEVEL CM	928,9402 litre	4,889 %	18071,4122 litre	O
420	CM	120	CM	22 LEVEL CM	870,1792 litre	4,580 %	18130,1732 litre	O
420	CM	120	CM	21 LEVEL CM	812,6070 litre	4,277 %	18187,7454 litre	O
420	CM	120	CM	20 LEVEL CM	756,2613 litre	3,980 %	18244,0911 litre	O
420	CM	120	CM	19 LEVEL CM	701,1822 litre	3,690 %	18299,1702 litre	O
420	CM	120	CM	18 LEVEL CM	647,4127 litre	3,407 %	18352,9397 litre	O
420	CM	120	CM	17 LEVEL CM	594,9988 litre	3,132 %	18405,3536 litre	O
420	CM	120	CM	16 LEVEL CM	543,9905 litre	2,863 %	18456,3619 litre	O
420	CM	120	CM	15 LEVEL CM	494,4419 litre	2,602 %	18505,9105 litre	O
420	CM	120	CM	14 LEVEL CM	446,4119 litre	2,349 %	18553,9405 litre	O
420	CM	120	CM	13 LEVEL CM	399,9655 litre	2,105 %	18600,3869 litre	O
420	CM	120	CM	12 LEVEL CM	355,1743 litre	1,869 %	18645,1781 litre	O
420	CM	120	CM	11 LEVEL CM	312,1183 litre	1,643 %	18688,2341 litre	O
420	CM	120	CM	10 LEVEL CM	270,8876 litre	1,426 %	18729,4648 litre	O
420	CM	120	CM	9 LEVEL CM	231,5849 litre	1,219 %	18768,7675 litre	O
420	CM	120	CM	8 LEVEL CM	194,3289 litre	1,023 %	18806,0235 litre	O
420	CM	120	CM	7 LEVEL CM	159,2589 litre	0,838 %	18841,0935 litre	O
420	CM	120	CM	6 LEVEL CM	126,5425 litre	0,666 %	18873,8099 litre	O
420	CM	120	CM	5 LEVEL CM	96,3864 litre	0,507 %	18903,9660 litre	O
420	CM	120	CM	4 LEVEL CM	69,0558 litre	0,363 %	18931,2966 litre	O
420	CM	120	CM	3 LEVEL CM	44,9097 litre	0,236 %	18955,4427 litre	O
420	CM	120	CM	2 LEVEL CM	24,4765 litre	0,129 %	18975,8759 litre	O
420	CM	120	CM	1 LEVEL CM	8,6646 litre	0,046 %	18991,6878 litre	O
420	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	19000,3524 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
420	CM	115	CM	230 LEVEL CM	17449,9764 litre	100,000 %	0,0000 litre	O
420	CM	115	CM	229 LEVEL CM	17441,4947 litre	99,951 %	8,4817 litre	O
420	CM	115	CM	228 LEVEL CM	17426,0178 litre	99,863 %	23,9586 litre	O
420	CM	115	CM	227 LEVEL CM	17406,0195 litre	99,748 %	43,9569 litre	O
420	CM	115	CM	226 LEVEL CM	17382,3894 litre	99,613 %	67,5870 litre	O
420	CM	115	CM	225 LEVEL CM	17355,6455 litre	99,459 %	94,3309 litre	O
420	CM	115	CM	224 LEVEL CM	17326,1394 litre	99,290 %	123,8370 litre	O
420	CM	115	CM	223 LEVEL CM	17294,1312 litre	99,107 %	155,8452 litre	O
420	CM	115	CM	222 LEVEL CM	17259,8237 litre	98,910 %	190,1527 litre	O
420	CM	115	CM	221 LEVEL CM	17223,3812 litre	98,701 %	226,5952 litre	O
420	CM	115	CM	220 LEVEL CM	17184,9405 litre	98,481 %	265,0359 litre	O
420	CM	115	CM	219 LEVEL CM	17144,6182 litre	98,250 %	305,3582 litre	O
420	CM	115	CM	218 LEVEL CM	17102,5149 litre	98,009 %	347,4615 litre	O
420	CM	115	CM	217 LEVEL CM	17058,7192 litre	97,758 %	391,2572 litre	O
420	CM	115	CM	216 LEVEL CM	17013,3096 litre	97,498 %	436,6668 litre	O
420	CM	115	CM	215 LEVEL CM	16966,3567 litre	97,229 %	483,6197 litre	O
420	CM	115	CM	214 LEVEL CM	16917,9242 litre	96,951 %	532,0522 litre	O
420	CM	115	CM	213 LEVEL CM	16868,0701 litre	96,665 %	581,9063 litre	O
420	CM	115	CM	212 LEVEL CM	16816,8476 litre	96,372 %	633,1288 litre	O
420	CM	115	CM	211 LEVEL CM	16764,3059 litre	96,071 %	685,6705 litre	O
420	CM	115	CM	210 LEVEL CM	16710,4902 litre	95,762 %	739,4862 litre	O
420	CM	115	CM	209 LEVEL CM	16655,4430 litre	95,447 %	794,5334 litre	O
420	CM	115	CM	208 LEVEL CM	16599,2038 litre	95,125 %	850,7726 litre	O
420	CM	115	CM	207 LEVEL CM	16541,8095 litre	94,796 %	908,1669 litre	O
420	CM	115	CM	206 LEVEL CM	16483,2950 litre	94,460 %	966,6814 litre	O
420	CM	115	CM	205 LEVEL CM	16423,6933 litre	94,119 %	1026,2831 litre	O
420	CM	115	CM	204 LEVEL CM	16363,0354 litre	93,771 %	1086,9410 litre	O
420	CM	115	CM	203 LEVEL CM	16301,3509 litre	93,418 %	1148,6255 litre	O
420	CM	115	CM	202 LEVEL CM	16238,6678 litre	93,058 %	1211,3086 litre	O
420	CM	115	CM	201 LEVEL CM	16175,0129 litre	92,694 %	1274,9635 litre	O
420	CM	115	CM	200 LEVEL CM	16110,4117 litre	92,323 %	1339,5647 litre	O
420	CM	115	CM	199 LEVEL CM	16044,8886 litre	91,948 %	1405,0878 litre	O
420	CM	115	CM	198 LEVEL CM	15978,4671 litre	91,567 %	1471,5093 litre	O
420	CM	115	CM	197 LEVEL CM	15911,1697 litre	91,182 %	1538,8067 litre	O
420	CM	115	CM	196 LEVEL CM	15843,0178 litre	90,791 %	1606,9586 litre	O
420	CM	115	CM	195 LEVEL CM	15774,0325 litre	90,396 %	1675,9439 litre	O
420	CM	115	CM	194 LEVEL CM	15704,2336 litre	89,996 %	1745,7428 litre	O
420	CM	115	CM	193 LEVEL CM	15633,6407 litre	89,591 %	1816,3357 litre	O
420	CM	115	CM	192 LEVEL CM	15562,2723 litre	89,182 %	1887,7041 litre	O
420	CM	115	CM	191 LEVEL CM	15490,1467 litre	88,769 %	1959,8297 litre	O
420	CM	115	CM	190 LEVEL CM	15417,2813 litre	88,351 %	2032,6951 litre	O
420	CM	115	CM	189 LEVEL CM	15343,6933 litre	87,930 %	2106,2831 litre	O
420	CM	115	CM	188 LEVEL CM	15269,3990 litre	87,504 %	2180,5774 litre	O
420	CM	115	CM	187 LEVEL CM	15194,4147 litre	87,074 %	2255,5617 litre	O
420	CM	115	CM	186 LEVEL CM	15118,7558 litre	86,641 %	2331,2206 litre	O
420	CM	115	CM	185 LEVEL CM	15042,4377 litre	86,203 %	2407,5387 litre	O
420	CM	115	CM	184 LEVEL CM	14965,4751 litre	85,762 %	2484,5013 litre	O
420	CM	115	CM	183 LEVEL CM	14887,8825 litre	85,317 %	2562,0939 litre	O
420	CM	115	CM	182 LEVEL CM	14809,6739 litre	84,869 %	2640,3025 litre	O
420	CM	115	CM	181 LEVEL CM	14730,8632 litre	84,418 %	2719,1132 litre	O
420	CM	115	CM	180 LEVEL CM	14651,4637 litre	83,963 %	2798,5127 litre	O
420	CM	115	CM	179 LEVEL CM	14571,4887 litre	83,504 %	2878,4877 litre	O

420	CM 115	CM	178 LEVEL CM	14490,9510 litre	83,043 %	2959,0254 litre	O
420	CM 115	CM	177 LEVEL CM	14409,8632 litre	82,578 %	3040,1132 litre	O
420	CM 115	CM	176 LEVEL CM	14328,2377 litre	82,110 %	3121,7387 litre	O
420	CM 115	CM	175 LEVEL CM	14246,0866 litre	81,640 %	3203,8898 litre	O
420	CM 115	CM	174 LEVEL CM	14163,4218 litre	81,166 %	3286,5546 litre	O
420	CM 115	CM	173 LEVEL CM	14080,2548 litre	80,689 %	3369,7216 litre	O
420	CM 115	CM	172 LEVEL CM	13996,5972 litre	80,210 %	3453,3792 litre	O
420	CM 115	CM	171 LEVEL CM	13912,4603 litre	79,728 %	3537,5161 litre	O
420	CM 115	CM	170 LEVEL CM	13827,8549 litre	79,243 %	3622,1215 litre	O
420	CM 115	CM	169 LEVEL CM	13742,7922 litre	78,755 %	3707,1842 litre	O
420	CM 115	CM	168 LEVEL CM	13657,2826 litre	78,265 %	3792,6938 litre	O
420	CM 115	CM	167 LEVEL CM	13571,3369 litre	77,773 %	3878,6395 litre	O
420	CM 115	CM	166 LEVEL CM	13484,9652 litre	77,278 %	3965,0112 litre	O
420	CM 115	CM	165 LEVEL CM	13398,1780 litre	76,780 %	4051,7984 litre	O
420	CM 115	CM	164 LEVEL CM	13310,9851 litre	76,281 %	4138,9913 litre	O
420	CM 115	CM	163 LEVEL CM	13223,3966 litre	75,779 %	4226,5798 litre	O
420	CM 115	CM	162 LEVEL CM	13135,4223 litre	75,275 %	4314,5541 litre	O
420	CM 115	CM	161 LEVEL CM	13047,0719 litre	74,768 %	4402,9045 litre	O
420	CM 115	CM	160 LEVEL CM	12958,3548 litre	74,260 %	4491,6216 litre	O
420	CM 115	CM	159 LEVEL CM	12869,2805 litre	73,750 %	4580,6959 litre	O
420	CM 115	CM	158 LEVEL CM	12779,8583 litre	73,237 %	4670,1181 litre	O
420	CM 115	CM	157 LEVEL CM	12690,0975 litre	72,723 %	4759,8789 litre	O
420	CM 115	CM	156 LEVEL CM	12600,0072 litre	72,206 %	4849,9692 litre	O
420	CM 115	CM	155 LEVEL CM	12509,5963 litre	71,688 %	4940,3801 litre	O
420	CM 115	CM	154 LEVEL CM	12418,8737 litre	71,168 %	5031,1027 litre	O
420	CM 115	CM	153 LEVEL CM	12327,8484 litre	70,647 %	5122,1280 litre	O
420	CM 115	CM	152 LEVEL CM	12236,5289 litre	70,123 %	5213,4475 litre	O
420	CM 115	CM	151 LEVEL CM	12144,9240 litre	69,599 %	5305,0524 litre	O
420	CM 115	CM	150 LEVEL CM	12053,0422 litre	69,072 %	5396,9342 litre	O
420	CM 115	CM	149 LEVEL CM	11960,8920 litre	68,544 %	5489,0844 litre	O
420	CM 115	CM	148 LEVEL CM	11868,4819 litre	68,014 %	5581,4945 litre	O
420	CM 115	CM	147 LEVEL CM	11775,8201 litre	67,483 %	5674,1563 litre	O
420	CM 115	CM	146 LEVEL CM	11682,9149 litre	66,951 %	5767,0615 litre	O
420	CM 115	CM	145 LEVEL CM	11589,7747 litre	66,417 %	5860,2017 litre	O
420	CM 115	CM	144 LEVEL CM	11496,4074 litre	65,882 %	5953,5690 litre	O
420	CM 115	CM	143 LEVEL CM	11402,8212 litre	65,346 %	6047,1552 litre	O
420	CM 115	CM	142 LEVEL CM	11309,0241 litre	64,808 %	6140,9523 litre	O
420	CM 115	CM	141 LEVEL CM	11215,0242 litre	64,270 %	6234,9522 litre	O
420	CM 115	CM	140 LEVEL CM	11120,8293 litre	63,730 %	6329,1471 litre	O
420	CM 115	CM	139 LEVEL CM	11026,4473 litre	63,189 %	6423,5291 litre	O
420	CM 115	CM	138 LEVEL CM	10931,8860 litre	62,647 %	6518,0904 litre	O
420	CM 115	CM	137 LEVEL CM	10837,1533 litre	62,104 %	6612,8231 litre	O
420	CM 115	CM	136 LEVEL CM	10742,2569 litre	61,560 %	6707,7195 litre	O
420	CM 115	CM	135 LEVEL CM	10647,2044 litre	61,016 %	6802,7720 litre	O
420	CM 115	CM	134 LEVEL CM	10552,0036 litre	60,470 %	6897,9728 litre	O
420	CM 115	CM	133 LEVEL CM	10456,6620 litre	59,924 %	6993,3144 litre	O
420	CM 115	CM	132 LEVEL CM	10361,1874 litre	59,377 %	7088,7890 litre	O
420	CM 115	CM	131 LEVEL CM	10265,5872 litre	58,829 %	7184,3892 litre	O
420	CM 115	CM	130 LEVEL CM	10169,8690 litre	58,280 %	7280,1074 litre	O
420	CM 115	CM	129 LEVEL CM	10074,0402 litre	57,731 %	7375,9362 litre	O
420	CM 115	CM	128 LEVEL CM	9978,1084 litre	57,181 %	7471,8680 litre	O
420	CM 115	CM	127 LEVEL CM	9882,0811 litre	56,631 %	7567,8953 litre	O
420	CM 115	CM	126 LEVEL CM	9785,9656 litre	56,080 %	7664,0108 litre	O

420	CM 115	CM	125 LEVEL CM	9689,7694 litre	55,529 %	7760,2070 litre	O
420	CM 115	CM	124 LEVEL CM	9593,4999 litre	54,977 %	7856,4765 litre	O
420	CM 115	CM	123 LEVEL CM	9497,1644 litre	54,425 %	7952,8120 litre	O
420	CM 115	CM	122 LEVEL CM	9400,7704 litre	53,873 %	8049,2060 litre	O
420	CM 115	CM	121 LEVEL CM	9304,3251 litre	53,320 %	8145,6513 litre	O
420	CM 115	CM	120 LEVEL CM	9207,8360 litre	52,767 %	8242,1404 litre	O
420	CM 115	CM	119 LEVEL CM	9111,3103 litre	52,214 %	8338,6661 litre	O
420	CM 115	CM	118 LEVEL CM	9014,7553 litre	51,661 %	8435,2211 litre	O
420	CM 115	CM	117 LEVEL CM	8918,1785 litre	51,107 %	8531,7979 litre	O
420	CM 115	CM	116 LEVEL CM	8821,5870 litre	50,554 %	8628,3894 litre	O
420	CM 115	CM	115 LEVEL CM	8724,9882 litre	50,000 %	8724,9882 litre	O
420	CM 115	CM	114 LEVEL CM	8628,3894 litre	49,446 %	8821,5870 litre	O
420	CM 115	CM	113 LEVEL CM	8531,7979 litre	48,893 %	8918,1785 litre	O
420	CM 115	CM	112 LEVEL CM	8435,2211 litre	48,339 %	9014,7553 litre	O
420	CM 115	CM	111 LEVEL CM	8338,6661 litre	47,786 %	9111,3103 litre	O
420	CM 115	CM	110 LEVEL CM	8242,1404 litre	47,233 %	9207,8360 litre	O
420	CM 115	CM	109 LEVEL CM	8145,6513 litre	46,680 %	9304,3251 litre	O
420	CM 115	CM	108 LEVEL CM	8049,2060 litre	46,127 %	9400,7704 litre	O
420	CM 115	CM	107 LEVEL CM	7952,8120 litre	45,575 %	9497,1644 litre	O
420	CM 115	CM	106 LEVEL CM	7856,4765 litre	45,023 %	9593,4999 litre	O
420	CM 115	CM	105 LEVEL CM	7760,2070 litre	44,471 %	9689,7694 litre	O
420	CM 115	CM	104 LEVEL CM	7664,0108 litre	43,920 %	9785,9656 litre	O
420	CM 115	CM	103 LEVEL CM	7567,8953 litre	43,369 %	9882,0811 litre	O
420	CM 115	CM	102 LEVEL CM	7471,8680 litre	42,819 %	9978,1084 litre	O
420	CM 115	CM	101 LEVEL CM	7375,9362 litre	42,269 %	10074,0402 litre	O
420	CM 115	CM	100 LEVEL CM	7280,1074 litre	41,720 %	10169,8690 litre	O
420	CM 115	CM	99 LEVEL CM	7184,3892 litre	41,171 %	10265,5872 litre	O
420	CM 115	CM	98 LEVEL CM	7088,7890 litre	40,623 %	10361,1874 litre	O
420	CM 115	CM	97 LEVEL CM	6993,3143 litre	40,076 %	10456,6621 litre	O
420	CM 115	CM	96 LEVEL CM	6897,9728 litre	39,530 %	10552,0036 litre	O
420	CM 115	CM	95 LEVEL CM	6802,7720 litre	38,984 %	10647,2044 litre	O
420	CM 115	CM	94 LEVEL CM	6707,7195 litre	38,440 %	10742,2569 litre	O
420	CM 115	CM	93 LEVEL CM	6612,8231 litre	37,896 %	10837,1533 litre	O
420	CM 115	CM	92 LEVEL CM	6518,0904 litre	37,353 %	10931,8860 litre	O
420	CM 115	CM	91 LEVEL CM	6423,5291 litre	36,811 %	11026,4473 litre	O
420	CM 115	CM	90 LEVEL CM	6329,1471 litre	36,270 %	11120,8293 litre	O
420	CM 115	CM	89 LEVEL CM	6234,9522 litre	35,730 %	11215,0242 litre	O
420	CM 115	CM	88 LEVEL CM	6140,9522 litre	35,192 %	11309,0242 litre	O
420	CM 115	CM	87 LEVEL CM	6047,1552 litre	34,654 %	11402,8212 litre	O
420	CM 115	CM	86 LEVEL CM	5953,5690 litre	34,118 %	11496,4074 litre	O
420	CM 115	CM	85 LEVEL CM	5860,2017 litre	33,583 %	11589,7747 litre	O
420	CM 115	CM	84 LEVEL CM	5767,0614 litre	33,049 %	11682,9150 litre	O
420	CM 115	CM	83 LEVEL CM	5674,1563 litre	32,517 %	11775,8201 litre	O
420	CM 115	CM	82 LEVEL CM	5581,4945 litre	31,986 %	11868,4819 litre	O
420	CM 115	CM	81 LEVEL CM	5489,0844 litre	31,456 %	11960,8920 litre	O
420	CM 115	CM	80 LEVEL CM	5396,9342 litre	30,928 %	12053,0422 litre	O
420	CM 115	CM	79 LEVEL CM	5305,0524 litre	30,401 %	12144,9240 litre	O
420	CM 115	CM	78 LEVEL CM	5213,4475 litre	29,877 %	12236,5289 litre	O
420	CM 115	CM	77 LEVEL CM	5122,1280 litre	29,353 %	12327,8484 litre	O
420	CM 115	CM	76 LEVEL CM	5031,1027 litre	28,832 %	12418,8737 litre	O
420	CM 115	CM	75 LEVEL CM	4940,3801 litre	28,312 %	12509,5963 litre	O
420	CM 115	CM	74 LEVEL CM	4849,9692 litre	27,794 %	12600,0072 litre	O
420	CM 115	CM	73 LEVEL CM	4759,8789 litre	27,277 %	12690,0975 litre	O

420	CM	115	CM	72 LEVEL CM	4670,1180 litre	26,763 %	12779,8584 litre	O
420	CM	115	CM	71 LEVEL CM	4580,6959 litre	26,250 %	12869,2805 litre	O
420	CM	115	CM	70 LEVEL CM	4491,6216 litre	25,740 %	12958,3548 litre	O
420	CM	115	CM	69 LEVEL CM	4402,9045 litre	25,232 %	13047,0719 litre	O
420	CM	115	CM	68 LEVEL CM	4314,5541 litre	24,725 %	13135,4223 litre	O
420	CM	115	CM	67 LEVEL CM	4226,5798 litre	24,221 %	13223,3966 litre	O
420	CM	115	CM	66 LEVEL CM	4138,9913 litre	23,719 %	13310,9851 litre	O
420	CM	115	CM	65 LEVEL CM	4051,7984 litre	23,220 %	13398,1780 litre	O
420	CM	115	CM	64 LEVEL CM	3965,0112 litre	22,722 %	13484,9652 litre	O
420	CM	115	CM	63 LEVEL CM	3878,6395 litre	22,227 %	13571,3369 litre	O
420	CM	115	CM	62 LEVEL CM	3792,6938 litre	21,735 %	13657,2826 litre	O
420	CM	115	CM	61 LEVEL CM	3707,1842 litre	21,245 %	13742,7922 litre	O
420	CM	115	CM	60 LEVEL CM	3622,1215 litre	20,757 %	13827,8549 litre	O
420	CM	115	CM	59 LEVEL CM	3537,5161 litre	20,272 %	13912,4603 litre	O
420	CM	115	CM	58 LEVEL CM	3453,3792 litre	19,790 %	13996,5972 litre	O
420	CM	115	CM	57 LEVEL CM	3369,7216 litre	19,311 %	14080,2548 litre	O
420	CM	115	CM	56 LEVEL CM	3286,5546 litre	18,834 %	14163,4218 litre	O
420	CM	115	CM	55 LEVEL CM	3203,8898 litre	18,360 %	14246,0866 litre	O
420	CM	115	CM	54 LEVEL CM	3121,7386 litre	17,890 %	14328,2378 litre	O
420	CM	115	CM	53 LEVEL CM	3040,1131 litre	17,422 %	14409,8633 litre	O
420	CM	115	CM	52 LEVEL CM	2959,0254 litre	16,957 %	14490,9510 litre	O
420	CM	115	CM	51 LEVEL CM	2878,4877 litre	16,496 %	14571,4887 litre	O
420	CM	115	CM	50 LEVEL CM	2798,5127 litre	16,037 %	14651,4637 litre	O
420	CM	115	CM	49 LEVEL CM	2719,1132 litre	15,582 %	14730,8632 litre	O
420	CM	115	CM	48 LEVEL CM	2640,3025 litre	15,131 %	14809,6739 litre	O
420	CM	115	CM	47 LEVEL CM	2562,0939 litre	14,683 %	14887,8825 litre	O
420	CM	115	CM	46 LEVEL CM	2484,5013 litre	14,238 %	14965,4751 litre	O
420	CM	115	CM	45 LEVEL CM	2407,5387 litre	13,797 %	15042,4377 litre	O
420	CM	115	CM	44 LEVEL CM	2331,2205 litre	13,359 %	15118,7559 litre	O
420	CM	115	CM	43 LEVEL CM	2255,5617 litre	12,926 %	15194,4147 litre	O
420	CM	115	CM	42 LEVEL CM	2180,5774 litre	12,496 %	15269,3990 litre	O
420	CM	115	CM	41 LEVEL CM	2106,2831 litre	12,070 %	15343,6933 litre	O
420	CM	115	CM	40 LEVEL CM	2032,6951 litre	11,649 %	15417,2813 litre	O
420	CM	115	CM	39 LEVEL CM	1959,8297 litre	11,231 %	15490,1467 litre	O
420	CM	115	CM	38 LEVEL CM	1887,7041 litre	10,818 %	15562,2723 litre	O
420	CM	115	CM	37 LEVEL CM	1816,3357 litre	10,409 %	15633,6407 litre	O
420	CM	115	CM	36 LEVEL CM	1745,7428 litre	10,004 %	15704,2336 litre	O
420	CM	115	CM	35 LEVEL CM	1675,9439 litre	9,604 %	15774,0325 litre	O
420	CM	115	CM	34 LEVEL CM	1606,9585 litre	9,209 %	15843,0179 litre	O
420	CM	115	CM	33 LEVEL CM	1538,8067 litre	8,818 %	15911,1697 litre	O
420	CM	115	CM	32 LEVEL CM	1471,5093 litre	8,433 %	15978,4671 litre	O
420	CM	115	CM	31 LEVEL CM	1405,0878 litre	8,052 %	16044,8886 litre	O
420	CM	115	CM	30 LEVEL CM	1339,5647 litre	7,677 %	16110,4117 litre	O
420	CM	115	CM	29 LEVEL CM	1274,9635 litre	7,306 %	16175,0129 litre	O
420	CM	115	CM	28 LEVEL CM	1211,3086 litre	6,942 %	16238,6678 litre	O
420	CM	115	CM	27 LEVEL CM	1148,6255 litre	6,582 %	16301,3509 litre	O
420	CM	115	CM	26 LEVEL CM	1086,9410 litre	6,229 %	16363,0354 litre	O
420	CM	115	CM	25 LEVEL CM	1026,2831 litre	5,881 %	16423,6933 litre	O
420	CM	115	CM	24 LEVEL CM	966,6814 litre	5,540 %	16483,2950 litre	O
420	CM	115	CM	23 LEVEL CM	908,1669 litre	5,204 %	16541,8095 litre	O
420	CM	115	CM	22 LEVEL CM	850,7726 litre	4,875 %	16599,2038 litre	O
420	CM	115	CM	21 LEVEL CM	794,5334 litre	4,553 %	16655,4430 litre	O
420	CM	115	CM	20 LEVEL CM	739,4862 litre	4,238 %	16710,4902 litre	O

420	CM	115	CM	19 LEVEL CM	685,6705 litre	3,929 %	16764,3059 litre	O
420	CM	115	CM	18 LEVEL CM	633,1288 litre	3,628 %	16816,8476 litre	O
420	CM	115	CM	17 LEVEL CM	581,9063 litre	3,335 %	16868,0701 litre	O
420	CM	115	CM	16 LEVEL CM	532,0522 litre	3,049 %	16917,9242 litre	O
420	CM	115	CM	15 LEVEL CM	483,6197 litre	2,771 %	16966,3567 litre	O
420	CM	115	CM	14 LEVEL CM	436,6668 litre	2,502 %	17013,3096 litre	O
420	CM	115	CM	13 LEVEL CM	391,2572 litre	2,242 %	17058,7192 litre	O
420	CM	115	CM	12 LEVEL CM	347,4615 litre	1,991 %	17102,5149 litre	O
420	CM	115	CM	11 LEVEL CM	305,3582 litre	1,750 %	17144,6182 litre	O
420	CM	115	CM	10 LEVEL CM	265,0359 litre	1,519 %	17184,9405 litre	O
420	CM	115	CM	9 LEVEL CM	226,5952 litre	1,299 %	17223,3812 litre	O
420	CM	115	CM	8 LEVEL CM	190,1527 litre	1,090 %	17259,8237 litre	O
420	CM	115	CM	7 LEVEL CM	155,8452 litre	0,893 %	17294,1312 litre	O
420	CM	115	CM	6 LEVEL CM	123,8370 litre	0,710 %	17326,1394 litre	O
420	CM	115	CM	5 LEVEL CM	94,3309 litre	0,541 %	17355,6455 litre	O
420	CM	115	CM	4 LEVEL CM	67,5870 litre	0,387 %	17382,3894 litre	O
420	CM	115	CM	3 LEVEL CM	43,9569 litre	0,252 %	17406,0195 litre	O
420	CM	115	CM	2 LEVEL CM	23,9586 litre	0,137 %	17426,0178 litre	O
420	CM	115	CM	1 LEVEL CM	8,4817 litre	0,049 %	17441,4947 litre	O
420	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	17449,9764 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM	110	CM 220 LEVEL CM	15965,5739 litre	100,000 %	0,0000 litre	O
420	CM	110	CM 219 LEVEL CM	15957,2791 litre	99,948 %	8,2948 litre	O
420	CM	110	CM 218 LEVEL CM	15942,1447 litre	99,853 %	23,4292 litre	O
420	CM	110	CM 217 LEVEL CM	15922,5909 litre	99,731 %	42,9830 litre	O
420	CM	110	CM 216 LEVEL CM	15899,4884 litre	99,586 %	66,0855 litre	O
420	CM	110	CM 215 LEVEL CM	15873,3441 litre	99,422 %	92,2298 litre	O
420	CM	110	CM 214 LEVEL CM	15844,5027 litre	99,242 %	121,0712 litre	O
420	CM	110	CM 213 LEVEL CM	15813,2188 litre	99,046 %	152,3551 litre	O
420	CM	110	CM 212 LEVEL CM	15779,6912 litre	98,836 %	185,8827 litre	O
420	CM	110	CM 211 LEVEL CM	15744,0808 litre	98,613 %	221,4931 litre	O
420	CM	110	CM 210 LEVEL CM	15706,5220 litre	98,377 %	259,0519 litre	O
420	CM	110	CM 209 LEVEL CM	15667,1288 litre	98,131 %	298,4451 litre	O
420	CM	110	CM 208 LEVEL CM	15626,0003 litre	97,873 %	339,5736 litre	O
420	CM	110	CM 207 LEVEL CM	15583,2232 litre	97,605 %	382,3507 litre	O
420	CM	110	CM 206 LEVEL CM	15538,8748 litre	97,327 %	426,6991 litre	O
420	CM	110	CM 205 LEVEL CM	15493,0243 litre	97,040 %	472,5496 litre	O
420	CM	110	CM 204 LEVEL CM	15445,7342 litre	96,744 %	519,8397 litre	O
420	CM	110	CM 203 LEVEL CM	15397,0617 litre	96,439 %	568,5122 litre	O
420	CM	110	CM 202 LEVEL CM	15347,0590 litre	96,126 %	618,5149 litre	O
420	CM	110	CM 201 LEVEL CM	15295,7744 litre	95,805 %	669,7995 litre	O
420	CM	110	CM 200 LEVEL CM	15243,2526 litre	95,476 %	722,3213 litre	O
420	CM	110	CM 199 LEVEL CM	15189,5352 litre	95,139 %	776,0387 litre	O
420	CM	110	CM 198 LEVEL CM	15134,6612 litre	94,796 %	830,9127 litre	O
420	CM	110	CM 197 LEVEL CM	15078,6670 litre	94,445 %	886,9069 litre	O
420	CM	110	CM 196 LEVEL CM	15021,5870 litre	94,087 %	943,9869 litre	O
420	CM	110	CM 195 LEVEL CM	14963,4535 litre	93,723 %	1002,1204 litre	O
420	CM	110	CM 194 LEVEL CM	14904,2973 litre	93,353 %	1061,2766 litre	O
420	CM	110	CM 193 LEVEL CM	14844,1475 litre	92,976 %	1121,4264 litre	O
420	CM	110	CM 192 LEVEL CM	14783,0318 litre	92,593 %	1182,5421 litre	O
420	CM	110	CM 191 LEVEL CM	14720,9765 litre	92,204 %	1244,5974 litre	O
420	CM	110	CM 190 LEVEL CM	14658,0069 litre	91,810 %	1307,5670 litre	O
420	CM	110	CM 189 LEVEL CM	14594,1471 litre	91,410 %	1371,4268 litre	O
420	CM	110	CM 188 LEVEL CM	14529,4203 litre	91,005 %	1436,1536 litre	O
420	CM	110	CM 187 LEVEL CM	14463,8488 litre	90,594 %	1501,7251 litre	O
420	CM	110	CM 186 LEVEL CM	14397,4537 litre	90,178 %	1568,1202 litre	O
420	CM	110	CM 185 LEVEL CM	14330,2559 litre	89,757 %	1635,3180 litre	O
420	CM	110	CM 184 LEVEL CM	14262,2750 litre	89,331 %	1703,2989 litre	O
420	CM	110	CM 183 LEVEL CM	14193,5304 litre	88,901 %	1772,0435 litre	O
420	CM	110	CM 182 LEVEL CM	14124,0405 litre	88,466 %	1841,5334 litre	O
420	CM	110	CM 181 LEVEL CM	14053,8233 litre	88,026 %	1911,7506 litre	O
420	CM	110	CM 180 LEVEL CM	13982,8962 litre	87,582 %	1982,6777 litre	O
420	CM	110	CM 179 LEVEL CM	13911,2761 litre	87,133 %	2054,2978 litre	O
420	CM	110	CM 178 LEVEL CM	13838,9794 litre	86,680 %	2126,5945 litre	O
420	CM	110	CM 177 LEVEL CM	13766,0221 litre	86,223 %	2199,5518 litre	O
420	CM	110	CM 176 LEVEL CM	13692,4196 litre	85,762 %	2273,1543 litre	O
420	CM	110	CM 175 LEVEL CM	13618,1870 litre	85,297 %	2347,3869 litre	O
420	CM	110	CM 174 LEVEL CM	13543,3392 litre	84,828 %	2422,2347 litre	O
420	CM	110	CM 173 LEVEL CM	13467,8904 litre	84,356 %	2497,6835 litre	O
420	CM	110	CM 172 LEVEL CM	13391,8548 litre	83,880 %	2573,7191 litre	O
420	CM	110	CM 171 LEVEL CM	13315,2459 litre	83,400 %	2650,3280 litre	O
420	CM	110	CM 170 LEVEL CM	13238,0772 litre	82,916 %	2727,4967 litre	O
420	CM	110	CM 169 LEVEL CM	13160,3619 litre	82,430 %	2805,2120 litre	O

420	CM 110	CM	168 LEVEL CM	13082,1127 litre	81,940 %	2883,4612 litre	O
420	CM 110	CM	167 LEVEL CM	13003,3422 litre	81,446 %	2962,2317 litre	O
420	CM 110	CM	166 LEVEL CM	12924,0628 litre	80,950 %	3041,5111 litre	O
420	CM 110	CM	165 LEVEL CM	12844,2865 litre	80,450 %	3121,2874 litre	O
420	CM 110	CM	164 LEVEL CM	12764,0252 litre	79,947 %	3201,5487 litre	O
420	CM 110	CM	163 LEVEL CM	12683,2906 litre	79,441 %	3282,2833 litre	O
420	CM 110	CM	162 LEVEL CM	12602,0940 litre	78,933 %	3363,4799 litre	O
420	CM 110	CM	161 LEVEL CM	12520,4469 litre	78,422 %	3445,1270 litre	O
420	CM 110	CM	160 LEVEL CM	12438,3602 litre	77,907 %	3527,2137 litre	O
420	CM 110	CM	159 LEVEL CM	12355,8448 litre	77,391 %	3609,7291 litre	O
420	CM 110	CM	158 LEVEL CM	12272,9114 litre	76,871 %	3692,6625 litre	O
420	CM 110	CM	157 LEVEL CM	12189,5707 litre	76,349 %	3776,0032 litre	O
420	CM 110	CM	156 LEVEL CM	12105,8330 litre	75,825 %	3859,7409 litre	O
420	CM 110	CM	155 LEVEL CM	12021,7086 litre	75,298 %	3943,8653 litre	O
420	CM 110	CM	154 LEVEL CM	11937,2075 litre	74,768 %	4028,3664 litre	O
420	CM 110	CM	153 LEVEL CM	11852,3399 litre	74,237 %	4113,2340 litre	O
420	CM 110	CM	152 LEVEL CM	11767,1155 litre	73,703 %	4198,4584 litre	O
420	CM 110	CM	151 LEVEL CM	11681,5440 litre	73,167 %	4284,0299 litre	O
420	CM 110	CM	150 LEVEL CM	11595,6352 litre	72,629 %	4369,9387 litre	O
420	CM 110	CM	149 LEVEL CM	11509,3984 litre	72,089 %	4456,1755 litre	O
420	CM 110	CM	148 LEVEL CM	11422,8431 litre	71,547 %	4542,7308 litre	O
420	CM 110	CM	147 LEVEL CM	11335,9786 litre	71,003 %	4629,5953 litre	O
420	CM 110	CM	146 LEVEL CM	11248,8140 litre	70,457 %	4716,7599 litre	O
420	CM 110	CM	145 LEVEL CM	11161,3586 litre	69,909 %	4804,2153 litre	O
420	CM 110	CM	144 LEVEL CM	11073,6211 litre	69,359 %	4891,9528 litre	O
420	CM 110	CM	143 LEVEL CM	10985,6107 litre	68,808 %	4979,9632 litre	O
420	CM 110	CM	142 LEVEL CM	10897,3361 litre	68,255 %	5068,2378 litre	O
420	CM 110	CM	141 LEVEL CM	10808,8061 litre	67,701 %	5156,7678 litre	O
420	CM 110	CM	140 LEVEL CM	10720,0293 litre	67,145 %	5245,5446 litre	O
420	CM 110	CM	139 LEVEL CM	10631,0145 litre	66,587 %	5334,5594 litre	O
420	CM 110	CM	138 LEVEL CM	10541,7700 litre	66,028 %	5423,8039 litre	O
420	CM 110	CM	137 LEVEL CM	10452,3044 litre	65,468 %	5513,2695 litre	O
420	CM 110	CM	136 LEVEL CM	10362,6262 litre	64,906 %	5602,9477 litre	O
420	CM 110	CM	135 LEVEL CM	10272,7436 litre	64,343 %	5692,8303 litre	O
420	CM 110	CM	134 LEVEL CM	10182,6649 litre	63,779 %	5782,9090 litre	O
420	CM 110	CM	133 LEVEL CM	10092,3985 litre	63,214 %	5873,1754 litre	O
420	CM 110	CM	132 LEVEL CM	10001,9524 litre	62,647 %	5963,6215 litre	O
420	CM 110	CM	131 LEVEL CM	9911,3349 litre	62,079 %	6054,2390 litre	O
420	CM 110	CM	130 LEVEL CM	9820,5540 litre	61,511 %	6145,0199 litre	O
420	CM 110	CM	129 LEVEL CM	9729,6178 litre	60,941 %	6235,9561 litre	O
420	CM 110	CM	128 LEVEL CM	9638,5343 litre	60,371 %	6327,0396 litre	O
420	CM 110	CM	127 LEVEL CM	9547,3114 litre	59,799 %	6418,2625 litre	O
420	CM 110	CM	126 LEVEL CM	9455,9572 litre	59,227 %	6509,6167 litre	O
420	CM 110	CM	125 LEVEL CM	9364,4794 litre	58,654 %	6601,0945 litre	O
420	CM 110	CM	124 LEVEL CM	9272,8860 litre	58,081 %	6692,6879 litre	O
420	CM 110	CM	123 LEVEL CM	9181,1849 litre	57,506 %	6784,3890 litre	O
420	CM 110	CM	122 LEVEL CM	9089,3837 litre	56,931 %	6876,1902 litre	O
420	CM 110	CM	121 LEVEL CM	8997,4904 litre	56,356 %	6968,0835 litre	O
420	CM 110	CM	120 LEVEL CM	8905,5126 litre	55,779 %	7060,0613 litre	O
420	CM 110	CM	119 LEVEL CM	8813,4582 litre	55,203 %	7152,1157 litre	O
420	CM 110	CM	118 LEVEL CM	8721,3348 litre	54,626 %	7244,2391 litre	O
420	CM 110	CM	117 LEVEL CM	8629,1501 litre	54,048 %	7336,4238 litre	O
420	CM 110	CM	116 LEVEL CM	8536,9119 litre	53,471 %	7428,6620 litre	O

420	CM 110	CM	115 LEVEL CM	8444,6278 litre	52,893 %	7520,9461 litre	O
420	CM 110	CM	114 LEVEL CM	8352,3055 litre	52,314 %	7613,2684 litre	O
420	CM 110	CM	113 LEVEL CM	8259,9526 litre	51,736 %	7705,6213 litre	O
420	CM 110	CM	112 LEVEL CM	8167,5768 litre	51,157 %	7797,9971 litre	O
420	CM 110	CM	111 LEVEL CM	8075,1857 litre	50,579 %	7890,3882 litre	O
420	CM 110	CM	110 LEVEL CM	7982,7869 litre	50,000 %	7982,7870 litre	O
420	CM 110	CM	109 LEVEL CM	7890,3882 litre	49,421 %	8075,1857 litre	O
420	CM 110	CM	108 LEVEL CM	7797,9971 litre	48,843 %	8167,5768 litre	O
420	CM 110	CM	107 LEVEL CM	7705,6213 litre	48,264 %	8259,9526 litre	O
420	CM 110	CM	106 LEVEL CM	7613,2684 litre	47,686 %	8352,3055 litre	O
420	CM 110	CM	105 LEVEL CM	7520,9461 litre	47,107 %	8444,6278 litre	O
420	CM 110	CM	104 LEVEL CM	7428,6620 litre	46,529 %	8536,9119 litre	O
420	CM 110	CM	103 LEVEL CM	7336,4237 litre	45,952 %	8629,1502 litre	O
420	CM 110	CM	102 LEVEL CM	7244,2391 litre	45,374 %	8721,3348 litre	O
420	CM 110	CM	101 LEVEL CM	7152,1157 litre	44,797 %	8813,4582 litre	O
420	CM 110	CM	100 LEVEL CM	7060,0612 litre	44,221 %	8905,5127 litre	O
420	CM 110	CM	99 LEVEL CM	6968,0835 litre	43,644 %	8997,4904 litre	O
420	CM 110	CM	98 LEVEL CM	6876,1901 litre	43,069 %	9089,3838 litre	O
420	CM 110	CM	97 LEVEL CM	6784,3890 litre	42,494 %	9181,1849 litre	O
420	CM 110	CM	96 LEVEL CM	6692,6878 litre	41,919 %	9272,8861 litre	O
420	CM 110	CM	95 LEVEL CM	6601,0944 litre	41,346 %	9364,4795 litre	O
420	CM 110	CM	94 LEVEL CM	6509,6167 litre	40,773 %	9455,9572 litre	O
420	CM 110	CM	93 LEVEL CM	6418,2624 litre	40,201 %	9547,3115 litre	O
420	CM 110	CM	92 LEVEL CM	6327,0396 litre	39,629 %	9638,5343 litre	O
420	CM 110	CM	91 LEVEL CM	6235,9561 litre	39,059 %	9729,6178 litre	O
420	CM 110	CM	90 LEVEL CM	6145,0198 litre	38,489 %	9820,5541 litre	O
420	CM 110	CM	89 LEVEL CM	6054,2390 litre	37,921 %	9911,3349 litre	O
420	CM 110	CM	88 LEVEL CM	5963,6214 litre	37,353 %	10001,9525 litre	O
420	CM 110	CM	87 LEVEL CM	5873,1754 litre	36,786 %	10092,3985 litre	O
420	CM 110	CM	86 LEVEL CM	5782,9089 litre	36,221 %	10182,6650 litre	O
420	CM 110	CM	85 LEVEL CM	5692,8303 litre	35,657 %	10272,7436 litre	O
420	CM 110	CM	84 LEVEL CM	5602,9477 litre	35,094 %	10362,6262 litre	O
420	CM 110	CM	83 LEVEL CM	5513,2694 litre	34,532 %	10452,3045 litre	O
420	CM 110	CM	82 LEVEL CM	5423,8039 litre	33,972 %	10541,7700 litre	O
420	CM 110	CM	81 LEVEL CM	5334,5594 litre	33,413 %	10631,0145 litre	O
420	CM 110	CM	80 LEVEL CM	5245,5445 litre	32,855 %	10720,0294 litre	O
420	CM 110	CM	79 LEVEL CM	5156,7678 litre	32,299 %	10808,8061 litre	O
420	CM 110	CM	78 LEVEL CM	5068,2378 litre	31,745 %	10897,3361 litre	O
420	CM 110	CM	77 LEVEL CM	4979,9632 litre	31,192 %	10985,6107 litre	O
420	CM 110	CM	76 LEVEL CM	4891,9527 litre	30,641 %	11073,6212 litre	O
420	CM 110	CM	75 LEVEL CM	4804,2153 litre	30,091 %	11161,3586 litre	O
420	CM 110	CM	74 LEVEL CM	4716,7598 litre	29,543 %	11248,8141 litre	O
420	CM 110	CM	73 LEVEL CM	4629,5953 litre	28,997 %	11335,9786 litre	O
420	CM 110	CM	72 LEVEL CM	4542,7308 litre	28,453 %	11422,8431 litre	O
420	CM 110	CM	71 LEVEL CM	4456,1755 litre	27,911 %	11509,3984 litre	O
420	CM 110	CM	70 LEVEL CM	4369,9387 litre	27,371 %	11595,6352 litre	O
420	CM 110	CM	69 LEVEL CM	4284,0299 litre	26,833 %	11681,5440 litre	O
420	CM 110	CM	68 LEVEL CM	4198,4584 litre	26,297 %	11767,1155 litre	O
420	CM 110	CM	67 LEVEL CM	4113,2340 litre	25,763 %	11852,3399 litre	O
420	CM 110	CM	66 LEVEL CM	4028,3663 litre	25,232 %	11937,2076 litre	O
420	CM 110	CM	65 LEVEL CM	3943,8653 litre	24,702 %	12021,7086 litre	O
420	CM 110	CM	64 LEVEL CM	3859,7409 litre	24,175 %	12105,8330 litre	O
420	CM 110	CM	63 LEVEL CM	3776,0032 litre	23,651 %	12189,5707 litre	O

420	CM 110	CM	62 LEVEL CM	3692,6624 litre	23,129 %	12272,9115 litre	O
420	CM 110	CM	61 LEVEL CM	3609,7291 litre	22,609 %	12355,8448 litre	O
420	CM 110	CM	60 LEVEL CM	3527,2137 litre	22,093 %	12438,3602 litre	O
420	CM 110	CM	59 LEVEL CM	3445,1270 litre	21,578 %	12520,4469 litre	O
420	CM 110	CM	58 LEVEL CM	3363,4798 litre	21,067 %	12602,0941 litre	O
420	CM 110	CM	57 LEVEL CM	3282,2833 litre	20,559 %	12683,2906 litre	O
420	CM 110	CM	56 LEVEL CM	3201,5487 litre	20,053 %	12764,0252 litre	O
420	CM 110	CM	55 LEVEL CM	3121,2874 litre	19,550 %	12844,2865 litre	O
420	CM 110	CM	54 LEVEL CM	3041,5111 litre	19,050 %	12924,0628 litre	O
420	CM 110	CM	53 LEVEL CM	2962,2317 litre	18,554 %	13003,3422 litre	O
420	CM 110	CM	52 LEVEL CM	2883,4612 litre	18,060 %	13082,1127 litre	O
420	CM 110	CM	51 LEVEL CM	2805,2120 litre	17,570 %	13160,3619 litre	O
420	CM 110	CM	50 LEVEL CM	2727,4966 litre	17,084 %	13238,0773 litre	O
420	CM 110	CM	49 LEVEL CM	2650,3280 litre	16,600 %	13315,2459 litre	O
420	CM 110	CM	48 LEVEL CM	2573,7191 litre	16,120 %	13391,8548 litre	O
420	CM 110	CM	47 LEVEL CM	2497,6834 litre	15,644 %	13467,8905 litre	O
420	CM 110	CM	46 LEVEL CM	2422,2347 litre	15,172 %	13543,3392 litre	O
420	CM 110	CM	45 LEVEL CM	2347,3868 litre	14,703 %	13618,1871 litre	O
420	CM 110	CM	44 LEVEL CM	2273,1543 litre	14,238 %	13692,4196 litre	O
420	CM 110	CM	43 LEVEL CM	2199,5518 litre	13,777 %	13766,0221 litre	O
420	CM 110	CM	42 LEVEL CM	2126,5944 litre	13,320 %	13838,9795 litre	O
420	CM 110	CM	41 LEVEL CM	2054,2977 litre	12,867 %	13911,2762 litre	O
420	CM 110	CM	40 LEVEL CM	1982,6777 litre	12,418 %	13982,8962 litre	O
420	CM 110	CM	39 LEVEL CM	1911,7506 litre	11,974 %	14053,8233 litre	O
420	CM 110	CM	38 LEVEL CM	1841,5334 litre	11,534 %	14124,0405 litre	O
420	CM 110	CM	37 LEVEL CM	1772,0435 litre	11,099 %	14193,5304 litre	O
420	CM 110	CM	36 LEVEL CM	1703,2988 litre	10,669 %	14262,2751 litre	O
420	CM 110	CM	35 LEVEL CM	1635,3180 litre	10,243 %	14330,2559 litre	O
420	CM 110	CM	34 LEVEL CM	1568,1201 litre	9,822 %	14397,4538 litre	O
420	CM 110	CM	33 LEVEL CM	1501,7251 litre	9,406 %	14463,8488 litre	O
420	CM 110	CM	32 LEVEL CM	1436,1535 litre	8,995 %	14529,4204 litre	O
420	CM 110	CM	31 LEVEL CM	1371,4267 litre	8,590 %	14594,1472 litre	O
420	CM 110	CM	30 LEVEL CM	1307,5670 litre	8,190 %	14658,0069 litre	O
420	CM 110	CM	29 LEVEL CM	1244,5974 litre	7,796 %	14720,9765 litre	O
420	CM 110	CM	28 LEVEL CM	1182,5421 litre	7,407 %	14783,0318 litre	O
420	CM 110	CM	27 LEVEL CM	1121,4264 litre	7,024 %	14844,1475 litre	O
420	CM 110	CM	26 LEVEL CM	1061,2765 litre	6,647 %	14904,2974 litre	O
420	CM 110	CM	25 LEVEL CM	1002,1203 litre	6,277 %	14963,4536 litre	O
420	CM 110	CM	24 LEVEL CM	943,9869 litre	5,913 %	15021,5870 litre	O
420	CM 110	CM	23 LEVEL CM	886,9068 litre	5,555 %	15078,6671 litre	O
420	CM 110	CM	22 LEVEL CM	830,9126 litre	5,204 %	15134,6613 litre	O
420	CM 110	CM	21 LEVEL CM	776,0386 litre	4,861 %	15189,5353 litre	O
420	CM 110	CM	20 LEVEL CM	722,3213 litre	4,524 %	15243,2526 litre	O
420	CM 110	CM	19 LEVEL CM	669,7995 litre	4,195 %	15295,7744 litre	O
420	CM 110	CM	18 LEVEL CM	618,5149 litre	3,874 %	15347,0590 litre	O
420	CM 110	CM	17 LEVEL CM	568,5122 litre	3,561 %	15397,0617 litre	O
420	CM 110	CM	16 LEVEL CM	519,8397 litre	3,256 %	15445,7342 litre	O
420	CM 110	CM	15 LEVEL CM	472,5496 litre	2,960 %	15493,0243 litre	O
420	CM 110	CM	14 LEVEL CM	426,6990 litre	2,673 %	15538,8749 litre	O
420	CM 110	CM	13 LEVEL CM	382,3506 litre	2,395 %	15583,2233 litre	O
420	CM 110	CM	12 LEVEL CM	339,5736 litre	2,127 %	15626,0003 litre	O
420	CM 110	CM	11 LEVEL CM	298,4451 litre	1,869 %	15667,1288 litre	O
420	CM 110	CM	10 LEVEL CM	259,0519 litre	1,623 %	15706,5220 litre	O

420	CM	110	CM	9 LEVEL CM	221,4931 litre	1,387 %	15744,0808 litre	O
420	CM	110	CM	8 LEVEL CM	185,8827 litre	1,164 %	15779,6912 litre	O
420	CM	110	CM	7 LEVEL CM	152,3551 litre	0,954 %	15813,2188 litre	O
420	CM	110	CM	6 LEVEL CM	121,0712 litre	0,758 %	15844,5027 litre	O
420	CM	110	CM	5 LEVEL CM	92,2297 litre	0,578 %	15873,3442 litre	O
420	CM	110	CM	4 LEVEL CM	66,0855 litre	0,414 %	15899,4884 litre	O
420	CM	110	CM	3 LEVEL CM	42,9830 litre	0,269 %	15922,5909 litre	O
420	CM	110	CM	2 LEVEL CM	23,4291 litre	0,147 %	15942,1448 litre	O
420	CM	110	CM	1 LEVEL CM	8,2948 litre	0,052 %	15957,2791 litre	O
420	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	15965,5739 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 105	CM 210 LEVEL CM	14547,1448 litre	100,000 %	0,0000 litre	O
420	CM 105	CM 209 LEVEL CM	14539,0412 litre	99,944 %	8,1036 litre	O
420	CM 105	CM 208 LEVEL CM	14524,2573 litre	99,843 %	22,8875 litre	O
420	CM 105	CM 207 LEVEL CM	14505,1583 litre	99,711 %	41,9865 litre	O
420	CM 105	CM 206 LEVEL CM	14482,5957 litre	99,556 %	64,5491 litre	O
420	CM 105	CM 205 LEVEL CM	14457,0653 litre	99,381 %	90,0795 litre	O
420	CM 105	CM 204 LEVEL CM	14428,9042 litre	99,187 %	118,2406 litre	O
420	CM 105	CM 203 LEVEL CM	14398,3617 litre	98,977 %	148,7831 litre	O
420	CM 105	CM 202 LEVEL CM	14365,6325 litre	98,752 %	181,5123 litre	O
420	CM 105	CM 201 LEVEL CM	14330,8742 litre	98,513 %	216,2706 litre	O
420	CM 105	CM 200 LEVEL CM	14294,2184 litre	98,261 %	252,9264 litre	O
420	CM 105	CM 199 LEVEL CM	14255,7769 litre	97,997 %	291,3679 litre	O
420	CM 105	CM 198 LEVEL CM	14215,6468 litre	97,721 %	331,4980 litre	O
420	CM 105	CM 197 LEVEL CM	14173,9133 litre	97,434 %	373,2315 litre	O
420	CM 105	CM 196 LEVEL CM	14130,6520 litre	97,137 %	416,4928 litre	O
420	CM 105	CM 195 LEVEL CM	14085,9310 litre	96,830 %	461,2138 litre	O
420	CM 105	CM 194 LEVEL CM	14039,8117 litre	96,512 %	507,3331 litre	O
420	CM 105	CM 193 LEVEL CM	13992,3501 litre	96,186 %	554,7947 litre	O
420	CM 105	CM 192 LEVEL CM	13943,5977 litre	95,851 %	603,5471 litre	O
420	CM 105	CM 191 LEVEL CM	13893,6019 litre	95,507 %	653,5429 litre	O
420	CM 105	CM 190 LEVEL CM	13842,4066 litre	95,155 %	704,7382 litre	O
420	CM 105	CM 189 LEVEL CM	13790,0529 litre	94,796 %	757,0919 litre	O
420	CM 105	CM 188 LEVEL CM	13736,5790 litre	94,428 %	810,5658 litre	O
420	CM 105	CM 187 LEVEL CM	13682,0208 litre	94,053 %	865,1240 litre	O
420	CM 105	CM 186 LEVEL CM	13626,4121 litre	93,671 %	920,7327 litre	O
420	CM 105	CM 185 LEVEL CM	13569,7850 litre	93,281 %	977,3598 litre	O
420	CM 105	CM 184 LEVEL CM	13512,1696 litre	92,885 %	1034,9752 litre	O
420	CM 105	CM 183 LEVEL CM	13453,5947 litre	92,483 %	1093,5501 litre	O
420	CM 105	CM 182 LEVEL CM	13394,0875 litre	92,074 %	1153,0573 litre	O
420	CM 105	CM 181 LEVEL CM	13333,6742 litre	91,658 %	1213,4706 litre	O
420	CM 105	CM 180 LEVEL CM	13272,3797 litre	91,237 %	1274,7651 litre	O
420	CM 105	CM 179 LEVEL CM	13210,2277 litre	90,810 %	1336,9171 litre	O
420	CM 105	CM 178 LEVEL CM	13147,2412 litre	90,377 %	1399,9036 litre	O
420	CM 105	CM 177 LEVEL CM	13083,4422 litre	89,938 %	1463,7026 litre	O
420	CM 105	CM 176 LEVEL CM	13018,8517 litre	89,494 %	1528,2931 litre	O
420	CM 105	CM 175 LEVEL CM	12953,4903 litre	89,045 %	1593,6545 litre	O
420	CM 105	CM 174 LEVEL CM	12887,3774 litre	88,590 %	1659,7674 litre	O
420	CM 105	CM 173 LEVEL CM	12820,5321 litre	88,131 %	1726,6127 litre	O
420	CM 105	CM 172 LEVEL CM	12752,9729 litre	87,667 %	1794,1719 litre	O
420	CM 105	CM 171 LEVEL CM	12684,7175 litre	87,197 %	1862,4273 litre	O
420	CM 105	CM 170 LEVEL CM	12615,7832 litre	86,723 %	1931,3616 litre	O
420	CM 105	CM 169 LEVEL CM	12546,1867 litre	86,245 %	2000,9581 litre	O
420	CM 105	CM 168 LEVEL CM	12475,9443 litre	85,762 %	2071,2005 litre	O
420	CM 105	CM 167 LEVEL CM	12405,0719 litre	85,275 %	2142,0729 litre	O
420	CM 105	CM 166 LEVEL CM	12333,5848 litre	84,784 %	2213,5600 litre	O
420	CM 105	CM 165 LEVEL CM	12261,4982 litre	84,288 %	2285,6466 litre	O
420	CM 105	CM 164 LEVEL CM	12188,8267 litre	83,788 %	2358,3181 litre	O
420	CM 105	CM 163 LEVEL CM	12115,5845 litre	83,285 %	2431,5603 litre	O
420	CM 105	CM 162 LEVEL CM	12041,7857 litre	82,778 %	2505,3591 litre	O
420	CM 105	CM 161 LEVEL CM	11967,4439 litre	82,267 %	2579,7009 litre	O
420	CM 105	CM 160 LEVEL CM	11892,5724 litre	81,752 %	2654,5724 litre	O
420	CM 105	CM 159 LEVEL CM	11817,1844 litre	81,234 %	2729,9604 litre	O

420	CM	105	CM	158 LEVEL CM	11741,2927 litre	80,712 %	2805,8521 litre	O
420	CM	105	CM	157 LEVEL CM	11664,9098 litre	80,187 %	2882,2350 litre	O
420	CM	105	CM	156 LEVEL CM	11588,0480 litre	79,659 %	2959,0968 litre	O
420	CM	105	CM	155 LEVEL CM	11510,7194 litre	79,127 %	3036,4254 litre	O
420	CM	105	CM	154 LEVEL CM	11432,9359 litre	78,592 %	3114,2089 litre	O
420	CM	105	CM	153 LEVEL CM	11354,7092 litre	78,055 %	3192,4356 litre	O
420	CM	105	CM	152 LEVEL CM	11276,0507 litre	77,514 %	3271,0941 litre	O
420	CM	105	CM	151 LEVEL CM	11196,9718 litre	76,970 %	3350,1730 litre	O
420	CM	105	CM	150 LEVEL CM	11117,4834 litre	76,424 %	3429,6614 litre	O
420	CM	105	CM	149 LEVEL CM	11037,5966 litre	75,875 %	3509,5482 litre	O
420	CM	105	CM	148 LEVEL CM	10957,3221 litre	75,323 %	3589,8227 litre	O
420	CM	105	CM	147 LEVEL CM	10876,6705 litre	74,768 %	3670,4743 litre	O
420	CM	105	CM	146 LEVEL CM	10795,6523 litre	74,211 %	3751,4925 litre	O
420	CM	105	CM	145 LEVEL CM	10714,2778 litre	73,652 %	3832,8670 litre	O
420	CM	105	CM	144 LEVEL CM	10632,5572 litre	73,090 %	3914,5876 litre	O
420	CM	105	CM	143 LEVEL CM	10550,5005 litre	72,526 %	3996,6443 litre	O
420	CM	105	CM	142 LEVEL CM	10468,1177 litre	71,960 %	4079,0271 litre	O
420	CM	105	CM	141 LEVEL CM	10385,4186 litre	71,391 %	4161,7262 litre	O
420	CM	105	CM	140 LEVEL CM	10302,4130 litre	70,821 %	4244,7318 litre	O
420	CM	105	CM	139 LEVEL CM	10219,1103 litre	70,248 %	4328,0345 litre	O
420	CM	105	CM	138 LEVEL CM	10135,5201 litre	69,674 %	4411,6247 litre	O
420	CM	105	CM	137 LEVEL CM	10051,6519 litre	69,097 %	4495,4929 litre	O
420	CM	105	CM	136 LEVEL CM	9967,5148 litre	68,519 %	4579,6300 litre	O
420	CM	105	CM	135 LEVEL CM	9883,1182 litre	67,939 %	4664,0266 litre	O
420	CM	105	CM	134 LEVEL CM	9798,4711 litre	67,357 %	4748,6737 litre	O
420	CM	105	CM	133 LEVEL CM	9713,5826 litre	66,773 %	4833,5622 litre	O
420	CM	105	CM	132 LEVEL CM	9628,4617 litre	66,188 %	4918,6831 litre	O
420	CM	105	CM	131 LEVEL CM	9543,1173 litre	65,601 %	5004,0275 litre	O
420	CM	105	CM	130 LEVEL CM	9457,5582 litre	65,013 %	5089,5866 litre	O
420	CM	105	CM	129 LEVEL CM	9371,7932 litre	64,424 %	5175,3516 litre	O
420	CM	105	CM	128 LEVEL CM	9285,8309 litre	63,833 %	5261,3139 litre	O
420	CM	105	CM	127 LEVEL CM	9199,6801 litre	63,240 %	5347,4647 litre	O
420	CM	105	CM	126 LEVEL CM	9113,3492 litre	62,647 %	5433,7956 litre	O
420	CM	105	CM	125 LEVEL CM	9026,8469 litre	62,052 %	5520,2979 litre	O
420	CM	105	CM	124 LEVEL CM	8940,1816 litre	61,457 %	5606,9632 litre	O
420	CM	105	CM	123 LEVEL CM	8853,3617 litre	60,860 %	5693,7831 litre	O
420	CM	105	CM	122 LEVEL CM	8766,3957 litre	60,262 %	5780,7491 litre	O
420	CM	105	CM	121 LEVEL CM	8679,2919 litre	59,663 %	5867,8529 litre	O
420	CM	105	CM	120 LEVEL CM	8592,0585 litre	59,064 %	5955,0863 litre	O
420	CM	105	CM	119 LEVEL CM	8504,7039 litre	58,463 %	6042,4409 litre	O
420	CM	105	CM	118 LEVEL CM	8417,2363 litre	57,862 %	6129,9085 litre	O
420	CM	105	CM	117 LEVEL CM	8329,6639 litre	57,260 %	6217,4809 litre	O
420	CM	105	CM	116 LEVEL CM	8241,9948 litre	56,657 %	6305,1500 litre	O
420	CM	105	CM	115 LEVEL CM	8154,2372 litre	56,054 %	6392,9076 litre	O
420	CM	105	CM	114 LEVEL CM	8066,3993 litre	55,450 %	6480,7455 litre	O
420	CM	105	CM	113 LEVEL CM	7978,4891 litre	54,846 %	6568,6557 litre	O
420	CM	105	CM	112 LEVEL CM	7890,5148 litre	54,241 %	6656,6300 litre	O
420	CM	105	CM	111 LEVEL CM	7802,4842 litre	53,636 %	6744,6606 litre	O
420	CM	105	CM	110 LEVEL CM	7714,4057 litre	53,030 %	6832,7391 litre	O
420	CM	105	CM	109 LEVEL CM	7626,2870 litre	52,425 %	6920,8578 litre	O
420	CM	105	CM	108 LEVEL CM	7538,1364 litre	51,819 %	7009,0084 litre	O
420	CM	105	CM	107 LEVEL CM	7449,9617 litre	51,213 %	7097,1831 litre	O
420	CM	105	CM	106 LEVEL CM	7361,7711 litre	50,606 %	7185,3737 litre	O

420	CM	105	CM	105 LEVEL CM	7273,5724 litre	50,000 %	7273,5724 litre	O
420	CM	105	CM	104 LEVEL CM	7185,3737 litre	49,394 %	7361,7711 litre	O
420	CM	105	CM	103 LEVEL CM	7097,1831 litre	48,787 %	7449,9617 litre	O
420	CM	105	CM	102 LEVEL CM	7009,0084 litre	48,181 %	7538,1364 litre	O
420	CM	105	CM	101 LEVEL CM	6920,8577 litre	47,575 %	7626,2871 litre	O
420	CM	105	CM	100 LEVEL CM	6832,7391 litre	46,970 %	7714,4057 litre	O
420	CM	105	CM	99 LEVEL CM	6744,6605 litre	46,364 %	7802,4843 litre	O
420	CM	105	CM	98 LEVEL CM	6656,6300 litre	45,759 %	7890,5148 litre	O
420	CM	105	CM	97 LEVEL CM	6568,6557 litre	45,154 %	7978,4891 litre	O
420	CM	105	CM	96 LEVEL CM	6480,7455 litre	44,550 %	8066,3993 litre	O
420	CM	105	CM	95 LEVEL CM	6392,9075 litre	43,946 %	8154,2373 litre	O
420	CM	105	CM	94 LEVEL CM	6305,1500 litre	43,343 %	8241,9948 litre	O
420	CM	105	CM	93 LEVEL CM	6217,4809 litre	42,740 %	8329,6639 litre	O
420	CM	105	CM	92 LEVEL CM	6129,9085 litre	42,138 %	8417,2363 litre	O
420	CM	105	CM	91 LEVEL CM	6042,4409 litre	41,537 %	8504,7039 litre	O
420	CM	105	CM	90 LEVEL CM	5955,0863 litre	40,936 %	8592,0585 litre	O
420	CM	105	CM	89 LEVEL CM	5867,8529 litre	40,337 %	8679,2919 litre	O
420	CM	105	CM	88 LEVEL CM	5780,7491 litre	39,738 %	8766,3957 litre	O
420	CM	105	CM	87 LEVEL CM	5693,7830 litre	39,140 %	8853,3618 litre	O
420	CM	105	CM	86 LEVEL CM	5606,9632 litre	38,543 %	8940,1816 litre	O
420	CM	105	CM	85 LEVEL CM	5520,2979 litre	37,948 %	9026,8469 litre	O
420	CM	105	CM	84 LEVEL CM	5433,7956 litre	37,353 %	9113,3492 litre	O
420	CM	105	CM	83 LEVEL CM	5347,4647 litre	36,760 %	9199,6801 litre	O
420	CM	105	CM	82 LEVEL CM	5261,3139 litre	36,167 %	9285,8309 litre	O
420	CM	105	CM	81 LEVEL CM	5175,3516 litre	35,576 %	9371,7932 litre	O
420	CM	105	CM	80 LEVEL CM	5089,5866 litre	34,987 %	9457,5582 litre	O
420	CM	105	CM	79 LEVEL CM	5004,0275 litre	34,399 %	9543,1173 litre	O
420	CM	105	CM	78 LEVEL CM	4918,6830 litre	33,812 %	9628,4618 litre	O
420	CM	105	CM	77 LEVEL CM	4833,5621 litre	33,227 %	9713,5827 litre	O
420	CM	105	CM	76 LEVEL CM	4748,6737 litre	32,643 %	9798,4711 litre	O
420	CM	105	CM	75 LEVEL CM	4664,0266 litre	32,061 %	9883,1182 litre	O
420	CM	105	CM	74 LEVEL CM	4579,6300 litre	31,481 %	9967,5148 litre	O
420	CM	105	CM	73 LEVEL CM	4495,4929 litre	30,903 %	10051,6519 litre	O
420	CM	105	CM	72 LEVEL CM	4411,6246 litre	30,326 %	10135,5202 litre	O
420	CM	105	CM	71 LEVEL CM	4328,0345 litre	29,752 %	10219,1103 litre	O
420	CM	105	CM	70 LEVEL CM	4244,7318 litre	29,179 %	10302,4130 litre	O
420	CM	105	CM	69 LEVEL CM	4161,7262 litre	28,609 %	10385,4186 litre	O
420	CM	105	CM	68 LEVEL CM	4079,0271 litre	28,040 %	10468,1177 litre	O
420	CM	105	CM	67 LEVEL CM	3996,6443 litre	27,474 %	10550,5005 litre	O
420	CM	105	CM	66 LEVEL CM	3914,5876 litre	26,910 %	10632,5572 litre	O
420	CM	105	CM	65 LEVEL CM	3832,8670 litre	26,348 %	10714,2778 litre	O
420	CM	105	CM	64 LEVEL CM	3751,4925 litre	25,789 %	10795,6523 litre	O
420	CM	105	CM	63 LEVEL CM	3670,4743 litre	25,232 %	10876,6705 litre	O
420	CM	105	CM	62 LEVEL CM	3589,8227 litre	24,677 %	10957,3221 litre	O
420	CM	105	CM	61 LEVEL CM	3509,5482 litre	24,125 %	11037,5966 litre	O
420	CM	105	CM	60 LEVEL CM	3429,6614 litre	23,576 %	11117,4834 litre	O
420	CM	105	CM	59 LEVEL CM	3350,1730 litre	23,030 %	11196,9718 litre	O
420	CM	105	CM	58 LEVEL CM	3271,0940 litre	22,486 %	11276,0508 litre	O
420	CM	105	CM	57 LEVEL CM	3192,4356 litre	21,945 %	11354,7092 litre	O
420	CM	105	CM	56 LEVEL CM	3114,2089 litre	21,408 %	11432,9359 litre	O
420	CM	105	CM	55 LEVEL CM	3036,4254 litre	20,873 %	11510,7194 litre	O
420	CM	105	CM	54 LEVEL CM	2959,0968 litre	20,341 %	11588,0480 litre	O
420	CM	105	CM	53 LEVEL CM	2882,2350 litre	19,813 %	11664,9098 litre	O

420	CM	105	CM	52 LEVEL CM	2805,8521 litre	19,288 %	11741,2927 litre	O
420	CM	105	CM	51 LEVEL CM	2729,9604 litre	18,766 %	11817,1844 litre	O
420	CM	105	CM	50 LEVEL CM	2654,5724 litre	18,248 %	11892,5724 litre	O
420	CM	105	CM	49 LEVEL CM	2579,7009 litre	17,733 %	11967,4439 litre	O
420	CM	105	CM	48 LEVEL CM	2505,3591 litre	17,222 %	12041,7857 litre	O
420	CM	105	CM	47 LEVEL CM	2431,5603 litre	16,715 %	12115,5845 litre	O
420	CM	105	CM	46 LEVEL CM	2358,3181 litre	16,212 %	12188,8267 litre	O
420	CM	105	CM	45 LEVEL CM	2285,6466 litre	15,712 %	12261,4982 litre	O
420	CM	105	CM	44 LEVEL CM	2213,5599 litre	15,216 %	12333,5849 litre	O
420	CM	105	CM	43 LEVEL CM	2142,0729 litre	14,725 %	12405,0719 litre	O
420	CM	105	CM	42 LEVEL CM	2071,2005 litre	14,238 %	12475,9443 litre	O
420	CM	105	CM	41 LEVEL CM	2000,9581 litre	13,755 %	12546,1867 litre	O
420	CM	105	CM	40 LEVEL CM	1931,3616 litre	13,277 %	12615,7832 litre	O
420	CM	105	CM	39 LEVEL CM	1862,4273 litre	12,803 %	12684,7175 litre	O
420	CM	105	CM	38 LEVEL CM	1794,1719 litre	12,333 %	12752,9729 litre	O
420	CM	105	CM	37 LEVEL CM	1726,6126 litre	11,869 %	12820,5322 litre	O
420	CM	105	CM	36 LEVEL CM	1659,7674 litre	11,410 %	12887,3774 litre	O
420	CM	105	CM	35 LEVEL CM	1593,6545 litre	10,955 %	12953,4903 litre	O
420	CM	105	CM	34 LEVEL CM	1528,2930 litre	10,506 %	13018,8518 litre	O
420	CM	105	CM	33 LEVEL CM	1463,7026 litre	10,062 %	13083,4422 litre	O
420	CM	105	CM	32 LEVEL CM	1399,9035 litre	9,623 %	13147,2413 litre	O
420	CM	105	CM	31 LEVEL CM	1336,9171 litre	9,190 %	13210,2277 litre	O
420	CM	105	CM	30 LEVEL CM	1274,7651 litre	8,763 %	13272,3797 litre	O
420	CM	105	CM	29 LEVEL CM	1213,4706 litre	8,342 %	13333,6742 litre	O
420	CM	105	CM	28 LEVEL CM	1153,0573 litre	7,926 %	13394,0875 litre	O
420	CM	105	CM	27 LEVEL CM	1093,5501 litre	7,517 %	13453,5947 litre	O
420	CM	105	CM	26 LEVEL CM	1034,9752 litre	7,115 %	13512,1696 litre	O
420	CM	105	CM	25 LEVEL CM	977,3598 litre	6,719 %	13569,7850 litre	O
420	CM	105	CM	24 LEVEL CM	920,7326 litre	6,329 %	13626,4122 litre	O
420	CM	105	CM	23 LEVEL CM	865,1240 litre	5,947 %	13682,0208 litre	O
420	CM	105	CM	22 LEVEL CM	810,5658 litre	5,572 %	13736,5790 litre	O
420	CM	105	CM	21 LEVEL CM	757,0919 litre	5,204 %	13790,0529 litre	O
420	CM	105	CM	20 LEVEL CM	704,7382 litre	4,845 %	13842,4066 litre	O
420	CM	105	CM	19 LEVEL CM	653,5429 litre	4,493 %	13893,6019 litre	O
420	CM	105	CM	18 LEVEL CM	603,5471 litre	4,149 %	13943,5977 litre	O
420	CM	105	CM	17 LEVEL CM	554,7947 litre	3,814 %	13992,3501 litre	O
420	CM	105	CM	16 LEVEL CM	507,3331 litre	3,488 %	14039,8117 litre	O
420	CM	105	CM	15 LEVEL CM	461,2138 litre	3,170 %	14085,9310 litre	O
420	CM	105	CM	14 LEVEL CM	416,4927 litre	2,863 %	14130,6521 litre	O
420	CM	105	CM	13 LEVEL CM	373,2315 litre	2,566 %	14173,9133 litre	O
420	CM	105	CM	12 LEVEL CM	331,4980 litre	2,279 %	14215,6468 litre	O
420	CM	105	CM	11 LEVEL CM	291,3679 litre	2,003 %	14255,7769 litre	O
420	CM	105	CM	10 LEVEL CM	252,9264 litre	1,739 %	14294,2184 litre	O
420	CM	105	CM	9 LEVEL CM	216,2706 litre	1,487 %	14330,8742 litre	O
420	CM	105	CM	8 LEVEL CM	181,5123 litre	1,248 %	14365,6325 litre	O
420	CM	105	CM	7 LEVEL CM	148,7831 litre	1,023 %	14398,3617 litre	O
420	CM	105	CM	6 LEVEL CM	118,2406 litre	0,813 %	14428,9042 litre	O
420	CM	105	CM	5 LEVEL CM	90,0795 litre	0,619 %	14457,0653 litre	O
420	CM	105	CM	4 LEVEL CM	64,5491 litre	0,444 %	14482,5957 litre	O
420	CM	105	CM	3 LEVEL CM	41,9865 litre	0,289 %	14505,1583 litre	O
420	CM	105	CM	2 LEVEL CM	22,8875 litre	0,157 %	14524,2573 litre	O
420	CM	105	CM	1 LEVEL CM	8,1036 litre	0,056 %	14539,0412 litre	O
420	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	14547,1448 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 100	CM 200 LEVEL CM	13194,6891 litre	100,000 %	0,0000 litre	O
420	CM 100	CM 199 LEVEL CM	13186,7814 litre	99,940 %	7,9077 litre	O
420	CM 100	CM 198 LEVEL CM	13172,3565 litre	99,831 %	22,3326 litre	O
420	CM 100	CM 197 LEVEL CM	13153,7234 litre	99,690 %	40,9657 litre	O
420	CM 100	CM 196 LEVEL CM	13131,7139 litre	99,523 %	62,9752 litre	O
420	CM 100	CM 195 LEVEL CM	13106,8124 litre	99,334 %	87,8767 litre	O
420	CM 100	CM 194 LEVEL CM	13079,3486 litre	99,126 %	115,3405 litre	O
420	CM 100	CM 193 LEVEL CM	13049,5660 litre	98,900 %	145,1231 litre	O
420	CM 100	CM 192 LEVEL CM	13017,6551 litre	98,658 %	177,0340 litre	O
420	CM 100	CM 191 LEVEL CM	12983,7704 litre	98,401 %	210,9187 litre	O
420	CM 100	CM 190 LEVEL CM	12948,0403 litre	98,131 %	246,6488 litre	O
420	CM 100	CM 189 LEVEL CM	12910,5747 litre	97,847 %	284,1144 litre	O
420	CM 100	CM 188 LEVEL CM	12871,4685 litre	97,550 %	323,2206 litre	O
420	CM 100	CM 187 LEVEL CM	12830,8053 litre	97,242 %	363,8838 litre	O
420	CM 100	CM 186 LEVEL CM	12788,6592 litre	96,923 %	406,0299 litre	O
420	CM 100	CM 185 LEVEL CM	12745,0970 litre	96,593 %	449,5921 litre	O
420	CM 100	CM 184 LEVEL CM	12700,1789 litre	96,252 %	494,5102 litre	O
420	CM 100	CM 183 LEVEL CM	12653,9600 litre	95,902 %	540,7291 litre	O
420	CM 100	CM 182 LEVEL CM	12606,4908 litre	95,542 %	588,1983 litre	O
420	CM 100	CM 181 LEVEL CM	12557,8179 litre	95,173 %	636,8712 litre	O
420	CM 100	CM 180 LEVEL CM	12507,9845 litre	94,796 %	686,7046 litre	O
420	CM 100	CM 179 LEVEL CM	12457,0309 litre	94,409 %	737,6582 litre	O
420	CM 100	CM 178 LEVEL CM	12404,9947 litre	94,015 %	789,6944 litre	O
420	CM 100	CM 177 LEVEL CM	12351,9113 litre	93,613 %	842,7778 litre	O
420	CM 100	CM 176 LEVEL CM	12297,8141 litre	93,203 %	896,8750 litre	O
420	CM 100	CM 175 LEVEL CM	12242,7345 litre	92,785 %	951,9546 litre	O
420	CM 100	CM 174 LEVEL CM	12186,7022 litre	92,361 %	1007,9869 litre	O
420	CM 100	CM 173 LEVEL CM	12129,7457 litre	91,929 %	1064,9434 litre	O
420	CM 100	CM 172 LEVEL CM	12071,8919 litre	91,491 %	1122,7972 litre	O
420	CM 100	CM 171 LEVEL CM	12013,1664 litre	91,045 %	1181,5227 litre	O
420	CM 100	CM 170 LEVEL CM	11953,5940 litre	90,594 %	1241,0951 litre	O
420	CM 100	CM 169 LEVEL CM	11893,1981 litre	90,136 %	1301,4910 litre	O
420	CM 100	CM 168 LEVEL CM	11832,0014 litre	89,672 %	1362,6877 litre	O
420	CM 100	CM 167 LEVEL CM	11770,0256 litre	89,203 %	1424,6635 litre	O
420	CM 100	CM 166 LEVEL CM	11707,2916 litre	88,727 %	1487,3975 litre	O
420	CM 100	CM 165 LEVEL CM	11643,8196 litre	88,246 %	1550,8695 litre	O
420	CM 100	CM 164 LEVEL CM	11579,6290 litre	87,760 %	1615,0601 litre	O
420	CM 100	CM 163 LEVEL CM	11514,7388 litre	87,268 %	1679,9503 litre	O
420	CM 100	CM 162 LEVEL CM	11449,1670 litre	86,771 %	1745,5221 litre	O
420	CM 100	CM 161 LEVEL CM	11382,9315 litre	86,269 %	1811,7576 litre	O
420	CM 100	CM 160 LEVEL CM	11316,0492 litre	85,762 %	1878,6399 litre	O
420	CM 100	CM 159 LEVEL CM	11248,5369 litre	85,250 %	1946,1522 litre	O
420	CM 100	CM 158 LEVEL CM	11180,4108 litre	84,734 %	2014,2783 litre	O
420	CM 100	CM 157 LEVEL CM	11111,6866 litre	84,213 %	2083,0025 litre	O
420	CM 100	CM 156 LEVEL CM	11042,3795 litre	83,688 %	2152,3096 litre	O
420	CM 100	CM 155 LEVEL CM	10972,5047 litre	83,158 %	2222,1844 litre	O
420	CM 100	CM 154 LEVEL CM	10902,0767 litre	82,625 %	2292,6124 litre	O
420	CM 100	CM 153 LEVEL CM	10831,1097 litre	82,087 %	2363,5794 litre	O
420	CM 100	CM 152 LEVEL CM	10759,6177 litre	81,545 %	2435,0714 litre	O
420	CM 100	CM 151 LEVEL CM	10687,6143 litre	80,999 %	2507,0748 litre	O
420	CM 100	CM 150 LEVEL CM	10615,1128 litre	80,450 %	2579,5763 litre	O
420	CM 100	CM 149 LEVEL CM	10542,1263 litre	79,897 %	2652,5628 litre	O

420	CM	100	CM	148 LEVEL CM	10468,6676 litre	79,340 %	2726,0215 litre	O
420	CM	100	CM	147 LEVEL CM	10394,7493 litre	78,780 %	2799,9398 litre	O
420	CM	100	CM	146 LEVEL CM	10320,3838 litre	78,216 %	2874,3053 litre	O
420	CM	100	CM	145 LEVEL CM	10245,5830 litre	77,649 %	2949,1061 litre	O
420	CM	100	CM	144 LEVEL CM	10170,3589 litre	77,079 %	3024,3302 litre	O
420	CM	100	CM	143 LEVEL CM	10094,7232 litre	76,506 %	3099,9659 litre	O
420	CM	100	CM	142 LEVEL CM	10018,6874 litre	75,930 %	3176,0017 litre	O
420	CM	100	CM	141 LEVEL CM	9942,2629 litre	75,350 %	3252,4262 litre	O
420	CM	100	CM	140 LEVEL CM	9865,4608 litre	74,768 %	3329,2283 litre	O
420	CM	100	CM	139 LEVEL CM	9788,2920 litre	74,184 %	3406,3971 litre	O
420	CM	100	CM	138 LEVEL CM	9710,7675 litre	73,596 %	3483,9216 litre	O
420	CM	100	CM	137 LEVEL CM	9632,8978 litre	73,006 %	3561,7913 litre	O
420	CM	100	CM	136 LEVEL CM	9554,6936 litre	72,413 %	3639,9955 litre	O
420	CM	100	CM	135 LEVEL CM	9476,1653 litre	71,818 %	3718,5238 litre	O
420	CM	100	CM	134 LEVEL CM	9397,3231 litre	71,220 %	3797,3660 litre	O
420	CM	100	CM	133 LEVEL CM	9318,1772 litre	70,621 %	3876,5119 litre	O
420	CM	100	CM	132 LEVEL CM	9238,7376 litre	70,019 %	3955,9515 litre	O
420	CM	100	CM	131 LEVEL CM	9159,0143 litre	69,414 %	4035,6748 litre	O
420	CM	100	CM	130 LEVEL CM	9079,0171 litre	68,808 %	4115,6720 litre	O
420	CM	100	CM	129 LEVEL CM	8998,7557 litre	68,200 %	4195,9334 litre	O
420	CM	100	CM	128 LEVEL CM	8918,2398 litre	67,590 %	4276,4493 litre	O
420	CM	100	CM	127 LEVEL CM	8837,4789 litre	66,978 %	4357,2102 litre	O
420	CM	100	CM	126 LEVEL CM	8756,4824 litre	66,364 %	4438,2067 litre	O
420	CM	100	CM	125 LEVEL CM	8675,2598 litre	65,748 %	4519,4293 litre	O
420	CM	100	CM	124 LEVEL CM	8593,8202 litre	65,131 %	4600,8689 litre	O
420	CM	100	CM	123 LEVEL CM	8512,1730 litre	64,512 %	4682,5161 litre	O
420	CM	100	CM	122 LEVEL CM	8430,3272 litre	63,892 %	4764,3619 litre	O
420	CM	100	CM	121 LEVEL CM	8348,2920 litre	63,270 %	4846,3971 litre	O
420	CM	100	CM	120 LEVEL CM	8266,0764 litre	62,647 %	4928,6127 litre	O
420	CM	100	CM	119 LEVEL CM	8183,6893 litre	62,023 %	5010,9998 litre	O
420	CM	100	CM	118 LEVEL CM	8101,1396 litre	61,397 %	5093,5495 litre	O
420	CM	100	CM	117 LEVEL CM	8018,4362 litre	60,770 %	5176,2529 litre	O
420	CM	100	CM	116 LEVEL CM	7935,5879 litre	60,142 %	5259,1012 litre	O
420	CM	100	CM	115 LEVEL CM	7852,6035 litre	59,513 %	5342,0856 litre	O
420	CM	100	CM	114 LEVEL CM	7769,4916 litre	58,883 %	5425,1975 litre	O
420	CM	100	CM	113 LEVEL CM	7686,2609 litre	58,253 %	5508,4282 litre	O
420	CM	100	CM	112 LEVEL CM	7602,9201 litre	57,621 %	5591,7690 litre	O
420	CM	100	CM	111 LEVEL CM	7519,4778 litre	56,989 %	5675,2113 litre	O
420	CM	100	CM	110 LEVEL CM	7435,9425 litre	56,356 %	5758,7466 litre	O
420	CM	100	CM	109 LEVEL CM	7352,3227 litre	55,722 %	5842,3664 litre	O
420	CM	100	CM	108 LEVEL CM	7268,6271 litre	55,088 %	5926,0620 litre	O
420	CM	100	CM	107 LEVEL CM	7184,8640 litre	54,453 %	6009,8251 litre	O
420	CM	100	CM	106 LEVEL CM	7101,0420 litre	53,817 %	6093,6471 litre	O
420	CM	100	CM	105 LEVEL CM	7017,1695 litre	53,182 %	6177,5196 litre	O
420	CM	100	CM	104 LEVEL CM	6933,2550 litre	52,546 %	6261,4341 litre	O
420	CM	100	CM	103 LEVEL CM	6849,3068 litre	51,910 %	6345,3823 litre	O
420	CM	100	CM	102 LEVEL CM	6765,3334 litre	51,273 %	6429,3557 litre	O
420	CM	100	CM	101 LEVEL CM	6681,3432 litre	50,637 %	6513,3459 litre	O
420	CM	100	CM	100 LEVEL CM	6597,3446 litre	50,000 %	6597,3445 litre	O
420	CM	100	CM	99 LEVEL CM	6513,3460 litre	49,363 %	6681,3431 litre	O
420	CM	100	CM	98 LEVEL CM	6429,3558 litre	48,727 %	6765,3333 litre	O
420	CM	100	CM	97 LEVEL CM	6345,3824 litre	48,090 %	6849,3067 litre	O
420	CM	100	CM	96 LEVEL CM	6261,4342 litre	47,454 %	6933,2549 litre	O

420	CM	100	CM	95 LEVEL CM	6177,5196 litre	46,818 %	7017,1695 litre	O
420	CM	100	CM	94 LEVEL CM	6093,6471 litre	46,183 %	7101,0420 litre	O
420	CM	100	CM	93 LEVEL CM	6009,8251 litre	45,547 %	7184,8640 litre	O
420	CM	100	CM	92 LEVEL CM	5926,0621 litre	44,912 %	7268,6270 litre	O
420	CM	100	CM	91 LEVEL CM	5842,3664 litre	44,278 %	7352,3227 litre	O
420	CM	100	CM	90 LEVEL CM	5758,7467 litre	43,644 %	7435,9424 litre	O
420	CM	100	CM	89 LEVEL CM	5675,2114 litre	43,011 %	7519,4777 litre	O
420	CM	100	CM	88 LEVEL CM	5591,7690 litre	42,379 %	7602,9201 litre	O
420	CM	100	CM	87 LEVEL CM	5508,4282 litre	41,747 %	7686,2609 litre	O
420	CM	100	CM	86 LEVEL CM	5425,1975 litre	41,117 %	7769,4916 litre	O
420	CM	100	CM	85 LEVEL CM	5342,0856 litre	40,487 %	7852,6035 litre	O
420	CM	100	CM	84 LEVEL CM	5259,1012 litre	39,858 %	7935,5879 litre	O
420	CM	100	CM	83 LEVEL CM	5176,2529 litre	39,230 %	8018,4362 litre	O
420	CM	100	CM	82 LEVEL CM	5093,5495 litre	38,603 %	8101,1396 litre	O
420	CM	100	CM	81 LEVEL CM	5010,9999 litre	37,977 %	8183,6892 litre	O
420	CM	100	CM	80 LEVEL CM	4928,6128 litre	37,353 %	8266,0763 litre	O
420	CM	100	CM	79 LEVEL CM	4846,3971 litre	36,730 %	8348,2920 litre	O
420	CM	100	CM	78 LEVEL CM	4764,3619 litre	36,108 %	8430,3272 litre	O
420	CM	100	CM	77 LEVEL CM	4682,5162 litre	35,488 %	8512,1729 litre	O
420	CM	100	CM	76 LEVEL CM	4600,8689 litre	34,869 %	8593,8202 litre	O
420	CM	100	CM	75 LEVEL CM	4519,4294 litre	34,252 %	8675,2597 litre	O
420	CM	100	CM	74 LEVEL CM	4438,2067 litre	33,636 %	8756,4824 litre	O
420	CM	100	CM	73 LEVEL CM	4357,2102 litre	33,022 %	8837,4789 litre	O
420	CM	100	CM	72 LEVEL CM	4276,4493 litre	32,410 %	8918,2398 litre	O
420	CM	100	CM	71 LEVEL CM	4195,9334 litre	31,800 %	8998,7557 litre	O
420	CM	100	CM	70 LEVEL CM	4115,6720 litre	31,192 %	9079,0171 litre	O
420	CM	100	CM	69 LEVEL CM	4035,6748 litre	30,586 %	9159,0143 litre	O
420	CM	100	CM	68 LEVEL CM	3955,9515 litre	29,981 %	9238,7376 litre	O
420	CM	100	CM	67 LEVEL CM	3876,5120 litre	29,379 %	9318,1771 litre	O
420	CM	100	CM	66 LEVEL CM	3797,3661 litre	28,780 %	9397,3230 litre	O
420	CM	100	CM	65 LEVEL CM	3718,5239 litre	28,182 %	9476,1652 litre	O
420	CM	100	CM	64 LEVEL CM	3639,9955 litre	27,587 %	9554,6936 litre	O
420	CM	100	CM	63 LEVEL CM	3561,7913 litre	26,994 %	9632,8978 litre	O
420	CM	100	CM	62 LEVEL CM	3483,9217 litre	26,404 %	9710,7674 litre	O
420	CM	100	CM	61 LEVEL CM	3406,3971 litre	25,816 %	9788,2920 litre	O
420	CM	100	CM	60 LEVEL CM	3329,2284 litre	25,232 %	9865,4607 litre	O
420	CM	100	CM	59 LEVEL CM	3252,4262 litre	24,650 %	9942,2629 litre	O
420	CM	100	CM	58 LEVEL CM	3176,0017 litre	24,070 %	10018,6874 litre	O
420	CM	100	CM	57 LEVEL CM	3099,9659 litre	23,494 %	10094,7232 litre	O
420	CM	100	CM	56 LEVEL CM	3024,3303 litre	22,921 %	10170,3588 litre	O
420	CM	100	CM	55 LEVEL CM	2949,1062 litre	22,351 %	10245,5829 litre	O
420	CM	100	CM	54 LEVEL CM	2874,3054 litre	21,784 %	10320,3837 litre	O
420	CM	100	CM	53 LEVEL CM	2799,9398 litre	21,220 %	10394,7493 litre	O
420	CM	100	CM	52 LEVEL CM	2726,0215 litre	20,660 %	10468,6676 litre	O
420	CM	100	CM	51 LEVEL CM	2652,5628 litre	20,103 %	10542,1263 litre	O
420	CM	100	CM	50 LEVEL CM	2579,5764 litre	19,550 %	10615,1127 litre	O
420	CM	100	CM	49 LEVEL CM	2507,0749 litre	19,001 %	10687,6142 litre	O
420	CM	100	CM	48 LEVEL CM	2435,0715 litre	18,455 %	10759,6176 litre	O
420	CM	100	CM	47 LEVEL CM	2363,5794 litre	17,913 %	10831,1097 litre	O
420	CM	100	CM	46 LEVEL CM	2292,6125 litre	17,375 %	10902,0766 litre	O
420	CM	100	CM	45 LEVEL CM	2222,1844 litre	16,842 %	10972,5047 litre	O
420	CM	100	CM	44 LEVEL CM	2152,3096 litre	16,312 %	11042,3795 litre	O
420	CM	100	CM	43 LEVEL CM	2083,0026 litre	15,787 %	11111,6865 litre	O

420	CM	100	CM	42 LEVEL CM	2014,2783 litre	15,266 %	11180,4108 litre	O
420	CM	100	CM	41 LEVEL CM	1946,1522 litre	14,750 %	11248,5369 litre	O
420	CM	100	CM	40 LEVEL CM	1878,6399 litre	14,238 %	11316,0492 litre	O
420	CM	100	CM	39 LEVEL CM	1811,7577 litre	13,731 %	11382,9314 litre	O
420	CM	100	CM	38 LEVEL CM	1745,5221 litre	13,229 %	11449,1670 litre	O
420	CM	100	CM	37 LEVEL CM	1679,9504 litre	12,732 %	11514,7387 litre	O
420	CM	100	CM	36 LEVEL CM	1615,0601 litre	12,240 %	11579,6290 litre	O
420	CM	100	CM	35 LEVEL CM	1550,8696 litre	11,754 %	11643,8195 litre	O
420	CM	100	CM	34 LEVEL CM	1487,3975 litre	11,273 %	11707,2916 litre	O
420	CM	100	CM	33 LEVEL CM	1424,6635 litre	10,797 %	11770,0256 litre	O
420	CM	100	CM	32 LEVEL CM	1362,6877 litre	10,328 %	11832,0014 litre	O
420	CM	100	CM	31 LEVEL CM	1301,4910 litre	9,864 %	11893,1981 litre	O
420	CM	100	CM	30 LEVEL CM	1241,0951 litre	9,406 %	11953,5940 litre	O
420	CM	100	CM	29 LEVEL CM	1181,5227 litre	8,955 %	12013,1664 litre	O
420	CM	100	CM	28 LEVEL CM	1122,7973 litre	8,509 %	12071,8918 litre	O
420	CM	100	CM	27 LEVEL CM	1064,9434 litre	8,071 %	12129,7457 litre	O
420	CM	100	CM	26 LEVEL CM	1007,9869 litre	7,639 %	12186,7022 litre	O
420	CM	100	CM	25 LEVEL CM	951,9547 litre	7,215 %	12242,7344 litre	O
420	CM	100	CM	24 LEVEL CM	896,8750 litre	6,797 %	12297,8141 litre	O
420	CM	100	CM	23 LEVEL CM	842,7778 litre	6,387 %	12351,9113 litre	O
420	CM	100	CM	22 LEVEL CM	789,6945 litre	5,985 %	12404,9946 litre	O
420	CM	100	CM	21 LEVEL CM	737,6583 litre	5,591 %	12457,0308 litre	O
420	CM	100	CM	20 LEVEL CM	686,7047 litre	5,204 %	12507,9844 litre	O
420	CM	100	CM	19 LEVEL CM	636,8712 litre	4,827 %	12557,8179 litre	O
420	CM	100	CM	18 LEVEL CM	588,1983 litre	4,458 %	12606,4908 litre	O
420	CM	100	CM	17 LEVEL CM	540,7291 litre	4,098 %	12653,9600 litre	O
420	CM	100	CM	16 LEVEL CM	494,5102 litre	3,748 %	12700,1789 litre	O
420	CM	100	CM	15 LEVEL CM	449,5921 litre	3,407 %	12745,0970 litre	O
420	CM	100	CM	14 LEVEL CM	406,0299 litre	3,077 %	12788,6592 litre	O
420	CM	100	CM	13 LEVEL CM	363,8838 litre	2,758 %	12830,8053 litre	O
420	CM	100	CM	12 LEVEL CM	323,2206 litre	2,450 %	12871,4685 litre	O
420	CM	100	CM	11 LEVEL CM	284,1144 litre	2,153 %	12910,5747 litre	O
420	CM	100	CM	10 LEVEL CM	246,6488 litre	1,869 %	12948,0403 litre	O
420	CM	100	CM	9 LEVEL CM	210,9188 litre	1,599 %	12983,7703 litre	O
420	CM	100	CM	8 LEVEL CM	177,0340 litre	1,342 %	13017,6551 litre	O
420	CM	100	CM	7 LEVEL CM	145,1231 litre	1,100 %	13049,5660 litre	O
420	CM	100	CM	6 LEVEL CM	115,3406 litre	0,874 %	13079,3485 litre	O
420	CM	100	CM	5 LEVEL CM	87,8767 litre	0,666 %	13106,8124 litre	O
420	CM	100	CM	4 LEVEL CM	62,9753 litre	0,477 %	13131,7138 litre	O
420	CM	100	CM	3 LEVEL CM	40,9657 litre	0,310 %	13153,7234 litre	O
420	CM	100	CM	2 LEVEL CM	22,3327 litre	0,169 %	13172,3564 litre	O
420	CM	100	CM	1 LEVEL CM	7,9077 litre	0,060 %	13186,7814 litre	O
420	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	13194,6891 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
420	CM	95	CM	190 LEVEL CM	11908,2070 litre	100,000 %	0,0000 litre	O
420	CM	95	CM	189 LEVEL CM	11900,5001 litre	99,935 %	7,7069 litre	O
420	CM	95	CM	188 LEVEL CM	11886,4432 litre	99,817 %	21,7638 litre	O
420	CM	95	CM	187 LEVEL CM	11868,2880 litre	99,665 %	39,9190 litre	O
420	CM	95	CM	186 LEVEL CM	11846,8459 litre	99,485 %	61,3611 litre	O
420	CM	95	CM	185 LEVEL CM	11822,5897 litre	99,281 %	85,6173 litre	O
420	CM	95	CM	184 LEVEL CM	11795,8412 litre	99,056 %	112,3658 litre	O
420	CM	95	CM	183 LEVEL CM	11766,8384 litre	98,813 %	141,3686 litre	O
420	CM	95	CM	182 LEVEL CM	11735,7675 litre	98,552 %	172,4395 litre	O
420	CM	95	CM	181 LEVEL CM	11702,7793 litre	98,275 %	205,4277 litre	O
420	CM	95	CM	180 LEVEL CM	11667,9998 litre	97,983 %	240,2072 litre	O
420	CM	95	CM	179 LEVEL CM	11631,5361 litre	97,677 %	276,6709 litre	O
420	CM	95	CM	178 LEVEL CM	11593,4814 litre	97,357 %	314,7256 litre	O
420	CM	95	CM	177 LEVEL CM	11553,9174 litre	97,025 %	354,2896 litre	O
420	CM	95	CM	176 LEVEL CM	11512,9168 litre	96,681 %	395,2902 litre	O
420	CM	95	CM	175 LEVEL CM	11470,5451 litre	96,325 %	437,6619 litre	O
420	CM	95	CM	174 LEVEL CM	11426,8613 litre	95,958 %	481,3457 litre	O
420	CM	95	CM	173 LEVEL CM	11381,9194 litre	95,580 %	526,2876 litre	O
420	CM	95	CM	172 LEVEL CM	11335,7691 litre	95,193 %	572,4379 litre	O
420	CM	95	CM	171 LEVEL CM	11288,4560 litre	94,796 %	619,7510 litre	O
420	CM	95	CM	170 LEVEL CM	11240,0227 litre	94,389 %	668,1843 litre	O
420	CM	95	CM	169 LEVEL CM	11190,5088 litre	93,973 %	717,6982 litre	O
420	CM	95	CM	168 LEVEL CM	11139,9512 litre	93,549 %	768,2558 litre	O
420	CM	95	CM	167 LEVEL CM	11088,3849 litre	93,115 %	819,8221 litre	O
420	CM	95	CM	166 LEVEL CM	11035,8425 litre	92,674 %	872,3645 litre	O
420	CM	95	CM	165 LEVEL CM	10982,3551 litre	92,225 %	925,8519 litre	O
420	CM	95	CM	164 LEVEL CM	10927,9521 litre	91,768 %	980,2549 litre	O
420	CM	95	CM	163 LEVEL CM	10872,6613 litre	91,304 %	1035,5457 litre	O
420	CM	95	CM	162 LEVEL CM	10816,5095 litre	90,832 %	1091,6975 litre	O
420	CM	95	CM	161 LEVEL CM	10759,5219 litre	90,354 %	1148,6851 litre	O
420	CM	95	CM	160 LEVEL CM	10701,7229 litre	89,868 %	1206,4841 litre	O
420	CM	95	CM	159 LEVEL CM	10643,1357 litre	89,376 %	1265,0713 litre	O
420	CM	95	CM	158 LEVEL CM	10583,7827 litre	88,878 %	1324,4243 litre	O
420	CM	95	CM	157 LEVEL CM	10523,6854 litre	88,373 %	1384,5216 litre	O
420	CM	95	CM	156 LEVEL CM	10462,8645 litre	87,863 %	1445,3425 litre	O
420	CM	95	CM	155 LEVEL CM	10401,3399 litre	87,346 %	1506,8671 litre	O
420	CM	95	CM	154 LEVEL CM	10339,1311 litre	86,824 %	1569,0759 litre	O
420	CM	95	CM	153 LEVEL CM	10276,2565 litre	86,296 %	1631,9505 litre	O
420	CM	95	CM	152 LEVEL CM	10212,7344 litre	85,762 %	1695,4726 litre	O
420	CM	95	CM	151 LEVEL CM	10148,5823 litre	85,223 %	1759,6247 litre	O
420	CM	95	CM	150 LEVEL CM	10083,8171 litre	84,680 %	1824,3899 litre	O
420	CM	95	CM	149 LEVEL CM	10018,4555 litre	84,131 %	1889,7515 litre	O
420	CM	95	CM	148 LEVEL CM	9952,5135 litre	83,577 %	1955,6935 litre	O
420	CM	95	CM	147 LEVEL CM	9886,0067 litre	83,018 %	2022,2003 litre	O
420	CM	95	CM	146 LEVEL CM	9818,9506 litre	82,455 %	2089,2564 litre	O
420	CM	95	CM	145 LEVEL CM	9751,3599 litre	81,888 %	2156,8471 litre	O
420	CM	95	CM	144 LEVEL CM	9683,2492 litre	81,316 %	2224,9578 litre	O
420	CM	95	CM	143 LEVEL CM	9614,6328 litre	80,740 %	2293,5742 litre	O
420	CM	95	CM	142 LEVEL CM	9545,5245 litre	80,159 %	2362,6825 litre	O
420	CM	95	CM	141 LEVEL CM	9475,9380 litre	79,575 %	2432,2690 litre	O
420	CM	95	CM	140 LEVEL CM	9405,8867 litre	78,987 %	2502,3203 litre	O
420	CM	95	CM	139 LEVEL CM	9335,3835 litre	78,395 %	2572,8235 litre	O

420	CM 95	CM	138 LEVEL CM	9264,4413 litre	77,799 %	2643,7657 litre	O
420	CM 95	CM	137 LEVEL CM	9193,0727 litre	77,199 %	2715,1343 litre	O
420	CM 95	CM	136 LEVEL CM	9121,2900 litre	76,597 %	2786,9170 litre	O
420	CM 95	CM	135 LEVEL CM	9049,1055 litre	75,990 %	2859,1015 litre	O
420	CM 95	CM	134 LEVEL CM	8976,5310 litre	75,381 %	2931,6760 litre	O
420	CM 95	CM	133 LEVEL CM	8903,5783 litre	74,768 %	3004,6287 litre	O
420	CM 95	CM	132 LEVEL CM	8830,2590 litre	74,153 %	3077,9480 litre	O
420	CM 95	CM	131 LEVEL CM	8756,5845 litre	73,534 %	3151,6225 litre	O
420	CM 95	CM	130 LEVEL CM	8682,5660 litre	72,912 %	3225,6410 litre	O
420	CM 95	CM	129 LEVEL CM	8608,2146 litre	72,288 %	3299,9924 litre	O
420	CM 95	CM	128 LEVEL CM	8533,5412 litre	71,661 %	3374,6658 litre	O
420	CM 95	CM	127 LEVEL CM	8458,5567 litre	71,031 %	3449,6503 litre	O
420	CM 95	CM	126 LEVEL CM	8383,2716 litre	70,399 %	3524,9354 litre	O
420	CM 95	CM	125 LEVEL CM	8307,6965 litre	69,764 %	3600,5105 litre	O
420	CM 95	CM	124 LEVEL CM	8231,8419 litre	69,127 %	3676,3651 litre	O
420	CM 95	CM	123 LEVEL CM	8155,7180 litre	68,488 %	3752,4890 litre	O
420	CM 95	CM	122 LEVEL CM	8079,3349 litre	67,847 %	3828,8721 litre	O
420	CM 95	CM	121 LEVEL CM	8002,7029 litre	67,203 %	3905,5041 litre	O
420	CM 95	CM	120 LEVEL CM	7925,8318 litre	66,558 %	3982,3752 litre	O
420	CM 95	CM	119 LEVEL CM	7848,7316 litre	65,910 %	4059,4754 litre	O
420	CM 95	CM	118 LEVEL CM	7771,4121 litre	65,261 %	4136,7949 litre	O
420	CM 95	CM	117 LEVEL CM	7693,8830 litre	64,610 %	4214,3240 litre	O
420	CM 95	CM	116 LEVEL CM	7616,1539 litre	63,957 %	4292,0531 litre	O
420	CM 95	CM	115 LEVEL CM	7538,2344 litre	63,303 %	4369,9726 litre	O
420	CM 95	CM	114 LEVEL CM	7460,1339 litre	62,647 %	4448,0731 litre	O
420	CM 95	CM	113 LEVEL CM	7381,8621 litre	61,990 %	4526,3449 litre	O
420	CM 95	CM	112 LEVEL CM	7303,4281 litre	61,331 %	4604,7789 litre	O
420	CM 95	CM	111 LEVEL CM	7224,8413 litre	60,671 %	4683,3657 litre	O
420	CM 95	CM	110 LEVEL CM	7146,1110 litre	60,010 %	4762,0960 litre	O
420	CM 95	CM	109 LEVEL CM	7067,2464 litre	59,348 %	4840,9606 litre	O
420	CM 95	CM	108 LEVEL CM	6988,2566 litre	58,684 %	4919,9504 litre	O
420	CM 95	CM	107 LEVEL CM	6909,1508 litre	58,020 %	4999,0562 litre	O
420	CM 95	CM	106 LEVEL CM	6829,9380 litre	57,355 %	5078,2690 litre	O
420	CM 95	CM	105 LEVEL CM	6750,6273 litre	56,689 %	5157,5797 litre	O
420	CM 95	CM	104 LEVEL CM	6671,2277 litre	56,022 %	5236,9793 litre	O
420	CM 95	CM	103 LEVEL CM	6591,7481 litre	55,355 %	5316,4589 litre	O
420	CM 95	CM	102 LEVEL CM	6512,1976 litre	54,687 %	5396,0094 litre	O
420	CM 95	CM	101 LEVEL CM	6432,5850 litre	54,018 %	5475,6220 litre	O
420	CM 95	CM	100 LEVEL CM	6352,9192 litre	53,349 %	5555,2878 litre	O
420	CM 95	CM	99 LEVEL CM	6273,2091 litre	52,680 %	5634,9979 litre	O
420	CM 95	CM	98 LEVEL CM	6193,4637 litre	52,010 %	5714,7433 litre	O
420	CM 95	CM	97 LEVEL CM	6113,6917 litre	51,340 %	5794,5153 litre	O
420	CM 95	CM	96 LEVEL CM	6033,9020 litre	50,670 %	5874,3050 litre	O
420	CM 95	CM	95 LEVEL CM	5954,1035 litre	50,000 %	5954,1035 litre	O
420	CM 95	CM	94 LEVEL CM	5874,3050 litre	49,330 %	6033,9020 litre	O
420	CM 95	CM	93 LEVEL CM	5794,5153 litre	48,660 %	6113,6917 litre	O
420	CM 95	CM	92 LEVEL CM	5714,7433 litre	47,990 %	6193,4637 litre	O
420	CM 95	CM	91 LEVEL CM	5634,9978 litre	47,320 %	6273,2092 litre	O
420	CM 95	CM	90 LEVEL CM	5555,2878 litre	46,651 %	6352,9192 litre	O
420	CM 95	CM	89 LEVEL CM	5475,6220 litre	45,982 %	6432,5850 litre	O
420	CM 95	CM	88 LEVEL CM	5396,0094 litre	45,313 %	6512,1976 litre	O
420	CM 95	CM	87 LEVEL CM	5316,4588 litre	44,645 %	6591,7482 litre	O
420	CM 95	CM	86 LEVEL CM	5236,9792 litre	43,978 %	6671,2278 litre	O

420	CM 95	CM	85 LEVEL CM	5157,5796 litre	43,311 %	6750,6274 litre	O
420	CM 95	CM	84 LEVEL CM	5078,2689 litre	42,645 %	6829,9381 litre	O
420	CM 95	CM	83 LEVEL CM	4999,0561 litre	41,980 %	6909,1509 litre	O
420	CM 95	CM	82 LEVEL CM	4919,9503 litre	41,316 %	6988,2567 litre	O
420	CM 95	CM	81 LEVEL CM	4840,9605 litre	40,652 %	7067,2465 litre	O
420	CM 95	CM	80 LEVEL CM	4762,0959 litre	39,990 %	7146,1111 litre	O
420	CM 95	CM	79 LEVEL CM	4683,3656 litre	39,329 %	7224,8414 litre	O
420	CM 95	CM	78 LEVEL CM	4604,7789 litre	38,669 %	7303,4281 litre	O
420	CM 95	CM	77 LEVEL CM	4526,3449 litre	38,010 %	7381,8621 litre	O
420	CM 95	CM	76 LEVEL CM	4448,0730 litre	37,353 %	7460,1340 litre	O
420	CM 95	CM	75 LEVEL CM	4369,9726 litre	36,697 %	7538,2344 litre	O
420	CM 95	CM	74 LEVEL CM	4292,0531 litre	36,043 %	7616,1539 litre	O
420	CM 95	CM	73 LEVEL CM	4214,3240 litre	35,390 %	7693,8830 litre	O
420	CM 95	CM	72 LEVEL CM	4136,7948 litre	34,739 %	7771,4122 litre	O
420	CM 95	CM	71 LEVEL CM	4059,4753 litre	34,090 %	7848,7317 litre	O
420	CM 95	CM	70 LEVEL CM	3982,3751 litre	33,442 %	7925,8319 litre	O
420	CM 95	CM	69 LEVEL CM	3905,5040 litre	32,797 %	8002,7030 litre	O
420	CM 95	CM	68 LEVEL CM	3828,8720 litre	32,153 %	8079,3350 litre	O
420	CM 95	CM	67 LEVEL CM	3752,4890 litre	31,512 %	8155,7180 litre	O
420	CM 95	CM	66 LEVEL CM	3676,3651 litre	30,873 %	8231,8419 litre	O
420	CM 95	CM	65 LEVEL CM	3600,5104 litre	30,236 %	8307,6966 litre	O
420	CM 95	CM	64 LEVEL CM	3524,9354 litre	29,601 %	8383,2716 litre	O
420	CM 95	CM	63 LEVEL CM	3449,6503 litre	28,969 %	8458,5567 litre	O
420	CM 95	CM	62 LEVEL CM	3374,6657 litre	28,339 %	8533,5413 litre	O
420	CM 95	CM	61 LEVEL CM	3299,9924 litre	27,712 %	8608,2146 litre	O
420	CM 95	CM	60 LEVEL CM	3225,6410 litre	27,088 %	8682,5660 litre	O
420	CM 95	CM	59 LEVEL CM	3151,6224 litre	26,466 %	8756,5846 litre	O
420	CM 95	CM	58 LEVEL CM	3077,9479 litre	25,847 %	8830,2591 litre	O
420	CM 95	CM	57 LEVEL CM	3004,6286 litre	25,232 %	8903,5784 litre	O
420	CM 95	CM	56 LEVEL CM	2931,6759 litre	24,619 %	8976,5311 litre	O
420	CM 95	CM	55 LEVEL CM	2859,1014 litre	24,010 %	9049,1056 litre	O
420	CM 95	CM	54 LEVEL CM	2786,9169 litre	23,403 %	9121,2901 litre	O
420	CM 95	CM	53 LEVEL CM	2715,1343 litre	22,801 %	9193,0727 litre	O
420	CM 95	CM	52 LEVEL CM	2643,7657 litre	22,201 %	9264,4413 litre	O
420	CM 95	CM	51 LEVEL CM	2572,8235 litre	21,605 %	9335,3835 litre	O
420	CM 95	CM	50 LEVEL CM	2502,3203 litre	21,013 %	9405,8867 litre	O
420	CM 95	CM	49 LEVEL CM	2432,2689 litre	20,425 %	9475,9381 litre	O
420	CM 95	CM	48 LEVEL CM	2362,6824 litre	19,841 %	9545,5246 litre	O
420	CM 95	CM	47 LEVEL CM	2293,5742 litre	19,260 %	9614,6328 litre	O
420	CM 95	CM	46 LEVEL CM	2224,9577 litre	18,684 %	9683,2493 litre	O
420	CM 95	CM	45 LEVEL CM	2156,8471 litre	18,112 %	9751,3599 litre	O
420	CM 95	CM	44 LEVEL CM	2089,2564 litre	17,545 %	9818,9506 litre	O
420	CM 95	CM	43 LEVEL CM	2022,2002 litre	16,982 %	9886,0068 litre	O
420	CM 95	CM	42 LEVEL CM	1955,6935 litre	16,423 %	9952,5135 litre	O
420	CM 95	CM	41 LEVEL CM	1889,7515 litre	15,869 %	10018,4555 litre	O
420	CM 95	CM	40 LEVEL CM	1824,3898 litre	15,320 %	10083,8172 litre	O
420	CM 95	CM	39 LEVEL CM	1759,6247 litre	14,777 %	10148,5823 litre	O
420	CM 95	CM	38 LEVEL CM	1695,4725 litre	14,238 %	10212,7345 litre	O
420	CM 95	CM	37 LEVEL CM	1631,9504 litre	13,704 %	10276,2566 litre	O
420	CM 95	CM	36 LEVEL CM	1569,0759 litre	13,176 %	10339,1311 litre	O
420	CM 95	CM	35 LEVEL CM	1506,8670 litre	12,654 %	10401,3400 litre	O
420	CM 95	CM	34 LEVEL CM	1445,3425 litre	12,137 %	10462,8645 litre	O
420	CM 95	CM	33 LEVEL CM	1384,5216 litre	11,627 %	10523,6854 litre	O

420	CM	95	CM	32 LEVEL CM	1324,4243 litre	11,122 %	10583,7827 litre	O
420	CM	95	CM	31 LEVEL CM	1265,0713 litre	10,624 %	10643,1357 litre	O
420	CM	95	CM	30 LEVEL CM	1206,4841 litre	10,132 %	10701,7229 litre	O
420	CM	95	CM	29 LEVEL CM	1148,6851 litre	9,646 %	10759,5219 litre	O
420	CM	95	CM	28 LEVEL CM	1091,6975 litre	9,168 %	10816,5095 litre	O
420	CM	95	CM	27 LEVEL CM	1035,5456 litre	8,696 %	10872,6614 litre	O
420	CM	95	CM	26 LEVEL CM	980,2549 litre	8,232 %	10927,9521 litre	O
420	CM	95	CM	25 LEVEL CM	925,8519 litre	7,775 %	10982,3551 litre	O
420	CM	95	CM	24 LEVEL CM	872,3645 litre	7,326 %	11035,8425 litre	O
420	CM	95	CM	23 LEVEL CM	819,8221 litre	6,885 %	11088,3849 litre	O
420	CM	95	CM	22 LEVEL CM	768,2557 litre	6,451 %	11139,9513 litre	O
420	CM	95	CM	21 LEVEL CM	717,6982 litre	6,027 %	11190,5088 litre	O
420	CM	95	CM	20 LEVEL CM	668,1842 litre	5,611 %	11240,0228 litre	O
420	CM	95	CM	19 LEVEL CM	619,7510 litre	5,204 %	11288,4560 litre	O
420	CM	95	CM	18 LEVEL CM	572,4379 litre	4,807 %	11335,7691 litre	O
420	CM	95	CM	17 LEVEL CM	526,2876 litre	4,420 %	11381,9194 litre	O
420	CM	95	CM	16 LEVEL CM	481,3457 litre	4,042 %	11426,8613 litre	O
420	CM	95	CM	15 LEVEL CM	437,6619 litre	3,675 %	11470,5451 litre	O
420	CM	95	CM	14 LEVEL CM	395,2901 litre	3,319 %	11512,9169 litre	O
420	CM	95	CM	13 LEVEL CM	354,2896 litre	2,975 %	11553,9174 litre	O
420	CM	95	CM	12 LEVEL CM	314,7255 litre	2,643 %	11593,4815 litre	O
420	CM	95	CM	11 LEVEL CM	276,6708 litre	2,323 %	11631,5362 litre	O
420	CM	95	CM	10 LEVEL CM	240,2072 litre	2,017 %	11667,9998 litre	O
420	CM	95	CM	9 LEVEL CM	205,4276 litre	1,725 %	11702,7794 litre	O
420	CM	95	CM	8 LEVEL CM	172,4394 litre	1,448 %	11735,7676 litre	O
420	CM	95	CM	7 LEVEL CM	141,3685 litre	1,187 %	11766,8385 litre	O
420	CM	95	CM	6 LEVEL CM	112,3658 litre	0,944 %	11795,8412 litre	O
420	CM	95	CM	5 LEVEL CM	85,6172 litre	0,719 %	11822,5898 litre	O
420	CM	95	CM	4 LEVEL CM	61,3610 litre	0,515 %	11846,8460 litre	O
420	CM	95	CM	3 LEVEL CM	39,9189 litre	0,335 %	11868,2881 litre	O
420	CM	95	CM	2 LEVEL CM	21,7637 litre	0,183 %	11886,4433 litre	O
420	CM	95	CM	1 LEVEL CM	7,7069 litre	0,065 %	11900,5001 litre	O
420	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	11908,2070 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
420	CM	90	CM	180 LEVEL CM	10687,6982 litre	100,000 %	0,0000 litre	O
420	CM	90	CM	179 LEVEL CM	10680,1976 litre	99,930 %	7,5006 litre	O
420	CM	90	CM	178 LEVEL CM	10666,5187 litre	99,802 %	21,1795 litre	O
420	CM	90	CM	177 LEVEL CM	10648,8543 litre	99,637 %	38,8439 litre	O
420	CM	90	CM	176 LEVEL CM	10627,9950 litre	99,441 %	59,7032 litre	O
420	CM	90	CM	175 LEVEL CM	10604,4017 litre	99,221 %	83,2965 litre	O
420	CM	90	CM	174 LEVEL CM	10578,3882 litre	98,977 %	109,3100 litre	O
420	CM	90	CM	173 LEVEL CM	10550,1868 litre	98,713 %	137,5114 litre	O
420	CM	90	CM	172 LEVEL CM	10519,9792 litre	98,431 %	167,7190 litre	O
420	CM	90	CM	171 LEVEL CM	10487,9127 litre	98,131 %	199,7855 litre	O
420	CM	90	CM	170 LEVEL CM	10454,1103 litre	97,814 %	233,5879 litre	O
420	CM	90	CM	169 LEVEL CM	10418,6769 litre	97,483 %	269,0213 litre	O
420	CM	90	CM	168 LEVEL CM	10381,7035 litre	97,137 %	305,9947 litre	O
420	CM	90	CM	167 LEVEL CM	10343,2702 litre	96,777 %	344,4280 litre	O
420	CM	90	CM	166 LEVEL CM	10303,4481 litre	96,405 %	384,2501 litre	O
420	CM	90	CM	165 LEVEL CM	10262,3012 litre	96,020 %	425,3970 litre	O
420	CM	90	CM	164 LEVEL CM	10219,8876 litre	95,623 %	467,8106 litre	O
420	CM	90	CM	163 LEVEL CM	10176,2601 litre	95,215 %	511,4381 litre	O
420	CM	90	CM	162 LEVEL CM	10131,4674 litre	94,796 %	556,2308 litre	O
420	CM	90	CM	161 LEVEL CM	10085,5545 litre	94,366 %	602,1437 litre	O
420	CM	90	CM	160 LEVEL CM	10038,5630 litre	93,926 %	649,1352 litre	O
420	CM	90	CM	159 LEVEL CM	9990,5319 litre	93,477 %	697,1663 litre	O
420	CM	90	CM	158 LEVEL CM	9941,4975 litre	93,018 %	746,2007 litre	O
420	CM	90	CM	157 LEVEL CM	9891,4942 litre	92,550 %	796,2040 litre	O
420	CM	90	CM	156 LEVEL CM	9840,5541 litre	92,074 %	847,1441 litre	O
420	CM	90	CM	155 LEVEL CM	9788,7078 litre	91,589 %	898,9904 litre	O
420	CM	90	CM	154 LEVEL CM	9735,9843 litre	91,095 %	951,7139 litre	O
420	CM	90	CM	153 LEVEL CM	9682,4112 litre	90,594 %	1005,2870 litre	O
420	CM	90	CM	152 LEVEL CM	9628,0145 litre	90,085 %	1059,6837 litre	O
420	CM	90	CM	151 LEVEL CM	9572,8194 litre	89,569 %	1114,8788 litre	O
420	CM	90	CM	150 LEVEL CM	9516,8500 litre	89,045 %	1170,8482 litre	O
420	CM	90	CM	149 LEVEL CM	9460,1291 litre	88,514 %	1227,5691 litre	O
420	CM	90	CM	148 LEVEL CM	9402,6790 litre	87,977 %	1285,0192 litre	O
420	CM	90	CM	147 LEVEL CM	9344,5208 litre	87,432 %	1343,1774 litre	O
420	CM	90	CM	146 LEVEL CM	9285,6752 litre	86,882 %	1402,0230 litre	O
420	CM	90	CM	145 LEVEL CM	9226,1618 litre	86,325 %	1461,5364 litre	O
420	CM	90	CM	144 LEVEL CM	9165,9999 litre	85,762 %	1521,6983 litre	O
420	CM	90	CM	143 LEVEL CM	9105,2079 litre	85,193 %	1582,4903 litre	O
420	CM	90	CM	142 LEVEL CM	9043,8038 litre	84,619 %	1643,8944 litre	O
420	CM	90	CM	141 LEVEL CM	8981,8051 litre	84,039 %	1705,8931 litre	O
420	CM	90	CM	140 LEVEL CM	8919,2286 litre	83,453 %	1768,4696 litre	O
420	CM	90	CM	139 LEVEL CM	8856,0908 litre	82,862 %	1831,6074 litre	O
420	CM	90	CM	138 LEVEL CM	8792,4077 litre	82,267 %	1895,2905 litre	O
420	CM	90	CM	137 LEVEL CM	8728,1951 litre	81,666 %	1959,5031 litre	O
420	CM	90	CM	136 LEVEL CM	8663,4680 litre	81,060 %	2024,2302 litre	O
420	CM	90	CM	135 LEVEL CM	8598,2414 litre	80,450 %	2089,4568 litre	O
420	CM	90	CM	134 LEVEL CM	8532,5297 litre	79,835 %	2155,1685 litre	O
420	CM	90	CM	133 LEVEL CM	8466,3473 litre	79,216 %	2221,3509 litre	O
420	CM	90	CM	132 LEVEL CM	8399,7080 litre	78,592 %	2287,9902 litre	O
420	CM	90	CM	131 LEVEL CM	8332,6255 litre	77,965 %	2355,0727 litre	O
420	CM	90	CM	130 LEVEL CM	8265,1131 litre	77,333 %	2422,5851 litre	O
420	CM	90	CM	129 LEVEL CM	8197,1839 litre	76,697 %	2490,5143 litre	O

420	CM	90	CM	128 LEVEL CM	8128,8508 litre	76,058 %	2558,8474 litre	O
420	CM	90	CM	127 LEVEL CM	8060,1264 litre	75,415 %	2627,5718 litre	O
420	CM	90	CM	126 LEVEL CM	7991,0232 litre	74,768 %	2696,6750 litre	O
420	CM	90	CM	125 LEVEL CM	7921,5534 litre	74,118 %	2766,1448 litre	O
420	CM	90	CM	124 LEVEL CM	7851,7290 litre	73,465 %	2835,9692 litre	O
420	CM	90	CM	123 LEVEL CM	7781,5618 litre	72,809 %	2906,1364 litre	O
420	CM	90	CM	122 LEVEL CM	7711,0635 litre	72,149 %	2976,6347 litre	O
420	CM	90	CM	121 LEVEL CM	7640,2457 litre	71,486 %	3047,4525 litre	O
420	CM	90	CM	120 LEVEL CM	7569,1197 litre	70,821 %	3118,5785 litre	O
420	CM	90	CM	119 LEVEL CM	7497,6967 litre	70,153 %	3190,0015 litre	O
420	CM	90	CM	118 LEVEL CM	7425,9878 litre	69,482 %	3261,7104 litre	O
420	CM	90	CM	117 LEVEL CM	7354,0039 litre	68,808 %	3333,6943 litre	O
420	CM	90	CM	116 LEVEL CM	7281,7558 litre	68,132 %	3405,9424 litre	O
420	CM	90	CM	115 LEVEL CM	7209,2542 litre	67,454 %	3478,4440 litre	O
420	CM	90	CM	114 LEVEL CM	7136,5097 litre	66,773 %	3551,1885 litre	O
420	CM	90	CM	113 LEVEL CM	7063,5328 litre	66,090 %	3624,1654 litre	O
420	CM	90	CM	112 LEVEL CM	6990,3338 litre	65,405 %	3697,3644 litre	O
420	CM	90	CM	111 LEVEL CM	6916,9231 litre	64,719 %	3770,7751 litre	O
420	CM	90	CM	110 LEVEL CM	6843,3108 litre	64,030 %	3844,3874 litre	O
420	CM	90	CM	109 LEVEL CM	6769,5071 litre	63,339 %	3918,1911 litre	O
420	CM	90	CM	108 LEVEL CM	6695,5219 litre	62,647 %	3992,1763 litre	O
420	CM	90	CM	107 LEVEL CM	6621,3652 litre	61,953 %	4066,3330 litre	O
420	CM	90	CM	106 LEVEL CM	6547,0470 litre	61,258 %	4140,6512 litre	O
420	CM	90	CM	105 LEVEL CM	6472,5770 litre	60,561 %	4215,1212 litre	O
420	CM	90	CM	104 LEVEL CM	6397,9650 litre	59,863 %	4289,7332 litre	O
420	CM	90	CM	103 LEVEL CM	6323,2208 litre	59,164 %	4364,4774 litre	O
420	CM	90	CM	102 LEVEL CM	6248,3539 litre	58,463 %	4439,3443 litre	O
420	CM	90	CM	101 LEVEL CM	6173,3740 litre	57,761 %	4514,3242 litre	O
420	CM	90	CM	100 LEVEL CM	6098,2907 litre	57,059 %	4589,4075 litre	O
420	CM	90	CM	99 LEVEL CM	6023,1134 litre	56,356 %	4664,5848 litre	O
420	CM	90	CM	98 LEVEL CM	5947,8517 litre	55,651 %	4739,8465 litre	O
420	CM	90	CM	97 LEVEL CM	5872,5151 litre	54,946 %	4815,1831 litre	O
420	CM	90	CM	96 LEVEL CM	5797,1129 litre	54,241 %	4890,5853 litre	O
420	CM	90	CM	95 LEVEL CM	5721,6546 litre	53,535 %	4966,0436 litre	O
420	CM	90	CM	94 LEVEL CM	5646,1495 litre	52,828 %	5041,5487 litre	O
420	CM	90	CM	93 LEVEL CM	5570,6071 litre	52,122 %	5117,0911 litre	O
420	CM	90	CM	92 LEVEL CM	5495,0367 litre	51,415 %	5192,6615 litre	O
420	CM	90	CM	91 LEVEL CM	5419,4475 litre	50,707 %	5268,2507 litre	O
420	CM	90	CM	90 LEVEL CM	5343,8491 litre	50,000 %	5343,8491 litre	O
420	CM	90	CM	89 LEVEL CM	5268,2507 litre	49,293 %	5419,4475 litre	O
420	CM	90	CM	88 LEVEL CM	5192,6615 litre	48,585 %	5495,0367 litre	O
420	CM	90	CM	87 LEVEL CM	5117,0911 litre	47,878 %	5570,6071 litre	O
420	CM	90	CM	86 LEVEL CM	5041,5487 litre	47,172 %	5646,1495 litre	O
420	CM	90	CM	85 LEVEL CM	4966,0436 litre	46,465 %	5721,6546 litre	O
420	CM	90	CM	84 LEVEL CM	4890,5853 litre	45,759 %	5797,1129 litre	O
420	CM	90	CM	83 LEVEL CM	4815,1831 litre	45,054 %	5872,5151 litre	O
420	CM	90	CM	82 LEVEL CM	4739,8465 litre	44,349 %	5947,8517 litre	O
420	CM	90	CM	81 LEVEL CM	4664,5848 litre	43,644 %	6023,1134 litre	O
420	CM	90	CM	80 LEVEL CM	4589,4076 litre	42,941 %	6098,2906 litre	O
420	CM	90	CM	79 LEVEL CM	4514,3242 litre	42,239 %	6173,3740 litre	O
420	CM	90	CM	78 LEVEL CM	4439,3443 litre	41,537 %	6248,3539 litre	O
420	CM	90	CM	77 LEVEL CM	4364,4774 litre	40,836 %	6323,2208 litre	O
420	CM	90	CM	76 LEVEL CM	4289,7332 litre	40,137 %	6397,9650 litre	O

420	CM	90	CM	75 LEVEL CM	4215,1212 litre	39,439 %	6472,5770 litre	O
420	CM	90	CM	74 LEVEL CM	4140,6512 litre	38,742 %	6547,0470 litre	O
420	CM	90	CM	73 LEVEL CM	4066,3330 litre	38,047 %	6621,3652 litre	O
420	CM	90	CM	72 LEVEL CM	3992,1763 litre	37,353 %	6695,5219 litre	O
420	CM	90	CM	71 LEVEL CM	3918,1911 litre	36,661 %	6769,5071 litre	O
420	CM	90	CM	70 LEVEL CM	3844,3874 litre	35,970 %	6843,3108 litre	O
420	CM	90	CM	69 LEVEL CM	3770,7751 litre	35,281 %	6916,9231 litre	O
420	CM	90	CM	68 LEVEL CM	3697,3644 litre	34,595 %	6990,3338 litre	O
420	CM	90	CM	67 LEVEL CM	3624,1654 litre	33,910 %	7063,5328 litre	O
420	CM	90	CM	66 LEVEL CM	3551,1885 litre	33,227 %	7136,5097 litre	O
420	CM	90	CM	65 LEVEL CM	3478,4440 litre	32,546 %	7209,2542 litre	O
420	CM	90	CM	64 LEVEL CM	3405,9424 litre	31,868 %	7281,7558 litre	O
420	CM	90	CM	63 LEVEL CM	3333,6943 litre	31,192 %	7354,0039 litre	O
420	CM	90	CM	62 LEVEL CM	3261,7104 litre	30,518 %	7425,9878 litre	O
420	CM	90	CM	61 LEVEL CM	3190,0015 litre	29,847 %	7497,6967 litre	O
420	CM	90	CM	60 LEVEL CM	3118,5785 litre	29,179 %	7569,1197 litre	O
420	CM	90	CM	59 LEVEL CM	3047,4525 litre	28,514 %	7640,2457 litre	O
420	CM	90	CM	58 LEVEL CM	2976,6347 litre	27,851 %	7711,0635 litre	O
420	CM	90	CM	57 LEVEL CM	2906,1364 litre	27,191 %	7781,5618 litre	O
420	CM	90	CM	56 LEVEL CM	2835,9693 litre	26,535 %	7851,7289 litre	O
420	CM	90	CM	55 LEVEL CM	2766,1448 litre	25,882 %	7921,5534 litre	O
420	CM	90	CM	54 LEVEL CM	2696,6750 litre	25,232 %	7991,0232 litre	O
420	CM	90	CM	53 LEVEL CM	2627,5718 litre	24,585 %	8060,1264 litre	O
420	CM	90	CM	52 LEVEL CM	2558,8474 litre	23,942 %	8128,8508 litre	O
420	CM	90	CM	51 LEVEL CM	2490,5143 litre	23,303 %	8197,1839 litre	O
420	CM	90	CM	50 LEVEL CM	2422,5851 litre	22,667 %	8265,1131 litre	O
420	CM	90	CM	49 LEVEL CM	2355,0727 litre	22,035 %	8332,6255 litre	O
420	CM	90	CM	48 LEVEL CM	2287,9902 litre	21,408 %	8399,7080 litre	O
420	CM	90	CM	47 LEVEL CM	2221,3509 litre	20,784 %	8466,3473 litre	O
420	CM	90	CM	46 LEVEL CM	2155,1685 litre	20,165 %	8532,5297 litre	O
420	CM	90	CM	45 LEVEL CM	2089,4569 litre	19,550 %	8598,2413 litre	O
420	CM	90	CM	44 LEVEL CM	2024,2302 litre	18,940 %	8663,4680 litre	O
420	CM	90	CM	43 LEVEL CM	1959,5031 litre	18,334 %	8728,1951 litre	O
420	CM	90	CM	42 LEVEL CM	1895,2905 litre	17,733 %	8792,4077 litre	O
420	CM	90	CM	41 LEVEL CM	1831,6074 litre	17,138 %	8856,0908 litre	O
420	CM	90	CM	40 LEVEL CM	1768,4696 litre	16,547 %	8919,2286 litre	O
420	CM	90	CM	39 LEVEL CM	1705,8931 litre	15,961 %	8981,8051 litre	O
420	CM	90	CM	38 LEVEL CM	1643,8944 litre	15,381 %	9043,8038 litre	O
420	CM	90	CM	37 LEVEL CM	1582,4903 litre	14,807 %	9105,2079 litre	O
420	CM	90	CM	36 LEVEL CM	1521,6983 litre	14,238 %	9165,9999 litre	O
420	CM	90	CM	35 LEVEL CM	1461,5364 litre	13,675 %	9226,1618 litre	O
420	CM	90	CM	34 LEVEL CM	1402,0230 litre	13,118 %	9285,6752 litre	O
420	CM	90	CM	33 LEVEL CM	1343,1774 litre	12,568 %	9344,5208 litre	O
420	CM	90	CM	32 LEVEL CM	1285,0192 litre	12,023 %	9402,6790 litre	O
420	CM	90	CM	31 LEVEL CM	1227,5691 litre	11,486 %	9460,1291 litre	O
420	CM	90	CM	30 LEVEL CM	1170,8482 litre	10,955 %	9516,8500 litre	O
420	CM	90	CM	29 LEVEL CM	1114,8788 litre	10,431 %	9572,8194 litre	O
420	CM	90	CM	28 LEVEL CM	1059,6837 litre	9,915 %	9628,0145 litre	O
420	CM	90	CM	27 LEVEL CM	1005,2871 litre	9,406 %	9682,4111 litre	O
420	CM	90	CM	26 LEVEL CM	951,7139 litre	8,905 %	9735,9843 litre	O
420	CM	90	CM	25 LEVEL CM	898,9904 litre	8,411 %	9788,7078 litre	O
420	CM	90	CM	24 LEVEL CM	847,1441 litre	7,926 %	9840,5541 litre	O
420	CM	90	CM	23 LEVEL CM	796,2040 litre	7,450 %	9891,4942 litre	O

420	CM	90	CM	22 LEVEL CM	746,2007 litre	6,982 %	9941,4975 litre	O
420	CM	90	CM	21 LEVEL CM	697,1663 litre	6,523 %	9990,5319 litre	O
420	CM	90	CM	20 LEVEL CM	649,1352 litre	6,074 %	10038,5630 litre	O
420	CM	90	CM	19 LEVEL CM	602,1437 litre	5,634 %	10085,5545 litre	O
420	CM	90	CM	18 LEVEL CM	556,2308 litre	5,204 %	10131,4674 litre	O
420	CM	90	CM	17 LEVEL CM	511,4381 litre	4,785 %	10176,2601 litre	O
420	CM	90	CM	16 LEVEL CM	467,8106 litre	4,377 %	10219,8876 litre	O
420	CM	90	CM	15 LEVEL CM	425,3970 litre	3,980 %	10262,3012 litre	O
420	CM	90	CM	14 LEVEL CM	384,2501 litre	3,595 %	10303,4481 litre	O
420	CM	90	CM	13 LEVEL CM	344,4280 litre	3,223 %	10343,2702 litre	O
420	CM	90	CM	12 LEVEL CM	305,9947 litre	2,863 %	10381,7035 litre	O
420	CM	90	CM	11 LEVEL CM	269,0213 litre	2,517 %	10418,6769 litre	O
420	CM	90	CM	10 LEVEL CM	233,5879 litre	2,186 %	10454,1103 litre	O
420	CM	90	CM	9 LEVEL CM	199,7855 litre	1,869 %	10487,9127 litre	O
420	CM	90	CM	8 LEVEL CM	167,7190 litre	1,569 %	10519,9792 litre	O
420	CM	90	CM	7 LEVEL CM	137,5114 litre	1,287 %	10550,1868 litre	O
420	CM	90	CM	6 LEVEL CM	109,3100 litre	1,023 %	10578,3882 litre	O
420	CM	90	CM	5 LEVEL CM	83,2965 litre	0,779 %	10604,4017 litre	O
420	CM	90	CM	4 LEVEL CM	59,7032 litre	0,559 %	10627,9950 litre	O
420	CM	90	CM	3 LEVEL CM	38,8439 litre	0,363 %	10648,8543 litre	O
420	CM	90	CM	2 LEVEL CM	21,1795 litre	0,198 %	10666,5187 litre	O
420	CM	90	CM	1 LEVEL CM	7,5007 litre	0,070 %	10680,1975 litre	O
420	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	10687,6982 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 85	CM 170 LEVEL CM	9533,1629 litre	100,000 %	0,0000 litre	O
420	CM 85	CM 169 LEVEL CM	9525,8743 litre	99,924 %	7,2886 litre	O
420	CM 85	CM 168 LEVEL CM	9512,5842 litre	99,784 %	20,5787 litre	O
420	CM 85	CM 167 LEVEL CM	9495,4247 litre	99,604 %	37,7382 litre	O
420	CM 85	CM 166 LEVEL CM	9475,1649 litre	99,392 %	57,9980 litre	O
420	CM 85	CM 165 LEVEL CM	9452,2537 litre	99,151 %	80,9092 litre	O
420	CM 85	CM 164 LEVEL CM	9426,9966 litre	98,886 %	106,1663 litre	O
420	CM 85	CM 163 LEVEL CM	9399,6200 litre	98,599 %	133,5429 litre	O
420	CM 85	CM 162 LEVEL CM	9370,3011 litre	98,292 %	162,8618 litre	O
420	CM 85	CM 161 LEVEL CM	9339,1835 litre	97,965 %	193,9794 litre	O
420	CM 85	CM 160 LEVEL CM	9306,3874 litre	97,621 %	226,7755 litre	O
420	CM 85	CM 159 LEVEL CM	9272,0152 litre	97,261 %	261,1477 litre	O
420	CM 85	CM 158 LEVEL CM	9236,1557 litre	96,884 %	297,0072 litre	O
420	CM 85	CM 157 LEVEL CM	9198,8873 litre	96,494 %	334,2756 litre	O
420	CM 85	CM 156 LEVEL CM	9160,2796 litre	96,089 %	372,8833 litre	O
420	CM 85	CM 155 LEVEL CM	9120,3952 litre	95,670 %	412,7677 litre	O
420	CM 85	CM 154 LEVEL CM	9079,2910 litre	95,239 %	453,8719 litre	O
420	CM 85	CM 153 LEVEL CM	9037,0188 litre	94,796 %	496,1441 litre	O
420	CM 85	CM 152 LEVEL CM	8993,6263 litre	94,340 %	539,5366 litre	O
420	CM 85	CM 151 LEVEL CM	8949,1575 litre	93,874 %	584,0054 litre	O
420	CM 85	CM 150 LEVEL CM	8903,6535 litre	93,397 %	629,5094 litre	O
420	CM 85	CM 149 LEVEL CM	8857,1525 litre	92,909 %	676,0104 litre	O
420	CM 85	CM 148 LEVEL CM	8809,6901 litre	92,411 %	723,4728 litre	O
420	CM 85	CM 147 LEVEL CM	8761,3002 litre	91,903 %	771,8627 litre	O
420	CM 85	CM 146 LEVEL CM	8712,0145 litre	91,386 %	821,1484 litre	O
420	CM 85	CM 145 LEVEL CM	8661,8631 litre	90,860 %	871,2998 litre	O
420	CM 85	CM 144 LEVEL CM	8610,8744 litre	90,325 %	922,2885 litre	O
420	CM 85	CM 143 LEVEL CM	8559,0757 litre	89,782 %	974,0872 litre	O
420	CM 85	CM 142 LEVEL CM	8506,4928 litre	89,231 %	1026,6701 litre	O
420	CM 85	CM 141 LEVEL CM	8453,1505 litre	88,671 %	1080,0124 litre	O
420	CM 85	CM 140 LEVEL CM	8399,0724 litre	88,104 %	1134,0905 litre	O
420	CM 85	CM 139 LEVEL CM	8344,2815 litre	87,529 %	1188,8814 litre	O
420	CM 85	CM 138 LEVEL CM	8288,7994 litre	86,947 %	1244,3635 litre	O
420	CM 85	CM 137 LEVEL CM	8232,6473 litre	86,358 %	1300,5156 litre	O
420	CM 85	CM 136 LEVEL CM	8175,8456 litre	85,762 %	1357,3173 litre	O
420	CM 85	CM 135 LEVEL CM	8118,4138 litre	85,160 %	1414,7491 litre	O
420	CM 85	CM 134 LEVEL CM	8060,3709 litre	84,551 %	1472,7920 litre	O
420	CM 85	CM 133 LEVEL CM	8001,7354 litre	83,936 %	1531,4275 litre	O
420	CM 85	CM 132 LEVEL CM	7942,5250 litre	83,315 %	1590,6379 litre	O
420	CM 85	CM 131 LEVEL CM	7882,7572 litre	82,688 %	1650,4057 litre	O
420	CM 85	CM 130 LEVEL CM	7822,4487 litre	82,055 %	1710,7142 litre	O
420	CM 85	CM 129 LEVEL CM	7761,6161 litre	81,417 %	1771,5468 litre	O
420	CM 85	CM 128 LEVEL CM	7700,2751 litre	80,774 %	1832,8878 litre	O
420	CM 85	CM 127 LEVEL CM	7638,4416 litre	80,125 %	1894,7213 litre	O
420	CM 85	CM 126 LEVEL CM	7576,1305 litre	79,471 %	1957,0324 litre	O
420	CM 85	CM 125 LEVEL CM	7513,3570 litre	78,813 %	2019,8059 litre	O
420	CM 85	CM 124 LEVEL CM	7450,1353 litre	78,150 %	2083,0276 litre	O
420	CM 85	CM 123 LEVEL CM	7386,4799 litre	77,482 %	2146,6830 litre	O
420	CM 85	CM 122 LEVEL CM	7322,4047 litre	76,810 %	2210,7582 litre	O
420	CM 85	CM 121 LEVEL CM	7257,9233 litre	76,133 %	2275,2396 litre	O
420	CM 85	CM 120 LEVEL CM	7193,0491 litre	75,453 %	2340,1138 litre	O
420	CM 85	CM 119 LEVEL CM	7127,7954 litre	74,768 %	2405,3675 litre	O

420	CM	85	CM	118 LEVEL CM	7062,1750 litre	74,080 %	2470,9879 litre	O
420	CM	85	CM	117 LEVEL CM	6996,2008 litre	73,388 %	2536,9621 litre	O
420	CM	85	CM	116 LEVEL CM	6929,8852 litre	72,692 %	2603,2777 litre	O
420	CM	85	CM	115 LEVEL CM	6863,2405 litre	71,993 %	2669,9224 litre	O
420	CM	85	CM	114 LEVEL CM	6796,2790 litre	71,291 %	2736,8839 litre	O
420	CM	85	CM	113 LEVEL CM	6729,0126 litre	70,585 %	2804,1503 litre	O
420	CM	85	CM	112 LEVEL CM	6661,4531 litre	69,877 %	2871,7098 litre	O
420	CM	85	CM	111 LEVEL CM	6593,6122 litre	69,165 %	2939,5507 litre	O
420	CM	85	CM	110 LEVEL CM	6525,5015 litre	68,451 %	3007,6614 litre	O
420	CM	85	CM	109 LEVEL CM	6457,1322 litre	67,733 %	3076,0307 litre	O
420	CM	85	CM	108 LEVEL CM	6388,5156 litre	67,014 %	3144,6473 litre	O
420	CM	85	CM	107 LEVEL CM	6319,6630 litre	66,291 %	3213,4999 litre	O
420	CM	85	CM	106 LEVEL CM	6250,5852 litre	65,567 %	3282,5777 litre	O
420	CM	85	CM	105 LEVEL CM	6181,2933 litre	64,840 %	3351,8696 litre	O
420	CM	85	CM	104 LEVEL CM	6111,7981 litre	64,111 %	3421,3648 litre	O
420	CM	85	CM	103 LEVEL CM	6042,1101 litre	63,380 %	3491,0528 litre	O
420	CM	85	CM	102 LEVEL CM	5972,2402 litre	62,647 %	3560,9227 litre	O
420	CM	85	CM	101 LEVEL CM	5902,1988 litre	61,912 %	3630,9641 litre	O
420	CM	85	CM	100 LEVEL CM	5831,9964 litre	61,176 %	3701,1665 litre	O
420	CM	85	CM	99 LEVEL CM	5761,6434 litre	60,438 %	3771,5195 litre	O
420	CM	85	CM	98 LEVEL CM	5691,1501 litre	59,698 %	3842,0128 litre	O
420	CM	85	CM	97 LEVEL CM	5620,5268 litre	58,958 %	3912,6361 litre	O
420	CM	85	CM	96 LEVEL CM	5549,7837 litre	58,216 %	3983,3792 litre	O
420	CM	85	CM	95 LEVEL CM	5478,9310 litre	57,472 %	4054,2319 litre	O
420	CM	85	CM	94 LEVEL CM	5407,9787 litre	56,728 %	4125,1842 litre	O
420	CM	85	CM	93 LEVEL CM	5336,9370 litre	55,983 %	4196,2259 litre	O
420	CM	85	CM	92 LEVEL CM	5265,8159 litre	55,237 %	4267,3470 litre	O
420	CM	85	CM	91 LEVEL CM	5194,6254 litre	54,490 %	4338,5375 litre	O
420	CM	85	CM	90 LEVEL CM	5123,3755 litre	53,743 %	4409,7874 litre	O
420	CM	85	CM	89 LEVEL CM	5052,0760 litre	52,995 %	4481,0869 litre	O
420	CM	85	CM	88 LEVEL CM	4980,7370 litre	52,246 %	4552,4259 litre	O
420	CM	85	CM	87 LEVEL CM	4909,3683 litre	51,498 %	4623,7946 litre	O
420	CM	85	CM	86 LEVEL CM	4837,9798 litre	50,749 %	4695,1831 litre	O
420	CM	85	CM	85 LEVEL CM	4766,5815 litre	50,000 %	4766,5814 litre	O
420	CM	85	CM	84 LEVEL CM	4695,1831 litre	49,251 %	4837,9798 litre	O
420	CM	85	CM	83 LEVEL CM	4623,7946 litre	48,502 %	4909,3683 litre	O
420	CM	85	CM	82 LEVEL CM	4552,4259 litre	47,754 %	4980,7370 litre	O
420	CM	85	CM	81 LEVEL CM	4481,0869 litre	47,005 %	5052,0760 litre	O
420	CM	85	CM	80 LEVEL CM	4409,7874 litre	46,257 %	5123,3755 litre	O
420	CM	85	CM	79 LEVEL CM	4338,5375 litre	45,510 %	5194,6254 litre	O
420	CM	85	CM	78 LEVEL CM	4267,3470 litre	44,763 %	5265,8159 litre	O
420	CM	85	CM	77 LEVEL CM	4196,2259 litre	44,017 %	5336,9370 litre	O
420	CM	85	CM	76 LEVEL CM	4125,1842 litre	43,272 %	5407,9787 litre	O
420	CM	85	CM	75 LEVEL CM	4054,2319 litre	42,528 %	5478,9310 litre	O
420	CM	85	CM	74 LEVEL CM	3983,3792 litre	41,784 %	5549,7837 litre	O
420	CM	85	CM	73 LEVEL CM	3912,6361 litre	41,042 %	5620,5268 litre	O
420	CM	85	CM	72 LEVEL CM	3842,0128 litre	40,302 %	5691,1501 litre	O
420	CM	85	CM	71 LEVEL CM	3771,5196 litre	39,562 %	5761,6433 litre	O
420	CM	85	CM	70 LEVEL CM	3701,1665 litre	38,824 %	5831,9964 litre	O
420	CM	85	CM	69 LEVEL CM	3630,9641 litre	38,088 %	5902,1988 litre	O
420	CM	85	CM	68 LEVEL CM	3560,9227 litre	37,353 %	5972,2402 litre	O
420	CM	85	CM	67 LEVEL CM	3491,0528 litre	36,620 %	6042,1101 litre	O
420	CM	85	CM	66 LEVEL CM	3421,3648 litre	35,889 %	6111,7981 litre	O

420	CM	85	CM	65 LEVEL CM	3351,8696 litre	35,160 %	6181,2933 litre	O
420	CM	85	CM	64 LEVEL CM	3282,5777 litre	34,433 %	6250,5852 litre	O
420	CM	85	CM	63 LEVEL CM	3213,4999 litre	33,709 %	6319,6630 litre	O
420	CM	85	CM	62 LEVEL CM	3144,6473 litre	32,986 %	6388,5156 litre	O
420	CM	85	CM	61 LEVEL CM	3076,0307 litre	32,267 %	6457,1322 litre	O
420	CM	85	CM	60 LEVEL CM	3007,6615 litre	31,549 %	6525,5014 litre	O
420	CM	85	CM	59 LEVEL CM	2939,5507 litre	30,835 %	6593,6122 litre	O
420	CM	85	CM	58 LEVEL CM	2871,7098 litre	30,123 %	6661,4531 litre	O
420	CM	85	CM	57 LEVEL CM	2804,1503 litre	29,415 %	6729,0126 litre	O
420	CM	85	CM	56 LEVEL CM	2736,8839 litre	28,709 %	6796,2790 litre	O
420	CM	85	CM	55 LEVEL CM	2669,9224 litre	28,007 %	6863,2405 litre	O
420	CM	85	CM	54 LEVEL CM	2603,2777 litre	27,308 %	6929,8852 litre	O
420	CM	85	CM	53 LEVEL CM	2536,9621 litre	26,612 %	6996,2008 litre	O
420	CM	85	CM	52 LEVEL CM	2470,9879 litre	25,920 %	7062,1750 litre	O
420	CM	85	CM	51 LEVEL CM	2405,3675 litre	25,232 %	7127,7954 litre	O
420	CM	85	CM	50 LEVEL CM	2340,1138 litre	24,547 %	7193,0491 litre	O
420	CM	85	CM	49 LEVEL CM	2275,2396 litre	23,867 %	7257,9233 litre	O
420	CM	85	CM	48 LEVEL CM	2210,7582 litre	23,190 %	7322,4047 litre	O
420	CM	85	CM	47 LEVEL CM	2146,6830 litre	22,518 %	7386,4799 litre	O
420	CM	85	CM	46 LEVEL CM	2083,0276 litre	21,850 %	7450,1353 litre	O
420	CM	85	CM	45 LEVEL CM	2019,8059 litre	21,187 %	7513,3570 litre	O
420	CM	85	CM	44 LEVEL CM	1957,0324 litre	20,529 %	7576,1305 litre	O
420	CM	85	CM	43 LEVEL CM	1894,7213 litre	19,875 %	7638,4416 litre	O
420	CM	85	CM	42 LEVEL CM	1832,8878 litre	19,226 %	7700,2751 litre	O
420	CM	85	CM	41 LEVEL CM	1771,5468 litre	18,583 %	7761,6161 litre	O
420	CM	85	CM	40 LEVEL CM	1710,7142 litre	17,945 %	7822,4487 litre	O
420	CM	85	CM	39 LEVEL CM	1650,4057 litre	17,312 %	7882,7572 litre	O
420	CM	85	CM	38 LEVEL CM	1590,6379 litre	16,685 %	7942,5250 litre	O
420	CM	85	CM	37 LEVEL CM	1531,4275 litre	16,064 %	8001,7354 litre	O
420	CM	85	CM	36 LEVEL CM	1472,7920 litre	15,449 %	8060,3709 litre	O
420	CM	85	CM	35 LEVEL CM	1414,7491 litre	14,840 %	8118,4138 litre	O
420	CM	85	CM	34 LEVEL CM	1357,3173 litre	14,238 %	8175,8456 litre	O
420	CM	85	CM	33 LEVEL CM	1300,5156 litre	13,642 %	8232,6473 litre	O
420	CM	85	CM	32 LEVEL CM	1244,3635 litre	13,053 %	8288,7994 litre	O
420	CM	85	CM	31 LEVEL CM	1188,8815 litre	12,471 %	8344,2814 litre	O
420	CM	85	CM	30 LEVEL CM	1134,0905 litre	11,896 %	8399,0724 litre	O
420	CM	85	CM	29 LEVEL CM	1080,0124 litre	11,329 %	8453,1505 litre	O
420	CM	85	CM	28 LEVEL CM	1026,6701 litre	10,769 %	8506,4928 litre	O
420	CM	85	CM	27 LEVEL CM	974,0872 litre	10,218 %	8559,0757 litre	O
420	CM	85	CM	26 LEVEL CM	922,2885 litre	9,675 %	8610,8744 litre	O
420	CM	85	CM	25 LEVEL CM	871,2998 litre	9,140 %	8661,8631 litre	O
420	CM	85	CM	24 LEVEL CM	821,1484 litre	8,614 %	8712,0145 litre	O
420	CM	85	CM	23 LEVEL CM	771,8627 litre	8,097 %	8761,3002 litre	O
420	CM	85	CM	22 LEVEL CM	723,4728 litre	7,589 %	8809,6901 litre	O
420	CM	85	CM	21 LEVEL CM	676,0104 litre	7,091 %	8857,1525 litre	O
420	CM	85	CM	20 LEVEL CM	629,5094 litre	6,603 %	8903,6535 litre	O
420	CM	85	CM	19 LEVEL CM	584,0054 litre	6,126 %	8949,1575 litre	O
420	CM	85	CM	18 LEVEL CM	539,5366 litre	5,660 %	8993,6263 litre	O
420	CM	85	CM	17 LEVEL CM	496,1441 litre	5,204 %	9037,0188 litre	O
420	CM	85	CM	16 LEVEL CM	453,8719 litre	4,761 %	9079,2910 litre	O
420	CM	85	CM	15 LEVEL CM	412,7677 litre	4,330 %	9120,3952 litre	O
420	CM	85	CM	14 LEVEL CM	372,8833 litre	3,911 %	9160,2796 litre	O
420	CM	85	CM	13 LEVEL CM	334,2756 litre	3,506 %	9198,8873 litre	O

420	CM	85	CM	12 LEVEL CM	297,0072 litre	3,116 %	9236,1557 litre	O
420	CM	85	CM	11 LEVEL CM	261,1477 litre	2,739 %	9272,0152 litre	O
420	CM	85	CM	10 LEVEL CM	226,7755 litre	2,379 %	9306,3874 litre	O
420	CM	85	CM	9 LEVEL CM	193,9794 litre	2,035 %	9339,1835 litre	O
420	CM	85	CM	8 LEVEL CM	162,8618 litre	1,708 %	9370,3011 litre	O
420	CM	85	CM	7 LEVEL CM	133,5429 litre	1,401 %	9399,6200 litre	O
420	CM	85	CM	6 LEVEL CM	106,1663 litre	1,114 %	9426,9966 litre	O
420	CM	85	CM	5 LEVEL CM	80,9092 litre	0,849 %	9452,2537 litre	O
420	CM	85	CM	4 LEVEL CM	57,9980 litre	0,608 %	9475,1649 litre	O
420	CM	85	CM	3 LEVEL CM	37,7382 litre	0,396 %	9495,4247 litre	O
420	CM	85	CM	2 LEVEL CM	20,5787 litre	0,216 %	9512,5842 litre	O
420	CM	85	CM	1 LEVEL CM	7,2886 litre	0,076 %	9525,8743 litre	O
420	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	9533,1629 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM	80	CM 160 LEVEL CM	8444,6011 litre	100,000 %	0,0000 litre	O
420	CM	80	CM 159 LEVEL CM	8437,5308 litre	99,916 %	7,0703 litre	O
420	CM	80	CM 158 LEVEL CM	8424,6412 litre	99,764 %	19,9599 litre	O
420	CM	80	CM 157 LEVEL CM	8408,0018 litre	99,567 %	36,5993 litre	O
420	CM	80	CM 156 LEVEL CM	8388,3600 litre	99,334 %	56,2411 litre	O
420	CM	80	CM 155 LEVEL CM	8366,1517 litre	99,071 %	78,4494 litre	O
420	CM	80	CM 154 LEVEL CM	8341,6744 litre	98,781 %	102,9267 litre	O
420	CM	80	CM 153 LEVEL CM	8315,1483 litre	98,467 %	129,4528 litre	O
420	CM	80	CM 152 LEVEL CM	8286,7458 litre	98,131 %	157,8553 litre	O
420	CM	80	CM 151 LEVEL CM	8256,6071 litre	97,774 %	187,9940 litre	O
420	CM	80	CM 150 LEVEL CM	8224,8491 litre	97,398 %	219,7520 litre	O
420	CM	80	CM 149 LEVEL CM	8191,5718 litre	97,004 %	253,0293 litre	O
420	CM	80	CM 148 LEVEL CM	8156,8621 litre	96,593 %	287,7390 litre	O
420	CM	80	CM 147 LEVEL CM	8120,7962 litre	96,166 %	323,8049 litre	O
420	CM	80	CM 146 LEVEL CM	8083,4424 litre	95,723 %	361,1587 litre	O
420	CM	80	CM 145 LEVEL CM	8044,8618 litre	95,266 %	399,7393 litre	O
420	CM	80	CM 144 LEVEL CM	8005,1101 litre	94,796 %	439,4910 litre	O
420	CM	80	CM 143 LEVEL CM	7964,2380 litre	94,312 %	480,3631 litre	O
420	CM	80	CM 142 LEVEL CM	7922,2923 litre	93,815 %	522,3088 litre	O
420	CM	80	CM 141 LEVEL CM	7879,3163 litre	93,306 %	565,2848 litre	O
420	CM	80	CM 140 LEVEL CM	7835,3501 litre	92,785 %	609,2510 litre	O
420	CM	80	CM 139 LEVEL CM	7790,4312 litre	92,253 %	654,1699 litre	O
420	CM	80	CM 138 LEVEL CM	7744,5948 litre	91,711 %	700,0063 litre	O
420	CM	80	CM 137 LEVEL CM	7697,8740 litre	91,157 %	746,7271 litre	O
420	CM	80	CM 136 LEVEL CM	7650,3002 litre	90,594 %	794,3009 litre	O
420	CM	80	CM 135 LEVEL CM	7601,9028 litre	90,021 %	842,6983 litre	O
420	CM	80	CM 134 LEVEL CM	7552,7101 litre	89,438 %	891,8910 litre	O
420	CM	80	CM 133 LEVEL CM	7502,7488 litre	88,847 %	941,8523 litre	O
420	CM	80	CM 132 LEVEL CM	7452,0445 litre	88,246 %	992,5566 litre	O
420	CM	80	CM 131 LEVEL CM	7400,6217 litre	87,637 %	1043,9794 litre	O
420	CM	80	CM 130 LEVEL CM	7348,5037 litre	87,020 %	1096,0974 litre	O
420	CM	80	CM 129 LEVEL CM	7295,7131 litre	86,395 %	1148,8880 litre	O
420	CM	80	CM 128 LEVEL CM	7242,2715 litre	85,762 %	1202,3296 litre	O
420	CM	80	CM 127 LEVEL CM	7188,1999 litre	85,122 %	1256,4012 litre	O
420	CM	80	CM 126 LEVEL CM	7133,5184 litre	84,474 %	1311,0827 litre	O
420	CM	80	CM 125 LEVEL CM	7078,2465 litre	83,820 %	1366,3546 litre	O
420	CM	80	CM 124 LEVEL CM	7022,4030 litre	83,158 %	1422,1981 litre	O
420	CM	80	CM 123 LEVEL CM	6966,0063 litre	82,491 %	1478,5948 litre	O
420	CM	80	CM 122 LEVEL CM	6909,0742 litre	81,816 %	1535,5269 litre	O
420	CM	80	CM 121 LEVEL CM	6851,6239 litre	81,136 %	1592,9772 litre	O
420	CM	80	CM 120 LEVEL CM	6793,6722 litre	80,450 %	1650,9289 litre	O
420	CM	80	CM 119 LEVEL CM	6735,2355 litre	79,758 %	1709,3656 litre	O
420	CM	80	CM 118 LEVEL CM	6676,3297 litre	79,060 %	1768,2714 litre	O
420	CM	80	CM 117 LEVEL CM	6616,9705 litre	78,357 %	1827,6306 litre	O
420	CM	80	CM 116 LEVEL CM	6557,1731 litre	77,649 %	1887,4280 litre	O
420	CM	80	CM 115 LEVEL CM	6496,9524 litre	76,936 %	1947,6487 litre	O
420	CM	80	CM 114 LEVEL CM	6436,3230 litre	76,218 %	2008,2781 litre	O
420	CM	80	CM 113 LEVEL CM	6375,2991 litre	75,496 %	2069,3020 litre	O
420	CM	80	CM 112 LEVEL CM	6313,8949 litre	74,768 %	2130,7062 litre	O
420	CM	80	CM 111 LEVEL CM	6252,1240 litre	74,037 %	2192,4771 litre	O
420	CM	80	CM 110 LEVEL CM	6190,0001 litre	73,301 %	2254,6010 litre	O
420	CM	80	CM 109 LEVEL CM	6127,5363 litre	72,562 %	2317,0648 litre	O

420	CM	80	CM	108 LEVEL CM	6064,7458 litre	71,818 %	2379,8553 litre	O
420	CM	80	CM	107 LEVEL CM	6001,6414 litre	71,071 %	2442,9597 litre	O
420	CM	80	CM	106 LEVEL CM	5938,2358 litre	70,320 %	2506,3653 litre	O
420	CM	80	CM	105 LEVEL CM	5874,5416 litre	69,566 %	2570,0595 litre	O
420	CM	80	CM	104 LEVEL CM	5810,5710 litre	68,808 %	2634,0301 litre	O
420	CM	80	CM	103 LEVEL CM	5746,3362 litre	68,047 %	2698,2649 litre	O
420	CM	80	CM	102 LEVEL CM	5681,8492 litre	67,284 %	2762,7519 litre	O
420	CM	80	CM	101 LEVEL CM	5617,1220 litre	66,517 %	2827,4791 litre	O
420	CM	80	CM	100 LEVEL CM	5552,1663 litre	65,748 %	2892,4348 litre	O
420	CM	80	CM	99 LEVEL CM	5486,9936 litre	64,976 %	2957,6075 litre	O
420	CM	80	CM	98 LEVEL CM	5421,6156 litre	64,202 %	3022,9855 litre	O
420	CM	80	CM	97 LEVEL CM	5356,0436 litre	63,426 %	3088,5575 litre	O
420	CM	80	CM	96 LEVEL CM	5290,2889 litre	62,647 %	3154,3122 litre	O
420	CM	80	CM	95 LEVEL CM	5224,3627 litre	61,866 %	3220,2384 litre	O
420	CM	80	CM	94 LEVEL CM	5158,2762 litre	61,084 %	3286,3249 litre	O
420	CM	80	CM	93 LEVEL CM	5092,0404 litre	60,299 %	3352,5607 litre	O
420	CM	80	CM	92 LEVEL CM	5025,6662 litre	59,513 %	3418,9349 litre	O
420	CM	80	CM	91 LEVEL CM	4959,1646 litre	58,726 %	3485,4365 litre	O
420	CM	80	CM	90 LEVEL CM	4892,5464 litre	57,937 %	3552,0547 litre	O
420	CM	80	CM	89 LEVEL CM	4825,8223 litre	57,147 %	3618,7788 litre	O
420	CM	80	CM	88 LEVEL CM	4759,0032 litre	56,356 %	3685,5979 litre	O
420	CM	80	CM	87 LEVEL CM	4692,0996 litre	55,563 %	3752,5015 litre	O
420	CM	80	CM	86 LEVEL CM	4625,1222 litre	54,770 %	3819,4789 litre	O
420	CM	80	CM	85 LEVEL CM	4558,0816 litre	53,976 %	3886,5195 litre	O
420	CM	80	CM	84 LEVEL CM	4490,9885 litre	53,182 %	3953,6126 litre	O
420	CM	80	CM	83 LEVEL CM	4423,8533 litre	52,387 %	4020,7478 litre	O
420	CM	80	CM	82 LEVEL CM	4356,6865 litre	51,591 %	4087,9146 litre	O
420	CM	80	CM	81 LEVEL CM	4289,4988 litre	50,796 %	4155,1023 litre	O
420	CM	80	CM	80 LEVEL CM	4222,3005 litre	50,000 %	4222,3006 litre	O
420	CM	80	CM	79 LEVEL CM	4155,1023 litre	49,204 %	4289,4988 litre	O
420	CM	80	CM	78 LEVEL CM	4087,9145 litre	48,409 %	4356,6866 litre	O
420	CM	80	CM	77 LEVEL CM	4020,7478 litre	47,613 %	4423,8533 litre	O
420	CM	80	CM	76 LEVEL CM	3953,6126 litre	46,818 %	4490,9885 litre	O
420	CM	80	CM	75 LEVEL CM	3886,5194 litre	46,024 %	4558,0817 litre	O
420	CM	80	CM	74 LEVEL CM	3819,4788 litre	45,230 %	4625,1223 litre	O
420	CM	80	CM	73 LEVEL CM	3752,5015 litre	44,437 %	4692,0996 litre	O
420	CM	80	CM	72 LEVEL CM	3685,5979 litre	43,644 %	4759,0032 litre	O
420	CM	80	CM	71 LEVEL CM	3618,7787 litre	42,853 %	4825,8224 litre	O
420	CM	80	CM	70 LEVEL CM	3552,0547 litre	42,063 %	4892,5464 litre	O
420	CM	80	CM	69 LEVEL CM	3485,4364 litre	41,274 %	4959,1647 litre	O
420	CM	80	CM	68 LEVEL CM	3418,9348 litre	40,487 %	5025,6663 litre	O
420	CM	80	CM	67 LEVEL CM	3352,5607 litre	39,701 %	5092,0404 litre	O
420	CM	80	CM	66 LEVEL CM	3286,3248 litre	38,916 %	5158,2763 litre	O
420	CM	80	CM	65 LEVEL CM	3220,2383 litre	38,134 %	5224,3628 litre	O
420	CM	80	CM	64 LEVEL CM	3154,3122 litre	37,353 %	5290,2889 litre	O
420	CM	80	CM	63 LEVEL CM	3088,5575 litre	36,574 %	5356,0436 litre	O
420	CM	80	CM	62 LEVEL CM	3022,9855 litre	35,798 %	5421,6156 litre	O
420	CM	80	CM	61 LEVEL CM	2957,6074 litre	35,024 %	5486,9937 litre	O
420	CM	80	CM	60 LEVEL CM	2892,4348 litre	34,252 %	5552,1663 litre	O
420	CM	80	CM	59 LEVEL CM	2827,4791 litre	33,483 %	5617,1220 litre	O
420	CM	80	CM	58 LEVEL CM	2762,7518 litre	32,716 %	5681,8493 litre	O
420	CM	80	CM	57 LEVEL CM	2698,2649 litre	31,953 %	5746,3362 litre	O
420	CM	80	CM	56 LEVEL CM	2634,0301 litre	31,192 %	5810,5710 litre	O

420	CM	80	CM	55 LEVEL CM	2570,0595 litre	30,434 %	5874,5416 litre	O
420	CM	80	CM	54 LEVEL CM	2506,3652 litre	29,680 %	5938,2359 litre	O
420	CM	80	CM	53 LEVEL CM	2442,9597 litre	28,929 %	6001,6414 litre	O
420	CM	80	CM	52 LEVEL CM	2379,8553 litre	28,182 %	6064,7458 litre	O
420	CM	80	CM	51 LEVEL CM	2317,0648 litre	27,438 %	6127,5363 litre	O
420	CM	80	CM	50 LEVEL CM	2254,6010 litre	26,699 %	6190,0001 litre	O
420	CM	80	CM	49 LEVEL CM	2192,4770 litre	25,963 %	6252,1241 litre	O
420	CM	80	CM	48 LEVEL CM	2130,7062 litre	25,232 %	6313,8949 litre	O
420	CM	80	CM	47 LEVEL CM	2069,3019 litre	24,504 %	6375,2992 litre	O
420	CM	80	CM	46 LEVEL CM	2008,2781 litre	23,782 %	6436,3230 litre	O
420	CM	80	CM	45 LEVEL CM	1947,6487 litre	23,064 %	6496,9524 litre	O
420	CM	80	CM	44 LEVEL CM	1887,4280 litre	22,351 %	6557,1731 litre	O
420	CM	80	CM	43 LEVEL CM	1827,6305 litre	21,643 %	6616,9706 litre	O
420	CM	80	CM	42 LEVEL CM	1768,2713 litre	20,940 %	6676,3298 litre	O
420	CM	80	CM	41 LEVEL CM	1709,3656 litre	20,242 %	6735,2355 litre	O
420	CM	80	CM	40 LEVEL CM	1650,9289 litre	19,550 %	6793,6722 litre	O
420	CM	80	CM	39 LEVEL CM	1592,9772 litre	18,864 %	6851,6239 litre	O
420	CM	80	CM	38 LEVEL CM	1535,5268 litre	18,184 %	6909,0743 litre	O
420	CM	80	CM	37 LEVEL CM	1478,5947 litre	17,509 %	6966,0064 litre	O
420	CM	80	CM	36 LEVEL CM	1422,1980 litre	16,842 %	7022,4031 litre	O
420	CM	80	CM	35 LEVEL CM	1366,3546 litre	16,180 %	7078,2465 litre	O
420	CM	80	CM	34 LEVEL CM	1311,0827 litre	15,526 %	7133,5184 litre	O
420	CM	80	CM	33 LEVEL CM	1256,4012 litre	14,878 %	7188,1999 litre	O
420	CM	80	CM	32 LEVEL CM	1202,3295 litre	14,238 %	7242,2716 litre	O
420	CM	80	CM	31 LEVEL CM	1148,8880 litre	13,605 %	7295,7131 litre	O
420	CM	80	CM	30 LEVEL CM	1096,0974 litre	12,980 %	7348,5037 litre	O
420	CM	80	CM	29 LEVEL CM	1043,9794 litre	12,363 %	7400,6217 litre	O
420	CM	80	CM	28 LEVEL CM	992,5565 litre	11,754 %	7452,0446 litre	O
420	CM	80	CM	27 LEVEL CM	941,8522 litre	11,153 %	7502,7489 litre	O
420	CM	80	CM	26 LEVEL CM	891,8909 litre	10,562 %	7552,7102 litre	O
420	CM	80	CM	25 LEVEL CM	842,6982 litre	9,979 %	7601,9029 litre	O
420	CM	80	CM	24 LEVEL CM	794,3009 litre	9,406 %	7650,3002 litre	O
420	CM	80	CM	23 LEVEL CM	746,7270 litre	8,843 %	7697,8741 litre	O
420	CM	80	CM	22 LEVEL CM	700,0063 litre	8,289 %	7744,5948 litre	O
420	CM	80	CM	21 LEVEL CM	654,1699 litre	7,747 %	7790,4312 litre	O
420	CM	80	CM	20 LEVEL CM	609,2510 litre	7,215 %	7835,3501 litre	O
420	CM	80	CM	19 LEVEL CM	565,2848 litre	6,694 %	7879,3163 litre	O
420	CM	80	CM	18 LEVEL CM	522,3087 litre	6,185 %	7922,2924 litre	O
420	CM	80	CM	17 LEVEL CM	480,3630 litre	5,688 %	7964,2381 litre	O
420	CM	80	CM	16 LEVEL CM	439,4910 litre	5,204 %	8005,1101 litre	O
420	CM	80	CM	15 LEVEL CM	399,7393 litre	4,734 %	8044,8618 litre	O
420	CM	80	CM	14 LEVEL CM	361,1587 litre	4,277 %	8083,4424 litre	O
420	CM	80	CM	13 LEVEL CM	323,8048 litre	3,834 %	8120,7963 litre	O
420	CM	80	CM	12 LEVEL CM	287,7390 litre	3,407 %	8156,8621 litre	O
420	CM	80	CM	11 LEVEL CM	253,0292 litre	2,996 %	8191,5719 litre	O
420	CM	80	CM	10 LEVEL CM	219,7519 litre	2,602 %	8224,8492 litre	O
420	CM	80	CM	9 LEVEL CM	187,9940 litre	2,226 %	8256,6071 litre	O
420	CM	80	CM	8 LEVEL CM	157,8552 litre	1,869 %	8286,7459 litre	O
420	CM	80	CM	7 LEVEL CM	129,4528 litre	1,533 %	8315,1483 litre	O
420	CM	80	CM	6 LEVEL CM	102,9266 litre	1,219 %	8341,6745 litre	O
420	CM	80	CM	5 LEVEL CM	78,4493 litre	0,929 %	8366,1518 litre	O
420	CM	80	CM	4 LEVEL CM	56,2411 litre	0,666 %	8388,3600 litre	O
420	CM	80	CM	3 LEVEL CM	36,5992 litre	0,433 %	8408,0019 litre	O

420_80

-1381-

420	CM 80	CM	2 LEVEL CM	19,9599 litre	0,236 %	8424,6412 litre	O
420	CM 80	CM	1 LEVEL CM	7,0702 litre	0,084 %	8437,5309 litre	O
420	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	8444,6011 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 75	CM 150 LEVEL CM	7422,0126 litre	100,000 %	0,0000 litre	O
420	CM 75	CM 149 LEVEL CM	7415,1678 litre	99,908 %	6,8448 litre	O
420	CM 75	CM 148 LEVEL CM	7402,6915 litre	99,740 %	19,3211 litre	O
420	CM 75	CM 147 LEVEL CM	7386,5891 litre	99,523 %	35,4235 litre	O
420	CM 75	CM 146 LEVEL CM	7367,5851 litre	99,267 %	54,4275 litre	O
420	CM 75	CM 145 LEVEL CM	7346,1029 litre	98,977 %	75,9097 litre	O
420	CM 75	CM 144 LEVEL CM	7322,4310 litre	98,658 %	99,5816 litre	O
420	CM 75	CM 143 LEVEL CM	7296,7835 litre	98,313 %	125,2291 litre	O
420	CM 75	CM 142 LEVEL CM	7269,3281 litre	97,943 %	152,6845 litre	O
420	CM 75	CM 141 LEVEL CM	7240,2011 litre	97,550 %	181,8115 litre	O
420	CM 75	CM 140 LEVEL CM	7209,5163 litre	97,137 %	212,4963 litre	O
420	CM 75	CM 139 LEVEL CM	7177,3713 litre	96,704 %	244,6413 litre	O
420	CM 75	CM 138 LEVEL CM	7143,8506 litre	96,252 %	278,1620 litre	O
420	CM 75	CM 137 LEVEL CM	7109,0288 litre	95,783 %	312,9838 litre	O
420	CM 75	CM 136 LEVEL CM	7072,9724 litre	95,297 %	349,0402 litre	O
420	CM 75	CM 135 LEVEL CM	7035,7413 litre	94,796 %	386,2713 litre	O
420	CM 75	CM 134 LEVEL CM	6997,3897 litre	94,279 %	424,6229 litre	O
420	CM 75	CM 133 LEVEL CM	6957,9675 litre	93,748 %	464,0451 litre	O
420	CM 75	CM 132 LEVEL CM	6917,5204 litre	93,203 %	504,4922 litre	O
420	CM 75	CM 131 LEVEL CM	6876,0908 litre	92,645 %	545,9218 litre	O
420	CM 75	CM 130 LEVEL CM	6833,7181 litre	92,074 %	588,2945 litre	O
420	CM 75	CM 129 LEVEL CM	6790,4392 litre	91,491 %	631,5734 litre	O
420	CM 75	CM 128 LEVEL CM	6746,2886 litre	90,896 %	675,7240 litre	O
420	CM 75	CM 127 LEVEL CM	6701,2989 litre	90,290 %	720,7137 litre	O
420	CM 75	CM 126 LEVEL CM	6655,5008 litre	89,672 %	766,5118 litre	O
420	CM 75	CM 125 LEVEL CM	6608,9236 litre	89,045 %	813,0890 litre	O
420	CM 75	CM 124 LEVEL CM	6561,5950 litre	88,407 %	860,4176 litre	O
420	CM 75	CM 123 LEVEL CM	6513,5413 litre	87,760 %	908,4713 litre	O
420	CM 75	CM 122 LEVEL CM	6464,7880 litre	87,103 %	957,2246 litre	O
420	CM 75	CM 121 LEVEL CM	6415,3590 litre	86,437 %	1006,6536 litre	O
420	CM 75	CM 120 LEVEL CM	6365,2777 litre	85,762 %	1056,7349 litre	O
420	CM 75	CM 119 LEVEL CM	6314,5663 litre	85,079 %	1107,4463 litre	O
420	CM 75	CM 118 LEVEL CM	6263,2463 litre	84,387 %	1158,7663 litre	O
420	CM 75	CM 117 LEVEL CM	6211,3385 litre	83,688 %	1210,6741 litre	O
420	CM 75	CM 116 LEVEL CM	6158,8628 litre	82,981 %	1263,1498 litre	O
420	CM 75	CM 115 LEVEL CM	6105,8387 litre	82,267 %	1316,1739 litre	O
420	CM 75	CM 114 LEVEL CM	6052,2849 litre	81,545 %	1369,7277 litre	O
420	CM 75	CM 113 LEVEL CM	5998,2198 litre	80,817 %	1423,7928 litre	O
420	CM 75	CM 112 LEVEL CM	5943,6609 litre	80,082 %	1478,3517 litre	O
420	CM 75	CM 111 LEVEL CM	5888,6255 litre	79,340 %	1533,3871 litre	O
420	CM 75	CM 110 LEVEL CM	5833,1306 litre	78,592 %	1588,8820 litre	O
420	CM 75	CM 109 LEVEL CM	5777,1923 litre	77,839 %	1644,8203 litre	O
420	CM 75	CM 108 LEVEL CM	5720,8269 litre	77,079 %	1701,1857 litre	O
420	CM 75	CM 107 LEVEL CM	5664,0498 litre	76,314 %	1757,9628 litre	O
420	CM 75	CM 106 LEVEL CM	5606,8764 litre	75,544 %	1815,1362 litre	O
420	CM 75	CM 105 LEVEL CM	5549,3217 litre	74,768 %	1872,6909 litre	O
420	CM 75	CM 104 LEVEL CM	5491,4003 litre	73,988 %	1930,6123 litre	O
420	CM 75	CM 103 LEVEL CM	5433,1268 litre	73,203 %	1988,8858 litre	O
420	CM 75	CM 102 LEVEL CM	5374,5152 litre	72,413 %	2047,4974 litre	O
420	CM 75	CM 101 LEVEL CM	5315,5794 litre	71,619 %	2106,4332 litre	O
420	CM 75	CM 100 LEVEL CM	5256,3331 litre	70,821 %	2165,6795 litre	O
420	CM 75	CM 99 LEVEL CM	5196,7899 litre	70,019 %	2225,2227 litre	O

420	CM	75	CM	98 LEVEL CM	5136,9629 litre	69,213 %	2285,0497 litre	O
420	CM	75	CM	97 LEVEL CM	5076,8653 litre	68,403 %	2345,1473 litre	O
420	CM	75	CM	96 LEVEL CM	5016,5099 litre	67,590 %	2405,5027 litre	O
420	CM	75	CM	95 LEVEL CM	4955,9095 litre	66,773 %	2466,1031 litre	O
420	CM	75	CM	94 LEVEL CM	4895,0767 litre	65,953 %	2526,9359 litre	O
420	CM	75	CM	93 LEVEL CM	4834,0239 litre	65,131 %	2587,9887 litre	O
420	CM	75	CM	92 LEVEL CM	4772,7634 litre	64,306 %	2649,2492 litre	O
420	CM	75	CM	91 LEVEL CM	4711,3074 litre	63,477 %	2710,7052 litre	O
420	CM	75	CM	90 LEVEL CM	4649,6680 litre	62,647 %	2772,3446 litre	O
420	CM	75	CM	89 LEVEL CM	4587,8571 litre	61,814 %	2834,1555 litre	O
420	CM	75	CM	88 LEVEL CM	4525,8866 litre	60,979 %	2896,1260 litre	O
420	CM	75	CM	87 LEVEL CM	4463,7682 litre	60,142 %	2958,2444 litre	O
420	CM	75	CM	86 LEVEL CM	4401,5137 litre	59,304 %	3020,4989 litre	O
420	CM	75	CM	85 LEVEL CM	4339,1346 litre	58,463 %	3082,8780 litre	O
420	CM	75	CM	84 LEVEL CM	4276,6426 litre	57,621 %	3145,3700 litre	O
420	CM	75	CM	83 LEVEL CM	4214,0490 litre	56,778 %	3207,9636 litre	O
420	CM	75	CM	82 LEVEL CM	4151,3652 litre	55,933 %	3270,6474 litre	O
420	CM	75	CM	81 LEVEL CM	4088,6027 litre	55,088 %	3333,4099 litre	O
420	CM	75	CM	80 LEVEL CM	4025,7728 litre	54,241 %	3396,2398 litre	O
420	CM	75	CM	79 LEVEL CM	3962,8868 litre	53,394 %	3459,1258 litre	O
420	CM	75	CM	78 LEVEL CM	3899,9559 litre	52,546 %	3522,0567 litre	O
420	CM	75	CM	77 LEVEL CM	3836,9914 litre	51,697 %	3585,0212 litre	O
420	CM	75	CM	76 LEVEL CM	3774,0045 litre	50,849 %	3648,0081 litre	O
420	CM	75	CM	75 LEVEL CM	3711,0063 litre	50,000 %	3711,0063 litre	O
420	CM	75	CM	74 LEVEL CM	3648,0082 litre	49,151 %	3774,0044 litre	O
420	CM	75	CM	73 LEVEL CM	3585,0213 litre	48,303 %	3836,9913 litre	O
420	CM	75	CM	72 LEVEL CM	3522,0567 litre	47,454 %	3899,9559 litre	O
420	CM	75	CM	71 LEVEL CM	3459,1258 litre	46,606 %	3962,8868 litre	O
420	CM	75	CM	70 LEVEL CM	3396,2398 litre	45,759 %	4025,7728 litre	O
420	CM	75	CM	69 LEVEL CM	3333,4099 litre	44,912 %	4088,6027 litre	O
420	CM	75	CM	68 LEVEL CM	3270,6474 litre	44,067 %	4151,3652 litre	O
420	CM	75	CM	67 LEVEL CM	3207,9637 litre	43,222 %	4214,0489 litre	O
420	CM	75	CM	66 LEVEL CM	3145,3701 litre	42,379 %	4276,6425 litre	O
420	CM	75	CM	65 LEVEL CM	3082,8780 litre	41,537 %	4339,1346 litre	O
420	CM	75	CM	64 LEVEL CM	3020,4989 litre	40,696 %	4401,5137 litre	O
420	CM	75	CM	63 LEVEL CM	2958,2444 litre	39,858 %	4463,7682 litre	O
420	CM	75	CM	62 LEVEL CM	2896,1261 litre	39,021 %	4525,8865 litre	O
420	CM	75	CM	61 LEVEL CM	2834,1556 litre	38,186 %	4587,8570 litre	O
420	CM	75	CM	60 LEVEL CM	2772,3447 litre	37,353 %	4649,6679 litre	O
420	CM	75	CM	59 LEVEL CM	2710,7053 litre	36,523 %	4711,3073 litre	O
420	CM	75	CM	58 LEVEL CM	2649,2493 litre	35,694 %	4772,7633 litre	O
420	CM	75	CM	57 LEVEL CM	2587,9888 litre	34,869 %	4834,0238 litre	O
420	CM	75	CM	56 LEVEL CM	2526,9360 litre	34,047 %	4895,0766 litre	O
420	CM	75	CM	55 LEVEL CM	2466,1031 litre	33,227 %	4955,9095 litre	O
420	CM	75	CM	54 LEVEL CM	2405,5027 litre	32,410 %	5016,5099 litre	O
420	CM	75	CM	53 LEVEL CM	2345,1474 litre	31,597 %	5076,8652 litre	O
420	CM	75	CM	52 LEVEL CM	2285,0497 litre	30,787 %	5136,9629 litre	O
420	CM	75	CM	51 LEVEL CM	2225,2227 litre	29,981 %	5196,7899 litre	O
420	CM	75	CM	50 LEVEL CM	2165,6795 litre	29,179 %	5256,3331 litre	O
420	CM	75	CM	49 LEVEL CM	2106,4333 litre	28,381 %	5315,5793 litre	O
420	CM	75	CM	48 LEVEL CM	2047,4975 litre	27,587 %	5374,5151 litre	O
420	CM	75	CM	47 LEVEL CM	1988,8859 litre	26,797 %	5433,1267 litre	O
420	CM	75	CM	46 LEVEL CM	1930,6123 litre	26,012 %	5491,4003 litre	O

420	CM	75	CM	45 LEVEL CM	1872,6910 litre	25,232 %	5549,3216 litre	O
420	CM	75	CM	44 LEVEL CM	1815,1363 litre	24,456 %	5606,8763 litre	O
420	CM	75	CM	43 LEVEL CM	1757,9629 litre	23,686 %	5664,0497 litre	O
420	CM	75	CM	42 LEVEL CM	1701,1858 litre	22,921 %	5720,8268 litre	O
420	CM	75	CM	41 LEVEL CM	1644,8203 litre	22,161 %	5777,1923 litre	O
420	CM	75	CM	40 LEVEL CM	1588,8821 litre	21,408 %	5833,1305 litre	O
420	CM	75	CM	39 LEVEL CM	1533,3871 litre	20,660 %	5888,6255 litre	O
420	CM	75	CM	38 LEVEL CM	1478,3518 litre	19,918 %	5943,6608 litre	O
420	CM	75	CM	37 LEVEL CM	1423,7929 litre	19,183 %	5998,2197 litre	O
420	CM	75	CM	36 LEVEL CM	1369,7277 litre	18,455 %	6052,2849 litre	O
420	CM	75	CM	35 LEVEL CM	1316,1739 litre	17,733 %	6105,8387 litre	O
420	CM	75	CM	34 LEVEL CM	1263,1498 litre	17,019 %	6158,8628 litre	O
420	CM	75	CM	33 LEVEL CM	1210,6742 litre	16,312 %	6211,3384 litre	O
420	CM	75	CM	32 LEVEL CM	1158,7663 litre	15,613 %	6263,2463 litre	O
420	CM	75	CM	31 LEVEL CM	1107,4463 litre	14,921 %	6314,5663 litre	O
420	CM	75	CM	30 LEVEL CM	1056,7350 litre	14,238 %	6365,2776 litre	O
420	CM	75	CM	29 LEVEL CM	1006,6536 litre	13,563 %	6415,3590 litre	O
420	CM	75	CM	28 LEVEL CM	957,2247 litre	12,897 %	6464,7879 litre	O
420	CM	75	CM	27 LEVEL CM	908,4713 litre	12,240 %	6513,5413 litre	O
420	CM	75	CM	26 LEVEL CM	860,4177 litre	11,593 %	6561,5949 litre	O
420	CM	75	CM	25 LEVEL CM	813,0890 litre	10,955 %	6608,9236 litre	O
420	CM	75	CM	24 LEVEL CM	766,5118 litre	10,328 %	6655,5008 litre	O
420	CM	75	CM	23 LEVEL CM	720,7138 litre	9,710 %	6701,2988 litre	O
420	CM	75	CM	22 LEVEL CM	675,7241 litre	9,104 %	6746,2885 litre	O
420	CM	75	CM	21 LEVEL CM	631,5735 litre	8,509 %	6790,4391 litre	O
420	CM	75	CM	20 LEVEL CM	588,2945 litre	7,926 %	6833,7181 litre	O
420	CM	75	CM	19 LEVEL CM	545,9218 litre	7,355 %	6876,0908 litre	O
420	CM	75	CM	18 LEVEL CM	504,4922 litre	6,797 %	6917,5204 litre	O
420	CM	75	CM	17 LEVEL CM	464,0451 litre	6,252 %	6957,9675 litre	O
420	CM	75	CM	16 LEVEL CM	424,6229 litre	5,721 %	6997,3897 litre	O
420	CM	75	CM	15 LEVEL CM	386,2714 litre	5,204 %	7035,7412 litre	O
420	CM	75	CM	14 LEVEL CM	349,0402 litre	4,703 %	7072,9724 litre	O
420	CM	75	CM	13 LEVEL CM	312,9838 litre	4,217 %	7109,0288 litre	O
420	CM	75	CM	12 LEVEL CM	278,1620 litre	3,748 %	7143,8506 litre	O
420	CM	75	CM	11 LEVEL CM	244,6413 litre	3,296 %	7177,3713 litre	O
420	CM	75	CM	10 LEVEL CM	212,4963 litre	2,863 %	7209,5163 litre	O
420	CM	75	CM	9 LEVEL CM	181,8116 litre	2,450 %	7240,2010 litre	O
420	CM	75	CM	8 LEVEL CM	152,6845 litre	2,057 %	7269,3281 litre	O
420	CM	75	CM	7 LEVEL CM	125,2291 litre	1,687 %	7296,7835 litre	O
420	CM	75	CM	6 LEVEL CM	99,5816 litre	1,342 %	7322,4310 litre	O
420	CM	75	CM	5 LEVEL CM	75,9097 litre	1,023 %	7346,1029 litre	O
420	CM	75	CM	4 LEVEL CM	54,4275 litre	0,733 %	7367,5851 litre	O
420	CM	75	CM	3 LEVEL CM	35,4236 litre	0,477 %	7386,5890 litre	O
420	CM	75	CM	2 LEVEL CM	19,3212 litre	0,260 %	7402,6914 litre	O
420	CM	75	CM	1 LEVEL CM	6,8448 litre	0,092 %	7415,1678 litre	O
420	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	7422,0126 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM 70	CM 140 LEVEL CM	6465,3977 litre	100,000 %	0,0000 litre	O
420	CM 70	CM 139 LEVEL CM	6458,7859 litre	99,898 %	6,6118 litre	O
420	CM 70	CM 138 LEVEL CM	6446,7370 litre	99,711 %	18,6607 litre	O
420	CM 70	CM 137 LEVEL CM	6431,1901 litre	99,471 %	34,2076 litre	O
420	CM 70	CM 136 LEVEL CM	6412,8463 litre	99,187 %	52,5514 litre	O
420	CM 70	CM 135 LEVEL CM	6392,1155 litre	98,867 %	73,2822 litre	O
420	CM 70	CM 134 LEVEL CM	6369,2774 litre	98,513 %	96,1203 litre	O
420	CM 70	CM 133 LEVEL CM	6344,5398 litre	98,131 %	120,8579 litre	O
420	CM 70	CM 132 LEVEL CM	6318,0653 litre	97,721 %	147,3324 litre	O
420	CM 70	CM 131 LEVEL CM	6289,9863 litre	97,287 %	175,4114 litre	O
420	CM 70	CM 130 LEVEL CM	6260,4138 litre	96,830 %	204,9839 litre	O
420	CM 70	CM 129 LEVEL CM	6229,4424 litre	96,350 %	235,9553 litre	O
420	CM 70	CM 128 LEVEL CM	6197,1545 litre	95,851 %	268,2432 litre	O
420	CM 70	CM 127 LEVEL CM	6163,6229 litre	95,332 %	301,7748 litre	O
420	CM 70	CM 126 LEVEL CM	6128,9124 litre	94,796 %	336,4853 litre	O
420	CM 70	CM 125 LEVEL CM	6093,0814 litre	94,241 %	372,3163 litre	O
420	CM 70	CM 124 LEVEL CM	6056,1832 litre	93,671 %	409,2145 litre	O
420	CM 70	CM 123 LEVEL CM	6018,2662 litre	93,084 %	447,1315 litre	O
420	CM 70	CM 122 LEVEL CM	5979,3754 litre	92,483 %	486,0223 litre	O
420	CM 70	CM 121 LEVEL CM	5939,5522 litre	91,867 %	525,8455 litre	O
420	CM 70	CM 120 LEVEL CM	5898,8354 litre	91,237 %	566,5623 litre	O
420	CM 70	CM 119 LEVEL CM	5857,2611 litre	90,594 %	608,1366 litre	O
420	CM 70	CM 118 LEVEL CM	5814,8632 litre	89,938 %	650,5345 litre	O
420	CM 70	CM 117 LEVEL CM	5771,6738 litre	89,270 %	693,7239 litre	O
420	CM 70	CM 116 LEVEL CM	5727,7233 litre	88,590 %	737,6744 litre	O
420	CM 70	CM 115 LEVEL CM	5683,0403 litre	87,899 %	782,3574 litre	O
420	CM 70	CM 114 LEVEL CM	5637,6522 litre	87,197 %	827,7455 litre	O
420	CM 70	CM 113 LEVEL CM	5591,5852 litre	86,485 %	873,8125 litre	O
420	CM 70	CM 112 LEVEL CM	5544,8641 litre	85,762 %	920,5336 litre	O
420	CM 70	CM 111 LEVEL CM	5497,5130 litre	85,030 %	967,8847 litre	O
420	CM 70	CM 110 LEVEL CM	5449,5548 litre	84,288 %	1015,8429 litre	O
420	CM 70	CM 109 LEVEL CM	5401,0116 litre	83,537 %	1064,3861 litre	O
420	CM 70	CM 108 LEVEL CM	5351,9048 litre	82,778 %	1113,4929 litre	O
420	CM 70	CM 107 LEVEL CM	5302,2549 litre	82,010 %	1163,1428 litre	O
420	CM 70	CM 106 LEVEL CM	5252,0820 litre	81,234 %	1213,3157 litre	O
420	CM 70	CM 105 LEVEL CM	5201,4053 litre	80,450 %	1263,9924 litre	O
420	CM 70	CM 104 LEVEL CM	5150,2435 litre	79,659 %	1315,1542 litre	O
420	CM 70	CM 103 LEVEL CM	5098,6150 litre	78,860 %	1366,7827 litre	O
420	CM 70	CM 102 LEVEL CM	5046,5374 litre	78,055 %	1418,8603 litre	O
420	CM 70	CM 101 LEVEL CM	4994,0281 litre	77,242 %	1471,3696 litre	O
420	CM 70	CM 100 LEVEL CM	4941,1037 litre	76,424 %	1524,2940 litre	O
420	CM 70	CM 99 LEVEL CM	4887,7809 litre	75,599 %	1577,6168 litre	O
420	CM 70	CM 98 LEVEL CM	4834,0758 litre	74,768 %	1631,3219 litre	O
420	CM 70	CM 97 LEVEL CM	4780,0040 litre	73,932 %	1685,3937 litre	O
420	CM 70	CM 96 LEVEL CM	4725,5810 litre	73,090 %	1739,8167 litre	O
420	CM 70	CM 95 LEVEL CM	4670,8219 litre	72,243 %	1794,5758 litre	O
420	CM 70	CM 94 LEVEL CM	4615,7416 litre	71,391 %	1849,6561 litre	O
420	CM 70	CM 93 LEVEL CM	4560,3547 litre	70,535 %	1905,0430 litre	O
420	CM 70	CM 92 LEVEL CM	4504,6756 litre	69,674 %	1960,7221 litre	O
420	CM 70	CM 91 LEVEL CM	4448,7184 litre	68,808 %	2016,6793 litre	O
420	CM 70	CM 90 LEVEL CM	4392,4970 litre	67,939 %	2072,9007 litre	O
420	CM 70	CM 89 LEVEL CM	4336,0251 litre	67,065 %	2129,3726 litre	O

420	CM	70	CM	88 LEVEL CM	4279,3163 litre	66,188 %	2186,0814 litre	O
420	CM	70	CM	87 LEVEL CM	4222,3840 litre	65,307 %	2243,0137 litre	O
420	CM	70	CM	86 LEVEL CM	4165,2414 litre	64,424 %	2300,1563 litre	O
420	CM	70	CM	85 LEVEL CM	4107,9016 litre	63,537 %	2357,4961 litre	O
420	CM	70	CM	84 LEVEL CM	4050,3774 litre	62,647 %	2415,0203 litre	O
420	CM	70	CM	83 LEVEL CM	3992,6818 litre	61,755 %	2472,7159 litre	O
420	CM	70	CM	82 LEVEL CM	3934,8274 litre	60,860 %	2530,5703 litre	O
420	CM	70	CM	81 LEVEL CM	3876,8269 litre	59,963 %	2588,5708 litre	O
420	CM	70	CM	80 LEVEL CM	3818,6927 litre	59,064 %	2646,7050 litre	O
420	CM	70	CM	79 LEVEL CM	3760,4372 litre	58,163 %	2704,9605 litre	O
420	CM	70	CM	78 LEVEL CM	3702,0728 litre	57,260 %	2763,3249 litre	O
420	CM	70	CM	77 LEVEL CM	3643,6118 litre	56,356 %	2821,7859 litre	O
420	CM	70	CM	76 LEVEL CM	3585,0664 litre	55,450 %	2880,3313 litre	O
420	CM	70	CM	75 LEVEL CM	3526,4486 litre	54,543 %	2938,9491 litre	O
420	CM	70	CM	74 LEVEL CM	3467,7708 litre	53,636 %	2997,6269 litre	O
420	CM	70	CM	73 LEVEL CM	3409,0448 litre	52,728 %	3056,3529 litre	O
420	CM	70	CM	72 LEVEL CM	3350,2828 litre	51,819 %	3115,1149 litre	O
420	CM	70	CM	71 LEVEL CM	3291,4968 litre	50,909 %	3173,9009 litre	O
420	CM	70	CM	70 LEVEL CM	3232,6988 litre	50,000 %	3232,6989 litre	O
420	CM	70	CM	69 LEVEL CM	3173,9008 litre	49,091 %	3291,4969 litre	O
420	CM	70	CM	68 LEVEL CM	3115,1148 litre	48,181 %	3350,2829 litre	O
420	CM	70	CM	67 LEVEL CM	3056,3529 litre	47,272 %	3409,0448 litre	O
420	CM	70	CM	66 LEVEL CM	2997,6269 litre	46,364 %	3467,7708 litre	O
420	CM	70	CM	65 LEVEL CM	2938,9490 litre	45,457 %	3526,4487 litre	O
420	CM	70	CM	64 LEVEL CM	2880,3313 litre	44,550 %	3585,0664 litre	O
420	CM	70	CM	63 LEVEL CM	2821,7859 litre	43,644 %	3643,6118 litre	O
420	CM	70	CM	62 LEVEL CM	2763,3249 litre	42,740 %	3702,0728 litre	O
420	CM	70	CM	61 LEVEL CM	2704,9605 litre	41,837 %	3760,4372 litre	O
420	CM	70	CM	60 LEVEL CM	2646,7050 litre	40,936 %	3818,6927 litre	O
420	CM	70	CM	59 LEVEL CM	2588,5708 litre	40,037 %	3876,8269 litre	O
420	CM	70	CM	58 LEVEL CM	2530,5702 litre	39,140 %	3934,8275 litre	O
420	CM	70	CM	57 LEVEL CM	2472,7159 litre	38,245 %	3992,6818 litre	O
420	CM	70	CM	56 LEVEL CM	2415,0202 litre	37,353 %	4050,3775 litre	O
420	CM	70	CM	55 LEVEL CM	2357,4961 litre	36,463 %	4107,9016 litre	O
420	CM	70	CM	54 LEVEL CM	2300,1563 litre	35,576 %	4165,2414 litre	O
420	CM	70	CM	53 LEVEL CM	2243,0137 litre	34,693 %	4222,3840 litre	O
420	CM	70	CM	52 LEVEL CM	2186,0814 litre	33,812 %	4279,3163 litre	O
420	CM	70	CM	51 LEVEL CM	2129,3726 litre	32,935 %	4336,0251 litre	O
420	CM	70	CM	50 LEVEL CM	2072,9007 litre	32,061 %	4392,4970 litre	O
420	CM	70	CM	49 LEVEL CM	2016,6793 litre	31,192 %	4448,7184 litre	O
420	CM	70	CM	48 LEVEL CM	1960,7221 litre	30,326 %	4504,6756 litre	O
420	CM	70	CM	47 LEVEL CM	1905,0429 litre	29,465 %	4560,3548 litre	O
420	CM	70	CM	46 LEVEL CM	1849,6561 litre	28,609 %	4615,7416 litre	O
420	CM	70	CM	45 LEVEL CM	1794,5758 litre	27,757 %	4670,8219 litre	O
420	CM	70	CM	44 LEVEL CM	1739,8167 litre	26,910 %	4725,5810 litre	O
420	CM	70	CM	43 LEVEL CM	1685,3937 litre	26,068 %	4780,0040 litre	O
420	CM	70	CM	42 LEVEL CM	1631,3219 litre	25,232 %	4834,0758 litre	O
420	CM	70	CM	41 LEVEL CM	1577,6167 litre	24,401 %	4887,7810 litre	O
420	CM	70	CM	40 LEVEL CM	1524,2939 litre	23,576 %	4941,1038 litre	O
420	CM	70	CM	39 LEVEL CM	1471,3696 litre	22,758 %	4994,0281 litre	O
420	CM	70	CM	38 LEVEL CM	1418,8603 litre	21,945 %	5046,5374 litre	O
420	CM	70	CM	37 LEVEL CM	1366,7827 litre	21,140 %	5098,6150 litre	O
420	CM	70	CM	36 LEVEL CM	1315,1541 litre	20,341 %	5150,2436 litre	O

420	CM	70	CM	35 LEVEL CM	1263,9924 litre	19,550 %	5201,4053 litre	O
420	CM	70	CM	34 LEVEL CM	1213,3157 litre	18,766 %	5252,0820 litre	O
420	CM	70	CM	33 LEVEL CM	1163,1428 litre	17,990 %	5302,2549 litre	O
420	CM	70	CM	32 LEVEL CM	1113,4929 litre	17,222 %	5351,9048 litre	O
420	CM	70	CM	31 LEVEL CM	1064,3861 litre	16,463 %	5401,0116 litre	O
420	CM	70	CM	30 LEVEL CM	1015,8429 litre	15,712 %	5449,5548 litre	O
420	CM	70	CM	29 LEVEL CM	967,8847 litre	14,970 %	5497,5130 litre	O
420	CM	70	CM	28 LEVEL CM	920,5336 litre	14,238 %	5544,8641 litre	O
420	CM	70	CM	27 LEVEL CM	873,8125 litre	13,515 %	5591,5852 litre	O
420	CM	70	CM	26 LEVEL CM	827,7455 litre	12,803 %	5637,6522 litre	O
420	CM	70	CM	25 LEVEL CM	782,3574 litre	12,101 %	5683,0403 litre	O
420	CM	70	CM	24 LEVEL CM	737,6744 litre	11,410 %	5727,7233 litre	O
420	CM	70	CM	23 LEVEL CM	693,7238 litre	10,730 %	5771,6739 litre	O
420	CM	70	CM	22 LEVEL CM	650,5345 litre	10,062 %	5814,8632 litre	O
420	CM	70	CM	21 LEVEL CM	608,1366 litre	9,406 %	5857,2611 litre	O
420	CM	70	CM	20 LEVEL CM	566,5623 litre	8,763 %	5898,8354 litre	O
420	CM	70	CM	19 LEVEL CM	525,8454 litre	8,133 %	5939,5523 litre	O
420	CM	70	CM	18 LEVEL CM	486,0223 litre	7,517 %	5979,3754 litre	O
420	CM	70	CM	17 LEVEL CM	447,1315 litre	6,916 %	6018,2662 litre	O
420	CM	70	CM	16 LEVEL CM	409,2145 litre	6,329 %	6056,1832 litre	O
420	CM	70	CM	15 LEVEL CM	372,3162 litre	5,759 %	6093,0815 litre	O
420	CM	70	CM	14 LEVEL CM	336,4853 litre	5,204 %	6128,9124 litre	O
420	CM	70	CM	13 LEVEL CM	301,7748 litre	4,668 %	6163,6229 litre	O
420	CM	70	CM	12 LEVEL CM	268,2432 litre	4,149 %	6197,1545 litre	O
420	CM	70	CM	11 LEVEL CM	235,9553 litre	3,650 %	6229,4424 litre	O
420	CM	70	CM	10 LEVEL CM	204,9839 litre	3,170 %	6260,4138 litre	O
420	CM	70	CM	9 LEVEL CM	175,4114 litre	2,713 %	6289,9863 litre	O
420	CM	70	CM	8 LEVEL CM	147,3324 litre	2,279 %	6318,0653 litre	O
420	CM	70	CM	7 LEVEL CM	120,8579 litre	1,869 %	6344,5398 litre	O
420	CM	70	CM	6 LEVEL CM	96,1203 litre	1,487 %	6369,2774 litre	O
420	CM	70	CM	5 LEVEL CM	73,2822 litre	1,133 %	6392,1155 litre	O
420	CM	70	CM	4 LEVEL CM	52,5514 litre	0,813 %	6412,8463 litre	O
420	CM	70	CM	3 LEVEL CM	34,2076 litre	0,529 %	6431,1901 litre	O
420	CM	70	CM	2 LEVEL CM	18,6607 litre	0,289 %	6446,7370 litre	O
420	CM	70	CM	1 LEVEL CM	6,6118 litre	0,102 %	6458,7859 litre	O
420	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	6465,3977 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
420	CM	65	CM	130 LEVEL CM	5574,7562 litre	100,000 %	0,0000 litre	O
420	CM	65	CM	129 LEVEL CM	5568,3859 litre	99,886 %	6,3703 litre	O
420	CM	65	CM	128 LEVEL CM	5556,7803 litre	99,678 %	17,9759 litre	O
420	CM	65	CM	127 LEVEL CM	5541,8095 litre	99,409 %	32,9467 litre	O
420	CM	65	CM	126 LEVEL CM	5524,1504 litre	99,092 %	50,6058 litre	O
420	CM	65	CM	125 LEVEL CM	5504,1993 litre	98,734 %	70,5569 litre	O
420	CM	65	CM	124 LEVEL CM	5482,2267 litre	98,340 %	92,5295 litre	O
420	CM	65	CM	123 LEVEL CM	5458,4336 litre	97,913 %	116,3226 litre	O
420	CM	65	CM	122 LEVEL CM	5432,9778 litre	97,457 %	141,7784 litre	O
420	CM	65	CM	121 LEVEL CM	5405,9876 litre	96,973 %	168,7686 litre	O
420	CM	65	CM	120 LEVEL CM	5377,5708 litre	96,463 %	197,1854 litre	O
420	CM	65	CM	119 LEVEL CM	5347,8192 litre	95,929 %	226,9370 litre	O
420	CM	65	CM	118 LEVEL CM	5316,8132 litre	95,373 %	257,9430 litre	O
420	CM	65	CM	117 LEVEL CM	5284,6234 litre	94,796 %	290,1328 litre	O
420	CM	65	CM	116 LEVEL CM	5251,3132 litre	94,198 %	323,4430 litre	O
420	CM	65	CM	115 LEVEL CM	5216,9394 litre	93,581 %	357,8168 litre	O
420	CM	65	CM	114 LEVEL CM	5181,5541 litre	92,947 %	393,2021 litre	O
420	CM	65	CM	113 LEVEL CM	5145,2046 litre	92,295 %	429,5516 litre	O
420	CM	65	CM	112 LEVEL CM	5107,9350 litre	91,626 %	466,8212 litre	O
420	CM	65	CM	111 LEVEL CM	5069,7859 litre	90,942 %	504,9703 litre	O
420	CM	65	CM	110 LEVEL CM	5030,7952 litre	90,242 %	543,9610 litre	O
420	CM	65	CM	109 LEVEL CM	4990,9984 litre	89,529 %	583,7578 litre	O
420	CM	65	CM	108 LEVEL CM	4950,4289 litre	88,801 %	624,3273 litre	O
420	CM	65	CM	107 LEVEL CM	4909,1183 litre	88,060 %	665,6379 litre	O
420	CM	65	CM	106 LEVEL CM	4867,0964 litre	87,306 %	707,6598 litre	O
420	CM	65	CM	105 LEVEL CM	4824,3915 litre	86,540 %	750,3647 litre	O
420	CM	65	CM	104 LEVEL CM	4781,0308 litre	85,762 %	793,7254 litre	O
420	CM	65	CM	103 LEVEL CM	4737,0400 litre	84,973 %	837,7162 litre	O
420	CM	65	CM	102 LEVEL CM	4692,4438 litre	84,173 %	882,3124 litre	O
420	CM	65	CM	101 LEVEL CM	4647,2659 litre	83,363 %	927,4903 litre	O
420	CM	65	CM	100 LEVEL CM	4601,5292 litre	82,542 %	973,2270 litre	O
420	CM	65	CM	99 LEVEL CM	4555,2557 litre	81,712 %	1019,5005 litre	O
420	CM	65	CM	98 LEVEL CM	4508,4666 litre	80,873 %	1066,2896 litre	O
420	CM	65	CM	97 LEVEL CM	4461,1824 litre	80,025 %	1113,5738 litre	O
420	CM	65	CM	96 LEVEL CM	4413,4231 litre	79,168 %	1161,3331 litre	O
420	CM	65	CM	95 LEVEL CM	4365,2080 litre	78,303 %	1209,5482 litre	O
420	CM	65	CM	94 LEVEL CM	4316,5558 litre	77,430 %	1258,2004 litre	O
420	CM	65	CM	93 LEVEL CM	4267,4848 litre	76,550 %	1307,2714 litre	O
420	CM	65	CM	92 LEVEL CM	4218,0128 litre	75,663 %	1356,7434 litre	O
420	CM	65	CM	91 LEVEL CM	4168,1572 litre	74,768 %	1406,5990 litre	O
420	CM	65	CM	90 LEVEL CM	4117,9349 litre	73,868 %	1456,8213 litre	O
420	CM	65	CM	89 LEVEL CM	4067,3626 litre	72,960 %	1507,3936 litre	O
420	CM	65	CM	88 LEVEL CM	4016,4566 litre	72,047 %	1558,2996 litre	O
420	CM	65	CM	87 LEVEL CM	3965,2328 litre	71,128 %	1609,5234 litre	O
420	CM	65	CM	86 LEVEL CM	3913,7067 litre	70,204 %	1661,0495 litre	O
420	CM	65	CM	85 LEVEL CM	3861,8939 litre	69,275 %	1712,8623 litre	O
420	CM	65	CM	84 LEVEL CM	3809,8095 litre	68,340 %	1764,9467 litre	O
420	CM	65	CM	83 LEVEL CM	3757,4682 litre	67,401 %	1817,2880 litre	O
420	CM	65	CM	82 LEVEL CM	3704,8849 litre	66,458 %	1869,8713 litre	O
420	CM	65	CM	81 LEVEL CM	3652,0740 litre	65,511 %	1922,6822 litre	O
420	CM	65	CM	80 LEVEL CM	3599,0496 litre	64,560 %	1975,7066 litre	O
420	CM	65	CM	79 LEVEL CM	3545,8261 litre	63,605 %	2028,9301 litre	O

420	CM	65	CM	78 LEVEL CM	3492,4173 litre	62,647 %	2082,3389 litre	O
420	CM	65	CM	77 LEVEL CM	3438,8370 litre	61,686 %	2135,9192 litre	O
420	CM	65	CM	76 LEVEL CM	3385,0989 litre	60,722 %	2189,6573 litre	O
420	CM	65	CM	75 LEVEL CM	3331,2165 litre	59,755 %	2243,5397 litre	O
420	CM	65	CM	74 LEVEL CM	3277,2034 litre	58,786 %	2297,5528 litre	O
420	CM	65	CM	73 LEVEL CM	3223,0728 litre	57,815 %	2351,6834 litre	O
420	CM	65	CM	72 LEVEL CM	3168,8380 litre	56,843 %	2405,9182 litre	O
420	CM	65	CM	71 LEVEL CM	3114,5123 litre	55,868 %	2460,2439 litre	O
420	CM	65	CM	70 LEVEL CM	3060,1086 litre	54,892 %	2514,6476 litre	O
420	CM	65	CM	69 LEVEL CM	3005,6402 litre	53,915 %	2569,1160 litre	O
420	CM	65	CM	68 LEVEL CM	2951,1199 litre	52,937 %	2623,6363 litre	O
420	CM	65	CM	67 LEVEL CM	2896,5608 litre	51,959 %	2678,1954 litre	O
420	CM	65	CM	66 LEVEL CM	2841,9759 litre	50,979 %	2732,7803 litre	O
420	CM	65	CM	65 LEVEL CM	2787,3781 litre	50,000 %	2787,3781 litre	O
420	CM	65	CM	64 LEVEL CM	2732,7802 litre	49,021 %	2841,9760 litre	O
420	CM	65	CM	63 LEVEL CM	2678,1953 litre	48,041 %	2896,5609 litre	O
420	CM	65	CM	62 LEVEL CM	2623,6363 litre	47,063 %	2951,1199 litre	O
420	CM	65	CM	61 LEVEL CM	2569,1160 litre	46,085 %	3005,6402 litre	O
420	CM	65	CM	60 LEVEL CM	2514,6476 litre	45,108 %	3060,1086 litre	O
420	CM	65	CM	59 LEVEL CM	2460,2439 litre	44,132 %	3114,5123 litre	O
420	CM	65	CM	58 LEVEL CM	2405,9181 litre	43,157 %	3168,8381 litre	O
420	CM	65	CM	57 LEVEL CM	2351,6834 litre	42,185 %	3223,0728 litre	O
420	CM	65	CM	56 LEVEL CM	2297,5528 litre	41,214 %	3277,2034 litre	O
420	CM	65	CM	55 LEVEL CM	2243,5396 litre	40,245 %	3331,2166 litre	O
420	CM	65	CM	54 LEVEL CM	2189,6573 litre	39,278 %	3385,0989 litre	O
420	CM	65	CM	53 LEVEL CM	2135,9192 litre	38,314 %	3438,8370 litre	O
420	CM	65	CM	52 LEVEL CM	2082,3389 litre	37,353 %	3492,4173 litre	O
420	CM	65	CM	51 LEVEL CM	2028,9301 litre	36,395 %	3545,8261 litre	O
420	CM	65	CM	50 LEVEL CM	1975,7065 litre	35,440 %	3599,0497 litre	O
420	CM	65	CM	49 LEVEL CM	1922,6822 litre	34,489 %	3652,0740 litre	O
420	CM	65	CM	48 LEVEL CM	1869,8712 litre	33,542 %	3704,8850 litre	O
420	CM	65	CM	47 LEVEL CM	1817,2879 litre	32,599 %	3757,4683 litre	O
420	CM	65	CM	46 LEVEL CM	1764,9467 litre	31,660 %	3809,8095 litre	O
420	CM	65	CM	45 LEVEL CM	1712,8622 litre	30,725 %	3861,8940 litre	O
420	CM	65	CM	44 LEVEL CM	1661,0494 litre	29,796 %	3913,7068 litre	O
420	CM	65	CM	43 LEVEL CM	1609,5234 litre	28,872 %	3965,2328 litre	O
420	CM	65	CM	42 LEVEL CM	1558,2996 litre	27,953 %	4016,4566 litre	O
420	CM	65	CM	41 LEVEL CM	1507,3935 litre	27,040 %	4067,3627 litre	O
420	CM	65	CM	40 LEVEL CM	1456,8212 litre	26,132 %	4117,9350 litre	O
420	CM	65	CM	39 LEVEL CM	1406,5990 litre	25,232 %	4168,1572 litre	O
420	CM	65	CM	38 LEVEL CM	1356,7434 litre	24,337 %	4218,0128 litre	O
420	CM	65	CM	37 LEVEL CM	1307,2714 litre	23,450 %	4267,4848 litre	O
420	CM	65	CM	36 LEVEL CM	1258,2004 litre	22,570 %	4316,5558 litre	O
420	CM	65	CM	35 LEVEL CM	1209,5482 litre	21,697 %	4365,2080 litre	O
420	CM	65	CM	34 LEVEL CM	1161,3330 litre	20,832 %	4413,4232 litre	O
420	CM	65	CM	33 LEVEL CM	1113,5737 litre	19,975 %	4461,1825 litre	O
420	CM	65	CM	32 LEVEL CM	1066,2896 litre	19,127 %	4508,4666 litre	O
420	CM	65	CM	31 LEVEL CM	1019,5005 litre	18,288 %	4555,2557 litre	O
420	CM	65	CM	30 LEVEL CM	973,2269 litre	17,458 %	4601,5293 litre	O
420	CM	65	CM	29 LEVEL CM	927,4903 litre	16,637 %	4647,2659 litre	O
420	CM	65	CM	28 LEVEL CM	882,3124 litre	15,827 %	4692,4438 litre	O
420	CM	65	CM	27 LEVEL CM	837,7162 litre	15,027 %	4737,0400 litre	O
420	CM	65	CM	26 LEVEL CM	793,7254 litre	14,238 %	4781,0308 litre	O

420	CM	65	CM	25 LEVEL CM	750,3646 litre	13,460 %	4824,3916 litre	O
420	CM	65	CM	24 LEVEL CM	707,6598 litre	12,694 %	4867,0964 litre	O
420	CM	65	CM	23 LEVEL CM	665,6379 litre	11,940 %	4909,1183 litre	O
420	CM	65	CM	22 LEVEL CM	624,3272 litre	11,199 %	4950,4290 litre	O
420	CM	65	CM	21 LEVEL CM	583,7578 litre	10,471 %	4990,9984 litre	O
420	CM	65	CM	20 LEVEL CM	543,9610 litre	9,758 %	5030,7952 litre	O
420	CM	65	CM	19 LEVEL CM	504,9703 litre	9,058 %	5069,7859 litre	O
420	CM	65	CM	18 LEVEL CM	466,8211 litre	8,374 %	5107,9351 litre	O
420	CM	65	CM	17 LEVEL CM	429,5515 litre	7,705 %	5145,2047 litre	O
420	CM	65	CM	16 LEVEL CM	393,2021 litre	7,053 %	5181,5541 litre	O
420	CM	65	CM	15 LEVEL CM	357,8168 litre	6,419 %	5216,9394 litre	O
420	CM	65	CM	14 LEVEL CM	323,4430 litre	5,802 %	5251,3132 litre	O
420	CM	65	CM	13 LEVEL CM	290,1327 litre	5,204 %	5284,6235 litre	O
420	CM	65	CM	12 LEVEL CM	257,9430 litre	4,627 %	5316,8132 litre	O
420	CM	65	CM	11 LEVEL CM	226,9369 litre	4,071 %	5347,8193 litre	O
420	CM	65	CM	10 LEVEL CM	197,1854 litre	3,537 %	5377,5708 litre	O
420	CM	65	CM	9 LEVEL CM	168,7685 litre	3,027 %	5405,9877 litre	O
420	CM	65	CM	8 LEVEL CM	141,7784 litre	2,543 %	5432,9778 litre	O
420	CM	65	CM	7 LEVEL CM	116,3225 litre	2,087 %	5458,4337 litre	O
420	CM	65	CM	6 LEVEL CM	92,5295 litre	1,660 %	5482,2267 litre	O
420	CM	65	CM	5 LEVEL CM	70,5568 litre	1,266 %	5504,1994 litre	O
420	CM	65	CM	4 LEVEL CM	50,6057 litre	0,908 %	5524,1505 litre	O
420	CM	65	CM	3 LEVEL CM	32,9467 litre	0,591 %	5541,8095 litre	O
420	CM	65	CM	2 LEVEL CM	17,9759 litre	0,322 %	5556,7803 litre	O
420	CM	65	CM	1 LEVEL CM	6,3702 litre	0,114 %	5568,3860 litre	O
420	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	5574,7562 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM	60	CM 120 LEVEL CM	4750,0881 litre	100,000 %	0,0000 litre	O
420	CM	60	CM 119 LEVEL CM	4743,9690 litre	99,871 %	6,1191 litre	O
420	CM	60	CM 118 LEVEL CM	4732,8241 litre	99,637 %	17,2640 litre	O
420	CM	60	CM 117 LEVEL CM	4718,4525 litre	99,334 %	31,6356 litre	O
420	CM	60	CM 116 LEVEL CM	4701,5059 litre	98,977 %	48,5822 litre	O
420	CM	60	CM 115 LEVEL CM	4682,3662 litre	98,574 %	67,7219 litre	O
420	CM	60	CM 114 LEVEL CM	4661,2945 litre	98,131 %	88,7936 litre	O
420	CM	60	CM 113 LEVEL CM	4638,4851 litre	97,651 %	111,6030 litre	O
420	CM	60	CM 112 LEVEL CM	4614,0905 litre	97,137 %	135,9976 litre	O
420	CM	60	CM 111 LEVEL CM	4588,2349 litre	96,593 %	161,8532 litre	O
420	CM	60	CM 110 LEVEL CM	4561,0228 litre	96,020 %	189,0653 litre	O
420	CM	60	CM 109 LEVEL CM	4532,5433 litre	95,420 %	217,5448 litre	O
420	CM	60	CM 108 LEVEL CM	4502,8744 litre	94,796 %	247,2137 litre	O
420	CM	60	CM 107 LEVEL CM	4472,0849 litre	94,147 %	278,0032 litre	O
420	CM	60	CM 106 LEVEL CM	4440,2364 litre	93,477 %	309,8517 litre	O
420	CM	60	CM 105 LEVEL CM	4407,3844 litre	92,785 %	342,7037 litre	O
420	CM	60	CM 104 LEVEL CM	4373,5796 litre	92,074 %	376,5085 litre	O
420	CM	60	CM 103 LEVEL CM	4338,8684 litre	91,343 %	411,2197 litre	O
420	CM	60	CM 102 LEVEL CM	4303,2938 litre	90,594 %	446,7943 litre	O
420	CM	60	CM 101 LEVEL CM	4266,8957 litre	89,828 %	483,1924 litre	O
420	CM	60	CM 100 LEVEL CM	4229,7111 litre	89,045 %	520,3770 litre	O
420	CM	60	CM 99 LEVEL CM	4191,7751 litre	88,246 %	558,3130 litre	O
420	CM	60	CM 98 LEVEL CM	4153,1204 litre	87,432 %	596,9677 litre	O
420	CM	60	CM 97 LEVEL CM	4113,7781 litre	86,604 %	636,3100 litre	O
420	CM	60	CM 96 LEVEL CM	4073,7777 litre	85,762 %	676,3104 litre	O
420	CM	60	CM 95 LEVEL CM	4033,1472 litre	84,907 %	716,9409 litre	O
420	CM	60	CM 94 LEVEL CM	3991,9134 litre	84,039 %	758,1747 litre	O
420	CM	60	CM 93 LEVEL CM	3950,1017 litre	83,158 %	799,9864 litre	O
420	CM	60	CM 92 LEVEL CM	3907,7368 litre	82,267 %	842,3513 litre	O
420	CM	60	CM 91 LEVEL CM	3864,8422 litre	81,364 %	885,2459 litre	O
420	CM	60	CM 90 LEVEL CM	3821,4406 litre	80,450 %	928,6475 litre	O
420	CM	60	CM 89 LEVEL CM	3777,5540 litre	79,526 %	972,5341 litre	O
420	CM	60	CM 88 LEVEL CM	3733,2036 litre	78,592 %	1016,8845 litre	O
420	CM	60	CM 87 LEVEL CM	3688,4099 litre	77,649 %	1061,6782 litre	O
420	CM	60	CM 86 LEVEL CM	3643,1928 litre	76,697 %	1106,8953 litre	O
420	CM	60	CM 85 LEVEL CM	3597,5719 litre	75,737 %	1152,5162 litre	O
420	CM	60	CM 84 LEVEL CM	3551,5659 litre	74,768 %	1198,5222 litre	O
420	CM	60	CM 83 LEVEL CM	3505,1932 litre	73,792 %	1244,8949 litre	O
420	CM	60	CM 82 LEVEL CM	3458,4719 litre	72,809 %	1291,6162 litre	O
420	CM	60	CM 81 LEVEL CM	3411,4195 litre	71,818 %	1338,6686 litre	O
420	CM	60	CM 80 LEVEL CM	3364,0532 litre	70,821 %	1386,0349 litre	O
420	CM	60	CM 79 LEVEL CM	3316,3899 litre	69,817 %	1433,6982 litre	O
420	CM	60	CM 78 LEVEL CM	3268,4462 litre	68,808 %	1481,6419 litre	O
420	CM	60	CM 77 LEVEL CM	3220,2382 litre	67,793 %	1529,8499 litre	O
420	CM	60	CM 76 LEVEL CM	3171,7821 litre	66,773 %	1578,3060 litre	O
420	CM	60	CM 75 LEVEL CM	3123,0935 litre	65,748 %	1626,9946 litre	O
420	CM	60	CM 74 LEVEL CM	3074,1880 litre	64,719 %	1675,9001 litre	O
420	CM	60	CM 73 LEVEL CM	3025,0810 litre	63,685 %	1725,0071 litre	O
420	CM	60	CM 72 LEVEL CM	2975,7875 litre	62,647 %	1774,3006 litre	O
420	CM	60	CM 71 LEVEL CM	2926,3225 litre	61,606 %	1823,7656 litre	O
420	CM	60	CM 70 LEVEL CM	2876,7009 litre	60,561 %	1873,3872 litre	O
420	CM	60	CM 69 LEVEL CM	2826,9373 litre	59,513 %	1923,1508 litre	O

420	CM	60	CM	68 LEVEL CM	2777,0462 litre	58,463 %	1973,0419 litre	O
420	CM	60	CM	67 LEVEL CM	2727,0421 litre	57,410 %	2023,0460 litre	O
420	CM	60	CM	66 LEVEL CM	2676,9393 litre	56,356 %	2073,1488 litre	O
420	CM	60	CM	65 LEVEL CM	2626,7521 litre	55,299 %	2123,3360 litre	O
420	CM	60	CM	64 LEVEL CM	2576,4946 litre	54,241 %	2173,5935 litre	O
420	CM	60	CM	63 LEVEL CM	2526,1810 litre	53,182 %	2223,9071 litre	O
420	CM	60	CM	62 LEVEL CM	2475,8254 litre	52,122 %	2274,2627 litre	O
420	CM	60	CM	61 LEVEL CM	2425,4417 litre	51,061 %	2324,6464 litre	O
420	CM	60	CM	60 LEVEL CM	2375,0440 litre	50,000 %	2375,0441 litre	O
420	CM	60	CM	59 LEVEL CM	2324,6464 litre	48,939 %	2425,4417 litre	O
420	CM	60	CM	58 LEVEL CM	2274,2627 litre	47,878 %	2475,8254 litre	O
420	CM	60	CM	57 LEVEL CM	2223,9071 litre	46,818 %	2526,1810 litre	O
420	CM	60	CM	56 LEVEL CM	2173,5935 litre	45,759 %	2576,4946 litre	O
420	CM	60	CM	55 LEVEL CM	2123,3360 litre	44,701 %	2626,7521 litre	O
420	CM	60	CM	54 LEVEL CM	2073,1488 litre	43,644 %	2676,9393 litre	O
420	CM	60	CM	53 LEVEL CM	2023,0460 litre	42,590 %	2727,0421 litre	O
420	CM	60	CM	52 LEVEL CM	1973,0419 litre	41,537 %	2777,0462 litre	O
420	CM	60	CM	51 LEVEL CM	1923,1508 litre	40,487 %	2826,9373 litre	O
420	CM	60	CM	50 LEVEL CM	1873,3872 litre	39,439 %	2876,7009 litre	O
420	CM	60	CM	49 LEVEL CM	1823,7656 litre	38,394 %	2926,3225 litre	O
420	CM	60	CM	48 LEVEL CM	1774,3006 litre	37,353 %	2975,7875 litre	O
420	CM	60	CM	47 LEVEL CM	1725,0071 litre	36,315 %	3025,0810 litre	O
420	CM	60	CM	46 LEVEL CM	1675,9000 litre	35,281 %	3074,1881 litre	O
420	CM	60	CM	45 LEVEL CM	1626,9946 litre	34,252 %	3123,0935 litre	O
420	CM	60	CM	44 LEVEL CM	1578,3060 litre	33,227 %	3171,7821 litre	O
420	CM	60	CM	43 LEVEL CM	1529,8499 litre	32,207 %	3220,2382 litre	O
420	CM	60	CM	42 LEVEL CM	1481,6419 litre	31,192 %	3268,4462 litre	O
420	CM	60	CM	41 LEVEL CM	1433,6982 litre	30,183 %	3316,3899 litre	O
420	CM	60	CM	40 LEVEL CM	1386,0349 litre	29,179 %	3364,0532 litre	O
420	CM	60	CM	39 LEVEL CM	1338,6686 litre	28,182 %	3411,4195 litre	O
420	CM	60	CM	38 LEVEL CM	1291,6162 litre	27,191 %	3458,4719 litre	O
420	CM	60	CM	37 LEVEL CM	1244,8949 litre	26,208 %	3505,1932 litre	O
420	CM	60	CM	36 LEVEL CM	1198,5222 litre	25,232 %	3551,5659 litre	O
420	CM	60	CM	35 LEVEL CM	1152,5162 litre	24,263 %	3597,5719 litre	O
420	CM	60	CM	34 LEVEL CM	1106,8952 litre	23,303 %	3643,1929 litre	O
420	CM	60	CM	33 LEVEL CM	1061,6782 litre	22,351 %	3688,4099 litre	O
420	CM	60	CM	32 LEVEL CM	1016,8845 litre	21,408 %	3733,2036 litre	O
420	CM	60	CM	31 LEVEL CM	972,5341 litre	20,474 %	3777,5540 litre	O
420	CM	60	CM	30 LEVEL CM	928,6475 litre	19,550 %	3821,4406 litre	O
420	CM	60	CM	29 LEVEL CM	885,2459 litre	18,636 %	3864,8422 litre	O
420	CM	60	CM	28 LEVEL CM	842,3513 litre	17,733 %	3907,7368 litre	O
420	CM	60	CM	27 LEVEL CM	799,9864 litre	16,842 %	3950,1017 litre	O
420	CM	60	CM	26 LEVEL CM	758,1747 litre	15,961 %	3991,9134 litre	O
420	CM	60	CM	25 LEVEL CM	716,9409 litre	15,093 %	4033,1472 litre	O
420	CM	60	CM	24 LEVEL CM	676,3104 litre	14,238 %	4073,7777 litre	O
420	CM	60	CM	23 LEVEL CM	636,3100 litre	13,396 %	4113,7781 litre	O
420	CM	60	CM	22 LEVEL CM	596,9677 litre	12,568 %	4153,1204 litre	O
420	CM	60	CM	21 LEVEL CM	558,3130 litre	11,754 %	4191,7751 litre	O
420	CM	60	CM	20 LEVEL CM	520,3770 litre	10,955 %	4229,7111 litre	O
420	CM	60	CM	19 LEVEL CM	483,1924 litre	10,172 %	4266,8957 litre	O
420	CM	60	CM	18 LEVEL CM	446,7942 litre	9,406 %	4303,2939 litre	O
420	CM	60	CM	17 LEVEL CM	411,2196 litre	8,657 %	4338,8685 litre	O
420	CM	60	CM	16 LEVEL CM	376,5085 litre	7,926 %	4373,5796 litre	O

420	CM	60	CM	15 LEVEL CM	342,7037 litre	7,215 %	4407,3844 litre	O
420	CM	60	CM	14 LEVEL CM	309,8517 litre	6,523 %	4440,2364 litre	O
420	CM	60	CM	13 LEVEL CM	278,0032 litre	5,853 %	4472,0849 litre	O
420	CM	60	CM	12 LEVEL CM	247,2137 litre	5,204 %	4502,8744 litre	O
420	CM	60	CM	11 LEVEL CM	217,5448 litre	4,580 %	4532,5433 litre	O
420	CM	60	CM	10 LEVEL CM	189,0653 litre	3,980 %	4561,0228 litre	O
420	CM	60	CM	9 LEVEL CM	161,8532 litre	3,407 %	4588,2349 litre	O
420	CM	60	CM	8 LEVEL CM	135,9976 litre	2,863 %	4614,0905 litre	O
420	CM	60	CM	7 LEVEL CM	111,6030 litre	2,349 %	4638,4851 litre	O
420	CM	60	CM	6 LEVEL CM	88,7936 litre	1,869 %	4661,2945 litre	O
420	CM	60	CM	5 LEVEL CM	67,7219 litre	1,426 %	4682,3662 litre	O
420	CM	60	CM	4 LEVEL CM	48,5822 litre	1,023 %	4701,5059 litre	O
420	CM	60	CM	3 LEVEL CM	31,6356 litre	0,666 %	4718,4525 litre	O
420	CM	60	CM	2 LEVEL CM	17,2640 litre	0,363 %	4732,8241 litre	O
420	CM	60	CM	1 LEVEL CM	6,1191 litre	0,129 %	4743,9690 litre	O
420	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4750,0881 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
420	CM	55	CM 110 LEVEL CM	3991,3935 litre	100,000 %	0,0000 litre	O
420	CM	55	CM 109 LEVEL CM	3985,5362 litre	99,853 %	5,8573 litre	O
420	CM	55	CM 108 LEVEL CM	3974,8721 litre	99,586 %	16,5214 litre	O
420	CM	55	CM 107 LEVEL CM	3961,1257 litre	99,242 %	30,2678 litre	O
420	CM	55	CM 106 LEVEL CM	3944,9228 litre	98,836 %	46,4707 litre	O
420	CM	55	CM 105 LEVEL CM	3926,6305 litre	98,377 %	64,7630 litre	O
420	CM	55	CM 104 LEVEL CM	3906,5001 litre	97,873 %	84,8934 litre	O
420	CM	55	CM 103 LEVEL CM	3884,7187 litre	97,327 %	106,6748 litre	O
420	CM	55	CM 102 LEVEL CM	3861,4336 litre	96,744 %	129,9599 litre	O
420	CM	55	CM 101 LEVEL CM	3836,7647 litre	96,126 %	154,6288 litre	O
420	CM	55	CM 100 LEVEL CM	3810,8131 litre	95,476 %	180,5804 litre	O
420	CM	55	CM 99 LEVEL CM	3783,6653 litre	94,796 %	207,7282 litre	O
420	CM	55	CM 98 LEVEL CM	3755,3968 litre	94,087 %	235,9967 litre	O
420	CM	55	CM 97 LEVEL CM	3726,0743 litre	93,353 %	265,3192 litre	O
420	CM	55	CM 96 LEVEL CM	3695,7579 litre	92,593 %	295,6356 litre	O
420	CM	55	CM 95 LEVEL CM	3664,5017 litre	91,810 %	326,8918 litre	O
420	CM	55	CM 94 LEVEL CM	3632,3551 litre	91,005 %	359,0384 litre	O
420	CM	55	CM 93 LEVEL CM	3599,3634 litre	90,178 %	392,0301 litre	O
420	CM	55	CM 92 LEVEL CM	3565,5688 litre	89,331 %	425,8247 litre	O
420	CM	55	CM 91 LEVEL CM	3531,0101 litre	88,466 %	460,3834 litre	O
420	CM	55	CM 90 LEVEL CM	3495,7241 litre	87,582 %	495,6694 litre	O
420	CM	55	CM 89 LEVEL CM	3459,7449 litre	86,680 %	531,6486 litre	O
420	CM	55	CM 88 LEVEL CM	3423,1049 litre	85,762 %	568,2886 litre	O
420	CM	55	CM 87 LEVEL CM	3385,8348 litre	84,828 %	605,5587 litre	O
420	CM	55	CM 86 LEVEL CM	3347,9637 litre	83,880 %	643,4298 litre	O
420	CM	55	CM 85 LEVEL CM	3309,5193 litre	82,916 %	681,8742 litre	O
420	CM	55	CM 84 LEVEL CM	3270,5282 litre	81,940 %	720,8653 litre	O
420	CM	55	CM 83 LEVEL CM	3231,0157 litre	80,950 %	760,3778 litre	O
420	CM	55	CM 82 LEVEL CM	3191,0063 litre	79,947 %	800,3872 litre	O
420	CM	55	CM 81 LEVEL CM	3150,5235 litre	78,933 %	840,8700 litre	O
420	CM	55	CM 80 LEVEL CM	3109,5900 litre	77,907 %	881,8035 litre	O
420	CM	55	CM 79 LEVEL CM	3068,2279 litre	76,871 %	923,1656 litre	O
420	CM	55	CM 78 LEVEL CM	3026,4582 litre	75,825 %	964,9353 litre	O
420	CM	55	CM 77 LEVEL CM	2984,3019 litre	74,768 %	1007,0916 litre	O
420	CM	55	CM 76 LEVEL CM	2941,7789 litre	73,703 %	1049,6146 litre	O
420	CM	55	CM 75 LEVEL CM	2898,9088 litre	72,629 %	1092,4847 litre	O
420	CM	55	CM 74 LEVEL CM	2855,7108 litre	71,547 %	1135,6827 litre	O
420	CM	55	CM 73 LEVEL CM	2812,2035 litre	70,457 %	1179,1900 litre	O
420	CM	55	CM 72 LEVEL CM	2768,4053 litre	69,359 %	1222,9882 litre	O
420	CM	55	CM 71 LEVEL CM	2724,3340 litre	68,255 %	1267,0595 litre	O
420	CM	55	CM 70 LEVEL CM	2680,0073 litre	67,145 %	1311,3862 litre	O
420	CM	55	CM 69 LEVEL CM	2635,4425 litre	66,028 %	1355,9510 litre	O
420	CM	55	CM 68 LEVEL CM	2590,6565 litre	64,906 %	1400,7370 litre	O
420	CM	55	CM 67 LEVEL CM	2545,6662 litre	63,779 %	1445,7273 litre	O
420	CM	55	CM 66 LEVEL CM	2500,4881 litre	62,647 %	1490,9054 litre	O
420	CM	55	CM 65 LEVEL CM	2455,1385 litre	61,511 %	1536,2550 litre	O
420	CM	55	CM 64 LEVEL CM	2409,6336 litre	60,371 %	1581,7599 litre	O
420	CM	55	CM 63 LEVEL CM	2363,9893 litre	59,227 %	1627,4042 litre	O
420	CM	55	CM 62 LEVEL CM	2318,2215 litre	58,081 %	1673,1720 litre	O
420	CM	55	CM 61 LEVEL CM	2272,3459 litre	56,931 %	1719,0476 litre	O
420	CM	55	CM 60 LEVEL CM	2226,3782 litre	55,779 %	1765,0153 litre	O
420	CM	55	CM 59 LEVEL CM	2180,3337 litre	54,626 %	1811,0598 litre	O

420	CM 55	CM	58 LEVEL CM	2134,2280 litre	53,471 %	1857,1655 litre	O
420	CM 55	CM	57 LEVEL CM	2088,0764 litre	52,314 %	1903,3171 litre	O
420	CM 55	CM	56 LEVEL CM	2041,8942 litre	51,157 %	1949,4993 litre	O
420	CM 55	CM	55 LEVEL CM	1995,6967 litre	50,000 %	1995,6968 litre	O
420	CM 55	CM	54 LEVEL CM	1949,4993 litre	48,843 %	2041,8942 litre	O
420	CM 55	CM	53 LEVEL CM	1903,3171 litre	47,686 %	2088,0764 litre	O
420	CM 55	CM	52 LEVEL CM	1857,1655 litre	46,529 %	2134,2280 litre	O
420	CM 55	CM	51 LEVEL CM	1811,0598 litre	45,374 %	2180,3337 litre	O
420	CM 55	CM	50 LEVEL CM	1765,0153 litre	44,221 %	2226,3782 litre	O
420	CM 55	CM	49 LEVEL CM	1719,0475 litre	43,069 %	2272,3460 litre	O
420	CM 55	CM	48 LEVEL CM	1673,1720 litre	41,919 %	2318,2215 litre	O
420	CM 55	CM	47 LEVEL CM	1627,4042 litre	40,773 %	2363,9893 litre	O
420	CM 55	CM	46 LEVEL CM	1581,7599 litre	39,629 %	2409,6336 litre	O
420	CM 55	CM	45 LEVEL CM	1536,2550 litre	38,489 %	2455,1385 litre	O
420	CM 55	CM	44 LEVEL CM	1490,9054 litre	37,353 %	2500,4881 litre	O
420	CM 55	CM	43 LEVEL CM	1445,7272 litre	36,221 %	2545,6663 litre	O
420	CM 55	CM	42 LEVEL CM	1400,7369 litre	35,094 %	2590,6566 litre	O
420	CM 55	CM	41 LEVEL CM	1355,9510 litre	33,972 %	2635,4425 litre	O
420	CM 55	CM	40 LEVEL CM	1311,3861 litre	32,855 %	2680,0074 litre	O
420	CM 55	CM	39 LEVEL CM	1267,0594 litre	31,745 %	2724,3341 litre	O
420	CM 55	CM	38 LEVEL CM	1222,9882 litre	30,641 %	2768,4053 litre	O
420	CM 55	CM	37 LEVEL CM	1179,1900 litre	29,543 %	2812,2035 litre	O
420	CM 55	CM	36 LEVEL CM	1135,6827 litre	28,453 %	2855,7108 litre	O
420	CM 55	CM	35 LEVEL CM	1092,4847 litre	27,371 %	2898,9088 litre	O
420	CM 55	CM	34 LEVEL CM	1049,6146 litre	26,297 %	2941,7789 litre	O
420	CM 55	CM	33 LEVEL CM	1007,0916 litre	25,232 %	2984,3019 litre	O
420	CM 55	CM	32 LEVEL CM	964,9352 litre	24,175 %	3026,4583 litre	O
420	CM 55	CM	31 LEVEL CM	923,1656 litre	23,129 %	3068,2279 litre	O
420	CM 55	CM	30 LEVEL CM	881,8034 litre	22,093 %	3109,5901 litre	O
420	CM 55	CM	29 LEVEL CM	840,8700 litre	21,067 %	3150,5235 litre	O
420	CM 55	CM	28 LEVEL CM	800,3872 litre	20,053 %	3191,0063 litre	O
420	CM 55	CM	27 LEVEL CM	760,3778 litre	19,050 %	3231,0157 litre	O
420	CM 55	CM	26 LEVEL CM	720,8653 litre	18,060 %	3270,5282 litre	O
420	CM 55	CM	25 LEVEL CM	681,8742 litre	17,084 %	3309,5193 litre	O
420	CM 55	CM	24 LEVEL CM	643,4298 litre	16,120 %	3347,9637 litre	O
420	CM 55	CM	23 LEVEL CM	605,5587 litre	15,172 %	3385,8348 litre	O
420	CM 55	CM	22 LEVEL CM	568,2886 litre	14,238 %	3423,1049 litre	O
420	CM 55	CM	21 LEVEL CM	531,6486 litre	13,320 %	3459,7449 litre	O
420	CM 55	CM	20 LEVEL CM	495,6694 litre	12,418 %	3495,7241 litre	O
420	CM 55	CM	19 LEVEL CM	460,3833 litre	11,534 %	3531,0102 litre	O
420	CM 55	CM	18 LEVEL CM	425,8247 litre	10,669 %	3565,5688 litre	O
420	CM 55	CM	17 LEVEL CM	392,0300 litre	9,822 %	3599,3635 litre	O
420	CM 55	CM	16 LEVEL CM	359,0384 litre	8,995 %	3632,3551 litre	O
420	CM 55	CM	15 LEVEL CM	326,8917 litre	8,190 %	3664,5018 litre	O
420	CM 55	CM	14 LEVEL CM	295,6355 litre	7,407 %	3695,7580 litre	O
420	CM 55	CM	13 LEVEL CM	265,3191 litre	6,647 %	3726,0744 litre	O
420	CM 55	CM	12 LEVEL CM	235,9967 litre	5,913 %	3755,3968 litre	O
420	CM 55	CM	11 LEVEL CM	207,7282 litre	5,204 %	3783,6653 litre	O
420	CM 55	CM	10 LEVEL CM	180,5803 litre	4,524 %	3810,8132 litre	O
420	CM 55	CM	9 LEVEL CM	154,6287 litre	3,874 %	3836,7648 litre	O
420	CM 55	CM	8 LEVEL CM	129,9599 litre	3,256 %	3861,4336 litre	O
420	CM 55	CM	7 LEVEL CM	106,6748 litre	2,673 %	3884,7187 litre	O
420	CM 55	CM	6 LEVEL CM	84,8934 litre	2,127 %	3906,5001 litre	O

420	CM	55	CM	5 LEVEL CM	64,7630 litre	1,623 %	3926,6305 litre	O
420	CM	55	CM	4 LEVEL CM	46,4707 litre	1,164 %	3944,9228 litre	O
420	CM	55	CM	3 LEVEL CM	30,2678 litre	0,758 %	3961,1257 litre	O
420	CM	55	CM	2 LEVEL CM	16,5214 litre	0,414 %	3974,8721 litre	O
420	CM	55	CM	1 LEVEL CM	5,8573 litre	0,147 %	3985,5362 litre	O
420	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3991,3935 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
420	CM	50	CM	100 LEVEL CM	3298,6723 litre	100,000 %	0,0000 litre	O
420	CM	50	CM	99 LEVEL CM	3293,0891 litre	99,831 %	5,5832 litre	O
420	CM	50	CM	98 LEVEL CM	3282,9285 litre	99,523 %	15,7438 litre	O
420	CM	50	CM	97 LEVEL CM	3269,8371 litre	99,126 %	28,8352 litre	O
420	CM	50	CM	96 LEVEL CM	3254,4138 litre	98,658 %	44,2585 litre	O
420	CM	50	CM	95 LEVEL CM	3237,0101 litre	98,131 %	61,6622 litre	O
420	CM	50	CM	94 LEVEL CM	3217,8671 litre	97,550 %	80,8052 litre	O
420	CM	50	CM	93 LEVEL CM	3197,1648 litre	96,923 %	101,5075 litre	O
420	CM	50	CM	92 LEVEL CM	3175,0447 litre	96,252 %	123,6276 litre	O
420	CM	50	CM	91 LEVEL CM	3151,6227 litre	95,542 %	147,0496 litre	O
420	CM	50	CM	90 LEVEL CM	3126,9961 litre	94,796 %	171,6762 litre	O
420	CM	50	CM	89 LEVEL CM	3101,2487 litre	94,015 %	197,4236 litre	O
420	CM	50	CM	88 LEVEL CM	3074,4535 litre	93,203 %	224,2188 litre	O
420	CM	50	CM	87 LEVEL CM	3046,6756 litre	92,361 %	251,9967 litre	O
420	CM	50	CM	86 LEVEL CM	3017,9730 litre	91,491 %	280,6993 litre	O
420	CM	50	CM	85 LEVEL CM	2988,3985 litre	90,594 %	310,2738 litre	O
420	CM	50	CM	84 LEVEL CM	2958,0004 litre	89,672 %	340,6719 litre	O
420	CM	50	CM	83 LEVEL CM	2926,8229 litre	88,727 %	371,8494 litre	O
420	CM	50	CM	82 LEVEL CM	2894,9073 litre	87,760 %	403,7650 litre	O
420	CM	50	CM	81 LEVEL CM	2862,2918 litre	86,771 %	436,3805 litre	O
420	CM	50	CM	80 LEVEL CM	2829,0123 litre	85,762 %	469,6600 litre	O
420	CM	50	CM	79 LEVEL CM	2795,1027 litre	84,734 %	503,5696 litre	O
420	CM	50	CM	78 LEVEL CM	2760,5949 litre	83,688 %	538,0774 litre	O
420	CM	50	CM	77 LEVEL CM	2725,5192 litre	82,625 %	573,1531 litre	O
420	CM	50	CM	76 LEVEL CM	2689,9044 litre	81,545 %	608,7679 litre	O
420	CM	50	CM	75 LEVEL CM	2653,7782 litre	80,450 %	644,8941 litre	O
420	CM	50	CM	74 LEVEL CM	2617,1669 litre	79,340 %	681,5054 litre	O
420	CM	50	CM	73 LEVEL CM	2580,0959 litre	78,216 %	718,5764 litre	O
420	CM	50	CM	72 LEVEL CM	2542,5897 litre	77,079 %	756,0826 litre	O
420	CM	50	CM	71 LEVEL CM	2504,6719 litre	75,930 %	794,0004 litre	O
420	CM	50	CM	70 LEVEL CM	2466,3652 litre	74,768 %	832,3071 litre	O
420	CM	50	CM	69 LEVEL CM	2427,6919 litre	73,596 %	870,9804 litre	O
420	CM	50	CM	68 LEVEL CM	2388,6734 litre	72,413 %	909,9989 litre	O
420	CM	50	CM	67 LEVEL CM	2349,3308 litre	71,220 %	949,3415 litre	O
420	CM	50	CM	66 LEVEL CM	2309,6844 litre	70,019 %	988,9879 litre	O
420	CM	50	CM	65 LEVEL CM	2269,7543 litre	68,808 %	1028,9180 litre	O
420	CM	50	CM	64 LEVEL CM	2229,5600 litre	67,590 %	1069,1123 litre	O
420	CM	50	CM	63 LEVEL CM	2189,1206 litre	66,364 %	1109,5517 litre	O
420	CM	50	CM	62 LEVEL CM	2148,4551 litre	65,131 %	1150,2172 litre	O
420	CM	50	CM	61 LEVEL CM	2107,5818 litre	63,892 %	1191,0905 litre	O
420	CM	50	CM	60 LEVEL CM	2066,5191 litre	62,647 %	1232,1532 litre	O
420	CM	50	CM	59 LEVEL CM	2025,2849 litre	61,397 %	1273,3874 litre	O
420	CM	50	CM	58 LEVEL CM	1983,8970 litre	60,142 %	1314,7753 litre	O
420	CM	50	CM	57 LEVEL CM	1942,3729 litre	58,883 %	1356,2994 litre	O
420	CM	50	CM	56 LEVEL CM	1900,7300 litre	57,621 %	1397,9423 litre	O
420	CM	50	CM	55 LEVEL CM	1858,9856 litre	56,356 %	1439,6867 litre	O
420	CM	50	CM	54 LEVEL CM	1817,1568 litre	55,088 %	1481,5155 litre	O
420	CM	50	CM	53 LEVEL CM	1775,2605 litre	53,817 %	1523,4118 litre	O
420	CM	50	CM	52 LEVEL CM	1733,3137 litre	52,546 %	1565,3586 litre	O
420	CM	50	CM	51 LEVEL CM	1691,3333 litre	51,273 %	1607,3390 litre	O
420	CM	50	CM	50 LEVEL CM	1649,3361 litre	50,000 %	1649,3362 litre	O
420	CM	50	CM	49 LEVEL CM	1607,3389 litre	48,727 %	1691,3334 litre	O

420	CM	50	CM	48 LEVEL CM	1565,3585 litre	47,454 %	1733,3138 litre	O
420	CM	50	CM	47 LEVEL CM	1523,4118 litre	46,183 %	1775,2605 litre	O
420	CM	50	CM	46 LEVEL CM	1481,5155 litre	44,912 %	1817,1568 litre	O
420	CM	50	CM	45 LEVEL CM	1439,6867 litre	43,644 %	1858,9856 litre	O
420	CM	50	CM	44 LEVEL CM	1397,9423 litre	42,379 %	1900,7300 litre	O
420	CM	50	CM	43 LEVEL CM	1356,2994 litre	41,117 %	1942,3729 litre	O
420	CM	50	CM	42 LEVEL CM	1314,7753 litre	39,858 %	1983,8970 litre	O
420	CM	50	CM	41 LEVEL CM	1273,3874 litre	38,603 %	2025,2849 litre	O
420	CM	50	CM	40 LEVEL CM	1232,1532 litre	37,353 %	2066,5191 litre	O
420	CM	50	CM	39 LEVEL CM	1191,0905 litre	36,108 %	2107,5818 litre	O
420	CM	50	CM	38 LEVEL CM	1150,2172 litre	34,869 %	2148,4551 litre	O
420	CM	50	CM	37 LEVEL CM	1109,5517 litre	33,636 %	2189,1206 litre	O
420	CM	50	CM	36 LEVEL CM	1069,1123 litre	32,410 %	2229,5600 litre	O
420	CM	50	CM	35 LEVEL CM	1028,9180 litre	31,192 %	2269,7543 litre	O
420	CM	50	CM	34 LEVEL CM	988,9879 litre	29,981 %	2309,6844 litre	O
420	CM	50	CM	33 LEVEL CM	949,3415 litre	28,780 %	2349,3308 litre	O
420	CM	50	CM	32 LEVEL CM	909,9989 litre	27,587 %	2388,6734 litre	O
420	CM	50	CM	31 LEVEL CM	870,9804 litre	26,404 %	2427,6919 litre	O
420	CM	50	CM	30 LEVEL CM	832,3071 litre	25,232 %	2466,3652 litre	O
420	CM	50	CM	29 LEVEL CM	794,0004 litre	24,070 %	2504,6719 litre	O
420	CM	50	CM	28 LEVEL CM	756,0826 litre	22,921 %	2542,5897 litre	O
420	CM	50	CM	27 LEVEL CM	718,5763 litre	21,784 %	2580,0960 litre	O
420	CM	50	CM	26 LEVEL CM	681,5054 litre	20,660 %	2617,1669 litre	O
420	CM	50	CM	25 LEVEL CM	644,8941 litre	19,550 %	2653,7782 litre	O
420	CM	50	CM	24 LEVEL CM	608,7679 litre	18,455 %	2689,9044 litre	O
420	CM	50	CM	23 LEVEL CM	573,1531 litre	17,375 %	2725,5192 litre	O
420	CM	50	CM	22 LEVEL CM	538,0774 litre	16,312 %	2760,5949 litre	O
420	CM	50	CM	21 LEVEL CM	503,5696 litre	15,266 %	2795,1027 litre	O
420	CM	50	CM	20 LEVEL CM	469,6600 litre	14,238 %	2829,0123 litre	O
420	CM	50	CM	19 LEVEL CM	436,3805 litre	13,229 %	2862,2918 litre	O
420	CM	50	CM	18 LEVEL CM	403,7650 litre	12,240 %	2894,9073 litre	O
420	CM	50	CM	17 LEVEL CM	371,8494 litre	11,273 %	2926,8229 litre	O
420	CM	50	CM	16 LEVEL CM	340,6719 litre	10,328 %	2958,0004 litre	O
420	CM	50	CM	15 LEVEL CM	310,2738 litre	9,406 %	2988,3985 litre	O
420	CM	50	CM	14 LEVEL CM	280,6993 litre	8,509 %	3017,9730 litre	O
420	CM	50	CM	13 LEVEL CM	251,9967 litre	7,639 %	3046,6756 litre	O
420	CM	50	CM	12 LEVEL CM	224,2188 litre	6,797 %	3074,4535 litre	O
420	CM	50	CM	11 LEVEL CM	197,4236 litre	5,985 %	3101,2487 litre	O
420	CM	50	CM	10 LEVEL CM	171,6762 litre	5,204 %	3126,9961 litre	O
420	CM	50	CM	9 LEVEL CM	147,0496 litre	4,458 %	3151,6227 litre	O
420	CM	50	CM	8 LEVEL CM	123,6276 litre	3,748 %	3175,0447 litre	O
420	CM	50	CM	7 LEVEL CM	101,5075 litre	3,077 %	3197,1648 litre	O
420	CM	50	CM	6 LEVEL CM	80,8051 litre	2,450 %	3217,8672 litre	O
420	CM	50	CM	5 LEVEL CM	61,6622 litre	1,869 %	3237,0101 litre	O
420	CM	50	CM	4 LEVEL CM	44,2585 litre	1,342 %	3254,4138 litre	O
420	CM	50	CM	3 LEVEL CM	28,8351 litre	0,874 %	3269,8372 litre	O
420	CM	50	CM	2 LEVEL CM	15,7438 litre	0,477 %	3282,9285 litre	O
420	CM	50	CM	1 LEVEL CM	5,5832 litre	0,169 %	3293,0891 litre	O
420	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3298,6723 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM	150	CM 300 LEVEL CM	28981,1922 litre	100,000 %	0,0000 litre	O
410	CM	150	CM 299 LEVEL CM	28971,7332 litre	99,967 %	9,4590 litre	O
410	CM	150	CM 298 LEVEL CM	28954,4648 litre	99,908 %	26,7274 litre	O
410	CM	150	CM 297 LEVEL CM	28932,1401 litre	99,831 %	49,0521 litre	O
410	CM	150	CM 296 LEVEL CM	28905,7476 litre	99,740 %	75,4446 litre	O
410	CM	150	CM 295 LEVEL CM	28875,8616 litre	99,637 %	105,3306 litre	O
410	CM	150	CM 294 LEVEL CM	28842,8716 litre	99,523 %	138,3206 litre	O
410	CM	150	CM 293 LEVEL CM	28807,0650 litre	99,399 %	174,1272 litre	O
410	CM	150	CM 292 LEVEL CM	28768,6658 litre	99,267 %	212,5264 litre	O
410	CM	150	CM 291 LEVEL CM	28727,8549 litre	99,126 %	253,3373 litre	O
410	CM	150	CM 290 LEVEL CM	28684,7828 litre	98,977 %	296,4094 litre	O
410	CM	150	CM 289 LEVEL CM	28639,5776 litre	98,821 %	341,6146 litre	O
410	CM	150	CM 288 LEVEL CM	28592,3497 litre	98,658 %	388,8425 litre	O
410	CM	150	CM 287 LEVEL CM	28543,1960 litre	98,489 %	437,9962 litre	O
410	CM	150	CM 286 LEVEL CM	28492,2024 litre	98,313 %	488,9898 litre	O
410	CM	150	CM 285 LEVEL CM	28439,4457 litre	98,131 %	541,7465 litre	O
410	CM	150	CM 284 LEVEL CM	28384,9955 litre	97,943 %	596,1967 litre	O
410	CM	150	CM 283 LEVEL CM	28328,9147 litre	97,749 %	652,2775 litre	O
410	CM	150	CM 282 LEVEL CM	28271,2613 litre	97,550 %	709,9309 litre	O
410	CM	150	CM 281 LEVEL CM	28212,0882 litre	97,346 %	769,1040 litre	O
410	CM	150	CM 280 LEVEL CM	28151,4448 litre	97,137 %	829,7474 litre	O
410	CM	150	CM 279 LEVEL CM	28089,3766 litre	96,923 %	891,8156 litre	O
410	CM	150	CM 278 LEVEL CM	28025,9262 litre	96,704 %	955,2660 litre	O
410	CM	150	CM 277 LEVEL CM	27961,1334 litre	96,480 %	1020,0588 litre	O
410	CM	150	CM 276 LEVEL CM	27895,0358 litre	96,252 %	1086,1564 litre	O
410	CM	150	CM 275 LEVEL CM	27827,6686 litre	96,020 %	1153,5236 litre	O
410	CM	150	CM 274 LEVEL CM	27759,0650 litre	95,783 %	1222,1272 litre	O
410	CM	150	CM 273 LEVEL CM	27689,2566 litre	95,542 %	1291,9356 litre	O
410	CM	150	CM 272 LEVEL CM	27618,2733 litre	95,297 %	1362,9189 litre	O
410	CM	150	CM 271 LEVEL CM	27546,1436 litre	95,048 %	1435,0486 litre	O
410	CM	150	CM 270 LEVEL CM	27472,8945 litre	94,796 %	1508,2977 litre	O
410	CM	150	CM 269 LEVEL CM	27398,5520 litre	94,539 %	1582,6402 litre	O
410	CM	150	CM 268 LEVEL CM	27323,1409 litre	94,279 %	1658,0513 litre	O
410	CM	150	CM 267 LEVEL CM	27246,6848 litre	94,015 %	1734,5074 litre	O
410	CM	150	CM 266 LEVEL CM	27169,2065 litre	93,748 %	1811,9857 litre	O
410	CM	150	CM 265 LEVEL CM	27090,7280 litre	93,477 %	1890,4642 litre	O
410	CM	150	CM 264 LEVEL CM	27011,2703 litre	93,203 %	1969,9219 litre	O
410	CM	150	CM 263 LEVEL CM	26930,8536 litre	92,925 %	2050,3386 litre	O
410	CM	150	CM 262 LEVEL CM	26849,4975 litre	92,645 %	2131,6947 litre	O
410	CM	150	CM 261 LEVEL CM	26767,2210 litre	92,361 %	2213,9712 litre	O
410	CM	150	CM 260 LEVEL CM	26684,0422 litre	92,074 %	2297,1500 litre	O
410	CM	150	CM 259 LEVEL CM	26599,9789 litre	91,784 %	2381,2133 litre	O
410	CM	150	CM 258 LEVEL CM	26515,0482 litre	91,491 %	2466,1440 litre	O
410	CM	150	CM 257 LEVEL CM	26429,2668 litre	91,195 %	2551,9254 litre	O
410	CM	150	CM 256 LEVEL CM	26342,6506 litre	90,896 %	2638,5416 litre	O
410	CM	150	CM 255 LEVEL CM	26255,2154 litre	90,594 %	2725,9768 litre	O
410	CM	150	CM 254 LEVEL CM	26166,9765 litre	90,290 %	2814,2157 litre	O
410	CM	150	CM 253 LEVEL CM	26077,9485 litre	89,982 %	2903,2437 litre	O
410	CM	150	CM 252 LEVEL CM	25988,1460 litre	89,672 %	2993,0462 litre	O
410	CM	150	CM 251 LEVEL CM	25897,5830 litre	89,360 %	3083,6092 litre	O
410	CM	150	CM 250 LEVEL CM	25806,2731 litre	89,045 %	3174,9191 litre	O
410	CM	150	CM 249 LEVEL CM	25714,2298 litre	88,727 %	3266,9624 litre	O

410	CM	150	CM	248 LEVEL CM	25621,4661 litre	88,407 %	3359,7261 litre	O
410	CM	150	CM	247 LEVEL CM	25527,9947 litre	88,085 %	3453,1975 litre	O
410	CM	150	CM	246 LEVEL CM	25433,8281 litre	87,760 %	3547,3641 litre	O
410	CM	150	CM	245 LEVEL CM	25338,9785 litre	87,432 %	3642,2137 litre	O
410	CM	150	CM	244 LEVEL CM	25243,4577 litre	87,103 %	3737,7345 litre	O
410	CM	150	CM	243 LEVEL CM	25147,2776 litre	86,771 %	3833,9146 litre	O
410	CM	150	CM	242 LEVEL CM	25050,4495 litre	86,437 %	3930,7427 litre	O
410	CM	150	CM	241 LEVEL CM	24952,9846 litre	86,101 %	4028,2076 litre	O
410	CM	150	CM	240 LEVEL CM	24854,8938 litre	85,762 %	4126,2984 litre	O
410	CM	150	CM	239 LEVEL CM	24756,1881 litre	85,422 %	4225,0041 litre	O
410	CM	150	CM	238 LEVEL CM	24656,8779 litre	85,079 %	4324,3143 litre	O
410	CM	150	CM	237 LEVEL CM	24556,9737 litre	84,734 %	4424,2185 litre	O
410	CM	150	CM	236 LEVEL CM	24456,4857 litre	84,387 %	4524,7065 litre	O
410	CM	150	CM	235 LEVEL CM	24355,4238 litre	84,039 %	4625,7684 litre	O
410	CM	150	CM	234 LEVEL CM	24253,7979 litre	83,688 %	4727,3943 litre	O
410	CM	150	CM	233 LEVEL CM	24151,6178 litre	83,335 %	4829,5744 litre	O
410	CM	150	CM	232 LEVEL CM	24048,8929 litre	82,981 %	4932,2993 litre	O
410	CM	150	CM	231 LEVEL CM	23945,6327 litre	82,625 %	5035,5595 litre	O
410	CM	150	CM	230 LEVEL CM	23841,8464 litre	82,267 %	5139,3458 litre	O
410	CM	150	CM	229 LEVEL CM	23737,5431 litre	81,907 %	5243,6491 litre	O
410	CM	150	CM	228 LEVEL CM	23632,7317 litre	81,545 %	5348,4605 litre	O
410	CM	150	CM	227 LEVEL CM	23527,4211 litre	81,182 %	5453,7711 litre	O
410	CM	150	CM	226 LEVEL CM	23421,6200 litre	80,817 %	5559,5722 litre	O
410	CM	150	CM	225 LEVEL CM	23315,3370 litre	80,450 %	5665,8552 litre	O
410	CM	150	CM	224 LEVEL CM	23208,5806 litre	80,082 %	5772,6116 litre	O
410	CM	150	CM	223 LEVEL CM	23101,3590 litre	79,712 %	5879,8332 litre	O
410	CM	150	CM	222 LEVEL CM	22993,6807 litre	79,340 %	5987,5115 litre	O
410	CM	150	CM	221 LEVEL CM	22885,5537 litre	78,967 %	6095,6385 litre	O
410	CM	150	CM	220 LEVEL CM	22776,9861 litre	78,592 %	6204,2061 litre	O
410	CM	150	CM	219 LEVEL CM	22667,9857 litre	78,216 %	6313,2065 litre	O
410	CM	150	CM	218 LEVEL CM	22558,5606 litre	77,839 %	6422,6316 litre	O
410	CM	150	CM	217 LEVEL CM	22448,7184 litre	77,460 %	6532,4738 litre	O
410	CM	150	CM	216 LEVEL CM	22338,4668 litre	77,079 %	6642,7254 litre	O
410	CM	150	CM	215 LEVEL CM	22227,8135 litre	76,697 %	6753,3787 litre	O
410	CM	150	CM	214 LEVEL CM	22116,7658 litre	76,314 %	6864,4264 litre	O
410	CM	150	CM	213 LEVEL CM	22005,3313 litre	75,930 %	6975,8609 litre	O
410	CM	150	CM	212 LEVEL CM	21893,5173 litre	75,544 %	7087,6749 litre	O
410	CM	150	CM	211 LEVEL CM	21781,3311 litre	75,157 %	7199,8611 litre	O
410	CM	150	CM	210 LEVEL CM	21668,7799 litre	74,768 %	7312,4123 litre	O
410	CM	150	CM	209 LEVEL CM	21555,8708 litre	74,379 %	7425,3214 litre	O
410	CM	150	CM	208 LEVEL CM	21442,6108 litre	73,988 %	7538,5814 litre	O
410	CM	150	CM	207 LEVEL CM	21329,0071 litre	73,596 %	7652,1851 litre	O
410	CM	150	CM	206 LEVEL CM	21215,0665 litre	73,203 %	7766,1257 litre	O
410	CM	150	CM	205 LEVEL CM	21100,7958 litre	72,809 %	7880,3964 litre	O
410	CM	150	CM	204 LEVEL CM	20986,2020 litre	72,413 %	7994,9902 litre	O
410	CM	150	CM	203 LEVEL CM	20871,2918 litre	72,017 %	8109,9004 litre	O
410	CM	150	CM	202 LEVEL CM	20756,0719 litre	71,619 %	8225,1203 litre	O
410	CM	150	CM	201 LEVEL CM	20640,5489 litre	71,220 %	8340,6433 litre	O
410	CM	150	CM	200 LEVEL CM	20524,7294 litre	70,821 %	8456,4628 litre	O
410	CM	150	CM	199 LEVEL CM	20408,6200 litre	70,420 %	8572,5722 litre	O
410	CM	150	CM	198 LEVEL CM	20292,2272 litre	70,019 %	8688,9650 litre	O
410	CM	150	CM	197 LEVEL CM	20175,5575 litre	69,616 %	8805,6347 litre	O
410	CM	150	CM	196 LEVEL CM	20058,6171 litre	69,213 %	8922,5751 litre	O

410	CM	150	CM	195 LEVEL CM	19941,4126 litre	68,808 %	9039,7796 litre	O
410	CM	150	CM	194 LEVEL CM	19823,9502 litre	68,403 %	9157,2420 litre	O
410	CM	150	CM	193 LEVEL CM	19706,2362 litre	67,997 %	9274,9560 litre	O
410	CM	150	CM	192 LEVEL CM	19588,2768 litre	67,590 %	9392,9154 litre	O
410	CM	150	CM	191 LEVEL CM	19470,0782 litre	67,182 %	9511,1140 litre	O
410	CM	150	CM	190 LEVEL CM	19351,6467 litre	66,773 %	9629,5455 litre	O
410	CM	150	CM	189 LEVEL CM	19232,9882 litre	66,364 %	9748,2040 litre	O
410	CM	150	CM	188 LEVEL CM	19114,1090 litre	65,953 %	9867,0832 litre	O
410	CM	150	CM	187 LEVEL CM	18995,0150 litre	65,543 %	9986,1772 litre	O
410	CM	150	CM	186 LEVEL CM	18875,7123 litre	65,131 %	10105,4799 litre	O
410	CM	150	CM	185 LEVEL CM	18756,2068 litre	64,719 %	10224,9854 litre	O
410	CM	150	CM	184 LEVEL CM	18636,5046 litre	64,306 %	10344,6876 litre	O
410	CM	150	CM	183 LEVEL CM	18516,6116 litre	63,892 %	10464,5806 litre	O
410	CM	150	CM	182 LEVEL CM	18396,5336 litre	63,477 %	10584,6586 litre	O
410	CM	150	CM	181 LEVEL CM	18276,2766 litre	63,063 %	10704,9156 litre	O
410	CM	150	CM	180 LEVEL CM	18155,8464 litre	62,647 %	10825,3458 litre	O
410	CM	150	CM	179 LEVEL CM	18035,2487 litre	62,231 %	10945,9435 litre	O
410	CM	150	CM	178 LEVEL CM	17914,4895 litre	61,814 %	11066,7027 litre	O
410	CM	150	CM	177 LEVEL CM	17793,5745 litre	61,397 %	11187,6177 litre	O
410	CM	150	CM	176 LEVEL CM	17672,5095 litre	60,979 %	11308,6827 litre	O
410	CM	150	CM	175 LEVEL CM	17551,3001 litre	60,561 %	11429,8921 litre	O
410	CM	150	CM	174 LEVEL CM	17429,9521 litre	60,142 %	11551,2401 litre	O
410	CM	150	CM	173 LEVEL CM	17308,4712 litre	59,723 %	11672,7210 litre	O
410	CM	150	CM	172 LEVEL CM	17186,8631 litre	59,304 %	11794,3291 litre	O
410	CM	150	CM	171 LEVEL CM	17065,1333 litre	58,883 %	11916,0589 litre	O
410	CM	150	CM	170 LEVEL CM	16943,2877 litre	58,463 %	12037,9045 litre	O
410	CM	150	CM	169 LEVEL CM	16821,3317 litre	58,042 %	12159,8605 litre	O
410	CM	150	CM	168 LEVEL CM	16699,2710 litre	57,621 %	12281,9212 litre	O
410	CM	150	CM	167 LEVEL CM	16577,1112 litre	57,200 %	12404,0810 litre	O
410	CM	150	CM	166 LEVEL CM	16454,8578 litre	56,778 %	12526,3344 litre	O
410	CM	150	CM	165 LEVEL CM	16332,5165 litre	56,356 %	12648,6757 litre	O
410	CM	150	CM	164 LEVEL CM	16210,0927 litre	55,933 %	12771,0995 litre	O
410	CM	150	CM	163 LEVEL CM	16087,5921 litre	55,510 %	12893,6001 litre	O
410	CM	150	CM	162 LEVEL CM	15965,0202 litre	55,088 %	13016,1720 litre	O
410	CM	150	CM	161 LEVEL CM	15842,3824 litre	54,664 %	13138,8098 litre	O
410	CM	150	CM	160 LEVEL CM	15719,6844 litre	54,241 %	13261,5078 litre	O
410	CM	150	CM	159 LEVEL CM	15596,9316 litre	53,817 %	13384,2606 litre	O
410	CM	150	CM	158 LEVEL CM	15474,1294 litre	53,394 %	13507,0628 litre	O
410	CM	150	CM	157 LEVEL CM	15351,2835 litre	52,970 %	13629,9087 litre	O
410	CM	150	CM	156 LEVEL CM	15228,3993 litre	52,546 %	13752,7929 litre	O
410	CM	150	CM	155 LEVEL CM	15105,4822 litre	52,122 %	13875,7100 litre	O
410	CM	150	CM	154 LEVEL CM	14982,5378 litre	51,697 %	13998,6544 litre	O
410	CM	150	CM	153 LEVEL CM	14859,5715 litre	51,273 %	14121,6207 litre	O
410	CM	150	CM	152 LEVEL CM	14736,5888 litre	50,849 %	14244,6034 litre	O
410	CM	150	CM	151 LEVEL CM	14613,5952 litre	50,424 %	14367,5970 litre	O
410	CM	150	CM	150 LEVEL CM	14490,5961 litre	50,000 %	14490,5961 litre	O
410	CM	150	CM	149 LEVEL CM	14367,5970 litre	49,576 %	14613,5952 litre	O
410	CM	150	CM	148 LEVEL CM	14244,6034 litre	49,151 %	14736,5888 litre	O
410	CM	150	CM	147 LEVEL CM	14121,6207 litre	48,727 %	14859,5715 litre	O
410	CM	150	CM	146 LEVEL CM	13998,6544 litre	48,303 %	14982,5378 litre	O
410	CM	150	CM	145 LEVEL CM	13875,7100 litre	47,878 %	15105,4822 litre	O
410	CM	150	CM	144 LEVEL CM	13752,7930 litre	47,454 %	15228,3992 litre	O
410	CM	150	CM	143 LEVEL CM	13629,9087 litre	47,030 %	15351,2835 litre	O

410	CM	150	CM	142 LEVEL CM	13507,0628 litre	46,606 %	15474,1294 litre	O
410	CM	150	CM	141 LEVEL CM	13384,2607 litre	46,183 %	15596,9315 litre	O
410	CM	150	CM	140 LEVEL CM	13261,5078 litre	45,759 %	15719,6844 litre	O
410	CM	150	CM	139 LEVEL CM	13138,8098 litre	45,336 %	15842,3824 litre	O
410	CM	150	CM	138 LEVEL CM	13016,1720 litre	44,912 %	15965,0202 litre	O
410	CM	150	CM	137 LEVEL CM	12893,6001 litre	44,490 %	16087,5921 litre	O
410	CM	150	CM	136 LEVEL CM	12771,0995 litre	44,067 %	16210,0927 litre	O
410	CM	150	CM	135 LEVEL CM	12648,6757 litre	43,644 %	16332,5165 litre	O
410	CM	150	CM	134 LEVEL CM	12526,3344 litre	43,222 %	16454,8578 litre	O
410	CM	150	CM	133 LEVEL CM	12404,0811 litre	42,800 %	16577,1111 litre	O
410	CM	150	CM	132 LEVEL CM	12281,9213 litre	42,379 %	16699,2709 litre	O
410	CM	150	CM	131 LEVEL CM	12159,8606 litre	41,958 %	16821,3316 litre	O
410	CM	150	CM	130 LEVEL CM	12037,9046 litre	41,537 %	16943,2876 litre	O
410	CM	150	CM	129 LEVEL CM	11916,0589 litre	41,117 %	17065,1333 litre	O
410	CM	150	CM	128 LEVEL CM	11794,3292 litre	40,696 %	17186,8630 litre	O
410	CM	150	CM	127 LEVEL CM	11672,7210 litre	40,277 %	17308,4712 litre	O
410	CM	150	CM	126 LEVEL CM	11551,2401 litre	39,858 %	17429,9521 litre	O
410	CM	150	CM	125 LEVEL CM	11429,8921 litre	39,439 %	17551,3001 litre	O
410	CM	150	CM	124 LEVEL CM	11308,6828 litre	39,021 %	17672,5094 litre	O
410	CM	150	CM	123 LEVEL CM	11187,6177 litre	38,603 %	17793,5745 litre	O
410	CM	150	CM	122 LEVEL CM	11066,7027 litre	38,186 %	17914,4895 litre	O
410	CM	150	CM	121 LEVEL CM	10945,9435 litre	37,769 %	18035,2487 litre	O
410	CM	150	CM	120 LEVEL CM	10825,3459 litre	37,353 %	18155,8463 litre	O
410	CM	150	CM	119 LEVEL CM	10704,9156 litre	36,937 %	18276,2766 litre	O
410	CM	150	CM	118 LEVEL CM	10584,6586 litre	36,523 %	18396,5336 litre	O
410	CM	150	CM	117 LEVEL CM	10464,5806 litre	36,108 %	18516,6116 litre	O
410	CM	150	CM	116 LEVEL CM	10344,6876 litre	35,694 %	18636,5046 litre	O
410	CM	150	CM	115 LEVEL CM	10224,9854 litre	35,281 %	18756,2068 litre	O
410	CM	150	CM	114 LEVEL CM	10105,4800 litre	34,869 %	18875,7122 litre	O
410	CM	150	CM	113 LEVEL CM	9986,1773 litre	34,457 %	18995,0149 litre	O
410	CM	150	CM	112 LEVEL CM	9867,0833 litre	34,047 %	19114,1089 litre	O
410	CM	150	CM	111 LEVEL CM	9748,2040 litre	33,636 %	19232,9882 litre	O
410	CM	150	CM	110 LEVEL CM	9629,5456 litre	33,227 %	19351,6466 litre	O
410	CM	150	CM	109 LEVEL CM	9511,1140 litre	32,818 %	19470,0782 litre	O
410	CM	150	CM	108 LEVEL CM	9392,9155 litre	32,410 %	19588,2767 litre	O
410	CM	150	CM	107 LEVEL CM	9274,9561 litre	32,003 %	19706,2361 litre	O
410	CM	150	CM	106 LEVEL CM	9157,2421 litre	31,597 %	19823,9501 litre	O
410	CM	150	CM	105 LEVEL CM	9039,7796 litre	31,192 %	19941,4126 litre	O
410	CM	150	CM	104 LEVEL CM	8922,5751 litre	30,787 %	20058,6171 litre	O
410	CM	150	CM	103 LEVEL CM	8805,6348 litre	30,384 %	20175,5574 litre	O
410	CM	150	CM	102 LEVEL CM	8688,9650 litre	29,981 %	20292,2272 litre	O
410	CM	150	CM	101 LEVEL CM	8572,5722 litre	29,580 %	20408,6200 litre	O
410	CM	150	CM	100 LEVEL CM	8456,4628 litre	29,179 %	20524,7294 litre	O
410	CM	150	CM	99 LEVEL CM	8340,6434 litre	28,780 %	20640,5488 litre	O
410	CM	150	CM	98 LEVEL CM	8225,1204 litre	28,381 %	20756,0718 litre	O
410	CM	150	CM	97 LEVEL CM	8109,9004 litre	27,983 %	20871,2918 litre	O
410	CM	150	CM	96 LEVEL CM	7994,9902 litre	27,587 %	20986,2020 litre	O
410	CM	150	CM	95 LEVEL CM	7880,3964 litre	27,191 %	21100,7958 litre	O
410	CM	150	CM	94 LEVEL CM	7766,1258 litre	26,797 %	21215,0664 litre	O
410	CM	150	CM	93 LEVEL CM	7652,1852 litre	26,404 %	21329,0070 litre	O
410	CM	150	CM	92 LEVEL CM	7538,5814 litre	26,012 %	21442,6108 litre	O
410	CM	150	CM	91 LEVEL CM	7425,3215 litre	25,621 %	21555,8707 litre	O
410	CM	150	CM	90 LEVEL CM	7312,4123 litre	25,232 %	21668,7799 litre	O

410	CM	150	CM	89 LEVEL CM	7199,8611 litre	24,843 %	21781,3311 litre	O
410	CM	150	CM	88 LEVEL CM	7087,6749 litre	24,456 %	21893,5173 litre	O
410	CM	150	CM	87 LEVEL CM	6975,8609 litre	24,070 %	22005,3313 litre	O
410	CM	150	CM	86 LEVEL CM	6864,4264 litre	23,686 %	22116,7658 litre	O
410	CM	150	CM	85 LEVEL CM	6753,3788 litre	23,303 %	22227,8134 litre	O
410	CM	150	CM	84 LEVEL CM	6642,7254 litre	22,921 %	22338,4668 litre	O
410	CM	150	CM	83 LEVEL CM	6532,4738 litre	22,540 %	22448,7184 litre	O
410	CM	150	CM	82 LEVEL CM	6422,6316 litre	22,161 %	22558,5606 litre	O
410	CM	150	CM	81 LEVEL CM	6313,2065 litre	21,784 %	22667,9857 litre	O
410	CM	150	CM	80 LEVEL CM	6204,2062 litre	21,408 %	22776,9860 litre	O
410	CM	150	CM	79 LEVEL CM	6095,6385 litre	21,033 %	22885,5537 litre	O
410	CM	150	CM	78 LEVEL CM	5987,5115 litre	20,660 %	22993,6807 litre	O
410	CM	150	CM	77 LEVEL CM	5879,8332 litre	20,288 %	23101,3590 litre	O
410	CM	150	CM	76 LEVEL CM	5772,6117 litre	19,918 %	23208,5805 litre	O
410	CM	150	CM	75 LEVEL CM	5665,8552 litre	19,550 %	23315,3370 litre	O
410	CM	150	CM	74 LEVEL CM	5559,5722 litre	19,183 %	23421,6200 litre	O
410	CM	150	CM	73 LEVEL CM	5453,7711 litre	18,818 %	23527,4211 litre	O
410	CM	150	CM	72 LEVEL CM	5348,4605 litre	18,455 %	23632,7317 litre	O
410	CM	150	CM	71 LEVEL CM	5243,6492 litre	18,093 %	23737,5430 litre	O
410	CM	150	CM	70 LEVEL CM	5139,3458 litre	17,733 %	23841,8464 litre	O
410	CM	150	CM	69 LEVEL CM	5035,5595 litre	17,375 %	23945,6327 litre	O
410	CM	150	CM	68 LEVEL CM	4932,2993 litre	17,019 %	24048,8929 litre	O
410	CM	150	CM	67 LEVEL CM	4829,5744 litre	16,665 %	24151,6178 litre	O
410	CM	150	CM	66 LEVEL CM	4727,3943 litre	16,312 %	24253,7979 litre	O
410	CM	150	CM	65 LEVEL CM	4625,7684 litre	15,961 %	24355,4238 litre	O
410	CM	150	CM	64 LEVEL CM	4524,7066 litre	15,613 %	24456,4856 litre	O
410	CM	150	CM	63 LEVEL CM	4424,2185 litre	15,266 %	24556,9737 litre	O
410	CM	150	CM	62 LEVEL CM	4324,3143 litre	14,921 %	24656,8779 litre	O
410	CM	150	CM	61 LEVEL CM	4225,0041 litre	14,578 %	24756,1881 litre	O
410	CM	150	CM	60 LEVEL CM	4126,2984 litre	14,238 %	24854,8938 litre	O
410	CM	150	CM	59 LEVEL CM	4028,2077 litre	13,899 %	24952,9845 litre	O
410	CM	150	CM	58 LEVEL CM	3930,7428 litre	13,563 %	25050,4494 litre	O
410	CM	150	CM	57 LEVEL CM	3833,9146 litre	13,229 %	25147,2776 litre	O
410	CM	150	CM	56 LEVEL CM	3737,7345 litre	12,897 %	25243,4577 litre	O
410	CM	150	CM	55 LEVEL CM	3642,2138 litre	12,568 %	25338,9784 litre	O
410	CM	150	CM	54 LEVEL CM	3547,3642 litre	12,240 %	25433,8280 litre	O
410	CM	150	CM	53 LEVEL CM	3453,1976 litre	11,915 %	25527,9946 litre	O
410	CM	150	CM	52 LEVEL CM	3359,7262 litre	11,593 %	25621,4660 litre	O
410	CM	150	CM	51 LEVEL CM	3266,9624 litre	11,273 %	25714,2298 litre	O
410	CM	150	CM	50 LEVEL CM	3174,9191 litre	10,955 %	25806,2731 litre	O
410	CM	150	CM	49 LEVEL CM	3083,6093 litre	10,640 %	25897,5829 litre	O
410	CM	150	CM	48 LEVEL CM	2993,0462 litre	10,328 %	25988,1460 litre	O
410	CM	150	CM	47 LEVEL CM	2903,2437 litre	10,018 %	26077,9485 litre	O
410	CM	150	CM	46 LEVEL CM	2814,2158 litre	9,710 %	26166,9764 litre	O
410	CM	150	CM	45 LEVEL CM	2725,9768 litre	9,406 %	26255,2154 litre	O
410	CM	150	CM	44 LEVEL CM	2638,5416 litre	9,104 %	26342,6506 litre	O
410	CM	150	CM	43 LEVEL CM	2551,9255 litre	8,805 %	26429,2667 litre	O
410	CM	150	CM	42 LEVEL CM	2466,1440 litre	8,509 %	26515,0482 litre	O
410	CM	150	CM	41 LEVEL CM	2381,2133 litre	8,216 %	26599,9789 litre	O
410	CM	150	CM	40 LEVEL CM	2297,1500 litre	7,926 %	26684,0422 litre	O
410	CM	150	CM	39 LEVEL CM	2213,9713 litre	7,639 %	26767,2209 litre	O
410	CM	150	CM	38 LEVEL CM	2131,6947 litre	7,355 %	26849,4975 litre	O
410	CM	150	CM	37 LEVEL CM	2050,3387 litre	7,075 %	26930,8535 litre	O

410	CM	150	CM	36 LEVEL CM	1969,9220 litre	6,797 %	27011,2702 litre	O
410	CM	150	CM	35 LEVEL CM	1890,4642 litre	6,523 %	27090,7280 litre	O
410	CM	150	CM	34 LEVEL CM	1811,9857 litre	6,252 %	27169,2065 litre	O
410	CM	150	CM	33 LEVEL CM	1734,5075 litre	5,985 %	27246,6847 litre	O
410	CM	150	CM	32 LEVEL CM	1658,0514 litre	5,721 %	27323,1408 litre	O
410	CM	150	CM	31 LEVEL CM	1582,6402 litre	5,461 %	27398,5520 litre	O
410	CM	150	CM	30 LEVEL CM	1508,2977 litre	5,204 %	27472,8945 litre	O
410	CM	150	CM	29 LEVEL CM	1435,0487 litre	4,952 %	27546,1435 litre	O
410	CM	150	CM	28 LEVEL CM	1362,9189 litre	4,703 %	27618,2733 litre	O
410	CM	150	CM	27 LEVEL CM	1291,9356 litre	4,458 %	27689,2566 litre	O
410	CM	150	CM	26 LEVEL CM	1222,1272 litre	4,217 %	27759,0650 litre	O
410	CM	150	CM	25 LEVEL CM	1153,5236 litre	3,980 %	27827,6686 litre	O
410	CM	150	CM	24 LEVEL CM	1086,1564 litre	3,748 %	27895,0358 litre	O
410	CM	150	CM	23 LEVEL CM	1020,0588 litre	3,520 %	27961,1334 litre	O
410	CM	150	CM	22 LEVEL CM	955,2661 litre	3,296 %	28025,9261 litre	O
410	CM	150	CM	21 LEVEL CM	891,8157 litre	3,077 %	28089,3765 litre	O
410	CM	150	CM	20 LEVEL CM	829,7475 litre	2,863 %	28151,4447 litre	O
410	CM	150	CM	19 LEVEL CM	769,1040 litre	2,654 %	28212,0882 litre	O
410	CM	150	CM	18 LEVEL CM	709,9310 litre	2,450 %	28271,2612 litre	O
410	CM	150	CM	17 LEVEL CM	652,2775 litre	2,251 %	28328,9147 litre	O
410	CM	150	CM	16 LEVEL CM	596,1967 litre	2,057 %	28384,9955 litre	O
410	CM	150	CM	15 LEVEL CM	541,7465 litre	1,869 %	28439,4457 litre	O
410	CM	150	CM	14 LEVEL CM	488,9898 litre	1,687 %	28492,2024 litre	O
410	CM	150	CM	13 LEVEL CM	437,9962 litre	1,511 %	28543,1960 litre	O
410	CM	150	CM	12 LEVEL CM	388,8425 litre	1,342 %	28592,3497 litre	O
410	CM	150	CM	11 LEVEL CM	341,6146 litre	1,179 %	28639,5776 litre	O
410	CM	150	CM	10 LEVEL CM	296,4094 litre	1,023 %	28684,7828 litre	O
410	CM	150	CM	9 LEVEL CM	253,3374 litre	0,874 %	28727,8548 litre	O
410	CM	150	CM	8 LEVEL CM	212,5265 litre	0,733 %	28768,6657 litre	O
410	CM	150	CM	7 LEVEL CM	174,1272 litre	0,601 %	28807,0650 litre	O
410	CM	150	CM	6 LEVEL CM	138,3207 litre	0,477 %	28842,8715 litre	O
410	CM	150	CM	5 LEVEL CM	105,3307 litre	0,363 %	28875,8615 litre	O
410	CM	150	CM	4 LEVEL CM	75,4446 litre	0,260 %	28905,7476 litre	O
410	CM	150	CM	3 LEVEL CM	49,0521 litre	0,169 %	28932,1401 litre	O
410	CM	150	CM	2 LEVEL CM	26,7275 litre	0,092 %	28954,4647 litre	O
410	CM	150	CM	1 LEVEL CM	9,4591 litre	0,033 %	28971,7331 litre	O
410	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	28981,1922 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM 145	CM 290 LEVEL CM	27081,3141 litre	100,000 %	0,0000 litre	O
410	CM 145	CM 289 LEVEL CM	27072,0143 litre	99,966 %	9,2998 litre	O
410	CM 145	CM 288 LEVEL CM	27055,0377 litre	99,903 %	26,2764 litre	O
410	CM 145	CM 287 LEVEL CM	27033,0914 litre	99,822 %	48,2227 litre	O
410	CM 145	CM 286 LEVEL CM	27007,1478 litre	99,726 %	74,1663 litre	O
410	CM 145	CM 285 LEVEL CM	26977,7719 litre	99,618 %	103,5422 litre	O
410	CM 145	CM 284 LEVEL CM	26945,3468 litre	99,498 %	135,9673 litre	O
410	CM 145	CM 283 LEVEL CM	26910,1555 litre	99,368 %	171,1586 litre	O
410	CM 145	CM 282 LEVEL CM	26872,4184 litre	99,229 %	208,8957 litre	O
410	CM 145	CM 281 LEVEL CM	26832,3136 litre	99,081 %	249,0005 litre	O
410	CM 145	CM 280 LEVEL CM	26789,9895 litre	98,924 %	291,3246 litre	O
410	CM 145	CM 279 LEVEL CM	26745,5719 litre	98,760 %	335,7422 litre	O
410	CM 145	CM 278 LEVEL CM	26699,1697 litre	98,589 %	382,1444 litre	O
410	CM 145	CM 277 LEVEL CM	26650,8784 litre	98,411 %	430,4357 litre	O
410	CM 145	CM 276 LEVEL CM	26600,7827 litre	98,226 %	480,5314 litre	O
410	CM 145	CM 275 LEVEL CM	26548,9582 litre	98,034 %	532,3559 litre	O
410	CM 145	CM 274 LEVEL CM	26495,4735 litre	97,837 %	585,8406 litre	O
410	CM 145	CM 273 LEVEL CM	26440,3907 litre	97,633 %	640,9234 litre	O
410	CM 145	CM 272 LEVEL CM	26383,7668 litre	97,424 %	697,5473 litre	O
410	CM 145	CM 271 LEVEL CM	26325,6543 litre	97,210 %	755,6598 litre	O
410	CM 145	CM 270 LEVEL CM	26266,1017 litre	96,990 %	815,2124 litre	O
410	CM 145	CM 269 LEVEL CM	26205,1539 litre	96,765 %	876,1602 litre	O
410	CM 145	CM 268 LEVEL CM	26142,8531 litre	96,535 %	938,4610 litre	O
410	CM 145	CM 267 LEVEL CM	26079,2385 litre	96,300 %	1002,0756 litre	O
410	CM 145	CM 266 LEVEL CM	26014,3472 litre	96,060 %	1066,9669 litre	O
410	CM 145	CM 265 LEVEL CM	25948,2139 litre	95,816 %	1133,1002 litre	O
410	CM 145	CM 264 LEVEL CM	25880,8715 litre	95,567 %	1200,4426 litre	O
410	CM 145	CM 263 LEVEL CM	25812,3512 litre	95,314 %	1268,9629 litre	O
410	CM 145	CM 262 LEVEL CM	25742,6826 litre	95,057 %	1338,6315 litre	O
410	CM 145	CM 261 LEVEL CM	25671,8936 litre	94,796 %	1409,4205 litre	O
410	CM 145	CM 260 LEVEL CM	25600,0113 litre	94,530 %	1481,3028 litre	O
410	CM 145	CM 259 LEVEL CM	25527,0611 litre	94,261 %	1554,2530 litre	O
410	CM 145	CM 258 LEVEL CM	25453,0676 litre	93,988 %	1628,2465 litre	O
410	CM 145	CM 257 LEVEL CM	25378,0542 litre	93,711 %	1703,2599 litre	O
410	CM 145	CM 256 LEVEL CM	25302,0435 litre	93,430 %	1779,2706 litre	O
410	CM 145	CM 255 LEVEL CM	25225,0571 litre	93,146 %	1856,2570 litre	O
410	CM 145	CM 254 LEVEL CM	25147,1159 litre	92,858 %	1934,1982 litre	O
410	CM 145	CM 253 LEVEL CM	25068,2399 litre	92,567 %	2013,0742 litre	O
410	CM 145	CM 252 LEVEL CM	24988,4485 litre	92,272 %	2092,8656 litre	O
410	CM 145	CM 251 LEVEL CM	24907,7605 litre	91,974 %	2173,5536 litre	O
410	CM 145	CM 250 LEVEL CM	24826,1939 litre	91,673 %	2255,1202 litre	O
410	CM 145	CM 249 LEVEL CM	24743,7662 litre	91,368 %	2337,5479 litre	O
410	CM 145	CM 248 LEVEL CM	24660,4945 litre	91,061 %	2420,8196 litre	O
410	CM 145	CM 247 LEVEL CM	24576,3952 litre	90,750 %	2504,9189 litre	O
410	CM 145	CM 246 LEVEL CM	24491,4843 litre	90,437 %	2589,8298 litre	O
410	CM 145	CM 245 LEVEL CM	24405,7772 litre	90,120 %	2675,5369 litre	O
410	CM 145	CM 244 LEVEL CM	24319,2892 litre	89,801 %	2762,0249 litre	O
410	CM 145	CM 243 LEVEL CM	24232,0349 litre	89,479 %	2849,2792 litre	O
410	CM 145	CM 242 LEVEL CM	24144,0286 litre	89,154 %	2937,2855 litre	O
410	CM 145	CM 241 LEVEL CM	24055,2843 litre	88,826 %	3026,0298 litre	O
410	CM 145	CM 240 LEVEL CM	23965,8156 litre	88,496 %	3115,4985 litre	O
410	CM 145	CM 239 LEVEL CM	23875,6357 litre	88,163 %	3205,6784 litre	O

410	CM	145	CM	238 LEVEL CM	23784,7576 litre	87,827 %	3296,5565 litre	O
410	CM	145	CM	237 LEVEL CM	23693,1940 litre	87,489 %	3388,1201 litre	O
410	CM	145	CM	236 LEVEL CM	23600,9573 litre	87,148 %	3480,3568 litre	O
410	CM	145	CM	235 LEVEL CM	23508,0595 litre	86,805 %	3573,2546 litre	O
410	CM	145	CM	234 LEVEL CM	23414,5126 litre	86,460 %	3666,8015 litre	O
410	CM	145	CM	233 LEVEL CM	23320,3281 litre	86,112 %	3760,9860 litre	O
410	CM	145	CM	232 LEVEL CM	23225,5175 litre	85,762 %	3855,7966 litre	O
410	CM	145	CM	231 LEVEL CM	23130,0918 litre	85,410 %	3951,2223 litre	O
410	CM	145	CM	230 LEVEL CM	23034,0621 litre	85,055 %	4047,2520 litre	O
410	CM	145	CM	229 LEVEL CM	22937,4390 litre	84,698 %	4143,8751 litre	O
410	CM	145	CM	228 LEVEL CM	22840,2331 litre	84,339 %	4241,0810 litre	O
410	CM	145	CM	227 LEVEL CM	22742,4547 litre	83,978 %	4338,8594 litre	O
410	CM	145	CM	226 LEVEL CM	22644,1141 litre	83,615 %	4437,2000 litre	O
410	CM	145	CM	225 LEVEL CM	22545,2212 litre	83,250 %	4536,0929 litre	O
410	CM	145	CM	224 LEVEL CM	22445,7858 litre	82,883 %	4635,5283 litre	O
410	CM	145	CM	223 LEVEL CM	22345,8176 litre	82,514 %	4735,4965 litre	O
410	CM	145	CM	222 LEVEL CM	22245,3262 litre	82,143 %	4835,9879 litre	O
410	CM	145	CM	221 LEVEL CM	22144,3209 litre	81,770 %	4936,9932 litre	O
410	CM	145	CM	220 LEVEL CM	22042,8108 litre	81,395 %	5038,5033 litre	O
410	CM	145	CM	219 LEVEL CM	21940,8052 litre	81,018 %	5140,5089 litre	O
410	CM	145	CM	218 LEVEL CM	21838,3130 litre	80,640 %	5243,0011 litre	O
410	CM	145	CM	217 LEVEL CM	21735,3429 litre	80,260 %	5345,9712 litre	O
410	CM	145	CM	216 LEVEL CM	21631,9038 litre	79,878 %	5449,4103 litre	O
410	CM	145	CM	215 LEVEL CM	21528,0041 litre	79,494 %	5553,3100 litre	O
410	CM	145	CM	214 LEVEL CM	21423,6524 litre	79,109 %	5657,6617 litre	O
410	CM	145	CM	213 LEVEL CM	21318,8570 litre	78,722 %	5762,4571 litre	O
410	CM	145	CM	212 LEVEL CM	21213,6263 litre	78,333 %	5867,6878 litre	O
410	CM	145	CM	211 LEVEL CM	21107,9682 litre	77,943 %	5973,3459 litre	O
410	CM	145	CM	210 LEVEL CM	21001,8910 litre	77,551 %	6079,4231 litre	O
410	CM	145	CM	209 LEVEL CM	20895,4026 litre	77,158 %	6185,9115 litre	O
410	CM	145	CM	208 LEVEL CM	20788,5108 litre	76,763 %	6292,8033 litre	O
410	CM	145	CM	207 LEVEL CM	20681,2234 litre	76,367 %	6400,0907 litre	O
410	CM	145	CM	206 LEVEL CM	20573,5482 litre	75,970 %	6507,7659 litre	O
410	CM	145	CM	205 LEVEL CM	20465,4927 litre	75,571 %	6615,8214 litre	O
410	CM	145	CM	204 LEVEL CM	20357,0645 litre	75,170 %	6724,2496 litre	O
410	CM	145	CM	203 LEVEL CM	20248,2710 litre	74,768 %	6833,0431 litre	O
410	CM	145	CM	202 LEVEL CM	20139,1196 litre	74,365 %	6942,1945 litre	O
410	CM	145	CM	201 LEVEL CM	20029,6177 litre	73,961 %	7051,6964 litre	O
410	CM	145	CM	200 LEVEL CM	19919,7724 litre	73,555 %	7161,5417 litre	O
410	CM	145	CM	199 LEVEL CM	19809,5910 litre	73,149 %	7271,7231 litre	O
410	CM	145	CM	198 LEVEL CM	19699,0805 litre	72,740 %	7382,2336 litre	O
410	CM	145	CM	197 LEVEL CM	19588,2480 litre	72,331 %	7493,0661 litre	O
410	CM	145	CM	196 LEVEL CM	19477,1004 litre	71,921 %	7604,2137 litre	O
410	CM	145	CM	195 LEVEL CM	19365,6448 litre	71,509 %	7715,6693 litre	O
410	CM	145	CM	194 LEVEL CM	19253,8879 litre	71,097 %	7827,4262 litre	O
410	CM	145	CM	193 LEVEL CM	19141,8366 litre	70,683 %	7939,4775 litre	O
410	CM	145	CM	192 LEVEL CM	19029,4977 litre	70,268 %	8051,8164 litre	O
410	CM	145	CM	191 LEVEL CM	18916,8777 litre	69,852 %	8164,4364 litre	O
410	CM	145	CM	190 LEVEL CM	18803,9835 litre	69,435 %	8277,3306 litre	O
410	CM	145	CM	189 LEVEL CM	18690,8215 litre	69,017 %	8390,4926 litre	O
410	CM	145	CM	188 LEVEL CM	18577,3984 litre	68,599 %	8503,9157 litre	O
410	CM	145	CM	187 LEVEL CM	18463,7207 litre	68,179 %	8617,5934 litre	O
410	CM	145	CM	186 LEVEL CM	18349,7948 litre	67,758 %	8731,5193 litre	O

410	CM	145	CM	185 LEVEL CM	18235,6272 litre	67,337 %	8845,6869 litre	O
410	CM	145	CM	184 LEVEL CM	18121,2242 litre	66,914 %	8960,0899 litre	O
410	CM	145	CM	183 LEVEL CM	18006,5923 litre	66,491 %	9074,7218 litre	O
410	CM	145	CM	182 LEVEL CM	17891,7376 litre	66,067 %	9189,5765 litre	O
410	CM	145	CM	181 LEVEL CM	17776,6666 litre	65,642 %	9304,6475 litre	O
410	CM	145	CM	180 LEVEL CM	17661,3854 litre	65,216 %	9419,9287 litre	O
410	CM	145	CM	179 LEVEL CM	17545,9002 litre	64,790 %	9535,4139 litre	O
410	CM	145	CM	178 LEVEL CM	17430,2172 litre	64,363 %	9651,0969 litre	O
410	CM	145	CM	177 LEVEL CM	17314,3426 litre	63,935 %	9766,9715 litre	O
410	CM	145	CM	176 LEVEL CM	17198,2824 litre	63,506 %	9883,0317 litre	O
410	CM	145	CM	175 LEVEL CM	17082,0428 litre	63,077 %	9999,2713 litre	O
410	CM	145	CM	174 LEVEL CM	16965,6298 litre	62,647 %	10115,6843 litre	O
410	CM	145	CM	173 LEVEL CM	16849,0493 litre	62,217 %	10232,2648 litre	O
410	CM	145	CM	172 LEVEL CM	16732,3075 litre	61,785 %	10349,0066 litre	O
410	CM	145	CM	171 LEVEL CM	16615,4103 litre	61,354 %	10465,9038 litre	O
410	CM	145	CM	170 LEVEL CM	16498,3636 litre	60,922 %	10582,9505 litre	O
410	CM	145	CM	169 LEVEL CM	16381,1734 litre	60,489 %	10700,1407 litre	O
410	CM	145	CM	168 LEVEL CM	16263,8456 litre	60,056 %	10817,4685 litre	O
410	CM	145	CM	167 LEVEL CM	16146,3860 litre	59,622 %	10934,9281 litre	O
410	CM	145	CM	166 LEVEL CM	16028,8006 litre	59,188 %	11052,5135 litre	O
410	CM	145	CM	165 LEVEL CM	15911,0951 litre	58,753 %	11170,2190 litre	O
410	CM	145	CM	164 LEVEL CM	15793,2755 litre	58,318 %	11288,0386 litre	O
410	CM	145	CM	163 LEVEL CM	15675,3474 litre	57,883 %	11405,9667 litre	O
410	CM	145	CM	162 LEVEL CM	15557,3168 litre	57,447 %	11523,9973 litre	O
410	CM	145	CM	161 LEVEL CM	15439,1894 litre	57,010 %	11642,1247 litre	O
410	CM	145	CM	160 LEVEL CM	15320,9709 litre	56,574 %	11760,3432 litre	O
410	CM	145	CM	159 LEVEL CM	15202,6671 litre	56,137 %	11878,6470 litre	O
410	CM	145	CM	158 LEVEL CM	15084,2838 litre	55,700 %	11997,0303 litre	O
410	CM	145	CM	157 LEVEL CM	14965,8267 litre	55,263 %	12115,4874 litre	O
410	CM	145	CM	156 LEVEL CM	14847,3014 litre	54,825 %	12234,0127 litre	O
410	CM	145	CM	155 LEVEL CM	14728,7138 litre	54,387 %	12352,6003 litre	O
410	CM	145	CM	154 LEVEL CM	14610,0695 litre	53,949 %	12471,2446 litre	O
410	CM	145	CM	153 LEVEL CM	14491,3742 litre	53,511 %	12589,9399 litre	O
410	CM	145	CM	152 LEVEL CM	14372,6336 litre	53,072 %	12708,6805 litre	O
410	CM	145	CM	151 LEVEL CM	14253,8534 litre	52,634 %	12827,4607 litre	O
410	CM	145	CM	150 LEVEL CM	14135,0392 litre	52,195 %	12946,2749 litre	O
410	CM	145	CM	149 LEVEL CM	14016,1967 litre	51,756 %	13065,1174 litre	O
410	CM	145	CM	148 LEVEL CM	13897,3316 litre	51,317 %	13183,9825 litre	O
410	CM	145	CM	147 LEVEL CM	13778,4495 litre	50,878 %	13302,8646 litre	O
410	CM	145	CM	146 LEVEL CM	13659,5561 litre	50,439 %	13421,7580 litre	O
410	CM	145	CM	145 LEVEL CM	13540,6570 litre	50,000 %	13540,6571 litre	O
410	CM	145	CM	144 LEVEL CM	13421,7580 litre	49,561 %	13659,5561 litre	O
410	CM	145	CM	143 LEVEL CM	13302,8646 litre	49,122 %	13778,4495 litre	O
410	CM	145	CM	142 LEVEL CM	13183,9825 litre	48,683 %	13897,3316 litre	O
410	CM	145	CM	141 LEVEL CM	13065,1174 litre	48,244 %	14016,1967 litre	O
410	CM	145	CM	140 LEVEL CM	12946,2749 litre	47,805 %	14135,0392 litre	O
410	CM	145	CM	139 LEVEL CM	12827,4607 litre	47,366 %	14253,8534 litre	O
410	CM	145	CM	138 LEVEL CM	12708,6804 litre	46,928 %	14372,6337 litre	O
410	CM	145	CM	137 LEVEL CM	12589,9398 litre	46,489 %	14491,3743 litre	O
410	CM	145	CM	136 LEVEL CM	12471,2445 litre	46,051 %	14610,0696 litre	O
410	CM	145	CM	135 LEVEL CM	12352,6002 litre	45,613 %	14728,7139 litre	O
410	CM	145	CM	134 LEVEL CM	12234,0126 litre	45,175 %	14847,3015 litre	O
410	CM	145	CM	133 LEVEL CM	12115,4874 litre	44,737 %	14965,8267 litre	O

410	CM	145	CM	132 LEVEL CM	11997,0303 litre	44,300 %	15084,2838 litre	O
410	CM	145	CM	131 LEVEL CM	11878,6470 litre	43,863 %	15202,6671 litre	O
410	CM	145	CM	130 LEVEL CM	11760,3432 litre	43,426 %	15320,9709 litre	O
410	CM	145	CM	129 LEVEL CM	11642,1247 litre	42,990 %	15439,1894 litre	O
410	CM	145	CM	128 LEVEL CM	11523,9973 litre	42,553 %	15557,3168 litre	O
410	CM	145	CM	127 LEVEL CM	11405,9666 litre	42,117 %	15675,3475 litre	O
410	CM	145	CM	126 LEVEL CM	11288,0386 litre	41,682 %	15793,2755 litre	O
410	CM	145	CM	125 LEVEL CM	11170,2189 litre	41,247 %	15911,0952 litre	O
410	CM	145	CM	124 LEVEL CM	11052,5135 litre	40,812 %	16028,8006 litre	O
410	CM	145	CM	123 LEVEL CM	10934,9280 litre	40,378 %	16146,3861 litre	O
410	CM	145	CM	122 LEVEL CM	10817,4685 litre	39,944 %	16263,8456 litre	O
410	CM	145	CM	121 LEVEL CM	10700,1406 litre	39,511 %	16381,1735 litre	O
410	CM	145	CM	120 LEVEL CM	10582,9504 litre	39,078 %	16498,3637 litre	O
410	CM	145	CM	119 LEVEL CM	10465,9037 litre	38,646 %	16615,4104 litre	O
410	CM	145	CM	118 LEVEL CM	10349,0065 litre	38,215 %	16732,3076 litre	O
410	CM	145	CM	117 LEVEL CM	10232,2647 litre	37,783 %	16849,0494 litre	O
410	CM	145	CM	116 LEVEL CM	10115,6843 litre	37,353 %	16965,6298 litre	O
410	CM	145	CM	115 LEVEL CM	9999,2713 litre	36,923 %	17082,0428 litre	O
410	CM	145	CM	114 LEVEL CM	9883,0316 litre	36,494 %	17198,2825 litre	O
410	CM	145	CM	113 LEVEL CM	9766,9715 litre	36,065 %	17314,3426 litre	O
410	CM	145	CM	112 LEVEL CM	9651,0968 litre	35,637 %	17430,2173 litre	O
410	CM	145	CM	111 LEVEL CM	9535,4139 litre	35,210 %	17545,9002 litre	O
410	CM	145	CM	110 LEVEL CM	9419,9287 litre	34,784 %	17661,3854 litre	O
410	CM	145	CM	109 LEVEL CM	9304,6475 litre	34,358 %	17776,6666 litre	O
410	CM	145	CM	108 LEVEL CM	9189,5764 litre	33,933 %	17891,7377 litre	O
410	CM	145	CM	107 LEVEL CM	9074,7218 litre	33,509 %	18006,5923 litre	O
410	CM	145	CM	106 LEVEL CM	8960,0898 litre	33,086 %	18121,2243 litre	O
410	CM	145	CM	105 LEVEL CM	8845,6869 litre	32,663 %	18235,6272 litre	O
410	CM	145	CM	104 LEVEL CM	8731,5193 litre	32,242 %	18349,7948 litre	O
410	CM	145	CM	103 LEVEL CM	8617,5934 litre	31,821 %	18463,7207 litre	O
410	CM	145	CM	102 LEVEL CM	8503,9156 litre	31,401 %	18577,3985 litre	O
410	CM	145	CM	101 LEVEL CM	8390,4926 litre	30,983 %	18690,8215 litre	O
410	CM	145	CM	100 LEVEL CM	8277,3306 litre	30,565 %	18803,9835 litre	O
410	CM	145	CM	99 LEVEL CM	8164,4363 litre	30,148 %	18916,8778 litre	O
410	CM	145	CM	98 LEVEL CM	8051,8164 litre	29,732 %	19029,4977 litre	O
410	CM	145	CM	97 LEVEL CM	7939,4774 litre	29,317 %	19141,8367 litre	O
410	CM	145	CM	96 LEVEL CM	7827,4261 litre	28,903 %	19253,8880 litre	O
410	CM	145	CM	95 LEVEL CM	7715,6693 litre	28,491 %	19365,6448 litre	O
410	CM	145	CM	94 LEVEL CM	7604,2136 litre	28,079 %	19477,1005 litre	O
410	CM	145	CM	93 LEVEL CM	7493,0661 litre	27,669 %	19588,2480 litre	O
410	CM	145	CM	92 LEVEL CM	7382,2336 litre	27,260 %	19699,0805 litre	O
410	CM	145	CM	91 LEVEL CM	7271,7231 litre	26,851 %	19809,5910 litre	O
410	CM	145	CM	90 LEVEL CM	7161,5417 litre	26,445 %	19919,7724 litre	O
410	CM	145	CM	89 LEVEL CM	7051,6964 litre	26,039 %	20029,6177 litre	O
410	CM	145	CM	88 LEVEL CM	6942,1945 litre	25,635 %	20139,1196 litre	O
410	CM	145	CM	87 LEVEL CM	6833,0431 litre	25,232 %	20248,2710 litre	O
410	CM	145	CM	86 LEVEL CM	6724,2496 litre	24,830 %	20357,0645 litre	O
410	CM	145	CM	85 LEVEL CM	6615,8214 litre	24,429 %	20465,4927 litre	O
410	CM	145	CM	84 LEVEL CM	6507,7659 litre	24,030 %	20573,5482 litre	O
410	CM	145	CM	83 LEVEL CM	6400,0907 litre	23,633 %	20681,2234 litre	O
410	CM	145	CM	82 LEVEL CM	6292,8033 litre	23,237 %	20788,5108 litre	O
410	CM	145	CM	81 LEVEL CM	6185,9115 litre	22,842 %	20895,4026 litre	O
410	CM	145	CM	80 LEVEL CM	6079,4231 litre	22,449 %	21001,8910 litre	O

410	CM	145	CM	79 LEVEL CM	5973,3458 litre	22,057 %	21107,9683 litre	O
410	CM	145	CM	78 LEVEL CM	5867,6878 litre	21,667 %	21213,6263 litre	O
410	CM	145	CM	77 LEVEL CM	5762,4570 litre	21,278 %	21318,8571 litre	O
410	CM	145	CM	76 LEVEL CM	5657,6617 litre	20,891 %	21423,6524 litre	O
410	CM	145	CM	75 LEVEL CM	5553,3100 litre	20,506 %	21528,0041 litre	O
410	CM	145	CM	74 LEVEL CM	5449,4103 litre	20,122 %	21631,9038 litre	O
410	CM	145	CM	73 LEVEL CM	5345,9712 litre	19,740 %	21735,3429 litre	O
410	CM	145	CM	72 LEVEL CM	5243,0011 litre	19,360 %	21838,3130 litre	O
410	CM	145	CM	71 LEVEL CM	5140,5088 litre	18,982 %	21940,8053 litre	O
410	CM	145	CM	70 LEVEL CM	5038,5032 litre	18,605 %	22042,8109 litre	O
410	CM	145	CM	69 LEVEL CM	4936,9932 litre	18,230 %	22144,3209 litre	O
410	CM	145	CM	68 LEVEL CM	4835,9879 litre	17,857 %	22245,3262 litre	O
410	CM	145	CM	67 LEVEL CM	4735,4964 litre	17,486 %	22345,8177 litre	O
410	CM	145	CM	66 LEVEL CM	4635,5283 litre	17,117 %	22445,7858 litre	O
410	CM	145	CM	65 LEVEL CM	4536,0929 litre	16,750 %	22545,2212 litre	O
410	CM	145	CM	64 LEVEL CM	4437,2000 litre	16,385 %	22644,1141 litre	O
410	CM	145	CM	63 LEVEL CM	4338,8593 litre	16,022 %	22742,4548 litre	O
410	CM	145	CM	62 LEVEL CM	4241,0810 litre	15,661 %	22840,2331 litre	O
410	CM	145	CM	61 LEVEL CM	4143,8751 litre	15,302 %	22937,4390 litre	O
410	CM	145	CM	60 LEVEL CM	4047,2520 litre	14,945 %	23034,0621 litre	O
410	CM	145	CM	59 LEVEL CM	3951,2223 litre	14,590 %	23130,0918 litre	O
410	CM	145	CM	58 LEVEL CM	3855,7966 litre	14,238 %	23225,5175 litre	O
410	CM	145	CM	57 LEVEL CM	3760,9860 litre	13,888 %	23320,3281 litre	O
410	CM	145	CM	56 LEVEL CM	3666,8015 litre	13,540 %	23414,5126 litre	O
410	CM	145	CM	55 LEVEL CM	3573,2545 litre	13,195 %	23508,0596 litre	O
410	CM	145	CM	54 LEVEL CM	3480,3568 litre	12,852 %	23600,9573 litre	O
410	CM	145	CM	53 LEVEL CM	3388,1200 litre	12,511 %	23693,1941 litre	O
410	CM	145	CM	52 LEVEL CM	3296,5564 litre	12,173 %	23784,7577 litre	O
410	CM	145	CM	51 LEVEL CM	3205,6784 litre	11,837 %	23875,6357 litre	O
410	CM	145	CM	50 LEVEL CM	3115,4985 litre	11,504 %	23965,8156 litre	O
410	CM	145	CM	49 LEVEL CM	3026,0297 litre	11,174 %	24055,2844 litre	O
410	CM	145	CM	48 LEVEL CM	2937,2854 litre	10,846 %	24144,0287 litre	O
410	CM	145	CM	47 LEVEL CM	2849,2792 litre	10,521 %	24232,0349 litre	O
410	CM	145	CM	46 LEVEL CM	2762,0249 litre	10,199 %	24319,2892 litre	O
410	CM	145	CM	45 LEVEL CM	2675,5368 litre	9,880 %	24405,7773 litre	O
410	CM	145	CM	44 LEVEL CM	2589,8298 litre	9,563 %	24491,4843 litre	O
410	CM	145	CM	43 LEVEL CM	2504,9189 litre	9,250 %	24576,3952 litre	O
410	CM	145	CM	42 LEVEL CM	2420,8196 litre	8,939 %	24660,4945 litre	O
410	CM	145	CM	41 LEVEL CM	2337,5478 litre	8,632 %	24743,7663 litre	O
410	CM	145	CM	40 LEVEL CM	2255,1202 litre	8,327 %	24826,1939 litre	O
410	CM	145	CM	39 LEVEL CM	2173,5536 litre	8,026 %	24907,7605 litre	O
410	CM	145	CM	38 LEVEL CM	2092,8656 litre	7,728 %	24988,4485 litre	O
410	CM	145	CM	37 LEVEL CM	2013,0742 litre	7,433 %	25068,2399 litre	O
410	CM	145	CM	36 LEVEL CM	1934,1982 litre	7,142 %	25147,1159 litre	O
410	CM	145	CM	35 LEVEL CM	1856,2570 litre	6,854 %	25225,0571 litre	O
410	CM	145	CM	34 LEVEL CM	1779,2706 litre	6,570 %	25302,0435 litre	O
410	CM	145	CM	33 LEVEL CM	1703,2599 litre	6,289 %	25378,0542 litre	O
410	CM	145	CM	32 LEVEL CM	1628,2465 litre	6,012 %	25453,0676 litre	O
410	CM	145	CM	31 LEVEL CM	1554,2530 litre	5,739 %	25527,0611 litre	O
410	CM	145	CM	30 LEVEL CM	1481,3028 litre	5,470 %	25600,0113 litre	O
410	CM	145	CM	29 LEVEL CM	1409,4204 litre	5,204 %	25671,8937 litre	O
410	CM	145	CM	28 LEVEL CM	1338,6315 litre	4,943 %	25742,6826 litre	O
410	CM	145	CM	27 LEVEL CM	1268,9628 litre	4,686 %	25812,3513 litre	O

410	CM	145	CM	26 LEVEL CM	1200,4425 litre	4,433 %	25880,8716 litre	O
410	CM	145	CM	25 LEVEL CM	1133,1002 litre	4,184 %	25948,2139 litre	O
410	CM	145	CM	24 LEVEL CM	1066,9669 litre	3,940 %	26014,3472 litre	O
410	CM	145	CM	23 LEVEL CM	1002,0755 litre	3,700 %	26079,2386 litre	O
410	CM	145	CM	22 LEVEL CM	938,4610 litre	3,465 %	26142,8531 litre	O
410	CM	145	CM	21 LEVEL CM	876,1601 litre	3,235 %	26205,1540 litre	O
410	CM	145	CM	20 LEVEL CM	815,2124 litre	3,010 %	26266,1017 litre	O
410	CM	145	CM	19 LEVEL CM	755,6597 litre	2,790 %	26325,6544 litre	O
410	CM	145	CM	18 LEVEL CM	697,5472 litre	2,576 %	26383,7669 litre	O
410	CM	145	CM	17 LEVEL CM	640,9234 litre	2,367 %	26440,3907 litre	O
410	CM	145	CM	16 LEVEL CM	585,8406 litre	2,163 %	26495,4735 litre	O
410	CM	145	CM	15 LEVEL CM	532,3559 litre	1,966 %	26548,9582 litre	O
410	CM	145	CM	14 LEVEL CM	480,5314 litre	1,774 %	26600,7827 litre	O
410	CM	145	CM	13 LEVEL CM	430,4357 litre	1,589 %	26650,8784 litre	O
410	CM	145	CM	12 LEVEL CM	382,1444 litre	1,411 %	26699,1697 litre	O
410	CM	145	CM	11 LEVEL CM	335,7422 litre	1,240 %	26745,5719 litre	O
410	CM	145	CM	10 LEVEL CM	291,3246 litre	1,076 %	26789,9895 litre	O
410	CM	145	CM	9 LEVEL CM	249,0004 litre	0,919 %	26832,3137 litre	O
410	CM	145	CM	8 LEVEL CM	208,8957 litre	0,771 %	26872,4184 litre	O
410	CM	145	CM	7 LEVEL CM	171,1585 litre	0,632 %	26910,1556 litre	O
410	CM	145	CM	6 LEVEL CM	135,9673 litre	0,502 %	26945,3468 litre	O
410	CM	145	CM	5 LEVEL CM	103,5422 litre	0,382 %	26977,7719 litre	O
410	CM	145	CM	4 LEVEL CM	74,1662 litre	0,274 %	27007,1479 litre	O
410	CM	145	CM	3 LEVEL CM	48,2226 litre	0,178 %	27033,0915 litre	O
410	CM	145	CM	2 LEVEL CM	26,2764 litre	0,097 %	27055,0377 litre	O
410	CM	145	CM	1 LEVEL CM	9,2998 litre	0,034 %	27072,0143 litre	O
410	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	27081,3141 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM 140	CM 280 LEVEL CM	25245,8386 litre	100,000 %	0,0000 litre	O
410	CM 140	CM 279 LEVEL CM	25236,7009 litre	99,964 %	9,1377 litre	O
410	CM 140	CM 278 LEVEL CM	25220,0211 litre	99,898 %	25,8175 litre	O
410	CM 140	CM 277 LEVEL CM	25198,4599 litre	99,812 %	47,3787 litre	O
410	CM 140	CM 276 LEVEL CM	25172,9731 litre	99,711 %	72,8655 litre	O
410	CM 140	CM 275 LEVEL CM	25144,1162 litre	99,597 %	101,7224 litre	O
410	CM 140	CM 274 LEVEL CM	25112,2662 litre	99,471 %	133,5724 litre	O
410	CM 140	CM 273 LEVEL CM	25077,7011 litre	99,334 %	168,1375 litre	O
410	CM 140	CM 272 LEVEL CM	25040,6380 litre	99,187 %	205,2006 litre	O
410	CM 140	CM 271 LEVEL CM	25001,2520 litre	99,031 %	244,5866 litre	O
410	CM 140	CM 270 LEVEL CM	24959,6891 litre	98,867 %	286,1495 litre	O
410	CM 140	CM 269 LEVEL CM	24916,0733 litre	98,694 %	329,7653 litre	O
410	CM 140	CM 268 LEVEL CM	24870,5119 litre	98,513 %	375,3267 litre	O
410	CM 140	CM 267 LEVEL CM	24823,0987 litre	98,326 %	422,7399 litre	O
410	CM 140	CM 266 LEVEL CM	24773,9172 litre	98,131 %	471,9214 litre	O
410	CM 140	CM 265 LEVEL CM	24723,0420 litre	97,929 %	522,7966 litre	O
410	CM 140	CM 264 LEVEL CM	24670,5405 litre	97,721 %	575,2981 litre	O
410	CM 140	CM 263 LEVEL CM	24616,4741 litre	97,507 %	629,3645 litre	O
410	CM 140	CM 262 LEVEL CM	24560,8990 litre	97,287 %	684,9396 litre	O
410	CM 140	CM 261 LEVEL CM	24503,8667 litre	97,061 %	741,9719 litre	O
410	CM 140	CM 260 LEVEL CM	24445,4252 litre	96,830 %	800,4134 litre	O
410	CM 140	CM 259 LEVEL CM	24385,6189 litre	96,593 %	860,2197 litre	O
410	CM 140	CM 258 LEVEL CM	24324,4893 litre	96,350 %	921,3493 litre	O
410	CM 140	CM 257 LEVEL CM	24262,0751 litre	96,103 %	983,7635 litre	O
410	CM 140	CM 256 LEVEL CM	24198,4129 litre	95,851 %	1047,4257 litre	O
410	CM 140	CM 255 LEVEL CM	24133,5370 litre	95,594 %	1112,3016 litre	O
410	CM 140	CM 254 LEVEL CM	24067,4799 litre	95,332 %	1178,3587 litre	O
410	CM 140	CM 253 LEVEL CM	24000,2724 litre	95,066 %	1245,5662 litre	O
410	CM 140	CM 252 LEVEL CM	23931,9437 litre	94,796 %	1313,8949 litre	O
410	CM 140	CM 251 LEVEL CM	23862,5215 litre	94,521 %	1383,3171 litre	O
410	CM 140	CM 250 LEVEL CM	23792,0323 litre	94,241 %	1453,8063 litre	O
410	CM 140	CM 249 LEVEL CM	23720,5015 litre	93,958 %	1525,3371 litre	O
410	CM 140	CM 248 LEVEL CM	23647,9534 litre	93,671 %	1597,8852 litre	O
410	CM 140	CM 247 LEVEL CM	23574,4110 litre	93,379 %	1671,4276 litre	O
410	CM 140	CM 246 LEVEL CM	23499,8967 litre	93,084 %	1745,9419 litre	O
410	CM 140	CM 245 LEVEL CM	23424,4319 litre	92,785 %	1821,4067 litre	O
410	CM 140	CM 244 LEVEL CM	23348,0373 litre	92,483 %	1897,8013 litre	O
410	CM 140	CM 243 LEVEL CM	23270,7327 litre	92,177 %	1975,1059 litre	O
410	CM 140	CM 242 LEVEL CM	23192,5374 litre	91,867 %	2053,3012 litre	O
410	CM 140	CM 241 LEVEL CM	23113,4697 litre	91,554 %	2132,3689 litre	O
410	CM 140	CM 240 LEVEL CM	23033,5478 litre	91,237 %	2212,2908 litre	O
410	CM 140	CM 239 LEVEL CM	22952,7889 litre	90,917 %	2293,0497 litre	O
410	CM 140	CM 238 LEVEL CM	22871,2099 litre	90,594 %	2374,6287 litre	O
410	CM 140	CM 237 LEVEL CM	22788,8271 litre	90,268 %	2457,0115 litre	O
410	CM 140	CM 236 LEVEL CM	22705,6563 litre	89,938 %	2540,1823 litre	O
410	CM 140	CM 235 LEVEL CM	22621,7130 litre	89,606 %	2624,1256 litre	O
410	CM 140	CM 234 LEVEL CM	22537,0121 litre	89,270 %	2708,8265 litre	O
410	CM 140	CM 233 LEVEL CM	22451,5683 litre	88,932 %	2794,2703 litre	O
410	CM 140	CM 232 LEVEL CM	22365,3957 litre	88,590 %	2880,4429 litre	O
410	CM 140	CM 231 LEVEL CM	22278,5082 litre	88,246 %	2967,3304 litre	O
410	CM 140	CM 230 LEVEL CM	22190,9192 litre	87,899 %	3054,9194 litre	O
410	CM 140	CM 229 LEVEL CM	22102,6421 litre	87,550 %	3143,1965 litre	O

410	CM	140	CM	228 LEVEL CM	22013,6896 litre	87,197 %	3232,1490 litre	O
410	CM	140	CM	227 LEVEL CM	21924,0744 litre	86,842 %	3321,7642 litre	O
410	CM	140	CM	226 LEVEL CM	21833,8088 litre	86,485 %	3412,0298 litre	O
410	CM	140	CM	225 LEVEL CM	21742,9048 litre	86,125 %	3502,9338 litre	O
410	CM	140	CM	224 LEVEL CM	21651,3742 litre	85,762 %	3594,4644 litre	O
410	CM	140	CM	223 LEVEL CM	21559,2286 litre	85,397 %	3686,6100 litre	O
410	CM	140	CM	222 LEVEL CM	21466,4793 litre	85,030 %	3779,3593 litre	O
410	CM	140	CM	221 LEVEL CM	21373,1374 litre	84,660 %	3872,7012 litre	O
410	CM	140	CM	220 LEVEL CM	21279,2139 litre	84,288 %	3966,6247 litre	O
410	CM	140	CM	219 LEVEL CM	21184,7193 litre	83,914 %	4061,1193 litre	O
410	CM	140	CM	218 LEVEL CM	21089,6643 litre	83,537 %	4156,1743 litre	O
410	CM	140	CM	217 LEVEL CM	20994,0590 litre	83,158 %	4251,7796 litre	O
410	CM	140	CM	216 LEVEL CM	20897,9138 litre	82,778 %	4347,9248 litre	O
410	CM	140	CM	215 LEVEL CM	20801,2385 litre	82,395 %	4444,6001 litre	O
410	CM	140	CM	214 LEVEL CM	20704,0430 litre	82,010 %	4541,7956 litre	O
410	CM	140	CM	213 LEVEL CM	20606,3368 litre	81,623 %	4639,5018 litre	O
410	CM	140	CM	212 LEVEL CM	20508,1296 litre	81,234 %	4737,7090 litre	O
410	CM	140	CM	211 LEVEL CM	20409,4306 litre	80,843 %	4836,4080 litre	O
410	CM	140	CM	210 LEVEL CM	20310,2491 litre	80,450 %	4935,5895 litre	O
410	CM	140	CM	209 LEVEL CM	20210,5942 litre	80,055 %	5035,2444 litre	O
410	CM	140	CM	208 LEVEL CM	20110,4748 litre	79,659 %	5135,3638 litre	O
410	CM	140	CM	207 LEVEL CM	20009,8997 litre	79,260 %	5235,9389 litre	O
410	CM	140	CM	206 LEVEL CM	19908,8777 litre	78,860 %	5336,9609 litre	O
410	CM	140	CM	205 LEVEL CM	19807,4173 litre	78,458 %	5438,4213 litre	O
410	CM	140	CM	204 LEVEL CM	19705,5271 litre	78,055 %	5540,3115 litre	O
410	CM	140	CM	203 LEVEL CM	19603,2154 litre	77,649 %	5642,6232 litre	O
410	CM	140	CM	202 LEVEL CM	19500,4905 litre	77,242 %	5745,3481 litre	O
410	CM	140	CM	201 LEVEL CM	19397,3605 litre	76,834 %	5848,4781 litre	O
410	CM	140	CM	200 LEVEL CM	19293,8336 litre	76,424 %	5952,0050 litre	O
410	CM	140	CM	199 LEVEL CM	19189,9178 litre	76,012 %	6055,9208 litre	O
410	CM	140	CM	198 LEVEL CM	19085,6208 litre	75,599 %	6160,2178 litre	O
410	CM	140	CM	197 LEVEL CM	18980,9506 litre	75,184 %	6264,8880 litre	O
410	CM	140	CM	196 LEVEL CM	18875,9149 litre	74,768 %	6369,9237 litre	O
410	CM	140	CM	195 LEVEL CM	18770,5213 litre	74,351 %	6475,3173 litre	O
410	CM	140	CM	194 LEVEL CM	18664,7774 litre	73,932 %	6581,0612 litre	O
410	CM	140	CM	193 LEVEL CM	18558,6906 litre	73,512 %	6687,1480 litre	O
410	CM	140	CM	192 LEVEL CM	18452,2685 litre	73,090 %	6793,5701 litre	O
410	CM	140	CM	191 LEVEL CM	18345,5183 litre	72,667 %	6900,3203 litre	O
410	CM	140	CM	190 LEVEL CM	18238,4474 litre	72,243 %	7007,3912 litre	O
410	CM	140	CM	189 LEVEL CM	18131,0629 litre	71,818 %	7114,7757 litre	O
410	CM	140	CM	188 LEVEL CM	18023,3720 litre	71,391 %	7222,4666 litre	O
410	CM	140	CM	187 LEVEL CM	17915,3818 litre	70,964 %	7330,4568 litre	O
410	CM	140	CM	186 LEVEL CM	17807,0994 litre	70,535 %	7438,7392 litre	O
410	CM	140	CM	185 LEVEL CM	17698,5318 litre	70,105 %	7547,3068 litre	O
410	CM	140	CM	184 LEVEL CM	17589,6857 litre	69,674 %	7656,1529 litre	O
410	CM	140	CM	183 LEVEL CM	17480,5682 litre	69,241 %	7765,2704 litre	O
410	CM	140	CM	182 LEVEL CM	17371,1861 litre	68,808 %	7874,6525 litre	O
410	CM	140	CM	181 LEVEL CM	17261,5460 litre	68,374 %	7984,2926 litre	O
410	CM	140	CM	180 LEVEL CM	17151,6548 litre	67,939 %	8094,1838 litre	O
410	CM	140	CM	179 LEVEL CM	17041,5192 litre	67,502 %	8204,3194 litre	O
410	CM	140	CM	178 LEVEL CM	16931,1456 litre	67,065 %	8314,6930 litre	O
410	CM	140	CM	177 LEVEL CM	16820,5409 litre	66,627 %	8425,2977 litre	O
410	CM	140	CM	176 LEVEL CM	16709,7114 litre	66,188 %	8536,1272 litre	O

410	CM	140	CM	175 LEVEL CM	16598,6637 litre	65,748 %	8647,1749 litre	O
410	CM	140	CM	174 LEVEL CM	16487,4043 litre	65,307 %	8758,4343 litre	O
410	CM	140	CM	173 LEVEL CM	16375,9396 litre	64,866 %	8869,8990 litre	O
410	CM	140	CM	172 LEVEL CM	16264,2760 litre	64,424 %	8981,5626 litre	O
410	CM	140	CM	171 LEVEL CM	16152,4199 litre	63,981 %	9093,4187 litre	O
410	CM	140	CM	170 LEVEL CM	16040,3776 litre	63,537 %	9205,4610 litre	O
410	CM	140	CM	169 LEVEL CM	15928,1553 litre	63,092 %	9317,6833 litre	O
410	CM	140	CM	168 LEVEL CM	15815,7595 litre	62,647 %	9430,0791 litre	O
410	CM	140	CM	167 LEVEL CM	15703,1963 litre	62,201 %	9542,6423 litre	O
410	CM	140	CM	166 LEVEL CM	15590,4719 litre	61,755 %	9655,3667 litre	O
410	CM	140	CM	165 LEVEL CM	15477,5925 litre	61,308 %	9768,2461 litre	O
410	CM	140	CM	164 LEVEL CM	15364,5643 litre	60,860 %	9881,2743 litre	O
410	CM	140	CM	163 LEVEL CM	15251,3934 litre	60,412 %	9994,4452 litre	O
410	CM	140	CM	162 LEVEL CM	15138,0860 litre	59,963 %	10107,7526 litre	O
410	CM	140	CM	161 LEVEL CM	15024,6480 litre	59,513 %	10221,1906 litre	O
410	CM	140	CM	160 LEVEL CM	14911,0857 litre	59,064 %	10334,7529 litre	O
410	CM	140	CM	159 LEVEL CM	14797,4050 litre	58,613 %	10448,4336 litre	O
410	CM	140	CM	158 LEVEL CM	14683,6119 litre	58,163 %	10562,2267 litre	O
410	CM	140	CM	157 LEVEL CM	14569,7126 litre	57,711 %	10676,1260 litre	O
410	CM	140	CM	156 LEVEL CM	14455,7129 litre	57,260 %	10790,1257 litre	O
410	CM	140	CM	155 LEVEL CM	14341,6189 litre	56,808 %	10904,2197 litre	O
410	CM	140	CM	154 LEVEL CM	14227,4366 litre	56,356 %	11018,4020 litre	O
410	CM	140	CM	153 LEVEL CM	14113,1718 litre	55,903 %	11132,6668 litre	O
410	CM	140	CM	152 LEVEL CM	13998,8306 litre	55,450 %	11247,0080 litre	O
410	CM	140	CM	151 LEVEL CM	13884,4188 litre	54,997 %	11361,4198 litre	O
410	CM	140	CM	150 LEVEL CM	13769,9423 litre	54,543 %	11475,8963 litre	O
410	CM	140	CM	149 LEVEL CM	13655,4072 litre	54,090 %	11590,4314 litre	O
410	CM	140	CM	148 LEVEL CM	13540,8192 litre	53,636 %	11705,0194 litre	O
410	CM	140	CM	147 LEVEL CM	13426,1843 litre	53,182 %	11819,6543 litre	O
410	CM	140	CM	146 LEVEL CM	13311,5084 litre	52,728 %	11934,3302 litre	O
410	CM	140	CM	145 LEVEL CM	13196,7972 litre	52,273 %	12049,0414 litre	O
410	CM	140	CM	144 LEVEL CM	13082,0568 litre	51,819 %	12163,7818 litre	O
410	CM	140	CM	143 LEVEL CM	12967,2929 litre	51,364 %	12278,5457 litre	O
410	CM	140	CM	142 LEVEL CM	12852,5115 litre	50,909 %	12393,3271 litre	O
410	CM	140	CM	141 LEVEL CM	12737,7183 litre	50,455 %	12508,1203 litre	O
410	CM	140	CM	140 LEVEL CM	12622,9193 litre	50,000 %	12622,9193 litre	O
410	CM	140	CM	139 LEVEL CM	12508,1203 litre	49,545 %	12737,7183 litre	O
410	CM	140	CM	138 LEVEL CM	12393,3271 litre	49,091 %	12852,5115 litre	O
410	CM	140	CM	137 LEVEL CM	12278,5456 litre	48,636 %	12967,2930 litre	O
410	CM	140	CM	136 LEVEL CM	12163,7818 litre	48,181 %	13082,0568 litre	O
410	CM	140	CM	135 LEVEL CM	12049,0413 litre	47,727 %	13196,7973 litre	O
410	CM	140	CM	134 LEVEL CM	11934,3302 litre	47,272 %	13311,5084 litre	O
410	CM	140	CM	133 LEVEL CM	11819,6542 litre	46,818 %	13426,1844 litre	O
410	CM	140	CM	132 LEVEL CM	11705,0193 litre	46,364 %	13540,8193 litre	O
410	CM	140	CM	131 LEVEL CM	11590,4314 litre	45,910 %	13655,4072 litre	O
410	CM	140	CM	130 LEVEL CM	11475,8962 litre	45,457 %	13769,9424 litre	O
410	CM	140	CM	129 LEVEL CM	11361,4198 litre	45,003 %	13884,4188 litre	O
410	CM	140	CM	128 LEVEL CM	11247,0080 litre	44,550 %	13998,8306 litre	O
410	CM	140	CM	127 LEVEL CM	11132,6668 litre	44,097 %	14113,1718 litre	O
410	CM	140	CM	126 LEVEL CM	11018,4020 litre	43,644 %	14227,4366 litre	O
410	CM	140	CM	125 LEVEL CM	10904,2196 litre	43,192 %	14341,6190 litre	O
410	CM	140	CM	124 LEVEL CM	10790,1256 litre	42,740 %	14455,7130 litre	O
410	CM	140	CM	123 LEVEL CM	10676,1260 litre	42,289 %	14569,7126 litre	O

410	CM	140	CM	122 LEVEL CM	10562,2266 litre	41,837 %	14683,6120 litre	O
410	CM	140	CM	121 LEVEL CM	10448,4336 litre	41,387 %	14797,4050 litre	O
410	CM	140	CM	120 LEVEL CM	10334,7529 litre	40,936 %	14911,0857 litre	O
410	CM	140	CM	119 LEVEL CM	10221,1905 litre	40,487 %	15024,6481 litre	O
410	CM	140	CM	118 LEVEL CM	10107,7526 litre	40,037 %	15138,0860 litre	O
410	CM	140	CM	117 LEVEL CM	9994,4451 litre	39,588 %	15251,3935 litre	O
410	CM	140	CM	116 LEVEL CM	9881,2743 litre	39,140 %	15364,5643 litre	O
410	CM	140	CM	115 LEVEL CM	9768,2461 litre	38,692 %	15477,5925 litre	O
410	CM	140	CM	114 LEVEL CM	9655,3667 litre	38,245 %	15590,4719 litre	O
410	CM	140	CM	113 LEVEL CM	9542,6423 litre	37,799 %	15703,1963 litre	O
410	CM	140	CM	112 LEVEL CM	9430,0791 litre	37,353 %	15815,7595 litre	O
410	CM	140	CM	111 LEVEL CM	9317,6832 litre	36,908 %	15928,1554 litre	O
410	CM	140	CM	110 LEVEL CM	9205,4610 litre	36,463 %	16040,3776 litre	O
410	CM	140	CM	109 LEVEL CM	9093,4187 litre	36,019 %	16152,4199 litre	O
410	CM	140	CM	108 LEVEL CM	8981,5626 litre	35,576 %	16264,2760 litre	O
410	CM	140	CM	107 LEVEL CM	8869,8990 litre	35,134 %	16375,9396 litre	O
410	CM	140	CM	106 LEVEL CM	8758,4343 litre	34,693 %	16487,4043 litre	O
410	CM	140	CM	105 LEVEL CM	8647,1749 litre	34,252 %	16598,6637 litre	O
410	CM	140	CM	104 LEVEL CM	8536,1272 litre	33,812 %	16709,7114 litre	O
410	CM	140	CM	103 LEVEL CM	8425,2977 litre	33,373 %	16820,5409 litre	O
410	CM	140	CM	102 LEVEL CM	8314,6929 litre	32,935 %	16931,1457 litre	O
410	CM	140	CM	101 LEVEL CM	8204,3194 litre	32,498 %	17041,5192 litre	O
410	CM	140	CM	100 LEVEL CM	8094,1837 litre	32,061 %	17151,6549 litre	O
410	CM	140	CM	99 LEVEL CM	7984,2925 litre	31,626 %	17261,5461 litre	O
410	CM	140	CM	98 LEVEL CM	7874,6525 litre	31,192 %	17371,1861 litre	O
410	CM	140	CM	97 LEVEL CM	7765,2703 litre	30,759 %	17480,5683 litre	O
410	CM	140	CM	96 LEVEL CM	7656,1528 litre	30,326 %	17589,6858 litre	O
410	CM	140	CM	95 LEVEL CM	7547,3068 litre	29,895 %	17698,5318 litre	O
410	CM	140	CM	94 LEVEL CM	7438,7391 litre	29,465 %	17807,0995 litre	O
410	CM	140	CM	93 LEVEL CM	7330,4567 litre	29,036 %	17915,3819 litre	O
410	CM	140	CM	92 LEVEL CM	7222,4666 litre	28,609 %	18023,3720 litre	O
410	CM	140	CM	91 LEVEL CM	7114,7757 litre	28,182 %	18131,0629 litre	O
410	CM	140	CM	90 LEVEL CM	7007,3912 litre	27,757 %	18238,4474 litre	O
410	CM	140	CM	89 LEVEL CM	6900,3203 litre	27,333 %	18345,5183 litre	O
410	CM	140	CM	88 LEVEL CM	6793,5701 litre	26,910 %	18452,2685 litre	O
410	CM	140	CM	87 LEVEL CM	6687,1479 litre	26,488 %	18558,6907 litre	O
410	CM	140	CM	86 LEVEL CM	6581,0612 litre	26,068 %	18664,7774 litre	O
410	CM	140	CM	85 LEVEL CM	6475,3173 litre	25,649 %	18770,5213 litre	O
410	CM	140	CM	84 LEVEL CM	6369,9236 litre	25,232 %	18875,9150 litre	O
410	CM	140	CM	83 LEVEL CM	6264,8879 litre	24,816 %	18980,9507 litre	O
410	CM	140	CM	82 LEVEL CM	6160,2177 litre	24,401 %	19085,6209 litre	O
410	CM	140	CM	81 LEVEL CM	6055,9208 litre	23,988 %	19189,9178 litre	O
410	CM	140	CM	80 LEVEL CM	5952,0049 litre	23,576 %	19293,8337 litre	O
410	CM	140	CM	79 LEVEL CM	5848,4780 litre	23,166 %	19397,3606 litre	O
410	CM	140	CM	78 LEVEL CM	5745,3481 litre	22,758 %	19500,4905 litre	O
410	CM	140	CM	77 LEVEL CM	5642,6232 litre	22,351 %	19603,2154 litre	O
410	CM	140	CM	76 LEVEL CM	5540,3115 litre	21,945 %	19705,5271 litre	O
410	CM	140	CM	75 LEVEL CM	5438,4212 litre	21,542 %	19807,4174 litre	O
410	CM	140	CM	74 LEVEL CM	5336,9609 litre	21,140 %	19908,8777 litre	O
410	CM	140	CM	73 LEVEL CM	5235,9389 litre	20,740 %	20009,8997 litre	O
410	CM	140	CM	72 LEVEL CM	5135,3638 litre	20,341 %	20110,4748 litre	O
410	CM	140	CM	71 LEVEL CM	5035,2444 litre	19,945 %	20210,5942 litre	O
410	CM	140	CM	70 LEVEL CM	4935,5894 litre	19,550 %	20310,2492 litre	O

410	CM	140	CM	69 LEVEL CM	4836,4080 litre	19,157 %	20409,4306 litre	O
410	CM	140	CM	68 LEVEL CM	4737,7090 litre	18,766 %	20508,1296 litre	O
410	CM	140	CM	67 LEVEL CM	4639,5017 litre	18,377 %	20606,3369 litre	O
410	CM	140	CM	66 LEVEL CM	4541,7956 litre	17,990 %	20704,0430 litre	O
410	CM	140	CM	65 LEVEL CM	4444,6001 litre	17,605 %	20801,2385 litre	O
410	CM	140	CM	64 LEVEL CM	4347,9248 litre	17,222 %	20897,9138 litre	O
410	CM	140	CM	63 LEVEL CM	4251,7795 litre	16,842 %	20994,0591 litre	O
410	CM	140	CM	62 LEVEL CM	4156,1743 litre	16,463 %	21089,6643 litre	O
410	CM	140	CM	61 LEVEL CM	4061,1193 litre	16,086 %	21184,7193 litre	O
410	CM	140	CM	60 LEVEL CM	3966,6247 litre	15,712 %	21279,2139 litre	O
410	CM	140	CM	59 LEVEL CM	3872,7011 litre	15,340 %	21373,1375 litre	O
410	CM	140	CM	58 LEVEL CM	3779,3593 litre	14,970 %	21466,4793 litre	O
410	CM	140	CM	57 LEVEL CM	3686,6100 litre	14,603 %	21559,2286 litre	O
410	CM	140	CM	56 LEVEL CM	3594,4644 litre	14,238 %	21651,3742 litre	O
410	CM	140	CM	55 LEVEL CM	3502,9338 litre	13,875 %	21742,9048 litre	O
410	CM	140	CM	54 LEVEL CM	3412,0298 litre	13,515 %	21833,8088 litre	O
410	CM	140	CM	53 LEVEL CM	3321,7641 litre	13,158 %	21924,0745 litre	O
410	CM	140	CM	52 LEVEL CM	3232,1489 litre	12,803 %	22013,6897 litre	O
410	CM	140	CM	51 LEVEL CM	3143,1965 litre	12,450 %	22102,6421 litre	O
410	CM	140	CM	50 LEVEL CM	3054,9193 litre	12,101 %	22190,9193 litre	O
410	CM	140	CM	49 LEVEL CM	2967,3304 litre	11,754 %	22278,5082 litre	O
410	CM	140	CM	48 LEVEL CM	2880,4429 litre	11,410 %	22365,3957 litre	O
410	CM	140	CM	47 LEVEL CM	2794,2703 litre	11,068 %	22451,5683 litre	O
410	CM	140	CM	46 LEVEL CM	2708,8264 litre	10,730 %	22537,0122 litre	O
410	CM	140	CM	45 LEVEL CM	2624,1256 litre	10,394 %	22621,7130 litre	O
410	CM	140	CM	44 LEVEL CM	2540,1823 litre	10,062 %	22705,6563 litre	O
410	CM	140	CM	43 LEVEL CM	2457,0115 litre	9,732 %	22788,8271 litre	O
410	CM	140	CM	42 LEVEL CM	2374,6287 litre	9,406 %	22871,2099 litre	O
410	CM	140	CM	41 LEVEL CM	2293,0497 litre	9,083 %	22952,7889 litre	O
410	CM	140	CM	40 LEVEL CM	2212,2908 litre	8,763 %	23033,5478 litre	O
410	CM	140	CM	39 LEVEL CM	2132,3688 litre	8,446 %	23113,4698 litre	O
410	CM	140	CM	38 LEVEL CM	2053,3012 litre	8,133 %	23192,5374 litre	O
410	CM	140	CM	37 LEVEL CM	1975,1058 litre	7,823 %	23270,7328 litre	O
410	CM	140	CM	36 LEVEL CM	1897,8012 litre	7,517 %	23348,0374 litre	O
410	CM	140	CM	35 LEVEL CM	1821,4066 litre	7,215 %	23424,4320 litre	O
410	CM	140	CM	34 LEVEL CM	1745,9419 litre	6,916 %	23499,8967 litre	O
410	CM	140	CM	33 LEVEL CM	1671,4276 litre	6,621 %	23574,4110 litre	O
410	CM	140	CM	32 LEVEL CM	1597,8852 litre	6,329 %	23647,9534 litre	O
410	CM	140	CM	31 LEVEL CM	1525,3370 litre	6,042 %	23720,5016 litre	O
410	CM	140	CM	30 LEVEL CM	1453,8063 litre	5,759 %	23792,0323 litre	O
410	CM	140	CM	29 LEVEL CM	1383,3171 litre	5,479 %	23862,5215 litre	O
410	CM	140	CM	28 LEVEL CM	1313,8949 litre	5,204 %	23931,9437 litre	O
410	CM	140	CM	27 LEVEL CM	1245,5662 litre	4,934 %	24000,2724 litre	O
410	CM	140	CM	26 LEVEL CM	1178,3586 litre	4,668 %	24067,4800 litre	O
410	CM	140	CM	25 LEVEL CM	1112,3015 litre	4,406 %	24133,5371 litre	O
410	CM	140	CM	24 LEVEL CM	1047,4257 litre	4,149 %	24198,4129 litre	O
410	CM	140	CM	23 LEVEL CM	983,7634 litre	3,897 %	24262,0752 litre	O
410	CM	140	CM	22 LEVEL CM	921,3493 litre	3,650 %	24324,4893 litre	O
410	CM	140	CM	21 LEVEL CM	860,2196 litre	3,407 %	24385,6190 litre	O
410	CM	140	CM	20 LEVEL CM	800,4133 litre	3,170 %	24445,4253 litre	O
410	CM	140	CM	19 LEVEL CM	741,9718 litre	2,939 %	24503,8668 litre	O
410	CM	140	CM	18 LEVEL CM	684,9396 litre	2,713 %	24560,8990 litre	O
410	CM	140	CM	17 LEVEL CM	629,3644 litre	2,493 %	24616,4742 litre	O

410	CM	140	CM	16 LEVEL CM	575,2981 litre	2,279 %	24670,5405 litre	O
410	CM	140	CM	15 LEVEL CM	522,7966 litre	2,071 %	24723,0420 litre	O
410	CM	140	CM	14 LEVEL CM	471,9214 litre	1,869 %	24773,9172 litre	O
410	CM	140	CM	13 LEVEL CM	422,7399 litre	1,674 %	24823,0987 litre	O
410	CM	140	CM	12 LEVEL CM	375,3267 litre	1,487 %	24870,5119 litre	O
410	CM	140	CM	11 LEVEL CM	329,7652 litre	1,306 %	24916,0734 litre	O
410	CM	140	CM	10 LEVEL CM	286,1495 litre	1,133 %	24959,6891 litre	O
410	CM	140	CM	9 LEVEL CM	244,5866 litre	0,969 %	25001,2520 litre	O
410	CM	140	CM	8 LEVEL CM	205,2006 litre	0,813 %	25040,6380 litre	O
410	CM	140	CM	7 LEVEL CM	168,1374 litre	0,666 %	25077,7012 litre	O
410	CM	140	CM	6 LEVEL CM	133,5724 litre	0,529 %	25112,2662 litre	O
410	CM	140	CM	5 LEVEL CM	101,7223 litre	0,403 %	25144,1163 litre	O
410	CM	140	CM	4 LEVEL CM	72,8654 litre	0,289 %	25172,9732 litre	O
410	CM	140	CM	3 LEVEL CM	47,3786 litre	0,188 %	25198,4600 litre	O
410	CM	140	CM	2 LEVEL CM	25,8175 litre	0,102 %	25220,0211 litre	O
410	CM	140	CM	1 LEVEL CM	9,1377 litre	0,036 %	25236,7009 litre	O
410	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	25245,8386 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM	135	CM 270 LEVEL CM	23474,7657 litre	100,000 %	0,0000 litre	O
410	CM	135	CM 269 LEVEL CM	23465,7930 litre	99,962 %	8,9727 litre	O
410	CM	135	CM 268 LEVEL CM	23449,4155 litre	99,892 %	25,3502 litre	O
410	CM	135	CM 267 LEVEL CM	23428,2464 litre	99,802 %	46,5193 litre	O
410	CM	135	CM 266 LEVEL CM	23403,2247 litre	99,695 %	71,5410 litre	O
410	CM	135	CM 265 LEVEL CM	23374,8964 litre	99,575 %	99,8693 litre	O
410	CM	135	CM 264 LEVEL CM	23343,6319 litre	99,441 %	131,1338 litre	O
410	CM	135	CM 263 LEVEL CM	23309,7047 litre	99,297 %	165,0610 litre	O
410	CM	135	CM 262 LEVEL CM	23273,3279 litre	99,142 %	201,4378 litre	O
410	CM	135	CM 261 LEVEL CM	23234,6741 litre	98,977 %	240,0916 litre	O
410	CM	135	CM 260 LEVEL CM	23193,8867 litre	98,803 %	280,8790 litre	O
410	CM	135	CM 259 LEVEL CM	23151,0878 litre	98,621 %	323,6779 litre	O
410	CM	135	CM 258 LEVEL CM	23106,3829 litre	98,431 %	368,3828 litre	O
410	CM	135	CM 257 LEVEL CM	23059,8644 litre	98,233 %	414,9013 litre	O
410	CM	135	CM 256 LEVEL CM	23011,6144 litre	98,027 %	463,1513 litre	O
410	CM	135	CM 255 LEVEL CM	22961,7065 litre	97,814 %	513,0592 litre	O
410	CM	135	CM 254 LEVEL CM	22910,2071 litre	97,595 %	564,5586 litre	O
410	CM	135	CM 253 LEVEL CM	22857,1766 litre	97,369 %	617,5891 litre	O
410	CM	135	CM 252 LEVEL CM	22802,6703 litre	97,137 %	672,0954 litre	O
410	CM	135	CM 251 LEVEL CM	22746,7392 litre	96,899 %	728,0265 litre	O
410	CM	135	CM 250 LEVEL CM	22689,4304 litre	96,655 %	785,3353 litre	O
410	CM	135	CM 249 LEVEL CM	22630,7877 litre	96,405 %	843,9780 litre	O
410	CM	135	CM 248 LEVEL CM	22570,8522 litre	96,149 %	903,9135 litre	O
410	CM	135	CM 247 LEVEL CM	22509,6619 litre	95,889 %	965,1038 litre	O
410	CM	135	CM 246 LEVEL CM	22447,2530 litre	95,623 %	1027,5127 litre	O
410	CM	135	CM 245 LEVEL CM	22383,6594 litre	95,352 %	1091,1063 litre	O
410	CM	135	CM 244 LEVEL CM	22318,9131 litre	95,076 %	1155,8526 litre	O
410	CM	135	CM 243 LEVEL CM	22253,0445 litre	94,796 %	1221,7212 litre	O
410	CM	135	CM 242 LEVEL CM	22186,0825 litre	94,510 %	1288,6832 litre	O
410	CM	135	CM 241 LEVEL CM	22118,0545 litre	94,221 %	1356,7112 litre	O
410	CM	135	CM 240 LEVEL CM	22048,9866 litre	93,926 %	1425,7791 litre	O
410	CM	135	CM 239 LEVEL CM	21978,9040 litre	93,628 %	1495,8617 litre	O
410	CM	135	CM 238 LEVEL CM	21907,8306 litre	93,325 %	1566,9351 litre	O
410	CM	135	CM 237 LEVEL CM	21835,7892 litre	93,018 %	1638,9765 litre	O
410	CM	135	CM 236 LEVEL CM	21762,8020 litre	92,707 %	1711,9637 litre	O
410	CM	135	CM 235 LEVEL CM	21688,8902 litre	92,392 %	1785,8755 litre	O
410	CM	135	CM 234 LEVEL CM	21614,0742 litre	92,074 %	1860,6915 litre	O
410	CM	135	CM 233 LEVEL CM	21538,3736 litre	91,751 %	1936,3921 litre	O
410	CM	135	CM 232 LEVEL CM	21461,8075 litre	91,425 %	2012,9582 litre	O
410	CM	135	CM 231 LEVEL CM	21384,3942 litre	91,095 %	2090,3715 litre	O
410	CM	135	CM 230 LEVEL CM	21306,1515 litre	90,762 %	2168,6142 litre	O
410	CM	135	CM 229 LEVEL CM	21227,0966 litre	90,425 %	2247,6691 litre	O
410	CM	135	CM 228 LEVEL CM	21147,2461 litre	90,085 %	2327,5196 litre	O
410	CM	135	CM 227 LEVEL CM	21066,6163 litre	89,742 %	2408,1494 litre	O
410	CM	135	CM 226 LEVEL CM	20985,2229 litre	89,395 %	2489,5428 litre	O
410	CM	135	CM 225 LEVEL CM	20903,0812 litre	89,045 %	2571,6845 litre	O
410	CM	135	CM 224 LEVEL CM	20820,2060 litre	88,692 %	2654,5597 litre	O
410	CM	135	CM 223 LEVEL CM	20736,6118 litre	88,336 %	2738,1539 litre	O
410	CM	135	CM 222 LEVEL CM	20652,3128 litre	87,977 %	2822,4529 litre	O
410	CM	135	CM 221 LEVEL CM	20567,3226 litre	87,615 %	2907,4431 litre	O
410	CM	135	CM 220 LEVEL CM	20481,6547 litre	87,250 %	2993,1110 litre	O
410	CM	135	CM 219 LEVEL CM	20395,3223 litre	86,882 %	3079,4434 litre	O

410	CM	135	CM	218 LEVEL CM	20308,3380 litre	86,511 %	3166,4277 litre	O
410	CM	135	CM	217 LEVEL CM	20220,7145 litre	86,138 %	3254,0512 litre	O
410	CM	135	CM	216 LEVEL CM	20132,4640 litre	85,762 %	3342,3017 litre	O
410	CM	135	CM	215 LEVEL CM	20043,5985 litre	85,384 %	3431,1672 litre	O
410	CM	135	CM	214 LEVEL CM	19954,1297 litre	85,002 %	3520,6360 litre	O
410	CM	135	CM	213 LEVEL CM	19864,0691 litre	84,619 %	3610,6966 litre	O
410	CM	135	CM	212 LEVEL CM	19773,4280 litre	84,233 %	3701,3377 litre	O
410	CM	135	CM	211 LEVEL CM	19682,2175 litre	83,844 %	3792,5482 litre	O
410	CM	135	CM	210 LEVEL CM	19590,4485 litre	83,453 %	3884,3172 litre	O
410	CM	135	CM	209 LEVEL CM	19498,1315 litre	83,060 %	3976,6342 litre	O
410	CM	135	CM	208 LEVEL CM	19405,2771 litre	82,664 %	4069,4886 litre	O
410	CM	135	CM	207 LEVEL CM	19311,8956 litre	82,267 %	4162,8701 litre	O
410	CM	135	CM	206 LEVEL CM	19217,9971 litre	81,867 %	4256,7686 litre	O
410	CM	135	CM	205 LEVEL CM	19123,5915 litre	81,464 %	4351,1742 litre	O
410	CM	135	CM	204 LEVEL CM	19028,6886 litre	81,060 %	4446,0771 litre	O
410	CM	135	CM	203 LEVEL CM	18933,2981 litre	80,654 %	4541,4676 litre	O
410	CM	135	CM	202 LEVEL CM	18837,4295 litre	80,245 %	4637,3362 litre	O
410	CM	135	CM	201 LEVEL CM	18741,0921 litre	79,835 %	4733,6736 litre	O
410	CM	135	CM	200 LEVEL CM	18644,2951 litre	79,423 %	4830,4706 litre	O
410	CM	135	CM	199 LEVEL CM	18547,0477 litre	79,008 %	4927,7180 litre	O
410	CM	135	CM	198 LEVEL CM	18449,3587 litre	78,592 %	5025,4070 litre	O
410	CM	135	CM	197 LEVEL CM	18351,2371 litre	78,174 %	5123,5286 litre	O
410	CM	135	CM	196 LEVEL CM	18252,6915 litre	77,755 %	5222,0742 litre	O
410	CM	135	CM	195 LEVEL CM	18153,7305 litre	77,333 %	5321,0352 litre	O
410	CM	135	CM	194 LEVEL CM	18054,3627 litre	76,910 %	5420,4030 litre	O
410	CM	135	CM	193 LEVEL CM	17954,5965 litre	76,485 %	5520,1692 litre	O
410	CM	135	CM	192 LEVEL CM	17854,4401 litre	76,058 %	5620,3256 litre	O
410	CM	135	CM	191 LEVEL CM	17753,9018 litre	75,630 %	5720,8639 litre	O
410	CM	135	CM	190 LEVEL CM	17652,9897 litre	75,200 %	5821,7760 litre	O
410	CM	135	CM	189 LEVEL CM	17551,7117 litre	74,768 %	5923,0540 litre	O
410	CM	135	CM	188 LEVEL CM	17450,0759 litre	74,335 %	6024,6898 litre	O
410	CM	135	CM	187 LEVEL CM	17348,0900 litre	73,901 %	6126,6757 litre	O
410	CM	135	CM	186 LEVEL CM	17245,7618 litre	73,465 %	6229,0039 litre	O
410	CM	135	CM	185 LEVEL CM	17143,0991 litre	73,028 %	6331,6666 litre	O
410	CM	135	CM	184 LEVEL CM	17040,1094 litre	72,589 %	6434,6563 litre	O
410	CM	135	CM	183 LEVEL CM	16936,8003 litre	72,149 %	6537,9654 litre	O
410	CM	135	CM	182 LEVEL CM	16833,1792 litre	71,708 %	6641,5865 litre	O
410	CM	135	CM	181 LEVEL CM	16729,2536 litre	71,265 %	6745,5121 litre	O
410	CM	135	CM	180 LEVEL CM	16625,0308 litre	70,821 %	6849,7349 litre	O
410	CM	135	CM	179 LEVEL CM	16520,5181 litre	70,376 %	6954,2476 litre	O
410	CM	135	CM	178 LEVEL CM	16415,7227 litre	69,929 %	7059,0430 litre	O
410	CM	135	CM	177 LEVEL CM	16310,6517 litre	69,482 %	7164,1140 litre	O
410	CM	135	CM	176 LEVEL CM	16205,3124 litre	69,033 %	7269,4533 litre	O
410	CM	135	CM	175 LEVEL CM	16099,7116 litre	68,583 %	7375,0541 litre	O
410	CM	135	CM	174 LEVEL CM	15993,8564 litre	68,132 %	7480,9093 litre	O
410	CM	135	CM	173 LEVEL CM	15887,7538 litre	67,680 %	7587,0119 litre	O
410	CM	135	CM	172 LEVEL CM	15781,4106 litre	67,227 %	7693,3551 litre	O
410	CM	135	CM	171 LEVEL CM	15674,8338 litre	66,773 %	7799,9319 litre	O
410	CM	135	CM	170 LEVEL CM	15568,0301 litre	66,318 %	7906,7356 litre	O
410	CM	135	CM	169 LEVEL CM	15461,0062 litre	65,862 %	8013,7595 litre	O
410	CM	135	CM	168 LEVEL CM	15353,7689 litre	65,405 %	8120,9968 litre	O
410	CM	135	CM	167 LEVEL CM	15246,3250 litre	64,948 %	8228,4407 litre	O
410	CM	135	CM	166 LEVEL CM	15138,6809 litre	64,489 %	8336,0848 litre	O

410	CM	135	CM	165 LEVEL CM	15030,8434 litre	64,030 %	8443,9223 litre	O
410	CM	135	CM	164 LEVEL CM	14922,8190 litre	63,570 %	8551,9467 litre	O
410	CM	135	CM	163 LEVEL CM	14814,6142 litre	63,109 %	8660,1515 litre	O
410	CM	135	CM	162 LEVEL CM	14706,2356 litre	62,647 %	8768,5301 litre	O
410	CM	135	CM	161 LEVEL CM	14597,6895 litre	62,185 %	8877,0762 litre	O
410	CM	135	CM	160 LEVEL CM	14488,9826 litre	61,722 %	8985,7831 litre	O
410	CM	135	CM	159 LEVEL CM	14380,1211 litre	61,258 %	9094,6446 litre	O
410	CM	135	CM	158 LEVEL CM	14271,1115 litre	60,793 %	9203,6542 litre	O
410	CM	135	CM	157 LEVEL CM	14161,9600 litre	60,328 %	9312,8057 litre	O
410	CM	135	CM	156 LEVEL CM	14052,6732 litre	59,863 %	9422,0925 litre	O
410	CM	135	CM	155 LEVEL CM	13943,2572 litre	59,397 %	9531,5085 litre	O
410	CM	135	CM	154 LEVEL CM	13833,7184 litre	58,930 %	9641,0473 litre	O
410	CM	135	CM	153 LEVEL CM	13724,0630 litre	58,463 %	9750,7027 litre	O
410	CM	135	CM	152 LEVEL CM	13614,2973 litre	57,995 %	9860,4684 litre	O
410	CM	135	CM	151 LEVEL CM	13504,4275 litre	57,527 %	9970,3382 litre	O
410	CM	135	CM	150 LEVEL CM	13394,4598 litre	57,059 %	10080,3059 litre	O
410	CM	135	CM	149 LEVEL CM	13284,4005 litre	56,590 %	10190,3652 litre	O
410	CM	135	CM	148 LEVEL CM	13174,2556 litre	56,121 %	10300,5101 litre	O
410	CM	135	CM	147 LEVEL CM	13064,0314 litre	55,651 %	10410,7343 litre	O
410	CM	135	CM	146 LEVEL CM	12953,7341 litre	55,182 %	10521,0316 litre	O
410	CM	135	CM	145 LEVEL CM	12843,3697 litre	54,711 %	10631,3960 litre	O
410	CM	135	CM	144 LEVEL CM	12732,9444 litre	54,241 %	10741,8213 litre	O
410	CM	135	CM	143 LEVEL CM	12622,4643 litre	53,770 %	10852,3014 litre	O
410	CM	135	CM	142 LEVEL CM	12511,9355 litre	53,300 %	10962,8302 litre	O
410	CM	135	CM	141 LEVEL CM	12401,3641 litre	52,828 %	11073,4016 litre	O
410	CM	135	CM	140 LEVEL CM	12290,7563 litre	52,357 %	11184,0094 litre	O
410	CM	135	CM	139 LEVEL CM	12180,1181 litre	51,886 %	11294,6476 litre	O
410	CM	135	CM	138 LEVEL CM	12069,4555 litre	51,415 %	11405,3102 litre	O
410	CM	135	CM	137 LEVEL CM	11958,7748 litre	50,943 %	11515,9909 litre	O
410	CM	135	CM	136 LEVEL CM	11848,0818 litre	50,472 %	11626,6839 litre	O
410	CM	135	CM	135 LEVEL CM	11737,3829 litre	50,000 %	11737,3828 litre	O
410	CM	135	CM	134 LEVEL CM	11626,6839 litre	49,528 %	11848,0818 litre	O
410	CM	135	CM	133 LEVEL CM	11515,9910 litre	49,057 %	11958,7747 litre	O
410	CM	135	CM	132 LEVEL CM	11405,3102 litre	48,585 %	12069,4555 litre	O
410	CM	135	CM	131 LEVEL CM	11294,6477 litre	48,114 %	12180,1180 litre	O
410	CM	135	CM	130 LEVEL CM	11184,0094 litre	47,643 %	12290,7563 litre	O
410	CM	135	CM	129 LEVEL CM	11073,4016 litre	47,172 %	12401,3641 litre	O
410	CM	135	CM	128 LEVEL CM	10962,8302 litre	46,700 %	12511,9355 litre	O
410	CM	135	CM	127 LEVEL CM	10852,3014 litre	46,230 %	12622,4643 litre	O
410	CM	135	CM	126 LEVEL CM	10741,8213 litre	45,759 %	12732,9444 litre	O
410	CM	135	CM	125 LEVEL CM	10631,3960 litre	45,289 %	12843,3697 litre	O
410	CM	135	CM	124 LEVEL CM	10521,0316 litre	44,818 %	12953,7341 litre	O
410	CM	135	CM	123 LEVEL CM	10410,7343 litre	44,349 %	13064,0314 litre	O
410	CM	135	CM	122 LEVEL CM	10300,5101 litre	43,879 %	13174,2556 litre	O
410	CM	135	CM	121 LEVEL CM	10190,3652 litre	43,410 %	13284,4005 litre	O
410	CM	135	CM	120 LEVEL CM	10080,3059 litre	42,941 %	13394,4598 litre	O
410	CM	135	CM	119 LEVEL CM	9970,3382 litre	42,473 %	13504,4275 litre	O
410	CM	135	CM	118 LEVEL CM	9860,4684 litre	42,005 %	13614,2973 litre	O
410	CM	135	CM	117 LEVEL CM	9750,7027 litre	41,537 %	13724,0630 litre	O
410	CM	135	CM	116 LEVEL CM	9641,0473 litre	41,070 %	13833,7184 litre	O
410	CM	135	CM	115 LEVEL CM	9531,5085 litre	40,603 %	13943,2572 litre	O
410	CM	135	CM	114 LEVEL CM	9422,0925 litre	40,137 %	14052,6732 litre	O
410	CM	135	CM	113 LEVEL CM	9312,8057 litre	39,672 %	14161,9600 litre	O

410	CM	135	CM	112 LEVEL CM	9203,6543 litre	39,207 %	14271,1114 litre	O
410	CM	135	CM	111 LEVEL CM	9094,6446 litre	38,742 %	14380,1211 litre	O
410	CM	135	CM	110 LEVEL CM	8985,7831 litre	38,278 %	14488,9826 litre	O
410	CM	135	CM	109 LEVEL CM	8877,0762 litre	37,815 %	14597,6895 litre	O
410	CM	135	CM	108 LEVEL CM	8768,5302 litre	37,353 %	14706,2355 litre	O
410	CM	135	CM	107 LEVEL CM	8660,1515 litre	36,891 %	14814,6142 litre	O
410	CM	135	CM	106 LEVEL CM	8551,9467 litre	36,430 %	14922,8190 litre	O
410	CM	135	CM	105 LEVEL CM	8443,9223 litre	35,970 %	15030,8434 litre	O
410	CM	135	CM	104 LEVEL CM	8336,0848 litre	35,511 %	15138,6809 litre	O
410	CM	135	CM	103 LEVEL CM	8228,4407 litre	35,052 %	15246,3250 litre	O
410	CM	135	CM	102 LEVEL CM	8120,9968 litre	34,595 %	15353,7689 litre	O
410	CM	135	CM	101 LEVEL CM	8013,7595 litre	34,138 %	15461,0062 litre	O
410	CM	135	CM	100 LEVEL CM	7906,7357 litre	33,682 %	15568,0300 litre	O
410	CM	135	CM	99 LEVEL CM	7799,9319 litre	33,227 %	15674,8338 litre	O
410	CM	135	CM	98 LEVEL CM	7693,3551 litre	32,773 %	15781,4106 litre	O
410	CM	135	CM	97 LEVEL CM	7587,0119 litre	32,320 %	15887,7538 litre	O
410	CM	135	CM	96 LEVEL CM	7480,9093 litre	31,868 %	15993,8564 litre	O
410	CM	135	CM	95 LEVEL CM	7375,0541 litre	31,417 %	16099,7116 litre	O
410	CM	135	CM	94 LEVEL CM	7269,4534 litre	30,967 %	16205,3123 litre	O
410	CM	135	CM	93 LEVEL CM	7164,1140 litre	30,518 %	16310,6517 litre	O
410	CM	135	CM	92 LEVEL CM	7059,0430 litre	30,071 %	16415,7227 litre	O
410	CM	135	CM	91 LEVEL CM	6954,2476 litre	29,624 %	16520,5181 litre	O
410	CM	135	CM	90 LEVEL CM	6849,7349 litre	29,179 %	16625,0308 litre	O
410	CM	135	CM	89 LEVEL CM	6745,5121 litre	28,735 %	16729,2536 litre	O
410	CM	135	CM	88 LEVEL CM	6641,5865 litre	28,292 %	16833,1792 litre	O
410	CM	135	CM	87 LEVEL CM	6537,9654 litre	27,851 %	16936,8003 litre	O
410	CM	135	CM	86 LEVEL CM	6434,6563 litre	27,411 %	17040,1094 litre	O
410	CM	135	CM	85 LEVEL CM	6331,6666 litre	26,972 %	17143,0991 litre	O
410	CM	135	CM	84 LEVEL CM	6229,0039 litre	26,535 %	17245,7618 litre	O
410	CM	135	CM	83 LEVEL CM	6126,6757 litre	26,099 %	17348,0900 litre	O
410	CM	135	CM	82 LEVEL CM	6024,6899 litre	25,665 %	17450,0758 litre	O
410	CM	135	CM	81 LEVEL CM	5923,0540 litre	25,232 %	17551,7117 litre	O
410	CM	135	CM	80 LEVEL CM	5821,7760 litre	24,800 %	17652,9897 litre	O
410	CM	135	CM	79 LEVEL CM	5720,8639 litre	24,370 %	17753,9018 litre	O
410	CM	135	CM	78 LEVEL CM	5620,3256 litre	23,942 %	17854,4401 litre	O
410	CM	135	CM	77 LEVEL CM	5520,1692 litre	23,515 %	17954,5965 litre	O
410	CM	135	CM	76 LEVEL CM	5420,4030 litre	23,090 %	18054,3627 litre	O
410	CM	135	CM	75 LEVEL CM	5321,0352 litre	22,667 %	18153,7305 litre	O
410	CM	135	CM	74 LEVEL CM	5222,0742 litre	22,245 %	18252,6915 litre	O
410	CM	135	CM	73 LEVEL CM	5123,5286 litre	21,826 %	18351,2371 litre	O
410	CM	135	CM	72 LEVEL CM	5025,4070 litre	21,408 %	18449,3587 litre	O
410	CM	135	CM	71 LEVEL CM	4927,7180 litre	20,992 %	18547,0477 litre	O
410	CM	135	CM	70 LEVEL CM	4830,4706 litre	20,577 %	18644,2951 litre	O
410	CM	135	CM	69 LEVEL CM	4733,6736 litre	20,165 %	18741,0921 litre	O
410	CM	135	CM	68 LEVEL CM	4637,3362 litre	19,755 %	18837,4295 litre	O
410	CM	135	CM	67 LEVEL CM	4541,4676 litre	19,346 %	18933,2981 litre	O
410	CM	135	CM	66 LEVEL CM	4446,0771 litre	18,940 %	19028,6886 litre	O
410	CM	135	CM	65 LEVEL CM	4351,1743 litre	18,536 %	19123,5914 litre	O
410	CM	135	CM	64 LEVEL CM	4256,7687 litre	18,133 %	19217,9970 litre	O
410	CM	135	CM	63 LEVEL CM	4162,8701 litre	17,733 %	19311,8956 litre	O
410	CM	135	CM	62 LEVEL CM	4069,4886 litre	17,336 %	19405,2771 litre	O
410	CM	135	CM	61 LEVEL CM	3976,6342 litre	16,940 %	19498,1315 litre	O
410	CM	135	CM	60 LEVEL CM	3884,3172 litre	16,547 %	19590,4485 litre	O

410	CM	135	CM	59 LEVEL CM	3792,5482 litre	16,156 %	19682,2175 litre	O
410	CM	135	CM	58 LEVEL CM	3701,3377 litre	15,767 %	19773,4280 litre	O
410	CM	135	CM	57 LEVEL CM	3610,6966 litre	15,381 %	19864,0691 litre	O
410	CM	135	CM	56 LEVEL CM	3520,6360 litre	14,998 %	19954,1297 litre	O
410	CM	135	CM	55 LEVEL CM	3431,1672 litre	14,616 %	20043,5985 litre	O
410	CM	135	CM	54 LEVEL CM	3342,3017 litre	14,238 %	20132,4640 litre	O
410	CM	135	CM	53 LEVEL CM	3254,0512 litre	13,862 %	20220,7145 litre	O
410	CM	135	CM	52 LEVEL CM	3166,4277 litre	13,489 %	20308,3380 litre	O
410	CM	135	CM	51 LEVEL CM	3079,4434 litre	13,118 %	20395,3223 litre	O
410	CM	135	CM	50 LEVEL CM	2993,1110 litre	12,750 %	20481,6547 litre	O
410	CM	135	CM	49 LEVEL CM	2907,4431 litre	12,385 %	20567,3226 litre	O
410	CM	135	CM	48 LEVEL CM	2822,4529 litre	12,023 %	20652,3128 litre	O
410	CM	135	CM	47 LEVEL CM	2738,1539 litre	11,664 %	20736,6118 litre	O
410	CM	135	CM	46 LEVEL CM	2654,5597 litre	11,308 %	20820,2060 litre	O
410	CM	135	CM	45 LEVEL CM	2571,6845 litre	10,955 %	20903,0812 litre	O
410	CM	135	CM	44 LEVEL CM	2489,5428 litre	10,605 %	20985,2229 litre	O
410	CM	135	CM	43 LEVEL CM	2408,1494 litre	10,258 %	21066,6163 litre	O
410	CM	135	CM	42 LEVEL CM	2327,5196 litre	9,915 %	21147,2461 litre	O
410	CM	135	CM	41 LEVEL CM	2247,6691 litre	9,575 %	21227,0966 litre	O
410	CM	135	CM	40 LEVEL CM	2168,6142 litre	9,238 %	21306,1515 litre	O
410	CM	135	CM	39 LEVEL CM	2090,3715 litre	8,905 %	21384,3942 litre	O
410	CM	135	CM	38 LEVEL CM	2012,9582 litre	8,575 %	21461,8075 litre	O
410	CM	135	CM	37 LEVEL CM	1936,3921 litre	8,249 %	21538,3736 litre	O
410	CM	135	CM	36 LEVEL CM	1860,6915 litre	7,926 %	21614,0742 litre	O
410	CM	135	CM	35 LEVEL CM	1785,8755 litre	7,608 %	21688,8902 litre	O
410	CM	135	CM	34 LEVEL CM	1711,9637 litre	7,293 %	21762,8020 litre	O
410	CM	135	CM	33 LEVEL CM	1638,9765 litre	6,982 %	21835,7892 litre	O
410	CM	135	CM	32 LEVEL CM	1566,9351 litre	6,675 %	21907,8306 litre	O
410	CM	135	CM	31 LEVEL CM	1495,8617 litre	6,372 %	21978,9040 litre	O
410	CM	135	CM	30 LEVEL CM	1425,7791 litre	6,074 %	22048,9866 litre	O
410	CM	135	CM	29 LEVEL CM	1356,7112 litre	5,779 %	22118,0545 litre	O
410	CM	135	CM	28 LEVEL CM	1288,6832 litre	5,490 %	22186,0825 litre	O
410	CM	135	CM	27 LEVEL CM	1221,7212 litre	5,204 %	22253,0445 litre	O
410	CM	135	CM	26 LEVEL CM	1155,8526 litre	4,924 %	22318,9131 litre	O
410	CM	135	CM	25 LEVEL CM	1091,1063 litre	4,648 %	22383,6594 litre	O
410	CM	135	CM	24 LEVEL CM	1027,5127 litre	4,377 %	22447,2530 litre	O
410	CM	135	CM	23 LEVEL CM	965,1038 litre	4,111 %	22509,6619 litre	O
410	CM	135	CM	22 LEVEL CM	903,9136 litre	3,851 %	22570,8521 litre	O
410	CM	135	CM	21 LEVEL CM	843,9780 litre	3,595 %	22630,7877 litre	O
410	CM	135	CM	20 LEVEL CM	785,3353 litre	3,345 %	22689,4304 litre	O
410	CM	135	CM	19 LEVEL CM	728,0266 litre	3,101 %	22746,7391 litre	O
410	CM	135	CM	18 LEVEL CM	672,0954 litre	2,863 %	22802,6703 litre	O
410	CM	135	CM	17 LEVEL CM	617,5891 litre	2,631 %	22857,1766 litre	O
410	CM	135	CM	16 LEVEL CM	564,5586 litre	2,405 %	22910,2071 litre	O
410	CM	135	CM	15 LEVEL CM	513,0592 litre	2,186 %	22961,7065 litre	O
410	CM	135	CM	14 LEVEL CM	463,1513 litre	1,973 %	23011,6144 litre	O
410	CM	135	CM	13 LEVEL CM	414,9013 litre	1,767 %	23059,8644 litre	O
410	CM	135	CM	12 LEVEL CM	368,3828 litre	1,569 %	23106,3829 litre	O
410	CM	135	CM	11 LEVEL CM	323,6779 litre	1,379 %	23151,0878 litre	O
410	CM	135	CM	10 LEVEL CM	280,8790 litre	1,197 %	23193,8867 litre	O
410	CM	135	CM	9 LEVEL CM	240,0916 litre	1,023 %	23234,6741 litre	O
410	CM	135	CM	8 LEVEL CM	201,4378 litre	0,858 %	23273,3279 litre	O
410	CM	135	CM	7 LEVEL CM	165,0610 litre	0,703 %	23309,7047 litre	O

410	CM	135	CM	6 LEVEL CM	131,1338 litre	0,559 %	23343,6319 litre	O
410	CM	135	CM	5 LEVEL CM	99,8693 litre	0,425 %	23374,8964 litre	O
410	CM	135	CM	4 LEVEL CM	71,5410 litre	0,305 %	23403,2247 litre	O
410	CM	135	CM	3 LEVEL CM	46,5193 litre	0,198 %	23428,2464 litre	O
410	CM	135	CM	2 LEVEL CM	25,3502 litre	0,108 %	23449,4155 litre	O
410	CM	135	CM	1 LEVEL CM	8,9727 litre	0,038 %	23465,7930 litre	O
410	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	23474,7657 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM 130	CM 260 LEVEL CM	21768,0955 litre	100,000 %	0,0000 litre	O
410	CM 130	CM 259 LEVEL CM	21759,2909 litre	99,960 %	8,8046 litre	O
410	CM 130	CM 258 LEVEL CM	21743,2213 litre	99,886 %	24,8742 litre	O
410	CM 130	CM 257 LEVEL CM	21722,4517 litre	99,790 %	45,6438 litre	O
410	CM 130	CM 256 LEVEL CM	21697,9040 litre	99,678 %	70,1915 litre	O
410	CM 130	CM 255 LEVEL CM	21670,1143 litre	99,550 %	97,9812 litre	O
410	CM 130	CM 254 LEVEL CM	21639,4465 litre	99,409 %	128,6490 litre	O
410	CM 130	CM 253 LEVEL CM	21606,1693 litre	99,256 %	161,9262 litre	O
410	CM 130	CM 252 LEVEL CM	21570,4922 litre	99,092 %	197,6033 litre	O
410	CM 130	CM 251 LEVEL CM	21532,5847 litre	98,918 %	235,5108 litre	O
410	CM 130	CM 250 LEVEL CM	21492,5878 litre	98,734 %	275,5077 litre	O
410	CM 130	CM 249 LEVEL CM	21450,6217 litre	98,542 %	317,4738 litre	O
410	CM 130	CM 248 LEVEL CM	21406,7900 litre	98,340 %	361,3055 litre	O
410	CM 130	CM 247 LEVEL CM	21361,1837 litre	98,131 %	406,9118 litre	O
410	CM 130	CM 246 LEVEL CM	21313,8836 litre	97,913 %	454,2119 litre	O
410	CM 130	CM 245 LEVEL CM	21264,9622 litre	97,689 %	503,1333 litre	O
410	CM 130	CM 244 LEVEL CM	21214,4847 litre	97,457 %	553,6108 litre	O
410	CM 130	CM 243 LEVEL CM	21162,5106 litre	97,218 %	605,5849 litre	O
410	CM 130	CM 242 LEVEL CM	21109,0946 litre	96,973 %	659,0009 litre	O
410	CM 130	CM 241 LEVEL CM	21054,2867 litre	96,721 %	713,8088 litre	O
410	CM 130	CM 240 LEVEL CM	20998,1335 litre	96,463 %	769,9620 litre	O
410	CM 130	CM 239 LEVEL CM	20940,6781 litre	96,199 %	827,4174 litre	O
410	CM 130	CM 238 LEVEL CM	20881,9608 litre	95,929 %	886,1347 litre	O
410	CM 130	CM 237 LEVEL CM	20822,0195 litre	95,654 %	946,0760 litre	O
410	CM 130	CM 236 LEVEL CM	20760,8897 litre	95,373 %	1007,2058 litre	O
410	CM 130	CM 235 LEVEL CM	20698,6047 litre	95,087 %	1069,4908 litre	O
410	CM 130	CM 234 LEVEL CM	20635,1963 litre	94,796 %	1132,8992 litre	O
410	CM 130	CM 233 LEVEL CM	20570,6945 litre	94,499 %	1197,4010 litre	O
410	CM 130	CM 232 LEVEL CM	20505,1276 litre	94,198 %	1262,9679 litre	O
410	CM 130	CM 231 LEVEL CM	20438,5229 litre	93,892 %	1329,5726 litre	O
410	CM 130	CM 230 LEVEL CM	20370,9063 litre	93,581 %	1397,1892 litre	O
410	CM 130	CM 229 LEVEL CM	20302,3024 litre	93,266 %	1465,7931 litre	O
410	CM 130	CM 228 LEVEL CM	20232,7349 litre	92,947 %	1535,3606 litre	O
410	CM 130	CM 227 LEVEL CM	20162,2265 litre	92,623 %	1605,8690 litre	O
410	CM 130	CM 226 LEVEL CM	20090,7991 litre	92,295 %	1677,2964 litre	O
410	CM 130	CM 225 LEVEL CM	20018,4736 litre	91,962 %	1749,6219 litre	O
410	CM 130	CM 224 LEVEL CM	19945,2701 litre	91,626 %	1822,8254 litre	O
410	CM 130	CM 223 LEVEL CM	19871,2083 litre	91,286 %	1896,8872 litre	O
410	CM 130	CM 222 LEVEL CM	19796,3069 litre	90,942 %	1971,7886 litre	O
410	CM 130	CM 221 LEVEL CM	19720,5840 litre	90,594 %	2047,5115 litre	O
410	CM 130	CM 220 LEVEL CM	19644,0574 litre	90,242 %	2124,0381 litre	O
410	CM 130	CM 219 LEVEL CM	19566,7440 litre	89,887 %	2201,3515 litre	O
410	CM 130	CM 218 LEVEL CM	19488,6604 litre	89,529 %	2279,4351 litre	O
410	CM 130	CM 217 LEVEL CM	19409,8226 litre	89,166 %	2358,2729 litre	O
410	CM 130	CM 216 LEVEL CM	19330,2463 litre	88,801 %	2437,8492 litre	O
410	CM 130	CM 215 LEVEL CM	19249,9465 litre	88,432 %	2518,1490 litre	O
410	CM 130	CM 214 LEVEL CM	19168,9381 litre	88,060 %	2599,1574 litre	O
410	CM 130	CM 213 LEVEL CM	19087,2355 litre	87,684 %	2680,8600 litre	O
410	CM 130	CM 212 LEVEL CM	19004,8526 litre	87,306 %	2763,2429 litre	O
410	CM 130	CM 211 LEVEL CM	18921,8031 litre	86,924 %	2846,2924 litre	O
410	CM 130	CM 210 LEVEL CM	18838,1003 litre	86,540 %	2929,9952 litre	O
410	CM 130	CM 209 LEVEL CM	18753,7574 litre	86,152 %	3014,3381 litre	O

410	CM	130	CM	208 LEVEL CM	18668,7869 litre	85,762 %	3099,3086 litre	O
410	CM	130	CM	207 LEVEL CM	18583,2015 litre	85,369 %	3184,8940 litre	O
410	CM	130	CM	206 LEVEL CM	18497,0132 litre	84,973 %	3271,0823 litre	O
410	CM	130	CM	205 LEVEL CM	18410,2340 litre	84,574 %	3357,8615 litre	O
410	CM	130	CM	204 LEVEL CM	18322,8756 litre	84,173 %	3445,2199 litre	O
410	CM	130	CM	203 LEVEL CM	18234,9495 litre	83,769 %	3533,1460 litre	O
410	CM	130	CM	202 LEVEL CM	18146,4668 litre	83,363 %	3621,6287 litre	O
410	CM	130	CM	201 LEVEL CM	18057,4387 litre	82,954 %	3710,6568 litre	O
410	CM	130	CM	200 LEVEL CM	17967,8760 litre	82,542 %	3800,2195 litre	O
410	CM	130	CM	199 LEVEL CM	17877,7893 litre	82,128 %	3890,3062 litre	O
410	CM	130	CM	198 LEVEL CM	17787,1890 litre	81,712 %	3980,9065 litre	O
410	CM	130	CM	197 LEVEL CM	17696,0854 litre	81,294 %	4072,0101 litre	O
410	CM	130	CM	196 LEVEL CM	17604,4886 litre	80,873 %	4163,6069 litre	O
410	CM	130	CM	195 LEVEL CM	17512,4087 litre	80,450 %	4255,6868 litre	O
410	CM	130	CM	194 LEVEL CM	17419,8553 litre	80,025 %	4348,2402 litre	O
410	CM	130	CM	193 LEVEL CM	17326,8381 litre	79,597 %	4441,2574 litre	O
410	CM	130	CM	192 LEVEL CM	17233,3665 litre	79,168 %	4534,7290 litre	O
410	CM	130	CM	191 LEVEL CM	17139,4501 litre	78,737 %	4628,6454 litre	O
410	CM	130	CM	190 LEVEL CM	17045,0979 litre	78,303 %	4722,9976 litre	O
410	CM	130	CM	189 LEVEL CM	16950,3191 litre	77,868 %	4817,7764 litre	O
410	CM	130	CM	188 LEVEL CM	16855,1226 litre	77,430 %	4912,9729 litre	O
410	CM	130	CM	187 LEVEL CM	16759,5173 litre	76,991 %	5008,5782 litre	O
410	CM	130	CM	186 LEVEL CM	16663,5120 litre	76,550 %	5104,5835 litre	O
410	CM	130	CM	185 LEVEL CM	16567,1152 litre	76,107 %	5200,9803 litre	O
410	CM	130	CM	184 LEVEL CM	16470,3356 litre	75,663 %	5297,7599 litre	O
410	CM	130	CM	183 LEVEL CM	16373,1815 litre	75,216 %	5394,9140 litre	O
410	CM	130	CM	182 LEVEL CM	16275,6613 litre	74,768 %	5492,4342 litre	O
410	CM	130	CM	181 LEVEL CM	16177,7832 litre	74,319 %	5590,3123 litre	O
410	CM	130	CM	180 LEVEL CM	16079,5554 litre	73,868 %	5688,5401 litre	O
410	CM	130	CM	179 LEVEL CM	15980,9859 litre	73,415 %	5787,1096 litre	O
410	CM	130	CM	178 LEVEL CM	15882,0827 litre	72,960 %	5886,0128 litre	O
410	CM	130	CM	177 LEVEL CM	15782,8537 litre	72,505 %	5985,2418 litre	O
410	CM	130	CM	176 LEVEL CM	15683,3068 litre	72,047 %	6084,7887 litre	O
410	CM	130	CM	175 LEVEL CM	15583,4496 litre	71,588 %	6184,6459 litre	O
410	CM	130	CM	174 LEVEL CM	15483,2898 litre	71,128 %	6284,8057 litre	O
410	CM	130	CM	173 LEVEL CM	15382,8351 litre	70,667 %	6385,2604 litre	O
410	CM	130	CM	172 LEVEL CM	15282,0930 litre	70,204 %	6486,0025 litre	O
410	CM	130	CM	171 LEVEL CM	15181,0709 litre	69,740 %	6587,0246 litre	O
410	CM	130	CM	170 LEVEL CM	15079,7763 litre	69,275 %	6688,3192 litre	O
410	CM	130	CM	169 LEVEL CM	14978,2166 litre	68,808 %	6789,8789 litre	O
410	CM	130	CM	168 LEVEL CM	14876,3989 litre	68,340 %	6891,6966 litre	O
410	CM	130	CM	167 LEVEL CM	14774,3306 litre	67,871 %	6993,7649 litre	O
410	CM	130	CM	166 LEVEL CM	14672,0189 litre	67,401 %	7096,0766 litre	O
410	CM	130	CM	165 LEVEL CM	14569,4708 litre	66,930 %	7198,6247 litre	O
410	CM	130	CM	164 LEVEL CM	14466,6935 litre	66,458 %	7301,4020 litre	O
410	CM	130	CM	163 LEVEL CM	14363,6940 litre	65,985 %	7404,4015 litre	O
410	CM	130	CM	162 LEVEL CM	14260,4793 litre	65,511 %	7507,6162 litre	O
410	CM	130	CM	161 LEVEL CM	14157,0563 litre	65,036 %	7611,0392 litre	O
410	CM	130	CM	160 LEVEL CM	14053,4320 litre	64,560 %	7714,6635 litre	O
410	CM	130	CM	159 LEVEL CM	13949,6132 litre	64,083 %	7818,4823 litre	O
410	CM	130	CM	158 LEVEL CM	13845,6067 litre	63,605 %	7922,4888 litre	O
410	CM	130	CM	157 LEVEL CM	13741,4194 litre	63,126 %	8026,6761 litre	O
410	CM	130	CM	156 LEVEL CM	13637,0579 litre	62,647 %	8131,0376 litre	O

410	CM	130	CM	155 LEVEL CM	13532,5291 litre	62,167 %	8235,5664 litre	O
410	CM	130	CM	154 LEVEL CM	13427,8396 litre	61,686 %	8340,2559 litre	O
410	CM	130	CM	153 LEVEL CM	13322,9961 litre	61,204 %	8445,0994 litre	O
410	CM	130	CM	152 LEVEL CM	13218,0051 litre	60,722 %	8550,0904 litre	O
410	CM	130	CM	151 LEVEL CM	13112,8734 litre	60,239 %	8655,2221 litre	O
410	CM	130	CM	150 LEVEL CM	13007,6074 litre	59,755 %	8760,4881 litre	O
410	CM	130	CM	149 LEVEL CM	12902,2137 litre	59,271 %	8865,8818 litre	O
410	CM	130	CM	148 LEVEL CM	12796,6989 litre	58,786 %	8971,3966 litre	O
410	CM	130	CM	147 LEVEL CM	12691,0695 litre	58,301 %	9077,0260 litre	O
410	CM	130	CM	146 LEVEL CM	12585,3319 litre	57,815 %	9182,7636 litre	O
410	CM	130	CM	145 LEVEL CM	12479,4926 litre	57,329 %	9288,6029 litre	O
410	CM	130	CM	144 LEVEL CM	12373,5580 litre	56,843 %	9394,5375 litre	O
410	CM	130	CM	143 LEVEL CM	12267,5346 litre	56,356 %	9500,5609 litre	O
410	CM	130	CM	142 LEVEL CM	12161,4288 litre	55,868 %	9606,6667 litre	O
410	CM	130	CM	141 LEVEL CM	12055,2470 litre	55,380 %	9712,8485 litre	O
410	CM	130	CM	140 LEVEL CM	11948,9955 litre	54,892 %	9819,1000 litre	O
410	CM	130	CM	139 LEVEL CM	11842,6808 litre	54,404 %	9925,4147 litre	O
410	CM	130	CM	138 LEVEL CM	11736,3092 litre	53,915 %	10031,7863 litre	O
410	CM	130	CM	137 LEVEL CM	11629,8870 litre	53,426 %	10138,2085 litre	O
410	CM	130	CM	136 LEVEL CM	11523,4206 litre	52,937 %	10244,6749 litre	O
410	CM	130	CM	135 LEVEL CM	11416,9163 litre	52,448 %	10351,1792 litre	O
410	CM	130	CM	134 LEVEL CM	11310,3805 litre	51,959 %	10457,7150 litre	O
410	CM	130	CM	133 LEVEL CM	11203,8194 litre	51,469 %	10564,2761 litre	O
410	CM	130	CM	132 LEVEL CM	11097,2393 litre	50,979 %	10670,8562 litre	O
410	CM	130	CM	131 LEVEL CM	10990,6467 litre	50,490 %	10777,4488 litre	O
410	CM	130	CM	130 LEVEL CM	10884,0477 litre	50,000 %	10884,0478 litre	O
410	CM	130	CM	129 LEVEL CM	10777,4488 litre	49,510 %	10990,6467 litre	O
410	CM	130	CM	128 LEVEL CM	10670,8562 litre	49,021 %	11097,2393 litre	O
410	CM	130	CM	127 LEVEL CM	10564,2761 litre	48,531 %	11203,8194 litre	O
410	CM	130	CM	126 LEVEL CM	10457,7150 litre	48,041 %	11310,3805 litre	O
410	CM	130	CM	125 LEVEL CM	10351,1792 litre	47,552 %	11416,9163 litre	O
410	CM	130	CM	124 LEVEL CM	10244,6749 litre	47,063 %	11523,4206 litre	O
410	CM	130	CM	123 LEVEL CM	10138,2085 litre	46,574 %	11629,8870 litre	O
410	CM	130	CM	122 LEVEL CM	10031,7863 litre	46,085 %	11736,3092 litre	O
410	CM	130	CM	121 LEVEL CM	9925,4147 litre	45,596 %	11842,6808 litre	O
410	CM	130	CM	120 LEVEL CM	9819,1000 litre	45,108 %	11948,9955 litre	O
410	CM	130	CM	119 LEVEL CM	9712,8485 litre	44,620 %	12055,2470 litre	O
410	CM	130	CM	118 LEVEL CM	9606,6667 litre	44,132 %	12161,4288 litre	O
410	CM	130	CM	117 LEVEL CM	9500,5609 litre	43,644 %	12267,5346 litre	O
410	CM	130	CM	116 LEVEL CM	9394,5375 litre	43,157 %	12373,5580 litre	O
410	CM	130	CM	115 LEVEL CM	9288,6029 litre	42,671 %	12479,4926 litre	O
410	CM	130	CM	114 LEVEL CM	9182,7636 litre	42,185 %	12585,3319 litre	O
410	CM	130	CM	113 LEVEL CM	9077,0260 litre	41,699 %	12691,0695 litre	O
410	CM	130	CM	112 LEVEL CM	8971,3966 litre	41,214 %	12796,6989 litre	O
410	CM	130	CM	111 LEVEL CM	8865,8818 litre	40,729 %	12902,2137 litre	O
410	CM	130	CM	110 LEVEL CM	8760,4881 litre	40,245 %	13007,6074 litre	O
410	CM	130	CM	109 LEVEL CM	8655,2221 litre	39,761 %	13112,8734 litre	O
410	CM	130	CM	108 LEVEL CM	8550,0904 litre	39,278 %	13218,0051 litre	O
410	CM	130	CM	107 LEVEL CM	8445,0994 litre	38,796 %	13322,9961 litre	O
410	CM	130	CM	106 LEVEL CM	8340,2559 litre	38,314 %	13427,8396 litre	O
410	CM	130	CM	105 LEVEL CM	8235,5664 litre	37,833 %	13532,5291 litre	O
410	CM	130	CM	104 LEVEL CM	8131,0376 litre	37,353 %	13637,0579 litre	O
410	CM	130	CM	103 LEVEL CM	8026,6761 litre	36,874 %	13741,4194 litre	O

410	CM	130	CM	102 LEVEL CM	7922,4888 litre	36,395 %	13845,6067 litre	O
410	CM	130	CM	101 LEVEL CM	7818,4823 litre	35,917 %	13949,6132 litre	O
410	CM	130	CM	100 LEVEL CM	7714,6635 litre	35,440 %	14053,4320 litre	O
410	CM	130	CM	99 LEVEL CM	7611,0392 litre	34,964 %	14157,0563 litre	O
410	CM	130	CM	98 LEVEL CM	7507,6162 litre	34,489 %	14260,4793 litre	O
410	CM	130	CM	97 LEVEL CM	7404,4015 litre	34,015 %	14363,6940 litre	O
410	CM	130	CM	96 LEVEL CM	7301,4020 litre	33,542 %	14466,6935 litre	O
410	CM	130	CM	95 LEVEL CM	7198,6247 litre	33,070 %	14569,4708 litre	O
410	CM	130	CM	94 LEVEL CM	7096,0766 litre	32,599 %	14672,0189 litre	O
410	CM	130	CM	93 LEVEL CM	6993,7649 litre	32,129 %	14774,3306 litre	O
410	CM	130	CM	92 LEVEL CM	6891,6966 litre	31,660 %	14876,3989 litre	O
410	CM	130	CM	91 LEVEL CM	6789,8789 litre	31,192 %	14978,2166 litre	O
410	CM	130	CM	90 LEVEL CM	6688,3192 litre	30,725 %	15079,7763 litre	O
410	CM	130	CM	89 LEVEL CM	6587,0246 litre	30,260 %	15181,0709 litre	O
410	CM	130	CM	88 LEVEL CM	6486,0025 litre	29,796 %	15282,0930 litre	O
410	CM	130	CM	87 LEVEL CM	6385,2604 litre	29,333 %	15382,8351 litre	O
410	CM	130	CM	86 LEVEL CM	6284,8057 litre	28,872 %	15483,2898 litre	O
410	CM	130	CM	85 LEVEL CM	6184,6459 litre	28,412 %	15583,4496 litre	O
410	CM	130	CM	84 LEVEL CM	6084,7887 litre	27,953 %	15683,3068 litre	O
410	CM	130	CM	83 LEVEL CM	5985,2418 litre	27,495 %	15782,8537 litre	O
410	CM	130	CM	82 LEVEL CM	5886,0128 litre	27,040 %	15882,0827 litre	O
410	CM	130	CM	81 LEVEL CM	5787,1096 litre	26,585 %	15980,9859 litre	O
410	CM	130	CM	80 LEVEL CM	5688,5401 litre	26,132 %	16079,5554 litre	O
410	CM	130	CM	79 LEVEL CM	5590,3123 litre	25,681 %	16177,7832 litre	O
410	CM	130	CM	78 LEVEL CM	5492,4342 litre	25,232 %	16275,6613 litre	O
410	CM	130	CM	77 LEVEL CM	5394,9140 litre	24,784 %	16373,1815 litre	O
410	CM	130	CM	76 LEVEL CM	5297,7599 litre	24,337 %	16470,3356 litre	O
410	CM	130	CM	75 LEVEL CM	5200,9802 litre	23,893 %	16567,1153 litre	O
410	CM	130	CM	74 LEVEL CM	5104,5835 litre	23,450 %	16663,5120 litre	O
410	CM	130	CM	73 LEVEL CM	5008,5782 litre	23,009 %	16759,5173 litre	O
410	CM	130	CM	72 LEVEL CM	4912,9729 litre	22,570 %	16855,1226 litre	O
410	CM	130	CM	71 LEVEL CM	4817,7764 litre	22,132 %	16950,3191 litre	O
410	CM	130	CM	70 LEVEL CM	4722,9976 litre	21,697 %	17045,0979 litre	O
410	CM	130	CM	69 LEVEL CM	4628,6454 litre	21,263 %	17139,4501 litre	O
410	CM	130	CM	68 LEVEL CM	4534,7290 litre	20,832 %	17233,3665 litre	O
410	CM	130	CM	67 LEVEL CM	4441,2574 litre	20,403 %	17326,8381 litre	O
410	CM	130	CM	66 LEVEL CM	4348,2402 litre	19,975 %	17419,8553 litre	O
410	CM	130	CM	65 LEVEL CM	4255,6868 litre	19,550 %	17512,4087 litre	O
410	CM	130	CM	64 LEVEL CM	4163,6069 litre	19,127 %	17604,4886 litre	O
410	CM	130	CM	63 LEVEL CM	4072,0101 litre	18,706 %	17696,0854 litre	O
410	CM	130	CM	62 LEVEL CM	3980,9065 litre	18,288 %	17787,1890 litre	O
410	CM	130	CM	61 LEVEL CM	3890,3062 litre	17,872 %	17877,7893 litre	O
410	CM	130	CM	60 LEVEL CM	3800,2195 litre	17,458 %	17967,8760 litre	O
410	CM	130	CM	59 LEVEL CM	3710,6568 litre	17,046 %	18057,4387 litre	O
410	CM	130	CM	58 LEVEL CM	3621,6287 litre	16,637 %	18146,4668 litre	O
410	CM	130	CM	57 LEVEL CM	3533,1460 litre	16,231 %	18234,9495 litre	O
410	CM	130	CM	56 LEVEL CM	3445,2199 litre	15,827 %	18322,8756 litre	O
410	CM	130	CM	55 LEVEL CM	3357,8615 litre	15,426 %	18410,2340 litre	O
410	CM	130	CM	54 LEVEL CM	3271,0823 litre	15,027 %	18497,0132 litre	O
410	CM	130	CM	53 LEVEL CM	3184,8940 litre	14,631 %	18583,2015 litre	O
410	CM	130	CM	52 LEVEL CM	3099,3086 litre	14,238 %	18668,7869 litre	O
410	CM	130	CM	51 LEVEL CM	3014,3381 litre	13,848 %	18753,7574 litre	O
410	CM	130	CM	50 LEVEL CM	2929,9952 litre	13,460 %	18838,1003 litre	O

410	CM	130	CM	49 LEVEL CM	2846,2924 litre	13,076 %	18921,8031 litre	O
410	CM	130	CM	48 LEVEL CM	2763,2429 litre	12,694 %	19004,8526 litre	O
410	CM	130	CM	47 LEVEL CM	2680,8600 litre	12,316 %	19087,2355 litre	O
410	CM	130	CM	46 LEVEL CM	2599,1574 litre	11,940 %	19168,9381 litre	O
410	CM	130	CM	45 LEVEL CM	2518,1490 litre	11,568 %	19249,9465 litre	O
410	CM	130	CM	44 LEVEL CM	2437,8492 litre	11,199 %	19330,2463 litre	O
410	CM	130	CM	43 LEVEL CM	2358,2729 litre	10,834 %	19409,8226 litre	O
410	CM	130	CM	42 LEVEL CM	2279,4351 litre	10,471 %	19488,6604 litre	O
410	CM	130	CM	41 LEVEL CM	2201,3515 litre	10,113 %	19566,7440 litre	O
410	CM	130	CM	40 LEVEL CM	2124,0381 litre	9,758 %	19644,0574 litre	O
410	CM	130	CM	39 LEVEL CM	2047,5115 litre	9,406 %	19720,5840 litre	O
410	CM	130	CM	38 LEVEL CM	1971,7886 litre	9,058 %	19796,3069 litre	O
410	CM	130	CM	37 LEVEL CM	1896,8872 litre	8,714 %	19871,2083 litre	O
410	CM	130	CM	36 LEVEL CM	1822,8254 litre	8,374 %	19945,2701 litre	O
410	CM	130	CM	35 LEVEL CM	1749,6219 litre	8,038 %	20018,4736 litre	O
410	CM	130	CM	34 LEVEL CM	1677,2964 litre	7,705 %	20090,7991 litre	O
410	CM	130	CM	33 LEVEL CM	1605,8690 litre	7,377 %	20162,2265 litre	O
410	CM	130	CM	32 LEVEL CM	1535,3606 litre	7,053 %	20232,7349 litre	O
410	CM	130	CM	31 LEVEL CM	1465,7931 litre	6,734 %	20302,3024 litre	O
410	CM	130	CM	30 LEVEL CM	1397,1892 litre	6,419 %	20370,9063 litre	O
410	CM	130	CM	29 LEVEL CM	1329,5726 litre	6,108 %	20438,5229 litre	O
410	CM	130	CM	28 LEVEL CM	1262,9679 litre	5,802 %	20505,1276 litre	O
410	CM	130	CM	27 LEVEL CM	1197,4010 litre	5,501 %	20570,6945 litre	O
410	CM	130	CM	26 LEVEL CM	1132,8992 litre	5,204 %	20635,1963 litre	O
410	CM	130	CM	25 LEVEL CM	1069,4908 litre	4,913 %	20698,6047 litre	O
410	CM	130	CM	24 LEVEL CM	1007,2058 litre	4,627 %	20760,8897 litre	O
410	CM	130	CM	23 LEVEL CM	946,0760 litre	4,346 %	20822,0195 litre	O
410	CM	130	CM	22 LEVEL CM	886,1346 litre	4,071 %	20881,9609 litre	O
410	CM	130	CM	21 LEVEL CM	827,4174 litre	3,801 %	20940,6781 litre	O
410	CM	130	CM	20 LEVEL CM	769,9620 litre	3,537 %	20998,1335 litre	O
410	CM	130	CM	19 LEVEL CM	713,8088 litre	3,279 %	21054,2867 litre	O
410	CM	130	CM	18 LEVEL CM	659,0009 litre	3,027 %	21109,0946 litre	O
410	CM	130	CM	17 LEVEL CM	605,5848 litre	2,782 %	21162,5107 litre	O
410	CM	130	CM	16 LEVEL CM	553,6108 litre	2,543 %	21214,4847 litre	O
410	CM	130	CM	15 LEVEL CM	503,1333 litre	2,311 %	21264,9622 litre	O
410	CM	130	CM	14 LEVEL CM	454,2119 litre	2,087 %	21313,8836 litre	O
410	CM	130	CM	13 LEVEL CM	406,9118 litre	1,869 %	21361,1837 litre	O
410	CM	130	CM	12 LEVEL CM	361,3055 litre	1,660 %	21406,7900 litre	O
410	CM	130	CM	11 LEVEL CM	317,4738 litre	1,458 %	21450,6217 litre	O
410	CM	130	CM	10 LEVEL CM	275,5077 litre	1,266 %	21492,5878 litre	O
410	CM	130	CM	9 LEVEL CM	235,5108 litre	1,082 %	21532,5847 litre	O
410	CM	130	CM	8 LEVEL CM	197,6033 litre	0,908 %	21570,4922 litre	O
410	CM	130	CM	7 LEVEL CM	161,9262 litre	0,744 %	21606,1693 litre	O
410	CM	130	CM	6 LEVEL CM	128,6490 litre	0,591 %	21639,4465 litre	O
410	CM	130	CM	5 LEVEL CM	97,9812 litre	0,450 %	21670,1143 litre	O
410	CM	130	CM	4 LEVEL CM	70,1915 litre	0,322 %	21697,9040 litre	O
410	CM	130	CM	3 LEVEL CM	45,6438 litre	0,210 %	21722,4517 litre	O
410	CM	130	CM	2 LEVEL CM	24,8742 litre	0,114 %	21743,2213 litre	O
410	CM	130	CM	1 LEVEL CM	8,8046 litre	0,040 %	21759,2909 litre	O
410	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	21768,0955 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM	125	CM 250 LEVEL CM	20125,8279 litre	100,000 %	0,0000 litre	O
410	CM	125	CM 249 LEVEL CM	20117,1948 litre	99,957 %	8,6331 litre	O
410	CM	125	CM 248 LEVEL CM	20101,4390 litre	99,879 %	24,3889 litre	O
410	CM	125	CM 247 LEVEL CM	20081,0767 litre	99,778 %	44,7512 litre	O
410	CM	125	CM 246 LEVEL CM	20057,0123 litre	99,658 %	68,8156 litre	O
410	CM	125	CM 245 LEVEL CM	20029,7719 litre	99,523 %	96,0560 litre	O
410	CM	125	CM 244 LEVEL CM	19999,7127 litre	99,373 %	126,1152 litre	O
410	CM	125	CM 243 LEVEL CM	19967,0985 litre	99,211 %	158,7294 litre	O
410	CM	125	CM 242 LEVEL CM	19932,1350 litre	99,038 %	193,6929 litre	O
410	CM	125	CM 241 LEVEL CM	19894,9887 litre	98,853 %	230,8392 litre	O
410	CM	125	CM 240 LEVEL CM	19855,7984 litre	98,658 %	270,0295 litre	O
410	CM	125	CM 239 LEVEL CM	19814,6819 litre	98,454 %	311,1460 litre	O
410	CM	125	CM 238 LEVEL CM	19771,7411 litre	98,241 %	354,0868 litre	O
410	CM	125	CM 237 LEVEL CM	19727,0657 litre	98,019 %	398,7622 litre	O
410	CM	125	CM 236 LEVEL CM	19680,7351 litre	97,788 %	445,0928 litre	O
410	CM	125	CM 235 LEVEL CM	19632,8203 litre	97,550 %	493,0076 litre	O
410	CM	125	CM 234 LEVEL CM	19583,3859 litre	97,305 %	542,4420 litre	O
410	CM	125	CM 233 LEVEL CM	19532,4903 litre	97,052 %	593,3376 litre	O
410	CM	125	CM 232 LEVEL CM	19480,1872 litre	96,792 %	645,6407 litre	O
410	CM	125	CM 231 LEVEL CM	19426,5261 litre	96,525 %	699,3018 litre	O
410	CM	125	CM 230 LEVEL CM	19371,5527 litre	96,252 %	754,2752 litre	O
410	CM	125	CM 229 LEVEL CM	19315,3096 litre	95,973 %	810,5183 litre	O
410	CM	125	CM 228 LEVEL CM	19257,8365 litre	95,687 %	867,9914 litre	O
410	CM	125	CM 227 LEVEL CM	19199,1707 litre	95,396 %	926,6572 litre	O
410	CM	125	CM 226 LEVEL CM	19139,3472 litre	95,098 %	986,4807 litre	O
410	CM	125	CM 225 LEVEL CM	19078,3990 litre	94,796 %	1047,4289 litre	O
410	CM	125	CM 224 LEVEL CM	19016,3573 litre	94,487 %	1109,4706 litre	O
410	CM	125	CM 223 LEVEL CM	18953,2517 litre	94,174 %	1172,5762 litre	O
410	CM	125	CM 222 LEVEL CM	18889,1105 litre	93,855 %	1236,7174 litre	O
410	CM	125	CM 221 LEVEL CM	18823,9602 litre	93,531 %	1301,8677 litre	O
410	CM	125	CM 220 LEVEL CM	18757,8266 litre	93,203 %	1368,0013 litre	O
410	CM	125	CM 219 LEVEL CM	18690,7340 litre	92,869 %	1435,0939 litre	O
410	CM	125	CM 218 LEVEL CM	18622,7058 litre	92,531 %	1503,1221 litre	O
410	CM	125	CM 217 LEVEL CM	18553,7645 litre	92,189 %	1572,0634 litre	O
410	CM	125	CM 216 LEVEL CM	18483,9316 litre	91,842 %	1641,8963 litre	O
410	CM	125	CM 215 LEVEL CM	18413,2279 litre	91,491 %	1712,6000 litre	O
410	CM	125	CM 214 LEVEL CM	18341,6735 litre	91,135 %	1784,1544 litre	O
410	CM	125	CM 213 LEVEL CM	18269,2875 litre	90,775 %	1856,5404 litre	O
410	CM	125	CM 212 LEVEL CM	18196,0886 litre	90,412 %	1929,7393 litre	O
410	CM	125	CM 211 LEVEL CM	18122,0948 litre	90,044 %	2003,7331 litre	O
410	CM	125	CM 210 LEVEL CM	18047,3236 litre	89,672 %	2078,5043 litre	O
410	CM	125	CM 209 LEVEL CM	17971,7919 litre	89,297 %	2154,0360 litre	O
410	CM	125	CM 208 LEVEL CM	17895,5160 litre	88,918 %	2230,3119 litre	O
410	CM	125	CM 207 LEVEL CM	17818,5119 litre	88,536 %	2307,3160 litre	O
410	CM	125	CM 206 LEVEL CM	17740,7951 litre	88,149 %	2385,0328 litre	O
410	CM	125	CM 205 LEVEL CM	17662,3806 litre	87,760 %	2463,4473 litre	O
410	CM	125	CM 204 LEVEL CM	17583,2831 litre	87,367 %	2542,5448 litre	O
410	CM	125	CM 203 LEVEL CM	17503,5168 litre	86,970 %	2622,3111 litre	O
410	CM	125	CM 202 LEVEL CM	17423,0957 litre	86,571 %	2702,7322 litre	O
410	CM	125	CM 201 LEVEL CM	17342,0333 litre	86,168 %	2783,7946 litre	O
410	CM	125	CM 200 LEVEL CM	17260,3429 litre	85,762 %	2865,4850 litre	O
410	CM	125	CM 199 LEVEL CM	17178,0376 litre	85,353 %	2947,7903 litre	O

410	CM	125	CM	198 LEVEL CM	17095,1298 litre	84,941 %	3030,6981 litre	O
410	CM	125	CM	197 LEVEL CM	17011,6322 litre	84,526 %	3114,1957 litre	O
410	CM	125	CM	196 LEVEL CM	16927,5567 litre	84,109 %	3198,2712 litre	O
410	CM	125	CM	195 LEVEL CM	16842,9152 litre	83,688 %	3282,9127 litre	O
410	CM	125	CM	194 LEVEL CM	16757,7195 litre	83,265 %	3368,1084 litre	O
410	CM	125	CM	193 LEVEL CM	16671,9810 litre	82,839 %	3453,8469 litre	O
410	CM	125	CM	192 LEVEL CM	16585,7108 litre	82,410 %	3540,1171 litre	O
410	CM	125	CM	191 LEVEL CM	16498,9199 litre	81,979 %	3626,9080 litre	O
410	CM	125	CM	190 LEVEL CM	16411,6192 litre	81,545 %	3714,2087 litre	O
410	CM	125	CM	189 LEVEL CM	16323,8193 litre	81,109 %	3802,0086 litre	O
410	CM	125	CM	188 LEVEL CM	16235,5307 litre	80,670 %	3890,2972 litre	O
410	CM	125	CM	187 LEVEL CM	16146,7635 litre	80,229 %	3979,0644 litre	O
410	CM	125	CM	186 LEVEL CM	16057,5279 litre	79,786 %	4068,3000 litre	O
410	CM	125	CM	185 LEVEL CM	15967,8338 litre	79,340 %	4157,9941 litre	O
410	CM	125	CM	184 LEVEL CM	15877,6911 litre	78,892 %	4248,1368 litre	O
410	CM	125	CM	183 LEVEL CM	15787,1093 litre	78,442 %	4338,7186 litre	O
410	CM	125	CM	182 LEVEL CM	15696,0980 litre	77,990 %	4429,7299 litre	O
410	CM	125	CM	181 LEVEL CM	15604,6666 litre	77,536 %	4521,1613 litre	O
410	CM	125	CM	180 LEVEL CM	15512,8242 litre	77,079 %	4613,0037 litre	O
410	CM	125	CM	179 LEVEL CM	15420,5800 litre	76,621 %	4705,2479 litre	O
410	CM	125	CM	178 LEVEL CM	15327,9431 litre	76,161 %	4797,8848 litre	O
410	CM	125	CM	177 LEVEL CM	15234,9222 litre	75,698 %	4890,9057 litre	O
410	CM	125	CM	176 LEVEL CM	15141,5262 litre	75,234 %	4984,3017 litre	O
410	CM	125	CM	175 LEVEL CM	15047,7638 litre	74,768 %	5078,0641 litre	O
410	CM	125	CM	174 LEVEL CM	14953,6435 litre	74,301 %	5172,1844 litre	O
410	CM	125	CM	173 LEVEL CM	14859,1737 litre	73,831 %	5266,6542 litre	O
410	CM	125	CM	172 LEVEL CM	14764,3630 litre	73,360 %	5361,4649 litre	O
410	CM	125	CM	171 LEVEL CM	14669,2195 litre	72,888 %	5456,6084 litre	O
410	CM	125	CM	170 LEVEL CM	14573,7514 litre	72,413 %	5552,0765 litre	O
410	CM	125	CM	169 LEVEL CM	14477,9669 litre	71,937 %	5647,8610 litre	O
410	CM	125	CM	168 LEVEL CM	14381,8741 litre	71,460 %	5743,9538 litre	O
410	CM	125	CM	167 LEVEL CM	14285,4808 litre	70,981 %	5840,3471 litre	O
410	CM	125	CM	166 LEVEL CM	14188,7950 litre	70,500 %	5937,0329 litre	O
410	CM	125	CM	165 LEVEL CM	14091,8245 litre	70,019 %	6034,0034 litre	O
410	CM	125	CM	164 LEVEL CM	13994,5770 litre	69,535 %	6131,2509 litre	O
410	CM	125	CM	163 LEVEL CM	13897,0602 litre	69,051 %	6228,7677 litre	O
410	CM	125	CM	162 LEVEL CM	13799,2817 litre	68,565 %	6326,5462 litre	O
410	CM	125	CM	161 LEVEL CM	13701,2492 litre	68,078 %	6424,5787 litre	O
410	CM	125	CM	160 LEVEL CM	13602,9700 litre	67,590 %	6522,8579 litre	O
410	CM	125	CM	159 LEVEL CM	13504,4516 litre	67,100 %	6621,3763 litre	O
410	CM	125	CM	158 LEVEL CM	13405,7015 litre	66,609 %	6720,1264 litre	O
410	CM	125	CM	157 LEVEL CM	13306,7269 litre	66,118 %	6819,1010 litre	O
410	CM	125	CM	156 LEVEL CM	13207,5352 litre	65,625 %	6918,2927 litre	O
410	CM	125	CM	155 LEVEL CM	13108,1335 litre	65,131 %	7017,6944 litre	O
410	CM	125	CM	154 LEVEL CM	13008,5291 litre	64,636 %	7117,2988 litre	O
410	CM	125	CM	153 LEVEL CM	12908,7292 litre	64,140 %	7217,0987 litre	O
410	CM	125	CM	152 LEVEL CM	12808,7407 litre	63,643 %	7317,0872 litre	O
410	CM	125	CM	151 LEVEL CM	12708,5709 litre	63,146 %	7417,2570 litre	O
410	CM	125	CM	150 LEVEL CM	12608,2266 litre	62,647 %	7517,6013 litre	O
410	CM	125	CM	149 LEVEL CM	12507,7150 litre	62,148 %	7618,1129 litre	O
410	CM	125	CM	148 LEVEL CM	12407,0430 litre	61,647 %	7718,7849 litre	O
410	CM	125	CM	147 LEVEL CM	12306,2175 litre	61,146 %	7819,6104 litre	O
410	CM	125	CM	146 LEVEL CM	12205,2453 litre	60,645 %	7920,5826 litre	O

410	CM	125	CM	145 LEVEL CM	12104,1334 litre	60,142 %	8021,6945 litre	O
410	CM	125	CM	144 LEVEL CM	12002,8886 litre	59,639 %	8122,9393 litre	O
410	CM	125	CM	143 LEVEL CM	11901,5177 litre	59,136 %	8224,3102 litre	O
410	CM	125	CM	142 LEVEL CM	11800,0274 litre	58,631 %	8325,8005 litre	O
410	CM	125	CM	141 LEVEL CM	11698,4246 litre	58,126 %	8427,4033 litre	O
410	CM	125	CM	140 LEVEL CM	11596,7160 litre	57,621 %	8529,1119 litre	O
410	CM	125	CM	139 LEVEL CM	11494,9082 litre	57,115 %	8630,9197 litre	O
410	CM	125	CM	138 LEVEL CM	11393,0080 litre	56,609 %	8732,8199 litre	O
410	CM	125	CM	137 LEVEL CM	11291,0221 litre	56,102 %	8834,8058 litre	O
410	CM	125	CM	136 LEVEL CM	11188,9570 litre	55,595 %	8936,8709 litre	O
410	CM	125	CM	135 LEVEL CM	11086,8196 litre	55,088 %	9039,0083 litre	O
410	CM	125	CM	134 LEVEL CM	10984,6163 litre	54,580 %	9141,2116 litre	O
410	CM	125	CM	133 LEVEL CM	10882,3538 litre	54,072 %	9243,4741 litre	O
410	CM	125	CM	132 LEVEL CM	10780,0388 litre	53,563 %	9345,7891 litre	O
410	CM	125	CM	131 LEVEL CM	10677,6777 litre	53,055 %	9448,1502 litre	O
410	CM	125	CM	130 LEVEL CM	10575,2773 litre	52,546 %	9550,5506 litre	O
410	CM	125	CM	129 LEVEL CM	10472,8440 litre	52,037 %	9652,9839 litre	O
410	CM	125	CM	128 LEVEL CM	10370,3844 litre	51,528 %	9755,4435 litre	O
410	CM	125	CM	127 LEVEL CM	10267,9052 litre	51,019 %	9857,9227 litre	O
410	CM	125	CM	126 LEVEL CM	10165,4129 litre	50,509 %	9960,4150 litre	O
410	CM	125	CM	125 LEVEL CM	10062,9140 litre	50,000 %	10062,9139 litre	O
410	CM	125	CM	124 LEVEL CM	9960,4151 litre	49,491 %	10165,4128 litre	O
410	CM	125	CM	123 LEVEL CM	9857,9227 litre	48,981 %	10267,9052 litre	O
410	CM	125	CM	122 LEVEL CM	9755,4435 litre	48,472 %	10370,3844 litre	O
410	CM	125	CM	121 LEVEL CM	9652,9840 litre	47,963 %	10472,8439 litre	O
410	CM	125	CM	120 LEVEL CM	9550,5507 litre	47,454 %	10575,2772 litre	O
410	CM	125	CM	119 LEVEL CM	9448,1502 litre	46,945 %	10677,6777 litre	O
410	CM	125	CM	118 LEVEL CM	9345,7892 litre	46,437 %	10780,0387 litre	O
410	CM	125	CM	117 LEVEL CM	9243,4741 litre	45,928 %	10882,3538 litre	O
410	CM	125	CM	116 LEVEL CM	9141,2116 litre	45,420 %	10984,6163 litre	O
410	CM	125	CM	115 LEVEL CM	9039,0084 litre	44,912 %	11086,8195 litre	O
410	CM	125	CM	114 LEVEL CM	8936,8709 litre	44,405 %	11188,9570 litre	O
410	CM	125	CM	113 LEVEL CM	8834,8059 litre	43,898 %	11291,0220 litre	O
410	CM	125	CM	112 LEVEL CM	8732,8199 litre	43,391 %	11393,0080 litre	O
410	CM	125	CM	111 LEVEL CM	8630,9197 litre	42,885 %	11494,9082 litre	O
410	CM	125	CM	110 LEVEL CM	8529,1120 litre	42,379 %	11596,7159 litre	O
410	CM	125	CM	109 LEVEL CM	8427,4033 litre	41,874 %	11698,4246 litre	O
410	CM	125	CM	108 LEVEL CM	8325,8005 litre	41,369 %	11800,0274 litre	O
410	CM	125	CM	107 LEVEL CM	8224,3103 litre	40,864 %	11901,5176 litre	O
410	CM	125	CM	106 LEVEL CM	8122,9393 litre	40,361 %	12002,8886 litre	O
410	CM	125	CM	105 LEVEL CM	8021,6945 litre	39,858 %	12104,1334 litre	O
410	CM	125	CM	104 LEVEL CM	7920,5826 litre	39,355 %	12205,2453 litre	O
410	CM	125	CM	103 LEVEL CM	7819,6105 litre	38,854 %	12306,2174 litre	O
410	CM	125	CM	102 LEVEL CM	7718,7849 litre	38,353 %	12407,0430 litre	O
410	CM	125	CM	101 LEVEL CM	7618,1129 litre	37,852 %	12507,7150 litre	O
410	CM	125	CM	100 LEVEL CM	7517,6013 litre	37,353 %	12608,2266 litre	O
410	CM	125	CM	99 LEVEL CM	7417,2571 litre	36,854 %	12708,5708 litre	O
410	CM	125	CM	98 LEVEL CM	7317,0872 litre	36,357 %	12808,7407 litre	O
410	CM	125	CM	97 LEVEL CM	7217,0988 litre	35,860 %	12908,7291 litre	O
410	CM	125	CM	96 LEVEL CM	7117,2988 litre	35,364 %	13008,5291 litre	O
410	CM	125	CM	95 LEVEL CM	7017,6944 litre	34,869 %	13108,1335 litre	O
410	CM	125	CM	94 LEVEL CM	6918,2928 litre	34,375 %	13207,5351 litre	O
410	CM	125	CM	93 LEVEL CM	6819,1010 litre	33,882 %	13306,7269 litre	O

410	CM	125	CM	92 LEVEL CM	6720,1264 litre	33,391 %	13405,7015 litre	O
410	CM	125	CM	91 LEVEL CM	6621,3763 litre	32,900 %	13504,4516 litre	O
410	CM	125	CM	90 LEVEL CM	6522,8580 litre	32,410 %	13602,9699 litre	O
410	CM	125	CM	89 LEVEL CM	6424,5788 litre	31,922 %	13701,2491 litre	O
410	CM	125	CM	88 LEVEL CM	6326,5462 litre	31,435 %	13799,2817 litre	O
410	CM	125	CM	87 LEVEL CM	6228,7678 litre	30,949 %	13897,0601 litre	O
410	CM	125	CM	86 LEVEL CM	6131,2510 litre	30,465 %	13994,5769 litre	O
410	CM	125	CM	85 LEVEL CM	6034,0035 litre	29,981 %	14091,8244 litre	O
410	CM	125	CM	84 LEVEL CM	5937,0330 litre	29,500 %	14188,7949 litre	O
410	CM	125	CM	83 LEVEL CM	5840,3471 litre	29,019 %	14285,4808 litre	O
410	CM	125	CM	82 LEVEL CM	5743,9539 litre	28,540 %	14381,8740 litre	O
410	CM	125	CM	81 LEVEL CM	5647,8610 litre	28,063 %	14477,9669 litre	O
410	CM	125	CM	80 LEVEL CM	5552,0765 litre	27,587 %	14573,7514 litre	O
410	CM	125	CM	79 LEVEL CM	5456,6085 litre	27,112 %	14669,2194 litre	O
410	CM	125	CM	78 LEVEL CM	5361,4650 litre	26,640 %	14764,3629 litre	O
410	CM	125	CM	77 LEVEL CM	5266,6542 litre	26,169 %	14859,1737 litre	O
410	CM	125	CM	76 LEVEL CM	5172,1845 litre	25,699 %	14953,6434 litre	O
410	CM	125	CM	75 LEVEL CM	5078,0641 litre	25,232 %	15047,7638 litre	O
410	CM	125	CM	74 LEVEL CM	4984,3017 litre	24,766 %	15141,5262 litre	O
410	CM	125	CM	73 LEVEL CM	4890,9057 litre	24,302 %	15234,9222 litre	O
410	CM	125	CM	72 LEVEL CM	4797,8849 litre	23,839 %	15327,9430 litre	O
410	CM	125	CM	71 LEVEL CM	4705,2479 litre	23,379 %	15420,5800 litre	O
410	CM	125	CM	70 LEVEL CM	4613,0037 litre	22,921 %	15512,8242 litre	O
410	CM	125	CM	69 LEVEL CM	4521,1614 litre	22,464 %	15604,6665 litre	O
410	CM	125	CM	68 LEVEL CM	4429,7299 litre	22,010 %	15696,0980 litre	O
410	CM	125	CM	67 LEVEL CM	4338,7186 litre	21,558 %	15787,1093 litre	O
410	CM	125	CM	66 LEVEL CM	4248,1369 litre	21,108 %	15877,6910 litre	O
410	CM	125	CM	65 LEVEL CM	4157,9941 litre	20,660 %	15967,8338 litre	O
410	CM	125	CM	64 LEVEL CM	4068,3001 litre	20,214 %	16057,5278 litre	O
410	CM	125	CM	63 LEVEL CM	3979,0645 litre	19,771 %	16146,7634 litre	O
410	CM	125	CM	62 LEVEL CM	3890,2973 litre	19,330 %	16235,5306 litre	O
410	CM	125	CM	61 LEVEL CM	3802,0086 litre	18,891 %	16323,8193 litre	O
410	CM	125	CM	60 LEVEL CM	3714,2087 litre	18,455 %	16411,6192 litre	O
410	CM	125	CM	59 LEVEL CM	3626,9080 litre	18,021 %	16498,9199 litre	O
410	CM	125	CM	58 LEVEL CM	3540,1172 litre	17,590 %	16585,7107 litre	O
410	CM	125	CM	57 LEVEL CM	3453,8470 litre	17,161 %	16671,9809 litre	O
410	CM	125	CM	56 LEVEL CM	3368,1084 litre	16,735 %	16757,7195 litre	O
410	CM	125	CM	55 LEVEL CM	3282,9127 litre	16,312 %	16842,9152 litre	O
410	CM	125	CM	54 LEVEL CM	3198,2713 litre	15,891 %	16927,5566 litre	O
410	CM	125	CM	53 LEVEL CM	3114,1958 litre	15,474 %	17011,6321 litre	O
410	CM	125	CM	52 LEVEL CM	3030,6981 litre	15,059 %	17095,1298 litre	O
410	CM	125	CM	51 LEVEL CM	2947,7904 litre	14,647 %	17178,0375 litre	O
410	CM	125	CM	50 LEVEL CM	2865,4850 litre	14,238 %	17260,3429 litre	O
410	CM	125	CM	49 LEVEL CM	2783,7946 litre	13,832 %	17342,0333 litre	O
410	CM	125	CM	48 LEVEL CM	2702,7323 litre	13,429 %	17423,0956 litre	O
410	CM	125	CM	47 LEVEL CM	2622,3112 litre	13,030 %	17503,5167 litre	O
410	CM	125	CM	46 LEVEL CM	2542,5449 litre	12,633 %	17583,2830 litre	O
410	CM	125	CM	45 LEVEL CM	2463,4473 litre	12,240 %	17662,3806 litre	O
410	CM	125	CM	44 LEVEL CM	2385,0328 litre	11,851 %	17740,7951 litre	O
410	CM	125	CM	43 LEVEL CM	2307,3160 litre	11,464 %	17818,5119 litre	O
410	CM	125	CM	42 LEVEL CM	2230,3119 litre	11,082 %	17895,5160 litre	O
410	CM	125	CM	41 LEVEL CM	2154,0361 litre	10,703 %	17971,7918 litre	O
410	CM	125	CM	40 LEVEL CM	2078,5043 litre	10,328 %	18047,3236 litre	O

410	CM	125	CM	39 LEVEL CM	2003,7331 litre	9,956 %	18122,0948 litre	O
410	CM	125	CM	38 LEVEL CM	1929,7394 litre	9,588 %	18196,0885 litre	O
410	CM	125	CM	37 LEVEL CM	1856,5405 litre	9,225 %	18269,2874 litre	O
410	CM	125	CM	36 LEVEL CM	1784,1545 litre	8,865 %	18341,6734 litre	O
410	CM	125	CM	35 LEVEL CM	1712,6000 litre	8,509 %	18413,2279 litre	O
410	CM	125	CM	34 LEVEL CM	1641,8963 litre	8,158 %	18483,9316 litre	O
410	CM	125	CM	33 LEVEL CM	1572,0635 litre	7,811 %	18553,7644 litre	O
410	CM	125	CM	32 LEVEL CM	1503,1222 litre	7,469 %	18622,7057 litre	O
410	CM	125	CM	31 LEVEL CM	1435,0940 litre	7,131 %	18690,7339 litre	O
410	CM	125	CM	30 LEVEL CM	1368,0014 litre	6,797 %	18757,8265 litre	O
410	CM	125	CM	29 LEVEL CM	1301,8677 litre	6,469 %	18823,9602 litre	O
410	CM	125	CM	28 LEVEL CM	1236,7175 litre	6,145 %	18889,1104 litre	O
410	CM	125	CM	27 LEVEL CM	1172,5762 litre	5,826 %	18953,2517 litre	O
410	CM	125	CM	26 LEVEL CM	1109,4706 litre	5,513 %	19016,3573 litre	O
410	CM	125	CM	25 LEVEL CM	1047,4290 litre	5,204 %	19078,3989 litre	O
410	CM	125	CM	24 LEVEL CM	986,4808 litre	4,902 %	19139,3471 litre	O
410	CM	125	CM	23 LEVEL CM	926,6573 litre	4,604 %	19199,1706 litre	O
410	CM	125	CM	22 LEVEL CM	867,9915 litre	4,313 %	19257,8364 litre	O
410	CM	125	CM	21 LEVEL CM	810,5184 litre	4,027 %	19315,3095 litre	O
410	CM	125	CM	20 LEVEL CM	754,2753 litre	3,748 %	19371,5526 litre	O
410	CM	125	CM	19 LEVEL CM	699,3019 litre	3,475 %	19426,5260 litre	O
410	CM	125	CM	18 LEVEL CM	645,6407 litre	3,208 %	19480,1872 litre	O
410	CM	125	CM	17 LEVEL CM	593,3377 litre	2,948 %	19532,4902 litre	O
410	CM	125	CM	16 LEVEL CM	542,4421 litre	2,695 %	19583,3858 litre	O
410	CM	125	CM	15 LEVEL CM	493,0076 litre	2,450 %	19632,8203 litre	O
410	CM	125	CM	14 LEVEL CM	445,0929 litre	2,212 %	19680,7350 litre	O
410	CM	125	CM	13 LEVEL CM	398,7622 litre	1,981 %	19727,0657 litre	O
410	CM	125	CM	12 LEVEL CM	354,0868 litre	1,759 %	19771,7411 litre	O
410	CM	125	CM	11 LEVEL CM	311,1461 litre	1,546 %	19814,6818 litre	O
410	CM	125	CM	10 LEVEL CM	270,0295 litre	1,342 %	19855,7984 litre	O
410	CM	125	CM	9 LEVEL CM	230,8392 litre	1,147 %	19894,9887 litre	O
410	CM	125	CM	8 LEVEL CM	193,6930 litre	0,962 %	19932,1349 litre	O
410	CM	125	CM	7 LEVEL CM	158,7295 litre	0,789 %	19967,0984 litre	O
410	CM	125	CM	6 LEVEL CM	126,1153 litre	0,627 %	19999,7126 litre	O
410	CM	125	CM	5 LEVEL CM	96,0560 litre	0,477 %	20029,7719 litre	O
410	CM	125	CM	4 LEVEL CM	68,8156 litre	0,342 %	20057,0123 litre	O
410	CM	125	CM	3 LEVEL CM	44,7512 litre	0,222 %	20081,0767 litre	O
410	CM	125	CM	2 LEVEL CM	24,3889 litre	0,121 %	20101,4390 litre	O
410	CM	125	CM	1 LEVEL CM	8,6332 litre	0,043 %	20117,1947 litre	O
410	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	20125,8279 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM 120	CM 240 LEVEL CM	18547,9630 litre	100,000 %	0,0000 litre	O
410	CM 120	CM 239 LEVEL CM	18539,5047 litre	99,954 %	8,4583 litre	O
410	CM 120	CM 238 LEVEL CM	18524,0693 litre	99,871 %	23,8937 litre	O
410	CM 120	CM 237 LEVEL CM	18504,1226 litre	99,764 %	43,8404 litre	O
410	CM 120	CM 236 LEVEL CM	18480,5514 litre	99,637 %	67,4116 litre	O
410	CM 120	CM 235 LEVEL CM	18453,8716 litre	99,493 %	94,0914 litre	O
410	CM 120	CM 234 LEVEL CM	18424,4335 litre	99,334 %	123,5295 litre	O
410	CM 120	CM 233 LEVEL CM	18392,4960 litre	99,162 %	155,4670 litre	O
410	CM 120	CM 232 LEVEL CM	18358,2610 litre	98,977 %	189,7020 litre	O
410	CM 120	CM 231 LEVEL CM	18321,8920 litre	98,781 %	226,0710 litre	O
410	CM 120	CM 230 LEVEL CM	18283,5251 litre	98,574 %	264,4379 litre	O
410	CM 120	CM 229 LEVEL CM	18243,2761 litre	98,357 %	304,6869 litre	O
410	CM 120	CM 228 LEVEL CM	18201,2453 litre	98,131 %	346,7177 litre	O
410	CM 120	CM 227 LEVEL CM	18157,5205 litre	97,895 %	390,4425 litre	O
410	CM 120	CM 226 LEVEL CM	18112,1800 litre	97,651 %	435,7830 litre	O
410	CM 120	CM 225 LEVEL CM	18065,2936 litre	97,398 %	482,6694 litre	O
410	CM 120	CM 224 LEVEL CM	18016,9247 litre	97,137 %	531,0383 litre	O
410	CM 120	CM 223 LEVEL CM	17967,1308 litre	96,868 %	580,8322 litre	O
410	CM 120	CM 222 LEVEL CM	17915,9649 litre	96,593 %	631,9981 litre	O
410	CM 120	CM 221 LEVEL CM	17863,4756 litre	96,310 %	684,4874 litre	O
410	CM 120	CM 220 LEVEL CM	17809,7079 litre	96,020 %	738,2551 litre	O
410	CM 120	CM 219 LEVEL CM	17754,7038 litre	95,723 %	793,2592 litre	O
410	CM 120	CM 218 LEVEL CM	17698,5024 litre	95,420 %	849,4606 litre	O
410	CM 120	CM 217 LEVEL CM	17641,1405 litre	95,111 %	906,8225 litre	O
410	CM 120	CM 216 LEVEL CM	17582,6525 litre	94,796 %	965,3105 litre	O
410	CM 120	CM 215 LEVEL CM	17523,0710 litre	94,474 %	1024,8920 litre	O
410	CM 120	CM 214 LEVEL CM	17462,4269 litre	94,147 %	1085,5361 litre	O
410	CM 120	CM 213 LEVEL CM	17400,7493 litre	93,815 %	1147,2137 litre	O
410	CM 120	CM 212 LEVEL CM	17338,0659 litre	93,477 %	1209,8971 litre	O
410	CM 120	CM 211 LEVEL CM	17274,4033 litre	93,134 %	1273,5597 litre	O
410	CM 120	CM 210 LEVEL CM	17209,7867 litre	92,785 %	1338,1763 litre	O
410	CM 120	CM 209 LEVEL CM	17144,2402 litre	92,432 %	1403,7228 litre	O
410	CM 120	CM 208 LEVEL CM	17077,7870 litre	92,074 %	1470,1760 litre	O
410	CM 120	CM 207 LEVEL CM	17010,4492 litre	91,711 %	1537,5138 litre	O
410	CM 120	CM 206 LEVEL CM	16942,2482 litre	91,343 %	1605,7148 litre	O
410	CM 120	CM 205 LEVEL CM	16873,2045 litre	90,971 %	1674,7585 litre	O
410	CM 120	CM 204 LEVEL CM	16803,3379 litre	90,594 %	1744,6251 litre	O
410	CM 120	CM 203 LEVEL CM	16732,6674 litre	90,213 %	1815,2956 litre	O
410	CM 120	CM 202 LEVEL CM	16661,2116 litre	89,828 %	1886,7514 litre	O
410	CM 120	CM 201 LEVEL CM	16588,9883 litre	89,438 %	1958,9747 litre	O
410	CM 120	CM 200 LEVEL CM	16516,0148 litre	89,045 %	2031,9482 litre	O
410	CM 120	CM 199 LEVEL CM	16442,3078 litre	88,648 %	2105,6552 litre	O
410	CM 120	CM 198 LEVEL CM	16367,8835 litre	88,246 %	2180,0795 litre	O
410	CM 120	CM 197 LEVEL CM	16292,7579 litre	87,841 %	2255,2051 litre	O
410	CM 120	CM 196 LEVEL CM	16216,9462 litre	87,432 %	2331,0168 litre	O
410	CM 120	CM 195 LEVEL CM	16140,4634 litre	87,020 %	2407,4996 litre	O
410	CM 120	CM 194 LEVEL CM	16063,3241 litre	86,604 %	2484,6389 litre	O
410	CM 120	CM 193 LEVEL CM	15985,5423 litre	86,185 %	2562,4207 litre	O
410	CM 120	CM 192 LEVEL CM	15907,1321 litre	85,762 %	2640,8309 litre	O
410	CM 120	CM 191 LEVEL CM	15828,1068 litre	85,336 %	2719,8562 litre	O
410	CM 120	CM 190 LEVEL CM	15748,4797 litre	84,907 %	2799,4833 litre	O
410	CM 120	CM 189 LEVEL CM	15668,2636 litre	84,474 %	2879,6994 litre	O

410	CM	120	CM	188 LEVEL CM	15587,4712 litre	84,039 %	2960,4918 litre	O
410	CM	120	CM	187 LEVEL CM	15506,1149 litre	83,600 %	3041,8481 litre	O
410	CM	120	CM	186 LEVEL CM	15424,2066 litre	83,158 %	3123,7564 litre	O
410	CM	120	CM	185 LEVEL CM	15341,7584 litre	82,714 %	3206,2046 litre	O
410	CM	120	CM	184 LEVEL CM	15258,7817 litre	82,267 %	3289,1813 litre	O
410	CM	120	CM	183 LEVEL CM	15175,2880 litre	81,816 %	3372,6750 litre	O
410	CM	120	CM	182 LEVEL CM	15091,2885 litre	81,364 %	3456,6745 litre	O
410	CM	120	CM	181 LEVEL CM	15006,7941 litre	80,908 %	3541,1689 litre	O
410	CM	120	CM	180 LEVEL CM	14921,8157 litre	80,450 %	3626,1473 litre	O
410	CM	120	CM	179 LEVEL CM	14836,3638 litre	79,989 %	3711,5992 litre	O
410	CM	120	CM	178 LEVEL CM	14750,4489 litre	79,526 %	3797,5141 litre	O
410	CM	120	CM	177 LEVEL CM	14664,0813 litre	79,060 %	3883,8817 litre	O
410	CM	120	CM	176 LEVEL CM	14577,2711 litre	78,592 %	3970,6919 litre	O
410	CM	120	CM	175 LEVEL CM	14490,0281 litre	78,122 %	4057,9349 litre	O
410	CM	120	CM	174 LEVEL CM	14402,3623 litre	77,649 %	4145,6007 litre	O
410	CM	120	CM	173 LEVEL CM	14314,2833 litre	77,174 %	4233,6797 litre	O
410	CM	120	CM	172 LEVEL CM	14225,8006 litre	76,697 %	4322,1624 litre	O
410	CM	120	CM	171 LEVEL CM	14136,9236 litre	76,218 %	4411,0394 litre	O
410	CM	120	CM	170 LEVEL CM	14047,6616 litre	75,737 %	4500,3014 litre	O
410	CM	120	CM	169 LEVEL CM	13958,0238 litre	75,254 %	4589,9392 litre	O
410	CM	120	CM	168 LEVEL CM	13868,0191 litre	74,768 %	4679,9439 litre	O
410	CM	120	CM	167 LEVEL CM	13777,6566 litre	74,281 %	4770,3064 litre	O
410	CM	120	CM	166 LEVEL CM	13686,9450 litre	73,792 %	4861,0180 litre	O
410	CM	120	CM	165 LEVEL CM	13595,8930 litre	73,301 %	4952,0700 litre	O
410	CM	120	CM	164 LEVEL CM	13504,5093 litre	72,809 %	5043,4537 litre	O
410	CM	120	CM	163 LEVEL CM	13412,8025 litre	72,314 %	5135,1605 litre	O
410	CM	120	CM	162 LEVEL CM	13320,7809 litre	71,818 %	5227,1821 litre	O
410	CM	120	CM	161 LEVEL CM	13228,4529 litre	71,320 %	5319,5101 litre	O
410	CM	120	CM	160 LEVEL CM	13135,8268 litre	70,821 %	5412,1362 litre	O
410	CM	120	CM	159 LEVEL CM	13042,9108 litre	70,320 %	5505,0522 litre	O
410	CM	120	CM	158 LEVEL CM	12949,7130 litre	69,817 %	5598,2500 litre	O
410	CM	120	CM	157 LEVEL CM	12856,2414 litre	69,313 %	5691,7216 litre	O
410	CM	120	CM	156 LEVEL CM	12762,5041 litre	68,808 %	5785,4589 litre	O
410	CM	120	CM	155 LEVEL CM	12668,5088 litre	68,301 %	5879,4542 litre	O
410	CM	120	CM	154 LEVEL CM	12574,2635 litre	67,793 %	5973,6995 litre	O
410	CM	120	CM	153 LEVEL CM	12479,7760 litre	67,284 %	6068,1870 litre	O
410	CM	120	CM	152 LEVEL CM	12385,0539 litre	66,773 %	6162,9091 litre	O
410	CM	120	CM	151 LEVEL CM	12290,1049 litre	66,261 %	6257,8581 litre	O
410	CM	120	CM	150 LEVEL CM	12194,9366 litre	65,748 %	6353,0264 litre	O
410	CM	120	CM	149 LEVEL CM	12099,5566 litre	65,234 %	6448,4064 litre	O
410	CM	120	CM	148 LEVEL CM	12003,9724 litre	64,719 %	6543,9906 litre	O
410	CM	120	CM	147 LEVEL CM	11908,1914 litre	64,202 %	6639,7716 litre	O
410	CM	120	CM	146 LEVEL CM	11812,2210 litre	63,685 %	6735,7420 litre	O
410	CM	120	CM	145 LEVEL CM	11716,0687 litre	63,166 %	6831,8943 litre	O
410	CM	120	CM	144 LEVEL CM	11619,7417 litre	62,647 %	6928,2213 litre	O
410	CM	120	CM	143 LEVEL CM	11523,2473 litre	62,127 %	7024,7157 litre	O
410	CM	120	CM	142 LEVEL CM	11426,5927 litre	61,606 %	7121,3703 litre	O
410	CM	120	CM	141 LEVEL CM	11329,7853 litre	61,084 %	7218,1777 litre	O
410	CM	120	CM	140 LEVEL CM	11232,8321 litre	60,561 %	7315,1309 litre	O
410	CM	120	CM	139 LEVEL CM	11135,7402 litre	60,038 %	7412,2228 litre	O
410	CM	120	CM	138 LEVEL CM	11038,5169 litre	59,513 %	7509,4461 litre	O
410	CM	120	CM	137 LEVEL CM	10941,1692 litre	58,989 %	7606,7938 litre	O
410	CM	120	CM	136 LEVEL CM	10843,7041 litre	58,463 %	7704,2589 litre	O

410	CM	120	CM	135 LEVEL CM	10746,1287 litre	57,937 %	7801,8343 litre	O
410	CM	120	CM	134 LEVEL CM	10648,4500 litre	57,410 %	7899,5130 litre	O
410	CM	120	CM	133 LEVEL CM	10550,6750 litre	56,883 %	7997,2880 litre	O
410	CM	120	CM	132 LEVEL CM	10452,8106 litre	56,356 %	8095,1524 litre	O
410	CM	120	CM	131 LEVEL CM	10354,8637 litre	55,827 %	8193,0993 litre	O
410	CM	120	CM	130 LEVEL CM	10256,8414 litre	55,299 %	8291,1216 litre	O
410	CM	120	CM	129 LEVEL CM	10158,7506 litre	54,770 %	8389,2124 litre	O
410	CM	120	CM	128 LEVEL CM	10060,5980 litre	54,241 %	8487,3650 litre	O
410	CM	120	CM	127 LEVEL CM	9962,3907 litre	53,712 %	8585,5723 litre	O
410	CM	120	CM	126 LEVEL CM	9864,1354 litre	53,182 %	8683,8276 litre	O
410	CM	120	CM	125 LEVEL CM	9765,8391 litre	52,652 %	8782,1239 litre	O
410	CM	120	CM	124 LEVEL CM	9667,5086 litre	52,122 %	8880,4544 litre	O
410	CM	120	CM	123 LEVEL CM	9569,1508 litre	51,591 %	8978,8122 litre	O
410	CM	120	CM	122 LEVEL CM	9470,7724 litre	51,061 %	9077,1906 litre	O
410	CM	120	CM	121 LEVEL CM	9372,3804 litre	50,531 %	9175,5826 litre	O
410	CM	120	CM	120 LEVEL CM	9273,9815 litre	50,000 %	9273,9815 litre	O
410	CM	120	CM	119 LEVEL CM	9175,5827 litre	49,469 %	9372,3803 litre	O
410	CM	120	CM	118 LEVEL CM	9077,1906 litre	48,939 %	9470,7724 litre	O
410	CM	120	CM	117 LEVEL CM	8978,8123 litre	48,409 %	9569,1507 litre	O
410	CM	120	CM	116 LEVEL CM	8880,4544 litre	47,878 %	9667,5086 litre	O
410	CM	120	CM	115 LEVEL CM	8782,1239 litre	47,348 %	9765,8391 litre	O
410	CM	120	CM	114 LEVEL CM	8683,8276 litre	46,818 %	9864,1354 litre	O
410	CM	120	CM	113 LEVEL CM	8585,5724 litre	46,288 %	9962,3906 litre	O
410	CM	120	CM	112 LEVEL CM	8487,3650 litre	45,759 %	10060,5980 litre	O
410	CM	120	CM	111 LEVEL CM	8389,2125 litre	45,230 %	10158,7505 litre	O
410	CM	120	CM	110 LEVEL CM	8291,1216 litre	44,701 %	10256,8414 litre	O
410	CM	120	CM	109 LEVEL CM	8193,0993 litre	44,173 %	10354,8637 litre	O
410	CM	120	CM	108 LEVEL CM	8095,1525 litre	43,644 %	10452,8105 litre	O
410	CM	120	CM	107 LEVEL CM	7997,2881 litre	43,117 %	10550,6749 litre	O
410	CM	120	CM	106 LEVEL CM	7899,5130 litre	42,590 %	10648,4500 litre	O
410	CM	120	CM	105 LEVEL CM	7801,8343 litre	42,063 %	10746,1287 litre	O
410	CM	120	CM	104 LEVEL CM	7704,2589 litre	41,537 %	10843,7041 litre	O
410	CM	120	CM	103 LEVEL CM	7606,7938 litre	41,011 %	10941,1692 litre	O
410	CM	120	CM	102 LEVEL CM	7509,4461 litre	40,487 %	11038,5169 litre	O
410	CM	120	CM	101 LEVEL CM	7412,2228 litre	39,962 %	11135,7402 litre	O
410	CM	120	CM	100 LEVEL CM	7315,1310 litre	39,439 %	11232,8320 litre	O
410	CM	120	CM	99 LEVEL CM	7218,1778 litre	38,916 %	11329,7852 litre	O
410	CM	120	CM	98 LEVEL CM	7121,3703 litre	38,394 %	11426,5927 litre	O
410	CM	120	CM	97 LEVEL CM	7024,7158 litre	37,873 %	11523,2472 litre	O
410	CM	120	CM	96 LEVEL CM	6928,2214 litre	37,353 %	11619,7416 litre	O
410	CM	120	CM	95 LEVEL CM	6831,8943 litre	36,834 %	11716,0687 litre	O
410	CM	120	CM	94 LEVEL CM	6735,7420 litre	36,315 %	11812,2210 litre	O
410	CM	120	CM	93 LEVEL CM	6639,7716 litre	35,798 %	11908,1914 litre	O
410	CM	120	CM	92 LEVEL CM	6543,9907 litre	35,281 %	12003,9723 litre	O
410	CM	120	CM	91 LEVEL CM	6448,4064 litre	34,766 %	12099,5566 litre	O
410	CM	120	CM	90 LEVEL CM	6353,0264 litre	34,252 %	12194,9366 litre	O
410	CM	120	CM	89 LEVEL CM	6257,8582 litre	33,739 %	12290,1048 litre	O
410	CM	120	CM	88 LEVEL CM	6162,9092 litre	33,227 %	12385,0538 litre	O
410	CM	120	CM	87 LEVEL CM	6068,1871 litre	32,716 %	12479,7759 litre	O
410	CM	120	CM	86 LEVEL CM	5973,6995 litre	32,207 %	12574,2635 litre	O
410	CM	120	CM	85 LEVEL CM	5879,4542 litre	31,699 %	12668,5088 litre	O
410	CM	120	CM	84 LEVEL CM	5785,4590 litre	31,192 %	12762,5040 litre	O
410	CM	120	CM	83 LEVEL CM	5691,7216 litre	30,687 %	12856,2414 litre	O

410	CM	120	CM	82 LEVEL CM	5598,2500 litre	30,183 %	12949,7130 litre	O
410	CM	120	CM	81 LEVEL CM	5505,0522 litre	29,680 %	13042,9108 litre	O
410	CM	120	CM	80 LEVEL CM	5412,1362 litre	29,179 %	13135,8268 litre	O
410	CM	120	CM	79 LEVEL CM	5319,5101 litre	28,680 %	13228,4529 litre	O
410	CM	120	CM	78 LEVEL CM	5227,1821 litre	28,182 %	13320,7809 litre	O
410	CM	120	CM	77 LEVEL CM	5135,1605 litre	27,686 %	13412,8025 litre	O
410	CM	120	CM	76 LEVEL CM	5043,4537 litre	27,191 %	13504,5093 litre	O
410	CM	120	CM	75 LEVEL CM	4952,0700 litre	26,699 %	13595,8930 litre	O
410	CM	120	CM	74 LEVEL CM	4861,0181 litre	26,208 %	13686,9449 litre	O
410	CM	120	CM	73 LEVEL CM	4770,3065 litre	25,719 %	13777,6565 litre	O
410	CM	120	CM	72 LEVEL CM	4679,9439 litre	25,232 %	13868,0191 litre	O
410	CM	120	CM	71 LEVEL CM	4589,9392 litre	24,746 %	13958,0238 litre	O
410	CM	120	CM	70 LEVEL CM	4500,3014 litre	24,263 %	14047,6616 litre	O
410	CM	120	CM	69 LEVEL CM	4411,0394 litre	23,782 %	14136,9236 litre	O
410	CM	120	CM	68 LEVEL CM	4322,1624 litre	23,303 %	14225,8006 litre	O
410	CM	120	CM	67 LEVEL CM	4233,6797 litre	22,826 %	14314,2833 litre	O
410	CM	120	CM	66 LEVEL CM	4145,6007 litre	22,351 %	14402,3623 litre	O
410	CM	120	CM	65 LEVEL CM	4057,9349 litre	21,878 %	14490,0281 litre	O
410	CM	120	CM	64 LEVEL CM	3970,6920 litre	21,408 %	14577,2710 litre	O
410	CM	120	CM	63 LEVEL CM	3883,8817 litre	20,940 %	14664,0813 litre	O
410	CM	120	CM	62 LEVEL CM	3797,5141 litre	20,474 %	14750,4489 litre	O
410	CM	120	CM	61 LEVEL CM	3711,5992 litre	20,011 %	14836,3638 litre	O
410	CM	120	CM	60 LEVEL CM	3626,1474 litre	19,550 %	14921,8156 litre	O
410	CM	120	CM	59 LEVEL CM	3541,1689 litre	19,092 %	15006,7941 litre	O
410	CM	120	CM	58 LEVEL CM	3456,6746 litre	18,636 %	15091,2884 litre	O
410	CM	120	CM	57 LEVEL CM	3372,6750 litre	18,184 %	15175,2880 litre	O
410	CM	120	CM	56 LEVEL CM	3289,1813 litre	17,733 %	15258,7817 litre	O
410	CM	120	CM	55 LEVEL CM	3206,2047 litre	17,286 %	15341,7583 litre	O
410	CM	120	CM	54 LEVEL CM	3123,7564 litre	16,842 %	15424,2066 litre	O
410	CM	120	CM	53 LEVEL CM	3041,8482 litre	16,400 %	15506,1148 litre	O
410	CM	120	CM	52 LEVEL CM	2960,4918 litre	15,961 %	15587,4712 litre	O
410	CM	120	CM	51 LEVEL CM	2879,6994 litre	15,526 %	15668,2636 litre	O
410	CM	120	CM	50 LEVEL CM	2799,4834 litre	15,093 %	15748,4796 litre	O
410	CM	120	CM	49 LEVEL CM	2719,8563 litre	14,664 %	15828,1067 litre	O
410	CM	120	CM	48 LEVEL CM	2640,8310 litre	14,238 %	15907,1320 litre	O
410	CM	120	CM	47 LEVEL CM	2562,4207 litre	13,815 %	15985,5423 litre	O
410	CM	120	CM	46 LEVEL CM	2484,6390 litre	13,396 %	16063,3240 litre	O
410	CM	120	CM	45 LEVEL CM	2407,4996 litre	12,980 %	16140,4634 litre	O
410	CM	120	CM	44 LEVEL CM	2331,0168 litre	12,568 %	16216,9462 litre	O
410	CM	120	CM	43 LEVEL CM	2255,2051 litre	12,159 %	16292,7579 litre	O
410	CM	120	CM	42 LEVEL CM	2180,0795 litre	11,754 %	16367,8835 litre	O
410	CM	120	CM	41 LEVEL CM	2105,6553 litre	11,352 %	16442,3077 litre	O
410	CM	120	CM	40 LEVEL CM	2031,9482 litre	10,955 %	16516,0148 litre	O
410	CM	120	CM	39 LEVEL CM	1958,9747 litre	10,562 %	16588,9883 litre	O
410	CM	120	CM	38 LEVEL CM	1886,7514 litre	10,172 %	16661,2116 litre	O
410	CM	120	CM	37 LEVEL CM	1815,2956 litre	9,787 %	16732,6674 litre	O
410	CM	120	CM	36 LEVEL CM	1744,6252 litre	9,406 %	16803,3378 litre	O
410	CM	120	CM	35 LEVEL CM	1674,7585 litre	9,029 %	16873,2045 litre	O
410	CM	120	CM	34 LEVEL CM	1605,7148 litre	8,657 %	16942,2482 litre	O
410	CM	120	CM	33 LEVEL CM	1537,5138 litre	8,289 %	17010,4492 litre	O
410	CM	120	CM	32 LEVEL CM	1470,1760 litre	7,926 %	17077,7870 litre	O
410	CM	120	CM	31 LEVEL CM	1403,7228 litre	7,568 %	17144,2402 litre	O
410	CM	120	CM	30 LEVEL CM	1338,1763 litre	7,215 %	17209,7867 litre	O

410	CM	120	CM	29 LEVEL CM	1273,5597 litre	6,866 %	17274,4033 litre	O
410	CM	120	CM	28 LEVEL CM	1209,8971 litre	6,523 %	17338,0659 litre	O
410	CM	120	CM	27 LEVEL CM	1147,2138 litre	6,185 %	17400,7492 litre	O
410	CM	120	CM	26 LEVEL CM	1085,5362 litre	5,853 %	17462,4268 litre	O
410	CM	120	CM	25 LEVEL CM	1024,8920 litre	5,526 %	17523,0710 litre	O
410	CM	120	CM	24 LEVEL CM	965,3105 litre	5,204 %	17582,6525 litre	O
410	CM	120	CM	23 LEVEL CM	906,8226 litre	4,889 %	17641,1404 litre	O
410	CM	120	CM	22 LEVEL CM	849,4606 litre	4,580 %	17698,5024 litre	O
410	CM	120	CM	21 LEVEL CM	793,2592 litre	4,277 %	17754,7038 litre	O
410	CM	120	CM	20 LEVEL CM	738,2551 litre	3,980 %	17809,7079 litre	O
410	CM	120	CM	19 LEVEL CM	684,4874 litre	3,690 %	17863,4756 litre	O
410	CM	120	CM	18 LEVEL CM	631,9981 litre	3,407 %	17915,9649 litre	O
410	CM	120	CM	17 LEVEL CM	580,8322 litre	3,132 %	17967,1308 litre	O
410	CM	120	CM	16 LEVEL CM	531,0384 litre	2,863 %	18016,9246 litre	O
410	CM	120	CM	15 LEVEL CM	482,6695 litre	2,602 %	18065,2935 litre	O
410	CM	120	CM	14 LEVEL CM	435,7831 litre	2,349 %	18112,1799 litre	O
410	CM	120	CM	13 LEVEL CM	390,4425 litre	2,105 %	18157,5205 litre	O
410	CM	120	CM	12 LEVEL CM	346,7178 litre	1,869 %	18201,2452 litre	O
410	CM	120	CM	11 LEVEL CM	304,6869 litre	1,643 %	18243,2761 litre	O
410	CM	120	CM	10 LEVEL CM	264,4379 litre	1,426 %	18283,5251 litre	O
410	CM	120	CM	9 LEVEL CM	226,0710 litre	1,219 %	18321,8920 litre	O
410	CM	120	CM	8 LEVEL CM	189,7020 litre	1,023 %	18358,2610 litre	O
410	CM	120	CM	7 LEVEL CM	155,4670 litre	0,838 %	18392,4960 litre	O
410	CM	120	CM	6 LEVEL CM	123,5295 litre	0,666 %	18424,4335 litre	O
410	CM	120	CM	5 LEVEL CM	94,0914 litre	0,507 %	18453,8716 litre	O
410	CM	120	CM	4 LEVEL CM	67,4116 litre	0,363 %	18480,5514 litre	O
410	CM	120	CM	3 LEVEL CM	43,8404 litre	0,236 %	18504,1226 litre	O
410	CM	120	CM	2 LEVEL CM	23,8938 litre	0,129 %	18524,0692 litre	O
410	CM	120	CM	1 LEVEL CM	8,4583 litre	0,046 %	18539,5047 litre	O
410	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	18547,9630 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
410	CM	115	CM	230 LEVEL CM	17034,5008 litre	100,000 %	0,0000 litre	O
410	CM	115	CM	229 LEVEL CM	17026,2210 litre	99,951 %	8,2798 litre	O
410	CM	115	CM	228 LEVEL CM	17011,1126 litre	99,863 %	23,3882 litre	O
410	CM	115	CM	227 LEVEL CM	16991,5905 litre	99,748 %	42,9103 litre	O
410	CM	115	CM	226 LEVEL CM	16968,5230 litre	99,613 %	65,9778 litre	O
410	CM	115	CM	225 LEVEL CM	16942,4158 litre	99,459 %	92,0850 litre	O
410	CM	115	CM	224 LEVEL CM	16913,6122 litre	99,290 %	120,8886 litre	O
410	CM	115	CM	223 LEVEL CM	16882,3661 litre	99,107 %	152,1347 litre	O
410	CM	115	CM	222 LEVEL CM	16848,8755 litre	98,910 %	185,6253 litre	O
410	CM	115	CM	221 LEVEL CM	16813,3007 litre	98,701 %	221,2001 litre	O
410	CM	115	CM	220 LEVEL CM	16775,7753 litre	98,481 %	258,7255 litre	O
410	CM	115	CM	219 LEVEL CM	16736,4130 litre	98,250 %	298,0878 litre	O
410	CM	115	CM	218 LEVEL CM	16695,3121 litre	98,009 %	339,1887 litre	O
410	CM	115	CM	217 LEVEL CM	16652,5592 litre	97,758 %	381,9416 litre	O
410	CM	115	CM	216 LEVEL CM	16608,2308 litre	97,498 %	426,2700 litre	O
410	CM	115	CM	215 LEVEL CM	16562,3959 litre	97,229 %	472,1049 litre	O
410	CM	115	CM	214 LEVEL CM	16515,1165 litre	96,951 %	519,3843 litre	O
410	CM	115	CM	213 LEVEL CM	16466,4494 litre	96,665 %	568,0514 litre	O
410	CM	115	CM	212 LEVEL CM	16416,4465 litre	96,372 %	618,0543 litre	O
410	CM	115	CM	211 LEVEL CM	16365,1557 litre	96,071 %	669,3451 litre	O
410	CM	115	CM	210 LEVEL CM	16312,6214 litre	95,762 %	721,8794 litre	O
410	CM	115	CM	209 LEVEL CM	16258,8849 litre	95,447 %	775,6159 litre	O
410	CM	115	CM	208 LEVEL CM	16203,9846 litre	95,125 %	830,5162 litre	O
410	CM	115	CM	207 LEVEL CM	16147,9569 litre	94,796 %	886,5439 litre	O
410	CM	115	CM	206 LEVEL CM	16090,8356 litre	94,460 %	943,6652 litre	O
410	CM	115	CM	205 LEVEL CM	16032,6530 litre	94,119 %	1001,8478 litre	O
410	CM	115	CM	204 LEVEL CM	15973,4394 litre	93,771 %	1061,0614 litre	O
410	CM	115	CM	203 LEVEL CM	15913,2235 litre	93,418 %	1121,2773 litre	O
410	CM	115	CM	202 LEVEL CM	15852,0329 litre	93,058 %	1182,4679 litre	O
410	CM	115	CM	201 LEVEL CM	15789,8935 litre	92,694 %	1244,6073 litre	O
410	CM	115	CM	200 LEVEL CM	15726,8305 litre	92,323 %	1307,6703 litre	O
410	CM	115	CM	199 LEVEL CM	15662,8675 litre	91,948 %	1371,6333 litre	O
410	CM	115	CM	198 LEVEL CM	15598,0274 litre	91,567 %	1436,4734 litre	O
410	CM	115	CM	197 LEVEL CM	15532,3323 litre	91,182 %	1502,1685 litre	O
410	CM	115	CM	196 LEVEL CM	15465,8031 litre	90,791 %	1568,6977 litre	O
410	CM	115	CM	195 LEVEL CM	15398,4603 litre	90,396 %	1636,0405 litre	O
410	CM	115	CM	194 LEVEL CM	15330,3233 litre	89,996 %	1704,1775 litre	O
410	CM	115	CM	193 LEVEL CM	15261,4111 litre	89,591 %	1773,0897 litre	O
410	CM	115	CM	192 LEVEL CM	15191,7420 litre	89,182 %	1842,7588 litre	O
410	CM	115	CM	191 LEVEL CM	15121,3337 litre	88,769 %	1913,1671 litre	O
410	CM	115	CM	190 LEVEL CM	15050,2032 litre	88,351 %	1984,2976 litre	O
410	CM	115	CM	189 LEVEL CM	14978,3672 litre	87,930 %	2056,1336 litre	O
410	CM	115	CM	188 LEVEL CM	14905,8419 litre	87,504 %	2128,6589 litre	O
410	CM	115	CM	187 LEVEL CM	14832,6429 litre	87,074 %	2201,8579 litre	O
410	CM	115	CM	186 LEVEL CM	14758,7855 litre	86,641 %	2275,7153 litre	O
410	CM	115	CM	185 LEVEL CM	14684,2844 litre	86,203 %	2350,2164 litre	O
410	CM	115	CM	184 LEVEL CM	14609,1543 litre	85,762 %	2425,3465 litre	O
410	CM	115	CM	183 LEVEL CM	14533,4091 litre	85,317 %	2501,0917 litre	O
410	CM	115	CM	182 LEVEL CM	14457,0626 litre	84,869 %	2577,4382 litre	O
410	CM	115	CM	181 LEVEL CM	14380,1283 litre	84,418 %	2654,3725 litre	O
410	CM	115	CM	180 LEVEL CM	14302,6193 litre	83,963 %	2731,8815 litre	O
410	CM	115	CM	179 LEVEL CM	14224,5485 litre	83,504 %	2809,9523 litre	O

410	CM 115	CM	178 LEVEL CM	14145,9284 litre	83,043 %	2888,5724 litre	O
410	CM 115	CM	177 LEVEL CM	14066,7713 litre	82,578 %	2967,7295 litre	O
410	CM 115	CM	176 LEVEL CM	13987,0892 litre	82,110 %	3047,4116 litre	O
410	CM 115	CM	175 LEVEL CM	13906,8941 litre	81,640 %	3127,6067 litre	O
410	CM 115	CM	174 LEVEL CM	13826,1974 litre	81,166 %	3208,3034 litre	O
410	CM 115	CM	173 LEVEL CM	13745,0107 litre	80,689 %	3289,4901 litre	O
410	CM 115	CM	172 LEVEL CM	13663,3449 litre	80,210 %	3371,1559 litre	O
410	CM 115	CM	171 LEVEL CM	13581,2112 litre	79,728 %	3453,2896 litre	O
410	CM 115	CM	170 LEVEL CM	13498,6203 litre	79,243 %	3535,8805 litre	O
410	CM 115	CM	169 LEVEL CM	13415,5828 litre	78,755 %	3618,9180 litre	O
410	CM 115	CM	168 LEVEL CM	13332,1092 litre	78,265 %	3702,3916 litre	O
410	CM 115	CM	167 LEVEL CM	13248,2098 litre	77,773 %	3786,2910 litre	O
410	CM 115	CM	166 LEVEL CM	13163,8946 litre	77,278 %	3870,6062 litre	O
410	CM 115	CM	165 LEVEL CM	13079,1737 litre	76,780 %	3955,3271 litre	O
410	CM 115	CM	164 LEVEL CM	12994,0569 litre	76,281 %	4040,4439 litre	O
410	CM 115	CM	163 LEVEL CM	12908,5539 litre	75,779 %	4125,9469 litre	O
410	CM 115	CM	162 LEVEL CM	12822,6742 litre	75,275 %	4211,8266 litre	O
410	CM 115	CM	161 LEVEL CM	12736,4273 litre	74,768 %	4298,0735 litre	O
410	CM 115	CM	160 LEVEL CM	12649,8225 litre	74,260 %	4384,6783 litre	O
410	CM 115	CM	159 LEVEL CM	12562,8691 litre	73,750 %	4471,6317 litre	O
410	CM 115	CM	158 LEVEL CM	12475,5760 litre	73,237 %	4558,9248 litre	O
410	CM 115	CM	157 LEVEL CM	12387,9524 litre	72,723 %	4646,5484 litre	O
410	CM 115	CM	156 LEVEL CM	12300,0070 litre	72,206 %	4734,4938 litre	O
410	CM 115	CM	155 LEVEL CM	12211,7487 litre	71,688 %	4822,7521 litre	O
410	CM 115	CM	154 LEVEL CM	12123,1863 litre	71,168 %	4911,3145 litre	O
410	CM 115	CM	153 LEVEL CM	12034,3282 litre	70,647 %	5000,1726 litre	O
410	CM 115	CM	152 LEVEL CM	11945,1830 litre	70,123 %	5089,3178 litre	O
410	CM 115	CM	151 LEVEL CM	11855,7591 litre	69,599 %	5178,7417 litre	O
410	CM 115	CM	150 LEVEL CM	11766,0650 litre	69,072 %	5268,4358 litre	O
410	CM 115	CM	149 LEVEL CM	11676,1089 litre	68,544 %	5358,3919 litre	O
410	CM 115	CM	148 LEVEL CM	11585,8990 litre	68,014 %	5448,6018 litre	O
410	CM 115	CM	147 LEVEL CM	11495,4434 litre	67,483 %	5539,0574 litre	O
410	CM 115	CM	146 LEVEL CM	11404,7503 litre	66,951 %	5629,7505 litre	O
410	CM 115	CM	145 LEVEL CM	11313,8276 litre	66,417 %	5720,6732 litre	O
410	CM 115	CM	144 LEVEL CM	11222,6834 litre	65,882 %	5811,8174 litre	O
410	CM 115	CM	143 LEVEL CM	11131,3255 litre	65,346 %	5903,1753 litre	O
410	CM 115	CM	142 LEVEL CM	11039,7617 litre	64,808 %	5994,7391 litre	O
410	CM 115	CM	141 LEVEL CM	10947,9998 litre	64,270 %	6086,5010 litre	O
410	CM 115	CM	140 LEVEL CM	10856,0476 litre	63,730 %	6178,4532 litre	O
410	CM 115	CM	139 LEVEL CM	10763,9128 litre	63,189 %	6270,5880 litre	O
410	CM 115	CM	138 LEVEL CM	10671,6030 litre	62,647 %	6362,8978 litre	O
410	CM 115	CM	137 LEVEL CM	10579,1258 litre	62,104 %	6455,3750 litre	O
410	CM 115	CM	136 LEVEL CM	10486,4888 litre	61,560 %	6548,0120 litre	O
410	CM 115	CM	135 LEVEL CM	10393,6995 litre	61,016 %	6640,8013 litre	O
410	CM 115	CM	134 LEVEL CM	10300,7654 litre	60,470 %	6733,7354 litre	O
410	CM 115	CM	133 LEVEL CM	10207,6939 litre	59,924 %	6826,8069 litre	O
410	CM 115	CM	132 LEVEL CM	10114,4925 litre	59,377 %	6920,0083 litre	O
410	CM 115	CM	131 LEVEL CM	10021,1684 litre	58,829 %	7013,3324 litre	O
410	CM 115	CM	130 LEVEL CM	9927,7292 litre	58,280 %	7106,7716 litre	O
410	CM 115	CM	129 LEVEL CM	9834,1821 litre	57,731 %	7200,3187 litre	O
410	CM 115	CM	128 LEVEL CM	9740,5344 litre	57,181 %	7293,9664 litre	O
410	CM 115	CM	127 LEVEL CM	9646,7935 litre	56,631 %	7387,7073 litre	O
410	CM 115	CM	126 LEVEL CM	9552,9664 litre	56,080 %	7481,5344 litre	O

410	CM 115	CM	125 LEVEL CM	9459,0606 litre	55,529 %	7575,4402 litre	O
410	CM 115	CM	124 LEVEL CM	9365,0832 litre	54,977 %	7669,4176 litre	O
410	CM 115	CM	123 LEVEL CM	9271,0415 litre	54,425 %	7763,4593 litre	O
410	CM 115	CM	122 LEVEL CM	9176,9425 litre	53,873 %	7857,5583 litre	O
410	CM 115	CM	121 LEVEL CM	9082,7936 litre	53,320 %	7951,7072 litre	O
410	CM 115	CM	120 LEVEL CM	8988,6018 litre	52,767 %	8045,8990 litre	O
410	CM 115	CM	119 LEVEL CM	8894,3743 litre	52,214 %	8140,1265 litre	O
410	CM 115	CM	118 LEVEL CM	8800,1183 litre	51,661 %	8234,3825 litre	O
410	CM 115	CM	117 LEVEL CM	8705,8409 litre	51,107 %	8328,6599 litre	O
410	CM 115	CM	116 LEVEL CM	8611,5492 litre	50,554 %	8422,9516 litre	O
410	CM 115	CM	115 LEVEL CM	8517,2504 litre	50,000 %	8517,2504 litre	O
410	CM 115	CM	114 LEVEL CM	8422,9516 litre	49,446 %	8611,5492 litre	O
410	CM 115	CM	113 LEVEL CM	8328,6599 litre	48,893 %	8705,8409 litre	O
410	CM 115	CM	112 LEVEL CM	8234,3825 litre	48,339 %	8800,1183 litre	O
410	CM 115	CM	111 LEVEL CM	8140,1265 litre	47,786 %	8894,3743 litre	O
410	CM 115	CM	110 LEVEL CM	8045,8990 litre	47,233 %	8988,6018 litre	O
410	CM 115	CM	109 LEVEL CM	7951,7072 litre	46,680 %	9082,7936 litre	O
410	CM 115	CM	108 LEVEL CM	7857,5582 litre	46,127 %	9176,9426 litre	O
410	CM 115	CM	107 LEVEL CM	7763,4593 litre	45,575 %	9271,0415 litre	O
410	CM 115	CM	106 LEVEL CM	7669,4175 litre	45,023 %	9365,0833 litre	O
410	CM 115	CM	105 LEVEL CM	7575,4401 litre	44,471 %	9459,0607 litre	O
410	CM 115	CM	104 LEVEL CM	7481,5343 litre	43,920 %	9552,9665 litre	O
410	CM 115	CM	103 LEVEL CM	7387,7073 litre	43,369 %	9646,7935 litre	O
410	CM 115	CM	102 LEVEL CM	7293,9663 litre	42,819 %	9740,5345 litre	O
410	CM 115	CM	101 LEVEL CM	7200,3187 litre	42,269 %	9834,1821 litre	O
410	CM 115	CM	100 LEVEL CM	7106,7716 litre	41,720 %	9927,7292 litre	O
410	CM 115	CM	99 LEVEL CM	7013,3323 litre	41,171 %	10021,1685 litre	O
410	CM 115	CM	98 LEVEL CM	6920,0083 litre	40,623 %	10114,4925 litre	O
410	CM 115	CM	97 LEVEL CM	6826,8069 litre	40,076 %	10207,6939 litre	O
410	CM 115	CM	96 LEVEL CM	6733,7354 litre	39,530 %	10300,7654 litre	O
410	CM 115	CM	95 LEVEL CM	6640,8012 litre	38,984 %	10393,6996 litre	O
410	CM 115	CM	94 LEVEL CM	6548,0119 litre	38,440 %	10486,4889 litre	O
410	CM 115	CM	93 LEVEL CM	6455,3749 litre	37,896 %	10579,1259 litre	O
410	CM 115	CM	92 LEVEL CM	6362,8977 litre	37,353 %	10671,6031 litre	O
410	CM 115	CM	91 LEVEL CM	6270,5879 litre	36,811 %	10763,9129 litre	O
410	CM 115	CM	90 LEVEL CM	6178,4531 litre	36,270 %	10856,0477 litre	O
410	CM 115	CM	89 LEVEL CM	6086,5010 litre	35,730 %	10947,9998 litre	O
410	CM 115	CM	88 LEVEL CM	5994,7391 litre	35,192 %	11039,7617 litre	O
410	CM 115	CM	87 LEVEL CM	5903,1753 litre	34,654 %	11131,3255 litre	O
410	CM 115	CM	86 LEVEL CM	5811,8174 litre	34,118 %	11222,6834 litre	O
410	CM 115	CM	85 LEVEL CM	5720,6731 litre	33,583 %	11313,8277 litre	O
410	CM 115	CM	84 LEVEL CM	5629,7505 litre	33,049 %	11404,7503 litre	O
410	CM 115	CM	83 LEVEL CM	5539,0573 litre	32,517 %	11495,4435 litre	O
410	CM 115	CM	82 LEVEL CM	5448,6018 litre	31,986 %	11585,8990 litre	O
410	CM 115	CM	81 LEVEL CM	5358,3919 litre	31,456 %	11676,1089 litre	O
410	CM 115	CM	80 LEVEL CM	5268,4358 litre	30,928 %	11766,0650 litre	O
410	CM 115	CM	79 LEVEL CM	5178,7416 litre	30,401 %	11855,7592 litre	O
410	CM 115	CM	78 LEVEL CM	5089,3178 litre	29,877 %	11945,1830 litre	O
410	CM 115	CM	77 LEVEL CM	5000,1726 litre	29,353 %	12034,3282 litre	O
410	CM 115	CM	76 LEVEL CM	4911,3145 litre	28,832 %	12123,1863 litre	O
410	CM 115	CM	75 LEVEL CM	4822,7520 litre	28,312 %	12211,7488 litre	O
410	CM 115	CM	74 LEVEL CM	4734,4938 litre	27,794 %	12300,0070 litre	O
410	CM 115	CM	73 LEVEL CM	4646,5484 litre	27,277 %	12387,9524 litre	O

410	CM	115	CM	72 LEVEL CM	4558,9248 litre	26,763 %	12475,5760 litre	O
410	CM	115	CM	71 LEVEL CM	4471,6317 litre	26,250 %	12562,8691 litre	O
410	CM	115	CM	70 LEVEL CM	4384,6783 litre	25,740 %	12649,8225 litre	O
410	CM	115	CM	69 LEVEL CM	4298,0735 litre	25,232 %	12736,4273 litre	O
410	CM	115	CM	68 LEVEL CM	4211,8266 litre	24,725 %	12822,6742 litre	O
410	CM	115	CM	67 LEVEL CM	4125,9469 litre	24,221 %	12908,5539 litre	O
410	CM	115	CM	66 LEVEL CM	4040,4439 litre	23,719 %	12994,0569 litre	O
410	CM	115	CM	65 LEVEL CM	3955,3271 litre	23,220 %	13079,1737 litre	O
410	CM	115	CM	64 LEVEL CM	3870,6061 litre	22,722 %	13163,8947 litre	O
410	CM	115	CM	63 LEVEL CM	3786,2910 litre	22,227 %	13248,2098 litre	O
410	CM	115	CM	62 LEVEL CM	3702,3915 litre	21,735 %	13332,1093 litre	O
410	CM	115	CM	61 LEVEL CM	3618,9179 litre	21,245 %	13415,5829 litre	O
410	CM	115	CM	60 LEVEL CM	3535,8805 litre	20,757 %	13498,6203 litre	O
410	CM	115	CM	59 LEVEL CM	3453,2896 litre	20,272 %	13581,2112 litre	O
410	CM	115	CM	58 LEVEL CM	3371,1558 litre	19,790 %	13663,3450 litre	O
410	CM	115	CM	57 LEVEL CM	3289,4901 litre	19,311 %	13745,0107 litre	O
410	CM	115	CM	56 LEVEL CM	3208,3033 litre	18,834 %	13826,1975 litre	O
410	CM	115	CM	55 LEVEL CM	3127,6067 litre	18,360 %	13906,8941 litre	O
410	CM	115	CM	54 LEVEL CM	3047,4115 litre	17,890 %	13987,0893 litre	O
410	CM	115	CM	53 LEVEL CM	2967,7295 litre	17,422 %	14066,7713 litre	O
410	CM	115	CM	52 LEVEL CM	2888,5724 litre	16,957 %	14145,9284 litre	O
410	CM	115	CM	51 LEVEL CM	2809,9523 litre	16,496 %	14224,5485 litre	O
410	CM	115	CM	50 LEVEL CM	2731,8814 litre	16,037 %	14302,6194 litre	O
410	CM	115	CM	49 LEVEL CM	2654,3724 litre	15,582 %	14380,1284 litre	O
410	CM	115	CM	48 LEVEL CM	2577,4381 litre	15,131 %	14457,0627 litre	O
410	CM	115	CM	47 LEVEL CM	2501,0917 litre	14,683 %	14533,4091 litre	O
410	CM	115	CM	46 LEVEL CM	2425,3465 litre	14,238 %	14609,1543 litre	O
410	CM	115	CM	45 LEVEL CM	2350,2163 litre	13,797 %	14684,2845 litre	O
410	CM	115	CM	44 LEVEL CM	2275,7153 litre	13,359 %	14758,7855 litre	O
410	CM	115	CM	43 LEVEL CM	2201,8579 litre	12,926 %	14832,6429 litre	O
410	CM	115	CM	42 LEVEL CM	2128,6588 litre	12,496 %	14905,8420 litre	O
410	CM	115	CM	41 LEVEL CM	2056,1335 litre	12,070 %	14978,3673 litre	O
410	CM	115	CM	40 LEVEL CM	1984,2976 litre	11,649 %	15050,2032 litre	O
410	CM	115	CM	39 LEVEL CM	1913,1671 litre	11,231 %	15121,3337 litre	O
410	CM	115	CM	38 LEVEL CM	1842,7587 litre	10,818 %	15191,7421 litre	O
410	CM	115	CM	37 LEVEL CM	1773,0896 litre	10,409 %	15261,4112 litre	O
410	CM	115	CM	36 LEVEL CM	1704,1775 litre	10,004 %	15330,3233 litre	O
410	CM	115	CM	35 LEVEL CM	1636,0405 litre	9,604 %	15398,4603 litre	O
410	CM	115	CM	34 LEVEL CM	1568,6976 litre	9,209 %	15465,8032 litre	O
410	CM	115	CM	33 LEVEL CM	1502,1685 litre	8,818 %	15532,3323 litre	O
410	CM	115	CM	32 LEVEL CM	1436,4733 litre	8,433 %	15598,0275 litre	O
410	CM	115	CM	31 LEVEL CM	1371,6333 litre	8,052 %	15662,8675 litre	O
410	CM	115	CM	30 LEVEL CM	1307,6703 litre	7,677 %	15726,8305 litre	O
410	CM	115	CM	29 LEVEL CM	1244,6072 litre	7,306 %	15789,8936 litre	O
410	CM	115	CM	28 LEVEL CM	1182,4679 litre	6,942 %	15852,0329 litre	O
410	CM	115	CM	27 LEVEL CM	1121,2773 litre	6,582 %	15913,2235 litre	O
410	CM	115	CM	26 LEVEL CM	1061,0614 litre	6,229 %	15973,4394 litre	O
410	CM	115	CM	25 LEVEL CM	1001,8478 litre	5,881 %	16032,6530 litre	O
410	CM	115	CM	24 LEVEL CM	943,6651 litre	5,540 %	16090,8357 litre	O
410	CM	115	CM	23 LEVEL CM	886,5439 litre	5,204 %	16147,9569 litre	O
410	CM	115	CM	22 LEVEL CM	830,5161 litre	4,875 %	16203,9847 litre	O
410	CM	115	CM	21 LEVEL CM	775,6159 litre	4,553 %	16258,8849 litre	O
410	CM	115	CM	20 LEVEL CM	721,8793 litre	4,238 %	16312,6215 litre	O

410	CM	115	CM	19 LEVEL CM	669,3450 litre	3,929 %	16365,1558 litre	O
410	CM	115	CM	18 LEVEL CM	618,0543 litre	3,628 %	16416,4465 litre	O
410	CM	115	CM	17 LEVEL CM	568,0514 litre	3,335 %	16466,4494 litre	O
410	CM	115	CM	16 LEVEL CM	519,3843 litre	3,049 %	16515,1165 litre	O
410	CM	115	CM	15 LEVEL CM	472,1049 litre	2,771 %	16562,3959 litre	O
410	CM	115	CM	14 LEVEL CM	426,2699 litre	2,502 %	16608,2309 litre	O
410	CM	115	CM	13 LEVEL CM	381,9416 litre	2,242 %	16652,5592 litre	O
410	CM	115	CM	12 LEVEL CM	339,1886 litre	1,991 %	16695,3122 litre	O
410	CM	115	CM	11 LEVEL CM	298,0878 litre	1,750 %	16736,4130 litre	O
410	CM	115	CM	10 LEVEL CM	258,7255 litre	1,519 %	16775,7753 litre	O
410	CM	115	CM	9 LEVEL CM	221,2001 litre	1,299 %	16813,3007 litre	O
410	CM	115	CM	8 LEVEL CM	185,6253 litre	1,090 %	16848,8755 litre	O
410	CM	115	CM	7 LEVEL CM	152,1346 litre	0,893 %	16882,3662 litre	O
410	CM	115	CM	6 LEVEL CM	120,8885 litre	0,710 %	16913,6123 litre	O
410	CM	115	CM	5 LEVEL CM	92,0850 litre	0,541 %	16942,4158 litre	O
410	CM	115	CM	4 LEVEL CM	65,9778 litre	0,387 %	16968,5230 litre	O
410	CM	115	CM	3 LEVEL CM	42,9103 litre	0,252 %	16991,5905 litre	O
410	CM	115	CM	2 LEVEL CM	23,3881 litre	0,137 %	17011,1127 litre	O
410	CM	115	CM	1 LEVEL CM	8,2798 litre	0,049 %	17026,2210 litre	O
410	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	17034,5008 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM	110	CM 220 LEVEL CM	15585,4412 litre	100,000 %	0,0000 litre	O
410	CM	110	CM 219 LEVEL CM	15577,3438 litre	99,948 %	8,0974 litre	O
410	CM	110	CM 218 LEVEL CM	15562,5699 litre	99,853 %	22,8713 litre	O
410	CM	110	CM 217 LEVEL CM	15543,4816 litre	99,731 %	41,9596 litre	O
410	CM	110	CM 216 LEVEL CM	15520,9291 litre	99,586 %	64,5121 litre	O
410	CM	110	CM 215 LEVEL CM	15495,4074 litre	99,422 %	90,0338 litre	O
410	CM	110	CM 214 LEVEL CM	15467,2526 litre	99,242 %	118,1886 litre	O
410	CM	110	CM 213 LEVEL CM	15436,7136 litre	99,046 %	148,7276 litre	O
410	CM	110	CM 212 LEVEL CM	15403,9842 litre	98,836 %	181,4570 litre	O
410	CM	110	CM 211 LEVEL CM	15369,2217 litre	98,613 %	216,2195 litre	O
410	CM	110	CM 210 LEVEL CM	15332,5571 litre	98,377 %	252,8841 litre	O
410	CM	110	CM 209 LEVEL CM	15294,1019 litre	98,131 %	291,3393 litre	O
410	CM	110	CM 208 LEVEL CM	15253,9527 litre	97,873 %	331,4885 litre	O
410	CM	110	CM 207 LEVEL CM	15212,1941 litre	97,605 %	373,2471 litre	O
410	CM	110	CM 206 LEVEL CM	15168,9016 litre	97,327 %	416,5396 litre	O
410	CM	110	CM 205 LEVEL CM	15124,1428 litre	97,040 %	461,2984 litre	O
410	CM	110	CM 204 LEVEL CM	15077,9786 litre	96,744 %	507,4626 litre	O
410	CM	110	CM 203 LEVEL CM	15030,4650 litre	96,439 %	554,9762 litre	O
410	CM	110	CM 202 LEVEL CM	14981,6528 litre	96,126 %	603,7884 litre	O
410	CM	110	CM 201 LEVEL CM	14931,5893 litre	95,805 %	653,8519 litre	O
410	CM	110	CM 200 LEVEL CM	14880,3180 litre	95,476 %	705,1232 litre	O
410	CM	110	CM 199 LEVEL CM	14827,8796 litre	95,139 %	757,5616 litre	O
410	CM	110	CM 198 LEVEL CM	14774,3122 litre	94,796 %	811,1290 litre	O
410	CM	110	CM 197 LEVEL CM	14719,6512 litre	94,445 %	865,7900 litre	O
410	CM	110	CM 196 LEVEL CM	14663,9302 litre	94,087 %	921,5110 litre	O
410	CM	110	CM 195 LEVEL CM	14607,1808 litre	93,723 %	978,2604 litre	O
410	CM	110	CM 194 LEVEL CM	14549,4331 litre	93,353 %	1036,0081 litre	O
410	CM	110	CM 193 LEVEL CM	14490,7154 litre	92,976 %	1094,7258 litre	O
410	CM	110	CM 192 LEVEL CM	14431,0548 litre	92,593 %	1154,3864 litre	O
410	CM	110	CM 191 LEVEL CM	14370,4770 litre	92,204 %	1214,9642 litre	O
410	CM	110	CM 190 LEVEL CM	14309,0067 litre	91,810 %	1276,4345 litre	O
410	CM	110	CM 189 LEVEL CM	14246,6674 litre	91,410 %	1338,7738 litre	O
410	CM	110	CM 188 LEVEL CM	14183,4818 litre	91,005 %	1401,9594 litre	O
410	CM	110	CM 187 LEVEL CM	14119,4714 litre	90,594 %	1465,9698 litre	O
410	CM	110	CM 186 LEVEL CM	14054,6572 litre	90,178 %	1530,7840 litre	O
410	CM	110	CM 185 LEVEL CM	13989,0593 litre	89,757 %	1596,3819 litre	O
410	CM	110	CM 184 LEVEL CM	13922,6971 litre	89,331 %	1662,7441 litre	O
410	CM	110	CM 183 LEVEL CM	13855,5892 litre	88,901 %	1729,8520 litre	O
410	CM	110	CM 182 LEVEL CM	13787,7538 litre	88,466 %	1797,6874 litre	O
410	CM	110	CM 181 LEVEL CM	13719,2085 litre	88,026 %	1866,2327 litre	O
410	CM	110	CM 180 LEVEL CM	13649,9701 litre	87,582 %	1935,4711 litre	O
410	CM	110	CM 179 LEVEL CM	13580,0553 litre	87,133 %	2005,3859 litre	O
410	CM	110	CM 178 LEVEL CM	13509,4799 litre	86,680 %	2075,9613 litre	O
410	CM	110	CM 177 LEVEL CM	13438,2596 litre	86,223 %	2147,1816 litre	O
410	CM	110	CM 176 LEVEL CM	13366,4096 litre	85,762 %	2219,0316 litre	O
410	CM	110	CM 175 LEVEL CM	13293,9445 litre	85,297 %	2291,4967 litre	O
410	CM	110	CM 174 LEVEL CM	13220,8787 litre	84,828 %	2364,5625 litre	O
410	CM	110	CM 173 LEVEL CM	13147,2264 litre	84,356 %	2438,2148 litre	O
410	CM	110	CM 172 LEVEL CM	13073,0011 litre	83,880 %	2512,4401 litre	O
410	CM	110	CM 171 LEVEL CM	12998,2162 litre	83,400 %	2587,2250 litre	O
410	CM	110	CM 170 LEVEL CM	12922,8849 litre	82,916 %	2662,5563 litre	O
410	CM	110	CM 169 LEVEL CM	12847,0199 litre	82,430 %	2738,4213 litre	O

410	CM 110	CM	168 LEVEL CM	12770,6338 litre	81,940 %	2814,8074 litre	O
410	CM 110	CM	167 LEVEL CM	12693,7388 litre	81,446 %	2891,7024 litre	O
410	CM 110	CM	166 LEVEL CM	12616,3470 litre	80,950 %	2969,0942 litre	O
410	CM 110	CM	165 LEVEL CM	12538,4701 litre	80,450 %	3046,9711 litre	O
410	CM 110	CM	164 LEVEL CM	12460,1198 litre	79,947 %	3125,3214 litre	O
410	CM 110	CM	163 LEVEL CM	12381,3074 litre	79,441 %	3204,1338 litre	O
410	CM 110	CM	162 LEVEL CM	12302,0442 litre	78,933 %	3283,3970 litre	O
410	CM 110	CM	161 LEVEL CM	12222,3410 litre	78,422 %	3363,1002 litre	O
410	CM 110	CM	160 LEVEL CM	12142,2087 litre	77,907 %	3443,2325 litre	O
410	CM 110	CM	159 LEVEL CM	12061,6580 litre	77,391 %	3523,7832 litre	O
410	CM 110	CM	158 LEVEL CM	11980,6993 litre	76,871 %	3604,7419 litre	O
410	CM 110	CM	157 LEVEL CM	11899,3428 litre	76,349 %	3686,0984 litre	O
410	CM 110	CM	156 LEVEL CM	11817,5989 litre	75,825 %	3767,8423 litre	O
410	CM 110	CM	155 LEVEL CM	11735,4774 litre	75,298 %	3849,9638 litre	O
410	CM 110	CM	154 LEVEL CM	11652,9883 litre	74,768 %	3932,4529 litre	O
410	CM 110	CM	153 LEVEL CM	11570,1413 litre	74,237 %	4015,2999 litre	O
410	CM 110	CM	152 LEVEL CM	11486,9460 litre	73,703 %	4098,4952 litre	O
410	CM 110	CM	151 LEVEL CM	11403,4120 litre	73,167 %	4182,0292 litre	O
410	CM 110	CM	150 LEVEL CM	11319,5486 litre	72,629 %	4265,8926 litre	O
410	CM 110	CM	149 LEVEL CM	11235,3651 litre	72,089 %	4350,0761 litre	O
410	CM 110	CM	148 LEVEL CM	11150,8706 litre	71,547 %	4434,5706 litre	O
410	CM 110	CM	147 LEVEL CM	11066,0743 litre	71,003 %	4519,3669 litre	O
410	CM 110	CM	146 LEVEL CM	10980,9851 litre	70,457 %	4604,4561 litre	O
410	CM 110	CM	145 LEVEL CM	10895,6119 litre	69,909 %	4689,8293 litre	O
410	CM 110	CM	144 LEVEL CM	10809,9635 litre	69,359 %	4775,4777 litre	O
410	CM 110	CM	143 LEVEL CM	10724,0485 litre	68,808 %	4861,3927 litre	O
410	CM 110	CM	142 LEVEL CM	10637,8757 litre	68,255 %	4947,5655 litre	O
410	CM 110	CM	141 LEVEL CM	10551,4536 litre	67,701 %	5033,9876 litre	O
410	CM 110	CM	140 LEVEL CM	10464,7905 litre	67,145 %	5120,6507 litre	O
410	CM 110	CM	139 LEVEL CM	10377,8951 litre	66,587 %	5207,5461 litre	O
410	CM 110	CM	138 LEVEL CM	10290,7755 litre	66,028 %	5294,6657 litre	O
410	CM 110	CM	137 LEVEL CM	10203,4400 litre	65,468 %	5382,0012 litre	O
410	CM 110	CM	136 LEVEL CM	10115,8970 litre	64,906 %	5469,5442 litre	O
410	CM 110	CM	135 LEVEL CM	10028,1544 litre	64,343 %	5557,2868 litre	O
410	CM 110	CM	134 LEVEL CM	9940,2205 litre	63,779 %	5645,2207 litre	O
410	CM 110	CM	133 LEVEL CM	9852,1033 litre	63,214 %	5733,3379 litre	O
410	CM 110	CM	132 LEVEL CM	9763,8107 litre	62,647 %	5821,6305 litre	O
410	CM 110	CM	131 LEVEL CM	9675,3507 litre	62,079 %	5910,0905 litre	O
410	CM 110	CM	130 LEVEL CM	9586,7313 litre	61,511 %	5998,7099 litre	O
410	CM 110	CM	129 LEVEL CM	9497,9602 litre	60,941 %	6087,4810 litre	O
410	CM 110	CM	128 LEVEL CM	9409,0454 litre	60,371 %	6176,3958 litre	O
410	CM 110	CM	127 LEVEL CM	9319,9945 litre	59,799 %	6265,4467 litre	O
410	CM 110	CM	126 LEVEL CM	9230,8153 litre	59,227 %	6354,6259 litre	O
410	CM 110	CM	125 LEVEL CM	9141,5156 litre	58,654 %	6443,9256 litre	O
410	CM 110	CM	124 LEVEL CM	9052,1030 litre	58,081 %	6533,3382 litre	O
410	CM 110	CM	123 LEVEL CM	8962,5852 litre	57,506 %	6622,8560 litre	O
410	CM 110	CM	122 LEVEL CM	8872,9698 litre	56,931 %	6712,4714 litre	O
410	CM 110	CM	121 LEVEL CM	8783,2644 litre	56,356 %	6802,1768 litre	O
410	CM 110	CM	120 LEVEL CM	8693,4766 litre	55,779 %	6891,9646 litre	O
410	CM 110	CM	119 LEVEL CM	8603,6139 litre	55,203 %	6981,8273 litre	O
410	CM 110	CM	118 LEVEL CM	8513,6840 litre	54,626 %	7071,7572 litre	O
410	CM 110	CM	117 LEVEL CM	8423,6942 litre	54,048 %	7161,7470 litre	O
410	CM 110	CM	116 LEVEL CM	8333,6521 litre	53,471 %	7251,7891 litre	O

410	CM	110	CM	115 LEVEL CM	8243,5652 litre	52,893 %	7341,8760 litre	O
410	CM	110	CM	114 LEVEL CM	8153,4410 litre	52,314 %	7432,0002 litre	O
410	CM	110	CM	113 LEVEL CM	8063,2870 litre	51,736 %	7522,1542 litre	O
410	CM	110	CM	112 LEVEL CM	7973,1106 litre	51,157 %	7612,3306 litre	O
410	CM	110	CM	111 LEVEL CM	7882,9193 litre	50,579 %	7702,5219 litre	O
410	CM	110	CM	110 LEVEL CM	7792,7206 litre	50,000 %	7792,7206 litre	O
410	CM	110	CM	109 LEVEL CM	7702,5218 litre	49,421 %	7882,9194 litre	O
410	CM	110	CM	108 LEVEL CM	7612,3305 litre	48,843 %	7973,1107 litre	O
410	CM	110	CM	107 LEVEL CM	7522,1541 litre	48,264 %	8063,2871 litre	O
410	CM	110	CM	106 LEVEL CM	7432,0001 litre	47,686 %	8153,4411 litre	O
410	CM	110	CM	105 LEVEL CM	7341,8759 litre	47,107 %	8243,5653 litre	O
410	CM	110	CM	104 LEVEL CM	7251,7891 litre	46,529 %	8333,6521 litre	O
410	CM	110	CM	103 LEVEL CM	7161,7470 litre	45,952 %	8423,6942 litre	O
410	CM	110	CM	102 LEVEL CM	7071,7572 litre	45,374 %	8513,6840 litre	O
410	CM	110	CM	101 LEVEL CM	6981,8272 litre	44,797 %	8603,6140 litre	O
410	CM	110	CM	100 LEVEL CM	6891,9645 litre	44,221 %	8693,4767 litre	O
410	CM	110	CM	99 LEVEL CM	6802,1767 litre	43,644 %	8783,2645 litre	O
410	CM	110	CM	98 LEVEL CM	6712,4713 litre	43,069 %	8872,9699 litre	O
410	CM	110	CM	97 LEVEL CM	6622,8559 litre	42,494 %	8962,5853 litre	O
410	CM	110	CM	96 LEVEL CM	6533,3381 litre	41,919 %	9052,1031 litre	O
410	CM	110	CM	95 LEVEL CM	6443,9255 litre	41,346 %	9141,5157 litre	O
410	CM	110	CM	94 LEVEL CM	6354,6258 litre	40,773 %	9230,8154 litre	O
410	CM	110	CM	93 LEVEL CM	6265,4467 litre	40,201 %	9319,9945 litre	O
410	CM	110	CM	92 LEVEL CM	6176,3958 litre	39,629 %	9409,0454 litre	O
410	CM	110	CM	91 LEVEL CM	6087,4809 litre	39,059 %	9497,9603 litre	O
410	CM	110	CM	90 LEVEL CM	5998,7098 litre	38,489 %	9586,7314 litre	O
410	CM	110	CM	89 LEVEL CM	5910,0904 litre	37,921 %	9675,3508 litre	O
410	CM	110	CM	88 LEVEL CM	5821,6304 litre	37,353 %	9763,8108 litre	O
410	CM	110	CM	87 LEVEL CM	5733,3379 litre	36,786 %	9852,1033 litre	O
410	CM	110	CM	86 LEVEL CM	5645,2206 litre	36,221 %	9940,2206 litre	O
410	CM	110	CM	85 LEVEL CM	5557,2867 litre	35,657 %	10028,1545 litre	O
410	CM	110	CM	84 LEVEL CM	5469,5442 litre	35,094 %	10115,8970 litre	O
410	CM	110	CM	83 LEVEL CM	5382,0011 litre	34,532 %	10203,4401 litre	O
410	CM	110	CM	82 LEVEL CM	5294,6657 litre	33,972 %	10290,7755 litre	O
410	CM	110	CM	81 LEVEL CM	5207,5461 litre	33,413 %	10377,8951 litre	O
410	CM	110	CM	80 LEVEL CM	5120,6506 litre	32,855 %	10464,7906 litre	O
410	CM	110	CM	79 LEVEL CM	5033,9876 litre	32,299 %	10551,4536 litre	O
410	CM	110	CM	78 LEVEL CM	4947,5654 litre	31,745 %	10637,8758 litre	O
410	CM	110	CM	77 LEVEL CM	4861,3926 litre	31,192 %	10724,0486 litre	O
410	CM	110	CM	76 LEVEL CM	4775,4777 litre	30,641 %	10809,9635 litre	O
410	CM	110	CM	75 LEVEL CM	4689,8292 litre	30,091 %	10895,6120 litre	O
410	CM	110	CM	74 LEVEL CM	4604,4560 litre	29,543 %	10980,9852 litre	O
410	CM	110	CM	73 LEVEL CM	4519,3668 litre	28,997 %	11066,0744 litre	O
410	CM	110	CM	72 LEVEL CM	4434,5705 litre	28,453 %	11150,8707 litre	O
410	CM	110	CM	71 LEVEL CM	4350,0761 litre	27,911 %	11235,3651 litre	O
410	CM	110	CM	70 LEVEL CM	4265,8926 litre	27,371 %	11319,5486 litre	O
410	CM	110	CM	69 LEVEL CM	4182,0291 litre	26,833 %	11403,4121 litre	O
410	CM	110	CM	68 LEVEL CM	4098,4951 litre	26,297 %	11486,9461 litre	O
410	CM	110	CM	67 LEVEL CM	4015,2999 litre	25,763 %	11570,1413 litre	O
410	CM	110	CM	66 LEVEL CM	3932,4529 litre	25,232 %	11652,9883 litre	O
410	CM	110	CM	65 LEVEL CM	3849,9638 litre	24,702 %	11735,4774 litre	O
410	CM	110	CM	64 LEVEL CM	3767,8423 litre	24,175 %	11817,5989 litre	O
410	CM	110	CM	63 LEVEL CM	3686,0983 litre	23,651 %	11899,3429 litre	O

410	CM 110	CM	62 LEVEL CM	3604,7419 litre	23,129 %	11980,6993 litre	O
410	CM 110	CM	61 LEVEL CM	3523,7832 litre	22,609 %	12061,6580 litre	O
410	CM 110	CM	60 LEVEL CM	3443,2324 litre	22,093 %	12142,2088 litre	O
410	CM 110	CM	59 LEVEL CM	3363,1001 litre	21,578 %	12222,3411 litre	O
410	CM 110	CM	58 LEVEL CM	3283,3970 litre	21,067 %	12302,0442 litre	O
410	CM 110	CM	57 LEVEL CM	3204,1337 litre	20,559 %	12381,3075 litre	O
410	CM 110	CM	56 LEVEL CM	3125,3213 litre	20,053 %	12460,1199 litre	O
410	CM 110	CM	55 LEVEL CM	3046,9710 litre	19,550 %	12538,4702 litre	O
410	CM 110	CM	54 LEVEL CM	2969,0942 litre	19,050 %	12616,3470 litre	O
410	CM 110	CM	53 LEVEL CM	2891,7024 litre	18,554 %	12693,7388 litre	O
410	CM 110	CM	52 LEVEL CM	2814,8074 litre	18,060 %	12770,6338 litre	O
410	CM 110	CM	51 LEVEL CM	2738,4212 litre	17,570 %	12847,0200 litre	O
410	CM 110	CM	50 LEVEL CM	2662,5562 litre	17,084 %	12922,8850 litre	O
410	CM 110	CM	49 LEVEL CM	2587,2249 litre	16,600 %	12998,2163 litre	O
410	CM 110	CM	48 LEVEL CM	2512,4401 litre	16,120 %	13073,0011 litre	O
410	CM 110	CM	47 LEVEL CM	2438,2148 litre	15,644 %	13147,2264 litre	O
410	CM 110	CM	46 LEVEL CM	2364,5624 litre	15,172 %	13220,8788 litre	O
410	CM 110	CM	45 LEVEL CM	2291,4967 litre	14,703 %	13293,9445 litre	O
410	CM 110	CM	44 LEVEL CM	2219,0316 litre	14,238 %	13366,4096 litre	O
410	CM 110	CM	43 LEVEL CM	2147,1815 litre	13,777 %	13438,2597 litre	O
410	CM 110	CM	42 LEVEL CM	2075,9612 litre	13,320 %	13509,4800 litre	O
410	CM 110	CM	41 LEVEL CM	2005,3859 litre	12,867 %	13580,0553 litre	O
410	CM 110	CM	40 LEVEL CM	1935,4710 litre	12,418 %	13649,9702 litre	O
410	CM 110	CM	39 LEVEL CM	1866,2327 litre	11,974 %	13719,2085 litre	O
410	CM 110	CM	38 LEVEL CM	1797,6873 litre	11,534 %	13787,7539 litre	O
410	CM 110	CM	37 LEVEL CM	1729,8520 litre	11,099 %	13855,5892 litre	O
410	CM 110	CM	36 LEVEL CM	1662,7441 litre	10,669 %	13922,6971 litre	O
410	CM 110	CM	35 LEVEL CM	1596,3818 litre	10,243 %	13989,0594 litre	O
410	CM 110	CM	34 LEVEL CM	1530,7839 litre	9,822 %	14054,6573 litre	O
410	CM 110	CM	33 LEVEL CM	1465,9697 litre	9,406 %	14119,4715 litre	O
410	CM 110	CM	32 LEVEL CM	1401,9594 litre	8,995 %	14183,4818 litre	O
410	CM 110	CM	31 LEVEL CM	1338,7737 litre	8,590 %	14246,6675 litre	O
410	CM 110	CM	30 LEVEL CM	1276,4344 litre	8,190 %	14309,0068 litre	O
410	CM 110	CM	29 LEVEL CM	1214,9641 litre	7,796 %	14370,4771 litre	O
410	CM 110	CM	28 LEVEL CM	1154,3863 litre	7,407 %	14431,0549 litre	O
410	CM 110	CM	27 LEVEL CM	1094,7257 litre	7,024 %	14490,7155 litre	O
410	CM 110	CM	26 LEVEL CM	1036,0080 litre	6,647 %	14549,4332 litre	O
410	CM 110	CM	25 LEVEL CM	978,2603 litre	6,277 %	14607,1809 litre	O
410	CM 110	CM	24 LEVEL CM	921,5110 litre	5,913 %	14663,9302 litre	O
410	CM 110	CM	23 LEVEL CM	865,7900 litre	5,555 %	14719,6512 litre	O
410	CM 110	CM	22 LEVEL CM	811,1290 litre	5,204 %	14774,3122 litre	O
410	CM 110	CM	21 LEVEL CM	757,5615 litre	4,861 %	14827,8797 litre	O
410	CM 110	CM	20 LEVEL CM	705,1231 litre	4,524 %	14880,3181 litre	O
410	CM 110	CM	19 LEVEL CM	653,8519 litre	4,195 %	14931,5893 litre	O
410	CM 110	CM	18 LEVEL CM	603,7883 litre	3,874 %	14981,6529 litre	O
410	CM 110	CM	17 LEVEL CM	554,9762 litre	3,561 %	15030,4650 litre	O
410	CM 110	CM	16 LEVEL CM	507,4625 litre	3,256 %	15077,9787 litre	O
410	CM 110	CM	15 LEVEL CM	461,2984 litre	2,960 %	15124,1428 litre	O
410	CM 110	CM	14 LEVEL CM	416,5395 litre	2,673 %	15168,9017 litre	O
410	CM 110	CM	13 LEVEL CM	373,2470 litre	2,395 %	15212,1942 litre	O
410	CM 110	CM	12 LEVEL CM	331,4885 litre	2,127 %	15253,9527 litre	O
410	CM 110	CM	11 LEVEL CM	291,3392 litre	1,869 %	15294,1020 litre	O
410	CM 110	CM	10 LEVEL CM	252,8840 litre	1,623 %	15332,5572 litre	O

410	CM	110	CM	9 LEVEL CM	216,2194 litre	1,387 %	15369,2218 litre	O
410	CM	110	CM	8 LEVEL CM	181,4569 litre	1,164 %	15403,9843 litre	O
410	CM	110	CM	7 LEVEL CM	148,7276 litre	0,954 %	15436,7136 litre	O
410	CM	110	CM	6 LEVEL CM	118,1885 litre	0,758 %	15467,2527 litre	O
410	CM	110	CM	5 LEVEL CM	90,0338 litre	0,578 %	15495,4074 litre	O
410	CM	110	CM	4 LEVEL CM	64,5120 litre	0,414 %	15520,9292 litre	O
410	CM	110	CM	3 LEVEL CM	41,9596 litre	0,269 %	15543,4816 litre	O
410	CM	110	CM	2 LEVEL CM	22,8713 litre	0,147 %	15562,5699 litre	O
410	CM	110	CM	1 LEVEL CM	8,0973 litre	0,052 %	15577,3439 litre	O
410	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	15585,4412 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM 105	CM 210 LEVEL CM	14200,7842 litre	100,000 %	0,0000 litre	O
410	CM 105	CM 209 LEVEL CM	14192,8736 litre	99,944 %	7,9106 litre	O
410	CM 105	CM 208 LEVEL CM	14178,4417 litre	99,843 %	22,3425 litre	O
410	CM 105	CM 207 LEVEL CM	14159,7974 litre	99,711 %	40,9868 litre	O
410	CM 105	CM 206 LEVEL CM	14137,7720 litre	99,556 %	63,0122 litre	O
410	CM 105	CM 205 LEVEL CM	14112,8494 litre	99,381 %	87,9348 litre	O
410	CM 105	CM 204 LEVEL CM	14085,3588 litre	99,187 %	115,4254 litre	O
410	CM 105	CM 203 LEVEL CM	14055,5436 litre	98,977 %	145,2406 litre	O
410	CM 105	CM 202 LEVEL CM	14023,5936 litre	98,752 %	177,1906 litre	O
410	CM 105	CM 201 LEVEL CM	13989,6629 litre	98,513 %	211,1213 litre	O
410	CM 105	CM 200 LEVEL CM	13953,8798 litre	98,261 %	246,9044 litre	O
410	CM 105	CM 199 LEVEL CM	13916,3536 litre	97,997 %	284,4306 litre	O
410	CM 105	CM 198 LEVEL CM	13877,1790 litre	97,721 %	323,6052 litre	O
410	CM 105	CM 197 LEVEL CM	13836,4392 litre	97,434 %	364,3450 litre	O
410	CM 105	CM 196 LEVEL CM	13794,2079 litre	97,137 %	406,5763 litre	O
410	CM 105	CM 195 LEVEL CM	13750,5517 litre	96,830 %	450,2325 litre	O
410	CM 105	CM 194 LEVEL CM	13705,5304 litre	96,512 %	495,2538 litre	O
410	CM 105	CM 193 LEVEL CM	13659,1989 litre	96,186 %	541,5853 litre	O
410	CM 105	CM 192 LEVEL CM	13611,6073 litre	95,851 %	589,1769 litre	O
410	CM 105	CM 191 LEVEL CM	13562,8018 litre	95,507 %	637,9824 litre	O
410	CM 105	CM 190 LEVEL CM	13512,8255 litre	95,155 %	687,9587 litre	O
410	CM 105	CM 189 LEVEL CM	13461,7183 litre	94,796 %	739,0659 litre	O
410	CM 105	CM 188 LEVEL CM	13409,5176 litre	94,428 %	791,2666 litre	O
410	CM 105	CM 187 LEVEL CM	13356,2584 litre	94,053 %	844,5258 litre	O
410	CM 105	CM 186 LEVEL CM	13301,9738 litre	93,671 %	898,8104 litre	O
410	CM 105	CM 185 LEVEL CM	13246,6949 litre	93,281 %	954,0893 litre	O
410	CM 105	CM 184 LEVEL CM	13190,4513 litre	92,885 %	1010,3329 litre	O
410	CM 105	CM 183 LEVEL CM	13133,2710 litre	92,483 %	1067,5132 litre	O
410	CM 105	CM 182 LEVEL CM	13075,1807 litre	92,074 %	1125,6035 litre	O
410	CM 105	CM 181 LEVEL CM	13016,2058 litre	91,658 %	1184,5784 litre	O
410	CM 105	CM 180 LEVEL CM	12956,3706 litre	91,237 %	1244,4136 litre	O
410	CM 105	CM 179 LEVEL CM	12895,6985 litre	90,810 %	1305,0857 litre	O
410	CM 105	CM 178 LEVEL CM	12834,2117 litre	90,377 %	1366,5725 litre	O
410	CM 105	CM 177 LEVEL CM	12771,9317 litre	89,938 %	1428,8525 litre	O
410	CM 105	CM 176 LEVEL CM	12708,8791 litre	89,494 %	1491,9051 litre	O
410	CM 105	CM 175 LEVEL CM	12645,0738 litre	89,045 %	1555,7104 litre	O
410	CM 105	CM 174 LEVEL CM	12580,5351 litre	88,590 %	1620,2491 litre	O
410	CM 105	CM 173 LEVEL CM	12515,2814 litre	88,131 %	1685,5028 litre	O
410	CM 105	CM 172 LEVEL CM	12449,3307 litre	87,667 %	1751,4535 litre	O
410	CM 105	CM 171 LEVEL CM	12382,7004 litre	87,197 %	1818,0838 litre	O
410	CM 105	CM 170 LEVEL CM	12315,4074 litre	86,723 %	1885,3768 litre	O
410	CM 105	CM 169 LEVEL CM	12247,4679 litre	86,245 %	1953,3163 litre	O
410	CM 105	CM 168 LEVEL CM	12178,8980 litre	85,762 %	2021,8862 litre	O
410	CM 105	CM 167 LEVEL CM	12109,7130 litre	85,275 %	2091,0712 litre	O
410	CM 105	CM 166 LEVEL CM	12039,9281 litre	84,784 %	2160,8561 litre	O
410	CM 105	CM 165 LEVEL CM	11969,5578 litre	84,288 %	2231,2264 litre	O
410	CM 105	CM 164 LEVEL CM	11898,6165 litre	83,788 %	2302,1677 litre	O
410	CM 105	CM 163 LEVEL CM	11827,1182 litre	83,285 %	2373,6660 litre	O
410	CM 105	CM 162 LEVEL CM	11755,0765 litre	82,778 %	2445,7077 litre	O
410	CM 105	CM 161 LEVEL CM	11682,5047 litre	82,267 %	2518,2795 litre	O
410	CM 105	CM 160 LEVEL CM	11609,4159 litre	81,752 %	2591,3683 litre	O
410	CM 105	CM 159 LEVEL CM	11535,8229 litre	81,234 %	2664,9613 litre	O

410	CM	105	CM	158 LEVEL CM	11461,7381 litre	80,712 %	2739,0461 litre	O
410	CM	105	CM	157 LEVEL CM	11387,1738 litre	80,187 %	2813,6104 litre	O
410	CM	105	CM	156 LEVEL CM	11312,1421 litre	79,659 %	2888,6421 litre	O
410	CM	105	CM	155 LEVEL CM	11236,6546 litre	79,127 %	2964,1296 litre	O
410	CM	105	CM	154 LEVEL CM	11160,7232 litre	78,592 %	3040,0610 litre	O
410	CM	105	CM	153 LEVEL CM	11084,3590 litre	78,055 %	3116,4252 litre	O
410	CM	105	CM	152 LEVEL CM	11007,5733 litre	77,514 %	3193,2109 litre	O
410	CM	105	CM	151 LEVEL CM	10930,3772 litre	76,970 %	3270,4070 litre	O
410	CM	105	CM	150 LEVEL CM	10852,7814 litre	76,424 %	3348,0028 litre	O
410	CM	105	CM	149 LEVEL CM	10774,7967 litre	75,875 %	3425,9875 litre	O
410	CM	105	CM	148 LEVEL CM	10696,4335 litre	75,323 %	3504,3507 litre	O
410	CM	105	CM	147 LEVEL CM	10617,7021 litre	74,768 %	3583,0821 litre	O
410	CM	105	CM	146 LEVEL CM	10538,6129 litre	74,211 %	3662,1713 litre	O
410	CM	105	CM	145 LEVEL CM	10459,1759 litre	73,652 %	3741,6083 litre	O
410	CM	105	CM	144 LEVEL CM	10379,4010 litre	73,090 %	3821,3832 litre	O
410	CM	105	CM	143 LEVEL CM	10299,2981 litre	72,526 %	3901,4861 litre	O
410	CM	105	CM	142 LEVEL CM	10218,8768 litre	71,960 %	3981,9074 litre	O
410	CM	105	CM	141 LEVEL CM	10138,1468 litre	71,391 %	4062,6374 litre	O
410	CM	105	CM	140 LEVEL CM	10057,1174 litre	70,821 %	4143,6668 litre	O
410	CM	105	CM	139 LEVEL CM	9975,7981 litre	70,248 %	4224,9861 litre	O
410	CM	105	CM	138 LEVEL CM	9894,1982 litre	69,674 %	4306,5860 litre	O
410	CM	105	CM	137 LEVEL CM	9812,3268 litre	69,097 %	4388,4574 litre	O
410	CM	105	CM	136 LEVEL CM	9730,1930 litre	68,519 %	4470,5912 litre	O
410	CM	105	CM	135 LEVEL CM	9647,8059 litre	67,939 %	4552,9783 litre	O
410	CM	105	CM	134 LEVEL CM	9565,1742 litre	67,357 %	4635,6100 litre	O
410	CM	105	CM	133 LEVEL CM	9482,3069 litre	66,773 %	4718,4773 litre	O
410	CM	105	CM	132 LEVEL CM	9399,2127 litre	66,188 %	4801,5715 litre	O
410	CM	105	CM	131 LEVEL CM	9315,9002 litre	65,601 %	4884,8840 litre	O
410	CM	105	CM	130 LEVEL CM	9232,3783 litre	65,013 %	4968,4059 litre	O
410	CM	105	CM	129 LEVEL CM	9148,6552 litre	64,424 %	5052,1290 litre	O
410	CM	105	CM	128 LEVEL CM	9064,7397 litre	63,833 %	5136,0445 litre	O
410	CM	105	CM	127 LEVEL CM	8980,6401 litre	63,240 %	5220,1441 litre	O
410	CM	105	CM	126 LEVEL CM	8896,3647 litre	62,647 %	5304,4195 litre	O
410	CM	105	CM	125 LEVEL CM	8811,9220 litre	62,052 %	5388,8622 litre	O
410	CM	105	CM	124 LEVEL CM	8727,3201 litre	61,457 %	5473,4641 litre	O
410	CM	105	CM	123 LEVEL CM	8642,5674 litre	60,860 %	5558,2168 litre	O
410	CM	105	CM	122 LEVEL CM	8557,6720 litre	60,262 %	5643,1122 litre	O
410	CM	105	CM	121 LEVEL CM	8472,6421 litre	59,663 %	5728,1421 litre	O
410	CM	105	CM	120 LEVEL CM	8387,4857 litre	59,064 %	5813,2985 litre	O
410	CM	105	CM	119 LEVEL CM	8302,2110 litre	58,463 %	5898,5732 litre	O
410	CM	105	CM	118 LEVEL CM	8216,8259 litre	57,862 %	5983,9583 litre	O
410	CM	105	CM	117 LEVEL CM	8131,3385 litre	57,260 %	6069,4457 litre	O
410	CM	105	CM	116 LEVEL CM	8045,7568 litre	56,657 %	6155,0274 litre	O
410	CM	105	CM	115 LEVEL CM	7960,0887 litre	56,054 %	6240,6955 litre	O
410	CM	105	CM	114 LEVEL CM	7874,3422 litre	55,450 %	6326,4420 litre	O
410	CM	105	CM	113 LEVEL CM	7788,5251 litre	54,846 %	6412,2591 litre	O
410	CM	105	CM	112 LEVEL CM	7702,6454 litre	54,241 %	6498,1388 litre	O
410	CM	105	CM	111 LEVEL CM	7616,7108 litre	53,636 %	6584,0734 litre	O
410	CM	105	CM	110 LEVEL CM	7530,7293 litre	53,030 %	6670,0549 litre	O
410	CM	105	CM	109 LEVEL CM	7444,7088 litre	52,425 %	6756,0754 litre	O
410	CM	105	CM	108 LEVEL CM	7358,6569 litre	51,819 %	6842,1273 litre	O
410	CM	105	CM	107 LEVEL CM	7272,5817 litre	51,213 %	6928,2025 litre	O
410	CM	105	CM	106 LEVEL CM	7186,4908 litre	50,606 %	7014,2934 litre	O

410	CM	105	CM	105 LEVEL CM	7100,3921 litre	50,000 %	7100,3921 litre	O
410	CM	105	CM	104 LEVEL CM	7014,2934 litre	49,394 %	7186,4908 litre	O
410	CM	105	CM	103 LEVEL CM	6928,2025 litre	48,787 %	7272,5817 litre	O
410	CM	105	CM	102 LEVEL CM	6842,1272 litre	48,181 %	7358,6570 litre	O
410	CM	105	CM	101 LEVEL CM	6756,0754 litre	47,575 %	7444,7088 litre	O
410	CM	105	CM	100 LEVEL CM	6670,0548 litre	46,970 %	7530,7294 litre	O
410	CM	105	CM	99 LEVEL CM	6584,0734 litre	46,364 %	7616,7108 litre	O
410	CM	105	CM	98 LEVEL CM	6498,1388 litre	45,759 %	7702,6454 litre	O
410	CM	105	CM	97 LEVEL CM	6412,2591 litre	45,154 %	7788,5251 litre	O
410	CM	105	CM	96 LEVEL CM	6326,4420 litre	44,550 %	7874,3422 litre	O
410	CM	105	CM	95 LEVEL CM	6240,6955 litre	43,946 %	7960,0887 litre	O
410	CM	105	CM	94 LEVEL CM	6155,0274 litre	43,343 %	8045,7568 litre	O
410	CM	105	CM	93 LEVEL CM	6069,4457 litre	42,740 %	8131,3385 litre	O
410	CM	105	CM	92 LEVEL CM	5983,9583 litre	42,138 %	8216,8259 litre	O
410	CM	105	CM	91 LEVEL CM	5898,5732 litre	41,537 %	8302,2110 litre	O
410	CM	105	CM	90 LEVEL CM	5813,2985 litre	40,936 %	8387,4857 litre	O
410	CM	105	CM	89 LEVEL CM	5728,1421 litre	40,337 %	8472,6421 litre	O
410	CM	105	CM	88 LEVEL CM	5643,1122 litre	39,738 %	8557,6720 litre	O
410	CM	105	CM	87 LEVEL CM	5558,2168 litre	39,140 %	8642,5674 litre	O
410	CM	105	CM	86 LEVEL CM	5473,4641 litre	38,543 %	8727,3201 litre	O
410	CM	105	CM	85 LEVEL CM	5388,8622 litre	37,948 %	8811,9220 litre	O
410	CM	105	CM	84 LEVEL CM	5304,4195 litre	37,353 %	8896,3647 litre	O
410	CM	105	CM	83 LEVEL CM	5220,1441 litre	36,760 %	8980,6401 litre	O
410	CM	105	CM	82 LEVEL CM	5136,0445 litre	36,167 %	9064,7397 litre	O
410	CM	105	CM	81 LEVEL CM	5052,1289 litre	35,576 %	9148,6553 litre	O
410	CM	105	CM	80 LEVEL CM	4968,4059 litre	34,987 %	9232,3783 litre	O
410	CM	105	CM	79 LEVEL CM	4884,8839 litre	34,399 %	9315,9003 litre	O
410	CM	105	CM	78 LEVEL CM	4801,5715 litre	33,812 %	9399,2127 litre	O
410	CM	105	CM	77 LEVEL CM	4718,4773 litre	33,227 %	9482,3069 litre	O
410	CM	105	CM	76 LEVEL CM	4635,6100 litre	32,643 %	9565,1742 litre	O
410	CM	105	CM	75 LEVEL CM	4552,9783 litre	32,061 %	9647,8059 litre	O
410	CM	105	CM	74 LEVEL CM	4470,5912 litre	31,481 %	9730,1930 litre	O
410	CM	105	CM	73 LEVEL CM	4388,4574 litre	30,903 %	9812,3268 litre	O
410	CM	105	CM	72 LEVEL CM	4306,5860 litre	30,326 %	9894,1982 litre	O
410	CM	105	CM	71 LEVEL CM	4224,9860 litre	29,752 %	9975,7982 litre	O
410	CM	105	CM	70 LEVEL CM	4143,6668 litre	29,179 %	10057,1174 litre	O
410	CM	105	CM	69 LEVEL CM	4062,6374 litre	28,609 %	10138,1468 litre	O
410	CM	105	CM	68 LEVEL CM	3981,9074 litre	28,040 %	10218,8768 litre	O
410	CM	105	CM	67 LEVEL CM	3901,4861 litre	27,474 %	10299,2981 litre	O
410	CM	105	CM	66 LEVEL CM	3821,3832 litre	26,910 %	10379,4010 litre	O
410	CM	105	CM	65 LEVEL CM	3741,6083 litre	26,348 %	10459,1759 litre	O
410	CM	105	CM	64 LEVEL CM	3662,1713 litre	25,789 %	10538,6129 litre	O
410	CM	105	CM	63 LEVEL CM	3583,0820 litre	25,232 %	10617,7022 litre	O
410	CM	105	CM	62 LEVEL CM	3504,3507 litre	24,677 %	10696,4335 litre	O
410	CM	105	CM	61 LEVEL CM	3425,9875 litre	24,125 %	10774,7967 litre	O
410	CM	105	CM	60 LEVEL CM	3348,0028 litre	23,576 %	10852,7814 litre	O
410	CM	105	CM	59 LEVEL CM	3270,4070 litre	23,030 %	10930,3772 litre	O
410	CM	105	CM	58 LEVEL CM	3193,2108 litre	22,486 %	11007,5734 litre	O
410	CM	105	CM	57 LEVEL CM	3116,4252 litre	21,945 %	11084,3590 litre	O
410	CM	105	CM	56 LEVEL CM	3040,0610 litre	21,408 %	11160,7232 litre	O
410	CM	105	CM	55 LEVEL CM	2964,1295 litre	20,873 %	11236,6547 litre	O
410	CM	105	CM	54 LEVEL CM	2888,6421 litre	20,341 %	11312,1421 litre	O
410	CM	105	CM	53 LEVEL CM	2813,6104 litre	19,813 %	11387,1738 litre	O

410	CM	105	CM	52 LEVEL CM	2739,0461 litre	19,288 %	11461,7381 litre	O
410	CM	105	CM	51 LEVEL CM	2664,9613 litre	18,766 %	11535,8229 litre	O
410	CM	105	CM	50 LEVEL CM	2591,3683 litre	18,248 %	11609,4159 litre	O
410	CM	105	CM	49 LEVEL CM	2518,2795 litre	17,733 %	11682,5047 litre	O
410	CM	105	CM	48 LEVEL CM	2445,7077 litre	17,222 %	11755,0765 litre	O
410	CM	105	CM	47 LEVEL CM	2373,6660 litre	16,715 %	11827,1182 litre	O
410	CM	105	CM	46 LEVEL CM	2302,1677 litre	16,212 %	11898,6165 litre	O
410	CM	105	CM	45 LEVEL CM	2231,2264 litre	15,712 %	11969,5578 litre	O
410	CM	105	CM	44 LEVEL CM	2160,8561 litre	15,216 %	12039,9281 litre	O
410	CM	105	CM	43 LEVEL CM	2091,0712 litre	14,725 %	12109,7130 litre	O
410	CM	105	CM	42 LEVEL CM	2021,8862 litre	14,238 %	12178,8980 litre	O
410	CM	105	CM	41 LEVEL CM	1953,3163 litre	13,755 %	12247,4679 litre	O
410	CM	105	CM	40 LEVEL CM	1885,3768 litre	13,277 %	12315,4074 litre	O
410	CM	105	CM	39 LEVEL CM	1818,0838 litre	12,803 %	12382,7004 litre	O
410	CM	105	CM	38 LEVEL CM	1751,4535 litre	12,333 %	12449,3307 litre	O
410	CM	105	CM	37 LEVEL CM	1685,5028 litre	11,869 %	12515,2814 litre	O
410	CM	105	CM	36 LEVEL CM	1620,2491 litre	11,410 %	12580,5351 litre	O
410	CM	105	CM	35 LEVEL CM	1555,7104 litre	10,955 %	12645,0738 litre	O
410	CM	105	CM	34 LEVEL CM	1491,9051 litre	10,506 %	12708,8791 litre	O
410	CM	105	CM	33 LEVEL CM	1428,8525 litre	10,062 %	12771,9317 litre	O
410	CM	105	CM	32 LEVEL CM	1366,5725 litre	9,623 %	12834,2117 litre	O
410	CM	105	CM	31 LEVEL CM	1305,0857 litre	9,190 %	12895,6985 litre	O
410	CM	105	CM	30 LEVEL CM	1244,4136 litre	8,763 %	12956,3706 litre	O
410	CM	105	CM	29 LEVEL CM	1184,5784 litre	8,342 %	13016,2058 litre	O
410	CM	105	CM	28 LEVEL CM	1125,6035 litre	7,926 %	13075,1807 litre	O
410	CM	105	CM	27 LEVEL CM	1067,5132 litre	7,517 %	13133,2710 litre	O
410	CM	105	CM	26 LEVEL CM	1010,3329 litre	7,115 %	13190,4513 litre	O
410	CM	105	CM	25 LEVEL CM	954,0893 litre	6,719 %	13246,6949 litre	O
410	CM	105	CM	24 LEVEL CM	898,8104 litre	6,329 %	13301,9738 litre	O
410	CM	105	CM	23 LEVEL CM	844,5258 litre	5,947 %	13356,2584 litre	O
410	CM	105	CM	22 LEVEL CM	791,2666 litre	5,572 %	13409,5176 litre	O
410	CM	105	CM	21 LEVEL CM	739,0659 litre	5,204 %	13461,7183 litre	O
410	CM	105	CM	20 LEVEL CM	687,9587 litre	4,845 %	13512,8255 litre	O
410	CM	105	CM	19 LEVEL CM	637,9824 litre	4,493 %	13562,8018 litre	O
410	CM	105	CM	18 LEVEL CM	589,1769 litre	4,149 %	13611,6073 litre	O
410	CM	105	CM	17 LEVEL CM	541,5853 litre	3,814 %	13659,1989 litre	O
410	CM	105	CM	16 LEVEL CM	495,2538 litre	3,488 %	13705,5304 litre	O
410	CM	105	CM	15 LEVEL CM	450,2325 litre	3,170 %	13750,5517 litre	O
410	CM	105	CM	14 LEVEL CM	406,5763 litre	2,863 %	13794,2079 litre	O
410	CM	105	CM	13 LEVEL CM	364,3450 litre	2,566 %	13836,4392 litre	O
410	CM	105	CM	12 LEVEL CM	323,6052 litre	2,279 %	13877,1790 litre	O
410	CM	105	CM	11 LEVEL CM	284,4305 litre	2,003 %	13916,3537 litre	O
410	CM	105	CM	10 LEVEL CM	246,9044 litre	1,739 %	13953,8798 litre	O
410	CM	105	CM	9 LEVEL CM	211,1213 litre	1,487 %	13989,6629 litre	O
410	CM	105	CM	8 LEVEL CM	177,1906 litre	1,248 %	14023,5936 litre	O
410	CM	105	CM	7 LEVEL CM	145,2406 litre	1,023 %	14055,5436 litre	O
410	CM	105	CM	6 LEVEL CM	115,4253 litre	0,813 %	14085,3589 litre	O
410	CM	105	CM	5 LEVEL CM	87,9348 litre	0,619 %	14112,8494 litre	O
410	CM	105	CM	4 LEVEL CM	63,0122 litre	0,444 %	14137,7720 litre	O
410	CM	105	CM	3 LEVEL CM	40,9868 litre	0,289 %	14159,7974 litre	O
410	CM	105	CM	2 LEVEL CM	22,3425 litre	0,157 %	14178,4417 litre	O
410	CM	105	CM	1 LEVEL CM	7,9106 litre	0,056 %	14192,8736 litre	O
410	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	14200,7842 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
410	CM 100	CM 200 LEVEL CM	12880,5299 litre	100,000 %	0,0000 litre O
410	CM 100	CM 199 LEVEL CM	12872,8105 litre	99,940 %	7,7194 litre O
410	CM 100	CM 198 LEVEL CM	12858,7289 litre	99,831 %	21,8010 litre O
410	CM 100	CM 197 LEVEL CM	12840,5395 litre	99,690 %	39,9904 litre O
410	CM 100	CM 196 LEVEL CM	12819,0540 litre	99,523 %	61,4759 litre O
410	CM 100	CM 195 LEVEL CM	12794,7455 litre	99,334 %	85,7844 litre O
410	CM 100	CM 194 LEVEL CM	12767,9355 litre	99,126 %	112,5944 litre O
410	CM 100	CM 193 LEVEL CM	12738,8620 litre	98,900 %	141,6679 litre O
410	CM 100	CM 192 LEVEL CM	12707,7110 litre	98,658 %	172,8189 litre O
410	CM 100	CM 191 LEVEL CM	12674,6330 litre	98,401 %	205,8969 litre O
410	CM 100	CM 190 LEVEL CM	12639,7537 litre	98,131 %	240,7762 litre O
410	CM 100	CM 189 LEVEL CM	12603,1801 litre	97,847 %	277,3498 litre O
410	CM 100	CM 188 LEVEL CM	12565,0050 litre	97,550 %	315,5249 litre O
410	CM 100	CM 187 LEVEL CM	12525,3099 litre	97,242 %	355,2200 litre O
410	CM 100	CM 186 LEVEL CM	12484,1674 litre	96,923 %	396,3625 litre O
410	CM 100	CM 185 LEVEL CM	12441,6423 litre	96,593 %	438,8876 litre O
410	CM 100	CM 184 LEVEL CM	12397,7937 litre	96,252 %	482,7362 litre O
410	CM 100	CM 183 LEVEL CM	12352,6753 litre	95,902 %	527,8546 litre O
410	CM 100	CM 182 LEVEL CM	12306,3363 litre	95,542 %	574,1936 litre O
410	CM 100	CM 181 LEVEL CM	12258,8222 litre	95,173 %	621,7077 litre O
410	CM 100	CM 180 LEVEL CM	12210,1753 litre	94,796 %	670,3546 litre O
410	CM 100	CM 179 LEVEL CM	12160,4349 litre	94,409 %	720,0950 litre O
410	CM 100	CM 178 LEVEL CM	12109,6377 litre	94,015 %	770,8922 litre O
410	CM 100	CM 177 LEVEL CM	12057,8182 litre	93,613 %	822,7117 litre O
410	CM 100	CM 176 LEVEL CM	12005,0090 litre	93,203 %	875,5209 litre O
410	CM 100	CM 175 LEVEL CM	11951,2408 litre	92,785 %	929,2891 litre O
410	CM 100	CM 174 LEVEL CM	11896,5426 litre	92,361 %	983,9873 litre O
410	CM 100	CM 173 LEVEL CM	11840,9422 litre	91,929 %	1039,5877 litre O
410	CM 100	CM 172 LEVEL CM	11784,4659 litre	91,491 %	1096,0640 litre O
410	CM 100	CM 171 LEVEL CM	11727,1387 litre	91,045 %	1153,3912 litre O
410	CM 100	CM 170 LEVEL CM	11668,9846 litre	90,594 %	1211,5453 litre O
410	CM 100	CM 169 LEVEL CM	11610,0268 litre	90,136 %	1270,5031 litre O
410	CM 100	CM 168 LEVEL CM	11550,2871 litre	89,672 %	1330,2428 litre O
410	CM 100	CM 167 LEVEL CM	11489,7869 litre	89,203 %	1390,7430 litre O
410	CM 100	CM 166 LEVEL CM	11428,5466 litre	88,727 %	1451,9833 litre O
410	CM 100	CM 165 LEVEL CM	11366,5858 litre	88,246 %	1513,9441 litre O
410	CM 100	CM 164 LEVEL CM	11303,9236 litre	87,760 %	1576,6063 litre O
410	CM 100	CM 163 LEVEL CM	11240,5783 litre	87,268 %	1639,9516 litre O
410	CM 100	CM 162 LEVEL CM	11176,5678 litre	86,771 %	1703,9621 litre O
410	CM 100	CM 161 LEVEL CM	11111,9093 litre	86,269 %	1768,6206 litre O
410	CM 100	CM 160 LEVEL CM	11046,6195 litre	85,762 %	1833,9104 litre O
410	CM 100	CM 159 LEVEL CM	10980,7146 litre	85,250 %	1899,8153 litre O
410	CM 100	CM 158 LEVEL CM	10914,2105 litre	84,734 %	1966,3194 litre O
410	CM 100	CM 157 LEVEL CM	10847,1226 litre	84,213 %	2033,4073 litre O
410	CM 100	CM 156 LEVEL CM	10779,4657 litre	83,688 %	2101,0642 litre O
410	CM 100	CM 155 LEVEL CM	10711,2546 litre	83,158 %	2169,2753 litre O
410	CM 100	CM 154 LEVEL CM	10642,5034 litre	82,625 %	2238,0265 litre O
410	CM 100	CM 153 LEVEL CM	10573,2261 litre	82,087 %	2307,3038 litre O
410	CM 100	CM 152 LEVEL CM	10503,4363 litre	81,545 %	2377,0936 litre O
410	CM 100	CM 151 LEVEL CM	10433,1473 litre	80,999 %	2447,3826 litre O
410	CM 100	CM 150 LEVEL CM	10362,3720 litre	80,450 %	2518,1579 litre O
410	CM 100	CM 149 LEVEL CM	10291,1233 litre	79,897 %	2589,4066 litre O

410	CM	100	CM	148 LEVEL CM	10219,4136 litre	79,340 %	2661,1163 litre	O
410	CM	100	CM	147 LEVEL CM	10147,2553 litre	78,780 %	2733,2746 litre	O
410	CM	100	CM	146 LEVEL CM	10074,6603 litre	78,216 %	2805,8696 litre	O
410	CM	100	CM	145 LEVEL CM	10001,6405 litre	77,649 %	2878,8894 litre	O
410	CM	100	CM	144 LEVEL CM	9928,2075 litre	77,079 %	2952,3224 litre	O
410	CM	100	CM	143 LEVEL CM	9854,3727 litre	76,506 %	3026,1572 litre	O
410	CM	100	CM	142 LEVEL CM	9780,1473 litre	75,930 %	3100,3826 litre	O
410	CM	100	CM	141 LEVEL CM	9705,5424 litre	75,350 %	3174,9875 litre	O
410	CM	100	CM	140 LEVEL CM	9630,5688 litre	74,768 %	3249,9611 litre	O
410	CM	100	CM	139 LEVEL CM	9555,2374 litre	74,184 %	3325,2925 litre	O
410	CM	100	CM	138 LEVEL CM	9479,5587 litre	73,596 %	3400,9712 litre	O
410	CM	100	CM	137 LEVEL CM	9403,5431 litre	73,006 %	3476,9868 litre	O
410	CM	100	CM	136 LEVEL CM	9327,2009 litre	72,413 %	3553,3290 litre	O
410	CM	100	CM	135 LEVEL CM	9250,5423 litre	71,818 %	3629,9876 litre	O
410	CM	100	CM	134 LEVEL CM	9173,5773 litre	71,220 %	3706,9526 litre	O
410	CM	100	CM	133 LEVEL CM	9096,3158 litre	70,621 %	3784,2141 litre	O
410	CM	100	CM	132 LEVEL CM	9018,7677 litre	70,019 %	3861,7622 litre	O
410	CM	100	CM	131 LEVEL CM	8940,9425 litre	69,414 %	3939,5874 litre	O
410	CM	100	CM	130 LEVEL CM	8862,8500 litre	68,808 %	4017,6799 litre	O
410	CM	100	CM	129 LEVEL CM	8784,4997 litre	68,200 %	4096,0302 litre	O
410	CM	100	CM	128 LEVEL CM	8705,9008 litre	67,590 %	4174,6291 litre	O
410	CM	100	CM	127 LEVEL CM	8627,0627 litre	66,978 %	4253,4672 litre	O
410	CM	100	CM	126 LEVEL CM	8547,9948 litre	66,364 %	4332,5351 litre	O
410	CM	100	CM	125 LEVEL CM	8468,7060 litre	65,748 %	4411,8239 litre	O
410	CM	100	CM	124 LEVEL CM	8389,2055 litre	65,131 %	4491,3244 litre	O
410	CM	100	CM	123 LEVEL CM	8309,5022 litre	64,512 %	4571,0277 litre	O
410	CM	100	CM	122 LEVEL CM	8229,6052 litre	63,892 %	4650,9247 litre	O
410	CM	100	CM	121 LEVEL CM	8149,5232 litre	63,270 %	4731,0067 litre	O
410	CM	100	CM	120 LEVEL CM	8069,2651 litre	62,647 %	4811,2648 litre	O
410	CM	100	CM	119 LEVEL CM	7988,8395 litre	62,023 %	4891,6904 litre	O
410	CM	100	CM	118 LEVEL CM	7908,2553 litre	61,397 %	4972,2746 litre	O
410	CM	100	CM	117 LEVEL CM	7827,5211 litre	60,770 %	5053,0088 litre	O
410	CM	100	CM	116 LEVEL CM	7746,6454 litre	60,142 %	5133,8845 litre	O
410	CM	100	CM	115 LEVEL CM	7665,6367 litre	59,513 %	5214,8932 litre	O
410	CM	100	CM	114 LEVEL CM	7584,5037 litre	58,883 %	5296,0262 litre	O
410	CM	100	CM	113 LEVEL CM	7503,2547 litre	58,253 %	5377,2752 litre	O
410	CM	100	CM	112 LEVEL CM	7421,8982 litre	57,621 %	5458,6317 litre	O
410	CM	100	CM	111 LEVEL CM	7340,4426 litre	56,989 %	5540,0873 litre	O
410	CM	100	CM	110 LEVEL CM	7258,8962 litre	56,356 %	5621,6337 litre	O
410	CM	100	CM	109 LEVEL CM	7177,2674 litre	55,722 %	5703,2625 litre	O
410	CM	100	CM	108 LEVEL CM	7095,5645 litre	55,088 %	5784,9654 litre	O
410	CM	100	CM	107 LEVEL CM	7013,7958 litre	54,453 %	5866,7341 litre	O
410	CM	100	CM	106 LEVEL CM	6931,9696 litre	53,817 %	5948,5603 litre	O
410	CM	100	CM	105 LEVEL CM	6850,0940 litre	53,182 %	6030,4359 litre	O
410	CM	100	CM	104 LEVEL CM	6768,1775 litre	52,546 %	6112,3524 litre	O
410	CM	100	CM	103 LEVEL CM	6686,2280 litre	51,910 %	6194,3019 litre	O
410	CM	100	CM	102 LEVEL CM	6604,2540 litre	51,273 %	6276,2759 litre	O
410	CM	100	CM	101 LEVEL CM	6522,2636 litre	50,637 %	6358,2663 litre	O
410	CM	100	CM	100 LEVEL CM	6440,2649 litre	50,000 %	6440,2650 litre	O
410	CM	100	CM	99 LEVEL CM	6358,2663 litre	49,363 %	6522,2636 litre	O
410	CM	100	CM	98 LEVEL CM	6276,2759 litre	48,727 %	6604,2540 litre	O
410	CM	100	CM	97 LEVEL CM	6194,3018 litre	48,090 %	6686,2281 litre	O
410	CM	100	CM	96 LEVEL CM	6112,3524 litre	47,454 %	6768,1775 litre	O

410	CM	100	CM	95 LEVEL CM	6030,4358 litre	46,818 %	6850,0941 litre	O
410	CM	100	CM	94 LEVEL CM	5948,5603 litre	46,183 %	6931,9696 litre	O
410	CM	100	CM	93 LEVEL CM	5866,7341 litre	45,547 %	7013,7958 litre	O
410	CM	100	CM	92 LEVEL CM	5784,9653 litre	44,912 %	7095,5646 litre	O
410	CM	100	CM	91 LEVEL CM	5703,2625 litre	44,278 %	7177,2674 litre	O
410	CM	100	CM	90 LEVEL CM	5621,6337 litre	43,644 %	7258,8962 litre	O
410	CM	100	CM	89 LEVEL CM	5540,0873 litre	43,011 %	7340,4426 litre	O
410	CM	100	CM	88 LEVEL CM	5458,6317 litre	42,379 %	7421,8982 litre	O
410	CM	100	CM	87 LEVEL CM	5377,2752 litre	41,747 %	7503,2547 litre	O
410	CM	100	CM	86 LEVEL CM	5296,0262 litre	41,117 %	7584,5037 litre	O
410	CM	100	CM	85 LEVEL CM	5214,8931 litre	40,487 %	7665,6368 litre	O
410	CM	100	CM	84 LEVEL CM	5133,8845 litre	39,858 %	7746,6454 litre	O
410	CM	100	CM	83 LEVEL CM	5053,0088 litre	39,230 %	7827,5211 litre	O
410	CM	100	CM	82 LEVEL CM	4972,2745 litre	38,603 %	7908,2554 litre	O
410	CM	100	CM	81 LEVEL CM	4891,6903 litre	37,977 %	7988,8396 litre	O
410	CM	100	CM	80 LEVEL CM	4811,2648 litre	37,353 %	8069,2651 litre	O
410	CM	100	CM	79 LEVEL CM	4731,0067 litre	36,730 %	8149,5232 litre	O
410	CM	100	CM	78 LEVEL CM	4650,9247 litre	36,108 %	8229,6052 litre	O
410	CM	100	CM	77 LEVEL CM	4571,0277 litre	35,488 %	8309,5022 litre	O
410	CM	100	CM	76 LEVEL CM	4491,3244 litre	34,869 %	8389,2055 litre	O
410	CM	100	CM	75 LEVEL CM	4411,8239 litre	34,252 %	8468,7060 litre	O
410	CM	100	CM	74 LEVEL CM	4332,5351 litre	33,636 %	8547,9948 litre	O
410	CM	100	CM	73 LEVEL CM	4253,4671 litre	33,022 %	8627,0628 litre	O
410	CM	100	CM	72 LEVEL CM	4174,6291 litre	32,410 %	8705,9008 litre	O
410	CM	100	CM	71 LEVEL CM	4096,0302 litre	31,800 %	8784,4997 litre	O
410	CM	100	CM	70 LEVEL CM	4017,6798 litre	31,192 %	8862,8501 litre	O
410	CM	100	CM	69 LEVEL CM	3939,5873 litre	30,586 %	8940,9426 litre	O
410	CM	100	CM	68 LEVEL CM	3861,7622 litre	29,981 %	9018,7677 litre	O
410	CM	100	CM	67 LEVEL CM	3784,2141 litre	29,379 %	9096,3158 litre	O
410	CM	100	CM	66 LEVEL CM	3706,9526 litre	28,780 %	9173,5773 litre	O
410	CM	100	CM	65 LEVEL CM	3629,9876 litre	28,182 %	9250,5423 litre	O
410	CM	100	CM	64 LEVEL CM	3553,3290 litre	27,587 %	9327,2009 litre	O
410	CM	100	CM	63 LEVEL CM	3476,9868 litre	26,994 %	9403,5431 litre	O
410	CM	100	CM	62 LEVEL CM	3400,9712 litre	26,404 %	9479,5587 litre	O
410	CM	100	CM	61 LEVEL CM	3325,2925 litre	25,816 %	9555,2374 litre	O
410	CM	100	CM	60 LEVEL CM	3249,9610 litre	25,232 %	9630,5689 litre	O
410	CM	100	CM	59 LEVEL CM	3174,9875 litre	24,650 %	9705,5424 litre	O
410	CM	100	CM	58 LEVEL CM	3100,3826 litre	24,070 %	9780,1473 litre	O
410	CM	100	CM	57 LEVEL CM	3026,1572 litre	23,494 %	9854,3727 litre	O
410	CM	100	CM	56 LEVEL CM	2952,3224 litre	22,921 %	9928,2075 litre	O
410	CM	100	CM	55 LEVEL CM	2878,8894 litre	22,351 %	10001,6405 litre	O
410	CM	100	CM	54 LEVEL CM	2805,8696 litre	21,784 %	10074,6603 litre	O
410	CM	100	CM	53 LEVEL CM	2733,2746 litre	21,220 %	10147,2553 litre	O
410	CM	100	CM	52 LEVEL CM	2661,1162 litre	20,660 %	10219,4137 litre	O
410	CM	100	CM	51 LEVEL CM	2589,4066 litre	20,103 %	10291,1233 litre	O
410	CM	100	CM	50 LEVEL CM	2518,1579 litre	19,550 %	10362,3720 litre	O
410	CM	100	CM	49 LEVEL CM	2447,3826 litre	19,001 %	10433,1473 litre	O
410	CM	100	CM	48 LEVEL CM	2377,0936 litre	18,455 %	10503,4363 litre	O
410	CM	100	CM	47 LEVEL CM	2307,3037 litre	17,913 %	10573,2262 litre	O
410	CM	100	CM	46 LEVEL CM	2238,0264 litre	17,375 %	10642,5035 litre	O
410	CM	100	CM	45 LEVEL CM	2169,2753 litre	16,842 %	10711,2546 litre	O
410	CM	100	CM	44 LEVEL CM	2101,0641 litre	16,312 %	10779,4658 litre	O
410	CM	100	CM	43 LEVEL CM	2033,4073 litre	15,787 %	10847,1226 litre	O

410	CM	100	CM	42 LEVEL CM	1966,3193 litre	15,266 %	10914,2106 litre	O
410	CM	100	CM	41 LEVEL CM	1899,8152 litre	14,750 %	10980,7147 litre	O
410	CM	100	CM	40 LEVEL CM	1833,9104 litre	14,238 %	11046,6195 litre	O
410	CM	100	CM	39 LEVEL CM	1768,6206 litre	13,731 %	11111,9093 litre	O
410	CM	100	CM	38 LEVEL CM	1703,9621 litre	13,229 %	11176,5678 litre	O
410	CM	100	CM	37 LEVEL CM	1639,9515 litre	12,732 %	11240,5784 litre	O
410	CM	100	CM	36 LEVEL CM	1576,6063 litre	12,240 %	11303,9236 litre	O
410	CM	100	CM	35 LEVEL CM	1513,9441 litre	11,754 %	11366,5858 litre	O
410	CM	100	CM	34 LEVEL CM	1451,9833 litre	11,273 %	11428,5466 litre	O
410	CM	100	CM	33 LEVEL CM	1390,7430 litre	10,797 %	11489,7869 litre	O
410	CM	100	CM	32 LEVEL CM	1330,2428 litre	10,328 %	11550,2871 litre	O
410	CM	100	CM	31 LEVEL CM	1270,5031 litre	9,864 %	11610,0268 litre	O
410	CM	100	CM	30 LEVEL CM	1211,5452 litre	9,406 %	11668,9847 litre	O
410	CM	100	CM	29 LEVEL CM	1153,3912 litre	8,955 %	11727,1387 litre	O
410	CM	100	CM	28 LEVEL CM	1096,0640 litre	8,509 %	11784,4659 litre	O
410	CM	100	CM	27 LEVEL CM	1039,5876 litre	8,071 %	11840,9423 litre	O
410	CM	100	CM	26 LEVEL CM	983,9872 litre	7,639 %	11896,5427 litre	O
410	CM	100	CM	25 LEVEL CM	929,2891 litre	7,215 %	11951,2408 litre	O
410	CM	100	CM	24 LEVEL CM	875,5209 litre	6,797 %	12005,0090 litre	O
410	CM	100	CM	23 LEVEL CM	822,7117 litre	6,387 %	12057,8182 litre	O
410	CM	100	CM	22 LEVEL CM	770,8922 litre	5,985 %	12109,6377 litre	O
410	CM	100	CM	21 LEVEL CM	720,0950 litre	5,591 %	12160,4349 litre	O
410	CM	100	CM	20 LEVEL CM	670,3545 litre	5,204 %	12210,1754 litre	O
410	CM	100	CM	19 LEVEL CM	621,7076 litre	4,827 %	12258,8223 litre	O
410	CM	100	CM	18 LEVEL CM	574,1936 litre	4,458 %	12306,3363 litre	O
410	CM	100	CM	17 LEVEL CM	527,8546 litre	4,098 %	12352,6753 litre	O
410	CM	100	CM	16 LEVEL CM	482,7362 litre	3,748 %	12397,7937 litre	O
410	CM	100	CM	15 LEVEL CM	438,8876 litre	3,407 %	12441,6423 litre	O
410	CM	100	CM	14 LEVEL CM	396,3625 litre	3,077 %	12484,1674 litre	O
410	CM	100	CM	13 LEVEL CM	355,2199 litre	2,758 %	12525,3100 litre	O
410	CM	100	CM	12 LEVEL CM	315,5249 litre	2,450 %	12565,0050 litre	O
410	CM	100	CM	11 LEVEL CM	277,3498 litre	2,153 %	12603,1801 litre	O
410	CM	100	CM	10 LEVEL CM	240,7762 litre	1,869 %	12639,7537 litre	O
410	CM	100	CM	9 LEVEL CM	205,8969 litre	1,599 %	12674,6330 litre	O
410	CM	100	CM	8 LEVEL CM	172,8189 litre	1,342 %	12707,7110 litre	O
410	CM	100	CM	7 LEVEL CM	141,6678 litre	1,100 %	12738,8621 litre	O
410	CM	100	CM	6 LEVEL CM	112,5944 litre	0,874 %	12767,9355 litre	O
410	CM	100	CM	5 LEVEL CM	85,7844 litre	0,666 %	12794,7455 litre	O
410	CM	100	CM	4 LEVEL CM	61,4758 litre	0,477 %	12819,0541 litre	O
410	CM	100	CM	3 LEVEL CM	39,9904 litre	0,310 %	12840,5395 litre	O
410	CM	100	CM	2 LEVEL CM	21,8009 litre	0,169 %	12858,7290 litre	O
410	CM	100	CM	1 LEVEL CM	7,7194 litre	0,060 %	12872,8105 litre	O
410	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	12880,5299 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
410	CM	95	CM	190 LEVEL CM	11624,6782 litre	100,000 %	0,0000 litre	O
410	CM	95	CM	189 LEVEL CM	11617,1548 litre	99,935 %	7,5234 litre	O
410	CM	95	CM	188 LEVEL CM	11603,4327 litre	99,817 %	21,2455 litre	O
410	CM	95	CM	187 LEVEL CM	11585,7097 litre	99,665 %	38,9685 litre	O
410	CM	95	CM	186 LEVEL CM	11564,7781 litre	99,485 %	59,9001 litre	O
410	CM	95	CM	185 LEVEL CM	11541,0995 litre	99,281 %	83,5787 litre	O
410	CM	95	CM	184 LEVEL CM	11514,9878 litre	99,056 %	109,6904 litre	O
410	CM	95	CM	183 LEVEL CM	11486,6756 litre	98,813 %	138,0026 litre	O
410	CM	95	CM	182 LEVEL CM	11456,3445 litre	98,552 %	168,3337 litre	O
410	CM	95	CM	181 LEVEL CM	11424,1417 litre	98,275 %	200,5365 litre	O
410	CM	95	CM	180 LEVEL CM	11390,1903 litre	97,983 %	234,4879 litre	O
410	CM	95	CM	179 LEVEL CM	11354,5948 litre	97,677 %	270,0834 litre	O
410	CM	95	CM	178 LEVEL CM	11317,4461 litre	97,357 %	307,2321 litre	O
410	CM	95	CM	177 LEVEL CM	11278,8241 litre	97,025 %	345,8541 litre	O
410	CM	95	CM	176 LEVEL CM	11238,7998 litre	96,681 %	385,8784 litre	O
410	CM	95	CM	175 LEVEL CM	11197,4369 litre	96,325 %	427,2413 litre	O
410	CM	95	CM	174 LEVEL CM	11154,7931 litre	95,958 %	469,8851 litre	O
410	CM	95	CM	173 LEVEL CM	11110,9213 litre	95,580 %	513,7569 litre	O
410	CM	95	CM	172 LEVEL CM	11065,8698 litre	95,193 %	558,8084 litre	O
410	CM	95	CM	171 LEVEL CM	11019,6832 litre	94,796 %	604,9950 litre	O
410	CM	95	CM	170 LEVEL CM	10972,4031 litre	94,389 %	652,2751 litre	O
410	CM	95	CM	169 LEVEL CM	10924,0681 litre	93,973 %	700,6101 litre	O
410	CM	95	CM	168 LEVEL CM	10874,7143 litre	93,549 %	749,9639 litre	O
410	CM	95	CM	167 LEVEL CM	10824,3757 litre	93,115 %	800,3025 litre	O
410	CM	95	CM	166 LEVEL CM	10773,0843 litre	92,674 %	851,5939 litre	O
410	CM	95	CM	165 LEVEL CM	10720,8704 litre	92,225 %	903,8078 litre	O
410	CM	95	CM	164 LEVEL CM	10667,7627 litre	91,768 %	956,9155 litre	O
410	CM	95	CM	163 LEVEL CM	10613,7884 litre	91,304 %	1010,8898 litre	O
410	CM	95	CM	162 LEVEL CM	10558,9735 litre	90,832 %	1065,7047 litre	O
410	CM	95	CM	161 LEVEL CM	10503,3428 litre	90,354 %	1121,3354 litre	O
410	CM	95	CM	160 LEVEL CM	10446,9199 litre	89,868 %	1177,7583 litre	O
410	CM	95	CM	159 LEVEL CM	10389,7277 litre	89,376 %	1234,9505 litre	O
410	CM	95	CM	158 LEVEL CM	10331,7878 litre	88,878 %	1292,8904 litre	O
410	CM	95	CM	157 LEVEL CM	10273,1214 litre	88,373 %	1351,5568 litre	O
410	CM	95	CM	156 LEVEL CM	10213,7486 litre	87,863 %	1410,9296 litre	O
410	CM	95	CM	155 LEVEL CM	10153,6890 litre	87,346 %	1470,9892 litre	O
410	CM	95	CM	154 LEVEL CM	10092,9613 litre	86,824 %	1531,7169 litre	O
410	CM	95	CM	153 LEVEL CM	10031,5838 litre	86,296 %	1593,0944 litre	O
410	CM	95	CM	152 LEVEL CM	9969,5741 litre	85,762 %	1655,1041 litre	O
410	CM	95	CM	151 LEVEL CM	9906,9494 litre	85,223 %	1717,7288 litre	O
410	CM	95	CM	150 LEVEL CM	9843,7262 litre	84,680 %	1780,9520 litre	O
410	CM	95	CM	149 LEVEL CM	9779,9208 litre	84,131 %	1844,7574 litre	O
410	CM	95	CM	148 LEVEL CM	9715,5489 litre	83,577 %	1909,1293 litre	O
410	CM	95	CM	147 LEVEL CM	9650,6256 litre	83,018 %	1974,0526 litre	O
410	CM	95	CM	146 LEVEL CM	9585,1660 litre	82,455 %	2039,5122 litre	O
410	CM	95	CM	145 LEVEL CM	9519,1846 litre	81,888 %	2105,4936 litre	O
410	CM	95	CM	144 LEVEL CM	9452,6957 litre	81,316 %	2171,9825 litre	O
410	CM	95	CM	143 LEVEL CM	9385,7130 litre	80,740 %	2238,9652 litre	O
410	CM	95	CM	142 LEVEL CM	9318,2501 litre	80,159 %	2306,4281 litre	O
410	CM	95	CM	141 LEVEL CM	9250,3205 litre	79,575 %	2374,3577 litre	O
410	CM	95	CM	140 LEVEL CM	9181,9370 litre	78,987 %	2442,7412 litre	O
410	CM	95	CM	139 LEVEL CM	9113,1124 litre	78,395 %	2511,5658 litre	O

410	CM	95	CM	138 LEVEL CM	9043,8594 litre	77,799 %	2580,8188 litre	O
410	CM	95	CM	137 LEVEL CM	8974,1900 litre	77,199 %	2650,4882 litre	O
410	CM	95	CM	136 LEVEL CM	8904,1165 litre	76,597 %	2720,5617 litre	O
410	CM	95	CM	135 LEVEL CM	8833,6506 litre	75,990 %	2791,0276 litre	O
410	CM	95	CM	134 LEVEL CM	8762,8041 litre	75,381 %	2861,8741 litre	O
410	CM	95	CM	133 LEVEL CM	8691,5884 litre	74,768 %	2933,0898 litre	O
410	CM	95	CM	132 LEVEL CM	8620,0148 litre	74,153 %	3004,6634 litre	O
410	CM	95	CM	131 LEVEL CM	8548,0944 litre	73,534 %	3076,5838 litre	O
410	CM	95	CM	130 LEVEL CM	8475,8382 litre	72,912 %	3148,8400 litre	O
410	CM	95	CM	129 LEVEL CM	8403,2571 litre	72,288 %	3221,4211 litre	O
410	CM	95	CM	128 LEVEL CM	8330,3617 litre	71,661 %	3294,3165 litre	O
410	CM	95	CM	127 LEVEL CM	8257,1625 litre	71,031 %	3367,5157 litre	O
410	CM	95	CM	126 LEVEL CM	8183,6699 litre	70,399 %	3441,0083 litre	O
410	CM	95	CM	125 LEVEL CM	8109,8942 litre	69,764 %	3514,7840 litre	O
410	CM	95	CM	124 LEVEL CM	8035,8456 litre	69,127 %	3588,8326 litre	O
410	CM	95	CM	123 LEVEL CM	7961,5342 litre	68,488 %	3663,1440 litre	O
410	CM	95	CM	122 LEVEL CM	7886,9698 litre	67,847 %	3737,7084 litre	O
410	CM	95	CM	121 LEVEL CM	7812,1624 litre	67,203 %	3812,5158 litre	O
410	CM	95	CM	120 LEVEL CM	7737,1216 litre	66,558 %	3887,5566 litre	O
410	CM	95	CM	119 LEVEL CM	7661,8571 litre	65,910 %	3962,8211 litre	O
410	CM	95	CM	118 LEVEL CM	7586,3785 litre	65,261 %	4038,2997 litre	O
410	CM	95	CM	117 LEVEL CM	7510,6953 litre	64,610 %	4113,9829 litre	O
410	CM	95	CM	116 LEVEL CM	7434,8169 litre	63,957 %	4189,8613 litre	O
410	CM	95	CM	115 LEVEL CM	7358,7526 litre	63,303 %	4265,9256 litre	O
410	CM	95	CM	114 LEVEL CM	7282,5117 litre	62,647 %	4342,1665 litre	O
410	CM	95	CM	113 LEVEL CM	7206,1034 litre	61,990 %	4418,5748 litre	O
410	CM	95	CM	112 LEVEL CM	7129,5369 litre	61,331 %	4495,1413 litre	O
410	CM	95	CM	111 LEVEL CM	7052,8213 litre	60,671 %	4571,8569 litre	O
410	CM	95	CM	110 LEVEL CM	6975,9655 litre	60,010 %	4648,7127 litre	O
410	CM	95	CM	109 LEVEL CM	6898,9786 litre	59,348 %	4725,6996 litre	O
410	CM	95	CM	108 LEVEL CM	6821,8696 litre	58,684 %	4802,8086 litre	O
410	CM	95	CM	107 LEVEL CM	6744,6472 litre	58,020 %	4880,0310 litre	O
410	CM	95	CM	106 LEVEL CM	6667,3205 litre	57,355 %	4957,3577 litre	O
410	CM	95	CM	105 LEVEL CM	6589,8981 litre	56,689 %	5034,7801 litre	O
410	CM	95	CM	104 LEVEL CM	6512,3890 litre	56,022 %	5112,2892 litre	O
410	CM	95	CM	103 LEVEL CM	6434,8018 litre	55,355 %	5189,8764 litre	O
410	CM	95	CM	102 LEVEL CM	6357,1453 litre	54,687 %	5267,5329 litre	O
410	CM	95	CM	101 LEVEL CM	6279,4282 litre	54,018 %	5345,2500 litre	O
410	CM	95	CM	100 LEVEL CM	6201,6592 litre	53,349 %	5423,0190 litre	O
410	CM	95	CM	99 LEVEL CM	6123,8470 litre	52,680 %	5500,8312 litre	O
410	CM	95	CM	98 LEVEL CM	6046,0003 litre	52,010 %	5578,6779 litre	O
410	CM	95	CM	97 LEVEL CM	5968,1276 litre	51,340 %	5656,5506 litre	O
410	CM	95	CM	96 LEVEL CM	5890,2377 litre	50,670 %	5734,4405 litre	O
410	CM	95	CM	95 LEVEL CM	5812,3391 litre	50,000 %	5812,3391 litre	O
410	CM	95	CM	94 LEVEL CM	5734,4405 litre	49,330 %	5890,2377 litre	O
410	CM	95	CM	93 LEVEL CM	5656,5506 litre	48,660 %	5968,1276 litre	O
410	CM	95	CM	92 LEVEL CM	5578,6780 litre	47,990 %	6046,0002 litre	O
410	CM	95	CM	91 LEVEL CM	5500,8312 litre	47,320 %	6123,8470 litre	O
410	CM	95	CM	90 LEVEL CM	5423,0190 litre	46,651 %	6201,6592 litre	O
410	CM	95	CM	89 LEVEL CM	5345,2500 litre	45,982 %	6279,4282 litre	O
410	CM	95	CM	88 LEVEL CM	5267,5329 litre	45,313 %	6357,1453 litre	O
410	CM	95	CM	87 LEVEL CM	5189,8765 litre	44,645 %	6434,8017 litre	O
410	CM	95	CM	86 LEVEL CM	5112,2893 litre	43,978 %	6512,3889 litre	O

410	CM	95	CM	85 LEVEL CM	5034,7801 litre	43,311 %	6589,8981 litre	O
410	CM	95	CM	84 LEVEL CM	4957,3577 litre	42,645 %	6667,3205 litre	O
410	CM	95	CM	83 LEVEL CM	4880,0310 litre	41,980 %	6744,6472 litre	O
410	CM	95	CM	82 LEVEL CM	4802,8086 litre	41,316 %	6821,8696 litre	O
410	CM	95	CM	81 LEVEL CM	4725,6996 litre	40,652 %	6898,9786 litre	O
410	CM	95	CM	80 LEVEL CM	4648,7127 litre	39,990 %	6975,9655 litre	O
410	CM	95	CM	79 LEVEL CM	4571,8569 litre	39,329 %	7052,8213 litre	O
410	CM	95	CM	78 LEVEL CM	4495,1413 litre	38,669 %	7129,5369 litre	O
410	CM	95	CM	77 LEVEL CM	4418,5748 litre	38,010 %	7206,1034 litre	O
410	CM	95	CM	76 LEVEL CM	4342,1665 litre	37,353 %	7282,5117 litre	O
410	CM	95	CM	75 LEVEL CM	4265,9256 litre	36,697 %	7358,7526 litre	O
410	CM	95	CM	74 LEVEL CM	4189,8613 litre	36,043 %	7434,8169 litre	O
410	CM	95	CM	73 LEVEL CM	4113,9829 litre	35,390 %	7510,6953 litre	O
410	CM	95	CM	72 LEVEL CM	4038,2997 litre	34,739 %	7586,3785 litre	O
410	CM	95	CM	71 LEVEL CM	3962,8211 litre	34,090 %	7661,8571 litre	O
410	CM	95	CM	70 LEVEL CM	3887,5567 litre	33,442 %	7737,1215 litre	O
410	CM	95	CM	69 LEVEL CM	3812,5159 litre	32,797 %	7812,1623 litre	O
410	CM	95	CM	68 LEVEL CM	3737,7084 litre	32,153 %	7886,9698 litre	O
410	CM	95	CM	67 LEVEL CM	3663,1440 litre	31,512 %	7961,5342 litre	O
410	CM	95	CM	66 LEVEL CM	3588,8326 litre	30,873 %	8035,8456 litre	O
410	CM	95	CM	65 LEVEL CM	3514,7840 litre	30,236 %	8109,8942 litre	O
410	CM	95	CM	64 LEVEL CM	3441,0083 litre	29,601 %	8183,6699 litre	O
410	CM	95	CM	63 LEVEL CM	3367,5158 litre	28,969 %	8257,1624 litre	O
410	CM	95	CM	62 LEVEL CM	3294,3166 litre	28,339 %	8330,3616 litre	O
410	CM	95	CM	61 LEVEL CM	3221,4211 litre	27,712 %	8403,2571 litre	O
410	CM	95	CM	60 LEVEL CM	3148,8400 litre	27,088 %	8475,8382 litre	O
410	CM	95	CM	59 LEVEL CM	3076,5838 litre	26,466 %	8548,0944 litre	O
410	CM	95	CM	58 LEVEL CM	3004,6634 litre	25,847 %	8620,0148 litre	O
410	CM	95	CM	57 LEVEL CM	2933,0898 litre	25,232 %	8691,5884 litre	O
410	CM	95	CM	56 LEVEL CM	2861,8741 litre	24,619 %	8762,8041 litre	O
410	CM	95	CM	55 LEVEL CM	2791,0276 litre	24,010 %	8833,6506 litre	O
410	CM	95	CM	54 LEVEL CM	2720,5617 litre	23,403 %	8904,1165 litre	O
410	CM	95	CM	53 LEVEL CM	2650,4882 litre	22,801 %	8974,1900 litre	O
410	CM	95	CM	52 LEVEL CM	2580,8189 litre	22,201 %	9043,8593 litre	O
410	CM	95	CM	51 LEVEL CM	2511,5658 litre	21,605 %	9113,1124 litre	O
410	CM	95	CM	50 LEVEL CM	2442,7412 litre	21,013 %	9181,9370 litre	O
410	CM	95	CM	49 LEVEL CM	2374,3577 litre	20,425 %	9250,3205 litre	O
410	CM	95	CM	48 LEVEL CM	2306,4281 litre	19,841 %	9318,2501 litre	O
410	CM	95	CM	47 LEVEL CM	2238,9653 litre	19,260 %	9385,7129 litre	O
410	CM	95	CM	46 LEVEL CM	2171,9826 litre	18,684 %	9452,6956 litre	O
410	CM	95	CM	45 LEVEL CM	2105,4936 litre	18,112 %	9519,1846 litre	O
410	CM	95	CM	44 LEVEL CM	2039,5122 litre	17,545 %	9585,1660 litre	O
410	CM	95	CM	43 LEVEL CM	1974,0526 litre	16,982 %	9650,6256 litre	O
410	CM	95	CM	42 LEVEL CM	1909,1294 litre	16,423 %	9715,5488 litre	O
410	CM	95	CM	41 LEVEL CM	1844,7574 litre	15,869 %	9779,9208 litre	O
410	CM	95	CM	40 LEVEL CM	1780,9520 litre	15,320 %	9843,7262 litre	O
410	CM	95	CM	39 LEVEL CM	1717,7288 litre	14,777 %	9906,9494 litre	O
410	CM	95	CM	38 LEVEL CM	1655,1041 litre	14,238 %	9969,5741 litre	O
410	CM	95	CM	37 LEVEL CM	1593,0945 litre	13,704 %	10031,5837 litre	O
410	CM	95	CM	36 LEVEL CM	1531,7170 litre	13,176 %	10092,9612 litre	O
410	CM	95	CM	35 LEVEL CM	1470,9892 litre	12,654 %	10153,6890 litre	O
410	CM	95	CM	34 LEVEL CM	1410,9296 litre	12,137 %	10213,7486 litre	O
410	CM	95	CM	33 LEVEL CM	1351,5568 litre	11,627 %	10273,1214 litre	O

410	CM	95	CM	32 LEVEL CM	1292,8904 litre	11,122 %	10331,7878 litre	O
410	CM	95	CM	31 LEVEL CM	1234,9505 litre	10,624 %	10389,7277 litre	O
410	CM	95	CM	30 LEVEL CM	1177,7583 litre	10,132 %	10446,9199 litre	O
410	CM	95	CM	29 LEVEL CM	1121,3354 litre	9,646 %	10503,3428 litre	O
410	CM	95	CM	28 LEVEL CM	1065,7047 litre	9,168 %	10558,9735 litre	O
410	CM	95	CM	27 LEVEL CM	1010,8898 litre	8,696 %	10613,7884 litre	O
410	CM	95	CM	26 LEVEL CM	956,9155 litre	8,232 %	10667,7627 litre	O
410	CM	95	CM	25 LEVEL CM	903,8078 litre	7,775 %	10720,8704 litre	O
410	CM	95	CM	24 LEVEL CM	851,5939 litre	7,326 %	10773,0843 litre	O
410	CM	95	CM	23 LEVEL CM	800,3025 litre	6,885 %	10824,3757 litre	O
410	CM	95	CM	22 LEVEL CM	749,9639 litre	6,451 %	10874,7143 litre	O
410	CM	95	CM	21 LEVEL CM	700,6101 litre	6,027 %	10924,0681 litre	O
410	CM	95	CM	20 LEVEL CM	652,2751 litre	5,611 %	10972,4031 litre	O
410	CM	95	CM	19 LEVEL CM	604,9950 litre	5,204 %	11019,6832 litre	O
410	CM	95	CM	18 LEVEL CM	558,8084 litre	4,807 %	11065,8698 litre	O
410	CM	95	CM	17 LEVEL CM	513,7569 litre	4,420 %	11110,9213 litre	O
410	CM	95	CM	16 LEVEL CM	469,8851 litre	4,042 %	11154,7931 litre	O
410	CM	95	CM	15 LEVEL CM	427,2414 litre	3,675 %	11197,4368 litre	O
410	CM	95	CM	14 LEVEL CM	385,8784 litre	3,319 %	11238,7998 litre	O
410	CM	95	CM	13 LEVEL CM	345,8541 litre	2,975 %	11278,8241 litre	O
410	CM	95	CM	12 LEVEL CM	307,2321 litre	2,643 %	11317,4461 litre	O
410	CM	95	CM	11 LEVEL CM	270,0834 litre	2,323 %	11354,5948 litre	O
410	CM	95	CM	10 LEVEL CM	234,4880 litre	2,017 %	11390,1902 litre	O
410	CM	95	CM	9 LEVEL CM	200,5365 litre	1,725 %	11424,1417 litre	O
410	CM	95	CM	8 LEVEL CM	168,3337 litre	1,448 %	11456,3445 litre	O
410	CM	95	CM	7 LEVEL CM	138,0026 litre	1,187 %	11486,6756 litre	O
410	CM	95	CM	6 LEVEL CM	109,6904 litre	0,944 %	11514,9878 litre	O
410	CM	95	CM	5 LEVEL CM	83,5787 litre	0,719 %	11541,0995 litre	O
410	CM	95	CM	4 LEVEL CM	59,9001 litre	0,515 %	11564,7781 litre	O
410	CM	95	CM	3 LEVEL CM	38,9685 litre	0,335 %	11585,7097 litre	O
410	CM	95	CM	2 LEVEL CM	21,2456 litre	0,183 %	11603,4326 litre	O
410	CM	95	CM	1 LEVEL CM	7,5234 litre	0,065 %	11617,1548 litre	O
410	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	11624,6782 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
410	CM	90	CM	180 LEVEL CM	10433,2292 litre	100,000 %	0,0000 litre	O
410	CM	90	CM	179 LEVEL CM	10425,9071 litre	99,930 %	7,3221 litre	O
410	CM	90	CM	178 LEVEL CM	10412,5539 litre	99,802 %	20,6753 litre	O
410	CM	90	CM	177 LEVEL CM	10395,3102 litre	99,637 %	37,9190 litre	O
410	CM	90	CM	176 LEVEL CM	10374,9475 litre	99,441 %	58,2817 litre	O
410	CM	90	CM	175 LEVEL CM	10351,9160 litre	99,221 %	81,3132 litre	O
410	CM	90	CM	174 LEVEL CM	10326,5218 litre	98,977 %	106,7074 litre	O
410	CM	90	CM	173 LEVEL CM	10298,9919 litre	98,713 %	134,2373 litre	O
410	CM	90	CM	172 LEVEL CM	10269,5035 litre	98,431 %	163,7257 litre	O
410	CM	90	CM	171 LEVEL CM	10238,2005 litre	98,131 %	195,0287 litre	O
410	CM	90	CM	170 LEVEL CM	10205,2029 litre	97,814 %	228,0263 litre	O
410	CM	90	CM	169 LEVEL CM	10170,6132 litre	97,483 %	262,6160 litre	O
410	CM	90	CM	168 LEVEL CM	10134,5201 litre	97,137 %	298,7091 litre	O
410	CM	90	CM	167 LEVEL CM	10097,0018 litre	96,777 %	336,2274 litre	O
410	CM	90	CM	166 LEVEL CM	10058,1279 litre	96,405 %	375,1013 litre	O
410	CM	90	CM	165 LEVEL CM	10017,9607 litre	96,020 %	415,2685 litre	O
410	CM	90	CM	164 LEVEL CM	9976,5569 litre	95,623 %	456,6723 litre	O
410	CM	90	CM	163 LEVEL CM	9933,9682 litre	95,215 %	499,2610 litre	O
410	CM	90	CM	162 LEVEL CM	9890,2420 litre	94,796 %	542,9872 litre	O
410	CM	90	CM	161 LEVEL CM	9845,4223 litre	94,366 %	587,8069 litre	O
410	CM	90	CM	160 LEVEL CM	9799,5496 litre	93,926 %	633,6796 litre	O
410	CM	90	CM	159 LEVEL CM	9752,6621 litre	93,477 %	680,5671 litre	O
410	CM	90	CM	158 LEVEL CM	9704,7952 litre	93,018 %	728,4340 litre	O
410	CM	90	CM	157 LEVEL CM	9655,9824 litre	92,550 %	777,2468 litre	O
410	CM	90	CM	156 LEVEL CM	9606,2552 litre	92,074 %	826,9740 litre	O
410	CM	90	CM	155 LEVEL CM	9555,6434 litre	91,589 %	877,5858 litre	O
410	CM	90	CM	154 LEVEL CM	9504,1752 litre	91,095 %	929,0540 litre	O
410	CM	90	CM	153 LEVEL CM	9451,8776 litre	90,594 %	981,3516 litre	O
410	CM	90	CM	152 LEVEL CM	9398,7761 litre	90,085 %	1034,4531 litre	O
410	CM	90	CM	151 LEVEL CM	9344,8952 litre	89,569 %	1088,3340 litre	O
410	CM	90	CM	150 LEVEL CM	9290,2583 litre	89,045 %	1142,9709 litre	O
410	CM	90	CM	149 LEVEL CM	9234,8880 litre	88,514 %	1198,3412 litre	O
410	CM	90	CM	148 LEVEL CM	9178,8057 litre	87,977 %	1254,4235 litre	O
410	CM	90	CM	147 LEVEL CM	9122,0322 litre	87,432 %	1311,1970 litre	O
410	CM	90	CM	146 LEVEL CM	9064,5877 litre	86,882 %	1368,6415 litre	O
410	CM	90	CM	145 LEVEL CM	9006,4913 litre	86,325 %	1426,7379 litre	O
410	CM	90	CM	144 LEVEL CM	8947,7618 litre	85,762 %	1485,4674 litre	O
410	CM	90	CM	143 LEVEL CM	8888,4172 litre	85,193 %	1544,8120 litre	O
410	CM	90	CM	142 LEVEL CM	8828,4751 litre	84,619 %	1604,7541 litre	O
410	CM	90	CM	141 LEVEL CM	8767,9526 litre	84,039 %	1665,2766 litre	O
410	CM	90	CM	140 LEVEL CM	8706,8660 litre	83,453 %	1726,3632 litre	O
410	CM	90	CM	139 LEVEL CM	8645,2315 litre	82,862 %	1787,9977 litre	O
410	CM	90	CM	138 LEVEL CM	8583,0647 litre	82,267 %	1850,1645 litre	O
410	CM	90	CM	137 LEVEL CM	8520,3809 litre	81,666 %	1912,8483 litre	O
410	CM	90	CM	136 LEVEL CM	8457,1949 litre	81,060 %	1976,0343 litre	O
410	CM	90	CM	135 LEVEL CM	8393,5213 litre	80,450 %	2039,7079 litre	O
410	CM	90	CM	134 LEVEL CM	8329,3743 litre	79,835 %	2103,8549 litre	O
410	CM	90	CM	133 LEVEL CM	8264,7676 litre	79,216 %	2168,4616 litre	O
410	CM	90	CM	132 LEVEL CM	8199,7150 litre	78,592 %	2233,5142 litre	O
410	CM	90	CM	131 LEVEL CM	8134,2297 litre	77,965 %	2298,9995 litre	O
410	CM	90	CM	130 LEVEL CM	8068,3247 litre	77,333 %	2364,9045 litre	O
410	CM	90	CM	129 LEVEL CM	8002,0129 litre	76,697 %	2431,2163 litre	O

410	CM	90	CM	128 LEVEL CM	7935,3067 litre	76,058 %	2497,9225 litre	O
410	CM	90	CM	127 LEVEL CM	7868,2187 litre	75,415 %	2565,0105 litre	O
410	CM	90	CM	126 LEVEL CM	7800,7608 litre	74,768 %	2632,4684 litre	O
410	CM	90	CM	125 LEVEL CM	7732,9450 litre	74,118 %	2700,2842 litre	O
410	CM	90	CM	124 LEVEL CM	7664,7830 litre	73,465 %	2768,4462 litre	O
410	CM	90	CM	123 LEVEL CM	7596,2865 litre	72,809 %	2836,9427 litre	O
410	CM	90	CM	122 LEVEL CM	7527,4668 litre	72,149 %	2905,7624 litre	O
410	CM	90	CM	121 LEVEL CM	7458,3351 litre	71,486 %	2974,8941 litre	O
410	CM	90	CM	120 LEVEL CM	7388,9026 litre	70,821 %	3044,3266 litre	O
410	CM	90	CM	119 LEVEL CM	7319,1801 litre	70,153 %	3114,0491 litre	O
410	CM	90	CM	118 LEVEL CM	7249,1786 litre	69,482 %	3184,0506 litre	O
410	CM	90	CM	117 LEVEL CM	7178,9085 litre	68,808 %	3254,3207 litre	O
410	CM	90	CM	116 LEVEL CM	7108,3806 litre	68,132 %	3324,8486 litre	O
410	CM	90	CM	115 LEVEL CM	7037,6053 litre	67,454 %	3395,6239 litre	O
410	CM	90	CM	114 LEVEL CM	6966,5928 litre	66,773 %	3466,6364 litre	O
410	CM	90	CM	113 LEVEL CM	6895,3534 litre	66,090 %	3537,8758 litre	O
410	CM	90	CM	112 LEVEL CM	6823,8973 litre	65,405 %	3609,3319 litre	O
410	CM	90	CM	111 LEVEL CM	6752,2345 litre	64,719 %	3680,9947 litre	O
410	CM	90	CM	110 LEVEL CM	6680,3748 litre	64,030 %	3752,8544 litre	O
410	CM	90	CM	109 LEVEL CM	6608,3283 litre	63,339 %	3824,9009 litre	O
410	CM	90	CM	108 LEVEL CM	6536,1047 litre	62,647 %	3897,1245 litre	O
410	CM	90	CM	107 LEVEL CM	6463,7137 litre	61,953 %	3969,5155 litre	O
410	CM	90	CM	106 LEVEL CM	6391,1649 litre	61,258 %	4042,0643 litre	O
410	CM	90	CM	105 LEVEL CM	6318,4680 litre	60,561 %	4114,7612 litre	O
410	CM	90	CM	104 LEVEL CM	6245,6325 litre	59,863 %	4187,5967 litre	O
410	CM	90	CM	103 LEVEL CM	6172,6679 litre	59,164 %	4260,5613 litre	O
410	CM	90	CM	102 LEVEL CM	6099,5836 litre	58,463 %	4333,6456 litre	O
410	CM	90	CM	101 LEVEL CM	6026,3889 litre	57,761 %	4406,8403 litre	O
410	CM	90	CM	100 LEVEL CM	5953,0933 litre	57,059 %	4480,1359 litre	O
410	CM	90	CM	99 LEVEL CM	5879,7059 litre	56,356 %	4553,5233 litre	O
410	CM	90	CM	98 LEVEL CM	5806,2362 litre	55,651 %	4626,9930 litre	O
410	CM	90	CM	97 LEVEL CM	5732,6933 litre	54,946 %	4700,5359 litre	O
410	CM	90	CM	96 LEVEL CM	5659,0864 litre	54,241 %	4774,1428 litre	O
410	CM	90	CM	95 LEVEL CM	5585,4247 litre	53,535 %	4847,8045 litre	O
410	CM	90	CM	94 LEVEL CM	5511,7174 litre	52,828 %	4921,5118 litre	O
410	CM	90	CM	93 LEVEL CM	5437,9736 litre	52,122 %	4995,2556 litre	O
410	CM	90	CM	92 LEVEL CM	5364,2025 litre	51,415 %	5069,0267 litre	O
410	CM	90	CM	91 LEVEL CM	5290,4131 litre	50,707 %	5142,8161 litre	O
410	CM	90	CM	90 LEVEL CM	5216,6146 litre	50,000 %	5216,6146 litre	O
410	CM	90	CM	89 LEVEL CM	5142,8161 litre	49,293 %	5290,4131 litre	O
410	CM	90	CM	88 LEVEL CM	5069,0268 litre	48,585 %	5364,2024 litre	O
410	CM	90	CM	87 LEVEL CM	4995,2556 litre	47,878 %	5437,9736 litre	O
410	CM	90	CM	86 LEVEL CM	4921,5118 litre	47,172 %	5511,7174 litre	O
410	CM	90	CM	85 LEVEL CM	4847,8045 litre	46,465 %	5585,4247 litre	O
410	CM	90	CM	84 LEVEL CM	4774,1428 litre	45,759 %	5659,0864 litre	O
410	CM	90	CM	83 LEVEL CM	4700,5359 litre	45,054 %	5732,6933 litre	O
410	CM	90	CM	82 LEVEL CM	4626,9930 litre	44,349 %	5806,2362 litre	O
410	CM	90	CM	81 LEVEL CM	4553,5233 litre	43,644 %	5879,7059 litre	O
410	CM	90	CM	80 LEVEL CM	4480,1359 litre	42,941 %	5953,0933 litre	O
410	CM	90	CM	79 LEVEL CM	4406,8403 litre	42,239 %	6026,3889 litre	O
410	CM	90	CM	78 LEVEL CM	4333,6456 litre	41,537 %	6099,5836 litre	O
410	CM	90	CM	77 LEVEL CM	4260,5613 litre	40,836 %	6172,6679 litre	O
410	CM	90	CM	76 LEVEL CM	4187,5967 litre	40,137 %	6245,6325 litre	O

410	CM	90	CM	75 LEVEL CM	4114,7612 litre	39,439 %	6318,4680 litre	O
410	CM	90	CM	74 LEVEL CM	4042,0643 litre	38,742 %	6391,1649 litre	O
410	CM	90	CM	73 LEVEL CM	3969,5155 litre	38,047 %	6463,7137 litre	O
410	CM	90	CM	72 LEVEL CM	3897,1245 litre	37,353 %	6536,1047 litre	O
410	CM	90	CM	71 LEVEL CM	3824,9009 litre	36,661 %	6608,3283 litre	O
410	CM	90	CM	70 LEVEL CM	3752,8544 litre	35,970 %	6680,3748 litre	O
410	CM	90	CM	69 LEVEL CM	3680,9947 litre	35,281 %	6752,2345 litre	O
410	CM	90	CM	68 LEVEL CM	3609,3319 litre	34,595 %	6823,8973 litre	O
410	CM	90	CM	67 LEVEL CM	3537,8758 litre	33,910 %	6895,3534 litre	O
410	CM	90	CM	66 LEVEL CM	3466,6364 litre	33,227 %	6966,5928 litre	O
410	CM	90	CM	65 LEVEL CM	3395,6239 litre	32,546 %	7037,6053 litre	O
410	CM	90	CM	64 LEVEL CM	3324,8486 litre	31,868 %	7108,3806 litre	O
410	CM	90	CM	63 LEVEL CM	3254,3207 litre	31,192 %	7178,9085 litre	O
410	CM	90	CM	62 LEVEL CM	3184,0507 litre	30,518 %	7249,1785 litre	O
410	CM	90	CM	61 LEVEL CM	3114,0491 litre	29,847 %	7319,1801 litre	O
410	CM	90	CM	60 LEVEL CM	3044,3266 litre	29,179 %	7388,9026 litre	O
410	CM	90	CM	59 LEVEL CM	2974,8941 litre	28,514 %	7458,3351 litre	O
410	CM	90	CM	58 LEVEL CM	2905,7624 litre	27,851 %	7527,4668 litre	O
410	CM	90	CM	57 LEVEL CM	2836,9427 litre	27,191 %	7596,2865 litre	O
410	CM	90	CM	56 LEVEL CM	2768,4462 litre	26,535 %	7664,7830 litre	O
410	CM	90	CM	55 LEVEL CM	2700,2842 litre	25,882 %	7732,9450 litre	O
410	CM	90	CM	54 LEVEL CM	2632,4684 litre	25,232 %	7800,7608 litre	O
410	CM	90	CM	53 LEVEL CM	2565,0105 litre	24,585 %	7868,2187 litre	O
410	CM	90	CM	52 LEVEL CM	2497,9225 litre	23,942 %	7935,3067 litre	O
410	CM	90	CM	51 LEVEL CM	2431,2164 litre	23,303 %	8002,0128 litre	O
410	CM	90	CM	50 LEVEL CM	2364,9045 litre	22,667 %	8068,3247 litre	O
410	CM	90	CM	49 LEVEL CM	2298,9995 litre	22,035 %	8134,2297 litre	O
410	CM	90	CM	48 LEVEL CM	2233,5142 litre	21,408 %	8199,7150 litre	O
410	CM	90	CM	47 LEVEL CM	2168,4616 litre	20,784 %	8264,7676 litre	O
410	CM	90	CM	46 LEVEL CM	2103,8549 litre	20,165 %	8329,3743 litre	O
410	CM	90	CM	45 LEVEL CM	2039,7079 litre	19,550 %	8393,5213 litre	O
410	CM	90	CM	44 LEVEL CM	1976,0343 litre	18,940 %	8457,1949 litre	O
410	CM	90	CM	43 LEVEL CM	1912,8483 litre	18,334 %	8520,3809 litre	O
410	CM	90	CM	42 LEVEL CM	1850,1645 litre	17,733 %	8583,0647 litre	O
410	CM	90	CM	41 LEVEL CM	1787,9977 litre	17,138 %	8645,2315 litre	O
410	CM	90	CM	40 LEVEL CM	1726,3632 litre	16,547 %	8706,8660 litre	O
410	CM	90	CM	39 LEVEL CM	1665,2766 litre	15,961 %	8767,9526 litre	O
410	CM	90	CM	38 LEVEL CM	1604,7541 litre	15,381 %	8828,4751 litre	O
410	CM	90	CM	37 LEVEL CM	1544,8120 litre	14,807 %	8888,4172 litre	O
410	CM	90	CM	36 LEVEL CM	1485,4674 litre	14,238 %	8947,7618 litre	O
410	CM	90	CM	35 LEVEL CM	1426,7379 litre	13,675 %	9006,4913 litre	O
410	CM	90	CM	34 LEVEL CM	1368,6415 litre	13,118 %	9064,5877 litre	O
410	CM	90	CM	33 LEVEL CM	1311,1970 litre	12,568 %	9122,0322 litre	O
410	CM	90	CM	32 LEVEL CM	1254,4235 litre	12,023 %	9178,8057 litre	O
410	CM	90	CM	31 LEVEL CM	1198,3412 litre	11,486 %	9234,8880 litre	O
410	CM	90	CM	30 LEVEL CM	1142,9709 litre	10,955 %	9290,2583 litre	O
410	CM	90	CM	29 LEVEL CM	1088,3340 litre	10,431 %	9344,8952 litre	O
410	CM	90	CM	28 LEVEL CM	1034,4531 litre	9,915 %	9398,7761 litre	O
410	CM	90	CM	27 LEVEL CM	981,3516 litre	9,406 %	9451,8776 litre	O
410	CM	90	CM	26 LEVEL CM	929,0540 litre	8,905 %	9504,1752 litre	O
410	CM	90	CM	25 LEVEL CM	877,5858 litre	8,411 %	9555,6434 litre	O
410	CM	90	CM	24 LEVEL CM	826,9740 litre	7,926 %	9606,2552 litre	O
410	CM	90	CM	23 LEVEL CM	777,2468 litre	7,450 %	9655,9824 litre	O

410	CM	90	CM	22 LEVEL CM	728,4340 litre	6,982 %	9704,7952 litre	O
410	CM	90	CM	21 LEVEL CM	680,5671 litre	6,523 %	9752,6621 litre	O
410	CM	90	CM	20 LEVEL CM	633,6796 litre	6,074 %	9799,5496 litre	O
410	CM	90	CM	19 LEVEL CM	587,8069 litre	5,634 %	9845,4223 litre	O
410	CM	90	CM	18 LEVEL CM	542,9872 litre	5,204 %	9890,2420 litre	O
410	CM	90	CM	17 LEVEL CM	499,2610 litre	4,785 %	9933,9682 litre	O
410	CM	90	CM	16 LEVEL CM	456,6723 litre	4,377 %	9976,5569 litre	O
410	CM	90	CM	15 LEVEL CM	415,2685 litre	3,980 %	10017,9607 litre	O
410	CM	90	CM	14 LEVEL CM	375,1013 litre	3,595 %	10058,1279 litre	O
410	CM	90	CM	13 LEVEL CM	336,2274 litre	3,223 %	10097,0018 litre	O
410	CM	90	CM	12 LEVEL CM	298,7091 litre	2,863 %	10134,5201 litre	O
410	CM	90	CM	11 LEVEL CM	262,6160 litre	2,517 %	10170,6132 litre	O
410	CM	90	CM	10 LEVEL CM	228,0263 litre	2,186 %	10205,2029 litre	O
410	CM	90	CM	9 LEVEL CM	195,0287 litre	1,869 %	10238,2005 litre	O
410	CM	90	CM	8 LEVEL CM	163,7257 litre	1,569 %	10269,5035 litre	O
410	CM	90	CM	7 LEVEL CM	134,2373 litre	1,287 %	10298,9919 litre	O
410	CM	90	CM	6 LEVEL CM	106,7074 litre	1,023 %	10326,5218 litre	O
410	CM	90	CM	5 LEVEL CM	81,3132 litre	0,779 %	10351,9160 litre	O
410	CM	90	CM	4 LEVEL CM	58,2817 litre	0,559 %	10374,9475 litre	O
410	CM	90	CM	3 LEVEL CM	37,9190 litre	0,363 %	10395,3102 litre	O
410	CM	90	CM	2 LEVEL CM	20,6753 litre	0,198 %	10412,5539 litre	O
410	CM	90	CM	1 LEVEL CM	7,3221 litre	0,070 %	10425,9071 litre	O
410	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	10433,2292 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM 85	CM 170 LEVEL CM	9306,1828 litre	100,000 %	0,0000 litre	O
410	CM 85	CM 169 LEVEL CM	9299,0678 litre	99,924 %	7,1150 litre	O
410	CM 85	CM 168 LEVEL CM	9286,0941 litre	99,784 %	20,0887 litre	O
410	CM 85	CM 167 LEVEL CM	9269,3431 litre	99,604 %	36,8397 litre	O
410	CM 85	CM 166 LEVEL CM	9249,5658 litre	99,392 %	56,6170 litre	O
410	CM 85	CM 165 LEVEL CM	9227,2000 litre	99,151 %	78,9828 litre	O
410	CM 85	CM 164 LEVEL CM	9202,5443 litre	98,886 %	103,6385 litre	O
410	CM 85	CM 163 LEVEL CM	9175,8196 litre	98,599 %	130,3632 litre	O
410	CM 85	CM 162 LEVEL CM	9147,1987 litre	98,292 %	158,9841 litre	O
410	CM 85	CM 161 LEVEL CM	9116,8220 litre	97,965 %	189,3608 litre	O
410	CM 85	CM 160 LEVEL CM	9084,8067 litre	97,621 %	221,3761 litre	O
410	CM 85	CM 159 LEVEL CM	9051,2529 litre	97,261 %	254,9299 litre	O
410	CM 85	CM 158 LEVEL CM	9016,2473 litre	96,884 %	289,9355 litre	O
410	CM 85	CM 157 LEVEL CM	8979,8662 litre	96,494 %	326,3166 litre	O
410	CM 85	CM 156 LEVEL CM	8942,1777 litre	96,089 %	364,0051 litre	O
410	CM 85	CM 155 LEVEL CM	8903,2430 litre	95,670 %	402,9398 litre	O
410	CM 85	CM 154 LEVEL CM	8863,1174 litre	95,239 %	443,0654 litre	O
410	CM 85	CM 153 LEVEL CM	8821,8517 litre	94,796 %	484,3311 litre	O
410	CM 85	CM 152 LEVEL CM	8779,4923 litre	94,340 %	526,6905 litre	O
410	CM 85	CM 151 LEVEL CM	8736,0824 litre	93,874 %	570,1004 litre	O
410	CM 85	CM 150 LEVEL CM	8691,6618 litre	93,397 %	614,5210 litre	O
410	CM 85	CM 149 LEVEL CM	8646,2679 litre	92,909 %	659,9149 litre	O
410	CM 85	CM 148 LEVEL CM	8599,9356 litre	92,411 %	706,2472 litre	O
410	CM 85	CM 147 LEVEL CM	8552,6979 litre	91,903 %	753,4849 litre	O
410	CM 85	CM 146 LEVEL CM	8504,5856 litre	91,386 %	801,5972 litre	O
410	CM 85	CM 145 LEVEL CM	8455,6283 litre	90,860 %	850,5545 litre	O
410	CM 85	CM 144 LEVEL CM	8405,8536 litre	90,325 %	900,3292 litre	O
410	CM 85	CM 143 LEVEL CM	8355,2882 litre	89,782 %	950,8946 litre	O
410	CM 85	CM 142 LEVEL CM	8303,9572 litre	89,231 %	1002,2256 litre	O
410	CM 85	CM 141 LEVEL CM	8251,8850 litre	88,671 %	1054,2978 litre	O
410	CM 85	CM 140 LEVEL CM	8199,0945 litre	88,104 %	1107,0883 litre	O
410	CM 85	CM 139 LEVEL CM	8145,6081 litre	87,529 %	1160,5747 litre	O
410	CM 85	CM 138 LEVEL CM	8091,4470 litre	86,947 %	1214,7358 litre	O
410	CM 85	CM 137 LEVEL CM	8036,6319 litre	86,358 %	1269,5509 litre	O
410	CM 85	CM 136 LEVEL CM	7981,1826 litre	85,762 %	1325,0002 litre	O
410	CM 85	CM 135 LEVEL CM	7925,1182 litre	85,160 %	1381,0646 litre	O
410	CM 85	CM 134 LEVEL CM	7868,4573 litre	84,551 %	1437,7255 litre	O
410	CM 85	CM 133 LEVEL CM	7811,2179 litre	83,936 %	1494,9649 litre	O
410	CM 85	CM 132 LEVEL CM	7753,4173 litre	83,315 %	1552,7655 litre	O
410	CM 85	CM 131 LEVEL CM	7695,0725 litre	82,688 %	1611,1103 litre	O
410	CM 85	CM 130 LEVEL CM	7636,2000 litre	82,055 %	1669,9828 litre	O
410	CM 85	CM 129 LEVEL CM	7576,8157 litre	81,417 %	1729,3671 litre	O
410	CM 85	CM 128 LEVEL CM	7516,9353 litre	80,774 %	1789,2475 litre	O
410	CM 85	CM 127 LEVEL CM	7456,5739 litre	80,125 %	1849,6089 litre	O
410	CM 85	CM 126 LEVEL CM	7395,7465 litre	79,471 %	1910,4363 litre	O
410	CM 85	CM 125 LEVEL CM	7334,4675 litre	78,813 %	1971,7153 litre	O
410	CM 85	CM 124 LEVEL CM	7272,7512 litre	78,150 %	2033,4316 litre	O
410	CM 85	CM 123 LEVEL CM	7210,6114 litre	77,482 %	2095,5714 litre	O
410	CM 85	CM 122 LEVEL CM	7148,0617 litre	76,810 %	2158,1211 litre	O
410	CM 85	CM 121 LEVEL CM	7085,1156 litre	76,133 %	2221,0672 litre	O
410	CM 85	CM 120 LEVEL CM	7021,7861 litre	75,453 %	2284,3967 litre	O
410	CM 85	CM 119 LEVEL CM	6958,0860 litre	74,768 %	2348,0968 litre	O

410	CM 85	CM	118 LEVEL CM	6894,0280 litre	74,080 %	2412,1548 litre	O
410	CM 85	CM	117 LEVEL CM	6829,6246 litre	73,388 %	2476,5582 litre	O
410	CM 85	CM	116 LEVEL CM	6764,8879 litre	72,692 %	2541,2949 litre	O
410	CM 85	CM	115 LEVEL CM	6699,8301 litre	71,993 %	2606,3527 litre	O
410	CM 85	CM	114 LEVEL CM	6634,4629 litre	71,291 %	2671,7199 litre	O
410	CM 85	CM	113 LEVEL CM	6568,7980 litre	70,585 %	2737,3848 litre	O
410	CM 85	CM	112 LEVEL CM	6502,8471 litre	69,877 %	2803,3357 litre	O
410	CM 85	CM	111 LEVEL CM	6436,6215 litre	69,165 %	2869,5613 litre	O
410	CM 85	CM	110 LEVEL CM	6370,1324 litre	68,451 %	2936,0504 litre	O
410	CM 85	CM	109 LEVEL CM	6303,3909 litre	67,733 %	3002,7919 litre	O
410	CM 85	CM	108 LEVEL CM	6236,4081 litre	67,014 %	3069,7747 litre	O
410	CM 85	CM	107 LEVEL CM	6169,1948 litre	66,291 %	3136,9880 litre	O
410	CM 85	CM	106 LEVEL CM	6101,7618 litre	65,567 %	3204,4210 litre	O
410	CM 85	CM	105 LEVEL CM	6034,1197 litre	64,840 %	3272,0631 litre	O
410	CM 85	CM	104 LEVEL CM	5966,2791 litre	64,111 %	3339,9037 litre	O
410	CM 85	CM	103 LEVEL CM	5898,2504 litre	63,380 %	3407,9324 litre	O
410	CM 85	CM	102 LEVEL CM	5830,0440 litre	62,647 %	3476,1388 litre	O
410	CM 85	CM	101 LEVEL CM	5761,6702 litre	61,912 %	3544,5126 litre	O
410	CM 85	CM	100 LEVEL CM	5693,1393 litre	61,176 %	3613,0435 litre	O
410	CM 85	CM	99 LEVEL CM	5624,4614 litre	60,438 %	3681,7214 litre	O
410	CM 85	CM	98 LEVEL CM	5555,6465 litre	59,698 %	3750,5363 litre	O
410	CM 85	CM	97 LEVEL CM	5486,7047 litre	58,958 %	3819,4781 litre	O
410	CM 85	CM	96 LEVEL CM	5417,6460 litre	58,216 %	3888,5368 litre	O
410	CM 85	CM	95 LEVEL CM	5348,4802 litre	57,472 %	3957,7026 litre	O
410	CM 85	CM	94 LEVEL CM	5279,2173 litre	56,728 %	4026,9655 litre	O
410	CM 85	CM	93 LEVEL CM	5209,8671 litre	55,983 %	4096,3157 litre	O
410	CM 85	CM	92 LEVEL CM	5140,4394 litre	55,237 %	4165,7434 litre	O
410	CM 85	CM	91 LEVEL CM	5070,9439 litre	54,490 %	4235,2389 litre	O
410	CM 85	CM	90 LEVEL CM	5001,3903 litre	53,743 %	4304,7925 litre	O
410	CM 85	CM	89 LEVEL CM	4931,7885 litre	52,995 %	4374,3943 litre	O
410	CM 85	CM	88 LEVEL CM	4862,1480 litre	52,246 %	4444,0348 litre	O
410	CM 85	CM	87 LEVEL CM	4792,4786 litre	51,498 %	4513,7042 litre	O
410	CM 85	CM	86 LEVEL CM	4722,7898 litre	50,749 %	4583,3930 litre	O
410	CM 85	CM	85 LEVEL CM	4653,0914 litre	50,000 %	4653,0914 litre	O
410	CM 85	CM	84 LEVEL CM	4583,3930 litre	49,251 %	4722,7898 litre	O
410	CM 85	CM	83 LEVEL CM	4513,7043 litre	48,502 %	4792,4785 litre	O
410	CM 85	CM	82 LEVEL CM	4444,0348 litre	47,754 %	4862,1480 litre	O
410	CM 85	CM	81 LEVEL CM	4374,3944 litre	47,005 %	4931,7884 litre	O
410	CM 85	CM	80 LEVEL CM	4304,7925 litre	46,257 %	5001,3903 litre	O
410	CM 85	CM	79 LEVEL CM	4235,2390 litre	45,510 %	5070,9438 litre	O
410	CM 85	CM	78 LEVEL CM	4165,7435 litre	44,763 %	5140,4393 litre	O
410	CM 85	CM	77 LEVEL CM	4096,3157 litre	44,017 %	5209,8671 litre	O
410	CM 85	CM	76 LEVEL CM	4026,9655 litre	43,272 %	5279,2173 litre	O
410	CM 85	CM	75 LEVEL CM	3957,7026 litre	42,528 %	5348,4802 litre	O
410	CM 85	CM	74 LEVEL CM	3888,5369 litre	41,784 %	5417,6459 litre	O
410	CM 85	CM	73 LEVEL CM	3819,4781 litre	41,042 %	5486,7047 litre	O
410	CM 85	CM	72 LEVEL CM	3750,5363 litre	40,302 %	5555,6465 litre	O
410	CM 85	CM	71 LEVEL CM	3681,7215 litre	39,562 %	5624,4613 litre	O
410	CM 85	CM	70 LEVEL CM	3613,0435 litre	38,824 %	5693,1393 litre	O
410	CM 85	CM	69 LEVEL CM	3544,5126 litre	38,088 %	5761,6702 litre	O
410	CM 85	CM	68 LEVEL CM	3476,1388 litre	37,353 %	5830,0440 litre	O
410	CM 85	CM	67 LEVEL CM	3407,9325 litre	36,620 %	5898,2503 litre	O
410	CM 85	CM	66 LEVEL CM	3339,9038 litre	35,889 %	5966,2790 litre	O

410	CM	85	CM	65 LEVEL CM	3272,0632 litre	35,160 %	6034,1196 litre	O
410	CM	85	CM	64 LEVEL CM	3204,4210 litre	34,433 %	6101,7618 litre	O
410	CM	85	CM	63 LEVEL CM	3136,9880 litre	33,709 %	6169,1948 litre	O
410	CM	85	CM	62 LEVEL CM	3069,7747 litre	32,986 %	6236,4081 litre	O
410	CM	85	CM	61 LEVEL CM	3002,7919 litre	32,267 %	6303,3909 litre	O
410	CM	85	CM	60 LEVEL CM	2936,0505 litre	31,549 %	6370,1323 litre	O
410	CM	85	CM	59 LEVEL CM	2869,5614 litre	30,835 %	6436,6214 litre	O
410	CM	85	CM	58 LEVEL CM	2803,3357 litre	30,123 %	6502,8471 litre	O
410	CM	85	CM	57 LEVEL CM	2737,3848 litre	29,415 %	6568,7980 litre	O
410	CM	85	CM	56 LEVEL CM	2671,7200 litre	28,709 %	6634,4628 litre	O
410	CM	85	CM	55 LEVEL CM	2606,3528 litre	28,007 %	6699,8300 litre	O
410	CM	85	CM	54 LEVEL CM	2541,2949 litre	27,308 %	6764,8879 litre	O
410	CM	85	CM	53 LEVEL CM	2476,5582 litre	26,612 %	6829,6246 litre	O
410	CM	85	CM	52 LEVEL CM	2412,1548 litre	25,920 %	6894,0280 litre	O
410	CM	85	CM	51 LEVEL CM	2348,0969 litre	25,232 %	6958,0859 litre	O
410	CM	85	CM	50 LEVEL CM	2284,3968 litre	24,547 %	7021,7860 litre	O
410	CM	85	CM	49 LEVEL CM	2221,0672 litre	23,867 %	7085,1156 litre	O
410	CM	85	CM	48 LEVEL CM	2158,1211 litre	23,190 %	7148,0617 litre	O
410	CM	85	CM	47 LEVEL CM	2095,5715 litre	22,518 %	7210,6113 litre	O
410	CM	85	CM	46 LEVEL CM	2033,4317 litre	21,850 %	7272,7511 litre	O
410	CM	85	CM	45 LEVEL CM	1971,7153 litre	21,187 %	7334,4675 litre	O
410	CM	85	CM	44 LEVEL CM	1910,4363 litre	20,529 %	7395,7465 litre	O
410	CM	85	CM	43 LEVEL CM	1849,6089 litre	19,875 %	7456,5739 litre	O
410	CM	85	CM	42 LEVEL CM	1789,2476 litre	19,226 %	7516,9352 litre	O
410	CM	85	CM	41 LEVEL CM	1729,3671 litre	18,583 %	7576,8157 litre	O
410	CM	85	CM	40 LEVEL CM	1669,9829 litre	17,945 %	7636,1999 litre	O
410	CM	85	CM	39 LEVEL CM	1611,1103 litre	17,312 %	7695,0725 litre	O
410	CM	85	CM	38 LEVEL CM	1552,7656 litre	16,685 %	7753,4172 litre	O
410	CM	85	CM	37 LEVEL CM	1494,9650 litre	16,064 %	7811,2178 litre	O
410	CM	85	CM	36 LEVEL CM	1437,7255 litre	15,449 %	7868,4573 litre	O
410	CM	85	CM	35 LEVEL CM	1381,0646 litre	14,840 %	7925,1182 litre	O
410	CM	85	CM	34 LEVEL CM	1325,0003 litre	14,238 %	7981,1825 litre	O
410	CM	85	CM	33 LEVEL CM	1269,5509 litre	13,642 %	8036,6319 litre	O
410	CM	85	CM	32 LEVEL CM	1214,7358 litre	13,053 %	8091,4470 litre	O
410	CM	85	CM	31 LEVEL CM	1160,5748 litre	12,471 %	8145,6080 litre	O
410	CM	85	CM	30 LEVEL CM	1107,0883 litre	11,896 %	8199,0945 litre	O
410	CM	85	CM	29 LEVEL CM	1054,2979 litre	11,329 %	8251,8849 litre	O
410	CM	85	CM	28 LEVEL CM	1002,2256 litre	10,769 %	8303,9572 litre	O
410	CM	85	CM	27 LEVEL CM	950,8947 litre	10,218 %	8355,2881 litre	O
410	CM	85	CM	26 LEVEL CM	900,3292 litre	9,675 %	8405,8536 litre	O
410	CM	85	CM	25 LEVEL CM	850,5546 litre	9,140 %	8455,6282 litre	O
410	CM	85	CM	24 LEVEL CM	801,5972 litre	8,614 %	8504,5856 litre	O
410	CM	85	CM	23 LEVEL CM	753,4850 litre	8,097 %	8552,6978 litre	O
410	CM	85	CM	22 LEVEL CM	706,2472 litre	7,589 %	8599,9356 litre	O
410	CM	85	CM	21 LEVEL CM	659,9150 litre	7,091 %	8646,2678 litre	O
410	CM	85	CM	20 LEVEL CM	614,5211 litre	6,603 %	8691,6617 litre	O
410	CM	85	CM	19 LEVEL CM	570,1005 litre	6,126 %	8736,0823 litre	O
410	CM	85	CM	18 LEVEL CM	526,6905 litre	5,660 %	8779,4923 litre	O
410	CM	85	CM	17 LEVEL CM	484,3312 litre	5,204 %	8821,8516 litre	O
410	CM	85	CM	16 LEVEL CM	443,0654 litre	4,761 %	8863,1174 litre	O
410	CM	85	CM	15 LEVEL CM	402,9399 litre	4,330 %	8903,2429 litre	O
410	CM	85	CM	14 LEVEL CM	364,0051 litre	3,911 %	8942,1777 litre	O
410	CM	85	CM	13 LEVEL CM	326,3166 litre	3,506 %	8979,8662 litre	O

410	CM	85	CM	12 LEVEL CM	289,9356 litre	3,116 %	9016,2472 litre	O
410	CM	85	CM	11 LEVEL CM	254,9299 litre	2,739 %	9051,2529 litre	O
410	CM	85	CM	10 LEVEL CM	221,3761 litre	2,379 %	9084,8067 litre	O
410	CM	85	CM	9 LEVEL CM	189,3608 litre	2,035 %	9116,8220 litre	O
410	CM	85	CM	8 LEVEL CM	158,9842 litre	1,708 %	9147,1986 litre	O
410	CM	85	CM	7 LEVEL CM	130,3633 litre	1,401 %	9175,8195 litre	O
410	CM	85	CM	6 LEVEL CM	103,6385 litre	1,114 %	9202,5443 litre	O
410	CM	85	CM	5 LEVEL CM	78,9828 litre	0,849 %	9227,2000 litre	O
410	CM	85	CM	4 LEVEL CM	56,6171 litre	0,608 %	9249,5657 litre	O
410	CM	85	CM	3 LEVEL CM	36,8397 litre	0,396 %	9269,3431 litre	O
410	CM	85	CM	2 LEVEL CM	20,0888 litre	0,216 %	9286,0940 litre	O
410	CM	85	CM	1 LEVEL CM	7,1151 litre	0,076 %	9299,0677 litre	O
410	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	9306,1828 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM 80	CM 160 LEVEL CM	8243,5391 litre	100,000 %	0,0000 litre	O
410	CM 80	CM 159 LEVEL CM	8236,6373 litre	99,916 %	6,9018 litre	O
410	CM 80	CM 158 LEVEL CM	8224,0545 litre	99,764 %	19,4846 litre	O
410	CM 80	CM 157 LEVEL CM	8207,8113 litre	99,567 %	35,7278 litre	O
410	CM 80	CM 156 LEVEL CM	8188,6371 litre	99,334 %	54,9020 litre	O
410	CM 80	CM 155 LEVEL CM	8166,9577 litre	99,071 %	76,5814 litre	O
410	CM 80	CM 154 LEVEL CM	8143,0631 litre	98,781 %	100,4760 litre	O
410	CM 80	CM 153 LEVEL CM	8117,1686 litre	98,467 %	126,3705 litre	O
410	CM 80	CM 152 LEVEL CM	8089,4423 litre	98,131 %	154,0968 litre	O
410	CM 80	CM 151 LEVEL CM	8060,0212 litre	97,774 %	183,5179 litre	O
410	CM 80	CM 150 LEVEL CM	8029,0194 litre	97,398 %	214,5197 litre	O
410	CM 80	CM 149 LEVEL CM	7996,5344 litre	97,004 %	247,0047 litre	O
410	CM 80	CM 148 LEVEL CM	7962,6511 litre	96,593 %	280,8880 litre	O
410	CM 80	CM 147 LEVEL CM	7927,4439 litre	96,166 %	316,0952 litre	O
410	CM 80	CM 146 LEVEL CM	7890,9795 litre	95,723 %	352,5596 litre	O
410	CM 80	CM 145 LEVEL CM	7853,3175 litre	95,266 %	390,2216 litre	O
410	CM 80	CM 144 LEVEL CM	7814,5122 litre	94,796 %	429,0269 litre	O
410	CM 80	CM 143 LEVEL CM	7774,6133 litre	94,312 %	468,9258 litre	O
410	CM 80	CM 142 LEVEL CM	7733,6663 litre	93,815 %	509,8728 litre	O
410	CM 80	CM 141 LEVEL CM	7691,7135 litre	93,306 %	551,8256 litre	O
410	CM 80	CM 140 LEVEL CM	7648,7941 litre	92,785 %	594,7450 litre	O
410	CM 80	CM 139 LEVEL CM	7604,9447 litre	92,253 %	638,5944 litre	O
410	CM 80	CM 138 LEVEL CM	7560,1997 litre	91,711 %	683,3394 litre	O
410	CM 80	CM 137 LEVEL CM	7514,5913 litre	91,157 %	728,9478 litre	O
410	CM 80	CM 136 LEVEL CM	7468,1502 litre	90,594 %	775,3889 litre	O
410	CM 80	CM 135 LEVEL CM	7420,9051 litre	90,021 %	822,6340 litre	O
410	CM 80	CM 134 LEVEL CM	7372,8837 litre	89,438 %	870,6554 litre	O
410	CM 80	CM 133 LEVEL CM	7324,1120 litre	88,847 %	919,4271 litre	O
410	CM 80	CM 132 LEVEL CM	7274,6149 litre	88,246 %	968,9242 litre	O
410	CM 80	CM 131 LEVEL CM	7224,4164 litre	87,637 %	1019,1227 litre	O
410	CM 80	CM 130 LEVEL CM	7173,5393 litre	87,020 %	1069,9998 litre	O
410	CM 80	CM 129 LEVEL CM	7122,0056 litre	86,395 %	1121,5335 litre	O
410	CM 80	CM 128 LEVEL CM	7069,8365 litre	85,762 %	1173,7026 litre	O
410	CM 80	CM 127 LEVEL CM	7017,0523 litre	85,122 %	1226,4868 litre	O
410	CM 80	CM 126 LEVEL CM	6963,6727 litre	84,474 %	1279,8664 litre	O
410	CM 80	CM 125 LEVEL CM	6909,7168 litre	83,820 %	1333,8223 litre	O
410	CM 80	CM 124 LEVEL CM	6855,2030 litre	83,158 %	1388,3361 litre	O
410	CM 80	CM 123 LEVEL CM	6800,1491 litre	82,491 %	1443,3900 litre	O
410	CM 80	CM 122 LEVEL CM	6744,5724 litre	81,816 %	1498,9667 litre	O
410	CM 80	CM 121 LEVEL CM	6688,4900 litre	81,136 %	1555,0491 litre	O
410	CM 80	CM 120 LEVEL CM	6631,9181 litre	80,450 %	1611,6210 litre	O
410	CM 80	CM 119 LEVEL CM	6574,8727 litre	79,758 %	1668,6664 litre	O
410	CM 80	CM 118 LEVEL CM	6517,3695 litre	79,060 %	1726,1696 litre	O
410	CM 80	CM 117 LEVEL CM	6459,4236 litre	78,357 %	1784,1155 litre	O
410	CM 80	CM 116 LEVEL CM	6401,0499 litre	77,649 %	1842,4892 litre	O
410	CM 80	CM 115 LEVEL CM	6342,2630 litre	76,936 %	1901,2761 litre	O
410	CM 80	CM 114 LEVEL CM	6283,0772 litre	76,218 %	1960,4619 litre	O
410	CM 80	CM 113 LEVEL CM	6223,5063 litre	75,496 %	2020,0328 litre	O
410	CM 80	CM 112 LEVEL CM	6163,5641 litre	74,768 %	2079,9750 litre	O
410	CM 80	CM 111 LEVEL CM	6103,2639 litre	74,037 %	2140,2752 litre	O
410	CM 80	CM 110 LEVEL CM	6042,6191 litre	73,301 %	2200,9200 litre	O
410	CM 80	CM 109 LEVEL CM	5981,6426 litre	72,562 %	2261,8965 litre	O

410	CM	80	CM	108 LEVEL CM	5920,3471 litre	71,818 %	2323,1920 litre	O
410	CM	80	CM	107 LEVEL CM	5858,7452 litre	71,071 %	2384,7939 litre	O
410	CM	80	CM	106 LEVEL CM	5796,8492 litre	70,320 %	2446,6899 litre	O
410	CM	80	CM	105 LEVEL CM	5734,6715 litre	69,566 %	2508,8676 litre	O
410	CM	80	CM	104 LEVEL CM	5672,2240 litre	68,808 %	2571,3151 litre	O
410	CM	80	CM	103 LEVEL CM	5609,5186 litre	68,047 %	2634,0205 litre	O
410	CM	80	CM	102 LEVEL CM	5546,5671 litre	67,284 %	2696,9720 litre	O
410	CM	80	CM	101 LEVEL CM	5483,3810 litre	66,517 %	2760,1581 litre	O
410	CM	80	CM	100 LEVEL CM	5419,9718 litre	65,748 %	2823,5673 litre	O
410	CM	80	CM	99 LEVEL CM	5356,3509 litre	64,976 %	2887,1882 litre	O
410	CM	80	CM	98 LEVEL CM	5292,5295 litre	64,202 %	2951,0096 litre	O
410	CM	80	CM	97 LEVEL CM	5228,5187 litre	63,426 %	3015,0204 litre	O
410	CM	80	CM	96 LEVEL CM	5164,3296 litre	62,647 %	3079,2095 litre	O
410	CM	80	CM	95 LEVEL CM	5099,9731 litre	61,866 %	3143,5660 litre	O
410	CM	80	CM	94 LEVEL CM	5035,4601 litre	61,084 %	3208,0790 litre	O
410	CM	80	CM	93 LEVEL CM	4970,8013 litre	60,299 %	3272,7378 litre	O
410	CM	80	CM	92 LEVEL CM	4906,0075 litre	59,513 %	3337,5316 litre	O
410	CM	80	CM	91 LEVEL CM	4841,0893 litre	58,726 %	3402,4498 litre	O
410	CM	80	CM	90 LEVEL CM	4776,0572 litre	57,937 %	3467,4819 litre	O
410	CM	80	CM	89 LEVEL CM	4710,9218 litre	57,147 %	3532,6173 litre	O
410	CM	80	CM	88 LEVEL CM	4645,6936 litre	56,356 %	3597,8455 litre	O
410	CM	80	CM	87 LEVEL CM	4580,3829 litre	55,563 %	3663,1562 litre	O
410	CM	80	CM	86 LEVEL CM	4515,0002 litre	54,770 %	3728,5389 litre	O
410	CM	80	CM	85 LEVEL CM	4449,5559 litre	53,976 %	3793,9832 litre	O
410	CM	80	CM	84 LEVEL CM	4384,0602 litre	53,182 %	3859,4789 litre	O
410	CM	80	CM	83 LEVEL CM	4318,5234 litre	52,387 %	3925,0157 litre	O
410	CM	80	CM	82 LEVEL CM	4252,9559 litre	51,591 %	3990,5832 litre	O
410	CM	80	CM	81 LEVEL CM	4187,3679 litre	50,796 %	4056,1712 litre	O
410	CM	80	CM	80 LEVEL CM	4121,7696 litre	50,000 %	4121,7695 litre	O
410	CM	80	CM	79 LEVEL CM	4056,1713 litre	49,204 %	4187,3678 litre	O
410	CM	80	CM	78 LEVEL CM	3990,5832 litre	48,409 %	4252,9559 litre	O
410	CM	80	CM	77 LEVEL CM	3925,0157 litre	47,613 %	4318,5234 litre	O
410	CM	80	CM	76 LEVEL CM	3859,4789 litre	46,818 %	4384,0602 litre	O
410	CM	80	CM	75 LEVEL CM	3793,9832 litre	46,024 %	4449,5559 litre	O
410	CM	80	CM	74 LEVEL CM	3728,5389 litre	45,230 %	4515,0002 litre	O
410	CM	80	CM	73 LEVEL CM	3663,1562 litre	44,437 %	4580,3829 litre	O
410	CM	80	CM	72 LEVEL CM	3597,8455 litre	43,644 %	4645,6936 litre	O
410	CM	80	CM	71 LEVEL CM	3532,6173 litre	42,853 %	4710,9218 litre	O
410	CM	80	CM	70 LEVEL CM	3467,4819 litre	42,063 %	4776,0572 litre	O
410	CM	80	CM	69 LEVEL CM	3402,4498 litre	41,274 %	4841,0893 litre	O
410	CM	80	CM	68 LEVEL CM	3337,5316 litre	40,487 %	4906,0075 litre	O
410	CM	80	CM	67 LEVEL CM	3272,7378 litre	39,701 %	4970,8013 litre	O
410	CM	80	CM	66 LEVEL CM	3208,0790 litre	38,916 %	5035,4601 litre	O
410	CM	80	CM	65 LEVEL CM	3143,5660 litre	38,134 %	5099,9731 litre	O
410	CM	80	CM	64 LEVEL CM	3079,2095 litre	37,353 %	5164,3296 litre	O
410	CM	80	CM	63 LEVEL CM	3015,0204 litre	36,574 %	5228,5187 litre	O
410	CM	80	CM	62 LEVEL CM	2951,0096 litre	35,798 %	5292,5295 litre	O
410	CM	80	CM	61 LEVEL CM	2887,1882 litre	35,024 %	5356,3509 litre	O
410	CM	80	CM	60 LEVEL CM	2823,5673 litre	34,252 %	5419,9718 litre	O
410	CM	80	CM	59 LEVEL CM	2760,1581 litre	33,483 %	5483,3810 litre	O
410	CM	80	CM	58 LEVEL CM	2696,9720 litre	32,716 %	5546,5671 litre	O
410	CM	80	CM	57 LEVEL CM	2634,0205 litre	31,953 %	5609,5186 litre	O
410	CM	80	CM	56 LEVEL CM	2571,3151 litre	31,192 %	5672,2240 litre	O

410	CM	80	CM	55 LEVEL CM	2508,8676 litre	30,434 %	5734,6715 litre	O
410	CM	80	CM	54 LEVEL CM	2446,6899 litre	29,680 %	5796,8492 litre	O
410	CM	80	CM	53 LEVEL CM	2384,7940 litre	28,929 %	5858,7451 litre	O
410	CM	80	CM	52 LEVEL CM	2323,1921 litre	28,182 %	5920,3470 litre	O
410	CM	80	CM	51 LEVEL CM	2261,8966 litre	27,438 %	5981,6425 litre	O
410	CM	80	CM	50 LEVEL CM	2200,9200 litre	26,699 %	6042,6191 litre	O
410	CM	80	CM	49 LEVEL CM	2140,2752 litre	25,963 %	6103,2639 litre	O
410	CM	80	CM	48 LEVEL CM	2079,9751 litre	25,232 %	6163,5640 litre	O
410	CM	80	CM	47 LEVEL CM	2020,0328 litre	24,504 %	6223,5063 litre	O
410	CM	80	CM	46 LEVEL CM	1960,4620 litre	23,782 %	6283,0771 litre	O
410	CM	80	CM	45 LEVEL CM	1901,2761 litre	23,064 %	6342,2630 litre	O
410	CM	80	CM	44 LEVEL CM	1842,4892 litre	22,351 %	6401,0499 litre	O
410	CM	80	CM	43 LEVEL CM	1784,1155 litre	21,643 %	6459,4236 litre	O
410	CM	80	CM	42 LEVEL CM	1726,1696 litre	20,940 %	6517,3695 litre	O
410	CM	80	CM	41 LEVEL CM	1668,6664 litre	20,242 %	6574,8727 litre	O
410	CM	80	CM	40 LEVEL CM	1611,6210 litre	19,550 %	6631,9181 litre	O
410	CM	80	CM	39 LEVEL CM	1555,0491 litre	18,864 %	6688,4900 litre	O
410	CM	80	CM	38 LEVEL CM	1498,9667 litre	18,184 %	6744,5724 litre	O
410	CM	80	CM	37 LEVEL CM	1443,3901 litre	17,509 %	6800,1490 litre	O
410	CM	80	CM	36 LEVEL CM	1388,3362 litre	16,842 %	6855,2029 litre	O
410	CM	80	CM	35 LEVEL CM	1333,8223 litre	16,180 %	6909,7168 litre	O
410	CM	80	CM	34 LEVEL CM	1279,8664 litre	15,526 %	6963,6727 litre	O
410	CM	80	CM	33 LEVEL CM	1226,4868 litre	14,878 %	7017,0523 litre	O
410	CM	80	CM	32 LEVEL CM	1173,7027 litre	14,238 %	7069,8364 litre	O
410	CM	80	CM	31 LEVEL CM	1121,5335 litre	13,605 %	7122,0056 litre	O
410	CM	80	CM	30 LEVEL CM	1069,9998 litre	12,980 %	7173,5393 litre	O
410	CM	80	CM	29 LEVEL CM	1019,1227 litre	12,363 %	7224,4164 litre	O
410	CM	80	CM	28 LEVEL CM	968,9242 litre	11,754 %	7274,6149 litre	O
410	CM	80	CM	27 LEVEL CM	919,4272 litre	11,153 %	7324,1119 litre	O
410	CM	80	CM	26 LEVEL CM	870,6554 litre	10,562 %	7372,8837 litre	O
410	CM	80	CM	25 LEVEL CM	822,6340 litre	9,979 %	7420,9051 litre	O
410	CM	80	CM	24 LEVEL CM	775,3890 litre	9,406 %	7468,1501 litre	O
410	CM	80	CM	23 LEVEL CM	728,9478 litre	8,843 %	7514,5913 litre	O
410	CM	80	CM	22 LEVEL CM	683,3395 litre	8,289 %	7560,1996 litre	O
410	CM	80	CM	21 LEVEL CM	638,5944 litre	7,747 %	7604,9447 litre	O
410	CM	80	CM	20 LEVEL CM	594,7450 litre	7,215 %	7648,7941 litre	O
410	CM	80	CM	19 LEVEL CM	551,8256 litre	6,694 %	7691,7135 litre	O
410	CM	80	CM	18 LEVEL CM	509,8728 litre	6,185 %	7733,6663 litre	O
410	CM	80	CM	17 LEVEL CM	468,9258 litre	5,688 %	7774,6133 litre	O
410	CM	80	CM	16 LEVEL CM	429,0269 litre	5,204 %	7814,5122 litre	O
410	CM	80	CM	15 LEVEL CM	390,2217 litre	4,734 %	7853,3174 litre	O
410	CM	80	CM	14 LEVEL CM	352,5597 litre	4,277 %	7890,9794 litre	O
410	CM	80	CM	13 LEVEL CM	316,0952 litre	3,834 %	7927,4439 litre	O
410	CM	80	CM	12 LEVEL CM	280,8880 litre	3,407 %	7962,6511 litre	O
410	CM	80	CM	11 LEVEL CM	247,0047 litre	2,996 %	7996,5344 litre	O
410	CM	80	CM	10 LEVEL CM	214,5198 litre	2,602 %	8029,0193 litre	O
410	CM	80	CM	9 LEVEL CM	183,5179 litre	2,226 %	8060,0212 litre	O
410	CM	80	CM	8 LEVEL CM	154,0968 litre	1,869 %	8089,4423 litre	O
410	CM	80	CM	7 LEVEL CM	126,3706 litre	1,533 %	8117,1685 litre	O
410	CM	80	CM	6 LEVEL CM	100,4760 litre	1,219 %	8143,0631 litre	O
410	CM	80	CM	5 LEVEL CM	76,5815 litre	0,929 %	8166,9576 litre	O
410	CM	80	CM	4 LEVEL CM	54,9020 litre	0,666 %	8188,6371 litre	O
410	CM	80	CM	3 LEVEL CM	35,7278 litre	0,433 %	8207,8113 litre	O

410_80

-1471-

410	CM 80	CM	2 LEVEL CM	19,4846 litre	0,236 %	8224,0545 litre	O
410	CM 80	CM	1 LEVEL CM	6,9019 litre	0,084 %	8236,6372 litre	O
410	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	8243,5391 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
410	CM 75	CM 150 LEVEL CM	7245,2981 litre	100,000 %	0,0000 litre O
410	CM 75	CM 149 LEVEL CM	7238,6162 litre	99,908 %	6,6819 litre O
410	CM 75	CM 148 LEVEL CM	7226,4369 litre	99,740 %	18,8612 litre O
410	CM 75	CM 147 LEVEL CM	7210,7179 litre	99,523 %	34,5802 litre O
410	CM 75	CM 146 LEVEL CM	7192,1664 litre	99,267 %	53,1317 litre O
410	CM 75	CM 145 LEVEL CM	7171,1957 litre	98,977 %	74,1024 litre O
410	CM 75	CM 144 LEVEL CM	7148,0874 litre	98,658 %	97,2107 litre O
410	CM 75	CM 143 LEVEL CM	7123,0506 litre	98,313 %	122,2475 litre O
410	CM 75	CM 142 LEVEL CM	7096,2489 litre	97,943 %	149,0492 litre O
410	CM 75	CM 141 LEVEL CM	7067,8153 litre	97,550 %	177,4828 litre O
410	CM 75	CM 140 LEVEL CM	7037,8612 litre	97,137 %	207,4369 litre O
410	CM 75	CM 139 LEVEL CM	7006,4815 litre	96,704 %	238,8166 litre O
410	CM 75	CM 138 LEVEL CM	6973,7590 litre	96,252 %	271,5391 litre O
410	CM 75	CM 137 LEVEL CM	6939,7663 litre	95,783 %	305,5318 litre O
410	CM 75	CM 136 LEVEL CM	6904,5683 litre	95,297 %	340,7298 litre O
410	CM 75	CM 135 LEVEL CM	6868,2236 litre	94,796 %	377,0745 litre O
410	CM 75	CM 134 LEVEL CM	6830,7852 litre	94,279 %	414,5129 litre O
410	CM 75	CM 133 LEVEL CM	6792,3016 litre	93,748 %	452,9965 litre O
410	CM 75	CM 132 LEVEL CM	6752,8176 litre	93,203 %	492,4805 litre O
410	CM 75	CM 131 LEVEL CM	6712,3744 litre	92,645 %	532,9237 litre O
410	CM 75	CM 130 LEVEL CM	6671,0106 litre	92,074 %	574,2875 litre O
410	CM 75	CM 129 LEVEL CM	6628,7621 litre	91,491 %	616,5360 litre O
410	CM 75	CM 128 LEVEL CM	6585,6626 litre	90,896 %	659,6355 litre O
410	CM 75	CM 127 LEVEL CM	6541,7441 litre	90,290 %	703,5540 litre O
410	CM 75	CM 126 LEVEL CM	6497,0365 litre	89,672 %	748,2616 litre O
410	CM 75	CM 125 LEVEL CM	6451,5683 litre	89,045 %	793,7298 litre O
410	CM 75	CM 124 LEVEL CM	6405,3665 litre	88,407 %	839,9316 litre O
410	CM 75	CM 123 LEVEL CM	6358,4570 litre	87,760 %	886,8411 litre O
410	CM 75	CM 122 LEVEL CM	6310,8644 litre	87,103 %	934,4337 litre O
410	CM 75	CM 121 LEVEL CM	6262,6124 litre	86,437 %	982,6857 litre O
410	CM 75	CM 120 LEVEL CM	6213,7235 litre	85,762 %	1031,5746 litre O
410	CM 75	CM 119 LEVEL CM	6164,2195 litre	85,079 %	1081,0786 litre O
410	CM 75	CM 118 LEVEL CM	6114,1214 litre	84,387 %	1131,1767 litre O
410	CM 75	CM 117 LEVEL CM	6063,4495 litre	83,688 %	1181,8486 litre O
410	CM 75	CM 116 LEVEL CM	6012,2232 litre	82,981 %	1233,0749 litre O
410	CM 75	CM 115 LEVEL CM	5960,4616 litre	82,267 %	1284,8365 litre O
410	CM 75	CM 114 LEVEL CM	5908,1829 litre	81,545 %	1337,1152 litre O
410	CM 75	CM 113 LEVEL CM	5855,4050 litre	80,817 %	1389,8931 litre O
410	CM 75	CM 112 LEVEL CM	5802,1451 litre	80,082 %	1443,1530 litre O
410	CM 75	CM 111 LEVEL CM	5748,4202 litre	79,340 %	1496,8779 litre O
410	CM 75	CM 110 LEVEL CM	5694,2465 litre	78,592 %	1551,0516 litre O
410	CM 75	CM 109 LEVEL CM	5639,6402 litre	77,839 %	1605,6579 litre O
410	CM 75	CM 108 LEVEL CM	5584,6167 litre	77,079 %	1660,6814 litre O
410	CM 75	CM 107 LEVEL CM	5529,1915 litre	76,314 %	1716,1066 litre O
410	CM 75	CM 106 LEVEL CM	5473,3793 litre	75,544 %	1771,9188 litre O
410	CM 75	CM 105 LEVEL CM	5417,1950 litre	74,768 %	1828,1031 litre O
410	CM 75	CM 104 LEVEL CM	5360,6527 litre	73,988 %	1884,6454 litre O
410	CM 75	CM 103 LEVEL CM	5303,7666 litre	73,203 %	1941,5315 litre O
410	CM 75	CM 102 LEVEL CM	5246,5505 litre	72,413 %	1998,7476 litre O
410	CM 75	CM 101 LEVEL CM	5189,0180 litre	71,619 %	2056,2801 litre O
410	CM 75	CM 100 LEVEL CM	5131,1824 litre	70,821 %	2114,1157 litre O
410	CM 75	CM 99 LEVEL CM	5073,0568 litre	70,019 %	2172,2413 litre O

410	CM	75	CM	98 LEVEL CM	5014,6543 litre	69,213 %	2230,6438 litre	O
410	CM	75	CM	97 LEVEL CM	4955,9875 litre	68,403 %	2289,3106 litre	O
410	CM	75	CM	96 LEVEL CM	4897,0692 litre	67,590 %	2348,2289 litre	O
410	CM	75	CM	95 LEVEL CM	4837,9117 litre	66,773 %	2407,3864 litre	O
410	CM	75	CM	94 LEVEL CM	4778,5272 litre	65,953 %	2466,7709 litre	O
410	CM	75	CM	93 LEVEL CM	4718,9281 litre	65,131 %	2526,3700 litre	O
410	CM	75	CM	92 LEVEL CM	4659,1262 litre	64,306 %	2586,1719 litre	O
410	CM	75	CM	91 LEVEL CM	4599,1334 litre	63,477 %	2646,1647 litre	O
410	CM	75	CM	90 LEVEL CM	4538,9616 litre	62,647 %	2706,3365 litre	O
410	CM	75	CM	89 LEVEL CM	4478,6224 litre	61,814 %	2766,6757 litre	O
410	CM	75	CM	88 LEVEL CM	4418,1274 litre	60,979 %	2827,1707 litre	O
410	CM	75	CM	87 LEVEL CM	4357,4880 litre	60,142 %	2887,8101 litre	O
410	CM	75	CM	86 LEVEL CM	4296,7158 litre	59,304 %	2948,5823 litre	O
410	CM	75	CM	85 LEVEL CM	4235,8219 litre	58,463 %	3009,4762 litre	O
410	CM	75	CM	84 LEVEL CM	4174,8177 litre	57,621 %	3070,4804 litre	O
410	CM	75	CM	83 LEVEL CM	4113,7145 litre	56,778 %	3131,5836 litre	O
410	CM	75	CM	82 LEVEL CM	4052,5232 litre	55,933 %	3192,7749 litre	O
410	CM	75	CM	81 LEVEL CM	3991,2550 litre	55,088 %	3254,0431 litre	O
410	CM	75	CM	80 LEVEL CM	3929,9211 litre	54,241 %	3315,3770 litre	O
410	CM	75	CM	79 LEVEL CM	3868,5324 litre	53,394 %	3376,7657 litre	O
410	CM	75	CM	78 LEVEL CM	3807,0998 litre	52,546 %	3438,1983 litre	O
410	CM	75	CM	77 LEVEL CM	3745,6344 litre	51,697 %	3499,6637 litre	O
410	CM	75	CM	76 LEVEL CM	3684,1472 litre	50,849 %	3561,1509 litre	O
410	CM	75	CM	75 LEVEL CM	3622,6490 litre	50,000 %	3622,6491 litre	O
410	CM	75	CM	74 LEVEL CM	3561,1509 litre	49,151 %	3684,1472 litre	O
410	CM	75	CM	73 LEVEL CM	3499,6636 litre	48,303 %	3745,6345 litre	O
410	CM	75	CM	72 LEVEL CM	3438,1982 litre	47,454 %	3807,0999 litre	O
410	CM	75	CM	71 LEVEL CM	3376,7657 litre	46,606 %	3868,5324 litre	O
410	CM	75	CM	70 LEVEL CM	3315,3770 litre	45,759 %	3929,9211 litre	O
410	CM	75	CM	69 LEVEL CM	3254,0430 litre	44,912 %	3991,2551 litre	O
410	CM	75	CM	68 LEVEL CM	3192,7749 litre	44,067 %	4052,5232 litre	O
410	CM	75	CM	67 LEVEL CM	3131,5836 litre	43,222 %	4113,7145 litre	O
410	CM	75	CM	66 LEVEL CM	3070,4803 litre	42,379 %	4174,8178 litre	O
410	CM	75	CM	65 LEVEL CM	3009,4761 litre	41,537 %	4235,8220 litre	O
410	CM	75	CM	64 LEVEL CM	2948,5823 litre	40,696 %	4296,7158 litre	O
410	CM	75	CM	63 LEVEL CM	2887,8100 litre	39,858 %	4357,4881 litre	O
410	CM	75	CM	62 LEVEL CM	2827,1707 litre	39,021 %	4418,1274 litre	O
410	CM	75	CM	61 LEVEL CM	2766,6757 litre	38,186 %	4478,6224 litre	O
410	CM	75	CM	60 LEVEL CM	2706,3365 litre	37,353 %	4538,9616 litre	O
410	CM	75	CM	59 LEVEL CM	2646,1647 litre	36,523 %	4599,1334 litre	O
410	CM	75	CM	58 LEVEL CM	2586,1719 litre	35,694 %	4659,1262 litre	O
410	CM	75	CM	57 LEVEL CM	2526,3700 litre	34,869 %	4718,9281 litre	O
410	CM	75	CM	56 LEVEL CM	2466,7708 litre	34,047 %	4778,5273 litre	O
410	CM	75	CM	55 LEVEL CM	2407,3864 litre	33,227 %	4837,9117 litre	O
410	CM	75	CM	54 LEVEL CM	2348,2289 litre	32,410 %	4897,0692 litre	O
410	CM	75	CM	53 LEVEL CM	2289,3105 litre	31,597 %	4955,9876 litre	O
410	CM	75	CM	52 LEVEL CM	2230,6438 litre	30,787 %	5014,6543 litre	O
410	CM	75	CM	51 LEVEL CM	2172,2413 litre	29,981 %	5073,0568 litre	O
410	CM	75	CM	50 LEVEL CM	2114,1157 litre	29,179 %	5131,1824 litre	O
410	CM	75	CM	49 LEVEL CM	2056,2801 litre	28,381 %	5189,0180 litre	O
410	CM	75	CM	48 LEVEL CM	1998,7475 litre	27,587 %	5246,5506 litre	O
410	CM	75	CM	47 LEVEL CM	1941,5314 litre	26,797 %	5303,7667 litre	O
410	CM	75	CM	46 LEVEL CM	1884,6454 litre	26,012 %	5360,6527 litre	O

410	CM	75	CM	45 LEVEL CM	1828,1031 litre	25,232 %	5417,1950 litre	O
410	CM	75	CM	44 LEVEL CM	1771,9187 litre	24,456 %	5473,3794 litre	O
410	CM	75	CM	43 LEVEL CM	1716,1066 litre	23,686 %	5529,1915 litre	O
410	CM	75	CM	42 LEVEL CM	1660,6813 litre	22,921 %	5584,6168 litre	O
410	CM	75	CM	41 LEVEL CM	1605,6579 litre	22,161 %	5639,6402 litre	O
410	CM	75	CM	40 LEVEL CM	1551,0515 litre	21,408 %	5694,2466 litre	O
410	CM	75	CM	39 LEVEL CM	1496,8779 litre	20,660 %	5748,4202 litre	O
410	CM	75	CM	38 LEVEL CM	1443,1529 litre	19,918 %	5802,1452 litre	O
410	CM	75	CM	37 LEVEL CM	1389,8931 litre	19,183 %	5855,4050 litre	O
410	CM	75	CM	36 LEVEL CM	1337,1151 litre	18,455 %	5908,1830 litre	O
410	CM	75	CM	35 LEVEL CM	1284,8365 litre	17,733 %	5960,4616 litre	O
410	CM	75	CM	34 LEVEL CM	1233,0748 litre	17,019 %	6012,2233 litre	O
410	CM	75	CM	33 LEVEL CM	1181,8486 litre	16,312 %	6063,4495 litre	O
410	CM	75	CM	32 LEVEL CM	1131,1766 litre	15,613 %	6114,1215 litre	O
410	CM	75	CM	31 LEVEL CM	1081,0786 litre	14,921 %	6164,2195 litre	O
410	CM	75	CM	30 LEVEL CM	1031,5746 litre	14,238 %	6213,7235 litre	O
410	CM	75	CM	29 LEVEL CM	982,6857 litre	13,563 %	6262,6124 litre	O
410	CM	75	CM	28 LEVEL CM	934,4336 litre	12,897 %	6310,8645 litre	O
410	CM	75	CM	27 LEVEL CM	886,8410 litre	12,240 %	6358,4571 litre	O
410	CM	75	CM	26 LEVEL CM	839,9315 litre	11,593 %	6405,3666 litre	O
410	CM	75	CM	25 LEVEL CM	793,7298 litre	10,955 %	6451,5683 litre	O
410	CM	75	CM	24 LEVEL CM	748,2616 litre	10,328 %	6497,0365 litre	O
410	CM	75	CM	23 LEVEL CM	703,5539 litre	9,710 %	6541,7442 litre	O
410	CM	75	CM	22 LEVEL CM	659,6354 litre	9,104 %	6585,6627 litre	O
410	CM	75	CM	21 LEVEL CM	616,5360 litre	8,509 %	6628,7621 litre	O
410	CM	75	CM	20 LEVEL CM	574,2875 litre	7,926 %	6671,0106 litre	O
410	CM	75	CM	19 LEVEL CM	532,9237 litre	7,355 %	6712,3744 litre	O
410	CM	75	CM	18 LEVEL CM	492,4805 litre	6,797 %	6752,8176 litre	O
410	CM	75	CM	17 LEVEL CM	452,9964 litre	6,252 %	6792,3017 litre	O
410	CM	75	CM	16 LEVEL CM	414,5128 litre	5,721 %	6830,7853 litre	O
410	CM	75	CM	15 LEVEL CM	377,0744 litre	5,204 %	6868,2237 litre	O
410	CM	75	CM	14 LEVEL CM	340,7297 litre	4,703 %	6904,5684 litre	O
410	CM	75	CM	13 LEVEL CM	305,5318 litre	4,217 %	6939,7663 litre	O
410	CM	75	CM	12 LEVEL CM	271,5391 litre	3,748 %	6973,7590 litre	O
410	CM	75	CM	11 LEVEL CM	238,8165 litre	3,296 %	7006,4816 litre	O
410	CM	75	CM	10 LEVEL CM	207,4369 litre	2,863 %	7037,8612 litre	O
410	CM	75	CM	9 LEVEL CM	177,4827 litre	2,450 %	7067,8154 litre	O
410	CM	75	CM	8 LEVEL CM	149,0492 litre	2,057 %	7096,2489 litre	O
410	CM	75	CM	7 LEVEL CM	122,2475 litre	1,687 %	7123,0506 litre	O
410	CM	75	CM	6 LEVEL CM	97,2106 litre	1,342 %	7148,0875 litre	O
410	CM	75	CM	5 LEVEL CM	74,1023 litre	1,023 %	7171,1958 litre	O
410	CM	75	CM	4 LEVEL CM	53,1316 litre	0,733 %	7192,1665 litre	O
410	CM	75	CM	3 LEVEL CM	34,5802 litre	0,477 %	7210,7179 litre	O
410	CM	75	CM	2 LEVEL CM	18,8612 litre	0,260 %	7226,4369 litre	O
410	CM	75	CM	1 LEVEL CM	6,6819 litre	0,092 %	7238,6162 litre	O
410	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	7245,2981 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
410	CM 70	CM 140 LEVEL CM	6311,4596 litre	100,000 %	0,0000 litre O
410	CM 70	CM 139 LEVEL CM	6305,0053 litre	99,898 %	6,4543 litre O
410	CM 70	CM 138 LEVEL CM	6293,2433 litre	99,711 %	18,2163 litre O
410	CM 70	CM 137 LEVEL CM	6278,0665 litre	99,471 %	33,3931 litre O
410	CM 70	CM 136 LEVEL CM	6260,1595 litre	99,187 %	51,3001 litre O
410	CM 70	CM 135 LEVEL CM	6239,9223 litre	98,867 %	71,5373 litre O
410	CM 70	CM 134 LEVEL CM	6217,6280 litre	98,513 %	93,8316 litre O
410	CM 70	CM 133 LEVEL CM	6193,4793 litre	98,131 %	117,9803 litre O
410	CM 70	CM 132 LEVEL CM	6167,6351 litre	97,721 %	143,8245 litre O
410	CM 70	CM 131 LEVEL CM	6140,2247 litre	97,287 %	171,2349 litre O
410	CM 70	CM 130 LEVEL CM	6111,3563 litre	96,830 %	200,1033 litre O
410	CM 70	CM 129 LEVEL CM	6081,1223 litre	96,350 %	230,3373 litre O
410	CM 70	CM 128 LEVEL CM	6049,6032 litre	95,851 %	261,8564 litre O
410	CM 70	CM 127 LEVEL CM	6016,8700 litre	95,332 %	294,5896 litre O
410	CM 70	CM 126 LEVEL CM	5982,9859 litre	94,796 %	328,4737 litre O
410	CM 70	CM 125 LEVEL CM	5948,0081 litre	94,241 %	363,4515 litre O
410	CM 70	CM 124 LEVEL CM	5911,9883 litre	93,671 %	399,4713 litre O
410	CM 70	CM 123 LEVEL CM	5874,9742 litre	93,084 %	436,4854 litre O
410	CM 70	CM 122 LEVEL CM	5837,0093 litre	92,483 %	474,4503 litre O
410	CM 70	CM 121 LEVEL CM	5798,1343 litre	91,867 %	513,3253 litre O
410	CM 70	CM 120 LEVEL CM	5758,3869 litre	91,237 %	553,0727 litre O
410	CM 70	CM 119 LEVEL CM	5717,8025 litre	90,594 %	593,6571 litre O
410	CM 70	CM 118 LEVEL CM	5676,4141 litre	89,938 %	635,0455 litre O
410	CM 70	CM 117 LEVEL CM	5634,2530 litre	89,270 %	677,2066 litre O
410	CM 70	CM 116 LEVEL CM	5591,3489 litre	88,590 %	720,1107 litre O
410	CM 70	CM 115 LEVEL CM	5547,7298 litre	87,899 %	763,7298 litre O
410	CM 70	CM 114 LEVEL CM	5503,4224 litre	87,197 %	808,0372 litre O
410	CM 70	CM 113 LEVEL CM	5458,4522 litre	86,485 %	853,0074 litre O
410	CM 70	CM 112 LEVEL CM	5412,8435 litre	85,762 %	898,6161 litre O
410	CM 70	CM 111 LEVEL CM	5366,6198 litre	85,030 %	944,8398 litre O
410	CM 70	CM 110 LEVEL CM	5319,8035 litre	84,288 %	991,6561 litre O
410	CM 70	CM 109 LEVEL CM	5272,4161 litre	83,537 %	1039,0435 litre O
410	CM 70	CM 108 LEVEL CM	5224,4784 litre	82,778 %	1086,9812 litre O
410	CM 70	CM 107 LEVEL CM	5176,0107 litre	82,010 %	1135,4489 litre O
410	CM 70	CM 106 LEVEL CM	5127,0324 litre	81,234 %	1184,4272 litre O
410	CM 70	CM 105 LEVEL CM	5077,5623 litre	80,450 %	1233,8973 litre O
410	CM 70	CM 104 LEVEL CM	5027,6187 litre	79,659 %	1283,8409 litre O
410	CM 70	CM 103 LEVEL CM	4977,2194 litre	78,860 %	1334,2402 litre O
410	CM 70	CM 102 LEVEL CM	4926,3818 litre	78,055 %	1385,0778 litre O
410	CM 70	CM 101 LEVEL CM	4875,1226 litre	77,242 %	1436,3370 litre O
410	CM 70	CM 100 LEVEL CM	4823,4584 litre	76,424 %	1488,0012 litre O
410	CM 70	CM 99 LEVEL CM	4771,4052 litre	75,599 %	1540,0544 litre O
410	CM 70	CM 98 LEVEL CM	4718,9787 litre	74,768 %	1592,4809 litre O
410	CM 70	CM 97 LEVEL CM	4666,1943 litre	73,932 %	1645,2653 litre O
410	CM 70	CM 96 LEVEL CM	4613,0671 litre	73,090 %	1698,3925 litre O
410	CM 70	CM 95 LEVEL CM	4559,6118 litre	72,243 %	1751,8478 litre O
410	CM 70	CM 94 LEVEL CM	4505,8430 litre	71,391 %	1805,6166 litre O
410	CM 70	CM 93 LEVEL CM	4451,7749 litre	70,535 %	1859,6847 litre O
410	CM 70	CM 92 LEVEL CM	4397,4214 litre	69,674 %	1914,0382 litre O
410	CM 70	CM 91 LEVEL CM	4342,7965 litre	68,808 %	1968,6631 litre O
410	CM 70	CM 90 LEVEL CM	4287,9137 litre	67,939 %	2023,5459 litre O
410	CM 70	CM 89 LEVEL CM	4232,7864 litre	67,065 %	2078,6732 litre O

410	CM	70	CM	88 LEVEL CM	4177,4278 litre	66,188 %	2134,0318 litre	O
410	CM	70	CM	87 LEVEL CM	4121,8511 litre	65,307 %	2189,6085 litre	O
410	CM	70	CM	86 LEVEL CM	4066,0690 litre	64,424 %	2245,3906 litre	O
410	CM	70	CM	85 LEVEL CM	4010,0944 litre	63,537 %	2301,3652 litre	O
410	CM	70	CM	84 LEVEL CM	3953,9399 litre	62,647 %	2357,5197 litre	O
410	CM	70	CM	83 LEVEL CM	3897,6180 litre	61,755 %	2413,8416 litre	O
410	CM	70	CM	82 LEVEL CM	3841,1411 litre	60,860 %	2470,3185 litre	O
410	CM	70	CM	81 LEVEL CM	3784,5215 litre	59,963 %	2526,9381 litre	O
410	CM	70	CM	80 LEVEL CM	3727,7714 litre	59,064 %	2583,6882 litre	O
410	CM	70	CM	79 LEVEL CM	3670,9030 litre	58,163 %	2640,5566 litre	O
410	CM	70	CM	78 LEVEL CM	3613,9282 litre	57,260 %	2697,5314 litre	O
410	CM	70	CM	77 LEVEL CM	3556,8591 litre	56,356 %	2754,6005 litre	O
410	CM	70	CM	76 LEVEL CM	3499,7076 litre	55,450 %	2811,7520 litre	O
410	CM	70	CM	75 LEVEL CM	3442,4856 litre	54,543 %	2868,9740 litre	O
410	CM	70	CM	74 LEVEL CM	3385,2048 litre	53,636 %	2926,2548 litre	O
410	CM	70	CM	73 LEVEL CM	3327,8771 litre	52,728 %	2983,5825 litre	O
410	CM	70	CM	72 LEVEL CM	3270,5142 litre	51,819 %	3040,9454 litre	O
410	CM	70	CM	71 LEVEL CM	3213,1279 litre	50,909 %	3098,3317 litre	O
410	CM	70	CM	70 LEVEL CM	3155,7298 litre	50,000 %	3155,7298 litre	O
410	CM	70	CM	69 LEVEL CM	3098,3318 litre	49,091 %	3213,1278 litre	O
410	CM	70	CM	68 LEVEL CM	3040,9454 litre	48,181 %	3270,5142 litre	O
410	CM	70	CM	67 LEVEL CM	2983,5825 litre	47,272 %	3327,8771 litre	O
410	CM	70	CM	66 LEVEL CM	2926,2548 litre	46,364 %	3385,2048 litre	O
410	CM	70	CM	65 LEVEL CM	2868,9741 litre	45,457 %	3442,4855 litre	O
410	CM	70	CM	64 LEVEL CM	2811,7520 litre	44,550 %	3499,7076 litre	O
410	CM	70	CM	63 LEVEL CM	2754,6005 litre	43,644 %	3556,8591 litre	O
410	CM	70	CM	62 LEVEL CM	2697,5314 litre	42,740 %	3613,9282 litre	O
410	CM	70	CM	61 LEVEL CM	2640,5567 litre	41,837 %	3670,9029 litre	O
410	CM	70	CM	60 LEVEL CM	2583,6882 litre	40,936 %	3727,7714 litre	O
410	CM	70	CM	59 LEVEL CM	2526,9382 litre	40,037 %	3784,5214 litre	O
410	CM	70	CM	58 LEVEL CM	2470,3186 litre	39,140 %	3841,1410 litre	O
410	CM	70	CM	57 LEVEL CM	2413,8417 litre	38,245 %	3897,6179 litre	O
410	CM	70	CM	56 LEVEL CM	2357,5198 litre	37,353 %	3953,9398 litre	O
410	CM	70	CM	55 LEVEL CM	2301,3653 litre	36,463 %	4010,0943 litre	O
410	CM	70	CM	54 LEVEL CM	2245,3906 litre	35,576 %	4066,0690 litre	O
410	CM	70	CM	53 LEVEL CM	2189,6086 litre	34,693 %	4121,8510 litre	O
410	CM	70	CM	52 LEVEL CM	2134,0318 litre	33,812 %	4177,4278 litre	O
410	CM	70	CM	51 LEVEL CM	2078,6732 litre	32,935 %	4232,7864 litre	O
410	CM	70	CM	50 LEVEL CM	2023,5459 litre	32,061 %	4287,9137 litre	O
410	CM	70	CM	49 LEVEL CM	1968,6631 litre	31,192 %	4342,7965 litre	O
410	CM	70	CM	48 LEVEL CM	1914,0382 litre	30,326 %	4397,4214 litre	O
410	CM	70	CM	47 LEVEL CM	1859,6848 litre	29,465 %	4451,7748 litre	O
410	CM	70	CM	46 LEVEL CM	1805,6166 litre	28,609 %	4505,8430 litre	O
410	CM	70	CM	45 LEVEL CM	1751,8478 litre	27,757 %	4559,6118 litre	O
410	CM	70	CM	44 LEVEL CM	1698,3925 litre	26,910 %	4613,0671 litre	O
410	CM	70	CM	43 LEVEL CM	1645,2653 litre	26,068 %	4666,1943 litre	O
410	CM	70	CM	42 LEVEL CM	1592,4809 litre	25,232 %	4718,9787 litre	O
410	CM	70	CM	41 LEVEL CM	1540,0544 litre	24,401 %	4771,4052 litre	O
410	CM	70	CM	40 LEVEL CM	1488,0012 litre	23,576 %	4823,4584 litre	O
410	CM	70	CM	39 LEVEL CM	1436,3370 litre	22,758 %	4875,1226 litre	O
410	CM	70	CM	38 LEVEL CM	1385,0779 litre	21,945 %	4926,3817 litre	O
410	CM	70	CM	37 LEVEL CM	1334,2402 litre	21,140 %	4977,2194 litre	O
410	CM	70	CM	36 LEVEL CM	1283,8409 litre	20,341 %	5027,6187 litre	O

410	CM	70	CM	35 LEVEL CM	1233,8974 litre	19,550 %	5077,5622 litre	O
410	CM	70	CM	34 LEVEL CM	1184,4272 litre	18,766 %	5127,0324 litre	O
410	CM	70	CM	33 LEVEL CM	1135,4489 litre	17,990 %	5176,0107 litre	O
410	CM	70	CM	32 LEVEL CM	1086,9812 litre	17,222 %	5224,4784 litre	O
410	CM	70	CM	31 LEVEL CM	1039,0436 litre	16,463 %	5272,4160 litre	O
410	CM	70	CM	30 LEVEL CM	991,6562 litre	15,712 %	5319,8034 litre	O
410	CM	70	CM	29 LEVEL CM	944,8398 litre	14,970 %	5366,6198 litre	O
410	CM	70	CM	28 LEVEL CM	898,6161 litre	14,238 %	5412,8435 litre	O
410	CM	70	CM	27 LEVEL CM	853,0074 litre	13,515 %	5458,4522 litre	O
410	CM	70	CM	26 LEVEL CM	808,0372 litre	12,803 %	5503,4224 litre	O
410	CM	70	CM	25 LEVEL CM	763,7298 litre	12,101 %	5547,7298 litre	O
410	CM	70	CM	24 LEVEL CM	720,1107 litre	11,410 %	5591,3489 litre	O
410	CM	70	CM	23 LEVEL CM	677,2066 litre	10,730 %	5634,2530 litre	O
410	CM	70	CM	22 LEVEL CM	635,0456 litre	10,062 %	5676,4140 litre	O
410	CM	70	CM	21 LEVEL CM	593,6572 litre	9,406 %	5717,8024 litre	O
410	CM	70	CM	20 LEVEL CM	553,0727 litre	8,763 %	5758,3869 litre	O
410	CM	70	CM	19 LEVEL CM	513,3253 litre	8,133 %	5798,1343 litre	O
410	CM	70	CM	18 LEVEL CM	474,4503 litre	7,517 %	5837,0093 litre	O
410	CM	70	CM	17 LEVEL CM	436,4855 litre	6,916 %	5874,9741 litre	O
410	CM	70	CM	16 LEVEL CM	399,4713 litre	6,329 %	5911,9883 litre	O
410	CM	70	CM	15 LEVEL CM	363,4516 litre	5,759 %	5948,0080 litre	O
410	CM	70	CM	14 LEVEL CM	328,4737 litre	5,204 %	5982,9859 litre	O
410	CM	70	CM	13 LEVEL CM	294,5897 litre	4,668 %	6016,8699 litre	O
410	CM	70	CM	12 LEVEL CM	261,8564 litre	4,149 %	6049,6032 litre	O
410	CM	70	CM	11 LEVEL CM	230,3373 litre	3,650 %	6081,1223 litre	O
410	CM	70	CM	10 LEVEL CM	200,1033 litre	3,170 %	6111,3563 litre	O
410	CM	70	CM	9 LEVEL CM	171,2349 litre	2,713 %	6140,2247 litre	O
410	CM	70	CM	8 LEVEL CM	143,8245 litre	2,279 %	6167,6351 litre	O
410	CM	70	CM	7 LEVEL CM	117,9803 litre	1,869 %	6193,4793 litre	O
410	CM	70	CM	6 LEVEL CM	93,8317 litre	1,487 %	6217,6279 litre	O
410	CM	70	CM	5 LEVEL CM	71,5374 litre	1,133 %	6239,9222 litre	O
410	CM	70	CM	4 LEVEL CM	51,3002 litre	0,813 %	6260,1594 litre	O
410	CM	70	CM	3 LEVEL CM	33,3931 litre	0,529 %	6278,0665 litre	O
410	CM	70	CM	2 LEVEL CM	18,2164 litre	0,289 %	6293,2432 litre	O
410	CM	70	CM	1 LEVEL CM	6,4544 litre	0,102 %	6305,0052 litre	O
410	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	6311,4596 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM	65	CM 130 LEVEL CM	5442,0239 litre	100,000 %	0,0000 litre	O
410	CM	65	CM 129 LEVEL CM	5435,8053 litre	99,886 %	6,2186 litre	O
410	CM	65	CM 128 LEVEL CM	5424,4760 litre	99,678 %	17,5479 litre	O
410	CM	65	CM 127 LEVEL CM	5409,8616 litre	99,409 %	32,1623 litre	O
410	CM	65	CM 126 LEVEL CM	5392,6230 litre	99,092 %	49,4009 litre	O
410	CM	65	CM 125 LEVEL CM	5373,1470 litre	98,734 %	68,8769 litre	O
410	CM	65	CM 124 LEVEL CM	5351,6975 litre	98,340 %	90,3264 litre	O
410	CM	65	CM 123 LEVEL CM	5328,4709 litre	97,913 %	113,5530 litre	O
410	CM	65	CM 122 LEVEL CM	5303,6212 litre	97,457 %	138,4027 litre	O
410	CM	65	CM 121 LEVEL CM	5277,2736 litre	96,973 %	164,7503 litre	O
410	CM	65	CM 120 LEVEL CM	5249,5334 litre	96,463 %	192,4905 litre	O
410	CM	65	CM 119 LEVEL CM	5220,4902 litre	95,929 %	221,5337 litre	O
410	CM	65	CM 118 LEVEL CM	5190,2224 litre	95,373 %	251,8015 litre	O
410	CM	65	CM 117 LEVEL CM	5158,7991 litre	94,796 %	283,2248 litre	O
410	CM	65	CM 116 LEVEL CM	5126,2819 litre	94,198 %	315,7420 litre	O
410	CM	65	CM 115 LEVEL CM	5092,7266 litre	93,581 %	349,2973 litre	O
410	CM	65	CM 114 LEVEL CM	5058,1837 litre	92,947 %	383,8402 litre	O
410	CM	65	CM 113 LEVEL CM	5022,6998 litre	92,295 %	419,3241 litre	O
410	CM	65	CM 112 LEVEL CM	4986,3175 litre	91,626 %	455,7064 litre	O
410	CM	65	CM 111 LEVEL CM	4949,0767 litre	90,942 %	492,9472 litre	O
410	CM	65	CM 110 LEVEL CM	4911,0143 litre	90,242 %	531,0096 litre	O
410	CM	65	CM 109 LEVEL CM	4872,1651 litre	89,529 %	569,8588 litre	O
410	CM	65	CM 108 LEVEL CM	4832,5616 litre	88,801 %	609,4623 litre	O
410	CM	65	CM 107 LEVEL CM	4792,2345 litre	88,060 %	649,7894 litre	O
410	CM	65	CM 106 LEVEL CM	4751,2131 litre	87,306 %	690,8108 litre	O
410	CM	65	CM 105 LEVEL CM	4709,5251 litre	86,540 %	732,4988 litre	O
410	CM	65	CM 104 LEVEL CM	4667,1967 litre	85,762 %	774,8272 litre	O
410	CM	65	CM 103 LEVEL CM	4624,2533 litre	84,973 %	817,7706 litre	O
410	CM	65	CM 102 LEVEL CM	4580,7189 litre	84,173 %	861,3050 litre	O
410	CM	65	CM 101 LEVEL CM	4536,6167 litre	83,363 %	905,4072 litre	O
410	CM	65	CM 100 LEVEL CM	4491,9690 litre	82,542 %	950,0549 litre	O
410	CM	65	CM 99 LEVEL CM	4446,7972 litre	81,712 %	995,2267 litre	O
410	CM	65	CM 98 LEVEL CM	4401,1222 litre	80,873 %	1040,9017 litre	O
410	CM	65	CM 97 LEVEL CM	4354,9638 litre	80,025 %	1087,0601 litre	O
410	CM	65	CM 96 LEVEL CM	4308,3416 litre	79,168 %	1133,6823 litre	O
410	CM	65	CM 95 LEVEL CM	4261,2745 litre	78,303 %	1180,7494 litre	O
410	CM	65	CM 94 LEVEL CM	4213,7806 litre	77,430 %	1228,2433 litre	O
410	CM	65	CM 93 LEVEL CM	4165,8780 litre	76,550 %	1276,1459 litre	O
410	CM	65	CM 92 LEVEL CM	4117,5839 litre	75,663 %	1324,4400 litre	O
410	CM	65	CM 91 LEVEL CM	4068,9153 litre	74,768 %	1373,1086 litre	O
410	CM	65	CM 90 LEVEL CM	4019,8889 litre	73,868 %	1422,1350 litre	O
410	CM	65	CM 89 LEVEL CM	3970,5207 litre	72,960 %	1471,5032 litre	O
410	CM	65	CM 88 LEVEL CM	3920,8267 litre	72,047 %	1521,1972 litre	O
410	CM	65	CM 87 LEVEL CM	3870,8225 litre	71,128 %	1571,2014 litre	O
410	CM	65	CM 86 LEVEL CM	3820,5232 litre	70,204 %	1621,5007 litre	O
410	CM	65	CM 85 LEVEL CM	3769,9441 litre	69,275 %	1672,0798 litre	O
410	CM	65	CM 84 LEVEL CM	3719,0997 litre	68,340 %	1722,9242 litre	O
410	CM	65	CM 83 LEVEL CM	3668,0047 litre	67,401 %	1774,0192 litre	O
410	CM	65	CM 82 LEVEL CM	3616,6734 litre	66,458 %	1825,3505 litre	O
410	CM	65	CM 81 LEVEL CM	3565,1198 litre	65,511 %	1876,9041 litre	O
410	CM	65	CM 80 LEVEL CM	3513,3580 litre	64,560 %	1928,6659 litre	O
410	CM	65	CM 79 LEVEL CM	3461,4017 litre	63,605 %	1980,6222 litre	O

410	CM	65	CM	78 LEVEL CM	3409,2645 litre	62,647 %	2032,7594 litre	O
410	CM	65	CM	77 LEVEL CM	3356,9599 litre	61,686 %	2085,0640 litre	O
410	CM	65	CM	76 LEVEL CM	3304,5013 litre	60,722 %	2137,5226 litre	O
410	CM	65	CM	75 LEVEL CM	3251,9018 litre	59,755 %	2190,1221 litre	O
410	CM	65	CM	74 LEVEL CM	3199,1747 litre	58,786 %	2242,8492 litre	O
410	CM	65	CM	73 LEVEL CM	3146,3330 litre	57,815 %	2295,6909 litre	O
410	CM	65	CM	72 LEVEL CM	3093,3895 litre	56,843 %	2348,6344 litre	O
410	CM	65	CM	71 LEVEL CM	3040,3572 litre	55,868 %	2401,6667 litre	O
410	CM	65	CM	70 LEVEL CM	2987,2489 litre	54,892 %	2454,7750 litre	O
410	CM	65	CM	69 LEVEL CM	2934,0773 litre	53,915 %	2507,9466 litre	O
410	CM	65	CM	68 LEVEL CM	2880,8551 litre	52,937 %	2561,1688 litre	O
410	CM	65	CM	67 LEVEL CM	2827,5951 litre	51,959 %	2614,4288 litre	O
410	CM	65	CM	66 LEVEL CM	2774,3098 litre	50,979 %	2667,7141 litre	O
410	CM	65	CM	65 LEVEL CM	2721,0119 litre	50,000 %	2721,0120 litre	O
410	CM	65	CM	64 LEVEL CM	2667,7140 litre	49,021 %	2774,3099 litre	O
410	CM	65	CM	63 LEVEL CM	2614,4288 litre	48,041 %	2827,5951 litre	O
410	CM	65	CM	62 LEVEL CM	2561,1687 litre	47,063 %	2880,8552 litre	O
410	CM	65	CM	61 LEVEL CM	2507,9466 litre	46,085 %	2934,0773 litre	O
410	CM	65	CM	60 LEVEL CM	2454,7750 litre	45,108 %	2987,2489 litre	O
410	CM	65	CM	59 LEVEL CM	2401,6667 litre	44,132 %	3040,3572 litre	O
410	CM	65	CM	58 LEVEL CM	2348,6344 litre	43,157 %	3093,3895 litre	O
410	CM	65	CM	57 LEVEL CM	2295,6909 litre	42,185 %	3146,3330 litre	O
410	CM	65	CM	56 LEVEL CM	2242,8491 litre	41,214 %	3199,1748 litre	O
410	CM	65	CM	55 LEVEL CM	2190,1220 litre	40,245 %	3251,9019 litre	O
410	CM	65	CM	54 LEVEL CM	2137,5226 litre	39,278 %	3304,5013 litre	O
410	CM	65	CM	53 LEVEL CM	2085,0640 litre	38,314 %	3356,9599 litre	O
410	CM	65	CM	52 LEVEL CM	2032,7594 litre	37,353 %	3409,2645 litre	O
410	CM	65	CM	51 LEVEL CM	1980,6222 litre	36,395 %	3461,4017 litre	O
410	CM	65	CM	50 LEVEL CM	1928,6659 litre	35,440 %	3513,3580 litre	O
410	CM	65	CM	49 LEVEL CM	1876,9041 litre	34,489 %	3565,1198 litre	O
410	CM	65	CM	48 LEVEL CM	1825,3505 litre	33,542 %	3616,6734 litre	O
410	CM	65	CM	47 LEVEL CM	1774,0192 litre	32,599 %	3668,0047 litre	O
410	CM	65	CM	46 LEVEL CM	1722,9241 litre	31,660 %	3719,0998 litre	O
410	CM	65	CM	45 LEVEL CM	1672,0798 litre	30,725 %	3769,9441 litre	O
410	CM	65	CM	44 LEVEL CM	1621,5006 litre	29,796 %	3820,5233 litre	O
410	CM	65	CM	43 LEVEL CM	1571,2014 litre	28,872 %	3870,8225 litre	O
410	CM	65	CM	42 LEVEL CM	1521,1972 litre	27,953 %	3920,8267 litre	O
410	CM	65	CM	41 LEVEL CM	1471,5032 litre	27,040 %	3970,5207 litre	O
410	CM	65	CM	40 LEVEL CM	1422,1350 litre	26,132 %	4019,8889 litre	O
410	CM	65	CM	39 LEVEL CM	1373,1085 litre	25,232 %	4068,9154 litre	O
410	CM	65	CM	38 LEVEL CM	1324,4400 litre	24,337 %	4117,5839 litre	O
410	CM	65	CM	37 LEVEL CM	1276,1459 litre	23,450 %	4165,8780 litre	O
410	CM	65	CM	36 LEVEL CM	1228,2432 litre	22,570 %	4213,7807 litre	O
410	CM	65	CM	35 LEVEL CM	1180,7494 litre	21,697 %	4261,2745 litre	O
410	CM	65	CM	34 LEVEL CM	1133,6822 litre	20,832 %	4308,3417 litre	O
410	CM	65	CM	33 LEVEL CM	1087,0601 litre	19,975 %	4354,9638 litre	O
410	CM	65	CM	32 LEVEL CM	1040,9017 litre	19,127 %	4401,1222 litre	O
410	CM	65	CM	31 LEVEL CM	995,2266 litre	18,288 %	4446,7973 litre	O
410	CM	65	CM	30 LEVEL CM	950,0549 litre	17,458 %	4491,9690 litre	O
410	CM	65	CM	29 LEVEL CM	905,4072 litre	16,637 %	4536,6167 litre	O
410	CM	65	CM	28 LEVEL CM	861,3050 litre	15,827 %	4580,7189 litre	O
410	CM	65	CM	27 LEVEL CM	817,7706 litre	15,027 %	4624,2533 litre	O
410	CM	65	CM	26 LEVEL CM	774,8271 litre	14,238 %	4667,1968 litre	O

410	CM	65	CM	25 LEVEL CM	732,4988 litre	13,460 %	4709,5251 litre	O
410	CM	65	CM	24 LEVEL CM	690,8107 litre	12,694 %	4751,2132 litre	O
410	CM	65	CM	23 LEVEL CM	649,7893 litre	11,940 %	4792,2346 litre	O
410	CM	65	CM	22 LEVEL CM	609,4623 litre	11,199 %	4832,5616 litre	O
410	CM	65	CM	21 LEVEL CM	569,8588 litre	10,471 %	4872,1651 litre	O
410	CM	65	CM	20 LEVEL CM	531,0095 litre	9,758 %	4911,0144 litre	O
410	CM	65	CM	19 LEVEL CM	492,9472 litre	9,058 %	4949,0767 litre	O
410	CM	65	CM	18 LEVEL CM	455,7063 litre	8,374 %	4986,3176 litre	O
410	CM	65	CM	17 LEVEL CM	419,3241 litre	7,705 %	5022,6998 litre	O
410	CM	65	CM	16 LEVEL CM	383,8402 litre	7,053 %	5058,1837 litre	O
410	CM	65	CM	15 LEVEL CM	349,2973 litre	6,419 %	5092,7266 litre	O
410	CM	65	CM	14 LEVEL CM	315,7420 litre	5,802 %	5126,2819 litre	O
410	CM	65	CM	13 LEVEL CM	283,2248 litre	5,204 %	5158,7991 litre	O
410	CM	65	CM	12 LEVEL CM	251,8015 litre	4,627 %	5190,2224 litre	O
410	CM	65	CM	11 LEVEL CM	221,5337 litre	4,071 %	5220,4902 litre	O
410	CM	65	CM	10 LEVEL CM	192,4905 litre	3,537 %	5249,5334 litre	O
410	CM	65	CM	9 LEVEL CM	164,7502 litre	3,027 %	5277,2737 litre	O
410	CM	65	CM	8 LEVEL CM	138,4027 litre	2,543 %	5303,6212 litre	O
410	CM	65	CM	7 LEVEL CM	113,5530 litre	2,087 %	5328,4709 litre	O
410	CM	65	CM	6 LEVEL CM	90,3264 litre	1,660 %	5351,6975 litre	O
410	CM	65	CM	5 LEVEL CM	68,8769 litre	1,266 %	5373,1470 litre	O
410	CM	65	CM	4 LEVEL CM	49,4008 litre	0,908 %	5392,6231 litre	O
410	CM	65	CM	3 LEVEL CM	32,1623 litre	0,591 %	5409,8616 litre	O
410	CM	65	CM	2 LEVEL CM	17,5479 litre	0,322 %	5424,4760 litre	O
410	CM	65	CM	1 LEVEL CM	6,2186 litre	0,114 %	5435,8053 litre	O
410	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	5442,0239 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM	60	CM 120 LEVEL CM	4636,9908 litre	100,000 %	0,0000 litre	O
410	CM	60	CM 119 LEVEL CM	4631,0173 litre	99,871 %	5,9735 litre	O
410	CM	60	CM 118 LEVEL CM	4620,1379 litre	99,637 %	16,8529 litre	O
410	CM	60	CM 117 LEVEL CM	4606,1084 litre	99,334 %	30,8824 litre	O
410	CM	60	CM 116 LEVEL CM	4589,5653 litre	98,977 %	47,4255 litre	O
410	CM	60	CM 115 LEVEL CM	4570,8813 litre	98,574 %	66,1095 litre	O
410	CM	60	CM 114 LEVEL CM	4550,3113 litre	98,131 %	86,6795 litre	O
410	CM	60	CM 113 LEVEL CM	4528,0450 litre	97,651 %	108,9458 litre	O
410	CM	60	CM 112 LEVEL CM	4504,2312 litre	97,137 %	132,7596 litre	O
410	CM	60	CM 111 LEVEL CM	4478,9912 litre	96,593 %	157,9996 litre	O
410	CM	60	CM 110 LEVEL CM	4452,4270 litre	96,020 %	184,5638 litre	O
410	CM	60	CM 109 LEVEL CM	4424,6256 litre	95,420 %	212,3652 litre	O
410	CM	60	CM 108 LEVEL CM	4395,6631 litre	94,796 %	241,3277 litre	O
410	CM	60	CM 107 LEVEL CM	4365,6067 litre	94,147 %	271,3841 litre	O
410	CM	60	CM 106 LEVEL CM	4334,5165 litre	93,477 %	302,4743 litre	O
410	CM	60	CM 105 LEVEL CM	4302,4467 litre	92,785 %	334,5441 litre	O
410	CM	60	CM 104 LEVEL CM	4269,4468 litre	92,074 %	367,5440 litre	O
410	CM	60	CM 103 LEVEL CM	4235,5621 litre	91,343 %	401,4287 litre	O
410	CM	60	CM 102 LEVEL CM	4200,8345 litre	90,594 %	436,1563 litre	O
410	CM	60	CM 101 LEVEL CM	4165,3029 litre	89,828 %	471,6879 litre	O
410	CM	60	CM 100 LEVEL CM	4129,0037 litre	89,045 %	507,9871 litre	O
410	CM	60	CM 99 LEVEL CM	4091,9709 litre	88,246 %	545,0199 litre	O
410	CM	60	CM 98 LEVEL CM	4054,2366 litre	87,432 %	582,7542 litre	O
410	CM	60	CM 97 LEVEL CM	4015,8310 litre	86,604 %	621,1598 litre	O
410	CM	60	CM 96 LEVEL CM	3976,7830 litre	85,762 %	660,2078 litre	O
410	CM	60	CM 95 LEVEL CM	3937,1199 litre	84,907 %	699,8709 litre	O
410	CM	60	CM 94 LEVEL CM	3896,8678 litre	84,039 %	740,1230 litre	O
410	CM	60	CM 93 LEVEL CM	3856,0517 litre	83,158 %	780,9391 litre	O
410	CM	60	CM 92 LEVEL CM	3814,6954 litre	82,267 %	822,2954 litre	O
410	CM	60	CM 91 LEVEL CM	3772,8221 litre	81,364 %	864,1687 litre	O
410	CM	60	CM 90 LEVEL CM	3730,4539 litre	80,450 %	906,5369 litre	O
410	CM	60	CM 89 LEVEL CM	3687,6122 litre	79,526 %	949,3786 litre	O
410	CM	60	CM 88 LEVEL CM	3644,3178 litre	78,592 %	992,6730 litre	O
410	CM	60	CM 87 LEVEL CM	3600,5906 litre	77,649 %	1036,4002 litre	O
410	CM	60	CM 86 LEVEL CM	3556,4502 litre	76,697 %	1080,5406 litre	O
410	CM	60	CM 85 LEVEL CM	3511,9154 litre	75,737 %	1125,0754 litre	O
410	CM	60	CM 84 LEVEL CM	3467,0048 litre	74,768 %	1169,9860 litre	O
410	CM	60	CM 83 LEVEL CM	3421,7362 litre	73,792 %	1215,2546 litre	O
410	CM	60	CM 82 LEVEL CM	3376,1273 litre	72,809 %	1260,8635 litre	O
410	CM	60	CM 81 LEVEL CM	3330,1952 litre	71,818 %	1306,7956 litre	O
410	CM	60	CM 80 LEVEL CM	3283,9567 litre	70,821 %	1353,0341 litre	O
410	CM	60	CM 79 LEVEL CM	3237,4282 litre	69,817 %	1399,5626 litre	O
410	CM	60	CM 78 LEVEL CM	3190,6260 litre	68,808 %	1446,3648 litre	O
410	CM	60	CM 77 LEVEL CM	3143,5659 litre	67,793 %	1493,4249 litre	O
410	CM	60	CM 76 LEVEL CM	3096,2635 litre	66,773 %	1540,7273 litre	O
410	CM	60	CM 75 LEVEL CM	3048,7341 litre	65,748 %	1588,2567 litre	O
410	CM	60	CM 74 LEVEL CM	3000,9931 litre	64,719 %	1635,9977 litre	O
410	CM	60	CM 73 LEVEL CM	2953,0553 litre	63,685 %	1683,9355 litre	O
410	CM	60	CM 72 LEVEL CM	2904,9354 litre	62,647 %	1732,0554 litre	O
410	CM	60	CM 71 LEVEL CM	2856,6482 litre	61,606 %	1780,3426 litre	O
410	CM	60	CM 70 LEVEL CM	2808,2080 litre	60,561 %	1828,7828 litre	O
410	CM	60	CM 69 LEVEL CM	2759,6292 litre	59,513 %	1877,3616 litre	O

410	CM	60	CM	68 LEVEL CM	2710,9260 litre	58,463 %	1926,0648 litre	O
410	CM	60	CM	67 LEVEL CM	2662,1125 litre	57,410 %	1974,8783 litre	O
410	CM	60	CM	66 LEVEL CM	2613,2026 litre	56,356 %	2023,7882 litre	O
410	CM	60	CM	65 LEVEL CM	2564,2104 litre	55,299 %	2072,7804 litre	O
410	CM	60	CM	64 LEVEL CM	2515,1495 litre	54,241 %	2121,8413 litre	O
410	CM	60	CM	63 LEVEL CM	2466,0339 litre	53,182 %	2170,9569 litre	O
410	CM	60	CM	62 LEVEL CM	2416,8772 litre	52,122 %	2220,1136 litre	O
410	CM	60	CM	61 LEVEL CM	2367,6931 litre	51,061 %	2269,2977 litre	O
410	CM	60	CM	60 LEVEL CM	2318,4954 litre	50,000 %	2318,4954 litre	O
410	CM	60	CM	59 LEVEL CM	2269,2977 litre	48,939 %	2367,6931 litre	O
410	CM	60	CM	58 LEVEL CM	2220,1136 litre	47,878 %	2416,8772 litre	O
410	CM	60	CM	57 LEVEL CM	2170,9569 litre	46,818 %	2466,0339 litre	O
410	CM	60	CM	56 LEVEL CM	2121,8413 litre	45,759 %	2515,1495 litre	O
410	CM	60	CM	55 LEVEL CM	2072,7804 litre	44,701 %	2564,2104 litre	O
410	CM	60	CM	54 LEVEL CM	2023,7881 litre	43,644 %	2613,2027 litre	O
410	CM	60	CM	53 LEVEL CM	1974,8783 litre	42,590 %	2662,1125 litre	O
410	CM	60	CM	52 LEVEL CM	1926,0647 litre	41,537 %	2710,9261 litre	O
410	CM	60	CM	51 LEVEL CM	1877,3615 litre	40,487 %	2759,6293 litre	O
410	CM	60	CM	50 LEVEL CM	1828,7827 litre	39,439 %	2808,2081 litre	O
410	CM	60	CM	49 LEVEL CM	1780,3426 litre	38,394 %	2856,6482 litre	O
410	CM	60	CM	48 LEVEL CM	1732,0553 litre	37,353 %	2904,9355 litre	O
410	CM	60	CM	47 LEVEL CM	1683,9355 litre	36,315 %	2953,0553 litre	O
410	CM	60	CM	46 LEVEL CM	1635,9977 litre	35,281 %	3000,9931 litre	O
410	CM	60	CM	45 LEVEL CM	1588,2566 litre	34,252 %	3048,7342 litre	O
410	CM	60	CM	44 LEVEL CM	1540,7273 litre	33,227 %	3096,2635 litre	O
410	CM	60	CM	43 LEVEL CM	1493,4249 litre	32,207 %	3143,5659 litre	O
410	CM	60	CM	42 LEVEL CM	1446,3647 litre	31,192 %	3190,6261 litre	O
410	CM	60	CM	41 LEVEL CM	1399,5625 litre	30,183 %	3237,4283 litre	O
410	CM	60	CM	40 LEVEL CM	1353,0341 litre	29,179 %	3283,9567 litre	O
410	CM	60	CM	39 LEVEL CM	1306,7955 litre	28,182 %	3330,1953 litre	O
410	CM	60	CM	38 LEVEL CM	1260,8634 litre	27,191 %	3376,1274 litre	O
410	CM	60	CM	37 LEVEL CM	1215,2545 litre	26,208 %	3421,7363 litre	O
410	CM	60	CM	36 LEVEL CM	1169,9860 litre	25,232 %	3467,0048 litre	O
410	CM	60	CM	35 LEVEL CM	1125,0753 litre	24,263 %	3511,9155 litre	O
410	CM	60	CM	34 LEVEL CM	1080,5406 litre	23,303 %	3556,4502 litre	O
410	CM	60	CM	33 LEVEL CM	1036,4002 litre	22,351 %	3600,5906 litre	O
410	CM	60	CM	32 LEVEL CM	992,6730 litre	21,408 %	3644,3178 litre	O
410	CM	60	CM	31 LEVEL CM	949,3785 litre	20,474 %	3687,6123 litre	O
410	CM	60	CM	30 LEVEL CM	906,5368 litre	19,550 %	3730,4540 litre	O
410	CM	60	CM	29 LEVEL CM	864,1686 litre	18,636 %	3772,8222 litre	O
410	CM	60	CM	28 LEVEL CM	822,2953 litre	17,733 %	3814,6955 litre	O
410	CM	60	CM	27 LEVEL CM	780,9391 litre	16,842 %	3856,0517 litre	O
410	CM	60	CM	26 LEVEL CM	740,1230 litre	15,961 %	3896,8678 litre	O
410	CM	60	CM	25 LEVEL CM	699,8708 litre	15,093 %	3937,1200 litre	O
410	CM	60	CM	24 LEVEL CM	660,2077 litre	14,238 %	3976,7831 litre	O
410	CM	60	CM	23 LEVEL CM	621,1597 litre	13,396 %	4015,8311 litre	O
410	CM	60	CM	22 LEVEL CM	582,7542 litre	12,568 %	4054,2366 litre	O
410	CM	60	CM	21 LEVEL CM	545,0199 litre	11,754 %	4091,9709 litre	O
410	CM	60	CM	20 LEVEL CM	507,9871 litre	10,955 %	4129,0037 litre	O
410	CM	60	CM	19 LEVEL CM	471,6878 litre	10,172 %	4165,3030 litre	O
410	CM	60	CM	18 LEVEL CM	436,1563 litre	9,406 %	4200,8345 litre	O
410	CM	60	CM	17 LEVEL CM	401,4287 litre	8,657 %	4235,5621 litre	O
410	CM	60	CM	16 LEVEL CM	367,5440 litre	7,926 %	4269,4468 litre	O

410	CM	60	CM	15 LEVEL CM	334,5441 litre	7,215 %	4302,4467 litre	O
410	CM	60	CM	14 LEVEL CM	302,4743 litre	6,523 %	4334,5165 litre	O
410	CM	60	CM	13 LEVEL CM	271,3840 litre	5,853 %	4365,6068 litre	O
410	CM	60	CM	12 LEVEL CM	241,3276 litre	5,204 %	4395,6632 litre	O
410	CM	60	CM	11 LEVEL CM	212,3652 litre	4,580 %	4424,6256 litre	O
410	CM	60	CM	10 LEVEL CM	184,5638 litre	3,980 %	4452,4270 litre	O
410	CM	60	CM	9 LEVEL CM	157,9995 litre	3,407 %	4478,9913 litre	O
410	CM	60	CM	8 LEVEL CM	132,7596 litre	2,863 %	4504,2312 litre	O
410	CM	60	CM	7 LEVEL CM	108,9458 litre	2,349 %	4528,0450 litre	O
410	CM	60	CM	6 LEVEL CM	86,6794 litre	1,869 %	4550,3114 litre	O
410	CM	60	CM	5 LEVEL CM	66,1095 litre	1,426 %	4570,8813 litre	O
410	CM	60	CM	4 LEVEL CM	47,4255 litre	1,023 %	4589,5653 litre	O
410	CM	60	CM	3 LEVEL CM	30,8824 litre	0,666 %	4606,1084 litre	O
410	CM	60	CM	2 LEVEL CM	16,8529 litre	0,363 %	4620,1379 litre	O
410	CM	60	CM	1 LEVEL CM	5,9734 litre	0,129 %	4631,0174 litre	O
410	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4636,9908 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
410	CM	55	CM 110 LEVEL CM	3896,3603 litre	100,000 %	0,0000 litre	O
410	CM	55	CM 109 LEVEL CM	3890,6425 litre	99,853 %	5,7178 litre	O
410	CM	55	CM 108 LEVEL CM	3880,2323 litre	99,586 %	16,1280 litre	O
410	CM	55	CM 107 LEVEL CM	3866,8132 litre	99,242 %	29,5471 litre	O
410	CM	55	CM 106 LEVEL CM	3850,9961 litre	98,836 %	45,3642 litre	O
410	CM	55	CM 105 LEVEL CM	3833,1393 litre	98,377 %	63,2210 litre	O
410	CM	55	CM 104 LEVEL CM	3813,4882 litre	97,873 %	82,8721 litre	O
410	CM	55	CM 103 LEVEL CM	3792,2254 litre	97,327 %	104,1349 litre	O
410	CM	55	CM 102 LEVEL CM	3769,4947 litre	96,744 %	126,8656 litre	O
410	CM	55	CM 101 LEVEL CM	3745,4132 litre	96,126 %	150,9471 litre	O
410	CM	55	CM 100 LEVEL CM	3720,0795 litre	95,476 %	176,2808 litre	O
410	CM	55	CM 99 LEVEL CM	3693,5780 litre	94,796 %	202,7823 litre	O
410	CM	55	CM 98 LEVEL CM	3665,9825 litre	94,087 %	230,3778 litre	O
410	CM	55	CM 97 LEVEL CM	3637,3583 litre	93,353 %	259,0020 litre	O
410	CM	55	CM 96 LEVEL CM	3607,7637 litre	92,593 %	288,5966 litre	O
410	CM	55	CM 95 LEVEL CM	3577,2517 litre	91,810 %	319,1086 litre	O
410	CM	55	CM 94 LEVEL CM	3545,8704 litre	91,005 %	350,4899 litre	O
410	CM	55	CM 93 LEVEL CM	3513,6643 litre	90,178 %	382,6960 litre	O
410	CM	55	CM 92 LEVEL CM	3480,6743 litre	89,331 %	415,6860 litre	O
410	CM	55	CM 91 LEVEL CM	3446,9385 litre	88,466 %	449,4218 litre	O
410	CM	55	CM 90 LEVEL CM	3412,4925 litre	87,582 %	483,8678 litre	O
410	CM	55	CM 89 LEVEL CM	3377,3700 litre	86,680 %	518,9903 litre	O
410	CM	55	CM 88 LEVEL CM	3341,6024 litre	85,762 %	554,7579 litre	O
410	CM	55	CM 87 LEVEL CM	3305,2197 litre	84,828 %	591,1406 litre	O
410	CM	55	CM 86 LEVEL CM	3268,2503 litre	83,880 %	628,1100 litre	O
410	CM	55	CM 85 LEVEL CM	3230,7212 litre	82,916 %	665,6391 litre	O
410	CM	55	CM 84 LEVEL CM	3192,6584 litre	81,940 %	703,7019 litre	O
410	CM	55	CM 83 LEVEL CM	3154,0867 litre	80,950 %	742,2736 litre	O
410	CM	55	CM 82 LEVEL CM	3115,0300 litre	79,947 %	781,3303 litre	O
410	CM	55	CM 81 LEVEL CM	3075,5110 litre	78,933 %	820,8493 litre	O
410	CM	55	CM 80 LEVEL CM	3035,5522 litre	77,907 %	860,8081 litre	O
410	CM	55	CM 79 LEVEL CM	2995,1748 litre	76,871 %	901,1855 litre	O
410	CM	55	CM 78 LEVEL CM	2954,3997 litre	75,825 %	941,9606 litre	O
410	CM	55	CM 77 LEVEL CM	2913,2471 litre	74,768 %	983,1132 litre	O
410	CM	55	CM 76 LEVEL CM	2871,7365 litre	73,703 %	1024,6238 litre	O
410	CM	55	CM 75 LEVEL CM	2829,8871 litre	72,629 %	1066,4732 litre	O
410	CM	55	CM 74 LEVEL CM	2787,7177 litre	71,547 %	1108,6426 litre	O
410	CM	55	CM 73 LEVEL CM	2745,2463 litre	70,457 %	1151,1140 litre	O
410	CM	55	CM 72 LEVEL CM	2702,4909 litre	69,359 %	1193,8694 litre	O
410	CM	55	CM 71 LEVEL CM	2659,4689 litre	68,255 %	1236,8914 litre	O
410	CM	55	CM 70 LEVEL CM	2616,1976 litre	67,145 %	1280,1627 litre	O
410	CM	55	CM 69 LEVEL CM	2572,6939 litre	66,028 %	1323,6664 litre	O
410	CM	55	CM 68 LEVEL CM	2528,9742 litre	64,906 %	1367,3861 litre	O
410	CM	55	CM 67 LEVEL CM	2485,0551 litre	63,779 %	1411,3052 litre	O
410	CM	55	CM 66 LEVEL CM	2440,9527 litre	62,647 %	1455,4076 litre	O
410	CM	55	CM 65 LEVEL CM	2396,6828 litre	61,511 %	1499,6775 litre	O
410	CM	55	CM 64 LEVEL CM	2352,2613 litre	60,371 %	1544,0990 litre	O
410	CM	55	CM 63 LEVEL CM	2307,7038 litre	59,227 %	1588,6565 litre	O
410	CM	55	CM 62 LEVEL CM	2263,0258 litre	58,081 %	1633,3345 litre	O
410	CM	55	CM 61 LEVEL CM	2218,2425 litre	56,931 %	1678,1178 litre	O
410	CM	55	CM 60 LEVEL CM	2173,3692 litre	55,779 %	1722,9911 litre	O
410	CM	55	CM 59 LEVEL CM	2128,4210 litre	54,626 %	1767,9393 litre	O

410	CM	55	CM	58 LEVEL CM	2083,4130 litre	53,471 %	1812,9473 litre	O
410	CM	55	CM	57 LEVEL CM	2038,3603 litre	52,314 %	1858,0000 litre	O
410	CM	55	CM	56 LEVEL CM	1993,2777 litre	51,157 %	1903,0826 litre	O
410	CM	55	CM	55 LEVEL CM	1948,1801 litre	50,000 %	1948,1802 litre	O
410	CM	55	CM	54 LEVEL CM	1903,0826 litre	48,843 %	1993,2777 litre	O
410	CM	55	CM	53 LEVEL CM	1858,0000 litre	47,686 %	2038,3603 litre	O
410	CM	55	CM	52 LEVEL CM	1812,9473 litre	46,529 %	2083,4130 litre	O
410	CM	55	CM	51 LEVEL CM	1767,9393 litre	45,374 %	2128,4210 litre	O
410	CM	55	CM	50 LEVEL CM	1722,9911 litre	44,221 %	2173,3692 litre	O
410	CM	55	CM	49 LEVEL CM	1678,1178 litre	43,069 %	2218,2425 litre	O
410	CM	55	CM	48 LEVEL CM	1633,3345 litre	41,919 %	2263,0258 litre	O
410	CM	55	CM	47 LEVEL CM	1588,6565 litre	40,773 %	2307,7038 litre	O
410	CM	55	CM	46 LEVEL CM	1544,0989 litre	39,629 %	2352,2614 litre	O
410	CM	55	CM	45 LEVEL CM	1499,6775 litre	38,489 %	2396,6828 litre	O
410	CM	55	CM	44 LEVEL CM	1455,4076 litre	37,353 %	2440,9527 litre	O
410	CM	55	CM	43 LEVEL CM	1411,3052 litre	36,221 %	2485,0551 litre	O
410	CM	55	CM	42 LEVEL CM	1367,3860 litre	35,094 %	2528,9743 litre	O
410	CM	55	CM	41 LEVEL CM	1323,6664 litre	33,972 %	2572,6939 litre	O
410	CM	55	CM	40 LEVEL CM	1280,1627 litre	32,855 %	2616,1976 litre	O
410	CM	55	CM	39 LEVEL CM	1236,8914 litre	31,745 %	2659,4689 litre	O
410	CM	55	CM	38 LEVEL CM	1193,8694 litre	30,641 %	2702,4909 litre	O
410	CM	55	CM	37 LEVEL CM	1151,1140 litre	29,543 %	2745,2463 litre	O
410	CM	55	CM	36 LEVEL CM	1108,6426 litre	28,453 %	2787,7177 litre	O
410	CM	55	CM	35 LEVEL CM	1066,4731 litre	27,371 %	2829,8872 litre	O
410	CM	55	CM	34 LEVEL CM	1024,6238 litre	26,297 %	2871,7365 litre	O
410	CM	55	CM	33 LEVEL CM	983,1132 litre	25,232 %	2913,2471 litre	O
410	CM	55	CM	32 LEVEL CM	941,9606 litre	24,175 %	2954,3997 litre	O
410	CM	55	CM	31 LEVEL CM	901,1855 litre	23,129 %	2995,1748 litre	O
410	CM	55	CM	30 LEVEL CM	860,8081 litre	22,093 %	3035,5522 litre	O
410	CM	55	CM	29 LEVEL CM	820,8492 litre	21,067 %	3075,5111 litre	O
410	CM	55	CM	28 LEVEL CM	781,3303 litre	20,053 %	3115,0300 litre	O
410	CM	55	CM	27 LEVEL CM	742,2735 litre	19,050 %	3154,0868 litre	O
410	CM	55	CM	26 LEVEL CM	703,7018 litre	18,060 %	3192,6585 litre	O
410	CM	55	CM	25 LEVEL CM	665,6391 litre	17,084 %	3230,7212 litre	O
410	CM	55	CM	24 LEVEL CM	628,1100 litre	16,120 %	3268,2503 litre	O
410	CM	55	CM	23 LEVEL CM	591,1406 litre	15,172 %	3305,2197 litre	O
410	CM	55	CM	22 LEVEL CM	554,7579 litre	14,238 %	3341,6024 litre	O
410	CM	55	CM	21 LEVEL CM	518,9903 litre	13,320 %	3377,3700 litre	O
410	CM	55	CM	20 LEVEL CM	483,8678 litre	12,418 %	3412,4925 litre	O
410	CM	55	CM	19 LEVEL CM	449,4218 litre	11,534 %	3446,9385 litre	O
410	CM	55	CM	18 LEVEL CM	415,6860 litre	10,669 %	3480,6743 litre	O
410	CM	55	CM	17 LEVEL CM	382,6960 litre	9,822 %	3513,6643 litre	O
410	CM	55	CM	16 LEVEL CM	350,4898 litre	8,995 %	3545,8705 litre	O
410	CM	55	CM	15 LEVEL CM	319,1086 litre	8,190 %	3577,2517 litre	O
410	CM	55	CM	14 LEVEL CM	288,5966 litre	7,407 %	3607,7637 litre	O
410	CM	55	CM	13 LEVEL CM	259,0020 litre	6,647 %	3637,3583 litre	O
410	CM	55	CM	12 LEVEL CM	230,3777 litre	5,913 %	3665,9826 litre	O
410	CM	55	CM	11 LEVEL CM	202,7823 litre	5,204 %	3693,5780 litre	O
410	CM	55	CM	10 LEVEL CM	176,2808 litre	4,524 %	3720,0795 litre	O
410	CM	55	CM	9 LEVEL CM	150,9471 litre	3,874 %	3745,4132 litre	O
410	CM	55	CM	8 LEVEL CM	126,8656 litre	3,256 %	3769,4947 litre	O
410	CM	55	CM	7 LEVEL CM	104,1349 litre	2,673 %	3792,2254 litre	O
410	CM	55	CM	6 LEVEL CM	82,8721 litre	2,127 %	3813,4882 litre	O

410_55

~~-1486-~~

410	CM 55	CM	5 LEVEL CM	63,2210 litre	1,623 %	3833,1393 litre	O
410	CM 55	CM	4 LEVEL CM	45,3642 litre	1,164 %	3850,9961 litre	O
410	CM 55	CM	3 LEVEL CM	29,5471 litre	0,758 %	3866,8132 litre	O
410	CM 55	CM	2 LEVEL CM	16,1280 litre	0,414 %	3880,2323 litre	O
410	CM 55	CM	1 LEVEL CM	5,7178 litre	0,147 %	3890,6425 litre	O
410	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3896,3603 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
410	CM	50	CM	100 LEVEL CM	3220,1325 litre	100,000 %	0,0000 litre	O
410	CM	50	CM	99 LEVEL CM	3214,6822 litre	99,831 %	5,4503 litre	O
410	CM	50	CM	98 LEVEL CM	3204,7635 litre	99,523 %	15,3690 litre	O
410	CM	50	CM	97 LEVEL CM	3191,9839 litre	99,126 %	28,1486 litre	O
410	CM	50	CM	96 LEVEL CM	3176,9277 litre	98,658 %	43,2048 litre	O
410	CM	50	CM	95 LEVEL CM	3159,9384 litre	98,131 %	60,1941 litre	O
410	CM	50	CM	94 LEVEL CM	3141,2513 litre	97,550 %	78,8812 litre	O
410	CM	50	CM	93 LEVEL CM	3121,0418 litre	96,923 %	99,0907 litre	O
410	CM	50	CM	92 LEVEL CM	3099,4484 litre	96,252 %	120,6841 litre	O
410	CM	50	CM	91 LEVEL CM	3076,5841 litre	95,542 %	143,5484 litre	O
410	CM	50	CM	90 LEVEL CM	3052,5438 litre	94,796 %	167,5887 litre	O
410	CM	50	CM	89 LEVEL CM	3027,4094 litre	94,015 %	192,7231 litre	O
410	CM	50	CM	88 LEVEL CM	3001,2523 litre	93,203 %	218,8802 litre	O
410	CM	50	CM	87 LEVEL CM	2974,1357 litre	92,361 %	245,9968 litre	O
410	CM	50	CM	86 LEVEL CM	2946,1165 litre	91,491 %	274,0160 litre	O
410	CM	50	CM	85 LEVEL CM	2917,2462 litre	90,594 %	302,8863 litre	O
410	CM	50	CM	84 LEVEL CM	2887,5718 litre	89,672 %	332,5607 litre	O
410	CM	50	CM	83 LEVEL CM	2857,1366 litre	88,727 %	362,9959 litre	O
410	CM	50	CM	82 LEVEL CM	2825,9809 litre	87,760 %	394,1516 litre	O
410	CM	50	CM	81 LEVEL CM	2794,1420 litre	86,771 %	425,9905 litre	O
410	CM	50	CM	80 LEVEL CM	2761,6549 litre	85,762 %	458,4776 litre	O
410	CM	50	CM	79 LEVEL CM	2728,5526 litre	84,734 %	491,5799 litre	O
410	CM	50	CM	78 LEVEL CM	2694,8664 litre	83,688 %	525,2661 litre	O
410	CM	50	CM	77 LEVEL CM	2660,6259 litre	82,625 %	559,5066 litre	O
410	CM	50	CM	76 LEVEL CM	2625,8591 litre	81,545 %	594,2734 litre	O
410	CM	50	CM	75 LEVEL CM	2590,5930 litre	80,450 %	629,5395 litre	O
410	CM	50	CM	74 LEVEL CM	2554,8534 litre	79,340 %	665,2791 litre	O
410	CM	50	CM	73 LEVEL CM	2518,6651 litre	78,216 %	701,4674 litre	O
410	CM	50	CM	72 LEVEL CM	2482,0519 litre	77,079 %	738,0806 litre	O
410	CM	50	CM	71 LEVEL CM	2445,0368 litre	75,930 %	775,0957 litre	O
410	CM	50	CM	70 LEVEL CM	2407,6422 litre	74,768 %	812,4903 litre	O
410	CM	50	CM	69 LEVEL CM	2369,8897 litre	73,596 %	850,2428 litre	O
410	CM	50	CM	68 LEVEL CM	2331,8002 litre	72,413 %	888,3323 litre	O
410	CM	50	CM	67 LEVEL CM	2293,3943 litre	71,220 %	926,7382 litre	O
410	CM	50	CM	66 LEVEL CM	2254,6919 litre	70,019 %	965,4406 litre	O
410	CM	50	CM	65 LEVEL CM	2215,7125 litre	68,808 %	1004,4200 litre	O
410	CM	50	CM	64 LEVEL CM	2176,4752 litre	67,590 %	1043,6573 litre	O
410	CM	50	CM	63 LEVEL CM	2136,9987 litre	66,364 %	1083,1338 litre	O
410	CM	50	CM	62 LEVEL CM	2097,3014 litre	65,131 %	1122,8311 litre	O
410	CM	50	CM	61 LEVEL CM	2057,4013 litre	63,892 %	1162,7312 litre	O
410	CM	50	CM	60 LEVEL CM	2017,3163 litre	62,647 %	1202,8162 litre	O
410	CM	50	CM	59 LEVEL CM	1977,0638 litre	61,397 %	1243,0687 litre	O
410	CM	50	CM	58 LEVEL CM	1936,6613 litre	60,142 %	1283,4712 litre	O
410	CM	50	CM	57 LEVEL CM	1896,1259 litre	58,883 %	1324,0066 litre	O
410	CM	50	CM	56 LEVEL CM	1855,4746 litre	57,621 %	1364,6579 litre	O
410	CM	50	CM	55 LEVEL CM	1814,7241 litre	56,356 %	1405,4084 litre	O
410	CM	50	CM	54 LEVEL CM	1773,8911 litre	55,088 %	1446,2414 litre	O
410	CM	50	CM	53 LEVEL CM	1732,9924 litre	53,817 %	1487,1401 litre	O
410	CM	50	CM	52 LEVEL CM	1692,0444 litre	52,546 %	1528,0881 litre	O
410	CM	50	CM	51 LEVEL CM	1651,0635 litre	51,273 %	1569,0690 litre	O
410	CM	50	CM	50 LEVEL CM	1610,0662 litre	50,000 %	1610,0663 litre	O
410	CM	50	CM	49 LEVEL CM	1569,0690 litre	48,727 %	1651,0635 litre	O

410	CM	50	CM	48 LEVEL CM	1528,0881 litre	47,454 %	1692,0444 litre	O
410	CM	50	CM	47 LEVEL CM	1487,1401 litre	46,183 %	1732,9924 litre	O
410	CM	50	CM	46 LEVEL CM	1446,2413 litre	44,912 %	1773,8912 litre	O
410	CM	50	CM	45 LEVEL CM	1405,4084 litre	43,644 %	1814,7241 litre	O
410	CM	50	CM	44 LEVEL CM	1364,6579 litre	42,379 %	1855,4746 litre	O
410	CM	50	CM	43 LEVEL CM	1324,0065 litre	41,117 %	1896,1260 litre	O
410	CM	50	CM	42 LEVEL CM	1283,4711 litre	39,858 %	1936,6614 litre	O
410	CM	50	CM	41 LEVEL CM	1243,0686 litre	38,603 %	1977,0639 litre	O
410	CM	50	CM	40 LEVEL CM	1202,8162 litre	37,353 %	2017,3163 litre	O
410	CM	50	CM	39 LEVEL CM	1162,7312 litre	36,108 %	2057,4013 litre	O
410	CM	50	CM	38 LEVEL CM	1122,8311 litre	34,869 %	2097,3014 litre	O
410	CM	50	CM	37 LEVEL CM	1083,1338 litre	33,636 %	2136,9987 litre	O
410	CM	50	CM	36 LEVEL CM	1043,6573 litre	32,410 %	2176,4752 litre	O
410	CM	50	CM	35 LEVEL CM	1004,4200 litre	31,192 %	2215,7125 litre	O
410	CM	50	CM	34 LEVEL CM	965,4406 litre	29,981 %	2254,6919 litre	O
410	CM	50	CM	33 LEVEL CM	926,7382 litre	28,780 %	2293,3943 litre	O
410	CM	50	CM	32 LEVEL CM	888,3322 litre	27,587 %	2331,8003 litre	O
410	CM	50	CM	31 LEVEL CM	850,2428 litre	26,404 %	2369,8897 litre	O
410	CM	50	CM	30 LEVEL CM	812,4903 litre	25,232 %	2407,6422 litre	O
410	CM	50	CM	29 LEVEL CM	775,0957 litre	24,070 %	2445,0368 litre	O
410	CM	50	CM	28 LEVEL CM	738,0806 litre	22,921 %	2482,0519 litre	O
410	CM	50	CM	27 LEVEL CM	701,4674 litre	21,784 %	2518,6651 litre	O
410	CM	50	CM	26 LEVEL CM	665,2791 litre	20,660 %	2554,8534 litre	O
410	CM	50	CM	25 LEVEL CM	629,5395 litre	19,550 %	2590,5930 litre	O
410	CM	50	CM	24 LEVEL CM	594,2734 litre	18,455 %	2625,8591 litre	O
410	CM	50	CM	23 LEVEL CM	559,5066 litre	17,375 %	2660,6259 litre	O
410	CM	50	CM	22 LEVEL CM	525,2660 litre	16,312 %	2694,8665 litre	O
410	CM	50	CM	21 LEVEL CM	491,5798 litre	15,266 %	2728,5527 litre	O
410	CM	50	CM	20 LEVEL CM	458,4776 litre	14,238 %	2761,6549 litre	O
410	CM	50	CM	19 LEVEL CM	425,9905 litre	13,229 %	2794,1420 litre	O
410	CM	50	CM	18 LEVEL CM	394,1516 litre	12,240 %	2825,9809 litre	O
410	CM	50	CM	17 LEVEL CM	362,9958 litre	11,273 %	2857,1367 litre	O
410	CM	50	CM	16 LEVEL CM	332,5607 litre	10,328 %	2887,5718 litre	O
410	CM	50	CM	15 LEVEL CM	302,8863 litre	9,406 %	2917,2462 litre	O
410	CM	50	CM	14 LEVEL CM	274,0160 litre	8,509 %	2946,1165 litre	O
410	CM	50	CM	13 LEVEL CM	245,9968 litre	7,639 %	2974,1357 litre	O
410	CM	50	CM	12 LEVEL CM	218,8802 litre	6,797 %	3001,2523 litre	O
410	CM	50	CM	11 LEVEL CM	192,7231 litre	5,985 %	3027,4094 litre	O
410	CM	50	CM	10 LEVEL CM	167,5886 litre	5,204 %	3052,5439 litre	O
410	CM	50	CM	9 LEVEL CM	143,5484 litre	4,458 %	3076,5841 litre	O
410	CM	50	CM	8 LEVEL CM	120,6840 litre	3,748 %	3099,4485 litre	O
410	CM	50	CM	7 LEVEL CM	99,0906 litre	3,077 %	3121,0419 litre	O
410	CM	50	CM	6 LEVEL CM	78,8812 litre	2,450 %	3141,2513 litre	O
410	CM	50	CM	5 LEVEL CM	60,1941 litre	1,869 %	3159,9384 litre	O
410	CM	50	CM	4 LEVEL CM	43,2047 litre	1,342 %	3176,9278 litre	O
410	CM	50	CM	3 LEVEL CM	28,1486 litre	0,874 %	3191,9839 litre	O
410	CM	50	CM	2 LEVEL CM	15,3690 litre	0,477 %	3204,7635 litre	O
410	CM	50	CM	1 LEVEL CM	5,4502 litre	0,169 %	3214,6823 litre	O
410	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3220,1325 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 150	CM 300 LEVEL CM	28274,3339 litre	100,000 %	0,0000 litre	O
400	CM 150	CM 299 LEVEL CM	28265,1055 litre	99,967 %	9,2284 litre	O
400	CM 150	CM 298 LEVEL CM	28248,2583 litre	99,908 %	26,0756 litre	O
400	CM 150	CM 297 LEVEL CM	28226,4781 litre	99,831 %	47,8558 litre	O
400	CM 150	CM 296 LEVEL CM	28200,7294 litre	99,740 %	73,6045 litre	O
400	CM 150	CM 295 LEVEL CM	28171,5723 litre	99,637 %	102,7616 litre	O
400	CM 150	CM 294 LEVEL CM	28139,3869 litre	99,523 %	134,9470 litre	O
400	CM 150	CM 293 LEVEL CM	28104,4537 litre	99,399 %	169,8802 litre	O
400	CM 150	CM 292 LEVEL CM	28066,9910 litre	99,267 %	207,3429 litre	O
400	CM 150	CM 291 LEVEL CM	28027,1755 litre	99,126 %	247,1584 litre	O
400	CM 150	CM 290 LEVEL CM	27985,1540 litre	98,977 %	289,1799 litre	O
400	CM 150	CM 289 LEVEL CM	27941,0513 litre	98,821 %	333,2826 litre	O
400	CM 150	CM 288 LEVEL CM	27894,9753 litre	98,658 %	379,3586 litre	O
400	CM 150	CM 287 LEVEL CM	27847,0205 litre	98,489 %	427,3134 litre	O
400	CM 150	CM 286 LEVEL CM	27797,2706 litre	98,313 %	477,0633 litre	O
400	CM 150	CM 285 LEVEL CM	27745,8007 litre	98,131 %	528,5332 litre	O
400	CM 150	CM 284 LEVEL CM	27692,6785 litre	97,943 %	581,6554 litre	O
400	CM 150	CM 283 LEVEL CM	27637,9656 litre	97,749 %	636,3683 litre	O
400	CM 150	CM 282 LEVEL CM	27581,7183 litre	97,550 %	692,6156 litre	O
400	CM 150	CM 281 LEVEL CM	27523,9885 litre	97,346 %	750,3454 litre	O
400	CM 150	CM 280 LEVEL CM	27464,8242 litre	97,137 %	809,5097 litre	O
400	CM 150	CM 279 LEVEL CM	27404,2698 litre	96,923 %	870,0641 litre	O
400	CM 150	CM 278 LEVEL CM	27342,3670 litre	96,704 %	931,9669 litre	O
400	CM 150	CM 277 LEVEL CM	27279,1546 litre	96,480 %	995,1793 litre	O
400	CM 150	CM 276 LEVEL CM	27214,6691 litre	96,252 %	1059,6648 litre	O
400	CM 150	CM 275 LEVEL CM	27148,9450 litre	96,020 %	1125,3889 litre	O
400	CM 150	CM 274 LEVEL CM	27082,0147 litre	95,783 %	1192,3192 litre	O
400	CM 150	CM 273 LEVEL CM	27013,9089 litre	95,542 %	1260,4250 litre	O
400	CM 150	CM 272 LEVEL CM	26944,6569 litre	95,297 %	1329,6770 litre	O
400	CM 150	CM 271 LEVEL CM	26874,2864 litre	95,048 %	1400,0475 litre	O
400	CM 150	CM 270 LEVEL CM	26802,8239 litre	94,796 %	1471,5100 litre	O
400	CM 150	CM 269 LEVEL CM	26730,2946 litre	94,539 %	1544,0393 litre	O
400	CM 150	CM 268 LEVEL CM	26656,7228 litre	94,279 %	1617,6111 litre	O
400	CM 150	CM 267 LEVEL CM	26582,1315 litre	94,015 %	1692,2024 litre	O
400	CM 150	CM 266 LEVEL CM	26506,5430 litre	93,748 %	1767,7909 litre	O
400	CM 150	CM 265 LEVEL CM	26429,9785 litre	93,477 %	1844,3554 litre	O
400	CM 150	CM 264 LEVEL CM	26352,4588 litre	93,203 %	1921,8751 litre	O
400	CM 150	CM 263 LEVEL CM	26274,0035 litre	92,925 %	2000,3304 litre	O
400	CM 150	CM 262 LEVEL CM	26194,6317 litre	92,645 %	2079,7022 litre	O
400	CM 150	CM 261 LEVEL CM	26114,3619 litre	92,361 %	2159,9720 litre	O
400	CM 150	CM 260 LEVEL CM	26033,2119 litre	92,074 %	2241,1220 litre	O
400	CM 150	CM 259 LEVEL CM	25951,1989 litre	91,784 %	2323,1350 litre	O
400	CM 150	CM 258 LEVEL CM	25868,3397 litre	91,491 %	2405,9942 litre	O
400	CM 150	CM 257 LEVEL CM	25784,6505 litre	91,195 %	2489,6834 litre	O
400	CM 150	CM 256 LEVEL CM	25700,1469 litre	90,896 %	2574,1870 litre	O
400	CM 150	CM 255 LEVEL CM	25614,8443 litre	90,594 %	2659,4896 litre	O
400	CM 150	CM 254 LEVEL CM	25528,7575 litre	90,290 %	2745,5764 litre	O
400	CM 150	CM 253 LEVEL CM	25441,9010 litre	89,982 %	2832,4329 litre	O
400	CM 150	CM 252 LEVEL CM	25354,2888 litre	89,672 %	2920,0451 litre	O
400	CM 150	CM 251 LEVEL CM	25265,9346 litre	89,360 %	3008,3993 litre	O
400	CM 150	CM 250 LEVEL CM	25176,8518 litre	89,045 %	3097,4821 litre	O
400	CM 150	CM 249 LEVEL CM	25087,0534 litre	88,727 %	3187,2805 litre	O

400	CM	150	CM	248 LEVEL CM	24996,5523 litre	88,407 %	3277,7816 litre	O
400	CM	150	CM	247 LEVEL CM	24905,3607 litre	88,085 %	3368,9732 litre	O
400	CM	150	CM	246 LEVEL CM	24813,4908 litre	87,760 %	3460,8431 litre	O
400	CM	150	CM	245 LEVEL CM	24720,9546 litre	87,432 %	3553,3793 litre	O
400	CM	150	CM	244 LEVEL CM	24627,7637 litre	87,103 %	3646,5702 litre	O
400	CM	150	CM	243 LEVEL CM	24533,9294 litre	86,771 %	3740,4045 litre	O
400	CM	150	CM	242 LEVEL CM	24439,4629 litre	86,437 %	3834,8710 litre	O
400	CM	150	CM	241 LEVEL CM	24344,3752 litre	86,101 %	3929,9587 litre	O
400	CM	150	CM	240 LEVEL CM	24248,6769 litre	85,762 %	4025,6570 litre	O
400	CM	150	CM	239 LEVEL CM	24152,3786 litre	85,422 %	4121,9553 litre	O
400	CM	150	CM	238 LEVEL CM	24055,4907 litre	85,079 %	4218,8432 litre	O
400	CM	150	CM	237 LEVEL CM	23958,0232 litre	84,734 %	4316,3107 litre	O
400	CM	150	CM	236 LEVEL CM	23859,9860 litre	84,387 %	4414,3479 litre	O
400	CM	150	CM	235 LEVEL CM	23761,3891 litre	84,039 %	4512,9448 litre	O
400	CM	150	CM	234 LEVEL CM	23662,2419 litre	83,688 %	4612,0920 litre	O
400	CM	150	CM	233 LEVEL CM	23562,5540 litre	83,335 %	4711,7799 litre	O
400	CM	150	CM	232 LEVEL CM	23462,3346 litre	82,981 %	4811,9993 litre	O
400	CM	150	CM	231 LEVEL CM	23361,5929 litre	82,625 %	4912,7410 litre	O
400	CM	150	CM	230 LEVEL CM	23260,3380 litre	82,267 %	5013,9959 litre	O
400	CM	150	CM	229 LEVEL CM	23158,5786 litre	81,907 %	5115,7553 litre	O
400	CM	150	CM	228 LEVEL CM	23056,3236 litre	81,545 %	5218,0103 litre	O
400	CM	150	CM	227 LEVEL CM	22953,5816 litre	81,182 %	5320,7523 litre	O
400	CM	150	CM	226 LEVEL CM	22850,3610 litre	80,817 %	5423,9729 litre	O
400	CM	150	CM	225 LEVEL CM	22746,6702 litre	80,450 %	5527,6637 litre	O
400	CM	150	CM	224 LEVEL CM	22642,5176 litre	80,082 %	5631,8163 litre	O
400	CM	150	CM	223 LEVEL CM	22537,9113 litre	79,712 %	5736,4226 litre	O
400	CM	150	CM	222 LEVEL CM	22432,8592 litre	79,340 %	5841,4747 litre	O
400	CM	150	CM	221 LEVEL CM	22327,3695 litre	78,967 %	5946,9644 litre	O
400	CM	150	CM	220 LEVEL CM	22221,4498 litre	78,592 %	6052,8841 litre	O
400	CM	150	CM	219 LEVEL CM	22115,1080 litre	78,216 %	6159,2259 litre	O
400	CM	150	CM	218 LEVEL CM	22008,3518 litre	77,839 %	6265,9821 litre	O
400	CM	150	CM	217 LEVEL CM	21901,1887 litre	77,460 %	6373,1452 litre	O
400	CM	150	CM	216 LEVEL CM	21793,6262 litre	77,079 %	6480,7077 litre	O
400	CM	150	CM	215 LEVEL CM	21685,6717 litre	76,697 %	6588,6622 litre	O
400	CM	150	CM	214 LEVEL CM	21577,3325 litre	76,314 %	6697,0014 litre	O
400	CM	150	CM	213 LEVEL CM	21468,6159 litre	75,930 %	6805,7180 litre	O
400	CM	150	CM	212 LEVEL CM	21359,5291 litre	75,544 %	6914,8048 litre	O
400	CM	150	CM	211 LEVEL CM	21250,0791 litre	75,157 %	7024,2548 litre	O
400	CM	150	CM	210 LEVEL CM	21140,2731 litre	74,768 %	7134,0608 litre	O
400	CM	150	CM	209 LEVEL CM	21030,1178 litre	74,379 %	7244,2161 litre	O
400	CM	150	CM	208 LEVEL CM	20919,6203 litre	73,988 %	7354,7136 litre	O
400	CM	150	CM	207 LEVEL CM	20808,7874 litre	73,596 %	7465,5465 litre	O
400	CM	150	CM	206 LEVEL CM	20697,6258 litre	73,203 %	7576,7081 litre	O
400	CM	150	CM	205 LEVEL CM	20586,1423 litre	72,809 %	7688,1916 litre	O
400	CM	150	CM	204 LEVEL CM	20474,3434 litre	72,413 %	7799,9905 litre	O
400	CM	150	CM	203 LEVEL CM	20362,2359 litre	72,017 %	7912,0980 litre	O
400	CM	150	CM	202 LEVEL CM	20249,8262 litre	71,619 %	8024,5077 litre	O
400	CM	150	CM	201 LEVEL CM	20137,1209 litre	71,220 %	8137,2130 litre	O
400	CM	150	CM	200 LEVEL CM	20024,1263 litre	70,821 %	8250,2076 litre	O
400	CM	150	CM	199 LEVEL CM	19910,8488 litre	70,420 %	8363,4851 litre	O
400	CM	150	CM	198 LEVEL CM	19797,2948 litre	70,019 %	8477,0391 litre	O
400	CM	150	CM	197 LEVEL CM	19683,4707 litre	69,616 %	8590,8632 litre	O
400	CM	150	CM	196 LEVEL CM	19569,3826 litre	69,213 %	8704,9513 litre	O

400	CM	150	CM	195 LEVEL CM	19455,0367 litre	68,808 %	8819,2972 litre	O
400	CM	150	CM	194 LEVEL CM	19340,4392 litre	68,403 %	8933,8947 litre	O
400	CM	150	CM	193 LEVEL CM	19225,5963 litre	67,997 %	9048,7376 litre	O
400	CM	150	CM	192 LEVEL CM	19110,5139 litre	67,590 %	9163,8200 litre	O
400	CM	150	CM	191 LEVEL CM	18995,1983 litre	67,182 %	9279,1356 litre	O
400	CM	150	CM	190 LEVEL CM	18879,6553 litre	66,773 %	9394,6786 litre	O
400	CM	150	CM	189 LEVEL CM	18763,8909 litre	66,364 %	9510,4430 litre	O
400	CM	150	CM	188 LEVEL CM	18647,9112 litre	65,953 %	9626,4227 litre	O
400	CM	150	CM	187 LEVEL CM	18531,7219 litre	65,543 %	9742,6120 litre	O
400	CM	150	CM	186 LEVEL CM	18415,3290 litre	65,131 %	9859,0049 litre	O
400	CM	150	CM	185 LEVEL CM	18298,7384 litre	64,719 %	9975,5955 litre	O
400	CM	150	CM	184 LEVEL CM	18181,9557 litre	64,306 %	10092,3782 litre	O
400	CM	150	CM	183 LEVEL CM	18064,9869 litre	63,892 %	10209,3470 litre	O
400	CM	150	CM	182 LEVEL CM	17947,8377 litre	63,477 %	10326,4962 litre	O
400	CM	150	CM	181 LEVEL CM	17830,5138 litre	63,063 %	10443,8201 litre	O
400	CM	150	CM	180 LEVEL CM	17713,0208 litre	62,647 %	10561,3131 litre	O
400	CM	150	CM	179 LEVEL CM	17595,3646 litre	62,231 %	10678,9693 litre	O
400	CM	150	CM	178 LEVEL CM	17477,5508 litre	61,814 %	10796,7831 litre	O
400	CM	150	CM	177 LEVEL CM	17359,5849 litre	61,397 %	10914,7490 litre	O
400	CM	150	CM	176 LEVEL CM	17241,4727 litre	60,979 %	11032,8612 litre	O
400	CM	150	CM	175 LEVEL CM	17123,2196 litre	60,561 %	11151,1143 litre	O
400	CM	150	CM	174 LEVEL CM	17004,8313 litre	60,142 %	11269,5026 litre	O
400	CM	150	CM	173 LEVEL CM	16886,3134 litre	59,723 %	11388,0205 litre	O
400	CM	150	CM	172 LEVEL CM	16767,6713 litre	59,304 %	11506,6626 litre	O
400	CM	150	CM	171 LEVEL CM	16648,9106 litre	58,883 %	11625,4233 litre	O
400	CM	150	CM	170 LEVEL CM	16530,0367 litre	58,463 %	11744,2972 litre	O
400	CM	150	CM	169 LEVEL CM	16411,0553 litre	58,042 %	11863,2786 litre	O
400	CM	150	CM	168 LEVEL CM	16291,9717 litre	57,621 %	11982,3622 litre	O
400	CM	150	CM	167 LEVEL CM	16172,7914 litre	57,200 %	12101,5425 litre	O
400	CM	150	CM	166 LEVEL CM	16053,5198 litre	56,778 %	12220,8141 litre	O
400	CM	150	CM	165 LEVEL CM	15934,1624 litre	56,356 %	12340,1715 litre	O
400	CM	150	CM	164 LEVEL CM	15814,7246 litre	55,933 %	12459,6093 litre	O
400	CM	150	CM	163 LEVEL CM	15695,2118 litre	55,510 %	12579,1221 litre	O
400	CM	150	CM	162 LEVEL CM	15575,6295 litre	55,088 %	12698,7044 litre	O
400	CM	150	CM	161 LEVEL CM	15455,9829 litre	54,664 %	12818,3510 litre	O
400	CM	150	CM	160 LEVEL CM	15336,2775 litre	54,241 %	12938,0564 litre	O
400	CM	150	CM	159 LEVEL CM	15216,5186 litre	53,817 %	13057,8153 litre	O
400	CM	150	CM	158 LEVEL CM	15096,7116 litre	53,394 %	13177,6223 litre	O
400	CM	150	CM	157 LEVEL CM	14976,8620 litre	52,970 %	13297,4719 litre	O
400	CM	150	CM	156 LEVEL CM	14856,9749 litre	52,546 %	13417,3590 litre	O
400	CM	150	CM	155 LEVEL CM	14737,0558 litre	52,122 %	13537,2781 litre	O
400	CM	150	CM	154 LEVEL CM	14617,1100 litre	51,697 %	13657,2239 litre	O
400	CM	150	CM	153 LEVEL CM	14497,1429 litre	51,273 %	13777,1910 litre	O
400	CM	150	CM	152 LEVEL CM	14377,1598 litre	50,849 %	13897,1741 litre	O
400	CM	150	CM	151 LEVEL CM	14257,1661 litre	50,424 %	14017,1678 litre	O
400	CM	150	CM	150 LEVEL CM	14137,1669 litre	50,000 %	14137,1670 litre	O
400	CM	150	CM	149 LEVEL CM	14017,1678 litre	49,576 %	14257,1661 litre	O
400	CM	150	CM	148 LEVEL CM	13897,1741 litre	49,151 %	14377,1598 litre	O
400	CM	150	CM	147 LEVEL CM	13777,1909 litre	48,727 %	14497,1430 litre	O
400	CM	150	CM	146 LEVEL CM	13657,2238 litre	48,303 %	14617,1101 litre	O
400	CM	150	CM	145 LEVEL CM	13537,2781 litre	47,878 %	14737,0558 litre	O
400	CM	150	CM	144 LEVEL CM	13417,3590 litre	47,454 %	14856,9749 litre	O
400	CM	150	CM	143 LEVEL CM	13297,4719 litre	47,030 %	14976,8620 litre	O

400	CM	150	CM	142 LEVEL CM	13177,6222 litre	46,606 %	15096,7117 litre	O
400	CM	150	CM	141 LEVEL CM	13057,8153 litre	46,183 %	15216,5186 litre	O
400	CM	150	CM	140 LEVEL CM	12938,0564 litre	45,759 %	15336,2775 litre	O
400	CM	150	CM	139 LEVEL CM	12818,3510 litre	45,336 %	15455,9829 litre	O
400	CM	150	CM	138 LEVEL CM	12698,7044 litre	44,912 %	15575,6295 litre	O
400	CM	150	CM	137 LEVEL CM	12579,1220 litre	44,490 %	15695,2119 litre	O
400	CM	150	CM	136 LEVEL CM	12459,6092 litre	44,067 %	15814,7247 litre	O
400	CM	150	CM	135 LEVEL CM	12340,1715 litre	43,644 %	15934,1624 litre	O
400	CM	150	CM	134 LEVEL CM	12220,8141 litre	43,222 %	16053,5198 litre	O
400	CM	150	CM	133 LEVEL CM	12101,5425 litre	42,800 %	16172,7914 litre	O
400	CM	150	CM	132 LEVEL CM	11982,3622 litre	42,379 %	16291,9717 litre	O
400	CM	150	CM	131 LEVEL CM	11863,2786 litre	41,958 %	16411,0553 litre	O
400	CM	150	CM	130 LEVEL CM	11744,2971 litre	41,537 %	16530,0368 litre	O
400	CM	150	CM	129 LEVEL CM	11625,4233 litre	41,117 %	16648,9106 litre	O
400	CM	150	CM	128 LEVEL CM	11506,6626 litre	40,696 %	16767,6713 litre	O
400	CM	150	CM	127 LEVEL CM	11388,0205 litre	40,277 %	16886,3134 litre	O
400	CM	150	CM	126 LEVEL CM	11269,5026 litre	39,858 %	17004,8313 litre	O
400	CM	150	CM	125 LEVEL CM	11151,1143 litre	39,439 %	17123,2196 litre	O
400	CM	150	CM	124 LEVEL CM	11032,8612 litre	39,021 %	17241,4727 litre	O
400	CM	150	CM	123 LEVEL CM	10914,7490 litre	38,603 %	17359,5849 litre	O
400	CM	150	CM	122 LEVEL CM	10796,7831 litre	38,186 %	17477,5508 litre	O
400	CM	150	CM	121 LEVEL CM	10678,9693 litre	37,769 %	17595,3646 litre	O
400	CM	150	CM	120 LEVEL CM	10561,3130 litre	37,353 %	17713,0209 litre	O
400	CM	150	CM	119 LEVEL CM	10443,8201 litre	36,937 %	17830,5138 litre	O
400	CM	150	CM	118 LEVEL CM	10326,4962 litre	36,523 %	17947,8377 litre	O
400	CM	150	CM	117 LEVEL CM	10209,3470 litre	36,108 %	18064,9869 litre	O
400	CM	150	CM	116 LEVEL CM	10092,3781 litre	35,694 %	18181,9558 litre	O
400	CM	150	CM	115 LEVEL CM	9975,5955 litre	35,281 %	18298,7384 litre	O
400	CM	150	CM	114 LEVEL CM	9859,0048 litre	34,869 %	18415,3291 litre	O
400	CM	150	CM	113 LEVEL CM	9742,6120 litre	34,457 %	18531,7219 litre	O
400	CM	150	CM	112 LEVEL CM	9626,4227 litre	34,047 %	18647,9112 litre	O
400	CM	150	CM	111 LEVEL CM	9510,4430 litre	33,636 %	18763,8909 litre	O
400	CM	150	CM	110 LEVEL CM	9394,6786 litre	33,227 %	18879,6553 litre	O
400	CM	150	CM	109 LEVEL CM	9279,1356 litre	32,818 %	18995,1983 litre	O
400	CM	150	CM	108 LEVEL CM	9163,8200 litre	32,410 %	19110,5139 litre	O
400	CM	150	CM	107 LEVEL CM	9048,7376 litre	32,003 %	19225,5963 litre	O
400	CM	150	CM	106 LEVEL CM	8933,8947 litre	31,597 %	19340,4392 litre	O
400	CM	150	CM	105 LEVEL CM	8819,2972 litre	31,192 %	19455,0367 litre	O
400	CM	150	CM	104 LEVEL CM	8704,9513 litre	30,787 %	19569,3826 litre	O
400	CM	150	CM	103 LEVEL CM	8590,8632 litre	30,384 %	19683,4707 litre	O
400	CM	150	CM	102 LEVEL CM	8477,0390 litre	29,981 %	19797,2949 litre	O
400	CM	150	CM	101 LEVEL CM	8363,4851 litre	29,580 %	19910,8488 litre	O
400	CM	150	CM	100 LEVEL CM	8250,2076 litre	29,179 %	20024,1263 litre	O
400	CM	150	CM	99 LEVEL CM	8137,2130 litre	28,780 %	20137,1209 litre	O
400	CM	150	CM	98 LEVEL CM	8024,5077 litre	28,381 %	20249,8262 litre	O
400	CM	150	CM	97 LEVEL CM	7912,0980 litre	27,983 %	20362,2359 litre	O
400	CM	150	CM	96 LEVEL CM	7799,9904 litre	27,587 %	20474,3435 litre	O
400	CM	150	CM	95 LEVEL CM	7688,1916 litre	27,191 %	20586,1423 litre	O
400	CM	150	CM	94 LEVEL CM	7576,7081 litre	26,797 %	20697,6258 litre	O
400	CM	150	CM	93 LEVEL CM	7465,5465 litre	26,404 %	20808,7874 litre	O
400	CM	150	CM	92 LEVEL CM	7354,7136 litre	26,012 %	20919,6203 litre	O
400	CM	150	CM	91 LEVEL CM	7244,2161 litre	25,621 %	21030,1178 litre	O
400	CM	150	CM	90 LEVEL CM	7134,0608 litre	25,232 %	21140,2731 litre	O

400	CM	150	CM	89 LEVEL CM	7024,2547 litre	24,843 %	21250,0792 litre	O
400	CM	150	CM	88 LEVEL CM	6914,8048 litre	24,456 %	21359,5291 litre	O
400	CM	150	CM	87 LEVEL CM	6805,7179 litre	24,070 %	21468,6160 litre	O
400	CM	150	CM	86 LEVEL CM	6697,0014 litre	23,686 %	21577,3325 litre	O
400	CM	150	CM	85 LEVEL CM	6588,6622 litre	23,303 %	21685,6717 litre	O
400	CM	150	CM	84 LEVEL CM	6480,7077 litre	22,921 %	21793,6262 litre	O
400	CM	150	CM	83 LEVEL CM	6373,1452 litre	22,540 %	21901,1887 litre	O
400	CM	150	CM	82 LEVEL CM	6265,9821 litre	22,161 %	22008,3518 litre	O
400	CM	150	CM	81 LEVEL CM	6159,2258 litre	21,784 %	22115,1081 litre	O
400	CM	150	CM	80 LEVEL CM	6052,8841 litre	21,408 %	22221,4498 litre	O
400	CM	150	CM	79 LEVEL CM	5946,9644 litre	21,033 %	22327,3695 litre	O
400	CM	150	CM	78 LEVEL CM	5841,4747 litre	20,660 %	22432,8592 litre	O
400	CM	150	CM	77 LEVEL CM	5736,4226 litre	20,288 %	22537,9113 litre	O
400	CM	150	CM	76 LEVEL CM	5631,8163 litre	19,918 %	22642,5176 litre	O
400	CM	150	CM	75 LEVEL CM	5527,6636 litre	19,550 %	22746,6703 litre	O
400	CM	150	CM	74 LEVEL CM	5423,9729 litre	19,183 %	22850,3610 litre	O
400	CM	150	CM	73 LEVEL CM	5320,7523 litre	18,818 %	22953,5816 litre	O
400	CM	150	CM	72 LEVEL CM	5218,0103 litre	18,455 %	23056,3236 litre	O
400	CM	150	CM	71 LEVEL CM	5115,7553 litre	18,093 %	23158,5786 litre	O
400	CM	150	CM	70 LEVEL CM	5013,9959 litre	17,733 %	23260,3380 litre	O
400	CM	150	CM	69 LEVEL CM	4912,7410 litre	17,375 %	23361,5929 litre	O
400	CM	150	CM	68 LEVEL CM	4811,9993 litre	17,019 %	23462,3346 litre	O
400	CM	150	CM	67 LEVEL CM	4711,7799 litre	16,665 %	23562,5540 litre	O
400	CM	150	CM	66 LEVEL CM	4612,0920 litre	16,312 %	23662,2419 litre	O
400	CM	150	CM	65 LEVEL CM	4512,9448 litre	15,961 %	23761,3891 litre	O
400	CM	150	CM	64 LEVEL CM	4414,3479 litre	15,613 %	23859,9860 litre	O
400	CM	150	CM	63 LEVEL CM	4316,3107 litre	15,266 %	23958,0232 litre	O
400	CM	150	CM	62 LEVEL CM	4218,8432 litre	14,921 %	24055,4907 litre	O
400	CM	150	CM	61 LEVEL CM	4121,9552 litre	14,578 %	24152,3787 litre	O
400	CM	150	CM	60 LEVEL CM	4025,6570 litre	14,238 %	24248,6769 litre	O
400	CM	150	CM	59 LEVEL CM	3929,9587 litre	13,899 %	24344,3752 litre	O
400	CM	150	CM	58 LEVEL CM	3834,8710 litre	13,563 %	24439,4629 litre	O
400	CM	150	CM	57 LEVEL CM	3740,4045 litre	13,229 %	24533,9294 litre	O
400	CM	150	CM	56 LEVEL CM	3646,5702 litre	12,897 %	24627,7637 litre	O
400	CM	150	CM	55 LEVEL CM	3553,3793 litre	12,568 %	24720,9546 litre	O
400	CM	150	CM	54 LEVEL CM	3460,8431 litre	12,240 %	24813,4908 litre	O
400	CM	150	CM	53 LEVEL CM	3368,9732 litre	11,915 %	24905,3607 litre	O
400	CM	150	CM	52 LEVEL CM	3277,7816 litre	11,593 %	24996,5523 litre	O
400	CM	150	CM	51 LEVEL CM	3187,2804 litre	11,273 %	25087,0535 litre	O
400	CM	150	CM	50 LEVEL CM	3097,4821 litre	10,955 %	25176,8518 litre	O
400	CM	150	CM	49 LEVEL CM	3008,3993 litre	10,640 %	25265,9346 litre	O
400	CM	150	CM	48 LEVEL CM	2920,0451 litre	10,328 %	25354,2888 litre	O
400	CM	150	CM	47 LEVEL CM	2832,4329 litre	10,018 %	25441,9010 litre	O
400	CM	150	CM	46 LEVEL CM	2745,5764 litre	9,710 %	25528,7575 litre	O
400	CM	150	CM	45 LEVEL CM	2659,4896 litre	9,406 %	25614,8443 litre	O
400	CM	150	CM	44 LEVEL CM	2574,1870 litre	9,104 %	25700,1469 litre	O
400	CM	150	CM	43 LEVEL CM	2489,6834 litre	8,805 %	25784,6505 litre	O
400	CM	150	CM	42 LEVEL CM	2405,9941 litre	8,509 %	25868,3398 litre	O
400	CM	150	CM	41 LEVEL CM	2323,1349 litre	8,216 %	25951,1990 litre	O
400	CM	150	CM	40 LEVEL CM	2241,1220 litre	7,926 %	26033,2119 litre	O
400	CM	150	CM	39 LEVEL CM	2159,9720 litre	7,639 %	26114,3619 litre	O
400	CM	150	CM	38 LEVEL CM	2079,7022 litre	7,355 %	26194,6317 litre	O
400	CM	150	CM	37 LEVEL CM	2000,3304 litre	7,075 %	26274,0035 litre	O

400	CM	150	CM	36 LEVEL CM	1921,8751 litre	6,797 %	26352,4588 litre	O
400	CM	150	CM	35 LEVEL CM	1844,3553 litre	6,523 %	26429,9786 litre	O
400	CM	150	CM	34 LEVEL CM	1767,7909 litre	6,252 %	26506,5430 litre	O
400	CM	150	CM	33 LEVEL CM	1692,2024 litre	5,985 %	26582,1315 litre	O
400	CM	150	CM	32 LEVEL CM	1617,6111 litre	5,721 %	26656,7228 litre	O
400	CM	150	CM	31 LEVEL CM	1544,0392 litre	5,461 %	26730,2947 litre	O
400	CM	150	CM	30 LEVEL CM	1471,5100 litre	5,204 %	26802,8239 litre	O
400	CM	150	CM	29 LEVEL CM	1400,0475 litre	4,952 %	26874,2864 litre	O
400	CM	150	CM	28 LEVEL CM	1329,6770 litre	4,703 %	26944,6569 litre	O
400	CM	150	CM	27 LEVEL CM	1260,4250 litre	4,458 %	27013,9089 litre	O
400	CM	150	CM	26 LEVEL CM	1192,3192 litre	4,217 %	27082,0147 litre	O
400	CM	150	CM	25 LEVEL CM	1125,3889 litre	3,980 %	27148,9450 litre	O
400	CM	150	CM	24 LEVEL CM	1059,6648 litre	3,748 %	27214,6691 litre	O
400	CM	150	CM	23 LEVEL CM	995,1793 litre	3,520 %	27279,1546 litre	O
400	CM	150	CM	22 LEVEL CM	931,9669 litre	3,296 %	27342,3670 litre	O
400	CM	150	CM	21 LEVEL CM	870,0641 litre	3,077 %	27404,2698 litre	O
400	CM	150	CM	20 LEVEL CM	809,5097 litre	2,863 %	27464,8242 litre	O
400	CM	150	CM	19 LEVEL CM	750,3454 litre	2,654 %	27523,9885 litre	O
400	CM	150	CM	18 LEVEL CM	692,6156 litre	2,450 %	27581,7183 litre	O
400	CM	150	CM	17 LEVEL CM	636,3683 litre	2,251 %	27637,9656 litre	O
400	CM	150	CM	16 LEVEL CM	581,6554 litre	2,057 %	27692,6785 litre	O
400	CM	150	CM	15 LEVEL CM	528,5332 litre	1,869 %	27745,8007 litre	O
400	CM	150	CM	14 LEVEL CM	477,0633 litre	1,687 %	27797,2706 litre	O
400	CM	150	CM	13 LEVEL CM	427,3134 litre	1,511 %	27847,0205 litre	O
400	CM	150	CM	12 LEVEL CM	379,3586 litre	1,342 %	27894,9753 litre	O
400	CM	150	CM	11 LEVEL CM	333,2826 litre	1,179 %	27941,0513 litre	O
400	CM	150	CM	10 LEVEL CM	289,1799 litre	1,023 %	27985,1540 litre	O
400	CM	150	CM	9 LEVEL CM	247,1584 litre	0,874 %	28027,1755 litre	O
400	CM	150	CM	8 LEVEL CM	207,3429 litre	0,733 %	28066,9910 litre	O
400	CM	150	CM	7 LEVEL CM	169,8802 litre	0,601 %	28104,4537 litre	O
400	CM	150	CM	6 LEVEL CM	134,9470 litre	0,477 %	28139,3869 litre	O
400	CM	150	CM	5 LEVEL CM	102,7616 litre	0,363 %	28171,5723 litre	O
400	CM	150	CM	4 LEVEL CM	73,6045 litre	0,260 %	28200,7294 litre	O
400	CM	150	CM	3 LEVEL CM	47,8557 litre	0,169 %	28226,4782 litre	O
400	CM	150	CM	2 LEVEL CM	26,0756 litre	0,092 %	28248,2583 litre	O
400	CM	150	CM	1 LEVEL CM	9,2284 litre	0,033 %	28265,1055 litre	O
400	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	28274,3339 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 145	CM 290 LEVEL CM	26420,7942 litre	100,000 %	0,0000 litre	O
400	CM 145	CM 289 LEVEL CM	26411,7213 litre	99,966 %	9,0729 litre	O
400	CM 145	CM 288 LEVEL CM	26395,1587 litre	99,903 %	25,6355 litre	O
400	CM 145	CM 287 LEVEL CM	26373,7477 litre	99,822 %	47,0465 litre	O
400	CM 145	CM 286 LEVEL CM	26348,4369 litre	99,726 %	72,3573 litre	O
400	CM 145	CM 285 LEVEL CM	26319,7774 litre	99,618 %	101,0168 litre	O
400	CM 145	CM 284 LEVEL CM	26288,1432 litre	99,498 %	132,6510 litre	O
400	CM 145	CM 283 LEVEL CM	26253,8103 litre	99,368 %	166,9839 litre	O
400	CM 145	CM 282 LEVEL CM	26216,9936 litre	99,229 %	203,8006 litre	O
400	CM 145	CM 281 LEVEL CM	26177,8670 litre	99,081 %	242,9272 litre	O
400	CM 145	CM 280 LEVEL CM	26136,5751 litre	98,924 %	284,2191 litre	O
400	CM 145	CM 279 LEVEL CM	26093,2408 litre	98,760 %	327,5534 litre	O
400	CM 145	CM 278 LEVEL CM	26047,9704 litre	98,589 %	372,8238 litre	O
400	CM 145	CM 277 LEVEL CM	26000,8570 litre	98,411 %	419,9372 litre	O
400	CM 145	CM 276 LEVEL CM	25951,9831 litre	98,226 %	468,8111 litre	O
400	CM 145	CM 275 LEVEL CM	25901,4226 litre	98,034 %	519,3716 litre	O
400	CM 145	CM 274 LEVEL CM	25849,2424 litre	97,837 %	571,5518 litre	O
400	CM 145	CM 273 LEVEL CM	25795,5031 litre	97,633 %	625,2911 litre	O
400	CM 145	CM 272 LEVEL CM	25740,2603 litre	97,424 %	680,5339 litre	O
400	CM 145	CM 271 LEVEL CM	25683,5652 litre	97,210 %	737,2290 litre	O
400	CM 145	CM 270 LEVEL CM	25625,4650 litre	96,990 %	795,3292 litre	O
400	CM 145	CM 269 LEVEL CM	25566,0038 litre	96,765 %	854,7904 litre	O
400	CM 145	CM 268 LEVEL CM	25505,2225 litre	96,535 %	915,5717 litre	O
400	CM 145	CM 267 LEVEL CM	25443,1596 litre	96,300 %	977,6346 litre	O
400	CM 145	CM 266 LEVEL CM	25379,8509 litre	96,060 %	1040,9433 litre	O
400	CM 145	CM 265 LEVEL CM	25315,3306 litre	95,816 %	1105,4636 litre	O
400	CM 145	CM 264 LEVEL CM	25249,6308 litre	95,567 %	1171,1634 litre	O
400	CM 145	CM 263 LEVEL CM	25182,7817 litre	95,314 %	1238,0125 litre	O
400	CM 145	CM 262 LEVEL CM	25114,8123 litre	95,057 %	1305,9819 litre	O
400	CM 145	CM 261 LEVEL CM	25045,7499 litre	94,796 %	1375,0443 litre	O
400	CM 145	CM 260 LEVEL CM	24975,6208 litre	94,530 %	1445,1734 litre	O
400	CM 145	CM 259 LEVEL CM	24904,4499 litre	94,261 %	1516,3443 litre	O
400	CM 145	CM 258 LEVEL CM	24832,2611 litre	93,988 %	1588,5331 litre	O
400	CM 145	CM 257 LEVEL CM	24759,0773 litre	93,711 %	1661,7169 litre	O
400	CM 145	CM 256 LEVEL CM	24684,9205 litre	93,430 %	1735,8737 litre	O
400	CM 145	CM 255 LEVEL CM	24609,8118 litre	93,146 %	1810,9824 litre	O
400	CM 145	CM 254 LEVEL CM	24533,7716 litre	92,858 %	1887,0226 litre	O
400	CM 145	CM 253 LEVEL CM	24456,8194 litre	92,567 %	1963,9748 litre	O
400	CM 145	CM 252 LEVEL CM	24378,9742 litre	92,272 %	2041,8200 litre	O
400	CM 145	CM 251 LEVEL CM	24300,2541 litre	91,974 %	2120,5401 litre	O
400	CM 145	CM 250 LEVEL CM	24220,6770 litre	91,673 %	2200,1172 litre	O
400	CM 145	CM 249 LEVEL CM	24140,2597 litre	91,368 %	2280,5345 litre	O
400	CM 145	CM 248 LEVEL CM	24059,0190 litre	91,061 %	2361,7752 litre	O
400	CM 145	CM 247 LEVEL CM	23976,9709 litre	90,750 %	2443,8233 litre	O
400	CM 145	CM 246 LEVEL CM	23894,1310 litre	90,437 %	2526,6632 litre	O
400	CM 145	CM 245 LEVEL CM	23810,5144 litre	90,120 %	2610,2798 litre	O
400	CM 145	CM 244 LEVEL CM	23726,1358 litre	89,801 %	2694,6584 litre	O
400	CM 145	CM 243 LEVEL CM	23641,0097 litre	89,479 %	2779,7845 litre	O
400	CM 145	CM 242 LEVEL CM	23555,1499 litre	89,154 %	2865,6443 litre	O
400	CM 145	CM 241 LEVEL CM	23468,5701 litre	88,826 %	2952,2241 litre	O
400	CM 145	CM 240 LEVEL CM	23381,2835 litre	88,496 %	3039,5107 litre	O
400	CM 145	CM 239 LEVEL CM	23293,3031 litre	88,163 %	3127,4911 litre	O

400	CM	145	CM	238 LEVEL CM	23204,6416 litre	87,827 %	3216,1526 litre	O
400	CM	145	CM	237 LEVEL CM	23115,3112 litre	87,489 %	3305,4830 litre	O
400	CM	145	CM	236 LEVEL CM	23025,3242 litre	87,148 %	3395,4700 litre	O
400	CM	145	CM	235 LEVEL CM	22934,6922 litre	86,805 %	3486,1020 litre	O
400	CM	145	CM	234 LEVEL CM	22843,4269 litre	86,460 %	3577,3673 litre	O
400	CM	145	CM	233 LEVEL CM	22751,5396 litre	86,112 %	3669,2546 litre	O
400	CM	145	CM	232 LEVEL CM	22659,0414 litre	85,762 %	3761,7528 litre	O
400	CM	145	CM	231 LEVEL CM	22565,9432 litre	85,410 %	3854,8510 litre	O
400	CM	145	CM	230 LEVEL CM	22472,2557 litre	85,055 %	3948,5385 litre	O
400	CM	145	CM	229 LEVEL CM	22377,9892 litre	84,698 %	4042,8050 litre	O
400	CM	145	CM	228 LEVEL CM	22283,1542 litre	84,339 %	4137,6400 litre	O
400	CM	145	CM	227 LEVEL CM	22187,7607 litre	83,978 %	4233,0335 litre	O
400	CM	145	CM	226 LEVEL CM	22091,8186 litre	83,615 %	4328,9756 litre	O
400	CM	145	CM	225 LEVEL CM	21995,3377 litre	83,250 %	4425,4565 litre	O
400	CM	145	CM	224 LEVEL CM	21898,3276 litre	82,883 %	4522,4666 litre	O
400	CM	145	CM	223 LEVEL CM	21800,7977 litre	82,514 %	4619,9965 litre	O
400	CM	145	CM	222 LEVEL CM	21702,7573 litre	82,143 %	4718,0369 litre	O
400	CM	145	CM	221 LEVEL CM	21604,2155 litre	81,770 %	4816,5787 litre	O
400	CM	145	CM	220 LEVEL CM	21505,1813 litre	81,395 %	4915,6129 litre	O
400	CM	145	CM	219 LEVEL CM	21405,6636 litre	81,018 %	5015,1306 litre	O
400	CM	145	CM	218 LEVEL CM	21305,6712 litre	80,640 %	5115,1230 litre	O
400	CM	145	CM	217 LEVEL CM	21205,2126 litre	80,260 %	5215,5816 litre	O
400	CM	145	CM	216 LEVEL CM	21104,2964 litre	79,878 %	5316,4978 litre	O
400	CM	145	CM	215 LEVEL CM	21002,9308 litre	79,494 %	5417,8634 litre	O
400	CM	145	CM	214 LEVEL CM	20901,1243 litre	79,109 %	5519,6699 litre	O
400	CM	145	CM	213 LEVEL CM	20798,8849 litre	78,722 %	5621,9093 litre	O
400	CM	145	CM	212 LEVEL CM	20696,2207 litre	78,333 %	5724,5735 litre	O
400	CM	145	CM	211 LEVEL CM	20593,1397 litre	77,943 %	5827,6545 litre	O
400	CM	145	CM	210 LEVEL CM	20489,6498 litre	77,551 %	5931,1444 litre	O
400	CM	145	CM	209 LEVEL CM	20385,7586 litre	77,158 %	6035,0356 litre	O
400	CM	145	CM	208 LEVEL CM	20281,4739 litre	76,763 %	6139,3203 litre	O
400	CM	145	CM	207 LEVEL CM	20176,8033 litre	76,367 %	6243,9909 litre	O
400	CM	145	CM	206 LEVEL CM	20071,7543 litre	75,970 %	6349,0399 litre	O
400	CM	145	CM	205 LEVEL CM	19966,3343 litre	75,571 %	6454,4599 litre	O
400	CM	145	CM	204 LEVEL CM	19860,5507 litre	75,170 %	6560,2435 litre	O
400	CM	145	CM	203 LEVEL CM	19754,4107 litre	74,768 %	6666,3835 litre	O
400	CM	145	CM	202 LEVEL CM	19647,9216 litre	74,365 %	6772,8726 litre	O
400	CM	145	CM	201 LEVEL CM	19541,0904 litre	73,961 %	6879,7038 litre	O
400	CM	145	CM	200 LEVEL CM	19433,9243 litre	73,555 %	6986,8699 litre	O
400	CM	145	CM	199 LEVEL CM	19326,4302 litre	73,149 %	7094,3640 litre	O
400	CM	145	CM	198 LEVEL CM	19218,6151 litre	72,740 %	7202,1791 litre	O
400	CM	145	CM	197 LEVEL CM	19110,4858 litre	72,331 %	7310,3084 litre	O
400	CM	145	CM	196 LEVEL CM	19002,0492 litre	71,921 %	7418,7450 litre	O
400	CM	145	CM	195 LEVEL CM	18893,3120 litre	71,509 %	7527,4822 litre	O
400	CM	145	CM	194 LEVEL CM	18784,2809 litre	71,097 %	7636,5133 litre	O
400	CM	145	CM	193 LEVEL CM	18674,9626 litre	70,683 %	7745,8316 litre	O
400	CM	145	CM	192 LEVEL CM	18565,3636 litre	70,268 %	7855,4306 litre	O
400	CM	145	CM	191 LEVEL CM	18455,4905 litre	69,852 %	7965,3037 litre	O
400	CM	145	CM	190 LEVEL CM	18345,3497 litre	69,435 %	8075,4445 litre	O
400	CM	145	CM	189 LEVEL CM	18234,9478 litre	69,017 %	8185,8464 litre	O
400	CM	145	CM	188 LEVEL CM	18124,2911 litre	68,599 %	8296,5031 litre	O
400	CM	145	CM	187 LEVEL CM	18013,3860 litre	68,179 %	8407,4082 litre	O
400	CM	145	CM	186 LEVEL CM	17902,2388 litre	67,758 %	8518,5554 litre	O

400	CM	145	CM	185 LEVEL CM	17790,8558 litre	67,337 %	8629,9384 litre	O
400	CM	145	CM	184 LEVEL CM	17679,2431 litre	66,914 %	8741,5511 litre	O
400	CM	145	CM	183 LEVEL CM	17567,4071 litre	66,491 %	8853,3871 litre	O
400	CM	145	CM	182 LEVEL CM	17455,3538 litre	66,067 %	8965,4404 litre	O
400	CM	145	CM	181 LEVEL CM	17343,0894 litre	65,642 %	9077,7048 litre	O
400	CM	145	CM	180 LEVEL CM	17230,6199 litre	65,216 %	9190,1743 litre	O
400	CM	145	CM	179 LEVEL CM	17117,9514 litre	64,790 %	9302,8428 litre	O
400	CM	145	CM	178 LEVEL CM	17005,0900 litre	64,363 %	9415,7042 litre	O
400	CM	145	CM	177 LEVEL CM	16892,0416 litre	63,935 %	9528,7526 litre	O
400	CM	145	CM	176 LEVEL CM	16778,8121 litre	63,506 %	9641,9821 litre	O
400	CM	145	CM	175 LEVEL CM	16665,4076 litre	63,077 %	9755,3866 litre	O
400	CM	145	CM	174 LEVEL CM	16551,8339 litre	62,647 %	9868,9603 litre	O
400	CM	145	CM	173 LEVEL CM	16438,0969 litre	62,217 %	9982,6973 litre	O
400	CM	145	CM	172 LEVEL CM	16324,2025 litre	61,785 %	10096,5917 litre	O
400	CM	145	CM	171 LEVEL CM	16210,1564 litre	61,354 %	10210,6378 litre	O
400	CM	145	CM	170 LEVEL CM	16095,9645 litre	60,922 %	10324,8297 litre	O
400	CM	145	CM	169 LEVEL CM	15981,6326 litre	60,489 %	10439,1616 litre	O
400	CM	145	CM	168 LEVEL CM	15867,1665 litre	60,056 %	10553,6277 litre	O
400	CM	145	CM	167 LEVEL CM	15752,5718 litre	59,622 %	10668,2224 litre	O
400	CM	145	CM	166 LEVEL CM	15637,8543 litre	59,188 %	10782,9399 litre	O
400	CM	145	CM	165 LEVEL CM	15523,0196 litre	58,753 %	10897,7746 litre	O
400	CM	145	CM	164 LEVEL CM	15408,0736 litre	58,318 %	11012,7206 litre	O
400	CM	145	CM	163 LEVEL CM	15293,0219 litre	57,883 %	11127,7723 litre	O
400	CM	145	CM	162 LEVEL CM	15177,8700 litre	57,447 %	11242,9242 litre	O
400	CM	145	CM	161 LEVEL CM	15062,6238 litre	57,010 %	11358,1704 litre	O
400	CM	145	CM	160 LEVEL CM	14947,2887 litre	56,574 %	11473,5055 litre	O
400	CM	145	CM	159 LEVEL CM	14831,8703 litre	56,137 %	11588,9239 litre	O
400	CM	145	CM	158 LEVEL CM	14716,3744 litre	55,700 %	11704,4198 litre	O
400	CM	145	CM	157 LEVEL CM	14600,8065 litre	55,263 %	11819,9877 litre	O
400	CM	145	CM	156 LEVEL CM	14485,1721 litre	54,825 %	11935,6221 litre	O
400	CM	145	CM	155 LEVEL CM	14369,4769 litre	54,387 %	12051,3173 litre	O
400	CM	145	CM	154 LEVEL CM	14253,7264 litre	53,949 %	12167,0678 litre	O
400	CM	145	CM	153 LEVEL CM	14137,9261 litre	53,511 %	12282,8681 litre	O
400	CM	145	CM	152 LEVEL CM	14022,0816 litre	53,072 %	12398,7126 litre	O
400	CM	145	CM	151 LEVEL CM	13906,1984 litre	52,634 %	12514,5958 litre	O
400	CM	145	CM	150 LEVEL CM	13790,2821 litre	52,195 %	12630,5121 litre	O
400	CM	145	CM	149 LEVEL CM	13674,3383 litre	51,756 %	12746,4559 litre	O
400	CM	145	CM	148 LEVEL CM	13558,3723 litre	51,317 %	12862,4219 litre	O
400	CM	145	CM	147 LEVEL CM	13442,3898 litre	50,878 %	12978,4044 litre	O
400	CM	145	CM	146 LEVEL CM	13326,3962 litre	50,439 %	13094,3980 litre	O
400	CM	145	CM	145 LEVEL CM	13210,3971 litre	50,000 %	13210,3971 litre	O
400	CM	145	CM	144 LEVEL CM	13094,3980 litre	49,561 %	13326,3962 litre	O
400	CM	145	CM	143 LEVEL CM	12978,4045 litre	49,122 %	13442,3897 litre	O
400	CM	145	CM	142 LEVEL CM	12862,4219 litre	48,683 %	13558,3723 litre	O
400	CM	145	CM	141 LEVEL CM	12746,4560 litre	48,244 %	13674,3382 litre	O
400	CM	145	CM	140 LEVEL CM	12630,5121 litre	47,805 %	13790,2821 litre	O
400	CM	145	CM	139 LEVEL CM	12514,5958 litre	47,366 %	13906,1984 litre	O
400	CM	145	CM	138 LEVEL CM	12398,7126 litre	46,928 %	14022,0816 litre	O
400	CM	145	CM	137 LEVEL CM	12282,8681 litre	46,489 %	14137,9261 litre	O
400	CM	145	CM	136 LEVEL CM	12167,0678 litre	46,051 %	14253,7264 litre	O
400	CM	145	CM	135 LEVEL CM	12051,3173 litre	45,613 %	14369,4769 litre	O
400	CM	145	CM	134 LEVEL CM	11935,6221 litre	45,175 %	14485,1721 litre	O
400	CM	145	CM	133 LEVEL CM	11819,9877 litre	44,737 %	14600,8065 litre	O

400	CM	145	CM	132 LEVEL CM	11704,4198 litre	44,300 %	14716,3744 litre	O
400	CM	145	CM	131 LEVEL CM	11588,9239 litre	43,863 %	14831,8703 litre	O
400	CM	145	CM	130 LEVEL CM	11473,5056 litre	43,426 %	14947,2886 litre	O
400	CM	145	CM	129 LEVEL CM	11358,1705 litre	42,990 %	15062,6237 litre	O
400	CM	145	CM	128 LEVEL CM	11242,9242 litre	42,553 %	15177,8700 litre	O
400	CM	145	CM	127 LEVEL CM	11127,7723 litre	42,117 %	15293,0219 litre	O
400	CM	145	CM	126 LEVEL CM	11012,7206 litre	41,682 %	15408,0736 litre	O
400	CM	145	CM	125 LEVEL CM	10897,7746 litre	41,247 %	15523,0196 litre	O
400	CM	145	CM	124 LEVEL CM	10782,9400 litre	40,812 %	15637,8542 litre	O
400	CM	145	CM	123 LEVEL CM	10668,2225 litre	40,378 %	15752,5717 litre	O
400	CM	145	CM	122 LEVEL CM	10553,6278 litre	39,944 %	15867,1664 litre	O
400	CM	145	CM	121 LEVEL CM	10439,1616 litre	39,511 %	15981,6326 litre	O
400	CM	145	CM	120 LEVEL CM	10324,8297 litre	39,078 %	16095,9645 litre	O
400	CM	145	CM	119 LEVEL CM	10210,6378 litre	38,646 %	16210,1564 litre	O
400	CM	145	CM	118 LEVEL CM	10096,5917 litre	38,215 %	16324,2025 litre	O
400	CM	145	CM	117 LEVEL CM	9982,6973 litre	37,783 %	16438,0969 litre	O
400	CM	145	CM	116 LEVEL CM	9868,9603 litre	37,353 %	16551,8339 litre	O
400	CM	145	CM	115 LEVEL CM	9755,3866 litre	36,923 %	16665,4076 litre	O
400	CM	145	CM	114 LEVEL CM	9641,9821 litre	36,494 %	16778,8121 litre	O
400	CM	145	CM	113 LEVEL CM	9528,7527 litre	36,065 %	16892,0415 litre	O
400	CM	145	CM	112 LEVEL CM	9415,7042 litre	35,637 %	17005,0900 litre	O
400	CM	145	CM	111 LEVEL CM	9302,8428 litre	35,210 %	17117,9514 litre	O
400	CM	145	CM	110 LEVEL CM	9190,1743 litre	34,784 %	17230,6199 litre	O
400	CM	145	CM	109 LEVEL CM	9077,7049 litre	34,358 %	17343,0893 litre	O
400	CM	145	CM	108 LEVEL CM	8965,4404 litre	33,933 %	17455,3538 litre	O
400	CM	145	CM	107 LEVEL CM	8853,3871 litre	33,509 %	17567,4071 litre	O
400	CM	145	CM	106 LEVEL CM	8741,5511 litre	33,086 %	17679,2431 litre	O
400	CM	145	CM	105 LEVEL CM	8629,9384 litre	32,663 %	17790,8558 litre	O
400	CM	145	CM	104 LEVEL CM	8518,5554 litre	32,242 %	17902,2388 litre	O
400	CM	145	CM	103 LEVEL CM	8407,4082 litre	31,821 %	18013,3860 litre	O
400	CM	145	CM	102 LEVEL CM	8296,5031 litre	31,401 %	18124,2911 litre	O
400	CM	145	CM	101 LEVEL CM	8185,8464 litre	30,983 %	18234,9478 litre	O
400	CM	145	CM	100 LEVEL CM	8075,4445 litre	30,565 %	18345,3497 litre	O
400	CM	145	CM	99 LEVEL CM	7965,3038 litre	30,148 %	18455,4904 litre	O
400	CM	145	CM	98 LEVEL CM	7855,4306 litre	29,732 %	18565,3636 litre	O
400	CM	145	CM	97 LEVEL CM	7745,8316 litre	29,317 %	18674,9626 litre	O
400	CM	145	CM	96 LEVEL CM	7636,5133 litre	28,903 %	18784,2809 litre	O
400	CM	145	CM	95 LEVEL CM	7527,4822 litre	28,491 %	18893,3120 litre	O
400	CM	145	CM	94 LEVEL CM	7418,7450 litre	28,079 %	19002,0492 litre	O
400	CM	145	CM	93 LEVEL CM	7310,3084 litre	27,669 %	19110,4858 litre	O
400	CM	145	CM	92 LEVEL CM	7202,1791 litre	27,260 %	19218,6151 litre	O
400	CM	145	CM	91 LEVEL CM	7094,3640 litre	26,851 %	19326,4302 litre	O
400	CM	145	CM	90 LEVEL CM	6986,8699 litre	26,445 %	19433,9243 litre	O
400	CM	145	CM	89 LEVEL CM	6879,7038 litre	26,039 %	19541,0904 litre	O
400	CM	145	CM	88 LEVEL CM	6772,8726 litre	25,635 %	19647,9216 litre	O
400	CM	145	CM	87 LEVEL CM	6666,3835 litre	25,232 %	19754,4107 litre	O
400	CM	145	CM	86 LEVEL CM	6560,2435 litre	24,830 %	19860,5507 litre	O
400	CM	145	CM	85 LEVEL CM	6454,4599 litre	24,429 %	19966,3343 litre	O
400	CM	145	CM	84 LEVEL CM	6349,0399 litre	24,030 %	20071,7543 litre	O
400	CM	145	CM	83 LEVEL CM	6243,9909 litre	23,633 %	20176,8033 litre	O
400	CM	145	CM	82 LEVEL CM	6139,3203 litre	23,237 %	20281,4739 litre	O
400	CM	145	CM	81 LEVEL CM	6035,0356 litre	22,842 %	20385,7586 litre	O
400	CM	145	CM	80 LEVEL CM	5931,1444 litre	22,449 %	20489,6498 litre	O

400	CM	145	CM	79 LEVEL CM	5827,6545 litre	22,057 %	20593,1397 litre	O
400	CM	145	CM	78 LEVEL CM	5724,5735 litre	21,667 %	20696,2207 litre	O
400	CM	145	CM	77 LEVEL CM	5621,9093 litre	21,278 %	20798,8849 litre	O
400	CM	145	CM	76 LEVEL CM	5519,6699 litre	20,891 %	20901,1243 litre	O
400	CM	145	CM	75 LEVEL CM	5417,8634 litre	20,506 %	21002,9308 litre	O
400	CM	145	CM	74 LEVEL CM	5316,4979 litre	20,122 %	21104,2963 litre	O
400	CM	145	CM	73 LEVEL CM	5215,5816 litre	19,740 %	21205,2126 litre	O
400	CM	145	CM	72 LEVEL CM	5115,1230 litre	19,360 %	21305,6712 litre	O
400	CM	145	CM	71 LEVEL CM	5015,1306 litre	18,982 %	21405,6636 litre	O
400	CM	145	CM	70 LEVEL CM	4915,6129 litre	18,605 %	21505,1813 litre	O
400	CM	145	CM	69 LEVEL CM	4816,5787 litre	18,230 %	21604,2155 litre	O
400	CM	145	CM	68 LEVEL CM	4718,0369 litre	17,857 %	21702,7573 litre	O
400	CM	145	CM	67 LEVEL CM	4619,9965 litre	17,486 %	21800,7977 litre	O
400	CM	145	CM	66 LEVEL CM	4522,4666 litre	17,117 %	21898,3276 litre	O
400	CM	145	CM	65 LEVEL CM	4425,4565 litre	16,750 %	21995,3377 litre	O
400	CM	145	CM	64 LEVEL CM	4328,9756 litre	16,385 %	22091,8186 litre	O
400	CM	145	CM	63 LEVEL CM	4233,0335 litre	16,022 %	22187,7607 litre	O
400	CM	145	CM	62 LEVEL CM	4137,6400 litre	15,661 %	22283,1542 litre	O
400	CM	145	CM	61 LEVEL CM	4042,8050 litre	15,302 %	22377,9892 litre	O
400	CM	145	CM	60 LEVEL CM	3948,5386 litre	14,945 %	22472,2556 litre	O
400	CM	145	CM	59 LEVEL CM	3854,8510 litre	14,590 %	22565,9432 litre	O
400	CM	145	CM	58 LEVEL CM	3761,7528 litre	14,238 %	22659,0414 litre	O
400	CM	145	CM	57 LEVEL CM	3669,2546 litre	13,888 %	22751,5396 litre	O
400	CM	145	CM	56 LEVEL CM	3577,3673 litre	13,540 %	22843,4269 litre	O
400	CM	145	CM	55 LEVEL CM	3486,1020 litre	13,195 %	22934,6922 litre	O
400	CM	145	CM	54 LEVEL CM	3395,4700 litre	12,852 %	23025,3242 litre	O
400	CM	145	CM	53 LEVEL CM	3305,4830 litre	12,511 %	23115,3112 litre	O
400	CM	145	CM	52 LEVEL CM	3216,1526 litre	12,173 %	23204,6416 litre	O
400	CM	145	CM	51 LEVEL CM	3127,4911 litre	11,837 %	23293,3031 litre	O
400	CM	145	CM	50 LEVEL CM	3039,5107 litre	11,504 %	23381,2835 litre	O
400	CM	145	CM	49 LEVEL CM	2952,2241 litre	11,174 %	23468,5701 litre	O
400	CM	145	CM	48 LEVEL CM	2865,6443 litre	10,846 %	23555,1499 litre	O
400	CM	145	CM	47 LEVEL CM	2779,7845 litre	10,521 %	23641,0097 litre	O
400	CM	145	CM	46 LEVEL CM	2694,6584 litre	10,199 %	23726,1358 litre	O
400	CM	145	CM	45 LEVEL CM	2610,2798 litre	9,880 %	23810,5144 litre	O
400	CM	145	CM	44 LEVEL CM	2526,6632 litre	9,563 %	23894,1310 litre	O
400	CM	145	CM	43 LEVEL CM	2443,8233 litre	9,250 %	23976,9709 litre	O
400	CM	145	CM	42 LEVEL CM	2361,7752 litre	8,939 %	24059,0190 litre	O
400	CM	145	CM	41 LEVEL CM	2280,5345 litre	8,632 %	24140,2597 litre	O
400	CM	145	CM	40 LEVEL CM	2200,1173 litre	8,327 %	24220,6769 litre	O
400	CM	145	CM	39 LEVEL CM	2120,5401 litre	8,026 %	24300,2541 litre	O
400	CM	145	CM	38 LEVEL CM	2041,8201 litre	7,728 %	24378,9741 litre	O
400	CM	145	CM	37 LEVEL CM	1963,9748 litre	7,433 %	24456,8194 litre	O
400	CM	145	CM	36 LEVEL CM	1887,0226 litre	7,142 %	24533,7716 litre	O
400	CM	145	CM	35 LEVEL CM	1810,9824 litre	6,854 %	24609,8118 litre	O
400	CM	145	CM	34 LEVEL CM	1735,8737 litre	6,570 %	24684,9205 litre	O
400	CM	145	CM	33 LEVEL CM	1661,7169 litre	6,289 %	24759,0773 litre	O
400	CM	145	CM	32 LEVEL CM	1588,5332 litre	6,012 %	24832,2610 litre	O
400	CM	145	CM	31 LEVEL CM	1516,3444 litre	5,739 %	24904,4498 litre	O
400	CM	145	CM	30 LEVEL CM	1445,1734 litre	5,470 %	24975,6208 litre	O
400	CM	145	CM	29 LEVEL CM	1375,0443 litre	5,204 %	25045,7499 litre	O
400	CM	145	CM	28 LEVEL CM	1305,9820 litre	4,943 %	25114,8122 litre	O
400	CM	145	CM	27 LEVEL CM	1238,0125 litre	4,686 %	25182,7817 litre	O

400	CM	145	CM	26 LEVEL CM	1171,1634 litre	4,433 %	25249,6308 litre	O
400	CM	145	CM	25 LEVEL CM	1105,4636 litre	4,184 %	25315,3306 litre	O
400	CM	145	CM	24 LEVEL CM	1040,9433 litre	3,940 %	25379,8509 litre	O
400	CM	145	CM	23 LEVEL CM	977,6347 litre	3,700 %	25443,1595 litre	O
400	CM	145	CM	22 LEVEL CM	915,5717 litre	3,465 %	25505,2225 litre	O
400	CM	145	CM	21 LEVEL CM	854,7904 litre	3,235 %	25566,0038 litre	O
400	CM	145	CM	20 LEVEL CM	795,3292 litre	3,010 %	25625,4650 litre	O
400	CM	145	CM	19 LEVEL CM	737,2290 litre	2,790 %	25683,5652 litre	O
400	CM	145	CM	18 LEVEL CM	680,5339 litre	2,576 %	25740,2603 litre	O
400	CM	145	CM	17 LEVEL CM	625,2911 litre	2,367 %	25795,5031 litre	O
400	CM	145	CM	16 LEVEL CM	571,5518 litre	2,163 %	25849,2424 litre	O
400	CM	145	CM	15 LEVEL CM	519,3716 litre	1,966 %	25901,4226 litre	O
400	CM	145	CM	14 LEVEL CM	468,8111 litre	1,774 %	25951,9831 litre	O
400	CM	145	CM	13 LEVEL CM	419,9372 litre	1,589 %	26000,8570 litre	O
400	CM	145	CM	12 LEVEL CM	372,8238 litre	1,411 %	26047,9704 litre	O
400	CM	145	CM	11 LEVEL CM	327,5534 litre	1,240 %	26093,2408 litre	O
400	CM	145	CM	10 LEVEL CM	284,2191 litre	1,076 %	26136,5751 litre	O
400	CM	145	CM	9 LEVEL CM	242,9272 litre	0,919 %	26177,8670 litre	O
400	CM	145	CM	8 LEVEL CM	203,8006 litre	0,771 %	26216,9936 litre	O
400	CM	145	CM	7 LEVEL CM	166,9839 litre	0,632 %	26253,8103 litre	O
400	CM	145	CM	6 LEVEL CM	132,6510 litre	0,502 %	26288,1432 litre	O
400	CM	145	CM	5 LEVEL CM	101,0168 litre	0,382 %	26319,7774 litre	O
400	CM	145	CM	4 LEVEL CM	72,3573 litre	0,274 %	26348,4369 litre	O
400	CM	145	CM	3 LEVEL CM	47,0465 litre	0,178 %	26373,7477 litre	O
400	CM	145	CM	2 LEVEL CM	25,6355 litre	0,097 %	26395,1587 litre	O
400	CM	145	CM	1 LEVEL CM	9,0729 litre	0,034 %	26411,7213 litre	O
400	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	26420,7942 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 140	CM 280 LEVEL CM	24630,0864 litre	100,000 %	0,0000 litre	O
400	CM 140	CM 279 LEVEL CM	24621,1716 litre	99,964 %	8,9148 litre	O
400	CM 140	CM 278 LEVEL CM	24604,8986 litre	99,898 %	25,1878 litre	O
400	CM 140	CM 277 LEVEL CM	24583,8633 litre	99,812 %	46,2231 litre	O
400	CM 140	CM 276 LEVEL CM	24558,9982 litre	99,711 %	71,0882 litre	O
400	CM 140	CM 275 LEVEL CM	24530,8451 litre	99,597 %	99,2413 litre	O
400	CM 140	CM 274 LEVEL CM	24499,7719 litre	99,471 %	130,3145 litre	O
400	CM 140	CM 273 LEVEL CM	24466,0499 litre	99,334 %	164,0365 litre	O
400	CM 140	CM 272 LEVEL CM	24429,8907 litre	99,187 %	200,1957 litre	O
400	CM 140	CM 271 LEVEL CM	24391,4653 litre	99,031 %	238,6211 litre	O
400	CM 140	CM 270 LEVEL CM	24350,9162 litre	98,867 %	279,1702 litre	O
400	CM 140	CM 269 LEVEL CM	24308,3642 litre	98,694 %	321,7222 litre	O
400	CM 140	CM 268 LEVEL CM	24263,9140 litre	98,513 %	366,1724 litre	O
400	CM 140	CM 267 LEVEL CM	24217,6573 litre	98,326 %	412,4291 litre	O
400	CM 140	CM 266 LEVEL CM	24169,6753 litre	98,131 %	460,4111 litre	O
400	CM 140	CM 265 LEVEL CM	24120,0409 litre	97,929 %	510,0455 litre	O
400	CM 140	CM 264 LEVEL CM	24068,8200 litre	97,721 %	561,2664 litre	O
400	CM 140	CM 263 LEVEL CM	24016,0723 litre	97,507 %	614,0141 litre	O
400	CM 140	CM 262 LEVEL CM	23961,8526 litre	97,287 %	668,2338 litre	O
400	CM 140	CM 261 LEVEL CM	23906,2114 litre	97,061 %	723,8750 litre	O
400	CM 140	CM 260 LEVEL CM	23849,1953 litre	96,830 %	780,8911 litre	O
400	CM 140	CM 259 LEVEL CM	23790,8477 litre	96,593 %	839,2387 litre	O
400	CM 140	CM 258 LEVEL CM	23731,2091 litre	96,350 %	898,8773 litre	O
400	CM 140	CM 257 LEVEL CM	23670,3172 litre	96,103 %	959,7692 litre	O
400	CM 140	CM 256 LEVEL CM	23608,2077 litre	95,851 %	1021,8787 litre	O
400	CM 140	CM 255 LEVEL CM	23544,9142 litre	95,594 %	1085,1722 litre	O
400	CM 140	CM 254 LEVEL CM	23480,4682 litre	95,332 %	1149,6182 litre	O
400	CM 140	CM 253 LEVEL CM	23414,8999 litre	95,066 %	1215,1865 litre	O
400	CM 140	CM 252 LEVEL CM	23348,2377 litre	94,796 %	1281,8487 litre	O
400	CM 140	CM 251 LEVEL CM	23280,5087 litre	94,521 %	1349,5777 litre	O
400	CM 140	CM 250 LEVEL CM	23211,7388 litre	94,241 %	1418,3476 litre	O
400	CM 140	CM 249 LEVEL CM	23141,9527 litre	93,958 %	1488,1337 litre	O
400	CM 140	CM 248 LEVEL CM	23071,1740 litre	93,671 %	1558,9124 litre	O
400	CM 140	CM 247 LEVEL CM	22999,4253 litre	93,379 %	1630,6611 litre	O
400	CM 140	CM 246 LEVEL CM	22926,7285 litre	93,084 %	1703,3579 litre	O
400	CM 140	CM 245 LEVEL CM	22853,1043 litre	92,785 %	1776,9821 litre	O
400	CM 140	CM 244 LEVEL CM	22778,5730 litre	92,483 %	1851,5134 litre	O
400	CM 140	CM 243 LEVEL CM	22703,1539 litre	92,177 %	1926,9325 litre	O
400	CM 140	CM 242 LEVEL CM	22626,8657 litre	91,867 %	2003,2207 litre	O
400	CM 140	CM 241 LEVEL CM	22549,7266 litre	91,554 %	2080,3598 litre	O
400	CM 140	CM 240 LEVEL CM	22471,7539 litre	91,237 %	2158,3325 litre	O
400	CM 140	CM 239 LEVEL CM	22392,9648 litre	90,917 %	2237,1216 litre	O
400	CM 140	CM 238 LEVEL CM	22313,3755 litre	90,594 %	2316,7109 litre	O
400	CM 140	CM 237 LEVEL CM	22233,0020 litre	90,268 %	2397,0844 litre	O
400	CM 140	CM 236 LEVEL CM	22151,8598 litre	89,938 %	2478,2266 litre	O
400	CM 140	CM 235 LEVEL CM	22069,9639 litre	89,606 %	2560,1225 litre	O
400	CM 140	CM 234 LEVEL CM	21987,3289 litre	89,270 %	2642,7575 litre	O
400	CM 140	CM 233 LEVEL CM	21903,9691 litre	88,932 %	2726,1173 litre	O
400	CM 140	CM 232 LEVEL CM	21819,8982 litre	88,590 %	2810,1882 litre	O
400	CM 140	CM 231 LEVEL CM	21735,1299 litre	88,246 %	2894,9565 litre	O
400	CM 140	CM 230 LEVEL CM	21649,6773 litre	87,899 %	2980,4091 litre	O
400	CM 140	CM 229 LEVEL CM	21563,5533 litre	87,550 %	3066,5331 litre	O

400	CM	140	CM	228 LEVEL CM	21476,7704 litre	87,197 %	3153,3160 litre	O
400	CM	140	CM	227 LEVEL CM	21389,3409 litre	86,842 %	3240,7455 litre	O
400	CM	140	CM	226 LEVEL CM	21301,2769 litre	86,485 %	3328,8095 litre	O
400	CM	140	CM	225 LEVEL CM	21212,5900 litre	86,125 %	3417,4964 litre	O
400	CM	140	CM	224 LEVEL CM	21123,2919 litre	85,762 %	3506,7945 litre	O
400	CM	140	CM	223 LEVEL CM	21033,3937 litre	85,397 %	3596,6927 litre	O
400	CM	140	CM	222 LEVEL CM	20942,9066 litre	85,030 %	3687,1798 litre	O
400	CM	140	CM	221 LEVEL CM	20851,8414 litre	84,660 %	3778,2450 litre	O
400	CM	140	CM	220 LEVEL CM	20760,2086 litre	84,288 %	3869,8778 litre	O
400	CM	140	CM	219 LEVEL CM	20668,0188 litre	83,914 %	3962,0676 litre	O
400	CM	140	CM	218 LEVEL CM	20575,2822 litre	83,537 %	4054,8042 litre	O
400	CM	140	CM	217 LEVEL CM	20482,0088 litre	83,158 %	4148,0776 litre	O
400	CM	140	CM	216 LEVEL CM	20388,2086 litre	82,778 %	4241,8778 litre	O
400	CM	140	CM	215 LEVEL CM	20293,8912 litre	82,395 %	4336,1952 litre	O
400	CM	140	CM	214 LEVEL CM	20199,0663 litre	82,010 %	4431,0201 litre	O
400	CM	140	CM	213 LEVEL CM	20103,7432 litre	81,623 %	4526,3432 litre	O
400	CM	140	CM	212 LEVEL CM	20007,9313 litre	81,234 %	4622,1551 litre	O
400	CM	140	CM	211 LEVEL CM	19911,6396 litre	80,843 %	4718,4468 litre	O
400	CM	140	CM	210 LEVEL CM	19814,8772 litre	80,450 %	4815,2092 litre	O
400	CM	140	CM	209 LEVEL CM	19717,6529 litre	80,055 %	4912,4335 litre	O
400	CM	140	CM	208 LEVEL CM	19619,9754 litre	79,659 %	5010,1110 litre	O
400	CM	140	CM	207 LEVEL CM	19521,8534 litre	79,260 %	5108,2330 litre	O
400	CM	140	CM	206 LEVEL CM	19423,2953 litre	78,860 %	5206,7911 litre	O
400	CM	140	CM	205 LEVEL CM	19324,3096 litre	78,458 %	5305,7768 litre	O
400	CM	140	CM	204 LEVEL CM	19224,9045 litre	78,055 %	5405,1819 litre	O
400	CM	140	CM	203 LEVEL CM	19125,0882 litre	77,649 %	5504,9982 litre	O
400	CM	140	CM	202 LEVEL CM	19024,8688 litre	77,242 %	5605,2176 litre	O
400	CM	140	CM	201 LEVEL CM	18924,2542 litre	76,834 %	5705,8322 litre	O
400	CM	140	CM	200 LEVEL CM	18823,2523 litre	76,424 %	5806,8341 litre	O
400	CM	140	CM	199 LEVEL CM	18721,8710 litre	76,012 %	5908,2154 litre	O
400	CM	140	CM	198 LEVEL CM	18620,1179 litre	75,599 %	6009,9685 litre	O
400	CM	140	CM	197 LEVEL CM	18518,0006 litre	75,184 %	6112,0858 litre	O
400	CM	140	CM	196 LEVEL CM	18415,5268 litre	74,768 %	6214,5596 litre	O
400	CM	140	CM	195 LEVEL CM	18312,7037 litre	74,351 %	6317,3827 litre	O
400	CM	140	CM	194 LEVEL CM	18209,5389 litre	73,932 %	6420,5475 litre	O
400	CM	140	CM	193 LEVEL CM	18106,0396 litre	73,512 %	6524,0468 litre	O
400	CM	140	CM	192 LEVEL CM	18002,2132 litre	73,090 %	6627,8732 litre	O
400	CM	140	CM	191 LEVEL CM	17898,0666 litre	72,667 %	6732,0198 litre	O
400	CM	140	CM	190 LEVEL CM	17793,6072 litre	72,243 %	6836,4792 litre	O
400	CM	140	CM	189 LEVEL CM	17688,8418 litre	71,818 %	6941,2446 litre	O
400	CM	140	CM	188 LEVEL CM	17583,7776 litre	71,391 %	7046,3088 litre	O
400	CM	140	CM	187 LEVEL CM	17478,4213 litre	70,964 %	7151,6651 litre	O
400	CM	140	CM	186 LEVEL CM	17372,7799 litre	70,535 %	7257,3065 litre	O
400	CM	140	CM	185 LEVEL CM	17266,8603 litre	70,105 %	7363,2261 litre	O
400	CM	140	CM	184 LEVEL CM	17160,6690 litre	69,674 %	7469,4174 litre	O
400	CM	140	CM	183 LEVEL CM	17054,2129 litre	69,241 %	7575,8735 litre	O
400	CM	140	CM	182 LEVEL CM	16947,4986 litre	68,808 %	7682,5878 litre	O
400	CM	140	CM	181 LEVEL CM	16840,5327 litre	68,374 %	7789,5537 litre	O
400	CM	140	CM	180 LEVEL CM	16733,3218 litre	67,939 %	7896,7646 litre	O
400	CM	140	CM	179 LEVEL CM	16625,8724 litre	67,502 %	8004,2140 litre	O
400	CM	140	CM	178 LEVEL CM	16518,1909 litre	67,065 %	8111,8955 litre	O
400	CM	140	CM	177 LEVEL CM	16410,2838 litre	66,627 %	8219,8026 litre	O
400	CM	140	CM	176 LEVEL CM	16302,1574 litre	66,188 %	8327,9290 litre	O

400	CM	140	CM	175 LEVEL CM	16193,8182 litre	65,748 %	8436,2682 litre	O
400	CM	140	CM	174 LEVEL CM	16085,2725 litre	65,307 %	8544,8139 litre	O
400	CM	140	CM	173 LEVEL CM	15976,5264 litre	64,866 %	8653,5600 litre	O
400	CM	140	CM	172 LEVEL CM	15867,5863 litre	64,424 %	8762,5001 litre	O
400	CM	140	CM	171 LEVEL CM	15758,4584 litre	63,981 %	8871,6280 litre	O
400	CM	140	CM	170 LEVEL CM	15649,1488 litre	63,537 %	8980,9376 litre	O
400	CM	140	CM	169 LEVEL CM	15539,6637 litre	63,092 %	9090,4227 litre	O
400	CM	140	CM	168 LEVEL CM	15430,0093 litre	62,647 %	9200,0771 litre	O
400	CM	140	CM	167 LEVEL CM	15320,1915 litre	62,201 %	9309,8949 litre	O
400	CM	140	CM	166 LEVEL CM	15210,2165 litre	61,755 %	9419,8699 litre	O
400	CM	140	CM	165 LEVEL CM	15100,0902 litre	61,308 %	9529,9962 litre	O
400	CM	140	CM	164 LEVEL CM	14989,8188 litre	60,860 %	9640,2676 litre	O
400	CM	140	CM	163 LEVEL CM	14879,4082 litre	60,412 %	9750,6782 litre	O
400	CM	140	CM	162 LEVEL CM	14768,8644 litre	59,963 %	9861,2220 litre	O
400	CM	140	CM	161 LEVEL CM	14658,1932 litre	59,513 %	9971,8932 litre	O
400	CM	140	CM	160 LEVEL CM	14547,4007 litre	59,064 %	10082,6857 litre	O
400	CM	140	CM	159 LEVEL CM	14436,4927 litre	58,613 %	10193,5937 litre	O
400	CM	140	CM	158 LEVEL CM	14325,4751 litre	58,163 %	10304,6113 litre	O
400	CM	140	CM	157 LEVEL CM	14214,3538 litre	57,711 %	10415,7326 litre	O
400	CM	140	CM	156 LEVEL CM	14103,1346 litre	57,260 %	10526,9518 litre	O
400	CM	140	CM	155 LEVEL CM	13991,8234 litre	56,808 %	10638,2630 litre	O
400	CM	140	CM	154 LEVEL CM	13880,4259 litre	56,356 %	10749,6605 litre	O
400	CM	140	CM	153 LEVEL CM	13768,9481 litre	55,903 %	10861,1383 litre	O
400	CM	140	CM	152 LEVEL CM	13657,3957 litre	55,450 %	10972,6907 litre	O
400	CM	140	CM	151 LEVEL CM	13545,7744 litre	54,997 %	11084,3120 litre	O
400	CM	140	CM	150 LEVEL CM	13434,0901 litre	54,543 %	11195,9963 litre	O
400	CM	140	CM	149 LEVEL CM	13322,3485 litre	54,090 %	11307,7379 litre	O
400	CM	140	CM	148 LEVEL CM	13210,5553 litre	53,636 %	11419,5311 litre	O
400	CM	140	CM	147 LEVEL CM	13098,7164 litre	53,182 %	11531,3700 litre	O
400	CM	140	CM	146 LEVEL CM	12986,8374 litre	52,728 %	11643,2490 litre	O
400	CM	140	CM	145 LEVEL CM	12874,9241 litre	52,273 %	11755,1623 litre	O
400	CM	140	CM	144 LEVEL CM	12762,9822 litre	51,819 %	11867,1042 litre	O
400	CM	140	CM	143 LEVEL CM	12651,0175 litre	51,364 %	11979,0689 litre	O
400	CM	140	CM	142 LEVEL CM	12539,0356 litre	50,909 %	12091,0508 litre	O
400	CM	140	CM	141 LEVEL CM	12427,0422 litre	50,455 %	12203,0442 litre	O
400	CM	140	CM	140 LEVEL CM	12315,0432 litre	50,000 %	12315,0432 litre	O
400	CM	140	CM	139 LEVEL CM	12203,0442 litre	49,545 %	12427,0422 litre	O
400	CM	140	CM	138 LEVEL CM	12091,0508 litre	49,091 %	12539,0356 litre	O
400	CM	140	CM	137 LEVEL CM	11979,0689 litre	48,636 %	12651,0175 litre	O
400	CM	140	CM	136 LEVEL CM	11867,1042 litre	48,181 %	12762,9822 litre	O
400	CM	140	CM	135 LEVEL CM	11755,1623 litre	47,727 %	12874,9241 litre	O
400	CM	140	CM	134 LEVEL CM	11643,2490 litre	47,272 %	12986,8374 litre	O
400	CM	140	CM	133 LEVEL CM	11531,3700 litre	46,818 %	13098,7164 litre	O
400	CM	140	CM	132 LEVEL CM	11419,5311 litre	46,364 %	13210,5553 litre	O
400	CM	140	CM	131 LEVEL CM	11307,7379 litre	45,910 %	13322,3485 litre	O
400	CM	140	CM	130 LEVEL CM	11195,9963 litre	45,457 %	13434,0901 litre	O
400	CM	140	CM	129 LEVEL CM	11084,3120 litre	45,003 %	13545,7744 litre	O
400	CM	140	CM	128 LEVEL CM	10972,6907 litre	44,550 %	13657,3957 litre	O
400	CM	140	CM	127 LEVEL CM	10861,1383 litre	44,097 %	13768,9481 litre	O
400	CM	140	CM	126 LEVEL CM	10749,6605 litre	43,644 %	13880,4259 litre	O
400	CM	140	CM	125 LEVEL CM	10638,2630 litre	43,192 %	13991,8234 litre	O
400	CM	140	CM	124 LEVEL CM	10526,9518 litre	42,740 %	14103,1346 litre	O
400	CM	140	CM	123 LEVEL CM	10415,7327 litre	42,289 %	14214,3537 litre	O

400	CM	140	CM	122 LEVEL CM	10304,6113 litre	41,837 %	14325,4751 litre	O
400	CM	140	CM	121 LEVEL CM	10193,5938 litre	41,387 %	14436,4926 litre	O
400	CM	140	CM	120 LEVEL CM	10082,6857 litre	40,936 %	14547,4007 litre	O
400	CM	140	CM	119 LEVEL CM	9971,8932 litre	40,487 %	14658,1932 litre	O
400	CM	140	CM	118 LEVEL CM	9861,2221 litre	40,037 %	14768,8643 litre	O
400	CM	140	CM	117 LEVEL CM	9750,6782 litre	39,588 %	14879,4082 litre	O
400	CM	140	CM	116 LEVEL CM	9640,2676 litre	39,140 %	14989,8188 litre	O
400	CM	140	CM	115 LEVEL CM	9529,9962 litre	38,692 %	15100,0902 litre	O
400	CM	140	CM	114 LEVEL CM	9419,8699 litre	38,245 %	15210,2165 litre	O
400	CM	140	CM	113 LEVEL CM	9309,8949 litre	37,799 %	15320,1915 litre	O
400	CM	140	CM	112 LEVEL CM	9200,0771 litre	37,353 %	15430,0093 litre	O
400	CM	140	CM	111 LEVEL CM	9090,4227 litre	36,908 %	15539,6637 litre	O
400	CM	140	CM	110 LEVEL CM	8980,9376 litre	36,463 %	15649,1488 litre	O
400	CM	140	CM	109 LEVEL CM	8871,6280 litre	36,019 %	15758,4584 litre	O
400	CM	140	CM	108 LEVEL CM	8762,5001 litre	35,576 %	15867,5863 litre	O
400	CM	140	CM	107 LEVEL CM	8653,5600 litre	35,134 %	15976,5264 litre	O
400	CM	140	CM	106 LEVEL CM	8544,8139 litre	34,693 %	16085,2725 litre	O
400	CM	140	CM	105 LEVEL CM	8436,2682 litre	34,252 %	16193,8182 litre	O
400	CM	140	CM	104 LEVEL CM	8327,9290 litre	33,812 %	16302,1574 litre	O
400	CM	140	CM	103 LEVEL CM	8219,8026 litre	33,373 %	16410,2838 litre	O
400	CM	140	CM	102 LEVEL CM	8111,8955 litre	32,935 %	16518,1909 litre	O
400	CM	140	CM	101 LEVEL CM	8004,2140 litre	32,498 %	16625,8724 litre	O
400	CM	140	CM	100 LEVEL CM	7896,7646 litre	32,061 %	16733,3218 litre	O
400	CM	140	CM	99 LEVEL CM	7789,5537 litre	31,626 %	16840,5327 litre	O
400	CM	140	CM	98 LEVEL CM	7682,5878 litre	31,192 %	16947,4986 litre	O
400	CM	140	CM	97 LEVEL CM	7575,8735 litre	30,759 %	17054,2129 litre	O
400	CM	140	CM	96 LEVEL CM	7469,4174 litre	30,326 %	17160,6690 litre	O
400	CM	140	CM	95 LEVEL CM	7363,2262 litre	29,895 %	17266,8602 litre	O
400	CM	140	CM	94 LEVEL CM	7257,3065 litre	29,465 %	17372,7799 litre	O
400	CM	140	CM	93 LEVEL CM	7151,6651 litre	29,036 %	17478,4213 litre	O
400	CM	140	CM	92 LEVEL CM	7046,3088 litre	28,609 %	17583,7776 litre	O
400	CM	140	CM	91 LEVEL CM	6941,2446 litre	28,182 %	17688,8418 litre	O
400	CM	140	CM	90 LEVEL CM	6836,4792 litre	27,757 %	17793,6072 litre	O
400	CM	140	CM	89 LEVEL CM	6732,0198 litre	27,333 %	17898,0666 litre	O
400	CM	140	CM	88 LEVEL CM	6627,8732 litre	26,910 %	18002,2132 litre	O
400	CM	140	CM	87 LEVEL CM	6524,0468 litre	26,488 %	18106,0396 litre	O
400	CM	140	CM	86 LEVEL CM	6420,5475 litre	26,068 %	18209,5389 litre	O
400	CM	140	CM	85 LEVEL CM	6317,3827 litre	25,649 %	18312,7037 litre	O
400	CM	140	CM	84 LEVEL CM	6214,5597 litre	25,232 %	18415,5267 litre	O
400	CM	140	CM	83 LEVEL CM	6112,0858 litre	24,816 %	18518,0006 litre	O
400	CM	140	CM	82 LEVEL CM	6009,9685 litre	24,401 %	18620,1179 litre	O
400	CM	140	CM	81 LEVEL CM	5908,2154 litre	23,988 %	18721,8710 litre	O
400	CM	140	CM	80 LEVEL CM	5806,8341 litre	23,576 %	18823,2523 litre	O
400	CM	140	CM	79 LEVEL CM	5705,8322 litre	23,166 %	18924,2542 litre	O
400	CM	140	CM	78 LEVEL CM	5605,2176 litre	22,758 %	19024,8688 litre	O
400	CM	140	CM	77 LEVEL CM	5504,9982 litre	22,351 %	19125,0882 litre	O
400	CM	140	CM	76 LEVEL CM	5405,1819 litre	21,945 %	19224,9045 litre	O
400	CM	140	CM	75 LEVEL CM	5305,7768 litre	21,542 %	19324,3096 litre	O
400	CM	140	CM	74 LEVEL CM	5206,7911 litre	21,140 %	19423,2953 litre	O
400	CM	140	CM	73 LEVEL CM	5108,2330 litre	20,740 %	19521,8534 litre	O
400	CM	140	CM	72 LEVEL CM	5010,1110 litre	20,341 %	19619,9754 litre	O
400	CM	140	CM	71 LEVEL CM	4912,4335 litre	19,945 %	19717,6529 litre	O
400	CM	140	CM	70 LEVEL CM	4815,2092 litre	19,550 %	19814,8772 litre	O

400	CM	140	CM	69 LEVEL CM	4718,4468 litre	19,157 %	19911,6396 litre	O
400	CM	140	CM	68 LEVEL CM	4622,1551 litre	18,766 %	20007,9313 litre	O
400	CM	140	CM	67 LEVEL CM	4526,3432 litre	18,377 %	20103,7432 litre	O
400	CM	140	CM	66 LEVEL CM	4431,0201 litre	17,990 %	20199,0663 litre	O
400	CM	140	CM	65 LEVEL CM	4336,1952 litre	17,605 %	20293,8912 litre	O
400	CM	140	CM	64 LEVEL CM	4241,8778 litre	17,222 %	20388,2086 litre	O
400	CM	140	CM	63 LEVEL CM	4148,0776 litre	16,842 %	20482,0088 litre	O
400	CM	140	CM	62 LEVEL CM	4054,8042 litre	16,463 %	20575,2822 litre	O
400	CM	140	CM	61 LEVEL CM	3962,0676 litre	16,086 %	20668,0188 litre	O
400	CM	140	CM	60 LEVEL CM	3869,8778 litre	15,712 %	20760,2086 litre	O
400	CM	140	CM	59 LEVEL CM	3778,2450 litre	15,340 %	20851,8414 litre	O
400	CM	140	CM	58 LEVEL CM	3687,1798 litre	14,970 %	20942,9066 litre	O
400	CM	140	CM	57 LEVEL CM	3596,6927 litre	14,603 %	21033,3937 litre	O
400	CM	140	CM	56 LEVEL CM	3506,7945 litre	14,238 %	21123,2919 litre	O
400	CM	140	CM	55 LEVEL CM	3417,4964 litre	13,875 %	21212,5900 litre	O
400	CM	140	CM	54 LEVEL CM	3328,8095 litre	13,515 %	21301,2769 litre	O
400	CM	140	CM	53 LEVEL CM	3240,7455 litre	13,158 %	21389,3409 litre	O
400	CM	140	CM	52 LEVEL CM	3153,3160 litre	12,803 %	21476,7704 litre	O
400	CM	140	CM	51 LEVEL CM	3066,5331 litre	12,450 %	21563,5533 litre	O
400	CM	140	CM	50 LEVEL CM	2980,4091 litre	12,101 %	21649,6773 litre	O
400	CM	140	CM	49 LEVEL CM	2894,9565 litre	11,754 %	21735,1299 litre	O
400	CM	140	CM	48 LEVEL CM	2810,1882 litre	11,410 %	21819,8982 litre	O
400	CM	140	CM	47 LEVEL CM	2726,1173 litre	11,068 %	21903,9691 litre	O
400	CM	140	CM	46 LEVEL CM	2642,7575 litre	10,730 %	21987,3289 litre	O
400	CM	140	CM	45 LEVEL CM	2560,1225 litre	10,394 %	22069,9639 litre	O
400	CM	140	CM	44 LEVEL CM	2478,2266 litre	10,062 %	22151,8598 litre	O
400	CM	140	CM	43 LEVEL CM	2397,0844 litre	9,732 %	22233,0020 litre	O
400	CM	140	CM	42 LEVEL CM	2316,7109 litre	9,406 %	22313,3755 litre	O
400	CM	140	CM	41 LEVEL CM	2237,1216 litre	9,083 %	22392,9648 litre	O
400	CM	140	CM	40 LEVEL CM	2158,3325 litre	8,763 %	22471,7539 litre	O
400	CM	140	CM	39 LEVEL CM	2080,3598 litre	8,446 %	22549,7266 litre	O
400	CM	140	CM	38 LEVEL CM	2003,2207 litre	8,133 %	22626,8657 litre	O
400	CM	140	CM	37 LEVEL CM	1926,9325 litre	7,823 %	22703,1539 litre	O
400	CM	140	CM	36 LEVEL CM	1851,5134 litre	7,517 %	22778,5730 litre	O
400	CM	140	CM	35 LEVEL CM	1776,9821 litre	7,215 %	22853,1043 litre	O
400	CM	140	CM	34 LEVEL CM	1703,3579 litre	6,916 %	22926,7285 litre	O
400	CM	140	CM	33 LEVEL CM	1630,6611 litre	6,621 %	22999,4253 litre	O
400	CM	140	CM	32 LEVEL CM	1558,9124 litre	6,329 %	23071,1740 litre	O
400	CM	140	CM	31 LEVEL CM	1488,1337 litre	6,042 %	23141,9527 litre	O
400	CM	140	CM	30 LEVEL CM	1418,3476 litre	5,759 %	23211,7388 litre	O
400	CM	140	CM	29 LEVEL CM	1349,5777 litre	5,479 %	23280,5087 litre	O
400	CM	140	CM	28 LEVEL CM	1281,8487 litre	5,204 %	23348,2377 litre	O
400	CM	140	CM	27 LEVEL CM	1215,1865 litre	4,934 %	23414,8999 litre	O
400	CM	140	CM	26 LEVEL CM	1149,6182 litre	4,668 %	23480,4682 litre	O
400	CM	140	CM	25 LEVEL CM	1085,1722 litre	4,406 %	23544,9142 litre	O
400	CM	140	CM	24 LEVEL CM	1021,8787 litre	4,149 %	23608,2077 litre	O
400	CM	140	CM	23 LEVEL CM	959,7692 litre	3,897 %	23670,3172 litre	O
400	CM	140	CM	22 LEVEL CM	898,8773 litre	3,650 %	23731,2091 litre	O
400	CM	140	CM	21 LEVEL CM	839,2387 litre	3,407 %	23790,8477 litre	O
400	CM	140	CM	20 LEVEL CM	780,8911 litre	3,170 %	23849,1953 litre	O
400	CM	140	CM	19 LEVEL CM	723,8750 litre	2,939 %	23906,2114 litre	O
400	CM	140	CM	18 LEVEL CM	668,2338 litre	2,713 %	23961,8526 litre	O
400	CM	140	CM	17 LEVEL CM	614,0141 litre	2,493 %	24016,0723 litre	O

400	CM	140	CM	16 LEVEL CM	561,2664 litre	2,279 %	24068,8200 litre	O
400	CM	140	CM	15 LEVEL CM	510,0455 litre	2,071 %	24120,0409 litre	O
400	CM	140	CM	14 LEVEL CM	460,4111 litre	1,869 %	24169,6753 litre	O
400	CM	140	CM	13 LEVEL CM	412,4291 litre	1,674 %	24217,6573 litre	O
400	CM	140	CM	12 LEVEL CM	366,1724 litre	1,487 %	24263,9140 litre	O
400	CM	140	CM	11 LEVEL CM	321,7222 litre	1,306 %	24308,3642 litre	O
400	CM	140	CM	10 LEVEL CM	279,1702 litre	1,133 %	24350,9162 litre	O
400	CM	140	CM	9 LEVEL CM	238,6211 litre	0,969 %	24391,4653 litre	O
400	CM	140	CM	8 LEVEL CM	200,1957 litre	0,813 %	24429,8907 litre	O
400	CM	140	CM	7 LEVEL CM	164,0365 litre	0,666 %	24466,0499 litre	O
400	CM	140	CM	6 LEVEL CM	130,3145 litre	0,529 %	24499,7719 litre	O
400	CM	140	CM	5 LEVEL CM	99,2413 litre	0,403 %	24530,8451 litre	O
400	CM	140	CM	4 LEVEL CM	71,0882 litre	0,289 %	24558,9982 litre	O
400	CM	140	CM	3 LEVEL CM	46,2231 litre	0,188 %	24583,8633 litre	O
400	CM	140	CM	2 LEVEL CM	25,1878 litre	0,102 %	24604,8986 litre	O
400	CM	140	CM	1 LEVEL CM	8,9148 litre	0,036 %	24621,1716 litre	O
400	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	24630,0864 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM	135	CM 270 LEVEL CM	22902,2104 litre	100,000 %	0,0000 litre	O
400	CM	135	CM 269 LEVEL CM	22893,4566 litre	99,962 %	8,7538 litre	O
400	CM	135	CM 268 LEVEL CM	22877,4785 litre	99,892 %	24,7319 litre	O
400	CM	135	CM 267 LEVEL CM	22856,8257 litre	99,802 %	45,3847 litre	O
400	CM	135	CM 266 LEVEL CM	22832,4144 litre	99,695 %	69,7960 litre	O
400	CM	135	CM 265 LEVEL CM	22804,7770 litre	99,575 %	97,4334 litre	O
400	CM	135	CM 264 LEVEL CM	22774,2750 litre	99,441 %	127,9354 litre	O
400	CM	135	CM 263 LEVEL CM	22741,1753 litre	99,297 %	161,0351 litre	O
400	CM	135	CM 262 LEVEL CM	22705,6858 litre	99,142 %	196,5246 litre	O
400	CM	135	CM 261 LEVEL CM	22667,9747 litre	98,977 %	234,2357 litre	O
400	CM	135	CM 260 LEVEL CM	22628,1822 litre	98,803 %	274,0282 litre	O
400	CM	135	CM 259 LEVEL CM	22586,4271 litre	98,621 %	315,7833 litre	O
400	CM	135	CM 258 LEVEL CM	22542,8125 litre	98,431 %	359,3979 litre	O
400	CM	135	CM 257 LEVEL CM	22497,4287 litre	98,233 %	404,7817 litre	O
400	CM	135	CM 256 LEVEL CM	22450,3555 litre	98,027 %	451,8549 litre	O
400	CM	135	CM 255 LEVEL CM	22401,6649 litre	97,814 %	500,5455 litre	O
400	CM	135	CM 254 LEVEL CM	22351,4216 litre	97,595 %	550,7888 litre	O
400	CM	135	CM 253 LEVEL CM	22299,6845 litre	97,369 %	602,5259 litre	O
400	CM	135	CM 252 LEVEL CM	22246,5076 litre	97,137 %	655,7028 litre	O
400	CM	135	CM 251 LEVEL CM	22191,9406 litre	96,899 %	710,2698 litre	O
400	CM	135	CM 250 LEVEL CM	22136,0296 litre	96,655 %	766,1808 litre	O
400	CM	135	CM 249 LEVEL CM	22078,8173 litre	96,405 %	823,3931 litre	O
400	CM	135	CM 248 LEVEL CM	22020,3436 litre	96,149 %	881,8668 litre	O
400	CM	135	CM 247 LEVEL CM	21960,6458 litre	95,889 %	941,5646 litre	O
400	CM	135	CM 246 LEVEL CM	21899,7591 litre	95,623 %	1002,4513 litre	O
400	CM	135	CM 245 LEVEL CM	21837,7165 litre	95,352 %	1064,4939 litre	O
400	CM	135	CM 244 LEVEL CM	21774,5494 litre	95,076 %	1127,6610 litre	O
400	CM	135	CM 243 LEVEL CM	21710,2874 litre	94,796 %	1191,9230 litre	O
400	CM	135	CM 242 LEVEL CM	21644,9585 litre	94,510 %	1257,2519 litre	O
400	CM	135	CM 241 LEVEL CM	21578,5897 litre	94,221 %	1323,6207 litre	O
400	CM	135	CM 240 LEVEL CM	21511,2065 litre	93,926 %	1391,0039 litre	O
400	CM	135	CM 239 LEVEL CM	21442,8332 litre	93,628 %	1459,3772 litre	O
400	CM	135	CM 238 LEVEL CM	21373,4932 litre	93,325 %	1528,7172 litre	O
400	CM	135	CM 237 LEVEL CM	21303,2090 litre	93,018 %	1599,0014 litre	O
400	CM	135	CM 236 LEVEL CM	21232,0020 litre	92,707 %	1670,2084 litre	O
400	CM	135	CM 235 LEVEL CM	21159,8929 litre	92,392 %	1742,3175 litre	O
400	CM	135	CM 234 LEVEL CM	21086,9016 litre	92,074 %	1815,3088 litre	O
400	CM	135	CM 233 LEVEL CM	21013,0474 litre	91,751 %	1889,1630 litre	O
400	CM	135	CM 232 LEVEL CM	20938,3488 litre	91,425 %	1963,8616 litre	O
400	CM	135	CM 231 LEVEL CM	20862,8236 litre	91,095 %	2039,3868 litre	O
400	CM	135	CM 230 LEVEL CM	20786,4893 litre	90,762 %	2115,7211 litre	O
400	CM	135	CM 229 LEVEL CM	20709,3625 litre	90,425 %	2192,8479 litre	O
400	CM	135	CM 228 LEVEL CM	20631,4596 litre	90,085 %	2270,7508 litre	O
400	CM	135	CM 227 LEVEL CM	20552,7964 litre	89,742 %	2349,4140 litre	O
400	CM	135	CM 226 LEVEL CM	20473,3882 litre	89,395 %	2428,8222 litre	O
400	CM	135	CM 225 LEVEL CM	20393,2500 litre	89,045 %	2508,9604 litre	O
400	CM	135	CM 224 LEVEL CM	20312,3961 litre	88,692 %	2589,8143 litre	O
400	CM	135	CM 223 LEVEL CM	20230,8408 litre	88,336 %	2671,3696 litre	O
400	CM	135	CM 222 LEVEL CM	20148,5978 litre	87,977 %	2753,6126 litre	O
400	CM	135	CM 221 LEVEL CM	20065,6806 litre	87,615 %	2836,5298 litre	O
400	CM	135	CM 220 LEVEL CM	19982,1022 litre	87,250 %	2920,1082 litre	O
400	CM	135	CM 219 LEVEL CM	19897,8754 litre	86,882 %	3004,3350 litre	O

400	CM	135	CM	218 LEVEL CM	19813,0127 litre	86,511 %	3089,1977 litre	O
400	CM	135	CM	217 LEVEL CM	19727,5264 litre	86,138 %	3174,6840 litre	O
400	CM	135	CM	216 LEVEL CM	19641,4283 litre	85,762 %	3260,7821 litre	O
400	CM	135	CM	215 LEVEL CM	19554,7302 litre	85,384 %	3347,4802 litre	O
400	CM	135	CM	214 LEVEL CM	19467,4436 litre	85,002 %	3434,7668 litre	O
400	CM	135	CM	213 LEVEL CM	19379,5796 litre	84,619 %	3522,6308 litre	O
400	CM	135	CM	212 LEVEL CM	19291,1493 litre	84,233 %	3611,0611 litre	O
400	CM	135	CM	211 LEVEL CM	19202,1634 litre	83,844 %	3700,0470 litre	O
400	CM	135	CM	210 LEVEL CM	19112,6326 litre	83,453 %	3789,5778 litre	O
400	CM	135	CM	209 LEVEL CM	19022,5673 litre	83,060 %	3879,6431 litre	O
400	CM	135	CM	208 LEVEL CM	18931,9777 litre	82,664 %	3970,2327 litre	O
400	CM	135	CM	207 LEVEL CM	18840,8737 litre	82,267 %	4061,3367 litre	O
400	CM	135	CM	206 LEVEL CM	18749,2654 litre	81,867 %	4152,9450 litre	O
400	CM	135	CM	205 LEVEL CM	18657,1624 litre	81,464 %	4245,0480 litre	O
400	CM	135	CM	204 LEVEL CM	18564,5742 litre	81,060 %	4337,6362 litre	O
400	CM	135	CM	203 LEVEL CM	18471,5103 litre	80,654 %	4430,7001 litre	O
400	CM	135	CM	202 LEVEL CM	18377,9800 litre	80,245 %	4524,2304 litre	O
400	CM	135	CM	201 LEVEL CM	18283,9923 litre	79,835 %	4618,2181 litre	O
400	CM	135	CM	200 LEVEL CM	18189,5562 litre	79,423 %	4712,6542 litre	O
400	CM	135	CM	199 LEVEL CM	18094,6806 litre	79,008 %	4807,5298 litre	O
400	CM	135	CM	198 LEVEL CM	17999,3743 litre	78,592 %	4902,8361 litre	O
400	CM	135	CM	197 LEVEL CM	17903,6459 litre	78,174 %	4998,5645 litre	O
400	CM	135	CM	196 LEVEL CM	17807,5039 litre	77,755 %	5094,7065 litre	O
400	CM	135	CM	195 LEVEL CM	17710,9566 litre	77,333 %	5191,2538 litre	O
400	CM	135	CM	194 LEVEL CM	17614,0124 litre	76,910 %	5288,1980 litre	O
400	CM	135	CM	193 LEVEL CM	17516,6795 litre	76,485 %	5385,5309 litre	O
400	CM	135	CM	192 LEVEL CM	17418,9660 litre	76,058 %	5483,2444 litre	O
400	CM	135	CM	191 LEVEL CM	17320,8798 litre	75,630 %	5581,3306 litre	O
400	CM	135	CM	190 LEVEL CM	17222,4289 litre	75,200 %	5679,7815 litre	O
400	CM	135	CM	189 LEVEL CM	17123,6212 litre	74,768 %	5778,5892 litre	O
400	CM	135	CM	188 LEVEL CM	17024,4642 litre	74,335 %	5877,7462 litre	O
400	CM	135	CM	187 LEVEL CM	16924,9658 litre	73,901 %	5977,2446 litre	O
400	CM	135	CM	186 LEVEL CM	16825,1335 litre	73,465 %	6077,0769 litre	O
400	CM	135	CM	185 LEVEL CM	16724,9747 litre	73,028 %	6177,2357 litre	O
400	CM	135	CM	184 LEVEL CM	16624,4970 litre	72,589 %	6277,7134 litre	O
400	CM	135	CM	183 LEVEL CM	16523,7076 litre	72,149 %	6378,5028 litre	O
400	CM	135	CM	182 LEVEL CM	16422,6139 litre	71,708 %	6479,5965 litre	O
400	CM	135	CM	181 LEVEL CM	16321,2230 litre	71,265 %	6580,9874 litre	O
400	CM	135	CM	180 LEVEL CM	16219,5423 litre	70,821 %	6682,6681 litre	O
400	CM	135	CM	179 LEVEL CM	16117,5786 litre	70,376 %	6784,6318 litre	O
400	CM	135	CM	178 LEVEL CM	16015,3392 litre	69,929 %	6886,8712 litre	O
400	CM	135	CM	177 LEVEL CM	15912,8310 litre	69,482 %	6989,3794 litre	O
400	CM	135	CM	176 LEVEL CM	15810,0608 litre	69,033 %	7092,1496 litre	O
400	CM	135	CM	175 LEVEL CM	15707,0357 litre	68,583 %	7195,1747 litre	O
400	CM	135	CM	174 LEVEL CM	15603,7623 litre	68,132 %	7298,4481 litre	O
400	CM	135	CM	173 LEVEL CM	15500,2476 litre	67,680 %	7401,9628 litre	O
400	CM	135	CM	172 LEVEL CM	15396,4982 litre	67,227 %	7505,7122 litre	O
400	CM	135	CM	171 LEVEL CM	15292,5208 litre	66,773 %	7609,6896 litre	O
400	CM	135	CM	170 LEVEL CM	15188,3220 litre	66,318 %	7713,8884 litre	O
400	CM	135	CM	169 LEVEL CM	15083,9085 litre	65,862 %	7818,3019 litre	O
400	CM	135	CM	168 LEVEL CM	14979,2868 litre	65,405 %	7922,9236 litre	O
400	CM	135	CM	167 LEVEL CM	14874,4634 litre	64,948 %	8027,7470 litre	O
400	CM	135	CM	166 LEVEL CM	14769,4448 litre	64,489 %	8132,7656 litre	O

400	CM	135	CM	165 LEVEL CM	14664,2375 litre	64,030 %	8237,9729 litre	O
400	CM	135	CM	164 LEVEL CM	14558,8478 litre	63,570 %	8343,3626 litre	O
400	CM	135	CM	163 LEVEL CM	14453,2821 litre	63,109 %	8448,9283 litre	O
400	CM	135	CM	162 LEVEL CM	14347,5469 litre	62,647 %	8554,6635 litre	O
400	CM	135	CM	161 LEVEL CM	14241,6483 litre	62,185 %	8660,5621 litre	O
400	CM	135	CM	160 LEVEL CM	14135,5928 litre	61,722 %	8766,6176 litre	O
400	CM	135	CM	159 LEVEL CM	14029,3864 litre	61,258 %	8872,8240 litre	O
400	CM	135	CM	158 LEVEL CM	13923,0356 litre	60,793 %	8979,1748 litre	O
400	CM	135	CM	157 LEVEL CM	13816,5464 litre	60,328 %	9085,6640 litre	O
400	CM	135	CM	156 LEVEL CM	13709,9251 litre	59,863 %	9192,2853 litre	O
400	CM	135	CM	155 LEVEL CM	13603,1778 litre	59,397 %	9299,0326 litre	O
400	CM	135	CM	154 LEVEL CM	13496,3106 litre	58,930 %	9405,8998 litre	O
400	CM	135	CM	153 LEVEL CM	13389,3298 litre	58,463 %	9512,8806 litre	O
400	CM	135	CM	152 LEVEL CM	13282,2413 litre	57,995 %	9619,9691 litre	O
400	CM	135	CM	151 LEVEL CM	13175,0512 litre	57,527 %	9727,1592 litre	O
400	CM	135	CM	150 LEVEL CM	13067,7657 litre	57,059 %	9834,4447 litre	O
400	CM	135	CM	149 LEVEL CM	12960,3907 litre	56,590 %	9941,8197 litre	O
400	CM	135	CM	148 LEVEL CM	12852,9323 litre	56,121 %	10049,2781 litre	O
400	CM	135	CM	147 LEVEL CM	12745,3965 litre	55,651 %	10156,8139 litre	O
400	CM	135	CM	146 LEVEL CM	12637,7893 litre	55,182 %	10264,4211 litre	O
400	CM	135	CM	145 LEVEL CM	12530,1168 litre	54,711 %	10372,0936 litre	O
400	CM	135	CM	144 LEVEL CM	12422,3847 litre	54,241 %	10479,8257 litre	O
400	CM	135	CM	143 LEVEL CM	12314,5993 litre	53,770 %	10587,6111 litre	O
400	CM	135	CM	142 LEVEL CM	12206,7663 litre	53,300 %	10695,4441 litre	O
400	CM	135	CM	141 LEVEL CM	12098,8918 litre	52,828 %	10803,3186 litre	O
400	CM	135	CM	140 LEVEL CM	11990,9817 litre	52,357 %	10911,2287 litre	O
400	CM	135	CM	139 LEVEL CM	11883,0420 litre	51,886 %	11019,1684 litre	O
400	CM	135	CM	138 LEVEL CM	11775,0786 litre	51,415 %	11127,1318 litre	O
400	CM	135	CM	137 LEVEL CM	11667,0973 litre	50,943 %	11235,1131 litre	O
400	CM	135	CM	136 LEVEL CM	11559,1042 litre	50,472 %	11343,1062 litre	O
400	CM	135	CM	135 LEVEL CM	11451,1052 litre	50,000 %	11451,1052 litre	O
400	CM	135	CM	134 LEVEL CM	11343,1062 litre	49,528 %	11559,1042 litre	O
400	CM	135	CM	133 LEVEL CM	11235,1131 litre	49,057 %	11667,0973 litre	O
400	CM	135	CM	132 LEVEL CM	11127,1319 litre	48,585 %	11775,0785 litre	O
400	CM	135	CM	131 LEVEL CM	11019,1684 litre	48,114 %	11883,0420 litre	O
400	CM	135	CM	130 LEVEL CM	10911,2287 litre	47,643 %	11990,9817 litre	O
400	CM	135	CM	129 LEVEL CM	10803,3186 litre	47,172 %	12098,8918 litre	O
400	CM	135	CM	128 LEVEL CM	10695,4441 litre	46,700 %	12206,7663 litre	O
400	CM	135	CM	127 LEVEL CM	10587,6112 litre	46,230 %	12314,5992 litre	O
400	CM	135	CM	126 LEVEL CM	10479,8257 litre	45,759 %	12422,3847 litre	O
400	CM	135	CM	125 LEVEL CM	10372,0937 litre	45,289 %	12530,1167 litre	O
400	CM	135	CM	124 LEVEL CM	10264,4211 litre	44,818 %	12637,7893 litre	O
400	CM	135	CM	123 LEVEL CM	10156,8139 litre	44,349 %	12745,3965 litre	O
400	CM	135	CM	122 LEVEL CM	10049,2781 litre	43,879 %	12852,9323 litre	O
400	CM	135	CM	121 LEVEL CM	9941,8197 litre	43,410 %	12960,3907 litre	O
400	CM	135	CM	120 LEVEL CM	9834,4448 litre	42,941 %	13067,7656 litre	O
400	CM	135	CM	119 LEVEL CM	9727,1592 litre	42,473 %	13175,0512 litre	O
400	CM	135	CM	118 LEVEL CM	9619,9692 litre	42,005 %	13282,2412 litre	O
400	CM	135	CM	117 LEVEL CM	9512,8807 litre	41,537 %	13389,3297 litre	O
400	CM	135	CM	116 LEVEL CM	9405,8998 litre	41,070 %	13496,3106 litre	O
400	CM	135	CM	115 LEVEL CM	9299,0327 litre	40,603 %	13603,1777 litre	O
400	CM	135	CM	114 LEVEL CM	9192,2854 litre	40,137 %	13709,9250 litre	O
400	CM	135	CM	113 LEVEL CM	9085,6641 litre	39,672 %	13816,5463 litre	O

400	CM	135	CM	112 LEVEL CM	8979,1749 litre	39,207 %	13923,0355 litre	O
400	CM	135	CM	111 LEVEL CM	8872,8240 litre	38,742 %	14029,3864 litre	O
400	CM	135	CM	110 LEVEL CM	8766,6177 litre	38,278 %	14135,5927 litre	O
400	CM	135	CM	109 LEVEL CM	8660,5621 litre	37,815 %	14241,6483 litre	O
400	CM	135	CM	108 LEVEL CM	8554,6636 litre	37,353 %	14347,5468 litre	O
400	CM	135	CM	107 LEVEL CM	8448,9283 litre	36,891 %	14453,2821 litre	O
400	CM	135	CM	106 LEVEL CM	8343,3627 litre	36,430 %	14558,8477 litre	O
400	CM	135	CM	105 LEVEL CM	8237,9730 litre	35,970 %	14664,2374 litre	O
400	CM	135	CM	104 LEVEL CM	8132,7657 litre	35,511 %	14769,4447 litre	O
400	CM	135	CM	103 LEVEL CM	8027,7471 litre	35,052 %	14874,4633 litre	O
400	CM	135	CM	102 LEVEL CM	7922,9237 litre	34,595 %	14979,2867 litre	O
400	CM	135	CM	101 LEVEL CM	7818,3020 litre	34,138 %	15083,9084 litre	O
400	CM	135	CM	100 LEVEL CM	7713,8884 litre	33,682 %	15188,3220 litre	O
400	CM	135	CM	99 LEVEL CM	7609,6897 litre	33,227 %	15292,5207 litre	O
400	CM	135	CM	98 LEVEL CM	7505,7123 litre	32,773 %	15396,4981 litre	O
400	CM	135	CM	97 LEVEL CM	7401,9628 litre	32,320 %	15500,2476 litre	O
400	CM	135	CM	96 LEVEL CM	7298,4481 litre	31,868 %	15603,7623 litre	O
400	CM	135	CM	95 LEVEL CM	7195,1748 litre	31,417 %	15707,0356 litre	O
400	CM	135	CM	94 LEVEL CM	7092,1496 litre	30,967 %	15810,0608 litre	O
400	CM	135	CM	93 LEVEL CM	6989,3795 litre	30,518 %	15912,8309 litre	O
400	CM	135	CM	92 LEVEL CM	6886,8712 litre	30,071 %	16015,3392 litre	O
400	CM	135	CM	91 LEVEL CM	6784,6318 litre	29,624 %	16117,5786 litre	O
400	CM	135	CM	90 LEVEL CM	6682,6682 litre	29,179 %	16219,5422 litre	O
400	CM	135	CM	89 LEVEL CM	6580,9874 litre	28,735 %	16321,2230 litre	O
400	CM	135	CM	88 LEVEL CM	6479,5966 litre	28,292 %	16422,6138 litre	O
400	CM	135	CM	87 LEVEL CM	6378,5029 litre	27,851 %	16523,7075 litre	O
400	CM	135	CM	86 LEVEL CM	6277,7135 litre	27,411 %	16624,4969 litre	O
400	CM	135	CM	85 LEVEL CM	6177,2357 litre	26,972 %	16724,9747 litre	O
400	CM	135	CM	84 LEVEL CM	6077,0770 litre	26,535 %	16825,1334 litre	O
400	CM	135	CM	83 LEVEL CM	5977,2446 litre	26,099 %	16924,9658 litre	O
400	CM	135	CM	82 LEVEL CM	5877,7462 litre	25,665 %	17024,4642 litre	O
400	CM	135	CM	81 LEVEL CM	5778,5893 litre	25,232 %	17123,6211 litre	O
400	CM	135	CM	80 LEVEL CM	5679,7815 litre	24,800 %	17222,4289 litre	O
400	CM	135	CM	79 LEVEL CM	5581,3306 litre	24,370 %	17320,8798 litre	O
400	CM	135	CM	78 LEVEL CM	5483,2445 litre	23,942 %	17418,9659 litre	O
400	CM	135	CM	77 LEVEL CM	5385,5309 litre	23,515 %	17516,6795 litre	O
400	CM	135	CM	76 LEVEL CM	5288,1980 litre	23,090 %	17614,0124 litre	O
400	CM	135	CM	75 LEVEL CM	5191,2538 litre	22,667 %	17710,9566 litre	O
400	CM	135	CM	74 LEVEL CM	5094,7066 litre	22,245 %	17807,5038 litre	O
400	CM	135	CM	73 LEVEL CM	4998,5645 litre	21,826 %	17903,6459 litre	O
400	CM	135	CM	72 LEVEL CM	4902,8361 litre	21,408 %	17999,3743 litre	O
400	CM	135	CM	71 LEVEL CM	4807,5298 litre	20,992 %	18094,6806 litre	O
400	CM	135	CM	70 LEVEL CM	4712,6542 litre	20,577 %	18189,5562 litre	O
400	CM	135	CM	69 LEVEL CM	4618,2182 litre	20,165 %	18283,9922 litre	O
400	CM	135	CM	68 LEVEL CM	4524,2305 litre	19,755 %	18377,9799 litre	O
400	CM	135	CM	67 LEVEL CM	4430,7001 litre	19,346 %	18471,5103 litre	O
400	CM	135	CM	66 LEVEL CM	4337,6362 litre	18,940 %	18564,5742 litre	O
400	CM	135	CM	65 LEVEL CM	4245,0481 litre	18,536 %	18657,1623 litre	O
400	CM	135	CM	64 LEVEL CM	4152,9450 litre	18,133 %	18749,2654 litre	O
400	CM	135	CM	63 LEVEL CM	4061,3367 litre	17,733 %	18840,8737 litre	O
400	CM	135	CM	62 LEVEL CM	3970,2328 litre	17,336 %	18931,9776 litre	O
400	CM	135	CM	61 LEVEL CM	3879,6431 litre	16,940 %	19022,5673 litre	O
400	CM	135	CM	60 LEVEL CM	3789,5778 litre	16,547 %	19112,6326 litre	O

400	CM	135	CM	59 LEVEL CM	3700,0470 litre	16,156 %	19202,1634 litre	O
400	CM	135	CM	58 LEVEL CM	3611,0612 litre	15,767 %	19291,1492 litre	O
400	CM	135	CM	57 LEVEL CM	3522,6308 litre	15,381 %	19379,5796 litre	O
400	CM	135	CM	56 LEVEL CM	3434,7669 litre	14,998 %	19467,4435 litre	O
400	CM	135	CM	55 LEVEL CM	3347,4802 litre	14,616 %	19554,7302 litre	O
400	CM	135	CM	54 LEVEL CM	3260,7821 litre	14,238 %	19641,4283 litre	O
400	CM	135	CM	53 LEVEL CM	3174,6841 litre	13,862 %	19727,5263 litre	O
400	CM	135	CM	52 LEVEL CM	3089,1977 litre	13,489 %	19813,0127 litre	O
400	CM	135	CM	51 LEVEL CM	3004,3351 litre	13,118 %	19897,8753 litre	O
400	CM	135	CM	50 LEVEL CM	2920,1083 litre	12,750 %	19982,1021 litre	O
400	CM	135	CM	49 LEVEL CM	2836,5299 litre	12,385 %	20065,6805 litre	O
400	CM	135	CM	48 LEVEL CM	2753,6126 litre	12,023 %	20148,5978 litre	O
400	CM	135	CM	47 LEVEL CM	2671,3696 litre	11,664 %	20230,8408 litre	O
400	CM	135	CM	46 LEVEL CM	2589,8143 litre	11,308 %	20312,3961 litre	O
400	CM	135	CM	45 LEVEL CM	2508,9605 litre	10,955 %	20393,2499 litre	O
400	CM	135	CM	44 LEVEL CM	2428,8222 litre	10,605 %	20473,3882 litre	O
400	CM	135	CM	43 LEVEL CM	2349,4140 litre	10,258 %	20552,7964 litre	O
400	CM	135	CM	42 LEVEL CM	2270,7508 litre	9,915 %	20631,4596 litre	O
400	CM	135	CM	41 LEVEL CM	2192,8479 litre	9,575 %	20709,3625 litre	O
400	CM	135	CM	40 LEVEL CM	2115,7212 litre	9,238 %	20786,4892 litre	O
400	CM	135	CM	39 LEVEL CM	2039,3868 litre	8,905 %	20862,8236 litre	O
400	CM	135	CM	38 LEVEL CM	1963,8617 litre	8,575 %	20938,3487 litre	O
400	CM	135	CM	37 LEVEL CM	1889,1630 litre	8,249 %	21013,0474 litre	O
400	CM	135	CM	36 LEVEL CM	1815,3088 litre	7,926 %	21086,9016 litre	O
400	CM	135	CM	35 LEVEL CM	1742,3175 litre	7,608 %	21159,8929 litre	O
400	CM	135	CM	34 LEVEL CM	1670,2085 litre	7,293 %	21232,0019 litre	O
400	CM	135	CM	33 LEVEL CM	1599,0015 litre	6,982 %	21303,2089 litre	O
400	CM	135	CM	32 LEVEL CM	1528,7172 litre	6,675 %	21373,4932 litre	O
400	CM	135	CM	31 LEVEL CM	1459,3773 litre	6,372 %	21442,8331 litre	O
400	CM	135	CM	30 LEVEL CM	1391,0040 litre	6,074 %	21511,2064 litre	O
400	CM	135	CM	29 LEVEL CM	1323,6207 litre	5,779 %	21578,5897 litre	O
400	CM	135	CM	28 LEVEL CM	1257,2519 litre	5,490 %	21644,9585 litre	O
400	CM	135	CM	27 LEVEL CM	1191,9231 litre	5,204 %	21710,2873 litre	O
400	CM	135	CM	26 LEVEL CM	1127,6610 litre	4,924 %	21774,5494 litre	O
400	CM	135	CM	25 LEVEL CM	1064,4939 litre	4,648 %	21837,7165 litre	O
400	CM	135	CM	24 LEVEL CM	1002,4514 litre	4,377 %	21899,7590 litre	O
400	CM	135	CM	23 LEVEL CM	941,5647 litre	4,111 %	21960,6457 litre	O
400	CM	135	CM	22 LEVEL CM	881,8669 litre	3,851 %	22020,3435 litre	O
400	CM	135	CM	21 LEVEL CM	823,3931 litre	3,595 %	22078,8173 litre	O
400	CM	135	CM	20 LEVEL CM	766,1808 litre	3,345 %	22136,0296 litre	O
400	CM	135	CM	19 LEVEL CM	710,2698 litre	3,101 %	22191,9406 litre	O
400	CM	135	CM	18 LEVEL CM	655,7029 litre	2,863 %	22246,5075 litre	O
400	CM	135	CM	17 LEVEL CM	602,5260 litre	2,631 %	22299,6844 litre	O
400	CM	135	CM	16 LEVEL CM	550,7889 litre	2,405 %	22351,4215 litre	O
400	CM	135	CM	15 LEVEL CM	500,5455 litre	2,186 %	22401,6649 litre	O
400	CM	135	CM	14 LEVEL CM	451,8549 litre	1,973 %	22450,3555 litre	O
400	CM	135	CM	13 LEVEL CM	404,7818 litre	1,767 %	22497,4286 litre	O
400	CM	135	CM	12 LEVEL CM	359,3979 litre	1,569 %	22542,8125 litre	O
400	CM	135	CM	11 LEVEL CM	315,7833 litre	1,379 %	22586,4271 litre	O
400	CM	135	CM	10 LEVEL CM	274,0283 litre	1,197 %	22628,1821 litre	O
400	CM	135	CM	9 LEVEL CM	234,2357 litre	1,023 %	22667,9747 litre	O
400	CM	135	CM	8 LEVEL CM	196,5247 litre	0,858 %	22705,6857 litre	O
400	CM	135	CM	7 LEVEL CM	161,0352 litre	0,703 %	22741,1752 litre	O

400	CM	135	CM	6 LEVEL CM	127,9354 litre	0,559 %	22774,2750 litre	O
400	CM	135	CM	5 LEVEL CM	97,4334 litre	0,425 %	22804,7770 litre	O
400	CM	135	CM	4 LEVEL CM	69,7961 litre	0,305 %	22832,4143 litre	O
400	CM	135	CM	3 LEVEL CM	45,3847 litre	0,198 %	22856,8257 litre	O
400	CM	135	CM	2 LEVEL CM	24,7319 litre	0,108 %	22877,4785 litre	O
400	CM	135	CM	1 LEVEL CM	8,7538 litre	0,038 %	22893,4566 litre	O
400	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	22902,2104 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 130	CM 260 LEVEL CM	21237,1663 litre	100,000 %	0,0000 litre	O
400	CM 130	CM 259 LEVEL CM	21228,5765 litre	99,960 %	8,5898 litre	O
400	CM 130	CM 258 LEVEL CM	21212,8988 litre	99,886 %	24,2675 litre	O
400	CM 130	CM 257 LEVEL CM	21192,6358 litre	99,790 %	44,5305 litre	O
400	CM 130	CM 256 LEVEL CM	21168,6868 litre	99,678 %	68,4795 litre	O
400	CM 130	CM 255 LEVEL CM	21141,5749 litre	99,550 %	95,5914 litre	O
400	CM 130	CM 254 LEVEL CM	21111,6551 litre	99,409 %	125,5112 litre	O
400	CM 130	CM 253 LEVEL CM	21079,1896 litre	99,256 %	157,9767 litre	O
400	CM 130	CM 252 LEVEL CM	21044,3826 litre	99,092 %	192,7837 litre	O
400	CM 130	CM 251 LEVEL CM	21007,3997 litre	98,918 %	229,7666 litre	O
400	CM 130	CM 250 LEVEL CM	20968,3784 litre	98,734 %	268,7879 litre	O
400	CM 130	CM 249 LEVEL CM	20927,4358 litre	98,542 %	309,7305 litre	O
400	CM 130	CM 248 LEVEL CM	20884,6731 litre	98,340 %	352,4932 litre	O
400	CM 130	CM 247 LEVEL CM	20840,1792 litre	98,131 %	396,9871 litre	O
400	CM 130	CM 246 LEVEL CM	20794,0328 litre	97,913 %	443,1335 litre	O
400	CM 130	CM 245 LEVEL CM	20746,3046 litre	97,689 %	490,8617 litre	O
400	CM 130	CM 244 LEVEL CM	20697,0582 litre	97,457 %	540,1081 litre	O
400	CM 130	CM 243 LEVEL CM	20646,3519 litre	97,218 %	590,8144 litre	O
400	CM 130	CM 242 LEVEL CM	20594,2386 litre	96,973 %	642,9277 litre	O
400	CM 130	CM 241 LEVEL CM	20540,7675 litre	96,721 %	696,3988 litre	O
400	CM 130	CM 240 LEVEL CM	20485,9839 litre	96,463 %	751,1824 litre	O
400	CM 130	CM 239 LEVEL CM	20429,9298 litre	96,199 %	807,2365 litre	O
400	CM 130	CM 238 LEVEL CM	20372,6447 litre	95,929 %	864,5216 litre	O
400	CM 130	CM 237 LEVEL CM	20314,1654 litre	95,654 %	923,0009 litre	O
400	CM 130	CM 236 LEVEL CM	20254,5265 litre	95,373 %	982,6398 litre	O
400	CM 130	CM 235 LEVEL CM	20193,7607 litre	95,087 %	1043,4056 litre	O
400	CM 130	CM 234 LEVEL CM	20131,8988 litre	94,796 %	1105,2675 litre	O
400	CM 130	CM 233 LEVEL CM	20068,9702 litre	94,499 %	1168,1961 litre	O
400	CM 130	CM 232 LEVEL CM	20005,0026 litre	94,198 %	1232,1637 litre	O
400	CM 130	CM 231 LEVEL CM	19940,0224 litre	93,892 %	1297,1439 litre	O
400	CM 130	CM 230 LEVEL CM	19874,0549 litre	93,581 %	1363,1114 litre	O
400	CM 130	CM 229 LEVEL CM	19807,1243 litre	93,266 %	1430,0420 litre	O
400	CM 130	CM 228 LEVEL CM	19739,2535 litre	92,947 %	1497,9128 litre	O
400	CM 130	CM 227 LEVEL CM	19670,4649 litre	92,623 %	1566,7014 litre	O
400	CM 130	CM 226 LEVEL CM	19600,7796 litre	92,295 %	1636,3867 litre	O
400	CM 130	CM 225 LEVEL CM	19530,2181 litre	91,962 %	1706,9482 litre	O
400	CM 130	CM 224 LEVEL CM	19458,8001 litre	91,626 %	1778,3662 litre	O
400	CM 130	CM 223 LEVEL CM	19386,5447 litre	91,286 %	1850,6216 litre	O
400	CM 130	CM 222 LEVEL CM	19313,4701 litre	90,942 %	1923,6962 litre	O
400	CM 130	CM 221 LEVEL CM	19239,5942 litre	90,594 %	1997,5721 litre	O
400	CM 130	CM 220 LEVEL CM	19164,9340 litre	90,242 %	2072,2323 litre	O
400	CM 130	CM 219 LEVEL CM	19089,5063 litre	89,887 %	2147,6600 litre	O
400	CM 130	CM 218 LEVEL CM	19013,3272 litre	89,529 %	2223,8391 litre	O
400	CM 130	CM 217 LEVEL CM	18936,4123 litre	89,166 %	2300,7540 litre	O
400	CM 130	CM 216 LEVEL CM	18858,7768 litre	88,801 %	2378,3895 litre	O
400	CM 130	CM 215 LEVEL CM	18780,4356 litre	88,432 %	2456,7307 litre	O
400	CM 130	CM 214 LEVEL CM	18701,4030 litre	88,060 %	2535,7633 litre	O
400	CM 130	CM 213 LEVEL CM	18621,6931 litre	87,684 %	2615,4732 litre	O
400	CM 130	CM 212 LEVEL CM	18541,3196 litre	87,306 %	2695,8467 litre	O
400	CM 130	CM 211 LEVEL CM	18460,2957 litre	86,924 %	2776,8706 litre	O
400	CM 130	CM 210 LEVEL CM	18378,6345 litre	86,540 %	2858,5318 litre	O
400	CM 130	CM 209 LEVEL CM	18296,3487 litre	86,152 %	2940,8176 litre	O

400	CM	130	CM	208 LEVEL CM	18213,4507 litre	85,762 %	3023,7156 litre	O
400	CM	130	CM	207 LEVEL CM	18129,9527 litre	85,369 %	3107,2136 litre	O
400	CM	130	CM	206 LEVEL CM	18045,8665 litre	84,973 %	3191,2998 litre	O
400	CM	130	CM	205 LEVEL CM	17961,2039 litre	84,574 %	3275,9624 litre	O
400	CM	130	CM	204 LEVEL CM	17875,9762 litre	84,173 %	3361,1901 litre	O
400	CM	130	CM	203 LEVEL CM	17790,1946 litre	83,769 %	3446,9717 litre	O
400	CM	130	CM	202 LEVEL CM	17703,8701 litre	83,363 %	3533,2962 litre	O
400	CM	130	CM	201 LEVEL CM	17617,0134 litre	82,954 %	3620,1529 litre	O
400	CM	130	CM	200 LEVEL CM	17529,6351 litre	82,542 %	3707,5312 litre	O
400	CM	130	CM	199 LEVEL CM	17441,7456 litre	82,128 %	3795,4207 litre	O
400	CM	130	CM	198 LEVEL CM	17353,3551 litre	81,712 %	3883,8112 litre	O
400	CM	130	CM	197 LEVEL CM	17264,4735 litre	81,294 %	3972,6928 litre	O
400	CM	130	CM	196 LEVEL CM	17175,1109 litre	80,873 %	4062,0554 litre	O
400	CM	130	CM	195 LEVEL CM	17085,2768 litre	80,450 %	4151,8895 litre	O
400	CM	130	CM	194 LEVEL CM	16994,9807 litre	80,025 %	4242,1856 litre	O
400	CM	130	CM	193 LEVEL CM	16904,2322 litre	79,597 %	4332,9341 litre	O
400	CM	130	CM	192 LEVEL CM	16813,0405 litre	79,168 %	4424,1258 litre	O
400	CM	130	CM	191 LEVEL CM	16721,4147 litre	78,737 %	4515,7516 litre	O
400	CM	130	CM	190 LEVEL CM	16629,3638 litre	78,303 %	4607,8025 litre	O
400	CM	130	CM	189 LEVEL CM	16536,8966 litre	77,868 %	4700,2697 litre	O
400	CM	130	CM	188 LEVEL CM	16444,0220 litre	77,430 %	4793,1443 litre	O
400	CM	130	CM	187 LEVEL CM	16350,7486 litre	76,991 %	4886,4177 litre	O
400	CM	130	CM	186 LEVEL CM	16257,0849 litre	76,550 %	4980,0814 litre	O
400	CM	130	CM	185 LEVEL CM	16163,0393 litre	76,107 %	5074,1270 litre	O
400	CM	130	CM	184 LEVEL CM	16068,6201 litre	75,663 %	5168,5462 litre	O
400	CM	130	CM	183 LEVEL CM	15973,8356 litre	75,216 %	5263,3307 litre	O
400	CM	130	CM	182 LEVEL CM	15878,6940 litre	74,768 %	5358,4723 litre	O
400	CM	130	CM	181 LEVEL CM	15783,2032 litre	74,319 %	5453,9631 litre	O
400	CM	130	CM	180 LEVEL CM	15687,3711 litre	73,868 %	5549,7952 litre	O
400	CM	130	CM	179 LEVEL CM	15591,2058 litre	73,415 %	5645,9605 litre	O
400	CM	130	CM	178 LEVEL CM	15494,7149 litre	72,960 %	5742,4514 litre	O
400	CM	130	CM	177 LEVEL CM	15397,9061 litre	72,505 %	5839,2602 litre	O
400	CM	130	CM	176 LEVEL CM	15300,7871 litre	72,047 %	5936,3792 litre	O
400	CM	130	CM	175 LEVEL CM	15203,3654 litre	71,588 %	6033,8009 litre	O
400	CM	130	CM	174 LEVEL CM	15105,6486 litre	71,128 %	6131,5177 litre	O
400	CM	130	CM	173 LEVEL CM	15007,6440 litre	70,667 %	6229,5223 litre	O
400	CM	130	CM	172 LEVEL CM	14909,3590 litre	70,204 %	6327,8073 litre	O
400	CM	130	CM	171 LEVEL CM	14810,8009 litre	69,740 %	6426,3654 litre	O
400	CM	130	CM	170 LEVEL CM	14711,9769 litre	69,275 %	6525,1894 litre	O
400	CM	130	CM	169 LEVEL CM	14612,8942 litre	68,808 %	6624,2721 litre	O
400	CM	130	CM	168 LEVEL CM	14513,5599 litre	68,340 %	6723,6064 litre	O
400	CM	130	CM	167 LEVEL CM	14413,9811 litre	67,871 %	6823,1852 litre	O
400	CM	130	CM	166 LEVEL CM	14314,1648 litre	67,401 %	6923,0015 litre	O
400	CM	130	CM	165 LEVEL CM	14214,1179 litre	66,930 %	7023,0484 litre	O
400	CM	130	CM	164 LEVEL CM	14113,8473 litre	66,458 %	7123,3190 litre	O
400	CM	130	CM	163 LEVEL CM	14013,3600 litre	65,985 %	7223,8063 litre	O
400	CM	130	CM	162 LEVEL CM	13912,6627 litre	65,511 %	7324,5036 litre	O
400	CM	130	CM	161 LEVEL CM	13811,7622 litre	65,036 %	7425,4041 litre	O
400	CM	130	CM	160 LEVEL CM	13710,6653 litre	64,560 %	7526,5010 litre	O
400	CM	130	CM	159 LEVEL CM	13609,3787 litre	64,083 %	7627,7876 litre	O
400	CM	130	CM	158 LEVEL CM	13507,9090 litre	63,605 %	7729,2573 litre	O
400	CM	130	CM	157 LEVEL CM	13406,2628 litre	63,126 %	7830,9035 litre	O
400	CM	130	CM	156 LEVEL CM	13304,4468 litre	62,647 %	7932,7195 litre	O

400	CM	130	CM	155 LEVEL CM	13202,4674 litre	62,167 %	8034,6989 litre	O
400	CM	130	CM	154 LEVEL CM	13100,3313 litre	61,686 %	8136,8350 litre	O
400	CM	130	CM	153 LEVEL CM	12998,0449 litre	61,204 %	8239,1214 litre	O
400	CM	130	CM	152 LEVEL CM	12895,6147 litre	60,722 %	8341,5516 litre	O
400	CM	130	CM	151 LEVEL CM	12793,0472 litre	60,239 %	8444,1191 litre	O
400	CM	130	CM	150 LEVEL CM	12690,3487 litre	59,755 %	8546,8176 litre	O
400	CM	130	CM	149 LEVEL CM	12587,5256 litre	59,271 %	8649,6407 litre	O
400	CM	130	CM	148 LEVEL CM	12484,5843 litre	58,786 %	8752,5820 litre	O
400	CM	130	CM	147 LEVEL CM	12381,5312 litre	58,301 %	8855,6351 litre	O
400	CM	130	CM	146 LEVEL CM	12278,3725 litre	57,815 %	8958,7938 litre	O
400	CM	130	CM	145 LEVEL CM	12175,1147 litre	57,329 %	9062,0516 litre	O
400	CM	130	CM	144 LEVEL CM	12071,7639 litre	56,843 %	9165,4024 litre	O
400	CM	130	CM	143 LEVEL CM	11968,3264 litre	56,356 %	9268,8399 litre	O
400	CM	130	CM	142 LEVEL CM	11864,8086 litre	55,868 %	9372,3577 litre	O
400	CM	130	CM	141 LEVEL CM	11761,2166 litre	55,380 %	9475,9497 litre	O
400	CM	130	CM	140 LEVEL CM	11657,5566 litre	54,892 %	9579,6097 litre	O
400	CM	130	CM	139 LEVEL CM	11553,8349 litre	54,404 %	9683,3314 litre	O
400	CM	130	CM	138 LEVEL CM	11450,0577 litre	53,915 %	9787,1086 litre	O
400	CM	130	CM	137 LEVEL CM	11346,2312 litre	53,426 %	9890,9351 litre	O
400	CM	130	CM	136 LEVEL CM	11242,3616 litre	52,937 %	9994,8047 litre	O
400	CM	130	CM	135 LEVEL CM	11138,4549 litre	52,448 %	10098,7114 litre	O
400	CM	130	CM	134 LEVEL CM	11034,5175 litre	51,959 %	10202,6488 litre	O
400	CM	130	CM	133 LEVEL CM	10930,5555 litre	51,469 %	10306,6108 litre	O
400	CM	130	CM	132 LEVEL CM	10826,5750 litre	50,979 %	10410,5913 litre	O
400	CM	130	CM	131 LEVEL CM	10722,5821 litre	50,490 %	10514,5842 litre	O
400	CM	130	CM	130 LEVEL CM	10618,5832 litre	50,000 %	10618,5831 litre	O
400	CM	130	CM	129 LEVEL CM	10514,5842 litre	49,510 %	10722,5821 litre	O
400	CM	130	CM	128 LEVEL CM	10410,5914 litre	49,021 %	10826,5749 litre	O
400	CM	130	CM	127 LEVEL CM	10306,6109 litre	48,531 %	10930,5554 litre	O
400	CM	130	CM	126 LEVEL CM	10202,6488 litre	48,041 %	11034,5175 litre	O
400	CM	130	CM	125 LEVEL CM	10098,7114 litre	47,552 %	11138,4549 litre	O
400	CM	130	CM	124 LEVEL CM	9994,8048 litre	47,063 %	11242,3615 litre	O
400	CM	130	CM	123 LEVEL CM	9890,9351 litre	46,574 %	11346,2312 litre	O
400	CM	130	CM	122 LEVEL CM	9787,1086 litre	46,085 %	11450,0577 litre	O
400	CM	130	CM	121 LEVEL CM	9683,3314 litre	45,596 %	11553,8349 litre	O
400	CM	130	CM	120 LEVEL CM	9579,6097 litre	45,108 %	11657,5566 litre	O
400	CM	130	CM	119 LEVEL CM	9475,9498 litre	44,620 %	11761,2165 litre	O
400	CM	130	CM	118 LEVEL CM	9372,3577 litre	44,132 %	11864,8086 litre	O
400	CM	130	CM	117 LEVEL CM	9268,8399 litre	43,644 %	11968,3264 litre	O
400	CM	130	CM	116 LEVEL CM	9165,4024 litre	43,157 %	12071,7639 litre	O
400	CM	130	CM	115 LEVEL CM	9062,0517 litre	42,671 %	12175,1146 litre	O
400	CM	130	CM	114 LEVEL CM	8958,7938 litre	42,185 %	12278,3725 litre	O
400	CM	130	CM	113 LEVEL CM	8855,6351 litre	41,699 %	12381,5312 litre	O
400	CM	130	CM	112 LEVEL CM	8752,5820 litre	41,214 %	12484,5843 litre	O
400	CM	130	CM	111 LEVEL CM	8649,6408 litre	40,729 %	12587,5255 litre	O
400	CM	130	CM	110 LEVEL CM	8546,8177 litre	40,245 %	12690,3486 litre	O
400	CM	130	CM	109 LEVEL CM	8444,1192 litre	39,761 %	12793,0471 litre	O
400	CM	130	CM	108 LEVEL CM	8341,5516 litre	39,278 %	12895,6147 litre	O
400	CM	130	CM	107 LEVEL CM	8239,1214 litre	38,796 %	12998,0449 litre	O
400	CM	130	CM	106 LEVEL CM	8136,8350 litre	38,314 %	13100,3313 litre	O
400	CM	130	CM	105 LEVEL CM	8034,6989 litre	37,833 %	13202,4674 litre	O
400	CM	130	CM	104 LEVEL CM	7932,7196 litre	37,353 %	13304,4467 litre	O
400	CM	130	CM	103 LEVEL CM	7830,9035 litre	36,874 %	13406,2628 litre	O

400	CM	130	CM	102 LEVEL CM	7729,2574 litre	36,395 %	13507,9089 litre	O
400	CM	130	CM	101 LEVEL CM	7627,7876 litre	35,917 %	13609,3787 litre	O
400	CM	130	CM	100 LEVEL CM	7526,5010 litre	35,440 %	13710,6653 litre	O
400	CM	130	CM	99 LEVEL CM	7425,4041 litre	34,964 %	13811,7622 litre	O
400	CM	130	CM	98 LEVEL CM	7324,5036 litre	34,489 %	13912,6627 litre	O
400	CM	130	CM	97 LEVEL CM	7223,8064 litre	34,015 %	14013,3599 litre	O
400	CM	130	CM	96 LEVEL CM	7123,3190 litre	33,542 %	14113,8473 litre	O
400	CM	130	CM	95 LEVEL CM	7023,0485 litre	33,070 %	14214,1178 litre	O
400	CM	130	CM	94 LEVEL CM	6923,0016 litre	32,599 %	14314,1647 litre	O
400	CM	130	CM	93 LEVEL CM	6823,1852 litre	32,129 %	14413,9811 litre	O
400	CM	130	CM	92 LEVEL CM	6723,6064 litre	31,660 %	14513,5599 litre	O
400	CM	130	CM	91 LEVEL CM	6624,2721 litre	31,192 %	14612,8942 litre	O
400	CM	130	CM	90 LEVEL CM	6525,1894 litre	30,725 %	14711,9769 litre	O
400	CM	130	CM	89 LEVEL CM	6426,3654 litre	30,260 %	14810,8009 litre	O
400	CM	130	CM	88 LEVEL CM	6327,8073 litre	29,796 %	14909,3590 litre	O
400	CM	130	CM	87 LEVEL CM	6229,5223 litre	29,333 %	15007,6440 litre	O
400	CM	130	CM	86 LEVEL CM	6131,5177 litre	28,872 %	15105,6486 litre	O
400	CM	130	CM	85 LEVEL CM	6033,8009 litre	28,412 %	15203,3654 litre	O
400	CM	130	CM	84 LEVEL CM	5936,3793 litre	27,953 %	15300,7870 litre	O
400	CM	130	CM	83 LEVEL CM	5839,2603 litre	27,495 %	15397,9060 litre	O
400	CM	130	CM	82 LEVEL CM	5742,4515 litre	27,040 %	15494,7148 litre	O
400	CM	130	CM	81 LEVEL CM	5645,9606 litre	26,585 %	15591,2057 litre	O
400	CM	130	CM	80 LEVEL CM	5549,7952 litre	26,132 %	15687,3711 litre	O
400	CM	130	CM	79 LEVEL CM	5453,9632 litre	25,681 %	15783,2031 litre	O
400	CM	130	CM	78 LEVEL CM	5358,4724 litre	25,232 %	15878,6939 litre	O
400	CM	130	CM	77 LEVEL CM	5263,3307 litre	24,784 %	15973,8356 litre	O
400	CM	130	CM	76 LEVEL CM	5168,5462 litre	24,337 %	16068,6201 litre	O
400	CM	130	CM	75 LEVEL CM	5074,1271 litre	23,893 %	16163,0392 litre	O
400	CM	130	CM	74 LEVEL CM	4980,0815 litre	23,450 %	16257,0848 litre	O
400	CM	130	CM	73 LEVEL CM	4886,4177 litre	23,009 %	16350,7486 litre	O
400	CM	130	CM	72 LEVEL CM	4793,1443 litre	22,570 %	16444,0220 litre	O
400	CM	130	CM	71 LEVEL CM	4700,2697 litre	22,132 %	16536,8966 litre	O
400	CM	130	CM	70 LEVEL CM	4607,8026 litre	21,697 %	16629,3637 litre	O
400	CM	130	CM	69 LEVEL CM	4515,7516 litre	21,263 %	16721,4147 litre	O
400	CM	130	CM	68 LEVEL CM	4424,1258 litre	20,832 %	16813,0405 litre	O
400	CM	130	CM	67 LEVEL CM	4332,9341 litre	20,403 %	16904,2322 litre	O
400	CM	130	CM	66 LEVEL CM	4242,1856 litre	19,975 %	16994,9807 litre	O
400	CM	130	CM	65 LEVEL CM	4151,8896 litre	19,550 %	17085,2767 litre	O
400	CM	130	CM	64 LEVEL CM	4062,0555 litre	19,127 %	17175,1108 litre	O
400	CM	130	CM	63 LEVEL CM	3972,6928 litre	18,706 %	17264,4735 litre	O
400	CM	130	CM	62 LEVEL CM	3883,8113 litre	18,288 %	17353,3550 litre	O
400	CM	130	CM	61 LEVEL CM	3795,4207 litre	17,872 %	17441,7456 litre	O
400	CM	130	CM	60 LEVEL CM	3707,5312 litre	17,458 %	17529,6351 litre	O
400	CM	130	CM	59 LEVEL CM	3620,1529 litre	17,046 %	17617,0134 litre	O
400	CM	130	CM	58 LEVEL CM	3533,2962 litre	16,637 %	17703,8701 litre	O
400	CM	130	CM	57 LEVEL CM	3446,9717 litre	16,231 %	17790,1946 litre	O
400	CM	130	CM	56 LEVEL CM	3361,1901 litre	15,827 %	17875,9762 litre	O
400	CM	130	CM	55 LEVEL CM	3275,9624 litre	15,426 %	17961,2039 litre	O
400	CM	130	CM	54 LEVEL CM	3191,2998 litre	15,027 %	18045,8665 litre	O
400	CM	130	CM	53 LEVEL CM	3107,2137 litre	14,631 %	18129,9526 litre	O
400	CM	130	CM	52 LEVEL CM	3023,7157 litre	14,238 %	18213,4506 litre	O
400	CM	130	CM	51 LEVEL CM	2940,8177 litre	13,848 %	18296,3486 litre	O
400	CM	130	CM	50 LEVEL CM	2858,5319 litre	13,460 %	18378,6344 litre	O

400	CM	130	CM	49 LEVEL CM	2776,8707 litre	13,076 %	18460,2956 litre	O
400	CM	130	CM	48 LEVEL CM	2695,8468 litre	12,694 %	18541,3195 litre	O
400	CM	130	CM	47 LEVEL CM	2615,4732 litre	12,316 %	18621,6931 litre	O
400	CM	130	CM	46 LEVEL CM	2535,7633 litre	11,940 %	18701,4030 litre	O
400	CM	130	CM	45 LEVEL CM	2456,7307 litre	11,568 %	18780,4356 litre	O
400	CM	130	CM	44 LEVEL CM	2378,3895 litre	11,199 %	18858,7768 litre	O
400	CM	130	CM	43 LEVEL CM	2300,7540 litre	10,834 %	18936,4123 litre	O
400	CM	130	CM	42 LEVEL CM	2223,8391 litre	10,471 %	19013,3272 litre	O
400	CM	130	CM	41 LEVEL CM	2147,6600 litre	10,113 %	19089,5063 litre	O
400	CM	130	CM	40 LEVEL CM	2072,2323 litre	9,758 %	19164,9340 litre	O
400	CM	130	CM	39 LEVEL CM	1997,5722 litre	9,406 %	19239,5941 litre	O
400	CM	130	CM	38 LEVEL CM	1923,6962 litre	9,058 %	19313,4701 litre	O
400	CM	130	CM	37 LEVEL CM	1850,6217 litre	8,714 %	19386,5446 litre	O
400	CM	130	CM	36 LEVEL CM	1778,3662 litre	8,374 %	19458,8001 litre	O
400	CM	130	CM	35 LEVEL CM	1706,9482 litre	8,038 %	19530,2181 litre	O
400	CM	130	CM	34 LEVEL CM	1636,3867 litre	7,705 %	19600,7796 litre	O
400	CM	130	CM	33 LEVEL CM	1566,7014 litre	7,377 %	19670,4649 litre	O
400	CM	130	CM	32 LEVEL CM	1497,9128 litre	7,053 %	19739,2535 litre	O
400	CM	130	CM	31 LEVEL CM	1430,0421 litre	6,734 %	19807,1242 litre	O
400	CM	130	CM	30 LEVEL CM	1363,1114 litre	6,419 %	19874,0549 litre	O
400	CM	130	CM	29 LEVEL CM	1297,1440 litre	6,108 %	19940,0223 litre	O
400	CM	130	CM	28 LEVEL CM	1232,1638 litre	5,802 %	20005,0025 litre	O
400	CM	130	CM	27 LEVEL CM	1168,1961 litre	5,501 %	20068,9702 litre	O
400	CM	130	CM	26 LEVEL CM	1105,2675 litre	5,204 %	20131,8988 litre	O
400	CM	130	CM	25 LEVEL CM	1043,4056 litre	4,913 %	20193,7607 litre	O
400	CM	130	CM	24 LEVEL CM	982,6398 litre	4,627 %	20254,5265 litre	O
400	CM	130	CM	23 LEVEL CM	923,0009 litre	4,346 %	20314,1654 litre	O
400	CM	130	CM	22 LEVEL CM	864,5216 litre	4,071 %	20372,6447 litre	O
400	CM	130	CM	21 LEVEL CM	807,2365 litre	3,801 %	20429,9298 litre	O
400	CM	130	CM	20 LEVEL CM	751,1824 litre	3,537 %	20485,9839 litre	O
400	CM	130	CM	19 LEVEL CM	696,3988 litre	3,279 %	20540,7675 litre	O
400	CM	130	CM	18 LEVEL CM	642,9277 litre	3,027 %	20594,2386 litre	O
400	CM	130	CM	17 LEVEL CM	590,8145 litre	2,782 %	20646,3518 litre	O
400	CM	130	CM	16 LEVEL CM	540,1081 litre	2,543 %	20697,0582 litre	O
400	CM	130	CM	15 LEVEL CM	490,8618 litre	2,311 %	20746,3045 litre	O
400	CM	130	CM	14 LEVEL CM	443,1335 litre	2,087 %	20794,0328 litre	O
400	CM	130	CM	13 LEVEL CM	396,9871 litre	1,869 %	20840,1792 litre	O
400	CM	130	CM	12 LEVEL CM	352,4932 litre	1,660 %	20884,6731 litre	O
400	CM	130	CM	11 LEVEL CM	309,7306 litre	1,458 %	20927,4357 litre	O
400	CM	130	CM	10 LEVEL CM	268,7880 litre	1,266 %	20968,3783 litre	O
400	CM	130	CM	9 LEVEL CM	229,7667 litre	1,082 %	21007,3996 litre	O
400	CM	130	CM	8 LEVEL CM	192,7837 litre	0,908 %	21044,3826 litre	O
400	CM	130	CM	7 LEVEL CM	157,9768 litre	0,744 %	21079,1895 litre	O
400	CM	130	CM	6 LEVEL CM	125,5112 litre	0,591 %	21111,6551 litre	O
400	CM	130	CM	5 LEVEL CM	95,5914 litre	0,450 %	21141,5749 litre	O
400	CM	130	CM	4 LEVEL CM	68,4795 litre	0,322 %	21168,6868 litre	O
400	CM	130	CM	3 LEVEL CM	44,5306 litre	0,210 %	21192,6357 litre	O
400	CM	130	CM	2 LEVEL CM	24,2675 litre	0,114 %	21212,8988 litre	O
400	CM	130	CM	1 LEVEL CM	8,5898 litre	0,040 %	21228,5765 litre	O
400	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	21237,1663 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM	125	CM 250 LEVEL CM	19634,9541 litre	100,000 %	0,0000 litre	O
400	CM	125	CM 249 LEVEL CM	19626,5315 litre	99,957 %	8,4226 litre	O
400	CM	125	CM 248 LEVEL CM	19611,1600 litre	99,879 %	23,7941 litre	O
400	CM	125	CM 247 LEVEL CM	19591,2944 litre	99,778 %	43,6597 litre	O
400	CM	125	CM 246 LEVEL CM	19567,8169 litre	99,658 %	67,1372 litre	O
400	CM	125	CM 245 LEVEL CM	19541,2409 litre	99,523 %	93,7132 litre	O
400	CM	125	CM 244 LEVEL CM	19511,9148 litre	99,373 %	123,0393 litre	O
400	CM	125	CM 243 LEVEL CM	19480,0961 litre	99,211 %	154,8580 litre	O
400	CM	125	CM 242 LEVEL CM	19445,9853 litre	99,038 %	188,9688 litre	O
400	CM	125	CM 241 LEVEL CM	19409,7451 litre	98,853 %	225,2090 litre	O
400	CM	125	CM 240 LEVEL CM	19371,5106 litre	98,658 %	263,4435 litre	O
400	CM	125	CM 239 LEVEL CM	19331,3969 litre	98,454 %	303,5572 litre	O
400	CM	125	CM 238 LEVEL CM	19289,5036 litre	98,241 %	345,4505 litre	O
400	CM	125	CM 237 LEVEL CM	19245,9178 litre	98,019 %	389,0363 litre	O
400	CM	125	CM 236 LEVEL CM	19200,7171 litre	97,788 %	434,2370 litre	O
400	CM	125	CM 235 LEVEL CM	19153,9711 litre	97,550 %	480,9830 litre	O
400	CM	125	CM 234 LEVEL CM	19105,7423 litre	97,305 %	529,2118 litre	O
400	CM	125	CM 233 LEVEL CM	19056,0881 litre	97,052 %	578,8660 litre	O
400	CM	125	CM 232 LEVEL CM	19005,0607 litre	96,792 %	629,8934 litre	O
400	CM	125	CM 231 LEVEL CM	18952,7084 litre	96,525 %	682,2457 litre	O
400	CM	125	CM 230 LEVEL CM	18899,0758 litre	96,252 %	735,8783 litre	O
400	CM	125	CM 229 LEVEL CM	18844,2044 litre	95,973 %	790,7497 litre	O
400	CM	125	CM 228 LEVEL CM	18788,1331 litre	95,687 %	846,8210 litre	O
400	CM	125	CM 227 LEVEL CM	18730,8982 litre	95,396 %	904,0559 litre	O
400	CM	125	CM 226 LEVEL CM	18672,5338 litre	95,098 %	962,4203 litre	O
400	CM	125	CM 225 LEVEL CM	18613,0722 litre	94,796 %	1021,8819 litre	O
400	CM	125	CM 224 LEVEL CM	18552,5437 litre	94,487 %	1082,4104 litre	O
400	CM	125	CM 223 LEVEL CM	18490,9773 litre	94,174 %	1143,9768 litre	O
400	CM	125	CM 222 LEVEL CM	18428,4005 litre	93,855 %	1206,5536 litre	O
400	CM	125	CM 221 LEVEL CM	18364,8392 litre	93,531 %	1270,1149 litre	O
400	CM	125	CM 220 LEVEL CM	18300,3186 litre	93,203 %	1334,6355 litre	O
400	CM	125	CM 219 LEVEL CM	18234,8624 litre	92,869 %	1400,0917 litre	O
400	CM	125	CM 218 LEVEL CM	18168,4934 litre	92,531 %	1466,4607 litre	O
400	CM	125	CM 217 LEVEL CM	18101,2336 litre	92,189 %	1533,7205 litre	O
400	CM	125	CM 216 LEVEL CM	18033,1040 litre	91,842 %	1601,8501 litre	O
400	CM	125	CM 215 LEVEL CM	17964,1248 litre	91,491 %	1670,8293 litre	O
400	CM	125	CM 214 LEVEL CM	17894,3156 litre	91,135 %	1740,6385 litre	O
400	CM	125	CM 213 LEVEL CM	17823,6951 litre	90,775 %	1811,2590 litre	O
400	CM	125	CM 212 LEVEL CM	17752,2815 litre	90,412 %	1882,6726 litre	O
400	CM	125	CM 211 LEVEL CM	17680,0925 litre	90,044 %	1954,8616 litre	O
400	CM	125	CM 210 LEVEL CM	17607,1450 litre	89,672 %	2027,8091 litre	O
400	CM	125	CM 209 LEVEL CM	17533,4555 litre	89,297 %	2101,4986 litre	O
400	CM	125	CM 208 LEVEL CM	17459,0400 litre	88,918 %	2175,9141 litre	O
400	CM	125	CM 207 LEVEL CM	17383,9141 litre	88,536 %	2251,0400 litre	O
400	CM	125	CM 206 LEVEL CM	17308,0928 litre	88,149 %	2326,8613 litre	O
400	CM	125	CM 205 LEVEL CM	17231,5908 litre	87,760 %	2403,3633 litre	O
400	CM	125	CM 204 LEVEL CM	17154,4225 litre	87,367 %	2480,5316 litre	O
400	CM	125	CM 203 LEVEL CM	17076,6017 litre	86,970 %	2558,3524 litre	O
400	CM	125	CM 202 LEVEL CM	16998,1421 litre	86,571 %	2636,8120 litre	O
400	CM	125	CM 201 LEVEL CM	16919,0569 litre	86,168 %	2715,8972 litre	O
400	CM	125	CM 200 LEVEL CM	16839,3590 litre	85,762 %	2795,5951 litre	O
400	CM	125	CM 199 LEVEL CM	16759,0610 litre	85,353 %	2875,8931 litre	O

400	CM	125	CM	198 LEVEL CM	16678,1755 litre	84,941 %	2956,7786 litre	O
400	CM	125	CM	197 LEVEL CM	16596,7143 litre	84,526 %	3038,2398 litre	O
400	CM	125	CM	196 LEVEL CM	16514,6894 litre	84,109 %	3120,2647 litre	O
400	CM	125	CM	195 LEVEL CM	16432,1124 litre	83,688 %	3202,8417 litre	O
400	CM	125	CM	194 LEVEL CM	16348,9947 litre	83,265 %	3285,9594 litre	O
400	CM	125	CM	193 LEVEL CM	16265,3473 litre	82,839 %	3369,6068 litre	O
400	CM	125	CM	192 LEVEL CM	16181,1812 litre	82,410 %	3453,7729 litre	O
400	CM	125	CM	191 LEVEL CM	16096,5072 litre	81,979 %	3538,4469 litre	O
400	CM	125	CM	190 LEVEL CM	16011,3358 litre	81,545 %	3623,6183 litre	O
400	CM	125	CM	189 LEVEL CM	15925,6774 litre	81,109 %	3709,2767 litre	O
400	CM	125	CM	188 LEVEL CM	15839,5421 litre	80,670 %	3795,4120 litre	O
400	CM	125	CM	187 LEVEL CM	15752,9400 litre	80,229 %	3882,0141 litre	O
400	CM	125	CM	186 LEVEL CM	15665,8809 litre	79,786 %	3969,0732 litre	O
400	CM	125	CM	185 LEVEL CM	15578,3745 litre	79,340 %	4056,5796 litre	O
400	CM	125	CM	184 LEVEL CM	15490,4303 litre	78,892 %	4144,5238 litre	O
400	CM	125	CM	183 LEVEL CM	15402,0579 litre	78,442 %	4232,8962 litre	O
400	CM	125	CM	182 LEVEL CM	15313,2664 litre	77,990 %	4321,6877 litre	O
400	CM	125	CM	181 LEVEL CM	15224,0649 litre	77,536 %	4410,8892 litre	O
400	CM	125	CM	180 LEVEL CM	15134,4626 litre	77,079 %	4500,4915 litre	O
400	CM	125	CM	179 LEVEL CM	15044,4683 litre	76,621 %	4590,4858 litre	O
400	CM	125	CM	178 LEVEL CM	14954,0908 litre	76,161 %	4680,8633 litre	O
400	CM	125	CM	177 LEVEL CM	14863,3388 litre	75,698 %	4771,6153 litre	O
400	CM	125	CM	176 LEVEL CM	14772,2207 litre	75,234 %	4862,7334 litre	O
400	CM	125	CM	175 LEVEL CM	14680,7452 litre	74,768 %	4954,2089 litre	O
400	CM	125	CM	174 LEVEL CM	14588,9205 litre	74,301 %	5046,0336 litre	O
400	CM	125	CM	173 LEVEL CM	14496,7549 litre	73,831 %	5138,1992 litre	O
400	CM	125	CM	172 LEVEL CM	14404,2566 litre	73,360 %	5230,6975 litre	O
400	CM	125	CM	171 LEVEL CM	14311,4336 litre	72,888 %	5323,5205 litre	O
400	CM	125	CM	170 LEVEL CM	14218,2941 litre	72,413 %	5416,6600 litre	O
400	CM	125	CM	169 LEVEL CM	14124,8458 litre	71,937 %	5510,1083 litre	O
400	CM	125	CM	168 LEVEL CM	14031,0967 litre	71,460 %	5603,8574 litre	O
400	CM	125	CM	167 LEVEL CM	13937,0544 litre	70,981 %	5697,8997 litre	O
400	CM	125	CM	166 LEVEL CM	13842,7268 litre	70,500 %	5792,2273 litre	O
400	CM	125	CM	165 LEVEL CM	13748,1214 litre	70,019 %	5886,8327 litre	O
400	CM	125	CM	164 LEVEL CM	13653,2458 litre	69,535 %	5981,7083 litre	O
400	CM	125	CM	163 LEVEL CM	13558,1075 litre	69,051 %	6076,8466 litre	O
400	CM	125	CM	162 LEVEL CM	13462,7139 litre	68,565 %	6172,2402 litre	O
400	CM	125	CM	161 LEVEL CM	13367,0724 litre	68,078 %	6267,8817 litre	O
400	CM	125	CM	160 LEVEL CM	13271,1902 litre	67,590 %	6363,7639 litre	O
400	CM	125	CM	159 LEVEL CM	13175,0748 litre	67,100 %	6459,8793 litre	O
400	CM	125	CM	158 LEVEL CM	13078,7332 litre	66,609 %	6556,2209 litre	O
400	CM	125	CM	157 LEVEL CM	12982,1726 litre	66,118 %	6652,7815 litre	O
400	CM	125	CM	156 LEVEL CM	12885,4002 litre	65,625 %	6749,5539 litre	O
400	CM	125	CM	155 LEVEL CM	12788,4229 litre	65,131 %	6846,5312 litre	O
400	CM	125	CM	154 LEVEL CM	12691,2479 litre	64,636 %	6943,7062 litre	O
400	CM	125	CM	153 LEVEL CM	12593,8821 litre	64,140 %	7041,0720 litre	O
400	CM	125	CM	152 LEVEL CM	12496,3324 litre	63,643 %	7138,6217 litre	O
400	CM	125	CM	151 LEVEL CM	12398,6057 litre	63,146 %	7236,3484 litre	O
400	CM	125	CM	150 LEVEL CM	12300,7089 litre	62,647 %	7334,2452 litre	O
400	CM	125	CM	149 LEVEL CM	12202,6488 litre	62,148 %	7432,3053 litre	O
400	CM	125	CM	148 LEVEL CM	12104,4322 litre	61,647 %	7530,5219 litre	O
400	CM	125	CM	147 LEVEL CM	12006,0658 litre	61,146 %	7628,8883 litre	O
400	CM	125	CM	146 LEVEL CM	11907,5564 litre	60,645 %	7727,3977 litre	O

400	CM	125	CM	145 LEVEL CM	11808,9106 litre	60,142 %	7826,0435 litre	O
400	CM	125	CM	144 LEVEL CM	11710,1352 litre	59,639 %	7924,8189 litre	O
400	CM	125	CM	143 LEVEL CM	11611,2367 litre	59,136 %	8023,7174 litre	O
400	CM	125	CM	142 LEVEL CM	11512,2219 litre	58,631 %	8122,7322 litre	O
400	CM	125	CM	141 LEVEL CM	11413,0972 litre	58,126 %	8221,8569 litre	O
400	CM	125	CM	140 LEVEL CM	11313,8692 litre	57,621 %	8321,0849 litre	O
400	CM	125	CM	139 LEVEL CM	11214,5446 litre	57,115 %	8420,4095 litre	O
400	CM	125	CM	138 LEVEL CM	11115,1298 litre	56,609 %	8519,8243 litre	O
400	CM	125	CM	137 LEVEL CM	11015,6313 litre	56,102 %	8619,3228 litre	O
400	CM	125	CM	136 LEVEL CM	10916,0557 litre	55,595 %	8718,8984 litre	O
400	CM	125	CM	135 LEVEL CM	10816,4093 litre	55,088 %	8818,5448 litre	O
400	CM	125	CM	134 LEVEL CM	10716,6988 litre	54,580 %	8918,2553 litre	O
400	CM	125	CM	133 LEVEL CM	10616,9306 litre	54,072 %	9018,0235 litre	O
400	CM	125	CM	132 LEVEL CM	10517,1110 litre	53,563 %	9117,8431 litre	O
400	CM	125	CM	131 LEVEL CM	10417,2466 litre	53,055 %	9217,7075 litre	O
400	CM	125	CM	130 LEVEL CM	10317,3437 litre	52,546 %	9317,6104 litre	O
400	CM	125	CM	129 LEVEL CM	10217,4088 litre	52,037 %	9417,5453 litre	O
400	CM	125	CM	128 LEVEL CM	10117,4482 litre	51,528 %	9517,5059 litre	O
400	CM	125	CM	127 LEVEL CM	10017,4685 litre	51,019 %	9617,4856 litre	O
400	CM	125	CM	126 LEVEL CM	9917,4760 litre	50,509 %	9717,4781 litre	O
400	CM	125	CM	125 LEVEL CM	9817,4770 litre	50,000 %	9817,4771 litre	O
400	CM	125	CM	124 LEVEL CM	9717,4781 litre	49,491 %	9917,4760 litre	O
400	CM	125	CM	123 LEVEL CM	9617,4856 litre	48,981 %	10017,4685 litre	O
400	CM	125	CM	122 LEVEL CM	9517,5058 litre	48,472 %	10117,4483 litre	O
400	CM	125	CM	121 LEVEL CM	9417,5453 litre	47,963 %	10217,4088 litre	O
400	CM	125	CM	120 LEVEL CM	9317,6104 litre	47,454 %	10317,3437 litre	O
400	CM	125	CM	119 LEVEL CM	9217,7075 litre	46,945 %	10417,2466 litre	O
400	CM	125	CM	118 LEVEL CM	9117,8431 litre	46,437 %	10517,1110 litre	O
400	CM	125	CM	117 LEVEL CM	9018,0235 litre	45,928 %	10616,9306 litre	O
400	CM	125	CM	116 LEVEL CM	8918,2552 litre	45,420 %	10716,6989 litre	O
400	CM	125	CM	115 LEVEL CM	8818,5447 litre	44,912 %	10816,4094 litre	O
400	CM	125	CM	114 LEVEL CM	8718,8984 litre	44,405 %	10916,0557 litre	O
400	CM	125	CM	113 LEVEL CM	8619,3228 litre	43,898 %	11015,6313 litre	O
400	CM	125	CM	112 LEVEL CM	8519,8243 litre	43,391 %	11115,1298 litre	O
400	CM	125	CM	111 LEVEL CM	8420,4095 litre	42,885 %	11214,5446 litre	O
400	CM	125	CM	110 LEVEL CM	8321,0849 litre	42,379 %	11313,8692 litre	O
400	CM	125	CM	109 LEVEL CM	8221,8569 litre	41,874 %	11413,0972 litre	O
400	CM	125	CM	108 LEVEL CM	8122,7322 litre	41,369 %	11512,2219 litre	O
400	CM	125	CM	107 LEVEL CM	8023,7173 litre	40,864 %	11611,2368 litre	O
400	CM	125	CM	106 LEVEL CM	7924,8189 litre	40,361 %	11710,1352 litre	O
400	CM	125	CM	105 LEVEL CM	7826,0434 litre	39,858 %	11808,9107 litre	O
400	CM	125	CM	104 LEVEL CM	7727,3977 litre	39,355 %	11907,5564 litre	O
400	CM	125	CM	103 LEVEL CM	7628,8883 litre	38,854 %	12006,0658 litre	O
400	CM	125	CM	102 LEVEL CM	7530,5219 litre	38,353 %	12104,4322 litre	O
400	CM	125	CM	101 LEVEL CM	7432,3053 litre	37,852 %	12202,6488 litre	O
400	CM	125	CM	100 LEVEL CM	7334,2452 litre	37,353 %	12300,7089 litre	O
400	CM	125	CM	99 LEVEL CM	7236,3484 litre	36,854 %	12398,6057 litre	O
400	CM	125	CM	98 LEVEL CM	7138,6217 litre	36,357 %	12496,3324 litre	O
400	CM	125	CM	97 LEVEL CM	7041,0720 litre	35,860 %	12593,8821 litre	O
400	CM	125	CM	96 LEVEL CM	6943,7062 litre	35,364 %	12691,2479 litre	O
400	CM	125	CM	95 LEVEL CM	6846,5311 litre	34,869 %	12788,4230 litre	O
400	CM	125	CM	94 LEVEL CM	6749,5539 litre	34,375 %	12885,4002 litre	O
400	CM	125	CM	93 LEVEL CM	6652,7815 litre	33,882 %	12982,1726 litre	O

400	CM	125	CM	92 LEVEL CM	6556,2209 litre	33,391 %	13078,7332 litre	O
400	CM	125	CM	91 LEVEL CM	6459,8793 litre	32,900 %	13175,0748 litre	O
400	CM	125	CM	90 LEVEL CM	6363,7639 litre	32,410 %	13271,1902 litre	O
400	CM	125	CM	89 LEVEL CM	6267,8817 litre	31,922 %	13367,0724 litre	O
400	CM	125	CM	88 LEVEL CM	6172,2402 litre	31,435 %	13462,7139 litre	O
400	CM	125	CM	87 LEVEL CM	6076,8466 litre	30,949 %	13558,1075 litre	O
400	CM	125	CM	86 LEVEL CM	5981,7083 litre	30,465 %	13653,2458 litre	O
400	CM	125	CM	85 LEVEL CM	5886,8327 litre	29,981 %	13748,1214 litre	O
400	CM	125	CM	84 LEVEL CM	5792,2273 litre	29,500 %	13842,7268 litre	O
400	CM	125	CM	83 LEVEL CM	5697,8996 litre	29,019 %	13937,0545 litre	O
400	CM	125	CM	82 LEVEL CM	5603,8574 litre	28,540 %	14031,0967 litre	O
400	CM	125	CM	81 LEVEL CM	5510,1083 litre	28,063 %	14124,8458 litre	O
400	CM	125	CM	80 LEVEL CM	5416,6600 litre	27,587 %	14218,2941 litre	O
400	CM	125	CM	79 LEVEL CM	5323,5205 litre	27,112 %	14311,4336 litre	O
400	CM	125	CM	78 LEVEL CM	5230,6975 litre	26,640 %	14404,2566 litre	O
400	CM	125	CM	77 LEVEL CM	5138,1992 litre	26,169 %	14496,7549 litre	O
400	CM	125	CM	76 LEVEL CM	5046,0336 litre	25,699 %	14588,9205 litre	O
400	CM	125	CM	75 LEVEL CM	4954,2089 litre	25,232 %	14680,7452 litre	O
400	CM	125	CM	74 LEVEL CM	4862,7334 litre	24,766 %	14772,2207 litre	O
400	CM	125	CM	73 LEVEL CM	4771,6153 litre	24,302 %	14863,3388 litre	O
400	CM	125	CM	72 LEVEL CM	4680,8633 litre	23,839 %	14954,0908 litre	O
400	CM	125	CM	71 LEVEL CM	4590,4858 litre	23,379 %	15044,4683 litre	O
400	CM	125	CM	70 LEVEL CM	4500,4915 litre	22,921 %	15134,4626 litre	O
400	CM	125	CM	69 LEVEL CM	4410,8892 litre	22,464 %	15224,0649 litre	O
400	CM	125	CM	68 LEVEL CM	4321,6877 litre	22,010 %	15313,2664 litre	O
400	CM	125	CM	67 LEVEL CM	4232,8962 litre	21,558 %	15402,0579 litre	O
400	CM	125	CM	66 LEVEL CM	4144,5238 litre	21,108 %	15490,4303 litre	O
400	CM	125	CM	65 LEVEL CM	4056,5796 litre	20,660 %	15578,3745 litre	O
400	CM	125	CM	64 LEVEL CM	3969,0732 litre	20,214 %	15665,8809 litre	O
400	CM	125	CM	63 LEVEL CM	3882,0141 litre	19,771 %	15752,9400 litre	O
400	CM	125	CM	62 LEVEL CM	3795,4120 litre	19,330 %	15839,5421 litre	O
400	CM	125	CM	61 LEVEL CM	3709,2767 litre	18,891 %	15925,6774 litre	O
400	CM	125	CM	60 LEVEL CM	3623,6183 litre	18,455 %	16011,3358 litre	O
400	CM	125	CM	59 LEVEL CM	3538,4469 litre	18,021 %	16096,5072 litre	O
400	CM	125	CM	58 LEVEL CM	3453,7729 litre	17,590 %	16181,1812 litre	O
400	CM	125	CM	57 LEVEL CM	3369,6068 litre	17,161 %	16265,3473 litre	O
400	CM	125	CM	56 LEVEL CM	3285,9594 litre	16,735 %	16348,9947 litre	O
400	CM	125	CM	55 LEVEL CM	3202,8417 litre	16,312 %	16432,1124 litre	O
400	CM	125	CM	54 LEVEL CM	3120,2647 litre	15,891 %	16514,6894 litre	O
400	CM	125	CM	53 LEVEL CM	3038,2398 litre	15,474 %	16596,7143 litre	O
400	CM	125	CM	52 LEVEL CM	2956,7786 litre	15,059 %	16678,1755 litre	O
400	CM	125	CM	51 LEVEL CM	2875,8930 litre	14,647 %	16759,0611 litre	O
400	CM	125	CM	50 LEVEL CM	2795,5951 litre	14,238 %	16839,3590 litre	O
400	CM	125	CM	49 LEVEL CM	2715,8972 litre	13,832 %	16919,0569 litre	O
400	CM	125	CM	48 LEVEL CM	2636,8120 litre	13,429 %	16998,1421 litre	O
400	CM	125	CM	47 LEVEL CM	2558,3523 litre	13,030 %	17076,6018 litre	O
400	CM	125	CM	46 LEVEL CM	2480,5316 litre	12,633 %	17154,4225 litre	O
400	CM	125	CM	45 LEVEL CM	2403,3632 litre	12,240 %	17231,5909 litre	O
400	CM	125	CM	44 LEVEL CM	2326,8613 litre	11,851 %	17308,0928 litre	O
400	CM	125	CM	43 LEVEL CM	2251,0400 litre	11,464 %	17383,9141 litre	O
400	CM	125	CM	42 LEVEL CM	2175,9141 litre	11,082 %	17459,0400 litre	O
400	CM	125	CM	41 LEVEL CM	2101,4986 litre	10,703 %	17533,4555 litre	O
400	CM	125	CM	40 LEVEL CM	2027,8091 litre	10,328 %	17607,1450 litre	O

400	CM	125	CM	39 LEVEL CM	1954,8616 litre	9,956 %	17680,0925 litre	O
400	CM	125	CM	38 LEVEL CM	1882,6725 litre	9,588 %	17752,2816 litre	O
400	CM	125	CM	37 LEVEL CM	1811,2590 litre	9,225 %	17823,6951 litre	O
400	CM	125	CM	36 LEVEL CM	1740,6385 litre	8,865 %	17894,3156 litre	O
400	CM	125	CM	35 LEVEL CM	1670,8293 litre	8,509 %	17964,1248 litre	O
400	CM	125	CM	34 LEVEL CM	1601,8501 litre	8,158 %	18033,1040 litre	O
400	CM	125	CM	33 LEVEL CM	1533,7205 litre	7,811 %	18101,2336 litre	O
400	CM	125	CM	32 LEVEL CM	1466,4607 litre	7,469 %	18168,4934 litre	O
400	CM	125	CM	31 LEVEL CM	1400,0917 litre	7,131 %	18234,8624 litre	O
400	CM	125	CM	30 LEVEL CM	1334,6355 litre	6,797 %	18300,3186 litre	O
400	CM	125	CM	29 LEVEL CM	1270,1148 litre	6,469 %	18364,8393 litre	O
400	CM	125	CM	28 LEVEL CM	1206,5536 litre	6,145 %	18428,4005 litre	O
400	CM	125	CM	27 LEVEL CM	1143,9768 litre	5,826 %	18490,9773 litre	O
400	CM	125	CM	26 LEVEL CM	1082,4104 litre	5,513 %	18552,5437 litre	O
400	CM	125	CM	25 LEVEL CM	1021,8819 litre	5,204 %	18613,0722 litre	O
400	CM	125	CM	24 LEVEL CM	962,4203 litre	4,902 %	18672,5338 litre	O
400	CM	125	CM	23 LEVEL CM	904,0559 litre	4,604 %	18730,8982 litre	O
400	CM	125	CM	22 LEVEL CM	846,8209 litre	4,313 %	18788,1332 litre	O
400	CM	125	CM	21 LEVEL CM	790,7496 litre	4,027 %	18844,2045 litre	O
400	CM	125	CM	20 LEVEL CM	735,8783 litre	3,748 %	18899,0758 litre	O
400	CM	125	CM	19 LEVEL CM	682,2457 litre	3,475 %	18952,7084 litre	O
400	CM	125	CM	18 LEVEL CM	629,8934 litre	3,208 %	19005,0607 litre	O
400	CM	125	CM	17 LEVEL CM	578,8660 litre	2,948 %	19056,0881 litre	O
400	CM	125	CM	16 LEVEL CM	529,2118 litre	2,695 %	19105,7423 litre	O
400	CM	125	CM	15 LEVEL CM	480,9830 litre	2,450 %	19153,9711 litre	O
400	CM	125	CM	14 LEVEL CM	434,2370 litre	2,212 %	19200,7171 litre	O
400	CM	125	CM	13 LEVEL CM	389,0363 litre	1,981 %	19245,9178 litre	O
400	CM	125	CM	12 LEVEL CM	345,4505 litre	1,759 %	19289,5036 litre	O
400	CM	125	CM	11 LEVEL CM	303,5571 litre	1,546 %	19331,3970 litre	O
400	CM	125	CM	10 LEVEL CM	263,4434 litre	1,342 %	19371,5107 litre	O
400	CM	125	CM	9 LEVEL CM	225,2090 litre	1,147 %	19409,7451 litre	O
400	CM	125	CM	8 LEVEL CM	188,9687 litre	0,962 %	19445,9854 litre	O
400	CM	125	CM	7 LEVEL CM	154,8580 litre	0,789 %	19480,0961 litre	O
400	CM	125	CM	6 LEVEL CM	123,0393 litre	0,627 %	19511,9148 litre	O
400	CM	125	CM	5 LEVEL CM	93,7132 litre	0,477 %	19541,2409 litre	O
400	CM	125	CM	4 LEVEL CM	67,1372 litre	0,342 %	19567,8169 litre	O
400	CM	125	CM	3 LEVEL CM	43,6597 litre	0,222 %	19591,2944 litre	O
400	CM	125	CM	2 LEVEL CM	23,7941 litre	0,121 %	19611,1600 litre	O
400	CM	125	CM	1 LEVEL CM	8,4226 litre	0,043 %	19626,5315 litre	O
400	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	19634,9541 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 120	CM 240 LEVEL CM	18095,5737 litre	100,000 %	0,0000 litre	O
400	CM 120	CM 239 LEVEL CM	18087,3217 litre	99,954 %	8,2520 litre	O
400	CM 120	CM 238 LEVEL CM	18072,2627 litre	99,871 %	23,3110 litre	O
400	CM 120	CM 237 LEVEL CM	18052,8025 litre	99,764 %	42,7712 litre	O
400	CM 120	CM 236 LEVEL CM	18029,8063 litre	99,637 %	65,7674 litre	O
400	CM 120	CM 235 LEVEL CM	18003,7772 litre	99,493 %	91,7965 litre	O
400	CM 120	CM 234 LEVEL CM	17975,0571 litre	99,334 %	120,5166 litre	O
400	CM 120	CM 233 LEVEL CM	17943,8985 litre	99,162 %	151,6752 litre	O
400	CM 120	CM 232 LEVEL CM	17910,4986 litre	98,977 %	185,0751 litre	O
400	CM 120	CM 231 LEVEL CM	17875,0166 litre	98,781 %	220,5571 litre	O
400	CM 120	CM 230 LEVEL CM	17837,5855 litre	98,574 %	257,9882 litre	O
400	CM 120	CM 229 LEVEL CM	17798,3182 litre	98,357 %	297,2555 litre	O
400	CM 120	CM 228 LEVEL CM	17757,3125 litre	98,131 %	338,2612 litre	O
400	CM 120	CM 227 LEVEL CM	17714,6542 litre	97,895 %	380,9195 litre	O
400	CM 120	CM 226 LEVEL CM	17670,4195 litre	97,651 %	425,1542 litre	O
400	CM 120	CM 225 LEVEL CM	17624,6767 litre	97,398 %	470,8970 litre	O
400	CM 120	CM 224 LEVEL CM	17577,4875 litre	97,137 %	518,0862 litre	O
400	CM 120	CM 223 LEVEL CM	17528,9081 litre	96,868 %	566,6656 litre	O
400	CM 120	CM 222 LEVEL CM	17478,9902 litre	96,593 %	616,5835 litre	O
400	CM 120	CM 221 LEVEL CM	17427,7811 litre	96,310 %	667,7926 litre	O
400	CM 120	CM 220 LEVEL CM	17375,3248 litre	96,020 %	720,2489 litre	O
400	CM 120	CM 219 LEVEL CM	17321,6622 litre	95,723 %	773,9115 litre	O
400	CM 120	CM 218 LEVEL CM	17266,8316 litre	95,420 %	828,7421 litre	O
400	CM 120	CM 217 LEVEL CM	17210,8687 litre	95,111 %	884,7050 litre	O
400	CM 120	CM 216 LEVEL CM	17153,8073 litre	94,796 %	941,7664 litre	O
400	CM 120	CM 215 LEVEL CM	17095,6790 litre	94,474 %	999,8947 litre	O
400	CM 120	CM 214 LEVEL CM	17036,5140 litre	94,147 %	1059,0597 litre	O
400	CM 120	CM 213 LEVEL CM	16976,3407 litre	93,815 %	1119,2330 litre	O
400	CM 120	CM 212 LEVEL CM	16915,1863 litre	93,477 %	1180,3874 litre	O
400	CM 120	CM 211 LEVEL CM	16853,0764 litre	93,134 %	1242,4973 litre	O
400	CM 120	CM 210 LEVEL CM	16790,0358 litre	92,785 %	1305,5379 litre	O
400	CM 120	CM 209 LEVEL CM	16726,0880 litre	92,432 %	1369,4857 litre	O
400	CM 120	CM 208 LEVEL CM	16661,2556 litre	92,074 %	1434,3181 litre	O
400	CM 120	CM 207 LEVEL CM	16595,5602 litre	91,711 %	1500,0135 litre	O
400	CM 120	CM 206 LEVEL CM	16529,0226 litre	91,343 %	1566,5511 litre	O
400	CM 120	CM 205 LEVEL CM	16461,6629 litre	90,971 %	1633,9108 litre	O
400	CM 120	CM 204 LEVEL CM	16393,5004 litre	90,594 %	1702,0733 litre	O
400	CM 120	CM 203 LEVEL CM	16324,5536 litre	90,213 %	1771,0201 litre	O
400	CM 120	CM 202 LEVEL CM	16254,8406 litre	89,828 %	1840,7331 litre	O
400	CM 120	CM 201 LEVEL CM	16184,3789 litre	89,438 %	1911,1948 litre	O
400	CM 120	CM 200 LEVEL CM	16113,1852 litre	89,045 %	1982,3885 litre	O
400	CM 120	CM 199 LEVEL CM	16041,2759 litre	88,648 %	2054,2978 litre	O
400	CM 120	CM 198 LEVEL CM	15968,6669 litre	88,246 %	2126,9068 litre	O
400	CM 120	CM 197 LEVEL CM	15895,3736 litre	87,841 %	2200,2001 litre	O
400	CM 120	CM 196 LEVEL CM	15821,4109 litre	87,432 %	2274,1628 litre	O
400	CM 120	CM 195 LEVEL CM	15746,7936 litre	87,020 %	2348,7801 litre	O
400	CM 120	CM 194 LEVEL CM	15671,5357 litre	86,604 %	2424,0380 litre	O
400	CM 120	CM 193 LEVEL CM	15595,6510 litre	86,185 %	2499,9227 litre	O
400	CM 120	CM 192 LEVEL CM	15519,1532 litre	85,762 %	2576,4205 litre	O
400	CM 120	CM 191 LEVEL CM	15442,0554 litre	85,336 %	2653,5183 litre	O
400	CM 120	CM 190 LEVEL CM	15364,3704 litre	84,907 %	2731,2033 litre	O
400	CM 120	CM 189 LEVEL CM	15286,1108 litre	84,474 %	2809,4629 litre	O

400	CM	120	CM	188 LEVEL CM	15207,2890 litre	84,039 %	2888,2847 litre	O
400	CM	120	CM	187 LEVEL CM	15127,9169 litre	83,600 %	2967,6568 litre	O
400	CM	120	CM	186 LEVEL CM	15048,0065 litre	83,158 %	3047,5672 litre	O
400	CM	120	CM	185 LEVEL CM	14967,5691 litre	82,714 %	3128,0046 litre	O
400	CM	120	CM	184 LEVEL CM	14886,6163 litre	82,267 %	3208,9574 litre	O
400	CM	120	CM	183 LEVEL CM	14805,1590 litre	81,816 %	3290,4147 litre	O
400	CM	120	CM	182 LEVEL CM	14723,2083 litre	81,364 %	3372,3654 litre	O
400	CM	120	CM	181 LEVEL CM	14640,7747 litre	80,908 %	3454,7990 litre	O
400	CM	120	CM	180 LEVEL CM	14557,8690 litre	80,450 %	3537,7047 litre	O
400	CM	120	CM	179 LEVEL CM	14474,5013 litre	79,989 %	3621,0724 litre	O
400	CM	120	CM	178 LEVEL CM	14390,6819 litre	79,526 %	3704,8918 litre	O
400	CM	120	CM	177 LEVEL CM	14306,4208 litre	79,060 %	3789,1529 litre	O
400	CM	120	CM	176 LEVEL CM	14221,7279 litre	78,592 %	3873,8458 litre	O
400	CM	120	CM	175 LEVEL CM	14136,6128 litre	78,122 %	3958,9609 litre	O
400	CM	120	CM	174 LEVEL CM	14051,0852 litre	77,649 %	4044,4885 litre	O
400	CM	120	CM	173 LEVEL CM	13965,1545 litre	77,174 %	4130,4192 litre	O
400	CM	120	CM	172 LEVEL CM	13878,8299 litre	76,697 %	4216,7438 litre	O
400	CM	120	CM	171 LEVEL CM	13792,1206 litre	76,218 %	4303,4531 litre	O
400	CM	120	CM	170 LEVEL CM	13705,0357 litre	75,737 %	4390,5380 litre	O
400	CM	120	CM	169 LEVEL CM	13617,5842 litre	75,254 %	4477,9895 litre	O
400	CM	120	CM	168 LEVEL CM	13529,7748 litre	74,768 %	4565,7989 litre	O
400	CM	120	CM	167 LEVEL CM	13441,6162 litre	74,281 %	4653,9575 litre	O
400	CM	120	CM	166 LEVEL CM	13353,1170 litre	73,792 %	4742,4567 litre	O
400	CM	120	CM	165 LEVEL CM	13264,2859 litre	73,301 %	4831,2878 litre	O
400	CM	120	CM	164 LEVEL CM	13175,1311 litre	72,809 %	4920,4426 litre	O
400	CM	120	CM	163 LEVEL CM	13085,6610 litre	72,314 %	5009,9127 litre	O
400	CM	120	CM	162 LEVEL CM	12995,8838 litre	71,818 %	5099,6899 litre	O
400	CM	120	CM	161 LEVEL CM	12905,8077 litre	71,320 %	5189,7660 litre	O
400	CM	120	CM	160 LEVEL CM	12815,4408 litre	70,821 %	5280,1329 litre	O
400	CM	120	CM	159 LEVEL CM	12724,7910 litre	70,320 %	5370,7827 litre	O
400	CM	120	CM	158 LEVEL CM	12633,8663 litre	69,817 %	5461,7074 litre	O
400	CM	120	CM	157 LEVEL CM	12542,6746 litre	69,313 %	5552,8991 litre	O
400	CM	120	CM	156 LEVEL CM	12451,2235 litre	68,808 %	5644,3502 litre	O
400	CM	120	CM	155 LEVEL CM	12359,5208 litre	68,301 %	5736,0529 litre	O
400	CM	120	CM	154 LEVEL CM	12267,5742 litre	67,793 %	5827,9995 litre	O
400	CM	120	CM	153 LEVEL CM	12175,3912 litre	67,284 %	5920,1825 litre	O
400	CM	120	CM	152 LEVEL CM	12082,9794 litre	66,773 %	6012,5943 litre	O
400	CM	120	CM	151 LEVEL CM	11990,3462 litre	66,261 %	6105,2275 litre	O
400	CM	120	CM	150 LEVEL CM	11897,4991 litre	65,748 %	6198,0746 litre	O
400	CM	120	CM	149 LEVEL CM	11804,4455 litre	65,234 %	6291,1282 litre	O
400	CM	120	CM	148 LEVEL CM	11711,1926 litre	64,719 %	6384,3811 litre	O
400	CM	120	CM	147 LEVEL CM	11617,7477 litre	64,202 %	6477,8260 litre	O
400	CM	120	CM	146 LEVEL CM	11524,1181 litre	63,685 %	6571,4556 litre	O
400	CM	120	CM	145 LEVEL CM	11430,3109 litre	63,166 %	6665,2628 litre	O
400	CM	120	CM	144 LEVEL CM	11336,3333 litre	62,647 %	6759,2404 litre	O
400	CM	120	CM	143 LEVEL CM	11242,1925 litre	62,127 %	6853,3812 litre	O
400	CM	120	CM	142 LEVEL CM	11147,8954 litre	61,606 %	6947,6783 litre	O
400	CM	120	CM	141 LEVEL CM	11053,4490 litre	61,084 %	7042,1247 litre	O
400	CM	120	CM	140 LEVEL CM	10958,8605 litre	60,561 %	7136,7132 litre	O
400	CM	120	CM	139 LEVEL CM	10864,1368 litre	60,038 %	7231,4369 litre	O
400	CM	120	CM	138 LEVEL CM	10769,2848 litre	59,513 %	7326,2889 litre	O
400	CM	120	CM	137 LEVEL CM	10674,3114 litre	58,989 %	7421,2623 litre	O
400	CM	120	CM	136 LEVEL CM	10579,2235 litre	58,463 %	7516,3502 litre	O

400	CM	120	CM	135 LEVEL CM	10484,0280 litre	57,937 %	7611,5457 litre	O
400	CM	120	CM	134 LEVEL CM	10388,7317 litre	57,410 %	7706,8420 litre	O
400	CM	120	CM	133 LEVEL CM	10293,3414 litre	56,883 %	7802,2323 litre	O
400	CM	120	CM	132 LEVEL CM	10197,8640 litre	56,356 %	7897,7097 litre	O
400	CM	120	CM	131 LEVEL CM	10102,3061 litre	55,827 %	7993,2676 litre	O
400	CM	120	CM	130 LEVEL CM	10006,6746 litre	55,299 %	8088,8991 litre	O
400	CM	120	CM	129 LEVEL CM	9910,9762 litre	54,770 %	8184,5975 litre	O
400	CM	120	CM	128 LEVEL CM	9815,2176 litre	54,241 %	8280,3561 litre	O
400	CM	120	CM	127 LEVEL CM	9719,4055 litre	53,712 %	8376,1682 litre	O
400	CM	120	CM	126 LEVEL CM	9623,5468 litre	53,182 %	8472,0269 litre	O
400	CM	120	CM	125 LEVEL CM	9527,6479 litre	52,652 %	8567,9258 litre	O
400	CM	120	CM	124 LEVEL CM	9431,7157 litre	52,122 %	8663,8580 litre	O
400	CM	120	CM	123 LEVEL CM	9335,7568 litre	51,591 %	8759,8169 litre	O
400	CM	120	CM	122 LEVEL CM	9239,7780 litre	51,061 %	8855,7957 litre	O
400	CM	120	CM	121 LEVEL CM	9143,7857 litre	50,531 %	8951,7880 litre	O
400	CM	120	CM	120 LEVEL CM	9047,7868 litre	50,000 %	9047,7869 litre	O
400	CM	120	CM	119 LEVEL CM	8951,7880 litre	49,469 %	9143,7857 litre	O
400	CM	120	CM	118 LEVEL CM	8855,7957 litre	48,939 %	9239,7780 litre	O
400	CM	120	CM	117 LEVEL CM	8759,8168 litre	48,409 %	9335,7569 litre	O
400	CM	120	CM	116 LEVEL CM	8663,8580 litre	47,878 %	9431,7157 litre	O
400	CM	120	CM	115 LEVEL CM	8567,9258 litre	47,348 %	9527,6479 litre	O
400	CM	120	CM	114 LEVEL CM	8472,0269 litre	46,818 %	9623,5468 litre	O
400	CM	120	CM	113 LEVEL CM	8376,1681 litre	46,288 %	9719,4056 litre	O
400	CM	120	CM	112 LEVEL CM	8280,3561 litre	45,759 %	9815,2176 litre	O
400	CM	120	CM	111 LEVEL CM	8184,5975 litre	45,230 %	9910,9762 litre	O
400	CM	120	CM	110 LEVEL CM	8088,8991 litre	44,701 %	10006,6746 litre	O
400	CM	120	CM	109 LEVEL CM	7993,2676 litre	44,173 %	10102,3061 litre	O
400	CM	120	CM	108 LEVEL CM	7897,7097 litre	43,644 %	10197,8640 litre	O
400	CM	120	CM	107 LEVEL CM	7802,2323 litre	43,117 %	10293,3414 litre	O
400	CM	120	CM	106 LEVEL CM	7706,8420 litre	42,590 %	10388,7317 litre	O
400	CM	120	CM	105 LEVEL CM	7611,5457 litre	42,063 %	10484,0280 litre	O
400	CM	120	CM	104 LEVEL CM	7516,3502 litre	41,537 %	10579,2235 litre	O
400	CM	120	CM	103 LEVEL CM	7421,2623 litre	41,011 %	10674,3114 litre	O
400	CM	120	CM	102 LEVEL CM	7326,2889 litre	40,487 %	10769,2848 litre	O
400	CM	120	CM	101 LEVEL CM	7231,4369 litre	39,962 %	10864,1368 litre	O
400	CM	120	CM	100 LEVEL CM	7136,7131 litre	39,439 %	10958,8606 litre	O
400	CM	120	CM	99 LEVEL CM	7042,1246 litre	38,916 %	11053,4491 litre	O
400	CM	120	CM	98 LEVEL CM	6947,6783 litre	38,394 %	11147,8954 litre	O
400	CM	120	CM	97 LEVEL CM	6853,3812 litre	37,873 %	11242,1925 litre	O
400	CM	120	CM	96 LEVEL CM	6759,2403 litre	37,353 %	11336,3334 litre	O
400	CM	120	CM	95 LEVEL CM	6665,2628 litre	36,834 %	11430,3109 litre	O
400	CM	120	CM	94 LEVEL CM	6571,4556 litre	36,315 %	11524,1181 litre	O
400	CM	120	CM	93 LEVEL CM	6477,8260 litre	35,798 %	11617,7477 litre	O
400	CM	120	CM	92 LEVEL CM	6384,3811 litre	35,281 %	11711,1926 litre	O
400	CM	120	CM	91 LEVEL CM	6291,1282 litre	34,766 %	11804,4455 litre	O
400	CM	120	CM	90 LEVEL CM	6198,0746 litre	34,252 %	11897,4991 litre	O
400	CM	120	CM	89 LEVEL CM	6105,2275 litre	33,739 %	11990,3462 litre	O
400	CM	120	CM	88 LEVEL CM	6012,5943 litre	33,227 %	12082,9794 litre	O
400	CM	120	CM	87 LEVEL CM	5920,1825 litre	32,716 %	12175,3912 litre	O
400	CM	120	CM	86 LEVEL CM	5827,9995 litre	32,207 %	12267,5742 litre	O
400	CM	120	CM	85 LEVEL CM	5736,0529 litre	31,699 %	12359,5208 litre	O
400	CM	120	CM	84 LEVEL CM	5644,3502 litre	31,192 %	12451,2235 litre	O
400	CM	120	CM	83 LEVEL CM	5552,8991 litre	30,687 %	12542,6746 litre	O

400	CM	120	CM	82 LEVEL CM	5461,7073 litre	30,183 %	12633,8664 litre	O
400	CM	120	CM	81 LEVEL CM	5370,7827 litre	29,680 %	12724,7910 litre	O
400	CM	120	CM	80 LEVEL CM	5280,1329 litre	29,179 %	12815,4408 litre	O
400	CM	120	CM	79 LEVEL CM	5189,7660 litre	28,680 %	12905,8077 litre	O
400	CM	120	CM	78 LEVEL CM	5099,6899 litre	28,182 %	12995,8838 litre	O
400	CM	120	CM	77 LEVEL CM	5009,9127 litre	27,686 %	13085,6610 litre	O
400	CM	120	CM	76 LEVEL CM	4920,4426 litre	27,191 %	13175,1311 litre	O
400	CM	120	CM	75 LEVEL CM	4831,2878 litre	26,699 %	13264,2859 litre	O
400	CM	120	CM	74 LEVEL CM	4742,4567 litre	26,208 %	13353,1170 litre	O
400	CM	120	CM	73 LEVEL CM	4653,9575 litre	25,719 %	13441,6162 litre	O
400	CM	120	CM	72 LEVEL CM	4565,7989 litre	25,232 %	13529,7748 litre	O
400	CM	120	CM	71 LEVEL CM	4477,9895 litre	24,746 %	13617,5842 litre	O
400	CM	120	CM	70 LEVEL CM	4390,5379 litre	24,263 %	13705,0358 litre	O
400	CM	120	CM	69 LEVEL CM	4303,4531 litre	23,782 %	13792,1206 litre	O
400	CM	120	CM	68 LEVEL CM	4216,7438 litre	23,303 %	13878,8299 litre	O
400	CM	120	CM	67 LEVEL CM	4130,4192 litre	22,826 %	13965,1545 litre	O
400	CM	120	CM	66 LEVEL CM	4044,4885 litre	22,351 %	14051,0852 litre	O
400	CM	120	CM	65 LEVEL CM	3958,9609 litre	21,878 %	14136,6128 litre	O
400	CM	120	CM	64 LEVEL CM	3873,8458 litre	21,408 %	14221,7279 litre	O
400	CM	120	CM	63 LEVEL CM	3789,1529 litre	20,940 %	14306,4208 litre	O
400	CM	120	CM	62 LEVEL CM	3704,8918 litre	20,474 %	14390,6819 litre	O
400	CM	120	CM	61 LEVEL CM	3621,0724 litre	20,011 %	14474,5013 litre	O
400	CM	120	CM	60 LEVEL CM	3537,7047 litre	19,550 %	14557,8690 litre	O
400	CM	120	CM	59 LEVEL CM	3454,7990 litre	19,092 %	14640,7747 litre	O
400	CM	120	CM	58 LEVEL CM	3372,3654 litre	18,636 %	14723,2083 litre	O
400	CM	120	CM	57 LEVEL CM	3290,4147 litre	18,184 %	14805,1590 litre	O
400	CM	120	CM	56 LEVEL CM	3208,9574 litre	17,733 %	14886,6163 litre	O
400	CM	120	CM	55 LEVEL CM	3128,0045 litre	17,286 %	14967,5692 litre	O
400	CM	120	CM	54 LEVEL CM	3047,5672 litre	16,842 %	15048,0065 litre	O
400	CM	120	CM	53 LEVEL CM	2967,6567 litre	16,400 %	15127,9170 litre	O
400	CM	120	CM	52 LEVEL CM	2888,2847 litre	15,961 %	15207,2890 litre	O
400	CM	120	CM	51 LEVEL CM	2809,4629 litre	15,526 %	15286,1108 litre	O
400	CM	120	CM	50 LEVEL CM	2731,2033 litre	15,093 %	15364,3704 litre	O
400	CM	120	CM	49 LEVEL CM	2653,5183 litre	14,664 %	15442,0554 litre	O
400	CM	120	CM	48 LEVEL CM	2576,4205 litre	14,238 %	15519,1532 litre	O
400	CM	120	CM	47 LEVEL CM	2499,9226 litre	13,815 %	15595,6511 litre	O
400	CM	120	CM	46 LEVEL CM	2424,0380 litre	13,396 %	15671,5357 litre	O
400	CM	120	CM	45 LEVEL CM	2348,7801 litre	12,980 %	15746,7936 litre	O
400	CM	120	CM	44 LEVEL CM	2274,1627 litre	12,568 %	15821,4110 litre	O
400	CM	120	CM	43 LEVEL CM	2200,2001 litre	12,159 %	15895,3736 litre	O
400	CM	120	CM	42 LEVEL CM	2126,9068 litre	11,754 %	15968,6669 litre	O
400	CM	120	CM	41 LEVEL CM	2054,2978 litre	11,352 %	16041,2759 litre	O
400	CM	120	CM	40 LEVEL CM	1982,3885 litre	10,955 %	16113,1852 litre	O
400	CM	120	CM	39 LEVEL CM	1911,1948 litre	10,562 %	16184,3789 litre	O
400	CM	120	CM	38 LEVEL CM	1840,7331 litre	10,172 %	16254,8406 litre	O
400	CM	120	CM	37 LEVEL CM	1771,0201 litre	9,787 %	16324,5536 litre	O
400	CM	120	CM	36 LEVEL CM	1702,0733 litre	9,406 %	16393,5004 litre	O
400	CM	120	CM	35 LEVEL CM	1633,9108 litre	9,029 %	16461,6629 litre	O
400	CM	120	CM	34 LEVEL CM	1566,5510 litre	8,657 %	16529,0227 litre	O
400	CM	120	CM	33 LEVEL CM	1500,0135 litre	8,289 %	16595,5602 litre	O
400	CM	120	CM	32 LEVEL CM	1434,3181 litre	7,926 %	16661,2556 litre	O
400	CM	120	CM	31 LEVEL CM	1369,4856 litre	7,568 %	16726,0881 litre	O
400	CM	120	CM	30 LEVEL CM	1305,5379 litre	7,215 %	16790,0358 litre	O

400	CM	120	CM	29 LEVEL CM	1242,4973 litre	6,866 %	16853,0764 litre	O
400	CM	120	CM	28 LEVEL CM	1180,3874 litre	6,523 %	16915,1863 litre	O
400	CM	120	CM	27 LEVEL CM	1119,2330 litre	6,185 %	16976,3407 litre	O
400	CM	120	CM	26 LEVEL CM	1059,0597 litre	5,853 %	17036,5140 litre	O
400	CM	120	CM	25 LEVEL CM	999,8946 litre	5,526 %	17095,6791 litre	O
400	CM	120	CM	24 LEVEL CM	941,7664 litre	5,204 %	17153,8073 litre	O
400	CM	120	CM	23 LEVEL CM	884,7049 litre	4,889 %	17210,8688 litre	O
400	CM	120	CM	22 LEVEL CM	828,7421 litre	4,580 %	17266,8316 litre	O
400	CM	120	CM	21 LEVEL CM	773,9114 litre	4,277 %	17321,6623 litre	O
400	CM	120	CM	20 LEVEL CM	720,2489 litre	3,980 %	17375,3248 litre	O
400	CM	120	CM	19 LEVEL CM	667,7926 litre	3,690 %	17427,7811 litre	O
400	CM	120	CM	18 LEVEL CM	616,5835 litre	3,407 %	17478,9902 litre	O
400	CM	120	CM	17 LEVEL CM	566,6656 litre	3,132 %	17528,9081 litre	O
400	CM	120	CM	16 LEVEL CM	518,0862 litre	2,863 %	17577,4875 litre	O
400	CM	120	CM	15 LEVEL CM	470,8970 litre	2,602 %	17624,6767 litre	O
400	CM	120	CM	14 LEVEL CM	425,1542 litre	2,349 %	17670,4195 litre	O
400	CM	120	CM	13 LEVEL CM	380,9195 litre	2,105 %	17714,6542 litre	O
400	CM	120	CM	12 LEVEL CM	338,2612 litre	1,869 %	17757,3125 litre	O
400	CM	120	CM	11 LEVEL CM	297,2555 litre	1,643 %	17798,3182 litre	O
400	CM	120	CM	10 LEVEL CM	257,9882 litre	1,426 %	17837,5855 litre	O
400	CM	120	CM	9 LEVEL CM	220,5571 litre	1,219 %	17875,0166 litre	O
400	CM	120	CM	8 LEVEL CM	185,0751 litre	1,023 %	17910,4986 litre	O
400	CM	120	CM	7 LEVEL CM	151,6751 litre	0,838 %	17943,8986 litre	O
400	CM	120	CM	6 LEVEL CM	120,5166 litre	0,666 %	17975,0571 litre	O
400	CM	120	CM	5 LEVEL CM	91,7965 litre	0,507 %	18003,7772 litre	O
400	CM	120	CM	4 LEVEL CM	65,7674 litre	0,363 %	18029,8063 litre	O
400	CM	120	CM	3 LEVEL CM	42,7711 litre	0,236 %	18052,8026 litre	O
400	CM	120	CM	2 LEVEL CM	23,3110 litre	0,129 %	18072,2627 litre	O
400	CM	120	CM	1 LEVEL CM	8,2520 litre	0,046 %	18087,3217 litre	O
400	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	18095,5737 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
400	CM	115	CM	230 LEVEL CM	16619,0251 litre	100,000 %	0,0000 litre	O
400	CM	115	CM	229 LEVEL CM	16610,9473 litre	99,951 %	8,0778 litre	O
400	CM	115	CM	228 LEVEL CM	16596,2075 litre	99,863 %	22,8176 litre	O
400	CM	115	CM	227 LEVEL CM	16577,1614 litre	99,748 %	41,8637 litre	O
400	CM	115	CM	226 LEVEL CM	16554,6566 litre	99,613 %	64,3685 litre	O
400	CM	115	CM	225 LEVEL CM	16529,1861 litre	99,459 %	89,8390 litre	O
400	CM	115	CM	224 LEVEL CM	16501,0851 litre	99,290 %	117,9400 litre	O
400	CM	115	CM	223 LEVEL CM	16470,6011 litre	99,107 %	148,4240 litre	O
400	CM	115	CM	222 LEVEL CM	16437,9273 litre	98,910 %	181,0978 litre	O
400	CM	115	CM	221 LEVEL CM	16403,2202 litre	98,701 %	215,8049 litre	O
400	CM	115	CM	220 LEVEL CM	16366,6100 litre	98,481 %	252,4151 litre	O
400	CM	115	CM	219 LEVEL CM	16328,2078 litre	98,250 %	290,8173 litre	O
400	CM	115	CM	218 LEVEL CM	16288,1094 litre	98,009 %	330,9157 litre	O
400	CM	115	CM	217 LEVEL CM	16246,3992 litre	97,758 %	372,6259 litre	O
400	CM	115	CM	216 LEVEL CM	16203,1520 litre	97,498 %	415,8731 litre	O
400	CM	115	CM	215 LEVEL CM	16158,4350 litre	97,229 %	460,5901 litre	O
400	CM	115	CM	214 LEVEL CM	16112,3088 litre	96,951 %	506,7163 litre	O
400	CM	115	CM	213 LEVEL CM	16064,8287 litre	96,665 %	554,1964 litre	O
400	CM	115	CM	212 LEVEL CM	16016,0454 litre	96,372 %	602,9797 litre	O
400	CM	115	CM	211 LEVEL CM	15966,0056 litre	96,071 %	653,0195 litre	O
400	CM	115	CM	210 LEVEL CM	15914,7526 litre	95,762 %	704,2725 litre	O
400	CM	115	CM	209 LEVEL CM	15862,3267 litre	95,447 %	756,6984 litre	O
400	CM	115	CM	208 LEVEL CM	15808,7655 litre	95,125 %	810,2596 litre	O
400	CM	115	CM	207 LEVEL CM	15754,1043 litre	94,796 %	864,9208 litre	O
400	CM	115	CM	206 LEVEL CM	15698,3762 litre	94,460 %	920,6489 litre	O
400	CM	115	CM	205 LEVEL CM	15641,6127 litre	94,119 %	977,4124 litre	O
400	CM	115	CM	204 LEVEL CM	15583,8433 litre	93,771 %	1035,1818 litre	O
400	CM	115	CM	203 LEVEL CM	15525,0961 litre	93,418 %	1093,9290 litre	O
400	CM	115	CM	202 LEVEL CM	15465,3979 litre	93,058 %	1153,6272 litre	O
400	CM	115	CM	201 LEVEL CM	15404,7742 litre	92,694 %	1214,2509 litre	O
400	CM	115	CM	200 LEVEL CM	15343,2492 litre	92,323 %	1275,7759 litre	O
400	CM	115	CM	199 LEVEL CM	15280,8463 litre	91,948 %	1338,1788 litre	O
400	CM	115	CM	198 LEVEL CM	15217,5877 litre	91,567 %	1401,4374 litre	O
400	CM	115	CM	197 LEVEL CM	15153,4949 litre	91,182 %	1465,5302 litre	O
400	CM	115	CM	196 LEVEL CM	15088,5884 litre	90,791 %	1530,4367 litre	O
400	CM	115	CM	195 LEVEL CM	15022,8881 litre	90,396 %	1596,1370 litre	O
400	CM	115	CM	194 LEVEL CM	14956,4130 litre	89,996 %	1662,6121 litre	O
400	CM	115	CM	193 LEVEL CM	14889,1816 litre	89,591 %	1729,8435 litre	O
400	CM	115	CM	192 LEVEL CM	14821,2117 litre	89,182 %	1797,8134 litre	O
400	CM	115	CM	191 LEVEL CM	14752,5207 litre	88,769 %	1866,5044 litre	O
400	CM	115	CM	190 LEVEL CM	14683,1251 litre	88,351 %	1935,9000 litre	O
400	CM	115	CM	189 LEVEL CM	14613,0412 litre	87,930 %	2005,9839 litre	O
400	CM	115	CM	188 LEVEL CM	14542,2848 litre	87,504 %	2076,7403 litre	O
400	CM	115	CM	187 LEVEL CM	14470,8711 litre	87,074 %	2148,1540 litre	O
400	CM	115	CM	186 LEVEL CM	14398,8151 litre	86,641 %	2220,2100 litre	O
400	CM	115	CM	185 LEVEL CM	14326,1312 litre	86,203 %	2292,8939 litre	O
400	CM	115	CM	184 LEVEL CM	14252,8334 litre	85,762 %	2366,1917 litre	O
400	CM	115	CM	183 LEVEL CM	14178,9357 litre	85,317 %	2440,0894 litre	O
400	CM	115	CM	182 LEVEL CM	14104,4513 litre	84,869 %	2514,5738 litre	O
400	CM	115	CM	181 LEVEL CM	14029,3935 litre	84,418 %	2589,6316 litre	O
400	CM	115	CM	180 LEVEL CM	13953,7750 litre	83,963 %	2665,2501 litre	O
400	CM	115	CM	179 LEVEL CM	13877,6083 litre	83,504 %	2741,4168 litre	O

400	CM 115	CM	178 LEVEL CM	13800,9057 litre	83,043 %	2818,1194 litre	O
400	CM 115	CM	177 LEVEL CM	13723,6793 litre	82,578 %	2895,3458 litre	O
400	CM 115	CM	176 LEVEL CM	13645,9407 litre	82,110 %	2973,0844 litre	O
400	CM 115	CM	175 LEVEL CM	13567,7016 litre	81,640 %	3051,3235 litre	O
400	CM 115	CM	174 LEVEL CM	13488,9731 litre	81,166 %	3130,0520 litre	O
400	CM 115	CM	173 LEVEL CM	13409,7665 litre	80,689 %	3209,2586 litre	O
400	CM 115	CM	172 LEVEL CM	13330,0926 litre	80,210 %	3288,9325 litre	O
400	CM 115	CM	171 LEVEL CM	13249,9621 litre	79,728 %	3369,0630 litre	O
400	CM 115	CM	170 LEVEL CM	13169,3857 litre	79,243 %	3449,6394 litre	O
400	CM 115	CM	169 LEVEL CM	13088,3735 litre	78,755 %	3530,6516 litre	O
400	CM 115	CM	168 LEVEL CM	13006,9358 litre	78,265 %	3612,0893 litre	O
400	CM 115	CM	167 LEVEL CM	12925,0827 litre	77,773 %	3693,9424 litre	O
400	CM 115	CM	166 LEVEL CM	12842,8240 litre	77,278 %	3776,2011 litre	O
400	CM 115	CM	165 LEVEL CM	12760,1695 litre	76,780 %	3858,8556 litre	O
400	CM 115	CM	164 LEVEL CM	12677,1287 litre	76,281 %	3941,8964 litre	O
400	CM 115	CM	163 LEVEL CM	12593,7111 litre	75,779 %	4025,3140 litre	O
400	CM 115	CM	162 LEVEL CM	12509,9260 litre	75,275 %	4109,0991 litre	O
400	CM 115	CM	161 LEVEL CM	12425,7827 litre	74,768 %	4193,2424 litre	O
400	CM 115	CM	160 LEVEL CM	12341,2903 litre	74,260 %	4277,7348 litre	O
400	CM 115	CM	159 LEVEL CM	12256,4576 litre	73,750 %	4362,5675 litre	O
400	CM 115	CM	158 LEVEL CM	12171,2937 litre	73,237 %	4447,7314 litre	O
400	CM 115	CM	157 LEVEL CM	12085,8072 litre	72,723 %	4533,2179 litre	O
400	CM 115	CM	156 LEVEL CM	12000,0068 litre	72,206 %	4619,0183 litre	O
400	CM 115	CM	155 LEVEL CM	11913,9012 litre	71,688 %	4705,1239 litre	O
400	CM 115	CM	154 LEVEL CM	11827,4988 litre	71,168 %	4791,5263 litre	O
400	CM 115	CM	153 LEVEL CM	11740,8080 litre	70,647 %	4878,2171 litre	O
400	CM 115	CM	152 LEVEL CM	11653,8370 litre	70,123 %	4965,1881 litre	O
400	CM 115	CM	151 LEVEL CM	11566,5943 litre	69,599 %	5052,4308 litre	O
400	CM 115	CM	150 LEVEL CM	11479,0878 litre	69,072 %	5139,9373 litre	O
400	CM 115	CM	149 LEVEL CM	11391,3257 litre	68,544 %	5227,6994 litre	O
400	CM 115	CM	148 LEVEL CM	11303,3161 litre	68,014 %	5315,7090 litre	O
400	CM 115	CM	147 LEVEL CM	11215,0668 litre	67,483 %	5403,9583 litre	O
400	CM 115	CM	146 LEVEL CM	11126,5857 litre	66,951 %	5492,4394 litre	O
400	CM 115	CM	145 LEVEL CM	11037,8806 litre	66,417 %	5581,1445 litre	O
400	CM 115	CM	144 LEVEL CM	10948,9594 litre	65,882 %	5670,0657 litre	O
400	CM 115	CM	143 LEVEL CM	10859,8297 litre	65,346 %	5759,1954 litre	O
400	CM 115	CM	142 LEVEL CM	10770,4992 litre	64,808 %	5848,5259 litre	O
400	CM 115	CM	141 LEVEL CM	10680,9754 litre	64,270 %	5938,0497 litre	O
400	CM 115	CM	140 LEVEL CM	10591,2660 litre	63,730 %	6027,7591 litre	O
400	CM 115	CM	139 LEVEL CM	10501,3784 litre	63,189 %	6117,6467 litre	O
400	CM 115	CM	138 LEVEL CM	10411,3200 litre	62,647 %	6207,7051 litre	O
400	CM 115	CM	137 LEVEL CM	10321,0984 litre	62,104 %	6297,9267 litre	O
400	CM 115	CM	136 LEVEL CM	10230,7208 litre	61,560 %	6388,3043 litre	O
400	CM 115	CM	135 LEVEL CM	10140,1947 litre	61,016 %	6478,8304 litre	O
400	CM 115	CM	134 LEVEL CM	10049,5272 litre	60,470 %	6569,4979 litre	O
400	CM 115	CM	133 LEVEL CM	9958,7258 litre	59,924 %	6660,2993 litre	O
400	CM 115	CM	132 LEVEL CM	9867,7975 litre	59,377 %	6751,2276 litre	O
400	CM 115	CM	131 LEVEL CM	9776,7497 litre	58,829 %	6842,2754 litre	O
400	CM 115	CM	130 LEVEL CM	9685,5895 litre	58,280 %	6933,4356 litre	O
400	CM 115	CM	129 LEVEL CM	9594,3240 litre	57,731 %	7024,7011 litre	O
400	CM 115	CM	128 LEVEL CM	9502,9604 litre	57,181 %	7116,0647 litre	O
400	CM 115	CM	127 LEVEL CM	9411,5058 litre	56,631 %	7207,5193 litre	O
400	CM 115	CM	126 LEVEL CM	9319,9673 litre	56,080 %	7299,0578 litre	O

400	CM	115	CM	125 LEVEL CM	9228,3518 litre	55,529 %	7390,6733 litre	O
400	CM	115	CM	124 LEVEL CM	9136,6666 litre	54,977 %	7482,3585 litre	O
400	CM	115	CM	123 LEVEL CM	9044,9185 litre	54,425 %	7574,1066 litre	O
400	CM	115	CM	122 LEVEL CM	8953,1147 litre	53,873 %	7665,9104 litre	O
400	CM	115	CM	121 LEVEL CM	8861,2620 litre	53,320 %	7757,7631 litre	O
400	CM	115	CM	120 LEVEL CM	8769,3676 litre	52,767 %	7849,6575 litre	O
400	CM	115	CM	119 LEVEL CM	8677,4384 litre	52,214 %	7941,5867 litre	O
400	CM	115	CM	118 LEVEL CM	8585,4813 litre	51,661 %	8033,5438 litre	O
400	CM	115	CM	117 LEVEL CM	8493,5033 litre	51,107 %	8125,5218 litre	O
400	CM	115	CM	116 LEVEL CM	8401,5114 litre	50,554 %	8217,5137 litre	O
400	CM	115	CM	115 LEVEL CM	8309,5126 litre	50,000 %	8309,5125 litre	O
400	CM	115	CM	114 LEVEL CM	8217,5137 litre	49,446 %	8401,5114 litre	O
400	CM	115	CM	113 LEVEL CM	8125,5218 litre	48,893 %	8493,5033 litre	O
400	CM	115	CM	112 LEVEL CM	8033,5439 litre	48,339 %	8585,4812 litre	O
400	CM	115	CM	111 LEVEL CM	7941,5868 litre	47,786 %	8677,4383 litre	O
400	CM	115	CM	110 LEVEL CM	7849,6575 litre	47,233 %	8769,3676 litre	O
400	CM	115	CM	109 LEVEL CM	7757,7631 litre	46,680 %	8861,2620 litre	O
400	CM	115	CM	108 LEVEL CM	7665,9105 litre	46,127 %	8953,1146 litre	O
400	CM	115	CM	107 LEVEL CM	7574,1066 litre	45,575 %	9044,9185 litre	O
400	CM	115	CM	106 LEVEL CM	7482,3586 litre	45,023 %	9136,6665 litre	O
400	CM	115	CM	105 LEVEL CM	7390,6733 litre	44,471 %	9228,3518 litre	O
400	CM	115	CM	104 LEVEL CM	7299,0579 litre	43,920 %	9319,9672 litre	O
400	CM	115	CM	103 LEVEL CM	7207,5193 litre	43,369 %	9411,5058 litre	O
400	CM	115	CM	102 LEVEL CM	7116,0647 litre	42,819 %	9502,9604 litre	O
400	CM	115	CM	101 LEVEL CM	7024,7011 litre	42,269 %	9594,3240 litre	O
400	CM	115	CM	100 LEVEL CM	6933,4357 litre	41,720 %	9685,5894 litre	O
400	CM	115	CM	99 LEVEL CM	6842,2754 litre	41,171 %	9776,7497 litre	O
400	CM	115	CM	98 LEVEL CM	6751,2276 litre	40,623 %	9867,7975 litre	O
400	CM	115	CM	97 LEVEL CM	6660,2994 litre	40,076 %	9958,7257 litre	O
400	CM	115	CM	96 LEVEL CM	6569,4979 litre	39,530 %	10049,5272 litre	O
400	CM	115	CM	95 LEVEL CM	6478,8305 litre	38,984 %	10140,1946 litre	O
400	CM	115	CM	94 LEVEL CM	6388,3043 litre	38,440 %	10230,7208 litre	O
400	CM	115	CM	93 LEVEL CM	6297,9267 litre	37,896 %	10321,0984 litre	O
400	CM	115	CM	92 LEVEL CM	6207,7051 litre	37,353 %	10411,3200 litre	O
400	CM	115	CM	91 LEVEL CM	6117,6468 litre	36,811 %	10501,3783 litre	O
400	CM	115	CM	90 LEVEL CM	6027,7592 litre	36,270 %	10591,2659 litre	O
400	CM	115	CM	89 LEVEL CM	5938,0497 litre	35,730 %	10680,9754 litre	O
400	CM	115	CM	88 LEVEL CM	5848,5259 litre	35,192 %	10770,4992 litre	O
400	CM	115	CM	87 LEVEL CM	5759,1954 litre	34,654 %	10859,8297 litre	O
400	CM	115	CM	86 LEVEL CM	5670,0657 litre	34,118 %	10948,9594 litre	O
400	CM	115	CM	85 LEVEL CM	5581,1445 litre	33,583 %	11037,8806 litre	O
400	CM	115	CM	84 LEVEL CM	5492,4395 litre	33,049 %	11126,5856 litre	O
400	CM	115	CM	83 LEVEL CM	5403,9584 litre	32,517 %	11215,0667 litre	O
400	CM	115	CM	82 LEVEL CM	5315,7091 litre	31,986 %	11303,3160 litre	O
400	CM	115	CM	81 LEVEL CM	5227,6994 litre	31,456 %	11391,3257 litre	O
400	CM	115	CM	80 LEVEL CM	5139,9373 litre	30,928 %	11479,0878 litre	O
400	CM	115	CM	79 LEVEL CM	5052,4309 litre	30,401 %	11566,5942 litre	O
400	CM	115	CM	78 LEVEL CM	4965,1881 litre	29,877 %	11653,8370 litre	O
400	CM	115	CM	77 LEVEL CM	4878,2172 litre	29,353 %	11740,8079 litre	O
400	CM	115	CM	76 LEVEL CM	4791,5264 litre	28,832 %	11827,4987 litre	O
400	CM	115	CM	75 LEVEL CM	4705,1239 litre	28,312 %	11913,9012 litre	O
400	CM	115	CM	74 LEVEL CM	4619,0183 litre	27,794 %	12000,0068 litre	O
400	CM	115	CM	73 LEVEL CM	4533,2180 litre	27,277 %	12085,8071 litre	O

400	CM	115	CM	72 LEVEL CM	4447,7315 litre	26,763 %	12171,2936 litre	O
400	CM	115	CM	71 LEVEL CM	4362,5675 litre	26,250 %	12256,4576 litre	O
400	CM	115	CM	70 LEVEL CM	4277,7349 litre	25,740 %	12341,2902 litre	O
400	CM	115	CM	69 LEVEL CM	4193,2424 litre	25,232 %	12425,7827 litre	O
400	CM	115	CM	68 LEVEL CM	4109,0991 litre	24,725 %	12509,9260 litre	O
400	CM	115	CM	67 LEVEL CM	4025,3141 litre	24,221 %	12593,7110 litre	O
400	CM	115	CM	66 LEVEL CM	3941,8965 litre	23,719 %	12677,1286 litre	O
400	CM	115	CM	65 LEVEL CM	3858,8557 litre	23,220 %	12760,1694 litre	O
400	CM	115	CM	64 LEVEL CM	3776,2011 litre	22,722 %	12842,8240 litre	O
400	CM	115	CM	63 LEVEL CM	3693,9424 litre	22,227 %	12925,0827 litre	O
400	CM	115	CM	62 LEVEL CM	3612,0893 litre	21,735 %	13006,9358 litre	O
400	CM	115	CM	61 LEVEL CM	3530,6516 litre	21,245 %	13088,3735 litre	O
400	CM	115	CM	60 LEVEL CM	3449,6395 litre	20,757 %	13169,3856 litre	O
400	CM	115	CM	59 LEVEL CM	3369,0630 litre	20,272 %	13249,9621 litre	O
400	CM	115	CM	58 LEVEL CM	3288,9325 litre	19,790 %	13330,0926 litre	O
400	CM	115	CM	57 LEVEL CM	3209,2586 litre	19,311 %	13409,7665 litre	O
400	CM	115	CM	56 LEVEL CM	3130,0520 litre	18,834 %	13488,9731 litre	O
400	CM	115	CM	55 LEVEL CM	3051,3236 litre	18,360 %	13567,7015 litre	O
400	CM	115	CM	54 LEVEL CM	2973,0844 litre	17,890 %	13645,9407 litre	O
400	CM	115	CM	53 LEVEL CM	2895,3459 litre	17,422 %	13723,6792 litre	O
400	CM	115	CM	52 LEVEL CM	2818,1194 litre	16,957 %	13800,9057 litre	O
400	CM	115	CM	51 LEVEL CM	2741,4168 litre	16,496 %	13877,6083 litre	O
400	CM	115	CM	50 LEVEL CM	2665,2502 litre	16,037 %	13953,7749 litre	O
400	CM	115	CM	49 LEVEL CM	2589,6316 litre	15,582 %	14029,3935 litre	O
400	CM	115	CM	48 LEVEL CM	2514,5738 litre	15,131 %	14104,4513 litre	O
400	CM	115	CM	47 LEVEL CM	2440,0895 litre	14,683 %	14178,9356 litre	O
400	CM	115	CM	46 LEVEL CM	2366,1917 litre	14,238 %	14252,8334 litre	O
400	CM	115	CM	45 LEVEL CM	2292,8940 litre	13,797 %	14326,1311 litre	O
400	CM	115	CM	44 LEVEL CM	2220,2100 litre	13,359 %	14398,8151 litre	O
400	CM	115	CM	43 LEVEL CM	2148,1540 litre	12,926 %	14470,8711 litre	O
400	CM	115	CM	42 LEVEL CM	2076,7403 litre	12,496 %	14542,2848 litre	O
400	CM	115	CM	41 LEVEL CM	2005,9839 litre	12,070 %	14613,0412 litre	O
400	CM	115	CM	40 LEVEL CM	1935,9001 litre	11,649 %	14683,1250 litre	O
400	CM	115	CM	39 LEVEL CM	1866,5045 litre	11,231 %	14752,5206 litre	O
400	CM	115	CM	38 LEVEL CM	1797,8134 litre	10,818 %	14821,2117 litre	O
400	CM	115	CM	37 LEVEL CM	1729,8435 litre	10,409 %	14889,1816 litre	O
400	CM	115	CM	36 LEVEL CM	1662,6122 litre	10,004 %	14956,4129 litre	O
400	CM	115	CM	35 LEVEL CM	1596,1371 litre	9,604 %	15022,8880 litre	O
400	CM	115	CM	34 LEVEL CM	1530,4367 litre	9,209 %	15088,5884 litre	O
400	CM	115	CM	33 LEVEL CM	1465,5302 litre	8,818 %	15153,4949 litre	O
400	CM	115	CM	32 LEVEL CM	1401,4374 litre	8,433 %	15217,5877 litre	O
400	CM	115	CM	31 LEVEL CM	1338,1788 litre	8,052 %	15280,8463 litre	O
400	CM	115	CM	30 LEVEL CM	1275,7759 litre	7,677 %	15343,2492 litre	O
400	CM	115	CM	29 LEVEL CM	1214,2509 litre	7,306 %	15404,7742 litre	O
400	CM	115	CM	28 LEVEL CM	1153,6272 litre	6,942 %	15465,3979 litre	O
400	CM	115	CM	27 LEVEL CM	1093,9290 litre	6,582 %	15525,0961 litre	O
400	CM	115	CM	26 LEVEL CM	1035,1819 litre	6,229 %	15583,8432 litre	O
400	CM	115	CM	25 LEVEL CM	977,4125 litre	5,881 %	15641,6126 litre	O
400	CM	115	CM	24 LEVEL CM	920,6489 litre	5,540 %	15698,3762 litre	O
400	CM	115	CM	23 LEVEL CM	864,9209 litre	5,204 %	15754,1042 litre	O
400	CM	115	CM	22 LEVEL CM	810,2596 litre	4,875 %	15808,7655 litre	O
400	CM	115	CM	21 LEVEL CM	756,6984 litre	4,553 %	15862,3267 litre	O
400	CM	115	CM	20 LEVEL CM	704,2725 litre	4,238 %	15914,7526 litre	O

400	CM	115	CM	19 LEVEL CM	653,0196 litre	3,929 %	15966,0055 litre	O
400	CM	115	CM	18 LEVEL CM	602,9798 litre	3,628 %	16016,0453 litre	O
400	CM	115	CM	17 LEVEL CM	554,1965 litre	3,335 %	16064,8286 litre	O
400	CM	115	CM	16 LEVEL CM	506,7164 litre	3,049 %	16112,3087 litre	O
400	CM	115	CM	15 LEVEL CM	460,5902 litre	2,771 %	16158,4349 litre	O
400	CM	115	CM	14 LEVEL CM	415,8731 litre	2,502 %	16203,1520 litre	O
400	CM	115	CM	13 LEVEL CM	372,6259 litre	2,242 %	16246,3992 litre	O
400	CM	115	CM	12 LEVEL CM	330,9157 litre	1,991 %	16288,1094 litre	O
400	CM	115	CM	11 LEVEL CM	290,8174 litre	1,750 %	16328,2077 litre	O
400	CM	115	CM	10 LEVEL CM	252,4151 litre	1,519 %	16366,6100 litre	O
400	CM	115	CM	9 LEVEL CM	215,8049 litre	1,299 %	16403,2202 litre	O
400	CM	115	CM	8 LEVEL CM	181,0978 litre	1,090 %	16437,9273 litre	O
400	CM	115	CM	7 LEVEL CM	148,4240 litre	0,893 %	16470,6011 litre	O
400	CM	115	CM	6 LEVEL CM	117,9400 litre	0,710 %	16501,0851 litre	O
400	CM	115	CM	5 LEVEL CM	89,8390 litre	0,541 %	16529,1861 litre	O
400	CM	115	CM	4 LEVEL CM	64,3685 litre	0,387 %	16554,6566 litre	O
400	CM	115	CM	3 LEVEL CM	41,8637 litre	0,252 %	16577,1614 litre	O
400	CM	115	CM	2 LEVEL CM	22,8177 litre	0,137 %	16596,2074 litre	O
400	CM	115	CM	1 LEVEL CM	8,0778 litre	0,049 %	16610,9473 litre	O
400	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	16619,0251 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
400	CM	110	CM	220 LEVEL CM	15205,3084 litre	100,000 %	0,0000 litre	O
400	CM	110	CM	219 LEVEL CM	15197,4086 litre	99,948 %	7,8998 litre	O
400	CM	110	CM	218 LEVEL CM	15182,9950 litre	99,853 %	22,3134 litre	O
400	CM	110	CM	217 LEVEL CM	15164,3723 litre	99,731 %	40,9361 litre	O
400	CM	110	CM	216 LEVEL CM	15142,3699 litre	99,586 %	62,9385 litre	O
400	CM	110	CM	215 LEVEL CM	15117,4706 litre	99,422 %	87,8378 litre	O
400	CM	110	CM	214 LEVEL CM	15090,0026 litre	99,242 %	115,3058 litre	O
400	CM	110	CM	213 LEVEL CM	15060,2084 litre	99,046 %	145,1000 litre	O
400	CM	110	CM	212 LEVEL CM	15028,2773 litre	98,836 %	177,0311 litre	O
400	CM	110	CM	211 LEVEL CM	14994,3627 litre	98,613 %	210,9457 litre	O
400	CM	110	CM	210 LEVEL CM	14958,5923 litre	98,377 %	246,7161 litre	O
400	CM	110	CM	209 LEVEL CM	14921,0751 litre	98,131 %	284,2333 litre	O
400	CM	110	CM	208 LEVEL CM	14881,9050 litre	97,873 %	323,4034 litre	O
400	CM	110	CM	207 LEVEL CM	14841,1650 litre	97,605 %	364,1434 litre	O
400	CM	110	CM	206 LEVEL CM	14798,9284 litre	97,327 %	406,3800 litre	O
400	CM	110	CM	205 LEVEL CM	14755,2612 litre	97,040 %	450,0472 litre	O
400	CM	110	CM	204 LEVEL CM	14710,2231 litre	96,744 %	495,0853 litre	O
400	CM	110	CM	203 LEVEL CM	14663,8683 litre	96,439 %	541,4401 litre	O
400	CM	110	CM	202 LEVEL CM	14616,2466 litre	96,126 %	589,0618 litre	O
400	CM	110	CM	201 LEVEL CM	14567,4042 litre	95,805 %	637,9042 litre	O
400	CM	110	CM	200 LEVEL CM	14517,3834 litre	95,476 %	687,9250 litre	O
400	CM	110	CM	199 LEVEL CM	14466,2240 litre	95,139 %	739,0844 litre	O
400	CM	110	CM	198 LEVEL CM	14413,9631 litre	94,796 %	791,3453 litre	O
400	CM	110	CM	197 LEVEL CM	14360,6353 litre	94,445 %	844,6731 litre	O
400	CM	110	CM	196 LEVEL CM	14306,2733 litre	94,087 %	899,0351 litre	O
400	CM	110	CM	195 LEVEL CM	14250,9081 litre	93,723 %	954,4003 litre	O
400	CM	110	CM	194 LEVEL CM	14194,5689 litre	93,353 %	1010,7395 litre	O
400	CM	110	CM	193 LEVEL CM	14137,2833 litre	92,976 %	1068,0251 litre	O
400	CM	110	CM	192 LEVEL CM	14079,0779 litre	92,593 %	1126,2305 litre	O
400	CM	110	CM	191 LEVEL CM	14019,9776 litre	92,204 %	1185,3308 litre	O
400	CM	110	CM	190 LEVEL CM	13960,0066 litre	91,810 %	1245,3018 litre	O
400	CM	110	CM	189 LEVEL CM	13899,1877 litre	91,410 %	1306,1207 litre	O
400	CM	110	CM	188 LEVEL CM	13837,5432 litre	91,005 %	1367,7652 litre	O
400	CM	110	CM	187 LEVEL CM	13775,0941 litre	90,594 %	1430,2143 litre	O
400	CM	110	CM	186 LEVEL CM	13711,8607 litre	90,178 %	1493,4477 litre	O
400	CM	110	CM	185 LEVEL CM	13647,8627 litre	89,757 %	1557,4457 litre	O
400	CM	110	CM	184 LEVEL CM	13583,1191 litre	89,331 %	1622,1893 litre	O
400	CM	110	CM	183 LEVEL CM	13517,6480 litre	88,901 %	1687,6604 litre	O
400	CM	110	CM	182 LEVEL CM	13451,4671 litre	88,466 %	1753,8413 litre	O
400	CM	110	CM	181 LEVEL CM	13384,5936 litre	88,026 %	1820,7148 litre	O
400	CM	110	CM	180 LEVEL CM	13317,0440 litre	87,582 %	1888,2644 litre	O
400	CM	110	CM	179 LEVEL CM	13248,8344 litre	87,133 %	1956,4740 litre	O
400	CM	110	CM	178 LEVEL CM	13179,9804 litre	86,680 %	2025,3280 litre	O
400	CM	110	CM	177 LEVEL CM	13110,4972 litre	86,223 %	2094,8112 litre	O
400	CM	110	CM	176 LEVEL CM	13040,3996 litre	85,762 %	2164,9088 litre	O
400	CM	110	CM	175 LEVEL CM	12969,7019 litre	85,297 %	2235,6065 litre	O
400	CM	110	CM	174 LEVEL CM	12898,4183 litre	84,828 %	2306,8901 litre	O
400	CM	110	CM	173 LEVEL CM	12826,5623 litre	84,356 %	2378,7461 litre	O
400	CM	110	CM	172 LEVEL CM	12754,1474 litre	83,880 %	2451,1610 litre	O
400	CM	110	CM	171 LEVEL CM	12681,1866 litre	83,400 %	2524,1218 litre	O
400	CM	110	CM	170 LEVEL CM	12607,6926 litre	82,916 %	2597,6158 litre	O
400	CM	110	CM	169 LEVEL CM	12533,6780 litre	82,430 %	2671,6304 litre	O

400	CM 110	CM	168 LEVEL CM	12459,1549 litre	81,940 %	2746,1535 litre	O
400	CM 110	CM	167 LEVEL CM	12384,1354 litre	81,446 %	2821,1730 litre	O
400	CM 110	CM	166 LEVEL CM	12308,6312 litre	80,950 %	2896,6772 litre	O
400	CM 110	CM	165 LEVEL CM	12232,6538 litre	80,450 %	2972,6546 litre	O
400	CM 110	CM	164 LEVEL CM	12156,2145 litre	79,947 %	3049,0939 litre	O
400	CM 110	CM	163 LEVEL CM	12079,3243 litre	79,441 %	3125,9841 litre	O
400	CM 110	CM	162 LEVEL CM	12001,9943 litre	78,933 %	3203,3141 litre	O
400	CM 110	CM	161 LEVEL CM	11924,2351 litre	78,422 %	3281,0733 litre	O
400	CM 110	CM	160 LEVEL CM	11846,0573 litre	77,907 %	3359,2511 litre	O
400	CM 110	CM	159 LEVEL CM	11767,4712 litre	77,391 %	3437,8372 litre	O
400	CM 110	CM	158 LEVEL CM	11688,4871 litre	76,871 %	3516,8213 litre	O
400	CM 110	CM	157 LEVEL CM	11609,1150 litre	76,349 %	3596,1934 litre	O
400	CM 110	CM	156 LEVEL CM	11529,3648 litre	75,825 %	3675,9436 litre	O
400	CM 110	CM	155 LEVEL CM	11449,2462 litre	75,298 %	3756,0622 litre	O
400	CM 110	CM	154 LEVEL CM	11368,7691 litre	74,768 %	3836,5393 litre	O
400	CM 110	CM	153 LEVEL CM	11287,9427 litre	74,237 %	3917,3657 litre	O
400	CM 110	CM	152 LEVEL CM	11206,7766 litre	73,703 %	3998,5318 litre	O
400	CM 110	CM	151 LEVEL CM	11125,2800 litre	73,167 %	4080,0284 litre	O
400	CM 110	CM	150 LEVEL CM	11043,4620 litre	72,629 %	4161,8464 litre	O
400	CM 110	CM	149 LEVEL CM	10961,3318 litre	72,089 %	4243,9766 litre	O
400	CM 110	CM	148 LEVEL CM	10878,8982 litre	71,547 %	4326,4102 litre	O
400	CM 110	CM	147 LEVEL CM	10796,1701 litre	71,003 %	4409,1383 litre	O
400	CM 110	CM	146 LEVEL CM	10713,1562 litre	70,457 %	4492,1522 litre	O
400	CM 110	CM	145 LEVEL CM	10629,8653 litre	69,909 %	4575,4431 litre	O
400	CM 110	CM	144 LEVEL CM	10546,3058 litre	69,359 %	4659,0026 litre	O
400	CM 110	CM	143 LEVEL CM	10462,4864 litre	68,808 %	4742,8220 litre	O
400	CM 110	CM	142 LEVEL CM	10378,4153 litre	68,255 %	4826,8931 litre	O
400	CM 110	CM	141 LEVEL CM	10294,1010 litre	67,701 %	4911,2074 litre	O
400	CM 110	CM	140 LEVEL CM	10209,5517 litre	67,145 %	4995,7567 litre	O
400	CM 110	CM	139 LEVEL CM	10124,7757 litre	66,587 %	5080,5327 litre	O
400	CM 110	CM	138 LEVEL CM	10039,7809 litre	66,028 %	5165,5275 litre	O
400	CM 110	CM	137 LEVEL CM	9954,5756 litre	65,468 %	5250,7328 litre	O
400	CM 110	CM	136 LEVEL CM	9869,1678 litre	64,906 %	5336,1406 litre	O
400	CM 110	CM	135 LEVEL CM	9783,5653 litre	64,343 %	5421,7431 litre	O
400	CM 110	CM	134 LEVEL CM	9697,7761 litre	63,779 %	5507,5323 litre	O
400	CM 110	CM	133 LEVEL CM	9611,8081 litre	63,214 %	5593,5003 litre	O
400	CM 110	CM	132 LEVEL CM	9525,6690 litre	62,647 %	5679,6394 litre	O
400	CM 110	CM	131 LEVEL CM	9439,3666 litre	62,079 %	5765,9418 litre	O
400	CM 110	CM	130 LEVEL CM	9352,9086 litre	61,511 %	5852,3998 litre	O
400	CM 110	CM	129 LEVEL CM	9266,3027 litre	60,941 %	5939,0057 litre	O
400	CM 110	CM	128 LEVEL CM	9179,5565 litre	60,371 %	6025,7519 litre	O
400	CM 110	CM	127 LEVEL CM	9092,6776 litre	59,799 %	6112,6308 litre	O
400	CM 110	CM	126 LEVEL CM	9005,6735 litre	59,227 %	6199,6349 litre	O
400	CM 110	CM	125 LEVEL CM	8918,5518 litre	58,654 %	6286,7566 litre	O
400	CM 110	CM	124 LEVEL CM	8831,3200 litre	58,081 %	6373,9884 litre	O
400	CM 110	CM	123 LEVEL CM	8743,9856 litre	57,506 %	6461,3228 litre	O
400	CM 110	CM	122 LEVEL CM	8656,5559 litre	56,931 %	6548,7525 litre	O
400	CM 110	CM	121 LEVEL CM	8569,0385 litre	56,356 %	6636,2699 litre	O
400	CM 110	CM	120 LEVEL CM	8481,4406 litre	55,779 %	6723,8678 litre	O
400	CM 110	CM	119 LEVEL CM	8393,7697 litre	55,203 %	6811,5387 litre	O
400	CM 110	CM	118 LEVEL CM	8306,0331 litre	54,626 %	6899,2753 litre	O
400	CM 110	CM	117 LEVEL CM	8218,2382 litre	54,048 %	6987,0702 litre	O
400	CM 110	CM	116 LEVEL CM	8130,3923 litre	53,471 %	7074,9161 litre	O

400	CM 110	CM	115 LEVEL CM	8042,5027 litre	52,893 %	7162,8057 litre	O
400	CM 110	CM	114 LEVEL CM	7954,5766 litre	52,314 %	7250,7318 litre	O
400	CM 110	CM	113 LEVEL CM	7866,6215 litre	51,736 %	7338,6869 litre	O
400	CM 110	CM	112 LEVEL CM	7778,6445 litre	51,157 %	7426,6639 litre	O
400	CM 110	CM	111 LEVEL CM	7690,6530 litre	50,579 %	7514,6554 litre	O
400	CM 110	CM	110 LEVEL CM	7602,6542 litre	50,000 %	7602,6542 litre	O
400	CM 110	CM	109 LEVEL CM	7514,6554 litre	49,421 %	7690,6530 litre	O
400	CM 110	CM	108 LEVEL CM	7426,6639 litre	48,843 %	7778,6445 litre	O
400	CM 110	CM	107 LEVEL CM	7338,6870 litre	48,264 %	7866,6214 litre	O
400	CM 110	CM	106 LEVEL CM	7250,7318 litre	47,686 %	7954,5766 litre	O
400	CM 110	CM	105 LEVEL CM	7162,8058 litre	47,107 %	8042,5026 litre	O
400	CM 110	CM	104 LEVEL CM	7074,9162 litre	46,529 %	8130,3922 litre	O
400	CM 110	CM	103 LEVEL CM	6987,0702 litre	45,952 %	8218,2382 litre	O
400	CM 110	CM	102 LEVEL CM	6899,2753 litre	45,374 %	8306,0331 litre	O
400	CM 110	CM	101 LEVEL CM	6811,5387 litre	44,797 %	8393,7697 litre	O
400	CM 110	CM	100 LEVEL CM	6723,8678 litre	44,221 %	8481,4406 litre	O
400	CM 110	CM	99 LEVEL CM	6636,2700 litre	43,644 %	8569,0384 litre	O
400	CM 110	CM	98 LEVEL CM	6548,7525 litre	43,069 %	8656,5559 litre	O
400	CM 110	CM	97 LEVEL CM	6461,3229 litre	42,494 %	8743,9855 litre	O
400	CM 110	CM	96 LEVEL CM	6373,9884 litre	41,919 %	8831,3200 litre	O
400	CM 110	CM	95 LEVEL CM	6286,7566 litre	41,346 %	8918,5518 litre	O
400	CM 110	CM	94 LEVEL CM	6199,6349 litre	40,773 %	9005,6735 litre	O
400	CM 110	CM	93 LEVEL CM	6112,6309 litre	40,201 %	9092,6775 litre	O
400	CM 110	CM	92 LEVEL CM	6025,7520 litre	39,629 %	9179,5564 litre	O
400	CM 110	CM	91 LEVEL CM	5939,0058 litre	39,059 %	9266,3026 litre	O
400	CM 110	CM	90 LEVEL CM	5852,3999 litre	38,489 %	9352,9085 litre	O
400	CM 110	CM	89 LEVEL CM	5765,9419 litre	37,921 %	9439,3665 litre	O
400	CM 110	CM	88 LEVEL CM	5679,6395 litre	37,353 %	9525,6689 litre	O
400	CM 110	CM	87 LEVEL CM	5593,5004 litre	36,786 %	9611,8080 litre	O
400	CM 110	CM	86 LEVEL CM	5507,5323 litre	36,221 %	9697,7761 litre	O
400	CM 110	CM	85 LEVEL CM	5421,7431 litre	35,657 %	9783,5653 litre	O
400	CM 110	CM	84 LEVEL CM	5336,1407 litre	35,094 %	9869,1677 litre	O
400	CM 110	CM	83 LEVEL CM	5250,7328 litre	34,532 %	9954,5756 litre	O
400	CM 110	CM	82 LEVEL CM	5165,5275 litre	33,972 %	10039,7809 litre	O
400	CM 110	CM	81 LEVEL CM	5080,5328 litre	33,413 %	10124,7756 litre	O
400	CM 110	CM	80 LEVEL CM	4995,7567 litre	32,855 %	10209,5517 litre	O
400	CM 110	CM	79 LEVEL CM	4911,2074 litre	32,299 %	10294,1010 litre	O
400	CM 110	CM	78 LEVEL CM	4826,8931 litre	31,745 %	10378,4153 litre	O
400	CM 110	CM	77 LEVEL CM	4742,8221 litre	31,192 %	10462,4863 litre	O
400	CM 110	CM	76 LEVEL CM	4659,0026 litre	30,641 %	10546,3058 litre	O
400	CM 110	CM	75 LEVEL CM	4575,4432 litre	30,091 %	10629,8652 litre	O
400	CM 110	CM	74 LEVEL CM	4492,1522 litre	29,543 %	10713,1562 litre	O
400	CM 110	CM	73 LEVEL CM	4409,1384 litre	28,997 %	10796,1700 litre	O
400	CM 110	CM	72 LEVEL CM	4326,4103 litre	28,453 %	10878,8981 litre	O
400	CM 110	CM	71 LEVEL CM	4243,9766 litre	27,911 %	10961,3318 litre	O
400	CM 110	CM	70 LEVEL CM	4161,8464 litre	27,371 %	11043,4620 litre	O
400	CM 110	CM	69 LEVEL CM	4080,0284 litre	26,833 %	11125,2800 litre	O
400	CM 110	CM	68 LEVEL CM	3998,5318 litre	26,297 %	11206,7766 litre	O
400	CM 110	CM	67 LEVEL CM	3917,3657 litre	25,763 %	11287,9427 litre	O
400	CM 110	CM	66 LEVEL CM	3836,5394 litre	25,232 %	11368,7690 litre	O
400	CM 110	CM	65 LEVEL CM	3756,0622 litre	24,702 %	11449,2462 litre	O
400	CM 110	CM	64 LEVEL CM	3675,9437 litre	24,175 %	11529,3647 litre	O
400	CM 110	CM	63 LEVEL CM	3596,1935 litre	23,651 %	11609,1149 litre	O

400	CM	110	CM	62 LEVEL CM	3516,8214 litre	23,129 %	11688,4870 litre	O
400	CM	110	CM	61 LEVEL CM	3437,8372 litre	22,609 %	11767,4712 litre	O
400	CM	110	CM	60 LEVEL CM	3359,2511 litre	22,093 %	11846,0573 litre	O
400	CM	110	CM	59 LEVEL CM	3281,0733 litre	21,578 %	11924,2351 litre	O
400	CM	110	CM	58 LEVEL CM	3203,3141 litre	21,067 %	12001,9943 litre	O
400	CM	110	CM	57 LEVEL CM	3125,9841 litre	20,559 %	12079,3243 litre	O
400	CM	110	CM	56 LEVEL CM	3049,0940 litre	20,053 %	12156,2144 litre	O
400	CM	110	CM	55 LEVEL CM	2972,6547 litre	19,550 %	12232,6537 litre	O
400	CM	110	CM	54 LEVEL CM	2896,6772 litre	19,050 %	12308,6312 litre	O
400	CM	110	CM	53 LEVEL CM	2821,1730 litre	18,554 %	12384,1354 litre	O
400	CM	110	CM	52 LEVEL CM	2746,1535 litre	18,060 %	12459,1549 litre	O
400	CM	110	CM	51 LEVEL CM	2671,6305 litre	17,570 %	12533,6779 litre	O
400	CM	110	CM	50 LEVEL CM	2597,6158 litre	17,084 %	12607,6926 litre	O
400	CM	110	CM	49 LEVEL CM	2524,1219 litre	16,600 %	12681,1865 litre	O
400	CM	110	CM	48 LEVEL CM	2451,1610 litre	16,120 %	12754,1474 litre	O
400	CM	110	CM	47 LEVEL CM	2378,7461 litre	15,644 %	12826,5623 litre	O
400	CM	110	CM	46 LEVEL CM	2306,8902 litre	15,172 %	12898,4182 litre	O
400	CM	110	CM	45 LEVEL CM	2235,6065 litre	14,703 %	12969,7019 litre	O
400	CM	110	CM	44 LEVEL CM	2164,9089 litre	14,238 %	13040,3995 litre	O
400	CM	110	CM	43 LEVEL CM	2094,8112 litre	13,777 %	13110,4972 litre	O
400	CM	110	CM	42 LEVEL CM	2025,3280 litre	13,320 %	13179,9804 litre	O
400	CM	110	CM	41 LEVEL CM	1956,4740 litre	12,867 %	13248,8344 litre	O
400	CM	110	CM	40 LEVEL CM	1888,2644 litre	12,418 %	13317,0440 litre	O
400	CM	110	CM	39 LEVEL CM	1820,7148 litre	11,974 %	13384,5936 litre	O
400	CM	110	CM	38 LEVEL CM	1753,8413 litre	11,534 %	13451,4671 litre	O
400	CM	110	CM	37 LEVEL CM	1687,6604 litre	11,099 %	13517,6480 litre	O
400	CM	110	CM	36 LEVEL CM	1622,1894 litre	10,669 %	13583,1190 litre	O
400	CM	110	CM	35 LEVEL CM	1557,4457 litre	10,243 %	13647,8627 litre	O
400	CM	110	CM	34 LEVEL CM	1493,4477 litre	9,822 %	13711,8607 litre	O
400	CM	110	CM	33 LEVEL CM	1430,2144 litre	9,406 %	13775,0940 litre	O
400	CM	110	CM	32 LEVEL CM	1367,7653 litre	8,995 %	13837,5431 litre	O
400	CM	110	CM	31 LEVEL CM	1306,1207 litre	8,590 %	13899,1877 litre	O
400	CM	110	CM	30 LEVEL CM	1245,3019 litre	8,190 %	13960,0065 litre	O
400	CM	110	CM	29 LEVEL CM	1185,3308 litre	7,796 %	14019,9776 litre	O
400	CM	110	CM	28 LEVEL CM	1126,2306 litre	7,407 %	14079,0778 litre	O
400	CM	110	CM	27 LEVEL CM	1068,0251 litre	7,024 %	14137,2833 litre	O
400	CM	110	CM	26 LEVEL CM	1010,7395 litre	6,647 %	14194,5689 litre	O
400	CM	110	CM	25 LEVEL CM	954,4003 litre	6,277 %	14250,9081 litre	O
400	CM	110	CM	24 LEVEL CM	899,0351 litre	5,913 %	14306,2733 litre	O
400	CM	110	CM	23 LEVEL CM	844,6732 litre	5,555 %	14360,6352 litre	O
400	CM	110	CM	22 LEVEL CM	791,3454 litre	5,204 %	14413,9630 litre	O
400	CM	110	CM	21 LEVEL CM	739,0844 litre	4,861 %	14466,2240 litre	O
400	CM	110	CM	20 LEVEL CM	687,9250 litre	4,524 %	14517,3834 litre	O
400	CM	110	CM	19 LEVEL CM	637,9043 litre	4,195 %	14567,4041 litre	O
400	CM	110	CM	18 LEVEL CM	589,0618 litre	3,874 %	14616,2466 litre	O
400	CM	110	CM	17 LEVEL CM	541,4402 litre	3,561 %	14663,8682 litre	O
400	CM	110	CM	16 LEVEL CM	495,0854 litre	3,256 %	14710,2230 litre	O
400	CM	110	CM	15 LEVEL CM	450,0472 litre	2,960 %	14755,2612 litre	O
400	CM	110	CM	14 LEVEL CM	406,3800 litre	2,673 %	14798,9284 litre	O
400	CM	110	CM	13 LEVEL CM	364,1435 litre	2,395 %	14841,1649 litre	O
400	CM	110	CM	12 LEVEL CM	323,4034 litre	2,127 %	14881,9050 litre	O
400	CM	110	CM	11 LEVEL CM	284,2334 litre	1,869 %	14921,0750 litre	O
400	CM	110	CM	10 LEVEL CM	246,7161 litre	1,623 %	14958,5923 litre	O

400	CM	110	CM	9 LEVEL CM	210,9458 litre	1,387 %	14994,3626 litre	O
400	CM	110	CM	8 LEVEL CM	177,0312 litre	1,164 %	15028,2772 litre	O
400	CM	110	CM	7 LEVEL CM	145,1001 litre	0,954 %	15060,2083 litre	O
400	CM	110	CM	6 LEVEL CM	115,3059 litre	0,758 %	15090,0025 litre	O
400	CM	110	CM	5 LEVEL CM	87,8378 litre	0,578 %	15117,4706 litre	O
400	CM	110	CM	4 LEVEL CM	62,9386 litre	0,414 %	15142,3698 litre	O
400	CM	110	CM	3 LEVEL CM	40,9362 litre	0,269 %	15164,3722 litre	O
400	CM	110	CM	2 LEVEL CM	22,3135 litre	0,147 %	15182,9949 litre	O
400	CM	110	CM	1 LEVEL CM	7,8998 litre	0,052 %	15197,4086 litre	O
400	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	15205,3084 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 105	CM 210 LEVEL CM	13854,4236 litre	100,000 %	0,0000 litre	O
400	CM 105	CM 209 LEVEL CM	13846,7059 litre	99,944 %	7,7177 litre	O
400	CM 105	CM 208 LEVEL CM	13832,6260 litre	99,843 %	21,7976 litre	O
400	CM 105	CM 207 LEVEL CM	13814,4365 litre	99,711 %	39,9871 litre	O
400	CM 105	CM 206 LEVEL CM	13792,9483 litre	99,556 %	61,4753 litre	O
400	CM 105	CM 205 LEVEL CM	13768,6336 litre	99,381 %	85,7900 litre	O
400	CM 105	CM 204 LEVEL CM	13741,8135 litre	99,187 %	112,6101 litre	O
400	CM 105	CM 203 LEVEL CM	13712,7255 litre	98,977 %	141,6981 litre	O
400	CM 105	CM 202 LEVEL CM	13681,5548 litre	98,752 %	172,8688 litre	O
400	CM 105	CM 201 LEVEL CM	13648,4516 litre	98,513 %	205,9720 litre	O
400	CM 105	CM 200 LEVEL CM	13613,5413 litre	98,261 %	240,8823 litre	O
400	CM 105	CM 199 LEVEL CM	13576,9304 litre	97,997 %	277,4932 litre	O
400	CM 105	CM 198 LEVEL CM	13538,7113 litre	97,721 %	315,7123 litre	O
400	CM 105	CM 197 LEVEL CM	13498,9650 litre	97,434 %	355,4586 litre	O
400	CM 105	CM 196 LEVEL CM	13457,7638 litre	97,137 %	396,6598 litre	O
400	CM 105	CM 195 LEVEL CM	13415,1724 litre	96,830 %	439,2512 litre	O
400	CM 105	CM 194 LEVEL CM	13371,2492 litre	96,512 %	483,1744 litre	O
400	CM 105	CM 193 LEVEL CM	13326,0477 litre	96,186 %	528,3759 litre	O
400	CM 105	CM 192 LEVEL CM	13279,6168 litre	95,851 %	574,8068 litre	O
400	CM 105	CM 191 LEVEL CM	13232,0018 litre	95,507 %	622,4218 litre	O
400	CM 105	CM 190 LEVEL CM	13183,2444 litre	95,155 %	671,1792 litre	O
400	CM 105	CM 189 LEVEL CM	13133,3837 litre	94,796 %	721,0399 litre	O
400	CM 105	CM 188 LEVEL CM	13082,4562 litre	94,428 %	771,9674 litre	O
400	CM 105	CM 187 LEVEL CM	13030,4960 litre	94,053 %	823,9276 litre	O
400	CM 105	CM 186 LEVEL CM	12977,5354 litre	93,671 %	876,8882 litre	O
400	CM 105	CM 185 LEVEL CM	12923,6048 litre	93,281 %	930,8188 litre	O
400	CM 105	CM 184 LEVEL CM	12868,7330 litre	92,885 %	985,6906 litre	O
400	CM 105	CM 183 LEVEL CM	12812,9473 litre	92,483 %	1041,4763 litre	O
400	CM 105	CM 182 LEVEL CM	12756,2738 litre	92,074 %	1098,1498 litre	O
400	CM 105	CM 181 LEVEL CM	12698,7374 litre	91,658 %	1155,6862 litre	O
400	CM 105	CM 180 LEVEL CM	12640,3616 litre	91,237 %	1214,0620 litre	O
400	CM 105	CM 179 LEVEL CM	12581,1693 litre	90,810 %	1273,2543 litre	O
400	CM 105	CM 178 LEVEL CM	12521,1821 litre	90,377 %	1333,2415 litre	O
400	CM 105	CM 177 LEVEL CM	12460,4211 litre	89,938 %	1394,0025 litre	O
400	CM 105	CM 176 LEVEL CM	12398,9064 litre	89,494 %	1455,5172 litre	O
400	CM 105	CM 175 LEVEL CM	12336,6574 litre	89,045 %	1517,7662 litre	O
400	CM 105	CM 174 LEVEL CM	12273,6927 litre	88,590 %	1580,7309 litre	O
400	CM 105	CM 173 LEVEL CM	12210,0306 litre	88,131 %	1644,3930 litre	O
400	CM 105	CM 172 LEVEL CM	12145,6885 litre	87,667 %	1708,7351 litre	O
400	CM 105	CM 171 LEVEL CM	12080,6833 litre	87,197 %	1773,7403 litre	O
400	CM 105	CM 170 LEVEL CM	12015,0316 litre	86,723 %	1839,3920 litre	O
400	CM 105	CM 169 LEVEL CM	11948,7492 litre	86,245 %	1905,6744 litre	O
400	CM 105	CM 168 LEVEL CM	11881,8517 litre	85,762 %	1972,5719 litre	O
400	CM 105	CM 167 LEVEL CM	11814,3542 litre	85,275 %	2040,0694 litre	O
400	CM 105	CM 166 LEVEL CM	11746,2713 litre	84,784 %	2108,1523 litre	O
400	CM 105	CM 165 LEVEL CM	11677,6174 litre	84,288 %	2176,8062 litre	O
400	CM 105	CM 164 LEVEL CM	11608,4064 litre	83,788 %	2246,0172 litre	O
400	CM 105	CM 163 LEVEL CM	11538,6519 litre	83,285 %	2315,7717 litre	O
400	CM 105	CM 162 LEVEL CM	11468,3673 litre	82,778 %	2386,0563 litre	O
400	CM 105	CM 161 LEVEL CM	11397,5656 litre	82,267 %	2456,8580 litre	O
400	CM 105	CM 160 LEVEL CM	11326,2595 litre	81,752 %	2528,1641 litre	O
400	CM 105	CM 159 LEVEL CM	11254,4614 litre	81,234 %	2599,9622 litre	O

400	CM	105	CM	158 LEVEL CM	11182,1835 litre	80,712 %	2672,2401 litre	O
400	CM	105	CM	157 LEVEL CM	11109,4379 litre	80,187 %	2744,9857 litre	O
400	CM	105	CM	156 LEVEL CM	11036,2362 litre	79,659 %	2818,1874 litre	O
400	CM	105	CM	155 LEVEL CM	10962,5899 litre	79,127 %	2891,8337 litre	O
400	CM	105	CM	154 LEVEL CM	10888,5104 litre	78,592 %	2965,9132 litre	O
400	CM	105	CM	153 LEVEL CM	10814,0088 litre	78,055 %	3040,4148 litre	O
400	CM	105	CM	152 LEVEL CM	10739,0959 litre	77,514 %	3115,3277 litre	O
400	CM	105	CM	151 LEVEL CM	10663,7826 litre	76,970 %	3190,6410 litre	O
400	CM	105	CM	150 LEVEL CM	10588,0794 litre	76,424 %	3266,3442 litre	O
400	CM	105	CM	149 LEVEL CM	10511,9968 litre	75,875 %	3342,4268 litre	O
400	CM	105	CM	148 LEVEL CM	10435,5448 litre	75,323 %	3418,8788 litre	O
400	CM	105	CM	147 LEVEL CM	10358,7338 litre	74,768 %	3495,6898 litre	O
400	CM	105	CM	146 LEVEL CM	10281,5736 litre	74,211 %	3572,8500 litre	O
400	CM	105	CM	145 LEVEL CM	10204,0741 litre	73,652 %	3650,3495 litre	O
400	CM	105	CM	144 LEVEL CM	10126,2449 litre	73,090 %	3728,1787 litre	O
400	CM	105	CM	143 LEVEL CM	10048,0957 litre	72,526 %	3806,3279 litre	O
400	CM	105	CM	142 LEVEL CM	9969,6359 litre	71,960 %	3884,7877 litre	O
400	CM	105	CM	141 LEVEL CM	9890,8749 litre	71,391 %	3963,5487 litre	O
400	CM	105	CM	140 LEVEL CM	9811,8219 litre	70,821 %	4042,6017 litre	O
400	CM	105	CM	139 LEVEL CM	9732,4860 litre	70,248 %	4121,9376 litre	O
400	CM	105	CM	138 LEVEL CM	9652,8763 litre	69,674 %	4201,5473 litre	O
400	CM	105	CM	137 LEVEL CM	9573,0018 litre	69,097 %	4281,4218 litre	O
400	CM	105	CM	136 LEVEL CM	9492,8713 litre	68,519 %	4361,5523 litre	O
400	CM	105	CM	135 LEVEL CM	9412,4935 litre	67,939 %	4441,9301 litre	O
400	CM	105	CM	134 LEVEL CM	9331,8772 litre	67,357 %	4522,5464 litre	O
400	CM	105	CM	133 LEVEL CM	9251,0311 litre	66,773 %	4603,3925 litre	O
400	CM	105	CM	132 LEVEL CM	9169,9636 litre	66,188 %	4684,4600 litre	O
400	CM	105	CM	131 LEVEL CM	9088,6832 litre	65,601 %	4765,7404 litre	O
400	CM	105	CM	130 LEVEL CM	9007,1983 litre	65,013 %	4847,2253 litre	O
400	CM	105	CM	129 LEVEL CM	8925,5173 litre	64,424 %	4928,9063 litre	O
400	CM	105	CM	128 LEVEL CM	8843,6485 litre	63,833 %	5010,7751 litre	O
400	CM	105	CM	127 LEVEL CM	8761,6001 litre	63,240 %	5092,8235 litre	O
400	CM	105	CM	126 LEVEL CM	8679,3802 litre	62,647 %	5175,0434 litre	O
400	CM	105	CM	125 LEVEL CM	8596,9971 litre	62,052 %	5257,4265 litre	O
400	CM	105	CM	124 LEVEL CM	8514,4587 litre	61,457 %	5339,9649 litre	O
400	CM	105	CM	123 LEVEL CM	8431,7731 litre	60,860 %	5422,6505 litre	O
400	CM	105	CM	122 LEVEL CM	8348,9483 litre	60,262 %	5505,4753 litre	O
400	CM	105	CM	121 LEVEL CM	8265,9923 litre	59,663 %	5588,4313 litre	O
400	CM	105	CM	120 LEVEL CM	8182,9129 litre	59,064 %	5671,5107 litre	O
400	CM	105	CM	119 LEVEL CM	8099,7180 litre	58,463 %	5754,7056 litre	O
400	CM	105	CM	118 LEVEL CM	8016,4155 litre	57,862 %	5838,0081 litre	O
400	CM	105	CM	117 LEVEL CM	7933,0132 litre	57,260 %	5921,4104 litre	O
400	CM	105	CM	116 LEVEL CM	7849,5188 litre	56,657 %	6004,9048 litre	O
400	CM	105	CM	115 LEVEL CM	7765,9402 litre	56,054 %	6088,4834 litre	O
400	CM	105	CM	114 LEVEL CM	7682,2851 litre	55,450 %	6172,1385 litre	O
400	CM	105	CM	113 LEVEL CM	7598,5611 litre	54,846 %	6255,8625 litre	O
400	CM	105	CM	112 LEVEL CM	7514,7760 litre	54,241 %	6339,6476 litre	O
400	CM	105	CM	111 LEVEL CM	7430,9374 litre	53,636 %	6423,4862 litre	O
400	CM	105	CM	110 LEVEL CM	7347,0530 litre	53,030 %	6507,3706 litre	O
400	CM	105	CM	109 LEVEL CM	7263,1305 litre	52,425 %	6591,2931 litre	O
400	CM	105	CM	108 LEVEL CM	7179,1775 litre	51,819 %	6675,2461 litre	O
400	CM	105	CM	107 LEVEL CM	7095,2016 litre	51,213 %	6759,2220 litre	O
400	CM	105	CM	106 LEVEL CM	7011,2105 litre	50,606 %	6843,2131 litre	O

400	CM	105	CM	105 LEVEL CM	6927,2118 litre	50,000 %	6927,2118 litre	O
400	CM	105	CM	104 LEVEL CM	6843,2131 litre	49,394 %	7011,2105 litre	O
400	CM	105	CM	103 LEVEL CM	6759,2220 litre	48,787 %	7095,2016 litre	O
400	CM	105	CM	102 LEVEL CM	6675,2461 litre	48,181 %	7179,1775 litre	O
400	CM	105	CM	101 LEVEL CM	6591,2931 litre	47,575 %	7263,1305 litre	O
400	CM	105	CM	100 LEVEL CM	6507,3706 litre	46,970 %	7347,0530 litre	O
400	CM	105	CM	99 LEVEL CM	6423,4862 litre	46,364 %	7430,9374 litre	O
400	CM	105	CM	98 LEVEL CM	6339,6476 litre	45,759 %	7514,7760 litre	O
400	CM	105	CM	97 LEVEL CM	6255,8625 litre	45,154 %	7598,5611 litre	O
400	CM	105	CM	96 LEVEL CM	6172,1385 litre	44,550 %	7682,2851 litre	O
400	CM	105	CM	95 LEVEL CM	6088,4834 litre	43,946 %	7765,9402 litre	O
400	CM	105	CM	94 LEVEL CM	6004,9048 litre	43,343 %	7849,5188 litre	O
400	CM	105	CM	93 LEVEL CM	5921,4104 litre	42,740 %	7933,0132 litre	O
400	CM	105	CM	92 LEVEL CM	5838,0081 litre	42,138 %	8016,4155 litre	O
400	CM	105	CM	91 LEVEL CM	5754,7056 litre	41,537 %	8099,7180 litre	O
400	CM	105	CM	90 LEVEL CM	5671,5107 litre	40,936 %	8182,9129 litre	O
400	CM	105	CM	89 LEVEL CM	5588,4313 litre	40,337 %	8265,9923 litre	O
400	CM	105	CM	88 LEVEL CM	5505,4753 litre	39,738 %	8348,9483 litre	O
400	CM	105	CM	87 LEVEL CM	5422,6505 litre	39,140 %	8431,7731 litre	O
400	CM	105	CM	86 LEVEL CM	5339,9649 litre	38,543 %	8514,4587 litre	O
400	CM	105	CM	85 LEVEL CM	5257,4265 litre	37,948 %	8596,9971 litre	O
400	CM	105	CM	84 LEVEL CM	5175,0434 litre	37,353 %	8679,3802 litre	O
400	CM	105	CM	83 LEVEL CM	5092,8235 litre	36,760 %	8761,6001 litre	O
400	CM	105	CM	82 LEVEL CM	5010,7751 litre	36,167 %	8843,6485 litre	O
400	CM	105	CM	81 LEVEL CM	4928,9063 litre	35,576 %	8925,5173 litre	O
400	CM	105	CM	80 LEVEL CM	4847,2253 litre	34,987 %	9007,1983 litre	O
400	CM	105	CM	79 LEVEL CM	4765,7404 litre	34,399 %	9088,6832 litre	O
400	CM	105	CM	78 LEVEL CM	4684,4600 litre	33,812 %	9169,9636 litre	O
400	CM	105	CM	77 LEVEL CM	4603,3925 litre	33,227 %	9251,0311 litre	O
400	CM	105	CM	76 LEVEL CM	4522,5464 litre	32,643 %	9331,8772 litre	O
400	CM	105	CM	75 LEVEL CM	4441,9301 litre	32,061 %	9412,4935 litre	O
400	CM	105	CM	74 LEVEL CM	4361,5523 litre	31,481 %	9492,8713 litre	O
400	CM	105	CM	73 LEVEL CM	4281,4218 litre	30,903 %	9573,0018 litre	O
400	CM	105	CM	72 LEVEL CM	4201,5473 litre	30,326 %	9652,8763 litre	O
400	CM	105	CM	71 LEVEL CM	4121,9376 litre	29,752 %	9732,4860 litre	O
400	CM	105	CM	70 LEVEL CM	4042,6017 litre	29,179 %	9811,8219 litre	O
400	CM	105	CM	69 LEVEL CM	3963,5487 litre	28,609 %	9890,8749 litre	O
400	CM	105	CM	68 LEVEL CM	3884,7877 litre	28,040 %	9969,6359 litre	O
400	CM	105	CM	67 LEVEL CM	3806,3279 litre	27,474 %	10048,0957 litre	O
400	CM	105	CM	66 LEVEL CM	3728,1787 litre	26,910 %	10126,2449 litre	O
400	CM	105	CM	65 LEVEL CM	3650,3495 litre	26,348 %	10204,0741 litre	O
400	CM	105	CM	64 LEVEL CM	3572,8500 litre	25,789 %	10281,5736 litre	O
400	CM	105	CM	63 LEVEL CM	3495,6898 litre	25,232 %	10358,7338 litre	O
400	CM	105	CM	62 LEVEL CM	3418,8788 litre	24,677 %	10435,5448 litre	O
400	CM	105	CM	61 LEVEL CM	3342,4268 litre	24,125 %	10511,9968 litre	O
400	CM	105	CM	60 LEVEL CM	3266,3442 litre	23,576 %	10588,0794 litre	O
400	CM	105	CM	59 LEVEL CM	3190,6410 litre	23,030 %	10663,7826 litre	O
400	CM	105	CM	58 LEVEL CM	3115,3277 litre	22,486 %	10739,0959 litre	O
400	CM	105	CM	57 LEVEL CM	3040,4148 litre	21,945 %	10814,0088 litre	O
400	CM	105	CM	56 LEVEL CM	2965,9132 litre	21,408 %	10888,5104 litre	O
400	CM	105	CM	55 LEVEL CM	2891,8337 litre	20,873 %	10962,5899 litre	O
400	CM	105	CM	54 LEVEL CM	2818,1874 litre	20,341 %	11036,2362 litre	O
400	CM	105	CM	53 LEVEL CM	2744,9857 litre	19,813 %	11109,4379 litre	O

400	CM	105	CM	52 LEVEL CM	2672,2401 litre	19,288 %	11182,1835 litre	O
400	CM	105	CM	51 LEVEL CM	2599,9622 litre	18,766 %	11254,4614 litre	O
400	CM	105	CM	50 LEVEL CM	2528,1641 litre	18,248 %	11326,2595 litre	O
400	CM	105	CM	49 LEVEL CM	2456,8580 litre	17,733 %	11397,5656 litre	O
400	CM	105	CM	48 LEVEL CM	2386,0563 litre	17,222 %	11468,3673 litre	O
400	CM	105	CM	47 LEVEL CM	2315,7717 litre	16,715 %	11538,6519 litre	O
400	CM	105	CM	46 LEVEL CM	2246,0172 litre	16,212 %	11608,4064 litre	O
400	CM	105	CM	45 LEVEL CM	2176,8062 litre	15,712 %	11677,6174 litre	O
400	CM	105	CM	44 LEVEL CM	2108,1523 litre	15,216 %	11746,2713 litre	O
400	CM	105	CM	43 LEVEL CM	2040,0694 litre	14,725 %	11814,3542 litre	O
400	CM	105	CM	42 LEVEL CM	1972,5719 litre	14,238 %	11881,8517 litre	O
400	CM	105	CM	41 LEVEL CM	1905,6744 litre	13,755 %	11948,7492 litre	O
400	CM	105	CM	40 LEVEL CM	1839,3920 litre	13,277 %	12015,0316 litre	O
400	CM	105	CM	39 LEVEL CM	1773,7403 litre	12,803 %	12080,6833 litre	O
400	CM	105	CM	38 LEVEL CM	1708,7351 litre	12,333 %	12145,6885 litre	O
400	CM	105	CM	37 LEVEL CM	1644,3930 litre	11,869 %	12210,0306 litre	O
400	CM	105	CM	36 LEVEL CM	1580,7309 litre	11,410 %	12273,6927 litre	O
400	CM	105	CM	35 LEVEL CM	1517,7662 litre	10,955 %	12336,6574 litre	O
400	CM	105	CM	34 LEVEL CM	1455,5172 litre	10,506 %	12398,9064 litre	O
400	CM	105	CM	33 LEVEL CM	1394,0025 litre	10,062 %	12460,4211 litre	O
400	CM	105	CM	32 LEVEL CM	1333,2415 litre	9,623 %	12521,1821 litre	O
400	CM	105	CM	31 LEVEL CM	1273,2543 litre	9,190 %	12581,1693 litre	O
400	CM	105	CM	30 LEVEL CM	1214,0620 litre	8,763 %	12640,3616 litre	O
400	CM	105	CM	29 LEVEL CM	1155,6862 litre	8,342 %	12698,7374 litre	O
400	CM	105	CM	28 LEVEL CM	1098,1498 litre	7,926 %	12756,2738 litre	O
400	CM	105	CM	27 LEVEL CM	1041,4763 litre	7,517 %	12812,9473 litre	O
400	CM	105	CM	26 LEVEL CM	985,6906 litre	7,115 %	12868,7330 litre	O
400	CM	105	CM	25 LEVEL CM	930,8188 litre	6,719 %	12923,6048 litre	O
400	CM	105	CM	24 LEVEL CM	876,8882 litre	6,329 %	12977,5354 litre	O
400	CM	105	CM	23 LEVEL CM	823,9276 litre	5,947 %	13030,4960 litre	O
400	CM	105	CM	22 LEVEL CM	771,9674 litre	5,572 %	13082,4562 litre	O
400	CM	105	CM	21 LEVEL CM	721,0399 litre	5,204 %	13133,3837 litre	O
400	CM	105	CM	20 LEVEL CM	671,1792 litre	4,845 %	13183,2444 litre	O
400	CM	105	CM	19 LEVEL CM	622,4218 litre	4,493 %	13232,0018 litre	O
400	CM	105	CM	18 LEVEL CM	574,8068 litre	4,149 %	13279,6168 litre	O
400	CM	105	CM	17 LEVEL CM	528,3759 litre	3,814 %	13326,0477 litre	O
400	CM	105	CM	16 LEVEL CM	483,1744 litre	3,488 %	13371,2492 litre	O
400	CM	105	CM	15 LEVEL CM	439,2512 litre	3,170 %	13415,1724 litre	O
400	CM	105	CM	14 LEVEL CM	396,6598 litre	2,863 %	13457,7638 litre	O
400	CM	105	CM	13 LEVEL CM	355,4586 litre	2,566 %	13498,9650 litre	O
400	CM	105	CM	12 LEVEL CM	315,7123 litre	2,279 %	13538,7113 litre	O
400	CM	105	CM	11 LEVEL CM	277,4932 litre	2,003 %	13576,9304 litre	O
400	CM	105	CM	10 LEVEL CM	240,8823 litre	1,739 %	13613,5413 litre	O
400	CM	105	CM	9 LEVEL CM	205,9720 litre	1,487 %	13648,4516 litre	O
400	CM	105	CM	8 LEVEL CM	172,8688 litre	1,248 %	13681,5548 litre	O
400	CM	105	CM	7 LEVEL CM	141,6981 litre	1,023 %	13712,7255 litre	O
400	CM	105	CM	6 LEVEL CM	112,6101 litre	0,813 %	13741,8135 litre	O
400	CM	105	CM	5 LEVEL CM	85,7900 litre	0,619 %	13768,6336 litre	O
400	CM	105	CM	4 LEVEL CM	61,4753 litre	0,444 %	13792,9483 litre	O
400	CM	105	CM	3 LEVEL CM	39,9871 litre	0,289 %	13814,4365 litre	O
400	CM	105	CM	2 LEVEL CM	21,7976 litre	0,157 %	13832,6260 litre	O
400	CM	105	CM	1 LEVEL CM	7,7177 litre	0,056 %	13846,7059 litre	O
400	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	13854,4236 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
400	CM 100	CM 200 LEVEL CM	12566,3706 litre	100,000 %	0,0000 litre O
400	CM 100	CM 199 LEVEL CM	12558,8395 litre	99,940 %	7,5311 litre O
400	CM 100	CM 198 LEVEL CM	12545,1014 litre	99,831 %	21,2692 litre O
400	CM 100	CM 197 LEVEL CM	12527,3556 litre	99,690 %	39,0150 litre O
400	CM 100	CM 196 LEVEL CM	12506,3942 litre	99,523 %	59,9764 litre O
400	CM 100	CM 195 LEVEL CM	12482,6785 litre	99,334 %	83,6921 litre O
400	CM 100	CM 194 LEVEL CM	12456,5224 litre	99,126 %	109,8482 litre O
400	CM 100	CM 193 LEVEL CM	12428,1581 litre	98,900 %	138,2125 litre O
400	CM 100	CM 192 LEVEL CM	12397,7668 litre	98,658 %	168,6038 litre O
400	CM 100	CM 191 LEVEL CM	12365,4956 litre	98,401 %	200,8750 litre O
400	CM 100	CM 190 LEVEL CM	12331,4670 litre	98,131 %	234,9036 litre O
400	CM 100	CM 189 LEVEL CM	12295,7855 litre	97,847 %	270,5851 litre O
400	CM 100	CM 188 LEVEL CM	12258,5415 litre	97,550 %	307,8291 litre O
400	CM 100	CM 187 LEVEL CM	12219,8146 litre	97,242 %	346,5560 litre O
400	CM 100	CM 186 LEVEL CM	12179,6755 litre	96,923 %	386,6951 litre O
400	CM 100	CM 185 LEVEL CM	12138,1876 litre	96,593 %	428,1830 litre O
400	CM 100	CM 184 LEVEL CM	12095,4085 litre	96,252 %	470,9621 litre O
400	CM 100	CM 183 LEVEL CM	12051,3905 litre	95,902 %	514,9801 litre O
400	CM 100	CM 182 LEVEL CM	12006,1817 litre	95,542 %	560,1889 litre O
400	CM 100	CM 181 LEVEL CM	11959,8266 litre	95,173 %	606,5440 litre O
400	CM 100	CM 180 LEVEL CM	11912,3662 litre	94,796 %	654,0044 litre O
400	CM 100	CM 179 LEVEL CM	11863,8389 litre	94,409 %	702,5317 litre O
400	CM 100	CM 178 LEVEL CM	11814,2807 litre	94,015 %	752,0899 litre O
400	CM 100	CM 177 LEVEL CM	11763,7251 litre	93,613 %	802,6455 litre O
400	CM 100	CM 176 LEVEL CM	11712,2039 litre	93,203 %	854,1667 litre O
400	CM 100	CM 175 LEVEL CM	11659,7471 litre	92,785 %	906,6235 litre O
400	CM 100	CM 174 LEVEL CM	11606,3831 litre	92,361 %	959,9875 litre O
400	CM 100	CM 173 LEVEL CM	11552,1388 litre	91,929 %	1014,2318 litre O
400	CM 100	CM 172 LEVEL CM	11497,0399 litre	91,491 %	1069,3307 litre O
400	CM 100	CM 171 LEVEL CM	11441,1109 litre	91,045 %	1125,2597 litre O
400	CM 100	CM 170 LEVEL CM	11384,3753 litre	90,594 %	1181,9953 litre O
400	CM 100	CM 169 LEVEL CM	11326,8554 litre	90,136 %	1239,5152 litre O
400	CM 100	CM 168 LEVEL CM	11268,5728 litre	89,672 %	1297,7978 litre O
400	CM 100	CM 167 LEVEL CM	11209,5482 litre	89,203 %	1356,8224 litre O
400	CM 100	CM 166 LEVEL CM	11149,8015 litre	88,727 %	1416,5691 litre O
400	CM 100	CM 165 LEVEL CM	11089,3520 litre	88,246 %	1477,0186 litre O
400	CM 100	CM 164 LEVEL CM	11028,2181 litre	87,760 %	1538,1525 litre O
400	CM 100	CM 163 LEVEL CM	10966,4179 litre	87,268 %	1599,9527 litre O
400	CM 100	CM 162 LEVEL CM	10903,9686 litre	86,771 %	1662,4020 litre O
400	CM 100	CM 161 LEVEL CM	10840,8871 litre	86,269 %	1725,4835 litre O
400	CM 100	CM 160 LEVEL CM	10777,1897 litre	85,762 %	1789,1809 litre O
400	CM 100	CM 159 LEVEL CM	10712,8923 litre	85,250 %	1853,4783 litre O
400	CM 100	CM 158 LEVEL CM	10648,0103 litre	84,734 %	1918,3603 litre O
400	CM 100	CM 157 LEVEL CM	10582,5586 litre	84,213 %	1983,8120 litre O
400	CM 100	CM 156 LEVEL CM	10516,5519 litre	83,688 %	2049,8187 litre O
400	CM 100	CM 155 LEVEL CM	10450,0045 litre	83,158 %	2116,3661 litre O
400	CM 100	CM 154 LEVEL CM	10382,9302 litre	82,625 %	2183,4404 litre O
400	CM 100	CM 153 LEVEL CM	10315,3426 litre	82,087 %	2251,0280 litre O
400	CM 100	CM 152 LEVEL CM	10247,2549 litre	81,545 %	2319,1157 litre O
400	CM 100	CM 151 LEVEL CM	10178,6802 litre	80,999 %	2387,6904 litre O
400	CM 100	CM 150 LEVEL CM	10109,6312 litre	80,450 %	2456,7394 litre O
400	CM 100	CM 149 LEVEL CM	10040,1203 litre	79,897 %	2526,2503 litre O

400	CM	100	CM	148 LEVEL CM	9970,1597 litre	79,340 %	2596,2109 litre	O
400	CM	100	CM	147 LEVEL CM	9899,7613 litre	78,780 %	2666,6093 litre	O
400	CM	100	CM	146 LEVEL CM	9828,9369 litre	78,216 %	2737,4337 litre	O
400	CM	100	CM	145 LEVEL CM	9757,6981 litre	77,649 %	2808,6725 litre	O
400	CM	100	CM	144 LEVEL CM	9686,0561 litre	77,079 %	2880,3145 litre	O
400	CM	100	CM	143 LEVEL CM	9614,0221 litre	76,506 %	2952,3485 litre	O
400	CM	100	CM	142 LEVEL CM	9541,6071 litre	75,930 %	3024,7635 litre	O
400	CM	100	CM	141 LEVEL CM	9468,8218 litre	75,350 %	3097,5488 litre	O
400	CM	100	CM	140 LEVEL CM	9395,6769 litre	74,768 %	3170,6937 litre	O
400	CM	100	CM	139 LEVEL CM	9322,1829 litre	74,184 %	3244,1877 litre	O
400	CM	100	CM	138 LEVEL CM	9248,3500 litre	73,596 %	3318,0206 litre	O
400	CM	100	CM	137 LEVEL CM	9174,1884 litre	73,006 %	3392,1822 litre	O
400	CM	100	CM	136 LEVEL CM	9099,7082 litre	72,413 %	3466,6624 litre	O
400	CM	100	CM	135 LEVEL CM	9024,9193 litre	71,818 %	3541,4513 litre	O
400	CM	100	CM	134 LEVEL CM	8949,8315 litre	71,220 %	3616,5391 litre	O
400	CM	100	CM	133 LEVEL CM	8874,4544 litre	70,621 %	3691,9162 litre	O
400	CM	100	CM	132 LEVEL CM	8798,7977 litre	70,019 %	3767,5729 litre	O
400	CM	100	CM	131 LEVEL CM	8722,8708 litre	69,414 %	3843,4998 litre	O
400	CM	100	CM	130 LEVEL CM	8646,6830 litre	68,808 %	3919,6876 litre	O
400	CM	100	CM	129 LEVEL CM	8570,2436 litre	68,200 %	3996,1270 litre	O
400	CM	100	CM	128 LEVEL CM	8493,5617 litre	67,590 %	4072,8089 litre	O
400	CM	100	CM	127 LEVEL CM	8416,6466 litre	66,978 %	4149,7240 litre	O
400	CM	100	CM	126 LEVEL CM	8339,5071 litre	66,364 %	4226,8635 litre	O
400	CM	100	CM	125 LEVEL CM	8262,1522 litre	65,748 %	4304,2184 litre	O
400	CM	100	CM	124 LEVEL CM	8184,5907 litre	65,131 %	4381,7799 litre	O
400	CM	100	CM	123 LEVEL CM	8106,8314 litre	64,512 %	4459,5392 litre	O
400	CM	100	CM	122 LEVEL CM	8028,8831 litre	63,892 %	4537,4875 litre	O
400	CM	100	CM	121 LEVEL CM	7950,7543 litre	63,270 %	4615,6163 litre	O
400	CM	100	CM	120 LEVEL CM	7872,4537 litre	62,647 %	4693,9169 litre	O
400	CM	100	CM	119 LEVEL CM	7793,9898 litre	62,023 %	4772,3808 litre	O
400	CM	100	CM	118 LEVEL CM	7715,3711 litre	61,397 %	4850,9995 litre	O
400	CM	100	CM	117 LEVEL CM	7636,6059 litre	60,770 %	4929,7647 litre	O
400	CM	100	CM	116 LEVEL CM	7557,7028 litre	60,142 %	5008,6678 litre	O
400	CM	100	CM	115 LEVEL CM	7478,6700 litre	59,513 %	5087,7006 litre	O
400	CM	100	CM	114 LEVEL CM	7399,5158 litre	58,883 %	5166,8548 litre	O
400	CM	100	CM	113 LEVEL CM	7320,2485 litre	58,253 %	5246,1221 litre	O
400	CM	100	CM	112 LEVEL CM	7240,8763 litre	57,621 %	5325,4943 litre	O
400	CM	100	CM	111 LEVEL CM	7161,4074 litre	56,989 %	5404,9632 litre	O
400	CM	100	CM	110 LEVEL CM	7081,8500 litre	56,356 %	5484,5206 litre	O
400	CM	100	CM	109 LEVEL CM	7002,2121 litre	55,722 %	5564,1585 litre	O
400	CM	100	CM	108 LEVEL CM	6922,5020 litre	55,088 %	5643,8686 litre	O
400	CM	100	CM	107 LEVEL CM	6842,7276 litre	54,453 %	5723,6430 litre	O
400	CM	100	CM	106 LEVEL CM	6762,8972 litre	53,817 %	5803,4734 litre	O
400	CM	100	CM	105 LEVEL CM	6683,0186 litre	53,182 %	5883,3520 litre	O
400	CM	100	CM	104 LEVEL CM	6603,1000 litre	52,546 %	5963,2706 litre	O
400	CM	100	CM	103 LEVEL CM	6523,1493 litre	51,910 %	6043,2213 litre	O
400	CM	100	CM	102 LEVEL CM	6443,1746 litre	51,273 %	6123,1960 litre	O
400	CM	100	CM	101 LEVEL CM	6363,1840 litre	50,637 %	6203,1866 litre	O
400	CM	100	CM	100 LEVEL CM	6283,1853 litre	50,000 %	6283,1853 litre	O
400	CM	100	CM	99 LEVEL CM	6203,1866 litre	49,363 %	6363,1840 litre	O
400	CM	100	CM	98 LEVEL CM	6123,1960 litre	48,727 %	6443,1746 litre	O
400	CM	100	CM	97 LEVEL CM	6043,2213 litre	48,090 %	6523,1493 litre	O
400	CM	100	CM	96 LEVEL CM	5963,2707 litre	47,454 %	6603,0999 litre	O

400	CM	100	CM	95 LEVEL CM	5883,3520 litre	46,818 %	6683,0186 litre	O
400	CM	100	CM	94 LEVEL CM	5803,4735 litre	46,183 %	6762,8971 litre	O
400	CM	100	CM	93 LEVEL CM	5723,6430 litre	45,547 %	6842,7276 litre	O
400	CM	100	CM	92 LEVEL CM	5643,8686 litre	44,912 %	6922,5020 litre	O
400	CM	100	CM	91 LEVEL CM	5564,1585 litre	44,278 %	7002,2121 litre	O
400	CM	100	CM	90 LEVEL CM	5484,5206 litre	43,644 %	7081,8500 litre	O
400	CM	100	CM	89 LEVEL CM	5404,9632 litre	43,011 %	7161,4074 litre	O
400	CM	100	CM	88 LEVEL CM	5325,4943 litre	42,379 %	7240,8763 litre	O
400	CM	100	CM	87 LEVEL CM	5246,1221 litre	41,747 %	7320,2485 litre	O
400	CM	100	CM	86 LEVEL CM	5166,8548 litre	41,117 %	7399,5158 litre	O
400	CM	100	CM	85 LEVEL CM	5087,7006 litre	40,487 %	7478,6700 litre	O
400	CM	100	CM	84 LEVEL CM	5008,6678 litre	39,858 %	7557,7028 litre	O
400	CM	100	CM	83 LEVEL CM	4929,7647 litre	39,230 %	7636,6059 litre	O
400	CM	100	CM	82 LEVEL CM	4850,9995 litre	38,603 %	7715,3711 litre	O
400	CM	100	CM	81 LEVEL CM	4772,3808 litre	37,977 %	7793,9898 litre	O
400	CM	100	CM	80 LEVEL CM	4693,9169 litre	37,353 %	7872,4537 litre	O
400	CM	100	CM	79 LEVEL CM	4615,6163 litre	36,730 %	7950,7543 litre	O
400	CM	100	CM	78 LEVEL CM	4537,4875 litre	36,108 %	8028,8831 litre	O
400	CM	100	CM	77 LEVEL CM	4459,5392 litre	35,488 %	8106,8314 litre	O
400	CM	100	CM	76 LEVEL CM	4381,7799 litre	34,869 %	8184,5907 litre	O
400	CM	100	CM	75 LEVEL CM	4304,2185 litre	34,252 %	8262,1521 litre	O
400	CM	100	CM	74 LEVEL CM	4226,8635 litre	33,636 %	8339,5071 litre	O
400	CM	100	CM	73 LEVEL CM	4149,7240 litre	33,022 %	8416,6466 litre	O
400	CM	100	CM	72 LEVEL CM	4072,8089 litre	32,410 %	8493,5617 litre	O
400	CM	100	CM	71 LEVEL CM	3996,1270 litre	31,800 %	8570,2436 litre	O
400	CM	100	CM	70 LEVEL CM	3919,6876 litre	31,192 %	8646,6830 litre	O
400	CM	100	CM	69 LEVEL CM	3843,4998 litre	30,586 %	8722,8708 litre	O
400	CM	100	CM	68 LEVEL CM	3767,5729 litre	29,981 %	8798,7977 litre	O
400	CM	100	CM	67 LEVEL CM	3691,9162 litre	29,379 %	8874,4544 litre	O
400	CM	100	CM	66 LEVEL CM	3616,5391 litre	28,780 %	8949,8315 litre	O
400	CM	100	CM	65 LEVEL CM	3541,4513 litre	28,182 %	9024,9193 litre	O
400	CM	100	CM	64 LEVEL CM	3466,6624 litre	27,587 %	9099,7082 litre	O
400	CM	100	CM	63 LEVEL CM	3392,1822 litre	26,994 %	9174,1884 litre	O
400	CM	100	CM	62 LEVEL CM	3318,0207 litre	26,404 %	9248,3499 litre	O
400	CM	100	CM	61 LEVEL CM	3244,1878 litre	25,816 %	9322,1828 litre	O
400	CM	100	CM	60 LEVEL CM	3170,6937 litre	25,232 %	9395,6769 litre	O
400	CM	100	CM	59 LEVEL CM	3097,5488 litre	24,650 %	9468,8218 litre	O
400	CM	100	CM	58 LEVEL CM	3024,7635 litre	24,070 %	9541,6071 litre	O
400	CM	100	CM	57 LEVEL CM	2952,3485 litre	23,494 %	9614,0221 litre	O
400	CM	100	CM	56 LEVEL CM	2880,3145 litre	22,921 %	9686,0561 litre	O
400	CM	100	CM	55 LEVEL CM	2808,6726 litre	22,351 %	9757,6980 litre	O
400	CM	100	CM	54 LEVEL CM	2737,4337 litre	21,784 %	9828,9369 litre	O
400	CM	100	CM	53 LEVEL CM	2666,6093 litre	21,220 %	9899,7613 litre	O
400	CM	100	CM	52 LEVEL CM	2596,2110 litre	20,660 %	9970,1596 litre	O
400	CM	100	CM	51 LEVEL CM	2526,2503 litre	20,103 %	10040,1203 litre	O
400	CM	100	CM	50 LEVEL CM	2456,7394 litre	19,550 %	10109,6312 litre	O
400	CM	100	CM	49 LEVEL CM	2387,6904 litre	19,001 %	10178,6802 litre	O
400	CM	100	CM	48 LEVEL CM	2319,1157 litre	18,455 %	10247,2549 litre	O
400	CM	100	CM	47 LEVEL CM	2251,0280 litre	17,913 %	10315,3426 litre	O
400	CM	100	CM	46 LEVEL CM	2183,4404 litre	17,375 %	10382,9302 litre	O
400	CM	100	CM	45 LEVEL CM	2116,3661 litre	16,842 %	10450,0045 litre	O
400	CM	100	CM	44 LEVEL CM	2049,8187 litre	16,312 %	10516,5519 litre	O
400	CM	100	CM	43 LEVEL CM	1983,8120 litre	15,787 %	10582,5586 litre	O

400	CM	100	CM	42 LEVEL CM	1918,3603 litre	15,266 %	10648,0103 litre	O
400	CM	100	CM	41 LEVEL CM	1853,4783 litre	14,750 %	10712,8923 litre	O
400	CM	100	CM	40 LEVEL CM	1789,1809 litre	14,238 %	10777,1897 litre	O
400	CM	100	CM	39 LEVEL CM	1725,4835 litre	13,731 %	10840,8871 litre	O
400	CM	100	CM	38 LEVEL CM	1662,4020 litre	13,229 %	10903,9686 litre	O
400	CM	100	CM	37 LEVEL CM	1599,9527 litre	12,732 %	10966,4179 litre	O
400	CM	100	CM	36 LEVEL CM	1538,1525 litre	12,240 %	11028,2181 litre	O
400	CM	100	CM	35 LEVEL CM	1477,0186 litre	11,754 %	11089,3520 litre	O
400	CM	100	CM	34 LEVEL CM	1416,5691 litre	11,273 %	11149,8015 litre	O
400	CM	100	CM	33 LEVEL CM	1356,8224 litre	10,797 %	11209,5482 litre	O
400	CM	100	CM	32 LEVEL CM	1297,7978 litre	10,328 %	11268,5728 litre	O
400	CM	100	CM	31 LEVEL CM	1239,5152 litre	9,864 %	11326,8554 litre	O
400	CM	100	CM	30 LEVEL CM	1181,9954 litre	9,406 %	11384,3752 litre	O
400	CM	100	CM	29 LEVEL CM	1125,2597 litre	8,955 %	11441,1109 litre	O
400	CM	100	CM	28 LEVEL CM	1069,3307 litre	8,509 %	11497,0399 litre	O
400	CM	100	CM	27 LEVEL CM	1014,2318 litre	8,071 %	11552,1388 litre	O
400	CM	100	CM	26 LEVEL CM	959,9875 litre	7,639 %	11606,3831 litre	O
400	CM	100	CM	25 LEVEL CM	906,6235 litre	7,215 %	11659,7471 litre	O
400	CM	100	CM	24 LEVEL CM	854,1667 litre	6,797 %	11712,2039 litre	O
400	CM	100	CM	23 LEVEL CM	802,6455 litre	6,387 %	11763,7251 litre	O
400	CM	100	CM	22 LEVEL CM	752,0900 litre	5,985 %	11814,2806 litre	O
400	CM	100	CM	21 LEVEL CM	702,5317 litre	5,591 %	11863,8389 litre	O
400	CM	100	CM	20 LEVEL CM	654,0044 litre	5,204 %	11912,3662 litre	O
400	CM	100	CM	19 LEVEL CM	606,5440 litre	4,827 %	11959,8266 litre	O
400	CM	100	CM	18 LEVEL CM	560,1889 litre	4,458 %	12006,1817 litre	O
400	CM	100	CM	17 LEVEL CM	514,9801 litre	4,098 %	12051,3905 litre	O
400	CM	100	CM	16 LEVEL CM	470,9621 litre	3,748 %	12095,4085 litre	O
400	CM	100	CM	15 LEVEL CM	428,1830 litre	3,407 %	12138,1876 litre	O
400	CM	100	CM	14 LEVEL CM	386,6951 litre	3,077 %	12179,6755 litre	O
400	CM	100	CM	13 LEVEL CM	346,5560 litre	2,758 %	12219,8146 litre	O
400	CM	100	CM	12 LEVEL CM	307,8291 litre	2,450 %	12258,5415 litre	O
400	CM	100	CM	11 LEVEL CM	270,5852 litre	2,153 %	12295,7854 litre	O
400	CM	100	CM	10 LEVEL CM	234,9036 litre	1,869 %	12331,4670 litre	O
400	CM	100	CM	9 LEVEL CM	200,8750 litre	1,599 %	12365,4956 litre	O
400	CM	100	CM	8 LEVEL CM	168,6038 litre	1,342 %	12397,7668 litre	O
400	CM	100	CM	7 LEVEL CM	138,2125 litre	1,100 %	12428,1581 litre	O
400	CM	100	CM	6 LEVEL CM	109,8482 litre	0,874 %	12456,5224 litre	O
400	CM	100	CM	5 LEVEL CM	83,6921 litre	0,666 %	12482,6785 litre	O
400	CM	100	CM	4 LEVEL CM	59,9764 litre	0,477 %	12506,3942 litre	O
400	CM	100	CM	3 LEVEL CM	39,0150 litre	0,310 %	12527,3556 litre	O
400	CM	100	CM	2 LEVEL CM	21,2692 litre	0,169 %	12545,1014 litre	O
400	CM	100	CM	1 LEVEL CM	7,5311 litre	0,060 %	12558,8395 litre	O
400	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	12566,3706 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
400	CM	95	CM	190 LEVEL CM	11341,1495 litre	100,000 %	0,0000 litre	O
400	CM	95	CM	189 LEVEL CM	11333,8096 litre	99,935 %	7,3399 litre	O
400	CM	95	CM	188 LEVEL CM	11320,4221 litre	99,817 %	20,7274 litre	O
400	CM	95	CM	187 LEVEL CM	11303,1315 litre	99,665 %	38,0180 litre	O
400	CM	95	CM	186 LEVEL CM	11282,7104 litre	99,485 %	58,4391 litre	O
400	CM	95	CM	185 LEVEL CM	11259,6093 litre	99,281 %	81,5402 litre	O
400	CM	95	CM	184 LEVEL CM	11234,1345 litre	99,056 %	107,0150 litre	O
400	CM	95	CM	183 LEVEL CM	11206,5128 litre	98,813 %	134,6367 litre	O
400	CM	95	CM	182 LEVEL CM	11176,9215 litre	98,552 %	164,2280 litre	O
400	CM	95	CM	181 LEVEL CM	11145,5041 litre	98,275 %	195,6454 litre	O
400	CM	95	CM	180 LEVEL CM	11112,3807 litre	97,983 %	228,7688 litre	O
400	CM	95	CM	179 LEVEL CM	11077,6535 litre	97,677 %	263,4960 litre	O
400	CM	95	CM	178 LEVEL CM	11041,4109 litre	97,357 %	299,7386 litre	O
400	CM	95	CM	177 LEVEL CM	11003,7309 litre	97,025 %	337,4186 litre	O
400	CM	95	CM	176 LEVEL CM	10964,6827 litre	96,681 %	376,4668 litre	O
400	CM	95	CM	175 LEVEL CM	10924,3286 litre	96,325 %	416,8209 litre	O
400	CM	95	CM	174 LEVEL CM	10882,7250 litre	95,958 %	458,4245 litre	O
400	CM	95	CM	173 LEVEL CM	10839,9232 litre	95,580 %	501,2263 litre	O
400	CM	95	CM	172 LEVEL CM	10795,9705 litre	95,193 %	545,1790 litre	O
400	CM	95	CM	171 LEVEL CM	10750,9105 litre	94,796 %	590,2390 litre	O
400	CM	95	CM	170 LEVEL CM	10704,7835 litre	94,389 %	636,3660 litre	O
400	CM	95	CM	169 LEVEL CM	10657,6274 litre	93,973 %	683,5221 litre	O
400	CM	95	CM	168 LEVEL CM	10609,4773 litre	93,549 %	731,6722 litre	O
400	CM	95	CM	167 LEVEL CM	10560,3665 litre	93,115 %	780,7830 litre	O
400	CM	95	CM	166 LEVEL CM	10510,3262 litre	92,674 %	830,8233 litre	O
400	CM	95	CM	165 LEVEL CM	10459,3858 litre	92,225 %	881,7637 litre	O
400	CM	95	CM	164 LEVEL CM	10407,5734 litre	91,768 %	933,5761 litre	O
400	CM	95	CM	163 LEVEL CM	10354,9156 litre	91,304 %	986,2339 litre	O
400	CM	95	CM	162 LEVEL CM	10301,4376 litre	90,832 %	1039,7119 litre	O
400	CM	95	CM	161 LEVEL CM	10247,1637 litre	90,354 %	1093,9858 litre	O
400	CM	95	CM	160 LEVEL CM	10192,1170 litre	89,868 %	1149,0325 litre	O
400	CM	95	CM	159 LEVEL CM	10136,3197 litre	89,376 %	1204,8298 litre	O
400	CM	95	CM	158 LEVEL CM	10079,7930 litre	88,878 %	1261,3565 litre	O
400	CM	95	CM	157 LEVEL CM	10022,5575 litre	88,373 %	1318,5920 litre	O
400	CM	95	CM	156 LEVEL CM	9964,6328 litre	87,863 %	1376,5167 litre	O
400	CM	95	CM	155 LEVEL CM	9906,0380 litre	87,346 %	1435,1115 litre	O
400	CM	95	CM	154 LEVEL CM	9846,7915 litre	86,824 %	1494,3580 litre	O
400	CM	95	CM	153 LEVEL CM	9786,9110 litre	86,296 %	1554,2385 litre	O
400	CM	95	CM	152 LEVEL CM	9726,4137 litre	85,762 %	1614,7358 litre	O
400	CM	95	CM	151 LEVEL CM	9665,3165 litre	85,223 %	1675,8330 litre	O
400	CM	95	CM	150 LEVEL CM	9603,6354 litre	84,680 %	1737,5141 litre	O
400	CM	95	CM	149 LEVEL CM	9541,3862 litre	84,131 %	1799,7633 litre	O
400	CM	95	CM	148 LEVEL CM	9478,5842 litre	83,577 %	1862,5653 litre	O
400	CM	95	CM	147 LEVEL CM	9415,2445 litre	83,018 %	1925,9050 litre	O
400	CM	95	CM	146 LEVEL CM	9351,3815 litre	82,455 %	1989,7680 litre	O
400	CM	95	CM	145 LEVEL CM	9287,0094 litre	81,888 %	2054,1401 litre	O
400	CM	95	CM	144 LEVEL CM	9222,1421 litre	81,316 %	2119,0074 litre	O
400	CM	95	CM	143 LEVEL CM	9156,7931 litre	80,740 %	2184,3564 litre	O
400	CM	95	CM	142 LEVEL CM	9090,9757 litre	80,159 %	2250,1738 litre	O
400	CM	95	CM	141 LEVEL CM	9024,7029 litre	79,575 %	2316,4466 litre	O
400	CM	95	CM	140 LEVEL CM	8957,9873 litre	78,987 %	2383,1622 litre	O
400	CM	95	CM	139 LEVEL CM	8890,8414 litre	78,395 %	2450,3081 litre	O

400	CM	95	CM	138 LEVEL CM	8823,2774 litre	77,799 %	2517,8721 litre	O
400	CM	95	CM	137 LEVEL CM	8755,3073 litre	77,199 %	2585,8422 litre	O
400	CM	95	CM	136 LEVEL CM	8686,9429 litre	76,597 %	2654,2066 litre	O
400	CM	95	CM	135 LEVEL CM	8618,1957 litre	75,990 %	2722,9538 litre	O
400	CM	95	CM	134 LEVEL CM	8549,0772 litre	75,381 %	2792,0723 litre	O
400	CM	95	CM	133 LEVEL CM	8479,5984 litre	74,768 %	2861,5511 litre	O
400	CM	95	CM	132 LEVEL CM	8409,7705 litre	74,153 %	2931,3790 litre	O
400	CM	95	CM	131 LEVEL CM	8339,6043 litre	73,534 %	3001,5452 litre	O
400	CM	95	CM	130 LEVEL CM	8269,1105 litre	72,912 %	3072,0390 litre	O
400	CM	95	CM	129 LEVEL CM	8198,2996 litre	72,288 %	3142,8499 litre	O
400	CM	95	CM	128 LEVEL CM	8127,1821 litre	71,661 %	3213,9674 litre	O
400	CM	95	CM	127 LEVEL CM	8055,7682 litre	71,031 %	3285,3813 litre	O
400	CM	95	CM	126 LEVEL CM	7984,0682 litre	70,399 %	3357,0813 litre	O
400	CM	95	CM	125 LEVEL CM	7912,0919 litre	69,764 %	3429,0576 litre	O
400	CM	95	CM	124 LEVEL CM	7839,8494 litre	69,127 %	3501,3001 litre	O
400	CM	95	CM	123 LEVEL CM	7767,3504 litre	68,488 %	3573,7991 litre	O
400	CM	95	CM	122 LEVEL CM	7694,6047 litre	67,847 %	3646,5448 litre	O
400	CM	95	CM	121 LEVEL CM	7621,6218 litre	67,203 %	3719,5277 litre	O
400	CM	95	CM	120 LEVEL CM	7548,4113 litre	66,558 %	3792,7382 litre	O
400	CM	95	CM	119 LEVEL CM	7474,9825 litre	65,910 %	3866,1670 litre	O
400	CM	95	CM	118 LEVEL CM	7401,3449 litre	65,261 %	3939,8046 litre	O
400	CM	95	CM	117 LEVEL CM	7327,5076 litre	64,610 %	4013,6419 litre	O
400	CM	95	CM	116 LEVEL CM	7253,4799 litre	63,957 %	4087,6696 litre	O
400	CM	95	CM	115 LEVEL CM	7179,2708 litre	63,303 %	4161,8787 litre	O
400	CM	95	CM	114 LEVEL CM	7104,8895 litre	62,647 %	4236,2600 litre	O
400	CM	95	CM	113 LEVEL CM	7030,3448 litre	61,990 %	4310,8047 litre	O
400	CM	95	CM	112 LEVEL CM	6955,6458 litre	61,331 %	4385,5037 litre	O
400	CM	95	CM	111 LEVEL CM	6880,8013 litre	60,671 %	4460,3482 litre	O
400	CM	95	CM	110 LEVEL CM	6805,8200 litre	60,010 %	4535,3295 litre	O
400	CM	95	CM	109 LEVEL CM	6730,7109 litre	59,348 %	4610,4386 litre	O
400	CM	95	CM	108 LEVEL CM	6655,4825 litre	58,684 %	4685,6670 litre	O
400	CM	95	CM	107 LEVEL CM	6580,1436 litre	58,020 %	4761,0059 litre	O
400	CM	95	CM	106 LEVEL CM	6504,7029 litre	57,355 %	4836,4466 litre	O
400	CM	95	CM	105 LEVEL CM	6429,1689 litre	56,689 %	4911,9806 litre	O
400	CM	95	CM	104 LEVEL CM	6353,5502 litre	56,022 %	4987,5993 litre	O
400	CM	95	CM	103 LEVEL CM	6277,8554 litre	55,355 %	5063,2941 litre	O
400	CM	95	CM	102 LEVEL CM	6202,0929 litre	54,687 %	5139,0566 litre	O
400	CM	95	CM	101 LEVEL CM	6126,2714 litre	54,018 %	5214,8781 litre	O
400	CM	95	CM	100 LEVEL CM	6050,3992 litre	53,349 %	5290,7503 litre	O
400	CM	95	CM	99 LEVEL CM	5974,4849 litre	52,680 %	5366,6646 litre	O
400	CM	95	CM	98 LEVEL CM	5898,5368 litre	52,010 %	5442,6127 litre	O
400	CM	95	CM	97 LEVEL CM	5822,5635 litre	51,340 %	5518,5860 litre	O
400	CM	95	CM	96 LEVEL CM	5746,5733 litre	50,670 %	5594,5762 litre	O
400	CM	95	CM	95 LEVEL CM	5670,5747 litre	50,000 %	5670,5748 litre	O
400	CM	95	CM	94 LEVEL CM	5594,5761 litre	49,330 %	5746,5734 litre	O
400	CM	95	CM	93 LEVEL CM	5518,5860 litre	48,660 %	5822,5635 litre	O
400	CM	95	CM	92 LEVEL CM	5442,6126 litre	47,990 %	5898,5369 litre	O
400	CM	95	CM	91 LEVEL CM	5366,6646 litre	47,320 %	5974,4849 litre	O
400	CM	95	CM	90 LEVEL CM	5290,7503 litre	46,651 %	6050,3992 litre	O
400	CM	95	CM	89 LEVEL CM	5214,8781 litre	45,982 %	6126,2714 litre	O
400	CM	95	CM	88 LEVEL CM	5139,0565 litre	45,313 %	6202,0930 litre	O
400	CM	95	CM	87 LEVEL CM	5063,2941 litre	44,645 %	6277,8554 litre	O
400	CM	95	CM	86 LEVEL CM	4987,5993 litre	43,978 %	6353,5502 litre	O

400	CM	95	CM	85 LEVEL CM	4911,9806 litre	43,311 %	6429,1689 litre	O
400	CM	95	CM	84 LEVEL CM	4836,4466 litre	42,645 %	6504,7029 litre	O
400	CM	95	CM	83 LEVEL CM	4761,0058 litre	41,980 %	6580,1437 litre	O
400	CM	95	CM	82 LEVEL CM	4685,6670 litre	41,316 %	6655,4825 litre	O
400	CM	95	CM	81 LEVEL CM	4610,4386 litre	40,652 %	6730,7109 litre	O
400	CM	95	CM	80 LEVEL CM	4535,3295 litre	39,990 %	6805,8200 litre	O
400	CM	95	CM	79 LEVEL CM	4460,3482 litre	39,329 %	6880,8013 litre	O
400	CM	95	CM	78 LEVEL CM	4385,5037 litre	38,669 %	6955,6458 litre	O
400	CM	95	CM	77 LEVEL CM	4310,8047 litre	38,010 %	7030,3448 litre	O
400	CM	95	CM	76 LEVEL CM	4236,2600 litre	37,353 %	7104,8895 litre	O
400	CM	95	CM	75 LEVEL CM	4161,8787 litre	36,697 %	7179,2708 litre	O
400	CM	95	CM	74 LEVEL CM	4087,6696 litre	36,043 %	7253,4799 litre	O
400	CM	95	CM	73 LEVEL CM	4013,6419 litre	35,390 %	7327,5076 litre	O
400	CM	95	CM	72 LEVEL CM	3939,8046 litre	34,739 %	7401,3449 litre	O
400	CM	95	CM	71 LEVEL CM	3866,1670 litre	34,090 %	7474,9825 litre	O
400	CM	95	CM	70 LEVEL CM	3792,7382 litre	33,442 %	7548,4113 litre	O
400	CM	95	CM	69 LEVEL CM	3719,5277 litre	32,797 %	7621,6218 litre	O
400	CM	95	CM	68 LEVEL CM	3646,5448 litre	32,153 %	7694,6047 litre	O
400	CM	95	CM	67 LEVEL CM	3573,7990 litre	31,512 %	7767,3505 litre	O
400	CM	95	CM	66 LEVEL CM	3501,3001 litre	30,873 %	7839,8494 litre	O
400	CM	95	CM	65 LEVEL CM	3429,0575 litre	30,236 %	7912,0920 litre	O
400	CM	95	CM	64 LEVEL CM	3357,0813 litre	29,601 %	7984,0682 litre	O
400	CM	95	CM	63 LEVEL CM	3285,3812 litre	28,969 %	8055,7683 litre	O
400	CM	95	CM	62 LEVEL CM	3213,9674 litre	28,339 %	8127,1821 litre	O
400	CM	95	CM	61 LEVEL CM	3142,8499 litre	27,712 %	8198,2996 litre	O
400	CM	95	CM	60 LEVEL CM	3072,0390 litre	27,088 %	8269,1105 litre	O
400	CM	95	CM	59 LEVEL CM	3001,5452 litre	26,466 %	8339,6043 litre	O
400	CM	95	CM	58 LEVEL CM	2931,3790 litre	25,847 %	8409,7705 litre	O
400	CM	95	CM	57 LEVEL CM	2861,5511 litre	25,232 %	8479,5984 litre	O
400	CM	95	CM	56 LEVEL CM	2792,0723 litre	24,619 %	8549,0772 litre	O
400	CM	95	CM	55 LEVEL CM	2722,9538 litre	24,010 %	8618,1957 litre	O
400	CM	95	CM	54 LEVEL CM	2654,2066 litre	23,403 %	8686,9429 litre	O
400	CM	95	CM	53 LEVEL CM	2585,8422 litre	22,801 %	8755,3073 litre	O
400	CM	95	CM	52 LEVEL CM	2517,8721 litre	22,201 %	8823,2774 litre	O
400	CM	95	CM	51 LEVEL CM	2450,3081 litre	21,605 %	8890,8414 litre	O
400	CM	95	CM	50 LEVEL CM	2383,1622 litre	21,013 %	8957,9873 litre	O
400	CM	95	CM	49 LEVEL CM	2316,4466 litre	20,425 %	9024,7029 litre	O
400	CM	95	CM	48 LEVEL CM	2250,1737 litre	19,841 %	9090,9758 litre	O
400	CM	95	CM	47 LEVEL CM	2184,3563 litre	19,260 %	9156,7932 litre	O
400	CM	95	CM	46 LEVEL CM	2119,0074 litre	18,684 %	9222,1421 litre	O
400	CM	95	CM	45 LEVEL CM	2054,1401 litre	18,112 %	9287,0094 litre	O
400	CM	95	CM	44 LEVEL CM	1989,7680 litre	17,545 %	9351,3815 litre	O
400	CM	95	CM	43 LEVEL CM	1925,9050 litre	16,982 %	9415,2445 litre	O
400	CM	95	CM	42 LEVEL CM	1862,5652 litre	16,423 %	9478,5843 litre	O
400	CM	95	CM	41 LEVEL CM	1799,7633 litre	15,869 %	9541,3862 litre	O
400	CM	95	CM	40 LEVEL CM	1737,5141 litre	15,320 %	9603,6354 litre	O
400	CM	95	CM	39 LEVEL CM	1675,8330 litre	14,777 %	9665,3165 litre	O
400	CM	95	CM	38 LEVEL CM	1614,7357 litre	14,238 %	9726,4138 litre	O
400	CM	95	CM	37 LEVEL CM	1554,2385 litre	13,704 %	9786,9110 litre	O
400	CM	95	CM	36 LEVEL CM	1494,3580 litre	13,176 %	9846,7915 litre	O
400	CM	95	CM	35 LEVEL CM	1435,1115 litre	12,654 %	9906,0380 litre	O
400	CM	95	CM	34 LEVEL CM	1376,5167 litre	12,137 %	9964,6328 litre	O
400	CM	95	CM	33 LEVEL CM	1318,5920 litre	11,627 %	10022,5575 litre	O

400	CM	95	CM	32 LEVEL CM	1261,3565 litre	11,122 %	10079,7930 litre	O
400	CM	95	CM	31 LEVEL CM	1204,8298 litre	10,624 %	10136,3197 litre	O
400	CM	95	CM	30 LEVEL CM	1149,0325 litre	10,132 %	10192,1170 litre	O
400	CM	95	CM	29 LEVEL CM	1093,9858 litre	9,646 %	10247,1637 litre	O
400	CM	95	CM	28 LEVEL CM	1039,7119 litre	9,168 %	10301,4376 litre	O
400	CM	95	CM	27 LEVEL CM	986,2339 litre	8,696 %	10354,9156 litre	O
400	CM	95	CM	26 LEVEL CM	933,5761 litre	8,232 %	10407,5734 litre	O
400	CM	95	CM	25 LEVEL CM	881,7637 litre	7,775 %	10459,3858 litre	O
400	CM	95	CM	24 LEVEL CM	830,8233 litre	7,326 %	10510,3262 litre	O
400	CM	95	CM	23 LEVEL CM	780,7830 litre	6,885 %	10560,3665 litre	O
400	CM	95	CM	22 LEVEL CM	731,6721 litre	6,451 %	10609,4774 litre	O
400	CM	95	CM	21 LEVEL CM	683,5221 litre	6,027 %	10657,6274 litre	O
400	CM	95	CM	20 LEVEL CM	636,3659 litre	5,611 %	10704,7836 litre	O
400	CM	95	CM	19 LEVEL CM	590,2390 litre	5,204 %	10750,9105 litre	O
400	CM	95	CM	18 LEVEL CM	545,1790 litre	4,807 %	10795,9705 litre	O
400	CM	95	CM	17 LEVEL CM	501,2262 litre	4,420 %	10839,9233 litre	O
400	CM	95	CM	16 LEVEL CM	458,4245 litre	4,042 %	10882,7250 litre	O
400	CM	95	CM	15 LEVEL CM	416,8208 litre	3,675 %	10924,3287 litre	O
400	CM	95	CM	14 LEVEL CM	376,4668 litre	3,319 %	10964,6827 litre	O
400	CM	95	CM	13 LEVEL CM	337,4186 litre	2,975 %	11003,7309 litre	O
400	CM	95	CM	12 LEVEL CM	299,7386 litre	2,643 %	11041,4109 litre	O
400	CM	95	CM	11 LEVEL CM	263,4960 litre	2,323 %	11077,6535 litre	O
400	CM	95	CM	10 LEVEL CM	228,7687 litre	2,017 %	11112,3808 litre	O
400	CM	95	CM	9 LEVEL CM	195,6453 litre	1,725 %	11145,5042 litre	O
400	CM	95	CM	8 LEVEL CM	164,2280 litre	1,448 %	11176,9215 litre	O
400	CM	95	CM	7 LEVEL CM	134,6367 litre	1,187 %	11206,5128 litre	O
400	CM	95	CM	6 LEVEL CM	107,0150 litre	0,944 %	11234,1345 litre	O
400	CM	95	CM	5 LEVEL CM	81,5402 litre	0,719 %	11259,6093 litre	O
400	CM	95	CM	4 LEVEL CM	58,4391 litre	0,515 %	11282,7104 litre	O
400	CM	95	CM	3 LEVEL CM	38,0180 litre	0,335 %	11303,1315 litre	O
400	CM	95	CM	2 LEVEL CM	20,7274 litre	0,183 %	11320,4221 litre	O
400	CM	95	CM	1 LEVEL CM	7,3399 litre	0,065 %	11333,8096 litre	O
400	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	11341,1495 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
400	CM	90	CM	180 LEVEL CM	10178,7602 litre	100,000 %	0,0000 litre	O
400	CM	90	CM	179 LEVEL CM	10171,6167 litre	99,930 %	7,1435 litre	O
400	CM	90	CM	178 LEVEL CM	10158,5892 litre	99,802 %	20,1710 litre	O
400	CM	90	CM	177 LEVEL CM	10141,7660 litre	99,637 %	36,9942 litre	O
400	CM	90	CM	176 LEVEL CM	10121,9000 litre	99,441 %	56,8602 litre	O
400	CM	90	CM	175 LEVEL CM	10099,4302 litre	99,221 %	79,3300 litre	O
400	CM	90	CM	174 LEVEL CM	10074,6554 litre	98,977 %	104,1048 litre	O
400	CM	90	CM	173 LEVEL CM	10047,7970 litre	98,713 %	130,9632 litre	O
400	CM	90	CM	172 LEVEL CM	10019,0278 litre	98,431 %	159,7324 litre	O
400	CM	90	CM	171 LEVEL CM	9988,4883 litre	98,131 %	190,2719 litre	O
400	CM	90	CM	170 LEVEL CM	9956,2955 litre	97,814 %	222,4647 litre	O
400	CM	90	CM	169 LEVEL CM	9922,5494 litre	97,483 %	256,2108 litre	O
400	CM	90	CM	168 LEVEL CM	9887,3367 litre	97,137 %	291,4235 litre	O
400	CM	90	CM	167 LEVEL CM	9850,7335 litre	96,777 %	328,0267 litre	O
400	CM	90	CM	166 LEVEL CM	9812,8077 litre	96,405 %	365,9525 litre	O
400	CM	90	CM	165 LEVEL CM	9773,6202 litre	96,020 %	405,1400 litre	O
400	CM	90	CM	164 LEVEL CM	9733,2263 litre	95,623 %	445,5339 litre	O
400	CM	90	CM	163 LEVEL CM	9691,6763 litre	95,215 %	487,0839 litre	O
400	CM	90	CM	162 LEVEL CM	9649,0166 litre	94,796 %	529,7436 litre	O
400	CM	90	CM	161 LEVEL CM	9605,2900 litre	94,366 %	573,4702 litre	O
400	CM	90	CM	160 LEVEL CM	9560,5362 litre	93,926 %	618,2240 litre	O
400	CM	90	CM	159 LEVEL CM	9514,7923 litre	93,477 %	663,9679 litre	O
400	CM	90	CM	158 LEVEL CM	9468,0929 litre	93,018 %	710,6673 litre	O
400	CM	90	CM	157 LEVEL CM	9420,4706 litre	92,550 %	758,2896 litre	O
400	CM	90	CM	156 LEVEL CM	9371,9563 litre	92,074 %	806,8039 litre	O
400	CM	90	CM	155 LEVEL CM	9322,5789 litre	91,589 %	856,1813 litre	O
400	CM	90	CM	154 LEVEL CM	9272,3660 litre	91,095 %	906,3942 litre	O
400	CM	90	CM	153 LEVEL CM	9221,3440 litre	90,594 %	957,4162 litre	O
400	CM	90	CM	152 LEVEL CM	9169,5376 litre	90,085 %	1009,2226 litre	O
400	CM	90	CM	151 LEVEL CM	9116,9709 litre	89,569 %	1061,7893 litre	O
400	CM	90	CM	150 LEVEL CM	9063,6666 litre	89,045 %	1115,0936 litre	O
400	CM	90	CM	149 LEVEL CM	9009,6468 litre	88,514 %	1169,1134 litre	O
400	CM	90	CM	148 LEVEL CM	8954,9324 litre	87,977 %	1223,8278 litre	O
400	CM	90	CM	147 LEVEL CM	8899,5437 litre	87,432 %	1279,2165 litre	O
400	CM	90	CM	146 LEVEL CM	8843,5002 litre	86,882 %	1335,2600 litre	O
400	CM	90	CM	145 LEVEL CM	8786,8208 litre	86,325 %	1391,9394 litre	O
400	CM	90	CM	144 LEVEL CM	8729,5237 litre	85,762 %	1449,2365 litre	O
400	CM	90	CM	143 LEVEL CM	8671,6266 litre	85,193 %	1507,1336 litre	O
400	CM	90	CM	142 LEVEL CM	8613,1465 litre	84,619 %	1565,6137 litre	O
400	CM	90	CM	141 LEVEL CM	8554,1001 litre	84,039 %	1624,6601 litre	O
400	CM	90	CM	140 LEVEL CM	8494,5034 litre	83,453 %	1684,2568 litre	O
400	CM	90	CM	139 LEVEL CM	8434,3722 litre	82,862 %	1744,3880 litre	O
400	CM	90	CM	138 LEVEL CM	8373,7217 litre	82,267 %	1805,0385 litre	O
400	CM	90	CM	137 LEVEL CM	8312,5667 litre	81,666 %	1866,1935 litre	O
400	CM	90	CM	136 LEVEL CM	8250,9219 litre	81,060 %	1927,8383 litre	O
400	CM	90	CM	135 LEVEL CM	8188,8013 litre	80,450 %	1989,9589 litre	O
400	CM	90	CM	134 LEVEL CM	8126,2188 litre	79,835 %	2052,5414 litre	O
400	CM	90	CM	133 LEVEL CM	8063,1879 litre	79,216 %	2115,5723 litre	O
400	CM	90	CM	132 LEVEL CM	7999,7219 litre	78,592 %	2179,0383 litre	O
400	CM	90	CM	131 LEVEL CM	7935,8338 litre	77,965 %	2242,9264 litre	O
400	CM	90	CM	130 LEVEL CM	7871,5363 litre	77,333 %	2307,2239 litre	O
400	CM	90	CM	129 LEVEL CM	7806,8418 litre	76,697 %	2371,9184 litre	O

400	CM	90	CM	128 LEVEL CM	7741,7627 litre	76,058 %	2436,9975 litre	O
400	CM	90	CM	127 LEVEL CM	7676,3109 litre	75,415 %	2502,4493 litre	O
400	CM	90	CM	126 LEVEL CM	7610,4983 litre	74,768 %	2568,2619 litre	O
400	CM	90	CM	125 LEVEL CM	7544,3366 litre	74,118 %	2634,4236 litre	O
400	CM	90	CM	124 LEVEL CM	7477,8371 litre	73,465 %	2700,9231 litre	O
400	CM	90	CM	123 LEVEL CM	7411,0112 litre	72,809 %	2767,7490 litre	O
400	CM	90	CM	122 LEVEL CM	7343,8700 litre	72,149 %	2834,8902 litre	O
400	CM	90	CM	121 LEVEL CM	7276,4245 litre	71,486 %	2902,3357 litre	O
400	CM	90	CM	120 LEVEL CM	7208,6855 litre	70,821 %	2970,0747 litre	O
400	CM	90	CM	119 LEVEL CM	7140,6635 litre	70,153 %	3038,0967 litre	O
400	CM	90	CM	118 LEVEL CM	7072,3693 litre	69,482 %	3106,3909 litre	O
400	CM	90	CM	117 LEVEL CM	7003,8132 litre	68,808 %	3174,9470 litre	O
400	CM	90	CM	116 LEVEL CM	6935,0055 litre	68,132 %	3243,7547 litre	O
400	CM	90	CM	115 LEVEL CM	6865,9564 litre	67,454 %	3312,8038 litre	O
400	CM	90	CM	114 LEVEL CM	6796,6759 litre	66,773 %	3382,0843 litre	O
400	CM	90	CM	113 LEVEL CM	6727,1741 litre	66,090 %	3451,5861 litre	O
400	CM	90	CM	112 LEVEL CM	6657,4608 litre	65,405 %	3521,2994 litre	O
400	CM	90	CM	111 LEVEL CM	6587,5458 litre	64,719 %	3591,2144 litre	O
400	CM	90	CM	110 LEVEL CM	6517,4389 litre	64,030 %	3661,3213 litre	O
400	CM	90	CM	109 LEVEL CM	6447,1496 litre	63,339 %	3731,6106 litre	O
400	CM	90	CM	108 LEVEL CM	6376,6875 litre	62,647 %	3802,0727 litre	O
400	CM	90	CM	107 LEVEL CM	6306,0621 litre	61,953 %	3872,6981 litre	O
400	CM	90	CM	106 LEVEL CM	6235,2829 litre	61,258 %	3943,4773 litre	O
400	CM	90	CM	105 LEVEL CM	6164,3591 litre	60,561 %	4014,4011 litre	O
400	CM	90	CM	104 LEVEL CM	6093,3000 litre	59,863 %	4085,4602 litre	O
400	CM	90	CM	103 LEVEL CM	6022,1150 litre	59,164 %	4156,6452 litre	O
400	CM	90	CM	102 LEVEL CM	5950,8132 litre	58,463 %	4227,9470 litre	O
400	CM	90	CM	101 LEVEL CM	5879,4038 litre	57,761 %	4299,3564 litre	O
400	CM	90	CM	100 LEVEL CM	5807,8959 litre	57,059 %	4370,8643 litre	O
400	CM	90	CM	99 LEVEL CM	5736,2985 litre	56,356 %	4442,4617 litre	O
400	CM	90	CM	98 LEVEL CM	5664,6207 litre	55,651 %	4514,1395 litre	O
400	CM	90	CM	97 LEVEL CM	5592,8715 litre	54,946 %	4585,8887 litre	O
400	CM	90	CM	96 LEVEL CM	5521,0599 litre	54,241 %	4657,7003 litre	O
400	CM	90	CM	95 LEVEL CM	5449,1948 litre	53,535 %	4729,5654 litre	O
400	CM	90	CM	94 LEVEL CM	5377,2853 litre	52,828 %	4801,4749 litre	O
400	CM	90	CM	93 LEVEL CM	5305,3401 litre	52,122 %	4873,4201 litre	O
400	CM	90	CM	92 LEVEL CM	5233,3682 litre	51,415 %	4945,3920 litre	O
400	CM	90	CM	91 LEVEL CM	5161,3786 litre	50,707 %	5017,3816 litre	O
400	CM	90	CM	90 LEVEL CM	5089,3801 litre	50,000 %	5089,3801 litre	O
400	CM	90	CM	89 LEVEL CM	5017,3816 litre	49,293 %	5161,3786 litre	O
400	CM	90	CM	88 LEVEL CM	4945,3920 litre	48,585 %	5233,3682 litre	O
400	CM	90	CM	87 LEVEL CM	4873,4201 litre	47,878 %	5305,3401 litre	O
400	CM	90	CM	86 LEVEL CM	4801,4749 litre	47,172 %	5377,2853 litre	O
400	CM	90	CM	85 LEVEL CM	4729,5654 litre	46,465 %	5449,1948 litre	O
400	CM	90	CM	84 LEVEL CM	4657,7003 litre	45,759 %	5521,0599 litre	O
400	CM	90	CM	83 LEVEL CM	4585,8887 litre	45,054 %	5592,8715 litre	O
400	CM	90	CM	82 LEVEL CM	4514,1395 litre	44,349 %	5664,6207 litre	O
400	CM	90	CM	81 LEVEL CM	4442,4617 litre	43,644 %	5736,2985 litre	O
400	CM	90	CM	80 LEVEL CM	4370,8643 litre	42,941 %	5807,8959 litre	O
400	CM	90	CM	79 LEVEL CM	4299,3564 litre	42,239 %	5879,4038 litre	O
400	CM	90	CM	78 LEVEL CM	4227,9470 litre	41,537 %	5950,8132 litre	O
400	CM	90	CM	77 LEVEL CM	4156,6452 litre	40,836 %	6022,1150 litre	O
400	CM	90	CM	76 LEVEL CM	4085,4602 litre	40,137 %	6093,3000 litre	O

400	CM	90	CM	75 LEVEL CM	4014,4011 litre	39,439 %	6164,3591 litre	O
400	CM	90	CM	74 LEVEL CM	3943,4773 litre	38,742 %	6235,2829 litre	O
400	CM	90	CM	73 LEVEL CM	3872,6981 litre	38,047 %	6306,0621 litre	O
400	CM	90	CM	72 LEVEL CM	3802,0727 litre	37,353 %	6376,6875 litre	O
400	CM	90	CM	71 LEVEL CM	3731,6106 litre	36,661 %	6447,1496 litre	O
400	CM	90	CM	70 LEVEL CM	3661,3213 litre	35,970 %	6517,4389 litre	O
400	CM	90	CM	69 LEVEL CM	3591,2144 litre	35,281 %	6587,5458 litre	O
400	CM	90	CM	68 LEVEL CM	3521,2994 litre	34,595 %	6657,4608 litre	O
400	CM	90	CM	67 LEVEL CM	3451,5861 litre	33,910 %	6727,1741 litre	O
400	CM	90	CM	66 LEVEL CM	3382,0843 litre	33,227 %	6796,6759 litre	O
400	CM	90	CM	65 LEVEL CM	3312,8038 litre	32,546 %	6865,9564 litre	O
400	CM	90	CM	64 LEVEL CM	3243,7547 litre	31,868 %	6935,0055 litre	O
400	CM	90	CM	63 LEVEL CM	3174,9470 litre	31,192 %	7003,8132 litre	O
400	CM	90	CM	62 LEVEL CM	3106,3909 litre	30,518 %	7072,3693 litre	O
400	CM	90	CM	61 LEVEL CM	3038,0967 litre	29,847 %	7140,6635 litre	O
400	CM	90	CM	60 LEVEL CM	2970,0747 litre	29,179 %	7208,6855 litre	O
400	CM	90	CM	59 LEVEL CM	2902,3357 litre	28,514 %	7276,4245 litre	O
400	CM	90	CM	58 LEVEL CM	2834,8902 litre	27,851 %	7343,8700 litre	O
400	CM	90	CM	57 LEVEL CM	2767,7490 litre	27,191 %	7411,0112 litre	O
400	CM	90	CM	56 LEVEL CM	2700,9231 litre	26,535 %	7477,8371 litre	O
400	CM	90	CM	55 LEVEL CM	2634,4236 litre	25,882 %	7544,3366 litre	O
400	CM	90	CM	54 LEVEL CM	2568,2619 litre	25,232 %	7610,4983 litre	O
400	CM	90	CM	53 LEVEL CM	2502,4493 litre	24,585 %	7676,3109 litre	O
400	CM	90	CM	52 LEVEL CM	2436,9975 litre	23,942 %	7741,7627 litre	O
400	CM	90	CM	51 LEVEL CM	2371,9184 litre	23,303 %	7806,8418 litre	O
400	CM	90	CM	50 LEVEL CM	2307,2239 litre	22,667 %	7871,5363 litre	O
400	CM	90	CM	49 LEVEL CM	2242,9264 litre	22,035 %	7935,8338 litre	O
400	CM	90	CM	48 LEVEL CM	2179,0383 litre	21,408 %	7999,7219 litre	O
400	CM	90	CM	47 LEVEL CM	2115,5723 litre	20,784 %	8063,1879 litre	O
400	CM	90	CM	46 LEVEL CM	2052,5414 litre	20,165 %	8126,2188 litre	O
400	CM	90	CM	45 LEVEL CM	1989,9589 litre	19,550 %	8188,8013 litre	O
400	CM	90	CM	44 LEVEL CM	1927,8383 litre	18,940 %	8250,9219 litre	O
400	CM	90	CM	43 LEVEL CM	1866,1935 litre	18,334 %	8312,5667 litre	O
400	CM	90	CM	42 LEVEL CM	1805,0385 litre	17,733 %	8373,7217 litre	O
400	CM	90	CM	41 LEVEL CM	1744,3880 litre	17,138 %	8434,3722 litre	O
400	CM	90	CM	40 LEVEL CM	1684,2568 litre	16,547 %	8494,5034 litre	O
400	CM	90	CM	39 LEVEL CM	1624,6601 litre	15,961 %	8554,1001 litre	O
400	CM	90	CM	38 LEVEL CM	1565,6137 litre	15,381 %	8613,1465 litre	O
400	CM	90	CM	37 LEVEL CM	1507,1336 litre	14,807 %	8671,6266 litre	O
400	CM	90	CM	36 LEVEL CM	1449,2365 litre	14,238 %	8729,5237 litre	O
400	CM	90	CM	35 LEVEL CM	1391,9394 litre	13,675 %	8786,8208 litre	O
400	CM	90	CM	34 LEVEL CM	1335,2600 litre	13,118 %	8843,5002 litre	O
400	CM	90	CM	33 LEVEL CM	1279,2165 litre	12,568 %	8899,5437 litre	O
400	CM	90	CM	32 LEVEL CM	1223,8278 litre	12,023 %	8954,9324 litre	O
400	CM	90	CM	31 LEVEL CM	1169,1134 litre	11,486 %	9009,6468 litre	O
400	CM	90	CM	30 LEVEL CM	1115,0935 litre	10,955 %	9063,6667 litre	O
400	CM	90	CM	29 LEVEL CM	1061,7893 litre	10,431 %	9116,9709 litre	O
400	CM	90	CM	28 LEVEL CM	1009,2226 litre	9,915 %	9169,5376 litre	O
400	CM	90	CM	27 LEVEL CM	957,4162 litre	9,406 %	9221,3440 litre	O
400	CM	90	CM	26 LEVEL CM	906,3942 litre	8,905 %	9272,3660 litre	O
400	CM	90	CM	25 LEVEL CM	856,1813 litre	8,411 %	9322,5789 litre	O
400	CM	90	CM	24 LEVEL CM	806,8039 litre	7,926 %	9371,9563 litre	O
400	CM	90	CM	23 LEVEL CM	758,2896 litre	7,450 %	9420,4706 litre	O

400	CM	90	CM	22 LEVEL CM	710,6673 litre	6,982 %	9468,0929 litre	O
400	CM	90	CM	21 LEVEL CM	663,9679 litre	6,523 %	9514,7923 litre	O
400	CM	90	CM	20 LEVEL CM	618,2240 litre	6,074 %	9560,5362 litre	O
400	CM	90	CM	19 LEVEL CM	573,4702 litre	5,634 %	9605,2900 litre	O
400	CM	90	CM	18 LEVEL CM	529,7436 litre	5,204 %	9649,0166 litre	O
400	CM	90	CM	17 LEVEL CM	487,0839 litre	4,785 %	9691,6763 litre	O
400	CM	90	CM	16 LEVEL CM	445,5339 litre	4,377 %	9733,2263 litre	O
400	CM	90	CM	15 LEVEL CM	405,1400 litre	3,980 %	9773,6202 litre	O
400	CM	90	CM	14 LEVEL CM	365,9525 litre	3,595 %	9812,8077 litre	O
400	CM	90	CM	13 LEVEL CM	328,0267 litre	3,223 %	9850,7335 litre	O
400	CM	90	CM	12 LEVEL CM	291,4235 litre	2,863 %	9887,3367 litre	O
400	CM	90	CM	11 LEVEL CM	256,2108 litre	2,517 %	9922,5494 litre	O
400	CM	90	CM	10 LEVEL CM	222,4647 litre	2,186 %	9956,2955 litre	O
400	CM	90	CM	9 LEVEL CM	190,2719 litre	1,869 %	9988,4883 litre	O
400	CM	90	CM	8 LEVEL CM	159,7324 litre	1,569 %	10019,0278 litre	O
400	CM	90	CM	7 LEVEL CM	130,9632 litre	1,287 %	10047,7970 litre	O
400	CM	90	CM	6 LEVEL CM	104,1048 litre	1,023 %	10074,6554 litre	O
400	CM	90	CM	5 LEVEL CM	79,3300 litre	0,779 %	10099,4302 litre	O
400	CM	90	CM	4 LEVEL CM	56,8602 litre	0,559 %	10121,9000 litre	O
400	CM	90	CM	3 LEVEL CM	36,9942 litre	0,363 %	10141,7660 litre	O
400	CM	90	CM	2 LEVEL CM	20,1710 litre	0,198 %	10158,5892 litre	O
400	CM	90	CM	1 LEVEL CM	7,1435 litre	0,070 %	10171,6167 litre	O
400	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	10178,7602 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 85	CM 170 LEVEL CM	9079,2028 litre	100,000 %	0,0000 litre	O
400	CM 85	CM 169 LEVEL CM	9072,2612 litre	99,924 %	6,9416 litre	O
400	CM 85	CM 168 LEVEL CM	9059,6040 litre	99,784 %	19,5988 litre	O
400	CM 85	CM 167 LEVEL CM	9043,2616 litre	99,604 %	35,9412 litre	O
400	CM 85	CM 166 LEVEL CM	9023,9666 litre	99,392 %	55,2362 litre	O
400	CM 85	CM 165 LEVEL CM	9002,1464 litre	99,151 %	77,0564 litre	O
400	CM 85	CM 164 LEVEL CM	8978,0920 litre	98,886 %	101,1108 litre	O
400	CM 85	CM 163 LEVEL CM	8952,0191 litre	98,599 %	127,1837 litre	O
400	CM 85	CM 162 LEVEL CM	8924,0963 litre	98,292 %	155,1065 litre	O
400	CM 85	CM 161 LEVEL CM	8894,4605 litre	97,965 %	184,7423 litre	O
400	CM 85	CM 160 LEVEL CM	8863,2261 litre	97,621 %	215,9767 litre	O
400	CM 85	CM 159 LEVEL CM	8830,4906 litre	97,261 %	248,7122 litre	O
400	CM 85	CM 158 LEVEL CM	8796,3388 litre	96,884 %	282,8640 litre	O
400	CM 85	CM 157 LEVEL CM	8760,8451 litre	96,494 %	318,3577 litre	O
400	CM 85	CM 156 LEVEL CM	8724,0758 litre	96,089 %	355,1270 litre	O
400	CM 85	CM 155 LEVEL CM	8686,0907 litre	95,670 %	393,1121 litre	O
400	CM 85	CM 154 LEVEL CM	8646,9438 litre	95,239 %	432,2590 litre	O
400	CM 85	CM 153 LEVEL CM	8606,6846 litre	94,796 %	472,5182 litre	O
400	CM 85	CM 152 LEVEL CM	8565,3584 litre	94,340 %	513,8444 litre	O
400	CM 85	CM 151 LEVEL CM	8523,0072 litre	93,874 %	556,1956 litre	O
400	CM 85	CM 150 LEVEL CM	8479,6700 litre	93,397 %	599,5328 litre	O
400	CM 85	CM 149 LEVEL CM	8435,3833 litre	92,909 %	643,8195 litre	O
400	CM 85	CM 148 LEVEL CM	8390,1811 litre	92,411 %	689,0217 litre	O
400	CM 85	CM 147 LEVEL CM	8344,0955 litre	91,903 %	735,1073 litre	O
400	CM 85	CM 146 LEVEL CM	8297,1567 litre	91,386 %	782,0461 litre	O
400	CM 85	CM 145 LEVEL CM	8249,3934 litre	90,860 %	829,8094 litre	O
400	CM 85	CM 144 LEVEL CM	8200,8328 litre	90,325 %	878,3700 litre	O
400	CM 85	CM 143 LEVEL CM	8151,5007 litre	89,782 %	927,7021 litre	O
400	CM 85	CM 142 LEVEL CM	8101,4217 litre	89,231 %	977,7811 litre	O
400	CM 85	CM 141 LEVEL CM	8050,6195 litre	88,671 %	1028,5833 litre	O
400	CM 85	CM 140 LEVEL CM	7999,1166 litre	88,104 %	1080,0862 litre	O
400	CM 85	CM 139 LEVEL CM	7946,9347 litre	87,529 %	1132,2681 litre	O
400	CM 85	CM 138 LEVEL CM	7894,0947 litre	86,947 %	1185,1081 litre	O
400	CM 85	CM 137 LEVEL CM	7840,6165 litre	86,358 %	1238,5863 litre	O
400	CM 85	CM 136 LEVEL CM	7786,5196 litre	85,762 %	1292,6832 litre	O
400	CM 85	CM 135 LEVEL CM	7731,8226 litre	85,160 %	1347,3802 litre	O
400	CM 85	CM 134 LEVEL CM	7676,5437 litre	84,551 %	1402,6591 litre	O
400	CM 85	CM 133 LEVEL CM	7620,7003 litre	83,936 %	1458,5025 litre	O
400	CM 85	CM 132 LEVEL CM	7564,3095 litre	83,315 %	1514,8933 litre	O
400	CM 85	CM 131 LEVEL CM	7507,3878 litre	82,688 %	1571,8150 litre	O
400	CM 85	CM 130 LEVEL CM	7449,9512 litre	82,055 %	1629,2516 litre	O
400	CM 85	CM 129 LEVEL CM	7392,0153 litre	81,417 %	1687,1875 litre	O
400	CM 85	CM 128 LEVEL CM	7333,5954 litre	80,774 %	1745,6074 litre	O
400	CM 85	CM 127 LEVEL CM	7274,7063 litre	80,125 %	1804,4965 litre	O
400	CM 85	CM 126 LEVEL CM	7215,3624 litre	79,471 %	1863,8404 litre	O
400	CM 85	CM 125 LEVEL CM	7155,5781 litre	78,813 %	1923,6247 litre	O
400	CM 85	CM 124 LEVEL CM	7095,3670 litre	78,150 %	1983,8358 litre	O
400	CM 85	CM 123 LEVEL CM	7034,7428 litre	77,482 %	2044,4600 litre	O
400	CM 85	CM 122 LEVEL CM	6973,7188 litre	76,810 %	2105,4840 litre	O
400	CM 85	CM 121 LEVEL CM	6912,3079 litre	76,133 %	2166,8949 litre	O
400	CM 85	CM 120 LEVEL CM	6850,5230 litre	75,453 %	2228,6798 litre	O
400	CM 85	CM 119 LEVEL CM	6788,3766 litre	74,768 %	2290,8262 litre	O

400	CM	85	CM	118 LEVEL CM	6725,8810 litre	74,080 %	2353,3218 litre	O
400	CM	85	CM	117 LEVEL CM	6663,0484 litre	73,388 %	2416,1544 litre	O
400	CM	85	CM	116 LEVEL CM	6599,8907 litre	72,692 %	2479,3121 litre	O
400	CM	85	CM	115 LEVEL CM	6536,4196 litre	71,993 %	2542,7832 litre	O
400	CM	85	CM	114 LEVEL CM	6472,6467 litre	71,291 %	2606,5561 litre	O
400	CM	85	CM	113 LEVEL CM	6408,5834 litre	70,585 %	2670,6194 litre	O
400	CM	85	CM	112 LEVEL CM	6344,2411 litre	69,877 %	2734,9617 litre	O
400	CM	85	CM	111 LEVEL CM	6279,6307 litre	69,165 %	2799,5721 litre	O
400	CM	85	CM	110 LEVEL CM	6214,7633 litre	68,451 %	2864,4395 litre	O
400	CM	85	CM	109 LEVEL CM	6149,6497 litre	67,733 %	2929,5531 litre	O
400	CM	85	CM	108 LEVEL CM	6084,3006 litre	67,014 %	2994,9022 litre	O
400	CM	85	CM	107 LEVEL CM	6018,7267 litre	66,291 %	3060,4761 litre	O
400	CM	85	CM	106 LEVEL CM	5952,9383 litre	65,567 %	3126,2645 litre	O
400	CM	85	CM	105 LEVEL CM	5886,9460 litre	64,840 %	3192,2568 litre	O
400	CM	85	CM	104 LEVEL CM	5820,7601 litre	64,111 %	3258,4427 litre	O
400	CM	85	CM	103 LEVEL CM	5754,3906 litre	63,380 %	3324,8122 litre	O
400	CM	85	CM	102 LEVEL CM	5687,8478 litre	62,647 %	3391,3550 litre	O
400	CM	85	CM	101 LEVEL CM	5621,1417 litre	61,912 %	3458,0611 litre	O
400	CM	85	CM	100 LEVEL CM	5554,2823 litre	61,176 %	3524,9205 litre	O
400	CM	85	CM	99 LEVEL CM	5487,2794 litre	60,438 %	3591,9234 litre	O
400	CM	85	CM	98 LEVEL CM	5420,1429 litre	59,698 %	3659,0599 litre	O
400	CM	85	CM	97 LEVEL CM	5352,8826 litre	58,958 %	3726,3202 litre	O
400	CM	85	CM	96 LEVEL CM	5285,5083 litre	58,216 %	3793,6945 litre	O
400	CM	85	CM	95 LEVEL CM	5218,0295 litre	57,472 %	3861,1733 litre	O
400	CM	85	CM	94 LEVEL CM	5150,4559 litre	56,728 %	3928,7469 litre	O
400	CM	85	CM	93 LEVEL CM	5082,7972 litre	55,983 %	3996,4056 litre	O
400	CM	85	CM	92 LEVEL CM	5015,0628 litre	55,237 %	4064,1400 litre	O
400	CM	85	CM	91 LEVEL CM	4947,2623 litre	54,490 %	4131,9405 litre	O
400	CM	85	CM	90 LEVEL CM	4879,4052 litre	53,743 %	4199,7976 litre	O
400	CM	85	CM	89 LEVEL CM	4811,5010 litre	52,995 %	4267,7018 litre	O
400	CM	85	CM	88 LEVEL CM	4743,5590 litre	52,246 %	4335,6438 litre	O
400	CM	85	CM	87 LEVEL CM	4675,5888 litre	51,498 %	4403,6140 litre	O
400	CM	85	CM	86 LEVEL CM	4607,5998 litre	50,749 %	4471,6030 litre	O
400	CM	85	CM	85 LEVEL CM	4539,6014 litre	50,000 %	4539,6014 litre	O
400	CM	85	CM	84 LEVEL CM	4471,6030 litre	49,251 %	4607,5998 litre	O
400	CM	85	CM	83 LEVEL CM	4403,6139 litre	48,502 %	4675,5889 litre	O
400	CM	85	CM	82 LEVEL CM	4335,6437 litre	47,754 %	4743,5591 litre	O
400	CM	85	CM	81 LEVEL CM	4267,7018 litre	47,005 %	4811,5010 litre	O
400	CM	85	CM	80 LEVEL CM	4199,7976 litre	46,257 %	4879,4052 litre	O
400	CM	85	CM	79 LEVEL CM	4131,9405 litre	45,510 %	4947,2623 litre	O
400	CM	85	CM	78 LEVEL CM	4064,1400 litre	44,763 %	5015,0628 litre	O
400	CM	85	CM	77 LEVEL CM	3996,4056 litre	44,017 %	5082,7972 litre	O
400	CM	85	CM	76 LEVEL CM	3928,7468 litre	43,272 %	5150,4560 litre	O
400	CM	85	CM	75 LEVEL CM	3861,1733 litre	42,528 %	5218,0295 litre	O
400	CM	85	CM	74 LEVEL CM	3793,6945 litre	41,784 %	5285,5083 litre	O
400	CM	85	CM	73 LEVEL CM	3726,3201 litre	41,042 %	5352,8827 litre	O
400	CM	85	CM	72 LEVEL CM	3659,0599 litre	40,302 %	5420,1429 litre	O
400	CM	85	CM	71 LEVEL CM	3591,9234 litre	39,562 %	5487,2794 litre	O
400	CM	85	CM	70 LEVEL CM	3524,9205 litre	38,824 %	5554,2823 litre	O
400	CM	85	CM	69 LEVEL CM	3458,0611 litre	38,088 %	5621,1417 litre	O
400	CM	85	CM	68 LEVEL CM	3391,3550 litre	37,353 %	5687,8478 litre	O
400	CM	85	CM	67 LEVEL CM	3324,8122 litre	36,620 %	5754,3906 litre	O
400	CM	85	CM	66 LEVEL CM	3258,4427 litre	35,889 %	5820,7601 litre	O

400	CM	85	CM	65 LEVEL CM	3192,2567 litre	35,160 %	5886,9461 litre	O
400	CM	85	CM	64 LEVEL CM	3126,2644 litre	34,433 %	5952,9384 litre	O
400	CM	85	CM	63 LEVEL CM	3060,4761 litre	33,709 %	6018,7267 litre	O
400	CM	85	CM	62 LEVEL CM	2994,9022 litre	32,986 %	6084,3006 litre	O
400	CM	85	CM	61 LEVEL CM	2929,5531 litre	32,267 %	6149,6497 litre	O
400	CM	85	CM	60 LEVEL CM	2864,4395 litre	31,549 %	6214,7633 litre	O
400	CM	85	CM	59 LEVEL CM	2799,5721 litre	30,835 %	6279,6307 litre	O
400	CM	85	CM	58 LEVEL CM	2734,9617 litre	30,123 %	6344,2411 litre	O
400	CM	85	CM	57 LEVEL CM	2670,6193 litre	29,415 %	6408,5835 litre	O
400	CM	85	CM	56 LEVEL CM	2606,5561 litre	28,709 %	6472,6467 litre	O
400	CM	85	CM	55 LEVEL CM	2542,7832 litre	28,007 %	6536,4196 litre	O
400	CM	85	CM	54 LEVEL CM	2479,3121 litre	27,308 %	6599,8907 litre	O
400	CM	85	CM	53 LEVEL CM	2416,1544 litre	26,612 %	6663,0484 litre	O
400	CM	85	CM	52 LEVEL CM	2353,3218 litre	25,920 %	6725,8810 litre	O
400	CM	85	CM	51 LEVEL CM	2290,8262 litre	25,232 %	6788,3766 litre	O
400	CM	85	CM	50 LEVEL CM	2228,6798 litre	24,547 %	6850,5230 litre	O
400	CM	85	CM	49 LEVEL CM	2166,8949 litre	23,867 %	6912,3079 litre	O
400	CM	85	CM	48 LEVEL CM	2105,4840 litre	23,190 %	6973,7188 litre	O
400	CM	85	CM	47 LEVEL CM	2044,4600 litre	22,518 %	7034,7428 litre	O
400	CM	85	CM	46 LEVEL CM	1983,8358 litre	21,850 %	7095,3670 litre	O
400	CM	85	CM	45 LEVEL CM	1923,6247 litre	21,187 %	7155,5781 litre	O
400	CM	85	CM	44 LEVEL CM	1863,8403 litre	20,529 %	7215,3625 litre	O
400	CM	85	CM	43 LEVEL CM	1804,4965 litre	19,875 %	7274,7063 litre	O
400	CM	85	CM	42 LEVEL CM	1745,6074 litre	19,226 %	7333,5954 litre	O
400	CM	85	CM	41 LEVEL CM	1687,1875 litre	18,583 %	7392,0153 litre	O
400	CM	85	CM	40 LEVEL CM	1629,2516 litre	17,945 %	7449,9512 litre	O
400	CM	85	CM	39 LEVEL CM	1571,8150 litre	17,312 %	7507,3878 litre	O
400	CM	85	CM	38 LEVEL CM	1514,8932 litre	16,685 %	7564,3096 litre	O
400	CM	85	CM	37 LEVEL CM	1458,5024 litre	16,064 %	7620,7004 litre	O
400	CM	85	CM	36 LEVEL CM	1402,6591 litre	15,449 %	7676,5437 litre	O
400	CM	85	CM	35 LEVEL CM	1347,3801 litre	14,840 %	7731,8227 litre	O
400	CM	85	CM	34 LEVEL CM	1292,6832 litre	14,238 %	7786,5196 litre	O
400	CM	85	CM	33 LEVEL CM	1238,5863 litre	13,642 %	7840,6165 litre	O
400	CM	85	CM	32 LEVEL CM	1185,1081 litre	13,053 %	7894,0947 litre	O
400	CM	85	CM	31 LEVEL CM	1132,2681 litre	12,471 %	7946,9347 litre	O
400	CM	85	CM	30 LEVEL CM	1080,0862 litre	11,896 %	7999,1166 litre	O
400	CM	85	CM	29 LEVEL CM	1028,5833 litre	11,329 %	8050,6195 litre	O
400	CM	85	CM	28 LEVEL CM	977,7811 litre	10,769 %	8101,4217 litre	O
400	CM	85	CM	27 LEVEL CM	927,7021 litre	10,218 %	8151,5007 litre	O
400	CM	85	CM	26 LEVEL CM	878,3700 litre	9,675 %	8200,8328 litre	O
400	CM	85	CM	25 LEVEL CM	829,8094 litre	9,140 %	8249,3934 litre	O
400	CM	85	CM	24 LEVEL CM	782,0461 litre	8,614 %	8297,1567 litre	O
400	CM	85	CM	23 LEVEL CM	735,1073 litre	8,097 %	8344,0955 litre	O
400	CM	85	CM	22 LEVEL CM	689,0217 litre	7,589 %	8390,1811 litre	O
400	CM	85	CM	21 LEVEL CM	643,8195 litre	7,091 %	8435,3833 litre	O
400	CM	85	CM	20 LEVEL CM	599,5327 litre	6,603 %	8479,6701 litre	O
400	CM	85	CM	19 LEVEL CM	556,1956 litre	6,126 %	8523,0072 litre	O
400	CM	85	CM	18 LEVEL CM	513,8444 litre	5,660 %	8565,3584 litre	O
400	CM	85	CM	17 LEVEL CM	472,5182 litre	5,204 %	8606,6846 litre	O
400	CM	85	CM	16 LEVEL CM	432,2589 litre	4,761 %	8646,9439 litre	O
400	CM	85	CM	15 LEVEL CM	393,1121 litre	4,330 %	8686,0907 litre	O
400	CM	85	CM	14 LEVEL CM	355,1269 litre	3,911 %	8724,0759 litre	O
400	CM	85	CM	13 LEVEL CM	318,3577 litre	3,506 %	8760,8451 litre	O

400	CM	85	CM	12 LEVEL CM	282,8640 litre	3,116 %	8796,3388 litre	O
400	CM	85	CM	11 LEVEL CM	248,7121 litre	2,739 %	8830,4907 litre	O
400	CM	85	CM	10 LEVEL CM	215,9767 litre	2,379 %	8863,2261 litre	O
400	CM	85	CM	9 LEVEL CM	184,7423 litre	2,035 %	8894,4605 litre	O
400	CM	85	CM	8 LEVEL CM	155,1065 litre	1,708 %	8924,0963 litre	O
400	CM	85	CM	7 LEVEL CM	127,1837 litre	1,401 %	8952,0191 litre	O
400	CM	85	CM	6 LEVEL CM	101,1108 litre	1,114 %	8978,0920 litre	O
400	CM	85	CM	5 LEVEL CM	77,0564 litre	0,849 %	9002,1464 litre	O
400	CM	85	CM	4 LEVEL CM	55,2362 litre	0,608 %	9023,9666 litre	O
400	CM	85	CM	3 LEVEL CM	35,9412 litre	0,396 %	9043,2616 litre	O
400	CM	85	CM	2 LEVEL CM	19,5988 litre	0,216 %	9059,6040 litre	O
400	CM	85	CM	1 LEVEL CM	6,9415 litre	0,076 %	9072,2613 litre	O
400	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	9079,2028 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 80	CM 160 LEVEL CM	8042,4772 litre	100,000 %	0,0000 litre	O
400	CM 80	CM 159 LEVEL CM	8035,7437 litre	99,916 %	6,7335 litre	O
400	CM 80	CM 158 LEVEL CM	8023,4678 litre	99,764 %	19,0094 litre	O
400	CM 80	CM 157 LEVEL CM	8007,6208 litre	99,567 %	34,8564 litre	O
400	CM 80	CM 156 LEVEL CM	7988,9143 litre	99,334 %	53,5629 litre	O
400	CM 80	CM 155 LEVEL CM	7967,7636 litre	99,071 %	74,7136 litre	O
400	CM 80	CM 154 LEVEL CM	7944,4518 litre	98,781 %	98,0254 litre	O
400	CM 80	CM 153 LEVEL CM	7919,1889 litre	98,467 %	123,2883 litre	O
400	CM 80	CM 152 LEVEL CM	7892,1389 litre	98,131 %	150,3383 litre	O
400	CM 80	CM 151 LEVEL CM	7863,4353 litre	97,774 %	179,0419 litre	O
400	CM 80	CM 150 LEVEL CM	7833,1896 litre	97,398 %	209,2876 litre	O
400	CM 80	CM 149 LEVEL CM	7801,4970 litre	97,004 %	240,9802 litre	O
400	CM 80	CM 148 LEVEL CM	7768,4401 litre	96,593 %	274,0371 litre	O
400	CM 80	CM 147 LEVEL CM	7734,0916 litre	96,166 %	308,3856 litre	O
400	CM 80	CM 146 LEVEL CM	7698,5165 litre	95,723 %	343,9607 litre	O
400	CM 80	CM 145 LEVEL CM	7661,7731 litre	95,266 %	380,7041 litre	O
400	CM 80	CM 144 LEVEL CM	7623,9144 litre	94,796 %	418,5628 litre	O
400	CM 80	CM 143 LEVEL CM	7584,9886 litre	94,312 %	457,4886 litre	O
400	CM 80	CM 142 LEVEL CM	7545,0403 litre	93,815 %	497,4369 litre	O
400	CM 80	CM 141 LEVEL CM	7504,1108 litre	93,306 %	538,3664 litre	O
400	CM 80	CM 140 LEVEL CM	7462,2381 litre	92,785 %	580,2391 litre	O
400	CM 80	CM 139 LEVEL CM	7419,4582 litre	92,253 %	623,0190 litre	O
400	CM 80	CM 138 LEVEL CM	7375,8045 litre	91,711 %	666,6727 litre	O
400	CM 80	CM 137 LEVEL CM	7331,3086 litre	91,157 %	711,1686 litre	O
400	CM 80	CM 136 LEVEL CM	7286,0002 litre	90,594 %	756,4770 litre	O
400	CM 80	CM 135 LEVEL CM	7239,9075 litre	90,021 %	802,5697 litre	O
400	CM 80	CM 134 LEVEL CM	7193,0573 litre	89,438 %	849,4199 litre	O
400	CM 80	CM 133 LEVEL CM	7145,4751 litre	88,847 %	897,0021 litre	O
400	CM 80	CM 132 LEVEL CM	7097,1853 litre	88,246 %	945,2919 litre	O
400	CM 80	CM 131 LEVEL CM	7048,2111 litre	87,637 %	994,2661 litre	O
400	CM 80	CM 130 LEVEL CM	6998,5749 litre	87,020 %	1043,9023 litre	O
400	CM 80	CM 129 LEVEL CM	6948,2982 litre	86,395 %	1094,1790 litre	O
400	CM 80	CM 128 LEVEL CM	6897,4014 litre	85,762 %	1145,0758 litre	O
400	CM 80	CM 127 LEVEL CM	6845,9047 litre	85,122 %	1196,5725 litre	O
400	CM 80	CM 126 LEVEL CM	6793,8270 litre	84,474 %	1248,6502 litre	O
400	CM 80	CM 125 LEVEL CM	6741,1871 litre	83,820 %	1301,2901 litre	O
400	CM 80	CM 124 LEVEL CM	6688,0029 litre	83,158 %	1354,4743 litre	O
400	CM 80	CM 123 LEVEL CM	6634,2918 litre	82,491 %	1408,1854 litre	O
400	CM 80	CM 122 LEVEL CM	6580,0707 litre	81,816 %	1462,4065 litre	O
400	CM 80	CM 121 LEVEL CM	6525,3561 litre	81,136 %	1517,1211 litre	O
400	CM 80	CM 120 LEVEL CM	6470,1640 litre	80,450 %	1572,3132 litre	O
400	CM 80	CM 119 LEVEL CM	6414,5100 litre	79,758 %	1627,9672 litre	O
400	CM 80	CM 118 LEVEL CM	6358,4092 litre	79,060 %	1684,0680 litre	O
400	CM 80	CM 117 LEVEL CM	6301,8767 litre	78,357 %	1740,6005 litre	O
400	CM 80	CM 116 LEVEL CM	6244,9268 litre	77,649 %	1797,5504 litre	O
400	CM 80	CM 115 LEVEL CM	6187,5737 litre	76,936 %	1854,9035 litre	O
400	CM 80	CM 114 LEVEL CM	6129,8314 litre	76,218 %	1912,6458 litre	O
400	CM 80	CM 113 LEVEL CM	6071,7134 litre	75,496 %	1970,7638 litre	O
400	CM 80	CM 112 LEVEL CM	6013,2332 litre	74,768 %	2029,2440 litre	O
400	CM 80	CM 111 LEVEL CM	5954,4038 litre	74,037 %	2088,0734 litre	O
400	CM 80	CM 110 LEVEL CM	5895,2382 litre	73,301 %	2147,2390 litre	O
400	CM 80	CM 109 LEVEL CM	5835,7488 litre	72,562 %	2206,7284 litre	O

400	CM	80	CM	108 LEVEL CM	5775,9484 litre	71,818 %	2266,5288 litre	O
400	CM	80	CM	107 LEVEL CM	5715,8489 litre	71,071 %	2326,6283 litre	O
400	CM	80	CM	106 LEVEL CM	5655,4627 litre	70,320 %	2387,0145 litre	O
400	CM	80	CM	105 LEVEL CM	5594,8015 litre	69,566 %	2447,6757 litre	O
400	CM	80	CM	104 LEVEL CM	5533,8771 litre	68,808 %	2508,6001 litre	O
400	CM	80	CM	103 LEVEL CM	5472,7011 litre	68,047 %	2569,7761 litre	O
400	CM	80	CM	102 LEVEL CM	5411,2850 litre	67,284 %	2631,1922 litre	O
400	CM	80	CM	101 LEVEL CM	5349,6400 litre	66,517 %	2692,8372 litre	O
400	CM	80	CM	100 LEVEL CM	5287,7774 litre	65,748 %	2754,6998 litre	O
400	CM	80	CM	99 LEVEL CM	5225,7082 litre	64,976 %	2816,7690 litre	O
400	CM	80	CM	98 LEVEL CM	5163,4434 litre	64,202 %	2879,0338 litre	O
400	CM	80	CM	97 LEVEL CM	5100,9939 litre	63,426 %	2941,4833 litre	O
400	CM	80	CM	96 LEVEL CM	5038,3704 litre	62,647 %	3004,1068 litre	O
400	CM	80	CM	95 LEVEL CM	4975,5836 litre	61,866 %	3066,8936 litre	O
400	CM	80	CM	94 LEVEL CM	4912,6440 litre	61,084 %	3129,8332 litre	O
400	CM	80	CM	93 LEVEL CM	4849,5623 litre	60,299 %	3192,9149 litre	O
400	CM	80	CM	92 LEVEL CM	4786,3488 litre	59,513 %	3256,1284 litre	O
400	CM	80	CM	91 LEVEL CM	4723,0139 litre	58,726 %	3319,4633 litre	O
400	CM	80	CM	90 LEVEL CM	4659,5680 litre	57,937 %	3382,9092 litre	O
400	CM	80	CM	89 LEVEL CM	4596,0213 litre	57,147 %	3446,4559 litre	O
400	CM	80	CM	88 LEVEL CM	4532,3840 litre	56,356 %	3510,0932 litre	O
400	CM	80	CM	87 LEVEL CM	4468,6663 litre	55,563 %	3573,8109 litre	O
400	CM	80	CM	86 LEVEL CM	4404,8783 litre	54,770 %	3637,5989 litre	O
400	CM	80	CM	85 LEVEL CM	4341,0301 litre	53,976 %	3701,4471 litre	O
400	CM	80	CM	84 LEVEL CM	4277,1319 litre	53,182 %	3765,3453 litre	O
400	CM	80	CM	83 LEVEL CM	4213,1936 litre	52,387 %	3829,2836 litre	O
400	CM	80	CM	82 LEVEL CM	4149,2253 litre	51,591 %	3893,2519 litre	O
400	CM	80	CM	81 LEVEL CM	4085,2369 litre	50,796 %	3957,2403 litre	O
400	CM	80	CM	80 LEVEL CM	4021,2386 litre	50,000 %	4021,2386 litre	O
400	CM	80	CM	79 LEVEL CM	3957,2403 litre	49,204 %	4085,2369 litre	O
400	CM	80	CM	78 LEVEL CM	3893,2519 litre	48,409 %	4149,2253 litre	O
400	CM	80	CM	77 LEVEL CM	3829,2836 litre	47,613 %	4213,1936 litre	O
400	CM	80	CM	76 LEVEL CM	3765,3453 litre	46,818 %	4277,1319 litre	O
400	CM	80	CM	75 LEVEL CM	3701,4471 litre	46,024 %	4341,0301 litre	O
400	CM	80	CM	74 LEVEL CM	3637,5989 litre	45,230 %	4404,8783 litre	O
400	CM	80	CM	73 LEVEL CM	3573,8109 litre	44,437 %	4468,6663 litre	O
400	CM	80	CM	72 LEVEL CM	3510,0932 litre	43,644 %	4532,3840 litre	O
400	CM	80	CM	71 LEVEL CM	3446,4559 litre	42,853 %	4596,0213 litre	O
400	CM	80	CM	70 LEVEL CM	3382,9092 litre	42,063 %	4659,5680 litre	O
400	CM	80	CM	69 LEVEL CM	3319,4633 litre	41,274 %	4723,0139 litre	O
400	CM	80	CM	68 LEVEL CM	3256,1284 litre	40,487 %	4786,3488 litre	O
400	CM	80	CM	67 LEVEL CM	3192,9149 litre	39,701 %	4849,5623 litre	O
400	CM	80	CM	66 LEVEL CM	3129,8332 litre	38,916 %	4912,6440 litre	O
400	CM	80	CM	65 LEVEL CM	3066,8936 litre	38,134 %	4975,5836 litre	O
400	CM	80	CM	64 LEVEL CM	3004,1068 litre	37,353 %	5038,3704 litre	O
400	CM	80	CM	63 LEVEL CM	2941,4833 litre	36,574 %	5100,9939 litre	O
400	CM	80	CM	62 LEVEL CM	2879,0338 litre	35,798 %	5163,4434 litre	O
400	CM	80	CM	61 LEVEL CM	2816,7690 litre	35,024 %	5225,7082 litre	O
400	CM	80	CM	60 LEVEL CM	2754,6998 litre	34,252 %	5287,7774 litre	O
400	CM	80	CM	59 LEVEL CM	2692,8372 litre	33,483 %	5349,6400 litre	O
400	CM	80	CM	58 LEVEL CM	2631,1922 litre	32,716 %	5411,2850 litre	O
400	CM	80	CM	57 LEVEL CM	2569,7761 litre	31,953 %	5472,7011 litre	O
400	CM	80	CM	56 LEVEL CM	2508,6001 litre	31,192 %	5533,8771 litre	O

400	CM	80	CM	55 LEVEL CM	2447,6757 litre	30,434 %	5594,8015 litre	O
400	CM	80	CM	54 LEVEL CM	2387,0145 litre	29,680 %	5655,4627 litre	O
400	CM	80	CM	53 LEVEL CM	2326,6283 litre	28,929 %	5715,8489 litre	O
400	CM	80	CM	52 LEVEL CM	2266,5288 litre	28,182 %	5775,9484 litre	O
400	CM	80	CM	51 LEVEL CM	2206,7283 litre	27,438 %	5835,7489 litre	O
400	CM	80	CM	50 LEVEL CM	2147,2390 litre	26,699 %	5895,2382 litre	O
400	CM	80	CM	49 LEVEL CM	2088,0734 litre	25,963 %	5954,4038 litre	O
400	CM	80	CM	48 LEVEL CM	2029,2440 litre	25,232 %	6013,2332 litre	O
400	CM	80	CM	47 LEVEL CM	1970,7637 litre	24,504 %	6071,7135 litre	O
400	CM	80	CM	46 LEVEL CM	1912,6458 litre	23,782 %	6129,8314 litre	O
400	CM	80	CM	45 LEVEL CM	1854,9035 litre	23,064 %	6187,5737 litre	O
400	CM	80	CM	44 LEVEL CM	1797,5504 litre	22,351 %	6244,9268 litre	O
400	CM	80	CM	43 LEVEL CM	1740,6005 litre	21,643 %	6301,8767 litre	O
400	CM	80	CM	42 LEVEL CM	1684,0679 litre	20,940 %	6358,4093 litre	O
400	CM	80	CM	41 LEVEL CM	1627,9672 litre	20,242 %	6414,5100 litre	O
400	CM	80	CM	40 LEVEL CM	1572,3132 litre	19,550 %	6470,1640 litre	O
400	CM	80	CM	39 LEVEL CM	1517,1211 litre	18,864 %	6525,3561 litre	O
400	CM	80	CM	38 LEVEL CM	1462,4065 litre	18,184 %	6580,0707 litre	O
400	CM	80	CM	37 LEVEL CM	1408,1854 litre	17,509 %	6634,2918 litre	O
400	CM	80	CM	36 LEVEL CM	1354,4743 litre	16,842 %	6688,0029 litre	O
400	CM	80	CM	35 LEVEL CM	1301,2901 litre	16,180 %	6741,1871 litre	O
400	CM	80	CM	34 LEVEL CM	1248,6502 litre	15,526 %	6793,8270 litre	O
400	CM	80	CM	33 LEVEL CM	1196,5725 litre	14,878 %	6845,9047 litre	O
400	CM	80	CM	32 LEVEL CM	1145,0758 litre	14,238 %	6897,4014 litre	O
400	CM	80	CM	31 LEVEL CM	1094,1790 litre	13,605 %	6948,2982 litre	O
400	CM	80	CM	30 LEVEL CM	1043,9023 litre	12,980 %	6998,5749 litre	O
400	CM	80	CM	29 LEVEL CM	994,2661 litre	12,363 %	7048,2111 litre	O
400	CM	80	CM	28 LEVEL CM	945,2919 litre	11,754 %	7097,1853 litre	O
400	CM	80	CM	27 LEVEL CM	897,0021 litre	11,153 %	7145,4751 litre	O
400	CM	80	CM	26 LEVEL CM	849,4199 litre	10,562 %	7193,0573 litre	O
400	CM	80	CM	25 LEVEL CM	802,5697 litre	9,979 %	7239,9075 litre	O
400	CM	80	CM	24 LEVEL CM	756,4770 litre	9,406 %	7286,0002 litre	O
400	CM	80	CM	23 LEVEL CM	711,1686 litre	8,843 %	7331,3086 litre	O
400	CM	80	CM	22 LEVEL CM	666,6727 litre	8,289 %	7375,8045 litre	O
400	CM	80	CM	21 LEVEL CM	623,0190 litre	7,747 %	7419,4582 litre	O
400	CM	80	CM	20 LEVEL CM	580,2390 litre	7,215 %	7462,2382 litre	O
400	CM	80	CM	19 LEVEL CM	538,3664 litre	6,694 %	7504,1108 litre	O
400	CM	80	CM	18 LEVEL CM	497,4369 litre	6,185 %	7545,0403 litre	O
400	CM	80	CM	17 LEVEL CM	457,4886 litre	5,688 %	7584,9886 litre	O
400	CM	80	CM	16 LEVEL CM	418,5628 litre	5,204 %	7623,9144 litre	O
400	CM	80	CM	15 LEVEL CM	380,7041 litre	4,734 %	7661,7731 litre	O
400	CM	80	CM	14 LEVEL CM	343,9606 litre	4,277 %	7698,5166 litre	O
400	CM	80	CM	13 LEVEL CM	308,3855 litre	3,834 %	7734,0917 litre	O
400	CM	80	CM	12 LEVEL CM	274,0371 litre	3,407 %	7768,4401 litre	O
400	CM	80	CM	11 LEVEL CM	240,9802 litre	2,996 %	7801,4970 litre	O
400	CM	80	CM	10 LEVEL CM	209,2876 litre	2,602 %	7833,1896 litre	O
400	CM	80	CM	9 LEVEL CM	179,0419 litre	2,226 %	7863,4353 litre	O
400	CM	80	CM	8 LEVEL CM	150,3383 litre	1,869 %	7892,1389 litre	O
400	CM	80	CM	7 LEVEL CM	123,2883 litre	1,533 %	7919,1889 litre	O
400	CM	80	CM	6 LEVEL CM	98,0254 litre	1,219 %	7944,4518 litre	O
400	CM	80	CM	5 LEVEL CM	74,7136 litre	0,929 %	7967,7636 litre	O
400	CM	80	CM	4 LEVEL CM	53,5629 litre	0,666 %	7988,9143 litre	O
400	CM	80	CM	3 LEVEL CM	34,8564 litre	0,433 %	8007,6208 litre	O

400_80

-1561-

400	CM 80	CM	2 LEVEL CM	19,0094 litre	0,236 %	8023,4678 litre	O
400	CM 80	CM	1 LEVEL CM	6,7335 litre	0,084 %	8035,7437 litre	O
400	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	8042,4772 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
400	CM	75	CM	150 LEVEL CM	7068,5835 litre	100,000 %	0,0000 litre	O
400	CM	75	CM	149 LEVEL CM	7062,0646 litre	99,908 %	6,5189 litre	O
400	CM	75	CM	148 LEVEL CM	7050,1823 litre	99,740 %	18,4012 litre	O
400	CM	75	CM	147 LEVEL CM	7034,8467 litre	99,523 %	33,7368 litre	O
400	CM	75	CM	146 LEVEL CM	7016,7477 litre	99,267 %	51,8358 litre	O
400	CM	75	CM	145 LEVEL CM	6996,2885 litre	98,977 %	72,2950 litre	O
400	CM	75	CM	144 LEVEL CM	6973,7438 litre	98,658 %	94,8397 litre	O
400	CM	75	CM	143 LEVEL CM	6949,3177 litre	98,313 %	119,2658 litre	O
400	CM	75	CM	142 LEVEL CM	6923,1696 litre	97,943 %	145,4139 litre	O
400	CM	75	CM	141 LEVEL CM	6895,4296 litre	97,550 %	173,1539 litre	O
400	CM	75	CM	140 LEVEL CM	6866,2060 litre	97,137 %	202,3775 litre	O
400	CM	75	CM	139 LEVEL CM	6835,5917 litre	96,704 %	232,9918 litre	O
400	CM	75	CM	138 LEVEL CM	6803,6673 litre	96,252 %	264,9162 litre	O
400	CM	75	CM	137 LEVEL CM	6770,5037 litre	95,783 %	298,0798 litre	O
400	CM	75	CM	136 LEVEL CM	6736,1642 litre	95,297 %	332,4193 litre	O
400	CM	75	CM	135 LEVEL CM	6700,7060 litre	94,796 %	367,8775 litre	O
400	CM	75	CM	134 LEVEL CM	6664,1807 litre	94,279 %	404,4028 litre	O
400	CM	75	CM	133 LEVEL CM	6626,6357 litre	93,748 %	441,9478 litre	O
400	CM	75	CM	132 LEVEL CM	6588,1147 litre	93,203 %	480,4688 litre	O
400	CM	75	CM	131 LEVEL CM	6548,6579 litre	92,645 %	519,9256 litre	O
400	CM	75	CM	130 LEVEL CM	6508,3030 litre	92,074 %	560,2805 litre	O
400	CM	75	CM	129 LEVEL CM	6467,0849 litre	91,491 %	601,4986 litre	O
400	CM	75	CM	128 LEVEL CM	6425,0367 litre	90,896 %	643,5468 litre	O
400	CM	75	CM	127 LEVEL CM	6382,1894 litre	90,290 %	686,3941 litre	O
400	CM	75	CM	126 LEVEL CM	6338,5722 litre	89,672 %	730,0113 litre	O
400	CM	75	CM	125 LEVEL CM	6294,2130 litre	89,045 %	774,3705 litre	O
400	CM	75	CM	124 LEVEL CM	6249,1381 litre	88,407 %	819,4454 litre	O
400	CM	75	CM	123 LEVEL CM	6203,3727 litre	87,760 %	865,2108 litre	O
400	CM	75	CM	122 LEVEL CM	6156,9409 litre	87,103 %	911,6426 litre	O
400	CM	75	CM	121 LEVEL CM	6109,8657 litre	86,437 %	958,7178 litre	O
400	CM	75	CM	120 LEVEL CM	6062,1692 litre	85,762 %	1006,4143 litre	O
400	CM	75	CM	119 LEVEL CM	6013,8727 litre	85,079 %	1054,7108 litre	O
400	CM	75	CM	118 LEVEL CM	5964,9965 litre	84,387 %	1103,5870 litre	O
400	CM	75	CM	117 LEVEL CM	5915,5605 litre	83,688 %	1153,0230 litre	O
400	CM	75	CM	116 LEVEL CM	5865,5836 litre	82,981 %	1202,9999 litre	O
400	CM	75	CM	115 LEVEL CM	5815,0845 litre	82,267 %	1253,4990 litre	O
400	CM	75	CM	114 LEVEL CM	5764,0809 litre	81,545 %	1304,5026 litre	O
400	CM	75	CM	113 LEVEL CM	5712,5902 litre	80,817 %	1355,9933 litre	O
400	CM	75	CM	112 LEVEL CM	5660,6294 litre	80,082 %	1407,9541 litre	O
400	CM	75	CM	111 LEVEL CM	5608,2148 litre	79,340 %	1460,3687 litre	O
400	CM	75	CM	110 LEVEL CM	5555,3625 litre	78,592 %	1513,2210 litre	O
400	CM	75	CM	109 LEVEL CM	5502,0880 litre	77,839 %	1566,4955 litre	O
400	CM	75	CM	108 LEVEL CM	5448,4065 litre	77,079 %	1620,1770 litre	O
400	CM	75	CM	107 LEVEL CM	5394,3331 litre	76,314 %	1674,2504 litre	O
400	CM	75	CM	106 LEVEL CM	5339,8823 litre	75,544 %	1728,7012 litre	O
400	CM	75	CM	105 LEVEL CM	5285,0683 litre	74,768 %	1783,5152 litre	O
400	CM	75	CM	104 LEVEL CM	5229,9051 litre	73,988 %	1838,6784 litre	O
400	CM	75	CM	103 LEVEL CM	5174,4065 litre	73,203 %	1894,1770 litre	O
400	CM	75	CM	102 LEVEL CM	5118,5859 litre	72,413 %	1949,9976 litre	O
400	CM	75	CM	101 LEVEL CM	5062,4566 litre	71,619 %	2006,1269 litre	O
400	CM	75	CM	100 LEVEL CM	5006,0316 litre	70,821 %	2062,5519 litre	O
400	CM	75	CM	99 LEVEL CM	4949,3237 litre	70,019 %	2119,2598 litre	O

400	CM	75	CM	98 LEVEL CM	4892,3456 litre	69,213 %	2176,2379 litre	O
400	CM	75	CM	97 LEVEL CM	4835,1098 litre	68,403 %	2233,4737 litre	O
400	CM	75	CM	96 LEVEL CM	4777,6285 litre	67,590 %	2290,9550 litre	O
400	CM	75	CM	95 LEVEL CM	4719,9138 litre	66,773 %	2348,6697 litre	O
400	CM	75	CM	94 LEVEL CM	4661,9778 litre	65,953 %	2406,6057 litre	O
400	CM	75	CM	93 LEVEL CM	4603,8323 litre	65,131 %	2464,7512 litre	O
400	CM	75	CM	92 LEVEL CM	4545,4889 litre	64,306 %	2523,0946 litre	O
400	CM	75	CM	91 LEVEL CM	4486,9594 litre	63,477 %	2581,6241 litre	O
400	CM	75	CM	90 LEVEL CM	4428,2552 litre	62,647 %	2640,3283 litre	O
400	CM	75	CM	89 LEVEL CM	4369,3877 litre	61,814 %	2699,1958 litre	O
400	CM	75	CM	88 LEVEL CM	4310,3682 litre	60,979 %	2758,2153 litre	O
400	CM	75	CM	87 LEVEL CM	4251,2078 litre	60,142 %	2817,3757 litre	O
400	CM	75	CM	86 LEVEL CM	4191,9178 litre	59,304 %	2876,6657 litre	O
400	CM	75	CM	85 LEVEL CM	4132,5092 litre	58,463 %	2936,0743 litre	O
400	CM	75	CM	84 LEVEL CM	4072,9929 litre	57,621 %	2995,5906 litre	O
400	CM	75	CM	83 LEVEL CM	4013,3800 litre	56,778 %	3055,2035 litre	O
400	CM	75	CM	82 LEVEL CM	3953,6812 litre	55,933 %	3114,9023 litre	O
400	CM	75	CM	81 LEVEL CM	3893,9074 litre	55,088 %	3174,6761 litre	O
400	CM	75	CM	80 LEVEL CM	3834,0694 litre	54,241 %	3234,5141 litre	O
400	CM	75	CM	79 LEVEL CM	3774,1779 litre	53,394 %	3294,4056 litre	O
400	CM	75	CM	78 LEVEL CM	3714,2437 litre	52,546 %	3354,3398 litre	O
400	CM	75	CM	77 LEVEL CM	3654,2775 litre	51,697 %	3414,3060 litre	O
400	CM	75	CM	76 LEVEL CM	3594,2900 litre	50,849 %	3474,2935 litre	O
400	CM	75	CM	75 LEVEL CM	3534,2917 litre	50,000 %	3534,2918 litre	O
400	CM	75	CM	74 LEVEL CM	3474,2935 litre	49,151 %	3594,2900 litre	O
400	CM	75	CM	73 LEVEL CM	3414,3060 litre	48,303 %	3654,2775 litre	O
400	CM	75	CM	72 LEVEL CM	3354,3397 litre	47,454 %	3714,2438 litre	O
400	CM	75	CM	71 LEVEL CM	3294,4056 litre	46,606 %	3774,1779 litre	O
400	CM	75	CM	70 LEVEL CM	3234,5141 litre	45,759 %	3834,0694 litre	O
400	CM	75	CM	69 LEVEL CM	3174,6761 litre	44,912 %	3893,9074 litre	O
400	CM	75	CM	68 LEVEL CM	3114,9023 litre	44,067 %	3953,6812 litre	O
400	CM	75	CM	67 LEVEL CM	3055,2035 litre	43,222 %	4013,3800 litre	O
400	CM	75	CM	66 LEVEL CM	2995,5905 litre	42,379 %	4072,9930 litre	O
400	CM	75	CM	65 LEVEL CM	2936,0743 litre	41,537 %	4132,5092 litre	O
400	CM	75	CM	64 LEVEL CM	2876,6657 litre	40,696 %	4191,9178 litre	O
400	CM	75	CM	63 LEVEL CM	2817,3756 litre	39,858 %	4251,2079 litre	O
400	CM	75	CM	62 LEVEL CM	2758,2153 litre	39,021 %	4310,3682 litre	O
400	CM	75	CM	61 LEVEL CM	2699,1958 litre	38,186 %	4369,3877 litre	O
400	CM	75	CM	60 LEVEL CM	2640,3283 litre	37,353 %	4428,2552 litre	O
400	CM	75	CM	59 LEVEL CM	2581,6240 litre	36,523 %	4486,9595 litre	O
400	CM	75	CM	58 LEVEL CM	2523,0945 litre	35,694 %	4545,4890 litre	O
400	CM	75	CM	57 LEVEL CM	2464,7512 litre	34,869 %	4603,8323 litre	O
400	CM	75	CM	56 LEVEL CM	2406,6057 litre	34,047 %	4661,9778 litre	O
400	CM	75	CM	55 LEVEL CM	2348,6697 litre	33,227 %	4719,9138 litre	O
400	CM	75	CM	54 LEVEL CM	2290,9550 litre	32,410 %	4777,6285 litre	O
400	CM	75	CM	53 LEVEL CM	2233,4737 litre	31,597 %	4835,1098 litre	O
400	CM	75	CM	52 LEVEL CM	2176,2378 litre	30,787 %	4892,3457 litre	O
400	CM	75	CM	51 LEVEL CM	2119,2598 litre	29,981 %	4949,3237 litre	O
400	CM	75	CM	50 LEVEL CM	2062,5519 litre	29,179 %	5006,0316 litre	O
400	CM	75	CM	49 LEVEL CM	2006,1269 litre	28,381 %	5062,4566 litre	O
400	CM	75	CM	48 LEVEL CM	1949,9976 litre	27,587 %	5118,5859 litre	O
400	CM	75	CM	47 LEVEL CM	1894,1770 litre	26,797 %	5174,4065 litre	O
400	CM	75	CM	46 LEVEL CM	1838,6784 litre	26,012 %	5229,9051 litre	O

400	CM	75	CM	45 LEVEL CM	1783,5152 litre	25,232 %	5285,0683 litre	O
400	CM	75	CM	44 LEVEL CM	1728,7012 litre	24,456 %	5339,8823 litre	O
400	CM	75	CM	43 LEVEL CM	1674,2503 litre	23,686 %	5394,3332 litre	O
400	CM	75	CM	42 LEVEL CM	1620,1769 litre	22,921 %	5448,4066 litre	O
400	CM	75	CM	41 LEVEL CM	1566,4955 litre	22,161 %	5502,0880 litre	O
400	CM	75	CM	40 LEVEL CM	1513,2210 litre	21,408 %	5555,3625 litre	O
400	CM	75	CM	39 LEVEL CM	1460,3687 litre	20,660 %	5608,2148 litre	O
400	CM	75	CM	38 LEVEL CM	1407,9541 litre	19,918 %	5660,6294 litre	O
400	CM	75	CM	37 LEVEL CM	1355,9932 litre	19,183 %	5712,5903 litre	O
400	CM	75	CM	36 LEVEL CM	1304,5026 litre	18,455 %	5764,0809 litre	O
400	CM	75	CM	35 LEVEL CM	1253,4990 litre	17,733 %	5815,0845 litre	O
400	CM	75	CM	34 LEVEL CM	1202,9998 litre	17,019 %	5865,5837 litre	O
400	CM	75	CM	33 LEVEL CM	1153,0230 litre	16,312 %	5915,5605 litre	O
400	CM	75	CM	32 LEVEL CM	1103,5870 litre	15,613 %	5964,9965 litre	O
400	CM	75	CM	31 LEVEL CM	1054,7108 litre	14,921 %	6013,8727 litre	O
400	CM	75	CM	30 LEVEL CM	1006,4142 litre	14,238 %	6062,1693 litre	O
400	CM	75	CM	29 LEVEL CM	958,7177 litre	13,563 %	6109,8658 litre	O
400	CM	75	CM	28 LEVEL CM	911,6426 litre	12,897 %	6156,9409 litre	O
400	CM	75	CM	27 LEVEL CM	865,2108 litre	12,240 %	6203,3727 litre	O
400	CM	75	CM	26 LEVEL CM	819,4454 litre	11,593 %	6249,1381 litre	O
400	CM	75	CM	25 LEVEL CM	774,3705 litre	10,955 %	6294,2130 litre	O
400	CM	75	CM	24 LEVEL CM	730,0113 litre	10,328 %	6338,5722 litre	O
400	CM	75	CM	23 LEVEL CM	686,3941 litre	9,710 %	6382,1894 litre	O
400	CM	75	CM	22 LEVEL CM	643,5467 litre	9,104 %	6425,0368 litre	O
400	CM	75	CM	21 LEVEL CM	601,4985 litre	8,509 %	6467,0850 litre	O
400	CM	75	CM	20 LEVEL CM	560,2805 litre	7,926 %	6508,3030 litre	O
400	CM	75	CM	19 LEVEL CM	519,9255 litre	7,355 %	6548,6580 litre	O
400	CM	75	CM	18 LEVEL CM	480,4688 litre	6,797 %	6588,1147 litre	O
400	CM	75	CM	17 LEVEL CM	441,9477 litre	6,252 %	6626,6358 litre	O
400	CM	75	CM	16 LEVEL CM	404,4028 litre	5,721 %	6664,1807 litre	O
400	CM	75	CM	15 LEVEL CM	367,8775 litre	5,204 %	6700,7060 litre	O
400	CM	75	CM	14 LEVEL CM	332,4192 litre	4,703 %	6736,1643 litre	O
400	CM	75	CM	13 LEVEL CM	298,0798 litre	4,217 %	6770,5037 litre	O
400	CM	75	CM	12 LEVEL CM	264,9162 litre	3,748 %	6803,6673 litre	O
400	CM	75	CM	11 LEVEL CM	232,9917 litre	3,296 %	6835,5918 litre	O
400	CM	75	CM	10 LEVEL CM	202,3774 litre	2,863 %	6866,2061 litre	O
400	CM	75	CM	9 LEVEL CM	173,1539 litre	2,450 %	6895,4296 litre	O
400	CM	75	CM	8 LEVEL CM	145,4138 litre	2,057 %	6923,1697 litre	O
400	CM	75	CM	7 LEVEL CM	119,2658 litre	1,687 %	6949,3177 litre	O
400	CM	75	CM	6 LEVEL CM	94,8396 litre	1,342 %	6973,7439 litre	O
400	CM	75	CM	5 LEVEL CM	72,2950 litre	1,023 %	6996,2885 litre	O
400	CM	75	CM	4 LEVEL CM	51,8357 litre	0,733 %	7016,7478 litre	O
400	CM	75	CM	3 LEVEL CM	33,7367 litre	0,477 %	7034,8468 litre	O
400	CM	75	CM	2 LEVEL CM	18,4011 litre	0,260 %	7050,1824 litre	O
400	CM	75	CM	1 LEVEL CM	6,5189 litre	0,092 %	7062,0646 litre	O
400	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	7068,5835 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM 70	CM 140 LEVEL CM	6157,5216 litre	100,000 %	0,0000 litre	O
400	CM 70	CM 139 LEVEL CM	6151,2247 litre	99,898 %	6,2969 litre	O
400	CM 70	CM 138 LEVEL CM	6139,7495 litre	99,711 %	17,7721 litre	O
400	CM 70	CM 137 LEVEL CM	6124,9430 litre	99,471 %	32,5786 litre	O
400	CM 70	CM 136 LEVEL CM	6107,4727 litre	99,187 %	50,0489 litre	O
400	CM 70	CM 135 LEVEL CM	6087,7291 litre	98,867 %	69,7925 litre	O
400	CM 70	CM 134 LEVEL CM	6065,9785 litre	98,513 %	91,5431 litre	O
400	CM 70	CM 133 LEVEL CM	6042,4188 litre	98,131 %	115,1028 litre	O
400	CM 70	CM 132 LEVEL CM	6017,2050 litre	97,721 %	140,3166 litre	O
400	CM 70	CM 131 LEVEL CM	5990,4632 litre	97,287 %	167,0584 litre	O
400	CM 70	CM 130 LEVEL CM	5962,2988 litre	96,830 %	195,2228 litre	O
400	CM 70	CM 129 LEVEL CM	5932,8023 litre	96,350 %	224,7193 litre	O
400	CM 70	CM 128 LEVEL CM	5902,0519 litre	95,851 %	255,4697 litre	O
400	CM 70	CM 127 LEVEL CM	5870,1171 litre	95,332 %	287,4045 litre	O
400	CM 70	CM 126 LEVEL CM	5837,0594 litre	94,796 %	320,4622 litre	O
400	CM 70	CM 125 LEVEL CM	5802,9347 litre	94,241 %	354,5869 litre	O
400	CM 70	CM 124 LEVEL CM	5767,7935 litre	93,671 %	389,7281 litre	O
400	CM 70	CM 123 LEVEL CM	5731,6821 litre	93,084 %	425,8395 litre	O
400	CM 70	CM 122 LEVEL CM	5694,6432 litre	92,483 %	462,8784 litre	O
400	CM 70	CM 121 LEVEL CM	5656,7164 litre	91,867 %	500,8052 litre	O
400	CM 70	CM 120 LEVEL CM	5617,9385 litre	91,237 %	539,5831 litre	O
400	CM 70	CM 119 LEVEL CM	5578,3439 litre	90,594 %	579,1777 litre	O
400	CM 70	CM 118 LEVEL CM	5537,9650 litre	89,938 %	619,5566 litre	O
400	CM 70	CM 117 LEVEL CM	5496,8322 litre	89,270 %	660,6894 litre	O
400	CM 70	CM 116 LEVEL CM	5454,9746 litre	88,590 %	702,5470 litre	O
400	CM 70	CM 115 LEVEL CM	5412,4193 litre	87,899 %	745,1023 litre	O
400	CM 70	CM 114 LEVEL CM	5369,1926 litre	87,197 %	788,3290 litre	O
400	CM 70	CM 113 LEVEL CM	5325,3192 litre	86,485 %	832,2024 litre	O
400	CM 70	CM 112 LEVEL CM	5280,8230 litre	85,762 %	876,6986 litre	O
400	CM 70	CM 111 LEVEL CM	5235,7267 litre	85,030 %	921,7949 litre	O
400	CM 70	CM 110 LEVEL CM	5190,0522 litre	84,288 %	967,4694 litre	O
400	CM 70	CM 109 LEVEL CM	5143,8205 litre	83,537 %	1013,7011 litre	O
400	CM 70	CM 108 LEVEL CM	5097,0521 litre	82,778 %	1060,4695 litre	O
400	CM 70	CM 107 LEVEL CM	5049,7666 litre	82,010 %	1107,7550 litre	O
400	CM 70	CM 106 LEVEL CM	5001,9828 litre	81,234 %	1155,5388 litre	O
400	CM 70	CM 105 LEVEL CM	4953,7193 litre	80,450 %	1203,8023 litre	O
400	CM 70	CM 104 LEVEL CM	4904,9938 litre	79,659 %	1252,5278 litre	O
400	CM 70	CM 103 LEVEL CM	4855,8238 litre	78,860 %	1301,6978 litre	O
400	CM 70	CM 102 LEVEL CM	4806,2261 litre	78,055 %	1351,2955 litre	O
400	CM 70	CM 101 LEVEL CM	4756,2172 litre	77,242 %	1401,3044 litre	O
400	CM 70	CM 100 LEVEL CM	4705,8131 litre	76,424 %	1451,7085 litre	O
400	CM 70	CM 99 LEVEL CM	4655,0295 litre	75,599 %	1502,4921 litre	O
400	CM 70	CM 98 LEVEL CM	4603,8817 litre	74,768 %	1553,6399 litre	O
400	CM 70	CM 97 LEVEL CM	4552,3847 litre	73,932 %	1605,1369 litre	O
400	CM 70	CM 96 LEVEL CM	4500,5533 litre	73,090 %	1656,9683 litre	O
400	CM 70	CM 95 LEVEL CM	4448,4018 litre	72,243 %	1709,1198 litre	O
400	CM 70	CM 94 LEVEL CM	4395,9444 litre	71,391 %	1761,5772 litre	O
400	CM 70	CM 93 LEVEL CM	4343,1950 litre	70,535 %	1814,3266 litre	O
400	CM 70	CM 92 LEVEL CM	4290,1673 litre	69,674 %	1867,3543 litre	O
400	CM 70	CM 91 LEVEL CM	4236,8747 litre	68,808 %	1920,6469 litre	O
400	CM 70	CM 90 LEVEL CM	4183,3304 litre	67,939 %	1974,1912 litre	O
400	CM 70	CM 89 LEVEL CM	4129,5477 litre	67,065 %	2027,9739 litre	O

400	CM	70	CM	88 LEVEL CM	4075,5394 litre	66,188 %	2081,9822 litre	O
400	CM	70	CM	87 LEVEL CM	4021,3181 litre	65,307 %	2136,2035 litre	O
400	CM	70	CM	86 LEVEL CM	3966,8966 litre	64,424 %	2190,6250 litre	O
400	CM	70	CM	85 LEVEL CM	3912,2872 litre	63,537 %	2245,2344 litre	O
400	CM	70	CM	84 LEVEL CM	3857,5023 litre	62,647 %	2300,0193 litre	O
400	CM	70	CM	83 LEVEL CM	3802,5541 litre	61,755 %	2354,9675 litre	O
400	CM	70	CM	82 LEVEL CM	3747,4547 litre	60,860 %	2410,0669 litre	O
400	CM	70	CM	81 LEVEL CM	3692,2161 litre	59,963 %	2465,3055 litre	O
400	CM	70	CM	80 LEVEL CM	3636,8502 litre	59,064 %	2520,6714 litre	O
400	CM	70	CM	79 LEVEL CM	3581,3688 litre	58,163 %	2576,1528 litre	O
400	CM	70	CM	78 LEVEL CM	3525,7836 litre	57,260 %	2631,7380 litre	O
400	CM	70	CM	77 LEVEL CM	3470,1065 litre	56,356 %	2687,4151 litre	O
400	CM	70	CM	76 LEVEL CM	3414,3489 litre	55,450 %	2743,1727 litre	O
400	CM	70	CM	75 LEVEL CM	3358,5225 litre	54,543 %	2798,9991 litre	O
400	CM	70	CM	74 LEVEL CM	3302,6388 litre	53,636 %	2854,8828 litre	O
400	CM	70	CM	73 LEVEL CM	3246,7094 litre	52,728 %	2910,8122 litre	O
400	CM	70	CM	72 LEVEL CM	3190,7456 litre	51,819 %	2966,7760 litre	O
400	CM	70	CM	71 LEVEL CM	3134,7589 litre	50,909 %	3022,7627 litre	O
400	CM	70	CM	70 LEVEL CM	3078,7608 litre	50,000 %	3078,7608 litre	O
400	CM	70	CM	69 LEVEL CM	3022,7627 litre	49,091 %	3134,7589 litre	O
400	CM	70	CM	68 LEVEL CM	2966,7760 litre	48,181 %	3190,7456 litre	O
400	CM	70	CM	67 LEVEL CM	2910,8122 litre	47,272 %	3246,7094 litre	O
400	CM	70	CM	66 LEVEL CM	2854,8828 litre	46,364 %	3302,6388 litre	O
400	CM	70	CM	65 LEVEL CM	2798,9991 litre	45,457 %	3358,5225 litre	O
400	CM	70	CM	64 LEVEL CM	2743,1727 litre	44,550 %	3414,3489 litre	O
400	CM	70	CM	63 LEVEL CM	2687,4151 litre	43,644 %	3470,1065 litre	O
400	CM	70	CM	62 LEVEL CM	2631,7380 litre	42,740 %	3525,7836 litre	O
400	CM	70	CM	61 LEVEL CM	2576,1528 litre	41,837 %	3581,3688 litre	O
400	CM	70	CM	60 LEVEL CM	2520,6714 litre	40,936 %	3636,8502 litre	O
400	CM	70	CM	59 LEVEL CM	2465,3055 litre	40,037 %	3692,2161 litre	O
400	CM	70	CM	58 LEVEL CM	2410,0669 litre	39,140 %	3747,4547 litre	O
400	CM	70	CM	57 LEVEL CM	2354,9675 litre	38,245 %	3802,5541 litre	O
400	CM	70	CM	56 LEVEL CM	2300,0193 litre	37,353 %	3857,5023 litre	O
400	CM	70	CM	55 LEVEL CM	2245,2344 litre	36,463 %	3912,2872 litre	O
400	CM	70	CM	54 LEVEL CM	2190,6250 litre	35,576 %	3966,8966 litre	O
400	CM	70	CM	53 LEVEL CM	2136,2035 litre	34,693 %	4021,3181 litre	O
400	CM	70	CM	52 LEVEL CM	2081,9822 litre	33,812 %	4075,5394 litre	O
400	CM	70	CM	51 LEVEL CM	2027,9739 litre	32,935 %	4129,5477 litre	O
400	CM	70	CM	50 LEVEL CM	1974,1912 litre	32,061 %	4183,3304 litre	O
400	CM	70	CM	49 LEVEL CM	1920,6469 litre	31,192 %	4236,8747 litre	O
400	CM	70	CM	48 LEVEL CM	1867,3543 litre	30,326 %	4290,1673 litre	O
400	CM	70	CM	47 LEVEL CM	1814,3266 litre	29,465 %	4343,1950 litre	O
400	CM	70	CM	46 LEVEL CM	1761,5772 litre	28,609 %	4395,9444 litre	O
400	CM	70	CM	45 LEVEL CM	1709,1198 litre	27,757 %	4448,4018 litre	O
400	CM	70	CM	44 LEVEL CM	1656,9683 litre	26,910 %	4500,5533 litre	O
400	CM	70	CM	43 LEVEL CM	1605,1369 litre	26,068 %	4552,3847 litre	O
400	CM	70	CM	42 LEVEL CM	1553,6399 litre	25,232 %	4603,8817 litre	O
400	CM	70	CM	41 LEVEL CM	1502,4921 litre	24,401 %	4655,0295 litre	O
400	CM	70	CM	40 LEVEL CM	1451,7085 litre	23,576 %	4705,8131 litre	O
400	CM	70	CM	39 LEVEL CM	1401,3044 litre	22,758 %	4756,2172 litre	O
400	CM	70	CM	38 LEVEL CM	1351,2955 litre	21,945 %	4806,2261 litre	O
400	CM	70	CM	37 LEVEL CM	1301,6978 litre	21,140 %	4855,8238 litre	O
400	CM	70	CM	36 LEVEL CM	1252,5278 litre	20,341 %	4904,9938 litre	O

400	CM	70	CM	35 LEVEL CM	1203,8023 litre	19,550 %	4953,7193 litre	O
400	CM	70	CM	34 LEVEL CM	1155,5388 litre	18,766 %	5001,9828 litre	O
400	CM	70	CM	33 LEVEL CM	1107,7550 litre	17,990 %	5049,7666 litre	O
400	CM	70	CM	32 LEVEL CM	1060,4695 litre	17,222 %	5097,0521 litre	O
400	CM	70	CM	31 LEVEL CM	1013,7011 litre	16,463 %	5143,8205 litre	O
400	CM	70	CM	30 LEVEL CM	967,4694 litre	15,712 %	5190,0522 litre	O
400	CM	70	CM	29 LEVEL CM	921,7949 litre	14,970 %	5235,7267 litre	O
400	CM	70	CM	28 LEVEL CM	876,6986 litre	14,238 %	5280,8230 litre	O
400	CM	70	CM	27 LEVEL CM	832,2024 litre	13,515 %	5325,3192 litre	O
400	CM	70	CM	26 LEVEL CM	788,3290 litre	12,803 %	5369,1926 litre	O
400	CM	70	CM	25 LEVEL CM	745,1023 litre	12,101 %	5412,4193 litre	O
400	CM	70	CM	24 LEVEL CM	702,5470 litre	11,410 %	5454,9746 litre	O
400	CM	70	CM	23 LEVEL CM	660,6894 litre	10,730 %	5496,8322 litre	O
400	CM	70	CM	22 LEVEL CM	619,5566 litre	10,062 %	5537,9650 litre	O
400	CM	70	CM	21 LEVEL CM	579,1777 litre	9,406 %	5578,3439 litre	O
400	CM	70	CM	20 LEVEL CM	539,5831 litre	8,763 %	5617,9385 litre	O
400	CM	70	CM	19 LEVEL CM	500,8052 litre	8,133 %	5656,7164 litre	O
400	CM	70	CM	18 LEVEL CM	462,8784 litre	7,517 %	5694,6432 litre	O
400	CM	70	CM	17 LEVEL CM	425,8395 litre	6,916 %	5731,6821 litre	O
400	CM	70	CM	16 LEVEL CM	389,7281 litre	6,329 %	5767,7935 litre	O
400	CM	70	CM	15 LEVEL CM	354,5869 litre	5,759 %	5802,9347 litre	O
400	CM	70	CM	14 LEVEL CM	320,4622 litre	5,204 %	5837,0594 litre	O
400	CM	70	CM	13 LEVEL CM	287,4045 litre	4,668 %	5870,1171 litre	O
400	CM	70	CM	12 LEVEL CM	255,4697 litre	4,149 %	5902,0519 litre	O
400	CM	70	CM	11 LEVEL CM	224,7193 litre	3,650 %	5932,8023 litre	O
400	CM	70	CM	10 LEVEL CM	195,2228 litre	3,170 %	5962,2988 litre	O
400	CM	70	CM	9 LEVEL CM	167,0584 litre	2,713 %	5990,4632 litre	O
400	CM	70	CM	8 LEVEL CM	140,3166 litre	2,279 %	6017,2050 litre	O
400	CM	70	CM	7 LEVEL CM	115,1028 litre	1,869 %	6042,4188 litre	O
400	CM	70	CM	6 LEVEL CM	91,5431 litre	1,487 %	6065,9785 litre	O
400	CM	70	CM	5 LEVEL CM	69,7926 litre	1,133 %	6087,7290 litre	O
400	CM	70	CM	4 LEVEL CM	50,0489 litre	0,813 %	6107,4727 litre	O
400	CM	70	CM	3 LEVEL CM	32,5786 litre	0,529 %	6124,9430 litre	O
400	CM	70	CM	2 LEVEL CM	17,7721 litre	0,289 %	6139,7495 litre	O
400	CM	70	CM	1 LEVEL CM	6,2969 litre	0,102 %	6151,2247 litre	O
400	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	6157,5216 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
400	CM	65	CM	130 LEVEL CM	5309,2916 litre	100,000 %	0,0000 litre	O
400	CM	65	CM	129 LEVEL CM	5303,2247 litre	99,886 %	6,0669 litre	O
400	CM	65	CM	128 LEVEL CM	5292,1717 litre	99,678 %	17,1199 litre	O
400	CM	65	CM	127 LEVEL CM	5277,9138 litre	99,409 %	31,3778 litre	O
400	CM	65	CM	126 LEVEL CM	5261,0957 litre	99,092 %	48,1959 litre	O
400	CM	65	CM	125 LEVEL CM	5242,0946 litre	98,734 %	67,1970 litre	O
400	CM	65	CM	124 LEVEL CM	5221,1683 litre	98,340 %	88,1233 litre	O
400	CM	65	CM	123 LEVEL CM	5198,5082 litre	97,913 %	110,7834 litre	O
400	CM	65	CM	122 LEVEL CM	5174,2646 litre	97,457 %	135,0270 litre	O
400	CM	65	CM	121 LEVEL CM	5148,5597 litre	96,973 %	160,7319 litre	O
400	CM	65	CM	120 LEVEL CM	5121,4960 litre	96,463 %	187,7956 litre	O
400	CM	65	CM	119 LEVEL CM	5093,1612 litre	95,929 %	216,1304 litre	O
400	CM	65	CM	118 LEVEL CM	5063,6316 litre	95,373 %	245,6600 litre	O
400	CM	65	CM	117 LEVEL CM	5032,9747 litre	94,796 %	276,3169 litre	O
400	CM	65	CM	116 LEVEL CM	5001,2506 litre	94,198 %	308,0410 litre	O
400	CM	65	CM	115 LEVEL CM	4968,5137 litre	93,581 %	340,7779 litre	O
400	CM	65	CM	114 LEVEL CM	4934,8134 litre	92,947 %	374,4782 litre	O
400	CM	65	CM	113 LEVEL CM	4900,1949 litre	92,295 %	409,0967 litre	O
400	CM	65	CM	112 LEVEL CM	4864,7000 litre	91,626 %	444,5916 litre	O
400	CM	65	CM	111 LEVEL CM	4828,3675 litre	90,942 %	480,9241 litre	O
400	CM	65	CM	110 LEVEL CM	4791,2335 litre	90,242 %	518,0581 litre	O
400	CM	65	CM	109 LEVEL CM	4753,3318 litre	89,529 %	555,9598 litre	O
400	CM	65	CM	108 LEVEL CM	4714,6942 litre	88,801 %	594,5974 litre	O
400	CM	65	CM	107 LEVEL CM	4675,3508 litre	88,060 %	633,9408 litre	O
400	CM	65	CM	106 LEVEL CM	4635,3299 litre	87,306 %	673,9617 litre	O
400	CM	65	CM	105 LEVEL CM	4594,6586 litre	86,540 %	714,6330 litre	O
400	CM	65	CM	104 LEVEL CM	4553,3627 litre	85,762 %	755,9289 litre	O
400	CM	65	CM	103 LEVEL CM	4511,4666 litre	84,973 %	797,8250 litre	O
400	CM	65	CM	102 LEVEL CM	4468,9940 litre	84,173 %	840,2976 litre	O
400	CM	65	CM	101 LEVEL CM	4425,9675 litre	83,363 %	883,3241 litre	O
400	CM	65	CM	100 LEVEL CM	4382,4088 litre	82,542 %	926,8828 litre	O
400	CM	65	CM	99 LEVEL CM	4338,3388 litre	81,712 %	970,9528 litre	O
400	CM	65	CM	98 LEVEL CM	4293,7777 litre	80,873 %	1015,5139 litre	O
400	CM	65	CM	97 LEVEL CM	4248,7452 litre	80,025 %	1060,5464 litre	O
400	CM	65	CM	96 LEVEL CM	4203,2601 litre	79,168 %	1106,0315 litre	O
400	CM	65	CM	95 LEVEL CM	4157,3409 litre	78,303 %	1151,9507 litre	O
400	CM	65	CM	94 LEVEL CM	4111,0055 litre	77,430 %	1198,2861 litre	O
400	CM	65	CM	93 LEVEL CM	4064,2712 litre	76,550 %	1245,0204 litre	O
400	CM	65	CM	92 LEVEL CM	4017,1550 litre	75,663 %	1292,1366 litre	O
400	CM	65	CM	91 LEVEL CM	3969,6735 litre	74,768 %	1339,6181 litre	O
400	CM	65	CM	90 LEVEL CM	3921,8428 litre	73,868 %	1387,4488 litre	O
400	CM	65	CM	89 LEVEL CM	3873,6787 litre	72,960 %	1435,6129 litre	O
400	CM	65	CM	88 LEVEL CM	3825,1968 litre	72,047 %	1484,0948 litre	O
400	CM	65	CM	87 LEVEL CM	3776,4121 litre	71,128 %	1532,8795 litre	O
400	CM	65	CM	86 LEVEL CM	3727,3398 litre	70,204 %	1581,9518 litre	O
400	CM	65	CM	85 LEVEL CM	3677,9942 litre	69,275 %	1631,2974 litre	O
400	CM	65	CM	84 LEVEL CM	3628,3900 litre	68,340 %	1680,9016 litre	O
400	CM	65	CM	83 LEVEL CM	3578,5412 litre	67,401 %	1730,7504 litre	O
400	CM	65	CM	82 LEVEL CM	3528,4618 litre	66,458 %	1780,8298 litre	O
400	CM	65	CM	81 LEVEL CM	3478,1657 litre	65,511 %	1831,1259 litre	O
400	CM	65	CM	80 LEVEL CM	3427,6663 litre	64,560 %	1881,6253 litre	O
400	CM	65	CM	79 LEVEL CM	3376,9772 litre	63,605 %	1932,3144 litre	O

400	CM	65	CM	78 LEVEL CM	3326,1117 litre	62,647 %	1983,1799 litre	O
400	CM	65	CM	77 LEVEL CM	3275,0828 litre	61,686 %	2034,2088 litre	O
400	CM	65	CM	76 LEVEL CM	3223,9037 litre	60,722 %	2085,3879 litre	O
400	CM	65	CM	75 LEVEL CM	3172,5872 litre	59,755 %	2136,7044 litre	O
400	CM	65	CM	74 LEVEL CM	3121,1461 litre	58,786 %	2188,1455 litre	O
400	CM	65	CM	73 LEVEL CM	3069,5931 litre	57,815 %	2239,6985 litre	O
400	CM	65	CM	72 LEVEL CM	3017,9410 litre	56,843 %	2291,3506 litre	O
400	CM	65	CM	71 LEVEL CM	2966,2021 litre	55,868 %	2343,0895 litre	O
400	CM	65	CM	70 LEVEL CM	2914,3892 litre	54,892 %	2394,9024 litre	O
400	CM	65	CM	69 LEVEL CM	2862,5144 litre	53,915 %	2446,7772 litre	O
400	CM	65	CM	68 LEVEL CM	2810,5904 litre	52,937 %	2498,7012 litre	O
400	CM	65	CM	67 LEVEL CM	2758,6294 litre	51,959 %	2550,6622 litre	O
400	CM	65	CM	66 LEVEL CM	2706,6437 litre	50,979 %	2602,6479 litre	O
400	CM	65	CM	65 LEVEL CM	2654,6458 litre	50,000 %	2654,6458 litre	O
400	CM	65	CM	64 LEVEL CM	2602,6478 litre	49,021 %	2706,6438 litre	O
400	CM	65	CM	63 LEVEL CM	2550,6622 litre	48,041 %	2758,6294 litre	O
400	CM	65	CM	62 LEVEL CM	2498,7012 litre	47,063 %	2810,5904 litre	O
400	CM	65	CM	61 LEVEL CM	2446,7771 litre	46,085 %	2862,5145 litre	O
400	CM	65	CM	60 LEVEL CM	2394,9024 litre	45,108 %	2914,3892 litre	O
400	CM	65	CM	59 LEVEL CM	2343,0894 litre	44,132 %	2966,2022 litre	O
400	CM	65	CM	58 LEVEL CM	2291,3506 litre	43,157 %	3017,9410 litre	O
400	CM	65	CM	57 LEVEL CM	2239,6984 litre	42,185 %	3069,5932 litre	O
400	CM	65	CM	56 LEVEL CM	2188,1455 litre	41,214 %	3121,1461 litre	O
400	CM	65	CM	55 LEVEL CM	2136,7044 litre	40,245 %	3172,5872 litre	O
400	CM	65	CM	54 LEVEL CM	2085,3879 litre	39,278 %	3223,9037 litre	O
400	CM	65	CM	53 LEVEL CM	2034,2088 litre	38,314 %	3275,0828 litre	O
400	CM	65	CM	52 LEVEL CM	1983,1799 litre	37,353 %	3326,1117 litre	O
400	CM	65	CM	51 LEVEL CM	1932,3143 litre	36,395 %	3376,9773 litre	O
400	CM	65	CM	50 LEVEL CM	1881,6253 litre	35,440 %	3427,6663 litre	O
400	CM	65	CM	49 LEVEL CM	1831,1259 litre	34,489 %	3478,1657 litre	O
400	CM	65	CM	48 LEVEL CM	1780,8298 litre	33,542 %	3528,4618 litre	O
400	CM	65	CM	47 LEVEL CM	1730,7504 litre	32,599 %	3578,5412 litre	O
400	CM	65	CM	46 LEVEL CM	1680,9016 litre	31,660 %	3628,3900 litre	O
400	CM	65	CM	45 LEVEL CM	1631,2974 litre	30,725 %	3677,9942 litre	O
400	CM	65	CM	44 LEVEL CM	1581,9518 litre	29,796 %	3727,3398 litre	O
400	CM	65	CM	43 LEVEL CM	1532,8794 litre	28,872 %	3776,4122 litre	O
400	CM	65	CM	42 LEVEL CM	1484,0948 litre	27,953 %	3825,1968 litre	O
400	CM	65	CM	41 LEVEL CM	1435,6129 litre	27,040 %	3873,6787 litre	O
400	CM	65	CM	40 LEVEL CM	1387,4488 litre	26,132 %	3921,8428 litre	O
400	CM	65	CM	39 LEVEL CM	1339,6181 litre	25,232 %	3969,6735 litre	O
400	CM	65	CM	38 LEVEL CM	1292,1366 litre	24,337 %	4017,1550 litre	O
400	CM	65	CM	37 LEVEL CM	1245,0204 litre	23,450 %	4064,2712 litre	O
400	CM	65	CM	36 LEVEL CM	1198,2861 litre	22,570 %	4111,0055 litre	O
400	CM	65	CM	35 LEVEL CM	1151,9506 litre	21,697 %	4157,3410 litre	O
400	CM	65	CM	34 LEVEL CM	1106,0315 litre	20,832 %	4203,2601 litre	O
400	CM	65	CM	33 LEVEL CM	1060,5464 litre	19,975 %	4248,7452 litre	O
400	CM	65	CM	32 LEVEL CM	1015,5139 litre	19,127 %	4293,7777 litre	O
400	CM	65	CM	31 LEVEL CM	970,9528 litre	18,288 %	4338,3388 litre	O
400	CM	65	CM	30 LEVEL CM	926,8828 litre	17,458 %	4382,4088 litre	O
400	CM	65	CM	29 LEVEL CM	883,3241 litre	16,637 %	4425,9675 litre	O
400	CM	65	CM	28 LEVEL CM	840,2975 litre	15,827 %	4468,9941 litre	O
400	CM	65	CM	27 LEVEL CM	797,8250 litre	15,027 %	4511,4666 litre	O
400	CM	65	CM	26 LEVEL CM	755,9289 litre	14,238 %	4553,3627 litre	O

400	CM	65	CM	25 LEVEL CM	714,6330 litre	13,460 %	4594,6586 litre	O
400	CM	65	CM	24 LEVEL CM	673,9617 litre	12,694 %	4635,3299 litre	O
400	CM	65	CM	23 LEVEL CM	633,9408 litre	11,940 %	4675,3508 litre	O
400	CM	65	CM	22 LEVEL CM	594,5974 litre	11,199 %	4714,6942 litre	O
400	CM	65	CM	21 LEVEL CM	555,9598 litre	10,471 %	4753,3318 litre	O
400	CM	65	CM	20 LEVEL CM	518,0581 litre	9,758 %	4791,2335 litre	O
400	CM	65	CM	19 LEVEL CM	480,9241 litre	9,058 %	4828,3675 litre	O
400	CM	65	CM	18 LEVEL CM	444,5916 litre	8,374 %	4864,7000 litre	O
400	CM	65	CM	17 LEVEL CM	409,0967 litre	7,705 %	4900,1949 litre	O
400	CM	65	CM	16 LEVEL CM	374,4782 litre	7,053 %	4934,8134 litre	O
400	CM	65	CM	15 LEVEL CM	340,7779 litre	6,419 %	4968,5137 litre	O
400	CM	65	CM	14 LEVEL CM	308,0409 litre	5,802 %	5001,2507 litre	O
400	CM	65	CM	13 LEVEL CM	276,3169 litre	5,204 %	5032,9747 litre	O
400	CM	65	CM	12 LEVEL CM	245,6600 litre	4,627 %	5063,6316 litre	O
400	CM	65	CM	11 LEVEL CM	216,1304 litre	4,071 %	5093,1612 litre	O
400	CM	65	CM	10 LEVEL CM	187,7956 litre	3,537 %	5121,4960 litre	O
400	CM	65	CM	9 LEVEL CM	160,7319 litre	3,027 %	5148,5597 litre	O
400	CM	65	CM	8 LEVEL CM	135,0270 litre	2,543 %	5174,2646 litre	O
400	CM	65	CM	7 LEVEL CM	110,7834 litre	2,087 %	5198,5082 litre	O
400	CM	65	CM	6 LEVEL CM	88,1233 litre	1,660 %	5221,1683 litre	O
400	CM	65	CM	5 LEVEL CM	67,1970 litre	1,266 %	5242,0946 litre	O
400	CM	65	CM	4 LEVEL CM	48,1959 litre	0,908 %	5261,0957 litre	O
400	CM	65	CM	3 LEVEL CM	31,3778 litre	0,591 %	5277,9138 litre	O
400	CM	65	CM	2 LEVEL CM	17,1199 litre	0,322 %	5292,1717 litre	O
400	CM	65	CM	1 LEVEL CM	6,0669 litre	0,114 %	5303,2247 litre	O
400	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	5309,2916 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM	60	CM 120 LEVEL CM	4523,8934 litre	100,000 %	0,0000 litre	O
400	CM	60	CM 119 LEVEL CM	4518,0657 litre	99,871 %	5,8277 litre	O
400	CM	60	CM 118 LEVEL CM	4507,4516 litre	99,637 %	16,4418 litre	O
400	CM	60	CM 117 LEVEL CM	4493,7643 litre	99,334 %	30,1291 litre	O
400	CM	60	CM 116 LEVEL CM	4477,6246 litre	98,977 %	46,2688 litre	O
400	CM	60	CM 115 LEVEL CM	4459,3964 litre	98,574 %	64,4970 litre	O
400	CM	60	CM 114 LEVEL CM	4439,3281 litre	98,131 %	84,5653 litre	O
400	CM	60	CM 113 LEVEL CM	4417,6049 litre	97,651 %	106,2885 litre	O
400	CM	60	CM 112 LEVEL CM	4394,3719 litre	97,137 %	129,5215 litre	O
400	CM	60	CM 111 LEVEL CM	4369,7475 litre	96,593 %	154,1459 litre	O
400	CM	60	CM 110 LEVEL CM	4343,8312 litre	96,020 %	180,0622 litre	O
400	CM	60	CM 109 LEVEL CM	4316,7079 litre	95,420 %	207,1855 litre	O
400	CM	60	CM 108 LEVEL CM	4288,4518 litre	94,796 %	235,4416 litre	O
400	CM	60	CM 107 LEVEL CM	4259,1285 litre	94,147 %	264,7649 litre	O
400	CM	60	CM 106 LEVEL CM	4228,7966 litre	93,477 %	295,0968 litre	O
400	CM	60	CM 105 LEVEL CM	4197,5090 litre	92,785 %	326,3844 litre	O
400	CM	60	CM 104 LEVEL CM	4165,3139 litre	92,074 %	358,5795 litre	O
400	CM	60	CM 103 LEVEL CM	4132,2557 litre	91,343 %	391,6377 litre	O
400	CM	60	CM 102 LEVEL CM	4098,3751 litre	90,594 %	425,5183 litre	O
400	CM	60	CM 101 LEVEL CM	4063,7102 litre	89,828 %	460,1832 litre	O
400	CM	60	CM 100 LEVEL CM	4028,2963 litre	89,045 %	495,5971 litre	O
400	CM	60	CM 99 LEVEL CM	3992,1667 litre	88,246 %	531,7267 litre	O
400	CM	60	CM 98 LEVEL CM	3955,3527 litre	87,432 %	568,5407 litre	O
400	CM	60	CM 97 LEVEL CM	3917,8839 litre	86,604 %	606,0095 litre	O
400	CM	60	CM 96 LEVEL CM	3879,7883 litre	85,762 %	644,1051 litre	O
400	CM	60	CM 95 LEVEL CM	3841,0926 litre	84,907 %	682,8008 litre	O
400	CM	60	CM 94 LEVEL CM	3801,8222 litre	84,039 %	722,0712 litre	O
400	CM	60	CM 93 LEVEL CM	3762,0016 litre	83,158 %	761,8918 litre	O
400	CM	60	CM 92 LEVEL CM	3721,6541 litre	82,267 %	802,2393 litre	O
400	CM	60	CM 91 LEVEL CM	3680,8021 litre	81,364 %	843,0913 litre	O
400	CM	60	CM 90 LEVEL CM	3639,4672 litre	80,450 %	884,4262 litre	O
400	CM	60	CM 89 LEVEL CM	3597,6705 litre	79,526 %	926,2229 litre	O
400	CM	60	CM 88 LEVEL CM	3555,4320 litre	78,592 %	968,4614 litre	O
400	CM	60	CM 87 LEVEL CM	3512,7713 litre	77,649 %	1011,1221 litre	O
400	CM	60	CM 86 LEVEL CM	3469,7075 litre	76,697 %	1054,1859 litre	O
400	CM	60	CM 85 LEVEL CM	3426,2589 litre	75,737 %	1097,6345 litre	O
400	CM	60	CM 84 LEVEL CM	3382,4437 litre	74,768 %	1141,4497 litre	O
400	CM	60	CM 83 LEVEL CM	3338,2793 litre	73,792 %	1185,6141 litre	O
400	CM	60	CM 82 LEVEL CM	3293,7828 litre	72,809 %	1230,1106 litre	O
400	CM	60	CM 81 LEVEL CM	3248,9709 litre	71,818 %	1274,9225 litre	O
400	CM	60	CM 80 LEVEL CM	3203,8602 litre	70,821 %	1320,0332 litre	O
400	CM	60	CM 79 LEVEL CM	3158,4666 litre	69,817 %	1365,4268 litre	O
400	CM	60	CM 78 LEVEL CM	3112,8059 litre	68,808 %	1411,0875 litre	O
400	CM	60	CM 77 LEVEL CM	3066,8935 litre	67,793 %	1456,9999 litre	O
400	CM	60	CM 76 LEVEL CM	3020,7448 litre	66,773 %	1503,1486 litre	O
400	CM	60	CM 75 LEVEL CM	2974,3748 litre	65,748 %	1549,5186 litre	O
400	CM	60	CM 74 LEVEL CM	2927,7981 litre	64,719 %	1596,0953 litre	O
400	CM	60	CM 73 LEVEL CM	2881,0295 litre	63,685 %	1642,8639 litre	O
400	CM	60	CM 72 LEVEL CM	2834,0833 litre	62,647 %	1689,8101 litre	O
400	CM	60	CM 71 LEVEL CM	2786,9738 litre	61,606 %	1736,9196 litre	O
400	CM	60	CM 70 LEVEL CM	2739,7151 litre	60,561 %	1784,1783 litre	O
400	CM	60	CM 69 LEVEL CM	2692,3212 litre	59,513 %	1831,5722 litre	O

400	CM	60	CM	68 LEVEL CM	2644,8059 litre	58,463 %	1879,0875 litre	O
400	CM	60	CM	67 LEVEL CM	2597,1829 litre	57,410 %	1926,7105 litre	O
400	CM	60	CM	66 LEVEL CM	2549,4660 litre	56,356 %	1974,4274 litre	O
400	CM	60	CM	65 LEVEL CM	2501,6686 litre	55,299 %	2022,2248 litre	O
400	CM	60	CM	64 LEVEL CM	2453,8044 litre	54,241 %	2070,0890 litre	O
400	CM	60	CM	63 LEVEL CM	2405,8867 litre	53,182 %	2118,0067 litre	O
400	CM	60	CM	62 LEVEL CM	2357,9289 litre	52,122 %	2165,9645 litre	O
400	CM	60	CM	61 LEVEL CM	2309,9445 litre	51,061 %	2213,9489 litre	O
400	CM	60	CM	60 LEVEL CM	2261,9467 litre	50,000 %	2261,9467 litre	O
400	CM	60	CM	59 LEVEL CM	2213,9489 litre	48,939 %	2309,9445 litre	O
400	CM	60	CM	58 LEVEL CM	2165,9645 litre	47,878 %	2357,9289 litre	O
400	CM	60	CM	57 LEVEL CM	2118,0067 litre	46,818 %	2405,8867 litre	O
400	CM	60	CM	56 LEVEL CM	2070,0890 litre	45,759 %	2453,8044 litre	O
400	CM	60	CM	55 LEVEL CM	2022,2248 litre	44,701 %	2501,6686 litre	O
400	CM	60	CM	54 LEVEL CM	1974,4274 litre	43,644 %	2549,4660 litre	O
400	CM	60	CM	53 LEVEL CM	1926,7105 litre	42,590 %	2597,1829 litre	O
400	CM	60	CM	52 LEVEL CM	1879,0875 litre	41,537 %	2644,8059 litre	O
400	CM	60	CM	51 LEVEL CM	1831,5722 litre	40,487 %	2692,3212 litre	O
400	CM	60	CM	50 LEVEL CM	1784,1783 litre	39,439 %	2739,7151 litre	O
400	CM	60	CM	49 LEVEL CM	1736,9196 litre	38,394 %	2786,9738 litre	O
400	CM	60	CM	48 LEVEL CM	1689,8101 litre	37,353 %	2834,0833 litre	O
400	CM	60	CM	47 LEVEL CM	1642,8639 litre	36,315 %	2881,0295 litre	O
400	CM	60	CM	46 LEVEL CM	1596,0953 litre	35,281 %	2927,7981 litre	O
400	CM	60	CM	45 LEVEL CM	1549,5186 litre	34,252 %	2974,3748 litre	O
400	CM	60	CM	44 LEVEL CM	1503,1486 litre	33,227 %	3020,7448 litre	O
400	CM	60	CM	43 LEVEL CM	1456,9999 litre	32,207 %	3066,8935 litre	O
400	CM	60	CM	42 LEVEL CM	1411,0876 litre	31,192 %	3112,8058 litre	O
400	CM	60	CM	41 LEVEL CM	1365,4268 litre	30,183 %	3158,4666 litre	O
400	CM	60	CM	40 LEVEL CM	1320,0332 litre	29,179 %	3203,8602 litre	O
400	CM	60	CM	39 LEVEL CM	1274,9225 litre	28,182 %	3248,9709 litre	O
400	CM	60	CM	38 LEVEL CM	1230,1107 litre	27,191 %	3293,7827 litre	O
400	CM	60	CM	37 LEVEL CM	1185,6142 litre	26,208 %	3338,2792 litre	O
400	CM	60	CM	36 LEVEL CM	1141,4497 litre	25,232 %	3382,4437 litre	O
400	CM	60	CM	35 LEVEL CM	1097,6345 litre	24,263 %	3426,2589 litre	O
400	CM	60	CM	34 LEVEL CM	1054,1860 litre	23,303 %	3469,7074 litre	O
400	CM	60	CM	33 LEVEL CM	1011,1221 litre	22,351 %	3512,7713 litre	O
400	CM	60	CM	32 LEVEL CM	968,4615 litre	21,408 %	3555,4319 litre	O
400	CM	60	CM	31 LEVEL CM	926,2229 litre	20,474 %	3597,6705 litre	O
400	CM	60	CM	30 LEVEL CM	884,4262 litre	19,550 %	3639,4672 litre	O
400	CM	60	CM	29 LEVEL CM	843,0914 litre	18,636 %	3680,8020 litre	O
400	CM	60	CM	28 LEVEL CM	802,2393 litre	17,733 %	3721,6541 litre	O
400	CM	60	CM	27 LEVEL CM	761,8918 litre	16,842 %	3762,0016 litre	O
400	CM	60	CM	26 LEVEL CM	722,0712 litre	15,961 %	3801,8222 litre	O
400	CM	60	CM	25 LEVEL CM	682,8008 litre	15,093 %	3841,0926 litre	O
400	CM	60	CM	24 LEVEL CM	644,1051 litre	14,238 %	3879,7883 litre	O
400	CM	60	CM	23 LEVEL CM	606,0095 litre	13,396 %	3917,8839 litre	O
400	CM	60	CM	22 LEVEL CM	568,5407 litre	12,568 %	3955,3527 litre	O
400	CM	60	CM	21 LEVEL CM	531,7267 litre	11,754 %	3992,1667 litre	O
400	CM	60	CM	20 LEVEL CM	495,5971 litre	10,955 %	4028,2963 litre	O
400	CM	60	CM	19 LEVEL CM	460,1833 litre	10,172 %	4063,7101 litre	O
400	CM	60	CM	18 LEVEL CM	425,5183 litre	9,406 %	4098,3751 litre	O
400	CM	60	CM	17 LEVEL CM	391,6378 litre	8,657 %	4132,2556 litre	O
400	CM	60	CM	16 LEVEL CM	358,5795 litre	7,926 %	4165,3139 litre	O

400	CM	60	CM	15 LEVEL CM	326,3845 litre	7,215 %	4197,5089 litre	O
400	CM	60	CM	14 LEVEL CM	295,0969 litre	6,523 %	4228,7965 litre	O
400	CM	60	CM	13 LEVEL CM	264,7649 litre	5,853 %	4259,1285 litre	O
400	CM	60	CM	12 LEVEL CM	235,4416 litre	5,204 %	4288,4518 litre	O
400	CM	60	CM	11 LEVEL CM	207,1855 litre	4,580 %	4316,7079 litre	O
400	CM	60	CM	10 LEVEL CM	180,0622 litre	3,980 %	4343,8312 litre	O
400	CM	60	CM	9 LEVEL CM	154,1459 litre	3,407 %	4369,7475 litre	O
400	CM	60	CM	8 LEVEL CM	129,5216 litre	2,863 %	4394,3718 litre	O
400	CM	60	CM	7 LEVEL CM	106,2886 litre	2,349 %	4417,6048 litre	O
400	CM	60	CM	6 LEVEL CM	84,5653 litre	1,869 %	4439,3281 litre	O
400	CM	60	CM	5 LEVEL CM	64,4971 litre	1,426 %	4459,3963 litre	O
400	CM	60	CM	4 LEVEL CM	46,2688 litre	1,023 %	4477,6246 litre	O
400	CM	60	CM	3 LEVEL CM	30,1292 litre	0,666 %	4493,7642 litre	O
400	CM	60	CM	2 LEVEL CM	16,4419 litre	0,363 %	4507,4515 litre	O
400	CM	60	CM	1 LEVEL CM	5,8277 litre	0,129 %	4518,0657 litre	O
400	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4523,8934 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
400	CM	55	CM 110 LEVEL CM	3801,3271 litre	100,000 %	0,0000 litre	O
400	CM	55	CM 109 LEVEL CM	3795,7487 litre	99,853 %	5,5784 litre	O
400	CM	55	CM 108 LEVEL CM	3785,5925 litre	99,586 %	15,7346 litre	O
400	CM	55	CM 107 LEVEL CM	3772,5006 litre	99,242 %	28,8265 litre	O
400	CM	55	CM 106 LEVEL CM	3757,0693 litre	98,836 %	44,2578 litre	O
400	CM	55	CM 105 LEVEL CM	3739,6481 litre	98,377 %	61,6790 litre	O
400	CM	55	CM 104 LEVEL CM	3720,4763 litre	97,873 %	80,8508 litre	O
400	CM	55	CM 103 LEVEL CM	3699,7321 litre	97,327 %	101,5950 litre	O
400	CM	55	CM 102 LEVEL CM	3677,5558 litre	96,744 %	123,7713 litre	O
400	CM	55	CM 101 LEVEL CM	3654,0617 litre	96,126 %	147,2654 litre	O
400	CM	55	CM 100 LEVEL CM	3629,3459 litre	95,476 %	171,9812 litre	O
400	CM	55	CM 99 LEVEL CM	3603,4908 litre	94,796 %	197,8363 litre	O
400	CM	55	CM 98 LEVEL CM	3576,5683 litre	94,087 %	224,7588 litre	O
400	CM	55	CM 97 LEVEL CM	3548,6422 litre	93,353 %	252,6849 litre	O
400	CM	55	CM 96 LEVEL CM	3519,7695 litre	92,593 %	281,5576 litre	O
400	CM	55	CM 95 LEVEL CM	3490,0016 litre	91,810 %	311,3255 litre	O
400	CM	55	CM 94 LEVEL CM	3459,3858 litre	91,005 %	341,9413 litre	O
400	CM	55	CM 93 LEVEL CM	3427,9652 litre	90,178 %	373,3619 litre	O
400	CM	55	CM 92 LEVEL CM	3395,7798 litre	89,331 %	405,5473 litre	O
400	CM	55	CM 91 LEVEL CM	3362,8668 litre	88,466 %	438,4603 litre	O
400	CM	55	CM 90 LEVEL CM	3329,2610 litre	87,582 %	472,0661 litre	O
400	CM	55	CM 89 LEVEL CM	3294,9951 litre	86,680 %	506,3320 litre	O
400	CM	55	CM 88 LEVEL CM	3260,0999 litre	85,762 %	541,2272 litre	O
400	CM	55	CM 87 LEVEL CM	3224,6046 litre	84,828 %	576,7225 litre	O
400	CM	55	CM 86 LEVEL CM	3188,5368 litre	83,880 %	612,7903 litre	O
400	CM	55	CM 85 LEVEL CM	3151,9232 litre	82,916 %	649,4039 litre	O
400	CM	55	CM 84 LEVEL CM	3114,7887 litre	81,940 %	686,5384 litre	O
400	CM	55	CM 83 LEVEL CM	3077,1578 litre	80,950 %	724,1693 litre	O
400	CM	55	CM 82 LEVEL CM	3039,0536 litre	79,947 %	762,2735 litre	O
400	CM	55	CM 81 LEVEL CM	3000,4986 litre	78,933 %	800,8285 litre	O
400	CM	55	CM 80 LEVEL CM	2961,5143 litre	77,907 %	839,8128 litre	O
400	CM	55	CM 79 LEVEL CM	2922,1218 litre	76,871 %	879,2053 litre	O
400	CM	55	CM 78 LEVEL CM	2882,3412 litre	75,825 %	918,9859 litre	O
400	CM	55	CM 77 LEVEL CM	2842,1923 litre	74,768 %	959,1348 litre	O
400	CM	55	CM 76 LEVEL CM	2801,6942 litre	73,703 %	999,6329 litre	O
400	CM	55	CM 75 LEVEL CM	2760,8655 litre	72,629 %	1040,4616 litre	O
400	CM	55	CM 74 LEVEL CM	2719,7245 litre	71,547 %	1081,6026 litre	O
400	CM	55	CM 73 LEVEL CM	2678,2891 litre	70,457 %	1123,0380 litre	O
400	CM	55	CM 72 LEVEL CM	2636,5765 litre	69,359 %	1164,7506 litre	O
400	CM	55	CM 71 LEVEL CM	2594,6038 litre	68,255 %	1206,7233 litre	O
400	CM	55	CM 70 LEVEL CM	2552,3879 litre	67,145 %	1248,9392 litre	O
400	CM	55	CM 69 LEVEL CM	2509,9452 litre	66,028 %	1291,3819 litre	O
400	CM	55	CM 68 LEVEL CM	2467,2919 litre	64,906 %	1334,0352 litre	O
400	CM	55	CM 67 LEVEL CM	2424,4440 litre	63,779 %	1376,8831 litre	O
400	CM	55	CM 66 LEVEL CM	2381,4172 litre	62,647 %	1419,9099 litre	O
400	CM	55	CM 65 LEVEL CM	2338,2271 litre	61,511 %	1463,1000 litre	O
400	CM	55	CM 64 LEVEL CM	2294,8891 litre	60,371 %	1506,4380 litre	O
400	CM	55	CM 63 LEVEL CM	2251,4184 litre	59,227 %	1549,9087 litre	O
400	CM	55	CM 62 LEVEL CM	2207,8300 litre	58,081 %	1593,4971 litre	O
400	CM	55	CM 61 LEVEL CM	2164,1390 litre	56,931 %	1637,1881 litre	O
400	CM	55	CM 60 LEVEL CM	2120,3601 litre	55,779 %	1680,9670 litre	O
400	CM	55	CM 59 LEVEL CM	2076,5083 litre	54,626 %	1724,8188 litre	O

400	CM	55	CM	58 LEVEL CM	2032,5981 litre	53,471 %	1768,7290 litre	O
400	CM	55	CM	57 LEVEL CM	1988,6442 litre	52,314 %	1812,6829 litre	O
400	CM	55	CM	56 LEVEL CM	1944,6611 litre	51,157 %	1856,6660 litre	O
400	CM	55	CM	55 LEVEL CM	1900,6636 litre	50,000 %	1900,6635 litre	O
400	CM	55	CM	54 LEVEL CM	1856,6660 litre	48,843 %	1944,6611 litre	O
400	CM	55	CM	53 LEVEL CM	1812,6830 litre	47,686 %	1988,6441 litre	O
400	CM	55	CM	52 LEVEL CM	1768,7290 litre	46,529 %	2032,5981 litre	O
400	CM	55	CM	51 LEVEL CM	1724,8188 litre	45,374 %	2076,5083 litre	O
400	CM	55	CM	50 LEVEL CM	1680,9670 litre	44,221 %	2120,3601 litre	O
400	CM	55	CM	49 LEVEL CM	1637,1881 litre	43,069 %	2164,1390 litre	O
400	CM	55	CM	48 LEVEL CM	1593,4971 litre	41,919 %	2207,8300 litre	O
400	CM	55	CM	47 LEVEL CM	1549,9087 litre	40,773 %	2251,4184 litre	O
400	CM	55	CM	46 LEVEL CM	1506,4380 litre	39,629 %	2294,8891 litre	O
400	CM	55	CM	45 LEVEL CM	1463,1000 litre	38,489 %	2338,2271 litre	O
400	CM	55	CM	44 LEVEL CM	1419,9099 litre	37,353 %	2381,4172 litre	O
400	CM	55	CM	43 LEVEL CM	1376,8831 litre	36,221 %	2424,4440 litre	O
400	CM	55	CM	42 LEVEL CM	1334,0352 litre	35,094 %	2467,2919 litre	O
400	CM	55	CM	41 LEVEL CM	1291,3819 litre	33,972 %	2509,9452 litre	O
400	CM	55	CM	40 LEVEL CM	1248,9392 litre	32,855 %	2552,3879 litre	O
400	CM	55	CM	39 LEVEL CM	1206,7233 litre	31,745 %	2594,6038 litre	O
400	CM	55	CM	38 LEVEL CM	1164,7506 litre	30,641 %	2636,5765 litre	O
400	CM	55	CM	37 LEVEL CM	1123,0381 litre	29,543 %	2678,2890 litre	O
400	CM	55	CM	36 LEVEL CM	1081,6026 litre	28,453 %	2719,7245 litre	O
400	CM	55	CM	35 LEVEL CM	1040,4616 litre	27,371 %	2760,8655 litre	O
400	CM	55	CM	34 LEVEL CM	999,6330 litre	26,297 %	2801,6941 litre	O
400	CM	55	CM	33 LEVEL CM	959,1348 litre	25,232 %	2842,1923 litre	O
400	CM	55	CM	32 LEVEL CM	918,9859 litre	24,175 %	2882,3412 litre	O
400	CM	55	CM	31 LEVEL CM	879,2053 litre	23,129 %	2922,1218 litre	O
400	CM	55	CM	30 LEVEL CM	839,8128 litre	22,093 %	2961,5143 litre	O
400	CM	55	CM	29 LEVEL CM	800,8285 litre	21,067 %	3000,4986 litre	O
400	CM	55	CM	28 LEVEL CM	762,2735 litre	20,053 %	3039,0536 litre	O
400	CM	55	CM	27 LEVEL CM	724,1693 litre	19,050 %	3077,1578 litre	O
400	CM	55	CM	26 LEVEL CM	686,5384 litre	18,060 %	3114,7887 litre	O
400	CM	55	CM	25 LEVEL CM	649,4040 litre	17,084 %	3151,9231 litre	O
400	CM	55	CM	24 LEVEL CM	612,7903 litre	16,120 %	3188,5368 litre	O
400	CM	55	CM	23 LEVEL CM	576,7225 litre	15,172 %	3224,6046 litre	O
400	CM	55	CM	22 LEVEL CM	541,2272 litre	14,238 %	3260,0999 litre	O
400	CM	55	CM	21 LEVEL CM	506,3320 litre	13,320 %	3294,9951 litre	O
400	CM	55	CM	20 LEVEL CM	472,0661 litre	12,418 %	3329,2610 litre	O
400	CM	55	CM	19 LEVEL CM	438,4603 litre	11,534 %	3362,8668 litre	O
400	CM	55	CM	18 LEVEL CM	405,5473 litre	10,669 %	3395,7798 litre	O
400	CM	55	CM	17 LEVEL CM	373,3619 litre	9,822 %	3427,9652 litre	O
400	CM	55	CM	16 LEVEL CM	341,9413 litre	8,995 %	3459,3858 litre	O
400	CM	55	CM	15 LEVEL CM	311,3255 litre	8,190 %	3490,0016 litre	O
400	CM	55	CM	14 LEVEL CM	281,5576 litre	7,407 %	3519,7695 litre	O
400	CM	55	CM	13 LEVEL CM	252,6849 litre	6,647 %	3548,6422 litre	O
400	CM	55	CM	12 LEVEL CM	224,7588 litre	5,913 %	3576,5683 litre	O
400	CM	55	CM	11 LEVEL CM	197,8363 litre	5,204 %	3603,4908 litre	O
400	CM	55	CM	10 LEVEL CM	171,9813 litre	4,524 %	3629,3458 litre	O
400	CM	55	CM	9 LEVEL CM	147,2655 litre	3,874 %	3654,0616 litre	O
400	CM	55	CM	8 LEVEL CM	123,7713 litre	3,256 %	3677,5558 litre	O
400	CM	55	CM	7 LEVEL CM	101,5950 litre	2,673 %	3699,7321 litre	O
400	CM	55	CM	6 LEVEL CM	80,8509 litre	2,127 %	3720,4762 litre	O

400	CM	55	CM	5 LEVEL CM	61,6790 litre	1,623 %	3739,6481 litre	O
400	CM	55	CM	4 LEVEL CM	44,2578 litre	1,164 %	3757,0693 litre	O
400	CM	55	CM	3 LEVEL CM	28,8265 litre	0,758 %	3772,5006 litre	O
400	CM	55	CM	2 LEVEL CM	15,7346 litre	0,414 %	3785,5925 litre	O
400	CM	55	CM	1 LEVEL CM	5,5784 litre	0,147 %	3795,7487 litre	O
400	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3801,3271 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
400	CM	50	CM	100 LEVEL CM	3141,5927 litre	100,000 %	0,0000 litre	O
400	CM	50	CM	99 LEVEL CM	3136,2753 litre	99,831 %	5,3174 litre	O
400	CM	50	CM	98 LEVEL CM	3126,5985 litre	99,523 %	14,9942 litre	O
400	CM	50	CM	97 LEVEL CM	3114,1306 litre	99,126 %	27,4621 litre	O
400	CM	50	CM	96 LEVEL CM	3099,4417 litre	98,658 %	42,1510 litre	O
400	CM	50	CM	95 LEVEL CM	3082,8667 litre	98,131 %	58,7260 litre	O
400	CM	50	CM	94 LEVEL CM	3064,6354 litre	97,550 %	76,9573 litre	O
400	CM	50	CM	93 LEVEL CM	3044,9189 litre	96,923 %	96,6738 litre	O
400	CM	50	CM	92 LEVEL CM	3023,8521 litre	96,252 %	117,7406 litre	O
400	CM	50	CM	91 LEVEL CM	3001,5454 litre	95,542 %	140,0473 litre	O
400	CM	50	CM	90 LEVEL CM	2978,0915 litre	94,796 %	163,5012 litre	O
400	CM	50	CM	89 LEVEL CM	2953,5702 litre	94,015 %	188,0225 litre	O
400	CM	50	CM	88 LEVEL CM	2928,0510 litre	93,203 %	213,5417 litre	O
400	CM	50	CM	87 LEVEL CM	2901,5958 litre	92,361 %	239,9969 litre	O
400	CM	50	CM	86 LEVEL CM	2874,2600 litre	91,491 %	267,3327 litre	O
400	CM	50	CM	85 LEVEL CM	2846,0938 litre	90,594 %	295,4989 litre	O
400	CM	50	CM	84 LEVEL CM	2817,1432 litre	89,672 %	324,4495 litre	O
400	CM	50	CM	83 LEVEL CM	2787,4504 litre	88,727 %	354,1423 litre	O
400	CM	50	CM	82 LEVEL CM	2757,0545 litre	87,760 %	384,5382 litre	O
400	CM	50	CM	81 LEVEL CM	2725,9922 litre	86,771 %	415,6005 litre	O
400	CM	50	CM	80 LEVEL CM	2694,2974 litre	85,762 %	447,2953 litre	O
400	CM	50	CM	79 LEVEL CM	2662,0026 litre	84,734 %	479,5901 litre	O
400	CM	50	CM	78 LEVEL CM	2629,1380 litre	83,688 %	512,4547 litre	O
400	CM	50	CM	77 LEVEL CM	2595,7325 litre	82,625 %	545,8602 litre	O
400	CM	50	CM	76 LEVEL CM	2561,8137 litre	81,545 %	579,7790 litre	O
400	CM	50	CM	75 LEVEL CM	2527,4078 litre	80,450 %	614,1849 litre	O
400	CM	50	CM	74 LEVEL CM	2492,5399 litre	79,340 %	649,0528 litre	O
400	CM	50	CM	73 LEVEL CM	2457,2342 litre	78,216 %	684,3585 litre	O
400	CM	50	CM	72 LEVEL CM	2421,5140 litre	77,079 %	720,0787 litre	O
400	CM	50	CM	71 LEVEL CM	2385,4018 litre	75,930 %	756,1909 litre	O
400	CM	50	CM	70 LEVEL CM	2348,9192 litre	74,768 %	792,6735 litre	O
400	CM	50	CM	69 LEVEL CM	2312,0875 litre	73,596 %	829,5052 litre	O
400	CM	50	CM	68 LEVEL CM	2274,9270 litre	72,413 %	866,6657 litre	O
400	CM	50	CM	67 LEVEL CM	2237,4579 litre	71,220 %	904,1348 litre	O
400	CM	50	CM	66 LEVEL CM	2199,6994 litre	70,019 %	941,8933 litre	O
400	CM	50	CM	65 LEVEL CM	2161,6707 litre	68,808 %	979,9220 litre	O
400	CM	50	CM	64 LEVEL CM	2123,3904 litre	67,590 %	1018,2023 litre	O
400	CM	50	CM	63 LEVEL CM	2084,8768 litre	66,364 %	1056,7159 litre	O
400	CM	50	CM	62 LEVEL CM	2046,1477 litre	65,131 %	1095,4450 litre	O
400	CM	50	CM	61 LEVEL CM	2007,2208 litre	63,892 %	1134,3719 litre	O
400	CM	50	CM	60 LEVEL CM	1968,1134 litre	62,647 %	1173,4793 litre	O
400	CM	50	CM	59 LEVEL CM	1928,8428 litre	61,397 %	1212,7499 litre	O
400	CM	50	CM	58 LEVEL CM	1889,4257 litre	60,142 %	1252,1670 litre	O
400	CM	50	CM	57 LEVEL CM	1849,8790 litre	58,883 %	1291,7137 litre	O
400	CM	50	CM	56 LEVEL CM	1810,2191 litre	57,621 %	1331,3736 litre	O
400	CM	50	CM	55 LEVEL CM	1770,4625 litre	56,356 %	1371,1302 litre	O
400	CM	50	CM	54 LEVEL CM	1730,6255 litre	55,088 %	1410,9672 litre	O
400	CM	50	CM	53 LEVEL CM	1690,7243 litre	53,817 %	1450,8684 litre	O
400	CM	50	CM	52 LEVEL CM	1650,7750 litre	52,546 %	1490,8177 litre	O
400	CM	50	CM	51 LEVEL CM	1610,7937 litre	51,273 %	1530,7990 litre	O
400	CM	50	CM	50 LEVEL CM	1570,7963 litre	50,000 %	1570,7964 litre	O
400	CM	50	CM	49 LEVEL CM	1530,7990 litre	48,727 %	1610,7937 litre	O

400	CM	50	CM	48 LEVEL CM	1490,8177 litre	47,454 %	1650,7750 litre	O
400	CM	50	CM	47 LEVEL CM	1450,8684 litre	46,183 %	1690,7243 litre	O
400	CM	50	CM	46 LEVEL CM	1410,9672 litre	44,912 %	1730,6255 litre	O
400	CM	50	CM	45 LEVEL CM	1371,1302 litre	43,644 %	1770,4625 litre	O
400	CM	50	CM	44 LEVEL CM	1331,3736 litre	42,379 %	1810,2191 litre	O
400	CM	50	CM	43 LEVEL CM	1291,7137 litre	41,117 %	1849,8790 litre	O
400	CM	50	CM	42 LEVEL CM	1252,1670 litre	39,858 %	1889,4257 litre	O
400	CM	50	CM	41 LEVEL CM	1212,7499 litre	38,603 %	1928,8428 litre	O
400	CM	50	CM	40 LEVEL CM	1173,4792 litre	37,353 %	1968,1135 litre	O
400	CM	50	CM	39 LEVEL CM	1134,3719 litre	36,108 %	2007,2208 litre	O
400	CM	50	CM	38 LEVEL CM	1095,4450 litre	34,869 %	2046,1477 litre	O
400	CM	50	CM	37 LEVEL CM	1056,7159 litre	33,636 %	2084,8768 litre	O
400	CM	50	CM	36 LEVEL CM	1018,2022 litre	32,410 %	2123,3905 litre	O
400	CM	50	CM	35 LEVEL CM	979,9219 litre	31,192 %	2161,6708 litre	O
400	CM	50	CM	34 LEVEL CM	941,8932 litre	29,981 %	2199,6995 litre	O
400	CM	50	CM	33 LEVEL CM	904,1348 litre	28,780 %	2237,4579 litre	O
400	CM	50	CM	32 LEVEL CM	866,6656 litre	27,587 %	2274,9271 litre	O
400	CM	50	CM	31 LEVEL CM	829,5052 litre	26,404 %	2312,0875 litre	O
400	CM	50	CM	30 LEVEL CM	792,6734 litre	25,232 %	2348,9193 litre	O
400	CM	50	CM	29 LEVEL CM	756,1909 litre	24,070 %	2385,4018 litre	O
400	CM	50	CM	28 LEVEL CM	720,0786 litre	22,921 %	2421,5141 litre	O
400	CM	50	CM	27 LEVEL CM	684,3584 litre	21,784 %	2457,2343 litre	O
400	CM	50	CM	26 LEVEL CM	649,0527 litre	20,660 %	2492,5400 litre	O
400	CM	50	CM	25 LEVEL CM	614,1848 litre	19,550 %	2527,4079 litre	O
400	CM	50	CM	24 LEVEL CM	579,7789 litre	18,455 %	2561,8138 litre	O
400	CM	50	CM	23 LEVEL CM	545,8601 litre	17,375 %	2595,7326 litre	O
400	CM	50	CM	22 LEVEL CM	512,4547 litre	16,312 %	2629,1380 litre	O
400	CM	50	CM	21 LEVEL CM	479,5901 litre	15,266 %	2662,0026 litre	O
400	CM	50	CM	20 LEVEL CM	447,2952 litre	14,238 %	2694,2975 litre	O
400	CM	50	CM	19 LEVEL CM	415,6005 litre	13,229 %	2725,9922 litre	O
400	CM	50	CM	18 LEVEL CM	384,5381 litre	12,240 %	2757,0546 litre	O
400	CM	50	CM	17 LEVEL CM	354,1423 litre	11,273 %	2787,4504 litre	O
400	CM	50	CM	16 LEVEL CM	324,4495 litre	10,328 %	2817,1432 litre	O
400	CM	50	CM	15 LEVEL CM	295,4988 litre	9,406 %	2846,0939 litre	O
400	CM	50	CM	14 LEVEL CM	267,3327 litre	8,509 %	2874,2600 litre	O
400	CM	50	CM	13 LEVEL CM	239,9969 litre	7,639 %	2901,5958 litre	O
400	CM	50	CM	12 LEVEL CM	213,5417 litre	6,797 %	2928,0510 litre	O
400	CM	50	CM	11 LEVEL CM	188,0225 litre	5,985 %	2953,5702 litre	O
400	CM	50	CM	10 LEVEL CM	163,5011 litre	5,204 %	2978,0916 litre	O
400	CM	50	CM	9 LEVEL CM	140,0472 litre	4,458 %	3001,5455 litre	O
400	CM	50	CM	8 LEVEL CM	117,7405 litre	3,748 %	3023,8522 litre	O
400	CM	50	CM	7 LEVEL CM	96,6738 litre	3,077 %	3044,9189 litre	O
400	CM	50	CM	6 LEVEL CM	76,9573 litre	2,450 %	3064,6354 litre	O
400	CM	50	CM	5 LEVEL CM	58,7259 litre	1,869 %	3082,8668 litre	O
400	CM	50	CM	4 LEVEL CM	42,1510 litre	1,342 %	3099,4417 litre	O
400	CM	50	CM	3 LEVEL CM	27,4620 litre	0,874 %	3114,1307 litre	O
400	CM	50	CM	2 LEVEL CM	14,9941 litre	0,477 %	3126,5986 litre	O
400	CM	50	CM	1 LEVEL CM	5,3173 litre	0,169 %	3136,2754 litre	O
400	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3141,5927 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM	150	CM 300 LEVEL CM	27567,4755 litre	100,000 %	0,0000 litre	O
390	CM	150	CM 299 LEVEL CM	27558,4779 litre	99,967 %	8,9976 litre	O
390	CM	150	CM 298 LEVEL CM	27542,0519 litre	99,908 %	25,4236 litre	O
390	CM	150	CM 297 LEVEL CM	27520,8162 litre	99,831 %	46,6593 litre	O
390	CM	150	CM 296 LEVEL CM	27495,7111 litre	99,740 %	71,7644 litre	O
390	CM	150	CM 295 LEVEL CM	27467,2830 litre	99,637 %	100,1925 litre	O
390	CM	150	CM 294 LEVEL CM	27435,9022 litre	99,523 %	131,5733 litre	O
390	CM	150	CM 293 LEVEL CM	27401,8423 litre	99,399 %	165,6332 litre	O
390	CM	150	CM 292 LEVEL CM	27365,3162 litre	99,267 %	202,1593 litre	O
390	CM	150	CM 291 LEVEL CM	27326,4961 litre	99,126 %	240,9794 litre	O
390	CM	150	CM 290 LEVEL CM	27285,5251 litre	98,977 %	281,9504 litre	O
390	CM	150	CM 289 LEVEL CM	27242,5250 litre	98,821 %	324,9505 litre	O
390	CM	150	CM 288 LEVEL CM	27197,6009 litre	98,658 %	369,8746 litre	O
390	CM	150	CM 287 LEVEL CM	27150,8450 litre	98,489 %	416,6305 litre	O
390	CM	150	CM 286 LEVEL CM	27102,3388 litre	98,313 %	465,1367 litre	O
390	CM	150	CM 285 LEVEL CM	27052,1557 litre	98,131 %	515,3198 litre	O
390	CM	150	CM 284 LEVEL CM	27000,3616 litre	97,943 %	567,1139 litre	O
390	CM	150	CM 283 LEVEL CM	26947,0165 litre	97,749 %	620,4590 litre	O
390	CM	150	CM 282 LEVEL CM	26892,1754 litre	97,550 %	675,3001 litre	O
390	CM	150	CM 281 LEVEL CM	26835,8888 litre	97,346 %	731,5867 litre	O
390	CM	150	CM 280 LEVEL CM	26778,2036 litre	97,137 %	789,2719 litre	O
390	CM	150	CM 279 LEVEL CM	26719,1631 litre	96,923 %	848,3124 litre	O
390	CM	150	CM 278 LEVEL CM	26658,8078 litre	96,704 %	908,6677 litre	O
390	CM	150	CM 277 LEVEL CM	26597,1757 litre	96,480 %	970,2998 litre	O
390	CM	150	CM 276 LEVEL CM	26534,3024 litre	96,252 %	1033,1731 litre	O
390	CM	150	CM 275 LEVEL CM	26470,2214 litre	96,020 %	1097,2541 litre	O
390	CM	150	CM 274 LEVEL CM	26404,9643 litre	95,783 %	1162,5112 litre	O
390	CM	150	CM 273 LEVEL CM	26338,5612 litre	95,542 %	1228,9143 litre	O
390	CM	150	CM 272 LEVEL CM	26271,0405 litre	95,297 %	1296,4350 litre	O
390	CM	150	CM 271 LEVEL CM	26202,4292 litre	95,048 %	1365,0463 litre	O
390	CM	150	CM 270 LEVEL CM	26132,7533 litre	94,796 %	1434,7222 litre	O
390	CM	150	CM 269 LEVEL CM	26062,0373 litre	94,539 %	1505,4382 litre	O
390	CM	150	CM 268 LEVEL CM	25990,3047 litre	94,279 %	1577,1708 litre	O
390	CM	150	CM 267 LEVEL CM	25917,5782 litre	94,015 %	1649,8973 litre	O
390	CM	150	CM 266 LEVEL CM	25843,8794 litre	93,748 %	1723,5961 litre	O
390	CM	150	CM 265 LEVEL CM	25769,2291 litre	93,477 %	1798,2464 litre	O
390	CM	150	CM 264 LEVEL CM	25693,6473 litre	93,203 %	1873,8282 litre	O
390	CM	150	CM 263 LEVEL CM	25617,1534 litre	92,925 %	1950,3221 litre	O
390	CM	150	CM 262 LEVEL CM	25539,7659 litre	92,645 %	2027,7096 litre	O
390	CM	150	CM 261 LEVEL CM	25461,5029 litre	92,361 %	2105,9726 litre	O
390	CM	150	CM 260 LEVEL CM	25382,3816 litre	92,074 %	2185,0939 litre	O
390	CM	150	CM 259 LEVEL CM	25302,4190 litre	91,784 %	2265,0565 litre	O
390	CM	150	CM 258 LEVEL CM	25221,6312 litre	91,491 %	2345,8443 litre	O
390	CM	150	CM 257 LEVEL CM	25140,0342 litre	91,195 %	2427,4413 litre	O
390	CM	150	CM 256 LEVEL CM	25057,6433 litre	90,896 %	2509,8322 litre	O
390	CM	150	CM 255 LEVEL CM	24974,4732 litre	90,594 %	2593,0023 litre	O
390	CM	150	CM 254 LEVEL CM	24890,5386 litre	90,290 %	2676,9369 litre	O
390	CM	150	CM 253 LEVEL CM	24805,8535 litre	89,982 %	2761,6220 litre	O
390	CM	150	CM 252 LEVEL CM	24720,4316 litre	89,672 %	2847,0439 litre	O
390	CM	150	CM 251 LEVEL CM	24634,2862 litre	89,360 %	2933,1893 litre	O
390	CM	150	CM 250 LEVEL CM	24547,4305 litre	89,045 %	3020,0450 litre	O
390	CM	150	CM 249 LEVEL CM	24459,8771 litre	88,727 %	3107,5984 litre	O

390	CM	150	CM	248 LEVEL CM	24371,6384 litre	88,407 %	3195,8371 litre	O
390	CM	150	CM	247 LEVEL CM	24282,7266 litre	88,085 %	3284,7489 litre	O
390	CM	150	CM	246 LEVEL CM	24193,1535 litre	87,760 %	3374,3220 litre	O
390	CM	150	CM	245 LEVEL CM	24102,9307 litre	87,432 %	3464,5448 litre	O
390	CM	150	CM	244 LEVEL CM	24012,0696 litre	87,103 %	3555,4059 litre	O
390	CM	150	CM	243 LEVEL CM	23920,5811 litre	86,771 %	3646,8944 litre	O
390	CM	150	CM	242 LEVEL CM	23828,4763 litre	86,437 %	3738,9992 litre	O
390	CM	150	CM	241 LEVEL CM	23735,7658 litre	86,101 %	3831,7097 litre	O
390	CM	150	CM	240 LEVEL CM	23642,4600 litre	85,762 %	3925,0155 litre	O
390	CM	150	CM	239 LEVEL CM	23548,5692 litre	85,422 %	4018,9063 litre	O
390	CM	150	CM	238 LEVEL CM	23454,1034 litre	85,079 %	4113,3721 litre	O
390	CM	150	CM	237 LEVEL CM	23359,0726 litre	84,734 %	4208,4029 litre	O
390	CM	150	CM	236 LEVEL CM	23263,4864 litre	84,387 %	4303,9891 litre	O
390	CM	150	CM	235 LEVEL CM	23167,3543 litre	84,039 %	4400,1212 litre	O
390	CM	150	CM	234 LEVEL CM	23070,6858 litre	83,688 %	4496,7897 litre	O
390	CM	150	CM	233 LEVEL CM	22973,4901 litre	83,335 %	4593,9854 litre	O
390	CM	150	CM	232 LEVEL CM	22875,7762 litre	82,981 %	4691,6993 litre	O
390	CM	150	CM	231 LEVEL CM	22777,5531 litre	82,625 %	4789,9224 litre	O
390	CM	150	CM	230 LEVEL CM	22678,8295 litre	82,267 %	4888,6460 litre	O
390	CM	150	CM	229 LEVEL CM	22579,6141 litre	81,907 %	4987,8614 litre	O
390	CM	150	CM	228 LEVEL CM	22479,9155 litre	81,545 %	5087,5600 litre	O
390	CM	150	CM	227 LEVEL CM	22379,7420 litre	81,182 %	5187,7335 litre	O
390	CM	150	CM	226 LEVEL CM	22279,1019 litre	80,817 %	5288,3736 litre	O
390	CM	150	CM	225 LEVEL CM	22178,0035 litre	80,450 %	5389,4720 litre	O
390	CM	150	CM	224 LEVEL CM	22076,4547 litre	80,082 %	5491,0208 litre	O
390	CM	150	CM	223 LEVEL CM	21974,4635 litre	79,712 %	5593,0120 litre	O
390	CM	150	CM	222 LEVEL CM	21872,0377 litre	79,340 %	5695,4378 litre	O
390	CM	150	CM	221 LEVEL CM	21769,1852 litre	78,967 %	5798,2903 litre	O
390	CM	150	CM	220 LEVEL CM	21665,9136 litre	78,592 %	5901,5619 litre	O
390	CM	150	CM	219 LEVEL CM	21562,2303 litre	78,216 %	6005,2452 litre	O
390	CM	150	CM	218 LEVEL CM	21458,1430 litre	77,839 %	6109,3325 litre	O
390	CM	150	CM	217 LEVEL CM	21353,6590 litre	77,460 %	6213,8165 litre	O
390	CM	150	CM	216 LEVEL CM	21248,7855 litre	77,079 %	6318,6900 litre	O
390	CM	150	CM	215 LEVEL CM	21143,5299 litre	76,697 %	6423,9456 litre	O
390	CM	150	CM	214 LEVEL CM	21037,8992 litre	76,314 %	6529,5763 litre	O
390	CM	150	CM	213 LEVEL CM	20931,9005 litre	75,930 %	6635,5750 litre	O
390	CM	150	CM	212 LEVEL CM	20825,5409 litre	75,544 %	6741,9346 litre	O
390	CM	150	CM	211 LEVEL CM	20718,8272 litre	75,157 %	6848,6483 litre	O
390	CM	150	CM	210 LEVEL CM	20611,7662 litre	74,768 %	6955,7093 litre	O
390	CM	150	CM	209 LEVEL CM	20504,3649 litre	74,379 %	7063,1106 litre	O
390	CM	150	CM	208 LEVEL CM	20396,6298 litre	73,988 %	7170,8457 litre	O
390	CM	150	CM	207 LEVEL CM	20288,5677 litre	73,596 %	7278,9078 litre	O
390	CM	150	CM	206 LEVEL CM	20180,1852 litre	73,203 %	7387,2903 litre	O
390	CM	150	CM	205 LEVEL CM	20071,4887 litre	72,809 %	7495,9868 litre	O
390	CM	150	CM	204 LEVEL CM	19962,4849 litre	72,413 %	7604,9906 litre	O
390	CM	150	CM	203 LEVEL CM	19853,1800 litre	72,017 %	7714,2955 litre	O
390	CM	150	CM	202 LEVEL CM	19743,5806 litre	71,619 %	7823,8949 litre	O
390	CM	150	CM	201 LEVEL CM	19633,6928 litre	71,220 %	7933,7827 litre	O
390	CM	150	CM	200 LEVEL CM	19523,5231 litre	70,821 %	8043,9524 litre	O
390	CM	150	CM	199 LEVEL CM	19413,0776 litre	70,420 %	8154,3979 litre	O
390	CM	150	CM	198 LEVEL CM	19302,3625 litre	70,019 %	8265,1130 litre	O
390	CM	150	CM	197 LEVEL CM	19191,3839 litre	69,616 %	8376,0916 litre	O
390	CM	150	CM	196 LEVEL CM	19080,1480 litre	69,213 %	8487,3275 litre	O

390	CM	150	CM	195 LEVEL CM	18968,6608 litre	68,808 %	8598,8147 litre	O
390	CM	150	CM	194 LEVEL CM	18856,9282 litre	68,403 %	8710,5473 litre	O
390	CM	150	CM	193 LEVEL CM	18744,9563 litre	67,997 %	8822,5192 litre	O
390	CM	150	CM	192 LEVEL CM	18632,7511 litre	67,590 %	8934,7244 litre	O
390	CM	150	CM	191 LEVEL CM	18520,3183 litre	67,182 %	9047,1572 litre	O
390	CM	150	CM	190 LEVEL CM	18407,6639 litre	66,773 %	9159,8116 litre	O
390	CM	150	CM	189 LEVEL CM	18294,7937 litre	66,364 %	9272,6818 litre	O
390	CM	150	CM	188 LEVEL CM	18181,7134 litre	65,953 %	9385,7621 litre	O
390	CM	150	CM	187 LEVEL CM	18068,4289 litre	65,543 %	9499,0466 litre	O
390	CM	150	CM	186 LEVEL CM	17954,9458 litre	65,131 %	9612,5297 litre	O
390	CM	150	CM	185 LEVEL CM	17841,2699 litre	64,719 %	9726,2056 litre	O
390	CM	150	CM	184 LEVEL CM	17727,4068 litre	64,306 %	9840,0687 litre	O
390	CM	150	CM	183 LEVEL CM	17613,3622 litre	63,892 %	9954,1133 litre	O
390	CM	150	CM	182 LEVEL CM	17499,1417 litre	63,477 %	10068,3338 litre	O
390	CM	150	CM	181 LEVEL CM	17384,7509 litre	63,063 %	10182,7246 litre	O
390	CM	150	CM	180 LEVEL CM	17270,1953 litre	62,647 %	10297,2802 litre	O
390	CM	150	CM	179 LEVEL CM	17155,4805 litre	62,231 %	10411,9950 litre	O
390	CM	150	CM	178 LEVEL CM	17040,6120 litre	61,814 %	10526,8635 litre	O
390	CM	150	CM	177 LEVEL CM	16925,5953 litre	61,397 %	10641,8802 litre	O
390	CM	150	CM	176 LEVEL CM	16810,4358 litre	60,979 %	10757,0397 litre	O
390	CM	150	CM	175 LEVEL CM	16695,1391 litre	60,561 %	10872,3364 litre	O
390	CM	150	CM	174 LEVEL CM	16579,7105 litre	60,142 %	10987,7650 litre	O
390	CM	150	CM	173 LEVEL CM	16464,1555 litre	59,723 %	11103,3200 litre	O
390	CM	150	CM	172 LEVEL CM	16348,4795 litre	59,304 %	11218,9960 litre	O
390	CM	150	CM	171 LEVEL CM	16232,6878 litre	58,883 %	11334,7877 litre	O
390	CM	150	CM	170 LEVEL CM	16116,7858 litre	58,463 %	11450,6897 litre	O
390	CM	150	CM	169 LEVEL CM	16000,7789 litre	58,042 %	11566,6966 litre	O
390	CM	150	CM	168 LEVEL CM	15884,6724 litre	57,621 %	11682,8031 litre	O
390	CM	150	CM	167 LEVEL CM	15768,4716 litre	57,200 %	11799,0039 litre	O
390	CM	150	CM	166 LEVEL CM	15652,1818 litre	56,778 %	11915,2937 litre	O
390	CM	150	CM	165 LEVEL CM	15535,8084 litre	56,356 %	12031,6671 litre	O
390	CM	150	CM	164 LEVEL CM	15419,3565 litre	55,933 %	12148,1190 litre	O
390	CM	150	CM	163 LEVEL CM	15302,8315 litre	55,510 %	12264,6440 litre	O
390	CM	150	CM	162 LEVEL CM	15186,2387 litre	55,088 %	12381,2368 litre	O
390	CM	150	CM	161 LEVEL CM	15069,5833 litre	54,664 %	12497,8922 litre	O
390	CM	150	CM	160 LEVEL CM	14952,8705 litre	54,241 %	12614,6050 litre	O
390	CM	150	CM	159 LEVEL CM	14836,1056 litre	53,817 %	12731,3699 litre	O
390	CM	150	CM	158 LEVEL CM	14719,2938 litre	53,394 %	12848,1817 litre	O
390	CM	150	CM	157 LEVEL CM	14602,4404 litre	52,970 %	12965,0351 litre	O
390	CM	150	CM	156 LEVEL CM	14485,5505 litre	52,546 %	13081,9250 litre	O
390	CM	150	CM	155 LEVEL CM	14368,6294 litre	52,122 %	13198,8461 litre	O
390	CM	150	CM	154 LEVEL CM	14251,6823 litre	51,697 %	13315,7932 litre	O
390	CM	150	CM	153 LEVEL CM	14134,7144 litre	51,273 %	13432,7611 litre	O
390	CM	150	CM	152 LEVEL CM	14017,7308 litre	50,849 %	13549,7447 litre	O
390	CM	150	CM	151 LEVEL CM	13900,7369 litre	50,424 %	13666,7386 litre	O
390	CM	150	CM	150 LEVEL CM	13783,7378 litre	50,000 %	13783,7377 litre	O
390	CM	150	CM	149 LEVEL CM	13666,7386 litre	49,576 %	13900,7369 litre	O
390	CM	150	CM	148 LEVEL CM	13549,7447 litre	49,151 %	14017,7308 litre	O
390	CM	150	CM	147 LEVEL CM	13432,7612 litre	48,727 %	14134,7143 litre	O
390	CM	150	CM	146 LEVEL CM	13315,7932 litre	48,303 %	14251,6823 litre	O
390	CM	150	CM	145 LEVEL CM	13198,8461 litre	47,878 %	14368,6294 litre	O
390	CM	150	CM	144 LEVEL CM	13081,9250 litre	47,454 %	14485,5505 litre	O
390	CM	150	CM	143 LEVEL CM	12965,0351 litre	47,030 %	14602,4404 litre	O

390	CM	150	CM	142 LEVEL CM	12848,1817 litre	46,606 %	14719,2938 litre	O
390	CM	150	CM	141 LEVEL CM	12731,3699 litre	46,183 %	14836,1056 litre	O
390	CM	150	CM	140 LEVEL CM	12614,6050 litre	45,759 %	14952,8705 litre	O
390	CM	150	CM	139 LEVEL CM	12497,8922 litre	45,336 %	15069,5833 litre	O
390	CM	150	CM	138 LEVEL CM	12381,2368 litre	44,912 %	15186,2387 litre	O
390	CM	150	CM	137 LEVEL CM	12264,6440 litre	44,490 %	15302,8315 litre	O
390	CM	150	CM	136 LEVEL CM	12148,1190 litre	44,067 %	15419,3565 litre	O
390	CM	150	CM	135 LEVEL CM	12031,6672 litre	43,644 %	15535,8083 litre	O
390	CM	150	CM	134 LEVEL CM	11915,2937 litre	43,222 %	15652,1818 litre	O
390	CM	150	CM	133 LEVEL CM	11799,0039 litre	42,800 %	15768,4716 litre	O
390	CM	150	CM	132 LEVEL CM	11682,8031 litre	42,379 %	15884,6724 litre	O
390	CM	150	CM	131 LEVEL CM	11566,6966 litre	41,958 %	16000,7789 litre	O
390	CM	150	CM	130 LEVEL CM	11450,6897 litre	41,537 %	16116,7858 litre	O
390	CM	150	CM	129 LEVEL CM	11334,7877 litre	41,117 %	16232,6878 litre	O
390	CM	150	CM	128 LEVEL CM	11218,9960 litre	40,696 %	16348,4795 litre	O
390	CM	150	CM	127 LEVEL CM	11103,3200 litre	40,277 %	16464,1555 litre	O
390	CM	150	CM	126 LEVEL CM	10987,7650 litre	39,858 %	16579,7105 litre	O
390	CM	150	CM	125 LEVEL CM	10872,3364 litre	39,439 %	16695,1391 litre	O
390	CM	150	CM	124 LEVEL CM	10757,0397 litre	39,021 %	16810,4358 litre	O
390	CM	150	CM	123 LEVEL CM	10641,8802 litre	38,603 %	16925,5953 litre	O
390	CM	150	CM	122 LEVEL CM	10526,8635 litre	38,186 %	17040,6120 litre	O
390	CM	150	CM	121 LEVEL CM	10411,9950 litre	37,769 %	17155,4805 litre	O
390	CM	150	CM	120 LEVEL CM	10297,2802 litre	37,353 %	17270,1953 litre	O
390	CM	150	CM	119 LEVEL CM	10182,7246 litre	36,937 %	17384,7509 litre	O
390	CM	150	CM	118 LEVEL CM	10068,3338 litre	36,523 %	17499,1417 litre	O
390	CM	150	CM	117 LEVEL CM	9954,1133 litre	36,108 %	17613,3622 litre	O
390	CM	150	CM	116 LEVEL CM	9840,0687 litre	35,694 %	17727,4068 litre	O
390	CM	150	CM	115 LEVEL CM	9726,2056 litre	35,281 %	17841,2699 litre	O
390	CM	150	CM	114 LEVEL CM	9612,5297 litre	34,869 %	17954,9458 litre	O
390	CM	150	CM	113 LEVEL CM	9499,0467 litre	34,457 %	18068,4288 litre	O
390	CM	150	CM	112 LEVEL CM	9385,7621 litre	34,047 %	18181,7134 litre	O
390	CM	150	CM	111 LEVEL CM	9272,6819 litre	33,636 %	18294,7936 litre	O
390	CM	150	CM	110 LEVEL CM	9159,8116 litre	33,227 %	18407,6639 litre	O
390	CM	150	CM	109 LEVEL CM	9047,1572 litre	32,818 %	18520,3183 litre	O
390	CM	150	CM	108 LEVEL CM	8934,7245 litre	32,410 %	18632,7510 litre	O
390	CM	150	CM	107 LEVEL CM	8822,5192 litre	32,003 %	18744,9563 litre	O
390	CM	150	CM	106 LEVEL CM	8710,5473 litre	31,597 %	18856,9282 litre	O
390	CM	150	CM	105 LEVEL CM	8598,8148 litre	31,192 %	18968,6607 litre	O
390	CM	150	CM	104 LEVEL CM	8487,3275 litre	30,787 %	19080,1480 litre	O
390	CM	150	CM	103 LEVEL CM	8376,0916 litre	30,384 %	19191,3839 litre	O
390	CM	150	CM	102 LEVEL CM	8265,1131 litre	29,981 %	19302,3624 litre	O
390	CM	150	CM	101 LEVEL CM	8154,3980 litre	29,580 %	19413,0775 litre	O
390	CM	150	CM	100 LEVEL CM	8043,9524 litre	29,179 %	19523,5231 litre	O
390	CM	150	CM	99 LEVEL CM	7933,7827 litre	28,780 %	19633,6928 litre	O
390	CM	150	CM	98 LEVEL CM	7823,8950 litre	28,381 %	19743,5805 litre	O
390	CM	150	CM	97 LEVEL CM	7714,2955 litre	27,983 %	19853,1800 litre	O
390	CM	150	CM	96 LEVEL CM	7604,9907 litre	27,587 %	19962,4848 litre	O
390	CM	150	CM	95 LEVEL CM	7495,9868 litre	27,191 %	20071,4887 litre	O
390	CM	150	CM	94 LEVEL CM	7387,2904 litre	26,797 %	20180,1851 litre	O
390	CM	150	CM	93 LEVEL CM	7278,9078 litre	26,404 %	20288,5677 litre	O
390	CM	150	CM	92 LEVEL CM	7170,8457 litre	26,012 %	20396,6298 litre	O
390	CM	150	CM	91 LEVEL CM	7063,1107 litre	25,621 %	20504,3648 litre	O
390	CM	150	CM	90 LEVEL CM	6955,7093 litre	25,232 %	20611,7662 litre	O

390	CM	150	CM	89 LEVEL CM	6848,6484 litre	24,843 %	20718,8271 litre	O
390	CM	150	CM	88 LEVEL CM	6741,9347 litre	24,456 %	20825,5408 litre	O
390	CM	150	CM	87 LEVEL CM	6635,5750 litre	24,070 %	20931,9005 litre	O
390	CM	150	CM	86 LEVEL CM	6529,5763 litre	23,686 %	21037,8992 litre	O
390	CM	150	CM	85 LEVEL CM	6423,9456 litre	23,303 %	21143,5299 litre	O
390	CM	150	CM	84 LEVEL CM	6318,6900 litre	22,921 %	21248,7855 litre	O
390	CM	150	CM	83 LEVEL CM	6213,8166 litre	22,540 %	21353,6589 litre	O
390	CM	150	CM	82 LEVEL CM	6109,3325 litre	22,161 %	21458,1430 litre	O
390	CM	150	CM	81 LEVEL CM	6005,2452 litre	21,784 %	21562,2303 litre	O
390	CM	150	CM	80 LEVEL CM	5901,5620 litre	21,408 %	21665,9135 litre	O
390	CM	150	CM	79 LEVEL CM	5798,2903 litre	21,033 %	21769,1852 litre	O
390	CM	150	CM	78 LEVEL CM	5695,4378 litre	20,660 %	21872,0377 litre	O
390	CM	150	CM	77 LEVEL CM	5593,0121 litre	20,288 %	21974,4634 litre	O
390	CM	150	CM	76 LEVEL CM	5491,0209 litre	19,918 %	22076,4546 litre	O
390	CM	150	CM	75 LEVEL CM	5389,4721 litre	19,550 %	22178,0034 litre	O
390	CM	150	CM	74 LEVEL CM	5288,3736 litre	19,183 %	22279,1019 litre	O
390	CM	150	CM	73 LEVEL CM	5187,7335 litre	18,818 %	22379,7420 litre	O
390	CM	150	CM	72 LEVEL CM	5087,5600 litre	18,455 %	22479,9155 litre	O
390	CM	150	CM	71 LEVEL CM	4987,8614 litre	18,093 %	22579,6141 litre	O
390	CM	150	CM	70 LEVEL CM	4888,6460 litre	17,733 %	22678,8295 litre	O
390	CM	150	CM	69 LEVEL CM	4789,9225 litre	17,375 %	22777,5530 litre	O
390	CM	150	CM	68 LEVEL CM	4691,6993 litre	17,019 %	22875,7762 litre	O
390	CM	150	CM	67 LEVEL CM	4593,9854 litre	16,665 %	22973,4901 litre	O
390	CM	150	CM	66 LEVEL CM	4496,7897 litre	16,312 %	23070,6858 litre	O
390	CM	150	CM	65 LEVEL CM	4400,1212 litre	15,961 %	23167,3543 litre	O
390	CM	150	CM	64 LEVEL CM	4303,9892 litre	15,613 %	23263,4863 litre	O
390	CM	150	CM	63 LEVEL CM	4208,4030 litre	15,266 %	23359,0725 litre	O
390	CM	150	CM	62 LEVEL CM	4113,3721 litre	14,921 %	23454,1034 litre	O
390	CM	150	CM	61 LEVEL CM	4018,9064 litre	14,578 %	23548,5691 litre	O
390	CM	150	CM	60 LEVEL CM	3925,0155 litre	14,238 %	23642,4600 litre	O
390	CM	150	CM	59 LEVEL CM	3831,7097 litre	13,899 %	23735,7658 litre	O
390	CM	150	CM	58 LEVEL CM	3738,9992 litre	13,563 %	23828,4763 litre	O
390	CM	150	CM	57 LEVEL CM	3646,8944 litre	13,229 %	23920,5811 litre	O
390	CM	150	CM	56 LEVEL CM	3555,4060 litre	12,897 %	24012,0695 litre	O
390	CM	150	CM	55 LEVEL CM	3464,5448 litre	12,568 %	24102,9307 litre	O
390	CM	150	CM	54 LEVEL CM	3374,3220 litre	12,240 %	24193,1535 litre	O
390	CM	150	CM	53 LEVEL CM	3284,7489 litre	11,915 %	24282,7266 litre	O
390	CM	150	CM	52 LEVEL CM	3195,8371 litre	11,593 %	24371,6384 litre	O
390	CM	150	CM	51 LEVEL CM	3107,5984 litre	11,273 %	24459,8771 litre	O
390	CM	150	CM	50 LEVEL CM	3020,0450 litre	10,955 %	24547,4305 litre	O
390	CM	150	CM	49 LEVEL CM	2933,1893 litre	10,640 %	24634,2862 litre	O
390	CM	150	CM	48 LEVEL CM	2847,0440 litre	10,328 %	24720,4315 litre	O
390	CM	150	CM	47 LEVEL CM	2761,6221 litre	10,018 %	24805,8534 litre	O
390	CM	150	CM	46 LEVEL CM	2676,9369 litre	9,710 %	24890,5386 litre	O
390	CM	150	CM	45 LEVEL CM	2593,0023 litre	9,406 %	24974,4732 litre	O
390	CM	150	CM	44 LEVEL CM	2509,8323 litre	9,104 %	25057,6432 litre	O
390	CM	150	CM	43 LEVEL CM	2427,4413 litre	8,805 %	25140,0342 litre	O
390	CM	150	CM	42 LEVEL CM	2345,8443 litre	8,509 %	25221,6312 litre	O
390	CM	150	CM	41 LEVEL CM	2265,0566 litre	8,216 %	25302,4189 litre	O
390	CM	150	CM	40 LEVEL CM	2185,0939 litre	7,926 %	25382,3816 litre	O
390	CM	150	CM	39 LEVEL CM	2105,9727 litre	7,639 %	25461,5028 litre	O
390	CM	150	CM	38 LEVEL CM	2027,7096 litre	7,355 %	25539,7659 litre	O
390	CM	150	CM	37 LEVEL CM	1950,3221 litre	7,075 %	25617,1534 litre	O

390	CM	150	CM	36 LEVEL CM	1873,8282 litre	6,797 %	25693,6473 litre	O
390	CM	150	CM	35 LEVEL CM	1798,2465 litre	6,523 %	25769,2290 litre	O
390	CM	150	CM	34 LEVEL CM	1723,5962 litre	6,252 %	25843,8793 litre	O
390	CM	150	CM	33 LEVEL CM	1649,8973 litre	5,985 %	25917,5782 litre	O
390	CM	150	CM	32 LEVEL CM	1577,1708 litre	5,721 %	25990,3047 litre	O
390	CM	150	CM	31 LEVEL CM	1505,4383 litre	5,461 %	26062,0372 litre	O
390	CM	150	CM	30 LEVEL CM	1434,7222 litre	5,204 %	26132,7533 litre	O
390	CM	150	CM	29 LEVEL CM	1365,0463 litre	4,952 %	26202,4292 litre	O
390	CM	150	CM	28 LEVEL CM	1296,4351 litre	4,703 %	26271,0404 litre	O
390	CM	150	CM	27 LEVEL CM	1228,9144 litre	4,458 %	26338,5611 litre	O
390	CM	150	CM	26 LEVEL CM	1162,5112 litre	4,217 %	26404,9643 litre	O
390	CM	150	CM	25 LEVEL CM	1097,2542 litre	3,980 %	26470,2213 litre	O
390	CM	150	CM	24 LEVEL CM	1033,1731 litre	3,748 %	26534,3024 litre	O
390	CM	150	CM	23 LEVEL CM	970,2998 litre	3,520 %	26597,1757 litre	O
390	CM	150	CM	22 LEVEL CM	908,6677 litre	3,296 %	26658,8078 litre	O
390	CM	150	CM	21 LEVEL CM	848,3125 litre	3,077 %	26719,1630 litre	O
390	CM	150	CM	20 LEVEL CM	789,2720 litre	2,863 %	26778,2035 litre	O
390	CM	150	CM	19 LEVEL CM	731,5867 litre	2,654 %	26835,8888 litre	O
390	CM	150	CM	18 LEVEL CM	675,3002 litre	2,450 %	26892,1753 litre	O
390	CM	150	CM	17 LEVEL CM	620,4591 litre	2,251 %	26947,0164 litre	O
390	CM	150	CM	16 LEVEL CM	567,1140 litre	2,057 %	27000,3615 litre	O
390	CM	150	CM	15 LEVEL CM	515,3198 litre	1,869 %	27052,1557 litre	O
390	CM	150	CM	14 LEVEL CM	465,1367 litre	1,687 %	27102,3388 litre	O
390	CM	150	CM	13 LEVEL CM	416,6306 litre	1,511 %	27150,8449 litre	O
390	CM	150	CM	12 LEVEL CM	369,8746 litre	1,342 %	27197,6009 litre	O
390	CM	150	CM	11 LEVEL CM	324,9505 litre	1,179 %	27242,5250 litre	O
390	CM	150	CM	10 LEVEL CM	281,9504 litre	1,023 %	27285,5251 litre	O
390	CM	150	CM	9 LEVEL CM	240,9795 litre	0,874 %	27326,4960 litre	O
390	CM	150	CM	8 LEVEL CM	202,1593 litre	0,733 %	27365,3162 litre	O
390	CM	150	CM	7 LEVEL CM	165,6332 litre	0,601 %	27401,8423 litre	O
390	CM	150	CM	6 LEVEL CM	131,5733 litre	0,477 %	27435,9022 litre	O
390	CM	150	CM	5 LEVEL CM	100,1926 litre	0,363 %	27467,2829 litre	O
390	CM	150	CM	4 LEVEL CM	71,7644 litre	0,260 %	27495,7111 litre	O
390	CM	150	CM	3 LEVEL CM	46,6593 litre	0,169 %	27520,8162 litre	O
390	CM	150	CM	2 LEVEL CM	25,4237 litre	0,092 %	27542,0518 litre	O
390	CM	150	CM	1 LEVEL CM	8,9977 litre	0,033 %	27558,4778 litre	O
390	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	27567,4755 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 145	CM 290 LEVEL CM	25760,2744 litre	100,000 %	0,0000 litre	O
390	CM 145	CM 289 LEVEL CM	25751,4282 litre	99,966 %	8,8462 litre	O
390	CM 145	CM 288 LEVEL CM	25735,2797 litre	99,903 %	24,9947 litre	O
390	CM 145	CM 287 LEVEL CM	25714,4040 litre	99,822 %	45,8704 litre	O
390	CM 145	CM 286 LEVEL CM	25689,7260 litre	99,726 %	70,5484 litre	O
390	CM 145	CM 285 LEVEL CM	25661,7830 litre	99,618 %	98,4914 litre	O
390	CM 145	CM 284 LEVEL CM	25630,9397 litre	99,498 %	129,3347 litre	O
390	CM 145	CM 283 LEVEL CM	25597,4650 litre	99,368 %	162,8094 litre	O
390	CM 145	CM 282 LEVEL CM	25561,5687 litre	99,229 %	198,7057 litre	O
390	CM 145	CM 281 LEVEL CM	25523,4203 litre	99,081 %	236,8541 litre	O
390	CM 145	CM 280 LEVEL CM	25483,1607 litre	98,924 %	277,1137 litre	O
390	CM 145	CM 279 LEVEL CM	25440,9098 litre	98,760 %	319,3646 litre	O
390	CM 145	CM 278 LEVEL CM	25396,7712 litre	98,589 %	363,5032 litre	O
390	CM 145	CM 277 LEVEL CM	25350,8356 litre	98,411 %	409,4388 litre	O
390	CM 145	CM 276 LEVEL CM	25303,1835 litre	98,226 %	457,0909 litre	O
390	CM 145	CM 275 LEVEL CM	25253,8871 litre	98,034 %	506,3873 litre	O
390	CM 145	CM 274 LEVEL CM	25203,0113 litre	97,837 %	557,2631 litre	O
390	CM 145	CM 273 LEVEL CM	25150,6155 litre	97,633 %	609,6589 litre	O
390	CM 145	CM 272 LEVEL CM	25096,7538 litre	97,424 %	663,5206 litre	O
390	CM 145	CM 271 LEVEL CM	25041,4761 litre	97,210 %	718,7983 litre	O
390	CM 145	CM 270 LEVEL CM	24984,8284 litre	96,990 %	775,4460 litre	O
390	CM 145	CM 269 LEVEL CM	24926,8537 litre	96,765 %	833,4207 litre	O
390	CM 145	CM 268 LEVEL CM	24867,5920 litre	96,535 %	892,6824 litre	O
390	CM 145	CM 267 LEVEL CM	24807,0806 litre	96,300 %	953,1938 litre	O
390	CM 145	CM 266 LEVEL CM	24745,3547 litre	96,060 %	1014,9197 litre	O
390	CM 145	CM 265 LEVEL CM	24682,4474 litre	95,816 %	1077,8270 litre	O
390	CM 145	CM 264 LEVEL CM	24618,3900 litre	95,567 %	1141,8844 litre	O
390	CM 145	CM 263 LEVEL CM	24553,2121 litre	95,314 %	1207,0623 litre	O
390	CM 145	CM 262 LEVEL CM	24486,9419 litre	95,057 %	1273,3325 litre	O
390	CM 145	CM 261 LEVEL CM	24419,6061 litre	94,796 %	1340,6683 litre	O
390	CM 145	CM 260 LEVEL CM	24351,2302 litre	94,530 %	1409,0442 litre	O
390	CM 145	CM 259 LEVEL CM	24281,8386 litre	94,261 %	1478,4358 litre	O
390	CM 145	CM 258 LEVEL CM	24211,4545 litre	93,988 %	1548,8199 litre	O
390	CM 145	CM 257 LEVEL CM	24140,1003 litre	93,711 %	1620,1741 litre	O
390	CM 145	CM 256 LEVEL CM	24067,7975 litre	93,430 %	1692,4769 litre	O
390	CM 145	CM 255 LEVEL CM	23994,5665 litre	93,146 %	1765,7079 litre	O
390	CM 145	CM 254 LEVEL CM	23920,4273 litre	92,858 %	1839,8471 litre	O
390	CM 145	CM 253 LEVEL CM	23845,3989 litre	92,567 %	1914,8755 litre	O
390	CM 145	CM 252 LEVEL CM	23769,4998 litre	92,272 %	1990,7746 litre	O
390	CM 145	CM 251 LEVEL CM	23692,7478 litre	91,974 %	2067,5266 litre	O
390	CM 145	CM 250 LEVEL CM	23615,1600 litre	91,673 %	2145,1144 litre	O
390	CM 145	CM 249 LEVEL CM	23536,7532 litre	91,368 %	2223,5212 litre	O
390	CM 145	CM 248 LEVEL CM	23457,5436 litre	91,061 %	2302,7308 litre	O
390	CM 145	CM 247 LEVEL CM	23377,5466 litre	90,750 %	2382,7278 litre	O
390	CM 145	CM 246 LEVEL CM	23296,7777 litre	90,437 %	2463,4967 litre	O
390	CM 145	CM 245 LEVEL CM	23215,2515 litre	90,120 %	2545,0229 litre	O
390	CM 145	CM 244 LEVEL CM	23132,9824 litre	89,801 %	2627,2920 litre	O
390	CM 145	CM 243 LEVEL CM	23049,9844 litre	89,479 %	2710,2900 litre	O
390	CM 145	CM 242 LEVEL CM	22966,2711 litre	89,154 %	2794,0033 litre	O
390	CM 145	CM 241 LEVEL CM	22881,8558 litre	88,826 %	2878,4186 litre	O
390	CM 145	CM 240 LEVEL CM	22796,7514 litre	88,496 %	2963,5230 litre	O
390	CM 145	CM 239 LEVEL CM	22710,9705 litre	88,163 %	3049,3039 litre	O

390	CM	145	CM	238 LEVEL CM	22624,5255 litre	87,827 %	3135,7489 litre	O
390	CM	145	CM	237 LEVEL CM	22537,4285 litre	87,489 %	3222,8459 litre	O
390	CM	145	CM	236 LEVEL CM	22449,6911 litre	87,148 %	3310,5833 litre	O
390	CM	145	CM	235 LEVEL CM	22361,3249 litre	86,805 %	3398,9495 litre	O
390	CM	145	CM	234 LEVEL CM	22272,3413 litre	86,460 %	3487,9331 litre	O
390	CM	145	CM	233 LEVEL CM	22182,7511 litre	86,112 %	3577,5233 litre	O
390	CM	145	CM	232 LEVEL CM	22092,5654 litre	85,762 %	3667,7090 litre	O
390	CM	145	CM	231 LEVEL CM	22001,7946 litre	85,410 %	3758,4798 litre	O
390	CM	145	CM	230 LEVEL CM	21910,4493 litre	85,055 %	3849,8251 litre	O
390	CM	145	CM	229 LEVEL CM	21818,5395 litre	84,698 %	3941,7349 litre	O
390	CM	145	CM	228 LEVEL CM	21726,0754 litre	84,339 %	4034,1990 litre	O
390	CM	145	CM	227 LEVEL CM	21633,0667 litre	83,978 %	4127,2077 litre	O
390	CM	145	CM	226 LEVEL CM	21539,5232 litre	83,615 %	4220,7512 litre	O
390	CM	145	CM	225 LEVEL CM	21445,4543 litre	83,250 %	4314,8201 litre	O
390	CM	145	CM	224 LEVEL CM	21350,8694 litre	82,883 %	4409,4050 litre	O
390	CM	145	CM	223 LEVEL CM	21255,7778 litre	82,514 %	4504,4966 litre	O
390	CM	145	CM	222 LEVEL CM	21160,1883 litre	82,143 %	4600,0861 litre	O
390	CM	145	CM	221 LEVEL CM	21064,1101 litre	81,770 %	4696,1643 litre	O
390	CM	145	CM	220 LEVEL CM	20967,5518 litre	81,395 %	4792,7226 litre	O
390	CM	145	CM	219 LEVEL CM	20870,5220 litre	81,018 %	4889,7524 litre	O
390	CM	145	CM	218 LEVEL CM	20773,0294 litre	80,640 %	4987,2450 litre	O
390	CM	145	CM	217 LEVEL CM	20675,0823 litre	80,260 %	5085,1921 litre	O
390	CM	145	CM	216 LEVEL CM	20576,6889 litre	79,878 %	5183,5855 litre	O
390	CM	145	CM	215 LEVEL CM	20477,8576 litre	79,494 %	5282,4168 litre	O
390	CM	145	CM	214 LEVEL CM	20378,5962 litre	79,109 %	5381,6782 litre	O
390	CM	145	CM	213 LEVEL CM	20278,9128 litre	78,722 %	5481,3616 litre	O
390	CM	145	CM	212 LEVEL CM	20178,8152 litre	78,333 %	5581,4592 litre	O
390	CM	145	CM	211 LEVEL CM	20078,3112 litre	77,943 %	5681,9632 litre	O
390	CM	145	CM	210 LEVEL CM	19977,4085 litre	77,551 %	5782,8659 litre	O
390	CM	145	CM	209 LEVEL CM	19876,1146 litre	77,158 %	5884,1598 litre	O
390	CM	145	CM	208 LEVEL CM	19774,4371 litre	76,763 %	5985,8373 litre	O
390	CM	145	CM	207 LEVEL CM	19672,3832 litre	76,367 %	6087,8912 litre	O
390	CM	145	CM	206 LEVEL CM	19569,9605 litre	75,970 %	6190,3139 litre	O
390	CM	145	CM	205 LEVEL CM	19467,1760 litre	75,571 %	6293,0984 litre	O
390	CM	145	CM	204 LEVEL CM	19364,0369 litre	75,170 %	6396,2375 litre	O
390	CM	145	CM	203 LEVEL CM	19260,5504 litre	74,768 %	6499,7240 litre	O
390	CM	145	CM	202 LEVEL CM	19156,7235 litre	74,365 %	6603,5509 litre	O
390	CM	145	CM	201 LEVEL CM	19052,5632 litre	73,961 %	6707,7112 litre	O
390	CM	145	CM	200 LEVEL CM	18948,0762 litre	73,555 %	6812,1982 litre	O
390	CM	145	CM	199 LEVEL CM	18843,2695 litre	73,149 %	6917,0049 litre	O
390	CM	145	CM	198 LEVEL CM	18738,1497 litre	72,740 %	7022,1247 litre	O
390	CM	145	CM	197 LEVEL CM	18632,7237 litre	72,331 %	7127,5507 litre	O
390	CM	145	CM	196 LEVEL CM	18526,9980 litre	71,921 %	7233,2764 litre	O
390	CM	145	CM	195 LEVEL CM	18420,9792 litre	71,509 %	7339,2952 litre	O
390	CM	145	CM	194 LEVEL CM	18314,6739 litre	71,097 %	7445,6005 litre	O
390	CM	145	CM	193 LEVEL CM	18208,0885 litre	70,683 %	7552,1859 litre	O
390	CM	145	CM	192 LEVEL CM	18101,2295 litre	70,268 %	7659,0449 litre	O
390	CM	145	CM	191 LEVEL CM	17994,1032 litre	69,852 %	7766,1712 litre	O
390	CM	145	CM	190 LEVEL CM	17886,7160 litre	69,435 %	7873,5584 litre	O
390	CM	145	CM	189 LEVEL CM	17779,0741 litre	69,017 %	7981,2003 litre	O
390	CM	145	CM	188 LEVEL CM	17671,1839 litre	68,599 %	8089,0905 litre	O
390	CM	145	CM	187 LEVEL CM	17563,0514 litre	68,179 %	8197,2230 litre	O
390	CM	145	CM	186 LEVEL CM	17454,6829 litre	67,758 %	8305,5915 litre	O

390	CM	145	CM	185 LEVEL CM	17346,0844 litre	67,337 %	8414,1900 litre	O
390	CM	145	CM	184 LEVEL CM	17237,2621 litre	66,914 %	8523,0123 litre	O
390	CM	145	CM	183 LEVEL CM	17128,2219 litre	66,491 %	8632,0525 litre	O
390	CM	145	CM	182 LEVEL CM	17018,9699 litre	66,067 %	8741,3045 litre	O
390	CM	145	CM	181 LEVEL CM	16909,5121 litre	65,642 %	8850,7623 litre	O
390	CM	145	CM	180 LEVEL CM	16799,8544 litre	65,216 %	8960,4200 litre	O
390	CM	145	CM	179 LEVEL CM	16690,0026 litre	64,790 %	9070,2718 litre	O
390	CM	145	CM	178 LEVEL CM	16579,9627 litre	64,363 %	9180,3117 litre	O
390	CM	145	CM	177 LEVEL CM	16469,7405 litre	63,935 %	9290,5339 litre	O
390	CM	145	CM	176 LEVEL CM	16359,3418 litre	63,506 %	9400,9326 litre	O
390	CM	145	CM	175 LEVEL CM	16248,7724 litre	63,077 %	9511,5020 litre	O
390	CM	145	CM	174 LEVEL CM	16138,0381 litre	62,647 %	9622,2363 litre	O
390	CM	145	CM	173 LEVEL CM	16027,1445 litre	62,217 %	9733,1299 litre	O
390	CM	145	CM	172 LEVEL CM	15916,0974 litre	61,785 %	9844,1770 litre	O
390	CM	145	CM	171 LEVEL CM	15804,9025 litre	61,354 %	9955,3719 litre	O
390	CM	145	CM	170 LEVEL CM	15693,5654 litre	60,922 %	10066,7090 litre	O
390	CM	145	CM	169 LEVEL CM	15582,0918 litre	60,489 %	10178,1826 litre	O
390	CM	145	CM	168 LEVEL CM	15470,4873 litre	60,056 %	10289,7871 litre	O
390	CM	145	CM	167 LEVEL CM	15358,7575 litre	59,622 %	10401,5169 litre	O
390	CM	145	CM	166 LEVEL CM	15246,9079 litre	59,188 %	10513,3665 litre	O
390	CM	145	CM	165 LEVEL CM	15134,9442 litre	58,753 %	10625,3302 litre	O
390	CM	145	CM	164 LEVEL CM	15022,8718 litre	58,318 %	10737,4026 litre	O
390	CM	145	CM	163 LEVEL CM	14910,6963 litre	57,883 %	10849,5781 litre	O
390	CM	145	CM	162 LEVEL CM	14798,4233 litre	57,447 %	10961,8511 litre	O
390	CM	145	CM	161 LEVEL CM	14686,0582 litre	57,010 %	11074,2162 litre	O
390	CM	145	CM	160 LEVEL CM	14573,6064 litre	56,574 %	11186,6680 litre	O
390	CM	145	CM	159 LEVEL CM	14461,0736 litre	56,137 %	11299,2008 litre	O
390	CM	145	CM	158 LEVEL CM	14348,4651 litre	55,700 %	11411,8093 litre	O
390	CM	145	CM	157 LEVEL CM	14235,7863 litre	55,263 %	11524,4881 litre	O
390	CM	145	CM	156 LEVEL CM	14123,0428 litre	54,825 %	11637,2316 litre	O
390	CM	145	CM	155 LEVEL CM	14010,2400 litre	54,387 %	11750,0344 litre	O
390	CM	145	CM	154 LEVEL CM	13897,3832 litre	53,949 %	11862,8912 litre	O
390	CM	145	CM	153 LEVEL CM	13784,4779 litre	53,511 %	11975,7965 litre	O
390	CM	145	CM	152 LEVEL CM	13671,5296 litre	53,072 %	12088,7448 litre	O
390	CM	145	CM	151 LEVEL CM	13558,5435 litre	52,634 %	12201,7309 litre	O
390	CM	145	CM	150 LEVEL CM	13445,5251 litre	52,195 %	12314,7493 litre	O
390	CM	145	CM	149 LEVEL CM	13332,4798 litre	51,756 %	12427,7946 litre	O
390	CM	145	CM	148 LEVEL CM	13219,4130 litre	51,317 %	12540,8614 litre	O
390	CM	145	CM	147 LEVEL CM	13106,3300 litre	50,878 %	12653,9444 litre	O
390	CM	145	CM	146 LEVEL CM	12993,2363 litre	50,439 %	12767,0381 litre	O
390	CM	145	CM	145 LEVEL CM	12880,1372 litre	50,000 %	12880,1372 litre	O
390	CM	145	CM	144 LEVEL CM	12767,0381 litre	49,561 %	12993,2363 litre	O
390	CM	145	CM	143 LEVEL CM	12653,9444 litre	49,122 %	13106,3300 litre	O
390	CM	145	CM	142 LEVEL CM	12540,8614 litre	48,683 %	13219,4130 litre	O
390	CM	145	CM	141 LEVEL CM	12427,7946 litre	48,244 %	13332,4798 litre	O
390	CM	145	CM	140 LEVEL CM	12314,7493 litre	47,805 %	13445,5251 litre	O
390	CM	145	CM	139 LEVEL CM	12201,7309 litre	47,366 %	13558,5435 litre	O
390	CM	145	CM	138 LEVEL CM	12088,7448 litre	46,928 %	13671,5296 litre	O
390	CM	145	CM	137 LEVEL CM	11975,7964 litre	46,489 %	13784,4780 litre	O
390	CM	145	CM	136 LEVEL CM	11862,8911 litre	46,051 %	13897,3833 litre	O
390	CM	145	CM	135 LEVEL CM	11750,0344 litre	45,613 %	14010,2400 litre	O
390	CM	145	CM	134 LEVEL CM	11637,2315 litre	45,175 %	14123,0429 litre	O
390	CM	145	CM	133 LEVEL CM	11524,4880 litre	44,737 %	14235,7864 litre	O

390	CM	145	CM	132 LEVEL CM	11411,8093 litre	44,300 %	14348,4651 litre	O
390	CM	145	CM	131 LEVEL CM	11299,2008 litre	43,863 %	14461,0736 litre	O
390	CM	145	CM	130 LEVEL CM	11186,6679 litre	43,426 %	14573,6065 litre	O
390	CM	145	CM	129 LEVEL CM	11074,2162 litre	42,990 %	14686,0582 litre	O
390	CM	145	CM	128 LEVEL CM	10961,8511 litre	42,553 %	14798,4233 litre	O
390	CM	145	CM	127 LEVEL CM	10849,5780 litre	42,117 %	14910,6964 litre	O
390	CM	145	CM	126 LEVEL CM	10737,4026 litre	41,682 %	15022,8718 litre	O
390	CM	145	CM	125 LEVEL CM	10625,3302 litre	41,247 %	15134,9442 litre	O
390	CM	145	CM	124 LEVEL CM	10513,3665 litre	40,812 %	15246,9079 litre	O
390	CM	145	CM	123 LEVEL CM	10401,5169 litre	40,378 %	15358,7575 litre	O
390	CM	145	CM	122 LEVEL CM	10289,7871 litre	39,944 %	15470,4873 litre	O
390	CM	145	CM	121 LEVEL CM	10178,1825 litre	39,511 %	15582,0919 litre	O
390	CM	145	CM	120 LEVEL CM	10066,7089 litre	39,078 %	15693,5655 litre	O
390	CM	145	CM	119 LEVEL CM	9955,3719 litre	38,646 %	15804,9025 litre	O
390	CM	145	CM	118 LEVEL CM	9844,1769 litre	38,215 %	15916,0975 litre	O
390	CM	145	CM	117 LEVEL CM	9733,1299 litre	37,783 %	16027,1445 litre	O
390	CM	145	CM	116 LEVEL CM	9622,2363 litre	37,353 %	16138,0381 litre	O
390	CM	145	CM	115 LEVEL CM	9511,5019 litre	36,923 %	16248,7725 litre	O
390	CM	145	CM	114 LEVEL CM	9400,9325 litre	36,494 %	16359,3419 litre	O
390	CM	145	CM	113 LEVEL CM	9290,5338 litre	36,065 %	16469,7406 litre	O
390	CM	145	CM	112 LEVEL CM	9180,3116 litre	35,637 %	16579,9628 litre	O
390	CM	145	CM	111 LEVEL CM	9070,2717 litre	35,210 %	16690,0027 litre	O
390	CM	145	CM	110 LEVEL CM	8960,4200 litre	34,784 %	16799,8544 litre	O
390	CM	145	CM	109 LEVEL CM	8850,7622 litre	34,358 %	16909,5122 litre	O
390	CM	145	CM	108 LEVEL CM	8741,3044 litre	33,933 %	17018,9700 litre	O
390	CM	145	CM	107 LEVEL CM	8632,0524 litre	33,509 %	17128,2220 litre	O
390	CM	145	CM	106 LEVEL CM	8523,0123 litre	33,086 %	17237,2621 litre	O
390	CM	145	CM	105 LEVEL CM	8414,1900 litre	32,663 %	17346,0844 litre	O
390	CM	145	CM	104 LEVEL CM	8305,5915 litre	32,242 %	17454,6829 litre	O
390	CM	145	CM	103 LEVEL CM	8197,2230 litre	31,821 %	17563,0514 litre	O
390	CM	145	CM	102 LEVEL CM	8089,0905 litre	31,401 %	17671,1839 litre	O
390	CM	145	CM	101 LEVEL CM	7981,2002 litre	30,983 %	17779,0742 litre	O
390	CM	145	CM	100 LEVEL CM	7873,5584 litre	30,565 %	17886,7160 litre	O
390	CM	145	CM	99 LEVEL CM	7766,1712 litre	30,148 %	17994,1032 litre	O
390	CM	145	CM	98 LEVEL CM	7659,0449 litre	29,732 %	18101,2295 litre	O
390	CM	145	CM	97 LEVEL CM	7552,1859 litre	29,317 %	18208,0885 litre	O
390	CM	145	CM	96 LEVEL CM	7445,6005 litre	28,903 %	18314,6739 litre	O
390	CM	145	CM	95 LEVEL CM	7339,2952 litre	28,491 %	18420,9792 litre	O
390	CM	145	CM	94 LEVEL CM	7233,2764 litre	28,079 %	18526,9980 litre	O
390	CM	145	CM	93 LEVEL CM	7127,5507 litre	27,669 %	18632,7237 litre	O
390	CM	145	CM	92 LEVEL CM	7022,1246 litre	27,260 %	18738,1498 litre	O
390	CM	145	CM	91 LEVEL CM	6917,0049 litre	26,851 %	18843,2695 litre	O
390	CM	145	CM	90 LEVEL CM	6812,1982 litre	26,445 %	18948,0762 litre	O
390	CM	145	CM	89 LEVEL CM	6707,7112 litre	26,039 %	19052,5632 litre	O
390	CM	145	CM	88 LEVEL CM	6603,5508 litre	25,635 %	19156,7236 litre	O
390	CM	145	CM	87 LEVEL CM	6499,7239 litre	25,232 %	19260,5505 litre	O
390	CM	145	CM	86 LEVEL CM	6396,2374 litre	24,830 %	19364,0370 litre	O
390	CM	145	CM	85 LEVEL CM	6293,0984 litre	24,429 %	19467,1760 litre	O
390	CM	145	CM	84 LEVEL CM	6190,3139 litre	24,030 %	19569,9605 litre	O
390	CM	145	CM	83 LEVEL CM	6087,8911 litre	23,633 %	19672,3833 litre	O
390	CM	145	CM	82 LEVEL CM	5985,8373 litre	23,237 %	19774,4371 litre	O
390	CM	145	CM	81 LEVEL CM	5884,1597 litre	22,842 %	19876,1147 litre	O
390	CM	145	CM	80 LEVEL CM	5782,8658 litre	22,449 %	19977,4086 litre	O

390	CM	145	CM	79 LEVEL CM	5681,9631 litre	22,057 %	20078,3113 litre	O
390	CM	145	CM	78 LEVEL CM	5581,4591 litre	21,667 %	20178,8153 litre	O
390	CM	145	CM	77 LEVEL CM	5481,3616 litre	21,278 %	20278,9128 litre	O
390	CM	145	CM	76 LEVEL CM	5381,6782 litre	20,891 %	20378,5962 litre	O
390	CM	145	CM	75 LEVEL CM	5282,4168 litre	20,506 %	20477,8576 litre	O
390	CM	145	CM	74 LEVEL CM	5183,5854 litre	20,122 %	20576,6890 litre	O
390	CM	145	CM	73 LEVEL CM	5085,1921 litre	19,740 %	20675,0823 litre	O
390	CM	145	CM	72 LEVEL CM	4987,2449 litre	19,360 %	20773,0295 litre	O
390	CM	145	CM	71 LEVEL CM	4889,7523 litre	18,982 %	20870,5221 litre	O
390	CM	145	CM	70 LEVEL CM	4792,7226 litre	18,605 %	20967,5518 litre	O
390	CM	145	CM	69 LEVEL CM	4696,1643 litre	18,230 %	21064,1101 litre	O
390	CM	145	CM	68 LEVEL CM	4600,0860 litre	17,857 %	21160,1884 litre	O
390	CM	145	CM	67 LEVEL CM	4504,4966 litre	17,486 %	21255,7778 litre	O
390	CM	145	CM	66 LEVEL CM	4409,4049 litre	17,117 %	21350,8695 litre	O
390	CM	145	CM	65 LEVEL CM	4314,8201 litre	16,750 %	21445,4543 litre	O
390	CM	145	CM	64 LEVEL CM	4220,7512 litre	16,385 %	21539,5232 litre	O
390	CM	145	CM	63 LEVEL CM	4127,2077 litre	16,022 %	21633,0667 litre	O
390	CM	145	CM	62 LEVEL CM	4034,1990 litre	15,661 %	21726,0754 litre	O
390	CM	145	CM	61 LEVEL CM	3941,7349 litre	15,302 %	21818,5395 litre	O
390	CM	145	CM	60 LEVEL CM	3849,8251 litre	14,945 %	21910,4493 litre	O
390	CM	145	CM	59 LEVEL CM	3758,4797 litre	14,590 %	22001,7947 litre	O
390	CM	145	CM	58 LEVEL CM	3667,7090 litre	14,238 %	22092,5654 litre	O
390	CM	145	CM	57 LEVEL CM	3577,5232 litre	13,888 %	22182,7512 litre	O
390	CM	145	CM	56 LEVEL CM	3487,9331 litre	13,540 %	22272,3413 litre	O
390	CM	145	CM	55 LEVEL CM	3398,9494 litre	13,195 %	22361,3250 litre	O
390	CM	145	CM	54 LEVEL CM	3310,5833 litre	12,852 %	22449,6911 litre	O
390	CM	145	CM	53 LEVEL CM	3222,8459 litre	12,511 %	22537,4285 litre	O
390	CM	145	CM	52 LEVEL CM	3135,7488 litre	12,173 %	22624,5256 litre	O
390	CM	145	CM	51 LEVEL CM	3049,3038 litre	11,837 %	22710,9706 litre	O
390	CM	145	CM	50 LEVEL CM	2963,5229 litre	11,504 %	22796,7515 litre	O
390	CM	145	CM	49 LEVEL CM	2878,4185 litre	11,174 %	22881,8559 litre	O
390	CM	145	CM	48 LEVEL CM	2794,0032 litre	10,846 %	22966,2712 litre	O
390	CM	145	CM	47 LEVEL CM	2710,2899 litre	10,521 %	23049,9845 litre	O
390	CM	145	CM	46 LEVEL CM	2627,2919 litre	10,199 %	23132,9825 litre	O
390	CM	145	CM	45 LEVEL CM	2545,0228 litre	9,880 %	23215,2516 litre	O
390	CM	145	CM	44 LEVEL CM	2463,4967 litre	9,563 %	23296,7777 litre	O
390	CM	145	CM	43 LEVEL CM	2382,7277 litre	9,250 %	23377,5467 litre	O
390	CM	145	CM	42 LEVEL CM	2302,7308 litre	8,939 %	23457,5436 litre	O
390	CM	145	CM	41 LEVEL CM	2223,5211 litre	8,632 %	23536,7533 litre	O
390	CM	145	CM	40 LEVEL CM	2145,1143 litre	8,327 %	23615,1601 litre	O
390	CM	145	CM	39 LEVEL CM	2067,5266 litre	8,026 %	23692,7478 litre	O
390	CM	145	CM	38 LEVEL CM	1990,7746 litre	7,728 %	23769,4998 litre	O
390	CM	145	CM	37 LEVEL CM	1914,8754 litre	7,433 %	23845,3990 litre	O
390	CM	145	CM	36 LEVEL CM	1839,8471 litre	7,142 %	23920,4273 litre	O
390	CM	145	CM	35 LEVEL CM	1765,7078 litre	6,854 %	23994,5666 litre	O
390	CM	145	CM	34 LEVEL CM	1692,4769 litre	6,570 %	24067,7975 litre	O
390	CM	145	CM	33 LEVEL CM	1620,1740 litre	6,289 %	24140,1004 litre	O
390	CM	145	CM	32 LEVEL CM	1548,8198 litre	6,012 %	24211,4546 litre	O
390	CM	145	CM	31 LEVEL CM	1478,4357 litre	5,739 %	24281,8387 litre	O
390	CM	145	CM	30 LEVEL CM	1409,0441 litre	5,470 %	24351,2303 litre	O
390	CM	145	CM	29 LEVEL CM	1340,6682 litre	5,204 %	24419,6062 litre	O
390	CM	145	CM	28 LEVEL CM	1273,3324 litre	4,943 %	24486,9420 litre	O
390	CM	145	CM	27 LEVEL CM	1207,0622 litre	4,686 %	24553,2122 litre	O

390	CM	145	CM	26 LEVEL CM	1141,8844 litre	4,433 %	24618,3900 litre	O
390	CM	145	CM	25 LEVEL CM	1077,8270 litre	4,184 %	24682,4474 litre	O
390	CM	145	CM	24 LEVEL CM	1014,9197 litre	3,940 %	24745,3547 litre	O
390	CM	145	CM	23 LEVEL CM	953,1938 litre	3,700 %	24807,0806 litre	O
390	CM	145	CM	22 LEVEL CM	892,6824 litre	3,465 %	24867,5920 litre	O
390	CM	145	CM	21 LEVEL CM	833,4206 litre	3,235 %	24926,8538 litre	O
390	CM	145	CM	20 LEVEL CM	775,4459 litre	3,010 %	24984,8285 litre	O
390	CM	145	CM	19 LEVEL CM	718,7983 litre	2,790 %	25041,4761 litre	O
390	CM	145	CM	18 LEVEL CM	663,5205 litre	2,576 %	25096,7539 litre	O
390	CM	145	CM	17 LEVEL CM	609,6588 litre	2,367 %	25150,6156 litre	O
390	CM	145	CM	16 LEVEL CM	557,2630 litre	2,163 %	25203,0114 litre	O
390	CM	145	CM	15 LEVEL CM	506,3873 litre	1,966 %	25253,8871 litre	O
390	CM	145	CM	14 LEVEL CM	457,0909 litre	1,774 %	25303,1835 litre	O
390	CM	145	CM	13 LEVEL CM	409,4388 litre	1,589 %	25350,8356 litre	O
390	CM	145	CM	12 LEVEL CM	363,5032 litre	1,411 %	25396,7712 litre	O
390	CM	145	CM	11 LEVEL CM	319,3645 litre	1,240 %	25440,9099 litre	O
390	CM	145	CM	10 LEVEL CM	277,1136 litre	1,076 %	25483,1608 litre	O
390	CM	145	CM	9 LEVEL CM	236,8541 litre	0,919 %	25523,4203 litre	O
390	CM	145	CM	8 LEVEL CM	198,7056 litre	0,771 %	25561,5688 litre	O
390	CM	145	CM	7 LEVEL CM	162,8093 litre	0,632 %	25597,4651 litre	O
390	CM	145	CM	6 LEVEL CM	129,3347 litre	0,502 %	25630,9397 litre	O
390	CM	145	CM	5 LEVEL CM	98,4914 litre	0,382 %	25661,7830 litre	O
390	CM	145	CM	4 LEVEL CM	70,5484 litre	0,274 %	25689,7260 litre	O
390	CM	145	CM	3 LEVEL CM	45,8703 litre	0,178 %	25714,4041 litre	O
390	CM	145	CM	2 LEVEL CM	24,9946 litre	0,097 %	25735,2798 litre	O
390	CM	145	CM	1 LEVEL CM	8,8461 litre	0,034 %	25751,4283 litre	O
390	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	25760,2744 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 140	CM 280 LEVEL CM	24014,3342 litre	100,000 %	0,0000 litre	O
390	CM 140	CM 279 LEVEL CM	24005,6423 litre	99,964 %	8,6919 litre	O
390	CM 140	CM 278 LEVEL CM	23989,7762 litre	99,898 %	24,5580 litre	O
390	CM 140	CM 277 LEVEL CM	23969,2668 litre	99,812 %	45,0674 litre	O
390	CM 140	CM 276 LEVEL CM	23945,0232 litre	99,711 %	69,3110 litre	O
390	CM 140	CM 275 LEVEL CM	23917,5740 litre	99,597 %	96,7602 litre	O
390	CM 140	CM 274 LEVEL CM	23887,2776 litre	99,471 %	127,0566 litre	O
390	CM 140	CM 273 LEVEL CM	23854,3986 litre	99,334 %	159,9356 litre	O
390	CM 140	CM 272 LEVEL CM	23819,1434 litre	99,187 %	195,1908 litre	O
390	CM 140	CM 271 LEVEL CM	23781,6787 litre	99,031 %	232,6555 litre	O
390	CM 140	CM 270 LEVEL CM	23742,1433 litre	98,867 %	272,1909 litre	O
390	CM 140	CM 269 LEVEL CM	23700,6551 litre	98,694 %	313,6791 litre	O
390	CM 140	CM 268 LEVEL CM	23657,3162 litre	98,513 %	357,0180 litre	O
390	CM 140	CM 267 LEVEL CM	23612,2158 litre	98,326 %	402,1184 litre	O
390	CM 140	CM 266 LEVEL CM	23565,4334 litre	98,131 %	448,9008 litre	O
390	CM 140	CM 265 LEVEL CM	23517,0399 litre	97,929 %	497,2943 litre	O
390	CM 140	CM 264 LEVEL CM	23467,0995 litre	97,721 %	547,2347 litre	O
390	CM 140	CM 263 LEVEL CM	23415,6705 litre	97,507 %	598,6637 litre	O
390	CM 140	CM 262 LEVEL CM	23362,8063 litre	97,287 %	651,5279 litre	O
390	CM 140	CM 261 LEVEL CM	23308,5561 litre	97,061 %	705,7781 litre	O
390	CM 140	CM 260 LEVEL CM	23252,9655 litre	96,830 %	761,3687 litre	O
390	CM 140	CM 259 LEVEL CM	23196,0765 litre	96,593 %	818,2577 litre	O
390	CM 140	CM 258 LEVEL CM	23137,9288 litre	96,350 %	876,4054 litre	O
390	CM 140	CM 257 LEVEL CM	23078,5593 litre	96,103 %	935,7749 litre	O
390	CM 140	CM 256 LEVEL CM	23018,0025 litre	95,851 %	996,3317 litre	O
390	CM 140	CM 255 LEVEL CM	22956,2913 litre	95,594 %	1058,0429 litre	O
390	CM 140	CM 254 LEVEL CM	22893,4565 litre	95,332 %	1120,8777 litre	O
390	CM 140	CM 253 LEVEL CM	22829,5274 litre	95,066 %	1184,8068 litre	O
390	CM 140	CM 252 LEVEL CM	22764,5318 litre	94,796 %	1249,8024 litre	O
390	CM 140	CM 251 LEVEL CM	22698,4960 litre	94,521 %	1315,8382 litre	O
390	CM 140	CM 250 LEVEL CM	22631,4454 litre	94,241 %	1382,8888 litre	O
390	CM 140	CM 249 LEVEL CM	22563,4039 litre	93,958 %	1450,9303 litre	O
390	CM 140	CM 248 LEVEL CM	22494,3947 litre	93,671 %	1519,9395 litre	O
390	CM 140	CM 247 LEVEL CM	22424,4397 litre	93,379 %	1589,8945 litre	O
390	CM 140	CM 246 LEVEL CM	22353,5603 litre	93,084 %	1660,7739 litre	O
390	CM 140	CM 245 LEVEL CM	22281,7767 litre	92,785 %	1732,5575 litre	O
390	CM 140	CM 244 LEVEL CM	22209,1087 litre	92,483 %	1805,2255 litre	O
390	CM 140	CM 243 LEVEL CM	22135,5750 litre	92,177 %	1878,7592 litre	O
390	CM 140	CM 242 LEVEL CM	22061,1941 litre	91,867 %	1953,1401 litre	O
390	CM 140	CM 241 LEVEL CM	21985,9834 litre	91,554 %	2028,3508 litre	O
390	CM 140	CM 240 LEVEL CM	21909,9601 litre	91,237 %	2104,3741 litre	O
390	CM 140	CM 239 LEVEL CM	21833,1407 litre	90,917 %	2181,1935 litre	O
390	CM 140	CM 238 LEVEL CM	21755,5411 litre	90,594 %	2258,7931 litre	O
390	CM 140	CM 237 LEVEL CM	21677,1770 litre	90,268 %	2337,1572 litre	O
390	CM 140	CM 236 LEVEL CM	21598,0633 litre	89,938 %	2416,2709 litre	O
390	CM 140	CM 235 LEVEL CM	21518,2148 litre	89,606 %	2496,1194 litre	O
390	CM 140	CM 234 LEVEL CM	21437,6457 litre	89,270 %	2576,6885 litre	O
390	CM 140	CM 233 LEVEL CM	21356,3698 litre	88,932 %	2657,9644 litre	O
390	CM 140	CM 232 LEVEL CM	21274,4008 litre	88,590 %	2739,9334 litre	O
390	CM 140	CM 231 LEVEL CM	21191,7517 litre	88,246 %	2822,5825 litre	O
390	CM 140	CM 230 LEVEL CM	21108,4354 litre	87,899 %	2905,8988 litre	O
390	CM 140	CM 229 LEVEL CM	21024,4644 litre	87,550 %	2989,8698 litre	O

390	CM	140	CM	228 LEVEL CM	20939,8511 litre	87,197 %	3074,4831 litre	O
390	CM	140	CM	227 LEVEL CM	20854,6074 litre	86,842 %	3159,7268 litre	O
390	CM	140	CM	226 LEVEL CM	20768,7449 litre	86,485 %	3245,5893 litre	O
390	CM	140	CM	225 LEVEL CM	20682,2753 litre	86,125 %	3332,0589 litre	O
390	CM	140	CM	224 LEVEL CM	20595,2096 litre	85,762 %	3419,1246 litre	O
390	CM	140	CM	223 LEVEL CM	20507,5589 litre	85,397 %	3506,7753 litre	O
390	CM	140	CM	222 LEVEL CM	20419,3340 litre	85,030 %	3595,0002 litre	O
390	CM	140	CM	221 LEVEL CM	20330,5453 litre	84,660 %	3683,7889 litre	O
390	CM	140	CM	220 LEVEL CM	20241,2034 litre	84,288 %	3773,1308 litre	O
390	CM	140	CM	219 LEVEL CM	20151,3184 litre	83,914 %	3863,0158 litre	O
390	CM	140	CM	218 LEVEL CM	20060,9001 litre	83,537 %	3953,4341 litre	O
390	CM	140	CM	217 LEVEL CM	19969,9586 litre	83,158 %	4044,3756 litre	O
390	CM	140	CM	216 LEVEL CM	19878,5034 litre	82,778 %	4135,8308 litre	O
390	CM	140	CM	215 LEVEL CM	19786,5439 litre	82,395 %	4227,7903 litre	O
390	CM	140	CM	214 LEVEL CM	19694,0896 litre	82,010 %	4320,2446 litre	O
390	CM	140	CM	213 LEVEL CM	19601,1497 litre	81,623 %	4413,1845 litre	O
390	CM	140	CM	212 LEVEL CM	19507,7330 litre	81,234 %	4506,6012 litre	O
390	CM	140	CM	211 LEVEL CM	19413,8486 litre	80,843 %	4600,4856 litre	O
390	CM	140	CM	210 LEVEL CM	19319,5053 litre	80,450 %	4694,8289 litre	O
390	CM	140	CM	209 LEVEL CM	19224,7115 litre	80,055 %	4789,6227 litre	O
390	CM	140	CM	208 LEVEL CM	19129,4760 litre	79,659 %	4884,8582 litre	O
390	CM	140	CM	207 LEVEL CM	19033,8070 litre	79,260 %	4980,5272 litre	O
390	CM	140	CM	206 LEVEL CM	18937,7129 litre	78,860 %	5076,6213 litre	O
390	CM	140	CM	205 LEVEL CM	18841,2018 litre	78,458 %	5173,1324 litre	O
390	CM	140	CM	204 LEVEL CM	18744,2819 litre	78,055 %	5270,0523 litre	O
390	CM	140	CM	203 LEVEL CM	18646,9610 litre	77,649 %	5367,3732 litre	O
390	CM	140	CM	202 LEVEL CM	18549,2471 litre	77,242 %	5465,0871 litre	O
390	CM	140	CM	201 LEVEL CM	18451,1478 litre	76,834 %	5563,1864 litre	O
390	CM	140	CM	200 LEVEL CM	18352,6710 litre	76,424 %	5661,6632 litre	O
390	CM	140	CM	199 LEVEL CM	18253,8242 litre	76,012 %	5760,5100 litre	O
390	CM	140	CM	198 LEVEL CM	18154,6149 litre	75,599 %	5859,7193 litre	O
390	CM	140	CM	197 LEVEL CM	18055,0506 litre	75,184 %	5959,2836 litre	O
390	CM	140	CM	196 LEVEL CM	17955,1386 litre	74,768 %	6059,1956 litre	O
390	CM	140	CM	195 LEVEL CM	17854,8861 litre	74,351 %	6159,4481 litre	O
390	CM	140	CM	194 LEVEL CM	17754,3004 litre	73,932 %	6260,0338 litre	O
390	CM	140	CM	193 LEVEL CM	17653,3887 litre	73,512 %	6360,9455 litre	O
390	CM	140	CM	192 LEVEL CM	17552,1578 litre	73,090 %	6462,1764 litre	O
390	CM	140	CM	191 LEVEL CM	17450,6150 litre	72,667 %	6563,7192 litre	O
390	CM	140	CM	190 LEVEL CM	17348,7670 litre	72,243 %	6665,5672 litre	O
390	CM	140	CM	189 LEVEL CM	17246,6208 litre	71,818 %	6767,7134 litre	O
390	CM	140	CM	188 LEVEL CM	17144,1831 litre	71,391 %	6870,1511 litre	O
390	CM	140	CM	187 LEVEL CM	17041,4608 litre	70,964 %	6972,8734 litre	O
390	CM	140	CM	186 LEVEL CM	16938,4604 litre	70,535 %	7075,8738 litre	O
390	CM	140	CM	185 LEVEL CM	16835,1887 litre	70,105 %	7179,1455 litre	O
390	CM	140	CM	184 LEVEL CM	16731,6523 litre	69,674 %	7282,6819 litre	O
390	CM	140	CM	183 LEVEL CM	16627,8576 litre	69,241 %	7386,4766 litre	O
390	CM	140	CM	182 LEVEL CM	16523,8111 litre	68,808 %	7490,5231 litre	O
390	CM	140	CM	181 LEVEL CM	16419,5194 litre	68,374 %	7594,8148 litre	O
390	CM	140	CM	180 LEVEL CM	16314,9888 litre	67,939 %	7699,3454 litre	O
390	CM	140	CM	179 LEVEL CM	16210,2256 litre	67,502 %	7804,1086 litre	O
390	CM	140	CM	178 LEVEL CM	16105,2361 litre	67,065 %	7909,0981 litre	O
390	CM	140	CM	177 LEVEL CM	16000,0267 litre	66,627 %	8014,3075 litre	O
390	CM	140	CM	176 LEVEL CM	15894,6035 litre	66,188 %	8119,7307 litre	O

390	CM	140	CM	175 LEVEL CM	15788,9728 litre	65,748 %	8225,3614 litre	O
390	CM	140	CM	174 LEVEL CM	15683,1407 litre	65,307 %	8331,1935 litre	O
390	CM	140	CM	173 LEVEL CM	15577,1133 litre	64,866 %	8437,2209 litre	O
390	CM	140	CM	172 LEVEL CM	15470,8967 litre	64,424 %	8543,4375 litre	O
390	CM	140	CM	171 LEVEL CM	15364,4970 litre	63,981 %	8649,8372 litre	O
390	CM	140	CM	170 LEVEL CM	15257,9201 litre	63,537 %	8756,4141 litre	O
390	CM	140	CM	169 LEVEL CM	15151,1722 litre	63,092 %	8863,1620 litre	O
390	CM	140	CM	168 LEVEL CM	15044,2590 litre	62,647 %	8970,0752 litre	O
390	CM	140	CM	167 LEVEL CM	14937,1867 litre	62,201 %	9077,1475 litre	O
390	CM	140	CM	166 LEVEL CM	14829,9611 litre	61,755 %	9184,3731 litre	O
390	CM	140	CM	165 LEVEL CM	14722,5880 litre	61,308 %	9291,7462 litre	O
390	CM	140	CM	164 LEVEL CM	14615,0734 litre	60,860 %	9399,2608 litre	O
390	CM	140	CM	163 LEVEL CM	14507,4230 litre	60,412 %	9506,9112 litre	O
390	CM	140	CM	162 LEVEL CM	14399,6427 litre	59,963 %	9614,6915 litre	O
390	CM	140	CM	161 LEVEL CM	14291,7384 litre	59,513 %	9722,5958 litre	O
390	CM	140	CM	160 LEVEL CM	14183,7156 litre	59,064 %	9830,6186 litre	O
390	CM	140	CM	159 LEVEL CM	14075,5803 litre	58,613 %	9938,7539 litre	O
390	CM	140	CM	158 LEVEL CM	13967,3382 litre	58,163 %	10046,9960 litre	O
390	CM	140	CM	157 LEVEL CM	13858,9949 litre	57,711 %	10155,3393 litre	O
390	CM	140	CM	156 LEVEL CM	13750,5562 litre	57,260 %	10263,7780 litre	O
390	CM	140	CM	155 LEVEL CM	13642,0278 litre	56,808 %	10372,3064 litre	O
390	CM	140	CM	154 LEVEL CM	13533,4153 litre	56,356 %	10480,9189 litre	O
390	CM	140	CM	153 LEVEL CM	13424,7244 litre	55,903 %	10589,6098 litre	O
390	CM	140	CM	152 LEVEL CM	13315,9608 litre	55,450 %	10698,3734 litre	O
390	CM	140	CM	151 LEVEL CM	13207,1300 litre	54,997 %	10807,2042 litre	O
390	CM	140	CM	150 LEVEL CM	13098,2378 litre	54,543 %	10916,0964 litre	O
390	CM	140	CM	149 LEVEL CM	12989,2898 litre	54,090 %	11025,0444 litre	O
390	CM	140	CM	148 LEVEL CM	12880,2915 litre	53,636 %	11134,0427 litre	O
390	CM	140	CM	147 LEVEL CM	12771,2485 litre	53,182 %	11243,0857 litre	O
390	CM	140	CM	146 LEVEL CM	12662,1665 litre	52,728 %	11352,1677 litre	O
390	CM	140	CM	145 LEVEL CM	12553,0510 litre	52,273 %	11461,2832 litre	O
390	CM	140	CM	144 LEVEL CM	12443,9077 litre	51,819 %	11570,4265 litre	O
390	CM	140	CM	143 LEVEL CM	12334,7420 litre	51,364 %	11679,5922 litre	O
390	CM	140	CM	142 LEVEL CM	12225,5597 litre	50,909 %	11788,7745 litre	O
390	CM	140	CM	141 LEVEL CM	12116,3662 litre	50,455 %	11897,9680 litre	O
390	CM	140	CM	140 LEVEL CM	12007,1671 litre	50,000 %	12007,1671 litre	O
390	CM	140	CM	139 LEVEL CM	11897,9681 litre	49,545 %	12116,3661 litre	O
390	CM	140	CM	138 LEVEL CM	11788,7746 litre	49,091 %	12225,5596 litre	O
390	CM	140	CM	137 LEVEL CM	11679,5922 litre	48,636 %	12334,7420 litre	O
390	CM	140	CM	136 LEVEL CM	11570,4266 litre	48,181 %	12443,9076 litre	O
390	CM	140	CM	135 LEVEL CM	11461,2832 litre	47,727 %	12553,0510 litre	O
390	CM	140	CM	134 LEVEL CM	11352,1677 litre	47,272 %	12662,1665 litre	O
390	CM	140	CM	133 LEVEL CM	11243,0857 litre	46,818 %	12771,2485 litre	O
390	CM	140	CM	132 LEVEL CM	11134,0428 litre	46,364 %	12880,2914 litre	O
390	CM	140	CM	131 LEVEL CM	11025,0445 litre	45,910 %	12989,2897 litre	O
390	CM	140	CM	130 LEVEL CM	10916,0964 litre	45,457 %	13098,2378 litre	O
390	CM	140	CM	129 LEVEL CM	10807,2042 litre	45,003 %	13207,1300 litre	O
390	CM	140	CM	128 LEVEL CM	10698,3735 litre	44,550 %	13315,9607 litre	O
390	CM	140	CM	127 LEVEL CM	10589,6098 litre	44,097 %	13424,7244 litre	O
390	CM	140	CM	126 LEVEL CM	10480,9190 litre	43,644 %	13533,4152 litre	O
390	CM	140	CM	125 LEVEL CM	10372,3065 litre	43,192 %	13642,0277 litre	O
390	CM	140	CM	124 LEVEL CM	10263,7780 litre	42,740 %	13750,5562 litre	O
390	CM	140	CM	123 LEVEL CM	10155,3393 litre	42,289 %	13858,9949 litre	O

390	CM	140	CM	122 LEVEL CM	10046,9961 litre	41,837 %	13967,3381 litre	O
390	CM	140	CM	121 LEVEL CM	9938,7539 litre	41,387 %	14075,5803 litre	O
390	CM	140	CM	120 LEVEL CM	9830,6186 litre	40,936 %	14183,7156 litre	O
390	CM	140	CM	119 LEVEL CM	9722,5959 litre	40,487 %	14291,7383 litre	O
390	CM	140	CM	118 LEVEL CM	9614,6915 litre	40,037 %	14399,6427 litre	O
390	CM	140	CM	117 LEVEL CM	9506,9112 litre	39,588 %	14507,4230 litre	O
390	CM	140	CM	116 LEVEL CM	9399,2609 litre	39,140 %	14615,0733 litre	O
390	CM	140	CM	115 LEVEL CM	9291,7463 litre	38,692 %	14722,5879 litre	O
390	CM	140	CM	114 LEVEL CM	9184,3732 litre	38,245 %	14829,9610 litre	O
390	CM	140	CM	113 LEVEL CM	9077,1475 litre	37,799 %	14937,1867 litre	O
390	CM	140	CM	112 LEVEL CM	8970,0752 litre	37,353 %	15044,2590 litre	O
390	CM	140	CM	111 LEVEL CM	8863,1621 litre	36,908 %	15151,1721 litre	O
390	CM	140	CM	110 LEVEL CM	8756,4141 litre	36,463 %	15257,9201 litre	O
390	CM	140	CM	109 LEVEL CM	8649,8373 litre	36,019 %	15364,4969 litre	O
390	CM	140	CM	108 LEVEL CM	8543,4376 litre	35,576 %	15470,8966 litre	O
390	CM	140	CM	107 LEVEL CM	8437,2210 litre	35,134 %	15577,1132 litre	O
390	CM	140	CM	106 LEVEL CM	8331,1936 litre	34,693 %	15683,1406 litre	O
390	CM	140	CM	105 LEVEL CM	8225,3615 litre	34,252 %	15788,9727 litre	O
390	CM	140	CM	104 LEVEL CM	8119,7307 litre	33,812 %	15894,6035 litre	O
390	CM	140	CM	103 LEVEL CM	8014,3076 litre	33,373 %	16000,0266 litre	O
390	CM	140	CM	102 LEVEL CM	7909,0981 litre	32,935 %	16105,2361 litre	O
390	CM	140	CM	101 LEVEL CM	7804,1087 litre	32,498 %	16210,2255 litre	O
390	CM	140	CM	100 LEVEL CM	7699,3455 litre	32,061 %	16314,9887 litre	O
390	CM	140	CM	99 LEVEL CM	7594,8148 litre	31,626 %	16419,5194 litre	O
390	CM	140	CM	98 LEVEL CM	7490,5231 litre	31,192 %	16523,8111 litre	O
390	CM	140	CM	97 LEVEL CM	7386,4767 litre	30,759 %	16627,8575 litre	O
390	CM	140	CM	96 LEVEL CM	7282,6820 litre	30,326 %	16731,6522 litre	O
390	CM	140	CM	95 LEVEL CM	7179,1455 litre	29,895 %	16835,1887 litre	O
390	CM	140	CM	94 LEVEL CM	7075,8738 litre	29,465 %	16938,4604 litre	O
390	CM	140	CM	93 LEVEL CM	6972,8735 litre	29,036 %	17041,4607 litre	O
390	CM	140	CM	92 LEVEL CM	6870,1511 litre	28,609 %	17144,1831 litre	O
390	CM	140	CM	91 LEVEL CM	6767,7135 litre	28,182 %	17246,6207 litre	O
390	CM	140	CM	90 LEVEL CM	6665,5672 litre	27,757 %	17348,7670 litre	O
390	CM	140	CM	89 LEVEL CM	6563,7193 litre	27,333 %	17450,6149 litre	O
390	CM	140	CM	88 LEVEL CM	6462,1764 litre	26,910 %	17552,1578 litre	O
390	CM	140	CM	87 LEVEL CM	6360,9456 litre	26,488 %	17653,3886 litre	O
390	CM	140	CM	86 LEVEL CM	6260,0338 litre	26,068 %	17754,3004 litre	O
390	CM	140	CM	85 LEVEL CM	6159,4481 litre	25,649 %	17854,8861 litre	O
390	CM	140	CM	84 LEVEL CM	6059,1957 litre	25,232 %	17955,1385 litre	O
390	CM	140	CM	83 LEVEL CM	5959,2836 litre	24,816 %	18055,0506 litre	O
390	CM	140	CM	82 LEVEL CM	5859,7193 litre	24,401 %	18154,6149 litre	O
390	CM	140	CM	81 LEVEL CM	5760,5100 litre	23,988 %	18253,8242 litre	O
390	CM	140	CM	80 LEVEL CM	5661,6632 litre	23,576 %	18352,6710 litre	O
390	CM	140	CM	79 LEVEL CM	5563,1864 litre	23,166 %	18451,1478 litre	O
390	CM	140	CM	78 LEVEL CM	5465,0872 litre	22,758 %	18549,2470 litre	O
390	CM	140	CM	77 LEVEL CM	5367,3732 litre	22,351 %	18646,9610 litre	O
390	CM	140	CM	76 LEVEL CM	5270,0524 litre	21,945 %	18744,2818 litre	O
390	CM	140	CM	75 LEVEL CM	5173,1324 litre	21,542 %	18841,2018 litre	O
390	CM	140	CM	74 LEVEL CM	5076,6213 litre	21,140 %	18937,7129 litre	O
390	CM	140	CM	73 LEVEL CM	4980,5272 litre	20,740 %	19033,8070 litre	O
390	CM	140	CM	72 LEVEL CM	4884,8582 litre	20,341 %	19129,4760 litre	O
390	CM	140	CM	71 LEVEL CM	4789,6227 litre	19,945 %	19224,7115 litre	O
390	CM	140	CM	70 LEVEL CM	4694,8290 litre	19,550 %	19319,5052 litre	O

390	CM	140	CM	69 LEVEL CM	4600,4856 litre	19,157 %	19413,8486 litre	O
390	CM	140	CM	68 LEVEL CM	4506,6012 litre	18,766 %	19507,7330 litre	O
390	CM	140	CM	67 LEVEL CM	4413,1846 litre	18,377 %	19601,1496 litre	O
390	CM	140	CM	66 LEVEL CM	4320,2446 litre	17,990 %	19694,0896 litre	O
390	CM	140	CM	65 LEVEL CM	4227,7903 litre	17,605 %	19786,5439 litre	O
390	CM	140	CM	64 LEVEL CM	4135,8309 litre	17,222 %	19878,5033 litre	O
390	CM	140	CM	63 LEVEL CM	4044,3756 litre	16,842 %	19969,9586 litre	O
390	CM	140	CM	62 LEVEL CM	3953,4341 litre	16,463 %	20060,9001 litre	O
390	CM	140	CM	61 LEVEL CM	3863,0159 litre	16,086 %	20151,3183 litre	O
390	CM	140	CM	60 LEVEL CM	3773,1308 litre	15,712 %	20241,2034 litre	O
390	CM	140	CM	59 LEVEL CM	3683,7889 litre	15,340 %	20330,5453 litre	O
390	CM	140	CM	58 LEVEL CM	3595,0003 litre	14,970 %	20419,3339 litre	O
390	CM	140	CM	57 LEVEL CM	3506,7753 litre	14,603 %	20507,5589 litre	O
390	CM	140	CM	56 LEVEL CM	3419,1246 litre	14,238 %	20595,2096 litre	O
390	CM	140	CM	55 LEVEL CM	3332,0590 litre	13,875 %	20682,2752 litre	O
390	CM	140	CM	54 LEVEL CM	3245,5893 litre	13,515 %	20768,7449 litre	O
390	CM	140	CM	53 LEVEL CM	3159,7269 litre	13,158 %	20854,6073 litre	O
390	CM	140	CM	52 LEVEL CM	3074,4831 litre	12,803 %	20939,8511 litre	O
390	CM	140	CM	51 LEVEL CM	2989,8698 litre	12,450 %	21024,4644 litre	O
390	CM	140	CM	50 LEVEL CM	2905,8989 litre	12,101 %	21108,4353 litre	O
390	CM	140	CM	49 LEVEL CM	2822,5826 litre	11,754 %	21191,7516 litre	O
390	CM	140	CM	48 LEVEL CM	2739,9335 litre	11,410 %	21274,4007 litre	O
390	CM	140	CM	47 LEVEL CM	2657,9644 litre	11,068 %	21356,3698 litre	O
390	CM	140	CM	46 LEVEL CM	2576,6886 litre	10,730 %	21437,6456 litre	O
390	CM	140	CM	45 LEVEL CM	2496,1194 litre	10,394 %	21518,2148 litre	O
390	CM	140	CM	44 LEVEL CM	2416,2709 litre	10,062 %	21598,0633 litre	O
390	CM	140	CM	43 LEVEL CM	2337,1573 litre	9,732 %	21677,1769 litre	O
390	CM	140	CM	42 LEVEL CM	2258,7931 litre	9,406 %	21755,5411 litre	O
390	CM	140	CM	41 LEVEL CM	2181,1936 litre	9,083 %	21833,1406 litre	O
390	CM	140	CM	40 LEVEL CM	2104,3741 litre	8,763 %	21909,9601 litre	O
390	CM	140	CM	39 LEVEL CM	2028,3508 litre	8,446 %	21985,9834 litre	O
390	CM	140	CM	38 LEVEL CM	1953,1402 litre	8,133 %	22061,1940 litre	O
390	CM	140	CM	37 LEVEL CM	1878,7592 litre	7,823 %	22135,5750 litre	O
390	CM	140	CM	36 LEVEL CM	1805,2256 litre	7,517 %	22209,1086 litre	O
390	CM	140	CM	35 LEVEL CM	1732,5575 litre	7,215 %	22281,7767 litre	O
390	CM	140	CM	34 LEVEL CM	1660,7740 litre	6,916 %	22353,5602 litre	O
390	CM	140	CM	33 LEVEL CM	1589,8945 litre	6,621 %	22424,4397 litre	O
390	CM	140	CM	32 LEVEL CM	1519,9396 litre	6,329 %	22494,3946 litre	O
390	CM	140	CM	31 LEVEL CM	1450,9303 litre	6,042 %	22563,4039 litre	O
390	CM	140	CM	30 LEVEL CM	1382,8889 litre	5,759 %	22631,4453 litre	O
390	CM	140	CM	29 LEVEL CM	1315,8382 litre	5,479 %	22698,4960 litre	O
390	CM	140	CM	28 LEVEL CM	1249,8025 litre	5,204 %	22764,5317 litre	O
390	CM	140	CM	27 LEVEL CM	1184,8068 litre	4,934 %	22829,5274 litre	O
390	CM	140	CM	26 LEVEL CM	1120,8777 litre	4,668 %	22893,4565 litre	O
390	CM	140	CM	25 LEVEL CM	1058,0429 litre	4,406 %	22956,2913 litre	O
390	CM	140	CM	24 LEVEL CM	996,3317 litre	4,149 %	23018,0025 litre	O
390	CM	140	CM	23 LEVEL CM	935,7750 litre	3,897 %	23078,5592 litre	O
390	CM	140	CM	22 LEVEL CM	876,4054 litre	3,650 %	23137,9288 litre	O
390	CM	140	CM	21 LEVEL CM	818,2577 litre	3,407 %	23196,0765 litre	O
390	CM	140	CM	20 LEVEL CM	761,3688 litre	3,170 %	23252,9654 litre	O
390	CM	140	CM	19 LEVEL CM	705,7781 litre	2,939 %	23308,5561 litre	O
390	CM	140	CM	18 LEVEL CM	651,5279 litre	2,713 %	23362,8063 litre	O
390	CM	140	CM	17 LEVEL CM	598,6637 litre	2,493 %	23415,6705 litre	O

390	CM	140	CM	16 LEVEL CM	547,2347 litre	2,279 %	23467,0995 litre	O
390	CM	140	CM	15 LEVEL CM	497,2943 litre	2,071 %	23517,0399 litre	O
390	CM	140	CM	14 LEVEL CM	448,9008 litre	1,869 %	23565,4334 litre	O
390	CM	140	CM	13 LEVEL CM	402,1184 litre	1,674 %	23612,2158 litre	O
390	CM	140	CM	12 LEVEL CM	357,0181 litre	1,487 %	23657,3161 litre	O
390	CM	140	CM	11 LEVEL CM	313,6791 litre	1,306 %	23700,6551 litre	O
390	CM	140	CM	10 LEVEL CM	272,1909 litre	1,133 %	23742,1433 litre	O
390	CM	140	CM	9 LEVEL CM	232,6555 litre	0,969 %	23781,6787 litre	O
390	CM	140	CM	8 LEVEL CM	195,1908 litre	0,813 %	23819,1434 litre	O
390	CM	140	CM	7 LEVEL CM	159,9356 litre	0,666 %	23854,3986 litre	O
390	CM	140	CM	6 LEVEL CM	127,0567 litre	0,529 %	23887,2775 litre	O
390	CM	140	CM	5 LEVEL CM	96,7603 litre	0,403 %	23917,5739 litre	O
390	CM	140	CM	4 LEVEL CM	69,3110 litre	0,289 %	23945,0232 litre	O
390	CM	140	CM	3 LEVEL CM	45,0675 litre	0,188 %	23969,2667 litre	O
390	CM	140	CM	2 LEVEL CM	24,5581 litre	0,102 %	23989,7761 litre	O
390	CM	140	CM	1 LEVEL CM	8,6919 litre	0,036 %	24005,6423 litre	O
390	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	24014,3342 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM	135	CM 270 LEVEL CM	22329,6552 litre	100,000 %	0,0000 litre	O
390	CM	135	CM 269 LEVEL CM	22321,1202 litre	99,962 %	8,5350 litre	O
390	CM	135	CM 268 LEVEL CM	22305,5415 litre	99,892 %	24,1137 litre	O
390	CM	135	CM 267 LEVEL CM	22285,4051 litre	99,802 %	44,2501 litre	O
390	CM	135	CM 266 LEVEL CM	22261,6040 litre	99,695 %	68,0512 litre	O
390	CM	135	CM 265 LEVEL CM	22234,6576 litre	99,575 %	94,9976 litre	O
390	CM	135	CM 264 LEVEL CM	22204,9181 litre	99,441 %	124,7371 litre	O
390	CM	135	CM 263 LEVEL CM	22172,6459 litre	99,297 %	157,0093 litre	O
390	CM	135	CM 262 LEVEL CM	22138,0436 litre	99,142 %	191,6116 litre	O
390	CM	135	CM 261 LEVEL CM	22101,2754 litre	98,977 %	228,3798 litre	O
390	CM	135	CM 260 LEVEL CM	22062,4776 litre	98,803 %	267,1776 litre	O
390	CM	135	CM 259 LEVEL CM	22021,7665 litre	98,621 %	307,8887 litre	O
390	CM	135	CM 258 LEVEL CM	21979,2422 litre	98,431 %	350,4130 litre	O
390	CM	135	CM 257 LEVEL CM	21934,9929 litre	98,233 %	394,6623 litre	O
390	CM	135	CM 256 LEVEL CM	21889,0966 litre	98,027 %	440,5586 litre	O
390	CM	135	CM 255 LEVEL CM	21841,6233 litre	97,814 %	488,0319 litre	O
390	CM	135	CM 254 LEVEL CM	21792,6360 litre	97,595 %	537,0192 litre	O
390	CM	135	CM 253 LEVEL CM	21742,1923 litre	97,369 %	587,4629 litre	O
390	CM	135	CM 252 LEVEL CM	21690,3449 litre	97,137 %	639,3103 litre	O
390	CM	135	CM 251 LEVEL CM	21637,1421 litre	96,899 %	692,5131 litre	O
390	CM	135	CM 250 LEVEL CM	21582,6289 litre	96,655 %	747,0263 litre	O
390	CM	135	CM 249 LEVEL CM	21526,8469 litre	96,405 %	802,8083 litre	O
390	CM	135	CM 248 LEVEL CM	21469,8350 litre	96,149 %	859,8202 litre	O
390	CM	135	CM 247 LEVEL CM	21411,6296 litre	95,889 %	918,0256 litre	O
390	CM	135	CM 246 LEVEL CM	21352,2651 litre	95,623 %	977,3901 litre	O
390	CM	135	CM 245 LEVEL CM	21291,7736 litre	95,352 %	1037,8816 litre	O
390	CM	135	CM 244 LEVEL CM	21230,1857 litre	95,076 %	1099,4695 litre	O
390	CM	135	CM 243 LEVEL CM	21167,5302 litre	94,796 %	1162,1250 litre	O
390	CM	135	CM 242 LEVEL CM	21103,8346 litre	94,510 %	1225,8206 litre	O
390	CM	135	CM 241 LEVEL CM	21039,1250 litre	94,221 %	1290,5302 litre	O
390	CM	135	CM 240 LEVEL CM	20973,4263 litre	93,926 %	1356,2289 litre	O
390	CM	135	CM 239 LEVEL CM	20906,7624 litre	93,628 %	1422,8928 litre	O
390	CM	135	CM 238 LEVEL CM	20839,1559 litre	93,325 %	1490,4993 litre	O
390	CM	135	CM 237 LEVEL CM	20770,6288 litre	93,018 %	1559,0264 litre	O
390	CM	135	CM 236 LEVEL CM	20701,2019 litre	92,707 %	1628,4533 litre	O
390	CM	135	CM 235 LEVEL CM	20630,8956 litre	92,392 %	1698,7596 litre	O
390	CM	135	CM 234 LEVEL CM	20559,7291 litre	92,074 %	1769,9261 litre	O
390	CM	135	CM 233 LEVEL CM	20487,7212 litre	91,751 %	1841,9340 litre	O
390	CM	135	CM 232 LEVEL CM	20414,8901 litre	91,425 %	1914,7651 litre	O
390	CM	135	CM 231 LEVEL CM	20341,2530 litre	91,095 %	1988,4022 litre	O
390	CM	135	CM 230 LEVEL CM	20266,8270 litre	90,762 %	2062,8282 litre	O
390	CM	135	CM 229 LEVEL CM	20191,6284 litre	90,425 %	2138,0268 litre	O
390	CM	135	CM 228 LEVEL CM	20115,6731 litre	90,085 %	2213,9821 litre	O
390	CM	135	CM 227 LEVEL CM	20038,9765 litre	89,742 %	2290,6787 litre	O
390	CM	135	CM 226 LEVEL CM	19961,5535 litre	89,395 %	2368,1017 litre	O
390	CM	135	CM 225 LEVEL CM	19883,4187 litre	89,045 %	2446,2365 litre	O
390	CM	135	CM 224 LEVEL CM	19804,5862 litre	88,692 %	2525,0690 litre	O
390	CM	135	CM 223 LEVEL CM	19725,0698 litre	88,336 %	2604,5854 litre	O
390	CM	135	CM 222 LEVEL CM	19644,8829 litre	87,977 %	2684,7723 litre	O
390	CM	135	CM 221 LEVEL CM	19564,0386 litre	87,615 %	2765,6166 litre	O
390	CM	135	CM 220 LEVEL CM	19482,5496 litre	87,250 %	2847,1056 litre	O
390	CM	135	CM 219 LEVEL CM	19400,4285 litre	86,882 %	2929,2267 litre	O

390	CM	135	CM	218 LEVEL CM	19317,6874 litre	86,511 %	3011,9678 litre	O
390	CM	135	CM	217 LEVEL CM	19234,3382 litre	86,138 %	3095,3170 litre	O
390	CM	135	CM	216 LEVEL CM	19150,3926 litre	85,762 %	3179,2626 litre	O
390	CM	135	CM	215 LEVEL CM	19065,8620 litre	85,384 %	3263,7932 litre	O
390	CM	135	CM	214 LEVEL CM	18980,7575 litre	85,002 %	3348,8977 litre	O
390	CM	135	CM	213 LEVEL CM	18895,0901 litre	84,619 %	3434,5651 litre	O
390	CM	135	CM	212 LEVEL CM	18808,8706 litre	84,233 %	3520,7846 litre	O
390	CM	135	CM	211 LEVEL CM	18722,1093 litre	83,844 %	3607,5459 litre	O
390	CM	135	CM	210 LEVEL CM	18634,8168 litre	83,453 %	3694,8384 litre	O
390	CM	135	CM	209 LEVEL CM	18547,0031 litre	83,060 %	3782,6521 litre	O
390	CM	135	CM	208 LEVEL CM	18458,6782 litre	82,664 %	3870,9770 litre	O
390	CM	135	CM	207 LEVEL CM	18369,8519 litre	82,267 %	3959,8033 litre	O
390	CM	135	CM	206 LEVEL CM	18280,5338 litre	81,867 %	4049,1214 litre	O
390	CM	135	CM	205 LEVEL CM	18190,7333 litre	81,464 %	4138,9219 litre	O
390	CM	135	CM	204 LEVEL CM	18100,4599 litre	81,060 %	4229,1953 litre	O
390	CM	135	CM	203 LEVEL CM	18009,7226 litre	80,654 %	4319,9326 litre	O
390	CM	135	CM	202 LEVEL CM	17918,5305 litre	80,245 %	4411,1247 litre	O
390	CM	135	CM	201 LEVEL CM	17826,8925 litre	79,835 %	4502,7627 litre	O
390	CM	135	CM	200 LEVEL CM	17734,8173 litre	79,423 %	4594,8379 litre	O
390	CM	135	CM	199 LEVEL CM	17642,3136 litre	79,008 %	4687,3416 litre	O
390	CM	135	CM	198 LEVEL CM	17549,3900 litre	78,592 %	4780,2652 litre	O
390	CM	135	CM	197 LEVEL CM	17456,0548 litre	78,174 %	4873,6004 litre	O
390	CM	135	CM	196 LEVEL CM	17362,3163 litre	77,755 %	4967,3389 litre	O
390	CM	135	CM	195 LEVEL CM	17268,1827 litre	77,333 %	5061,4725 litre	O
390	CM	135	CM	194 LEVEL CM	17173,6621 litre	76,910 %	5155,9931 litre	O
390	CM	135	CM	193 LEVEL CM	17078,7625 litre	76,485 %	5250,8927 litre	O
390	CM	135	CM	192 LEVEL CM	16983,4918 litre	76,058 %	5346,1634 litre	O
390	CM	135	CM	191 LEVEL CM	16887,8578 litre	75,630 %	5441,7974 litre	O
390	CM	135	CM	190 LEVEL CM	16791,8682 litre	75,200 %	5537,7870 litre	O
390	CM	135	CM	189 LEVEL CM	16695,5306 litre	74,768 %	5634,1246 litre	O
390	CM	135	CM	188 LEVEL CM	16598,8526 litre	74,335 %	5730,8026 litre	O
390	CM	135	CM	187 LEVEL CM	16501,8417 litre	73,901 %	5827,8135 litre	O
390	CM	135	CM	186 LEVEL CM	16404,5051 litre	73,465 %	5925,1501 litre	O
390	CM	135	CM	185 LEVEL CM	16306,8503 litre	73,028 %	6022,8049 litre	O
390	CM	135	CM	184 LEVEL CM	16208,8845 litre	72,589 %	6120,7707 litre	O
390	CM	135	CM	183 LEVEL CM	16110,6149 litre	72,149 %	6219,0403 litre	O
390	CM	135	CM	182 LEVEL CM	16012,0485 litre	71,708 %	6317,6067 litre	O
390	CM	135	CM	181 LEVEL CM	15913,1925 litre	71,265 %	6416,4627 litre	O
390	CM	135	CM	180 LEVEL CM	15814,0537 litre	70,821 %	6515,6015 litre	O
390	CM	135	CM	179 LEVEL CM	15714,6392 litre	70,376 %	6615,0160 litre	O
390	CM	135	CM	178 LEVEL CM	15614,9557 litre	69,929 %	6714,6995 litre	O
390	CM	135	CM	177 LEVEL CM	15515,0102 litre	69,482 %	6814,6450 litre	O
390	CM	135	CM	176 LEVEL CM	15414,8093 litre	69,033 %	6914,8459 litre	O
390	CM	135	CM	175 LEVEL CM	15314,3598 litre	68,583 %	7015,2954 litre	O
390	CM	135	CM	174 LEVEL CM	15213,6683 litre	68,132 %	7115,9869 litre	O
390	CM	135	CM	173 LEVEL CM	15112,7414 litre	67,680 %	7216,9138 litre	O
390	CM	135	CM	172 LEVEL CM	15011,5857 litre	67,227 %	7318,0695 litre	O
390	CM	135	CM	171 LEVEL CM	14910,2078 litre	66,773 %	7419,4474 litre	O
390	CM	135	CM	170 LEVEL CM	14808,6140 litre	66,318 %	7521,0412 litre	O
390	CM	135	CM	169 LEVEL CM	14706,8108 litre	65,862 %	7622,8444 litre	O
390	CM	135	CM	168 LEVEL CM	14604,8046 litre	65,405 %	7724,8506 litre	O
390	CM	135	CM	167 LEVEL CM	14502,6018 litre	64,948 %	7827,0534 litre	O
390	CM	135	CM	166 LEVEL CM	14400,2087 litre	64,489 %	7929,4465 litre	O

390	CM	135	CM	165 LEVEL CM	14297,6315 litre	64,030 %	8032,0237 litre	O
390	CM	135	CM	164 LEVEL CM	14194,8766 litre	63,570 %	8134,7786 litre	O
390	CM	135	CM	163 LEVEL CM	14091,9501 litre	63,109 %	8237,7051 litre	O
390	CM	135	CM	162 LEVEL CM	13988,8582 litre	62,647 %	8340,7970 litre	O
390	CM	135	CM	161 LEVEL CM	13885,6071 litre	62,185 %	8444,0481 litre	O
390	CM	135	CM	160 LEVEL CM	13782,2029 litre	61,722 %	8547,4523 litre	O
390	CM	135	CM	159 LEVEL CM	13678,6518 litre	61,258 %	8651,0034 litre	O
390	CM	135	CM	158 LEVEL CM	13574,9597 litre	60,793 %	8754,6955 litre	O
390	CM	135	CM	157 LEVEL CM	13471,1327 litre	60,328 %	8858,5225 litre	O
390	CM	135	CM	156 LEVEL CM	13367,1769 litre	59,863 %	8962,4783 litre	O
390	CM	135	CM	155 LEVEL CM	13263,0983 litre	59,397 %	9066,5569 litre	O
390	CM	135	CM	154 LEVEL CM	13158,9029 litre	58,930 %	9170,7523 litre	O
390	CM	135	CM	153 LEVEL CM	13054,5965 litre	58,463 %	9275,0587 litre	O
390	CM	135	CM	152 LEVEL CM	12950,1852 litre	57,995 %	9379,4700 litre	O
390	CM	135	CM	151 LEVEL CM	12845,6749 litre	57,527 %	9483,9803 litre	O
390	CM	135	CM	150 LEVEL CM	12741,0715 litre	57,059 %	9588,5837 litre	O
390	CM	135	CM	149 LEVEL CM	12636,3809 litre	56,590 %	9693,2743 litre	O
390	CM	135	CM	148 LEVEL CM	12531,6090 litre	56,121 %	9798,0462 litre	O
390	CM	135	CM	147 LEVEL CM	12426,7616 litre	55,651 %	9902,8936 litre	O
390	CM	135	CM	146 LEVEL CM	12321,8446 litre	55,182 %	10007,8106 litre	O
390	CM	135	CM	145 LEVEL CM	12216,8638 litre	54,711 %	10112,7914 litre	O
390	CM	135	CM	144 LEVEL CM	12111,8251 litre	54,241 %	10217,8301 litre	O
390	CM	135	CM	143 LEVEL CM	12006,7343 litre	53,770 %	10322,9209 litre	O
390	CM	135	CM	142 LEVEL CM	11901,5972 litre	53,300 %	10428,0580 litre	O
390	CM	135	CM	141 LEVEL CM	11796,4195 litre	52,828 %	10533,2357 litre	O
390	CM	135	CM	140 LEVEL CM	11691,2072 litre	52,357 %	10638,4480 litre	O
390	CM	135	CM	139 LEVEL CM	11585,9660 litre	51,886 %	10743,6892 litre	O
390	CM	135	CM	138 LEVEL CM	11480,7016 litre	51,415 %	10848,9536 litre	O
390	CM	135	CM	137 LEVEL CM	11375,4199 litre	50,943 %	10954,2353 litre	O
390	CM	135	CM	136 LEVEL CM	11270,1266 litre	50,472 %	11059,5286 litre	O
390	CM	135	CM	135 LEVEL CM	11164,8276 litre	50,000 %	11164,8276 litre	O
390	CM	135	CM	134 LEVEL CM	11059,5286 litre	49,528 %	11270,1266 litre	O
390	CM	135	CM	133 LEVEL CM	10954,2353 litre	49,057 %	11375,4199 litre	O
390	CM	135	CM	132 LEVEL CM	10848,9536 litre	48,585 %	11480,7016 litre	O
390	CM	135	CM	131 LEVEL CM	10743,6892 litre	48,114 %	11585,9660 litre	O
390	CM	135	CM	130 LEVEL CM	10638,4480 litre	47,643 %	11691,2072 litre	O
390	CM	135	CM	129 LEVEL CM	10533,2357 litre	47,172 %	11796,4195 litre	O
390	CM	135	CM	128 LEVEL CM	10428,0580 litre	46,700 %	11901,5972 litre	O
390	CM	135	CM	127 LEVEL CM	10322,9209 litre	46,230 %	12006,7343 litre	O
390	CM	135	CM	126 LEVEL CM	10217,8301 litre	45,759 %	12111,8251 litre	O
390	CM	135	CM	125 LEVEL CM	10112,7913 litre	45,289 %	12216,8639 litre	O
390	CM	135	CM	124 LEVEL CM	10007,8106 litre	44,818 %	12321,8446 litre	O
390	CM	135	CM	123 LEVEL CM	9902,8936 litre	44,349 %	12426,7616 litre	O
390	CM	135	CM	122 LEVEL CM	9798,0462 litre	43,879 %	12531,6090 litre	O
390	CM	135	CM	121 LEVEL CM	9693,2742 litre	43,410 %	12636,3810 litre	O
390	CM	135	CM	120 LEVEL CM	9588,5836 litre	42,941 %	12741,0716 litre	O
390	CM	135	CM	119 LEVEL CM	9483,9802 litre	42,473 %	12845,6750 litre	O
390	CM	135	CM	118 LEVEL CM	9379,4699 litre	42,005 %	12950,1853 litre	O
390	CM	135	CM	117 LEVEL CM	9275,0587 litre	41,537 %	13054,5965 litre	O
390	CM	135	CM	116 LEVEL CM	9170,7523 litre	41,070 %	13158,9029 litre	O
390	CM	135	CM	115 LEVEL CM	9066,5569 litre	40,603 %	13263,0983 litre	O
390	CM	135	CM	114 LEVEL CM	8962,4782 litre	40,137 %	13367,1770 litre	O
390	CM	135	CM	113 LEVEL CM	8858,5225 litre	39,672 %	13471,1327 litre	O

390	CM	135	CM	112 LEVEL CM	8754,6955 litre	39,207 %	13574,9597 litre	O
390	CM	135	CM	111 LEVEL CM	8651,0034 litre	38,742 %	13678,6518 litre	O
390	CM	135	CM	110 LEVEL CM	8547,4523 litre	38,278 %	13782,2029 litre	O
390	CM	135	CM	109 LEVEL CM	8444,0481 litre	37,815 %	13885,6071 litre	O
390	CM	135	CM	108 LEVEL CM	8340,7970 litre	37,353 %	13988,8582 litre	O
390	CM	135	CM	107 LEVEL CM	8237,7051 litre	36,891 %	14091,9501 litre	O
390	CM	135	CM	106 LEVEL CM	8134,7786 litre	36,430 %	14194,8766 litre	O
390	CM	135	CM	105 LEVEL CM	8032,0237 litre	35,970 %	14297,6315 litre	O
390	CM	135	CM	104 LEVEL CM	7929,4465 litre	35,511 %	14400,2087 litre	O
390	CM	135	CM	103 LEVEL CM	7827,0534 litre	35,052 %	14502,6018 litre	O
390	CM	135	CM	102 LEVEL CM	7724,8506 litre	34,595 %	14604,8046 litre	O
390	CM	135	CM	101 LEVEL CM	7622,8444 litre	34,138 %	14706,8108 litre	O
390	CM	135	CM	100 LEVEL CM	7521,0412 litre	33,682 %	14808,6140 litre	O
390	CM	135	CM	99 LEVEL CM	7419,4474 litre	33,227 %	14910,2078 litre	O
390	CM	135	CM	98 LEVEL CM	7318,0695 litre	32,773 %	15011,5857 litre	O
390	CM	135	CM	97 LEVEL CM	7216,9138 litre	32,320 %	15112,7414 litre	O
390	CM	135	CM	96 LEVEL CM	7115,9869 litre	31,868 %	15213,6683 litre	O
390	CM	135	CM	95 LEVEL CM	7015,2954 litre	31,417 %	15314,3598 litre	O
390	CM	135	CM	94 LEVEL CM	6914,8459 litre	30,967 %	15414,8093 litre	O
390	CM	135	CM	93 LEVEL CM	6814,6450 litre	30,518 %	15515,0102 litre	O
390	CM	135	CM	92 LEVEL CM	6714,6994 litre	30,071 %	15614,9558 litre	O
390	CM	135	CM	91 LEVEL CM	6615,0160 litre	29,624 %	15714,6392 litre	O
390	CM	135	CM	90 LEVEL CM	6515,6015 litre	29,179 %	15814,0537 litre	O
390	CM	135	CM	89 LEVEL CM	6416,4627 litre	28,735 %	15913,1925 litre	O
390	CM	135	CM	88 LEVEL CM	6317,6067 litre	28,292 %	16012,0485 litre	O
390	CM	135	CM	87 LEVEL CM	6219,0403 litre	27,851 %	16110,6149 litre	O
390	CM	135	CM	86 LEVEL CM	6120,7707 litre	27,411 %	16208,8845 litre	O
390	CM	135	CM	85 LEVEL CM	6022,8048 litre	26,972 %	16306,8504 litre	O
390	CM	135	CM	84 LEVEL CM	5925,1500 litre	26,535 %	16404,5052 litre	O
390	CM	135	CM	83 LEVEL CM	5827,8135 litre	26,099 %	16501,8417 litre	O
390	CM	135	CM	82 LEVEL CM	5730,8025 litre	25,665 %	16598,8527 litre	O
390	CM	135	CM	81 LEVEL CM	5634,1245 litre	25,232 %	16695,5307 litre	O
390	CM	135	CM	80 LEVEL CM	5537,7870 litre	24,800 %	16791,8682 litre	O
390	CM	135	CM	79 LEVEL CM	5441,7973 litre	24,370 %	16887,8579 litre	O
390	CM	135	CM	78 LEVEL CM	5346,1633 litre	23,942 %	16983,4919 litre	O
390	CM	135	CM	77 LEVEL CM	5250,8926 litre	23,515 %	17078,7626 litre	O
390	CM	135	CM	76 LEVEL CM	5155,9931 litre	23,090 %	17173,6621 litre	O
390	CM	135	CM	75 LEVEL CM	5061,4725 litre	22,667 %	17268,1827 litre	O
390	CM	135	CM	74 LEVEL CM	4967,3389 litre	22,245 %	17362,3163 litre	O
390	CM	135	CM	73 LEVEL CM	4873,6004 litre	21,826 %	17456,0548 litre	O
390	CM	135	CM	72 LEVEL CM	4780,2652 litre	21,408 %	17549,3900 litre	O
390	CM	135	CM	71 LEVEL CM	4687,3416 litre	20,992 %	17642,3136 litre	O
390	CM	135	CM	70 LEVEL CM	4594,8379 litre	20,577 %	17734,8173 litre	O
390	CM	135	CM	69 LEVEL CM	4502,7627 litre	20,165 %	17826,8925 litre	O
390	CM	135	CM	68 LEVEL CM	4411,1247 litre	19,755 %	17918,5305 litre	O
390	CM	135	CM	67 LEVEL CM	4319,9326 litre	19,346 %	18009,7226 litre	O
390	CM	135	CM	66 LEVEL CM	4229,1953 litre	18,940 %	18100,4599 litre	O
390	CM	135	CM	65 LEVEL CM	4138,9219 litre	18,536 %	18190,7333 litre	O
390	CM	135	CM	64 LEVEL CM	4049,1214 litre	18,133 %	18280,5338 litre	O
390	CM	135	CM	63 LEVEL CM	3959,8033 litre	17,733 %	18369,8519 litre	O
390	CM	135	CM	62 LEVEL CM	3870,9770 litre	17,336 %	18458,6782 litre	O
390	CM	135	CM	61 LEVEL CM	3782,6521 litre	16,940 %	18547,0031 litre	O
390	CM	135	CM	60 LEVEL CM	3694,8384 litre	16,547 %	18634,8168 litre	O

390	CM	135	CM	59 LEVEL CM	3607,5458 litre	16,156 %	18722,1094 litre	O
390	CM	135	CM	58 LEVEL CM	3520,7846 litre	15,767 %	18808,8706 litre	O
390	CM	135	CM	57 LEVEL CM	3434,5651 litre	15,381 %	18895,0901 litre	O
390	CM	135	CM	56 LEVEL CM	3348,8977 litre	14,998 %	18980,7575 litre	O
390	CM	135	CM	55 LEVEL CM	3263,7932 litre	14,616 %	19065,8620 litre	O
390	CM	135	CM	54 LEVEL CM	3179,2626 litre	14,238 %	19150,3926 litre	O
390	CM	135	CM	53 LEVEL CM	3095,3170 litre	13,862 %	19234,3382 litre	O
390	CM	135	CM	52 LEVEL CM	3011,9678 litre	13,489 %	19317,6874 litre	O
390	CM	135	CM	51 LEVEL CM	2929,2267 litre	13,118 %	19400,4285 litre	O
390	CM	135	CM	50 LEVEL CM	2847,1056 litre	12,750 %	19482,5496 litre	O
390	CM	135	CM	49 LEVEL CM	2765,6166 litre	12,385 %	19564,0386 litre	O
390	CM	135	CM	48 LEVEL CM	2684,7723 litre	12,023 %	19644,8829 litre	O
390	CM	135	CM	47 LEVEL CM	2604,5854 litre	11,664 %	19725,0698 litre	O
390	CM	135	CM	46 LEVEL CM	2525,0690 litre	11,308 %	19804,5862 litre	O
390	CM	135	CM	45 LEVEL CM	2446,2365 litre	10,955 %	19883,4187 litre	O
390	CM	135	CM	44 LEVEL CM	2368,1017 litre	10,605 %	19961,5535 litre	O
390	CM	135	CM	43 LEVEL CM	2290,6787 litre	10,258 %	20038,9765 litre	O
390	CM	135	CM	42 LEVEL CM	2213,9820 litre	9,915 %	20115,6732 litre	O
390	CM	135	CM	41 LEVEL CM	2138,0267 litre	9,575 %	20191,6285 litre	O
390	CM	135	CM	40 LEVEL CM	2062,8282 litre	9,238 %	20266,8270 litre	O
390	CM	135	CM	39 LEVEL CM	1988,4022 litre	8,905 %	20341,2530 litre	O
390	CM	135	CM	38 LEVEL CM	1914,7651 litre	8,575 %	20414,8901 litre	O
390	CM	135	CM	37 LEVEL CM	1841,9339 litre	8,249 %	20487,7213 litre	O
390	CM	135	CM	36 LEVEL CM	1769,9261 litre	7,926 %	20559,7291 litre	O
390	CM	135	CM	35 LEVEL CM	1698,7596 litre	7,608 %	20630,8956 litre	O
390	CM	135	CM	34 LEVEL CM	1628,4532 litre	7,293 %	20701,2020 litre	O
390	CM	135	CM	33 LEVEL CM	1559,0264 litre	6,982 %	20770,6288 litre	O
390	CM	135	CM	32 LEVEL CM	1490,4993 litre	6,675 %	20839,1559 litre	O
390	CM	135	CM	31 LEVEL CM	1422,8928 litre	6,372 %	20906,7624 litre	O
390	CM	135	CM	30 LEVEL CM	1356,2289 litre	6,074 %	20973,4263 litre	O
390	CM	135	CM	29 LEVEL CM	1290,5302 litre	5,779 %	21039,1250 litre	O
390	CM	135	CM	28 LEVEL CM	1225,8206 litre	5,490 %	21103,8346 litre	O
390	CM	135	CM	27 LEVEL CM	1162,1250 litre	5,204 %	21167,5302 litre	O
390	CM	135	CM	26 LEVEL CM	1099,4695 litre	4,924 %	21230,1857 litre	O
390	CM	135	CM	25 LEVEL CM	1037,8816 litre	4,648 %	21291,7736 litre	O
390	CM	135	CM	24 LEVEL CM	977,3901 litre	4,377 %	21352,2651 litre	O
390	CM	135	CM	23 LEVEL CM	918,0255 litre	4,111 %	21411,6297 litre	O
390	CM	135	CM	22 LEVEL CM	859,8202 litre	3,851 %	21469,8350 litre	O
390	CM	135	CM	21 LEVEL CM	802,8083 litre	3,595 %	21526,8469 litre	O
390	CM	135	CM	20 LEVEL CM	747,0263 litre	3,345 %	21582,6289 litre	O
390	CM	135	CM	19 LEVEL CM	692,5131 litre	3,101 %	21637,1421 litre	O
390	CM	135	CM	18 LEVEL CM	639,3103 litre	2,863 %	21690,3449 litre	O
390	CM	135	CM	17 LEVEL CM	587,4628 litre	2,631 %	21742,1924 litre	O
390	CM	135	CM	16 LEVEL CM	537,0192 litre	2,405 %	21792,6360 litre	O
390	CM	135	CM	15 LEVEL CM	488,0319 litre	2,186 %	21841,6233 litre	O
390	CM	135	CM	14 LEVEL CM	440,5585 litre	1,973 %	21889,0967 litre	O
390	CM	135	CM	13 LEVEL CM	394,6622 litre	1,767 %	21934,9930 litre	O
390	CM	135	CM	12 LEVEL CM	350,4129 litre	1,569 %	21979,2423 litre	O
390	CM	135	CM	11 LEVEL CM	307,8887 litre	1,379 %	22021,7665 litre	O
390	CM	135	CM	10 LEVEL CM	267,1776 litre	1,197 %	22062,4776 litre	O
390	CM	135	CM	9 LEVEL CM	228,3798 litre	1,023 %	22101,2754 litre	O
390	CM	135	CM	8 LEVEL CM	191,6116 litre	0,858 %	22138,0436 litre	O
390	CM	135	CM	7 LEVEL CM	157,0093 litre	0,703 %	22172,6459 litre	O

390	CM	135	CM	6 LEVEL CM	124,7370 litre	0,559 %	22204,9182 litre	O
390	CM	135	CM	5 LEVEL CM	94,9976 litre	0,425 %	22234,6576 litre	O
390	CM	135	CM	4 LEVEL CM	68,0512 litre	0,305 %	22261,6040 litre	O
390	CM	135	CM	3 LEVEL CM	44,2501 litre	0,198 %	22285,4051 litre	O
390	CM	135	CM	2 LEVEL CM	24,1136 litre	0,108 %	22305,5416 litre	O
390	CM	135	CM	1 LEVEL CM	8,5350 litre	0,038 %	22321,1202 litre	O
390	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	22329,6552 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 130	CM 260 LEVEL CM	20706,2372 litre	100,000 %	0,0000 litre	O
390	CM 130	CM 259 LEVEL CM	20697,8621 litre	99,960 %	8,3751 litre	O
390	CM 130	CM 258 LEVEL CM	20682,5763 litre	99,886 %	23,6609 litre	O
390	CM 130	CM 257 LEVEL CM	20662,8199 litre	99,790 %	43,4173 litre	O
390	CM 130	CM 256 LEVEL CM	20639,4696 litre	99,678 %	66,7676 litre	O
390	CM 130	CM 255 LEVEL CM	20613,0356 litre	99,550 %	93,2016 litre	O
390	CM 130	CM 254 LEVEL CM	20583,8637 litre	99,409 %	122,3735 litre	O
390	CM 130	CM 253 LEVEL CM	20552,2098 litre	99,256 %	154,0274 litre	O
390	CM 130	CM 252 LEVEL CM	20518,2730 litre	99,092 %	187,9642 litre	O
390	CM 130	CM 251 LEVEL CM	20482,2147 litre	98,918 %	224,0225 litre	O
390	CM 130	CM 250 LEVEL CM	20444,1689 litre	98,734 %	262,0683 litre	O
390	CM 130	CM 249 LEVEL CM	20404,2499 litre	98,542 %	301,9873 litre	O
390	CM 130	CM 248 LEVEL CM	20362,5563 litre	98,340 %	343,6809 litre	O
390	CM 130	CM 247 LEVEL CM	20319,1747 litre	98,131 %	387,0625 litre	O
390	CM 130	CM 246 LEVEL CM	20274,1820 litre	97,913 %	432,0552 litre	O
390	CM 130	CM 245 LEVEL CM	20227,6469 litre	97,689 %	478,5903 litre	O
390	CM 130	CM 244 LEVEL CM	20179,6318 litre	97,457 %	526,6054 litre	O
390	CM 130	CM 243 LEVEL CM	20130,1931 litre	97,218 %	576,0441 litre	O
390	CM 130	CM 242 LEVEL CM	20079,3827 litre	96,973 %	626,8545 litre	O
390	CM 130	CM 241 LEVEL CM	20027,2483 litre	96,721 %	678,9889 litre	O
390	CM 130	CM 240 LEVEL CM	19973,8343 litre	96,463 %	732,4029 litre	O
390	CM 130	CM 239 LEVEL CM	19919,1816 litre	96,199 %	787,0556 litre	O
390	CM 130	CM 238 LEVEL CM	19863,3286 litre	95,929 %	842,9086 litre	O
390	CM 130	CM 237 LEVEL CM	19806,3113 litre	95,654 %	899,9259 litre	O
390	CM 130	CM 236 LEVEL CM	19748,1633 litre	95,373 %	958,0739 litre	O
390	CM 130	CM 235 LEVEL CM	19688,9167 litre	95,087 %	1017,3205 litre	O
390	CM 130	CM 234 LEVEL CM	19628,6014 litre	94,796 %	1077,6358 litre	O
390	CM 130	CM 233 LEVEL CM	19567,2459 litre	94,499 %	1138,9913 litre	O
390	CM 130	CM 232 LEVEL CM	19504,8775 litre	94,198 %	1201,3597 litre	O
390	CM 130	CM 231 LEVEL CM	19441,5218 litre	93,892 %	1264,7154 litre	O
390	CM 130	CM 230 LEVEL CM	19377,2035 litre	93,581 %	1329,0337 litre	O
390	CM 130	CM 229 LEVEL CM	19311,9462 litre	93,266 %	1394,2910 litre	O
390	CM 130	CM 228 LEVEL CM	19245,7722 litre	92,947 %	1460,4650 litre	O
390	CM 130	CM 227 LEVEL CM	19178,7033 litre	92,623 %	1527,5339 litre	O
390	CM 130	CM 226 LEVEL CM	19110,7601 litre	92,295 %	1595,4771 litre	O
390	CM 130	CM 225 LEVEL CM	19041,9626 litre	91,962 %	1664,2746 litre	O
390	CM 130	CM 224 LEVEL CM	18972,3301 litre	91,626 %	1733,9071 litre	O
390	CM 130	CM 223 LEVEL CM	18901,8811 litre	91,286 %	1804,3561 litre	O
390	CM 130	CM 222 LEVEL CM	18830,6334 litre	90,942 %	1875,6038 litre	O
390	CM 130	CM 221 LEVEL CM	18758,6043 litre	90,594 %	1947,6329 litre	O
390	CM 130	CM 220 LEVEL CM	18685,8107 litre	90,242 %	2020,4265 litre	O
390	CM 130	CM 219 LEVEL CM	18612,2687 litre	89,887 %	2093,9685 litre	O
390	CM 130	CM 218 LEVEL CM	18537,9940 litre	89,529 %	2168,2432 litre	O
390	CM 130	CM 217 LEVEL CM	18463,0020 litre	89,166 %	2243,2352 litre	O
390	CM 130	CM 216 LEVEL CM	18387,3074 litre	88,801 %	2318,9298 litre	O
390	CM 130	CM 215 LEVEL CM	18310,9247 litre	88,432 %	2395,3125 litre	O
390	CM 130	CM 214 LEVEL CM	18233,8680 litre	88,060 %	2472,3692 litre	O
390	CM 130	CM 213 LEVEL CM	18156,1508 litre	87,684 %	2550,0864 litre	O
390	CM 130	CM 212 LEVEL CM	18077,7866 litre	87,306 %	2628,4506 litre	O
390	CM 130	CM 211 LEVEL CM	17998,7883 litre	86,924 %	2707,4489 litre	O
390	CM 130	CM 210 LEVEL CM	17919,1686 litre	86,540 %	2787,0686 litre	O
390	CM 130	CM 209 LEVEL CM	17838,9399 litre	86,152 %	2867,2973 litre	O

390	CM	130	CM	208 LEVEL CM	17758,1144 litre	85,762 %	2948,1228 litre	O
390	CM	130	CM	207 LEVEL CM	17676,7038 litre	85,369 %	3029,5334 litre	O
390	CM	130	CM	206 LEVEL CM	17594,7199 litre	84,973 %	3111,5173 litre	O
390	CM	130	CM	205 LEVEL CM	17512,1738 litre	84,574 %	3194,0634 litre	O
390	CM	130	CM	204 LEVEL CM	17429,0768 litre	84,173 %	3277,1604 litre	O
390	CM	130	CM	203 LEVEL CM	17345,4397 litre	83,769 %	3360,7975 litre	O
390	CM	130	CM	202 LEVEL CM	17261,2733 litre	83,363 %	3444,9639 litre	O
390	CM	130	CM	201 LEVEL CM	17176,5881 litre	82,954 %	3529,6491 litre	O
390	CM	130	CM	200 LEVEL CM	17091,3942 litre	82,542 %	3614,8430 litre	O
390	CM	130	CM	199 LEVEL CM	17005,7020 litre	82,128 %	3700,5352 litre	O
390	CM	130	CM	198 LEVEL CM	16919,5212 litre	81,712 %	3786,7160 litre	O
390	CM	130	CM	197 LEVEL CM	16832,8617 litre	81,294 %	3873,3755 litre	O
390	CM	130	CM	196 LEVEL CM	16745,7331 litre	80,873 %	3960,5041 litre	O
390	CM	130	CM	195 LEVEL CM	16658,1448 litre	80,450 %	4048,0924 litre	O
390	CM	130	CM	194 LEVEL CM	16570,1062 litre	80,025 %	4136,1310 litre	O
390	CM	130	CM	193 LEVEL CM	16481,6264 litre	79,597 %	4224,6108 litre	O
390	CM	130	CM	192 LEVEL CM	16392,7145 litre	79,168 %	4313,5227 litre	O
390	CM	130	CM	191 LEVEL CM	16303,3793 litre	78,737 %	4402,8579 litre	O
390	CM	130	CM	190 LEVEL CM	16213,6297 litre	78,303 %	4492,6075 litre	O
390	CM	130	CM	189 LEVEL CM	16123,4742 litre	77,868 %	4582,7630 litre	O
390	CM	130	CM	188 LEVEL CM	16032,9215 litre	77,430 %	4673,3157 litre	O
390	CM	130	CM	187 LEVEL CM	15941,9799 litre	76,991 %	4764,2573 litre	O
390	CM	130	CM	186 LEVEL CM	15850,6577 litre	76,550 %	4855,5795 litre	O
390	CM	130	CM	185 LEVEL CM	15758,9633 litre	76,107 %	4947,2739 litre	O
390	CM	130	CM	184 LEVEL CM	15666,9046 litre	75,663 %	5039,3326 litre	O
390	CM	130	CM	183 LEVEL CM	15574,4898 litre	75,216 %	5131,7474 litre	O
390	CM	130	CM	182 LEVEL CM	15481,7266 litre	74,768 %	5224,5106 litre	O
390	CM	130	CM	181 LEVEL CM	15388,6231 litre	74,319 %	5317,6141 litre	O
390	CM	130	CM	180 LEVEL CM	15295,1869 litre	73,868 %	5411,0503 litre	O
390	CM	130	CM	179 LEVEL CM	15201,4256 litre	73,415 %	5504,8116 litre	O
390	CM	130	CM	178 LEVEL CM	15107,3470 litre	72,960 %	5598,8902 litre	O
390	CM	130	CM	177 LEVEL CM	15012,9584 litre	72,505 %	5693,2788 litre	O
390	CM	130	CM	176 LEVEL CM	14918,2674 litre	72,047 %	5787,9698 litre	O
390	CM	130	CM	175 LEVEL CM	14823,2813 litre	71,588 %	5882,9559 litre	O
390	CM	130	CM	174 LEVEL CM	14728,0074 litre	71,128 %	5978,2298 litre	O
390	CM	130	CM	173 LEVEL CM	14632,4529 litre	70,667 %	6073,7843 litre	O
390	CM	130	CM	172 LEVEL CM	14536,6250 litre	70,204 %	6169,6122 litre	O
390	CM	130	CM	171 LEVEL CM	14440,5309 litre	69,740 %	6265,7063 litre	O
390	CM	130	CM	170 LEVEL CM	14344,1775 litre	69,275 %	6362,0597 litre	O
390	CM	130	CM	169 LEVEL CM	14247,5719 litre	68,808 %	6458,6653 litre	O
390	CM	130	CM	168 LEVEL CM	14150,7209 litre	68,340 %	6555,5163 litre	O
390	CM	130	CM	167 LEVEL CM	14053,6316 litre	67,871 %	6652,6056 litre	O
390	CM	130	CM	166 LEVEL CM	13956,3106 litre	67,401 %	6749,9266 litre	O
390	CM	130	CM	165 LEVEL CM	13858,7649 litre	66,930 %	6847,4723 litre	O
390	CM	130	CM	164 LEVEL CM	13761,0011 litre	66,458 %	6945,2361 litre	O
390	CM	130	CM	163 LEVEL CM	13663,0260 litre	65,985 %	7043,2112 litre	O
390	CM	130	CM	162 LEVEL CM	13564,8461 litre	65,511 %	7141,3911 litre	O
390	CM	130	CM	161 LEVEL CM	13466,4682 litre	65,036 %	7239,7690 litre	O
390	CM	130	CM	160 LEVEL CM	13367,8987 litre	64,560 %	7338,3385 litre	O
390	CM	130	CM	159 LEVEL CM	13269,1442 litre	64,083 %	7437,0930 litre	O
390	CM	130	CM	158 LEVEL CM	13170,2112 litre	63,605 %	7536,0260 litre	O
390	CM	130	CM	157 LEVEL CM	13071,1062 litre	63,126 %	7635,1310 litre	O
390	CM	130	CM	156 LEVEL CM	12971,8356 litre	62,647 %	7734,4016 litre	O

390	CM	130	CM	155 LEVEL CM	12872,4057 litre	62,167 %	7833,8315 litre	O
390	CM	130	CM	154 LEVEL CM	12772,8230 litre	61,686 %	7933,4142 litre	O
390	CM	130	CM	153 LEVEL CM	12673,0938 litre	61,204 %	8033,1434 litre	O
390	CM	130	CM	152 LEVEL CM	12573,2244 litre	60,722 %	8133,0128 litre	O
390	CM	130	CM	151 LEVEL CM	12473,2210 litre	60,239 %	8233,0162 litre	O
390	CM	130	CM	150 LEVEL CM	12373,0899 litre	59,755 %	8333,1473 litre	O
390	CM	130	CM	149 LEVEL CM	12272,8374 litre	59,271 %	8433,3998 litre	O
390	CM	130	CM	148 LEVEL CM	12172,4697 litre	58,786 %	8533,7675 litre	O
390	CM	130	CM	147 LEVEL CM	12071,9929 litre	58,301 %	8634,2443 litre	O
390	CM	130	CM	146 LEVEL CM	11971,4132 litre	57,815 %	8734,8240 litre	O
390	CM	130	CM	145 LEVEL CM	11870,7368 litre	57,329 %	8835,5004 litre	O
390	CM	130	CM	144 LEVEL CM	11769,9698 litre	56,843 %	8936,2674 litre	O
390	CM	130	CM	143 LEVEL CM	11669,1183 litre	56,356 %	9037,1189 litre	O
390	CM	130	CM	142 LEVEL CM	11568,1884 litre	55,868 %	9138,0488 litre	O
390	CM	130	CM	141 LEVEL CM	11467,1862 litre	55,380 %	9239,0510 litre	O
390	CM	130	CM	140 LEVEL CM	11366,1177 litre	54,892 %	9340,1195 litre	O
390	CM	130	CM	139 LEVEL CM	11264,9891 litre	54,404 %	9441,2481 litre	O
390	CM	130	CM	138 LEVEL CM	11163,8063 litre	53,915 %	9542,4309 litre	O
390	CM	130	CM	137 LEVEL CM	11062,5754 litre	53,426 %	9643,6618 litre	O
390	CM	130	CM	136 LEVEL CM	10961,3025 litre	52,937 %	9744,9347 litre	O
390	CM	130	CM	135 LEVEL CM	10859,9936 litre	52,448 %	9846,2436 litre	O
390	CM	130	CM	134 LEVEL CM	10758,6546 litre	51,959 %	9947,5826 litre	O
390	CM	130	CM	133 LEVEL CM	10657,2916 litre	51,469 %	10048,9456 litre	O
390	CM	130	CM	132 LEVEL CM	10555,9106 litre	50,979 %	10150,3266 litre	O
390	CM	130	CM	131 LEVEL CM	10454,5176 litre	50,490 %	10251,7196 litre	O
390	CM	130	CM	130 LEVEL CM	10353,1186 litre	50,000 %	10353,1186 litre	O
390	CM	130	CM	129 LEVEL CM	10251,7196 litre	49,510 %	10454,5176 litre	O
390	CM	130	CM	128 LEVEL CM	10150,3266 litre	49,021 %	10555,9106 litre	O
390	CM	130	CM	127 LEVEL CM	10048,9456 litre	48,531 %	10657,2916 litre	O
390	CM	130	CM	126 LEVEL CM	9947,5826 litre	48,041 %	10758,6546 litre	O
390	CM	130	CM	125 LEVEL CM	9846,2436 litre	47,552 %	10859,9936 litre	O
390	CM	130	CM	124 LEVEL CM	9744,9347 litre	47,063 %	10961,3025 litre	O
390	CM	130	CM	123 LEVEL CM	9643,6617 litre	46,574 %	11062,5755 litre	O
390	CM	130	CM	122 LEVEL CM	9542,4309 litre	46,085 %	11163,8063 litre	O
390	CM	130	CM	121 LEVEL CM	9441,2481 litre	45,596 %	11264,9891 litre	O
390	CM	130	CM	120 LEVEL CM	9340,1195 litre	45,108 %	11366,1177 litre	O
390	CM	130	CM	119 LEVEL CM	9239,0510 litre	44,620 %	11467,1862 litre	O
390	CM	130	CM	118 LEVEL CM	9138,0488 litre	44,132 %	11568,1884 litre	O
390	CM	130	CM	117 LEVEL CM	9037,1189 litre	43,644 %	11669,1183 litre	O
390	CM	130	CM	116 LEVEL CM	8936,2674 litre	43,157 %	11769,9698 litre	O
390	CM	130	CM	115 LEVEL CM	8835,5004 litre	42,671 %	11870,7368 litre	O
390	CM	130	CM	114 LEVEL CM	8734,8239 litre	42,185 %	11971,4133 litre	O
390	CM	130	CM	113 LEVEL CM	8634,2443 litre	41,699 %	12071,9929 litre	O
390	CM	130	CM	112 LEVEL CM	8533,7675 litre	41,214 %	12172,4697 litre	O
390	CM	130	CM	111 LEVEL CM	8433,3997 litre	40,729 %	12272,8375 litre	O
390	CM	130	CM	110 LEVEL CM	8333,1472 litre	40,245 %	12373,0900 litre	O
390	CM	130	CM	109 LEVEL CM	8233,0162 litre	39,761 %	12473,2210 litre	O
390	CM	130	CM	108 LEVEL CM	8133,0128 litre	39,278 %	12573,2244 litre	O
390	CM	130	CM	107 LEVEL CM	8033,1434 litre	38,796 %	12673,0938 litre	O
390	CM	130	CM	106 LEVEL CM	7933,4141 litre	38,314 %	12772,8231 litre	O
390	CM	130	CM	105 LEVEL CM	7833,8314 litre	37,833 %	12872,4058 litre	O
390	CM	130	CM	104 LEVEL CM	7734,4016 litre	37,353 %	12971,8356 litre	O
390	CM	130	CM	103 LEVEL CM	7635,1310 litre	36,874 %	13071,1062 litre	O

390	CM	130	CM	102 LEVEL CM	7536,0259 litre	36,395 %	13170,2113 litre	O
390	CM	130	CM	101 LEVEL CM	7437,0930 litre	35,917 %	13269,1442 litre	O
390	CM	130	CM	100 LEVEL CM	7338,3385 litre	35,440 %	13367,8987 litre	O
390	CM	130	CM	99 LEVEL CM	7239,7690 litre	34,964 %	13466,4682 litre	O
390	CM	130	CM	98 LEVEL CM	7141,3911 litre	34,489 %	13564,8461 litre	O
390	CM	130	CM	97 LEVEL CM	7043,2112 litre	34,015 %	13663,0260 litre	O
390	CM	130	CM	96 LEVEL CM	6945,2361 litre	33,542 %	13761,0011 litre	O
390	CM	130	CM	95 LEVEL CM	6847,4723 litre	33,070 %	13858,7649 litre	O
390	CM	130	CM	94 LEVEL CM	6749,9265 litre	32,599 %	13956,3107 litre	O
390	CM	130	CM	93 LEVEL CM	6652,6056 litre	32,129 %	14053,6316 litre	O
390	CM	130	CM	92 LEVEL CM	6555,5163 litre	31,660 %	14150,7209 litre	O
390	CM	130	CM	91 LEVEL CM	6458,6653 litre	31,192 %	14247,5719 litre	O
390	CM	130	CM	90 LEVEL CM	6362,0597 litre	30,725 %	14344,1775 litre	O
390	CM	130	CM	89 LEVEL CM	6265,7063 litre	30,260 %	14440,5309 litre	O
390	CM	130	CM	88 LEVEL CM	6169,6121 litre	29,796 %	14536,6251 litre	O
390	CM	130	CM	87 LEVEL CM	6073,7843 litre	29,333 %	14632,4529 litre	O
390	CM	130	CM	86 LEVEL CM	5978,2298 litre	28,872 %	14728,0074 litre	O
390	CM	130	CM	85 LEVEL CM	5882,9559 litre	28,412 %	14823,2813 litre	O
390	CM	130	CM	84 LEVEL CM	5787,9698 litre	27,953 %	14918,2674 litre	O
390	CM	130	CM	83 LEVEL CM	5693,2788 litre	27,495 %	15012,9584 litre	O
390	CM	130	CM	82 LEVEL CM	5598,8902 litre	27,040 %	15107,3470 litre	O
390	CM	130	CM	81 LEVEL CM	5504,8116 litre	26,585 %	15201,4256 litre	O
390	CM	130	CM	80 LEVEL CM	5411,0503 litre	26,132 %	15295,1869 litre	O
390	CM	130	CM	79 LEVEL CM	5317,6141 litre	25,681 %	15388,6231 litre	O
390	CM	130	CM	78 LEVEL CM	5224,5105 litre	25,232 %	15481,7267 litre	O
390	CM	130	CM	77 LEVEL CM	5131,7474 litre	24,784 %	15574,4898 litre	O
390	CM	130	CM	76 LEVEL CM	5039,3326 litre	24,337 %	15666,9046 litre	O
390	CM	130	CM	75 LEVEL CM	4947,2739 litre	23,893 %	15758,9633 litre	O
390	CM	130	CM	74 LEVEL CM	4855,5794 litre	23,450 %	15850,6578 litre	O
390	CM	130	CM	73 LEVEL CM	4764,2573 litre	23,009 %	15941,9799 litre	O
390	CM	130	CM	72 LEVEL CM	4673,3157 litre	22,570 %	16032,9215 litre	O
390	CM	130	CM	71 LEVEL CM	4582,7630 litre	22,132 %	16123,4742 litre	O
390	CM	130	CM	70 LEVEL CM	4492,6075 litre	21,697 %	16213,6297 litre	O
390	CM	130	CM	69 LEVEL CM	4402,8578 litre	21,263 %	16303,3794 litre	O
390	CM	130	CM	68 LEVEL CM	4313,5227 litre	20,832 %	16392,7145 litre	O
390	CM	130	CM	67 LEVEL CM	4224,6107 litre	20,403 %	16481,6265 litre	O
390	CM	130	CM	66 LEVEL CM	4136,1310 litre	19,975 %	16570,1062 litre	O
390	CM	130	CM	65 LEVEL CM	4048,0923 litre	19,550 %	16658,1449 litre	O
390	CM	130	CM	64 LEVEL CM	3960,5041 litre	19,127 %	16745,7331 litre	O
390	CM	130	CM	63 LEVEL CM	3873,3755 litre	18,706 %	16832,8617 litre	O
390	CM	130	CM	62 LEVEL CM	3786,7160 litre	18,288 %	16919,5212 litre	O
390	CM	130	CM	61 LEVEL CM	3700,5352 litre	17,872 %	17005,7020 litre	O
390	CM	130	CM	60 LEVEL CM	3614,8429 litre	17,458 %	17091,3943 litre	O
390	CM	130	CM	59 LEVEL CM	3529,6491 litre	17,046 %	17176,5881 litre	O
390	CM	130	CM	58 LEVEL CM	3444,9638 litre	16,637 %	17261,2734 litre	O
390	CM	130	CM	57 LEVEL CM	3360,7974 litre	16,231 %	17345,4398 litre	O
390	CM	130	CM	56 LEVEL CM	3277,1604 litre	15,827 %	17429,0768 litre	O
390	CM	130	CM	55 LEVEL CM	3194,0634 litre	15,426 %	17512,1738 litre	O
390	CM	130	CM	54 LEVEL CM	3111,5173 litre	15,027 %	17594,7199 litre	O
390	CM	130	CM	53 LEVEL CM	3029,5333 litre	14,631 %	17676,7039 litre	O
390	CM	130	CM	52 LEVEL CM	2948,1228 litre	14,238 %	17758,1144 litre	O
390	CM	130	CM	51 LEVEL CM	2867,2972 litre	13,848 %	17838,9400 litre	O
390	CM	130	CM	50 LEVEL CM	2787,0686 litre	13,460 %	17919,1686 litre	O

390	CM	130	CM	49 LEVEL CM	2707,4489 litre	13,076 %	17998,7883 litre	O
390	CM	130	CM	48 LEVEL CM	2628,4506 litre	12,694 %	18077,7866 litre	O
390	CM	130	CM	47 LEVEL CM	2550,0864 litre	12,316 %	18156,1508 litre	O
390	CM	130	CM	46 LEVEL CM	2472,3692 litre	11,940 %	18233,8680 litre	O
390	CM	130	CM	45 LEVEL CM	2395,3124 litre	11,568 %	18310,9248 litre	O
390	CM	130	CM	44 LEVEL CM	2318,9298 litre	11,199 %	18387,3074 litre	O
390	CM	130	CM	43 LEVEL CM	2243,2352 litre	10,834 %	18463,0020 litre	O
390	CM	130	CM	42 LEVEL CM	2168,2432 litre	10,471 %	18537,9940 litre	O
390	CM	130	CM	41 LEVEL CM	2093,9685 litre	10,113 %	18612,2687 litre	O
390	CM	130	CM	40 LEVEL CM	2020,4265 litre	9,758 %	18685,8107 litre	O
390	CM	130	CM	39 LEVEL CM	1947,6329 litre	9,406 %	18758,6043 litre	O
390	CM	130	CM	38 LEVEL CM	1875,6038 litre	9,058 %	18830,6334 litre	O
390	CM	130	CM	37 LEVEL CM	1804,3561 litre	8,714 %	18901,8811 litre	O
390	CM	130	CM	36 LEVEL CM	1733,9071 litre	8,374 %	18972,3301 litre	O
390	CM	130	CM	35 LEVEL CM	1664,2745 litre	8,038 %	19041,9627 litre	O
390	CM	130	CM	34 LEVEL CM	1595,4771 litre	7,705 %	19110,7601 litre	O
390	CM	130	CM	33 LEVEL CM	1527,5339 litre	7,377 %	19178,7033 litre	O
390	CM	130	CM	32 LEVEL CM	1460,4650 litre	7,053 %	19245,7722 litre	O
390	CM	130	CM	31 LEVEL CM	1394,2910 litre	6,734 %	19311,9462 litre	O
390	CM	130	CM	30 LEVEL CM	1329,0336 litre	6,419 %	19377,2036 litre	O
390	CM	130	CM	29 LEVEL CM	1264,7154 litre	6,108 %	19441,5218 litre	O
390	CM	130	CM	28 LEVEL CM	1201,3597 litre	5,802 %	19504,8775 litre	O
390	CM	130	CM	27 LEVEL CM	1138,9912 litre	5,501 %	19567,2460 litre	O
390	CM	130	CM	26 LEVEL CM	1077,6358 litre	5,204 %	19628,6014 litre	O
390	CM	130	CM	25 LEVEL CM	1017,3205 litre	4,913 %	19688,9167 litre	O
390	CM	130	CM	24 LEVEL CM	958,0738 litre	4,627 %	19748,1634 litre	O
390	CM	130	CM	23 LEVEL CM	899,9259 litre	4,346 %	19806,3113 litre	O
390	CM	130	CM	22 LEVEL CM	842,9086 litre	4,071 %	19863,3286 litre	O
390	CM	130	CM	21 LEVEL CM	787,0556 litre	3,801 %	19919,1816 litre	O
390	CM	130	CM	20 LEVEL CM	732,4029 litre	3,537 %	19973,8343 litre	O
390	CM	130	CM	19 LEVEL CM	678,9888 litre	3,279 %	20027,2484 litre	O
390	CM	130	CM	18 LEVEL CM	626,8545 litre	3,027 %	20079,3827 litre	O
390	CM	130	CM	17 LEVEL CM	576,0441 litre	2,782 %	20130,1931 litre	O
390	CM	130	CM	16 LEVEL CM	526,6054 litre	2,543 %	20179,6318 litre	O
390	CM	130	CM	15 LEVEL CM	478,5902 litre	2,311 %	20227,6470 litre	O
390	CM	130	CM	14 LEVEL CM	432,0552 litre	2,087 %	20274,1820 litre	O
390	CM	130	CM	13 LEVEL CM	387,0625 litre	1,869 %	20319,1747 litre	O
390	CM	130	CM	12 LEVEL CM	343,6809 litre	1,660 %	20362,5563 litre	O
390	CM	130	CM	11 LEVEL CM	301,9873 litre	1,458 %	20404,2499 litre	O
390	CM	130	CM	10 LEVEL CM	262,0683 litre	1,266 %	20444,1689 litre	O
390	CM	130	CM	9 LEVEL CM	224,0225 litre	1,082 %	20482,2147 litre	O
390	CM	130	CM	8 LEVEL CM	187,9641 litre	0,908 %	20518,2731 litre	O
390	CM	130	CM	7 LEVEL CM	154,0274 litre	0,744 %	20552,2098 litre	O
390	CM	130	CM	6 LEVEL CM	122,3734 litre	0,591 %	20583,8638 litre	O
390	CM	130	CM	5 LEVEL CM	93,2016 litre	0,450 %	20613,0356 litre	O
390	CM	130	CM	4 LEVEL CM	66,7675 litre	0,322 %	20639,4697 litre	O
390	CM	130	CM	3 LEVEL CM	43,4173 litre	0,210 %	20662,8199 litre	O
390	CM	130	CM	2 LEVEL CM	23,6608 litre	0,114 %	20682,5764 litre	O
390	CM	130	CM	1 LEVEL CM	8,3751 litre	0,040 %	20697,8621 litre	O
390	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	20706,2372 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM	125	CM 250 LEVEL CM	19144,0802 litre	100,000 %	0,0000 litre	O
390	CM	125	CM 249 LEVEL CM	19135,8682 litre	99,957 %	8,2120 litre	O
390	CM	125	CM 248 LEVEL CM	19120,8810 litre	99,879 %	23,1992 litre	O
390	CM	125	CM 247 LEVEL CM	19101,5120 litre	99,778 %	42,5682 litre	O
390	CM	125	CM 246 LEVEL CM	19078,6215 litre	99,658 %	65,4587 litre	O
390	CM	125	CM 245 LEVEL CM	19052,7099 litre	99,523 %	91,3703 litre	O
390	CM	125	CM 244 LEVEL CM	19024,1169 litre	99,373 %	119,9633 litre	O
390	CM	125	CM 243 LEVEL CM	18993,0937 litre	99,211 %	150,9865 litre	O
390	CM	125	CM 242 LEVEL CM	18959,8357 litre	99,038 %	184,2445 litre	O
390	CM	125	CM 241 LEVEL CM	18924,5015 litre	98,853 %	219,5787 litre	O
390	CM	125	CM 240 LEVEL CM	18887,2229 litre	98,658 %	256,8573 litre	O
390	CM	125	CM 239 LEVEL CM	18848,1120 litre	98,454 %	295,9682 litre	O
390	CM	125	CM 238 LEVEL CM	18807,2660 litre	98,241 %	336,8142 litre	O
390	CM	125	CM 237 LEVEL CM	18764,7698 litre	98,019 %	379,3104 litre	O
390	CM	125	CM 236 LEVEL CM	18720,6992 litre	97,788 %	423,3810 litre	O
390	CM	125	CM 235 LEVEL CM	18675,1218 litre	97,550 %	468,9584 litre	O
390	CM	125	CM 234 LEVEL CM	18628,0988 litre	97,305 %	515,9814 litre	O
390	CM	125	CM 233 LEVEL CM	18579,6859 litre	97,052 %	564,3943 litre	O
390	CM	125	CM 232 LEVEL CM	18529,9342 litre	96,792 %	614,1460 litre	O
390	CM	125	CM 231 LEVEL CM	18478,8907 litre	96,525 %	665,1895 litre	O
390	CM	125	CM 230 LEVEL CM	18426,5989 litre	96,252 %	717,4813 litre	O
390	CM	125	CM 229 LEVEL CM	18373,0993 litre	95,973 %	770,9809 litre	O
390	CM	125	CM 228 LEVEL CM	18318,4298 litre	95,687 %	825,6504 litre	O
390	CM	125	CM 227 LEVEL CM	18262,6258 litre	95,396 %	881,4544 litre	O
390	CM	125	CM 226 LEVEL CM	18205,7205 litre	95,098 %	938,3597 litre	O
390	CM	125	CM 225 LEVEL CM	18147,7454 litre	94,796 %	996,3348 litre	O
390	CM	125	CM 224 LEVEL CM	18088,7301 litre	94,487 %	1055,3501 litre	O
390	CM	125	CM 223 LEVEL CM	18028,7029 litre	94,174 %	1115,3773 litre	O
390	CM	125	CM 222 LEVEL CM	17967,6904 litre	93,855 %	1176,3898 litre	O
390	CM	125	CM 221 LEVEL CM	17905,7183 litre	93,531 %	1238,3619 litre	O
390	CM	125	CM 220 LEVEL CM	17842,8106 litre	93,203 %	1301,2696 litre	O
390	CM	125	CM 219 LEVEL CM	17778,9908 litre	92,869 %	1365,0894 litre	O
390	CM	125	CM 218 LEVEL CM	17714,2811 litre	92,531 %	1429,7991 litre	O
390	CM	125	CM 217 LEVEL CM	17648,7028 litre	92,189 %	1495,3774 litre	O
390	CM	125	CM 216 LEVEL CM	17582,2764 litre	91,842 %	1561,8038 litre	O
390	CM	125	CM 215 LEVEL CM	17515,0217 litre	91,491 %	1629,0585 litre	O
390	CM	125	CM 214 LEVEL CM	17446,9577 litre	91,135 %	1697,1225 litre	O
390	CM	125	CM 213 LEVEL CM	17378,1027 litre	90,775 %	1765,9775 litre	O
390	CM	125	CM 212 LEVEL CM	17308,4745 litre	90,412 %	1835,6057 litre	O
390	CM	125	CM 211 LEVEL CM	17238,0902 litre	90,044 %	1905,9900 litre	O
390	CM	125	CM 210 LEVEL CM	17166,9664 litre	89,672 %	1977,1138 litre	O
390	CM	125	CM 209 LEVEL CM	17095,1191 litre	89,297 %	2048,9611 litre	O
390	CM	125	CM 208 LEVEL CM	17022,5640 litre	88,918 %	2121,5162 litre	O
390	CM	125	CM 207 LEVEL CM	16949,3162 litre	88,536 %	2194,7640 litre	O
390	CM	125	CM 206 LEVEL CM	16875,3905 litre	88,149 %	2268,6897 litre	O
390	CM	125	CM 205 LEVEL CM	16800,8011 litre	87,760 %	2343,2791 litre	O
390	CM	125	CM 204 LEVEL CM	16725,5619 litre	87,367 %	2418,5183 litre	O
390	CM	125	CM 203 LEVEL CM	16649,6867 litre	86,970 %	2494,3935 litre	O
390	CM	125	CM 202 LEVEL CM	16573,1886 litre	86,571 %	2570,8916 litre	O
390	CM	125	CM 201 LEVEL CM	16496,0805 litre	86,168 %	2647,9997 litre	O
390	CM	125	CM 200 LEVEL CM	16418,3750 litre	85,762 %	2725,7052 litre	O
390	CM	125	CM 199 LEVEL CM	16340,0845 litre	85,353 %	2803,9957 litre	O

390	CM	125	CM	198 LEVEL CM	16261,2211 litre	84,941 %	2882,8591 litre	O
390	CM	125	CM	197 LEVEL CM	16181,7964 litre	84,526 %	2962,2838 litre	O
390	CM	125	CM	196 LEVEL CM	16101,8222 litre	84,109 %	3042,2580 litre	O
390	CM	125	CM	195 LEVEL CM	16021,3096 litre	83,688 %	3122,7706 litre	O
390	CM	125	CM	194 LEVEL CM	15940,2698 litre	83,265 %	3203,8104 litre	O
390	CM	125	CM	193 LEVEL CM	15858,7136 litre	82,839 %	3285,3666 litre	O
390	CM	125	CM	192 LEVEL CM	15776,6517 litre	82,410 %	3367,4285 litre	O
390	CM	125	CM	191 LEVEL CM	15694,0945 litre	81,979 %	3449,9857 litre	O
390	CM	125	CM	190 LEVEL CM	15611,0524 litre	81,545 %	3533,0278 litre	O
390	CM	125	CM	189 LEVEL CM	15527,5355 litre	81,109 %	3616,5447 litre	O
390	CM	125	CM	188 LEVEL CM	15443,5536 litre	80,670 %	3700,5266 litre	O
390	CM	125	CM	187 LEVEL CM	15359,1165 litre	80,229 %	3784,9637 litre	O
390	CM	125	CM	186 LEVEL CM	15274,2338 litre	79,786 %	3869,8464 litre	O
390	CM	125	CM	185 LEVEL CM	15188,9151 litre	79,340 %	3955,1651 litre	O
390	CM	125	CM	184 LEVEL CM	15103,1696 litre	78,892 %	4040,9106 litre	O
390	CM	125	CM	183 LEVEL CM	15017,0064 litre	78,442 %	4127,0738 litre	O
390	CM	125	CM	182 LEVEL CM	14930,4347 litre	77,990 %	4213,6455 litre	O
390	CM	125	CM	181 LEVEL CM	14843,4633 litre	77,536 %	4300,6169 litre	O
390	CM	125	CM	180 LEVEL CM	14756,1011 litre	77,079 %	4387,9791 litre	O
390	CM	125	CM	179 LEVEL CM	14668,3566 litre	76,621 %	4475,7236 litre	O
390	CM	125	CM	178 LEVEL CM	14580,2385 litre	76,161 %	4563,8417 litre	O
390	CM	125	CM	177 LEVEL CM	14491,7553 litre	75,698 %	4652,3249 litre	O
390	CM	125	CM	176 LEVEL CM	14402,9152 litre	75,234 %	4741,1650 litre	O
390	CM	125	CM	175 LEVEL CM	14313,7265 litre	74,768 %	4830,3537 litre	O
390	CM	125	CM	174 LEVEL CM	14224,1975 litre	74,301 %	4919,8827 litre	O
390	CM	125	CM	173 LEVEL CM	14134,3360 litre	73,831 %	5009,7442 litre	O
390	CM	125	CM	172 LEVEL CM	14044,1501 litre	73,360 %	5099,9301 litre	O
390	CM	125	CM	171 LEVEL CM	13953,6478 litre	72,888 %	5190,4324 litre	O
390	CM	125	CM	170 LEVEL CM	13862,8367 litre	72,413 %	5281,2435 litre	O
390	CM	125	CM	169 LEVEL CM	13771,7246 litre	71,937 %	5372,3556 litre	O
390	CM	125	CM	168 LEVEL CM	13680,3192 litre	71,460 %	5463,7610 litre	O
390	CM	125	CM	167 LEVEL CM	13588,6281 litre	70,981 %	5555,4521 litre	O
390	CM	125	CM	166 LEVEL CM	13496,6586 litre	70,500 %	5647,4216 litre	O
390	CM	125	CM	165 LEVEL CM	13404,4184 litre	70,019 %	5739,6618 litre	O
390	CM	125	CM	164 LEVEL CM	13311,9147 litre	69,535 %	5832,1655 litre	O
390	CM	125	CM	163 LEVEL CM	13219,1548 litre	69,051 %	5924,9254 litre	O
390	CM	125	CM	162 LEVEL CM	13126,1460 litre	68,565 %	6017,9342 litre	O
390	CM	125	CM	161 LEVEL CM	13032,8955 litre	68,078 %	6111,1847 litre	O
390	CM	125	CM	160 LEVEL CM	12939,4105 litre	67,590 %	6204,6697 litre	O
390	CM	125	CM	159 LEVEL CM	12845,6979 litre	67,100 %	6298,3823 litre	O
390	CM	125	CM	158 LEVEL CM	12751,7648 litre	66,609 %	6392,3154 litre	O
390	CM	125	CM	157 LEVEL CM	12657,6183 litre	66,118 %	6486,4619 litre	O
390	CM	125	CM	156 LEVEL CM	12563,2652 litre	65,625 %	6580,8150 litre	O
390	CM	125	CM	155 LEVEL CM	12468,7124 litre	65,131 %	6675,3678 litre	O
390	CM	125	CM	154 LEVEL CM	12373,9667 litre	64,636 %	6770,1135 litre	O
390	CM	125	CM	153 LEVEL CM	12279,0351 litre	64,140 %	6865,0451 litre	O
390	CM	125	CM	152 LEVEL CM	12183,9241 litre	63,643 %	6960,1561 litre	O
390	CM	125	CM	151 LEVEL CM	12088,6406 litre	63,146 %	7055,4396 litre	O
390	CM	125	CM	150 LEVEL CM	11993,1912 litre	62,647 %	7150,8890 litre	O
390	CM	125	CM	149 LEVEL CM	11897,5826 litre	62,148 %	7246,4976 litre	O
390	CM	125	CM	148 LEVEL CM	11801,8214 litre	61,647 %	7342,2588 litre	O
390	CM	125	CM	147 LEVEL CM	11705,9142 litre	61,146 %	7438,1660 litre	O
390	CM	125	CM	146 LEVEL CM	11609,8675 litre	60,645 %	7534,2127 litre	O

390	CM	125	CM	145 LEVEL CM	11513,6879 litre	60,142 %	7630,3923 litre	O
390	CM	125	CM	144 LEVEL CM	11417,3818 litre	59,639 %	7726,6984 litre	O
390	CM	125	CM	143 LEVEL CM	11320,9558 litre	59,136 %	7823,1244 litre	O
390	CM	125	CM	142 LEVEL CM	11224,4163 litre	58,631 %	7919,6639 litre	O
390	CM	125	CM	141 LEVEL CM	11127,7697 litre	58,126 %	8016,3105 litre	O
390	CM	125	CM	140 LEVEL CM	11031,0225 litre	57,621 %	8113,0577 litre	O
390	CM	125	CM	139 LEVEL CM	10934,1810 litre	57,115 %	8209,8992 litre	O
390	CM	125	CM	138 LEVEL CM	10837,2515 litre	56,609 %	8306,8287 litre	O
390	CM	125	CM	137 LEVEL CM	10740,2405 litre	56,102 %	8403,8397 litre	O
390	CM	125	CM	136 LEVEL CM	10643,1543 litre	55,595 %	8500,9259 litre	O
390	CM	125	CM	135 LEVEL CM	10545,9991 litre	55,088 %	8598,0811 litre	O
390	CM	125	CM	134 LEVEL CM	10448,7814 litre	54,580 %	8695,2988 litre	O
390	CM	125	CM	133 LEVEL CM	10351,5073 litre	54,072 %	8792,5729 litre	O
390	CM	125	CM	132 LEVEL CM	10254,1832 litre	53,563 %	8889,8970 litre	O
390	CM	125	CM	131 LEVEL CM	10156,8154 litre	53,055 %	8987,2648 litre	O
390	CM	125	CM	130 LEVEL CM	10059,4101 litre	52,546 %	9084,6701 litre	O
390	CM	125	CM	129 LEVEL CM	9961,9735 litre	52,037 %	9182,1067 litre	O
390	CM	125	CM	128 LEVEL CM	9864,5120 litre	51,528 %	9279,5682 litre	O
390	CM	125	CM	127 LEVEL CM	9767,0318 litre	51,019 %	9377,0484 litre	O
390	CM	125	CM	126 LEVEL CM	9669,5391 litre	50,509 %	9474,5411 litre	O
390	CM	125	CM	125 LEVEL CM	9572,0401 litre	50,000 %	9572,0401 litre	O
390	CM	125	CM	124 LEVEL CM	9474,5412 litre	49,491 %	9669,5390 litre	O
390	CM	125	CM	123 LEVEL CM	9377,0484 litre	48,981 %	9767,0318 litre	O
390	CM	125	CM	122 LEVEL CM	9279,5682 litre	48,472 %	9864,5120 litre	O
390	CM	125	CM	121 LEVEL CM	9182,1067 litre	47,963 %	9961,9735 litre	O
390	CM	125	CM	120 LEVEL CM	9084,6701 litre	47,454 %	10059,4101 litre	O
390	CM	125	CM	119 LEVEL CM	8987,2648 litre	46,945 %	10156,8154 litre	O
390	CM	125	CM	118 LEVEL CM	8889,8970 litre	46,437 %	10254,1832 litre	O
390	CM	125	CM	117 LEVEL CM	8792,5729 litre	45,928 %	10351,5073 litre	O
390	CM	125	CM	116 LEVEL CM	8695,2989 litre	45,420 %	10448,7813 litre	O
390	CM	125	CM	115 LEVEL CM	8598,0811 litre	44,912 %	10545,9991 litre	O
390	CM	125	CM	114 LEVEL CM	8500,9260 litre	44,405 %	10643,1542 litre	O
390	CM	125	CM	113 LEVEL CM	8403,8397 litre	43,898 %	10740,2405 litre	O
390	CM	125	CM	112 LEVEL CM	8306,8287 litre	43,391 %	10837,2515 litre	O
390	CM	125	CM	111 LEVEL CM	8209,8993 litre	42,885 %	10934,1809 litre	O
390	CM	125	CM	110 LEVEL CM	8113,0577 litre	42,379 %	11031,0225 litre	O
390	CM	125	CM	109 LEVEL CM	8016,3105 litre	41,874 %	11127,7697 litre	O
390	CM	125	CM	108 LEVEL CM	7919,6639 litre	41,369 %	11224,4163 litre	O
390	CM	125	CM	107 LEVEL CM	7823,1244 litre	40,864 %	11320,9558 litre	O
390	CM	125	CM	106 LEVEL CM	7726,6984 litre	40,361 %	11417,3818 litre	O
390	CM	125	CM	105 LEVEL CM	7630,3924 litre	39,858 %	11513,6878 litre	O
390	CM	125	CM	104 LEVEL CM	7534,2127 litre	39,355 %	11609,8675 litre	O
390	CM	125	CM	103 LEVEL CM	7438,1661 litre	38,854 %	11705,9141 litre	O
390	CM	125	CM	102 LEVEL CM	7342,2588 litre	38,353 %	11801,8214 litre	O
390	CM	125	CM	101 LEVEL CM	7246,4976 litre	37,852 %	11897,5826 litre	O
390	CM	125	CM	100 LEVEL CM	7150,8890 litre	37,353 %	11993,1912 litre	O
390	CM	125	CM	99 LEVEL CM	7055,4397 litre	36,854 %	12088,6405 litre	O
390	CM	125	CM	98 LEVEL CM	6960,1561 litre	36,357 %	12183,9241 litre	O
390	CM	125	CM	97 LEVEL CM	6865,0452 litre	35,860 %	12279,0350 litre	O
390	CM	125	CM	96 LEVEL CM	6770,1135 litre	35,364 %	12373,9667 litre	O
390	CM	125	CM	95 LEVEL CM	6675,3679 litre	34,869 %	12468,7123 litre	O
390	CM	125	CM	94 LEVEL CM	6580,8151 litre	34,375 %	12563,2651 litre	O
390	CM	125	CM	93 LEVEL CM	6486,4619 litre	33,882 %	12657,6183 litre	O

390	CM	125	CM	92 LEVEL CM	6392,3154 litre	33,391 %	12751,7648 litre	O
390	CM	125	CM	91 LEVEL CM	6298,3823 litre	32,900 %	12845,6979 litre	O
390	CM	125	CM	90 LEVEL CM	6204,6698 litre	32,410 %	12939,4104 litre	O
390	CM	125	CM	89 LEVEL CM	6111,1847 litre	31,922 %	13032,8955 litre	O
390	CM	125	CM	88 LEVEL CM	6017,9342 litre	31,435 %	13126,1460 litre	O
390	CM	125	CM	87 LEVEL CM	5924,9254 litre	30,949 %	13219,1548 litre	O
390	CM	125	CM	86 LEVEL CM	5832,1656 litre	30,465 %	13311,9146 litre	O
390	CM	125	CM	85 LEVEL CM	5739,6618 litre	29,981 %	13404,4184 litre	O
390	CM	125	CM	84 LEVEL CM	5647,4216 litre	29,500 %	13496,6586 litre	O
390	CM	125	CM	83 LEVEL CM	5555,4522 litre	29,019 %	13588,6280 litre	O
390	CM	125	CM	82 LEVEL CM	5463,7610 litre	28,540 %	13680,3192 litre	O
390	CM	125	CM	81 LEVEL CM	5372,3556 litre	28,063 %	13771,7246 litre	O
390	CM	125	CM	80 LEVEL CM	5281,2435 litre	27,587 %	13862,8367 litre	O
390	CM	125	CM	79 LEVEL CM	5190,4325 litre	27,112 %	13953,6477 litre	O
390	CM	125	CM	78 LEVEL CM	5099,9301 litre	26,640 %	14044,1501 litre	O
390	CM	125	CM	77 LEVEL CM	5009,7442 litre	26,169 %	14134,3360 litre	O
390	CM	125	CM	76 LEVEL CM	4919,8828 litre	25,699 %	14224,1974 litre	O
390	CM	125	CM	75 LEVEL CM	4830,3537 litre	25,232 %	14313,7265 litre	O
390	CM	125	CM	74 LEVEL CM	4741,1650 litre	24,766 %	14402,9152 litre	O
390	CM	125	CM	73 LEVEL CM	4652,3249 litre	24,302 %	14491,7553 litre	O
390	CM	125	CM	72 LEVEL CM	4563,8417 litre	23,839 %	14580,2385 litre	O
390	CM	125	CM	71 LEVEL CM	4475,7236 litre	23,379 %	14668,3566 litre	O
390	CM	125	CM	70 LEVEL CM	4387,9792 litre	22,921 %	14756,1010 litre	O
390	CM	125	CM	69 LEVEL CM	4300,6169 litre	22,464 %	14843,4633 litre	O
390	CM	125	CM	68 LEVEL CM	4213,6455 litre	22,010 %	14930,4347 litre	O
390	CM	125	CM	67 LEVEL CM	4127,0738 litre	21,558 %	15017,0064 litre	O
390	CM	125	CM	66 LEVEL CM	4040,9107 litre	21,108 %	15103,1695 litre	O
390	CM	125	CM	65 LEVEL CM	3955,1651 litre	20,660 %	15188,9151 litre	O
390	CM	125	CM	64 LEVEL CM	3869,8464 litre	20,214 %	15274,2338 litre	O
390	CM	125	CM	63 LEVEL CM	3784,9638 litre	19,771 %	15359,1164 litre	O
390	CM	125	CM	62 LEVEL CM	3700,5267 litre	19,330 %	15443,5535 litre	O
390	CM	125	CM	61 LEVEL CM	3616,5448 litre	18,891 %	15527,5354 litre	O
390	CM	125	CM	60 LEVEL CM	3533,0278 litre	18,455 %	15611,0524 litre	O
390	CM	125	CM	59 LEVEL CM	3449,9857 litre	18,021 %	15694,0945 litre	O
390	CM	125	CM	58 LEVEL CM	3367,4285 litre	17,590 %	15776,6517 litre	O
390	CM	125	CM	57 LEVEL CM	3285,3666 litre	17,161 %	15858,7136 litre	O
390	CM	125	CM	56 LEVEL CM	3203,8104 litre	16,735 %	15940,2698 litre	O
390	CM	125	CM	55 LEVEL CM	3122,7706 litre	16,312 %	16021,3096 litre	O
390	CM	125	CM	54 LEVEL CM	3042,2580 litre	15,891 %	16101,8222 litre	O
390	CM	125	CM	53 LEVEL CM	2962,2838 litre	15,474 %	16181,7964 litre	O
390	CM	125	CM	52 LEVEL CM	2882,8592 litre	15,059 %	16261,2210 litre	O
390	CM	125	CM	51 LEVEL CM	2803,9957 litre	14,647 %	16340,0845 litre	O
390	CM	125	CM	50 LEVEL CM	2725,7052 litre	14,238 %	16418,3750 litre	O
390	CM	125	CM	49 LEVEL CM	2647,9998 litre	13,832 %	16496,0804 litre	O
390	CM	125	CM	48 LEVEL CM	2570,8917 litre	13,429 %	16573,1885 litre	O
390	CM	125	CM	47 LEVEL CM	2494,3935 litre	13,030 %	16649,6867 litre	O
390	CM	125	CM	46 LEVEL CM	2418,5183 litre	12,633 %	16725,5619 litre	O
390	CM	125	CM	45 LEVEL CM	2343,2792 litre	12,240 %	16800,8010 litre	O
390	CM	125	CM	44 LEVEL CM	2268,6898 litre	11,851 %	16875,3904 litre	O
390	CM	125	CM	43 LEVEL CM	2194,7640 litre	11,464 %	16949,3162 litre	O
390	CM	125	CM	42 LEVEL CM	2121,5162 litre	11,082 %	17022,5640 litre	O
390	CM	125	CM	41 LEVEL CM	2048,9611 litre	10,703 %	17095,1191 litre	O
390	CM	125	CM	40 LEVEL CM	1977,1139 litre	10,328 %	17166,9663 litre	O

390	CM	125	CM	39 LEVEL CM	1905,9900 litre	9,956 %	17238,0902 litre	O
390	CM	125	CM	38 LEVEL CM	1835,6057 litre	9,588 %	17308,4745 litre	O
390	CM	125	CM	37 LEVEL CM	1765,9775 litre	9,225 %	17378,1027 litre	O
390	CM	125	CM	36 LEVEL CM	1697,1225 litre	8,865 %	17446,9577 litre	O
390	CM	125	CM	35 LEVEL CM	1629,0585 litre	8,509 %	17515,0217 litre	O
390	CM	125	CM	34 LEVEL CM	1561,8038 litre	8,158 %	17582,2764 litre	O
390	CM	125	CM	33 LEVEL CM	1495,3775 litre	7,811 %	17648,7027 litre	O
390	CM	125	CM	32 LEVEL CM	1429,7991 litre	7,469 %	17714,2811 litre	O
390	CM	125	CM	31 LEVEL CM	1365,0894 litre	7,131 %	17778,9908 litre	O
390	CM	125	CM	30 LEVEL CM	1301,2696 litre	6,797 %	17842,8106 litre	O
390	CM	125	CM	29 LEVEL CM	1238,3620 litre	6,469 %	17905,7182 litre	O
390	CM	125	CM	28 LEVEL CM	1176,3898 litre	6,145 %	17967,6904 litre	O
390	CM	125	CM	27 LEVEL CM	1115,3774 litre	5,826 %	18028,7028 litre	O
390	CM	125	CM	26 LEVEL CM	1055,3501 litre	5,513 %	18088,7301 litre	O
390	CM	125	CM	25 LEVEL CM	996,3349 litre	5,204 %	18147,7453 litre	O
390	CM	125	CM	24 LEVEL CM	938,3598 litre	4,902 %	18205,7204 litre	O
390	CM	125	CM	23 LEVEL CM	881,4545 litre	4,604 %	18262,6257 litre	O
390	CM	125	CM	22 LEVEL CM	825,6504 litre	4,313 %	18318,4298 litre	O
390	CM	125	CM	21 LEVEL CM	770,9809 litre	4,027 %	18373,0993 litre	O
390	CM	125	CM	20 LEVEL CM	717,4814 litre	3,748 %	18426,5988 litre	O
390	CM	125	CM	19 LEVEL CM	665,1896 litre	3,475 %	18478,8906 litre	O
390	CM	125	CM	18 LEVEL CM	614,1461 litre	3,208 %	18529,9341 litre	O
390	CM	125	CM	17 LEVEL CM	564,3944 litre	2,948 %	18579,6858 litre	O
390	CM	125	CM	16 LEVEL CM	515,9815 litre	2,695 %	18628,0987 litre	O
390	CM	125	CM	15 LEVEL CM	468,9585 litre	2,450 %	18675,1217 litre	O
390	CM	125	CM	14 LEVEL CM	423,3810 litre	2,212 %	18720,6992 litre	O
390	CM	125	CM	13 LEVEL CM	379,3104 litre	1,981 %	18764,7698 litre	O
390	CM	125	CM	12 LEVEL CM	336,8143 litre	1,759 %	18807,2659 litre	O
390	CM	125	CM	11 LEVEL CM	295,9682 litre	1,546 %	18848,1120 litre	O
390	CM	125	CM	10 LEVEL CM	256,8574 litre	1,342 %	18887,2228 litre	O
390	CM	125	CM	9 LEVEL CM	219,5787 litre	1,147 %	18924,5015 litre	O
390	CM	125	CM	8 LEVEL CM	184,2445 litre	0,962 %	18959,8357 litre	O
390	CM	125	CM	7 LEVEL CM	150,9866 litre	0,789 %	18993,0936 litre	O
390	CM	125	CM	6 LEVEL CM	119,9633 litre	0,627 %	19024,1169 litre	O
390	CM	125	CM	5 LEVEL CM	91,3704 litre	0,477 %	19052,7098 litre	O
390	CM	125	CM	4 LEVEL CM	65,4587 litre	0,342 %	19078,6215 litre	O
390	CM	125	CM	3 LEVEL CM	42,5682 litre	0,222 %	19101,5120 litre	O
390	CM	125	CM	2 LEVEL CM	23,1992 litre	0,121 %	19120,8810 litre	O
390	CM	125	CM	1 LEVEL CM	8,2120 litre	0,043 %	19135,8682 litre	O
390	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	19144,0802 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 120	CM 240 LEVEL CM	17643,1843 litre	100,000 %	0,0000 litre	O
390	CM 120	CM 239 LEVEL CM	17635,1386 litre	99,954 %	8,0457 litre	O
390	CM 120	CM 238 LEVEL CM	17620,4561 litre	99,871 %	22,7282 litre	O
390	CM 120	CM 237 LEVEL CM	17601,4825 litre	99,764 %	41,7018 litre	O
390	CM 120	CM 236 LEVEL CM	17579,0611 litre	99,637 %	64,1232 litre	O
390	CM 120	CM 235 LEVEL CM	17553,6827 litre	99,493 %	89,5016 litre	O
390	CM 120	CM 234 LEVEL CM	17525,6806 litre	99,334 %	117,5037 litre	O
390	CM 120	CM 233 LEVEL CM	17495,3011 litre	99,162 %	147,8832 litre	O
390	CM 120	CM 232 LEVEL CM	17462,7361 litre	98,977 %	180,4482 litre	O
390	CM 120	CM 231 LEVEL CM	17428,1412 litre	98,781 %	215,0431 litre	O
390	CM 120	CM 230 LEVEL CM	17391,6458 litre	98,574 %	251,5385 litre	O
390	CM 120	CM 229 LEVEL CM	17353,3602 litre	98,357 %	289,8241 litre	O
390	CM 120	CM 228 LEVEL CM	17313,3796 litre	98,131 %	329,8047 litre	O
390	CM 120	CM 227 LEVEL CM	17271,7878 litre	97,895 %	371,3965 litre	O
390	CM 120	CM 226 LEVEL CM	17228,6590 litre	97,651 %	414,5253 litre	O
390	CM 120	CM 225 LEVEL CM	17184,0597 litre	97,398 %	459,1246 litre	O
390	CM 120	CM 224 LEVEL CM	17138,0503 litre	97,137 %	505,1340 litre	O
390	CM 120	CM 223 LEVEL CM	17090,6854 litre	96,868 %	552,4989 litre	O
390	CM 120	CM 222 LEVEL CM	17042,0154 litre	96,593 %	601,1689 litre	O
390	CM 120	CM 221 LEVEL CM	16992,0865 litre	96,310 %	651,0978 litre	O
390	CM 120	CM 220 LEVEL CM	16940,9417 litre	96,020 %	702,2426 litre	O
390	CM 120	CM 219 LEVEL CM	16888,6207 litre	95,723 %	754,5636 litre	O
390	CM 120	CM 218 LEVEL CM	16835,1608 litre	95,420 %	808,0235 litre	O
390	CM 120	CM 217 LEVEL CM	16780,5970 litre	95,111 %	862,5873 litre	O
390	CM 120	CM 216 LEVEL CM	16724,9621 litre	94,796 %	918,2222 litre	O
390	CM 120	CM 215 LEVEL CM	16668,2871 litre	94,474 %	974,8972 litre	O
390	CM 120	CM 214 LEVEL CM	16610,6012 litre	94,147 %	1032,5831 litre	O
390	CM 120	CM 213 LEVEL CM	16551,9322 litre	93,815 %	1091,2521 litre	O
390	CM 120	CM 212 LEVEL CM	16492,3066 litre	93,477 %	1150,8777 litre	O
390	CM 120	CM 211 LEVEL CM	16431,7495 litre	93,134 %	1211,4348 litre	O
390	CM 120	CM 210 LEVEL CM	16370,2849 litre	92,785 %	1272,8994 litre	O
390	CM 120	CM 209 LEVEL CM	16307,9358 litre	92,432 %	1335,2485 litre	O
390	CM 120	CM 208 LEVEL CM	16244,7242 litre	92,074 %	1398,4601 litre	O
390	CM 120	CM 207 LEVEL CM	16180,6712 litre	91,711 %	1462,5131 litre	O
390	CM 120	CM 206 LEVEL CM	16115,7971 litre	91,343 %	1527,3872 litre	O
390	CM 120	CM 205 LEVEL CM	16050,1213 litre	90,971 %	1593,0630 litre	O
390	CM 120	CM 204 LEVEL CM	15983,6629 litre	90,594 %	1659,5214 litre	O
390	CM 120	CM 203 LEVEL CM	15916,4398 litre	90,213 %	1726,7445 litre	O
390	CM 120	CM 202 LEVEL CM	15848,4696 litre	89,828 %	1794,7147 litre	O
390	CM 120	CM 201 LEVEL CM	15779,7694 litre	89,438 %	1863,4149 litre	O
390	CM 120	CM 200 LEVEL CM	15710,3555 litre	89,045 %	1932,8288 litre	O
390	CM 120	CM 199 LEVEL CM	15640,2440 litre	88,648 %	2002,9403 litre	O
390	CM 120	CM 198 LEVEL CM	15569,4502 litre	88,246 %	2073,7341 litre	O
390	CM 120	CM 197 LEVEL CM	15497,9892 litre	87,841 %	2145,1951 litre	O
390	CM 120	CM 196 LEVEL CM	15425,8757 litre	87,432 %	2217,3086 litre	O
390	CM 120	CM 195 LEVEL CM	15353,1237 litre	87,020 %	2290,0606 litre	O
390	CM 120	CM 194 LEVEL CM	15279,7473 litre	86,604 %	2363,4370 litre	O
390	CM 120	CM 193 LEVEL CM	15205,7598 litre	86,185 %	2437,4245 litre	O
390	CM 120	CM 192 LEVEL CM	15131,1744 litre	85,762 %	2512,0099 litre	O
390	CM 120	CM 191 LEVEL CM	15056,0040 litre	85,336 %	2587,1803 litre	O
390	CM 120	CM 190 LEVEL CM	14980,2611 litre	84,907 %	2662,9232 litre	O
390	CM 120	CM 189 LEVEL CM	14903,9581 litre	84,474 %	2739,2262 litre	O

390	CM	120	CM	188 LEVEL CM	14827,1068 litre	84,039 %	2816,0775 litre	O
390	CM	120	CM	187 LEVEL CM	14749,7190 litre	83,600 %	2893,4653 litre	O
390	CM	120	CM	186 LEVEL CM	14671,8063 litre	83,158 %	2971,3780 litre	O
390	CM	120	CM	185 LEVEL CM	14593,3799 litre	82,714 %	3049,8044 litre	O
390	CM	120	CM	184 LEVEL CM	14514,4509 litre	82,267 %	3128,7334 litre	O
390	CM	120	CM	183 LEVEL CM	14435,0301 litre	81,816 %	3208,1542 litre	O
390	CM	120	CM	182 LEVEL CM	14355,1281 litre	81,364 %	3288,0562 litre	O
390	CM	120	CM	181 LEVEL CM	14274,7554 litre	80,908 %	3368,4289 litre	O
390	CM	120	CM	180 LEVEL CM	14193,9222 litre	80,450 %	3449,2621 litre	O
390	CM	120	CM	179 LEVEL CM	14112,6387 litre	79,989 %	3530,5456 litre	O
390	CM	120	CM	178 LEVEL CM	14030,9148 litre	79,526 %	3612,2695 litre	O
390	CM	120	CM	177 LEVEL CM	13948,7603 litre	79,060 %	3694,4240 litre	O
390	CM	120	CM	176 LEVEL CM	13866,1847 litre	78,592 %	3776,9996 litre	O
390	CM	120	CM	175 LEVEL CM	13783,1975 litre	78,122 %	3859,9868 litre	O
390	CM	120	CM	174 LEVEL CM	13699,8081 litre	77,649 %	3943,3762 litre	O
390	CM	120	CM	173 LEVEL CM	13616,0256 litre	77,174 %	4027,1587 litre	O
390	CM	120	CM	172 LEVEL CM	13531,8591 litre	76,697 %	4111,3252 litre	O
390	CM	120	CM	171 LEVEL CM	13447,3176 litre	76,218 %	4195,8667 litre	O
390	CM	120	CM	170 LEVEL CM	13362,4099 litre	75,737 %	4280,7744 litre	O
390	CM	120	CM	169 LEVEL CM	13277,1446 litre	75,254 %	4366,0397 litre	O
390	CM	120	CM	168 LEVEL CM	13191,5304 litre	74,768 %	4451,6539 litre	O
390	CM	120	CM	167 LEVEL CM	13105,5758 litre	74,281 %	4537,6085 litre	O
390	CM	120	CM	166 LEVEL CM	13019,2891 litre	73,792 %	4623,8952 litre	O
390	CM	120	CM	165 LEVEL CM	12932,6787 litre	73,301 %	4710,5056 litre	O
390	CM	120	CM	164 LEVEL CM	12845,7528 litre	72,809 %	4797,4315 litre	O
390	CM	120	CM	163 LEVEL CM	12758,5194 litre	72,314 %	4884,6649 litre	O
390	CM	120	CM	162 LEVEL CM	12670,9867 litre	71,818 %	4972,1976 litre	O
390	CM	120	CM	161 LEVEL CM	12583,1625 litre	71,320 %	5060,0218 litre	O
390	CM	120	CM	160 LEVEL CM	12495,0548 litre	70,821 %	5148,1295 litre	O
390	CM	120	CM	159 LEVEL CM	12406,6713 litre	70,320 %	5236,5130 litre	O
390	CM	120	CM	158 LEVEL CM	12318,0197 litre	69,817 %	5325,1646 litre	O
390	CM	120	CM	157 LEVEL CM	12229,1077 litre	69,313 %	5414,0766 litre	O
390	CM	120	CM	156 LEVEL CM	12139,9429 litre	68,808 %	5503,2414 litre	O
390	CM	120	CM	155 LEVEL CM	12050,5328 litre	68,301 %	5592,6515 litre	O
390	CM	120	CM	154 LEVEL CM	11960,8848 litre	67,793 %	5682,2995 litre	O
390	CM	120	CM	153 LEVEL CM	11871,0064 litre	67,284 %	5772,1779 litre	O
390	CM	120	CM	152 LEVEL CM	11780,9049 litre	66,773 %	5862,2794 litre	O
390	CM	120	CM	151 LEVEL CM	11690,5876 litre	66,261 %	5952,5967 litre	O
390	CM	120	CM	150 LEVEL CM	11600,0616 litre	65,748 %	6043,1227 litre	O
390	CM	120	CM	149 LEVEL CM	11509,3343 litre	65,234 %	6133,8500 litre	O
390	CM	120	CM	148 LEVEL CM	11418,4127 litre	64,719 %	6224,7716 litre	O
390	CM	120	CM	147 LEVEL CM	11327,3040 litre	64,202 %	6315,8803 litre	O
390	CM	120	CM	146 LEVEL CM	11236,0151 litre	63,685 %	6407,1692 litre	O
390	CM	120	CM	145 LEVEL CM	11144,5531 litre	63,166 %	6498,6312 litre	O
390	CM	120	CM	144 LEVEL CM	11052,9250 litre	62,647 %	6590,2593 litre	O
390	CM	120	CM	143 LEVEL CM	10961,1377 litre	62,127 %	6682,0466 litre	O
390	CM	120	CM	142 LEVEL CM	10869,1980 litre	61,606 %	6773,9863 litre	O
390	CM	120	CM	141 LEVEL CM	10777,1128 litre	61,084 %	6866,0715 litre	O
390	CM	120	CM	140 LEVEL CM	10684,8890 litre	60,561 %	6958,2953 litre	O
390	CM	120	CM	139 LEVEL CM	10592,5334 litre	60,038 %	7050,6509 litre	O
390	CM	120	CM	138 LEVEL CM	10500,0527 litre	59,513 %	7143,1316 litre	O
390	CM	120	CM	137 LEVEL CM	10407,4536 litre	58,989 %	7235,7307 litre	O
390	CM	120	CM	136 LEVEL CM	10314,7429 litre	58,463 %	7328,4414 litre	O

390	CM	120	CM	135 LEVEL CM	10221,9273 litre	57,937 %	7421,2570 litre	O
390	CM	120	CM	134 LEVEL CM	10129,0134 litre	57,410 %	7514,1709 litre	O
390	CM	120	CM	133 LEVEL CM	10036,0079 litre	56,883 %	7607,1764 litre	O
390	CM	120	CM	132 LEVEL CM	9942,9174 litre	56,356 %	7700,2669 litre	O
390	CM	120	CM	131 LEVEL CM	9849,7484 litre	55,827 %	7793,4359 litre	O
390	CM	120	CM	130 LEVEL CM	9756,5077 litre	55,299 %	7886,6766 litre	O
390	CM	120	CM	129 LEVEL CM	9663,2018 litre	54,770 %	7979,9825 litre	O
390	CM	120	CM	128 LEVEL CM	9569,8371 litre	54,241 %	8073,3472 litre	O
390	CM	120	CM	127 LEVEL CM	9476,4204 litre	53,712 %	8166,7639 litre	O
390	CM	120	CM	126 LEVEL CM	9382,9581 litre	53,182 %	8260,2262 litre	O
390	CM	120	CM	125 LEVEL CM	9289,4567 litre	52,652 %	8353,7276 litre	O
390	CM	120	CM	124 LEVEL CM	9195,9228 litre	52,122 %	8447,2615 litre	O
390	CM	120	CM	123 LEVEL CM	9102,3629 litre	51,591 %	8540,8214 litre	O
390	CM	120	CM	122 LEVEL CM	9008,7835 litre	51,061 %	8634,4008 litre	O
390	CM	120	CM	121 LEVEL CM	8915,1911 litre	50,531 %	8727,9932 litre	O
390	CM	120	CM	120 LEVEL CM	8821,5922 litre	50,000 %	8821,5921 litre	O
390	CM	120	CM	119 LEVEL CM	8727,9933 litre	49,469 %	8915,1910 litre	O
390	CM	120	CM	118 LEVEL CM	8634,4008 litre	48,939 %	9008,7835 litre	O
390	CM	120	CM	117 LEVEL CM	8540,8214 litre	48,409 %	9102,3629 litre	O
390	CM	120	CM	116 LEVEL CM	8447,2615 litre	47,878 %	9195,9228 litre	O
390	CM	120	CM	115 LEVEL CM	8353,7276 litre	47,348 %	9289,4567 litre	O
390	CM	120	CM	114 LEVEL CM	8260,2263 litre	46,818 %	9382,9580 litre	O
390	CM	120	CM	113 LEVEL CM	8166,7639 litre	46,288 %	9476,4204 litre	O
390	CM	120	CM	112 LEVEL CM	8073,3472 litre	45,759 %	9569,8371 litre	O
390	CM	120	CM	111 LEVEL CM	7979,9826 litre	45,230 %	9663,2017 litre	O
390	CM	120	CM	110 LEVEL CM	7886,6766 litre	44,701 %	9756,5077 litre	O
390	CM	120	CM	109 LEVEL CM	7793,4359 litre	44,173 %	9849,7484 litre	O
390	CM	120	CM	108 LEVEL CM	7700,2670 litre	43,644 %	9942,9173 litre	O
390	CM	120	CM	107 LEVEL CM	7607,1765 litre	43,117 %	10036,0078 litre	O
390	CM	120	CM	106 LEVEL CM	7514,1709 litre	42,590 %	10129,0134 litre	O
390	CM	120	CM	105 LEVEL CM	7421,2570 litre	42,063 %	10221,9273 litre	O
390	CM	120	CM	104 LEVEL CM	7328,4414 litre	41,537 %	10314,7429 litre	O
390	CM	120	CM	103 LEVEL CM	7235,7307 litre	41,011 %	10407,4536 litre	O
390	CM	120	CM	102 LEVEL CM	7143,1317 litre	40,487 %	10500,0526 litre	O
390	CM	120	CM	101 LEVEL CM	7050,6509 litre	39,962 %	10592,5334 litre	O
390	CM	120	CM	100 LEVEL CM	6958,2953 litre	39,439 %	10684,8890 litre	O
390	CM	120	CM	99 LEVEL CM	6866,0715 litre	38,916 %	10777,1128 litre	O
390	CM	120	CM	98 LEVEL CM	6773,9864 litre	38,394 %	10869,1979 litre	O
390	CM	120	CM	97 LEVEL CM	6682,0467 litre	37,873 %	10961,1376 litre	O
390	CM	120	CM	96 LEVEL CM	6590,2593 litre	37,353 %	11052,9250 litre	O
390	CM	120	CM	95 LEVEL CM	6498,6312 litre	36,834 %	11144,5531 litre	O
390	CM	120	CM	94 LEVEL CM	6407,1692 litre	36,315 %	11236,0151 litre	O
390	CM	120	CM	93 LEVEL CM	6315,8803 litre	35,798 %	11327,3040 litre	O
390	CM	120	CM	92 LEVEL CM	6224,7716 litre	35,281 %	11418,4127 litre	O
390	CM	120	CM	91 LEVEL CM	6133,8500 litre	34,766 %	11509,3343 litre	O
390	CM	120	CM	90 LEVEL CM	6043,1227 litre	34,252 %	11600,0616 litre	O
390	CM	120	CM	89 LEVEL CM	5952,5968 litre	33,739 %	11690,5875 litre	O
390	CM	120	CM	88 LEVEL CM	5862,2795 litre	33,227 %	11780,9048 litre	O
390	CM	120	CM	87 LEVEL CM	5772,1779 litre	32,716 %	11871,0064 litre	O
390	CM	120	CM	86 LEVEL CM	5682,2995 litre	32,207 %	11960,8848 litre	O
390	CM	120	CM	85 LEVEL CM	5592,6516 litre	31,699 %	12050,5327 litre	O
390	CM	120	CM	84 LEVEL CM	5503,2415 litre	31,192 %	12139,9428 litre	O
390	CM	120	CM	83 LEVEL CM	5414,0767 litre	30,687 %	12229,1076 litre	O

390	CM	120	CM	82 LEVEL CM	5325,1647 litre	30,183 %	12318,0196 litre	O
390	CM	120	CM	81 LEVEL CM	5236,5131 litre	29,680 %	12406,6712 litre	O
390	CM	120	CM	80 LEVEL CM	5148,1296 litre	29,179 %	12495,0547 litre	O
390	CM	120	CM	79 LEVEL CM	5060,0218 litre	28,680 %	12583,1625 litre	O
390	CM	120	CM	78 LEVEL CM	4972,1976 litre	28,182 %	12670,9867 litre	O
390	CM	120	CM	77 LEVEL CM	4884,6649 litre	27,686 %	12758,5194 litre	O
390	CM	120	CM	76 LEVEL CM	4797,4316 litre	27,191 %	12845,7527 litre	O
390	CM	120	CM	75 LEVEL CM	4710,5056 litre	26,699 %	12932,6787 litre	O
390	CM	120	CM	74 LEVEL CM	4623,8952 litre	26,208 %	13019,2891 litre	O
390	CM	120	CM	73 LEVEL CM	4537,6086 litre	25,719 %	13105,5757 litre	O
390	CM	120	CM	72 LEVEL CM	4451,6540 litre	25,232 %	13191,5303 litre	O
390	CM	120	CM	71 LEVEL CM	4366,0398 litre	24,746 %	13277,1445 litre	O
390	CM	120	CM	70 LEVEL CM	4280,7745 litre	24,263 %	13362,4098 litre	O
390	CM	120	CM	69 LEVEL CM	4195,8667 litre	23,782 %	13447,3176 litre	O
390	CM	120	CM	68 LEVEL CM	4111,3252 litre	23,303 %	13531,8591 litre	O
390	CM	120	CM	67 LEVEL CM	4027,1587 litre	22,826 %	13616,0256 litre	O
390	CM	120	CM	66 LEVEL CM	3943,3763 litre	22,351 %	13699,8080 litre	O
390	CM	120	CM	65 LEVEL CM	3859,9868 litre	21,878 %	13783,1975 litre	O
390	CM	120	CM	64 LEVEL CM	3776,9997 litre	21,408 %	13866,1846 litre	O
390	CM	120	CM	63 LEVEL CM	3694,4241 litre	20,940 %	13948,7602 litre	O
390	CM	120	CM	62 LEVEL CM	3612,2695 litre	20,474 %	14030,9148 litre	O
390	CM	120	CM	61 LEVEL CM	3530,5456 litre	20,011 %	14112,6387 litre	O
390	CM	120	CM	60 LEVEL CM	3449,2621 litre	19,550 %	14193,9222 litre	O
390	CM	120	CM	59 LEVEL CM	3368,4290 litre	19,092 %	14274,7553 litre	O
390	CM	120	CM	58 LEVEL CM	3288,0563 litre	18,636 %	14355,1280 litre	O
390	CM	120	CM	57 LEVEL CM	3208,1543 litre	18,184 %	14435,0300 litre	O
390	CM	120	CM	56 LEVEL CM	3128,7335 litre	17,733 %	14514,4508 litre	O
390	CM	120	CM	55 LEVEL CM	3049,8044 litre	17,286 %	14593,3799 litre	O
390	CM	120	CM	54 LEVEL CM	2971,3780 litre	16,842 %	14671,8063 litre	O
390	CM	120	CM	53 LEVEL CM	2893,4653 litre	16,400 %	14749,7190 litre	O
390	CM	120	CM	52 LEVEL CM	2816,0776 litre	15,961 %	14827,1067 litre	O
390	CM	120	CM	51 LEVEL CM	2739,2263 litre	15,526 %	14903,9580 litre	O
390	CM	120	CM	50 LEVEL CM	2662,9232 litre	15,093 %	14980,2611 litre	O
390	CM	120	CM	49 LEVEL CM	2587,1803 litre	14,664 %	15056,0040 litre	O
390	CM	120	CM	48 LEVEL CM	2512,0099 litre	14,238 %	15131,1744 litre	O
390	CM	120	CM	47 LEVEL CM	2437,4246 litre	13,815 %	15205,7597 litre	O
390	CM	120	CM	46 LEVEL CM	2363,4371 litre	13,396 %	15279,7472 litre	O
390	CM	120	CM	45 LEVEL CM	2290,0606 litre	12,980 %	15353,1237 litre	O
390	CM	120	CM	44 LEVEL CM	2217,3087 litre	12,568 %	15425,8756 litre	O
390	CM	120	CM	43 LEVEL CM	2145,1951 litre	12,159 %	15497,9892 litre	O
390	CM	120	CM	42 LEVEL CM	2073,7341 litre	11,754 %	15569,4502 litre	O
390	CM	120	CM	41 LEVEL CM	2002,9404 litre	11,352 %	15640,2439 litre	O
390	CM	120	CM	40 LEVEL CM	1932,8288 litre	10,955 %	15710,3555 litre	O
390	CM	120	CM	39 LEVEL CM	1863,4150 litre	10,562 %	15779,7693 litre	O
390	CM	120	CM	38 LEVEL CM	1794,7147 litre	10,172 %	15848,4696 litre	O
390	CM	120	CM	37 LEVEL CM	1726,7446 litre	9,787 %	15916,4397 litre	O
390	CM	120	CM	36 LEVEL CM	1659,5215 litre	9,406 %	15983,6628 litre	O
390	CM	120	CM	35 LEVEL CM	1593,0630 litre	9,029 %	16050,1213 litre	O
390	CM	120	CM	34 LEVEL CM	1527,3873 litre	8,657 %	16115,7970 litre	O
390	CM	120	CM	33 LEVEL CM	1462,5131 litre	8,289 %	16180,6712 litre	O
390	CM	120	CM	32 LEVEL CM	1398,4601 litre	7,926 %	16244,7242 litre	O
390	CM	120	CM	31 LEVEL CM	1335,2485 litre	7,568 %	16307,9358 litre	O
390	CM	120	CM	30 LEVEL CM	1272,8994 litre	7,215 %	16370,2849 litre	O

390	CM	120	CM	29 LEVEL CM	1211,4348 litre	6,866 %	16431,7495 litre	O
390	CM	120	CM	28 LEVEL CM	1150,8777 litre	6,523 %	16492,3066 litre	O
390	CM	120	CM	27 LEVEL CM	1091,2521 litre	6,185 %	16551,9322 litre	O
390	CM	120	CM	26 LEVEL CM	1032,5832 litre	5,853 %	16610,6011 litre	O
390	CM	120	CM	25 LEVEL CM	974,8973 litre	5,526 %	16668,2870 litre	O
390	CM	120	CM	24 LEVEL CM	918,2222 litre	5,204 %	16724,9621 litre	O
390	CM	120	CM	23 LEVEL CM	862,5873 litre	4,889 %	16780,5970 litre	O
390	CM	120	CM	22 LEVEL CM	808,0235 litre	4,580 %	16835,1608 litre	O
390	CM	120	CM	21 LEVEL CM	754,5637 litre	4,277 %	16888,6206 litre	O
390	CM	120	CM	20 LEVEL CM	702,2427 litre	3,980 %	16940,9416 litre	O
390	CM	120	CM	19 LEVEL CM	651,0978 litre	3,690 %	16992,0865 litre	O
390	CM	120	CM	18 LEVEL CM	601,1689 litre	3,407 %	17042,0154 litre	O
390	CM	120	CM	17 LEVEL CM	552,4989 litre	3,132 %	17090,6854 litre	O
390	CM	120	CM	16 LEVEL CM	505,1341 litre	2,863 %	17138,0502 litre	O
390	CM	120	CM	15 LEVEL CM	459,1246 litre	2,602 %	17184,0597 litre	O
390	CM	120	CM	14 LEVEL CM	414,5254 litre	2,349 %	17228,6589 litre	O
390	CM	120	CM	13 LEVEL CM	371,3965 litre	2,105 %	17271,7878 litre	O
390	CM	120	CM	12 LEVEL CM	329,8047 litre	1,869 %	17313,3796 litre	O
390	CM	120	CM	11 LEVEL CM	289,8241 litre	1,643 %	17353,3602 litre	O
390	CM	120	CM	10 LEVEL CM	251,5385 litre	1,426 %	17391,6458 litre	O
390	CM	120	CM	9 LEVEL CM	215,0432 litre	1,219 %	17428,1411 litre	O
390	CM	120	CM	8 LEVEL CM	180,4483 litre	1,023 %	17462,7360 litre	O
390	CM	120	CM	7 LEVEL CM	147,8833 litre	0,838 %	17495,3010 litre	O
390	CM	120	CM	6 LEVEL CM	117,5037 litre	0,666 %	17525,6806 litre	O
390	CM	120	CM	5 LEVEL CM	89,5016 litre	0,507 %	17553,6827 litre	O
390	CM	120	CM	4 LEVEL CM	64,1232 litre	0,363 %	17579,0611 litre	O
390	CM	120	CM	3 LEVEL CM	41,7019 litre	0,236 %	17601,4824 litre	O
390	CM	120	CM	2 LEVEL CM	22,7282 litre	0,129 %	17620,4561 litre	O
390	CM	120	CM	1 LEVEL CM	8,0457 litre	0,046 %	17635,1386 litre	O
390	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	17643,1843 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM	115	CM 230 LEVEL CM	16203,5495 litre	100,000 %	0,0000 litre	O
390	CM	115	CM 229 LEVEL CM	16195,6736 litre	99,951 %	7,8759 litre	O
390	CM	115	CM 228 LEVEL CM	16181,3023 litre	99,863 %	22,2472 litre	O
390	CM	115	CM 227 LEVEL CM	16162,7324 litre	99,748 %	40,8171 litre	O
390	CM	115	CM 226 LEVEL CM	16140,7902 litre	99,613 %	62,7593 litre	O
390	CM	115	CM 225 LEVEL CM	16115,9565 litre	99,459 %	87,5930 litre	O
390	CM	115	CM 224 LEVEL CM	16088,5580 litre	99,290 %	114,9915 litre	O
390	CM	115	CM 223 LEVEL CM	16058,8361 litre	99,107 %	144,7134 litre	O
390	CM	115	CM 222 LEVEL CM	16026,9791 litre	98,910 %	176,5704 litre	O
390	CM	115	CM 221 LEVEL CM	15993,1397 litre	98,701 %	210,4098 litre	O
390	CM	115	CM 220 LEVEL CM	15957,4448 litre	98,481 %	246,1047 litre	O
390	CM	115	CM 219 LEVEL CM	15920,0026 litre	98,250 %	283,5469 litre	O
390	CM	115	CM 218 LEVEL CM	15880,9067 litre	98,009 %	322,6428 litre	O
390	CM	115	CM 217 LEVEL CM	15840,2392 litre	97,758 %	363,3103 litre	O
390	CM	115	CM 216 LEVEL CM	15798,0732 litre	97,498 %	405,4763 litre	O
390	CM	115	CM 215 LEVEL CM	15754,4741 litre	97,229 %	449,0754 litre	O
390	CM	115	CM 214 LEVEL CM	15709,5010 litre	96,951 %	494,0485 litre	O
390	CM	115	CM 213 LEVEL CM	15663,2079 litre	96,665 %	540,3416 litre	O
390	CM	115	CM 212 LEVEL CM	15615,6442 litre	96,372 %	587,9053 litre	O
390	CM	115	CM 211 LEVEL CM	15566,8554 litre	96,071 %	636,6941 litre	O
390	CM	115	CM 210 LEVEL CM	15516,8838 litre	95,762 %	686,6657 litre	O
390	CM	115	CM 209 LEVEL CM	15465,7685 litre	95,447 %	737,7810 litre	O
390	CM	115	CM 208 LEVEL CM	15413,5464 litre	95,125 %	790,0031 litre	O
390	CM	115	CM 207 LEVEL CM	15360,2517 litre	94,796 %	843,2978 litre	O
390	CM	115	CM 206 LEVEL CM	15305,9168 litre	94,460 %	897,6327 litre	O
390	CM	115	CM 205 LEVEL CM	15250,5724 litre	94,119 %	952,9771 litre	O
390	CM	115	CM 204 LEVEL CM	15194,2472 litre	93,771 %	1009,3023 litre	O
390	CM	115	CM 203 LEVEL CM	15136,9687 litre	93,418 %	1066,5808 litre	O
390	CM	115	CM 202 LEVEL CM	15078,7630 litre	93,058 %	1124,7865 litre	O
390	CM	115	CM 201 LEVEL CM	15019,6548 litre	92,694 %	1183,8947 litre	O
390	CM	115	CM 200 LEVEL CM	14959,6680 litre	92,323 %	1243,8815 litre	O
390	CM	115	CM 199 LEVEL CM	14898,8252 litre	91,948 %	1304,7243 litre	O
390	CM	115	CM 198 LEVEL CM	14837,1480 litre	91,567 %	1366,4015 litre	O
390	CM	115	CM 197 LEVEL CM	14774,6575 litre	91,182 %	1428,8920 litre	O
390	CM	115	CM 196 LEVEL CM	14711,3737 litre	90,791 %	1492,1758 litre	O
390	CM	115	CM 195 LEVEL CM	14647,3159 litre	90,396 %	1556,2336 litre	O
390	CM	115	CM 194 LEVEL CM	14582,5027 litre	89,996 %	1621,0468 litre	O
390	CM	115	CM 193 LEVEL CM	14516,9521 litre	89,591 %	1686,5974 litre	O
390	CM	115	CM 192 LEVEL CM	14450,6814 litre	89,182 %	1752,8681 litre	O
390	CM	115	CM 191 LEVEL CM	14383,7076 litre	88,769 %	1819,8419 litre	O
390	CM	115	CM 190 LEVEL CM	14316,0469 litre	88,351 %	1887,5026 litre	O
390	CM	115	CM 189 LEVEL CM	14247,7152 litre	87,930 %	1955,8343 litre	O
390	CM	115	CM 188 LEVEL CM	14178,7277 litre	87,504 %	2024,8218 litre	O
390	CM	115	CM 187 LEVEL CM	14109,0994 litre	87,074 %	2094,4501 litre	O
390	CM	115	CM 186 LEVEL CM	14038,8447 litre	86,641 %	2164,7048 litre	O
390	CM	115	CM 185 LEVEL CM	13967,9779 litre	86,203 %	2235,5716 litre	O
390	CM	115	CM 184 LEVEL CM	13896,5126 litre	85,762 %	2307,0369 litre	O
390	CM	115	CM 183 LEVEL CM	13824,4623 litre	85,317 %	2379,0872 litre	O
390	CM	115	CM 182 LEVEL CM	13751,8401 litre	84,869 %	2451,7094 litre	O
390	CM	115	CM 181 LEVEL CM	13678,6587 litre	84,418 %	2524,8908 litre	O
390	CM	115	CM 180 LEVEL CM	13604,9306 litre	83,963 %	2598,6189 litre	O
390	CM	115	CM 179 LEVEL CM	13530,6681 litre	83,504 %	2672,8814 litre	O

390	CM 115	CM	178 LEVEL CM	13455,8831 litre	83,043 %	2747,6664 litre	O
390	CM 115	CM	177 LEVEL CM	13380,5873 litre	82,578 %	2822,9622 litre	O
390	CM 115	CM	176 LEVEL CM	13304,7922 litre	82,110 %	2898,7573 litre	O
390	CM 115	CM	175 LEVEL CM	13228,5090 litre	81,640 %	2975,0405 litre	O
390	CM 115	CM	174 LEVEL CM	13151,7488 litre	81,166 %	3051,8007 litre	O
390	CM 115	CM	173 LEVEL CM	13074,5223 litre	80,689 %	3129,0272 litre	O
390	CM 115	CM	172 LEVEL CM	12996,8403 litre	80,210 %	3206,7092 litre	O
390	CM 115	CM	171 LEVEL CM	12918,7131 litre	79,728 %	3284,8364 litre	O
390	CM 115	CM	170 LEVEL CM	12840,1510 litre	79,243 %	3363,3985 litre	O
390	CM 115	CM	169 LEVEL CM	12761,1642 litre	78,755 %	3442,3853 litre	O
390	CM 115	CM	168 LEVEL CM	12681,7624 litre	78,265 %	3521,7871 litre	O
390	CM 115	CM	167 LEVEL CM	12601,9557 litre	77,773 %	3601,5938 litre	O
390	CM 115	CM	166 LEVEL CM	12521,7534 litre	77,278 %	3681,7961 litre	O
390	CM 115	CM	165 LEVEL CM	12441,1652 litre	76,780 %	3762,3843 litre	O
390	CM 115	CM	164 LEVEL CM	12360,2005 litre	76,281 %	3843,3490 litre	O
390	CM 115	CM	163 LEVEL CM	12278,8683 litre	75,779 %	3924,6812 litre	O
390	CM 115	CM	162 LEVEL CM	12197,1779 litre	75,275 %	4006,3716 litre	O
390	CM 115	CM	161 LEVEL CM	12115,1382 litre	74,768 %	4088,4113 litre	O
390	CM 115	CM	160 LEVEL CM	12032,7580 litre	74,260 %	4170,7915 litre	O
390	CM 115	CM	159 LEVEL CM	11950,0462 litre	73,750 %	4253,5033 litre	O
390	CM 115	CM	158 LEVEL CM	11867,0113 litre	73,237 %	4336,5382 litre	O
390	CM 115	CM	157 LEVEL CM	11783,6620 litre	72,723 %	4419,8875 litre	O
390	CM 115	CM	156 LEVEL CM	11700,0067 litre	72,206 %	4503,5428 litre	O
390	CM 115	CM	155 LEVEL CM	11616,0537 litre	71,688 %	4587,4958 litre	O
390	CM 115	CM	154 LEVEL CM	11531,8113 litre	71,168 %	4671,7382 litre	O
390	CM 115	CM	153 LEVEL CM	11447,2878 litre	70,647 %	4756,2617 litre	O
390	CM 115	CM	152 LEVEL CM	11362,4911 litre	70,123 %	4841,0584 litre	O
390	CM 115	CM	151 LEVEL CM	11277,4294 litre	69,599 %	4926,1201 litre	O
390	CM 115	CM	150 LEVEL CM	11192,1106 litre	69,072 %	5011,4389 litre	O
390	CM 115	CM	149 LEVEL CM	11106,5426 litre	68,544 %	5097,0069 litre	O
390	CM 115	CM	148 LEVEL CM	11020,7332 litre	68,014 %	5182,8163 litre	O
390	CM 115	CM	147 LEVEL CM	10934,6901 litre	67,483 %	5268,8594 litre	O
390	CM 115	CM	146 LEVEL CM	10848,4210 litre	66,951 %	5355,1285 litre	O
390	CM 115	CM	145 LEVEL CM	10761,9336 litre	66,417 %	5441,6159 litre	O
390	CM 115	CM	144 LEVEL CM	10675,2354 litre	65,882 %	5528,3141 litre	O
390	CM 115	CM	143 LEVEL CM	10588,3340 litre	65,346 %	5615,2155 litre	O
390	CM 115	CM	142 LEVEL CM	10501,2367 litre	64,808 %	5702,3128 litre	O
390	CM 115	CM	141 LEVEL CM	10413,9510 litre	64,270 %	5789,5985 litre	O
390	CM 115	CM	140 LEVEL CM	10326,4843 litre	63,730 %	5877,0652 litre	O
390	CM 115	CM	139 LEVEL CM	10238,8439 litre	63,189 %	5964,7056 litre	O
390	CM 115	CM	138 LEVEL CM	10151,0370 litre	62,647 %	6052,5125 litre	O
390	CM 115	CM	137 LEVEL CM	10063,0709 litre	62,104 %	6140,4786 litre	O
390	CM 115	CM	136 LEVEL CM	9974,9528 litre	61,560 %	6228,5967 litre	O
390	CM 115	CM	135 LEVEL CM	9886,6898 litre	61,016 %	6316,8597 litre	O
390	CM 115	CM	134 LEVEL CM	9798,2890 litre	60,470 %	6405,2605 litre	O
390	CM 115	CM	133 LEVEL CM	9709,7576 litre	59,924 %	6493,7919 litre	O
390	CM 115	CM	132 LEVEL CM	9621,1026 litre	59,377 %	6582,4469 litre	O
390	CM 115	CM	131 LEVEL CM	9532,3310 litre	58,829 %	6671,2185 litre	O
390	CM 115	CM	130 LEVEL CM	9443,4497 litre	58,280 %	6760,0998 litre	O
390	CM 115	CM	129 LEVEL CM	9354,4659 litre	57,731 %	6849,0836 litre	O
390	CM 115	CM	128 LEVEL CM	9265,3864 litre	57,181 %	6938,1631 litre	O
390	CM 115	CM	127 LEVEL CM	9176,2182 litre	56,631 %	7027,3313 litre	O
390	CM 115	CM	126 LEVEL CM	9086,9681 litre	56,080 %	7116,5814 litre	O

390	CM	115	CM	125 LEVEL CM	8997,6430 litre	55,529 %	7205,9065 litre	O
390	CM	115	CM	124 LEVEL CM	8908,2499 litre	54,977 %	7295,2996 litre	O
390	CM	115	CM	123 LEVEL CM	8818,7956 litre	54,425 %	7384,7539 litre	O
390	CM	115	CM	122 LEVEL CM	8729,2868 litre	53,873 %	7474,2627 litre	O
390	CM	115	CM	121 LEVEL CM	8639,7305 litre	53,320 %	7563,8190 litre	O
390	CM	115	CM	120 LEVEL CM	8550,1334 litre	52,767 %	7653,4161 litre	O
390	CM	115	CM	119 LEVEL CM	8460,5024 litre	52,214 %	7743,0471 litre	O
390	CM	115	CM	118 LEVEL CM	8370,8442 litre	51,661 %	7832,7053 litre	O
390	CM	115	CM	117 LEVEL CM	8281,1657 litre	51,107 %	7922,3838 litre	O
390	CM	115	CM	116 LEVEL CM	8191,4736 litre	50,554 %	8012,0759 litre	O
390	CM	115	CM	115 LEVEL CM	8101,7748 litre	50,000 %	8101,7747 litre	O
390	CM	115	CM	114 LEVEL CM	8012,0759 litre	49,446 %	8191,4736 litre	O
390	CM	115	CM	113 LEVEL CM	7922,3838 litre	48,893 %	8281,1657 litre	O
390	CM	115	CM	112 LEVEL CM	7832,7053 litre	48,339 %	8370,8442 litre	O
390	CM	115	CM	111 LEVEL CM	7743,0471 litre	47,786 %	8460,5024 litre	O
390	CM	115	CM	110 LEVEL CM	7653,4161 litre	47,233 %	8550,1334 litre	O
390	CM	115	CM	109 LEVEL CM	7563,8190 litre	46,680 %	8639,7305 litre	O
390	CM	115	CM	108 LEVEL CM	7474,2627 litre	46,127 %	8729,2868 litre	O
390	CM	115	CM	107 LEVEL CM	7384,7540 litre	45,575 %	8818,7955 litre	O
390	CM	115	CM	106 LEVEL CM	7295,2996 litre	45,023 %	8908,2499 litre	O
390	CM	115	CM	105 LEVEL CM	7205,9065 litre	44,471 %	8997,6430 litre	O
390	CM	115	CM	104 LEVEL CM	7116,5814 litre	43,920 %	9086,9681 litre	O
390	CM	115	CM	103 LEVEL CM	7027,3313 litre	43,369 %	9176,2182 litre	O
390	CM	115	CM	102 LEVEL CM	6938,1631 litre	42,819 %	9265,3864 litre	O
390	CM	115	CM	101 LEVEL CM	6849,0836 litre	42,269 %	9354,4659 litre	O
390	CM	115	CM	100 LEVEL CM	6760,0998 litre	41,720 %	9443,4497 litre	O
390	CM	115	CM	99 LEVEL CM	6671,2186 litre	41,171 %	9532,3309 litre	O
390	CM	115	CM	98 LEVEL CM	6582,4469 litre	40,623 %	9621,1026 litre	O
390	CM	115	CM	97 LEVEL CM	6493,7919 litre	40,076 %	9709,7576 litre	O
390	CM	115	CM	96 LEVEL CM	6405,2605 litre	39,530 %	9798,2890 litre	O
390	CM	115	CM	95 LEVEL CM	6316,8597 litre	38,984 %	9886,6898 litre	O
390	CM	115	CM	94 LEVEL CM	6228,5967 litre	38,440 %	9974,9528 litre	O
390	CM	115	CM	93 LEVEL CM	6140,4786 litre	37,896 %	10063,0709 litre	O
390	CM	115	CM	92 LEVEL CM	6052,5125 litre	37,353 %	10151,0370 litre	O
390	CM	115	CM	91 LEVEL CM	5964,7056 litre	36,811 %	10238,8439 litre	O
390	CM	115	CM	90 LEVEL CM	5877,0652 litre	36,270 %	10326,4843 litre	O
390	CM	115	CM	89 LEVEL CM	5789,5985 litre	35,730 %	10413,9510 litre	O
390	CM	115	CM	88 LEVEL CM	5702,3128 litre	35,192 %	10501,2367 litre	O
390	CM	115	CM	87 LEVEL CM	5615,2155 litre	34,654 %	10588,3340 litre	O
390	CM	115	CM	86 LEVEL CM	5528,3141 litre	34,118 %	10675,2354 litre	O
390	CM	115	CM	85 LEVEL CM	5441,6159 litre	33,583 %	10761,9336 litre	O
390	CM	115	CM	84 LEVEL CM	5355,1285 litre	33,049 %	10848,4210 litre	O
390	CM	115	CM	83 LEVEL CM	5268,8594 litre	32,517 %	10934,6901 litre	O
390	CM	115	CM	82 LEVEL CM	5182,8163 litre	31,986 %	11020,7332 litre	O
390	CM	115	CM	81 LEVEL CM	5097,0069 litre	31,456 %	11106,5426 litre	O
390	CM	115	CM	80 LEVEL CM	5011,4389 litre	30,928 %	11192,1106 litre	O
390	CM	115	CM	79 LEVEL CM	4926,1201 litre	30,401 %	11277,4294 litre	O
390	CM	115	CM	78 LEVEL CM	4841,0584 litre	29,877 %	11362,4911 litre	O
390	CM	115	CM	77 LEVEL CM	4756,2618 litre	29,353 %	11447,2877 litre	O
390	CM	115	CM	76 LEVEL CM	4671,7382 litre	28,832 %	11531,8113 litre	O
390	CM	115	CM	75 LEVEL CM	4587,4958 litre	28,312 %	11616,0537 litre	O
390	CM	115	CM	74 LEVEL CM	4503,5428 litre	27,794 %	11700,0067 litre	O
390	CM	115	CM	73 LEVEL CM	4419,8875 litre	27,277 %	11783,6620 litre	O

390	CM	115	CM	72 LEVEL CM	4336,5382 litre	26,763 %	11867,0113 litre	O
390	CM	115	CM	71 LEVEL CM	4253,5033 litre	26,250 %	11950,0462 litre	O
390	CM	115	CM	70 LEVEL CM	4170,7915 litre	25,740 %	12032,7580 litre	O
390	CM	115	CM	69 LEVEL CM	4088,4114 litre	25,232 %	12115,1381 litre	O
390	CM	115	CM	68 LEVEL CM	4006,3716 litre	24,725 %	12197,1779 litre	O
390	CM	115	CM	67 LEVEL CM	3924,6812 litre	24,221 %	12278,8683 litre	O
390	CM	115	CM	66 LEVEL CM	3843,3490 litre	23,719 %	12360,2005 litre	O
390	CM	115	CM	65 LEVEL CM	3762,3843 litre	23,220 %	12441,1652 litre	O
390	CM	115	CM	64 LEVEL CM	3681,7961 litre	22,722 %	12521,7534 litre	O
390	CM	115	CM	63 LEVEL CM	3601,5939 litre	22,227 %	12601,9556 litre	O
390	CM	115	CM	62 LEVEL CM	3521,7871 litre	21,735 %	12681,7624 litre	O
390	CM	115	CM	61 LEVEL CM	3442,3854 litre	21,245 %	12761,1641 litre	O
390	CM	115	CM	60 LEVEL CM	3363,3985 litre	20,757 %	12840,1510 litre	O
390	CM	115	CM	59 LEVEL CM	3284,8364 litre	20,272 %	12918,7131 litre	O
390	CM	115	CM	58 LEVEL CM	3206,7092 litre	19,790 %	12996,8403 litre	O
390	CM	115	CM	57 LEVEL CM	3129,0272 litre	19,311 %	13074,5223 litre	O
390	CM	115	CM	56 LEVEL CM	3051,8007 litre	18,834 %	13151,7488 litre	O
390	CM	115	CM	55 LEVEL CM	2975,0405 litre	18,360 %	13228,5090 litre	O
390	CM	115	CM	54 LEVEL CM	2898,7573 litre	17,890 %	13304,7922 litre	O
390	CM	115	CM	53 LEVEL CM	2822,9622 litre	17,422 %	13380,5873 litre	O
390	CM	115	CM	52 LEVEL CM	2747,6664 litre	16,957 %	13455,8831 litre	O
390	CM	115	CM	51 LEVEL CM	2672,8814 litre	16,496 %	13530,6681 litre	O
390	CM	115	CM	50 LEVEL CM	2598,6189 litre	16,037 %	13604,9306 litre	O
390	CM	115	CM	49 LEVEL CM	2524,8909 litre	15,582 %	13678,6586 litre	O
390	CM	115	CM	48 LEVEL CM	2451,7095 litre	15,131 %	13751,8400 litre	O
390	CM	115	CM	47 LEVEL CM	2379,0872 litre	14,683 %	13824,4623 litre	O
390	CM	115	CM	46 LEVEL CM	2307,0369 litre	14,238 %	13896,5126 litre	O
390	CM	115	CM	45 LEVEL CM	2235,5716 litre	13,797 %	13967,9779 litre	O
390	CM	115	CM	44 LEVEL CM	2164,7048 litre	13,359 %	14038,8447 litre	O
390	CM	115	CM	43 LEVEL CM	2094,4502 litre	12,926 %	14109,0993 litre	O
390	CM	115	CM	42 LEVEL CM	2024,8218 litre	12,496 %	14178,7277 litre	O
390	CM	115	CM	41 LEVEL CM	1955,8343 litre	12,070 %	14247,7152 litre	O
390	CM	115	CM	40 LEVEL CM	1887,5026 litre	11,649 %	14316,0469 litre	O
390	CM	115	CM	39 LEVEL CM	1819,8419 litre	11,231 %	14383,7076 litre	O
390	CM	115	CM	38 LEVEL CM	1752,8681 litre	10,818 %	14450,6814 litre	O
390	CM	115	CM	37 LEVEL CM	1686,5975 litre	10,409 %	14516,9520 litre	O
390	CM	115	CM	36 LEVEL CM	1621,0468 litre	10,004 %	14582,5027 litre	O
390	CM	115	CM	35 LEVEL CM	1556,2336 litre	9,604 %	14647,3159 litre	O
390	CM	115	CM	34 LEVEL CM	1492,1758 litre	9,209 %	14711,3737 litre	O
390	CM	115	CM	33 LEVEL CM	1428,8920 litre	8,818 %	14774,6575 litre	O
390	CM	115	CM	32 LEVEL CM	1366,4015 litre	8,433 %	14837,1480 litre	O
390	CM	115	CM	31 LEVEL CM	1304,7244 litre	8,052 %	14898,8251 litre	O
390	CM	115	CM	30 LEVEL CM	1243,8815 litre	7,677 %	14959,6680 litre	O
390	CM	115	CM	29 LEVEL CM	1183,8947 litre	7,306 %	15019,6548 litre	O
390	CM	115	CM	28 LEVEL CM	1124,7865 litre	6,942 %	15078,7630 litre	O
390	CM	115	CM	27 LEVEL CM	1066,5808 litre	6,582 %	15136,9687 litre	O
390	CM	115	CM	26 LEVEL CM	1009,3023 litre	6,229 %	15194,2472 litre	O
390	CM	115	CM	25 LEVEL CM	952,9771 litre	5,881 %	15250,5724 litre	O
390	CM	115	CM	24 LEVEL CM	897,6327 litre	5,540 %	15305,9168 litre	O
390	CM	115	CM	23 LEVEL CM	843,2978 litre	5,204 %	15360,2517 litre	O
390	CM	115	CM	22 LEVEL CM	790,0032 litre	4,875 %	15413,5463 litre	O
390	CM	115	CM	21 LEVEL CM	737,7810 litre	4,553 %	15465,7685 litre	O
390	CM	115	CM	20 LEVEL CM	686,6657 litre	4,238 %	15516,8838 litre	O

390	CM	115	CM	19 LEVEL CM	636,6941 litre	3,929 %	15566,8554 litre	O
390	CM	115	CM	18 LEVEL CM	587,9053 litre	3,628 %	15615,6442 litre	O
390	CM	115	CM	17 LEVEL CM	540,3416 litre	3,335 %	15663,2079 litre	O
390	CM	115	CM	16 LEVEL CM	494,0485 litre	3,049 %	15709,5010 litre	O
390	CM	115	CM	15 LEVEL CM	449,0754 litre	2,771 %	15754,4741 litre	O
390	CM	115	CM	14 LEVEL CM	405,4763 litre	2,502 %	15798,0732 litre	O
390	CM	115	CM	13 LEVEL CM	363,3103 litre	2,242 %	15840,2392 litre	O
390	CM	115	CM	12 LEVEL CM	322,6428 litre	1,991 %	15880,9067 litre	O
390	CM	115	CM	11 LEVEL CM	283,5469 litre	1,750 %	15920,0026 litre	O
390	CM	115	CM	10 LEVEL CM	246,1047 litre	1,519 %	15957,4448 litre	O
390	CM	115	CM	9 LEVEL CM	210,4098 litre	1,299 %	15993,1397 litre	O
390	CM	115	CM	8 LEVEL CM	176,5704 litre	1,090 %	16026,9791 litre	O
390	CM	115	CM	7 LEVEL CM	144,7134 litre	0,893 %	16058,8361 litre	O
390	CM	115	CM	6 LEVEL CM	114,9915 litre	0,710 %	16088,5580 litre	O
390	CM	115	CM	5 LEVEL CM	87,5930 litre	0,541 %	16115,9565 litre	O
390	CM	115	CM	4 LEVEL CM	62,7593 litre	0,387 %	16140,7902 litre	O
390	CM	115	CM	3 LEVEL CM	40,8171 litre	0,252 %	16162,7324 litre	O
390	CM	115	CM	2 LEVEL CM	22,2472 litre	0,137 %	16181,3023 litre	O
390	CM	115	CM	1 LEVEL CM	7,8759 litre	0,049 %	16195,6736 litre	O
390	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	16203,5495 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM	110	CM 220 LEVEL CM	14825,1757 litre	100,000 %	0,0000 litre	O
390	CM	110	CM 219 LEVEL CM	14817,4734 litre	99,948 %	7,7023 litre	O
390	CM	110	CM 218 LEVEL CM	14803,4201 litre	99,853 %	21,7556 litre	O
390	CM	110	CM 217 LEVEL CM	14785,2630 litre	99,731 %	39,9127 litre	O
390	CM	110	CM 216 LEVEL CM	14763,8106 litre	99,586 %	61,3651 litre	O
390	CM	110	CM 215 LEVEL CM	14739,5338 litre	99,422 %	85,6419 litre	O
390	CM	110	CM 214 LEVEL CM	14712,7525 litre	99,242 %	112,4232 litre	O
390	CM	110	CM 213 LEVEL CM	14683,7032 litre	99,046 %	141,4725 litre	O
390	CM	110	CM 212 LEVEL CM	14652,5704 litre	98,836 %	172,6053 litre	O
390	CM	110	CM 211 LEVEL CM	14619,5036 litre	98,613 %	205,6721 litre	O
390	CM	110	CM 210 LEVEL CM	14584,6275 litre	98,377 %	240,5482 litre	O
390	CM	110	CM 209 LEVEL CM	14548,0482 litre	98,131 %	277,1275 litre	O
390	CM	110	CM 208 LEVEL CM	14509,8574 litre	97,873 %	315,3183 litre	O
390	CM	110	CM 207 LEVEL CM	14470,1359 litre	97,605 %	355,0398 litre	O
390	CM	110	CM 206 LEVEL CM	14428,9552 litre	97,327 %	396,2205 litre	O
390	CM	110	CM 205 LEVEL CM	14386,3797 litre	97,040 %	438,7960 litre	O
390	CM	110	CM 204 LEVEL CM	14342,4675 litre	96,744 %	482,7082 litre	O
390	CM	110	CM 203 LEVEL CM	14297,2715 litre	96,439 %	527,9042 litre	O
390	CM	110	CM 202 LEVEL CM	14250,8405 litre	96,126 %	574,3352 litre	O
390	CM	110	CM 201 LEVEL CM	14203,2191 litre	95,805 %	621,9566 litre	O
390	CM	110	CM 200 LEVEL CM	14154,4488 litre	95,476 %	670,7269 litre	O
390	CM	110	CM 199 LEVEL CM	14104,5684 litre	95,139 %	720,6073 litre	O
390	CM	110	CM 198 LEVEL CM	14053,6140 litre	94,796 %	771,5617 litre	O
390	CM	110	CM 197 LEVEL CM	14001,6194 litre	94,445 %	823,5563 litre	O
390	CM	110	CM 196 LEVEL CM	13948,6165 litre	94,087 %	876,5592 litre	O
390	CM	110	CM 195 LEVEL CM	13894,6354 litre	93,723 %	930,5403 litre	O
390	CM	110	CM 194 LEVEL CM	13839,7047 litre	93,353 %	985,4710 litre	O
390	CM	110	CM 193 LEVEL CM	13783,8513 litre	92,976 %	1041,3244 litre	O
390	CM	110	CM 192 LEVEL CM	13727,1009 litre	92,593 %	1098,0748 litre	O
390	CM	110	CM 191 LEVEL CM	13669,4782 litre	92,204 %	1155,6975 litre	O
390	CM	110	CM 190 LEVEL CM	13611,0064 litre	91,810 %	1214,1693 litre	O
390	CM	110	CM 189 LEVEL CM	13551,7081 litre	91,410 %	1273,4676 litre	O
390	CM	110	CM 188 LEVEL CM	13491,6046 litre	91,005 %	1333,5711 litre	O
390	CM	110	CM 187 LEVEL CM	13430,7167 litre	90,594 %	1394,4590 litre	O
390	CM	110	CM 186 LEVEL CM	13369,0642 litre	90,178 %	1456,1115 litre	O
390	CM	110	CM 185 LEVEL CM	13306,6662 litre	89,757 %	1518,5095 litre	O
390	CM	110	CM 184 LEVEL CM	13243,5411 litre	89,331 %	1581,6346 litre	O
390	CM	110	CM 183 LEVEL CM	13179,7068 litre	88,901 %	1645,4689 litre	O
390	CM	110	CM 182 LEVEL CM	13115,1805 litre	88,466 %	1709,9952 litre	O
390	CM	110	CM 181 LEVEL CM	13049,9788 litre	88,026 %	1775,1969 litre	O
390	CM	110	CM 180 LEVEL CM	12984,1179 litre	87,582 %	1841,0578 litre	O
390	CM	110	CM 179 LEVEL CM	12917,6135 litre	87,133 %	1907,5622 litre	O
390	CM	110	CM 178 LEVEL CM	12850,4809 litre	86,680 %	1974,6948 litre	O
390	CM	110	CM 177 LEVEL CM	12782,7348 litre	86,223 %	2042,4409 litre	O
390	CM	110	CM 176 LEVEL CM	12714,3896 litre	85,762 %	2110,7861 litre	O
390	CM	110	CM 175 LEVEL CM	12645,4594 litre	85,297 %	2179,7163 litre	O
390	CM	110	CM 174 LEVEL CM	12575,9578 litre	84,828 %	2249,2179 litre	O
390	CM	110	CM 173 LEVEL CM	12505,8983 litre	84,356 %	2319,2774 litre	O
390	CM	110	CM 172 LEVEL CM	12435,2937 litre	83,880 %	2389,8820 litre	O
390	CM	110	CM 171 LEVEL CM	12364,1569 litre	83,400 %	2461,0188 litre	O
390	CM	110	CM 170 LEVEL CM	12292,5003 litre	82,916 %	2532,6754 litre	O
390	CM	110	CM 169 LEVEL CM	12220,3360 litre	82,430 %	2604,8397 litre	O

390	CM 110	CM	168 LEVEL CM	12147,6761 litre	81,940 %	2677,4996 litre	O
390	CM 110	CM	167 LEVEL CM	12074,5320 litre	81,446 %	2750,6437 litre	O
390	CM 110	CM	166 LEVEL CM	12000,9154 litre	80,950 %	2824,2603 litre	O
390	CM 110	CM	165 LEVEL CM	11926,8374 litre	80,450 %	2898,3383 litre	O
390	CM 110	CM	164 LEVEL CM	11852,3091 litre	79,947 %	2972,8666 litre	O
390	CM 110	CM	163 LEVEL CM	11777,3412 litre	79,441 %	3047,8345 litre	O
390	CM 110	CM	162 LEVEL CM	11701,9445 litre	78,933 %	3123,2312 litre	O
390	CM 110	CM	161 LEVEL CM	11626,1293 litre	78,422 %	3199,0464 litre	O
390	CM 110	CM	160 LEVEL CM	11549,9059 litre	77,907 %	3275,2698 litre	O
390	CM 110	CM	159 LEVEL CM	11473,2844 litre	77,391 %	3351,8913 litre	O
390	CM 110	CM	158 LEVEL CM	11396,2749 litre	76,871 %	3428,9008 litre	O
390	CM 110	CM	157 LEVEL CM	11318,8871 litre	76,349 %	3506,2886 litre	O
390	CM 110	CM	156 LEVEL CM	11241,1306 litre	75,825 %	3584,0451 litre	O
390	CM 110	CM	155 LEVEL CM	11163,0151 litre	75,298 %	3662,1606 litre	O
390	CM 110	CM	154 LEVEL CM	11084,5498 litre	74,768 %	3740,6259 litre	O
390	CM 110	CM	153 LEVEL CM	11005,7442 litre	74,237 %	3819,4315 litre	O
390	CM 110	CM	152 LEVEL CM	10926,6072 litre	73,703 %	3898,5685 litre	O
390	CM 110	CM	151 LEVEL CM	10847,1480 litre	73,167 %	3978,0277 litre	O
390	CM 110	CM	150 LEVEL CM	10767,3755 litre	72,629 %	4057,8002 litre	O
390	CM 110	CM	149 LEVEL CM	10687,2985 litre	72,089 %	4137,8772 litre	O
390	CM 110	CM	148 LEVEL CM	10606,9257 litre	71,547 %	4218,2500 litre	O
390	CM 110	CM	147 LEVEL CM	10526,2658 litre	71,003 %	4298,9099 litre	O
390	CM 110	CM	146 LEVEL CM	10445,3273 litre	70,457 %	4379,8484 litre	O
390	CM 110	CM	145 LEVEL CM	10364,1187 litre	69,909 %	4461,0570 litre	O
390	CM 110	CM	144 LEVEL CM	10282,6482 litre	69,359 %	4542,5275 litre	O
390	CM 110	CM	143 LEVEL CM	10200,9242 litre	68,808 %	4624,2515 litre	O
390	CM 110	CM	142 LEVEL CM	10118,9550 litre	68,255 %	4706,2207 litre	O
390	CM 110	CM	141 LEVEL CM	10036,7485 litre	67,701 %	4788,4272 litre	O
390	CM 110	CM	140 LEVEL CM	9954,3130 litre	67,145 %	4870,8627 litre	O
390	CM 110	CM	139 LEVEL CM	9871,6563 litre	66,587 %	4953,5194 litre	O
390	CM 110	CM	138 LEVEL CM	9788,7864 litre	66,028 %	5036,3893 litre	O
390	CM 110	CM	137 LEVEL CM	9705,7113 litre	65,468 %	5119,4644 litre	O
390	CM 110	CM	136 LEVEL CM	9622,4386 litre	64,906 %	5202,7371 litre	O
390	CM 110	CM	135 LEVEL CM	9538,9762 litre	64,343 %	5286,1995 litre	O
390	CM 110	CM	134 LEVEL CM	9455,3317 litre	63,779 %	5369,8440 litre	O
390	CM 110	CM	133 LEVEL CM	9371,5129 litre	63,214 %	5453,6628 litre	O
390	CM 110	CM	132 LEVEL CM	9287,5273 litre	62,647 %	5537,6484 litre	O
390	CM 110	CM	131 LEVEL CM	9203,3824 litre	62,079 %	5621,7933 litre	O
390	CM 110	CM	130 LEVEL CM	9119,0859 litre	61,511 %	5706,0898 litre	O
390	CM 110	CM	129 LEVEL CM	9034,6451 litre	60,941 %	5790,5306 litre	O
390	CM 110	CM	128 LEVEL CM	8950,0676 litre	60,371 %	5875,1081 litre	O
390	CM 110	CM	127 LEVEL CM	8865,3606 litre	59,799 %	5959,8151 litre	O
390	CM 110	CM	126 LEVEL CM	8780,5317 litre	59,227 %	6044,6440 litre	O
390	CM 110	CM	125 LEVEL CM	8695,5880 litre	58,654 %	6129,5877 litre	O
390	CM 110	CM	124 LEVEL CM	8610,5370 litre	58,081 %	6214,6387 litre	O
390	CM 110	CM	123 LEVEL CM	8525,3859 litre	57,506 %	6299,7898 litre	O
390	CM 110	CM	122 LEVEL CM	8440,1420 litre	56,931 %	6385,0337 litre	O
390	CM 110	CM	121 LEVEL CM	8354,8125 litre	56,356 %	6470,3632 litre	O
390	CM 110	CM	120 LEVEL CM	8269,4046 litre	55,779 %	6555,7711 litre	O
390	CM 110	CM	119 LEVEL CM	8183,9255 litre	55,203 %	6641,2502 litre	O
390	CM 110	CM	118 LEVEL CM	8098,3823 litre	54,626 %	6726,7934 litre	O
390	CM 110	CM	117 LEVEL CM	8012,7823 litre	54,048 %	6812,3934 litre	O
390	CM 110	CM	116 LEVEL CM	7927,1325 litre	53,471 %	6898,0432 litre	O

390	CM 110	CM	115 LEVEL CM	7841,4401 litre	52,893 %	6983,7356 litre	O
390	CM 110	CM	114 LEVEL CM	7755,7122 litre	52,314 %	7069,4635 litre	O
390	CM 110	CM	113 LEVEL CM	7669,9560 litre	51,736 %	7155,2197 litre	O
390	CM 110	CM	112 LEVEL CM	7584,1784 litre	51,157 %	7240,9973 litre	O
390	CM 110	CM	111 LEVEL CM	7498,3867 litre	50,579 %	7326,7890 litre	O
390	CM 110	CM	110 LEVEL CM	7412,5879 litre	50,000 %	7412,5878 litre	O
390	CM 110	CM	109 LEVEL CM	7326,7890 litre	49,421 %	7498,3867 litre	O
390	CM 110	CM	108 LEVEL CM	7240,9973 litre	48,843 %	7584,1784 litre	O
390	CM 110	CM	107 LEVEL CM	7155,2198 litre	48,264 %	7669,9559 litre	O
390	CM 110	CM	106 LEVEL CM	7069,4635 litre	47,686 %	7755,7122 litre	O
390	CM 110	CM	105 LEVEL CM	6983,7356 litre	47,107 %	7841,4401 litre	O
390	CM 110	CM	104 LEVEL CM	6898,0433 litre	46,529 %	7927,1324 litre	O
390	CM 110	CM	103 LEVEL CM	6812,3935 litre	45,952 %	8012,7822 litre	O
390	CM 110	CM	102 LEVEL CM	6726,7934 litre	45,374 %	8098,3823 litre	O
390	CM 110	CM	101 LEVEL CM	6641,2503 litre	44,797 %	8183,9254 litre	O
390	CM 110	CM	100 LEVEL CM	6555,7712 litre	44,221 %	8269,4045 litre	O
390	CM 110	CM	99 LEVEL CM	6470,3632 litre	43,644 %	8354,8125 litre	O
390	CM 110	CM	98 LEVEL CM	6385,0337 litre	43,069 %	8440,1420 litre	O
390	CM 110	CM	97 LEVEL CM	6299,7898 litre	42,494 %	8525,3859 litre	O
390	CM 110	CM	96 LEVEL CM	6214,6387 litre	41,919 %	8610,5370 litre	O
390	CM 110	CM	95 LEVEL CM	6129,5877 litre	41,346 %	8695,5880 litre	O
390	CM 110	CM	94 LEVEL CM	6044,6441 litre	40,773 %	8780,5316 litre	O
390	CM 110	CM	93 LEVEL CM	5959,8151 litre	40,201 %	8865,3606 litre	O
390	CM 110	CM	92 LEVEL CM	5875,1082 litre	39,629 %	8950,0675 litre	O
390	CM 110	CM	91 LEVEL CM	5790,5306 litre	39,059 %	9034,6451 litre	O
390	CM 110	CM	90 LEVEL CM	5706,0899 litre	38,489 %	9119,0858 litre	O
390	CM 110	CM	89 LEVEL CM	5621,7933 litre	37,921 %	9203,3824 litre	O
390	CM 110	CM	88 LEVEL CM	5537,6485 litre	37,353 %	9287,5272 litre	O
390	CM 110	CM	87 LEVEL CM	5453,6628 litre	36,786 %	9371,5129 litre	O
390	CM 110	CM	86 LEVEL CM	5369,8440 litre	36,221 %	9455,3317 litre	O
390	CM 110	CM	85 LEVEL CM	5286,1996 litre	35,657 %	9538,9761 litre	O
390	CM 110	CM	84 LEVEL CM	5202,7371 litre	35,094 %	9622,4386 litre	O
390	CM 110	CM	83 LEVEL CM	5119,4645 litre	34,532 %	9705,7112 litre	O
390	CM 110	CM	82 LEVEL CM	5036,3893 litre	33,972 %	9788,7864 litre	O
390	CM 110	CM	81 LEVEL CM	4953,5195 litre	33,413 %	9871,6562 litre	O
390	CM 110	CM	80 LEVEL CM	4870,8628 litre	32,855 %	9954,3129 litre	O
390	CM 110	CM	79 LEVEL CM	4788,4272 litre	32,299 %	10036,7485 litre	O
390	CM 110	CM	78 LEVEL CM	4706,2208 litre	31,745 %	10118,9549 litre	O
390	CM 110	CM	77 LEVEL CM	4624,2515 litre	31,192 %	10200,9242 litre	O
390	CM 110	CM	76 LEVEL CM	4542,5275 litre	30,641 %	10282,6482 litre	O
390	CM 110	CM	75 LEVEL CM	4461,0571 litre	30,091 %	10364,1186 litre	O
390	CM 110	CM	74 LEVEL CM	4379,8484 litre	29,543 %	10445,3273 litre	O
390	CM 110	CM	73 LEVEL CM	4298,9099 litre	28,997 %	10526,2658 litre	O
390	CM 110	CM	72 LEVEL CM	4218,2500 litre	28,453 %	10606,9257 litre	O
390	CM 110	CM	71 LEVEL CM	4137,8772 litre	27,911 %	10687,2985 litre	O
390	CM 110	CM	70 LEVEL CM	4057,8002 litre	27,371 %	10767,3755 litre	O
390	CM 110	CM	69 LEVEL CM	3978,0277 litre	26,833 %	10847,1480 litre	O
390	CM 110	CM	68 LEVEL CM	3898,5685 litre	26,297 %	10926,6072 litre	O
390	CM 110	CM	67 LEVEL CM	3819,4316 litre	25,763 %	11005,7441 litre	O
390	CM 110	CM	66 LEVEL CM	3740,6259 litre	25,232 %	11084,5498 litre	O
390	CM 110	CM	65 LEVEL CM	3662,1606 litre	24,702 %	11163,0151 litre	O
390	CM 110	CM	64 LEVEL CM	3584,0451 litre	24,175 %	11241,1306 litre	O
390	CM 110	CM	63 LEVEL CM	3506,2886 litre	23,651 %	11318,8871 litre	O

390	CM 110	CM	62 LEVEL CM	3428,9008 litre	23,129 %	11396,2749 litre	O
390	CM 110	CM	61 LEVEL CM	3351,8913 litre	22,609 %	11473,2844 litre	O
390	CM 110	CM	60 LEVEL CM	3275,2699 litre	22,093 %	11549,9058 litre	O
390	CM 110	CM	59 LEVEL CM	3199,0465 litre	21,578 %	11626,1292 litre	O
390	CM 110	CM	58 LEVEL CM	3123,2313 litre	21,067 %	11701,9444 litre	O
390	CM 110	CM	57 LEVEL CM	3047,8345 litre	20,559 %	11777,3412 litre	O
390	CM 110	CM	56 LEVEL CM	2972,8666 litre	20,053 %	11852,3091 litre	O
390	CM 110	CM	55 LEVEL CM	2898,3383 litre	19,550 %	11926,8374 litre	O
390	CM 110	CM	54 LEVEL CM	2824,2603 litre	19,050 %	12000,9154 litre	O
390	CM 110	CM	53 LEVEL CM	2750,6437 litre	18,554 %	12074,5320 litre	O
390	CM 110	CM	52 LEVEL CM	2677,4997 litre	18,060 %	12147,6760 litre	O
390	CM 110	CM	51 LEVEL CM	2604,8397 litre	17,570 %	12220,3360 litre	O
390	CM 110	CM	50 LEVEL CM	2532,6754 litre	17,084 %	12292,5003 litre	O
390	CM 110	CM	49 LEVEL CM	2461,0188 litre	16,600 %	12364,1569 litre	O
390	CM 110	CM	48 LEVEL CM	2389,8820 litre	16,120 %	12435,2937 litre	O
390	CM 110	CM	47 LEVEL CM	2319,2775 litre	15,644 %	12505,8982 litre	O
390	CM 110	CM	46 LEVEL CM	2249,2179 litre	15,172 %	12575,9578 litre	O
390	CM 110	CM	45 LEVEL CM	2179,7163 litre	14,703 %	12645,4594 litre	O
390	CM 110	CM	44 LEVEL CM	2110,7861 litre	14,238 %	12714,3896 litre	O
390	CM 110	CM	43 LEVEL CM	2042,4410 litre	13,777 %	12782,7347 litre	O
390	CM 110	CM	42 LEVEL CM	1974,6948 litre	13,320 %	12850,4809 litre	O
390	CM 110	CM	41 LEVEL CM	1907,5622 litre	12,867 %	12917,6135 litre	O
390	CM 110	CM	40 LEVEL CM	1841,0578 litre	12,418 %	12984,1179 litre	O
390	CM 110	CM	39 LEVEL CM	1775,1970 litre	11,974 %	13049,9787 litre	O
390	CM 110	CM	38 LEVEL CM	1709,9953 litre	11,534 %	13115,1804 litre	O
390	CM 110	CM	37 LEVEL CM	1645,4689 litre	11,099 %	13179,7068 litre	O
390	CM 110	CM	36 LEVEL CM	1581,6346 litre	10,669 %	13243,5411 litre	O
390	CM 110	CM	35 LEVEL CM	1518,5096 litre	10,243 %	13306,6661 litre	O
390	CM 110	CM	34 LEVEL CM	1456,1115 litre	9,822 %	13369,0642 litre	O
390	CM 110	CM	33 LEVEL CM	1394,4590 litre	9,406 %	13430,7167 litre	O
390	CM 110	CM	32 LEVEL CM	1333,5711 litre	8,995 %	13491,6046 litre	O
390	CM 110	CM	31 LEVEL CM	1273,4677 litre	8,590 %	13551,7080 litre	O
390	CM 110	CM	30 LEVEL CM	1214,1693 litre	8,190 %	13611,0064 litre	O
390	CM 110	CM	29 LEVEL CM	1155,6976 litre	7,796 %	13669,4781 litre	O
390	CM 110	CM	28 LEVEL CM	1098,0748 litre	7,407 %	13727,1009 litre	O
390	CM 110	CM	27 LEVEL CM	1041,3245 litre	7,024 %	13783,8512 litre	O
390	CM 110	CM	26 LEVEL CM	985,4711 litre	6,647 %	13839,7046 litre	O
390	CM 110	CM	25 LEVEL CM	930,5403 litre	6,277 %	13894,6354 litre	O
390	CM 110	CM	24 LEVEL CM	876,5592 litre	5,913 %	13948,6165 litre	O
390	CM 110	CM	23 LEVEL CM	823,5563 litre	5,555 %	14001,6194 litre	O
390	CM 110	CM	22 LEVEL CM	771,5617 litre	5,204 %	14053,6140 litre	O
390	CM 110	CM	21 LEVEL CM	720,6073 litre	4,861 %	14104,5684 litre	O
390	CM 110	CM	20 LEVEL CM	670,7269 litre	4,524 %	14154,4488 litre	O
390	CM 110	CM	19 LEVEL CM	621,9567 litre	4,195 %	14203,2190 litre	O
390	CM 110	CM	18 LEVEL CM	574,3353 litre	3,874 %	14250,8404 litre	O
390	CM 110	CM	17 LEVEL CM	527,9042 litre	3,561 %	14297,2715 litre	O
390	CM 110	CM	16 LEVEL CM	482,7083 litre	3,256 %	14342,4674 litre	O
390	CM 110	CM	15 LEVEL CM	438,7960 litre	2,960 %	14386,3797 litre	O
390	CM 110	CM	14 LEVEL CM	396,2205 litre	2,673 %	14428,9552 litre	O
390	CM 110	CM	13 LEVEL CM	355,0399 litre	2,395 %	14470,1358 litre	O
390	CM 110	CM	12 LEVEL CM	315,3183 litre	2,127 %	14509,8574 litre	O
390	CM 110	CM	11 LEVEL CM	277,1276 litre	1,869 %	14548,0481 litre	O
390	CM 110	CM	10 LEVEL CM	240,5482 litre	1,623 %	14584,6275 litre	O

390	CM	110	CM	9 LEVEL CM	205,6721 litre	1,387 %	14619,5036 litre	O
390	CM	110	CM	8 LEVEL CM	172,6054 litre	1,164 %	14652,5703 litre	O
390	CM	110	CM	7 LEVEL CM	141,4726 litre	0,954 %	14683,7031 litre	O
390	CM	110	CM	6 LEVEL CM	112,4232 litre	0,758 %	14712,7525 litre	O
390	CM	110	CM	5 LEVEL CM	85,6419 litre	0,578 %	14739,5338 litre	O
390	CM	110	CM	4 LEVEL CM	61,3651 litre	0,414 %	14763,8106 litre	O
390	CM	110	CM	3 LEVEL CM	39,9128 litre	0,269 %	14785,2629 litre	O
390	CM	110	CM	2 LEVEL CM	21,7556 litre	0,147 %	14803,4201 litre	O
390	CM	110	CM	1 LEVEL CM	7,7023 litre	0,052 %	14817,4734 litre	O
390	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	14825,1757 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 105	CM 210 LEVEL CM	13508,0630 litre	100,000 %	0,0000 litre	O
390	CM 105	CM 209 LEVEL CM	13500,5383 litre	99,944 %	7,5247 litre	O
390	CM 105	CM 208 LEVEL CM	13486,8104 litre	99,843 %	21,2526 litre	O
390	CM 105	CM 207 LEVEL CM	13469,0756 litre	99,711 %	38,9874 litre	O
390	CM 105	CM 206 LEVEL CM	13448,1245 litre	99,556 %	59,9385 litre	O
390	CM 105	CM 205 LEVEL CM	13424,4177 litre	99,381 %	83,6453 litre	O
390	CM 105	CM 204 LEVEL CM	13398,2682 litre	99,187 %	109,7948 litre	O
390	CM 105	CM 203 LEVEL CM	13369,9073 litre	98,977 %	138,1557 litre	O
390	CM 105	CM 202 LEVEL CM	13339,5159 litre	98,752 %	168,5471 litre	O
390	CM 105	CM 201 LEVEL CM	13307,2403 litre	98,513 %	200,8227 litre	O
390	CM 105	CM 200 LEVEL CM	13273,2028 litre	98,261 %	234,8602 litre	O
390	CM 105	CM 199 LEVEL CM	13237,5071 litre	97,997 %	270,5559 litre	O
390	CM 105	CM 198 LEVEL CM	13200,2435 litre	97,721 %	307,8195 litre	O
390	CM 105	CM 197 LEVEL CM	13161,4909 litre	97,434 %	346,5721 litre	O
390	CM 105	CM 196 LEVEL CM	13121,3197 litre	97,137 %	386,7433 litre	O
390	CM 105	CM 195 LEVEL CM	13079,7931 litre	96,830 %	428,2699 litre	O
390	CM 105	CM 194 LEVEL CM	13036,9680 litre	96,512 %	471,0950 litre	O
390	CM 105	CM 193 LEVEL CM	12992,8965 litre	96,186 %	515,1665 litre	O
390	CM 105	CM 192 LEVEL CM	12947,6264 litre	95,851 %	560,4366 litre	O
390	CM 105	CM 191 LEVEL CM	12901,2017 litre	95,507 %	606,8613 litre	O
390	CM 105	CM 190 LEVEL CM	12853,6633 litre	95,155 %	654,3997 litre	O
390	CM 105	CM 189 LEVEL CM	12805,0491 litre	94,796 %	703,0139 litre	O
390	CM 105	CM 188 LEVEL CM	12755,3948 litre	94,428 %	752,6682 litre	O
390	CM 105	CM 187 LEVEL CM	12704,7336 litre	94,053 %	803,3294 litre	O
390	CM 105	CM 186 LEVEL CM	12653,0970 litre	93,671 %	854,9660 litre	O
390	CM 105	CM 185 LEVEL CM	12600,5146 litre	93,281 %	907,5484 litre	O
390	CM 105	CM 184 LEVEL CM	12547,0146 litre	92,885 %	961,0484 litre	O
390	CM 105	CM 183 LEVEL CM	12492,6236 litre	92,483 %	1015,4394 litre	O
390	CM 105	CM 182 LEVEL CM	12437,3670 litre	92,074 %	1070,6960 litre	O
390	CM 105	CM 181 LEVEL CM	12381,2689 litre	91,658 %	1126,7941 litre	O
390	CM 105	CM 180 LEVEL CM	12324,3526 litre	91,237 %	1183,7104 litre	O
390	CM 105	CM 179 LEVEL CM	12266,6400 litre	90,810 %	1241,4230 litre	O
390	CM 105	CM 178 LEVEL CM	12208,1526 litre	90,377 %	1299,9104 litre	O
390	CM 105	CM 177 LEVEL CM	12148,9106 litre	89,938 %	1359,1524 litre	O
390	CM 105	CM 176 LEVEL CM	12088,9338 litre	89,494 %	1419,1292 litre	O
390	CM 105	CM 175 LEVEL CM	12028,2409 litre	89,045 %	1479,8221 litre	O
390	CM 105	CM 174 LEVEL CM	11966,8504 litre	88,590 %	1541,2126 litre	O
390	CM 105	CM 173 LEVEL CM	11904,7799 litre	88,131 %	1603,2831 litre	O
390	CM 105	CM 172 LEVEL CM	11842,0463 litre	87,667 %	1666,0167 litre	O
390	CM 105	CM 171 LEVEL CM	11778,6662 litre	87,197 %	1729,3968 litre	O
390	CM 105	CM 170 LEVEL CM	11714,6558 litre	86,723 %	1793,4072 litre	O
390	CM 105	CM 169 LEVEL CM	11650,0305 litre	86,245 %	1858,0325 litre	O
390	CM 105	CM 168 LEVEL CM	11584,8054 litre	85,762 %	1923,2576 litre	O
390	CM 105	CM 167 LEVEL CM	11518,9953 litre	85,275 %	1989,0677 litre	O
390	CM 105	CM 166 LEVEL CM	11452,6145 litre	84,784 %	2055,4485 litre	O
390	CM 105	CM 165 LEVEL CM	11385,6769 litre	84,288 %	2122,3861 litre	O
390	CM 105	CM 164 LEVEL CM	11318,1962 litre	83,788 %	2189,8668 litre	O
390	CM 105	CM 163 LEVEL CM	11250,1856 litre	83,285 %	2257,8774 litre	O
390	CM 105	CM 162 LEVEL CM	11181,6581 litre	82,778 %	2326,4049 litre	O
390	CM 105	CM 161 LEVEL CM	11112,6265 litre	82,267 %	2395,4365 litre	O
390	CM 105	CM 160 LEVEL CM	11043,1030 litre	81,752 %	2464,9600 litre	O
390	CM 105	CM 159 LEVEL CM	10973,0998 litre	81,234 %	2534,9632 litre	O

390	CM	105	CM	158 LEVEL CM	10902,6289 litre	80,712 %	2605,4341 litre	O
390	CM	105	CM	157 LEVEL CM	10831,7019 litre	80,187 %	2676,3611 litre	O
390	CM	105	CM	156 LEVEL CM	10760,3302 litre	79,659 %	2747,7328 litre	O
390	CM	105	CM	155 LEVEL CM	10688,5252 litre	79,127 %	2819,5378 litre	O
390	CM	105	CM	154 LEVEL CM	10616,2976 litre	78,592 %	2891,7654 litre	O
390	CM	105	CM	153 LEVEL CM	10543,6586 litre	78,055 %	2964,4044 litre	O
390	CM	105	CM	152 LEVEL CM	10470,6185 litre	77,514 %	3037,4445 litre	O
390	CM	105	CM	151 LEVEL CM	10397,1881 litre	76,970 %	3110,8749 litre	O
390	CM	105	CM	150 LEVEL CM	10323,3775 litre	76,424 %	3184,6855 litre	O
390	CM	105	CM	149 LEVEL CM	10249,1968 litre	75,875 %	3258,8662 litre	O
390	CM	105	CM	148 LEVEL CM	10174,6562 litre	75,323 %	3333,4068 litre	O
390	CM	105	CM	147 LEVEL CM	10099,7655 litre	74,768 %	3408,2975 litre	O
390	CM	105	CM	146 LEVEL CM	10024,5343 litre	74,211 %	3483,5287 litre	O
390	CM	105	CM	145 LEVEL CM	9948,9722 litre	73,652 %	3559,0908 litre	O
390	CM	105	CM	144 LEVEL CM	9873,0888 litre	73,090 %	3634,9742 litre	O
390	CM	105	CM	143 LEVEL CM	9796,8933 litre	72,526 %	3711,1697 litre	O
390	CM	105	CM	142 LEVEL CM	9720,3950 litre	71,960 %	3787,6680 litre	O
390	CM	105	CM	141 LEVEL CM	9643,6030 litre	71,391 %	3864,4600 litre	O
390	CM	105	CM	140 LEVEL CM	9566,5263 litre	70,821 %	3941,5367 litre	O
390	CM	105	CM	139 LEVEL CM	9489,1738 litre	70,248 %	4018,8892 litre	O
390	CM	105	CM	138 LEVEL CM	9411,5544 litre	69,674 %	4096,5086 litre	O
390	CM	105	CM	137 LEVEL CM	9333,6767 litre	69,097 %	4174,3863 litre	O
390	CM	105	CM	136 LEVEL CM	9255,5495 litre	68,519 %	4252,5135 litre	O
390	CM	105	CM	135 LEVEL CM	9177,1812 litre	67,939 %	4330,8818 litre	O
390	CM	105	CM	134 LEVEL CM	9098,5803 litre	67,357 %	4409,4827 litre	O
390	CM	105	CM	133 LEVEL CM	9019,7553 litre	66,773 %	4488,3077 litre	O
390	CM	105	CM	132 LEVEL CM	8940,7145 litre	66,188 %	4567,3485 litre	O
390	CM	105	CM	131 LEVEL CM	8861,4661 litre	65,601 %	4646,5969 litre	O
390	CM	105	CM	130 LEVEL CM	8782,0183 litre	65,013 %	4726,0447 litre	O
390	CM	105	CM	129 LEVEL CM	8702,3794 litre	64,424 %	4805,6836 litre	O
390	CM	105	CM	128 LEVEL CM	8622,5573 litre	63,833 %	4885,5057 litre	O
390	CM	105	CM	127 LEVEL CM	8542,5601 litre	63,240 %	4965,5029 litre	O
390	CM	105	CM	126 LEVEL CM	8462,3957 litre	62,647 %	5045,6673 litre	O
390	CM	105	CM	125 LEVEL CM	8382,0721 litre	62,052 %	5125,9909 litre	O
390	CM	105	CM	124 LEVEL CM	8301,5972 litre	61,457 %	5206,4658 litre	O
390	CM	105	CM	123 LEVEL CM	8220,9788 litre	60,860 %	5287,0842 litre	O
390	CM	105	CM	122 LEVEL CM	8140,2246 litre	60,262 %	5367,8384 litre	O
390	CM	105	CM	121 LEVEL CM	8059,3425 litre	59,663 %	5448,7205 litre	O
390	CM	105	CM	120 LEVEL CM	7978,3400 litre	59,064 %	5529,7230 litre	O
390	CM	105	CM	119 LEVEL CM	7897,2251 litre	58,463 %	5610,8379 litre	O
390	CM	105	CM	118 LEVEL CM	7816,0051 litre	57,862 %	5692,0579 litre	O
390	CM	105	CM	117 LEVEL CM	7734,6879 litre	57,260 %	5773,3751 litre	O
390	CM	105	CM	116 LEVEL CM	7653,2809 litre	56,657 %	5854,7821 litre	O
390	CM	105	CM	115 LEVEL CM	7571,7917 litre	56,054 %	5936,2713 litre	O
390	CM	105	CM	114 LEVEL CM	7490,2279 litre	55,450 %	6017,8351 litre	O
390	CM	105	CM	113 LEVEL CM	7408,5970 litre	54,846 %	6099,4660 litre	O
390	CM	105	CM	112 LEVEL CM	7326,9066 litre	54,241 %	6181,1564 litre	O
390	CM	105	CM	111 LEVEL CM	7245,1639 litre	53,636 %	6262,8991 litre	O
390	CM	105	CM	110 LEVEL CM	7163,3767 litre	53,030 %	6344,6863 litre	O
390	CM	105	CM	109 LEVEL CM	7081,5523 litre	52,425 %	6426,5107 litre	O
390	CM	105	CM	108 LEVEL CM	6999,6981 litre	51,819 %	6508,3649 litre	O
390	CM	105	CM	107 LEVEL CM	6917,8216 litre	51,213 %	6590,2414 litre	O
390	CM	105	CM	106 LEVEL CM	6835,9303 litre	50,606 %	6672,1327 litre	O

390	CM	105	CM	105 LEVEL CM	6754,0315 litre	50,000 %	6754,0315 litre	O
390	CM	105	CM	104 LEVEL CM	6672,1327 litre	49,394 %	6835,9303 litre	O
390	CM	105	CM	103 LEVEL CM	6590,2414 litre	48,787 %	6917,8216 litre	O
390	CM	105	CM	102 LEVEL CM	6508,3649 litre	48,181 %	6999,6981 litre	O
390	CM	105	CM	101 LEVEL CM	6426,5108 litre	47,575 %	7081,5522 litre	O
390	CM	105	CM	100 LEVEL CM	6344,6863 litre	46,970 %	7163,3767 litre	O
390	CM	105	CM	99 LEVEL CM	6262,8991 litre	46,364 %	7245,1639 litre	O
390	CM	105	CM	98 LEVEL CM	6181,1565 litre	45,759 %	7326,9065 litre	O
390	CM	105	CM	97 LEVEL CM	6099,4660 litre	45,154 %	7408,5970 litre	O
390	CM	105	CM	96 LEVEL CM	6017,8351 litre	44,550 %	7490,2279 litre	O
390	CM	105	CM	95 LEVEL CM	5936,2713 litre	43,946 %	7571,7917 litre	O
390	CM	105	CM	94 LEVEL CM	5854,7821 litre	43,343 %	7653,2809 litre	O
390	CM	105	CM	93 LEVEL CM	5773,3751 litre	42,740 %	7734,6879 litre	O
390	CM	105	CM	92 LEVEL CM	5692,0579 litre	42,138 %	7816,0051 litre	O
390	CM	105	CM	91 LEVEL CM	5610,8380 litre	41,537 %	7897,2250 litre	O
390	CM	105	CM	90 LEVEL CM	5529,7230 litre	40,936 %	7978,3400 litre	O
390	CM	105	CM	89 LEVEL CM	5448,7206 litre	40,337 %	8059,3424 litre	O
390	CM	105	CM	88 LEVEL CM	5367,8384 litre	39,738 %	8140,2246 litre	O
390	CM	105	CM	87 LEVEL CM	5287,0842 litre	39,140 %	8220,9788 litre	O
390	CM	105	CM	86 LEVEL CM	5206,4658 litre	38,543 %	8301,5972 litre	O
390	CM	105	CM	85 LEVEL CM	5125,9909 litre	37,948 %	8382,0721 litre	O
390	CM	105	CM	84 LEVEL CM	5045,6673 litre	37,353 %	8462,3957 litre	O
390	CM	105	CM	83 LEVEL CM	4965,5029 litre	36,760 %	8542,5601 litre	O
390	CM	105	CM	82 LEVEL CM	4885,5057 litre	36,167 %	8622,5573 litre	O
390	CM	105	CM	81 LEVEL CM	4805,6836 litre	35,576 %	8702,3794 litre	O
390	CM	105	CM	80 LEVEL CM	4726,0447 litre	34,987 %	8782,0183 litre	O
390	CM	105	CM	79 LEVEL CM	4646,5969 litre	34,399 %	8861,4661 litre	O
390	CM	105	CM	78 LEVEL CM	4567,3485 litre	33,812 %	8940,7145 litre	O
390	CM	105	CM	77 LEVEL CM	4488,3077 litre	33,227 %	9019,7553 litre	O
390	CM	105	CM	76 LEVEL CM	4409,4827 litre	32,643 %	9098,5803 litre	O
390	CM	105	CM	75 LEVEL CM	4330,8818 litre	32,061 %	9177,1812 litre	O
390	CM	105	CM	74 LEVEL CM	4252,5135 litre	31,481 %	9255,5495 litre	O
390	CM	105	CM	73 LEVEL CM	4174,3863 litre	30,903 %	9333,6767 litre	O
390	CM	105	CM	72 LEVEL CM	4096,5086 litre	30,326 %	9411,5544 litre	O
390	CM	105	CM	71 LEVEL CM	4018,8892 litre	29,752 %	9489,1738 litre	O
390	CM	105	CM	70 LEVEL CM	3941,5367 litre	29,179 %	9566,5263 litre	O
390	CM	105	CM	69 LEVEL CM	3864,4600 litre	28,609 %	9643,6030 litre	O
390	CM	105	CM	68 LEVEL CM	3787,6680 litre	28,040 %	9720,3950 litre	O
390	CM	105	CM	67 LEVEL CM	3711,1697 litre	27,474 %	9796,8933 litre	O
390	CM	105	CM	66 LEVEL CM	3634,9742 litre	26,910 %	9873,0888 litre	O
390	CM	105	CM	65 LEVEL CM	3559,0908 litre	26,348 %	9948,9722 litre	O
390	CM	105	CM	64 LEVEL CM	3483,5288 litre	25,789 %	10024,5342 litre	O
390	CM	105	CM	63 LEVEL CM	3408,2976 litre	25,232 %	10099,7654 litre	O
390	CM	105	CM	62 LEVEL CM	3333,4068 litre	24,677 %	10174,6562 litre	O
390	CM	105	CM	61 LEVEL CM	3258,8662 litre	24,125 %	10249,1968 litre	O
390	CM	105	CM	60 LEVEL CM	3184,6856 litre	23,576 %	10323,3774 litre	O
390	CM	105	CM	59 LEVEL CM	3110,8749 litre	23,030 %	10397,1881 litre	O
390	CM	105	CM	58 LEVEL CM	3037,4445 litre	22,486 %	10470,6185 litre	O
390	CM	105	CM	57 LEVEL CM	2964,4045 litre	21,945 %	10543,6585 litre	O
390	CM	105	CM	56 LEVEL CM	2891,7654 litre	21,408 %	10616,2976 litre	O
390	CM	105	CM	55 LEVEL CM	2819,5379 litre	20,873 %	10688,5251 litre	O
390	CM	105	CM	54 LEVEL CM	2747,7328 litre	20,341 %	10760,3302 litre	O
390	CM	105	CM	53 LEVEL CM	2676,3611 litre	19,813 %	10831,7019 litre	O

390	CM	105	CM	52 LEVEL CM	2605,4341 litre	19,288 %	10902,6289 litre	O
390	CM	105	CM	51 LEVEL CM	2534,9632 litre	18,766 %	10973,0998 litre	O
390	CM	105	CM	50 LEVEL CM	2464,9600 litre	18,248 %	11043,1030 litre	O
390	CM	105	CM	49 LEVEL CM	2395,4366 litre	17,733 %	11112,6264 litre	O
390	CM	105	CM	48 LEVEL CM	2326,4049 litre	17,222 %	11181,6581 litre	O
390	CM	105	CM	47 LEVEL CM	2257,8774 litre	16,715 %	11250,1856 litre	O
390	CM	105	CM	46 LEVEL CM	2189,8668 litre	16,212 %	11318,1962 litre	O
390	CM	105	CM	45 LEVEL CM	2122,3861 litre	15,712 %	11385,6769 litre	O
390	CM	105	CM	44 LEVEL CM	2055,4485 litre	15,216 %	11452,6145 litre	O
390	CM	105	CM	43 LEVEL CM	1989,0677 litre	14,725 %	11518,9953 litre	O
390	CM	105	CM	42 LEVEL CM	1923,2576 litre	14,238 %	11584,8054 litre	O
390	CM	105	CM	41 LEVEL CM	1858,0325 litre	13,755 %	11650,0305 litre	O
390	CM	105	CM	40 LEVEL CM	1793,4072 litre	13,277 %	11714,6558 litre	O
390	CM	105	CM	39 LEVEL CM	1729,3968 litre	12,803 %	11778,6662 litre	O
390	CM	105	CM	38 LEVEL CM	1666,0167 litre	12,333 %	11842,0463 litre	O
390	CM	105	CM	37 LEVEL CM	1603,2832 litre	11,869 %	11904,7798 litre	O
390	CM	105	CM	36 LEVEL CM	1541,2126 litre	11,410 %	11966,8504 litre	O
390	CM	105	CM	35 LEVEL CM	1479,8221 litre	10,955 %	12028,2409 litre	O
390	CM	105	CM	34 LEVEL CM	1419,1293 litre	10,506 %	12088,9337 litre	O
390	CM	105	CM	33 LEVEL CM	1359,1524 litre	10,062 %	12148,9106 litre	O
390	CM	105	CM	32 LEVEL CM	1299,9104 litre	9,623 %	12208,1526 litre	O
390	CM	105	CM	31 LEVEL CM	1241,4230 litre	9,190 %	12266,6400 litre	O
390	CM	105	CM	30 LEVEL CM	1183,7105 litre	8,763 %	12324,3525 litre	O
390	CM	105	CM	29 LEVEL CM	1126,7941 litre	8,342 %	12381,2689 litre	O
390	CM	105	CM	28 LEVEL CM	1070,6960 litre	7,926 %	12437,3670 litre	O
390	CM	105	CM	27 LEVEL CM	1015,4394 litre	7,517 %	12492,6236 litre	O
390	CM	105	CM	26 LEVEL CM	961,0484 litre	7,115 %	12547,0146 litre	O
390	CM	105	CM	25 LEVEL CM	907,5484 litre	6,719 %	12600,5146 litre	O
390	CM	105	CM	24 LEVEL CM	854,9660 litre	6,329 %	12653,0970 litre	O
390	CM	105	CM	23 LEVEL CM	803,3294 litre	5,947 %	12704,7336 litre	O
390	CM	105	CM	22 LEVEL CM	752,6682 litre	5,572 %	12755,3948 litre	O
390	CM	105	CM	21 LEVEL CM	703,0139 litre	5,204 %	12805,0491 litre	O
390	CM	105	CM	20 LEVEL CM	654,3997 litre	4,845 %	12853,6633 litre	O
390	CM	105	CM	19 LEVEL CM	606,8613 litre	4,493 %	12901,2017 litre	O
390	CM	105	CM	18 LEVEL CM	560,4366 litre	4,149 %	12947,6264 litre	O
390	CM	105	CM	17 LEVEL CM	515,1665 litre	3,814 %	12992,8965 litre	O
390	CM	105	CM	16 LEVEL CM	471,0950 litre	3,488 %	13036,9680 litre	O
390	CM	105	CM	15 LEVEL CM	428,2699 litre	3,170 %	13079,7931 litre	O
390	CM	105	CM	14 LEVEL CM	386,7433 litre	2,863 %	13121,3197 litre	O
390	CM	105	CM	13 LEVEL CM	346,5721 litre	2,566 %	13161,4909 litre	O
390	CM	105	CM	12 LEVEL CM	307,8195 litre	2,279 %	13200,2435 litre	O
390	CM	105	CM	11 LEVEL CM	270,5559 litre	2,003 %	13237,5071 litre	O
390	CM	105	CM	10 LEVEL CM	234,8602 litre	1,739 %	13273,2028 litre	O
390	CM	105	CM	9 LEVEL CM	200,8227 litre	1,487 %	13307,2403 litre	O
390	CM	105	CM	8 LEVEL CM	168,5471 litre	1,248 %	13339,5159 litre	O
390	CM	105	CM	7 LEVEL CM	138,1557 litre	1,023 %	13369,9073 litre	O
390	CM	105	CM	6 LEVEL CM	109,7948 litre	0,813 %	13398,2682 litre	O
390	CM	105	CM	5 LEVEL CM	83,6453 litre	0,619 %	13424,4177 litre	O
390	CM	105	CM	4 LEVEL CM	59,9385 litre	0,444 %	13448,1245 litre	O
390	CM	105	CM	3 LEVEL CM	38,9874 litre	0,289 %	13469,0756 litre	O
390	CM	105	CM	2 LEVEL CM	21,2527 litre	0,157 %	13486,8103 litre	O
390	CM	105	CM	1 LEVEL CM	7,5247 litre	0,056 %	13500,5383 litre	O
390	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	13508,0630 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 100	CM 200	LEVEL CM 12252,2113 litre	100,000 %	0,0000 litre	O
390	CM 100	CM 199	LEVEL CM 12244,8685 litre	99,940 %	7,3428 litre	O
390	CM 100	CM 198	LEVEL CM 12231,4739 litre	99,831 %	20,7374 litre	O
390	CM 100	CM 197	LEVEL CM 12214,1717 litre	99,690 %	38,0396 litre	O
390	CM 100	CM 196	LEVEL CM 12193,7343 litre	99,523 %	58,4770 litre	O
390	CM 100	CM 195	LEVEL CM 12170,6116 litre	99,334 %	81,5997 litre	O
390	CM 100	CM 194	LEVEL CM 12145,1094 litre	99,126 %	107,1019 litre	O
390	CM 100	CM 193	LEVEL CM 12117,4541 litre	98,900 %	134,7572 litre	O
390	CM 100	CM 192	LEVEL CM 12087,8226 litre	98,658 %	164,3887 litre	O
390	CM 100	CM 191	LEVEL CM 12056,3582 litre	98,401 %	195,8531 litre	O
390	CM 100	CM 190	LEVEL CM 12023,1803 litre	98,131 %	229,0310 litre	O
390	CM 100	CM 189	LEVEL CM 11988,3908 litre	97,847 %	263,8205 litre	O
390	CM 100	CM 188	LEVEL CM 11952,0779 litre	97,550 %	300,1334 litre	O
390	CM 100	CM 187	LEVEL CM 11914,3192 litre	97,242 %	337,8921 litre	O
390	CM 100	CM 186	LEVEL CM 11875,1836 litre	96,923 %	377,0277 litre	O
390	CM 100	CM 185	LEVEL CM 11834,7329 litre	96,593 %	417,4784 litre	O
390	CM 100	CM 184	LEVEL CM 11793,0233 litre	96,252 %	459,1880 litre	O
390	CM 100	CM 183	LEVEL CM 11750,1057 litre	95,902 %	502,1056 litre	O
390	CM 100	CM 182	LEVEL CM 11706,0272 litre	95,542 %	546,1841 litre	O
390	CM 100	CM 181	LEVEL CM 11660,8309 litre	95,173 %	591,3804 litre	O
390	CM 100	CM 180	LEVEL CM 11614,5570 litre	94,796 %	637,6543 litre	O
390	CM 100	CM 179	LEVEL CM 11567,2429 litre	94,409 %	684,9684 litre	O
390	CM 100	CM 178	LEVEL CM 11518,9236 litre	94,015 %	733,2877 litre	O
390	CM 100	CM 177	LEVEL CM 11469,6320 litre	93,613 %	782,5793 litre	O
390	CM 100	CM 176	LEVEL CM 11419,3988 litre	93,203 %	832,8125 litre	O
390	CM 100	CM 175	LEVEL CM 11368,2534 litre	92,785 %	883,9579 litre	O
390	CM 100	CM 174	LEVEL CM 11316,2235 litre	92,361 %	935,9878 litre	O
390	CM 100	CM 173	LEVEL CM 11263,3353 litre	91,929 %	988,8760 litre	O
390	CM 100	CM 172	LEVEL CM 11209,6139 litre	91,491 %	1042,5974 litre	O
390	CM 100	CM 171	LEVEL CM 11155,0831 litre	91,045 %	1097,1282 litre	O
390	CM 100	CM 170	LEVEL CM 11099,7659 litre	90,594 %	1152,4454 litre	O
390	CM 100	CM 169	LEVEL CM 11043,6840 litre	90,136 %	1208,5273 litre	O
390	CM 100	CM 168	LEVEL CM 10986,8585 litre	89,672 %	1265,3528 litre	O
390	CM 100	CM 167	LEVEL CM 10929,3095 litre	89,203 %	1322,9018 litre	O
390	CM 100	CM 166	LEVEL CM 10871,0565 litre	88,727 %	1381,1548 litre	O
390	CM 100	CM 165	LEVEL CM 10812,1182 litre	88,246 %	1440,0931 litre	O
390	CM 100	CM 164	LEVEL CM 10752,5127 litre	87,760 %	1499,6986 litre	O
390	CM 100	CM 163	LEVEL CM 10692,2574 litre	87,268 %	1559,9539 litre	O
390	CM 100	CM 162	LEVEL CM 10631,3694 litre	86,771 %	1620,8419 litre	O
390	CM 100	CM 161	LEVEL CM 10569,8649 litre	86,269 %	1682,3464 litre	O
390	CM 100	CM 160	LEVEL CM 10507,7600 litre	85,762 %	1744,4513 litre	O
390	CM 100	CM 159	LEVEL CM 10445,0700 litre	85,250 %	1807,1413 litre	O
390	CM 100	CM 158	LEVEL CM 10381,8100 litre	84,734 %	1870,4013 litre	O
390	CM 100	CM 157	LEVEL CM 10317,9947 litre	84,213 %	1934,2166 litre	O
390	CM 100	CM 156	LEVEL CM 10253,6381 litre	83,688 %	1998,5732 litre	O
390	CM 100	CM 155	LEVEL CM 10188,7544 litre	83,158 %	2063,4569 litre	O
390	CM 100	CM 154	LEVEL CM 10123,3569 litre	82,625 %	2128,8544 litre	O
390	CM 100	CM 153	LEVEL CM 10057,4590 litre	82,087 %	2194,7523 litre	O
390	CM 100	CM 152	LEVEL CM 9991,0736 litre	81,545 %	2261,1377 litre	O
390	CM 100	CM 151	LEVEL CM 9924,2132 litre	80,999 %	2327,9981 litre	O
390	CM 100	CM 150	LEVEL CM 9856,8904 litre	80,450 %	2395,3209 litre	O
390	CM 100	CM 149	LEVEL CM 9789,1173 litre	79,897 %	2463,0940 litre	O

390	CM	100	CM	148 LEVEL CM	9720,9057 litre	79,340 %	2531,3056 litre	O
390	CM	100	CM	147 LEVEL CM	9652,2672 litre	78,780 %	2599,9441 litre	O
390	CM	100	CM	146 LEVEL CM	9583,2135 litre	78,216 %	2668,9978 litre	O
390	CM	100	CM	145 LEVEL CM	9513,7556 litre	77,649 %	2738,4557 litre	O
390	CM	100	CM	144 LEVEL CM	9443,9047 litre	77,079 %	2808,3066 litre	O
390	CM	100	CM	143 LEVEL CM	9373,6715 litre	76,506 %	2878,5398 litre	O
390	CM	100	CM	142 LEVEL CM	9303,0669 litre	75,930 %	2949,1444 litre	O
390	CM	100	CM	141 LEVEL CM	9232,1013 litre	75,350 %	3020,1100 litre	O
390	CM	100	CM	140 LEVEL CM	9160,7850 litre	74,768 %	3091,4263 litre	O
390	CM	100	CM	139 LEVEL CM	9089,1283 litre	74,184 %	3163,0830 litre	O
390	CM	100	CM	138 LEVEL CM	9017,1412 litre	73,596 %	3235,0701 litre	O
390	CM	100	CM	137 LEVEL CM	8944,8337 litre	73,006 %	3307,3776 litre	O
390	CM	100	CM	136 LEVEL CM	8872,2155 litre	72,413 %	3379,9958 litre	O
390	CM	100	CM	135 LEVEL CM	8799,2963 litre	71,818 %	3452,9150 litre	O
390	CM	100	CM	134 LEVEL CM	8726,0857 litre	71,220 %	3526,1256 litre	O
390	CM	100	CM	133 LEVEL CM	8652,5931 litre	70,621 %	3599,6182 litre	O
390	CM	100	CM	132 LEVEL CM	8578,8278 litre	70,019 %	3673,3835 litre	O
390	CM	100	CM	131 LEVEL CM	8504,7990 litre	69,414 %	3747,4123 litre	O
390	CM	100	CM	130 LEVEL CM	8430,5159 litre	68,808 %	3821,6954 litre	O
390	CM	100	CM	129 LEVEL CM	8355,9875 litre	68,200 %	3896,2238 litre	O
390	CM	100	CM	128 LEVEL CM	8281,2227 litre	67,590 %	3970,9886 litre	O
390	CM	100	CM	127 LEVEL CM	8206,2304 litre	66,978 %	4045,9809 litre	O
390	CM	100	CM	126 LEVEL CM	8131,0194 litre	66,364 %	4121,1919 litre	O
390	CM	100	CM	125 LEVEL CM	8055,5984 litre	65,748 %	4196,6129 litre	O
390	CM	100	CM	124 LEVEL CM	7979,9759 litre	65,131 %	4272,2354 litre	O
390	CM	100	CM	123 LEVEL CM	7904,1606 litre	64,512 %	4348,0507 litre	O
390	CM	100	CM	122 LEVEL CM	7828,1610 litre	63,892 %	4424,0503 litre	O
390	CM	100	CM	121 LEVEL CM	7751,9855 litre	63,270 %	4500,2258 litre	O
390	CM	100	CM	120 LEVEL CM	7675,6424 litre	62,647 %	4576,5689 litre	O
390	CM	100	CM	119 LEVEL CM	7599,1401 litre	62,023 %	4653,0712 litre	O
390	CM	100	CM	118 LEVEL CM	7522,4868 litre	61,397 %	4729,7245 litre	O
390	CM	100	CM	117 LEVEL CM	7445,6908 litre	60,770 %	4806,5205 litre	O
390	CM	100	CM	116 LEVEL CM	7368,7602 litre	60,142 %	4883,4511 litre	O
390	CM	100	CM	115 LEVEL CM	7291,7032 litre	59,513 %	4960,5081 litre	O
390	CM	100	CM	114 LEVEL CM	7214,5279 litre	58,883 %	5037,6834 litre	O
390	CM	100	CM	113 LEVEL CM	7137,2423 litre	58,253 %	5114,9690 litre	O
390	CM	100	CM	112 LEVEL CM	7059,8544 litre	57,621 %	5192,3569 litre	O
390	CM	100	CM	111 LEVEL CM	6982,3722 litre	56,989 %	5269,8391 litre	O
390	CM	100	CM	110 LEVEL CM	6904,8037 litre	56,356 %	5347,4076 litre	O
390	CM	100	CM	109 LEVEL CM	6827,1568 litre	55,722 %	5425,0545 litre	O
390	CM	100	CM	108 LEVEL CM	6749,4394 litre	55,088 %	5502,7719 litre	O
390	CM	100	CM	107 LEVEL CM	6671,6594 litre	54,453 %	5580,5519 litre	O
390	CM	100	CM	106 LEVEL CM	6593,8247 litre	53,817 %	5658,3866 litre	O
390	CM	100	CM	105 LEVEL CM	6515,9431 litre	53,182 %	5736,2682 litre	O
390	CM	100	CM	104 LEVEL CM	6438,0225 litre	52,546 %	5814,1888 litre	O
390	CM	100	CM	103 LEVEL CM	6360,0706 litre	51,910 %	5892,1407 litre	O
390	CM	100	CM	102 LEVEL CM	6282,0953 litre	51,273 %	5970,1160 litre	O
390	CM	100	CM	101 LEVEL CM	6204,1044 litre	50,637 %	6048,1069 litre	O
390	CM	100	CM	100 LEVEL CM	6126,1057 litre	50,000 %	6126,1056 litre	O
390	CM	100	CM	99 LEVEL CM	6048,1070 litre	49,363 %	6204,1043 litre	O
390	CM	100	CM	98 LEVEL CM	5970,1161 litre	48,727 %	6282,0952 litre	O
390	CM	100	CM	97 LEVEL CM	5892,1408 litre	48,090 %	6360,0705 litre	O
390	CM	100	CM	96 LEVEL CM	5814,1889 litre	47,454 %	6438,0224 litre	O

390	CM	100	CM	95 LEVEL CM	5736,2682 litre	46,818 %	6515,9431 litre	O
390	CM	100	CM	94 LEVEL CM	5658,3866 litre	46,183 %	6593,8247 litre	O
390	CM	100	CM	93 LEVEL CM	5580,5519 litre	45,547 %	6671,6594 litre	O
390	CM	100	CM	92 LEVEL CM	5502,7719 litre	44,912 %	6749,4394 litre	O
390	CM	100	CM	91 LEVEL CM	5425,0545 litre	44,278 %	6827,1568 litre	O
390	CM	100	CM	90 LEVEL CM	5347,4076 litre	43,644 %	6904,8037 litre	O
390	CM	100	CM	89 LEVEL CM	5269,8391 litre	43,011 %	6982,3722 litre	O
390	CM	100	CM	88 LEVEL CM	5192,3570 litre	42,379 %	7059,8543 litre	O
390	CM	100	CM	87 LEVEL CM	5114,9691 litre	41,747 %	7137,2422 litre	O
390	CM	100	CM	86 LEVEL CM	5037,6834 litre	41,117 %	7214,5279 litre	O
390	CM	100	CM	85 LEVEL CM	4960,5081 litre	40,487 %	7291,7032 litre	O
390	CM	100	CM	84 LEVEL CM	4883,4511 litre	39,858 %	7368,7602 litre	O
390	CM	100	CM	83 LEVEL CM	4806,5206 litre	39,230 %	7445,6907 litre	O
390	CM	100	CM	82 LEVEL CM	4729,7246 litre	38,603 %	7522,4867 litre	O
390	CM	100	CM	81 LEVEL CM	4653,0713 litre	37,977 %	7599,1400 litre	O
390	CM	100	CM	80 LEVEL CM	4576,5690 litre	37,353 %	7675,6423 litre	O
390	CM	100	CM	79 LEVEL CM	4500,2259 litre	36,730 %	7751,9854 litre	O
390	CM	100	CM	78 LEVEL CM	4424,0503 litre	36,108 %	7828,1610 litre	O
390	CM	100	CM	77 LEVEL CM	4348,0507 litre	35,488 %	7904,1606 litre	O
390	CM	100	CM	76 LEVEL CM	4272,2354 litre	34,869 %	7979,9759 litre	O
390	CM	100	CM	75 LEVEL CM	4196,6130 litre	34,252 %	8055,5983 litre	O
390	CM	100	CM	74 LEVEL CM	4121,1919 litre	33,636 %	8131,0194 litre	O
390	CM	100	CM	73 LEVEL CM	4045,9809 litre	33,022 %	8206,2304 litre	O
390	CM	100	CM	72 LEVEL CM	3970,9886 litre	32,410 %	8281,2227 litre	O
390	CM	100	CM	71 LEVEL CM	3896,2239 litre	31,800 %	8355,9874 litre	O
390	CM	100	CM	70 LEVEL CM	3821,6955 litre	31,192 %	8430,5158 litre	O
390	CM	100	CM	69 LEVEL CM	3747,4124 litre	30,586 %	8504,7989 litre	O
390	CM	100	CM	68 LEVEL CM	3673,3836 litre	29,981 %	8578,8277 litre	O
390	CM	100	CM	67 LEVEL CM	3599,6183 litre	29,379 %	8652,5930 litre	O
390	CM	100	CM	66 LEVEL CM	3526,1256 litre	28,780 %	8726,0857 litre	O
390	CM	100	CM	65 LEVEL CM	3452,9150 litre	28,182 %	8799,2963 litre	O
390	CM	100	CM	64 LEVEL CM	3379,9959 litre	27,587 %	8872,2154 litre	O
390	CM	100	CM	63 LEVEL CM	3307,3777 litre	26,994 %	8944,8336 litre	O
390	CM	100	CM	62 LEVEL CM	3235,0701 litre	26,404 %	9017,1412 litre	O
390	CM	100	CM	61 LEVEL CM	3163,0831 litre	25,816 %	9089,1282 litre	O
390	CM	100	CM	60 LEVEL CM	3091,4264 litre	25,232 %	9160,7849 litre	O
390	CM	100	CM	59 LEVEL CM	3020,1101 litre	24,650 %	9232,1012 litre	O
390	CM	100	CM	58 LEVEL CM	2949,1444 litre	24,070 %	9303,0669 litre	O
390	CM	100	CM	57 LEVEL CM	2878,5398 litre	23,494 %	9373,6715 litre	O
390	CM	100	CM	56 LEVEL CM	2808,3067 litre	22,921 %	9443,9046 litre	O
390	CM	100	CM	55 LEVEL CM	2738,4557 litre	22,351 %	9513,7556 litre	O
390	CM	100	CM	54 LEVEL CM	2668,9979 litre	21,784 %	9583,2134 litre	O
390	CM	100	CM	53 LEVEL CM	2599,9441 litre	21,220 %	9652,2672 litre	O
390	CM	100	CM	52 LEVEL CM	2531,3057 litre	20,660 %	9720,9056 litre	O
390	CM	100	CM	51 LEVEL CM	2463,0941 litre	20,103 %	9789,1172 litre	O
390	CM	100	CM	50 LEVEL CM	2395,3209 litre	19,550 %	9856,8904 litre	O
390	CM	100	CM	49 LEVEL CM	2327,9981 litre	19,001 %	9924,2132 litre	O
390	CM	100	CM	48 LEVEL CM	2261,1378 litre	18,455 %	9991,0735 litre	O
390	CM	100	CM	47 LEVEL CM	2194,7523 litre	17,913 %	10057,4590 litre	O
390	CM	100	CM	46 LEVEL CM	2128,8544 litre	17,375 %	10123,3569 litre	O
390	CM	100	CM	45 LEVEL CM	2063,4570 litre	16,842 %	10188,7543 litre	O
390	CM	100	CM	44 LEVEL CM	1998,5732 litre	16,312 %	10253,6381 litre	O
390	CM	100	CM	43 LEVEL CM	1934,2167 litre	15,787 %	10317,9946 litre	O

390	CM	100	CM	42 LEVEL CM	1870,4013 litre	15,266 %	10381,8100 litre	O
390	CM	100	CM	41 LEVEL CM	1807,1413 litre	14,750 %	10445,0700 litre	O
390	CM	100	CM	40 LEVEL CM	1744,4514 litre	14,238 %	10507,7599 litre	O
390	CM	100	CM	39 LEVEL CM	1682,3464 litre	13,731 %	10569,8649 litre	O
390	CM	100	CM	38 LEVEL CM	1620,8420 litre	13,229 %	10631,3693 litre	O
390	CM	100	CM	37 LEVEL CM	1559,9539 litre	12,732 %	10692,2574 litre	O
390	CM	100	CM	36 LEVEL CM	1499,6987 litre	12,240 %	10752,5126 litre	O
390	CM	100	CM	35 LEVEL CM	1440,0932 litre	11,754 %	10812,1181 litre	O
390	CM	100	CM	34 LEVEL CM	1381,1549 litre	11,273 %	10871,0564 litre	O
390	CM	100	CM	33 LEVEL CM	1322,9019 litre	10,797 %	10929,3094 litre	O
390	CM	100	CM	32 LEVEL CM	1265,3529 litre	10,328 %	10986,8584 litre	O
390	CM	100	CM	31 LEVEL CM	1208,5274 litre	9,864 %	11043,6839 litre	O
390	CM	100	CM	30 LEVEL CM	1152,4455 litre	9,406 %	11099,7658 litre	O
390	CM	100	CM	29 LEVEL CM	1097,1282 litre	8,955 %	11155,0831 litre	O
390	CM	100	CM	28 LEVEL CM	1042,5975 litre	8,509 %	11209,6138 litre	O
390	CM	100	CM	27 LEVEL CM	988,8760 litre	8,071 %	11263,3353 litre	O
390	CM	100	CM	26 LEVEL CM	935,9879 litre	7,639 %	11316,2234 litre	O
390	CM	100	CM	25 LEVEL CM	883,9579 litre	7,215 %	11368,2534 litre	O
390	CM	100	CM	24 LEVEL CM	832,8125 litre	6,797 %	11419,3988 litre	O
390	CM	100	CM	23 LEVEL CM	782,5794 litre	6,387 %	11469,6319 litre	O
390	CM	100	CM	22 LEVEL CM	733,2877 litre	5,985 %	11518,9236 litre	O
390	CM	100	CM	21 LEVEL CM	684,9684 litre	5,591 %	11567,2429 litre	O
390	CM	100	CM	20 LEVEL CM	637,6543 litre	5,204 %	11614,5570 litre	O
390	CM	100	CM	19 LEVEL CM	591,3804 litre	4,827 %	11660,8309 litre	O
390	CM	100	CM	18 LEVEL CM	546,1842 litre	4,458 %	11706,0271 litre	O
390	CM	100	CM	17 LEVEL CM	502,1056 litre	4,098 %	11750,1057 litre	O
390	CM	100	CM	16 LEVEL CM	459,1881 litre	3,748 %	11793,0232 litre	O
390	CM	100	CM	15 LEVEL CM	417,4784 litre	3,407 %	11834,7329 litre	O
390	CM	100	CM	14 LEVEL CM	377,0278 litre	3,077 %	11875,1835 litre	O
390	CM	100	CM	13 LEVEL CM	337,8921 litre	2,758 %	11914,3192 litre	O
390	CM	100	CM	12 LEVEL CM	300,1334 litre	2,450 %	11952,0779 litre	O
390	CM	100	CM	11 LEVEL CM	263,8205 litre	2,153 %	11988,3908 litre	O
390	CM	100	CM	10 LEVEL CM	229,0310 litre	1,869 %	12023,1803 litre	O
390	CM	100	CM	9 LEVEL CM	195,8532 litre	1,599 %	12056,3581 litre	O
390	CM	100	CM	8 LEVEL CM	164,3887 litre	1,342 %	12087,8226 litre	O
390	CM	100	CM	7 LEVEL CM	134,7572 litre	1,100 %	12117,4541 litre	O
390	CM	100	CM	6 LEVEL CM	107,1020 litre	0,874 %	12145,1093 litre	O
390	CM	100	CM	5 LEVEL CM	81,5998 litre	0,666 %	12170,6115 litre	O
390	CM	100	CM	4 LEVEL CM	58,4770 litre	0,477 %	12193,7343 litre	O
390	CM	100	CM	3 LEVEL CM	38,0396 litre	0,310 %	12214,1717 litre	O
390	CM	100	CM	2 LEVEL CM	20,7375 litre	0,169 %	12231,4738 litre	O
390	CM	100	CM	1 LEVEL CM	7,3429 litre	0,060 %	12244,8684 litre	O
390	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	12252,2113 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
390	CM	95	CM	190 LEVEL CM	11057,6207 litre	100,000 %	0,0000 litre	O
390	CM	95	CM	189 LEVEL CM	11050,4644 litre	99,935 %	7,1563 litre	O
390	CM	95	CM	188 LEVEL CM	11037,4116 litre	99,817 %	20,2091 litre	O
390	CM	95	CM	187 LEVEL CM	11020,5532 litre	99,665 %	37,0675 litre	O
390	CM	95	CM	186 LEVEL CM	11000,6426 litre	99,485 %	56,9781 litre	O
390	CM	95	CM	185 LEVEL CM	10978,1190 litre	99,281 %	79,5017 litre	O
390	CM	95	CM	184 LEVEL CM	10953,2811 litre	99,056 %	104,3396 litre	O
390	CM	95	CM	183 LEVEL CM	10926,3500 litre	98,813 %	131,2707 litre	O
390	CM	95	CM	182 LEVEL CM	10897,4984 litre	98,552 %	160,1223 litre	O
390	CM	95	CM	181 LEVEL CM	10866,8665 litre	98,275 %	190,7542 litre	O
390	CM	95	CM	180 LEVEL CM	10834,5712 litre	97,983 %	223,0495 litre	O
390	CM	95	CM	179 LEVEL CM	10800,7121 litre	97,677 %	256,9086 litre	O
390	CM	95	CM	178 LEVEL CM	10765,3756 litre	97,357 %	292,2451 litre	O
390	CM	95	CM	177 LEVEL CM	10728,6376 litre	97,025 %	328,9831 litre	O
390	CM	95	CM	176 LEVEL CM	10690,5656 litre	96,681 %	367,0551 litre	O
390	CM	95	CM	175 LEVEL CM	10651,2204 litre	96,325 %	406,4003 litre	O
390	CM	95	CM	174 LEVEL CM	10610,6569 litre	95,958 %	446,9638 litre	O
390	CM	95	CM	173 LEVEL CM	10568,9252 litre	95,580 %	488,6955 litre	O
390	CM	95	CM	172 LEVEL CM	10526,0713 litre	95,193 %	531,5494 litre	O
390	CM	95	CM	171 LEVEL CM	10482,1377 litre	94,796 %	575,4830 litre	O
390	CM	95	CM	170 LEVEL CM	10437,1639 litre	94,389 %	620,4568 litre	O
390	CM	95	CM	169 LEVEL CM	10391,1867 litre	93,973 %	666,4340 litre	O
390	CM	95	CM	168 LEVEL CM	10344,2404 litre	93,549 %	713,3803 litre	O
390	CM	95	CM	167 LEVEL CM	10296,3574 litre	93,115 %	761,2633 litre	O
390	CM	95	CM	166 LEVEL CM	10247,5680 litre	92,674 %	810,0527 litre	O
390	CM	95	CM	165 LEVEL CM	10197,9012 litre	92,225 %	859,7195 litre	O
390	CM	95	CM	164 LEVEL CM	10147,3841 litre	91,768 %	910,2366 litre	O
390	CM	95	CM	163 LEVEL CM	10096,0427 litre	91,304 %	961,5780 litre	O
390	CM	95	CM	162 LEVEL CM	10043,9017 litre	90,832 %	1013,7190 litre	O
390	CM	95	CM	161 LEVEL CM	9990,9846 litre	90,354 %	1066,6361 litre	O
390	CM	95	CM	160 LEVEL CM	9937,3141 litre	89,868 %	1120,3066 litre	O
390	CM	95	CM	159 LEVEL CM	9882,9117 litre	89,376 %	1174,7090 litre	O
390	CM	95	CM	158 LEVEL CM	9827,7982 litre	88,878 %	1229,8225 litre	O
390	CM	95	CM	157 LEVEL CM	9771,9936 litre	88,373 %	1285,6271 litre	O
390	CM	95	CM	156 LEVEL CM	9715,5170 litre	87,863 %	1342,1037 litre	O
390	CM	95	CM	155 LEVEL CM	9658,3871 litre	87,346 %	1399,2336 litre	O
390	CM	95	CM	154 LEVEL CM	9600,6217 litre	86,824 %	1456,9990 litre	O
390	CM	95	CM	153 LEVEL CM	9542,2382 litre	86,296 %	1515,3825 litre	O
390	CM	95	CM	152 LEVEL CM	9483,2534 litre	85,762 %	1574,3673 litre	O
390	CM	95	CM	151 LEVEL CM	9423,6836 litre	85,223 %	1633,9371 litre	O
390	CM	95	CM	150 LEVEL CM	9363,5445 litre	84,680 %	1694,0762 litre	O
390	CM	95	CM	149 LEVEL CM	9302,8515 litre	84,131 %	1754,7692 litre	O
390	CM	95	CM	148 LEVEL CM	9241,6196 litre	83,577 %	1816,0011 litre	O
390	CM	95	CM	147 LEVEL CM	9179,8634 litre	83,018 %	1877,7573 litre	O
390	CM	95	CM	146 LEVEL CM	9117,5970 litre	82,455 %	1940,0237 litre	O
390	CM	95	CM	145 LEVEL CM	9054,8342 litre	81,888 %	2002,7865 litre	O
390	CM	95	CM	144 LEVEL CM	8991,5886 litre	81,316 %	2066,0321 litre	O
390	CM	95	CM	143 LEVEL CM	8927,8733 litre	80,740 %	2129,7474 litre	O
390	CM	95	CM	142 LEVEL CM	8863,7013 litre	80,159 %	2193,9194 litre	O
390	CM	95	CM	141 LEVEL CM	8799,0853 litre	79,575 %	2258,5354 litre	O
390	CM	95	CM	140 LEVEL CM	8734,0376 litre	78,987 %	2323,5831 litre	O
390	CM	95	CM	139 LEVEL CM	8668,5704 litre	78,395 %	2389,0503 litre	O

390	CM	95	CM	138 LEVEL CM	8602,6955 litre	77,799 %	2454,9252 litre	O
390	CM	95	CM	137 LEVEL CM	8536,4246 litre	77,199 %	2521,1961 litre	O
390	CM	95	CM	136 LEVEL CM	8469,7693 litre	76,597 %	2587,8514 litre	O
390	CM	95	CM	135 LEVEL CM	8402,7408 litre	75,990 %	2654,8799 litre	O
390	CM	95	CM	134 LEVEL CM	8335,3502 litre	75,381 %	2722,2705 litre	O
390	CM	95	CM	133 LEVEL CM	8267,6085 litre	74,768 %	2790,0122 litre	O
390	CM	95	CM	132 LEVEL CM	8199,5262 litre	74,153 %	2858,0945 litre	O
390	CM	95	CM	131 LEVEL CM	8131,1142 litre	73,534 %	2926,5065 litre	O
390	CM	95	CM	130 LEVEL CM	8062,3827 litre	72,912 %	2995,2380 litre	O
390	CM	95	CM	129 LEVEL CM	7993,3421 litre	72,288 %	3064,2786 litre	O
390	CM	95	CM	128 LEVEL CM	7924,0026 litre	71,661 %	3133,6181 litre	O
390	CM	95	CM	127 LEVEL CM	7854,3740 litre	71,031 %	3203,2467 litre	O
390	CM	95	CM	126 LEVEL CM	7784,4665 litre	70,399 %	3273,1542 litre	O
390	CM	95	CM	125 LEVEL CM	7714,2896 litre	69,764 %	3343,3311 litre	O
390	CM	95	CM	124 LEVEL CM	7643,8532 litre	69,127 %	3413,7675 litre	O
390	CM	95	CM	123 LEVEL CM	7573,1667 litre	68,488 %	3484,4540 litre	O
390	CM	95	CM	122 LEVEL CM	7502,2396 litre	67,847 %	3555,3811 litre	O
390	CM	95	CM	121 LEVEL CM	7431,0813 litre	67,203 %	3626,5394 litre	O
390	CM	95	CM	120 LEVEL CM	7359,7010 litre	66,558 %	3697,9197 litre	O
390	CM	95	CM	119 LEVEL CM	7288,1080 litre	65,910 %	3769,5127 litre	O
390	CM	95	CM	118 LEVEL CM	7216,3113 litre	65,261 %	3841,3094 litre	O
390	CM	95	CM	117 LEVEL CM	7144,3199 litre	64,610 %	3913,3008 litre	O
390	CM	95	CM	116 LEVEL CM	7072,1429 litre	63,957 %	3985,4778 litre	O
390	CM	95	CM	115 LEVEL CM	6999,7890 litre	63,303 %	4057,8317 litre	O
390	CM	95	CM	114 LEVEL CM	6927,2672 litre	62,647 %	4130,3535 litre	O
390	CM	95	CM	113 LEVEL CM	6854,5862 litre	61,990 %	4203,0345 litre	O
390	CM	95	CM	112 LEVEL CM	6781,7547 litre	61,331 %	4275,8660 litre	O
390	CM	95	CM	111 LEVEL CM	6708,7812 litre	60,671 %	4348,8395 litre	O
390	CM	95	CM	110 LEVEL CM	6635,6745 litre	60,010 %	4421,9462 litre	O
390	CM	95	CM	109 LEVEL CM	6562,4431 litre	59,348 %	4495,1776 litre	O
390	CM	95	CM	108 LEVEL CM	6489,0954 litre	58,684 %	4568,5253 litre	O
390	CM	95	CM	107 LEVEL CM	6415,6400 litre	58,020 %	4641,9807 litre	O
390	CM	95	CM	106 LEVEL CM	6342,0853 litre	57,355 %	4715,5354 litre	O
390	CM	95	CM	105 LEVEL CM	6268,4397 litre	56,689 %	4789,1810 litre	O
390	CM	95	CM	104 LEVEL CM	6194,7114 litre	56,022 %	4862,9093 litre	O
390	CM	95	CM	103 LEVEL CM	6120,9090 litre	55,355 %	4936,7117 litre	O
390	CM	95	CM	102 LEVEL CM	6047,0406 litre	54,687 %	5010,5801 litre	O
390	CM	95	CM	101 LEVEL CM	5973,1146 litre	54,018 %	5084,5061 litre	O
390	CM	95	CM	100 LEVEL CM	5899,1392 litre	53,349 %	5158,4815 litre	O
390	CM	95	CM	99 LEVEL CM	5825,1228 litre	52,680 %	5232,4979 litre	O
390	CM	95	CM	98 LEVEL CM	5751,0734 litre	52,010 %	5306,5473 litre	O
390	CM	95	CM	97 LEVEL CM	5676,9994 litre	51,340 %	5380,6213 litre	O
390	CM	95	CM	96 LEVEL CM	5602,9090 litre	50,670 %	5454,7117 litre	O
390	CM	95	CM	95 LEVEL CM	5528,8104 litre	50,000 %	5528,8103 litre	O
390	CM	95	CM	94 LEVEL CM	5454,7117 litre	49,330 %	5602,9090 litre	O
390	CM	95	CM	93 LEVEL CM	5380,6213 litre	48,660 %	5676,9994 litre	O
390	CM	95	CM	92 LEVEL CM	5306,5473 litre	47,990 %	5751,0734 litre	O
390	CM	95	CM	91 LEVEL CM	5232,4980 litre	47,320 %	5825,1227 litre	O
390	CM	95	CM	90 LEVEL CM	5158,4815 litre	46,651 %	5899,1392 litre	O
390	CM	95	CM	89 LEVEL CM	5084,5061 litre	45,982 %	5973,1146 litre	O
390	CM	95	CM	88 LEVEL CM	5010,5801 litre	45,313 %	6047,0406 litre	O
390	CM	95	CM	87 LEVEL CM	4936,7117 litre	44,645 %	6120,9090 litre	O
390	CM	95	CM	86 LEVEL CM	4862,9093 litre	43,978 %	6194,7114 litre	O

390	CM	95	CM	85 LEVEL CM	4789,1811 litre	43,311 %	6268,4396 litre	O
390	CM	95	CM	84 LEVEL CM	4715,5354 litre	42,645 %	6342,0853 litre	O
390	CM	95	CM	83 LEVEL CM	4641,9807 litre	41,980 %	6415,6400 litre	O
390	CM	95	CM	82 LEVEL CM	4568,5253 litre	41,316 %	6489,0954 litre	O
390	CM	95	CM	81 LEVEL CM	4495,1776 litre	40,652 %	6562,4431 litre	O
390	CM	95	CM	80 LEVEL CM	4421,9462 litre	39,990 %	6635,6745 litre	O
390	CM	95	CM	79 LEVEL CM	4348,8395 litre	39,329 %	6708,7812 litre	O
390	CM	95	CM	78 LEVEL CM	4275,8661 litre	38,669 %	6781,7546 litre	O
390	CM	95	CM	77 LEVEL CM	4203,0345 litre	38,010 %	6854,5862 litre	O
390	CM	95	CM	76 LEVEL CM	4130,3535 litre	37,353 %	6927,2672 litre	O
390	CM	95	CM	75 LEVEL CM	4057,8317 litre	36,697 %	6999,7890 litre	O
390	CM	95	CM	74 LEVEL CM	3985,4779 litre	36,043 %	7072,1428 litre	O
390	CM	95	CM	73 LEVEL CM	3913,3008 litre	35,390 %	7144,3199 litre	O
390	CM	95	CM	72 LEVEL CM	3841,3095 litre	34,739 %	7216,3112 litre	O
390	CM	95	CM	71 LEVEL CM	3769,5128 litre	34,090 %	7288,1079 litre	O
390	CM	95	CM	70 LEVEL CM	3697,9197 litre	33,442 %	7359,7010 litre	O
390	CM	95	CM	69 LEVEL CM	3626,5395 litre	32,797 %	7431,0812 litre	O
390	CM	95	CM	68 LEVEL CM	3555,3812 litre	32,153 %	7502,2395 litre	O
390	CM	95	CM	67 LEVEL CM	3484,4541 litre	31,512 %	7573,1666 litre	O
390	CM	95	CM	66 LEVEL CM	3413,7676 litre	30,873 %	7643,8531 litre	O
390	CM	95	CM	65 LEVEL CM	3343,3311 litre	30,236 %	7714,2896 litre	O
390	CM	95	CM	64 LEVEL CM	3273,1543 litre	29,601 %	7784,4664 litre	O
390	CM	95	CM	63 LEVEL CM	3203,2467 litre	28,969 %	7854,3740 litre	O
390	CM	95	CM	62 LEVEL CM	3133,6182 litre	28,339 %	7924,0025 litre	O
390	CM	95	CM	61 LEVEL CM	3064,2786 litre	27,712 %	7993,3421 litre	O
390	CM	95	CM	60 LEVEL CM	2995,2380 litre	27,088 %	8062,3827 litre	O
390	CM	95	CM	59 LEVEL CM	2926,5066 litre	26,466 %	8131,1141 litre	O
390	CM	95	CM	58 LEVEL CM	2858,0945 litre	25,847 %	8199,5262 litre	O
390	CM	95	CM	57 LEVEL CM	2790,0123 litre	25,232 %	8267,6084 litre	O
390	CM	95	CM	56 LEVEL CM	2722,2705 litre	24,619 %	8335,3502 litre	O
390	CM	95	CM	55 LEVEL CM	2654,8799 litre	24,010 %	8402,7408 litre	O
390	CM	95	CM	54 LEVEL CM	2587,8514 litre	23,403 %	8469,7693 litre	O
390	CM	95	CM	53 LEVEL CM	2521,1961 litre	22,801 %	8536,4246 litre	O
390	CM	95	CM	52 LEVEL CM	2454,9253 litre	22,201 %	8602,6954 litre	O
390	CM	95	CM	51 LEVEL CM	2389,0504 litre	21,605 %	8668,5703 litre	O
390	CM	95	CM	50 LEVEL CM	2323,5831 litre	21,013 %	8734,0376 litre	O
390	CM	95	CM	49 LEVEL CM	2258,5354 litre	20,425 %	8799,0853 litre	O
390	CM	95	CM	48 LEVEL CM	2193,9194 litre	19,841 %	8863,7013 litre	O
390	CM	95	CM	47 LEVEL CM	2129,7474 litre	19,260 %	8927,8733 litre	O
390	CM	95	CM	46 LEVEL CM	2066,0322 litre	18,684 %	8991,5885 litre	O
390	CM	95	CM	45 LEVEL CM	2002,7866 litre	18,112 %	9054,8341 litre	O
390	CM	95	CM	44 LEVEL CM	1940,0238 litre	17,545 %	9117,5969 litre	O
390	CM	95	CM	43 LEVEL CM	1877,7573 litre	16,982 %	9179,8634 litre	O
390	CM	95	CM	42 LEVEL CM	1816,0011 litre	16,423 %	9241,6196 litre	O
390	CM	95	CM	41 LEVEL CM	1754,7692 litre	15,869 %	9302,8515 litre	O
390	CM	95	CM	40 LEVEL CM	1694,0763 litre	15,320 %	9363,5444 litre	O
390	CM	95	CM	39 LEVEL CM	1633,9372 litre	14,777 %	9423,6835 litre	O
390	CM	95	CM	38 LEVEL CM	1574,3673 litre	14,238 %	9483,2534 litre	O
390	CM	95	CM	37 LEVEL CM	1515,3825 litre	13,704 %	9542,2382 litre	O
390	CM	95	CM	36 LEVEL CM	1456,9991 litre	13,176 %	9600,6216 litre	O
390	CM	95	CM	35 LEVEL CM	1399,2337 litre	12,654 %	9658,3870 litre	O
390	CM	95	CM	34 LEVEL CM	1342,1037 litre	12,137 %	9715,5170 litre	O
390	CM	95	CM	33 LEVEL CM	1285,6272 litre	11,627 %	9771,9935 litre	O

390	CM	95	CM	32 LEVEL CM	1229,8225 litre	11,122 %	9827,7982 litre	O
390	CM	95	CM	31 LEVEL CM	1174,7091 litre	10,624 %	9882,9116 litre	O
390	CM	95	CM	30 LEVEL CM	1120,3067 litre	10,132 %	9937,3140 litre	O
390	CM	95	CM	29 LEVEL CM	1066,6361 litre	9,646 %	9990,9846 litre	O
390	CM	95	CM	28 LEVEL CM	1013,7191 litre	9,168 %	10043,9016 litre	O
390	CM	95	CM	27 LEVEL CM	961,5781 litre	8,696 %	10096,0426 litre	O
390	CM	95	CM	26 LEVEL CM	910,2367 litre	8,232 %	10147,3840 litre	O
390	CM	95	CM	25 LEVEL CM	859,7196 litre	7,775 %	10197,9011 litre	O
390	CM	95	CM	24 LEVEL CM	810,0527 litre	7,326 %	10247,5680 litre	O
390	CM	95	CM	23 LEVEL CM	761,2634 litre	6,885 %	10296,3573 litre	O
390	CM	95	CM	22 LEVEL CM	713,3803 litre	6,451 %	10344,2404 litre	O
390	CM	95	CM	21 LEVEL CM	666,4340 litre	6,027 %	10391,1867 litre	O
390	CM	95	CM	20 LEVEL CM	620,4568 litre	5,611 %	10437,1639 litre	O
390	CM	95	CM	19 LEVEL CM	575,4830 litre	5,204 %	10482,1377 litre	O
390	CM	95	CM	18 LEVEL CM	531,5495 litre	4,807 %	10526,0712 litre	O
390	CM	95	CM	17 LEVEL CM	488,6956 litre	4,420 %	10568,9251 litre	O
390	CM	95	CM	16 LEVEL CM	446,9639 litre	4,042 %	10610,6568 litre	O
390	CM	95	CM	15 LEVEL CM	406,4003 litre	3,675 %	10651,2204 litre	O
390	CM	95	CM	14 LEVEL CM	367,0551 litre	3,319 %	10690,5656 litre	O
390	CM	95	CM	13 LEVEL CM	328,9832 litre	2,975 %	10728,6375 litre	O
390	CM	95	CM	12 LEVEL CM	292,2451 litre	2,643 %	10765,3756 litre	O
390	CM	95	CM	11 LEVEL CM	256,9086 litre	2,323 %	10800,7121 litre	O
390	CM	95	CM	10 LEVEL CM	223,0495 litre	2,017 %	10834,5712 litre	O
390	CM	95	CM	9 LEVEL CM	190,7542 litre	1,725 %	10866,8665 litre	O
390	CM	95	CM	8 LEVEL CM	160,1223 litre	1,448 %	10897,4984 litre	O
390	CM	95	CM	7 LEVEL CM	131,2708 litre	1,187 %	10926,3499 litre	O
390	CM	95	CM	6 LEVEL CM	104,3396 litre	0,944 %	10953,2811 litre	O
390	CM	95	CM	5 LEVEL CM	79,5017 litre	0,719 %	10978,1190 litre	O
390	CM	95	CM	4 LEVEL CM	56,9781 litre	0,515 %	11000,6426 litre	O
390	CM	95	CM	3 LEVEL CM	37,0676 litre	0,335 %	11020,5531 litre	O
390	CM	95	CM	2 LEVEL CM	20,2092 litre	0,183 %	11037,4115 litre	O
390	CM	95	CM	1 LEVEL CM	7,1564 litre	0,065 %	11050,4643 litre	O
390	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	11057,6207 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 90	CM 180 LEVEL CM	9924,2912 litre	100,000 %	0,0000 litre	O
390	CM 90	CM 179 LEVEL CM	9917,3263 litre	99,930 %	6,9649 litre	O
390	CM 90	CM 178 LEVEL CM	9904,6245 litre	99,802 %	19,6667 litre	O
390	CM 90	CM 177 LEVEL CM	9888,2219 litre	99,637 %	36,0693 litre	O
390	CM 90	CM 176 LEVEL CM	9868,8525 litre	99,441 %	55,4387 litre	O
390	CM 90	CM 175 LEVEL CM	9846,9445 litre	99,221 %	77,3467 litre	O
390	CM 90	CM 174 LEVEL CM	9822,7891 litre	98,977 %	101,5021 litre	O
390	CM 90	CM 173 LEVEL CM	9796,6021 litre	98,713 %	127,6891 litre	O
390	CM 90	CM 172 LEVEL CM	9768,5521 litre	98,431 %	155,7391 litre	O
390	CM 90	CM 171 LEVEL CM	9738,7761 litre	98,131 %	185,5151 litre	O
390	CM 90	CM 170 LEVEL CM	9707,3881 litre	97,814 %	216,9031 litre	O
390	CM 90	CM 169 LEVEL CM	9674,4857 litre	97,483 %	249,8055 litre	O
390	CM 90	CM 168 LEVEL CM	9640,1533 litre	97,137 %	284,1379 litre	O
390	CM 90	CM 167 LEVEL CM	9604,4652 litre	96,777 %	319,8260 litre	O
390	CM 90	CM 166 LEVEL CM	9567,4875 litre	96,405 %	356,8037 litre	O
390	CM 90	CM 165 LEVEL CM	9529,2797 litre	96,020 %	395,0115 litre	O
390	CM 90	CM 164 LEVEL CM	9489,8956 litre	95,623 %	434,3956 litre	O
390	CM 90	CM 163 LEVEL CM	9449,3844 litre	95,215 %	474,9068 litre	O
390	CM 90	CM 162 LEVEL CM	9407,7912 litre	94,796 %	516,5000 litre	O
390	CM 90	CM 161 LEVEL CM	9365,1578 litre	94,366 %	559,1334 litre	O
390	CM 90	CM 160 LEVEL CM	9321,5228 litre	93,926 %	602,7684 litre	O
390	CM 90	CM 159 LEVEL CM	9276,9225 litre	93,477 %	647,3687 litre	O
390	CM 90	CM 158 LEVEL CM	9231,3906 litre	93,018 %	692,9006 litre	O
390	CM 90	CM 157 LEVEL CM	9184,9589 litre	92,550 %	739,3323 litre	O
390	CM 90	CM 156 LEVEL CM	9137,6574 litre	92,074 %	786,6338 litre	O
390	CM 90	CM 155 LEVEL CM	9089,5144 litre	91,589 %	834,7768 litre	O
390	CM 90	CM 154 LEVEL CM	9040,5569 litre	91,095 %	883,7343 litre	O
390	CM 90	CM 153 LEVEL CM	8990,8104 litre	90,594 %	933,4808 litre	O
390	CM 90	CM 152 LEVEL CM	8940,2992 litre	90,085 %	983,9920 litre	O
390	CM 90	CM 151 LEVEL CM	8889,0466 litre	89,569 %	1035,2446 litre	O
390	CM 90	CM 150 LEVEL CM	8837,0750 litre	89,045 %	1087,2162 litre	O
390	CM 90	CM 149 LEVEL CM	8784,4056 litre	88,514 %	1139,8856 litre	O
390	CM 90	CM 148 LEVEL CM	8731,0591 litre	87,977 %	1193,2321 litre	O
390	CM 90	CM 147 LEVEL CM	8677,0551 litre	87,432 %	1247,2361 litre	O
390	CM 90	CM 146 LEVEL CM	8622,4127 litre	86,882 %	1301,8785 litre	O
390	CM 90	CM 145 LEVEL CM	8567,1503 litre	86,325 %	1357,1409 litre	O
390	CM 90	CM 144 LEVEL CM	8511,2856 litre	85,762 %	1413,0056 litre	O
390	CM 90	CM 143 LEVEL CM	8454,8359 litre	85,193 %	1469,4553 litre	O
390	CM 90	CM 142 LEVEL CM	8397,8178 litre	84,619 %	1526,4734 litre	O
390	CM 90	CM 141 LEVEL CM	8340,2476 litre	84,039 %	1584,0436 litre	O
390	CM 90	CM 140 LEVEL CM	8282,1408 litre	83,453 %	1642,1504 litre	O
390	CM 90	CM 139 LEVEL CM	8223,5129 litre	82,862 %	1700,7783 litre	O
390	CM 90	CM 138 LEVEL CM	8164,3786 litre	82,267 %	1759,9126 litre	O
390	CM 90	CM 137 LEVEL CM	8104,7526 litre	81,666 %	1819,5386 litre	O
390	CM 90	CM 136 LEVEL CM	8044,6488 litre	81,060 %	1879,6424 litre	O
390	CM 90	CM 135 LEVEL CM	7984,0813 litre	80,450 %	1940,2099 litre	O
390	CM 90	CM 134 LEVEL CM	7923,0633 litre	79,835 %	2001,2279 litre	O
390	CM 90	CM 133 LEVEL CM	7861,6082 litre	79,216 %	2062,6830 litre	O
390	CM 90	CM 132 LEVEL CM	7799,7289 litre	78,592 %	2124,5623 litre	O
390	CM 90	CM 131 LEVEL CM	7737,4380 litre	77,965 %	2186,8532 litre	O
390	CM 90	CM 130 LEVEL CM	7674,7479 litre	77,333 %	2249,5433 litre	O
390	CM 90	CM 129 LEVEL CM	7611,6708 litre	76,697 %	2312,6204 litre	O

390	CM	90	CM	128 LEVEL CM	7548,2186 litre	76,058 %	2376,0726 litre	O
390	CM	90	CM	127 LEVEL CM	7484,4031 litre	75,415 %	2439,8881 litre	O
390	CM	90	CM	126 LEVEL CM	7420,2358 litre	74,768 %	2504,0554 litre	O
390	CM	90	CM	125 LEVEL CM	7355,7281 litre	74,118 %	2568,5631 litre	O
390	CM	90	CM	124 LEVEL CM	7290,8912 litre	73,465 %	2633,4000 litre	O
390	CM	90	CM	123 LEVEL CM	7225,7359 litre	72,809 %	2698,5553 litre	O
390	CM	90	CM	122 LEVEL CM	7160,2733 litre	72,149 %	2764,0179 litre	O
390	CM	90	CM	121 LEVEL CM	7094,5139 litre	71,486 %	2829,7773 litre	O
390	CM	90	CM	120 LEVEL CM	7028,4683 litre	70,821 %	2895,8229 litre	O
390	CM	90	CM	119 LEVEL CM	6962,1470 litre	70,153 %	2962,1442 litre	O
390	CM	90	CM	118 LEVEL CM	6895,5601 litre	69,482 %	3028,7311 litre	O
390	CM	90	CM	117 LEVEL CM	6828,7179 litre	68,808 %	3095,5733 litre	O
390	CM	90	CM	116 LEVEL CM	6761,6303 litre	68,132 %	3162,6609 litre	O
390	CM	90	CM	115 LEVEL CM	6694,3075 litre	67,454 %	3229,9837 litre	O
390	CM	90	CM	114 LEVEL CM	6626,7590 litre	66,773 %	3297,5322 litre	O
390	CM	90	CM	113 LEVEL CM	6558,9947 litre	66,090 %	3365,2965 litre	O
390	CM	90	CM	112 LEVEL CM	6491,0243 litre	65,405 %	3433,2669 litre	O
390	CM	90	CM	111 LEVEL CM	6422,8572 litre	64,719 %	3501,4340 litre	O
390	CM	90	CM	110 LEVEL CM	6354,5029 litre	64,030 %	3569,7883 litre	O
390	CM	90	CM	109 LEVEL CM	6285,9708 litre	63,339 %	3638,3204 litre	O
390	CM	90	CM	108 LEVEL CM	6217,2703 litre	62,647 %	3707,0209 litre	O
390	CM	90	CM	107 LEVEL CM	6148,4106 litre	61,953 %	3775,8806 litre	O
390	CM	90	CM	106 LEVEL CM	6079,4008 litre	61,258 %	3844,8904 litre	O
390	CM	90	CM	105 LEVEL CM	6010,2501 litre	60,561 %	3914,0411 litre	O
390	CM	90	CM	104 LEVEL CM	5940,9675 litre	59,863 %	3983,3237 litre	O
390	CM	90	CM	103 LEVEL CM	5871,5621 litre	59,164 %	4052,7291 litre	O
390	CM	90	CM	102 LEVEL CM	5802,0429 litre	58,463 %	4122,2483 litre	O
390	CM	90	CM	101 LEVEL CM	5732,4187 litre	57,761 %	4191,8725 litre	O
390	CM	90	CM	100 LEVEL CM	5662,6985 litre	57,059 %	4261,5927 litre	O
390	CM	90	CM	99 LEVEL CM	5592,8910 litre	56,356 %	4331,4002 litre	O
390	CM	90	CM	98 LEVEL CM	5523,0052 litre	55,651 %	4401,2860 litre	O
390	CM	90	CM	97 LEVEL CM	5453,0497 litre	54,946 %	4471,2415 litre	O
390	CM	90	CM	96 LEVEL CM	5383,0334 litre	54,241 %	4541,2578 litre	O
390	CM	90	CM	95 LEVEL CM	5312,9650 litre	53,535 %	4611,3262 litre	O
390	CM	90	CM	94 LEVEL CM	5242,8531 litre	52,828 %	4681,4381 litre	O
390	CM	90	CM	93 LEVEL CM	5172,7066 litre	52,122 %	4751,5846 litre	O
390	CM	90	CM	92 LEVEL CM	5102,5340 litre	51,415 %	4821,7572 litre	O
390	CM	90	CM	91 LEVEL CM	5032,3442 litre	50,707 %	4891,9470 litre	O
390	CM	90	CM	90 LEVEL CM	4962,1456 litre	50,000 %	4962,1456 litre	O
390	CM	90	CM	89 LEVEL CM	4891,9470 litre	49,293 %	5032,3442 litre	O
390	CM	90	CM	88 LEVEL CM	4821,7572 litre	48,585 %	5102,5340 litre	O
390	CM	90	CM	87 LEVEL CM	4751,5846 litre	47,878 %	5172,7066 litre	O
390	CM	90	CM	86 LEVEL CM	4681,4381 litre	47,172 %	5242,8531 litre	O
390	CM	90	CM	85 LEVEL CM	4611,3262 litre	46,465 %	5312,9650 litre	O
390	CM	90	CM	84 LEVEL CM	4541,2578 litre	45,759 %	5383,0334 litre	O
390	CM	90	CM	83 LEVEL CM	4471,2415 litre	45,054 %	5453,0497 litre	O
390	CM	90	CM	82 LEVEL CM	4401,2860 litre	44,349 %	5523,0052 litre	O
390	CM	90	CM	81 LEVEL CM	4331,4002 litre	43,644 %	5592,8910 litre	O
390	CM	90	CM	80 LEVEL CM	4261,5927 litre	42,941 %	5662,6985 litre	O
390	CM	90	CM	79 LEVEL CM	4191,8725 litre	42,239 %	5732,4187 litre	O
390	CM	90	CM	78 LEVEL CM	4122,2483 litre	41,537 %	5802,0429 litre	O
390	CM	90	CM	77 LEVEL CM	4052,7290 litre	40,836 %	5871,5622 litre	O
390	CM	90	CM	76 LEVEL CM	3983,3237 litre	40,137 %	5940,9675 litre	O

390	CM	90	CM	75 LEVEL CM	3914,0411 litre	39,439 %	6010,2501 litre	O
390	CM	90	CM	74 LEVEL CM	3844,8904 litre	38,742 %	6079,4008 litre	O
390	CM	90	CM	73 LEVEL CM	3775,8806 litre	38,047 %	6148,4106 litre	O
390	CM	90	CM	72 LEVEL CM	3707,0209 litre	37,353 %	6217,2703 litre	O
390	CM	90	CM	71 LEVEL CM	3638,3204 litre	36,661 %	6285,9708 litre	O
390	CM	90	CM	70 LEVEL CM	3569,7883 litre	35,970 %	6354,5029 litre	O
390	CM	90	CM	69 LEVEL CM	3501,4340 litre	35,281 %	6422,8572 litre	O
390	CM	90	CM	68 LEVEL CM	3433,2669 litre	34,595 %	6491,0243 litre	O
390	CM	90	CM	67 LEVEL CM	3365,2965 litre	33,910 %	6558,9947 litre	O
390	CM	90	CM	66 LEVEL CM	3297,5322 litre	33,227 %	6626,7590 litre	O
390	CM	90	CM	65 LEVEL CM	3229,9837 litre	32,546 %	6694,3075 litre	O
390	CM	90	CM	64 LEVEL CM	3162,6608 litre	31,868 %	6761,6304 litre	O
390	CM	90	CM	63 LEVEL CM	3095,5733 litre	31,192 %	6828,7179 litre	O
390	CM	90	CM	62 LEVEL CM	3028,7311 litre	30,518 %	6895,5601 litre	O
390	CM	90	CM	61 LEVEL CM	2962,1442 litre	29,847 %	6962,1470 litre	O
390	CM	90	CM	60 LEVEL CM	2895,8229 litre	29,179 %	7028,4683 litre	O
390	CM	90	CM	59 LEVEL CM	2829,7773 litre	28,514 %	7094,5139 litre	O
390	CM	90	CM	58 LEVEL CM	2764,0179 litre	27,851 %	7160,2733 litre	O
390	CM	90	CM	57 LEVEL CM	2698,5553 litre	27,191 %	7225,7359 litre	O
390	CM	90	CM	56 LEVEL CM	2633,4000 litre	26,535 %	7290,8912 litre	O
390	CM	90	CM	55 LEVEL CM	2568,5631 litre	25,882 %	7355,7281 litre	O
390	CM	90	CM	54 LEVEL CM	2504,0553 litre	25,232 %	7420,2359 litre	O
390	CM	90	CM	53 LEVEL CM	2439,8881 litre	24,585 %	7484,4031 litre	O
390	CM	90	CM	52 LEVEL CM	2376,0726 litre	23,942 %	7548,2186 litre	O
390	CM	90	CM	51 LEVEL CM	2312,6204 litre	23,303 %	7611,6708 litre	O
390	CM	90	CM	50 LEVEL CM	2249,5433 litre	22,667 %	7674,7479 litre	O
390	CM	90	CM	49 LEVEL CM	2186,8532 litre	22,035 %	7737,4380 litre	O
390	CM	90	CM	48 LEVEL CM	2124,5623 litre	21,408 %	7799,7289 litre	O
390	CM	90	CM	47 LEVEL CM	2062,6830 litre	20,784 %	7861,6082 litre	O
390	CM	90	CM	46 LEVEL CM	2001,2279 litre	20,165 %	7923,0633 litre	O
390	CM	90	CM	45 LEVEL CM	1940,2099 litre	19,550 %	7984,0813 litre	O
390	CM	90	CM	44 LEVEL CM	1879,6424 litre	18,940 %	8044,6488 litre	O
390	CM	90	CM	43 LEVEL CM	1819,5386 litre	18,334 %	8104,7526 litre	O
390	CM	90	CM	42 LEVEL CM	1759,9126 litre	17,733 %	8164,3786 litre	O
390	CM	90	CM	41 LEVEL CM	1700,7783 litre	17,138 %	8223,5129 litre	O
390	CM	90	CM	40 LEVEL CM	1642,1504 litre	16,547 %	8282,1408 litre	O
390	CM	90	CM	39 LEVEL CM	1584,0436 litre	15,961 %	8340,2476 litre	O
390	CM	90	CM	38 LEVEL CM	1526,4734 litre	15,381 %	8397,8178 litre	O
390	CM	90	CM	37 LEVEL CM	1469,4553 litre	14,807 %	8454,8359 litre	O
390	CM	90	CM	36 LEVEL CM	1413,0056 litre	14,238 %	8511,2856 litre	O
390	CM	90	CM	35 LEVEL CM	1357,1409 litre	13,675 %	8567,1503 litre	O
390	CM	90	CM	34 LEVEL CM	1301,8785 litre	13,118 %	8622,4127 litre	O
390	CM	90	CM	33 LEVEL CM	1247,2361 litre	12,568 %	8677,0551 litre	O
390	CM	90	CM	32 LEVEL CM	1193,2321 litre	12,023 %	8731,0591 litre	O
390	CM	90	CM	31 LEVEL CM	1139,8856 litre	11,486 %	8784,4056 litre	O
390	CM	90	CM	30 LEVEL CM	1087,2162 litre	10,955 %	8837,0750 litre	O
390	CM	90	CM	29 LEVEL CM	1035,2446 litre	10,431 %	8889,0466 litre	O
390	CM	90	CM	28 LEVEL CM	983,9920 litre	9,915 %	8940,2992 litre	O
390	CM	90	CM	27 LEVEL CM	933,4808 litre	9,406 %	8990,8104 litre	O
390	CM	90	CM	26 LEVEL CM	883,7343 litre	8,905 %	9040,5569 litre	O
390	CM	90	CM	25 LEVEL CM	834,7768 litre	8,411 %	9089,5144 litre	O
390	CM	90	CM	24 LEVEL CM	786,6338 litre	7,926 %	9137,6574 litre	O
390	CM	90	CM	23 LEVEL CM	739,3323 litre	7,450 %	9184,9589 litre	O

390	CM	90	CM	22 LEVEL CM	692,9006 litre	6,982 %	9231,3906 litre	O
390	CM	90	CM	21 LEVEL CM	647,3687 litre	6,523 %	9276,9225 litre	O
390	CM	90	CM	20 LEVEL CM	602,7684 litre	6,074 %	9321,5228 litre	O
390	CM	90	CM	19 LEVEL CM	559,1334 litre	5,634 %	9365,1578 litre	O
390	CM	90	CM	18 LEVEL CM	516,5000 litre	5,204 %	9407,7912 litre	O
390	CM	90	CM	17 LEVEL CM	474,9068 litre	4,785 %	9449,3844 litre	O
390	CM	90	CM	16 LEVEL CM	434,3956 litre	4,377 %	9489,8956 litre	O
390	CM	90	CM	15 LEVEL CM	395,0115 litre	3,980 %	9529,2797 litre	O
390	CM	90	CM	14 LEVEL CM	356,8037 litre	3,595 %	9567,4875 litre	O
390	CM	90	CM	13 LEVEL CM	319,8260 litre	3,223 %	9604,4652 litre	O
390	CM	90	CM	12 LEVEL CM	284,1379 litre	2,863 %	9640,1533 litre	O
390	CM	90	CM	11 LEVEL CM	249,8055 litre	2,517 %	9674,4857 litre	O
390	CM	90	CM	10 LEVEL CM	216,9031 litre	2,186 %	9707,3881 litre	O
390	CM	90	CM	9 LEVEL CM	185,5151 litre	1,869 %	9738,7761 litre	O
390	CM	90	CM	8 LEVEL CM	155,7391 litre	1,569 %	9768,5521 litre	O
390	CM	90	CM	7 LEVEL CM	127,6891 litre	1,287 %	9796,6021 litre	O
390	CM	90	CM	6 LEVEL CM	101,5021 litre	1,023 %	9822,7891 litre	O
390	CM	90	CM	5 LEVEL CM	77,3467 litre	0,779 %	9846,9445 litre	O
390	CM	90	CM	4 LEVEL CM	55,4387 litre	0,559 %	9868,8525 litre	O
390	CM	90	CM	3 LEVEL CM	36,0693 litre	0,363 %	9888,2219 litre	O
390	CM	90	CM	2 LEVEL CM	19,6667 litre	0,198 %	9904,6245 litre	O
390	CM	90	CM	1 LEVEL CM	6,9649 litre	0,070 %	9917,3263 litre	O
390	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	9924,2912 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 85	CM 170 LEVEL CM	8852,2227 litre	100,000 %	0,0000 litre	O
390	CM 85	CM 169 LEVEL CM	8845,4547 litre	99,924 %	6,7680 litre	O
390	CM 85	CM 168 LEVEL CM	8833,1139 litre	99,784 %	19,1088 litre	O
390	CM 85	CM 167 LEVEL CM	8817,1800 litre	99,604 %	35,0427 litre	O
390	CM 85	CM 166 LEVEL CM	8798,3674 litre	99,392 %	53,8553 litre	O
390	CM 85	CM 165 LEVEL CM	8777,0927 litre	99,151 %	75,1300 litre	O
390	CM 85	CM 164 LEVEL CM	8753,6397 litre	98,886 %	98,5830 litre	O
390	CM 85	CM 163 LEVEL CM	8728,2186 litre	98,599 %	124,0041 litre	O
390	CM 85	CM 162 LEVEL CM	8700,9939 litre	98,292 %	151,2288 litre	O
390	CM 85	CM 161 LEVEL CM	8672,0990 litre	97,965 %	180,1237 litre	O
390	CM 85	CM 160 LEVEL CM	8641,6454 litre	97,621 %	210,5773 litre	O
390	CM 85	CM 159 LEVEL CM	8609,7284 litre	97,261 %	242,4943 litre	O
390	CM 85	CM 158 LEVEL CM	8576,4303 litre	96,884 %	275,7924 litre	O
390	CM 85	CM 157 LEVEL CM	8541,8240 litre	96,494 %	310,3987 litre	O
390	CM 85	CM 156 LEVEL CM	8505,9739 litre	96,089 %	346,2488 litre	O
390	CM 85	CM 155 LEVEL CM	8468,9384 litre	95,670 %	383,2843 litre	O
390	CM 85	CM 154 LEVEL CM	8430,7702 litre	95,239 %	421,4525 litre	O
390	CM 85	CM 153 LEVEL CM	8391,5175 litre	94,796 %	460,7052 litre	O
390	CM 85	CM 152 LEVEL CM	8351,2244 litre	94,340 %	500,9983 litre	O
390	CM 85	CM 151 LEVEL CM	8309,9320 litre	93,874 %	542,2907 litre	O
390	CM 85	CM 150 LEVEL CM	8267,6783 litre	93,397 %	584,5444 litre	O
390	CM 85	CM 149 LEVEL CM	8224,4987 litre	92,909 %	627,7240 litre	O
390	CM 85	CM 148 LEVEL CM	8180,4266 litre	92,411 %	671,7961 litre	O
390	CM 85	CM 147 LEVEL CM	8135,4931 litre	91,903 %	716,7296 litre	O
390	CM 85	CM 146 LEVEL CM	8089,7278 litre	91,386 %	762,4949 litre	O
390	CM 85	CM 145 LEVEL CM	8043,1586 litre	90,860 %	809,0641 litre	O
390	CM 85	CM 144 LEVEL CM	7995,8120 litre	90,325 %	856,4107 litre	O
390	CM 85	CM 143 LEVEL CM	7947,7131 litre	89,782 %	904,5096 litre	O
390	CM 85	CM 142 LEVEL CM	7898,8862 litre	89,231 %	953,3365 litre	O
390	CM 85	CM 141 LEVEL CM	7849,3540 litre	88,671 %	1002,8687 litre	O
390	CM 85	CM 140 LEVEL CM	7799,1387 litre	88,104 %	1053,0840 litre	O
390	CM 85	CM 139 LEVEL CM	7748,2614 litre	87,529 %	1103,9613 litre	O
390	CM 85	CM 138 LEVEL CM	7696,7423 litre	86,947 %	1155,4804 litre	O
390	CM 85	CM 137 LEVEL CM	7644,6011 litre	86,358 %	1207,6216 litre	O
390	CM 85	CM 136 LEVEL CM	7591,8566 litre	85,762 %	1260,3661 litre	O
390	CM 85	CM 135 LEVEL CM	7538,5271 litre	85,160 %	1313,6956 litre	O
390	CM 85	CM 134 LEVEL CM	7484,6301 litre	84,551 %	1367,5926 litre	O
390	CM 85	CM 133 LEVEL CM	7430,1828 litre	83,936 %	1422,0399 litre	O
390	CM 85	CM 132 LEVEL CM	7375,2018 litre	83,315 %	1477,0209 litre	O
390	CM 85	CM 131 LEVEL CM	7319,7031 litre	82,688 %	1532,5196 litre	O
390	CM 85	CM 130 LEVEL CM	7263,7024 litre	82,055 %	1588,5203 litre	O
390	CM 85	CM 129 LEVEL CM	7207,2149 litre	81,417 %	1645,0078 litre	O
390	CM 85	CM 128 LEVEL CM	7150,2555 litre	80,774 %	1701,9672 litre	O
390	CM 85	CM 127 LEVEL CM	7092,8386 litre	80,125 %	1759,3841 litre	O
390	CM 85	CM 126 LEVEL CM	7034,9784 litre	79,471 %	1817,2443 litre	O
390	CM 85	CM 125 LEVEL CM	6976,6886 litre	78,813 %	1875,5341 litre	O
390	CM 85	CM 124 LEVEL CM	6917,9828 litre	78,150 %	1934,2399 litre	O
390	CM 85	CM 123 LEVEL CM	6858,8742 litre	77,482 %	1993,3485 litre	O
390	CM 85	CM 122 LEVEL CM	6799,3758 litre	76,810 %	2052,8469 litre	O
390	CM 85	CM 121 LEVEL CM	6739,5002 litre	76,133 %	2112,7225 litre	O
390	CM 85	CM 120 LEVEL CM	6679,2599 litre	75,453 %	2172,9628 litre	O
390	CM 85	CM 119 LEVEL CM	6618,6672 litre	74,768 %	2233,5555 litre	O

390	CM 85	CM	118 LEVEL CM	6557,7340 litre	74,080 %	2294,4887 litre	O
390	CM 85	CM	117 LEVEL CM	6496,4722 litre	73,388 %	2355,7505 litre	O
390	CM 85	CM	116 LEVEL CM	6434,8934 litre	72,692 %	2417,3293 litre	O
390	CM 85	CM	115 LEVEL CM	6373,0091 litre	71,993 %	2479,2136 litre	O
390	CM 85	CM	114 LEVEL CM	6310,8305 litre	71,291 %	2541,3922 litre	O
390	CM 85	CM	113 LEVEL CM	6248,3689 litre	70,585 %	2603,8538 litre	O
390	CM 85	CM	112 LEVEL CM	6185,6351 litre	69,877 %	2666,5876 litre	O
390	CM 85	CM	111 LEVEL CM	6122,6399 litre	69,165 %	2729,5828 litre	O
390	CM 85	CM	110 LEVEL CM	6059,3942 litre	68,451 %	2792,8285 litre	O
390	CM 85	CM	109 LEVEL CM	5995,9084 litre	67,733 %	2856,3143 litre	O
390	CM 85	CM	108 LEVEL CM	5932,1931 litre	67,014 %	2920,0296 litre	O
390	CM 85	CM	107 LEVEL CM	5868,2585 litre	66,291 %	2983,9642 litre	O
390	CM 85	CM	106 LEVEL CM	5804,1149 litre	65,567 %	3048,1078 litre	O
390	CM 85	CM	105 LEVEL CM	5739,7724 litre	64,840 %	3112,4503 litre	O
390	CM 85	CM	104 LEVEL CM	5675,2411 litre	64,111 %	3176,9816 litre	O
390	CM 85	CM	103 LEVEL CM	5610,5308 litre	63,380 %	3241,6919 litre	O
390	CM 85	CM	102 LEVEL CM	5545,6516 litre	62,647 %	3306,5711 litre	O
390	CM 85	CM	101 LEVEL CM	5480,6132 litre	61,912 %	3371,6095 litre	O
390	CM 85	CM	100 LEVEL CM	5415,4252 litre	61,176 %	3436,7975 litre	O
390	CM 85	CM	99 LEVEL CM	5350,0974 litre	60,438 %	3502,1253 litre	O
390	CM 85	CM	98 LEVEL CM	5284,6393 litre	59,698 %	3567,5834 litre	O
390	CM 85	CM	97 LEVEL CM	5219,0606 litre	58,958 %	3633,1621 litre	O
390	CM 85	CM	96 LEVEL CM	5153,3706 litre	58,216 %	3698,8521 litre	O
390	CM 85	CM	95 LEVEL CM	5087,5787 litre	57,472 %	3764,6440 litre	O
390	CM 85	CM	94 LEVEL CM	5021,6945 litre	56,728 %	3830,5282 litre	O
390	CM 85	CM	93 LEVEL CM	4955,7272 litre	55,983 %	3896,4955 litre	O
390	CM 85	CM	92 LEVEL CM	4889,6862 litre	55,237 %	3962,5365 litre	O
390	CM 85	CM	91 LEVEL CM	4823,5807 litre	54,490 %	4028,6420 litre	O
390	CM 85	CM	90 LEVEL CM	4757,4201 litre	53,743 %	4094,8026 litre	O
390	CM 85	CM	89 LEVEL CM	4691,2134 litre	52,995 %	4161,0093 litre	O
390	CM 85	CM	88 LEVEL CM	4624,9700 litre	52,246 %	4227,2527 litre	O
390	CM 85	CM	87 LEVEL CM	4558,6991 litre	51,498 %	4293,5236 litre	O
390	CM 85	CM	86 LEVEL CM	4492,4098 litre	50,749 %	4359,8129 litre	O
390	CM 85	CM	85 LEVEL CM	4426,1113 litre	50,000 %	4426,1114 litre	O
390	CM 85	CM	84 LEVEL CM	4359,8129 litre	49,251 %	4492,4098 litre	O
390	CM 85	CM	83 LEVEL CM	4293,5236 litre	48,502 %	4558,6991 litre	O
390	CM 85	CM	82 LEVEL CM	4227,2527 litre	47,754 %	4624,9700 litre	O
390	CM 85	CM	81 LEVEL CM	4161,0093 litre	47,005 %	4691,2134 litre	O
390	CM 85	CM	80 LEVEL CM	4094,8026 litre	46,257 %	4757,4201 litre	O
390	CM 85	CM	79 LEVEL CM	4028,6420 litre	45,510 %	4823,5807 litre	O
390	CM 85	CM	78 LEVEL CM	3962,5365 litre	44,763 %	4889,6862 litre	O
390	CM 85	CM	77 LEVEL CM	3896,4955 litre	44,017 %	4955,7272 litre	O
390	CM 85	CM	76 LEVEL CM	3830,5282 litre	43,272 %	5021,6945 litre	O
390	CM 85	CM	75 LEVEL CM	3764,6440 litre	42,528 %	5087,5787 litre	O
390	CM 85	CM	74 LEVEL CM	3698,8521 litre	41,784 %	5153,3706 litre	O
390	CM 85	CM	73 LEVEL CM	3633,1621 litre	41,042 %	5219,0606 litre	O
390	CM 85	CM	72 LEVEL CM	3567,5834 litre	40,302 %	5284,6393 litre	O
390	CM 85	CM	71 LEVEL CM	3502,1253 litre	39,562 %	5350,0974 litre	O
390	CM 85	CM	70 LEVEL CM	3436,7975 litre	38,824 %	5415,4252 litre	O
390	CM 85	CM	69 LEVEL CM	3371,6095 litre	38,088 %	5480,6132 litre	O
390	CM 85	CM	68 LEVEL CM	3306,5711 litre	37,353 %	5545,6516 litre	O
390	CM 85	CM	67 LEVEL CM	3241,6919 litre	36,620 %	5610,5308 litre	O
390	CM 85	CM	66 LEVEL CM	3176,9816 litre	35,889 %	5675,2411 litre	O

390	CM	85	CM	65 LEVEL CM	3112,4503 litre	35,160 %	5739,7724 litre	O
390	CM	85	CM	64 LEVEL CM	3048,1078 litre	34,433 %	5804,1149 litre	O
390	CM	85	CM	63 LEVEL CM	2983,9642 litre	33,709 %	5868,2585 litre	O
390	CM	85	CM	62 LEVEL CM	2920,0296 litre	32,986 %	5932,1931 litre	O
390	CM	85	CM	61 LEVEL CM	2856,3143 litre	32,267 %	5995,9084 litre	O
390	CM	85	CM	60 LEVEL CM	2792,8285 litre	31,549 %	6059,3942 litre	O
390	CM	85	CM	59 LEVEL CM	2729,5828 litre	30,835 %	6122,6399 litre	O
390	CM	85	CM	58 LEVEL CM	2666,5876 litre	30,123 %	6185,6351 litre	O
390	CM	85	CM	57 LEVEL CM	2603,8538 litre	29,415 %	6248,3689 litre	O
390	CM	85	CM	56 LEVEL CM	2541,3922 litre	28,709 %	6310,8305 litre	O
390	CM	85	CM	55 LEVEL CM	2479,2136 litre	28,007 %	6373,0091 litre	O
390	CM	85	CM	54 LEVEL CM	2417,3293 litre	27,308 %	6434,8934 litre	O
390	CM	85	CM	53 LEVEL CM	2355,7505 litre	26,612 %	6496,4722 litre	O
390	CM	85	CM	52 LEVEL CM	2294,4887 litre	25,920 %	6557,7340 litre	O
390	CM	85	CM	51 LEVEL CM	2233,5555 litre	25,232 %	6618,6672 litre	O
390	CM	85	CM	50 LEVEL CM	2172,9628 litre	24,547 %	6679,2599 litre	O
390	CM	85	CM	49 LEVEL CM	2112,7225 litre	23,867 %	6739,5002 litre	O
390	CM	85	CM	48 LEVEL CM	2052,8469 litre	23,190 %	6799,3758 litre	O
390	CM	85	CM	47 LEVEL CM	1993,3485 litre	22,518 %	6858,8742 litre	O
390	CM	85	CM	46 LEVEL CM	1934,2399 litre	21,850 %	6917,9828 litre	O
390	CM	85	CM	45 LEVEL CM	1875,5341 litre	21,187 %	6976,6886 litre	O
390	CM	85	CM	44 LEVEL CM	1817,2443 litre	20,529 %	7034,9784 litre	O
390	CM	85	CM	43 LEVEL CM	1759,3841 litre	19,875 %	7092,8386 litre	O
390	CM	85	CM	42 LEVEL CM	1701,9672 litre	19,226 %	7150,2555 litre	O
390	CM	85	CM	41 LEVEL CM	1645,0078 litre	18,583 %	7207,2149 litre	O
390	CM	85	CM	40 LEVEL CM	1588,5203 litre	17,945 %	7263,7024 litre	O
390	CM	85	CM	39 LEVEL CM	1532,5196 litre	17,312 %	7319,7031 litre	O
390	CM	85	CM	38 LEVEL CM	1477,0209 litre	16,685 %	7375,2018 litre	O
390	CM	85	CM	37 LEVEL CM	1422,0399 litre	16,064 %	7430,1828 litre	O
390	CM	85	CM	36 LEVEL CM	1367,5926 litre	15,449 %	7484,6301 litre	O
390	CM	85	CM	35 LEVEL CM	1313,6956 litre	14,840 %	7538,5271 litre	O
390	CM	85	CM	34 LEVEL CM	1260,3661 litre	14,238 %	7591,8566 litre	O
390	CM	85	CM	33 LEVEL CM	1207,6216 litre	13,642 %	7644,6011 litre	O
390	CM	85	CM	32 LEVEL CM	1155,4804 litre	13,053 %	7696,7423 litre	O
390	CM	85	CM	31 LEVEL CM	1103,9613 litre	12,471 %	7748,2614 litre	O
390	CM	85	CM	30 LEVEL CM	1053,0840 litre	11,896 %	7799,1387 litre	O
390	CM	85	CM	29 LEVEL CM	1002,8687 litre	11,329 %	7849,3540 litre	O
390	CM	85	CM	28 LEVEL CM	953,3365 litre	10,769 %	7898,8862 litre	O
390	CM	85	CM	27 LEVEL CM	904,5096 litre	10,218 %	7947,7131 litre	O
390	CM	85	CM	26 LEVEL CM	856,4107 litre	9,675 %	7995,8120 litre	O
390	CM	85	CM	25 LEVEL CM	809,0641 litre	9,140 %	8043,1586 litre	O
390	CM	85	CM	24 LEVEL CM	762,4949 litre	8,614 %	8089,7278 litre	O
390	CM	85	CM	23 LEVEL CM	716,7296 litre	8,097 %	8135,4931 litre	O
390	CM	85	CM	22 LEVEL CM	671,7961 litre	7,589 %	8180,4266 litre	O
390	CM	85	CM	21 LEVEL CM	627,7240 litre	7,091 %	8224,4987 litre	O
390	CM	85	CM	20 LEVEL CM	584,5444 litre	6,603 %	8267,6783 litre	O
390	CM	85	CM	19 LEVEL CM	542,2907 litre	6,126 %	8309,9320 litre	O
390	CM	85	CM	18 LEVEL CM	500,9983 litre	5,660 %	8351,2244 litre	O
390	CM	85	CM	17 LEVEL CM	460,7052 litre	5,204 %	8391,5175 litre	O
390	CM	85	CM	16 LEVEL CM	421,4525 litre	4,761 %	8430,7702 litre	O
390	CM	85	CM	15 LEVEL CM	383,2843 litre	4,330 %	8468,9384 litre	O
390	CM	85	CM	14 LEVEL CM	346,2488 litre	3,911 %	8505,9739 litre	O
390	CM	85	CM	13 LEVEL CM	310,3987 litre	3,506 %	8541,8240 litre	O

390	CM	85	CM	12 LEVEL CM	275,7924 litre	3,116 %	8576,4303 litre	O
390	CM	85	CM	11 LEVEL CM	242,4943 litre	2,739 %	8609,7284 litre	O
390	CM	85	CM	10 LEVEL CM	210,5773 litre	2,379 %	8641,6454 litre	O
390	CM	85	CM	9 LEVEL CM	180,1237 litre	2,035 %	8672,0990 litre	O
390	CM	85	CM	8 LEVEL CM	151,2288 litre	1,708 %	8700,9939 litre	O
390	CM	85	CM	7 LEVEL CM	124,0041 litre	1,401 %	8728,2186 litre	O
390	CM	85	CM	6 LEVEL CM	98,5830 litre	1,114 %	8753,6397 litre	O
390	CM	85	CM	5 LEVEL CM	75,1300 litre	0,849 %	8777,0927 litre	O
390	CM	85	CM	4 LEVEL CM	53,8553 litre	0,608 %	8798,3674 litre	O
390	CM	85	CM	3 LEVEL CM	35,0427 litre	0,396 %	8817,1800 litre	O
390	CM	85	CM	2 LEVEL CM	19,1088 litre	0,216 %	8833,1139 litre	O
390	CM	85	CM	1 LEVEL CM	6,7680 litre	0,076 %	8845,4547 litre	O
390	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	8852,2227 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 80	CM 160 LEVEL CM	7841,4153 litre	100,000 %	0,0000 litre	O
390	CM 80	CM 159 LEVEL CM	7834,8501 litre	99,916 %	6,5652 litre	O
390	CM 80	CM 158 LEVEL CM	7822,8811 litre	99,764 %	18,5342 litre	O
390	CM 80	CM 157 LEVEL CM	7807,4303 litre	99,567 %	33,9850 litre	O
390	CM 80	CM 156 LEVEL CM	7789,1914 litre	99,334 %	52,2239 litre	O
390	CM 80	CM 155 LEVEL CM	7768,5695 litre	99,071 %	72,8458 litre	O
390	CM 80	CM 154 LEVEL CM	7745,8405 litre	98,781 %	95,5748 litre	O
390	CM 80	CM 153 LEVEL CM	7721,2091 litre	98,467 %	120,2062 litre	O
390	CM 80	CM 152 LEVEL CM	7694,8354 litre	98,131 %	146,5799 litre	O
390	CM 80	CM 151 LEVEL CM	7666,8494 litre	97,774 %	174,5659 litre	O
390	CM 80	CM 150 LEVEL CM	7637,3599 litre	97,398 %	204,0554 litre	O
390	CM 80	CM 149 LEVEL CM	7606,4596 litre	97,004 %	234,9557 litre	O
390	CM 80	CM 148 LEVEL CM	7574,2291 litre	96,593 %	267,1862 litre	O
390	CM 80	CM 147 LEVEL CM	7540,7394 litre	96,166 %	300,6759 litre	O
390	CM 80	CM 146 LEVEL CM	7506,0536 litre	95,723 %	335,3617 litre	O
390	CM 80	CM 145 LEVEL CM	7470,2288 litre	95,266 %	371,1865 litre	O
390	CM 80	CM 144 LEVEL CM	7433,3165 litre	94,796 %	408,0988 litre	O
390	CM 80	CM 143 LEVEL CM	7395,3639 litre	94,312 %	446,0514 litre	O
390	CM 80	CM 142 LEVEL CM	7356,4143 litre	93,815 %	485,0010 litre	O
390	CM 80	CM 141 LEVEL CM	7316,5080 litre	93,306 %	524,9073 litre	O
390	CM 80	CM 140 LEVEL CM	7275,6822 litre	92,785 %	565,7331 litre	O
390	CM 80	CM 139 LEVEL CM	7233,9718 litre	92,253 %	607,4435 litre	O
390	CM 80	CM 138 LEVEL CM	7191,4094 litre	91,711 %	650,0059 litre	O
390	CM 80	CM 137 LEVEL CM	7148,0259 litre	91,157 %	693,3894 litre	O
390	CM 80	CM 136 LEVEL CM	7103,8502 litre	90,594 %	737,5651 litre	O
390	CM 80	CM 135 LEVEL CM	7058,9098 litre	90,021 %	782,5055 litre	O
390	CM 80	CM 134 LEVEL CM	7013,2308 litre	89,438 %	828,1845 litre	O
390	CM 80	CM 133 LEVEL CM	6966,8382 litre	88,847 %	874,5771 litre	O
390	CM 80	CM 132 LEVEL CM	6919,7556 litre	88,246 %	921,6597 litre	O
390	CM 80	CM 131 LEVEL CM	6872,0058 litre	87,637 %	969,4095 litre	O
390	CM 80	CM 130 LEVEL CM	6823,6105 litre	87,020 %	1017,8048 litre	O
390	CM 80	CM 129 LEVEL CM	6774,5907 litre	86,395 %	1066,8246 litre	O
390	CM 80	CM 128 LEVEL CM	6724,9664 litre	85,762 %	1116,4489 litre	O
390	CM 80	CM 127 LEVEL CM	6674,7570 litre	85,122 %	1166,6583 litre	O
390	CM 80	CM 126 LEVEL CM	6623,9814 litre	84,474 %	1217,4339 litre	O
390	CM 80	CM 125 LEVEL CM	6572,6574 litre	83,820 %	1268,7579 litre	O
390	CM 80	CM 124 LEVEL CM	6520,8028 litre	83,158 %	1320,6125 litre	O
390	CM 80	CM 123 LEVEL CM	6468,4345 litre	82,491 %	1372,9808 litre	O
390	CM 80	CM 122 LEVEL CM	6415,5689 litre	81,816 %	1425,8464 litre	O
390	CM 80	CM 121 LEVEL CM	6362,2222 litre	81,136 %	1479,1931 litre	O
390	CM 80	CM 120 LEVEL CM	6308,4099 litre	80,450 %	1533,0054 litre	O
390	CM 80	CM 119 LEVEL CM	6254,1472 litre	79,758 %	1587,2681 litre	O
390	CM 80	CM 118 LEVEL CM	6199,4490 litre	79,060 %	1641,9663 litre	O
390	CM 80	CM 117 LEVEL CM	6144,3298 litre	78,357 %	1697,0855 litre	O
390	CM 80	CM 116 LEVEL CM	6088,8036 litre	77,649 %	1752,6117 litre	O
390	CM 80	CM 115 LEVEL CM	6032,8844 litre	76,936 %	1808,5309 litre	O
390	CM 80	CM 114 LEVEL CM	5976,5856 litre	76,218 %	1864,8297 litre	O
390	CM 80	CM 113 LEVEL CM	5919,9206 litre	75,496 %	1921,4947 litre	O
390	CM 80	CM 112 LEVEL CM	5862,9024 litre	74,768 %	1978,5129 litre	O
390	CM 80	CM 111 LEVEL CM	5805,5437 litre	74,037 %	2035,8716 litre	O
390	CM 80	CM 110 LEVEL CM	5747,8572 litre	73,301 %	2093,5581 litre	O
390	CM 80	CM 109 LEVEL CM	5689,8551 litre	72,562 %	2151,5602 litre	O

390	CM	80	CM	108 LEVEL CM	5631,5496 litre	71,818 %	2209,8657 litre	O
390	CM	80	CM	107 LEVEL CM	5572,9527 litre	71,071 %	2268,4626 litre	O
390	CM	80	CM	106 LEVEL CM	5514,0761 litre	70,320 %	2327,3392 litre	O
390	CM	80	CM	105 LEVEL CM	5454,9314 litre	69,566 %	2386,4839 litre	O
390	CM	80	CM	104 LEVEL CM	5395,5302 litre	68,808 %	2445,8851 litre	O
390	CM	80	CM	103 LEVEL CM	5335,8836 litre	68,047 %	2505,5317 litre	O
390	CM	80	CM	102 LEVEL CM	5276,0028 litre	67,284 %	2565,4125 litre	O
390	CM	80	CM	101 LEVEL CM	5215,8990 litre	66,517 %	2625,5163 litre	O
390	CM	80	CM	100 LEVEL CM	5155,5830 litre	65,748 %	2685,8323 litre	O
390	CM	80	CM	99 LEVEL CM	5095,0655 litre	64,976 %	2746,3498 litre	O
390	CM	80	CM	98 LEVEL CM	5034,3573 litre	64,202 %	2807,0580 litre	O
390	CM	80	CM	97 LEVEL CM	4973,4690 litre	63,426 %	2867,9463 litre	O
390	CM	80	CM	96 LEVEL CM	4912,4111 litre	62,647 %	2929,0042 litre	O
390	CM	80	CM	95 LEVEL CM	4851,1940 litre	61,866 %	2990,2213 litre	O
390	CM	80	CM	94 LEVEL CM	4789,8279 litre	61,084 %	3051,5874 litre	O
390	CM	80	CM	93 LEVEL CM	4728,3232 litre	60,299 %	3113,0921 litre	O
390	CM	80	CM	92 LEVEL CM	4666,6901 litre	59,513 %	3174,7252 litre	O
390	CM	80	CM	91 LEVEL CM	4604,9386 litre	58,726 %	3236,4767 litre	O
390	CM	80	CM	90 LEVEL CM	4543,0788 litre	57,937 %	3298,3365 litre	O
390	CM	80	CM	89 LEVEL CM	4481,1207 litre	57,147 %	3360,2946 litre	O
390	CM	80	CM	88 LEVEL CM	4419,0744 litre	56,356 %	3422,3409 litre	O
390	CM	80	CM	87 LEVEL CM	4356,9496 litre	55,563 %	3484,4657 litre	O
390	CM	80	CM	86 LEVEL CM	4294,7563 litre	54,770 %	3546,6590 litre	O
390	CM	80	CM	85 LEVEL CM	4232,5044 litre	53,976 %	3608,9109 litre	O
390	CM	80	CM	84 LEVEL CM	4170,2036 litre	53,182 %	3671,2117 litre	O
390	CM	80	CM	83 LEVEL CM	4107,8637 litre	52,387 %	3733,5516 litre	O
390	CM	80	CM	82 LEVEL CM	4045,4946 litre	51,591 %	3795,9207 litre	O
390	CM	80	CM	81 LEVEL CM	3983,1060 litre	50,796 %	3858,3093 litre	O
390	CM	80	CM	80 LEVEL CM	3920,7076 litre	50,000 %	3920,7077 litre	O
390	CM	80	CM	79 LEVEL CM	3858,3093 litre	49,204 %	3983,1060 litre	O
390	CM	80	CM	78 LEVEL CM	3795,9206 litre	48,409 %	4045,4947 litre	O
390	CM	80	CM	77 LEVEL CM	3733,5515 litre	47,613 %	4107,8638 litre	O
390	CM	80	CM	76 LEVEL CM	3671,2117 litre	46,818 %	4170,2036 litre	O
390	CM	80	CM	75 LEVEL CM	3608,9109 litre	46,024 %	4232,5044 litre	O
390	CM	80	CM	74 LEVEL CM	3546,6589 litre	45,230 %	4294,7564 litre	O
390	CM	80	CM	73 LEVEL CM	3484,4656 litre	44,437 %	4356,9497 litre	O
390	CM	80	CM	72 LEVEL CM	3422,3409 litre	43,644 %	4419,0744 litre	O
390	CM	80	CM	71 LEVEL CM	3360,2945 litre	42,853 %	4481,1208 litre	O
390	CM	80	CM	70 LEVEL CM	3298,3365 litre	42,063 %	4543,0788 litre	O
390	CM	80	CM	69 LEVEL CM	3236,4767 litre	41,274 %	4604,9386 litre	O
390	CM	80	CM	68 LEVEL CM	3174,7252 litre	40,487 %	4666,6901 litre	O
390	CM	80	CM	67 LEVEL CM	3113,0920 litre	39,701 %	4728,3233 litre	O
390	CM	80	CM	66 LEVEL CM	3051,5873 litre	38,916 %	4789,8280 litre	O
390	CM	80	CM	65 LEVEL CM	2990,2213 litre	38,134 %	4851,1940 litre	O
390	CM	80	CM	64 LEVEL CM	2929,0041 litre	37,353 %	4912,4112 litre	O
390	CM	80	CM	63 LEVEL CM	2867,9462 litre	36,574 %	4973,4691 litre	O
390	CM	80	CM	62 LEVEL CM	2807,0579 litre	35,798 %	5034,3574 litre	O
390	CM	80	CM	61 LEVEL CM	2746,3498 litre	35,024 %	5095,0655 litre	O
390	CM	80	CM	60 LEVEL CM	2685,8323 litre	34,252 %	5155,5830 litre	O
390	CM	80	CM	59 LEVEL CM	2625,5163 litre	33,483 %	5215,8990 litre	O
390	CM	80	CM	58 LEVEL CM	2565,4124 litre	32,716 %	5276,0029 litre	O
390	CM	80	CM	57 LEVEL CM	2505,5317 litre	31,953 %	5335,8836 litre	O
390	CM	80	CM	56 LEVEL CM	2445,8851 litre	31,192 %	5395,5302 litre	O

390	CM	80	CM	55 LEVEL CM	2386,4838 litre	30,434 %	5454,9315 litre	O
390	CM	80	CM	54 LEVEL CM	2327,3391 litre	29,680 %	5514,0762 litre	O
390	CM	80	CM	53 LEVEL CM	2268,4625 litre	28,929 %	5572,9528 litre	O
390	CM	80	CM	52 LEVEL CM	2209,8656 litre	28,182 %	5631,5497 litre	O
390	CM	80	CM	51 LEVEL CM	2151,5601 litre	27,438 %	5689,8552 litre	O
390	CM	80	CM	50 LEVEL CM	2093,5581 litre	26,699 %	5747,8572 litre	O
390	CM	80	CM	49 LEVEL CM	2035,8715 litre	25,963 %	5805,5438 litre	O
390	CM	80	CM	48 LEVEL CM	1978,5129 litre	25,232 %	5862,9024 litre	O
390	CM	80	CM	47 LEVEL CM	1921,4947 litre	24,504 %	5919,9206 litre	O
390	CM	80	CM	46 LEVEL CM	1864,8297 litre	23,782 %	5976,5856 litre	O
390	CM	80	CM	45 LEVEL CM	1808,5309 litre	23,064 %	6032,8844 litre	O
390	CM	80	CM	44 LEVEL CM	1752,6117 litre	22,351 %	6088,8036 litre	O
390	CM	80	CM	43 LEVEL CM	1697,0855 litre	21,643 %	6144,3298 litre	O
390	CM	80	CM	42 LEVEL CM	1641,9662 litre	20,940 %	6199,4491 litre	O
390	CM	80	CM	41 LEVEL CM	1587,2680 litre	20,242 %	6254,1473 litre	O
390	CM	80	CM	40 LEVEL CM	1533,0054 litre	19,550 %	6308,4099 litre	O
390	CM	80	CM	39 LEVEL CM	1479,1931 litre	18,864 %	6362,2222 litre	O
390	CM	80	CM	38 LEVEL CM	1425,8464 litre	18,184 %	6415,5689 litre	O
390	CM	80	CM	37 LEVEL CM	1372,9808 litre	17,509 %	6468,4345 litre	O
390	CM	80	CM	36 LEVEL CM	1320,6125 litre	16,842 %	6520,8028 litre	O
390	CM	80	CM	35 LEVEL CM	1268,7578 litre	16,180 %	6572,6575 litre	O
390	CM	80	CM	34 LEVEL CM	1217,4339 litre	15,526 %	6623,9814 litre	O
390	CM	80	CM	33 LEVEL CM	1166,6582 litre	14,878 %	6674,7571 litre	O
390	CM	80	CM	32 LEVEL CM	1116,4489 litre	14,238 %	6724,9664 litre	O
390	CM	80	CM	31 LEVEL CM	1066,8246 litre	13,605 %	6774,5907 litre	O
390	CM	80	CM	30 LEVEL CM	1017,8047 litre	12,980 %	6823,6106 litre	O
390	CM	80	CM	29 LEVEL CM	969,4094 litre	12,363 %	6872,0059 litre	O
390	CM	80	CM	28 LEVEL CM	921,6596 litre	11,754 %	6919,7557 litre	O
390	CM	80	CM	27 LEVEL CM	874,5770 litre	11,153 %	6966,8383 litre	O
390	CM	80	CM	26 LEVEL CM	828,1844 litre	10,562 %	7013,2309 litre	O
390	CM	80	CM	25 LEVEL CM	782,5055 litre	9,979 %	7058,9098 litre	O
390	CM	80	CM	24 LEVEL CM	737,5651 litre	9,406 %	7103,8502 litre	O
390	CM	80	CM	23 LEVEL CM	693,3894 litre	8,843 %	7148,0259 litre	O
390	CM	80	CM	22 LEVEL CM	650,0058 litre	8,289 %	7191,4095 litre	O
390	CM	80	CM	21 LEVEL CM	607,4435 litre	7,747 %	7233,9718 litre	O
390	CM	80	CM	20 LEVEL CM	565,7331 litre	7,215 %	7275,6822 litre	O
390	CM	80	CM	19 LEVEL CM	524,9073 litre	6,694 %	7316,5080 litre	O
390	CM	80	CM	18 LEVEL CM	485,0009 litre	6,185 %	7356,4144 litre	O
390	CM	80	CM	17 LEVEL CM	446,0514 litre	5,688 %	7395,3639 litre	O
390	CM	80	CM	16 LEVEL CM	408,0988 litre	5,204 %	7433,3165 litre	O
390	CM	80	CM	15 LEVEL CM	371,1865 litre	4,734 %	7470,2288 litre	O
390	CM	80	CM	14 LEVEL CM	335,3616 litre	4,277 %	7506,0537 litre	O
390	CM	80	CM	13 LEVEL CM	300,6759 litre	3,834 %	7540,7394 litre	O
390	CM	80	CM	12 LEVEL CM	267,1862 litre	3,407 %	7574,2291 litre	O
390	CM	80	CM	11 LEVEL CM	234,9557 litre	2,996 %	7606,4596 litre	O
390	CM	80	CM	10 LEVEL CM	204,0554 litre	2,602 %	7637,3599 litre	O
390	CM	80	CM	9 LEVEL CM	174,5658 litre	2,226 %	7666,8495 litre	O
390	CM	80	CM	8 LEVEL CM	146,5799 litre	1,869 %	7694,8354 litre	O
390	CM	80	CM	7 LEVEL CM	120,2061 litre	1,533 %	7721,2092 litre	O
390	CM	80	CM	6 LEVEL CM	95,5747 litre	1,219 %	7745,8406 litre	O
390	CM	80	CM	5 LEVEL CM	72,8458 litre	0,929 %	7768,5695 litre	O
390	CM	80	CM	4 LEVEL CM	52,2239 litre	0,666 %	7789,1914 litre	O
390	CM	80	CM	3 LEVEL CM	33,9850 litre	0,433 %	7807,4303 litre	O

390_80

-1651-

390	CM 80	CM	2 LEVEL CM	18,5342 litre	0,236 %	7822,8811 litre	O
390	CM 80	CM	1 LEVEL CM	6,5652 litre	0,084 %	7834,8501 litre	O
390	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	7841,4153 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM	75	CM 150 LEVEL CM	6891,8689 litre	100,000 %	0,0000 litre	O
390	CM	75	CM 149 LEVEL CM	6885,5130 litre	99,908 %	6,3559 litre	O
390	CM	75	CM 148 LEVEL CM	6873,9278 litre	99,740 %	17,9411 litre	O
390	CM	75	CM 147 LEVEL CM	6858,9756 litre	99,523 %	32,8933 litre	O
390	CM	75	CM 146 LEVEL CM	6841,3291 litre	99,267 %	50,5398 litre	O
390	CM	75	CM 145 LEVEL CM	6821,3813 litre	98,977 %	70,4876 litre	O
390	CM	75	CM 144 LEVEL CM	6799,4002 litre	98,658 %	92,4687 litre	O
390	CM	75	CM 143 LEVEL CM	6775,5847 litre	98,313 %	116,2842 litre	O
390	CM	75	CM 142 LEVEL CM	6750,0904 litre	97,943 %	141,7785 litre	O
390	CM	75	CM 141 LEVEL CM	6723,0438 litre	97,550 %	168,8251 litre	O
390	CM	75	CM 140 LEVEL CM	6694,5509 litre	97,137 %	197,3180 litre	O
390	CM	75	CM 139 LEVEL CM	6664,7020 litre	96,704 %	227,1669 litre	O
390	CM	75	CM 138 LEVEL CM	6633,5756 litre	96,252 %	258,2933 litre	O
390	CM	75	CM 137 LEVEL CM	6601,2411 litre	95,783 %	290,6278 litre	O
390	CM	75	CM 136 LEVEL CM	6567,7601 litre	95,297 %	324,1088 litre	O
390	CM	75	CM 135 LEVEL CM	6533,1883 litre	94,796 %	358,6806 litre	O
390	CM	75	CM 134 LEVEL CM	6497,5762 litre	94,279 %	394,2927 litre	O
390	CM	75	CM 133 LEVEL CM	6460,9698 litre	93,748 %	430,8991 litre	O
390	CM	75	CM 132 LEVEL CM	6423,4118 litre	93,203 %	468,4571 litre	O
390	CM	75	CM 131 LEVEL CM	6384,9415 litre	92,645 %	506,9274 litre	O
390	CM	75	CM 130 LEVEL CM	6345,5954 litre	92,074 %	546,2735 litre	O
390	CM	75	CM 129 LEVEL CM	6305,4078 litre	91,491 %	586,4611 litre	O
390	CM	75	CM 128 LEVEL CM	6264,4108 litre	90,896 %	627,4581 litre	O
390	CM	75	CM 127 LEVEL CM	6222,6346 litre	90,290 %	669,2343 litre	O
390	CM	75	CM 126 LEVEL CM	6180,1079 litre	89,672 %	711,7610 litre	O
390	CM	75	CM 125 LEVEL CM	6136,8576 litre	89,045 %	755,0113 litre	O
390	CM	75	CM 124 LEVEL CM	6092,9096 litre	88,407 %	798,9593 litre	O
390	CM	75	CM 123 LEVEL CM	6048,2884 litre	87,760 %	843,5805 litre	O
390	CM	75	CM 122 LEVEL CM	6003,0174 litre	87,103 %	888,8515 litre	O
390	CM	75	CM 121 LEVEL CM	5957,1191 litre	86,437 %	934,7498 litre	O
390	CM	75	CM 120 LEVEL CM	5910,6150 litre	85,762 %	981,2539 litre	O
390	CM	75	CM 119 LEVEL CM	5863,5259 litre	85,079 %	1028,3430 litre	O
390	CM	75	CM 118 LEVEL CM	5815,8716 litre	84,387 %	1075,9973 litre	O
390	CM	75	CM 117 LEVEL CM	5767,6715 litre	83,688 %	1124,1974 litre	O
390	CM	75	CM 116 LEVEL CM	5718,9441 litre	82,981 %	1172,9248 litre	O
390	CM	75	CM 115 LEVEL CM	5669,7074 litre	82,267 %	1222,1615 litre	O
390	CM	75	CM 114 LEVEL CM	5619,9789 litre	81,545 %	1271,8900 litre	O
390	CM	75	CM 113 LEVEL CM	5569,7755 litre	80,817 %	1322,0934 litre	O
390	CM	75	CM 112 LEVEL CM	5519,1137 litre	80,082 %	1372,7552 litre	O
390	CM	75	CM 111 LEVEL CM	5468,0094 litre	79,340 %	1423,8595 litre	O
390	CM	75	CM 110 LEVEL CM	5416,4784 litre	78,592 %	1475,3905 litre	O
390	CM	75	CM 109 LEVEL CM	5364,5358 litre	77,839 %	1527,3331 litre	O
390	CM	75	CM 108 LEVEL CM	5312,1964 litre	77,079 %	1579,6725 litre	O
390	CM	75	CM 107 LEVEL CM	5259,4748 litre	76,314 %	1632,3941 litre	O
390	CM	75	CM 106 LEVEL CM	5206,3852 litre	75,544 %	1685,4837 litre	O
390	CM	75	CM 105 LEVEL CM	5152,9416 litre	74,768 %	1738,9273 litre	O
390	CM	75	CM 104 LEVEL CM	5099,1575 litre	73,988 %	1792,7114 litre	O
390	CM	75	CM 103 LEVEL CM	5045,0463 litre	73,203 %	1846,8226 litre	O
390	CM	75	CM 102 LEVEL CM	4990,6212 litre	72,413 %	1901,2477 litre	O
390	CM	75	CM 101 LEVEL CM	4935,8951 litre	71,619 %	1955,9738 litre	O
390	CM	75	CM 100 LEVEL CM	4880,8808 litre	70,821 %	2010,9881 litre	O
390	CM	75	CM 99 LEVEL CM	4825,5906 litre	70,019 %	2066,2783 litre	O

390	CM	75	CM	98 LEVEL CM	4770,0370 litre	69,213 %	2121,8319 litre	O
390	CM	75	CM	97 LEVEL CM	4714,2321 litre	68,403 %	2177,6368 litre	O
390	CM	75	CM	96 LEVEL CM	4658,1878 litre	67,590 %	2233,6811 litre	O
390	CM	75	CM	95 LEVEL CM	4601,9160 litre	66,773 %	2289,9529 litre	O
390	CM	75	CM	94 LEVEL CM	4545,4283 litre	65,953 %	2346,4406 litre	O
390	CM	75	CM	93 LEVEL CM	4488,7365 litre	65,131 %	2403,1324 litre	O
390	CM	75	CM	92 LEVEL CM	4431,8517 litre	64,306 %	2460,0172 litre	O
390	CM	75	CM	91 LEVEL CM	4374,7854 litre	63,477 %	2517,0835 litre	O
390	CM	75	CM	90 LEVEL CM	4317,5488 litre	62,647 %	2574,3201 litre	O
390	CM	75	CM	89 LEVEL CM	4260,1530 litre	61,814 %	2631,7159 litre	O
390	CM	75	CM	88 LEVEL CM	4202,6090 litre	60,979 %	2689,2599 litre	O
390	CM	75	CM	87 LEVEL CM	4144,9276 litre	60,142 %	2746,9413 litre	O
390	CM	75	CM	86 LEVEL CM	4087,1199 litre	59,304 %	2804,7490 litre	O
390	CM	75	CM	85 LEVEL CM	4029,1965 litre	58,463 %	2862,6724 litre	O
390	CM	75	CM	84 LEVEL CM	3971,1681 litre	57,621 %	2920,7008 litre	O
390	CM	75	CM	83 LEVEL CM	3913,0455 litre	56,778 %	2978,8234 litre	O
390	CM	75	CM	82 LEVEL CM	3854,8391 litre	55,933 %	3037,0298 litre	O
390	CM	75	CM	81 LEVEL CM	3796,5597 litre	55,088 %	3095,3092 litre	O
390	CM	75	CM	80 LEVEL CM	3738,2176 litre	54,241 %	3153,6513 litre	O
390	CM	75	CM	79 LEVEL CM	3679,8235 litre	53,394 %	3212,0454 litre	O
390	CM	75	CM	78 LEVEL CM	3621,3876 litre	52,546 %	3270,4813 litre	O
390	CM	75	CM	77 LEVEL CM	3562,9206 litre	51,697 %	3328,9483 litre	O
390	CM	75	CM	76 LEVEL CM	3504,4327 litre	50,849 %	3387,4362 litre	O
390	CM	75	CM	75 LEVEL CM	3445,9344 litre	50,000 %	3445,9345 litre	O
390	CM	75	CM	74 LEVEL CM	3387,4362 litre	49,151 %	3504,4327 litre	O
390	CM	75	CM	73 LEVEL CM	3328,9483 litre	48,303 %	3562,9206 litre	O
390	CM	75	CM	72 LEVEL CM	3270,4813 litre	47,454 %	3621,3876 litre	O
390	CM	75	CM	71 LEVEL CM	3212,0454 litre	46,606 %	3679,8235 litre	O
390	CM	75	CM	70 LEVEL CM	3153,6513 litre	45,759 %	3738,2176 litre	O
390	CM	75	CM	69 LEVEL CM	3095,3092 litre	44,912 %	3796,5597 litre	O
390	CM	75	CM	68 LEVEL CM	3037,0298 litre	44,067 %	3854,8391 litre	O
390	CM	75	CM	67 LEVEL CM	2978,8234 litre	43,222 %	3913,0455 litre	O
390	CM	75	CM	66 LEVEL CM	2920,7008 litre	42,379 %	3971,1681 litre	O
390	CM	75	CM	65 LEVEL CM	2862,6724 litre	41,537 %	4029,1965 litre	O
390	CM	75	CM	64 LEVEL CM	2804,7490 litre	40,696 %	4087,1199 litre	O
390	CM	75	CM	63 LEVEL CM	2746,9412 litre	39,858 %	4144,9277 litre	O
390	CM	75	CM	62 LEVEL CM	2689,2599 litre	39,021 %	4202,6090 litre	O
390	CM	75	CM	61 LEVEL CM	2631,7159 litre	38,186 %	4260,1530 litre	O
390	CM	75	CM	60 LEVEL CM	2574,3201 litre	37,353 %	4317,5488 litre	O
390	CM	75	CM	59 LEVEL CM	2517,0834 litre	36,523 %	4374,7855 litre	O
390	CM	75	CM	58 LEVEL CM	2460,0172 litre	35,694 %	4431,8517 litre	O
390	CM	75	CM	57 LEVEL CM	2403,1324 litre	34,869 %	4488,7365 litre	O
390	CM	75	CM	56 LEVEL CM	2346,4405 litre	34,047 %	4545,4284 litre	O
390	CM	75	CM	55 LEVEL CM	2289,9529 litre	33,227 %	4601,9160 litre	O
390	CM	75	CM	54 LEVEL CM	2233,6811 litre	32,410 %	4658,1878 litre	O
390	CM	75	CM	53 LEVEL CM	2177,6368 litre	31,597 %	4714,2321 litre	O
390	CM	75	CM	52 LEVEL CM	2121,8319 litre	30,787 %	4770,0370 litre	O
390	CM	75	CM	51 LEVEL CM	2066,2783 litre	29,981 %	4825,5906 litre	O
390	CM	75	CM	50 LEVEL CM	2010,9881 litre	29,179 %	4880,8808 litre	O
390	CM	75	CM	49 LEVEL CM	1955,9737 litre	28,381 %	4935,8952 litre	O
390	CM	75	CM	48 LEVEL CM	1901,2477 litre	27,587 %	4990,6212 litre	O
390	CM	75	CM	47 LEVEL CM	1846,8226 litre	26,797 %	5045,0463 litre	O
390	CM	75	CM	46 LEVEL CM	1792,7114 litre	26,012 %	5099,1575 litre	O

390	CM	75	CM	45 LEVEL CM	1738,9273 litre	25,232 %	5152,9416 litre	O
390	CM	75	CM	44 LEVEL CM	1685,4837 litre	24,456 %	5206,3852 litre	O
390	CM	75	CM	43 LEVEL CM	1632,3941 litre	23,686 %	5259,4748 litre	O
390	CM	75	CM	42 LEVEL CM	1579,6725 litre	22,921 %	5312,1964 litre	O
390	CM	75	CM	41 LEVEL CM	1527,3331 litre	22,161 %	5364,5358 litre	O
390	CM	75	CM	40 LEVEL CM	1475,3905 litre	21,408 %	5416,4784 litre	O
390	CM	75	CM	39 LEVEL CM	1423,8594 litre	20,660 %	5468,0095 litre	O
390	CM	75	CM	38 LEVEL CM	1372,7552 litre	19,918 %	5519,1137 litre	O
390	CM	75	CM	37 LEVEL CM	1322,0934 litre	19,183 %	5569,7755 litre	O
390	CM	75	CM	36 LEVEL CM	1271,8900 litre	18,455 %	5619,9789 litre	O
390	CM	75	CM	35 LEVEL CM	1222,1615 litre	17,733 %	5669,7074 litre	O
390	CM	75	CM	34 LEVEL CM	1172,9248 litre	17,019 %	5718,9441 litre	O
390	CM	75	CM	33 LEVEL CM	1124,1974 litre	16,312 %	5767,6715 litre	O
390	CM	75	CM	32 LEVEL CM	1075,9973 litre	15,613 %	5815,8716 litre	O
390	CM	75	CM	31 LEVEL CM	1028,3430 litre	14,921 %	5863,5259 litre	O
390	CM	75	CM	30 LEVEL CM	981,2539 litre	14,238 %	5910,6150 litre	O
390	CM	75	CM	29 LEVEL CM	934,7498 litre	13,563 %	5957,1191 litre	O
390	CM	75	CM	28 LEVEL CM	888,8515 litre	12,897 %	6003,0174 litre	O
390	CM	75	CM	27 LEVEL CM	843,5805 litre	12,240 %	6048,2884 litre	O
390	CM	75	CM	26 LEVEL CM	798,9593 litre	11,593 %	6092,9096 litre	O
390	CM	75	CM	25 LEVEL CM	755,0113 litre	10,955 %	6136,8576 litre	O
390	CM	75	CM	24 LEVEL CM	711,7610 litre	10,328 %	6180,1079 litre	O
390	CM	75	CM	23 LEVEL CM	669,2342 litre	9,710 %	6222,6347 litre	O
390	CM	75	CM	22 LEVEL CM	627,4581 litre	9,104 %	6264,4108 litre	O
390	CM	75	CM	21 LEVEL CM	586,4611 litre	8,509 %	6305,4078 litre	O
390	CM	75	CM	20 LEVEL CM	546,2735 litre	7,926 %	6345,5954 litre	O
390	CM	75	CM	19 LEVEL CM	506,9274 litre	7,355 %	6384,9415 litre	O
390	CM	75	CM	18 LEVEL CM	468,4571 litre	6,797 %	6423,4118 litre	O
390	CM	75	CM	17 LEVEL CM	430,8990 litre	6,252 %	6460,9699 litre	O
390	CM	75	CM	16 LEVEL CM	394,2927 litre	5,721 %	6497,5762 litre	O
390	CM	75	CM	15 LEVEL CM	358,6806 litre	5,204 %	6533,1883 litre	O
390	CM	75	CM	14 LEVEL CM	324,1088 litre	4,703 %	6567,7601 litre	O
390	CM	75	CM	13 LEVEL CM	290,6278 litre	4,217 %	6601,2411 litre	O
390	CM	75	CM	12 LEVEL CM	258,2933 litre	3,748 %	6633,5756 litre	O
390	CM	75	CM	11 LEVEL CM	227,1669 litre	3,296 %	6664,7020 litre	O
390	CM	75	CM	10 LEVEL CM	197,3180 litre	2,863 %	6694,5509 litre	O
390	CM	75	CM	9 LEVEL CM	168,8250 litre	2,450 %	6723,0439 litre	O
390	CM	75	CM	8 LEVEL CM	141,7785 litre	2,057 %	6750,0904 litre	O
390	CM	75	CM	7 LEVEL CM	116,2842 litre	1,687 %	6775,5847 litre	O
390	CM	75	CM	6 LEVEL CM	92,4686 litre	1,342 %	6799,4003 litre	O
390	CM	75	CM	5 LEVEL CM	70,4876 litre	1,023 %	6821,3813 litre	O
390	CM	75	CM	4 LEVEL CM	50,5398 litre	0,733 %	6841,3291 litre	O
390	CM	75	CM	3 LEVEL CM	32,8933 litre	0,477 %	6858,9756 litre	O
390	CM	75	CM	2 LEVEL CM	17,9411 litre	0,260 %	6873,9278 litre	O
390	CM	75	CM	1 LEVEL CM	6,3559 litre	0,092 %	6885,5130 litre	O
390	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	6891,8689 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 70	CM 140 LEVEL CM	6003,5836 litre	100,000 %	0,0000 litre	O
390	CM 70	CM 139 LEVEL CM	5997,4440 litre	99,898 %	6,1396 litre	O
390	CM 70	CM 138 LEVEL CM	5986,2558 litre	99,711 %	17,3278 litre	O
390	CM 70	CM 137 LEVEL CM	5971,8194 litre	99,471 %	31,7642 litre	O
390	CM 70	CM 136 LEVEL CM	5954,7859 litre	99,187 %	48,7977 litre	O
390	CM 70	CM 135 LEVEL CM	5935,5358 litre	98,867 %	68,0478 litre	O
390	CM 70	CM 134 LEVEL CM	5914,3290 litre	98,513 %	89,2546 litre	O
390	CM 70	CM 133 LEVEL CM	5891,3584 litre	98,131 %	112,2252 litre	O
390	CM 70	CM 132 LEVEL CM	5866,7749 litre	97,721 %	136,8087 litre	O
390	CM 70	CM 131 LEVEL CM	5840,7016 litre	97,287 %	162,8820 litre	O
390	CM 70	CM 130 LEVEL CM	5813,2414 litre	96,830 %	190,3422 litre	O
390	CM 70	CM 129 LEVEL CM	5784,4822 litre	96,350 %	219,1014 litre	O
390	CM 70	CM 128 LEVEL CM	5754,5006 litre	95,851 %	249,0830 litre	O
390	CM 70	CM 127 LEVEL CM	5723,3641 litre	95,332 %	280,2195 litre	O
390	CM 70	CM 126 LEVEL CM	5691,1329 litre	94,796 %	312,4507 litre	O
390	CM 70	CM 125 LEVEL CM	5657,8613 litre	94,241 %	345,7223 litre	O
390	CM 70	CM 124 LEVEL CM	5623,5987 litre	93,671 %	379,9849 litre	O
390	CM 70	CM 123 LEVEL CM	5588,3901 litre	93,084 %	415,1935 litre	O
390	CM 70	CM 122 LEVEL CM	5552,2772 litre	92,483 %	451,3064 litre	O
390	CM 70	CM 121 LEVEL CM	5515,2985 litre	91,867 %	488,2851 litre	O
390	CM 70	CM 120 LEVEL CM	5477,4900 litre	91,237 %	526,0936 litre	O
390	CM 70	CM 119 LEVEL CM	5438,8853 litre	90,594 %	564,6983 litre	O
390	CM 70	CM 118 LEVEL CM	5399,5158 litre	89,938 %	604,0678 litre	O
390	CM 70	CM 117 LEVEL CM	5359,4114 litre	89,270 %	644,1722 litre	O
390	CM 70	CM 116 LEVEL CM	5318,6002 litre	88,590 %	684,9834 litre	O
390	CM 70	CM 115 LEVEL CM	5277,1088 litre	87,899 %	726,4748 litre	O
390	CM 70	CM 114 LEVEL CM	5234,9628 litre	87,197 %	768,6208 litre	O
390	CM 70	CM 113 LEVEL CM	5192,1862 litre	86,485 %	811,3974 litre	O
390	CM 70	CM 112 LEVEL CM	5148,8024 litre	85,762 %	854,7812 litre	O
390	CM 70	CM 111 LEVEL CM	5104,8335 litre	85,030 %	898,7501 litre	O
390	CM 70	CM 110 LEVEL CM	5060,3009 litre	84,288 %	943,2827 litre	O
390	CM 70	CM 109 LEVEL CM	5015,2250 litre	83,537 %	988,3586 litre	O
390	CM 70	CM 108 LEVEL CM	4969,6258 litre	82,778 %	1033,9578 litre	O
390	CM 70	CM 107 LEVEL CM	4923,5224 litre	82,010 %	1080,0612 litre	O
390	CM 70	CM 106 LEVEL CM	4876,9333 litre	81,234 %	1126,6503 litre	O
390	CM 70	CM 105 LEVEL CM	4829,8763 litre	80,450 %	1173,7073 litre	O
390	CM 70	CM 104 LEVEL CM	4782,3690 litre	79,659 %	1221,2146 litre	O
390	CM 70	CM 103 LEVEL CM	4734,4282 litre	78,860 %	1269,1554 litre	O
390	CM 70	CM 102 LEVEL CM	4686,0705 litre	78,055 %	1317,5131 litre	O
390	CM 70	CM 101 LEVEL CM	4637,3118 litre	77,242 %	1366,2718 litre	O
390	CM 70	CM 100 LEVEL CM	4588,1678 litre	76,424 %	1415,4158 litre	O
390	CM 70	CM 99 LEVEL CM	4538,6537 litre	75,599 %	1464,9299 litre	O
390	CM 70	CM 98 LEVEL CM	4488,7846 litre	74,768 %	1514,7990 litre	O
390	CM 70	CM 97 LEVEL CM	4438,5751 litre	73,932 %	1565,0085 litre	O
390	CM 70	CM 96 LEVEL CM	4388,0395 litre	73,090 %	1615,5441 litre	O
390	CM 70	CM 95 LEVEL CM	4337,1918 litre	72,243 %	1666,3918 litre	O
390	CM 70	CM 94 LEVEL CM	4286,0458 litre	71,391 %	1717,5378 litre	O
390	CM 70	CM 93 LEVEL CM	4234,6151 litre	70,535 %	1768,9685 litre	O
390	CM 70	CM 92 LEVEL CM	4182,9131 litre	69,674 %	1820,6705 litre	O
390	CM 70	CM 91 LEVEL CM	4130,9528 litre	68,808 %	1872,6308 litre	O
390	CM 70	CM 90 LEVEL CM	4078,7472 litre	67,939 %	1924,8364 litre	O
390	CM 70	CM 89 LEVEL CM	4026,3090 litre	67,065 %	1977,2746 litre	O

390	CM	70	CM	88 LEVEL CM	3973,6509 litre	66,188 %	2029,9327 litre	O
390	CM	70	CM	87 LEVEL CM	3920,7852 litre	65,307 %	2082,7984 litre	O
390	CM	70	CM	86 LEVEL CM	3867,7242 litre	64,424 %	2135,8594 litre	O
390	CM	70	CM	85 LEVEL CM	3814,4800 litre	63,537 %	2189,1036 litre	O
390	CM	70	CM	84 LEVEL CM	3761,0648 litre	62,647 %	2242,5188 litre	O
390	CM	70	CM	83 LEVEL CM	3707,4903 litre	61,755 %	2296,0933 litre	O
390	CM	70	CM	82 LEVEL CM	3653,7683 litre	60,860 %	2349,8153 litre	O
390	CM	70	CM	81 LEVEL CM	3599,9107 litre	59,963 %	2403,6729 litre	O
390	CM	70	CM	80 LEVEL CM	3545,9289 litre	59,064 %	2457,6547 litre	O
390	CM	70	CM	79 LEVEL CM	3491,8345 litre	58,163 %	2511,7491 litre	O
390	CM	70	CM	78 LEVEL CM	3437,6391 litre	57,260 %	2565,9445 litre	O
390	CM	70	CM	77 LEVEL CM	3383,3538 litre	56,356 %	2620,2298 litre	O
390	CM	70	CM	76 LEVEL CM	3328,9902 litre	55,450 %	2674,5934 litre	O
390	CM	70	CM	75 LEVEL CM	3274,5595 litre	54,543 %	2729,0241 litre	O
390	CM	70	CM	74 LEVEL CM	3220,0729 litre	53,636 %	2783,5107 litre	O
390	CM	70	CM	73 LEVEL CM	3165,5416 litre	52,728 %	2838,0420 litre	O
390	CM	70	CM	72 LEVEL CM	3110,9769 litre	51,819 %	2892,6067 litre	O
390	CM	70	CM	71 LEVEL CM	3056,3899 litre	50,909 %	2947,1937 litre	O
390	CM	70	CM	70 LEVEL CM	3001,7918 litre	50,000 %	3001,7918 litre	O
390	CM	70	CM	69 LEVEL CM	2947,1936 litre	49,091 %	3056,3900 litre	O
390	CM	70	CM	68 LEVEL CM	2892,6066 litre	48,181 %	3110,9770 litre	O
390	CM	70	CM	67 LEVEL CM	2838,0419 litre	47,272 %	3165,5417 litre	O
390	CM	70	CM	66 LEVEL CM	2783,5107 litre	46,364 %	3220,0729 litre	O
390	CM	70	CM	65 LEVEL CM	2729,0241 litre	45,457 %	3274,5595 litre	O
390	CM	70	CM	64 LEVEL CM	2674,5934 litre	44,550 %	3328,9902 litre	O
390	CM	70	CM	63 LEVEL CM	2620,2297 litre	43,644 %	3383,3539 litre	O
390	CM	70	CM	62 LEVEL CM	2565,9445 litre	42,740 %	3437,6391 litre	O
390	CM	70	CM	61 LEVEL CM	2511,7490 litre	41,837 %	3491,8346 litre	O
390	CM	70	CM	60 LEVEL CM	2457,6547 litre	40,936 %	3545,9289 litre	O
390	CM	70	CM	59 LEVEL CM	2403,6729 litre	40,037 %	3599,9107 litre	O
390	CM	70	CM	58 LEVEL CM	2349,8152 litre	39,140 %	3653,7684 litre	O
390	CM	70	CM	57 LEVEL CM	2296,0933 litre	38,245 %	3707,4903 litre	O
390	CM	70	CM	56 LEVEL CM	2242,5188 litre	37,353 %	3761,0648 litre	O
390	CM	70	CM	55 LEVEL CM	2189,1035 litre	36,463 %	3814,4801 litre	O
390	CM	70	CM	54 LEVEL CM	2135,8594 litre	35,576 %	3867,7242 litre	O
390	CM	70	CM	53 LEVEL CM	2082,7984 litre	34,693 %	3920,7852 litre	O
390	CM	70	CM	52 LEVEL CM	2029,9327 litre	33,812 %	3973,6509 litre	O
390	CM	70	CM	51 LEVEL CM	1977,2745 litre	32,935 %	4026,3091 litre	O
390	CM	70	CM	50 LEVEL CM	1924,8364 litre	32,061 %	4078,7472 litre	O
390	CM	70	CM	49 LEVEL CM	1872,6308 litre	31,192 %	4130,9528 litre	O
390	CM	70	CM	48 LEVEL CM	1820,6705 litre	30,326 %	4182,9131 litre	O
390	CM	70	CM	47 LEVEL CM	1768,9685 litre	29,465 %	4234,6151 litre	O
390	CM	70	CM	46 LEVEL CM	1717,5378 litre	28,609 %	4286,0458 litre	O
390	CM	70	CM	45 LEVEL CM	1666,3918 litre	27,757 %	4337,1918 litre	O
390	CM	70	CM	44 LEVEL CM	1615,5441 litre	26,910 %	4388,0395 litre	O
390	CM	70	CM	43 LEVEL CM	1565,0085 litre	26,068 %	4438,5751 litre	O
390	CM	70	CM	42 LEVEL CM	1514,7989 litre	25,232 %	4488,7847 litre	O
390	CM	70	CM	41 LEVEL CM	1464,9298 litre	24,401 %	4538,6538 litre	O
390	CM	70	CM	40 LEVEL CM	1415,4158 litre	23,576 %	4588,1678 litre	O
390	CM	70	CM	39 LEVEL CM	1366,2718 litre	22,758 %	4637,3118 litre	O
390	CM	70	CM	38 LEVEL CM	1317,5131 litre	21,945 %	4686,0705 litre	O
390	CM	70	CM	37 LEVEL CM	1269,1553 litre	21,140 %	4734,4283 litre	O
390	CM	70	CM	36 LEVEL CM	1221,2146 litre	20,341 %	4782,3690 litre	O

390	CM	70	CM	35 LEVEL CM	1173,7072 litre	19,550 %	4829,8764 litre	O
390	CM	70	CM	34 LEVEL CM	1126,6503 litre	18,766 %	4876,9333 litre	O
390	CM	70	CM	33 LEVEL CM	1080,0612 litre	17,990 %	4923,5224 litre	O
390	CM	70	CM	32 LEVEL CM	1033,9577 litre	17,222 %	4969,6259 litre	O
390	CM	70	CM	31 LEVEL CM	988,3585 litre	16,463 %	5015,2251 litre	O
390	CM	70	CM	30 LEVEL CM	943,2827 litre	15,712 %	5060,3009 litre	O
390	CM	70	CM	29 LEVEL CM	898,7501 litre	14,970 %	5104,8335 litre	O
390	CM	70	CM	28 LEVEL CM	854,7812 litre	14,238 %	5148,8024 litre	O
390	CM	70	CM	27 LEVEL CM	811,3973 litre	13,515 %	5192,1863 litre	O
390	CM	70	CM	26 LEVEL CM	768,6208 litre	12,803 %	5234,9628 litre	O
390	CM	70	CM	25 LEVEL CM	726,4747 litre	12,101 %	5277,1089 litre	O
390	CM	70	CM	24 LEVEL CM	684,9834 litre	11,410 %	5318,6002 litre	O
390	CM	70	CM	23 LEVEL CM	644,1721 litre	10,730 %	5359,4115 litre	O
390	CM	70	CM	22 LEVEL CM	604,0677 litre	10,062 %	5399,5159 litre	O
390	CM	70	CM	21 LEVEL CM	564,6983 litre	9,406 %	5438,8853 litre	O
390	CM	70	CM	20 LEVEL CM	526,0935 litre	8,763 %	5477,4901 litre	O
390	CM	70	CM	19 LEVEL CM	488,2850 litre	8,133 %	5515,2986 litre	O
390	CM	70	CM	18 LEVEL CM	451,3064 litre	7,517 %	5552,2772 litre	O
390	CM	70	CM	17 LEVEL CM	415,1935 litre	6,916 %	5588,3901 litre	O
390	CM	70	CM	16 LEVEL CM	379,9849 litre	6,329 %	5623,5987 litre	O
390	CM	70	CM	15 LEVEL CM	345,7222 litre	5,759 %	5657,8614 litre	O
390	CM	70	CM	14 LEVEL CM	312,4506 litre	5,204 %	5691,1330 litre	O
390	CM	70	CM	13 LEVEL CM	280,2194 litre	4,668 %	5723,3642 litre	O
390	CM	70	CM	12 LEVEL CM	249,0829 litre	4,149 %	5754,5007 litre	O
390	CM	70	CM	11 LEVEL CM	219,1014 litre	3,650 %	5784,4822 litre	O
390	CM	70	CM	10 LEVEL CM	190,3422 litre	3,170 %	5813,2414 litre	O
390	CM	70	CM	9 LEVEL CM	162,8820 litre	2,713 %	5840,7016 litre	O
390	CM	70	CM	8 LEVEL CM	136,8087 litre	2,279 %	5866,7749 litre	O
390	CM	70	CM	7 LEVEL CM	112,2252 litre	1,869 %	5891,3584 litre	O
390	CM	70	CM	6 LEVEL CM	89,2545 litre	1,487 %	5914,3291 litre	O
390	CM	70	CM	5 LEVEL CM	68,0477 litre	1,133 %	5935,5359 litre	O
390	CM	70	CM	4 LEVEL CM	48,7977 litre	0,813 %	5954,7859 litre	O
390	CM	70	CM	3 LEVEL CM	31,7642 litre	0,529 %	5971,8194 litre	O
390	CM	70	CM	2 LEVEL CM	17,3278 litre	0,289 %	5986,2558 litre	O
390	CM	70	CM	1 LEVEL CM	6,1395 litre	0,102 %	5997,4441 litre	O
390	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	6003,5836 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM 65	CM 130	LEVEL CM 5176,5593 litre	100,000 %	0,0000 litre	O
390	CM 65	CM 129	LEVEL CM 5170,6441 litre	99,886 %	5,9152 litre	O
390	CM 65	CM 128	LEVEL CM 5159,8674 litre	99,678 %	16,6919 litre	O
390	CM 65	CM 127	LEVEL CM 5145,9659 litre	99,409 %	30,5934 litre	O
390	CM 65	CM 126	LEVEL CM 5129,5683 litre	99,092 %	46,9910 litre	O
390	CM 65	CM 125	LEVEL CM 5111,0422 litre	98,734 %	65,5171 litre	O
390	CM 65	CM 124	LEVEL CM 5090,6391 litre	98,340 %	85,9202 litre	O
390	CM 65	CM 123	LEVEL CM 5068,5455 litre	97,913 %	108,0138 litre	O
390	CM 65	CM 122	LEVEL CM 5044,9079 litre	97,457 %	131,6514 litre	O
390	CM 65	CM 121	LEVEL CM 5019,8457 litre	96,973 %	156,7136 litre	O
390	CM 65	CM 120	LEVEL CM 4993,4586 litre	96,463 %	183,1007 litre	O
390	CM 65	CM 119	LEVEL CM 4965,8322 litre	95,929 %	210,7271 litre	O
390	CM 65	CM 118	LEVEL CM 4937,0408 litre	95,373 %	239,5185 litre	O
390	CM 65	CM 117	LEVEL CM 4907,1503 litre	94,796 %	269,4090 litre	O
390	CM 65	CM 116	LEVEL CM 4876,2194 litre	94,198 %	300,3399 litre	O
390	CM 65	CM 115	LEVEL CM 4844,3009 litre	93,581 %	332,2584 litre	O
390	CM 65	CM 114	LEVEL CM 4811,4431 litre	92,947 %	365,1162 litre	O
390	CM 65	CM 113	LEVEL CM 4777,6900 litre	92,295 %	398,8693 litre	O
390	CM 65	CM 112	LEVEL CM 4743,0825 litre	91,626 %	433,4768 litre	O
390	CM 65	CM 111	LEVEL CM 4707,6583 litre	90,942 %	468,9010 litre	O
390	CM 65	CM 110	LEVEL CM 4671,4527 litre	90,242 %	505,1066 litre	O
390	CM 65	CM 109	LEVEL CM 4634,4985 litre	89,529 %	542,0608 litre	O
390	CM 65	CM 108	LEVEL CM 4596,8269 litre	88,801 %	579,7324 litre	O
390	CM 65	CM 107	LEVEL CM 4558,4670 litre	88,060 %	618,0923 litre	O
390	CM 65	CM 106	LEVEL CM 4519,4466 litre	87,306 %	657,1127 litre	O
390	CM 65	CM 105	LEVEL CM 4479,7922 litre	86,540 %	696,7671 litre	O
390	CM 65	CM 104	LEVEL CM 4439,5286 litre	85,762 %	737,0307 litre	O
390	CM 65	CM 103	LEVEL CM 4398,6800 litre	84,973 %	777,8793 litre	O
390	CM 65	CM 102	LEVEL CM 4357,2692 litre	84,173 %	819,2901 litre	O
390	CM 65	CM 101	LEVEL CM 4315,3183 litre	83,363 %	861,2410 litre	O
390	CM 65	CM 100	LEVEL CM 4272,8486 litre	82,542 %	903,7107 litre	O
390	CM 65	CM 99	LEVEL CM 4229,8803 litre	81,712 %	946,6790 litre	O
390	CM 65	CM 98	LEVEL CM 4186,4333 litre	80,873 %	990,1260 litre	O
390	CM 65	CM 97	LEVEL CM 4142,5266 litre	80,025 %	1034,0327 litre	O
390	CM 65	CM 96	LEVEL CM 4098,1786 litre	79,168 %	1078,3807 litre	O
390	CM 65	CM 95	LEVEL CM 4053,4074 litre	78,303 %	1123,1519 litre	O
390	CM 65	CM 94	LEVEL CM 4008,2304 litre	77,430 %	1168,3289 litre	O
390	CM 65	CM 93	LEVEL CM 3962,6644 litre	76,550 %	1213,8949 litre	O
390	CM 65	CM 92	LEVEL CM 3916,7262 litre	75,663 %	1259,8331 litre	O
390	CM 65	CM 91	LEVEL CM 3870,4317 litre	74,768 %	1306,1276 litre	O
390	CM 65	CM 90	LEVEL CM 3823,7967 litre	73,868 %	1352,7626 litre	O
390	CM 65	CM 89	LEVEL CM 3776,8367 litre	72,960 %	1399,7226 litre	O
390	CM 65	CM 88	LEVEL CM 3729,5669 litre	72,047 %	1446,9924 litre	O
390	CM 65	CM 87	LEVEL CM 3682,0018 litre	71,128 %	1494,5575 litre	O
390	CM 65	CM 86	LEVEL CM 3634,1563 litre	70,204 %	1542,4030 litre	O
390	CM 65	CM 85	LEVEL CM 3586,0444 litre	69,275 %	1590,5149 litre	O
390	CM 65	CM 84	LEVEL CM 3537,6802 litre	68,340 %	1638,8791 litre	O
390	CM 65	CM 83	LEVEL CM 3489,0777 litre	67,401 %	1687,4816 litre	O
390	CM 65	CM 82	LEVEL CM 3440,2503 litre	66,458 %	1736,3090 litre	O
390	CM 65	CM 81	LEVEL CM 3391,2115 litre	65,511 %	1785,3478 litre	O
390	CM 65	CM 80	LEVEL CM 3341,9747 litre	64,560 %	1834,5846 litre	O
390	CM 65	CM 79	LEVEL CM 3292,5528 litre	63,605 %	1884,0065 litre	O

390	CM	65	CM	78 LEVEL CM	3242,9589 litre	62,647 %	1933,6004 litre	O
390	CM	65	CM	77 LEVEL CM	3193,2058 litre	61,686 %	1983,3535 litre	O
390	CM	65	CM	76 LEVEL CM	3143,3061 litre	60,722 %	2033,2532 litre	O
390	CM	65	CM	75 LEVEL CM	3093,2725 litre	59,755 %	2083,2868 litre	O
390	CM	65	CM	74 LEVEL CM	3043,1174 litre	58,786 %	2133,4419 litre	O
390	CM	65	CM	73 LEVEL CM	2992,8533 litre	57,815 %	2183,7060 litre	O
390	CM	65	CM	72 LEVEL CM	2942,4924 litre	56,843 %	2234,0669 litre	O
390	CM	65	CM	71 LEVEL CM	2892,0471 litre	55,868 %	2284,5122 litre	O
390	CM	65	CM	70 LEVEL CM	2841,5294 litre	54,892 %	2335,0299 litre	O
390	CM	65	CM	69 LEVEL CM	2790,9516 litre	53,915 %	2385,6077 litre	O
390	CM	65	CM	68 LEVEL CM	2740,3256 litre	52,937 %	2436,2337 litre	O
390	CM	65	CM	67 LEVEL CM	2689,6636 litre	51,959 %	2486,8957 litre	O
390	CM	65	CM	66 LEVEL CM	2638,9776 litre	50,979 %	2537,5817 litre	O
390	CM	65	CM	65 LEVEL CM	2588,2796 litre	50,000 %	2588,2797 litre	O
390	CM	65	CM	64 LEVEL CM	2537,5816 litre	49,021 %	2638,9777 litre	O
390	CM	65	CM	63 LEVEL CM	2486,8956 litre	48,041 %	2689,6637 litre	O
390	CM	65	CM	62 LEVEL CM	2436,2337 litre	47,063 %	2740,3256 litre	O
390	CM	65	CM	61 LEVEL CM	2385,6077 litre	46,085 %	2790,9516 litre	O
390	CM	65	CM	60 LEVEL CM	2335,0299 litre	45,108 %	2841,5294 litre	O
390	CM	65	CM	59 LEVEL CM	2284,5122 litre	44,132 %	2892,0471 litre	O
390	CM	65	CM	58 LEVEL CM	2234,0668 litre	43,157 %	2942,4925 litre	O
390	CM	65	CM	57 LEVEL CM	2183,7060 litre	42,185 %	2992,8533 litre	O
390	CM	65	CM	56 LEVEL CM	2133,4419 litre	41,214 %	3043,1174 litre	O
390	CM	65	CM	55 LEVEL CM	2083,2868 litre	40,245 %	3093,2725 litre	O
390	CM	65	CM	54 LEVEL CM	2033,2532 litre	39,278 %	3143,3061 litre	O
390	CM	65	CM	53 LEVEL CM	1983,3535 litre	38,314 %	3193,2058 litre	O
390	CM	65	CM	52 LEVEL CM	1933,6004 litre	37,353 %	3242,9589 litre	O
390	CM	65	CM	51 LEVEL CM	1884,0065 litre	36,395 %	3292,5528 litre	O
390	CM	65	CM	50 LEVEL CM	1834,5846 litre	35,440 %	3341,9747 litre	O
390	CM	65	CM	49 LEVEL CM	1785,3478 litre	34,489 %	3391,2115 litre	O
390	CM	65	CM	48 LEVEL CM	1736,3090 litre	33,542 %	3440,2503 litre	O
390	CM	65	CM	47 LEVEL CM	1687,4816 litre	32,599 %	3489,0777 litre	O
390	CM	65	CM	46 LEVEL CM	1638,8791 litre	31,660 %	3537,6802 litre	O
390	CM	65	CM	45 LEVEL CM	1590,5149 litre	30,725 %	3586,0444 litre	O
390	CM	65	CM	44 LEVEL CM	1542,4030 litre	29,796 %	3634,1563 litre	O
390	CM	65	CM	43 LEVEL CM	1494,5575 litre	28,872 %	3682,0018 litre	O
390	CM	65	CM	42 LEVEL CM	1446,9924 litre	27,953 %	3729,5669 litre	O
390	CM	65	CM	41 LEVEL CM	1399,7226 litre	27,040 %	3776,8367 litre	O
390	CM	65	CM	40 LEVEL CM	1352,7626 litre	26,132 %	3823,7967 litre	O
390	CM	65	CM	39 LEVEL CM	1306,1276 litre	25,232 %	3870,4317 litre	O
390	CM	65	CM	38 LEVEL CM	1259,8331 litre	24,337 %	3916,7262 litre	O
390	CM	65	CM	37 LEVEL CM	1213,8949 litre	23,450 %	3962,6644 litre	O
390	CM	65	CM	36 LEVEL CM	1168,3289 litre	22,570 %	4008,2304 litre	O
390	CM	65	CM	35 LEVEL CM	1123,1519 litre	21,697 %	4053,4074 litre	O
390	CM	65	CM	34 LEVEL CM	1078,3807 litre	20,832 %	4098,1786 litre	O
390	CM	65	CM	33 LEVEL CM	1034,0327 litre	19,975 %	4142,5266 litre	O
390	CM	65	CM	32 LEVEL CM	990,1260 litre	19,127 %	4186,4333 litre	O
390	CM	65	CM	31 LEVEL CM	946,6790 litre	18,288 %	4229,8803 litre	O
390	CM	65	CM	30 LEVEL CM	903,7107 litre	17,458 %	4272,8486 litre	O
390	CM	65	CM	29 LEVEL CM	861,2410 litre	16,637 %	4315,3183 litre	O
390	CM	65	CM	28 LEVEL CM	819,2901 litre	15,827 %	4357,2692 litre	O
390	CM	65	CM	27 LEVEL CM	777,8793 litre	15,027 %	4398,6800 litre	O
390	CM	65	CM	26 LEVEL CM	737,0307 litre	14,238 %	4439,5286 litre	O

390	CM	65	CM	25 LEVEL CM	696,7671 litre	13,460 %	4479,7922 litre	O
390	CM	65	CM	24 LEVEL CM	657,1126 litre	12,694 %	4519,4467 litre	O
390	CM	65	CM	23 LEVEL CM	618,0923 litre	11,940 %	4558,4670 litre	O
390	CM	65	CM	22 LEVEL CM	579,7324 litre	11,199 %	4596,8269 litre	O
390	CM	65	CM	21 LEVEL CM	542,0608 litre	10,471 %	4634,4985 litre	O
390	CM	65	CM	20 LEVEL CM	505,1066 litre	9,758 %	4671,4527 litre	O
390	CM	65	CM	19 LEVEL CM	468,9010 litre	9,058 %	4707,6583 litre	O
390	CM	65	CM	18 LEVEL CM	433,4768 litre	8,374 %	4743,0825 litre	O
390	CM	65	CM	17 LEVEL CM	398,8693 litre	7,705 %	4777,6900 litre	O
390	CM	65	CM	16 LEVEL CM	365,1162 litre	7,053 %	4811,4431 litre	O
390	CM	65	CM	15 LEVEL CM	332,2584 litre	6,419 %	4844,3009 litre	O
390	CM	65	CM	14 LEVEL CM	300,3399 litre	5,802 %	4876,2194 litre	O
390	CM	65	CM	13 LEVEL CM	269,4090 litre	5,204 %	4907,1503 litre	O
390	CM	65	CM	12 LEVEL CM	239,5185 litre	4,627 %	4937,0408 litre	O
390	CM	65	CM	11 LEVEL CM	210,7271 litre	4,071 %	4965,8322 litre	O
390	CM	65	CM	10 LEVEL CM	183,1007 litre	3,537 %	4993,4586 litre	O
390	CM	65	CM	9 LEVEL CM	156,7136 litre	3,027 %	5019,8457 litre	O
390	CM	65	CM	8 LEVEL CM	131,6514 litre	2,543 %	5044,9079 litre	O
390	CM	65	CM	7 LEVEL CM	108,0138 litre	2,087 %	5068,5455 litre	O
390	CM	65	CM	6 LEVEL CM	85,9202 litre	1,660 %	5090,6391 litre	O
390	CM	65	CM	5 LEVEL CM	65,5171 litre	1,266 %	5111,0422 litre	O
390	CM	65	CM	4 LEVEL CM	46,9910 litre	0,908 %	5129,5683 litre	O
390	CM	65	CM	3 LEVEL CM	30,5934 litre	0,591 %	5145,9659 litre	O
390	CM	65	CM	2 LEVEL CM	16,6919 litre	0,322 %	5159,8674 litre	O
390	CM	65	CM	1 LEVEL CM	5,9152 litre	0,114 %	5170,6441 litre	O
390	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	5176,5593 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM	60	CM 120 LEVEL CM	4410,7961 litre	100,000 %	0,0000 litre	O
390	CM	60	CM 119 LEVEL CM	4405,1140 litre	99,871 %	5,6821 litre	O
390	CM	60	CM 118 LEVEL CM	4394,7653 litre	99,637 %	16,0308 litre	O
390	CM	60	CM 117 LEVEL CM	4381,4202 litre	99,334 %	29,3759 litre	O
390	CM	60	CM 116 LEVEL CM	4365,6840 litre	98,977 %	45,1121 litre	O
390	CM	60	CM 115 LEVEL CM	4347,9115 litre	98,574 %	62,8846 litre	O
390	CM	60	CM 114 LEVEL CM	4328,3449 litre	98,131 %	82,4512 litre	O
390	CM	60	CM 113 LEVEL CM	4307,1647 litre	97,651 %	103,6314 litre	O
390	CM	60	CM 112 LEVEL CM	4284,5126 litre	97,137 %	126,2835 litre	O
390	CM	60	CM 111 LEVEL CM	4260,5039 litre	96,593 %	150,2922 litre	O
390	CM	60	CM 110 LEVEL CM	4235,2354 litre	96,020 %	175,5607 litre	O
390	CM	60	CM 109 LEVEL CM	4208,7902 litre	95,420 %	202,0059 litre	O
390	CM	60	CM 108 LEVEL CM	4181,2405 litre	94,796 %	229,5556 litre	O
390	CM	60	CM 107 LEVEL CM	4152,6503 litre	94,147 %	258,1458 litre	O
390	CM	60	CM 106 LEVEL CM	4123,0767 litre	93,477 %	287,7194 litre	O
390	CM	60	CM 105 LEVEL CM	4092,5712 litre	92,785 %	318,2249 litre	O
390	CM	60	CM 104 LEVEL CM	4061,1811 litre	92,074 %	349,6150 litre	O
390	CM	60	CM 103 LEVEL CM	4028,9493 litre	91,343 %	381,8468 litre	O
390	CM	60	CM 102 LEVEL CM	3995,9157 litre	90,594 %	414,8804 litre	O
390	CM	60	CM 101 LEVEL CM	3962,1174 litre	89,828 %	448,6787 litre	O
390	CM	60	CM 100 LEVEL CM	3927,5889 litre	89,045 %	483,2072 litre	O
390	CM	60	CM 99 LEVEL CM	3892,3625 litre	88,246 %	518,4336 litre	O
390	CM	60	CM 98 LEVEL CM	3856,4689 litre	87,432 %	554,3272 litre	O
390	CM	60	CM 97 LEVEL CM	3819,9368 litre	86,604 %	590,8593 litre	O
390	CM	60	CM 96 LEVEL CM	3782,7936 litre	85,762 %	628,0025 litre	O
390	CM	60	CM 95 LEVEL CM	3745,0653 litre	84,907 %	665,7308 litre	O
390	CM	60	CM 94 LEVEL CM	3706,7767 litre	84,039 %	704,0194 litre	O
390	CM	60	CM 93 LEVEL CM	3667,9516 litre	83,158 %	742,8445 litre	O
390	CM	60	CM 92 LEVEL CM	3628,6127 litre	82,267 %	782,1834 litre	O
390	CM	60	CM 91 LEVEL CM	3588,7820 litre	81,364 %	822,0141 litre	O
390	CM	60	CM 90 LEVEL CM	3548,4806 litre	80,450 %	862,3155 litre	O
390	CM	60	CM 89 LEVEL CM	3507,7287 litre	79,526 %	903,0674 litre	O
390	CM	60	CM 88 LEVEL CM	3466,5462 litre	78,592 %	944,2499 litre	O
390	CM	60	CM 87 LEVEL CM	3424,9520 litre	77,649 %	985,8441 litre	O
390	CM	60	CM 86 LEVEL CM	3382,9648 litre	76,697 %	1027,8313 litre	O
390	CM	60	CM 85 LEVEL CM	3340,6025 litre	75,737 %	1070,1936 litre	O
390	CM	60	CM 84 LEVEL CM	3297,8826 litre	74,768 %	1112,9135 litre	O
390	CM	60	CM 83 LEVEL CM	3254,8223 litre	73,792 %	1155,9738 litre	O
390	CM	60	CM 82 LEVEL CM	3211,4382 litre	72,809 %	1199,3579 litre	O
390	CM	60	CM 81 LEVEL CM	3167,7467 litre	71,818 %	1243,0494 litre	O
390	CM	60	CM 80 LEVEL CM	3123,7637 litre	70,821 %	1287,0324 litre	O
390	CM	60	CM 79 LEVEL CM	3079,5049 litre	69,817 %	1331,2912 litre	O
390	CM	60	CM 78 LEVEL CM	3034,9857 litre	68,808 %	1375,8104 litre	O
390	CM	60	CM 77 LEVEL CM	2990,2212 litre	67,793 %	1420,5749 litre	O
390	CM	60	CM 76 LEVEL CM	2945,2262 litre	66,773 %	1465,5699 litre	O
390	CM	60	CM 75 LEVEL CM	2900,0154 litre	65,748 %	1510,7807 litre	O
390	CM	60	CM 74 LEVEL CM	2854,6032 litre	64,719 %	1556,1929 litre	O
390	CM	60	CM 73 LEVEL CM	2809,0038 litre	63,685 %	1601,7923 litre	O
390	CM	60	CM 72 LEVEL CM	2763,2313 litre	62,647 %	1647,5648 litre	O
390	CM	60	CM 71 LEVEL CM	2717,2995 litre	61,606 %	1693,4966 litre	O
390	CM	60	CM 70 LEVEL CM	2671,2223 litre	60,561 %	1739,5738 litre	O
390	CM	60	CM 69 LEVEL CM	2625,0132 litre	59,513 %	1785,7829 litre	O

390	CM	60	CM	68 LEVEL CM	2578,6857 litre	58,463 %	1832,1104 litre	O
390	CM	60	CM	67 LEVEL CM	2532,2534 litre	57,410 %	1878,5427 litre	O
390	CM	60	CM	66 LEVEL CM	2485,7293 litre	56,356 %	1925,0668 litre	O
390	CM	60	CM	65 LEVEL CM	2439,1269 litre	55,299 %	1971,6692 litre	O
390	CM	60	CM	64 LEVEL CM	2392,4593 litre	54,241 %	2018,3368 litre	O
390	CM	60	CM	63 LEVEL CM	2345,7395 litre	53,182 %	2065,0566 litre	O
390	CM	60	CM	62 LEVEL CM	2298,9807 litre	52,122 %	2111,8154 litre	O
390	CM	60	CM	61 LEVEL CM	2252,1959 litre	51,061 %	2158,6002 litre	O
390	CM	60	CM	60 LEVEL CM	2205,3980 litre	50,000 %	2205,3981 litre	O
390	CM	60	CM	59 LEVEL CM	2158,6002 litre	48,939 %	2252,1959 litre	O
390	CM	60	CM	58 LEVEL CM	2111,8154 litre	47,878 %	2298,9807 litre	O
390	CM	60	CM	57 LEVEL CM	2065,0566 litre	46,818 %	2345,7395 litre	O
390	CM	60	CM	56 LEVEL CM	2018,3368 litre	45,759 %	2392,4593 litre	O
390	CM	60	CM	55 LEVEL CM	1971,6692 litre	44,701 %	2439,1269 litre	O
390	CM	60	CM	54 LEVEL CM	1925,0667 litre	43,644 %	2485,7294 litre	O
390	CM	60	CM	53 LEVEL CM	1878,5427 litre	42,590 %	2532,2534 litre	O
390	CM	60	CM	52 LEVEL CM	1832,1104 litre	41,537 %	2578,6857 litre	O
390	CM	60	CM	51 LEVEL CM	1785,7829 litre	40,487 %	2625,0132 litre	O
390	CM	60	CM	50 LEVEL CM	1739,5738 litre	39,439 %	2671,2223 litre	O
390	CM	60	CM	49 LEVEL CM	1693,4966 litre	38,394 %	2717,2995 litre	O
390	CM	60	CM	48 LEVEL CM	1647,5648 litre	37,353 %	2763,2313 litre	O
390	CM	60	CM	47 LEVEL CM	1601,7923 litre	36,315 %	2809,0038 litre	O
390	CM	60	CM	46 LEVEL CM	1556,1929 litre	35,281 %	2854,6032 litre	O
390	CM	60	CM	45 LEVEL CM	1510,7807 litre	34,252 %	2900,0154 litre	O
390	CM	60	CM	44 LEVEL CM	1465,5699 litre	33,227 %	2945,2262 litre	O
390	CM	60	CM	43 LEVEL CM	1420,5749 litre	32,207 %	2990,2212 litre	O
390	CM	60	CM	42 LEVEL CM	1375,8104 litre	31,192 %	3034,9857 litre	O
390	CM	60	CM	41 LEVEL CM	1331,2912 litre	30,183 %	3079,5049 litre	O
390	CM	60	CM	40 LEVEL CM	1287,0324 litre	29,179 %	3123,7637 litre	O
390	CM	60	CM	39 LEVEL CM	1243,0494 litre	28,182 %	3167,7467 litre	O
390	CM	60	CM	38 LEVEL CM	1199,3579 litre	27,191 %	3211,4382 litre	O
390	CM	60	CM	37 LEVEL CM	1155,9738 litre	26,208 %	3254,8223 litre	O
390	CM	60	CM	36 LEVEL CM	1112,9135 litre	25,232 %	3297,8826 litre	O
390	CM	60	CM	35 LEVEL CM	1070,1936 litre	24,263 %	3340,6025 litre	O
390	CM	60	CM	34 LEVEL CM	1027,8313 litre	23,303 %	3382,9648 litre	O
390	CM	60	CM	33 LEVEL CM	985,8441 litre	22,351 %	3424,9520 litre	O
390	CM	60	CM	32 LEVEL CM	944,2499 litre	21,408 %	3466,5462 litre	O
390	CM	60	CM	31 LEVEL CM	903,0674 litre	20,474 %	3507,7287 litre	O
390	CM	60	CM	30 LEVEL CM	862,3155 litre	19,550 %	3548,4806 litre	O
390	CM	60	CM	29 LEVEL CM	822,0141 litre	18,636 %	3588,7820 litre	O
390	CM	60	CM	28 LEVEL CM	782,1834 litre	17,733 %	3628,6127 litre	O
390	CM	60	CM	27 LEVEL CM	742,8445 litre	16,842 %	3667,9516 litre	O
390	CM	60	CM	26 LEVEL CM	704,0194 litre	15,961 %	3706,7767 litre	O
390	CM	60	CM	25 LEVEL CM	665,7308 litre	15,093 %	3745,0653 litre	O
390	CM	60	CM	24 LEVEL CM	628,0025 litre	14,238 %	3782,7936 litre	O
390	CM	60	CM	23 LEVEL CM	590,8593 litre	13,396 %	3819,9368 litre	O
390	CM	60	CM	22 LEVEL CM	554,3272 litre	12,568 %	3856,4689 litre	O
390	CM	60	CM	21 LEVEL CM	518,4335 litre	11,754 %	3892,3626 litre	O
390	CM	60	CM	20 LEVEL CM	483,2072 litre	10,955 %	3927,5889 litre	O
390	CM	60	CM	19 LEVEL CM	448,6787 litre	10,172 %	3962,1174 litre	O
390	CM	60	CM	18 LEVEL CM	414,8804 litre	9,406 %	3995,9157 litre	O
390	CM	60	CM	17 LEVEL CM	381,8468 litre	8,657 %	4028,9493 litre	O
390	CM	60	CM	16 LEVEL CM	349,6150 litre	7,926 %	4061,1811 litre	O

390	CM	60	CM	15 LEVEL CM	318,2249 litre	7,215 %	4092,5712 litre	O
390	CM	60	CM	14 LEVEL CM	287,7194 litre	6,523 %	4123,0767 litre	O
390	CM	60	CM	13 LEVEL CM	258,1458 litre	5,853 %	4152,6503 litre	O
390	CM	60	CM	12 LEVEL CM	229,5556 litre	5,204 %	4181,2405 litre	O
390	CM	60	CM	11 LEVEL CM	202,0059 litre	4,580 %	4208,7902 litre	O
390	CM	60	CM	10 LEVEL CM	175,5607 litre	3,980 %	4235,2354 litre	O
390	CM	60	CM	9 LEVEL CM	150,2922 litre	3,407 %	4260,5039 litre	O
390	CM	60	CM	8 LEVEL CM	126,2835 litre	2,863 %	4284,5126 litre	O
390	CM	60	CM	7 LEVEL CM	103,6313 litre	2,349 %	4307,1648 litre	O
390	CM	60	CM	6 LEVEL CM	82,4512 litre	1,869 %	4328,3449 litre	O
390	CM	60	CM	5 LEVEL CM	62,8846 litre	1,426 %	4347,9115 litre	O
390	CM	60	CM	4 LEVEL CM	45,1121 litre	1,023 %	4365,6840 litre	O
390	CM	60	CM	3 LEVEL CM	29,3759 litre	0,666 %	4381,4202 litre	O
390	CM	60	CM	2 LEVEL CM	16,0308 litre	0,363 %	4394,7653 litre	O
390	CM	60	CM	1 LEVEL CM	5,6821 litre	0,129 %	4405,1140 litre	O
390	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4410,7961 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
390	CM	55	CM 110 LEVEL CM	3706,2939 litre	100,000 %	0,0000 litre	O
390	CM	55	CM 109 LEVEL CM	3700,8550 litre	99,853 %	5,4389 litre	O
390	CM	55	CM 108 LEVEL CM	3690,9527 litre	99,586 %	15,3412 litre	O
390	CM	55	CM 107 LEVEL CM	3678,1881 litre	99,242 %	28,1058 litre	O
390	CM	55	CM 106 LEVEL CM	3663,1426 litre	98,836 %	43,1513 litre	O
390	CM	55	CM 105 LEVEL CM	3646,1569 litre	98,377 %	60,1370 litre	O
390	CM	55	CM 104 LEVEL CM	3627,4644 litre	97,873 %	78,8295 litre	O
390	CM	55	CM 103 LEVEL CM	3607,2388 litre	97,327 %	99,0551 litre	O
390	CM	55	CM 102 LEVEL CM	3585,6169 litre	96,744 %	120,6770 litre	O
390	CM	55	CM 101 LEVEL CM	3562,7101 litre	96,126 %	143,5838 litre	O
390	CM	55	CM 100 LEVEL CM	3538,6122 litre	95,476 %	167,6817 litre	O
390	CM	55	CM 99 LEVEL CM	3513,4035 litre	94,796 %	192,8904 litre	O
390	CM	55	CM 98 LEVEL CM	3487,1541 litre	94,087 %	219,1398 litre	O
390	CM	55	CM 97 LEVEL CM	3459,9262 litre	93,353 %	246,3677 litre	O
390	CM	55	CM 96 LEVEL CM	3431,7752 litre	92,593 %	274,5187 litre	O
390	CM	55	CM 95 LEVEL CM	3402,7516 litre	91,810 %	303,5423 litre	O
390	CM	55	CM 94 LEVEL CM	3372,9012 litre	91,005 %	333,3927 litre	O
390	CM	55	CM 93 LEVEL CM	3342,2660 litre	90,178 %	364,0279 litre	O
390	CM	55	CM 92 LEVEL CM	3310,8853 litre	89,331 %	395,4086 litre	O
390	CM	55	CM 91 LEVEL CM	3278,7951 litre	88,466 %	427,4988 litre	O
390	CM	55	CM 90 LEVEL CM	3246,0295 litre	87,582 %	460,2644 litre	O
390	CM	55	CM 89 LEVEL CM	3212,6202 litre	86,680 %	493,6737 litre	O
390	CM	55	CM 88 LEVEL CM	3178,5974 litre	85,762 %	527,6965 litre	O
390	CM	55	CM 87 LEVEL CM	3143,9895 litre	84,828 %	562,3044 litre	O
390	CM	55	CM 86 LEVEL CM	3108,8234 litre	83,880 %	597,4705 litre	O
390	CM	55	CM 85 LEVEL CM	3073,1251 litre	82,916 %	633,1688 litre	O
390	CM	55	CM 84 LEVEL CM	3036,9190 litre	81,940 %	669,3749 litre	O
390	CM	55	CM 83 LEVEL CM	3000,2289 litre	80,950 %	706,0650 litre	O
390	CM	55	CM 82 LEVEL CM	2963,0773 litre	79,947 %	743,2166 litre	O
390	CM	55	CM 81 LEVEL CM	2925,4861 litre	78,933 %	780,8078 litre	O
390	CM	55	CM 80 LEVEL CM	2887,4765 litre	77,907 %	818,8174 litre	O
390	CM	55	CM 79 LEVEL CM	2849,0687 litre	76,871 %	857,2252 litre	O
390	CM	55	CM 78 LEVEL CM	2810,2827 litre	75,825 %	896,0112 litre	O
390	CM	55	CM 77 LEVEL CM	2771,1375 litre	74,768 %	935,1564 litre	O
390	CM	55	CM 76 LEVEL CM	2731,6518 litre	73,703 %	974,6421 litre	O
390	CM	55	CM 75 LEVEL CM	2691,8439 litre	72,629 %	1014,4500 litre	O
390	CM	55	CM 74 LEVEL CM	2651,7314 litre	71,547 %	1054,5625 litre	O
390	CM	55	CM 73 LEVEL CM	2611,3318 litre	70,457 %	1094,9621 litre	O
390	CM	55	CM 72 LEVEL CM	2570,6620 litre	69,359 %	1135,6319 litre	O
390	CM	55	CM 71 LEVEL CM	2529,7387 litre	68,255 %	1176,5552 litre	O
390	CM	55	CM 70 LEVEL CM	2488,5782 litre	67,145 %	1217,7157 litre	O
390	CM	55	CM 69 LEVEL CM	2447,1966 litre	66,028 %	1259,0973 litre	O
390	CM	55	CM 68 LEVEL CM	2405,6096 litre	64,906 %	1300,6843 litre	O
390	CM	55	CM 67 LEVEL CM	2363,8329 litre	63,779 %	1342,4610 litre	O
390	CM	55	CM 66 LEVEL CM	2321,8818 litre	62,647 %	1384,4121 litre	O
390	CM	55	CM 65 LEVEL CM	2279,7715 litre	61,511 %	1426,5224 litre	O
390	CM	55	CM 64 LEVEL CM	2237,5169 litre	60,371 %	1468,7770 litre	O
390	CM	55	CM 63 LEVEL CM	2195,1329 litre	59,227 %	1511,1610 litre	O
390	CM	55	CM 62 LEVEL CM	2152,6343 litre	58,081 %	1553,6596 litre	O
390	CM	55	CM 61 LEVEL CM	2110,0355 litre	56,931 %	1596,2584 litre	O
390	CM	55	CM 60 LEVEL CM	2067,3511 litre	55,779 %	1638,9428 litre	O
390	CM	55	CM 59 LEVEL CM	2024,5956 litre	54,626 %	1681,6983 litre	O

390	CM	55	CM	58 LEVEL CM	1981,7831 litre	53,471 %	1724,5108 litre	O
390	CM	55	CM	57 LEVEL CM	1938,9281 litre	52,314 %	1767,3658 litre	O
390	CM	55	CM	56 LEVEL CM	1896,0446 litre	51,157 %	1810,2493 litre	O
390	CM	55	CM	55 LEVEL CM	1853,1470 litre	50,000 %	1853,1469 litre	O
390	CM	55	CM	54 LEVEL CM	1810,2493 litre	48,843 %	1896,0446 litre	O
390	CM	55	CM	53 LEVEL CM	1767,3659 litre	47,686 %	1938,9280 litre	O
390	CM	55	CM	52 LEVEL CM	1724,5108 litre	46,529 %	1981,7831 litre	O
390	CM	55	CM	51 LEVEL CM	1681,6984 litre	45,374 %	2024,5955 litre	O
390	CM	55	CM	50 LEVEL CM	1638,9428 litre	44,221 %	2067,3511 litre	O
390	CM	55	CM	49 LEVEL CM	1596,2584 litre	43,069 %	2110,0355 litre	O
390	CM	55	CM	48 LEVEL CM	1553,6597 litre	41,919 %	2152,6342 litre	O
390	CM	55	CM	47 LEVEL CM	1511,1610 litre	40,773 %	2195,1329 litre	O
390	CM	55	CM	46 LEVEL CM	1468,7770 litre	39,629 %	2237,5169 litre	O
390	CM	55	CM	45 LEVEL CM	1426,5225 litre	38,489 %	2279,7714 litre	O
390	CM	55	CM	44 LEVEL CM	1384,4121 litre	37,353 %	2321,8818 litre	O
390	CM	55	CM	43 LEVEL CM	1342,4610 litre	36,221 %	2363,8329 litre	O
390	CM	55	CM	42 LEVEL CM	1300,6843 litre	35,094 %	2405,6096 litre	O
390	CM	55	CM	41 LEVEL CM	1259,0973 litre	33,972 %	2447,1966 litre	O
390	CM	55	CM	40 LEVEL CM	1217,7157 litre	32,855 %	2488,5782 litre	O
390	CM	55	CM	39 LEVEL CM	1176,5552 litre	31,745 %	2529,7387 litre	O
390	CM	55	CM	38 LEVEL CM	1135,6319 litre	30,641 %	2570,6620 litre	O
390	CM	55	CM	37 LEVEL CM	1094,9621 litre	29,543 %	2611,3318 litre	O
390	CM	55	CM	36 LEVEL CM	1054,5625 litre	28,453 %	2651,7314 litre	O
390	CM	55	CM	35 LEVEL CM	1014,4501 litre	27,371 %	2691,8438 litre	O
390	CM	55	CM	34 LEVEL CM	974,6421 litre	26,297 %	2731,6518 litre	O
390	CM	55	CM	33 LEVEL CM	935,1565 litre	25,232 %	2771,1374 litre	O
390	CM	55	CM	32 LEVEL CM	896,0113 litre	24,175 %	2810,2826 litre	O
390	CM	55	CM	31 LEVEL CM	857,2252 litre	23,129 %	2849,0687 litre	O
390	CM	55	CM	30 LEVEL CM	818,8175 litre	22,093 %	2887,4764 litre	O
390	CM	55	CM	29 LEVEL CM	780,8078 litre	21,067 %	2925,4861 litre	O
390	CM	55	CM	28 LEVEL CM	743,2167 litre	20,053 %	2963,0772 litre	O
390	CM	55	CM	27 LEVEL CM	706,0651 litre	19,050 %	3000,2288 litre	O
390	CM	55	CM	26 LEVEL CM	669,3749 litre	18,060 %	3036,9190 litre	O
390	CM	55	CM	25 LEVEL CM	633,1689 litre	17,084 %	3073,1250 litre	O
390	CM	55	CM	24 LEVEL CM	597,4705 litre	16,120 %	3108,8234 litre	O
390	CM	55	CM	23 LEVEL CM	562,3045 litre	15,172 %	3143,9894 litre	O
390	CM	55	CM	22 LEVEL CM	527,6965 litre	14,238 %	3178,5974 litre	O
390	CM	55	CM	21 LEVEL CM	493,6737 litre	13,320 %	3212,6202 litre	O
390	CM	55	CM	20 LEVEL CM	460,2645 litre	12,418 %	3246,0294 litre	O
390	CM	55	CM	19 LEVEL CM	427,4988 litre	11,534 %	3278,7951 litre	O
390	CM	55	CM	18 LEVEL CM	395,4087 litre	10,669 %	3310,8852 litre	O
390	CM	55	CM	17 LEVEL CM	364,0279 litre	9,822 %	3342,2660 litre	O
390	CM	55	CM	16 LEVEL CM	333,3928 litre	8,995 %	3372,9011 litre	O
390	CM	55	CM	15 LEVEL CM	303,5423 litre	8,190 %	3402,7516 litre	O
390	CM	55	CM	14 LEVEL CM	274,5187 litre	7,407 %	3431,7752 litre	O
390	CM	55	CM	13 LEVEL CM	246,3678 litre	6,647 %	3459,9261 litre	O
390	CM	55	CM	12 LEVEL CM	219,1398 litre	5,913 %	3487,1541 litre	O
390	CM	55	CM	11 LEVEL CM	192,8904 litre	5,204 %	3513,4035 litre	O
390	CM	55	CM	10 LEVEL CM	167,6817 litre	4,524 %	3538,6122 litre	O
390	CM	55	CM	9 LEVEL CM	143,5838 litre	3,874 %	3562,7101 litre	O
390	CM	55	CM	8 LEVEL CM	120,6771 litre	3,256 %	3585,6168 litre	O
390	CM	55	CM	7 LEVEL CM	99,0551 litre	2,673 %	3607,2388 litre	O
390	CM	55	CM	6 LEVEL CM	78,8296 litre	2,127 %	3627,4643 litre	O

390_55

-1666-

390	CM	55	CM	5 LEVEL CM	60,1371 litre	1,623 %	3646,1568 litre	O
390	CM	55	CM	4 LEVEL CM	43,1513 litre	1,164 %	3663,1426 litre	O
390	CM	55	CM	3 LEVEL CM	28,1058 litre	0,758 %	3678,1881 litre	O
390	CM	55	CM	2 LEVEL CM	15,3413 litre	0,414 %	3690,9526 litre	O
390	CM	55	CM	1 LEVEL CM	5,4389 litre	0,147 %	3700,8550 litre	O
390	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3706,2939 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
390	CM	50	CM	100 LEVEL CM	3063,0528 litre	100,000 %	0,0000 litre	O
390	CM	50	CM	99 LEVEL CM	3057,8685 litre	99,831 %	5,1843 litre	O
390	CM	50	CM	98 LEVEL CM	3048,4336 litre	99,523 %	14,6192 litre	O
390	CM	50	CM	97 LEVEL CM	3036,2773 litre	99,126 %	26,7755 litre	O
390	CM	50	CM	96 LEVEL CM	3021,9557 litre	98,658 %	41,0971 litre	O
390	CM	50	CM	95 LEVEL CM	3005,7951 litre	98,131 %	57,2577 litre	O
390	CM	50	CM	94 LEVEL CM	2988,0195 litre	97,550 %	75,0333 litre	O
390	CM	50	CM	93 LEVEL CM	2968,7959 litre	96,923 %	94,2569 litre	O
390	CM	50	CM	92 LEVEL CM	2948,2558 litre	96,252 %	114,7970 litre	O
390	CM	50	CM	91 LEVEL CM	2926,5068 litre	95,542 %	136,5460 litre	O
390	CM	50	CM	90 LEVEL CM	2903,6393 litre	94,796 %	159,4135 litre	O
390	CM	50	CM	89 LEVEL CM	2879,7309 litre	94,015 %	183,3219 litre	O
390	CM	50	CM	88 LEVEL CM	2854,8497 litre	93,203 %	208,2031 litre	O
390	CM	50	CM	87 LEVEL CM	2829,0559 litre	92,361 %	233,9969 litre	O
390	CM	50	CM	86 LEVEL CM	2802,4035 litre	91,491 %	260,6493 litre	O
390	CM	50	CM	85 LEVEL CM	2774,9415 litre	90,594 %	288,1113 litre	O
390	CM	50	CM	84 LEVEL CM	2746,7146 litre	89,672 %	316,3382 litre	O
390	CM	50	CM	83 LEVEL CM	2717,7641 litre	88,727 %	345,2887 litre	O
390	CM	50	CM	82 LEVEL CM	2688,1282 litre	87,760 %	374,9246 litre	O
390	CM	50	CM	81 LEVEL CM	2657,8423 litre	86,771 %	405,2105 litre	O
390	CM	50	CM	80 LEVEL CM	2626,9400 litre	85,762 %	436,1128 litre	O
390	CM	50	CM	79 LEVEL CM	2595,4525 litre	84,734 %	467,6003 litre	O
390	CM	50	CM	78 LEVEL CM	2563,4095 litre	83,688 %	499,6433 litre	O
390	CM	50	CM	77 LEVEL CM	2530,8392 litre	82,625 %	532,2136 litre	O
390	CM	50	CM	76 LEVEL CM	2497,7684 litre	81,545 %	565,2844 litre	O
390	CM	50	CM	75 LEVEL CM	2464,2226 litre	80,450 %	598,8302 litre	O
390	CM	50	CM	74 LEVEL CM	2430,2264 litre	79,340 %	632,8264 litre	O
390	CM	50	CM	73 LEVEL CM	2395,8034 litre	78,216 %	667,2494 litre	O
390	CM	50	CM	72 LEVEL CM	2360,9762 litre	77,079 %	702,0766 litre	O
390	CM	50	CM	71 LEVEL CM	2325,7667 litre	75,930 %	737,2861 litre	O
390	CM	50	CM	70 LEVEL CM	2290,1962 litre	74,768 %	772,8566 litre	O
390	CM	50	CM	69 LEVEL CM	2254,2853 litre	73,596 %	808,7675 litre	O
390	CM	50	CM	68 LEVEL CM	2218,0539 litre	72,413 %	844,9989 litre	O
390	CM	50	CM	67 LEVEL CM	2181,5214 litre	71,220 %	881,5314 litre	O
390	CM	50	CM	66 LEVEL CM	2144,7069 litre	70,019 %	918,3459 litre	O
390	CM	50	CM	65 LEVEL CM	2107,6290 litre	68,808 %	955,4238 litre	O
390	CM	50	CM	64 LEVEL CM	2070,3057 litre	67,590 %	992,7471 litre	O
390	CM	50	CM	63 LEVEL CM	2032,7549 litre	66,364 %	1030,2979 litre	O
390	CM	50	CM	62 LEVEL CM	1994,9940 litre	65,131 %	1068,0588 litre	O
390	CM	50	CM	61 LEVEL CM	1957,0402 litre	63,892 %	1106,0126 litre	O
390	CM	50	CM	60 LEVEL CM	1918,9106 litre	62,647 %	1144,1422 litre	O
390	CM	50	CM	59 LEVEL CM	1880,6217 litre	61,397 %	1182,4311 litre	O
390	CM	50	CM	58 LEVEL CM	1842,1901 litre	60,142 %	1220,8627 litre	O
390	CM	50	CM	57 LEVEL CM	1803,6320 litre	58,883 %	1259,4208 litre	O
390	CM	50	CM	56 LEVEL CM	1764,9636 litre	57,621 %	1298,0892 litre	O
390	CM	50	CM	55 LEVEL CM	1726,2009 litre	56,356 %	1336,8519 litre	O
390	CM	50	CM	54 LEVEL CM	1687,3599 litre	55,088 %	1375,6929 litre	O
390	CM	50	CM	53 LEVEL CM	1648,4562 litre	53,817 %	1414,5966 litre	O
390	CM	50	CM	52 LEVEL CM	1609,5056 litre	52,546 %	1453,5472 litre	O
390	CM	50	CM	51 LEVEL CM	1570,5238 litre	51,273 %	1492,5290 litre	O
390	CM	50	CM	50 LEVEL CM	1531,5264 litre	50,000 %	1531,5264 litre	O
390	CM	50	CM	49 LEVEL CM	1492,5290 litre	48,727 %	1570,5238 litre	O

390	CM	50	CM	48 LEVEL CM	1453,5472 litre	47,454 %	1609,5056 litre	O
390	CM	50	CM	47 LEVEL CM	1414,5967 litre	46,183 %	1648,4561 litre	O
390	CM	50	CM	46 LEVEL CM	1375,6930 litre	44,912 %	1687,3598 litre	O
390	CM	50	CM	45 LEVEL CM	1336,8519 litre	43,644 %	1726,2009 litre	O
390	CM	50	CM	44 LEVEL CM	1298,0892 litre	42,379 %	1764,9636 litre	O
390	CM	50	CM	43 LEVEL CM	1259,4209 litre	41,117 %	1803,6319 litre	O
390	CM	50	CM	42 LEVEL CM	1220,8628 litre	39,858 %	1842,1900 litre	O
390	CM	50	CM	41 LEVEL CM	1182,4311 litre	38,603 %	1880,6217 litre	O
390	CM	50	CM	40 LEVEL CM	1144,1422 litre	37,353 %	1918,9106 litre	O
390	CM	50	CM	39 LEVEL CM	1106,0126 litre	36,108 %	1957,0402 litre	O
390	CM	50	CM	38 LEVEL CM	1068,0589 litre	34,869 %	1994,9939 litre	O
390	CM	50	CM	37 LEVEL CM	1030,2980 litre	33,636 %	2032,7548 litre	O
390	CM	50	CM	36 LEVEL CM	992,7472 litre	32,410 %	2070,3056 litre	O
390	CM	50	CM	35 LEVEL CM	955,4239 litre	31,192 %	2107,6289 litre	O
390	CM	50	CM	34 LEVEL CM	918,3459 litre	29,981 %	2144,7069 litre	O
390	CM	50	CM	33 LEVEL CM	881,5314 litre	28,780 %	2181,5214 litre	O
390	CM	50	CM	32 LEVEL CM	844,9990 litre	27,587 %	2218,0538 litre	O
390	CM	50	CM	31 LEVEL CM	808,7675 litre	26,404 %	2254,2853 litre	O
390	CM	50	CM	30 LEVEL CM	772,8566 litre	25,232 %	2290,1962 litre	O
390	CM	50	CM	29 LEVEL CM	737,2861 litre	24,070 %	2325,7667 litre	O
390	CM	50	CM	28 LEVEL CM	702,0767 litre	22,921 %	2360,9761 litre	O
390	CM	50	CM	27 LEVEL CM	667,2495 litre	21,784 %	2395,8033 litre	O
390	CM	50	CM	26 LEVEL CM	632,8264 litre	20,660 %	2430,2264 litre	O
390	CM	50	CM	25 LEVEL CM	598,8302 litre	19,550 %	2464,2226 litre	O
390	CM	50	CM	24 LEVEL CM	565,2844 litre	18,455 %	2497,7684 litre	O
390	CM	50	CM	23 LEVEL CM	532,2136 litre	17,375 %	2530,8392 litre	O
390	CM	50	CM	22 LEVEL CM	499,6433 litre	16,312 %	2563,4095 litre	O
390	CM	50	CM	21 LEVEL CM	467,6003 litre	15,266 %	2595,4525 litre	O
390	CM	50	CM	20 LEVEL CM	436,1128 litre	14,238 %	2626,9400 litre	O
390	CM	50	CM	19 LEVEL CM	405,2105 litre	13,229 %	2657,8423 litre	O
390	CM	50	CM	18 LEVEL CM	374,9247 litre	12,240 %	2688,1281 litre	O
390	CM	50	CM	17 LEVEL CM	345,2887 litre	11,273 %	2717,7641 litre	O
390	CM	50	CM	16 LEVEL CM	316,3382 litre	10,328 %	2746,7146 litre	O
390	CM	50	CM	15 LEVEL CM	288,1114 litre	9,406 %	2774,9414 litre	O
390	CM	50	CM	14 LEVEL CM	260,6494 litre	8,509 %	2802,4034 litre	O
390	CM	50	CM	13 LEVEL CM	233,9970 litre	7,639 %	2829,0558 litre	O
390	CM	50	CM	12 LEVEL CM	208,2031 litre	6,797 %	2854,8497 litre	O
390	CM	50	CM	11 LEVEL CM	183,3219 litre	5,985 %	2879,7309 litre	O
390	CM	50	CM	10 LEVEL CM	159,4136 litre	5,204 %	2903,6392 litre	O
390	CM	50	CM	9 LEVEL CM	136,5460 litre	4,458 %	2926,5068 litre	O
390	CM	50	CM	8 LEVEL CM	114,7970 litre	3,748 %	2948,2558 litre	O
390	CM	50	CM	7 LEVEL CM	94,2569 litre	3,077 %	2968,7959 litre	O
390	CM	50	CM	6 LEVEL CM	75,0334 litre	2,450 %	2988,0194 litre	O
390	CM	50	CM	5 LEVEL CM	57,2578 litre	1,869 %	3005,7950 litre	O
390	CM	50	CM	4 LEVEL CM	41,0972 litre	1,342 %	3021,9556 litre	O
390	CM	50	CM	3 LEVEL CM	26,7755 litre	0,874 %	3036,2773 litre	O
390	CM	50	CM	2 LEVEL CM	14,6193 litre	0,477 %	3048,4335 litre	O
390	CM	50	CM	1 LEVEL CM	5,1844 litre	0,169 %	3057,8684 litre	O
390	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	3063,0528 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM	150	CM 300 LEVEL CM	26860,6172 litre	100,000 %	0,0000 litre	O
380	CM	150	CM 299 LEVEL CM	26851,8502 litre	99,967 %	8,7670 litre	O
380	CM	150	CM 298 LEVEL CM	26835,8454 litre	99,908 %	24,7718 litre	O
380	CM	150	CM 297 LEVEL CM	26815,1542 litre	99,831 %	45,4630 litre	O
380	CM	150	CM 296 LEVEL CM	26790,6929 litre	99,740 %	69,9243 litre	O
380	CM	150	CM 295 LEVEL CM	26762,9937 litre	99,637 %	97,6235 litre	O
380	CM	150	CM 294 LEVEL CM	26732,4176 litre	99,523 %	128,1996 litre	O
380	CM	150	CM 293 LEVEL CM	26699,2310 litre	99,399 %	161,3862 litre	O
380	CM	150	CM 292 LEVEL CM	26663,6414 litre	99,267 %	196,9758 litre	O
380	CM	150	CM 291 LEVEL CM	26625,8167 litre	99,126 %	234,8005 litre	O
380	CM	150	CM 290 LEVEL CM	26585,8963 litre	98,977 %	274,7209 litre	O
380	CM	150	CM 289 LEVEL CM	26543,9988 litre	98,821 %	316,6184 litre	O
380	CM	150	CM 288 LEVEL CM	26500,2266 litre	98,658 %	360,3906 litre	O
380	CM	150	CM 287 LEVEL CM	26454,6695 litre	98,489 %	405,9477 litre	O
380	CM	150	CM 286 LEVEL CM	26407,4071 litre	98,313 %	453,2101 litre	O
380	CM	150	CM 285 LEVEL CM	26358,5107 litre	98,131 %	502,1065 litre	O
380	CM	150	CM 284 LEVEL CM	26308,0446 litre	97,943 %	552,5726 litre	O
380	CM	150	CM 283 LEVEL CM	26256,0673 litre	97,749 %	604,5499 litre	O
380	CM	150	CM 282 LEVEL CM	26202,6324 litre	97,550 %	657,9848 litre	O
380	CM	150	CM 281 LEVEL CM	26147,7891 litre	97,346 %	712,8281 litre	O
380	CM	150	CM 280 LEVEL CM	26091,5830 litre	97,137 %	769,0342 litre	O
380	CM	150	CM 279 LEVEL CM	26034,0563 litre	96,923 %	826,5609 litre	O
380	CM	150	CM 278 LEVEL CM	25975,2486 litre	96,704 %	885,3686 litre	O
380	CM	150	CM 277 LEVEL CM	25915,1969 litre	96,480 %	945,4203 litre	O
380	CM	150	CM 276 LEVEL CM	25853,9357 litre	96,252 %	1006,6815 litre	O
380	CM	150	CM 275 LEVEL CM	25791,4977 litre	96,020 %	1069,1195 litre	O
380	CM	150	CM 274 LEVEL CM	25727,9139 litre	95,783 %	1132,7033 litre	O
380	CM	150	CM 273 LEVEL CM	25663,2134 litre	95,542 %	1197,4038 litre	O
380	CM	150	CM 272 LEVEL CM	25597,4240 litre	95,297 %	1263,1932 litre	O
380	CM	150	CM 271 LEVEL CM	25530,5721 litre	95,048 %	1330,0451 litre	O
380	CM	150	CM 270 LEVEL CM	25462,6827 litre	94,796 %	1397,9345 litre	O
380	CM	150	CM 269 LEVEL CM	25393,7799 litre	94,539 %	1466,8373 litre	O
380	CM	150	CM 268 LEVEL CM	25323,8866 litre	94,279 %	1536,7306 litre	O
380	CM	150	CM 267 LEVEL CM	25253,0249 litre	94,015 %	1607,5923 litre	O
380	CM	150	CM 266 LEVEL CM	25181,2158 litre	93,748 %	1679,4014 litre	O
380	CM	150	CM 265 LEVEL CM	25108,4796 litre	93,477 %	1752,1376 litre	O
380	CM	150	CM 264 LEVEL CM	25034,8359 litre	93,203 %	1825,7813 litre	O
380	CM	150	CM 263 LEVEL CM	24960,3033 litre	92,925 %	1900,3139 litre	O
380	CM	150	CM 262 LEVEL CM	24884,9001 litre	92,645 %	1975,7171 litre	O
380	CM	150	CM 261 LEVEL CM	24808,6438 litre	92,361 %	2051,9734 litre	O
380	CM	150	CM 260 LEVEL CM	24731,5513 litre	92,074 %	2129,0659 litre	O
380	CM	150	CM 259 LEVEL CM	24653,6390 litre	91,784 %	2206,9782 litre	O
380	CM	150	CM 258 LEVEL CM	24574,9228 litre	91,491 %	2285,6944 litre	O
380	CM	150	CM 257 LEVEL CM	24495,4180 litre	91,195 %	2365,1992 litre	O
380	CM	150	CM 256 LEVEL CM	24415,1396 litre	90,896 %	2445,4776 litre	O
380	CM	150	CM 255 LEVEL CM	24334,1021 litre	90,594 %	2526,5151 litre	O
380	CM	150	CM 254 LEVEL CM	24252,3196 litre	90,290 %	2608,2976 litre	O
380	CM	150	CM 253 LEVEL CM	24169,8059 litre	89,982 %	2690,8113 litre	O
380	CM	150	CM 252 LEVEL CM	24086,5743 litre	89,672 %	2774,0429 litre	O
380	CM	150	CM 251 LEVEL CM	24002,6379 litre	89,360 %	2857,9793 litre	O
380	CM	150	CM 250 LEVEL CM	23918,0092 litre	89,045 %	2942,6080 litre	O
380	CM	150	CM 249 LEVEL CM	23832,7008 litre	88,727 %	3027,9164 litre	O

380	CM	150	CM	248 LEVEL CM	23746,7246 litre	88,407 %	3113,8926 litre	O
380	CM	150	CM	247 LEVEL CM	23660,0926 litre	88,085 %	3200,5246 litre	O
380	CM	150	CM	246 LEVEL CM	23572,8163 litre	87,760 %	3287,8009 litre	O
380	CM	150	CM	245 LEVEL CM	23484,9069 litre	87,432 %	3375,7103 litre	O
380	CM	150	CM	244 LEVEL CM	23396,3755 litre	87,103 %	3464,2417 litre	O
380	CM	150	CM	243 LEVEL CM	23307,2329 litre	86,771 %	3553,3843 litre	O
380	CM	150	CM	242 LEVEL CM	23217,4898 litre	86,437 %	3643,1274 litre	O
380	CM	150	CM	241 LEVEL CM	23127,1564 litre	86,101 %	3733,4608 litre	O
380	CM	150	CM	240 LEVEL CM	23036,2431 litre	85,762 %	3824,3741 litre	O
380	CM	150	CM	239 LEVEL CM	22944,7597 litre	85,422 %	3915,8575 litre	O
380	CM	150	CM	238 LEVEL CM	22852,7161 litre	85,079 %	4007,9011 litre	O
380	CM	150	CM	237 LEVEL CM	22760,1220 litre	84,734 %	4100,4952 litre	O
380	CM	150	CM	236 LEVEL CM	22666,9867 litre	84,387 %	4193,6305 litre	O
380	CM	150	CM	235 LEVEL CM	22573,3196 litre	84,039 %	4287,2976 litre	O
380	CM	150	CM	234 LEVEL CM	22479,1298 litre	83,688 %	4381,4874 litre	O
380	CM	150	CM	233 LEVEL CM	22384,4263 litre	83,335 %	4476,1909 litre	O
380	CM	150	CM	232 LEVEL CM	22289,2178 litre	82,981 %	4571,3994 litre	O
380	CM	150	CM	231 LEVEL CM	22193,5133 litre	82,625 %	4667,1039 litre	O
380	CM	150	CM	230 LEVEL CM	22097,3211 litre	82,267 %	4763,2961 litre	O
380	CM	150	CM	229 LEVEL CM	22000,6497 litre	81,907 %	4859,9675 litre	O
380	CM	150	CM	228 LEVEL CM	21903,5074 litre	81,545 %	4957,1098 litre	O
380	CM	150	CM	227 LEVEL CM	21805,9025 litre	81,182 %	5054,7147 litre	O
380	CM	150	CM	226 LEVEL CM	21707,8429 litre	80,817 %	5152,7743 litre	O
380	CM	150	CM	225 LEVEL CM	21609,3367 litre	80,450 %	5251,2805 litre	O
380	CM	150	CM	224 LEVEL CM	21510,3917 litre	80,082 %	5350,2255 litre	O
380	CM	150	CM	223 LEVEL CM	21411,0157 litre	79,712 %	5449,6015 litre	O
380	CM	150	CM	222 LEVEL CM	21311,2163 litre	79,340 %	5549,4009 litre	O
380	CM	150	CM	221 LEVEL CM	21211,0010 litre	78,967 %	5649,6162 litre	O
380	CM	150	CM	220 LEVEL CM	21110,3773 litre	78,592 %	5750,2399 litre	O
380	CM	150	CM	219 LEVEL CM	21009,3526 litre	78,216 %	5851,2646 litre	O
380	CM	150	CM	218 LEVEL CM	20907,9342 litre	77,839 %	5952,6830 litre	O
380	CM	150	CM	217 LEVEL CM	20806,1293 litre	77,460 %	6054,4879 litre	O
380	CM	150	CM	216 LEVEL CM	20703,9449 litre	77,079 %	6156,6723 litre	O
380	CM	150	CM	215 LEVEL CM	20601,3881 litre	76,697 %	6259,2291 litre	O
380	CM	150	CM	214 LEVEL CM	20498,4659 litre	76,314 %	6362,1513 litre	O
380	CM	150	CM	213 LEVEL CM	20395,1851 litre	75,930 %	6465,4321 litre	O
380	CM	150	CM	212 LEVEL CM	20291,5527 litre	75,544 %	6569,0645 litre	O
380	CM	150	CM	211 LEVEL CM	20187,5752 litre	75,157 %	6673,0420 litre	O
380	CM	150	CM	210 LEVEL CM	20083,2594 litre	74,768 %	6777,3578 litre	O
380	CM	150	CM	209 LEVEL CM	19978,6119 litre	74,379 %	6882,0053 litre	O
380	CM	150	CM	208 LEVEL CM	19873,6393 litre	73,988 %	6986,9779 litre	O
380	CM	150	CM	207 LEVEL CM	19768,3480 litre	73,596 %	7092,2692 litre	O
380	CM	150	CM	206 LEVEL CM	19662,7445 litre	73,203 %	7197,8727 litre	O
380	CM	150	CM	205 LEVEL CM	19556,8352 litre	72,809 %	7303,7820 litre	O
380	CM	150	CM	204 LEVEL CM	19450,6263 litre	72,413 %	7409,9909 litre	O
380	CM	150	CM	203 LEVEL CM	19344,1241 litre	72,017 %	7516,4931 litre	O
380	CM	150	CM	202 LEVEL CM	19237,3349 litre	71,619 %	7623,2823 litre	O
380	CM	150	CM	201 LEVEL CM	19130,2648 litre	71,220 %	7730,3524 litre	O
380	CM	150	CM	200 LEVEL CM	19022,9199 litre	70,821 %	7837,6973 litre	O
380	CM	150	CM	199 LEVEL CM	18915,3064 litre	70,420 %	7945,3108 litre	O
380	CM	150	CM	198 LEVEL CM	18807,4301 litre	70,019 %	8053,1871 litre	O
380	CM	150	CM	197 LEVEL CM	18699,2971 litre	69,616 %	8161,3201 litre	O
380	CM	150	CM	196 LEVEL CM	18590,9134 litre	69,213 %	8269,7038 litre	O

380	CM	150	CM	195 LEVEL CM	18482,2848 litre	68,808 %	8378,3324 litre	O
380	CM	150	CM	194 LEVEL CM	18373,4172 litre	68,403 %	8487,2000 litre	O
380	CM	150	CM	193 LEVEL CM	18264,3164 litre	67,997 %	8596,3008 litre	O
380	CM	150	CM	192 LEVEL CM	18154,9882 litre	67,590 %	8705,6290 litre	O
380	CM	150	CM	191 LEVEL CM	18045,4383 litre	67,182 %	8815,1789 litre	O
380	CM	150	CM	190 LEVEL CM	17935,6725 litre	66,773 %	8924,9447 litre	O
380	CM	150	CM	189 LEVEL CM	17825,6964 litre	66,364 %	9034,9208 litre	O
380	CM	150	CM	188 LEVEL CM	17715,5156 litre	65,953 %	9145,1016 litre	O
380	CM	150	CM	187 LEVEL CM	17605,1358 litre	65,543 %	9255,4814 litre	O
380	CM	150	CM	186 LEVEL CM	17494,5626 litre	65,131 %	9366,0546 litre	O
380	CM	150	CM	185 LEVEL CM	17383,8015 litre	64,719 %	9476,8157 litre	O
380	CM	150	CM	184 LEVEL CM	17272,8580 litre	64,306 %	9587,7592 litre	O
380	CM	150	CM	183 LEVEL CM	17161,7376 litre	63,892 %	9698,8796 litre	O
380	CM	150	CM	182 LEVEL CM	17050,4458 litre	63,477 %	9810,1714 litre	O
380	CM	150	CM	181 LEVEL CM	16938,9881 litre	63,063 %	9921,6291 litre	O
380	CM	150	CM	180 LEVEL CM	16827,3698 litre	62,647 %	10033,2474 litre	O
380	CM	150	CM	179 LEVEL CM	16715,5964 litre	62,231 %	10145,0208 litre	O
380	CM	150	CM	178 LEVEL CM	16603,6732 litre	61,814 %	10256,9440 litre	O
380	CM	150	CM	177 LEVEL CM	16491,6057 litre	61,397 %	10369,0115 litre	O
380	CM	150	CM	176 LEVEL CM	16379,3990 litre	60,979 %	10481,2182 litre	O
380	CM	150	CM	175 LEVEL CM	16267,0586 litre	60,561 %	10593,5586 litre	O
380	CM	150	CM	174 LEVEL CM	16154,5898 litre	60,142 %	10706,0274 litre	O
380	CM	150	CM	173 LEVEL CM	16041,9977 litre	59,723 %	10818,6195 litre	O
380	CM	150	CM	172 LEVEL CM	15929,2877 litre	59,304 %	10931,3295 litre	O
380	CM	150	CM	171 LEVEL CM	15816,4650 litre	58,883 %	11044,1522 litre	O
380	CM	150	CM	170 LEVEL CM	15703,5349 litre	58,463 %	11157,0823 litre	O
380	CM	150	CM	169 LEVEL CM	15590,5025 litre	58,042 %	11270,1147 litre	O
380	CM	150	CM	168 LEVEL CM	15477,3731 litre	57,621 %	11383,2441 litre	O
380	CM	150	CM	167 LEVEL CM	15364,1518 litre	57,200 %	11496,4654 litre	O
380	CM	150	CM	166 LEVEL CM	15250,8438 litre	56,778 %	11609,7734 litre	O
380	CM	150	CM	165 LEVEL CM	15137,4543 litre	56,356 %	11723,1629 litre	O
380	CM	150	CM	164 LEVEL CM	15023,9884 litre	55,933 %	11836,6288 litre	O
380	CM	150	CM	163 LEVEL CM	14910,4513 litre	55,510 %	11950,1659 litre	O
380	CM	150	CM	162 LEVEL CM	14796,8480 litre	55,088 %	12063,7692 litre	O
380	CM	150	CM	161 LEVEL CM	14683,1837 litre	54,664 %	12177,4335 litre	O
380	CM	150	CM	160 LEVEL CM	14569,4636 litre	54,241 %	12291,1536 litre	O
380	CM	150	CM	159 LEVEL CM	14455,6927 litre	53,817 %	12404,9245 litre	O
380	CM	150	CM	158 LEVEL CM	14341,8761 litre	53,394 %	12518,7411 litre	O
380	CM	150	CM	157 LEVEL CM	14228,0189 litre	52,970 %	12632,5983 litre	O
380	CM	150	CM	156 LEVEL CM	14114,1262 litre	52,546 %	12746,4910 litre	O
380	CM	150	CM	155 LEVEL CM	14000,2030 litre	52,122 %	12860,4142 litre	O
380	CM	150	CM	154 LEVEL CM	13886,2545 litre	51,697 %	12974,3627 litre	O
380	CM	150	CM	153 LEVEL CM	13772,2858 litre	51,273 %	13088,3314 litre	O
380	CM	150	CM	152 LEVEL CM	13658,3018 litre	50,849 %	13202,3154 litre	O
380	CM	150	CM	151 LEVEL CM	13544,3077 litre	50,424 %	13316,3095 litre	O
380	CM	150	CM	150 LEVEL CM	13430,3086 litre	50,000 %	13430,3086 litre	O
380	CM	150	CM	149 LEVEL CM	13316,3094 litre	49,576 %	13544,3078 litre	O
380	CM	150	CM	148 LEVEL CM	13202,3153 litre	49,151 %	13658,3019 litre	O
380	CM	150	CM	147 LEVEL CM	13088,3314 litre	48,727 %	13772,2858 litre	O
380	CM	150	CM	146 LEVEL CM	12974,3626 litre	48,303 %	13886,2546 litre	O
380	CM	150	CM	145 LEVEL CM	12860,4142 litre	47,878 %	14000,2030 litre	O
380	CM	150	CM	144 LEVEL CM	12746,4910 litre	47,454 %	14114,1262 litre	O
380	CM	150	CM	143 LEVEL CM	12632,5983 litre	47,030 %	14228,0189 litre	O

380	CM	150	CM	142 LEVEL CM	12518,7411 litre	46,606 %	14341,8761 litre	O
380	CM	150	CM	141 LEVEL CM	12404,9245 litre	46,183 %	14455,6927 litre	O
380	CM	150	CM	140 LEVEL CM	12291,1536 litre	45,759 %	14569,4636 litre	O
380	CM	150	CM	139 LEVEL CM	12177,4335 litre	45,336 %	14683,1837 litre	O
380	CM	150	CM	138 LEVEL CM	12063,7692 litre	44,912 %	14796,8480 litre	O
380	CM	150	CM	137 LEVEL CM	11950,1659 litre	44,490 %	14910,4513 litre	O
380	CM	150	CM	136 LEVEL CM	11836,6288 litre	44,067 %	15023,9884 litre	O
380	CM	150	CM	135 LEVEL CM	11723,1629 litre	43,644 %	15137,4543 litre	O
380	CM	150	CM	134 LEVEL CM	11609,7734 litre	43,222 %	15250,8438 litre	O
380	CM	150	CM	133 LEVEL CM	11496,4654 litre	42,800 %	15364,1518 litre	O
380	CM	150	CM	132 LEVEL CM	11383,2441 litre	42,379 %	15477,3731 litre	O
380	CM	150	CM	131 LEVEL CM	11270,1147 litre	41,958 %	15590,5025 litre	O
380	CM	150	CM	130 LEVEL CM	11157,0823 litre	41,537 %	15703,5349 litre	O
380	CM	150	CM	129 LEVEL CM	11044,1521 litre	41,117 %	15816,4651 litre	O
380	CM	150	CM	128 LEVEL CM	10931,3295 litre	40,696 %	15929,2877 litre	O
380	CM	150	CM	127 LEVEL CM	10818,6195 litre	40,277 %	16041,9977 litre	O
380	CM	150	CM	126 LEVEL CM	10706,0274 litre	39,858 %	16154,5898 litre	O
380	CM	150	CM	125 LEVEL CM	10593,5586 litre	39,439 %	16267,0586 litre	O
380	CM	150	CM	124 LEVEL CM	10481,2182 litre	39,021 %	16379,3990 litre	O
380	CM	150	CM	123 LEVEL CM	10369,0115 litre	38,603 %	16491,6057 litre	O
380	CM	150	CM	122 LEVEL CM	10256,9440 litre	38,186 %	16603,6732 litre	O
380	CM	150	CM	121 LEVEL CM	10145,0208 litre	37,769 %	16715,5964 litre	O
380	CM	150	CM	120 LEVEL CM	10033,2474 litre	37,353 %	16827,3698 litre	O
380	CM	150	CM	119 LEVEL CM	9921,6291 litre	36,937 %	16938,9881 litre	O
380	CM	150	CM	118 LEVEL CM	9810,1714 litre	36,523 %	17050,4458 litre	O
380	CM	150	CM	117 LEVEL CM	9698,8796 litre	36,108 %	17161,7376 litre	O
380	CM	150	CM	116 LEVEL CM	9587,7592 litre	35,694 %	17272,8580 litre	O
380	CM	150	CM	115 LEVEL CM	9476,8157 litre	35,281 %	17383,8015 litre	O
380	CM	150	CM	114 LEVEL CM	9366,0546 litre	34,869 %	17494,5626 litre	O
380	CM	150	CM	113 LEVEL CM	9255,4814 litre	34,457 %	17605,1358 litre	O
380	CM	150	CM	112 LEVEL CM	9145,1016 litre	34,047 %	17715,5156 litre	O
380	CM	150	CM	111 LEVEL CM	9034,9208 litre	33,636 %	17825,6964 litre	O
380	CM	150	CM	110 LEVEL CM	8924,9447 litre	33,227 %	17935,6725 litre	O
380	CM	150	CM	109 LEVEL CM	8815,1788 litre	32,818 %	18045,4384 litre	O
380	CM	150	CM	108 LEVEL CM	8705,6290 litre	32,410 %	18154,9882 litre	O
380	CM	150	CM	107 LEVEL CM	8596,3007 litre	32,003 %	18264,3165 litre	O
380	CM	150	CM	106 LEVEL CM	8487,2000 litre	31,597 %	18373,4172 litre	O
380	CM	150	CM	105 LEVEL CM	8378,3324 litre	31,192 %	18482,2848 litre	O
380	CM	150	CM	104 LEVEL CM	8269,7038 litre	30,787 %	18590,9134 litre	O
380	CM	150	CM	103 LEVEL CM	8161,3200 litre	30,384 %	18699,2972 litre	O
380	CM	150	CM	102 LEVEL CM	8053,1871 litre	29,981 %	18807,4301 litre	O
380	CM	150	CM	101 LEVEL CM	7945,3108 litre	29,580 %	18915,3064 litre	O
380	CM	150	CM	100 LEVEL CM	7837,6972 litre	29,179 %	19022,9200 litre	O
380	CM	150	CM	99 LEVEL CM	7730,3524 litre	28,780 %	19130,2648 litre	O
380	CM	150	CM	98 LEVEL CM	7623,2823 litre	28,381 %	19237,3349 litre	O
380	CM	150	CM	97 LEVEL CM	7516,4931 litre	27,983 %	19344,1241 litre	O
380	CM	150	CM	96 LEVEL CM	7409,9909 litre	27,587 %	19450,6263 litre	O
380	CM	150	CM	95 LEVEL CM	7303,7820 litre	27,191 %	19556,8352 litre	O
380	CM	150	CM	94 LEVEL CM	7197,8727 litre	26,797 %	19662,7445 litre	O
380	CM	150	CM	93 LEVEL CM	7092,2692 litre	26,404 %	19768,3480 litre	O
380	CM	150	CM	92 LEVEL CM	6986,9779 litre	26,012 %	19873,6393 litre	O
380	CM	150	CM	91 LEVEL CM	6882,0053 litre	25,621 %	19978,6119 litre	O
380	CM	150	CM	90 LEVEL CM	6777,3578 litre	25,232 %	20083,2594 litre	O

380	CM	150	CM	89 LEVEL CM	6673,0420 litre	24,843 %	20187,5752 litre	O
380	CM	150	CM	88 LEVEL CM	6569,0645 litre	24,456 %	20291,5527 litre	O
380	CM	150	CM	87 LEVEL CM	6465,4320 litre	24,070 %	20395,1852 litre	O
380	CM	150	CM	86 LEVEL CM	6362,1513 litre	23,686 %	20498,4659 litre	O
380	CM	150	CM	85 LEVEL CM	6259,2291 litre	23,303 %	20601,3881 litre	O
380	CM	150	CM	84 LEVEL CM	6156,6723 litre	22,921 %	20703,9449 litre	O
380	CM	150	CM	83 LEVEL CM	6054,4879 litre	22,540 %	20806,1293 litre	O
380	CM	150	CM	82 LEVEL CM	5952,6830 litre	22,161 %	20907,9342 litre	O
380	CM	150	CM	81 LEVEL CM	5851,2646 litre	21,784 %	21009,3526 litre	O
380	CM	150	CM	80 LEVEL CM	5750,2399 litre	21,408 %	21110,3773 litre	O
380	CM	150	CM	79 LEVEL CM	5649,6162 litre	21,033 %	21211,0010 litre	O
380	CM	150	CM	78 LEVEL CM	5549,4009 litre	20,660 %	21311,2163 litre	O
380	CM	150	CM	77 LEVEL CM	5449,6015 litre	20,288 %	21411,0157 litre	O
380	CM	150	CM	76 LEVEL CM	5350,2255 litre	19,918 %	21510,3917 litre	O
380	CM	150	CM	75 LEVEL CM	5251,2805 litre	19,550 %	21609,3367 litre	O
380	CM	150	CM	74 LEVEL CM	5152,7743 litre	19,183 %	21707,8429 litre	O
380	CM	150	CM	73 LEVEL CM	5054,7147 litre	18,818 %	21805,9025 litre	O
380	CM	150	CM	72 LEVEL CM	4957,1098 litre	18,455 %	21903,5074 litre	O
380	CM	150	CM	71 LEVEL CM	4859,9675 litre	18,093 %	22000,6497 litre	O
380	CM	150	CM	70 LEVEL CM	4763,2961 litre	17,733 %	22097,3211 litre	O
380	CM	150	CM	69 LEVEL CM	4667,1039 litre	17,375 %	22193,5133 litre	O
380	CM	150	CM	68 LEVEL CM	4571,3993 litre	17,019 %	22289,2179 litre	O
380	CM	150	CM	67 LEVEL CM	4476,1909 litre	16,665 %	22384,4263 litre	O
380	CM	150	CM	66 LEVEL CM	4381,4874 litre	16,312 %	22479,1298 litre	O
380	CM	150	CM	65 LEVEL CM	4287,2976 litre	15,961 %	22573,3196 litre	O
380	CM	150	CM	64 LEVEL CM	4193,6305 litre	15,613 %	22666,9867 litre	O
380	CM	150	CM	63 LEVEL CM	4100,4952 litre	15,266 %	22760,1220 litre	O
380	CM	150	CM	62 LEVEL CM	4007,9010 litre	14,921 %	22852,7162 litre	O
380	CM	150	CM	61 LEVEL CM	3915,8575 litre	14,578 %	22944,7597 litre	O
380	CM	150	CM	60 LEVEL CM	3824,3741 litre	14,238 %	23036,2431 litre	O
380	CM	150	CM	59 LEVEL CM	3733,4608 litre	13,899 %	23127,1564 litre	O
380	CM	150	CM	58 LEVEL CM	3643,1274 litre	13,563 %	23217,4898 litre	O
380	CM	150	CM	57 LEVEL CM	3553,3843 litre	13,229 %	23307,2329 litre	O
380	CM	150	CM	56 LEVEL CM	3464,2417 litre	12,897 %	23396,3755 litre	O
380	CM	150	CM	55 LEVEL CM	3375,7103 litre	12,568 %	23484,9069 litre	O
380	CM	150	CM	54 LEVEL CM	3287,8009 litre	12,240 %	23572,8163 litre	O
380	CM	150	CM	53 LEVEL CM	3200,5246 litre	11,915 %	23660,0926 litre	O
380	CM	150	CM	52 LEVEL CM	3113,8925 litre	11,593 %	23746,7247 litre	O
380	CM	150	CM	51 LEVEL CM	3027,9164 litre	11,273 %	23832,7008 litre	O
380	CM	150	CM	50 LEVEL CM	2942,6080 litre	10,955 %	23918,0092 litre	O
380	CM	150	CM	49 LEVEL CM	2857,9793 litre	10,640 %	24002,6379 litre	O
380	CM	150	CM	48 LEVEL CM	2774,0429 litre	10,328 %	24086,5743 litre	O
380	CM	150	CM	47 LEVEL CM	2690,8113 litre	10,018 %	24169,8059 litre	O
380	CM	150	CM	46 LEVEL CM	2608,2975 litre	9,710 %	24252,3197 litre	O
380	CM	150	CM	45 LEVEL CM	2526,5151 litre	9,406 %	24334,1021 litre	O
380	CM	150	CM	44 LEVEL CM	2445,4776 litre	9,104 %	24415,1396 litre	O
380	CM	150	CM	43 LEVEL CM	2365,1992 litre	8,805 %	24495,4180 litre	O
380	CM	150	CM	42 LEVEL CM	2285,6944 litre	8,509 %	24574,9228 litre	O
380	CM	150	CM	41 LEVEL CM	2206,9782 litre	8,216 %	24653,6390 litre	O
380	CM	150	CM	40 LEVEL CM	2129,0659 litre	7,926 %	24731,5513 litre	O
380	CM	150	CM	39 LEVEL CM	2051,9734 litre	7,639 %	24808,6438 litre	O
380	CM	150	CM	38 LEVEL CM	1975,7171 litre	7,355 %	24884,9001 litre	O
380	CM	150	CM	37 LEVEL CM	1900,3139 litre	7,075 %	24960,3033 litre	O

380	CM	150	CM	36 LEVEL CM	1825,7813 litre	6,797 %	25034,8359 litre	O
380	CM	150	CM	35 LEVEL CM	1752,1376 litre	6,523 %	25108,4796 litre	O
380	CM	150	CM	34 LEVEL CM	1679,4014 litre	6,252 %	25181,2158 litre	O
380	CM	150	CM	33 LEVEL CM	1607,5923 litre	5,985 %	25253,0249 litre	O
380	CM	150	CM	32 LEVEL CM	1536,7305 litre	5,721 %	25323,8867 litre	O
380	CM	150	CM	31 LEVEL CM	1466,8373 litre	5,461 %	25393,7799 litre	O
380	CM	150	CM	30 LEVEL CM	1397,9345 litre	5,204 %	25462,6827 litre	O
380	CM	150	CM	29 LEVEL CM	1330,0451 litre	4,952 %	25530,5721 litre	O
380	CM	150	CM	28 LEVEL CM	1263,1931 litre	4,703 %	25597,4241 litre	O
380	CM	150	CM	27 LEVEL CM	1197,4037 litre	4,458 %	25663,2135 litre	O
380	CM	150	CM	26 LEVEL CM	1132,7033 litre	4,217 %	25727,9139 litre	O
380	CM	150	CM	25 LEVEL CM	1069,1195 litre	3,980 %	25791,4977 litre	O
380	CM	150	CM	24 LEVEL CM	1006,6815 litre	3,748 %	25853,9357 litre	O
380	CM	150	CM	23 LEVEL CM	945,4203 litre	3,520 %	25915,1969 litre	O
380	CM	150	CM	22 LEVEL CM	885,3686 litre	3,296 %	25975,2486 litre	O
380	CM	150	CM	21 LEVEL CM	826,5609 litre	3,077 %	26034,0563 litre	O
380	CM	150	CM	20 LEVEL CM	769,0342 litre	2,863 %	26091,5830 litre	O
380	CM	150	CM	19 LEVEL CM	712,8281 litre	2,654 %	26147,7891 litre	O
380	CM	150	CM	18 LEVEL CM	657,9848 litre	2,450 %	26202,6324 litre	O
380	CM	150	CM	17 LEVEL CM	604,5499 litre	2,251 %	26256,0673 litre	O
380	CM	150	CM	16 LEVEL CM	552,5726 litre	2,057 %	26308,0446 litre	O
380	CM	150	CM	15 LEVEL CM	502,1065 litre	1,869 %	26358,5107 litre	O
380	CM	150	CM	14 LEVEL CM	453,2101 litre	1,687 %	26407,4071 litre	O
380	CM	150	CM	13 LEVEL CM	405,9477 litre	1,511 %	26454,6695 litre	O
380	CM	150	CM	12 LEVEL CM	360,3906 litre	1,342 %	26500,2266 litre	O
380	CM	150	CM	11 LEVEL CM	316,6184 litre	1,179 %	26543,9988 litre	O
380	CM	150	CM	10 LEVEL CM	274,7209 litre	1,023 %	26585,8963 litre	O
380	CM	150	CM	9 LEVEL CM	234,8005 litre	0,874 %	26625,8167 litre	O
380	CM	150	CM	8 LEVEL CM	196,9757 litre	0,733 %	26663,6415 litre	O
380	CM	150	CM	7 LEVEL CM	161,3862 litre	0,601 %	26699,2310 litre	O
380	CM	150	CM	6 LEVEL CM	128,1996 litre	0,477 %	26732,4176 litre	O
380	CM	150	CM	5 LEVEL CM	97,6235 litre	0,363 %	26762,9937 litre	O
380	CM	150	CM	4 LEVEL CM	69,9243 litre	0,260 %	26790,6929 litre	O
380	CM	150	CM	3 LEVEL CM	45,4630 litre	0,169 %	26815,1542 litre	O
380	CM	150	CM	2 LEVEL CM	24,7718 litre	0,092 %	26835,8454 litre	O
380	CM	150	CM	1 LEVEL CM	8,7669 litre	0,033 %	26851,8503 litre	O
380	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	26860,6172 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 145	CM 290 LEVEL CM	25099,7545 litre	100,000 %	0,0000 litre	O
380	CM 145	CM 289 LEVEL CM	25091,1352 litre	99,966 %	8,6193 litre	O
380	CM 145	CM 288 LEVEL CM	25075,4008 litre	99,903 %	24,3537 litre	O
380	CM 145	CM 287 LEVEL CM	25055,0603 litre	99,822 %	44,6942 litre	O
380	CM 145	CM 286 LEVEL CM	25031,0151 litre	99,726 %	68,7394 litre	O
380	CM 145	CM 285 LEVEL CM	25003,7886 litre	99,618 %	95,9659 litre	O
380	CM 145	CM 284 LEVEL CM	24973,7361 litre	99,498 %	126,0184 litre	O
380	CM 145	CM 283 LEVEL CM	24941,1198 litre	99,368 %	158,6347 litre	O
380	CM 145	CM 282 LEVEL CM	24906,1439 litre	99,229 %	193,6106 litre	O
380	CM 145	CM 281 LEVEL CM	24868,9736 litre	99,081 %	230,7809 litre	O
380	CM 145	CM 280 LEVEL CM	24829,7463 litre	98,924 %	270,0082 litre	O
380	CM 145	CM 279 LEVEL CM	24788,5788 litre	98,760 %	311,1757 litre	O
380	CM 145	CM 278 LEVEL CM	24745,5719 litre	98,589 %	354,1826 litre	O
380	CM 145	CM 277 LEVEL CM	24700,8141 litre	98,411 %	398,9404 litre	O
380	CM 145	CM 276 LEVEL CM	24654,3839 litre	98,226 %	445,3706 litre	O
380	CM 145	CM 275 LEVEL CM	24606,3515 litre	98,034 %	493,4030 litre	O
380	CM 145	CM 274 LEVEL CM	24556,7803 litre	97,837 %	542,9742 litre	O
380	CM 145	CM 273 LEVEL CM	24505,7279 litre	97,633 %	594,0266 litre	O
380	CM 145	CM 272 LEVEL CM	24453,2473 litre	97,424 %	646,5072 litre	O
380	CM 145	CM 271 LEVEL CM	24399,3869 litre	97,210 %	700,3676 litre	O
380	CM 145	CM 270 LEVEL CM	24344,1918 litre	96,990 %	755,5627 litre	O
380	CM 145	CM 269 LEVEL CM	24287,7036 litre	96,765 %	812,0509 litre	O
380	CM 145	CM 268 LEVEL CM	24229,9614 litre	96,535 %	869,7931 litre	O
380	CM 145	CM 267 LEVEL CM	24171,0016 litre	96,300 %	928,7529 litre	O
380	CM 145	CM 266 LEVEL CM	24110,8584 litre	96,060 %	988,8961 litre	O
380	CM 145	CM 265 LEVEL CM	24049,5641 litre	95,816 %	1050,1904 litre	O
380	CM 145	CM 264 LEVEL CM	23987,1492 litre	95,567 %	1112,6053 litre	O
380	CM 145	CM 263 LEVEL CM	23923,6426 litre	95,314 %	1176,1119 litre	O
380	CM 145	CM 262 LEVEL CM	23859,0716 litre	95,057 %	1240,6829 litre	O
380	CM 145	CM 261 LEVEL CM	23793,4624 litre	94,796 %	1306,2921 litre	O
380	CM 145	CM 260 LEVEL CM	23726,8397 litre	94,530 %	1372,9148 litre	O
380	CM 145	CM 259 LEVEL CM	23659,2274 litre	94,261 %	1440,5271 litre	O
380	CM 145	CM 258 LEVEL CM	23590,6480 litre	93,988 %	1509,1065 litre	O
380	CM 145	CM 257 LEVEL CM	23521,1234 litre	93,711 %	1578,6311 litre	O
380	CM 145	CM 256 LEVEL CM	23450,6745 litre	93,430 %	1649,0800 litre	O
380	CM 145	CM 255 LEVEL CM	23379,3212 litre	93,146 %	1720,4333 litre	O
380	CM 145	CM 254 LEVEL CM	23307,0830 litre	92,858 %	1792,6715 litre	O
380	CM 145	CM 253 LEVEL CM	23233,9784 litre	92,567 %	1865,7761 litre	O
380	CM 145	CM 252 LEVEL CM	23160,0255 litre	92,272 %	1939,7290 litre	O
380	CM 145	CM 251 LEVEL CM	23085,2414 litre	91,974 %	2014,5131 litre	O
380	CM 145	CM 250 LEVEL CM	23009,6431 litre	91,673 %	2090,1114 litre	O
380	CM 145	CM 249 LEVEL CM	22933,2467 litre	91,368 %	2166,5078 litre	O
380	CM 145	CM 248 LEVEL CM	22856,0681 litre	91,061 %	2243,6864 litre	O
380	CM 145	CM 247 LEVEL CM	22778,1224 litre	90,750 %	2321,6321 litre	O
380	CM 145	CM 246 LEVEL CM	22699,4244 litre	90,437 %	2400,3301 litre	O
380	CM 145	CM 245 LEVEL CM	22619,9887 litre	90,120 %	2479,7658 litre	O
380	CM 145	CM 244 LEVEL CM	22539,8290 litre	89,801 %	2559,9255 litre	O
380	CM 145	CM 243 LEVEL CM	22458,9592 litre	89,479 %	2640,7953 litre	O
380	CM 145	CM 242 LEVEL CM	22377,3924 litre	89,154 %	2722,3621 litre	O
380	CM 145	CM 241 LEVEL CM	22295,1416 litre	88,826 %	2804,6129 litre	O
380	CM 145	CM 240 LEVEL CM	22212,2193 litre	88,496 %	2887,5352 litre	O
380	CM 145	CM 239 LEVEL CM	22128,6380 litre	88,163 %	2971,1165 litre	O

380	CM	145	CM	238 LEVEL CM	22044,4095 litre	87,827 %	3055,3450 litre	O
380	CM	145	CM	237 LEVEL CM	21959,5457 litre	87,489 %	3140,2088 litre	O
380	CM	145	CM	236 LEVEL CM	21874,0580 litre	87,148 %	3225,6965 litre	O
380	CM	145	CM	235 LEVEL CM	21787,9576 litre	86,805 %	3311,7969 litre	O
380	CM	145	CM	234 LEVEL CM	21701,2556 litre	86,460 %	3398,4989 litre	O
380	CM	145	CM	233 LEVEL CM	21613,9626 litre	86,112 %	3485,7919 litre	O
380	CM	145	CM	232 LEVEL CM	21526,0894 litre	85,762 %	3573,6651 litre	O
380	CM	145	CM	231 LEVEL CM	21437,6461 litre	85,410 %	3662,1084 litre	O
380	CM	145	CM	230 LEVEL CM	21348,6429 litre	85,055 %	3751,1116 litre	O
380	CM	145	CM	229 LEVEL CM	21259,0898 litre	84,698 %	3840,6647 litre	O
380	CM	145	CM	228 LEVEL CM	21168,9965 litre	84,339 %	3930,7580 litre	O
380	CM	145	CM	227 LEVEL CM	21078,3727 litre	83,978 %	4021,3818 litre	O
380	CM	145	CM	226 LEVEL CM	20987,2277 litre	83,615 %	4112,5268 litre	O
380	CM	145	CM	225 LEVEL CM	20895,5709 litre	83,250 %	4204,1836 litre	O
380	CM	145	CM	224 LEVEL CM	20803,4112 litre	82,883 %	4296,3433 litre	O
380	CM	145	CM	223 LEVEL CM	20710,7578 litre	82,514 %	4388,9967 litre	O
380	CM	145	CM	222 LEVEL CM	20617,6194 litre	82,143 %	4482,1351 litre	O
380	CM	145	CM	221 LEVEL CM	20524,0047 litre	81,770 %	4575,7498 litre	O
380	CM	145	CM	220 LEVEL CM	20429,9222 litre	81,395 %	4669,8323 litre	O
380	CM	145	CM	219 LEVEL CM	20335,3805 litre	81,018 %	4764,3740 litre	O
380	CM	145	CM	218 LEVEL CM	20240,3876 litre	80,640 %	4859,3669 litre	O
380	CM	145	CM	217 LEVEL CM	20144,9520 litre	80,260 %	4954,8025 litre	O
380	CM	145	CM	216 LEVEL CM	20049,0815 litre	79,878 %	5050,6730 litre	O
380	CM	145	CM	215 LEVEL CM	19952,7843 litre	79,494 %	5146,9702 litre	O
380	CM	145	CM	214 LEVEL CM	19856,0681 litre	79,109 %	5243,6864 litre	O
380	CM	145	CM	213 LEVEL CM	19758,9407 litre	78,722 %	5340,8138 litre	O
380	CM	145	CM	212 LEVEL CM	19661,4097 litre	78,333 %	5438,3448 litre	O
380	CM	145	CM	211 LEVEL CM	19563,4827 litre	77,943 %	5536,2718 litre	O
380	CM	145	CM	210 LEVEL CM	19465,1673 litre	77,551 %	5634,5872 litre	O
380	CM	145	CM	209 LEVEL CM	19366,4707 litre	77,158 %	5733,2838 litre	O
380	CM	145	CM	208 LEVEL CM	19267,4002 litre	76,763 %	5832,3543 litre	O
380	CM	145	CM	207 LEVEL CM	19167,9632 litre	76,367 %	5931,7913 litre	O
380	CM	145	CM	206 LEVEL CM	19068,1666 litre	75,970 %	6031,5879 litre	O
380	CM	145	CM	205 LEVEL CM	18968,0176 litre	75,571 %	6131,7369 litre	O
380	CM	145	CM	204 LEVEL CM	18867,5232 litre	75,170 %	6232,2313 litre	O
380	CM	145	CM	203 LEVEL CM	18766,6902 litre	74,768 %	6333,0643 litre	O
380	CM	145	CM	202 LEVEL CM	18665,5255 litre	74,365 %	6434,2290 litre	O
380	CM	145	CM	201 LEVEL CM	18564,0359 litre	73,961 %	6535,7186 litre	O
380	CM	145	CM	200 LEVEL CM	18462,2281 litre	73,555 %	6637,5264 litre	O
380	CM	145	CM	199 LEVEL CM	18360,1087 litre	73,149 %	6739,6458 litre	O
380	CM	145	CM	198 LEVEL CM	18257,6843 litre	72,740 %	6842,0702 litre	O
380	CM	145	CM	197 LEVEL CM	18154,9615 litre	72,331 %	6944,7930 litre	O
380	CM	145	CM	196 LEVEL CM	18051,9468 litre	71,921 %	7047,8077 litre	O
380	CM	145	CM	195 LEVEL CM	17948,6464 litre	71,509 %	7151,1081 litre	O
380	CM	145	CM	194 LEVEL CM	17845,0669 litre	71,097 %	7254,6876 litre	O
380	CM	145	CM	193 LEVEL CM	17741,2144 litre	70,683 %	7358,5401 litre	O
380	CM	145	CM	192 LEVEL CM	17637,0954 litre	70,268 %	7462,6591 litre	O
380	CM	145	CM	191 LEVEL CM	17532,7159 litre	69,852 %	7567,0386 litre	O
380	CM	145	CM	190 LEVEL CM	17428,0822 litre	69,435 %	7671,6723 litre	O
380	CM	145	CM	189 LEVEL CM	17323,2004 litre	69,017 %	7776,5541 litre	O
380	CM	145	CM	188 LEVEL CM	17218,0766 litre	68,599 %	7881,6779 litre	O
380	CM	145	CM	187 LEVEL CM	17112,7167 litre	68,179 %	7987,0378 litre	O
380	CM	145	CM	186 LEVEL CM	17007,1269 litre	67,758 %	8092,6276 litre	O

380	CM	145	CM	185 LEVEL CM	16901,3130 litre	67,337 %	8198,4415 litre	O
380	CM	145	CM	184 LEVEL CM	16795,2810 litre	66,914 %	8304,4735 litre	O
380	CM	145	CM	183 LEVEL CM	16689,0367 litre	66,491 %	8410,7178 litre	O
380	CM	145	CM	182 LEVEL CM	16582,5861 litre	66,067 %	8517,1684 litre	O
380	CM	145	CM	181 LEVEL CM	16475,9349 litre	65,642 %	8623,8196 litre	O
380	CM	145	CM	180 LEVEL CM	16369,0889 litre	65,216 %	8730,6656 litre	O
380	CM	145	CM	179 LEVEL CM	16262,0538 litre	64,790 %	8837,7007 litre	O
380	CM	145	CM	178 LEVEL CM	16154,8355 litre	64,363 %	8944,9190 litre	O
380	CM	145	CM	177 LEVEL CM	16047,4395 litre	63,935 %	9052,3150 litre	O
380	CM	145	CM	176 LEVEL CM	15939,8715 litre	63,506 %	9159,8830 litre	O
380	CM	145	CM	175 LEVEL CM	15832,1372 litre	63,077 %	9267,6173 litre	O
380	CM	145	CM	174 LEVEL CM	15724,2422 litre	62,647 %	9375,5123 litre	O
380	CM	145	CM	173 LEVEL CM	15616,1921 litre	62,217 %	9483,5624 litre	O
380	CM	145	CM	172 LEVEL CM	15507,9924 litre	61,785 %	9591,7621 litre	O
380	CM	145	CM	171 LEVEL CM	15399,6486 litre	61,354 %	9700,1059 litre	O
380	CM	145	CM	170 LEVEL CM	15291,1663 litre	60,922 %	9808,5882 litre	O
380	CM	145	CM	169 LEVEL CM	15182,5510 litre	60,489 %	9917,2035 litre	O
380	CM	145	CM	168 LEVEL CM	15073,8081 litre	60,056 %	10025,9464 litre	O
380	CM	145	CM	167 LEVEL CM	14964,9432 litre	59,622 %	10134,8113 litre	O
380	CM	145	CM	166 LEVEL CM	14855,9615 litre	59,188 %	10243,7930 litre	O
380	CM	145	CM	165 LEVEL CM	14746,8687 litre	58,753 %	10352,8858 litre	O
380	CM	145	CM	164 LEVEL CM	14637,6700 litre	58,318 %	10462,0845 litre	O
380	CM	145	CM	163 LEVEL CM	14528,3708 litre	57,883 %	10571,3837 litre	O
380	CM	145	CM	162 LEVEL CM	14418,9765 litre	57,447 %	10680,7780 litre	O
380	CM	145	CM	161 LEVEL CM	14309,4926 litre	57,010 %	10790,2619 litre	O
380	CM	145	CM	160 LEVEL CM	14199,9242 litre	56,574 %	10899,8303 litre	O
380	CM	145	CM	159 LEVEL CM	14090,2768 litre	56,137 %	11009,4777 litre	O
380	CM	145	CM	158 LEVEL CM	13980,5557 litre	55,700 %	11119,1988 litre	O
380	CM	145	CM	157 LEVEL CM	13870,7662 litre	55,263 %	11228,9883 litre	O
380	CM	145	CM	156 LEVEL CM	13760,9135 litre	54,825 %	11338,8410 litre	O
380	CM	145	CM	155 LEVEL CM	13651,0031 litre	54,387 %	11448,7514 litre	O
380	CM	145	CM	154 LEVEL CM	13541,0401 litre	53,949 %	11558,7144 litre	O
380	CM	145	CM	153 LEVEL CM	13431,0298 litre	53,511 %	11668,7247 litre	O
380	CM	145	CM	152 LEVEL CM	13320,9775 litre	53,072 %	11778,7770 litre	O
380	CM	145	CM	151 LEVEL CM	13210,8885 litre	52,634 %	11888,8660 litre	O
380	CM	145	CM	150 LEVEL CM	13100,7680 litre	52,195 %	11998,9865 litre	O
380	CM	145	CM	149 LEVEL CM	12990,6213 litre	51,756 %	12109,1332 litre	O
380	CM	145	CM	148 LEVEL CM	12880,4537 litre	51,317 %	12219,3008 litre	O
380	CM	145	CM	147 LEVEL CM	12770,2703 litre	50,878 %	12329,4842 litre	O
380	CM	145	CM	146 LEVEL CM	12660,0764 litre	50,439 %	12439,6781 litre	O
380	CM	145	CM	145 LEVEL CM	12549,8773 litre	50,000 %	12549,8772 litre	O
380	CM	145	CM	144 LEVEL CM	12439,6781 litre	49,561 %	12660,0764 litre	O
380	CM	145	CM	143 LEVEL CM	12329,4842 litre	49,122 %	12770,2703 litre	O
380	CM	145	CM	142 LEVEL CM	12219,3008 litre	48,683 %	12880,4537 litre	O
380	CM	145	CM	141 LEVEL CM	12109,1332 litre	48,244 %	12990,6213 litre	O
380	CM	145	CM	140 LEVEL CM	11998,9865 litre	47,805 %	13100,7680 litre	O
380	CM	145	CM	139 LEVEL CM	11888,8660 litre	47,366 %	13210,8885 litre	O
380	CM	145	CM	138 LEVEL CM	11778,7770 litre	46,928 %	13320,9775 litre	O
380	CM	145	CM	137 LEVEL CM	11668,7247 litre	46,489 %	13431,0298 litre	O
380	CM	145	CM	136 LEVEL CM	11558,7144 litre	46,051 %	13541,0401 litre	O
380	CM	145	CM	135 LEVEL CM	11448,7514 litre	45,613 %	13651,0031 litre	O
380	CM	145	CM	134 LEVEL CM	11338,8410 litre	45,175 %	13760,9135 litre	O
380	CM	145	CM	133 LEVEL CM	11228,9883 litre	44,737 %	13870,7662 litre	O

380	CM	145	CM	132 LEVEL CM	11119,1988 litre	44,300 %	13980,5557 litre	O
380	CM	145	CM	131 LEVEL CM	11009,4777 litre	43,863 %	14090,2768 litre	O
380	CM	145	CM	130 LEVEL CM	10899,8303 litre	43,426 %	14199,9242 litre	O
380	CM	145	CM	129 LEVEL CM	10790,2619 litre	42,990 %	14309,4926 litre	O
380	CM	145	CM	128 LEVEL CM	10680,7780 litre	42,553 %	14418,9765 litre	O
380	CM	145	CM	127 LEVEL CM	10571,3837 litre	42,117 %	14528,3708 litre	O
380	CM	145	CM	126 LEVEL CM	10462,0846 litre	41,682 %	14637,6699 litre	O
380	CM	145	CM	125 LEVEL CM	10352,8858 litre	41,247 %	14746,8687 litre	O
380	CM	145	CM	124 LEVEL CM	10243,7930 litre	40,812 %	14855,9615 litre	O
380	CM	145	CM	123 LEVEL CM	10134,8113 litre	40,378 %	14964,9432 litre	O
380	CM	145	CM	122 LEVEL CM	10025,9464 litre	39,944 %	15073,8081 litre	O
380	CM	145	CM	121 LEVEL CM	9917,2035 litre	39,511 %	15182,5510 litre	O
380	CM	145	CM	120 LEVEL CM	9808,5882 litre	39,078 %	15291,1663 litre	O
380	CM	145	CM	119 LEVEL CM	9700,1059 litre	38,646 %	15399,6486 litre	O
380	CM	145	CM	118 LEVEL CM	9591,7622 litre	38,215 %	15507,9923 litre	O
380	CM	145	CM	117 LEVEL CM	9483,5624 litre	37,783 %	15616,1921 litre	O
380	CM	145	CM	116 LEVEL CM	9375,5123 litre	37,353 %	15724,2422 litre	O
380	CM	145	CM	115 LEVEL CM	9267,6173 litre	36,923 %	15832,1372 litre	O
380	CM	145	CM	114 LEVEL CM	9159,8830 litre	36,494 %	15939,8715 litre	O
380	CM	145	CM	113 LEVEL CM	9052,3150 litre	36,065 %	16047,4395 litre	O
380	CM	145	CM	112 LEVEL CM	8944,9190 litre	35,637 %	16154,8355 litre	O
380	CM	145	CM	111 LEVEL CM	8837,7007 litre	35,210 %	16262,0538 litre	O
380	CM	145	CM	110 LEVEL CM	8730,6656 litre	34,784 %	16369,0889 litre	O
380	CM	145	CM	109 LEVEL CM	8623,8196 litre	34,358 %	16475,9349 litre	O
380	CM	145	CM	108 LEVEL CM	8517,1684 litre	33,933 %	16582,5861 litre	O
380	CM	145	CM	107 LEVEL CM	8410,7178 litre	33,509 %	16689,0367 litre	O
380	CM	145	CM	106 LEVEL CM	8304,4735 litre	33,086 %	16795,2810 litre	O
380	CM	145	CM	105 LEVEL CM	8198,4415 litre	32,663 %	16901,3130 litre	O
380	CM	145	CM	104 LEVEL CM	8092,6276 litre	32,242 %	17007,1269 litre	O
380	CM	145	CM	103 LEVEL CM	7987,0378 litre	31,821 %	17112,7167 litre	O
380	CM	145	CM	102 LEVEL CM	7881,6779 litre	31,401 %	17218,0766 litre	O
380	CM	145	CM	101 LEVEL CM	7776,5541 litre	30,983 %	17323,2004 litre	O
380	CM	145	CM	100 LEVEL CM	7671,6723 litre	30,565 %	17428,0822 litre	O
380	CM	145	CM	99 LEVEL CM	7567,0386 litre	30,148 %	17532,7159 litre	O
380	CM	145	CM	98 LEVEL CM	7462,6591 litre	29,732 %	17637,0954 litre	O
380	CM	145	CM	97 LEVEL CM	7358,5401 litre	29,317 %	17741,2144 litre	O
380	CM	145	CM	96 LEVEL CM	7254,6876 litre	28,903 %	17845,0669 litre	O
380	CM	145	CM	95 LEVEL CM	7151,1081 litre	28,491 %	17948,6464 litre	O
380	CM	145	CM	94 LEVEL CM	7047,8078 litre	28,079 %	18051,9467 litre	O
380	CM	145	CM	93 LEVEL CM	6944,7930 litre	27,669 %	18154,9615 litre	O
380	CM	145	CM	92 LEVEL CM	6842,0702 litre	27,260 %	18257,6843 litre	O
380	CM	145	CM	91 LEVEL CM	6739,6458 litre	26,851 %	18360,1087 litre	O
380	CM	145	CM	90 LEVEL CM	6637,5264 litre	26,445 %	18462,2281 litre	O
380	CM	145	CM	89 LEVEL CM	6535,7186 litre	26,039 %	18564,0359 litre	O
380	CM	145	CM	88 LEVEL CM	6434,2290 litre	25,635 %	18665,5255 litre	O
380	CM	145	CM	87 LEVEL CM	6333,0643 litre	25,232 %	18766,6902 litre	O
380	CM	145	CM	86 LEVEL CM	6232,2313 litre	24,830 %	18867,5232 litre	O
380	CM	145	CM	85 LEVEL CM	6131,7369 litre	24,429 %	18968,0176 litre	O
380	CM	145	CM	84 LEVEL CM	6031,5879 litre	24,030 %	19068,1666 litre	O
380	CM	145	CM	83 LEVEL CM	5931,7913 litre	23,633 %	19167,9632 litre	O
380	CM	145	CM	82 LEVEL CM	5832,3543 litre	23,237 %	19267,4002 litre	O
380	CM	145	CM	81 LEVEL CM	5733,2838 litre	22,842 %	19366,4707 litre	O
380	CM	145	CM	80 LEVEL CM	5634,5872 litre	22,449 %	19465,1673 litre	O

380	CM	145	CM	79 LEVEL CM	5536,2718 litre	22,057 %	19563,4827 litre	O
380	CM	145	CM	78 LEVEL CM	5438,3448 litre	21,667 %	19661,4097 litre	O
380	CM	145	CM	77 LEVEL CM	5340,8138 litre	21,278 %	19758,9407 litre	O
380	CM	145	CM	76 LEVEL CM	5243,6864 litre	20,891 %	19856,0681 litre	O
380	CM	145	CM	75 LEVEL CM	5146,9702 litre	20,506 %	19952,7843 litre	O
380	CM	145	CM	74 LEVEL CM	5050,6730 litre	20,122 %	20049,0815 litre	O
380	CM	145	CM	73 LEVEL CM	4954,8025 litre	19,740 %	20144,9520 litre	O
380	CM	145	CM	72 LEVEL CM	4859,3669 litre	19,360 %	20240,3876 litre	O
380	CM	145	CM	71 LEVEL CM	4764,3741 litre	18,982 %	20335,3804 litre	O
380	CM	145	CM	70 LEVEL CM	4669,8323 litre	18,605 %	20429,9222 litre	O
380	CM	145	CM	69 LEVEL CM	4575,7498 litre	18,230 %	20524,0047 litre	O
380	CM	145	CM	68 LEVEL CM	4482,1351 litre	17,857 %	20617,6194 litre	O
380	CM	145	CM	67 LEVEL CM	4388,9967 litre	17,486 %	20710,7578 litre	O
380	CM	145	CM	66 LEVEL CM	4296,3433 litre	17,117 %	20803,4112 litre	O
380	CM	145	CM	65 LEVEL CM	4204,1836 litre	16,750 %	20895,5709 litre	O
380	CM	145	CM	64 LEVEL CM	4112,5268 litre	16,385 %	20987,2277 litre	O
380	CM	145	CM	63 LEVEL CM	4021,3818 litre	16,022 %	21078,3727 litre	O
380	CM	145	CM	62 LEVEL CM	3930,7580 litre	15,661 %	21168,9965 litre	O
380	CM	145	CM	61 LEVEL CM	3840,6647 litre	15,302 %	21259,0898 litre	O
380	CM	145	CM	60 LEVEL CM	3751,1116 litre	14,945 %	21348,6429 litre	O
380	CM	145	CM	59 LEVEL CM	3662,1084 litre	14,590 %	21437,6461 litre	O
380	CM	145	CM	58 LEVEL CM	3573,6651 litre	14,238 %	21526,0894 litre	O
380	CM	145	CM	57 LEVEL CM	3485,7919 litre	13,888 %	21613,9626 litre	O
380	CM	145	CM	56 LEVEL CM	3398,4989 litre	13,540 %	21701,2556 litre	O
380	CM	145	CM	55 LEVEL CM	3311,7969 litre	13,195 %	21787,9576 litre	O
380	CM	145	CM	54 LEVEL CM	3225,6965 litre	12,852 %	21874,0580 litre	O
380	CM	145	CM	53 LEVEL CM	3140,2088 litre	12,511 %	21959,5457 litre	O
380	CM	145	CM	52 LEVEL CM	3055,3450 litre	12,173 %	22044,4095 litre	O
380	CM	145	CM	51 LEVEL CM	2971,1165 litre	11,837 %	22128,6380 litre	O
380	CM	145	CM	50 LEVEL CM	2887,5352 litre	11,504 %	22212,2193 litre	O
380	CM	145	CM	49 LEVEL CM	2804,6129 litre	11,174 %	22295,1416 litre	O
380	CM	145	CM	48 LEVEL CM	2722,3621 litre	10,846 %	22377,3924 litre	O
380	CM	145	CM	47 LEVEL CM	2640,7953 litre	10,521 %	22458,9592 litre	O
380	CM	145	CM	46 LEVEL CM	2559,9255 litre	10,199 %	22539,8290 litre	O
380	CM	145	CM	45 LEVEL CM	2479,7659 litre	9,880 %	22619,9886 litre	O
380	CM	145	CM	44 LEVEL CM	2400,3301 litre	9,563 %	22699,4244 litre	O
380	CM	145	CM	43 LEVEL CM	2321,6321 litre	9,250 %	22778,1224 litre	O
380	CM	145	CM	42 LEVEL CM	2243,6864 litre	8,939 %	22856,0681 litre	O
380	CM	145	CM	41 LEVEL CM	2166,5078 litre	8,632 %	22933,2467 litre	O
380	CM	145	CM	40 LEVEL CM	2090,1114 litre	8,327 %	23009,6431 litre	O
380	CM	145	CM	39 LEVEL CM	2014,5131 litre	8,026 %	23085,2414 litre	O
380	CM	145	CM	38 LEVEL CM	1939,7290 litre	7,728 %	23160,0255 litre	O
380	CM	145	CM	37 LEVEL CM	1865,7761 litre	7,433 %	23233,9784 litre	O
380	CM	145	CM	36 LEVEL CM	1792,6715 litre	7,142 %	23307,0830 litre	O
380	CM	145	CM	35 LEVEL CM	1720,4333 litre	6,854 %	23379,3212 litre	O
380	CM	145	CM	34 LEVEL CM	1649,0800 litre	6,570 %	23450,6745 litre	O
380	CM	145	CM	33 LEVEL CM	1578,6311 litre	6,289 %	23521,1234 litre	O
380	CM	145	CM	32 LEVEL CM	1509,1065 litre	6,012 %	23590,6480 litre	O
380	CM	145	CM	31 LEVEL CM	1440,5271 litre	5,739 %	23659,2274 litre	O
380	CM	145	CM	30 LEVEL CM	1372,9148 litre	5,470 %	23726,8397 litre	O
380	CM	145	CM	29 LEVEL CM	1306,2921 litre	5,204 %	23793,4624 litre	O
380	CM	145	CM	28 LEVEL CM	1240,6829 litre	4,943 %	23859,0716 litre	O
380	CM	145	CM	27 LEVEL CM	1176,1119 litre	4,686 %	23923,6426 litre	O

380	CM	145	CM	26 LEVEL CM	1112,6053 litre	4,433 %	23987,1492 litre	O
380	CM	145	CM	25 LEVEL CM	1050,1904 litre	4,184 %	24049,5641 litre	O
380	CM	145	CM	24 LEVEL CM	988,8961 litre	3,940 %	24110,8584 litre	O
380	CM	145	CM	23 LEVEL CM	928,7529 litre	3,700 %	24171,0016 litre	O
380	CM	145	CM	22 LEVEL CM	869,7931 litre	3,465 %	24229,9614 litre	O
380	CM	145	CM	21 LEVEL CM	812,0509 litre	3,235 %	24287,7036 litre	O
380	CM	145	CM	20 LEVEL CM	755,5627 litre	3,010 %	24344,1918 litre	O
380	CM	145	CM	19 LEVEL CM	700,3676 litre	2,790 %	24399,3869 litre	O
380	CM	145	CM	18 LEVEL CM	646,5072 litre	2,576 %	24453,2473 litre	O
380	CM	145	CM	17 LEVEL CM	594,0266 litre	2,367 %	24505,7279 litre	O
380	CM	145	CM	16 LEVEL CM	542,9742 litre	2,163 %	24556,7803 litre	O
380	CM	145	CM	15 LEVEL CM	493,4030 litre	1,966 %	24606,3515 litre	O
380	CM	145	CM	14 LEVEL CM	445,3706 litre	1,774 %	24654,3839 litre	O
380	CM	145	CM	13 LEVEL CM	398,9404 litre	1,589 %	24700,8141 litre	O
380	CM	145	CM	12 LEVEL CM	354,1826 litre	1,411 %	24745,5719 litre	O
380	CM	145	CM	11 LEVEL CM	311,1757 litre	1,240 %	24788,5788 litre	O
380	CM	145	CM	10 LEVEL CM	270,0082 litre	1,076 %	24829,7463 litre	O
380	CM	145	CM	9 LEVEL CM	230,7809 litre	0,919 %	24868,9736 litre	O
380	CM	145	CM	8 LEVEL CM	193,6106 litre	0,771 %	24906,1439 litre	O
380	CM	145	CM	7 LEVEL CM	158,6347 litre	0,632 %	24941,1198 litre	O
380	CM	145	CM	6 LEVEL CM	126,0184 litre	0,502 %	24973,7361 litre	O
380	CM	145	CM	5 LEVEL CM	95,9659 litre	0,382 %	25003,7886 litre	O
380	CM	145	CM	4 LEVEL CM	68,7394 litre	0,274 %	25031,0151 litre	O
380	CM	145	CM	3 LEVEL CM	44,6942 litre	0,178 %	25055,0603 litre	O
380	CM	145	CM	2 LEVEL CM	24,3537 litre	0,097 %	25075,4008 litre	O
380	CM	145	CM	1 LEVEL CM	8,6193 litre	0,034 %	25091,1352 litre	O
380	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	25099,7545 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 140	CM 280	LEVEL CM 23398,5821 litre	100,000 %	0,0000 litre	O
380	CM 140	CM 279	LEVEL CM 23390,1130 litre	99,964 %	8,4691 litre	O
380	CM 140	CM 278	LEVEL CM 23374,6537 litre	99,898 %	23,9284 litre	O
380	CM 140	CM 277	LEVEL CM 23354,6702 litre	99,812 %	43,9119 litre	O
380	CM 140	CM 276	LEVEL CM 23331,0483 litre	99,711 %	67,5338 litre	O
380	CM 140	CM 275	LEVEL CM 23304,3029 litre	99,597 %	94,2792 litre	O
380	CM 140	CM 274	LEVEL CM 23274,7833 litre	99,471 %	123,7988 litre	O
380	CM 140	CM 273	LEVEL CM 23242,7474 litre	99,334 %	155,8347 litre	O
380	CM 140	CM 272	LEVEL CM 23208,3962 litre	99,187 %	190,1859 litre	O
380	CM 140	CM 271	LEVEL CM 23171,8921 litre	99,031 %	226,6900 litre	O
380	CM 140	CM 270	LEVEL CM 23133,3704 litre	98,867 %	265,2117 litre	O
380	CM 140	CM 269	LEVEL CM 23092,9460 litre	98,694 %	305,6361 litre	O
380	CM 140	CM 268	LEVEL CM 23050,7183 litre	98,513 %	347,8638 litre	O
380	CM 140	CM 267	LEVEL CM 23006,7744 litre	98,326 %	391,8077 litre	O
380	CM 140	CM 266	LEVEL CM 22961,1915 litre	98,131 %	437,3906 litre	O
380	CM 140	CM 265	LEVEL CM 22914,0389 litre	97,929 %	484,5432 litre	O
380	CM 140	CM 264	LEVEL CM 22865,3790 litre	97,721 %	533,2031 litre	O
380	CM 140	CM 263	LEVEL CM 22815,2687 litre	97,507 %	583,3134 litre	O
380	CM 140	CM 262	LEVEL CM 22763,7600 litre	97,287 %	634,8221 litre	O
380	CM 140	CM 261	LEVEL CM 22710,9009 litre	97,061 %	687,6812 litre	O
380	CM 140	CM 260	LEVEL CM 22656,7356 litre	96,830 %	741,8465 litre	O
380	CM 140	CM 259	LEVEL CM 22601,3053 litre	96,593 %	797,2768 litre	O
380	CM 140	CM 258	LEVEL CM 22544,6486 litre	96,350 %	853,9335 litre	O
380	CM 140	CM 257	LEVEL CM 22486,8013 litre	96,103 %	911,7808 litre	O
380	CM 140	CM 256	LEVEL CM 22427,7973 litre	95,851 %	970,7848 litre	O
380	CM 140	CM 255	LEVEL CM 22367,6685 litre	95,594 %	1030,9136 litre	O
380	CM 140	CM 254	LEVEL CM 22306,4448 litre	95,332 %	1092,1373 litre	O
380	CM 140	CM 253	LEVEL CM 22244,1549 litre	95,066 %	1154,4272 litre	O
380	CM 140	CM 252	LEVEL CM 22180,8258 litre	94,796 %	1217,7563 litre	O
380	CM 140	CM 251	LEVEL CM 22116,4833 litre	94,521 %	1282,0988 litre	O
380	CM 140	CM 250	LEVEL CM 22051,1519 litre	94,241 %	1347,4302 litre	O
380	CM 140	CM 249	LEVEL CM 21984,8551 litre	93,958 %	1413,7270 litre	O
380	CM 140	CM 248	LEVEL CM 21917,6153 litre	93,671 %	1480,9668 litre	O
380	CM 140	CM 247	LEVEL CM 21849,4541 litre	93,379 %	1549,1280 litre	O
380	CM 140	CM 246	LEVEL CM 21780,3921 litre	93,084 %	1618,1900 litre	O
380	CM 140	CM 245	LEVEL CM 21710,4491 litre	92,785 %	1688,1330 litre	O
380	CM 140	CM 244	LEVEL CM 21639,6443 litre	92,483 %	1758,9378 litre	O
380	CM 140	CM 243	LEVEL CM 21567,9962 litre	92,177 %	1830,5859 litre	O
380	CM 140	CM 242	LEVEL CM 21495,5224 litre	91,867 %	1903,0597 litre	O
380	CM 140	CM 241	LEVEL CM 21422,2402 litre	91,554 %	1976,3419 litre	O
380	CM 140	CM 240	LEVEL CM 21348,1662 litre	91,237 %	2050,4159 litre	O
380	CM 140	CM 239	LEVEL CM 21273,3165 litre	90,917 %	2125,2656 litre	O
380	CM 140	CM 238	LEVEL CM 21197,7067 litre	90,594 %	2200,8754 litre	O
380	CM 140	CM 237	LEVEL CM 21121,3519 litre	90,268 %	2277,2302 litre	O
380	CM 140	CM 236	LEVEL CM 21044,2668 litre	89,938 %	2354,3153 litre	O
380	CM 140	CM 235	LEVEL CM 20966,4657 litre	89,606 %	2432,1164 litre	O
380	CM 140	CM 234	LEVEL CM 20887,9625 litre	89,270 %	2510,6196 litre	O
380	CM 140	CM 233	LEVEL CM 20808,7706 litre	88,932 %	2589,8115 litre	O
380	CM 140	CM 232	LEVEL CM 20728,9033 litre	88,590 %	2669,6788 litre	O
380	CM 140	CM 231	LEVEL CM 20648,3734 litre	88,246 %	2750,2087 litre	O
380	CM 140	CM 230	LEVEL CM 20567,1934 litre	87,899 %	2831,3887 litre	O
380	CM 140	CM 229	LEVEL CM 20485,3756 litre	87,550 %	2913,2065 litre	O

380	CM	140	CM	228 LEVEL CM	20402,9318 litre	87,197 %	2995,6503 litre	O
380	CM	140	CM	227 LEVEL CM	20319,8738 litre	86,842 %	3078,7083 litre	O
380	CM	140	CM	226 LEVEL CM	20236,2130 litre	86,485 %	3162,3691 litre	O
380	CM	140	CM	225 LEVEL CM	20151,9605 litre	86,125 %	3246,6216 litre	O
380	CM	140	CM	224 LEVEL CM	20067,1273 litre	85,762 %	3331,4548 litre	O
380	CM	140	CM	223 LEVEL CM	19981,7241 litre	85,397 %	3416,8580 litre	O
380	CM	140	CM	222 LEVEL CM	19895,7613 litre	85,030 %	3502,8208 litre	O
380	CM	140	CM	221 LEVEL CM	19809,2493 litre	84,660 %	3589,3328 litre	O
380	CM	140	CM	220 LEVEL CM	19722,1982 litre	84,288 %	3676,3839 litre	O
380	CM	140	CM	219 LEVEL CM	19634,6179 litre	83,914 %	3763,9642 litre	O
380	CM	140	CM	218 LEVEL CM	19546,5181 litre	83,537 %	3852,0640 litre	O
380	CM	140	CM	217 LEVEL CM	19457,9084 litre	83,158 %	3940,6737 litre	O
380	CM	140	CM	216 LEVEL CM	19368,7982 litre	82,778 %	4029,7839 litre	O
380	CM	140	CM	215 LEVEL CM	19279,1967 litre	82,395 %	4119,3854 litre	O
380	CM	140	CM	214 LEVEL CM	19189,1130 litre	82,010 %	4209,4691 litre	O
380	CM	140	CM	213 LEVEL CM	19098,5561 litre	81,623 %	4300,0260 litre	O
380	CM	140	CM	212 LEVEL CM	19007,5347 litre	81,234 %	4391,0474 litre	O
380	CM	140	CM	211 LEVEL CM	18916,0576 litre	80,843 %	4482,5245 litre	O
380	CM	140	CM	210 LEVEL CM	18824,1333 litre	80,450 %	4574,4488 litre	O
380	CM	140	CM	209 LEVEL CM	18731,7702 litre	80,055 %	4666,8119 litre	O
380	CM	140	CM	208 LEVEL CM	18638,9766 litre	79,659 %	4759,6055 litre	O
380	CM	140	CM	207 LEVEL CM	18545,7607 litre	79,260 %	4852,8214 litre	O
380	CM	140	CM	206 LEVEL CM	18452,1305 litre	78,860 %	4946,4516 litre	O
380	CM	140	CM	205 LEVEL CM	18358,0941 litre	78,458 %	5040,4880 litre	O
380	CM	140	CM	204 LEVEL CM	18263,6593 litre	78,055 %	5134,9228 litre	O
380	CM	140	CM	203 LEVEL CM	18168,8338 litre	77,649 %	5229,7483 litre	O
380	CM	140	CM	202 LEVEL CM	18073,6253 litre	77,242 %	5324,9568 litre	O
380	CM	140	CM	201 LEVEL CM	17978,0415 litre	76,834 %	5420,5406 litre	O
380	CM	140	CM	200 LEVEL CM	17882,0897 litre	76,424 %	5516,4924 litre	O
380	CM	140	CM	199 LEVEL CM	17785,7775 litre	76,012 %	5612,8046 litre	O
380	CM	140	CM	198 LEVEL CM	17689,1120 litre	75,599 %	5709,4701 litre	O
380	CM	140	CM	197 LEVEL CM	17592,1006 litre	75,184 %	5806,4815 litre	O
380	CM	140	CM	196 LEVEL CM	17494,7504 litre	74,768 %	5903,8317 litre	O
380	CM	140	CM	195 LEVEL CM	17397,0685 litre	74,351 %	6001,5136 litre	O
380	CM	140	CM	194 LEVEL CM	17299,0620 litre	73,932 %	6099,5201 litre	O
380	CM	140	CM	193 LEVEL CM	17200,7377 litre	73,512 %	6197,8444 litre	O
380	CM	140	CM	192 LEVEL CM	17102,1025 litre	73,090 %	6296,4796 litre	O
380	CM	140	CM	191 LEVEL CM	17003,1633 litre	72,667 %	6395,4188 litre	O
380	CM	140	CM	190 LEVEL CM	16903,9268 litre	72,243 %	6494,6553 litre	O
380	CM	140	CM	189 LEVEL CM	16804,3997 litre	71,818 %	6594,1824 litre	O
380	CM	140	CM	188 LEVEL CM	16704,5887 litre	71,391 %	6693,9934 litre	O
380	CM	140	CM	187 LEVEL CM	16604,5003 litre	70,964 %	6794,0818 litre	O
380	CM	140	CM	186 LEVEL CM	16504,1409 litre	70,535 %	6894,4412 litre	O
380	CM	140	CM	185 LEVEL CM	16403,5172 litre	70,105 %	6995,0649 litre	O
380	CM	140	CM	184 LEVEL CM	16302,6356 litre	69,674 %	7095,9465 litre	O
380	CM	140	CM	183 LEVEL CM	16201,5023 litre	69,241 %	7197,0798 litre	O
380	CM	140	CM	182 LEVEL CM	16100,1237 litre	68,808 %	7298,4584 litre	O
380	CM	140	CM	181 LEVEL CM	15998,5061 litre	68,374 %	7400,0760 litre	O
380	CM	140	CM	180 LEVEL CM	15896,6557 litre	67,939 %	7501,9264 litre	O
380	CM	140	CM	179 LEVEL CM	15794,5787 litre	67,502 %	7604,0034 litre	O
380	CM	140	CM	178 LEVEL CM	15692,2813 litre	67,065 %	7706,3008 litre	O
380	CM	140	CM	177 LEVEL CM	15589,7696 litre	66,627 %	7808,8125 litre	O
380	CM	140	CM	176 LEVEL CM	15487,0496 litre	66,188 %	7911,5325 litre	O

380	CM	140	CM	175 LEVEL CM	15384,1273 litre	65,748 %	8014,4548 litre	O
380	CM	140	CM	174 LEVEL CM	15281,0089 litre	65,307 %	8117,5732 litre	O
380	CM	140	CM	173 LEVEL CM	15177,7001 litre	64,866 %	8220,8820 litre	O
380	CM	140	CM	172 LEVEL CM	15074,2070 litre	64,424 %	8324,3751 litre	O
380	CM	140	CM	171 LEVEL CM	14970,5355 litre	63,981 %	8428,0466 litre	O
380	CM	140	CM	170 LEVEL CM	14866,6914 litre	63,537 %	8531,8907 litre	O
380	CM	140	CM	169 LEVEL CM	14762,6806 litre	63,092 %	8635,9015 litre	O
380	CM	140	CM	168 LEVEL CM	14658,5088 litre	62,647 %	8740,0733 litre	O
380	CM	140	CM	167 LEVEL CM	14554,1819 litre	62,201 %	8844,4002 litre	O
380	CM	140	CM	166 LEVEL CM	14449,7056 litre	61,755 %	8948,8765 litre	O
380	CM	140	CM	165 LEVEL CM	14345,0857 litre	61,308 %	9053,4964 litre	O
380	CM	140	CM	164 LEVEL CM	14240,3279 litre	60,860 %	9158,2542 litre	O
380	CM	140	CM	163 LEVEL CM	14135,4378 litre	60,412 %	9263,1443 litre	O
380	CM	140	CM	162 LEVEL CM	14030,4211 litre	59,963 %	9368,1610 litre	O
380	CM	140	CM	161 LEVEL CM	13925,2835 litre	59,513 %	9473,2986 litre	O
380	CM	140	CM	160 LEVEL CM	13820,0306 litre	59,064 %	9578,5515 litre	O
380	CM	140	CM	159 LEVEL CM	13714,6680 litre	58,613 %	9683,9141 litre	O
380	CM	140	CM	158 LEVEL CM	13609,2013 litre	58,163 %	9789,3808 litre	O
380	CM	140	CM	157 LEVEL CM	13503,6361 litre	57,711 %	9894,9460 litre	O
380	CM	140	CM	156 LEVEL CM	13397,9778 litre	57,260 %	10000,6043 litre	O
380	CM	140	CM	155 LEVEL CM	13292,2322 litre	56,808 %	10106,3499 litre	O
380	CM	140	CM	154 LEVEL CM	13186,4046 litre	56,356 %	10212,1775 litre	O
380	CM	140	CM	153 LEVEL CM	13080,5007 litre	55,903 %	10318,0814 litre	O
380	CM	140	CM	152 LEVEL CM	12974,5259 litre	55,450 %	10424,0562 litre	O
380	CM	140	CM	151 LEVEL CM	12868,4857 litre	54,997 %	10530,0964 litre	O
380	CM	140	CM	150 LEVEL CM	12762,3856 litre	54,543 %	10636,1965 litre	O
380	CM	140	CM	149 LEVEL CM	12656,2311 litre	54,090 %	10742,3510 litre	O
380	CM	140	CM	148 LEVEL CM	12550,0276 litre	53,636 %	10848,5545 litre	O
380	CM	140	CM	147 LEVEL CM	12443,7806 litre	53,182 %	10954,8015 litre	O
380	CM	140	CM	146 LEVEL CM	12337,4956 litre	52,728 %	11061,0865 litre	O
380	CM	140	CM	145 LEVEL CM	12231,1779 litre	52,273 %	11167,4042 litre	O
380	CM	140	CM	144 LEVEL CM	12124,8331 litre	51,819 %	11273,7490 litre	O
380	CM	140	CM	143 LEVEL CM	12018,4666 litre	51,364 %	11380,1155 litre	O
380	CM	140	CM	142 LEVEL CM	11912,0838 litre	50,909 %	11486,4983 litre	O
380	CM	140	CM	141 LEVEL CM	11805,6901 litre	50,455 %	11592,8920 litre	O
380	CM	140	CM	140 LEVEL CM	11699,2910 litre	50,000 %	11699,2911 litre	O
380	CM	140	CM	139 LEVEL CM	11592,8919 litre	49,545 %	11805,6902 litre	O
380	CM	140	CM	138 LEVEL CM	11486,4983 litre	49,091 %	11912,0838 litre	O
380	CM	140	CM	137 LEVEL CM	11380,1155 litre	48,636 %	12018,4666 litre	O
380	CM	140	CM	136 LEVEL CM	11273,7490 litre	48,181 %	12124,8331 litre	O
380	CM	140	CM	135 LEVEL CM	11167,4042 litre	47,727 %	12231,1779 litre	O
380	CM	140	CM	134 LEVEL CM	11061,0865 litre	47,272 %	12337,4956 litre	O
380	CM	140	CM	133 LEVEL CM	10954,8015 litre	46,818 %	12443,7806 litre	O
380	CM	140	CM	132 LEVEL CM	10848,5545 litre	46,364 %	12550,0276 litre	O
380	CM	140	CM	131 LEVEL CM	10742,3510 litre	45,910 %	12656,2311 litre	O
380	CM	140	CM	130 LEVEL CM	10636,1965 litre	45,457 %	12762,3856 litre	O
380	CM	140	CM	129 LEVEL CM	10530,0964 litre	45,003 %	12868,4857 litre	O
380	CM	140	CM	128 LEVEL CM	10424,0562 litre	44,550 %	12974,5259 litre	O
380	CM	140	CM	127 LEVEL CM	10318,0814 litre	44,097 %	13080,5007 litre	O
380	CM	140	CM	126 LEVEL CM	10212,1774 litre	43,644 %	13186,4047 litre	O
380	CM	140	CM	125 LEVEL CM	10106,3499 litre	43,192 %	13292,2322 litre	O
380	CM	140	CM	124 LEVEL CM	10000,6042 litre	42,740 %	13397,9779 litre	O
380	CM	140	CM	123 LEVEL CM	9894,9460 litre	42,289 %	13503,6361 litre	O

380	CM	140	CM	122 LEVEL CM	9789,3808 litre	41,837 %	13609,2013 litre	O
380	CM	140	CM	121 LEVEL CM	9683,9141 litre	41,387 %	13714,6680 litre	O
380	CM	140	CM	120 LEVEL CM	9578,5515 litre	40,936 %	13820,0306 litre	O
380	CM	140	CM	119 LEVEL CM	9473,2986 litre	40,487 %	13925,2835 litre	O
380	CM	140	CM	118 LEVEL CM	9368,1610 litre	40,037 %	14030,4211 litre	O
380	CM	140	CM	117 LEVEL CM	9263,1443 litre	39,588 %	14135,4378 litre	O
380	CM	140	CM	116 LEVEL CM	9158,2542 litre	39,140 %	14240,3279 litre	O
380	CM	140	CM	115 LEVEL CM	9053,4963 litre	38,692 %	14345,0858 litre	O
380	CM	140	CM	114 LEVEL CM	8948,8764 litre	38,245 %	14449,7057 litre	O
380	CM	140	CM	113 LEVEL CM	8844,4002 litre	37,799 %	14554,1819 litre	O
380	CM	140	CM	112 LEVEL CM	8740,0733 litre	37,353 %	14658,5088 litre	O
380	CM	140	CM	111 LEVEL CM	8635,9015 litre	36,908 %	14762,6806 litre	O
380	CM	140	CM	110 LEVEL CM	8531,8907 litre	36,463 %	14866,6914 litre	O
380	CM	140	CM	109 LEVEL CM	8428,0466 litre	36,019 %	14970,5355 litre	O
380	CM	140	CM	108 LEVEL CM	8324,3751 litre	35,576 %	15074,2070 litre	O
380	CM	140	CM	107 LEVEL CM	8220,8820 litre	35,134 %	15177,7001 litre	O
380	CM	140	CM	106 LEVEL CM	8117,5732 litre	34,693 %	15281,0089 litre	O
380	CM	140	CM	105 LEVEL CM	8014,4548 litre	34,252 %	15384,1273 litre	O
380	CM	140	CM	104 LEVEL CM	7911,5325 litre	33,812 %	15487,0496 litre	O
380	CM	140	CM	103 LEVEL CM	7808,8125 litre	33,373 %	15589,7696 litre	O
380	CM	140	CM	102 LEVEL CM	7706,3008 litre	32,935 %	15692,2813 litre	O
380	CM	140	CM	101 LEVEL CM	7604,0033 litre	32,498 %	15794,5788 litre	O
380	CM	140	CM	100 LEVEL CM	7501,9264 litre	32,061 %	15896,6557 litre	O
380	CM	140	CM	99 LEVEL CM	7400,0760 litre	31,626 %	15998,5061 litre	O
380	CM	140	CM	98 LEVEL CM	7298,4584 litre	31,192 %	16100,1237 litre	O
380	CM	140	CM	97 LEVEL CM	7197,0798 litre	30,759 %	16201,5023 litre	O
380	CM	140	CM	96 LEVEL CM	7095,9465 litre	30,326 %	16302,6356 litre	O
380	CM	140	CM	95 LEVEL CM	6995,0648 litre	29,895 %	16403,5173 litre	O
380	CM	140	CM	94 LEVEL CM	6894,4411 litre	29,465 %	16504,1410 litre	O
380	CM	140	CM	93 LEVEL CM	6794,0818 litre	29,036 %	16604,5003 litre	O
380	CM	140	CM	92 LEVEL CM	6693,9934 litre	28,609 %	16704,5887 litre	O
380	CM	140	CM	91 LEVEL CM	6594,1823 litre	28,182 %	16804,3998 litre	O
380	CM	140	CM	90 LEVEL CM	6494,6553 litre	27,757 %	16903,9268 litre	O
380	CM	140	CM	89 LEVEL CM	6395,4188 litre	27,333 %	17003,1633 litre	O
380	CM	140	CM	88 LEVEL CM	6296,4796 litre	26,910 %	17102,1025 litre	O
380	CM	140	CM	87 LEVEL CM	6197,8444 litre	26,488 %	17200,7377 litre	O
380	CM	140	CM	86 LEVEL CM	6099,5201 litre	26,068 %	17299,0620 litre	O
380	CM	140	CM	85 LEVEL CM	6001,5136 litre	25,649 %	17397,0685 litre	O
380	CM	140	CM	84 LEVEL CM	5903,8317 litre	25,232 %	17494,7504 litre	O
380	CM	140	CM	83 LEVEL CM	5806,4815 litre	24,816 %	17592,1006 litre	O
380	CM	140	CM	82 LEVEL CM	5709,4701 litre	24,401 %	17689,1120 litre	O
380	CM	140	CM	81 LEVEL CM	5612,8046 litre	23,988 %	17785,7775 litre	O
380	CM	140	CM	80 LEVEL CM	5516,4924 litre	23,576 %	17882,0897 litre	O
380	CM	140	CM	79 LEVEL CM	5420,5406 litre	23,166 %	17978,0415 litre	O
380	CM	140	CM	78 LEVEL CM	5324,9567 litre	22,758 %	18073,6254 litre	O
380	CM	140	CM	77 LEVEL CM	5229,7483 litre	22,351 %	18168,8338 litre	O
380	CM	140	CM	76 LEVEL CM	5134,9228 litre	21,945 %	18263,6593 litre	O
380	CM	140	CM	75 LEVEL CM	5040,4880 litre	21,542 %	18358,0941 litre	O
380	CM	140	CM	74 LEVEL CM	4946,4515 litre	21,140 %	18452,1306 litre	O
380	CM	140	CM	73 LEVEL CM	4852,8214 litre	20,740 %	18545,7607 litre	O
380	CM	140	CM	72 LEVEL CM	4759,6055 litre	20,341 %	18638,9766 litre	O
380	CM	140	CM	71 LEVEL CM	4666,8119 litre	19,945 %	18731,7702 litre	O
380	CM	140	CM	70 LEVEL CM	4574,4488 litre	19,550 %	18824,1333 litre	O

380	CM	140	CM	69 LEVEL CM	4482,5244 litre	19,157 %	18916,0577 litre	O
380	CM	140	CM	68 LEVEL CM	4391,0473 litre	18,766 %	19007,5348 litre	O
380	CM	140	CM	67 LEVEL CM	4300,0260 litre	18,377 %	19098,5561 litre	O
380	CM	140	CM	66 LEVEL CM	4209,4691 litre	17,990 %	19189,1130 litre	O
380	CM	140	CM	65 LEVEL CM	4119,3854 litre	17,605 %	19279,1967 litre	O
380	CM	140	CM	64 LEVEL CM	4029,7839 litre	17,222 %	19368,7982 litre	O
380	CM	140	CM	63 LEVEL CM	3940,6737 litre	16,842 %	19457,9084 litre	O
380	CM	140	CM	62 LEVEL CM	3852,0640 litre	16,463 %	19546,5181 litre	O
380	CM	140	CM	61 LEVEL CM	3763,9642 litre	16,086 %	19634,6179 litre	O
380	CM	140	CM	60 LEVEL CM	3676,3839 litre	15,712 %	19722,1982 litre	O
380	CM	140	CM	59 LEVEL CM	3589,3328 litre	15,340 %	19809,2493 litre	O
380	CM	140	CM	58 LEVEL CM	3502,8208 litre	14,970 %	19895,7613 litre	O
380	CM	140	CM	57 LEVEL CM	3416,8580 litre	14,603 %	19981,7241 litre	O
380	CM	140	CM	56 LEVEL CM	3331,4548 litre	14,238 %	20067,1273 litre	O
380	CM	140	CM	55 LEVEL CM	3246,6216 litre	13,875 %	20151,9605 litre	O
380	CM	140	CM	54 LEVEL CM	3162,3691 litre	13,515 %	20236,2130 litre	O
380	CM	140	CM	53 LEVEL CM	3078,7082 litre	13,158 %	20319,8739 litre	O
380	CM	140	CM	52 LEVEL CM	2995,6502 litre	12,803 %	20402,9319 litre	O
380	CM	140	CM	51 LEVEL CM	2913,2065 litre	12,450 %	20485,3756 litre	O
380	CM	140	CM	50 LEVEL CM	2831,3886 litre	12,101 %	20567,1935 litre	O
380	CM	140	CM	49 LEVEL CM	2750,2087 litre	11,754 %	20648,3734 litre	O
380	CM	140	CM	48 LEVEL CM	2669,6788 litre	11,410 %	20728,9033 litre	O
380	CM	140	CM	47 LEVEL CM	2589,8115 litre	11,068 %	20808,7706 litre	O
380	CM	140	CM	46 LEVEL CM	2510,6196 litre	10,730 %	20887,9625 litre	O
380	CM	140	CM	45 LEVEL CM	2432,1164 litre	10,394 %	20966,4657 litre	O
380	CM	140	CM	44 LEVEL CM	2354,3153 litre	10,062 %	21044,2668 litre	O
380	CM	140	CM	43 LEVEL CM	2277,2302 litre	9,732 %	21121,3519 litre	O
380	CM	140	CM	42 LEVEL CM	2200,8754 litre	9,406 %	21197,7067 litre	O
380	CM	140	CM	41 LEVEL CM	2125,2655 litre	9,083 %	21273,3166 litre	O
380	CM	140	CM	40 LEVEL CM	2050,4158 litre	8,763 %	21348,1663 litre	O
380	CM	140	CM	39 LEVEL CM	1976,3418 litre	8,446 %	21422,2403 litre	O
380	CM	140	CM	38 LEVEL CM	1903,0597 litre	8,133 %	21495,5224 litre	O
380	CM	140	CM	37 LEVEL CM	1830,5859 litre	7,823 %	21567,9962 litre	O
380	CM	140	CM	36 LEVEL CM	1758,9377 litre	7,517 %	21639,6444 litre	O
380	CM	140	CM	35 LEVEL CM	1688,1330 litre	7,215 %	21710,4491 litre	O
380	CM	140	CM	34 LEVEL CM	1618,1900 litre	6,916 %	21780,3921 litre	O
380	CM	140	CM	33 LEVEL CM	1549,1280 litre	6,621 %	21849,4541 litre	O
380	CM	140	CM	32 LEVEL CM	1480,9668 litre	6,329 %	21917,6153 litre	O
380	CM	140	CM	31 LEVEL CM	1413,7270 litre	6,042 %	21984,8551 litre	O
380	CM	140	CM	30 LEVEL CM	1347,4302 litre	5,759 %	22051,1519 litre	O
380	CM	140	CM	29 LEVEL CM	1282,0988 litre	5,479 %	22116,4833 litre	O
380	CM	140	CM	28 LEVEL CM	1217,7563 litre	5,204 %	22180,8258 litre	O
380	CM	140	CM	27 LEVEL CM	1154,4272 litre	4,934 %	22244,1549 litre	O
380	CM	140	CM	26 LEVEL CM	1092,1373 litre	4,668 %	22306,4448 litre	O
380	CM	140	CM	25 LEVEL CM	1030,9136 litre	4,406 %	22367,6685 litre	O
380	CM	140	CM	24 LEVEL CM	970,7848 litre	4,149 %	22427,7973 litre	O
380	CM	140	CM	23 LEVEL CM	911,7808 litre	3,897 %	22486,8013 litre	O
380	CM	140	CM	22 LEVEL CM	853,9335 litre	3,650 %	22544,6486 litre	O
380	CM	140	CM	21 LEVEL CM	797,2767 litre	3,407 %	22601,3054 litre	O
380	CM	140	CM	20 LEVEL CM	741,8465 litre	3,170 %	22656,7356 litre	O
380	CM	140	CM	19 LEVEL CM	687,6812 litre	2,939 %	22710,9009 litre	O
380	CM	140	CM	18 LEVEL CM	634,8221 litre	2,713 %	22763,7600 litre	O
380	CM	140	CM	17 LEVEL CM	583,3134 litre	2,493 %	22815,2687 litre	O

380	CM	140	CM	16 LEVEL CM	533,2031 litre	2,279 %	22865,3790 litre	O
380	CM	140	CM	15 LEVEL CM	484,5432 litre	2,071 %	22914,0389 litre	O
380	CM	140	CM	14 LEVEL CM	437,3906 litre	1,869 %	22961,1915 litre	O
380	CM	140	CM	13 LEVEL CM	391,8077 litre	1,674 %	23006,7744 litre	O
380	CM	140	CM	12 LEVEL CM	347,8638 litre	1,487 %	23050,7183 litre	O
380	CM	140	CM	11 LEVEL CM	305,6361 litre	1,306 %	23092,9460 litre	O
380	CM	140	CM	10 LEVEL CM	265,2117 litre	1,133 %	23133,3704 litre	O
380	CM	140	CM	9 LEVEL CM	226,6900 litre	0,969 %	23171,8921 litre	O
380	CM	140	CM	8 LEVEL CM	190,1859 litre	0,813 %	23208,3962 litre	O
380	CM	140	CM	7 LEVEL CM	155,8347 litre	0,666 %	23242,7474 litre	O
380	CM	140	CM	6 LEVEL CM	123,7988 litre	0,529 %	23274,7833 litre	O
380	CM	140	CM	5 LEVEL CM	94,2792 litre	0,403 %	23304,3029 litre	O
380	CM	140	CM	4 LEVEL CM	67,5338 litre	0,289 %	23331,0483 litre	O
380	CM	140	CM	3 LEVEL CM	43,9119 litre	0,188 %	23354,6702 litre	O
380	CM	140	CM	2 LEVEL CM	23,9284 litre	0,102 %	23374,6537 litre	O
380	CM	140	CM	1 LEVEL CM	8,4691 litre	0,036 %	23390,1130 litre	O
380	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	23398,5821 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM	135	CM 270 LEVEL CM	21757,0999 litre	100,000 %	0,0000 litre	O
380	CM	135	CM 269 LEVEL CM	21748,7838 litre	99,962 %	8,3161 litre	O
380	CM	135	CM 268 LEVEL CM	21733,6046 litre	99,892 %	23,4953 litre	O
380	CM	135	CM 267 LEVEL CM	21713,9845 litre	99,802 %	43,1154 litre	O
380	CM	135	CM 266 LEVEL CM	21690,7937 litre	99,695 %	66,3062 litre	O
380	CM	135	CM 265 LEVEL CM	21664,5381 litre	99,575 %	92,5618 litre	O
380	CM	135	CM 264 LEVEL CM	21635,5613 litre	99,441 %	121,5386 litre	O
380	CM	135	CM 263 LEVEL CM	21604,1165 litre	99,297 %	152,9834 litre	O
380	CM	135	CM 262 LEVEL CM	21570,4015 litre	99,142 %	186,6984 litre	O
380	CM	135	CM 261 LEVEL CM	21534,5760 litre	98,977 %	222,5239 litre	O
380	CM	135	CM 260 LEVEL CM	21496,7731 litre	98,803 %	260,3268 litre	O
380	CM	135	CM 259 LEVEL CM	21457,1058 litre	98,621 %	299,9941 litre	O
380	CM	135	CM 258 LEVEL CM	21415,6719 litre	98,431 %	341,4280 litre	O
380	CM	135	CM 257 LEVEL CM	21372,5572 litre	98,233 %	384,5427 litre	O
380	CM	135	CM 256 LEVEL CM	21327,8378 litre	98,027 %	429,2621 litre	O
380	CM	135	CM 255 LEVEL CM	21281,5817 litre	97,814 %	475,5182 litre	O
380	CM	135	CM 254 LEVEL CM	21233,8505 litre	97,595 %	523,2494 litre	O
380	CM	135	CM 253 LEVEL CM	21184,7002 litre	97,369 %	572,3997 litre	O
380	CM	135	CM 252 LEVEL CM	21134,1822 litre	97,137 %	622,9177 litre	O
380	CM	135	CM 251 LEVEL CM	21082,3436 litre	96,899 %	674,7563 litre	O
380	CM	135	CM 250 LEVEL CM	21029,2281 litre	96,655 %	727,8718 litre	O
380	CM	135	CM 249 LEVEL CM	20974,8764 litre	96,405 %	782,2235 litre	O
380	CM	135	CM 248 LEVEL CM	20919,3264 litre	96,149 %	837,7735 litre	O
380	CM	135	CM 247 LEVEL CM	20862,6135 litre	95,889 %	894,4864 litre	O
380	CM	135	CM 246 LEVEL CM	20804,7711 litre	95,623 %	952,3288 litre	O
380	CM	135	CM 245 LEVEL CM	20745,8307 litre	95,352 %	1011,2692 litre	O
380	CM	135	CM 244 LEVEL CM	20685,8219 litre	95,076 %	1071,2780 litre	O
380	CM	135	CM 243 LEVEL CM	20624,7730 litre	94,796 %	1132,3269 litre	O
380	CM	135	CM 242 LEVEL CM	20562,7106 litre	94,510 %	1194,3893 litre	O
380	CM	135	CM 241 LEVEL CM	20499,6602 litre	94,221 %	1257,4397 litre	O
380	CM	135	CM 240 LEVEL CM	20435,6462 litre	93,926 %	1321,4537 litre	O
380	CM	135	CM 239 LEVEL CM	20370,6915 litre	93,628 %	1386,4084 litre	O
380	CM	135	CM 238 LEVEL CM	20304,8186 litre	93,325 %	1452,2813 litre	O
380	CM	135	CM 237 LEVEL CM	20238,0485 litre	93,018 %	1519,0514 litre	O
380	CM	135	CM 236 LEVEL CM	20170,4019 litre	92,707 %	1586,6980 litre	O
380	CM	135	CM 235 LEVEL CM	20101,8983 litre	92,392 %	1655,2016 litre	O
380	CM	135	CM 234 LEVEL CM	20032,5566 litre	92,074 %	1724,5433 litre	O
380	CM	135	CM 233 LEVEL CM	19962,3951 litre	91,751 %	1794,7048 litre	O
380	CM	135	CM 232 LEVEL CM	19891,4313 litre	91,425 %	1865,6686 litre	O
380	CM	135	CM 231 LEVEL CM	19819,6824 litre	91,095 %	1937,4175 litre	O
380	CM	135	CM 230 LEVEL CM	19747,1648 litre	90,762 %	2009,9351 litre	O
380	CM	135	CM 229 LEVEL CM	19673,8944 litre	90,425 %	2083,2055 litre	O
380	CM	135	CM 228 LEVEL CM	19599,8867 litre	90,085 %	2157,2132 litre	O
380	CM	135	CM 227 LEVEL CM	19525,1566 litre	89,742 %	2231,9433 litre	O
380	CM	135	CM 226 LEVEL CM	19449,7188 litre	89,395 %	2307,3811 litre	O
380	CM	135	CM 225 LEVEL CM	19373,5875 litre	89,045 %	2383,5124 litre	O
380	CM	135	CM 224 LEVEL CM	19296,7763 litre	88,692 %	2460,3236 litre	O
380	CM	135	CM 223 LEVEL CM	19219,2988 litre	88,336 %	2537,8011 litre	O
380	CM	135	CM 222 LEVEL CM	19141,1679 litre	87,977 %	2615,9320 litre	O
380	CM	135	CM 221 LEVEL CM	19062,3966 litre	87,615 %	2694,7033 litre	O
380	CM	135	CM 220 LEVEL CM	18982,9971 litre	87,250 %	2774,1028 litre	O
380	CM	135	CM 219 LEVEL CM	18902,9816 litre	86,882 %	2854,1183 litre	O

380	CM	135	CM	218 LEVEL CM	18822,3621 litre	86,511 %	2934,7378 litre	O
380	CM	135	CM	217 LEVEL CM	18741,1500 litre	86,138 %	3015,9499 litre	O
380	CM	135	CM	216 LEVEL CM	18659,3569 litre	85,762 %	3097,7430 litre	O
380	CM	135	CM	215 LEVEL CM	18576,9937 litre	85,384 %	3180,1062 litre	O
380	CM	135	CM	214 LEVEL CM	18494,0714 litre	85,002 %	3263,0285 litre	O
380	CM	135	CM	213 LEVEL CM	18410,6006 litre	84,619 %	3346,4993 litre	O
380	CM	135	CM	212 LEVEL CM	18326,5918 litre	84,233 %	3430,5081 litre	O
380	CM	135	CM	211 LEVEL CM	18242,0553 litre	83,844 %	3515,0446 litre	O
380	CM	135	CM	210 LEVEL CM	18157,0010 litre	83,453 %	3600,0989 litre	O
380	CM	135	CM	209 LEVEL CM	18071,4389 litre	83,060 %	3685,6610 litre	O
380	CM	135	CM	208 LEVEL CM	17985,3788 litre	82,664 %	3771,7211 litre	O
380	CM	135	CM	207 LEVEL CM	17898,8301 litre	82,267 %	3858,2698 litre	O
380	CM	135	CM	206 LEVEL CM	17811,8021 litre	81,867 %	3945,2978 litre	O
380	CM	135	CM	205 LEVEL CM	17724,3043 litre	81,464 %	4032,7956 litre	O
380	CM	135	CM	204 LEVEL CM	17636,3455 litre	81,060 %	4120,7544 litre	O
380	CM	135	CM	203 LEVEL CM	17547,9348 litre	80,654 %	4209,1651 litre	O
380	CM	135	CM	202 LEVEL CM	17459,0810 litre	80,245 %	4298,0189 litre	O
380	CM	135	CM	201 LEVEL CM	17369,7927 litre	79,835 %	4387,3072 litre	O
380	CM	135	CM	200 LEVEL CM	17280,0784 litre	79,423 %	4477,0215 litre	O
380	CM	135	CM	199 LEVEL CM	17189,9466 litre	79,008 %	4567,1533 litre	O
380	CM	135	CM	198 LEVEL CM	17099,4056 litre	78,592 %	4657,6943 litre	O
380	CM	135	CM	197 LEVEL CM	17008,4636 litre	78,174 %	4748,6363 litre	O
380	CM	135	CM	196 LEVEL CM	16917,1287 litre	77,755 %	4839,9712 litre	O
380	CM	135	CM	195 LEVEL CM	16825,4088 litre	77,333 %	4931,6911 litre	O
380	CM	135	CM	194 LEVEL CM	16733,3118 litre	76,910 %	5023,7881 litre	O
380	CM	135	CM	193 LEVEL CM	16640,8456 litre	76,485 %	5116,2543 litre	O
380	CM	135	CM	192 LEVEL CM	16548,0177 litre	76,058 %	5209,0822 litre	O
380	CM	135	CM	191 LEVEL CM	16454,8358 litre	75,630 %	5302,2641 litre	O
380	CM	135	CM	190 LEVEL CM	16361,3075 litre	75,200 %	5395,7924 litre	O
380	CM	135	CM	189 LEVEL CM	16267,4401 litre	74,768 %	5489,6598 litre	O
380	CM	135	CM	188 LEVEL CM	16173,2410 litre	74,335 %	5583,8589 litre	O
380	CM	135	CM	187 LEVEL CM	16078,7175 litre	73,901 %	5678,3824 litre	O
380	CM	135	CM	186 LEVEL CM	15983,8768 litre	73,465 %	5773,2231 litre	O
380	CM	135	CM	185 LEVEL CM	15888,7260 litre	73,028 %	5868,3739 litre	O
380	CM	135	CM	184 LEVEL CM	15793,2721 litre	72,589 %	5963,8278 litre	O
380	CM	135	CM	183 LEVEL CM	15697,5222 litre	72,149 %	6059,5777 litre	O
380	CM	135	CM	182 LEVEL CM	15601,4832 litre	71,708 %	6155,6167 litre	O
380	CM	135	CM	181 LEVEL CM	15505,1619 litre	71,265 %	6251,9380 litre	O
380	CM	135	CM	180 LEVEL CM	15408,5652 litre	70,821 %	6348,5347 litre	O
380	CM	135	CM	179 LEVEL CM	15311,6997 litre	70,376 %	6445,4002 litre	O
380	CM	135	CM	178 LEVEL CM	15214,5723 litre	69,929 %	6542,5276 litre	O
380	CM	135	CM	177 LEVEL CM	15117,1894 litre	69,482 %	6639,9105 litre	O
380	CM	135	CM	176 LEVEL CM	15019,5578 litre	69,033 %	6737,5421 litre	O
380	CM	135	CM	175 LEVEL CM	14921,6839 litre	68,583 %	6835,4160 litre	O
380	CM	135	CM	174 LEVEL CM	14823,5742 litre	68,132 %	6933,5257 litre	O
380	CM	135	CM	173 LEVEL CM	14725,2352 litre	67,680 %	7031,8647 litre	O
380	CM	135	CM	172 LEVEL CM	14626,6733 litre	67,227 %	7130,4266 litre	O
380	CM	135	CM	171 LEVEL CM	14527,8947 litre	66,773 %	7229,2052 litre	O
380	CM	135	CM	170 LEVEL CM	14428,9059 litre	66,318 %	7328,1940 litre	O
380	CM	135	CM	169 LEVEL CM	14329,7131 litre	65,862 %	7427,3868 litre	O
380	CM	135	CM	168 LEVEL CM	14230,3224 litre	65,405 %	7526,7775 litre	O
380	CM	135	CM	167 LEVEL CM	14130,7402 litre	64,948 %	7626,3597 litre	O
380	CM	135	CM	166 LEVEL CM	14030,9726 litre	64,489 %	7726,1273 litre	O

380	CM	135	CM	165 LEVEL CM	13931,0256 litre	64,030 %	7826,0743 litre	O
380	CM	135	CM	164 LEVEL CM	13830,9054 litre	63,570 %	7926,1945 litre	O
380	CM	135	CM	163 LEVEL CM	13730,6180 litre	63,109 %	8026,4819 litre	O
380	CM	135	CM	162 LEVEL CM	13630,1695 litre	62,647 %	8126,9304 litre	O
380	CM	135	CM	161 LEVEL CM	13529,5659 litre	62,185 %	8227,5340 litre	O
380	CM	135	CM	160 LEVEL CM	13428,8131 litre	61,722 %	8328,2868 litre	O
380	CM	135	CM	159 LEVEL CM	13327,9171 litre	61,258 %	8429,1828 litre	O
380	CM	135	CM	158 LEVEL CM	13226,8838 litre	60,793 %	8530,2161 litre	O
380	CM	135	CM	157 LEVEL CM	13125,7191 litre	60,328 %	8631,3808 litre	O
380	CM	135	CM	156 LEVEL CM	13024,4288 litre	59,863 %	8732,6711 litre	O
380	CM	135	CM	155 LEVEL CM	12923,0189 litre	59,397 %	8834,0810 litre	O
380	CM	135	CM	154 LEVEL CM	12821,4951 litre	58,930 %	8935,6048 litre	O
380	CM	135	CM	153 LEVEL CM	12719,8633 litre	58,463 %	9037,2366 litre	O
380	CM	135	CM	152 LEVEL CM	12618,1292 litre	57,995 %	9138,9707 litre	O
380	CM	135	CM	151 LEVEL CM	12516,2987 litre	57,527 %	9240,8012 litre	O
380	CM	135	CM	150 LEVEL CM	12414,3774 litre	57,059 %	9342,7225 litre	O
380	CM	135	CM	149 LEVEL CM	12312,3712 litre	56,590 %	9444,7287 litre	O
380	CM	135	CM	148 LEVEL CM	12210,2857 litre	56,121 %	9546,8142 litre	O
380	CM	135	CM	147 LEVEL CM	12108,1267 litre	55,651 %	9648,9732 litre	O
380	CM	135	CM	146 LEVEL CM	12005,8999 litre	55,182 %	9751,2000 litre	O
380	CM	135	CM	145 LEVEL CM	11903,6109 litre	54,711 %	9853,4890 litre	O
380	CM	135	CM	144 LEVEL CM	11801,2655 litre	54,241 %	9955,8344 litre	O
380	CM	135	CM	143 LEVEL CM	11698,8693 litre	53,770 %	10058,2306 litre	O
380	CM	135	CM	142 LEVEL CM	11596,4280 litre	53,300 %	10160,6719 litre	O
380	CM	135	CM	141 LEVEL CM	11493,9472 litre	52,828 %	10263,1527 litre	O
380	CM	135	CM	140 LEVEL CM	11391,4327 litre	52,357 %	10365,6672 litre	O
380	CM	135	CM	139 LEVEL CM	11288,8899 litre	51,886 %	10468,2100 litre	O
380	CM	135	CM	138 LEVEL CM	11186,3246 litre	51,415 %	10570,7753 litre	O
380	CM	135	CM	137 LEVEL CM	11083,7425 litre	50,943 %	10673,3574 litre	O
380	CM	135	CM	136 LEVEL CM	10981,1490 litre	50,472 %	10775,9509 litre	O
380	CM	135	CM	135 LEVEL CM	10878,5500 litre	50,000 %	10878,5499 litre	O
380	CM	135	CM	134 LEVEL CM	10775,9509 litre	49,528 %	10981,1490 litre	O
380	CM	135	CM	133 LEVEL CM	10673,3575 litre	49,057 %	11083,7424 litre	O
380	CM	135	CM	132 LEVEL CM	10570,7753 litre	48,585 %	11186,3246 litre	O
380	CM	135	CM	131 LEVEL CM	10468,2100 litre	48,114 %	11288,8899 litre	O
380	CM	135	CM	130 LEVEL CM	10365,6673 litre	47,643 %	11391,4326 litre	O
380	CM	135	CM	129 LEVEL CM	10263,1527 litre	47,172 %	11493,9472 litre	O
380	CM	135	CM	128 LEVEL CM	10160,6719 litre	46,700 %	11596,4280 litre	O
380	CM	135	CM	127 LEVEL CM	10058,2306 litre	46,230 %	11698,8693 litre	O
380	CM	135	CM	126 LEVEL CM	9955,8344 litre	45,759 %	11801,2655 litre	O
380	CM	135	CM	125 LEVEL CM	9853,4890 litre	45,289 %	11903,6109 litre	O
380	CM	135	CM	124 LEVEL CM	9751,2000 litre	44,818 %	12005,8999 litre	O
380	CM	135	CM	123 LEVEL CM	9648,9732 litre	44,349 %	12108,1267 litre	O
380	CM	135	CM	122 LEVEL CM	9546,8142 litre	43,879 %	12210,2857 litre	O
380	CM	135	CM	121 LEVEL CM	9444,7287 litre	43,410 %	12312,3712 litre	O
380	CM	135	CM	120 LEVEL CM	9342,7225 litre	42,941 %	12414,3774 litre	O
380	CM	135	CM	119 LEVEL CM	9240,8013 litre	42,473 %	12516,2986 litre	O
380	CM	135	CM	118 LEVEL CM	9138,9707 litre	42,005 %	12618,1292 litre	O
380	CM	135	CM	117 LEVEL CM	9037,2366 litre	41,537 %	12719,8633 litre	O
380	CM	135	CM	116 LEVEL CM	8935,6048 litre	41,070 %	12821,4951 litre	O
380	CM	135	CM	115 LEVEL CM	8834,0810 litre	40,603 %	12923,0189 litre	O
380	CM	135	CM	114 LEVEL CM	8732,6711 litre	40,137 %	13024,4288 litre	O
380	CM	135	CM	113 LEVEL CM	8631,3809 litre	39,672 %	13125,7190 litre	O

380	CM	135	CM	112 LEVEL CM	8530,2161 litre	39,207 %	13226,8838 litre	O
380	CM	135	CM	111 LEVEL CM	8429,1828 litre	38,742 %	13327,9171 litre	O
380	CM	135	CM	110 LEVEL CM	8328,2868 litre	38,278 %	13428,8131 litre	O
380	CM	135	CM	109 LEVEL CM	8227,5340 litre	37,815 %	13529,5659 litre	O
380	CM	135	CM	108 LEVEL CM	8126,9304 litre	37,353 %	13630,1695 litre	O
380	CM	135	CM	107 LEVEL CM	8026,4819 litre	36,891 %	13730,6180 litre	O
380	CM	135	CM	106 LEVEL CM	7926,1945 litre	36,430 %	13830,9054 litre	O
380	CM	135	CM	105 LEVEL CM	7826,0743 litre	35,970 %	13931,0256 litre	O
380	CM	135	CM	104 LEVEL CM	7726,1274 litre	35,511 %	14030,9725 litre	O
380	CM	135	CM	103 LEVEL CM	7626,3597 litre	35,052 %	14130,7402 litre	O
380	CM	135	CM	102 LEVEL CM	7526,7775 litre	34,595 %	14230,3224 litre	O
380	CM	135	CM	101 LEVEL CM	7427,3869 litre	34,138 %	14329,7130 litre	O
380	CM	135	CM	100 LEVEL CM	7328,1940 litre	33,682 %	14428,9059 litre	O
380	CM	135	CM	99 LEVEL CM	7229,2052 litre	33,227 %	14527,8947 litre	O
380	CM	135	CM	98 LEVEL CM	7130,4266 litre	32,773 %	14626,6733 litre	O
380	CM	135	CM	97 LEVEL CM	7031,8647 litre	32,320 %	14725,2352 litre	O
380	CM	135	CM	96 LEVEL CM	6933,5257 litre	31,868 %	14823,5742 litre	O
380	CM	135	CM	95 LEVEL CM	6835,4160 litre	31,417 %	14921,6839 litre	O
380	CM	135	CM	94 LEVEL CM	6737,5421 litre	30,967 %	15019,5578 litre	O
380	CM	135	CM	93 LEVEL CM	6639,9105 litre	30,518 %	15117,1894 litre	O
380	CM	135	CM	92 LEVEL CM	6542,5277 litre	30,071 %	15214,5722 litre	O
380	CM	135	CM	91 LEVEL CM	6445,4002 litre	29,624 %	15311,6997 litre	O
380	CM	135	CM	90 LEVEL CM	6348,5348 litre	29,179 %	15408,5651 litre	O
380	CM	135	CM	89 LEVEL CM	6251,9380 litre	28,735 %	15505,1619 litre	O
380	CM	135	CM	88 LEVEL CM	6155,6168 litre	28,292 %	15601,4831 litre	O
380	CM	135	CM	87 LEVEL CM	6059,5777 litre	27,851 %	15697,5222 litre	O
380	CM	135	CM	86 LEVEL CM	5963,8278 litre	27,411 %	15793,2721 litre	O
380	CM	135	CM	85 LEVEL CM	5868,3740 litre	26,972 %	15888,7259 litre	O
380	CM	135	CM	84 LEVEL CM	5773,2231 litre	26,535 %	15983,8768 litre	O
380	CM	135	CM	83 LEVEL CM	5678,3824 litre	26,099 %	16078,7175 litre	O
380	CM	135	CM	82 LEVEL CM	5583,8589 litre	25,665 %	16173,2410 litre	O
380	CM	135	CM	81 LEVEL CM	5489,6598 litre	25,232 %	16267,4401 litre	O
380	CM	135	CM	80 LEVEL CM	5395,7924 litre	24,800 %	16361,3075 litre	O
380	CM	135	CM	79 LEVEL CM	5302,2641 litre	24,370 %	16454,8358 litre	O
380	CM	135	CM	78 LEVEL CM	5209,0822 litre	23,942 %	16548,0177 litre	O
380	CM	135	CM	77 LEVEL CM	5116,2544 litre	23,515 %	16640,8455 litre	O
380	CM	135	CM	76 LEVEL CM	5023,7881 litre	23,090 %	16733,3118 litre	O
380	CM	135	CM	75 LEVEL CM	4931,6911 litre	22,667 %	16825,4088 litre	O
380	CM	135	CM	74 LEVEL CM	4839,9712 litre	22,245 %	16917,1287 litre	O
380	CM	135	CM	73 LEVEL CM	4748,6363 litre	21,826 %	17008,4636 litre	O
380	CM	135	CM	72 LEVEL CM	4657,6943 litre	21,408 %	17099,4056 litre	O
380	CM	135	CM	71 LEVEL CM	4567,1533 litre	20,992 %	17189,9466 litre	O
380	CM	135	CM	70 LEVEL CM	4477,0215 litre	20,577 %	17280,0784 litre	O
380	CM	135	CM	69 LEVEL CM	4387,3073 litre	20,165 %	17369,7926 litre	O
380	CM	135	CM	68 LEVEL CM	4298,0189 litre	19,755 %	17459,0810 litre	O
380	CM	135	CM	67 LEVEL CM	4209,1651 litre	19,346 %	17547,9348 litre	O
380	CM	135	CM	66 LEVEL CM	4120,7544 litre	18,940 %	17636,3455 litre	O
380	CM	135	CM	65 LEVEL CM	4032,7956 litre	18,536 %	17724,3043 litre	O
380	CM	135	CM	64 LEVEL CM	3945,2978 litre	18,133 %	17811,8021 litre	O
380	CM	135	CM	63 LEVEL CM	3858,2699 litre	17,733 %	17898,8300 litre	O
380	CM	135	CM	62 LEVEL CM	3771,7211 litre	17,336 %	17985,3788 litre	O
380	CM	135	CM	61 LEVEL CM	3685,6610 litre	16,940 %	18071,4389 litre	O
380	CM	135	CM	60 LEVEL CM	3600,0989 litre	16,547 %	18157,0010 litre	O

380	CM	135	CM	59 LEVEL CM	3515,0447 litre	16,156 %	18242,0552 litre	O
380	CM	135	CM	58 LEVEL CM	3430,5081 litre	15,767 %	18326,5918 litre	O
380	CM	135	CM	57 LEVEL CM	3346,4993 litre	15,381 %	18410,6006 litre	O
380	CM	135	CM	56 LEVEL CM	3263,0285 litre	14,998 %	18494,0714 litre	O
380	CM	135	CM	55 LEVEL CM	3180,1062 litre	14,616 %	18576,9937 litre	O
380	CM	135	CM	54 LEVEL CM	3097,7430 litre	14,238 %	18659,3569 litre	O
380	CM	135	CM	53 LEVEL CM	3015,9499 litre	13,862 %	18741,1500 litre	O
380	CM	135	CM	52 LEVEL CM	2934,7378 litre	13,489 %	18822,3621 litre	O
380	CM	135	CM	51 LEVEL CM	2854,1183 litre	13,118 %	18902,9816 litre	O
380	CM	135	CM	50 LEVEL CM	2774,1029 litre	12,750 %	18982,9970 litre	O
380	CM	135	CM	49 LEVEL CM	2694,7034 litre	12,385 %	19062,3965 litre	O
380	CM	135	CM	48 LEVEL CM	2615,9320 litre	12,023 %	19141,1679 litre	O
380	CM	135	CM	47 LEVEL CM	2537,8011 litre	11,664 %	19219,2988 litre	O
380	CM	135	CM	46 LEVEL CM	2460,3236 litre	11,308 %	19296,7763 litre	O
380	CM	135	CM	45 LEVEL CM	2383,5125 litre	10,955 %	19373,5874 litre	O
380	CM	135	CM	44 LEVEL CM	2307,3811 litre	10,605 %	19449,7188 litre	O
380	CM	135	CM	43 LEVEL CM	2231,9433 litre	10,258 %	19525,1566 litre	O
380	CM	135	CM	42 LEVEL CM	2157,2133 litre	9,915 %	19599,8866 litre	O
380	CM	135	CM	41 LEVEL CM	2083,2055 litre	9,575 %	19673,8944 litre	O
380	CM	135	CM	40 LEVEL CM	2009,9351 litre	9,238 %	19747,1648 litre	O
380	CM	135	CM	39 LEVEL CM	1937,4175 litre	8,905 %	19819,6824 litre	O
380	CM	135	CM	38 LEVEL CM	1865,6686 litre	8,575 %	19891,4313 litre	O
380	CM	135	CM	37 LEVEL CM	1794,7049 litre	8,249 %	19962,3950 litre	O
380	CM	135	CM	36 LEVEL CM	1724,5434 litre	7,926 %	20032,5565 litre	O
380	CM	135	CM	35 LEVEL CM	1655,2017 litre	7,608 %	20101,8982 litre	O
380	CM	135	CM	34 LEVEL CM	1586,6980 litre	7,293 %	20170,4019 litre	O
380	CM	135	CM	33 LEVEL CM	1519,0514 litre	6,982 %	20238,0485 litre	O
380	CM	135	CM	32 LEVEL CM	1452,2814 litre	6,675 %	20304,8185 litre	O
380	CM	135	CM	31 LEVEL CM	1386,4084 litre	6,372 %	20370,6915 litre	O
380	CM	135	CM	30 LEVEL CM	1321,4538 litre	6,074 %	20435,6461 litre	O
380	CM	135	CM	29 LEVEL CM	1257,4397 litre	5,779 %	20499,6602 litre	O
380	CM	135	CM	28 LEVEL CM	1194,3893 litre	5,490 %	20562,7106 litre	O
380	CM	135	CM	27 LEVEL CM	1132,3269 litre	5,204 %	20624,7730 litre	O
380	CM	135	CM	26 LEVEL CM	1071,2780 litre	4,924 %	20685,8219 litre	O
380	CM	135	CM	25 LEVEL CM	1011,2692 litre	4,648 %	20745,8307 litre	O
380	CM	135	CM	24 LEVEL CM	952,3288 litre	4,377 %	20804,7711 litre	O
380	CM	135	CM	23 LEVEL CM	894,4864 litre	4,111 %	20862,6135 litre	O
380	CM	135	CM	22 LEVEL CM	837,7735 litre	3,851 %	20919,3264 litre	O
380	CM	135	CM	21 LEVEL CM	782,2235 litre	3,595 %	20974,8764 litre	O
380	CM	135	CM	20 LEVEL CM	727,8718 litre	3,345 %	21029,2281 litre	O
380	CM	135	CM	19 LEVEL CM	674,7563 litre	3,101 %	21082,3436 litre	O
380	CM	135	CM	18 LEVEL CM	622,9177 litre	2,863 %	21134,1822 litre	O
380	CM	135	CM	17 LEVEL CM	572,3997 litre	2,631 %	21184,7002 litre	O
380	CM	135	CM	16 LEVEL CM	523,2494 litre	2,405 %	21233,8505 litre	O
380	CM	135	CM	15 LEVEL CM	475,5183 litre	2,186 %	21281,5816 litre	O
380	CM	135	CM	14 LEVEL CM	429,2622 litre	1,973 %	21327,8377 litre	O
380	CM	135	CM	13 LEVEL CM	384,5427 litre	1,767 %	21372,5572 litre	O
380	CM	135	CM	12 LEVEL CM	341,4280 litre	1,569 %	21415,6719 litre	O
380	CM	135	CM	11 LEVEL CM	299,9941 litre	1,379 %	21457,1058 litre	O
380	CM	135	CM	10 LEVEL CM	260,3269 litre	1,197 %	21496,7730 litre	O
380	CM	135	CM	9 LEVEL CM	222,5239 litre	1,023 %	21534,5760 litre	O
380	CM	135	CM	8 LEVEL CM	186,6984 litre	0,858 %	21570,4015 litre	O
380	CM	135	CM	7 LEVEL CM	152,9834 litre	0,703 %	21604,1165 litre	O

380	CM	135	CM	6 LEVEL CM	121,5387 litre	0,559 %	21635,5612 litre	O
380	CM	135	CM	5 LEVEL CM	92,5618 litre	0,425 %	21664,5381 litre	O
380	CM	135	CM	4 LEVEL CM	66,3063 litre	0,305 %	21690,7936 litre	O
380	CM	135	CM	3 LEVEL CM	43,1155 litre	0,198 %	21713,9844 litre	O
380	CM	135	CM	2 LEVEL CM	23,4953 litre	0,108 %	21733,6046 litre	O
380	CM	135	CM	1 LEVEL CM	8,3161 litre	0,038 %	21748,7838 litre	O
380	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	21757,0999 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 130	CM 260 LEVEL CM	20175,3080 litre	100,000 %	0,0000 litre	O
380	CM 130	CM 259 LEVEL CM	20167,1477 litre	99,960 %	8,1603 litre	O
380	CM 130	CM 258 LEVEL CM	20152,2539 litre	99,886 %	23,0541 litre	O
380	CM 130	CM 257 LEVEL CM	20133,0040 litre	99,790 %	42,3040 litre	O
380	CM 130	CM 256 LEVEL CM	20110,2525 litre	99,678 %	65,0555 litre	O
380	CM 130	CM 255 LEVEL CM	20084,4962 litre	99,550 %	90,8118 litre	O
380	CM 130	CM 254 LEVEL CM	20056,0724 litre	99,409 %	119,2356 litre	O
380	CM 130	CM 253 LEVEL CM	20025,2301 litre	99,256 %	150,0779 litre	O
380	CM 130	CM 252 LEVEL CM	19992,1635 litre	99,092 %	183,1445 litre	O
380	CM 130	CM 251 LEVEL CM	19957,0297 litre	98,918 %	218,2783 litre	O
380	CM 130	CM 250 LEVEL CM	19919,9595 litre	98,734 %	255,3485 litre	O
380	CM 130	CM 249 LEVEL CM	19881,0640 litre	98,542 %	294,2440 litre	O
380	CM 130	CM 248 LEVEL CM	19840,4395 litre	98,340 %	334,8685 litre	O
380	CM 130	CM 247 LEVEL CM	19798,1702 litre	98,131 %	377,1378 litre	O
380	CM 130	CM 246 LEVEL CM	19754,3312 litre	97,913 %	420,9768 litre	O
380	CM 130	CM 245 LEVEL CM	19708,9893 litre	97,689 %	466,3187 litre	O
380	CM 130	CM 244 LEVEL CM	19662,2053 litre	97,457 %	513,1027 litre	O
380	CM 130	CM 243 LEVEL CM	19614,0343 litre	97,218 %	561,2737 litre	O
380	CM 130	CM 242 LEVEL CM	19564,5267 litre	96,973 %	610,7813 litre	O
380	CM 130	CM 241 LEVEL CM	19513,7292 litre	96,721 %	661,5788 litre	O
380	CM 130	CM 240 LEVEL CM	19461,6847 litre	96,463 %	713,6233 litre	O
380	CM 130	CM 239 LEVEL CM	19408,4334 litre	96,199 %	766,8746 litre	O
380	CM 130	CM 238 LEVEL CM	19354,0125 litre	95,929 %	821,2955 litre	O
380	CM 130	CM 237 LEVEL CM	19298,4571 litre	95,654 %	876,8509 litre	O
380	CM 130	CM 236 LEVEL CM	19241,8002 litre	95,373 %	933,5078 litre	O
380	CM 130	CM 235 LEVEL CM	19184,0727 litre	95,087 %	991,2353 litre	O
380	CM 130	CM 234 LEVEL CM	19125,3039 litre	94,796 %	1050,0041 litre	O
380	CM 130	CM 233 LEVEL CM	19065,5217 litre	94,499 %	1109,7863 litre	O
380	CM 130	CM 232 LEVEL CM	19004,7524 litre	94,198 %	1170,5556 litre	O
380	CM 130	CM 231 LEVEL CM	18943,0213 litre	93,892 %	1232,2867 litre	O
380	CM 130	CM 230 LEVEL CM	18880,3522 litre	93,581 %	1294,9558 litre	O
380	CM 130	CM 229 LEVEL CM	18816,7681 litre	93,266 %	1358,5399 litre	O
380	CM 130	CM 228 LEVEL CM	18752,2909 litre	92,947 %	1423,0171 litre	O
380	CM 130	CM 227 LEVEL CM	18686,9416 litre	92,623 %	1488,3664 litre	O
380	CM 130	CM 226 LEVEL CM	18620,7406 litre	92,295 %	1554,5674 litre	O
380	CM 130	CM 225 LEVEL CM	18553,7072 litre	91,962 %	1621,6008 litre	O
380	CM 130	CM 224 LEVEL CM	18485,8601 litre	91,626 %	1689,4479 litre	O
380	CM 130	CM 223 LEVEL CM	18417,2174 litre	91,286 %	1758,0906 litre	O
380	CM 130	CM 222 LEVEL CM	18347,7966 litre	90,942 %	1827,5114 litre	O
380	CM 130	CM 221 LEVEL CM	18277,6145 litre	90,594 %	1897,6935 litre	O
380	CM 130	CM 220 LEVEL CM	18206,6873 litre	90,242 %	1968,6207 litre	O
380	CM 130	CM 219 LEVEL CM	18135,0310 litre	89,887 %	2040,2770 litre	O
380	CM 130	CM 218 LEVEL CM	18062,6608 litre	89,529 %	2112,6472 litre	O
380	CM 130	CM 217 LEVEL CM	17989,5917 litre	89,166 %	2185,7163 litre	O
380	CM 130	CM 216 LEVEL CM	17915,8380 litre	88,801 %	2259,4700 litre	O
380	CM 130	CM 215 LEVEL CM	17841,4138 litre	88,432 %	2333,8942 litre	O
380	CM 130	CM 214 LEVEL CM	17766,3329 litre	88,060 %	2408,9751 litre	O
380	CM 130	CM 213 LEVEL CM	17690,6085 litre	87,684 %	2484,6995 litre	O
380	CM 130	CM 212 LEVEL CM	17614,2536 litre	87,306 %	2561,0544 litre	O
380	CM 130	CM 211 LEVEL CM	17537,2809 litre	86,924 %	2638,0271 litre	O
380	CM 130	CM 210 LEVEL CM	17459,7027 litre	86,540 %	2715,6053 litre	O
380	CM 130	CM 209 LEVEL CM	17381,5312 litre	86,152 %	2793,7768 litre	O

380	CM	130	CM	208 LEVEL CM	17302,7781 litre	85,762 %	2872,5299 litre	O
380	CM	130	CM	207 LEVEL CM	17223,4550 litre	85,369 %	2951,8530 litre	O
380	CM	130	CM	206 LEVEL CM	17143,5732 litre	84,973 %	3031,7348 litre	O
380	CM	130	CM	205 LEVEL CM	17063,1437 litre	84,574 %	3112,1643 litre	O
380	CM	130	CM	204 LEVEL CM	16982,1774 litre	84,173 %	3193,1306 litre	O
380	CM	130	CM	203 LEVEL CM	16900,6849 litre	83,769 %	3274,6231 litre	O
380	CM	130	CM	202 LEVEL CM	16818,6766 litre	83,363 %	3356,6314 litre	O
380	CM	130	CM	201 LEVEL CM	16736,1627 litre	82,954 %	3439,1453 litre	O
380	CM	130	CM	200 LEVEL CM	16653,1534 litre	82,542 %	3522,1546 litre	O
380	CM	130	CM	199 LEVEL CM	16569,6583 litre	82,128 %	3605,6497 litre	O
380	CM	130	CM	198 LEVEL CM	16485,6873 litre	81,712 %	3689,6207 litre	O
380	CM	130	CM	197 LEVEL CM	16401,2499 litre	81,294 %	3774,0581 litre	O
380	CM	130	CM	196 LEVEL CM	16316,3553 litre	80,873 %	3858,9527 litre	O
380	CM	130	CM	195 LEVEL CM	16231,0129 litre	80,450 %	3944,2951 litre	O
380	CM	130	CM	194 LEVEL CM	16145,2317 litre	80,025 %	4030,0763 litre	O
380	CM	130	CM	193 LEVEL CM	16059,0206 litre	79,597 %	4116,2874 litre	O
380	CM	130	CM	192 LEVEL CM	15972,3885 litre	79,168 %	4202,9195 litre	O
380	CM	130	CM	191 LEVEL CM	15885,3440 litre	78,737 %	4289,9640 litre	O
380	CM	130	CM	190 LEVEL CM	15797,8956 litre	78,303 %	4377,4124 litre	O
380	CM	130	CM	189 LEVEL CM	15710,0518 litre	77,868 %	4465,2562 litre	O
380	CM	130	CM	188 LEVEL CM	15621,8209 litre	77,430 %	4553,4871 litre	O
380	CM	130	CM	187 LEVEL CM	15533,2112 litre	76,991 %	4642,0968 litre	O
380	CM	130	CM	186 LEVEL CM	15444,2306 litre	76,550 %	4731,0774 litre	O
380	CM	130	CM	185 LEVEL CM	15354,8873 litre	76,107 %	4820,4207 litre	O
380	CM	130	CM	184 LEVEL CM	15265,1891 litre	75,663 %	4910,1189 litre	O
380	CM	130	CM	183 LEVEL CM	15175,1439 litre	75,216 %	5000,1641 litre	O
380	CM	130	CM	182 LEVEL CM	15084,7593 litre	74,768 %	5090,5487 litre	O
380	CM	130	CM	181 LEVEL CM	14994,0430 litre	74,319 %	5181,2650 litre	O
380	CM	130	CM	180 LEVEL CM	14903,0026 litre	73,868 %	5272,3054 litre	O
380	CM	130	CM	179 LEVEL CM	14811,6455 litre	73,415 %	5363,6625 litre	O
380	CM	130	CM	178 LEVEL CM	14719,9791 litre	72,960 %	5455,3289 litre	O
380	CM	130	CM	177 LEVEL CM	14628,0108 litre	72,505 %	5547,2972 litre	O
380	CM	130	CM	176 LEVEL CM	14535,7477 litre	72,047 %	5639,5603 litre	O
380	CM	130	CM	175 LEVEL CM	14443,1972 litre	71,588 %	5732,1108 litre	O
380	CM	130	CM	174 LEVEL CM	14350,3662 litre	71,128 %	5824,9418 litre	O
380	CM	130	CM	173 LEVEL CM	14257,2618 litre	70,667 %	5918,0462 litre	O
380	CM	130	CM	172 LEVEL CM	14163,8911 litre	70,204 %	6011,4169 litre	O
380	CM	130	CM	171 LEVEL CM	14070,2609 litre	69,740 %	6105,0471 litre	O
380	CM	130	CM	170 LEVEL CM	13976,3781 litre	69,275 %	6198,9299 litre	O
380	CM	130	CM	169 LEVEL CM	13882,2495 litre	68,808 %	6293,0585 litre	O
380	CM	130	CM	168 LEVEL CM	13787,8819 litre	68,340 %	6387,4261 litre	O
380	CM	130	CM	167 LEVEL CM	13693,2820 litre	67,871 %	6482,0260 litre	O
380	CM	130	CM	166 LEVEL CM	13598,4565 litre	67,401 %	6576,8515 litre	O
380	CM	130	CM	165 LEVEL CM	13503,4120 litre	66,930 %	6671,8960 litre	O
380	CM	130	CM	164 LEVEL CM	13408,1549 litre	66,458 %	6767,1531 litre	O
380	CM	130	CM	163 LEVEL CM	13312,6920 litre	65,985 %	6862,6160 litre	O
380	CM	130	CM	162 LEVEL CM	13217,0296 litre	65,511 %	6958,2784 litre	O
380	CM	130	CM	161 LEVEL CM	13121,1741 litre	65,036 %	7054,1339 litre	O
380	CM	130	CM	160 LEVEL CM	13025,1321 litre	64,560 %	7150,1759 litre	O
380	CM	130	CM	159 LEVEL CM	12928,9098 litre	64,083 %	7246,3982 litre	O
380	CM	130	CM	158 LEVEL CM	12832,5135 litre	63,605 %	7342,7945 litre	O
380	CM	130	CM	157 LEVEL CM	12735,9497 litre	63,126 %	7439,3583 litre	O
380	CM	130	CM	156 LEVEL CM	12639,2244 litre	62,647 %	7536,0836 litre	O

380	CM	130	CM	155 LEVEL CM	12542,3441 litre	62,167 %	7632,9639 litre	O
380	CM	130	CM	154 LEVEL CM	12445,3148 litre	61,686 %	7729,9932 litre	O
380	CM	130	CM	153 LEVEL CM	12348,1427 litre	61,204 %	7827,1653 litre	O
380	CM	130	CM	152 LEVEL CM	12250,8340 litre	60,722 %	7924,4740 litre	O
380	CM	130	CM	151 LEVEL CM	12153,3948 litre	60,239 %	8021,9132 litre	O
380	CM	130	CM	150 LEVEL CM	12055,8312 litre	59,755 %	8119,4768 litre	O
380	CM	130	CM	149 LEVEL CM	11958,1493 litre	59,271 %	8217,1587 litre	O
380	CM	130	CM	148 LEVEL CM	11860,3551 litre	58,786 %	8314,9529 litre	O
380	CM	130	CM	147 LEVEL CM	11762,4546 litre	58,301 %	8412,8534 litre	O
380	CM	130	CM	146 LEVEL CM	11664,4539 litre	57,815 %	8510,8541 litre	O
380	CM	130	CM	145 LEVEL CM	11566,3590 litre	57,329 %	8608,9490 litre	O
380	CM	130	CM	144 LEVEL CM	11468,1757 litre	56,843 %	8707,1323 litre	O
380	CM	130	CM	143 LEVEL CM	11369,9101 litre	56,356 %	8805,3979 litre	O
380	CM	130	CM	142 LEVEL CM	11271,5682 litre	55,868 %	8903,7398 litre	O
380	CM	130	CM	141 LEVEL CM	11173,1557 litre	55,380 %	9002,1523 litre	O
380	CM	130	CM	140 LEVEL CM	11074,6788 litre	54,892 %	9100,6292 litre	O
380	CM	130	CM	139 LEVEL CM	10976,1432 litre	54,404 %	9199,1648 litre	O
380	CM	130	CM	138 LEVEL CM	10877,5549 litre	53,915 %	9297,7531 litre	O
380	CM	130	CM	137 LEVEL CM	10778,9197 litre	53,426 %	9396,3883 litre	O
380	CM	130	CM	136 LEVEL CM	10680,2435 litre	52,937 %	9495,0645 litre	O
380	CM	130	CM	135 LEVEL CM	10581,5322 litre	52,448 %	9593,7758 litre	O
380	CM	130	CM	134 LEVEL CM	10482,7916 litre	51,959 %	9692,5164 litre	O
380	CM	130	CM	133 LEVEL CM	10384,0277 litre	51,469 %	9791,2803 litre	O
380	CM	130	CM	132 LEVEL CM	10285,2462 litre	50,979 %	9890,0618 litre	O
380	CM	130	CM	131 LEVEL CM	10186,4530 litre	50,490 %	9988,8550 litre	O
380	CM	130	CM	130 LEVEL CM	10087,6540 litre	50,000 %	10087,6540 litre	O
380	CM	130	CM	129 LEVEL CM	9988,8550 litre	49,510 %	10186,4530 litre	O
380	CM	130	CM	128 LEVEL CM	9890,0618 litre	49,021 %	10285,2462 litre	O
380	CM	130	CM	127 LEVEL CM	9791,2803 litre	48,531 %	10384,0277 litre	O
380	CM	130	CM	126 LEVEL CM	9692,5164 litre	48,041 %	10482,7916 litre	O
380	CM	130	CM	125 LEVEL CM	9593,7758 litre	47,552 %	10581,5322 litre	O
380	CM	130	CM	124 LEVEL CM	9495,0645 litre	47,063 %	10680,2435 litre	O
380	CM	130	CM	123 LEVEL CM	9396,3884 litre	46,574 %	10778,9196 litre	O
380	CM	130	CM	122 LEVEL CM	9297,7532 litre	46,085 %	10877,5548 litre	O
380	CM	130	CM	121 LEVEL CM	9199,1648 litre	45,596 %	10976,1432 litre	O
380	CM	130	CM	120 LEVEL CM	9100,6292 litre	45,108 %	11074,6788 litre	O
380	CM	130	CM	119 LEVEL CM	9002,1523 litre	44,620 %	11173,1557 litre	O
380	CM	130	CM	118 LEVEL CM	8903,7399 litre	44,132 %	11271,5681 litre	O
380	CM	130	CM	117 LEVEL CM	8805,3979 litre	43,644 %	11369,9101 litre	O
380	CM	130	CM	116 LEVEL CM	8707,1323 litre	43,157 %	11468,1757 litre	O
380	CM	130	CM	115 LEVEL CM	8608,9491 litre	42,671 %	11566,3589 litre	O
380	CM	130	CM	114 LEVEL CM	8510,8541 litre	42,185 %	11664,4539 litre	O
380	CM	130	CM	113 LEVEL CM	8412,8534 litre	41,699 %	11762,4546 litre	O
380	CM	130	CM	112 LEVEL CM	8314,9529 litre	41,214 %	11860,3551 litre	O
380	CM	130	CM	111 LEVEL CM	8217,1587 litre	40,729 %	11958,1493 litre	O
380	CM	130	CM	110 LEVEL CM	8119,4768 litre	40,245 %	12055,8312 litre	O
380	CM	130	CM	109 LEVEL CM	8021,9132 litre	39,761 %	12153,3948 litre	O
380	CM	130	CM	108 LEVEL CM	7924,4740 litre	39,278 %	12250,8340 litre	O
380	CM	130	CM	107 LEVEL CM	7827,1653 litre	38,796 %	12348,1427 litre	O
380	CM	130	CM	106 LEVEL CM	7729,9933 litre	38,314 %	12445,3147 litre	O
380	CM	130	CM	105 LEVEL CM	7632,9640 litre	37,833 %	12542,3440 litre	O
380	CM	130	CM	104 LEVEL CM	7536,0836 litre	37,353 %	12639,2244 litre	O
380	CM	130	CM	103 LEVEL CM	7439,3584 litre	36,874 %	12735,9496 litre	O

380	CM	130	CM	102 LEVEL CM	7342,7945 litre	36,395 %	12832,5135 litre	O
380	CM	130	CM	101 LEVEL CM	7246,3983 litre	35,917 %	12928,9097 litre	O
380	CM	130	CM	100 LEVEL CM	7150,1760 litre	35,440 %	13025,1320 litre	O
380	CM	130	CM	99 LEVEL CM	7054,1339 litre	34,964 %	13121,1741 litre	O
380	CM	130	CM	98 LEVEL CM	6958,2785 litre	34,489 %	13217,0295 litre	O
380	CM	130	CM	97 LEVEL CM	6862,6160 litre	34,015 %	13312,6920 litre	O
380	CM	130	CM	96 LEVEL CM	6767,1531 litre	33,542 %	13408,1549 litre	O
380	CM	130	CM	95 LEVEL CM	6671,8961 litre	33,070 %	13503,4119 litre	O
380	CM	130	CM	94 LEVEL CM	6576,8515 litre	32,599 %	13598,4565 litre	O
380	CM	130	CM	93 LEVEL CM	6482,0260 litre	32,129 %	13693,2820 litre	O
380	CM	130	CM	92 LEVEL CM	6387,4261 litre	31,660 %	13787,8819 litre	O
380	CM	130	CM	91 LEVEL CM	6293,0585 litre	31,192 %	13882,2495 litre	O
380	CM	130	CM	90 LEVEL CM	6198,9300 litre	30,725 %	13976,3780 litre	O
380	CM	130	CM	89 LEVEL CM	6105,0472 litre	30,260 %	14070,2608 litre	O
380	CM	130	CM	88 LEVEL CM	6011,4170 litre	29,796 %	14163,8910 litre	O
380	CM	130	CM	87 LEVEL CM	5918,0462 litre	29,333 %	14257,2618 litre	O
380	CM	130	CM	86 LEVEL CM	5824,9419 litre	28,872 %	14350,3661 litre	O
380	CM	130	CM	85 LEVEL CM	5732,1109 litre	28,412 %	14443,1971 litre	O
380	CM	130	CM	84 LEVEL CM	5639,5603 litre	27,953 %	14535,7477 litre	O
380	CM	130	CM	83 LEVEL CM	5547,2972 litre	27,495 %	14628,0108 litre	O
380	CM	130	CM	82 LEVEL CM	5455,3289 litre	27,040 %	14719,9791 litre	O
380	CM	130	CM	81 LEVEL CM	5363,6625 litre	26,585 %	14811,6455 litre	O
380	CM	130	CM	80 LEVEL CM	5272,3054 litre	26,132 %	14903,0026 litre	O
380	CM	130	CM	79 LEVEL CM	5181,2650 litre	25,681 %	14994,0430 litre	O
380	CM	130	CM	78 LEVEL CM	5090,5487 litre	25,232 %	15084,7593 litre	O
380	CM	130	CM	77 LEVEL CM	5000,1642 litre	24,784 %	15175,1438 litre	O
380	CM	130	CM	76 LEVEL CM	4910,1189 litre	24,337 %	15265,1891 litre	O
380	CM	130	CM	75 LEVEL CM	4820,4207 litre	23,893 %	15354,8873 litre	O
380	CM	130	CM	74 LEVEL CM	4731,0774 litre	23,450 %	15444,2306 litre	O
380	CM	130	CM	73 LEVEL CM	4642,0969 litre	23,009 %	15533,2111 litre	O
380	CM	130	CM	72 LEVEL CM	4553,4871 litre	22,570 %	15621,8209 litre	O
380	CM	130	CM	71 LEVEL CM	4465,2562 litre	22,132 %	15710,0518 litre	O
380	CM	130	CM	70 LEVEL CM	4377,4124 litre	21,697 %	15797,8956 litre	O
380	CM	130	CM	69 LEVEL CM	4289,9641 litre	21,263 %	15885,3439 litre	O
380	CM	130	CM	68 LEVEL CM	4202,9195 litre	20,832 %	15972,3885 litre	O
380	CM	130	CM	67 LEVEL CM	4116,2874 litre	20,403 %	16059,0206 litre	O
380	CM	130	CM	66 LEVEL CM	4030,0763 litre	19,975 %	16145,2317 litre	O
380	CM	130	CM	65 LEVEL CM	3944,2951 litre	19,550 %	16231,0129 litre	O
380	CM	130	CM	64 LEVEL CM	3858,9527 litre	19,127 %	16316,3553 litre	O
380	CM	130	CM	63 LEVEL CM	3774,0581 litre	18,706 %	16401,2499 litre	O
380	CM	130	CM	62 LEVEL CM	3689,6207 litre	18,288 %	16485,6873 litre	O
380	CM	130	CM	61 LEVEL CM	3605,6497 litre	17,872 %	16569,6583 litre	O
380	CM	130	CM	60 LEVEL CM	3522,1547 litre	17,458 %	16653,1533 litre	O
380	CM	130	CM	59 LEVEL CM	3439,1453 litre	17,046 %	16736,1627 litre	O
380	CM	130	CM	58 LEVEL CM	3356,6314 litre	16,637 %	16818,6766 litre	O
380	CM	130	CM	57 LEVEL CM	3274,6231 litre	16,231 %	16900,6849 litre	O
380	CM	130	CM	56 LEVEL CM	3193,1306 litre	15,827 %	16982,1774 litre	O
380	CM	130	CM	55 LEVEL CM	3112,1643 litre	15,426 %	17063,1437 litre	O
380	CM	130	CM	54 LEVEL CM	3031,7348 litre	15,027 %	17143,5732 litre	O
380	CM	130	CM	53 LEVEL CM	2951,8530 litre	14,631 %	17223,4550 litre	O
380	CM	130	CM	52 LEVEL CM	2872,5299 litre	14,238 %	17302,7781 litre	O
380	CM	130	CM	51 LEVEL CM	2793,7768 litre	13,848 %	17381,5312 litre	O
380	CM	130	CM	50 LEVEL CM	2715,6053 litre	13,460 %	17459,7027 litre	O

380	CM	130	CM	49 LEVEL CM	2638,0271 litre	13,076 %	17537,2809 litre	O
380	CM	130	CM	48 LEVEL CM	2561,0544 litre	12,694 %	17614,2536 litre	O
380	CM	130	CM	47 LEVEL CM	2484,6995 litre	12,316 %	17690,6085 litre	O
380	CM	130	CM	46 LEVEL CM	2408,9751 litre	11,940 %	17766,3329 litre	O
380	CM	130	CM	45 LEVEL CM	2333,8942 litre	11,568 %	17841,4138 litre	O
380	CM	130	CM	44 LEVEL CM	2259,4700 litre	11,199 %	17915,8380 litre	O
380	CM	130	CM	43 LEVEL CM	2185,7163 litre	10,834 %	17989,5917 litre	O
380	CM	130	CM	42 LEVEL CM	2112,6472 litre	10,471 %	18062,6608 litre	O
380	CM	130	CM	41 LEVEL CM	2040,2770 litre	10,113 %	18135,0310 litre	O
380	CM	130	CM	40 LEVEL CM	1968,6207 litre	9,758 %	18206,6873 litre	O
380	CM	130	CM	39 LEVEL CM	1897,6936 litre	9,406 %	18277,6144 litre	O
380	CM	130	CM	38 LEVEL CM	1827,5114 litre	9,058 %	18347,7966 litre	O
380	CM	130	CM	37 LEVEL CM	1758,0906 litre	8,714 %	18417,2174 litre	O
380	CM	130	CM	36 LEVEL CM	1689,4479 litre	8,374 %	18485,8601 litre	O
380	CM	130	CM	35 LEVEL CM	1621,6008 litre	8,038 %	18553,7072 litre	O
380	CM	130	CM	34 LEVEL CM	1554,5674 litre	7,705 %	18620,7406 litre	O
380	CM	130	CM	33 LEVEL CM	1488,3664 litre	7,377 %	18686,9416 litre	O
380	CM	130	CM	32 LEVEL CM	1423,0172 litre	7,053 %	18752,2908 litre	O
380	CM	130	CM	31 LEVEL CM	1358,5400 litre	6,734 %	18816,7680 litre	O
380	CM	130	CM	30 LEVEL CM	1294,9559 litre	6,419 %	18880,3521 litre	O
380	CM	130	CM	29 LEVEL CM	1232,2868 litre	6,108 %	18943,0212 litre	O
380	CM	130	CM	28 LEVEL CM	1170,5556 litre	5,802 %	19004,7524 litre	O
380	CM	130	CM	27 LEVEL CM	1109,7863 litre	5,501 %	19065,5217 litre	O
380	CM	130	CM	26 LEVEL CM	1050,0041 litre	5,204 %	19125,3039 litre	O
380	CM	130	CM	25 LEVEL CM	991,2354 litre	4,913 %	19184,0726 litre	O
380	CM	130	CM	24 LEVEL CM	933,5078 litre	4,627 %	19241,8002 litre	O
380	CM	130	CM	23 LEVEL CM	876,8509 litre	4,346 %	19298,4571 litre	O
380	CM	130	CM	22 LEVEL CM	821,2955 litre	4,071 %	19354,0125 litre	O
380	CM	130	CM	21 LEVEL CM	766,8747 litre	3,801 %	19408,4333 litre	O
380	CM	130	CM	20 LEVEL CM	713,6233 litre	3,537 %	19461,6847 litre	O
380	CM	130	CM	19 LEVEL CM	661,5789 litre	3,279 %	19513,7291 litre	O
380	CM	130	CM	18 LEVEL CM	610,7813 litre	3,027 %	19564,5267 litre	O
380	CM	130	CM	17 LEVEL CM	561,2738 litre	2,782 %	19614,0342 litre	O
380	CM	130	CM	16 LEVEL CM	513,1027 litre	2,543 %	19662,2053 litre	O
380	CM	130	CM	15 LEVEL CM	466,3187 litre	2,311 %	19708,9893 litre	O
380	CM	130	CM	14 LEVEL CM	420,9768 litre	2,087 %	19754,3312 litre	O
380	CM	130	CM	13 LEVEL CM	377,1378 litre	1,869 %	19798,1702 litre	O
380	CM	130	CM	12 LEVEL CM	334,8686 litre	1,660 %	19840,4394 litre	O
380	CM	130	CM	11 LEVEL CM	294,2440 litre	1,458 %	19881,0640 litre	O
380	CM	130	CM	10 LEVEL CM	255,3486 litre	1,266 %	19919,9594 litre	O
380	CM	130	CM	9 LEVEL CM	218,2783 litre	1,082 %	19957,0297 litre	O
380	CM	130	CM	8 LEVEL CM	183,1445 litre	0,908 %	19992,1635 litre	O
380	CM	130	CM	7 LEVEL CM	150,0779 litre	0,744 %	20025,2301 litre	O
380	CM	130	CM	6 LEVEL CM	119,2357 litre	0,591 %	20056,0723 litre	O
380	CM	130	CM	5 LEVEL CM	90,8118 litre	0,450 %	20084,4962 litre	O
380	CM	130	CM	4 LEVEL CM	65,0555 litre	0,322 %	20110,2525 litre	O
380	CM	130	CM	3 LEVEL CM	42,3040 litre	0,210 %	20133,0040 litre	O
380	CM	130	CM	2 LEVEL CM	23,0542 litre	0,114 %	20152,2538 litre	O
380	CM	130	CM	1 LEVEL CM	8,1603 litre	0,040 %	20167,1477 litre	O
380	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	20175,3080 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM	125	CM 250 LEVEL CM	18653,2064 litre	100,000 %	0,0000 litre	O
380	CM	125	CM 249 LEVEL CM	18645,2049 litre	99,957 %	8,0015 litre	O
380	CM	125	CM 248 LEVEL CM	18630,6020 litre	99,879 %	22,6044 litre	O
380	CM	125	CM 247 LEVEL CM	18611,7296 litre	99,778 %	41,4768 litre	O
380	CM	125	CM 246 LEVEL CM	18589,4261 litre	99,658 %	63,7803 litre	O
380	CM	125	CM 245 LEVEL CM	18564,1789 litre	99,523 %	89,0275 litre	O
380	CM	125	CM 244 LEVEL CM	18536,3191 litre	99,373 %	116,8873 litre	O
380	CM	125	CM 243 LEVEL CM	18506,0913 litre	99,211 %	147,1151 litre	O
380	CM	125	CM 242 LEVEL CM	18473,6861 litre	99,038 %	179,5203 litre	O
380	CM	125	CM 241 LEVEL CM	18439,2579 litre	98,853 %	213,9485 litre	O
380	CM	125	CM 240 LEVEL CM	18402,9351 litre	98,658 %	250,2713 litre	O
380	CM	125	CM 239 LEVEL CM	18364,8271 litre	98,454 %	288,3793 litre	O
380	CM	125	CM 238 LEVEL CM	18325,0284 litre	98,241 %	328,1780 litre	O
380	CM	125	CM 237 LEVEL CM	18283,6219 litre	98,019 %	369,5845 litre	O
380	CM	125	CM 236 LEVEL CM	18240,6813 litre	97,788 %	412,5251 litre	O
380	CM	125	CM 235 LEVEL CM	18196,2725 litre	97,550 %	456,9339 litre	O
380	CM	125	CM 234 LEVEL CM	18150,4552 litre	97,305 %	502,7512 litre	O
380	CM	125	CM 233 LEVEL CM	18103,2837 litre	97,052 %	549,9227 litre	O
380	CM	125	CM 232 LEVEL CM	18054,8076 litre	96,792 %	598,3988 litre	O
380	CM	125	CM 231 LEVEL CM	18005,0729 litre	96,525 %	648,1335 litre	O
380	CM	125	CM 230 LEVEL CM	17954,1220 litre	96,252 %	699,0844 litre	O
380	CM	125	CM 229 LEVEL CM	17901,9942 litre	95,973 %	751,2122 litre	O
380	CM	125	CM 228 LEVEL CM	17848,7265 litre	95,687 %	804,4799 litre	O
380	CM	125	CM 227 LEVEL CM	17794,3533 litre	95,396 %	858,8531 litre	O
380	CM	125	CM 226 LEVEL CM	17738,9071 litre	95,098 %	914,2993 litre	O
380	CM	125	CM 225 LEVEL CM	17682,4185 litre	94,796 %	970,7879 litre	O
380	CM	125	CM 224 LEVEL CM	17624,9165 litre	94,487 %	1028,2899 litre	O
380	CM	125	CM 223 LEVEL CM	17566,4284 litre	94,174 %	1086,7780 litre	O
380	CM	125	CM 222 LEVEL CM	17506,9804 litre	93,855 %	1146,2260 litre	O
380	CM	125	CM 221 LEVEL CM	17446,5973 litre	93,531 %	1206,6091 litre	O
380	CM	125	CM 220 LEVEL CM	17385,3027 litre	93,203 %	1267,9037 litre	O
380	CM	125	CM 219 LEVEL CM	17323,1193 litre	92,869 %	1330,0871 litre	O
380	CM	125	CM 218 LEVEL CM	17260,0688 litre	92,531 %	1393,1376 litre	O
380	CM	125	CM 217 LEVEL CM	17196,1719 litre	92,189 %	1457,0345 litre	O
380	CM	125	CM 216 LEVEL CM	17131,4488 litre	91,842 %	1521,7576 litre	O
380	CM	125	CM 215 LEVEL CM	17065,9186 litre	91,491 %	1587,2878 litre	O
380	CM	125	CM 214 LEVEL CM	16999,5998 litre	91,135 %	1653,6066 litre	O
380	CM	125	CM 213 LEVEL CM	16932,5103 litre	90,775 %	1720,6961 litre	O
380	CM	125	CM 212 LEVEL CM	16864,6675 litre	90,412 %	1788,5389 litre	O
380	CM	125	CM 211 LEVEL CM	16796,0879 litre	90,044 %	1857,1185 litre	O
380	CM	125	CM 210 LEVEL CM	16726,7877 litre	89,672 %	1926,4187 litre	O
380	CM	125	CM 209 LEVEL CM	16656,7827 litre	89,297 %	1996,4237 litre	O
380	CM	125	CM 208 LEVEL CM	16586,0880 litre	88,918 %	2067,1184 litre	O
380	CM	125	CM 207 LEVEL CM	16514,7184 litre	88,536 %	2138,4880 litre	O
380	CM	125	CM 206 LEVEL CM	16442,6882 litre	88,149 %	2210,5182 litre	O
380	CM	125	CM 205 LEVEL CM	16370,0113 litre	87,760 %	2283,1951 litre	O
380	CM	125	CM 204 LEVEL CM	16296,7014 litre	87,367 %	2356,5050 litre	O
380	CM	125	CM 203 LEVEL CM	16222,7717 litre	86,970 %	2430,4347 litre	O
380	CM	125	CM 202 LEVEL CM	16148,2350 litre	86,571 %	2504,9714 litre	O
380	CM	125	CM 201 LEVEL CM	16073,1040 litre	86,168 %	2580,1024 litre	O
380	CM	125	CM 200 LEVEL CM	15997,3910 litre	85,762 %	2655,8154 litre	O
380	CM	125	CM 199 LEVEL CM	15921,1080 litre	85,353 %	2732,0984 litre	O

380	CM	125	CM	198 LEVEL CM	15844,2667 litre	84,941 %	2808,9397 litre	O
380	CM	125	CM	197 LEVEL CM	15766,8786 litre	84,526 %	2886,3278 litre	O
380	CM	125	CM	196 LEVEL CM	15688,9550 litre	84,109 %	2964,2514 litre	O
380	CM	125	CM	195 LEVEL CM	15610,5068 litre	83,688 %	3042,6996 litre	O
380	CM	125	CM	194 LEVEL CM	15531,5449 litre	83,265 %	3121,6615 litre	O
380	CM	125	CM	193 LEVEL CM	15452,0799 litre	82,839 %	3201,1265 litre	O
380	CM	125	CM	192 LEVEL CM	15372,1222 litre	82,410 %	3281,0842 litre	O
380	CM	125	CM	191 LEVEL CM	15291,6819 litre	81,979 %	3361,5245 litre	O
380	CM	125	CM	190 LEVEL CM	15210,7690 litre	81,545 %	3442,4374 litre	O
380	CM	125	CM	189 LEVEL CM	15129,3935 litre	81,109 %	3523,8129 litre	O
380	CM	125	CM	188 LEVEL CM	15047,5650 litre	80,670 %	3605,6414 litre	O
380	CM	125	CM	187 LEVEL CM	14965,2930 litre	80,229 %	3687,9134 litre	O
380	CM	125	CM	186 LEVEL CM	14882,5868 litre	79,786 %	3770,6196 litre	O
380	CM	125	CM	185 LEVEL CM	14799,4557 litre	79,340 %	3853,7507 litre	O
380	CM	125	CM	184 LEVEL CM	14715,9088 litre	78,892 %	3937,2976 litre	O
380	CM	125	CM	183 LEVEL CM	14631,9550 litre	78,442 %	4021,2514 litre	O
380	CM	125	CM	182 LEVEL CM	14547,6030 litre	77,990 %	4105,6034 litre	O
380	CM	125	CM	181 LEVEL CM	14462,8617 litre	77,536 %	4190,3447 litre	O
380	CM	125	CM	180 LEVEL CM	14377,7395 litre	77,079 %	4275,4669 litre	O
380	CM	125	CM	179 LEVEL CM	14292,2449 litre	76,621 %	4360,9615 litre	O
380	CM	125	CM	178 LEVEL CM	14206,3863 litre	76,161 %	4446,8201 litre	O
380	CM	125	CM	177 LEVEL CM	14120,1718 litre	75,698 %	4533,0346 litre	O
380	CM	125	CM	176 LEVEL CM	14033,6097 litre	75,234 %	4619,5967 litre	O
380	CM	125	CM	175 LEVEL CM	13946,7079 litre	74,768 %	4706,4985 litre	O
380	CM	125	CM	174 LEVEL CM	13859,4744 litre	74,301 %	4793,7320 litre	O
380	CM	125	CM	173 LEVEL CM	13771,9171 litre	73,831 %	4881,2893 litre	O
380	CM	125	CM	172 LEVEL CM	13684,0437 litre	73,360 %	4969,1627 litre	O
380	CM	125	CM	171 LEVEL CM	13595,8619 litre	72,888 %	5057,3445 litre	O
380	CM	125	CM	170 LEVEL CM	13507,3794 litre	72,413 %	5145,8270 litre	O
380	CM	125	CM	169 LEVEL CM	13418,6035 litre	71,937 %	5234,6029 litre	O
380	CM	125	CM	168 LEVEL CM	13329,5418 litre	71,460 %	5323,6646 litre	O
380	CM	125	CM	167 LEVEL CM	13240,2017 litre	70,981 %	5413,0047 litre	O
380	CM	125	CM	166 LEVEL CM	13150,5905 litre	70,500 %	5502,6159 litre	O
380	CM	125	CM	165 LEVEL CM	13060,7154 litre	70,019 %	5592,4910 litre	O
380	CM	125	CM	164 LEVEL CM	12970,5835 litre	69,535 %	5682,6229 litre	O
380	CM	125	CM	163 LEVEL CM	12880,2021 litre	69,051 %	5773,0043 litre	O
380	CM	125	CM	162 LEVEL CM	12789,5782 litre	68,565 %	5863,6282 litre	O
380	CM	125	CM	161 LEVEL CM	12698,7187 litre	68,078 %	5954,4877 litre	O
380	CM	125	CM	160 LEVEL CM	12607,6307 litre	67,590 %	6045,5757 litre	O
380	CM	125	CM	159 LEVEL CM	12516,3210 litre	67,100 %	6136,8854 litre	O
380	CM	125	CM	158 LEVEL CM	12424,7965 litre	66,609 %	6228,4099 litre	O
380	CM	125	CM	157 LEVEL CM	12333,0640 litre	66,118 %	6320,1424 litre	O
380	CM	125	CM	156 LEVEL CM	12241,1302 litre	65,625 %	6412,0762 litre	O
380	CM	125	CM	155 LEVEL CM	12149,0018 litre	65,131 %	6504,2046 litre	O
380	CM	125	CM	154 LEVEL CM	12056,6855 litre	64,636 %	6596,5209 litre	O
380	CM	125	CM	153 LEVEL CM	11964,1880 litre	64,140 %	6689,0184 litre	O
380	CM	125	CM	152 LEVEL CM	11871,5158 litre	63,643 %	6781,6906 litre	O
380	CM	125	CM	151 LEVEL CM	11778,6754 litre	63,146 %	6874,5310 litre	O
380	CM	125	CM	150 LEVEL CM	11685,6735 litre	62,647 %	6967,5329 litre	O
380	CM	125	CM	149 LEVEL CM	11592,5164 litre	62,148 %	7060,6900 litre	O
380	CM	125	CM	148 LEVEL CM	11499,2106 litre	61,647 %	7153,9958 litre	O
380	CM	125	CM	147 LEVEL CM	11405,7625 litre	61,146 %	7247,4439 litre	O
380	CM	125	CM	146 LEVEL CM	11312,1786 litre	60,645 %	7341,0278 litre	O

380	CM	125	CM	145 LEVEL CM	11218,4651 litre	60,142 %	7434,7413 litre	O
380	CM	125	CM	144 LEVEL CM	11124,6284 litre	59,639 %	7528,5780 litre	O
380	CM	125	CM	143 LEVEL CM	11030,6749 litre	59,136 %	7622,5315 litre	O
380	CM	125	CM	142 LEVEL CM	10936,6108 litre	58,631 %	7716,5956 litre	O
380	CM	125	CM	141 LEVEL CM	10842,4423 litre	58,126 %	7810,7641 litre	O
380	CM	125	CM	140 LEVEL CM	10748,1758 litre	57,621 %	7905,0306 litre	O
380	CM	125	CM	139 LEVEL CM	10653,8173 litre	57,115 %	7999,3891 litre	O
380	CM	125	CM	138 LEVEL CM	10559,3733 litre	56,609 %	8093,8331 litre	O
380	CM	125	CM	137 LEVEL CM	10464,8497 litre	56,102 %	8188,3567 litre	O
380	CM	125	CM	136 LEVEL CM	10370,2529 litre	55,595 %	8282,9535 litre	O
380	CM	125	CM	135 LEVEL CM	10275,5889 litre	55,088 %	8377,6175 litre	O
380	CM	125	CM	134 LEVEL CM	10180,8639 litre	54,580 %	8472,3425 litre	O
380	CM	125	CM	133 LEVEL CM	10086,0840 litre	54,072 %	8567,1224 litre	O
380	CM	125	CM	132 LEVEL CM	9991,2555 litre	53,563 %	8661,9509 litre	O
380	CM	125	CM	131 LEVEL CM	9896,3842 litre	53,055 %	8756,8222 litre	O
380	CM	125	CM	130 LEVEL CM	9801,4765 litre	52,546 %	8851,7299 litre	O
380	CM	125	CM	129 LEVEL CM	9706,5383 litre	52,037 %	8946,6681 litre	O
380	CM	125	CM	128 LEVEL CM	9611,5758 litre	51,528 %	9041,6306 litre	O
380	CM	125	CM	127 LEVEL CM	9516,5951 litre	51,019 %	9136,6113 litre	O
380	CM	125	CM	126 LEVEL CM	9421,6022 litre	50,509 %	9231,6042 litre	O
380	CM	125	CM	125 LEVEL CM	9326,6032 litre	50,000 %	9326,6032 litre	O
380	CM	125	CM	124 LEVEL CM	9231,6042 litre	49,491 %	9421,6022 litre	O
380	CM	125	CM	123 LEVEL CM	9136,6113 litre	48,981 %	9516,5951 litre	O
380	CM	125	CM	122 LEVEL CM	9041,6306 litre	48,472 %	9611,5758 litre	O
380	CM	125	CM	121 LEVEL CM	8946,6681 litre	47,963 %	9706,5383 litre	O
380	CM	125	CM	120 LEVEL CM	8851,7299 litre	47,454 %	9801,4765 litre	O
380	CM	125	CM	119 LEVEL CM	8756,8221 litre	46,945 %	9896,3843 litre	O
380	CM	125	CM	118 LEVEL CM	8661,9509 litre	46,437 %	9991,2555 litre	O
380	CM	125	CM	117 LEVEL CM	8567,1223 litre	45,928 %	10086,0841 litre	O
380	CM	125	CM	116 LEVEL CM	8472,3425 litre	45,420 %	10180,8639 litre	O
380	CM	125	CM	115 LEVEL CM	8377,6175 litre	44,912 %	10275,5889 litre	O
380	CM	125	CM	114 LEVEL CM	8282,9535 litre	44,405 %	10370,2529 litre	O
380	CM	125	CM	113 LEVEL CM	8188,3567 litre	43,898 %	10464,8497 litre	O
380	CM	125	CM	112 LEVEL CM	8093,8331 litre	43,391 %	10559,3733 litre	O
380	CM	125	CM	111 LEVEL CM	7999,3890 litre	42,885 %	10653,8174 litre	O
380	CM	125	CM	110 LEVEL CM	7905,0306 litre	42,379 %	10748,1758 litre	O
380	CM	125	CM	109 LEVEL CM	7810,7641 litre	41,874 %	10842,4423 litre	O
380	CM	125	CM	108 LEVEL CM	7716,5956 litre	41,369 %	10936,6108 litre	O
380	CM	125	CM	107 LEVEL CM	7622,5315 litre	40,864 %	11030,6749 litre	O
380	CM	125	CM	106 LEVEL CM	7528,5779 litre	40,361 %	11124,6285 litre	O
380	CM	125	CM	105 LEVEL CM	7434,7413 litre	39,858 %	11218,4651 litre	O
380	CM	125	CM	104 LEVEL CM	7341,0278 litre	39,355 %	11312,1786 litre	O
380	CM	125	CM	103 LEVEL CM	7247,4439 litre	38,854 %	11405,7625 litre	O
380	CM	125	CM	102 LEVEL CM	7153,9958 litre	38,353 %	11499,2106 litre	O
380	CM	125	CM	101 LEVEL CM	7060,6900 litre	37,852 %	11592,5164 litre	O
380	CM	125	CM	100 LEVEL CM	6967,5329 litre	37,353 %	11685,6735 litre	O
380	CM	125	CM	99 LEVEL CM	6874,5309 litre	36,854 %	11778,6755 litre	O
380	CM	125	CM	98 LEVEL CM	6781,6906 litre	36,357 %	11871,5158 litre	O
380	CM	125	CM	97 LEVEL CM	6689,0184 litre	35,860 %	11964,1880 litre	O
380	CM	125	CM	96 LEVEL CM	6596,5208 litre	35,364 %	12056,6856 litre	O
380	CM	125	CM	95 LEVEL CM	6504,2046 litre	34,869 %	12149,0018 litre	O
380	CM	125	CM	94 LEVEL CM	6412,0762 litre	34,375 %	12241,1302 litre	O
380	CM	125	CM	93 LEVEL CM	6320,1424 litre	33,882 %	12333,0640 litre	O

380	CM	125	CM	92 LEVEL CM	6228,4099 litre	33,391 %	12424,7965 litre	O
380	CM	125	CM	91 LEVEL CM	6136,8854 litre	32,900 %	12516,3210 litre	O
380	CM	125	CM	90 LEVEL CM	6045,5757 litre	32,410 %	12607,6307 litre	O
380	CM	125	CM	89 LEVEL CM	5954,4876 litre	31,922 %	12698,7188 litre	O
380	CM	125	CM	88 LEVEL CM	5863,6282 litre	31,435 %	12789,5782 litre	O
380	CM	125	CM	87 LEVEL CM	5773,0043 litre	30,949 %	12880,2021 litre	O
380	CM	125	CM	86 LEVEL CM	5682,6229 litre	30,465 %	12970,5835 litre	O
380	CM	125	CM	85 LEVEL CM	5592,4910 litre	29,981 %	13060,7154 litre	O
380	CM	125	CM	84 LEVEL CM	5502,6159 litre	29,500 %	13150,5905 litre	O
380	CM	125	CM	83 LEVEL CM	5413,0047 litre	29,019 %	13240,2017 litre	O
380	CM	125	CM	82 LEVEL CM	5323,6646 litre	28,540 %	13329,5418 litre	O
380	CM	125	CM	81 LEVEL CM	5234,6029 litre	28,063 %	13418,6035 litre	O
380	CM	125	CM	80 LEVEL CM	5145,8270 litre	27,587 %	13507,3794 litre	O
380	CM	125	CM	79 LEVEL CM	5057,3444 litre	27,112 %	13595,8620 litre	O
380	CM	125	CM	78 LEVEL CM	4969,1626 litre	26,640 %	13684,0438 litre	O
380	CM	125	CM	77 LEVEL CM	4881,2892 litre	26,169 %	13771,9172 litre	O
380	CM	125	CM	76 LEVEL CM	4793,7319 litre	25,699 %	13859,4745 litre	O
380	CM	125	CM	75 LEVEL CM	4706,4985 litre	25,232 %	13946,7079 litre	O
380	CM	125	CM	74 LEVEL CM	4619,5967 litre	24,766 %	14033,6097 litre	O
380	CM	125	CM	73 LEVEL CM	4533,0346 litre	24,302 %	14120,1718 litre	O
380	CM	125	CM	72 LEVEL CM	4446,8201 litre	23,839 %	14206,3863 litre	O
380	CM	125	CM	71 LEVEL CM	4360,9615 litre	23,379 %	14292,2449 litre	O
380	CM	125	CM	70 LEVEL CM	4275,4669 litre	22,921 %	14377,7395 litre	O
380	CM	125	CM	69 LEVEL CM	4190,3447 litre	22,464 %	14462,8617 litre	O
380	CM	125	CM	68 LEVEL CM	4105,6033 litre	22,010 %	14547,6031 litre	O
380	CM	125	CM	67 LEVEL CM	4021,2514 litre	21,558 %	14631,9550 litre	O
380	CM	125	CM	66 LEVEL CM	3937,2976 litre	21,108 %	14715,9088 litre	O
380	CM	125	CM	65 LEVEL CM	3853,7506 litre	20,660 %	14799,4558 litre	O
380	CM	125	CM	64 LEVEL CM	3770,6196 litre	20,214 %	14882,5868 litre	O
380	CM	125	CM	63 LEVEL CM	3687,9134 litre	19,771 %	14965,2930 litre	O
380	CM	125	CM	62 LEVEL CM	3605,6414 litre	19,330 %	15047,5650 litre	O
380	CM	125	CM	61 LEVEL CM	3523,8129 litre	18,891 %	15129,3935 litre	O
380	CM	125	CM	60 LEVEL CM	3442,4373 litre	18,455 %	15210,7691 litre	O
380	CM	125	CM	59 LEVEL CM	3361,5245 litre	18,021 %	15291,6819 litre	O
380	CM	125	CM	58 LEVEL CM	3281,0842 litre	17,590 %	15372,1222 litre	O
380	CM	125	CM	57 LEVEL CM	3201,1265 litre	17,161 %	15452,0799 litre	O
380	CM	125	CM	56 LEVEL CM	3121,6615 litre	16,735 %	15531,5449 litre	O
380	CM	125	CM	55 LEVEL CM	3042,6996 litre	16,312 %	15610,5068 litre	O
380	CM	125	CM	54 LEVEL CM	2964,2514 litre	15,891 %	15688,9550 litre	O
380	CM	125	CM	53 LEVEL CM	2886,3278 litre	15,474 %	15766,8786 litre	O
380	CM	125	CM	52 LEVEL CM	2808,9397 litre	15,059 %	15844,2667 litre	O
380	CM	125	CM	51 LEVEL CM	2732,0984 litre	14,647 %	15921,1080 litre	O
380	CM	125	CM	50 LEVEL CM	2655,8154 litre	14,238 %	15997,3910 litre	O
380	CM	125	CM	49 LEVEL CM	2580,1023 litre	13,832 %	16073,1041 litre	O
380	CM	125	CM	48 LEVEL CM	2504,9714 litre	13,429 %	16148,2350 litre	O
380	CM	125	CM	47 LEVEL CM	2430,4347 litre	13,030 %	16222,7717 litre	O
380	CM	125	CM	46 LEVEL CM	2356,5050 litre	12,633 %	16296,7014 litre	O
380	CM	125	CM	45 LEVEL CM	2283,1951 litre	12,240 %	16370,0113 litre	O
380	CM	125	CM	44 LEVEL CM	2210,5182 litre	11,851 %	16442,6882 litre	O
380	CM	125	CM	43 LEVEL CM	2138,4880 litre	11,464 %	16514,7184 litre	O
380	CM	125	CM	42 LEVEL CM	2067,1184 litre	11,082 %	16586,0880 litre	O
380	CM	125	CM	41 LEVEL CM	1996,4237 litre	10,703 %	16656,7827 litre	O
380	CM	125	CM	40 LEVEL CM	1926,4186 litre	10,328 %	16726,7878 litre	O

380	CM	125	CM	39 LEVEL CM	1857,1185 litre	9,956 %	16796,0879 litre	O
380	CM	125	CM	38 LEVEL CM	1788,5389 litre	9,588 %	16864,6675 litre	O
380	CM	125	CM	37 LEVEL CM	1720,6960 litre	9,225 %	16932,5104 litre	O
380	CM	125	CM	36 LEVEL CM	1653,6066 litre	8,865 %	16999,5998 litre	O
380	CM	125	CM	35 LEVEL CM	1587,2878 litre	8,509 %	17065,9186 litre	O
380	CM	125	CM	34 LEVEL CM	1521,7576 litre	8,158 %	17131,4488 litre	O
380	CM	125	CM	33 LEVEL CM	1457,0344 litre	7,811 %	17196,1720 litre	O
380	CM	125	CM	32 LEVEL CM	1393,1376 litre	7,469 %	17260,0688 litre	O
380	CM	125	CM	31 LEVEL CM	1330,0871 litre	7,131 %	17323,1193 litre	O
380	CM	125	CM	30 LEVEL CM	1267,9037 litre	6,797 %	17385,3027 litre	O
380	CM	125	CM	29 LEVEL CM	1206,6091 litre	6,469 %	17446,5973 litre	O
380	CM	125	CM	28 LEVEL CM	1146,2260 litre	6,145 %	17506,9804 litre	O
380	CM	125	CM	27 LEVEL CM	1086,7779 litre	5,826 %	17566,4285 litre	O
380	CM	125	CM	26 LEVEL CM	1028,2899 litre	5,513 %	17624,9165 litre	O
380	CM	125	CM	25 LEVEL CM	970,7878 litre	5,204 %	17682,4186 litre	O
380	CM	125	CM	24 LEVEL CM	914,2993 litre	4,902 %	17738,9071 litre	O
380	CM	125	CM	23 LEVEL CM	858,8531 litre	4,604 %	17794,3533 litre	O
380	CM	125	CM	22 LEVEL CM	804,4799 litre	4,313 %	17848,7265 litre	O
380	CM	125	CM	21 LEVEL CM	751,2122 litre	4,027 %	17901,9942 litre	O
380	CM	125	CM	20 LEVEL CM	699,0844 litre	3,748 %	17954,1220 litre	O
380	CM	125	CM	19 LEVEL CM	648,1334 litre	3,475 %	18005,0730 litre	O
380	CM	125	CM	18 LEVEL CM	598,3987 litre	3,208 %	18054,8077 litre	O
380	CM	125	CM	17 LEVEL CM	549,9227 litre	2,948 %	18103,2837 litre	O
380	CM	125	CM	16 LEVEL CM	502,7512 litre	2,695 %	18150,4552 litre	O
380	CM	125	CM	15 LEVEL CM	456,9339 litre	2,450 %	18196,2725 litre	O
380	CM	125	CM	14 LEVEL CM	412,5251 litre	2,212 %	18240,6813 litre	O
380	CM	125	CM	13 LEVEL CM	369,5845 litre	1,981 %	18283,6219 litre	O
380	CM	125	CM	12 LEVEL CM	328,1780 litre	1,759 %	18325,0284 litre	O
380	CM	125	CM	11 LEVEL CM	288,3793 litre	1,546 %	18364,8271 litre	O
380	CM	125	CM	10 LEVEL CM	250,2713 litre	1,342 %	18402,9351 litre	O
380	CM	125	CM	9 LEVEL CM	213,9485 litre	1,147 %	18439,2579 litre	O
380	CM	125	CM	8 LEVEL CM	179,5203 litre	0,962 %	18473,6861 litre	O
380	CM	125	CM	7 LEVEL CM	147,1151 litre	0,789 %	18506,0913 litre	O
380	CM	125	CM	6 LEVEL CM	116,8873 litre	0,627 %	18536,3191 litre	O
380	CM	125	CM	5 LEVEL CM	89,0275 litre	0,477 %	18564,1789 litre	O
380	CM	125	CM	4 LEVEL CM	63,7803 litre	0,342 %	18589,4261 litre	O
380	CM	125	CM	3 LEVEL CM	41,4767 litre	0,222 %	18611,7297 litre	O
380	CM	125	CM	2 LEVEL CM	22,6044 litre	0,121 %	18630,6020 litre	O
380	CM	125	CM	1 LEVEL CM	8,0015 litre	0,043 %	18645,2049 litre	O
380	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	18653,2064 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 120	CM 240 LEVEL CM	17190,7950 litre	100,000 %	0,0000 litre	O
380	CM 120	CM 239 LEVEL CM	17182,9556 litre	99,954 %	7,8394 litre	O
380	CM 120	CM 238 LEVEL CM	17168,6496 litre	99,871 %	22,1454 litre	O
380	CM 120	CM 237 LEVEL CM	17150,1624 litre	99,764 %	40,6326 litre	O
380	CM 120	CM 236 LEVEL CM	17128,3159 litre	99,637 %	62,4791 litre	O
380	CM 120	CM 235 LEVEL CM	17103,5883 litre	99,493 %	87,2067 litre	O
380	CM 120	CM 234 LEVEL CM	17076,3042 litre	99,334 %	114,4908 litre	O
380	CM 120	CM 233 LEVEL CM	17046,7036 litre	99,162 %	144,0914 litre	O
380	CM 120	CM 232 LEVEL CM	17014,9736 litre	98,977 %	175,8214 litre	O
380	CM 120	CM 231 LEVEL CM	16981,2658 litre	98,781 %	209,5292 litre	O
380	CM 120	CM 230 LEVEL CM	16945,7062 litre	98,574 %	245,0888 litre	O
380	CM 120	CM 229 LEVEL CM	16908,4023 litre	98,357 %	282,3927 litre	O
380	CM 120	CM 228 LEVEL CM	16869,4468 litre	98,131 %	321,3482 litre	O
380	CM 120	CM 227 LEVEL CM	16828,9215 litre	97,895 %	361,8735 litre	O
380	CM 120	CM 226 LEVEL CM	16786,8985 litre	97,651 %	403,8965 litre	O
380	CM 120	CM 225 LEVEL CM	16743,4428 litre	97,398 %	447,3522 litre	O
380	CM 120	CM 224 LEVEL CM	16698,6131 litre	97,137 %	492,1819 litre	O
380	CM 120	CM 223 LEVEL CM	16652,4627 litre	96,868 %	538,3323 litre	O
380	CM 120	CM 222 LEVEL CM	16605,0407 litre	96,593 %	585,7543 litre	O
380	CM 120	CM 221 LEVEL CM	16556,3920 litre	96,310 %	634,4030 litre	O
380	CM 120	CM 220 LEVEL CM	16506,5585 litre	96,020 %	684,2365 litre	O
380	CM 120	CM 219 LEVEL CM	16455,5791 litre	95,723 %	735,2159 litre	O
380	CM 120	CM 218 LEVEL CM	16403,4900 litre	95,420 %	787,3050 litre	O
380	CM 120	CM 217 LEVEL CM	16350,3253 litre	95,111 %	840,4697 litre	O
380	CM 120	CM 216 LEVEL CM	16296,1169 litre	94,796 %	894,6781 litre	O
380	CM 120	CM 215 LEVEL CM	16240,8951 litre	94,474 %	949,8999 litre	O
380	CM 120	CM 214 LEVEL CM	16184,6883 litre	94,147 %	1006,1067 litre	O
380	CM 120	CM 213 LEVEL CM	16127,5237 litre	93,815 %	1063,2713 litre	O
380	CM 120	CM 212 LEVEL CM	16069,4270 litre	93,477 %	1121,3680 litre	O
380	CM 120	CM 211 LEVEL CM	16010,4226 litre	93,134 %	1180,3724 litre	O
380	CM 120	CM 210 LEVEL CM	15950,5340 litre	92,785 %	1240,2610 litre	O
380	CM 120	CM 209 LEVEL CM	15889,7836 litre	92,432 %	1301,0114 litre	O
380	CM 120	CM 208 LEVEL CM	15828,1928 litre	92,074 %	1362,6022 litre	O
380	CM 120	CM 207 LEVEL CM	15765,7822 litre	91,711 %	1425,0128 litre	O
380	CM 120	CM 206 LEVEL CM	15702,5715 litre	91,343 %	1488,2235 litre	O
380	CM 120	CM 205 LEVEL CM	15638,5798 litre	90,971 %	1552,2152 litre	O
380	CM 120	CM 204 LEVEL CM	15573,8253 litre	90,594 %	1616,9697 litre	O
380	CM 120	CM 203 LEVEL CM	15508,3259 litre	90,213 %	1682,4691 litre	O
380	CM 120	CM 202 LEVEL CM	15442,0986 litre	89,828 %	1748,6964 litre	O
380	CM 120	CM 201 LEVEL CM	15375,1599 litre	89,438 %	1815,6351 litre	O
380	CM 120	CM 200 LEVEL CM	15307,5259 litre	89,045 %	1883,2691 litre	O
380	CM 120	CM 199 LEVEL CM	15239,2121 litre	88,648 %	1951,5829 litre	O
380	CM 120	CM 198 LEVEL CM	15170,2335 litre	88,246 %	2020,5615 litre	O
380	CM 120	CM 197 LEVEL CM	15100,6049 litre	87,841 %	2090,1901 litre	O
380	CM 120	CM 196 LEVEL CM	15030,3404 litre	87,432 %	2160,4546 litre	O
380	CM 120	CM 195 LEVEL CM	14959,4539 litre	87,020 %	2231,3411 litre	O
380	CM 120	CM 194 LEVEL CM	14887,9589 litre	86,604 %	2302,8361 litre	O
380	CM 120	CM 193 LEVEL CM	14815,8685 litre	86,185 %	2374,9265 litre	O
380	CM 120	CM 192 LEVEL CM	14743,1956 litre	85,762 %	2447,5994 litre	O
380	CM 120	CM 191 LEVEL CM	14669,9526 litre	85,336 %	2520,8424 litre	O
380	CM 120	CM 190 LEVEL CM	14596,1519 litre	84,907 %	2594,6431 litre	O
380	CM 120	CM 189 LEVEL CM	14521,8053 litre	84,474 %	2668,9897 litre	O

380	CM	120	CM	188 LEVEL CM	14446,9245 litre	84,039 %	2743,8705 litre	O
380	CM	120	CM	187 LEVEL CM	14371,5211 litre	83,600 %	2819,2739 litre	O
380	CM	120	CM	186 LEVEL CM	14295,6062 litre	83,158 %	2895,1888 litre	O
380	CM	120	CM	185 LEVEL CM	14219,1907 litre	82,714 %	2971,6043 litre	O
380	CM	120	CM	184 LEVEL CM	14142,2855 litre	82,267 %	3048,5095 litre	O
380	CM	120	CM	183 LEVEL CM	14064,9011 litre	81,816 %	3125,8939 litre	O
380	CM	120	CM	182 LEVEL CM	13987,0479 litre	81,364 %	3203,7471 litre	O
380	CM	120	CM	181 LEVEL CM	13908,7360 litre	80,908 %	3282,0590 litre	O
380	CM	120	CM	180 LEVEL CM	13829,9755 litre	80,450 %	3360,8195 litre	O
380	CM	120	CM	179 LEVEL CM	13750,7762 litre	79,989 %	3440,0188 litre	O
380	CM	120	CM	178 LEVEL CM	13671,1478 litre	79,526 %	3519,6472 litre	O
380	CM	120	CM	177 LEVEL CM	13591,0998 litre	79,060 %	3599,6952 litre	O
380	CM	120	CM	176 LEVEL CM	13510,6415 litre	78,592 %	3680,1535 litre	O
380	CM	120	CM	175 LEVEL CM	13429,7822 litre	78,122 %	3761,0128 litre	O
380	CM	120	CM	174 LEVEL CM	13348,5309 litre	77,649 %	3842,2641 litre	O
380	CM	120	CM	173 LEVEL CM	13266,8967 litre	77,174 %	3923,8983 litre	O
380	CM	120	CM	172 LEVEL CM	13184,8884 litre	76,697 %	4005,9066 litre	O
380	CM	120	CM	171 LEVEL CM	13102,5146 litre	76,218 %	4088,2804 litre	O
380	CM	120	CM	170 LEVEL CM	13019,7840 litre	75,737 %	4171,0110 litre	O
380	CM	120	CM	169 LEVEL CM	12936,7050 litre	75,254 %	4254,0900 litre	O
380	CM	120	CM	168 LEVEL CM	12853,2860 litre	74,768 %	4337,5090 litre	O
380	CM	120	CM	167 LEVEL CM	12769,5354 litre	74,281 %	4421,2596 litre	O
380	CM	120	CM	166 LEVEL CM	12685,4612 litre	73,792 %	4505,3338 litre	O
380	CM	120	CM	165 LEVEL CM	12601,0716 litre	73,301 %	4589,7234 litre	O
380	CM	120	CM	164 LEVEL CM	12516,3745 litre	72,809 %	4674,4205 litre	O
380	CM	120	CM	163 LEVEL CM	12431,3779 litre	72,314 %	4759,4171 litre	O
380	CM	120	CM	162 LEVEL CM	12346,0896 litre	71,818 %	4844,7054 litre	O
380	CM	120	CM	161 LEVEL CM	12260,5173 litre	71,320 %	4930,2777 litre	O
380	CM	120	CM	160 LEVEL CM	12174,6688 litre	70,821 %	5016,1262 litre	O
380	CM	120	CM	159 LEVEL CM	12088,5515 litre	70,320 %	5102,2435 litre	O
380	CM	120	CM	158 LEVEL CM	12002,1730 litre	69,817 %	5188,6220 litre	O
380	CM	120	CM	157 LEVEL CM	11915,5408 litre	69,313 %	5275,2542 litre	O
380	CM	120	CM	156 LEVEL CM	11828,6623 litre	68,808 %	5362,1327 litre	O
380	CM	120	CM	155 LEVEL CM	11741,5447 litre	68,301 %	5449,2503 litre	O
380	CM	120	CM	154 LEVEL CM	11654,1955 litre	67,793 %	5536,5995 litre	O
380	CM	120	CM	153 LEVEL CM	11566,6216 litre	67,284 %	5624,1734 litre	O
380	CM	120	CM	152 LEVEL CM	11478,8304 litre	66,773 %	5711,9646 litre	O
380	CM	120	CM	151 LEVEL CM	11390,8289 litre	66,261 %	5799,9661 litre	O
380	CM	120	CM	150 LEVEL CM	11302,6242 litre	65,748 %	5888,1708 litre	O
380	CM	120	CM	149 LEVEL CM	11214,2232 litre	65,234 %	5976,5718 litre	O
380	CM	120	CM	148 LEVEL CM	11125,6329 litre	64,719 %	6065,1621 litre	O
380	CM	120	CM	147 LEVEL CM	11036,8603 litre	64,202 %	6153,9347 litre	O
380	CM	120	CM	146 LEVEL CM	10947,9122 litre	63,685 %	6242,8828 litre	O
380	CM	120	CM	145 LEVEL CM	10858,7954 litre	63,166 %	6331,9996 litre	O
380	CM	120	CM	144 LEVEL CM	10769,5167 litre	62,647 %	6421,2783 litre	O
380	CM	120	CM	143 LEVEL CM	10680,0828 litre	62,127 %	6510,7122 litre	O
380	CM	120	CM	142 LEVEL CM	10590,5006 litre	61,606 %	6600,2944 litre	O
380	CM	120	CM	141 LEVEL CM	10500,7766 litre	61,084 %	6690,0184 litre	O
380	CM	120	CM	140 LEVEL CM	10410,9175 litre	60,561 %	6779,8775 litre	O
380	CM	120	CM	139 LEVEL CM	10320,9300 litre	60,038 %	6869,8650 litre	O
380	CM	120	CM	138 LEVEL CM	10230,8206 litre	59,513 %	6959,9744 litre	O
380	CM	120	CM	137 LEVEL CM	10140,5958 litre	58,989 %	7050,1992 litre	O
380	CM	120	CM	136 LEVEL CM	10050,2623 litre	58,463 %	7140,5327 litre	O

380	CM	120	CM	135 LEVEL CM	9959,8266 litre	57,937 %	7230,9684 litre	O
380	CM	120	CM	134 LEVEL CM	9869,2951 litre	57,410 %	7321,4999 litre	O
380	CM	120	CM	133 LEVEL CM	9778,6743 litre	56,883 %	7412,1207 litre	O
380	CM	120	CM	132 LEVEL CM	9687,9708 litre	56,356 %	7502,8242 litre	O
380	CM	120	CM	131 LEVEL CM	9597,1908 litre	55,827 %	7593,6042 litre	O
380	CM	120	CM	130 LEVEL CM	9506,3408 litre	55,299 %	7684,4542 litre	O
380	CM	120	CM	129 LEVEL CM	9415,4273 litre	54,770 %	7775,3677 litre	O
380	CM	120	CM	128 LEVEL CM	9324,4567 litre	54,241 %	7866,3383 litre	O
380	CM	120	CM	127 LEVEL CM	9233,4353 litre	53,712 %	7957,3597 litre	O
380	CM	120	CM	126 LEVEL CM	9142,3694 litre	53,182 %	8048,4256 litre	O
380	CM	120	CM	125 LEVEL CM	9051,2655 litre	52,652 %	8139,5295 litre	O
380	CM	120	CM	124 LEVEL CM	8960,1299 litre	52,122 %	8230,6651 litre	O
380	CM	120	CM	123 LEVEL CM	8868,9690 litre	51,591 %	8321,8260 litre	O
380	CM	120	CM	122 LEVEL CM	8777,7891 litre	51,061 %	8413,0059 litre	O
380	CM	120	CM	121 LEVEL CM	8686,5964 litre	50,531 %	8504,1986 litre	O
380	CM	120	CM	120 LEVEL CM	8595,3975 litre	50,000 %	8595,3975 litre	O
380	CM	120	CM	119 LEVEL CM	8504,1986 litre	49,469 %	8686,5964 litre	O
380	CM	120	CM	118 LEVEL CM	8413,0059 litre	48,939 %	8777,7891 litre	O
380	CM	120	CM	117 LEVEL CM	8321,8260 litre	48,409 %	8868,9690 litre	O
380	CM	120	CM	116 LEVEL CM	8230,6651 litre	47,878 %	8960,1299 litre	O
380	CM	120	CM	115 LEVEL CM	8139,5295 litre	47,348 %	9051,2655 litre	O
380	CM	120	CM	114 LEVEL CM	8048,4256 litre	46,818 %	9142,3694 litre	O
380	CM	120	CM	113 LEVEL CM	7957,3597 litre	46,288 %	9233,4353 litre	O
380	CM	120	CM	112 LEVEL CM	7866,3383 litre	45,759 %	9324,4567 litre	O
380	CM	120	CM	111 LEVEL CM	7775,3677 litre	45,230 %	9415,4273 litre	O
380	CM	120	CM	110 LEVEL CM	7684,4542 litre	44,701 %	9506,3408 litre	O
380	CM	120	CM	109 LEVEL CM	7593,6042 litre	44,173 %	9597,1908 litre	O
380	CM	120	CM	108 LEVEL CM	7502,8242 litre	43,644 %	9687,9708 litre	O
380	CM	120	CM	107 LEVEL CM	7412,1207 litre	43,117 %	9778,6743 litre	O
380	CM	120	CM	106 LEVEL CM	7321,4999 litre	42,590 %	9869,2951 litre	O
380	CM	120	CM	105 LEVEL CM	7230,9684 litre	42,063 %	9959,8266 litre	O
380	CM	120	CM	104 LEVEL CM	7140,5327 litre	41,537 %	10050,2623 litre	O
380	CM	120	CM	103 LEVEL CM	7050,1992 litre	41,011 %	10140,5958 litre	O
380	CM	120	CM	102 LEVEL CM	6959,9744 litre	40,487 %	10230,8206 litre	O
380	CM	120	CM	101 LEVEL CM	6869,8650 litre	39,962 %	10320,9300 litre	O
380	CM	120	CM	100 LEVEL CM	6779,8775 litre	39,439 %	10410,9175 litre	O
380	CM	120	CM	99 LEVEL CM	6690,0184 litre	38,916 %	10500,7766 litre	O
380	CM	120	CM	98 LEVEL CM	6600,2944 litre	38,394 %	10590,5006 litre	O
380	CM	120	CM	97 LEVEL CM	6510,7122 litre	37,873 %	10680,0828 litre	O
380	CM	120	CM	96 LEVEL CM	6421,2783 litre	37,353 %	10769,5167 litre	O
380	CM	120	CM	95 LEVEL CM	6331,9996 litre	36,834 %	10858,7954 litre	O
380	CM	120	CM	94 LEVEL CM	6242,8828 litre	36,315 %	10947,9122 litre	O
380	CM	120	CM	93 LEVEL CM	6153,9347 litre	35,798 %	11036,8603 litre	O
380	CM	120	CM	92 LEVEL CM	6065,1621 litre	35,281 %	11125,6329 litre	O
380	CM	120	CM	91 LEVEL CM	5976,5718 litre	34,766 %	11214,2232 litre	O
380	CM	120	CM	90 LEVEL CM	5888,1708 litre	34,252 %	11302,6242 litre	O
380	CM	120	CM	89 LEVEL CM	5799,9661 litre	33,739 %	11390,8289 litre	O
380	CM	120	CM	88 LEVEL CM	5711,9646 litre	33,227 %	11478,8304 litre	O
380	CM	120	CM	87 LEVEL CM	5624,1734 litre	32,716 %	11566,6216 litre	O
380	CM	120	CM	86 LEVEL CM	5536,5995 litre	32,207 %	11654,1955 litre	O
380	CM	120	CM	85 LEVEL CM	5449,2503 litre	31,699 %	11741,5447 litre	O
380	CM	120	CM	84 LEVEL CM	5362,1327 litre	31,192 %	11828,6623 litre	O
380	CM	120	CM	83 LEVEL CM	5275,2542 litre	30,687 %	11915,5408 litre	O

380	CM	120	CM	82 LEVEL CM	5188,6220 litre	30,183 %	12002,1730 litre	O
380	CM	120	CM	81 LEVEL CM	5102,2435 litre	29,680 %	12088,5515 litre	O
380	CM	120	CM	80 LEVEL CM	5016,1262 litre	29,179 %	12174,6688 litre	O
380	CM	120	CM	79 LEVEL CM	4930,2777 litre	28,680 %	12260,5173 litre	O
380	CM	120	CM	78 LEVEL CM	4844,7054 litre	28,182 %	12346,0896 litre	O
380	CM	120	CM	77 LEVEL CM	4759,4171 litre	27,686 %	12431,3779 litre	O
380	CM	120	CM	76 LEVEL CM	4674,4205 litre	27,191 %	12516,3745 litre	O
380	CM	120	CM	75 LEVEL CM	4589,7234 litre	26,699 %	12601,0716 litre	O
380	CM	120	CM	74 LEVEL CM	4505,3338 litre	26,208 %	12685,4612 litre	O
380	CM	120	CM	73 LEVEL CM	4421,2596 litre	25,719 %	12769,5354 litre	O
380	CM	120	CM	72 LEVEL CM	4337,5090 litre	25,232 %	12853,2860 litre	O
380	CM	120	CM	71 LEVEL CM	4254,0900 litre	24,746 %	12936,7050 litre	O
380	CM	120	CM	70 LEVEL CM	4171,0110 litre	24,263 %	13019,7840 litre	O
380	CM	120	CM	69 LEVEL CM	4088,2804 litre	23,782 %	13102,5146 litre	O
380	CM	120	CM	68 LEVEL CM	4005,9066 litre	23,303 %	13184,8884 litre	O
380	CM	120	CM	67 LEVEL CM	3923,8983 litre	22,826 %	13266,8967 litre	O
380	CM	120	CM	66 LEVEL CM	3842,2641 litre	22,351 %	13348,5309 litre	O
380	CM	120	CM	65 LEVEL CM	3761,0128 litre	21,878 %	13429,7822 litre	O
380	CM	120	CM	64 LEVEL CM	3680,1535 litre	21,408 %	13510,6415 litre	O
380	CM	120	CM	63 LEVEL CM	3599,6952 litre	20,940 %	13591,0998 litre	O
380	CM	120	CM	62 LEVEL CM	3519,6472 litre	20,474 %	13671,1478 litre	O
380	CM	120	CM	61 LEVEL CM	3440,0188 litre	20,011 %	13750,7762 litre	O
380	CM	120	CM	60 LEVEL CM	3360,8195 litre	19,550 %	13829,9755 litre	O
380	CM	120	CM	59 LEVEL CM	3282,0590 litre	19,092 %	13908,7360 litre	O
380	CM	120	CM	58 LEVEL CM	3203,7471 litre	18,636 %	13987,0479 litre	O
380	CM	120	CM	57 LEVEL CM	3125,8939 litre	18,184 %	14064,9011 litre	O
380	CM	120	CM	56 LEVEL CM	3048,5095 litre	17,733 %	14142,2855 litre	O
380	CM	120	CM	55 LEVEL CM	2971,6043 litre	17,286 %	14219,1907 litre	O
380	CM	120	CM	54 LEVEL CM	2895,1888 litre	16,842 %	14295,6062 litre	O
380	CM	120	CM	53 LEVEL CM	2819,2739 litre	16,400 %	14371,5211 litre	O
380	CM	120	CM	52 LEVEL CM	2743,8705 litre	15,961 %	14446,9245 litre	O
380	CM	120	CM	51 LEVEL CM	2668,9897 litre	15,526 %	14521,8053 litre	O
380	CM	120	CM	50 LEVEL CM	2594,6431 litre	15,093 %	14596,1519 litre	O
380	CM	120	CM	49 LEVEL CM	2520,8424 litre	14,664 %	14669,9526 litre	O
380	CM	120	CM	48 LEVEL CM	2447,5994 litre	14,238 %	14743,1956 litre	O
380	CM	120	CM	47 LEVEL CM	2374,9265 litre	13,815 %	14815,8685 litre	O
380	CM	120	CM	46 LEVEL CM	2302,8361 litre	13,396 %	14887,9589 litre	O
380	CM	120	CM	45 LEVEL CM	2231,3411 litre	12,980 %	14959,4539 litre	O
380	CM	120	CM	44 LEVEL CM	2160,4546 litre	12,568 %	15030,3404 litre	O
380	CM	120	CM	43 LEVEL CM	2090,1901 litre	12,159 %	15100,6049 litre	O
380	CM	120	CM	42 LEVEL CM	2020,5615 litre	11,754 %	15170,2335 litre	O
380	CM	120	CM	41 LEVEL CM	1951,5829 litre	11,352 %	15239,2121 litre	O
380	CM	120	CM	40 LEVEL CM	1883,2691 litre	10,955 %	15307,5259 litre	O
380	CM	120	CM	39 LEVEL CM	1815,6351 litre	10,562 %	15375,1599 litre	O
380	CM	120	CM	38 LEVEL CM	1748,6964 litre	10,172 %	15442,0986 litre	O
380	CM	120	CM	37 LEVEL CM	1682,4691 litre	9,787 %	15508,3259 litre	O
380	CM	120	CM	36 LEVEL CM	1616,9697 litre	9,406 %	15573,8253 litre	O
380	CM	120	CM	35 LEVEL CM	1552,2152 litre	9,029 %	15638,5798 litre	O
380	CM	120	CM	34 LEVEL CM	1488,2235 litre	8,657 %	15702,5715 litre	O
380	CM	120	CM	33 LEVEL CM	1425,0128 litre	8,289 %	15765,7822 litre	O
380	CM	120	CM	32 LEVEL CM	1362,6022 litre	7,926 %	15828,1928 litre	O
380	CM	120	CM	31 LEVEL CM	1301,0114 litre	7,568 %	15889,7836 litre	O
380	CM	120	CM	30 LEVEL CM	1240,2610 litre	7,215 %	15950,5340 litre	O

380	CM	120	CM	29 LEVEL CM	1180,3724 litre	6,866 %	16010,4226 litre	O
380	CM	120	CM	28 LEVEL CM	1121,3680 litre	6,523 %	16069,4270 litre	O
380	CM	120	CM	27 LEVEL CM	1063,2713 litre	6,185 %	16127,5237 litre	O
380	CM	120	CM	26 LEVEL CM	1006,1067 litre	5,853 %	16184,6883 litre	O
380	CM	120	CM	25 LEVEL CM	949,8999 litre	5,526 %	16240,8951 litre	O
380	CM	120	CM	24 LEVEL CM	894,6781 litre	5,204 %	16296,1169 litre	O
380	CM	120	CM	23 LEVEL CM	840,4697 litre	4,889 %	16350,3253 litre	O
380	CM	120	CM	22 LEVEL CM	787,3050 litre	4,580 %	16403,4900 litre	O
380	CM	120	CM	21 LEVEL CM	735,2159 litre	4,277 %	16455,5791 litre	O
380	CM	120	CM	20 LEVEL CM	684,2365 litre	3,980 %	16506,5585 litre	O
380	CM	120	CM	19 LEVEL CM	634,4030 litre	3,690 %	16556,3920 litre	O
380	CM	120	CM	18 LEVEL CM	585,7543 litre	3,407 %	16605,0407 litre	O
380	CM	120	CM	17 LEVEL CM	538,3323 litre	3,132 %	16652,4627 litre	O
380	CM	120	CM	16 LEVEL CM	492,1819 litre	2,863 %	16698,6131 litre	O
380	CM	120	CM	15 LEVEL CM	447,3522 litre	2,602 %	16743,4428 litre	O
380	CM	120	CM	14 LEVEL CM	403,8965 litre	2,349 %	16786,8985 litre	O
380	CM	120	CM	13 LEVEL CM	361,8735 litre	2,105 %	16828,9215 litre	O
380	CM	120	CM	12 LEVEL CM	321,3482 litre	1,869 %	16869,4468 litre	O
380	CM	120	CM	11 LEVEL CM	282,3927 litre	1,643 %	16908,4023 litre	O
380	CM	120	CM	10 LEVEL CM	245,0888 litre	1,426 %	16945,7062 litre	O
380	CM	120	CM	9 LEVEL CM	209,5292 litre	1,219 %	16981,2658 litre	O
380	CM	120	CM	8 LEVEL CM	175,8214 litre	1,023 %	17014,9736 litre	O
380	CM	120	CM	7 LEVEL CM	144,0914 litre	0,838 %	17046,7036 litre	O
380	CM	120	CM	6 LEVEL CM	114,4908 litre	0,666 %	17076,3042 litre	O
380	CM	120	CM	5 LEVEL CM	87,2067 litre	0,507 %	17103,5883 litre	O
380	CM	120	CM	4 LEVEL CM	62,4791 litre	0,363 %	17128,3159 litre	O
380	CM	120	CM	3 LEVEL CM	40,6326 litre	0,236 %	17150,1624 litre	O
380	CM	120	CM	2 LEVEL CM	22,1454 litre	0,129 %	17168,6496 litre	O
380	CM	120	CM	1 LEVEL CM	7,8394 litre	0,046 %	17182,9556 litre	O
380	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	17190,7950 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM	115	CM 230 LEVEL CM	15788,0739 litre	100,000 %	0,0000 litre	O
380	CM	115	CM 229 LEVEL CM	15780,3999 litre	99,951 %	7,6740 litre	O
380	CM	115	CM 228 LEVEL CM	15766,3971 litre	99,863 %	21,6768 litre	O
380	CM	115	CM 227 LEVEL CM	15748,3033 litre	99,748 %	39,7706 litre	O
380	CM	115	CM 226 LEVEL CM	15726,9238 litre	99,613 %	61,1501 litre	O
380	CM	115	CM 225 LEVEL CM	15702,7268 litre	99,459 %	85,3471 litre	O
380	CM	115	CM 224 LEVEL CM	15676,0309 litre	99,290 %	112,0430 litre	O
380	CM	115	CM 223 LEVEL CM	15647,0711 litre	99,107 %	141,0028 litre	O
380	CM	115	CM 222 LEVEL CM	15616,0310 litre	98,910 %	172,0429 litre	O
380	CM	115	CM 221 LEVEL CM	15583,0592 litre	98,701 %	205,0147 litre	O
380	CM	115	CM 220 LEVEL CM	15548,2795 litre	98,481 %	239,7944 litre	O
380	CM	115	CM 219 LEVEL CM	15511,7974 litre	98,250 %	276,2765 litre	O
380	CM	115	CM 218 LEVEL CM	15473,7039 litre	98,009 %	314,3700 litre	O
380	CM	115	CM 217 LEVEL CM	15434,0792 litre	97,758 %	353,9947 litre	O
380	CM	115	CM 216 LEVEL CM	15392,9944 litre	97,498 %	395,0795 litre	O
380	CM	115	CM 215 LEVEL CM	15350,5132 litre	97,229 %	437,5607 litre	O
380	CM	115	CM 214 LEVEL CM	15306,6933 litre	96,951 %	481,3806 litre	O
380	CM	115	CM 213 LEVEL CM	15261,5872 litre	96,665 %	526,4867 litre	O
380	CM	115	CM 212 LEVEL CM	15215,2431 litre	96,372 %	572,8308 litre	O
380	CM	115	CM 211 LEVEL CM	15167,7053 litre	96,071 %	620,3686 litre	O
380	CM	115	CM 210 LEVEL CM	15119,0150 litre	95,762 %	669,0589 litre	O
380	CM	115	CM 209 LEVEL CM	15069,2104 litre	95,447 %	718,8635 litre	O
380	CM	115	CM 208 LEVEL CM	15018,3272 litre	95,125 %	769,7467 litre	O
380	CM	115	CM 207 LEVEL CM	14966,3991 litre	94,796 %	821,6748 litre	O
380	CM	115	CM 206 LEVEL CM	14913,4574 litre	94,460 %	874,6165 litre	O
380	CM	115	CM 205 LEVEL CM	14859,5321 litre	94,119 %	928,5418 litre	O
380	CM	115	CM 204 LEVEL CM	14804,6511 litre	93,771 %	983,4228 litre	O
380	CM	115	CM 203 LEVEL CM	14748,8413 litre	93,418 %	1039,2326 litre	O
380	CM	115	CM 202 LEVEL CM	14692,1280 litre	93,058 %	1095,9459 litre	O
380	CM	115	CM 201 LEVEL CM	14634,5355 litre	92,694 %	1153,5384 litre	O
380	CM	115	CM 200 LEVEL CM	14576,0868 litre	92,323 %	1211,9871 litre	O
380	CM	115	CM 199 LEVEL CM	14516,8040 litre	91,948 %	1271,2699 litre	O
380	CM	115	CM 198 LEVEL CM	14456,7084 litre	91,567 %	1331,3655 litre	O
380	CM	115	CM 197 LEVEL CM	14395,8202 litre	91,182 %	1392,2537 litre	O
380	CM	115	CM 196 LEVEL CM	14334,1590 litre	90,791 %	1453,9149 litre	O
380	CM	115	CM 195 LEVEL CM	14271,7437 litre	90,396 %	1516,3302 litre	O
380	CM	115	CM 194 LEVEL CM	14208,5923 litre	89,996 %	1579,4816 litre	O
380	CM	115	CM 193 LEVEL CM	14144,7225 litre	89,591 %	1643,3514 litre	O
380	CM	115	CM 192 LEVEL CM	14080,1511 litre	89,182 %	1707,9228 litre	O
380	CM	115	CM 191 LEVEL CM	14014,8946 litre	88,769 %	1773,1793 litre	O
380	CM	115	CM 190 LEVEL CM	13948,9688 litre	88,351 %	1839,1051 litre	O
380	CM	115	CM 189 LEVEL CM	13882,3891 litre	87,930 %	1905,6848 litre	O
380	CM	115	CM 188 LEVEL CM	13815,1706 litre	87,504 %	1972,9033 litre	O
380	CM	115	CM 187 LEVEL CM	13747,3276 litre	87,074 %	2040,7463 litre	O
380	CM	115	CM 186 LEVEL CM	13678,8743 litre	86,641 %	2109,1996 litre	O
380	CM	115	CM 185 LEVEL CM	13609,8246 litre	86,203 %	2178,2493 litre	O
380	CM	115	CM 184 LEVEL CM	13540,1918 litre	85,762 %	2247,8821 litre	O
380	CM	115	CM 183 LEVEL CM	13469,9889 litre	85,317 %	2318,0850 litre	O
380	CM	115	CM 182 LEVEL CM	13399,2288 litre	84,869 %	2388,8451 litre	O
380	CM	115	CM 181 LEVEL CM	13327,9238 litre	84,418 %	2460,1501 litre	O
380	CM	115	CM 180 LEVEL CM	13256,0862 litre	83,963 %	2531,9877 litre	O
380	CM	115	CM 179 LEVEL CM	13183,7279 litre	83,504 %	2604,3460 litre	O

380	CM 115	CM	178 LEVEL CM	13110,8604 litre	83,043 %	2677,2135 litre	O
380	CM 115	CM	177 LEVEL CM	13037,4953 litre	82,578 %	2750,5786 litre	O
380	CM 115	CM	176 LEVEL CM	12963,6437 litre	82,110 %	2824,4302 litre	O
380	CM 115	CM	175 LEVEL CM	12889,3165 litre	81,640 %	2898,7574 litre	O
380	CM 115	CM	174 LEVEL CM	12814,5245 litre	81,166 %	2973,5494 litre	O
380	CM 115	CM	173 LEVEL CM	12739,2782 litre	80,689 %	3048,7957 litre	O
380	CM 115	CM	172 LEVEL CM	12663,5880 litre	80,210 %	3124,4859 litre	O
380	CM 115	CM	171 LEVEL CM	12587,4640 litre	79,728 %	3200,6099 litre	O
380	CM 115	CM	170 LEVEL CM	12510,9164 litre	79,243 %	3277,1575 litre	O
380	CM 115	CM	169 LEVEL CM	12433,9548 litre	78,755 %	3354,1191 litre	O
380	CM 115	CM	168 LEVEL CM	12356,5890 litre	78,265 %	3431,4849 litre	O
380	CM 115	CM	167 LEVEL CM	12278,8286 litre	77,773 %	3509,2453 litre	O
380	CM 115	CM	166 LEVEL CM	12200,6828 litre	77,278 %	3587,3911 litre	O
380	CM 115	CM	165 LEVEL CM	12122,1610 litre	76,780 %	3665,9129 litre	O
380	CM 115	CM	164 LEVEL CM	12043,2722 litre	76,281 %	3744,8017 litre	O
380	CM 115	CM	163 LEVEL CM	11964,0255 litre	75,779 %	3824,0484 litre	O
380	CM 115	CM	162 LEVEL CM	11884,4297 litre	75,275 %	3903,6442 litre	O
380	CM 115	CM	161 LEVEL CM	11804,4936 litre	74,768 %	3983,5803 litre	O
380	CM 115	CM	160 LEVEL CM	11724,2257 litre	74,260 %	4063,8482 litre	O
380	CM 115	CM	159 LEVEL CM	11643,6347 litre	73,750 %	4144,4392 litre	O
380	CM 115	CM	158 LEVEL CM	11562,7290 litre	73,237 %	4225,3449 litre	O
380	CM 115	CM	157 LEVEL CM	11481,5168 litre	72,723 %	4306,5571 litre	O
380	CM 115	CM	156 LEVEL CM	11400,0065 litre	72,206 %	4388,0674 litre	O
380	CM 115	CM	155 LEVEL CM	11318,2062 litre	71,688 %	4469,8677 litre	O
380	CM 115	CM	154 LEVEL CM	11236,1238 litre	71,168 %	4551,9501 litre	O
380	CM 115	CM	153 LEVEL CM	11153,7676 litre	70,647 %	4634,3063 litre	O
380	CM 115	CM	152 LEVEL CM	11071,1452 litre	70,123 %	4716,9287 litre	O
380	CM 115	CM	151 LEVEL CM	10988,2646 litre	69,599 %	4799,8093 litre	O
380	CM 115	CM	150 LEVEL CM	10905,1334 litre	69,072 %	4882,9405 litre	O
380	CM 115	CM	149 LEVEL CM	10821,7594 litre	68,544 %	4966,3145 litre	O
380	CM 115	CM	148 LEVEL CM	10738,1503 litre	68,014 %	5049,9236 litre	O
380	CM 115	CM	147 LEVEL CM	10654,3134 litre	67,483 %	5133,7605 litre	O
380	CM 115	CM	146 LEVEL CM	10570,2564 litre	66,951 %	5217,8175 litre	O
380	CM 115	CM	145 LEVEL CM	10485,9866 litre	66,417 %	5302,0873 litre	O
380	CM 115	CM	144 LEVEL CM	10401,5114 litre	65,882 %	5386,5625 litre	O
380	CM 115	CM	143 LEVEL CM	10316,8382 litre	65,346 %	5471,2357 litre	O
380	CM 115	CM	142 LEVEL CM	10231,9742 litre	64,808 %	5556,0997 litre	O
380	CM 115	CM	141 LEVEL CM	10146,9267 litre	64,270 %	5641,1472 litre	O
380	CM 115	CM	140 LEVEL CM	10061,7027 litre	63,730 %	5726,3712 litre	O
380	CM 115	CM	139 LEVEL CM	9976,3094 litre	63,189 %	5811,7645 litre	O
380	CM 115	CM	138 LEVEL CM	9890,7540 litre	62,647 %	5897,3199 litre	O
380	CM 115	CM	137 LEVEL CM	9805,0435 litre	62,104 %	5983,0304 litre	O
380	CM 115	CM	136 LEVEL CM	9719,1848 litre	61,560 %	6068,8891 litre	O
380	CM 115	CM	135 LEVEL CM	9633,1849 litre	61,016 %	6154,8890 litre	O
380	CM 115	CM	134 LEVEL CM	9547,0509 litre	60,470 %	6241,0230 litre	O
380	CM 115	CM	133 LEVEL CM	9460,7895 litre	59,924 %	6327,2844 litre	O
380	CM 115	CM	132 LEVEL CM	9374,4076 litre	59,377 %	6413,6663 litre	O
380	CM 115	CM	131 LEVEL CM	9287,9122 litre	58,829 %	6500,1617 litre	O
380	CM 115	CM	130 LEVEL CM	9201,3100 litre	58,280 %	6586,7639 litre	O
380	CM 115	CM	129 LEVEL CM	9114,6078 litre	57,731 %	6673,4661 litre	O
380	CM 115	CM	128 LEVEL CM	9027,8124 litre	57,181 %	6760,2615 litre	O
380	CM 115	CM	127 LEVEL CM	8940,9305 litre	56,631 %	6847,1434 litre	O
380	CM 115	CM	126 LEVEL CM	8853,9689 litre	56,080 %	6934,1050 litre	O

380	CM 115	CM	125 LEVEL CM	8766,9342 litre	55,529 %	7021,1397 litre	O
380	CM 115	CM	124 LEVEL CM	8679,8332 litre	54,977 %	7108,2407 litre	O
380	CM 115	CM	123 LEVEL CM	8592,6726 litre	54,425 %	7195,4013 litre	O
380	CM 115	CM	122 LEVEL CM	8505,4589 litre	53,873 %	7282,6150 litre	O
380	CM 115	CM	121 LEVEL CM	8418,1989 litre	53,320 %	7369,8750 litre	O
380	CM 115	CM	120 LEVEL CM	8330,8992 litre	52,767 %	7457,1747 litre	O
380	CM 115	CM	119 LEVEL CM	8243,5664 litre	52,214 %	7544,5075 litre	O
380	CM 115	CM	118 LEVEL CM	8156,2072 litre	51,661 %	7631,8667 litre	O
380	CM 115	CM	117 LEVEL CM	8068,8281 litre	51,107 %	7719,2458 litre	O
380	CM 115	CM	116 LEVEL CM	7981,4358 litre	50,554 %	7806,6381 litre	O
380	CM 115	CM	115 LEVEL CM	7894,0369 litre	50,000 %	7894,0370 litre	O
380	CM 115	CM	114 LEVEL CM	7806,6380 litre	49,446 %	7981,4359 litre	O
380	CM 115	CM	113 LEVEL CM	7719,2458 litre	48,893 %	8068,8281 litre	O
380	CM 115	CM	112 LEVEL CM	7631,8667 litre	48,339 %	8156,2072 litre	O
380	CM 115	CM	111 LEVEL CM	7544,5074 litre	47,786 %	8243,5665 litre	O
380	CM 115	CM	110 LEVEL CM	7457,1747 litre	47,233 %	8330,8992 litre	O
380	CM 115	CM	109 LEVEL CM	7369,8750 litre	46,680 %	8418,1989 litre	O
380	CM 115	CM	108 LEVEL CM	7282,6149 litre	46,127 %	8505,4590 litre	O
380	CM 115	CM	107 LEVEL CM	7195,4013 litre	45,575 %	8592,6726 litre	O
380	CM 115	CM	106 LEVEL CM	7108,2406 litre	45,023 %	8679,8333 litre	O
380	CM 115	CM	105 LEVEL CM	7021,1396 litre	44,471 %	8766,9343 litre	O
380	CM 115	CM	104 LEVEL CM	6934,1050 litre	43,920 %	8853,9689 litre	O
380	CM 115	CM	103 LEVEL CM	6847,1434 litre	43,369 %	8940,9305 litre	O
380	CM 115	CM	102 LEVEL CM	6760,2615 litre	42,819 %	9027,8124 litre	O
380	CM 115	CM	101 LEVEL CM	6673,4661 litre	42,269 %	9114,6078 litre	O
380	CM 115	CM	100 LEVEL CM	6586,7639 litre	41,720 %	9201,3100 litre	O
380	CM 115	CM	99 LEVEL CM	6500,1617 litre	41,171 %	9287,9122 litre	O
380	CM 115	CM	98 LEVEL CM	6413,6662 litre	40,623 %	9374,4077 litre	O
380	CM 115	CM	97 LEVEL CM	6327,2844 litre	40,076 %	9460,7895 litre	O
380	CM 115	CM	96 LEVEL CM	6241,0230 litre	39,530 %	9547,0509 litre	O
380	CM 115	CM	95 LEVEL CM	6154,8889 litre	38,984 %	9633,1850 litre	O
380	CM 115	CM	94 LEVEL CM	6068,8891 litre	38,440 %	9719,1848 litre	O
380	CM 115	CM	93 LEVEL CM	5983,0304 litre	37,896 %	9805,0435 litre	O
380	CM 115	CM	92 LEVEL CM	5897,3199 litre	37,353 %	9890,7540 litre	O
380	CM 115	CM	91 LEVEL CM	5811,7644 litre	36,811 %	9976,3095 litre	O
380	CM 115	CM	90 LEVEL CM	5726,3712 litre	36,270 %	10061,7027 litre	O
380	CM 115	CM	89 LEVEL CM	5641,1472 litre	35,730 %	10146,9267 litre	O
380	CM 115	CM	88 LEVEL CM	5556,0997 litre	35,192 %	10231,9742 litre	O
380	CM 115	CM	87 LEVEL CM	5471,2356 litre	34,654 %	10316,8383 litre	O
380	CM 115	CM	86 LEVEL CM	5386,5624 litre	34,118 %	10401,5115 litre	O
380	CM 115	CM	85 LEVEL CM	5302,0873 litre	33,583 %	10485,9866 litre	O
380	CM 115	CM	84 LEVEL CM	5217,8175 litre	33,049 %	10570,2564 litre	O
380	CM 115	CM	83 LEVEL CM	5133,7605 litre	32,517 %	10654,3134 litre	O
380	CM 115	CM	82 LEVEL CM	5049,9236 litre	31,986 %	10738,1503 litre	O
380	CM 115	CM	81 LEVEL CM	4966,3144 litre	31,456 %	10821,7595 litre	O
380	CM 115	CM	80 LEVEL CM	4882,9405 litre	30,928 %	10905,1334 litre	O
380	CM 115	CM	79 LEVEL CM	4799,8093 litre	30,401 %	10988,2646 litre	O
380	CM 115	CM	78 LEVEL CM	4716,9287 litre	29,877 %	11071,1452 litre	O
380	CM 115	CM	77 LEVEL CM	4634,3063 litre	29,353 %	11153,7676 litre	O
380	CM 115	CM	76 LEVEL CM	4551,9500 litre	28,832 %	11236,1239 litre	O
380	CM 115	CM	75 LEVEL CM	4469,8677 litre	28,312 %	11318,2062 litre	O
380	CM 115	CM	74 LEVEL CM	4388,0674 litre	27,794 %	11400,0065 litre	O
380	CM 115	CM	73 LEVEL CM	4306,5571 litre	27,277 %	11481,5168 litre	O

380	CM	115	CM	72 LEVEL CM	4225,3449 litre	26,763 %	11562,7290 litre	O
380	CM	115	CM	71 LEVEL CM	4144,4392 litre	26,250 %	11643,6347 litre	O
380	CM	115	CM	70 LEVEL CM	4063,8481 litre	25,740 %	11724,2258 litre	O
380	CM	115	CM	69 LEVEL CM	3983,5803 litre	25,232 %	11804,4936 litre	O
380	CM	115	CM	68 LEVEL CM	3903,6442 litre	24,725 %	11884,4297 litre	O
380	CM	115	CM	67 LEVEL CM	3824,0484 litre	24,221 %	11964,0255 litre	O
380	CM	115	CM	66 LEVEL CM	3744,8016 litre	23,719 %	12043,2723 litre	O
380	CM	115	CM	65 LEVEL CM	3665,9129 litre	23,220 %	12122,1610 litre	O
380	CM	115	CM	64 LEVEL CM	3587,3911 litre	22,722 %	12200,6828 litre	O
380	CM	115	CM	63 LEVEL CM	3509,2453 litre	22,227 %	12278,8286 litre	O
380	CM	115	CM	62 LEVEL CM	3431,4848 litre	21,735 %	12356,5891 litre	O
380	CM	115	CM	61 LEVEL CM	3354,1191 litre	21,245 %	12433,9548 litre	O
380	CM	115	CM	60 LEVEL CM	3277,1575 litre	20,757 %	12510,9164 litre	O
380	CM	115	CM	59 LEVEL CM	3200,6098 litre	20,272 %	12587,4641 litre	O
380	CM	115	CM	58 LEVEL CM	3124,4859 litre	19,790 %	12663,5880 litre	O
380	CM	115	CM	57 LEVEL CM	3048,7957 litre	19,311 %	12739,2782 litre	O
380	CM	115	CM	56 LEVEL CM	2973,5494 litre	18,834 %	12814,5245 litre	O
380	CM	115	CM	55 LEVEL CM	2898,7574 litre	18,360 %	12889,3165 litre	O
380	CM	115	CM	54 LEVEL CM	2824,4302 litre	17,890 %	12963,6437 litre	O
380	CM	115	CM	53 LEVEL CM	2750,5786 litre	17,422 %	13037,4953 litre	O
380	CM	115	CM	52 LEVEL CM	2677,2134 litre	16,957 %	13110,8605 litre	O
380	CM	115	CM	51 LEVEL CM	2604,3460 litre	16,496 %	13183,7279 litre	O
380	CM	115	CM	50 LEVEL CM	2531,9877 litre	16,037 %	13256,0862 litre	O
380	CM	115	CM	49 LEVEL CM	2460,1501 litre	15,582 %	13327,9238 litre	O
380	CM	115	CM	48 LEVEL CM	2388,8451 litre	15,131 %	13399,2288 litre	O
380	CM	115	CM	47 LEVEL CM	2318,0850 litre	14,683 %	13469,9889 litre	O
380	CM	115	CM	46 LEVEL CM	2247,8821 litre	14,238 %	13540,1918 litre	O
380	CM	115	CM	45 LEVEL CM	2178,2493 litre	13,797 %	13609,8246 litre	O
380	CM	115	CM	44 LEVEL CM	2109,1995 litre	13,359 %	13678,8744 litre	O
380	CM	115	CM	43 LEVEL CM	2040,7463 litre	12,926 %	13747,3276 litre	O
380	CM	115	CM	42 LEVEL CM	1972,9033 litre	12,496 %	13815,1706 litre	O
380	CM	115	CM	41 LEVEL CM	1905,6847 litre	12,070 %	13882,3892 litre	O
380	CM	115	CM	40 LEVEL CM	1839,1051 litre	11,649 %	13948,9688 litre	O
380	CM	115	CM	39 LEVEL CM	1773,1793 litre	11,231 %	14014,8946 litre	O
380	CM	115	CM	38 LEVEL CM	1707,9227 litre	10,818 %	14080,1512 litre	O
380	CM	115	CM	37 LEVEL CM	1643,3514 litre	10,409 %	14144,7225 litre	O
380	CM	115	CM	36 LEVEL CM	1579,4815 litre	10,004 %	14208,5924 litre	O
380	CM	115	CM	35 LEVEL CM	1516,3302 litre	9,604 %	14271,7437 litre	O
380	CM	115	CM	34 LEVEL CM	1453,9149 litre	9,209 %	14334,1590 litre	O
380	CM	115	CM	33 LEVEL CM	1392,2537 litre	8,818 %	14395,8202 litre	O
380	CM	115	CM	32 LEVEL CM	1331,3655 litre	8,433 %	14456,7084 litre	O
380	CM	115	CM	31 LEVEL CM	1271,2699 litre	8,052 %	14516,8040 litre	O
380	CM	115	CM	30 LEVEL CM	1211,9871 litre	7,677 %	14576,0868 litre	O
380	CM	115	CM	29 LEVEL CM	1153,5384 litre	7,306 %	14634,5355 litre	O
380	CM	115	CM	28 LEVEL CM	1095,9458 litre	6,942 %	14692,1281 litre	O
380	CM	115	CM	27 LEVEL CM	1039,2326 litre	6,582 %	14748,8413 litre	O
380	CM	115	CM	26 LEVEL CM	983,4228 litre	6,229 %	14804,6511 litre	O
380	CM	115	CM	25 LEVEL CM	928,5418 litre	5,881 %	14859,5321 litre	O
380	CM	115	CM	24 LEVEL CM	874,6165 litre	5,540 %	14913,4574 litre	O
380	CM	115	CM	23 LEVEL CM	821,6748 litre	5,204 %	14966,3991 litre	O
380	CM	115	CM	22 LEVEL CM	769,7467 litre	4,875 %	15018,3272 litre	O
380	CM	115	CM	21 LEVEL CM	718,8635 litre	4,553 %	15069,2104 litre	O
380	CM	115	CM	20 LEVEL CM	669,0589 litre	4,238 %	15119,0150 litre	O

380	CM	115	CM	19 LEVEL CM	620,3686 litre	3,929 %	15167,7053 litre	O
380	CM	115	CM	18 LEVEL CM	572,8308 litre	3,628 %	15215,2431 litre	O
380	CM	115	CM	17 LEVEL CM	526,4866 litre	3,335 %	15261,5873 litre	O
380	CM	115	CM	16 LEVEL CM	481,3806 litre	3,049 %	15306,6933 litre	O
380	CM	115	CM	15 LEVEL CM	437,5606 litre	2,771 %	15350,5133 litre	O
380	CM	115	CM	14 LEVEL CM	395,0795 litre	2,502 %	15392,9944 litre	O
380	CM	115	CM	13 LEVEL CM	353,9946 litre	2,242 %	15434,0793 litre	O
380	CM	115	CM	12 LEVEL CM	314,3699 litre	1,991 %	15473,7040 litre	O
380	CM	115	CM	11 LEVEL CM	276,2765 litre	1,750 %	15511,7974 litre	O
380	CM	115	CM	10 LEVEL CM	239,7943 litre	1,519 %	15548,2796 litre	O
380	CM	115	CM	9 LEVEL CM	205,0147 litre	1,299 %	15583,0592 litre	O
380	CM	115	CM	8 LEVEL CM	172,0429 litre	1,090 %	15616,0310 litre	O
380	CM	115	CM	7 LEVEL CM	141,0028 litre	0,893 %	15647,0711 litre	O
380	CM	115	CM	6 LEVEL CM	112,0430 litre	0,710 %	15676,0309 litre	O
380	CM	115	CM	5 LEVEL CM	85,3470 litre	0,541 %	15702,7269 litre	O
380	CM	115	CM	4 LEVEL CM	61,1501 litre	0,387 %	15726,9238 litre	O
380	CM	115	CM	3 LEVEL CM	39,7705 litre	0,252 %	15748,3034 litre	O
380	CM	115	CM	2 LEVEL CM	21,6768 litre	0,137 %	15766,3971 litre	O
380	CM	115	CM	1 LEVEL CM	7,6740 litre	0,049 %	15780,3999 litre	O
380	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	15788,0739 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM	110	CM 220 LEVEL CM	14445,0430 litre	100,000 %	0,0000 litre	O
380	CM	110	CM 219 LEVEL CM	14437,5382 litre	99,948 %	7,5048 litre	O
380	CM	110	CM 218 LEVEL CM	14423,8452 litre	99,853 %	21,1978 litre	O
380	CM	110	CM 217 LEVEL CM	14406,1537 litre	99,731 %	38,8893 litre	O
380	CM	110	CM 216 LEVEL CM	14385,2514 litre	99,586 %	59,7916 litre	O
380	CM	110	CM 215 LEVEL CM	14361,5971 litre	99,422 %	83,4459 litre	O
380	CM	110	CM 214 LEVEL CM	14335,5025 litre	99,242 %	109,5405 litre	O
380	CM	110	CM 213 LEVEL CM	14307,1980 litre	99,046 %	137,8450 litre	O
380	CM	110	CM 212 LEVEL CM	14276,8634 litre	98,836 %	168,1796 litre	O
380	CM	110	CM 211 LEVEL CM	14244,6445 litre	98,613 %	200,3985 litre	O
380	CM	110	CM 210 LEVEL CM	14210,6627 litre	98,377 %	234,3803 litre	O
380	CM	110	CM 209 LEVEL CM	14175,0213 litre	98,131 %	270,0217 litre	O
380	CM	110	CM 208 LEVEL CM	14137,8098 litre	97,873 %	307,2332 litre	O
380	CM	110	CM 207 LEVEL CM	14099,1067 litre	97,605 %	345,9363 litre	O
380	CM	110	CM 206 LEVEL CM	14058,9820 litre	97,327 %	386,0610 litre	O
380	CM	110	CM 205 LEVEL CM	14017,4982 litre	97,040 %	427,5448 litre	O
380	CM	110	CM 204 LEVEL CM	13974,7119 litre	96,744 %	470,3311 litre	O
380	CM	110	CM 203 LEVEL CM	13930,6748 litre	96,439 %	514,3682 litre	O
380	CM	110	CM 202 LEVEL CM	13885,4343 litre	96,126 %	559,6087 litre	O
380	CM	110	CM 201 LEVEL CM	13839,0340 litre	95,805 %	606,0090 litre	O
380	CM	110	CM 200 LEVEL CM	13791,5143 litre	95,476 %	653,5287 litre	O
380	CM	110	CM 199 LEVEL CM	13742,9128 litre	95,139 %	702,1302 litre	O
380	CM	110	CM 198 LEVEL CM	13693,2649 litre	94,796 %	751,7781 litre	O
380	CM	110	CM 197 LEVEL CM	13642,6035 litre	94,445 %	802,4395 litre	O
380	CM	110	CM 196 LEVEL CM	13590,9597 litre	94,087 %	854,0833 litre	O
380	CM	110	CM 195 LEVEL CM	13538,3627 litre	93,723 %	906,6803 litre	O
380	CM	110	CM 194 LEVEL CM	13484,8405 litre	93,353 %	960,2025 litre	O
380	CM	110	CM 193 LEVEL CM	13430,4192 litre	92,976 %	1014,6238 litre	O
380	CM	110	CM 192 LEVEL CM	13375,1240 litre	92,593 %	1069,9190 litre	O
380	CM	110	CM 191 LEVEL CM	13318,9787 litre	92,204 %	1126,0643 litre	O
380	CM	110	CM 190 LEVEL CM	13262,0062 litre	91,810 %	1183,0368 litre	O
380	CM	110	CM 189 LEVEL CM	13204,2284 litre	91,410 %	1240,8146 litre	O
380	CM	110	CM 188 LEVEL CM	13145,6660 litre	91,005 %	1299,3770 litre	O
380	CM	110	CM 187 LEVEL CM	13086,3394 litre	90,594 %	1358,7036 litre	O
380	CM	110	CM 186 LEVEL CM	13026,2677 litre	90,178 %	1418,7753 litre	O
380	CM	110	CM 185 LEVEL CM	12965,4696 litre	89,757 %	1479,5734 litre	O
380	CM	110	CM 184 LEVEL CM	12903,9631 litre	89,331 %	1541,0799 litre	O
380	CM	110	CM 183 LEVEL CM	12841,7656 litre	88,901 %	1603,2774 litre	O
380	CM	110	CM 182 LEVEL CM	12778,8938 litre	88,466 %	1666,1492 litre	O
380	CM	110	CM 181 LEVEL CM	12715,3639 litre	88,026 %	1729,6791 litre	O
380	CM	110	CM 180 LEVEL CM	12651,1918 litre	87,582 %	1793,8512 litre	O
380	CM	110	CM 179 LEVEL CM	12586,3927 litre	87,133 %	1858,6503 litre	O
380	CM	110	CM 178 LEVEL CM	12520,9814 litre	86,680 %	1924,0616 litre	O
380	CM	110	CM 177 LEVEL CM	12454,9723 litre	86,223 %	1990,0707 litre	O
380	CM	110	CM 176 LEVEL CM	12388,3796 litre	85,762 %	2056,6634 litre	O
380	CM	110	CM 175 LEVEL CM	12321,2168 litre	85,297 %	2123,8262 litre	O
380	CM	110	CM 174 LEVEL CM	12253,4974 litre	84,828 %	2191,5456 litre	O
380	CM	110	CM 173 LEVEL CM	12185,2342 litre	84,356 %	2259,8088 litre	O
380	CM	110	CM 172 LEVEL CM	12116,4400 litre	83,880 %	2328,6030 litre	O
380	CM	110	CM 171 LEVEL CM	12047,1272 litre	83,400 %	2397,9158 litre	O
380	CM	110	CM 170 LEVEL CM	11977,3080 litre	82,916 %	2467,7350 litre	O
380	CM	110	CM 169 LEVEL CM	11906,9941 litre	82,430 %	2538,0489 litre	O

380	CM	110	CM	168 LEVEL CM	11836,1972 litre	81,940 %	2608,8458 litre	O
380	CM	110	CM	167 LEVEL CM	11764,9286 litre	81,446 %	2680,1144 litre	O
380	CM	110	CM	166 LEVEL CM	11693,1996 litre	80,950 %	2751,8434 litre	O
380	CM	110	CM	165 LEVEL CM	11621,0211 litre	80,450 %	2824,0219 litre	O
380	CM	110	CM	164 LEVEL CM	11548,4037 litre	79,947 %	2896,6393 litre	O
380	CM	110	CM	163 LEVEL CM	11475,3581 litre	79,441 %	2969,6849 litre	O
380	CM	110	CM	162 LEVEL CM	11401,8946 litre	78,933 %	3043,1484 litre	O
380	CM	110	CM	161 LEVEL CM	11328,0234 litre	78,422 %	3117,0196 litre	O
380	CM	110	CM	160 LEVEL CM	11253,7544 litre	77,907 %	3191,2886 litre	O
380	CM	110	CM	159 LEVEL CM	11179,0977 litre	77,391 %	3265,9453 litre	O
380	CM	110	CM	158 LEVEL CM	11104,0627 litre	76,871 %	3340,9803 litre	O
380	CM	110	CM	157 LEVEL CM	11028,6592 litre	76,349 %	3416,3838 litre	O
380	CM	110	CM	156 LEVEL CM	10952,8965 litre	75,825 %	3492,1465 litre	O
380	CM	110	CM	155 LEVEL CM	10876,7839 litre	75,298 %	3568,2591 litre	O
380	CM	110	CM	154 LEVEL CM	10800,3306 litre	74,768 %	3644,7124 litre	O
380	CM	110	CM	153 LEVEL CM	10723,5456 litre	74,237 %	3721,4974 litre	O
380	CM	110	CM	152 LEVEL CM	10646,4378 litre	73,703 %	3798,6052 litre	O
380	CM	110	CM	151 LEVEL CM	10569,0160 litre	73,167 %	3876,0270 litre	O
380	CM	110	CM	150 LEVEL CM	10491,2889 litre	72,629 %	3953,7541 litre	O
380	CM	110	CM	149 LEVEL CM	10413,2652 litre	72,089 %	4031,7778 litre	O
380	CM	110	CM	148 LEVEL CM	10334,9533 litre	71,547 %	4110,0897 litre	O
380	CM	110	CM	147 LEVEL CM	10256,3616 litre	71,003 %	4188,6814 litre	O
380	CM	110	CM	146 LEVEL CM	10177,4984 litre	70,457 %	4267,5446 litre	O
380	CM	110	CM	145 LEVEL CM	10098,3720 litre	69,909 %	4346,6710 litre	O
380	CM	110	CM	144 LEVEL CM	10018,9906 litre	69,359 %	4426,0524 litre	O
380	CM	110	CM	143 LEVEL CM	9939,3621 litre	68,808 %	4505,6809 litre	O
380	CM	110	CM	142 LEVEL CM	9859,4946 litre	68,255 %	4585,5484 litre	O
380	CM	110	CM	141 LEVEL CM	9779,3960 litre	67,701 %	4665,6470 litre	O
380	CM	110	CM	140 LEVEL CM	9699,0742 litre	67,145 %	4745,9688 litre	O
380	CM	110	CM	139 LEVEL CM	9618,5369 litre	66,587 %	4826,5061 litre	O
380	CM	110	CM	138 LEVEL CM	9537,7919 litre	66,028 %	4907,2511 litre	O
380	CM	110	CM	137 LEVEL CM	9456,8469 litre	65,468 %	4988,1961 litre	O
380	CM	110	CM	136 LEVEL CM	9375,7094 litre	64,906 %	5069,3336 litre	O
380	CM	110	CM	135 LEVEL CM	9294,3870 litre	64,343 %	5150,6560 litre	O
380	CM	110	CM	134 LEVEL CM	9212,8873 litre	63,779 %	5232,1557 litre	O
380	CM	110	CM	133 LEVEL CM	9131,2177 litre	63,214 %	5313,8253 litre	O
380	CM	110	CM	132 LEVEL CM	9049,3855 litre	62,647 %	5395,6575 litre	O
380	CM	110	CM	131 LEVEL CM	8967,3983 litre	62,079 %	5477,6447 litre	O
380	CM	110	CM	130 LEVEL CM	8885,2632 litre	61,511 %	5559,7798 litre	O
380	CM	110	CM	129 LEVEL CM	8802,9875 litre	60,941 %	5642,0555 litre	O
380	CM	110	CM	128 LEVEL CM	8720,5786 litre	60,371 %	5724,4644 litre	O
380	CM	110	CM	127 LEVEL CM	8638,0437 litre	59,799 %	5806,9993 litre	O
380	CM	110	CM	126 LEVEL CM	8555,3898 litre	59,227 %	5889,6532 litre	O
380	CM	110	CM	125 LEVEL CM	8472,6242 litre	58,654 %	5972,4188 litre	O
380	CM	110	CM	124 LEVEL CM	8389,7540 litre	58,081 %	6055,2890 litre	O
380	CM	110	CM	123 LEVEL CM	8306,7863 litre	57,506 %	6138,2567 litre	O
380	CM	110	CM	122 LEVEL CM	8223,7281 litre	56,931 %	6221,3149 litre	O
380	CM	110	CM	121 LEVEL CM	8140,5865 litre	56,356 %	6304,4565 litre	O
380	CM	110	CM	120 LEVEL CM	8057,3686 litre	55,779 %	6387,6744 litre	O
380	CM	110	CM	119 LEVEL CM	7974,0812 litre	55,203 %	6470,9618 litre	O
380	CM	110	CM	118 LEVEL CM	7890,7315 litre	54,626 %	6554,3115 litre	O
380	CM	110	CM	117 LEVEL CM	7807,3263 litre	54,048 %	6637,7167 litre	O
380	CM	110	CM	116 LEVEL CM	7723,8727 litre	53,471 %	6721,1703 litre	O

380	CM 110	CM	115 LEVEL CM	7640,3775 litre	52,893 %	6804,6655 litre	O
380	CM 110	CM	114 LEVEL CM	7556,8478 litre	52,314 %	6888,1952 litre	O
380	CM 110	CM	113 LEVEL CM	7473,2904 litre	51,736 %	6971,7526 litre	O
380	CM 110	CM	112 LEVEL CM	7389,7123 litre	51,157 %	7055,3307 litre	O
380	CM 110	CM	111 LEVEL CM	7306,1204 litre	50,579 %	7138,9226 litre	O
380	CM 110	CM	110 LEVEL CM	7222,5215 litre	50,000 %	7222,5215 litre	O
380	CM 110	CM	109 LEVEL CM	7138,9227 litre	49,421 %	7306,1203 litre	O
380	CM 110	CM	108 LEVEL CM	7055,3307 litre	48,843 %	7389,7123 litre	O
380	CM 110	CM	107 LEVEL CM	6971,7526 litre	48,264 %	7473,2904 litre	O
380	CM 110	CM	106 LEVEL CM	6888,1952 litre	47,686 %	7556,8478 litre	O
380	CM 110	CM	105 LEVEL CM	6804,6655 litre	47,107 %	7640,3775 litre	O
380	CM 110	CM	104 LEVEL CM	6721,1703 litre	46,529 %	7723,8727 litre	O
380	CM 110	CM	103 LEVEL CM	6637,7167 litre	45,952 %	7807,3263 litre	O
380	CM 110	CM	102 LEVEL CM	6554,3116 litre	45,374 %	7890,7314 litre	O
380	CM 110	CM	101 LEVEL CM	6470,9618 litre	44,797 %	7974,0812 litre	O
380	CM 110	CM	100 LEVEL CM	6387,6745 litre	44,221 %	8057,3685 litre	O
380	CM 110	CM	99 LEVEL CM	6304,4565 litre	43,644 %	8140,5865 litre	O
380	CM 110	CM	98 LEVEL CM	6221,3149 litre	43,069 %	8223,7281 litre	O
380	CM 110	CM	97 LEVEL CM	6138,2567 litre	42,494 %	8306,7863 litre	O
380	CM 110	CM	96 LEVEL CM	6055,2890 litre	41,919 %	8389,7540 litre	O
380	CM 110	CM	95 LEVEL CM	5972,4188 litre	41,346 %	8472,6242 litre	O
380	CM 110	CM	94 LEVEL CM	5889,6532 litre	40,773 %	8555,3898 litre	O
380	CM 110	CM	93 LEVEL CM	5806,9993 litre	40,201 %	8638,0437 litre	O
380	CM 110	CM	92 LEVEL CM	5724,4644 litre	39,629 %	8720,5786 litre	O
380	CM 110	CM	91 LEVEL CM	5642,0555 litre	39,059 %	8802,9875 litre	O
380	CM 110	CM	90 LEVEL CM	5559,7799 litre	38,489 %	8885,2631 litre	O
380	CM 110	CM	89 LEVEL CM	5477,6448 litre	37,921 %	8967,3982 litre	O
380	CM 110	CM	88 LEVEL CM	5395,6575 litre	37,353 %	9049,3855 litre	O
380	CM 110	CM	87 LEVEL CM	5313,8253 litre	36,786 %	9131,2177 litre	O
380	CM 110	CM	86 LEVEL CM	5232,1557 litre	36,221 %	9212,8873 litre	O
380	CM 110	CM	85 LEVEL CM	5150,6560 litre	35,657 %	9294,3870 litre	O
380	CM 110	CM	84 LEVEL CM	5069,3336 litre	35,094 %	9375,7094 litre	O
380	CM 110	CM	83 LEVEL CM	4988,1962 litre	34,532 %	9456,8468 litre	O
380	CM 110	CM	82 LEVEL CM	4907,2511 litre	33,972 %	9537,7919 litre	O
380	CM 110	CM	81 LEVEL CM	4826,5061 litre	33,413 %	9618,5369 litre	O
380	CM 110	CM	80 LEVEL CM	4745,9689 litre	32,855 %	9699,0741 litre	O
380	CM 110	CM	79 LEVEL CM	4665,6470 litre	32,299 %	9779,3960 litre	O
380	CM 110	CM	78 LEVEL CM	4585,5485 litre	31,745 %	9859,4945 litre	O
380	CM 110	CM	77 LEVEL CM	4505,6810 litre	31,192 %	9939,3620 litre	O
380	CM 110	CM	76 LEVEL CM	4426,0525 litre	30,641 %	10018,9905 litre	O
380	CM 110	CM	75 LEVEL CM	4346,6710 litre	30,091 %	10098,3720 litre	O
380	CM 110	CM	74 LEVEL CM	4267,5446 litre	29,543 %	10177,4984 litre	O
380	CM 110	CM	73 LEVEL CM	4188,6814 litre	28,997 %	10256,3616 litre	O
380	CM 110	CM	72 LEVEL CM	4110,0897 litre	28,453 %	10334,9533 litre	O
380	CM 110	CM	71 LEVEL CM	4031,7778 litre	27,911 %	10413,2652 litre	O
380	CM 110	CM	70 LEVEL CM	3953,7541 litre	27,371 %	10491,2889 litre	O
380	CM 110	CM	69 LEVEL CM	3876,0270 litre	26,833 %	10569,0160 litre	O
380	CM 110	CM	68 LEVEL CM	3798,6052 litre	26,297 %	10646,4378 litre	O
380	CM 110	CM	67 LEVEL CM	3721,4974 litre	25,763 %	10723,5456 litre	O
380	CM 110	CM	66 LEVEL CM	3644,7124 litre	25,232 %	10800,3306 litre	O
380	CM 110	CM	65 LEVEL CM	3568,2591 litre	24,702 %	10876,7839 litre	O
380	CM 110	CM	64 LEVEL CM	3492,1465 litre	24,175 %	10952,8965 litre	O
380	CM 110	CM	63 LEVEL CM	3416,3838 litre	23,651 %	11028,6592 litre	O

380	CM 110	CM	62 LEVEL CM	3340,9803 litre	23,129 %	11104,0627 litre	O
380	CM 110	CM	61 LEVEL CM	3265,9454 litre	22,609 %	11179,0976 litre	O
380	CM 110	CM	60 LEVEL CM	3191,2886 litre	22,093 %	11253,7544 litre	O
380	CM 110	CM	59 LEVEL CM	3117,0196 litre	21,578 %	11328,0234 litre	O
380	CM 110	CM	58 LEVEL CM	3043,1484 litre	21,067 %	11401,8946 litre	O
380	CM 110	CM	57 LEVEL CM	2969,6849 litre	20,559 %	11475,3581 litre	O
380	CM 110	CM	56 LEVEL CM	2896,6393 litre	20,053 %	11548,4037 litre	O
380	CM 110	CM	55 LEVEL CM	2824,0219 litre	19,550 %	11621,0211 litre	O
380	CM 110	CM	54 LEVEL CM	2751,8434 litre	19,050 %	11693,1996 litre	O
380	CM 110	CM	53 LEVEL CM	2680,1144 litre	18,554 %	11764,9286 litre	O
380	CM 110	CM	52 LEVEL CM	2608,8458 litre	18,060 %	11836,1972 litre	O
380	CM 110	CM	51 LEVEL CM	2538,0489 litre	17,570 %	11906,9941 litre	O
380	CM 110	CM	50 LEVEL CM	2467,7350 litre	17,084 %	11977,3080 litre	O
380	CM 110	CM	49 LEVEL CM	2397,9158 litre	16,600 %	12047,1272 litre	O
380	CM 110	CM	48 LEVEL CM	2328,6030 litre	16,120 %	12116,4400 litre	O
380	CM 110	CM	47 LEVEL CM	2259,8088 litre	15,644 %	12185,2342 litre	O
380	CM 110	CM	46 LEVEL CM	2191,5456 litre	15,172 %	12253,4974 litre	O
380	CM 110	CM	45 LEVEL CM	2123,8262 litre	14,703 %	12321,2168 litre	O
380	CM 110	CM	44 LEVEL CM	2056,6634 litre	14,238 %	12388,3796 litre	O
380	CM 110	CM	43 LEVEL CM	1990,0707 litre	13,777 %	12454,9723 litre	O
380	CM 110	CM	42 LEVEL CM	1924,0616 litre	13,320 %	12520,9814 litre	O
380	CM 110	CM	41 LEVEL CM	1858,6503 litre	12,867 %	12586,3927 litre	O
380	CM 110	CM	40 LEVEL CM	1793,8512 litre	12,418 %	12651,1918 litre	O
380	CM 110	CM	39 LEVEL CM	1729,6791 litre	11,974 %	12715,3639 litre	O
380	CM 110	CM	38 LEVEL CM	1666,1492 litre	11,534 %	12778,8938 litre	O
380	CM 110	CM	37 LEVEL CM	1603,2774 litre	11,099 %	12841,7656 litre	O
380	CM 110	CM	36 LEVEL CM	1541,0799 litre	10,669 %	12903,9631 litre	O
380	CM 110	CM	35 LEVEL CM	1479,5734 litre	10,243 %	12965,4696 litre	O
380	CM 110	CM	34 LEVEL CM	1418,7754 litre	9,822 %	13026,2676 litre	O
380	CM 110	CM	33 LEVEL CM	1358,7037 litre	9,406 %	13086,3393 litre	O
380	CM 110	CM	32 LEVEL CM	1299,3770 litre	8,995 %	13145,6660 litre	O
380	CM 110	CM	31 LEVEL CM	1240,8147 litre	8,590 %	13204,2283 litre	O
380	CM 110	CM	30 LEVEL CM	1183,0368 litre	8,190 %	13262,0062 litre	O
380	CM 110	CM	29 LEVEL CM	1126,0643 litre	7,796 %	13318,9787 litre	O
380	CM 110	CM	28 LEVEL CM	1069,9190 litre	7,407 %	13375,1240 litre	O
380	CM 110	CM	27 LEVEL CM	1014,6238 litre	7,024 %	13430,4192 litre	O
380	CM 110	CM	26 LEVEL CM	960,2026 litre	6,647 %	13484,8404 litre	O
380	CM 110	CM	25 LEVEL CM	906,6803 litre	6,277 %	13538,3627 litre	O
380	CM 110	CM	24 LEVEL CM	854,0834 litre	5,913 %	13590,9596 litre	O
380	CM 110	CM	23 LEVEL CM	802,4395 litre	5,555 %	13642,6035 litre	O
380	CM 110	CM	22 LEVEL CM	751,7781 litre	5,204 %	13693,2649 litre	O
380	CM 110	CM	21 LEVEL CM	702,1302 litre	4,861 %	13742,9128 litre	O
380	CM 110	CM	20 LEVEL CM	653,5288 litre	4,524 %	13791,5142 litre	O
380	CM 110	CM	19 LEVEL CM	606,0091 litre	4,195 %	13839,0339 litre	O
380	CM 110	CM	18 LEVEL CM	559,6087 litre	3,874 %	13885,4343 litre	O
380	CM 110	CM	17 LEVEL CM	514,3682 litre	3,561 %	13930,6748 litre	O
380	CM 110	CM	16 LEVEL CM	470,3311 litre	3,256 %	13974,7119 litre	O
380	CM 110	CM	15 LEVEL CM	427,5449 litre	2,960 %	14017,4981 litre	O
380	CM 110	CM	14 LEVEL CM	386,0610 litre	2,673 %	14058,9820 litre	O
380	CM 110	CM	13 LEVEL CM	345,9363 litre	2,395 %	14099,1067 litre	O
380	CM 110	CM	12 LEVEL CM	307,2332 litre	2,127 %	14137,8098 litre	O
380	CM 110	CM	11 LEVEL CM	270,0217 litre	1,869 %	14175,0213 litre	O
380	CM 110	CM	10 LEVEL CM	234,3803 litre	1,623 %	14210,6627 litre	O

380	CM	110	CM	9 LEVEL CM	200,3985 litre	1,387 %	14244,6445 litre	O
380	CM	110	CM	8 LEVEL CM	168,1796 litre	1,164 %	14276,8634 litre	O
380	CM	110	CM	7 LEVEL CM	137,8451 litre	0,954 %	14307,1979 litre	O
380	CM	110	CM	6 LEVEL CM	109,5406 litre	0,758 %	14335,5024 litre	O
380	CM	110	CM	5 LEVEL CM	83,4459 litre	0,578 %	14361,5971 litre	O
380	CM	110	CM	4 LEVEL CM	59,7916 litre	0,414 %	14385,2514 litre	O
380	CM	110	CM	3 LEVEL CM	38,8894 litre	0,269 %	14406,1536 litre	O
380	CM	110	CM	2 LEVEL CM	21,1978 litre	0,147 %	14423,8452 litre	O
380	CM	110	CM	1 LEVEL CM	7,5048 litre	0,052 %	14437,5382 litre	O
380	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	14445,0430 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 105	CM 210 LEVEL CM	13161,7024 litre	100,000 %	0,0000 litre	O
380	CM 105	CM 209 LEVEL CM	13154,3706 litre	99,944 %	7,3318 litre	O
380	CM 105	CM 208 LEVEL CM	13140,9947 litre	99,843 %	20,7077 litre	O
380	CM 105	CM 207 LEVEL CM	13123,7147 litre	99,711 %	37,9877 litre	O
380	CM 105	CM 206 LEVEL CM	13103,3008 litre	99,556 %	58,4016 litre	O
380	CM 105	CM 205 LEVEL CM	13080,2019 litre	99,381 %	81,5005 litre	O
380	CM 105	CM 204 LEVEL CM	13054,7228 litre	99,187 %	106,9796 litre	O
380	CM 105	CM 203 LEVEL CM	13027,0892 litre	98,977 %	134,6132 litre	O
380	CM 105	CM 202 LEVEL CM	12997,4770 litre	98,752 %	164,2254 litre	O
380	CM 105	CM 201 LEVEL CM	12966,0291 litre	98,513 %	195,6733 litre	O
380	CM 105	CM 200 LEVEL CM	12932,8642 litre	98,261 %	228,8382 litre	O
380	CM 105	CM 199 LEVEL CM	12898,0839 litre	97,997 %	263,6185 litre	O
380	CM 105	CM 198 LEVEL CM	12861,7757 litre	97,721 %	299,9267 litre	O
380	CM 105	CM 197 LEVEL CM	12824,0168 litre	97,434 %	337,6856 litre	O
380	CM 105	CM 196 LEVEL CM	12784,8757 litre	97,137 %	376,8267 litre	O
380	CM 105	CM 195 LEVEL CM	12744,4138 litre	96,830 %	417,2886 litre	O
380	CM 105	CM 194 LEVEL CM	12702,6868 litre	96,512 %	459,0156 litre	O
380	CM 105	CM 193 LEVEL CM	12659,7453 litre	96,186 %	501,9571 litre	O
380	CM 105	CM 192 LEVEL CM	12615,6360 litre	95,851 %	546,0664 litre	O
380	CM 105	CM 191 LEVEL CM	12570,4017 litre	95,507 %	591,3007 litre	O
380	CM 105	CM 190 LEVEL CM	12524,0822 litre	95,155 %	637,6202 litre	O
380	CM 105	CM 189 LEVEL CM	12476,7145 litre	94,796 %	684,9879 litre	O
380	CM 105	CM 188 LEVEL CM	12428,3334 litre	94,428 %	733,3690 litre	O
380	CM 105	CM 187 LEVEL CM	12378,9712 litre	94,053 %	782,7312 litre	O
380	CM 105	CM 186 LEVEL CM	12328,6586 litre	93,671 %	833,0438 litre	O
380	CM 105	CM 185 LEVEL CM	12277,4245 litre	93,281 %	884,2779 litre	O
380	CM 105	CM 184 LEVEL CM	12225,2963 litre	92,885 %	936,4061 litre	O
380	CM 105	CM 183 LEVEL CM	12172,2999 litre	92,483 %	989,4025 litre	O
380	CM 105	CM 182 LEVEL CM	12118,4601 litre	92,074 %	1043,2423 litre	O
380	CM 105	CM 181 LEVEL CM	12063,8005 litre	91,658 %	1097,9019 litre	O
380	CM 105	CM 180 LEVEL CM	12008,3435 litre	91,237 %	1153,3589 litre	O
380	CM 105	CM 179 LEVEL CM	11952,1108 litre	90,810 %	1209,5916 litre	O
380	CM 105	CM 178 LEVEL CM	11895,1230 litre	90,377 %	1266,5794 litre	O
380	CM 105	CM 177 LEVEL CM	11837,4001 litre	89,938 %	1324,3023 litre	O
380	CM 105	CM 176 LEVEL CM	11778,9611 litre	89,494 %	1382,7413 litre	O
380	CM 105	CM 175 LEVEL CM	11719,8245 litre	89,045 %	1441,8779 litre	O
380	CM 105	CM 174 LEVEL CM	11660,0081 litre	88,590 %	1501,6943 litre	O
380	CM 105	CM 173 LEVEL CM	11599,5291 litre	88,131 %	1562,1733 litre	O
380	CM 105	CM 172 LEVEL CM	11538,4041 litre	87,667 %	1623,2983 litre	O
380	CM 105	CM 171 LEVEL CM	11476,6492 litre	87,197 %	1685,0532 litre	O
380	CM 105	CM 170 LEVEL CM	11414,2800 litre	86,723 %	1747,4224 litre	O
380	CM 105	CM 169 LEVEL CM	11351,3117 litre	86,245 %	1810,3907 litre	O
380	CM 105	CM 168 LEVEL CM	11287,7591 litre	85,762 %	1873,9433 litre	O
380	CM 105	CM 167 LEVEL CM	11223,6364 litre	85,275 %	1938,0660 litre	O
380	CM 105	CM 166 LEVEL CM	11158,9577 litre	84,784 %	2002,7447 litre	O
380	CM 105	CM 165 LEVEL CM	11093,7365 litre	84,288 %	2067,9659 litre	O
380	CM 105	CM 164 LEVEL CM	11027,9860 litre	83,788 %	2133,7164 litre	O
380	CM 105	CM 163 LEVEL CM	10961,7193 litre	83,285 %	2199,9831 litre	O
380	CM 105	CM 162 LEVEL CM	10894,9490 litre	82,778 %	2266,7534 litre	O
380	CM 105	CM 161 LEVEL CM	10827,6873 litre	82,267 %	2334,0151 litre	O
380	CM 105	CM 160 LEVEL CM	10759,9465 litre	81,752 %	2401,7559 litre	O
380	CM 105	CM 159 LEVEL CM	10691,7383 litre	81,234 %	2469,9641 litre	O

380	CM	105	CM	158 LEVEL CM	10623,0743 litre	80,712 %	2538,6281 litre	O
380	CM	105	CM	157 LEVEL CM	10553,9660 litre	80,187 %	2607,7364 litre	O
380	CM	105	CM	156 LEVEL CM	10484,4243 litre	79,659 %	2677,2781 litre	O
380	CM	105	CM	155 LEVEL CM	10414,4604 litre	79,127 %	2747,2420 litre	O
380	CM	105	CM	154 LEVEL CM	10344,0849 litre	78,592 %	2817,6175 litre	O
380	CM	105	CM	153 LEVEL CM	10273,3083 litre	78,055 %	2888,3941 litre	O
380	CM	105	CM	152 LEVEL CM	10202,1411 litre	77,514 %	2959,5613 litre	O
380	CM	105	CM	151 LEVEL CM	10130,5935 litre	76,970 %	3031,1089 litre	O
380	CM	105	CM	150 LEVEL CM	10058,6755 litre	76,424 %	3103,0269 litre	O
380	CM	105	CM	149 LEVEL CM	9986,3969 litre	75,875 %	3175,3055 litre	O
380	CM	105	CM	148 LEVEL CM	9913,7676 litre	75,323 %	3247,9348 litre	O
380	CM	105	CM	147 LEVEL CM	9840,7971 litre	74,768 %	3320,9053 litre	O
380	CM	105	CM	146 LEVEL CM	9767,4949 litre	74,211 %	3394,2075 litre	O
380	CM	105	CM	145 LEVEL CM	9693,8704 litre	73,652 %	3467,8320 litre	O
380	CM	105	CM	144 LEVEL CM	9619,9327 litre	73,090 %	3541,7697 litre	O
380	CM	105	CM	143 LEVEL CM	9545,6909 litre	72,526 %	3616,0115 litre	O
380	CM	105	CM	142 LEVEL CM	9471,1541 litre	71,960 %	3690,5483 litre	O
380	CM	105	CM	141 LEVEL CM	9396,3311 litre	71,391 %	3765,3713 litre	O
380	CM	105	CM	140 LEVEL CM	9321,2308 litre	70,821 %	3840,4716 litre	O
380	CM	105	CM	139 LEVEL CM	9245,8617 litre	70,248 %	3915,8407 litre	O
380	CM	105	CM	138 LEVEL CM	9170,2325 litre	69,674 %	3991,4699 litre	O
380	CM	105	CM	137 LEVEL CM	9094,3517 litre	69,097 %	4067,3507 litre	O
380	CM	105	CM	136 LEVEL CM	9018,2277 litre	68,519 %	4143,4747 litre	O
380	CM	105	CM	135 LEVEL CM	8941,8688 litre	67,939 %	4219,8336 litre	O
380	CM	105	CM	134 LEVEL CM	8865,2834 litre	67,357 %	4296,4190 litre	O
380	CM	105	CM	133 LEVEL CM	8788,4795 litre	66,773 %	4373,2229 litre	O
380	CM	105	CM	132 LEVEL CM	8711,4654 litre	66,188 %	4450,2370 litre	O
380	CM	105	CM	131 LEVEL CM	8634,2490 litre	65,601 %	4527,4534 litre	O
380	CM	105	CM	130 LEVEL CM	8556,8384 litre	65,013 %	4604,8640 litre	O
380	CM	105	CM	129 LEVEL CM	8479,2414 litre	64,424 %	4682,4610 litre	O
380	CM	105	CM	128 LEVEL CM	8401,4661 litre	63,833 %	4760,2363 litre	O
380	CM	105	CM	127 LEVEL CM	8323,5201 litre	63,240 %	4838,1823 litre	O
380	CM	105	CM	126 LEVEL CM	8245,4112 litre	62,647 %	4916,2912 litre	O
380	CM	105	CM	125 LEVEL CM	8167,1472 litre	62,052 %	4994,5552 litre	O
380	CM	105	CM	124 LEVEL CM	8088,7357 litre	61,457 %	5072,9667 litre	O
380	CM	105	CM	123 LEVEL CM	8010,1844 litre	60,860 %	5151,5180 litre	O
380	CM	105	CM	122 LEVEL CM	7931,5009 litre	60,262 %	5230,2015 litre	O
380	CM	105	CM	121 LEVEL CM	7852,6927 litre	59,663 %	5309,0097 litre	O
380	CM	105	CM	120 LEVEL CM	7773,7672 litre	59,064 %	5387,9352 litre	O
380	CM	105	CM	119 LEVEL CM	7694,7321 litre	58,463 %	5466,9703 litre	O
380	CM	105	CM	118 LEVEL CM	7615,5947 litre	57,862 %	5546,1077 litre	O
380	CM	105	CM	117 LEVEL CM	7536,3625 litre	57,260 %	5625,3399 litre	O
380	CM	105	CM	116 LEVEL CM	7457,0429 litre	56,657 %	5704,6595 litre	O
380	CM	105	CM	115 LEVEL CM	7377,6432 litre	56,054 %	5784,0592 litre	O
380	CM	105	CM	114 LEVEL CM	7298,1708 litre	55,450 %	5863,5316 litre	O
380	CM	105	CM	113 LEVEL CM	7218,6330 litre	54,846 %	5943,0694 litre	O
380	CM	105	CM	112 LEVEL CM	7139,0372 litre	54,241 %	6022,6652 litre	O
380	CM	105	CM	111 LEVEL CM	7059,3905 litre	53,636 %	6102,3119 litre	O
380	CM	105	CM	110 LEVEL CM	6979,7004 litre	53,030 %	6182,0020 litre	O
380	CM	105	CM	109 LEVEL CM	6899,9740 litre	52,425 %	6261,7284 litre	O
380	CM	105	CM	108 LEVEL CM	6820,2186 litre	51,819 %	6341,4838 litre	O
380	CM	105	CM	107 LEVEL CM	6740,4416 litre	51,213 %	6421,2608 litre	O
380	CM	105	CM	106 LEVEL CM	6660,6500 litre	50,606 %	6501,0524 litre	O

380	CM	105	CM	105 LEVEL CM	6580,8512 litre	50,000 %	6580,8512 litre	O
380	CM	105	CM	104 LEVEL CM	6501,0524 litre	49,394 %	6660,6500 litre	O
380	CM	105	CM	103 LEVEL CM	6421,2609 litre	48,787 %	6740,4415 litre	O
380	CM	105	CM	102 LEVEL CM	6341,4838 litre	48,181 %	6820,2186 litre	O
380	CM	105	CM	101 LEVEL CM	6261,7284 litre	47,575 %	6899,9740 litre	O
380	CM	105	CM	100 LEVEL CM	6182,0021 litre	46,970 %	6979,7003 litre	O
380	CM	105	CM	99 LEVEL CM	6102,3119 litre	46,364 %	7059,3905 litre	O
380	CM	105	CM	98 LEVEL CM	6022,6653 litre	45,759 %	7139,0371 litre	O
380	CM	105	CM	97 LEVEL CM	5943,0694 litre	45,154 %	7218,6330 litre	O
380	CM	105	CM	96 LEVEL CM	5863,5316 litre	44,550 %	7298,1708 litre	O
380	CM	105	CM	95 LEVEL CM	5784,0592 litre	43,946 %	7377,6432 litre	O
380	CM	105	CM	94 LEVEL CM	5704,6595 litre	43,343 %	7457,0429 litre	O
380	CM	105	CM	93 LEVEL CM	5625,3399 litre	42,740 %	7536,3625 litre	O
380	CM	105	CM	92 LEVEL CM	5546,1077 litre	42,138 %	7615,5947 litre	O
380	CM	105	CM	91 LEVEL CM	5466,9703 litre	41,537 %	7694,7321 litre	O
380	CM	105	CM	90 LEVEL CM	5387,9352 litre	40,936 %	7773,7672 litre	O
380	CM	105	CM	89 LEVEL CM	5309,0098 litre	40,337 %	7852,6926 litre	O
380	CM	105	CM	88 LEVEL CM	5230,2015 litre	39,738 %	7931,5009 litre	O
380	CM	105	CM	87 LEVEL CM	5151,5180 litre	39,140 %	8010,1844 litre	O
380	CM	105	CM	86 LEVEL CM	5072,9667 litre	38,543 %	8088,7357 litre	O
380	CM	105	CM	85 LEVEL CM	4994,5552 litre	37,948 %	8167,1472 litre	O
380	CM	105	CM	84 LEVEL CM	4916,2912 litre	37,353 %	8245,4112 litre	O
380	CM	105	CM	83 LEVEL CM	4838,1824 litre	36,760 %	8323,5200 litre	O
380	CM	105	CM	82 LEVEL CM	4760,2364 litre	36,167 %	8401,4660 litre	O
380	CM	105	CM	81 LEVEL CM	4682,4610 litre	35,576 %	8479,2414 litre	O
380	CM	105	CM	80 LEVEL CM	4604,8640 litre	34,987 %	8556,8384 litre	O
380	CM	105	CM	79 LEVEL CM	4527,4534 litre	34,399 %	8634,2490 litre	O
380	CM	105	CM	78 LEVEL CM	4450,2370 litre	33,812 %	8711,4654 litre	O
380	CM	105	CM	77 LEVEL CM	4373,2229 litre	33,227 %	8788,4795 litre	O
380	CM	105	CM	76 LEVEL CM	4296,4190 litre	32,643 %	8865,2834 litre	O
380	CM	105	CM	75 LEVEL CM	4219,8336 litre	32,061 %	8941,8688 litre	O
380	CM	105	CM	74 LEVEL CM	4143,4747 litre	31,481 %	9018,2277 litre	O
380	CM	105	CM	73 LEVEL CM	4067,3507 litre	30,903 %	9094,3517 litre	O
380	CM	105	CM	72 LEVEL CM	3991,4699 litre	30,326 %	9170,2325 litre	O
380	CM	105	CM	71 LEVEL CM	3915,8407 litre	29,752 %	9245,8617 litre	O
380	CM	105	CM	70 LEVEL CM	3840,4717 litre	29,179 %	9321,2307 litre	O
380	CM	105	CM	69 LEVEL CM	3765,3713 litre	28,609 %	9396,3311 litre	O
380	CM	105	CM	68 LEVEL CM	3690,5483 litre	28,040 %	9471,1541 litre	O
380	CM	105	CM	67 LEVEL CM	3616,0115 litre	27,474 %	9545,6909 litre	O
380	CM	105	CM	66 LEVEL CM	3541,7698 litre	26,910 %	9619,9326 litre	O
380	CM	105	CM	65 LEVEL CM	3467,8321 litre	26,348 %	9693,8703 litre	O
380	CM	105	CM	64 LEVEL CM	3394,2075 litre	25,789 %	9767,4949 litre	O
380	CM	105	CM	63 LEVEL CM	3320,9053 litre	25,232 %	9840,7971 litre	O
380	CM	105	CM	62 LEVEL CM	3247,9348 litre	24,677 %	9913,7676 litre	O
380	CM	105	CM	61 LEVEL CM	3175,3055 litre	24,125 %	9986,3969 litre	O
380	CM	105	CM	60 LEVEL CM	3103,0270 litre	23,576 %	10058,6754 litre	O
380	CM	105	CM	59 LEVEL CM	3031,1089 litre	23,030 %	10130,5935 litre	O
380	CM	105	CM	58 LEVEL CM	2959,5613 litre	22,486 %	10202,1411 litre	O
380	CM	105	CM	57 LEVEL CM	2888,3941 litre	21,945 %	10273,3083 litre	O
380	CM	105	CM	56 LEVEL CM	2817,6175 litre	21,408 %	10344,0849 litre	O
380	CM	105	CM	55 LEVEL CM	2747,2420 litre	20,873 %	10414,4604 litre	O
380	CM	105	CM	54 LEVEL CM	2677,2781 litre	20,341 %	10484,4243 litre	O
380	CM	105	CM	53 LEVEL CM	2607,7365 litre	19,813 %	10553,9659 litre	O

380	CM	105	CM	52 LEVEL CM	2538,6281 litre	19,288 %	10623,0743 litre	O
380	CM	105	CM	51 LEVEL CM	2469,9641 litre	18,766 %	10691,7383 litre	O
380	CM	105	CM	50 LEVEL CM	2401,7559 litre	18,248 %	10759,9465 litre	O
380	CM	105	CM	49 LEVEL CM	2334,0151 litre	17,733 %	10827,6873 litre	O
380	CM	105	CM	48 LEVEL CM	2266,7535 litre	17,222 %	10894,9489 litre	O
380	CM	105	CM	47 LEVEL CM	2199,9831 litre	16,715 %	10961,7193 litre	O
380	CM	105	CM	46 LEVEL CM	2133,7164 litre	16,212 %	11027,9860 litre	O
380	CM	105	CM	45 LEVEL CM	2067,9659 litre	15,712 %	11093,7365 litre	O
380	CM	105	CM	44 LEVEL CM	2002,7447 litre	15,216 %	11158,9577 litre	O
380	CM	105	CM	43 LEVEL CM	1938,0660 litre	14,725 %	11223,6364 litre	O
380	CM	105	CM	42 LEVEL CM	1873,9433 litre	14,238 %	11287,7591 litre	O
380	CM	105	CM	41 LEVEL CM	1810,3907 litre	13,755 %	11351,3117 litre	O
380	CM	105	CM	40 LEVEL CM	1747,4224 litre	13,277 %	11414,2800 litre	O
380	CM	105	CM	39 LEVEL CM	1685,0533 litre	12,803 %	11476,6491 litre	O
380	CM	105	CM	38 LEVEL CM	1623,2984 litre	12,333 %	11538,4040 litre	O
380	CM	105	CM	37 LEVEL CM	1562,1733 litre	11,869 %	11599,5291 litre	O
380	CM	105	CM	36 LEVEL CM	1501,6943 litre	11,410 %	11660,0081 litre	O
380	CM	105	CM	35 LEVEL CM	1441,8779 litre	10,955 %	11719,8245 litre	O
380	CM	105	CM	34 LEVEL CM	1382,7413 litre	10,506 %	11778,9611 litre	O
380	CM	105	CM	33 LEVEL CM	1324,3023 litre	10,062 %	11837,4001 litre	O
380	CM	105	CM	32 LEVEL CM	1266,5794 litre	9,623 %	11895,1230 litre	O
380	CM	105	CM	31 LEVEL CM	1209,5916 litre	9,190 %	11952,1108 litre	O
380	CM	105	CM	30 LEVEL CM	1153,3589 litre	8,763 %	12008,3435 litre	O
380	CM	105	CM	29 LEVEL CM	1097,9019 litre	8,342 %	12063,8005 litre	O
380	CM	105	CM	28 LEVEL CM	1043,2423 litre	7,926 %	12118,4601 litre	O
380	CM	105	CM	27 LEVEL CM	989,4025 litre	7,517 %	12172,2999 litre	O
380	CM	105	CM	26 LEVEL CM	936,4061 litre	7,115 %	12225,2963 litre	O
380	CM	105	CM	25 LEVEL CM	884,2779 litre	6,719 %	12277,4245 litre	O
380	CM	105	CM	24 LEVEL CM	833,0438 litre	6,329 %	12328,6586 litre	O
380	CM	105	CM	23 LEVEL CM	782,7312 litre	5,947 %	12378,9712 litre	O
380	CM	105	CM	22 LEVEL CM	733,3691 litre	5,572 %	12428,3333 litre	O
380	CM	105	CM	21 LEVEL CM	684,9879 litre	5,204 %	12476,7145 litre	O
380	CM	105	CM	20 LEVEL CM	637,6202 litre	4,845 %	12524,0822 litre	O
380	CM	105	CM	19 LEVEL CM	591,3007 litre	4,493 %	12570,4017 litre	O
380	CM	105	CM	18 LEVEL CM	546,0664 litre	4,149 %	12615,6360 litre	O
380	CM	105	CM	17 LEVEL CM	501,9571 litre	3,814 %	12659,7453 litre	O
380	CM	105	CM	16 LEVEL CM	459,0157 litre	3,488 %	12702,6867 litre	O
380	CM	105	CM	15 LEVEL CM	417,2887 litre	3,170 %	12744,4137 litre	O
380	CM	105	CM	14 LEVEL CM	376,8268 litre	2,863 %	12784,8756 litre	O
380	CM	105	CM	13 LEVEL CM	337,6856 litre	2,566 %	12824,0168 litre	O
380	CM	105	CM	12 LEVEL CM	299,9267 litre	2,279 %	12861,7757 litre	O
380	CM	105	CM	11 LEVEL CM	263,6186 litre	2,003 %	12898,0838 litre	O
380	CM	105	CM	10 LEVEL CM	228,8382 litre	1,739 %	12932,8642 litre	O
380	CM	105	CM	9 LEVEL CM	195,6734 litre	1,487 %	12966,0290 litre	O
380	CM	105	CM	8 LEVEL CM	164,2254 litre	1,248 %	12997,4770 litre	O
380	CM	105	CM	7 LEVEL CM	134,6132 litre	1,023 %	13027,0892 litre	O
380	CM	105	CM	6 LEVEL CM	106,9796 litre	0,813 %	13054,7228 litre	O
380	CM	105	CM	5 LEVEL CM	81,5005 litre	0,619 %	13080,2019 litre	O
380	CM	105	CM	4 LEVEL CM	58,4016 litre	0,444 %	13103,3008 litre	O
380	CM	105	CM	3 LEVEL CM	37,9878 litre	0,289 %	13123,7146 litre	O
380	CM	105	CM	2 LEVEL CM	20,7077 litre	0,157 %	13140,9947 litre	O
380	CM	105	CM	1 LEVEL CM	7,3318 litre	0,056 %	13154,3706 litre	O
380	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	13161,7024 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 100	CM 200 LEVEL CM	11938,0521 litre	100,000 %	0,0000 litre	O
380	CM 100	CM 199 LEVEL CM	11930,8975 litre	99,940 %	7,1546 litre	O
380	CM 100	CM 198 LEVEL CM	11917,8463 litre	99,831 %	20,2058 litre	O
380	CM 100	CM 197 LEVEL CM	11900,9878 litre	99,690 %	37,0643 litre	O
380	CM 100	CM 196 LEVEL CM	11881,0745 litre	99,523 %	56,9776 litre	O
380	CM 100	CM 195 LEVEL CM	11858,5446 litre	99,334 %	79,5075 litre	O
380	CM 100	CM 194 LEVEL CM	11833,6963 litre	99,126 %	104,3558 litre	O
380	CM 100	CM 193 LEVEL CM	11806,7502 litre	98,900 %	131,3019 litre	O
380	CM 100	CM 192 LEVEL CM	11777,8785 litre	98,658 %	160,1736 litre	O
380	CM 100	CM 191 LEVEL CM	11747,2208 litre	98,401 %	190,8313 litre	O
380	CM 100	CM 190 LEVEL CM	11714,8936 litre	98,131 %	223,1585 litre	O
380	CM 100	CM 189 LEVEL CM	11680,9962 litre	97,847 %	257,0559 litre	O
380	CM 100	CM 188 LEVEL CM	11645,6144 litre	97,550 %	292,4377 litre	O
380	CM 100	CM 187 LEVEL CM	11608,8239 litre	97,242 %	329,2282 litre	O
380	CM 100	CM 186 LEVEL CM	11570,6917 litre	96,923 %	367,3604 litre	O
380	CM 100	CM 185 LEVEL CM	11531,2782 litre	96,593 %	406,7739 litre	O
380	CM 100	CM 184 LEVEL CM	11490,6381 litre	96,252 %	447,4140 litre	O
380	CM 100	CM 183 LEVEL CM	11448,8210 litre	95,902 %	489,2311 litre	O
380	CM 100	CM 182 LEVEL CM	11405,8726 litre	95,542 %	532,1795 litre	O
380	CM 100	CM 181 LEVEL CM	11361,8352 litre	95,173 %	576,2169 litre	O
380	CM 100	CM 180 LEVEL CM	11316,7479 litre	94,796 %	621,3042 litre	O
380	CM 100	CM 179 LEVEL CM	11270,6470 litre	94,409 %	667,4051 litre	O
380	CM 100	CM 178 LEVEL CM	11223,5666 litre	94,015 %	714,4855 litre	O
380	CM 100	CM 177 LEVEL CM	11175,5388 litre	93,613 %	762,5133 litre	O
380	CM 100	CM 176 LEVEL CM	11126,5937 litre	93,203 %	811,4584 litre	O
380	CM 100	CM 175 LEVEL CM	11076,7598 litre	92,785 %	861,2923 litre	O
380	CM 100	CM 174 LEVEL CM	11026,0639 litre	92,361 %	911,9882 litre	O
380	CM 100	CM 173 LEVEL CM	10974,5318 litre	91,929 %	963,5203 litre	O
380	CM 100	CM 172 LEVEL CM	10922,1879 litre	91,491 %	1015,8642 litre	O
380	CM 100	CM 171 LEVEL CM	10869,0554 litre	91,045 %	1068,9967 litre	O
380	CM 100	CM 170 LEVEL CM	10815,1565 litre	90,594 %	1122,8956 litre	O
380	CM 100	CM 169 LEVEL CM	10760,5126 litre	90,136 %	1177,5395 litre	O
380	CM 100	CM 168 LEVEL CM	10705,1441 litre	89,672 %	1232,9080 litre	O
380	CM 100	CM 167 LEVEL CM	10649,0708 litre	89,203 %	1288,9813 litre	O
380	CM 100	CM 166 LEVEL CM	10592,3115 litre	88,727 %	1345,7406 litre	O
380	CM 100	CM 165 LEVEL CM	10534,8844 litre	88,246 %	1403,1677 litre	O
380	CM 100	CM 164 LEVEL CM	10476,8072 litre	87,760 %	1461,2449 litre	O
380	CM 100	CM 163 LEVEL CM	10418,0970 litre	87,268 %	1519,9551 litre	O
380	CM 100	CM 162 LEVEL CM	10358,7702 litre	86,771 %	1579,2819 litre	O
380	CM 100	CM 161 LEVEL CM	10298,8428 litre	86,269 %	1639,2093 litre	O
380	CM 100	CM 160 LEVEL CM	10238,3303 litre	85,762 %	1699,7218 litre	O
380	CM 100	CM 159 LEVEL CM	10177,2477 litre	85,250 %	1760,8044 litre	O
380	CM 100	CM 158 LEVEL CM	10115,6098 litre	84,734 %	1822,4423 litre	O
380	CM 100	CM 157 LEVEL CM	10053,4307 litre	84,213 %	1884,6214 litre	O
380	CM 100	CM 156 LEVEL CM	9990,7243 litre	83,688 %	1947,3278 litre	O
380	CM 100	CM 155 LEVEL CM	9927,5043 litre	83,158 %	2010,5478 litre	O
380	CM 100	CM 154 LEVEL CM	9863,7837 litre	82,625 %	2074,2684 litre	O
380	CM 100	CM 153 LEVEL CM	9799,5754 litre	82,087 %	2138,4767 litre	O
380	CM 100	CM 152 LEVEL CM	9734,8922 litre	81,545 %	2203,1599 litre	O
380	CM 100	CM 151 LEVEL CM	9669,7462 litre	80,999 %	2268,3059 litre	O
380	CM 100	CM 150 LEVEL CM	9604,1497 litre	80,450 %	2333,9024 litre	O
380	CM 100	CM 149 LEVEL CM	9538,1143 litre	79,897 %	2399,9378 litre	O

380	CM	100	CM	148 LEVEL CM	9471,6517 litre	79,340 %	2466,4004 litre	O
380	CM	100	CM	147 LEVEL CM	9404,7732 litre	78,780 %	2533,2789 litre	O
380	CM	100	CM	146 LEVEL CM	9337,4901 litre	78,216 %	2600,5620 litre	O
380	CM	100	CM	145 LEVEL CM	9269,8132 litre	77,649 %	2668,2389 litre	O
380	CM	100	CM	144 LEVEL CM	9201,7533 litre	77,079 %	2736,2988 litre	O
380	CM	100	CM	143 LEVEL CM	9133,3210 litre	76,506 %	2804,7311 litre	O
380	CM	100	CM	142 LEVEL CM	9064,5267 litre	75,930 %	2873,5254 litre	O
380	CM	100	CM	141 LEVEL CM	8995,3807 litre	75,350 %	2942,6714 litre	O
380	CM	100	CM	140 LEVEL CM	8925,8931 litre	74,768 %	3012,1590 litre	O
380	CM	100	CM	139 LEVEL CM	8856,0737 litre	74,184 %	3081,9784 litre	O
380	CM	100	CM	138 LEVEL CM	8785,9325 litre	73,596 %	3152,1196 litre	O
380	CM	100	CM	137 LEVEL CM	8715,4790 litre	73,006 %	3222,5731 litre	O
380	CM	100	CM	136 LEVEL CM	8644,7228 litre	72,413 %	3293,3293 litre	O
380	CM	100	CM	135 LEVEL CM	8573,6733 litre	71,818 %	3364,3788 litre	O
380	CM	100	CM	134 LEVEL CM	8502,3399 litre	71,220 %	3435,7122 litre	O
380	CM	100	CM	133 LEVEL CM	8430,7317 litre	70,621 %	3507,3204 litre	O
380	CM	100	CM	132 LEVEL CM	8358,8578 litre	70,019 %	3579,1943 litre	O
380	CM	100	CM	131 LEVEL CM	8286,7272 litre	69,414 %	3651,3249 litre	O
380	CM	100	CM	130 LEVEL CM	8214,3488 litre	68,808 %	3723,7033 litre	O
380	CM	100	CM	129 LEVEL CM	8141,7314 litre	68,200 %	3796,3207 litre	O
380	CM	100	CM	128 LEVEL CM	8068,8837 litre	67,590 %	3869,1684 litre	O
380	CM	100	CM	127 LEVEL CM	7995,8143 litre	66,978 %	3942,2378 litre	O
380	CM	100	CM	126 LEVEL CM	7922,5317 litre	66,364 %	4015,5204 litre	O
380	CM	100	CM	125 LEVEL CM	7849,0446 litre	65,748 %	4089,0075 litre	O
380	CM	100	CM	124 LEVEL CM	7775,3611 litre	65,131 %	4162,6910 litre	O
380	CM	100	CM	123 LEVEL CM	7701,4898 litre	64,512 %	4236,5623 litre	O
380	CM	100	CM	122 LEVEL CM	7627,4389 litre	63,892 %	4310,6132 litre	O
380	CM	100	CM	121 LEVEL CM	7553,2166 litre	63,270 %	4384,8355 litre	O
380	CM	100	CM	120 LEVEL CM	7478,8310 litre	62,647 %	4459,2211 litre	O
380	CM	100	CM	119 LEVEL CM	7404,2903 litre	62,023 %	4533,7618 litre	O
380	CM	100	CM	118 LEVEL CM	7329,6025 litre	61,397 %	4608,4496 litre	O
380	CM	100	CM	117 LEVEL CM	7254,7756 litre	60,770 %	4683,2765 litre	O
380	CM	100	CM	116 LEVEL CM	7179,8177 litre	60,142 %	4758,2344 litre	O
380	CM	100	CM	115 LEVEL CM	7104,7365 litre	59,513 %	4833,3156 litre	O
380	CM	100	CM	114 LEVEL CM	7029,5400 litre	58,883 %	4908,5121 litre	O
380	CM	100	CM	113 LEVEL CM	6954,2361 litre	58,253 %	4983,8160 litre	O
380	CM	100	CM	112 LEVEL CM	6878,8325 litre	57,621 %	5059,2196 litre	O
380	CM	100	CM	111 LEVEL CM	6803,3370 litre	56,989 %	5134,7151 litre	O
380	CM	100	CM	110 LEVEL CM	6727,7575 litre	56,356 %	5210,2946 litre	O
380	CM	100	CM	109 LEVEL CM	6652,1015 litre	55,722 %	5285,9506 litre	O
380	CM	100	CM	108 LEVEL CM	6576,3769 litre	55,088 %	5361,6752 litre	O
380	CM	100	CM	107 LEVEL CM	6500,5913 litre	54,453 %	5437,4608 litre	O
380	CM	100	CM	106 LEVEL CM	6424,7523 litre	53,817 %	5513,2998 litre	O
380	CM	100	CM	105 LEVEL CM	6348,8676 litre	53,182 %	5589,1845 litre	O
380	CM	100	CM	104 LEVEL CM	6272,9450 litre	52,546 %	5665,1071 litre	O
380	CM	100	CM	103 LEVEL CM	6196,9918 litre	51,910 %	5741,0603 litre	O
380	CM	100	CM	102 LEVEL CM	6121,0159 litre	51,273 %	5817,0362 litre	O
380	CM	100	CM	101 LEVEL CM	6045,0248 litre	50,637 %	5893,0273 litre	O
380	CM	100	CM	100 LEVEL CM	5969,0260 litre	50,000 %	5969,0261 litre	O
380	CM	100	CM	99 LEVEL CM	5893,0273 litre	49,363 %	6045,0248 litre	O
380	CM	100	CM	98 LEVEL CM	5817,0362 litre	48,727 %	6121,0159 litre	O
380	CM	100	CM	97 LEVEL CM	5741,0602 litre	48,090 %	6196,9919 litre	O
380	CM	100	CM	96 LEVEL CM	5665,1071 litre	47,454 %	6272,9450 litre	O

380	CM	100	CM	95 LEVEL CM	5589,1844 litre	46,818 %	6348,8677 litre	O
380	CM	100	CM	94 LEVEL CM	5513,2998 litre	46,183 %	6424,7523 litre	O
380	CM	100	CM	93 LEVEL CM	5437,4608 litre	45,547 %	6500,5913 litre	O
380	CM	100	CM	92 LEVEL CM	5361,6752 litre	44,912 %	6576,3769 litre	O
380	CM	100	CM	91 LEVEL CM	5285,9506 litre	44,278 %	6652,1015 litre	O
380	CM	100	CM	90 LEVEL CM	5210,2946 litre	43,644 %	6727,7575 litre	O
380	CM	100	CM	89 LEVEL CM	5134,7150 litre	43,011 %	6803,3371 litre	O
380	CM	100	CM	88 LEVEL CM	5059,2196 litre	42,379 %	6878,8325 litre	O
380	CM	100	CM	87 LEVEL CM	4983,8160 litre	41,747 %	6954,2361 litre	O
380	CM	100	CM	86 LEVEL CM	4908,5121 litre	41,117 %	7029,5400 litre	O
380	CM	100	CM	85 LEVEL CM	4833,3156 litre	40,487 %	7104,7365 litre	O
380	CM	100	CM	84 LEVEL CM	4758,2344 litre	39,858 %	7179,8177 litre	O
380	CM	100	CM	83 LEVEL CM	4683,2764 litre	39,230 %	7254,7757 litre	O
380	CM	100	CM	82 LEVEL CM	4608,4496 litre	38,603 %	7329,6025 litre	O
380	CM	100	CM	81 LEVEL CM	4533,7618 litre	37,977 %	7404,2903 litre	O
380	CM	100	CM	80 LEVEL CM	4459,2211 litre	37,353 %	7478,8310 litre	O
380	CM	100	CM	79 LEVEL CM	4384,8355 litre	36,730 %	7553,2166 litre	O
380	CM	100	CM	78 LEVEL CM	4310,6132 litre	36,108 %	7627,4389 litre	O
380	CM	100	CM	77 LEVEL CM	4236,5622 litre	35,488 %	7701,4899 litre	O
380	CM	100	CM	76 LEVEL CM	4162,6909 litre	34,869 %	7775,3612 litre	O
380	CM	100	CM	75 LEVEL CM	4089,0075 litre	34,252 %	7849,0446 litre	O
380	CM	100	CM	74 LEVEL CM	4015,5204 litre	33,636 %	7922,5317 litre	O
380	CM	100	CM	73 LEVEL CM	3942,2378 litre	33,022 %	7995,8143 litre	O
380	CM	100	CM	72 LEVEL CM	3869,1684 litre	32,410 %	8068,8837 litre	O
380	CM	100	CM	71 LEVEL CM	3796,3207 litre	31,800 %	8141,7314 litre	O
380	CM	100	CM	70 LEVEL CM	3723,7033 litre	31,192 %	8214,3488 litre	O
380	CM	100	CM	69 LEVEL CM	3651,3249 litre	30,586 %	8286,7272 litre	O
380	CM	100	CM	68 LEVEL CM	3579,1943 litre	29,981 %	8358,8578 litre	O
380	CM	100	CM	67 LEVEL CM	3507,3204 litre	29,379 %	8430,7317 litre	O
380	CM	100	CM	66 LEVEL CM	3435,7122 litre	28,780 %	8502,3399 litre	O
380	CM	100	CM	65 LEVEL CM	3364,3787 litre	28,182 %	8573,6734 litre	O
380	CM	100	CM	64 LEVEL CM	3293,3293 litre	27,587 %	8644,7228 litre	O
380	CM	100	CM	63 LEVEL CM	3222,5731 litre	26,994 %	8715,4790 litre	O
380	CM	100	CM	62 LEVEL CM	3152,1196 litre	26,404 %	8785,9325 litre	O
380	CM	100	CM	61 LEVEL CM	3081,9784 litre	25,816 %	8856,0737 litre	O
380	CM	100	CM	60 LEVEL CM	3012,1590 litre	25,232 %	8925,8931 litre	O
380	CM	100	CM	59 LEVEL CM	2942,6714 litre	24,650 %	8995,3807 litre	O
380	CM	100	CM	58 LEVEL CM	2873,5254 litre	24,070 %	9064,5267 litre	O
380	CM	100	CM	57 LEVEL CM	2804,7311 litre	23,494 %	9133,3210 litre	O
380	CM	100	CM	56 LEVEL CM	2736,2988 litre	22,921 %	9201,7533 litre	O
380	CM	100	CM	55 LEVEL CM	2668,2389 litre	22,351 %	9269,8132 litre	O
380	CM	100	CM	54 LEVEL CM	2600,5620 litre	21,784 %	9337,4901 litre	O
380	CM	100	CM	53 LEVEL CM	2533,2789 litre	21,220 %	9404,7732 litre	O
380	CM	100	CM	52 LEVEL CM	2466,4004 litre	20,660 %	9471,6517 litre	O
380	CM	100	CM	51 LEVEL CM	2399,9378 litre	20,103 %	9538,1143 litre	O
380	CM	100	CM	50 LEVEL CM	2333,9024 litre	19,550 %	9604,1497 litre	O
380	CM	100	CM	49 LEVEL CM	2268,3058 litre	19,001 %	9669,7463 litre	O
380	CM	100	CM	48 LEVEL CM	2203,1599 litre	18,455 %	9734,8922 litre	O
380	CM	100	CM	47 LEVEL CM	2138,4766 litre	17,913 %	9799,5755 litre	O
380	CM	100	CM	46 LEVEL CM	2074,2684 litre	17,375 %	9863,7837 litre	O
380	CM	100	CM	45 LEVEL CM	2010,5478 litre	16,842 %	9927,5043 litre	O
380	CM	100	CM	44 LEVEL CM	1947,3277 litre	16,312 %	9990,7244 litre	O
380	CM	100	CM	43 LEVEL CM	1884,6214 litre	15,787 %	10053,4307 litre	O

380	CM	100	CM	42 LEVEL CM	1822,4423 litre	15,266 %	10115,6098 litre	O
380	CM	100	CM	41 LEVEL CM	1760,8044 litre	14,750 %	10177,2477 litre	O
380	CM	100	CM	40 LEVEL CM	1699,7218 litre	14,238 %	10238,3303 litre	O
380	CM	100	CM	39 LEVEL CM	1639,2093 litre	13,731 %	10298,8428 litre	O
380	CM	100	CM	38 LEVEL CM	1579,2819 litre	13,229 %	10358,7702 litre	O
380	CM	100	CM	37 LEVEL CM	1519,9551 litre	12,732 %	10418,0970 litre	O
380	CM	100	CM	36 LEVEL CM	1461,2449 litre	12,240 %	10476,8072 litre	O
380	CM	100	CM	35 LEVEL CM	1403,1677 litre	11,754 %	10534,8844 litre	O
380	CM	100	CM	34 LEVEL CM	1345,7406 litre	11,273 %	10592,3115 litre	O
380	CM	100	CM	33 LEVEL CM	1288,9813 litre	10,797 %	10649,0708 litre	O
380	CM	100	CM	32 LEVEL CM	1232,9079 litre	10,328 %	10705,1442 litre	O
380	CM	100	CM	31 LEVEL CM	1177,5395 litre	9,864 %	10760,5126 litre	O
380	CM	100	CM	30 LEVEL CM	1122,8956 litre	9,406 %	10815,1565 litre	O
380	CM	100	CM	29 LEVEL CM	1068,9967 litre	8,955 %	10869,0554 litre	O
380	CM	100	CM	28 LEVEL CM	1015,8642 litre	8,509 %	10922,1879 litre	O
380	CM	100	CM	27 LEVEL CM	963,5202 litre	8,071 %	10974,5319 litre	O
380	CM	100	CM	26 LEVEL CM	911,9882 litre	7,639 %	11026,0639 litre	O
380	CM	100	CM	25 LEVEL CM	861,2923 litre	7,215 %	11076,7598 litre	O
380	CM	100	CM	24 LEVEL CM	811,4584 litre	6,797 %	11126,5937 litre	O
380	CM	100	CM	23 LEVEL CM	762,5133 litre	6,387 %	11175,5388 litre	O
380	CM	100	CM	22 LEVEL CM	714,4855 litre	5,985 %	11223,5666 litre	O
380	CM	100	CM	21 LEVEL CM	667,4051 litre	5,591 %	11270,6470 litre	O
380	CM	100	CM	20 LEVEL CM	621,3042 litre	5,204 %	11316,7479 litre	O
380	CM	100	CM	19 LEVEL CM	576,2168 litre	4,827 %	11361,8353 litre	O
380	CM	100	CM	18 LEVEL CM	532,1794 litre	4,458 %	11405,8727 litre	O
380	CM	100	CM	17 LEVEL CM	489,2311 litre	4,098 %	11448,8210 litre	O
380	CM	100	CM	16 LEVEL CM	447,4140 litre	3,748 %	11490,6381 litre	O
380	CM	100	CM	15 LEVEL CM	406,7738 litre	3,407 %	11531,2783 litre	O
380	CM	100	CM	14 LEVEL CM	367,3604 litre	3,077 %	11570,6917 litre	O
380	CM	100	CM	13 LEVEL CM	329,2282 litre	2,758 %	11608,8239 litre	O
380	CM	100	CM	12 LEVEL CM	292,4377 litre	2,450 %	11645,6144 litre	O
380	CM	100	CM	11 LEVEL CM	257,0559 litre	2,153 %	11680,9962 litre	O
380	CM	100	CM	10 LEVEL CM	223,1584 litre	1,869 %	11714,8937 litre	O
380	CM	100	CM	9 LEVEL CM	190,8313 litre	1,599 %	11747,2208 litre	O
380	CM	100	CM	8 LEVEL CM	160,1736 litre	1,342 %	11777,8785 litre	O
380	CM	100	CM	7 LEVEL CM	131,3019 litre	1,100 %	11806,7502 litre	O
380	CM	100	CM	6 LEVEL CM	104,3558 litre	0,874 %	11833,6963 litre	O
380	CM	100	CM	5 LEVEL CM	79,5075 litre	0,666 %	11858,5446 litre	O
380	CM	100	CM	4 LEVEL CM	56,9776 litre	0,477 %	11881,0745 litre	O
380	CM	100	CM	3 LEVEL CM	37,0642 litre	0,310 %	11900,9879 litre	O
380	CM	100	CM	2 LEVEL CM	20,2058 litre	0,169 %	11917,8463 litre	O
380	CM	100	CM	1 LEVEL CM	7,1546 litre	0,060 %	11930,8975 litre	O
380	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	11938,0521 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
380	CM	95	CM	190 LEVEL CM	10774,0920 litre	100,000 %	0,0000 litre	O
380	CM	95	CM	189 LEVEL CM	10767,1191 litre	99,935 %	6,9729 litre	O
380	CM	95	CM	188 LEVEL CM	10754,4010 litre	99,817 %	19,6910 litre	O
380	CM	95	CM	187 LEVEL CM	10737,9749 litre	99,665 %	36,1171 litre	O
380	CM	95	CM	186 LEVEL CM	10718,5749 litre	99,485 %	55,5171 litre	O
380	CM	95	CM	185 LEVEL CM	10696,6288 litre	99,281 %	77,4632 litre	O
380	CM	95	CM	184 LEVEL CM	10672,4277 litre	99,056 %	101,6643 litre	O
380	CM	95	CM	183 LEVEL CM	10646,1872 litre	98,813 %	127,9048 litre	O
380	CM	95	CM	182 LEVEL CM	10618,0754 litre	98,552 %	156,0166 litre	O
380	CM	95	CM	181 LEVEL CM	10588,2289 litre	98,275 %	185,8631 litre	O
380	CM	95	CM	180 LEVEL CM	10556,7617 litre	97,983 %	217,3303 litre	O
380	CM	95	CM	179 LEVEL CM	10523,7708 litre	97,677 %	250,3212 litre	O
380	CM	95	CM	178 LEVEL CM	10489,3403 litre	97,357 %	284,7517 litre	O
380	CM	95	CM	177 LEVEL CM	10453,5443 litre	97,025 %	320,5477 litre	O
380	CM	95	CM	176 LEVEL CM	10416,4486 litre	96,681 %	357,6434 litre	O
380	CM	95	CM	175 LEVEL CM	10378,1122 litre	96,325 %	395,9798 litre	O
380	CM	95	CM	174 LEVEL CM	10338,5888 litre	95,958 %	435,5032 litre	O
380	CM	95	CM	173 LEVEL CM	10297,9271 litre	95,580 %	476,1649 litre	O
380	CM	95	CM	172 LEVEL CM	10256,1720 litre	95,193 %	517,9200 litre	O
380	CM	95	CM	171 LEVEL CM	10213,3650 litre	94,796 %	560,7270 litre	O
380	CM	95	CM	170 LEVEL CM	10169,5444 litre	94,389 %	604,5476 litre	O
380	CM	95	CM	169 LEVEL CM	10124,7460 litre	93,973 %	649,3460 litre	O
380	CM	95	CM	168 LEVEL CM	10079,0035 litre	93,549 %	695,0885 litre	O
380	CM	95	CM	167 LEVEL CM	10032,3482 litre	93,115 %	741,7438 litre	O
380	CM	95	CM	166 LEVEL CM	9984,8099 litre	92,674 %	789,2821 litre	O
380	CM	95	CM	165 LEVEL CM	9936,4165 litre	92,225 %	837,6755 litre	O
380	CM	95	CM	164 LEVEL CM	9887,1947 litre	91,768 %	886,8973 litre	O
380	CM	95	CM	163 LEVEL CM	9837,1698 litre	91,304 %	936,9222 litre	O
380	CM	95	CM	162 LEVEL CM	9786,3657 litre	90,832 %	987,7263 litre	O
380	CM	95	CM	161 LEVEL CM	9734,8055 litre	90,354 %	1039,2865 litre	O
380	CM	95	CM	160 LEVEL CM	9682,5112 litre	89,868 %	1091,5808 litre	O
380	CM	95	CM	159 LEVEL CM	9629,5037 litre	89,376 %	1144,5883 litre	O
380	CM	95	CM	158 LEVEL CM	9575,8034 litre	88,878 %	1198,2886 litre	O
380	CM	95	CM	157 LEVEL CM	9521,4296 litre	88,373 %	1252,6624 litre	O
380	CM	95	CM	156 LEVEL CM	9466,4012 litre	87,863 %	1307,6908 litre	O
380	CM	95	CM	155 LEVEL CM	9410,7361 litre	87,346 %	1363,3559 litre	O
380	CM	95	CM	154 LEVEL CM	9354,4519 litre	86,824 %	1419,6401 litre	O
380	CM	95	CM	153 LEVEL CM	9297,5654 litre	86,296 %	1476,5266 litre	O
380	CM	95	CM	152 LEVEL CM	9240,0931 litre	85,762 %	1533,9989 litre	O
380	CM	95	CM	151 LEVEL CM	9182,0506 litre	85,223 %	1592,0414 litre	O
380	CM	95	CM	150 LEVEL CM	9123,4536 litre	84,680 %	1650,6384 litre	O
380	CM	95	CM	149 LEVEL CM	9064,3169 litre	84,131 %	1709,7751 litre	O
380	CM	95	CM	148 LEVEL CM	9004,6550 litre	83,577 %	1769,4370 litre	O
380	CM	95	CM	147 LEVEL CM	8944,4823 litre	83,018 %	1829,6097 litre	O
380	CM	95	CM	146 LEVEL CM	8883,8124 litre	82,455 %	1890,2796 litre	O
380	CM	95	CM	145 LEVEL CM	8822,6589 litre	81,888 %	1951,4331 litre	O
380	CM	95	CM	144 LEVEL CM	8761,0350 litre	81,316 %	2013,0570 litre	O
380	CM	95	CM	143 LEVEL CM	8698,9535 litre	80,740 %	2075,1385 litre	O
380	CM	95	CM	142 LEVEL CM	8636,4270 litre	80,159 %	2137,6650 litre	O
380	CM	95	CM	141 LEVEL CM	8573,4678 litre	79,575 %	2200,6242 litre	O
380	CM	95	CM	140 LEVEL CM	8510,0879 litre	78,987 %	2264,0041 litre	O
380	CM	95	CM	139 LEVEL CM	8446,2993 litre	78,395 %	2327,7927 litre	O

380	CM	95	CM	138 LEVEL CM	8382,1135 litre	77,799 %	2391,9785 litre	O
380	CM	95	CM	137 LEVEL CM	8317,5420 litre	77,199 %	2456,5500 litre	O
380	CM	95	CM	136 LEVEL CM	8252,5958 litre	76,597 %	2521,4962 litre	O
380	CM	95	CM	135 LEVEL CM	8187,2859 litre	75,990 %	2586,8061 litre	O
380	CM	95	CM	134 LEVEL CM	8121,6233 litre	75,381 %	2652,4687 litre	O
380	CM	95	CM	133 LEVEL CM	8055,6185 litre	74,768 %	2718,4735 litre	O
380	CM	95	CM	132 LEVEL CM	7989,2820 litre	74,153 %	2784,8100 litre	O
380	CM	95	CM	131 LEVEL CM	7922,6241 litre	73,534 %	2851,4679 litre	O
380	CM	95	CM	130 LEVEL CM	7855,6550 litre	72,912 %	2918,4370 litre	O
380	CM	95	CM	129 LEVEL CM	7788,3846 litre	72,288 %	2985,7074 litre	O
380	CM	95	CM	128 LEVEL CM	7720,8230 litre	71,661 %	3053,2690 litre	O
380	CM	95	CM	127 LEVEL CM	7652,9798 litre	71,031 %	3121,1122 litre	O
380	CM	95	CM	126 LEVEL CM	7584,8648 litre	70,399 %	3189,2272 litre	O
380	CM	95	CM	125 LEVEL CM	7516,4873 litre	69,764 %	3257,6047 litre	O
380	CM	95	CM	124 LEVEL CM	7447,8569 litre	69,127 %	3326,2351 litre	O
380	CM	95	CM	123 LEVEL CM	7378,9829 litre	68,488 %	3395,1091 litre	O
380	CM	95	CM	122 LEVEL CM	7309,8745 litre	67,847 %	3464,2175 litre	O
380	CM	95	CM	121 LEVEL CM	7240,5407 litre	67,203 %	3533,5513 litre	O
380	CM	95	CM	120 LEVEL CM	7170,9907 litre	66,558 %	3603,1013 litre	O
380	CM	95	CM	119 LEVEL CM	7101,2334 litre	65,910 %	3672,8586 litre	O
380	CM	95	CM	118 LEVEL CM	7031,2776 litre	65,261 %	3742,8144 litre	O
380	CM	95	CM	117 LEVEL CM	6961,1322 litre	64,610 %	3812,9598 litre	O
380	CM	95	CM	116 LEVEL CM	6890,8059 litre	63,957 %	3883,2861 litre	O
380	CM	95	CM	115 LEVEL CM	6820,3073 litre	63,303 %	3953,7847 litre	O
380	CM	95	CM	114 LEVEL CM	6749,6450 litre	62,647 %	4024,4470 litre	O
380	CM	95	CM	113 LEVEL CM	6678,8276 litre	61,990 %	4095,2644 litre	O
380	CM	95	CM	112 LEVEL CM	6607,8635 litre	61,331 %	4166,2285 litre	O
380	CM	95	CM	111 LEVEL CM	6536,7612 litre	60,671 %	4237,3308 litre	O
380	CM	95	CM	110 LEVEL CM	6465,5290 litre	60,010 %	4308,5630 litre	O
380	CM	95	CM	109 LEVEL CM	6394,1753 litre	59,348 %	4379,9167 litre	O
380	CM	95	CM	108 LEVEL CM	6322,7084 litre	58,684 %	4451,3836 litre	O
380	CM	95	CM	107 LEVEL CM	6251,1365 litre	58,020 %	4522,9555 litre	O
380	CM	95	CM	106 LEVEL CM	6179,4677 litre	57,355 %	4594,6243 litre	O
380	CM	95	CM	105 LEVEL CM	6107,7104 litre	56,689 %	4666,3816 litre	O
380	CM	95	CM	104 LEVEL CM	6035,8727 litre	56,022 %	4738,2193 litre	O
380	CM	95	CM	103 LEVEL CM	5963,9626 litre	55,355 %	4810,1294 litre	O
380	CM	95	CM	102 LEVEL CM	5891,9883 litre	54,687 %	4882,1037 litre	O
380	CM	95	CM	101 LEVEL CM	5819,9578 litre	54,018 %	4954,1342 litre	O
380	CM	95	CM	100 LEVEL CM	5747,8793 litre	53,349 %	5026,2127 litre	O
380	CM	95	CM	99 LEVEL CM	5675,7606 litre	52,680 %	5098,3314 litre	O
380	CM	95	CM	98 LEVEL CM	5603,6100 litre	52,010 %	5170,4820 litre	O
380	CM	95	CM	97 LEVEL CM	5531,4353 litre	51,340 %	5242,6567 litre	O
380	CM	95	CM	96 LEVEL CM	5459,2447 litre	50,670 %	5314,8473 litre	O
380	CM	95	CM	95 LEVEL CM	5387,0460 litre	50,000 %	5387,0460 litre	O
380	CM	95	CM	94 LEVEL CM	5314,8473 litre	49,330 %	5459,2447 litre	O
380	CM	95	CM	93 LEVEL CM	5242,6567 litre	48,660 %	5531,4353 litre	O
380	CM	95	CM	92 LEVEL CM	5170,4820 litre	47,990 %	5603,6100 litre	O
380	CM	95	CM	91 LEVEL CM	5098,3314 litre	47,320 %	5675,7606 litre	O
380	CM	95	CM	90 LEVEL CM	5026,2127 litre	46,651 %	5747,8793 litre	O
380	CM	95	CM	89 LEVEL CM	4954,1342 litre	45,982 %	5819,9578 litre	O
380	CM	95	CM	88 LEVEL CM	4882,1037 litre	45,313 %	5891,9883 litre	O
380	CM	95	CM	87 LEVEL CM	4810,1294 litre	44,645 %	5963,9626 litre	O
380	CM	95	CM	86 LEVEL CM	4738,2193 litre	43,978 %	6035,8727 litre	O

380	CM	95	CM	85 LEVEL CM	4666,3816 litre	43,311 %	6107,7104 litre	O
380	CM	95	CM	84 LEVEL CM	4594,6243 litre	42,645 %	6179,4677 litre	O
380	CM	95	CM	83 LEVEL CM	4522,9555 litre	41,980 %	6251,1365 litre	O
380	CM	95	CM	82 LEVEL CM	4451,3836 litre	41,316 %	6322,7084 litre	O
380	CM	95	CM	81 LEVEL CM	4379,9167 litre	40,652 %	6394,1753 litre	O
380	CM	95	CM	80 LEVEL CM	4308,5630 litre	39,990 %	6465,5290 litre	O
380	CM	95	CM	79 LEVEL CM	4237,3308 litre	39,329 %	6536,7612 litre	O
380	CM	95	CM	78 LEVEL CM	4166,2285 litre	38,669 %	6607,8635 litre	O
380	CM	95	CM	77 LEVEL CM	4095,2644 litre	38,010 %	6678,8276 litre	O
380	CM	95	CM	76 LEVEL CM	4024,4470 litre	37,353 %	6749,6450 litre	O
380	CM	95	CM	75 LEVEL CM	3953,7847 litre	36,697 %	6820,3073 litre	O
380	CM	95	CM	74 LEVEL CM	3883,2861 litre	36,043 %	6890,8059 litre	O
380	CM	95	CM	73 LEVEL CM	3812,9598 litre	35,390 %	6961,1322 litre	O
380	CM	95	CM	72 LEVEL CM	3742,8144 litre	34,739 %	7031,2776 litre	O
380	CM	95	CM	71 LEVEL CM	3672,8586 litre	34,090 %	7101,2334 litre	O
380	CM	95	CM	70 LEVEL CM	3603,1013 litre	33,442 %	7170,9907 litre	O
380	CM	95	CM	69 LEVEL CM	3533,5513 litre	32,797 %	7240,5407 litre	O
380	CM	95	CM	68 LEVEL CM	3464,2175 litre	32,153 %	7309,8745 litre	O
380	CM	95	CM	67 LEVEL CM	3395,1091 litre	31,512 %	7378,9829 litre	O
380	CM	95	CM	66 LEVEL CM	3326,2351 litre	30,873 %	7447,8569 litre	O
380	CM	95	CM	65 LEVEL CM	3257,6047 litre	30,236 %	7516,4873 litre	O
380	CM	95	CM	64 LEVEL CM	3189,2272 litre	29,601 %	7584,8648 litre	O
380	CM	95	CM	63 LEVEL CM	3121,1122 litre	28,969 %	7652,9798 litre	O
380	CM	95	CM	62 LEVEL CM	3053,2690 litre	28,339 %	7720,8230 litre	O
380	CM	95	CM	61 LEVEL CM	2985,7074 litre	27,712 %	7788,3846 litre	O
380	CM	95	CM	60 LEVEL CM	2918,4371 litre	27,088 %	7855,6549 litre	O
380	CM	95	CM	59 LEVEL CM	2851,4679 litre	26,466 %	7922,6241 litre	O
380	CM	95	CM	58 LEVEL CM	2784,8100 litre	25,847 %	7989,2820 litre	O
380	CM	95	CM	57 LEVEL CM	2718,4735 litre	25,232 %	8055,6185 litre	O
380	CM	95	CM	56 LEVEL CM	2652,4687 litre	24,619 %	8121,6233 litre	O
380	CM	95	CM	55 LEVEL CM	2586,8061 litre	24,010 %	8187,2859 litre	O
380	CM	95	CM	54 LEVEL CM	2521,4962 litre	23,403 %	8252,5958 litre	O
380	CM	95	CM	53 LEVEL CM	2456,5500 litre	22,801 %	8317,5420 litre	O
380	CM	95	CM	52 LEVEL CM	2391,9785 litre	22,201 %	8382,1135 litre	O
380	CM	95	CM	51 LEVEL CM	2327,7927 litre	21,605 %	8446,2993 litre	O
380	CM	95	CM	50 LEVEL CM	2264,0041 litre	21,013 %	8510,0879 litre	O
380	CM	95	CM	49 LEVEL CM	2200,6243 litre	20,425 %	8573,4677 litre	O
380	CM	95	CM	48 LEVEL CM	2137,6651 litre	19,841 %	8636,4269 litre	O
380	CM	95	CM	47 LEVEL CM	2075,1385 litre	19,260 %	8698,9535 litre	O
380	CM	95	CM	46 LEVEL CM	2013,0570 litre	18,684 %	8761,0350 litre	O
380	CM	95	CM	45 LEVEL CM	1951,4331 litre	18,112 %	8822,6589 litre	O
380	CM	95	CM	44 LEVEL CM	1890,2796 litre	17,545 %	8883,8124 litre	O
380	CM	95	CM	43 LEVEL CM	1829,6097 litre	16,982 %	8944,4823 litre	O
380	CM	95	CM	42 LEVEL CM	1769,4370 litre	16,423 %	9004,6550 litre	O
380	CM	95	CM	41 LEVEL CM	1709,7751 litre	15,869 %	9064,3169 litre	O
380	CM	95	CM	40 LEVEL CM	1650,6384 litre	15,320 %	9123,4536 litre	O
380	CM	95	CM	39 LEVEL CM	1592,0414 litre	14,777 %	9182,0506 litre	O
380	CM	95	CM	38 LEVEL CM	1533,9990 litre	14,238 %	9240,0930 litre	O
380	CM	95	CM	37 LEVEL CM	1476,5266 litre	13,704 %	9297,5654 litre	O
380	CM	95	CM	36 LEVEL CM	1419,6401 litre	13,176 %	9354,4519 litre	O
380	CM	95	CM	35 LEVEL CM	1363,3559 litre	12,654 %	9410,7361 litre	O
380	CM	95	CM	34 LEVEL CM	1307,6908 litre	12,137 %	9466,4012 litre	O
380	CM	95	CM	33 LEVEL CM	1252,6624 litre	11,627 %	9521,4296 litre	O

380	CM	95	CM	32 LEVEL CM	1198,2886 litre	11,122 %	9575,8034 litre	O
380	CM	95	CM	31 LEVEL CM	1144,5883 litre	10,624 %	9629,5037 litre	O
380	CM	95	CM	30 LEVEL CM	1091,5809 litre	10,132 %	9682,5111 litre	O
380	CM	95	CM	29 LEVEL CM	1039,2865 litre	9,646 %	9734,8055 litre	O
380	CM	95	CM	28 LEVEL CM	987,7263 litre	9,168 %	9786,3657 litre	O
380	CM	95	CM	27 LEVEL CM	936,9222 litre	8,696 %	9837,1698 litre	O
380	CM	95	CM	26 LEVEL CM	886,8973 litre	8,232 %	9887,1947 litre	O
380	CM	95	CM	25 LEVEL CM	837,6755 litre	7,775 %	9936,4165 litre	O
380	CM	95	CM	24 LEVEL CM	789,2821 litre	7,326 %	9984,8099 litre	O
380	CM	95	CM	23 LEVEL CM	741,7438 litre	6,885 %	10032,3482 litre	O
380	CM	95	CM	22 LEVEL CM	695,0885 litre	6,451 %	10079,0035 litre	O
380	CM	95	CM	21 LEVEL CM	649,3460 litre	6,027 %	10124,7460 litre	O
380	CM	95	CM	20 LEVEL CM	604,5477 litre	5,611 %	10169,5443 litre	O
380	CM	95	CM	19 LEVEL CM	560,7271 litre	5,204 %	10213,3649 litre	O
380	CM	95	CM	18 LEVEL CM	517,9200 litre	4,807 %	10256,1720 litre	O
380	CM	95	CM	17 LEVEL CM	476,1649 litre	4,420 %	10297,9271 litre	O
380	CM	95	CM	16 LEVEL CM	435,5032 litre	4,042 %	10338,5888 litre	O
380	CM	95	CM	15 LEVEL CM	395,9798 litre	3,675 %	10378,1122 litre	O
380	CM	95	CM	14 LEVEL CM	357,6434 litre	3,319 %	10416,4486 litre	O
380	CM	95	CM	13 LEVEL CM	320,5477 litre	2,975 %	10453,5443 litre	O
380	CM	95	CM	12 LEVEL CM	284,7517 litre	2,643 %	10489,3403 litre	O
380	CM	95	CM	11 LEVEL CM	250,3212 litre	2,323 %	10523,7708 litre	O
380	CM	95	CM	10 LEVEL CM	217,3303 litre	2,017 %	10556,7617 litre	O
380	CM	95	CM	9 LEVEL CM	185,8631 litre	1,725 %	10588,2289 litre	O
380	CM	95	CM	8 LEVEL CM	156,0166 litre	1,448 %	10618,0754 litre	O
380	CM	95	CM	7 LEVEL CM	127,9048 litre	1,187 %	10646,1872 litre	O
380	CM	95	CM	6 LEVEL CM	101,6643 litre	0,944 %	10672,4277 litre	O
380	CM	95	CM	5 LEVEL CM	77,4632 litre	0,719 %	10696,6288 litre	O
380	CM	95	CM	4 LEVEL CM	55,5171 litre	0,515 %	10718,5749 litre	O
380	CM	95	CM	3 LEVEL CM	36,1171 litre	0,335 %	10737,9749 litre	O
380	CM	95	CM	2 LEVEL CM	19,6910 litre	0,183 %	10754,4010 litre	O
380	CM	95	CM	1 LEVEL CM	6,9729 litre	0,065 %	10767,1191 litre	O
380	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	10774,0920 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
380	CM	90	CM	180 LEVEL CM	9669,8222 litre	100,000 %	0,0000 litre	O
380	CM	90	CM	179 LEVEL CM	9663,0359 litre	99,930 %	6,7863 litre	O
380	CM	90	CM	178 LEVEL CM	9650,6598 litre	99,802 %	19,1624 litre	O
380	CM	90	CM	177 LEVEL CM	9634,6777 litre	99,637 %	35,1445 litre	O
380	CM	90	CM	176 LEVEL CM	9615,8050 litre	99,441 %	54,0172 litre	O
380	CM	90	CM	175 LEVEL CM	9594,4587 litre	99,221 %	75,3635 litre	O
380	CM	90	CM	174 LEVEL CM	9570,9227 litre	98,977 %	98,8995 litre	O
380	CM	90	CM	173 LEVEL CM	9545,4071 litre	98,713 %	124,4151 litre	O
380	CM	90	CM	172 LEVEL CM	9518,0764 litre	98,431 %	151,7458 litre	O
380	CM	90	CM	171 LEVEL CM	9489,0638 litre	98,131 %	180,7584 litre	O
380	CM	90	CM	170 LEVEL CM	9458,4807 litre	97,814 %	211,3415 litre	O
380	CM	90	CM	169 LEVEL CM	9426,4220 litre	97,483 %	243,4002 litre	O
380	CM	90	CM	168 LEVEL CM	9392,9699 litre	97,137 %	276,8523 litre	O
380	CM	90	CM	167 LEVEL CM	9358,1968 litre	96,777 %	311,6254 litre	O
380	CM	90	CM	166 LEVEL CM	9322,1673 litre	96,405 %	347,6549 litre	O
380	CM	90	CM	165 LEVEL CM	9284,9392 litre	96,020 %	384,8830 litre	O
380	CM	90	CM	164 LEVEL CM	9246,5649 litre	95,623 %	423,2573 litre	O
380	CM	90	CM	163 LEVEL CM	9207,0925 litre	95,215 %	462,7297 litre	O
380	CM	90	CM	162 LEVEL CM	9166,5658 litre	94,796 %	503,2564 litre	O
380	CM	90	CM	161 LEVEL CM	9125,0255 litre	94,366 %	544,7967 litre	O
380	CM	90	CM	160 LEVEL CM	9082,5094 litre	93,926 %	587,3128 litre	O
380	CM	90	CM	159 LEVEL CM	9039,0527 litre	93,477 %	630,7695 litre	O
380	CM	90	CM	158 LEVEL CM	8994,6882 litre	93,018 %	675,1340 litre	O
380	CM	90	CM	157 LEVEL CM	8949,4471 litre	92,550 %	720,3751 litre	O
380	CM	90	CM	156 LEVEL CM	8903,3585 litre	92,074 %	766,4637 litre	O
380	CM	90	CM	155 LEVEL CM	8856,4500 litre	91,589 %	813,3722 litre	O
380	CM	90	CM	154 LEVEL CM	8808,7477 litre	91,095 %	861,0745 litre	O
380	CM	90	CM	153 LEVEL CM	8760,2768 litre	90,594 %	909,5454 litre	O
380	CM	90	CM	152 LEVEL CM	8711,0607 litre	90,085 %	958,7615 litre	O
380	CM	90	CM	151 LEVEL CM	8661,1224 litre	89,569 %	1008,6998 litre	O
380	CM	90	CM	150 LEVEL CM	8610,4833 litre	89,045 %	1059,3389 litre	O
380	CM	90	CM	149 LEVEL CM	8559,1644 litre	88,514 %	1110,6578 litre	O
380	CM	90	CM	148 LEVEL CM	8507,1858 litre	87,977 %	1162,6364 litre	O
380	CM	90	CM	147 LEVEL CM	8454,5665 litre	87,432 %	1215,2557 litre	O
380	CM	90	CM	146 LEVEL CM	8401,3252 litre	86,882 %	1268,4970 litre	O
380	CM	90	CM	145 LEVEL CM	8347,4797 litre	86,325 %	1322,3425 litre	O
380	CM	90	CM	144 LEVEL CM	8293,0475 litre	85,762 %	1376,7747 litre	O
380	CM	90	CM	143 LEVEL CM	8238,0452 litre	85,193 %	1431,7770 litre	O
380	CM	90	CM	142 LEVEL CM	8182,4892 litre	84,619 %	1487,3330 litre	O
380	CM	90	CM	141 LEVEL CM	8126,3951 litre	84,039 %	1543,4271 litre	O
380	CM	90	CM	140 LEVEL CM	8069,7782 litre	83,453 %	1600,0440 litre	O
380	CM	90	CM	139 LEVEL CM	8012,6536 litre	82,862 %	1657,1686 litre	O
380	CM	90	CM	138 LEVEL CM	7955,0356 litre	82,267 %	1714,7866 litre	O
380	CM	90	CM	137 LEVEL CM	7896,9384 litre	81,666 %	1772,8838 litre	O
380	CM	90	CM	136 LEVEL CM	7838,3758 litre	81,060 %	1831,4464 litre	O
380	CM	90	CM	135 LEVEL CM	7779,3612 litre	80,450 %	1890,4610 litre	O
380	CM	90	CM	134 LEVEL CM	7719,9078 litre	79,835 %	1949,9144 litre	O
380	CM	90	CM	133 LEVEL CM	7660,0285 litre	79,216 %	2009,7937 litre	O
380	CM	90	CM	132 LEVEL CM	7599,7358 litre	78,592 %	2070,0864 litre	O
380	CM	90	CM	131 LEVEL CM	7539,0421 litre	77,965 %	2130,7801 litre	O
380	CM	90	CM	130 LEVEL CM	7477,9595 litre	77,333 %	2191,8627 litre	O
380	CM	90	CM	129 LEVEL CM	7416,4997 litre	76,697 %	2253,3225 litre	O

380	CM	90	CM	128 LEVEL CM	7354,6745 litre	76,058 %	2315,1477 litre	O
380	CM	90	CM	127 LEVEL CM	7292,4953 litre	75,415 %	2377,3269 litre	O
380	CM	90	CM	126 LEVEL CM	7229,9734 litre	74,768 %	2439,8488 litre	O
380	CM	90	CM	125 LEVEL CM	7167,1197 litre	74,118 %	2502,7025 litre	O
380	CM	90	CM	124 LEVEL CM	7103,9452 litre	73,465 %	2565,8770 litre	O
380	CM	90	CM	123 LEVEL CM	7040,4607 litre	72,809 %	2629,3615 litre	O
380	CM	90	CM	122 LEVEL CM	6976,6765 litre	72,149 %	2693,1457 litre	O
380	CM	90	CM	121 LEVEL CM	6912,6033 litre	71,486 %	2757,2189 litre	O
380	CM	90	CM	120 LEVEL CM	6848,2512 litre	70,821 %	2821,5710 litre	O
380	CM	90	CM	119 LEVEL CM	6783,6304 litre	70,153 %	2886,1918 litre	O
380	CM	90	CM	118 LEVEL CM	6718,7509 litre	69,482 %	2951,0713 litre	O
380	CM	90	CM	117 LEVEL CM	6653,6225 litre	68,808 %	3016,1997 litre	O
380	CM	90	CM	116 LEVEL CM	6588,2552 litre	68,132 %	3081,5670 litre	O
380	CM	90	CM	115 LEVEL CM	6522,6585 litre	67,454 %	3147,1637 litre	O
380	CM	90	CM	114 LEVEL CM	6456,8421 litre	66,773 %	3212,9801 litre	O
380	CM	90	CM	113 LEVEL CM	6390,8154 litre	66,090 %	3279,0068 litre	O
380	CM	90	CM	112 LEVEL CM	6324,5877 litre	65,405 %	3345,2345 litre	O
380	CM	90	CM	111 LEVEL CM	6258,1685 litre	64,719 %	3411,6537 litre	O
380	CM	90	CM	110 LEVEL CM	6191,5669 litre	64,030 %	3478,2553 litre	O
380	CM	90	CM	109 LEVEL CM	6124,7921 litre	63,339 %	3545,0301 litre	O
380	CM	90	CM	108 LEVEL CM	6057,8531 litre	62,647 %	3611,9691 litre	O
380	CM	90	CM	107 LEVEL CM	5990,7590 litre	61,953 %	3679,0632 litre	O
380	CM	90	CM	106 LEVEL CM	5923,5187 litre	61,258 %	3746,3035 litre	O
380	CM	90	CM	105 LEVEL CM	5856,1411 litre	60,561 %	3813,6811 litre	O
380	CM	90	CM	104 LEVEL CM	5788,6350 litre	59,863 %	3881,1872 litre	O
380	CM	90	CM	103 LEVEL CM	5721,0093 litre	59,164 %	3948,8129 litre	O
380	CM	90	CM	102 LEVEL CM	5653,2726 litre	58,463 %	4016,5496 litre	O
380	CM	90	CM	101 LEVEL CM	5585,4336 litre	57,761 %	4084,3886 litre	O
380	CM	90	CM	100 LEVEL CM	5517,5011 litre	57,059 %	4152,3211 litre	O
380	CM	90	CM	99 LEVEL CM	5449,4835 litre	56,356 %	4220,3387 litre	O
380	CM	90	CM	98 LEVEL CM	5381,3896 litre	55,651 %	4288,4326 litre	O
380	CM	90	CM	97 LEVEL CM	5313,2279 litre	54,946 %	4356,5943 litre	O
380	CM	90	CM	96 LEVEL CM	5245,0069 litre	54,241 %	4424,8153 litre	O
380	CM	90	CM	95 LEVEL CM	5176,7351 litre	53,535 %	4493,0871 litre	O
380	CM	90	CM	94 LEVEL CM	5108,4210 litre	52,828 %	4561,4012 litre	O
380	CM	90	CM	93 LEVEL CM	5040,0731 litre	52,122 %	4629,7491 litre	O
380	CM	90	CM	92 LEVEL CM	4971,6998 litre	51,415 %	4698,1224 litre	O
380	CM	90	CM	91 LEVEL CM	4903,3097 litre	50,707 %	4766,5125 litre	O
380	CM	90	CM	90 LEVEL CM	4834,9111 litre	50,000 %	4834,9111 litre	O
380	CM	90	CM	89 LEVEL CM	4766,5125 litre	49,293 %	4903,3097 litre	O
380	CM	90	CM	88 LEVEL CM	4698,1224 litre	48,585 %	4971,6998 litre	O
380	CM	90	CM	87 LEVEL CM	4629,7491 litre	47,878 %	5040,0731 litre	O
380	CM	90	CM	86 LEVEL CM	4561,4012 litre	47,172 %	5108,4210 litre	O
380	CM	90	CM	85 LEVEL CM	4493,0871 litre	46,465 %	5176,7351 litre	O
380	CM	90	CM	84 LEVEL CM	4424,8153 litre	45,759 %	5245,0069 litre	O
380	CM	90	CM	83 LEVEL CM	4356,5943 litre	45,054 %	5313,2279 litre	O
380	CM	90	CM	82 LEVEL CM	4288,4325 litre	44,349 %	5381,3897 litre	O
380	CM	90	CM	81 LEVEL CM	4220,3386 litre	43,644 %	5449,4836 litre	O
380	CM	90	CM	80 LEVEL CM	4152,3211 litre	42,941 %	5517,5011 litre	O
380	CM	90	CM	79 LEVEL CM	4084,3886 litre	42,239 %	5585,4336 litre	O
380	CM	90	CM	78 LEVEL CM	4016,5496 litre	41,537 %	5653,2726 litre	O
380	CM	90	CM	77 LEVEL CM	3948,8129 litre	40,836 %	5721,0093 litre	O
380	CM	90	CM	76 LEVEL CM	3881,1872 litre	40,137 %	5788,6350 litre	O

380	CM	90	CM	75 LEVEL CM	3813,6811 litre	39,439 %	5856,1411 litre	O
380	CM	90	CM	74 LEVEL CM	3746,3035 litre	38,742 %	5923,5187 litre	O
380	CM	90	CM	73 LEVEL CM	3679,0632 litre	38,047 %	5990,7590 litre	O
380	CM	90	CM	72 LEVEL CM	3611,9691 litre	37,353 %	6057,8531 litre	O
380	CM	90	CM	71 LEVEL CM	3545,0301 litre	36,661 %	6124,7921 litre	O
380	CM	90	CM	70 LEVEL CM	3478,2553 litre	35,970 %	6191,5669 litre	O
380	CM	90	CM	69 LEVEL CM	3411,6537 litre	35,281 %	6258,1685 litre	O
380	CM	90	CM	68 LEVEL CM	3345,2344 litre	34,595 %	6324,5878 litre	O
380	CM	90	CM	67 LEVEL CM	3279,0068 litre	33,910 %	6390,8154 litre	O
380	CM	90	CM	66 LEVEL CM	3212,9801 litre	33,227 %	6456,8421 litre	O
380	CM	90	CM	65 LEVEL CM	3147,1636 litre	32,546 %	6522,6586 litre	O
380	CM	90	CM	64 LEVEL CM	3081,5670 litre	31,868 %	6588,2552 litre	O
380	CM	90	CM	63 LEVEL CM	3016,1996 litre	31,192 %	6653,6226 litre	O
380	CM	90	CM	62 LEVEL CM	2951,0713 litre	30,518 %	6718,7509 litre	O
380	CM	90	CM	61 LEVEL CM	2886,1918 litre	29,847 %	6783,6304 litre	O
380	CM	90	CM	60 LEVEL CM	2821,5710 litre	29,179 %	6848,2512 litre	O
380	CM	90	CM	59 LEVEL CM	2757,2189 litre	28,514 %	6912,6033 litre	O
380	CM	90	CM	58 LEVEL CM	2693,1457 litre	27,851 %	6976,6765 litre	O
380	CM	90	CM	57 LEVEL CM	2629,3615 litre	27,191 %	7040,4607 litre	O
380	CM	90	CM	56 LEVEL CM	2565,8769 litre	26,535 %	7103,9453 litre	O
380	CM	90	CM	55 LEVEL CM	2502,7025 litre	25,882 %	7167,1197 litre	O
380	CM	90	CM	54 LEVEL CM	2439,8488 litre	25,232 %	7229,9734 litre	O
380	CM	90	CM	53 LEVEL CM	2377,3268 litre	24,585 %	7292,4954 litre	O
380	CM	90	CM	52 LEVEL CM	2315,1477 litre	23,942 %	7354,6745 litre	O
380	CM	90	CM	51 LEVEL CM	2253,3225 litre	23,303 %	7416,4997 litre	O
380	CM	90	CM	50 LEVEL CM	2191,8627 litre	22,667 %	7477,9595 litre	O
380	CM	90	CM	49 LEVEL CM	2130,7801 litre	22,035 %	7539,0421 litre	O
380	CM	90	CM	48 LEVEL CM	2070,0864 litre	21,408 %	7599,7358 litre	O
380	CM	90	CM	47 LEVEL CM	2009,7937 litre	20,784 %	7660,0285 litre	O
380	CM	90	CM	46 LEVEL CM	1949,9143 litre	20,165 %	7719,9079 litre	O
380	CM	90	CM	45 LEVEL CM	1890,4610 litre	19,550 %	7779,3612 litre	O
380	CM	90	CM	44 LEVEL CM	1831,4464 litre	18,940 %	7838,3758 litre	O
380	CM	90	CM	43 LEVEL CM	1772,8838 litre	18,334 %	7896,9384 litre	O
380	CM	90	CM	42 LEVEL CM	1714,7866 litre	17,733 %	7955,0356 litre	O
380	CM	90	CM	41 LEVEL CM	1657,1686 litre	17,138 %	8012,6536 litre	O
380	CM	90	CM	40 LEVEL CM	1600,0440 litre	16,547 %	8069,7782 litre	O
380	CM	90	CM	39 LEVEL CM	1543,4271 litre	15,961 %	8126,3951 litre	O
380	CM	90	CM	38 LEVEL CM	1487,3330 litre	15,381 %	8182,4892 litre	O
380	CM	90	CM	37 LEVEL CM	1431,7770 litre	14,807 %	8238,0452 litre	O
380	CM	90	CM	36 LEVEL CM	1376,7747 litre	14,238 %	8293,0475 litre	O
380	CM	90	CM	35 LEVEL CM	1322,3425 litre	13,675 %	8347,4797 litre	O
380	CM	90	CM	34 LEVEL CM	1268,4970 litre	13,118 %	8401,3252 litre	O
380	CM	90	CM	33 LEVEL CM	1215,2557 litre	12,568 %	8454,5665 litre	O
380	CM	90	CM	32 LEVEL CM	1162,6364 litre	12,023 %	8507,1858 litre	O
380	CM	90	CM	31 LEVEL CM	1110,6577 litre	11,486 %	8559,1645 litre	O
380	CM	90	CM	30 LEVEL CM	1059,3389 litre	10,955 %	8610,4833 litre	O
380	CM	90	CM	29 LEVEL CM	1008,6998 litre	10,431 %	8661,1224 litre	O
380	CM	90	CM	28 LEVEL CM	958,7615 litre	9,915 %	8711,0607 litre	O
380	CM	90	CM	27 LEVEL CM	909,5454 litre	9,406 %	8760,2768 litre	O
380	CM	90	CM	26 LEVEL CM	861,0744 litre	8,905 %	8808,7478 litre	O
380	CM	90	CM	25 LEVEL CM	813,3722 litre	8,411 %	8856,4500 litre	O
380	CM	90	CM	24 LEVEL CM	766,4637 litre	7,926 %	8903,3585 litre	O
380	CM	90	CM	23 LEVEL CM	720,3751 litre	7,450 %	8949,4471 litre	O

380	CM	90	CM	22 LEVEL CM	675,1339 litre	6,982 %	8994,6883 litre	O
380	CM	90	CM	21 LEVEL CM	630,7695 litre	6,523 %	9039,0527 litre	O
380	CM	90	CM	20 LEVEL CM	587,3128 litre	6,074 %	9082,5094 litre	O
380	CM	90	CM	19 LEVEL CM	544,7967 litre	5,634 %	9125,0255 litre	O
380	CM	90	CM	18 LEVEL CM	503,2564 litre	5,204 %	9166,5658 litre	O
380	CM	90	CM	17 LEVEL CM	462,7297 litre	4,785 %	9207,0925 litre	O
380	CM	90	CM	16 LEVEL CM	423,2572 litre	4,377 %	9246,5650 litre	O
380	CM	90	CM	15 LEVEL CM	384,8830 litre	3,980 %	9284,9392 litre	O
380	CM	90	CM	14 LEVEL CM	347,6549 litre	3,595 %	9322,1673 litre	O
380	CM	90	CM	13 LEVEL CM	311,6254 litre	3,223 %	9358,1968 litre	O
380	CM	90	CM	12 LEVEL CM	276,8523 litre	2,863 %	9392,9699 litre	O
380	CM	90	CM	11 LEVEL CM	243,4002 litre	2,517 %	9426,4220 litre	O
380	CM	90	CM	10 LEVEL CM	211,3415 litre	2,186 %	9458,4807 litre	O
380	CM	90	CM	9 LEVEL CM	180,7583 litre	1,869 %	9489,0639 litre	O
380	CM	90	CM	8 LEVEL CM	151,7458 litre	1,569 %	9518,0764 litre	O
380	CM	90	CM	7 LEVEL CM	124,4151 litre	1,287 %	9545,4071 litre	O
380	CM	90	CM	6 LEVEL CM	98,8995 litre	1,023 %	9570,9227 litre	O
380	CM	90	CM	5 LEVEL CM	75,3635 litre	0,779 %	9594,4587 litre	O
380	CM	90	CM	4 LEVEL CM	54,0172 litre	0,559 %	9615,8050 litre	O
380	CM	90	CM	3 LEVEL CM	35,1445 litre	0,363 %	9634,6777 litre	O
380	CM	90	CM	2 LEVEL CM	19,1624 litre	0,198 %	9650,6598 litre	O
380	CM	90	CM	1 LEVEL CM	6,7863 litre	0,070 %	9663,0359 litre	O
380	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	9669,8222 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM	85	CM 170 LEVEL CM	8625,2426 litre	100,000 %	0,0000 litre	O
380	CM	85	CM 169 LEVEL CM	8618,6482 litre	99,924 %	6,5944 litre	O
380	CM	85	CM 168 LEVEL CM	8606,6238 litre	99,784 %	18,6188 litre	O
380	CM	85	CM 167 LEVEL CM	8591,0985 litre	99,604 %	34,1441 litre	O
380	CM	85	CM 166 LEVEL CM	8572,7683 litre	99,392 %	52,4743 litre	O
380	CM	85	CM 165 LEVEL CM	8552,0391 litre	99,151 %	73,2035 litre	O
380	CM	85	CM 164 LEVEL CM	8529,1874 litre	98,886 %	96,0552 litre	O
380	CM	85	CM 163 LEVEL CM	8504,4181 litre	98,599 %	120,8245 litre	O
380	CM	85	CM 162 LEVEL CM	8477,8914 litre	98,292 %	147,3512 litre	O
380	CM	85	CM 161 LEVEL CM	8449,7375 litre	97,965 %	175,5051 litre	O
380	CM	85	CM 160 LEVEL CM	8420,0648 litre	97,621 %	205,1778 litre	O
380	CM	85	CM 159 LEVEL CM	8388,9661 litre	97,261 %	236,2765 litre	O
380	CM	85	CM 158 LEVEL CM	8356,5219 litre	96,884 %	268,7207 litre	O
380	CM	85	CM 157 LEVEL CM	8322,8028 litre	96,494 %	302,4398 litre	O
380	CM	85	CM 156 LEVEL CM	8287,8720 litre	96,089 %	337,3706 litre	O
380	CM	85	CM 155 LEVEL CM	8251,7862 litre	95,670 %	373,4564 litre	O
380	CM	85	CM 154 LEVEL CM	8214,5966 litre	95,239 %	410,6460 litre	O
380	CM	85	CM 153 LEVEL CM	8176,3503 litre	94,796 %	448,8923 litre	O
380	CM	85	CM 152 LEVEL CM	8137,0904 litre	94,340 %	488,1522 litre	O
380	CM	85	CM 151 LEVEL CM	8096,8568 litre	93,874 %	528,3858 litre	O
380	CM	85	CM 150 LEVEL CM	8055,6865 litre	93,397 %	569,5561 litre	O
380	CM	85	CM 149 LEVEL CM	8013,6141 litre	92,909 %	611,6285 litre	O
380	CM	85	CM 148 LEVEL CM	7970,6720 litre	92,411 %	654,5706 litre	O
380	CM	85	CM 147 LEVEL CM	7926,8907 litre	91,903 %	698,3519 litre	O
380	CM	85	CM 146 LEVEL CM	7882,2989 litre	91,386 %	742,9437 litre	O
380	CM	85	CM 145 LEVEL CM	7836,9237 litre	90,860 %	788,3189 litre	O
380	CM	85	CM 144 LEVEL CM	7790,7911 litre	90,325 %	834,4515 litre	O
380	CM	85	CM 143 LEVEL CM	7743,9256 litre	89,782 %	881,3170 litre	O
380	CM	85	CM 142 LEVEL CM	7696,3506 litre	89,231 %	928,8920 litre	O
380	CM	85	CM 141 LEVEL CM	7648,0885 litre	88,671 %	977,1541 litre	O
380	CM	85	CM 140 LEVEL CM	7599,1608 litre	88,104 %	1026,0818 litre	O
380	CM	85	CM 139 LEVEL CM	7549,5880 litre	87,529 %	1075,6546 litre	O
380	CM	85	CM 138 LEVEL CM	7499,3899 litre	86,947 %	1125,8527 litre	O
380	CM	85	CM 137 LEVEL CM	7448,5857 litre	86,358 %	1176,6569 litre	O
380	CM	85	CM 136 LEVEL CM	7397,1936 litre	85,762 %	1228,0490 litre	O
380	CM	85	CM 135 LEVEL CM	7345,2315 litre	85,160 %	1280,0111 litre	O
380	CM	85	CM 134 LEVEL CM	7292,7165 litre	84,551 %	1332,5261 litre	O
380	CM	85	CM 133 LEVEL CM	7239,6653 litre	83,936 %	1385,5773 litre	O
380	CM	85	CM 132 LEVEL CM	7186,0941 litre	83,315 %	1439,1485 litre	O
380	CM	85	CM 131 LEVEL CM	7132,0184 litre	82,688 %	1493,2242 litre	O
380	CM	85	CM 130 LEVEL CM	7077,4536 litre	82,055 %	1547,7890 litre	O
380	CM	85	CM 129 LEVEL CM	7022,4145 litre	81,417 %	1602,8281 litre	O
380	CM	85	CM 128 LEVEL CM	6966,9156 litre	80,774 %	1658,3270 litre	O
380	CM	85	CM 127 LEVEL CM	6910,9709 litre	80,125 %	1714,2717 litre	O
380	CM	85	CM 126 LEVEL CM	6854,5943 litre	79,471 %	1770,6483 litre	O
380	CM	85	CM 125 LEVEL CM	6797,7992 litre	78,813 %	1827,4434 litre	O
380	CM	85	CM 124 LEVEL CM	6740,5986 litre	78,150 %	1884,6440 litre	O
380	CM	85	CM 123 LEVEL CM	6683,0057 litre	77,482 %	1942,2369 litre	O
380	CM	85	CM 122 LEVEL CM	6625,0328 litre	76,810 %	2000,2098 litre	O
380	CM	85	CM 121 LEVEL CM	6566,6925 litre	76,133 %	2058,5501 litre	O
380	CM	85	CM 120 LEVEL CM	6507,9968 litre	75,453 %	2117,2458 litre	O
380	CM	85	CM 119 LEVEL CM	6448,9577 litre	74,768 %	2176,2849 litre	O

380	CM	85	CM	118 LEVEL CM	6389,5869 litre	74,080 %	2235,6557 litre	O
380	CM	85	CM	117 LEVEL CM	6329,8960 litre	73,388 %	2295,3466 litre	O
380	CM	85	CM	116 LEVEL CM	6269,8961 litre	72,692 %	2355,3465 litre	O
380	CM	85	CM	115 LEVEL CM	6209,5986 litre	71,993 %	2415,6440 litre	O
380	CM	85	CM	114 LEVEL CM	6149,0144 litre	71,291 %	2476,2282 litre	O
380	CM	85	CM	113 LEVEL CM	6088,1543 litre	70,585 %	2537,0883 litre	O
380	CM	85	CM	112 LEVEL CM	6027,0290 litre	69,877 %	2598,2136 litre	O
380	CM	85	CM	111 LEVEL CM	5965,6492 litre	69,165 %	2659,5934 litre	O
380	CM	85	CM	110 LEVEL CM	5904,0251 litre	68,451 %	2721,2175 litre	O
380	CM	85	CM	109 LEVEL CM	5842,1672 litre	67,733 %	2783,0754 litre	O
380	CM	85	CM	108 LEVEL CM	5780,0856 litre	67,014 %	2845,1570 litre	O
380	CM	85	CM	107 LEVEL CM	5717,7903 litre	66,291 %	2907,4523 litre	O
380	CM	85	CM	106 LEVEL CM	5655,2914 litre	65,567 %	2969,9512 litre	O
380	CM	85	CM	105 LEVEL CM	5592,5987 litre	64,840 %	3032,6439 litre	O
380	CM	85	CM	104 LEVEL CM	5529,7221 litre	64,111 %	3095,5205 litre	O
380	CM	85	CM	103 LEVEL CM	5466,6711 litre	63,380 %	3158,5715 litre	O
380	CM	85	CM	102 LEVEL CM	5403,4554 litre	62,647 %	3221,7872 litre	O
380	CM	85	CM	101 LEVEL CM	5340,0846 litre	61,912 %	3285,1580 litre	O
380	CM	85	CM	100 LEVEL CM	5276,5681 litre	61,176 %	3348,6745 litre	O
380	CM	85	CM	99 LEVEL CM	5212,9154 litre	60,438 %	3412,3272 litre	O
380	CM	85	CM	98 LEVEL CM	5149,1358 litre	59,698 %	3476,1068 litre	O
380	CM	85	CM	97 LEVEL CM	5085,2385 litre	58,958 %	3540,0041 litre	O
380	CM	85	CM	96 LEVEL CM	5021,2329 litre	58,216 %	3604,0097 litre	O
380	CM	85	CM	95 LEVEL CM	4957,1280 litre	57,472 %	3668,1146 litre	O
380	CM	85	CM	94 LEVEL CM	4892,9331 litre	56,728 %	3732,3095 litre	O
380	CM	85	CM	93 LEVEL CM	4828,6573 litre	55,983 %	3796,5853 litre	O
380	CM	85	CM	92 LEVEL CM	4764,3097 litre	55,237 %	3860,9329 litre	O
380	CM	85	CM	91 LEVEL CM	4699,8992 litre	54,490 %	3925,3434 litre	O
380	CM	85	CM	90 LEVEL CM	4635,4349 litre	53,743 %	3989,8077 litre	O
380	CM	85	CM	89 LEVEL CM	4570,9259 litre	52,995 %	4054,3167 litre	O
380	CM	85	CM	88 LEVEL CM	4506,3811 litre	52,246 %	4118,8615 litre	O
380	CM	85	CM	87 LEVEL CM	4441,8094 litre	51,498 %	4183,4332 litre	O
380	CM	85	CM	86 LEVEL CM	4377,2198 litre	50,749 %	4248,0228 litre	O
380	CM	85	CM	85 LEVEL CM	4312,6213 litre	50,000 %	4312,6213 litre	O
380	CM	85	CM	84 LEVEL CM	4248,0228 litre	49,251 %	4377,2198 litre	O
380	CM	85	CM	83 LEVEL CM	4183,4332 litre	48,502 %	4441,8094 litre	O
380	CM	85	CM	82 LEVEL CM	4118,8616 litre	47,754 %	4506,3810 litre	O
380	CM	85	CM	81 LEVEL CM	4054,3167 litre	47,005 %	4570,9259 litre	O
380	CM	85	CM	80 LEVEL CM	3989,8077 litre	46,257 %	4635,4349 litre	O
380	CM	85	CM	79 LEVEL CM	3925,3434 litre	45,510 %	4699,8992 litre	O
380	CM	85	CM	78 LEVEL CM	3860,9330 litre	44,763 %	4764,3096 litre	O
380	CM	85	CM	77 LEVEL CM	3796,5853 litre	44,017 %	4828,6573 litre	O
380	CM	85	CM	76 LEVEL CM	3732,3095 litre	43,272 %	4892,9331 litre	O
380	CM	85	CM	75 LEVEL CM	3668,1146 litre	42,528 %	4957,1280 litre	O
380	CM	85	CM	74 LEVEL CM	3604,0098 litre	41,784 %	5021,2328 litre	O
380	CM	85	CM	73 LEVEL CM	3540,0041 litre	41,042 %	5085,2385 litre	O
380	CM	85	CM	72 LEVEL CM	3476,1069 litre	40,302 %	5149,1357 litre	O
380	CM	85	CM	71 LEVEL CM	3412,3272 litre	39,562 %	5212,9154 litre	O
380	CM	85	CM	70 LEVEL CM	3348,6745 litre	38,824 %	5276,5681 litre	O
380	CM	85	CM	69 LEVEL CM	3285,1580 litre	38,088 %	5340,0846 litre	O
380	CM	85	CM	68 LEVEL CM	3221,7872 litre	37,353 %	5403,4554 litre	O
380	CM	85	CM	67 LEVEL CM	3158,5716 litre	36,620 %	5466,6710 litre	O
380	CM	85	CM	66 LEVEL CM	3095,5206 litre	35,889 %	5529,7220 litre	O

380	CM	85	CM	65 LEVEL CM	3032,6439 litre	35,160 %	5592,5987 litre	O
380	CM	85	CM	64 LEVEL CM	2969,9512 litre	34,433 %	5655,2914 litre	O
380	CM	85	CM	63 LEVEL CM	2907,4523 litre	33,709 %	5717,7903 litre	O
380	CM	85	CM	62 LEVEL CM	2845,1571 litre	32,986 %	5780,0855 litre	O
380	CM	85	CM	61 LEVEL CM	2783,0754 litre	32,267 %	5842,1672 litre	O
380	CM	85	CM	60 LEVEL CM	2721,2175 litre	31,549 %	5904,0251 litre	O
380	CM	85	CM	59 LEVEL CM	2659,5935 litre	30,835 %	5965,6491 litre	O
380	CM	85	CM	58 LEVEL CM	2598,2136 litre	30,123 %	6027,0290 litre	O
380	CM	85	CM	57 LEVEL CM	2537,0884 litre	29,415 %	6088,1542 litre	O
380	CM	85	CM	56 LEVEL CM	2476,2283 litre	28,709 %	6149,0143 litre	O
380	CM	85	CM	55 LEVEL CM	2415,6440 litre	28,007 %	6209,5986 litre	O
380	CM	85	CM	54 LEVEL CM	2355,3465 litre	27,308 %	6269,8961 litre	O
380	CM	85	CM	53 LEVEL CM	2295,3467 litre	26,612 %	6329,8959 litre	O
380	CM	85	CM	52 LEVEL CM	2235,6557 litre	25,920 %	6389,5869 litre	O
380	CM	85	CM	51 LEVEL CM	2176,2849 litre	25,232 %	6448,9577 litre	O
380	CM	85	CM	50 LEVEL CM	2117,2458 litre	24,547 %	6507,9968 litre	O
380	CM	85	CM	49 LEVEL CM	2058,5501 litre	23,867 %	6566,6925 litre	O
380	CM	85	CM	48 LEVEL CM	2000,2098 litre	23,190 %	6625,0328 litre	O
380	CM	85	CM	47 LEVEL CM	1942,2370 litre	22,518 %	6683,0056 litre	O
380	CM	85	CM	46 LEVEL CM	1884,6440 litre	21,850 %	6740,5986 litre	O
380	CM	85	CM	45 LEVEL CM	1827,4435 litre	21,187 %	6797,7991 litre	O
380	CM	85	CM	44 LEVEL CM	1770,6483 litre	20,529 %	6854,5943 litre	O
380	CM	85	CM	43 LEVEL CM	1714,2717 litre	19,875 %	6910,9709 litre	O
380	CM	85	CM	42 LEVEL CM	1658,3270 litre	19,226 %	6966,9156 litre	O
380	CM	85	CM	41 LEVEL CM	1602,8281 litre	18,583 %	7022,4145 litre	O
380	CM	85	CM	40 LEVEL CM	1547,7890 litre	17,945 %	7077,4536 litre	O
380	CM	85	CM	39 LEVEL CM	1493,2242 litre	17,312 %	7132,0184 litre	O
380	CM	85	CM	38 LEVEL CM	1439,1486 litre	16,685 %	7186,0940 litre	O
380	CM	85	CM	37 LEVEL CM	1385,5773 litre	16,064 %	7239,6653 litre	O
380	CM	85	CM	36 LEVEL CM	1332,5261 litre	15,449 %	7292,7165 litre	O
380	CM	85	CM	35 LEVEL CM	1280,0111 litre	14,840 %	7345,2315 litre	O
380	CM	85	CM	34 LEVEL CM	1228,0490 litre	14,238 %	7397,1936 litre	O
380	CM	85	CM	33 LEVEL CM	1176,6570 litre	13,642 %	7448,5856 litre	O
380	CM	85	CM	32 LEVEL CM	1125,8527 litre	13,053 %	7499,3899 litre	O
380	CM	85	CM	31 LEVEL CM	1075,6546 litre	12,471 %	7549,5880 litre	O
380	CM	85	CM	30 LEVEL CM	1026,0819 litre	11,896 %	7599,1607 litre	O
380	CM	85	CM	29 LEVEL CM	977,1541 litre	11,329 %	7648,0885 litre	O
380	CM	85	CM	28 LEVEL CM	928,8920 litre	10,769 %	7696,3506 litre	O
380	CM	85	CM	27 LEVEL CM	881,3170 litre	10,218 %	7743,9256 litre	O
380	CM	85	CM	26 LEVEL CM	834,4515 litre	9,675 %	7790,7911 litre	O
380	CM	85	CM	25 LEVEL CM	788,3189 litre	9,140 %	7836,9237 litre	O
380	CM	85	CM	24 LEVEL CM	742,9438 litre	8,614 %	7882,2988 litre	O
380	CM	85	CM	23 LEVEL CM	698,3519 litre	8,097 %	7926,8907 litre	O
380	CM	85	CM	22 LEVEL CM	654,5706 litre	7,589 %	7970,6720 litre	O
380	CM	85	CM	21 LEVEL CM	611,6285 litre	7,091 %	8013,6141 litre	O
380	CM	85	CM	20 LEVEL CM	569,5561 litre	6,603 %	8055,6865 litre	O
380	CM	85	CM	19 LEVEL CM	528,3858 litre	6,126 %	8096,8568 litre	O
380	CM	85	CM	18 LEVEL CM	488,1522 litre	5,660 %	8137,0904 litre	O
380	CM	85	CM	17 LEVEL CM	448,8923 litre	5,204 %	8176,3503 litre	O
380	CM	85	CM	16 LEVEL CM	410,6460 litre	4,761 %	8214,5966 litre	O
380	CM	85	CM	15 LEVEL CM	373,4565 litre	4,330 %	8251,7861 litre	O
380	CM	85	CM	14 LEVEL CM	337,3706 litre	3,911 %	8287,8720 litre	O
380	CM	85	CM	13 LEVEL CM	302,4398 litre	3,506 %	8322,8028 litre	O

380	CM	85	CM	12 LEVEL CM	268,7208 litre	3,116 %	8356,5218 litre	O
380	CM	85	CM	11 LEVEL CM	236,2765 litre	2,739 %	8388,9661 litre	O
380	CM	85	CM	10 LEVEL CM	205,1778 litre	2,379 %	8420,0648 litre	O
380	CM	85	CM	9 LEVEL CM	175,5052 litre	2,035 %	8449,7374 litre	O
380	CM	85	CM	8 LEVEL CM	147,3512 litre	1,708 %	8477,8914 litre	O
380	CM	85	CM	7 LEVEL CM	120,8245 litre	1,401 %	8504,4181 litre	O
380	CM	85	CM	6 LEVEL CM	96,0552 litre	1,114 %	8529,1874 litre	O
380	CM	85	CM	5 LEVEL CM	73,2036 litre	0,849 %	8552,0390 litre	O
380	CM	85	CM	4 LEVEL CM	52,4744 litre	0,608 %	8572,7682 litre	O
380	CM	85	CM	3 LEVEL CM	34,1441 litre	0,396 %	8591,0985 litre	O
380	CM	85	CM	2 LEVEL CM	18,6189 litre	0,216 %	8606,6237 litre	O
380	CM	85	CM	1 LEVEL CM	6,5945 litre	0,076 %	8618,6481 litre	O
380	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	8625,2426 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 80	CM 160 LEVEL CM	7640,3533 litre	100,000 %	0,0000 litre	O
380	CM 80	CM 159 LEVEL CM	7633,9565 litre	99,916 %	6,3968 litre	O
380	CM 80	CM 158 LEVEL CM	7622,2944 litre	99,764 %	18,0589 litre	O
380	CM 80	CM 157 LEVEL CM	7607,2398 litre	99,567 %	33,1135 litre	O
380	CM 80	CM 156 LEVEL CM	7589,4685 litre	99,334 %	50,8848 litre	O
380	CM 80	CM 155 LEVEL CM	7569,3754 litre	99,071 %	70,9779 litre	O
380	CM 80	CM 154 LEVEL CM	7547,2292 litre	98,781 %	93,1241 litre	O
380	CM 80	CM 153 LEVEL CM	7523,2294 litre	98,467 %	117,1239 litre	O
380	CM 80	CM 152 LEVEL CM	7497,5319 litre	98,131 %	142,8214 litre	O
380	CM 80	CM 151 LEVEL CM	7470,2635 litre	97,774 %	170,0898 litre	O
380	CM 80	CM 150 LEVEL CM	7441,5301 litre	97,398 %	198,8232 litre	O
380	CM 80	CM 149 LEVEL CM	7411,4221 litre	97,004 %	228,9312 litre	O
380	CM 80	CM 148 LEVEL CM	7380,0181 litre	96,593 %	260,3352 litre	O
380	CM 80	CM 147 LEVEL CM	7347,3871 litre	96,166 %	292,9662 litre	O
380	CM 80	CM 146 LEVEL CM	7313,5907 litre	95,723 %	326,7626 litre	O
380	CM 80	CM 145 LEVEL CM	7278,6845 litre	95,266 %	361,6688 litre	O
380	CM 80	CM 144 LEVEL CM	7242,7186 litre	94,796 %	397,6347 litre	O
380	CM 80	CM 143 LEVEL CM	7205,7392 litre	94,312 %	434,6141 litre	O
380	CM 80	CM 142 LEVEL CM	7167,7883 litre	93,815 %	472,5650 litre	O
380	CM 80	CM 141 LEVEL CM	7128,9052 litre	93,306 %	511,4481 litre	O
380	CM 80	CM 140 LEVEL CM	7089,1262 litre	92,785 %	551,2271 litre	O
380	CM 80	CM 139 LEVEL CM	7048,4853 litre	92,253 %	591,8680 litre	O
380	CM 80	CM 138 LEVEL CM	7007,0143 litre	91,711 %	633,3390 litre	O
380	CM 80	CM 137 LEVEL CM	6964,7432 litre	91,157 %	675,6101 litre	O
380	CM 80	CM 136 LEVEL CM	6921,7002 litre	90,594 %	718,6531 litre	O
380	CM 80	CM 135 LEVEL CM	6877,9121 litre	90,021 %	762,4412 litre	O
380	CM 80	CM 134 LEVEL CM	6833,4044 litre	89,438 %	806,9489 litre	O
380	CM 80	CM 133 LEVEL CM	6788,2013 litre	88,847 %	852,1520 litre	O
380	CM 80	CM 132 LEVEL CM	6742,3260 litre	88,246 %	898,0273 litre	O
380	CM 80	CM 131 LEVEL CM	6695,8006 litre	87,637 %	944,5527 litre	O
380	CM 80	CM 130 LEVEL CM	6648,6462 litre	87,020 %	991,7071 litre	O
380	CM 80	CM 129 LEVEL CM	6600,8832 litre	86,395 %	1039,4701 litre	O
380	CM 80	CM 128 LEVEL CM	6552,5314 litre	85,762 %	1087,8219 litre	O
380	CM 80	CM 127 LEVEL CM	6503,6094 litre	85,122 %	1136,7439 litre	O
380	CM 80	CM 126 LEVEL CM	6454,1357 litre	84,474 %	1186,2176 litre	O
380	CM 80	CM 125 LEVEL CM	6404,1278 litre	83,820 %	1236,2255 litre	O
380	CM 80	CM 124 LEVEL CM	6353,6027 litre	83,158 %	1286,7506 litre	O
380	CM 80	CM 123 LEVEL CM	6302,5772 litre	82,491 %	1337,7761 litre	O
380	CM 80	CM 122 LEVEL CM	6251,0671 litre	81,816 %	1389,2862 litre	O
380	CM 80	CM 121 LEVEL CM	6199,0883 litre	81,136 %	1441,2650 litre	O
380	CM 80	CM 120 LEVEL CM	6146,6558 litre	80,450 %	1493,6975 litre	O
380	CM 80	CM 119 LEVEL CM	6093,7845 litre	79,758 %	1546,5688 litre	O
380	CM 80	CM 118 LEVEL CM	6040,4888 litre	79,060 %	1599,8645 litre	O
380	CM 80	CM 117 LEVEL CM	5986,7828 litre	78,357 %	1653,5705 litre	O
380	CM 80	CM 116 LEVEL CM	5932,6804 litre	77,649 %	1707,6729 litre	O
380	CM 80	CM 115 LEVEL CM	5878,1950 litre	76,936 %	1762,1583 litre	O
380	CM 80	CM 114 LEVEL CM	5823,3398 litre	76,218 %	1817,0135 litre	O
380	CM 80	CM 113 LEVEL CM	5768,1278 litre	75,496 %	1872,2255 litre	O
380	CM 80	CM 112 LEVEL CM	5712,5716 litre	74,768 %	1927,7817 litre	O
380	CM 80	CM 111 LEVEL CM	5656,6836 litre	74,037 %	1983,6697 litre	O
380	CM 80	CM 110 LEVEL CM	5600,4762 litre	73,301 %	2039,8771 litre	O
380	CM 80	CM 109 LEVEL CM	5543,9614 litre	72,562 %	2096,3919 litre	O

380	CM	80	CM	108 LEVEL CM	5487,1509 litre	71,818 %	2153,2024 litre	O
380	CM	80	CM	107 LEVEL CM	5430,0565 litre	71,071 %	2210,2968 litre	O
380	CM	80	CM	106 LEVEL CM	5372,6895 litre	70,320 %	2267,6638 litre	O
380	CM	80	CM	105 LEVEL CM	5315,0614 litre	69,566 %	2325,2919 litre	O
380	CM	80	CM	104 LEVEL CM	5257,1832 litre	68,808 %	2383,1701 litre	O
380	CM	80	CM	103 LEVEL CM	5199,0661 litre	68,047 %	2441,2872 litre	O
380	CM	80	CM	102 LEVEL CM	5140,7207 litre	67,284 %	2499,6326 litre	O
380	CM	80	CM	101 LEVEL CM	5082,1580 litre	66,517 %	2558,1953 litre	O
380	CM	80	CM	100 LEVEL CM	5023,3885 litre	65,748 %	2616,9648 litre	O
380	CM	80	CM	99 LEVEL CM	4964,4228 litre	64,976 %	2675,9305 litre	O
380	CM	80	CM	98 LEVEL CM	4905,2712 litre	64,202 %	2735,0821 litre	O
380	CM	80	CM	97 LEVEL CM	4845,9442 litre	63,426 %	2794,4091 litre	O
380	CM	80	CM	96 LEVEL CM	4786,4519 litre	62,647 %	2853,9014 litre	O
380	CM	80	CM	95 LEVEL CM	4726,8044 litre	61,866 %	2913,5489 litre	O
380	CM	80	CM	94 LEVEL CM	4667,0118 litre	61,084 %	2973,3415 litre	O
380	CM	80	CM	93 LEVEL CM	4607,0842 litre	60,299 %	3033,2691 litre	O
380	CM	80	CM	92 LEVEL CM	4547,0314 litre	59,513 %	3093,3219 litre	O
380	CM	80	CM	91 LEVEL CM	4486,8632 litre	58,726 %	3153,4901 litre	O
380	CM	80	CM	90 LEVEL CM	4426,5896 litre	57,937 %	3213,7637 litre	O
380	CM	80	CM	89 LEVEL CM	4366,2202 litre	57,147 %	3274,1331 litre	O
380	CM	80	CM	88 LEVEL CM	4305,7648 litre	56,356 %	3334,5885 litre	O
380	CM	80	CM	87 LEVEL CM	4245,2330 litre	55,563 %	3395,1203 litre	O
380	CM	80	CM	86 LEVEL CM	4184,6344 litre	54,770 %	3455,7189 litre	O
380	CM	80	CM	85 LEVEL CM	4123,9786 litre	53,976 %	3516,3747 litre	O
380	CM	80	CM	84 LEVEL CM	4063,2753 litre	53,182 %	3577,0780 litre	O
380	CM	80	CM	83 LEVEL CM	4002,5339 litre	52,387 %	3637,8194 litre	O
380	CM	80	CM	82 LEVEL CM	3941,7640 litre	51,591 %	3698,5893 litre	O
380	CM	80	CM	81 LEVEL CM	3880,9751 litre	50,796 %	3759,3782 litre	O
380	CM	80	CM	80 LEVEL CM	3820,1767 litre	50,000 %	3820,1766 litre	O
380	CM	80	CM	79 LEVEL CM	3759,3783 litre	49,204 %	3880,9750 litre	O
380	CM	80	CM	78 LEVEL CM	3698,5893 litre	48,409 %	3941,7640 litre	O
380	CM	80	CM	77 LEVEL CM	3637,8194 litre	47,613 %	4002,5339 litre	O
380	CM	80	CM	76 LEVEL CM	3577,0780 litre	46,818 %	4063,2753 litre	O
380	CM	80	CM	75 LEVEL CM	3516,3747 litre	46,024 %	4123,9786 litre	O
380	CM	80	CM	74 LEVEL CM	3455,7190 litre	45,230 %	4184,6343 litre	O
380	CM	80	CM	73 LEVEL CM	3395,1204 litre	44,437 %	4245,2329 litre	O
380	CM	80	CM	72 LEVEL CM	3334,5886 litre	43,644 %	4305,7647 litre	O
380	CM	80	CM	71 LEVEL CM	3274,1331 litre	42,853 %	4366,2202 litre	O
380	CM	80	CM	70 LEVEL CM	3213,7637 litre	42,063 %	4426,5896 litre	O
380	CM	80	CM	69 LEVEL CM	3153,4901 litre	41,274 %	4486,8632 litre	O
380	CM	80	CM	68 LEVEL CM	3093,3220 litre	40,487 %	4547,0313 litre	O
380	CM	80	CM	67 LEVEL CM	3033,2692 litre	39,701 %	4607,0841 litre	O
380	CM	80	CM	66 LEVEL CM	2973,3415 litre	38,916 %	4667,0118 litre	O
380	CM	80	CM	65 LEVEL CM	2913,5490 litre	38,134 %	4726,8043 litre	O
380	CM	80	CM	64 LEVEL CM	2853,9015 litre	37,353 %	4786,4518 litre	O
380	CM	80	CM	63 LEVEL CM	2794,4091 litre	36,574 %	4845,9442 litre	O
380	CM	80	CM	62 LEVEL CM	2735,0821 litre	35,798 %	4905,2712 litre	O
380	CM	80	CM	61 LEVEL CM	2675,9305 litre	35,024 %	4964,4228 litre	O
380	CM	80	CM	60 LEVEL CM	2616,9648 litre	34,252 %	5023,3885 litre	O
380	CM	80	CM	59 LEVEL CM	2558,1953 litre	33,483 %	5082,1580 litre	O
380	CM	80	CM	58 LEVEL CM	2499,6326 litre	32,716 %	5140,7207 litre	O
380	CM	80	CM	57 LEVEL CM	2441,2873 litre	31,953 %	5199,0660 litre	O
380	CM	80	CM	56 LEVEL CM	2383,1701 litre	31,192 %	5257,1832 litre	O

380	CM	80	CM	55 LEVEL CM	2325,2919 litre	30,434 %	5315,0614 litre	O
380	CM	80	CM	54 LEVEL CM	2267,6638 litre	29,680 %	5372,6895 litre	O
380	CM	80	CM	53 LEVEL CM	2210,2968 litre	28,929 %	5430,0565 litre	O
380	CM	80	CM	52 LEVEL CM	2153,2024 litre	28,182 %	5487,1509 litre	O
380	CM	80	CM	51 LEVEL CM	2096,3919 litre	27,438 %	5543,9614 litre	O
380	CM	80	CM	50 LEVEL CM	2039,8771 litre	26,699 %	5600,4762 litre	O
380	CM	80	CM	49 LEVEL CM	1983,6697 litre	25,963 %	5656,6836 litre	O
380	CM	80	CM	48 LEVEL CM	1927,7818 litre	25,232 %	5712,5715 litre	O
380	CM	80	CM	47 LEVEL CM	1872,2256 litre	24,504 %	5768,1277 litre	O
380	CM	80	CM	46 LEVEL CM	1817,0135 litre	23,782 %	5823,3398 litre	O
380	CM	80	CM	45 LEVEL CM	1762,1583 litre	23,064 %	5878,1950 litre	O
380	CM	80	CM	44 LEVEL CM	1707,6729 litre	22,351 %	5932,6804 litre	O
380	CM	80	CM	43 LEVEL CM	1653,5705 litre	21,643 %	5986,7828 litre	O
380	CM	80	CM	42 LEVEL CM	1599,8646 litre	20,940 %	6040,4887 litre	O
380	CM	80	CM	41 LEVEL CM	1546,5689 litre	20,242 %	6093,7844 litre	O
380	CM	80	CM	40 LEVEL CM	1493,6976 litre	19,550 %	6146,6557 litre	O
380	CM	80	CM	39 LEVEL CM	1441,2651 litre	18,864 %	6199,0882 litre	O
380	CM	80	CM	38 LEVEL CM	1389,2862 litre	18,184 %	6251,0671 litre	O
380	CM	80	CM	37 LEVEL CM	1337,7762 litre	17,509 %	6302,5771 litre	O
380	CM	80	CM	36 LEVEL CM	1286,7506 litre	16,842 %	6353,6027 litre	O
380	CM	80	CM	35 LEVEL CM	1236,2256 litre	16,180 %	6404,1277 litre	O
380	CM	80	CM	34 LEVEL CM	1186,2177 litre	15,526 %	6454,1356 litre	O
380	CM	80	CM	33 LEVEL CM	1136,7439 litre	14,878 %	6503,6094 litre	O
380	CM	80	CM	32 LEVEL CM	1087,8220 litre	14,238 %	6552,5313 litre	O
380	CM	80	CM	31 LEVEL CM	1039,4701 litre	13,605 %	6600,8832 litre	O
380	CM	80	CM	30 LEVEL CM	991,7072 litre	12,980 %	6648,6461 litre	O
380	CM	80	CM	29 LEVEL CM	944,5528 litre	12,363 %	6695,8005 litre	O
380	CM	80	CM	28 LEVEL CM	898,0273 litre	11,754 %	6742,3260 litre	O
380	CM	80	CM	27 LEVEL CM	852,1520 litre	11,153 %	6788,2013 litre	O
380	CM	80	CM	26 LEVEL CM	806,9489 litre	10,562 %	6833,4044 litre	O
380	CM	80	CM	25 LEVEL CM	762,4412 litre	9,979 %	6877,9121 litre	O
380	CM	80	CM	24 LEVEL CM	718,6532 litre	9,406 %	6921,7001 litre	O
380	CM	80	CM	23 LEVEL CM	675,6102 litre	8,843 %	6964,7431 litre	O
380	CM	80	CM	22 LEVEL CM	633,3390 litre	8,289 %	7007,0143 litre	O
380	CM	80	CM	21 LEVEL CM	591,8680 litre	7,747 %	7048,4853 litre	O
380	CM	80	CM	20 LEVEL CM	551,2271 litre	7,215 %	7089,1262 litre	O
380	CM	80	CM	19 LEVEL CM	511,4481 litre	6,694 %	7128,9052 litre	O
380	CM	80	CM	18 LEVEL CM	472,5650 litre	6,185 %	7167,7883 litre	O
380	CM	80	CM	17 LEVEL CM	434,6142 litre	5,688 %	7205,7391 litre	O
380	CM	80	CM	16 LEVEL CM	397,6347 litre	5,204 %	7242,7186 litre	O
380	CM	80	CM	15 LEVEL CM	361,6689 litre	4,734 %	7278,6844 litre	O
380	CM	80	CM	14 LEVEL CM	326,7626 litre	4,277 %	7313,5907 litre	O
380	CM	80	CM	13 LEVEL CM	292,9663 litre	3,834 %	7347,3870 litre	O
380	CM	80	CM	12 LEVEL CM	260,3353 litre	3,407 %	7380,0180 litre	O
380	CM	80	CM	11 LEVEL CM	228,9312 litre	2,996 %	7411,4221 litre	O
380	CM	80	CM	10 LEVEL CM	198,8232 litre	2,602 %	7441,5301 litre	O
380	CM	80	CM	9 LEVEL CM	170,0898 litre	2,226 %	7470,2635 litre	O
380	CM	80	CM	8 LEVEL CM	142,8214 litre	1,869 %	7497,5319 litre	O
380	CM	80	CM	7 LEVEL CM	117,1239 litre	1,533 %	7523,2294 litre	O
380	CM	80	CM	6 LEVEL CM	93,1241 litre	1,219 %	7547,2292 litre	O
380	CM	80	CM	5 LEVEL CM	70,9779 litre	0,929 %	7569,3754 litre	O
380	CM	80	CM	4 LEVEL CM	50,8848 litre	0,666 %	7589,4685 litre	O
380	CM	80	CM	3 LEVEL CM	33,1136 litre	0,433 %	7607,2397 litre	O

380_80

-1741-

380	CM 80	CM	2 LEVEL CM	18,0589 litre	0,236 %	7622,2944 litre	O
380	CM 80	CM	1 LEVEL CM	6,3969 litre	0,084 %	7633,9564 litre	O
380	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	7640,3533 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 75	CM 150	LEVEL CM 6715,1543 litre	100,000 %	0,0000 litre	O
380	CM 75	CM 149	LEVEL CM 6708,9613 litre	99,908 %	6,1930 litre	O
380	CM 75	CM 148	LEVEL CM 6697,6732 litre	99,740 %	17,4811 litre	O
380	CM 75	CM 147	LEVEL CM 6683,1044 litre	99,523 %	32,0499 litre	O
380	CM 75	CM 146	LEVEL CM 6665,9104 litre	99,267 %	49,2439 litre	O
380	CM 75	CM 145	LEVEL CM 6646,4741 litre	98,977 %	68,6802 litre	O
380	CM 75	CM 144	LEVEL CM 6625,0566 litre	98,658 %	90,0977 litre	O
380	CM 75	CM 143	LEVEL CM 6601,8518 litre	98,313 %	113,3025 litre	O
380	CM 75	CM 142	LEVEL CM 6577,0111 litre	97,943 %	138,1432 litre	O
380	CM 75	CM 141	LEVEL CM 6550,6581 litre	97,550 %	164,4962 litre	O
380	CM 75	CM 140	LEVEL CM 6522,8957 litre	97,137 %	192,2586 litre	O
380	CM 75	CM 139	LEVEL CM 6493,8122 litre	96,704 %	221,3421 litre	O
380	CM 75	CM 138	LEVEL CM 6463,4839 litre	96,252 %	251,6704 litre	O
380	CM 75	CM 137	LEVEL CM 6431,9785 litre	95,783 %	283,1758 litre	O
380	CM 75	CM 136	LEVEL CM 6399,3560 litre	95,297 %	315,7983 litre	O
380	CM 75	CM 135	LEVEL CM 6365,6707 litre	94,796 %	349,4836 litre	O
380	CM 75	CM 134	LEVEL CM 6330,9717 litre	94,279 %	384,1826 litre	O
380	CM 75	CM 133	LEVEL CM 6295,3040 litre	93,748 %	419,8503 litre	O
380	CM 75	CM 132	LEVEL CM 6258,7090 litre	93,203 %	456,4453 litre	O
380	CM 75	CM 131	LEVEL CM 6221,2250 litre	92,645 %	493,9293 litre	O
380	CM 75	CM 130	LEVEL CM 6182,8878 litre	92,074 %	532,2665 litre	O
380	CM 75	CM 129	LEVEL CM 6143,7307 litre	91,491 %	571,4236 litre	O
380	CM 75	CM 128	LEVEL CM 6103,7849 litre	90,896 %	611,3694 litre	O
380	CM 75	CM 127	LEVEL CM 6063,0799 litre	90,290 %	652,0744 litre	O
380	CM 75	CM 126	LEVEL CM 6021,6436 litre	89,672 %	693,5107 litre	O
380	CM 75	CM 125	LEVEL CM 5979,5023 litre	89,045 %	735,6520 litre	O
380	CM 75	CM 124	LEVEL CM 5936,6812 litre	88,407 %	778,4731 litre	O
380	CM 75	CM 123	LEVEL CM 5893,2041 litre	87,760 %	821,9502 litre	O
380	CM 75	CM 122	LEVEL CM 5849,0939 litre	87,103 %	866,0604 litre	O
380	CM 75	CM 121	LEVEL CM 5804,3724 litre	86,437 %	910,7819 litre	O
380	CM 75	CM 120	LEVEL CM 5759,0608 litre	85,762 %	956,0935 litre	O
380	CM 75	CM 119	LEVEL CM 5713,1790 litre	85,079 %	1001,9753 litre	O
380	CM 75	CM 118	LEVEL CM 5666,7467 litre	84,387 %	1048,4076 litre	O
380	CM 75	CM 117	LEVEL CM 5619,7824 litre	83,688 %	1095,3719 litre	O
380	CM 75	CM 116	LEVEL CM 5572,3045 litre	82,981 %	1142,8498 litre	O
380	CM 75	CM 115	LEVEL CM 5524,3303 litre	82,267 %	1190,8240 litre	O
380	CM 75	CM 114	LEVEL CM 5475,8769 litre	81,545 %	1239,2774 litre	O
380	CM 75	CM 113	LEVEL CM 5426,9607 litre	80,817 %	1288,1936 litre	O
380	CM 75	CM 112	LEVEL CM 5377,5979 litre	80,082 %	1337,5564 litre	O
380	CM 75	CM 111	LEVEL CM 5327,8041 litre	79,340 %	1387,3502 litre	O
380	CM 75	CM 110	LEVEL CM 5277,5943 litre	78,592 %	1437,5600 litre	O
380	CM 75	CM 109	LEVEL CM 5226,9836 litre	77,839 %	1488,1707 litre	O
380	CM 75	CM 108	LEVEL CM 5175,9862 litre	77,079 %	1539,1681 litre	O
380	CM 75	CM 107	LEVEL CM 5124,6165 litre	76,314 %	1590,5378 litre	O
380	CM 75	CM 106	LEVEL CM 5072,8882 litre	75,544 %	1642,2661 litre	O
380	CM 75	CM 105	LEVEL CM 5020,8149 litre	74,768 %	1694,3394 litre	O
380	CM 75	CM 104	LEVEL CM 4968,4098 litre	73,988 %	1746,7445 litre	O
380	CM 75	CM 103	LEVEL CM 4915,6861 litre	73,203 %	1799,4682 litre	O
380	CM 75	CM 102	LEVEL CM 4862,6566 litre	72,413 %	1852,4977 litre	O
380	CM 75	CM 101	LEVEL CM 4809,3337 litre	71,619 %	1905,8206 litre	O
380	CM 75	CM 100	LEVEL CM 4755,7300 litre	70,821 %	1959,4243 litre	O
380	CM 75	CM 99	LEVEL CM 4701,8575 litre	70,019 %	2013,2968 litre	O

380	CM	75	CM	98 LEVEL CM	4647,7284 litre	69,213 %	2067,4259 litre	O
380	CM	75	CM	97 LEVEL CM	4593,3543 litre	68,403 %	2121,8000 litre	O
380	CM	75	CM	96 LEVEL CM	4538,7471 litre	67,590 %	2176,4072 litre	O
380	CM	75	CM	95 LEVEL CM	4483,9181 litre	66,773 %	2231,2362 litre	O
380	CM	75	CM	94 LEVEL CM	4428,8789 litre	65,953 %	2286,2754 litre	O
380	CM	75	CM	93 LEVEL CM	4373,6406 litre	65,131 %	2341,5137 litre	O
380	CM	75	CM	92 LEVEL CM	4318,2145 litre	64,306 %	2396,9398 litre	O
380	CM	75	CM	91 LEVEL CM	4262,6114 litre	63,477 %	2452,5429 litre	O
380	CM	75	CM	90 LEVEL CM	4206,8425 litre	62,647 %	2508,3118 litre	O
380	CM	75	CM	89 LEVEL CM	4150,9183 litre	61,814 %	2564,2360 litre	O
380	CM	75	CM	88 LEVEL CM	4094,8498 litre	60,979 %	2620,3045 litre	O
380	CM	75	CM	87 LEVEL CM	4038,6474 litre	60,142 %	2676,5069 litre	O
380	CM	75	CM	86 LEVEL CM	3982,3219 litre	59,304 %	2732,8324 litre	O
380	CM	75	CM	85 LEVEL CM	3925,8837 litre	58,463 %	2789,2706 litre	O
380	CM	75	CM	84 LEVEL CM	3869,3433 litre	57,621 %	2845,8110 litre	O
380	CM	75	CM	83 LEVEL CM	3812,7110 litre	56,778 %	2902,4433 litre	O
380	CM	75	CM	82 LEVEL CM	3755,9971 litre	55,933 %	2959,1572 litre	O
380	CM	75	CM	81 LEVEL CM	3699,2120 litre	55,088 %	3015,9423 litre	O
380	CM	75	CM	80 LEVEL CM	3642,3659 litre	54,241 %	3072,7884 litre	O
380	CM	75	CM	79 LEVEL CM	3585,4690 litre	53,394 %	3129,6853 litre	O
380	CM	75	CM	78 LEVEL CM	3528,5315 litre	52,546 %	3186,6228 litre	O
380	CM	75	CM	77 LEVEL CM	3471,5636 litre	51,697 %	3243,5907 litre	O
380	CM	75	CM	76 LEVEL CM	3414,5755 litre	50,849 %	3300,5788 litre	O
380	CM	75	CM	75 LEVEL CM	3357,5771 litre	50,000 %	3357,5772 litre	O
380	CM	75	CM	74 LEVEL CM	3300,5788 litre	49,151 %	3414,5755 litre	O
380	CM	75	CM	73 LEVEL CM	3243,5907 litre	48,303 %	3471,5636 litre	O
380	CM	75	CM	72 LEVEL CM	3186,6228 litre	47,454 %	3528,5315 litre	O
380	CM	75	CM	71 LEVEL CM	3129,6853 litre	46,606 %	3585,4690 litre	O
380	CM	75	CM	70 LEVEL CM	3072,7884 litre	45,759 %	3642,3659 litre	O
380	CM	75	CM	69 LEVEL CM	3015,9423 litre	44,912 %	3699,2120 litre	O
380	CM	75	CM	68 LEVEL CM	2959,1572 litre	44,067 %	3755,9971 litre	O
380	CM	75	CM	67 LEVEL CM	2902,4433 litre	43,222 %	3812,7110 litre	O
380	CM	75	CM	66 LEVEL CM	2845,8110 litre	42,379 %	3869,3433 litre	O
380	CM	75	CM	65 LEVEL CM	2789,2706 litre	41,537 %	3925,8837 litre	O
380	CM	75	CM	64 LEVEL CM	2732,8324 litre	40,696 %	3982,3219 litre	O
380	CM	75	CM	63 LEVEL CM	2676,5069 litre	39,858 %	4038,6474 litre	O
380	CM	75	CM	62 LEVEL CM	2620,3045 litre	39,021 %	4094,8498 litre	O
380	CM	75	CM	61 LEVEL CM	2564,2360 litre	38,186 %	4150,9183 litre	O
380	CM	75	CM	60 LEVEL CM	2508,3118 litre	37,353 %	4206,8425 litre	O
380	CM	75	CM	59 LEVEL CM	2452,5428 litre	36,523 %	4262,6115 litre	O
380	CM	75	CM	58 LEVEL CM	2396,9398 litre	35,694 %	4318,2145 litre	O
380	CM	75	CM	57 LEVEL CM	2341,5137 litre	34,869 %	4373,6406 litre	O
380	CM	75	CM	56 LEVEL CM	2286,2754 litre	34,047 %	4428,8789 litre	O
380	CM	75	CM	55 LEVEL CM	2231,2362 litre	33,227 %	4483,9181 litre	O
380	CM	75	CM	54 LEVEL CM	2176,4072 litre	32,410 %	4538,7471 litre	O
380	CM	75	CM	53 LEVEL CM	2121,8000 litre	31,597 %	4593,3543 litre	O
380	CM	75	CM	52 LEVEL CM	2067,4259 litre	30,787 %	4647,7284 litre	O
380	CM	75	CM	51 LEVEL CM	2013,2968 litre	29,981 %	4701,8575 litre	O
380	CM	75	CM	50 LEVEL CM	1959,4243 litre	29,179 %	4755,7300 litre	O
380	CM	75	CM	49 LEVEL CM	1905,8206 litre	28,381 %	4809,3337 litre	O
380	CM	75	CM	48 LEVEL CM	1852,4977 litre	27,587 %	4862,6566 litre	O
380	CM	75	CM	47 LEVEL CM	1799,4682 litre	26,797 %	4915,6861 litre	O
380	CM	75	CM	46 LEVEL CM	1746,7445 litre	26,012 %	4968,4098 litre	O

380	CM	75	CM	45 LEVEL CM	1694,3394 litre	25,232 %	5020,8149 litre	O
380	CM	75	CM	44 LEVEL CM	1642,2661 litre	24,456 %	5072,8882 litre	O
380	CM	75	CM	43 LEVEL CM	1590,5378 litre	23,686 %	5124,6165 litre	O
380	CM	75	CM	42 LEVEL CM	1539,1681 litre	22,921 %	5175,9862 litre	O
380	CM	75	CM	41 LEVEL CM	1488,1707 litre	22,161 %	5226,9836 litre	O
380	CM	75	CM	40 LEVEL CM	1437,5600 litre	21,408 %	5277,5943 litre	O
380	CM	75	CM	39 LEVEL CM	1387,3502 litre	20,660 %	5327,8041 litre	O
380	CM	75	CM	38 LEVEL CM	1337,5564 litre	19,918 %	5377,5979 litre	O
380	CM	75	CM	37 LEVEL CM	1288,1936 litre	19,183 %	5426,9607 litre	O
380	CM	75	CM	36 LEVEL CM	1239,2774 litre	18,455 %	5475,8769 litre	O
380	CM	75	CM	35 LEVEL CM	1190,8240 litre	17,733 %	5524,3303 litre	O
380	CM	75	CM	34 LEVEL CM	1142,8498 litre	17,019 %	5572,3045 litre	O
380	CM	75	CM	33 LEVEL CM	1095,3719 litre	16,312 %	5619,7824 litre	O
380	CM	75	CM	32 LEVEL CM	1048,4076 litre	15,613 %	5666,7467 litre	O
380	CM	75	CM	31 LEVEL CM	1001,9753 litre	14,921 %	5713,1790 litre	O
380	CM	75	CM	30 LEVEL CM	956,0935 litre	14,238 %	5759,0608 litre	O
380	CM	75	CM	29 LEVEL CM	910,7819 litre	13,563 %	5804,3724 litre	O
380	CM	75	CM	28 LEVEL CM	866,0604 litre	12,897 %	5849,0939 litre	O
380	CM	75	CM	27 LEVEL CM	821,9502 litre	12,240 %	5893,2041 litre	O
380	CM	75	CM	26 LEVEL CM	778,4731 litre	11,593 %	5936,6812 litre	O
380	CM	75	CM	25 LEVEL CM	735,6520 litre	10,955 %	5979,5023 litre	O
380	CM	75	CM	24 LEVEL CM	693,5107 litre	10,328 %	6021,6436 litre	O
380	CM	75	CM	23 LEVEL CM	652,0744 litre	9,710 %	6063,0799 litre	O
380	CM	75	CM	22 LEVEL CM	611,3694 litre	9,104 %	6103,7849 litre	O
380	CM	75	CM	21 LEVEL CM	571,4236 litre	8,509 %	6143,7307 litre	O
380	CM	75	CM	20 LEVEL CM	532,2665 litre	7,926 %	6182,8878 litre	O
380	CM	75	CM	19 LEVEL CM	493,9293 litre	7,355 %	6221,2250 litre	O
380	CM	75	CM	18 LEVEL CM	456,4453 litre	6,797 %	6258,7090 litre	O
380	CM	75	CM	17 LEVEL CM	419,8503 litre	6,252 %	6295,3040 litre	O
380	CM	75	CM	16 LEVEL CM	384,1826 litre	5,721 %	6330,9717 litre	O
380	CM	75	CM	15 LEVEL CM	349,4836 litre	5,204 %	6365,6707 litre	O
380	CM	75	CM	14 LEVEL CM	315,7983 litre	4,703 %	6399,3560 litre	O
380	CM	75	CM	13 LEVEL CM	283,1758 litre	4,217 %	6431,9785 litre	O
380	CM	75	CM	12 LEVEL CM	251,6704 litre	3,748 %	6463,4839 litre	O
380	CM	75	CM	11 LEVEL CM	221,3421 litre	3,296 %	6493,8122 litre	O
380	CM	75	CM	10 LEVEL CM	192,2586 litre	2,863 %	6522,8957 litre	O
380	CM	75	CM	9 LEVEL CM	164,4962 litre	2,450 %	6550,6581 litre	O
380	CM	75	CM	8 LEVEL CM	138,1431 litre	2,057 %	6577,0112 litre	O
380	CM	75	CM	7 LEVEL CM	113,3025 litre	1,687 %	6601,8518 litre	O
380	CM	75	CM	6 LEVEL CM	90,0977 litre	1,342 %	6625,0566 litre	O
380	CM	75	CM	5 LEVEL CM	68,6802 litre	1,023 %	6646,4741 litre	O
380	CM	75	CM	4 LEVEL CM	49,2439 litre	0,733 %	6665,9104 litre	O
380	CM	75	CM	3 LEVEL CM	32,0499 litre	0,477 %	6683,1044 litre	O
380	CM	75	CM	2 LEVEL CM	17,4811 litre	0,260 %	6697,6732 litre	O
380	CM	75	CM	1 LEVEL CM	6,1929 litre	0,092 %	6708,9614 litre	O
380	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	6715,1543 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 70	CM 140 LEVEL CM	5849,6455 litre	100,000 %	0,0000 litre	O
380	CM 70	CM 139 LEVEL CM	5843,6634 litre	99,898 %	5,9821 litre	O
380	CM 70	CM 138 LEVEL CM	5832,7621 litre	99,711 %	16,8834 litre	O
380	CM 70	CM 137 LEVEL CM	5818,6958 litre	99,471 %	30,9497 litre	O
380	CM 70	CM 136 LEVEL CM	5802,0990 litre	99,187 %	47,5465 litre	O
380	CM 70	CM 135 LEVEL CM	5783,3426 litre	98,867 %	66,3029 litre	O
380	CM 70	CM 134 LEVEL CM	5762,6796 litre	98,513 %	86,9659 litre	O
380	CM 70	CM 133 LEVEL CM	5740,2979 litre	98,131 %	109,3476 litre	O
380	CM 70	CM 132 LEVEL CM	5716,3448 litre	97,721 %	133,3007 litre	O
380	CM 70	CM 131 LEVEL CM	5690,9400 litre	97,287 %	158,7055 litre	O
380	CM 70	CM 130 LEVEL CM	5664,1839 litre	96,830 %	185,4616 litre	O
380	CM 70	CM 129 LEVEL CM	5636,1622 litre	96,350 %	213,4833 litre	O
380	CM 70	CM 128 LEVEL CM	5606,9493 litre	95,851 %	242,6962 litre	O
380	CM 70	CM 127 LEVEL CM	5576,6112 litre	95,332 %	273,0343 litre	O
380	CM 70	CM 126 LEVEL CM	5545,2065 litre	94,796 %	304,4390 litre	O
380	CM 70	CM 125 LEVEL CM	5512,7880 litre	94,241 %	336,8575 litre	O
380	CM 70	CM 124 LEVEL CM	5479,4038 litre	93,671 %	370,2417 litre	O
380	CM 70	CM 123 LEVEL CM	5445,0980 litre	93,084 %	404,5475 litre	O
380	CM 70	CM 122 LEVEL CM	5409,9111 litre	92,483 %	439,7344 litre	O
380	CM 70	CM 121 LEVEL CM	5373,8806 litre	91,867 %	475,7649 litre	O
380	CM 70	CM 120 LEVEL CM	5337,0416 litre	91,237 %	512,6039 litre	O
380	CM 70	CM 119 LEVEL CM	5299,4267 litre	90,594 %	550,2188 litre	O
380	CM 70	CM 118 LEVEL CM	5261,0667 litre	89,938 %	588,5788 litre	O
380	CM 70	CM 117 LEVEL CM	5221,9906 litre	89,270 %	627,6549 litre	O
380	CM 70	CM 116 LEVEL CM	5182,2258 litre	88,590 %	667,4197 litre	O
380	CM 70	CM 115 LEVEL CM	5141,7984 litre	87,899 %	707,8471 litre	O
380	CM 70	CM 114 LEVEL CM	5100,7330 litre	87,197 %	748,9125 litre	O
380	CM 70	CM 113 LEVEL CM	5059,0533 litre	86,485 %	790,5922 litre	O
380	CM 70	CM 112 LEVEL CM	5016,7818 litre	85,762 %	832,8637 litre	O
380	CM 70	CM 111 LEVEL CM	4973,9403 litre	85,030 %	875,7052 litre	O
380	CM 70	CM 110 LEVEL CM	4930,5496 litre	84,288 %	919,0959 litre	O
380	CM 70	CM 109 LEVEL CM	4886,6295 litre	83,537 %	963,0160 litre	O
380	CM 70	CM 108 LEVEL CM	4842,1995 litre	82,778 %	1007,4460 litre	O
380	CM 70	CM 107 LEVEL CM	4797,2782 litre	82,010 %	1052,3673 litre	O
380	CM 70	CM 106 LEVEL CM	4751,8837 litre	81,234 %	1097,7618 litre	O
380	CM 70	CM 105 LEVEL CM	4706,0333 litre	80,450 %	1143,6122 litre	O
380	CM 70	CM 104 LEVEL CM	4659,7442 litre	79,659 %	1189,9013 litre	O
380	CM 70	CM 103 LEVEL CM	4613,0326 litre	78,860 %	1236,6129 litre	O
380	CM 70	CM 102 LEVEL CM	4565,9148 litre	78,055 %	1283,7307 litre	O
380	CM 70	CM 101 LEVEL CM	4518,4063 litre	77,242 %	1331,2392 litre	O
380	CM 70	CM 100 LEVEL CM	4470,5224 litre	76,424 %	1379,1231 litre	O
380	CM 70	CM 99 LEVEL CM	4422,2780 litre	75,599 %	1427,3675 litre	O
380	CM 70	CM 98 LEVEL CM	4373,6876 litre	74,768 %	1475,9579 litre	O
380	CM 70	CM 97 LEVEL CM	4324,7655 litre	73,932 %	1524,8800 litre	O
380	CM 70	CM 96 LEVEL CM	4275,5256 litre	73,090 %	1574,1199 litre	O
380	CM 70	CM 95 LEVEL CM	4225,9817 litre	72,243 %	1623,6638 litre	O
380	CM 70	CM 94 LEVEL CM	4176,1472 litre	71,391 %	1673,4983 litre	O
380	CM 70	CM 93 LEVEL CM	4126,0352 litre	70,535 %	1723,6103 litre	O
380	CM 70	CM 92 LEVEL CM	4075,6589 litre	69,674 %	1773,9866 litre	O
380	CM 70	CM 91 LEVEL CM	4025,0309 litre	68,808 %	1824,6146 litre	O
380	CM 70	CM 90 LEVEL CM	3974,1639 litre	67,939 %	1875,4816 litre	O
380	CM 70	CM 89 LEVEL CM	3923,0703 litre	67,065 %	1926,5752 litre	O

380	CM	70	CM	88 LEVEL CM	3871,7624 litre	66,188 %	1977,8831 litre	O
380	CM	70	CM	87 LEVEL CM	3820,2522 litre	65,307 %	2029,3933 litre	O
380	CM	70	CM	86 LEVEL CM	3768,5518 litre	64,424 %	2081,0937 litre	O
380	CM	70	CM	85 LEVEL CM	3716,6728 litre	63,537 %	2132,9727 litre	O
380	CM	70	CM	84 LEVEL CM	3664,6272 litre	62,647 %	2185,0183 litre	O
380	CM	70	CM	83 LEVEL CM	3612,4264 litre	61,755 %	2237,2191 litre	O
380	CM	70	CM	82 LEVEL CM	3560,0820 litre	60,860 %	2289,5635 litre	O
380	CM	70	CM	81 LEVEL CM	3507,6053 litre	59,963 %	2342,0402 litre	O
380	CM	70	CM	80 LEVEL CM	3455,0077 litre	59,064 %	2394,6378 litre	O
380	CM	70	CM	79 LEVEL CM	3402,3003 litre	58,163 %	2447,3452 litre	O
380	CM	70	CM	78 LEVEL CM	3349,4945 litre	57,260 %	2500,1510 litre	O
380	CM	70	CM	77 LEVEL CM	3296,6012 litre	56,356 %	2553,0443 litre	O
380	CM	70	CM	76 LEVEL CM	3243,6315 litre	55,450 %	2606,0140 litre	O
380	CM	70	CM	75 LEVEL CM	3190,5964 litre	54,543 %	2659,0491 litre	O
380	CM	70	CM	74 LEVEL CM	3137,5069 litre	53,636 %	2712,1386 litre	O
380	CM	70	CM	73 LEVEL CM	3084,3739 litre	52,728 %	2765,2716 litre	O
380	CM	70	CM	72 LEVEL CM	3031,2083 litre	51,819 %	2818,4372 litre	O
380	CM	70	CM	71 LEVEL CM	2978,0210 litre	50,909 %	2871,6245 litre	O
380	CM	70	CM	70 LEVEL CM	2924,8228 litre	50,000 %	2924,8227 litre	O
380	CM	70	CM	69 LEVEL CM	2871,6246 litre	49,091 %	2978,0209 litre	O
380	CM	70	CM	68 LEVEL CM	2818,4372 litre	48,181 %	3031,2083 litre	O
380	CM	70	CM	67 LEVEL CM	2765,2716 litre	47,272 %	3084,3739 litre	O
380	CM	70	CM	66 LEVEL CM	2712,1386 litre	46,364 %	3137,5069 litre	O
380	CM	70	CM	65 LEVEL CM	2659,0491 litre	45,457 %	3190,5964 litre	O
380	CM	70	CM	64 LEVEL CM	2606,0140 litre	44,550 %	3243,6315 litre	O
380	CM	70	CM	63 LEVEL CM	2553,0444 litre	43,644 %	3296,6011 litre	O
380	CM	70	CM	62 LEVEL CM	2500,1511 litre	42,740 %	3349,4944 litre	O
380	CM	70	CM	61 LEVEL CM	2447,3452 litre	41,837 %	3402,3003 litre	O
380	CM	70	CM	60 LEVEL CM	2394,6379 litre	40,936 %	3455,0076 litre	O
380	CM	70	CM	59 LEVEL CM	2342,0402 litre	40,037 %	3507,6053 litre	O
380	CM	70	CM	58 LEVEL CM	2289,5635 litre	39,140 %	3560,0820 litre	O
380	CM	70	CM	57 LEVEL CM	2237,2191 litre	38,245 %	3612,4264 litre	O
380	CM	70	CM	56 LEVEL CM	2185,0183 litre	37,353 %	3664,6272 litre	O
380	CM	70	CM	55 LEVEL CM	2132,9727 litre	36,463 %	3716,6728 litre	O
380	CM	70	CM	54 LEVEL CM	2081,0938 litre	35,576 %	3768,5517 litre	O
380	CM	70	CM	53 LEVEL CM	2029,3933 litre	34,693 %	3820,2522 litre	O
380	CM	70	CM	52 LEVEL CM	1977,8831 litre	33,812 %	3871,7624 litre	O
380	CM	70	CM	51 LEVEL CM	1926,5752 litre	32,935 %	3923,0703 litre	O
380	CM	70	CM	50 LEVEL CM	1875,4816 litre	32,061 %	3974,1639 litre	O
380	CM	70	CM	49 LEVEL CM	1824,6146 litre	31,192 %	4025,0309 litre	O
380	CM	70	CM	48 LEVEL CM	1773,9866 litre	30,326 %	4075,6589 litre	O
380	CM	70	CM	47 LEVEL CM	1723,6103 litre	29,465 %	4126,0352 litre	O
380	CM	70	CM	46 LEVEL CM	1673,4983 litre	28,609 %	4176,1472 litre	O
380	CM	70	CM	45 LEVEL CM	1623,6638 litre	27,757 %	4225,9817 litre	O
380	CM	70	CM	44 LEVEL CM	1574,1199 litre	26,910 %	4275,5256 litre	O
380	CM	70	CM	43 LEVEL CM	1524,8800 litre	26,068 %	4324,7655 litre	O
380	CM	70	CM	42 LEVEL CM	1475,9579 litre	25,232 %	4373,6876 litre	O
380	CM	70	CM	41 LEVEL CM	1427,3675 litre	24,401 %	4422,2780 litre	O
380	CM	70	CM	40 LEVEL CM	1379,1231 litre	23,576 %	4470,5224 litre	O
380	CM	70	CM	39 LEVEL CM	1331,2392 litre	22,758 %	4518,4063 litre	O
380	CM	70	CM	38 LEVEL CM	1283,7307 litre	21,945 %	4565,9148 litre	O
380	CM	70	CM	37 LEVEL CM	1236,6129 litre	21,140 %	4613,0326 litre	O
380	CM	70	CM	36 LEVEL CM	1189,9014 litre	20,341 %	4659,7441 litre	O

380	CM	70	CM	35 LEVEL CM	1143,6122 litre	19,550 %	4706,0333 litre	O
380	CM	70	CM	34 LEVEL CM	1097,7618 litre	18,766 %	4751,8837 litre	O
380	CM	70	CM	33 LEVEL CM	1052,3673 litre	17,990 %	4797,2782 litre	O
380	CM	70	CM	32 LEVEL CM	1007,4460 litre	17,222 %	4842,1995 litre	O
380	CM	70	CM	31 LEVEL CM	963,0160 litre	16,463 %	4886,6295 litre	O
380	CM	70	CM	30 LEVEL CM	919,0960 litre	15,712 %	4930,5495 litre	O
380	CM	70	CM	29 LEVEL CM	875,7052 litre	14,970 %	4973,9403 litre	O
380	CM	70	CM	28 LEVEL CM	832,8637 litre	14,238 %	5016,7818 litre	O
380	CM	70	CM	27 LEVEL CM	790,5923 litre	13,515 %	5059,0532 litre	O
380	CM	70	CM	26 LEVEL CM	748,9126 litre	12,803 %	5100,7329 litre	O
380	CM	70	CM	25 LEVEL CM	707,8472 litre	12,101 %	5141,7983 litre	O
380	CM	70	CM	24 LEVEL CM	667,4197 litre	11,410 %	5182,2258 litre	O
380	CM	70	CM	23 LEVEL CM	627,6549 litre	10,730 %	5221,9906 litre	O
380	CM	70	CM	22 LEVEL CM	588,5788 litre	10,062 %	5261,0667 litre	O
380	CM	70	CM	21 LEVEL CM	550,2188 litre	9,406 %	5299,4267 litre	O
380	CM	70	CM	20 LEVEL CM	512,6040 litre	8,763 %	5337,0415 litre	O
380	CM	70	CM	19 LEVEL CM	475,7649 litre	8,133 %	5373,8806 litre	O
380	CM	70	CM	18 LEVEL CM	439,7344 litre	7,517 %	5409,9111 litre	O
380	CM	70	CM	17 LEVEL CM	404,5475 litre	6,916 %	5445,0980 litre	O
380	CM	70	CM	16 LEVEL CM	370,2417 litre	6,329 %	5479,4038 litre	O
380	CM	70	CM	15 LEVEL CM	336,8575 litre	5,759 %	5512,7880 litre	O
380	CM	70	CM	14 LEVEL CM	304,4391 litre	5,204 %	5545,2064 litre	O
380	CM	70	CM	13 LEVEL CM	273,0343 litre	4,668 %	5576,6112 litre	O
380	CM	70	CM	12 LEVEL CM	242,6962 litre	4,149 %	5606,9493 litre	O
380	CM	70	CM	11 LEVEL CM	213,4834 litre	3,650 %	5636,1621 litre	O
380	CM	70	CM	10 LEVEL CM	185,4616 litre	3,170 %	5664,1839 litre	O
380	CM	70	CM	9 LEVEL CM	158,7055 litre	2,713 %	5690,9400 litre	O
380	CM	70	CM	8 LEVEL CM	133,3008 litre	2,279 %	5716,3447 litre	O
380	CM	70	CM	7 LEVEL CM	109,3476 litre	1,869 %	5740,2979 litre	O
380	CM	70	CM	6 LEVEL CM	86,9659 litre	1,487 %	5762,6796 litre	O
380	CM	70	CM	5 LEVEL CM	66,3029 litre	1,133 %	5783,3426 litre	O
380	CM	70	CM	4 LEVEL CM	47,5465 litre	0,813 %	5802,0990 litre	O
380	CM	70	CM	3 LEVEL CM	30,9497 litre	0,529 %	5818,6958 litre	O
380	CM	70	CM	2 LEVEL CM	16,8835 litre	0,289 %	5832,7620 litre	O
380	CM	70	CM	1 LEVEL CM	5,9821 litre	0,102 %	5843,6634 litre	O
380	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	5849,6455 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM 65	CM 130 LEVEL CM	5043,8270 litre	100,000 %	0,0000 litre	O
380	CM 65	CM 129 LEVEL CM	5038,0635 litre	99,886 %	5,7635 litre	O
380	CM 65	CM 128 LEVEL CM	5027,5631 litre	99,678 %	16,2639 litre	O
380	CM 65	CM 127 LEVEL CM	5014,0181 litre	99,409 %	29,8089 litre	O
380	CM 65	CM 126 LEVEL CM	4998,0409 litre	99,092 %	45,7861 litre	O
380	CM 65	CM 125 LEVEL CM	4979,9899 litre	98,734 %	63,8371 litre	O
380	CM 65	CM 124 LEVEL CM	4960,1099 litre	98,340 %	83,7171 litre	O
380	CM 65	CM 123 LEVEL CM	4938,5828 litre	97,913 %	105,2442 litre	O
380	CM 65	CM 122 LEVEL CM	4915,5513 litre	97,457 %	128,2757 litre	O
380	CM 65	CM 121 LEVEL CM	4891,1317 litre	96,973 %	152,6953 litre	O
380	CM 65	CM 120 LEVEL CM	4865,4212 litre	96,463 %	178,4058 litre	O
380	CM 65	CM 119 LEVEL CM	4838,5031 litre	95,929 %	205,3239 litre	O
380	CM 65	CM 118 LEVEL CM	4810,4500 litre	95,373 %	233,3770 litre	O
380	CM 65	CM 117 LEVEL CM	4781,3260 litre	94,796 %	262,5010 litre	O
380	CM 65	CM 116 LEVEL CM	4751,1881 litre	94,198 %	292,6389 litre	O
380	CM 65	CM 115 LEVEL CM	4720,0880 litre	93,581 %	323,7390 litre	O
380	CM 65	CM 114 LEVEL CM	4688,0727 litre	92,947 %	355,7543 litre	O
380	CM 65	CM 113 LEVEL CM	4655,1852 litre	92,295 %	388,6418 litre	O
380	CM 65	CM 112 LEVEL CM	4621,4650 litre	91,626 %	422,3620 litre	O
380	CM 65	CM 111 LEVEL CM	4586,9492 litre	90,942 %	456,8778 litre	O
380	CM 65	CM 110 LEVEL CM	4551,6718 litre	90,242 %	492,1552 litre	O
380	CM 65	CM 109 LEVEL CM	4515,6652 litre	89,529 %	528,1618 litre	O
380	CM 65	CM 108 LEVEL CM	4478,9595 litre	88,801 %	564,8675 litre	O
380	CM 65	CM 107 LEVEL CM	4441,5832 litre	88,060 %	602,2438 litre	O
380	CM 65	CM 106 LEVEL CM	4403,5634 litre	87,306 %	640,2636 litre	O
380	CM 65	CM 105 LEVEL CM	4364,9257 litre	86,540 %	678,9013 litre	O
380	CM 65	CM 104 LEVEL CM	4325,6945 litre	85,762 %	718,1325 litre	O
380	CM 65	CM 103 LEVEL CM	4285,8933 litre	84,973 %	757,9337 litre	O
380	CM 65	CM 102 LEVEL CM	4245,5443 litre	84,173 %	798,2827 litre	O
380	CM 65	CM 101 LEVEL CM	4204,6691 litre	83,363 %	839,1579 litre	O
380	CM 65	CM 100 LEVEL CM	4163,2883 litre	82,542 %	880,5387 litre	O
380	CM 65	CM 99 LEVEL CM	4121,4218 litre	81,712 %	922,4052 litre	O
380	CM 65	CM 98 LEVEL CM	4079,0888 litre	80,873 %	964,7382 litre	O
380	CM 65	CM 97 LEVEL CM	4036,3079 litre	80,025 %	1007,5191 litre	O
380	CM 65	CM 96 LEVEL CM	3993,0971 litre	79,168 %	1050,7299 litre	O
380	CM 65	CM 95 LEVEL CM	3949,4739 litre	78,303 %	1094,3531 litre	O
380	CM 65	CM 94 LEVEL CM	3905,4552 litre	77,430 %	1138,3718 litre	O
380	CM 65	CM 93 LEVEL CM	3861,0577 litre	76,550 %	1182,7693 litre	O
380	CM 65	CM 92 LEVEL CM	3816,2973 litre	75,663 %	1227,5297 litre	O
380	CM 65	CM 91 LEVEL CM	3771,1898 litre	74,768 %	1272,6372 litre	O
380	CM 65	CM 90 LEVEL CM	3725,7506 litre	73,868 %	1318,0764 litre	O
380	CM 65	CM 89 LEVEL CM	3679,9948 litre	72,960 %	1363,8322 litre	O
380	CM 65	CM 88 LEVEL CM	3633,9369 litre	72,047 %	1409,8901 litre	O
380	CM 65	CM 87 LEVEL CM	3587,5915 litre	71,128 %	1456,2355 litre	O
380	CM 65	CM 86 LEVEL CM	3540,9728 litre	70,204 %	1502,8542 litre	O
380	CM 65	CM 85 LEVEL CM	3494,0945 litre	69,275 %	1549,7325 litre	O
380	CM 65	CM 84 LEVEL CM	3446,9705 litre	68,340 %	1596,8565 litre	O
380	CM 65	CM 83 LEVEL CM	3399,6141 litre	67,401 %	1644,2129 litre	O
380	CM 65	CM 82 LEVEL CM	3352,0387 litre	66,458 %	1691,7883 litre	O
380	CM 65	CM 81 LEVEL CM	3304,2574 litre	65,511 %	1739,5696 litre	O
380	CM 65	CM 80 LEVEL CM	3256,2830 litre	64,560 %	1787,5440 litre	O
380	CM 65	CM 79 LEVEL CM	3208,1284 litre	63,605 %	1835,6986 litre	O

380	CM	65	CM	78 LEVEL CM	3159,8061 litre	62,647 %	1884,0209 litre	O
380	CM	65	CM	77 LEVEL CM	3111,3287 litre	61,686 %	1932,4983 litre	O
380	CM	65	CM	76 LEVEL CM	3062,7085 litre	60,722 %	1981,1185 litre	O
380	CM	65	CM	75 LEVEL CM	3013,9578 litre	59,755 %	2029,8692 litre	O
380	CM	65	CM	74 LEVEL CM	2965,0888 litre	58,786 %	2078,7382 litre	O
380	CM	65	CM	73 LEVEL CM	2916,1135 litre	57,815 %	2127,7135 litre	O
380	CM	65	CM	72 LEVEL CM	2867,0439 litre	56,843 %	2176,7831 litre	O
380	CM	65	CM	71 LEVEL CM	2817,8920 litre	55,868 %	2225,9350 litre	O
380	CM	65	CM	70 LEVEL CM	2768,6697 litre	54,892 %	2275,1573 litre	O
380	CM	65	CM	69 LEVEL CM	2719,3887 litre	53,915 %	2324,4383 litre	O
380	CM	65	CM	68 LEVEL CM	2670,0609 litre	52,937 %	2373,7661 litre	O
380	CM	65	CM	67 LEVEL CM	2620,6979 litre	51,959 %	2423,1291 litre	O
380	CM	65	CM	66 LEVEL CM	2571,3116 litre	50,979 %	2472,5154 litre	O
380	CM	65	CM	65 LEVEL CM	2521,9135 litre	50,000 %	2521,9135 litre	O
380	CM	65	CM	64 LEVEL CM	2472,5155 litre	49,021 %	2571,3115 litre	O
380	CM	65	CM	63 LEVEL CM	2423,1291 litre	48,041 %	2620,6979 litre	O
380	CM	65	CM	62 LEVEL CM	2373,7661 litre	47,063 %	2670,0609 litre	O
380	CM	65	CM	61 LEVEL CM	2324,4383 litre	46,085 %	2719,3887 litre	O
380	CM	65	CM	60 LEVEL CM	2275,1573 litre	45,108 %	2768,6697 litre	O
380	CM	65	CM	59 LEVEL CM	2225,9350 litre	44,132 %	2817,8920 litre	O
380	CM	65	CM	58 LEVEL CM	2176,7831 litre	43,157 %	2867,0439 litre	O
380	CM	65	CM	57 LEVEL CM	2127,7135 litre	42,185 %	2916,1135 litre	O
380	CM	65	CM	56 LEVEL CM	2078,7382 litre	41,214 %	2965,0888 litre	O
380	CM	65	CM	55 LEVEL CM	2029,8692 litre	40,245 %	3013,9578 litre	O
380	CM	65	CM	54 LEVEL CM	1981,1185 litre	39,278 %	3062,7085 litre	O
380	CM	65	CM	53 LEVEL CM	1932,4983 litre	38,314 %	3111,3287 litre	O
380	CM	65	CM	52 LEVEL CM	1884,0209 litre	37,353 %	3159,8061 litre	O
380	CM	65	CM	51 LEVEL CM	1835,6986 litre	36,395 %	3208,1284 litre	O
380	CM	65	CM	50 LEVEL CM	1787,5440 litre	35,440 %	3256,2830 litre	O
380	CM	65	CM	49 LEVEL CM	1739,5696 litre	34,489 %	3304,2574 litre	O
380	CM	65	CM	48 LEVEL CM	1691,7883 litre	33,542 %	3352,0387 litre	O
380	CM	65	CM	47 LEVEL CM	1644,2129 litre	32,599 %	3399,6141 litre	O
380	CM	65	CM	46 LEVEL CM	1596,8565 litre	31,660 %	3446,9705 litre	O
380	CM	65	CM	45 LEVEL CM	1549,7325 litre	30,725 %	3494,0945 litre	O
380	CM	65	CM	44 LEVEL CM	1502,8542 litre	29,796 %	3540,9728 litre	O
380	CM	65	CM	43 LEVEL CM	1456,2355 litre	28,872 %	3587,5915 litre	O
380	CM	65	CM	42 LEVEL CM	1409,8901 litre	27,953 %	3633,9369 litre	O
380	CM	65	CM	41 LEVEL CM	1363,8322 litre	27,040 %	3679,9948 litre	O
380	CM	65	CM	40 LEVEL CM	1318,0764 litre	26,132 %	3725,7506 litre	O
380	CM	65	CM	39 LEVEL CM	1272,6372 litre	25,232 %	3771,1898 litre	O
380	CM	65	CM	38 LEVEL CM	1227,5297 litre	24,337 %	3816,2973 litre	O
380	CM	65	CM	37 LEVEL CM	1182,7693 litre	23,450 %	3861,0577 litre	O
380	CM	65	CM	36 LEVEL CM	1138,3718 litre	22,570 %	3905,4552 litre	O
380	CM	65	CM	35 LEVEL CM	1094,3531 litre	21,697 %	3949,4739 litre	O
380	CM	65	CM	34 LEVEL CM	1050,7299 litre	20,832 %	3993,0971 litre	O
380	CM	65	CM	33 LEVEL CM	1007,5191 litre	19,975 %	4036,3079 litre	O
380	CM	65	CM	32 LEVEL CM	964,7382 litre	19,127 %	4079,0888 litre	O
380	CM	65	CM	31 LEVEL CM	922,4052 litre	18,288 %	4121,4218 litre	O
380	CM	65	CM	30 LEVEL CM	880,5387 litre	17,458 %	4163,2883 litre	O
380	CM	65	CM	29 LEVEL CM	839,1579 litre	16,637 %	4204,6691 litre	O
380	CM	65	CM	28 LEVEL CM	798,2827 litre	15,827 %	4245,5443 litre	O
380	CM	65	CM	27 LEVEL CM	757,9337 litre	15,027 %	4285,8933 litre	O
380	CM	65	CM	26 LEVEL CM	718,1325 litre	14,238 %	4325,6945 litre	O

380	CM	65	CM	25 LEVEL CM	678,9013 litre	13,460 %	4364,9257 litre	O
380	CM	65	CM	24 LEVEL CM	640,2636 litre	12,694 %	4403,5634 litre	O
380	CM	65	CM	23 LEVEL CM	602,2438 litre	11,940 %	4441,5832 litre	O
380	CM	65	CM	22 LEVEL CM	564,8675 litre	11,199 %	4478,9595 litre	O
380	CM	65	CM	21 LEVEL CM	528,1618 litre	10,471 %	4515,6652 litre	O
380	CM	65	CM	20 LEVEL CM	492,1552 litre	9,758 %	4551,6718 litre	O
380	CM	65	CM	19 LEVEL CM	456,8779 litre	9,058 %	4586,9491 litre	O
380	CM	65	CM	18 LEVEL CM	422,3620 litre	8,374 %	4621,4650 litre	O
380	CM	65	CM	17 LEVEL CM	388,6419 litre	7,705 %	4655,1851 litre	O
380	CM	65	CM	16 LEVEL CM	355,7543 litre	7,053 %	4688,0727 litre	O
380	CM	65	CM	15 LEVEL CM	323,7390 litre	6,419 %	4720,0880 litre	O
380	CM	65	CM	14 LEVEL CM	292,6389 litre	5,802 %	4751,1881 litre	O
380	CM	65	CM	13 LEVEL CM	262,5010 litre	5,204 %	4781,3260 litre	O
380	CM	65	CM	12 LEVEL CM	233,3770 litre	4,627 %	4810,4500 litre	O
380	CM	65	CM	11 LEVEL CM	205,3239 litre	4,071 %	4838,5031 litre	O
380	CM	65	CM	10 LEVEL CM	178,4058 litre	3,537 %	4865,4212 litre	O
380	CM	65	CM	9 LEVEL CM	152,6953 litre	3,027 %	4891,1317 litre	O
380	CM	65	CM	8 LEVEL CM	128,2757 litre	2,543 %	4915,5513 litre	O
380	CM	65	CM	7 LEVEL CM	105,2442 litre	2,087 %	4938,5828 litre	O
380	CM	65	CM	6 LEVEL CM	83,7171 litre	1,660 %	4960,1099 litre	O
380	CM	65	CM	5 LEVEL CM	63,8371 litre	1,266 %	4979,9899 litre	O
380	CM	65	CM	4 LEVEL CM	45,7861 litre	0,908 %	4998,0409 litre	O
380	CM	65	CM	3 LEVEL CM	29,8089 litre	0,591 %	5014,0181 litre	O
380	CM	65	CM	2 LEVEL CM	16,2639 litre	0,322 %	5027,5631 litre	O
380	CM	65	CM	1 LEVEL CM	5,7635 litre	0,114 %	5038,0635 litre	O
380	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	5043,8270 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM	60	CM 120 LEVEL CM	4297,6988 litre	100,000 %	0,0000 litre	O
380	CM	60	CM 119 LEVEL CM	4292,1624 litre	99,871 %	5,5364 litre	O
380	CM	60	CM 118 LEVEL CM	4282,0790 litre	99,637 %	15,6198 litre	O
380	CM	60	CM 117 LEVEL CM	4269,0761 litre	99,334 %	28,6227 litre	O
380	CM	60	CM 116 LEVEL CM	4253,7434 litre	98,977 %	43,9554 litre	O
380	CM	60	CM 115 LEVEL CM	4236,4265 litre	98,574 %	61,2723 litre	O
380	CM	60	CM 114 LEVEL CM	4217,3617 litre	98,131 %	80,3371 litre	O
380	CM	60	CM 113 LEVEL CM	4196,7246 litre	97,651 %	100,9742 litre	O
380	CM	60	CM 112 LEVEL CM	4174,6533 litre	97,137 %	123,0455 litre	O
380	CM	60	CM 111 LEVEL CM	4151,2602 litre	96,593 %	146,4386 litre	O
380	CM	60	CM 110 LEVEL CM	4126,6396 litre	96,020 %	171,0592 litre	O
380	CM	60	CM 109 LEVEL CM	4100,8725 litre	95,420 %	196,8263 litre	O
380	CM	60	CM 108 LEVEL CM	4074,0292 litre	94,796 %	223,6696 litre	O
380	CM	60	CM 107 LEVEL CM	4046,1721 litre	94,147 %	251,5267 litre	O
380	CM	60	CM 106 LEVEL CM	4017,3567 litre	93,477 %	280,3421 litre	O
380	CM	60	CM 105 LEVEL CM	3987,6335 litre	92,785 %	310,0653 litre	O
380	CM	60	CM 104 LEVEL CM	3957,0482 litre	92,074 %	340,6506 litre	O
380	CM	60	CM 103 LEVEL CM	3925,6429 litre	91,343 %	372,0559 litre	O
380	CM	60	CM 102 LEVEL CM	3893,4563 litre	90,594 %	404,2425 litre	O
380	CM	60	CM 101 LEVEL CM	3860,5246 litre	89,828 %	437,1742 litre	O
380	CM	60	CM 100 LEVEL CM	3826,8815 litre	89,045 %	470,8173 litre	O
380	CM	60	CM 99 LEVEL CM	3792,5584 litre	88,246 %	505,1404 litre	O
380	CM	60	CM 98 LEVEL CM	3757,5851 litre	87,432 %	540,1137 litre	O
380	CM	60	CM 97 LEVEL CM	3721,9897 litre	86,604 %	575,7091 litre	O
380	CM	60	CM 96 LEVEL CM	3685,7989 litre	85,762 %	611,8999 litre	O
380	CM	60	CM 95 LEVEL CM	3649,0380 litre	84,907 %	648,6608 litre	O
380	CM	60	CM 94 LEVEL CM	3611,7311 litre	84,039 %	685,9677 litre	O
380	CM	60	CM 93 LEVEL CM	3573,9015 litre	83,158 %	723,7973 litre	O
380	CM	60	CM 92 LEVEL CM	3535,5714 litre	82,267 %	762,1274 litre	O
380	CM	60	CM 91 LEVEL CM	3496,7620 litre	81,364 %	800,9368 litre	O
380	CM	60	CM 90 LEVEL CM	3457,4939 litre	80,450 %	840,2049 litre	O
380	CM	60	CM 89 LEVEL CM	3417,7869 litre	79,526 %	879,9119 litre	O
380	CM	60	CM 88 LEVEL CM	3377,6604 litre	78,592 %	920,0384 litre	O
380	CM	60	CM 87 LEVEL CM	3337,1327 litre	77,649 %	960,5661 litre	O
380	CM	60	CM 86 LEVEL CM	3296,2221 litre	76,697 %	1001,4767 litre	O
380	CM	60	CM 85 LEVEL CM	3254,9460 litre	75,737 %	1042,7528 litre	O
380	CM	60	CM 84 LEVEL CM	3213,3215 litre	74,768 %	1084,3773 litre	O
380	CM	60	CM 83 LEVEL CM	3171,3653 litre	73,792 %	1126,3335 litre	O
380	CM	60	CM 82 LEVEL CM	3129,0936 litre	72,809 %	1168,6052 litre	O
380	CM	60	CM 81 LEVEL CM	3086,5224 litre	71,818 %	1211,1764 litre	O
380	CM	60	CM 80 LEVEL CM	3043,6672 litre	70,821 %	1254,0316 litre	O
380	CM	60	CM 79 LEVEL CM	3000,5433 litre	69,817 %	1297,1555 litre	O
380	CM	60	CM 78 LEVEL CM	2957,1656 litre	68,808 %	1340,5332 litre	O
380	CM	60	CM 77 LEVEL CM	2913,5489 litre	67,793 %	1384,1499 litre	O
380	CM	60	CM 76 LEVEL CM	2869,7076 litre	66,773 %	1427,9912 litre	O
380	CM	60	CM 75 LEVEL CM	2825,6560 litre	65,748 %	1472,0428 litre	O
380	CM	60	CM 74 LEVEL CM	2781,4082 litre	64,719 %	1516,2906 litre	O
380	CM	60	CM 73 LEVEL CM	2736,9780 litre	63,685 %	1560,7208 litre	O
380	CM	60	CM 72 LEVEL CM	2692,3792 litre	62,647 %	1605,3196 litre	O
380	CM	60	CM 71 LEVEL CM	2647,6251 litre	61,606 %	1650,0737 litre	O
380	CM	60	CM 70 LEVEL CM	2602,7294 litre	60,561 %	1694,9694 litre	O
380	CM	60	CM 69 LEVEL CM	2557,7051 litre	59,513 %	1739,9937 litre	O

380	CM	60	CM	68 LEVEL CM	2512,5656 litre	58,463 %	1785,1332 litre	O
380	CM	60	CM	67 LEVEL CM	2467,3238 litre	57,410 %	1830,3750 litre	O
380	CM	60	CM	66 LEVEL CM	2421,9927 litre	56,356 %	1875,7061 litre	O
380	CM	60	CM	65 LEVEL CM	2376,5852 litre	55,299 %	1921,1136 litre	O
380	CM	60	CM	64 LEVEL CM	2331,1142 litre	54,241 %	1966,5846 litre	O
380	CM	60	CM	63 LEVEL CM	2285,5924 litre	53,182 %	2012,1064 litre	O
380	CM	60	CM	62 LEVEL CM	2240,0325 litre	52,122 %	2057,6663 litre	O
380	CM	60	CM	61 LEVEL CM	2194,4473 litre	51,061 %	2103,2515 litre	O
380	CM	60	CM	60 LEVEL CM	2148,8494 litre	50,000 %	2148,8494 litre	O
380	CM	60	CM	59 LEVEL CM	2103,2515 litre	48,939 %	2194,4473 litre	O
380	CM	60	CM	58 LEVEL CM	2057,6663 litre	47,878 %	2240,0325 litre	O
380	CM	60	CM	57 LEVEL CM	2012,1064 litre	46,818 %	2285,5924 litre	O
380	CM	60	CM	56 LEVEL CM	1966,5846 litre	45,759 %	2331,1142 litre	O
380	CM	60	CM	55 LEVEL CM	1921,1135 litre	44,701 %	2376,5853 litre	O
380	CM	60	CM	54 LEVEL CM	1875,7061 litre	43,644 %	2421,9927 litre	O
380	CM	60	CM	53 LEVEL CM	1830,3750 litre	42,590 %	2467,3238 litre	O
380	CM	60	CM	52 LEVEL CM	1785,1332 litre	41,537 %	2512,5656 litre	O
380	CM	60	CM	51 LEVEL CM	1739,9936 litre	40,487 %	2557,7052 litre	O
380	CM	60	CM	50 LEVEL CM	1694,9694 litre	39,439 %	2602,7294 litre	O
380	CM	60	CM	49 LEVEL CM	1650,0736 litre	38,394 %	2647,6252 litre	O
380	CM	60	CM	48 LEVEL CM	1605,3196 litre	37,353 %	2692,3792 litre	O
380	CM	60	CM	47 LEVEL CM	1560,7207 litre	36,315 %	2736,9781 litre	O
380	CM	60	CM	46 LEVEL CM	1516,2905 litre	35,281 %	2781,4083 litre	O
380	CM	60	CM	45 LEVEL CM	1472,0427 litre	34,252 %	2825,6561 litre	O
380	CM	60	CM	44 LEVEL CM	1427,9911 litre	33,227 %	2869,7077 litre	O
380	CM	60	CM	43 LEVEL CM	1384,1499 litre	32,207 %	2913,5489 litre	O
380	CM	60	CM	42 LEVEL CM	1340,5332 litre	31,192 %	2957,1656 litre	O
380	CM	60	CM	41 LEVEL CM	1297,1555 litre	30,183 %	3000,5433 litre	O
380	CM	60	CM	40 LEVEL CM	1254,0316 litre	29,179 %	3043,6672 litre	O
380	CM	60	CM	39 LEVEL CM	1211,1763 litre	28,182 %	3086,5225 litre	O
380	CM	60	CM	38 LEVEL CM	1168,6051 litre	27,191 %	3129,0937 litre	O
380	CM	60	CM	37 LEVEL CM	1126,3335 litre	26,208 %	3171,3653 litre	O
380	CM	60	CM	36 LEVEL CM	1084,3772 litre	25,232 %	3213,3216 litre	O
380	CM	60	CM	35 LEVEL CM	1042,7528 litre	24,263 %	3254,9460 litre	O
380	CM	60	CM	34 LEVEL CM	1001,4767 litre	23,303 %	3296,2221 litre	O
380	CM	60	CM	33 LEVEL CM	960,5660 litre	22,351 %	3337,1328 litre	O
380	CM	60	CM	32 LEVEL CM	920,0384 litre	21,408 %	3377,6604 litre	O
380	CM	60	CM	31 LEVEL CM	879,9118 litre	20,474 %	3417,7870 litre	O
380	CM	60	CM	30 LEVEL CM	840,2049 litre	19,550 %	3457,4939 litre	O
380	CM	60	CM	29 LEVEL CM	800,9368 litre	18,636 %	3496,7620 litre	O
380	CM	60	CM	28 LEVEL CM	762,1274 litre	17,733 %	3535,5714 litre	O
380	CM	60	CM	27 LEVEL CM	723,7972 litre	16,842 %	3573,9016 litre	O
380	CM	60	CM	26 LEVEL CM	685,9676 litre	15,961 %	3611,7312 litre	O
380	CM	60	CM	25 LEVEL CM	648,6608 litre	15,093 %	3649,0380 litre	O
380	CM	60	CM	24 LEVEL CM	611,8999 litre	14,238 %	3685,7989 litre	O
380	CM	60	CM	23 LEVEL CM	575,7090 litre	13,396 %	3721,9898 litre	O
380	CM	60	CM	22 LEVEL CM	540,1137 litre	12,568 %	3757,5851 litre	O
380	CM	60	CM	21 LEVEL CM	505,1404 litre	11,754 %	3792,5584 litre	O
380	CM	60	CM	20 LEVEL CM	470,8173 litre	10,955 %	3826,8815 litre	O
380	CM	60	CM	19 LEVEL CM	437,1741 litre	10,172 %	3860,5247 litre	O
380	CM	60	CM	18 LEVEL CM	404,2424 litre	9,406 %	3893,4564 litre	O
380	CM	60	CM	17 LEVEL CM	372,0559 litre	8,657 %	3925,6429 litre	O
380	CM	60	CM	16 LEVEL CM	340,6505 litre	7,926 %	3957,0483 litre	O

380	CM	60	CM	15 LEVEL CM	310,0652 litre	7,215 %	3987,6336 litre	O
380	CM	60	CM	14 LEVEL CM	280,3420 litre	6,523 %	4017,3568 litre	O
380	CM	60	CM	13 LEVEL CM	251,5267 litre	5,853 %	4046,1721 litre	O
380	CM	60	CM	12 LEVEL CM	223,6695 litre	5,204 %	4074,0293 litre	O
380	CM	60	CM	11 LEVEL CM	196,8262 litre	4,580 %	4100,8726 litre	O
380	CM	60	CM	10 LEVEL CM	171,0591 litre	3,980 %	4126,6397 litre	O
380	CM	60	CM	9 LEVEL CM	146,4386 litre	3,407 %	4151,2602 litre	O
380	CM	60	CM	8 LEVEL CM	123,0455 litre	2,863 %	4174,6533 litre	O
380	CM	60	CM	7 LEVEL CM	100,9741 litre	2,349 %	4196,7247 litre	O
380	CM	60	CM	6 LEVEL CM	80,3370 litre	1,869 %	4217,3618 litre	O
380	CM	60	CM	5 LEVEL CM	61,2722 litre	1,426 %	4236,4266 litre	O
380	CM	60	CM	4 LEVEL CM	43,9553 litre	1,023 %	4253,7435 litre	O
380	CM	60	CM	3 LEVEL CM	28,6227 litre	0,666 %	4269,0761 litre	O
380	CM	60	CM	2 LEVEL CM	15,6198 litre	0,363 %	4282,0790 litre	O
380	CM	60	CM	1 LEVEL CM	5,5364 litre	0,129 %	4292,1624 litre	O
380	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4297,6988 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
380	CM	55	CM 110 LEVEL CM	3611,2608 litre	100,000 %	0,0000 litre	O
380	CM	55	CM 109 LEVEL CM	3605,9613 litre	99,853 %	5,2995 litre	O
380	CM	55	CM 108 LEVEL CM	3596,3128 litre	99,586 %	14,9480 litre	O
380	CM	55	CM 107 LEVEL CM	3583,8756 litre	99,242 %	27,3852 litre	O
380	CM	55	CM 106 LEVEL CM	3569,2159 litre	98,836 %	42,0449 litre	O
380	CM	55	CM 105 LEVEL CM	3552,6657 litre	98,377 %	58,5951 litre	O
380	CM	55	CM 104 LEVEL CM	3534,4524 litre	97,873 %	76,8084 litre	O
380	CM	55	CM 103 LEVEL CM	3514,7455 litre	97,327 %	96,5153 litre	O
380	CM	55	CM 102 LEVEL CM	3493,6780 litre	96,744 %	117,5828 litre	O
380	CM	55	CM 101 LEVEL CM	3471,3586 litre	96,126 %	139,9022 litre	O
380	CM	55	CM 100 LEVEL CM	3447,8786 litre	95,476 %	163,3822 litre	O
380	CM	55	CM 99 LEVEL CM	3423,3162 litre	94,796 %	187,9446 litre	O
380	CM	55	CM 98 LEVEL CM	3397,7399 litre	94,087 %	213,5209 litre	O
380	CM	55	CM 97 LEVEL CM	3371,2101 litre	93,353 %	240,0507 litre	O
380	CM	55	CM 96 LEVEL CM	3343,7810 litre	92,593 %	267,4798 litre	O
380	CM	55	CM 95 LEVEL CM	3315,5016 litre	91,810 %	295,7592 litre	O
380	CM	55	CM 94 LEVEL CM	3286,4165 litre	91,005 %	324,8443 litre	O
380	CM	55	CM 93 LEVEL CM	3256,5669 litre	90,178 %	354,6939 litre	O
380	CM	55	CM 92 LEVEL CM	3225,9908 litre	89,331 %	385,2700 litre	O
380	CM	55	CM 91 LEVEL CM	3194,7234 litre	88,466 %	416,5374 litre	O
380	CM	55	CM 90 LEVEL CM	3162,7980 litre	87,582 %	448,4628 litre	O
380	CM	55	CM 89 LEVEL CM	3130,2453 litre	86,680 %	481,0155 litre	O
380	CM	55	CM 88 LEVEL CM	3097,0949 litre	85,762 %	514,1659 litre	O
380	CM	55	CM 87 LEVEL CM	3063,3743 litre	84,828 %	547,8865 litre	O
380	CM	55	CM 86 LEVEL CM	3029,1100 litre	83,880 %	582,1508 litre	O
380	CM	55	CM 85 LEVEL CM	2994,3270 litre	82,916 %	616,9338 litre	O
380	CM	55	CM 84 LEVEL CM	2959,0493 litre	81,940 %	652,2115 litre	O
380	CM	55	CM 83 LEVEL CM	2923,2999 litre	80,950 %	687,9609 litre	O
380	CM	55	CM 82 LEVEL CM	2887,1009 litre	79,947 %	724,1599 litre	O
380	CM	55	CM 81 LEVEL CM	2850,4737 litre	78,933 %	760,7871 litre	O
380	CM	55	CM 80 LEVEL CM	2813,4386 litre	77,907 %	797,8222 litre	O
380	CM	55	CM 79 LEVEL CM	2776,0157 litre	76,871 %	835,2451 litre	O
380	CM	55	CM 78 LEVEL CM	2738,2241 litre	75,825 %	873,0367 litre	O
380	CM	55	CM 77 LEVEL CM	2700,0827 litre	74,768 %	911,1781 litre	O
380	CM	55	CM 76 LEVEL CM	2661,6094 litre	73,703 %	949,6514 litre	O
380	CM	55	CM 75 LEVEL CM	2622,8222 litre	72,629 %	988,4386 litre	O
380	CM	55	CM 74 LEVEL CM	2583,7383 litre	71,547 %	1027,5225 litre	O
380	CM	55	CM 73 LEVEL CM	2544,3746 litre	70,457 %	1066,8862 litre	O
380	CM	55	CM 72 LEVEL CM	2504,7476 litre	69,359 %	1106,5132 litre	O
380	CM	55	CM 71 LEVEL CM	2464,8736 litre	68,255 %	1146,3872 litre	O
380	CM	55	CM 70 LEVEL CM	2424,7685 litre	67,145 %	1186,4923 litre	O
380	CM	55	CM 69 LEVEL CM	2384,4480 litre	66,028 %	1226,8128 litre	O
380	CM	55	CM 68 LEVEL CM	2343,9273 litre	64,906 %	1267,3335 litre	O
380	CM	55	CM 67 LEVEL CM	2303,2218 litre	63,779 %	1308,0390 litre	O
380	CM	55	CM 66 LEVEL CM	2262,3464 litre	62,647 %	1348,9144 litre	O
380	CM	55	CM 65 LEVEL CM	2221,3158 litre	61,511 %	1389,9450 litre	O
380	CM	55	CM 64 LEVEL CM	2180,1447 litre	60,371 %	1431,1161 litre	O
380	CM	55	CM 63 LEVEL CM	2138,8475 litre	59,227 %	1472,4133 litre	O
380	CM	55	CM 62 LEVEL CM	2097,4385 litre	58,081 %	1513,8223 litre	O
380	CM	55	CM 61 LEVEL CM	2055,9320 litre	56,931 %	1555,3288 litre	O
380	CM	55	CM 60 LEVEL CM	2014,3421 litre	55,779 %	1596,9187 litre	O
380	CM	55	CM 59 LEVEL CM	1972,6829 litre	54,626 %	1638,5779 litre	O

380	CM	55	CM	58 LEVEL CM	1930,9682 litre	53,471 %	1680,2926 litre	O
380	CM	55	CM	57 LEVEL CM	1889,2119 litre	52,314 %	1722,0489 litre	O
380	CM	55	CM	56 LEVEL CM	1847,4281 litre	51,157 %	1763,8327 litre	O
380	CM	55	CM	55 LEVEL CM	1805,6304 litre	50,000 %	1805,6304 litre	O
380	CM	55	CM	54 LEVEL CM	1763,8327 litre	48,843 %	1847,4281 litre	O
380	CM	55	CM	53 LEVEL CM	1722,0488 litre	47,686 %	1889,2120 litre	O
380	CM	55	CM	52 LEVEL CM	1680,2926 litre	46,529 %	1930,9682 litre	O
380	CM	55	CM	51 LEVEL CM	1638,5779 litre	45,374 %	1972,6829 litre	O
380	CM	55	CM	50 LEVEL CM	1596,9186 litre	44,221 %	2014,3422 litre	O
380	CM	55	CM	49 LEVEL CM	1555,3287 litre	43,069 %	2055,9321 litre	O
380	CM	55	CM	48 LEVEL CM	1513,8222 litre	41,919 %	2097,4386 litre	O
380	CM	55	CM	47 LEVEL CM	1472,4133 litre	40,773 %	2138,8475 litre	O
380	CM	55	CM	46 LEVEL CM	1431,1161 litre	39,629 %	2180,1447 litre	O
380	CM	55	CM	45 LEVEL CM	1389,9450 litre	38,489 %	2221,3158 litre	O
380	CM	55	CM	44 LEVEL CM	1348,9144 litre	37,353 %	2262,3464 litre	O
380	CM	55	CM	43 LEVEL CM	1308,0389 litre	36,221 %	2303,2219 litre	O
380	CM	55	CM	42 LEVEL CM	1267,3334 litre	35,094 %	2343,9274 litre	O
380	CM	55	CM	41 LEVEL CM	1226,8128 litre	33,972 %	2384,4480 litre	O
380	CM	55	CM	40 LEVEL CM	1186,4922 litre	32,855 %	2424,7686 litre	O
380	CM	55	CM	39 LEVEL CM	1146,3871 litre	31,745 %	2464,8737 litre	O
380	CM	55	CM	38 LEVEL CM	1106,5131 litre	30,641 %	2504,7477 litre	O
380	CM	55	CM	37 LEVEL CM	1066,8862 litre	29,543 %	2544,3746 litre	O
380	CM	55	CM	36 LEVEL CM	1027,5224 litre	28,453 %	2583,7384 litre	O
380	CM	55	CM	35 LEVEL CM	988,4385 litre	27,371 %	2622,8223 litre	O
380	CM	55	CM	34 LEVEL CM	949,6513 litre	26,297 %	2661,6095 litre	O
380	CM	55	CM	33 LEVEL CM	911,1781 litre	25,232 %	2700,0827 litre	O
380	CM	55	CM	32 LEVEL CM	873,0366 litre	24,175 %	2738,2242 litre	O
380	CM	55	CM	31 LEVEL CM	835,2451 litre	23,129 %	2776,0157 litre	O
380	CM	55	CM	30 LEVEL CM	797,8221 litre	22,093 %	2813,4387 litre	O
380	CM	55	CM	29 LEVEL CM	760,7871 litre	21,067 %	2850,4737 litre	O
380	CM	55	CM	28 LEVEL CM	724,1598 litre	20,053 %	2887,1010 litre	O
380	CM	55	CM	27 LEVEL CM	687,9608 litre	19,050 %	2923,3000 litre	O
380	CM	55	CM	26 LEVEL CM	652,2115 litre	18,060 %	2959,0493 litre	O
380	CM	55	CM	25 LEVEL CM	616,9338 litre	17,084 %	2994,3270 litre	O
380	CM	55	CM	24 LEVEL CM	582,1507 litre	16,120 %	3029,1101 litre	O
380	CM	55	CM	23 LEVEL CM	547,8864 litre	15,172 %	3063,3744 litre	O
380	CM	55	CM	22 LEVEL CM	514,1659 litre	14,238 %	3097,0949 litre	O
380	CM	55	CM	21 LEVEL CM	481,0154 litre	13,320 %	3130,2454 litre	O
380	CM	55	CM	20 LEVEL CM	448,4628 litre	12,418 %	3162,7980 litre	O
380	CM	55	CM	19 LEVEL CM	416,5373 litre	11,534 %	3194,7235 litre	O
380	CM	55	CM	18 LEVEL CM	385,2700 litre	10,669 %	3225,9908 litre	O
380	CM	55	CM	17 LEVEL CM	354,6938 litre	9,822 %	3256,5670 litre	O
380	CM	55	CM	16 LEVEL CM	324,8442 litre	8,995 %	3286,4166 litre	O
380	CM	55	CM	15 LEVEL CM	295,7592 litre	8,190 %	3315,5016 litre	O
380	CM	55	CM	14 LEVEL CM	267,4798 litre	7,407 %	3343,7810 litre	O
380	CM	55	CM	13 LEVEL CM	240,0506 litre	6,647 %	3371,2102 litre	O
380	CM	55	CM	12 LEVEL CM	213,5208 litre	5,913 %	3397,7400 litre	O
380	CM	55	CM	11 LEVEL CM	187,9445 litre	5,204 %	3423,3163 litre	O
380	CM	55	CM	10 LEVEL CM	163,3822 litre	4,524 %	3447,8786 litre	O
380	CM	55	CM	9 LEVEL CM	139,9022 litre	3,874 %	3471,3586 litre	O
380	CM	55	CM	8 LEVEL CM	117,5828 litre	3,256 %	3493,6780 litre	O
380	CM	55	CM	7 LEVEL CM	96,5153 litre	2,673 %	3514,7455 litre	O
380	CM	55	CM	6 LEVEL CM	76,8083 litre	2,127 %	3534,4525 litre	O

380	CM	55	CM	5 LEVEL CM	58,5951 litre	1,623 %	3552,6657 litre	O
380	CM	55	CM	4 LEVEL CM	42,0449 litre	1,164 %	3569,2159 litre	O
380	CM	55	CM	3 LEVEL CM	27,3851 litre	0,758 %	3583,8757 litre	O
380	CM	55	CM	2 LEVEL CM	14,9479 litre	0,414 %	3596,3129 litre	O
380	CM	55	CM	1 LEVEL CM	5,2994 litre	0,147 %	3605,9614 litre	O
380	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3611,2608 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
380	CM	50	CM	100 LEVEL CM	2984,5130 litre	100,000 %	0,0000 litre	O
380	CM	50	CM	99 LEVEL CM	2979,4616 litre	99,831 %	5,0514 litre	O
380	CM	50	CM	98 LEVEL CM	2970,2686 litre	99,523 %	14,2444 litre	O
380	CM	50	CM	97 LEVEL CM	2958,4241 litre	99,126 %	26,0889 litre	O
380	CM	50	CM	96 LEVEL CM	2944,4696 litre	98,658 %	40,0434 litre	O
380	CM	50	CM	95 LEVEL CM	2928,7234 litre	98,131 %	55,7896 litre	O
380	CM	50	CM	94 LEVEL CM	2911,4036 litre	97,550 %	73,1094 litre	O
380	CM	50	CM	93 LEVEL CM	2892,6729 litre	96,923 %	91,8401 litre	O
380	CM	50	CM	92 LEVEL CM	2872,6595 litre	96,252 %	111,8535 litre	O
380	CM	50	CM	91 LEVEL CM	2851,4682 litre	95,542 %	133,0448 litre	O
380	CM	50	CM	90 LEVEL CM	2829,1870 litre	94,796 %	155,3260 litre	O
380	CM	50	CM	89 LEVEL CM	2805,8917 litre	94,015 %	178,6213 litre	O
380	CM	50	CM	88 LEVEL CM	2781,6484 litre	93,203 %	202,8646 litre	O
380	CM	50	CM	87 LEVEL CM	2756,5160 litre	92,361 %	227,9970 litre	O
380	CM	50	CM	86 LEVEL CM	2730,5470 litre	91,491 %	253,9660 litre	O
380	CM	50	CM	85 LEVEL CM	2703,7891 litre	90,594 %	280,7239 litre	O
380	CM	50	CM	84 LEVEL CM	2676,2860 litre	89,672 %	308,2270 litre	O
380	CM	50	CM	83 LEVEL CM	2648,0779 litre	88,727 %	336,4351 litre	O
380	CM	50	CM	82 LEVEL CM	2619,2018 litre	87,760 %	365,3112 litre	O
380	CM	50	CM	81 LEVEL CM	2589,6925 litre	86,771 %	394,8205 litre	O
380	CM	50	CM	80 LEVEL CM	2559,5826 litre	85,762 %	424,9304 litre	O
380	CM	50	CM	79 LEVEL CM	2528,9024 litre	84,734 %	455,6106 litre	O
380	CM	50	CM	78 LEVEL CM	2497,6811 litre	83,688 %	486,8319 litre	O
380	CM	50	CM	77 LEVEL CM	2465,9459 litre	82,625 %	518,5671 litre	O
380	CM	50	CM	76 LEVEL CM	2433,7230 litre	81,545 %	550,7900 litre	O
380	CM	50	CM	75 LEVEL CM	2401,0374 litre	80,450 %	583,4756 litre	O
380	CM	50	CM	74 LEVEL CM	2367,9129 litre	79,340 %	616,6001 litre	O
380	CM	50	CM	73 LEVEL CM	2334,3725 litre	78,216 %	650,1405 litre	O
380	CM	50	CM	72 LEVEL CM	2300,4383 litre	77,079 %	684,0747 litre	O
380	CM	50	CM	71 LEVEL CM	2266,1317 litre	75,930 %	718,3813 litre	O
380	CM	50	CM	70 LEVEL CM	2231,4733 litre	74,768 %	753,0397 litre	O
380	CM	50	CM	69 LEVEL CM	2196,4831 litre	73,596 %	788,0299 litre	O
380	CM	50	CM	68 LEVEL CM	2161,1807 litre	72,413 %	823,3323 litre	O
380	CM	50	CM	67 LEVEL CM	2125,5850 litre	71,220 %	858,9280 litre	O
380	CM	50	CM	66 LEVEL CM	2089,7145 litre	70,019 %	894,7985 litre	O
380	CM	50	CM	65 LEVEL CM	2053,5872 litre	68,808 %	930,9258 litre	O
380	CM	50	CM	64 LEVEL CM	2017,2209 litre	67,590 %	967,2921 litre	O
380	CM	50	CM	63 LEVEL CM	1980,6329 litre	66,364 %	1003,8801 litre	O
380	CM	50	CM	62 LEVEL CM	1943,8403 litre	65,131 %	1040,6727 litre	O
380	CM	50	CM	61 LEVEL CM	1906,8597 litre	63,892 %	1077,6533 litre	O
380	CM	50	CM	60 LEVEL CM	1869,7078 litre	62,647 %	1114,8052 litre	O
380	CM	50	CM	59 LEVEL CM	1832,4006 litre	61,397 %	1152,1124 litre	O
380	CM	50	CM	58 LEVEL CM	1794,9544 litre	60,142 %	1189,5586 litre	O
380	CM	50	CM	57 LEVEL CM	1757,3850 litre	58,883 %	1227,1280 litre	O
380	CM	50	CM	56 LEVEL CM	1719,7081 litre	57,621 %	1264,8049 litre	O
380	CM	50	CM	55 LEVEL CM	1681,9394 litre	56,356 %	1302,5736 litre	O
380	CM	50	CM	54 LEVEL CM	1644,0942 litre	55,088 %	1340,4188 litre	O
380	CM	50	CM	53 LEVEL CM	1606,1881 litre	53,817 %	1378,3249 litre	O
380	CM	50	CM	52 LEVEL CM	1568,2362 litre	52,546 %	1416,2768 litre	O
380	CM	50	CM	51 LEVEL CM	1530,2540 litre	51,273 %	1454,2590 litre	O
380	CM	50	CM	50 LEVEL CM	1492,2565 litre	50,000 %	1492,2565 litre	O
380	CM	50	CM	49 LEVEL CM	1454,2590 litre	48,727 %	1530,2540 litre	O

380	CM	50	CM	48 LEVEL CM	1416,2768 litre	47,454 %	1568,2362 litre	O
380	CM	50	CM	47 LEVEL CM	1378,3249 litre	46,183 %	1606,1881 litre	O
380	CM	50	CM	46 LEVEL CM	1340,4188 litre	44,912 %	1644,0942 litre	O
380	CM	50	CM	45 LEVEL CM	1302,5737 litre	43,644 %	1681,9393 litre	O
380	CM	50	CM	44 LEVEL CM	1264,8049 litre	42,379 %	1719,7081 litre	O
380	CM	50	CM	43 LEVEL CM	1227,1280 litre	41,117 %	1757,3850 litre	O
380	CM	50	CM	42 LEVEL CM	1189,5586 litre	39,858 %	1794,9544 litre	O
380	CM	50	CM	41 LEVEL CM	1152,1124 litre	38,603 %	1832,4006 litre	O
380	CM	50	CM	40 LEVEL CM	1114,8053 litre	37,353 %	1869,7077 litre	O
380	CM	50	CM	39 LEVEL CM	1077,6533 litre	36,108 %	1906,8597 litre	O
380	CM	50	CM	38 LEVEL CM	1040,6727 litre	34,869 %	1943,8403 litre	O
380	CM	50	CM	37 LEVEL CM	1003,8801 litre	33,636 %	1980,6329 litre	O
380	CM	50	CM	36 LEVEL CM	967,2921 litre	32,410 %	2017,2209 litre	O
380	CM	50	CM	35 LEVEL CM	930,9258 litre	31,192 %	2053,5872 litre	O
380	CM	50	CM	34 LEVEL CM	894,7986 litre	29,981 %	2089,7144 litre	O
380	CM	50	CM	33 LEVEL CM	858,9280 litre	28,780 %	2125,5850 litre	O
380	CM	50	CM	32 LEVEL CM	823,3323 litre	27,587 %	2161,1807 litre	O
380	CM	50	CM	31 LEVEL CM	788,0299 litre	26,404 %	2196,4831 litre	O
380	CM	50	CM	30 LEVEL CM	753,0398 litre	25,232 %	2231,4732 litre	O
380	CM	50	CM	29 LEVEL CM	718,3813 litre	24,070 %	2266,1317 litre	O
380	CM	50	CM	28 LEVEL CM	684,0747 litre	22,921 %	2300,4383 litre	O
380	CM	50	CM	27 LEVEL CM	650,1405 litre	21,784 %	2334,3725 litre	O
380	CM	50	CM	26 LEVEL CM	616,6001 litre	20,660 %	2367,9129 litre	O
380	CM	50	CM	25 LEVEL CM	583,4756 litre	19,550 %	2401,0374 litre	O
380	CM	50	CM	24 LEVEL CM	550,7900 litre	18,455 %	2433,7230 litre	O
380	CM	50	CM	23 LEVEL CM	518,5671 litre	17,375 %	2465,9459 litre	O
380	CM	50	CM	22 LEVEL CM	486,8319 litre	16,312 %	2497,6811 litre	O
380	CM	50	CM	21 LEVEL CM	455,6106 litre	15,266 %	2528,9024 litre	O
380	CM	50	CM	20 LEVEL CM	424,9305 litre	14,238 %	2559,5825 litre	O
380	CM	50	CM	19 LEVEL CM	394,8205 litre	13,229 %	2589,6925 litre	O
380	CM	50	CM	18 LEVEL CM	365,3112 litre	12,240 %	2619,2018 litre	O
380	CM	50	CM	17 LEVEL CM	336,4352 litre	11,273 %	2648,0778 litre	O
380	CM	50	CM	16 LEVEL CM	308,2270 litre	10,328 %	2676,2860 litre	O
380	CM	50	CM	15 LEVEL CM	280,7239 litre	9,406 %	2703,7891 litre	O
380	CM	50	CM	14 LEVEL CM	253,9660 litre	8,509 %	2730,5470 litre	O
380	CM	50	CM	13 LEVEL CM	227,9970 litre	7,639 %	2756,5160 litre	O
380	CM	50	CM	12 LEVEL CM	202,8646 litre	6,797 %	2781,6484 litre	O
380	CM	50	CM	11 LEVEL CM	178,6214 litre	5,985 %	2805,8916 litre	O
380	CM	50	CM	10 LEVEL CM	155,3261 litre	5,204 %	2829,1869 litre	O
380	CM	50	CM	9 LEVEL CM	133,0449 litre	4,458 %	2851,4681 litre	O
380	CM	50	CM	8 LEVEL CM	111,8535 litre	3,748 %	2872,6595 litre	O
380	CM	50	CM	7 LEVEL CM	91,8401 litre	3,077 %	2892,6729 litre	O
380	CM	50	CM	6 LEVEL CM	73,1094 litre	2,450 %	2911,4036 litre	O
380	CM	50	CM	5 LEVEL CM	55,7896 litre	1,869 %	2928,7234 litre	O
380	CM	50	CM	4 LEVEL CM	40,0434 litre	1,342 %	2944,4696 litre	O
380	CM	50	CM	3 LEVEL CM	26,0889 litre	0,874 %	2958,4241 litre	O
380	CM	50	CM	2 LEVEL CM	14,2444 litre	0,477 %	2970,2686 litre	O
380	CM	50	CM	1 LEVEL CM	5,0514 litre	0,169 %	2979,4616 litre	O
380	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2984,5130 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 150	CM 300 LEVEL CM	26153,7588 litre	100,000 %	0,0000 litre	O
370	CM 150	CM 299 LEVEL CM	26145,2226 litre	99,967 %	8,5362 litre	O
370	CM 150	CM 298 LEVEL CM	26129,6389 litre	99,908 %	24,1199 litre	O
370	CM 150	CM 297 LEVEL CM	26109,4923 litre	99,831 %	44,2665 litre	O
370	CM 150	CM 296 LEVEL CM	26085,6747 litre	99,740 %	68,0841 litre	O
370	CM 150	CM 295 LEVEL CM	26058,7044 litre	99,637 %	95,0544 litre	O
370	CM 150	CM 294 LEVEL CM	26028,9329 litre	99,523 %	124,8259 litre	O
370	CM 150	CM 293 LEVEL CM	25996,6196 litre	99,399 %	157,1392 litre	O
370	CM 150	CM 292 LEVEL CM	25961,9667 litre	99,267 %	191,7921 litre	O
370	CM 150	CM 291 LEVEL CM	25925,1373 litre	99,126 %	228,6215 litre	O
370	CM 150	CM 290 LEVEL CM	25886,2674 litre	98,977 %	267,4914 litre	O
370	CM 150	CM 289 LEVEL CM	25845,4725 litre	98,821 %	308,2863 litre	O
370	CM 150	CM 288 LEVEL CM	25802,8522 litre	98,658 %	350,9066 litre	O
370	CM 150	CM 287 LEVEL CM	25758,4939 litre	98,489 %	395,2649 litre	O
370	CM 150	CM 286 LEVEL CM	25712,4753 litre	98,313 %	441,2835 litre	O
370	CM 150	CM 285 LEVEL CM	25664,8657 litre	98,131 %	488,8931 litre	O
370	CM 150	CM 284 LEVEL CM	25615,7276 litre	97,943 %	538,0312 litre	O
370	CM 150	CM 283 LEVEL CM	25565,1182 litre	97,749 %	588,6406 litre	O
370	CM 150	CM 282 LEVEL CM	25513,0894 litre	97,550 %	640,6694 litre	O
370	CM 150	CM 281 LEVEL CM	25459,6894 litre	97,346 %	694,0694 litre	O
370	CM 150	CM 280 LEVEL CM	25404,9624 litre	97,137 %	748,7964 litre	O
370	CM 150	CM 279 LEVEL CM	25348,9496 litre	96,923 %	804,8092 litre	O
370	CM 150	CM 278 LEVEL CM	25291,6895 litre	96,704 %	862,0693 litre	O
370	CM 150	CM 277 LEVEL CM	25233,2180 litre	96,480 %	920,5408 litre	O
370	CM 150	CM 276 LEVEL CM	25173,5689 litre	96,252 %	980,1899 litre	O
370	CM 150	CM 275 LEVEL CM	25112,7741 litre	96,020 %	1040,9847 litre	O
370	CM 150	CM 274 LEVEL CM	25050,8636 litre	95,783 %	1102,8952 litre	O
370	CM 150	CM 273 LEVEL CM	24987,8657 litre	95,542 %	1165,8931 litre	O
370	CM 150	CM 272 LEVEL CM	24923,8076 litre	95,297 %	1229,9512 litre	O
370	CM 150	CM 271 LEVEL CM	24858,7149 litre	95,048 %	1295,0439 litre	O
370	CM 150	CM 270 LEVEL CM	24792,6121 litre	94,796 %	1361,1467 litre	O
370	CM 150	CM 269 LEVEL CM	24725,5225 litre	94,539 %	1428,2363 litre	O
370	CM 150	CM 268 LEVEL CM	24657,4686 litre	94,279 %	1496,2902 litre	O
370	CM 150	CM 267 LEVEL CM	24588,4716 litre	94,015 %	1565,2872 litre	O
370	CM 150	CM 266 LEVEL CM	24518,5522 litre	93,748 %	1635,2066 litre	O
370	CM 150	CM 265 LEVEL CM	24447,7302 litre	93,477 %	1706,0286 litre	O
370	CM 150	CM 264 LEVEL CM	24376,0244 litre	93,203 %	1777,7344 litre	O
370	CM 150	CM 263 LEVEL CM	24303,4532 litre	92,925 %	1850,3056 litre	O
370	CM 150	CM 262 LEVEL CM	24230,0343 litre	92,645 %	1923,7245 litre	O
370	CM 150	CM 261 LEVEL CM	24155,7848 litre	92,361 %	1997,9740 litre	O
370	CM 150	CM 260 LEVEL CM	24080,7210 litre	92,074 %	2073,0378 litre	O
370	CM 150	CM 259 LEVEL CM	24004,8590 litre	91,784 %	2148,8998 litre	O
370	CM 150	CM 258 LEVEL CM	23928,2143 litre	91,491 %	2225,5445 litre	O
370	CM 150	CM 257 LEVEL CM	23850,8017 litre	91,195 %	2302,9571 litre	O
370	CM 150	CM 256 LEVEL CM	23772,6359 litre	90,896 %	2381,1229 litre	O
370	CM 150	CM 255 LEVEL CM	23693,7310 litre	90,594 %	2460,0278 litre	O
370	CM 150	CM 254 LEVEL CM	23614,1007 litre	90,290 %	2539,6581 litre	O
370	CM 150	CM 253 LEVEL CM	23533,7584 litre	89,982 %	2620,0004 litre	O
370	CM 150	CM 252 LEVEL CM	23452,7171 litre	89,672 %	2701,0417 litre	O
370	CM 150	CM 251 LEVEL CM	23370,9895 litre	89,360 %	2782,7693 litre	O
370	CM 150	CM 250 LEVEL CM	23288,5879 litre	89,045 %	2865,1709 litre	O
370	CM 150	CM 249 LEVEL CM	23205,5244 litre	88,727 %	2948,2344 litre	O

370	CM	150	CM	248 LEVEL CM	23121,8108 litre	88,407 %	3031,9480 litre	O
370	CM	150	CM	247 LEVEL CM	23037,4586 litre	88,085 %	3116,3002 litre	O
370	CM	150	CM	246 LEVEL CM	22952,4790 litre	87,760 %	3201,2798 litre	O
370	CM	150	CM	245 LEVEL CM	22866,8830 litre	87,432 %	3286,8758 litre	O
370	CM	150	CM	244 LEVEL CM	22780,6814 litre	87,103 %	3373,0774 litre	O
370	CM	150	CM	243 LEVEL CM	22693,8847 litre	86,771 %	3459,8741 litre	O
370	CM	150	CM	242 LEVEL CM	22606,5032 litre	86,437 %	3547,2556 litre	O
370	CM	150	CM	241 LEVEL CM	22518,5470 litre	86,101 %	3635,2118 litre	O
370	CM	150	CM	240 LEVEL CM	22430,0262 litre	85,762 %	3723,7326 litre	O
370	CM	150	CM	239 LEVEL CM	22340,9502 litre	85,422 %	3812,8086 litre	O
370	CM	150	CM	238 LEVEL CM	22251,3289 litre	85,079 %	3902,4299 litre	O
370	CM	150	CM	237 LEVEL CM	22161,1714 litre	84,734 %	3992,5874 litre	O
370	CM	150	CM	236 LEVEL CM	22070,4871 litre	84,387 %	4083,2717 litre	O
370	CM	150	CM	235 LEVEL CM	21979,2849 litre	84,039 %	4174,4739 litre	O
370	CM	150	CM	234 LEVEL CM	21887,5737 litre	83,688 %	4266,1851 litre	O
370	CM	150	CM	233 LEVEL CM	21795,3624 litre	83,335 %	4358,3964 litre	O
370	CM	150	CM	232 LEVEL CM	21702,6595 litre	82,981 %	4451,0993 litre	O
370	CM	150	CM	231 LEVEL CM	21609,4734 litre	82,625 %	4544,2854 litre	O
370	CM	150	CM	230 LEVEL CM	21515,8126 litre	82,267 %	4637,9462 litre	O
370	CM	150	CM	229 LEVEL CM	21421,6852 litre	81,907 %	4732,0736 litre	O
370	CM	150	CM	228 LEVEL CM	21327,0993 litre	81,545 %	4826,6595 litre	O
370	CM	150	CM	227 LEVEL CM	21232,0629 litre	81,182 %	4921,6959 litre	O
370	CM	150	CM	226 LEVEL CM	21136,5839 litre	80,817 %	5017,1749 litre	O
370	CM	150	CM	225 LEVEL CM	21040,6700 litre	80,450 %	5113,0888 litre	O
370	CM	150	CM	224 LEVEL CM	20944,3288 litre	80,082 %	5209,4300 litre	O
370	CM	150	CM	223 LEVEL CM	20847,5679 litre	79,712 %	5306,1909 litre	O
370	CM	150	CM	222 LEVEL CM	20750,3948 litre	79,340 %	5403,3640 litre	O
370	CM	150	CM	221 LEVEL CM	20652,8167 litre	78,967 %	5500,9421 litre	O
370	CM	150	CM	220 LEVEL CM	20554,8411 litre	78,592 %	5598,9177 litre	O
370	CM	150	CM	219 LEVEL CM	20456,4749 litre	78,216 %	5697,2839 litre	O
370	CM	150	CM	218 LEVEL CM	20357,7254 litre	77,839 %	5796,0334 litre	O
370	CM	150	CM	217 LEVEL CM	20258,5995 litre	77,460 %	5895,1593 litre	O
370	CM	150	CM	216 LEVEL CM	20159,1042 litre	77,079 %	5994,6546 litre	O
370	CM	150	CM	215 LEVEL CM	20059,2463 litre	76,697 %	6094,5125 litre	O
370	CM	150	CM	214 LEVEL CM	19959,0326 litre	76,314 %	6194,7262 litre	O
370	CM	150	CM	213 LEVEL CM	19858,4697 litre	75,930 %	6295,2891 litre	O
370	CM	150	CM	212 LEVEL CM	19757,5644 litre	75,544 %	6396,1944 litre	O
370	CM	150	CM	211 LEVEL CM	19656,3232 litre	75,157 %	6497,4356 litre	O
370	CM	150	CM	210 LEVEL CM	19554,7526 litre	74,768 %	6599,0062 litre	O
370	CM	150	CM	209 LEVEL CM	19452,8590 litre	74,379 %	6700,8998 litre	O
370	CM	150	CM	208 LEVEL CM	19350,6488 litre	73,988 %	6803,1100 litre	O
370	CM	150	CM	207 LEVEL CM	19248,1283 litre	73,596 %	6905,6305 litre	O
370	CM	150	CM	206 LEVEL CM	19145,3039 litre	73,203 %	7008,4549 litre	O
370	CM	150	CM	205 LEVEL CM	19042,1816 litre	72,809 %	7111,5772 litre	O
370	CM	150	CM	204 LEVEL CM	18938,7677 litre	72,413 %	7214,9911 litre	O
370	CM	150	CM	203 LEVEL CM	18835,0682 litre	72,017 %	7318,6906 litre	O
370	CM	150	CM	202 LEVEL CM	18731,0893 litre	71,619 %	7422,6695 litre	O
370	CM	150	CM	201 LEVEL CM	18626,8368 litre	71,220 %	7526,9220 litre	O
370	CM	150	CM	200 LEVEL CM	18522,3168 litre	70,821 %	7631,4420 litre	O
370	CM	150	CM	199 LEVEL CM	18417,5351 litre	70,420 %	7736,2237 litre	O
370	CM	150	CM	198 LEVEL CM	18312,4977 litre	70,019 %	7841,2611 litre	O
370	CM	150	CM	197 LEVEL CM	18207,2104 litre	69,616 %	7946,5484 litre	O
370	CM	150	CM	196 LEVEL CM	18101,6789 litre	69,213 %	8052,0799 litre	O

370	CM	150	CM	195 LEVEL CM	17995,9089 litre	68,808 %	8157,8499 litre	O
370	CM	150	CM	194 LEVEL CM	17889,9063 litre	68,403 %	8263,8525 litre	O
370	CM	150	CM	193 LEVEL CM	17783,6765 litre	67,997 %	8370,0823 litre	O
370	CM	150	CM	192 LEVEL CM	17677,2254 litre	67,590 %	8476,5334 litre	O
370	CM	150	CM	191 LEVEL CM	17570,5584 litre	67,182 %	8583,2004 litre	O
370	CM	150	CM	190 LEVEL CM	17463,6811 litre	66,773 %	8690,0777 litre	O
370	CM	150	CM	189 LEVEL CM	17356,5991 litre	66,364 %	8797,1597 litre	O
370	CM	150	CM	188 LEVEL CM	17249,3178 litre	65,953 %	8904,4410 litre	O
370	CM	150	CM	187 LEVEL CM	17141,8428 litre	65,543 %	9011,9160 litre	O
370	CM	150	CM	186 LEVEL CM	17034,1794 litre	65,131 %	9119,5794 litre	O
370	CM	150	CM	185 LEVEL CM	16926,3330 litre	64,719 %	9227,4258 litre	O
370	CM	150	CM	184 LEVEL CM	16818,3091 litre	64,306 %	9335,4497 litre	O
370	CM	150	CM	183 LEVEL CM	16710,1129 litre	63,892 %	9443,6459 litre	O
370	CM	150	CM	182 LEVEL CM	16601,7499 litre	63,477 %	9552,0089 litre	O
370	CM	150	CM	181 LEVEL CM	16493,2252 litre	63,063 %	9660,5336 litre	O
370	CM	150	CM	180 LEVEL CM	16384,5443 litre	62,647 %	9769,2145 litre	O
370	CM	150	CM	179 LEVEL CM	16275,7123 litre	62,231 %	9878,0465 litre	O
370	CM	150	CM	178 LEVEL CM	16166,7345 litre	61,814 %	9987,0243 litre	O
370	CM	150	CM	177 LEVEL CM	16057,6160 litre	61,397 %	10096,1428 litre	O
370	CM	150	CM	176 LEVEL CM	15948,3622 litre	60,979 %	10205,3966 litre	O
370	CM	150	CM	175 LEVEL CM	15838,9781 litre	60,561 %	10314,7807 litre	O
370	CM	150	CM	174 LEVEL CM	15729,4690 litre	60,142 %	10424,2898 litre	O
370	CM	150	CM	173 LEVEL CM	15619,8399 litre	59,723 %	10533,9189 litre	O
370	CM	150	CM	172 LEVEL CM	15510,0959 litre	59,304 %	10643,6629 litre	O
370	CM	150	CM	171 LEVEL CM	15400,2423 litre	58,883 %	10753,5165 litre	O
370	CM	150	CM	170 LEVEL CM	15290,2840 litre	58,463 %	10863,4748 litre	O
370	CM	150	CM	169 LEVEL CM	15180,2261 litre	58,042 %	10973,5327 litre	O
370	CM	150	CM	168 LEVEL CM	15070,0738 litre	57,621 %	11083,6850 litre	O
370	CM	150	CM	167 LEVEL CM	14959,8320 litre	57,200 %	11193,9268 litre	O
370	CM	150	CM	166 LEVEL CM	14849,5058 litre	56,778 %	11304,2530 litre	O
370	CM	150	CM	165 LEVEL CM	14739,1002 litre	56,356 %	11414,6586 litre	O
370	CM	150	CM	164 LEVEL CM	14628,6203 litre	55,933 %	11525,1385 litre	O
370	CM	150	CM	163 LEVEL CM	14518,0710 litre	55,510 %	11635,6878 litre	O
370	CM	150	CM	162 LEVEL CM	14407,4573 litre	55,088 %	11746,3015 litre	O
370	CM	150	CM	161 LEVEL CM	14296,7842 litre	54,664 %	11856,9746 litre	O
370	CM	150	CM	160 LEVEL CM	14186,0566 litre	54,241 %	11967,7022 litre	O
370	CM	150	CM	159 LEVEL CM	14075,2797 litre	53,817 %	12078,4791 litre	O
370	CM	150	CM	158 LEVEL CM	13964,4583 litre	53,394 %	12189,3005 litre	O
370	CM	150	CM	157 LEVEL CM	13853,5973 litre	52,970 %	12300,1615 litre	O
370	CM	150	CM	156 LEVEL CM	13742,7018 litre	52,546 %	12411,0570 litre	O
370	CM	150	CM	155 LEVEL CM	13631,7766 litre	52,122 %	12521,9822 litre	O
370	CM	150	CM	154 LEVEL CM	13520,8268 litre	51,697 %	12632,9320 litre	O
370	CM	150	CM	153 LEVEL CM	13409,8572 litre	51,273 %	12743,9016 litre	O
370	CM	150	CM	152 LEVEL CM	13298,8728 litre	50,849 %	12854,8860 litre	O
370	CM	150	CM	151 LEVEL CM	13187,8786 litre	50,424 %	12965,8802 litre	O
370	CM	150	CM	150 LEVEL CM	13076,8794 litre	50,000 %	13076,8794 litre	O
370	CM	150	CM	149 LEVEL CM	12965,8802 litre	49,576 %	13187,8786 litre	O
370	CM	150	CM	148 LEVEL CM	12854,8860 litre	49,151 %	13298,8728 litre	O
370	CM	150	CM	147 LEVEL CM	12743,9016 litre	48,727 %	13409,8572 litre	O
370	CM	150	CM	146 LEVEL CM	12632,9320 litre	48,303 %	13520,8268 litre	O
370	CM	150	CM	145 LEVEL CM	12521,9822 litre	47,878 %	13631,7766 litre	O
370	CM	150	CM	144 LEVEL CM	12411,0571 litre	47,454 %	13742,7017 litre	O
370	CM	150	CM	143 LEVEL CM	12300,1615 litre	47,030 %	13853,5973 litre	O

370	CM	150	CM	142 LEVEL CM	12189,3006 litre	46,606 %	13964,4582 litre	O
370	CM	150	CM	141 LEVEL CM	12078,4791 litre	46,183 %	14075,2797 litre	O
370	CM	150	CM	140 LEVEL CM	11967,7022 litre	45,759 %	14186,0566 litre	O
370	CM	150	CM	139 LEVEL CM	11856,9747 litre	45,336 %	14296,7841 litre	O
370	CM	150	CM	138 LEVEL CM	11746,3016 litre	44,912 %	14407,4572 litre	O
370	CM	150	CM	137 LEVEL CM	11635,6879 litre	44,490 %	14518,0709 litre	O
370	CM	150	CM	136 LEVEL CM	11525,1386 litre	44,067 %	14628,6202 litre	O
370	CM	150	CM	135 LEVEL CM	11414,6586 litre	43,644 %	14739,1002 litre	O
370	CM	150	CM	134 LEVEL CM	11304,2530 litre	43,222 %	14849,5058 litre	O
370	CM	150	CM	133 LEVEL CM	11193,9268 litre	42,800 %	14959,8320 litre	O
370	CM	150	CM	132 LEVEL CM	11083,6850 litre	42,379 %	15070,0738 litre	O
370	CM	150	CM	131 LEVEL CM	10973,5327 litre	41,958 %	15180,2261 litre	O
370	CM	150	CM	130 LEVEL CM	10863,4749 litre	41,537 %	15290,2839 litre	O
370	CM	150	CM	129 LEVEL CM	10753,5166 litre	41,117 %	15400,2422 litre	O
370	CM	150	CM	128 LEVEL CM	10643,6629 litre	40,696 %	15510,0959 litre	O
370	CM	150	CM	127 LEVEL CM	10533,9190 litre	40,277 %	15619,8398 litre	O
370	CM	150	CM	126 LEVEL CM	10424,2899 litre	39,858 %	15729,4689 litre	O
370	CM	150	CM	125 LEVEL CM	10314,7807 litre	39,439 %	15838,9781 litre	O
370	CM	150	CM	124 LEVEL CM	10205,3966 litre	39,021 %	15948,3622 litre	O
370	CM	150	CM	123 LEVEL CM	10096,1428 litre	38,603 %	16057,6160 litre	O
370	CM	150	CM	122 LEVEL CM	9987,0244 litre	38,186 %	16166,7344 litre	O
370	CM	150	CM	121 LEVEL CM	9878,0466 litre	37,769 %	16275,7122 litre	O
370	CM	150	CM	120 LEVEL CM	9769,2146 litre	37,353 %	16384,5442 litre	O
370	CM	150	CM	119 LEVEL CM	9660,5336 litre	36,937 %	16493,2252 litre	O
370	CM	150	CM	118 LEVEL CM	9552,0090 litre	36,523 %	16601,7498 litre	O
370	CM	150	CM	117 LEVEL CM	9443,6459 litre	36,108 %	16710,1129 litre	O
370	CM	150	CM	116 LEVEL CM	9335,4498 litre	35,694 %	16818,3090 litre	O
370	CM	150	CM	115 LEVEL CM	9227,4258 litre	35,281 %	16926,3330 litre	O
370	CM	150	CM	114 LEVEL CM	9119,5795 litre	34,869 %	17034,1793 litre	O
370	CM	150	CM	113 LEVEL CM	9011,9161 litre	34,457 %	17141,8427 litre	O
370	CM	150	CM	112 LEVEL CM	8904,4410 litre	34,047 %	17249,3178 litre	O
370	CM	150	CM	111 LEVEL CM	8797,1597 litre	33,636 %	17356,5991 litre	O
370	CM	150	CM	110 LEVEL CM	8690,0777 litre	33,227 %	17463,6811 litre	O
370	CM	150	CM	109 LEVEL CM	8583,2005 litre	32,818 %	17570,5583 litre	O
370	CM	150	CM	108 LEVEL CM	8476,5335 litre	32,410 %	17677,2253 litre	O
370	CM	150	CM	107 LEVEL CM	8370,0823 litre	32,003 %	17783,6765 litre	O
370	CM	150	CM	106 LEVEL CM	8263,8526 litre	31,597 %	17889,9062 litre	O
370	CM	150	CM	105 LEVEL CM	8157,8499 litre	31,192 %	17995,9089 litre	O
370	CM	150	CM	104 LEVEL CM	8052,0800 litre	30,787 %	18101,6788 litre	O
370	CM	150	CM	103 LEVEL CM	7946,5485 litre	30,384 %	18207,2103 litre	O
370	CM	150	CM	102 LEVEL CM	7841,2611 litre	29,981 %	18312,4977 litre	O
370	CM	150	CM	101 LEVEL CM	7736,2237 litre	29,580 %	18417,5351 litre	O
370	CM	150	CM	100 LEVEL CM	7631,4421 litre	29,179 %	18522,3167 litre	O
370	CM	150	CM	99 LEVEL CM	7526,9221 litre	28,780 %	18626,8367 litre	O
370	CM	150	CM	98 LEVEL CM	7422,6696 litre	28,381 %	18731,0892 litre	O
370	CM	150	CM	97 LEVEL CM	7318,6906 litre	27,983 %	18835,0682 litre	O
370	CM	150	CM	96 LEVEL CM	7214,9912 litre	27,587 %	18938,7676 litre	O
370	CM	150	CM	95 LEVEL CM	7111,5772 litre	27,191 %	19042,1816 litre	O
370	CM	150	CM	94 LEVEL CM	7008,4550 litre	26,797 %	19145,3038 litre	O
370	CM	150	CM	93 LEVEL CM	6905,6305 litre	26,404 %	19248,1283 litre	O
370	CM	150	CM	92 LEVEL CM	6803,1100 litre	26,012 %	19350,6488 litre	O
370	CM	150	CM	91 LEVEL CM	6700,8999 litre	25,621 %	19452,8589 litre	O
370	CM	150	CM	90 LEVEL CM	6599,0063 litre	25,232 %	19554,7525 litre	O

370	CM	150	CM	89 LEVEL CM	6497,4356 litre	24,843 %	19656,3232 litre	O
370	CM	150	CM	88 LEVEL CM	6396,1944 litre	24,456 %	19757,5644 litre	O
370	CM	150	CM	87 LEVEL CM	6295,2891 litre	24,070 %	19858,4697 litre	O
370	CM	150	CM	86 LEVEL CM	6194,7263 litre	23,686 %	19959,0325 litre	O
370	CM	150	CM	85 LEVEL CM	6094,5125 litre	23,303 %	20059,2463 litre	O
370	CM	150	CM	84 LEVEL CM	5994,6546 litre	22,921 %	20159,1042 litre	O
370	CM	150	CM	83 LEVEL CM	5895,1593 litre	22,540 %	20258,5995 litre	O
370	CM	150	CM	82 LEVEL CM	5796,0334 litre	22,161 %	20357,7254 litre	O
370	CM	150	CM	81 LEVEL CM	5697,2839 litre	21,784 %	20456,4749 litre	O
370	CM	150	CM	80 LEVEL CM	5598,9178 litre	21,408 %	20554,8410 litre	O
370	CM	150	CM	79 LEVEL CM	5500,9421 litre	21,033 %	20652,8167 litre	O
370	CM	150	CM	78 LEVEL CM	5403,3641 litre	20,660 %	20750,3947 litre	O
370	CM	150	CM	77 LEVEL CM	5306,1909 litre	20,288 %	20847,5679 litre	O
370	CM	150	CM	76 LEVEL CM	5209,4300 litre	19,918 %	20944,3288 litre	O
370	CM	150	CM	75 LEVEL CM	5113,0889 litre	19,550 %	21040,6699 litre	O
370	CM	150	CM	74 LEVEL CM	5017,1749 litre	19,183 %	21136,5839 litre	O
370	CM	150	CM	73 LEVEL CM	4921,6959 litre	18,818 %	21232,0629 litre	O
370	CM	150	CM	72 LEVEL CM	4826,6595 litre	18,455 %	21327,0993 litre	O
370	CM	150	CM	71 LEVEL CM	4732,0736 litre	18,093 %	21421,6852 litre	O
370	CM	150	CM	70 LEVEL CM	4637,9462 litre	17,733 %	21515,8126 litre	O
370	CM	150	CM	69 LEVEL CM	4544,2854 litre	17,375 %	21609,4734 litre	O
370	CM	150	CM	68 LEVEL CM	4451,0994 litre	17,019 %	21702,6594 litre	O
370	CM	150	CM	67 LEVEL CM	4358,3964 litre	16,665 %	21795,3624 litre	O
370	CM	150	CM	66 LEVEL CM	4266,1851 litre	16,312 %	21887,5737 litre	O
370	CM	150	CM	65 LEVEL CM	4174,4740 litre	15,961 %	21979,2848 litre	O
370	CM	150	CM	64 LEVEL CM	4083,2718 litre	15,613 %	22070,4870 litre	O
370	CM	150	CM	63 LEVEL CM	3992,5874 litre	15,266 %	22161,1714 litre	O
370	CM	150	CM	62 LEVEL CM	3902,4300 litre	14,921 %	22251,3288 litre	O
370	CM	150	CM	61 LEVEL CM	3812,8086 litre	14,578 %	22340,9502 litre	O
370	CM	150	CM	60 LEVEL CM	3723,7327 litre	14,238 %	22430,0261 litre	O
370	CM	150	CM	59 LEVEL CM	3635,2118 litre	13,899 %	22518,5470 litre	O
370	CM	150	CM	58 LEVEL CM	3547,2557 litre	13,563 %	22606,5031 litre	O
370	CM	150	CM	57 LEVEL CM	3459,8742 litre	13,229 %	22693,8846 litre	O
370	CM	150	CM	56 LEVEL CM	3373,0775 litre	12,897 %	22780,6813 litre	O
370	CM	150	CM	55 LEVEL CM	3286,8758 litre	12,568 %	22866,8830 litre	O
370	CM	150	CM	54 LEVEL CM	3201,2798 litre	12,240 %	22952,4790 litre	O
370	CM	150	CM	53 LEVEL CM	3116,3002 litre	11,915 %	23037,4586 litre	O
370	CM	150	CM	52 LEVEL CM	3031,9480 litre	11,593 %	23121,8108 litre	O
370	CM	150	CM	51 LEVEL CM	2948,2344 litre	11,273 %	23205,5244 litre	O
370	CM	150	CM	50 LEVEL CM	2865,1709 litre	10,955 %	23288,5879 litre	O
370	CM	150	CM	49 LEVEL CM	2782,7693 litre	10,640 %	23370,9895 litre	O
370	CM	150	CM	48 LEVEL CM	2701,0417 litre	10,328 %	23452,7171 litre	O
370	CM	150	CM	47 LEVEL CM	2620,0004 litre	10,018 %	23533,7584 litre	O
370	CM	150	CM	46 LEVEL CM	2539,6581 litre	9,710 %	23614,1007 litre	O
370	CM	150	CM	45 LEVEL CM	2460,0278 litre	9,406 %	23693,7310 litre	O
370	CM	150	CM	44 LEVEL CM	2381,1229 litre	9,104 %	23772,6359 litre	O
370	CM	150	CM	43 LEVEL CM	2302,9571 litre	8,805 %	23850,8017 litre	O
370	CM	150	CM	42 LEVEL CM	2225,5446 litre	8,509 %	23928,2142 litre	O
370	CM	150	CM	41 LEVEL CM	2148,8998 litre	8,216 %	24004,8590 litre	O
370	CM	150	CM	40 LEVEL CM	2073,0378 litre	7,926 %	24080,7210 litre	O
370	CM	150	CM	39 LEVEL CM	1997,9741 litre	7,639 %	24155,7847 litre	O
370	CM	150	CM	38 LEVEL CM	1923,7245 litre	7,355 %	24230,0343 litre	O
370	CM	150	CM	37 LEVEL CM	1850,3056 litre	7,075 %	24303,4532 litre	O

370	CM	150	CM	36 LEVEL CM	1777,7345 litre	6,797 %	24376,0243 litre	O
370	CM	150	CM	35 LEVEL CM	1706,0287 litre	6,523 %	24447,7301 litre	O
370	CM	150	CM	34 LEVEL CM	1635,2066 litre	6,252 %	24518,5522 litre	O
370	CM	150	CM	33 LEVEL CM	1565,2872 litre	5,985 %	24588,4716 litre	O
370	CM	150	CM	32 LEVEL CM	1496,2903 litre	5,721 %	24657,4685 litre	O
370	CM	150	CM	31 LEVEL CM	1428,2363 litre	5,461 %	24725,5225 litre	O
370	CM	150	CM	30 LEVEL CM	1361,1467 litre	5,204 %	24792,6121 litre	O
370	CM	150	CM	29 LEVEL CM	1295,0439 litre	4,952 %	24858,7149 litre	O
370	CM	150	CM	28 LEVEL CM	1229,9512 litre	4,703 %	24923,8076 litre	O
370	CM	150	CM	27 LEVEL CM	1165,8931 litre	4,458 %	24987,8657 litre	O
370	CM	150	CM	26 LEVEL CM	1102,8953 litre	4,217 %	25050,8635 litre	O
370	CM	150	CM	25 LEVEL CM	1040,9847 litre	3,980 %	25112,7741 litre	O
370	CM	150	CM	24 LEVEL CM	980,1899 litre	3,748 %	25173,5689 litre	O
370	CM	150	CM	23 LEVEL CM	920,5409 litre	3,520 %	25233,2179 litre	O
370	CM	150	CM	22 LEVEL CM	862,0694 litre	3,296 %	25291,6894 litre	O
370	CM	150	CM	21 LEVEL CM	804,8093 litre	3,077 %	25348,9495 litre	O
370	CM	150	CM	20 LEVEL CM	748,7965 litre	2,863 %	25404,9623 litre	O
370	CM	150	CM	19 LEVEL CM	694,0695 litre	2,654 %	25459,6893 litre	O
370	CM	150	CM	18 LEVEL CM	640,6694 litre	2,450 %	25513,0894 litre	O
370	CM	150	CM	17 LEVEL CM	588,6407 litre	2,251 %	25565,1181 litre	O
370	CM	150	CM	16 LEVEL CM	538,0312 litre	2,057 %	25615,7276 litre	O
370	CM	150	CM	15 LEVEL CM	488,8932 litre	1,869 %	25664,8656 litre	O
370	CM	150	CM	14 LEVEL CM	441,2835 litre	1,687 %	25712,4753 litre	O
370	CM	150	CM	13 LEVEL CM	395,2649 litre	1,511 %	25758,4939 litre	O
370	CM	150	CM	12 LEVEL CM	350,9067 litre	1,342 %	25802,8521 litre	O
370	CM	150	CM	11 LEVEL CM	308,2864 litre	1,179 %	25845,4724 litre	O
370	CM	150	CM	10 LEVEL CM	267,4914 litre	1,023 %	25886,2674 litre	O
370	CM	150	CM	9 LEVEL CM	228,6215 litre	0,874 %	25925,1373 litre	O
370	CM	150	CM	8 LEVEL CM	191,7922 litre	0,733 %	25961,9666 litre	O
370	CM	150	CM	7 LEVEL CM	157,1392 litre	0,601 %	25996,6196 litre	O
370	CM	150	CM	6 LEVEL CM	124,8260 litre	0,477 %	26028,9328 litre	O
370	CM	150	CM	5 LEVEL CM	95,0545 litre	0,363 %	26058,7043 litre	O
370	CM	150	CM	4 LEVEL CM	68,0842 litre	0,260 %	26085,6746 litre	O
370	CM	150	CM	3 LEVEL CM	44,2666 litre	0,169 %	26109,4922 litre	O
370	CM	150	CM	2 LEVEL CM	24,1199 litre	0,092 %	26129,6389 litre	O
370	CM	150	CM	1 LEVEL CM	8,5362 litre	0,033 %	26145,2226 litre	O
370	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	26153,7588 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 145	CM 290	LEVEL CM 24439,2347 litre	100,000 %	0,0000 litre	O
370	CM 145	CM 289	LEVEL CM 24430,8422 litre	99,966 %	8,3925 litre	O
370	CM 145	CM 288	LEVEL CM 24415,5218 litre	99,903 %	23,7129 litre	O
370	CM 145	CM 287	LEVEL CM 24395,7167 litre	99,822 %	43,5180 litre	O
370	CM 145	CM 286	LEVEL CM 24372,3041 litre	99,726 %	66,9306 litre	O
370	CM 145	CM 285	LEVEL CM 24345,7941 litre	99,618 %	93,4406 litre	O
370	CM 145	CM 284	LEVEL CM 24316,5325 litre	99,498 %	122,7022 litre	O
370	CM 145	CM 283	LEVEL CM 24284,7745 litre	99,368 %	154,4602 litre	O
370	CM 145	CM 282	LEVEL CM 24250,7191 litre	99,229 %	188,5156 litre	O
370	CM 145	CM 281	LEVEL CM 24214,5270 litre	99,081 %	224,7077 litre	O
370	CM 145	CM 280	LEVEL CM 24176,3320 litre	98,924 %	262,9027 litre	O
370	CM 145	CM 279	LEVEL CM 24136,2478 litre	98,760 %	302,9869 litre	O
370	CM 145	CM 278	LEVEL CM 24094,3727 litre	98,589 %	344,8620 litre	O
370	CM 145	CM 277	LEVEL CM 24050,7927 litre	98,411 %	388,4420 litre	O
370	CM 145	CM 276	LEVEL CM 24005,5843 litre	98,226 %	433,6504 litre	O
370	CM 145	CM 275	LEVEL CM 23958,8159 litre	98,034 %	480,4188 litre	O
370	CM 145	CM 274	LEVEL CM 23910,5492 litre	97,837 %	528,6855 litre	O
370	CM 145	CM 273	LEVEL CM 23860,8404 litre	97,633 %	578,3943 litre	O
370	CM 145	CM 272	LEVEL CM 23809,7408 litre	97,424 %	629,4939 litre	O
370	CM 145	CM 271	LEVEL CM 23757,2978 litre	97,210 %	681,9369 litre	O
370	CM 145	CM 270	LEVEL CM 23703,5552 litre	96,990 %	735,6795 litre	O
370	CM 145	CM 269	LEVEL CM 23648,5535 litre	96,765 %	790,6812 litre	O
370	CM 145	CM 268	LEVEL CM 23592,3308 litre	96,535 %	846,9039 litre	O
370	CM 145	CM 267	LEVEL CM 23534,9226 litre	96,300 %	904,3121 litre	O
370	CM 145	CM 266	LEVEL CM 23476,3621 litre	96,060 %	962,8726 litre	O
370	CM 145	CM 265	LEVEL CM 23416,6808 litre	95,816 %	1022,5539 litre	O
370	CM 145	CM 264	LEVEL CM 23355,9085 litre	95,567 %	1083,3262 litre	O
370	CM 145	CM 263	LEVEL CM 23294,0731 litre	95,314 %	1145,1616 litre	O
370	CM 145	CM 262	LEVEL CM 23231,2013 litre	95,057 %	1208,0334 litre	O
370	CM 145	CM 261	LEVEL CM 23167,3186 litre	94,796 %	1271,9161 litre	O
370	CM 145	CM 260	LEVEL CM 23102,4492 litre	94,530 %	1336,7855 litre	O
370	CM 145	CM 259	LEVEL CM 23036,6161 litre	94,261 %	1402,6186 litre	O
370	CM 145	CM 258	LEVEL CM 22969,8415 litre	93,988 %	1469,3932 litre	O
370	CM 145	CM 257	LEVEL CM 22902,1465 litre	93,711 %	1537,0882 litre	O
370	CM 145	CM 256	LEVEL CM 22833,5515 litre	93,430 %	1605,6832 litre	O
370	CM 145	CM 255	LEVEL CM 22764,0759 litre	93,146 %	1675,1588 litre	O
370	CM 145	CM 254	LEVEL CM 22693,7387 litre	92,858 %	1745,4960 litre	O
370	CM 145	CM 253	LEVEL CM 22622,5580 litre	92,567 %	1816,6767 litre	O
370	CM 145	CM 252	LEVEL CM 22550,5511 litre	92,272 %	1888,6836 litre	O
370	CM 145	CM 251	LEVEL CM 22477,7351 litre	91,974 %	1961,4996 litre	O
370	CM 145	CM 250	LEVEL CM 22404,1262 litre	91,673 %	2035,1085 litre	O
370	CM 145	CM 249	LEVEL CM 22329,7403 litre	91,368 %	2109,4944 litre	O
370	CM 145	CM 248	LEVEL CM 22254,5926 litre	91,061 %	2184,6421 litre	O
370	CM 145	CM 247	LEVEL CM 22178,6981 litre	90,750 %	2260,5366 litre	O
370	CM 145	CM 246	LEVEL CM 22102,0712 litre	90,437 %	2337,1635 litre	O
370	CM 145	CM 245	LEVEL CM 22024,7258 litre	90,120 %	2414,5089 litre	O
370	CM 145	CM 244	LEVEL CM 21946,6756 litre	89,801 %	2492,5591 litre	O
370	CM 145	CM 243	LEVEL CM 21867,9340 litre	89,479 %	2571,3007 litre	O
370	CM 145	CM 242	LEVEL CM 21788,5137 litre	89,154 %	2650,7210 litre	O
370	CM 145	CM 241	LEVEL CM 21708,4273 litre	88,826 %	2730,8074 litre	O
370	CM 145	CM 240	LEVEL CM 21627,6872 litre	88,496 %	2811,5475 litre	O
370	CM 145	CM 239	LEVEL CM 21546,3054 litre	88,163 %	2892,9293 litre	O

370	CM	145	CM	238 LEVEL CM	21464,2935 litre	87,827 %	2974,9412 litre	O
370	CM	145	CM	237 LEVEL CM	21381,6629 litre	87,489 %	3057,5718 litre	O
370	CM	145	CM	236 LEVEL CM	21298,4249 litre	87,148 %	3140,8098 litre	O
370	CM	145	CM	235 LEVEL CM	21214,5903 litre	86,805 %	3224,6444 litre	O
370	CM	145	CM	234 LEVEL CM	21130,1699 litre	86,460 %	3309,0648 litre	O
370	CM	145	CM	233 LEVEL CM	21045,1742 litre	86,112 %	3394,0605 litre	O
370	CM	145	CM	232 LEVEL CM	20959,6133 litre	85,762 %	3479,6214 litre	O
370	CM	145	CM	231 LEVEL CM	20873,4975 litre	85,410 %	3565,7372 litre	O
370	CM	145	CM	230 LEVEL CM	20786,8365 litre	85,055 %	3652,3982 litre	O
370	CM	145	CM	229 LEVEL CM	20699,6400 litre	84,698 %	3739,5947 litre	O
370	CM	145	CM	228 LEVEL CM	20611,9177 litre	84,339 %	3827,3170 litre	O
370	CM	145	CM	227 LEVEL CM	20523,6787 litre	83,978 %	3915,5560 litre	O
370	CM	145	CM	226 LEVEL CM	20434,9322 litre	83,615 %	4004,3025 litre	O
370	CM	145	CM	225 LEVEL CM	20345,6874 litre	83,250 %	4093,5473 litre	O
370	CM	145	CM	224 LEVEL CM	20255,9531 litre	82,883 %	4183,2816 litre	O
370	CM	145	CM	223 LEVEL CM	20165,7379 litre	82,514 %	4273,4968 litre	O
370	CM	145	CM	222 LEVEL CM	20075,0505 litre	82,143 %	4364,1842 litre	O
370	CM	145	CM	221 LEVEL CM	19983,8993 litre	81,770 %	4455,3354 litre	O
370	CM	145	CM	220 LEVEL CM	19892,2927 litre	81,395 %	4546,9420 litre	O
370	CM	145	CM	219 LEVEL CM	19800,2389 litre	81,018 %	4638,9958 litre	O
370	CM	145	CM	218 LEVEL CM	19707,7459 litre	80,640 %	4731,4888 litre	O
370	CM	145	CM	217 LEVEL CM	19614,8217 litre	80,260 %	4824,4130 litre	O
370	CM	145	CM	216 LEVEL CM	19521,4741 litre	79,878 %	4917,7606 litre	O
370	CM	145	CM	215 LEVEL CM	19427,7110 litre	79,494 %	5011,5237 litre	O
370	CM	145	CM	214 LEVEL CM	19333,5400 litre	79,109 %	5105,6947 litre	O
370	CM	145	CM	213 LEVEL CM	19238,9685 litre	78,722 %	5200,2662 litre	O
370	CM	145	CM	212 LEVEL CM	19144,0042 litre	78,333 %	5295,2305 litre	O
370	CM	145	CM	211 LEVEL CM	19048,6543 litre	77,943 %	5390,5804 litre	O
370	CM	145	CM	210 LEVEL CM	18952,9260 litre	77,551 %	5486,3087 litre	O
370	CM	145	CM	209 LEVEL CM	18856,8267 litre	77,158 %	5582,4080 litre	O
370	CM	145	CM	208 LEVEL CM	18760,3634 litre	76,763 %	5678,8713 litre	O
370	CM	145	CM	207 LEVEL CM	18663,5431 litre	76,367 %	5775,6916 litre	O
370	CM	145	CM	206 LEVEL CM	18566,3727 litre	75,970 %	5872,8620 litre	O
370	CM	145	CM	205 LEVEL CM	18468,8592 litre	75,571 %	5970,3755 litre	O
370	CM	145	CM	204 LEVEL CM	18371,0094 litre	75,170 %	6068,2253 litre	O
370	CM	145	CM	203 LEVEL CM	18272,8299 litre	74,768 %	6166,4048 litre	O
370	CM	145	CM	202 LEVEL CM	18174,3275 litre	74,365 %	6264,9072 litre	O
370	CM	145	CM	201 LEVEL CM	18075,5086 litre	73,961 %	6363,7261 litre	O
370	CM	145	CM	200 LEVEL CM	17976,3800 litre	73,555 %	6462,8547 litre	O
370	CM	145	CM	199 LEVEL CM	17876,9479 litre	73,149 %	6562,2868 litre	O
370	CM	145	CM	198 LEVEL CM	17777,2190 litre	72,740 %	6662,0157 litre	O
370	CM	145	CM	197 LEVEL CM	17677,1994 litre	72,331 %	6762,0353 litre	O
370	CM	145	CM	196 LEVEL CM	17576,8955 litre	71,921 %	6862,3392 litre	O
370	CM	145	CM	195 LEVEL CM	17476,3136 litre	71,509 %	6962,9211 litre	O
370	CM	145	CM	194 LEVEL CM	17375,4598 litre	71,097 %	7063,7749 litre	O
370	CM	145	CM	193 LEVEL CM	17274,3404 litre	70,683 %	7164,8943 litre	O
370	CM	145	CM	192 LEVEL CM	17172,9613 litre	70,268 %	7266,2734 litre	O
370	CM	145	CM	191 LEVEL CM	17071,3287 litre	69,852 %	7367,9060 litre	O
370	CM	145	CM	190 LEVEL CM	16969,4485 litre	69,435 %	7469,7862 litre	O
370	CM	145	CM	189 LEVEL CM	16867,3267 litre	69,017 %	7571,9080 litre	O
370	CM	145	CM	188 LEVEL CM	16764,9693 litre	68,599 %	7674,2654 litre	O
370	CM	145	CM	187 LEVEL CM	16662,3821 litre	68,179 %	7776,8526 litre	O
370	CM	145	CM	186 LEVEL CM	16559,5709 litre	67,758 %	7879,6638 litre	O

370	CM	145	CM	185 LEVEL CM	16456,5416 litre	67,337 %	7982,6931 litre	O
370	CM	145	CM	184 LEVEL CM	16353,2999 litre	66,914 %	8085,9348 litre	O
370	CM	145	CM	183 LEVEL CM	16249,8516 litre	66,491 %	8189,3831 litre	O
370	CM	145	CM	182 LEVEL CM	16146,2023 litre	66,067 %	8293,0324 litre	O
370	CM	145	CM	181 LEVEL CM	16042,3577 litre	65,642 %	8396,8770 litre	O
370	CM	145	CM	180 LEVEL CM	15938,3234 litre	65,216 %	8500,9113 litre	O
370	CM	145	CM	179 LEVEL CM	15834,1051 litre	64,790 %	8605,1296 litre	O
370	CM	145	CM	178 LEVEL CM	15729,7082 litre	64,363 %	8709,5265 litre	O
370	CM	145	CM	177 LEVEL CM	15625,1384 litre	63,935 %	8814,0963 litre	O
370	CM	145	CM	176 LEVEL CM	15520,4012 litre	63,506 %	8918,8335 litre	O
370	CM	145	CM	175 LEVEL CM	15415,5020 litre	63,077 %	9023,7327 litre	O
370	CM	145	CM	174 LEVEL CM	15310,4464 litre	62,647 %	9128,7883 litre	O
370	CM	145	CM	173 LEVEL CM	15205,2397 litre	62,217 %	9233,9950 litre	O
370	CM	145	CM	172 LEVEL CM	15099,8873 litre	61,785 %	9339,3474 litre	O
370	CM	145	CM	171 LEVEL CM	14994,3947 litre	61,354 %	9444,8400 litre	O
370	CM	145	CM	170 LEVEL CM	14888,7672 litre	60,922 %	9550,4675 litre	O
370	CM	145	CM	169 LEVEL CM	14783,0102 litre	60,489 %	9656,2245 litre	O
370	CM	145	CM	168 LEVEL CM	14677,1290 litre	60,056 %	9762,1057 litre	O
370	CM	145	CM	167 LEVEL CM	14571,1289 litre	59,622 %	9868,1058 litre	O
370	CM	145	CM	166 LEVEL CM	14465,0152 litre	59,188 %	9974,2195 litre	O
370	CM	145	CM	165 LEVEL CM	14358,7932 litre	58,753 %	10080,4415 litre	O
370	CM	145	CM	164 LEVEL CM	14252,4681 litre	58,318 %	10186,7666 litre	O
370	CM	145	CM	163 LEVEL CM	14146,0452 litre	57,883 %	10293,1895 litre	O
370	CM	145	CM	162 LEVEL CM	14039,5298 litre	57,447 %	10399,7049 litre	O
370	CM	145	CM	161 LEVEL CM	13932,9270 litre	57,010 %	10506,3077 litre	O
370	CM	145	CM	160 LEVEL CM	13826,2420 litre	56,574 %	10612,9927 litre	O
370	CM	145	CM	159 LEVEL CM	13719,4801 litre	56,137 %	10719,7546 litre	O
370	CM	145	CM	158 LEVEL CM	13612,6464 litre	55,700 %	10826,5883 litre	O
370	CM	145	CM	157 LEVEL CM	13505,7460 litre	55,263 %	10933,4887 litre	O
370	CM	145	CM	156 LEVEL CM	13398,7842 litre	54,825 %	11040,4505 litre	O
370	CM	145	CM	155 LEVEL CM	13291,7661 litre	54,387 %	11147,4686 litre	O
370	CM	145	CM	154 LEVEL CM	13184,6969 litre	53,949 %	11254,5378 litre	O
370	CM	145	CM	153 LEVEL CM	13077,5816 litre	53,511 %	11361,6531 litre	O
370	CM	145	CM	152 LEVEL CM	12970,4255 litre	53,072 %	11468,8092 litre	O
370	CM	145	CM	151 LEVEL CM	12863,2336 litre	52,634 %	11576,0011 litre	O
370	CM	145	CM	150 LEVEL CM	12756,0110 litre	52,195 %	11683,2237 litre	O
370	CM	145	CM	149 LEVEL CM	12648,7629 litre	51,756 %	11790,4718 litre	O
370	CM	145	CM	148 LEVEL CM	12541,4944 litre	51,317 %	11897,7403 litre	O
370	CM	145	CM	147 LEVEL CM	12434,2105 litre	50,878 %	12005,0242 litre	O
370	CM	145	CM	146 LEVEL CM	12326,9165 litre	50,439 %	12112,3182 litre	O
370	CM	145	CM	145 LEVEL CM	12219,6173 litre	50,000 %	12219,6174 litre	O
370	CM	145	CM	144 LEVEL CM	12112,3182 litre	49,561 %	12326,9165 litre	O
370	CM	145	CM	143 LEVEL CM	12005,0241 litre	49,122 %	12434,2106 litre	O
370	CM	145	CM	142 LEVEL CM	11897,7403 litre	48,683 %	12541,4944 litre	O
370	CM	145	CM	141 LEVEL CM	11790,4718 litre	48,244 %	12648,7629 litre	O
370	CM	145	CM	140 LEVEL CM	11683,2237 litre	47,805 %	12756,0110 litre	O
370	CM	145	CM	139 LEVEL CM	11576,0011 litre	47,366 %	12863,2336 litre	O
370	CM	145	CM	138 LEVEL CM	11468,8092 litre	46,928 %	12970,4255 litre	O
370	CM	145	CM	137 LEVEL CM	11361,6530 litre	46,489 %	13077,5817 litre	O
370	CM	145	CM	136 LEVEL CM	11254,5378 litre	46,051 %	13184,6969 litre	O
370	CM	145	CM	135 LEVEL CM	11147,4685 litre	45,613 %	13291,7662 litre	O
370	CM	145	CM	134 LEVEL CM	11040,4504 litre	45,175 %	13398,7843 litre	O
370	CM	145	CM	133 LEVEL CM	10933,4886 litre	44,737 %	13505,7461 litre	O

370	CM	145	CM	132 LEVEL CM	10826,5883 litre	44,300 %	13612,6464 litre	O
370	CM	145	CM	131 LEVEL CM	10719,7546 litre	43,863 %	13719,4801 litre	O
370	CM	145	CM	130 LEVEL CM	10612,9926 litre	43,426 %	13826,2421 litre	O
370	CM	145	CM	129 LEVEL CM	10506,3077 litre	42,990 %	13932,9270 litre	O
370	CM	145	CM	128 LEVEL CM	10399,7049 litre	42,553 %	14039,5298 litre	O
370	CM	145	CM	127 LEVEL CM	10293,1894 litre	42,117 %	14146,0453 litre	O
370	CM	145	CM	126 LEVEL CM	10186,7665 litre	41,682 %	14252,4682 litre	O
370	CM	145	CM	125 LEVEL CM	10080,4415 litre	41,247 %	14358,7932 litre	O
370	CM	145	CM	124 LEVEL CM	9974,2195 litre	40,812 %	14465,0152 litre	O
370	CM	145	CM	123 LEVEL CM	9868,1058 litre	40,378 %	14571,1289 litre	O
370	CM	145	CM	122 LEVEL CM	9762,1057 litre	39,944 %	14677,1290 litre	O
370	CM	145	CM	121 LEVEL CM	9656,2245 litre	39,511 %	14783,0102 litre	O
370	CM	145	CM	120 LEVEL CM	9550,4675 litre	39,078 %	14888,7672 litre	O
370	CM	145	CM	119 LEVEL CM	9444,8400 litre	38,646 %	14994,3947 litre	O
370	CM	145	CM	118 LEVEL CM	9339,3474 litre	38,215 %	15099,8873 litre	O
370	CM	145	CM	117 LEVEL CM	9233,9950 litre	37,783 %	15205,2397 litre	O
370	CM	145	CM	116 LEVEL CM	9128,7883 litre	37,353 %	15310,4464 litre	O
370	CM	145	CM	115 LEVEL CM	9023,7326 litre	36,923 %	15415,5021 litre	O
370	CM	145	CM	114 LEVEL CM	8918,8334 litre	36,494 %	15520,4013 litre	O
370	CM	145	CM	113 LEVEL CM	8814,0962 litre	36,065 %	15625,1385 litre	O
370	CM	145	CM	112 LEVEL CM	8709,5264 litre	35,637 %	15729,7083 litre	O
370	CM	145	CM	111 LEVEL CM	8605,1296 litre	35,210 %	15834,1051 litre	O
370	CM	145	CM	110 LEVEL CM	8500,9113 litre	34,784 %	15938,3234 litre	O
370	CM	145	CM	109 LEVEL CM	8396,8770 litre	34,358 %	16042,3577 litre	O
370	CM	145	CM	108 LEVEL CM	8293,0324 litre	33,933 %	16146,2023 litre	O
370	CM	145	CM	107 LEVEL CM	8189,3831 litre	33,509 %	16249,8516 litre	O
370	CM	145	CM	106 LEVEL CM	8085,9347 litre	33,086 %	16353,3000 litre	O
370	CM	145	CM	105 LEVEL CM	7982,6930 litre	32,663 %	16456,5417 litre	O
370	CM	145	CM	104 LEVEL CM	7879,6637 litre	32,242 %	16559,5710 litre	O
370	CM	145	CM	103 LEVEL CM	7776,8526 litre	31,821 %	16662,3821 litre	O
370	CM	145	CM	102 LEVEL CM	7674,2653 litre	31,401 %	16764,9694 litre	O
370	CM	145	CM	101 LEVEL CM	7571,9079 litre	30,983 %	16867,3268 litre	O
370	CM	145	CM	100 LEVEL CM	7469,7861 litre	30,565 %	16969,4486 litre	O
370	CM	145	CM	99 LEVEL CM	7367,9060 litre	30,148 %	17071,3287 litre	O
370	CM	145	CM	98 LEVEL CM	7266,2733 litre	29,732 %	17172,9614 litre	O
370	CM	145	CM	97 LEVEL CM	7164,8943 litre	29,317 %	17274,3404 litre	O
370	CM	145	CM	96 LEVEL CM	7063,7748 litre	28,903 %	17375,4599 litre	O
370	CM	145	CM	95 LEVEL CM	6962,9210 litre	28,491 %	17476,3137 litre	O
370	CM	145	CM	94 LEVEL CM	6862,3391 litre	28,079 %	17576,8956 litre	O
370	CM	145	CM	93 LEVEL CM	6762,0353 litre	27,669 %	17677,1994 litre	O
370	CM	145	CM	92 LEVEL CM	6662,0157 litre	27,260 %	17777,2190 litre	O
370	CM	145	CM	91 LEVEL CM	6562,2867 litre	26,851 %	17876,9480 litre	O
370	CM	145	CM	90 LEVEL CM	6462,8547 litre	26,445 %	17976,3800 litre	O
370	CM	145	CM	89 LEVEL CM	6363,7260 litre	26,039 %	18075,5087 litre	O
370	CM	145	CM	88 LEVEL CM	6264,9072 litre	25,635 %	18174,3275 litre	O
370	CM	145	CM	87 LEVEL CM	6166,4047 litre	25,232 %	18272,8300 litre	O
370	CM	145	CM	86 LEVEL CM	6068,2253 litre	24,830 %	18371,0094 litre	O
370	CM	145	CM	85 LEVEL CM	5970,3754 litre	24,429 %	18468,8593 litre	O
370	CM	145	CM	84 LEVEL CM	5872,8619 litre	24,030 %	18566,3728 litre	O
370	CM	145	CM	83 LEVEL CM	5775,6916 litre	23,633 %	18663,5431 litre	O
370	CM	145	CM	82 LEVEL CM	5678,8713 litre	23,237 %	18760,3634 litre	O
370	CM	145	CM	81 LEVEL CM	5582,4079 litre	22,842 %	18856,8268 litre	O
370	CM	145	CM	80 LEVEL CM	5486,3086 litre	22,449 %	18952,9261 litre	O

370	CM	145	CM	79 LEVEL CM	5390,5804 litre	22,057 %	19048,6543 litre	O
370	CM	145	CM	78 LEVEL CM	5295,2305 litre	21,667 %	19144,0042 litre	O
370	CM	145	CM	77 LEVEL CM	5200,2661 litre	21,278 %	19238,9686 litre	O
370	CM	145	CM	76 LEVEL CM	5105,6947 litre	20,891 %	19333,5400 litre	O
370	CM	145	CM	75 LEVEL CM	5011,5236 litre	20,506 %	19427,7111 litre	O
370	CM	145	CM	74 LEVEL CM	4917,7605 litre	20,122 %	19521,4742 litre	O
370	CM	145	CM	73 LEVEL CM	4824,4130 litre	19,740 %	19614,8217 litre	O
370	CM	145	CM	72 LEVEL CM	4731,4888 litre	19,360 %	19707,7459 litre	O
370	CM	145	CM	71 LEVEL CM	4638,9958 litre	18,982 %	19800,2389 litre	O
370	CM	145	CM	70 LEVEL CM	4546,9419 litre	18,605 %	19892,2928 litre	O
370	CM	145	CM	69 LEVEL CM	4455,3353 litre	18,230 %	19983,8994 litre	O
370	CM	145	CM	68 LEVEL CM	4364,1842 litre	17,857 %	20075,0505 litre	O
370	CM	145	CM	67 LEVEL CM	4273,4968 litre	17,486 %	20165,7379 litre	O
370	CM	145	CM	66 LEVEL CM	4183,2816 litre	17,117 %	20255,9531 litre	O
370	CM	145	CM	65 LEVEL CM	4093,5472 litre	16,750 %	20345,6875 litre	O
370	CM	145	CM	64 LEVEL CM	4004,3024 litre	16,385 %	20434,9323 litre	O
370	CM	145	CM	63 LEVEL CM	3915,5560 litre	16,022 %	20523,6787 litre	O
370	CM	145	CM	62 LEVEL CM	3827,3170 litre	15,661 %	20611,9177 litre	O
370	CM	145	CM	61 LEVEL CM	3739,5946 litre	15,302 %	20699,6401 litre	O
370	CM	145	CM	60 LEVEL CM	3652,3982 litre	14,945 %	20786,8365 litre	O
370	CM	145	CM	59 LEVEL CM	3565,7372 litre	14,590 %	20873,4975 litre	O
370	CM	145	CM	58 LEVEL CM	3479,6213 litre	14,238 %	20959,6134 litre	O
370	CM	145	CM	57 LEVEL CM	3394,0605 litre	13,888 %	21045,1742 litre	O
370	CM	145	CM	56 LEVEL CM	3309,0647 litre	13,540 %	21130,1700 litre	O
370	CM	145	CM	55 LEVEL CM	3224,6443 litre	13,195 %	21214,5904 litre	O
370	CM	145	CM	54 LEVEL CM	3140,8098 litre	12,852 %	21298,4249 litre	O
370	CM	145	CM	53 LEVEL CM	3057,5718 litre	12,511 %	21381,6629 litre	O
370	CM	145	CM	52 LEVEL CM	2974,9412 litre	12,173 %	21464,2935 litre	O
370	CM	145	CM	51 LEVEL CM	2892,9293 litre	11,837 %	21546,3054 litre	O
370	CM	145	CM	50 LEVEL CM	2811,5474 litre	11,504 %	21627,6873 litre	O
370	CM	145	CM	49 LEVEL CM	2730,8073 litre	11,174 %	21708,4274 litre	O
370	CM	145	CM	48 LEVEL CM	2650,7210 litre	10,846 %	21788,5137 litre	O
370	CM	145	CM	47 LEVEL CM	2571,3007 litre	10,521 %	21867,9340 litre	O
370	CM	145	CM	46 LEVEL CM	2492,5590 litre	10,199 %	21946,6757 litre	O
370	CM	145	CM	45 LEVEL CM	2414,5089 litre	9,880 %	22024,7258 litre	O
370	CM	145	CM	44 LEVEL CM	2337,1635 litre	9,563 %	22102,0712 litre	O
370	CM	145	CM	43 LEVEL CM	2260,5366 litre	9,250 %	22178,6981 litre	O
370	CM	145	CM	42 LEVEL CM	2184,6420 litre	8,939 %	22254,5927 litre	O
370	CM	145	CM	41 LEVEL CM	2109,4944 litre	8,632 %	22329,7403 litre	O
370	CM	145	CM	40 LEVEL CM	2035,1085 litre	8,327 %	22404,1262 litre	O
370	CM	145	CM	39 LEVEL CM	1961,4996 litre	8,026 %	22477,7351 litre	O
370	CM	145	CM	38 LEVEL CM	1888,6835 litre	7,728 %	22550,5512 litre	O
370	CM	145	CM	37 LEVEL CM	1816,6767 litre	7,433 %	22622,5580 litre	O
370	CM	145	CM	36 LEVEL CM	1745,4959 litre	7,142 %	22693,7388 litre	O
370	CM	145	CM	35 LEVEL CM	1675,1587 litre	6,854 %	22764,0760 litre	O
370	CM	145	CM	34 LEVEL CM	1605,6832 litre	6,570 %	22833,5515 litre	O
370	CM	145	CM	33 LEVEL CM	1537,0882 litre	6,289 %	22902,1465 litre	O
370	CM	145	CM	32 LEVEL CM	1469,3932 litre	6,012 %	22969,8415 litre	O
370	CM	145	CM	31 LEVEL CM	1402,6185 litre	5,739 %	23036,6162 litre	O
370	CM	145	CM	30 LEVEL CM	1336,7854 litre	5,470 %	23102,4493 litre	O
370	CM	145	CM	29 LEVEL CM	1271,9160 litre	5,204 %	23167,3187 litre	O
370	CM	145	CM	28 LEVEL CM	1208,0333 litre	4,943 %	23231,2014 litre	O
370	CM	145	CM	27 LEVEL CM	1145,1616 litre	4,686 %	23294,0731 litre	O

370	CM	145	CM	26 LEVEL CM	1083,3262 litre	4,433 %	23355,9085 litre	O
370	CM	145	CM	25 LEVEL CM	1022,5538 litre	4,184 %	23416,6809 litre	O
370	CM	145	CM	24 LEVEL CM	962,8725 litre	3,940 %	23476,3622 litre	O
370	CM	145	CM	23 LEVEL CM	904,3121 litre	3,700 %	23534,9226 litre	O
370	CM	145	CM	22 LEVEL CM	846,9038 litre	3,465 %	23592,3309 litre	O
370	CM	145	CM	21 LEVEL CM	790,6811 litre	3,235 %	23648,5536 litre	O
370	CM	145	CM	20 LEVEL CM	735,6795 litre	3,010 %	23703,5552 litre	O
370	CM	145	CM	19 LEVEL CM	681,9368 litre	2,790 %	23757,2979 litre	O
370	CM	145	CM	18 LEVEL CM	629,4939 litre	2,576 %	23809,7408 litre	O
370	CM	145	CM	17 LEVEL CM	578,3943 litre	2,367 %	23860,8404 litre	O
370	CM	145	CM	16 LEVEL CM	528,6854 litre	2,163 %	23910,5493 litre	O
370	CM	145	CM	15 LEVEL CM	480,4187 litre	1,966 %	23958,8160 litre	O
370	CM	145	CM	14 LEVEL CM	433,6503 litre	1,774 %	24005,5844 litre	O
370	CM	145	CM	13 LEVEL CM	388,4419 litre	1,589 %	24050,7928 litre	O
370	CM	145	CM	12 LEVEL CM	344,8620 litre	1,411 %	24094,3727 litre	O
370	CM	145	CM	11 LEVEL CM	302,9869 litre	1,240 %	24136,2478 litre	O
370	CM	145	CM	10 LEVEL CM	262,9027 litre	1,076 %	24176,3320 litre	O
370	CM	145	CM	9 LEVEL CM	224,7077 litre	0,919 %	24214,5270 litre	O
370	CM	145	CM	8 LEVEL CM	188,5156 litre	0,771 %	24250,7191 litre	O
370	CM	145	CM	7 LEVEL CM	154,4601 litre	0,632 %	24284,7746 litre	O
370	CM	145	CM	6 LEVEL CM	122,7022 litre	0,502 %	24316,5325 litre	O
370	CM	145	CM	5 LEVEL CM	93,4405 litre	0,382 %	24345,7942 litre	O
370	CM	145	CM	4 LEVEL CM	66,9305 litre	0,274 %	24372,3042 litre	O
370	CM	145	CM	3 LEVEL CM	43,5180 litre	0,178 %	24395,7167 litre	O
370	CM	145	CM	2 LEVEL CM	23,7129 litre	0,097 %	24415,5218 litre	O
370	CM	145	CM	1 LEVEL CM	8,3925 litre	0,034 %	24430,8422 litre	O
370	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	24439,2347 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 140	CM 280 LEVEL CM	22782,8299 litre	100,000 %	0,0000 litre	O
370	CM 140	CM 279 LEVEL CM	22774,5837 litre	99,964 %	8,2462 litre	O
370	CM 140	CM 278 LEVEL CM	22759,5312 litre	99,898 %	23,2987 litre	O
370	CM 140	CM 277 LEVEL CM	22740,0736 litre	99,812 %	42,7563 litre	O
370	CM 140	CM 276 LEVEL CM	22717,0733 litre	99,711 %	65,7566 litre	O
370	CM 140	CM 275 LEVEL CM	22691,0317 litre	99,597 %	91,7982 litre	O
370	CM 140	CM 274 LEVEL CM	22662,2890 litre	99,471 %	120,5409 litre	O
370	CM 140	CM 273 LEVEL CM	22631,0962 litre	99,334 %	151,7337 litre	O
370	CM 140	CM 272 LEVEL CM	22597,6489 litre	99,187 %	185,1810 litre	O
370	CM 140	CM 271 LEVEL CM	22562,1054 litre	99,031 %	220,7245 litre	O
370	CM 140	CM 270 LEVEL CM	22524,5975 litre	98,867 %	258,2324 litre	O
370	CM 140	CM 269 LEVEL CM	22485,2369 litre	98,694 %	297,5930 litre	O
370	CM 140	CM 268 LEVEL CM	22444,1205 litre	98,513 %	338,7094 litre	O
370	CM 140	CM 267 LEVEL CM	22401,3330 litre	98,326 %	381,4969 litre	O
370	CM 140	CM 266 LEVEL CM	22356,9496 litre	98,131 %	425,8803 litre	O
370	CM 140	CM 265 LEVEL CM	22311,0379 litre	97,929 %	471,7920 litre	O
370	CM 140	CM 264 LEVEL CM	22263,6585 litre	97,721 %	519,1714 litre	O
370	CM 140	CM 263 LEVEL CM	22214,8669 litre	97,507 %	567,9630 litre	O
370	CM 140	CM 262 LEVEL CM	22164,7137 litre	97,287 %	618,1162 litre	O
370	CM 140	CM 261 LEVEL CM	22113,2456 litre	97,061 %	669,5843 litre	O
370	CM 140	CM 260 LEVEL CM	22060,5057 litre	96,830 %	722,3242 litre	O
370	CM 140	CM 259 LEVEL CM	22006,5342 litre	96,593 %	776,2957 litre	O
370	CM 140	CM 258 LEVEL CM	21951,3684 litre	96,350 %	831,4615 litre	O
370	CM 140	CM 257 LEVEL CM	21895,0434 litre	96,103 %	887,7865 litre	O
370	CM 140	CM 256 LEVEL CM	21837,5921 litre	95,851 %	945,2378 litre	O
370	CM 140	CM 255 LEVEL CM	21779,0456 litre	95,594 %	1003,7843 litre	O
370	CM 140	CM 254 LEVEL CM	21719,4331 litre	95,332 %	1063,3968 litre	O
370	CM 140	CM 253 LEVEL CM	21658,7824 litre	95,066 %	1124,0475 litre	O
370	CM 140	CM 252 LEVEL CM	21597,1199 litre	94,796 %	1185,7100 litre	O
370	CM 140	CM 251 LEVEL CM	21534,4706 litre	94,521 %	1248,3593 litre	O
370	CM 140	CM 250 LEVEL CM	21470,8584 litre	94,241 %	1311,9715 litre	O
370	CM 140	CM 249 LEVEL CM	21406,3063 litre	93,958 %	1376,5236 litre	O
370	CM 140	CM 248 LEVEL CM	21340,8360 litre	93,671 %	1441,9939 litre	O
370	CM 140	CM 247 LEVEL CM	21274,4684 litre	93,379 %	1508,3615 litre	O
370	CM 140	CM 246 LEVEL CM	21207,2238 litre	93,084 %	1575,6061 litre	O
370	CM 140	CM 245 LEVEL CM	21139,1215 litre	92,785 %	1643,7084 litre	O
370	CM 140	CM 244 LEVEL CM	21070,1800 litre	92,483 %	1712,6499 litre	O
370	CM 140	CM 243 LEVEL CM	21000,4173 litre	92,177 %	1782,4126 litre	O
370	CM 140	CM 242 LEVEL CM	20929,8508 litre	91,867 %	1852,9791 litre	O
370	CM 140	CM 241 LEVEL CM	20858,4971 litre	91,554 %	1924,3328 litre	O
370	CM 140	CM 240 LEVEL CM	20786,3724 litre	91,237 %	1996,4575 litre	O
370	CM 140	CM 239 LEVEL CM	20713,4924 litre	90,917 %	2069,3375 litre	O
370	CM 140	CM 238 LEVEL CM	20639,8723 litre	90,594 %	2142,9576 litre	O
370	CM 140	CM 237 LEVEL CM	20565,5269 litre	90,268 %	2217,3030 litre	O
370	CM 140	CM 236 LEVEL CM	20490,4703 litre	89,938 %	2292,3596 litre	O
370	CM 140	CM 235 LEVEL CM	20414,7166 litre	89,606 %	2368,1133 litre	O
370	CM 140	CM 234 LEVEL CM	20338,2792 litre	89,270 %	2444,5507 litre	O
370	CM 140	CM 233 LEVEL CM	20261,1714 litre	88,932 %	2521,6585 litre	O
370	CM 140	CM 232 LEVEL CM	20183,4059 litre	88,590 %	2599,4240 litre	O
370	CM 140	CM 231 LEVEL CM	20104,9952 litre	88,246 %	2677,8347 litre	O
370	CM 140	CM 230 LEVEL CM	20025,9515 litre	87,899 %	2756,8784 litre	O
370	CM 140	CM 229 LEVEL CM	19946,2868 litre	87,550 %	2836,5431 litre	O

370	CM	140	CM	228 LEVEL CM	19866,0126 litre	87,197 %	2916,8173 litre	O
370	CM	140	CM	227 LEVEL CM	19785,1403 litre	86,842 %	2997,6896 litre	O
370	CM	140	CM	226 LEVEL CM	19703,6811 litre	86,485 %	3079,1488 litre	O
370	CM	140	CM	225 LEVEL CM	19621,6458 litre	86,125 %	3161,1841 litre	O
370	CM	140	CM	224 LEVEL CM	19539,0450 litre	85,762 %	3243,7849 litre	O
370	CM	140	CM	223 LEVEL CM	19455,8892 litre	85,397 %	3326,9407 litre	O
370	CM	140	CM	222 LEVEL CM	19372,1886 litre	85,030 %	3410,6413 litre	O
370	CM	140	CM	221 LEVEL CM	19287,9533 litre	84,660 %	3494,8766 litre	O
370	CM	140	CM	220 LEVEL CM	19203,1930 litre	84,288 %	3579,6369 litre	O
370	CM	140	CM	219 LEVEL CM	19117,9174 litre	83,914 %	3664,9125 litre	O
370	CM	140	CM	218 LEVEL CM	19032,1360 litre	83,537 %	3750,6939 litre	O
370	CM	140	CM	217 LEVEL CM	18945,8582 litre	83,158 %	3836,9717 litre	O
370	CM	140	CM	216 LEVEL CM	18859,0929 litre	82,778 %	3923,7370 litre	O
370	CM	140	CM	215 LEVEL CM	18771,8494 litre	82,395 %	4010,9805 litre	O
370	CM	140	CM	214 LEVEL CM	18684,1363 litre	82,010 %	4098,6936 litre	O
370	CM	140	CM	213 LEVEL CM	18595,9625 litre	81,623 %	4186,8674 litre	O
370	CM	140	CM	212 LEVEL CM	18507,3365 litre	81,234 %	4275,4934 litre	O
370	CM	140	CM	211 LEVEL CM	18418,2666 litre	80,843 %	4364,5633 litre	O
370	CM	140	CM	210 LEVEL CM	18328,7614 litre	80,450 %	4454,0685 litre	O
370	CM	140	CM	209 LEVEL CM	18238,8289 litre	80,055 %	4544,0010 litre	O
370	CM	140	CM	208 LEVEL CM	18148,4772 litre	79,659 %	4634,3527 litre	O
370	CM	140	CM	207 LEVEL CM	18057,7144 litre	79,260 %	4725,1155 litre	O
370	CM	140	CM	206 LEVEL CM	17966,5482 litre	78,860 %	4816,2817 litre	O
370	CM	140	CM	205 LEVEL CM	17874,9864 litre	78,458 %	4907,8435 litre	O
370	CM	140	CM	204 LEVEL CM	17783,0367 litre	78,055 %	4999,7932 litre	O
370	CM	140	CM	203 LEVEL CM	17690,7066 litre	77,649 %	5092,1233 litre	O
370	CM	140	CM	202 LEVEL CM	17598,0036 litre	77,242 %	5184,8263 litre	O
370	CM	140	CM	201 LEVEL CM	17504,9351 litre	76,834 %	5277,8948 litre	O
370	CM	140	CM	200 LEVEL CM	17411,5084 litre	76,424 %	5371,3215 litre	O
370	CM	140	CM	199 LEVEL CM	17317,7307 litre	76,012 %	5465,0992 litre	O
370	CM	140	CM	198 LEVEL CM	17223,6091 litre	75,599 %	5559,2208 litre	O
370	CM	140	CM	197 LEVEL CM	17129,1506 litre	75,184 %	5653,6793 litre	O
370	CM	140	CM	196 LEVEL CM	17034,3622 litre	74,768 %	5748,4677 litre	O
370	CM	140	CM	195 LEVEL CM	16939,2509 litre	74,351 %	5843,5790 litre	O
370	CM	140	CM	194 LEVEL CM	16843,8235 litre	73,932 %	5939,0064 litre	O
370	CM	140	CM	193 LEVEL CM	16748,0867 litre	73,512 %	6034,7432 litre	O
370	CM	140	CM	192 LEVEL CM	16652,0472 litre	73,090 %	6130,7827 litre	O
370	CM	140	CM	191 LEVEL CM	16555,7116 litre	72,667 %	6227,1183 litre	O
370	CM	140	CM	190 LEVEL CM	16459,0866 litre	72,243 %	6323,7433 litre	O
370	CM	140	CM	189 LEVEL CM	16362,1787 litre	71,818 %	6420,6512 litre	O
370	CM	140	CM	188 LEVEL CM	16264,9943 litre	71,391 %	6517,8356 litre	O
370	CM	140	CM	187 LEVEL CM	16167,5397 litre	70,964 %	6615,2902 litre	O
370	CM	140	CM	186 LEVEL CM	16069,8214 litre	70,535 %	6713,0085 litre	O
370	CM	140	CM	185 LEVEL CM	15971,8457 litre	70,105 %	6810,9842 litre	O
370	CM	140	CM	184 LEVEL CM	15873,6188 litre	69,674 %	6909,2111 litre	O
370	CM	140	CM	183 LEVEL CM	15775,1469 litre	69,241 %	7007,6830 litre	O
370	CM	140	CM	182 LEVEL CM	15676,4362 litre	68,808 %	7106,3937 litre	O
370	CM	140	CM	181 LEVEL CM	15577,4928 litre	68,374 %	7205,3371 litre	O
370	CM	140	CM	180 LEVEL CM	15478,3227 litre	67,939 %	7304,5072 litre	O
370	CM	140	CM	179 LEVEL CM	15378,9319 litre	67,502 %	7403,8980 litre	O
370	CM	140	CM	178 LEVEL CM	15279,3266 litre	67,065 %	7503,5033 litre	O
370	CM	140	CM	177 LEVEL CM	15179,5125 litre	66,627 %	7603,3174 litre	O
370	CM	140	CM	176 LEVEL CM	15079,4956 litre	66,188 %	7703,3343 litre	O

370	CM	140	CM	175 LEVEL CM	14979,2819 litre	65,748 %	7803,5480 litre	O
370	CM	140	CM	174 LEVEL CM	14878,8770 litre	65,307 %	7903,9529 litre	O
370	CM	140	CM	173 LEVEL CM	14778,2869 litre	64,866 %	8004,5430 litre	O
370	CM	140	CM	172 LEVEL CM	14677,5174 litre	64,424 %	8105,3125 litre	O
370	CM	140	CM	171 LEVEL CM	14576,5740 litre	63,981 %	8206,2559 litre	O
370	CM	140	CM	170 LEVEL CM	14475,4627 litre	63,537 %	8307,3672 litre	O
370	CM	140	CM	169 LEVEL CM	14374,1890 litre	63,092 %	8408,6409 litre	O
370	CM	140	CM	168 LEVEL CM	14272,7586 litre	62,647 %	8510,0713 litre	O
370	CM	140	CM	167 LEVEL CM	14171,1771 litre	62,201 %	8611,6528 litre	O
370	CM	140	CM	166 LEVEL CM	14069,4502 litre	61,755 %	8713,3797 litre	O
370	CM	140	CM	165 LEVEL CM	13967,5835 litre	61,308 %	8815,2464 litre	O
370	CM	140	CM	164 LEVEL CM	13865,5824 litre	60,860 %	8917,2475 litre	O
370	CM	140	CM	163 LEVEL CM	13763,4526 litre	60,412 %	9019,3773 litre	O
370	CM	140	CM	162 LEVEL CM	13661,1995 litre	59,963 %	9121,6304 litre	O
370	CM	140	CM	161 LEVEL CM	13558,8287 litre	59,513 %	9224,0012 litre	O
370	CM	140	CM	160 LEVEL CM	13456,3456 litre	59,064 %	9326,4843 litre	O
370	CM	140	CM	159 LEVEL CM	13353,7557 litre	58,613 %	9429,0742 litre	O
370	CM	140	CM	158 LEVEL CM	13251,0644 litre	58,163 %	9531,7655 litre	O
370	CM	140	CM	157 LEVEL CM	13148,2772 litre	57,711 %	9634,5527 litre	O
370	CM	140	CM	156 LEVEL CM	13045,3995 litre	57,260 %	9737,4304 litre	O
370	CM	140	CM	155 LEVEL CM	12942,4366 litre	56,808 %	9840,3933 litre	O
370	CM	140	CM	154 LEVEL CM	12839,3940 litre	56,356 %	9943,4359 litre	O
370	CM	140	CM	153 LEVEL CM	12736,2770 litre	55,903 %	10046,5529 litre	O
370	CM	140	CM	152 LEVEL CM	12633,0910 litre	55,450 %	10149,7389 litre	O
370	CM	140	CM	151 LEVEL CM	12529,8413 litre	54,997 %	10252,9886 litre	O
370	CM	140	CM	150 LEVEL CM	12426,5333 litre	54,543 %	10356,2966 litre	O
370	CM	140	CM	149 LEVEL CM	12323,1723 litre	54,090 %	10459,6576 litre	O
370	CM	140	CM	148 LEVEL CM	12219,7637 litre	53,636 %	10563,0662 litre	O
370	CM	140	CM	147 LEVEL CM	12116,3127 litre	53,182 %	10666,5172 litre	O
370	CM	140	CM	146 LEVEL CM	12012,8246 litre	52,728 %	10770,0053 litre	O
370	CM	140	CM	145 LEVEL CM	11909,3048 litre	52,273 %	10873,5251 litre	O
370	CM	140	CM	144 LEVEL CM	11805,7586 litre	51,819 %	10977,0713 litre	O
370	CM	140	CM	143 LEVEL CM	11702,1912 litre	51,364 %	11080,6387 litre	O
370	CM	140	CM	142 LEVEL CM	11598,6079 litre	50,909 %	11184,2220 litre	O
370	CM	140	CM	141 LEVEL CM	11495,0141 litre	50,455 %	11287,8158 litre	O
370	CM	140	CM	140 LEVEL CM	11391,4150 litre	50,000 %	11391,4149 litre	O
370	CM	140	CM	139 LEVEL CM	11287,8158 litre	49,545 %	11495,0141 litre	O
370	CM	140	CM	138 LEVEL CM	11184,2220 litre	49,091 %	11598,6079 litre	O
370	CM	140	CM	137 LEVEL CM	11080,6387 litre	48,636 %	11702,1912 litre	O
370	CM	140	CM	136 LEVEL CM	10977,0713 litre	48,181 %	11805,7586 litre	O
370	CM	140	CM	135 LEVEL CM	10873,5251 litre	47,727 %	11909,3048 litre	O
370	CM	140	CM	134 LEVEL CM	10770,0053 litre	47,272 %	12012,8246 litre	O
370	CM	140	CM	133 LEVEL CM	10666,5172 litre	46,818 %	12116,3127 litre	O
370	CM	140	CM	132 LEVEL CM	10563,0662 litre	46,364 %	12219,7637 litre	O
370	CM	140	CM	131 LEVEL CM	10459,6576 litre	45,910 %	12323,1723 litre	O
370	CM	140	CM	130 LEVEL CM	10356,2966 litre	45,457 %	12426,5333 litre	O
370	CM	140	CM	129 LEVEL CM	10252,9886 litre	45,003 %	12529,8413 litre	O
370	CM	140	CM	128 LEVEL CM	10149,7389 litre	44,550 %	12633,0910 litre	O
370	CM	140	CM	127 LEVEL CM	10046,5529 litre	44,097 %	12736,2770 litre	O
370	CM	140	CM	126 LEVEL CM	9943,4359 litre	43,644 %	12839,3940 litre	O
370	CM	140	CM	125 LEVEL CM	9840,3933 litre	43,192 %	12942,4366 litre	O
370	CM	140	CM	124 LEVEL CM	9737,4304 litre	42,740 %	13045,3995 litre	O
370	CM	140	CM	123 LEVEL CM	9634,5527 litre	42,289 %	13148,2772 litre	O

370	CM	140	CM	122 LEVEL CM	9531,7655 litre	41,837 %	13251,0644 litre	O
370	CM	140	CM	121 LEVEL CM	9429,0742 litre	41,387 %	13353,7557 litre	O
370	CM	140	CM	120 LEVEL CM	9326,4843 litre	40,936 %	13456,3456 litre	O
370	CM	140	CM	119 LEVEL CM	9224,0012 litre	40,487 %	13558,8287 litre	O
370	CM	140	CM	118 LEVEL CM	9121,6304 litre	40,037 %	13661,1995 litre	O
370	CM	140	CM	117 LEVEL CM	9019,3773 litre	39,588 %	13763,4526 litre	O
370	CM	140	CM	116 LEVEL CM	8917,2475 litre	39,140 %	13865,5824 litre	O
370	CM	140	CM	115 LEVEL CM	8815,2464 litre	38,692 %	13967,5835 litre	O
370	CM	140	CM	114 LEVEL CM	8713,3797 litre	38,245 %	14069,4502 litre	O
370	CM	140	CM	113 LEVEL CM	8611,6528 litre	37,799 %	14171,1771 litre	O
370	CM	140	CM	112 LEVEL CM	8510,0714 litre	37,353 %	14272,7585 litre	O
370	CM	140	CM	111 LEVEL CM	8408,6410 litre	36,908 %	14374,1889 litre	O
370	CM	140	CM	110 LEVEL CM	8307,3673 litre	36,463 %	14475,4626 litre	O
370	CM	140	CM	109 LEVEL CM	8206,2559 litre	36,019 %	14576,5740 litre	O
370	CM	140	CM	108 LEVEL CM	8105,3126 litre	35,576 %	14677,5173 litre	O
370	CM	140	CM	107 LEVEL CM	8004,5430 litre	35,134 %	14778,2869 litre	O
370	CM	140	CM	106 LEVEL CM	7903,9529 litre	34,693 %	14878,8770 litre	O
370	CM	140	CM	105 LEVEL CM	7803,5480 litre	34,252 %	14979,2819 litre	O
370	CM	140	CM	104 LEVEL CM	7703,3343 litre	33,812 %	15079,4956 litre	O
370	CM	140	CM	103 LEVEL CM	7603,3174 litre	33,373 %	15179,5125 litre	O
370	CM	140	CM	102 LEVEL CM	7503,5034 litre	32,935 %	15279,3265 litre	O
370	CM	140	CM	101 LEVEL CM	7403,8980 litre	32,498 %	15378,9319 litre	O
370	CM	140	CM	100 LEVEL CM	7304,5073 litre	32,061 %	15478,3226 litre	O
370	CM	140	CM	99 LEVEL CM	7205,3372 litre	31,626 %	15577,4927 litre	O
370	CM	140	CM	98 LEVEL CM	7106,3937 litre	31,192 %	15676,4362 litre	O
370	CM	140	CM	97 LEVEL CM	7007,6830 litre	30,759 %	15775,1469 litre	O
370	CM	140	CM	96 LEVEL CM	6909,2111 litre	30,326 %	15873,6188 litre	O
370	CM	140	CM	95 LEVEL CM	6810,9842 litre	29,895 %	15971,8457 litre	O
370	CM	140	CM	94 LEVEL CM	6713,0085 litre	29,465 %	16069,8214 litre	O
370	CM	140	CM	93 LEVEL CM	6615,2902 litre	29,036 %	16167,5397 litre	O
370	CM	140	CM	92 LEVEL CM	6517,8357 litre	28,609 %	16264,9942 litre	O
370	CM	140	CM	91 LEVEL CM	6420,6512 litre	28,182 %	16362,1787 litre	O
370	CM	140	CM	90 LEVEL CM	6323,7433 litre	27,757 %	16459,0866 litre	O
370	CM	140	CM	89 LEVEL CM	6227,1183 litre	27,333 %	16555,7116 litre	O
370	CM	140	CM	88 LEVEL CM	6130,7827 litre	26,910 %	16652,0472 litre	O
370	CM	140	CM	87 LEVEL CM	6034,7433 litre	26,488 %	16748,0866 litre	O
370	CM	140	CM	86 LEVEL CM	5939,0064 litre	26,068 %	16843,8235 litre	O
370	CM	140	CM	85 LEVEL CM	5843,5790 litre	25,649 %	16939,2509 litre	O
370	CM	140	CM	84 LEVEL CM	5748,4677 litre	25,232 %	17034,3622 litre	O
370	CM	140	CM	83 LEVEL CM	5653,6793 litre	24,816 %	17129,1506 litre	O
370	CM	140	CM	82 LEVEL CM	5559,2209 litre	24,401 %	17223,6090 litre	O
370	CM	140	CM	81 LEVEL CM	5465,0992 litre	23,988 %	17317,7307 litre	O
370	CM	140	CM	80 LEVEL CM	5371,3215 litre	23,576 %	17411,5084 litre	O
370	CM	140	CM	79 LEVEL CM	5277,8948 litre	23,166 %	17504,9351 litre	O
370	CM	140	CM	78 LEVEL CM	5184,8263 litre	22,758 %	17598,0036 litre	O
370	CM	140	CM	77 LEVEL CM	5092,1233 litre	22,351 %	17690,7066 litre	O
370	CM	140	CM	76 LEVEL CM	4999,7933 litre	21,945 %	17783,0366 litre	O
370	CM	140	CM	75 LEVEL CM	4907,8436 litre	21,542 %	17874,9863 litre	O
370	CM	140	CM	74 LEVEL CM	4816,2818 litre	21,140 %	17966,5481 litre	O
370	CM	140	CM	73 LEVEL CM	4725,1156 litre	20,740 %	18057,7143 litre	O
370	CM	140	CM	72 LEVEL CM	4634,3527 litre	20,341 %	18148,4772 litre	O
370	CM	140	CM	71 LEVEL CM	4544,0010 litre	19,945 %	18238,8289 litre	O
370	CM	140	CM	70 LEVEL CM	4454,0685 litre	19,550 %	18328,7614 litre	O

370	CM	140	CM	69 LEVEL CM	4364,5633 litre	19,157 %	18418,2666 litre	O
370	CM	140	CM	68 LEVEL CM	4275,4935 litre	18,766 %	18507,3364 litre	O
370	CM	140	CM	67 LEVEL CM	4186,8674 litre	18,377 %	18595,9625 litre	O
370	CM	140	CM	66 LEVEL CM	4098,6936 litre	17,990 %	18684,1363 litre	O
370	CM	140	CM	65 LEVEL CM	4010,9805 litre	17,605 %	18771,8494 litre	O
370	CM	140	CM	64 LEVEL CM	3923,7370 litre	17,222 %	18859,0929 litre	O
370	CM	140	CM	63 LEVEL CM	3836,9718 litre	16,842 %	18945,8581 litre	O
370	CM	140	CM	62 LEVEL CM	3750,6939 litre	16,463 %	19032,1360 litre	O
370	CM	140	CM	61 LEVEL CM	3664,9125 litre	16,086 %	19117,9174 litre	O
370	CM	140	CM	60 LEVEL CM	3579,6369 litre	15,712 %	19203,1930 litre	O
370	CM	140	CM	59 LEVEL CM	3494,8766 litre	15,340 %	19287,9533 litre	O
370	CM	140	CM	58 LEVEL CM	3410,6413 litre	14,970 %	19372,1886 litre	O
370	CM	140	CM	57 LEVEL CM	3326,9407 litre	14,603 %	19455,8892 litre	O
370	CM	140	CM	56 LEVEL CM	3243,7849 litre	14,238 %	19539,0450 litre	O
370	CM	140	CM	55 LEVEL CM	3161,1842 litre	13,875 %	19621,6457 litre	O
370	CM	140	CM	54 LEVEL CM	3079,1488 litre	13,515 %	19703,6811 litre	O
370	CM	140	CM	53 LEVEL CM	2997,6896 litre	13,158 %	19785,1403 litre	O
370	CM	140	CM	52 LEVEL CM	2916,8173 litre	12,803 %	19866,0126 litre	O
370	CM	140	CM	51 LEVEL CM	2836,5432 litre	12,450 %	19946,2867 litre	O
370	CM	140	CM	50 LEVEL CM	2756,8784 litre	12,101 %	20025,9515 litre	O
370	CM	140	CM	49 LEVEL CM	2677,8348 litre	11,754 %	20104,9951 litre	O
370	CM	140	CM	48 LEVEL CM	2599,4241 litre	11,410 %	20183,4058 litre	O
370	CM	140	CM	47 LEVEL CM	2521,6585 litre	11,068 %	20261,1714 litre	O
370	CM	140	CM	46 LEVEL CM	2444,5507 litre	10,730 %	20338,2792 litre	O
370	CM	140	CM	45 LEVEL CM	2368,1133 litre	10,394 %	20414,7166 litre	O
370	CM	140	CM	44 LEVEL CM	2292,3596 litre	10,062 %	20490,4703 litre	O
370	CM	140	CM	43 LEVEL CM	2217,3031 litre	9,732 %	20565,5268 litre	O
370	CM	140	CM	42 LEVEL CM	2142,9576 litre	9,406 %	20639,8723 litre	O
370	CM	140	CM	41 LEVEL CM	2069,3375 litre	9,083 %	20713,4924 litre	O
370	CM	140	CM	40 LEVEL CM	1996,4575 litre	8,763 %	20786,3724 litre	O
370	CM	140	CM	39 LEVEL CM	1924,3328 litre	8,446 %	20858,4971 litre	O
370	CM	140	CM	38 LEVEL CM	1852,9791 litre	8,133 %	20929,8508 litre	O
370	CM	140	CM	37 LEVEL CM	1782,4126 litre	7,823 %	21000,4173 litre	O
370	CM	140	CM	36 LEVEL CM	1712,6499 litre	7,517 %	21070,1800 litre	O
370	CM	140	CM	35 LEVEL CM	1643,7084 litre	7,215 %	21139,1215 litre	O
370	CM	140	CM	34 LEVEL CM	1575,6061 litre	6,916 %	21207,2238 litre	O
370	CM	140	CM	33 LEVEL CM	1508,3615 litre	6,621 %	21274,4684 litre	O
370	CM	140	CM	32 LEVEL CM	1441,9940 litre	6,329 %	21340,8359 litre	O
370	CM	140	CM	31 LEVEL CM	1376,5237 litre	6,042 %	21406,3062 litre	O
370	CM	140	CM	30 LEVEL CM	1311,9715 litre	5,759 %	21470,8584 litre	O
370	CM	140	CM	29 LEVEL CM	1248,3593 litre	5,479 %	21534,4706 litre	O
370	CM	140	CM	28 LEVEL CM	1185,7100 litre	5,204 %	21597,1199 litre	O
370	CM	140	CM	27 LEVEL CM	1124,0475 litre	4,934 %	21658,7824 litre	O
370	CM	140	CM	26 LEVEL CM	1063,3968 litre	4,668 %	21719,4331 litre	O
370	CM	140	CM	25 LEVEL CM	1003,7843 litre	4,406 %	21779,0456 litre	O
370	CM	140	CM	24 LEVEL CM	945,2378 litre	4,149 %	21837,5921 litre	O
370	CM	140	CM	23 LEVEL CM	887,7865 litre	3,897 %	21895,0434 litre	O
370	CM	140	CM	22 LEVEL CM	831,4615 litre	3,650 %	21951,3684 litre	O
370	CM	140	CM	21 LEVEL CM	776,2958 litre	3,407 %	22006,5341 litre	O
370	CM	140	CM	20 LEVEL CM	722,3242 litre	3,170 %	22060,5057 litre	O
370	CM	140	CM	19 LEVEL CM	669,5843 litre	2,939 %	22113,2456 litre	O
370	CM	140	CM	18 LEVEL CM	618,1162 litre	2,713 %	22164,7137 litre	O
370	CM	140	CM	17 LEVEL CM	567,9630 litre	2,493 %	22214,8669 litre	O

370	CM	140	CM	16 LEVEL CM	519,1714 litre	2,279 %	22263,6585 litre	O
370	CM	140	CM	15 LEVEL CM	471,7920 litre	2,071 %	22311,0379 litre	O
370	CM	140	CM	14 LEVEL CM	425,8803 litre	1,869 %	22356,9496 litre	O
370	CM	140	CM	13 LEVEL CM	381,4970 litre	1,674 %	22401,3329 litre	O
370	CM	140	CM	12 LEVEL CM	338,7095 litre	1,487 %	22444,1204 litre	O
370	CM	140	CM	11 LEVEL CM	297,5930 litre	1,306 %	22485,2369 litre	O
370	CM	140	CM	10 LEVEL CM	258,2324 litre	1,133 %	22524,5975 litre	O
370	CM	140	CM	9 LEVEL CM	220,7245 litre	0,969 %	22562,1054 litre	O
370	CM	140	CM	8 LEVEL CM	185,1810 litre	0,813 %	22597,6489 litre	O
370	CM	140	CM	7 LEVEL CM	151,7338 litre	0,666 %	22631,0961 litre	O
370	CM	140	CM	6 LEVEL CM	120,5409 litre	0,529 %	22662,2890 litre	O
370	CM	140	CM	5 LEVEL CM	91,7982 litre	0,403 %	22691,0317 litre	O
370	CM	140	CM	4 LEVEL CM	65,7566 litre	0,289 %	22717,0733 litre	O
370	CM	140	CM	3 LEVEL CM	42,7563 litre	0,188 %	22740,0736 litre	O
370	CM	140	CM	2 LEVEL CM	23,2987 litre	0,102 %	22759,5312 litre	O
370	CM	140	CM	1 LEVEL CM	8,2462 litre	0,036 %	22774,5837 litre	O
370	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	22782,8299 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM	135	CM 270 LEVEL CM	21184,5447 litre	100,000 %	0,0000 litre	O
370	CM	135	CM 269 LEVEL CM	21176,4474 litre	99,962 %	8,0973 litre	O
370	CM	135	CM 268 LEVEL CM	21161,6676 litre	99,892 %	22,8771 litre	O
370	CM	135	CM 267 LEVEL CM	21142,5638 litre	99,802 %	41,9809 litre	O
370	CM	135	CM 266 LEVEL CM	21119,9833 litre	99,695 %	64,5614 litre	O
370	CM	135	CM 265 LEVEL CM	21094,4187 litre	99,575 %	90,1260 litre	O
370	CM	135	CM 264 LEVEL CM	21066,2044 litre	99,441 %	118,3403 litre	O
370	CM	135	CM 263 LEVEL CM	21035,5871 litre	99,297 %	148,9576 litre	O
370	CM	135	CM 262 LEVEL CM	21002,7593 litre	99,142 %	181,7854 litre	O
370	CM	135	CM 261 LEVEL CM	20967,8766 litre	98,977 %	216,6681 litre	O
370	CM	135	CM 260 LEVEL CM	20931,0685 litre	98,803 %	253,4762 litre	O
370	CM	135	CM 259 LEVEL CM	20892,4451 litre	98,621 %	292,0996 litre	O
370	CM	135	CM 258 LEVEL CM	20852,1016 litre	98,431 %	332,4431 litre	O
370	CM	135	CM 257 LEVEL CM	20810,1215 litre	98,233 %	374,4232 litre	O
370	CM	135	CM 256 LEVEL CM	20766,5789 litre	98,027 %	417,9658 litre	O
370	CM	135	CM 255 LEVEL CM	20721,5400 litre	97,814 %	463,0047 litre	O
370	CM	135	CM 254 LEVEL CM	20675,0649 litre	97,595 %	509,4798 litre	O
370	CM	135	CM 253 LEVEL CM	20627,2081 litre	97,369 %	557,3366 litre	O
370	CM	135	CM 252 LEVEL CM	20578,0195 litre	97,137 %	606,5252 litre	O
370	CM	135	CM 251 LEVEL CM	20527,5451 litre	96,899 %	656,9996 litre	O
370	CM	135	CM 250 LEVEL CM	20475,8274 litre	96,655 %	708,7173 litre	O
370	CM	135	CM 249 LEVEL CM	20422,9060 litre	96,405 %	761,6387 litre	O
370	CM	135	CM 248 LEVEL CM	20368,8178 litre	96,149 %	815,7269 litre	O
370	CM	135	CM 247 LEVEL CM	20313,5973 litre	95,889 %	870,9474 litre	O
370	CM	135	CM 246 LEVEL CM	20257,2771 litre	95,623 %	927,2676 litre	O
370	CM	135	CM 245 LEVEL CM	20199,8878 litre	95,352 %	984,6569 litre	O
370	CM	135	CM 244 LEVEL CM	20141,4582 litre	95,076 %	1043,0865 litre	O
370	CM	135	CM 243 LEVEL CM	20082,0158 litre	94,796 %	1102,5289 litre	O
370	CM	135	CM 242 LEVEL CM	20021,5867 litre	94,510 %	1162,9580 litre	O
370	CM	135	CM 241 LEVEL CM	19960,1955 litre	94,221 %	1224,3492 litre	O
370	CM	135	CM 240 LEVEL CM	19897,8660 litre	93,926 %	1286,6787 litre	O
370	CM	135	CM 239 LEVEL CM	19834,6207 litre	93,628 %	1349,9240 litre	O
370	CM	135	CM 238 LEVEL CM	19770,4812 litre	93,325 %	1414,0635 litre	O
370	CM	135	CM 237 LEVEL CM	19705,4683 litre	93,018 %	1479,0764 litre	O
370	CM	135	CM 236 LEVEL CM	19639,6018 litre	92,707 %	1544,9429 litre	O
370	CM	135	CM 235 LEVEL CM	19572,9009 litre	92,392 %	1611,6438 litre	O
370	CM	135	CM 234 LEVEL CM	19505,3840 litre	92,074 %	1679,1607 litre	O
370	CM	135	CM 233 LEVEL CM	19437,0689 litre	91,751 %	1747,4758 litre	O
370	CM	135	CM 232 LEVEL CM	19367,9726 litre	91,425 %	1816,5721 litre	O
370	CM	135	CM 231 LEVEL CM	19298,1118 litre	91,095 %	1886,4329 litre	O
370	CM	135	CM 230 LEVEL CM	19227,5026 litre	90,762 %	1957,0421 litre	O
370	CM	135	CM 229 LEVEL CM	19156,1603 litre	90,425 %	2028,3844 litre	O
370	CM	135	CM 228 LEVEL CM	19084,1002 litre	90,085 %	2100,4445 litre	O
370	CM	135	CM 227 LEVEL CM	19011,3367 litre	89,742 %	2173,2080 litre	O
370	CM	135	CM 226 LEVEL CM	18937,8841 litre	89,395 %	2246,6606 litre	O
370	CM	135	CM 225 LEVEL CM	18863,7562 litre	89,045 %	2320,7885 litre	O
370	CM	135	CM 224 LEVEL CM	18788,9664 litre	88,692 %	2395,5783 litre	O
370	CM	135	CM 223 LEVEL CM	18713,5278 litre	88,336 %	2471,0169 litre	O
370	CM	135	CM 222 LEVEL CM	18637,4530 litre	87,977 %	2547,0917 litre	O
370	CM	135	CM 221 LEVEL CM	18560,7545 litre	87,615 %	2623,7902 litre	O
370	CM	135	CM 220 LEVEL CM	18483,4445 litre	87,250 %	2701,1002 litre	O
370	CM	135	CM 219 LEVEL CM	18405,5347 litre	86,882 %	2779,0100 litre	O

370	CM	135	CM	218 LEVEL CM	18327,0368 litre	86,511 %	2857,5079 litre	O
370	CM	135	CM	217 LEVEL CM	18247,9619 litre	86,138 %	2936,5828 litre	O
370	CM	135	CM	216 LEVEL CM	18168,3212 litre	85,762 %	3016,2235 litre	O
370	CM	135	CM	215 LEVEL CM	18088,1255 litre	85,384 %	3096,4192 litre	O
370	CM	135	CM	214 LEVEL CM	18007,3853 litre	85,002 %	3177,1594 litre	O
370	CM	135	CM	213 LEVEL CM	17926,1111 litre	84,619 %	3258,4336 litre	O
370	CM	135	CM	212 LEVEL CM	17844,3131 litre	84,233 %	3340,2316 litre	O
370	CM	135	CM	211 LEVEL CM	17762,0012 litre	83,844 %	3422,5435 litre	O
370	CM	135	CM	210 LEVEL CM	17679,1852 litre	83,453 %	3505,3595 litre	O
370	CM	135	CM	209 LEVEL CM	17595,8748 litre	83,060 %	3588,6699 litre	O
370	CM	135	CM	208 LEVEL CM	17512,0793 litre	82,664 %	3672,4654 litre	O
370	CM	135	CM	207 LEVEL CM	17427,8082 litre	82,267 %	3756,7365 litre	O
370	CM	135	CM	206 LEVEL CM	17343,0705 litre	81,867 %	3841,4742 litre	O
370	CM	135	CM	205 LEVEL CM	17257,8752 litre	81,464 %	3926,6695 litre	O
370	CM	135	CM	204 LEVEL CM	17172,2312 litre	81,060 %	4012,3135 litre	O
370	CM	135	CM	203 LEVEL CM	17086,1471 litre	80,654 %	4098,3976 litre	O
370	CM	135	CM	202 LEVEL CM	16999,6315 litre	80,245 %	4184,9132 litre	O
370	CM	135	CM	201 LEVEL CM	16912,6928 litre	79,835 %	4271,8519 litre	O
370	CM	135	CM	200 LEVEL CM	16825,3395 litre	79,423 %	4359,2052 litre	O
370	CM	135	CM	199 LEVEL CM	16737,5796 litre	79,008 %	4446,9651 litre	O
370	CM	135	CM	198 LEVEL CM	16649,4213 litre	78,592 %	4535,1234 litre	O
370	CM	135	CM	197 LEVEL CM	16560,8725 litre	78,174 %	4623,6722 litre	O
370	CM	135	CM	196 LEVEL CM	16471,9411 litre	77,755 %	4712,6036 litre	O
370	CM	135	CM	195 LEVEL CM	16382,6349 litre	77,333 %	4801,9098 litre	O
370	CM	135	CM	194 LEVEL CM	16292,9615 litre	76,910 %	4891,5832 litre	O
370	CM	135	CM	193 LEVEL CM	16202,9286 litre	76,485 %	4981,6161 litre	O
370	CM	135	CM	192 LEVEL CM	16112,5435 litre	76,058 %	5072,0012 litre	O
370	CM	135	CM	191 LEVEL CM	16021,8138 litre	75,630 %	5162,7309 litre	O
370	CM	135	CM	190 LEVEL CM	15930,7468 litre	75,200 %	5253,7979 litre	O
370	CM	135	CM	189 LEVEL CM	15839,3496 litre	74,768 %	5345,1951 litre	O
370	CM	135	CM	188 LEVEL CM	15747,6294 litre	74,335 %	5436,9153 litre	O
370	CM	135	CM	187 LEVEL CM	15655,5934 litre	73,901 %	5528,9513 litre	O
370	CM	135	CM	186 LEVEL CM	15563,2485 litre	73,465 %	5621,2962 litre	O
370	CM	135	CM	185 LEVEL CM	15470,6016 litre	73,028 %	5713,9431 litre	O
370	CM	135	CM	184 LEVEL CM	15377,6597 litre	72,589 %	5806,8850 litre	O
370	CM	135	CM	183 LEVEL CM	15284,4295 litre	72,149 %	5900,1152 litre	O
370	CM	135	CM	182 LEVEL CM	15190,9178 litre	71,708 %	5993,6269 litre	O
370	CM	135	CM	181 LEVEL CM	15097,1313 litre	71,265 %	6087,4134 litre	O
370	CM	135	CM	180 LEVEL CM	15003,0766 litre	70,821 %	6181,4681 litre	O
370	CM	135	CM	179 LEVEL CM	14908,7602 litre	70,376 %	6275,7845 litre	O
370	CM	135	CM	178 LEVEL CM	14814,1888 litre	69,929 %	6370,3559 litre	O
370	CM	135	CM	177 LEVEL CM	14719,3686 litre	69,482 %	6465,1761 litre	O
370	CM	135	CM	176 LEVEL CM	14624,3063 litre	69,033 %	6560,2384 litre	O
370	CM	135	CM	175 LEVEL CM	14529,0080 litre	68,583 %	6655,5367 litre	O
370	CM	135	CM	174 LEVEL CM	14433,4802 litre	68,132 %	6751,0645 litre	O
370	CM	135	CM	173 LEVEL CM	14337,7290 litre	67,680 %	6846,8157 litre	O
370	CM	135	CM	172 LEVEL CM	14241,7608 litre	67,227 %	6942,7839 litre	O
370	CM	135	CM	171 LEVEL CM	14145,5817 litre	66,773 %	7038,9630 litre	O
370	CM	135	CM	170 LEVEL CM	14049,1979 litre	66,318 %	7135,3468 litre	O
370	CM	135	CM	169 LEVEL CM	13952,6153 litre	65,862 %	7231,9294 litre	O
370	CM	135	CM	168 LEVEL CM	13855,8403 litre	65,405 %	7328,7044 litre	O
370	CM	135	CM	167 LEVEL CM	13758,8786 litre	64,948 %	7425,6661 litre	O
370	CM	135	CM	166 LEVEL CM	13661,7364 litre	64,489 %	7522,8083 litre	O

370	CM	135	CM	165 LEVEL CM	13564,4196 litre	64,030 %	7620,1251 litre	O
370	CM	135	CM	164 LEVEL CM	13466,9342 litre	63,570 %	7717,6105 litre	O
370	CM	135	CM	163 LEVEL CM	13369,2860 litre	63,109 %	7815,2587 litre	O
370	CM	135	CM	162 LEVEL CM	13271,4809 litre	62,647 %	7913,0638 litre	O
370	CM	135	CM	161 LEVEL CM	13173,5247 litre	62,185 %	8011,0200 litre	O
370	CM	135	CM	160 LEVEL CM	13075,4233 litre	61,722 %	8109,1214 litre	O
370	CM	135	CM	159 LEVEL CM	12977,1824 litre	61,258 %	8207,3623 litre	O
370	CM	135	CM	158 LEVEL CM	12878,8079 litre	60,793 %	8305,7368 litre	O
370	CM	135	CM	157 LEVEL CM	12780,3054 litre	60,328 %	8404,2393 litre	O
370	CM	135	CM	156 LEVEL CM	12681,6807 litre	59,863 %	8502,8640 litre	O
370	CM	135	CM	155 LEVEL CM	12582,9394 litre	59,397 %	8601,6053 litre	O
370	CM	135	CM	154 LEVEL CM	12484,0873 litre	58,930 %	8700,4574 litre	O
370	CM	135	CM	153 LEVEL CM	12385,1300 litre	58,463 %	8799,4147 litre	O
370	CM	135	CM	152 LEVEL CM	12286,0732 litre	57,995 %	8898,4715 litre	O
370	CM	135	CM	151 LEVEL CM	12186,9224 litre	57,527 %	8997,6223 litre	O
370	CM	135	CM	150 LEVEL CM	12087,6833 litre	57,059 %	9096,8614 litre	O
370	CM	135	CM	149 LEVEL CM	11988,3614 litre	56,590 %	9196,1833 litre	O
370	CM	135	CM	148 LEVEL CM	11888,9624 litre	56,121 %	9295,5823 litre	O
370	CM	135	CM	147 LEVEL CM	11789,4918 litre	55,651 %	9395,0529 litre	O
370	CM	135	CM	146 LEVEL CM	11689,9551 litre	55,182 %	9494,5896 litre	O
370	CM	135	CM	145 LEVEL CM	11590,3580 litre	54,711 %	9594,1867 litre	O
370	CM	135	CM	144 LEVEL CM	11490,7059 litre	54,241 %	9693,8388 litre	O
370	CM	135	CM	143 LEVEL CM	11391,0043 litre	53,770 %	9793,5404 litre	O
370	CM	135	CM	142 LEVEL CM	11291,2588 litre	53,300 %	9893,2859 litre	O
370	CM	135	CM	141 LEVEL CM	11191,4749 litre	52,828 %	9993,0698 litre	O
370	CM	135	CM	140 LEVEL CM	11091,6581 litre	52,357 %	10092,8866 litre	O
370	CM	135	CM	139 LEVEL CM	10991,8139 litre	51,886 %	10192,7308 litre	O
370	CM	135	CM	138 LEVEL CM	10891,9477 litre	51,415 %	10292,5970 litre	O
370	CM	135	CM	137 LEVEL CM	10792,0650 litre	50,943 %	10392,4797 litre	O
370	CM	135	CM	136 LEVEL CM	10692,1714 litre	50,472 %	10492,3733 litre	O
370	CM	135	CM	135 LEVEL CM	10592,2723 litre	50,000 %	10592,2724 litre	O
370	CM	135	CM	134 LEVEL CM	10492,3732 litre	49,528 %	10692,1715 litre	O
370	CM	135	CM	133 LEVEL CM	10392,4796 litre	49,057 %	10792,0651 litre	O
370	CM	135	CM	132 LEVEL CM	10292,5970 litre	48,585 %	10891,9477 litre	O
370	CM	135	CM	131 LEVEL CM	10192,7308 litre	48,114 %	10991,8139 litre	O
370	CM	135	CM	130 LEVEL CM	10092,8866 litre	47,643 %	11091,6581 litre	O
370	CM	135	CM	129 LEVEL CM	9993,0697 litre	47,172 %	11191,4750 litre	O
370	CM	135	CM	128 LEVEL CM	9893,2858 litre	46,700 %	11291,2589 litre	O
370	CM	135	CM	127 LEVEL CM	9793,5403 litre	46,230 %	11391,0044 litre	O
370	CM	135	CM	126 LEVEL CM	9693,8388 litre	45,759 %	11490,7059 litre	O
370	CM	135	CM	125 LEVEL CM	9594,1867 litre	45,289 %	11590,3580 litre	O
370	CM	135	CM	124 LEVEL CM	9494,5895 litre	44,818 %	11689,9552 litre	O
370	CM	135	CM	123 LEVEL CM	9395,0529 litre	44,349 %	11789,4918 litre	O
370	CM	135	CM	122 LEVEL CM	9295,5823 litre	43,879 %	11888,9624 litre	O
370	CM	135	CM	121 LEVEL CM	9196,1833 litre	43,410 %	11988,3614 litre	O
370	CM	135	CM	120 LEVEL CM	9096,8614 litre	42,941 %	12087,6833 litre	O
370	CM	135	CM	119 LEVEL CM	8997,6223 litre	42,473 %	12186,9224 litre	O
370	CM	135	CM	118 LEVEL CM	8898,4715 litre	42,005 %	12286,0732 litre	O
370	CM	135	CM	117 LEVEL CM	8799,4146 litre	41,537 %	12385,1301 litre	O
370	CM	135	CM	116 LEVEL CM	8700,4573 litre	41,070 %	12484,0874 litre	O
370	CM	135	CM	115 LEVEL CM	8601,6052 litre	40,603 %	12582,9395 litre	O
370	CM	135	CM	114 LEVEL CM	8502,8640 litre	40,137 %	12681,6807 litre	O
370	CM	135	CM	113 LEVEL CM	8404,2393 litre	39,672 %	12780,3054 litre	O

370	CM	135	CM	112 LEVEL CM	8305,7368 litre	39,207 %	12878,8079 litre	O
370	CM	135	CM	111 LEVEL CM	8207,3622 litre	38,742 %	12977,1825 litre	O
370	CM	135	CM	110 LEVEL CM	8109,1214 litre	38,278 %	13075,4233 litre	O
370	CM	135	CM	109 LEVEL CM	8011,0200 litre	37,815 %	13173,5247 litre	O
370	CM	135	CM	108 LEVEL CM	7913,0638 litre	37,353 %	13271,4809 litre	O
370	CM	135	CM	107 LEVEL CM	7815,2587 litre	36,891 %	13369,2860 litre	O
370	CM	135	CM	106 LEVEL CM	7717,6105 litre	36,430 %	13466,9342 litre	O
370	CM	135	CM	105 LEVEL CM	7620,1250 litre	35,970 %	13564,4197 litre	O
370	CM	135	CM	104 LEVEL CM	7522,8082 litre	35,511 %	13661,7365 litre	O
370	CM	135	CM	103 LEVEL CM	7425,6660 litre	35,052 %	13758,8787 litre	O
370	CM	135	CM	102 LEVEL CM	7328,7044 litre	34,595 %	13855,8403 litre	O
370	CM	135	CM	101 LEVEL CM	7231,9293 litre	34,138 %	13952,6154 litre	O
370	CM	135	CM	100 LEVEL CM	7135,3468 litre	33,682 %	14049,1979 litre	O
370	CM	135	CM	99 LEVEL CM	7038,9629 litre	33,227 %	14145,5818 litre	O
370	CM	135	CM	98 LEVEL CM	6942,7838 litre	32,773 %	14241,7609 litre	O
370	CM	135	CM	97 LEVEL CM	6846,8156 litre	32,320 %	14337,7291 litre	O
370	CM	135	CM	96 LEVEL CM	6751,0645 litre	31,868 %	14433,4802 litre	O
370	CM	135	CM	95 LEVEL CM	6655,5367 litre	31,417 %	14529,0080 litre	O
370	CM	135	CM	94 LEVEL CM	6560,2384 litre	30,967 %	14624,3063 litre	O
370	CM	135	CM	93 LEVEL CM	6465,1760 litre	30,518 %	14719,3687 litre	O
370	CM	135	CM	92 LEVEL CM	6370,3559 litre	30,071 %	14814,1888 litre	O
370	CM	135	CM	91 LEVEL CM	6275,7844 litre	29,624 %	14908,7603 litre	O
370	CM	135	CM	90 LEVEL CM	6181,4681 litre	29,179 %	15003,0766 litre	O
370	CM	135	CM	89 LEVEL CM	6087,4134 litre	28,735 %	15097,1313 litre	O
370	CM	135	CM	88 LEVEL CM	5993,6268 litre	28,292 %	15190,9179 litre	O
370	CM	135	CM	87 LEVEL CM	5900,1152 litre	27,851 %	15284,4295 litre	O
370	CM	135	CM	86 LEVEL CM	5806,8850 litre	27,411 %	15377,6597 litre	O
370	CM	135	CM	85 LEVEL CM	5713,9431 litre	26,972 %	15470,6016 litre	O
370	CM	135	CM	84 LEVEL CM	5621,2962 litre	26,535 %	15563,2485 litre	O
370	CM	135	CM	83 LEVEL CM	5528,9513 litre	26,099 %	15655,5934 litre	O
370	CM	135	CM	82 LEVEL CM	5436,9152 litre	25,665 %	15747,6295 litre	O
370	CM	135	CM	81 LEVEL CM	5345,1951 litre	25,232 %	15839,3496 litre	O
370	CM	135	CM	80 LEVEL CM	5253,7979 litre	24,800 %	15930,7468 litre	O
370	CM	135	CM	79 LEVEL CM	5162,7308 litre	24,370 %	16021,8139 litre	O
370	CM	135	CM	78 LEVEL CM	5072,0011 litre	23,942 %	16112,5436 litre	O
370	CM	135	CM	77 LEVEL CM	4981,6161 litre	23,515 %	16202,9286 litre	O
370	CM	135	CM	76 LEVEL CM	4891,5832 litre	23,090 %	16292,9615 litre	O
370	CM	135	CM	75 LEVEL CM	4801,9098 litre	22,667 %	16382,6349 litre	O
370	CM	135	CM	74 LEVEL CM	4712,6036 litre	22,245 %	16471,9411 litre	O
370	CM	135	CM	73 LEVEL CM	4623,6722 litre	21,826 %	16560,8725 litre	O
370	CM	135	CM	72 LEVEL CM	4535,1234 litre	21,408 %	16649,4213 litre	O
370	CM	135	CM	71 LEVEL CM	4446,9651 litre	20,992 %	16737,5796 litre	O
370	CM	135	CM	70 LEVEL CM	4359,2052 litre	20,577 %	16825,3395 litre	O
370	CM	135	CM	69 LEVEL CM	4271,8518 litre	20,165 %	16912,6929 litre	O
370	CM	135	CM	68 LEVEL CM	4184,9132 litre	19,755 %	16999,6315 litre	O
370	CM	135	CM	67 LEVEL CM	4098,3976 litre	19,346 %	17086,1471 litre	O
370	CM	135	CM	66 LEVEL CM	4012,3135 litre	18,940 %	17172,2312 litre	O
370	CM	135	CM	65 LEVEL CM	3926,6694 litre	18,536 %	17257,8753 litre	O
370	CM	135	CM	64 LEVEL CM	3841,4742 litre	18,133 %	17343,0705 litre	O
370	CM	135	CM	63 LEVEL CM	3756,7364 litre	17,733 %	17427,8083 litre	O
370	CM	135	CM	62 LEVEL CM	3672,4653 litre	17,336 %	17512,0794 litre	O
370	CM	135	CM	61 LEVEL CM	3588,6699 litre	16,940 %	17595,8748 litre	O
370	CM	135	CM	60 LEVEL CM	3505,3595 litre	16,547 %	17679,1852 litre	O

370	CM	135	CM	59 LEVEL CM	3422,5435 litre	16,156 %	17762,0012 litre	O
370	CM	135	CM	58 LEVEL CM	3340,2316 litre	15,767 %	17844,3131 litre	O
370	CM	135	CM	57 LEVEL CM	3258,4335 litre	15,381 %	17926,1112 litre	O
370	CM	135	CM	56 LEVEL CM	3177,1594 litre	14,998 %	18007,3853 litre	O
370	CM	135	CM	55 LEVEL CM	3096,4192 litre	14,616 %	18088,1255 litre	O
370	CM	135	CM	54 LEVEL CM	3016,2235 litre	14,238 %	18168,3212 litre	O
370	CM	135	CM	53 LEVEL CM	2936,5828 litre	13,862 %	18247,9619 litre	O
370	CM	135	CM	52 LEVEL CM	2857,5079 litre	13,489 %	18327,0368 litre	O
370	CM	135	CM	51 LEVEL CM	2779,0099 litre	13,118 %	18405,5348 litre	O
370	CM	135	CM	50 LEVEL CM	2701,1001 litre	12,750 %	18483,4446 litre	O
370	CM	135	CM	49 LEVEL CM	2623,7901 litre	12,385 %	18560,7546 litre	O
370	CM	135	CM	48 LEVEL CM	2547,0917 litre	12,023 %	18637,4530 litre	O
370	CM	135	CM	47 LEVEL CM	2471,0169 litre	11,664 %	18713,5278 litre	O
370	CM	135	CM	46 LEVEL CM	2395,5783 litre	11,308 %	18788,9664 litre	O
370	CM	135	CM	45 LEVEL CM	2320,7884 litre	10,955 %	18863,7563 litre	O
370	CM	135	CM	44 LEVEL CM	2246,6605 litre	10,605 %	18937,8842 litre	O
370	CM	135	CM	43 LEVEL CM	2173,2080 litre	10,258 %	19011,3367 litre	O
370	CM	135	CM	42 LEVEL CM	2100,4445 litre	9,915 %	19084,1002 litre	O
370	CM	135	CM	41 LEVEL CM	2028,3843 litre	9,575 %	19156,1604 litre	O
370	CM	135	CM	40 LEVEL CM	1957,0421 litre	9,238 %	19227,5026 litre	O
370	CM	135	CM	39 LEVEL CM	1886,4328 litre	8,905 %	19298,1119 litre	O
370	CM	135	CM	38 LEVEL CM	1816,5720 litre	8,575 %	19367,9727 litre	O
370	CM	135	CM	37 LEVEL CM	1747,4758 litre	8,249 %	19437,0689 litre	O
370	CM	135	CM	36 LEVEL CM	1679,1606 litre	7,926 %	19505,3841 litre	O
370	CM	135	CM	35 LEVEL CM	1611,6437 litre	7,608 %	19572,9010 litre	O
370	CM	135	CM	34 LEVEL CM	1544,9428 litre	7,293 %	19639,6019 litre	O
370	CM	135	CM	33 LEVEL CM	1479,0763 litre	6,982 %	19705,4684 litre	O
370	CM	135	CM	32 LEVEL CM	1414,0634 litre	6,675 %	19770,4813 litre	O
370	CM	135	CM	31 LEVEL CM	1349,9240 litre	6,372 %	19834,6207 litre	O
370	CM	135	CM	30 LEVEL CM	1286,6787 litre	6,074 %	19897,8660 litre	O
370	CM	135	CM	29 LEVEL CM	1224,3492 litre	5,779 %	19960,1955 litre	O
370	CM	135	CM	28 LEVEL CM	1162,9580 litre	5,490 %	20021,5867 litre	O
370	CM	135	CM	27 LEVEL CM	1102,5289 litre	5,204 %	20082,0158 litre	O
370	CM	135	CM	26 LEVEL CM	1043,0865 litre	4,924 %	20141,4582 litre	O
370	CM	135	CM	25 LEVEL CM	984,6569 litre	4,648 %	20199,8878 litre	O
370	CM	135	CM	24 LEVEL CM	927,2675 litre	4,377 %	20257,2772 litre	O
370	CM	135	CM	23 LEVEL CM	870,9473 litre	4,111 %	20313,5974 litre	O
370	CM	135	CM	22 LEVEL CM	815,7269 litre	3,851 %	20368,8178 litre	O
370	CM	135	CM	21 LEVEL CM	761,6387 litre	3,595 %	20422,9060 litre	O
370	CM	135	CM	20 LEVEL CM	708,7173 litre	3,345 %	20475,8274 litre	O
370	CM	135	CM	19 LEVEL CM	656,9996 litre	3,101 %	20527,5451 litre	O
370	CM	135	CM	18 LEVEL CM	606,5252 litre	2,863 %	20578,0195 litre	O
370	CM	135	CM	17 LEVEL CM	557,3365 litre	2,631 %	20627,2082 litre	O
370	CM	135	CM	16 LEVEL CM	509,4797 litre	2,405 %	20675,0650 litre	O
370	CM	135	CM	15 LEVEL CM	463,0046 litre	2,186 %	20721,5401 litre	O
370	CM	135	CM	14 LEVEL CM	417,9658 litre	1,973 %	20766,5789 litre	O
370	CM	135	CM	13 LEVEL CM	374,4232 litre	1,767 %	20810,1215 litre	O
370	CM	135	CM	12 LEVEL CM	332,4431 litre	1,569 %	20852,1016 litre	O
370	CM	135	CM	11 LEVEL CM	292,0996 litre	1,379 %	20892,4451 litre	O
370	CM	135	CM	10 LEVEL CM	253,4761 litre	1,197 %	20931,0686 litre	O
370	CM	135	CM	9 LEVEL CM	216,6680 litre	1,023 %	20967,8767 litre	O
370	CM	135	CM	8 LEVEL CM	181,7853 litre	0,858 %	21002,7594 litre	O
370	CM	135	CM	7 LEVEL CM	148,9575 litre	0,703 %	21035,5872 litre	O

370	CM	135	CM	6 LEVEL CM	118,3403 litre	0,559 %	21066,2044 litre	O
370	CM	135	CM	5 LEVEL CM	90,1259 litre	0,425 %	21094,4188 litre	O
370	CM	135	CM	4 LEVEL CM	64,5614 litre	0,305 %	21119,9833 litre	O
370	CM	135	CM	3 LEVEL CM	41,9809 litre	0,198 %	21142,5638 litre	O
370	CM	135	CM	2 LEVEL CM	22,8770 litre	0,108 %	21161,6677 litre	O
370	CM	135	CM	1 LEVEL CM	8,0973 litre	0,038 %	21176,4474 litre	O
370	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	21184,5447 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 130	CM 260 LEVEL CM	19644,3789 litre	100,000 %	0,0000 litre	O
370	CM 130	CM 259 LEVEL CM	19636,4333 litre	99,960 %	7,9456 litre	O
370	CM 130	CM 258 LEVEL CM	19621,9314 litre	99,886 %	22,4475 litre	O
370	CM 130	CM 257 LEVEL CM	19603,1881 litre	99,790 %	41,1908 litre	O
370	CM 130	CM 256 LEVEL CM	19581,0353 litre	99,678 %	63,3436 litre	O
370	CM 130	CM 255 LEVEL CM	19555,9568 litre	99,550 %	88,4221 litre	O
370	CM 130	CM 254 LEVEL CM	19528,2810 litre	99,409 %	116,0979 litre	O
370	CM 130	CM 253 LEVEL CM	19498,2503 litre	99,256 %	146,1286 litre	O
370	CM 130	CM 252 LEVEL CM	19466,0539 litre	99,092 %	178,3250 litre	O
370	CM 130	CM 251 LEVEL CM	19431,8447 litre	98,918 %	212,5342 litre	O
370	CM 130	CM 250 LEVEL CM	19395,7500 litre	98,734 %	248,6289 litre	O
370	CM 130	CM 249 LEVEL CM	19357,8781 litre	98,542 %	286,5008 litre	O
370	CM 130	CM 248 LEVEL CM	19318,3226 litre	98,340 %	326,0563 litre	O
370	CM 130	CM 247 LEVEL CM	19277,1658 litre	98,131 %	367,2131 litre	O
370	CM 130	CM 246 LEVEL CM	19234,4804 litre	97,913 %	409,8985 litre	O
370	CM 130	CM 245 LEVEL CM	19190,3317 litre	97,689 %	454,0472 litre	O
370	CM 130	CM 244 LEVEL CM	19144,7789 litre	97,457 %	499,6000 litre	O
370	CM 130	CM 243 LEVEL CM	19097,8755 litre	97,218 %	546,5034 litre	O
370	CM 130	CM 242 LEVEL CM	19049,6707 litre	96,973 %	594,7082 litre	O
370	CM 130	CM 241 LEVEL CM	19000,2100 litre	96,721 %	644,1689 litre	O
370	CM 130	CM 240 LEVEL CM	18949,5351 litre	96,463 %	694,8438 litre	O
370	CM 130	CM 239 LEVEL CM	18897,6851 litre	96,199 %	746,6938 litre	O
370	CM 130	CM 238 LEVEL CM	18844,6964 litre	95,929 %	799,6825 litre	O
370	CM 130	CM 237 LEVEL CM	18790,6030 litre	95,654 %	853,7759 litre	O
370	CM 130	CM 236 LEVEL CM	18735,4370 litre	95,373 %	908,9419 litre	O
370	CM 130	CM 235 LEVEL CM	18679,2286 litre	95,087 %	965,1503 litre	O
370	CM 130	CM 234 LEVEL CM	18622,0064 litre	94,796 %	1022,3725 litre	O
370	CM 130	CM 233 LEVEL CM	18563,7974 litre	94,499 %	1080,5815 litre	O
370	CM 130	CM 232 LEVEL CM	18504,6274 litre	94,198 %	1139,7515 litre	O
370	CM 130	CM 231 LEVEL CM	18444,5207 litre	93,892 %	1199,8582 litre	O
370	CM 130	CM 230 LEVEL CM	18383,5008 litre	93,581 %	1260,8781 litre	O
370	CM 130	CM 229 LEVEL CM	18321,5899 litre	93,266 %	1322,7890 litre	O
370	CM 130	CM 228 LEVEL CM	18258,8095 litre	92,947 %	1385,5694 litre	O
370	CM 130	CM 227 LEVEL CM	18195,1800 litre	92,623 %	1449,1989 litre	O
370	CM 130	CM 226 LEVEL CM	18130,7211 litre	92,295 %	1513,6578 litre	O
370	CM 130	CM 225 LEVEL CM	18065,4517 litre	91,962 %	1578,9272 litre	O
370	CM 130	CM 224 LEVEL CM	17999,3901 litre	91,626 %	1644,9888 litre	O
370	CM 130	CM 223 LEVEL CM	17932,5538 litre	91,286 %	1711,8251 litre	O
370	CM 130	CM 222 LEVEL CM	17864,9599 litre	90,942 %	1779,4190 litre	O
370	CM 130	CM 221 LEVEL CM	17796,6246 litre	90,594 %	1847,7543 litre	O
370	CM 130	CM 220 LEVEL CM	17727,5640 litre	90,242 %	1916,8149 litre	O
370	CM 130	CM 219 LEVEL CM	17657,7934 litre	89,887 %	1986,5855 litre	O
370	CM 130	CM 218 LEVEL CM	17587,3277 litre	89,529 %	2057,0512 litre	O
370	CM 130	CM 217 LEVEL CM	17516,1814 litre	89,166 %	2128,1975 litre	O
370	CM 130	CM 216 LEVEL CM	17444,3686 litre	88,801 %	2200,0103 litre	O
370	CM 130	CM 215 LEVEL CM	17371,9030 litre	88,432 %	2272,4759 litre	O
370	CM 130	CM 214 LEVEL CM	17298,7978 litre	88,060 %	2345,5811 litre	O
370	CM 130	CM 213 LEVEL CM	17225,0662 litre	87,684 %	2419,3127 litre	O
370	CM 130	CM 212 LEVEL CM	17150,7206 litre	87,306 %	2493,6583 litre	O
370	CM 130	CM 211 LEVEL CM	17075,7735 litre	86,924 %	2568,6054 litre	O
370	CM 130	CM 210 LEVEL CM	17000,2369 litre	86,540 %	2644,1420 litre	O
370	CM 130	CM 209 LEVEL CM	16924,1225 litre	86,152 %	2720,2564 litre	O

370	CM	130	CM	208 LEVEL CM	16847,4419 litre	85,762 %	2796,9370 litre	O
370	CM	130	CM	207 LEVEL CM	16770,2062 litre	85,369 %	2874,1727 litre	O
370	CM	130	CM	206 LEVEL CM	16692,4265 litre	84,973 %	2951,9524 litre	O
370	CM	130	CM	205 LEVEL CM	16614,1136 litre	84,574 %	3030,2653 litre	O
370	CM	130	CM	204 LEVEL CM	16535,2780 litre	84,173 %	3109,1009 litre	O
370	CM	130	CM	203 LEVEL CM	16455,9300 litre	83,769 %	3188,4489 litre	O
370	CM	130	CM	202 LEVEL CM	16376,0798 litre	83,363 %	3268,2991 litre	O
370	CM	130	CM	201 LEVEL CM	16295,7374 litre	82,954 %	3348,6415 litre	O
370	CM	130	CM	200 LEVEL CM	16214,9125 litre	82,542 %	3429,4664 litre	O
370	CM	130	CM	199 LEVEL CM	16133,6147 litre	82,128 %	3510,7642 litre	O
370	CM	130	CM	198 LEVEL CM	16051,8535 litre	81,712 %	3592,5254 litre	O
370	CM	130	CM	197 LEVEL CM	15969,6380 litre	81,294 %	3674,7409 litre	O
370	CM	130	CM	196 LEVEL CM	15886,9776 litre	80,873 %	3757,4013 litre	O
370	CM	130	CM	195 LEVEL CM	15803,8810 litre	80,450 %	3840,4979 litre	O
370	CM	130	CM	194 LEVEL CM	15720,3572 litre	80,025 %	3924,0217 litre	O
370	CM	130	CM	193 LEVEL CM	15636,4148 litre	79,597 %	4007,9641 litre	O
370	CM	130	CM	192 LEVEL CM	15552,0625 litre	79,168 %	4092,3164 litre	O
370	CM	130	CM	191 LEVEL CM	15467,3086 litre	78,737 %	4177,0703 litre	O
370	CM	130	CM	190 LEVEL CM	15382,1615 litre	78,303 %	4262,2174 litre	O
370	CM	130	CM	189 LEVEL CM	15296,6294 litre	77,868 %	4347,7495 litre	O
370	CM	130	CM	188 LEVEL CM	15210,7204 litre	77,430 %	4433,6585 litre	O
370	CM	130	CM	187 LEVEL CM	15124,4425 litre	76,991 %	4519,9364 litre	O
370	CM	130	CM	186 LEVEL CM	15037,8035 litre	76,550 %	4606,5754 litre	O
370	CM	130	CM	185 LEVEL CM	14950,8113 litre	76,107 %	4693,5676 litre	O
370	CM	130	CM	184 LEVEL CM	14863,4736 litre	75,663 %	4780,9053 litre	O
370	CM	130	CM	183 LEVEL CM	14775,7980 litre	75,216 %	4868,5809 litre	O
370	CM	130	CM	182 LEVEL CM	14687,7919 litre	74,768 %	4956,5870 litre	O
370	CM	130	CM	181 LEVEL CM	14599,4629 litre	74,319 %	5044,9160 litre	O
370	CM	130	CM	180 LEVEL CM	14510,8183 litre	73,868 %	5133,5606 litre	O
370	CM	130	CM	179 LEVEL CM	14421,8653 litre	73,415 %	5222,5136 litre	O
370	CM	130	CM	178 LEVEL CM	14332,6112 litre	72,960 %	5311,7677 litre	O
370	CM	130	CM	177 LEVEL CM	14243,0631 litre	72,505 %	5401,3158 litre	O
370	CM	130	CM	176 LEVEL CM	14153,2281 litre	72,047 %	5491,1508 litre	O
370	CM	130	CM	175 LEVEL CM	14063,1130 litre	71,588 %	5581,2659 litre	O
370	CM	130	CM	174 LEVEL CM	13972,7249 litre	71,128 %	5671,6540 litre	O
370	CM	130	CM	173 LEVEL CM	13882,0707 litre	70,667 %	5762,3082 litre	O
370	CM	130	CM	172 LEVEL CM	13791,1571 litre	70,204 %	5853,2218 litre	O
370	CM	130	CM	171 LEVEL CM	13699,9908 litre	69,740 %	5944,3881 litre	O
370	CM	130	CM	170 LEVEL CM	13608,5786 litre	69,275 %	6035,8003 litre	O
370	CM	130	CM	169 LEVEL CM	13516,9271 litre	68,808 %	6127,4518 litre	O
370	CM	130	CM	168 LEVEL CM	13425,0429 litre	68,340 %	6219,3360 litre	O
370	CM	130	CM	167 LEVEL CM	13332,9325 litre	67,871 %	6311,4464 litre	O
370	CM	130	CM	166 LEVEL CM	13240,6024 litre	67,401 %	6403,7765 litre	O
370	CM	130	CM	165 LEVEL CM	13148,0590 litre	66,930 %	6496,3199 litre	O
370	CM	130	CM	164 LEVEL CM	13055,3088 litre	66,458 %	6589,0701 litre	O
370	CM	130	CM	163 LEVEL CM	12962,3580 litre	65,985 %	6682,0209 litre	O
370	CM	130	CM	162 LEVEL CM	12869,2130 litre	65,511 %	6775,1659 litre	O
370	CM	130	CM	161 LEVEL CM	12775,8801 litre	65,036 %	6868,4988 litre	O
370	CM	130	CM	160 LEVEL CM	12682,3654 litre	64,560 %	6962,0135 litre	O
370	CM	130	CM	159 LEVEL CM	12588,6753 litre	64,083 %	7055,7036 litre	O
370	CM	130	CM	158 LEVEL CM	12494,8158 litre	63,605 %	7149,5631 litre	O
370	CM	130	CM	157 LEVEL CM	12400,7931 litre	63,126 %	7243,5858 litre	O
370	CM	130	CM	156 LEVEL CM	12306,6133 litre	62,647 %	7337,7656 litre	O

370	CM	130	CM	155 LEVEL CM	12212,2824 litre	62,167 %	7432,0965 litre	O
370	CM	130	CM	154 LEVEL CM	12117,8065 litre	61,686 %	7526,5724 litre	O
370	CM	130	CM	153 LEVEL CM	12023,1916 litre	61,204 %	7621,1873 litre	O
370	CM	130	CM	152 LEVEL CM	11928,4436 litre	60,722 %	7715,9353 litre	O
370	CM	130	CM	151 LEVEL CM	11833,5686 litre	60,239 %	7810,8103 litre	O
370	CM	130	CM	150 LEVEL CM	11738,5725 litre	59,755 %	7905,8064 litre	O
370	CM	130	CM	149 LEVEL CM	11643,4612 litre	59,271 %	8000,9177 litre	O
370	CM	130	CM	148 LEVEL CM	11548,2405 litre	58,786 %	8096,1384 litre	O
370	CM	130	CM	147 LEVEL CM	11452,9164 litre	58,301 %	8191,4625 litre	O
370	CM	130	CM	146 LEVEL CM	11357,4946 litre	57,815 %	8286,8843 litre	O
370	CM	130	CM	145 LEVEL CM	11261,9811 litre	57,329 %	8382,3978 litre	O
370	CM	130	CM	144 LEVEL CM	11166,3816 litre	56,843 %	8477,9973 litre	O
370	CM	130	CM	143 LEVEL CM	11070,7020 litre	56,356 %	8573,6769 litre	O
370	CM	130	CM	142 LEVEL CM	10974,9479 litre	55,868 %	8669,4310 litre	O
370	CM	130	CM	141 LEVEL CM	10879,1253 litre	55,380 %	8765,2536 litre	O
370	CM	130	CM	140 LEVEL CM	10783,2399 litre	54,892 %	8861,1390 litre	O
370	CM	130	CM	139 LEVEL CM	10687,2973 litre	54,404 %	8957,0816 litre	O
370	CM	130	CM	138 LEVEL CM	10591,3034 litre	53,915 %	9053,0755 litre	O
370	CM	130	CM	137 LEVEL CM	10495,2639 litre	53,426 %	9149,1150 litre	O
370	CM	130	CM	136 LEVEL CM	10399,1844 litre	52,937 %	9245,1945 litre	O
370	CM	130	CM	135 LEVEL CM	10303,0708 litre	52,448 %	9341,3081 litre	O
370	CM	130	CM	134 LEVEL CM	10206,9287 litre	51,959 %	9437,4502 litre	O
370	CM	130	CM	133 LEVEL CM	10110,7638 litre	51,469 %	9533,6151 litre	O
370	CM	130	CM	132 LEVEL CM	10014,5818 litre	50,979 %	9629,7971 litre	O
370	CM	130	CM	131 LEVEL CM	9918,3885 litre	50,490 %	9725,9904 litre	O
370	CM	130	CM	130 LEVEL CM	9822,1894 litre	50,000 %	9822,1895 litre	O
370	CM	130	CM	129 LEVEL CM	9725,9904 litre	49,510 %	9918,3885 litre	O
370	CM	130	CM	128 LEVEL CM	9629,7970 litre	49,021 %	10014,5819 litre	O
370	CM	130	CM	127 LEVEL CM	9533,6150 litre	48,531 %	10110,7639 litre	O
370	CM	130	CM	126 LEVEL CM	9437,4502 litre	48,041 %	10206,9287 litre	O
370	CM	130	CM	125 LEVEL CM	9341,3080 litre	47,552 %	10303,0709 litre	O
370	CM	130	CM	124 LEVEL CM	9245,1944 litre	47,063 %	10399,1845 litre	O
370	CM	130	CM	123 LEVEL CM	9149,1150 litre	46,574 %	10495,2639 litre	O
370	CM	130	CM	122 LEVEL CM	9053,0755 litre	46,085 %	10591,3034 litre	O
370	CM	130	CM	121 LEVEL CM	8957,0815 litre	45,596 %	10687,2974 litre	O
370	CM	130	CM	120 LEVEL CM	8861,1390 litre	45,108 %	10783,2399 litre	O
370	CM	130	CM	119 LEVEL CM	8765,2535 litre	44,620 %	10879,1254 litre	O
370	CM	130	CM	118 LEVEL CM	8669,4309 litre	44,132 %	10974,9480 litre	O
370	CM	130	CM	117 LEVEL CM	8573,6769 litre	43,644 %	11070,7020 litre	O
370	CM	130	CM	116 LEVEL CM	8477,9973 litre	43,157 %	11166,3816 litre	O
370	CM	130	CM	115 LEVEL CM	8382,3978 litre	42,671 %	11261,9811 litre	O
370	CM	130	CM	114 LEVEL CM	8286,8843 litre	42,185 %	11357,4946 litre	O
370	CM	130	CM	113 LEVEL CM	8191,4625 litre	41,699 %	11452,9164 litre	O
370	CM	130	CM	112 LEVEL CM	8096,1384 litre	41,214 %	11548,2405 litre	O
370	CM	130	CM	111 LEVEL CM	8000,9177 litre	40,729 %	11643,4612 litre	O
370	CM	130	CM	110 LEVEL CM	7905,8064 litre	40,245 %	11738,5725 litre	O
370	CM	130	CM	109 LEVEL CM	7810,8102 litre	39,761 %	11833,5687 litre	O
370	CM	130	CM	108 LEVEL CM	7715,9352 litre	39,278 %	11928,4437 litre	O
370	CM	130	CM	107 LEVEL CM	7621,1873 litre	38,796 %	12023,1916 litre	O
370	CM	130	CM	106 LEVEL CM	7526,5724 litre	38,314 %	12117,8065 litre	O
370	CM	130	CM	105 LEVEL CM	7432,0965 litre	37,833 %	12212,2824 litre	O
370	CM	130	CM	104 LEVEL CM	7337,7656 litre	37,353 %	12306,6133 litre	O
370	CM	130	CM	103 LEVEL CM	7243,5858 litre	36,874 %	12400,7931 litre	O

370	CM	130	CM	102 LEVEL CM	7149,5631 litre	36,395 %	12494,8158 litre	O
370	CM	130	CM	101 LEVEL CM	7055,7036 litre	35,917 %	12588,6753 litre	O
370	CM	130	CM	100 LEVEL CM	6962,0134 litre	35,440 %	12682,3655 litre	O
370	CM	130	CM	99 LEVEL CM	6868,4988 litre	34,964 %	12775,8801 litre	O
370	CM	130	CM	98 LEVEL CM	6775,1659 litre	34,489 %	12869,2130 litre	O
370	CM	130	CM	97 LEVEL CM	6682,0209 litre	34,015 %	12962,3580 litre	O
370	CM	130	CM	96 LEVEL CM	6589,0701 litre	33,542 %	13055,3088 litre	O
370	CM	130	CM	95 LEVEL CM	6496,3198 litre	33,070 %	13148,0591 litre	O
370	CM	130	CM	94 LEVEL CM	6403,7765 litre	32,599 %	13240,6024 litre	O
370	CM	130	CM	93 LEVEL CM	6311,4463 litre	32,129 %	13332,9326 litre	O
370	CM	130	CM	92 LEVEL CM	6219,3359 litre	31,660 %	13425,0430 litre	O
370	CM	130	CM	91 LEVEL CM	6127,4517 litre	31,192 %	13516,9272 litre	O
370	CM	130	CM	90 LEVEL CM	6035,8002 litre	30,725 %	13608,5787 litre	O
370	CM	130	CM	89 LEVEL CM	5944,3880 litre	30,260 %	13699,9909 litre	O
370	CM	130	CM	88 LEVEL CM	5853,2218 litre	29,796 %	13791,1571 litre	O
370	CM	130	CM	87 LEVEL CM	5762,3082 litre	29,333 %	13882,0707 litre	O
370	CM	130	CM	86 LEVEL CM	5671,6539 litre	28,872 %	13972,7250 litre	O
370	CM	130	CM	85 LEVEL CM	5581,2658 litre	28,412 %	14063,1131 litre	O
370	CM	130	CM	84 LEVEL CM	5491,1508 litre	27,953 %	14153,2281 litre	O
370	CM	130	CM	83 LEVEL CM	5401,3157 litre	27,495 %	14243,0632 litre	O
370	CM	130	CM	82 LEVEL CM	5311,7676 litre	27,040 %	14332,6113 litre	O
370	CM	130	CM	81 LEVEL CM	5222,5135 litre	26,585 %	14421,8654 litre	O
370	CM	130	CM	80 LEVEL CM	5133,5606 litre	26,132 %	14510,8183 litre	O
370	CM	130	CM	79 LEVEL CM	5044,9159 litre	25,681 %	14599,4630 litre	O
370	CM	130	CM	78 LEVEL CM	4956,5869 litre	25,232 %	14687,7920 litre	O
370	CM	130	CM	77 LEVEL CM	4868,5809 litre	24,784 %	14775,7980 litre	O
370	CM	130	CM	76 LEVEL CM	4780,9053 litre	24,337 %	14863,4736 litre	O
370	CM	130	CM	75 LEVEL CM	4693,5675 litre	23,893 %	14950,8114 litre	O
370	CM	130	CM	74 LEVEL CM	4606,5754 litre	23,450 %	15037,8035 litre	O
370	CM	130	CM	73 LEVEL CM	4519,9364 litre	23,009 %	15124,4425 litre	O
370	CM	130	CM	72 LEVEL CM	4433,6585 litre	22,570 %	15210,7204 litre	O
370	CM	130	CM	71 LEVEL CM	4347,7495 litre	22,132 %	15296,6294 litre	O
370	CM	130	CM	70 LEVEL CM	4262,2174 litre	21,697 %	15382,1615 litre	O
370	CM	130	CM	69 LEVEL CM	4177,0703 litre	21,263 %	15467,3086 litre	O
370	CM	130	CM	68 LEVEL CM	4092,3164 litre	20,832 %	15552,0625 litre	O
370	CM	130	CM	67 LEVEL CM	4007,9640 litre	20,403 %	15636,4149 litre	O
370	CM	130	CM	66 LEVEL CM	3924,0217 litre	19,975 %	15720,3572 litre	O
370	CM	130	CM	65 LEVEL CM	3840,4979 litre	19,550 %	15803,8810 litre	O
370	CM	130	CM	64 LEVEL CM	3757,4013 litre	19,127 %	15886,9776 litre	O
370	CM	130	CM	63 LEVEL CM	3674,7408 litre	18,706 %	15969,6381 litre	O
370	CM	130	CM	62 LEVEL CM	3592,5254 litre	18,288 %	16051,8535 litre	O
370	CM	130	CM	61 LEVEL CM	3510,7642 litre	17,872 %	16133,6147 litre	O
370	CM	130	CM	60 LEVEL CM	3429,4664 litre	17,458 %	16214,9125 litre	O
370	CM	130	CM	59 LEVEL CM	3348,6415 litre	17,046 %	16295,7374 litre	O
370	CM	130	CM	58 LEVEL CM	3268,2990 litre	16,637 %	16376,0799 litre	O
370	CM	130	CM	57 LEVEL CM	3188,4489 litre	16,231 %	16455,9300 litre	O
370	CM	130	CM	56 LEVEL CM	3109,1009 litre	15,827 %	16535,2780 litre	O
370	CM	130	CM	55 LEVEL CM	3030,2653 litre	15,426 %	16614,1136 litre	O
370	CM	130	CM	54 LEVEL CM	2951,9523 litre	15,027 %	16692,4266 litre	O
370	CM	130	CM	53 LEVEL CM	2874,1727 litre	14,631 %	16770,2062 litre	O
370	CM	130	CM	52 LEVEL CM	2796,9370 litre	14,238 %	16847,4419 litre	O
370	CM	130	CM	51 LEVEL CM	2720,2564 litre	13,848 %	16924,1225 litre	O
370	CM	130	CM	50 LEVEL CM	2644,1420 litre	13,460 %	17000,2369 litre	O

370	CM	130	CM	49 LEVEL CM	2568,6054 litre	13,076 %	17075,7735 litre	O
370	CM	130	CM	48 LEVEL CM	2493,6583 litre	12,694 %	17150,7206 litre	O
370	CM	130	CM	47 LEVEL CM	2419,3127 litre	12,316 %	17225,0662 litre	O
370	CM	130	CM	46 LEVEL CM	2345,5810 litre	11,940 %	17298,7979 litre	O
370	CM	130	CM	45 LEVEL CM	2272,4759 litre	11,568 %	17371,9030 litre	O
370	CM	130	CM	44 LEVEL CM	2200,0103 litre	11,199 %	17444,3686 litre	O
370	CM	130	CM	43 LEVEL CM	2128,1975 litre	10,834 %	17516,1814 litre	O
370	CM	130	CM	42 LEVEL CM	2057,0512 litre	10,471 %	17587,3277 litre	O
370	CM	130	CM	41 LEVEL CM	1986,5855 litre	10,113 %	17657,7934 litre	O
370	CM	130	CM	40 LEVEL CM	1916,8149 litre	9,758 %	17727,5640 litre	O
370	CM	130	CM	39 LEVEL CM	1847,7542 litre	9,406 %	17796,6247 litre	O
370	CM	130	CM	38 LEVEL CM	1779,4190 litre	9,058 %	17864,9599 litre	O
370	CM	130	CM	37 LEVEL CM	1711,8250 litre	8,714 %	17932,5539 litre	O
370	CM	130	CM	36 LEVEL CM	1644,9887 litre	8,374 %	17999,3902 litre	O
370	CM	130	CM	35 LEVEL CM	1578,9271 litre	8,038 %	18065,4518 litre	O
370	CM	130	CM	34 LEVEL CM	1513,6577 litre	7,705 %	18130,7212 litre	O
370	CM	130	CM	33 LEVEL CM	1449,1988 litre	7,377 %	18195,1801 litre	O
370	CM	130	CM	32 LEVEL CM	1385,5693 litre	7,053 %	18258,8096 litre	O
370	CM	130	CM	31 LEVEL CM	1322,7889 litre	6,734 %	18321,5900 litre	O
370	CM	130	CM	30 LEVEL CM	1260,8781 litre	6,419 %	18383,5008 litre	O
370	CM	130	CM	29 LEVEL CM	1199,8582 litre	6,108 %	18444,5207 litre	O
370	CM	130	CM	28 LEVEL CM	1139,7515 litre	5,802 %	18504,6274 litre	O
370	CM	130	CM	27 LEVEL CM	1080,5814 litre	5,501 %	18563,7975 litre	O
370	CM	130	CM	26 LEVEL CM	1022,3724 litre	5,204 %	18622,0065 litre	O
370	CM	130	CM	25 LEVEL CM	965,1502 litre	4,913 %	18679,2287 litre	O
370	CM	130	CM	24 LEVEL CM	908,9418 litre	4,627 %	18735,4371 litre	O
370	CM	130	CM	23 LEVEL CM	853,7759 litre	4,346 %	18790,6030 litre	O
370	CM	130	CM	22 LEVEL CM	799,6825 litre	4,071 %	18844,6964 litre	O
370	CM	130	CM	21 LEVEL CM	746,6938 litre	3,801 %	18897,6851 litre	O
370	CM	130	CM	20 LEVEL CM	694,8438 litre	3,537 %	18949,5351 litre	O
370	CM	130	CM	19 LEVEL CM	644,1689 litre	3,279 %	19000,2100 litre	O
370	CM	130	CM	18 LEVEL CM	594,7081 litre	3,027 %	19049,6708 litre	O
370	CM	130	CM	17 LEVEL CM	546,5034 litre	2,782 %	19097,8755 litre	O
370	CM	130	CM	16 LEVEL CM	499,6000 litre	2,543 %	19144,7789 litre	O
370	CM	130	CM	15 LEVEL CM	454,0471 litre	2,311 %	19190,3318 litre	O
370	CM	130	CM	14 LEVEL CM	409,8985 litre	2,087 %	19234,4804 litre	O
370	CM	130	CM	13 LEVEL CM	367,2131 litre	1,869 %	19277,1658 litre	O
370	CM	130	CM	12 LEVEL CM	326,0562 litre	1,660 %	19318,3227 litre	O
370	CM	130	CM	11 LEVEL CM	286,5008 litre	1,458 %	19357,8781 litre	O
370	CM	130	CM	10 LEVEL CM	248,6289 litre	1,266 %	19395,7500 litre	O
370	CM	130	CM	9 LEVEL CM	212,5342 litre	1,082 %	19431,8447 litre	O
370	CM	130	CM	8 LEVEL CM	178,3250 litre	0,908 %	19466,0539 litre	O
370	CM	130	CM	7 LEVEL CM	146,1285 litre	0,744 %	19498,2504 litre	O
370	CM	130	CM	6 LEVEL CM	116,0979 litre	0,591 %	19528,2810 litre	O
370	CM	130	CM	5 LEVEL CM	88,4221 litre	0,450 %	19555,9568 litre	O
370	CM	130	CM	4 LEVEL CM	63,3436 litre	0,322 %	19581,0353 litre	O
370	CM	130	CM	3 LEVEL CM	41,1908 litre	0,210 %	19603,1881 litre	O
370	CM	130	CM	2 LEVEL CM	22,4475 litre	0,114 %	19621,9314 litre	O
370	CM	130	CM	1 LEVEL CM	7,9456 litre	0,040 %	19636,4333 litre	O
370	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	19644,3789 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 125	CM 250 LEVEL CM	18162,3325 litre	100,000 %	0,0000 litre	O
370	CM 125	CM 249 LEVEL CM	18154,5416 litre	99,957 %	7,7909 litre	O
370	CM 125	CM 248 LEVEL CM	18140,3230 litre	99,879 %	22,0095 litre	O
370	CM 125	CM 247 LEVEL CM	18121,9473 litre	99,778 %	40,3852 litre	O
370	CM 125	CM 246 LEVEL CM	18100,2306 litre	99,658 %	62,1019 litre	O
370	CM 125	CM 245 LEVEL CM	18075,6478 litre	99,523 %	86,6847 litre	O
370	CM 125	CM 244 LEVEL CM	18048,5212 litre	99,373 %	113,8113 litre	O
370	CM 125	CM 243 LEVEL CM	18019,0889 litre	99,211 %	143,2436 litre	O
370	CM 125	CM 242 LEVEL CM	17987,5364 litre	99,038 %	174,7961 litre	O
370	CM 125	CM 241 LEVEL CM	17954,0142 litre	98,853 %	208,3183 litre	O
370	CM 125	CM 240 LEVEL CM	17918,6473 litre	98,658 %	243,6852 litre	O
370	CM 125	CM 239 LEVEL CM	17881,5422 litre	98,454 %	280,7903 litre	O
370	CM 125	CM 238 LEVEL CM	17842,7908 litre	98,241 %	319,5417 litre	O
370	CM 125	CM 237 LEVEL CM	17802,4740 litre	98,019 %	359,8585 litre	O
370	CM 125	CM 236 LEVEL CM	17760,6633 litre	97,788 %	401,6692 litre	O
370	CM 125	CM 235 LEVEL CM	17717,4232 litre	97,550 %	444,9093 litre	O
370	CM 125	CM 234 LEVEL CM	17672,8116 litre	97,305 %	489,5209 litre	O
370	CM 125	CM 233 LEVEL CM	17626,8815 litre	97,052 %	535,4510 litre	O
370	CM 125	CM 232 LEVEL CM	17579,6811 litre	96,792 %	582,6514 litre	O
370	CM 125	CM 231 LEVEL CM	17531,2552 litre	96,525 %	631,0773 litre	O
370	CM 125	CM 230 LEVEL CM	17481,6451 litre	96,252 %	680,6874 litre	O
370	CM 125	CM 229 LEVEL CM	17430,8891 litre	95,973 %	731,4434 litre	O
370	CM 125	CM 228 LEVEL CM	17379,0232 litre	95,687 %	783,3093 litre	O
370	CM 125	CM 227 LEVEL CM	17326,0809 litre	95,396 %	836,2516 litre	O
370	CM 125	CM 226 LEVEL CM	17272,0938 litre	95,098 %	890,2387 litre	O
370	CM 125	CM 225 LEVEL CM	17217,0917 litre	94,796 %	945,2408 litre	O
370	CM 125	CM 224 LEVEL CM	17161,1029 litre	94,487 %	1001,2296 litre	O
370	CM 125	CM 223 LEVEL CM	17104,1540 litre	94,174 %	1058,1785 litre	O
370	CM 125	CM 222 LEVEL CM	17046,2704 litre	93,855 %	1116,0621 litre	O
370	CM 125	CM 221 LEVEL CM	16987,4763 litre	93,531 %	1174,8562 litre	O
370	CM 125	CM 220 LEVEL CM	16927,7947 litre	93,203 %	1234,5378 litre	O
370	CM 125	CM 219 LEVEL CM	16867,2477 litre	92,869 %	1295,0848 litre	O
370	CM 125	CM 218 LEVEL CM	16805,8564 litre	92,531 %	1356,4761 litre	O
370	CM 125	CM 217 LEVEL CM	16743,6411 litre	92,189 %	1418,6914 litre	O
370	CM 125	CM 216 LEVEL CM	16680,6212 litre	91,842 %	1481,7113 litre	O
370	CM 125	CM 215 LEVEL CM	16616,8155 litre	91,491 %	1545,5170 litre	O
370	CM 125	CM 214 LEVEL CM	16552,2419 litre	91,135 %	1610,0906 litre	O
370	CM 125	CM 213 LEVEL CM	16486,9180 litre	90,775 %	1675,4145 litre	O
370	CM 125	CM 212 LEVEL CM	16420,8604 litre	90,412 %	1741,4721 litre	O
370	CM 125	CM 211 LEVEL CM	16354,0856 litre	90,044 %	1808,2469 litre	O
370	CM 125	CM 210 LEVEL CM	16286,6091 litre	89,672 %	1875,7234 litre	O
370	CM 125	CM 209 LEVEL CM	16218,4463 litre	89,297 %	1943,8862 litre	O
370	CM 125	CM 208 LEVEL CM	16149,6120 litre	88,918 %	2012,7205 litre	O
370	CM 125	CM 207 LEVEL CM	16080,1205 litre	88,536 %	2082,2120 litre	O
370	CM 125	CM 206 LEVEL CM	16009,9858 litre	88,149 %	2152,3467 litre	O
370	CM 125	CM 205 LEVEL CM	15939,2215 litre	87,760 %	2223,1110 litre	O
370	CM 125	CM 204 LEVEL CM	15867,8408 litre	87,367 %	2294,4917 litre	O
370	CM 125	CM 203 LEVEL CM	15795,8566 litre	86,970 %	2366,4759 litre	O
370	CM 125	CM 202 LEVEL CM	15723,2815 litre	86,571 %	2439,0510 litre	O
370	CM 125	CM 201 LEVEL CM	15650,1276 litre	86,168 %	2512,2049 litre	O
370	CM 125	CM 200 LEVEL CM	15576,4070 litre	85,762 %	2585,9255 litre	O
370	CM 125	CM 199 LEVEL CM	15502,1315 litre	85,353 %	2660,2010 litre	O

370	CM	125	CM	198 LEVEL CM	15427,3123 litre	84,941 %	2735,0202 litre	O
370	CM	125	CM	197 LEVEL CM	15351,9607 litre	84,526 %	2810,3718 litre	O
370	CM	125	CM	196 LEVEL CM	15276,0877 litre	84,109 %	2886,2448 litre	O
370	CM	125	CM	195 LEVEL CM	15199,7040 litre	83,688 %	2962,6285 litre	O
370	CM	125	CM	194 LEVEL CM	15122,8201 litre	83,265 %	3039,5124 litre	O
370	CM	125	CM	193 LEVEL CM	15045,4462 litre	82,839 %	3116,8863 litre	O
370	CM	125	CM	192 LEVEL CM	14967,5926 litre	82,410 %	3194,7399 litre	O
370	CM	125	CM	191 LEVEL CM	14889,2692 litre	81,979 %	3273,0633 litre	O
370	CM	125	CM	190 LEVEL CM	14810,4856 litre	81,545 %	3351,8469 litre	O
370	CM	125	CM	189 LEVEL CM	14731,2516 litre	81,109 %	3431,0809 litre	O
370	CM	125	CM	188 LEVEL CM	14651,5764 litre	80,670 %	3510,7561 litre	O
370	CM	125	CM	187 LEVEL CM	14571,4695 litre	80,229 %	3590,8630 litre	O
370	CM	125	CM	186 LEVEL CM	14490,9398 litre	79,786 %	3671,3927 litre	O
370	CM	125	CM	185 LEVEL CM	14409,9964 litre	79,340 %	3752,3361 litre	O
370	CM	125	CM	184 LEVEL CM	14328,6480 litre	78,892 %	3833,6845 litre	O
370	CM	125	CM	183 LEVEL CM	14246,9035 litre	78,442 %	3915,4290 litre	O
370	CM	125	CM	182 LEVEL CM	14164,7714 litre	77,990 %	3997,5611 litre	O
370	CM	125	CM	181 LEVEL CM	14082,2601 litre	77,536 %	4080,0724 litre	O
370	CM	125	CM	180 LEVEL CM	13999,3779 litre	77,079 %	4162,9546 litre	O
370	CM	125	CM	179 LEVEL CM	13916,1332 litre	76,621 %	4246,1993 litre	O
370	CM	125	CM	178 LEVEL CM	13832,5340 litre	76,161 %	4329,7985 litre	O
370	CM	125	CM	177 LEVEL CM	13748,5884 litre	75,698 %	4413,7441 litre	O
370	CM	125	CM	176 LEVEL CM	13664,3042 litre	75,234 %	4498,0283 litre	O
370	CM	125	CM	175 LEVEL CM	13579,6893 litre	74,768 %	4582,6432 litre	O
370	CM	125	CM	174 LEVEL CM	13494,7514 litre	74,301 %	4667,5811 litre	O
370	CM	125	CM	173 LEVEL CM	13409,4983 litre	73,831 %	4752,8342 litre	O
370	CM	125	CM	172 LEVEL CM	13323,9373 litre	73,360 %	4838,3952 litre	O
370	CM	125	CM	171 LEVEL CM	13238,0761 litre	72,888 %	4924,2564 litre	O
370	CM	125	CM	170 LEVEL CM	13151,9220 litre	72,413 %	5010,4105 litre	O
370	CM	125	CM	169 LEVEL CM	13065,4824 litre	71,937 %	5096,8501 litre	O
370	CM	125	CM	168 LEVEL CM	12978,7644 litre	71,460 %	5183,5681 litre	O
370	CM	125	CM	167 LEVEL CM	12891,7754 litre	70,981 %	5270,5571 litre	O
370	CM	125	CM	166 LEVEL CM	12804,5223 litre	70,500 %	5357,8102 litre	O
370	CM	125	CM	165 LEVEL CM	12717,0123 litre	70,019 %	5445,3202 litre	O
370	CM	125	CM	164 LEVEL CM	12629,2524 litre	69,535 %	5533,0801 litre	O
370	CM	125	CM	163 LEVEL CM	12541,2494 litre	69,051 %	5621,0831 litre	O
370	CM	125	CM	162 LEVEL CM	12453,0103 litre	68,565 %	5709,3222 litre	O
370	CM	125	CM	161 LEVEL CM	12364,5419 litre	68,078 %	5797,7906 litre	O
370	CM	125	CM	160 LEVEL CM	12275,8510 litre	67,590 %	5886,4815 litre	O
370	CM	125	CM	159 LEVEL CM	12186,9442 litre	67,100 %	5975,3883 litre	O
370	CM	125	CM	158 LEVEL CM	12097,8282 litre	66,609 %	6064,5043 litre	O
370	CM	125	CM	157 LEVEL CM	12008,5097 litre	66,118 %	6153,8228 litre	O
370	CM	125	CM	156 LEVEL CM	11918,9952 litre	65,625 %	6243,3373 litre	O
370	CM	125	CM	155 LEVEL CM	11829,2912 litre	65,131 %	6333,0413 litre	O
370	CM	125	CM	154 LEVEL CM	11739,4043 litre	64,636 %	6422,9282 litre	O
370	CM	125	CM	153 LEVEL CM	11649,3409 litre	64,140 %	6512,9916 litre	O
370	CM	125	CM	152 LEVEL CM	11559,1075 litre	63,643 %	6603,2250 litre	O
370	CM	125	CM	151 LEVEL CM	11468,7103 litre	63,146 %	6693,6222 litre	O
370	CM	125	CM	150 LEVEL CM	11378,1557 litre	62,647 %	6784,1768 litre	O
370	CM	125	CM	149 LEVEL CM	11287,4502 litre	62,148 %	6874,8823 litre	O
370	CM	125	CM	148 LEVEL CM	11196,5998 litre	61,647 %	6965,7327 litre	O
370	CM	125	CM	147 LEVEL CM	11105,6109 litre	61,146 %	7056,7216 litre	O
370	CM	125	CM	146 LEVEL CM	11014,4897 litre	60,645 %	7147,8428 litre	O

370	CM	125	CM	145 LEVEL CM	10923,2423 litre	60,142 %	7239,0902 litre	O
370	CM	125	CM	144 LEVEL CM	10831,8751 litre	59,639 %	7330,4574 litre	O
370	CM	125	CM	143 LEVEL CM	10740,3940 litre	59,136 %	7421,9385 litre	O
370	CM	125	CM	142 LEVEL CM	10648,8052 litre	58,631 %	7513,5273 litre	O
370	CM	125	CM	141 LEVEL CM	10557,1149 litre	58,126 %	7605,2176 litre	O
370	CM	125	CM	140 LEVEL CM	10465,3290 litre	57,621 %	7697,0035 litre	O
370	CM	125	CM	139 LEVEL CM	10373,4537 litre	57,115 %	7788,8788 litre	O
370	CM	125	CM	138 LEVEL CM	10281,4950 litre	56,609 %	7880,8375 litre	O
370	CM	125	CM	137 LEVEL CM	10189,4589 litre	56,102 %	7972,8736 litre	O
370	CM	125	CM	136 LEVEL CM	10097,3515 litre	55,595 %	8064,9810 litre	O
370	CM	125	CM	135 LEVEL CM	10005,1786 litre	55,088 %	8157,1539 litre	O
370	CM	125	CM	134 LEVEL CM	9912,9464 litre	54,580 %	8249,3861 litre	O
370	CM	125	CM	133 LEVEL CM	9820,6608 litre	54,072 %	8341,6717 litre	O
370	CM	125	CM	132 LEVEL CM	9728,3277 litre	53,563 %	8434,0048 litre	O
370	CM	125	CM	131 LEVEL CM	9635,9531 litre	53,055 %	8526,3794 litre	O
370	CM	125	CM	130 LEVEL CM	9543,5429 litre	52,546 %	8618,7896 litre	O
370	CM	125	CM	129 LEVEL CM	9451,1031 litre	52,037 %	8711,2294 litre	O
370	CM	125	CM	128 LEVEL CM	9358,6396 litre	51,528 %	8803,6929 litre	O
370	CM	125	CM	127 LEVEL CM	9266,1584 litre	51,019 %	8896,1741 litre	O
370	CM	125	CM	126 LEVEL CM	9173,6653 litre	50,509 %	8988,6672 litre	O
370	CM	125	CM	125 LEVEL CM	9081,1663 litre	50,000 %	9081,1662 litre	O
370	CM	125	CM	124 LEVEL CM	8988,6673 litre	49,491 %	9173,6652 litre	O
370	CM	125	CM	123 LEVEL CM	8896,1742 litre	48,981 %	9266,1583 litre	O
370	CM	125	CM	122 LEVEL CM	8803,6929 litre	48,472 %	9358,6396 litre	O
370	CM	125	CM	121 LEVEL CM	8711,2294 litre	47,963 %	9451,1031 litre	O
370	CM	125	CM	120 LEVEL CM	8618,7896 litre	47,454 %	9543,5429 litre	O
370	CM	125	CM	119 LEVEL CM	8526,3795 litre	46,945 %	9635,9530 litre	O
370	CM	125	CM	118 LEVEL CM	8434,0049 litre	46,437 %	9728,3276 litre	O
370	CM	125	CM	117 LEVEL CM	8341,6717 litre	45,928 %	9820,6608 litre	O
370	CM	125	CM	116 LEVEL CM	8249,3861 litre	45,420 %	9912,9464 litre	O
370	CM	125	CM	115 LEVEL CM	8157,1539 litre	44,912 %	10005,1786 litre	O
370	CM	125	CM	114 LEVEL CM	8064,9810 litre	44,405 %	10097,3515 litre	O
370	CM	125	CM	113 LEVEL CM	7972,8736 litre	43,898 %	10189,4589 litre	O
370	CM	125	CM	112 LEVEL CM	7880,8375 litre	43,391 %	10281,4950 litre	O
370	CM	125	CM	111 LEVEL CM	7788,8788 litre	42,885 %	10373,4537 litre	O
370	CM	125	CM	110 LEVEL CM	7697,0035 litre	42,379 %	10465,3290 litre	O
370	CM	125	CM	109 LEVEL CM	7605,2176 litre	41,874 %	10557,1149 litre	O
370	CM	125	CM	108 LEVEL CM	7513,5273 litre	41,369 %	10648,8052 litre	O
370	CM	125	CM	107 LEVEL CM	7421,9385 litre	40,864 %	10740,3940 litre	O
370	CM	125	CM	106 LEVEL CM	7330,4575 litre	40,361 %	10831,8750 litre	O
370	CM	125	CM	105 LEVEL CM	7239,0902 litre	39,858 %	10923,2423 litre	O
370	CM	125	CM	104 LEVEL CM	7147,8429 litre	39,355 %	11014,4896 litre	O
370	CM	125	CM	103 LEVEL CM	7056,7217 litre	38,854 %	11105,6108 litre	O
370	CM	125	CM	102 LEVEL CM	6965,7328 litre	38,353 %	11196,5997 litre	O
370	CM	125	CM	101 LEVEL CM	6874,8824 litre	37,852 %	11287,4501 litre	O
370	CM	125	CM	100 LEVEL CM	6784,1768 litre	37,353 %	11378,1557 litre	O
370	CM	125	CM	99 LEVEL CM	6693,6222 litre	36,854 %	11468,7103 litre	O
370	CM	125	CM	98 LEVEL CM	6603,2251 litre	36,357 %	11559,1074 litre	O
370	CM	125	CM	97 LEVEL CM	6512,9916 litre	35,860 %	11649,3409 litre	O
370	CM	125	CM	96 LEVEL CM	6422,9282 litre	35,364 %	11739,4043 litre	O
370	CM	125	CM	95 LEVEL CM	6333,0413 litre	34,869 %	11829,2912 litre	O
370	CM	125	CM	94 LEVEL CM	6243,3374 litre	34,375 %	11918,9951 litre	O
370	CM	125	CM	93 LEVEL CM	6153,8229 litre	33,882 %	12008,5096 litre	O

370	CM	125	CM	92 LEVEL CM	6064,5043 litre	33,391 %	12097,8282 litre	O
370	CM	125	CM	91 LEVEL CM	5975,3884 litre	32,900 %	12186,9441 litre	O
370	CM	125	CM	90 LEVEL CM	5886,4816 litre	32,410 %	12275,8509 litre	O
370	CM	125	CM	89 LEVEL CM	5797,7906 litre	31,922 %	12364,5419 litre	O
370	CM	125	CM	88 LEVEL CM	5709,3222 litre	31,435 %	12453,0103 litre	O
370	CM	125	CM	87 LEVEL CM	5621,0831 litre	30,949 %	12541,2494 litre	O
370	CM	125	CM	86 LEVEL CM	5533,0801 litre	30,465 %	12629,2524 litre	O
370	CM	125	CM	85 LEVEL CM	5445,3202 litre	29,981 %	12717,0123 litre	O
370	CM	125	CM	84 LEVEL CM	5357,8102 litre	29,500 %	12804,5223 litre	O
370	CM	125	CM	83 LEVEL CM	5270,5572 litre	29,019 %	12891,7753 litre	O
370	CM	125	CM	82 LEVEL CM	5183,5681 litre	28,540 %	12978,7644 litre	O
370	CM	125	CM	81 LEVEL CM	5096,8502 litre	28,063 %	13065,4823 litre	O
370	CM	125	CM	80 LEVEL CM	5010,4105 litre	27,587 %	13151,9220 litre	O
370	CM	125	CM	79 LEVEL CM	4924,2564 litre	27,112 %	13238,0761 litre	O
370	CM	125	CM	78 LEVEL CM	4838,3952 litre	26,640 %	13323,9373 litre	O
370	CM	125	CM	77 LEVEL CM	4752,8343 litre	26,169 %	13409,4982 litre	O
370	CM	125	CM	76 LEVEL CM	4667,5811 litre	25,699 %	13494,7514 litre	O
370	CM	125	CM	75 LEVEL CM	4582,6432 litre	25,232 %	13579,6893 litre	O
370	CM	125	CM	74 LEVEL CM	4498,0284 litre	24,766 %	13664,3041 litre	O
370	CM	125	CM	73 LEVEL CM	4413,7442 litre	24,302 %	13748,5883 litre	O
370	CM	125	CM	72 LEVEL CM	4329,7985 litre	23,839 %	13832,5340 litre	O
370	CM	125	CM	71 LEVEL CM	4246,1993 litre	23,379 %	13916,1332 litre	O
370	CM	125	CM	70 LEVEL CM	4162,9546 litre	22,921 %	13999,3779 litre	O
370	CM	125	CM	69 LEVEL CM	4080,0725 litre	22,464 %	14082,2600 litre	O
370	CM	125	CM	68 LEVEL CM	3997,5612 litre	22,010 %	14164,7713 litre	O
370	CM	125	CM	67 LEVEL CM	3915,4290 litre	21,558 %	14246,9035 litre	O
370	CM	125	CM	66 LEVEL CM	3833,6845 litre	21,108 %	14328,6480 litre	O
370	CM	125	CM	65 LEVEL CM	3752,3362 litre	20,660 %	14409,9963 litre	O
370	CM	125	CM	64 LEVEL CM	3671,3927 litre	20,214 %	14490,9398 litre	O
370	CM	125	CM	63 LEVEL CM	3590,8631 litre	19,771 %	14571,4694 litre	O
370	CM	125	CM	62 LEVEL CM	3510,7561 litre	19,330 %	14651,5764 litre	O
370	CM	125	CM	61 LEVEL CM	3431,0809 litre	18,891 %	14731,2516 litre	O
370	CM	125	CM	60 LEVEL CM	3351,8469 litre	18,455 %	14810,4856 litre	O
370	CM	125	CM	59 LEVEL CM	3273,0633 litre	18,021 %	14889,2692 litre	O
370	CM	125	CM	58 LEVEL CM	3194,7399 litre	17,590 %	14967,5926 litre	O
370	CM	125	CM	57 LEVEL CM	3116,8863 litre	17,161 %	15045,4462 litre	O
370	CM	125	CM	56 LEVEL CM	3039,5125 litre	16,735 %	15122,8200 litre	O
370	CM	125	CM	55 LEVEL CM	2962,6285 litre	16,312 %	15199,7040 litre	O
370	CM	125	CM	54 LEVEL CM	2886,2448 litre	15,891 %	15276,0877 litre	O
370	CM	125	CM	53 LEVEL CM	2810,3718 litre	15,474 %	15351,9607 litre	O
370	CM	125	CM	52 LEVEL CM	2735,0202 litre	15,059 %	15427,3123 litre	O
370	CM	125	CM	51 LEVEL CM	2660,2011 litre	14,647 %	15502,1314 litre	O
370	CM	125	CM	50 LEVEL CM	2585,9255 litre	14,238 %	15576,4070 litre	O
370	CM	125	CM	49 LEVEL CM	2512,2049 litre	13,832 %	15650,1276 litre	O
370	CM	125	CM	48 LEVEL CM	2439,0511 litre	13,429 %	15723,2814 litre	O
370	CM	125	CM	47 LEVEL CM	2366,4759 litre	13,030 %	15795,8566 litre	O
370	CM	125	CM	46 LEVEL CM	2294,4917 litre	12,633 %	15867,8408 litre	O
370	CM	125	CM	45 LEVEL CM	2223,1110 litre	12,240 %	15939,2215 litre	O
370	CM	125	CM	44 LEVEL CM	2152,3467 litre	11,851 %	16009,9858 litre	O
370	CM	125	CM	43 LEVEL CM	2082,2120 litre	11,464 %	16080,1205 litre	O
370	CM	125	CM	42 LEVEL CM	2012,7205 litre	11,082 %	16149,6120 litre	O
370	CM	125	CM	41 LEVEL CM	1943,8862 litre	10,703 %	16218,4463 litre	O
370	CM	125	CM	40 LEVEL CM	1875,7234 litre	10,328 %	16286,6091 litre	O

370	CM	125	CM	39 LEVEL CM	1808,2470 litre	9,956 %	16354,0855 litre	O
370	CM	125	CM	38 LEVEL CM	1741,4721 litre	9,588 %	16420,8604 litre	O
370	CM	125	CM	37 LEVEL CM	1675,4146 litre	9,225 %	16486,9179 litre	O
370	CM	125	CM	36 LEVEL CM	1610,0906 litre	8,865 %	16552,2419 litre	O
370	CM	125	CM	35 LEVEL CM	1545,5171 litre	8,509 %	16616,8154 litre	O
370	CM	125	CM	34 LEVEL CM	1481,7113 litre	8,158 %	16680,6212 litre	O
370	CM	125	CM	33 LEVEL CM	1418,6914 litre	7,811 %	16743,6411 litre	O
370	CM	125	CM	32 LEVEL CM	1356,4761 litre	7,469 %	16805,8564 litre	O
370	CM	125	CM	31 LEVEL CM	1295,0848 litre	7,131 %	16867,2477 litre	O
370	CM	125	CM	30 LEVEL CM	1234,5378 litre	6,797 %	16927,7947 litre	O
370	CM	125	CM	29 LEVEL CM	1174,8562 litre	6,469 %	16987,4763 litre	O
370	CM	125	CM	28 LEVEL CM	1116,0621 litre	6,145 %	17046,2704 litre	O
370	CM	125	CM	27 LEVEL CM	1058,1785 litre	5,826 %	17104,1540 litre	O
370	CM	125	CM	26 LEVEL CM	1001,2296 litre	5,513 %	17161,1029 litre	O
370	CM	125	CM	25 LEVEL CM	945,2408 litre	5,204 %	17217,0917 litre	O
370	CM	125	CM	24 LEVEL CM	890,2387 litre	4,902 %	17272,0938 litre	O
370	CM	125	CM	23 LEVEL CM	836,2517 litre	4,604 %	17326,0808 litre	O
370	CM	125	CM	22 LEVEL CM	783,3094 litre	4,313 %	17379,0231 litre	O
370	CM	125	CM	21 LEVEL CM	731,4434 litre	4,027 %	17430,8891 litre	O
370	CM	125	CM	20 LEVEL CM	680,6874 litre	3,748 %	17481,6451 litre	O
370	CM	125	CM	19 LEVEL CM	631,0773 litre	3,475 %	17531,2552 litre	O
370	CM	125	CM	18 LEVEL CM	582,6514 litre	3,208 %	17579,6811 litre	O
370	CM	125	CM	17 LEVEL CM	535,4511 litre	2,948 %	17626,8814 litre	O
370	CM	125	CM	16 LEVEL CM	489,5209 litre	2,695 %	17672,8116 litre	O
370	CM	125	CM	15 LEVEL CM	444,9093 litre	2,450 %	17717,4232 litre	O
370	CM	125	CM	14 LEVEL CM	401,6692 litre	2,212 %	17760,6633 litre	O
370	CM	125	CM	13 LEVEL CM	359,8586 litre	1,981 %	17802,4739 litre	O
370	CM	125	CM	12 LEVEL CM	319,5417 litre	1,759 %	17842,7908 litre	O
370	CM	125	CM	11 LEVEL CM	280,7904 litre	1,546 %	17881,5421 litre	O
370	CM	125	CM	10 LEVEL CM	243,6852 litre	1,342 %	17918,6473 litre	O
370	CM	125	CM	9 LEVEL CM	208,3183 litre	1,147 %	17954,0142 litre	O
370	CM	125	CM	8 LEVEL CM	174,7961 litre	0,962 %	17987,5364 litre	O
370	CM	125	CM	7 LEVEL CM	143,2437 litre	0,789 %	18019,0888 litre	O
370	CM	125	CM	6 LEVEL CM	113,8113 litre	0,627 %	18048,5212 litre	O
370	CM	125	CM	5 LEVEL CM	86,6847 litre	0,477 %	18075,6478 litre	O
370	CM	125	CM	4 LEVEL CM	62,1019 litre	0,342 %	18100,2306 litre	O
370	CM	125	CM	3 LEVEL CM	40,3852 litre	0,222 %	18121,9473 litre	O
370	CM	125	CM	2 LEVEL CM	22,0095 litre	0,121 %	18140,3230 litre	O
370	CM	125	CM	1 LEVEL CM	7,7909 litre	0,043 %	18154,5416 litre	O
370	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	18162,3325 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 120	CM 240 LEVEL CM	16738,4057 litre	100,000 %	0,0000 litre	O
370	CM 120	CM 239 LEVEL CM	16730,7725 litre	99,954 %	7,6332 litre	O
370	CM 120	CM 238 LEVEL CM	16716,8430 litre	99,871 %	21,5627 litre	O
370	CM 120	CM 237 LEVEL CM	16698,8423 litre	99,764 %	39,5634 litre	O
370	CM 120	CM 236 LEVEL CM	16677,5708 litre	99,637 %	60,8349 litre	O
370	CM 120	CM 235 LEVEL CM	16653,4939 litre	99,493 %	84,9118 litre	O
370	CM 120	CM 234 LEVEL CM	16626,9278 litre	99,334 %	111,4779 litre	O
370	CM 120	CM 233 LEVEL CM	16598,1062 litre	99,162 %	140,2995 litre	O
370	CM 120	CM 232 LEVEL CM	16567,2112 litre	98,977 %	171,1945 litre	O
370	CM 120	CM 231 LEVEL CM	16534,3903 litre	98,781 %	204,0154 litre	O
370	CM 120	CM 230 LEVEL CM	16499,7666 litre	98,574 %	238,6391 litre	O
370	CM 120	CM 229 LEVEL CM	16463,4443 litre	98,357 %	274,9614 litre	O
370	CM 120	CM 228 LEVEL CM	16425,5140 litre	98,131 %	312,8917 litre	O
370	CM 120	CM 227 LEVEL CM	16386,0551 litre	97,895 %	352,3506 litre	O
370	CM 120	CM 226 LEVEL CM	16345,1380 litre	97,651 %	393,2677 litre	O
370	CM 120	CM 225 LEVEL CM	16302,8259 litre	97,398 %	435,5798 litre	O
370	CM 120	CM 224 LEVEL CM	16259,1759 litre	97,137 %	479,2298 litre	O
370	CM 120	CM 223 LEVEL CM	16214,2400 litre	96,868 %	524,1657 litre	O
370	CM 120	CM 222 LEVEL CM	16168,0659 litre	96,593 %	570,3398 litre	O
370	CM 120	CM 221 LEVEL CM	16120,6975 litre	96,310 %	617,7082 litre	O
370	CM 120	CM 220 LEVEL CM	16072,1754 litre	96,020 %	666,2303 litre	O
370	CM 120	CM 219 LEVEL CM	16022,5376 litre	95,723 %	715,8681 litre	O
370	CM 120	CM 218 LEVEL CM	15971,8192 litre	95,420 %	766,5865 litre	O
370	CM 120	CM 217 LEVEL CM	15920,0536 litre	95,111 %	818,3521 litre	O
370	CM 120	CM 216 LEVEL CM	15867,2718 litre	94,796 %	871,1339 litre	O
370	CM 120	CM 215 LEVEL CM	15813,5031 litre	94,474 %	924,9026 litre	O
370	CM 120	CM 214 LEVEL CM	15758,7755 litre	94,147 %	979,6302 litre	O
370	CM 120	CM 213 LEVEL CM	15703,1152 litre	93,815 %	1035,2905 litre	O
370	CM 120	CM 212 LEVEL CM	15646,5473 litre	93,477 %	1091,8584 litre	O
370	CM 120	CM 211 LEVEL CM	15589,0957 litre	93,134 %	1149,3100 litre	O
370	CM 120	CM 210 LEVEL CM	15530,7831 litre	92,785 %	1207,6226 litre	O
370	CM 120	CM 209 LEVEL CM	15471,6314 litre	92,432 %	1266,7743 litre	O
370	CM 120	CM 208 LEVEL CM	15411,6614 litre	92,074 %	1326,7443 litre	O
370	CM 120	CM 207 LEVEL CM	15350,8932 litre	91,711 %	1387,5125 litre	O
370	CM 120	CM 206 LEVEL CM	15289,3459 litre	91,343 %	1449,0598 litre	O
370	CM 120	CM 205 LEVEL CM	15227,0382 litre	90,971 %	1511,3675 litre	O
370	CM 120	CM 204 LEVEL CM	15163,9878 litre	90,594 %	1574,4179 litre	O
370	CM 120	CM 203 LEVEL CM	15100,2121 litre	90,213 %	1638,1936 litre	O
370	CM 120	CM 202 LEVEL CM	15035,7276 litre	89,828 %	1702,6781 litre	O
370	CM 120	CM 201 LEVEL CM	14970,5504 litre	89,438 %	1767,8553 litre	O
370	CM 120	CM 200 LEVEL CM	14904,6963 litre	89,045 %	1833,7094 litre	O
370	CM 120	CM 199 LEVEL CM	14838,1802 litre	88,648 %	1900,2255 litre	O
370	CM 120	CM 198 LEVEL CM	14771,0169 litre	88,246 %	1967,3888 litre	O
370	CM 120	CM 197 LEVEL CM	14703,2205 litre	87,841 %	2035,1852 litre	O
370	CM 120	CM 196 LEVEL CM	14634,8051 litre	87,432 %	2103,6006 litre	O
370	CM 120	CM 195 LEVEL CM	14565,7841 litre	87,020 %	2172,6216 litre	O
370	CM 120	CM 194 LEVEL CM	14496,1705 litre	86,604 %	2242,2352 litre	O
370	CM 120	CM 193 LEVEL CM	14425,9772 litre	86,185 %	2312,4285 litre	O
370	CM 120	CM 192 LEVEL CM	14355,2167 litre	85,762 %	2383,1890 litre	O
370	CM 120	CM 191 LEVEL CM	14283,9012 litre	85,336 %	2454,5045 litre	O
370	CM 120	CM 190 LEVEL CM	14212,0426 litre	84,907 %	2526,3631 litre	O
370	CM 120	CM 189 LEVEL CM	14139,6525 litre	84,474 %	2598,7532 litre	O

370	CM	120	CM	188 LEVEL CM	14066,7423 litre	84,039 %	2671,6634 litre	O
370	CM	120	CM	187 LEVEL CM	13993,3232 litre	83,600 %	2745,0825 litre	O
370	CM	120	CM	186 LEVEL CM	13919,4060 litre	83,158 %	2818,9997 litre	O
370	CM	120	CM	185 LEVEL CM	13845,0015 litre	82,714 %	2893,4042 litre	O
370	CM	120	CM	184 LEVEL CM	13770,1201 litre	82,267 %	2968,2856 litre	O
370	CM	120	CM	183 LEVEL CM	13694,7721 litre	81,816 %	3043,6336 litre	O
370	CM	120	CM	182 LEVEL CM	13618,9676 litre	81,364 %	3119,4381 litre	O
370	CM	120	CM	181 LEVEL CM	13542,7166 litre	80,908 %	3195,6891 litre	O
370	CM	120	CM	180 LEVEL CM	13466,0288 litre	80,450 %	3272,3769 litre	O
370	CM	120	CM	179 LEVEL CM	13388,9137 litre	79,989 %	3349,4920 litre	O
370	CM	120	CM	178 LEVEL CM	13311,3807 litre	79,526 %	3427,0250 litre	O
370	CM	120	CM	177 LEVEL CM	13233,4392 litre	79,060 %	3504,9665 litre	O
370	CM	120	CM	176 LEVEL CM	13155,0983 litre	78,592 %	3583,3074 litre	O
370	CM	120	CM	175 LEVEL CM	13076,3669 litre	78,122 %	3662,0388 litre	O
370	CM	120	CM	174 LEVEL CM	12997,2538 litre	77,649 %	3741,1519 litre	O
370	CM	120	CM	173 LEVEL CM	12917,7679 litre	77,174 %	3820,6378 litre	O
370	CM	120	CM	172 LEVEL CM	12837,9176 litre	76,697 %	3900,4881 litre	O
370	CM	120	CM	171 LEVEL CM	12757,7116 litre	76,218 %	3980,6941 litre	O
370	CM	120	CM	170 LEVEL CM	12677,1581 litre	75,737 %	4061,2476 litre	O
370	CM	120	CM	169 LEVEL CM	12596,2654 litre	75,254 %	4142,1403 litre	O
370	CM	120	CM	168 LEVEL CM	12515,0416 litre	74,768 %	4223,3641 litre	O
370	CM	120	CM	167 LEVEL CM	12433,4950 litre	74,281 %	4304,9107 litre	O
370	CM	120	CM	166 LEVEL CM	12351,6333 litre	73,792 %	4386,7724 litre	O
370	CM	120	CM	165 LEVEL CM	12269,4644 litre	73,301 %	4468,9413 litre	O
370	CM	120	CM	164 LEVEL CM	12186,9962 litre	72,809 %	4551,4095 litre	O
370	CM	120	CM	163 LEVEL CM	12104,2364 litre	72,314 %	4634,1693 litre	O
370	CM	120	CM	162 LEVEL CM	12021,1925 litre	71,818 %	4717,2132 litre	O
370	CM	120	CM	161 LEVEL CM	11937,8721 litre	71,320 %	4800,5336 litre	O
370	CM	120	CM	160 LEVEL CM	11854,2827 litre	70,821 %	4884,1230 litre	O
370	CM	120	CM	159 LEVEL CM	11770,4317 litre	70,320 %	4967,9740 litre	O
370	CM	120	CM	158 LEVEL CM	11686,3264 litre	69,817 %	5052,0793 litre	O
370	CM	120	CM	157 LEVEL CM	11601,9740 litre	69,313 %	5136,4317 litre	O
370	CM	120	CM	156 LEVEL CM	11517,3817 litre	68,808 %	5221,0240 litre	O
370	CM	120	CM	155 LEVEL CM	11432,5567 litre	68,301 %	5305,8490 litre	O
370	CM	120	CM	154 LEVEL CM	11347,5061 litre	67,793 %	5390,8996 litre	O
370	CM	120	CM	153 LEVEL CM	11262,2368 litre	67,284 %	5476,1689 litre	O
370	CM	120	CM	152 LEVEL CM	11176,7559 litre	66,773 %	5561,6498 litre	O
370	CM	120	CM	151 LEVEL CM	11091,0702 litre	66,261 %	5647,3355 litre	O
370	CM	120	CM	150 LEVEL CM	11005,1867 litre	65,748 %	5733,2190 litre	O
370	CM	120	CM	149 LEVEL CM	10919,1120 litre	65,234 %	5819,2937 litre	O
370	CM	120	CM	148 LEVEL CM	10832,8531 litre	64,719 %	5905,5526 litre	O
370	CM	120	CM	147 LEVEL CM	10746,4166 litre	64,202 %	5991,9891 litre	O
370	CM	120	CM	146 LEVEL CM	10659,8092 litre	63,685 %	6078,5965 litre	O
370	CM	120	CM	145 LEVEL CM	10573,0376 litre	63,166 %	6165,3681 litre	O
370	CM	120	CM	144 LEVEL CM	10486,1083 litre	62,647 %	6252,2974 litre	O
370	CM	120	CM	143 LEVEL CM	10399,0280 litre	62,127 %	6339,3777 litre	O
370	CM	120	CM	142 LEVEL CM	10311,8032 litre	61,606 %	6426,6025 litre	O
370	CM	120	CM	141 LEVEL CM	10224,4404 litre	61,084 %	6513,9653 litre	O
370	CM	120	CM	140 LEVEL CM	10136,9460 litre	60,561 %	6601,4597 litre	O
370	CM	120	CM	139 LEVEL CM	10049,3266 litre	60,038 %	6689,0791 litre	O
370	CM	120	CM	138 LEVEL CM	9961,5884 litre	59,513 %	6776,8173 litre	O
370	CM	120	CM	137 LEVEL CM	9873,7380 litre	58,989 %	6864,6677 litre	O
370	CM	120	CM	136 LEVEL CM	9785,7818 litre	58,463 %	6952,6239 litre	O

370	CM	120	CM	135 LEVEL CM	9697,7259 litre	57,937 %	7040,6798 litre	O
370	CM	120	CM	134 LEVEL CM	9609,5768 litre	57,410 %	7128,8289 litre	O
370	CM	120	CM	133 LEVEL CM	9521,3408 litre	56,883 %	7217,0649 litre	O
370	CM	120	CM	132 LEVEL CM	9433,0242 litre	56,356 %	7305,3815 litre	O
370	CM	120	CM	131 LEVEL CM	9344,6331 litre	55,827 %	7393,7726 litre	O
370	CM	120	CM	130 LEVEL CM	9256,1740 litre	55,299 %	7482,2317 litre	O
370	CM	120	CM	129 LEVEL CM	9167,6529 litre	54,770 %	7570,7528 litre	O
370	CM	120	CM	128 LEVEL CM	9079,0763 litre	54,241 %	7659,3294 litre	O
370	CM	120	CM	127 LEVEL CM	8990,4501 litre	53,712 %	7747,9556 litre	O
370	CM	120	CM	126 LEVEL CM	8901,7807 litre	53,182 %	7836,6250 litre	O
370	CM	120	CM	125 LEVEL CM	8813,0743 litre	52,652 %	7925,3314 litre	O
370	CM	120	CM	124 LEVEL CM	8724,3370 litre	52,122 %	8014,0687 litre	O
370	CM	120	CM	123 LEVEL CM	8635,5751 litre	51,591 %	8102,8306 litre	O
370	CM	120	CM	122 LEVEL CM	8546,7946 litre	51,061 %	8191,6111 litre	O
370	CM	120	CM	121 LEVEL CM	8458,0018 litre	50,531 %	8280,4039 litre	O
370	CM	120	CM	120 LEVEL CM	8369,2028 litre	50,000 %	8369,2029 litre	O
370	CM	120	CM	119 LEVEL CM	8280,4039 litre	49,469 %	8458,0018 litre	O
370	CM	120	CM	118 LEVEL CM	8191,6111 litre	48,939 %	8546,7946 litre	O
370	CM	120	CM	117 LEVEL CM	8102,8306 litre	48,409 %	8635,5751 litre	O
370	CM	120	CM	116 LEVEL CM	8014,0686 litre	47,878 %	8724,3371 litre	O
370	CM	120	CM	115 LEVEL CM	7925,3313 litre	47,348 %	8813,0744 litre	O
370	CM	120	CM	114 LEVEL CM	7836,6249 litre	46,818 %	8901,7808 litre	O
370	CM	120	CM	113 LEVEL CM	7747,9555 litre	46,288 %	8990,4502 litre	O
370	CM	120	CM	112 LEVEL CM	7659,3294 litre	45,759 %	9079,0763 litre	O
370	CM	120	CM	111 LEVEL CM	7570,7527 litre	45,230 %	9167,6530 litre	O
370	CM	120	CM	110 LEVEL CM	7482,2317 litre	44,701 %	9256,1740 litre	O
370	CM	120	CM	109 LEVEL CM	7393,7725 litre	44,173 %	9344,6332 litre	O
370	CM	120	CM	108 LEVEL CM	7305,3815 litre	43,644 %	9433,0242 litre	O
370	CM	120	CM	107 LEVEL CM	7217,0648 litre	43,117 %	9521,3409 litre	O
370	CM	120	CM	106 LEVEL CM	7128,8288 litre	42,590 %	9609,5769 litre	O
370	CM	120	CM	105 LEVEL CM	7040,6798 litre	42,063 %	9697,7259 litre	O
370	CM	120	CM	104 LEVEL CM	6952,6239 litre	41,537 %	9785,7818 litre	O
370	CM	120	CM	103 LEVEL CM	6864,6676 litre	41,011 %	9873,7381 litre	O
370	CM	120	CM	102 LEVEL CM	6776,8172 litre	40,487 %	9961,5885 litre	O
370	CM	120	CM	101 LEVEL CM	6689,0791 litre	39,962 %	10049,3266 litre	O
370	CM	120	CM	100 LEVEL CM	6601,4597 litre	39,439 %	10136,9460 litre	O
370	CM	120	CM	99 LEVEL CM	6513,9653 litre	38,916 %	10224,4404 litre	O
370	CM	120	CM	98 LEVEL CM	6426,6025 litre	38,394 %	10311,8032 litre	O
370	CM	120	CM	97 LEVEL CM	6339,3776 litre	37,873 %	10399,0281 litre	O
370	CM	120	CM	96 LEVEL CM	6252,2973 litre	37,353 %	10486,1084 litre	O
370	CM	120	CM	95 LEVEL CM	6165,3681 litre	36,834 %	10573,0376 litre	O
370	CM	120	CM	94 LEVEL CM	6078,5964 litre	36,315 %	10659,8093 litre	O
370	CM	120	CM	93 LEVEL CM	5991,9890 litre	35,798 %	10746,4167 litre	O
370	CM	120	CM	92 LEVEL CM	5905,5525 litre	35,281 %	10832,8532 litre	O
370	CM	120	CM	91 LEVEL CM	5819,2936 litre	34,766 %	10919,1121 litre	O
370	CM	120	CM	90 LEVEL CM	5733,2190 litre	34,252 %	11005,1867 litre	O
370	CM	120	CM	89 LEVEL CM	5647,3354 litre	33,739 %	11091,0703 litre	O
370	CM	120	CM	88 LEVEL CM	5561,6497 litre	33,227 %	11176,7560 litre	O
370	CM	120	CM	87 LEVEL CM	5476,1688 litre	32,716 %	11262,2369 litre	O
370	CM	120	CM	86 LEVEL CM	5390,8996 litre	32,207 %	11347,5061 litre	O
370	CM	120	CM	85 LEVEL CM	5305,8489 litre	31,699 %	11432,5568 litre	O
370	CM	120	CM	84 LEVEL CM	5221,0239 litre	31,192 %	11517,3818 litre	O
370	CM	120	CM	83 LEVEL CM	5136,4317 litre	30,687 %	11601,9740 litre	O

370	CM	120	CM	82 LEVEL CM	5052,0793 litre	30,183 %	11686,3264 litre	O
370	CM	120	CM	81 LEVEL CM	4967,9740 litre	29,680 %	11770,4317 litre	O
370	CM	120	CM	80 LEVEL CM	4884,1229 litre	29,179 %	11854,2828 litre	O
370	CM	120	CM	79 LEVEL CM	4800,5335 litre	28,680 %	11937,8722 litre	O
370	CM	120	CM	78 LEVEL CM	4717,2131 litre	28,182 %	12021,1926 litre	O
370	CM	120	CM	77 LEVEL CM	4634,1693 litre	27,686 %	12104,2364 litre	O
370	CM	120	CM	76 LEVEL CM	4551,4094 litre	27,191 %	12186,9963 litre	O
370	CM	120	CM	75 LEVEL CM	4468,9412 litre	26,699 %	12269,4645 litre	O
370	CM	120	CM	74 LEVEL CM	4386,7724 litre	26,208 %	12351,6333 litre	O
370	CM	120	CM	73 LEVEL CM	4304,9107 litre	25,719 %	12433,4950 litre	O
370	CM	120	CM	72 LEVEL CM	4223,3640 litre	25,232 %	12515,0417 litre	O
370	CM	120	CM	71 LEVEL CM	4142,1403 litre	24,746 %	12596,2654 litre	O
370	CM	120	CM	70 LEVEL CM	4061,2476 litre	24,263 %	12677,1581 litre	O
370	CM	120	CM	69 LEVEL CM	3980,6941 litre	23,782 %	12757,7116 litre	O
370	CM	120	CM	68 LEVEL CM	3900,4880 litre	23,303 %	12837,9177 litre	O
370	CM	120	CM	67 LEVEL CM	3820,6378 litre	22,826 %	12917,7679 litre	O
370	CM	120	CM	66 LEVEL CM	3741,1518 litre	22,351 %	12997,2539 litre	O
370	CM	120	CM	65 LEVEL CM	3662,0388 litre	21,878 %	13076,3669 litre	O
370	CM	120	CM	64 LEVEL CM	3583,3074 litre	21,408 %	13155,0983 litre	O
370	CM	120	CM	63 LEVEL CM	3504,9664 litre	20,940 %	13233,4393 litre	O
370	CM	120	CM	62 LEVEL CM	3427,0249 litre	20,474 %	13311,3808 litre	O
370	CM	120	CM	61 LEVEL CM	3349,4920 litre	20,011 %	13388,9137 litre	O
370	CM	120	CM	60 LEVEL CM	3272,3769 litre	19,550 %	13466,0288 litre	O
370	CM	120	CM	59 LEVEL CM	3195,6890 litre	19,092 %	13542,7167 litre	O
370	CM	120	CM	58 LEVEL CM	3119,4380 litre	18,636 %	13618,9677 litre	O
370	CM	120	CM	57 LEVEL CM	3043,6336 litre	18,184 %	13694,7721 litre	O
370	CM	120	CM	56 LEVEL CM	2968,2856 litre	17,733 %	13770,1201 litre	O
370	CM	120	CM	55 LEVEL CM	2893,4042 litre	17,286 %	13845,0015 litre	O
370	CM	120	CM	54 LEVEL CM	2818,9997 litre	16,842 %	13919,4060 litre	O
370	CM	120	CM	53 LEVEL CM	2745,0825 litre	16,400 %	13993,3232 litre	O
370	CM	120	CM	52 LEVEL CM	2671,6633 litre	15,961 %	14066,7424 litre	O
370	CM	120	CM	51 LEVEL CM	2598,7531 litre	15,526 %	14139,6526 litre	O
370	CM	120	CM	50 LEVEL CM	2526,3630 litre	15,093 %	14212,0427 litre	O
370	CM	120	CM	49 LEVEL CM	2454,5044 litre	14,664 %	14283,9013 litre	O
370	CM	120	CM	48 LEVEL CM	2383,1889 litre	14,238 %	14355,2168 litre	O
370	CM	120	CM	47 LEVEL CM	2312,4284 litre	13,815 %	14425,9773 litre	O
370	CM	120	CM	46 LEVEL CM	2242,2352 litre	13,396 %	14496,1705 litre	O
370	CM	120	CM	45 LEVEL CM	2172,6216 litre	12,980 %	14565,7841 litre	O
370	CM	120	CM	44 LEVEL CM	2103,6005 litre	12,568 %	14634,8052 litre	O
370	CM	120	CM	43 LEVEL CM	2035,1851 litre	12,159 %	14703,2206 litre	O
370	CM	120	CM	42 LEVEL CM	1967,3888 litre	11,754 %	14771,0169 litre	O
370	CM	120	CM	41 LEVEL CM	1900,2255 litre	11,352 %	14838,1802 litre	O
370	CM	120	CM	40 LEVEL CM	1833,7094 litre	10,955 %	14904,6963 litre	O
370	CM	120	CM	39 LEVEL CM	1767,8552 litre	10,562 %	14970,5505 litre	O
370	CM	120	CM	38 LEVEL CM	1702,6781 litre	10,172 %	15035,7276 litre	O
370	CM	120	CM	37 LEVEL CM	1638,1936 litre	9,787 %	15100,2121 litre	O
370	CM	120	CM	36 LEVEL CM	1574,4178 litre	9,406 %	15163,9879 litre	O
370	CM	120	CM	35 LEVEL CM	1511,3675 litre	9,029 %	15227,0382 litre	O
370	CM	120	CM	34 LEVEL CM	1449,0597 litre	8,657 %	15289,3460 litre	O
370	CM	120	CM	33 LEVEL CM	1387,5125 litre	8,289 %	15350,8932 litre	O
370	CM	120	CM	32 LEVEL CM	1326,7442 litre	7,926 %	15411,6615 litre	O
370	CM	120	CM	31 LEVEL CM	1266,7742 litre	7,568 %	15471,6315 litre	O
370	CM	120	CM	30 LEVEL CM	1207,6225 litre	7,215 %	15530,7832 litre	O

370	CM	120	CM	29 LEVEL CM	1149,3100 litre	6,866 %	15589,0957 litre	O
370	CM	120	CM	28 LEVEL CM	1091,8584 litre	6,523 %	15646,5473 litre	O
370	CM	120	CM	27 LEVEL CM	1035,2905 litre	6,185 %	15703,1152 litre	O
370	CM	120	CM	26 LEVEL CM	979,6302 litre	5,853 %	15758,7755 litre	O
370	CM	120	CM	25 LEVEL CM	924,9025 litre	5,526 %	15813,5032 litre	O
370	CM	120	CM	24 LEVEL CM	871,1339 litre	5,204 %	15867,2718 litre	O
370	CM	120	CM	23 LEVEL CM	818,3521 litre	4,889 %	15920,0536 litre	O
370	CM	120	CM	22 LEVEL CM	766,5864 litre	4,580 %	15971,8193 litre	O
370	CM	120	CM	21 LEVEL CM	715,8681 litre	4,277 %	16022,5376 litre	O
370	CM	120	CM	20 LEVEL CM	666,2302 litre	3,980 %	16072,1755 litre	O
370	CM	120	CM	19 LEVEL CM	617,7082 litre	3,690 %	16120,6975 litre	O
370	CM	120	CM	18 LEVEL CM	570,3397 litre	3,407 %	16168,0660 litre	O
370	CM	120	CM	17 LEVEL CM	524,1656 litre	3,132 %	16214,2401 litre	O
370	CM	120	CM	16 LEVEL CM	479,2298 litre	2,863 %	16259,1759 litre	O
370	CM	120	CM	15 LEVEL CM	435,5798 litre	2,602 %	16302,8259 litre	O
370	CM	120	CM	14 LEVEL CM	393,2677 litre	2,349 %	16345,1380 litre	O
370	CM	120	CM	13 LEVEL CM	352,3506 litre	2,105 %	16386,0551 litre	O
370	CM	120	CM	12 LEVEL CM	312,8916 litre	1,869 %	16425,5141 litre	O
370	CM	120	CM	11 LEVEL CM	274,9614 litre	1,643 %	16463,4443 litre	O
370	CM	120	CM	10 LEVEL CM	238,6391 litre	1,426 %	16499,7666 litre	O
370	CM	120	CM	9 LEVEL CM	204,0153 litre	1,219 %	16534,3904 litre	O
370	CM	120	CM	8 LEVEL CM	171,1945 litre	1,023 %	16567,2112 litre	O
370	CM	120	CM	7 LEVEL CM	140,2995 litre	0,838 %	16598,1062 litre	O
370	CM	120	CM	6 LEVEL CM	111,4779 litre	0,666 %	16626,9278 litre	O
370	CM	120	CM	5 LEVEL CM	84,9118 litre	0,507 %	16653,4939 litre	O
370	CM	120	CM	4 LEVEL CM	60,8349 litre	0,363 %	16677,5708 litre	O
370	CM	120	CM	3 LEVEL CM	39,5633 litre	0,236 %	16698,8424 litre	O
370	CM	120	CM	2 LEVEL CM	21,5627 litre	0,129 %	16716,8430 litre	O
370	CM	120	CM	1 LEVEL CM	7,6331 litre	0,046 %	16730,7726 litre	O
370	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	16738,4057 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM	115	CM 230 LEVEL CM	15372,5983 litre	100,000 %	0,0000 litre	O
370	CM	115	CM 229 LEVEL CM	15365,1262 litre	99,951 %	7,4721 litre	O
370	CM	115	CM 228 LEVEL CM	15351,4919 litre	99,863 %	21,1064 litre	O
370	CM	115	CM 227 LEVEL CM	15333,8743 litre	99,748 %	38,7240 litre	O
370	CM	115	CM 226 LEVEL CM	15313,0573 litre	99,613 %	59,5410 litre	O
370	CM	115	CM 225 LEVEL CM	15289,4972 litre	99,459 %	83,1011 litre	O
370	CM	115	CM 224 LEVEL CM	15263,5037 litre	99,290 %	109,0946 litre	O
370	CM	115	CM 223 LEVEL CM	15235,3060 litre	99,107 %	137,2923 litre	O
370	CM	115	CM 222 LEVEL CM	15205,0828 litre	98,910 %	167,5155 litre	O
370	CM	115	CM 221 LEVEL CM	15172,9787 litre	98,701 %	199,6196 litre	O
370	CM	115	CM 220 LEVEL CM	15139,1143 litre	98,481 %	233,4840 litre	O
370	CM	115	CM 219 LEVEL CM	15103,5922 litre	98,250 %	269,0061 litre	O
370	CM	115	CM 218 LEVEL CM	15066,5012 litre	98,009 %	306,0971 litre	O
370	CM	115	CM 217 LEVEL CM	15027,9193 litre	97,758 %	344,6790 litre	O
370	CM	115	CM 216 LEVEL CM	14987,9156 litre	97,498 %	384,6827 litre	O
370	CM	115	CM 215 LEVEL CM	14946,5524 litre	97,229 %	426,0459 litre	O
370	CM	115	CM 214 LEVEL CM	14903,8856 litre	96,951 %	468,7127 litre	O
370	CM	115	CM 213 LEVEL CM	14859,9665 litre	96,665 %	512,6318 litre	O
370	CM	115	CM 212 LEVEL CM	14814,8420 litre	96,372 %	557,7563 litre	O
370	CM	115	CM 211 LEVEL CM	14768,5552 litre	96,071 %	604,0431 litre	O
370	CM	115	CM 210 LEVEL CM	14721,1462 litre	95,762 %	651,4521 litre	O
370	CM	115	CM 209 LEVEL CM	14672,6522 litre	95,447 %	699,9461 litre	O
370	CM	115	CM 208 LEVEL CM	14623,1081 litre	95,125 %	749,4902 litre	O
370	CM	115	CM 207 LEVEL CM	14572,5465 litre	94,796 %	800,0518 litre	O
370	CM	115	CM 206 LEVEL CM	14520,9980 litre	94,460 %	851,6003 litre	O
370	CM	115	CM 205 LEVEL CM	14468,4917 litre	94,119 %	904,1066 litre	O
370	CM	115	CM 204 LEVEL CM	14415,0550 litre	93,771 %	957,5433 litre	O
370	CM	115	CM 203 LEVEL CM	14360,7139 litre	93,418 %	1011,8844 litre	O
370	CM	115	CM 202 LEVEL CM	14305,4931 litre	93,058 %	1067,1052 litre	O
370	CM	115	CM 201 LEVEL CM	14249,4161 litre	92,694 %	1123,1822 litre	O
370	CM	115	CM 200 LEVEL CM	14192,5055 litre	92,323 %	1180,0928 litre	O
370	CM	115	CM 199 LEVEL CM	14134,7828 litre	91,948 %	1237,8155 litre	O
370	CM	115	CM 198 LEVEL CM	14076,2687 litre	91,567 %	1296,3296 litre	O
370	CM	115	CM 197 LEVEL CM	14016,9828 litre	91,182 %	1355,6155 litre	O
370	CM	115	CM 196 LEVEL CM	13956,9443 litre	90,791 %	1415,6540 litre	O
370	CM	115	CM 195 LEVEL CM	13896,1715 litre	90,396 %	1476,4268 litre	O
370	CM	115	CM 194 LEVEL CM	13834,6820 litre	89,996 %	1537,9163 litre	O
370	CM	115	CM 193 LEVEL CM	13772,4930 litre	89,591 %	1600,1053 litre	O
370	CM	115	CM 192 LEVEL CM	13709,6209 litre	89,182 %	1662,9774 litre	O
370	CM	115	CM 191 LEVEL CM	13646,0816 litre	88,769 %	1726,5167 litre	O
370	CM	115	CM 190 LEVEL CM	13581,8907 litre	88,351 %	1790,7076 litre	O
370	CM	115	CM 189 LEVEL CM	13517,0631 litre	87,930 %	1855,5352 litre	O
370	CM	115	CM 188 LEVEL CM	13451,6134 litre	87,504 %	1920,9849 litre	O
370	CM	115	CM 187 LEVEL CM	13385,5558 litre	87,074 %	1987,0425 litre	O
370	CM	115	CM 186 LEVEL CM	13318,9040 litre	86,641 %	2053,6943 litre	O
370	CM	115	CM 185 LEVEL CM	13251,6713 litre	86,203 %	2120,9270 litre	O
370	CM	115	CM 184 LEVEL CM	13183,8709 litre	85,762 %	2188,7274 litre	O
370	CM	115	CM 183 LEVEL CM	13115,5155 litre	85,317 %	2257,0828 litre	O
370	CM	115	CM 182 LEVEL CM	13046,6175 litre	84,869 %	2325,9808 litre	O
370	CM	115	CM 181 LEVEL CM	12977,1890 litre	84,418 %	2395,4093 litre	O
370	CM	115	CM 180 LEVEL CM	12907,2418 litre	83,963 %	2465,3565 litre	O
370	CM	115	CM 179 LEVEL CM	12836,7877 litre	83,504 %	2535,8106 litre	O

370	CM	115	CM	178 LEVEL CM	12765,8378 litre	83,043 %	2606,7605 litre	O
370	CM	115	CM	177 LEVEL CM	12694,4033 litre	82,578 %	2678,1950 litre	O
370	CM	115	CM	176 LEVEL CM	12622,4952 litre	82,110 %	2750,1031 litre	O
370	CM	115	CM	175 LEVEL CM	12550,1239 litre	81,640 %	2822,4744 litre	O
370	CM	115	CM	174 LEVEL CM	12477,3001 litre	81,166 %	2895,2982 litre	O
370	CM	115	CM	173 LEVEL CM	12404,0340 litre	80,689 %	2968,5643 litre	O
370	CM	115	CM	172 LEVEL CM	12330,3357 litre	80,210 %	3042,2626 litre	O
370	CM	115	CM	171 LEVEL CM	12256,2150 litre	79,728 %	3116,3833 litre	O
370	CM	115	CM	170 LEVEL CM	12181,6817 litre	79,243 %	3190,9166 litre	O
370	CM	115	CM	169 LEVEL CM	12106,7455 litre	78,755 %	3265,8528 litre	O
370	CM	115	CM	168 LEVEL CM	12031,4156 litre	78,265 %	3341,1827 litre	O
370	CM	115	CM	167 LEVEL CM	11955,7015 litre	77,773 %	3416,8968 litre	O
370	CM	115	CM	166 LEVEL CM	11879,6122 litre	77,278 %	3492,9861 litre	O
370	CM	115	CM	165 LEVEL CM	11803,1568 litre	76,780 %	3569,4415 litre	O
370	CM	115	CM	164 LEVEL CM	11726,3440 litre	76,281 %	3646,2543 litre	O
370	CM	115	CM	163 LEVEL CM	11649,1828 litre	75,779 %	3723,4155 litre	O
370	CM	115	CM	162 LEVEL CM	11571,6816 litre	75,275 %	3800,9167 litre	O
370	CM	115	CM	161 LEVEL CM	11493,8490 litre	74,768 %	3878,7493 litre	O
370	CM	115	CM	160 LEVEL CM	11415,6935 litre	74,260 %	3956,9048 litre	O
370	CM	115	CM	159 LEVEL CM	11337,2233 litre	73,750 %	4035,3750 litre	O
370	CM	115	CM	158 LEVEL CM	11258,4466 litre	73,237 %	4114,1517 litre	O
370	CM	115	CM	157 LEVEL CM	11179,3716 litre	72,723 %	4193,2267 litre	O
370	CM	115	CM	156 LEVEL CM	11100,0063 litre	72,206 %	4272,5920 litre	O
370	CM	115	CM	155 LEVEL CM	11020,3586 litre	71,688 %	4352,2397 litre	O
370	CM	115	CM	154 LEVEL CM	10940,4364 litre	71,168 %	4432,1619 litre	O
370	CM	115	CM	153 LEVEL CM	10860,2474 litre	70,647 %	4512,3509 litre	O
370	CM	115	CM	152 LEVEL CM	10779,7993 litre	70,123 %	4592,7990 litre	O
370	CM	115	CM	151 LEVEL CM	10699,0997 litre	69,599 %	4673,4986 litre	O
370	CM	115	CM	150 LEVEL CM	10618,1562 litre	69,072 %	4754,4421 litre	O
370	CM	115	CM	149 LEVEL CM	10536,9763 litre	68,544 %	4835,6220 litre	O
370	CM	115	CM	148 LEVEL CM	10455,5674 litre	68,014 %	4917,0309 litre	O
370	CM	115	CM	147 LEVEL CM	10373,9367 litre	67,483 %	4998,6616 litre	O
370	CM	115	CM	146 LEVEL CM	10292,0917 litre	66,951 %	5080,5066 litre	O
370	CM	115	CM	145 LEVEL CM	10210,0396 litre	66,417 %	5162,5587 litre	O
370	CM	115	CM	144 LEVEL CM	10127,7875 litre	65,882 %	5244,8108 litre	O
370	CM	115	CM	143 LEVEL CM	10045,3425 litre	65,346 %	5327,2558 litre	O
370	CM	115	CM	142 LEVEL CM	9962,7117 litre	64,808 %	5409,8866 litre	O
370	CM	115	CM	141 LEVEL CM	9879,9023 litre	64,270 %	5492,6960 litre	O
370	CM	115	CM	140 LEVEL CM	9796,9210 litre	63,730 %	5575,6773 litre	O
370	CM	115	CM	139 LEVEL CM	9713,7750 litre	63,189 %	5658,8233 litre	O
370	CM	115	CM	138 LEVEL CM	9630,4710 litre	62,647 %	5742,1273 litre	O
370	CM	115	CM	137 LEVEL CM	9547,0160 litre	62,104 %	5825,5823 litre	O
370	CM	115	CM	136 LEVEL CM	9463,4168 litre	61,560 %	5909,1815 litre	O
370	CM	115	CM	135 LEVEL CM	9379,6801 litre	61,016 %	5992,9182 litre	O
370	CM	115	CM	134 LEVEL CM	9295,8127 litre	60,470 %	6076,7856 litre	O
370	CM	115	CM	133 LEVEL CM	9211,8213 litre	59,924 %	6160,7770 litre	O
370	CM	115	CM	132 LEVEL CM	9127,7127 litre	59,377 %	6244,8856 litre	O
370	CM	115	CM	131 LEVEL CM	9043,4935 litre	58,829 %	6329,1048 litre	O
370	CM	115	CM	130 LEVEL CM	8959,1703 litre	58,280 %	6413,4280 litre	O
370	CM	115	CM	129 LEVEL CM	8874,7497 litre	57,731 %	6497,8486 litre	O
370	CM	115	CM	128 LEVEL CM	8790,2384 litre	57,181 %	6582,3599 litre	O
370	CM	115	CM	127 LEVEL CM	8705,6429 litre	56,631 %	6666,9554 litre	O
370	CM	115	CM	126 LEVEL CM	8620,9697 litre	56,080 %	6751,6286 litre	O

370	CM 115	CM	125 LEVEL CM	8536,2254 litre	55,529 %	6836,3729 litre	O
370	CM 115	CM	124 LEVEL CM	8451,4166 litre	54,977 %	6921,1817 litre	O
370	CM 115	CM	123 LEVEL CM	8366,5496 litre	54,425 %	7006,0487 litre	O
370	CM 115	CM	122 LEVEL CM	8281,6311 litre	53,873 %	7090,9672 litre	O
370	CM 115	CM	121 LEVEL CM	8196,6674 litre	53,320 %	7175,9309 litre	O
370	CM 115	CM	120 LEVEL CM	8111,6650 litre	52,767 %	7260,9333 litre	O
370	CM 115	CM	119 LEVEL CM	8026,6305 litre	52,214 %	7345,9678 litre	O
370	CM 115	CM	118 LEVEL CM	7941,5702 litre	51,661 %	7431,0281 litre	O
370	CM 115	CM	117 LEVEL CM	7856,4905 litre	51,107 %	7516,1078 litre	O
370	CM 115	CM	116 LEVEL CM	7771,3981 litre	50,554 %	7601,2002 litre	O
370	CM 115	CM	115 LEVEL CM	7686,2991 litre	50,000 %	7686,2992 litre	O
370	CM 115	CM	114 LEVEL CM	7601,2002 litre	49,446 %	7771,3981 litre	O
370	CM 115	CM	113 LEVEL CM	7516,1077 litre	48,893 %	7856,4906 litre	O
370	CM 115	CM	112 LEVEL CM	7431,0281 litre	48,339 %	7941,5702 litre	O
370	CM 115	CM	111 LEVEL CM	7345,9678 litre	47,786 %	8026,6305 litre	O
370	CM 115	CM	110 LEVEL CM	7260,9332 litre	47,233 %	8111,6651 litre	O
370	CM 115	CM	109 LEVEL CM	7175,9309 litre	46,680 %	8196,6674 litre	O
370	CM 115	CM	108 LEVEL CM	7090,9672 litre	46,127 %	8281,6311 litre	O
370	CM 115	CM	107 LEVEL CM	7006,0486 litre	45,575 %	8366,5497 litre	O
370	CM 115	CM	106 LEVEL CM	6921,1817 litre	45,023 %	8451,4166 litre	O
370	CM 115	CM	105 LEVEL CM	6836,3728 litre	44,471 %	8536,2255 litre	O
370	CM 115	CM	104 LEVEL CM	6751,6285 litre	43,920 %	8620,9698 litre	O
370	CM 115	CM	103 LEVEL CM	6666,9554 litre	43,369 %	8705,6429 litre	O
370	CM 115	CM	102 LEVEL CM	6582,3599 litre	42,819 %	8790,2384 litre	O
370	CM 115	CM	101 LEVEL CM	6497,8485 litre	42,269 %	8874,7498 litre	O
370	CM 115	CM	100 LEVEL CM	6413,4280 litre	41,720 %	8959,1703 litre	O
370	CM 115	CM	99 LEVEL CM	6329,1048 litre	41,171 %	9043,4935 litre	O
370	CM 115	CM	98 LEVEL CM	6244,8855 litre	40,623 %	9127,7128 litre	O
370	CM 115	CM	97 LEVEL CM	6160,7769 litre	40,076 %	9211,8214 litre	O
370	CM 115	CM	96 LEVEL CM	6076,7856 litre	39,530 %	9295,8127 litre	O
370	CM 115	CM	95 LEVEL CM	5992,9182 litre	38,984 %	9379,6801 litre	O
370	CM 115	CM	94 LEVEL CM	5909,1815 litre	38,440 %	9463,4168 litre	O
370	CM 115	CM	93 LEVEL CM	5825,5822 litre	37,896 %	9547,0161 litre	O
370	CM 115	CM	92 LEVEL CM	5742,1272 litre	37,353 %	9630,4711 litre	O
370	CM 115	CM	91 LEVEL CM	5658,8233 litre	36,811 %	9713,7750 litre	O
370	CM 115	CM	90 LEVEL CM	5575,6772 litre	36,270 %	9796,9211 litre	O
370	CM 115	CM	89 LEVEL CM	5492,6960 litre	35,730 %	9879,9023 litre	O
370	CM 115	CM	88 LEVEL CM	5409,8865 litre	35,192 %	9962,7118 litre	O
370	CM 115	CM	87 LEVEL CM	5327,2558 litre	34,654 %	10045,3425 litre	O
370	CM 115	CM	86 LEVEL CM	5244,8108 litre	34,118 %	10127,7875 litre	O
370	CM 115	CM	85 LEVEL CM	5162,5587 litre	33,583 %	10210,0396 litre	O
370	CM 115	CM	84 LEVEL CM	5080,5065 litre	33,049 %	10292,0918 litre	O
370	CM 115	CM	83 LEVEL CM	4998,6615 litre	32,517 %	10373,9368 litre	O
370	CM 115	CM	82 LEVEL CM	4917,0309 litre	31,986 %	10455,5674 litre	O
370	CM 115	CM	81 LEVEL CM	4835,6219 litre	31,456 %	10536,9764 litre	O
370	CM 115	CM	80 LEVEL CM	4754,4420 litre	30,928 %	10618,1563 litre	O
370	CM 115	CM	79 LEVEL CM	4673,4986 litre	30,401 %	10699,0997 litre	O
370	CM 115	CM	78 LEVEL CM	4592,7990 litre	29,877 %	10779,7993 litre	O
370	CM 115	CM	77 LEVEL CM	4512,3509 litre	29,353 %	10860,2474 litre	O
370	CM 115	CM	76 LEVEL CM	4432,1619 litre	28,832 %	10940,4364 litre	O
370	CM 115	CM	75 LEVEL CM	4352,2396 litre	28,312 %	11020,3587 litre	O
370	CM 115	CM	74 LEVEL CM	4272,5919 litre	27,794 %	11100,0064 litre	O
370	CM 115	CM	73 LEVEL CM	4193,2266 litre	27,277 %	11179,3717 litre	O

370	CM	115	CM	72 LEVEL CM	4114,1516 litre	26,763 %	11258,4467 litre	O
370	CM	115	CM	71 LEVEL CM	4035,3750 litre	26,250 %	11337,2233 litre	O
370	CM	115	CM	70 LEVEL CM	3956,9048 litre	25,740 %	11415,6935 litre	O
370	CM	115	CM	69 LEVEL CM	3878,7492 litre	25,232 %	11493,8491 litre	O
370	CM	115	CM	68 LEVEL CM	3800,9167 litre	24,725 %	11571,6816 litre	O
370	CM	115	CM	67 LEVEL CM	3723,4155 litre	24,221 %	11649,1828 litre	O
370	CM	115	CM	66 LEVEL CM	3646,2542 litre	23,719 %	11726,3441 litre	O
370	CM	115	CM	65 LEVEL CM	3569,4415 litre	23,220 %	11803,1568 litre	O
370	CM	115	CM	64 LEVEL CM	3492,9860 litre	22,722 %	11879,6123 litre	O
370	CM	115	CM	63 LEVEL CM	3416,8967 litre	22,227 %	11955,7016 litre	O
370	CM	115	CM	62 LEVEL CM	3341,1826 litre	21,735 %	12031,4157 litre	O
370	CM	115	CM	61 LEVEL CM	3265,8528 litre	21,245 %	12106,7455 litre	O
370	CM	115	CM	60 LEVEL CM	3190,9165 litre	20,757 %	12181,6818 litre	O
370	CM	115	CM	59 LEVEL CM	3116,3833 litre	20,272 %	12256,2150 litre	O
370	CM	115	CM	58 LEVEL CM	3042,2626 litre	19,790 %	12330,3357 litre	O
370	CM	115	CM	57 LEVEL CM	2968,5642 litre	19,311 %	12404,0341 litre	O
370	CM	115	CM	56 LEVEL CM	2895,2981 litre	18,834 %	12477,3002 litre	O
370	CM	115	CM	55 LEVEL CM	2822,4743 litre	18,360 %	12550,1240 litre	O
370	CM	115	CM	54 LEVEL CM	2750,1031 litre	17,890 %	12622,4952 litre	O
370	CM	115	CM	53 LEVEL CM	2678,1949 litre	17,422 %	12694,4034 litre	O
370	CM	115	CM	52 LEVEL CM	2606,7605 litre	16,957 %	12765,8378 litre	O
370	CM	115	CM	51 LEVEL CM	2535,8106 litre	16,496 %	12836,7877 litre	O
370	CM	115	CM	50 LEVEL CM	2465,3564 litre	16,037 %	12907,2419 litre	O
370	CM	115	CM	49 LEVEL CM	2395,4093 litre	15,582 %	12977,1890 litre	O
370	CM	115	CM	48 LEVEL CM	2325,9808 litre	15,131 %	13046,6175 litre	O
370	CM	115	CM	47 LEVEL CM	2257,0827 litre	14,683 %	13115,5156 litre	O
370	CM	115	CM	46 LEVEL CM	2188,7273 litre	14,238 %	13183,8710 litre	O
370	CM	115	CM	45 LEVEL CM	2120,9269 litre	13,797 %	13251,6714 litre	O
370	CM	115	CM	44 LEVEL CM	2053,6943 litre	13,359 %	13318,9040 litre	O
370	CM	115	CM	43 LEVEL CM	1987,0425 litre	12,926 %	13385,5558 litre	O
370	CM	115	CM	42 LEVEL CM	1920,9848 litre	12,496 %	13451,6135 litre	O
370	CM	115	CM	41 LEVEL CM	1855,5351 litre	12,070 %	13517,0632 litre	O
370	CM	115	CM	40 LEVEL CM	1790,7076 litre	11,649 %	13581,8907 litre	O
370	CM	115	CM	39 LEVEL CM	1726,5166 litre	11,231 %	13646,0817 litre	O
370	CM	115	CM	38 LEVEL CM	1662,9774 litre	10,818 %	13709,6209 litre	O
370	CM	115	CM	37 LEVEL CM	1600,1053 litre	10,409 %	13772,4930 litre	O
370	CM	115	CM	36 LEVEL CM	1537,9162 litre	10,004 %	13834,6821 litre	O
370	CM	115	CM	35 LEVEL CM	1476,4268 litre	9,604 %	13896,1715 litre	O
370	CM	115	CM	34 LEVEL CM	1415,6540 litre	9,209 %	13956,9443 litre	O
370	CM	115	CM	33 LEVEL CM	1355,6155 litre	8,818 %	14016,9828 litre	O
370	CM	115	CM	32 LEVEL CM	1296,3296 litre	8,433 %	14076,2687 litre	O
370	CM	115	CM	31 LEVEL CM	1237,8154 litre	8,052 %	14134,7829 litre	O
370	CM	115	CM	30 LEVEL CM	1180,0927 litre	7,677 %	14192,5056 litre	O
370	CM	115	CM	29 LEVEL CM	1123,1821 litre	7,306 %	14249,4162 litre	O
370	CM	115	CM	28 LEVEL CM	1067,1052 litre	6,942 %	14305,4931 litre	O
370	CM	115	CM	27 LEVEL CM	1011,8843 litre	6,582 %	14360,7140 litre	O
370	CM	115	CM	26 LEVEL CM	957,5432 litre	6,229 %	14415,0551 litre	O
370	CM	115	CM	25 LEVEL CM	904,1065 litre	5,881 %	14468,4918 litre	O
370	CM	115	CM	24 LEVEL CM	851,6002 litre	5,540 %	14520,9981 litre	O
370	CM	115	CM	23 LEVEL CM	800,0518 litre	5,204 %	14572,5465 litre	O
370	CM	115	CM	22 LEVEL CM	749,4902 litre	4,875 %	14623,1081 litre	O
370	CM	115	CM	21 LEVEL CM	699,9461 litre	4,553 %	14672,6522 litre	O
370	CM	115	CM	20 LEVEL CM	651,4521 litre	4,238 %	14721,1462 litre	O

370	CM	115	CM	19 LEVEL CM	604,0431 litre	3,929 %	14768,5552 litre	O
370	CM	115	CM	18 LEVEL CM	557,7563 litre	3,628 %	14814,8420 litre	O
370	CM	115	CM	17 LEVEL CM	512,6317 litre	3,335 %	14859,9666 litre	O
370	CM	115	CM	16 LEVEL CM	468,7126 litre	3,049 %	14903,8857 litre	O
370	CM	115	CM	15 LEVEL CM	426,0459 litre	2,771 %	14946,5524 litre	O
370	CM	115	CM	14 LEVEL CM	384,6826 litre	2,502 %	14987,9157 litre	O
370	CM	115	CM	13 LEVEL CM	344,6790 litre	2,242 %	15027,9193 litre	O
370	CM	115	CM	12 LEVEL CM	306,0971 litre	1,991 %	15066,5012 litre	O
370	CM	115	CM	11 LEVEL CM	269,0061 litre	1,750 %	15103,5922 litre	O
370	CM	115	CM	10 LEVEL CM	233,4840 litre	1,519 %	15139,1143 litre	O
370	CM	115	CM	9 LEVEL CM	199,6196 litre	1,299 %	15172,9787 litre	O
370	CM	115	CM	8 LEVEL CM	167,5155 litre	1,090 %	15205,0828 litre	O
370	CM	115	CM	7 LEVEL CM	137,2922 litre	0,893 %	15235,3061 litre	O
370	CM	115	CM	6 LEVEL CM	109,0945 litre	0,710 %	15263,5038 litre	O
370	CM	115	CM	5 LEVEL CM	83,1011 litre	0,541 %	15289,4972 litre	O
370	CM	115	CM	4 LEVEL CM	59,5409 litre	0,387 %	15313,0574 litre	O
370	CM	115	CM	3 LEVEL CM	38,7239 litre	0,252 %	15333,8744 litre	O
370	CM	115	CM	2 LEVEL CM	21,1064 litre	0,137 %	15351,4919 litre	O
370	CM	115	CM	1 LEVEL CM	7,4720 litre	0,049 %	15365,1263 litre	O
370	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	15372,5983 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM	110	CM 220 LEVEL CM	14064,9103 litre	100,000 %	0,0000 litre	O
370	CM	110	CM 219 LEVEL CM	14057,6030 litre	99,948 %	7,3073 litre	O
370	CM	110	CM 218 LEVEL CM	14044,2704 litre	99,853 %	20,6399 litre	O
370	CM	110	CM 217 LEVEL CM	14027,0443 litre	99,731 %	37,8660 litre	O
370	CM	110	CM 216 LEVEL CM	14006,6921 litre	99,586 %	58,2182 litre	O
370	CM	110	CM 215 LEVEL CM	13983,6603 litre	99,422 %	81,2500 litre	O
370	CM	110	CM 214 LEVEL CM	13958,2524 litre	99,242 %	106,6579 litre	O
370	CM	110	CM 213 LEVEL CM	13930,6928 litre	99,046 %	134,2175 litre	O
370	CM	110	CM 212 LEVEL CM	13901,1565 litre	98,836 %	163,7538 litre	O
370	CM	110	CM 211 LEVEL CM	13869,7855 litre	98,613 %	195,1248 litre	O
370	CM	110	CM 210 LEVEL CM	13836,6979 litre	98,377 %	228,2124 litre	O
370	CM	110	CM 209 LEVEL CM	13801,9944 litre	98,131 %	262,9159 litre	O
370	CM	110	CM 208 LEVEL CM	13765,7622 litre	97,873 %	299,1481 litre	O
370	CM	110	CM 207 LEVEL CM	13728,0776 litre	97,605 %	336,8327 litre	O
370	CM	110	CM 206 LEVEL CM	13689,0088 litre	97,327 %	375,9015 litre	O
370	CM	110	CM 205 LEVEL CM	13648,6166 litre	97,040 %	416,2937 litre	O
370	CM	110	CM 204 LEVEL CM	13606,9563 litre	96,744 %	457,9540 litre	O
370	CM	110	CM 203 LEVEL CM	13564,0781 litre	96,439 %	500,8322 litre	O
370	CM	110	CM 202 LEVEL CM	13520,0281 litre	96,126 %	544,8822 litre	O
370	CM	110	CM 201 LEVEL CM	13474,8489 litre	95,805 %	590,0614 litre	O
370	CM	110	CM 200 LEVEL CM	13428,5797 litre	95,476 %	636,3306 litre	O
370	CM	110	CM 199 LEVEL CM	13381,2572 litre	95,139 %	683,6531 litre	O
370	CM	110	CM 198 LEVEL CM	13332,9158 litre	94,796 %	731,9945 litre	O
370	CM	110	CM 197 LEVEL CM	13283,5876 litre	94,445 %	781,3227 litre	O
370	CM	110	CM 196 LEVEL CM	13233,3028 litre	94,087 %	831,6075 litre	O
370	CM	110	CM 195 LEVEL CM	13182,0900 litre	93,723 %	882,8203 litre	O
370	CM	110	CM 194 LEVEL CM	13129,9762 litre	93,353 %	934,9341 litre	O
370	CM	110	CM 193 LEVEL CM	13076,9871 litre	92,976 %	987,9232 litre	O
370	CM	110	CM 192 LEVEL CM	13023,1470 litre	92,593 %	1041,7633 litre	O
370	CM	110	CM 191 LEVEL CM	12968,4793 litre	92,204 %	1096,4310 litre	O
370	CM	110	CM 190 LEVEL CM	12913,0061 litre	91,810 %	1151,9042 litre	O
370	CM	110	CM 189 LEVEL CM	12856,7487 litre	91,410 %	1208,1616 litre	O
370	CM	110	CM 188 LEVEL CM	12799,7274 litre	91,005 %	1265,1829 litre	O
370	CM	110	CM 187 LEVEL CM	12741,9620 litre	90,594 %	1322,9483 litre	O
370	CM	110	CM 186 LEVEL CM	12683,4712 litre	90,178 %	1381,4391 litre	O
370	CM	110	CM 185 LEVEL CM	12624,2730 litre	89,757 %	1440,6373 litre	O
370	CM	110	CM 184 LEVEL CM	12564,3852 litre	89,331 %	1500,5251 litre	O
370	CM	110	CM 183 LEVEL CM	12503,8244 litre	88,901 %	1561,0859 litre	O
370	CM	110	CM 182 LEVEL CM	12442,6071 litre	88,466 %	1622,3032 litre	O
370	CM	110	CM 181 LEVEL CM	12380,7491 litre	88,026 %	1684,1612 litre	O
370	CM	110	CM 180 LEVEL CM	12318,2657 litre	87,582 %	1746,6446 litre	O
370	CM	110	CM 179 LEVEL CM	12255,1718 litre	87,133 %	1809,7385 litre	O
370	CM	110	CM 178 LEVEL CM	12191,4819 litre	86,680 %	1873,4284 litre	O
370	CM	110	CM 177 LEVEL CM	12127,2099 litre	86,223 %	1937,7004 litre	O
370	CM	110	CM 176 LEVEL CM	12062,3696 litre	85,762 %	2002,5407 litre	O
370	CM	110	CM 175 LEVEL CM	11996,9743 litre	85,297 %	2067,9360 litre	O
370	CM	110	CM 174 LEVEL CM	11931,0369 litre	84,828 %	2133,8734 litre	O
370	CM	110	CM 173 LEVEL CM	11864,5701 litre	84,356 %	2200,3402 litre	O
370	CM	110	CM 172 LEVEL CM	11797,5863 litre	83,880 %	2267,3240 litre	O
370	CM	110	CM 171 LEVEL CM	11730,0976 litre	83,400 %	2334,8127 litre	O
370	CM	110	CM 170 LEVEL CM	11662,1157 litre	82,916 %	2402,7946 litre	O
370	CM	110	CM 169 LEVEL CM	11593,6521 litre	82,430 %	2471,2582 litre	O

370	CM	110	CM	168 LEVEL CM	11524,7183 litre	81,940 %	2540,1920 litre	O
370	CM	110	CM	167 LEVEL CM	11455,3253 litre	81,446 %	2609,5850 litre	O
370	CM	110	CM	166 LEVEL CM	11385,4839 litre	80,950 %	2679,4264 litre	O
370	CM	110	CM	165 LEVEL CM	11315,2047 litre	80,450 %	2749,7056 litre	O
370	CM	110	CM	164 LEVEL CM	11244,4984 litre	79,947 %	2820,4119 litre	O
370	CM	110	CM	163 LEVEL CM	11173,3750 litre	79,441 %	2891,5353 litre	O
370	CM	110	CM	162 LEVEL CM	11101,8448 litre	78,933 %	2963,0655 litre	O
370	CM	110	CM	161 LEVEL CM	11029,9175 litre	78,422 %	3034,9928 litre	O
370	CM	110	CM	160 LEVEL CM	10957,6030 litre	77,907 %	3107,3073 litre	O
370	CM	110	CM	159 LEVEL CM	10884,9109 litre	77,391 %	3179,9994 litre	O
370	CM	110	CM	158 LEVEL CM	10811,8506 litre	76,871 %	3253,0597 litre	O
370	CM	110	CM	157 LEVEL CM	10738,4313 litre	76,349 %	3326,4790 litre	O
370	CM	110	CM	156 LEVEL CM	10664,6624 litre	75,825 %	3400,2479 litre	O
370	CM	110	CM	155 LEVEL CM	10590,5528 litre	75,298 %	3474,3575 litre	O
370	CM	110	CM	154 LEVEL CM	10516,1114 litre	74,768 %	3548,7989 litre	O
370	CM	110	CM	153 LEVEL CM	10441,3470 litre	74,237 %	3623,5633 litre	O
370	CM	110	CM	152 LEVEL CM	10366,2684 litre	73,703 %	3698,6419 litre	O
370	CM	110	CM	151 LEVEL CM	10290,8840 litre	73,167 %	3774,0263 litre	O
370	CM	110	CM	150 LEVEL CM	10215,2024 litre	72,629 %	3849,7079 litre	O
370	CM	110	CM	149 LEVEL CM	10139,2319 litre	72,089 %	3925,6784 litre	O
370	CM	110	CM	148 LEVEL CM	10062,9808 litre	71,547 %	4001,9295 litre	O
370	CM	110	CM	147 LEVEL CM	9986,4573 litre	71,003 %	4078,4530 litre	O
370	CM	110	CM	146 LEVEL CM	9909,6695 litre	70,457 %	4155,2408 litre	O
370	CM	110	CM	145 LEVEL CM	9832,6254 litre	69,909 %	4232,2849 litre	O
370	CM	110	CM	144 LEVEL CM	9755,3329 litre	69,359 %	4309,5774 litre	O
370	CM	110	CM	143 LEVEL CM	9677,7999 litre	68,808 %	4387,1104 litre	O
370	CM	110	CM	142 LEVEL CM	9600,0342 litre	68,255 %	4464,8761 litre	O
370	CM	110	CM	141 LEVEL CM	9522,0435 litre	67,701 %	4542,8668 litre	O
370	CM	110	CM	140 LEVEL CM	9443,8354 litre	67,145 %	4621,0749 litre	O
370	CM	110	CM	139 LEVEL CM	9365,4175 litre	66,587 %	4699,4928 litre	O
370	CM	110	CM	138 LEVEL CM	9286,7974 litre	66,028 %	4778,1129 litre	O
370	CM	110	CM	137 LEVEL CM	9207,9825 litre	65,468 %	4856,9278 litre	O
370	CM	110	CM	136 LEVEL CM	9128,9802 litre	64,906 %	4935,9301 litre	O
370	CM	110	CM	135 LEVEL CM	9049,7979 litre	64,343 %	5015,1124 litre	O
370	CM	110	CM	134 LEVEL CM	8970,4429 litre	63,779 %	5094,4674 litre	O
370	CM	110	CM	133 LEVEL CM	8890,9225 litre	63,214 %	5173,9878 litre	O
370	CM	110	CM	132 LEVEL CM	8811,2438 litre	62,647 %	5253,6665 litre	O
370	CM	110	CM	131 LEVEL CM	8731,4141 litre	62,079 %	5333,4962 litre	O
370	CM	110	CM	130 LEVEL CM	8651,4404 litre	61,511 %	5413,4699 litre	O
370	CM	110	CM	129 LEVEL CM	8571,3300 litre	60,941 %	5493,5803 litre	O
370	CM	110	CM	128 LEVEL CM	8491,0897 litre	60,371 %	5573,8206 litre	O
370	CM	110	CM	127 LEVEL CM	8410,7267 litre	59,799 %	5654,1836 litre	O
370	CM	110	CM	126 LEVEL CM	8330,2480 litre	59,227 %	5734,6623 litre	O
370	CM	110	CM	125 LEVEL CM	8249,6604 litre	58,654 %	5815,2499 litre	O
370	CM	110	CM	124 LEVEL CM	8168,9710 litre	58,081 %	5895,9393 litre	O
370	CM	110	CM	123 LEVEL CM	8088,1867 litre	57,506 %	5976,7236 litre	O
370	CM	110	CM	122 LEVEL CM	8007,3142 litre	56,931 %	6057,5961 litre	O
370	CM	110	CM	121 LEVEL CM	7926,3606 litre	56,356 %	6138,5497 litre	O
370	CM	110	CM	120 LEVEL CM	7845,3325 litre	55,779 %	6219,5778 litre	O
370	CM	110	CM	119 LEVEL CM	7764,2370 litre	55,203 %	6300,6733 litre	O
370	CM	110	CM	118 LEVEL CM	7683,0806 litre	54,626 %	6381,8297 litre	O
370	CM	110	CM	117 LEVEL CM	7601,8703 litre	54,048 %	6463,0400 litre	O
370	CM	110	CM	116 LEVEL CM	7520,6129 litre	53,471 %	6544,2974 litre	O

370	CM	110	CM	115 LEVEL CM	7439,3150 litre	52,893 %	6625,5953 litre	O
370	CM	110	CM	114 LEVEL CM	7357,9834 litre	52,314 %	6706,9269 litre	O
370	CM	110	CM	113 LEVEL CM	7276,6249 litre	51,736 %	6788,2854 litre	O
370	CM	110	CM	112 LEVEL CM	7195,2462 litre	51,157 %	6869,6641 litre	O
370	CM	110	CM	111 LEVEL CM	7113,8540 litre	50,579 %	6951,0563 litre	O
370	CM	110	CM	110 LEVEL CM	7032,4552 litre	50,000 %	7032,4551 litre	O
370	CM	110	CM	109 LEVEL CM	6951,0563 litre	49,421 %	7113,8540 litre	O
370	CM	110	CM	108 LEVEL CM	6869,6641 litre	48,843 %	7195,2462 litre	O
370	CM	110	CM	107 LEVEL CM	6788,2854 litre	48,264 %	7276,6249 litre	O
370	CM	110	CM	106 LEVEL CM	6706,9269 litre	47,686 %	7357,9834 litre	O
370	CM	110	CM	105 LEVEL CM	6625,5954 litre	47,107 %	7439,3149 litre	O
370	CM	110	CM	104 LEVEL CM	6544,2974 litre	46,529 %	7520,6129 litre	O
370	CM	110	CM	103 LEVEL CM	6463,0400 litre	45,952 %	7601,8703 litre	O
370	CM	110	CM	102 LEVEL CM	6381,8297 litre	45,374 %	7683,0806 litre	O
370	CM	110	CM	101 LEVEL CM	6300,6733 litre	44,797 %	7764,2370 litre	O
370	CM	110	CM	100 LEVEL CM	6219,5778 litre	44,221 %	7845,3325 litre	O
370	CM	110	CM	99 LEVEL CM	6138,5497 litre	43,644 %	7926,3606 litre	O
370	CM	110	CM	98 LEVEL CM	6057,5961 litre	43,069 %	8007,3142 litre	O
370	CM	110	CM	97 LEVEL CM	5976,7236 litre	42,494 %	8088,1867 litre	O
370	CM	110	CM	96 LEVEL CM	5895,9393 litre	41,919 %	8168,9710 litre	O
370	CM	110	CM	95 LEVEL CM	5815,2499 litre	41,346 %	8249,6604 litre	O
370	CM	110	CM	94 LEVEL CM	5734,6623 litre	40,773 %	8330,2480 litre	O
370	CM	110	CM	93 LEVEL CM	5654,1836 litre	40,201 %	8410,7267 litre	O
370	CM	110	CM	92 LEVEL CM	5573,8206 litre	39,629 %	8491,0897 litre	O
370	CM	110	CM	91 LEVEL CM	5493,5803 litre	39,059 %	8571,3300 litre	O
370	CM	110	CM	90 LEVEL CM	5413,4699 litre	38,489 %	8651,4404 litre	O
370	CM	110	CM	89 LEVEL CM	5333,4962 litre	37,921 %	8731,4141 litre	O
370	CM	110	CM	88 LEVEL CM	5253,6665 litre	37,353 %	8811,2438 litre	O
370	CM	110	CM	87 LEVEL CM	5173,9878 litre	36,786 %	8890,9225 litre	O
370	CM	110	CM	86 LEVEL CM	5094,4674 litre	36,221 %	8970,4429 litre	O
370	CM	110	CM	85 LEVEL CM	5015,1124 litre	35,657 %	9049,7979 litre	O
370	CM	110	CM	84 LEVEL CM	4935,9301 litre	35,094 %	9128,9802 litre	O
370	CM	110	CM	83 LEVEL CM	4856,9278 litre	34,532 %	9207,9825 litre	O
370	CM	110	CM	82 LEVEL CM	4778,1129 litre	33,972 %	9286,7974 litre	O
370	CM	110	CM	81 LEVEL CM	4699,4928 litre	33,413 %	9365,4175 litre	O
370	CM	110	CM	80 LEVEL CM	4621,0749 litre	32,855 %	9443,8354 litre	O
370	CM	110	CM	79 LEVEL CM	4542,8669 litre	32,299 %	9522,0434 litre	O
370	CM	110	CM	78 LEVEL CM	4464,8761 litre	31,745 %	9600,0342 litre	O
370	CM	110	CM	77 LEVEL CM	4387,1104 litre	31,192 %	9677,7999 litre	O
370	CM	110	CM	76 LEVEL CM	4309,5774 litre	30,641 %	9755,3329 litre	O
370	CM	110	CM	75 LEVEL CM	4232,2849 litre	30,091 %	9832,6254 litre	O
370	CM	110	CM	74 LEVEL CM	4155,2408 litre	29,543 %	9909,6695 litre	O
370	CM	110	CM	73 LEVEL CM	4078,4530 litre	28,997 %	9986,4573 litre	O
370	CM	110	CM	72 LEVEL CM	4001,9295 litre	28,453 %	10062,9808 litre	O
370	CM	110	CM	71 LEVEL CM	3925,6784 litre	27,911 %	10139,2319 litre	O
370	CM	110	CM	70 LEVEL CM	3849,7079 litre	27,371 %	10215,2024 litre	O
370	CM	110	CM	69 LEVEL CM	3774,0263 litre	26,833 %	10290,8840 litre	O
370	CM	110	CM	68 LEVEL CM	3698,6419 litre	26,297 %	10366,2684 litre	O
370	CM	110	CM	67 LEVEL CM	3623,5633 litre	25,763 %	10441,3470 litre	O
370	CM	110	CM	66 LEVEL CM	3548,7989 litre	25,232 %	10516,1114 litre	O
370	CM	110	CM	65 LEVEL CM	3474,3575 litre	24,702 %	10590,5528 litre	O
370	CM	110	CM	64 LEVEL CM	3400,2479 litre	24,175 %	10664,6624 litre	O
370	CM	110	CM	63 LEVEL CM	3326,4790 litre	23,651 %	10738,4313 litre	O

370	CM	110	CM	62 LEVEL CM	3253,0598 litre	23,129 %	10811,8505 litre	O
370	CM	110	CM	61 LEVEL CM	3179,9994 litre	22,609 %	10884,9109 litre	O
370	CM	110	CM	60 LEVEL CM	3107,3073 litre	22,093 %	10957,6030 litre	O
370	CM	110	CM	59 LEVEL CM	3034,9928 litre	21,578 %	11029,9175 litre	O
370	CM	110	CM	58 LEVEL CM	2963,0656 litre	21,067 %	11101,8447 litre	O
370	CM	110	CM	57 LEVEL CM	2891,5353 litre	20,559 %	11173,3750 litre	O
370	CM	110	CM	56 LEVEL CM	2820,4119 litre	20,053 %	11244,4984 litre	O
370	CM	110	CM	55 LEVEL CM	2749,7056 litre	19,550 %	11315,2047 litre	O
370	CM	110	CM	54 LEVEL CM	2679,4265 litre	19,050 %	11385,4838 litre	O
370	CM	110	CM	53 LEVEL CM	2609,5851 litre	18,554 %	11455,3252 litre	O
370	CM	110	CM	52 LEVEL CM	2540,1920 litre	18,060 %	11524,7183 litre	O
370	CM	110	CM	51 LEVEL CM	2471,2582 litre	17,570 %	11593,6521 litre	O
370	CM	110	CM	50 LEVEL CM	2402,7947 litre	17,084 %	11662,1156 litre	O
370	CM	110	CM	49 LEVEL CM	2334,8127 litre	16,600 %	11730,0976 litre	O
370	CM	110	CM	48 LEVEL CM	2267,3240 litre	16,120 %	11797,5863 litre	O
370	CM	110	CM	47 LEVEL CM	2200,3402 litre	15,644 %	11864,5701 litre	O
370	CM	110	CM	46 LEVEL CM	2133,8734 litre	15,172 %	11931,0369 litre	O
370	CM	110	CM	45 LEVEL CM	2067,9360 litre	14,703 %	11996,9743 litre	O
370	CM	110	CM	44 LEVEL CM	2002,5407 litre	14,238 %	12062,3696 litre	O
370	CM	110	CM	43 LEVEL CM	1937,7004 litre	13,777 %	12127,2099 litre	O
370	CM	110	CM	42 LEVEL CM	1873,4284 litre	13,320 %	12191,4819 litre	O
370	CM	110	CM	41 LEVEL CM	1809,7385 litre	12,867 %	12255,1718 litre	O
370	CM	110	CM	40 LEVEL CM	1746,6446 litre	12,418 %	12318,2657 litre	O
370	CM	110	CM	39 LEVEL CM	1684,1612 litre	11,974 %	12380,7491 litre	O
370	CM	110	CM	38 LEVEL CM	1622,3032 litre	11,534 %	12442,6071 litre	O
370	CM	110	CM	37 LEVEL CM	1561,0859 litre	11,099 %	12503,8244 litre	O
370	CM	110	CM	36 LEVEL CM	1500,5252 litre	10,669 %	12564,3851 litre	O
370	CM	110	CM	35 LEVEL CM	1440,6373 litre	10,243 %	12624,2730 litre	O
370	CM	110	CM	34 LEVEL CM	1381,4392 litre	9,822 %	12683,4711 litre	O
370	CM	110	CM	33 LEVEL CM	1322,9483 litre	9,406 %	12741,9620 litre	O
370	CM	110	CM	32 LEVEL CM	1265,1829 litre	8,995 %	12799,7274 litre	O
370	CM	110	CM	31 LEVEL CM	1208,1616 litre	8,590 %	12856,7487 litre	O
370	CM	110	CM	30 LEVEL CM	1151,9042 litre	8,190 %	12913,0061 litre	O
370	CM	110	CM	29 LEVEL CM	1096,4310 litre	7,796 %	12968,4793 litre	O
370	CM	110	CM	28 LEVEL CM	1041,7633 litre	7,407 %	13023,1470 litre	O
370	CM	110	CM	27 LEVEL CM	987,9232 litre	7,024 %	13076,9871 litre	O
370	CM	110	CM	26 LEVEL CM	934,9341 litre	6,647 %	13129,9762 litre	O
370	CM	110	CM	25 LEVEL CM	882,8203 litre	6,277 %	13182,0900 litre	O
370	CM	110	CM	24 LEVEL CM	831,6075 litre	5,913 %	13233,3028 litre	O
370	CM	110	CM	23 LEVEL CM	781,3227 litre	5,555 %	13283,5876 litre	O
370	CM	110	CM	22 LEVEL CM	731,9945 litre	5,204 %	13332,9158 litre	O
370	CM	110	CM	21 LEVEL CM	683,6531 litre	4,861 %	13381,2572 litre	O
370	CM	110	CM	20 LEVEL CM	636,3306 litre	4,524 %	13428,5797 litre	O
370	CM	110	CM	19 LEVEL CM	590,0615 litre	4,195 %	13474,8488 litre	O
370	CM	110	CM	18 LEVEL CM	544,8822 litre	3,874 %	13520,0281 litre	O
370	CM	110	CM	17 LEVEL CM	500,8322 litre	3,561 %	13564,0781 litre	O
370	CM	110	CM	16 LEVEL CM	457,9540 litre	3,256 %	13606,9563 litre	O
370	CM	110	CM	15 LEVEL CM	416,2937 litre	2,960 %	13648,6166 litre	O
370	CM	110	CM	14 LEVEL CM	375,9015 litre	2,673 %	13689,0088 litre	O
370	CM	110	CM	13 LEVEL CM	336,8327 litre	2,395 %	13728,0776 litre	O
370	CM	110	CM	12 LEVEL CM	299,1482 litre	2,127 %	13765,7621 litre	O
370	CM	110	CM	11 LEVEL CM	262,9159 litre	1,869 %	13801,9944 litre	O
370	CM	110	CM	10 LEVEL CM	228,2124 litre	1,623 %	13836,6979 litre	O

370	CM	110	CM	9 LEVEL CM	195,1248 litre	1,387 %	13869,7855 litre	O
370	CM	110	CM	8 LEVEL CM	163,7538 litre	1,164 %	13901,1565 litre	O
370	CM	110	CM	7 LEVEL CM	134,2176 litre	0,954 %	13930,6927 litre	O
370	CM	110	CM	6 LEVEL CM	106,6579 litre	0,758 %	13958,2524 litre	O
370	CM	110	CM	5 LEVEL CM	81,2500 litre	0,578 %	13983,6603 litre	O
370	CM	110	CM	4 LEVEL CM	58,2182 litre	0,414 %	14006,6921 litre	O
370	CM	110	CM	3 LEVEL CM	37,8660 litre	0,269 %	14027,0443 litre	O
370	CM	110	CM	2 LEVEL CM	20,6400 litre	0,147 %	14044,2703 litre	O
370	CM	110	CM	1 LEVEL CM	7,3073 litre	0,052 %	14057,6030 litre	O
370	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	14064,9103 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 105	CM 210 LEVEL CM	12815,3418 litre	100,000 %	0,0000 litre	O
370	CM 105	CM 209 LEVEL CM	12808,2030 litre	99,944 %	7,1388 litre	O
370	CM 105	CM 208 LEVEL CM	12795,1791 litre	99,843 %	20,1627 litre	O
370	CM 105	CM 207 LEVEL CM	12778,3537 litre	99,711 %	36,9881 litre	O
370	CM 105	CM 206 LEVEL CM	12758,4771 litre	99,556 %	56,8647 litre	O
370	CM 105	CM 205 LEVEL CM	12735,9861 litre	99,381 %	79,3557 litre	O
370	CM 105	CM 204 LEVEL CM	12711,1775 litre	99,187 %	104,1643 litre	O
370	CM 105	CM 203 LEVEL CM	12684,2710 litre	98,977 %	131,0708 litre	O
370	CM 105	CM 202 LEVEL CM	12655,4381 litre	98,752 %	159,9037 litre	O
370	CM 105	CM 201 LEVEL CM	12624,8178 litre	98,513 %	190,5240 litre	O
370	CM 105	CM 200 LEVEL CM	12592,5257 litre	98,261 %	222,8161 litre	O
370	CM 105	CM 199 LEVEL CM	12558,6606 litre	97,997 %	256,6812 litre	O
370	CM 105	CM 198 LEVEL CM	12523,3079 litre	97,721 %	292,0339 litre	O
370	CM 105	CM 197 LEVEL CM	12486,5427 litre	97,434 %	328,7991 litre	O
370	CM 105	CM 196 LEVEL CM	12448,4316 litre	97,137 %	366,9102 litre	O
370	CM 105	CM 195 LEVEL CM	12409,0345 litre	96,830 %	406,3073 litre	O
370	CM 105	CM 194 LEVEL CM	12368,4055 litre	96,512 %	446,9363 litre	O
370	CM 105	CM 193 LEVEL CM	12326,5941 litre	96,186 %	488,7477 litre	O
370	CM 105	CM 192 LEVEL CM	12283,6456 litre	95,851 %	531,6962 litre	O
370	CM 105	CM 191 LEVEL CM	12239,6016 litre	95,507 %	575,7402 litre	O
370	CM 105	CM 190 LEVEL CM	12194,5011 litre	95,155 %	620,8407 litre	O
370	CM 105	CM 189 LEVEL CM	12148,3799 litre	94,796 %	666,9619 litre	O
370	CM 105	CM 188 LEVEL CM	12101,2720 litre	94,428 %	714,0698 litre	O
370	CM 105	CM 187 LEVEL CM	12053,2088 litre	94,053 %	762,1330 litre	O
370	CM 105	CM 186 LEVEL CM	12004,2202 litre	93,671 %	811,1216 litre	O
370	CM 105	CM 185 LEVEL CM	11954,3344 litre	93,281 %	861,0074 litre	O
370	CM 105	CM 184 LEVEL CM	11903,5780 litre	92,885 %	911,7638 litre	O
370	CM 105	CM 183 LEVEL CM	11851,9763 litre	92,483 %	963,3655 litre	O
370	CM 105	CM 182 LEVEL CM	11799,5533 litre	92,074 %	1015,7885 litre	O
370	CM 105	CM 181 LEVEL CM	11746,3321 litre	91,658 %	1069,0097 litre	O
370	CM 105	CM 180 LEVEL CM	11692,3345 litre	91,237 %	1123,0073 litre	O
370	CM 105	CM 179 LEVEL CM	11637,5816 litre	90,810 %	1177,7602 litre	O
370	CM 105	CM 178 LEVEL CM	11582,0935 litre	90,377 %	1233,2483 litre	O
370	CM 105	CM 177 LEVEL CM	11525,8896 litre	89,938 %	1289,4522 litre	O
370	CM 105	CM 176 LEVEL CM	11468,9884 litre	89,494 %	1346,3534 litre	O
370	CM 105	CM 175 LEVEL CM	11411,4081 litre	89,045 %	1403,9337 litre	O
370	CM 105	CM 174 LEVEL CM	11353,1658 litre	88,590 %	1462,1760 litre	O
370	CM 105	CM 173 LEVEL CM	11294,2783 litre	88,131 %	1521,0635 litre	O
370	CM 105	CM 172 LEVEL CM	11234,7619 litre	87,667 %	1580,5799 litre	O
370	CM 105	CM 171 LEVEL CM	11174,6321 litre	87,197 %	1640,7097 litre	O
370	CM 105	CM 170 LEVEL CM	11113,9042 litre	86,723 %	1701,4376 litre	O
370	CM 105	CM 169 LEVEL CM	11052,5930 litre	86,245 %	1762,7488 litre	O
370	CM 105	CM 168 LEVEL CM	10990,7128 litre	85,762 %	1824,6290 litre	O
370	CM 105	CM 167 LEVEL CM	10928,2776 litre	85,275 %	1887,0642 litre	O
370	CM 105	CM 166 LEVEL CM	10865,3009 litre	84,784 %	1950,0409 litre	O
370	CM 105	CM 165 LEVEL CM	10801,7961 litre	84,288 %	2013,5457 litre	O
370	CM 105	CM 164 LEVEL CM	10737,7759 litre	83,788 %	2077,5659 litre	O
370	CM 105	CM 163 LEVEL CM	10673,2530 litre	83,285 %	2142,0888 litre	O
370	CM 105	CM 162 LEVEL CM	10608,2398 litre	82,778 %	2207,1020 litre	O
370	CM 105	CM 161 LEVEL CM	10542,7482 litre	82,267 %	2272,5936 litre	O
370	CM 105	CM 160 LEVEL CM	10476,7900 litre	81,752 %	2338,5518 litre	O
370	CM 105	CM 159 LEVEL CM	10410,3768 litre	81,234 %	2404,9650 litre	O

370	CM	105	CM	158 LEVEL CM	10343,5197 litre	80,712 %	2471,8221 litre	O
370	CM	105	CM	157 LEVEL CM	10276,2300 litre	80,187 %	2539,1118 litre	O
370	CM	105	CM	156 LEVEL CM	10208,5184 litre	79,659 %	2606,8234 litre	O
370	CM	105	CM	155 LEVEL CM	10140,3957 litre	79,127 %	2674,9461 litre	O
370	CM	105	CM	154 LEVEL CM	10071,8721 litre	78,592 %	2743,4697 litre	O
370	CM	105	CM	153 LEVEL CM	10002,9581 litre	78,055 %	2812,3837 litre	O
370	CM	105	CM	152 LEVEL CM	9933,6637 litre	77,514 %	2881,6781 litre	O
370	CM	105	CM	151 LEVEL CM	9863,9989 litre	76,970 %	2951,3429 litre	O
370	CM	105	CM	150 LEVEL CM	9793,9735 litre	76,424 %	3021,3683 litre	O
370	CM	105	CM	149 LEVEL CM	9723,5970 litre	75,875 %	3091,7448 litre	O
370	CM	105	CM	148 LEVEL CM	9652,8790 litre	75,323 %	3162,4628 litre	O
370	CM	105	CM	147 LEVEL CM	9581,8288 litre	74,768 %	3233,5130 litre	O
370	CM	105	CM	146 LEVEL CM	9510,4556 litre	74,211 %	3304,8862 litre	O
370	CM	105	CM	145 LEVEL CM	9438,7685 litre	73,652 %	3376,5733 litre	O
370	CM	105	CM	144 LEVEL CM	9366,7765 litre	73,090 %	3448,5653 litre	O
370	CM	105	CM	143 LEVEL CM	9294,4885 litre	72,526 %	3520,8533 litre	O
370	CM	105	CM	142 LEVEL CM	9221,9132 litre	71,960 %	3593,4286 litre	O
370	CM	105	CM	141 LEVEL CM	9149,0593 litre	71,391 %	3666,2825 litre	O
370	CM	105	CM	140 LEVEL CM	9075,9352 litre	70,821 %	3739,4066 litre	O
370	CM	105	CM	139 LEVEL CM	9002,5495 litre	70,248 %	3812,7923 litre	O
370	CM	105	CM	138 LEVEL CM	8928,9106 litre	69,674 %	3886,4312 litre	O
370	CM	105	CM	137 LEVEL CM	8855,0266 litre	69,097 %	3960,3152 litre	O
370	CM	105	CM	136 LEVEL CM	8780,9059 litre	68,519 %	4034,4359 litre	O
370	CM	105	CM	135 LEVEL CM	8706,5565 litre	67,939 %	4108,7853 litre	O
370	CM	105	CM	134 LEVEL CM	8631,9865 litre	67,357 %	4183,3553 litre	O
370	CM	105	CM	133 LEVEL CM	8557,2038 litre	66,773 %	4258,1380 litre	O
370	CM	105	CM	132 LEVEL CM	8482,2163 litre	66,188 %	4333,1255 litre	O
370	CM	105	CM	131 LEVEL CM	8407,0319 litre	65,601 %	4408,3099 litre	O
370	CM	105	CM	130 LEVEL CM	8331,6584 litre	65,013 %	4483,6834 litre	O
370	CM	105	CM	129 LEVEL CM	8256,1035 litre	64,424 %	4559,2383 litre	O
370	CM	105	CM	128 LEVEL CM	8180,3749 litre	63,833 %	4634,9669 litre	O
370	CM	105	CM	127 LEVEL CM	8104,4801 litre	63,240 %	4710,8617 litre	O
370	CM	105	CM	126 LEVEL CM	8028,4267 litre	62,647 %	4786,9151 litre	O
370	CM	105	CM	125 LEVEL CM	7952,2223 litre	62,052 %	4863,1195 litre	O
370	CM	105	CM	124 LEVEL CM	7875,8743 litre	61,457 %	4939,4675 litre	O
370	CM	105	CM	123 LEVEL CM	7799,3901 litre	60,860 %	5015,9517 litre	O
370	CM	105	CM	122 LEVEL CM	7722,7772 litre	60,262 %	5092,5646 litre	O
370	CM	105	CM	121 LEVEL CM	7646,0428 litre	59,663 %	5169,2990 litre	O
370	CM	105	CM	120 LEVEL CM	7569,1944 litre	59,064 %	5246,1474 litre	O
370	CM	105	CM	119 LEVEL CM	7492,2392 litre	58,463 %	5323,1026 litre	O
370	CM	105	CM	118 LEVEL CM	7415,1843 litre	57,862 %	5400,1575 litre	O
370	CM	105	CM	117 LEVEL CM	7338,0372 litre	57,260 %	5477,3046 litre	O
370	CM	105	CM	116 LEVEL CM	7260,8049 litre	56,657 %	5554,5369 litre	O
370	CM	105	CM	115 LEVEL CM	7183,4947 litre	56,054 %	5631,8471 litre	O
370	CM	105	CM	114 LEVEL CM	7106,1137 litre	55,450 %	5709,2281 litre	O
370	CM	105	CM	113 LEVEL CM	7028,6690 litre	54,846 %	5786,6728 litre	O
370	CM	105	CM	112 LEVEL CM	6951,1678 litre	54,241 %	5864,1740 litre	O
370	CM	105	CM	111 LEVEL CM	6873,6171 litre	53,636 %	5941,7247 litre	O
370	CM	105	CM	110 LEVEL CM	6796,0240 litre	53,030 %	6019,3178 litre	O
370	CM	105	CM	109 LEVEL CM	6718,3957 litre	52,425 %	6096,9461 litre	O
370	CM	105	CM	108 LEVEL CM	6640,7392 litre	51,819 %	6174,6026 litre	O
370	CM	105	CM	107 LEVEL CM	6563,0615 litre	51,213 %	6252,2803 litre	O
370	CM	105	CM	106 LEVEL CM	6485,3697 litre	50,606 %	6329,9721 litre	O

370	CM	105	CM	105 LEVEL CM	6407,6709 litre	50,000 %	6407,6709 litre	O
370	CM	105	CM	104 LEVEL CM	6329,9721 litre	49,394 %	6485,3697 litre	O
370	CM	105	CM	103 LEVEL CM	6252,2803 litre	48,787 %	6563,0615 litre	O
370	CM	105	CM	102 LEVEL CM	6174,6026 litre	48,181 %	6640,7392 litre	O
370	CM	105	CM	101 LEVEL CM	6096,9461 litre	47,575 %	6718,3957 litre	O
370	CM	105	CM	100 LEVEL CM	6019,3178 litre	46,970 %	6796,0240 litre	O
370	CM	105	CM	99 LEVEL CM	5941,7248 litre	46,364 %	6873,6170 litre	O
370	CM	105	CM	98 LEVEL CM	5864,1741 litre	45,759 %	6951,1677 litre	O
370	CM	105	CM	97 LEVEL CM	5786,6728 litre	45,154 %	7028,6690 litre	O
370	CM	105	CM	96 LEVEL CM	5709,2281 litre	44,550 %	7106,1137 litre	O
370	CM	105	CM	95 LEVEL CM	5631,8471 litre	43,946 %	7183,4947 litre	O
370	CM	105	CM	94 LEVEL CM	5554,5369 litre	43,343 %	7260,8049 litre	O
370	CM	105	CM	93 LEVEL CM	5477,3046 litre	42,740 %	7338,0372 litre	O
370	CM	105	CM	92 LEVEL CM	5400,1575 litre	42,138 %	7415,1843 litre	O
370	CM	105	CM	91 LEVEL CM	5323,1027 litre	41,537 %	7492,2391 litre	O
370	CM	105	CM	90 LEVEL CM	5246,1474 litre	40,936 %	7569,1944 litre	O
370	CM	105	CM	89 LEVEL CM	5169,2990 litre	40,337 %	7646,0428 litre	O
370	CM	105	CM	88 LEVEL CM	5092,5646 litre	39,738 %	7722,7772 litre	O
370	CM	105	CM	87 LEVEL CM	5015,9517 litre	39,140 %	7799,3901 litre	O
370	CM	105	CM	86 LEVEL CM	4939,4676 litre	38,543 %	7875,8742 litre	O
370	CM	105	CM	85 LEVEL CM	4863,1196 litre	37,948 %	7952,2222 litre	O
370	CM	105	CM	84 LEVEL CM	4786,9151 litre	37,353 %	8028,4267 litre	O
370	CM	105	CM	83 LEVEL CM	4710,8618 litre	36,760 %	8104,4800 litre	O
370	CM	105	CM	82 LEVEL CM	4634,9670 litre	36,167 %	8180,3748 litre	O
370	CM	105	CM	81 LEVEL CM	4559,2383 litre	35,576 %	8256,1035 litre	O
370	CM	105	CM	80 LEVEL CM	4483,6834 litre	34,987 %	8331,6584 litre	O
370	CM	105	CM	79 LEVEL CM	4408,3099 litre	34,399 %	8407,0319 litre	O
370	CM	105	CM	78 LEVEL CM	4333,1255 litre	33,812 %	8482,2163 litre	O
370	CM	105	CM	77 LEVEL CM	4258,1381 litre	33,227 %	8557,2037 litre	O
370	CM	105	CM	76 LEVEL CM	4183,3554 litre	32,643 %	8631,9864 litre	O
370	CM	105	CM	75 LEVEL CM	4108,7853 litre	32,061 %	8706,5565 litre	O
370	CM	105	CM	74 LEVEL CM	4034,4359 litre	31,481 %	8780,9059 litre	O
370	CM	105	CM	73 LEVEL CM	3960,3152 litre	30,903 %	8855,0266 litre	O
370	CM	105	CM	72 LEVEL CM	3886,4312 litre	30,326 %	8928,9106 litre	O
370	CM	105	CM	71 LEVEL CM	3812,7923 litre	29,752 %	9002,5495 litre	O
370	CM	105	CM	70 LEVEL CM	3739,4066 litre	29,179 %	9075,9352 litre	O
370	CM	105	CM	69 LEVEL CM	3666,2826 litre	28,609 %	9149,0592 litre	O
370	CM	105	CM	68 LEVEL CM	3593,4286 litre	28,040 %	9221,9132 litre	O
370	CM	105	CM	67 LEVEL CM	3520,8533 litre	27,474 %	9294,4885 litre	O
370	CM	105	CM	66 LEVEL CM	3448,5653 litre	26,910 %	9366,7765 litre	O
370	CM	105	CM	65 LEVEL CM	3376,5733 litre	26,348 %	9438,7685 litre	O
370	CM	105	CM	64 LEVEL CM	3304,8863 litre	25,789 %	9510,4555 litre	O
370	CM	105	CM	63 LEVEL CM	3233,5131 litre	25,232 %	9581,8287 litre	O
370	CM	105	CM	62 LEVEL CM	3162,4629 litre	24,677 %	9652,8789 litre	O
370	CM	105	CM	61 LEVEL CM	3091,7448 litre	24,125 %	9723,5970 litre	O
370	CM	105	CM	60 LEVEL CM	3021,3683 litre	23,576 %	9793,9735 litre	O
370	CM	105	CM	59 LEVEL CM	2951,3429 litre	23,030 %	9863,9989 litre	O
370	CM	105	CM	58 LEVEL CM	2881,6781 litre	22,486 %	9933,6637 litre	O
370	CM	105	CM	57 LEVEL CM	2812,3837 litre	21,945 %	10002,9581 litre	O
370	CM	105	CM	56 LEVEL CM	2743,4697 litre	21,408 %	10071,8721 litre	O
370	CM	105	CM	55 LEVEL CM	2674,9462 litre	20,873 %	10140,3956 litre	O
370	CM	105	CM	54 LEVEL CM	2606,8234 litre	20,341 %	10208,5184 litre	O
370	CM	105	CM	53 LEVEL CM	2539,1118 litre	19,813 %	10276,2300 litre	O

370	CM	105	CM	52 LEVEL CM	2471,8221 litre	19,288 %	10343,5197 litre	O
370	CM	105	CM	51 LEVEL CM	2404,9651 litre	18,766 %	10410,3767 litre	O
370	CM	105	CM	50 LEVEL CM	2338,5518 litre	18,248 %	10476,7900 litre	O
370	CM	105	CM	49 LEVEL CM	2272,5937 litre	17,733 %	10542,7481 litre	O
370	CM	105	CM	48 LEVEL CM	2207,1021 litre	17,222 %	10608,2397 litre	O
370	CM	105	CM	47 LEVEL CM	2142,0888 litre	16,715 %	10673,2530 litre	O
370	CM	105	CM	46 LEVEL CM	2077,5659 litre	16,212 %	10737,7759 litre	O
370	CM	105	CM	45 LEVEL CM	2013,5458 litre	15,712 %	10801,7960 litre	O
370	CM	105	CM	44 LEVEL CM	1950,0409 litre	15,216 %	10865,3009 litre	O
370	CM	105	CM	43 LEVEL CM	1887,0642 litre	14,725 %	10928,2776 litre	O
370	CM	105	CM	42 LEVEL CM	1824,6290 litre	14,238 %	10990,7128 litre	O
370	CM	105	CM	41 LEVEL CM	1762,7488 litre	13,755 %	11052,5930 litre	O
370	CM	105	CM	40 LEVEL CM	1701,4376 litre	13,277 %	11113,9042 litre	O
370	CM	105	CM	39 LEVEL CM	1640,7098 litre	12,803 %	11174,6320 litre	O
370	CM	105	CM	38 LEVEL CM	1580,5800 litre	12,333 %	11234,7618 litre	O
370	CM	105	CM	37 LEVEL CM	1521,0635 litre	11,869 %	11294,2783 litre	O
370	CM	105	CM	36 LEVEL CM	1462,1760 litre	11,410 %	11353,1658 litre	O
370	CM	105	CM	35 LEVEL CM	1403,9338 litre	10,955 %	11411,4080 litre	O
370	CM	105	CM	34 LEVEL CM	1346,3534 litre	10,506 %	11468,9884 litre	O
370	CM	105	CM	33 LEVEL CM	1289,4523 litre	10,062 %	11525,8895 litre	O
370	CM	105	CM	32 LEVEL CM	1233,2484 litre	9,623 %	11582,0934 litre	O
370	CM	105	CM	31 LEVEL CM	1177,7603 litre	9,190 %	11637,5815 litre	O
370	CM	105	CM	30 LEVEL CM	1123,0074 litre	8,763 %	11692,3344 litre	O
370	CM	105	CM	29 LEVEL CM	1069,0098 litre	8,342 %	11746,3320 litre	O
370	CM	105	CM	28 LEVEL CM	1015,7885 litre	7,926 %	11799,5533 litre	O
370	CM	105	CM	27 LEVEL CM	963,3656 litre	7,517 %	11851,9762 litre	O
370	CM	105	CM	26 LEVEL CM	911,7638 litre	7,115 %	11903,5780 litre	O
370	CM	105	CM	25 LEVEL CM	861,0074 litre	6,719 %	11954,3344 litre	O
370	CM	105	CM	24 LEVEL CM	811,1216 litre	6,329 %	12004,2202 litre	O
370	CM	105	CM	23 LEVEL CM	762,1330 litre	5,947 %	12053,2088 litre	O
370	CM	105	CM	22 LEVEL CM	714,0699 litre	5,572 %	12101,2719 litre	O
370	CM	105	CM	21 LEVEL CM	666,9619 litre	5,204 %	12148,3799 litre	O
370	CM	105	CM	20 LEVEL CM	620,8408 litre	4,845 %	12194,5010 litre	O
370	CM	105	CM	19 LEVEL CM	575,7402 litre	4,493 %	12239,6016 litre	O
370	CM	105	CM	18 LEVEL CM	531,6963 litre	4,149 %	12283,6455 litre	O
370	CM	105	CM	17 LEVEL CM	488,7477 litre	3,814 %	12326,5941 litre	O
370	CM	105	CM	16 LEVEL CM	446,9363 litre	3,488 %	12368,4055 litre	O
370	CM	105	CM	15 LEVEL CM	406,3074 litre	3,170 %	12409,0344 litre	O
370	CM	105	CM	14 LEVEL CM	366,9103 litre	2,863 %	12448,4315 litre	O
370	CM	105	CM	13 LEVEL CM	328,7992 litre	2,566 %	12486,5426 litre	O
370	CM	105	CM	12 LEVEL CM	292,0339 litre	2,279 %	12523,3079 litre	O
370	CM	105	CM	11 LEVEL CM	256,6812 litre	2,003 %	12558,6606 litre	O
370	CM	105	CM	10 LEVEL CM	222,8161 litre	1,739 %	12592,5257 litre	O
370	CM	105	CM	9 LEVEL CM	190,5241 litre	1,487 %	12624,8177 litre	O
370	CM	105	CM	8 LEVEL CM	159,9037 litre	1,248 %	12655,4381 litre	O
370	CM	105	CM	7 LEVEL CM	131,0708 litre	1,023 %	12684,2710 litre	O
370	CM	105	CM	6 LEVEL CM	104,1643 litre	0,813 %	12711,1775 litre	O
370	CM	105	CM	5 LEVEL CM	79,3558 litre	0,619 %	12735,9860 litre	O
370	CM	105	CM	4 LEVEL CM	56,8647 litre	0,444 %	12758,4771 litre	O
370	CM	105	CM	3 LEVEL CM	36,9881 litre	0,289 %	12778,3537 litre	O
370	CM	105	CM	2 LEVEL CM	20,1628 litre	0,157 %	12795,1790 litre	O
370	CM	105	CM	1 LEVEL CM	7,1389 litre	0,056 %	12808,2029 litre	O
370	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	12815,3418 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 100	CM 200 LEVEL CM	11623,8928 litre	100,000 %	0,0000 litre	O
370	CM 100	CM 199 LEVEL CM	11616,9265 litre	99,940 %	6,9663 litre	O
370	CM 100	CM 198 LEVEL CM	11604,2188 litre	99,831 %	19,6740 litre	O
370	CM 100	CM 197 LEVEL CM	11587,8039 litre	99,690 %	36,0889 litre	O
370	CM 100	CM 196 LEVEL CM	11568,4146 litre	99,523 %	55,4782 litre	O
370	CM 100	CM 195 LEVEL CM	11546,4776 litre	99,334 %	77,4152 litre	O
370	CM 100	CM 194 LEVEL CM	11522,2832 litre	99,126 %	101,6096 litre	O
370	CM 100	CM 193 LEVEL CM	11496,0462 litre	98,900 %	127,8466 litre	O
370	CM 100	CM 192 LEVEL CM	11467,9343 litre	98,658 %	155,9585 litre	O
370	CM 100	CM 191 LEVEL CM	11438,0834 litre	98,401 %	185,8094 litre	O
370	CM 100	CM 190 LEVEL CM	11406,6070 litre	98,131 %	217,2858 litre	O
370	CM 100	CM 189 LEVEL CM	11373,6015 litre	97,847 %	250,2913 litre	O
370	CM 100	CM 188 LEVEL CM	11339,1509 litre	97,550 %	284,7419 litre	O
370	CM 100	CM 187 LEVEL CM	11303,3285 litre	97,242 %	320,5643 litre	O
370	CM 100	CM 186 LEVEL CM	11266,1998 litre	96,923 %	357,6930 litre	O
370	CM 100	CM 185 LEVEL CM	11227,8235 litre	96,593 %	396,0693 litre	O
370	CM 100	CM 184 LEVEL CM	11188,2529 litre	96,252 %	435,6399 litre	O
370	CM 100	CM 183 LEVEL CM	11147,5362 litre	95,902 %	476,3566 litre	O
370	CM 100	CM 182 LEVEL CM	11105,7181 litre	95,542 %	518,1747 litre	O
370	CM 100	CM 181 LEVEL CM	11062,8396 litre	95,173 %	561,0532 litre	O
370	CM 100	CM 180 LEVEL CM	11018,9387 litre	94,796 %	604,9541 litre	O
370	CM 100	CM 179 LEVEL CM	10974,0510 litre	94,409 %	649,8418 litre	O
370	CM 100	CM 178 LEVEL CM	10928,2096 litre	94,015 %	695,6832 litre	O
370	CM 100	CM 177 LEVEL CM	10881,4457 litre	93,613 %	742,4471 litre	O
370	CM 100	CM 176 LEVEL CM	10833,7886 litre	93,203 %	790,1042 litre	O
370	CM 100	CM 175 LEVEL CM	10785,2661 litre	92,785 %	838,6267 litre	O
370	CM 100	CM 174 LEVEL CM	10735,9043 litre	92,361 %	887,9885 litre	O
370	CM 100	CM 173 LEVEL CM	10685,7284 litre	91,929 %	938,1644 litre	O
370	CM 100	CM 172 LEVEL CM	10634,7619 litre	91,491 %	989,1309 litre	O
370	CM 100	CM 171 LEVEL CM	10583,0276 litre	91,045 %	1040,8652 litre	O
370	CM 100	CM 170 LEVEL CM	10530,5471 litre	90,594 %	1093,3457 litre	O
370	CM 100	CM 169 LEVEL CM	10477,3412 litre	90,136 %	1146,5516 litre	O
370	CM 100	CM 168 LEVEL CM	10423,4298 litre	89,672 %	1200,4630 litre	O
370	CM 100	CM 167 LEVEL CM	10368,8321 litre	89,203 %	1255,0607 litre	O
370	CM 100	CM 166 LEVEL CM	10313,5664 litre	88,727 %	1310,3264 litre	O
370	CM 100	CM 165 LEVEL CM	10257,6506 litre	88,246 %	1366,2422 litre	O
370	CM 100	CM 164 LEVEL CM	10201,1018 litre	87,760 %	1422,7910 litre	O
370	CM 100	CM 163 LEVEL CM	10143,9365 litre	87,268 %	1479,9563 litre	O
370	CM 100	CM 162 LEVEL CM	10086,1710 litre	86,771 %	1537,7218 litre	O
370	CM 100	CM 161 LEVEL CM	10027,8206 litre	86,269 %	1596,0722 litre	O
370	CM 100	CM 160 LEVEL CM	9968,9005 litre	85,762 %	1654,9923 litre	O
370	CM 100	CM 159 LEVEL CM	9909,4254 litre	85,250 %	1714,4674 litre	O
370	CM 100	CM 158 LEVEL CM	9849,4095 litre	84,734 %	1774,4833 litre	O
370	CM 100	CM 157 LEVEL CM	9788,8667 litre	84,213 %	1835,0261 litre	O
370	CM 100	CM 156 LEVEL CM	9727,8106 litre	83,688 %	1896,0822 litre	O
370	CM 100	CM 155 LEVEL CM	9666,2542 litre	83,158 %	1957,6386 litre	O
370	CM 100	CM 154 LEVEL CM	9604,2104 litre	82,625 %	2019,6824 litre	O
370	CM 100	CM 153 LEVEL CM	9541,6919 litre	82,087 %	2082,2009 litre	O
370	CM 100	CM 152 LEVEL CM	9478,7108 litre	81,545 %	2145,1820 litre	O
370	CM 100	CM 151 LEVEL CM	9415,2792 litre	80,999 %	2208,6136 litre	O
370	CM 100	CM 150 LEVEL CM	9351,4089 litre	80,450 %	2272,4839 litre	O
370	CM 100	CM 149 LEVEL CM	9287,1113 litre	79,897 %	2336,7815 litre	O

370	CM	100	CM	148 LEVEL CM	9222,3977 litre	79,340 %	2401,4951 litre	O
370	CM	100	CM	147 LEVEL CM	9157,2792 litre	78,780 %	2466,6136 litre	O
370	CM	100	CM	146 LEVEL CM	9091,7666 litre	78,216 %	2532,1262 litre	O
370	CM	100	CM	145 LEVEL CM	9025,8707 litre	77,649 %	2598,0221 litre	O
370	CM	100	CM	144 LEVEL CM	8959,6019 litre	77,079 %	2664,2909 litre	O
370	CM	100	CM	143 LEVEL CM	8892,9704 litre	76,506 %	2730,9224 litre	O
370	CM	100	CM	142 LEVEL CM	8825,9866 litre	75,930 %	2797,9062 litre	O
370	CM	100	CM	141 LEVEL CM	8758,6602 litre	75,350 %	2865,2326 litre	O
370	CM	100	CM	140 LEVEL CM	8691,0011 litre	74,768 %	2932,8917 litre	O
370	CM	100	CM	139 LEVEL CM	8623,0191 litre	74,184 %	3000,8737 litre	O
370	CM	100	CM	138 LEVEL CM	8554,7237 litre	73,596 %	3069,1691 litre	O
370	CM	100	CM	137 LEVEL CM	8486,1243 litre	73,006 %	3137,7685 litre	O
370	CM	100	CM	136 LEVEL CM	8417,2301 litre	72,413 %	3206,6627 litre	O
370	CM	100	CM	135 LEVEL CM	8348,0504 litre	71,818 %	3275,8424 litre	O
370	CM	100	CM	134 LEVEL CM	8278,5941 litre	71,220 %	3345,2987 litre	O
370	CM	100	CM	133 LEVEL CM	8208,8704 litre	70,621 %	3415,0224 litre	O
370	CM	100	CM	132 LEVEL CM	8138,8879 litre	70,019 %	3485,0049 litre	O
370	CM	100	CM	131 LEVEL CM	8068,6555 litre	69,414 %	3555,2373 litre	O
370	CM	100	CM	130 LEVEL CM	7998,1817 litre	68,808 %	3625,7111 litre	O
370	CM	100	CM	129 LEVEL CM	7927,4753 litre	68,200 %	3696,4175 litre	O
370	CM	100	CM	128 LEVEL CM	7856,5446 litre	67,590 %	3767,3482 litre	O
370	CM	100	CM	127 LEVEL CM	7785,3981 litre	66,978 %	3838,4947 litre	O
370	CM	100	CM	126 LEVEL CM	7714,0440 litre	66,364 %	3909,8488 litre	O
370	CM	100	CM	125 LEVEL CM	7642,4908 litre	65,748 %	3981,4020 litre	O
370	CM	100	CM	124 LEVEL CM	7570,7464 litre	65,131 %	4053,1464 litre	O
370	CM	100	CM	123 LEVEL CM	7498,8191 litre	64,512 %	4125,0737 litre	O
370	CM	100	CM	122 LEVEL CM	7426,7168 litre	63,892 %	4197,1760 litre	O
370	CM	100	CM	121 LEVEL CM	7354,4477 litre	63,270 %	4269,4451 litre	O
370	CM	100	CM	120 LEVEL CM	7282,0197 litre	62,647 %	4341,8731 litre	O
370	CM	100	CM	119 LEVEL CM	7209,4406 litre	62,023 %	4414,4522 litre	O
370	CM	100	CM	118 LEVEL CM	7136,7182 litre	61,397 %	4487,1746 litre	O
370	CM	100	CM	117 LEVEL CM	7063,8605 litre	60,770 %	4560,0323 litre	O
370	CM	100	CM	116 LEVEL CM	6990,8751 litre	60,142 %	4633,0177 litre	O
370	CM	100	CM	115 LEVEL CM	6917,7697 litre	59,513 %	4706,1231 litre	O
370	CM	100	CM	114 LEVEL CM	6844,5521 litre	58,883 %	4779,3407 litre	O
370	CM	100	CM	113 LEVEL CM	6771,2299 litre	58,253 %	4852,6629 litre	O
370	CM	100	CM	112 LEVEL CM	6697,8106 litre	57,621 %	4926,0822 litre	O
370	CM	100	CM	111 LEVEL CM	6624,3019 litre	56,989 %	4999,5909 litre	O
370	CM	100	CM	110 LEVEL CM	6550,7112 litre	56,356 %	5073,1816 litre	O
370	CM	100	CM	109 LEVEL CM	6477,0462 litre	55,722 %	5146,8466 litre	O
370	CM	100	CM	108 LEVEL CM	6403,3143 litre	55,088 %	5220,5785 litre	O
370	CM	100	CM	107 LEVEL CM	6329,5231 litre	54,453 %	5294,3697 litre	O
370	CM	100	CM	106 LEVEL CM	6255,6799 litre	53,817 %	5368,2129 litre	O
370	CM	100	CM	105 LEVEL CM	6181,7922 litre	53,182 %	5442,1006 litre	O
370	CM	100	CM	104 LEVEL CM	6107,8675 litre	52,546 %	5516,0253 litre	O
370	CM	100	CM	103 LEVEL CM	6033,9131 litre	51,910 %	5589,9797 litre	O
370	CM	100	CM	102 LEVEL CM	5959,9365 litre	51,273 %	5663,9563 litre	O
370	CM	100	CM	101 LEVEL CM	5885,9452 litre	50,637 %	5737,9476 litre	O
370	CM	100	CM	100 LEVEL CM	5811,9464 litre	50,000 %	5811,9464 litre	O
370	CM	100	CM	99 LEVEL CM	5737,9476 litre	49,363 %	5885,9452 litre	O
370	CM	100	CM	98 LEVEL CM	5663,9563 litre	48,727 %	5959,9365 litre	O
370	CM	100	CM	97 LEVEL CM	5589,9797 litre	48,090 %	6033,9131 litre	O
370	CM	100	CM	96 LEVEL CM	5516,0254 litre	47,454 %	6107,8674 litre	O

370	CM	100	CM	95 LEVEL CM	5442,1006 litre	46,818 %	6181,7922 litre	O
370	CM	100	CM	94 LEVEL CM	5368,2130 litre	46,183 %	6255,6798 litre	O
370	CM	100	CM	93 LEVEL CM	5294,3698 litre	45,547 %	6329,5230 litre	O
370	CM	100	CM	92 LEVEL CM	5220,5785 litre	44,912 %	6403,3143 litre	O
370	CM	100	CM	91 LEVEL CM	5146,8466 litre	44,278 %	6477,0462 litre	O
370	CM	100	CM	90 LEVEL CM	5073,1816 litre	43,644 %	6550,7112 litre	O
370	CM	100	CM	89 LEVEL CM	4999,5910 litre	43,011 %	6624,3018 litre	O
370	CM	100	CM	88 LEVEL CM	4926,0822 litre	42,379 %	6697,8106 litre	O
370	CM	100	CM	87 LEVEL CM	4852,6630 litre	41,747 %	6771,2298 litre	O
370	CM	100	CM	86 LEVEL CM	4779,3407 litre	41,117 %	6844,5521 litre	O
370	CM	100	CM	85 LEVEL CM	4706,1231 litre	40,487 %	6917,7697 litre	O
370	CM	100	CM	84 LEVEL CM	4633,0177 litre	39,858 %	6990,8751 litre	O
370	CM	100	CM	83 LEVEL CM	4560,0323 litre	39,230 %	7063,8605 litre	O
370	CM	100	CM	82 LEVEL CM	4487,1746 litre	38,603 %	7136,7182 litre	O
370	CM	100	CM	81 LEVEL CM	4414,4523 litre	37,977 %	7209,4405 litre	O
370	CM	100	CM	80 LEVEL CM	4341,8731 litre	37,353 %	7282,0197 litre	O
370	CM	100	CM	79 LEVEL CM	4269,4451 litre	36,730 %	7354,4477 litre	O
370	CM	100	CM	78 LEVEL CM	4197,1760 litre	36,108 %	7426,7168 litre	O
370	CM	100	CM	77 LEVEL CM	4125,0738 litre	35,488 %	7498,8190 litre	O
370	CM	100	CM	76 LEVEL CM	4053,1464 litre	34,869 %	7570,7464 litre	O
370	CM	100	CM	75 LEVEL CM	3981,4021 litre	34,252 %	7642,4907 litre	O
370	CM	100	CM	74 LEVEL CM	3909,8488 litre	33,636 %	7714,0440 litre	O
370	CM	100	CM	73 LEVEL CM	3838,4947 litre	33,022 %	7785,3981 litre	O
370	CM	100	CM	72 LEVEL CM	3767,3482 litre	32,410 %	7856,5446 litre	O
370	CM	100	CM	71 LEVEL CM	3696,4175 litre	31,800 %	7927,4753 litre	O
370	CM	100	CM	70 LEVEL CM	3625,7111 litre	31,192 %	7998,1817 litre	O
370	CM	100	CM	69 LEVEL CM	3555,2374 litre	30,586 %	8068,6554 litre	O
370	CM	100	CM	68 LEVEL CM	3485,0049 litre	29,981 %	8138,8879 litre	O
370	CM	100	CM	67 LEVEL CM	3415,0225 litre	29,379 %	8208,8703 litre	O
370	CM	100	CM	66 LEVEL CM	3345,2987 litre	28,780 %	8278,5941 litre	O
370	CM	100	CM	65 LEVEL CM	3275,8425 litre	28,182 %	8348,0503 litre	O
370	CM	100	CM	64 LEVEL CM	3206,6627 litre	27,587 %	8417,2301 litre	O
370	CM	100	CM	63 LEVEL CM	3137,7686 litre	26,994 %	8486,1242 litre	O
370	CM	100	CM	62 LEVEL CM	3069,1691 litre	26,404 %	8554,7237 litre	O
370	CM	100	CM	61 LEVEL CM	3000,8737 litre	25,816 %	8623,0191 litre	O
370	CM	100	CM	60 LEVEL CM	2932,8917 litre	25,232 %	8691,0011 litre	O
370	CM	100	CM	59 LEVEL CM	2865,2326 litre	24,650 %	8758,6602 litre	O
370	CM	100	CM	58 LEVEL CM	2797,9063 litre	24,070 %	8825,9865 litre	O
370	CM	100	CM	57 LEVEL CM	2730,9224 litre	23,494 %	8892,9704 litre	O
370	CM	100	CM	56 LEVEL CM	2664,2909 litre	22,921 %	8959,6019 litre	O
370	CM	100	CM	55 LEVEL CM	2598,0221 litre	22,351 %	9025,8707 litre	O
370	CM	100	CM	54 LEVEL CM	2532,1262 litre	21,784 %	9091,7666 litre	O
370	CM	100	CM	53 LEVEL CM	2466,6136 litre	21,220 %	9157,2792 litre	O
370	CM	100	CM	52 LEVEL CM	2401,4951 litre	20,660 %	9222,3977 litre	O
370	CM	100	CM	51 LEVEL CM	2336,7816 litre	20,103 %	9287,1112 litre	O
370	CM	100	CM	50 LEVEL CM	2272,4839 litre	19,550 %	9351,4089 litre	O
370	CM	100	CM	49 LEVEL CM	2208,6136 litre	19,001 %	9415,2792 litre	O
370	CM	100	CM	48 LEVEL CM	2145,1820 litre	18,455 %	9478,7108 litre	O
370	CM	100	CM	47 LEVEL CM	2082,2009 litre	17,913 %	9541,6919 litre	O
370	CM	100	CM	46 LEVEL CM	2019,6824 litre	17,375 %	9604,2104 litre	O
370	CM	100	CM	45 LEVEL CM	1957,6387 litre	16,842 %	9666,2541 litre	O
370	CM	100	CM	44 LEVEL CM	1896,0823 litre	16,312 %	9727,8105 litre	O
370	CM	100	CM	43 LEVEL CM	1835,0261 litre	15,787 %	9788,8667 litre	O

370	CM	100	CM	42 LEVEL CM	1774,4833 litre	15,266 %	9849,4095 litre	O
370	CM	100	CM	41 LEVEL CM	1714,4674 litre	14,750 %	9909,4254 litre	O
370	CM	100	CM	40 LEVEL CM	1654,9923 litre	14,238 %	9968,9005 litre	O
370	CM	100	CM	39 LEVEL CM	1596,0722 litre	13,731 %	10027,8206 litre	O
370	CM	100	CM	38 LEVEL CM	1537,7219 litre	13,229 %	10086,1709 litre	O
370	CM	100	CM	37 LEVEL CM	1479,9563 litre	12,732 %	10143,9365 litre	O
370	CM	100	CM	36 LEVEL CM	1422,7910 litre	12,240 %	10201,1018 litre	O
370	CM	100	CM	35 LEVEL CM	1366,2422 litre	11,754 %	10257,6506 litre	O
370	CM	100	CM	34 LEVEL CM	1310,3264 litre	11,273 %	10313,5664 litre	O
370	CM	100	CM	33 LEVEL CM	1255,0607 litre	10,797 %	10368,8321 litre	O
370	CM	100	CM	32 LEVEL CM	1200,4630 litre	10,328 %	10423,4298 litre	O
370	CM	100	CM	31 LEVEL CM	1146,5516 litre	9,864 %	10477,3412 litre	O
370	CM	100	CM	30 LEVEL CM	1093,3457 litre	9,406 %	10530,5471 litre	O
370	CM	100	CM	29 LEVEL CM	1040,8652 litre	8,955 %	10583,0276 litre	O
370	CM	100	CM	28 LEVEL CM	989,1309 litre	8,509 %	10634,7619 litre	O
370	CM	100	CM	27 LEVEL CM	938,1645 litre	8,071 %	10685,7283 litre	O
370	CM	100	CM	26 LEVEL CM	887,9885 litre	7,639 %	10735,9043 litre	O
370	CM	100	CM	25 LEVEL CM	838,6267 litre	7,215 %	10785,2661 litre	O
370	CM	100	CM	24 LEVEL CM	790,1042 litre	6,797 %	10833,7886 litre	O
370	CM	100	CM	23 LEVEL CM	742,4471 litre	6,387 %	10881,4457 litre	O
370	CM	100	CM	22 LEVEL CM	695,6832 litre	5,985 %	10928,2096 litre	O
370	CM	100	CM	21 LEVEL CM	649,8418 litre	5,591 %	10974,0510 litre	O
370	CM	100	CM	20 LEVEL CM	604,9541 litre	5,204 %	11018,9387 litre	O
370	CM	100	CM	19 LEVEL CM	561,0532 litre	4,827 %	11062,8396 litre	O
370	CM	100	CM	18 LEVEL CM	518,1747 litre	4,458 %	11105,7181 litre	O
370	CM	100	CM	17 LEVEL CM	476,3566 litre	4,098 %	11147,5362 litre	O
370	CM	100	CM	16 LEVEL CM	435,6400 litre	3,748 %	11188,2528 litre	O
370	CM	100	CM	15 LEVEL CM	396,0693 litre	3,407 %	11227,8235 litre	O
370	CM	100	CM	14 LEVEL CM	357,6930 litre	3,077 %	11266,1998 litre	O
370	CM	100	CM	13 LEVEL CM	320,5643 litre	2,758 %	11303,3285 litre	O
370	CM	100	CM	12 LEVEL CM	284,7420 litre	2,450 %	11339,1508 litre	O
370	CM	100	CM	11 LEVEL CM	250,2913 litre	2,153 %	11373,6015 litre	O
370	CM	100	CM	10 LEVEL CM	217,2859 litre	1,869 %	11406,6069 litre	O
370	CM	100	CM	9 LEVEL CM	185,8094 litre	1,599 %	11438,0834 litre	O
370	CM	100	CM	8 LEVEL CM	155,9585 litre	1,342 %	11467,9343 litre	O
370	CM	100	CM	7 LEVEL CM	127,8466 litre	1,100 %	11496,0462 litre	O
370	CM	100	CM	6 LEVEL CM	101,6096 litre	0,874 %	11522,2832 litre	O
370	CM	100	CM	5 LEVEL CM	77,4152 litre	0,666 %	11546,4776 litre	O
370	CM	100	CM	4 LEVEL CM	55,4782 litre	0,477 %	11568,4146 litre	O
370	CM	100	CM	3 LEVEL CM	36,0889 litre	0,310 %	11587,8039 litre	O
370	CM	100	CM	2 LEVEL CM	19,6740 litre	0,169 %	11604,2188 litre	O
370	CM	100	CM	1 LEVEL CM	6,9663 litre	0,060 %	11616,9265 litre	O
370	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	11623,8928 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
370	CM	95	CM	190 LEVEL CM	10490,5633 litre	100,000 %	0,0000 litre	O
370	CM	95	CM	189 LEVEL CM	10483,7739 litre	99,935 %	6,7894 litre	O
370	CM	95	CM	188 LEVEL CM	10471,3904 litre	99,817 %	19,1729 litre	O
370	CM	95	CM	187 LEVEL CM	10455,3966 litre	99,665 %	35,1667 litre	O
370	CM	95	CM	186 LEVEL CM	10436,5071 litre	99,485 %	54,0562 litre	O
370	CM	95	CM	185 LEVEL CM	10415,1386 litre	99,281 %	75,4247 litre	O
370	CM	95	CM	184 LEVEL CM	10391,5744 litre	99,056 %	98,9889 litre	O
370	CM	95	CM	183 LEVEL CM	10366,0243 litre	98,813 %	124,5390 litre	O
370	CM	95	CM	182 LEVEL CM	10338,6523 litre	98,552 %	151,9110 litre	O
370	CM	95	CM	181 LEVEL CM	10309,5913 litre	98,275 %	180,9720 litre	O
370	CM	95	CM	180 LEVEL CM	10278,9522 litre	97,983 %	211,6111 litre	O
370	CM	95	CM	179 LEVEL CM	10246,8294 litre	97,677 %	243,7339 litre	O
370	CM	95	CM	178 LEVEL CM	10213,3051 litre	97,357 %	277,2582 litre	O
370	CM	95	CM	177 LEVEL CM	10178,4510 litre	97,025 %	312,1123 litre	O
370	CM	95	CM	176 LEVEL CM	10142,3315 litre	96,681 %	348,2318 litre	O
370	CM	95	CM	175 LEVEL CM	10105,0040 litre	96,325 %	385,5593 litre	O
370	CM	95	CM	174 LEVEL CM	10066,5206 litre	95,958 %	424,0427 litre	O
370	CM	95	CM	173 LEVEL CM	10026,9290 litre	95,580 %	463,6343 litre	O
370	CM	95	CM	172 LEVEL CM	9986,2727 litre	95,193 %	504,2906 litre	O
370	CM	95	CM	171 LEVEL CM	9944,5922 litre	94,796 %	545,9711 litre	O
370	CM	95	CM	170 LEVEL CM	9901,9248 litre	94,389 %	588,6385 litre	O
370	CM	95	CM	169 LEVEL CM	9858,3053 litre	93,973 %	632,2580 litre	O
370	CM	95	CM	168 LEVEL CM	9813,7665 litre	93,549 %	676,7968 litre	O
370	CM	95	CM	167 LEVEL CM	9768,3390 litre	93,115 %	722,2243 litre	O
370	CM	95	CM	166 LEVEL CM	9722,0517 litre	92,674 %	768,5116 litre	O
370	CM	95	CM	165 LEVEL CM	9674,9319 litre	92,225 %	815,6314 litre	O
370	CM	95	CM	164 LEVEL CM	9627,0054 litre	91,768 %	863,5579 litre	O
370	CM	95	CM	163 LEVEL CM	9578,2969 litre	91,304 %	912,2664 litre	O
370	CM	95	CM	162 LEVEL CM	9528,8298 litre	90,832 %	961,7335 litre	O
370	CM	95	CM	161 LEVEL CM	9478,6264 litre	90,354 %	1011,9369 litre	O
370	CM	95	CM	160 LEVEL CM	9427,7082 litre	89,868 %	1062,8551 litre	O
370	CM	95	CM	159 LEVEL CM	9376,0957 litre	89,376 %	1114,4676 litre	O
370	CM	95	CM	158 LEVEL CM	9323,8085 litre	88,878 %	1166,7548 litre	O
370	CM	95	CM	157 LEVEL CM	9270,8657 litre	88,373 %	1219,6976 litre	O
370	CM	95	CM	156 LEVEL CM	9217,2854 litre	87,863 %	1273,2779 litre	O
370	CM	95	CM	155 LEVEL CM	9163,0852 litre	87,346 %	1327,4781 litre	O
370	CM	95	CM	154 LEVEL CM	9108,2821 litre	86,824 %	1382,2812 litre	O
370	CM	95	CM	153 LEVEL CM	9052,8927 litre	86,296 %	1437,6706 litre	O
370	CM	95	CM	152 LEVEL CM	8996,9327 litre	85,762 %	1493,6306 litre	O
370	CM	95	CM	151 LEVEL CM	8940,4177 litre	85,223 %	1550,1456 litre	O
370	CM	95	CM	150 LEVEL CM	8883,3627 litre	84,680 %	1607,2006 litre	O
370	CM	95	CM	149 LEVEL CM	8825,7822 litre	84,131 %	1664,7811 litre	O
370	CM	95	CM	148 LEVEL CM	8767,6904 litre	83,577 %	1722,8729 litre	O
370	CM	95	CM	147 LEVEL CM	8709,1012 litre	83,018 %	1781,4621 litre	O
370	CM	95	CM	146 LEVEL CM	8650,0279 litre	82,455 %	1840,5354 litre	O
370	CM	95	CM	145 LEVEL CM	8590,4837 litre	81,888 %	1900,0796 litre	O
370	CM	95	CM	144 LEVEL CM	8530,4814 litre	81,316 %	1960,0819 litre	O
370	CM	95	CM	143 LEVEL CM	8470,0336 litre	80,740 %	2020,5297 litre	O
370	CM	95	CM	142 LEVEL CM	8409,1526 litre	80,159 %	2081,4107 litre	O
370	CM	95	CM	141 LEVEL CM	8347,8502 litre	79,575 %	2142,7131 litre	O
370	CM	95	CM	140 LEVEL CM	8286,1383 litre	78,987 %	2204,4250 litre	O
370	CM	95	CM	139 LEVEL CM	8224,0283 litre	78,395 %	2266,5350 litre	O

370	CM	95	CM	138 LEVEL CM	8161,5316 litre	77,799 %	2329,0317 litre	O
370	CM	95	CM	137 LEVEL CM	8098,6593 litre	77,199 %	2391,9040 litre	O
370	CM	95	CM	136 LEVEL CM	8035,4222 litre	76,597 %	2455,1411 litre	O
370	CM	95	CM	135 LEVEL CM	7971,8310 litre	75,990 %	2518,7323 litre	O
370	CM	95	CM	134 LEVEL CM	7907,8964 litre	75,381 %	2582,6669 litre	O
370	CM	95	CM	133 LEVEL CM	7843,6285 litre	74,768 %	2646,9348 litre	O
370	CM	95	CM	132 LEVEL CM	7779,0377 litre	74,153 %	2711,5256 litre	O
370	CM	95	CM	131 LEVEL CM	7714,1340 litre	73,534 %	2776,4293 litre	O
370	CM	95	CM	130 LEVEL CM	7648,9272 litre	72,912 %	2841,6361 litre	O
370	CM	95	CM	129 LEVEL CM	7583,4271 litre	72,288 %	2907,1362 litre	O
370	CM	95	CM	128 LEVEL CM	7517,6435 litre	71,661 %	2972,9198 litre	O
370	CM	95	CM	127 LEVEL CM	7451,5856 litre	71,031 %	3038,9777 litre	O
370	CM	95	CM	126 LEVEL CM	7385,2631 litre	70,399 %	3105,3002 litre	O
370	CM	95	CM	125 LEVEL CM	7318,6850 litre	69,764 %	3171,8783 litre	O
370	CM	95	CM	124 LEVEL CM	7251,8607 litre	69,127 %	3238,7026 litre	O
370	CM	95	CM	123 LEVEL CM	7184,7992 litre	68,488 %	3305,7641 litre	O
370	CM	95	CM	122 LEVEL CM	7117,5094 litre	67,847 %	3373,0539 litre	O
370	CM	95	CM	121 LEVEL CM	7050,0002 litre	67,203 %	3440,5631 litre	O
370	CM	95	CM	120 LEVEL CM	6982,2804 litre	66,558 %	3508,2829 litre	O
370	CM	95	CM	119 LEVEL CM	6914,3588 litre	65,910 %	3576,2045 litre	O
370	CM	95	CM	118 LEVEL CM	6846,2440 litre	65,261 %	3644,3193 litre	O
370	CM	95	CM	117 LEVEL CM	6777,9445 litre	64,610 %	3712,6188 litre	O
370	CM	95	CM	116 LEVEL CM	6709,4689 litre	63,957 %	3781,0944 litre	O
370	CM	95	CM	115 LEVEL CM	6640,8255 litre	63,303 %	3849,7378 litre	O
370	CM	95	CM	114 LEVEL CM	6572,0228 litre	62,647 %	3918,5405 litre	O
370	CM	95	CM	113 LEVEL CM	6503,0690 litre	61,990 %	3987,4943 litre	O
370	CM	95	CM	112 LEVEL CM	6433,9724 litre	61,331 %	4056,5909 litre	O
370	CM	95	CM	111 LEVEL CM	6364,7412 litre	60,671 %	4125,8221 litre	O
370	CM	95	CM	110 LEVEL CM	6295,3835 litre	60,010 %	4195,1798 litre	O
370	CM	95	CM	109 LEVEL CM	6225,9076 litre	59,348 %	4264,6557 litre	O
370	CM	95	CM	108 LEVEL CM	6156,3213 litre	58,684 %	4334,2420 litre	O
370	CM	95	CM	107 LEVEL CM	6086,6329 litre	58,020 %	4403,9304 litre	O
370	CM	95	CM	106 LEVEL CM	6016,8502 litre	57,355 %	4473,7131 litre	O
370	CM	95	CM	105 LEVEL CM	5946,9812 litre	56,689 %	4543,5821 litre	O
370	CM	95	CM	104 LEVEL CM	5877,0339 litre	56,022 %	4613,5294 litre	O
370	CM	95	CM	103 LEVEL CM	5807,0162 litre	55,355 %	4683,5471 litre	O
370	CM	95	CM	102 LEVEL CM	5736,9360 litre	54,687 %	4753,6273 litre	O
370	CM	95	CM	101 LEVEL CM	5666,8010 litre	54,018 %	4823,7623 litre	O
370	CM	95	CM	100 LEVEL CM	5596,6193 litre	53,349 %	4893,9440 litre	O
370	CM	95	CM	99 LEVEL CM	5526,3985 litre	52,680 %	4964,1648 litre	O
370	CM	95	CM	98 LEVEL CM	5456,1466 litre	52,010 %	5034,4167 litre	O
370	CM	95	CM	97 LEVEL CM	5385,8712 litre	51,340 %	5104,6921 litre	O
370	CM	95	CM	96 LEVEL CM	5315,5803 litre	50,670 %	5174,9830 litre	O
370	CM	95	CM	95 LEVEL CM	5245,2816 litre	50,000 %	5245,2817 litre	O
370	CM	95	CM	94 LEVEL CM	5174,9829 litre	49,330 %	5315,5804 litre	O
370	CM	95	CM	93 LEVEL CM	5104,6920 litre	48,660 %	5385,8713 litre	O
370	CM	95	CM	92 LEVEL CM	5034,4167 litre	47,990 %	5456,1466 litre	O
370	CM	95	CM	91 LEVEL CM	4964,1647 litre	47,320 %	5526,3986 litre	O
370	CM	95	CM	90 LEVEL CM	4893,9440 litre	46,651 %	5596,6193 litre	O
370	CM	95	CM	89 LEVEL CM	4823,7622 litre	45,982 %	5666,8011 litre	O
370	CM	95	CM	88 LEVEL CM	4753,6273 litre	45,313 %	5736,9360 litre	O
370	CM	95	CM	87 LEVEL CM	4683,5470 litre	44,645 %	5807,0163 litre	O
370	CM	95	CM	86 LEVEL CM	4613,5293 litre	43,978 %	5877,0340 litre	O

370	CM	95	CM	85 LEVEL CM	4543,5820 litre	43,311 %	5946,9813 litre	O
370	CM	95	CM	84 LEVEL CM	4473,7131 litre	42,645 %	6016,8502 litre	O
370	CM	95	CM	83 LEVEL CM	4403,9304 litre	41,980 %	6086,6329 litre	O
370	CM	95	CM	82 LEVEL CM	4334,2419 litre	41,316 %	6156,3214 litre	O
370	CM	95	CM	81 LEVEL CM	4264,6557 litre	40,652 %	6225,9076 litre	O
370	CM	95	CM	80 LEVEL CM	4195,1797 litre	39,990 %	6295,3836 litre	O
370	CM	95	CM	79 LEVEL CM	4125,8221 litre	39,329 %	6364,7412 litre	O
370	CM	95	CM	78 LEVEL CM	4056,5909 litre	38,669 %	6433,9724 litre	O
370	CM	95	CM	77 LEVEL CM	3987,4943 litre	38,010 %	6503,0690 litre	O
370	CM	95	CM	76 LEVEL CM	3918,5405 litre	37,353 %	6572,0228 litre	O
370	CM	95	CM	75 LEVEL CM	3849,7378 litre	36,697 %	6640,8255 litre	O
370	CM	95	CM	74 LEVEL CM	3781,0944 litre	36,043 %	6709,4689 litre	O
370	CM	95	CM	73 LEVEL CM	3712,6187 litre	35,390 %	6777,9446 litre	O
370	CM	95	CM	72 LEVEL CM	3644,3193 litre	34,739 %	6846,2440 litre	O
370	CM	95	CM	71 LEVEL CM	3576,2044 litre	34,090 %	6914,3589 litre	O
370	CM	95	CM	70 LEVEL CM	3508,2828 litre	33,442 %	6982,2805 litre	O
370	CM	95	CM	69 LEVEL CM	3440,5631 litre	32,797 %	7050,0002 litre	O
370	CM	95	CM	68 LEVEL CM	3373,0539 litre	32,153 %	7117,5094 litre	O
370	CM	95	CM	67 LEVEL CM	3305,7641 litre	31,512 %	7184,7992 litre	O
370	CM	95	CM	66 LEVEL CM	3238,7026 litre	30,873 %	7251,8607 litre	O
370	CM	95	CM	65 LEVEL CM	3171,8782 litre	30,236 %	7318,6851 litre	O
370	CM	95	CM	64 LEVEL CM	3105,3002 litre	29,601 %	7385,2631 litre	O
370	CM	95	CM	63 LEVEL CM	3038,9776 litre	28,969 %	7451,5857 litre	O
370	CM	95	CM	62 LEVEL CM	2972,9198 litre	28,339 %	7517,6435 litre	O
370	CM	95	CM	61 LEVEL CM	2907,1361 litre	27,712 %	7583,4272 litre	O
370	CM	95	CM	60 LEVEL CM	2841,6361 litre	27,088 %	7648,9272 litre	O
370	CM	95	CM	59 LEVEL CM	2776,4293 litre	26,466 %	7714,1340 litre	O
370	CM	95	CM	58 LEVEL CM	2711,5256 litre	25,847 %	7779,0377 litre	O
370	CM	95	CM	57 LEVEL CM	2646,9347 litre	25,232 %	7843,6286 litre	O
370	CM	95	CM	56 LEVEL CM	2582,6669 litre	24,619 %	7907,8964 litre	O
370	CM	95	CM	55 LEVEL CM	2518,7322 litre	24,010 %	7971,8311 litre	O
370	CM	95	CM	54 LEVEL CM	2455,1411 litre	23,403 %	8035,4222 litre	O
370	CM	95	CM	53 LEVEL CM	2391,9040 litre	22,801 %	8098,6593 litre	O
370	CM	95	CM	52 LEVEL CM	2329,0317 litre	22,201 %	8161,5316 litre	O
370	CM	95	CM	51 LEVEL CM	2266,5350 litre	21,605 %	8224,0283 litre	O
370	CM	95	CM	50 LEVEL CM	2204,4250 litre	21,013 %	8286,1383 litre	O
370	CM	95	CM	49 LEVEL CM	2142,7131 litre	20,425 %	8347,8502 litre	O
370	CM	95	CM	48 LEVEL CM	2081,4107 litre	19,841 %	8409,1526 litre	O
370	CM	95	CM	47 LEVEL CM	2020,5296 litre	19,260 %	8470,0337 litre	O
370	CM	95	CM	46 LEVEL CM	1960,0818 litre	18,684 %	8530,4815 litre	O
370	CM	95	CM	45 LEVEL CM	1900,0796 litre	18,112 %	8590,4837 litre	O
370	CM	95	CM	44 LEVEL CM	1840,5354 litre	17,545 %	8650,0279 litre	O
370	CM	95	CM	43 LEVEL CM	1781,4621 litre	16,982 %	8709,1012 litre	O
370	CM	95	CM	42 LEVEL CM	1722,8728 litre	16,423 %	8767,6905 litre	O
370	CM	95	CM	41 LEVEL CM	1664,7811 litre	15,869 %	8825,7822 litre	O
370	CM	95	CM	40 LEVEL CM	1607,2006 litre	15,320 %	8883,3627 litre	O
370	CM	95	CM	39 LEVEL CM	1550,1455 litre	14,777 %	8940,4178 litre	O
370	CM	95	CM	38 LEVEL CM	1493,6306 litre	14,238 %	8996,9327 litre	O
370	CM	95	CM	37 LEVEL CM	1437,6706 litre	13,704 %	9052,8927 litre	O
370	CM	95	CM	36 LEVEL CM	1382,2812 litre	13,176 %	9108,2821 litre	O
370	CM	95	CM	35 LEVEL CM	1327,4781 litre	12,654 %	9163,0852 litre	O
370	CM	95	CM	34 LEVEL CM	1273,2779 litre	12,137 %	9217,2854 litre	O
370	CM	95	CM	33 LEVEL CM	1219,6976 litre	11,627 %	9270,8657 litre	O

370	CM	95	CM	32 LEVEL CM	1166,7547 litre	11,122 %	9323,8086 litre	O
370	CM	95	CM	31 LEVEL CM	1114,4676 litre	10,624 %	9376,0957 litre	O
370	CM	95	CM	30 LEVEL CM	1062,8550 litre	10,132 %	9427,7083 litre	O
370	CM	95	CM	29 LEVEL CM	1011,9368 litre	9,646 %	9478,6265 litre	O
370	CM	95	CM	28 LEVEL CM	961,7335 litre	9,168 %	9528,8298 litre	O
370	CM	95	CM	27 LEVEL CM	912,2664 litre	8,696 %	9578,2969 litre	O
370	CM	95	CM	26 LEVEL CM	863,5579 litre	8,232 %	9627,0054 litre	O
370	CM	95	CM	25 LEVEL CM	815,6314 litre	7,775 %	9674,9319 litre	O
370	CM	95	CM	24 LEVEL CM	768,5116 litre	7,326 %	9722,0517 litre	O
370	CM	95	CM	23 LEVEL CM	722,2242 litre	6,885 %	9768,3391 litre	O
370	CM	95	CM	22 LEVEL CM	676,7967 litre	6,451 %	9813,7666 litre	O
370	CM	95	CM	21 LEVEL CM	632,2579 litre	6,027 %	9858,3054 litre	O
370	CM	95	CM	20 LEVEL CM	588,6385 litre	5,611 %	9901,9248 litre	O
370	CM	95	CM	19 LEVEL CM	545,9711 litre	5,204 %	9944,5922 litre	O
370	CM	95	CM	18 LEVEL CM	504,2905 litre	4,807 %	9986,2728 litre	O
370	CM	95	CM	17 LEVEL CM	463,6343 litre	4,420 %	10026,9290 litre	O
370	CM	95	CM	16 LEVEL CM	424,0426 litre	4,042 %	10066,5207 litre	O
370	CM	95	CM	15 LEVEL CM	385,5593 litre	3,675 %	10105,0040 litre	O
370	CM	95	CM	14 LEVEL CM	348,2318 litre	3,319 %	10142,3315 litre	O
370	CM	95	CM	13 LEVEL CM	312,1122 litre	2,975 %	10178,4511 litre	O
370	CM	95	CM	12 LEVEL CM	277,2582 litre	2,643 %	10213,3051 litre	O
370	CM	95	CM	11 LEVEL CM	243,7338 litre	2,323 %	10246,8295 litre	O
370	CM	95	CM	10 LEVEL CM	211,6111 litre	2,017 %	10278,9522 litre	O
370	CM	95	CM	9 LEVEL CM	180,9719 litre	1,725 %	10309,5914 litre	O
370	CM	95	CM	8 LEVEL CM	151,9109 litre	1,448 %	10338,6524 litre	O
370	CM	95	CM	7 LEVEL CM	124,5389 litre	1,187 %	10366,0244 litre	O
370	CM	95	CM	6 LEVEL CM	98,9889 litre	0,944 %	10391,5744 litre	O
370	CM	95	CM	5 LEVEL CM	75,4247 litre	0,719 %	10415,1386 litre	O
370	CM	95	CM	4 LEVEL CM	54,0562 litre	0,515 %	10436,5071 litre	O
370	CM	95	CM	3 LEVEL CM	35,1667 litre	0,335 %	10455,3966 litre	O
370	CM	95	CM	2 LEVEL CM	19,1728 litre	0,183 %	10471,3905 litre	O
370	CM	95	CM	1 LEVEL CM	6,7894 litre	0,065 %	10483,7739 litre	O
370	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	10490,5633 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
370	CM	90	CM	180 LEVEL CM	9415,3532 litre	100,000 %	0,0000 litre	O
370	CM	90	CM	179 LEVEL CM	9408,7455 litre	99,930 %	6,6077 litre	O
370	CM	90	CM	178 LEVEL CM	9396,6950 litre	99,802 %	18,6582 litre	O
370	CM	90	CM	177 LEVEL CM	9381,1336 litre	99,637 %	34,2196 litre	O
370	CM	90	CM	176 LEVEL CM	9362,7575 litre	99,441 %	52,5957 litre	O
370	CM	90	CM	175 LEVEL CM	9341,9729 litre	99,221 %	73,3803 litre	O
370	CM	90	CM	174 LEVEL CM	9319,0563 litre	98,977 %	96,2969 litre	O
370	CM	90	CM	173 LEVEL CM	9294,2122 litre	98,713 %	121,1410 litre	O
370	CM	90	CM	172 LEVEL CM	9267,6007 litre	98,431 %	147,7525 litre	O
370	CM	90	CM	171 LEVEL CM	9239,3516 litre	98,131 %	176,0016 litre	O
370	CM	90	CM	170 LEVEL CM	9209,5733 litre	97,814 %	205,7799 litre	O
370	CM	90	CM	169 LEVEL CM	9178,3582 litre	97,483 %	236,9950 litre	O
370	CM	90	CM	168 LEVEL CM	9145,7864 litre	97,137 %	269,5668 litre	O
370	CM	90	CM	167 LEVEL CM	9111,9285 litre	96,777 %	303,4247 litre	O
370	CM	90	CM	166 LEVEL CM	9076,8471 litre	96,405 %	338,5061 litre	O
370	CM	90	CM	165 LEVEL CM	9040,5987 litre	96,020 %	374,7545 litre	O
370	CM	90	CM	164 LEVEL CM	9003,2343 litre	95,623 %	412,1189 litre	O
370	CM	90	CM	163 LEVEL CM	8964,8006 litre	95,215 %	450,5526 litre	O
370	CM	90	CM	162 LEVEL CM	8925,3404 litre	94,796 %	490,0128 litre	O
370	CM	90	CM	161 LEVEL CM	8884,8933 litre	94,366 %	530,4599 litre	O
370	CM	90	CM	160 LEVEL CM	8843,4960 litre	93,926 %	571,8572 litre	O
370	CM	90	CM	159 LEVEL CM	8801,1829 litre	93,477 %	614,1703 litre	O
370	CM	90	CM	158 LEVEL CM	8757,9859 litre	93,018 %	657,3673 litre	O
370	CM	90	CM	157 LEVEL CM	8713,9353 litre	92,550 %	701,4179 litre	O
370	CM	90	CM	156 LEVEL CM	8669,0596 litre	92,074 %	746,2936 litre	O
370	CM	90	CM	155 LEVEL CM	8623,3855 litre	91,589 %	791,9677 litre	O
370	CM	90	CM	154 LEVEL CM	8576,9386 litre	91,095 %	838,4146 litre	O
370	CM	90	CM	153 LEVEL CM	8529,7432 litre	90,594 %	885,6100 litre	O
370	CM	90	CM	152 LEVEL CM	8481,8223 litre	90,085 %	933,5309 litre	O
370	CM	90	CM	151 LEVEL CM	8433,1981 litre	89,569 %	982,1551 litre	O
370	CM	90	CM	150 LEVEL CM	8383,8917 litre	89,045 %	1031,4615 litre	O
370	CM	90	CM	149 LEVEL CM	8333,9233 litre	88,514 %	1081,4299 litre	O
370	CM	90	CM	148 LEVEL CM	8283,3124 litre	87,977 %	1132,0408 litre	O
370	CM	90	CM	147 LEVEL CM	8232,0779 litre	87,432 %	1183,2753 litre	O
370	CM	90	CM	146 LEVEL CM	8180,2377 litre	86,882 %	1235,1155 litre	O
370	CM	90	CM	145 LEVEL CM	8127,8092 litre	86,325 %	1287,5440 litre	O
370	CM	90	CM	144 LEVEL CM	8074,8094 litre	85,762 %	1340,5438 litre	O
370	CM	90	CM	143 LEVEL CM	8021,2546 litre	85,193 %	1394,0986 litre	O
370	CM	90	CM	142 LEVEL CM	7967,1605 litre	84,619 %	1448,1927 litre	O
370	CM	90	CM	141 LEVEL CM	7912,5426 litre	84,039 %	1502,8106 litre	O
370	CM	90	CM	140 LEVEL CM	7857,4156 litre	83,453 %	1557,9376 litre	O
370	CM	90	CM	139 LEVEL CM	7801,7943 litre	82,862 %	1613,5589 litre	O
370	CM	90	CM	138 LEVEL CM	7745,6925 litre	82,267 %	1669,6607 litre	O
370	CM	90	CM	137 LEVEL CM	7689,1242 litre	81,666 %	1726,2290 litre	O
370	CM	90	CM	136 LEVEL CM	7632,1027 litre	81,060 %	1783,2505 litre	O
370	CM	90	CM	135 LEVEL CM	7574,6412 litre	80,450 %	1840,7120 litre	O
370	CM	90	CM	134 LEVEL CM	7516,7524 litre	79,835 %	1898,6008 litre	O
370	CM	90	CM	133 LEVEL CM	7458,4488 litre	79,216 %	1956,9044 litre	O
370	CM	90	CM	132 LEVEL CM	7399,7428 litre	78,592 %	2015,6104 litre	O
370	CM	90	CM	131 LEVEL CM	7340,6463 litre	77,965 %	2074,7069 litre	O
370	CM	90	CM	130 LEVEL CM	7281,1711 litre	77,333 %	2134,1821 litre	O
370	CM	90	CM	129 LEVEL CM	7221,3287 litre	76,697 %	2194,0245 litre	O

370	CM	90	CM	128 LEVEL CM	7161,1305 litre	76,058 %	2254,2227 litre	O
370	CM	90	CM	127 LEVEL CM	7100,5876 litre	75,415 %	2314,7656 litre	O
370	CM	90	CM	126 LEVEL CM	7039,7109 litre	74,768 %	2375,6423 litre	O
370	CM	90	CM	125 LEVEL CM	6978,5113 litre	74,118 %	2436,8419 litre	O
370	CM	90	CM	124 LEVEL CM	6916,9993 litre	73,465 %	2498,3539 litre	O
370	CM	90	CM	123 LEVEL CM	6855,1854 litre	72,809 %	2560,1678 litre	O
370	CM	90	CM	122 LEVEL CM	6793,0798 litre	72,149 %	2622,2734 litre	O
370	CM	90	CM	121 LEVEL CM	6730,6927 litre	71,486 %	2684,6605 litre	O
370	CM	90	CM	120 LEVEL CM	6668,0340 litre	70,821 %	2747,3192 litre	O
370	CM	90	CM	119 LEVEL CM	6605,1138 litre	70,153 %	2810,2394 litre	O
370	CM	90	CM	118 LEVEL CM	6541,9416 litre	69,482 %	2873,4116 litre	O
370	CM	90	CM	117 LEVEL CM	6478,5272 litre	68,808 %	2936,8260 litre	O
370	CM	90	CM	116 LEVEL CM	6414,8801 litre	68,132 %	3000,4731 litre	O
370	CM	90	CM	115 LEVEL CM	6351,0096 litre	67,454 %	3064,3436 litre	O
370	CM	90	CM	114 LEVEL CM	6286,9252 litre	66,773 %	3128,4280 litre	O
370	CM	90	CM	113 LEVEL CM	6222,6360 litre	66,090 %	3192,7172 litre	O
370	CM	90	CM	112 LEVEL CM	6158,1512 litre	65,405 %	3257,2020 litre	O
370	CM	90	CM	111 LEVEL CM	6093,4799 litre	64,719 %	3321,8733 litre	O
370	CM	90	CM	110 LEVEL CM	6028,6310 litre	64,030 %	3386,7222 litre	O
370	CM	90	CM	109 LEVEL CM	5963,6134 litre	63,339 %	3451,7398 litre	O
370	CM	90	CM	108 LEVEL CM	5898,4359 litre	62,647 %	3516,9173 litre	O
370	CM	90	CM	107 LEVEL CM	5833,1075 litre	61,953 %	3582,2457 litre	O
370	CM	90	CM	106 LEVEL CM	5767,6366 litre	61,258 %	3647,7166 litre	O
370	CM	90	CM	105 LEVEL CM	5702,0321 litre	60,561 %	3713,3211 litre	O
370	CM	90	CM	104 LEVEL CM	5636,3025 litre	59,863 %	3779,0507 litre	O
370	CM	90	CM	103 LEVEL CM	5570,4564 litre	59,164 %	3844,8968 litre	O
370	CM	90	CM	102 LEVEL CM	5504,5022 litre	58,463 %	3910,8510 litre	O
370	CM	90	CM	101 LEVEL CM	5438,4485 litre	57,761 %	3976,9047 litre	O
370	CM	90	CM	100 LEVEL CM	5372,3037 litre	57,059 %	4043,0495 litre	O
370	CM	90	CM	99 LEVEL CM	5306,0761 litre	56,356 %	4109,2771 litre	O
370	CM	90	CM	98 LEVEL CM	5239,7741 litre	55,651 %	4175,5791 litre	O
370	CM	90	CM	97 LEVEL CM	5173,4061 litre	54,946 %	4241,9471 litre	O
370	CM	90	CM	96 LEVEL CM	5106,9804 litre	54,241 %	4308,3728 litre	O
370	CM	90	CM	95 LEVEL CM	5040,5052 litre	53,535 %	4374,8480 litre	O
370	CM	90	CM	94 LEVEL CM	4973,9889 litre	52,828 %	4441,3643 litre	O
370	CM	90	CM	93 LEVEL CM	4907,4396 litre	52,122 %	4507,9136 litre	O
370	CM	90	CM	92 LEVEL CM	4840,8656 litre	51,415 %	4574,4876 litre	O
370	CM	90	CM	91 LEVEL CM	4774,2752 litre	50,707 %	4641,0780 litre	O
370	CM	90	CM	90 LEVEL CM	4707,6766 litre	50,000 %	4707,6766 litre	O
370	CM	90	CM	89 LEVEL CM	4641,0780 litre	49,293 %	4774,2752 litre	O
370	CM	90	CM	88 LEVEL CM	4574,4876 litre	48,585 %	4840,8656 litre	O
370	CM	90	CM	87 LEVEL CM	4507,9136 litre	47,878 %	4907,4396 litre	O
370	CM	90	CM	86 LEVEL CM	4441,3643 litre	47,172 %	4973,9889 litre	O
370	CM	90	CM	85 LEVEL CM	4374,8480 litre	46,465 %	5040,5052 litre	O
370	CM	90	CM	84 LEVEL CM	4308,3728 litre	45,759 %	5106,9804 litre	O
370	CM	90	CM	83 LEVEL CM	4241,9471 litre	45,054 %	5173,4061 litre	O
370	CM	90	CM	82 LEVEL CM	4175,5791 litre	44,349 %	5239,7741 litre	O
370	CM	90	CM	81 LEVEL CM	4109,2771 litre	43,644 %	5306,0761 litre	O
370	CM	90	CM	80 LEVEL CM	4043,0495 litre	42,941 %	5372,3037 litre	O
370	CM	90	CM	79 LEVEL CM	3976,9047 litre	42,239 %	5438,4485 litre	O
370	CM	90	CM	78 LEVEL CM	3910,8509 litre	41,537 %	5504,5023 litre	O
370	CM	90	CM	77 LEVEL CM	3844,8968 litre	40,836 %	5570,4564 litre	O
370	CM	90	CM	76 LEVEL CM	3779,0507 litre	40,137 %	5636,3025 litre	O

370	CM	90	CM	75 LEVEL CM	3713,3211 litre	39,439 %	5702,0321 litre	O
370	CM	90	CM	74 LEVEL CM	3647,7165 litre	38,742 %	5767,6367 litre	O
370	CM	90	CM	73 LEVEL CM	3582,2457 litre	38,047 %	5833,1075 litre	O
370	CM	90	CM	72 LEVEL CM	3516,9172 litre	37,353 %	5898,4360 litre	O
370	CM	90	CM	71 LEVEL CM	3451,7398 litre	36,661 %	5963,6134 litre	O
370	CM	90	CM	70 LEVEL CM	3386,7222 litre	35,970 %	6028,6310 litre	O
370	CM	90	CM	69 LEVEL CM	3321,8733 litre	35,281 %	6093,4799 litre	O
370	CM	90	CM	68 LEVEL CM	3257,2020 litre	34,595 %	6158,1512 litre	O
370	CM	90	CM	67 LEVEL CM	3192,7172 litre	33,910 %	6222,6360 litre	O
370	CM	90	CM	66 LEVEL CM	3128,4280 litre	33,227 %	6286,9252 litre	O
370	CM	90	CM	65 LEVEL CM	3064,3436 litre	32,546 %	6351,0096 litre	O
370	CM	90	CM	64 LEVEL CM	3000,4731 litre	31,868 %	6414,8801 litre	O
370	CM	90	CM	63 LEVEL CM	2936,8260 litre	31,192 %	6478,5272 litre	O
370	CM	90	CM	62 LEVEL CM	2873,4116 litre	30,518 %	6541,9416 litre	O
370	CM	90	CM	61 LEVEL CM	2810,2394 litre	29,847 %	6605,1138 litre	O
370	CM	90	CM	60 LEVEL CM	2747,3191 litre	29,179 %	6668,0341 litre	O
370	CM	90	CM	59 LEVEL CM	2684,6605 litre	28,514 %	6730,6927 litre	O
370	CM	90	CM	58 LEVEL CM	2622,2734 litre	27,851 %	6793,0798 litre	O
370	CM	90	CM	57 LEVEL CM	2560,1678 litre	27,191 %	6855,1854 litre	O
370	CM	90	CM	56 LEVEL CM	2498,3539 litre	26,535 %	6916,9993 litre	O
370	CM	90	CM	55 LEVEL CM	2436,8419 litre	25,882 %	6978,5113 litre	O
370	CM	90	CM	54 LEVEL CM	2375,6423 litre	25,232 %	7039,7109 litre	O
370	CM	90	CM	53 LEVEL CM	2314,7656 litre	24,585 %	7100,5876 litre	O
370	CM	90	CM	52 LEVEL CM	2254,2227 litre	23,942 %	7161,1305 litre	O
370	CM	90	CM	51 LEVEL CM	2194,0245 litre	23,303 %	7221,3287 litre	O
370	CM	90	CM	50 LEVEL CM	2134,1821 litre	22,667 %	7281,1711 litre	O
370	CM	90	CM	49 LEVEL CM	2074,7069 litre	22,035 %	7340,6463 litre	O
370	CM	90	CM	48 LEVEL CM	2015,6104 litre	21,408 %	7399,7428 litre	O
370	CM	90	CM	47 LEVEL CM	1956,9044 litre	20,784 %	7458,4488 litre	O
370	CM	90	CM	46 LEVEL CM	1898,6008 litre	20,165 %	7516,7524 litre	O
370	CM	90	CM	45 LEVEL CM	1840,7120 litre	19,550 %	7574,6412 litre	O
370	CM	90	CM	44 LEVEL CM	1783,2504 litre	18,940 %	7632,1028 litre	O
370	CM	90	CM	43 LEVEL CM	1726,2290 litre	18,334 %	7689,1242 litre	O
370	CM	90	CM	42 LEVEL CM	1669,6606 litre	17,733 %	7745,6926 litre	O
370	CM	90	CM	41 LEVEL CM	1613,5589 litre	17,138 %	7801,7943 litre	O
370	CM	90	CM	40 LEVEL CM	1557,9375 litre	16,547 %	7857,4157 litre	O
370	CM	90	CM	39 LEVEL CM	1502,8106 litre	15,961 %	7912,5426 litre	O
370	CM	90	CM	38 LEVEL CM	1448,1927 litre	15,381 %	7967,1605 litre	O
370	CM	90	CM	37 LEVEL CM	1394,0986 litre	14,807 %	8021,2546 litre	O
370	CM	90	CM	36 LEVEL CM	1340,5438 litre	14,238 %	8074,8094 litre	O
370	CM	90	CM	35 LEVEL CM	1287,5440 litre	13,675 %	8127,8092 litre	O
370	CM	90	CM	34 LEVEL CM	1235,1155 litre	13,118 %	8180,2377 litre	O
370	CM	90	CM	33 LEVEL CM	1183,2753 litre	12,568 %	8232,0779 litre	O
370	CM	90	CM	32 LEVEL CM	1132,0407 litre	12,023 %	8283,3125 litre	O
370	CM	90	CM	31 LEVEL CM	1081,4299 litre	11,486 %	8333,9233 litre	O
370	CM	90	CM	30 LEVEL CM	1031,4615 litre	10,955 %	8383,8917 litre	O
370	CM	90	CM	29 LEVEL CM	982,1551 litre	10,431 %	8433,1981 litre	O
370	CM	90	CM	28 LEVEL CM	933,5309 litre	9,915 %	8481,8223 litre	O
370	CM	90	CM	27 LEVEL CM	885,6100 litre	9,406 %	8529,7432 litre	O
370	CM	90	CM	26 LEVEL CM	838,4146 litre	8,905 %	8576,9386 litre	O
370	CM	90	CM	25 LEVEL CM	791,9677 litre	8,411 %	8623,3855 litre	O
370	CM	90	CM	24 LEVEL CM	746,2936 litre	7,926 %	8669,0596 litre	O
370	CM	90	CM	23 LEVEL CM	701,4178 litre	7,450 %	8713,9354 litre	O

370	CM	90	CM	22 LEVEL CM	657,3673 litre	6,982 %	8757,9859 litre	O
370	CM	90	CM	21 LEVEL CM	614,1703 litre	6,523 %	8801,1829 litre	O
370	CM	90	CM	20 LEVEL CM	571,8572 litre	6,074 %	8843,4960 litre	O
370	CM	90	CM	19 LEVEL CM	530,4599 litre	5,634 %	8884,8933 litre	O
370	CM	90	CM	18 LEVEL CM	490,0128 litre	5,204 %	8925,3404 litre	O
370	CM	90	CM	17 LEVEL CM	450,5526 litre	4,785 %	8964,8006 litre	O
370	CM	90	CM	16 LEVEL CM	412,1189 litre	4,377 %	9003,2343 litre	O
370	CM	90	CM	15 LEVEL CM	374,7545 litre	3,980 %	9040,5987 litre	O
370	CM	90	CM	14 LEVEL CM	338,5061 litre	3,595 %	9076,8471 litre	O
370	CM	90	CM	13 LEVEL CM	303,4247 litre	3,223 %	9111,9285 litre	O
370	CM	90	CM	12 LEVEL CM	269,5667 litre	2,863 %	9145,7865 litre	O
370	CM	90	CM	11 LEVEL CM	236,9950 litre	2,517 %	9178,3582 litre	O
370	CM	90	CM	10 LEVEL CM	205,7798 litre	2,186 %	9209,5734 litre	O
370	CM	90	CM	9 LEVEL CM	176,0015 litre	1,869 %	9239,3517 litre	O
370	CM	90	CM	8 LEVEL CM	147,7525 litre	1,569 %	9267,6007 litre	O
370	CM	90	CM	7 LEVEL CM	121,1410 litre	1,287 %	9294,2122 litre	O
370	CM	90	CM	6 LEVEL CM	96,2969 litre	1,023 %	9319,0563 litre	O
370	CM	90	CM	5 LEVEL CM	73,3802 litre	0,779 %	9341,9730 litre	O
370	CM	90	CM	4 LEVEL CM	52,5957 litre	0,559 %	9362,7575 litre	O
370	CM	90	CM	3 LEVEL CM	34,2196 litre	0,363 %	9381,1336 litre	O
370	CM	90	CM	2 LEVEL CM	18,6582 litre	0,198 %	9396,6950 litre	O
370	CM	90	CM	1 LEVEL CM	6,6077 litre	0,070 %	9408,7455 litre	O
370	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	9415,3532 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 85	CM 170 LEVEL CM	8398,2626 litre	100,000 %	0,0000 litre	O
370	CM 85	CM 169 LEVEL CM	8391,8416 litre	99,924 %	6,4210 litre	O
370	CM 85	CM 168 LEVEL CM	8380,1337 litre	99,784 %	18,1289 litre	O
370	CM 85	CM 167 LEVEL CM	8365,0170 litre	99,604 %	33,2456 litre	O
370	CM 85	CM 166 LEVEL CM	8347,1691 litre	99,392 %	51,0935 litre	O
370	CM 85	CM 165 LEVEL CM	8326,9854 litre	99,151 %	71,2772 litre	O
370	CM 85	CM 164 LEVEL CM	8304,7351 litre	98,886 %	93,5275 litre	O
370	CM 85	CM 163 LEVEL CM	8280,6176 litre	98,599 %	117,6450 litre	O
370	CM 85	CM 162 LEVEL CM	8254,7890 litre	98,292 %	143,4736 litre	O
370	CM 85	CM 161 LEVEL CM	8227,3760 litre	97,965 %	170,8866 litre	O
370	CM 85	CM 160 LEVEL CM	8198,4841 litre	97,621 %	199,7785 litre	O
370	CM 85	CM 159 LEVEL CM	8168,2038 litre	97,261 %	230,0588 litre	O
370	CM 85	CM 158 LEVEL CM	8136,6134 litre	96,884 %	261,6492 litre	O
370	CM 85	CM 157 LEVEL CM	8103,7817 litre	96,494 %	294,4809 litre	O
370	CM 85	CM 156 LEVEL CM	8069,7701 litre	96,089 %	328,4925 litre	O
370	CM 85	CM 155 LEVEL CM	8034,6339 litre	95,670 %	363,6287 litre	O
370	CM 85	CM 154 LEVEL CM	7998,4230 litre	95,239 %	399,8396 litre	O
370	CM 85	CM 153 LEVEL CM	7961,1832 litre	94,796 %	437,0794 litre	O
370	CM 85	CM 152 LEVEL CM	7922,9565 litre	94,340 %	475,3061 litre	O
370	CM 85	CM 151 LEVEL CM	7883,7816 litre	93,874 %	514,4810 litre	O
370	CM 85	CM 150 LEVEL CM	7843,6948 litre	93,397 %	554,5678 litre	O
370	CM 85	CM 149 LEVEL CM	7802,7295 litre	92,909 %	595,5331 litre	O
370	CM 85	CM 148 LEVEL CM	7760,9175 litre	92,411 %	637,3451 litre	O
370	CM 85	CM 147 LEVEL CM	7718,2883 litre	91,903 %	679,9743 litre	O
370	CM 85	CM 146 LEVEL CM	7674,8700 litre	91,386 %	723,3926 litre	O
370	CM 85	CM 145 LEVEL CM	7630,6889 litre	90,860 %	767,5737 litre	O
370	CM 85	CM 144 LEVEL CM	7585,7703 litre	90,325 %	812,4923 litre	O
370	CM 85	CM 143 LEVEL CM	7540,1381 litre	89,782 %	858,1245 litre	O
370	CM 85	CM 142 LEVEL CM	7493,8151 litre	89,231 %	904,4475 litre	O
370	CM 85	CM 141 LEVEL CM	7446,8230 litre	88,671 %	951,4396 litre	O
370	CM 85	CM 140 LEVEL CM	7399,1829 litre	88,104 %	999,0797 litre	O
370	CM 85	CM 139 LEVEL CM	7350,9146 litre	87,529 %	1047,3480 litre	O
370	CM 85	CM 138 LEVEL CM	7302,0376 litre	86,947 %	1096,2250 litre	O
370	CM 85	CM 137 LEVEL CM	7252,5703 litre	86,358 %	1145,6923 litre	O
370	CM 85	CM 136 LEVEL CM	7202,5306 litre	85,762 %	1195,7320 litre	O
370	CM 85	CM 135 LEVEL CM	7151,9359 litre	85,160 %	1246,3267 litre	O
370	CM 85	CM 134 LEVEL CM	7100,8029 litre	84,551 %	1297,4597 litre	O
370	CM 85	CM 133 LEVEL CM	7049,1478 litre	83,936 %	1349,1148 litre	O
370	CM 85	CM 132 LEVEL CM	6996,9863 litre	83,315 %	1401,2763 litre	O
370	CM 85	CM 131 LEVEL CM	6944,3337 litre	82,688 %	1453,9289 litre	O
370	CM 85	CM 130 LEVEL CM	6891,2048 litre	82,055 %	1507,0578 litre	O
370	CM 85	CM 129 LEVEL CM	6837,6142 litre	81,417 %	1560,6484 litre	O
370	CM 85	CM 128 LEVEL CM	6783,5757 litre	80,774 %	1614,6869 litre	O
370	CM 85	CM 127 LEVEL CM	6729,1033 litre	80,125 %	1669,1593 litre	O
370	CM 85	CM 126 LEVEL CM	6674,2102 litre	79,471 %	1724,0524 litre	O
370	CM 85	CM 125 LEVEL CM	6618,9097 litre	78,813 %	1779,3529 litre	O
370	CM 85	CM 124 LEVEL CM	6563,2145 litre	78,150 %	1835,0481 litre	O
370	CM 85	CM 123 LEVEL CM	6507,1371 litre	77,482 %	1891,1255 litre	O
370	CM 85	CM 122 LEVEL CM	6450,6899 litre	76,810 %	1947,5727 litre	O
370	CM 85	CM 121 LEVEL CM	6393,8848 litre	76,133 %	2004,3778 litre	O
370	CM 85	CM 120 LEVEL CM	6336,7338 litre	75,453 %	2061,5288 litre	O
370	CM 85	CM 119 LEVEL CM	6279,2483 litre	74,768 %	2119,0143 litre	O

370	CM 85	CM	118 LEVEL CM	6221,4399 litre	74,080 %	2176,8227 litre	O
370	CM 85	CM	117 LEVEL CM	6163,3198 litre	73,388 %	2234,9428 litre	O
370	CM 85	CM	116 LEVEL CM	6104,8989 litre	72,692 %	2293,3637 litre	O
370	CM 85	CM	115 LEVEL CM	6046,1881 litre	71,993 %	2352,0745 litre	O
370	CM 85	CM	114 LEVEL CM	5987,1982 litre	71,291 %	2411,0644 litre	O
370	CM 85	CM	113 LEVEL CM	5927,9397 litre	70,585 %	2470,3229 litre	O
370	CM 85	CM	112 LEVEL CM	5868,4230 litre	69,877 %	2529,8396 litre	O
370	CM 85	CM	111 LEVEL CM	5808,6584 litre	69,165 %	2589,6042 litre	O
370	CM 85	CM	110 LEVEL CM	5748,6560 litre	68,451 %	2649,6066 litre	O
370	CM 85	CM	109 LEVEL CM	5688,4260 litre	67,733 %	2709,8366 litre	O
370	CM 85	CM	108 LEVEL CM	5627,9781 litre	67,014 %	2770,2845 litre	O
370	CM 85	CM	107 LEVEL CM	5567,3222 litre	66,291 %	2830,9404 litre	O
370	CM 85	CM	106 LEVEL CM	5506,4680 litre	65,567 %	2891,7946 litre	O
370	CM 85	CM	105 LEVEL CM	5445,4251 litre	64,840 %	2952,8375 litre	O
370	CM 85	CM	104 LEVEL CM	5384,2031 litre	64,111 %	3014,0595 litre	O
370	CM 85	CM	103 LEVEL CM	5322,8113 litre	63,380 %	3075,4513 litre	O
370	CM 85	CM	102 LEVEL CM	5261,2592 litre	62,647 %	3137,0034 litre	O
370	CM 85	CM	101 LEVEL CM	5199,5561 litre	61,912 %	3198,7065 litre	O
370	CM 85	CM	100 LEVEL CM	5137,7111 litre	61,176 %	3260,5515 litre	O
370	CM 85	CM	99 LEVEL CM	5075,7334 litre	60,438 %	3322,5292 litre	O
370	CM 85	CM	98 LEVEL CM	5013,6322 litre	59,698 %	3384,6304 litre	O
370	CM 85	CM	97 LEVEL CM	4951,4164 litre	58,958 %	3446,8462 litre	O
370	CM 85	CM	96 LEVEL CM	4889,0951 litre	58,216 %	3509,1675 litre	O
370	CM 85	CM	95 LEVEL CM	4826,6773 litre	57,472 %	3571,5853 litre	O
370	CM 85	CM	94 LEVEL CM	4764,1717 litre	56,728 %	3634,0909 litre	O
370	CM 85	CM	93 LEVEL CM	4701,5874 litre	55,983 %	3696,6752 litre	O
370	CM 85	CM	92 LEVEL CM	4638,9331 litre	55,237 %	3759,3295 litre	O
370	CM 85	CM	91 LEVEL CM	4576,2176 litre	54,490 %	3822,0450 litre	O
370	CM 85	CM	90 LEVEL CM	4513,4498 litre	53,743 %	3884,8128 litre	O
370	CM 85	CM	89 LEVEL CM	4450,6384 litre	52,995 %	3947,6242 litre	O
370	CM 85	CM	88 LEVEL CM	4387,7921 litre	52,246 %	4010,4705 litre	O
370	CM 85	CM	87 LEVEL CM	4324,9197 litre	51,498 %	4073,3429 litre	O
370	CM 85	CM	86 LEVEL CM	4262,0298 litre	50,749 %	4136,2328 litre	O
370	CM 85	CM	85 LEVEL CM	4199,1313 litre	50,000 %	4199,1313 litre	O
370	CM 85	CM	84 LEVEL CM	4136,2327 litre	49,251 %	4262,0299 litre	O
370	CM 85	CM	83 LEVEL CM	4073,3429 litre	48,502 %	4324,9197 litre	O
370	CM 85	CM	82 LEVEL CM	4010,4705 litre	47,754 %	4387,7921 litre	O
370	CM 85	CM	81 LEVEL CM	3947,6242 litre	47,005 %	4450,6384 litre	O
370	CM 85	CM	80 LEVEL CM	3884,8127 litre	46,257 %	4513,4499 litre	O
370	CM 85	CM	79 LEVEL CM	3822,0449 litre	45,510 %	4576,2177 litre	O
370	CM 85	CM	78 LEVEL CM	3759,3295 litre	44,763 %	4638,9331 litre	O
370	CM 85	CM	77 LEVEL CM	3696,6752 litre	44,017 %	4701,5874 litre	O
370	CM 85	CM	76 LEVEL CM	3634,0908 litre	43,272 %	4764,1718 litre	O
370	CM 85	CM	75 LEVEL CM	3571,5853 litre	42,528 %	4826,6773 litre	O
370	CM 85	CM	74 LEVEL CM	3509,1674 litre	41,784 %	4889,0952 litre	O
370	CM 85	CM	73 LEVEL CM	3446,8461 litre	41,042 %	4951,4165 litre	O
370	CM 85	CM	72 LEVEL CM	3384,6304 litre	40,302 %	5013,6322 litre	O
370	CM 85	CM	71 LEVEL CM	3322,5291 litre	39,562 %	5075,7335 litre	O
370	CM 85	CM	70 LEVEL CM	3260,5515 litre	38,824 %	5137,7111 litre	O
370	CM 85	CM	69 LEVEL CM	3198,7065 litre	38,088 %	5199,5561 litre	O
370	CM 85	CM	68 LEVEL CM	3137,0033 litre	37,353 %	5261,2593 litre	O
370	CM 85	CM	67 LEVEL CM	3075,4513 litre	36,620 %	5322,8113 litre	O
370	CM 85	CM	66 LEVEL CM	3014,0595 litre	35,889 %	5384,2031 litre	O

370	CM	85	CM	65 LEVEL CM	2952,8375 litre	35,160 %	5445,4251 litre	O
370	CM	85	CM	64 LEVEL CM	2891,7946 litre	34,433 %	5506,4680 litre	O
370	CM	85	CM	63 LEVEL CM	2830,9404 litre	33,709 %	5567,3222 litre	O
370	CM	85	CM	62 LEVEL CM	2770,2845 litre	32,986 %	5627,9781 litre	O
370	CM	85	CM	61 LEVEL CM	2709,8366 litre	32,267 %	5688,4260 litre	O
370	CM	85	CM	60 LEVEL CM	2649,6065 litre	31,549 %	5748,6561 litre	O
370	CM	85	CM	59 LEVEL CM	2589,6042 litre	30,835 %	5808,6584 litre	O
370	CM	85	CM	58 LEVEL CM	2529,8396 litre	30,123 %	5868,4230 litre	O
370	CM	85	CM	57 LEVEL CM	2470,3229 litre	29,415 %	5927,9397 litre	O
370	CM	85	CM	56 LEVEL CM	2411,0644 litre	28,709 %	5987,1982 litre	O
370	CM	85	CM	55 LEVEL CM	2352,0745 litre	28,007 %	6046,1881 litre	O
370	CM	85	CM	54 LEVEL CM	2293,3637 litre	27,308 %	6104,8989 litre	O
370	CM	85	CM	53 LEVEL CM	2234,9428 litre	26,612 %	6163,3198 litre	O
370	CM	85	CM	52 LEVEL CM	2176,8226 litre	25,920 %	6221,4400 litre	O
370	CM	85	CM	51 LEVEL CM	2119,0142 litre	25,232 %	6279,2484 litre	O
370	CM	85	CM	50 LEVEL CM	2061,5288 litre	24,547 %	6336,7338 litre	O
370	CM	85	CM	49 LEVEL CM	2004,3778 litre	23,867 %	6393,8848 litre	O
370	CM	85	CM	48 LEVEL CM	1947,5727 litre	23,190 %	6450,6899 litre	O
370	CM	85	CM	47 LEVEL CM	1891,1255 litre	22,518 %	6507,1371 litre	O
370	CM	85	CM	46 LEVEL CM	1835,0481 litre	21,850 %	6563,2145 litre	O
370	CM	85	CM	45 LEVEL CM	1779,3529 litre	21,187 %	6618,9097 litre	O
370	CM	85	CM	44 LEVEL CM	1724,0523 litre	20,529 %	6674,2103 litre	O
370	CM	85	CM	43 LEVEL CM	1669,1593 litre	19,875 %	6729,1033 litre	O
370	CM	85	CM	42 LEVEL CM	1614,6868 litre	19,226 %	6783,5758 litre	O
370	CM	85	CM	41 LEVEL CM	1560,6484 litre	18,583 %	6837,6142 litre	O
370	CM	85	CM	40 LEVEL CM	1507,0577 litre	17,945 %	6891,2049 litre	O
370	CM	85	CM	39 LEVEL CM	1453,9288 litre	17,312 %	6944,3338 litre	O
370	CM	85	CM	38 LEVEL CM	1401,2762 litre	16,685 %	6996,9864 litre	O
370	CM	85	CM	37 LEVEL CM	1349,1147 litre	16,064 %	7049,1479 litre	O
370	CM	85	CM	36 LEVEL CM	1297,4596 litre	15,449 %	7100,8030 litre	O
370	CM	85	CM	35 LEVEL CM	1246,3266 litre	14,840 %	7151,9360 litre	O
370	CM	85	CM	34 LEVEL CM	1195,7319 litre	14,238 %	7202,5307 litre	O
370	CM	85	CM	33 LEVEL CM	1145,6923 litre	13,642 %	7252,5703 litre	O
370	CM	85	CM	32 LEVEL CM	1096,2250 litre	13,053 %	7302,0376 litre	O
370	CM	85	CM	31 LEVEL CM	1047,3479 litre	12,471 %	7350,9147 litre	O
370	CM	85	CM	30 LEVEL CM	999,0797 litre	11,896 %	7399,1829 litre	O
370	CM	85	CM	29 LEVEL CM	951,4395 litre	11,329 %	7446,8231 litre	O
370	CM	85	CM	28 LEVEL CM	904,4475 litre	10,769 %	7493,8151 litre	O
370	CM	85	CM	27 LEVEL CM	858,1245 litre	10,218 %	7540,1381 litre	O
370	CM	85	CM	26 LEVEL CM	812,4922 litre	9,675 %	7585,7704 litre	O
370	CM	85	CM	25 LEVEL CM	767,5737 litre	9,140 %	7630,6889 litre	O
370	CM	85	CM	24 LEVEL CM	723,3926 litre	8,614 %	7674,8700 litre	O
370	CM	85	CM	23 LEVEL CM	679,9742 litre	8,097 %	7718,2884 litre	O
370	CM	85	CM	22 LEVEL CM	637,3451 litre	7,589 %	7760,9175 litre	O
370	CM	85	CM	21 LEVEL CM	595,5330 litre	7,091 %	7802,7296 litre	O
370	CM	85	CM	20 LEVEL CM	554,5678 litre	6,603 %	7843,6948 litre	O
370	CM	85	CM	19 LEVEL CM	514,4809 litre	6,126 %	7883,7817 litre	O
370	CM	85	CM	18 LEVEL CM	475,3061 litre	5,660 %	7922,9565 litre	O
370	CM	85	CM	17 LEVEL CM	437,0793 litre	5,204 %	7961,1833 litre	O
370	CM	85	CM	16 LEVEL CM	399,8395 litre	4,761 %	7998,4231 litre	O
370	CM	85	CM	15 LEVEL CM	363,6287 litre	4,330 %	8034,6339 litre	O
370	CM	85	CM	14 LEVEL CM	328,4924 litre	3,911 %	8069,7702 litre	O
370	CM	85	CM	13 LEVEL CM	294,4809 litre	3,506 %	8103,7817 litre	O

370	CM	85	CM	12 LEVEL CM	261,6492 litre	3,116 %	8136,6134 litre	O
370	CM	85	CM	11 LEVEL CM	230,0587 litre	2,739 %	8168,2039 litre	O
370	CM	85	CM	10 LEVEL CM	199,7784 litre	2,379 %	8198,4842 litre	O
370	CM	85	CM	9 LEVEL CM	170,8866 litre	2,035 %	8227,3760 litre	O
370	CM	85	CM	8 LEVEL CM	143,4735 litre	1,708 %	8254,7891 litre	O
370	CM	85	CM	7 LEVEL CM	117,6449 litre	1,401 %	8280,6177 litre	O
370	CM	85	CM	6 LEVEL CM	93,5275 litre	1,114 %	8304,7351 litre	O
370	CM	85	CM	5 LEVEL CM	71,2772 litre	0,849 %	8326,9854 litre	O
370	CM	85	CM	4 LEVEL CM	51,0935 litre	0,608 %	8347,1691 litre	O
370	CM	85	CM	3 LEVEL CM	33,2456 litre	0,396 %	8365,0170 litre	O
370	CM	85	CM	2 LEVEL CM	18,1289 litre	0,216 %	8380,1337 litre	O
370	CM	85	CM	1 LEVEL CM	6,4209 litre	0,076 %	8391,8417 litre	O
370	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	8398,2626 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 80	CM 160 LEVEL CM	7439,2914 litre	100,000 %	0,0000 litre	O
370	CM 80	CM 159 LEVEL CM	7433,0629 litre	99,916 %	6,2285 litre	O
370	CM 80	CM 158 LEVEL CM	7421,7077 litre	99,764 %	17,5837 litre	O
370	CM 80	CM 157 LEVEL CM	7407,0492 litre	99,567 %	32,2422 litre	O
370	CM 80	CM 156 LEVEL CM	7389,7457 litre	99,334 %	49,5457 litre	O
370	CM 80	CM 155 LEVEL CM	7370,1813 litre	99,071 %	69,1101 litre	O
370	CM 80	CM 154 LEVEL CM	7348,6179 litre	98,781 %	90,6735 litre	O
370	CM 80	CM 153 LEVEL CM	7325,2497 litre	98,467 %	114,0417 litre	O
370	CM 80	CM 152 LEVEL CM	7300,2285 litre	98,131 %	139,0629 litre	O
370	CM 80	CM 151 LEVEL CM	7273,6777 litre	97,774 %	165,6137 litre	O
370	CM 80	CM 150 LEVEL CM	7245,7004 litre	97,398 %	193,5910 litre	O
370	CM 80	CM 149 LEVEL CM	7216,3847 litre	97,004 %	222,9067 litre	O
370	CM 80	CM 148 LEVEL CM	7185,8071 litre	96,593 %	253,4843 litre	O
370	CM 80	CM 147 LEVEL CM	7154,0348 litre	96,166 %	285,2566 litre	O
370	CM 80	CM 146 LEVEL CM	7121,1278 litre	95,723 %	318,1636 litre	O
370	CM 80	CM 145 LEVEL CM	7087,1402 litre	95,266 %	352,1512 litre	O
370	CM 80	CM 144 LEVEL CM	7052,1208 litre	94,796 %	387,1706 litre	O
370	CM 80	CM 143 LEVEL CM	7016,1144 litre	94,312 %	423,1770 litre	O
370	CM 80	CM 142 LEVEL CM	6979,1623 litre	93,815 %	460,1291 litre	O
370	CM 80	CM 141 LEVEL CM	6941,3025 litre	93,306 %	497,9889 litre	O
370	CM 80	CM 140 LEVEL CM	6902,5703 litre	92,785 %	536,7211 litre	O
370	CM 80	CM 139 LEVEL CM	6862,9989 litre	92,253 %	576,2925 litre	O
370	CM 80	CM 138 LEVEL CM	6822,6192 litre	91,711 %	616,6722 litre	O
370	CM 80	CM 137 LEVEL CM	6781,4604 litre	91,157 %	657,8310 litre	O
370	CM 80	CM 136 LEVEL CM	6739,5502 litre	90,594 %	699,7412 litre	O
370	CM 80	CM 135 LEVEL CM	6696,9144 litre	90,021 %	742,3770 litre	O
370	CM 80	CM 134 LEVEL CM	6653,5780 litre	89,438 %	785,7134 litre	O
370	CM 80	CM 133 LEVEL CM	6609,5645 litre	88,847 %	829,7269 litre	O
370	CM 80	CM 132 LEVEL CM	6564,8964 litre	88,246 %	874,3950 litre	O
370	CM 80	CM 131 LEVEL CM	6519,5953 litre	87,637 %	919,6961 litre	O
370	CM 80	CM 130 LEVEL CM	6473,6818 litre	87,020 %	965,6096 litre	O
370	CM 80	CM 129 LEVEL CM	6427,1758 litre	86,395 %	1012,1156 litre	O
370	CM 80	CM 128 LEVEL CM	6380,0963 litre	85,762 %	1059,1951 litre	O
370	CM 80	CM 127 LEVEL CM	6332,4618 litre	85,122 %	1106,8296 litre	O
370	CM 80	CM 126 LEVEL CM	6284,2900 litre	84,474 %	1155,0014 litre	O
370	CM 80	CM 125 LEVEL CM	6235,5981 litre	83,820 %	1203,6933 litre	O
370	CM 80	CM 124 LEVEL CM	6186,4027 litre	83,158 %	1252,8887 litre	O
370	CM 80	CM 123 LEVEL CM	6136,7199 litre	82,491 %	1302,5715 litre	O
370	CM 80	CM 122 LEVEL CM	6086,5654 litre	81,816 %	1352,7260 litre	O
370	CM 80	CM 121 LEVEL CM	6035,9544 litre	81,136 %	1403,3370 litre	O
370	CM 80	CM 120 LEVEL CM	5984,9017 litre	80,450 %	1454,3897 litre	O
370	CM 80	CM 119 LEVEL CM	5933,4217 litre	79,758 %	1505,8697 litre	O
370	CM 80	CM 118 LEVEL CM	5881,5286 litre	79,060 %	1557,7628 litre	O
370	CM 80	CM 117 LEVEL CM	5829,2359 litre	78,357 %	1610,0555 litre	O
370	CM 80	CM 116 LEVEL CM	5776,5573 litre	77,649 %	1662,7341 litre	O
370	CM 80	CM 115 LEVEL CM	5723,5057 litre	76,936 %	1715,7857 litre	O
370	CM 80	CM 114 LEVEL CM	5670,0940 litre	76,218 %	1769,1974 litre	O
370	CM 80	CM 113 LEVEL CM	5616,3349 litre	75,496 %	1822,9565 litre	O
370	CM 80	CM 112 LEVEL CM	5562,2407 litre	74,768 %	1877,0507 litre	O
370	CM 80	CM 111 LEVEL CM	5507,8235 litre	74,037 %	1931,4679 litre	O
370	CM 80	CM 110 LEVEL CM	5453,0953 litre	73,301 %	1986,1961 litre	O
370	CM 80	CM 109 LEVEL CM	5398,0677 litre	72,562 %	2041,2237 litre	O

370	CM	80	CM	108 LEVEL CM	5342,7522 litre	71,818 %	2096,5392 litre	O
370	CM	80	CM	107 LEVEL CM	5287,1603 litre	71,071 %	2152,1311 litre	O
370	CM	80	CM	106 LEVEL CM	5231,3030 litre	70,320 %	2207,9884 litre	O
370	CM	80	CM	105 LEVEL CM	5175,1914 litre	69,566 %	2264,1000 litre	O
370	CM	80	CM	104 LEVEL CM	5118,8363 litre	68,808 %	2320,4551 litre	O
370	CM	80	CM	103 LEVEL CM	5062,2485 litre	68,047 %	2377,0429 litre	O
370	CM	80	CM	102 LEVEL CM	5005,4386 litre	67,284 %	2433,8528 litre	O
370	CM	80	CM	101 LEVEL CM	4948,4170 litre	66,517 %	2490,8744 litre	O
370	CM	80	CM	100 LEVEL CM	4891,1941 litre	65,748 %	2548,0973 litre	O
370	CM	80	CM	99 LEVEL CM	4833,7801 litre	64,976 %	2605,5113 litre	O
370	CM	80	CM	98 LEVEL CM	4776,1852 litre	64,202 %	2663,1062 litre	O
370	CM	80	CM	97 LEVEL CM	4718,4193 litre	63,426 %	2720,8721 litre	O
370	CM	80	CM	96 LEVEL CM	4660,4926 litre	62,647 %	2778,7988 litre	O
370	CM	80	CM	95 LEVEL CM	4602,4148 litre	61,866 %	2836,8766 litre	O
370	CM	80	CM	94 LEVEL CM	4544,1957 litre	61,084 %	2895,0957 litre	O
370	CM	80	CM	93 LEVEL CM	4485,8451 litre	60,299 %	2953,4463 litre	O
370	CM	80	CM	92 LEVEL CM	4427,3726 litre	59,513 %	3011,9188 litre	O
370	CM	80	CM	91 LEVEL CM	4368,7879 litre	58,726 %	3070,5035 litre	O
370	CM	80	CM	90 LEVEL CM	4310,1004 litre	57,937 %	3129,1910 litre	O
370	CM	80	CM	89 LEVEL CM	4251,3197 litre	57,147 %	3187,9717 litre	O
370	CM	80	CM	88 LEVEL CM	4192,4552 litre	56,356 %	3246,8362 litre	O
370	CM	80	CM	87 LEVEL CM	4133,5163 litre	55,563 %	3305,7751 litre	O
370	CM	80	CM	86 LEVEL CM	4074,5124 litre	54,770 %	3364,7790 litre	O
370	CM	80	CM	85 LEVEL CM	4015,4529 litre	53,976 %	3423,8385 litre	O
370	CM	80	CM	84 LEVEL CM	3956,3470 litre	53,182 %	3482,9444 litre	O
370	CM	80	CM	83 LEVEL CM	3897,2041 litre	52,387 %	3542,0873 litre	O
370	CM	80	CM	82 LEVEL CM	3838,0334 litre	51,591 %	3601,2580 litre	O
370	CM	80	CM	81 LEVEL CM	3778,8442 litre	50,796 %	3660,4472 litre	O
370	CM	80	CM	80 LEVEL CM	3719,6457 litre	50,000 %	3719,6457 litre	O
370	CM	80	CM	79 LEVEL CM	3660,4472 litre	49,204 %	3778,8442 litre	O
370	CM	80	CM	78 LEVEL CM	3601,2580 litre	48,409 %	3838,0334 litre	O
370	CM	80	CM	77 LEVEL CM	3542,0873 litre	47,613 %	3897,2041 litre	O
370	CM	80	CM	76 LEVEL CM	3482,9444 litre	46,818 %	3956,3470 litre	O
370	CM	80	CM	75 LEVEL CM	3423,8385 litre	46,024 %	4015,4529 litre	O
370	CM	80	CM	74 LEVEL CM	3364,7790 litre	45,230 %	4074,5124 litre	O
370	CM	80	CM	73 LEVEL CM	3305,7751 litre	44,437 %	4133,5163 litre	O
370	CM	80	CM	72 LEVEL CM	3246,8362 litre	43,644 %	4192,4552 litre	O
370	CM	80	CM	71 LEVEL CM	3187,9717 litre	42,853 %	4251,3197 litre	O
370	CM	80	CM	70 LEVEL CM	3129,1910 litre	42,063 %	4310,1004 litre	O
370	CM	80	CM	69 LEVEL CM	3070,5035 litre	41,274 %	4368,7879 litre	O
370	CM	80	CM	68 LEVEL CM	3011,9188 litre	40,487 %	4427,3726 litre	O
370	CM	80	CM	67 LEVEL CM	2953,4463 litre	39,701 %	4485,8451 litre	O
370	CM	80	CM	66 LEVEL CM	2895,0957 litre	38,916 %	4544,1957 litre	O
370	CM	80	CM	65 LEVEL CM	2836,8766 litre	38,134 %	4602,4148 litre	O
370	CM	80	CM	64 LEVEL CM	2778,7988 litre	37,353 %	4660,4926 litre	O
370	CM	80	CM	63 LEVEL CM	2720,8721 litre	36,574 %	4718,4193 litre	O
370	CM	80	CM	62 LEVEL CM	2663,1062 litre	35,798 %	4776,1852 litre	O
370	CM	80	CM	61 LEVEL CM	2605,5113 litre	35,024 %	4833,7801 litre	O
370	CM	80	CM	60 LEVEL CM	2548,0973 litre	34,252 %	4891,1941 litre	O
370	CM	80	CM	59 LEVEL CM	2490,8744 litre	33,483 %	4948,4170 litre	O
370	CM	80	CM	58 LEVEL CM	2433,8528 litre	32,716 %	5005,4386 litre	O
370	CM	80	CM	57 LEVEL CM	2377,0429 litre	31,953 %	5062,2485 litre	O
370	CM	80	CM	56 LEVEL CM	2320,4551 litre	31,192 %	5118,8363 litre	O

370	CM	80	CM	55 LEVEL CM	2264,1000 litre	30,434 %	5175,1914 litre	O
370	CM	80	CM	54 LEVEL CM	2207,9884 litre	29,680 %	5231,3030 litre	O
370	CM	80	CM	53 LEVEL CM	2152,1311 litre	28,929 %	5287,1603 litre	O
370	CM	80	CM	52 LEVEL CM	2096,5392 litre	28,182 %	5342,7522 litre	O
370	CM	80	CM	51 LEVEL CM	2041,2237 litre	27,438 %	5398,0677 litre	O
370	CM	80	CM	50 LEVEL CM	1986,1961 litre	26,699 %	5453,0953 litre	O
370	CM	80	CM	49 LEVEL CM	1931,4679 litre	25,963 %	5507,8235 litre	O
370	CM	80	CM	48 LEVEL CM	1877,0507 litre	25,232 %	5562,2407 litre	O
370	CM	80	CM	47 LEVEL CM	1822,9565 litre	24,504 %	5616,3349 litre	O
370	CM	80	CM	46 LEVEL CM	1769,1974 litre	23,782 %	5670,0940 litre	O
370	CM	80	CM	45 LEVEL CM	1715,7857 litre	23,064 %	5723,5057 litre	O
370	CM	80	CM	44 LEVEL CM	1662,7342 litre	22,351 %	5776,5572 litre	O
370	CM	80	CM	43 LEVEL CM	1610,0555 litre	21,643 %	5829,2359 litre	O
370	CM	80	CM	42 LEVEL CM	1557,7629 litre	20,940 %	5881,5285 litre	O
370	CM	80	CM	41 LEVEL CM	1505,8697 litre	20,242 %	5933,4217 litre	O
370	CM	80	CM	40 LEVEL CM	1454,3897 litre	19,550 %	5984,9017 litre	O
370	CM	80	CM	39 LEVEL CM	1403,3370 litre	18,864 %	6035,9544 litre	O
370	CM	80	CM	38 LEVEL CM	1352,7260 litre	18,184 %	6086,5654 litre	O
370	CM	80	CM	37 LEVEL CM	1302,5715 litre	17,509 %	6136,7199 litre	O
370	CM	80	CM	36 LEVEL CM	1252,8887 litre	16,842 %	6186,4027 litre	O
370	CM	80	CM	35 LEVEL CM	1203,6933 litre	16,180 %	6235,5981 litre	O
370	CM	80	CM	34 LEVEL CM	1155,0014 litre	15,526 %	6284,2900 litre	O
370	CM	80	CM	33 LEVEL CM	1106,8296 litre	14,878 %	6332,4618 litre	O
370	CM	80	CM	32 LEVEL CM	1059,1951 litre	14,238 %	6380,0963 litre	O
370	CM	80	CM	31 LEVEL CM	1012,1156 litre	13,605 %	6427,1758 litre	O
370	CM	80	CM	30 LEVEL CM	965,6096 litre	12,980 %	6473,6818 litre	O
370	CM	80	CM	29 LEVEL CM	919,6961 litre	12,363 %	6519,5953 litre	O
370	CM	80	CM	28 LEVEL CM	874,3950 litre	11,754 %	6564,8964 litre	O
370	CM	80	CM	27 LEVEL CM	829,7269 litre	11,153 %	6609,5645 litre	O
370	CM	80	CM	26 LEVEL CM	785,7134 litre	10,562 %	6653,5780 litre	O
370	CM	80	CM	25 LEVEL CM	742,3770 litre	9,979 %	6696,9144 litre	O
370	CM	80	CM	24 LEVEL CM	699,7413 litre	9,406 %	6739,5501 litre	O
370	CM	80	CM	23 LEVEL CM	657,8310 litre	8,843 %	6781,4604 litre	O
370	CM	80	CM	22 LEVEL CM	616,6722 litre	8,289 %	6822,6192 litre	O
370	CM	80	CM	21 LEVEL CM	576,2925 litre	7,747 %	6862,9989 litre	O
370	CM	80	CM	20 LEVEL CM	536,7211 litre	7,215 %	6902,5703 litre	O
370	CM	80	CM	19 LEVEL CM	497,9890 litre	6,694 %	6941,3024 litre	O
370	CM	80	CM	18 LEVEL CM	460,1291 litre	6,185 %	6979,1623 litre	O
370	CM	80	CM	17 LEVEL CM	423,1770 litre	5,688 %	7016,1144 litre	O
370	CM	80	CM	16 LEVEL CM	387,1706 litre	5,204 %	7052,1208 litre	O
370	CM	80	CM	15 LEVEL CM	352,1512 litre	4,734 %	7087,1402 litre	O
370	CM	80	CM	14 LEVEL CM	318,1636 litre	4,277 %	7121,1278 litre	O
370	CM	80	CM	13 LEVEL CM	285,2566 litre	3,834 %	7154,0348 litre	O
370	CM	80	CM	12 LEVEL CM	253,4843 litre	3,407 %	7185,8071 litre	O
370	CM	80	CM	11 LEVEL CM	222,9067 litre	2,996 %	7216,3847 litre	O
370	CM	80	CM	10 LEVEL CM	193,5910 litre	2,602 %	7245,7004 litre	O
370	CM	80	CM	9 LEVEL CM	165,6137 litre	2,226 %	7273,6777 litre	O
370	CM	80	CM	8 LEVEL CM	139,0629 litre	1,869 %	7300,2285 litre	O
370	CM	80	CM	7 LEVEL CM	114,0417 litre	1,533 %	7325,2497 litre	O
370	CM	80	CM	6 LEVEL CM	90,6735 litre	1,219 %	7348,6179 litre	O
370	CM	80	CM	5 LEVEL CM	69,1101 litre	0,929 %	7370,1813 litre	O
370	CM	80	CM	4 LEVEL CM	49,5457 litre	0,666 %	7389,7457 litre	O
370	CM	80	CM	3 LEVEL CM	32,2422 litre	0,433 %	7407,0492 litre	O

370_80

-1831-

370	CM 80	CM	2 LEVEL CM	17,5837 litre	0,236 %	7421,7077 litre	O
370	CM 80	CM	1 LEVEL CM	6,2285 litre	0,084 %	7433,0629 litre	O
370	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	7439,2914 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
370	CM	75	CM	150 LEVEL CM	6538,4397 litre	100,000 %	0,0000 litre	O
370	CM	75	CM	149 LEVEL CM	6532,4097 litre	99,908 %	6,0300 litre	O
370	CM	75	CM	148 LEVEL CM	6521,4187 litre	99,740 %	17,0210 litre	O
370	CM	75	CM	147 LEVEL CM	6507,2332 litre	99,523 %	31,2065 litre	O
370	CM	75	CM	146 LEVEL CM	6490,4917 litre	99,267 %	47,9480 litre	O
370	CM	75	CM	145 LEVEL CM	6471,5669 litre	98,977 %	66,8728 litre	O
370	CM	75	CM	144 LEVEL CM	6450,7130 litre	98,658 %	87,7267 litre	O
370	CM	75	CM	143 LEVEL CM	6428,1188 litre	98,313 %	110,3209 litre	O
370	CM	75	CM	142 LEVEL CM	6403,9319 litre	97,943 %	134,5078 litre	O
370	CM	75	CM	141 LEVEL CM	6378,2724 litre	97,550 %	160,1673 litre	O
370	CM	75	CM	140 LEVEL CM	6351,2406 litre	97,137 %	187,1991 litre	O
370	CM	75	CM	139 LEVEL CM	6322,9224 litre	96,704 %	215,5173 litre	O
370	CM	75	CM	138 LEVEL CM	6293,3922 litre	96,252 %	245,0475 litre	O
370	CM	75	CM	137 LEVEL CM	6262,7159 litre	95,783 %	275,7238 litre	O
370	CM	75	CM	136 LEVEL CM	6230,9519 litre	95,297 %	307,4878 litre	O
370	CM	75	CM	135 LEVEL CM	6198,1530 litre	94,796 %	340,2867 litre	O
370	CM	75	CM	134 LEVEL CM	6164,3671 litre	94,279 %	374,0726 litre	O
370	CM	75	CM	133 LEVEL CM	6129,6381 litre	93,748 %	408,8016 litre	O
370	CM	75	CM	132 LEVEL CM	6094,0061 litre	93,203 %	444,4336 litre	O
370	CM	75	CM	131 LEVEL CM	6057,5086 litre	92,645 %	480,9311 litre	O
370	CM	75	CM	130 LEVEL CM	6020,1803 litre	92,074 %	518,2594 litre	O
370	CM	75	CM	129 LEVEL CM	5982,0536 litre	91,491 %	556,3861 litre	O
370	CM	75	CM	128 LEVEL CM	5943,1590 litre	90,896 %	595,2807 litre	O
370	CM	75	CM	127 LEVEL CM	5903,5252 litre	90,290 %	634,9145 litre	O
370	CM	75	CM	126 LEVEL CM	5863,1793 litre	89,672 %	675,2604 litre	O
370	CM	75	CM	125 LEVEL CM	5822,1470 litre	89,045 %	716,2927 litre	O
370	CM	75	CM	124 LEVEL CM	5780,4527 litre	88,407 %	757,9870 litre	O
370	CM	75	CM	123 LEVEL CM	5738,1197 litre	87,760 %	800,3200 litre	O
370	CM	75	CM	122 LEVEL CM	5695,1703 litre	87,103 %	843,2694 litre	O
370	CM	75	CM	121 LEVEL CM	5651,6258 litre	86,437 %	886,8139 litre	O
370	CM	75	CM	120 LEVEL CM	5607,5065 litre	85,762 %	930,9332 litre	O
370	CM	75	CM	119 LEVEL CM	5562,8322 litre	85,079 %	975,6075 litre	O
370	CM	75	CM	118 LEVEL CM	5517,6218 litre	84,387 %	1020,8179 litre	O
370	CM	75	CM	117 LEVEL CM	5471,8934 litre	83,688 %	1066,5463 litre	O
370	CM	75	CM	116 LEVEL CM	5425,6649 litre	82,981 %	1112,7748 litre	O
370	CM	75	CM	115 LEVEL CM	5378,9532 litre	82,267 %	1159,4865 litre	O
370	CM	75	CM	114 LEVEL CM	5331,7748 litre	81,545 %	1206,6649 litre	O
370	CM	75	CM	113 LEVEL CM	5284,1460 litre	80,817 %	1254,2937 litre	O
370	CM	75	CM	112 LEVEL CM	5236,0822 litre	80,082 %	1302,3575 litre	O
370	CM	75	CM	111 LEVEL CM	5187,5987 litre	79,340 %	1350,8410 litre	O
370	CM	75	CM	110 LEVEL CM	5138,7103 litre	78,592 %	1399,7294 litre	O
370	CM	75	CM	109 LEVEL CM	5089,4314 litre	77,839 %	1449,0083 litre	O
370	CM	75	CM	108 LEVEL CM	5039,7761 litre	77,079 %	1498,6636 litre	O
370	CM	75	CM	107 LEVEL CM	4989,7581 litre	76,314 %	1548,6816 litre	O
370	CM	75	CM	106 LEVEL CM	4939,3911 litre	75,544 %	1599,0486 litre	O
370	CM	75	CM	105 LEVEL CM	4888,6881 litre	74,768 %	1649,7516 litre	O
370	CM	75	CM	104 LEVEL CM	4837,6622 litre	73,988 %	1700,7775 litre	O
370	CM	75	CM	103 LEVEL CM	4786,3260 litre	73,203 %	1752,1137 litre	O
370	CM	75	CM	102 LEVEL CM	4734,6919 litre	72,413 %	1803,7478 litre	O
370	CM	75	CM	101 LEVEL CM	4682,7723 litre	71,619 %	1855,6674 litre	O
370	CM	75	CM	100 LEVEL CM	4630,5792 litre	70,821 %	1907,8605 litre	O
370	CM	75	CM	99 LEVEL CM	4578,1244 litre	70,019 %	1960,3153 litre	O

370	CM	75	CM	98 LEVEL CM	4525,4197 litre	69,213 %	2013,0200 litre	O
370	CM	75	CM	97 LEVEL CM	4472,4766 litre	68,403 %	2065,9631 litre	O
370	CM	75	CM	96 LEVEL CM	4419,3063 litre	67,590 %	2119,1334 litre	O
370	CM	75	CM	95 LEVEL CM	4365,9203 litre	66,773 %	2172,5194 litre	O
370	CM	75	CM	94 LEVEL CM	4312,3295 litre	65,953 %	2226,1102 litre	O
370	CM	75	CM	93 LEVEL CM	4258,5448 litre	65,131 %	2279,8949 litre	O
370	CM	75	CM	92 LEVEL CM	4204,5773 litre	64,306 %	2333,8624 litre	O
370	CM	75	CM	91 LEVEL CM	4150,4375 litre	63,477 %	2388,0022 litre	O
370	CM	75	CM	90 LEVEL CM	4096,1361 litre	62,647 %	2442,3036 litre	O
370	CM	75	CM	89 LEVEL CM	4041,6836 litre	61,814 %	2496,7561 litre	O
370	CM	75	CM	88 LEVEL CM	3987,0906 litre	60,979 %	2551,3491 litre	O
370	CM	75	CM	87 LEVEL CM	3932,3672 litre	60,142 %	2606,0725 litre	O
370	CM	75	CM	86 LEVEL CM	3877,5240 litre	59,304 %	2660,9157 litre	O
370	CM	75	CM	85 LEVEL CM	3822,5710 litre	58,463 %	2715,8687 litre	O
370	CM	75	CM	84 LEVEL CM	3767,5185 litre	57,621 %	2770,9212 litre	O
370	CM	75	CM	83 LEVEL CM	3712,3765 litre	56,778 %	2826,0632 litre	O
370	CM	75	CM	82 LEVEL CM	3657,1551 litre	55,933 %	2881,2846 litre	O
370	CM	75	CM	81 LEVEL CM	3601,8643 litre	55,088 %	2936,5754 litre	O
370	CM	75	CM	80 LEVEL CM	3546,5142 litre	54,241 %	2991,9255 litre	O
370	CM	75	CM	79 LEVEL CM	3491,1146 litre	53,394 %	3047,3251 litre	O
370	CM	75	CM	78 LEVEL CM	3435,6754 litre	52,546 %	3102,7643 litre	O
370	CM	75	CM	77 LEVEL CM	3380,2067 litre	51,697 %	3158,2330 litre	O
370	CM	75	CM	76 LEVEL CM	3324,7182 litre	50,849 %	3213,7215 litre	O
370	CM	75	CM	75 LEVEL CM	3269,2199 litre	50,000 %	3269,2198 litre	O
370	CM	75	CM	74 LEVEL CM	3213,7215 litre	49,151 %	3324,7182 litre	O
370	CM	75	CM	73 LEVEL CM	3158,2330 litre	48,303 %	3380,2067 litre	O
370	CM	75	CM	72 LEVEL CM	3102,7643 litre	47,454 %	3435,6754 litre	O
370	CM	75	CM	71 LEVEL CM	3047,3251 litre	46,606 %	3491,1146 litre	O
370	CM	75	CM	70 LEVEL CM	2991,9255 litre	45,759 %	3546,5142 litre	O
370	CM	75	CM	69 LEVEL CM	2936,5754 litre	44,912 %	3601,8643 litre	O
370	CM	75	CM	68 LEVEL CM	2881,2846 litre	44,067 %	3657,1551 litre	O
370	CM	75	CM	67 LEVEL CM	2826,0633 litre	43,222 %	3712,3764 litre	O
370	CM	75	CM	66 LEVEL CM	2770,9213 litre	42,379 %	3767,5184 litre	O
370	CM	75	CM	65 LEVEL CM	2715,8687 litre	41,537 %	3822,5710 litre	O
370	CM	75	CM	64 LEVEL CM	2660,9157 litre	40,696 %	3877,5240 litre	O
370	CM	75	CM	63 LEVEL CM	2606,0725 litre	39,858 %	3932,3672 litre	O
370	CM	75	CM	62 LEVEL CM	2551,3492 litre	39,021 %	3987,0905 litre	O
370	CM	75	CM	61 LEVEL CM	2496,7561 litre	38,186 %	4041,6836 litre	O
370	CM	75	CM	60 LEVEL CM	2442,3036 litre	37,353 %	4096,1361 litre	O
370	CM	75	CM	59 LEVEL CM	2388,0022 litre	36,523 %	4150,4375 litre	O
370	CM	75	CM	58 LEVEL CM	2333,8624 litre	35,694 %	4204,5773 litre	O
370	CM	75	CM	57 LEVEL CM	2279,8949 litre	34,869 %	4258,5448 litre	O
370	CM	75	CM	56 LEVEL CM	2226,1103 litre	34,047 %	4312,3294 litre	O
370	CM	75	CM	55 LEVEL CM	2172,5194 litre	33,227 %	4365,9203 litre	O
370	CM	75	CM	54 LEVEL CM	2119,1334 litre	32,410 %	4419,3063 litre	O
370	CM	75	CM	53 LEVEL CM	2065,9631 litre	31,597 %	4472,4766 litre	O
370	CM	75	CM	52 LEVEL CM	2013,0200 litre	30,787 %	4525,4197 litre	O
370	CM	75	CM	51 LEVEL CM	1960,3153 litre	29,981 %	4578,1244 litre	O
370	CM	75	CM	50 LEVEL CM	1907,8605 litre	29,179 %	4630,5792 litre	O
370	CM	75	CM	49 LEVEL CM	1855,6674 litre	28,381 %	4682,7723 litre	O
370	CM	75	CM	48 LEVEL CM	1803,7478 litre	27,587 %	4734,6919 litre	O
370	CM	75	CM	47 LEVEL CM	1752,1137 litre	26,797 %	4786,3260 litre	O
370	CM	75	CM	46 LEVEL CM	1700,7775 litre	26,012 %	4837,6622 litre	O

370	CM	75	CM	45 LEVEL CM	1649,7516 litre	25,232 %	4888,6881 litre	O
370	CM	75	CM	44 LEVEL CM	1599,0486 litre	24,456 %	4939,3911 litre	O
370	CM	75	CM	43 LEVEL CM	1548,6816 litre	23,686 %	4989,7581 litre	O
370	CM	75	CM	42 LEVEL CM	1498,6637 litre	22,921 %	5039,7760 litre	O
370	CM	75	CM	41 LEVEL CM	1449,0084 litre	22,161 %	5089,4313 litre	O
370	CM	75	CM	40 LEVEL CM	1399,7294 litre	21,408 %	5138,7103 litre	O
370	CM	75	CM	39 LEVEL CM	1350,8410 litre	20,660 %	5187,5987 litre	O
370	CM	75	CM	38 LEVEL CM	1302,3575 litre	19,918 %	5236,0822 litre	O
370	CM	75	CM	37 LEVEL CM	1254,2937 litre	19,183 %	5284,1460 litre	O
370	CM	75	CM	36 LEVEL CM	1206,6649 litre	18,455 %	5331,7748 litre	O
370	CM	75	CM	35 LEVEL CM	1159,4866 litre	17,733 %	5378,9531 litre	O
370	CM	75	CM	34 LEVEL CM	1112,7748 litre	17,019 %	5425,6649 litre	O
370	CM	75	CM	33 LEVEL CM	1066,5463 litre	16,312 %	5471,8934 litre	O
370	CM	75	CM	32 LEVEL CM	1020,8179 litre	15,613 %	5517,6218 litre	O
370	CM	75	CM	31 LEVEL CM	975,6075 litre	14,921 %	5562,8322 litre	O
370	CM	75	CM	30 LEVEL CM	930,9332 litre	14,238 %	5607,5065 litre	O
370	CM	75	CM	29 LEVEL CM	886,8139 litre	13,563 %	5651,6258 litre	O
370	CM	75	CM	28 LEVEL CM	843,2694 litre	12,897 %	5695,1703 litre	O
370	CM	75	CM	27 LEVEL CM	800,3200 litre	12,240 %	5738,1197 litre	O
370	CM	75	CM	26 LEVEL CM	757,9870 litre	11,593 %	5780,4527 litre	O
370	CM	75	CM	25 LEVEL CM	716,2927 litre	10,955 %	5822,1470 litre	O
370	CM	75	CM	24 LEVEL CM	675,2604 litre	10,328 %	5863,1793 litre	O
370	CM	75	CM	23 LEVEL CM	634,9145 litre	9,710 %	5903,5252 litre	O
370	CM	75	CM	22 LEVEL CM	595,2807 litre	9,104 %	5943,1590 litre	O
370	CM	75	CM	21 LEVEL CM	556,3861 litre	8,509 %	5982,0536 litre	O
370	CM	75	CM	20 LEVEL CM	518,2595 litre	7,926 %	6020,1802 litre	O
370	CM	75	CM	19 LEVEL CM	480,9311 litre	7,355 %	6057,5086 litre	O
370	CM	75	CM	18 LEVEL CM	444,4336 litre	6,797 %	6094,0061 litre	O
370	CM	75	CM	17 LEVEL CM	408,8017 litre	6,252 %	6129,6380 litre	O
370	CM	75	CM	16 LEVEL CM	374,0726 litre	5,721 %	6164,3671 litre	O
370	CM	75	CM	15 LEVEL CM	340,2867 litre	5,204 %	6198,1530 litre	O
370	CM	75	CM	14 LEVEL CM	307,4878 litre	4,703 %	6230,9519 litre	O
370	CM	75	CM	13 LEVEL CM	275,7238 litre	4,217 %	6262,7159 litre	O
370	CM	75	CM	12 LEVEL CM	245,0475 litre	3,748 %	6293,3922 litre	O
370	CM	75	CM	11 LEVEL CM	215,5173 litre	3,296 %	6322,9224 litre	O
370	CM	75	CM	10 LEVEL CM	187,1991 litre	2,863 %	6351,2406 litre	O
370	CM	75	CM	9 LEVEL CM	160,1673 litre	2,450 %	6378,2724 litre	O
370	CM	75	CM	8 LEVEL CM	134,5078 litre	2,057 %	6403,9319 litre	O
370	CM	75	CM	7 LEVEL CM	110,3209 litre	1,687 %	6428,1188 litre	O
370	CM	75	CM	6 LEVEL CM	87,7267 litre	1,342 %	6450,7130 litre	O
370	CM	75	CM	5 LEVEL CM	66,8729 litre	1,023 %	6471,5668 litre	O
370	CM	75	CM	4 LEVEL CM	47,9480 litre	0,733 %	6490,4917 litre	O
370	CM	75	CM	3 LEVEL CM	31,2065 litre	0,477 %	6507,2332 litre	O
370	CM	75	CM	2 LEVEL CM	17,0210 litre	0,260 %	6521,4187 litre	O
370	CM	75	CM	1 LEVEL CM	6,0300 litre	0,092 %	6532,4097 litre	O
370	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	6538,4397 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 70	CM 140 LEVEL CM	5695,7075 litre	100,000 %	0,0000 litre	O
370	CM 70	CM 139 LEVEL CM	5689,8828 litre	99,898 %	5,8247 litre	O
370	CM 70	CM 138 LEVEL CM	5679,2683 litre	99,711 %	16,4392 litre	O
370	CM 70	CM 137 LEVEL CM	5665,5722 litre	99,471 %	30,1353 litre	O
370	CM 70	CM 136 LEVEL CM	5649,4122 litre	99,187 %	46,2953 litre	O
370	CM 70	CM 135 LEVEL CM	5631,1494 litre	98,867 %	64,5581 litre	O
370	CM 70	CM 134 LEVEL CM	5611,0301 litre	98,513 %	84,6774 litre	O
370	CM 70	CM 133 LEVEL CM	5589,2374 litre	98,131 %	106,4701 litre	O
370	CM 70	CM 132 LEVEL CM	5565,9146 litre	97,721 %	129,7929 litre	O
370	CM 70	CM 131 LEVEL CM	5541,1784 litre	97,287 %	154,5291 litre	O
370	CM 70	CM 130 LEVEL CM	5515,1264 litre	96,830 %	180,5811 litre	O
370	CM 70	CM 129 LEVEL CM	5487,8421 litre	96,350 %	207,8654 litre	O
370	CM 70	CM 128 LEVEL CM	5459,3980 litre	95,851 %	236,3095 litre	O
370	CM 70	CM 127 LEVEL CM	5429,8583 litre	95,332 %	265,8492 litre	O
370	CM 70	CM 126 LEVEL CM	5399,2800 litre	94,796 %	296,4275 litre	O
370	CM 70	CM 125 LEVEL CM	5367,7146 litre	94,241 %	327,9929 litre	O
370	CM 70	CM 124 LEVEL CM	5335,2090 litre	93,671 %	360,4985 litre	O
370	CM 70	CM 123 LEVEL CM	5301,8060 litre	93,084 %	393,9015 litre	O
370	CM 70	CM 122 LEVEL CM	5267,5450 litre	92,483 %	428,1625 litre	O
370	CM 70	CM 121 LEVEL CM	5232,4627 litre	91,867 %	463,2448 litre	O
370	CM 70	CM 120 LEVEL CM	5196,5931 litre	91,237 %	499,1144 litre	O
370	CM 70	CM 119 LEVEL CM	5159,9681 litre	90,594 %	535,7394 litre	O
370	CM 70	CM 118 LEVEL CM	5122,6176 litre	89,938 %	573,0899 litre	O
370	CM 70	CM 117 LEVEL CM	5084,5698 litre	89,270 %	611,1377 litre	O
370	CM 70	CM 116 LEVEL CM	5045,8515 litre	88,590 %	649,8560 litre	O
370	CM 70	CM 115 LEVEL CM	5006,4879 litre	87,899 %	689,2196 litre	O
370	CM 70	CM 114 LEVEL CM	4966,5031 litre	87,197 %	729,2044 litre	O
370	CM 70	CM 113 LEVEL CM	4925,9203 litre	86,485 %	769,7872 litre	O
370	CM 70	CM 112 LEVEL CM	4884,7613 litre	85,762 %	810,9462 litre	O
370	CM 70	CM 111 LEVEL CM	4843,0472 litre	85,030 %	852,6603 litre	O
370	CM 70	CM 110 LEVEL CM	4800,7982 litre	84,288 %	894,9093 litre	O
370	CM 70	CM 109 LEVEL CM	4758,0340 litre	83,537 %	937,6735 litre	O
370	CM 70	CM 108 LEVEL CM	4714,7732 litre	82,778 %	980,9343 litre	O
370	CM 70	CM 107 LEVEL CM	4671,0341 litre	82,010 %	1024,6734 litre	O
370	CM 70	CM 106 LEVEL CM	4626,8341 litre	81,234 %	1068,8734 litre	O
370	CM 70	CM 105 LEVEL CM	4582,1903 litre	80,450 %	1113,5172 litre	O
370	CM 70	CM 104 LEVEL CM	4537,1193 litre	79,659 %	1158,5882 litre	O
370	CM 70	CM 103 LEVEL CM	4491,6370 litre	78,860 %	1204,0705 litre	O
370	CM 70	CM 102 LEVEL CM	4445,7592 litre	78,055 %	1249,9483 litre	O
370	CM 70	CM 101 LEVEL CM	4399,5009 litre	77,242 %	1296,2066 litre	O
370	CM 70	CM 100 LEVEL CM	4352,8771 litre	76,424 %	1342,8304 litre	O
370	CM 70	CM 99 LEVEL CM	4305,9023 litre	75,599 %	1389,8052 litre	O
370	CM 70	CM 98 LEVEL CM	4258,5906 litre	74,768 %	1437,1169 litre	O
370	CM 70	CM 97 LEVEL CM	4210,9559 litre	73,932 %	1484,7516 litre	O
370	CM 70	CM 96 LEVEL CM	4163,0118 litre	73,090 %	1532,6957 litre	O
370	CM 70	CM 95 LEVEL CM	4114,7717 litre	72,243 %	1580,9358 litre	O
370	CM 70	CM 94 LEVEL CM	4066,2486 litre	71,391 %	1629,4589 litre	O
370	CM 70	CM 93 LEVEL CM	4017,4554 litre	70,535 %	1678,2521 litre	O
370	CM 70	CM 92 LEVEL CM	3968,4047 litre	69,674 %	1727,3028 litre	O
370	CM 70	CM 91 LEVEL CM	3919,1091 litre	68,808 %	1776,5984 litre	O
370	CM 70	CM 90 LEVEL CM	3869,5807 litre	67,939 %	1826,1268 litre	O
370	CM 70	CM 89 LEVEL CM	3819,8316 litre	67,065 %	1875,8759 litre	O

370	CM	70	CM	88 LEVEL CM	3769,8739 litre	66,188 %	1925,8336 litre	O
370	CM	70	CM	87 LEVEL CM	3719,7193 litre	65,307 %	1975,9882 litre	O
370	CM	70	CM	86 LEVEL CM	3669,3793 litre	64,424 %	2026,3282 litre	O
370	CM	70	CM	85 LEVEL CM	3618,8657 litre	63,537 %	2076,8418 litre	O
370	CM	70	CM	84 LEVEL CM	3568,1896 litre	62,647 %	2127,5179 litre	O
370	CM	70	CM	83 LEVEL CM	3517,3626 litre	61,755 %	2178,3449 litre	O
370	CM	70	CM	82 LEVEL CM	3466,3956 litre	60,860 %	2229,3119 litre	O
370	CM	70	CM	81 LEVEL CM	3415,2999 litre	59,963 %	2280,4076 litre	O
370	CM	70	CM	80 LEVEL CM	3364,0864 litre	59,064 %	2331,6211 litre	O
370	CM	70	CM	79 LEVEL CM	3312,7661 litre	58,163 %	2382,9414 litre	O
370	CM	70	CM	78 LEVEL CM	3261,3499 litre	57,260 %	2434,3576 litre	O
370	CM	70	CM	77 LEVEL CM	3209,8485 litre	56,356 %	2485,8590 litre	O
370	CM	70	CM	76 LEVEL CM	3158,2727 litre	55,450 %	2537,4348 litre	O
370	CM	70	CM	75 LEVEL CM	3106,6333 litre	54,543 %	2589,0742 litre	O
370	CM	70	CM	74 LEVEL CM	3054,9409 litre	53,636 %	2640,7666 litre	O
370	CM	70	CM	73 LEVEL CM	3003,2062 litre	52,728 %	2692,5013 litre	O
370	CM	70	CM	72 LEVEL CM	2951,4396 litre	51,819 %	2744,2679 litre	O
370	CM	70	CM	71 LEVEL CM	2899,6520 litre	50,909 %	2796,0555 litre	O
370	CM	70	CM	70 LEVEL CM	2847,8537 litre	50,000 %	2847,8538 litre	O
370	CM	70	CM	69 LEVEL CM	2796,0555 litre	49,091 %	2899,6520 litre	O
370	CM	70	CM	68 LEVEL CM	2744,2678 litre	48,181 %	2951,4397 litre	O
370	CM	70	CM	67 LEVEL CM	2692,5013 litre	47,272 %	3003,2062 litre	O
370	CM	70	CM	66 LEVEL CM	2640,7666 litre	46,364 %	3054,9409 litre	O
370	CM	70	CM	65 LEVEL CM	2589,0741 litre	45,457 %	3106,6334 litre	O
370	CM	70	CM	64 LEVEL CM	2537,4347 litre	44,550 %	3158,2728 litre	O
370	CM	70	CM	63 LEVEL CM	2485,8590 litre	43,644 %	3209,8485 litre	O
370	CM	70	CM	62 LEVEL CM	2434,3576 litre	42,740 %	3261,3499 litre	O
370	CM	70	CM	61 LEVEL CM	2382,9414 litre	41,837 %	3312,7661 litre	O
370	CM	70	CM	60 LEVEL CM	2331,6211 litre	40,936 %	3364,0864 litre	O
370	CM	70	CM	59 LEVEL CM	2280,4076 litre	40,037 %	3415,2999 litre	O
370	CM	70	CM	58 LEVEL CM	2229,3119 litre	39,140 %	3466,3956 litre	O
370	CM	70	CM	57 LEVEL CM	2178,3449 litre	38,245 %	3517,3626 litre	O
370	CM	70	CM	56 LEVEL CM	2127,5178 litre	37,353 %	3568,1897 litre	O
370	CM	70	CM	55 LEVEL CM	2076,8418 litre	36,463 %	3618,8657 litre	O
370	CM	70	CM	54 LEVEL CM	2026,3281 litre	35,576 %	3669,3794 litre	O
370	CM	70	CM	53 LEVEL CM	1975,9882 litre	34,693 %	3719,7193 litre	O
370	CM	70	CM	52 LEVEL CM	1925,8336 litre	33,812 %	3769,8739 litre	O
370	CM	70	CM	51 LEVEL CM	1875,8758 litre	32,935 %	3819,8317 litre	O
370	CM	70	CM	50 LEVEL CM	1826,1268 litre	32,061 %	3869,5807 litre	O
370	CM	70	CM	49 LEVEL CM	1776,5984 litre	31,192 %	3919,1091 litre	O
370	CM	70	CM	48 LEVEL CM	1727,3028 litre	30,326 %	3968,4047 litre	O
370	CM	70	CM	47 LEVEL CM	1678,2521 litre	29,465 %	4017,4554 litre	O
370	CM	70	CM	46 LEVEL CM	1629,4589 litre	28,609 %	4066,2486 litre	O
370	CM	70	CM	45 LEVEL CM	1580,9358 litre	27,757 %	4114,7717 litre	O
370	CM	70	CM	44 LEVEL CM	1532,6957 litre	26,910 %	4163,0118 litre	O
370	CM	70	CM	43 LEVEL CM	1484,7516 litre	26,068 %	4210,9559 litre	O
370	CM	70	CM	42 LEVEL CM	1437,1169 litre	25,232 %	4258,5906 litre	O
370	CM	70	CM	41 LEVEL CM	1389,8052 litre	24,401 %	4305,9023 litre	O
370	CM	70	CM	40 LEVEL CM	1342,8304 litre	23,576 %	4352,8771 litre	O
370	CM	70	CM	39 LEVEL CM	1296,2066 litre	22,758 %	4399,5009 litre	O
370	CM	70	CM	38 LEVEL CM	1249,9483 litre	21,945 %	4445,7592 litre	O
370	CM	70	CM	37 LEVEL CM	1204,0704 litre	21,140 %	4491,6371 litre	O
370	CM	70	CM	36 LEVEL CM	1158,5882 litre	20,341 %	4537,1193 litre	O

370	CM	70	CM	35 LEVEL CM	1113,5171 litre	19,550 %	4582,1904 litre	O
370	CM	70	CM	34 LEVEL CM	1068,8734 litre	18,766 %	4626,8341 litre	O
370	CM	70	CM	33 LEVEL CM	1024,6734 litre	17,990 %	4671,0341 litre	O
370	CM	70	CM	32 LEVEL CM	980,9342 litre	17,222 %	4714,7733 litre	O
370	CM	70	CM	31 LEVEL CM	937,6735 litre	16,463 %	4758,0340 litre	O
370	CM	70	CM	30 LEVEL CM	894,9092 litre	15,712 %	4800,7983 litre	O
370	CM	70	CM	29 LEVEL CM	852,6603 litre	14,970 %	4843,0472 litre	O
370	CM	70	CM	28 LEVEL CM	810,9462 litre	14,238 %	4884,7613 litre	O
370	CM	70	CM	27 LEVEL CM	769,7872 litre	13,515 %	4925,9203 litre	O
370	CM	70	CM	26 LEVEL CM	729,2043 litre	12,803 %	4966,5032 litre	O
370	CM	70	CM	25 LEVEL CM	689,2196 litre	12,101 %	5006,4879 litre	O
370	CM	70	CM	24 LEVEL CM	649,8560 litre	11,410 %	5045,8515 litre	O
370	CM	70	CM	23 LEVEL CM	611,1377 litre	10,730 %	5084,5698 litre	O
370	CM	70	CM	22 LEVEL CM	573,0899 litre	10,062 %	5122,6176 litre	O
370	CM	70	CM	21 LEVEL CM	535,7394 litre	9,406 %	5159,9681 litre	O
370	CM	70	CM	20 LEVEL CM	499,1144 litre	8,763 %	5196,5931 litre	O
370	CM	70	CM	19 LEVEL CM	463,2448 litre	8,133 %	5232,4627 litre	O
370	CM	70	CM	18 LEVEL CM	428,1625 litre	7,517 %	5267,5450 litre	O
370	CM	70	CM	17 LEVEL CM	393,9015 litre	6,916 %	5301,8060 litre	O
370	CM	70	CM	16 LEVEL CM	360,4985 litre	6,329 %	5335,2090 litre	O
370	CM	70	CM	15 LEVEL CM	327,9929 litre	5,759 %	5367,7146 litre	O
370	CM	70	CM	14 LEVEL CM	296,4275 litre	5,204 %	5399,2800 litre	O
370	CM	70	CM	13 LEVEL CM	265,8492 litre	4,668 %	5429,8583 litre	O
370	CM	70	CM	12 LEVEL CM	236,3094 litre	4,149 %	5459,3981 litre	O
370	CM	70	CM	11 LEVEL CM	207,8654 litre	3,650 %	5487,8421 litre	O
370	CM	70	CM	10 LEVEL CM	180,5811 litre	3,170 %	5515,1264 litre	O
370	CM	70	CM	9 LEVEL CM	154,5291 litre	2,713 %	5541,1784 litre	O
370	CM	70	CM	8 LEVEL CM	129,7929 litre	2,279 %	5565,9146 litre	O
370	CM	70	CM	7 LEVEL CM	106,4701 litre	1,869 %	5589,2374 litre	O
370	CM	70	CM	6 LEVEL CM	84,6774 litre	1,487 %	5611,0301 litre	O
370	CM	70	CM	5 LEVEL CM	64,5581 litre	1,133 %	5631,1494 litre	O
370	CM	70	CM	4 LEVEL CM	46,2953 litre	0,813 %	5649,4122 litre	O
370	CM	70	CM	3 LEVEL CM	30,1352 litre	0,529 %	5665,5723 litre	O
370	CM	70	CM	2 LEVEL CM	16,4392 litre	0,289 %	5679,2683 litre	O
370	CM	70	CM	1 LEVEL CM	5,8247 litre	0,102 %	5689,8828 litre	O
370	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	5695,7075 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM 65	CM 130 LEVEL CM	4911,0947 litre	100,000 %	0,0000 litre	O
370	CM 65	CM 129 LEVEL CM	4905,4828 litre	99,886 %	5,6119 litre	O
370	CM 65	CM 128 LEVEL CM	4895,2588 litre	99,678 %	15,8359 litre	O
370	CM 65	CM 127 LEVEL CM	4882,0702 litre	99,409 %	29,0245 litre	O
370	CM 65	CM 126 LEVEL CM	4866,5135 litre	99,092 %	44,5812 litre	O
370	CM 65	CM 125 LEVEL CM	4848,9375 litre	98,734 %	62,1572 litre	O
370	CM 65	CM 124 LEVEL CM	4829,5807 litre	98,340 %	81,5140 litre	O
370	CM 65	CM 123 LEVEL CM	4808,6201 litre	97,913 %	102,4746 litre	O
370	CM 65	CM 122 LEVEL CM	4786,1947 litre	97,457 %	124,9000 litre	O
370	CM 65	CM 121 LEVEL CM	4762,4177 litre	96,973 %	148,6770 litre	O
370	CM 65	CM 120 LEVEL CM	4737,3838 litre	96,463 %	173,7109 litre	O
370	CM 65	CM 119 LEVEL CM	4711,1741 litre	95,929 %	199,9206 litre	O
370	CM 65	CM 118 LEVEL CM	4683,8593 litre	95,373 %	227,2354 litre	O
370	CM 65	CM 117 LEVEL CM	4655,5016 litre	94,796 %	255,5931 litre	O
370	CM 65	CM 116 LEVEL CM	4626,1568 litre	94,198 %	284,9379 litre	O
370	CM 65	CM 115 LEVEL CM	4595,8752 litre	93,581 %	315,2195 litre	O
370	CM 65	CM 114 LEVEL CM	4564,7024 litre	92,947 %	346,3923 litre	O
370	CM 65	CM 113 LEVEL CM	4532,6803 litre	92,295 %	378,4144 litre	O
370	CM 65	CM 112 LEVEL CM	4499,8475 litre	91,626 %	411,2472 litre	O
370	CM 65	CM 111 LEVEL CM	4466,2400 litre	90,942 %	444,8547 litre	O
370	CM 65	CM 110 LEVEL CM	4431,8910 litre	90,242 %	479,2037 litre	O
370	CM 65	CM 109 LEVEL CM	4396,8319 litre	89,529 %	514,2628 litre	O
370	CM 65	CM 108 LEVEL CM	4361,0921 litre	88,801 %	550,0026 litre	O
370	CM 65	CM 107 LEVEL CM	4324,6995 litre	88,060 %	586,3952 litre	O
370	CM 65	CM 106 LEVEL CM	4287,6802 litre	87,306 %	623,4145 litre	O
370	CM 65	CM 105 LEVEL CM	4250,0592 litre	86,540 %	661,0355 litre	O
370	CM 65	CM 104 LEVEL CM	4211,8605 litre	85,762 %	699,2342 litre	O
370	CM 65	CM 103 LEVEL CM	4173,1066 litre	84,973 %	737,9881 litre	O
370	CM 65	CM 102 LEVEL CM	4133,8195 litre	84,173 %	777,2752 litre	O
370	CM 65	CM 101 LEVEL CM	4094,0200 litre	83,363 %	817,0747 litre	O
370	CM 65	CM 100 LEVEL CM	4053,7281 litre	82,542 %	857,3666 litre	O
370	CM 65	CM 99 LEVEL CM	4012,9634 litre	81,712 %	898,1313 litre	O
370	CM 65	CM 98 LEVEL CM	3971,7444 litre	80,873 %	939,3503 litre	O
370	CM 65	CM 97 LEVEL CM	3930,0893 litre	80,025 %	981,0054 litre	O
370	CM 65	CM 96 LEVEL CM	3888,0156 litre	79,168 %	1023,0791 litre	O
370	CM 65	CM 95 LEVEL CM	3845,5404 litre	78,303 %	1065,5543 litre	O
370	CM 65	CM 94 LEVEL CM	3802,6801 litre	77,430 %	1108,4146 litre	O
370	CM 65	CM 93 LEVEL CM	3759,4509 litre	76,550 %	1151,6438 litre	O
370	CM 65	CM 92 LEVEL CM	3715,8684 litre	75,663 %	1195,2263 litre	O
370	CM 65	CM 91 LEVEL CM	3671,9480 litre	74,768 %	1239,1467 litre	O
370	CM 65	CM 90 LEVEL CM	3627,7046 litre	73,868 %	1283,3901 litre	O
370	CM 65	CM 89 LEVEL CM	3583,1528 litre	72,960 %	1327,9419 litre	O
370	CM 65	CM 88 LEVEL CM	3538,3070 litre	72,047 %	1372,7877 litre	O
370	CM 65	CM 87 LEVEL CM	3493,1812 litre	71,128 %	1417,9135 litre	O
370	CM 65	CM 86 LEVEL CM	3447,7893 litre	70,204 %	1463,3054 litre	O
370	CM 65	CM 85 LEVEL CM	3402,1447 litre	69,275 %	1508,9500 litre	O
370	CM 65	CM 84 LEVEL CM	3356,2607 litre	68,340 %	1554,8340 litre	O
370	CM 65	CM 83 LEVEL CM	3310,1506 litre	67,401 %	1600,9441 litre	O
370	CM 65	CM 82 LEVEL CM	3263,8272 litre	66,458 %	1647,2675 litre	O
370	CM 65	CM 81 LEVEL CM	3217,3032 litre	65,511 %	1693,7915 litre	O
370	CM 65	CM 80 LEVEL CM	3170,5914 litre	64,560 %	1740,5033 litre	O
370	CM 65	CM 79 LEVEL CM	3123,7039 litre	63,605 %	1787,3908 litre	O

370	CM	65	CM	78 LEVEL CM	3076,6533 litre	62,647 %	1834,4414 litre	O
370	CM	65	CM	77 LEVEL CM	3029,4516 litre	61,686 %	1881,6431 litre	O
370	CM	65	CM	76 LEVEL CM	2982,1109 litre	60,722 %	1928,9838 litre	O
370	CM	65	CM	75 LEVEL CM	2934,6431 litre	59,755 %	1976,4516 litre	O
370	CM	65	CM	74 LEVEL CM	2887,0601 litre	58,786 %	2024,0346 litre	O
370	CM	65	CM	73 LEVEL CM	2839,3737 litre	57,815 %	2071,7210 litre	O
370	CM	65	CM	72 LEVEL CM	2791,5954 litre	56,843 %	2119,4993 litre	O
370	CM	65	CM	71 LEVEL CM	2743,7370 litre	55,868 %	2167,3577 litre	O
370	CM	65	CM	70 LEVEL CM	2695,8100 litre	54,892 %	2215,2847 litre	O
370	CM	65	CM	69 LEVEL CM	2647,8259 litre	53,915 %	2263,2688 litre	O
370	CM	65	CM	68 LEVEL CM	2599,7961 litre	52,937 %	2311,2986 litre	O
370	CM	65	CM	67 LEVEL CM	2551,7322 litre	51,959 %	2359,3625 litre	O
370	CM	65	CM	66 LEVEL CM	2503,6455 litre	50,979 %	2407,4492 litre	O
370	CM	65	CM	65 LEVEL CM	2455,5474 litre	50,000 %	2455,5473 litre	O
370	CM	65	CM	64 LEVEL CM	2407,4493 litre	49,021 %	2503,6454 litre	O
370	CM	65	CM	63 LEVEL CM	2359,3625 litre	48,041 %	2551,7322 litre	O
370	CM	65	CM	62 LEVEL CM	2311,2986 litre	47,063 %	2599,7961 litre	O
370	CM	65	CM	61 LEVEL CM	2263,2689 litre	46,085 %	2647,8258 litre	O
370	CM	65	CM	60 LEVEL CM	2215,2847 litre	45,108 %	2695,8100 litre	O
370	CM	65	CM	59 LEVEL CM	2167,3577 litre	44,132 %	2743,7370 litre	O
370	CM	65	CM	58 LEVEL CM	2119,4993 litre	43,157 %	2791,5954 litre	O
370	CM	65	CM	57 LEVEL CM	2071,7211 litre	42,185 %	2839,3736 litre	O
370	CM	65	CM	56 LEVEL CM	2024,0346 litre	41,214 %	2887,0601 litre	O
370	CM	65	CM	55 LEVEL CM	1976,4516 litre	40,245 %	2934,6431 litre	O
370	CM	65	CM	54 LEVEL CM	1928,9838 litre	39,278 %	2982,1109 litre	O
370	CM	65	CM	53 LEVEL CM	1881,6431 litre	38,314 %	3029,4516 litre	O
370	CM	65	CM	52 LEVEL CM	1834,4414 litre	37,353 %	3076,6533 litre	O
370	CM	65	CM	51 LEVEL CM	1787,3908 litre	36,395 %	3123,7039 litre	O
370	CM	65	CM	50 LEVEL CM	1740,5034 litre	35,440 %	3170,5913 litre	O
370	CM	65	CM	49 LEVEL CM	1693,7915 litre	34,489 %	3217,3032 litre	O
370	CM	65	CM	48 LEVEL CM	1647,2675 litre	33,542 %	3263,8272 litre	O
370	CM	65	CM	47 LEVEL CM	1600,9441 litre	32,599 %	3310,1506 litre	O
370	CM	65	CM	46 LEVEL CM	1554,8340 litre	31,660 %	3356,2607 litre	O
370	CM	65	CM	45 LEVEL CM	1508,9501 litre	30,725 %	3402,1446 litre	O
370	CM	65	CM	44 LEVEL CM	1463,3054 litre	29,796 %	3447,7893 litre	O
370	CM	65	CM	43 LEVEL CM	1417,9135 litre	28,872 %	3493,1812 litre	O
370	CM	65	CM	42 LEVEL CM	1372,7877 litre	27,953 %	3538,3070 litre	O
370	CM	65	CM	41 LEVEL CM	1327,9419 litre	27,040 %	3583,1528 litre	O
370	CM	65	CM	40 LEVEL CM	1283,3901 litre	26,132 %	3627,7046 litre	O
370	CM	65	CM	39 LEVEL CM	1239,1467 litre	25,232 %	3671,9480 litre	O
370	CM	65	CM	38 LEVEL CM	1195,2263 litre	24,337 %	3715,8684 litre	O
370	CM	65	CM	37 LEVEL CM	1151,6438 litre	23,450 %	3759,4509 litre	O
370	CM	65	CM	36 LEVEL CM	1108,4146 litre	22,570 %	3802,6801 litre	O
370	CM	65	CM	35 LEVEL CM	1065,5543 litre	21,697 %	3845,5404 litre	O
370	CM	65	CM	34 LEVEL CM	1023,0791 litre	20,832 %	3888,0156 litre	O
370	CM	65	CM	33 LEVEL CM	981,0054 litre	19,975 %	3930,0893 litre	O
370	CM	65	CM	32 LEVEL CM	939,3503 litre	19,127 %	3971,7444 litre	O
370	CM	65	CM	31 LEVEL CM	898,1314 litre	18,288 %	4012,9633 litre	O
370	CM	65	CM	30 LEVEL CM	857,3666 litre	17,458 %	4053,7281 litre	O
370	CM	65	CM	29 LEVEL CM	817,0748 litre	16,637 %	4094,0199 litre	O
370	CM	65	CM	28 LEVEL CM	777,2752 litre	15,827 %	4133,8195 litre	O
370	CM	65	CM	27 LEVEL CM	737,9881 litre	15,027 %	4173,1066 litre	O
370	CM	65	CM	26 LEVEL CM	699,2342 litre	14,238 %	4211,8605 litre	O

370	CM	65	CM	25 LEVEL CM	661,0355 litre	13,460 %	4250,0592 litre	O
370	CM	65	CM	24 LEVEL CM	623,4146 litre	12,694 %	4287,6801 litre	O
370	CM	65	CM	23 LEVEL CM	586,3953 litre	11,940 %	4324,6994 litre	O
370	CM	65	CM	22 LEVEL CM	550,0026 litre	11,199 %	4361,0921 litre	O
370	CM	65	CM	21 LEVEL CM	514,2628 litre	10,471 %	4396,8319 litre	O
370	CM	65	CM	20 LEVEL CM	479,2037 litre	9,758 %	4431,8910 litre	O
370	CM	65	CM	19 LEVEL CM	444,8548 litre	9,058 %	4466,2399 litre	O
370	CM	65	CM	18 LEVEL CM	411,2472 litre	8,374 %	4499,8475 litre	O
370	CM	65	CM	17 LEVEL CM	378,4144 litre	7,705 %	4532,6803 litre	O
370	CM	65	CM	16 LEVEL CM	346,3923 litre	7,053 %	4564,7024 litre	O
370	CM	65	CM	15 LEVEL CM	315,2195 litre	6,419 %	4595,8752 litre	O
370	CM	65	CM	14 LEVEL CM	284,9379 litre	5,802 %	4626,1568 litre	O
370	CM	65	CM	13 LEVEL CM	255,5931 litre	5,204 %	4655,5016 litre	O
370	CM	65	CM	12 LEVEL CM	227,2355 litre	4,627 %	4683,8592 litre	O
370	CM	65	CM	11 LEVEL CM	199,9206 litre	4,071 %	4711,1741 litre	O
370	CM	65	CM	10 LEVEL CM	173,7109 litre	3,537 %	4737,3838 litre	O
370	CM	65	CM	9 LEVEL CM	148,6770 litre	3,027 %	4762,4177 litre	O
370	CM	65	CM	8 LEVEL CM	124,9000 litre	2,543 %	4786,1947 litre	O
370	CM	65	CM	7 LEVEL CM	102,4746 litre	2,087 %	4808,6201 litre	O
370	CM	65	CM	6 LEVEL CM	81,5141 litre	1,660 %	4829,5806 litre	O
370	CM	65	CM	5 LEVEL CM	62,1572 litre	1,266 %	4848,9375 litre	O
370	CM	65	CM	4 LEVEL CM	44,5812 litre	0,908 %	4866,5135 litre	O
370	CM	65	CM	3 LEVEL CM	29,0245 litre	0,591 %	4882,0702 litre	O
370	CM	65	CM	2 LEVEL CM	15,8359 litre	0,322 %	4895,2588 litre	O
370	CM	65	CM	1 LEVEL CM	5,6119 litre	0,114 %	4905,4828 litre	O
370	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	4911,0947 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM	60	CM 120 LEVEL CM	4184,6014 litre	100,000 %	0,0000 litre	O
370	CM	60	CM 119 LEVEL CM	4179,2107 litre	99,871 %	5,3907 litre	O
370	CM	60	CM 118 LEVEL CM	4169,3927 litre	99,637 %	15,2087 litre	O
370	CM	60	CM 117 LEVEL CM	4156,7319 litre	99,334 %	27,8695 litre	O
370	CM	60	CM 116 LEVEL CM	4141,8028 litre	98,977 %	42,7986 litre	O
370	CM	60	CM 115 LEVEL CM	4124,9416 litre	98,574 %	59,6598 litre	O
370	CM	60	CM 114 LEVEL CM	4106,3785 litre	98,131 %	78,2229 litre	O
370	CM	60	CM 113 LEVEL CM	4086,2845 litre	97,651 %	98,3169 litre	O
370	CM	60	CM 112 LEVEL CM	4064,7940 litre	97,137 %	119,8074 litre	O
370	CM	60	CM 111 LEVEL CM	4042,0165 litre	96,593 %	142,5849 litre	O
370	CM	60	CM 110 LEVEL CM	4018,0439 litre	96,020 %	166,5575 litre	O
370	CM	60	CM 109 LEVEL CM	3992,9548 litre	95,420 %	191,6466 litre	O
370	CM	60	CM 108 LEVEL CM	3966,8179 litre	94,796 %	217,7835 litre	O
370	CM	60	CM 107 LEVEL CM	3939,6939 litre	94,147 %	244,9075 litre	O
370	CM	60	CM 106 LEVEL CM	3911,6368 litre	93,477 %	272,9646 litre	O
370	CM	60	CM 105 LEVEL CM	3882,6958 litre	92,785 %	301,9056 litre	O
370	CM	60	CM 104 LEVEL CM	3852,9154 litre	92,074 %	331,6860 litre	O
370	CM	60	CM 103 LEVEL CM	3822,3365 litre	91,343 %	362,2649 litre	O
370	CM	60	CM 102 LEVEL CM	3790,9970 litre	90,594 %	393,6044 litre	O
370	CM	60	CM 101 LEVEL CM	3758,9319 litre	89,828 %	425,6695 litre	O
370	CM	60	CM 100 LEVEL CM	3726,1741 litre	89,045 %	458,4273 litre	O
370	CM	60	CM 99 LEVEL CM	3692,7542 litre	88,246 %	491,8472 litre	O
370	CM	60	CM 98 LEVEL CM	3658,7013 litre	87,432 %	525,9001 litre	O
370	CM	60	CM 97 LEVEL CM	3624,0426 litre	86,604 %	560,5588 litre	O
370	CM	60	CM 96 LEVEL CM	3588,8042 litre	85,762 %	595,7972 litre	O
370	CM	60	CM 95 LEVEL CM	3553,0107 litre	84,907 %	631,5907 litre	O
370	CM	60	CM 94 LEVEL CM	3516,6856 litre	84,039 %	667,9158 litre	O
370	CM	60	CM 93 LEVEL CM	3479,8515 litre	83,158 %	704,7499 litre	O
370	CM	60	CM 92 LEVEL CM	3442,5300 litre	82,267 %	742,0714 litre	O
370	CM	60	CM 91 LEVEL CM	3404,7419 litre	81,364 %	779,8595 litre	O
370	CM	60	CM 90 LEVEL CM	3366,5072 litre	80,450 %	818,0942 litre	O
370	CM	60	CM 89 LEVEL CM	3327,8452 litre	79,526 %	856,7562 litre	O
370	CM	60	CM 88 LEVEL CM	3288,7746 litre	78,592 %	895,8268 litre	O
370	CM	60	CM 87 LEVEL CM	3249,3135 litre	77,649 %	935,2879 litre	O
370	CM	60	CM 86 LEVEL CM	3209,4794 litre	76,697 %	975,1220 litre	O
370	CM	60	CM 85 LEVEL CM	3169,2895 litre	75,737 %	1015,3119 litre	O
370	CM	60	CM 84 LEVEL CM	3128,7604 litre	74,768 %	1055,8410 litre	O
370	CM	60	CM 83 LEVEL CM	3087,9083 litre	73,792 %	1096,6931 litre	O
370	CM	60	CM 82 LEVEL CM	3046,7491 litre	72,809 %	1137,8523 litre	O
370	CM	60	CM 81 LEVEL CM	3005,2981 litre	71,818 %	1179,3033 litre	O
370	CM	60	CM 80 LEVEL CM	2963,5707 litre	70,821 %	1221,0307 litre	O
370	CM	60	CM 79 LEVEL CM	2921,5816 litre	69,817 %	1263,0198 litre	O
370	CM	60	CM 78 LEVEL CM	2879,3454 litre	68,808 %	1305,2560 litre	O
370	CM	60	CM 77 LEVEL CM	2836,8765 litre	67,793 %	1347,7249 litre	O
370	CM	60	CM 76 LEVEL CM	2794,1890 litre	66,773 %	1390,4124 litre	O
370	CM	60	CM 75 LEVEL CM	2751,2967 litre	65,748 %	1433,3047 litre	O
370	CM	60	CM 74 LEVEL CM	2708,2133 litre	64,719 %	1476,3881 litre	O
370	CM	60	CM 73 LEVEL CM	2664,9523 litre	63,685 %	1519,6491 litre	O
370	CM	60	CM 72 LEVEL CM	2621,5271 litre	62,647 %	1563,0743 litre	O
370	CM	60	CM 71 LEVEL CM	2577,9508 litre	61,606 %	1606,6506 litre	O
370	CM	60	CM 70 LEVEL CM	2534,2365 litre	60,561 %	1650,3649 litre	O
370	CM	60	CM 69 LEVEL CM	2490,3971 litre	59,513 %	1694,2043 litre	O

370	CM	60	CM	68 LEVEL CM	2446,4454 litre	58,463 %	1738,1560 litre	O
370	CM	60	CM	67 LEVEL CM	2402,3942 litre	57,410 %	1782,2072 litre	O
370	CM	60	CM	66 LEVEL CM	2358,2560 litre	56,356 %	1826,3454 litre	O
370	CM	60	CM	65 LEVEL CM	2314,0435 litre	55,299 %	1870,5579 litre	O
370	CM	60	CM	64 LEVEL CM	2269,7691 litre	54,241 %	1914,8323 litre	O
370	CM	60	CM	63 LEVEL CM	2225,4452 litre	53,182 %	1959,1562 litre	O
370	CM	60	CM	62 LEVEL CM	2181,0843 litre	52,122 %	2003,5171 litre	O
370	CM	60	CM	61 LEVEL CM	2136,6987 litre	51,061 %	2047,9027 litre	O
370	CM	60	CM	60 LEVEL CM	2092,3007 litre	50,000 %	2092,3007 litre	O
370	CM	60	CM	59 LEVEL CM	2047,9028 litre	48,939 %	2136,6986 litre	O
370	CM	60	CM	58 LEVEL CM	2003,5172 litre	47,878 %	2181,0842 litre	O
370	CM	60	CM	57 LEVEL CM	1959,1562 litre	46,818 %	2225,4452 litre	O
370	CM	60	CM	56 LEVEL CM	1914,8324 litre	45,759 %	2269,7690 litre	O
370	CM	60	CM	55 LEVEL CM	1870,5579 litre	44,701 %	2314,0435 litre	O
370	CM	60	CM	54 LEVEL CM	1826,3454 litre	43,644 %	2358,2560 litre	O
370	CM	60	CM	53 LEVEL CM	1782,2072 litre	42,590 %	2402,3942 litre	O
370	CM	60	CM	52 LEVEL CM	1738,1560 litre	41,537 %	2446,4454 litre	O
370	CM	60	CM	51 LEVEL CM	1694,2043 litre	40,487 %	2490,3971 litre	O
370	CM	60	CM	50 LEVEL CM	1650,3649 litre	39,439 %	2534,2365 litre	O
370	CM	60	CM	49 LEVEL CM	1606,6506 litre	38,394 %	2577,9508 litre	O
370	CM	60	CM	48 LEVEL CM	1563,0743 litre	37,353 %	2621,5271 litre	O
370	CM	60	CM	47 LEVEL CM	1519,6491 litre	36,315 %	2664,9523 litre	O
370	CM	60	CM	46 LEVEL CM	1476,3881 litre	35,281 %	2708,2133 litre	O
370	CM	60	CM	45 LEVEL CM	1433,3047 litre	34,252 %	2751,2967 litre	O
370	CM	60	CM	44 LEVEL CM	1390,4124 litre	33,227 %	2794,1890 litre	O
370	CM	60	CM	43 LEVEL CM	1347,7249 litre	32,207 %	2836,8765 litre	O
370	CM	60	CM	42 LEVEL CM	1305,2560 litre	31,192 %	2879,3454 litre	O
370	CM	60	CM	41 LEVEL CM	1263,0198 litre	30,183 %	2921,5816 litre	O
370	CM	60	CM	40 LEVEL CM	1221,0307 litre	29,179 %	2963,5707 litre	O
370	CM	60	CM	39 LEVEL CM	1179,3033 litre	28,182 %	3005,2981 litre	O
370	CM	60	CM	38 LEVEL CM	1137,8524 litre	27,191 %	3046,7490 litre	O
370	CM	60	CM	37 LEVEL CM	1096,6931 litre	26,208 %	3087,9083 litre	O
370	CM	60	CM	36 LEVEL CM	1055,8410 litre	25,232 %	3128,7604 litre	O
370	CM	60	CM	35 LEVEL CM	1015,3119 litre	24,263 %	3169,2895 litre	O
370	CM	60	CM	34 LEVEL CM	975,1220 litre	23,303 %	3209,4794 litre	O
370	CM	60	CM	33 LEVEL CM	935,2880 litre	22,351 %	3249,3134 litre	O
370	CM	60	CM	32 LEVEL CM	895,8268 litre	21,408 %	3288,7746 litre	O
370	CM	60	CM	31 LEVEL CM	856,7562 litre	20,474 %	3327,8452 litre	O
370	CM	60	CM	30 LEVEL CM	818,0942 litre	19,550 %	3366,5072 litre	O
370	CM	60	CM	29 LEVEL CM	779,8595 litre	18,636 %	3404,7419 litre	O
370	CM	60	CM	28 LEVEL CM	742,0714 litre	17,733 %	3442,5300 litre	O
370	CM	60	CM	27 LEVEL CM	704,7499 litre	16,842 %	3479,8515 litre	O
370	CM	60	CM	26 LEVEL CM	667,9158 litre	15,961 %	3516,6856 litre	O
370	CM	60	CM	25 LEVEL CM	631,5908 litre	15,093 %	3553,0106 litre	O
370	CM	60	CM	24 LEVEL CM	595,7972 litre	14,238 %	3588,8042 litre	O
370	CM	60	CM	23 LEVEL CM	560,5588 litre	13,396 %	3624,0426 litre	O
370	CM	60	CM	22 LEVEL CM	525,9001 litre	12,568 %	3658,7013 litre	O
370	CM	60	CM	21 LEVEL CM	491,8472 litre	11,754 %	3692,7542 litre	O
370	CM	60	CM	20 LEVEL CM	458,4273 litre	10,955 %	3726,1741 litre	O
370	CM	60	CM	19 LEVEL CM	425,6695 litre	10,172 %	3758,9319 litre	O
370	CM	60	CM	18 LEVEL CM	393,6045 litre	9,406 %	3790,9969 litre	O
370	CM	60	CM	17 LEVEL CM	362,2649 litre	8,657 %	3822,3365 litre	O
370	CM	60	CM	16 LEVEL CM	331,6861 litre	7,926 %	3852,9153 litre	O

370	CM	60	CM	15 LEVEL CM	301,9056 litre	7,215 %	3882,6958 litre	O
370	CM	60	CM	14 LEVEL CM	272,9646 litre	6,523 %	3911,6368 litre	O
370	CM	60	CM	13 LEVEL CM	244,9075 litre	5,853 %	3939,6939 litre	O
370	CM	60	CM	12 LEVEL CM	217,7835 litre	5,204 %	3966,8179 litre	O
370	CM	60	CM	11 LEVEL CM	191,6466 litre	4,580 %	3992,9548 litre	O
370	CM	60	CM	10 LEVEL CM	166,5576 litre	3,980 %	4018,0438 litre	O
370	CM	60	CM	9 LEVEL CM	142,5849 litre	3,407 %	4042,0165 litre	O
370	CM	60	CM	8 LEVEL CM	119,8074 litre	2,863 %	4064,7940 litre	O
370	CM	60	CM	7 LEVEL CM	98,3169 litre	2,349 %	4086,2845 litre	O
370	CM	60	CM	6 LEVEL CM	78,2229 litre	1,869 %	4106,3785 litre	O
370	CM	60	CM	5 LEVEL CM	59,6598 litre	1,426 %	4124,9416 litre	O
370	CM	60	CM	4 LEVEL CM	42,7986 litre	1,023 %	4141,8028 litre	O
370	CM	60	CM	3 LEVEL CM	27,8695 litre	0,666 %	4156,7319 litre	O
370	CM	60	CM	2 LEVEL CM	15,2087 litre	0,363 %	4169,3927 litre	O
370	CM	60	CM	1 LEVEL CM	5,3907 litre	0,129 %	4179,2107 litre	O
370	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4184,6014 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
370	CM	55	CM 110 LEVEL CM	3516,2276 litre	100,000 %	0,0000 litre	O
370	CM	55	CM 109 LEVEL CM	3511,0676 litre	99,853 %	5,1600 litre	O
370	CM	55	CM 108 LEVEL CM	3501,6730 litre	99,586 %	14,5546 litre	O
370	CM	55	CM 107 LEVEL CM	3489,5631 litre	99,242 %	26,6645 litre	O
370	CM	55	CM 106 LEVEL CM	3475,2891 litre	98,836 %	40,9385 litre	O
370	CM	55	CM 105 LEVEL CM	3459,1745 litre	98,377 %	57,0531 litre	O
370	CM	55	CM 104 LEVEL CM	3441,4405 litre	97,873 %	74,7871 litre	O
370	CM	55	CM 103 LEVEL CM	3422,2522 litre	97,327 %	93,9754 litre	O
370	CM	55	CM 102 LEVEL CM	3401,7391 litre	96,744 %	114,4885 litre	O
370	CM	55	CM 101 LEVEL CM	3380,0070 litre	96,126 %	136,2206 litre	O
370	CM	55	CM 100 LEVEL CM	3357,1449 litre	95,476 %	159,0827 litre	O
370	CM	55	CM 99 LEVEL CM	3333,2290 litre	94,796 %	182,9986 litre	O
370	CM	55	CM 98 LEVEL CM	3308,3257 litre	94,087 %	207,9019 litre	O
370	CM	55	CM 97 LEVEL CM	3282,4941 litre	93,353 %	233,7335 litre	O
370	CM	55	CM 96 LEVEL CM	3255,7868 litre	92,593 %	260,4408 litre	O
370	CM	55	CM 95 LEVEL CM	3228,2515 litre	91,810 %	287,9761 litre	O
370	CM	55	CM 94 LEVEL CM	3199,9319 litre	91,005 %	316,2957 litre	O
370	CM	55	CM 93 LEVEL CM	3170,8678 litre	90,178 %	345,3598 litre	O
370	CM	55	CM 92 LEVEL CM	3141,0963 litre	89,331 %	375,1313 litre	O
370	CM	55	CM 91 LEVEL CM	3110,6518 litre	88,466 %	405,5758 litre	O
370	CM	55	CM 90 LEVEL CM	3079,5664 litre	87,582 %	436,6612 litre	O
370	CM	55	CM 89 LEVEL CM	3047,8705 litre	86,680 %	468,3571 litre	O
370	CM	55	CM 88 LEVEL CM	3015,5924 litre	85,762 %	500,6352 litre	O
370	CM	55	CM 87 LEVEL CM	2982,7592 litre	84,828 %	533,4684 litre	O
370	CM	55	CM 86 LEVEL CM	2949,3966 litre	83,880 %	566,8310 litre	O
370	CM	55	CM 85 LEVEL CM	2915,5289 litre	82,916 %	600,6987 litre	O
370	CM	55	CM 84 LEVEL CM	2881,1796 litre	81,940 %	635,0480 litre	O
370	CM	55	CM 83 LEVEL CM	2846,3710 litre	80,950 %	669,8566 litre	O
370	CM	55	CM 82 LEVEL CM	2811,1246 litre	79,947 %	705,1030 litre	O
370	CM	55	CM 81 LEVEL CM	2775,4612 litre	78,933 %	740,7664 litre	O
370	CM	55	CM 80 LEVEL CM	2739,4008 litre	77,907 %	776,8268 litre	O
370	CM	55	CM 79 LEVEL CM	2702,9626 litre	76,871 %	813,2650 litre	O
370	CM	55	CM 78 LEVEL CM	2666,1656 litre	75,825 %	850,0620 litre	O
370	CM	55	CM 77 LEVEL CM	2629,0278 litre	74,768 %	887,1998 litre	O
370	CM	55	CM 76 LEVEL CM	2591,5671 litre	73,703 %	924,6605 litre	O
370	CM	55	CM 75 LEVEL CM	2553,8006 litre	72,629 %	962,4270 litre	O
370	CM	55	CM 74 LEVEL CM	2515,7452 litre	71,547 %	1000,4824 litre	O
370	CM	55	CM 73 LEVEL CM	2477,4174 litre	70,457 %	1038,8102 litre	O
370	CM	55	CM 72 LEVEL CM	2438,8332 litre	69,359 %	1077,3944 litre	O
370	CM	55	CM 71 LEVEL CM	2400,0085 litre	68,255 %	1116,2191 litre	O
370	CM	55	CM 70 LEVEL CM	2360,9588 litre	67,145 %	1155,2688 litre	O
370	CM	55	CM 69 LEVEL CM	2321,6993 litre	66,028 %	1194,5283 litre	O
370	CM	55	CM 68 LEVEL CM	2282,2451 litre	64,906 %	1233,9825 litre	O
370	CM	55	CM 67 LEVEL CM	2242,6107 litre	63,779 %	1273,6169 litre	O
370	CM	55	CM 66 LEVEL CM	2202,8110 litre	62,647 %	1313,4166 litre	O
370	CM	55	CM 65 LEVEL CM	2162,8601 litre	61,511 %	1353,3675 litre	O
370	CM	55	CM 64 LEVEL CM	2122,7724 litre	60,371 %	1393,4552 litre	O
370	CM	55	CM 63 LEVEL CM	2082,5620 litre	59,227 %	1433,6656 litre	O
370	CM	55	CM 62 LEVEL CM	2042,2428 litre	58,081 %	1473,9848 litre	O
370	CM	55	CM 61 LEVEL CM	2001,8286 litre	56,931 %	1514,3990 litre	O
370	CM	55	CM 60 LEVEL CM	1961,3331 litre	55,779 %	1554,8945 litre	O
370	CM	55	CM 59 LEVEL CM	1920,7702 litre	54,626 %	1595,4574 litre	O

370	CM	55	CM	58 LEVEL CM	1880,1532 litre	53,471 %	1636,0744 litre	O
370	CM	55	CM	57 LEVEL CM	1839,4958 litre	52,314 %	1676,7318 litre	O
370	CM	55	CM	56 LEVEL CM	1798,8115 litre	51,157 %	1717,4161 litre	O
370	CM	55	CM	55 LEVEL CM	1758,1138 litre	50,000 %	1758,1138 litre	O
370	CM	55	CM	54 LEVEL CM	1717,4160 litre	48,843 %	1798,8116 litre	O
370	CM	55	CM	53 LEVEL CM	1676,7317 litre	47,686 %	1839,4959 litre	O
370	CM	55	CM	52 LEVEL CM	1636,0744 litre	46,529 %	1880,1532 litre	O
370	CM	55	CM	51 LEVEL CM	1595,4574 litre	45,374 %	1920,7702 litre	O
370	CM	55	CM	50 LEVEL CM	1554,8944 litre	44,221 %	1961,3332 litre	O
370	CM	55	CM	49 LEVEL CM	1514,3990 litre	43,069 %	2001,8286 litre	O
370	CM	55	CM	48 LEVEL CM	1473,9848 litre	41,919 %	2042,2428 litre	O
370	CM	55	CM	47 LEVEL CM	1433,6656 litre	40,773 %	2082,5620 litre	O
370	CM	55	CM	46 LEVEL CM	1393,4551 litre	39,629 %	2122,7725 litre	O
370	CM	55	CM	45 LEVEL CM	1353,3675 litre	38,489 %	2162,8601 litre	O
370	CM	55	CM	44 LEVEL CM	1313,4166 litre	37,353 %	2202,8110 litre	O
370	CM	55	CM	43 LEVEL CM	1273,6168 litre	36,221 %	2242,6108 litre	O
370	CM	55	CM	42 LEVEL CM	1233,9825 litre	35,094 %	2282,2451 litre	O
370	CM	55	CM	41 LEVEL CM	1194,5282 litre	33,972 %	2321,6994 litre	O
370	CM	55	CM	40 LEVEL CM	1155,2687 litre	32,855 %	2360,9589 litre	O
370	CM	55	CM	39 LEVEL CM	1116,2190 litre	31,745 %	2400,0086 litre	O
370	CM	55	CM	38 LEVEL CM	1077,3944 litre	30,641 %	2438,8332 litre	O
370	CM	55	CM	37 LEVEL CM	1038,8102 litre	29,543 %	2477,4174 litre	O
370	CM	55	CM	36 LEVEL CM	1000,4824 litre	28,453 %	2515,7452 litre	O
370	CM	55	CM	35 LEVEL CM	962,4270 litre	27,371 %	2553,8006 litre	O
370	CM	55	CM	34 LEVEL CM	924,6605 litre	26,297 %	2591,5671 litre	O
370	CM	55	CM	33 LEVEL CM	887,1997 litre	25,232 %	2629,0279 litre	O
370	CM	55	CM	32 LEVEL CM	850,0620 litre	24,175 %	2666,1656 litre	O
370	CM	55	CM	31 LEVEL CM	813,2649 litre	23,129 %	2702,9627 litre	O
370	CM	55	CM	30 LEVEL CM	776,8268 litre	22,093 %	2739,4008 litre	O
370	CM	55	CM	29 LEVEL CM	740,7664 litre	21,067 %	2775,4612 litre	O
370	CM	55	CM	28 LEVEL CM	705,1030 litre	20,053 %	2811,1246 litre	O
370	CM	55	CM	27 LEVEL CM	669,8566 litre	19,050 %	2846,3710 litre	O
370	CM	55	CM	26 LEVEL CM	635,0480 litre	18,060 %	2881,1796 litre	O
370	CM	55	CM	25 LEVEL CM	600,6987 litre	17,084 %	2915,5289 litre	O
370	CM	55	CM	24 LEVEL CM	566,8310 litre	16,120 %	2949,3966 litre	O
370	CM	55	CM	23 LEVEL CM	533,4683 litre	15,172 %	2982,7593 litre	O
370	CM	55	CM	22 LEVEL CM	500,6352 litre	14,238 %	3015,5924 litre	O
370	CM	55	CM	21 LEVEL CM	468,3571 litre	13,320 %	3047,8705 litre	O
370	CM	55	CM	20 LEVEL CM	436,6612 litre	12,418 %	3079,5664 litre	O
370	CM	55	CM	19 LEVEL CM	405,5758 litre	11,534 %	3110,6518 litre	O
370	CM	55	CM	18 LEVEL CM	375,1313 litre	10,669 %	3141,0963 litre	O
370	CM	55	CM	17 LEVEL CM	345,3598 litre	9,822 %	3170,8678 litre	O
370	CM	55	CM	16 LEVEL CM	316,2957 litre	8,995 %	3199,9319 litre	O
370	CM	55	CM	15 LEVEL CM	287,9761 litre	8,190 %	3228,2515 litre	O
370	CM	55	CM	14 LEVEL CM	260,4408 litre	7,407 %	3255,7868 litre	O
370	CM	55	CM	13 LEVEL CM	233,7335 litre	6,647 %	3282,4941 litre	O
370	CM	55	CM	12 LEVEL CM	207,9019 litre	5,913 %	3308,3257 litre	O
370	CM	55	CM	11 LEVEL CM	182,9986 litre	5,204 %	3333,2290 litre	O
370	CM	55	CM	10 LEVEL CM	159,0827 litre	4,524 %	3357,1449 litre	O
370	CM	55	CM	9 LEVEL CM	136,2205 litre	3,874 %	3380,0071 litre	O
370	CM	55	CM	8 LEVEL CM	114,4885 litre	3,256 %	3401,7391 litre	O
370	CM	55	CM	7 LEVEL CM	93,9754 litre	2,673 %	3422,2522 litre	O
370	CM	55	CM	6 LEVEL CM	74,7870 litre	2,127 %	3441,4406 litre	O

370	CM 55	CM	5 LEVEL CM	57,0531 litre	1,623 %	3459,1745 litre	O
370	CM 55	CM	4 LEVEL CM	40,9385 litre	1,164 %	3475,2891 litre	O
370	CM 55	CM	3 LEVEL CM	26,6645 litre	0,758 %	3489,5631 litre	O
370	CM 55	CM	2 LEVEL CM	14,5545 litre	0,414 %	3501,6731 litre	O
370	CM 55	CM	1 LEVEL CM	5,1600 litre	0,147 %	3511,0676 litre	O
370	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3516,2276 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
370	CM	50	CM	100 LEVEL CM	2905,9732 litre	100,000 %	0,0000 litre	O
370	CM	50	CM	99 LEVEL CM	2901,0547 litre	99,831 %	4,9185 litre	O
370	CM	50	CM	98 LEVEL CM	2892,1037 litre	99,523 %	13,8695 litre	O
370	CM	50	CM	97 LEVEL CM	2880,5708 litre	99,126 %	25,4024 litre	O
370	CM	50	CM	96 LEVEL CM	2866,9836 litre	98,658 %	38,9896 litre	O
370	CM	50	CM	95 LEVEL CM	2851,6517 litre	98,131 %	54,3215 litre	O
370	CM	50	CM	94 LEVEL CM	2834,7877 litre	97,550 %	71,1855 litre	O
370	CM	50	CM	93 LEVEL CM	2816,5500 litre	96,923 %	89,4232 litre	O
370	CM	50	CM	92 LEVEL CM	2797,0632 litre	96,252 %	108,9100 litre	O
370	CM	50	CM	91 LEVEL CM	2776,4295 litre	95,542 %	129,5437 litre	O
370	CM	50	CM	90 LEVEL CM	2754,7347 litre	94,796 %	151,2385 litre	O
370	CM	50	CM	89 LEVEL CM	2732,0524 litre	94,015 %	173,9208 litre	O
370	CM	50	CM	88 LEVEL CM	2708,4472 litre	93,203 %	197,5260 litre	O
370	CM	50	CM	87 LEVEL CM	2683,9761 litre	92,361 %	221,9971 litre	O
370	CM	50	CM	86 LEVEL CM	2658,6905 litre	91,491 %	247,2827 litre	O
370	CM	50	CM	85 LEVEL CM	2632,6368 litre	90,594 %	273,3364 litre	O
370	CM	50	CM	84 LEVEL CM	2605,8575 litre	89,672 %	300,1157 litre	O
370	CM	50	CM	83 LEVEL CM	2578,3916 litre	88,727 %	327,5816 litre	O
370	CM	50	CM	82 LEVEL CM	2550,2754 litre	87,760 %	355,6978 litre	O
370	CM	50	CM	81 LEVEL CM	2521,5427 litre	86,771 %	384,4305 litre	O
370	CM	50	CM	80 LEVEL CM	2492,2251 litre	85,762 %	413,7481 litre	O
370	CM	50	CM	79 LEVEL CM	2462,3524 litre	84,734 %	443,6208 litre	O
370	CM	50	CM	78 LEVEL CM	2431,9526 litre	83,688 %	474,0206 litre	O
370	CM	50	CM	77 LEVEL CM	2401,0526 litre	82,625 %	504,9206 litre	O
370	CM	50	CM	76 LEVEL CM	2369,6777 litre	81,545 %	536,2955 litre	O
370	CM	50	CM	75 LEVEL CM	2337,8522 litre	80,450 %	568,1210 litre	O
370	CM	50	CM	74 LEVEL CM	2305,5994 litre	79,340 %	600,3738 litre	O
370	CM	50	CM	73 LEVEL CM	2272,9417 litre	78,216 %	633,0315 litre	O
370	CM	50	CM	72 LEVEL CM	2239,9005 litre	77,079 %	666,0727 litre	O
370	CM	50	CM	71 LEVEL CM	2206,4966 litre	75,930 %	699,4766 litre	O
370	CM	50	CM	70 LEVEL CM	2172,7503 litre	74,768 %	733,2229 litre	O
370	CM	50	CM	69 LEVEL CM	2138,6809 litre	73,596 %	767,2923 litre	O
370	CM	50	CM	68 LEVEL CM	2104,3075 litre	72,413 %	801,6657 litre	O
370	CM	50	CM	67 LEVEL CM	2069,6485 litre	71,220 %	836,3247 litre	O
370	CM	50	CM	66 LEVEL CM	2034,7220 litre	70,019 %	871,2512 litre	O
370	CM	50	CM	65 LEVEL CM	1999,5454 litre	68,808 %	906,4278 litre	O
370	CM	50	CM	64 LEVEL CM	1964,1362 litre	67,590 %	941,8370 litre	O
370	CM	50	CM	63 LEVEL CM	1928,5110 litre	66,364 %	977,4622 litre	O
370	CM	50	CM	62 LEVEL CM	1892,6866 litre	65,131 %	1013,2866 litre	O
370	CM	50	CM	61 LEVEL CM	1856,6792 litre	63,892 %	1049,2940 litre	O
370	CM	50	CM	60 LEVEL CM	1820,5049 litre	62,647 %	1085,4683 litre	O
370	CM	50	CM	59 LEVEL CM	1784,1796 litre	61,397 %	1121,7936 litre	O
370	CM	50	CM	58 LEVEL CM	1747,7188 litre	60,142 %	1158,2544 litre	O
370	CM	50	CM	57 LEVEL CM	1711,1380 litre	58,883 %	1194,8352 litre	O
370	CM	50	CM	56 LEVEL CM	1674,4526 litre	57,621 %	1231,5206 litre	O
370	CM	50	CM	55 LEVEL CM	1637,6778 litre	56,356 %	1268,2954 litre	O
370	CM	50	CM	54 LEVEL CM	1600,8286 litre	55,088 %	1305,1446 litre	O
370	CM	50	CM	53 LEVEL CM	1563,9200 litre	53,817 %	1342,0532 litre	O
370	CM	50	CM	52 LEVEL CM	1526,9669 litre	52,546 %	1379,0063 litre	O
370	CM	50	CM	51 LEVEL CM	1489,9841 litre	51,273 %	1415,9891 litre	O
370	CM	50	CM	50 LEVEL CM	1452,9866 litre	50,000 %	1452,9866 litre	O
370	CM	50	CM	49 LEVEL CM	1415,9891 litre	48,727 %	1489,9841 litre	O

370	CM	50	CM	48 LEVEL CM	1379,0063 litre	47,454 %	1526,9669 litre	O
370	CM	50	CM	47 LEVEL CM	1342,0532 litre	46,183 %	1563,9200 litre	O
370	CM	50	CM	46 LEVEL CM	1305,1446 litre	44,912 %	1600,8286 litre	O
370	CM	50	CM	45 LEVEL CM	1268,2954 litre	43,644 %	1637,6778 litre	O
370	CM	50	CM	44 LEVEL CM	1231,5206 litre	42,379 %	1674,4526 litre	O
370	CM	50	CM	43 LEVEL CM	1194,8352 litre	41,117 %	1711,1380 litre	O
370	CM	50	CM	42 LEVEL CM	1158,2544 litre	39,858 %	1747,7188 litre	O
370	CM	50	CM	41 LEVEL CM	1121,7936 litre	38,603 %	1784,1796 litre	O
370	CM	50	CM	40 LEVEL CM	1085,4683 litre	37,353 %	1820,5049 litre	O
370	CM	50	CM	39 LEVEL CM	1049,2940 litre	36,108 %	1856,6792 litre	O
370	CM	50	CM	38 LEVEL CM	1013,2866 litre	34,869 %	1892,6866 litre	O
370	CM	50	CM	37 LEVEL CM	977,4622 litre	33,636 %	1928,5110 litre	O
370	CM	50	CM	36 LEVEL CM	941,8371 litre	32,410 %	1964,1361 litre	O
370	CM	50	CM	35 LEVEL CM	906,4278 litre	31,192 %	1999,5454 litre	O
370	CM	50	CM	34 LEVEL CM	871,2512 litre	29,981 %	2034,7220 litre	O
370	CM	50	CM	33 LEVEL CM	836,3247 litre	28,780 %	2069,6485 litre	O
370	CM	50	CM	32 LEVEL CM	801,6657 litre	27,587 %	2104,3075 litre	O
370	CM	50	CM	31 LEVEL CM	767,2923 litre	26,404 %	2138,6809 litre	O
370	CM	50	CM	30 LEVEL CM	733,2229 litre	25,232 %	2172,7503 litre	O
370	CM	50	CM	29 LEVEL CM	699,4766 litre	24,070 %	2206,4966 litre	O
370	CM	50	CM	28 LEVEL CM	666,0727 litre	22,921 %	2239,9005 litre	O
370	CM	50	CM	27 LEVEL CM	633,0315 litre	21,784 %	2272,9417 litre	O
370	CM	50	CM	26 LEVEL CM	600,3738 litre	20,660 %	2305,5994 litre	O
370	CM	50	CM	25 LEVEL CM	568,1210 litre	19,550 %	2337,8522 litre	O
370	CM	50	CM	24 LEVEL CM	536,2955 litre	18,455 %	2369,6777 litre	O
370	CM	50	CM	23 LEVEL CM	504,9206 litre	17,375 %	2401,0526 litre	O
370	CM	50	CM	22 LEVEL CM	474,0206 litre	16,312 %	2431,9526 litre	O
370	CM	50	CM	21 LEVEL CM	443,6208 litre	15,266 %	2462,3524 litre	O
370	CM	50	CM	20 LEVEL CM	413,7481 litre	14,238 %	2492,2251 litre	O
370	CM	50	CM	19 LEVEL CM	384,4305 litre	13,229 %	2521,5427 litre	O
370	CM	50	CM	18 LEVEL CM	355,6978 litre	12,240 %	2550,2754 litre	O
370	CM	50	CM	17 LEVEL CM	327,5816 litre	11,273 %	2578,3916 litre	O
370	CM	50	CM	16 LEVEL CM	300,1157 litre	10,328 %	2605,8575 litre	O
370	CM	50	CM	15 LEVEL CM	273,3364 litre	9,406 %	2632,6368 litre	O
370	CM	50	CM	14 LEVEL CM	247,2827 litre	8,509 %	2658,6905 litre	O
370	CM	50	CM	13 LEVEL CM	221,9971 litre	7,639 %	2683,9761 litre	O
370	CM	50	CM	12 LEVEL CM	197,5261 litre	6,797 %	2708,4471 litre	O
370	CM	50	CM	11 LEVEL CM	173,9208 litre	5,985 %	2732,0524 litre	O
370	CM	50	CM	10 LEVEL CM	151,2385 litre	5,204 %	2754,7347 litre	O
370	CM	50	CM	9 LEVEL CM	129,5437 litre	4,458 %	2776,4295 litre	O
370	CM	50	CM	8 LEVEL CM	108,9100 litre	3,748 %	2797,0632 litre	O
370	CM	50	CM	7 LEVEL CM	89,4233 litre	3,077 %	2816,5499 litre	O
370	CM	50	CM	6 LEVEL CM	71,1855 litre	2,450 %	2834,7877 litre	O
370	CM	50	CM	5 LEVEL CM	54,3215 litre	1,869 %	2851,6517 litre	O
370	CM	50	CM	4 LEVEL CM	38,9896 litre	1,342 %	2866,9836 litre	O
370	CM	50	CM	3 LEVEL CM	25,4024 litre	0,874 %	2880,5708 litre	O
370	CM	50	CM	2 LEVEL CM	13,8696 litre	0,477 %	2892,1036 litre	O
370	CM	50	CM	1 LEVEL CM	4,9185 litre	0,169 %	2901,0547 litre	O
370	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2905,9732 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM	150	CM 300 LEVEL CM	25446,9005 litre	100,000 %	0,0000 litre	O
360	CM	150	CM 299 LEVEL CM	25438,5950 litre	99,967 %	8,3055 litre	O
360	CM	150	CM 298 LEVEL CM	25423,4325 litre	99,908 %	23,4680 litre	O
360	CM	150	CM 297 LEVEL CM	25403,8303 litre	99,831 %	43,0702 litre	O
360	CM	150	CM 296 LEVEL CM	25380,6564 litre	99,740 %	66,2441 litre	O
360	CM	150	CM 295 LEVEL CM	25354,4150 litre	99,637 %	92,4855 litre	O
360	CM	150	CM 294 LEVEL CM	25325,4482 litre	99,523 %	121,4523 litre	O
360	CM	150	CM 293 LEVEL CM	25294,0083 litre	99,399 %	152,8922 litre	O
360	CM	150	CM 292 LEVEL CM	25260,2919 litre	99,267 %	186,6086 litre	O
360	CM	150	CM 291 LEVEL CM	25224,4579 litre	99,126 %	222,4426 litre	O
360	CM	150	CM 290 LEVEL CM	25186,6386 litre	98,977 %	260,2619 litre	O
360	CM	150	CM 289 LEVEL CM	25146,9462 litre	98,821 %	299,9543 litre	O
360	CM	150	CM 288 LEVEL CM	25105,4778 litre	98,658 %	341,4227 litre	O
360	CM	150	CM 287 LEVEL CM	25062,3184 litre	98,489 %	384,5821 litre	O
360	CM	150	CM 286 LEVEL CM	25017,5436 litre	98,313 %	429,3569 litre	O
360	CM	150	CM 285 LEVEL CM	24971,2206 litre	98,131 %	475,6799 litre	O
360	CM	150	CM 284 LEVEL CM	24923,4107 litre	97,943 %	523,4898 litre	O
360	CM	150	CM 283 LEVEL CM	24874,1690 litre	97,749 %	572,7315 litre	O
360	CM	150	CM 282 LEVEL CM	24823,5465 litre	97,550 %	623,3540 litre	O
360	CM	150	CM 281 LEVEL CM	24771,5897 litre	97,346 %	675,3108 litre	O
360	CM	150	CM 280 LEVEL CM	24718,3418 litre	97,137 %	728,5587 litre	O
360	CM	150	CM 279 LEVEL CM	24663,8428 litre	96,923 %	783,0577 litre	O
360	CM	150	CM 278 LEVEL CM	24608,1303 litre	96,704 %	838,7702 litre	O
360	CM	150	CM 277 LEVEL CM	24551,2391 litre	96,480 %	895,6614 litre	O
360	CM	150	CM 276 LEVEL CM	24493,2022 litre	96,252 %	953,6983 litre	O
360	CM	150	CM 275 LEVEL CM	24434,0505 litre	96,020 %	1012,8500 litre	O
360	CM	150	CM 274 LEVEL CM	24373,8132 litre	95,783 %	1073,0873 litre	O
360	CM	150	CM 273 LEVEL CM	24312,5180 litre	95,542 %	1134,3825 litre	O
360	CM	150	CM 272 LEVEL CM	24250,1912 litre	95,297 %	1196,7093 litre	O
360	CM	150	CM 271 LEVEL CM	24186,8578 litre	95,048 %	1260,0427 litre	O
360	CM	150	CM 270 LEVEL CM	24122,5415 litre	94,796 %	1324,3590 litre	O
360	CM	150	CM 269 LEVEL CM	24057,2652 litre	94,539 %	1389,6353 litre	O
360	CM	150	CM 268 LEVEL CM	23991,0505 litre	94,279 %	1455,8500 litre	O
360	CM	150	CM 267 LEVEL CM	23923,9183 litre	94,015 %	1522,9822 litre	O
360	CM	150	CM 266 LEVEL CM	23855,8887 litre	93,748 %	1591,0118 litre	O
360	CM	150	CM 265 LEVEL CM	23786,9807 litre	93,477 %	1659,9198 litre	O
360	CM	150	CM 264 LEVEL CM	23717,2129 litre	93,203 %	1729,6876 litre	O
360	CM	150	CM 263 LEVEL CM	23646,6031 litre	92,925 %	1800,2974 litre	O
360	CM	150	CM 262 LEVEL CM	23575,1685 litre	92,645 %	1871,7320 litre	O
360	CM	150	CM 261 LEVEL CM	23502,9257 litre	92,361 %	1943,9748 litre	O
360	CM	150	CM 260 LEVEL CM	23429,8907 litre	92,074 %	2017,0098 litre	O
360	CM	150	CM 259 LEVEL CM	23356,0791 litre	91,784 %	2090,8214 litre	O
360	CM	150	CM 258 LEVEL CM	23281,5058 litre	91,491 %	2165,3947 litre	O
360	CM	150	CM 257 LEVEL CM	23206,1854 litre	91,195 %	2240,7151 litre	O
360	CM	150	CM 256 LEVEL CM	23130,1322 litre	90,896 %	2316,7683 litre	O
360	CM	150	CM 255 LEVEL CM	23053,3599 litre	90,594 %	2393,5406 litre	O
360	CM	150	CM 254 LEVEL CM	22975,8818 litre	90,290 %	2471,0187 litre	O
360	CM	150	CM 253 LEVEL CM	22897,7109 litre	89,982 %	2549,1896 litre	O
360	CM	150	CM 252 LEVEL CM	22818,8599 litre	89,672 %	2628,0406 litre	O
360	CM	150	CM 251 LEVEL CM	22739,3411 litre	89,360 %	2707,5594 litre	O
360	CM	150	CM 250 LEVEL CM	22659,1666 litre	89,045 %	2787,7339 litre	O
360	CM	150	CM 249 LEVEL CM	22578,3481 litre	88,727 %	2868,5524 litre	O

360	CM	150	CM	248 LEVEL CM	22496,8970 litre	88,407 %	2950,0035 litre	O
360	CM	150	CM	247 LEVEL CM	22414,8246 litre	88,085 %	3032,0759 litre	O
360	CM	150	CM	246 LEVEL CM	22332,1417 litre	87,760 %	3114,7588 litre	O
360	CM	150	CM	245 LEVEL CM	22248,8591 litre	87,432 %	3198,0414 litre	O
360	CM	150	CM	244 LEVEL CM	22164,9873 litre	87,103 %	3281,9132 litre	O
360	CM	150	CM	243 LEVEL CM	22080,5364 litre	86,771 %	3366,3641 litre	O
360	CM	150	CM	242 LEVEL CM	21995,5166 litre	86,437 %	3451,3839 litre	O
360	CM	150	CM	241 LEVEL CM	21909,9377 litre	86,101 %	3536,9628 litre	O
360	CM	150	CM	240 LEVEL CM	21823,8092 litre	85,762 %	3623,0913 litre	O
360	CM	150	CM	239 LEVEL CM	21737,1408 litre	85,422 %	3709,7597 litre	O
360	CM	150	CM	238 LEVEL CM	21649,9416 litre	85,079 %	3796,9589 litre	O
360	CM	150	CM	237 LEVEL CM	21562,2208 litre	84,734 %	3884,6797 litre	O
360	CM	150	CM	236 LEVEL CM	21473,9874 litre	84,387 %	3972,9131 litre	O
360	CM	150	CM	235 LEVEL CM	21385,2501 litre	84,039 %	4061,6504 litre	O
360	CM	150	CM	234 LEVEL CM	21296,0177 litre	83,688 %	4150,8828 litre	O
360	CM	150	CM	233 LEVEL CM	21206,2986 litre	83,335 %	4240,6019 litre	O
360	CM	150	CM	232 LEVEL CM	21116,1011 litre	82,981 %	4330,7994 litre	O
360	CM	150	CM	231 LEVEL CM	21025,4336 litre	82,625 %	4421,4669 litre	O
360	CM	150	CM	230 LEVEL CM	20934,3042 litre	82,267 %	4512,5963 litre	O
360	CM	150	CM	229 LEVEL CM	20842,7207 litre	81,907 %	4604,1798 litre	O
360	CM	150	CM	228 LEVEL CM	20750,6912 litre	81,545 %	4696,2093 litre	O
360	CM	150	CM	227 LEVEL CM	20658,2234 litre	81,182 %	4788,6771 litre	O
360	CM	150	CM	226 LEVEL CM	20565,3249 litre	80,817 %	4881,5756 litre	O
360	CM	150	CM	225 LEVEL CM	20472,0032 litre	80,450 %	4974,8973 litre	O
360	CM	150	CM	224 LEVEL CM	20378,2659 litre	80,082 %	5068,6346 litre	O
360	CM	150	CM	223 LEVEL CM	20284,1201 litre	79,712 %	5162,7804 litre	O
360	CM	150	CM	222 LEVEL CM	20189,5733 litre	79,340 %	5257,3272 litre	O
360	CM	150	CM	221 LEVEL CM	20094,6325 litre	78,967 %	5352,2680 litre	O
360	CM	150	CM	220 LEVEL CM	19999,3048 litre	78,592 %	5447,5957 litre	O
360	CM	150	CM	219 LEVEL CM	19903,5972 litre	78,216 %	5543,3033 litre	O
360	CM	150	CM	218 LEVEL CM	19807,5166 litre	77,839 %	5639,3839 litre	O
360	CM	150	CM	217 LEVEL CM	19711,0698 litre	77,460 %	5735,8307 litre	O
360	CM	150	CM	216 LEVEL CM	19614,2636 litre	77,079 %	5832,6369 litre	O
360	CM	150	CM	215 LEVEL CM	19517,1045 litre	76,697 %	5929,7960 litre	O
360	CM	150	CM	214 LEVEL CM	19419,5993 litre	76,314 %	6027,3012 litre	O
360	CM	150	CM	213 LEVEL CM	19321,7543 litre	75,930 %	6125,1462 litre	O
360	CM	150	CM	212 LEVEL CM	19223,5762 litre	75,544 %	6223,3243 litre	O
360	CM	150	CM	211 LEVEL CM	19125,0712 litre	75,157 %	6321,8293 litre	O
360	CM	150	CM	210 LEVEL CM	19026,2458 litre	74,768 %	6420,6547 litre	O
360	CM	150	CM	209 LEVEL CM	18927,1060 litre	74,379 %	6519,7945 litre	O
360	CM	150	CM	208 LEVEL CM	18827,6583 litre	73,988 %	6619,2422 litre	O
360	CM	150	CM	207 LEVEL CM	18727,9087 litre	73,596 %	6718,9918 litre	O
360	CM	150	CM	206 LEVEL CM	18627,8632 litre	73,203 %	6819,0373 litre	O
360	CM	150	CM	205 LEVEL CM	18527,5280 litre	72,809 %	6919,3725 litre	O
360	CM	150	CM	204 LEVEL CM	18426,9091 litre	72,413 %	7019,9914 litre	O
360	CM	150	CM	203 LEVEL CM	18326,0123 litre	72,017 %	7120,8882 litre	O
360	CM	150	CM	202 LEVEL CM	18224,8436 litre	71,619 %	7222,0569 litre	O
360	CM	150	CM	201 LEVEL CM	18123,4088 litre	71,220 %	7323,4917 litre	O
360	CM	150	CM	200 LEVEL CM	18021,7136 litre	70,821 %	7425,1869 litre	O
360	CM	150	CM	199 LEVEL CM	17919,7639 litre	70,420 %	7527,1366 litre	O
360	CM	150	CM	198 LEVEL CM	17817,5654 litre	70,019 %	7629,3351 litre	O
360	CM	150	CM	197 LEVEL CM	17715,1236 litre	69,616 %	7731,7769 litre	O
360	CM	150	CM	196 LEVEL CM	17612,4443 litre	69,213 %	7834,4562 litre	O

360	CM	150	CM	195 LEVEL CM	17509,5330 litre	68,808 %	7937,3675 litre	O
360	CM	150	CM	194 LEVEL CM	17406,3953 litre	68,403 %	8040,5052 litre	O
360	CM	150	CM	193 LEVEL CM	17303,0366 litre	67,997 %	8143,8639 litre	O
360	CM	150	CM	192 LEVEL CM	17199,4625 litre	67,590 %	8247,4380 litre	O
360	CM	150	CM	191 LEVEL CM	17095,6784 litre	67,182 %	8351,2221 litre	O
360	CM	150	CM	190 LEVEL CM	16991,6897 litre	66,773 %	8455,2108 litre	O
360	CM	150	CM	189 LEVEL CM	16887,5018 litre	66,364 %	8559,3987 litre	O
360	CM	150	CM	188 LEVEL CM	16783,1201 litre	65,953 %	8663,7804 litre	O
360	CM	150	CM	187 LEVEL CM	16678,5497 litre	65,543 %	8768,3508 litre	O
360	CM	150	CM	186 LEVEL CM	16573,7961 litre	65,131 %	8873,1044 litre	O
360	CM	150	CM	185 LEVEL CM	16468,8645 litre	64,719 %	8978,0360 litre	O
360	CM	150	CM	184 LEVEL CM	16363,7602 litre	64,306 %	9083,1403 litre	O
360	CM	150	CM	183 LEVEL CM	16258,4882 litre	63,892 %	9188,4123 litre	O
360	CM	150	CM	182 LEVEL CM	16153,0539 litre	63,477 %	9293,8466 litre	O
360	CM	150	CM	181 LEVEL CM	16047,4624 litre	63,063 %	9399,4381 litre	O
360	CM	150	CM	180 LEVEL CM	15941,7188 litre	62,647 %	9505,1817 litre	O
360	CM	150	CM	179 LEVEL CM	15835,8282 litre	62,231 %	9611,0723 litre	O
360	CM	150	CM	178 LEVEL CM	15729,7957 litre	61,814 %	9717,1048 litre	O
360	CM	150	CM	177 LEVEL CM	15623,6264 litre	61,397 %	9823,2741 litre	O
360	CM	150	CM	176 LEVEL CM	15517,3254 litre	60,979 %	9929,5751 litre	O
360	CM	150	CM	175 LEVEL CM	15410,8976 litre	60,561 %	10036,0029 litre	O
360	CM	150	CM	174 LEVEL CM	15304,3482 litre	60,142 %	10142,5523 litre	O
360	CM	150	CM	173 LEVEL CM	15197,6820 litre	59,723 %	10249,2185 litre	O
360	CM	150	CM	172 LEVEL CM	15090,9041 litre	59,304 %	10355,9964 litre	O
360	CM	150	CM	171 LEVEL CM	14984,0195 litre	58,883 %	10462,8810 litre	O
360	CM	150	CM	170 LEVEL CM	14877,0331 litre	58,463 %	10569,8674 litre	O
360	CM	150	CM	169 LEVEL CM	14769,9498 litre	58,042 %	10676,9507 litre	O
360	CM	150	CM	168 LEVEL CM	14662,7745 litre	57,621 %	10784,1260 litre	O
360	CM	150	CM	167 LEVEL CM	14555,5122 litre	57,200 %	10891,3883 litre	O
360	CM	150	CM	166 LEVEL CM	14448,1678 litre	56,778 %	10998,7327 litre	O
360	CM	150	CM	165 LEVEL CM	14340,7462 litre	56,356 %	11106,1543 litre	O
360	CM	150	CM	164 LEVEL CM	14233,2522 litre	55,933 %	11213,6483 litre	O
360	CM	150	CM	163 LEVEL CM	14125,6907 litre	55,510 %	11321,2098 litre	O
360	CM	150	CM	162 LEVEL CM	14018,0665 litre	55,088 %	11428,8340 litre	O
360	CM	150	CM	161 LEVEL CM	13910,3846 litre	54,664 %	11536,5159 litre	O
360	CM	150	CM	160 LEVEL CM	13802,6497 litre	54,241 %	11644,2508 litre	O
360	CM	150	CM	159 LEVEL CM	13694,8667 litre	53,817 %	11752,0338 litre	O
360	CM	150	CM	158 LEVEL CM	13587,0405 litre	53,394 %	11859,8600 litre	O
360	CM	150	CM	157 LEVEL CM	13479,1758 litre	52,970 %	11967,7247 litre	O
360	CM	150	CM	156 LEVEL CM	13371,2774 litre	52,546 %	12075,6231 litre	O
360	CM	150	CM	155 LEVEL CM	13263,3502 litre	52,122 %	12183,5503 litre	O
360	CM	150	CM	154 LEVEL CM	13155,3990 litre	51,697 %	12291,5015 litre	O
360	CM	150	CM	153 LEVEL CM	13047,4286 litre	51,273 %	12399,4719 litre	O
360	CM	150	CM	152 LEVEL CM	12939,4438 litre	50,849 %	12507,4567 litre	O
360	CM	150	CM	151 LEVEL CM	12831,4494 litre	50,424 %	12615,4511 litre	O
360	CM	150	CM	150 LEVEL CM	12723,4502 litre	50,000 %	12723,4503 litre	O
360	CM	150	CM	149 LEVEL CM	12615,4510 litre	49,576 %	12831,4495 litre	O
360	CM	150	CM	148 LEVEL CM	12507,4566 litre	49,151 %	12939,4439 litre	O
360	CM	150	CM	147 LEVEL CM	12399,4718 litre	48,727 %	13047,4287 litre	O
360	CM	150	CM	146 LEVEL CM	12291,5015 litre	48,303 %	13155,3990 litre	O
360	CM	150	CM	145 LEVEL CM	12183,5503 litre	47,878 %	13263,3502 litre	O
360	CM	150	CM	144 LEVEL CM	12075,6231 litre	47,454 %	13371,2774 litre	O
360	CM	150	CM	143 LEVEL CM	11967,7247 litre	47,030 %	13479,1758 litre	O

360	CM	150	CM	142 LEVEL CM	11859,8600 litre	46,606 %	13587,0405 litre	O
360	CM	150	CM	141 LEVEL CM	11752,0338 litre	46,183 %	13694,8667 litre	O
360	CM	150	CM	140 LEVEL CM	11644,2508 litre	45,759 %	13802,6497 litre	O
360	CM	150	CM	139 LEVEL CM	11536,5159 litre	45,336 %	13910,3846 litre	O
360	CM	150	CM	138 LEVEL CM	11428,8340 litre	44,912 %	14018,0665 litre	O
360	CM	150	CM	137 LEVEL CM	11321,2098 litre	44,490 %	14125,6907 litre	O
360	CM	150	CM	136 LEVEL CM	11213,6483 litre	44,067 %	14233,2522 litre	O
360	CM	150	CM	135 LEVEL CM	11106,1543 litre	43,644 %	14340,7462 litre	O
360	CM	150	CM	134 LEVEL CM	10998,7327 litre	43,222 %	14448,1678 litre	O
360	CM	150	CM	133 LEVEL CM	10891,3883 litre	42,800 %	14555,5122 litre	O
360	CM	150	CM	132 LEVEL CM	10784,1260 litre	42,379 %	14662,7745 litre	O
360	CM	150	CM	131 LEVEL CM	10676,9507 litre	41,958 %	14769,9498 litre	O
360	CM	150	CM	130 LEVEL CM	10569,8674 litre	41,537 %	14877,0331 litre	O
360	CM	150	CM	129 LEVEL CM	10462,8810 litre	41,117 %	14984,0195 litre	O
360	CM	150	CM	128 LEVEL CM	10355,9963 litre	40,696 %	15090,9042 litre	O
360	CM	150	CM	127 LEVEL CM	10249,2185 litre	40,277 %	15197,6820 litre	O
360	CM	150	CM	126 LEVEL CM	10142,5523 litre	39,858 %	15304,3482 litre	O
360	CM	150	CM	125 LEVEL CM	10036,0029 litre	39,439 %	15410,8976 litre	O
360	CM	150	CM	124 LEVEL CM	9929,5751 litre	39,021 %	15517,3254 litre	O
360	CM	150	CM	123 LEVEL CM	9823,2741 litre	38,603 %	15623,6264 litre	O
360	CM	150	CM	122 LEVEL CM	9717,1048 litre	38,186 %	15729,7957 litre	O
360	CM	150	CM	121 LEVEL CM	9611,0723 litre	37,769 %	15835,8282 litre	O
360	CM	150	CM	120 LEVEL CM	9505,1817 litre	37,353 %	15941,7188 litre	O
360	CM	150	CM	119 LEVEL CM	9399,4381 litre	36,937 %	16047,4624 litre	O
360	CM	150	CM	118 LEVEL CM	9293,8466 litre	36,523 %	16153,0539 litre	O
360	CM	150	CM	117 LEVEL CM	9188,4123 litre	36,108 %	16258,4882 litre	O
360	CM	150	CM	116 LEVEL CM	9083,1403 litre	35,694 %	16363,7602 litre	O
360	CM	150	CM	115 LEVEL CM	8978,0360 litre	35,281 %	16468,8645 litre	O
360	CM	150	CM	114 LEVEL CM	8873,1044 litre	34,869 %	16573,7961 litre	O
360	CM	150	CM	113 LEVEL CM	8768,3508 litre	34,457 %	16678,5497 litre	O
360	CM	150	CM	112 LEVEL CM	8663,7804 litre	34,047 %	16783,1201 litre	O
360	CM	150	CM	111 LEVEL CM	8559,3987 litre	33,636 %	16887,5018 litre	O
360	CM	150	CM	110 LEVEL CM	8455,2108 litre	33,227 %	16991,6897 litre	O
360	CM	150	CM	109 LEVEL CM	8351,2221 litre	32,818 %	17095,6784 litre	O
360	CM	150	CM	108 LEVEL CM	8247,4380 litre	32,410 %	17199,4625 litre	O
360	CM	150	CM	107 LEVEL CM	8143,8639 litre	32,003 %	17303,0366 litre	O
360	CM	150	CM	106 LEVEL CM	8040,5052 litre	31,597 %	17406,3953 litre	O
360	CM	150	CM	105 LEVEL CM	7937,3675 litre	31,192 %	17509,5330 litre	O
360	CM	150	CM	104 LEVEL CM	7834,4562 litre	30,787 %	17612,4443 litre	O
360	CM	150	CM	103 LEVEL CM	7731,7769 litre	30,384 %	17715,1236 litre	O
360	CM	150	CM	102 LEVEL CM	7629,3351 litre	29,981 %	17817,5654 litre	O
360	CM	150	CM	101 LEVEL CM	7527,1366 litre	29,580 %	17919,7639 litre	O
360	CM	150	CM	100 LEVEL CM	7425,1869 litre	29,179 %	18021,7136 litre	O
360	CM	150	CM	99 LEVEL CM	7323,4917 litre	28,780 %	18123,4088 litre	O
360	CM	150	CM	98 LEVEL CM	7222,0569 litre	28,381 %	18224,8436 litre	O
360	CM	150	CM	97 LEVEL CM	7120,8882 litre	27,983 %	18326,0123 litre	O
360	CM	150	CM	96 LEVEL CM	7019,9914 litre	27,587 %	18426,9091 litre	O
360	CM	150	CM	95 LEVEL CM	6919,3724 litre	27,191 %	18527,5281 litre	O
360	CM	150	CM	94 LEVEL CM	6819,0373 litre	26,797 %	18627,8632 litre	O
360	CM	150	CM	93 LEVEL CM	6718,9918 litre	26,404 %	18727,9087 litre	O
360	CM	150	CM	92 LEVEL CM	6619,2422 litre	26,012 %	18827,6583 litre	O
360	CM	150	CM	91 LEVEL CM	6519,7945 litre	25,621 %	18927,1060 litre	O
360	CM	150	CM	90 LEVEL CM	6420,6547 litre	25,232 %	19026,2458 litre	O

360	CM	150	CM	89 LEVEL CM	6321,8293 litre	24,843 %	19125,0712 litre	O
360	CM	150	CM	88 LEVEL CM	6223,3243 litre	24,456 %	19223,5762 litre	O
360	CM	150	CM	87 LEVEL CM	6125,1462 litre	24,070 %	19321,7543 litre	O
360	CM	150	CM	86 LEVEL CM	6027,3012 litre	23,686 %	19419,5993 litre	O
360	CM	150	CM	85 LEVEL CM	5929,7960 litre	23,303 %	19517,1045 litre	O
360	CM	150	CM	84 LEVEL CM	5832,6369 litre	22,921 %	19614,2636 litre	O
360	CM	150	CM	83 LEVEL CM	5735,8307 litre	22,540 %	19711,0698 litre	O
360	CM	150	CM	82 LEVEL CM	5639,3839 litre	22,161 %	19807,5166 litre	O
360	CM	150	CM	81 LEVEL CM	5543,3033 litre	21,784 %	19903,5972 litre	O
360	CM	150	CM	80 LEVEL CM	5447,5957 litre	21,408 %	19999,3048 litre	O
360	CM	150	CM	79 LEVEL CM	5352,2680 litre	21,033 %	20094,6325 litre	O
360	CM	150	CM	78 LEVEL CM	5257,3272 litre	20,660 %	20189,5733 litre	O
360	CM	150	CM	77 LEVEL CM	5162,7804 litre	20,288 %	20284,1201 litre	O
360	CM	150	CM	76 LEVEL CM	5068,6346 litre	19,918 %	20378,2659 litre	O
360	CM	150	CM	75 LEVEL CM	4974,8973 litre	19,550 %	20472,0032 litre	O
360	CM	150	CM	74 LEVEL CM	4881,5756 litre	19,183 %	20565,3249 litre	O
360	CM	150	CM	73 LEVEL CM	4788,6771 litre	18,818 %	20658,2234 litre	O
360	CM	150	CM	72 LEVEL CM	4696,2093 litre	18,455 %	20750,6912 litre	O
360	CM	150	CM	71 LEVEL CM	4604,1798 litre	18,093 %	20842,7207 litre	O
360	CM	150	CM	70 LEVEL CM	4512,5963 litre	17,733 %	20934,3042 litre	O
360	CM	150	CM	69 LEVEL CM	4421,4669 litre	17,375 %	21025,4336 litre	O
360	CM	150	CM	68 LEVEL CM	4330,7994 litre	17,019 %	21116,1011 litre	O
360	CM	150	CM	67 LEVEL CM	4240,6019 litre	16,665 %	21206,2986 litre	O
360	CM	150	CM	66 LEVEL CM	4150,8828 litre	16,312 %	21296,0177 litre	O
360	CM	150	CM	65 LEVEL CM	4061,6503 litre	15,961 %	21385,2502 litre	O
360	CM	150	CM	64 LEVEL CM	3972,9131 litre	15,613 %	21473,9874 litre	O
360	CM	150	CM	63 LEVEL CM	3884,6797 litre	15,266 %	21562,2208 litre	O
360	CM	150	CM	62 LEVEL CM	3796,9589 litre	14,921 %	21649,9416 litre	O
360	CM	150	CM	61 LEVEL CM	3709,7597 litre	14,578 %	21737,1408 litre	O
360	CM	150	CM	60 LEVEL CM	3623,0913 litre	14,238 %	21823,8092 litre	O
360	CM	150	CM	59 LEVEL CM	3536,9628 litre	13,899 %	21909,9377 litre	O
360	CM	150	CM	58 LEVEL CM	3451,3839 litre	13,563 %	21995,5166 litre	O
360	CM	150	CM	57 LEVEL CM	3366,3641 litre	13,229 %	22080,5364 litre	O
360	CM	150	CM	56 LEVEL CM	3281,9132 litre	12,897 %	22164,9873 litre	O
360	CM	150	CM	55 LEVEL CM	3198,0414 litre	12,568 %	22248,8591 litre	O
360	CM	150	CM	54 LEVEL CM	3114,7588 litre	12,240 %	22332,1417 litre	O
360	CM	150	CM	53 LEVEL CM	3032,0759 litre	11,915 %	22414,8246 litre	O
360	CM	150	CM	52 LEVEL CM	2950,0035 litre	11,593 %	22496,8970 litre	O
360	CM	150	CM	51 LEVEL CM	2868,5524 litre	11,273 %	22578,3481 litre	O
360	CM	150	CM	50 LEVEL CM	2787,7339 litre	10,955 %	22659,1666 litre	O
360	CM	150	CM	49 LEVEL CM	2707,5594 litre	10,640 %	22739,3411 litre	O
360	CM	150	CM	48 LEVEL CM	2628,0406 litre	10,328 %	22818,8599 litre	O
360	CM	150	CM	47 LEVEL CM	2549,1896 litre	10,018 %	22897,7109 litre	O
360	CM	150	CM	46 LEVEL CM	2471,0187 litre	9,710 %	22975,8818 litre	O
360	CM	150	CM	45 LEVEL CM	2393,5406 litre	9,406 %	23053,3599 litre	O
360	CM	150	CM	44 LEVEL CM	2316,7683 litre	9,104 %	23130,1322 litre	O
360	CM	150	CM	43 LEVEL CM	2240,7151 litre	8,805 %	23206,1854 litre	O
360	CM	150	CM	42 LEVEL CM	2165,3947 litre	8,509 %	23281,5058 litre	O
360	CM	150	CM	41 LEVEL CM	2090,8214 litre	8,216 %	23356,0791 litre	O
360	CM	150	CM	40 LEVEL CM	2017,0098 litre	7,926 %	23429,8907 litre	O
360	CM	150	CM	39 LEVEL CM	1943,9748 litre	7,639 %	23502,9257 litre	O
360	CM	150	CM	38 LEVEL CM	1871,7320 litre	7,355 %	23575,1685 litre	O
360	CM	150	CM	37 LEVEL CM	1800,2974 litre	7,075 %	23646,6031 litre	O

360	CM	150	CM	36 LEVEL CM	1729,6876 litre	6,797 %	23717,2129 litre	O
360	CM	150	CM	35 LEVEL CM	1659,9198 litre	6,523 %	23786,9807 litre	O
360	CM	150	CM	34 LEVEL CM	1591,0118 litre	6,252 %	23855,8887 litre	O
360	CM	150	CM	33 LEVEL CM	1522,9822 litre	5,985 %	23923,9183 litre	O
360	CM	150	CM	32 LEVEL CM	1455,8500 litre	5,721 %	23991,0505 litre	O
360	CM	150	CM	31 LEVEL CM	1389,6353 litre	5,461 %	24057,2652 litre	O
360	CM	150	CM	30 LEVEL CM	1324,3590 litre	5,204 %	24122,5415 litre	O
360	CM	150	CM	29 LEVEL CM	1260,0427 litre	4,952 %	24186,8578 litre	O
360	CM	150	CM	28 LEVEL CM	1196,7093 litre	4,703 %	24250,1912 litre	O
360	CM	150	CM	27 LEVEL CM	1134,3825 litre	4,458 %	24312,5180 litre	O
360	CM	150	CM	26 LEVEL CM	1073,0873 litre	4,217 %	24373,8132 litre	O
360	CM	150	CM	25 LEVEL CM	1012,8500 litre	3,980 %	24434,0505 litre	O
360	CM	150	CM	24 LEVEL CM	953,6983 litre	3,748 %	24493,2022 litre	O
360	CM	150	CM	23 LEVEL CM	895,6614 litre	3,520 %	24551,2391 litre	O
360	CM	150	CM	22 LEVEL CM	838,7702 litre	3,296 %	24608,1303 litre	O
360	CM	150	CM	21 LEVEL CM	783,0577 litre	3,077 %	24663,8428 litre	O
360	CM	150	CM	20 LEVEL CM	728,5587 litre	2,863 %	24718,3418 litre	O
360	CM	150	CM	19 LEVEL CM	675,3108 litre	2,654 %	24771,5897 litre	O
360	CM	150	CM	18 LEVEL CM	623,3540 litre	2,450 %	24823,5465 litre	O
360	CM	150	CM	17 LEVEL CM	572,7314 litre	2,251 %	24874,1691 litre	O
360	CM	150	CM	16 LEVEL CM	523,4898 litre	2,057 %	24923,4107 litre	O
360	CM	150	CM	15 LEVEL CM	475,6798 litre	1,869 %	24971,2207 litre	O
360	CM	150	CM	14 LEVEL CM	429,3569 litre	1,687 %	25017,5436 litre	O
360	CM	150	CM	13 LEVEL CM	384,5821 litre	1,511 %	25062,3184 litre	O
360	CM	150	CM	12 LEVEL CM	341,4227 litre	1,342 %	25105,4778 litre	O
360	CM	150	CM	11 LEVEL CM	299,9543 litre	1,179 %	25146,9462 litre	O
360	CM	150	CM	10 LEVEL CM	260,2619 litre	1,023 %	25186,6386 litre	O
360	CM	150	CM	9 LEVEL CM	222,4426 litre	0,874 %	25224,4579 litre	O
360	CM	150	CM	8 LEVEL CM	186,6086 litre	0,733 %	25260,2919 litre	O
360	CM	150	CM	7 LEVEL CM	152,8922 litre	0,601 %	25294,0083 litre	O
360	CM	150	CM	6 LEVEL CM	121,4523 litre	0,477 %	25325,4482 litre	O
360	CM	150	CM	5 LEVEL CM	92,4855 litre	0,363 %	25354,4150 litre	O
360	CM	150	CM	4 LEVEL CM	66,2441 litre	0,260 %	25380,6564 litre	O
360	CM	150	CM	3 LEVEL CM	43,0702 litre	0,169 %	25403,8303 litre	O
360	CM	150	CM	2 LEVEL CM	23,4680 litre	0,092 %	25423,4325 litre	O
360	CM	150	CM	1 LEVEL CM	8,3055 litre	0,033 %	25438,5950 litre	O
360	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	25446,9005 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM 145	CM 290 LEVEL CM	23778,7148 litre	100,000 %	0,0000 litre	O
360	CM 145	CM 289 LEVEL CM	23770,5492 litre	99,966 %	8,1656 litre	O
360	CM 145	CM 288 LEVEL CM	23755,6428 litre	99,903 %	23,0720 litre	O
360	CM 145	CM 287 LEVEL CM	23736,3730 litre	99,822 %	42,3418 litre	O
360	CM 145	CM 286 LEVEL CM	23713,5932 litre	99,726 %	65,1216 litre	O
360	CM 145	CM 285 LEVEL CM	23687,7997 litre	99,618 %	90,9151 litre	O
360	CM 145	CM 284 LEVEL CM	23659,3289 litre	99,498 %	119,3859 litre	O
360	CM 145	CM 283 LEVEL CM	23628,4293 litre	99,368 %	150,2855 litre	O
360	CM 145	CM 282 LEVEL CM	23595,2942 litre	99,229 %	183,4206 litre	O
360	CM 145	CM 281 LEVEL CM	23560,0803 litre	99,081 %	218,6345 litre	O
360	CM 145	CM 280 LEVEL CM	23522,9176 litre	98,924 %	255,7972 litre	O
360	CM 145	CM 279 LEVEL CM	23483,9168 litre	98,760 %	294,7980 litre	O
360	CM 145	CM 278 LEVEL CM	23443,1734 litre	98,589 %	335,5414 litre	O
360	CM 145	CM 277 LEVEL CM	23400,7713 litre	98,411 %	377,9435 litre	O
360	CM 145	CM 276 LEVEL CM	23356,7848 litre	98,226 %	421,9300 litre	O
360	CM 145	CM 275 LEVEL CM	23311,2804 litre	98,034 %	467,4344 litre	O
360	CM 145	CM 274 LEVEL CM	23264,3182 litre	97,837 %	514,3966 litre	O
360	CM 145	CM 273 LEVEL CM	23215,9528 litre	97,633 %	562,7620 litre	O
360	CM 145	CM 272 LEVEL CM	23166,2343 litre	97,424 %	612,4805 litre	O
360	CM 145	CM 271 LEVEL CM	23115,2087 litre	97,210 %	663,5061 litre	O
360	CM 145	CM 270 LEVEL CM	23062,9185 litre	96,990 %	715,7963 litre	O
360	CM 145	CM 269 LEVEL CM	23009,4034 litre	96,765 %	769,3114 litre	O
360	CM 145	CM 268 LEVEL CM	22954,7003 litre	96,535 %	824,0145 litre	O
360	CM 145	CM 267 LEVEL CM	22898,8436 litre	96,300 %	879,8712 litre	O
360	CM 145	CM 266 LEVEL CM	22841,8658 litre	96,060 %	936,8490 litre	O
360	CM 145	CM 265 LEVEL CM	22783,7976 litre	95,816 %	994,9172 litre	O
360	CM 145	CM 264 LEVEL CM	22724,6677 litre	95,567 %	1054,0471 litre	O
360	CM 145	CM 263 LEVEL CM	22664,5035 litre	95,314 %	1114,2113 litre	O
360	CM 145	CM 262 LEVEL CM	22603,3310 litre	95,057 %	1175,3838 litre	O
360	CM 145	CM 261 LEVEL CM	22541,1749 litre	94,796 %	1237,5399 litre	O
360	CM 145	CM 260 LEVEL CM	22478,0587 litre	94,530 %	1300,6561 litre	O
360	CM 145	CM 259 LEVEL CM	22414,0049 litre	94,261 %	1364,7099 litre	O
360	CM 145	CM 258 LEVEL CM	22349,0350 litre	93,988 %	1429,6798 litre	O
360	CM 145	CM 257 LEVEL CM	22283,1696 litre	93,711 %	1495,5452 litre	O
360	CM 145	CM 256 LEVEL CM	22216,4284 litre	93,430 %	1562,2864 litre	O
360	CM 145	CM 255 LEVEL CM	22148,8306 litre	93,146 %	1629,8842 litre	O
360	CM 145	CM 254 LEVEL CM	22080,3944 litre	92,858 %	1698,3204 litre	O
360	CM 145	CM 253 LEVEL CM	22011,1375 litre	92,567 %	1767,5773 litre	O
360	CM 145	CM 252 LEVEL CM	21941,0767 litre	92,272 %	1837,6381 litre	O
360	CM 145	CM 251 LEVEL CM	21870,2287 litre	91,974 %	1908,4861 litre	O
360	CM 145	CM 250 LEVEL CM	21798,6093 litre	91,673 %	1980,1055 litre	O
360	CM 145	CM 249 LEVEL CM	21726,2338 litre	91,368 %	2052,4810 litre	O
360	CM 145	CM 248 LEVEL CM	21653,1171 litre	91,061 %	2125,5977 litre	O
360	CM 145	CM 247 LEVEL CM	21579,2738 litre	90,750 %	2199,4410 litre	O
360	CM 145	CM 246 LEVEL CM	21504,7179 litre	90,437 %	2273,9969 litre	O
360	CM 145	CM 245 LEVEL CM	21429,4629 litre	90,120 %	2349,2519 litre	O
360	CM 145	CM 244 LEVEL CM	21353,5222 litre	89,801 %	2425,1926 litre	O
360	CM 145	CM 243 LEVEL CM	21276,9087 litre	89,479 %	2501,8061 litre	O
360	CM 145	CM 242 LEVEL CM	21199,6349 litre	89,154 %	2579,0799 litre	O
360	CM 145	CM 241 LEVEL CM	21121,7131 litre	88,826 %	2657,0017 litre	O
360	CM 145	CM 240 LEVEL CM	21043,1552 litre	88,496 %	2735,5596 litre	O
360	CM 145	CM 239 LEVEL CM	20963,9728 litre	88,163 %	2814,7420 litre	O

360	CM	145	CM	238 LEVEL CM	20884,1774 litre	87,827 %	2894,5374 litre	O
360	CM	145	CM	237 LEVEL CM	20803,7801 litre	87,489 %	2974,9347 litre	O
360	CM	145	CM	236 LEVEL CM	20722,7918 litre	87,148 %	3055,9230 litre	O
360	CM	145	CM	235 LEVEL CM	20641,2230 litre	86,805 %	3137,4918 litre	O
360	CM	145	CM	234 LEVEL CM	20559,0842 litre	86,460 %	3219,6306 litre	O
360	CM	145	CM	233 LEVEL CM	20476,3857 litre	86,112 %	3302,3291 litre	O
360	CM	145	CM	232 LEVEL CM	20393,1373 litre	85,762 %	3385,5775 litre	O
360	CM	145	CM	231 LEVEL CM	20309,3489 litre	85,410 %	3469,3659 litre	O
360	CM	145	CM	230 LEVEL CM	20225,0301 litre	85,055 %	3553,6847 litre	O
360	CM	145	CM	229 LEVEL CM	20140,1903 litre	84,698 %	3638,5245 litre	O
360	CM	145	CM	228 LEVEL CM	20054,8388 litre	84,339 %	3723,8760 litre	O
360	CM	145	CM	227 LEVEL CM	19968,9846 litre	83,978 %	3809,7302 litre	O
360	CM	145	CM	226 LEVEL CM	19882,6368 litre	83,615 %	3896,0780 litre	O
360	CM	145	CM	225 LEVEL CM	19795,8040 litre	83,250 %	3982,9108 litre	O
360	CM	145	CM	224 LEVEL CM	19708,4949 litre	82,883 %	4070,2199 litre	O
360	CM	145	CM	223 LEVEL CM	19620,7179 litre	82,514 %	4157,9969 litre	O
360	CM	145	CM	222 LEVEL CM	19532,4816 litre	82,143 %	4246,2332 litre	O
360	CM	145	CM	221 LEVEL CM	19443,7939 litre	81,770 %	4334,9209 litre	O
360	CM	145	CM	220 LEVEL CM	19354,6632 litre	81,395 %	4424,0516 litre	O
360	CM	145	CM	219 LEVEL CM	19265,0973 litre	81,018 %	4513,6175 litre	O
360	CM	145	CM	218 LEVEL CM	19175,1041 litre	80,640 %	4603,6107 litre	O
360	CM	145	CM	217 LEVEL CM	19084,6913 litre	80,260 %	4694,0235 litre	O
360	CM	145	CM	216 LEVEL CM	18993,8667 litre	79,878 %	4784,8481 litre	O
360	CM	145	CM	215 LEVEL CM	18902,6377 litre	79,494 %	4876,0771 litre	O
360	CM	145	CM	214 LEVEL CM	18811,0119 litre	79,109 %	4967,7029 litre	O
360	CM	145	CM	213 LEVEL CM	18718,9964 litre	78,722 %	5059,7184 litre	O
360	CM	145	CM	212 LEVEL CM	18626,5987 litre	78,333 %	5152,1161 litre	O
360	CM	145	CM	211 LEVEL CM	18533,8258 litre	77,943 %	5244,8890 litre	O
360	CM	145	CM	210 LEVEL CM	18440,6848 litre	77,551 %	5338,0300 litre	O
360	CM	145	CM	209 LEVEL CM	18347,1827 litre	77,158 %	5431,5321 litre	O
360	CM	145	CM	208 LEVEL CM	18253,3265 litre	76,763 %	5525,3883 litre	O
360	CM	145	CM	207 LEVEL CM	18159,1230 litre	76,367 %	5619,5918 litre	O
360	CM	145	CM	206 LEVEL CM	18064,5789 litre	75,970 %	5714,1359 litre	O
360	CM	145	CM	205 LEVEL CM	17969,7009 litre	75,571 %	5809,0139 litre	O
360	CM	145	CM	204 LEVEL CM	17874,4956 litre	75,170 %	5904,2192 litre	O
360	CM	145	CM	203 LEVEL CM	17778,9696 litre	74,768 %	5999,7452 litre	O
360	CM	145	CM	202 LEVEL CM	17683,1294 litre	74,365 %	6095,5854 litre	O
360	CM	145	CM	201 LEVEL CM	17586,9814 litre	73,961 %	6191,7334 litre	O
360	CM	145	CM	200 LEVEL CM	17490,5319 litre	73,555 %	6288,1829 litre	O
360	CM	145	CM	199 LEVEL CM	17393,7872 litre	73,149 %	6384,9276 litre	O
360	CM	145	CM	198 LEVEL CM	17296,7536 litre	72,740 %	6481,9612 litre	O
360	CM	145	CM	197 LEVEL CM	17199,4372 litre	72,331 %	6579,2776 litre	O
360	CM	145	CM	196 LEVEL CM	17101,8443 litre	71,921 %	6676,8705 litre	O
360	CM	145	CM	195 LEVEL CM	17003,9808 litre	71,509 %	6774,7340 litre	O
360	CM	145	CM	194 LEVEL CM	16905,8528 litre	71,097 %	6872,8620 litre	O
360	CM	145	CM	193 LEVEL CM	16807,4663 litre	70,683 %	6971,2485 litre	O
360	CM	145	CM	192 LEVEL CM	16708,8272 litre	70,268 %	7069,8876 litre	O
360	CM	145	CM	191 LEVEL CM	16609,9414 litre	69,852 %	7168,7734 litre	O
360	CM	145	CM	190 LEVEL CM	16510,8148 litre	69,435 %	7267,9000 litre	O
360	CM	145	CM	189 LEVEL CM	16411,4530 litre	69,017 %	7367,2618 litre	O
360	CM	145	CM	188 LEVEL CM	16311,8620 litre	68,599 %	7466,8528 litre	O
360	CM	145	CM	187 LEVEL CM	16212,0474 litre	68,179 %	7566,6674 litre	O
360	CM	145	CM	186 LEVEL CM	16112,0150 litre	67,758 %	7666,6998 litre	O

360	CM	145	CM	185 LEVEL CM	16011,7702 litre	67,337 %	7766,9446 litre	O
360	CM	145	CM	184 LEVEL CM	15911,3188 litre	66,914 %	7867,3960 litre	O
360	CM	145	CM	183 LEVEL CM	15810,6664 litre	66,491 %	7968,0484 litre	O
360	CM	145	CM	182 LEVEL CM	15709,8184 litre	66,067 %	8068,8964 litre	O
360	CM	145	CM	181 LEVEL CM	15608,7804 litre	65,642 %	8169,9344 litre	O
360	CM	145	CM	180 LEVEL CM	15507,5579 litre	65,216 %	8271,1569 litre	O
360	CM	145	CM	179 LEVEL CM	15406,1563 litre	64,790 %	8372,5585 litre	O
360	CM	145	CM	178 LEVEL CM	15304,5810 litre	64,363 %	8474,1338 litre	O
360	CM	145	CM	177 LEVEL CM	15202,8374 litre	63,935 %	8575,8774 litre	O
360	CM	145	CM	176 LEVEL CM	15100,9309 litre	63,506 %	8677,7839 litre	O
360	CM	145	CM	175 LEVEL CM	14998,8669 litre	63,077 %	8779,8479 litre	O
360	CM	145	CM	174 LEVEL CM	14896,6505 litre	62,647 %	8882,0643 litre	O
360	CM	145	CM	173 LEVEL CM	14794,2872 litre	62,217 %	8984,4276 litre	O
360	CM	145	CM	172 LEVEL CM	14691,7822 litre	61,785 %	9086,9326 litre	O
360	CM	145	CM	171 LEVEL CM	14589,1408 litre	61,354 %	9189,5740 litre	O
360	CM	145	CM	170 LEVEL CM	14486,3681 litre	60,922 %	9292,3467 litre	O
360	CM	145	CM	169 LEVEL CM	14383,4694 litre	60,489 %	9395,2454 litre	O
360	CM	145	CM	168 LEVEL CM	14280,4498 litre	60,056 %	9498,2650 litre	O
360	CM	145	CM	167 LEVEL CM	14177,3146 litre	59,622 %	9601,4002 litre	O
360	CM	145	CM	166 LEVEL CM	14074,0688 litre	59,188 %	9704,6460 litre	O
360	CM	145	CM	165 LEVEL CM	13970,7177 litre	58,753 %	9807,9971 litre	O
360	CM	145	CM	164 LEVEL CM	13867,2663 litre	58,318 %	9911,4485 litre	O
360	CM	145	CM	163 LEVEL CM	13763,7197 litre	57,883 %	10014,9951 litre	O
360	CM	145	CM	162 LEVEL CM	13660,0830 litre	57,447 %	10118,6318 litre	O
360	CM	145	CM	161 LEVEL CM	13556,3614 litre	57,010 %	10222,3534 litre	O
360	CM	145	CM	160 LEVEL CM	13452,5598 litre	56,574 %	10326,1550 litre	O
360	CM	145	CM	159 LEVEL CM	13348,6833 litre	56,137 %	10430,0315 litre	O
360	CM	145	CM	158 LEVEL CM	13244,7370 litre	55,700 %	10533,9778 litre	O
360	CM	145	CM	157 LEVEL CM	13140,7259 litre	55,263 %	10637,9889 litre	O
360	CM	145	CM	156 LEVEL CM	13036,6549 litre	54,825 %	10742,0599 litre	O
360	CM	145	CM	155 LEVEL CM	12932,5292 litre	54,387 %	10846,1856 litre	O
360	CM	145	CM	154 LEVEL CM	12828,3537 litre	53,949 %	10950,3611 litre	O
360	CM	145	CM	153 LEVEL CM	12724,1335 litre	53,511 %	11054,5813 litre	O
360	CM	145	CM	152 LEVEL CM	12619,8734 litre	53,072 %	11158,8414 litre	O
360	CM	145	CM	151 LEVEL CM	12515,5786 litre	52,634 %	11263,1362 litre	O
360	CM	145	CM	150 LEVEL CM	12411,2539 litre	52,195 %	11367,4609 litre	O
360	CM	145	CM	149 LEVEL CM	12306,9044 litre	51,756 %	11471,8104 litre	O
360	CM	145	CM	148 LEVEL CM	12202,5351 litre	51,317 %	11576,1797 litre	O
360	CM	145	CM	147 LEVEL CM	12098,1508 litre	50,878 %	11680,5640 litre	O
360	CM	145	CM	146 LEVEL CM	11993,7566 litre	50,439 %	11784,9582 litre	O
360	CM	145	CM	145 LEVEL CM	11889,3574 litre	50,000 %	11889,3574 litre	O
360	CM	145	CM	144 LEVEL CM	11784,9582 litre	49,561 %	11993,7566 litre	O
360	CM	145	CM	143 LEVEL CM	11680,5640 litre	49,122 %	12098,1508 litre	O
360	CM	145	CM	142 LEVEL CM	11576,1797 litre	48,683 %	12202,5351 litre	O
360	CM	145	CM	141 LEVEL CM	11471,8104 litre	48,244 %	12306,9044 litre	O
360	CM	145	CM	140 LEVEL CM	11367,4609 litre	47,805 %	12411,2539 litre	O
360	CM	145	CM	139 LEVEL CM	11263,1362 litre	47,366 %	12515,5786 litre	O
360	CM	145	CM	138 LEVEL CM	11158,8414 litre	46,928 %	12619,8734 litre	O
360	CM	145	CM	137 LEVEL CM	11054,5813 litre	46,489 %	12724,1335 litre	O
360	CM	145	CM	136 LEVEL CM	10950,3611 litre	46,051 %	12828,3537 litre	O
360	CM	145	CM	135 LEVEL CM	10846,1856 litre	45,613 %	12932,5292 litre	O
360	CM	145	CM	134 LEVEL CM	10742,0599 litre	45,175 %	13036,6549 litre	O
360	CM	145	CM	133 LEVEL CM	10637,9889 litre	44,737 %	13140,7259 litre	O

360	CM	145	CM	132 LEVEL CM	10533,9778 litre	44,300 %	13244,7370 litre	O
360	CM	145	CM	131 LEVEL CM	10430,0315 litre	43,863 %	13348,6833 litre	O
360	CM	145	CM	130 LEVEL CM	10326,1550 litre	43,426 %	13452,5598 litre	O
360	CM	145	CM	129 LEVEL CM	10222,3534 litre	42,990 %	13556,3614 litre	O
360	CM	145	CM	128 LEVEL CM	10118,6318 litre	42,553 %	13660,0830 litre	O
360	CM	145	CM	127 LEVEL CM	10014,9951 litre	42,117 %	13763,7197 litre	O
360	CM	145	CM	126 LEVEL CM	9911,4485 litre	41,682 %	13867,2663 litre	O
360	CM	145	CM	125 LEVEL CM	9807,9971 litre	41,247 %	13970,7177 litre	O
360	CM	145	CM	124 LEVEL CM	9704,6460 litre	40,812 %	14074,0688 litre	O
360	CM	145	CM	123 LEVEL CM	9601,4002 litre	40,378 %	14177,3146 litre	O
360	CM	145	CM	122 LEVEL CM	9498,2650 litre	39,944 %	14280,4498 litre	O
360	CM	145	CM	121 LEVEL CM	9395,2454 litre	39,511 %	14383,4694 litre	O
360	CM	145	CM	120 LEVEL CM	9292,3467 litre	39,078 %	14486,3681 litre	O
360	CM	145	CM	119 LEVEL CM	9189,5740 litre	38,646 %	14589,1408 litre	O
360	CM	145	CM	118 LEVEL CM	9086,9326 litre	38,215 %	14691,7822 litre	O
360	CM	145	CM	117 LEVEL CM	8984,4276 litre	37,783 %	14794,2872 litre	O
360	CM	145	CM	116 LEVEL CM	8882,0643 litre	37,353 %	14896,6505 litre	O
360	CM	145	CM	115 LEVEL CM	8779,8479 litre	36,923 %	14998,8669 litre	O
360	CM	145	CM	114 LEVEL CM	8677,7839 litre	36,494 %	15100,9309 litre	O
360	CM	145	CM	113 LEVEL CM	8575,8774 litre	36,065 %	15202,8374 litre	O
360	CM	145	CM	112 LEVEL CM	8474,1338 litre	35,637 %	15304,5810 litre	O
360	CM	145	CM	111 LEVEL CM	8372,5585 litre	35,210 %	15406,1563 litre	O
360	CM	145	CM	110 LEVEL CM	8271,1569 litre	34,784 %	15507,5579 litre	O
360	CM	145	CM	109 LEVEL CM	8169,9344 litre	34,358 %	15608,7804 litre	O
360	CM	145	CM	108 LEVEL CM	8068,8964 litre	33,933 %	15709,8184 litre	O
360	CM	145	CM	107 LEVEL CM	7968,0484 litre	33,509 %	15810,6664 litre	O
360	CM	145	CM	106 LEVEL CM	7867,3960 litre	33,086 %	15911,3188 litre	O
360	CM	145	CM	105 LEVEL CM	7766,9446 litre	32,663 %	16011,7702 litre	O
360	CM	145	CM	104 LEVEL CM	7666,6998 litre	32,242 %	16112,0150 litre	O
360	CM	145	CM	103 LEVEL CM	7566,6674 litre	31,821 %	16212,0474 litre	O
360	CM	145	CM	102 LEVEL CM	7466,8528 litre	31,401 %	16311,8620 litre	O
360	CM	145	CM	101 LEVEL CM	7367,2618 litre	30,983 %	16411,4530 litre	O
360	CM	145	CM	100 LEVEL CM	7267,9000 litre	30,565 %	16510,8148 litre	O
360	CM	145	CM	99 LEVEL CM	7168,7734 litre	30,148 %	16609,9414 litre	O
360	CM	145	CM	98 LEVEL CM	7069,8876 litre	29,732 %	16708,8272 litre	O
360	CM	145	CM	97 LEVEL CM	6971,2485 litre	29,317 %	16807,4663 litre	O
360	CM	145	CM	96 LEVEL CM	6872,8620 litre	28,903 %	16905,8528 litre	O
360	CM	145	CM	95 LEVEL CM	6774,7340 litre	28,491 %	17003,9808 litre	O
360	CM	145	CM	94 LEVEL CM	6676,8705 litre	28,079 %	17101,8443 litre	O
360	CM	145	CM	93 LEVEL CM	6579,2776 litre	27,669 %	17199,4372 litre	O
360	CM	145	CM	92 LEVEL CM	6481,9612 litre	27,260 %	17296,7536 litre	O
360	CM	145	CM	91 LEVEL CM	6384,9276 litre	26,851 %	17393,7872 litre	O
360	CM	145	CM	90 LEVEL CM	6288,1829 litre	26,445 %	17490,5319 litre	O
360	CM	145	CM	89 LEVEL CM	6191,7334 litre	26,039 %	17586,9814 litre	O
360	CM	145	CM	88 LEVEL CM	6095,5854 litre	25,635 %	17683,1294 litre	O
360	CM	145	CM	87 LEVEL CM	5999,7452 litre	25,232 %	17778,9696 litre	O
360	CM	145	CM	86 LEVEL CM	5904,2192 litre	24,830 %	17874,4956 litre	O
360	CM	145	CM	85 LEVEL CM	5809,0139 litre	24,429 %	17969,7009 litre	O
360	CM	145	CM	84 LEVEL CM	5714,1359 litre	24,030 %	18064,5789 litre	O
360	CM	145	CM	83 LEVEL CM	5619,5918 litre	23,633 %	18159,1230 litre	O
360	CM	145	CM	82 LEVEL CM	5525,3883 litre	23,237 %	18253,3265 litre	O
360	CM	145	CM	81 LEVEL CM	5431,5320 litre	22,842 %	18347,1828 litre	O
360	CM	145	CM	80 LEVEL CM	5338,0300 litre	22,449 %	18440,6848 litre	O

360	CM	145	CM	79 LEVEL CM	5244,8890 litre	22,057 %	18533,8258 litre	O
360	CM	145	CM	78 LEVEL CM	5152,1161 litre	21,667 %	18626,5987 litre	O
360	CM	145	CM	77 LEVEL CM	5059,7184 litre	21,278 %	18718,9964 litre	O
360	CM	145	CM	76 LEVEL CM	4967,7029 litre	20,891 %	18811,0119 litre	O
360	CM	145	CM	75 LEVEL CM	4876,0771 litre	20,506 %	18902,6377 litre	O
360	CM	145	CM	74 LEVEL CM	4784,8481 litre	20,122 %	18993,8667 litre	O
360	CM	145	CM	73 LEVEL CM	4694,0235 litre	19,740 %	19084,6913 litre	O
360	CM	145	CM	72 LEVEL CM	4603,6107 litre	19,360 %	19175,1041 litre	O
360	CM	145	CM	71 LEVEL CM	4513,6175 litre	18,982 %	19265,0973 litre	O
360	CM	145	CM	70 LEVEL CM	4424,0516 litre	18,605 %	19354,6632 litre	O
360	CM	145	CM	69 LEVEL CM	4334,9209 litre	18,230 %	19443,7939 litre	O
360	CM	145	CM	68 LEVEL CM	4246,2332 litre	17,857 %	19532,4816 litre	O
360	CM	145	CM	67 LEVEL CM	4157,9969 litre	17,486 %	19620,7179 litre	O
360	CM	145	CM	66 LEVEL CM	4070,2199 litre	17,117 %	19708,4949 litre	O
360	CM	145	CM	65 LEVEL CM	3982,9108 litre	16,750 %	19795,8040 litre	O
360	CM	145	CM	64 LEVEL CM	3896,0780 litre	16,385 %	19882,6368 litre	O
360	CM	145	CM	63 LEVEL CM	3809,7302 litre	16,022 %	19968,9846 litre	O
360	CM	145	CM	62 LEVEL CM	3723,8760 litre	15,661 %	20054,8388 litre	O
360	CM	145	CM	61 LEVEL CM	3638,5245 litre	15,302 %	20140,1903 litre	O
360	CM	145	CM	60 LEVEL CM	3553,6847 litre	14,945 %	20225,0301 litre	O
360	CM	145	CM	59 LEVEL CM	3469,3659 litre	14,590 %	20309,3489 litre	O
360	CM	145	CM	58 LEVEL CM	3385,5775 litre	14,238 %	20393,1373 litre	O
360	CM	145	CM	57 LEVEL CM	3302,3291 litre	13,888 %	20476,3857 litre	O
360	CM	145	CM	56 LEVEL CM	3219,6306 litre	13,540 %	20559,0842 litre	O
360	CM	145	CM	55 LEVEL CM	3137,4918 litre	13,195 %	20641,2230 litre	O
360	CM	145	CM	54 LEVEL CM	3055,9230 litre	12,852 %	20722,7918 litre	O
360	CM	145	CM	53 LEVEL CM	2974,9347 litre	12,511 %	20803,7801 litre	O
360	CM	145	CM	52 LEVEL CM	2894,5374 litre	12,173 %	20884,1774 litre	O
360	CM	145	CM	51 LEVEL CM	2814,7420 litre	11,837 %	20963,9728 litre	O
360	CM	145	CM	50 LEVEL CM	2735,5596 litre	11,504 %	21043,1552 litre	O
360	CM	145	CM	49 LEVEL CM	2657,0017 litre	11,174 %	21121,7131 litre	O
360	CM	145	CM	48 LEVEL CM	2579,0799 litre	10,846 %	21199,6349 litre	O
360	CM	145	CM	47 LEVEL CM	2501,8061 litre	10,521 %	21276,9087 litre	O
360	CM	145	CM	46 LEVEL CM	2425,1926 litre	10,199 %	21353,5222 litre	O
360	CM	145	CM	45 LEVEL CM	2349,2519 litre	9,880 %	21429,4629 litre	O
360	CM	145	CM	44 LEVEL CM	2273,9969 litre	9,563 %	21504,7179 litre	O
360	CM	145	CM	43 LEVEL CM	2199,4410 litre	9,250 %	21579,2738 litre	O
360	CM	145	CM	42 LEVEL CM	2125,5977 litre	8,939 %	21653,1171 litre	O
360	CM	145	CM	41 LEVEL CM	2052,4810 litre	8,632 %	21726,2338 litre	O
360	CM	145	CM	40 LEVEL CM	1980,1055 litre	8,327 %	21798,6093 litre	O
360	CM	145	CM	39 LEVEL CM	1908,4861 litre	8,026 %	21870,2287 litre	O
360	CM	145	CM	38 LEVEL CM	1837,6380 litre	7,728 %	21941,0768 litre	O
360	CM	145	CM	37 LEVEL CM	1767,5773 litre	7,433 %	22011,1375 litre	O
360	CM	145	CM	36 LEVEL CM	1698,3204 litre	7,142 %	22080,3944 litre	O
360	CM	145	CM	35 LEVEL CM	1629,8842 litre	6,854 %	22148,8306 litre	O
360	CM	145	CM	34 LEVEL CM	1562,2864 litre	6,570 %	22216,4284 litre	O
360	CM	145	CM	33 LEVEL CM	1495,5452 litre	6,289 %	22283,1696 litre	O
360	CM	145	CM	32 LEVEL CM	1429,6798 litre	6,012 %	22349,0350 litre	O
360	CM	145	CM	31 LEVEL CM	1364,7099 litre	5,739 %	22414,0049 litre	O
360	CM	145	CM	30 LEVEL CM	1300,6561 litre	5,470 %	22478,0587 litre	O
360	CM	145	CM	29 LEVEL CM	1237,5399 litre	5,204 %	22541,1749 litre	O
360	CM	145	CM	28 LEVEL CM	1175,3838 litre	4,943 %	22603,3310 litre	O
360	CM	145	CM	27 LEVEL CM	1114,2113 litre	4,686 %	22664,5035 litre	O

360	CM	145	CM	26 LEVEL CM	1054,0471 litre	4,433 %	22724,6677 litre	O
360	CM	145	CM	25 LEVEL CM	994,9172 litre	4,184 %	22783,7976 litre	O
360	CM	145	CM	24 LEVEL CM	936,8490 litre	3,940 %	22841,8658 litre	O
360	CM	145	CM	23 LEVEL CM	879,8712 litre	3,700 %	22898,8436 litre	O
360	CM	145	CM	22 LEVEL CM	824,0145 litre	3,465 %	22954,7003 litre	O
360	CM	145	CM	21 LEVEL CM	769,3114 litre	3,235 %	23009,4034 litre	O
360	CM	145	CM	20 LEVEL CM	715,7963 litre	3,010 %	23062,9185 litre	O
360	CM	145	CM	19 LEVEL CM	663,5061 litre	2,790 %	23115,2087 litre	O
360	CM	145	CM	18 LEVEL CM	612,4805 litre	2,576 %	23166,2343 litre	O
360	CM	145	CM	17 LEVEL CM	562,7620 litre	2,367 %	23215,9528 litre	O
360	CM	145	CM	16 LEVEL CM	514,3966 litre	2,163 %	23264,3182 litre	O
360	CM	145	CM	15 LEVEL CM	467,4344 litre	1,966 %	23311,2804 litre	O
360	CM	145	CM	14 LEVEL CM	421,9300 litre	1,774 %	23356,7848 litre	O
360	CM	145	CM	13 LEVEL CM	377,9435 litre	1,589 %	23400,7713 litre	O
360	CM	145	CM	12 LEVEL CM	335,5414 litre	1,411 %	23443,1734 litre	O
360	CM	145	CM	11 LEVEL CM	294,7980 litre	1,240 %	23483,9168 litre	O
360	CM	145	CM	10 LEVEL CM	255,7972 litre	1,076 %	23522,9176 litre	O
360	CM	145	CM	9 LEVEL CM	218,6345 litre	0,919 %	23560,0803 litre	O
360	CM	145	CM	8 LEVEL CM	183,4206 litre	0,771 %	23595,2942 litre	O
360	CM	145	CM	7 LEVEL CM	150,2855 litre	0,632 %	23628,4293 litre	O
360	CM	145	CM	6 LEVEL CM	119,3859 litre	0,502 %	23659,3289 litre	O
360	CM	145	CM	5 LEVEL CM	90,9151 litre	0,382 %	23687,7997 litre	O
360	CM	145	CM	4 LEVEL CM	65,1216 litre	0,274 %	23713,5932 litre	O
360	CM	145	CM	3 LEVEL CM	42,3418 litre	0,178 %	23736,3730 litre	O
360	CM	145	CM	2 LEVEL CM	23,0720 litre	0,097 %	23755,6428 litre	O
360	CM	145	CM	1 LEVEL CM	8,1656 litre	0,034 %	23770,5492 litre	O
360	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	23778,7148 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM 140	CM 280	LEVEL CM 22167,0778 litre	100,000 %	0,0000 litre	O
360	CM 140	CM 279	LEVEL CM 22159,0544 litre	99,964 %	8,0234 litre	O
360	CM 140	CM 278	LEVEL CM 22144,4088 litre	99,898 %	22,6690 litre	O
360	CM 140	CM 277	LEVEL CM 22125,4770 litre	99,812 %	41,6008 litre	O
360	CM 140	CM 276	LEVEL CM 22103,0984 litre	99,711 %	63,9794 litre	O
360	CM 140	CM 275	LEVEL CM 22077,7606 litre	99,597 %	89,3172 litre	O
360	CM 140	CM 274	LEVEL CM 22049,7947 litre	99,471 %	117,2831 litre	O
360	CM 140	CM 273	LEVEL CM 22019,4449 litre	99,334 %	147,6329 litre	O
360	CM 140	CM 272	LEVEL CM 21986,9016 litre	99,187 %	180,1762 litre	O
360	CM 140	CM 271	LEVEL CM 21952,3188 litre	99,031 %	214,7590 litre	O
360	CM 140	CM 270	LEVEL CM 21915,8246 litre	98,867 %	251,2532 litre	O
360	CM 140	CM 269	LEVEL CM 21877,5278 litre	98,694 %	289,5500 litre	O
360	CM 140	CM 268	LEVEL CM 21837,5226 litre	98,513 %	329,5552 litre	O
360	CM 140	CM 267	LEVEL CM 21795,8915 litre	98,326 %	371,1863 litre	O
360	CM 140	CM 266	LEVEL CM 21752,7078 litre	98,131 %	414,3700 litre	O
360	CM 140	CM 265	LEVEL CM 21708,0369 litre	97,929 %	459,0409 litre	O
360	CM 140	CM 264	LEVEL CM 21661,9380 litre	97,721 %	505,1398 litre	O
360	CM 140	CM 263	LEVEL CM 21614,4651 litre	97,507 %	552,6127 litre	O
360	CM 140	CM 262	LEVEL CM 21565,6674 litre	97,287 %	601,4104 litre	O
360	CM 140	CM 261	LEVEL CM 21515,5903 litre	97,061 %	651,4875 litre	O
360	CM 140	CM 260	LEVEL CM 21464,2758 litre	96,830 %	702,8020 litre	O
360	CM 140	CM 259	LEVEL CM 21411,7630 litre	96,593 %	755,3148 litre	O
360	CM 140	CM 258	LEVEL CM 21358,0882 litre	96,350 %	808,9896 litre	O
360	CM 140	CM 257	LEVEL CM 21303,2855 litre	96,103 %	863,7923 litre	O
360	CM 140	CM 256	LEVEL CM 21247,3869 litre	95,851 %	919,6909 litre	O
360	CM 140	CM 255	LEVEL CM 21190,4228 litre	95,594 %	976,6550 litre	O
360	CM 140	CM 254	LEVEL CM 21132,4214 litre	95,332 %	1034,6564 litre	O
360	CM 140	CM 253	LEVEL CM 21073,4099 litre	95,066 %	1093,6679 litre	O
360	CM 140	CM 252	LEVEL CM 21013,4139 litre	94,796 %	1153,6639 litre	O
360	CM 140	CM 251	LEVEL CM 20952,4579 litre	94,521 %	1214,6199 litre	O
360	CM 140	CM 250	LEVEL CM 20890,5650 litre	94,241 %	1276,5128 litre	O
360	CM 140	CM 249	LEVEL CM 20827,7574 litre	93,958 %	1339,3204 litre	O
360	CM 140	CM 248	LEVEL CM 20764,0566 litre	93,671 %	1403,0212 litre	O
360	CM 140	CM 247	LEVEL CM 20699,4828 litre	93,379 %	1467,5950 litre	O
360	CM 140	CM 246	LEVEL CM 20634,0556 litre	93,084 %	1533,0222 litre	O
360	CM 140	CM 245	LEVEL CM 20567,7939 litre	92,785 %	1599,2839 litre	O
360	CM 140	CM 244	LEVEL CM 20500,7157 litre	92,483 %	1666,3621 litre	O
360	CM 140	CM 243	LEVEL CM 20432,8385 litre	92,177 %	1734,2393 litre	O
360	CM 140	CM 242	LEVEL CM 20364,1791 litre	91,867 %	1802,8987 litre	O
360	CM 140	CM 241	LEVEL CM 20294,7539 litre	91,554 %	1872,3239 litre	O
360	CM 140	CM 240	LEVEL CM 20224,5786 litre	91,237 %	1942,4992 litre	O
360	CM 140	CM 239	LEVEL CM 20153,6683 litre	90,917 %	2013,4095 litre	O
360	CM 140	CM 238	LEVEL CM 20082,0379 litre	90,594 %	2085,0399 litre	O
360	CM 140	CM 237	LEVEL CM 20009,7018 litre	90,268 %	2157,3760 litre	O
360	CM 140	CM 236	LEVEL CM 19936,6738 litre	89,938 %	2230,4040 litre	O
360	CM 140	CM 235	LEVEL CM 19862,9675 litre	89,606 %	2304,1103 litre	O
360	CM 140	CM 234	LEVEL CM 19788,5960 litre	89,270 %	2378,4818 litre	O
360	CM 140	CM 233	LEVEL CM 19713,5722 litre	88,932 %	2453,5056 litre	O
360	CM 140	CM 232	LEVEL CM 19637,9084 litre	88,590 %	2529,1694 litre	O
360	CM 140	CM 231	LEVEL CM 19561,6169 litre	88,246 %	2605,4609 litre	O
360	CM 140	CM 230	LEVEL CM 19484,7096 litre	87,899 %	2682,3682 litre	O
360	CM 140	CM 229	LEVEL CM 19407,1979 litre	87,550 %	2759,8799 litre	O

360	CM	140	CM	228 LEVEL CM	19329,0933 litre	87,197 %	2837,9845 litre	O
360	CM	140	CM	227 LEVEL CM	19250,4068 litre	86,842 %	2916,6710 litre	O
360	CM	140	CM	226 LEVEL CM	19171,1492 litre	86,485 %	2995,9286 litre	O
360	CM	140	CM	225 LEVEL CM	19091,3310 litre	86,125 %	3075,7468 litre	O
360	CM	140	CM	224 LEVEL CM	19010,9627 litre	85,762 %	3156,1151 litre	O
360	CM	140	CM	223 LEVEL CM	18930,0544 litre	85,397 %	3237,0234 litre	O
360	CM	140	CM	222 LEVEL CM	18848,6160 litre	85,030 %	3318,4618 litre	O
360	CM	140	CM	221 LEVEL CM	18766,6572 litre	84,660 %	3400,4206 litre	O
360	CM	140	CM	220 LEVEL CM	18684,1878 litre	84,288 %	3482,8900 litre	O
360	CM	140	CM	219 LEVEL CM	18601,2169 litre	83,914 %	3565,8609 litre	O
360	CM	140	CM	218 LEVEL CM	18517,7540 litre	83,537 %	3649,3238 litre	O
360	CM	140	CM	217 LEVEL CM	18433,8079 litre	83,158 %	3733,2699 litre	O
360	CM	140	CM	216 LEVEL CM	18349,3877 litre	82,778 %	3817,6901 litre	O
360	CM	140	CM	215 LEVEL CM	18264,5021 litre	82,395 %	3902,5757 litre	O
360	CM	140	CM	214 LEVEL CM	18179,1597 litre	82,010 %	3987,9181 litre	O
360	CM	140	CM	213 LEVEL CM	18093,3689 litre	81,623 %	4073,7089 litre	O
360	CM	140	CM	212 LEVEL CM	18007,1382 litre	81,234 %	4159,9396 litre	O
360	CM	140	CM	211 LEVEL CM	17920,4757 litre	80,843 %	4246,6021 litre	O
360	CM	140	CM	210 LEVEL CM	17833,3895 litre	80,450 %	4333,6883 litre	O
360	CM	140	CM	209 LEVEL CM	17745,8876 litre	80,055 %	4421,1902 litre	O
360	CM	140	CM	208 LEVEL CM	17657,9778 litre	79,659 %	4509,1000 litre	O
360	CM	140	CM	207 LEVEL CM	17569,6680 litre	79,260 %	4597,4098 litre	O
360	CM	140	CM	206 LEVEL CM	17480,9658 litre	78,860 %	4686,1120 litre	O
360	CM	140	CM	205 LEVEL CM	17391,8786 litre	78,458 %	4775,1992 litre	O
360	CM	140	CM	204 LEVEL CM	17302,4140 litre	78,055 %	4864,6638 litre	O
360	CM	140	CM	203 LEVEL CM	17212,5794 litre	77,649 %	4954,4984 litre	O
360	CM	140	CM	202 LEVEL CM	17122,3819 litre	77,242 %	5044,6959 litre	O
360	CM	140	CM	201 LEVEL CM	17031,8288 litre	76,834 %	5135,2490 litre	O
360	CM	140	CM	200 LEVEL CM	16940,9271 litre	76,424 %	5226,1507 litre	O
360	CM	140	CM	199 LEVEL CM	16849,6839 litre	76,012 %	5317,3939 litre	O
360	CM	140	CM	198 LEVEL CM	16758,1061 litre	75,599 %	5408,9717 litre	O
360	CM	140	CM	197 LEVEL CM	16666,2006 litre	75,184 %	5500,8772 litre	O
360	CM	140	CM	196 LEVEL CM	16573,9741 litre	74,768 %	5593,1037 litre	O
360	CM	140	CM	195 LEVEL CM	16481,4333 litre	74,351 %	5685,6445 litre	O
360	CM	140	CM	194 LEVEL CM	16388,5850 litre	73,932 %	5778,4928 litre	O
360	CM	140	CM	193 LEVEL CM	16295,4357 litre	73,512 %	5871,6421 litre	O
360	CM	140	CM	192 LEVEL CM	16201,9918 litre	73,090 %	5965,0860 litre	O
360	CM	140	CM	191 LEVEL CM	16108,2600 litre	72,667 %	6058,8178 litre	O
360	CM	140	CM	190 LEVEL CM	16014,2465 litre	72,243 %	6152,8313 litre	O
360	CM	140	CM	189 LEVEL CM	15919,9576 litre	71,818 %	6247,1202 litre	O
360	CM	140	CM	188 LEVEL CM	15825,3998 litre	71,391 %	6341,6780 litre	O
360	CM	140	CM	187 LEVEL CM	15730,5792 litre	70,964 %	6436,4986 litre	O
360	CM	140	CM	186 LEVEL CM	15635,5019 litre	70,535 %	6531,5759 litre	O
360	CM	140	CM	185 LEVEL CM	15540,1742 litre	70,105 %	6626,9036 litre	O
360	CM	140	CM	184 LEVEL CM	15444,6021 litre	69,674 %	6722,4757 litre	O
360	CM	140	CM	183 LEVEL CM	15348,7916 litre	69,241 %	6818,2862 litre	O
360	CM	140	CM	182 LEVEL CM	15252,7488 litre	68,808 %	6914,3290 litre	O
360	CM	140	CM	181 LEVEL CM	15156,4794 litre	68,374 %	7010,5984 litre	O
360	CM	140	CM	180 LEVEL CM	15059,9896 litre	67,939 %	7107,0882 litre	O
360	CM	140	CM	179 LEVEL CM	14963,2851 litre	67,502 %	7203,7927 litre	O
360	CM	140	CM	178 LEVEL CM	14866,3718 litre	67,065 %	7300,7060 litre	O
360	CM	140	CM	177 LEVEL CM	14769,2554 litre	66,627 %	7397,8224 litre	O
360	CM	140	CM	176 LEVEL CM	14671,9417 litre	66,188 %	7495,1361 litre	O

360	CM	140	CM	175 LEVEL CM	14574,4364 litre	65,748 %	7592,6414 litre	O
360	CM	140	CM	174 LEVEL CM	14476,7452 litre	65,307 %	7690,3326 litre	O
360	CM	140	CM	173 LEVEL CM	14378,8738 litre	64,866 %	7788,2040 litre	O
360	CM	140	CM	172 LEVEL CM	14280,8277 litre	64,424 %	7886,2501 litre	O
360	CM	140	CM	171 LEVEL CM	14182,6126 litre	63,981 %	7984,4652 litre	O
360	CM	140	CM	170 LEVEL CM	14084,2339 litre	63,537 %	8082,8439 litre	O
360	CM	140	CM	169 LEVEL CM	13985,6974 litre	63,092 %	8181,3804 litre	O
360	CM	140	CM	168 LEVEL CM	13887,0083 litre	62,647 %	8280,0695 litre	O
360	CM	140	CM	167 LEVEL CM	13788,1723 litre	62,201 %	8378,9055 litre	O
360	CM	140	CM	166 LEVEL CM	13689,1948 litre	61,755 %	8477,8830 litre	O
360	CM	140	CM	165 LEVEL CM	13590,0812 litre	61,308 %	8576,9966 litre	O
360	CM	140	CM	164 LEVEL CM	13490,8369 litre	60,860 %	8676,2409 litre	O
360	CM	140	CM	163 LEVEL CM	13391,4674 litre	60,412 %	8775,6104 litre	O
360	CM	140	CM	162 LEVEL CM	13291,9779 litre	59,963 %	8875,0999 litre	O
360	CM	140	CM	161 LEVEL CM	13192,3739 litre	59,513 %	8974,7039 litre	O
360	CM	140	CM	160 LEVEL CM	13092,6606 litre	59,064 %	9074,4172 litre	O
360	CM	140	CM	159 LEVEL CM	12992,8434 litre	58,613 %	9174,2344 litre	O
360	CM	140	CM	158 LEVEL CM	12892,9276 litre	58,163 %	9274,1502 litre	O
360	CM	140	CM	157 LEVEL CM	12792,9184 litre	57,711 %	9374,1594 litre	O
360	CM	140	CM	156 LEVEL CM	12692,8211 litre	57,260 %	9474,2567 litre	O
360	CM	140	CM	155 LEVEL CM	12592,6410 litre	56,808 %	9574,4368 litre	O
360	CM	140	CM	154 LEVEL CM	12492,3833 litre	56,356 %	9674,6945 litre	O
360	CM	140	CM	153 LEVEL CM	12392,0533 litre	55,903 %	9775,0245 litre	O
360	CM	140	CM	152 LEVEL CM	12291,6561 litre	55,450 %	9875,4217 litre	O
360	CM	140	CM	151 LEVEL CM	12191,1970 litre	54,997 %	9975,8808 litre	O
360	CM	140	CM	150 LEVEL CM	12090,6811 litre	54,543 %	10076,3967 litre	O
360	CM	140	CM	149 LEVEL CM	11990,1136 litre	54,090 %	10176,9642 litre	O
360	CM	140	CM	148 LEVEL CM	11889,4998 litre	53,636 %	10277,5780 litre	O
360	CM	140	CM	147 LEVEL CM	11788,8448 litre	53,182 %	10378,2330 litre	O
360	CM	140	CM	146 LEVEL CM	11688,1537 litre	52,728 %	10478,9241 litre	O
360	CM	140	CM	145 LEVEL CM	11587,4317 litre	52,273 %	10579,6461 litre	O
360	CM	140	CM	144 LEVEL CM	11486,6840 litre	51,819 %	10680,3938 litre	O
360	CM	140	CM	143 LEVEL CM	11385,9157 litre	51,364 %	10781,1621 litre	O
360	CM	140	CM	142 LEVEL CM	11285,1320 litre	50,909 %	10881,9458 litre	O
360	CM	140	CM	141 LEVEL CM	11184,3380 litre	50,455 %	10982,7398 litre	O
360	CM	140	CM	140 LEVEL CM	11083,5389 litre	50,000 %	11083,5389 litre	O
360	CM	140	CM	139 LEVEL CM	10982,7397 litre	49,545 %	11184,3381 litre	O
360	CM	140	CM	138 LEVEL CM	10881,9457 litre	49,091 %	11285,1321 litre	O
360	CM	140	CM	137 LEVEL CM	10781,1620 litre	48,636 %	11385,9158 litre	O
360	CM	140	CM	136 LEVEL CM	10680,3937 litre	48,181 %	11486,6841 litre	O
360	CM	140	CM	135 LEVEL CM	10579,6460 litre	47,727 %	11587,4318 litre	O
360	CM	140	CM	134 LEVEL CM	10478,9241 litre	47,272 %	11688,1537 litre	O
360	CM	140	CM	133 LEVEL CM	10378,2330 litre	46,818 %	11788,8448 litre	O
360	CM	140	CM	132 LEVEL CM	10277,5780 litre	46,364 %	11889,4998 litre	O
360	CM	140	CM	131 LEVEL CM	10176,9641 litre	45,910 %	11990,1137 litre	O
360	CM	140	CM	130 LEVEL CM	10076,3967 litre	45,457 %	12090,6811 litre	O
360	CM	140	CM	129 LEVEL CM	9975,8808 litre	45,003 %	12191,1970 litre	O
360	CM	140	CM	128 LEVEL CM	9875,4217 litre	44,550 %	12291,6561 litre	O
360	CM	140	CM	127 LEVEL CM	9775,0245 litre	44,097 %	12392,0533 litre	O
360	CM	140	CM	126 LEVEL CM	9674,6944 litre	43,644 %	12492,3834 litre	O
360	CM	140	CM	125 LEVEL CM	9574,4367 litre	43,192 %	12592,6411 litre	O
360	CM	140	CM	124 LEVEL CM	9474,2566 litre	42,740 %	12692,8212 litre	O
360	CM	140	CM	123 LEVEL CM	9374,1594 litre	42,289 %	12792,9184 litre	O

360	CM	140	CM	122 LEVEL CM	9274,1502 litre	41,837 %	12892,9276 litre	O
360	CM	140	CM	121 LEVEL CM	9174,2344 litre	41,387 %	12992,8434 litre	O
360	CM	140	CM	120 LEVEL CM	9074,4172 litre	40,936 %	13092,6606 litre	O
360	CM	140	CM	119 LEVEL CM	8974,7039 litre	40,487 %	13192,3739 litre	O
360	CM	140	CM	118 LEVEL CM	8875,0998 litre	40,037 %	13291,9780 litre	O
360	CM	140	CM	117 LEVEL CM	8775,6104 litre	39,588 %	13391,4674 litre	O
360	CM	140	CM	116 LEVEL CM	8676,2408 litre	39,140 %	13490,8370 litre	O
360	CM	140	CM	115 LEVEL CM	8576,9965 litre	38,692 %	13590,0813 litre	O
360	CM	140	CM	114 LEVEL CM	8477,8829 litre	38,245 %	13689,1949 litre	O
360	CM	140	CM	113 LEVEL CM	8378,9054 litre	37,799 %	13788,1724 litre	O
360	CM	140	CM	112 LEVEL CM	8280,0694 litre	37,353 %	13887,0084 litre	O
360	CM	140	CM	111 LEVEL CM	8181,3804 litre	36,908 %	13985,6974 litre	O
360	CM	140	CM	110 LEVEL CM	8082,8438 litre	36,463 %	14084,2340 litre	O
360	CM	140	CM	109 LEVEL CM	7984,4652 litre	36,019 %	14182,6126 litre	O
360	CM	140	CM	108 LEVEL CM	7886,2501 litre	35,576 %	14280,8277 litre	O
360	CM	140	CM	107 LEVEL CM	7788,2040 litre	35,134 %	14378,8738 litre	O
360	CM	140	CM	106 LEVEL CM	7690,3325 litre	34,693 %	14476,7453 litre	O
360	CM	140	CM	105 LEVEL CM	7592,6413 litre	34,252 %	14574,4365 litre	O
360	CM	140	CM	104 LEVEL CM	7495,1361 litre	33,812 %	14671,9417 litre	O
360	CM	140	CM	103 LEVEL CM	7397,8224 litre	33,373 %	14769,2554 litre	O
360	CM	140	CM	102 LEVEL CM	7300,7060 litre	32,935 %	14866,3718 litre	O
360	CM	140	CM	101 LEVEL CM	7203,7926 litre	32,498 %	14963,2852 litre	O
360	CM	140	CM	100 LEVEL CM	7107,0881 litre	32,061 %	15059,9897 litre	O
360	CM	140	CM	99 LEVEL CM	7010,5983 litre	31,626 %	15156,4795 litre	O
360	CM	140	CM	98 LEVEL CM	6914,3290 litre	31,192 %	15252,7488 litre	O
360	CM	140	CM	97 LEVEL CM	6818,2861 litre	30,759 %	15348,7917 litre	O
360	CM	140	CM	96 LEVEL CM	6722,4757 litre	30,326 %	15444,6021 litre	O
360	CM	140	CM	95 LEVEL CM	6626,9035 litre	29,895 %	15540,1743 litre	O
360	CM	140	CM	94 LEVEL CM	6531,5758 litre	29,465 %	15635,5020 litre	O
360	CM	140	CM	93 LEVEL CM	6436,4986 litre	29,036 %	15730,5792 litre	O
360	CM	140	CM	92 LEVEL CM	6341,6780 litre	28,609 %	15825,3998 litre	O
360	CM	140	CM	91 LEVEL CM	6247,1201 litre	28,182 %	15919,9577 litre	O
360	CM	140	CM	90 LEVEL CM	6152,8313 litre	27,757 %	16014,2465 litre	O
360	CM	140	CM	89 LEVEL CM	6058,8178 litre	27,333 %	16108,2600 litre	O
360	CM	140	CM	88 LEVEL CM	5965,0859 litre	26,910 %	16201,9919 litre	O
360	CM	140	CM	87 LEVEL CM	5871,6421 litre	26,488 %	16295,4357 litre	O
360	CM	140	CM	86 LEVEL CM	5778,4927 litre	26,068 %	16388,5851 litre	O
360	CM	140	CM	85 LEVEL CM	5685,6444 litre	25,649 %	16481,4334 litre	O
360	CM	140	CM	84 LEVEL CM	5593,1037 litre	25,232 %	16573,9741 litre	O
360	CM	140	CM	83 LEVEL CM	5500,8772 litre	24,816 %	16666,2006 litre	O
360	CM	140	CM	82 LEVEL CM	5408,9717 litre	24,401 %	16758,1061 litre	O
360	CM	140	CM	81 LEVEL CM	5317,3939 litre	23,988 %	16849,6839 litre	O
360	CM	140	CM	80 LEVEL CM	5226,1507 litre	23,576 %	16940,9271 litre	O
360	CM	140	CM	79 LEVEL CM	5135,2490 litre	23,166 %	17031,8288 litre	O
360	CM	140	CM	78 LEVEL CM	5044,6959 litre	22,758 %	17122,3819 litre	O
360	CM	140	CM	77 LEVEL CM	4954,4984 litre	22,351 %	17212,5794 litre	O
360	CM	140	CM	76 LEVEL CM	4864,6637 litre	21,945 %	17302,4141 litre	O
360	CM	140	CM	75 LEVEL CM	4775,1991 litre	21,542 %	17391,8787 litre	O
360	CM	140	CM	74 LEVEL CM	4686,1120 litre	21,140 %	17480,9658 litre	O
360	CM	140	CM	73 LEVEL CM	4597,4097 litre	20,740 %	17569,6681 litre	O
360	CM	140	CM	72 LEVEL CM	4509,0999 litre	20,341 %	17657,9779 litre	O
360	CM	140	CM	71 LEVEL CM	4421,1902 litre	19,945 %	17745,8876 litre	O
360	CM	140	CM	70 LEVEL CM	4333,6883 litre	19,550 %	17833,3895 litre	O

360	CM	140	CM	69 LEVEL CM	4246,6021 litre	19,157 %	17920,4757 litre	O
360	CM	140	CM	68 LEVEL CM	4159,9396 litre	18,766 %	18007,1382 litre	O
360	CM	140	CM	67 LEVEL CM	4073,7089 litre	18,377 %	18093,3689 litre	O
360	CM	140	CM	66 LEVEL CM	3987,9181 litre	17,990 %	18179,1597 litre	O
360	CM	140	CM	65 LEVEL CM	3902,5757 litre	17,605 %	18264,5021 litre	O
360	CM	140	CM	64 LEVEL CM	3817,6900 litre	17,222 %	18349,3878 litre	O
360	CM	140	CM	63 LEVEL CM	3733,2698 litre	16,842 %	18433,8080 litre	O
360	CM	140	CM	62 LEVEL CM	3649,3238 litre	16,463 %	18517,7540 litre	O
360	CM	140	CM	61 LEVEL CM	3565,8608 litre	16,086 %	18601,2170 litre	O
360	CM	140	CM	60 LEVEL CM	3482,8900 litre	15,712 %	18684,1878 litre	O
360	CM	140	CM	59 LEVEL CM	3400,4205 litre	15,340 %	18766,6573 litre	O
360	CM	140	CM	58 LEVEL CM	3318,4618 litre	14,970 %	18848,6160 litre	O
360	CM	140	CM	57 LEVEL CM	3237,0234 litre	14,603 %	18930,0544 litre	O
360	CM	140	CM	56 LEVEL CM	3156,1151 litre	14,238 %	19010,9627 litre	O
360	CM	140	CM	55 LEVEL CM	3075,7467 litre	13,875 %	19091,3311 litre	O
360	CM	140	CM	54 LEVEL CM	2995,9286 litre	13,515 %	19171,1492 litre	O
360	CM	140	CM	53 LEVEL CM	2916,6710 litre	13,158 %	19250,4068 litre	O
360	CM	140	CM	52 LEVEL CM	2837,9844 litre	12,803 %	19329,0934 litre	O
360	CM	140	CM	51 LEVEL CM	2759,8798 litre	12,450 %	19407,1980 litre	O
360	CM	140	CM	50 LEVEL CM	2682,3682 litre	12,101 %	19484,7096 litre	O
360	CM	140	CM	49 LEVEL CM	2605,4608 litre	11,754 %	19561,6170 litre	O
360	CM	140	CM	48 LEVEL CM	2529,1694 litre	11,410 %	19637,9084 litre	O
360	CM	140	CM	47 LEVEL CM	2453,5056 litre	11,068 %	19713,5722 litre	O
360	CM	140	CM	46 LEVEL CM	2378,4818 litre	10,730 %	19788,5960 litre	O
360	CM	140	CM	45 LEVEL CM	2304,1103 litre	10,394 %	19862,9675 litre	O
360	CM	140	CM	44 LEVEL CM	2230,4039 litre	10,062 %	19936,6739 litre	O
360	CM	140	CM	43 LEVEL CM	2157,3759 litre	9,732 %	20009,7019 litre	O
360	CM	140	CM	42 LEVEL CM	2085,0398 litre	9,406 %	20082,0380 litre	O
360	CM	140	CM	41 LEVEL CM	2013,4095 litre	9,083 %	20153,6683 litre	O
360	CM	140	CM	40 LEVEL CM	1942,4992 litre	8,763 %	20224,5786 litre	O
360	CM	140	CM	39 LEVEL CM	1872,3239 litre	8,446 %	20294,7539 litre	O
360	CM	140	CM	38 LEVEL CM	1802,8986 litre	8,133 %	20364,1792 litre	O
360	CM	140	CM	37 LEVEL CM	1734,2393 litre	7,823 %	20432,8385 litre	O
360	CM	140	CM	36 LEVEL CM	1666,3621 litre	7,517 %	20500,7157 litre	O
360	CM	140	CM	35 LEVEL CM	1599,2839 litre	7,215 %	20567,7939 litre	O
360	CM	140	CM	34 LEVEL CM	1533,0221 litre	6,916 %	20634,0557 litre	O
360	CM	140	CM	33 LEVEL CM	1467,5950 litre	6,621 %	20699,4828 litre	O
360	CM	140	CM	32 LEVEL CM	1403,0212 litre	6,329 %	20764,0566 litre	O
360	CM	140	CM	31 LEVEL CM	1339,3203 litre	6,042 %	20827,7575 litre	O
360	CM	140	CM	30 LEVEL CM	1276,5128 litre	5,759 %	20890,5650 litre	O
360	CM	140	CM	29 LEVEL CM	1214,6199 litre	5,479 %	20952,4579 litre	O
360	CM	140	CM	28 LEVEL CM	1153,6638 litre	5,204 %	21013,4140 litre	O
360	CM	140	CM	27 LEVEL CM	1093,6678 litre	4,934 %	21073,4100 litre	O
360	CM	140	CM	26 LEVEL CM	1034,6564 litre	4,668 %	21132,4214 litre	O
360	CM	140	CM	25 LEVEL CM	976,6550 litre	4,406 %	21190,4228 litre	O
360	CM	140	CM	24 LEVEL CM	919,6908 litre	4,149 %	21247,3870 litre	O
360	CM	140	CM	23 LEVEL CM	863,7923 litre	3,897 %	21303,2855 litre	O
360	CM	140	CM	22 LEVEL CM	808,9896 litre	3,650 %	21358,0882 litre	O
360	CM	140	CM	21 LEVEL CM	755,3148 litre	3,407 %	21411,7630 litre	O
360	CM	140	CM	20 LEVEL CM	702,8020 litre	3,170 %	21464,2758 litre	O
360	CM	140	CM	19 LEVEL CM	651,4875 litre	2,939 %	21515,5903 litre	O
360	CM	140	CM	18 LEVEL CM	601,4104 litre	2,713 %	21565,6674 litre	O
360	CM	140	CM	17 LEVEL CM	552,6127 litre	2,493 %	21614,4651 litre	O

360	CM	140	CM	16 LEVEL CM	505,1398 litre	2,279 %	21661,9380 litre	O
360	CM	140	CM	15 LEVEL CM	459,0409 litre	2,071 %	21708,0369 litre	O
360	CM	140	CM	14 LEVEL CM	414,3700 litre	1,869 %	21752,7078 litre	O
360	CM	140	CM	13 LEVEL CM	371,1862 litre	1,674 %	21795,8916 litre	O
360	CM	140	CM	12 LEVEL CM	329,5551 litre	1,487 %	21837,5227 litre	O
360	CM	140	CM	11 LEVEL CM	289,5500 litre	1,306 %	21877,5278 litre	O
360	CM	140	CM	10 LEVEL CM	251,2532 litre	1,133 %	21915,8246 litre	O
360	CM	140	CM	9 LEVEL CM	214,7590 litre	0,969 %	21952,3188 litre	O
360	CM	140	CM	8 LEVEL CM	180,1761 litre	0,813 %	21986,9017 litre	O
360	CM	140	CM	7 LEVEL CM	147,6329 litre	0,666 %	22019,4449 litre	O
360	CM	140	CM	6 LEVEL CM	117,2831 litre	0,529 %	22049,7947 litre	O
360	CM	140	CM	5 LEVEL CM	89,3172 litre	0,403 %	22077,7606 litre	O
360	CM	140	CM	4 LEVEL CM	63,9794 litre	0,289 %	22103,0984 litre	O
360	CM	140	CM	3 LEVEL CM	41,6008 litre	0,188 %	22125,4770 litre	O
360	CM	140	CM	2 LEVEL CM	22,6690 litre	0,102 %	22144,4088 litre	O
360	CM	140	CM	1 LEVEL CM	8,0233 litre	0,036 %	22159,0545 litre	O
360	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	22167,0778 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM	135	CM 270 LEVEL CM	20611,9894 litre	100,000 %	0,0000 litre	O
360	CM	135	CM 269 LEVEL CM	20604,1110 litre	99,962 %	7,8784 litre	O
360	CM	135	CM 268 LEVEL CM	20589,7307 litre	99,892 %	22,2587 litre	O
360	CM	135	CM 267 LEVEL CM	20571,1432 litre	99,802 %	40,8462 litre	O
360	CM	135	CM 266 LEVEL CM	20549,1729 litre	99,695 %	62,8165 litre	O
360	CM	135	CM 265 LEVEL CM	20524,2993 litre	99,575 %	87,6901 litre	O
360	CM	135	CM 264 LEVEL CM	20496,8475 litre	99,441 %	115,1419 litre	O
360	CM	135	CM 263 LEVEL CM	20467,0578 litre	99,297 %	144,9316 litre	O
360	CM	135	CM 262 LEVEL CM	20435,1172 litre	99,142 %	176,8722 litre	O
360	CM	135	CM 261 LEVEL CM	20401,1773 litre	98,977 %	210,8121 litre	O
360	CM	135	CM 260 LEVEL CM	20365,3640 litre	98,803 %	246,6254 litre	O
360	CM	135	CM 259 LEVEL CM	20327,7844 litre	98,621 %	284,2050 litre	O
360	CM	135	CM 258 LEVEL CM	20288,5313 litre	98,431 %	323,4581 litre	O
360	CM	135	CM 257 LEVEL CM	20247,6858 litre	98,233 %	364,3036 litre	O
360	CM	135	CM 256 LEVEL CM	20205,3200 litre	98,027 %	406,6694 litre	O
360	CM	135	CM 255 LEVEL CM	20161,4984 litre	97,814 %	450,4910 litre	O
360	CM	135	CM 254 LEVEL CM	20116,2794 litre	97,595 %	495,7100 litre	O
360	CM	135	CM 253 LEVEL CM	20069,7160 litre	97,369 %	542,2734 litre	O
360	CM	135	CM 252 LEVEL CM	20021,8568 litre	97,137 %	590,1326 litre	O
360	CM	135	CM 251 LEVEL CM	19972,7466 litre	96,899 %	639,2428 litre	O
360	CM	135	CM 250 LEVEL CM	19922,4267 litre	96,655 %	689,5627 litre	O
360	CM	135	CM 249 LEVEL CM	19870,9356 litre	96,405 %	741,0538 litre	O
360	CM	135	CM 248 LEVEL CM	19818,3092 litre	96,149 %	793,6802 litre	O
360	CM	135	CM 247 LEVEL CM	19764,5812 litre	95,889 %	847,4082 litre	O
360	CM	135	CM 246 LEVEL CM	19709,7832 litre	95,623 %	902,2062 litre	O
360	CM	135	CM 245 LEVEL CM	19653,9449 litre	95,352 %	958,0445 litre	O
360	CM	135	CM 244 LEVEL CM	19597,0945 litre	95,076 %	1014,8949 litre	O
360	CM	135	CM 243 LEVEL CM	19539,2586 litre	94,796 %	1072,7308 litre	O
360	CM	135	CM 242 LEVEL CM	19480,4627 litre	94,510 %	1131,5267 litre	O
360	CM	135	CM 241 LEVEL CM	19420,7308 litre	94,221 %	1191,2586 litre	O
360	CM	135	CM 240 LEVEL CM	19360,0858 litre	93,926 %	1251,9036 litre	O
360	CM	135	CM 239 LEVEL CM	19298,5499 litre	93,628 %	1313,4395 litre	O
360	CM	135	CM 238 LEVEL CM	19236,1439 litre	93,325 %	1375,8455 litre	O
360	CM	135	CM 237 LEVEL CM	19172,8881 litre	93,018 %	1439,1013 litre	O
360	CM	135	CM 236 LEVEL CM	19108,8018 litre	92,707 %	1503,1876 litre	O
360	CM	135	CM 235 LEVEL CM	19043,9036 litre	92,392 %	1568,0858 litre	O
360	CM	135	CM 234 LEVEL CM	18978,2115 litre	92,074 %	1633,7779 litre	O
360	CM	135	CM 233 LEVEL CM	18911,7427 litre	91,751 %	1700,2467 litre	O
360	CM	135	CM 232 LEVEL CM	18844,5139 litre	91,425 %	1767,4755 litre	O
360	CM	135	CM 231 LEVEL CM	18776,5412 litre	91,095 %	1835,4482 litre	O
360	CM	135	CM 230 LEVEL CM	18707,8403 litre	90,762 %	1904,1491 litre	O
360	CM	135	CM 229 LEVEL CM	18638,4263 litre	90,425 %	1973,5631 litre	O
360	CM	135	CM 228 LEVEL CM	18568,3137 litre	90,085 %	2043,6757 litre	O
360	CM	135	CM 227 LEVEL CM	18497,5168 litre	89,742 %	2114,4726 litre	O
360	CM	135	CM 226 LEVEL CM	18426,0494 litre	89,395 %	2185,9400 litre	O
360	CM	135	CM 225 LEVEL CM	18353,9250 litre	89,045 %	2258,0644 litre	O
360	CM	135	CM 224 LEVEL CM	18281,1565 litre	88,692 %	2330,8329 litre	O
360	CM	135	CM 223 LEVEL CM	18207,7567 litre	88,336 %	2404,2327 litre	O
360	CM	135	CM 222 LEVEL CM	18133,7380 litre	87,977 %	2478,2514 litre	O
360	CM	135	CM 221 LEVEL CM	18059,1125 litre	87,615 %	2552,8769 litre	O
360	CM	135	CM 220 LEVEL CM	17983,8920 litre	87,250 %	2628,0974 litre	O
360	CM	135	CM 219 LEVEL CM	17908,0878 litre	86,882 %	2703,9016 litre	O

360	CM	135	CM	218 LEVEL CM	17831,7114 litre	86,511 %	2780,2780 litre	O
360	CM	135	CM	217 LEVEL CM	17754,7737 litre	86,138 %	2857,2157 litre	O
360	CM	135	CM	216 LEVEL CM	17677,2855 litre	85,762 %	2934,7039 litre	O
360	CM	135	CM	215 LEVEL CM	17599,2572 litre	85,384 %	3012,7322 litre	O
360	CM	135	CM	214 LEVEL CM	17520,6992 litre	85,002 %	3091,2902 litre	O
360	CM	135	CM	213 LEVEL CM	17441,6216 litre	84,619 %	3170,3678 litre	O
360	CM	135	CM	212 LEVEL CM	17362,0344 litre	84,233 %	3249,9550 litre	O
360	CM	135	CM	211 LEVEL CM	17281,9471 litre	83,844 %	3330,0423 litre	O
360	CM	135	CM	210 LEVEL CM	17201,3694 litre	83,453 %	3410,6200 litre	O
360	CM	135	CM	209 LEVEL CM	17120,3106 litre	83,060 %	3491,6788 litre	O
360	CM	135	CM	208 LEVEL CM	17038,7799 litre	82,664 %	3573,2095 litre	O
360	CM	135	CM	207 LEVEL CM	16956,7864 litre	82,267 %	3655,2030 litre	O
360	CM	135	CM	206 LEVEL CM	16874,3389 litre	81,867 %	3737,6505 litre	O
360	CM	135	CM	205 LEVEL CM	16791,4462 litre	81,464 %	3820,5432 litre	O
360	CM	135	CM	204 LEVEL CM	16708,1168 litre	81,060 %	3903,8726 litre	O
360	CM	135	CM	203 LEVEL CM	16624,3593 litre	80,654 %	3987,6301 litre	O
360	CM	135	CM	202 LEVEL CM	16540,1820 litre	80,245 %	4071,8074 litre	O
360	CM	135	CM	201 LEVEL CM	16455,5930 litre	79,835 %	4156,3964 litre	O
360	CM	135	CM	200 LEVEL CM	16370,6006 litre	79,423 %	4241,3888 litre	O
360	CM	135	CM	199 LEVEL CM	16285,2126 litre	79,008 %	4326,7768 litre	O
360	CM	135	CM	198 LEVEL CM	16199,4369 litre	78,592 %	4412,5525 litre	O
360	CM	135	CM	197 LEVEL CM	16113,2813 litre	78,174 %	4498,7081 litre	O
360	CM	135	CM	196 LEVEL CM	16026,7535 litre	77,755 %	4585,2359 litre	O
360	CM	135	CM	195 LEVEL CM	15939,8609 litre	77,333 %	4672,1285 litre	O
360	CM	135	CM	194 LEVEL CM	15852,6112 litre	76,910 %	4759,3782 litre	O
360	CM	135	CM	193 LEVEL CM	15765,0116 litre	76,485 %	4846,9778 litre	O
360	CM	135	CM	192 LEVEL CM	15677,0694 litre	76,058 %	4934,9200 litre	O
360	CM	135	CM	191 LEVEL CM	15588,7918 litre	75,630 %	5023,1976 litre	O
360	CM	135	CM	190 LEVEL CM	15500,1861 litre	75,200 %	5111,8033 litre	O
360	CM	135	CM	189 LEVEL CM	15411,2591 litre	74,768 %	5200,7303 litre	O
360	CM	135	CM	188 LEVEL CM	15322,0178 litre	74,335 %	5289,9716 litre	O
360	CM	135	CM	187 LEVEL CM	15232,4692 litre	73,901 %	5379,5202 litre	O
360	CM	135	CM	186 LEVEL CM	15142,6201 litre	73,465 %	5469,3693 litre	O
360	CM	135	CM	185 LEVEL CM	15052,4772 litre	73,028 %	5559,5122 litre	O
360	CM	135	CM	184 LEVEL CM	14962,0473 litre	72,589 %	5649,9421 litre	O
360	CM	135	CM	183 LEVEL CM	14871,3368 litre	72,149 %	5740,6526 litre	O
360	CM	135	CM	182 LEVEL CM	14780,3525 litre	71,708 %	5831,6369 litre	O
360	CM	135	CM	181 LEVEL CM	14689,1007 litre	71,265 %	5922,8887 litre	O
360	CM	135	CM	180 LEVEL CM	14597,5880 litre	70,821 %	6014,4014 litre	O
360	CM	135	CM	179 LEVEL CM	14505,8208 litre	70,376 %	6106,1686 litre	O
360	CM	135	CM	178 LEVEL CM	14413,8053 litre	69,929 %	6198,1841 litre	O
360	CM	135	CM	177 LEVEL CM	14321,5479 litre	69,482 %	6290,4415 litre	O
360	CM	135	CM	176 LEVEL CM	14229,0547 litre	69,033 %	6382,9347 litre	O
360	CM	135	CM	175 LEVEL CM	14136,3321 litre	68,583 %	6475,6573 litre	O
360	CM	135	CM	174 LEVEL CM	14043,3861 litre	68,132 %	6568,6033 litre	O
360	CM	135	CM	173 LEVEL CM	13950,2228 litre	67,680 %	6661,7666 litre	O
360	CM	135	CM	172 LEVEL CM	13856,8484 litre	67,227 %	6755,1410 litre	O
360	CM	135	CM	171 LEVEL CM	13763,2687 litre	66,773 %	6848,7207 litre	O
360	CM	135	CM	170 LEVEL CM	13669,4898 litre	66,318 %	6942,4996 litre	O
360	CM	135	CM	169 LEVEL CM	13575,5176 litre	65,862 %	7036,4718 litre	O
360	CM	135	CM	168 LEVEL CM	13481,3581 litre	65,405 %	7130,6313 litre	O
360	CM	135	CM	167 LEVEL CM	13387,0170 litre	64,948 %	7224,9724 litre	O
360	CM	135	CM	166 LEVEL CM	13292,5003 litre	64,489 %	7319,4891 litre	O

360	CM	135	CM	165 LEVEL CM	13197,8137 litre	64,030 %	7414,1757 litre	O
360	CM	135	CM	164 LEVEL CM	13102,9630 litre	63,570 %	7509,0264 litre	O
360	CM	135	CM	163 LEVEL CM	13007,9539 litre	63,109 %	7604,0355 litre	O
360	CM	135	CM	162 LEVEL CM	12912,7922 litre	62,647 %	7699,1972 litre	O
360	CM	135	CM	161 LEVEL CM	12817,4835 litre	62,185 %	7794,5059 litre	O
360	CM	135	CM	160 LEVEL CM	12722,0335 litre	61,722 %	7889,9559 litre	O
360	CM	135	CM	159 LEVEL CM	12626,4478 litre	61,258 %	7985,5416 litre	O
360	CM	135	CM	158 LEVEL CM	12530,7320 litre	60,793 %	8081,2574 litre	O
360	CM	135	CM	157 LEVEL CM	12434,8917 litre	60,328 %	8177,0977 litre	O
360	CM	135	CM	156 LEVEL CM	12338,9326 litre	59,863 %	8273,0568 litre	O
360	CM	135	CM	155 LEVEL CM	12242,8600 litre	59,397 %	8369,1294 litre	O
360	CM	135	CM	154 LEVEL CM	12146,6796 litre	58,930 %	8465,3098 litre	O
360	CM	135	CM	153 LEVEL CM	12050,3968 litre	58,463 %	8561,5926 litre	O
360	CM	135	CM	152 LEVEL CM	11954,0171 litre	57,995 %	8657,9723 litre	O
360	CM	135	CM	151 LEVEL CM	11857,5461 litre	57,527 %	8754,4433 litre	O
360	CM	135	CM	150 LEVEL CM	11760,9891 litre	57,059 %	8851,0003 litre	O
360	CM	135	CM	149 LEVEL CM	11664,3516 litre	56,590 %	8947,6378 litre	O
360	CM	135	CM	148 LEVEL CM	11567,6391 litre	56,121 %	9044,3503 litre	O
360	CM	135	CM	147 LEVEL CM	11470,8569 litre	55,651 %	9141,1325 litre	O
360	CM	135	CM	146 LEVEL CM	11374,0104 litre	55,182 %	9237,9790 litre	O
360	CM	135	CM	145 LEVEL CM	11277,1051 litre	54,711 %	9334,8843 litre	O
360	CM	135	CM	144 LEVEL CM	11180,1463 litre	54,241 %	9431,8431 litre	O
360	CM	135	CM	143 LEVEL CM	11083,1393 litre	53,770 %	9528,8501 litre	O
360	CM	135	CM	142 LEVEL CM	10986,0897 litre	53,300 %	9625,8997 litre	O
360	CM	135	CM	141 LEVEL CM	10889,0026 litre	52,828 %	9722,9868 litre	O
360	CM	135	CM	140 LEVEL CM	10791,8836 litre	52,357 %	9820,1058 litre	O
360	CM	135	CM	139 LEVEL CM	10694,7378 litre	51,886 %	9917,2516 litre	O
360	CM	135	CM	138 LEVEL CM	10597,5707 litre	51,415 %	10014,4187 litre	O
360	CM	135	CM	137 LEVEL CM	10500,3876 litre	50,943 %	10111,6018 litre	O
360	CM	135	CM	136 LEVEL CM	10403,1938 litre	50,472 %	10208,7956 litre	O
360	CM	135	CM	135 LEVEL CM	10305,9947 litre	50,000 %	10305,9947 litre	O
360	CM	135	CM	134 LEVEL CM	10208,7956 litre	49,528 %	10403,1938 litre	O
360	CM	135	CM	133 LEVEL CM	10111,6018 litre	49,057 %	10500,3876 litre	O
360	CM	135	CM	132 LEVEL CM	10014,4187 litre	48,585 %	10597,5707 litre	O
360	CM	135	CM	131 LEVEL CM	9917,2516 litre	48,114 %	10694,7378 litre	O
360	CM	135	CM	130 LEVEL CM	9820,1058 litre	47,643 %	10791,8836 litre	O
360	CM	135	CM	129 LEVEL CM	9722,9868 litre	47,172 %	10889,0026 litre	O
360	CM	135	CM	128 LEVEL CM	9625,8997 litre	46,700 %	10986,0897 litre	O
360	CM	135	CM	127 LEVEL CM	9528,8501 litre	46,230 %	11083,1393 litre	O
360	CM	135	CM	126 LEVEL CM	9431,8431 litre	45,759 %	11180,1463 litre	O
360	CM	135	CM	125 LEVEL CM	9334,8843 litre	45,289 %	11277,1051 litre	O
360	CM	135	CM	124 LEVEL CM	9237,9790 litre	44,818 %	11374,0104 litre	O
360	CM	135	CM	123 LEVEL CM	9141,1325 litre	44,349 %	11470,8569 litre	O
360	CM	135	CM	122 LEVEL CM	9044,3503 litre	43,879 %	11567,6391 litre	O
360	CM	135	CM	121 LEVEL CM	8947,6378 litre	43,410 %	11664,3516 litre	O
360	CM	135	CM	120 LEVEL CM	8851,0003 litre	42,941 %	11760,9891 litre	O
360	CM	135	CM	119 LEVEL CM	8754,4433 litre	42,473 %	11857,5461 litre	O
360	CM	135	CM	118 LEVEL CM	8657,9723 litre	42,005 %	11954,0171 litre	O
360	CM	135	CM	117 LEVEL CM	8561,5926 litre	41,537 %	12050,3968 litre	O
360	CM	135	CM	116 LEVEL CM	8465,3098 litre	41,070 %	12146,6796 litre	O
360	CM	135	CM	115 LEVEL CM	8369,1294 litre	40,603 %	12242,8600 litre	O
360	CM	135	CM	114 LEVEL CM	8273,0568 litre	40,137 %	12338,9326 litre	O
360	CM	135	CM	113 LEVEL CM	8177,0977 litre	39,672 %	12434,8917 litre	O

360	CM	135	CM	112 LEVEL CM	8081,2574 litre	39,207 %	12530,7320 litre	O
360	CM	135	CM	111 LEVEL CM	7985,5416 litre	38,742 %	12626,4478 litre	O
360	CM	135	CM	110 LEVEL CM	7889,9559 litre	38,278 %	12722,0335 litre	O
360	CM	135	CM	109 LEVEL CM	7794,5059 litre	37,815 %	12817,4835 litre	O
360	CM	135	CM	108 LEVEL CM	7699,1972 litre	37,353 %	12912,7922 litre	O
360	CM	135	CM	107 LEVEL CM	7604,0355 litre	36,891 %	13007,9539 litre	O
360	CM	135	CM	106 LEVEL CM	7509,0264 litre	36,430 %	13102,9630 litre	O
360	CM	135	CM	105 LEVEL CM	7414,1757 litre	35,970 %	13197,8137 litre	O
360	CM	135	CM	104 LEVEL CM	7319,4891 litre	35,511 %	13292,5003 litre	O
360	CM	135	CM	103 LEVEL CM	7224,9724 litre	35,052 %	13387,0170 litre	O
360	CM	135	CM	102 LEVEL CM	7130,6313 litre	34,595 %	13481,3581 litre	O
360	CM	135	CM	101 LEVEL CM	7036,4718 litre	34,138 %	13575,5176 litre	O
360	CM	135	CM	100 LEVEL CM	6942,4996 litre	33,682 %	13669,4898 litre	O
360	CM	135	CM	99 LEVEL CM	6848,7207 litre	33,227 %	13763,2687 litre	O
360	CM	135	CM	98 LEVEL CM	6755,1410 litre	32,773 %	13856,8484 litre	O
360	CM	135	CM	97 LEVEL CM	6661,7666 litre	32,320 %	13950,2228 litre	O
360	CM	135	CM	96 LEVEL CM	6568,6033 litre	31,868 %	14043,3861 litre	O
360	CM	135	CM	95 LEVEL CM	6475,6573 litre	31,417 %	14136,3321 litre	O
360	CM	135	CM	94 LEVEL CM	6382,9347 litre	30,967 %	14229,0547 litre	O
360	CM	135	CM	93 LEVEL CM	6290,4415 litre	30,518 %	14321,5479 litre	O
360	CM	135	CM	92 LEVEL CM	6198,1841 litre	30,071 %	14413,8053 litre	O
360	CM	135	CM	91 LEVEL CM	6106,1686 litre	29,624 %	14505,8208 litre	O
360	CM	135	CM	90 LEVEL CM	6014,4014 litre	29,179 %	14597,5880 litre	O
360	CM	135	CM	89 LEVEL CM	5922,8887 litre	28,735 %	14689,1007 litre	O
360	CM	135	CM	88 LEVEL CM	5831,6369 litre	28,292 %	14780,3525 litre	O
360	CM	135	CM	87 LEVEL CM	5740,6526 litre	27,851 %	14871,3368 litre	O
360	CM	135	CM	86 LEVEL CM	5649,9421 litre	27,411 %	14962,0473 litre	O
360	CM	135	CM	85 LEVEL CM	5559,5122 litre	26,972 %	15052,4772 litre	O
360	CM	135	CM	84 LEVEL CM	5469,3693 litre	26,535 %	15142,6201 litre	O
360	CM	135	CM	83 LEVEL CM	5379,5202 litre	26,099 %	15232,4692 litre	O
360	CM	135	CM	82 LEVEL CM	5289,9716 litre	25,665 %	15322,0178 litre	O
360	CM	135	CM	81 LEVEL CM	5200,7303 litre	25,232 %	15411,2591 litre	O
360	CM	135	CM	80 LEVEL CM	5111,8033 litre	24,800 %	15500,1861 litre	O
360	CM	135	CM	79 LEVEL CM	5023,1976 litre	24,370 %	15588,7918 litre	O
360	CM	135	CM	78 LEVEL CM	4934,9200 litre	23,942 %	15677,0694 litre	O
360	CM	135	CM	77 LEVEL CM	4846,9778 litre	23,515 %	15765,0116 litre	O
360	CM	135	CM	76 LEVEL CM	4759,3782 litre	23,090 %	15852,6112 litre	O
360	CM	135	CM	75 LEVEL CM	4672,1285 litre	22,667 %	15939,8609 litre	O
360	CM	135	CM	74 LEVEL CM	4585,2359 litre	22,245 %	16026,7535 litre	O
360	CM	135	CM	73 LEVEL CM	4498,7081 litre	21,826 %	16113,2813 litre	O
360	CM	135	CM	72 LEVEL CM	4412,5525 litre	21,408 %	16199,4369 litre	O
360	CM	135	CM	71 LEVEL CM	4326,7768 litre	20,992 %	16285,2126 litre	O
360	CM	135	CM	70 LEVEL CM	4241,3888 litre	20,577 %	16370,6006 litre	O
360	CM	135	CM	69 LEVEL CM	4156,3964 litre	20,165 %	16455,5930 litre	O
360	CM	135	CM	68 LEVEL CM	4071,8074 litre	19,755 %	16540,1820 litre	O
360	CM	135	CM	67 LEVEL CM	3987,6301 litre	19,346 %	16624,3593 litre	O
360	CM	135	CM	66 LEVEL CM	3903,8726 litre	18,940 %	16708,1168 litre	O
360	CM	135	CM	65 LEVEL CM	3820,5432 litre	18,536 %	16791,4462 litre	O
360	CM	135	CM	64 LEVEL CM	3737,6505 litre	18,133 %	16874,3389 litre	O
360	CM	135	CM	63 LEVEL CM	3655,2030 litre	17,733 %	16956,7864 litre	O
360	CM	135	CM	62 LEVEL CM	3573,2095 litre	17,336 %	17038,7799 litre	O
360	CM	135	CM	61 LEVEL CM	3491,6788 litre	16,940 %	17120,3106 litre	O
360	CM	135	CM	60 LEVEL CM	3410,6200 litre	16,547 %	17201,3694 litre	O

360	CM	135	CM	59 LEVEL CM	3330,0423 litre	16,156 %	17281,9471 litre	O
360	CM	135	CM	58 LEVEL CM	3249,9550 litre	15,767 %	17362,0344 litre	O
360	CM	135	CM	57 LEVEL CM	3170,3678 litre	15,381 %	17441,6216 litre	O
360	CM	135	CM	56 LEVEL CM	3091,2902 litre	14,998 %	17520,6992 litre	O
360	CM	135	CM	55 LEVEL CM	3012,7322 litre	14,616 %	17599,2572 litre	O
360	CM	135	CM	54 LEVEL CM	2934,7039 litre	14,238 %	17677,2855 litre	O
360	CM	135	CM	53 LEVEL CM	2857,2157 litre	13,862 %	17754,7737 litre	O
360	CM	135	CM	52 LEVEL CM	2780,2780 litre	13,489 %	17831,7114 litre	O
360	CM	135	CM	51 LEVEL CM	2703,9016 litre	13,118 %	17908,0878 litre	O
360	CM	135	CM	50 LEVEL CM	2628,0974 litre	12,750 %	17983,8920 litre	O
360	CM	135	CM	49 LEVEL CM	2552,8769 litre	12,385 %	18059,1125 litre	O
360	CM	135	CM	48 LEVEL CM	2478,2514 litre	12,023 %	18133,7380 litre	O
360	CM	135	CM	47 LEVEL CM	2404,2327 litre	11,664 %	18207,7567 litre	O
360	CM	135	CM	46 LEVEL CM	2330,8329 litre	11,308 %	18281,1565 litre	O
360	CM	135	CM	45 LEVEL CM	2258,0644 litre	10,955 %	18353,9250 litre	O
360	CM	135	CM	44 LEVEL CM	2185,9400 litre	10,605 %	18426,0494 litre	O
360	CM	135	CM	43 LEVEL CM	2114,4726 litre	10,258 %	18497,5168 litre	O
360	CM	135	CM	42 LEVEL CM	2043,6757 litre	9,915 %	18568,3137 litre	O
360	CM	135	CM	41 LEVEL CM	1973,5631 litre	9,575 %	18638,4263 litre	O
360	CM	135	CM	40 LEVEL CM	1904,1491 litre	9,238 %	18707,8403 litre	O
360	CM	135	CM	39 LEVEL CM	1835,4482 litre	8,905 %	18776,5412 litre	O
360	CM	135	CM	38 LEVEL CM	1767,4755 litre	8,575 %	18844,5139 litre	O
360	CM	135	CM	37 LEVEL CM	1700,2467 litre	8,249 %	18911,7427 litre	O
360	CM	135	CM	36 LEVEL CM	1633,7779 litre	7,926 %	18978,2115 litre	O
360	CM	135	CM	35 LEVEL CM	1568,0858 litre	7,608 %	19043,9036 litre	O
360	CM	135	CM	34 LEVEL CM	1503,1876 litre	7,293 %	19108,8018 litre	O
360	CM	135	CM	33 LEVEL CM	1439,1013 litre	6,982 %	19172,8881 litre	O
360	CM	135	CM	32 LEVEL CM	1375,8455 litre	6,675 %	19236,1439 litre	O
360	CM	135	CM	31 LEVEL CM	1313,4395 litre	6,372 %	19298,5499 litre	O
360	CM	135	CM	30 LEVEL CM	1251,9036 litre	6,074 %	19360,0858 litre	O
360	CM	135	CM	29 LEVEL CM	1191,2586 litre	5,779 %	19420,7308 litre	O
360	CM	135	CM	28 LEVEL CM	1131,5267 litre	5,490 %	19480,4627 litre	O
360	CM	135	CM	27 LEVEL CM	1072,7308 litre	5,204 %	19539,2586 litre	O
360	CM	135	CM	26 LEVEL CM	1014,8949 litre	4,924 %	19597,0945 litre	O
360	CM	135	CM	25 LEVEL CM	958,0445 litre	4,648 %	19653,9449 litre	O
360	CM	135	CM	24 LEVEL CM	902,2062 litre	4,377 %	19709,7832 litre	O
360	CM	135	CM	23 LEVEL CM	847,4082 litre	4,111 %	19764,5812 litre	O
360	CM	135	CM	22 LEVEL CM	793,6802 litre	3,851 %	19818,3092 litre	O
360	CM	135	CM	21 LEVEL CM	741,0538 litre	3,595 %	19870,9356 litre	O
360	CM	135	CM	20 LEVEL CM	689,5627 litre	3,345 %	19922,4267 litre	O
360	CM	135	CM	19 LEVEL CM	639,2428 litre	3,101 %	19972,7466 litre	O
360	CM	135	CM	18 LEVEL CM	590,1326 litre	2,863 %	20021,8568 litre	O
360	CM	135	CM	17 LEVEL CM	542,2734 litre	2,631 %	20069,7160 litre	O
360	CM	135	CM	16 LEVEL CM	495,7100 litre	2,405 %	20116,2794 litre	O
360	CM	135	CM	15 LEVEL CM	450,4910 litre	2,186 %	20161,4984 litre	O
360	CM	135	CM	14 LEVEL CM	406,6694 litre	1,973 %	20205,3200 litre	O
360	CM	135	CM	13 LEVEL CM	364,3036 litre	1,767 %	20247,6858 litre	O
360	CM	135	CM	12 LEVEL CM	323,4581 litre	1,569 %	20288,5313 litre	O
360	CM	135	CM	11 LEVEL CM	284,2050 litre	1,379 %	20327,7844 litre	O
360	CM	135	CM	10 LEVEL CM	246,6254 litre	1,197 %	20365,3640 litre	O
360	CM	135	CM	9 LEVEL CM	210,8121 litre	1,023 %	20401,1773 litre	O
360	CM	135	CM	8 LEVEL CM	176,8722 litre	0,858 %	20435,1172 litre	O
360	CM	135	CM	7 LEVEL CM	144,9316 litre	0,703 %	20467,0578 litre	O

360	CM	135	CM	6 LEVEL CM	115,1419 litre	0,559 %	20496,8475 litre	O
360	CM	135	CM	5 LEVEL CM	87,6901 litre	0,425 %	20524,2993 litre	O
360	CM	135	CM	4 LEVEL CM	62,8165 litre	0,305 %	20549,1729 litre	O
360	CM	135	CM	3 LEVEL CM	40,8462 litre	0,198 %	20571,1432 litre	O
360	CM	135	CM	2 LEVEL CM	22,2587 litre	0,108 %	20589,7307 litre	O
360	CM	135	CM	1 LEVEL CM	7,8784 litre	0,038 %	20604,1110 litre	O
360	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	20611,9894 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM 130	CM 260 LEVEL CM	19113,4497 litre	100,000 %	0,0000 litre	O
360	CM 130	CM 259 LEVEL CM	19105,7189 litre	99,960 %	7,7308 litre	O
360	CM 130	CM 258 LEVEL CM	19091,6089 litre	99,886 %	21,8408 litre	O
360	CM 130	CM 257 LEVEL CM	19073,3722 litre	99,790 %	40,0775 litre	O
360	CM 130	CM 256 LEVEL CM	19051,8181 litre	99,678 %	61,6316 litre	O
360	CM 130	CM 255 LEVEL CM	19027,4174 litre	99,550 %	86,0323 litre	O
360	CM 130	CM 254 LEVEL CM	19000,4896 litre	99,409 %	112,9601 litre	O
360	CM 130	CM 253 LEVEL CM	18971,2706 litre	99,256 %	142,1791 litre	O
360	CM 130	CM 252 LEVEL CM	18939,9443 litre	99,092 %	173,5054 litre	O
360	CM 130	CM 251 LEVEL CM	18906,6597 litre	98,918 %	206,7900 litre	O
360	CM 130	CM 250 LEVEL CM	18871,5405 litre	98,734 %	241,9092 litre	O
360	CM 130	CM 249 LEVEL CM	18834,6922 litre	98,542 %	278,7575 litre	O
360	CM 130	CM 248 LEVEL CM	18796,2058 litre	98,340 %	317,2439 litre	O
360	CM 130	CM 247 LEVEL CM	18756,1613 litre	98,131 %	357,2884 litre	O
360	CM 130	CM 246 LEVEL CM	18714,6295 litre	97,913 %	398,8202 litre	O
360	CM 130	CM 245 LEVEL CM	18671,6741 litre	97,689 %	441,7756 litre	O
360	CM 130	CM 244 LEVEL CM	18627,3524 litre	97,457 %	486,0973 litre	O
360	CM 130	CM 243 LEVEL CM	18581,7167 litre	97,218 %	531,7330 litre	O
360	CM 130	CM 242 LEVEL CM	18534,8148 litre	96,973 %	578,6349 litre	O
360	CM 130	CM 241 LEVEL CM	18486,6908 litre	96,721 %	626,7589 litre	O
360	CM 130	CM 240 LEVEL CM	18437,3855 litre	96,463 %	676,0642 litre	O
360	CM 130	CM 239 LEVEL CM	18386,9369 litre	96,199 %	726,5128 litre	O
360	CM 130	CM 238 LEVEL CM	18335,3803 litre	95,929 %	778,0694 litre	O
360	CM 130	CM 237 LEVEL CM	18282,7489 litre	95,654 %	830,7008 litre	O
360	CM 130	CM 236 LEVEL CM	18229,0739 litre	95,373 %	884,3758 litre	O
360	CM 130	CM 235 LEVEL CM	18174,3846 litre	95,087 %	939,0651 litre	O
360	CM 130	CM 234 LEVEL CM	18118,7090 litre	94,796 %	994,7407 litre	O
360	CM 130	CM 233 LEVEL CM	18062,0732 litre	94,499 %	1051,3765 litre	O
360	CM 130	CM 232 LEVEL CM	18004,5023 litre	94,198 %	1108,9474 litre	O
360	CM 130	CM 231 LEVEL CM	17946,0201 litre	93,892 %	1167,4296 litre	O
360	CM 130	CM 230 LEVEL CM	17886,6494 litre	93,581 %	1226,8003 litre	O
360	CM 130	CM 229 LEVEL CM	17826,4118 litre	93,266 %	1287,0379 litre	O
360	CM 130	CM 228 LEVEL CM	17765,3282 litre	92,947 %	1348,1215 litre	O
360	CM 130	CM 227 LEVEL CM	17703,4184 litre	92,623 %	1410,0313 litre	O
360	CM 130	CM 226 LEVEL CM	17640,7016 litre	92,295 %	1472,7481 litre	O
360	CM 130	CM 225 LEVEL CM	17577,1963 litre	91,962 %	1536,2534 litre	O
360	CM 130	CM 224 LEVEL CM	17512,9201 litre	91,626 %	1600,5296 litre	O
360	CM 130	CM 223 LEVEL CM	17447,8902 litre	91,286 %	1665,5595 litre	O
360	CM 130	CM 222 LEVEL CM	17382,1231 litre	90,942 %	1731,3266 litre	O
360	CM 130	CM 221 LEVEL CM	17315,6348 litre	90,594 %	1797,8149 litre	O
360	CM 130	CM 220 LEVEL CM	17248,4406 litre	90,242 %	1865,0091 litre	O
360	CM 130	CM 219 LEVEL CM	17180,5557 litre	89,887 %	1932,8940 litre	O
360	CM 130	CM 218 LEVEL CM	17111,9945 litre	89,529 %	2001,4552 litre	O
360	CM 130	CM 217 LEVEL CM	17042,7711 litre	89,166 %	2070,6786 litre	O
360	CM 130	CM 216 LEVEL CM	16972,8992 litre	88,801 %	2140,5505 litre	O
360	CM 130	CM 215 LEVEL CM	16902,3921 litre	88,432 %	2211,0576 litre	O
360	CM 130	CM 214 LEVEL CM	16831,2627 litre	88,060 %	2282,1870 litre	O
360	CM 130	CM 213 LEVEL CM	16759,5238 litre	87,684 %	2353,9259 litre	O
360	CM 130	CM 212 LEVEL CM	16687,1876 litre	87,306 %	2426,2621 litre	O
360	CM 130	CM 211 LEVEL CM	16614,2661 litre	86,924 %	2499,1836 litre	O
360	CM 130	CM 210 LEVEL CM	16540,7710 litre	86,540 %	2572,6787 litre	O
360	CM 130	CM 209 LEVEL CM	16466,7138 litre	86,152 %	2646,7359 litre	O

360	CM	130	CM	208 LEVEL CM	16392,1056 litre	85,762 %	2721,3441 litre	O
360	CM	130	CM	207 LEVEL CM	16316,9574 litre	85,369 %	2796,4923 litre	O
360	CM	130	CM	206 LEVEL CM	16241,2799 litre	84,973 %	2872,1698 litre	O
360	CM	130	CM	205 LEVEL CM	16165,0835 litre	84,574 %	2948,3662 litre	O
360	CM	130	CM	204 LEVEL CM	16088,3786 litre	84,173 %	3025,0711 litre	O
360	CM	130	CM	203 LEVEL CM	16011,1751 litre	83,769 %	3102,2746 litre	O
360	CM	130	CM	202 LEVEL CM	15933,4831 litre	83,363 %	3179,9666 litre	O
360	CM	130	CM	201 LEVEL CM	15855,3121 litre	82,954 %	3258,1376 litre	O
360	CM	130	CM	200 LEVEL CM	15776,6716 litre	82,542 %	3336,7781 litre	O
360	CM	130	CM	199 LEVEL CM	15697,5711 litre	82,128 %	3415,8786 litre	O
360	CM	130	CM	198 LEVEL CM	15618,0196 litre	81,712 %	3495,4301 litre	O
360	CM	130	CM	197 LEVEL CM	15538,0262 litre	81,294 %	3575,4235 litre	O
360	CM	130	CM	196 LEVEL CM	15457,5998 litre	80,873 %	3655,8499 litre	O
360	CM	130	CM	195 LEVEL CM	15376,7491 litre	80,450 %	3736,7006 litre	O
360	CM	130	CM	194 LEVEL CM	15295,4827 litre	80,025 %	3817,9670 litre	O
360	CM	130	CM	193 LEVEL CM	15213,8090 litre	79,597 %	3899,6407 litre	O
360	CM	130	CM	192 LEVEL CM	15131,7365 litre	79,168 %	3981,7132 litre	O
360	CM	130	CM	191 LEVEL CM	15049,2732 litre	78,737 %	4064,1765 litre	O
360	CM	130	CM	190 LEVEL CM	14966,4274 litre	78,303 %	4147,0223 litre	O
360	CM	130	CM	189 LEVEL CM	14883,2070 litre	77,868 %	4230,2427 litre	O
360	CM	130	CM	188 LEVEL CM	14799,6198 litre	77,430 %	4313,8299 litre	O
360	CM	130	CM	187 LEVEL CM	14715,6737 litre	76,991 %	4397,7760 litre	O
360	CM	130	CM	186 LEVEL CM	14631,3764 litre	76,550 %	4482,0733 litre	O
360	CM	130	CM	185 LEVEL CM	14546,7353 litre	76,107 %	4566,7144 litre	O
360	CM	130	CM	184 LEVEL CM	14461,7581 litre	75,663 %	4651,6916 litre	O
360	CM	130	CM	183 LEVEL CM	14376,4521 litre	75,216 %	4736,9976 litre	O
360	CM	130	CM	182 LEVEL CM	14290,8246 litre	74,768 %	4822,6251 litre	O
360	CM	130	CM	181 LEVEL CM	14204,8828 litre	74,319 %	4908,5669 litre	O
360	CM	130	CM	180 LEVEL CM	14118,6340 litre	73,868 %	4994,8157 litre	O
360	CM	130	CM	179 LEVEL CM	14032,0852 litre	73,415 %	5081,3645 litre	O
360	CM	130	CM	178 LEVEL CM	13945,2434 litre	72,960 %	5168,2063 litre	O
360	CM	130	CM	177 LEVEL CM	13858,1155 litre	72,505 %	5255,3342 litre	O
360	CM	130	CM	176 LEVEL CM	13770,7084 litre	72,047 %	5342,7413 litre	O
360	CM	130	CM	175 LEVEL CM	13683,0289 litre	71,588 %	5430,4208 litre	O
360	CM	130	CM	174 LEVEL CM	13595,0837 litre	71,128 %	5518,3660 litre	O
360	CM	130	CM	173 LEVEL CM	13506,8796 litre	70,667 %	5606,5701 litre	O
360	CM	130	CM	172 LEVEL CM	13418,4231 litre	70,204 %	5695,0266 litre	O
360	CM	130	CM	171 LEVEL CM	13329,7208 litre	69,740 %	5783,7289 litre	O
360	CM	130	CM	170 LEVEL CM	13240,7792 litre	69,275 %	5872,6705 litre	O
360	CM	130	CM	169 LEVEL CM	13151,6048 litre	68,808 %	5961,8449 litre	O
360	CM	130	CM	168 LEVEL CM	13062,2039 litre	68,340 %	6051,2458 litre	O
360	CM	130	CM	167 LEVEL CM	12972,5830 litre	67,871 %	6140,8667 litre	O
360	CM	130	CM	166 LEVEL CM	12882,7483 litre	67,401 %	6230,7014 litre	O
360	CM	130	CM	165 LEVEL CM	12792,7061 litre	66,930 %	6320,7436 litre	O
360	CM	130	CM	164 LEVEL CM	12702,4626 litre	66,458 %	6410,9871 litre	O
360	CM	130	CM	163 LEVEL CM	12612,0240 litre	65,985 %	6501,4257 litre	O
360	CM	130	CM	162 LEVEL CM	12521,3964 litre	65,511 %	6592,0533 litre	O
360	CM	130	CM	161 LEVEL CM	12430,5860 litre	65,036 %	6682,8637 litre	O
360	CM	130	CM	160 LEVEL CM	12339,5988 litre	64,560 %	6773,8509 litre	O
360	CM	130	CM	159 LEVEL CM	12248,4408 litre	64,083 %	6865,0089 litre	O
360	CM	130	CM	158 LEVEL CM	12157,1181 litre	63,605 %	6956,3316 litre	O
360	CM	130	CM	157 LEVEL CM	12065,6365 litre	63,126 %	7047,8132 litre	O
360	CM	130	CM	156 LEVEL CM	11974,0021 litre	62,647 %	7139,4476 litre	O

360	CM	130	CM	155 LEVEL CM	11882,2207 litre	62,167 %	7231,2290 litre	O
360	CM	130	CM	154 LEVEL CM	11790,2982 litre	61,686 %	7323,1515 litre	O
360	CM	130	CM	153 LEVEL CM	11698,2404 litre	61,204 %	7415,2093 litre	O
360	CM	130	CM	152 LEVEL CM	11606,0533 litre	60,722 %	7507,3964 litre	O
360	CM	130	CM	151 LEVEL CM	11513,7425 litre	60,239 %	7599,7072 litre	O
360	CM	130	CM	150 LEVEL CM	11421,3138 litre	59,755 %	7692,1359 litre	O
360	CM	130	CM	149 LEVEL CM	11328,7730 litre	59,271 %	7784,6767 litre	O
360	CM	130	CM	148 LEVEL CM	11236,1259 litre	58,786 %	7877,3238 litre	O
360	CM	130	CM	147 LEVEL CM	11143,3781 litre	58,301 %	7970,0716 litre	O
360	CM	130	CM	146 LEVEL CM	11050,5353 litre	57,815 %	8062,9144 litre	O
360	CM	130	CM	145 LEVEL CM	10957,6032 litre	57,329 %	8155,8465 litre	O
360	CM	130	CM	144 LEVEL CM	10864,5875 litre	56,843 %	8248,8622 litre	O
360	CM	130	CM	143 LEVEL CM	10771,4938 litre	56,356 %	8341,9559 litre	O
360	CM	130	CM	142 LEVEL CM	10678,3277 litre	55,868 %	8435,1220 litre	O
360	CM	130	CM	141 LEVEL CM	10585,0949 litre	55,380 %	8528,3548 litre	O
360	CM	130	CM	140 LEVEL CM	10491,8010 litre	54,892 %	8621,6487 litre	O
360	CM	130	CM	139 LEVEL CM	10398,4514 litre	54,404 %	8714,9983 litre	O
360	CM	130	CM	138 LEVEL CM	10305,0520 litre	53,915 %	8808,3977 litre	O
360	CM	130	CM	137 LEVEL CM	10211,6081 litre	53,426 %	8901,8416 litre	O
360	CM	130	CM	136 LEVEL CM	10118,1254 litre	52,937 %	8995,3243 litre	O
360	CM	130	CM	135 LEVEL CM	10024,6094 litre	52,448 %	9088,8403 litre	O
360	CM	130	CM	134 LEVEL CM	9931,0658 litre	51,959 %	9182,3839 litre	O
360	CM	130	CM	133 LEVEL CM	9837,4999 litre	51,469 %	9275,9498 litre	O
360	CM	130	CM	132 LEVEL CM	9743,9175 litre	50,979 %	9369,5322 litre	O
360	CM	130	CM	131 LEVEL CM	9650,3239 litre	50,490 %	9463,1258 litre	O
360	CM	130	CM	130 LEVEL CM	9556,7249 litre	50,000 %	9556,7248 litre	O
360	CM	130	CM	129 LEVEL CM	9463,1258 litre	49,510 %	9650,3239 litre	O
360	CM	130	CM	128 LEVEL CM	9369,5322 litre	49,021 %	9743,9175 litre	O
360	CM	130	CM	127 LEVEL CM	9275,9498 litre	48,531 %	9837,4999 litre	O
360	CM	130	CM	126 LEVEL CM	9182,3839 litre	48,041 %	9931,0658 litre	O
360	CM	130	CM	125 LEVEL CM	9088,8403 litre	47,552 %	10024,6094 litre	O
360	CM	130	CM	124 LEVEL CM	8995,3243 litre	47,063 %	10118,1254 litre	O
360	CM	130	CM	123 LEVEL CM	8901,8416 litre	46,574 %	10211,6081 litre	O
360	CM	130	CM	122 LEVEL CM	8808,3977 litre	46,085 %	10305,0520 litre	O
360	CM	130	CM	121 LEVEL CM	8714,9983 litre	45,596 %	10398,4514 litre	O
360	CM	130	CM	120 LEVEL CM	8621,6488 litre	45,108 %	10491,8009 litre	O
360	CM	130	CM	119 LEVEL CM	8528,3548 litre	44,620 %	10585,0949 litre	O
360	CM	130	CM	118 LEVEL CM	8435,1220 litre	44,132 %	10678,3277 litre	O
360	CM	130	CM	117 LEVEL CM	8341,9559 litre	43,644 %	10771,4938 litre	O
360	CM	130	CM	116 LEVEL CM	8248,8622 litre	43,157 %	10864,5875 litre	O
360	CM	130	CM	115 LEVEL CM	8155,8465 litre	42,671 %	10957,6032 litre	O
360	CM	130	CM	114 LEVEL CM	8062,9144 litre	42,185 %	11050,5353 litre	O
360	CM	130	CM	113 LEVEL CM	7970,0716 litre	41,699 %	11143,3781 litre	O
360	CM	130	CM	112 LEVEL CM	7877,3238 litre	41,214 %	11236,1259 litre	O
360	CM	130	CM	111 LEVEL CM	7784,6767 litre	40,729 %	11328,7730 litre	O
360	CM	130	CM	110 LEVEL CM	7692,1359 litre	40,245 %	11421,3138 litre	O
360	CM	130	CM	109 LEVEL CM	7599,7072 litre	39,761 %	11513,7425 litre	O
360	CM	130	CM	108 LEVEL CM	7507,3964 litre	39,278 %	11606,0533 litre	O
360	CM	130	CM	107 LEVEL CM	7415,2093 litre	38,796 %	11698,2404 litre	O
360	CM	130	CM	106 LEVEL CM	7323,1515 litre	38,314 %	11790,2982 litre	O
360	CM	130	CM	105 LEVEL CM	7231,2290 litre	37,833 %	11882,2207 litre	O
360	CM	130	CM	104 LEVEL CM	7139,4476 litre	37,353 %	11974,0021 litre	O
360	CM	130	CM	103 LEVEL CM	7047,8132 litre	36,874 %	12065,6365 litre	O

360	CM	130	CM	102 LEVEL CM	6956,3316 litre	36,395 %	12157,1181 litre	O
360	CM	130	CM	101 LEVEL CM	6865,0089 litre	35,917 %	12248,4408 litre	O
360	CM	130	CM	100 LEVEL CM	6773,8509 litre	35,440 %	12339,5988 litre	O
360	CM	130	CM	99 LEVEL CM	6682,8637 litre	34,964 %	12430,5860 litre	O
360	CM	130	CM	98 LEVEL CM	6592,0533 litre	34,489 %	12521,3964 litre	O
360	CM	130	CM	97 LEVEL CM	6501,4257 litre	34,015 %	12612,0240 litre	O
360	CM	130	CM	96 LEVEL CM	6410,9871 litre	33,542 %	12702,4626 litre	O
360	CM	130	CM	95 LEVEL CM	6320,7436 litre	33,070 %	12792,7061 litre	O
360	CM	130	CM	94 LEVEL CM	6230,7014 litre	32,599 %	12882,7483 litre	O
360	CM	130	CM	93 LEVEL CM	6140,8667 litre	32,129 %	12972,5830 litre	O
360	CM	130	CM	92 LEVEL CM	6051,2458 litre	31,660 %	13062,2039 litre	O
360	CM	130	CM	91 LEVEL CM	5961,8449 litre	31,192 %	13151,6048 litre	O
360	CM	130	CM	90 LEVEL CM	5872,6705 litre	30,725 %	13240,7792 litre	O
360	CM	130	CM	89 LEVEL CM	5783,7289 litre	30,260 %	13329,7208 litre	O
360	CM	130	CM	88 LEVEL CM	5695,0266 litre	29,796 %	13418,4231 litre	O
360	CM	130	CM	87 LEVEL CM	5606,5701 litre	29,333 %	13506,8796 litre	O
360	CM	130	CM	86 LEVEL CM	5518,3660 litre	28,872 %	13595,0837 litre	O
360	CM	130	CM	85 LEVEL CM	5430,4208 litre	28,412 %	13683,0289 litre	O
360	CM	130	CM	84 LEVEL CM	5342,7413 litre	27,953 %	13770,7084 litre	O
360	CM	130	CM	83 LEVEL CM	5255,3342 litre	27,495 %	13858,1155 litre	O
360	CM	130	CM	82 LEVEL CM	5168,2063 litre	27,040 %	13945,2434 litre	O
360	CM	130	CM	81 LEVEL CM	5081,3645 litre	26,585 %	14032,0852 litre	O
360	CM	130	CM	80 LEVEL CM	4994,8157 litre	26,132 %	14118,6340 litre	O
360	CM	130	CM	79 LEVEL CM	4908,5669 litre	25,681 %	14204,8828 litre	O
360	CM	130	CM	78 LEVEL CM	4822,6251 litre	25,232 %	14290,8246 litre	O
360	CM	130	CM	77 LEVEL CM	4736,9976 litre	24,784 %	14376,4521 litre	O
360	CM	130	CM	76 LEVEL CM	4651,6916 litre	24,337 %	14461,7581 litre	O
360	CM	130	CM	75 LEVEL CM	4566,7144 litre	23,893 %	14546,7353 litre	O
360	CM	130	CM	74 LEVEL CM	4482,0733 litre	23,450 %	14631,3764 litre	O
360	CM	130	CM	73 LEVEL CM	4397,7760 litre	23,009 %	14715,6737 litre	O
360	CM	130	CM	72 LEVEL CM	4313,8299 litre	22,570 %	14799,6198 litre	O
360	CM	130	CM	71 LEVEL CM	4230,2427 litre	22,132 %	14883,2070 litre	O
360	CM	130	CM	70 LEVEL CM	4147,0223 litre	21,697 %	14966,4274 litre	O
360	CM	130	CM	69 LEVEL CM	4064,1765 litre	21,263 %	15049,2732 litre	O
360	CM	130	CM	68 LEVEL CM	3981,7132 litre	20,832 %	15131,7365 litre	O
360	CM	130	CM	67 LEVEL CM	3899,6407 litre	20,403 %	15213,8090 litre	O
360	CM	130	CM	66 LEVEL CM	3817,9670 litre	19,975 %	15295,4827 litre	O
360	CM	130	CM	65 LEVEL CM	3736,7006 litre	19,550 %	15376,7491 litre	O
360	CM	130	CM	64 LEVEL CM	3655,8499 litre	19,127 %	15457,5998 litre	O
360	CM	130	CM	63 LEVEL CM	3575,4235 litre	18,706 %	15538,0262 litre	O
360	CM	130	CM	62 LEVEL CM	3495,4301 litre	18,288 %	15618,0196 litre	O
360	CM	130	CM	61 LEVEL CM	3415,8787 litre	17,872 %	15697,5710 litre	O
360	CM	130	CM	60 LEVEL CM	3336,7781 litre	17,458 %	15776,6716 litre	O
360	CM	130	CM	59 LEVEL CM	3258,1376 litre	17,046 %	15855,3121 litre	O
360	CM	130	CM	58 LEVEL CM	3179,9666 litre	16,637 %	15933,4831 litre	O
360	CM	130	CM	57 LEVEL CM	3102,2746 litre	16,231 %	16011,1751 litre	O
360	CM	130	CM	56 LEVEL CM	3025,0711 litre	15,827 %	16088,3786 litre	O
360	CM	130	CM	55 LEVEL CM	2948,3662 litre	15,426 %	16165,0835 litre	O
360	CM	130	CM	54 LEVEL CM	2872,1698 litre	15,027 %	16241,2799 litre	O
360	CM	130	CM	53 LEVEL CM	2796,4923 litre	14,631 %	16316,9574 litre	O
360	CM	130	CM	52 LEVEL CM	2721,3441 litre	14,238 %	16392,1056 litre	O
360	CM	130	CM	51 LEVEL CM	2646,7359 litre	13,848 %	16466,7138 litre	O
360	CM	130	CM	50 LEVEL CM	2572,6787 litre	13,460 %	16540,7710 litre	O

360	CM	130	CM	49 LEVEL CM	2499,1836 litre	13,076 %	16614,2661 litre	O
360	CM	130	CM	48 LEVEL CM	2426,2621 litre	12,694 %	16687,1876 litre	O
360	CM	130	CM	47 LEVEL CM	2353,9259 litre	12,316 %	16759,5238 litre	O
360	CM	130	CM	46 LEVEL CM	2282,1870 litre	11,940 %	16831,2627 litre	O
360	CM	130	CM	45 LEVEL CM	2211,0576 litre	11,568 %	16902,3921 litre	O
360	CM	130	CM	44 LEVEL CM	2140,5506 litre	11,199 %	16972,8991 litre	O
360	CM	130	CM	43 LEVEL CM	2070,6786 litre	10,834 %	17042,7711 litre	O
360	CM	130	CM	42 LEVEL CM	2001,4552 litre	10,471 %	17111,9945 litre	O
360	CM	130	CM	41 LEVEL CM	1932,8940 litre	10,113 %	17180,5557 litre	O
360	CM	130	CM	40 LEVEL CM	1865,0091 litre	9,758 %	17248,4406 litre	O
360	CM	130	CM	39 LEVEL CM	1797,8149 litre	9,406 %	17315,6348 litre	O
360	CM	130	CM	38 LEVEL CM	1731,3266 litre	9,058 %	17382,1231 litre	O
360	CM	130	CM	37 LEVEL CM	1665,5595 litre	8,714 %	17447,8902 litre	O
360	CM	130	CM	36 LEVEL CM	1600,5296 litre	8,374 %	17512,9201 litre	O
360	CM	130	CM	35 LEVEL CM	1536,2534 litre	8,038 %	17577,1963 litre	O
360	CM	130	CM	34 LEVEL CM	1472,7481 litre	7,705 %	17640,7016 litre	O
360	CM	130	CM	33 LEVEL CM	1410,0313 litre	7,377 %	17703,4184 litre	O
360	CM	130	CM	32 LEVEL CM	1348,1215 litre	7,053 %	17765,3282 litre	O
360	CM	130	CM	31 LEVEL CM	1287,0379 litre	6,734 %	17826,4118 litre	O
360	CM	130	CM	30 LEVEL CM	1226,8003 litre	6,419 %	17886,6494 litre	O
360	CM	130	CM	29 LEVEL CM	1167,4296 litre	6,108 %	17946,0201 litre	O
360	CM	130	CM	28 LEVEL CM	1108,9474 litre	5,802 %	18004,5023 litre	O
360	CM	130	CM	27 LEVEL CM	1051,3765 litre	5,501 %	18062,0732 litre	O
360	CM	130	CM	26 LEVEL CM	994,7407 litre	5,204 %	18118,7090 litre	O
360	CM	130	CM	25 LEVEL CM	939,0651 litre	4,913 %	18174,3846 litre	O
360	CM	130	CM	24 LEVEL CM	884,3758 litre	4,627 %	18229,0739 litre	O
360	CM	130	CM	23 LEVEL CM	830,7008 litre	4,346 %	18282,7489 litre	O
360	CM	130	CM	22 LEVEL CM	778,0694 litre	4,071 %	18335,3803 litre	O
360	CM	130	CM	21 LEVEL CM	726,5128 litre	3,801 %	18386,9369 litre	O
360	CM	130	CM	20 LEVEL CM	676,0642 litre	3,537 %	18437,3855 litre	O
360	CM	130	CM	19 LEVEL CM	626,7589 litre	3,279 %	18486,6908 litre	O
360	CM	130	CM	18 LEVEL CM	578,6349 litre	3,027 %	18534,8148 litre	O
360	CM	130	CM	17 LEVEL CM	531,7330 litre	2,782 %	18581,7167 litre	O
360	CM	130	CM	16 LEVEL CM	486,0973 litre	2,543 %	18627,3524 litre	O
360	CM	130	CM	15 LEVEL CM	441,7756 litre	2,311 %	18671,6741 litre	O
360	CM	130	CM	14 LEVEL CM	398,8202 litre	2,087 %	18714,6295 litre	O
360	CM	130	CM	13 LEVEL CM	357,2884 litre	1,869 %	18756,1613 litre	O
360	CM	130	CM	12 LEVEL CM	317,2439 litre	1,660 %	18796,2058 litre	O
360	CM	130	CM	11 LEVEL CM	278,7575 litre	1,458 %	18834,6922 litre	O
360	CM	130	CM	10 LEVEL CM	241,9092 litre	1,266 %	18871,5405 litre	O
360	CM	130	CM	9 LEVEL CM	206,7900 litre	1,082 %	18906,6597 litre	O
360	CM	130	CM	8 LEVEL CM	173,5054 litre	0,908 %	18939,9443 litre	O
360	CM	130	CM	7 LEVEL CM	142,1791 litre	0,744 %	18971,2706 litre	O
360	CM	130	CM	6 LEVEL CM	112,9601 litre	0,591 %	19000,4896 litre	O
360	CM	130	CM	5 LEVEL CM	86,0323 litre	0,450 %	19027,4174 litre	O
360	CM	130	CM	4 LEVEL CM	61,6316 litre	0,322 %	19051,8181 litre	O
360	CM	130	CM	3 LEVEL CM	40,0775 litre	0,210 %	19073,3722 litre	O
360	CM	130	CM	2 LEVEL CM	21,8408 litre	0,114 %	19091,6089 litre	O
360	CM	130	CM	1 LEVEL CM	7,7308 litre	0,040 %	19105,7189 litre	O
360	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	19113,4497 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM	125	CM 250 LEVEL CM	17671,4587 litre	100,000 %	0,0000 litre	O
360	CM	125	CM 249 LEVEL CM	17663,8783 litre	99,957 %	7,5804 litre	O
360	CM	125	CM 248 LEVEL CM	17650,0440 litre	99,879 %	21,4147 litre	O
360	CM	125	CM 247 LEVEL CM	17632,1649 litre	99,778 %	39,2938 litre	O
360	CM	125	CM 246 LEVEL CM	17611,0352 litre	99,658 %	60,4235 litre	O
360	CM	125	CM 245 LEVEL CM	17587,1168 litre	99,523 %	84,3419 litre	O
360	CM	125	CM 244 LEVEL CM	17560,7233 litre	99,373 %	110,7354 litre	O
360	CM	125	CM 243 LEVEL CM	17532,0865 litre	99,211 %	139,3722 litre	O
360	CM	125	CM 242 LEVEL CM	17501,3868 litre	99,038 %	170,0719 litre	O
360	CM	125	CM 241 LEVEL CM	17468,7706 litre	98,853 %	202,6881 litre	O
360	CM	125	CM 240 LEVEL CM	17434,3596 litre	98,658 %	237,0991 litre	O
360	CM	125	CM 239 LEVEL CM	17398,2572 litre	98,454 %	273,2015 litre	O
360	CM	125	CM 238 LEVEL CM	17360,5532 litre	98,241 %	310,9055 litre	O
360	CM	125	CM 237 LEVEL CM	17321,3260 litre	98,019 %	350,1327 litre	O
360	CM	125	CM 236 LEVEL CM	17280,6454 litre	97,788 %	390,8133 litre	O
360	CM	125	CM 235 LEVEL CM	17238,5739 litre	97,550 %	432,8848 litre	O
360	CM	125	CM 234 LEVEL CM	17195,1681 litre	97,305 %	476,2906 litre	O
360	CM	125	CM 233 LEVEL CM	17150,4793 litre	97,052 %	520,9794 litre	O
360	CM	125	CM 232 LEVEL CM	17104,5546 litre	96,792 %	566,9041 litre	O
360	CM	125	CM 231 LEVEL CM	17057,4375 litre	96,525 %	614,0212 litre	O
360	CM	125	CM 230 LEVEL CM	17009,1682 litre	96,252 %	662,2905 litre	O
360	CM	125	CM 229 LEVEL CM	16959,7840 litre	95,973 %	711,6747 litre	O
360	CM	125	CM 228 LEVEL CM	16909,3198 litre	95,687 %	762,1389 litre	O
360	CM	125	CM 227 LEVEL CM	16857,8084 litre	95,396 %	813,6503 litre	O
360	CM	125	CM 226 LEVEL CM	16805,2804 litre	95,098 %	866,1783 litre	O
360	CM	125	CM 225 LEVEL CM	16751,7649 litre	94,796 %	919,6938 litre	O
360	CM	125	CM 224 LEVEL CM	16697,2893 litre	94,487 %	974,1694 litre	O
360	CM	125	CM 223 LEVEL CM	16641,8796 litre	94,174 %	1029,5791 litre	O
360	CM	125	CM 222 LEVEL CM	16585,5604 litre	93,855 %	1085,8983 litre	O
360	CM	125	CM 221 LEVEL CM	16528,3553 litre	93,531 %	1143,1034 litre	O
360	CM	125	CM 220 LEVEL CM	16470,2867 litre	93,203 %	1201,1720 litre	O
360	CM	125	CM 219 LEVEL CM	16411,3762 litre	92,869 %	1260,0825 litre	O
360	CM	125	CM 218 LEVEL CM	16351,6441 litre	92,531 %	1319,8146 litre	O
360	CM	125	CM 217 LEVEL CM	16291,1103 litre	92,189 %	1380,3484 litre	O
360	CM	125	CM 216 LEVEL CM	16229,7936 litre	91,842 %	1441,6651 litre	O
360	CM	125	CM 215 LEVEL CM	16167,7123 litre	91,491 %	1503,7464 litre	O
360	CM	125	CM 214 LEVEL CM	16104,8840 litre	91,135 %	1566,5747 litre	O
360	CM	125	CM 213 LEVEL CM	16041,3256 litre	90,775 %	1630,1331 litre	O
360	CM	125	CM 212 LEVEL CM	15977,0534 litre	90,412 %	1694,4053 litre	O
360	CM	125	CM 211 LEVEL CM	15912,0832 litre	90,044 %	1759,3755 litre	O
360	CM	125	CM 210 LEVEL CM	15846,4305 litre	89,672 %	1825,0282 litre	O
360	CM	125	CM 209 LEVEL CM	15780,1099 litre	89,297 %	1891,3488 litre	O
360	CM	125	CM 208 LEVEL CM	15713,1360 litre	88,918 %	1958,3227 litre	O
360	CM	125	CM 207 LEVEL CM	15645,5227 litre	88,536 %	2025,9360 litre	O
360	CM	125	CM 206 LEVEL CM	15577,2835 litre	88,149 %	2094,1752 litre	O
360	CM	125	CM 205 LEVEL CM	15508,4318 litre	87,760 %	2163,0269 litre	O
360	CM	125	CM 204 LEVEL CM	15438,9803 litre	87,367 %	2232,4784 litre	O
360	CM	125	CM 203 LEVEL CM	15368,9416 litre	86,970 %	2302,5171 litre	O
360	CM	125	CM 202 LEVEL CM	15298,3279 litre	86,571 %	2373,1308 litre	O
360	CM	125	CM 201 LEVEL CM	15227,1512 litre	86,168 %	2444,3075 litre	O
360	CM	125	CM 200 LEVEL CM	15155,4231 litre	85,762 %	2516,0356 litre	O
360	CM	125	CM 199 LEVEL CM	15083,1549 litre	85,353 %	2588,3038 litre	O

360	CM	125	CM	198 LEVEL CM	15010,3579 litre	84,941 %	2661,1008 litre	O
360	CM	125	CM	197 LEVEL CM	14937,0429 litre	84,526 %	2734,4158 litre	O
360	CM	125	CM	196 LEVEL CM	14863,2205 litre	84,109 %	2808,2382 litre	O
360	CM	125	CM	195 LEVEL CM	14788,9012 litre	83,688 %	2882,5575 litre	O
360	CM	125	CM	194 LEVEL CM	14714,0952 litre	83,265 %	2957,3635 litre	O
360	CM	125	CM	193 LEVEL CM	14638,8125 litre	82,839 %	3032,6462 litre	O
360	CM	125	CM	192 LEVEL CM	14563,0631 litre	82,410 %	3108,3956 litre	O
360	CM	125	CM	191 LEVEL CM	14486,8565 litre	81,979 %	3184,6022 litre	O
360	CM	125	CM	190 LEVEL CM	14410,2022 litre	81,545 %	3261,2565 litre	O
360	CM	125	CM	189 LEVEL CM	14333,1097 litre	81,109 %	3338,3490 litre	O
360	CM	125	CM	188 LEVEL CM	14255,5879 litre	80,670 %	3415,8708 litre	O
360	CM	125	CM	187 LEVEL CM	14177,6460 litre	80,229 %	3493,8127 litre	O
360	CM	125	CM	186 LEVEL CM	14099,2928 litre	79,786 %	3572,1659 litre	O
360	CM	125	CM	185 LEVEL CM	14020,5370 litre	79,340 %	3650,9217 litre	O
360	CM	125	CM	184 LEVEL CM	13941,3873 litre	78,892 %	3730,0714 litre	O
360	CM	125	CM	183 LEVEL CM	13861,8521 litre	78,442 %	3809,6066 litre	O
360	CM	125	CM	182 LEVEL CM	13781,9397 litre	77,990 %	3889,5190 litre	O
360	CM	125	CM	181 LEVEL CM	13701,6584 litre	77,536 %	3969,8003 litre	O
360	CM	125	CM	180 LEVEL CM	13621,0164 litre	77,079 %	4050,4423 litre	O
360	CM	125	CM	179 LEVEL CM	13540,0215 litre	76,621 %	4131,4372 litre	O
360	CM	125	CM	178 LEVEL CM	13458,6817 litre	76,161 %	4212,7770 litre	O
360	CM	125	CM	177 LEVEL CM	13377,0049 litre	75,698 %	4294,4538 litre	O
360	CM	125	CM	176 LEVEL CM	13294,9987 litre	75,234 %	4376,4600 litre	O
360	CM	125	CM	175 LEVEL CM	13212,6707 litre	74,768 %	4458,7880 litre	O
360	CM	125	CM	174 LEVEL CM	13130,0284 litre	74,301 %	4541,4303 litre	O
360	CM	125	CM	173 LEVEL CM	13047,0794 litre	73,831 %	4624,3793 litre	O
360	CM	125	CM	172 LEVEL CM	12963,8309 litre	73,360 %	4707,6278 litre	O
360	CM	125	CM	171 LEVEL CM	12880,2903 litre	72,888 %	4791,1684 litre	O
360	CM	125	CM	170 LEVEL CM	12796,4647 litre	72,413 %	4874,9940 litre	O
360	CM	125	CM	169 LEVEL CM	12712,3612 litre	71,937 %	4959,0975 litre	O
360	CM	125	CM	168 LEVEL CM	12627,9870 litre	71,460 %	5043,4717 litre	O
360	CM	125	CM	167 LEVEL CM	12543,3490 litre	70,981 %	5128,1097 litre	O
360	CM	125	CM	166 LEVEL CM	12458,4541 litre	70,500 %	5213,0046 litre	O
360	CM	125	CM	165 LEVEL CM	12373,3093 litre	70,019 %	5298,1494 litre	O
360	CM	125	CM	164 LEVEL CM	12287,9212 litre	69,535 %	5383,5375 litre	O
360	CM	125	CM	163 LEVEL CM	12202,2967 litre	69,051 %	5469,1620 litre	O
360	CM	125	CM	162 LEVEL CM	12116,4425 litre	68,565 %	5555,0162 litre	O
360	CM	125	CM	161 LEVEL CM	12030,3651 litre	68,078 %	5641,0936 litre	O
360	CM	125	CM	160 LEVEL CM	11944,0712 litre	67,590 %	5727,3875 litre	O
360	CM	125	CM	159 LEVEL CM	11857,5673 litre	67,100 %	5813,8914 litre	O
360	CM	125	CM	158 LEVEL CM	11770,8599 litre	66,609 %	5900,5988 litre	O
360	CM	125	CM	157 LEVEL CM	11683,9553 litre	66,118 %	5987,5034 litre	O
360	CM	125	CM	156 LEVEL CM	11596,8602 litre	65,625 %	6074,5985 litre	O
360	CM	125	CM	155 LEVEL CM	11509,5806 litre	65,131 %	6161,8781 litre	O
360	CM	125	CM	154 LEVEL CM	11422,1231 litre	64,636 %	6249,3356 litre	O
360	CM	125	CM	153 LEVEL CM	11334,4939 litre	64,140 %	6336,9648 litre	O
360	CM	125	CM	152 LEVEL CM	11246,6992 litre	63,643 %	6424,7595 litre	O
360	CM	125	CM	151 LEVEL CM	11158,7452 litre	63,146 %	6512,7135 litre	O
360	CM	125	CM	150 LEVEL CM	11070,6380 litre	62,647 %	6600,8207 litre	O
360	CM	125	CM	149 LEVEL CM	10982,3839 litre	62,148 %	6689,0748 litre	O
360	CM	125	CM	148 LEVEL CM	10893,9890 litre	61,647 %	6777,4697 litre	O
360	CM	125	CM	147 LEVEL CM	10805,4592 litre	61,146 %	6865,9995 litre	O
360	CM	125	CM	146 LEVEL CM	10716,8008 litre	60,645 %	6954,6579 litre	O

360	CM	125	CM	145 LEVEL CM	10628,0196 litre	60,142 %	7043,4391 litre	O
360	CM	125	CM	144 LEVEL CM	10539,1217 litre	59,639 %	7132,3370 litre	O
360	CM	125	CM	143 LEVEL CM	10450,1131 litre	59,136 %	7221,3456 litre	O
360	CM	125	CM	142 LEVEL CM	10360,9997 litre	58,631 %	7310,4590 litre	O
360	CM	125	CM	141 LEVEL CM	10271,7875 litre	58,126 %	7399,6712 litre	O
360	CM	125	CM	140 LEVEL CM	10182,4823 litre	57,621 %	7488,9764 litre	O
360	CM	125	CM	139 LEVEL CM	10093,0901 litre	57,115 %	7578,3686 litre	O
360	CM	125	CM	138 LEVEL CM	10003,6168 litre	56,609 %	7667,8419 litre	O
360	CM	125	CM	137 LEVEL CM	9914,0682 litre	56,102 %	7757,3905 litre	O
360	CM	125	CM	136 LEVEL CM	9824,4501 litre	55,595 %	7847,0086 litre	O
360	CM	125	CM	135 LEVEL CM	9734,7684 litre	55,088 %	7936,6903 litre	O
360	CM	125	CM	134 LEVEL CM	9645,0290 litre	54,580 %	8026,4297 litre	O
360	CM	125	CM	133 LEVEL CM	9555,2375 litre	54,072 %	8116,2212 litre	O
360	CM	125	CM	132 LEVEL CM	9465,3999 litre	53,563 %	8206,0588 litre	O
360	CM	125	CM	131 LEVEL CM	9375,5219 litre	53,055 %	8295,9368 litre	O
360	CM	125	CM	130 LEVEL CM	9285,6093 litre	52,546 %	8385,8494 litre	O
360	CM	125	CM	129 LEVEL CM	9195,6679 litre	52,037 %	8475,7908 litre	O
360	CM	125	CM	128 LEVEL CM	9105,7034 litre	51,528 %	8565,7553 litre	O
360	CM	125	CM	127 LEVEL CM	9015,7217 litre	51,019 %	8655,7370 litre	O
360	CM	125	CM	126 LEVEL CM	8925,7284 litre	50,509 %	8745,7303 litre	O
360	CM	125	CM	125 LEVEL CM	8835,7293 litre	50,000 %	8835,7294 litre	O
360	CM	125	CM	124 LEVEL CM	8745,7303 litre	49,491 %	8925,7284 litre	O
360	CM	125	CM	123 LEVEL CM	8655,7370 litre	48,981 %	9015,7217 litre	O
360	CM	125	CM	122 LEVEL CM	8565,7553 litre	48,472 %	9105,7034 litre	O
360	CM	125	CM	121 LEVEL CM	8475,7908 litre	47,963 %	9195,6679 litre	O
360	CM	125	CM	120 LEVEL CM	8385,8494 litre	47,454 %	9285,6093 litre	O
360	CM	125	CM	119 LEVEL CM	8295,9368 litre	46,945 %	9375,5219 litre	O
360	CM	125	CM	118 LEVEL CM	8206,0588 litre	46,437 %	9465,3999 litre	O
360	CM	125	CM	117 LEVEL CM	8116,2212 litre	45,928 %	9555,2375 litre	O
360	CM	125	CM	116 LEVEL CM	8026,4297 litre	45,420 %	9645,0290 litre	O
360	CM	125	CM	115 LEVEL CM	7936,6903 litre	44,912 %	9734,7684 litre	O
360	CM	125	CM	114 LEVEL CM	7847,0086 litre	44,405 %	9824,4501 litre	O
360	CM	125	CM	113 LEVEL CM	7757,3905 litre	43,898 %	9914,0682 litre	O
360	CM	125	CM	112 LEVEL CM	7667,8419 litre	43,391 %	10003,6168 litre	O
360	CM	125	CM	111 LEVEL CM	7578,3686 litre	42,885 %	10093,0901 litre	O
360	CM	125	CM	110 LEVEL CM	7488,9764 litre	42,379 %	10182,4823 litre	O
360	CM	125	CM	109 LEVEL CM	7399,6712 litre	41,874 %	10271,7875 litre	O
360	CM	125	CM	108 LEVEL CM	7310,4590 litre	41,369 %	10360,9997 litre	O
360	CM	125	CM	107 LEVEL CM	7221,3456 litre	40,864 %	10450,1131 litre	O
360	CM	125	CM	106 LEVEL CM	7132,3370 litre	40,361 %	10539,1217 litre	O
360	CM	125	CM	105 LEVEL CM	7043,4391 litre	39,858 %	10628,0196 litre	O
360	CM	125	CM	104 LEVEL CM	6954,6579 litre	39,355 %	10716,8008 litre	O
360	CM	125	CM	103 LEVEL CM	6865,9994 litre	38,854 %	10805,4593 litre	O
360	CM	125	CM	102 LEVEL CM	6777,4697 litre	38,353 %	10893,9890 litre	O
360	CM	125	CM	101 LEVEL CM	6689,0747 litre	37,852 %	10982,3840 litre	O
360	CM	125	CM	100 LEVEL CM	6600,8206 litre	37,353 %	11070,6381 litre	O
360	CM	125	CM	99 LEVEL CM	6512,7135 litre	36,854 %	11158,7452 litre	O
360	CM	125	CM	98 LEVEL CM	6424,7595 litre	36,357 %	11246,6992 litre	O
360	CM	125	CM	97 LEVEL CM	6336,9648 litre	35,860 %	11334,4939 litre	O
360	CM	125	CM	96 LEVEL CM	6249,3355 litre	35,364 %	11422,1232 litre	O
360	CM	125	CM	95 LEVEL CM	6161,8780 litre	34,869 %	11509,5807 litre	O
360	CM	125	CM	94 LEVEL CM	6074,5985 litre	34,375 %	11596,8602 litre	O
360	CM	125	CM	93 LEVEL CM	5987,5033 litre	33,882 %	11683,9554 litre	O

360	CM	125	CM	92 LEVEL CM	5900,5988 litre	33,391 %	11770,8599 litre	O
360	CM	125	CM	91 LEVEL CM	5813,8914 litre	32,900 %	11857,5673 litre	O
360	CM	125	CM	90 LEVEL CM	5727,3875 litre	32,410 %	11944,0712 litre	O
360	CM	125	CM	89 LEVEL CM	5641,0936 litre	31,922 %	12030,3651 litre	O
360	CM	125	CM	88 LEVEL CM	5555,0162 litre	31,435 %	12116,4425 litre	O
360	CM	125	CM	87 LEVEL CM	5469,1619 litre	30,949 %	12202,2968 litre	O
360	CM	125	CM	86 LEVEL CM	5383,5374 litre	30,465 %	12287,9213 litre	O
360	CM	125	CM	85 LEVEL CM	5298,1494 litre	29,981 %	12373,3093 litre	O
360	CM	125	CM	84 LEVEL CM	5213,0045 litre	29,500 %	12458,4542 litre	O
360	CM	125	CM	83 LEVEL CM	5128,1097 litre	29,019 %	12543,3490 litre	O
360	CM	125	CM	82 LEVEL CM	5043,4717 litre	28,540 %	12627,9870 litre	O
360	CM	125	CM	81 LEVEL CM	4959,0975 litre	28,063 %	12712,3612 litre	O
360	CM	125	CM	80 LEVEL CM	4874,9940 litre	27,587 %	12796,4647 litre	O
360	CM	125	CM	79 LEVEL CM	4791,1684 litre	27,112 %	12880,2903 litre	O
360	CM	125	CM	78 LEVEL CM	4707,6278 litre	26,640 %	12963,8309 litre	O
360	CM	125	CM	77 LEVEL CM	4624,3793 litre	26,169 %	13047,0794 litre	O
360	CM	125	CM	76 LEVEL CM	4541,4303 litre	25,699 %	13130,0284 litre	O
360	CM	125	CM	75 LEVEL CM	4458,7880 litre	25,232 %	13212,6707 litre	O
360	CM	125	CM	74 LEVEL CM	4376,4600 litre	24,766 %	13294,9987 litre	O
360	CM	125	CM	73 LEVEL CM	4294,4538 litre	24,302 %	13377,0049 litre	O
360	CM	125	CM	72 LEVEL CM	4212,7769 litre	23,839 %	13458,6818 litre	O
360	CM	125	CM	71 LEVEL CM	4131,4372 litre	23,379 %	13540,0215 litre	O
360	CM	125	CM	70 LEVEL CM	4050,4423 litre	22,921 %	13621,0164 litre	O
360	CM	125	CM	69 LEVEL CM	3969,8002 litre	22,464 %	13701,6585 litre	O
360	CM	125	CM	68 LEVEL CM	3889,5190 litre	22,010 %	13781,9397 litre	O
360	CM	125	CM	67 LEVEL CM	3809,6066 litre	21,558 %	13861,8521 litre	O
360	CM	125	CM	66 LEVEL CM	3730,0714 litre	21,108 %	13941,3873 litre	O
360	CM	125	CM	65 LEVEL CM	3650,9217 litre	20,660 %	14020,5370 litre	O
360	CM	125	CM	64 LEVEL CM	3572,1659 litre	20,214 %	14099,2928 litre	O
360	CM	125	CM	63 LEVEL CM	3493,8127 litre	19,771 %	14177,6460 litre	O
360	CM	125	CM	62 LEVEL CM	3415,8708 litre	19,330 %	14255,5879 litre	O
360	CM	125	CM	61 LEVEL CM	3338,3490 litre	18,891 %	14333,1097 litre	O
360	CM	125	CM	60 LEVEL CM	3261,2564 litre	18,455 %	14410,2023 litre	O
360	CM	125	CM	59 LEVEL CM	3184,6022 litre	18,021 %	14486,8565 litre	O
360	CM	125	CM	58 LEVEL CM	3108,3956 litre	17,590 %	14563,0631 litre	O
360	CM	125	CM	57 LEVEL CM	3032,6461 litre	17,161 %	14638,8126 litre	O
360	CM	125	CM	56 LEVEL CM	2957,3635 litre	16,735 %	14714,0952 litre	O
360	CM	125	CM	55 LEVEL CM	2882,5575 litre	16,312 %	14788,9012 litre	O
360	CM	125	CM	54 LEVEL CM	2808,2382 litre	15,891 %	14863,2205 litre	O
360	CM	125	CM	53 LEVEL CM	2734,4158 litre	15,474 %	14937,0429 litre	O
360	CM	125	CM	52 LEVEL CM	2661,1008 litre	15,059 %	15010,3579 litre	O
360	CM	125	CM	51 LEVEL CM	2588,3037 litre	14,647 %	15083,1550 litre	O
360	CM	125	CM	50 LEVEL CM	2516,0356 litre	14,238 %	15155,4231 litre	O
360	CM	125	CM	49 LEVEL CM	2444,3075 litre	13,832 %	15227,1512 litre	O
360	CM	125	CM	48 LEVEL CM	2373,1308 litre	13,429 %	15298,3279 litre	O
360	CM	125	CM	47 LEVEL CM	2302,5171 litre	13,030 %	15368,9416 litre	O
360	CM	125	CM	46 LEVEL CM	2232,4784 litre	12,633 %	15438,9803 litre	O
360	CM	125	CM	45 LEVEL CM	2163,0269 litre	12,240 %	15508,4318 litre	O
360	CM	125	CM	44 LEVEL CM	2094,1752 litre	11,851 %	15577,2835 litre	O
360	CM	125	CM	43 LEVEL CM	2025,9360 litre	11,464 %	15645,5227 litre	O
360	CM	125	CM	42 LEVEL CM	1958,3227 litre	11,082 %	15713,1360 litre	O
360	CM	125	CM	41 LEVEL CM	1891,3487 litre	10,703 %	15780,1100 litre	O
360	CM	125	CM	40 LEVEL CM	1825,0282 litre	10,328 %	15846,4305 litre	O

360	CM	125	CM	39 LEVEL CM	1759,3754 litre	9,956 %	15912,0833 litre	O
360	CM	125	CM	38 LEVEL CM	1694,4053 litre	9,588 %	15977,0534 litre	O
360	CM	125	CM	37 LEVEL CM	1630,1331 litre	9,225 %	16041,3256 litre	O
360	CM	125	CM	36 LEVEL CM	1566,5747 litre	8,865 %	16104,8840 litre	O
360	CM	125	CM	35 LEVEL CM	1503,7463 litre	8,509 %	16167,7124 litre	O
360	CM	125	CM	34 LEVEL CM	1441,6651 litre	8,158 %	16229,7936 litre	O
360	CM	125	CM	33 LEVEL CM	1380,3484 litre	7,811 %	16291,1103 litre	O
360	CM	125	CM	32 LEVEL CM	1319,8146 litre	7,469 %	16351,6441 litre	O
360	CM	125	CM	31 LEVEL CM	1260,0825 litre	7,131 %	16411,3762 litre	O
360	CM	125	CM	30 LEVEL CM	1201,1719 litre	6,797 %	16470,2868 litre	O
360	CM	125	CM	29 LEVEL CM	1143,1034 litre	6,469 %	16528,3553 litre	O
360	CM	125	CM	28 LEVEL CM	1085,8983 litre	6,145 %	16585,5604 litre	O
360	CM	125	CM	27 LEVEL CM	1029,5791 litre	5,826 %	16641,8796 litre	O
360	CM	125	CM	26 LEVEL CM	974,1694 litre	5,513 %	16697,2893 litre	O
360	CM	125	CM	25 LEVEL CM	919,6937 litre	5,204 %	16751,7650 litre	O
360	CM	125	CM	24 LEVEL CM	866,1782 litre	4,902 %	16805,2805 litre	O
360	CM	125	CM	23 LEVEL CM	813,6503 litre	4,604 %	16857,8084 litre	O
360	CM	125	CM	22 LEVEL CM	762,1388 litre	4,313 %	16909,3199 litre	O
360	CM	125	CM	21 LEVEL CM	711,6747 litre	4,027 %	16959,7840 litre	O
360	CM	125	CM	20 LEVEL CM	662,2905 litre	3,748 %	17009,1682 litre	O
360	CM	125	CM	19 LEVEL CM	614,0211 litre	3,475 %	17057,4376 litre	O
360	CM	125	CM	18 LEVEL CM	566,9041 litre	3,208 %	17104,5546 litre	O
360	CM	125	CM	17 LEVEL CM	520,9794 litre	2,948 %	17150,4793 litre	O
360	CM	125	CM	16 LEVEL CM	476,2906 litre	2,695 %	17195,1681 litre	O
360	CM	125	CM	15 LEVEL CM	432,8847 litre	2,450 %	17238,5740 litre	O
360	CM	125	CM	14 LEVEL CM	390,8133 litre	2,212 %	17280,6454 litre	O
360	CM	125	CM	13 LEVEL CM	350,1327 litre	1,981 %	17321,3260 litre	O
360	CM	125	CM	12 LEVEL CM	310,9055 litre	1,759 %	17360,5532 litre	O
360	CM	125	CM	11 LEVEL CM	273,2014 litre	1,546 %	17398,2573 litre	O
360	CM	125	CM	10 LEVEL CM	237,0991 litre	1,342 %	17434,3596 litre	O
360	CM	125	CM	9 LEVEL CM	202,6881 litre	1,147 %	17468,7706 litre	O
360	CM	125	CM	8 LEVEL CM	170,0719 litre	0,962 %	17501,3868 litre	O
360	CM	125	CM	7 LEVEL CM	139,3722 litre	0,789 %	17532,0865 litre	O
360	CM	125	CM	6 LEVEL CM	110,7353 litre	0,627 %	17560,7234 litre	O
360	CM	125	CM	5 LEVEL CM	84,3419 litre	0,477 %	17587,1168 litre	O
360	CM	125	CM	4 LEVEL CM	60,4235 litre	0,342 %	17611,0352 litre	O
360	CM	125	CM	3 LEVEL CM	39,2937 litre	0,222 %	17632,1650 litre	O
360	CM	125	CM	2 LEVEL CM	21,4147 litre	0,121 %	17650,0440 litre	O
360	CM	125	CM	1 LEVEL CM	7,5804 litre	0,043 %	17663,8783 litre	O
360	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	17671,4587 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM 120	CM 240 LEVEL CM	16286,0163 litre	100,000 %	0,0000 litre	O
360	CM 120	CM 239 LEVEL CM	16278,5895 litre	99,954 %	7,4268 litre	O
360	CM 120	CM 238 LEVEL CM	16265,0364 litre	99,871 %	20,9799 litre	O
360	CM 120	CM 237 LEVEL CM	16247,5223 litre	99,764 %	38,4940 litre	O
360	CM 120	CM 236 LEVEL CM	16226,8256 litre	99,637 %	59,1907 litre	O
360	CM 120	CM 235 LEVEL CM	16203,3994 litre	99,493 %	82,6169 litre	O
360	CM 120	CM 234 LEVEL CM	16177,5514 litre	99,334 %	108,4649 litre	O
360	CM 120	CM 233 LEVEL CM	16149,5087 litre	99,162 %	136,5076 litre	O
360	CM 120	CM 232 LEVEL CM	16119,4487 litre	98,977 %	166,5676 litre	O
360	CM 120	CM 231 LEVEL CM	16087,5149 litre	98,781 %	198,5014 litre	O
360	CM 120	CM 230 LEVEL CM	16053,8269 litre	98,574 %	232,1894 litre	O
360	CM 120	CM 229 LEVEL CM	16018,4863 litre	98,357 %	267,5300 litre	O
360	CM 120	CM 228 LEVEL CM	15981,5812 litre	98,131 %	304,4351 litre	O
360	CM 120	CM 227 LEVEL CM	15943,1888 litre	97,895 %	342,8275 litre	O
360	CM 120	CM 226 LEVEL CM	15903,3775 litre	97,651 %	382,6388 litre	O
360	CM 120	CM 225 LEVEL CM	15862,2090 litre	97,398 %	423,8073 litre	O
360	CM 120	CM 224 LEVEL CM	15819,7387 litre	97,137 %	466,2776 litre	O
360	CM 120	CM 223 LEVEL CM	15776,0173 litre	96,868 %	509,9990 litre	O
360	CM 120	CM 222 LEVEL CM	15731,0912 litre	96,593 %	554,9251 litre	O
360	CM 120	CM 221 LEVEL CM	15685,0030 litre	96,310 %	601,0133 litre	O
360	CM 120	CM 220 LEVEL CM	15637,7923 litre	96,020 %	648,2240 litre	O
360	CM 120	CM 219 LEVEL CM	15589,4960 litre	95,723 %	696,5203 litre	O
360	CM 120	CM 218 LEVEL CM	15540,1485 litre	95,420 %	745,8678 litre	O
360	CM 120	CM 217 LEVEL CM	15489,7819 litre	95,111 %	796,2344 litre	O
360	CM 120	CM 216 LEVEL CM	15438,4266 litre	94,796 %	847,5897 litre	O
360	CM 120	CM 215 LEVEL CM	15386,1111 litre	94,474 %	899,9052 litre	O
360	CM 120	CM 214 LEVEL CM	15332,8626 litre	94,147 %	953,1537 litre	O
360	CM 120	CM 213 LEVEL CM	15278,7067 litre	93,815 %	1007,3096 litre	O
360	CM 120	CM 212 LEVEL CM	15223,6676 litre	93,477 %	1062,3487 litre	O
360	CM 120	CM 211 LEVEL CM	15167,7688 litre	93,134 %	1118,2475 litre	O
360	CM 120	CM 210 LEVEL CM	15111,0322 litre	92,785 %	1174,9841 litre	O
360	CM 120	CM 209 LEVEL CM	15053,4792 litre	92,432 %	1232,5371 litre	O
360	CM 120	CM 208 LEVEL CM	14995,1301 litre	92,074 %	1290,8862 litre	O
360	CM 120	CM 207 LEVEL CM	14936,0042 litre	91,711 %	1350,0121 litre	O
360	CM 120	CM 206 LEVEL CM	14876,1204 litre	91,343 %	1409,8959 litre	O
360	CM 120	CM 205 LEVEL CM	14815,4966 litre	90,971 %	1470,5197 litre	O
360	CM 120	CM 204 LEVEL CM	14754,1503 litre	90,594 %	1531,8660 litre	O
360	CM 120	CM 203 LEVEL CM	14692,0982 litre	90,213 %	1593,9181 litre	O
360	CM 120	CM 202 LEVEL CM	14629,3566 litre	89,828 %	1656,6597 litre	O
360	CM 120	CM 201 LEVEL CM	14565,9410 litre	89,438 %	1720,0753 litre	O
360	CM 120	CM 200 LEVEL CM	14501,8666 litre	89,045 %	1784,1497 litre	O
360	CM 120	CM 199 LEVEL CM	14437,1483 litre	88,648 %	1848,8680 litre	O
360	CM 120	CM 198 LEVEL CM	14371,8002 litre	88,246 %	1914,2161 litre	O
360	CM 120	CM 197 LEVEL CM	14305,8362 litre	87,841 %	1980,1801 litre	O
360	CM 120	CM 196 LEVEL CM	14239,2698 litre	87,432 %	2046,7465 litre	O
360	CM 120	CM 195 LEVEL CM	14172,1142 litre	87,020 %	2113,9021 litre	O
360	CM 120	CM 194 LEVEL CM	14104,3821 litre	86,604 %	2181,6342 litre	O
360	CM 120	CM 193 LEVEL CM	14036,0859 litre	86,185 %	2249,9304 litre	O
360	CM 120	CM 192 LEVEL CM	13967,2379 litre	85,762 %	2318,7784 litre	O
360	CM 120	CM 191 LEVEL CM	13897,8498 litre	85,336 %	2388,1665 litre	O
360	CM 120	CM 190 LEVEL CM	13827,9334 litre	84,907 %	2458,0829 litre	O
360	CM 120	CM 189 LEVEL CM	13757,4997 litre	84,474 %	2528,5166 litre	O

360	CM	120	CM	188 LEVEL CM	13686,5601 litre	84,039 %	2599,4562 litre	O
360	CM	120	CM	187 LEVEL CM	13615,1253 litre	83,600 %	2670,8910 litre	O
360	CM	120	CM	186 LEVEL CM	13543,2058 litre	83,158 %	2742,8105 litre	O
360	CM	120	CM	185 LEVEL CM	13470,8122 litre	82,714 %	2815,2041 litre	O
360	CM	120	CM	184 LEVEL CM	13397,9547 litre	82,267 %	2888,0616 litre	O
360	CM	120	CM	183 LEVEL CM	13324,6431 litre	81,816 %	2961,3732 litre	O
360	CM	120	CM	182 LEVEL CM	13250,8874 litre	81,364 %	3035,1289 litre	O
360	CM	120	CM	181 LEVEL CM	13176,6973 litre	80,908 %	3109,3190 litre	O
360	CM	120	CM	180 LEVEL CM	13102,0821 litre	80,450 %	3183,9342 litre	O
360	CM	120	CM	179 LEVEL CM	13027,0511 litre	79,989 %	3258,9652 litre	O
360	CM	120	CM	178 LEVEL CM	12951,6137 litre	79,526 %	3334,4026 litre	O
360	CM	120	CM	177 LEVEL CM	12875,7787 litre	79,060 %	3410,2376 litre	O
360	CM	120	CM	176 LEVEL CM	12799,5551 litre	78,592 %	3486,4612 litre	O
360	CM	120	CM	175 LEVEL CM	12722,9515 litre	78,122 %	3563,0648 litre	O
360	CM	120	CM	174 LEVEL CM	12645,9767 litre	77,649 %	3640,0396 litre	O
360	CM	120	CM	173 LEVEL CM	12568,6390 litre	77,174 %	3717,3773 litre	O
360	CM	120	CM	172 LEVEL CM	12490,9469 litre	76,697 %	3795,0694 litre	O
360	CM	120	CM	171 LEVEL CM	12412,9086 litre	76,218 %	3873,1077 litre	O
360	CM	120	CM	170 LEVEL CM	12334,5322 litre	75,737 %	3951,4841 litre	O
360	CM	120	CM	169 LEVEL CM	12255,8258 litre	75,254 %	4030,1905 litre	O
360	CM	120	CM	168 LEVEL CM	12176,7973 litre	74,768 %	4109,2190 litre	O
360	CM	120	CM	167 LEVEL CM	12097,4546 litre	74,281 %	4188,5617 litre	O
360	CM	120	CM	166 LEVEL CM	12017,8053 litre	73,792 %	4268,2110 litre	O
360	CM	120	CM	165 LEVEL CM	11937,8573 litre	73,301 %	4348,1590 litre	O
360	CM	120	CM	164 LEVEL CM	11857,6180 litre	72,809 %	4428,3983 litre	O
360	CM	120	CM	163 LEVEL CM	11777,0949 litre	72,314 %	4508,9214 litre	O
360	CM	120	CM	162 LEVEL CM	11696,2954 litre	71,818 %	4589,7209 litre	O
360	CM	120	CM	161 LEVEL CM	11615,2269 litre	71,320 %	4670,7894 litre	O
360	CM	120	CM	160 LEVEL CM	11533,8967 litre	70,821 %	4752,1196 litre	O
360	CM	120	CM	159 LEVEL CM	11452,3119 litre	70,320 %	4833,7044 litre	O
360	CM	120	CM	158 LEVEL CM	11370,4797 litre	69,817 %	4915,5366 litre	O
360	CM	120	CM	157 LEVEL CM	11288,4071 litre	69,313 %	4997,6092 litre	O
360	CM	120	CM	156 LEVEL CM	11206,1011 litre	68,808 %	5079,9152 litre	O
360	CM	120	CM	155 LEVEL CM	11123,5687 litre	68,301 %	5162,4476 litre	O
360	CM	120	CM	154 LEVEL CM	11040,8167 litre	67,793 %	5245,1996 litre	O
360	CM	120	CM	153 LEVEL CM	10957,8521 litre	67,284 %	5328,1642 litre	O
360	CM	120	CM	152 LEVEL CM	10874,6814 litre	66,773 %	5411,3349 litre	O
360	CM	120	CM	151 LEVEL CM	10791,3116 litre	66,261 %	5494,7047 litre	O
360	CM	120	CM	150 LEVEL CM	10707,7492 litre	65,748 %	5578,2671 litre	O
360	CM	120	CM	149 LEVEL CM	10624,0009 litre	65,234 %	5662,0154 litre	O
360	CM	120	CM	148 LEVEL CM	10540,0733 litre	64,719 %	5745,9430 litre	O
360	CM	120	CM	147 LEVEL CM	10455,9729 litre	64,202 %	5830,0434 litre	O
360	CM	120	CM	146 LEVEL CM	10371,7063 litre	63,685 %	5914,3100 litre	O
360	CM	120	CM	145 LEVEL CM	10287,2798 litre	63,166 %	5998,7365 litre	O
360	CM	120	CM	144 LEVEL CM	10202,7000 litre	62,647 %	6083,3163 litre	O
360	CM	120	CM	143 LEVEL CM	10117,9732 litre	62,127 %	6168,0431 litre	O
360	CM	120	CM	142 LEVEL CM	10033,1058 litre	61,606 %	6252,9105 litre	O
360	CM	120	CM	141 LEVEL CM	9948,1041 litre	61,084 %	6337,9122 litre	O
360	CM	120	CM	140 LEVEL CM	9862,9745 litre	60,561 %	6423,0418 litre	O
360	CM	120	CM	139 LEVEL CM	9777,7231 litre	60,038 %	6508,2932 litre	O
360	CM	120	CM	138 LEVEL CM	9692,3563 litre	59,513 %	6593,6600 litre	O
360	CM	120	CM	137 LEVEL CM	9606,8803 litre	58,989 %	6679,1360 litre	O
360	CM	120	CM	136 LEVEL CM	9521,3012 litre	58,463 %	6764,7151 litre	O

360	CM	120	CM	135 LEVEL CM	9435,6252 litre	57,937 %	6850,3911 litre	O
360	CM	120	CM	134 LEVEL CM	9349,8585 litre	57,410 %	6936,1578 litre	O
360	CM	120	CM	133 LEVEL CM	9264,0073 litre	56,883 %	7022,0090 litre	O
360	CM	120	CM	132 LEVEL CM	9178,0776 litre	56,356 %	7107,9387 litre	O
360	CM	120	CM	131 LEVEL CM	9092,0755 litre	55,827 %	7193,9408 litre	O
360	CM	120	CM	130 LEVEL CM	9006,0071 litre	55,299 %	7280,0092 litre	O
360	CM	120	CM	129 LEVEL CM	8919,8785 litre	54,770 %	7366,1378 litre	O
360	CM	120	CM	128 LEVEL CM	8833,6958 litre	54,241 %	7452,3205 litre	O
360	CM	120	CM	127 LEVEL CM	8747,4650 litre	53,712 %	7538,5513 litre	O
360	CM	120	CM	126 LEVEL CM	8661,1921 litre	53,182 %	7624,8242 litre	O
360	CM	120	CM	125 LEVEL CM	8574,8831 litre	52,652 %	7711,1332 litre	O
360	CM	120	CM	124 LEVEL CM	8488,5441 litre	52,122 %	7797,4722 litre	O
360	CM	120	CM	123 LEVEL CM	8402,1812 litre	51,591 %	7883,8351 litre	O
360	CM	120	CM	122 LEVEL CM	8315,8002 litre	51,061 %	7970,2161 litre	O
360	CM	120	CM	121 LEVEL CM	8229,4072 litre	50,531 %	8056,6091 litre	O
360	CM	120	CM	120 LEVEL CM	8143,0082 litre	50,000 %	8143,0081 litre	O
360	CM	120	CM	119 LEVEL CM	8056,6092 litre	49,469 %	8229,4071 litre	O
360	CM	120	CM	118 LEVEL CM	7970,2162 litre	48,939 %	8315,8001 litre	O
360	CM	120	CM	117 LEVEL CM	7883,8352 litre	48,409 %	8402,1811 litre	O
360	CM	120	CM	116 LEVEL CM	7797,4722 litre	47,878 %	8488,5441 litre	O
360	CM	120	CM	115 LEVEL CM	7711,1332 litre	47,348 %	8574,8831 litre	O
360	CM	120	CM	114 LEVEL CM	7624,8242 litre	46,818 %	8661,1921 litre	O
360	CM	120	CM	113 LEVEL CM	7538,5513 litre	46,288 %	8747,4650 litre	O
360	CM	120	CM	112 LEVEL CM	7452,3205 litre	45,759 %	8833,6958 litre	O
360	CM	120	CM	111 LEVEL CM	7366,1378 litre	45,230 %	8919,8785 litre	O
360	CM	120	CM	110 LEVEL CM	7280,0092 litre	44,701 %	9006,0071 litre	O
360	CM	120	CM	109 LEVEL CM	7193,9408 litre	44,173 %	9092,0755 litre	O
360	CM	120	CM	108 LEVEL CM	7107,9388 litre	43,644 %	9178,0775 litre	O
360	CM	120	CM	107 LEVEL CM	7022,0090 litre	43,117 %	9264,0073 litre	O
360	CM	120	CM	106 LEVEL CM	6936,1578 litre	42,590 %	9349,8585 litre	O
360	CM	120	CM	105 LEVEL CM	6850,3911 litre	42,063 %	9435,6252 litre	O
360	CM	120	CM	104 LEVEL CM	6764,7152 litre	41,537 %	9521,3011 litre	O
360	CM	120	CM	103 LEVEL CM	6679,1361 litre	41,011 %	9606,8802 litre	O
360	CM	120	CM	102 LEVEL CM	6593,6600 litre	40,487 %	9692,3563 litre	O
360	CM	120	CM	101 LEVEL CM	6508,2932 litre	39,962 %	9777,7231 litre	O
360	CM	120	CM	100 LEVEL CM	6423,0418 litre	39,439 %	9862,9745 litre	O
360	CM	120	CM	99 LEVEL CM	6337,9122 litre	38,916 %	9948,1041 litre	O
360	CM	120	CM	98 LEVEL CM	6252,9105 litre	38,394 %	10033,1058 litre	O
360	CM	120	CM	97 LEVEL CM	6168,0431 litre	37,873 %	10117,9732 litre	O
360	CM	120	CM	96 LEVEL CM	6083,3163 litre	37,353 %	10202,7000 litre	O
360	CM	120	CM	95 LEVEL CM	5998,7365 litre	36,834 %	10287,2798 litre	O
360	CM	120	CM	94 LEVEL CM	5914,3100 litre	36,315 %	10371,7063 litre	O
360	CM	120	CM	93 LEVEL CM	5830,0434 litre	35,798 %	10455,9729 litre	O
360	CM	120	CM	92 LEVEL CM	5745,9430 litre	35,281 %	10540,0733 litre	O
360	CM	120	CM	91 LEVEL CM	5662,0154 litre	34,766 %	10624,0009 litre	O
360	CM	120	CM	90 LEVEL CM	5578,2671 litre	34,252 %	10707,7492 litre	O
360	CM	120	CM	89 LEVEL CM	5494,7047 litre	33,739 %	10791,3116 litre	O
360	CM	120	CM	88 LEVEL CM	5411,3349 litre	33,227 %	10874,6814 litre	O
360	CM	120	CM	87 LEVEL CM	5328,1643 litre	32,716 %	10957,8520 litre	O
360	CM	120	CM	86 LEVEL CM	5245,1996 litre	32,207 %	11040,8167 litre	O
360	CM	120	CM	85 LEVEL CM	5162,4476 litre	31,699 %	11123,5687 litre	O
360	CM	120	CM	84 LEVEL CM	5079,9152 litre	31,192 %	11206,1011 litre	O
360	CM	120	CM	83 LEVEL CM	4997,6092 litre	30,687 %	11288,4071 litre	O

360	CM	120	CM	82 LEVEL CM	4915,5366 litre	30,183 %	11370,4797 litre	O
360	CM	120	CM	81 LEVEL CM	4833,7044 litre	29,680 %	11452,3119 litre	O
360	CM	120	CM	80 LEVEL CM	4752,1196 litre	29,179 %	11533,8967 litre	O
360	CM	120	CM	79 LEVEL CM	4670,7894 litre	28,680 %	11615,2269 litre	O
360	CM	120	CM	78 LEVEL CM	4589,7209 litre	28,182 %	11696,2954 litre	O
360	CM	120	CM	77 LEVEL CM	4508,9215 litre	27,686 %	11777,0948 litre	O
360	CM	120	CM	76 LEVEL CM	4428,3984 litre	27,191 %	11857,6179 litre	O
360	CM	120	CM	75 LEVEL CM	4348,1590 litre	26,699 %	11937,8573 litre	O
360	CM	120	CM	74 LEVEL CM	4268,2110 litre	26,208 %	12017,8053 litre	O
360	CM	120	CM	73 LEVEL CM	4188,5618 litre	25,719 %	12097,4545 litre	O
360	CM	120	CM	72 LEVEL CM	4109,2190 litre	25,232 %	12176,7973 litre	O
360	CM	120	CM	71 LEVEL CM	4030,1905 litre	24,746 %	12255,8258 litre	O
360	CM	120	CM	70 LEVEL CM	3951,4841 litre	24,263 %	12334,5322 litre	O
360	CM	120	CM	69 LEVEL CM	3873,1078 litre	23,782 %	12412,9085 litre	O
360	CM	120	CM	68 LEVEL CM	3795,0694 litre	23,303 %	12490,9469 litre	O
360	CM	120	CM	67 LEVEL CM	3717,3773 litre	22,826 %	12568,6390 litre	O
360	CM	120	CM	66 LEVEL CM	3640,0396 litre	22,351 %	12645,9767 litre	O
360	CM	120	CM	65 LEVEL CM	3563,0648 litre	21,878 %	12722,9515 litre	O
360	CM	120	CM	64 LEVEL CM	3486,4612 litre	21,408 %	12799,5551 litre	O
360	CM	120	CM	63 LEVEL CM	3410,2376 litre	20,940 %	12875,7787 litre	O
360	CM	120	CM	62 LEVEL CM	3334,4026 litre	20,474 %	12951,6137 litre	O
360	CM	120	CM	61 LEVEL CM	3258,9652 litre	20,011 %	13027,0511 litre	O
360	CM	120	CM	60 LEVEL CM	3183,9343 litre	19,550 %	13102,0820 litre	O
360	CM	120	CM	59 LEVEL CM	3109,3191 litre	19,092 %	13176,6972 litre	O
360	CM	120	CM	58 LEVEL CM	3035,1289 litre	18,636 %	13250,8874 litre	O
360	CM	120	CM	57 LEVEL CM	2961,3732 litre	18,184 %	13324,6431 litre	O
360	CM	120	CM	56 LEVEL CM	2888,0617 litre	17,733 %	13397,9546 litre	O
360	CM	120	CM	55 LEVEL CM	2815,2041 litre	17,286 %	13470,8122 litre	O
360	CM	120	CM	54 LEVEL CM	2742,8105 litre	16,842 %	13543,2058 litre	O
360	CM	120	CM	53 LEVEL CM	2670,8911 litre	16,400 %	13615,1252 litre	O
360	CM	120	CM	52 LEVEL CM	2599,4562 litre	15,961 %	13686,5601 litre	O
360	CM	120	CM	51 LEVEL CM	2528,5166 litre	15,526 %	13757,4997 litre	O
360	CM	120	CM	50 LEVEL CM	2458,0830 litre	15,093 %	13827,9333 litre	O
360	CM	120	CM	49 LEVEL CM	2388,1665 litre	14,664 %	13897,8498 litre	O
360	CM	120	CM	48 LEVEL CM	2318,7784 litre	14,238 %	13967,2379 litre	O
360	CM	120	CM	47 LEVEL CM	2249,9304 litre	13,815 %	14036,0859 litre	O
360	CM	120	CM	46 LEVEL CM	2181,6342 litre	13,396 %	14104,3821 litre	O
360	CM	120	CM	45 LEVEL CM	2113,9021 litre	12,980 %	14172,1142 litre	O
360	CM	120	CM	44 LEVEL CM	2046,7465 litre	12,568 %	14239,2698 litre	O
360	CM	120	CM	43 LEVEL CM	1980,1801 litre	12,159 %	14305,8362 litre	O
360	CM	120	CM	42 LEVEL CM	1914,2161 litre	11,754 %	14371,8002 litre	O
360	CM	120	CM	41 LEVEL CM	1848,8680 litre	11,352 %	14437,1483 litre	O
360	CM	120	CM	40 LEVEL CM	1784,1497 litre	10,955 %	14501,8666 litre	O
360	CM	120	CM	39 LEVEL CM	1720,0753 litre	10,562 %	14565,9410 litre	O
360	CM	120	CM	38 LEVEL CM	1656,6598 litre	10,172 %	14629,3565 litre	O
360	CM	120	CM	37 LEVEL CM	1593,9181 litre	9,787 %	14692,0982 litre	O
360	CM	120	CM	36 LEVEL CM	1531,8660 litre	9,406 %	14754,1503 litre	O
360	CM	120	CM	35 LEVEL CM	1470,5197 litre	9,029 %	14815,4966 litre	O
360	CM	120	CM	34 LEVEL CM	1409,8959 litre	8,657 %	14876,1204 litre	O
360	CM	120	CM	33 LEVEL CM	1350,0121 litre	8,289 %	14936,0042 litre	O
360	CM	120	CM	32 LEVEL CM	1290,8863 litre	7,926 %	14995,1300 litre	O
360	CM	120	CM	31 LEVEL CM	1232,5371 litre	7,568 %	15053,4792 litre	O
360	CM	120	CM	30 LEVEL CM	1174,9841 litre	7,215 %	15111,0322 litre	O

360	CM	120	CM	29 LEVEL CM	1118,2475 litre	6,866 %	15167,7688 litre	O
360	CM	120	CM	28 LEVEL CM	1062,3487 litre	6,523 %	15223,6676 litre	O
360	CM	120	CM	27 LEVEL CM	1007,3097 litre	6,185 %	15278,7066 litre	O
360	CM	120	CM	26 LEVEL CM	953,1537 litre	5,853 %	15332,8626 litre	O
360	CM	120	CM	25 LEVEL CM	899,9052 litre	5,526 %	15386,1111 litre	O
360	CM	120	CM	24 LEVEL CM	847,5897 litre	5,204 %	15438,4266 litre	O
360	CM	120	CM	23 LEVEL CM	796,2344 litre	4,889 %	15489,7819 litre	O
360	CM	120	CM	22 LEVEL CM	745,8679 litre	4,580 %	15540,1484 litre	O
360	CM	120	CM	21 LEVEL CM	696,5203 litre	4,277 %	15589,4960 litre	O
360	CM	120	CM	20 LEVEL CM	648,2240 litre	3,980 %	15637,7923 litre	O
360	CM	120	CM	19 LEVEL CM	601,0134 litre	3,690 %	15685,0029 litre	O
360	CM	120	CM	18 LEVEL CM	554,9252 litre	3,407 %	15731,0911 litre	O
360	CM	120	CM	17 LEVEL CM	509,9990 litre	3,132 %	15776,0173 litre	O
360	CM	120	CM	16 LEVEL CM	466,2776 litre	2,863 %	15819,7387 litre	O
360	CM	120	CM	15 LEVEL CM	423,8073 litre	2,602 %	15862,2090 litre	O
360	CM	120	CM	14 LEVEL CM	382,6388 litre	2,349 %	15903,3775 litre	O
360	CM	120	CM	13 LEVEL CM	342,8276 litre	2,105 %	15943,1887 litre	O
360	CM	120	CM	12 LEVEL CM	304,4351 litre	1,869 %	15981,5812 litre	O
360	CM	120	CM	11 LEVEL CM	267,5300 litre	1,643 %	16018,4863 litre	O
360	CM	120	CM	10 LEVEL CM	232,1894 litre	1,426 %	16053,8269 litre	O
360	CM	120	CM	9 LEVEL CM	198,5014 litre	1,219 %	16087,5149 litre	O
360	CM	120	CM	8 LEVEL CM	166,5676 litre	1,023 %	16119,4487 litre	O
360	CM	120	CM	7 LEVEL CM	136,5076 litre	0,838 %	16149,5087 litre	O
360	CM	120	CM	6 LEVEL CM	108,4650 litre	0,666 %	16177,5513 litre	O
360	CM	120	CM	5 LEVEL CM	82,6169 litre	0,507 %	16203,3994 litre	O
360	CM	120	CM	4 LEVEL CM	59,1907 litre	0,363 %	16226,8256 litre	O
360	CM	120	CM	3 LEVEL CM	38,4940 litre	0,236 %	16247,5223 litre	O
360	CM	120	CM	2 LEVEL CM	20,9799 litre	0,129 %	16265,0364 litre	O
360	CM	120	CM	1 LEVEL CM	7,4268 litre	0,046 %	16278,5895 litre	O
360	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	16286,0163 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
360	CM	115	CM	230 LEVEL CM	14957,1226 litre	100,000 %	0,0000 litre	O
360	CM	115	CM	229 LEVEL CM	14949,8526 litre	99,951 %	7,2700 litre	O
360	CM	115	CM	228 LEVEL CM	14936,5867 litre	99,863 %	20,5359 litre	O
360	CM	115	CM	227 LEVEL CM	14919,4453 litre	99,748 %	37,6773 litre	O
360	CM	115	CM	226 LEVEL CM	14899,1909 litre	99,613 %	57,9317 litre	O
360	CM	115	CM	225 LEVEL CM	14876,2675 litre	99,459 %	80,8551 litre	O
360	CM	115	CM	224 LEVEL CM	14850,9766 litre	99,290 %	106,1460 litre	O
360	CM	115	CM	223 LEVEL CM	14823,5410 litre	99,107 %	133,5816 litre	O
360	CM	115	CM	222 LEVEL CM	14794,1346 litre	98,910 %	162,9880 litre	O
360	CM	115	CM	221 LEVEL CM	14762,8982 litre	98,701 %	194,2244 litre	O
360	CM	115	CM	220 LEVEL CM	14729,9490 litre	98,481 %	227,1736 litre	O
360	CM	115	CM	219 LEVEL CM	14695,3870 litre	98,250 %	261,7356 litre	O
360	CM	115	CM	218 LEVEL CM	14659,2985 litre	98,009 %	297,8241 litre	O
360	CM	115	CM	217 LEVEL CM	14621,7593 litre	97,758 %	335,3633 litre	O
360	CM	115	CM	216 LEVEL CM	14582,8368 litre	97,498 %	374,2858 litre	O
360	CM	115	CM	215 LEVEL CM	14542,5915 litre	97,229 %	414,5311 litre	O
360	CM	115	CM	214 LEVEL CM	14501,0779 litre	96,951 %	456,0447 litre	O
360	CM	115	CM	213 LEVEL CM	14458,3458 litre	96,665 %	498,7768 litre	O
360	CM	115	CM	212 LEVEL CM	14414,4408 litre	96,372 %	542,6818 litre	O
360	CM	115	CM	211 LEVEL CM	14369,4050 litre	96,071 %	587,7176 litre	O
360	CM	115	CM	210 LEVEL CM	14323,2773 litre	95,762 %	633,8453 litre	O
360	CM	115	CM	209 LEVEL CM	14276,0940 litre	95,447 %	681,0286 litre	O
360	CM	115	CM	208 LEVEL CM	14227,8889 litre	95,125 %	729,2337 litre	O
360	CM	115	CM	207 LEVEL CM	14178,6938 litre	94,796 %	778,4288 litre	O
360	CM	115	CM	206 LEVEL CM	14128,5386 litre	94,460 %	828,5840 litre	O
360	CM	115	CM	205 LEVEL CM	14077,4514 litre	94,119 %	879,6712 litre	O
360	CM	115	CM	204 LEVEL CM	14025,4589 litre	93,771 %	931,6637 litre	O
360	CM	115	CM	203 LEVEL CM	13972,5865 litre	93,418 %	984,5361 litre	O
360	CM	115	CM	202 LEVEL CM	13918,8581 litre	93,058 %	1038,2645 litre	O
360	CM	115	CM	201 LEVEL CM	13864,2968 litre	92,694 %	1092,8258 litre	O
360	CM	115	CM	200 LEVEL CM	13808,9243 litre	92,323 %	1148,1983 litre	O
360	CM	115	CM	199 LEVEL CM	13752,7617 litre	91,948 %	1204,3609 litre	O
360	CM	115	CM	198 LEVEL CM	13695,8290 litre	91,567 %	1261,2936 litre	O
360	CM	115	CM	197 LEVEL CM	13638,1454 litre	91,182 %	1318,9772 litre	O
360	CM	115	CM	196 LEVEL CM	13579,7296 litre	90,791 %	1377,3930 litre	O
360	CM	115	CM	195 LEVEL CM	13520,5993 litre	90,396 %	1436,5233 litre	O
360	CM	115	CM	194 LEVEL CM	13460,7717 litre	89,996 %	1496,3509 litre	O
360	CM	115	CM	193 LEVEL CM	13400,2634 litre	89,591 %	1556,8592 litre	O
360	CM	115	CM	192 LEVEL CM	13339,0906 litre	89,182 %	1618,0320 litre	O
360	CM	115	CM	191 LEVEL CM	13277,2686 litre	88,769 %	1679,8540 litre	O
360	CM	115	CM	190 LEVEL CM	13214,8126 litre	88,351 %	1742,3100 litre	O
360	CM	115	CM	189 LEVEL CM	13151,7371 litre	87,930 %	1805,3855 litre	O
360	CM	115	CM	188 LEVEL CM	13088,0563 litre	87,504 %	1869,0663 litre	O
360	CM	115	CM	187 LEVEL CM	13023,7840 litre	87,074 %	1933,3386 litre	O
360	CM	115	CM	186 LEVEL CM	12958,9336 litre	86,641 %	1998,1890 litre	O
360	CM	115	CM	185 LEVEL CM	12893,5180 litre	86,203 %	2063,6046 litre	O
360	CM	115	CM	184 LEVEL CM	12827,5501 litre	85,762 %	2129,5725 litre	O
360	CM	115	CM	183 LEVEL CM	12761,0421 litre	85,317 %	2196,0805 litre	O
360	CM	115	CM	182 LEVEL CM	12694,0062 litre	84,869 %	2263,1164 litre	O
360	CM	115	CM	181 LEVEL CM	12626,4541 litre	84,418 %	2330,6685 litre	O
360	CM	115	CM	180 LEVEL CM	12558,3975 litre	83,963 %	2398,7251 litre	O
360	CM	115	CM	179 LEVEL CM	12489,8475 litre	83,504 %	2467,2751 litre	O

360	CM	115	CM	178 LEVEL CM	12420,8152 litre	83,043 %	2536,3074 litre	O
360	CM	115	CM	177 LEVEL CM	12351,3114 litre	82,578 %	2605,8112 litre	O
360	CM	115	CM	176 LEVEL CM	12281,3466 litre	82,110 %	2675,7760 litre	O
360	CM	115	CM	175 LEVEL CM	12210,9314 litre	81,640 %	2746,1912 litre	O
360	CM	115	CM	174 LEVEL CM	12140,0758 litre	81,166 %	2817,0468 litre	O
360	CM	115	CM	173 LEVEL CM	12068,7898 litre	80,689 %	2888,3328 litre	O
360	CM	115	CM	172 LEVEL CM	11997,0833 litre	80,210 %	2960,0393 litre	O
360	CM	115	CM	171 LEVEL CM	11924,9659 litre	79,728 %	3032,1567 litre	O
360	CM	115	CM	170 LEVEL CM	11852,4471 litre	79,243 %	3104,6755 litre	O
360	CM	115	CM	169 LEVEL CM	11779,5361 litre	78,755 %	3177,5865 litre	O
360	CM	115	CM	168 LEVEL CM	11706,2423 litre	78,265 %	3250,8803 litre	O
360	CM	115	CM	167 LEVEL CM	11632,5744 litre	77,773 %	3324,5482 litre	O
360	CM	115	CM	166 LEVEL CM	11558,5416 litre	77,278 %	3398,5810 litre	O
360	CM	115	CM	165 LEVEL CM	11484,1525 litre	76,780 %	3472,9701 litre	O
360	CM	115	CM	164 LEVEL CM	11409,4158 litre	76,281 %	3547,7068 litre	O
360	CM	115	CM	163 LEVEL CM	11334,3400 litre	75,779 %	3622,7826 litre	O
360	CM	115	CM	162 LEVEL CM	11258,9334 litre	75,275 %	3698,1892 litre	O
360	CM	115	CM	161 LEVEL CM	11183,2044 litre	74,768 %	3773,9182 litre	O
360	CM	115	CM	160 LEVEL CM	11107,1612 litre	74,260 %	3849,9614 litre	O
360	CM	115	CM	159 LEVEL CM	11030,8118 litre	73,750 %	3926,3108 litre	O
360	CM	115	CM	158 LEVEL CM	10954,1643 litre	73,237 %	4002,9583 litre	O
360	CM	115	CM	157 LEVEL CM	10877,2265 litre	72,723 %	4079,8961 litre	O
360	CM	115	CM	156 LEVEL CM	10800,0062 litre	72,206 %	4157,1164 litre	O
360	CM	115	CM	155 LEVEL CM	10722,5111 litre	71,688 %	4234,6115 litre	O
360	CM	115	CM	154 LEVEL CM	10644,7489 litre	71,168 %	4312,3737 litre	O
360	CM	115	CM	153 LEVEL CM	10566,7272 litre	70,647 %	4390,3954 litre	O
360	CM	115	CM	152 LEVEL CM	10488,4533 litre	70,123 %	4468,6693 litre	O
360	CM	115	CM	151 LEVEL CM	10409,9348 litre	69,599 %	4547,1878 litre	O
360	CM	115	CM	150 LEVEL CM	10331,1790 litre	69,072 %	4625,9436 litre	O
360	CM	115	CM	149 LEVEL CM	10252,1932 litre	68,544 %	4704,9294 litre	O
360	CM	115	CM	148 LEVEL CM	10172,9845 litre	68,014 %	4784,1381 litre	O
360	CM	115	CM	147 LEVEL CM	10093,5601 litre	67,483 %	4863,5625 litre	O
360	CM	115	CM	146 LEVEL CM	10013,9271 litre	66,951 %	4943,1955 litre	O
360	CM	115	CM	145 LEVEL CM	9934,0926 litre	66,417 %	5023,0300 litre	O
360	CM	115	CM	144 LEVEL CM	9854,0635 litre	65,882 %	5103,0591 litre	O
360	CM	115	CM	143 LEVEL CM	9773,8467 litre	65,346 %	5183,2759 litre	O
360	CM	115	CM	142 LEVEL CM	9693,4493 litre	64,808 %	5263,6733 litre	O
360	CM	115	CM	141 LEVEL CM	9612,8779 litre	64,270 %	5344,2447 litre	O
360	CM	115	CM	140 LEVEL CM	9532,1394 litre	63,730 %	5424,9832 litre	O
360	CM	115	CM	139 LEVEL CM	9451,2405 litre	63,189 %	5505,8821 litre	O
360	CM	115	CM	138 LEVEL CM	9370,1880 litre	62,647 %	5586,9346 litre	O
360	CM	115	CM	137 LEVEL CM	9288,9885 litre	62,104 %	5668,1341 litre	O
360	CM	115	CM	136 LEVEL CM	9207,6487 litre	61,560 %	5749,4739 litre	O
360	CM	115	CM	135 LEVEL CM	9126,1752 litre	61,016 %	5830,9474 litre	O
360	CM	115	CM	134 LEVEL CM	9044,5745 litre	60,470 %	5912,5481 litre	O
360	CM	115	CM	133 LEVEL CM	8962,8532 litre	59,924 %	5994,2694 litre	O
360	CM	115	CM	132 LEVEL CM	8881,0178 litre	59,377 %	6076,1048 litre	O
360	CM	115	CM	131 LEVEL CM	8799,0747 litre	58,829 %	6158,0479 litre	O
360	CM	115	CM	130 LEVEL CM	8717,0305 litre	58,280 %	6240,0921 litre	O
360	CM	115	CM	129 LEVEL CM	8634,8916 litre	57,731 %	6322,2310 litre	O
360	CM	115	CM	128 LEVEL CM	8552,6644 litre	57,181 %	6404,4582 litre	O
360	CM	115	CM	127 LEVEL CM	8470,3552 litre	56,631 %	6486,7674 litre	O
360	CM	115	CM	126 LEVEL CM	8387,9705 litre	56,080 %	6569,1521 litre	O

360	CM 115	CM	125 LEVEL CM	8305,5166 litre	55,529 %	6651,6060 litre	O
360	CM 115	CM	124 LEVEL CM	8222,9999 litre	54,977 %	6734,1227 litre	O
360	CM 115	CM	123 LEVEL CM	8140,4267 litre	54,425 %	6816,6959 litre	O
360	CM 115	CM	122 LEVEL CM	8057,8032 litre	53,873 %	6899,3194 litre	O
360	CM 115	CM	121 LEVEL CM	7975,1358 litre	53,320 %	6981,9868 litre	O
360	CM 115	CM	120 LEVEL CM	7892,4308 litre	52,767 %	7064,6918 litre	O
360	CM 115	CM	119 LEVEL CM	7809,6945 litre	52,214 %	7147,4281 litre	O
360	CM 115	CM	118 LEVEL CM	7726,9331 litre	51,661 %	7230,1895 litre	O
360	CM 115	CM	117 LEVEL CM	7644,1530 litre	51,107 %	7312,9696 litre	O
360	CM 115	CM	116 LEVEL CM	7561,3603 litre	50,554 %	7395,7623 litre	O
360	CM 115	CM	115 LEVEL CM	7478,5613 litre	50,000 %	7478,5613 litre	O
360	CM 115	CM	114 LEVEL CM	7395,7624 litre	49,446 %	7561,3602 litre	O
360	CM 115	CM	113 LEVEL CM	7312,9697 litre	48,893 %	7644,1529 litre	O
360	CM 115	CM	112 LEVEL CM	7230,1895 litre	48,339 %	7726,9331 litre	O
360	CM 115	CM	111 LEVEL CM	7147,4281 litre	47,786 %	7809,6945 litre	O
360	CM 115	CM	110 LEVEL CM	7064,6918 litre	47,233 %	7892,4308 litre	O
360	CM 115	CM	109 LEVEL CM	6981,9868 litre	46,680 %	7975,1358 litre	O
360	CM 115	CM	108 LEVEL CM	6899,3194 litre	46,127 %	8057,8032 litre	O
360	CM 115	CM	107 LEVEL CM	6816,6960 litre	45,575 %	8140,4266 litre	O
360	CM 115	CM	106 LEVEL CM	6734,1227 litre	45,023 %	8222,9999 litre	O
360	CM 115	CM	105 LEVEL CM	6651,6060 litre	44,471 %	8305,5166 litre	O
360	CM 115	CM	104 LEVEL CM	6569,1521 litre	43,920 %	8387,9705 litre	O
360	CM 115	CM	103 LEVEL CM	6486,7674 litre	43,369 %	8470,3552 litre	O
360	CM 115	CM	102 LEVEL CM	6404,4582 litre	42,819 %	8552,6644 litre	O
360	CM 115	CM	101 LEVEL CM	6322,2310 litre	42,269 %	8634,8916 litre	O
360	CM 115	CM	100 LEVEL CM	6240,0921 litre	41,720 %	8717,0305 litre	O
360	CM 115	CM	99 LEVEL CM	6158,0479 litre	41,171 %	8799,0747 litre	O
360	CM 115	CM	98 LEVEL CM	6076,1049 litre	40,623 %	8881,0177 litre	O
360	CM 115	CM	97 LEVEL CM	5994,2694 litre	40,076 %	8962,8532 litre	O
360	CM 115	CM	96 LEVEL CM	5912,5481 litre	39,530 %	9044,5745 litre	O
360	CM 115	CM	95 LEVEL CM	5830,9474 litre	38,984 %	9126,1752 litre	O
360	CM 115	CM	94 LEVEL CM	5749,4739 litre	38,440 %	9207,6487 litre	O
360	CM 115	CM	93 LEVEL CM	5668,1341 litre	37,896 %	9288,9885 litre	O
360	CM 115	CM	92 LEVEL CM	5586,9346 litre	37,353 %	9370,1880 litre	O
360	CM 115	CM	91 LEVEL CM	5505,8821 litre	36,811 %	9451,2405 litre	O
360	CM 115	CM	90 LEVEL CM	5424,9832 litre	36,270 %	9532,1394 litre	O
360	CM 115	CM	89 LEVEL CM	5344,2447 litre	35,730 %	9612,8779 litre	O
360	CM 115	CM	88 LEVEL CM	5263,6734 litre	35,192 %	9693,4492 litre	O
360	CM 115	CM	87 LEVEL CM	5183,2759 litre	34,654 %	9773,8467 litre	O
360	CM 115	CM	86 LEVEL CM	5103,0591 litre	34,118 %	9854,0635 litre	O
360	CM 115	CM	85 LEVEL CM	5023,0301 litre	33,583 %	9934,0925 litre	O
360	CM 115	CM	84 LEVEL CM	4943,1955 litre	33,049 %	10013,9271 litre	O
360	CM 115	CM	83 LEVEL CM	4863,5625 litre	32,517 %	10093,5601 litre	O
360	CM 115	CM	82 LEVEL CM	4784,1382 litre	31,986 %	10172,9844 litre	O
360	CM 115	CM	81 LEVEL CM	4704,9295 litre	31,456 %	10252,1931 litre	O
360	CM 115	CM	80 LEVEL CM	4625,9436 litre	30,928 %	10331,1790 litre	O
360	CM 115	CM	79 LEVEL CM	4547,1878 litre	30,401 %	10409,9348 litre	O
360	CM 115	CM	78 LEVEL CM	4468,6693 litre	29,877 %	10488,4533 litre	O
360	CM 115	CM	77 LEVEL CM	4390,3955 litre	29,353 %	10566,7271 litre	O
360	CM 115	CM	76 LEVEL CM	4312,3737 litre	28,832 %	10644,7489 litre	O
360	CM 115	CM	75 LEVEL CM	4234,6115 litre	28,312 %	10722,5111 litre	O
360	CM 115	CM	74 LEVEL CM	4157,1165 litre	27,794 %	10800,0061 litre	O
360	CM 115	CM	73 LEVEL CM	4079,8962 litre	27,277 %	10877,2264 litre	O

360	CM	115	CM	72 LEVEL CM	4002,9583 litre	26,763 %	10954,1643 litre	O
360	CM	115	CM	71 LEVEL CM	3926,3108 litre	26,250 %	11030,8118 litre	O
360	CM	115	CM	70 LEVEL CM	3849,9614 litre	25,740 %	11107,1612 litre	O
360	CM	115	CM	69 LEVEL CM	3773,9182 litre	25,232 %	11183,2044 litre	O
360	CM	115	CM	68 LEVEL CM	3698,1892 litre	24,725 %	11258,9334 litre	O
360	CM	115	CM	67 LEVEL CM	3622,7826 litre	24,221 %	11334,3400 litre	O
360	CM	115	CM	66 LEVEL CM	3547,7068 litre	23,719 %	11409,4158 litre	O
360	CM	115	CM	65 LEVEL CM	3472,9701 litre	23,220 %	11484,1525 litre	O
360	CM	115	CM	64 LEVEL CM	3398,5810 litre	22,722 %	11558,5416 litre	O
360	CM	115	CM	63 LEVEL CM	3324,5482 litre	22,227 %	11632,5744 litre	O
360	CM	115	CM	62 LEVEL CM	3250,8804 litre	21,735 %	11706,2422 litre	O
360	CM	115	CM	61 LEVEL CM	3177,5865 litre	21,245 %	11779,5361 litre	O
360	CM	115	CM	60 LEVEL CM	3104,6755 litre	20,757 %	11852,4471 litre	O
360	CM	115	CM	59 LEVEL CM	3032,1567 litre	20,272 %	11924,9659 litre	O
360	CM	115	CM	58 LEVEL CM	2960,0393 litre	19,790 %	11997,0833 litre	O
360	CM	115	CM	57 LEVEL CM	2888,3328 litre	19,311 %	12068,7898 litre	O
360	CM	115	CM	56 LEVEL CM	2817,0468 litre	18,834 %	12140,0758 litre	O
360	CM	115	CM	55 LEVEL CM	2746,1912 litre	18,360 %	12210,9314 litre	O
360	CM	115	CM	54 LEVEL CM	2675,7760 litre	17,890 %	12281,3466 litre	O
360	CM	115	CM	53 LEVEL CM	2605,8113 litre	17,422 %	12351,3113 litre	O
360	CM	115	CM	52 LEVEL CM	2536,3075 litre	16,957 %	12420,8151 litre	O
360	CM	115	CM	51 LEVEL CM	2467,2752 litre	16,496 %	12489,8474 litre	O
360	CM	115	CM	50 LEVEL CM	2398,7252 litre	16,037 %	12558,3974 litre	O
360	CM	115	CM	49 LEVEL CM	2330,6685 litre	15,582 %	12626,4541 litre	O
360	CM	115	CM	48 LEVEL CM	2263,1164 litre	15,131 %	12694,0062 litre	O
360	CM	115	CM	47 LEVEL CM	2196,0805 litre	14,683 %	12761,0421 litre	O
360	CM	115	CM	46 LEVEL CM	2129,5725 litre	14,238 %	12827,5501 litre	O
360	CM	115	CM	45 LEVEL CM	2063,6046 litre	13,797 %	12893,5180 litre	O
360	CM	115	CM	44 LEVEL CM	1998,1890 litre	13,359 %	12958,9336 litre	O
360	CM	115	CM	43 LEVEL CM	1933,3386 litre	12,926 %	13023,7840 litre	O
360	CM	115	CM	42 LEVEL CM	1869,0663 litre	12,496 %	13088,0563 litre	O
360	CM	115	CM	41 LEVEL CM	1805,3855 litre	12,070 %	13151,7371 litre	O
360	CM	115	CM	40 LEVEL CM	1742,3101 litre	11,649 %	13214,8125 litre	O
360	CM	115	CM	39 LEVEL CM	1679,8540 litre	11,231 %	13277,2686 litre	O
360	CM	115	CM	38 LEVEL CM	1618,0321 litre	10,818 %	13339,0905 litre	O
360	CM	115	CM	37 LEVEL CM	1556,8592 litre	10,409 %	13400,2634 litre	O
360	CM	115	CM	36 LEVEL CM	1496,3509 litre	10,004 %	13460,7717 litre	O
360	CM	115	CM	35 LEVEL CM	1436,5234 litre	9,604 %	13520,5992 litre	O
360	CM	115	CM	34 LEVEL CM	1377,3930 litre	9,209 %	13579,7296 litre	O
360	CM	115	CM	33 LEVEL CM	1318,9772 litre	8,818 %	13638,1454 litre	O
360	CM	115	CM	32 LEVEL CM	1261,2937 litre	8,433 %	13695,8289 litre	O
360	CM	115	CM	31 LEVEL CM	1204,3609 litre	8,052 %	13752,7617 litre	O
360	CM	115	CM	30 LEVEL CM	1148,1983 litre	7,677 %	13808,9243 litre	O
360	CM	115	CM	29 LEVEL CM	1092,8258 litre	7,306 %	13864,2968 litre	O
360	CM	115	CM	28 LEVEL CM	1038,2645 litre	6,942 %	13918,8581 litre	O
360	CM	115	CM	27 LEVEL CM	984,5361 litre	6,582 %	13972,5865 litre	O
360	CM	115	CM	26 LEVEL CM	931,6637 litre	6,229 %	14025,4589 litre	O
360	CM	115	CM	25 LEVEL CM	879,6712 litre	5,881 %	14077,4514 litre	O
360	CM	115	CM	24 LEVEL CM	828,5840 litre	5,540 %	14128,5386 litre	O
360	CM	115	CM	23 LEVEL CM	778,4288 litre	5,204 %	14178,6938 litre	O
360	CM	115	CM	22 LEVEL CM	729,2337 litre	4,875 %	14227,8889 litre	O
360	CM	115	CM	21 LEVEL CM	681,0286 litre	4,553 %	14276,0940 litre	O
360	CM	115	CM	20 LEVEL CM	633,8453 litre	4,238 %	14323,2773 litre	O

360	CM	115	CM	19 LEVEL CM	587,7176 litre	3,929 %	14369,4050 litre	O
360	CM	115	CM	18 LEVEL CM	542,6818 litre	3,628 %	14414,4408 litre	O
360	CM	115	CM	17 LEVEL CM	498,7768 litre	3,335 %	14458,3458 litre	O
360	CM	115	CM	16 LEVEL CM	456,0447 litre	3,049 %	14501,0779 litre	O
360	CM	115	CM	15 LEVEL CM	414,5311 litre	2,771 %	14542,5915 litre	O
360	CM	115	CM	14 LEVEL CM	374,2858 litre	2,502 %	14582,8368 litre	O
360	CM	115	CM	13 LEVEL CM	335,3633 litre	2,242 %	14621,7593 litre	O
360	CM	115	CM	12 LEVEL CM	297,8242 litre	1,991 %	14659,2984 litre	O
360	CM	115	CM	11 LEVEL CM	261,7356 litre	1,750 %	14695,3870 litre	O
360	CM	115	CM	10 LEVEL CM	227,1736 litre	1,519 %	14729,9490 litre	O
360	CM	115	CM	9 LEVEL CM	194,2245 litre	1,299 %	14762,8981 litre	O
360	CM	115	CM	8 LEVEL CM	162,9880 litre	1,090 %	14794,1346 litre	O
360	CM	115	CM	7 LEVEL CM	133,5816 litre	0,893 %	14823,5410 litre	O
360	CM	115	CM	6 LEVEL CM	106,1460 litre	0,710 %	14850,9766 litre	O
360	CM	115	CM	5 LEVEL CM	80,8551 litre	0,541 %	14876,2675 litre	O
360	CM	115	CM	4 LEVEL CM	57,9317 litre	0,387 %	14899,1909 litre	O
360	CM	115	CM	3 LEVEL CM	37,6773 litre	0,252 %	14919,4453 litre	O
360	CM	115	CM	2 LEVEL CM	20,5359 litre	0,137 %	14936,5867 litre	O
360	CM	115	CM	1 LEVEL CM	7,2701 litre	0,049 %	14949,8525 litre	O
360	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	14957,1226 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
360	CM	110	CM	220 LEVEL CM	13684,7776 litre	100,000 %	0,0000 litre	O
360	CM	110	CM	219 LEVEL CM	13677,6678 litre	99,948 %	7,1098 litre	O
360	CM	110	CM	218 LEVEL CM	13664,6955 litre	99,853 %	20,0821 litre	O
360	CM	110	CM	217 LEVEL CM	13647,9350 litre	99,731 %	36,8426 litre	O
360	CM	110	CM	216 LEVEL CM	13628,1329 litre	99,586 %	56,6447 litre	O
360	CM	110	CM	215 LEVEL CM	13605,7235 litre	99,422 %	79,0541 litre	O
360	CM	110	CM	214 LEVEL CM	13581,0023 litre	99,242 %	103,7753 litre	O
360	CM	110	CM	213 LEVEL CM	13554,1875 litre	99,046 %	130,5901 litre	O
360	CM	110	CM	212 LEVEL CM	13525,4496 litre	98,836 %	159,3280 litre	O
360	CM	110	CM	211 LEVEL CM	13494,9264 litre	98,613 %	189,8512 litre	O
360	CM	110	CM	210 LEVEL CM	13462,7331 litre	98,377 %	222,0445 litre	O
360	CM	110	CM	209 LEVEL CM	13428,9675 litre	98,131 %	255,8101 litre	O
360	CM	110	CM	208 LEVEL CM	13393,7145 litre	97,873 %	291,0631 litre	O
360	CM	110	CM	207 LEVEL CM	13357,0485 litre	97,605 %	327,7291 litre	O
360	CM	110	CM	206 LEVEL CM	13319,0356 litre	97,327 %	365,7420 litre	O
360	CM	110	CM	205 LEVEL CM	13279,7351 litre	97,040 %	405,0425 litre	O
360	CM	110	CM	204 LEVEL CM	13239,2007 litre	96,744 %	445,5769 litre	O
360	CM	110	CM	203 LEVEL CM	13197,4814 litre	96,439 %	487,2962 litre	O
360	CM	110	CM	202 LEVEL CM	13154,6220 litre	96,126 %	530,1556 litre	O
360	CM	110	CM	201 LEVEL CM	13110,6638 litre	95,805 %	574,1138 litre	O
360	CM	110	CM	200 LEVEL CM	13065,6451 litre	95,476 %	619,1325 litre	O
360	CM	110	CM	199 LEVEL CM	13019,6016 litre	95,139 %	665,1760 litre	O
360	CM	110	CM	198 LEVEL CM	12972,5668 litre	94,796 %	712,2108 litre	O
360	CM	110	CM	197 LEVEL CM	12924,5717 litre	94,445 %	760,2059 litre	O
360	CM	110	CM	196 LEVEL CM	12875,6460 litre	94,087 %	809,1316 litre	O
360	CM	110	CM	195 LEVEL CM	12825,8173 litre	93,723 %	858,9603 litre	O
360	CM	110	CM	194 LEVEL CM	12775,1120 litre	93,353 %	909,6656 litre	O
360	CM	110	CM	193 LEVEL CM	12723,5550 litre	92,976 %	961,2226 litre	O
360	CM	110	CM	192 LEVEL CM	12671,1701 litre	92,593 %	1013,6075 litre	O
360	CM	110	CM	191 LEVEL CM	12617,9798 litre	92,204 %	1066,7978 litre	O
360	CM	110	CM	190 LEVEL CM	12564,0059 litre	91,810 %	1120,7717 litre	O
360	CM	110	CM	189 LEVEL CM	12509,2690 litre	91,410 %	1175,5086 litre	O
360	CM	110	CM	188 LEVEL CM	12453,7889 litre	91,005 %	1230,9887 litre	O
360	CM	110	CM	187 LEVEL CM	12397,5847 litre	90,594 %	1287,1929 litre	O
360	CM	110	CM	186 LEVEL CM	12340,6746 litre	90,178 %	1344,1030 litre	O
360	CM	110	CM	185 LEVEL CM	12283,0765 litre	89,757 %	1401,7011 litre	O
360	CM	110	CM	184 LEVEL CM	12224,8072 litre	89,331 %	1459,9704 litre	O
360	CM	110	CM	183 LEVEL CM	12165,8832 litre	88,901 %	1518,8944 litre	O
360	CM	110	CM	182 LEVEL CM	12106,3204 litre	88,466 %	1578,4572 litre	O
360	CM	110	CM	181 LEVEL CM	12046,1343 litre	88,026 %	1638,6433 litre	O
360	CM	110	CM	180 LEVEL CM	11985,3396 litre	87,582 %	1699,4380 litre	O
360	CM	110	CM	179 LEVEL CM	11923,9510 litre	87,133 %	1760,8266 litre	O
360	CM	110	CM	178 LEVEL CM	11861,9824 litre	86,680 %	1822,7952 litre	O
360	CM	110	CM	177 LEVEL CM	11799,4475 litre	86,223 %	1885,3301 litre	O
360	CM	110	CM	176 LEVEL CM	11736,3596 litre	85,762 %	1948,4180 litre	O
360	CM	110	CM	175 LEVEL CM	11672,7317 litre	85,297 %	2012,0459 litre	O
360	CM	110	CM	174 LEVEL CM	11608,5765 litre	84,828 %	2076,2011 litre	O
360	CM	110	CM	173 LEVEL CM	11543,9061 litre	84,356 %	2140,8715 litre	O
360	CM	110	CM	172 LEVEL CM	11478,7327 litre	83,880 %	2206,0449 litre	O
360	CM	110	CM	171 LEVEL CM	11413,0679 litre	83,400 %	2271,7097 litre	O
360	CM	110	CM	170 LEVEL CM	11346,9233 litre	82,916 %	2337,8543 litre	O
360	CM	110	CM	169 LEVEL CM	11280,3102 litre	82,430 %	2404,4674 litre	O

360	CM 110	CM	168 LEVEL CM	11213,2394 litre	81,940 %	2471,5382 litre	O
360	CM 110	CM	167 LEVEL CM	11145,7219 litre	81,446 %	2539,0557 litre	O
360	CM 110	CM	166 LEVEL CM	11077,7681 litre	80,950 %	2607,0095 litre	O
360	CM 110	CM	165 LEVEL CM	11009,3884 litre	80,450 %	2675,3892 litre	O
360	CM 110	CM	164 LEVEL CM	10940,5930 litre	79,947 %	2744,1846 litre	O
360	CM 110	CM	163 LEVEL CM	10871,3919 litre	79,441 %	2813,3857 litre	O
360	CM 110	CM	162 LEVEL CM	10801,7949 litre	78,933 %	2882,9827 litre	O
360	CM 110	CM	161 LEVEL CM	10731,8116 litre	78,422 %	2952,9660 litre	O
360	CM 110	CM	160 LEVEL CM	10661,4516 litre	77,907 %	3023,3260 litre	O
360	CM 110	CM	159 LEVEL CM	10590,7241 litre	77,391 %	3094,0535 litre	O
360	CM 110	CM	158 LEVEL CM	10519,6384 litre	76,871 %	3165,1392 litre	O
360	CM 110	CM	157 LEVEL CM	10448,2035 litre	76,349 %	3236,5741 litre	O
360	CM 110	CM	156 LEVEL CM	10376,4283 litre	75,825 %	3308,3493 litre	O
360	CM 110	CM	155 LEVEL CM	10304,3216 litre	75,298 %	3380,4560 litre	O
360	CM 110	CM	154 LEVEL CM	10231,8922 litre	74,768 %	3452,8854 litre	O
360	CM 110	CM	153 LEVEL CM	10159,1485 litre	74,237 %	3525,6291 litre	O
360	CM 110	CM	152 LEVEL CM	10086,0990 litre	73,703 %	3598,6786 litre	O
360	CM 110	CM	151 LEVEL CM	10012,7520 litre	73,167 %	3672,0256 litre	O
360	CM 110	CM	150 LEVEL CM	9939,1158 litre	72,629 %	3745,6618 litre	O
360	CM 110	CM	149 LEVEL CM	9865,1986 litre	72,089 %	3819,5790 litre	O
360	CM 110	CM	148 LEVEL CM	9791,0084 litre	71,547 %	3893,7692 litre	O
360	CM 110	CM	147 LEVEL CM	9716,5531 litre	71,003 %	3968,2245 litre	O
360	CM 110	CM	146 LEVEL CM	9641,8406 litre	70,457 %	4042,9370 litre	O
360	CM 110	CM	145 LEVEL CM	9566,8788 litre	69,909 %	4117,8988 litre	O
360	CM 110	CM	144 LEVEL CM	9491,6753 litre	69,359 %	4193,1023 litre	O
360	CM 110	CM	143 LEVEL CM	9416,2377 litre	68,808 %	4268,5399 litre	O
360	CM 110	CM	142 LEVEL CM	9340,5738 litre	68,255 %	4344,2038 litre	O
360	CM 110	CM	141 LEVEL CM	9264,6909 litre	67,701 %	4420,0867 litre	O
360	CM 110	CM	140 LEVEL CM	9188,5966 litre	67,145 %	4496,1810 litre	O
360	CM 110	CM	139 LEVEL CM	9112,2981 litre	66,587 %	4572,4795 litre	O
360	CM 110	CM	138 LEVEL CM	9035,8029 litre	66,028 %	4648,9747 litre	O
360	CM 110	CM	137 LEVEL CM	8959,1181 litre	65,468 %	4725,6595 litre	O
360	CM 110	CM	136 LEVEL CM	8882,2510 litre	64,906 %	4802,5266 litre	O
360	CM 110	CM	135 LEVEL CM	8805,2088 litre	64,343 %	4879,5688 litre	O
360	CM 110	CM	134 LEVEL CM	8727,9985 litre	63,779 %	4956,7791 litre	O
360	CM 110	CM	133 LEVEL CM	8650,6273 litre	63,214 %	5034,1503 litre	O
360	CM 110	CM	132 LEVEL CM	8573,1021 litre	62,647 %	5111,6755 litre	O
360	CM 110	CM	131 LEVEL CM	8495,4299 litre	62,079 %	5189,3477 litre	O
360	CM 110	CM	130 LEVEL CM	8417,6177 litre	61,511 %	5267,1599 litre	O
360	CM 110	CM	129 LEVEL CM	8339,6724 litre	60,941 %	5345,1052 litre	O
360	CM 110	CM	128 LEVEL CM	8261,6008 litre	60,371 %	5423,1768 litre	O
360	CM 110	CM	127 LEVEL CM	8183,4098 litre	59,799 %	5501,3678 litre	O
360	CM 110	CM	126 LEVEL CM	8105,1061 litre	59,227 %	5579,6715 litre	O
360	CM 110	CM	125 LEVEL CM	8026,6966 litre	58,654 %	5658,0810 litre	O
360	CM 110	CM	124 LEVEL CM	7948,1880 litre	58,081 %	5736,5896 litre	O
360	CM 110	CM	123 LEVEL CM	7869,5870 litre	57,506 %	5815,1906 litre	O
360	CM 110	CM	122 LEVEL CM	7790,9003 litre	56,931 %	5893,8773 litre	O
360	CM 110	CM	121 LEVEL CM	7712,1346 litre	56,356 %	5972,6430 litre	O
360	CM 110	CM	120 LEVEL CM	7633,2965 litre	55,779 %	6051,4811 litre	O
360	CM 110	CM	119 LEVEL CM	7554,3927 litre	55,203 %	6130,3849 litre	O
360	CM 110	CM	118 LEVEL CM	7475,4298 litre	54,626 %	6209,3478 litre	O
360	CM 110	CM	117 LEVEL CM	7396,4144 litre	54,048 %	6288,3632 litre	O
360	CM 110	CM	116 LEVEL CM	7317,3531 litre	53,471 %	6367,4245 litre	O

360	CM 110	CM	115 LEVEL CM	7238,2524 litre	52,893 %	6446,5252 litre	O
360	CM 110	CM	114 LEVEL CM	7159,1190 litre	52,314 %	6525,6586 litre	O
360	CM 110	CM	113 LEVEL CM	7079,9593 litre	51,736 %	6604,8183 litre	O
360	CM 110	CM	112 LEVEL CM	7000,7801 litre	51,157 %	6683,9975 litre	O
360	CM 110	CM	111 LEVEL CM	6921,5877 litre	50,579 %	6763,1899 litre	O
360	CM 110	CM	110 LEVEL CM	6842,3888 litre	50,000 %	6842,3888 litre	O
360	CM 110	CM	109 LEVEL CM	6763,1899 litre	49,421 %	6921,5877 litre	O
360	CM 110	CM	108 LEVEL CM	6683,9975 litre	48,843 %	7000,7801 litre	O
360	CM 110	CM	107 LEVEL CM	6604,8183 litre	48,264 %	7079,9593 litre	O
360	CM 110	CM	106 LEVEL CM	6525,6586 litre	47,686 %	7159,1190 litre	O
360	CM 110	CM	105 LEVEL CM	6446,5252 litre	47,107 %	7238,2524 litre	O
360	CM 110	CM	104 LEVEL CM	6367,4245 litre	46,529 %	7317,3531 litre	O
360	CM 110	CM	103 LEVEL CM	6288,3632 litre	45,952 %	7396,4144 litre	O
360	CM 110	CM	102 LEVEL CM	6209,3478 litre	45,374 %	7475,4298 litre	O
360	CM 110	CM	101 LEVEL CM	6130,3849 litre	44,797 %	7554,3927 litre	O
360	CM 110	CM	100 LEVEL CM	6051,4811 litre	44,221 %	7633,2965 litre	O
360	CM 110	CM	99 LEVEL CM	5972,6430 litre	43,644 %	7712,1346 litre	O
360	CM 110	CM	98 LEVEL CM	5893,8773 litre	43,069 %	7790,9003 litre	O
360	CM 110	CM	97 LEVEL CM	5815,1906 litre	42,494 %	7869,5870 litre	O
360	CM 110	CM	96 LEVEL CM	5736,5896 litre	41,919 %	7948,1880 litre	O
360	CM 110	CM	95 LEVEL CM	5658,0810 litre	41,346 %	8026,6966 litre	O
360	CM 110	CM	94 LEVEL CM	5579,6715 litre	40,773 %	8105,1061 litre	O
360	CM 110	CM	93 LEVEL CM	5501,3678 litre	40,201 %	8183,4098 litre	O
360	CM 110	CM	92 LEVEL CM	5423,1768 litre	39,629 %	8261,6008 litre	O
360	CM 110	CM	91 LEVEL CM	5345,1052 litre	39,059 %	8339,6724 litre	O
360	CM 110	CM	90 LEVEL CM	5267,1599 litre	38,489 %	8417,6177 litre	O
360	CM 110	CM	89 LEVEL CM	5189,3477 litre	37,921 %	8495,4299 litre	O
360	CM 110	CM	88 LEVEL CM	5111,6755 litre	37,353 %	8573,1021 litre	O
360	CM 110	CM	87 LEVEL CM	5034,1503 litre	36,786 %	8650,6273 litre	O
360	CM 110	CM	86 LEVEL CM	4956,7791 litre	36,221 %	8727,9985 litre	O
360	CM 110	CM	85 LEVEL CM	4879,5688 litre	35,657 %	8805,2088 litre	O
360	CM 110	CM	84 LEVEL CM	4802,5266 litre	35,094 %	8882,2510 litre	O
360	CM 110	CM	83 LEVEL CM	4725,6595 litre	34,532 %	8959,1181 litre	O
360	CM 110	CM	82 LEVEL CM	4648,9747 litre	33,972 %	9035,8029 litre	O
360	CM 110	CM	81 LEVEL CM	4572,4795 litre	33,413 %	9112,2981 litre	O
360	CM 110	CM	80 LEVEL CM	4496,1810 litre	32,855 %	9188,5966 litre	O
360	CM 110	CM	79 LEVEL CM	4420,0867 litre	32,299 %	9264,6909 litre	O
360	CM 110	CM	78 LEVEL CM	4344,2038 litre	31,745 %	9340,5738 litre	O
360	CM 110	CM	77 LEVEL CM	4268,5399 litre	31,192 %	9416,2377 litre	O
360	CM 110	CM	76 LEVEL CM	4193,1023 litre	30,641 %	9491,6753 litre	O
360	CM 110	CM	75 LEVEL CM	4117,8988 litre	30,091 %	9566,8788 litre	O
360	CM 110	CM	74 LEVEL CM	4042,9370 litre	29,543 %	9641,8406 litre	O
360	CM 110	CM	73 LEVEL CM	3968,2245 litre	28,997 %	9716,5531 litre	O
360	CM 110	CM	72 LEVEL CM	3893,7692 litre	28,453 %	9791,0084 litre	O
360	CM 110	CM	71 LEVEL CM	3819,5790 litre	27,911 %	9865,1986 litre	O
360	CM 110	CM	70 LEVEL CM	3745,6618 litre	27,371 %	9939,1158 litre	O
360	CM 110	CM	69 LEVEL CM	3672,0256 litre	26,833 %	10012,7520 litre	O
360	CM 110	CM	68 LEVEL CM	3598,6786 litre	26,297 %	10086,0990 litre	O
360	CM 110	CM	67 LEVEL CM	3525,6291 litre	25,763 %	10159,1485 litre	O
360	CM 110	CM	66 LEVEL CM	3452,8854 litre	25,232 %	10231,8922 litre	O
360	CM 110	CM	65 LEVEL CM	3380,4560 litre	24,702 %	10304,3216 litre	O
360	CM 110	CM	64 LEVEL CM	3308,3493 litre	24,175 %	10376,4283 litre	O
360	CM 110	CM	63 LEVEL CM	3236,5741 litre	23,651 %	10448,2035 litre	O

360	CM	110	CM	62 LEVEL CM	3165,1392 litre	23,129 %	10519,6384 litre	O
360	CM	110	CM	61 LEVEL CM	3094,0535 litre	22,609 %	10590,7241 litre	O
360	CM	110	CM	60 LEVEL CM	3023,3260 litre	22,093 %	10661,4516 litre	O
360	CM	110	CM	59 LEVEL CM	2952,9660 litre	21,578 %	10731,8116 litre	O
360	CM	110	CM	58 LEVEL CM	2882,9827 litre	21,067 %	10801,7949 litre	O
360	CM	110	CM	57 LEVEL CM	2813,3857 litre	20,559 %	10871,3919 litre	O
360	CM	110	CM	56 LEVEL CM	2744,1846 litre	20,053 %	10940,5930 litre	O
360	CM	110	CM	55 LEVEL CM	2675,3892 litre	19,550 %	11009,3884 litre	O
360	CM	110	CM	54 LEVEL CM	2607,0095 litre	19,050 %	11077,7681 litre	O
360	CM	110	CM	53 LEVEL CM	2539,0557 litre	18,554 %	11145,7219 litre	O
360	CM	110	CM	52 LEVEL CM	2471,5382 litre	18,060 %	11213,2394 litre	O
360	CM	110	CM	51 LEVEL CM	2404,4674 litre	17,570 %	11280,3102 litre	O
360	CM	110	CM	50 LEVEL CM	2337,8543 litre	17,084 %	11346,9233 litre	O
360	CM	110	CM	49 LEVEL CM	2271,7097 litre	16,600 %	11413,0679 litre	O
360	CM	110	CM	48 LEVEL CM	2206,0449 litre	16,120 %	11478,7327 litre	O
360	CM	110	CM	47 LEVEL CM	2140,8715 litre	15,644 %	11543,9061 litre	O
360	CM	110	CM	46 LEVEL CM	2076,2011 litre	15,172 %	11608,5765 litre	O
360	CM	110	CM	45 LEVEL CM	2012,0459 litre	14,703 %	11672,7317 litre	O
360	CM	110	CM	44 LEVEL CM	1948,4180 litre	14,238 %	11736,3596 litre	O
360	CM	110	CM	43 LEVEL CM	1885,3301 litre	13,777 %	11799,4475 litre	O
360	CM	110	CM	42 LEVEL CM	1822,7952 litre	13,320 %	11861,9824 litre	O
360	CM	110	CM	41 LEVEL CM	1760,8266 litre	12,867 %	11923,9510 litre	O
360	CM	110	CM	40 LEVEL CM	1699,4380 litre	12,418 %	11985,3396 litre	O
360	CM	110	CM	39 LEVEL CM	1638,6433 litre	11,974 %	12046,1343 litre	O
360	CM	110	CM	38 LEVEL CM	1578,4572 litre	11,534 %	12106,3204 litre	O
360	CM	110	CM	37 LEVEL CM	1518,8944 litre	11,099 %	12165,8832 litre	O
360	CM	110	CM	36 LEVEL CM	1459,9704 litre	10,669 %	12224,8072 litre	O
360	CM	110	CM	35 LEVEL CM	1401,7011 litre	10,243 %	12283,0765 litre	O
360	CM	110	CM	34 LEVEL CM	1344,1030 litre	9,822 %	12340,6746 litre	O
360	CM	110	CM	33 LEVEL CM	1287,1929 litre	9,406 %	12397,5847 litre	O
360	CM	110	CM	32 LEVEL CM	1230,9887 litre	8,995 %	12453,7889 litre	O
360	CM	110	CM	31 LEVEL CM	1175,5086 litre	8,590 %	12509,2690 litre	O
360	CM	110	CM	30 LEVEL CM	1120,7717 litre	8,190 %	12564,0059 litre	O
360	CM	110	CM	29 LEVEL CM	1066,7978 litre	7,796 %	12617,9798 litre	O
360	CM	110	CM	28 LEVEL CM	1013,6075 litre	7,407 %	12671,1701 litre	O
360	CM	110	CM	27 LEVEL CM	961,2226 litre	7,024 %	12723,5550 litre	O
360	CM	110	CM	26 LEVEL CM	909,6656 litre	6,647 %	12775,1120 litre	O
360	CM	110	CM	25 LEVEL CM	858,9603 litre	6,277 %	12825,8173 litre	O
360	CM	110	CM	24 LEVEL CM	809,1316 litre	5,913 %	12875,6460 litre	O
360	CM	110	CM	23 LEVEL CM	760,2059 litre	5,555 %	12924,5717 litre	O
360	CM	110	CM	22 LEVEL CM	712,2108 litre	5,204 %	12972,5668 litre	O
360	CM	110	CM	21 LEVEL CM	665,1760 litre	4,861 %	13019,6016 litre	O
360	CM	110	CM	20 LEVEL CM	619,1325 litre	4,524 %	13065,6451 litre	O
360	CM	110	CM	19 LEVEL CM	574,1138 litre	4,195 %	13110,6638 litre	O
360	CM	110	CM	18 LEVEL CM	530,1556 litre	3,874 %	13154,6220 litre	O
360	CM	110	CM	17 LEVEL CM	487,2962 litre	3,561 %	13197,4814 litre	O
360	CM	110	CM	16 LEVEL CM	445,5768 litre	3,256 %	13239,2008 litre	O
360	CM	110	CM	15 LEVEL CM	405,0425 litre	2,960 %	13279,7351 litre	O
360	CM	110	CM	14 LEVEL CM	365,7420 litre	2,673 %	13319,0356 litre	O
360	CM	110	CM	13 LEVEL CM	327,7291 litre	2,395 %	13357,0485 litre	O
360	CM	110	CM	12 LEVEL CM	291,0631 litre	2,127 %	13393,7145 litre	O
360	CM	110	CM	11 LEVEL CM	255,8101 litre	1,869 %	13428,9675 litre	O
360	CM	110	CM	10 LEVEL CM	222,0445 litre	1,623 %	13462,7331 litre	O

360	CM	110	CM	9 LEVEL CM	189,8512 litre	1,387 %	13494,9264 litre	O
360	CM	110	CM	8 LEVEL CM	159,3280 litre	1,164 %	13525,4496 litre	O
360	CM	110	CM	7 LEVEL CM	130,5901 litre	0,954 %	13554,1875 litre	O
360	CM	110	CM	6 LEVEL CM	103,7753 litre	0,758 %	13581,0023 litre	O
360	CM	110	CM	5 LEVEL CM	79,0541 litre	0,578 %	13605,7235 litre	O
360	CM	110	CM	4 LEVEL CM	56,6447 litre	0,414 %	13628,1329 litre	O
360	CM	110	CM	3 LEVEL CM	36,8426 litre	0,269 %	13647,9350 litre	O
360	CM	110	CM	2 LEVEL CM	20,0821 litre	0,147 %	13664,6955 litre	O
360	CM	110	CM	1 LEVEL CM	7,1098 litre	0,052 %	13677,6678 litre	O
360	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	13684,7776 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM 105	CM 210 LEVEL CM	12468,9812 litre	100,000 %	0,0000 litre	O
360	CM 105	CM 209 LEVEL CM	12462,0353 litre	99,944 %	6,9459 litre	O
360	CM 105	CM 208 LEVEL CM	12449,3634 litre	99,843 %	19,6178 litre	O
360	CM 105	CM 207 LEVEL CM	12432,9928 litre	99,711 %	35,9884 litre	O
360	CM 105	CM 206 LEVEL CM	12413,6534 litre	99,556 %	55,3278 litre	O
360	CM 105	CM 205 LEVEL CM	12391,7702 litre	99,381 %	77,2110 litre	O
360	CM 105	CM 204 LEVEL CM	12367,6322 litre	99,187 %	101,3490 litre	O
360	CM 105	CM 203 LEVEL CM	12341,4529 litre	98,977 %	127,5283 litre	O
360	CM 105	CM 202 LEVEL CM	12313,3993 litre	98,752 %	155,5819 litre	O
360	CM 105	CM 201 LEVEL CM	12283,6065 litre	98,513 %	185,3747 litre	O
360	CM 105	CM 200 LEVEL CM	12252,1872 litre	98,261 %	216,7940 litre	O
360	CM 105	CM 199 LEVEL CM	12219,2373 litre	97,997 %	249,7439 litre	O
360	CM 105	CM 198 LEVEL CM	12184,8401 litre	97,721 %	284,1411 litre	O
360	CM 105	CM 197 LEVEL CM	12149,0685 litre	97,434 %	319,9127 litre	O
360	CM 105	CM 196 LEVEL CM	12111,9875 litre	97,137 %	356,9937 litre	O
360	CM 105	CM 195 LEVEL CM	12073,6551 litre	96,830 %	395,3261 litre	O
360	CM 105	CM 194 LEVEL CM	12034,1243 litre	96,512 %	434,8569 litre	O
360	CM 105	CM 193 LEVEL CM	11993,4429 litre	96,186 %	475,5383 litre	O
360	CM 105	CM 192 LEVEL CM	11951,6552 litre	95,851 %	517,3260 litre	O
360	CM 105	CM 191 LEVEL CM	11908,8016 litre	95,507 %	560,1796 litre	O
360	CM 105	CM 190 LEVEL CM	11864,9200 litre	95,155 %	604,0612 litre	O
360	CM 105	CM 189 LEVEL CM	11820,0453 litre	94,796 %	648,9359 litre	O
360	CM 105	CM 188 LEVEL CM	11774,2106 litre	94,428 %	694,7706 litre	O
360	CM 105	CM 187 LEVEL CM	11727,4464 litre	94,053 %	741,5348 litre	O
360	CM 105	CM 186 LEVEL CM	11679,7818 litre	93,671 %	789,1994 litre	O
360	CM 105	CM 185 LEVEL CM	11631,2443 litre	93,281 %	837,7369 litre	O
360	CM 105	CM 184 LEVEL CM	11581,8597 litre	92,885 %	887,1215 litre	O
360	CM 105	CM 183 LEVEL CM	11531,6526 litre	92,483 %	937,3286 litre	O
360	CM 105	CM 182 LEVEL CM	11480,6465 litre	92,074 %	988,3347 litre	O
360	CM 105	CM 181 LEVEL CM	11428,8636 litre	91,658 %	1040,1176 litre	O
360	CM 105	CM 180 LEVEL CM	11376,3254 litre	91,237 %	1092,6558 litre	O
360	CM 105	CM 179 LEVEL CM	11323,0523 litre	90,810 %	1145,9289 litre	O
360	CM 105	CM 178 LEVEL CM	11269,0639 litre	90,377 %	1199,9173 litre	O
360	CM 105	CM 177 LEVEL CM	11214,3790 litre	89,938 %	1254,6022 litre	O
360	CM 105	CM 176 LEVEL CM	11159,0158 litre	89,494 %	1309,9654 litre	O
360	CM 105	CM 175 LEVEL CM	11102,9916 litre	89,045 %	1365,9896 litre	O
360	CM 105	CM 174 LEVEL CM	11046,3235 litre	88,590 %	1422,6577 litre	O
360	CM 105	CM 173 LEVEL CM	10989,0276 litre	88,131 %	1479,9536 litre	O
360	CM 105	CM 172 LEVEL CM	10931,1196 litre	87,667 %	1537,8616 litre	O
360	CM 105	CM 171 LEVEL CM	10872,6150 litre	87,197 %	1596,3662 litre	O
360	CM 105	CM 170 LEVEL CM	10813,5284 litre	86,723 %	1655,4528 litre	O
360	CM 105	CM 169 LEVEL CM	10753,8743 litre	86,245 %	1715,1069 litre	O
360	CM 105	CM 168 LEVEL CM	10693,6665 litre	85,762 %	1775,3147 litre	O
360	CM 105	CM 167 LEVEL CM	10632,9187 litre	85,275 %	1836,0625 litre	O
360	CM 105	CM 166 LEVEL CM	10571,6441 litre	84,784 %	1897,3371 litre	O
360	CM 105	CM 165 LEVEL CM	10509,8556 litre	84,288 %	1959,1256 litre	O
360	CM 105	CM 164 LEVEL CM	10447,5657 litre	83,788 %	2021,4155 litre	O
360	CM 105	CM 163 LEVEL CM	10384,7867 litre	83,285 %	2084,1945 litre	O
360	CM 105	CM 162 LEVEL CM	10321,5306 litre	82,778 %	2147,4506 litre	O
360	CM 105	CM 161 LEVEL CM	10257,8090 litre	82,267 %	2211,1722 litre	O
360	CM 105	CM 160 LEVEL CM	10193,6335 litre	81,752 %	2275,3477 litre	O
360	CM 105	CM 159 LEVEL CM	10129,0152 litre	81,234 %	2339,9660 litre	O

360	CM	105	CM	158 LEVEL CM	10063,9652 litre	80,712 %	2405,0160 litre	O
360	CM	105	CM	157 LEVEL CM	9998,4941 litre	80,187 %	2470,4871 litre	O
360	CM	105	CM	156 LEVEL CM	9932,6125 litre	79,659 %	2536,3687 litre	O
360	CM	105	CM	155 LEVEL CM	9866,3309 litre	79,127 %	2602,6503 litre	O
360	CM	105	CM	154 LEVEL CM	9799,6594 litre	78,592 %	2669,3218 litre	O
360	CM	105	CM	153 LEVEL CM	9732,6079 litre	78,055 %	2736,3733 litre	O
360	CM	105	CM	152 LEVEL CM	9665,1863 litre	77,514 %	2803,7949 litre	O
360	CM	105	CM	151 LEVEL CM	9597,4044 litre	76,970 %	2871,5768 litre	O
360	CM	105	CM	150 LEVEL CM	9529,2715 litre	76,424 %	2939,7097 litre	O
360	CM	105	CM	149 LEVEL CM	9460,7971 litre	75,875 %	3008,1841 litre	O
360	CM	105	CM	148 LEVEL CM	9391,9904 litre	75,323 %	3076,9908 litre	O
360	CM	105	CM	147 LEVEL CM	9322,8604 litre	74,768 %	3146,1208 litre	O
360	CM	105	CM	146 LEVEL CM	9253,4162 litre	74,211 %	3215,5650 litre	O
360	CM	105	CM	145 LEVEL CM	9183,6667 litre	73,652 %	3285,3145 litre	O
360	CM	105	CM	144 LEVEL CM	9113,6204 litre	73,090 %	3355,3608 litre	O
360	CM	105	CM	143 LEVEL CM	9043,2861 litre	72,526 %	3425,6951 litre	O
360	CM	105	CM	142 LEVEL CM	8972,6723 litre	71,960 %	3496,3089 litre	O
360	CM	105	CM	141 LEVEL CM	8901,7874 litre	71,391 %	3567,1938 litre	O
360	CM	105	CM	140 LEVEL CM	8830,6397 litre	70,821 %	3638,3415 litre	O
360	CM	105	CM	139 LEVEL CM	8759,2374 litre	70,248 %	3709,7438 litre	O
360	CM	105	CM	138 LEVEL CM	8687,5887 litre	69,674 %	3781,3925 litre	O
360	CM	105	CM	137 LEVEL CM	8615,7016 litre	69,097 %	3853,2796 litre	O
360	CM	105	CM	136 LEVEL CM	8543,5841 litre	68,519 %	3925,3971 litre	O
360	CM	105	CM	135 LEVEL CM	8471,2442 litre	67,939 %	3997,7370 litre	O
360	CM	105	CM	134 LEVEL CM	8398,6895 litre	67,357 %	4070,2917 litre	O
360	CM	105	CM	133 LEVEL CM	8325,9280 litre	66,773 %	4143,0532 litre	O
360	CM	105	CM	132 LEVEL CM	8252,9672 litre	66,188 %	4216,0140 litre	O
360	CM	105	CM	131 LEVEL CM	8179,8148 litre	65,601 %	4289,1664 litre	O
360	CM	105	CM	130 LEVEL CM	8106,4785 litre	65,013 %	4362,5027 litre	O
360	CM	105	CM	129 LEVEL CM	8032,9656 litre	64,424 %	4436,0156 litre	O
360	CM	105	CM	128 LEVEL CM	7959,2836 litre	63,833 %	4509,6976 litre	O
360	CM	105	CM	127 LEVEL CM	7885,4401 litre	63,240 %	4583,5411 litre	O
360	CM	105	CM	126 LEVEL CM	7811,4422 litre	62,647 %	4657,5390 litre	O
360	CM	105	CM	125 LEVEL CM	7737,2974 litre	62,052 %	4731,6838 litre	O
360	CM	105	CM	124 LEVEL CM	7663,0128 litre	61,457 %	4805,9684 litre	O
360	CM	105	CM	123 LEVEL CM	7588,5958 litre	60,860 %	4880,3854 litre	O
360	CM	105	CM	122 LEVEL CM	7514,0535 litre	60,262 %	4954,9277 litre	O
360	CM	105	CM	121 LEVEL CM	7439,3930 litre	59,663 %	5029,5882 litre	O
360	CM	105	CM	120 LEVEL CM	7364,6216 litre	59,064 %	5104,3596 litre	O
360	CM	105	CM	119 LEVEL CM	7289,7462 litre	58,463 %	5179,2350 litre	O
360	CM	105	CM	118 LEVEL CM	7214,7740 litre	57,862 %	5254,2072 litre	O
360	CM	105	CM	117 LEVEL CM	7139,7119 litre	57,260 %	5329,2693 litre	O
360	CM	105	CM	116 LEVEL CM	7064,5670 litre	56,657 %	5404,4142 litre	O
360	CM	105	CM	115 LEVEL CM	6989,3462 litre	56,054 %	5479,6350 litre	O
360	CM	105	CM	114 LEVEL CM	6914,0566 litre	55,450 %	5554,9246 litre	O
360	CM	105	CM	113 LEVEL CM	6838,7050 litre	54,846 %	5630,2762 litre	O
360	CM	105	CM	112 LEVEL CM	6763,2984 litre	54,241 %	5705,6828 litre	O
360	CM	105	CM	111 LEVEL CM	6687,8436 litre	53,636 %	5781,1376 litre	O
360	CM	105	CM	110 LEVEL CM	6612,3477 litre	53,030 %	5856,6335 litre	O
360	CM	105	CM	109 LEVEL CM	6536,8175 litre	52,425 %	5932,1637 litre	O
360	CM	105	CM	108 LEVEL CM	6461,2598 litre	51,819 %	6007,7214 litre	O
360	CM	105	CM	107 LEVEL CM	6385,6815 litre	51,213 %	6083,2997 litre	O
360	CM	105	CM	106 LEVEL CM	6310,0895 litre	50,606 %	6158,8917 litre	O

360	CM	105	CM	105 LEVEL CM	6234,4906 litre	50,000 %	6234,4906 litre	O
360	CM	105	CM	104 LEVEL CM	6158,8918 litre	49,394 %	6310,0894 litre	O
360	CM	105	CM	103 LEVEL CM	6083,2998 litre	48,787 %	6385,6814 litre	O
360	CM	105	CM	102 LEVEL CM	6007,7215 litre	48,181 %	6461,2597 litre	O
360	CM	105	CM	101 LEVEL CM	5932,1638 litre	47,575 %	6536,8174 litre	O
360	CM	105	CM	100 LEVEL CM	5856,6335 litre	46,970 %	6612,3477 litre	O
360	CM	105	CM	99 LEVEL CM	5781,1376 litre	46,364 %	6687,8436 litre	O
360	CM	105	CM	98 LEVEL CM	5705,6829 litre	45,759 %	6763,2983 litre	O
360	CM	105	CM	97 LEVEL CM	5630,2763 litre	45,154 %	6838,7049 litre	O
360	CM	105	CM	96 LEVEL CM	5554,9247 litre	44,550 %	6914,0565 litre	O
360	CM	105	CM	95 LEVEL CM	5479,6350 litre	43,946 %	6989,3462 litre	O
360	CM	105	CM	94 LEVEL CM	5404,4143 litre	43,343 %	7064,5669 litre	O
360	CM	105	CM	93 LEVEL CM	5329,2694 litre	42,740 %	7139,7118 litre	O
360	CM	105	CM	92 LEVEL CM	5254,2073 litre	42,138 %	7214,7739 litre	O
360	CM	105	CM	91 LEVEL CM	5179,2350 litre	41,537 %	7289,7462 litre	O
360	CM	105	CM	90 LEVEL CM	5104,3597 litre	40,936 %	7364,6215 litre	O
360	CM	105	CM	89 LEVEL CM	5029,5882 litre	40,337 %	7439,3930 litre	O
360	CM	105	CM	88 LEVEL CM	4954,9278 litre	39,738 %	7514,0534 litre	O
360	CM	105	CM	87 LEVEL CM	4880,3855 litre	39,140 %	7588,5957 litre	O
360	CM	105	CM	86 LEVEL CM	4805,9684 litre	38,543 %	7663,0128 litre	O
360	CM	105	CM	85 LEVEL CM	4731,6839 litre	37,948 %	7737,2973 litre	O
360	CM	105	CM	84 LEVEL CM	4657,5391 litre	37,353 %	7811,4421 litre	O
360	CM	105	CM	83 LEVEL CM	4583,5412 litre	36,760 %	7885,4400 litre	O
360	CM	105	CM	82 LEVEL CM	4509,6976 litre	36,167 %	7959,2836 litre	O
360	CM	105	CM	81 LEVEL CM	4436,0157 litre	35,576 %	8032,9655 litre	O
360	CM	105	CM	80 LEVEL CM	4362,5028 litre	34,987 %	8106,4784 litre	O
360	CM	105	CM	79 LEVEL CM	4289,1664 litre	34,399 %	8179,8148 litre	O
360	CM	105	CM	78 LEVEL CM	4216,0140 litre	33,812 %	8252,9672 litre	O
360	CM	105	CM	77 LEVEL CM	4143,0533 litre	33,227 %	8325,9279 litre	O
360	CM	105	CM	76 LEVEL CM	4070,2917 litre	32,643 %	8398,6895 litre	O
360	CM	105	CM	75 LEVEL CM	3997,7371 litre	32,061 %	8471,2441 litre	O
360	CM	105	CM	74 LEVEL CM	3925,3971 litre	31,481 %	8543,5841 litre	O
360	CM	105	CM	73 LEVEL CM	3853,2796 litre	30,903 %	8615,7016 litre	O
360	CM	105	CM	72 LEVEL CM	3781,3926 litre	30,326 %	8687,5886 litre	O
360	CM	105	CM	71 LEVEL CM	3709,7438 litre	29,752 %	8759,2374 litre	O
360	CM	105	CM	70 LEVEL CM	3638,3416 litre	29,179 %	8830,6396 litre	O
360	CM	105	CM	69 LEVEL CM	3567,1938 litre	28,609 %	8901,7874 litre	O
360	CM	105	CM	68 LEVEL CM	3496,3089 litre	28,040 %	8972,6723 litre	O
360	CM	105	CM	67 LEVEL CM	3425,6951 litre	27,474 %	9043,2861 litre	O
360	CM	105	CM	66 LEVEL CM	3355,3608 litre	26,910 %	9113,6204 litre	O
360	CM	105	CM	65 LEVEL CM	3285,3146 litre	26,348 %	9183,6666 litre	O
360	CM	105	CM	64 LEVEL CM	3215,5650 litre	25,789 %	9253,4162 litre	O
360	CM	105	CM	63 LEVEL CM	3146,1208 litre	25,232 %	9322,8604 litre	O
360	CM	105	CM	62 LEVEL CM	3076,9909 litre	24,677 %	9391,9903 litre	O
360	CM	105	CM	61 LEVEL CM	3008,1842 litre	24,125 %	9460,7970 litre	O
360	CM	105	CM	60 LEVEL CM	2939,7097 litre	23,576 %	9529,2715 litre	O
360	CM	105	CM	59 LEVEL CM	2871,5769 litre	23,030 %	9597,4043 litre	O
360	CM	105	CM	58 LEVEL CM	2803,7949 litre	22,486 %	9665,1863 litre	O
360	CM	105	CM	57 LEVEL CM	2736,3733 litre	21,945 %	9732,6079 litre	O
360	CM	105	CM	56 LEVEL CM	2669,3219 litre	21,408 %	9799,6593 litre	O
360	CM	105	CM	55 LEVEL CM	2602,6503 litre	20,873 %	9866,3309 litre	O
360	CM	105	CM	54 LEVEL CM	2536,3687 litre	20,341 %	9932,6125 litre	O
360	CM	105	CM	53 LEVEL CM	2470,4872 litre	19,813 %	9998,4940 litre	O

360	CM	105	CM	52 LEVEL CM	2405,0161 litre	19,288 %	10063,9651 litre	O
360	CM	105	CM	51 LEVEL CM	2339,9660 litre	18,766 %	10129,0152 litre	O
360	CM	105	CM	50 LEVEL CM	2275,3477 litre	18,248 %	10193,6335 litre	O
360	CM	105	CM	49 LEVEL CM	2211,1722 litre	17,733 %	10257,8090 litre	O
360	CM	105	CM	48 LEVEL CM	2147,4506 litre	17,222 %	10321,5306 litre	O
360	CM	105	CM	47 LEVEL CM	2084,1945 litre	16,715 %	10384,7867 litre	O
360	CM	105	CM	46 LEVEL CM	2021,4155 litre	16,212 %	10447,5657 litre	O
360	CM	105	CM	45 LEVEL CM	1959,1256 litre	15,712 %	10509,8556 litre	O
360	CM	105	CM	44 LEVEL CM	1897,3371 litre	15,216 %	10571,6441 litre	O
360	CM	105	CM	43 LEVEL CM	1836,0625 litre	14,725 %	10632,9187 litre	O
360	CM	105	CM	42 LEVEL CM	1775,3147 litre	14,238 %	10693,6665 litre	O
360	CM	105	CM	41 LEVEL CM	1715,1070 litre	13,755 %	10753,8742 litre	O
360	CM	105	CM	40 LEVEL CM	1655,4528 litre	13,277 %	10813,5284 litre	O
360	CM	105	CM	39 LEVEL CM	1596,3662 litre	12,803 %	10872,6150 litre	O
360	CM	105	CM	38 LEVEL CM	1537,8616 litre	12,333 %	10931,1196 litre	O
360	CM	105	CM	37 LEVEL CM	1479,9537 litre	11,869 %	10989,0275 litre	O
360	CM	105	CM	36 LEVEL CM	1422,6578 litre	11,410 %	11046,3234 litre	O
360	CM	105	CM	35 LEVEL CM	1365,9896 litre	10,955 %	11102,9916 litre	O
360	CM	105	CM	34 LEVEL CM	1309,9655 litre	10,506 %	11159,0157 litre	O
360	CM	105	CM	33 LEVEL CM	1254,6022 litre	10,062 %	11214,3790 litre	O
360	CM	105	CM	32 LEVEL CM	1199,9173 litre	9,623 %	11269,0639 litre	O
360	CM	105	CM	31 LEVEL CM	1145,9289 litre	9,190 %	11323,0523 litre	O
360	CM	105	CM	30 LEVEL CM	1092,6558 litre	8,763 %	11376,3254 litre	O
360	CM	105	CM	29 LEVEL CM	1040,1176 litre	8,342 %	11428,8636 litre	O
360	CM	105	CM	28 LEVEL CM	988,3348 litre	7,926 %	11480,6464 litre	O
360	CM	105	CM	27 LEVEL CM	937,3287 litre	7,517 %	11531,6525 litre	O
360	CM	105	CM	26 LEVEL CM	887,1216 litre	7,115 %	11581,8596 litre	O
360	CM	105	CM	25 LEVEL CM	837,7370 litre	6,719 %	11631,2442 litre	O
360	CM	105	CM	24 LEVEL CM	789,1994 litre	6,329 %	11679,7818 litre	O
360	CM	105	CM	23 LEVEL CM	741,5349 litre	5,947 %	11727,4463 litre	O
360	CM	105	CM	22 LEVEL CM	694,7707 litre	5,572 %	11774,2105 litre	O
360	CM	105	CM	21 LEVEL CM	648,9359 litre	5,204 %	11820,0453 litre	O
360	CM	105	CM	20 LEVEL CM	604,0613 litre	4,845 %	11864,9199 litre	O
360	CM	105	CM	19 LEVEL CM	560,1796 litre	4,493 %	11908,8016 litre	O
360	CM	105	CM	18 LEVEL CM	517,3261 litre	4,149 %	11951,6551 litre	O
360	CM	105	CM	17 LEVEL CM	475,5383 litre	3,814 %	11993,4429 litre	O
360	CM	105	CM	16 LEVEL CM	434,8570 litre	3,488 %	12034,1242 litre	O
360	CM	105	CM	15 LEVEL CM	395,3261 litre	3,170 %	12073,6551 litre	O
360	CM	105	CM	14 LEVEL CM	356,9938 litre	2,863 %	12111,9874 litre	O
360	CM	105	CM	13 LEVEL CM	319,9127 litre	2,566 %	12149,0685 litre	O
360	CM	105	CM	12 LEVEL CM	284,1411 litre	2,279 %	12184,8401 litre	O
360	CM	105	CM	11 LEVEL CM	249,7439 litre	2,003 %	12219,2373 litre	O
360	CM	105	CM	10 LEVEL CM	216,7941 litre	1,739 %	12252,1871 litre	O
360	CM	105	CM	9 LEVEL CM	185,3748 litre	1,487 %	12283,6064 litre	O
360	CM	105	CM	8 LEVEL CM	155,5820 litre	1,248 %	12313,3992 litre	O
360	CM	105	CM	7 LEVEL CM	127,5283 litre	1,023 %	12341,4529 litre	O
360	CM	105	CM	6 LEVEL CM	101,3491 litre	0,813 %	12367,6321 litre	O
360	CM	105	CM	5 LEVEL CM	77,2110 litre	0,619 %	12391,7702 litre	O
360	CM	105	CM	4 LEVEL CM	55,3278 litre	0,444 %	12413,6534 litre	O
360	CM	105	CM	3 LEVEL CM	35,9884 litre	0,289 %	12432,9928 litre	O
360	CM	105	CM	2 LEVEL CM	19,6178 litre	0,157 %	12449,3634 litre	O
360	CM	105	CM	1 LEVEL CM	6,9459 litre	0,056 %	12462,0353 litre	O
360	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	12468,9812 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM 100	CM 200 LEVEL CM	11309,7336 litre	100,000 %	0,0000 litre	O
360	CM 100	CM 199 LEVEL CM	11302,9555 litre	99,940 %	6,7781 litre	O
360	CM 100	CM 198 LEVEL CM	11290,5913 litre	99,831 %	19,1423 litre	O
360	CM 100	CM 197 LEVEL CM	11274,6201 litre	99,690 %	35,1135 litre	O
360	CM 100	CM 196 LEVEL CM	11255,7548 litre	99,523 %	53,9788 litre	O
360	CM 100	CM 195 LEVEL CM	11234,4107 litre	99,334 %	75,3229 litre	O
360	CM 100	CM 194 LEVEL CM	11210,8702 litre	99,126 %	98,8634 litre	O
360	CM 100	CM 193 LEVEL CM	11185,3423 litre	98,900 %	124,3913 litre	O
360	CM 100	CM 192 LEVEL CM	11157,9901 litre	98,658 %	151,7435 litre	O
360	CM 100	CM 191 LEVEL CM	11128,9460 litre	98,401 %	180,7876 litre	O
360	CM 100	CM 190 LEVEL CM	11098,3203 litre	98,131 %	211,4133 litre	O
360	CM 100	CM 189 LEVEL CM	11066,2069 litre	97,847 %	243,5267 litre	O
360	CM 100	CM 188 LEVEL CM	11032,6873 litre	97,550 %	277,0463 litre	O
360	CM 100	CM 187 LEVEL CM	10997,8331 litre	97,242 %	311,9005 litre	O
360	CM 100	CM 186 LEVEL CM	10961,7079 litre	96,923 %	348,0257 litre	O
360	CM 100	CM 185 LEVEL CM	10924,3689 litre	96,593 %	385,3647 litre	O
360	CM 100	CM 184 LEVEL CM	10885,8676 litre	96,252 %	423,8660 litre	O
360	CM 100	CM 183 LEVEL CM	10846,2515 litre	95,902 %	463,4821 litre	O
360	CM 100	CM 182 LEVEL CM	10805,5636 litre	95,542 %	504,1700 litre	O
360	CM 100	CM 181 LEVEL CM	10763,8439 litre	95,173 %	545,8897 litre	O
360	CM 100	CM 180 LEVEL CM	10721,1296 litre	94,796 %	588,6040 litre	O
360	CM 100	CM 179 LEVEL CM	10677,4550 litre	94,409 %	632,2786 litre	O
360	CM 100	CM 178 LEVEL CM	10632,8526 litre	94,015 %	676,8810 litre	O
360	CM 100	CM 177 LEVEL CM	10587,3526 litre	93,613 %	722,3810 litre	O
360	CM 100	CM 176 LEVEL CM	10540,9835 litre	93,203 %	768,7501 litre	O
360	CM 100	CM 175 LEVEL CM	10493,7724 litre	92,785 %	815,9612 litre	O
360	CM 100	CM 174 LEVEL CM	10445,7448 litre	92,361 %	863,9888 litre	O
360	CM 100	CM 173 LEVEL CM	10396,9249 litre	91,929 %	912,8087 litre	O
360	CM 100	CM 172 LEVEL CM	10347,3359 litre	91,491 %	962,3977 litre	O
360	CM 100	CM 171 LEVEL CM	10296,9998 litre	91,045 %	1012,7338 litre	O
360	CM 100	CM 170 LEVEL CM	10245,9377 litre	90,594 %	1063,7959 litre	O
360	CM 100	CM 169 LEVEL CM	10194,1698 litre	90,136 %	1115,5638 litre	O
360	CM 100	CM 168 LEVEL CM	10141,7155 litre	89,672 %	1168,0181 litre	O
360	CM 100	CM 167 LEVEL CM	10088,5934 litre	89,203 %	1221,1402 litre	O
360	CM 100	CM 166 LEVEL CM	10034,8214 litre	88,727 %	1274,9122 litre	O
360	CM 100	CM 165 LEVEL CM	9980,4168 litre	88,246 %	1329,3168 litre	O
360	CM 100	CM 164 LEVEL CM	9925,3963 litre	87,760 %	1384,3373 litre	O
360	CM 100	CM 163 LEVEL CM	9869,7761 litre	87,268 %	1439,9575 litre	O
360	CM 100	CM 162 LEVEL CM	9813,5717 litre	86,771 %	1496,1619 litre	O
360	CM 100	CM 161 LEVEL CM	9756,7984 litre	86,269 %	1552,9352 litre	O
360	CM 100	CM 160 LEVEL CM	9699,4708 litre	85,762 %	1610,2628 litre	O
360	CM 100	CM 159 LEVEL CM	9641,6031 litre	85,250 %	1668,1305 litre	O
360	CM 100	CM 158 LEVEL CM	9583,2093 litre	84,734 %	1726,5243 litre	O
360	CM 100	CM 157 LEVEL CM	9524,3028 litre	84,213 %	1785,4308 litre	O
360	CM 100	CM 156 LEVEL CM	9464,8968 litre	83,688 %	1844,8368 litre	O
360	CM 100	CM 155 LEVEL CM	9405,0040 litre	83,158 %	1904,7296 litre	O
360	CM 100	CM 154 LEVEL CM	9344,6372 litre	82,625 %	1965,0964 litre	O
360	CM 100	CM 153 LEVEL CM	9283,8083 litre	82,087 %	2025,9253 litre	O
360	CM 100	CM 152 LEVEL CM	9222,5294 litre	81,545 %	2087,2042 litre	O
360	CM 100	CM 151 LEVEL CM	9160,8122 litre	80,999 %	2148,9214 litre	O
360	CM 100	CM 150 LEVEL CM	9098,6681 litre	80,450 %	2211,0655 litre	O
360	CM 100	CM 149 LEVEL CM	9036,1083 litre	79,897 %	2273,6253 litre	O

360	CM	100	CM	148 LEVEL CM	8973,1437 litre	79,340 %	2336,5899 litre	O
360	CM	100	CM	147 LEVEL CM	8909,7852 litre	78,780 %	2399,9484 litre	O
360	CM	100	CM	146 LEVEL CM	8846,0432 litre	78,216 %	2463,6904 litre	O
360	CM	100	CM	145 LEVEL CM	8781,9283 litre	77,649 %	2527,8053 litre	O
360	CM	100	CM	144 LEVEL CM	8717,4505 litre	77,079 %	2592,2831 litre	O
360	CM	100	CM	143 LEVEL CM	8652,6199 litre	76,506 %	2657,1137 litre	O
360	CM	100	CM	142 LEVEL CM	8587,4464 litre	75,930 %	2722,2872 litre	O
360	CM	100	CM	141 LEVEL CM	8521,9396 litre	75,350 %	2787,7940 litre	O
360	CM	100	CM	140 LEVEL CM	8456,1092 litre	74,768 %	2853,6244 litre	O
360	CM	100	CM	139 LEVEL CM	8389,9646 litre	74,184 %	2919,7690 litre	O
360	CM	100	CM	138 LEVEL CM	8323,5150 litre	73,596 %	2986,2186 litre	O
360	CM	100	CM	137 LEVEL CM	8256,7695 litre	73,006 %	3052,9641 litre	O
360	CM	100	CM	136 LEVEL CM	8189,7374 litre	72,413 %	3119,9962 litre	O
360	CM	100	CM	135 LEVEL CM	8122,4274 litre	71,818 %	3187,3062 litre	O
360	CM	100	CM	134 LEVEL CM	8054,8483 litre	71,220 %	3254,8853 litre	O
360	CM	100	CM	133 LEVEL CM	7987,0090 litre	70,621 %	3322,7246 litre	O
360	CM	100	CM	132 LEVEL CM	7918,9179 litre	70,019 %	3390,8157 litre	O
360	CM	100	CM	131 LEVEL CM	7850,5837 litre	69,414 %	3459,1499 litre	O
360	CM	100	CM	130 LEVEL CM	7782,0147 litre	68,808 %	3527,7189 litre	O
360	CM	100	CM	129 LEVEL CM	7713,2192 litre	68,200 %	3596,5144 litre	O
360	CM	100	CM	128 LEVEL CM	7644,2056 litre	67,590 %	3665,5280 litre	O
360	CM	100	CM	127 LEVEL CM	7574,9819 litre	66,978 %	3734,7517 litre	O
360	CM	100	CM	126 LEVEL CM	7505,5564 litre	66,364 %	3804,1772 litre	O
360	CM	100	CM	125 LEVEL CM	7435,9369 litre	65,748 %	3873,7967 litre	O
360	CM	100	CM	124 LEVEL CM	7366,1316 litre	65,131 %	3943,6020 litre	O
360	CM	100	CM	123 LEVEL CM	7296,1483 litre	64,512 %	4013,5853 litre	O
360	CM	100	CM	122 LEVEL CM	7225,9948 litre	63,892 %	4083,7388 litre	O
360	CM	100	CM	121 LEVEL CM	7155,6789 litre	63,270 %	4154,0547 litre	O
360	CM	100	CM	120 LEVEL CM	7085,2083 litre	62,647 %	4224,5253 litre	O
360	CM	100	CM	119 LEVEL CM	7014,5908 litre	62,023 %	4295,1428 litre	O
360	CM	100	CM	118 LEVEL CM	6943,8340 litre	61,397 %	4365,8996 litre	O
360	CM	100	CM	117 LEVEL CM	6872,9454 litre	60,770 %	4436,7882 litre	O
360	CM	100	CM	116 LEVEL CM	6801,9325 litre	60,142 %	4507,8011 litre	O
360	CM	100	CM	115 LEVEL CM	6730,8030 litre	59,513 %	4578,9306 litre	O
360	CM	100	CM	114 LEVEL CM	6659,5642 litre	58,883 %	4650,1694 litre	O
360	CM	100	CM	113 LEVEL CM	6588,2237 litre	58,253 %	4721,5099 litre	O
360	CM	100	CM	112 LEVEL CM	6516,7887 litre	57,621 %	4792,9449 litre	O
360	CM	100	CM	111 LEVEL CM	6445,2667 litre	56,989 %	4864,4669 litre	O
360	CM	100	CM	110 LEVEL CM	6373,6650 litre	56,356 %	4936,0686 litre	O
360	CM	100	CM	109 LEVEL CM	6301,9909 litre	55,722 %	5007,7427 litre	O
360	CM	100	CM	108 LEVEL CM	6230,2518 litre	55,088 %	5079,4818 litre	O
360	CM	100	CM	107 LEVEL CM	6158,4549 litre	54,453 %	5151,2787 litre	O
360	CM	100	CM	106 LEVEL CM	6086,6074 litre	53,817 %	5223,1262 litre	O
360	CM	100	CM	105 LEVEL CM	6014,7167 litre	53,182 %	5295,0169 litre	O
360	CM	100	CM	104 LEVEL CM	5942,7900 litre	52,546 %	5366,9436 litre	O
360	CM	100	CM	103 LEVEL CM	5870,8344 litre	51,910 %	5438,8992 litre	O
360	CM	100	CM	102 LEVEL CM	5798,8572 litre	51,273 %	5510,8764 litre	O
360	CM	100	CM	101 LEVEL CM	5726,8656 litre	50,637 %	5582,8680 litre	O
360	CM	100	CM	100 LEVEL CM	5654,8668 litre	50,000 %	5654,8668 litre	O
360	CM	100	CM	99 LEVEL CM	5582,8680 litre	49,363 %	5726,8656 litre	O
360	CM	100	CM	98 LEVEL CM	5510,8764 litre	48,727 %	5798,8572 litre	O
360	CM	100	CM	97 LEVEL CM	5438,8992 litre	48,090 %	5870,8344 litre	O
360	CM	100	CM	96 LEVEL CM	5366,9436 litre	47,454 %	5942,7900 litre	O

360	CM	100	CM	95 LEVEL CM	5295,0168 litre	46,818 %	6014,7168 litre	O
360	CM	100	CM	94 LEVEL CM	5223,1261 litre	46,183 %	6086,6075 litre	O
360	CM	100	CM	93 LEVEL CM	5151,2787 litre	45,547 %	6158,4549 litre	O
360	CM	100	CM	92 LEVEL CM	5079,4818 litre	44,912 %	6230,2518 litre	O
360	CM	100	CM	91 LEVEL CM	5007,7426 litre	44,278 %	6301,9910 litre	O
360	CM	100	CM	90 LEVEL CM	4936,0686 litre	43,644 %	6373,6650 litre	O
360	CM	100	CM	89 LEVEL CM	4864,4669 litre	43,011 %	6445,2667 litre	O
360	CM	100	CM	88 LEVEL CM	4792,9449 litre	42,379 %	6516,7887 litre	O
360	CM	100	CM	87 LEVEL CM	4721,5099 litre	41,747 %	6588,2237 litre	O
360	CM	100	CM	86 LEVEL CM	4650,1693 litre	41,117 %	6659,5643 litre	O
360	CM	100	CM	85 LEVEL CM	4578,9306 litre	40,487 %	6730,8030 litre	O
360	CM	100	CM	84 LEVEL CM	4507,8010 litre	39,858 %	6801,9326 litre	O
360	CM	100	CM	83 LEVEL CM	4436,7882 litre	39,230 %	6872,9454 litre	O
360	CM	100	CM	82 LEVEL CM	4365,8996 litre	38,603 %	6943,8340 litre	O
360	CM	100	CM	81 LEVEL CM	4295,1427 litre	37,977 %	7014,5909 litre	O
360	CM	100	CM	80 LEVEL CM	4224,5252 litre	37,353 %	7085,2084 litre	O
360	CM	100	CM	79 LEVEL CM	4154,0547 litre	36,730 %	7155,6789 litre	O
360	CM	100	CM	78 LEVEL CM	4083,7388 litre	36,108 %	7225,9948 litre	O
360	CM	100	CM	77 LEVEL CM	4013,5853 litre	35,488 %	7296,1483 litre	O
360	CM	100	CM	76 LEVEL CM	3943,6019 litre	34,869 %	7366,1317 litre	O
360	CM	100	CM	75 LEVEL CM	3873,7966 litre	34,252 %	7435,9370 litre	O
360	CM	100	CM	74 LEVEL CM	3804,1772 litre	33,636 %	7505,5564 litre	O
360	CM	100	CM	73 LEVEL CM	3734,7516 litre	33,022 %	7574,9820 litre	O
360	CM	100	CM	72 LEVEL CM	3665,5280 litre	32,410 %	7644,2056 litre	O
360	CM	100	CM	71 LEVEL CM	3596,5143 litre	31,800 %	7713,2193 litre	O
360	CM	100	CM	70 LEVEL CM	3527,7189 litre	31,192 %	7782,0147 litre	O
360	CM	100	CM	69 LEVEL CM	3459,1499 litre	30,586 %	7850,5837 litre	O
360	CM	100	CM	68 LEVEL CM	3390,8156 litre	29,981 %	7918,9180 litre	O
360	CM	100	CM	67 LEVEL CM	3322,7246 litre	29,379 %	7987,0090 litre	O
360	CM	100	CM	66 LEVEL CM	3254,8852 litre	28,780 %	8054,8484 litre	O
360	CM	100	CM	65 LEVEL CM	3187,3062 litre	28,182 %	8122,4274 litre	O
360	CM	100	CM	64 LEVEL CM	3119,9962 litre	27,587 %	8189,7374 litre	O
360	CM	100	CM	63 LEVEL CM	3052,9640 litre	26,994 %	8256,7696 litre	O
360	CM	100	CM	62 LEVEL CM	2986,2186 litre	26,404 %	8323,5150 litre	O
360	CM	100	CM	61 LEVEL CM	2919,7690 litre	25,816 %	8389,9646 litre	O
360	CM	100	CM	60 LEVEL CM	2853,6243 litre	25,232 %	8456,1093 litre	O
360	CM	100	CM	59 LEVEL CM	2787,7939 litre	24,650 %	8521,9397 litre	O
360	CM	100	CM	58 LEVEL CM	2722,2872 litre	24,070 %	8587,4464 litre	O
360	CM	100	CM	57 LEVEL CM	2657,1137 litre	23,494 %	8652,6199 litre	O
360	CM	100	CM	56 LEVEL CM	2592,2831 litre	22,921 %	8717,4505 litre	O
360	CM	100	CM	55 LEVEL CM	2527,8053 litre	22,351 %	8781,9283 litre	O
360	CM	100	CM	54 LEVEL CM	2463,6903 litre	21,784 %	8846,0433 litre	O
360	CM	100	CM	53 LEVEL CM	2399,9484 litre	21,220 %	8909,7852 litre	O
360	CM	100	CM	52 LEVEL CM	2336,5899 litre	20,660 %	8973,1437 litre	O
360	CM	100	CM	51 LEVEL CM	2273,6253 litre	20,103 %	9036,1083 litre	O
360	CM	100	CM	50 LEVEL CM	2211,0655 litre	19,550 %	9098,6681 litre	O
360	CM	100	CM	49 LEVEL CM	2148,9213 litre	19,001 %	9160,8123 litre	O
360	CM	100	CM	48 LEVEL CM	2087,2041 litre	18,455 %	9222,5295 litre	O
360	CM	100	CM	47 LEVEL CM	2025,9252 litre	17,913 %	9283,8084 litre	O
360	CM	100	CM	46 LEVEL CM	1965,0964 litre	17,375 %	9344,6372 litre	O
360	CM	100	CM	45 LEVEL CM	1904,7295 litre	16,842 %	9405,0041 litre	O
360	CM	100	CM	44 LEVEL CM	1844,8368 litre	16,312 %	9464,8968 litre	O
360	CM	100	CM	43 LEVEL CM	1785,4308 litre	15,787 %	9524,3028 litre	O

360	CM	100	CM	42 LEVEL CM	1726,5243 litre	15,266 %	9583,2093 litre	O
360	CM	100	CM	41 LEVEL CM	1668,1305 litre	14,750 %	9641,6031 litre	O
360	CM	100	CM	40 LEVEL CM	1610,2628 litre	14,238 %	9699,4708 litre	O
360	CM	100	CM	39 LEVEL CM	1552,9351 litre	13,731 %	9756,7985 litre	O
360	CM	100	CM	38 LEVEL CM	1496,1618 litre	13,229 %	9813,5718 litre	O
360	CM	100	CM	37 LEVEL CM	1439,9575 litre	12,732 %	9869,7761 litre	O
360	CM	100	CM	36 LEVEL CM	1384,3372 litre	12,240 %	9925,3964 litre	O
360	CM	100	CM	35 LEVEL CM	1329,3168 litre	11,754 %	9980,4168 litre	O
360	CM	100	CM	34 LEVEL CM	1274,9122 litre	11,273 %	10034,8214 litre	O
360	CM	100	CM	33 LEVEL CM	1221,1402 litre	10,797 %	10088,5934 litre	O
360	CM	100	CM	32 LEVEL CM	1168,0180 litre	10,328 %	10141,7156 litre	O
360	CM	100	CM	31 LEVEL CM	1115,5637 litre	9,864 %	10194,1699 litre	O
360	CM	100	CM	30 LEVEL CM	1063,7958 litre	9,406 %	10245,9378 litre	O
360	CM	100	CM	29 LEVEL CM	1012,7337 litre	8,955 %	10296,9999 litre	O
360	CM	100	CM	28 LEVEL CM	962,3977 litre	8,509 %	10347,3359 litre	O
360	CM	100	CM	27 LEVEL CM	912,8087 litre	8,071 %	10396,9249 litre	O
360	CM	100	CM	26 LEVEL CM	863,9888 litre	7,639 %	10445,7448 litre	O
360	CM	100	CM	25 LEVEL CM	815,9612 litre	7,215 %	10493,7724 litre	O
360	CM	100	CM	24 LEVEL CM	768,7500 litre	6,797 %	10540,9836 litre	O
360	CM	100	CM	23 LEVEL CM	722,3810 litre	6,387 %	10587,3526 litre	O
360	CM	100	CM	22 LEVEL CM	676,8810 litre	5,985 %	10632,8526 litre	O
360	CM	100	CM	21 LEVEL CM	632,2785 litre	5,591 %	10677,4551 litre	O
360	CM	100	CM	20 LEVEL CM	588,6040 litre	5,204 %	10721,1296 litre	O
360	CM	100	CM	19 LEVEL CM	545,8896 litre	4,827 %	10763,8440 litre	O
360	CM	100	CM	18 LEVEL CM	504,1700 litre	4,458 %	10805,5636 litre	O
360	CM	100	CM	17 LEVEL CM	463,4821 litre	4,098 %	10846,2515 litre	O
360	CM	100	CM	16 LEVEL CM	423,8659 litre	3,748 %	10885,8677 litre	O
360	CM	100	CM	15 LEVEL CM	385,3647 litre	3,407 %	10924,3689 litre	O
360	CM	100	CM	14 LEVEL CM	348,0256 litre	3,077 %	10961,7080 litre	O
360	CM	100	CM	13 LEVEL CM	311,9004 litre	2,758 %	10997,8332 litre	O
360	CM	100	CM	12 LEVEL CM	277,0462 litre	2,450 %	11032,6874 litre	O
360	CM	100	CM	11 LEVEL CM	243,5266 litre	2,153 %	11066,2070 litre	O
360	CM	100	CM	10 LEVEL CM	211,4133 litre	1,869 %	11098,3203 litre	O
360	CM	100	CM	9 LEVEL CM	180,7875 litre	1,599 %	11128,9461 litre	O
360	CM	100	CM	8 LEVEL CM	151,7434 litre	1,342 %	11157,9902 litre	O
360	CM	100	CM	7 LEVEL CM	124,3913 litre	1,100 %	11185,3423 litre	O
360	CM	100	CM	6 LEVEL CM	98,8634 litre	0,874 %	11210,8702 litre	O
360	CM	100	CM	5 LEVEL CM	75,3229 litre	0,666 %	11234,4107 litre	O
360	CM	100	CM	4 LEVEL CM	53,9788 litre	0,477 %	11255,7548 litre	O
360	CM	100	CM	3 LEVEL CM	35,1135 litre	0,310 %	11274,6201 litre	O
360	CM	100	CM	2 LEVEL CM	19,1423 litre	0,169 %	11290,5913 litre	O
360	CM	100	CM	1 LEVEL CM	6,7780 litre	0,060 %	11302,9556 litre	O
360	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	11309,7336 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
360	CM	95	CM	190 LEVEL CM	10207,0345 litre	100,000 %	0,0000 litre	O
360	CM	95	CM	189 LEVEL CM	10200,4286 litre	99,935 %	6,6059 litre	O
360	CM	95	CM	188 LEVEL CM	10188,3799 litre	99,817 %	18,6546 litre	O
360	CM	95	CM	187 LEVEL CM	10172,8183 litre	99,665 %	34,2162 litre	O
360	CM	95	CM	186 LEVEL CM	10154,4394 litre	99,485 %	52,5951 litre	O
360	CM	95	CM	185 LEVEL CM	10133,6483 litre	99,281 %	73,3862 litre	O
360	CM	95	CM	184 LEVEL CM	10110,7210 litre	99,056 %	96,3135 litre	O
360	CM	95	CM	183 LEVEL CM	10085,8615 litre	98,813 %	121,1730 litre	O
360	CM	95	CM	182 LEVEL CM	10059,2293 litre	98,552 %	147,8052 litre	O
360	CM	95	CM	181 LEVEL CM	10030,9537 litre	98,275 %	176,0808 litre	O
360	CM	95	CM	180 LEVEL CM	10001,1427 litre	97,983 %	205,8918 litre	O
360	CM	95	CM	179 LEVEL CM	9969,8881 litre	97,677 %	237,1464 litre	O
360	CM	95	CM	178 LEVEL CM	9937,2698 litre	97,357 %	269,7647 litre	O
360	CM	95	CM	177 LEVEL CM	9903,3578 litre	97,025 %	303,6767 litre	O
360	CM	95	CM	176 LEVEL CM	9868,2144 litre	96,681 %	338,8201 litre	O
360	CM	95	CM	175 LEVEL CM	9831,8958 litre	96,325 %	375,1387 litre	O
360	CM	95	CM	174 LEVEL CM	9794,4525 litre	95,958 %	412,5820 litre	O
360	CM	95	CM	173 LEVEL CM	9755,9309 litre	95,580 %	451,1036 litre	O
360	CM	95	CM	172 LEVEL CM	9716,3735 litre	95,193 %	490,6610 litre	O
360	CM	95	CM	171 LEVEL CM	9675,8194 litre	94,796 %	531,2151 litre	O
360	CM	95	CM	170 LEVEL CM	9634,3052 litre	94,389 %	572,7293 litre	O
360	CM	95	CM	169 LEVEL CM	9591,8647 litre	93,973 %	615,1698 litre	O
360	CM	95	CM	168 LEVEL CM	9548,5296 litre	93,549 %	658,5049 litre	O
360	CM	95	CM	167 LEVEL CM	9504,3299 litre	93,115 %	702,7046 litre	O
360	CM	95	CM	166 LEVEL CM	9459,2936 litre	92,674 %	747,7409 litre	O
360	CM	95	CM	165 LEVEL CM	9413,4472 litre	92,225 %	793,5873 litre	O
360	CM	95	CM	164 LEVEL CM	9366,8161 litre	91,768 %	840,2184 litre	O
360	CM	95	CM	163 LEVEL CM	9319,4240 litre	91,304 %	887,6105 litre	O
360	CM	95	CM	162 LEVEL CM	9271,2938 litre	90,832 %	935,7407 litre	O
360	CM	95	CM	161 LEVEL CM	9222,4473 litre	90,354 %	984,5872 litre	O
360	CM	95	CM	160 LEVEL CM	9172,9053 litre	89,868 %	1034,1292 litre	O
360	CM	95	CM	159 LEVEL CM	9122,6877 litre	89,376 %	1084,3468 litre	O
360	CM	95	CM	158 LEVEL CM	9071,8137 litre	88,878 %	1135,2208 litre	O
360	CM	95	CM	157 LEVEL CM	9020,3017 litre	88,373 %	1186,7328 litre	O
360	CM	95	CM	156 LEVEL CM	8968,1695 litre	87,863 %	1238,8650 litre	O
360	CM	95	CM	155 LEVEL CM	8915,4342 litre	87,346 %	1291,6003 litre	O
360	CM	95	CM	154 LEVEL CM	8862,1123 litre	86,824 %	1344,9222 litre	O
360	CM	95	CM	153 LEVEL CM	8808,2199 litre	86,296 %	1398,8146 litre	O
360	CM	95	CM	152 LEVEL CM	8753,7724 litre	85,762 %	1453,2621 litre	O
360	CM	95	CM	151 LEVEL CM	8698,7848 litre	85,223 %	1508,2497 litre	O
360	CM	95	CM	150 LEVEL CM	8643,2718 litre	84,680 %	1563,7627 litre	O
360	CM	95	CM	149 LEVEL CM	8587,2476 litre	84,131 %	1619,7869 litre	O
360	CM	95	CM	148 LEVEL CM	8530,7258 litre	83,577 %	1676,3087 litre	O
360	CM	95	CM	147 LEVEL CM	8473,7201 litre	83,018 %	1733,3144 litre	O
360	CM	95	CM	146 LEVEL CM	8416,2433 litre	82,455 %	1790,7912 litre	O
360	CM	95	CM	145 LEVEL CM	8358,3085 litre	81,888 %	1848,7260 litre	O
360	CM	95	CM	144 LEVEL CM	8299,9279 litre	81,316 %	1907,1066 litre	O
360	CM	95	CM	143 LEVEL CM	8241,1138 litre	80,740 %	1965,9207 litre	O
360	CM	95	CM	142 LEVEL CM	8181,8782 litre	80,159 %	2025,1563 litre	O
360	CM	95	CM	141 LEVEL CM	8122,2326 litre	79,575 %	2084,8019 litre	O
360	CM	95	CM	140 LEVEL CM	8062,1886 litre	78,987 %	2144,8459 litre	O
360	CM	95	CM	139 LEVEL CM	8001,7573 litre	78,395 %	2205,2772 litre	O

360	CM 95	CM	138 LEVEL CM	7940,9497 litre	77,799 %	2266,0848 litre	O
360	CM 95	CM	137 LEVEL CM	7879,7766 litre	77,199 %	2327,2579 litre	O
360	CM 95	CM	136 LEVEL CM	7818,2486 litre	76,597 %	2388,7859 litre	O
360	CM 95	CM	135 LEVEL CM	7756,3762 litre	75,990 %	2450,6583 litre	O
360	CM 95	CM	134 LEVEL CM	7694,1694 litre	75,381 %	2512,8651 litre	O
360	CM 95	CM	133 LEVEL CM	7631,6386 litre	74,768 %	2575,3959 litre	O
360	CM 95	CM	132 LEVEL CM	7568,7935 litre	74,153 %	2638,2410 litre	O
360	CM 95	CM	131 LEVEL CM	7505,6439 litre	73,534 %	2701,3906 litre	O
360	CM 95	CM	130 LEVEL CM	7442,1994 litre	72,912 %	2764,8351 litre	O
360	CM 95	CM	129 LEVEL CM	7378,4697 litre	72,288 %	2828,5648 litre	O
360	CM 95	CM	128 LEVEL CM	7314,4639 litre	71,661 %	2892,5706 litre	O
360	CM 95	CM	127 LEVEL CM	7250,1914 litre	71,031 %	2956,8431 litre	O
360	CM 95	CM	126 LEVEL CM	7185,6614 litre	70,399 %	3021,3731 litre	O
360	CM 95	CM	125 LEVEL CM	7120,8827 litre	69,764 %	3086,1518 litre	O
360	CM 95	CM	124 LEVEL CM	7055,8645 litre	69,127 %	3151,1700 litre	O
360	CM 95	CM	123 LEVEL CM	6990,6154 litre	68,488 %	3216,4191 litre	O
360	CM 95	CM	122 LEVEL CM	6925,1442 litre	67,847 %	3281,8903 litre	O
360	CM 95	CM	121 LEVEL CM	6859,4596 litre	67,203 %	3347,5749 litre	O
360	CM 95	CM	120 LEVEL CM	6793,5702 litre	66,558 %	3413,4643 litre	O
360	CM 95	CM	119 LEVEL CM	6727,4843 litre	65,910 %	3479,5502 litre	O
360	CM 95	CM	118 LEVEL CM	6661,2104 litre	65,261 %	3545,8241 litre	O
360	CM 95	CM	117 LEVEL CM	6594,7568 litre	64,610 %	3612,2777 litre	O
360	CM 95	CM	116 LEVEL CM	6528,1319 litre	63,957 %	3678,9026 litre	O
360	CM 95	CM	115 LEVEL CM	6461,3437 litre	63,303 %	3745,6908 litre	O
360	CM 95	CM	114 LEVEL CM	6394,4005 litre	62,647 %	3812,6340 litre	O
360	CM 95	CM	113 LEVEL CM	6327,3103 litre	61,990 %	3879,7242 litre	O
360	CM 95	CM	112 LEVEL CM	6260,0812 litre	61,331 %	3946,9533 litre	O
360	CM 95	CM	111 LEVEL CM	6192,7211 litre	60,671 %	4014,3134 litre	O
360	CM 95	CM	110 LEVEL CM	6125,2380 litre	60,010 %	4081,7965 litre	O
360	CM 95	CM	109 LEVEL CM	6057,6398 litre	59,348 %	4149,3947 litre	O
360	CM 95	CM	108 LEVEL CM	5989,9343 litre	58,684 %	4217,1002 litre	O
360	CM 95	CM	107 LEVEL CM	5922,1293 litre	58,020 %	4284,9052 litre	O
360	CM 95	CM	106 LEVEL CM	5854,2326 litre	57,355 %	4352,8019 litre	O
360	CM 95	CM	105 LEVEL CM	5786,2520 litre	56,689 %	4420,7825 litre	O
360	CM 95	CM	104 LEVEL CM	5718,1952 litre	56,022 %	4488,8393 litre	O
360	CM 95	CM	103 LEVEL CM	5650,0698 litre	55,355 %	4556,9647 litre	O
360	CM 95	CM	102 LEVEL CM	5581,8836 litre	54,687 %	4625,1509 litre	O
360	CM 95	CM	101 LEVEL CM	5513,6443 litre	54,018 %	4693,3902 litre	O
360	CM 95	CM	100 LEVEL CM	5445,3593 litre	53,349 %	4761,6752 litre	O
360	CM 95	CM	99 LEVEL CM	5377,0364 litre	52,680 %	4829,9981 litre	O
360	CM 95	CM	98 LEVEL CM	5308,6832 litre	52,010 %	4898,3513 litre	O
360	CM 95	CM	97 LEVEL CM	5240,3072 litre	51,340 %	4966,7273 litre	O
360	CM 95	CM	96 LEVEL CM	5171,9160 litre	50,670 %	5035,1185 litre	O
360	CM 95	CM	95 LEVEL CM	5103,5173 litre	50,000 %	5103,5172 litre	O
360	CM 95	CM	94 LEVEL CM	5035,1185 litre	49,330 %	5171,9160 litre	O
360	CM 95	CM	93 LEVEL CM	4966,7274 litre	48,660 %	5240,3071 litre	O
360	CM 95	CM	92 LEVEL CM	4898,3514 litre	47,990 %	5308,6831 litre	O
360	CM 95	CM	91 LEVEL CM	4829,9981 litre	47,320 %	5377,0364 litre	O
360	CM 95	CM	90 LEVEL CM	4761,6752 litre	46,651 %	5445,3593 litre	O
360	CM 95	CM	89 LEVEL CM	4693,3903 litre	45,982 %	5513,6442 litre	O
360	CM 95	CM	88 LEVEL CM	4625,1509 litre	45,313 %	5581,8836 litre	O
360	CM 95	CM	87 LEVEL CM	4556,9647 litre	44,645 %	5650,0698 litre	O
360	CM 95	CM	86 LEVEL CM	4488,8394 litre	43,978 %	5718,1951 litre	O

360	CM	95	CM	85 LEVEL CM	4420,7825 litre	43,311 %	5786,2520 litre	O
360	CM	95	CM	84 LEVEL CM	4352,8019 litre	42,645 %	5854,2326 litre	O
360	CM	95	CM	83 LEVEL CM	4284,9053 litre	41,980 %	5922,1292 litre	O
360	CM	95	CM	82 LEVEL CM	4217,1003 litre	41,316 %	5989,9342 litre	O
360	CM	95	CM	81 LEVEL CM	4149,3948 litre	40,652 %	6057,6397 litre	O
360	CM	95	CM	80 LEVEL CM	4081,7965 litre	39,990 %	6125,2380 litre	O
360	CM	95	CM	79 LEVEL CM	4014,3134 litre	39,329 %	6192,7211 litre	O
360	CM	95	CM	78 LEVEL CM	3946,9533 litre	38,669 %	6260,0812 litre	O
360	CM	95	CM	77 LEVEL CM	3879,7242 litre	38,010 %	6327,3103 litre	O
360	CM	95	CM	76 LEVEL CM	3812,6340 litre	37,353 %	6394,4005 litre	O
360	CM	95	CM	75 LEVEL CM	3745,6908 litre	36,697 %	6461,3437 litre	O
360	CM	95	CM	74 LEVEL CM	3678,9026 litre	36,043 %	6528,1319 litre	O
360	CM	95	CM	73 LEVEL CM	3612,2777 litre	35,390 %	6594,7568 litre	O
360	CM	95	CM	72 LEVEL CM	3545,8241 litre	34,739 %	6661,2104 litre	O
360	CM	95	CM	71 LEVEL CM	3479,5503 litre	34,090 %	6727,4842 litre	O
360	CM	95	CM	70 LEVEL CM	3413,4644 litre	33,442 %	6793,5701 litre	O
360	CM	95	CM	69 LEVEL CM	3347,5749 litre	32,797 %	6859,4596 litre	O
360	CM	95	CM	68 LEVEL CM	3281,8903 litre	32,153 %	6925,1442 litre	O
360	CM	95	CM	67 LEVEL CM	3216,4191 litre	31,512 %	6990,6154 litre	O
360	CM	95	CM	66 LEVEL CM	3151,1701 litre	30,873 %	7055,8644 litre	O
360	CM	95	CM	65 LEVEL CM	3086,1518 litre	30,236 %	7120,8827 litre	O
360	CM	95	CM	64 LEVEL CM	3021,3732 litre	29,601 %	7185,6613 litre	O
360	CM	95	CM	63 LEVEL CM	2956,8431 litre	28,969 %	7250,1914 litre	O
360	CM	95	CM	62 LEVEL CM	2892,5706 litre	28,339 %	7314,4639 litre	O
360	CM	95	CM	61 LEVEL CM	2828,5649 litre	27,712 %	7378,4696 litre	O
360	CM	95	CM	60 LEVEL CM	2764,8351 litre	27,088 %	7442,1994 litre	O
360	CM	95	CM	59 LEVEL CM	2701,3907 litre	26,466 %	7505,6438 litre	O
360	CM	95	CM	58 LEVEL CM	2638,2411 litre	25,847 %	7568,7934 litre	O
360	CM	95	CM	57 LEVEL CM	2575,3960 litre	25,232 %	7631,6385 litre	O
360	CM	95	CM	56 LEVEL CM	2512,8651 litre	24,619 %	7694,1694 litre	O
360	CM	95	CM	55 LEVEL CM	2450,6584 litre	24,010 %	7756,3761 litre	O
360	CM	95	CM	54 LEVEL CM	2388,7859 litre	23,403 %	7818,2486 litre	O
360	CM	95	CM	53 LEVEL CM	2327,2579 litre	22,801 %	7879,7766 litre	O
360	CM	95	CM	52 LEVEL CM	2266,0849 litre	22,201 %	7940,9496 litre	O
360	CM	95	CM	51 LEVEL CM	2205,2773 litre	21,605 %	8001,7572 litre	O
360	CM	95	CM	50 LEVEL CM	2144,8460 litre	21,013 %	8062,1885 litre	O
360	CM	95	CM	49 LEVEL CM	2084,8019 litre	20,425 %	8122,2326 litre	O
360	CM	95	CM	48 LEVEL CM	2025,1564 litre	19,841 %	8181,8781 litre	O
360	CM	95	CM	47 LEVEL CM	1965,9207 litre	19,260 %	8241,1138 litre	O
360	CM	95	CM	46 LEVEL CM	1907,1066 litre	18,684 %	8299,9279 litre	O
360	CM	95	CM	45 LEVEL CM	1848,7261 litre	18,112 %	8358,3084 litre	O
360	CM	95	CM	44 LEVEL CM	1790,7912 litre	17,545 %	8416,2433 litre	O
360	CM	95	CM	43 LEVEL CM	1733,3145 litre	16,982 %	8473,7200 litre	O
360	CM	95	CM	42 LEVEL CM	1676,3087 litre	16,423 %	8530,7258 litre	O
360	CM	95	CM	41 LEVEL CM	1619,7870 litre	15,869 %	8587,2475 litre	O
360	CM	95	CM	40 LEVEL CM	1563,7627 litre	15,320 %	8643,2718 litre	O
360	CM	95	CM	39 LEVEL CM	1508,2497 litre	14,777 %	8698,7848 litre	O
360	CM	95	CM	38 LEVEL CM	1453,2622 litre	14,238 %	8753,7723 litre	O
360	CM	95	CM	37 LEVEL CM	1398,8146 litre	13,704 %	8808,2199 litre	O
360	CM	95	CM	36 LEVEL CM	1344,9222 litre	13,176 %	8862,1123 litre	O
360	CM	95	CM	35 LEVEL CM	1291,6003 litre	12,654 %	8915,4342 litre	O
360	CM	95	CM	34 LEVEL CM	1238,8650 litre	12,137 %	8968,1695 litre	O
360	CM	95	CM	33 LEVEL CM	1186,7328 litre	11,627 %	9020,3017 litre	O

360	CM	95	CM	32 LEVEL CM	1135,2208 litre	11,122 %	9071,8137 litre	O
360	CM	95	CM	31 LEVEL CM	1084,3468 litre	10,624 %	9122,6877 litre	O
360	CM	95	CM	30 LEVEL CM	1034,1292 litre	10,132 %	9172,9053 litre	O
360	CM	95	CM	29 LEVEL CM	984,5872 litre	9,646 %	9222,4473 litre	O
360	CM	95	CM	28 LEVEL CM	935,7407 litre	9,168 %	9271,2938 litre	O
360	CM	95	CM	27 LEVEL CM	887,6105 litre	8,696 %	9319,4240 litre	O
360	CM	95	CM	26 LEVEL CM	840,2185 litre	8,232 %	9366,8160 litre	O
360	CM	95	CM	25 LEVEL CM	793,5873 litre	7,775 %	9413,4472 litre	O
360	CM	95	CM	24 LEVEL CM	747,7410 litre	7,326 %	9459,2935 litre	O
360	CM	95	CM	23 LEVEL CM	702,7047 litre	6,885 %	9504,3298 litre	O
360	CM	95	CM	22 LEVEL CM	658,5049 litre	6,451 %	9548,5296 litre	O
360	CM	95	CM	21 LEVEL CM	615,1699 litre	6,027 %	9591,8646 litre	O
360	CM	95	CM	20 LEVEL CM	572,7294 litre	5,611 %	9634,3051 litre	O
360	CM	95	CM	19 LEVEL CM	531,2151 litre	5,204 %	9675,8194 litre	O
360	CM	95	CM	18 LEVEL CM	490,6611 litre	4,807 %	9716,3734 litre	O
360	CM	95	CM	17 LEVEL CM	451,1036 litre	4,420 %	9755,9309 litre	O
360	CM	95	CM	16 LEVEL CM	412,5820 litre	4,042 %	9794,4525 litre	O
360	CM	95	CM	15 LEVEL CM	375,1388 litre	3,675 %	9831,8957 litre	O
360	CM	95	CM	14 LEVEL CM	338,8201 litre	3,319 %	9868,2144 litre	O
360	CM	95	CM	13 LEVEL CM	303,6768 litre	2,975 %	9903,3577 litre	O
360	CM	95	CM	12 LEVEL CM	269,7648 litre	2,643 %	9937,2697 litre	O
360	CM	95	CM	11 LEVEL CM	237,1464 litre	2,323 %	9969,8881 litre	O
360	CM	95	CM	10 LEVEL CM	205,8919 litre	2,017 %	10001,1426 litre	O
360	CM	95	CM	9 LEVEL CM	176,0808 litre	1,725 %	10030,9537 litre	O
360	CM	95	CM	8 LEVEL CM	147,8052 litre	1,448 %	10059,2293 litre	O
360	CM	95	CM	7 LEVEL CM	121,1730 litre	1,187 %	10085,8615 litre	O
360	CM	95	CM	6 LEVEL CM	96,3135 litre	0,944 %	10110,7210 litre	O
360	CM	95	CM	5 LEVEL CM	73,3862 litre	0,719 %	10133,6483 litre	O
360	CM	95	CM	4 LEVEL CM	52,5952 litre	0,515 %	10154,4393 litre	O
360	CM	95	CM	3 LEVEL CM	34,2162 litre	0,335 %	10172,8183 litre	O
360	CM	95	CM	2 LEVEL CM	18,6546 litre	0,183 %	10188,3799 litre	O
360	CM	95	CM	1 LEVEL CM	6,6059 litre	0,065 %	10200,4286 litre	O
360	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	10207,0345 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
360	CM	90	CM	180 LEVEL CM	9160,8842 litre	100,000 %	0,0000 litre	O
360	CM	90	CM	179 LEVEL CM	9154,4550 litre	99,930 %	6,4292 litre	O
360	CM	90	CM	178 LEVEL CM	9142,7303 litre	99,802 %	18,1539 litre	O
360	CM	90	CM	177 LEVEL CM	9127,5894 litre	99,637 %	33,2948 litre	O
360	CM	90	CM	176 LEVEL CM	9109,7100 litre	99,441 %	51,1742 litre	O
360	CM	90	CM	175 LEVEL CM	9089,4872 litre	99,221 %	71,3970 litre	O
360	CM	90	CM	174 LEVEL CM	9067,1899 litre	98,977 %	93,6943 litre	O
360	CM	90	CM	173 LEVEL CM	9043,0173 litre	98,713 %	117,8669 litre	O
360	CM	90	CM	172 LEVEL CM	9017,1250 litre	98,431 %	143,7592 litre	O
360	CM	90	CM	171 LEVEL CM	8989,6394 litre	98,131 %	171,2448 litre	O
360	CM	90	CM	170 LEVEL CM	8960,6660 litre	97,814 %	200,2182 litre	O
360	CM	90	CM	169 LEVEL CM	8930,2945 litre	97,483 %	230,5897 litre	O
360	CM	90	CM	168 LEVEL CM	8898,6030 litre	97,137 %	262,2812 litre	O
360	CM	90	CM	167 LEVEL CM	8865,6602 litre	96,777 %	295,2240 litre	O
360	CM	90	CM	166 LEVEL CM	8831,5269 litre	96,405 %	329,3573 litre	O
360	CM	90	CM	165 LEVEL CM	8796,2582 litre	96,020 %	364,6260 litre	O
360	CM	90	CM	164 LEVEL CM	8759,9036 litre	95,623 %	400,9806 litre	O
360	CM	90	CM	163 LEVEL CM	8722,5087 litre	95,215 %	438,3755 litre	O
360	CM	90	CM	162 LEVEL CM	8684,1149 litre	94,796 %	476,7693 litre	O
360	CM	90	CM	161 LEVEL CM	8644,7610 litre	94,366 %	516,1232 litre	O
360	CM	90	CM	160 LEVEL CM	8604,4826 litre	93,926 %	556,4016 litre	O
360	CM	90	CM	159 LEVEL CM	8563,3130 litre	93,477 %	597,5712 litre	O
360	CM	90	CM	158 LEVEL CM	8521,2836 litre	93,018 %	639,6006 litre	O
360	CM	90	CM	157 LEVEL CM	8478,4236 litre	92,550 %	682,4606 litre	O
360	CM	90	CM	156 LEVEL CM	8434,7607 litre	92,074 %	726,1235 litre	O
360	CM	90	CM	155 LEVEL CM	8390,3210 litre	91,589 %	770,5632 litre	O
360	CM	90	CM	154 LEVEL CM	8345,1294 litre	91,095 %	815,7548 litre	O
360	CM	90	CM	153 LEVEL CM	8299,2096 litre	90,594 %	861,6746 litre	O
360	CM	90	CM	152 LEVEL CM	8252,5839 litre	90,085 %	908,3003 litre	O
360	CM	90	CM	151 LEVEL CM	8205,2738 litre	89,569 %	955,6104 litre	O
360	CM	90	CM	150 LEVEL CM	8157,3000 litre	89,045 %	1003,5842 litre	O
360	CM	90	CM	149 LEVEL CM	8108,6821 litre	88,514 %	1052,2021 litre	O
360	CM	90	CM	148 LEVEL CM	8059,4391 litre	87,977 %	1101,4451 litre	O
360	CM	90	CM	147 LEVEL CM	8009,5893 litre	87,432 %	1151,2949 litre	O
360	CM	90	CM	146 LEVEL CM	7959,1502 litre	86,882 %	1201,7340 litre	O
360	CM	90	CM	145 LEVEL CM	7908,1387 litre	86,325 %	1252,7455 litre	O
360	CM	90	CM	144 LEVEL CM	7856,5713 litre	85,762 %	1304,3129 litre	O
360	CM	90	CM	143 LEVEL CM	7804,4639 litre	85,193 %	1356,4203 litre	O
360	CM	90	CM	142 LEVEL CM	7751,8318 litre	84,619 %	1409,0524 litre	O
360	CM	90	CM	141 LEVEL CM	7698,6901 litre	84,039 %	1462,1941 litre	O
360	CM	90	CM	140 LEVEL CM	7645,0531 litre	83,453 %	1515,8311 litre	O
360	CM	90	CM	139 LEVEL CM	7590,9350 litre	82,862 %	1569,9492 litre	O
360	CM	90	CM	138 LEVEL CM	7536,3495 litre	82,267 %	1624,5347 litre	O
360	CM	90	CM	137 LEVEL CM	7481,3101 litre	81,666 %	1679,5741 litre	O
360	CM	90	CM	136 LEVEL CM	7425,8297 litre	81,060 %	1735,0545 litre	O
360	CM	90	CM	135 LEVEL CM	7369,9212 litre	80,450 %	1790,9630 litre	O
360	CM	90	CM	134 LEVEL CM	7313,5969 litre	79,835 %	1847,2873 litre	O
360	CM	90	CM	133 LEVEL CM	7256,8691 litre	79,216 %	1904,0151 litre	O
360	CM	90	CM	132 LEVEL CM	7199,7497 litre	78,592 %	1961,1345 litre	O
360	CM	90	CM	131 LEVEL CM	7142,2504 litre	77,965 %	2018,6338 litre	O
360	CM	90	CM	130 LEVEL CM	7084,3826 litre	77,333 %	2076,5016 litre	O
360	CM	90	CM	129 LEVEL CM	7026,1576 litre	76,697 %	2134,7266 litre	O

360	CM	90	CM	128 LEVEL CM	6967,5864 litre	76,058 %	2193,2978 litre	O
360	CM	90	CM	127 LEVEL CM	6908,6798 litre	75,415 %	2252,2044 litre	O
360	CM	90	CM	126 LEVEL CM	6849,4485 litre	74,768 %	2311,4357 litre	O
360	CM	90	CM	125 LEVEL CM	6789,9029 litre	74,118 %	2370,9813 litre	O
360	CM	90	CM	124 LEVEL CM	6730,0534 litre	73,465 %	2430,8308 litre	O
360	CM	90	CM	123 LEVEL CM	6669,9101 litre	72,809 %	2490,9741 litre	O
360	CM	90	CM	122 LEVEL CM	6609,4830 litre	72,149 %	2551,4012 litre	O
360	CM	90	CM	121 LEVEL CM	6548,7821 litre	71,486 %	2612,1021 litre	O
360	CM	90	CM	120 LEVEL CM	6487,8169 litre	70,821 %	2673,0673 litre	O
360	CM	90	CM	119 LEVEL CM	6426,5972 litre	70,153 %	2734,2870 litre	O
360	CM	90	CM	118 LEVEL CM	6365,1324 litre	69,482 %	2795,7518 litre	O
360	CM	90	CM	117 LEVEL CM	6303,4319 litre	68,808 %	2857,4523 litre	O
360	CM	90	CM	116 LEVEL CM	6241,5049 litre	68,132 %	2919,3793 litre	O
360	CM	90	CM	115 LEVEL CM	6179,3607 litre	67,454 %	2981,5235 litre	O
360	CM	90	CM	114 LEVEL CM	6117,0083 litre	66,773 %	3043,8759 litre	O
360	CM	90	CM	113 LEVEL CM	6054,4567 litre	66,090 %	3106,4275 litre	O
360	CM	90	CM	112 LEVEL CM	5991,7147 litre	65,405 %	3169,1695 litre	O
360	CM	90	CM	111 LEVEL CM	5928,7912 litre	64,719 %	3232,0930 litre	O
360	CM	90	CM	110 LEVEL CM	5865,6950 litre	64,030 %	3295,1892 litre	O
360	CM	90	CM	109 LEVEL CM	5802,4346 litre	63,339 %	3358,4496 litre	O
360	CM	90	CM	108 LEVEL CM	5739,0188 litre	62,647 %	3421,8654 litre	O
360	CM	90	CM	107 LEVEL CM	5675,4559 litre	61,953 %	3485,4283 litre	O
360	CM	90	CM	106 LEVEL CM	5611,7546 litre	61,258 %	3549,1296 litre	O
360	CM	90	CM	105 LEVEL CM	5547,9232 litre	60,561 %	3612,9610 litre	O
360	CM	90	CM	104 LEVEL CM	5483,9700 litre	59,863 %	3676,9142 litre	O
360	CM	90	CM	103 LEVEL CM	5419,9035 litre	59,164 %	3740,9807 litre	O
360	CM	90	CM	102 LEVEL CM	5355,7319 litre	58,463 %	3805,1523 litre	O
360	CM	90	CM	101 LEVEL CM	5291,4634 litre	57,761 %	3869,4208 litre	O
360	CM	90	CM	100 LEVEL CM	5227,1063 litre	57,059 %	3933,7779 litre	O
360	CM	90	CM	99 LEVEL CM	5162,6686 litre	56,356 %	3998,2156 litre	O
360	CM	90	CM	98 LEVEL CM	5098,1586 litre	55,651 %	4062,7256 litre	O
360	CM	90	CM	97 LEVEL CM	5033,5843 litre	54,946 %	4127,2999 litre	O
360	CM	90	CM	96 LEVEL CM	4968,9539 litre	54,241 %	4191,9303 litre	O
360	CM	90	CM	95 LEVEL CM	4904,2753 litre	53,535 %	4256,6089 litre	O
360	CM	90	CM	94 LEVEL CM	4839,5567 litre	52,828 %	4321,3275 litre	O
360	CM	90	CM	93 LEVEL CM	4774,8061 litre	52,122 %	4386,0781 litre	O
360	CM	90	CM	92 LEVEL CM	4710,0314 litre	51,415 %	4450,8528 litre	O
360	CM	90	CM	91 LEVEL CM	4645,2408 litre	50,707 %	4515,6434 litre	O
360	CM	90	CM	90 LEVEL CM	4580,4421 litre	50,000 %	4580,4421 litre	O
360	CM	90	CM	89 LEVEL CM	4515,6434 litre	49,293 %	4645,2408 litre	O
360	CM	90	CM	88 LEVEL CM	4450,8528 litre	48,585 %	4710,0314 litre	O
360	CM	90	CM	87 LEVEL CM	4386,0781 litre	47,878 %	4774,8061 litre	O
360	CM	90	CM	86 LEVEL CM	4321,3274 litre	47,172 %	4839,5568 litre	O
360	CM	90	CM	85 LEVEL CM	4256,6088 litre	46,465 %	4904,2754 litre	O
360	CM	90	CM	84 LEVEL CM	4191,9303 litre	45,759 %	4968,9539 litre	O
360	CM	90	CM	83 LEVEL CM	4127,2998 litre	45,054 %	5033,5844 litre	O
360	CM	90	CM	82 LEVEL CM	4062,7256 litre	44,349 %	5098,1586 litre	O
360	CM	90	CM	81 LEVEL CM	3998,2156 litre	43,644 %	5162,6686 litre	O
360	CM	90	CM	80 LEVEL CM	3933,7779 litre	42,941 %	5227,1063 litre	O
360	CM	90	CM	79 LEVEL CM	3869,4208 litre	42,239 %	5291,4634 litre	O
360	CM	90	CM	78 LEVEL CM	3805,1523 litre	41,537 %	5355,7319 litre	O
360	CM	90	CM	77 LEVEL CM	3740,9807 litre	40,836 %	5419,9035 litre	O
360	CM	90	CM	76 LEVEL CM	3676,9142 litre	40,137 %	5483,9700 litre	O

360	CM	90	CM	75 LEVEL CM	3612,9610 litre	39,439 %	5547,9232 litre	O
360	CM	90	CM	74 LEVEL CM	3549,1296 litre	38,742 %	5611,7546 litre	O
360	CM	90	CM	73 LEVEL CM	3485,4283 litre	38,047 %	5675,4559 litre	O
360	CM	90	CM	72 LEVEL CM	3421,8654 litre	37,353 %	5739,0188 litre	O
360	CM	90	CM	71 LEVEL CM	3358,4496 litre	36,661 %	5802,4346 litre	O
360	CM	90	CM	70 LEVEL CM	3295,1892 litre	35,970 %	5865,6950 litre	O
360	CM	90	CM	69 LEVEL CM	3232,0929 litre	35,281 %	5928,7913 litre	O
360	CM	90	CM	68 LEVEL CM	3169,1695 litre	34,595 %	5991,7147 litre	O
360	CM	90	CM	67 LEVEL CM	3106,4275 litre	33,910 %	6054,4567 litre	O
360	CM	90	CM	66 LEVEL CM	3043,8759 litre	33,227 %	6117,0083 litre	O
360	CM	90	CM	65 LEVEL CM	2981,5235 litre	32,546 %	6179,3607 litre	O
360	CM	90	CM	64 LEVEL CM	2919,3792 litre	31,868 %	6241,5050 litre	O
360	CM	90	CM	63 LEVEL CM	2857,4523 litre	31,192 %	6303,4319 litre	O
360	CM	90	CM	62 LEVEL CM	2795,7518 litre	30,518 %	6365,1324 litre	O
360	CM	90	CM	61 LEVEL CM	2734,2870 litre	29,847 %	6426,5972 litre	O
360	CM	90	CM	60 LEVEL CM	2673,0673 litre	29,179 %	6487,8169 litre	O
360	CM	90	CM	59 LEVEL CM	2612,1021 litre	28,514 %	6548,7821 litre	O
360	CM	90	CM	58 LEVEL CM	2551,4011 litre	27,851 %	6609,4831 litre	O
360	CM	90	CM	57 LEVEL CM	2490,9741 litre	27,191 %	6669,9101 litre	O
360	CM	90	CM	56 LEVEL CM	2430,8308 litre	26,535 %	6730,0534 litre	O
360	CM	90	CM	55 LEVEL CM	2370,9813 litre	25,882 %	6789,9029 litre	O
360	CM	90	CM	54 LEVEL CM	2311,4357 litre	25,232 %	6849,4485 litre	O
360	CM	90	CM	53 LEVEL CM	2252,2044 litre	24,585 %	6908,6798 litre	O
360	CM	90	CM	52 LEVEL CM	2193,2978 litre	23,942 %	6967,5864 litre	O
360	CM	90	CM	51 LEVEL CM	2134,7266 litre	23,303 %	7026,1576 litre	O
360	CM	90	CM	50 LEVEL CM	2076,5015 litre	22,667 %	7084,3827 litre	O
360	CM	90	CM	49 LEVEL CM	2018,6338 litre	22,035 %	7142,2504 litre	O
360	CM	90	CM	48 LEVEL CM	1961,1344 litre	21,408 %	7199,7498 litre	O
360	CM	90	CM	47 LEVEL CM	1904,0151 litre	20,784 %	7256,8691 litre	O
360	CM	90	CM	46 LEVEL CM	1847,2873 litre	20,165 %	7313,5969 litre	O
360	CM	90	CM	45 LEVEL CM	1790,9630 litre	19,550 %	7369,9212 litre	O
360	CM	90	CM	44 LEVEL CM	1735,0545 litre	18,940 %	7425,8297 litre	O
360	CM	90	CM	43 LEVEL CM	1679,5741 litre	18,334 %	7481,3101 litre	O
360	CM	90	CM	42 LEVEL CM	1624,5347 litre	17,733 %	7536,3495 litre	O
360	CM	90	CM	41 LEVEL CM	1569,9492 litre	17,138 %	7590,9350 litre	O
360	CM	90	CM	40 LEVEL CM	1515,8311 litre	16,547 %	7645,0531 litre	O
360	CM	90	CM	39 LEVEL CM	1462,1941 litre	15,961 %	7698,6901 litre	O
360	CM	90	CM	38 LEVEL CM	1409,0523 litre	15,381 %	7751,8319 litre	O
360	CM	90	CM	37 LEVEL CM	1356,4203 litre	14,807 %	7804,4639 litre	O
360	CM	90	CM	36 LEVEL CM	1304,3129 litre	14,238 %	7856,5713 litre	O
360	CM	90	CM	35 LEVEL CM	1252,7455 litre	13,675 %	7908,1387 litre	O
360	CM	90	CM	34 LEVEL CM	1201,7340 litre	13,118 %	7959,1502 litre	O
360	CM	90	CM	33 LEVEL CM	1151,2949 litre	12,568 %	8009,5893 litre	O
360	CM	90	CM	32 LEVEL CM	1101,4450 litre	12,023 %	8059,4392 litre	O
360	CM	90	CM	31 LEVEL CM	1052,2021 litre	11,486 %	8108,6821 litre	O
360	CM	90	CM	30 LEVEL CM	1003,5842 litre	10,955 %	8157,3000 litre	O
360	CM	90	CM	29 LEVEL CM	955,6104 litre	10,431 %	8205,2738 litre	O
360	CM	90	CM	28 LEVEL CM	908,3003 litre	9,915 %	8252,5839 litre	O
360	CM	90	CM	27 LEVEL CM	861,6746 litre	9,406 %	8299,2096 litre	O
360	CM	90	CM	26 LEVEL CM	815,7547 litre	8,905 %	8345,1295 litre	O
360	CM	90	CM	25 LEVEL CM	770,5632 litre	8,411 %	8390,3210 litre	O
360	CM	90	CM	24 LEVEL CM	726,1235 litre	7,926 %	8434,7607 litre	O
360	CM	90	CM	23 LEVEL CM	682,4606 litre	7,450 %	8478,4236 litre	O

360	CM	90	CM	22 LEVEL CM	639,6006 litre	6,982 %	8521,2836 litre	O
360	CM	90	CM	21 LEVEL CM	597,5711 litre	6,523 %	8563,3131 litre	O
360	CM	90	CM	20 LEVEL CM	556,4016 litre	6,074 %	8604,4826 litre	O
360	CM	90	CM	19 LEVEL CM	516,1232 litre	5,634 %	8644,7610 litre	O
360	CM	90	CM	18 LEVEL CM	476,7692 litre	5,204 %	8684,1150 litre	O
360	CM	90	CM	17 LEVEL CM	438,3755 litre	4,785 %	8722,5087 litre	O
360	CM	90	CM	16 LEVEL CM	400,9806 litre	4,377 %	8759,9036 litre	O
360	CM	90	CM	15 LEVEL CM	364,6260 litre	3,980 %	8796,2582 litre	O
360	CM	90	CM	14 LEVEL CM	329,3573 litre	3,595 %	8831,5269 litre	O
360	CM	90	CM	13 LEVEL CM	295,2240 litre	3,223 %	8865,6602 litre	O
360	CM	90	CM	12 LEVEL CM	262,2811 litre	2,863 %	8898,6031 litre	O
360	CM	90	CM	11 LEVEL CM	230,5897 litre	2,517 %	8930,2945 litre	O
360	CM	90	CM	10 LEVEL CM	200,2182 litre	2,186 %	8960,6660 litre	O
360	CM	90	CM	9 LEVEL CM	171,2447 litre	1,869 %	8989,6395 litre	O
360	CM	90	CM	8 LEVEL CM	143,7592 litre	1,569 %	9017,1250 litre	O
360	CM	90	CM	7 LEVEL CM	117,8669 litre	1,287 %	9043,0173 litre	O
360	CM	90	CM	6 LEVEL CM	93,6943 litre	1,023 %	9067,1899 litre	O
360	CM	90	CM	5 LEVEL CM	71,3970 litre	0,779 %	9089,4872 litre	O
360	CM	90	CM	4 LEVEL CM	51,1742 litre	0,559 %	9109,7100 litre	O
360	CM	90	CM	3 LEVEL CM	33,2948 litre	0,363 %	9127,5894 litre	O
360	CM	90	CM	2 LEVEL CM	18,1539 litre	0,198 %	9142,7303 litre	O
360	CM	90	CM	1 LEVEL CM	6,4291 litre	0,070 %	9154,4551 litre	O
360	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	9160,8842 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM	85	CM 170 LEVEL CM	8171,2825 litre	100,000 %	0,0000 litre	O
360	CM	85	CM 169 LEVEL CM	8165,0351 litre	99,924 %	6,2474 litre	O
360	CM	85	CM 168 LEVEL CM	8153,6436 litre	99,784 %	17,6389 litre	O
360	CM	85	CM 167 LEVEL CM	8138,9354 litre	99,604 %	32,3471 litre	O
360	CM	85	CM 166 LEVEL CM	8121,5699 litre	99,392 %	49,7126 litre	O
360	CM	85	CM 165 LEVEL CM	8101,9317 litre	99,151 %	69,3508 litre	O
360	CM	85	CM 164 LEVEL CM	8080,2828 litre	98,886 %	90,9997 litre	O
360	CM	85	CM 163 LEVEL CM	8056,8172 litre	98,599 %	114,4653 litre	O
360	CM	85	CM 162 LEVEL CM	8031,6866 litre	98,292 %	139,5959 litre	O
360	CM	85	CM 161 LEVEL CM	8005,0144 litre	97,965 %	166,2681 litre	O
360	CM	85	CM 160 LEVEL CM	7976,9035 litre	97,621 %	194,3790 litre	O
360	CM	85	CM 159 LEVEL CM	7947,4416 litre	97,261 %	223,8409 litre	O
360	CM	85	CM 158 LEVEL CM	7916,7049 litre	96,884 %	254,5776 litre	O
360	CM	85	CM 157 LEVEL CM	7884,7606 litre	96,494 %	286,5219 litre	O
360	CM	85	CM 156 LEVEL CM	7851,6682 litre	96,089 %	319,6143 litre	O
360	CM	85	CM 155 LEVEL CM	7817,4816 litre	95,670 %	353,8009 litre	O
360	CM	85	CM 154 LEVEL CM	7782,2494 litre	95,239 %	389,0331 litre	O
360	CM	85	CM 153 LEVEL CM	7746,0161 litre	94,796 %	425,2664 litre	O
360	CM	85	CM 152 LEVEL CM	7708,8225 litre	94,340 %	462,4600 litre	O
360	CM	85	CM 151 LEVEL CM	7670,7065 litre	93,874 %	500,5760 litre	O
360	CM	85	CM 150 LEVEL CM	7631,7030 litre	93,397 %	539,5795 litre	O
360	CM	85	CM 149 LEVEL CM	7591,8450 litre	92,909 %	579,4375 litre	O
360	CM	85	CM 148 LEVEL CM	7551,1630 litre	92,411 %	620,1195 litre	O
360	CM	85	CM 147 LEVEL CM	7509,6859 litre	91,903 %	661,5966 litre	O
360	CM	85	CM 146 LEVEL CM	7467,4410 litre	91,386 %	703,8415 litre	O
360	CM	85	CM 145 LEVEL CM	7424,4541 litre	90,860 %	746,8284 litre	O
360	CM	85	CM 144 LEVEL CM	7380,7495 litre	90,325 %	790,5330 litre	O
360	CM	85	CM 143 LEVEL CM	7336,3506 litre	89,782 %	834,9319 litre	O
360	CM	85	CM 142 LEVEL CM	7291,2795 litre	89,231 %	880,0030 litre	O
360	CM	85	CM 141 LEVEL CM	7245,5575 litre	88,671 %	925,7250 litre	O
360	CM	85	CM 140 LEVEL CM	7199,2049 litre	88,104 %	972,0776 litre	O
360	CM	85	CM 139 LEVEL CM	7152,2412 litre	87,529 %	1019,0413 litre	O
360	CM	85	CM 138 LEVEL CM	7104,6852 litre	86,947 %	1066,5973 litre	O
360	CM	85	CM 137 LEVEL CM	7056,5548 litre	86,358 %	1114,7277 litre	O
360	CM	85	CM 136 LEVEL CM	7007,8676 litre	85,762 %	1163,4149 litre	O
360	CM	85	CM 135 LEVEL CM	6958,6404 litre	85,160 %	1212,6421 litre	O
360	CM	85	CM 134 LEVEL CM	6908,8893 litre	84,551 %	1262,3932 litre	O
360	CM	85	CM 133 LEVEL CM	6858,6303 litre	83,936 %	1312,6522 litre	O
360	CM	85	CM 132 LEVEL CM	6807,8786 litre	83,315 %	1363,4039 litre	O
360	CM	85	CM 131 LEVEL CM	6756,6490 litre	82,688 %	1414,6335 litre	O
360	CM	85	CM 130 LEVEL CM	6704,9561 litre	82,055 %	1466,3264 litre	O
360	CM	85	CM 129 LEVEL CM	6652,8138 litre	81,417 %	1518,4687 litre	O
360	CM	85	CM 128 LEVEL CM	6600,2358 litre	80,774 %	1571,0467 litre	O
360	CM	85	CM 127 LEVEL CM	6547,2356 litre	80,125 %	1624,0469 litre	O
360	CM	85	CM 126 LEVEL CM	6493,8262 litre	79,471 %	1677,4563 litre	O
360	CM	85	CM 125 LEVEL CM	6440,0203 litre	78,813 %	1731,2622 litre	O
360	CM	85	CM 124 LEVEL CM	6385,8303 litre	78,150 %	1785,4522 litre	O
360	CM	85	CM 123 LEVEL CM	6331,2685 litre	77,482 %	1840,0140 litre	O
360	CM	85	CM 122 LEVEL CM	6276,3469 litre	76,810 %	1894,9356 litre	O
360	CM	85	CM 121 LEVEL CM	6221,0771 litre	76,133 %	1950,2054 litre	O
360	CM	85	CM 120 LEVEL CM	6165,4707 litre	75,453 %	2005,8118 litre	O
360	CM	85	CM 119 LEVEL CM	6109,5389 litre	74,768 %	2061,7436 litre	O

360	CM 85	CM	118 LEVEL CM	6053,2929 litre	74,080 %	2117,9896 litre	O
360	CM 85	CM	117 LEVEL CM	5996,7435 litre	73,388 %	2174,5390 litre	O
360	CM 85	CM	116 LEVEL CM	5939,9016 litre	72,692 %	2231,3809 litre	O
360	CM 85	CM	115 LEVEL CM	5882,7776 litre	71,993 %	2288,5049 litre	O
360	CM 85	CM	114 LEVEL CM	5825,3820 litre	71,291 %	2345,9005 litre	O
360	CM 85	CM	113 LEVEL CM	5767,7251 litre	70,585 %	2403,5574 litre	O
360	CM 85	CM	112 LEVEL CM	5709,8170 litre	69,877 %	2461,4655 litre	O
360	CM 85	CM	111 LEVEL CM	5651,6676 litre	69,165 %	2519,6149 litre	O
360	CM 85	CM	110 LEVEL CM	5593,2870 litre	68,451 %	2577,9955 litre	O
360	CM 85	CM	109 LEVEL CM	5534,6847 litre	67,733 %	2636,5978 litre	O
360	CM 85	CM	108 LEVEL CM	5475,8705 litre	67,014 %	2695,4120 litre	O
360	CM 85	CM	107 LEVEL CM	5416,8540 litre	66,291 %	2754,4285 litre	O
360	CM 85	CM	106 LEVEL CM	5357,6445 litre	65,567 %	2813,6380 litre	O
360	CM 85	CM	105 LEVEL CM	5298,2514 litre	64,840 %	2873,0311 litre	O
360	CM 85	CM	104 LEVEL CM	5238,6840 litre	64,111 %	2932,5985 litre	O
360	CM 85	CM	103 LEVEL CM	5178,9515 litre	63,380 %	2992,3310 litre	O
360	CM 85	CM	102 LEVEL CM	5119,0630 litre	62,647 %	3052,2195 litre	O
360	CM 85	CM	101 LEVEL CM	5059,0275 litre	61,912 %	3112,2550 litre	O
360	CM 85	CM	100 LEVEL CM	4998,8540 litre	61,176 %	3172,4285 litre	O
360	CM 85	CM	99 LEVEL CM	4938,5514 litre	60,438 %	3232,7311 litre	O
360	CM 85	CM	98 LEVEL CM	4878,1286 litre	59,698 %	3293,1539 litre	O
360	CM 85	CM	97 LEVEL CM	4817,5944 litre	58,958 %	3353,6881 litre	O
360	CM 85	CM	96 LEVEL CM	4756,9574 litre	58,216 %	3414,3251 litre	O
360	CM 85	CM	95 LEVEL CM	4696,2265 litre	57,472 %	3475,0560 litre	O
360	CM 85	CM	94 LEVEL CM	4635,4103 litre	56,728 %	3535,8722 litre	O
360	CM 85	CM	93 LEVEL CM	4574,5175 litre	55,983 %	3596,7650 litre	O
360	CM 85	CM	92 LEVEL CM	4513,5565 litre	55,237 %	3657,7260 litre	O
360	CM 85	CM	91 LEVEL CM	4452,5361 litre	54,490 %	3718,7464 litre	O
360	CM 85	CM	90 LEVEL CM	4391,4647 litre	53,743 %	3779,8178 litre	O
360	CM 85	CM	89 LEVEL CM	4330,3509 litre	52,995 %	3840,9316 litre	O
360	CM 85	CM	88 LEVEL CM	4269,2031 litre	52,246 %	3902,0794 litre	O
360	CM 85	CM	87 LEVEL CM	4208,0300 litre	51,498 %	3963,2525 litre	O
360	CM 85	CM	86 LEVEL CM	4146,8398 litre	50,749 %	4024,4427 litre	O
360	CM 85	CM	85 LEVEL CM	4085,6412 litre	50,000 %	4085,6413 litre	O
360	CM 85	CM	84 LEVEL CM	4024,4427 litre	49,251 %	4146,8398 litre	O
360	CM 85	CM	83 LEVEL CM	3963,2525 litre	48,502 %	4208,0300 litre	O
360	CM 85	CM	82 LEVEL CM	3902,0794 litre	47,754 %	4269,2031 litre	O
360	CM 85	CM	81 LEVEL CM	3840,9316 litre	47,005 %	4330,3509 litre	O
360	CM 85	CM	80 LEVEL CM	3779,8178 litre	46,257 %	4391,4647 litre	O
360	CM 85	CM	79 LEVEL CM	3718,7464 litre	45,510 %	4452,5361 litre	O
360	CM 85	CM	78 LEVEL CM	3657,7260 litre	44,763 %	4513,5565 litre	O
360	CM 85	CM	77 LEVEL CM	3596,7650 litre	44,017 %	4574,5175 litre	O
360	CM 85	CM	76 LEVEL CM	3535,8722 litre	43,272 %	4635,4103 litre	O
360	CM 85	CM	75 LEVEL CM	3475,0560 litre	42,528 %	4696,2265 litre	O
360	CM 85	CM	74 LEVEL CM	3414,3251 litre	41,784 %	4756,9574 litre	O
360	CM 85	CM	73 LEVEL CM	3353,6881 litre	41,042 %	4817,5944 litre	O
360	CM 85	CM	72 LEVEL CM	3293,1539 litre	40,302 %	4878,1286 litre	O
360	CM 85	CM	71 LEVEL CM	3232,7310 litre	39,562 %	4938,5515 litre	O
360	CM 85	CM	70 LEVEL CM	3172,4285 litre	38,824 %	4998,8540 litre	O
360	CM 85	CM	69 LEVEL CM	3112,2550 litre	38,088 %	5059,0275 litre	O
360	CM 85	CM	68 LEVEL CM	3052,2195 litre	37,353 %	5119,0630 litre	O
360	CM 85	CM	67 LEVEL CM	2992,3309 litre	36,620 %	5178,9516 litre	O
360	CM 85	CM	66 LEVEL CM	2932,5984 litre	35,889 %	5238,6841 litre	O

360	CM	85	CM	65 LEVEL CM	2873,0311 litre	35,160 %	5298,2514 litre	O
360	CM	85	CM	64 LEVEL CM	2813,6380 litre	34,433 %	5357,6445 litre	O
360	CM	85	CM	63 LEVEL CM	2754,4285 litre	33,709 %	5416,8540 litre	O
360	CM	85	CM	62 LEVEL CM	2695,4120 litre	32,986 %	5475,8705 litre	O
360	CM	85	CM	61 LEVEL CM	2636,5978 litre	32,267 %	5534,6847 litre	O
360	CM	85	CM	60 LEVEL CM	2577,9955 litre	31,549 %	5593,2870 litre	O
360	CM	85	CM	59 LEVEL CM	2519,6149 litre	30,835 %	5651,6676 litre	O
360	CM	85	CM	58 LEVEL CM	2461,4655 litre	30,123 %	5709,8170 litre	O
360	CM	85	CM	57 LEVEL CM	2403,5574 litre	29,415 %	5767,7251 litre	O
360	CM	85	CM	56 LEVEL CM	2345,9005 litre	28,709 %	5825,3820 litre	O
360	CM	85	CM	55 LEVEL CM	2288,5049 litre	28,007 %	5882,7776 litre	O
360	CM	85	CM	54 LEVEL CM	2231,3809 litre	27,308 %	5939,9016 litre	O
360	CM	85	CM	53 LEVEL CM	2174,5389 litre	26,612 %	5996,7436 litre	O
360	CM	85	CM	52 LEVEL CM	2117,9896 litre	25,920 %	6053,2929 litre	O
360	CM	85	CM	51 LEVEL CM	2061,7436 litre	25,232 %	6109,5389 litre	O
360	CM	85	CM	50 LEVEL CM	2005,8118 litre	24,547 %	6165,4707 litre	O
360	CM	85	CM	49 LEVEL CM	1950,2054 litre	23,867 %	6221,0771 litre	O
360	CM	85	CM	48 LEVEL CM	1894,9356 litre	23,190 %	6276,3469 litre	O
360	CM	85	CM	47 LEVEL CM	1840,0140 litre	22,518 %	6331,2685 litre	O
360	CM	85	CM	46 LEVEL CM	1785,4522 litre	21,850 %	6385,8303 litre	O
360	CM	85	CM	45 LEVEL CM	1731,2622 litre	21,187 %	6440,0203 litre	O
360	CM	85	CM	44 LEVEL CM	1677,4563 litre	20,529 %	6493,8262 litre	O
360	CM	85	CM	43 LEVEL CM	1624,0469 litre	19,875 %	6547,2356 litre	O
360	CM	85	CM	42 LEVEL CM	1571,0466 litre	19,226 %	6600,2359 litre	O
360	CM	85	CM	41 LEVEL CM	1518,4687 litre	18,583 %	6652,8138 litre	O
360	CM	85	CM	40 LEVEL CM	1466,3264 litre	17,945 %	6704,9561 litre	O
360	CM	85	CM	39 LEVEL CM	1414,6335 litre	17,312 %	6756,6490 litre	O
360	CM	85	CM	38 LEVEL CM	1363,4039 litre	16,685 %	6807,8786 litre	O
360	CM	85	CM	37 LEVEL CM	1312,6522 litre	16,064 %	6858,6303 litre	O
360	CM	85	CM	36 LEVEL CM	1262,3932 litre	15,449 %	6908,8893 litre	O
360	CM	85	CM	35 LEVEL CM	1212,6421 litre	14,840 %	6958,6404 litre	O
360	CM	85	CM	34 LEVEL CM	1163,4149 litre	14,238 %	7007,8676 litre	O
360	CM	85	CM	33 LEVEL CM	1114,7276 litre	13,642 %	7056,5549 litre	O
360	CM	85	CM	32 LEVEL CM	1066,5973 litre	13,053 %	7104,6852 litre	O
360	CM	85	CM	31 LEVEL CM	1019,0412 litre	12,471 %	7152,2413 litre	O
360	CM	85	CM	30 LEVEL CM	972,0775 litre	11,896 %	7199,2050 litre	O
360	CM	85	CM	29 LEVEL CM	925,7250 litre	11,329 %	7245,5575 litre	O
360	CM	85	CM	28 LEVEL CM	880,0030 litre	10,769 %	7291,2795 litre	O
360	CM	85	CM	27 LEVEL CM	834,9319 litre	10,218 %	7336,3506 litre	O
360	CM	85	CM	26 LEVEL CM	790,5330 litre	9,675 %	7380,7495 litre	O
360	CM	85	CM	25 LEVEL CM	746,8284 litre	9,140 %	7424,4541 litre	O
360	CM	85	CM	24 LEVEL CM	703,8415 litre	8,614 %	7467,4410 litre	O
360	CM	85	CM	23 LEVEL CM	661,5966 litre	8,097 %	7509,6859 litre	O
360	CM	85	CM	22 LEVEL CM	620,1195 litre	7,589 %	7551,1630 litre	O
360	CM	85	CM	21 LEVEL CM	579,4375 litre	7,091 %	7591,8450 litre	O
360	CM	85	CM	20 LEVEL CM	539,5795 litre	6,603 %	7631,7030 litre	O
360	CM	85	CM	19 LEVEL CM	500,5760 litre	6,126 %	7670,7065 litre	O
360	CM	85	CM	18 LEVEL CM	462,4600 litre	5,660 %	7708,8225 litre	O
360	CM	85	CM	17 LEVEL CM	425,2664 litre	5,204 %	7746,0161 litre	O
360	CM	85	CM	16 LEVEL CM	389,0331 litre	4,761 %	7782,2494 litre	O
360	CM	85	CM	15 LEVEL CM	353,8009 litre	4,330 %	7817,4816 litre	O
360	CM	85	CM	14 LEVEL CM	319,6142 litre	3,911 %	7851,6683 litre	O
360	CM	85	CM	13 LEVEL CM	286,5219 litre	3,506 %	7884,7606 litre	O

360	CM	85	CM	12 LEVEL CM	254,5776 litre	3,116 %	7916,7049 litre	O
360	CM	85	CM	11 LEVEL CM	223,8409 litre	2,739 %	7947,4416 litre	O
360	CM	85	CM	10 LEVEL CM	194,3790 litre	2,379 %	7976,9035 litre	O
360	CM	85	CM	9 LEVEL CM	166,2681 litre	2,035 %	8005,0144 litre	O
360	CM	85	CM	8 LEVEL CM	139,5959 litre	1,708 %	8031,6866 litre	O
360	CM	85	CM	7 LEVEL CM	114,4653 litre	1,401 %	8056,8172 litre	O
360	CM	85	CM	6 LEVEL CM	90,9997 litre	1,114 %	8080,2828 litre	O
360	CM	85	CM	5 LEVEL CM	69,3507 litre	0,849 %	8101,9318 litre	O
360	CM	85	CM	4 LEVEL CM	49,7126 litre	0,608 %	8121,5699 litre	O
360	CM	85	CM	3 LEVEL CM	32,3471 litre	0,396 %	8138,9354 litre	O
360	CM	85	CM	2 LEVEL CM	17,6389 litre	0,216 %	8153,6436 litre	O
360	CM	85	CM	1 LEVEL CM	6,2474 litre	0,076 %	8165,0351 litre	O
360	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	8171,2825 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
360	CM 80	CM 160 LEVEL CM	7238,2295 litre	100,000 %	0,0000 litre O
360	CM 80	CM 159 LEVEL CM	7232,1693 litre	99,916 %	6,0602 litre O
360	CM 80	CM 158 LEVEL CM	7221,1210 litre	99,764 %	17,1085 litre O
360	CM 80	CM 157 LEVEL CM	7206,8587 litre	99,567 %	31,3708 litre O
360	CM 80	CM 156 LEVEL CM	7190,0228 litre	99,334 %	48,2067 litre O
360	CM 80	CM 155 LEVEL CM	7170,9872 litre	99,071 %	67,2423 litre O
360	CM 80	CM 154 LEVEL CM	7150,0066 litre	98,781 %	88,2229 litre O
360	CM 80	CM 153 LEVEL CM	7127,2700 litre	98,467 %	110,9595 litre O
360	CM 80	CM 152 LEVEL CM	7102,9250 litre	98,131 %	135,3045 litre O
360	CM 80	CM 151 LEVEL CM	7077,0918 litre	97,774 %	161,1377 litre O
360	CM 80	CM 150 LEVEL CM	7049,8707 litre	97,398 %	188,3588 litre O
360	CM 80	CM 149 LEVEL CM	7021,3473 litre	97,004 %	216,8822 litre O
360	CM 80	CM 148 LEVEL CM	6991,5961 litre	96,593 %	246,6334 litre O
360	CM 80	CM 147 LEVEL CM	6960,6825 litre	96,166 %	277,5470 litre O
360	CM 80	CM 146 LEVEL CM	6928,6649 litre	95,723 %	309,5646 litre O
360	CM 80	CM 145 LEVEL CM	6895,5958 litre	95,266 %	342,6337 litre O
360	CM 80	CM 144 LEVEL CM	6861,5229 litre	94,796 %	376,7066 litre O
360	CM 80	CM 143 LEVEL CM	6826,4897 litre	94,312 %	411,7398 litre O
360	CM 80	CM 142 LEVEL CM	6790,5363 litre	93,815 %	447,6932 litre O
360	CM 80	CM 141 LEVEL CM	6753,6997 litre	93,306 %	484,5298 litre O
360	CM 80	CM 140 LEVEL CM	6716,0143 litre	92,785 %	522,2152 litre O
360	CM 80	CM 139 LEVEL CM	6677,5124 litre	92,253 %	560,7171 litre O
360	CM 80	CM 138 LEVEL CM	6638,2241 litre	91,711 %	600,0054 litre O
360	CM 80	CM 137 LEVEL CM	6598,1777 litre	91,157 %	640,0518 litre O
360	CM 80	CM 136 LEVEL CM	6557,4001 litre	90,594 %	680,8294 litre O
360	CM 80	CM 135 LEVEL CM	6515,9167 litre	90,021 %	722,3128 litre O
360	CM 80	CM 134 LEVEL CM	6473,7515 litre	89,438 %	764,4780 litre O
360	CM 80	CM 133 LEVEL CM	6430,9276 litre	88,847 %	807,3019 litre O
360	CM 80	CM 132 LEVEL CM	6387,4667 litre	88,246 %	850,7628 litre O
360	CM 80	CM 131 LEVEL CM	6343,3900 litre	87,637 %	894,8395 litre O
360	CM 80	CM 130 LEVEL CM	6298,7174 litre	87,020 %	939,5121 litre O
360	CM 80	CM 129 LEVEL CM	6253,4683 litre	86,395 %	984,7612 litre O
360	CM 80	CM 128 LEVEL CM	6207,6613 litre	85,762 %	1030,5682 litre O
360	CM 80	CM 127 LEVEL CM	6161,3142 litre	85,122 %	1076,9153 litre O
360	CM 80	CM 126 LEVEL CM	6114,4443 litre	84,474 %	1123,7852 litre O
360	CM 80	CM 125 LEVEL CM	6067,0684 litre	83,820 %	1171,1611 litre O
360	CM 80	CM 124 LEVEL CM	6019,2026 litre	83,158 %	1219,0269 litre O
360	CM 80	CM 123 LEVEL CM	5970,8626 litre	82,491 %	1267,3669 litre O
360	CM 80	CM 122 LEVEL CM	5922,0636 litre	81,816 %	1316,1659 litre O
360	CM 80	CM 121 LEVEL CM	5872,8205 litre	81,136 %	1365,4090 litre O
360	CM 80	CM 120 LEVEL CM	5823,1476 litre	80,450 %	1415,0819 litre O
360	CM 80	CM 119 LEVEL CM	5773,0590 litre	79,758 %	1465,1705 litre O
360	CM 80	CM 118 LEVEL CM	5722,5683 litre	79,060 %	1515,6612 litre O
360	CM 80	CM 117 LEVEL CM	5671,6890 litre	78,357 %	1566,5405 litre O
360	CM 80	CM 116 LEVEL CM	5620,4341 litre	77,649 %	1617,7954 litre O
360	CM 80	CM 115 LEVEL CM	5568,8163 litre	76,936 %	1669,4132 litre O
360	CM 80	CM 114 LEVEL CM	5516,8482 litre	76,218 %	1721,3813 litre O
360	CM 80	CM 113 LEVEL CM	5464,5421 litre	75,496 %	1773,6874 litre O
360	CM 80	CM 112 LEVEL CM	5411,9099 litre	74,768 %	1826,3196 litre O
360	CM 80	CM 111 LEVEL CM	5358,9635 litre	74,037 %	1879,2660 litre O
360	CM 80	CM 110 LEVEL CM	5305,7143 litre	73,301 %	1932,5152 litre O
360	CM 80	CM 109 LEVEL CM	5252,1740 litre	72,562 %	1986,0555 litre O

360	CM	80	CM	108 LEVEL CM	5198,3535 litre	71,818 %	2039,8760 litre	O
360	CM	80	CM	107 LEVEL CM	5144,2640 litre	71,071 %	2093,9655 litre	O
360	CM	80	CM	106 LEVEL CM	5089,9164 litre	70,320 %	2148,3131 litre	O
360	CM	80	CM	105 LEVEL CM	5035,3213 litre	69,566 %	2202,9082 litre	O
360	CM	80	CM	104 LEVEL CM	4980,4894 litre	68,808 %	2257,7401 litre	O
360	CM	80	CM	103 LEVEL CM	4925,4310 litre	68,047 %	2312,7985 litre	O
360	CM	80	CM	102 LEVEL CM	4870,1565 litre	67,284 %	2368,0730 litre	O
360	CM	80	CM	101 LEVEL CM	4814,6760 litre	66,517 %	2423,5535 litre	O
360	CM	80	CM	100 LEVEL CM	4758,9996 litre	65,748 %	2479,2299 litre	O
360	CM	80	CM	99 LEVEL CM	4703,1374 litre	64,976 %	2535,0921 litre	O
360	CM	80	CM	98 LEVEL CM	4647,0991 litre	64,202 %	2591,1304 litre	O
360	CM	80	CM	97 LEVEL CM	4590,8945 litre	63,426 %	2647,3350 litre	O
360	CM	80	CM	96 LEVEL CM	4534,5333 litre	62,647 %	2703,6962 litre	O
360	CM	80	CM	95 LEVEL CM	4478,0252 litre	61,866 %	2760,2043 litre	O
360	CM	80	CM	94 LEVEL CM	4421,3796 litre	61,084 %	2816,8499 litre	O
360	CM	80	CM	93 LEVEL CM	4364,6061 litre	60,299 %	2873,6234 litre	O
360	CM	80	CM	92 LEVEL CM	4307,7139 litre	59,513 %	2930,5156 litre	O
360	CM	80	CM	91 LEVEL CM	4250,7125 litre	58,726 %	2987,5170 litre	O
360	CM	80	CM	90 LEVEL CM	4193,6112 litre	57,937 %	3044,6183 litre	O
360	CM	80	CM	89 LEVEL CM	4136,4192 litre	57,147 %	3101,8103 litre	O
360	CM	80	CM	88 LEVEL CM	4079,1456 litre	56,356 %	3159,0839 litre	O
360	CM	80	CM	87 LEVEL CM	4021,7996 litre	55,563 %	3216,4299 litre	O
360	CM	80	CM	86 LEVEL CM	3964,3905 litre	54,770 %	3273,8390 litre	O
360	CM	80	CM	85 LEVEL CM	3906,9271 litre	53,976 %	3331,3024 litre	O
360	CM	80	CM	84 LEVEL CM	3849,4187 litre	53,182 %	3388,8108 litre	O
360	CM	80	CM	83 LEVEL CM	3791,8742 litre	52,387 %	3446,3553 litre	O
360	CM	80	CM	82 LEVEL CM	3734,3027 litre	51,591 %	3503,9268 litre	O
360	CM	80	CM	81 LEVEL CM	3676,7132 litre	50,796 %	3561,5163 litre	O
360	CM	80	CM	80 LEVEL CM	3619,1147 litre	50,000 %	3619,1148 litre	O
360	CM	80	CM	79 LEVEL CM	3561,5162 litre	49,204 %	3676,7133 litre	O
360	CM	80	CM	78 LEVEL CM	3503,9267 litre	48,409 %	3734,3028 litre	O
360	CM	80	CM	77 LEVEL CM	3446,3552 litre	47,613 %	3791,8743 litre	O
360	CM	80	CM	76 LEVEL CM	3388,8108 litre	46,818 %	3849,4187 litre	O
360	CM	80	CM	75 LEVEL CM	3331,3023 litre	46,024 %	3906,9272 litre	O
360	CM	80	CM	74 LEVEL CM	3273,8390 litre	45,230 %	3964,3905 litre	O
360	CM	80	CM	73 LEVEL CM	3216,4298 litre	44,437 %	4021,7997 litre	O
360	CM	80	CM	72 LEVEL CM	3159,0839 litre	43,644 %	4079,1456 litre	O
360	CM	80	CM	71 LEVEL CM	3101,8103 litre	42,853 %	4136,4192 litre	O
360	CM	80	CM	70 LEVEL CM	3044,6183 litre	42,063 %	4193,6112 litre	O
360	CM	80	CM	69 LEVEL CM	2987,5169 litre	41,274 %	4250,7126 litre	O
360	CM	80	CM	68 LEVEL CM	2930,5156 litre	40,487 %	4307,7139 litre	O
360	CM	80	CM	67 LEVEL CM	2873,6234 litre	39,701 %	4364,6061 litre	O
360	CM	80	CM	66 LEVEL CM	2816,8499 litre	38,916 %	4421,3796 litre	O
360	CM	80	CM	65 LEVEL CM	2760,2043 litre	38,134 %	4478,0252 litre	O
360	CM	80	CM	64 LEVEL CM	2703,6961 litre	37,353 %	4534,5334 litre	O
360	CM	80	CM	63 LEVEL CM	2647,3350 litre	36,574 %	4590,8945 litre	O
360	CM	80	CM	62 LEVEL CM	2591,1304 litre	35,798 %	4647,0991 litre	O
360	CM	80	CM	61 LEVEL CM	2535,0921 litre	35,024 %	4703,1374 litre	O
360	CM	80	CM	60 LEVEL CM	2479,2298 litre	34,252 %	4758,9997 litre	O
360	CM	80	CM	59 LEVEL CM	2423,5535 litre	33,483 %	4814,6760 litre	O
360	CM	80	CM	58 LEVEL CM	2368,0730 litre	32,716 %	4870,1565 litre	O
360	CM	80	CM	57 LEVEL CM	2312,7985 litre	31,953 %	4925,4310 litre	O
360	CM	80	CM	56 LEVEL CM	2257,7401 litre	31,192 %	4980,4894 litre	O

360	CM	80	CM	55 LEVEL CM	2202,9081 litre	30,434 %	5035,3214 litre	O
360	CM	80	CM	54 LEVEL CM	2148,3131 litre	29,680 %	5089,9164 litre	O
360	CM	80	CM	53 LEVEL CM	2093,9654 litre	28,929 %	5144,2641 litre	O
360	CM	80	CM	52 LEVEL CM	2039,8760 litre	28,182 %	5198,3535 litre	O
360	CM	80	CM	51 LEVEL CM	1986,0555 litre	27,438 %	5252,1740 litre	O
360	CM	80	CM	50 LEVEL CM	1932,5151 litre	26,699 %	5305,7144 litre	O
360	CM	80	CM	49 LEVEL CM	1879,2660 litre	25,963 %	5358,9635 litre	O
360	CM	80	CM	48 LEVEL CM	1826,3196 litre	25,232 %	5411,9099 litre	O
360	CM	80	CM	47 LEVEL CM	1773,6874 litre	24,504 %	5464,5421 litre	O
360	CM	80	CM	46 LEVEL CM	1721,3812 litre	23,782 %	5516,8483 litre	O
360	CM	80	CM	45 LEVEL CM	1669,4131 litre	23,064 %	5568,8164 litre	O
360	CM	80	CM	44 LEVEL CM	1617,7954 litre	22,351 %	5620,4341 litre	O
360	CM	80	CM	43 LEVEL CM	1566,5405 litre	21,643 %	5671,6890 litre	O
360	CM	80	CM	42 LEVEL CM	1515,6612 litre	20,940 %	5722,5683 litre	O
360	CM	80	CM	41 LEVEL CM	1465,1705 litre	20,242 %	5773,0590 litre	O
360	CM	80	CM	40 LEVEL CM	1415,0819 litre	19,550 %	5823,1476 litre	O
360	CM	80	CM	39 LEVEL CM	1365,4090 litre	18,864 %	5872,8205 litre	O
360	CM	80	CM	38 LEVEL CM	1316,1659 litre	18,184 %	5922,0636 litre	O
360	CM	80	CM	37 LEVEL CM	1267,3669 litre	17,509 %	5970,8626 litre	O
360	CM	80	CM	36 LEVEL CM	1219,0269 litre	16,842 %	6019,2026 litre	O
360	CM	80	CM	35 LEVEL CM	1171,1611 litre	16,180 %	6067,0684 litre	O
360	CM	80	CM	34 LEVEL CM	1123,7851 litre	15,526 %	6114,4444 litre	O
360	CM	80	CM	33 LEVEL CM	1076,9153 litre	14,878 %	6161,3142 litre	O
360	CM	80	CM	32 LEVEL CM	1030,5682 litre	14,238 %	6207,6613 litre	O
360	CM	80	CM	31 LEVEL CM	984,7611 litre	13,605 %	6253,4684 litre	O
360	CM	80	CM	30 LEVEL CM	939,5120 litre	12,980 %	6298,7175 litre	O
360	CM	80	CM	29 LEVEL CM	894,8395 litre	12,363 %	6343,3900 litre	O
360	CM	80	CM	28 LEVEL CM	850,7627 litre	11,754 %	6387,4668 litre	O
360	CM	80	CM	27 LEVEL CM	807,3019 litre	11,153 %	6430,9276 litre	O
360	CM	80	CM	26 LEVEL CM	764,4779 litre	10,562 %	6473,7516 litre	O
360	CM	80	CM	25 LEVEL CM	722,3128 litre	9,979 %	6515,9167 litre	O
360	CM	80	CM	24 LEVEL CM	680,8293 litre	9,406 %	6557,4002 litre	O
360	CM	80	CM	23 LEVEL CM	640,0517 litre	8,843 %	6598,1778 litre	O
360	CM	80	CM	22 LEVEL CM	600,0054 litre	8,289 %	6638,2241 litre	O
360	CM	80	CM	21 LEVEL CM	560,7171 litre	7,747 %	6677,5124 litre	O
360	CM	80	CM	20 LEVEL CM	522,2151 litre	7,215 %	6716,0144 litre	O
360	CM	80	CM	19 LEVEL CM	484,5298 litre	6,694 %	6753,6997 litre	O
360	CM	80	CM	18 LEVEL CM	447,6932 litre	6,185 %	6790,5363 litre	O
360	CM	80	CM	17 LEVEL CM	411,7398 litre	5,688 %	6826,4897 litre	O
360	CM	80	CM	16 LEVEL CM	376,7066 litre	5,204 %	6861,5229 litre	O
360	CM	80	CM	15 LEVEL CM	342,6336 litre	4,734 %	6895,5959 litre	O
360	CM	80	CM	14 LEVEL CM	309,5646 litre	4,277 %	6928,6649 litre	O
360	CM	80	CM	13 LEVEL CM	277,5470 litre	3,834 %	6960,6825 litre	O
360	CM	80	CM	12 LEVEL CM	246,6334 litre	3,407 %	6991,5961 litre	O
360	CM	80	CM	11 LEVEL CM	216,8822 litre	2,996 %	7021,3473 litre	O
360	CM	80	CM	10 LEVEL CM	188,3588 litre	2,602 %	7049,8707 litre	O
360	CM	80	CM	9 LEVEL CM	161,1377 litre	2,226 %	7077,0918 litre	O
360	CM	80	CM	8 LEVEL CM	135,3045 litre	1,869 %	7102,9250 litre	O
360	CM	80	CM	7 LEVEL CM	110,9595 litre	1,533 %	7127,2700 litre	O
360	CM	80	CM	6 LEVEL CM	88,2228 litre	1,219 %	7150,0067 litre	O
360	CM	80	CM	5 LEVEL CM	67,2423 litre	0,929 %	7170,9872 litre	O
360	CM	80	CM	4 LEVEL CM	48,2066 litre	0,666 %	7190,0229 litre	O
360	CM	80	CM	3 LEVEL CM	31,3708 litre	0,433 %	7206,8587 litre	O

360_80

-1921-

360	CM 80	CM	2 LEVEL CM	17,1085 litre	0,236 %	7221,1210 litre	O
360	CM 80	CM	1 LEVEL CM	6,0602 litre	0,084 %	7232,1693 litre	O
360	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	7238,2295 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
360	CM	75	CM	150 LEVEL CM	6361,7251 litre	100,000 %	0,0000 litre	O
360	CM	75	CM	149 LEVEL CM	6355,8581 litre	99,908 %	5,8670 litre	O
360	CM	75	CM	148 LEVEL CM	6345,1641 litre	99,740 %	16,5610 litre	O
360	CM	75	CM	147 LEVEL CM	6331,3621 litre	99,523 %	30,3630 litre	O
360	CM	75	CM	146 LEVEL CM	6315,0730 litre	99,267 %	46,6521 litre	O
360	CM	75	CM	145 LEVEL CM	6296,6596 litre	98,977 %	65,0655 litre	O
360	CM	75	CM	144 LEVEL CM	6276,3694 litre	98,658 %	85,3557 litre	O
360	CM	75	CM	143 LEVEL CM	6254,3859 litre	98,313 %	107,3392 litre	O
360	CM	75	CM	142 LEVEL CM	6230,8527 litre	97,943 %	130,8724 litre	O
360	CM	75	CM	141 LEVEL CM	6205,8866 litre	97,550 %	155,8385 litre	O
360	CM	75	CM	140 LEVEL CM	6179,5854 litre	97,137 %	182,1397 litre	O
360	CM	75	CM	139 LEVEL CM	6152,0326 litre	96,704 %	209,6925 litre	O
360	CM	75	CM	138 LEVEL CM	6123,3006 litre	96,252 %	238,4245 litre	O
360	CM	75	CM	137 LEVEL CM	6093,4533 litre	95,783 %	268,2718 litre	O
360	CM	75	CM	136 LEVEL CM	6062,5478 litre	95,297 %	299,1773 litre	O
360	CM	75	CM	135 LEVEL CM	6030,6354 litre	94,796 %	331,0897 litre	O
360	CM	75	CM	134 LEVEL CM	5997,7626 litre	94,279 %	363,9625 litre	O
360	CM	75	CM	133 LEVEL CM	5963,9722 litre	93,748 %	397,7529 litre	O
360	CM	75	CM	132 LEVEL CM	5929,3032 litre	93,203 %	432,4219 litre	O
360	CM	75	CM	131 LEVEL CM	5893,7921 litre	92,645 %	467,9330 litre	O
360	CM	75	CM	130 LEVEL CM	5857,4727 litre	92,074 %	504,2524 litre	O
360	CM	75	CM	129 LEVEL CM	5820,3764 litre	91,491 %	541,3487 litre	O
360	CM	75	CM	128 LEVEL CM	5782,5331 litre	90,896 %	579,1920 litre	O
360	CM	75	CM	127 LEVEL CM	5743,9704 litre	90,290 %	617,7547 litre	O
360	CM	75	CM	126 LEVEL CM	5704,7150 litre	89,672 %	657,0101 litre	O
360	CM	75	CM	125 LEVEL CM	5664,7917 litre	89,045 %	696,9334 litre	O
360	CM	75	CM	124 LEVEL CM	5624,2243 litre	88,407 %	737,5008 litre	O
360	CM	75	CM	123 LEVEL CM	5583,0354 litre	87,760 %	778,6897 litre	O
360	CM	75	CM	122 LEVEL CM	5541,2468 litre	87,103 %	820,4783 litre	O
360	CM	75	CM	121 LEVEL CM	5498,8792 litre	86,437 %	862,8459 litre	O
360	CM	75	CM	120 LEVEL CM	5455,9523 litre	85,762 %	905,7728 litre	O
360	CM	75	CM	119 LEVEL CM	5412,4854 litre	85,079 %	949,2397 litre	O
360	CM	75	CM	118 LEVEL CM	5368,4969 litre	84,387 %	993,2282 litre	O
360	CM	75	CM	117 LEVEL CM	5324,0044 litre	83,688 %	1037,7207 litre	O
360	CM	75	CM	116 LEVEL CM	5279,0253 litre	82,981 %	1082,6998 litre	O
360	CM	75	CM	115 LEVEL CM	5233,5760 litre	82,267 %	1128,1491 litre	O
360	CM	75	CM	114 LEVEL CM	5187,6728 litre	81,545 %	1174,0523 litre	O
360	CM	75	CM	113 LEVEL CM	5141,3312 litre	80,817 %	1220,3939 litre	O
360	CM	75	CM	112 LEVEL CM	5094,5665 litre	80,082 %	1267,1586 litre	O
360	CM	75	CM	111 LEVEL CM	5047,3933 litre	79,340 %	1314,3318 litre	O
360	CM	75	CM	110 LEVEL CM	4999,8262 litre	78,592 %	1361,8989 litre	O
360	CM	75	CM	109 LEVEL CM	4951,8792 litre	77,839 %	1409,8459 litre	O
360	CM	75	CM	108 LEVEL CM	4903,5659 litre	77,079 %	1458,1592 litre	O
360	CM	75	CM	107 LEVEL CM	4854,8998 litre	76,314 %	1506,8253 litre	O
360	CM	75	CM	106 LEVEL CM	4805,8940 litre	75,544 %	1555,8311 litre	O
360	CM	75	CM	105 LEVEL CM	4756,5614 litre	74,768 %	1605,1637 litre	O
360	CM	75	CM	104 LEVEL CM	4706,9146 litre	73,988 %	1654,8105 litre	O
360	CM	75	CM	103 LEVEL CM	4656,9658 litre	73,203 %	1704,7593 litre	O
360	CM	75	CM	102 LEVEL CM	4606,7273 litre	72,413 %	1754,9978 litre	O
360	CM	75	CM	101 LEVEL CM	4556,2109 litre	71,619 %	1805,5142 litre	O
360	CM	75	CM	100 LEVEL CM	4505,4284 litre	70,821 %	1856,2967 litre	O
360	CM	75	CM	99 LEVEL CM	4454,3913 litre	70,019 %	1907,3338 litre	O

360	CM	75	CM	98 LEVEL CM	4403,1111 litre	69,213 %	1958,6140 litre	O
360	CM	75	CM	97 LEVEL CM	4351,5988 litre	68,403 %	2010,1263 litre	O
360	CM	75	CM	96 LEVEL CM	4299,8656 litre	67,590 %	2061,8595 litre	O
360	CM	75	CM	95 LEVEL CM	4247,9224 litre	66,773 %	2113,8027 litre	O
360	CM	75	CM	94 LEVEL CM	4195,7800 litre	65,953 %	2165,9451 litre	O
360	CM	75	CM	93 LEVEL CM	4143,4490 litre	65,131 %	2218,2761 litre	O
360	CM	75	CM	92 LEVEL CM	4090,9400 litre	64,306 %	2270,7851 litre	O
360	CM	75	CM	91 LEVEL CM	4038,2635 litre	63,477 %	2323,4616 litre	O
360	CM	75	CM	90 LEVEL CM	3985,4297 litre	62,647 %	2376,2954 litre	O
360	CM	75	CM	89 LEVEL CM	3932,4489 litre	61,814 %	2429,2762 litre	O
360	CM	75	CM	88 LEVEL CM	3879,3313 litre	60,979 %	2482,3938 litre	O
360	CM	75	CM	87 LEVEL CM	3826,0870 litre	60,142 %	2535,6381 litre	O
360	CM	75	CM	86 LEVEL CM	3772,7260 litre	59,304 %	2588,9991 litre	O
360	CM	75	CM	85 LEVEL CM	3719,2583 litre	58,463 %	2642,4668 litre	O
360	CM	75	CM	84 LEVEL CM	3665,6936 litre	57,621 %	2696,0315 litre	O
360	CM	75	CM	83 LEVEL CM	3612,0420 litre	56,778 %	2749,6831 litre	O
360	CM	75	CM	82 LEVEL CM	3558,3130 litre	55,933 %	2803,4121 litre	O
360	CM	75	CM	81 LEVEL CM	3504,5166 litre	55,088 %	2857,2085 litre	O
360	CM	75	CM	80 LEVEL CM	3450,6624 litre	54,241 %	2911,0627 litre	O
360	CM	75	CM	79 LEVEL CM	3396,7601 litre	53,394 %	2964,9650 litre	O
360	CM	75	CM	78 LEVEL CM	3342,8194 litre	52,546 %	3018,9057 litre	O
360	CM	75	CM	77 LEVEL CM	3288,8498 litre	51,697 %	3072,8753 litre	O
360	CM	75	CM	76 LEVEL CM	3234,8610 litre	50,849 %	3126,8641 litre	O
360	CM	75	CM	75 LEVEL CM	3180,8626 litre	50,000 %	3180,8625 litre	O
360	CM	75	CM	74 LEVEL CM	3126,8642 litre	49,151 %	3234,8609 litre	O
360	CM	75	CM	73 LEVEL CM	3072,8754 litre	48,303 %	3288,8497 litre	O
360	CM	75	CM	72 LEVEL CM	3018,9058 litre	47,454 %	3342,8193 litre	O
360	CM	75	CM	71 LEVEL CM	2964,9650 litre	46,606 %	3396,7601 litre	O
360	CM	75	CM	70 LEVEL CM	2911,0627 litre	45,759 %	3450,6624 litre	O
360	CM	75	CM	69 LEVEL CM	2857,2085 litre	44,912 %	3504,5166 litre	O
360	CM	75	CM	68 LEVEL CM	2803,4121 litre	44,067 %	3558,3130 litre	O
360	CM	75	CM	67 LEVEL CM	2749,6832 litre	43,222 %	3612,0419 litre	O
360	CM	75	CM	66 LEVEL CM	2696,0315 litre	42,379 %	3665,6936 litre	O
360	CM	75	CM	65 LEVEL CM	2642,4669 litre	41,537 %	3719,2582 litre	O
360	CM	75	CM	64 LEVEL CM	2588,9991 litre	40,696 %	3772,7260 litre	O
360	CM	75	CM	63 LEVEL CM	2535,6381 litre	39,858 %	3826,0870 litre	O
360	CM	75	CM	62 LEVEL CM	2482,3938 litre	39,021 %	3879,3313 litre	O
360	CM	75	CM	61 LEVEL CM	2429,2762 litre	38,186 %	3932,4489 litre	O
360	CM	75	CM	60 LEVEL CM	2376,2954 litre	37,353 %	3985,4297 litre	O
360	CM	75	CM	59 LEVEL CM	2323,4616 litre	36,523 %	4038,2635 litre	O
360	CM	75	CM	58 LEVEL CM	2270,7851 litre	35,694 %	4090,9400 litre	O
360	CM	75	CM	57 LEVEL CM	2218,2761 litre	34,869 %	4143,4490 litre	O
360	CM	75	CM	56 LEVEL CM	2165,9451 litre	34,047 %	4195,7800 litre	O
360	CM	75	CM	55 LEVEL CM	2113,8027 litre	33,227 %	4247,9224 litre	O
360	CM	75	CM	54 LEVEL CM	2061,8595 litre	32,410 %	4299,8656 litre	O
360	CM	75	CM	53 LEVEL CM	2010,1263 litre	31,597 %	4351,5988 litre	O
360	CM	75	CM	52 LEVEL CM	1958,6140 litre	30,787 %	4403,1111 litre	O
360	CM	75	CM	51 LEVEL CM	1907,3338 litre	29,981 %	4454,3913 litre	O
360	CM	75	CM	50 LEVEL CM	1856,2967 litre	29,179 %	4505,4284 litre	O
360	CM	75	CM	49 LEVEL CM	1805,5142 litre	28,381 %	4556,2109 litre	O
360	CM	75	CM	48 LEVEL CM	1754,9978 litre	27,587 %	4606,7273 litre	O
360	CM	75	CM	47 LEVEL CM	1704,7593 litre	26,797 %	4656,9658 litre	O
360	CM	75	CM	46 LEVEL CM	1654,8106 litre	26,012 %	4706,9145 litre	O

360	CM	75	CM	45 LEVEL CM	1605,1637 litre	25,232 %	4756,5614 litre	O
360	CM	75	CM	44 LEVEL CM	1555,8311 litre	24,456 %	4805,8940 litre	O
360	CM	75	CM	43 LEVEL CM	1506,8253 litre	23,686 %	4854,8998 litre	O
360	CM	75	CM	42 LEVEL CM	1458,1592 litre	22,921 %	4903,5659 litre	O
360	CM	75	CM	41 LEVEL CM	1409,8460 litre	22,161 %	4951,8791 litre	O
360	CM	75	CM	40 LEVEL CM	1361,8989 litre	21,408 %	4999,8262 litre	O
360	CM	75	CM	39 LEVEL CM	1314,3318 litre	20,660 %	5047,3933 litre	O
360	CM	75	CM	38 LEVEL CM	1267,1587 litre	19,918 %	5094,5664 litre	O
360	CM	75	CM	37 LEVEL CM	1220,3939 litre	19,183 %	5141,3312 litre	O
360	CM	75	CM	36 LEVEL CM	1174,0523 litre	18,455 %	5187,6728 litre	O
360	CM	75	CM	35 LEVEL CM	1128,1491 litre	17,733 %	5233,5760 litre	O
360	CM	75	CM	34 LEVEL CM	1082,6998 litre	17,019 %	5279,0253 litre	O
360	CM	75	CM	33 LEVEL CM	1037,7207 litre	16,312 %	5324,0044 litre	O
360	CM	75	CM	32 LEVEL CM	993,2283 litre	15,613 %	5368,4968 litre	O
360	CM	75	CM	31 LEVEL CM	949,2397 litre	14,921 %	5412,4854 litre	O
360	CM	75	CM	30 LEVEL CM	905,7728 litre	14,238 %	5455,9523 litre	O
360	CM	75	CM	29 LEVEL CM	862,8460 litre	13,563 %	5498,8791 litre	O
360	CM	75	CM	28 LEVEL CM	820,4783 litre	12,897 %	5541,2468 litre	O
360	CM	75	CM	27 LEVEL CM	778,6897 litre	12,240 %	5583,0354 litre	O
360	CM	75	CM	26 LEVEL CM	737,5009 litre	11,593 %	5624,2242 litre	O
360	CM	75	CM	25 LEVEL CM	696,9335 litre	10,955 %	5664,7916 litre	O
360	CM	75	CM	24 LEVEL CM	657,0101 litre	10,328 %	5704,7150 litre	O
360	CM	75	CM	23 LEVEL CM	617,7547 litre	9,710 %	5743,9704 litre	O
360	CM	75	CM	22 LEVEL CM	579,1921 litre	9,104 %	5782,5330 litre	O
360	CM	75	CM	21 LEVEL CM	541,3487 litre	8,509 %	5820,3764 litre	O
360	CM	75	CM	20 LEVEL CM	504,2524 litre	7,926 %	5857,4727 litre	O
360	CM	75	CM	19 LEVEL CM	467,9330 litre	7,355 %	5893,7921 litre	O
360	CM	75	CM	18 LEVEL CM	432,4219 litre	6,797 %	5929,3032 litre	O
360	CM	75	CM	17 LEVEL CM	397,7530 litre	6,252 %	5963,9721 litre	O
360	CM	75	CM	16 LEVEL CM	363,9625 litre	5,721 %	5997,7626 litre	O
360	CM	75	CM	15 LEVEL CM	331,0897 litre	5,204 %	6030,6354 litre	O
360	CM	75	CM	14 LEVEL CM	299,1773 litre	4,703 %	6062,5478 litre	O
360	CM	75	CM	13 LEVEL CM	268,2718 litre	4,217 %	6093,4533 litre	O
360	CM	75	CM	12 LEVEL CM	238,4246 litre	3,748 %	6123,3005 litre	O
360	CM	75	CM	11 LEVEL CM	209,6926 litre	3,296 %	6152,0325 litre	O
360	CM	75	CM	10 LEVEL CM	182,1397 litre	2,863 %	6179,5854 litre	O
360	CM	75	CM	9 LEVEL CM	155,8385 litre	2,450 %	6205,8866 litre	O
360	CM	75	CM	8 LEVEL CM	130,8725 litre	2,057 %	6230,8526 litre	O
360	CM	75	CM	7 LEVEL CM	107,3392 litre	1,687 %	6254,3859 litre	O
360	CM	75	CM	6 LEVEL CM	85,3557 litre	1,342 %	6276,3694 litre	O
360	CM	75	CM	5 LEVEL CM	65,0655 litre	1,023 %	6296,6596 litre	O
360	CM	75	CM	4 LEVEL CM	46,6522 litre	0,733 %	6315,0729 litre	O
360	CM	75	CM	3 LEVEL CM	30,3631 litre	0,477 %	6331,3620 litre	O
360	CM	75	CM	2 LEVEL CM	16,5610 litre	0,260 %	6345,1641 litre	O
360	CM	75	CM	1 LEVEL CM	5,8670 litre	0,092 %	6355,8581 litre	O
360	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	6361,7251 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM 70	CM 140 LEVEL CM	5541,7694 litre	100,000 %	0,0000 litre	O
360	CM 70	CM 139 LEVEL CM	5536,1022 litre	99,898 %	5,6672 litre	O
360	CM 70	CM 138 LEVEL CM	5525,7746 litre	99,711 %	15,9948 litre	O
360	CM 70	CM 137 LEVEL CM	5512,4487 litre	99,471 %	29,3207 litre	O
360	CM 70	CM 136 LEVEL CM	5496,7254 litre	99,187 %	45,0440 litre	O
360	CM 70	CM 135 LEVEL CM	5478,9561 litre	98,867 %	62,8133 litre	O
360	CM 70	CM 134 LEVEL CM	5459,3807 litre	98,513 %	82,3887 litre	O
360	CM 70	CM 133 LEVEL CM	5438,1769 litre	98,131 %	103,5925 litre	O
360	CM 70	CM 132 LEVEL CM	5415,4845 litre	97,721 %	126,2849 litre	O
360	CM 70	CM 131 LEVEL CM	5391,4168 litre	97,287 %	150,3526 litre	O
360	CM 70	CM 130 LEVEL CM	5366,0690 litre	96,830 %	175,7004 litre	O
360	CM 70	CM 129 LEVEL CM	5339,5220 litre	96,350 %	202,2474 litre	O
360	CM 70	CM 128 LEVEL CM	5311,8467 litre	95,851 %	229,9227 litre	O
360	CM 70	CM 127 LEVEL CM	5283,1054 litre	95,332 %	258,6640 litre	O
360	CM 70	CM 126 LEVEL CM	5253,3535 litre	94,796 %	288,4159 litre	O
360	CM 70	CM 125 LEVEL CM	5222,6412 litre	94,241 %	319,1282 litre	O
360	CM 70	CM 124 LEVEL CM	5191,0142 litre	93,671 %	350,7552 litre	O
360	CM 70	CM 123 LEVEL CM	5158,5139 litre	93,084 %	383,2555 litre	O
360	CM 70	CM 122 LEVEL CM	5125,1789 litre	92,483 %	416,5905 litre	O
360	CM 70	CM 121 LEVEL CM	5091,0448 litre	91,867 %	450,7246 litre	O
360	CM 70	CM 120 LEVEL CM	5056,1446 litre	91,237 %	485,6248 litre	O
360	CM 70	CM 119 LEVEL CM	5020,5095 litre	90,594 %	521,2599 litre	O
360	CM 70	CM 118 LEVEL CM	4984,1685 litre	89,938 %	557,6009 litre	O
360	CM 70	CM 117 LEVEL CM	4947,1490 litre	89,270 %	594,6204 litre	O
360	CM 70	CM 116 LEVEL CM	4909,4771 litre	88,590 %	632,2923 litre	O
360	CM 70	CM 115 LEVEL CM	4871,1774 litre	87,899 %	670,5920 litre	O
360	CM 70	CM 114 LEVEL CM	4832,2733 litre	87,197 %	709,4961 litre	O
360	CM 70	CM 113 LEVEL CM	4792,7873 litre	86,485 %	748,9821 litre	O
360	CM 70	CM 112 LEVEL CM	4752,7407 litre	85,762 %	789,0287 litre	O
360	CM 70	CM 111 LEVEL CM	4712,1540 litre	85,030 %	829,6154 litre	O
360	CM 70	CM 110 LEVEL CM	4671,0469 litre	84,288 %	870,7225 litre	O
360	CM 70	CM 109 LEVEL CM	4629,4385 litre	83,537 %	912,3309 litre	O
360	CM 70	CM 108 LEVEL CM	4587,3469 litre	82,778 %	954,4225 litre	O
360	CM 70	CM 107 LEVEL CM	4544,7899 litre	82,010 %	996,9795 litre	O
360	CM 70	CM 106 LEVEL CM	4501,7845 litre	81,234 %	1039,9849 litre	O
360	CM 70	CM 105 LEVEL CM	4458,3474 litre	80,450 %	1083,4220 litre	O
360	CM 70	CM 104 LEVEL CM	4414,4945 litre	79,659 %	1127,2749 litre	O
360	CM 70	CM 103 LEVEL CM	4370,2414 litre	78,860 %	1171,5280 litre	O
360	CM 70	CM 102 LEVEL CM	4325,6035 litre	78,055 %	1216,1659 litre	O
360	CM 70	CM 101 LEVEL CM	4280,5955 litre	77,242 %	1261,1739 litre	O
360	CM 70	CM 100 LEVEL CM	4235,2318 litre	76,424 %	1306,5376 litre	O
360	CM 70	CM 99 LEVEL CM	4189,5265 litre	75,599 %	1352,2429 litre	O
360	CM 70	CM 98 LEVEL CM	4143,4935 litre	74,768 %	1398,2759 litre	O
360	CM 70	CM 97 LEVEL CM	4097,1463 litre	73,932 %	1444,6231 litre	O
360	CM 70	CM 96 LEVEL CM	4050,4980 litre	73,090 %	1491,2714 litre	O
360	CM 70	CM 95 LEVEL CM	4003,5616 litre	72,243 %	1538,2078 litre	O
360	CM 70	CM 94 LEVEL CM	3956,3500 litre	71,391 %	1585,4194 litre	O
360	CM 70	CM 93 LEVEL CM	3908,8755 litre	70,535 %	1632,8939 litre	O
360	CM 70	CM 92 LEVEL CM	3861,1505 litre	69,674 %	1680,6189 litre	O
360	CM 70	CM 91 LEVEL CM	3813,1872 litre	68,808 %	1728,5822 litre	O
360	CM 70	CM 90 LEVEL CM	3764,9974 litre	67,939 %	1776,7720 litre	O
360	CM 70	CM 89 LEVEL CM	3716,5929 litre	67,065 %	1825,1765 litre	O

360	CM	70	CM	88 LEVEL CM	3667,9854 litre	66,188 %	1873,7840 litre	O
360	CM	70	CM	87 LEVEL CM	3619,1863 litre	65,307 %	1922,5831 litre	O
360	CM	70	CM	86 LEVEL CM	3570,2069 litre	64,424 %	1971,5625 litre	O
360	CM	70	CM	85 LEVEL CM	3521,0585 litre	63,537 %	2020,7109 litre	O
360	CM	70	CM	84 LEVEL CM	3471,7521 litre	62,647 %	2070,0173 litre	O
360	CM	70	CM	83 LEVEL CM	3422,2987 litre	61,755 %	2119,4707 litre	O
360	CM	70	CM	82 LEVEL CM	3372,7092 litre	60,860 %	2169,0602 litre	O
360	CM	70	CM	81 LEVEL CM	3322,9945 litre	59,963 %	2218,7749 litre	O
360	CM	70	CM	80 LEVEL CM	3273,1651 litre	59,064 %	2268,6043 litre	O
360	CM	70	CM	79 LEVEL CM	3223,2319 litre	58,163 %	2318,5375 litre	O
360	CM	70	CM	78 LEVEL CM	3173,2053 litre	57,260 %	2368,5641 litre	O
360	CM	70	CM	77 LEVEL CM	3123,0958 litre	56,356 %	2418,6736 litre	O
360	CM	70	CM	76 LEVEL CM	3072,9140 litre	55,450 %	2468,8554 litre	O
360	CM	70	CM	75 LEVEL CM	3022,6703 litre	54,543 %	2519,0991 litre	O
360	CM	70	CM	74 LEVEL CM	2972,3750 litre	53,636 %	2569,3944 litre	O
360	CM	70	CM	73 LEVEL CM	2922,0384 litre	52,728 %	2619,7310 litre	O
360	CM	70	CM	72 LEVEL CM	2871,6710 litre	51,819 %	2670,0984 litre	O
360	CM	70	CM	71 LEVEL CM	2821,2830 litre	50,909 %	2720,4864 litre	O
360	CM	70	CM	70 LEVEL CM	2770,8847 litre	50,000 %	2770,8847 litre	O
360	CM	70	CM	69 LEVEL CM	2720,4864 litre	49,091 %	2821,2830 litre	O
360	CM	70	CM	68 LEVEL CM	2670,0984 litre	48,181 %	2871,6710 litre	O
360	CM	70	CM	67 LEVEL CM	2619,7310 litre	47,272 %	2922,0384 litre	O
360	CM	70	CM	66 LEVEL CM	2569,3945 litre	46,364 %	2972,3749 litre	O
360	CM	70	CM	65 LEVEL CM	2519,0992 litre	45,457 %	3022,6702 litre	O
360	CM	70	CM	64 LEVEL CM	2468,8554 litre	44,550 %	3072,9140 litre	O
360	CM	70	CM	63 LEVEL CM	2418,6736 litre	43,644 %	3123,0958 litre	O
360	CM	70	CM	62 LEVEL CM	2368,5642 litre	42,740 %	3173,2052 litre	O
360	CM	70	CM	61 LEVEL CM	2318,5376 litre	41,837 %	3223,2318 litre	O
360	CM	70	CM	60 LEVEL CM	2268,6043 litre	40,936 %	3273,1651 litre	O
360	CM	70	CM	59 LEVEL CM	2218,7750 litre	40,037 %	3322,9944 litre	O
360	CM	70	CM	58 LEVEL CM	2169,0602 litre	39,140 %	3372,7092 litre	O
360	CM	70	CM	57 LEVEL CM	2119,4707 litre	38,245 %	3422,2987 litre	O
360	CM	70	CM	56 LEVEL CM	2070,0174 litre	37,353 %	3471,7520 litre	O
360	CM	70	CM	55 LEVEL CM	2020,7110 litre	36,463 %	3521,0584 litre	O
360	CM	70	CM	54 LEVEL CM	1971,5625 litre	35,576 %	3570,2069 litre	O
360	CM	70	CM	53 LEVEL CM	1922,5831 litre	34,693 %	3619,1863 litre	O
360	CM	70	CM	52 LEVEL CM	1873,7840 litre	33,812 %	3667,9854 litre	O
360	CM	70	CM	51 LEVEL CM	1825,1765 litre	32,935 %	3716,5929 litre	O
360	CM	70	CM	50 LEVEL CM	1776,7720 litre	32,061 %	3764,9974 litre	O
360	CM	70	CM	49 LEVEL CM	1728,5823 litre	31,192 %	3813,1871 litre	O
360	CM	70	CM	48 LEVEL CM	1680,6189 litre	30,326 %	3861,1505 litre	O
360	CM	70	CM	47 LEVEL CM	1632,8940 litre	29,465 %	3908,8754 litre	O
360	CM	70	CM	46 LEVEL CM	1585,4195 litre	28,609 %	3956,3499 litre	O
360	CM	70	CM	45 LEVEL CM	1538,2078 litre	27,757 %	4003,5616 litre	O
360	CM	70	CM	44 LEVEL CM	1491,2715 litre	26,910 %	4050,4979 litre	O
360	CM	70	CM	43 LEVEL CM	1444,6232 litre	26,068 %	4097,1462 litre	O
360	CM	70	CM	42 LEVEL CM	1398,2759 litre	25,232 %	4143,4935 litre	O
360	CM	70	CM	41 LEVEL CM	1352,2429 litre	24,401 %	4189,5265 litre	O
360	CM	70	CM	40 LEVEL CM	1306,5377 litre	23,576 %	4235,2317 litre	O
360	CM	70	CM	39 LEVEL CM	1261,1740 litre	22,758 %	4280,5954 litre	O
360	CM	70	CM	38 LEVEL CM	1216,1659 litre	21,945 %	4325,6035 litre	O
360	CM	70	CM	37 LEVEL CM	1171,5280 litre	21,140 %	4370,2414 litre	O
360	CM	70	CM	36 LEVEL CM	1127,2750 litre	20,341 %	4414,4944 litre	O

360	CM	70	CM	35 LEVEL CM	1083,4221 litre	19,550 %	4458,3473 litre	O
360	CM	70	CM	34 LEVEL CM	1039,9849 litre	18,766 %	4501,7845 litre	O
360	CM	70	CM	33 LEVEL CM	996,9795 litre	17,990 %	4544,7899 litre	O
360	CM	70	CM	32 LEVEL CM	954,4225 litre	17,222 %	4587,3469 litre	O
360	CM	70	CM	31 LEVEL CM	912,3309 litre	16,463 %	4629,4385 litre	O
360	CM	70	CM	30 LEVEL CM	870,7225 litre	15,712 %	4671,0469 litre	O
360	CM	70	CM	29 LEVEL CM	829,6154 litre	14,970 %	4712,1540 litre	O
360	CM	70	CM	28 LEVEL CM	789,0288 litre	14,238 %	4752,7406 litre	O
360	CM	70	CM	27 LEVEL CM	748,9821 litre	13,515 %	4792,7873 litre	O
360	CM	70	CM	26 LEVEL CM	709,4961 litre	12,803 %	4832,2733 litre	O
360	CM	70	CM	25 LEVEL CM	670,5920 litre	12,101 %	4871,1774 litre	O
360	CM	70	CM	24 LEVEL CM	632,2923 litre	11,410 %	4909,4771 litre	O
360	CM	70	CM	23 LEVEL CM	594,6204 litre	10,730 %	4947,1490 litre	O
360	CM	70	CM	22 LEVEL CM	557,6010 litre	10,062 %	4984,1684 litre	O
360	CM	70	CM	21 LEVEL CM	521,2600 litre	9,406 %	5020,5094 litre	O
360	CM	70	CM	20 LEVEL CM	485,6248 litre	8,763 %	5056,1446 litre	O
360	CM	70	CM	19 LEVEL CM	450,7247 litre	8,133 %	5091,0447 litre	O
360	CM	70	CM	18 LEVEL CM	416,5905 litre	7,517 %	5125,1789 litre	O
360	CM	70	CM	17 LEVEL CM	383,2555 litre	6,916 %	5158,5139 litre	O
360	CM	70	CM	16 LEVEL CM	350,7553 litre	6,329 %	5191,0141 litre	O
360	CM	70	CM	15 LEVEL CM	319,1282 litre	5,759 %	5222,6412 litre	O
360	CM	70	CM	14 LEVEL CM	288,4160 litre	5,204 %	5253,3534 litre	O
360	CM	70	CM	13 LEVEL CM	258,6641 litre	4,668 %	5283,1053 litre	O
360	CM	70	CM	12 LEVEL CM	229,9227 litre	4,149 %	5311,8467 litre	O
360	CM	70	CM	11 LEVEL CM	202,2474 litre	3,650 %	5339,5220 litre	O
360	CM	70	CM	10 LEVEL CM	175,7005 litre	3,170 %	5366,0689 litre	O
360	CM	70	CM	9 LEVEL CM	150,3526 litre	2,713 %	5391,4168 litre	O
360	CM	70	CM	8 LEVEL CM	126,2849 litre	2,279 %	5415,4845 litre	O
360	CM	70	CM	7 LEVEL CM	103,5925 litre	1,869 %	5438,1769 litre	O
360	CM	70	CM	6 LEVEL CM	82,3888 litre	1,487 %	5459,3806 litre	O
360	CM	70	CM	5 LEVEL CM	62,8133 litre	1,133 %	5478,9561 litre	O
360	CM	70	CM	4 LEVEL CM	45,0440 litre	0,813 %	5496,7254 litre	O
360	CM	70	CM	3 LEVEL CM	29,3208 litre	0,529 %	5512,4486 litre	O
360	CM	70	CM	2 LEVEL CM	15,9949 litre	0,289 %	5525,7745 litre	O
360	CM	70	CM	1 LEVEL CM	5,6673 litre	0,102 %	5536,1021 litre	O
360	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	5541,7694 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
360	CM	65	CM	130 LEVEL CM	4778,3624 litre	100,000 %	0,0000 litre	O
360	CM	65	CM	129 LEVEL CM	4772,9022 litre	99,886 %	5,4602 litre	O
360	CM	65	CM	128 LEVEL CM	4762,9545 litre	99,678 %	15,4079 litre	O
360	CM	65	CM	127 LEVEL CM	4750,1224 litre	99,409 %	28,2400 litre	O
360	CM	65	CM	126 LEVEL CM	4734,9861 litre	99,092 %	43,3763 litre	O
360	CM	65	CM	125 LEVEL CM	4717,8851 litre	98,734 %	60,4773 litre	O
360	CM	65	CM	124 LEVEL CM	4699,0515 litre	98,340 %	79,3109 litre	O
360	CM	65	CM	123 LEVEL CM	4678,6574 litre	97,913 %	99,7050 litre	O
360	CM	65	CM	122 LEVEL CM	4656,8381 litre	97,457 %	121,5243 litre	O
360	CM	65	CM	121 LEVEL CM	4633,7037 litre	96,973 %	144,6587 litre	O
360	CM	65	CM	120 LEVEL CM	4609,3464 litre	96,463 %	169,0160 litre	O
360	CM	65	CM	119 LEVEL CM	4583,8451 litre	95,929 %	194,5173 litre	O
360	CM	65	CM	118 LEVEL CM	4557,2685 litre	95,373 %	221,0939 litre	O
360	CM	65	CM	117 LEVEL CM	4529,6772 litre	94,796 %	248,6852 litre	O
360	CM	65	CM	116 LEVEL CM	4501,1256 litre	94,198 %	277,2368 litre	O
360	CM	65	CM	115 LEVEL CM	4471,6624 litre	93,581 %	306,7000 litre	O
360	CM	65	CM	114 LEVEL CM	4441,3320 litre	92,947 %	337,0304 litre	O
360	CM	65	CM	113 LEVEL CM	4410,1754 litre	92,295 %	368,1870 litre	O
360	CM	65	CM	112 LEVEL CM	4378,2300 litre	91,626 %	400,1324 litre	O
360	CM	65	CM	111 LEVEL CM	4345,5308 litre	90,942 %	432,8316 litre	O
360	CM	65	CM	110 LEVEL CM	4312,1102 litre	90,242 %	466,2522 litre	O
360	CM	65	CM	109 LEVEL CM	4277,9986 litre	89,529 %	500,3638 litre	O
360	CM	65	CM	108 LEVEL CM	4243,2248 litre	88,801 %	535,1376 litre	O
360	CM	65	CM	107 LEVEL CM	4207,8157 litre	88,060 %	570,5467 litre	O
360	CM	65	CM	106 LEVEL CM	4171,7969 litre	87,306 %	606,5655 litre	O
360	CM	65	CM	105 LEVEL CM	4135,1928 litre	86,540 %	643,1696 litre	O
360	CM	65	CM	104 LEVEL CM	4098,0264 litre	85,762 %	680,3360 litre	O
360	CM	65	CM	103 LEVEL CM	4060,3200 litre	84,973 %	718,0424 litre	O
360	CM	65	CM	102 LEVEL CM	4022,0946 litre	84,173 %	756,2678 litre	O
360	CM	65	CM	101 LEVEL CM	3983,3708 litre	83,363 %	794,9916 litre	O
360	CM	65	CM	100 LEVEL CM	3944,1679 litre	82,542 %	834,1945 litre	O
360	CM	65	CM	99 LEVEL CM	3904,5049 litre	81,712 %	873,8575 litre	O
360	CM	65	CM	98 LEVEL CM	3864,3999 litre	80,873 %	913,9625 litre	O
360	CM	65	CM	97 LEVEL CM	3823,8707 litre	80,025 %	954,4917 litre	O
360	CM	65	CM	96 LEVEL CM	3782,9341 litre	79,168 %	995,4283 litre	O
360	CM	65	CM	95 LEVEL CM	3741,6069 litre	78,303 %	1036,7555 litre	O
360	CM	65	CM	94 LEVEL CM	3699,9050 litre	77,430 %	1078,4574 litre	O
360	CM	65	CM	93 LEVEL CM	3657,8441 litre	76,550 %	1120,5183 litre	O
360	CM	65	CM	92 LEVEL CM	3615,4395 litre	75,663 %	1162,9229 litre	O
360	CM	65	CM	91 LEVEL CM	3572,7061 litre	74,768 %	1205,6563 litre	O
360	CM	65	CM	90 LEVEL CM	3529,6585 litre	73,868 %	1248,7039 litre	O
360	CM	65	CM	89 LEVEL CM	3486,3108 litre	72,960 %	1292,0516 litre	O
360	CM	65	CM	88 LEVEL CM	3442,6771 litre	72,047 %	1335,6853 litre	O
360	CM	65	CM	87 LEVEL CM	3398,7709 litre	71,128 %	1379,5915 litre	O
360	CM	65	CM	86 LEVEL CM	3354,6058 litre	70,204 %	1423,7566 litre	O
360	CM	65	CM	85 LEVEL CM	3310,1948 litre	69,275 %	1468,1676 litre	O
360	CM	65	CM	84 LEVEL CM	3265,5510 litre	68,340 %	1512,8114 litre	O
360	CM	65	CM	83 LEVEL CM	3220,6871 litre	67,401 %	1557,6753 litre	O
360	CM	65	CM	82 LEVEL CM	3175,6156 litre	66,458 %	1602,7468 litre	O
360	CM	65	CM	81 LEVEL CM	3130,3491 litre	65,511 %	1648,0133 litre	O
360	CM	65	CM	80 LEVEL CM	3084,8997 litre	64,560 %	1693,4627 litre	O
360	CM	65	CM	79 LEVEL CM	3039,2795 litre	63,605 %	1739,0829 litre	O

360	CM	65	CM	78 LEVEL CM	2993,5005 litre	62,647 %	1784,8619 litre	O
360	CM	65	CM	77 LEVEL CM	2947,5745 litre	61,686 %	1830,7879 litre	O
360	CM	65	CM	76 LEVEL CM	2901,5133 litre	60,722 %	1876,8491 litre	O
360	CM	65	CM	75 LEVEL CM	2855,3284 litre	59,755 %	1923,0340 litre	O
360	CM	65	CM	74 LEVEL CM	2809,0315 litre	58,786 %	1969,3309 litre	O
360	CM	65	CM	73 LEVEL CM	2762,6338 litre	57,815 %	2015,7286 litre	O
360	CM	65	CM	72 LEVEL CM	2716,1469 litre	56,843 %	2062,2155 litre	O
360	CM	65	CM	71 LEVEL CM	2669,5819 litre	55,868 %	2108,7805 litre	O
360	CM	65	CM	70 LEVEL CM	2622,9502 litre	54,892 %	2155,4122 litre	O
360	CM	65	CM	69 LEVEL CM	2576,2630 litre	53,915 %	2202,0994 litre	O
360	CM	65	CM	68 LEVEL CM	2529,5314 litre	52,937 %	2248,8310 litre	O
360	CM	65	CM	67 LEVEL CM	2482,7664 litre	51,959 %	2295,5960 litre	O
360	CM	65	CM	66 LEVEL CM	2435,9794 litre	50,979 %	2342,3830 litre	O
360	CM	65	CM	65 LEVEL CM	2389,1812 litre	50,000 %	2389,1812 litre	O
360	CM	65	CM	64 LEVEL CM	2342,3831 litre	49,021 %	2435,9793 litre	O
360	CM	65	CM	63 LEVEL CM	2295,5960 litre	48,041 %	2482,7664 litre	O
360	CM	65	CM	62 LEVEL CM	2248,8311 litre	47,063 %	2529,5313 litre	O
360	CM	65	CM	61 LEVEL CM	2202,0994 litre	46,085 %	2576,2630 litre	O
360	CM	65	CM	60 LEVEL CM	2155,4122 litre	45,108 %	2622,9502 litre	O
360	CM	65	CM	59 LEVEL CM	2108,7805 litre	44,132 %	2669,5819 litre	O
360	CM	65	CM	58 LEVEL CM	2062,2156 litre	43,157 %	2716,1468 litre	O
360	CM	65	CM	57 LEVEL CM	2015,7286 litre	42,185 %	2762,6338 litre	O
360	CM	65	CM	56 LEVEL CM	1969,3310 litre	41,214 %	2809,0314 litre	O
360	CM	65	CM	55 LEVEL CM	1923,0340 litre	40,245 %	2855,3284 litre	O
360	CM	65	CM	54 LEVEL CM	1876,8491 litre	39,278 %	2901,5133 litre	O
360	CM	65	CM	53 LEVEL CM	1830,7879 litre	38,314 %	2947,5745 litre	O
360	CM	65	CM	52 LEVEL CM	1784,8619 litre	37,353 %	2993,5005 litre	O
360	CM	65	CM	51 LEVEL CM	1739,0829 litre	36,395 %	3039,2795 litre	O
360	CM	65	CM	50 LEVEL CM	1693,4627 litre	35,440 %	3084,8997 litre	O
360	CM	65	CM	49 LEVEL CM	1648,0133 litre	34,489 %	3130,3491 litre	O
360	CM	65	CM	48 LEVEL CM	1602,7468 litre	33,542 %	3175,6156 litre	O
360	CM	65	CM	47 LEVEL CM	1557,6754 litre	32,599 %	3220,6870 litre	O
360	CM	65	CM	46 LEVEL CM	1512,8114 litre	31,660 %	3265,5510 litre	O
360	CM	65	CM	45 LEVEL CM	1468,1676 litre	30,725 %	3310,1948 litre	O
360	CM	65	CM	44 LEVEL CM	1423,7566 litre	29,796 %	3354,6058 litre	O
360	CM	65	CM	43 LEVEL CM	1379,5915 litre	28,872 %	3398,7709 litre	O
360	CM	65	CM	42 LEVEL CM	1335,6853 litre	27,953 %	3442,6771 litre	O
360	CM	65	CM	41 LEVEL CM	1292,0516 litre	27,040 %	3486,3108 litre	O
360	CM	65	CM	40 LEVEL CM	1248,7039 litre	26,132 %	3529,6585 litre	O
360	CM	65	CM	39 LEVEL CM	1205,6563 litre	25,232 %	3572,7061 litre	O
360	CM	65	CM	38 LEVEL CM	1162,9229 litre	24,337 %	3615,4395 litre	O
360	CM	65	CM	37 LEVEL CM	1120,5183 litre	23,450 %	3657,8441 litre	O
360	CM	65	CM	36 LEVEL CM	1078,4575 litre	22,570 %	3699,9049 litre	O
360	CM	65	CM	35 LEVEL CM	1036,7556 litre	21,697 %	3741,6068 litre	O
360	CM	65	CM	34 LEVEL CM	995,4283 litre	20,832 %	3782,9341 litre	O
360	CM	65	CM	33 LEVEL CM	954,4918 litre	19,975 %	3823,8706 litre	O
360	CM	65	CM	32 LEVEL CM	913,9625 litre	19,127 %	3864,3999 litre	O
360	CM	65	CM	31 LEVEL CM	873,8575 litre	18,288 %	3904,5049 litre	O
360	CM	65	CM	30 LEVEL CM	834,1945 litre	17,458 %	3944,1679 litre	O
360	CM	65	CM	29 LEVEL CM	794,9917 litre	16,637 %	3983,3707 litre	O
360	CM	65	CM	28 LEVEL CM	756,2678 litre	15,827 %	4022,0946 litre	O
360	CM	65	CM	27 LEVEL CM	718,0425 litre	15,027 %	4060,3199 litre	O
360	CM	65	CM	26 LEVEL CM	680,3360 litre	14,238 %	4098,0264 litre	O

360	CM	65	CM	25 LEVEL CM	643,1697 litre	13,460 %	4135,1927 litre	O
360	CM	65	CM	24 LEVEL CM	606,5655 litre	12,694 %	4171,7969 litre	O
360	CM	65	CM	23 LEVEL CM	570,5467 litre	11,940 %	4207,8157 litre	O
360	CM	65	CM	22 LEVEL CM	535,1376 litre	11,199 %	4243,2248 litre	O
360	CM	65	CM	21 LEVEL CM	500,3638 litre	10,471 %	4277,9986 litre	O
360	CM	65	CM	20 LEVEL CM	466,2523 litre	9,758 %	4312,1101 litre	O
360	CM	65	CM	19 LEVEL CM	432,8316 litre	9,058 %	4345,5308 litre	O
360	CM	65	CM	18 LEVEL CM	400,1324 litre	8,374 %	4378,2300 litre	O
360	CM	65	CM	17 LEVEL CM	368,1870 litre	7,705 %	4410,1754 litre	O
360	CM	65	CM	16 LEVEL CM	337,0304 litre	7,053 %	4441,3320 litre	O
360	CM	65	CM	15 LEVEL CM	306,7001 litre	6,419 %	4471,6623 litre	O
360	CM	65	CM	14 LEVEL CM	277,2369 litre	5,802 %	4501,1255 litre	O
360	CM	65	CM	13 LEVEL CM	248,6852 litre	5,204 %	4529,6772 litre	O
360	CM	65	CM	12 LEVEL CM	221,0940 litre	4,627 %	4557,2684 litre	O
360	CM	65	CM	11 LEVEL CM	194,5174 litre	4,071 %	4583,8450 litre	O
360	CM	65	CM	10 LEVEL CM	169,0161 litre	3,537 %	4609,3463 litre	O
360	CM	65	CM	9 LEVEL CM	144,6587 litre	3,027 %	4633,7037 litre	O
360	CM	65	CM	8 LEVEL CM	121,5243 litre	2,543 %	4656,8381 litre	O
360	CM	65	CM	7 LEVEL CM	99,7050 litre	2,087 %	4678,6574 litre	O
360	CM	65	CM	6 LEVEL CM	79,3110 litre	1,660 %	4699,0514 litre	O
360	CM	65	CM	5 LEVEL CM	60,4773 litre	1,266 %	4717,8851 litre	O
360	CM	65	CM	4 LEVEL CM	43,3763 litre	0,908 %	4734,9861 litre	O
360	CM	65	CM	3 LEVEL CM	28,2400 litre	0,591 %	4750,1224 litre	O
360	CM	65	CM	2 LEVEL CM	15,4079 litre	0,322 %	4762,9545 litre	O
360	CM	65	CM	1 LEVEL CM	5,4602 litre	0,114 %	4772,9022 litre	O
360	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	4778,3624 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
360	CM	60	CM	120 LEVEL CM	4071,5041 litre	100,000 %	0,0000 litre	O
360	CM	60	CM	119 LEVEL CM	4066,2591 litre	99,871 %	5,2450 litre	O
360	CM	60	CM	118 LEVEL CM	4056,7064 litre	99,637 %	14,7977 litre	O
360	CM	60	CM	117 LEVEL CM	4044,3878 litre	99,334 %	27,1163 litre	O
360	CM	60	CM	116 LEVEL CM	4029,8622 litre	98,977 %	41,6419 litre	O
360	CM	60	CM	115 LEVEL CM	4013,4567 litre	98,574 %	58,0474 litre	O
360	CM	60	CM	114 LEVEL CM	3995,3953 litre	98,131 %	76,1088 litre	O
360	CM	60	CM	113 LEVEL CM	3975,8444 litre	97,651 %	95,6597 litre	O
360	CM	60	CM	112 LEVEL CM	3954,9347 litre	97,137 %	116,5694 litre	O
360	CM	60	CM	111 LEVEL CM	3932,7728 litre	96,593 %	138,7313 litre	O
360	CM	60	CM	110 LEVEL CM	3909,4481 litre	96,020 %	162,0560 litre	O
360	CM	60	CM	109 LEVEL CM	3885,0371 litre	95,420 %	186,4670 litre	O
360	CM	60	CM	108 LEVEL CM	3859,6066 litre	94,796 %	211,8975 litre	O
360	CM	60	CM	107 LEVEL CM	3833,2157 litre	94,147 %	238,2884 litre	O
360	CM	60	CM	106 LEVEL CM	3805,9169 litre	93,477 %	265,5872 litre	O
360	CM	60	CM	105 LEVEL CM	3777,7581 litre	92,785 %	293,7460 litre	O
360	CM	60	CM	104 LEVEL CM	3748,7825 litre	92,074 %	322,7216 litre	O
360	CM	60	CM	103 LEVEL CM	3719,0301 litre	91,343 %	352,4740 litre	O
360	CM	60	CM	102 LEVEL CM	3688,5376 litre	90,594 %	382,9665 litre	O
360	CM	60	CM	101 LEVEL CM	3657,3391 litre	89,828 %	414,1650 litre	O
360	CM	60	CM	100 LEVEL CM	3625,4667 litre	89,045 %	446,0374 litre	O
360	CM	60	CM	99 LEVEL CM	3592,9500 litre	88,246 %	478,5541 litre	O
360	CM	60	CM	98 LEVEL CM	3559,8175 litre	87,432 %	511,6866 litre	O
360	CM	60	CM	97 LEVEL CM	3526,0955 litre	86,604 %	545,4086 litre	O
360	CM	60	CM	96 LEVEL CM	3491,8095 litre	85,762 %	579,6946 litre	O
360	CM	60	CM	95 LEVEL CM	3456,9833 litre	84,907 %	614,5208 litre	O
360	CM	60	CM	94 LEVEL CM	3421,6400 litre	84,039 %	649,8641 litre	O
360	CM	60	CM	93 LEVEL CM	3385,8015 litre	83,158 %	685,7026 litre	O
360	CM	60	CM	92 LEVEL CM	3349,4887 litre	82,267 %	722,0154 litre	O
360	CM	60	CM	91 LEVEL CM	3312,7219 litre	81,364 %	758,7822 litre	O
360	CM	60	CM	90 LEVEL CM	3275,5205 litre	80,450 %	795,9836 litre	O
360	CM	60	CM	89 LEVEL CM	3237,9034 litre	79,526 %	833,6007 litre	O
360	CM	60	CM	88 LEVEL CM	3199,8888 litre	78,592 %	871,6153 litre	O
360	CM	60	CM	87 LEVEL CM	3161,4942 litre	77,649 %	910,0099 litre	O
360	CM	60	CM	86 LEVEL CM	3122,7367 litre	76,697 %	948,7674 litre	O
360	CM	60	CM	85 LEVEL CM	3083,6330 litre	75,737 %	987,8711 litre	O
360	CM	60	CM	84 LEVEL CM	3044,1993 litre	74,768 %	1027,3048 litre	O
360	CM	60	CM	83 LEVEL CM	3004,4513 litre	73,792 %	1067,0528 litre	O
360	CM	60	CM	82 LEVEL CM	2964,4045 litre	72,809 %	1107,0996 litre	O
360	CM	60	CM	81 LEVEL CM	2924,0739 litre	71,818 %	1147,4302 litre	O
360	CM	60	CM	80 LEVEL CM	2883,4742 litre	70,821 %	1188,0299 litre	O
360	CM	60	CM	79 LEVEL CM	2842,6199 litre	69,817 %	1228,8842 litre	O
360	CM	60	CM	78 LEVEL CM	2801,5253 litre	68,808 %	1269,9788 litre	O
360	CM	60	CM	77 LEVEL CM	2760,2042 litre	67,793 %	1311,2999 litre	O
360	CM	60	CM	76 LEVEL CM	2718,6704 litre	66,773 %	1352,8337 litre	O
360	CM	60	CM	75 LEVEL CM	2676,9373 litre	65,748 %	1394,5668 litre	O
360	CM	60	CM	74 LEVEL CM	2635,0183 litre	64,719 %	1436,4858 litre	O
360	CM	60	CM	73 LEVEL CM	2592,9266 litre	63,685 %	1478,5775 litre	O
360	CM	60	CM	72 LEVEL CM	2550,6750 litre	62,647 %	1520,8291 litre	O
360	CM	60	CM	71 LEVEL CM	2508,2765 litre	61,606 %	1563,2276 litre	O
360	CM	60	CM	70 LEVEL CM	2465,7436 litre	60,561 %	1605,7605 litre	O
360	CM	60	CM	69 LEVEL CM	2423,0891 litre	59,513 %	1648,4150 litre	O

360	CM	60	CM	68 LEVEL CM	2380,3253 litre	58,463 %	1691,1788 litre	O
360	CM	60	CM	67 LEVEL CM	2337,4646 litre	57,410 %	1734,0395 litre	O
360	CM	60	CM	66 LEVEL CM	2294,5194 litre	56,356 %	1776,9847 litre	O
360	CM	60	CM	65 LEVEL CM	2251,5018 litre	55,299 %	1820,0023 litre	O
360	CM	60	CM	64 LEVEL CM	2208,4240 litre	54,241 %	1863,0801 litre	O
360	CM	60	CM	63 LEVEL CM	2165,2980 litre	53,182 %	1906,2061 litre	O
360	CM	60	CM	62 LEVEL CM	2122,1360 litre	52,122 %	1949,3681 litre	O
360	CM	60	CM	61 LEVEL CM	2078,9500 litre	51,061 %	1992,5541 litre	O
360	CM	60	CM	60 LEVEL CM	2035,7520 litre	50,000 %	2035,7521 litre	O
360	CM	60	CM	59 LEVEL CM	1992,5540 litre	48,939 %	2078,9501 litre	O
360	CM	60	CM	58 LEVEL CM	1949,3680 litre	47,878 %	2122,1361 litre	O
360	CM	60	CM	57 LEVEL CM	1906,2061 litre	46,818 %	2165,2980 litre	O
360	CM	60	CM	56 LEVEL CM	1863,0801 litre	45,759 %	2208,4240 litre	O
360	CM	60	CM	55 LEVEL CM	1820,0023 litre	44,701 %	2251,5018 litre	O
360	CM	60	CM	54 LEVEL CM	1776,9847 litre	43,644 %	2294,5194 litre	O
360	CM	60	CM	53 LEVEL CM	1734,0394 litre	42,590 %	2337,4647 litre	O
360	CM	60	CM	52 LEVEL CM	1691,1788 litre	41,537 %	2380,3253 litre	O
360	CM	60	CM	51 LEVEL CM	1648,4150 litre	40,487 %	2423,0891 litre	O
360	CM	60	CM	50 LEVEL CM	1605,7605 litre	39,439 %	2465,7436 litre	O
360	CM	60	CM	49 LEVEL CM	1563,2276 litre	38,394 %	2508,2765 litre	O
360	CM	60	CM	48 LEVEL CM	1520,8291 litre	37,353 %	2550,6750 litre	O
360	CM	60	CM	47 LEVEL CM	1478,5775 litre	36,315 %	2592,9266 litre	O
360	CM	60	CM	46 LEVEL CM	1436,4858 litre	35,281 %	2635,0183 litre	O
360	CM	60	CM	45 LEVEL CM	1394,5668 litre	34,252 %	2676,9373 litre	O
360	CM	60	CM	44 LEVEL CM	1352,8337 litre	33,227 %	2718,6704 litre	O
360	CM	60	CM	43 LEVEL CM	1311,2999 litre	32,207 %	2760,2042 litre	O
360	CM	60	CM	42 LEVEL CM	1269,9788 litre	31,192 %	2801,5253 litre	O
360	CM	60	CM	41 LEVEL CM	1228,8842 litre	30,183 %	2842,6199 litre	O
360	CM	60	CM	40 LEVEL CM	1188,0299 litre	29,179 %	2883,4742 litre	O
360	CM	60	CM	39 LEVEL CM	1147,4302 litre	28,182 %	2924,0739 litre	O
360	CM	60	CM	38 LEVEL CM	1107,0996 litre	27,191 %	2964,4045 litre	O
360	CM	60	CM	37 LEVEL CM	1067,0527 litre	26,208 %	3004,4514 litre	O
360	CM	60	CM	36 LEVEL CM	1027,3048 litre	25,232 %	3044,1993 litre	O
360	CM	60	CM	35 LEVEL CM	987,8710 litre	24,263 %	3083,6331 litre	O
360	CM	60	CM	34 LEVEL CM	948,7674 litre	23,303 %	3122,7367 litre	O
360	CM	60	CM	33 LEVEL CM	910,0099 litre	22,351 %	3161,4942 litre	O
360	CM	60	CM	32 LEVEL CM	871,6153 litre	21,408 %	3199,8888 litre	O
360	CM	60	CM	31 LEVEL CM	833,6007 litre	20,474 %	3237,9034 litre	O
360	CM	60	CM	30 LEVEL CM	795,9836 litre	19,550 %	3275,5205 litre	O
360	CM	60	CM	29 LEVEL CM	758,7822 litre	18,636 %	3312,7219 litre	O
360	CM	60	CM	28 LEVEL CM	722,0154 litre	17,733 %	3349,4887 litre	O
360	CM	60	CM	27 LEVEL CM	685,7026 litre	16,842 %	3385,8015 litre	O
360	CM	60	CM	26 LEVEL CM	649,8641 litre	15,961 %	3421,6400 litre	O
360	CM	60	CM	25 LEVEL CM	614,5207 litre	15,093 %	3456,9834 litre	O
360	CM	60	CM	24 LEVEL CM	579,6946 litre	14,238 %	3491,8095 litre	O
360	CM	60	CM	23 LEVEL CM	545,4086 litre	13,396 %	3526,0955 litre	O
360	CM	60	CM	22 LEVEL CM	511,6866 litre	12,568 %	3559,8175 litre	O
360	CM	60	CM	21 LEVEL CM	478,5540 litre	11,754 %	3592,9501 litre	O
360	CM	60	CM	20 LEVEL CM	446,0374 litre	10,955 %	3625,4667 litre	O
360	CM	60	CM	19 LEVEL CM	414,1649 litre	10,172 %	3657,3392 litre	O
360	CM	60	CM	18 LEVEL CM	382,9665 litre	9,406 %	3688,5376 litre	O
360	CM	60	CM	17 LEVEL CM	352,4740 litre	8,657 %	3719,0301 litre	O
360	CM	60	CM	16 LEVEL CM	322,7216 litre	7,926 %	3748,7825 litre	O

360	CM	60	CM	15 LEVEL CM	293,7460 litre	7,215 %	3777,7581 litre	O
360	CM	60	CM	14 LEVEL CM	265,5872 litre	6,523 %	3805,9169 litre	O
360	CM	60	CM	13 LEVEL CM	238,2884 litre	5,853 %	3833,2157 litre	O
360	CM	60	CM	12 LEVEL CM	211,8974 litre	5,204 %	3859,6067 litre	O
360	CM	60	CM	11 LEVEL CM	186,4670 litre	4,580 %	3885,0371 litre	O
360	CM	60	CM	10 LEVEL CM	162,0560 litre	3,980 %	3909,4481 litre	O
360	CM	60	CM	9 LEVEL CM	138,7313 litre	3,407 %	3932,7728 litre	O
360	CM	60	CM	8 LEVEL CM	116,5694 litre	2,863 %	3954,9347 litre	O
360	CM	60	CM	7 LEVEL CM	95,6597 litre	2,349 %	3975,8444 litre	O
360	CM	60	CM	6 LEVEL CM	76,1088 litre	1,869 %	3995,3953 litre	O
360	CM	60	CM	5 LEVEL CM	58,0473 litre	1,426 %	4013,4568 litre	O
360	CM	60	CM	4 LEVEL CM	41,6419 litre	1,023 %	4029,8622 litre	O
360	CM	60	CM	3 LEVEL CM	27,1162 litre	0,666 %	4044,3879 litre	O
360	CM	60	CM	2 LEVEL CM	14,7977 litre	0,363 %	4056,7064 litre	O
360	CM	60	CM	1 LEVEL CM	5,2450 litre	0,129 %	4066,2591 litre	O
360	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	4071,5041 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
360	CM	55	CM 110 LEVEL CM	3421,1944 litre	100,000 %	0,0000 litre	O
360	CM	55	CM 109 LEVEL CM	3416,1739 litre	99,853 %	5,0205 litre	O
360	CM	55	CM 108 LEVEL CM	3407,0332 litre	99,586 %	14,1612 litre	O
360	CM	55	CM 107 LEVEL CM	3395,2506 litre	99,242 %	25,9438 litre	O
360	CM	55	CM 106 LEVEL CM	3381,3624 litre	98,836 %	39,8320 litre	O
360	CM	55	CM 105 LEVEL CM	3365,6833 litre	98,377 %	55,5111 litre	O
360	CM	55	CM 104 LEVEL CM	3348,4286 litre	97,873 %	72,7658 litre	O
360	CM	55	CM 103 LEVEL CM	3329,7589 litre	97,327 %	91,4355 litre	O
360	CM	55	CM 102 LEVEL CM	3309,8002 litre	96,744 %	111,3942 litre	O
360	CM	55	CM 101 LEVEL CM	3288,6555 litre	96,126 %	132,5389 litre	O
360	CM	55	CM 100 LEVEL CM	3266,4113 litre	95,476 %	154,7831 litre	O
360	CM	55	CM 99 LEVEL CM	3243,1417 litre	94,796 %	178,0527 litre	O
360	CM	55	CM 98 LEVEL CM	3218,9115 litre	94,087 %	202,2829 litre	O
360	CM	55	CM 97 LEVEL CM	3193,7780 litre	93,353 %	227,4164 litre	O
360	CM	55	CM 96 LEVEL CM	3167,7925 litre	92,593 %	253,4019 litre	O
360	CM	55	CM 95 LEVEL CM	3141,0015 litre	91,810 %	280,1929 litre	O
360	CM	55	CM 94 LEVEL CM	3113,4472 litre	91,005 %	307,7472 litre	O
360	CM	55	CM 93 LEVEL CM	3085,1687 litre	90,178 %	336,0257 litre	O
360	CM	55	CM 92 LEVEL CM	3056,2018 litre	89,331 %	364,9926 litre	O
360	CM	55	CM 91 LEVEL CM	3026,5801 litre	88,466 %	394,6143 litre	O
360	CM	55	CM 90 LEVEL CM	2996,3349 litre	87,582 %	424,8595 litre	O
360	CM	55	CM 89 LEVEL CM	2965,4956 litre	86,680 %	455,6988 litre	O
360	CM	55	CM 88 LEVEL CM	2934,0899 litre	85,762 %	487,1045 litre	O
360	CM	55	CM 87 LEVEL CM	2902,1441 litre	84,828 %	519,0503 litre	O
360	CM	55	CM 86 LEVEL CM	2869,6832 litre	83,880 %	551,5112 litre	O
360	CM	55	CM 85 LEVEL CM	2836,7308 litre	82,916 %	584,4636 litre	O
360	CM	55	CM 84 LEVEL CM	2803,3099 litre	81,940 %	617,8845 litre	O
360	CM	55	CM 83 LEVEL CM	2769,4420 litre	80,950 %	651,7524 litre	O
360	CM	55	CM 82 LEVEL CM	2735,1483 litre	79,947 %	686,0461 litre	O
360	CM	55	CM 81 LEVEL CM	2700,4487 litre	78,933 %	720,7457 litre	O
360	CM	55	CM 80 LEVEL CM	2665,3629 litre	77,907 %	755,8315 litre	O
360	CM	55	CM 79 LEVEL CM	2629,9096 litre	76,871 %	791,2848 litre	O
360	CM	55	CM 78 LEVEL CM	2594,1071 litre	75,825 %	827,0873 litre	O
360	CM	55	CM 77 LEVEL CM	2557,9730 litre	74,768 %	863,2214 litre	O
360	CM	55	CM 76 LEVEL CM	2521,5247 litre	73,703 %	899,6697 litre	O
360	CM	55	CM 75 LEVEL CM	2484,7790 litre	72,629 %	936,4154 litre	O
360	CM	55	CM 74 LEVEL CM	2447,7521 litre	71,547 %	973,4423 litre	O
360	CM	55	CM 73 LEVEL CM	2410,4602 litre	70,457 %	1010,7342 litre	O
360	CM	55	CM 72 LEVEL CM	2372,9188 litre	69,359 %	1048,2756 litre	O
360	CM	55	CM 71 LEVEL CM	2335,1435 litre	68,255 %	1086,0509 litre	O
360	CM	55	CM 70 LEVEL CM	2297,1491 litre	67,145 %	1124,0453 litre	O
360	CM	55	CM 69 LEVEL CM	2258,9507 litre	66,028 %	1162,2437 litre	O
360	CM	55	CM 68 LEVEL CM	2220,5628 litre	64,906 %	1200,6316 litre	O
360	CM	55	CM 67 LEVEL CM	2181,9996 litre	63,779 %	1239,1948 litre	O
360	CM	55	CM 66 LEVEL CM	2143,2755 litre	62,647 %	1277,9189 litre	O
360	CM	55	CM 65 LEVEL CM	2104,4044 litre	61,511 %	1316,7900 litre	O
360	CM	55	CM 64 LEVEL CM	2065,4002 litre	60,371 %	1355,7942 litre	O
360	CM	55	CM 63 LEVEL CM	2026,2765 litre	59,227 %	1394,9179 litre	O
360	CM	55	CM 62 LEVEL CM	1987,0470 litre	58,081 %	1434,1474 litre	O
360	CM	55	CM 61 LEVEL CM	1947,7251 litre	56,931 %	1473,4693 litre	O
360	CM	55	CM 60 LEVEL CM	1908,3241 litre	55,779 %	1512,8703 litre	O
360	CM	55	CM 59 LEVEL CM	1868,8575 litre	54,626 %	1552,3369 litre	O

360	CM 55	CM	58 LEVEL CM	1829,3383 litre	53,471 %	1591,8561 litre	O
360	CM 55	CM	57 LEVEL CM	1789,7797 litre	52,314 %	1631,4147 litre	O
360	CM 55	CM	56 LEVEL CM	1750,1950 litre	51,157 %	1670,9994 litre	O
360	CM 55	CM	55 LEVEL CM	1710,5972 litre	50,000 %	1710,5972 litre	O
360	CM 55	CM	54 LEVEL CM	1670,9994 litre	48,843 %	1750,1950 litre	O
360	CM 55	CM	53 LEVEL CM	1631,4147 litre	47,686 %	1789,7797 litre	O
360	CM 55	CM	52 LEVEL CM	1591,8561 litre	46,529 %	1829,3383 litre	O
360	CM 55	CM	51 LEVEL CM	1552,3369 litre	45,374 %	1868,8575 litre	O
360	CM 55	CM	50 LEVEL CM	1512,8703 litre	44,221 %	1908,3241 litre	O
360	CM 55	CM	49 LEVEL CM	1473,4693 litre	43,069 %	1947,7251 litre	O
360	CM 55	CM	48 LEVEL CM	1434,1474 litre	41,919 %	1987,0470 litre	O
360	CM 55	CM	47 LEVEL CM	1394,9179 litre	40,773 %	2026,2765 litre	O
360	CM 55	CM	46 LEVEL CM	1355,7942 litre	39,629 %	2065,4002 litre	O
360	CM 55	CM	45 LEVEL CM	1316,7900 litre	38,489 %	2104,4044 litre	O
360	CM 55	CM	44 LEVEL CM	1277,9189 litre	37,353 %	2143,2755 litre	O
360	CM 55	CM	43 LEVEL CM	1239,1948 litre	36,221 %	2181,9996 litre	O
360	CM 55	CM	42 LEVEL CM	1200,6316 litre	35,094 %	2220,5628 litre	O
360	CM 55	CM	41 LEVEL CM	1162,2437 litre	33,972 %	2258,9507 litre	O
360	CM 55	CM	40 LEVEL CM	1124,0453 litre	32,855 %	2297,1491 litre	O
360	CM 55	CM	39 LEVEL CM	1086,0509 litre	31,745 %	2335,1435 litre	O
360	CM 55	CM	38 LEVEL CM	1048,2756 litre	30,641 %	2372,9188 litre	O
360	CM 55	CM	37 LEVEL CM	1010,7342 litre	29,543 %	2410,4602 litre	O
360	CM 55	CM	36 LEVEL CM	973,4423 litre	28,453 %	2447,7521 litre	O
360	CM 55	CM	35 LEVEL CM	936,4154 litre	27,371 %	2484,7790 litre	O
360	CM 55	CM	34 LEVEL CM	899,6697 litre	26,297 %	2521,5247 litre	O
360	CM 55	CM	33 LEVEL CM	863,2214 litre	25,232 %	2557,9730 litre	O
360	CM 55	CM	32 LEVEL CM	827,0873 litre	24,175 %	2594,1071 litre	O
360	CM 55	CM	31 LEVEL CM	791,2848 litre	23,129 %	2629,9096 litre	O
360	CM 55	CM	30 LEVEL CM	755,8315 litre	22,093 %	2665,3629 litre	O
360	CM 55	CM	29 LEVEL CM	720,7457 litre	21,067 %	2700,4487 litre	O
360	CM 55	CM	28 LEVEL CM	686,0461 litre	20,053 %	2735,1483 litre	O
360	CM 55	CM	27 LEVEL CM	651,7524 litre	19,050 %	2769,4420 litre	O
360	CM 55	CM	26 LEVEL CM	617,8845 litre	18,060 %	2803,3099 litre	O
360	CM 55	CM	25 LEVEL CM	584,4636 litre	17,084 %	2836,7308 litre	O
360	CM 55	CM	24 LEVEL CM	551,5112 litre	16,120 %	2869,6832 litre	O
360	CM 55	CM	23 LEVEL CM	519,0503 litre	15,172 %	2902,1441 litre	O
360	CM 55	CM	22 LEVEL CM	487,1045 litre	14,238 %	2934,0899 litre	O
360	CM 55	CM	21 LEVEL CM	455,6988 litre	13,320 %	2965,4956 litre	O
360	CM 55	CM	20 LEVEL CM	424,8595 litre	12,418 %	2996,3349 litre	O
360	CM 55	CM	19 LEVEL CM	394,6143 litre	11,534 %	3026,5801 litre	O
360	CM 55	CM	18 LEVEL CM	364,9926 litre	10,669 %	3056,2018 litre	O
360	CM 55	CM	17 LEVEL CM	336,0257 litre	9,822 %	3085,1687 litre	O
360	CM 55	CM	16 LEVEL CM	307,7472 litre	8,995 %	3113,4472 litre	O
360	CM 55	CM	15 LEVEL CM	280,1929 litre	8,190 %	3141,0015 litre	O
360	CM 55	CM	14 LEVEL CM	253,4019 litre	7,407 %	3167,7925 litre	O
360	CM 55	CM	13 LEVEL CM	227,4164 litre	6,647 %	3193,7780 litre	O
360	CM 55	CM	12 LEVEL CM	202,2829 litre	5,913 %	3218,9115 litre	O
360	CM 55	CM	11 LEVEL CM	178,0527 litre	5,204 %	3243,1417 litre	O
360	CM 55	CM	10 LEVEL CM	154,7831 litre	4,524 %	3266,4113 litre	O
360	CM 55	CM	9 LEVEL CM	132,5389 litre	3,874 %	3288,6555 litre	O
360	CM 55	CM	8 LEVEL CM	111,3942 litre	3,256 %	3309,8002 litre	O
360	CM 55	CM	7 LEVEL CM	91,4355 litre	2,673 %	3329,7589 litre	O
360	CM 55	CM	6 LEVEL CM	72,7658 litre	2,127 %	3348,4286 litre	O

360_55

-1936-

360	CM 55	CM	5 LEVEL CM	55,5111 litre	1,623 %	3365,6833 litre	O
360	CM 55	CM	4 LEVEL CM	39,8320 litre	1,164 %	3381,3624 litre	O
360	CM 55	CM	3 LEVEL CM	25,9438 litre	0,758 %	3395,2506 litre	O
360	CM 55	CM	2 LEVEL CM	14,1612 litre	0,414 %	3407,0332 litre	O
360	CM 55	CM	1 LEVEL CM	5,0205 litre	0,147 %	3416,1739 litre	O
360	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3421,1944 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
360	CM	50	CM	100 LEVEL CM	2827,4334 litre	100,000 %	0,0000 litre	O
360	CM	50	CM	99 LEVEL CM	2822,6478 litre	99,831 %	4,7856 litre	O
360	CM	50	CM	98 LEVEL CM	2813,9387 litre	99,523 %	13,4947 litre	O
360	CM	50	CM	97 LEVEL CM	2802,7175 litre	99,126 %	24,7159 litre	O
360	CM	50	CM	96 LEVEL CM	2789,4975 litre	98,658 %	37,9359 litre	O
360	CM	50	CM	95 LEVEL CM	2774,5801 litre	98,131 %	52,8533 litre	O
360	CM	50	CM	94 LEVEL CM	2758,1718 litre	97,550 %	69,2616 litre	O
360	CM	50	CM	93 LEVEL CM	2740,4270 litre	96,923 %	87,0064 litre	O
360	CM	50	CM	92 LEVEL CM	2721,4669 litre	96,252 %	105,9665 litre	O
360	CM	50	CM	91 LEVEL CM	2701,3909 litre	95,542 %	126,0425 litre	O
360	CM	50	CM	90 LEVEL CM	2680,2824 litre	94,796 %	147,1510 litre	O
360	CM	50	CM	89 LEVEL CM	2658,2131 litre	94,015 %	169,2203 litre	O
360	CM	50	CM	88 LEVEL CM	2635,2459 litre	93,203 %	192,1875 litre	O
360	CM	50	CM	87 LEVEL CM	2611,4362 litre	92,361 %	215,9972 litre	O
360	CM	50	CM	86 LEVEL CM	2586,8340 litre	91,491 %	240,5994 litre	O
360	CM	50	CM	85 LEVEL CM	2561,4844 litre	90,594 %	265,9490 litre	O
360	CM	50	CM	84 LEVEL CM	2535,4289 litre	89,672 %	292,0045 litre	O
360	CM	50	CM	83 LEVEL CM	2508,7053 litre	88,727 %	318,7281 litre	O
360	CM	50	CM	82 LEVEL CM	2481,3491 litre	87,760 %	346,0843 litre	O
360	CM	50	CM	81 LEVEL CM	2453,3929 litre	86,771 %	374,0405 litre	O
360	CM	50	CM	80 LEVEL CM	2424,8677 litre	85,762 %	402,5657 litre	O
360	CM	50	CM	79 LEVEL CM	2395,8023 litre	84,734 %	431,6311 litre	O
360	CM	50	CM	78 LEVEL CM	2366,2242 litre	83,688 %	461,2092 litre	O
360	CM	50	CM	77 LEVEL CM	2336,1593 litre	82,625 %	491,2741 litre	O
360	CM	50	CM	76 LEVEL CM	2305,6324 litre	81,545 %	521,8010 litre	O
360	CM	50	CM	75 LEVEL CM	2274,6670 litre	80,450 %	552,7664 litre	O
360	CM	50	CM	74 LEVEL CM	2243,2859 litre	79,340 %	584,1475 litre	O
360	CM	50	CM	73 LEVEL CM	2211,5108 litre	78,216 %	615,9226 litre	O
360	CM	50	CM	72 LEVEL CM	2179,3626 litre	77,079 %	648,0708 litre	O
360	CM	50	CM	71 LEVEL CM	2146,8616 litre	75,930 %	680,5718 litre	O
360	CM	50	CM	70 LEVEL CM	2114,0273 litre	74,768 %	713,4061 litre	O
360	CM	50	CM	69 LEVEL CM	2080,8787 litre	73,596 %	746,5547 litre	O
360	CM	50	CM	68 LEVEL CM	2047,4343 litre	72,413 %	779,9991 litre	O
360	CM	50	CM	67 LEVEL CM	2013,7121 litre	71,220 %	813,7213 litre	O
360	CM	50	CM	66 LEVEL CM	1979,7295 litre	70,019 %	847,7039 litre	O
360	CM	50	CM	65 LEVEL CM	1945,5037 litre	68,808 %	881,9297 litre	O
360	CM	50	CM	64 LEVEL CM	1911,0514 litre	67,590 %	916,3820 litre	O
360	CM	50	CM	63 LEVEL CM	1876,3891 litre	66,364 %	951,0443 litre	O
360	CM	50	CM	62 LEVEL CM	1841,5329 litre	65,131 %	985,9005 litre	O
360	CM	50	CM	61 LEVEL CM	1806,4987 litre	63,892 %	1020,9347 litre	O
360	CM	50	CM	60 LEVEL CM	1771,3021 litre	62,647 %	1056,1313 litre	O
360	CM	50	CM	59 LEVEL CM	1735,9585 litre	61,397 %	1091,4749 litre	O
360	CM	50	CM	58 LEVEL CM	1700,4831 litre	60,142 %	1126,9503 litre	O
360	CM	50	CM	57 LEVEL CM	1664,8911 litre	58,883 %	1162,5423 litre	O
360	CM	50	CM	56 LEVEL CM	1629,1972 litre	57,621 %	1198,2362 litre	O
360	CM	50	CM	55 LEVEL CM	1593,4162 litre	56,356 %	1234,0172 litre	O
360	CM	50	CM	54 LEVEL CM	1557,5629 litre	55,088 %	1269,8705 litre	O
360	CM	50	CM	53 LEVEL CM	1521,6519 litre	53,817 %	1305,7815 litre	O
360	CM	50	CM	52 LEVEL CM	1485,6975 litre	52,546 %	1341,7359 litre	O
360	CM	50	CM	51 LEVEL CM	1449,7143 litre	51,273 %	1377,7191 litre	O
360	CM	50	CM	50 LEVEL CM	1413,7167 litre	50,000 %	1413,7167 litre	O
360	CM	50	CM	49 LEVEL CM	1377,7191 litre	48,727 %	1449,7143 litre	O

360	CM	50	CM	48 LEVEL CM	1341,7359 litre	47,454 %	1485,6975 litre	O
360	CM	50	CM	47 LEVEL CM	1305,7815 litre	46,183 %	1521,6519 litre	O
360	CM	50	CM	46 LEVEL CM	1269,8704 litre	44,912 %	1557,5630 litre	O
360	CM	50	CM	45 LEVEL CM	1234,0171 litre	43,644 %	1593,4163 litre	O
360	CM	50	CM	44 LEVEL CM	1198,2362 litre	42,379 %	1629,1972 litre	O
360	CM	50	CM	43 LEVEL CM	1162,5423 litre	41,117 %	1664,8911 litre	O
360	CM	50	CM	42 LEVEL CM	1126,9503 litre	39,858 %	1700,4831 litre	O
360	CM	50	CM	41 LEVEL CM	1091,4749 litre	38,603 %	1735,9585 litre	O
360	CM	50	CM	40 LEVEL CM	1056,1313 litre	37,353 %	1771,3021 litre	O
360	CM	50	CM	39 LEVEL CM	1020,9347 litre	36,108 %	1806,4987 litre	O
360	CM	50	CM	38 LEVEL CM	985,9005 litre	34,869 %	1841,5329 litre	O
360	CM	50	CM	37 LEVEL CM	951,0443 litre	33,636 %	1876,3891 litre	O
360	CM	50	CM	36 LEVEL CM	916,3820 litre	32,410 %	1911,0514 litre	O
360	CM	50	CM	35 LEVEL CM	881,9297 litre	31,192 %	1945,5037 litre	O
360	CM	50	CM	34 LEVEL CM	847,7039 litre	29,981 %	1979,7295 litre	O
360	CM	50	CM	33 LEVEL CM	813,7213 litre	28,780 %	2013,7121 litre	O
360	CM	50	CM	32 LEVEL CM	779,9990 litre	27,587 %	2047,4344 litre	O
360	CM	50	CM	31 LEVEL CM	746,5546 litre	26,404 %	2080,8788 litre	O
360	CM	50	CM	30 LEVEL CM	713,4061 litre	25,232 %	2114,0273 litre	O
360	CM	50	CM	29 LEVEL CM	680,5718 litre	24,070 %	2146,8616 litre	O
360	CM	50	CM	28 LEVEL CM	648,0708 litre	22,921 %	2179,3626 litre	O
360	CM	50	CM	27 LEVEL CM	615,9226 litre	21,784 %	2211,5108 litre	O
360	CM	50	CM	26 LEVEL CM	584,1475 litre	20,660 %	2243,2859 litre	O
360	CM	50	CM	25 LEVEL CM	552,7664 litre	19,550 %	2274,6670 litre	O
360	CM	50	CM	24 LEVEL CM	521,8010 litre	18,455 %	2305,6324 litre	O
360	CM	50	CM	23 LEVEL CM	491,2741 litre	17,375 %	2336,1593 litre	O
360	CM	50	CM	22 LEVEL CM	461,2092 litre	16,312 %	2366,2242 litre	O
360	CM	50	CM	21 LEVEL CM	431,6311 litre	15,266 %	2395,8023 litre	O
360	CM	50	CM	20 LEVEL CM	402,5657 litre	14,238 %	2424,8677 litre	O
360	CM	50	CM	19 LEVEL CM	374,0405 litre	13,229 %	2453,3929 litre	O
360	CM	50	CM	18 LEVEL CM	346,0843 litre	12,240 %	2481,3491 litre	O
360	CM	50	CM	17 LEVEL CM	318,7280 litre	11,273 %	2508,7054 litre	O
360	CM	50	CM	16 LEVEL CM	292,0045 litre	10,328 %	2535,4289 litre	O
360	CM	50	CM	15 LEVEL CM	265,9490 litre	9,406 %	2561,4844 litre	O
360	CM	50	CM	14 LEVEL CM	240,5994 litre	8,509 %	2586,8340 litre	O
360	CM	50	CM	13 LEVEL CM	215,9972 litre	7,639 %	2611,4362 litre	O
360	CM	50	CM	12 LEVEL CM	192,1875 litre	6,797 %	2635,2459 litre	O
360	CM	50	CM	11 LEVEL CM	169,2202 litre	5,985 %	2658,2132 litre	O
360	CM	50	CM	10 LEVEL CM	147,1510 litre	5,204 %	2680,2824 litre	O
360	CM	50	CM	9 LEVEL CM	126,0425 litre	4,458 %	2701,3909 litre	O
360	CM	50	CM	8 LEVEL CM	105,9665 litre	3,748 %	2721,4669 litre	O
360	CM	50	CM	7 LEVEL CM	87,0064 litre	3,077 %	2740,4270 litre	O
360	CM	50	CM	6 LEVEL CM	69,2616 litre	2,450 %	2758,1718 litre	O
360	CM	50	CM	5 LEVEL CM	52,8533 litre	1,869 %	2774,5801 litre	O
360	CM	50	CM	4 LEVEL CM	37,9359 litre	1,342 %	2789,4975 litre	O
360	CM	50	CM	3 LEVEL CM	24,7158 litre	0,874 %	2802,7176 litre	O
360	CM	50	CM	2 LEVEL CM	13,4947 litre	0,477 %	2813,9387 litre	O
360	CM	50	CM	1 LEVEL CM	4,7856 litre	0,169 %	2822,6478 litre	O
360	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2827,4334 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
350	CM	150	CM	300 LEVEL CM	24740,0421 litre	100,000 %	0,0000 litre	O
350	CM	150	CM	299 LEVEL CM	24731,9673 litre	99,967 %	8,0748 litre	O
350	CM	150	CM	298 LEVEL CM	24717,2260 litre	99,908 %	22,8161 litre	O
350	CM	150	CM	297 LEVEL CM	24698,1684 litre	99,831 %	41,8737 litre	O
350	CM	150	CM	296 LEVEL CM	24675,6382 litre	99,740 %	64,4039 litre	O
350	CM	150	CM	295 LEVEL CM	24650,1257 litre	99,637 %	89,9164 litre	O
350	CM	150	CM	294 LEVEL CM	24621,9635 litre	99,523 %	118,0786 litre	O
350	CM	150	CM	293 LEVEL CM	24591,3970 litre	99,399 %	148,6451 litre	O
350	CM	150	CM	292 LEVEL CM	24558,6171 litre	99,267 %	181,4250 litre	O
350	CM	150	CM	291 LEVEL CM	24523,7785 litre	99,126 %	216,2636 litre	O
350	CM	150	CM	290 LEVEL CM	24487,0097 litre	98,977 %	253,0324 litre	O
350	CM	150	CM	289 LEVEL CM	24448,4199 litre	98,821 %	291,6222 litre	O
350	CM	150	CM	288 LEVEL CM	24408,1034 litre	98,658 %	331,9387 litre	O
350	CM	150	CM	287 LEVEL CM	24366,1429 litre	98,489 %	373,8992 litre	O
350	CM	150	CM	286 LEVEL CM	24322,6118 litre	98,313 %	417,4303 litre	O
350	CM	150	CM	285 LEVEL CM	24277,5756 litre	98,131 %	462,4665 litre	O
350	CM	150	CM	284 LEVEL CM	24231,0937 litre	97,943 %	508,9484 litre	O
350	CM	150	CM	283 LEVEL CM	24183,2199 litre	97,749 %	556,8222 litre	O
350	CM	150	CM	282 LEVEL CM	24134,0035 litre	97,550 %	606,0386 litre	O
350	CM	150	CM	281 LEVEL CM	24083,4900 litre	97,346 %	656,5521 litre	O
350	CM	150	CM	280 LEVEL CM	24031,7211 litre	97,137 %	708,3210 litre	O
350	CM	150	CM	279 LEVEL CM	23978,7361 litre	96,923 %	761,3060 litre	O
350	CM	150	CM	278 LEVEL CM	23924,5711 litre	96,704 %	815,4710 litre	O
350	CM	150	CM	277 LEVEL CM	23869,2603 litre	96,480 %	870,7818 litre	O
350	CM	150	CM	276 LEVEL CM	23812,8355 litre	96,252 %	927,2066 litre	O
350	CM	150	CM	275 LEVEL CM	23755,3269 litre	96,020 %	984,7152 litre	O
350	CM	150	CM	274 LEVEL CM	23696,7628 litre	95,783 %	1043,2793 litre	O
350	CM	150	CM	273 LEVEL CM	23637,1703 litre	95,542 %	1102,8718 litre	O
350	CM	150	CM	272 LEVEL CM	23576,5748 litre	95,297 %	1163,4673 litre	O
350	CM	150	CM	271 LEVEL CM	23515,0006 litre	95,048 %	1225,0415 litre	O
350	CM	150	CM	270 LEVEL CM	23452,4709 litre	94,796 %	1287,5712 litre	O
350	CM	150	CM	269 LEVEL CM	23389,0078 litre	94,539 %	1351,0343 litre	O
350	CM	150	CM	268 LEVEL CM	23324,6324 litre	94,279 %	1415,4097 litre	O
350	CM	150	CM	267 LEVEL CM	23259,3650 litre	94,015 %	1480,6771 litre	O
350	CM	150	CM	266 LEVEL CM	23193,2251 litre	93,748 %	1546,8170 litre	O
350	CM	150	CM	265 LEVEL CM	23126,2312 litre	93,477 %	1613,8109 litre	O
350	CM	150	CM	264 LEVEL CM	23058,4014 litre	93,203 %	1681,6407 litre	O
350	CM	150	CM	263 LEVEL CM	22989,7530 litre	92,925 %	1750,2891 litre	O
350	CM	150	CM	262 LEVEL CM	22920,3027 litre	92,645 %	1819,7394 litre	O
350	CM	150	CM	261 LEVEL CM	22850,0667 litre	92,361 %	1889,9754 litre	O
350	CM	150	CM	260 LEVEL CM	22779,0604 litre	92,074 %	1960,9817 litre	O
350	CM	150	CM	259 LEVEL CM	22707,2991 litre	91,784 %	2032,7430 litre	O
350	CM	150	CM	258 LEVEL CM	22634,7973 litre	91,491 %	2105,2448 litre	O
350	CM	150	CM	257 LEVEL CM	22561,5692 litre	91,195 %	2178,4729 litre	O
350	CM	150	CM	256 LEVEL CM	22487,6286 litre	90,896 %	2252,4135 litre	O
350	CM	150	CM	255 LEVEL CM	22412,9888 litre	90,594 %	2327,0533 litre	O
350	CM	150	CM	254 LEVEL CM	22337,6628 litre	90,290 %	2402,3793 litre	O
350	CM	150	CM	253 LEVEL CM	22261,6634 litre	89,982 %	2478,3787 litre	O
350	CM	150	CM	252 LEVEL CM	22185,0027 litre	89,672 %	2555,0394 litre	O
350	CM	150	CM	251 LEVEL CM	22107,6928 litre	89,360 %	2632,3493 litre	O
350	CM	150	CM	250 LEVEL CM	22029,7453 litre	89,045 %	2710,2968 litre	O
350	CM	150	CM	249 LEVEL CM	21951,1718 litre	88,727 %	2788,8703 litre	O

350	CM	150	CM	248 LEVEL CM	21871,9832 litre	88,407 %	2868,0589 litre	O
350	CM	150	CM	247 LEVEL CM	21792,1906 litre	88,085 %	2947,8515 litre	O
350	CM	150	CM	246 LEVEL CM	21711,8045 litre	87,760 %	3028,2376 litre	O
350	CM	150	CM	245 LEVEL CM	21630,8353 litre	87,432 %	3109,2068 litre	O
350	CM	150	CM	244 LEVEL CM	21549,2932 litre	87,103 %	3190,7489 litre	O
350	CM	150	CM	243 LEVEL CM	21467,1882 litre	86,771 %	3272,8539 litre	O
350	CM	150	CM	242 LEVEL CM	21384,5300 litre	86,437 %	3355,5121 litre	O
350	CM	150	CM	241 LEVEL CM	21301,3283 litre	86,101 %	3438,7138 litre	O
350	CM	150	CM	240 LEVEL CM	21217,5923 litre	85,762 %	3522,4498 litre	O
350	CM	150	CM	239 LEVEL CM	21133,3313 litre	85,422 %	3606,7108 litre	O
350	CM	150	CM	238 LEVEL CM	21048,5543 litre	85,079 %	3691,4878 litre	O
350	CM	150	CM	237 LEVEL CM	20963,2703 litre	84,734 %	3776,7718 litre	O
350	CM	150	CM	236 LEVEL CM	20877,4878 litre	84,387 %	3862,5543 litre	O
350	CM	150	CM	235 LEVEL CM	20791,2154 litre	84,039 %	3948,8267 litre	O
350	CM	150	CM	234 LEVEL CM	20704,4616 litre	83,688 %	4035,5805 litre	O
350	CM	150	CM	233 LEVEL CM	20617,2347 litre	83,335 %	4122,8074 litre	O
350	CM	150	CM	232 LEVEL CM	20529,5428 litre	82,981 %	4210,4993 litre	O
350	CM	150	CM	231 LEVEL CM	20441,3938 litre	82,625 %	4298,6483 litre	O
350	CM	150	CM	230 LEVEL CM	20352,7957 litre	82,267 %	4387,2464 litre	O
350	CM	150	CM	229 LEVEL CM	20263,7563 litre	81,907 %	4476,2858 litre	O
350	CM	150	CM	228 LEVEL CM	20174,2831 litre	81,545 %	4565,7590 litre	O
350	CM	150	CM	227 LEVEL CM	20084,3839 litre	81,182 %	4655,6582 litre	O
350	CM	150	CM	226 LEVEL CM	19994,0659 litre	80,817 %	4745,9762 litre	O
350	CM	150	CM	225 LEVEL CM	19903,3365 litre	80,450 %	4836,7056 litre	O
350	CM	150	CM	224 LEVEL CM	19812,2029 litre	80,082 %	4927,8392 litre	O
350	CM	150	CM	223 LEVEL CM	19720,6724 litre	79,712 %	5019,3697 litre	O
350	CM	150	CM	222 LEVEL CM	19628,7518 litre	79,340 %	5111,2903 litre	O
350	CM	150	CM	221 LEVEL CM	19536,4483 litre	78,967 %	5203,5938 litre	O
350	CM	150	CM	220 LEVEL CM	19443,7686 litre	78,592 %	5296,2735 litre	O
350	CM	150	CM	219 LEVEL CM	19350,7195 litre	78,216 %	5389,3226 litre	O
350	CM	150	CM	218 LEVEL CM	19257,3078 litre	77,839 %	5482,7343 litre	O
350	CM	150	CM	217 LEVEL CM	19163,5401 litre	77,460 %	5576,5020 litre	O
350	CM	150	CM	216 LEVEL CM	19069,4229 litre	77,079 %	5670,6192 litre	O
350	CM	150	CM	215 LEVEL CM	18974,9627 litre	76,697 %	5765,0794 litre	O
350	CM	150	CM	214 LEVEL CM	18880,1660 litre	76,314 %	5859,8761 litre	O
350	CM	150	CM	213 LEVEL CM	18785,0389 litre	75,930 %	5955,0032 litre	O
350	CM	150	CM	212 LEVEL CM	18689,5880 litre	75,544 %	6050,4541 litre	O
350	CM	150	CM	211 LEVEL CM	18593,8192 litre	75,157 %	6146,2229 litre	O
350	CM	150	CM	210 LEVEL CM	18497,7389 litre	74,768 %	6242,3032 litre	O
350	CM	150	CM	209 LEVEL CM	18401,3531 litre	74,379 %	6338,6890 litre	O
350	CM	150	CM	208 LEVEL CM	18304,6678 litre	73,988 %	6435,3743 litre	O
350	CM	150	CM	207 LEVEL CM	18207,6890 litre	73,596 %	6532,3531 litre	O
350	CM	150	CM	206 LEVEL CM	18110,4226 litre	73,203 %	6629,6195 litre	O
350	CM	150	CM	205 LEVEL CM	18012,8745 litre	72,809 %	6727,1676 litre	O
350	CM	150	CM	204 LEVEL CM	17915,0505 litre	72,413 %	6824,9916 litre	O
350	CM	150	CM	203 LEVEL CM	17816,9564 litre	72,017 %	6923,0857 litre	O
350	CM	150	CM	202 LEVEL CM	17718,5979 litre	71,619 %	7021,4442 litre	O
350	CM	150	CM	201 LEVEL CM	17619,9807 litre	71,220 %	7120,0614 litre	O
350	CM	150	CM	200 LEVEL CM	17521,1105 litre	70,821 %	7218,9316 litre	O
350	CM	150	CM	199 LEVEL CM	17421,9927 litre	70,420 %	7318,0494 litre	O
350	CM	150	CM	198 LEVEL CM	17322,6330 litre	70,019 %	7417,4091 litre	O
350	CM	150	CM	197 LEVEL CM	17223,0368 litre	69,616 %	7517,0053 litre	O
350	CM	150	CM	196 LEVEL CM	17123,2097 litre	69,213 %	7616,8324 litre	O

350	CM	150	CM	195 LEVEL CM	17023,1571 litre	68,808 %	7716,8850 litre	O
350	CM	150	CM	194 LEVEL CM	16922,8843 litre	68,403 %	7817,1578 litre	O
350	CM	150	CM	193 LEVEL CM	16822,3967 litre	67,997 %	7917,6454 litre	O
350	CM	150	CM	192 LEVEL CM	16721,6997 litre	67,590 %	8018,3424 litre	O
350	CM	150	CM	191 LEVEL CM	16620,7985 litre	67,182 %	8119,2436 litre	O
350	CM	150	CM	190 LEVEL CM	16519,6984 litre	66,773 %	8220,3437 litre	O
350	CM	150	CM	189 LEVEL CM	16418,4046 litre	66,364 %	8321,6375 litre	O
350	CM	150	CM	188 LEVEL CM	16316,9223 litre	65,953 %	8423,1198 litre	O
350	CM	150	CM	187 LEVEL CM	16215,2567 litre	65,543 %	8524,7854 litre	O
350	CM	150	CM	186 LEVEL CM	16113,4129 litre	65,131 %	8626,6292 litre	O
350	CM	150	CM	185 LEVEL CM	16011,3961 litre	64,719 %	8728,6460 litre	O
350	CM	150	CM	184 LEVEL CM	15909,2113 litre	64,306 %	8830,8308 litre	O
350	CM	150	CM	183 LEVEL CM	15806,8636 litre	63,892 %	8933,1785 litre	O
350	CM	150	CM	182 LEVEL CM	15704,3580 litre	63,477 %	9035,6841 litre	O
350	CM	150	CM	181 LEVEL CM	15601,6995 litre	63,063 %	9138,3426 litre	O
350	CM	150	CM	180 LEVEL CM	15498,8932 litre	62,647 %	9241,1489 litre	O
350	CM	150	CM	179 LEVEL CM	15395,9441 litre	62,231 %	9344,0980 litre	O
350	CM	150	CM	178 LEVEL CM	15292,8569 litre	61,814 %	9447,1852 litre	O
350	CM	150	CM	177 LEVEL CM	15189,6368 litre	61,397 %	9550,4053 litre	O
350	CM	150	CM	176 LEVEL CM	15086,2886 litre	60,979 %	9653,7535 litre	O
350	CM	150	CM	175 LEVEL CM	14982,8171 litre	60,561 %	9757,2250 litre	O
350	CM	150	CM	174 LEVEL CM	14879,2274 litre	60,142 %	9860,8147 litre	O
350	CM	150	CM	173 LEVEL CM	14775,5242 litre	59,723 %	9964,5179 litre	O
350	CM	150	CM	172 LEVEL CM	14671,7124 litre	59,304 %	10068,3297 litre	O
350	CM	150	CM	171 LEVEL CM	14567,7967 litre	58,883 %	10172,2454 litre	O
350	CM	150	CM	170 LEVEL CM	14463,7822 litre	58,463 %	10276,2599 litre	O
350	CM	150	CM	169 LEVEL CM	14359,6734 litre	58,042 %	10380,3687 litre	O
350	CM	150	CM	168 LEVEL CM	14255,4752 litre	57,621 %	10484,5669 litre	O
350	CM	150	CM	167 LEVEL CM	14151,1925 litre	57,200 %	10588,8496 litre	O
350	CM	150	CM	166 LEVEL CM	14046,8298 litre	56,778 %	10693,2123 litre	O
350	CM	150	CM	165 LEVEL CM	13942,3921 litre	56,356 %	10797,6500 litre	O
350	CM	150	CM	164 LEVEL CM	13837,8841 litre	55,933 %	10902,1580 litre	O
350	CM	150	CM	163 LEVEL CM	13733,3104 litre	55,510 %	11006,7317 litre	O
350	CM	150	CM	162 LEVEL CM	13628,6758 litre	55,088 %	11111,3663 litre	O
350	CM	150	CM	161 LEVEL CM	13523,9850 litre	54,664 %	11216,0571 litre	O
350	CM	150	CM	160 LEVEL CM	13419,2428 litre	54,241 %	11320,7993 litre	O
350	CM	150	CM	159 LEVEL CM	13314,4538 litre	53,817 %	11425,5883 litre	O
350	CM	150	CM	158 LEVEL CM	13209,6227 litre	53,394 %	11530,4194 litre	O
350	CM	150	CM	157 LEVEL CM	13104,7542 litre	52,970 %	11635,2879 litre	O
350	CM	150	CM	156 LEVEL CM	12999,8530 litre	52,546 %	11740,1891 litre	O
350	CM	150	CM	155 LEVEL CM	12894,9238 litre	52,122 %	11845,1183 litre	O
350	CM	150	CM	154 LEVEL CM	12789,9713 litre	51,697 %	11950,0708 litre	O
350	CM	150	CM	153 LEVEL CM	12685,0001 litre	51,273 %	12055,0420 litre	O
350	CM	150	CM	152 LEVEL CM	12580,0149 litre	50,849 %	12160,0272 litre	O
350	CM	150	CM	151 LEVEL CM	12475,0203 litre	50,424 %	12265,0218 litre	O
350	CM	150	CM	150 LEVEL CM	12370,0211 litre	50,000 %	12370,0210 litre	O
350	CM	150	CM	149 LEVEL CM	12265,0219 litre	49,576 %	12475,0202 litre	O
350	CM	150	CM	148 LEVEL CM	12160,0273 litre	49,151 %	12580,0148 litre	O
350	CM	150	CM	147 LEVEL CM	12055,0421 litre	48,727 %	12685,0000 litre	O
350	CM	150	CM	146 LEVEL CM	11950,0709 litre	48,303 %	12789,9712 litre	O
350	CM	150	CM	145 LEVEL CM	11845,1183 litre	47,878 %	12894,9238 litre	O
350	CM	150	CM	144 LEVEL CM	11740,1891 litre	47,454 %	12999,8530 litre	O
350	CM	150	CM	143 LEVEL CM	11635,2879 litre	47,030 %	13104,7542 litre	O

350	CM	150	CM	142 LEVEL CM	11530,4195 litre	46,606 %	13209,6226 litre	O
350	CM	150	CM	141 LEVEL CM	11425,5884 litre	46,183 %	13314,4537 litre	O
350	CM	150	CM	140 LEVEL CM	11320,7994 litre	45,759 %	13419,2427 litre	O
350	CM	150	CM	139 LEVEL CM	11216,0571 litre	45,336 %	13523,9850 litre	O
350	CM	150	CM	138 LEVEL CM	11111,3664 litre	44,912 %	13628,6757 litre	O
350	CM	150	CM	137 LEVEL CM	11006,7318 litre	44,490 %	13733,3103 litre	O
350	CM	150	CM	136 LEVEL CM	10902,1581 litre	44,067 %	13837,8840 litre	O
350	CM	150	CM	135 LEVEL CM	10797,6500 litre	43,644 %	13942,3921 litre	O
350	CM	150	CM	134 LEVEL CM	10693,2123 litre	43,222 %	14046,8298 litre	O
350	CM	150	CM	133 LEVEL CM	10588,8497 litre	42,800 %	14151,1924 litre	O
350	CM	150	CM	132 LEVEL CM	10484,5669 litre	42,379 %	14255,4752 litre	O
350	CM	150	CM	131 LEVEL CM	10380,3688 litre	41,958 %	14359,6733 litre	O
350	CM	150	CM	130 LEVEL CM	10276,2600 litre	41,537 %	14463,7821 litre	O
350	CM	150	CM	129 LEVEL CM	10172,2454 litre	41,117 %	14567,7967 litre	O
350	CM	150	CM	128 LEVEL CM	10068,3298 litre	40,696 %	14671,7123 litre	O
350	CM	150	CM	127 LEVEL CM	9964,5180 litre	40,277 %	14775,5241 litre	O
350	CM	150	CM	126 LEVEL CM	9860,8147 litre	39,858 %	14879,2274 litre	O
350	CM	150	CM	125 LEVEL CM	9757,2250 litre	39,439 %	14982,8171 litre	O
350	CM	150	CM	124 LEVEL CM	9653,7536 litre	39,021 %	15086,2885 litre	O
350	CM	150	CM	123 LEVEL CM	9550,4054 litre	38,603 %	15189,6367 litre	O
350	CM	150	CM	122 LEVEL CM	9447,1852 litre	38,186 %	15292,8569 litre	O
350	CM	150	CM	121 LEVEL CM	9344,0981 litre	37,769 %	15395,9440 litre	O
350	CM	150	CM	120 LEVEL CM	9241,1489 litre	37,353 %	15498,8932 litre	O
350	CM	150	CM	119 LEVEL CM	9138,3426 litre	36,937 %	15601,6995 litre	O
350	CM	150	CM	118 LEVEL CM	9035,6842 litre	36,523 %	15704,3579 litre	O
350	CM	150	CM	117 LEVEL CM	8933,1786 litre	36,108 %	15806,8635 litre	O
350	CM	150	CM	116 LEVEL CM	8830,8309 litre	35,694 %	15909,2112 litre	O
350	CM	150	CM	115 LEVEL CM	8728,6461 litre	35,281 %	16011,3960 litre	O
350	CM	150	CM	114 LEVEL CM	8626,6292 litre	34,869 %	16113,4129 litre	O
350	CM	150	CM	113 LEVEL CM	8524,7855 litre	34,457 %	16215,2566 litre	O
350	CM	150	CM	112 LEVEL CM	8423,1199 litre	34,047 %	16316,9222 litre	O
350	CM	150	CM	111 LEVEL CM	8321,6376 litre	33,636 %	16418,4045 litre	O
350	CM	150	CM	110 LEVEL CM	8220,3438 litre	33,227 %	16519,6983 litre	O
350	CM	150	CM	109 LEVEL CM	8119,2437 litre	32,818 %	16620,7984 litre	O
350	CM	150	CM	108 LEVEL CM	8018,3425 litre	32,410 %	16721,6996 litre	O
350	CM	150	CM	107 LEVEL CM	7917,6454 litre	32,003 %	16822,3967 litre	O
350	CM	150	CM	106 LEVEL CM	7817,1579 litre	31,597 %	16922,8842 litre	O
350	CM	150	CM	105 LEVEL CM	7716,8851 litre	31,192 %	17023,1570 litre	O
350	CM	150	CM	104 LEVEL CM	7616,8324 litre	30,787 %	17123,2097 litre	O
350	CM	150	CM	103 LEVEL CM	7517,0053 litre	30,384 %	17223,0368 litre	O
350	CM	150	CM	102 LEVEL CM	7417,4092 litre	29,981 %	17322,6329 litre	O
350	CM	150	CM	101 LEVEL CM	7318,0494 litre	29,580 %	17421,9927 litre	O
350	CM	150	CM	100 LEVEL CM	7218,9317 litre	29,179 %	17521,1104 litre	O
350	CM	150	CM	99 LEVEL CM	7120,0614 litre	28,780 %	17619,9807 litre	O
350	CM	150	CM	98 LEVEL CM	7021,4442 litre	28,381 %	17718,5979 litre	O
350	CM	150	CM	97 LEVEL CM	6923,0857 litre	27,983 %	17816,9564 litre	O
350	CM	150	CM	96 LEVEL CM	6824,9916 litre	27,587 %	17915,0505 litre	O
350	CM	150	CM	95 LEVEL CM	6727,1677 litre	27,191 %	18012,8744 litre	O
350	CM	150	CM	94 LEVEL CM	6629,6196 litre	26,797 %	18110,4225 litre	O
350	CM	150	CM	93 LEVEL CM	6532,3532 litre	26,404 %	18207,6889 litre	O
350	CM	150	CM	92 LEVEL CM	6435,3744 litre	26,012 %	18304,6677 litre	O
350	CM	150	CM	91 LEVEL CM	6338,6891 litre	25,621 %	18401,3530 litre	O
350	CM	150	CM	90 LEVEL CM	6242,3032 litre	25,232 %	18497,7389 litre	O

350	CM	150	CM	89 LEVEL CM	6146,2229 litre	24,843 %	18593,8192 litre	O
350	CM	150	CM	88 LEVEL CM	6050,4542 litre	24,456 %	18689,5879 litre	O
350	CM	150	CM	87 LEVEL CM	5955,0032 litre	24,070 %	18785,0389 litre	O
350	CM	150	CM	86 LEVEL CM	5859,8762 litre	23,686 %	18880,1659 litre	O
350	CM	150	CM	85 LEVEL CM	5765,0794 litre	23,303 %	18974,9627 litre	O
350	CM	150	CM	84 LEVEL CM	5670,6192 litre	22,921 %	19069,4229 litre	O
350	CM	150	CM	83 LEVEL CM	5576,5020 litre	22,540 %	19163,5401 litre	O
350	CM	150	CM	82 LEVEL CM	5482,7343 litre	22,161 %	19257,3078 litre	O
350	CM	150	CM	81 LEVEL CM	5389,3226 litre	21,784 %	19350,7195 litre	O
350	CM	150	CM	80 LEVEL CM	5296,2736 litre	21,408 %	19443,7685 litre	O
350	CM	150	CM	79 LEVEL CM	5203,5939 litre	21,033 %	19536,4482 litre	O
350	CM	150	CM	78 LEVEL CM	5111,2903 litre	20,660 %	19628,7518 litre	O
350	CM	150	CM	77 LEVEL CM	5019,3698 litre	20,288 %	19720,6723 litre	O
350	CM	150	CM	76 LEVEL CM	4927,8392 litre	19,918 %	19812,2029 litre	O
350	CM	150	CM	75 LEVEL CM	4836,7057 litre	19,550 %	19903,3364 litre	O
350	CM	150	CM	74 LEVEL CM	4745,9763 litre	19,183 %	19994,0658 litre	O
350	CM	150	CM	73 LEVEL CM	4655,6583 litre	18,818 %	20084,3838 litre	O
350	CM	150	CM	72 LEVEL CM	4565,7590 litre	18,455 %	20174,2831 litre	O
350	CM	150	CM	71 LEVEL CM	4476,2859 litre	18,093 %	20263,7562 litre	O
350	CM	150	CM	70 LEVEL CM	4387,2464 litre	17,733 %	20352,7957 litre	O
350	CM	150	CM	69 LEVEL CM	4298,6484 litre	17,375 %	20441,3937 litre	O
350	CM	150	CM	68 LEVEL CM	4210,4994 litre	17,019 %	20529,5427 litre	O
350	CM	150	CM	67 LEVEL CM	4122,8074 litre	16,665 %	20617,2347 litre	O
350	CM	150	CM	66 LEVEL CM	4035,5805 litre	16,312 %	20704,4616 litre	O
350	CM	150	CM	65 LEVEL CM	3948,8267 litre	15,961 %	20791,2154 litre	O
350	CM	150	CM	64 LEVEL CM	3862,5544 litre	15,613 %	20877,4877 litre	O
350	CM	150	CM	63 LEVEL CM	3776,7719 litre	15,266 %	20963,2702 litre	O
350	CM	150	CM	62 LEVEL CM	3691,4878 litre	14,921 %	21048,5543 litre	O
350	CM	150	CM	61 LEVEL CM	3606,7108 litre	14,578 %	21133,3313 litre	O
350	CM	150	CM	60 LEVEL CM	3522,4498 litre	14,238 %	21217,5923 litre	O
350	CM	150	CM	59 LEVEL CM	3438,7139 litre	13,899 %	21301,3282 litre	O
350	CM	150	CM	58 LEVEL CM	3355,5121 litre	13,563 %	21384,5300 litre	O
350	CM	150	CM	57 LEVEL CM	3272,8539 litre	13,229 %	21467,1882 litre	O
350	CM	150	CM	56 LEVEL CM	3190,7490 litre	12,897 %	21549,2931 litre	O
350	CM	150	CM	55 LEVEL CM	3109,2069 litre	12,568 %	21630,8352 litre	O
350	CM	150	CM	54 LEVEL CM	3028,2377 litre	12,240 %	21711,8044 litre	O
350	CM	150	CM	53 LEVEL CM	2947,8516 litre	11,915 %	21792,1905 litre	O
350	CM	150	CM	52 LEVEL CM	2868,0589 litre	11,593 %	21871,9832 litre	O
350	CM	150	CM	51 LEVEL CM	2788,8704 litre	11,273 %	21951,1717 litre	O
350	CM	150	CM	50 LEVEL CM	2710,2968 litre	10,955 %	22029,7453 litre	O
350	CM	150	CM	49 LEVEL CM	2632,3494 litre	10,640 %	22107,6927 litre	O
350	CM	150	CM	48 LEVEL CM	2555,0395 litre	10,328 %	22185,0026 litre	O
350	CM	150	CM	47 LEVEL CM	2478,3788 litre	10,018 %	22261,6633 litre	O
350	CM	150	CM	46 LEVEL CM	2402,3793 litre	9,710 %	22337,6628 litre	O
350	CM	150	CM	45 LEVEL CM	2327,0534 litre	9,406 %	22412,9887 litre	O
350	CM	150	CM	44 LEVEL CM	2252,4136 litre	9,104 %	22487,6285 litre	O
350	CM	150	CM	43 LEVEL CM	2178,4730 litre	8,805 %	22561,5691 litre	O
350	CM	150	CM	42 LEVEL CM	2105,2449 litre	8,509 %	22634,7972 litre	O
350	CM	150	CM	41 LEVEL CM	2032,7431 litre	8,216 %	22707,2990 litre	O
350	CM	150	CM	40 LEVEL CM	1960,9817 litre	7,926 %	22779,0604 litre	O
350	CM	150	CM	39 LEVEL CM	1889,9755 litre	7,639 %	22850,0666 litre	O
350	CM	150	CM	38 LEVEL CM	1819,7394 litre	7,355 %	22920,3027 litre	O
350	CM	150	CM	37 LEVEL CM	1750,2891 litre	7,075 %	22989,7530 litre	O

350	CM	150	CM	36 LEVEL CM	1681,6407 litre	6,797 %	23058,4014 litre	O
350	CM	150	CM	35 LEVEL CM	1613,8109 litre	6,523 %	23126,2312 litre	O
350	CM	150	CM	34 LEVEL CM	1546,8171 litre	6,252 %	23193,2250 litre	O
350	CM	150	CM	33 LEVEL CM	1480,6771 litre	5,985 %	23259,3650 litre	O
350	CM	150	CM	32 LEVEL CM	1415,4097 litre	5,721 %	23324,6324 litre	O
350	CM	150	CM	31 LEVEL CM	1351,0343 litre	5,461 %	23389,0078 litre	O
350	CM	150	CM	30 LEVEL CM	1287,5712 litre	5,204 %	23452,4709 litre	O
350	CM	150	CM	29 LEVEL CM	1225,0415 litre	4,952 %	23515,0006 litre	O
350	CM	150	CM	28 LEVEL CM	1163,4674 litre	4,703 %	23576,5747 litre	O
350	CM	150	CM	27 LEVEL CM	1102,8719 litre	4,458 %	23637,1702 litre	O
350	CM	150	CM	26 LEVEL CM	1043,2793 litre	4,217 %	23696,7628 litre	O
350	CM	150	CM	25 LEVEL CM	984,7153 litre	3,980 %	23755,3268 litre	O
350	CM	150	CM	24 LEVEL CM	927,2067 litre	3,748 %	23812,8354 litre	O
350	CM	150	CM	23 LEVEL CM	870,7819 litre	3,520 %	23869,2602 litre	O
350	CM	150	CM	22 LEVEL CM	815,4710 litre	3,296 %	23924,5711 litre	O
350	CM	150	CM	21 LEVEL CM	761,3061 litre	3,077 %	23978,7360 litre	O
350	CM	150	CM	20 LEVEL CM	708,3210 litre	2,863 %	24031,7211 litre	O
350	CM	150	CM	19 LEVEL CM	656,5522 litre	2,654 %	24083,4899 litre	O
350	CM	150	CM	18 LEVEL CM	606,0386 litre	2,450 %	24134,0035 litre	O
350	CM	150	CM	17 LEVEL CM	556,8222 litre	2,251 %	24183,2199 litre	O
350	CM	150	CM	16 LEVEL CM	508,9484 litre	2,057 %	24231,0937 litre	O
350	CM	150	CM	15 LEVEL CM	462,4665 litre	1,869 %	24277,5756 litre	O
350	CM	150	CM	14 LEVEL CM	417,4304 litre	1,687 %	24322,6117 litre	O
350	CM	150	CM	13 LEVEL CM	373,8992 litre	1,511 %	24366,1429 litre	O
350	CM	150	CM	12 LEVEL CM	331,9387 litre	1,342 %	24408,1034 litre	O
350	CM	150	CM	11 LEVEL CM	291,6222 litre	1,179 %	24448,4199 litre	O
350	CM	150	CM	10 LEVEL CM	253,0324 litre	1,023 %	24487,0097 litre	O
350	CM	150	CM	9 LEVEL CM	216,2636 litre	0,874 %	24523,7785 litre	O
350	CM	150	CM	8 LEVEL CM	181,4250 litre	0,733 %	24558,6171 litre	O
350	CM	150	CM	7 LEVEL CM	148,6452 litre	0,601 %	24591,3969 litre	O
350	CM	150	CM	6 LEVEL CM	118,0786 litre	0,477 %	24621,9635 litre	O
350	CM	150	CM	5 LEVEL CM	89,9164 litre	0,363 %	24650,1257 litre	O
350	CM	150	CM	4 LEVEL CM	64,4040 litre	0,260 %	24675,6381 litre	O
350	CM	150	CM	3 LEVEL CM	41,8738 litre	0,169 %	24698,1683 litre	O
350	CM	150	CM	2 LEVEL CM	22,8161 litre	0,092 %	24717,2260 litre	O
350	CM	150	CM	1 LEVEL CM	8,0748 litre	0,033 %	24731,9673 litre	O
350	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	24740,0421 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM 145	CM 290 LEVEL CM	23118,1949 litre	100,000 %	0,0000 litre	O
350	CM 145	CM 289 LEVEL CM	23110,2561 litre	99,966 %	7,9388 litre	O
350	CM 145	CM 288 LEVEL CM	23095,7639 litre	99,903 %	22,4310 litre	O
350	CM 145	CM 287 LEVEL CM	23077,0293 litre	99,822 %	41,1656 litre	O
350	CM 145	CM 286 LEVEL CM	23054,8823 litre	99,726 %	63,3126 litre	O
350	CM 145	CM 285 LEVEL CM	23029,8053 litre	99,618 %	88,3896 litre	O
350	CM 145	CM 284 LEVEL CM	23002,1253 litre	99,498 %	116,0696 litre	O
350	CM 145	CM 283 LEVEL CM	22972,0840 litre	99,368 %	146,1109 litre	O
350	CM 145	CM 282 LEVEL CM	22939,8694 litre	99,229 %	178,3255 litre	O
350	CM 145	CM 281 LEVEL CM	22905,6336 litre	99,081 %	212,5613 litre	O
350	CM 145	CM 280 LEVEL CM	22869,5032 litre	98,924 %	248,6917 litre	O
350	CM 145	CM 279 LEVEL CM	22831,5857 litre	98,760 %	286,6092 litre	O
350	CM 145	CM 278 LEVEL CM	22791,9741 litre	98,589 %	326,2208 litre	O
350	CM 145	CM 277 LEVEL CM	22750,7499 litre	98,411 %	367,4450 litre	O
350	CM 145	CM 276 LEVEL CM	22707,9852 litre	98,226 %	410,2097 litre	O
350	CM 145	CM 275 LEVEL CM	22663,7448 litre	98,034 %	454,4501 litre	O
350	CM 145	CM 274 LEVEL CM	22618,0871 litre	97,837 %	500,1078 litre	O
350	CM 145	CM 273 LEVEL CM	22571,0652 litre	97,633 %	547,1297 litre	O
350	CM 145	CM 272 LEVEL CM	22522,7278 litre	97,424 %	595,4671 litre	O
350	CM 145	CM 271 LEVEL CM	22473,1195 litre	97,210 %	645,0754 litre	O
350	CM 145	CM 270 LEVEL CM	22422,2819 litre	96,990 %	695,9130 litre	O
350	CM 145	CM 269 LEVEL CM	22370,2533 litre	96,765 %	747,9416 litre	O
350	CM 145	CM 268 LEVEL CM	22317,0697 litre	96,535 %	801,1252 litre	O
350	CM 145	CM 267 LEVEL CM	22262,7646 litre	96,300 %	855,4303 litre	O
350	CM 145	CM 266 LEVEL CM	22207,3696 litre	96,060 %	910,8253 litre	O
350	CM 145	CM 265 LEVEL CM	22150,9143 litre	95,816 %	967,2806 litre	O
350	CM 145	CM 264 LEVEL CM	22093,4269 litre	95,567 %	1024,7680 litre	O
350	CM 145	CM 263 LEVEL CM	22034,9340 litre	95,314 %	1083,2609 litre	O
350	CM 145	CM 262 LEVEL CM	21975,4607 litre	95,057 %	1142,7342 litre	O
350	CM 145	CM 261 LEVEL CM	21915,0312 litre	94,796 %	1203,1637 litre	O
350	CM 145	CM 260 LEVEL CM	21853,6682 litre	94,530 %	1264,5267 litre	O
350	CM 145	CM 259 LEVEL CM	21791,3936 litre	94,261 %	1326,8013 litre	O
350	CM 145	CM 258 LEVEL CM	21728,2284 litre	93,988 %	1389,9665 litre	O
350	CM 145	CM 257 LEVEL CM	21664,1926 litre	93,711 %	1454,0023 litre	O
350	CM 145	CM 256 LEVEL CM	21599,3054 litre	93,430 %	1518,8895 litre	O
350	CM 145	CM 255 LEVEL CM	21533,5853 litre	93,146 %	1584,6096 litre	O
350	CM 145	CM 254 LEVEL CM	21467,0501 litre	92,858 %	1651,1448 litre	O
350	CM 145	CM 253 LEVEL CM	21399,7170 litre	92,567 %	1718,4779 litre	O
350	CM 145	CM 252 LEVEL CM	21331,6024 litre	92,272 %	1786,5925 litre	O
350	CM 145	CM 251 LEVEL CM	21262,7224 litre	91,974 %	1855,4725 litre	O
350	CM 145	CM 250 LEVEL CM	21193,0923 litre	91,673 %	1925,1026 litre	O
350	CM 145	CM 249 LEVEL CM	21122,7273 litre	91,368 %	1995,4676 litre	O
350	CM 145	CM 248 LEVEL CM	21051,6417 litre	91,061 %	2066,5532 litre	O
350	CM 145	CM 247 LEVEL CM	20979,8496 litre	90,750 %	2138,3453 litre	O
350	CM 145	CM 246 LEVEL CM	20907,3646 litre	90,437 %	2210,8303 litre	O
350	CM 145	CM 245 LEVEL CM	20834,2001 litre	90,120 %	2283,9948 litre	O
350	CM 145	CM 244 LEVEL CM	20760,3688 litre	89,801 %	2357,8261 litre	O
350	CM 145	CM 243 LEVEL CM	20685,8835 litre	89,479 %	2432,3114 litre	O
350	CM 145	CM 242 LEVEL CM	20610,7562 litre	89,154 %	2507,4387 litre	O
350	CM 145	CM 241 LEVEL CM	20534,9988 litre	88,826 %	2583,1961 litre	O
350	CM 145	CM 240 LEVEL CM	20458,6231 litre	88,496 %	2659,5718 litre	O
350	CM 145	CM 239 LEVEL CM	20381,6402 litre	88,163 %	2736,5547 litre	O

350	CM	145	CM	238 LEVEL CM	20304,0614 litre	87,827 %	2814,1335 litre	O
350	CM	145	CM	237 LEVEL CM	20225,8973 litre	87,489 %	2892,2976 litre	O
350	CM	145	CM	236 LEVEL CM	20147,1587 litre	87,148 %	2971,0362 litre	O
350	CM	145	CM	235 LEVEL CM	20067,8557 litre	86,805 %	3050,3392 litre	O
350	CM	145	CM	234 LEVEL CM	19987,9986 litre	86,460 %	3130,1963 litre	O
350	CM	145	CM	233 LEVEL CM	19907,5972 litre	86,112 %	3210,5977 litre	O
350	CM	145	CM	232 LEVEL CM	19826,6613 litre	85,762 %	3291,5336 litre	O
350	CM	145	CM	231 LEVEL CM	19745,2003 litre	85,410 %	3372,9946 litre	O
350	CM	145	CM	230 LEVEL CM	19663,2237 litre	85,055 %	3454,9712 litre	O
350	CM	145	CM	229 LEVEL CM	19580,7406 litre	84,698 %	3537,4543 litre	O
350	CM	145	CM	228 LEVEL CM	19497,7599 litre	84,339 %	3620,4350 litre	O
350	CM	145	CM	227 LEVEL CM	19414,2906 litre	83,978 %	3703,9043 litre	O
350	CM	145	CM	226 LEVEL CM	19330,3413 litre	83,615 %	3787,8536 litre	O
350	CM	145	CM	225 LEVEL CM	19245,9205 litre	83,250 %	3872,2744 litre	O
350	CM	145	CM	224 LEVEL CM	19161,0367 litre	82,883 %	3957,1582 litre	O
350	CM	145	CM	223 LEVEL CM	19075,6980 litre	82,514 %	4042,4969 litre	O
350	CM	145	CM	222 LEVEL CM	18989,9126 litre	82,143 %	4128,2823 litre	O
350	CM	145	CM	221 LEVEL CM	18903,6885 litre	81,770 %	4214,5064 litre	O
350	CM	145	CM	220 LEVEL CM	18817,0336 litre	81,395 %	4301,1613 litre	O
350	CM	145	CM	219 LEVEL CM	18729,9557 litre	81,018 %	4388,2392 litre	O
350	CM	145	CM	218 LEVEL CM	18642,4623 litre	80,640 %	4475,7326 litre	O
350	CM	145	CM	217 LEVEL CM	18554,5610 litre	80,260 %	4563,6339 litre	O
350	CM	145	CM	216 LEVEL CM	18466,2593 litre	79,878 %	4651,9356 litre	O
350	CM	145	CM	215 LEVEL CM	18377,5645 litre	79,494 %	4740,6304 litre	O
350	CM	145	CM	214 LEVEL CM	18288,4838 litre	79,109 %	4829,7111 litre	O
350	CM	145	CM	213 LEVEL CM	18199,0243 litre	78,722 %	4919,1706 litre	O
350	CM	145	CM	212 LEVEL CM	18109,1931 litre	78,333 %	5009,0018 litre	O
350	CM	145	CM	211 LEVEL CM	18018,9973 litre	77,943 %	5099,1976 litre	O
350	CM	145	CM	210 LEVEL CM	17928,4435 litre	77,551 %	5189,7514 litre	O
350	CM	145	CM	209 LEVEL CM	17837,5388 litre	77,158 %	5280,6561 litre	O
350	CM	145	CM	208 LEVEL CM	17746,2897 litre	76,763 %	5371,9052 litre	O
350	CM	145	CM	207 LEVEL CM	17654,7029 litre	76,367 %	5463,4920 litre	O
350	CM	145	CM	206 LEVEL CM	17562,7850 litre	75,970 %	5555,4099 litre	O
350	CM	145	CM	205 LEVEL CM	17470,5425 litre	75,571 %	5647,6524 litre	O
350	CM	145	CM	204 LEVEL CM	17377,9819 litre	75,170 %	5740,2130 litre	O
350	CM	145	CM	203 LEVEL CM	17285,1094 litre	74,768 %	5833,0855 litre	O
350	CM	145	CM	202 LEVEL CM	17191,9314 litre	74,365 %	5926,2635 litre	O
350	CM	145	CM	201 LEVEL CM	17098,4541 litre	73,961 %	6019,7408 litre	O
350	CM	145	CM	200 LEVEL CM	17004,6838 litre	73,555 %	6113,5111 litre	O
350	CM	145	CM	199 LEVEL CM	16910,6264 litre	73,149 %	6207,5685 litre	O
350	CM	145	CM	198 LEVEL CM	16816,2882 litre	72,740 %	6301,9067 litre	O
350	CM	145	CM	197 LEVEL CM	16721,6751 litre	72,331 %	6396,5198 litre	O
350	CM	145	CM	196 LEVEL CM	16626,7931 litre	71,921 %	6491,4018 litre	O
350	CM	145	CM	195 LEVEL CM	16531,6480 litre	71,509 %	6586,5469 litre	O
350	CM	145	CM	194 LEVEL CM	16436,2458 litre	71,097 %	6681,9491 litre	O
350	CM	145	CM	193 LEVEL CM	16340,5923 litre	70,683 %	6777,6026 litre	O
350	CM	145	CM	192 LEVEL CM	16244,6931 litre	70,268 %	6873,5018 litre	O
350	CM	145	CM	191 LEVEL CM	16148,5542 litre	69,852 %	6969,6407 litre	O
350	CM	145	CM	190 LEVEL CM	16052,1810 litre	69,435 %	7066,0139 litre	O
350	CM	145	CM	189 LEVEL CM	15955,5793 litre	69,017 %	7162,6156 litre	O
350	CM	145	CM	188 LEVEL CM	15858,7548 litre	68,599 %	7259,4401 litre	O
350	CM	145	CM	187 LEVEL CM	15761,7128 litre	68,179 %	7356,4821 litre	O
350	CM	145	CM	186 LEVEL CM	15664,4590 litre	67,758 %	7453,7359 litre	O

350	CM	145	CM	185 LEVEL CM	15566,9988 litre	67,337 %	7551,1961 litre	O
350	CM	145	CM	184 LEVEL CM	15469,3378 litre	66,914 %	7648,8571 litre	O
350	CM	145	CM	183 LEVEL CM	15371,4812 litre	66,491 %	7746,7137 litre	O
350	CM	145	CM	182 LEVEL CM	15273,4346 litre	66,067 %	7844,7603 litre	O
350	CM	145	CM	181 LEVEL CM	15175,2032 litre	65,642 %	7942,9917 litre	O
350	CM	145	CM	180 LEVEL CM	15076,7924 litre	65,216 %	8041,4025 litre	O
350	CM	145	CM	179 LEVEL CM	14978,2075 litre	64,790 %	8139,9874 litre	O
350	CM	145	CM	178 LEVEL CM	14879,4537 litre	64,363 %	8238,7412 litre	O
350	CM	145	CM	177 LEVEL CM	14780,5364 litre	63,935 %	8337,6585 litre	O
350	CM	145	CM	176 LEVEL CM	14681,4606 litre	63,506 %	8436,7343 litre	O
350	CM	145	CM	175 LEVEL CM	14582,2317 litre	63,077 %	8535,9632 litre	O
350	CM	145	CM	174 LEVEL CM	14482,8547 litre	62,647 %	8635,3402 litre	O
350	CM	145	CM	173 LEVEL CM	14383,3348 litre	62,217 %	8734,8601 litre	O
350	CM	145	CM	172 LEVEL CM	14283,6772 litre	61,785 %	8834,5177 litre	O
350	CM	145	CM	171 LEVEL CM	14183,8869 litre	61,354 %	8934,3080 litre	O
350	CM	145	CM	170 LEVEL CM	14083,9690 litre	60,922 %	9034,2259 litre	O
350	CM	145	CM	169 LEVEL CM	13983,9286 litre	60,489 %	9134,2663 litre	O
350	CM	145	CM	168 LEVEL CM	13883,7706 litre	60,056 %	9234,4243 litre	O
350	CM	145	CM	167 LEVEL CM	13783,5003 litre	59,622 %	9334,6946 litre	O
350	CM	145	CM	166 LEVEL CM	13683,1225 litre	59,188 %	9435,0724 litre	O
350	CM	145	CM	165 LEVEL CM	13582,6422 litre	58,753 %	9535,5527 litre	O
350	CM	145	CM	164 LEVEL CM	13482,0644 litre	58,318 %	9636,1305 litre	O
350	CM	145	CM	163 LEVEL CM	13381,3941 litre	57,883 %	9736,8008 litre	O
350	CM	145	CM	162 LEVEL CM	13280,6363 litre	57,447 %	9837,5586 litre	O
350	CM	145	CM	161 LEVEL CM	13179,7958 litre	57,010 %	9938,3991 litre	O
350	CM	145	CM	160 LEVEL CM	13078,8776 litre	56,574 %	10039,3173 litre	O
350	CM	145	CM	159 LEVEL CM	12977,8866 litre	56,137 %	10140,3083 litre	O
350	CM	145	CM	158 LEVEL CM	12876,8276 litre	55,700 %	10241,3673 litre	O
350	CM	145	CM	157 LEVEL CM	12775,7057 litre	55,263 %	10342,4892 litre	O
350	CM	145	CM	156 LEVEL CM	12674,5256 litre	54,825 %	10443,6693 litre	O
350	CM	145	CM	155 LEVEL CM	12573,2923 litre	54,387 %	10544,9026 litre	O
350	CM	145	CM	154 LEVEL CM	12472,0106 litre	53,949 %	10646,1843 litre	O
350	CM	145	CM	153 LEVEL CM	12370,6853 litre	53,511 %	10747,5096 litre	O
350	CM	145	CM	152 LEVEL CM	12269,3214 litre	53,072 %	10848,8735 litre	O
350	CM	145	CM	151 LEVEL CM	12167,9236 litre	52,634 %	10950,2713 litre	O
350	CM	145	CM	150 LEVEL CM	12066,4969 litre	52,195 %	11051,6980 litre	O
350	CM	145	CM	149 LEVEL CM	11965,0460 litre	51,756 %	11153,1489 litre	O
350	CM	145	CM	148 LEVEL CM	11863,5757 litre	51,317 %	11254,6192 litre	O
350	CM	145	CM	147 LEVEL CM	11762,0910 litre	50,878 %	11356,1039 litre	O
350	CM	145	CM	146 LEVEL CM	11660,5967 litre	50,439 %	11457,5982 litre	O
350	CM	145	CM	145 LEVEL CM	11559,0975 litre	50,000 %	11559,0974 litre	O
350	CM	145	CM	144 LEVEL CM	11457,5983 litre	49,561 %	11660,5966 litre	O
350	CM	145	CM	143 LEVEL CM	11356,1039 litre	49,122 %	11762,0910 litre	O
350	CM	145	CM	142 LEVEL CM	11254,6192 litre	48,683 %	11863,5757 litre	O
350	CM	145	CM	141 LEVEL CM	11153,1490 litre	48,244 %	11965,0459 litre	O
350	CM	145	CM	140 LEVEL CM	11051,6981 litre	47,805 %	12066,4968 litre	O
350	CM	145	CM	139 LEVEL CM	10950,2713 litre	47,366 %	12167,9236 litre	O
350	CM	145	CM	138 LEVEL CM	10848,8735 litre	46,928 %	12269,3214 litre	O
350	CM	145	CM	137 LEVEL CM	10747,5096 litre	46,489 %	12370,6853 litre	O
350	CM	145	CM	136 LEVEL CM	10646,1844 litre	46,051 %	12472,0105 litre	O
350	CM	145	CM	135 LEVEL CM	10544,9026 litre	45,613 %	12573,2923 litre	O
350	CM	145	CM	134 LEVEL CM	10443,6693 litre	45,175 %	12674,5256 litre	O
350	CM	145	CM	133 LEVEL CM	10342,4892 litre	44,737 %	12775,7057 litre	O

350	CM	145	CM	132 LEVEL CM	10241,3673 litre	44,300 %	12876,8276 litre	O
350	CM	145	CM	131 LEVEL CM	10140,3084 litre	43,863 %	12977,8865 litre	O
350	CM	145	CM	130 LEVEL CM	10039,3174 litre	43,426 %	13078,8775 litre	O
350	CM	145	CM	129 LEVEL CM	9938,3991 litre	42,990 %	13179,7958 litre	O
350	CM	145	CM	128 LEVEL CM	9837,5586 litre	42,553 %	13280,6363 litre	O
350	CM	145	CM	127 LEVEL CM	9736,8008 litre	42,117 %	13381,3941 litre	O
350	CM	145	CM	126 LEVEL CM	9636,1305 litre	41,682 %	13482,0644 litre	O
350	CM	145	CM	125 LEVEL CM	9535,5527 litre	41,247 %	13582,6422 litre	O
350	CM	145	CM	124 LEVEL CM	9435,0725 litre	40,812 %	13683,1224 litre	O
350	CM	145	CM	123 LEVEL CM	9334,6947 litre	40,378 %	13783,5002 litre	O
350	CM	145	CM	122 LEVEL CM	9234,4243 litre	39,944 %	13883,7706 litre	O
350	CM	145	CM	121 LEVEL CM	9134,2664 litre	39,511 %	13983,9285 litre	O
350	CM	145	CM	120 LEVEL CM	9034,2260 litre	39,078 %	14083,9689 litre	O
350	CM	145	CM	119 LEVEL CM	8934,3081 litre	38,646 %	14183,8868 litre	O
350	CM	145	CM	118 LEVEL CM	8834,5178 litre	38,215 %	14283,6771 litre	O
350	CM	145	CM	117 LEVEL CM	8734,8601 litre	37,783 %	14383,3348 litre	O
350	CM	145	CM	116 LEVEL CM	8635,3403 litre	37,353 %	14482,8546 litre	O
350	CM	145	CM	115 LEVEL CM	8535,9633 litre	36,923 %	14582,2316 litre	O
350	CM	145	CM	114 LEVEL CM	8436,7343 litre	36,494 %	14681,4606 litre	O
350	CM	145	CM	113 LEVEL CM	8337,6586 litre	36,065 %	14780,5363 litre	O
350	CM	145	CM	112 LEVEL CM	8238,7412 litre	35,637 %	14879,4537 litre	O
350	CM	145	CM	111 LEVEL CM	8139,9875 litre	35,210 %	14978,2074 litre	O
350	CM	145	CM	110 LEVEL CM	8041,4025 litre	34,784 %	15076,7924 litre	O
350	CM	145	CM	109 LEVEL CM	7942,9918 litre	34,358 %	15175,2031 litre	O
350	CM	145	CM	108 LEVEL CM	7844,7604 litre	33,933 %	15273,4345 litre	O
350	CM	145	CM	107 LEVEL CM	7746,7137 litre	33,509 %	15371,4812 litre	O
350	CM	145	CM	106 LEVEL CM	7648,8572 litre	33,086 %	15469,3377 litre	O
350	CM	145	CM	105 LEVEL CM	7551,1961 litre	32,663 %	15566,9988 litre	O
350	CM	145	CM	104 LEVEL CM	7453,7360 litre	32,242 %	15664,4589 litre	O
350	CM	145	CM	103 LEVEL CM	7356,4822 litre	31,821 %	15761,7127 litre	O
350	CM	145	CM	102 LEVEL CM	7259,4402 litre	31,401 %	15858,7547 litre	O
350	CM	145	CM	101 LEVEL CM	7162,6156 litre	30,983 %	15955,5793 litre	O
350	CM	145	CM	100 LEVEL CM	7066,0139 litre	30,565 %	16052,1810 litre	O
350	CM	145	CM	99 LEVEL CM	6969,6408 litre	30,148 %	16148,5541 litre	O
350	CM	145	CM	98 LEVEL CM	6873,5018 litre	29,732 %	16244,6931 litre	O
350	CM	145	CM	97 LEVEL CM	6777,6027 litre	29,317 %	16340,5922 litre	O
350	CM	145	CM	96 LEVEL CM	6681,9491 litre	28,903 %	16436,2458 litre	O
350	CM	145	CM	95 LEVEL CM	6586,5469 litre	28,491 %	16531,6480 litre	O
350	CM	145	CM	94 LEVEL CM	6491,4019 litre	28,079 %	16626,7930 litre	O
350	CM	145	CM	93 LEVEL CM	6396,5198 litre	27,669 %	16721,6751 litre	O
350	CM	145	CM	92 LEVEL CM	6301,9067 litre	27,260 %	16816,2882 litre	O
350	CM	145	CM	91 LEVEL CM	6207,5685 litre	26,851 %	16910,6264 litre	O
350	CM	145	CM	90 LEVEL CM	6113,5112 litre	26,445 %	17004,6837 litre	O
350	CM	145	CM	89 LEVEL CM	6019,7408 litre	26,039 %	17098,4541 litre	O
350	CM	145	CM	88 LEVEL CM	5926,2636 litre	25,635 %	17191,9313 litre	O
350	CM	145	CM	87 LEVEL CM	5833,0856 litre	25,232 %	17285,1093 litre	O
350	CM	145	CM	86 LEVEL CM	5740,2131 litre	24,830 %	17377,9818 litre	O
350	CM	145	CM	85 LEVEL CM	5647,6524 litre	24,429 %	17470,5425 litre	O
350	CM	145	CM	84 LEVEL CM	5555,4099 litre	24,030 %	17562,7850 litre	O
350	CM	145	CM	83 LEVEL CM	5463,4920 litre	23,633 %	17654,7029 litre	O
350	CM	145	CM	82 LEVEL CM	5371,9053 litre	23,237 %	17746,2896 litre	O
350	CM	145	CM	81 LEVEL CM	5280,6562 litre	22,842 %	17837,5387 litre	O
350	CM	145	CM	80 LEVEL CM	5189,7514 litre	22,449 %	17928,4435 litre	O

350	CM	145	CM	79 LEVEL CM	5099,1977 litre	22,057 %	18018,9972 litre	O
350	CM	145	CM	78 LEVEL CM	5009,0018 litre	21,667 %	18109,1931 litre	O
350	CM	145	CM	77 LEVEL CM	4919,1706 litre	21,278 %	18199,0243 litre	O
350	CM	145	CM	76 LEVEL CM	4829,7112 litre	20,891 %	18288,4837 litre	O
350	CM	145	CM	75 LEVEL CM	4740,6305 litre	20,506 %	18377,5644 litre	O
350	CM	145	CM	74 LEVEL CM	4651,9356 litre	20,122 %	18466,2593 litre	O
350	CM	145	CM	73 LEVEL CM	4563,6339 litre	19,740 %	18554,5610 litre	O
350	CM	145	CM	72 LEVEL CM	4475,7326 litre	19,360 %	18642,4623 litre	O
350	CM	145	CM	71 LEVEL CM	4388,2393 litre	18,982 %	18729,9556 litre	O
350	CM	145	CM	70 LEVEL CM	4301,1613 litre	18,605 %	18817,0336 litre	O
350	CM	145	CM	69 LEVEL CM	4214,5064 litre	18,230 %	18903,6885 litre	O
350	CM	145	CM	68 LEVEL CM	4128,2823 litre	17,857 %	18989,9126 litre	O
350	CM	145	CM	67 LEVEL CM	4042,4969 litre	17,486 %	19075,6980 litre	O
350	CM	145	CM	66 LEVEL CM	3957,1583 litre	17,117 %	19161,0366 litre	O
350	CM	145	CM	65 LEVEL CM	3872,2744 litre	16,750 %	19245,9205 litre	O
350	CM	145	CM	64 LEVEL CM	3787,8536 litre	16,385 %	19330,3413 litre	O
350	CM	145	CM	63 LEVEL CM	3703,9043 litre	16,022 %	19414,2906 litre	O
350	CM	145	CM	62 LEVEL CM	3620,4350 litre	15,661 %	19497,7599 litre	O
350	CM	145	CM	61 LEVEL CM	3537,4544 litre	15,302 %	19580,7405 litre	O
350	CM	145	CM	60 LEVEL CM	3454,9712 litre	14,945 %	19663,2237 litre	O
350	CM	145	CM	59 LEVEL CM	3372,9946 litre	14,590 %	19745,2003 litre	O
350	CM	145	CM	58 LEVEL CM	3291,5337 litre	14,238 %	19826,6612 litre	O
350	CM	145	CM	57 LEVEL CM	3210,5978 litre	13,888 %	19907,5971 litre	O
350	CM	145	CM	56 LEVEL CM	3130,1964 litre	13,540 %	19987,9985 litre	O
350	CM	145	CM	55 LEVEL CM	3050,3392 litre	13,195 %	20067,8557 litre	O
350	CM	145	CM	54 LEVEL CM	2971,0363 litre	12,852 %	20147,1586 litre	O
350	CM	145	CM	53 LEVEL CM	2892,2976 litre	12,511 %	20225,8973 litre	O
350	CM	145	CM	52 LEVEL CM	2814,1336 litre	12,173 %	20304,0613 litre	O
350	CM	145	CM	51 LEVEL CM	2736,5547 litre	11,837 %	20381,6402 litre	O
350	CM	145	CM	50 LEVEL CM	2659,5719 litre	11,504 %	20458,6230 litre	O
350	CM	145	CM	49 LEVEL CM	2583,1961 litre	11,174 %	20534,9988 litre	O
350	CM	145	CM	48 LEVEL CM	2507,4388 litre	10,846 %	20610,7561 litre	O
350	CM	145	CM	47 LEVEL CM	2432,3115 litre	10,521 %	20685,8834 litre	O
350	CM	145	CM	46 LEVEL CM	2357,8261 litre	10,199 %	20760,3688 litre	O
350	CM	145	CM	45 LEVEL CM	2283,9949 litre	9,880 %	20834,2000 litre	O
350	CM	145	CM	44 LEVEL CM	2210,8303 litre	9,563 %	20907,3646 litre	O
350	CM	145	CM	43 LEVEL CM	2138,3454 litre	9,250 %	20979,8495 litre	O
350	CM	145	CM	42 LEVEL CM	2066,5533 litre	8,939 %	21051,6416 litre	O
350	CM	145	CM	41 LEVEL CM	1995,4677 litre	8,632 %	21122,7272 litre	O
350	CM	145	CM	40 LEVEL CM	1925,1026 litre	8,327 %	21193,0923 litre	O
350	CM	145	CM	39 LEVEL CM	1855,4726 litre	8,026 %	21262,7223 litre	O
350	CM	145	CM	38 LEVEL CM	1786,5925 litre	7,728 %	21331,6024 litre	O
350	CM	145	CM	37 LEVEL CM	1718,4780 litre	7,433 %	21399,7169 litre	O
350	CM	145	CM	36 LEVEL CM	1651,1448 litre	7,142 %	21467,0501 litre	O
350	CM	145	CM	35 LEVEL CM	1584,6096 litre	6,854 %	21533,5853 litre	O
350	CM	145	CM	34 LEVEL CM	1518,8895 litre	6,570 %	21599,3054 litre	O
350	CM	145	CM	33 LEVEL CM	1454,0023 litre	6,289 %	21664,1926 litre	O
350	CM	145	CM	32 LEVEL CM	1389,9665 litre	6,012 %	21728,2284 litre	O
350	CM	145	CM	31 LEVEL CM	1326,8013 litre	5,739 %	21791,3936 litre	O
350	CM	145	CM	30 LEVEL CM	1264,5268 litre	5,470 %	21853,6681 litre	O
350	CM	145	CM	29 LEVEL CM	1203,1638 litre	5,204 %	21915,0311 litre	O
350	CM	145	CM	28 LEVEL CM	1142,7342 litre	4,943 %	21975,4607 litre	O
350	CM	145	CM	27 LEVEL CM	1083,2610 litre	4,686 %	22034,9339 litre	O

350	CM	145	CM	26 LEVEL CM	1024,7680 litre	4,433 %	22093,4269 litre	O
350	CM	145	CM	25 LEVEL CM	967,2806 litre	4,184 %	22150,9143 litre	O
350	CM	145	CM	24 LEVEL CM	910,8254 litre	3,940 %	22207,3695 litre	O
350	CM	145	CM	23 LEVEL CM	855,4303 litre	3,700 %	22262,7646 litre	O
350	CM	145	CM	22 LEVEL CM	801,1252 litre	3,465 %	22317,0697 litre	O
350	CM	145	CM	21 LEVEL CM	747,9416 litre	3,235 %	22370,2533 litre	O
350	CM	145	CM	20 LEVEL CM	695,9130 litre	3,010 %	22422,2819 litre	O
350	CM	145	CM	19 LEVEL CM	645,0754 litre	2,790 %	22473,1195 litre	O
350	CM	145	CM	18 LEVEL CM	595,4672 litre	2,576 %	22522,7277 litre	O
350	CM	145	CM	17 LEVEL CM	547,1297 litre	2,367 %	22571,0652 litre	O
350	CM	145	CM	16 LEVEL CM	500,1078 litre	2,163 %	22618,0871 litre	O
350	CM	145	CM	15 LEVEL CM	454,4501 litre	1,966 %	22663,7448 litre	O
350	CM	145	CM	14 LEVEL CM	410,2097 litre	1,774 %	22707,9852 litre	O
350	CM	145	CM	13 LEVEL CM	367,4451 litre	1,589 %	22750,7498 litre	O
350	CM	145	CM	12 LEVEL CM	326,2208 litre	1,411 %	22791,9741 litre	O
350	CM	145	CM	11 LEVEL CM	286,6092 litre	1,240 %	22831,5857 litre	O
350	CM	145	CM	10 LEVEL CM	248,6917 litre	1,076 %	22869,5032 litre	O
350	CM	145	CM	9 LEVEL CM	212,5613 litre	0,919 %	22905,6336 litre	O
350	CM	145	CM	8 LEVEL CM	178,3256 litre	0,771 %	22939,8693 litre	O
350	CM	145	CM	7 LEVEL CM	146,1109 litre	0,632 %	22972,0840 litre	O
350	CM	145	CM	6 LEVEL CM	116,0696 litre	0,502 %	23002,1253 litre	O
350	CM	145	CM	5 LEVEL CM	88,3897 litre	0,382 %	23029,8052 litre	O
350	CM	145	CM	4 LEVEL CM	63,3126 litre	0,274 %	23054,8823 litre	O
350	CM	145	CM	3 LEVEL CM	41,1657 litre	0,178 %	23077,0292 litre	O
350	CM	145	CM	2 LEVEL CM	22,4311 litre	0,097 %	23095,7638 litre	O
350	CM	145	CM	1 LEVEL CM	7,9388 litre	0,034 %	23110,2561 litre	O
350	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	23118,1949 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM 140	CM 280 LEVEL CM	21551,3256 litre	100,000 %	0,0000 litre	O
350	CM 140	CM 279 LEVEL CM	21543,5251 litre	99,964 %	7,8005 litre	O
350	CM 140	CM 278 LEVEL CM	21529,2863 litre	99,898 %	22,0393 litre	O
350	CM 140	CM 277 LEVEL CM	21510,8804 litre	99,812 %	40,4452 litre	O
350	CM 140	CM 276 LEVEL CM	21489,1234 litre	99,711 %	62,2022 litre	O
350	CM 140	CM 275 LEVEL CM	21464,4895 litre	99,597 %	86,8361 litre	O
350	CM 140	CM 274 LEVEL CM	21437,3004 litre	99,471 %	114,0252 litre	O
350	CM 140	CM 273 LEVEL CM	21407,7937 litre	99,334 %	143,5319 litre	O
350	CM 140	CM 272 LEVEL CM	21376,1544 litre	99,187 %	175,1712 litre	O
350	CM 140	CM 271 LEVEL CM	21342,5322 litre	99,031 %	208,7934 litre	O
350	CM 140	CM 270 LEVEL CM	21307,0517 litre	98,867 %	244,2739 litre	O
350	CM 140	CM 269 LEVEL CM	21269,8187 litre	98,694 %	281,5069 litre	O
350	CM 140	CM 268 LEVEL CM	21230,9248 litre	98,513 %	320,4008 litre	O
350	CM 140	CM 267 LEVEL CM	21190,4501 litre	98,326 %	360,8755 litre	O
350	CM 140	CM 266 LEVEL CM	21148,4659 litre	98,131 %	402,8597 litre	O
350	CM 140	CM 265 LEVEL CM	21105,0358 litre	97,929 %	446,2898 litre	O
350	CM 140	CM 264 LEVEL CM	21060,2175 litre	97,721 %	491,1081 litre	O
350	CM 140	CM 263 LEVEL CM	21014,0633 litre	97,507 %	537,2623 litre	O
350	CM 140	CM 262 LEVEL CM	20966,6211 litre	97,287 %	584,7045 litre	O
350	CM 140	CM 261 LEVEL CM	20917,9350 litre	97,061 %	633,3906 litre	O
350	CM 140	CM 260 LEVEL CM	20868,0459 litre	96,830 %	683,2797 litre	O
350	CM 140	CM 259 LEVEL CM	20816,9918 litre	96,593 %	734,3338 litre	O
350	CM 140	CM 258 LEVEL CM	20764,8079 litre	96,350 %	786,5177 litre	O
350	CM 140	CM 257 LEVEL CM	20711,5275 litre	96,103 %	839,7981 litre	O
350	CM 140	CM 256 LEVEL CM	20657,1818 litre	95,851 %	894,1438 litre	O
350	CM 140	CM 255 LEVEL CM	20601,7999 litre	95,594 %	949,5257 litre	O
350	CM 140	CM 254 LEVEL CM	20545,4097 litre	95,332 %	1005,9159 litre	O
350	CM 140	CM 253 LEVEL CM	20488,0374 litre	95,066 %	1063,2882 litre	O
350	CM 140	CM 252 LEVEL CM	20429,7080 litre	94,796 %	1121,6176 litre	O
350	CM 140	CM 251 LEVEL CM	20370,4451 litre	94,521 %	1180,8805 litre	O
350	CM 140	CM 250 LEVEL CM	20310,2715 litre	94,241 %	1241,0541 litre	O
350	CM 140	CM 249 LEVEL CM	20249,2086 litre	93,958 %	1302,1170 litre	O
350	CM 140	CM 248 LEVEL CM	20187,2773 litre	93,671 %	1364,0483 litre	O
350	CM 140	CM 247 LEVEL CM	20124,4972 litre	93,379 %	1426,8284 litre	O
350	CM 140	CM 246 LEVEL CM	20060,8874 litre	93,084 %	1490,4382 litre	O
350	CM 140	CM 245 LEVEL CM	19996,4663 litre	92,785 %	1554,8593 litre	O
350	CM 140	CM 244 LEVEL CM	19931,2514 litre	92,483 %	1620,0742 litre	O
350	CM 140	CM 243 LEVEL CM	19865,2596 litre	92,177 %	1686,0660 litre	O
350	CM 140	CM 242 LEVEL CM	19798,5075 litre	91,867 %	1752,8181 litre	O
350	CM 140	CM 241 LEVEL CM	19731,0107 litre	91,554 %	1820,3149 litre	O
350	CM 140	CM 240 LEVEL CM	19662,7847 litre	91,237 %	1888,5409 litre	O
350	CM 140	CM 239 LEVEL CM	19593,8442 litre	90,917 %	1957,4814 litre	O
350	CM 140	CM 238 LEVEL CM	19524,2036 litre	90,594 %	2027,1220 litre	O
350	CM 140	CM 237 LEVEL CM	19453,8768 litre	90,268 %	2097,4488 litre	O
350	CM 140	CM 236 LEVEL CM	19382,8773 litre	89,938 %	2168,4483 litre	O
350	CM 140	CM 235 LEVEL CM	19311,2184 litre	89,606 %	2240,1072 litre	O
350	CM 140	CM 234 LEVEL CM	19238,9128 litre	89,270 %	2312,4128 litre	O
350	CM 140	CM 233 LEVEL CM	19165,9729 litre	88,932 %	2385,3527 litre	O
350	CM 140	CM 232 LEVEL CM	19092,4109 litre	88,590 %	2458,9147 litre	O
350	CM 140	CM 231 LEVEL CM	19018,2387 litre	88,246 %	2533,0869 litre	O
350	CM 140	CM 230 LEVEL CM	18943,4676 litre	87,899 %	2607,8580 litre	O
350	CM 140	CM 229 LEVEL CM	18868,1091 litre	87,550 %	2683,2165 litre	O

350	CM	140	CM	228 LEVEL CM	18792,1741 litre	87,197 %	2759,1515 litre	O
350	CM	140	CM	227 LEVEL CM	18715,6733 litre	86,842 %	2835,6523 litre	O
350	CM	140	CM	226 LEVEL CM	18638,6173 litre	86,485 %	2912,7083 litre	O
350	CM	140	CM	225 LEVEL CM	18561,0163 litre	86,125 %	2990,3093 litre	O
350	CM	140	CM	224 LEVEL CM	18482,8804 litre	85,762 %	3068,4452 litre	O
350	CM	140	CM	223 LEVEL CM	18404,2195 litre	85,397 %	3147,1061 litre	O
350	CM	140	CM	222 LEVEL CM	18325,0433 litre	85,030 %	3226,2823 litre	O
350	CM	140	CM	221 LEVEL CM	18245,3612 litre	84,660 %	3305,9644 litre	O
350	CM	140	CM	220 LEVEL CM	18165,1826 litre	84,288 %	3386,1430 litre	O
350	CM	140	CM	219 LEVEL CM	18084,5165 litre	83,914 %	3466,8091 litre	O
350	CM	140	CM	218 LEVEL CM	18003,3719 litre	83,537 %	3547,9537 litre	O
350	CM	140	CM	217 LEVEL CM	17921,7577 litre	83,158 %	3629,5679 litre	O
350	CM	140	CM	216 LEVEL CM	17839,6825 litre	82,778 %	3711,6431 litre	O
350	CM	140	CM	215 LEVEL CM	17757,1548 litre	82,395 %	3794,1708 litre	O
350	CM	140	CM	214 LEVEL CM	17674,1830 litre	82,010 %	3877,1426 litre	O
350	CM	140	CM	213 LEVEL CM	17590,7753 litre	81,623 %	3960,5503 litre	O
350	CM	140	CM	212 LEVEL CM	17506,9399 litre	81,234 %	4044,3857 litre	O
350	CM	140	CM	211 LEVEL CM	17422,6847 litre	80,843 %	4128,6409 litre	O
350	CM	140	CM	210 LEVEL CM	17338,0175 litre	80,450 %	4213,3081 litre	O
350	CM	140	CM	209 LEVEL CM	17252,9463 litre	80,055 %	4298,3793 litre	O
350	CM	140	CM	208 LEVEL CM	17167,4785 litre	79,659 %	4383,8471 litre	O
350	CM	140	CM	207 LEVEL CM	17081,6217 litre	79,260 %	4469,7039 litre	O
350	CM	140	CM	206 LEVEL CM	16995,3834 litre	78,860 %	4555,9422 litre	O
350	CM	140	CM	205 LEVEL CM	16908,7709 litre	78,458 %	4642,5547 litre	O
350	CM	140	CM	204 LEVEL CM	16821,7914 litre	78,055 %	4729,5342 litre	O
350	CM	140	CM	203 LEVEL CM	16734,4522 litre	77,649 %	4816,8734 litre	O
350	CM	140	CM	202 LEVEL CM	16646,7602 litre	77,242 %	4904,5654 litre	O
350	CM	140	CM	201 LEVEL CM	16558,7224 litre	76,834 %	4992,6032 litre	O
350	CM	140	CM	200 LEVEL CM	16470,3458 litre	76,424 %	5080,9798 litre	O
350	CM	140	CM	199 LEVEL CM	16381,6371 litre	76,012 %	5169,6885 litre	O
350	CM	140	CM	198 LEVEL CM	16292,6032 litre	75,599 %	5258,7224 litre	O
350	CM	140	CM	197 LEVEL CM	16203,2506 litre	75,184 %	5348,0750 litre	O
350	CM	140	CM	196 LEVEL CM	16113,5859 litre	74,768 %	5437,7397 litre	O
350	CM	140	CM	195 LEVEL CM	16023,6158 litre	74,351 %	5527,7098 litre	O
350	CM	140	CM	194 LEVEL CM	15933,3465 litre	73,932 %	5617,9791 litre	O
350	CM	140	CM	193 LEVEL CM	15842,7847 litre	73,512 %	5708,5409 litre	O
350	CM	140	CM	192 LEVEL CM	15751,9365 litre	73,090 %	5799,3891 litre	O
350	CM	140	CM	191 LEVEL CM	15660,8083 litre	72,667 %	5890,5173 litre	O
350	CM	140	CM	190 LEVEL CM	15569,4063 litre	72,243 %	5981,9193 litre	O
350	CM	140	CM	189 LEVEL CM	15477,7366 litre	71,818 %	6073,5890 litre	O
350	CM	140	CM	188 LEVEL CM	15385,8054 litre	71,391 %	6165,5202 litre	O
350	CM	140	CM	187 LEVEL CM	15293,6187 litre	70,964 %	6257,7069 litre	O
350	CM	140	CM	186 LEVEL CM	15201,1824 litre	70,535 %	6350,1432 litre	O
350	CM	140	CM	185 LEVEL CM	15108,5027 litre	70,105 %	6442,8229 litre	O
350	CM	140	CM	184 LEVEL CM	15015,5854 litre	69,674 %	6535,7402 litre	O
350	CM	140	CM	183 LEVEL CM	14922,4363 litre	69,241 %	6628,8893 litre	O
350	CM	140	CM	182 LEVEL CM	14829,0613 litre	68,808 %	6722,2643 litre	O
350	CM	140	CM	181 LEVEL CM	14735,4661 litre	68,374 %	6815,8595 litre	O
350	CM	140	CM	180 LEVEL CM	14641,6566 litre	67,939 %	6909,6690 litre	O
350	CM	140	CM	179 LEVEL CM	14547,6383 litre	67,502 %	7003,6873 litre	O
350	CM	140	CM	178 LEVEL CM	14453,4170 litre	67,065 %	7097,9086 litre	O
350	CM	140	CM	177 LEVEL CM	14358,9983 litre	66,627 %	7192,3273 litre	O
350	CM	140	CM	176 LEVEL CM	14264,3878 litre	66,188 %	7286,9378 litre	O

350	CM	140	CM	175 LEVEL CM	14169,5910 litre	65,748 %	7381,7346 litre	O
350	CM	140	CM	174 LEVEL CM	14074,6134 litre	65,307 %	7476,7122 litre	O
350	CM	140	CM	173 LEVEL CM	13979,4606 litre	64,866 %	7571,8650 litre	O
350	CM	140	CM	172 LEVEL CM	13884,1380 litre	64,424 %	7667,1876 litre	O
350	CM	140	CM	171 LEVEL CM	13788,6511 litre	63,981 %	7762,6745 litre	O
350	CM	140	CM	170 LEVEL CM	13693,0052 litre	63,537 %	7858,3204 litre	O
350	CM	140	CM	169 LEVEL CM	13597,2058 litre	63,092 %	7954,1198 litre	O
350	CM	140	CM	168 LEVEL CM	13501,2581 litre	62,647 %	8050,0675 litre	O
350	CM	140	CM	167 LEVEL CM	13405,1676 litre	62,201 %	8146,1580 litre	O
350	CM	140	CM	166 LEVEL CM	13308,9394 litre	61,755 %	8242,3862 litre	O
350	CM	140	CM	165 LEVEL CM	13212,5790 litre	61,308 %	8338,7466 litre	O
350	CM	140	CM	164 LEVEL CM	13116,0915 litre	60,860 %	8435,2341 litre	O
350	CM	140	CM	163 LEVEL CM	13019,4822 litre	60,412 %	8531,8434 litre	O
350	CM	140	CM	162 LEVEL CM	12922,7563 litre	59,963 %	8628,5693 litre	O
350	CM	140	CM	161 LEVEL CM	12825,9190 litre	59,513 %	8725,4066 litre	O
350	CM	140	CM	160 LEVEL CM	12728,9756 litre	59,064 %	8822,3500 litre	O
350	CM	140	CM	159 LEVEL CM	12631,9311 litre	58,613 %	8919,3945 litre	O
350	CM	140	CM	158 LEVEL CM	12534,7907 litre	58,163 %	9016,5349 litre	O
350	CM	140	CM	157 LEVEL CM	12437,5595 litre	57,711 %	9113,7661 litre	O
350	CM	140	CM	156 LEVEL CM	12340,2427 litre	57,260 %	9211,0829 litre	O
350	CM	140	CM	155 LEVEL CM	12242,8454 litre	56,808 %	9308,4802 litre	O
350	CM	140	CM	154 LEVEL CM	12145,3727 litre	56,356 %	9405,9529 litre	O
350	CM	140	CM	153 LEVEL CM	12047,8296 litre	55,903 %	9503,4960 litre	O
350	CM	140	CM	152 LEVEL CM	11950,2212 litre	55,450 %	9601,1044 litre	O
350	CM	140	CM	151 LEVEL CM	11852,5526 litre	54,997 %	9698,7730 litre	O
350	CM	140	CM	150 LEVEL CM	11754,8288 litre	54,543 %	9796,4968 litre	O
350	CM	140	CM	149 LEVEL CM	11657,0549 litre	54,090 %	9894,2707 litre	O
350	CM	140	CM	148 LEVEL CM	11559,2359 litre	53,636 %	9992,0897 litre	O
350	CM	140	CM	147 LEVEL CM	11461,3769 litre	53,182 %	10089,9487 litre	O
350	CM	140	CM	146 LEVEL CM	11363,4828 litre	52,728 %	10187,8428 litre	O
350	CM	140	CM	145 LEVEL CM	11265,5586 litre	52,273 %	10285,7670 litre	O
350	CM	140	CM	144 LEVEL CM	11167,6095 litre	51,819 %	10383,7161 litre	O
350	CM	140	CM	143 LEVEL CM	11069,6403 litre	51,364 %	10481,6853 litre	O
350	CM	140	CM	142 LEVEL CM	10971,6561 litre	50,909 %	10579,6695 litre	O
350	CM	140	CM	141 LEVEL CM	10873,6620 litre	50,455 %	10677,6636 litre	O
350	CM	140	CM	140 LEVEL CM	10775,6628 litre	50,000 %	10775,6628 litre	O
350	CM	140	CM	139 LEVEL CM	10677,6636 litre	49,545 %	10873,6620 litre	O
350	CM	140	CM	138 LEVEL CM	10579,6695 litre	49,091 %	10971,6561 litre	O
350	CM	140	CM	137 LEVEL CM	10481,6853 litre	48,636 %	11069,6403 litre	O
350	CM	140	CM	136 LEVEL CM	10383,7161 litre	48,181 %	11167,6095 litre	O
350	CM	140	CM	135 LEVEL CM	10285,7670 litre	47,727 %	11265,5586 litre	O
350	CM	140	CM	134 LEVEL CM	10187,8429 litre	47,272 %	11363,4827 litre	O
350	CM	140	CM	133 LEVEL CM	10089,9487 litre	46,818 %	11461,3769 litre	O
350	CM	140	CM	132 LEVEL CM	9992,0897 litre	46,364 %	11559,2359 litre	O
350	CM	140	CM	131 LEVEL CM	9894,2707 litre	45,910 %	11657,0549 litre	O
350	CM	140	CM	130 LEVEL CM	9796,4968 litre	45,457 %	11754,8288 litre	O
350	CM	140	CM	129 LEVEL CM	9698,7730 litre	45,003 %	11852,5526 litre	O
350	CM	140	CM	128 LEVEL CM	9601,1044 litre	44,550 %	11950,2212 litre	O
350	CM	140	CM	127 LEVEL CM	9503,4960 litre	44,097 %	12047,8296 litre	O
350	CM	140	CM	126 LEVEL CM	9405,9529 litre	43,644 %	12145,3727 litre	O
350	CM	140	CM	125 LEVEL CM	9308,4802 litre	43,192 %	12242,8454 litre	O
350	CM	140	CM	124 LEVEL CM	9211,0829 litre	42,740 %	12340,2427 litre	O
350	CM	140	CM	123 LEVEL CM	9113,7661 litre	42,289 %	12437,5595 litre	O

350	CM	140	CM	122 LEVEL CM	9016,5349 litre	41,837 %	12534,7907 litre	O
350	CM	140	CM	121 LEVEL CM	8919,3945 litre	41,387 %	12631,9311 litre	O
350	CM	140	CM	120 LEVEL CM	8822,3500 litre	40,936 %	12728,9756 litre	O
350	CM	140	CM	119 LEVEL CM	8725,4066 litre	40,487 %	12825,9190 litre	O
350	CM	140	CM	118 LEVEL CM	8628,5693 litre	40,037 %	12922,7563 litre	O
350	CM	140	CM	117 LEVEL CM	8531,8434 litre	39,588 %	13019,4822 litre	O
350	CM	140	CM	116 LEVEL CM	8435,2341 litre	39,140 %	13116,0915 litre	O
350	CM	140	CM	115 LEVEL CM	8338,7466 litre	38,692 %	13212,5790 litre	O
350	CM	140	CM	114 LEVEL CM	8242,3862 litre	38,245 %	13308,9394 litre	O
350	CM	140	CM	113 LEVEL CM	8146,1581 litre	37,799 %	13405,1675 litre	O
350	CM	140	CM	112 LEVEL CM	8050,0675 litre	37,353 %	13501,2581 litre	O
350	CM	140	CM	111 LEVEL CM	7954,1198 litre	36,908 %	13597,2058 litre	O
350	CM	140	CM	110 LEVEL CM	7858,3204 litre	36,463 %	13693,0052 litre	O
350	CM	140	CM	109 LEVEL CM	7762,6745 litre	36,019 %	13788,6511 litre	O
350	CM	140	CM	108 LEVEL CM	7667,1876 litre	35,576 %	13884,1380 litre	O
350	CM	140	CM	107 LEVEL CM	7571,8650 litre	35,134 %	13979,4606 litre	O
350	CM	140	CM	106 LEVEL CM	7476,7122 litre	34,693 %	14074,6134 litre	O
350	CM	140	CM	105 LEVEL CM	7381,7346 litre	34,252 %	14169,5910 litre	O
350	CM	140	CM	104 LEVEL CM	7286,9378 litre	33,812 %	14264,3878 litre	O
350	CM	140	CM	103 LEVEL CM	7192,3273 litre	33,373 %	14358,9983 litre	O
350	CM	140	CM	102 LEVEL CM	7097,9086 litre	32,935 %	14453,4170 litre	O
350	CM	140	CM	101 LEVEL CM	7003,6873 litre	32,498 %	14547,6383 litre	O
350	CM	140	CM	100 LEVEL CM	6909,6690 litre	32,061 %	14641,6566 litre	O
350	CM	140	CM	99 LEVEL CM	6815,8595 litre	31,626 %	14735,4661 litre	O
350	CM	140	CM	98 LEVEL CM	6722,2643 litre	31,192 %	14829,0613 litre	O
350	CM	140	CM	97 LEVEL CM	6628,8893 litre	30,759 %	14922,4363 litre	O
350	CM	140	CM	96 LEVEL CM	6535,7402 litre	30,326 %	15015,5854 litre	O
350	CM	140	CM	95 LEVEL CM	6442,8229 litre	29,895 %	15108,5027 litre	O
350	CM	140	CM	94 LEVEL CM	6350,1432 litre	29,465 %	15201,1824 litre	O
350	CM	140	CM	93 LEVEL CM	6257,7070 litre	29,036 %	15293,6186 litre	O
350	CM	140	CM	92 LEVEL CM	6165,5202 litre	28,609 %	15385,8054 litre	O
350	CM	140	CM	91 LEVEL CM	6073,5890 litre	28,182 %	15477,7366 litre	O
350	CM	140	CM	90 LEVEL CM	5981,9193 litre	27,757 %	15569,4063 litre	O
350	CM	140	CM	89 LEVEL CM	5890,5173 litre	27,333 %	15660,8083 litre	O
350	CM	140	CM	88 LEVEL CM	5799,3891 litre	26,910 %	15751,9365 litre	O
350	CM	140	CM	87 LEVEL CM	5708,5409 litre	26,488 %	15842,7847 litre	O
350	CM	140	CM	86 LEVEL CM	5617,9791 litre	26,068 %	15933,3465 litre	O
350	CM	140	CM	85 LEVEL CM	5527,7099 litre	25,649 %	16023,6157 litre	O
350	CM	140	CM	84 LEVEL CM	5437,7397 litre	25,232 %	16113,5859 litre	O
350	CM	140	CM	83 LEVEL CM	5348,0751 litre	24,816 %	16203,2505 litre	O
350	CM	140	CM	82 LEVEL CM	5258,7224 litre	24,401 %	16292,6032 litre	O
350	CM	140	CM	81 LEVEL CM	5169,6885 litre	23,988 %	16381,6371 litre	O
350	CM	140	CM	80 LEVEL CM	5080,9798 litre	23,576 %	16470,3458 litre	O
350	CM	140	CM	79 LEVEL CM	4992,6032 litre	23,166 %	16558,7224 litre	O
350	CM	140	CM	78 LEVEL CM	4904,5654 litre	22,758 %	16646,7602 litre	O
350	CM	140	CM	77 LEVEL CM	4816,8734 litre	22,351 %	16734,4522 litre	O
350	CM	140	CM	76 LEVEL CM	4729,5342 litre	21,945 %	16821,7914 litre	O
350	CM	140	CM	75 LEVEL CM	4642,5547 litre	21,542 %	16908,7709 litre	O
350	CM	140	CM	74 LEVEL CM	4555,9422 litre	21,140 %	16995,3834 litre	O
350	CM	140	CM	73 LEVEL CM	4469,7039 litre	20,740 %	17081,6217 litre	O
350	CM	140	CM	72 LEVEL CM	4383,8471 litre	20,341 %	17167,4785 litre	O
350	CM	140	CM	71 LEVEL CM	4298,3793 litre	19,945 %	17252,9463 litre	O
350	CM	140	CM	70 LEVEL CM	4213,3081 litre	19,550 %	17338,0175 litre	O

350	CM	140	CM	69 LEVEL CM	4128,6409 litre	19,157 %	17422,6847 litre	O
350	CM	140	CM	68 LEVEL CM	4044,3857 litre	18,766 %	17506,9399 litre	O
350	CM	140	CM	67 LEVEL CM	3960,5503 litre	18,377 %	17590,7753 litre	O
350	CM	140	CM	66 LEVEL CM	3877,1426 litre	17,990 %	17674,1830 litre	O
350	CM	140	CM	65 LEVEL CM	3794,1708 litre	17,605 %	17757,1548 litre	O
350	CM	140	CM	64 LEVEL CM	3711,6431 litre	17,222 %	17839,6825 litre	O
350	CM	140	CM	63 LEVEL CM	3629,5679 litre	16,842 %	17921,7577 litre	O
350	CM	140	CM	62 LEVEL CM	3547,9537 litre	16,463 %	18003,3719 litre	O
350	CM	140	CM	61 LEVEL CM	3466,8091 litre	16,086 %	18084,5165 litre	O
350	CM	140	CM	60 LEVEL CM	3386,1430 litre	15,712 %	18165,1826 litre	O
350	CM	140	CM	59 LEVEL CM	3305,9644 litre	15,340 %	18245,3612 litre	O
350	CM	140	CM	58 LEVEL CM	3226,2823 litre	14,970 %	18325,0433 litre	O
350	CM	140	CM	57 LEVEL CM	3147,1061 litre	14,603 %	18404,2195 litre	O
350	CM	140	CM	56 LEVEL CM	3068,4452 litre	14,238 %	18482,8804 litre	O
350	CM	140	CM	55 LEVEL CM	2990,3093 litre	13,875 %	18561,0163 litre	O
350	CM	140	CM	54 LEVEL CM	2912,7083 litre	13,515 %	18638,6173 litre	O
350	CM	140	CM	53 LEVEL CM	2835,6523 litre	13,158 %	18715,6733 litre	O
350	CM	140	CM	52 LEVEL CM	2759,1515 litre	12,803 %	18792,1741 litre	O
350	CM	140	CM	51 LEVEL CM	2683,2165 litre	12,450 %	18868,1091 litre	O
350	CM	140	CM	50 LEVEL CM	2607,8580 litre	12,101 %	18943,4676 litre	O
350	CM	140	CM	49 LEVEL CM	2533,0869 litre	11,754 %	19018,2387 litre	O
350	CM	140	CM	48 LEVEL CM	2458,9147 litre	11,410 %	19092,4109 litre	O
350	CM	140	CM	47 LEVEL CM	2385,3527 litre	11,068 %	19165,9729 litre	O
350	CM	140	CM	46 LEVEL CM	2312,4128 litre	10,730 %	19238,9128 litre	O
350	CM	140	CM	45 LEVEL CM	2240,1072 litre	10,394 %	19311,2184 litre	O
350	CM	140	CM	44 LEVEL CM	2168,4483 litre	10,062 %	19382,8773 litre	O
350	CM	140	CM	43 LEVEL CM	2097,4488 litre	9,732 %	19453,8768 litre	O
350	CM	140	CM	42 LEVEL CM	2027,1220 litre	9,406 %	19524,2036 litre	O
350	CM	140	CM	41 LEVEL CM	1957,4814 litre	9,083 %	19593,8442 litre	O
350	CM	140	CM	40 LEVEL CM	1888,5409 litre	8,763 %	19662,7847 litre	O
350	CM	140	CM	39 LEVEL CM	1820,3149 litre	8,446 %	19731,0107 litre	O
350	CM	140	CM	38 LEVEL CM	1752,8181 litre	8,133 %	19798,5075 litre	O
350	CM	140	CM	37 LEVEL CM	1686,0660 litre	7,823 %	19865,2596 litre	O
350	CM	140	CM	36 LEVEL CM	1620,0742 litre	7,517 %	19931,2514 litre	O
350	CM	140	CM	35 LEVEL CM	1554,8593 litre	7,215 %	19996,4663 litre	O
350	CM	140	CM	34 LEVEL CM	1490,4382 litre	6,916 %	20060,8874 litre	O
350	CM	140	CM	33 LEVEL CM	1426,8284 litre	6,621 %	20124,4972 litre	O
350	CM	140	CM	32 LEVEL CM	1364,0483 litre	6,329 %	20187,2773 litre	O
350	CM	140	CM	31 LEVEL CM	1302,1170 litre	6,042 %	20249,2086 litre	O
350	CM	140	CM	30 LEVEL CM	1241,0541 litre	5,759 %	20310,2715 litre	O
350	CM	140	CM	29 LEVEL CM	1180,8805 litre	5,479 %	20370,4451 litre	O
350	CM	140	CM	28 LEVEL CM	1121,6176 litre	5,204 %	20429,7080 litre	O
350	CM	140	CM	27 LEVEL CM	1063,2882 litre	4,934 %	20488,0374 litre	O
350	CM	140	CM	26 LEVEL CM	1005,9159 litre	4,668 %	20545,4097 litre	O
350	CM	140	CM	25 LEVEL CM	949,5257 litre	4,406 %	20601,7999 litre	O
350	CM	140	CM	24 LEVEL CM	894,1439 litre	4,149 %	20657,1817 litre	O
350	CM	140	CM	23 LEVEL CM	839,7981 litre	3,897 %	20711,5275 litre	O
350	CM	140	CM	22 LEVEL CM	786,5177 litre	3,650 %	20764,8079 litre	O
350	CM	140	CM	21 LEVEL CM	734,3338 litre	3,407 %	20816,9918 litre	O
350	CM	140	CM	20 LEVEL CM	683,2797 litre	3,170 %	20868,0459 litre	O
350	CM	140	CM	19 LEVEL CM	633,3906 litre	2,939 %	20917,9350 litre	O
350	CM	140	CM	18 LEVEL CM	584,7045 litre	2,713 %	20966,6211 litre	O
350	CM	140	CM	17 LEVEL CM	537,2623 litre	2,493 %	21014,0633 litre	O

350	CM	140	CM	16 LEVEL CM	491,1081 litre	2,279 %	21060,2175 litre	O
350	CM	140	CM	15 LEVEL CM	446,2898 litre	2,071 %	21105,0358 litre	O
350	CM	140	CM	14 LEVEL CM	402,8597 litre	1,869 %	21148,4659 litre	O
350	CM	140	CM	13 LEVEL CM	360,8755 litre	1,674 %	21190,4501 litre	O
350	CM	140	CM	12 LEVEL CM	320,4008 litre	1,487 %	21230,9248 litre	O
350	CM	140	CM	11 LEVEL CM	281,5069 litre	1,306 %	21269,8187 litre	O
350	CM	140	CM	10 LEVEL CM	244,2739 litre	1,133 %	21307,0517 litre	O
350	CM	140	CM	9 LEVEL CM	208,7934 litre	0,969 %	21342,5322 litre	O
350	CM	140	CM	8 LEVEL CM	175,1713 litre	0,813 %	21376,1543 litre	O
350	CM	140	CM	7 LEVEL CM	143,5319 litre	0,666 %	21407,7937 litre	O
350	CM	140	CM	6 LEVEL CM	114,0252 litre	0,529 %	21437,3004 litre	O
350	CM	140	CM	5 LEVEL CM	86,8361 litre	0,403 %	21464,4895 litre	O
350	CM	140	CM	4 LEVEL CM	62,2022 litre	0,289 %	21489,1234 litre	O
350	CM	140	CM	3 LEVEL CM	40,4452 litre	0,188 %	21510,8804 litre	O
350	CM	140	CM	2 LEVEL CM	22,0393 litre	0,102 %	21529,2863 litre	O
350	CM	140	CM	1 LEVEL CM	7,8005 litre	0,036 %	21543,5251 litre	O
350	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	21551,3256 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM	135	CM 270 LEVEL CM	20039,4341 litre	100,000 %	0,0000 litre	O
350	CM	135	CM 269 LEVEL CM	20031,7745 litre	99,962 %	7,6596 litre	O
350	CM	135	CM 268 LEVEL CM	20017,7937 litre	99,892 %	21,6404 litre	O
350	CM	135	CM 267 LEVEL CM	19999,7225 litre	99,802 %	39,7116 litre	O
350	CM	135	CM 266 LEVEL CM	19978,3626 litre	99,695 %	61,0715 litre	O
350	CM	135	CM 265 LEVEL CM	19954,1799 litre	99,575 %	85,2542 litre	O
350	CM	135	CM 264 LEVEL CM	19927,4906 litre	99,441 %	111,9435 litre	O
350	CM	135	CM 263 LEVEL CM	19898,5284 litre	99,297 %	140,9057 litre	O
350	CM	135	CM 262 LEVEL CM	19867,4750 litre	99,142 %	171,9591 litre	O
350	CM	135	CM 261 LEVEL CM	19834,4779 litre	98,977 %	204,9562 litre	O
350	CM	135	CM 260 LEVEL CM	19799,6594 litre	98,803 %	239,7747 litre	O
350	CM	135	CM 259 LEVEL CM	19763,1238 litre	98,621 %	276,3103 litre	O
350	CM	135	CM 258 LEVEL CM	19724,9610 litre	98,431 %	314,4731 litre	O
350	CM	135	CM 257 LEVEL CM	19685,2501 litre	98,233 %	354,1840 litre	O
350	CM	135	CM 256 LEVEL CM	19644,0611 litre	98,027 %	395,3730 litre	O
350	CM	135	CM 255 LEVEL CM	19601,4568 litre	97,814 %	437,9773 litre	O
350	CM	135	CM 254 LEVEL CM	19557,4939 litre	97,595 %	481,9402 litre	O
350	CM	135	CM 253 LEVEL CM	19512,2239 litre	97,369 %	527,2102 litre	O
350	CM	135	CM 252 LEVEL CM	19465,6941 litre	97,137 %	573,7400 litre	O
350	CM	135	CM 251 LEVEL CM	19417,9481 litre	96,899 %	621,4860 litre	O
350	CM	135	CM 250 LEVEL CM	19369,0259 litre	96,655 %	670,4082 litre	O
350	CM	135	CM 249 LEVEL CM	19318,9651 litre	96,405 %	720,4690 litre	O
350	CM	135	CM 248 LEVEL CM	19267,8006 litre	96,149 %	771,6335 litre	O
350	CM	135	CM 247 LEVEL CM	19215,5651 litre	95,889 %	823,8690 litre	O
350	CM	135	CM 246 LEVEL CM	19162,2892 litre	95,623 %	877,1449 litre	O
350	CM	135	CM 245 LEVEL CM	19108,0019 litre	95,352 %	931,4322 litre	O
350	CM	135	CM 244 LEVEL CM	19052,7307 litre	95,076 %	986,7034 litre	O
350	CM	135	CM 243 LEVEL CM	18996,5014 litre	94,796 %	1042,9327 litre	O
350	CM	135	CM 242 LEVEL CM	18939,3387 litre	94,510 %	1100,0954 litre	O
350	CM	135	CM 241 LEVEL CM	18881,2660 litre	94,221 %	1158,1681 litre	O
350	CM	135	CM 240 LEVEL CM	18822,3057 litre	93,926 %	1217,1284 litre	O
350	CM	135	CM 239 LEVEL CM	18762,4790 litre	93,628 %	1276,9551 litre	O
350	CM	135	CM 238 LEVEL CM	18701,8066 litre	93,325 %	1337,6275 litre	O
350	CM	135	CM 237 LEVEL CM	18640,3079 litre	93,018 %	1399,1262 litre	O
350	CM	135	CM 236 LEVEL CM	18578,0017 litre	92,707 %	1461,4324 litre	O
350	CM	135	CM 235 LEVEL CM	18514,9063 litre	92,392 %	1524,5278 litre	O
350	CM	135	CM 234 LEVEL CM	18451,0389 litre	92,074 %	1588,3952 litre	O
350	CM	135	CM 233 LEVEL CM	18386,4165 litre	91,751 %	1653,0176 litre	O
350	CM	135	CM 232 LEVEL CM	18321,0552 litre	91,425 %	1718,3789 litre	O
350	CM	135	CM 231 LEVEL CM	18254,9707 litre	91,095 %	1784,4634 litre	O
350	CM	135	CM 230 LEVEL CM	18188,1781 litre	90,762 %	1851,2560 litre	O
350	CM	135	CM 229 LEVEL CM	18120,6922 litre	90,425 %	1918,7419 litre	O
350	CM	135	CM 228 LEVEL CM	18052,5272 litre	90,085 %	1986,9069 litre	O
350	CM	135	CM 227 LEVEL CM	17983,6969 litre	89,742 %	2055,7372 litre	O
350	CM	135	CM 226 LEVEL CM	17914,2147 litre	89,395 %	2125,2194 litre	O
350	CM	135	CM 225 LEVEL CM	17844,0937 litre	89,045 %	2195,3404 litre	O
350	CM	135	CM 224 LEVEL CM	17773,3466 litre	88,692 %	2266,0875 litre	O
350	CM	135	CM 223 LEVEL CM	17701,9857 litre	88,336 %	2337,4484 litre	O
350	CM	135	CM 222 LEVEL CM	17630,0231 litre	87,977 %	2409,4110 litre	O
350	CM	135	CM 221 LEVEL CM	17557,4705 litre	87,615 %	2481,9636 litre	O
350	CM	135	CM 220 LEVEL CM	17484,3394 litre	87,250 %	2555,0947 litre	O
350	CM	135	CM 219 LEVEL CM	17410,6410 litre	86,882 %	2628,7931 litre	O

350	CM	135	CM	218 LEVEL CM	17336,3861 litre	86,511 %	2703,0480 litre	O
350	CM	135	CM	217 LEVEL CM	17261,5856 litre	86,138 %	2777,8485 litre	O
350	CM	135	CM	216 LEVEL CM	17186,2498 litre	85,762 %	2853,1843 litre	O
350	CM	135	CM	215 LEVEL CM	17110,3889 litre	85,384 %	2929,0452 litre	O
350	CM	135	CM	214 LEVEL CM	17034,0131 litre	85,002 %	3005,4210 litre	O
350	CM	135	CM	213 LEVEL CM	16957,1321 litre	84,619 %	3082,3020 litre	O
350	CM	135	CM	212 LEVEL CM	16879,7556 litre	84,233 %	3159,6785 litre	O
350	CM	135	CM	211 LEVEL CM	16801,8930 litre	83,844 %	3237,5411 litre	O
350	CM	135	CM	210 LEVEL CM	16723,5536 litre	83,453 %	3315,8805 litre	O
350	CM	135	CM	209 LEVEL CM	16644,7464 litre	83,060 %	3394,6877 litre	O
350	CM	135	CM	208 LEVEL CM	16565,4805 litre	82,664 %	3473,9536 litre	O
350	CM	135	CM	207 LEVEL CM	16485,7645 litre	82,267 %	3553,6696 litre	O
350	CM	135	CM	206 LEVEL CM	16405,6072 litre	81,867 %	3633,8269 litre	O
350	CM	135	CM	205 LEVEL CM	16325,0171 litre	81,464 %	3714,4170 litre	O
350	CM	135	CM	204 LEVEL CM	16244,0025 litre	81,060 %	3795,4316 litre	O
350	CM	135	CM	203 LEVEL CM	16162,5715 litre	80,654 %	3876,8626 litre	O
350	CM	135	CM	202 LEVEL CM	16080,7325 litre	80,245 %	3958,7016 litre	O
350	CM	135	CM	201 LEVEL CM	15998,4932 litre	79,835 %	4040,9409 litre	O
350	CM	135	CM	200 LEVEL CM	15915,8617 litre	79,423 %	4123,5724 litre	O
350	CM	135	CM	199 LEVEL CM	15832,8456 litre	79,008 %	4206,5885 litre	O
350	CM	135	CM	198 LEVEL CM	15749,4526 litre	78,592 %	4289,9815 litre	O
350	CM	135	CM	197 LEVEL CM	15665,6902 litre	78,174 %	4373,7439 litre	O
350	CM	135	CM	196 LEVEL CM	15581,5659 litre	77,755 %	4457,8682 litre	O
350	CM	135	CM	195 LEVEL CM	15497,0870 litre	77,333 %	4542,3471 litre	O
350	CM	135	CM	194 LEVEL CM	15412,2609 litre	76,910 %	4627,1732 litre	O
350	CM	135	CM	193 LEVEL CM	15327,0946 litre	76,485 %	4712,3395 litre	O
350	CM	135	CM	192 LEVEL CM	15241,5952 litre	76,058 %	4797,8389 litre	O
350	CM	135	CM	191 LEVEL CM	15155,7699 litre	75,630 %	4883,6642 litre	O
350	CM	135	CM	190 LEVEL CM	15069,6253 litre	75,200 %	4969,8088 litre	O
350	CM	135	CM	189 LEVEL CM	14983,1685 litre	74,768 %	5056,2656 litre	O
350	CM	135	CM	188 LEVEL CM	14896,4062 litre	74,335 %	5143,0279 litre	O
350	CM	135	CM	187 LEVEL CM	14809,3451 litre	73,901 %	5230,0890 litre	O
350	CM	135	CM	186 LEVEL CM	14721,9918 litre	73,465 %	5317,4423 litre	O
350	CM	135	CM	185 LEVEL CM	14634,3529 litre	73,028 %	5405,0812 litre	O
350	CM	135	CM	184 LEVEL CM	14546,4348 litre	72,589 %	5492,9993 litre	O
350	CM	135	CM	183 LEVEL CM	14458,2441 litre	72,149 %	5581,1900 litre	O
350	CM	135	CM	182 LEVEL CM	14369,7871 litre	71,708 %	5669,6470 litre	O
350	CM	135	CM	181 LEVEL CM	14281,0702 litre	71,265 %	5758,3639 litre	O
350	CM	135	CM	180 LEVEL CM	14192,0995 litre	70,821 %	5847,3346 litre	O
350	CM	135	CM	179 LEVEL CM	14102,8813 litre	70,376 %	5936,5528 litre	O
350	CM	135	CM	178 LEVEL CM	14013,4218 litre	69,929 %	6026,0123 litre	O
350	CM	135	CM	177 LEVEL CM	13923,7271 litre	69,482 %	6115,7070 litre	O
350	CM	135	CM	176 LEVEL CM	13833,8032 litre	69,033 %	6205,6309 litre	O
350	CM	135	CM	175 LEVEL CM	13743,6562 litre	68,583 %	6295,7779 litre	O
350	CM	135	CM	174 LEVEL CM	13653,2921 litre	68,132 %	6386,1420 litre	O
350	CM	135	CM	173 LEVEL CM	13562,7167 litre	67,680 %	6476,7174 litre	O
350	CM	135	CM	172 LEVEL CM	13471,9359 litre	67,227 %	6567,4982 litre	O
350	CM	135	CM	171 LEVEL CM	13380,9557 litre	66,773 %	6658,4784 litre	O
350	CM	135	CM	170 LEVEL CM	13289,7818 litre	66,318 %	6749,6523 litre	O
350	CM	135	CM	169 LEVEL CM	13198,4199 litre	65,862 %	6841,0142 litre	O
350	CM	135	CM	168 LEVEL CM	13106,8759 litre	65,405 %	6932,5582 litre	O
350	CM	135	CM	167 LEVEL CM	13015,1555 litre	64,948 %	7024,2786 litre	O
350	CM	135	CM	166 LEVEL CM	12923,2642 litre	64,489 %	7116,1699 litre	O

350	CM	135	CM	165 LEVEL CM	12831,2078 litre	64,030 %	7208,2263 litre	O
350	CM	135	CM	164 LEVEL CM	12738,9918 litre	63,570 %	7300,4423 litre	O
350	CM	135	CM	163 LEVEL CM	12646,6219 litre	63,109 %	7392,8122 litre	O
350	CM	135	CM	162 LEVEL CM	12554,1035 litre	62,647 %	7485,3306 litre	O
350	CM	135	CM	161 LEVEL CM	12461,4423 litre	62,185 %	7577,9918 litre	O
350	CM	135	CM	160 LEVEL CM	12368,6437 litre	61,722 %	7670,7904 litre	O
350	CM	135	CM	159 LEVEL CM	12275,7131 litre	61,258 %	7763,7210 litre	O
350	CM	135	CM	158 LEVEL CM	12182,6561 litre	60,793 %	7856,7780 litre	O
350	CM	135	CM	157 LEVEL CM	12089,4781 litre	60,328 %	7949,9560 litre	O
350	CM	135	CM	156 LEVEL CM	11996,1844 litre	59,863 %	8043,2497 litre	O
350	CM	135	CM	155 LEVEL CM	11902,7805 litre	59,397 %	8136,6536 litre	O
350	CM	135	CM	154 LEVEL CM	11809,2718 litre	58,930 %	8230,1623 litre	O
350	CM	135	CM	153 LEVEL CM	11715,6635 litre	58,463 %	8323,7706 litre	O
350	CM	135	CM	152 LEVEL CM	11621,9611 litre	57,995 %	8417,4730 litre	O
350	CM	135	CM	151 LEVEL CM	11528,1698 litre	57,527 %	8511,2643 litre	O
350	CM	135	CM	150 LEVEL CM	11434,2950 litre	57,059 %	8605,1391 litre	O
350	CM	135	CM	149 LEVEL CM	11340,3419 litre	56,590 %	8699,0922 litre	O
350	CM	135	CM	148 LEVEL CM	11246,3158 litre	56,121 %	8793,1183 litre	O
350	CM	135	CM	147 LEVEL CM	11152,2220 litre	55,651 %	8887,2121 litre	O
350	CM	135	CM	146 LEVEL CM	11058,0657 litre	55,182 %	8981,3684 litre	O
350	CM	135	CM	145 LEVEL CM	10963,8522 litre	54,711 %	9075,5819 litre	O
350	CM	135	CM	144 LEVEL CM	10869,5866 litre	54,241 %	9169,8475 litre	O
350	CM	135	CM	143 LEVEL CM	10775,2744 litre	53,770 %	9264,1597 litre	O
350	CM	135	CM	142 LEVEL CM	10680,9205 litre	53,300 %	9358,5136 litre	O
350	CM	135	CM	141 LEVEL CM	10586,5303 litre	52,828 %	9452,9038 litre	O
350	CM	135	CM	140 LEVEL CM	10492,1090 litre	52,357 %	9547,3251 litre	O
350	CM	135	CM	139 LEVEL CM	10397,6618 litre	51,886 %	9641,7723 litre	O
350	CM	135	CM	138 LEVEL CM	10303,1937 litre	51,415 %	9736,2404 litre	O
350	CM	135	CM	137 LEVEL CM	10208,7102 litre	50,943 %	9830,7239 litre	O
350	CM	135	CM	136 LEVEL CM	10114,2162 litre	50,472 %	9925,2179 litre	O
350	CM	135	CM	135 LEVEL CM	10019,7171 litre	50,000 %	10019,7170 litre	O
350	CM	135	CM	134 LEVEL CM	9925,2179 litre	49,528 %	10114,2162 litre	O
350	CM	135	CM	133 LEVEL CM	9830,7240 litre	49,057 %	10208,7101 litre	O
350	CM	135	CM	132 LEVEL CM	9736,2404 litre	48,585 %	10303,1937 litre	O
350	CM	135	CM	131 LEVEL CM	9641,7724 litre	48,114 %	10397,6617 litre	O
350	CM	135	CM	130 LEVEL CM	9547,3251 litre	47,643 %	10492,1090 litre	O
350	CM	135	CM	129 LEVEL CM	9452,9038 litre	47,172 %	10586,5303 litre	O
350	CM	135	CM	128 LEVEL CM	9358,5136 litre	46,700 %	10680,9205 litre	O
350	CM	135	CM	127 LEVEL CM	9264,1598 litre	46,230 %	10775,2743 litre	O
350	CM	135	CM	126 LEVEL CM	9169,8475 litre	45,759 %	10869,5866 litre	O
350	CM	135	CM	125 LEVEL CM	9075,5820 litre	45,289 %	10963,8521 litre	O
350	CM	135	CM	124 LEVEL CM	8981,3685 litre	44,818 %	11058,0656 litre	O
350	CM	135	CM	123 LEVEL CM	8887,2122 litre	44,349 %	11152,2219 litre	O
350	CM	135	CM	122 LEVEL CM	8793,1184 litre	43,879 %	11246,3157 litre	O
350	CM	135	CM	121 LEVEL CM	8699,0923 litre	43,410 %	11340,3418 litre	O
350	CM	135	CM	120 LEVEL CM	8605,1392 litre	42,941 %	11434,2949 litre	O
350	CM	135	CM	119 LEVEL CM	8511,2643 litre	42,473 %	11528,1698 litre	O
350	CM	135	CM	118 LEVEL CM	8417,4730 litre	42,005 %	11621,9611 litre	O
350	CM	135	CM	117 LEVEL CM	8323,7706 litre	41,537 %	11715,6635 litre	O
350	CM	135	CM	116 LEVEL CM	8230,1623 litre	41,070 %	11809,2718 litre	O
350	CM	135	CM	115 LEVEL CM	8136,6536 litre	40,603 %	11902,7805 litre	O
350	CM	135	CM	114 LEVEL CM	8043,2497 litre	40,137 %	11996,1844 litre	O
350	CM	135	CM	113 LEVEL CM	7949,9561 litre	39,672 %	12089,4780 litre	O

350	CM	135	CM	112 LEVEL CM	7856,7780 litre	39,207 %	12182,6561 litre	O
350	CM	135	CM	111 LEVEL CM	7763,7210 litre	38,742 %	12275,7131 litre	O
350	CM	135	CM	110 LEVEL CM	7670,7905 litre	38,278 %	12368,6436 litre	O
350	CM	135	CM	109 LEVEL CM	7577,9919 litre	37,815 %	12461,4422 litre	O
350	CM	135	CM	108 LEVEL CM	7485,3306 litre	37,353 %	12554,1035 litre	O
350	CM	135	CM	107 LEVEL CM	7392,8123 litre	36,891 %	12646,6218 litre	O
350	CM	135	CM	106 LEVEL CM	7300,4423 litre	36,430 %	12738,9918 litre	O
350	CM	135	CM	105 LEVEL CM	7208,2264 litre	35,970 %	12831,2077 litre	O
350	CM	135	CM	104 LEVEL CM	7116,1699 litre	35,511 %	12923,2642 litre	O
350	CM	135	CM	103 LEVEL CM	7024,2787 litre	35,052 %	13015,1554 litre	O
350	CM	135	CM	102 LEVEL CM	6932,5582 litre	34,595 %	13106,8759 litre	O
350	CM	135	CM	101 LEVEL CM	6841,0142 litre	34,138 %	13198,4199 litre	O
350	CM	135	CM	100 LEVEL CM	6749,6524 litre	33,682 %	13289,7817 litre	O
350	CM	135	CM	99 LEVEL CM	6658,4785 litre	33,227 %	13380,9556 litre	O
350	CM	135	CM	98 LEVEL CM	6567,4982 litre	32,773 %	13471,9359 litre	O
350	CM	135	CM	97 LEVEL CM	6476,7175 litre	32,320 %	13562,7166 litre	O
350	CM	135	CM	96 LEVEL CM	6386,1421 litre	31,868 %	13653,2920 litre	O
350	CM	135	CM	95 LEVEL CM	6295,7779 litre	31,417 %	13743,6562 litre	O
350	CM	135	CM	94 LEVEL CM	6205,6309 litre	30,967 %	13833,8032 litre	O
350	CM	135	CM	93 LEVEL CM	6115,7070 litre	30,518 %	13923,7271 litre	O
350	CM	135	CM	92 LEVEL CM	6026,0123 litre	30,071 %	14013,4218 litre	O
350	CM	135	CM	91 LEVEL CM	5936,5528 litre	29,624 %	14102,8813 litre	O
350	CM	135	CM	90 LEVEL CM	5847,3347 litre	29,179 %	14192,0994 litre	O
350	CM	135	CM	89 LEVEL CM	5758,3640 litre	28,735 %	14281,0701 litre	O
350	CM	135	CM	88 LEVEL CM	5669,6470 litre	28,292 %	14369,7871 litre	O
350	CM	135	CM	87 LEVEL CM	5581,1900 litre	27,851 %	14458,2441 litre	O
350	CM	135	CM	86 LEVEL CM	5492,9993 litre	27,411 %	14546,4348 litre	O
350	CM	135	CM	85 LEVEL CM	5405,0813 litre	26,972 %	14634,3528 litre	O
350	CM	135	CM	84 LEVEL CM	5317,4424 litre	26,535 %	14721,9917 litre	O
350	CM	135	CM	83 LEVEL CM	5230,0890 litre	26,099 %	14809,3451 litre	O
350	CM	135	CM	82 LEVEL CM	5143,0279 litre	25,665 %	14896,4062 litre	O
350	CM	135	CM	81 LEVEL CM	5056,2656 litre	25,232 %	14983,1685 litre	O
350	CM	135	CM	80 LEVEL CM	4969,8088 litre	24,800 %	15069,6253 litre	O
350	CM	135	CM	79 LEVEL CM	4883,6643 litre	24,370 %	15155,7698 litre	O
350	CM	135	CM	78 LEVEL CM	4797,8389 litre	23,942 %	15241,5952 litre	O
350	CM	135	CM	77 LEVEL CM	4712,3396 litre	23,515 %	15327,0945 litre	O
350	CM	135	CM	76 LEVEL CM	4627,1733 litre	23,090 %	15412,2608 litre	O
350	CM	135	CM	75 LEVEL CM	4542,3471 litre	22,667 %	15497,0870 litre	O
350	CM	135	CM	74 LEVEL CM	4457,8683 litre	22,245 %	15581,5658 litre	O
350	CM	135	CM	73 LEVEL CM	4373,7440 litre	21,826 %	15665,6901 litre	O
350	CM	135	CM	72 LEVEL CM	4289,9816 litre	21,408 %	15749,4525 litre	O
350	CM	135	CM	71 LEVEL CM	4206,5886 litre	20,992 %	15832,8455 litre	O
350	CM	135	CM	70 LEVEL CM	4123,5725 litre	20,577 %	15915,8616 litre	O
350	CM	135	CM	69 LEVEL CM	4040,9409 litre	20,165 %	15998,4932 litre	O
350	CM	135	CM	68 LEVEL CM	3958,7017 litre	19,755 %	16080,7324 litre	O
350	CM	135	CM	67 LEVEL CM	3876,8626 litre	19,346 %	16162,5715 litre	O
350	CM	135	CM	66 LEVEL CM	3795,4317 litre	18,940 %	16244,0024 litre	O
350	CM	135	CM	65 LEVEL CM	3714,4170 litre	18,536 %	16325,0171 litre	O
350	CM	135	CM	64 LEVEL CM	3633,8269 litre	18,133 %	16405,6072 litre	O
350	CM	135	CM	63 LEVEL CM	3553,6696 litre	17,733 %	16485,7645 litre	O
350	CM	135	CM	62 LEVEL CM	3473,9537 litre	17,336 %	16565,4804 litre	O
350	CM	135	CM	61 LEVEL CM	3394,6877 litre	16,940 %	16644,7464 litre	O
350	CM	135	CM	60 LEVEL CM	3315,8806 litre	16,547 %	16723,5535 litre	O

350	CM	135	CM	59 LEVEL CM	3237,5411 litre	16,156 %	16801,8930 litre	O
350	CM	135	CM	58 LEVEL CM	3159,6785 litre	15,767 %	16879,7556 litre	O
350	CM	135	CM	57 LEVEL CM	3082,3020 litre	15,381 %	16957,1321 litre	O
350	CM	135	CM	56 LEVEL CM	3005,4210 litre	14,998 %	17034,0131 litre	O
350	CM	135	CM	55 LEVEL CM	2929,0452 litre	14,616 %	17110,3889 litre	O
350	CM	135	CM	54 LEVEL CM	2853,1844 litre	14,238 %	17186,2497 litre	O
350	CM	135	CM	53 LEVEL CM	2777,8486 litre	13,862 %	17261,5855 litre	O
350	CM	135	CM	52 LEVEL CM	2703,0480 litre	13,489 %	17336,3861 litre	O
350	CM	135	CM	51 LEVEL CM	2628,7932 litre	13,118 %	17410,6409 litre	O
350	CM	135	CM	50 LEVEL CM	2555,0947 litre	12,750 %	17484,3394 litre	O
350	CM	135	CM	49 LEVEL CM	2481,9636 litre	12,385 %	17557,4705 litre	O
350	CM	135	CM	48 LEVEL CM	2409,4110 litre	12,023 %	17630,0231 litre	O
350	CM	135	CM	47 LEVEL CM	2337,4484 litre	11,664 %	17701,9857 litre	O
350	CM	135	CM	46 LEVEL CM	2266,0875 litre	11,308 %	17773,3466 litre	O
350	CM	135	CM	45 LEVEL CM	2195,3404 litre	10,955 %	17844,0937 litre	O
350	CM	135	CM	44 LEVEL CM	2125,2194 litre	10,605 %	17914,2147 litre	O
350	CM	135	CM	43 LEVEL CM	2055,7373 litre	10,258 %	17983,6968 litre	O
350	CM	135	CM	42 LEVEL CM	1986,9070 litre	9,915 %	18052,5271 litre	O
350	CM	135	CM	41 LEVEL CM	1918,7419 litre	9,575 %	18120,6922 litre	O
350	CM	135	CM	40 LEVEL CM	1851,2560 litre	9,238 %	18188,1781 litre	O
350	CM	135	CM	39 LEVEL CM	1784,4635 litre	8,905 %	18254,9706 litre	O
350	CM	135	CM	38 LEVEL CM	1718,3790 litre	8,575 %	18321,0551 litre	O
350	CM	135	CM	37 LEVEL CM	1653,0176 litre	8,249 %	18386,4165 litre	O
350	CM	135	CM	36 LEVEL CM	1588,3952 litre	7,926 %	18451,0389 litre	O
350	CM	135	CM	35 LEVEL CM	1524,5279 litre	7,608 %	18514,9062 litre	O
350	CM	135	CM	34 LEVEL CM	1461,4324 litre	7,293 %	18578,0017 litre	O
350	CM	135	CM	33 LEVEL CM	1399,1263 litre	6,982 %	18640,3078 litre	O
350	CM	135	CM	32 LEVEL CM	1337,6276 litre	6,675 %	18701,8065 litre	O
350	CM	135	CM	31 LEVEL CM	1276,9551 litre	6,372 %	18762,4790 litre	O
350	CM	135	CM	30 LEVEL CM	1217,1285 litre	6,074 %	18822,3056 litre	O
350	CM	135	CM	29 LEVEL CM	1158,1681 litre	5,779 %	18881,2660 litre	O
350	CM	135	CM	28 LEVEL CM	1100,0954 litre	5,490 %	18939,3387 litre	O
350	CM	135	CM	27 LEVEL CM	1042,9327 litre	5,204 %	18996,5014 litre	O
350	CM	135	CM	26 LEVEL CM	986,7034 litre	4,924 %	19052,7307 litre	O
350	CM	135	CM	25 LEVEL CM	931,4322 litre	4,648 %	19108,0019 litre	O
350	CM	135	CM	24 LEVEL CM	877,1450 litre	4,377 %	19162,2891 litre	O
350	CM	135	CM	23 LEVEL CM	823,8691 litre	4,111 %	19215,5650 litre	O
350	CM	135	CM	22 LEVEL CM	771,6335 litre	3,851 %	19267,8006 litre	O
350	CM	135	CM	21 LEVEL CM	720,4690 litre	3,595 %	19318,9651 litre	O
350	CM	135	CM	20 LEVEL CM	670,4082 litre	3,345 %	19369,0259 litre	O
350	CM	135	CM	19 LEVEL CM	621,4861 litre	3,101 %	19417,9480 litre	O
350	CM	135	CM	18 LEVEL CM	573,7400 litre	2,863 %	19465,6941 litre	O
350	CM	135	CM	17 LEVEL CM	527,2102 litre	2,631 %	19512,2239 litre	O
350	CM	135	CM	16 LEVEL CM	481,9403 litre	2,405 %	19557,4938 litre	O
350	CM	135	CM	15 LEVEL CM	437,9774 litre	2,186 %	19601,4567 litre	O
350	CM	135	CM	14 LEVEL CM	395,3731 litre	1,973 %	19644,0610 litre	O
350	CM	135	CM	13 LEVEL CM	354,1841 litre	1,767 %	19685,2500 litre	O
350	CM	135	CM	12 LEVEL CM	314,4732 litre	1,569 %	19724,9609 litre	O
350	CM	135	CM	11 LEVEL CM	276,3104 litre	1,379 %	19763,1237 litre	O
350	CM	135	CM	10 LEVEL CM	239,7747 litre	1,197 %	19799,6594 litre	O
350	CM	135	CM	9 LEVEL CM	204,9562 litre	1,023 %	19834,4779 litre	O
350	CM	135	CM	8 LEVEL CM	171,9591 litre	0,858 %	19867,4750 litre	O
350	CM	135	CM	7 LEVEL CM	140,9058 litre	0,703 %	19898,5283 litre	O

350_135

-1962-

350	CM	135	CM	6 LEVEL CM	111,9435 litre	0,559 %	19927,4906 litre	O
350	CM	135	CM	5 LEVEL CM	85,2543 litre	0,425 %	19954,1798 litre	O
350	CM	135	CM	4 LEVEL CM	61,0716 litre	0,305 %	19978,3625 litre	O
350	CM	135	CM	3 LEVEL CM	39,7116 litre	0,198 %	19999,7225 litre	O
350	CM	135	CM	2 LEVEL CM	21,6404 litre	0,108 %	20017,7937 litre	O
350	CM	135	CM	1 LEVEL CM	7,6596 litre	0,038 %	20031,7745 litre	O
350	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	20039,4341 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM 130	CM 260 LEVEL CM	18582,5205 litre	100,000 %	0,0000 litre	O
350	CM 130	CM 259 LEVEL CM	18575,0045 litre	99,960 %	7,5160 litre	O
350	CM 130	CM 258 LEVEL CM	18561,2865 litre	99,886 %	21,2340 litre	O
350	CM 130	CM 257 LEVEL CM	18543,5563 litre	99,790 %	38,9642 litre	O
350	CM 130	CM 256 LEVEL CM	18522,6010 litre	99,678 %	59,9195 litre	O
350	CM 130	CM 255 LEVEL CM	18498,8781 litre	99,550 %	83,6424 litre	O
350	CM 130	CM 254 LEVEL CM	18472,6982 litre	99,409 %	109,8223 litre	O
350	CM 130	CM 253 LEVEL CM	18444,2909 litre	99,256 %	138,2296 litre	O
350	CM 130	CM 252 LEVEL CM	18413,8348 litre	99,092 %	168,6857 litre	O
350	CM 130	CM 251 LEVEL CM	18381,4747 litre	98,918 %	201,0458 litre	O
350	CM 130	CM 250 LEVEL CM	18347,3311 litre	98,734 %	235,1894 litre	O
350	CM 130	CM 249 LEVEL CM	18311,5063 litre	98,542 %	271,0142 litre	O
350	CM 130	CM 248 LEVEL CM	18274,0890 litre	98,340 %	308,4315 litre	O
350	CM 130	CM 247 LEVEL CM	18235,1568 litre	98,131 %	347,3637 litre	O
350	CM 130	CM 246 LEVEL CM	18194,7787 litre	97,913 %	387,7418 litre	O
350	CM 130	CM 245 LEVEL CM	18153,0165 litre	97,689 %	429,5040 litre	O
350	CM 130	CM 244 LEVEL CM	18109,9259 litre	97,457 %	472,5946 litre	O
350	CM 130	CM 243 LEVEL CM	18065,5579 litre	97,218 %	516,9626 litre	O
350	CM 130	CM 242 LEVEL CM	18019,9588 litre	96,973 %	562,5617 litre	O
350	CM 130	CM 241 LEVEL CM	17973,1716 litre	96,721 %	609,3489 litre	O
350	CM 130	CM 240 LEVEL CM	17925,2359 litre	96,463 %	657,2846 litre	O
350	CM 130	CM 239 LEVEL CM	17876,1886 litre	96,199 %	706,3319 litre	O
350	CM 130	CM 238 LEVEL CM	17826,0641 litre	95,929 %	756,4564 litre	O
350	CM 130	CM 237 LEVEL CM	17774,8947 litre	95,654 %	807,6258 litre	O
350	CM 130	CM 236 LEVEL CM	17722,7107 litre	95,373 %	859,8098 litre	O
350	CM 130	CM 235 LEVEL CM	17669,5406 litre	95,087 %	912,9799 litre	O
350	CM 130	CM 234 LEVEL CM	17615,4115 litre	94,796 %	967,1090 litre	O
350	CM 130	CM 233 LEVEL CM	17560,3489 litre	94,499 %	1022,1716 litre	O
350	CM 130	CM 232 LEVEL CM	17504,3772 litre	94,198 %	1078,1433 litre	O
350	CM 130	CM 231 LEVEL CM	17447,5196 litre	93,892 %	1135,0009 litre	O
350	CM 130	CM 230 LEVEL CM	17389,7980 litre	93,581 %	1192,7225 litre	O
350	CM 130	CM 229 LEVEL CM	17331,2337 litre	93,266 %	1251,2868 litre	O
350	CM 130	CM 228 LEVEL CM	17271,8468 litre	92,947 %	1310,6737 litre	O
350	CM 130	CM 227 LEVEL CM	17211,6568 litre	92,623 %	1370,8637 litre	O
350	CM 130	CM 226 LEVEL CM	17150,6821 litre	92,295 %	1431,8384 litre	O
350	CM 130	CM 225 LEVEL CM	17088,9408 litre	91,962 %	1493,5797 litre	O
350	CM 130	CM 224 LEVEL CM	17026,4501 litre	91,626 %	1556,0704 litre	O
350	CM 130	CM 223 LEVEL CM	16963,2266 litre	91,286 %	1619,2939 litre	O
350	CM 130	CM 222 LEVEL CM	16899,2864 litre	90,942 %	1683,2341 litre	O
350	CM 130	CM 221 LEVEL CM	16834,6449 litre	90,594 %	1747,8756 litre	O
350	CM 130	CM 220 LEVEL CM	16769,3173 litre	90,242 %	1813,2032 litre	O
350	CM 130	CM 219 LEVEL CM	16703,3180 litre	89,887 %	1879,2025 litre	O
350	CM 130	CM 218 LEVEL CM	16636,6613 litre	89,529 %	1945,8592 litre	O
350	CM 130	CM 217 LEVEL CM	16569,3608 litre	89,166 %	2013,1597 litre	O
350	CM 130	CM 216 LEVEL CM	16501,4297 litre	88,801 %	2081,0908 litre	O
350	CM 130	CM 215 LEVEL CM	16432,8812 litre	88,432 %	2149,6393 litre	O
350	CM 130	CM 214 LEVEL CM	16363,7277 litre	88,060 %	2218,7928 litre	O
350	CM 130	CM 213 LEVEL CM	16293,9815 litre	87,684 %	2288,5390 litre	O
350	CM 130	CM 212 LEVEL CM	16223,6546 litre	87,306 %	2358,8659 litre	O
350	CM 130	CM 211 LEVEL CM	16152,7587 litre	86,924 %	2429,7618 litre	O
350	CM 130	CM 210 LEVEL CM	16081,3052 litre	86,540 %	2501,2153 litre	O
350	CM 130	CM 209 LEVEL CM	16009,3051 litre	86,152 %	2573,2154 litre	O

350	CM	130	CM	208 LEVEL CM	15936,7693 litre	85,762 %	2645,7512 litre	O
350	CM	130	CM	207 LEVEL CM	15863,7086 litre	85,369 %	2718,8119 litre	O
350	CM	130	CM	206 LEVEL CM	15790,1332 litre	84,973 %	2792,3873 litre	O
350	CM	130	CM	205 LEVEL CM	15716,0534 litre	84,574 %	2866,4671 litre	O
350	CM	130	CM	204 LEVEL CM	15641,4792 litre	84,173 %	2941,0413 litre	O
350	CM	130	CM	203 LEVEL CM	15566,4203 litre	83,769 %	3016,1002 litre	O
350	CM	130	CM	202 LEVEL CM	15490,8863 litre	83,363 %	3091,6342 litre	O
350	CM	130	CM	201 LEVEL CM	15414,8867 litre	82,954 %	3167,6338 litre	O
350	CM	130	CM	200 LEVEL CM	15338,4307 litre	82,542 %	3244,0898 litre	O
350	CM	130	CM	199 LEVEL CM	15261,5274 litre	82,128 %	3320,9931 litre	O
350	CM	130	CM	198 LEVEL CM	15184,1857 litre	81,712 %	3398,3348 litre	O
350	CM	130	CM	197 LEVEL CM	15106,4144 litre	81,294 %	3476,1061 litre	O
350	CM	130	CM	196 LEVEL CM	15028,2220 litre	80,873 %	3554,2985 litre	O
350	CM	130	CM	195 LEVEL CM	14949,6172 litre	80,450 %	3632,9033 litre	O
350	CM	130	CM	194 LEVEL CM	14870,6082 litre	80,025 %	3711,9123 litre	O
350	CM	130	CM	193 LEVEL CM	14791,2032 litre	79,597 %	3791,3173 litre	O
350	CM	130	CM	192 LEVEL CM	14711,4105 litre	79,168 %	3871,1100 litre	O
350	CM	130	CM	191 LEVEL CM	14631,2379 litre	78,737 %	3951,2826 litre	O
350	CM	130	CM	190 LEVEL CM	14550,6933 litre	78,303 %	4031,8272 litre	O
350	CM	130	CM	189 LEVEL CM	14469,7846 litre	77,868 %	4112,7359 litre	O
350	CM	130	CM	188 LEVEL CM	14388,5193 litre	77,430 %	4194,0012 litre	O
350	CM	130	CM	187 LEVEL CM	14306,9050 litre	76,991 %	4275,6155 litre	O
350	CM	130	CM	186 LEVEL CM	14224,9493 litre	76,550 %	4357,5712 litre	O
350	CM	130	CM	185 LEVEL CM	14142,6594 litre	76,107 %	4439,8611 litre	O
350	CM	130	CM	184 LEVEL CM	14060,0426 litre	75,663 %	4522,4779 litre	O
350	CM	130	CM	183 LEVEL CM	13977,1062 litre	75,216 %	4605,4143 litre	O
350	CM	130	CM	182 LEVEL CM	13893,8572 litre	74,768 %	4688,6633 litre	O
350	CM	130	CM	181 LEVEL CM	13810,3028 litre	74,319 %	4772,2177 litre	O
350	CM	130	CM	180 LEVEL CM	13726,4497 litre	73,868 %	4856,0708 litre	O
350	CM	130	CM	179 LEVEL CM	13642,3051 litre	73,415 %	4940,2154 litre	O
350	CM	130	CM	178 LEVEL CM	13557,8755 litre	72,960 %	5024,6450 litre	O
350	CM	130	CM	177 LEVEL CM	13473,1678 litre	72,505 %	5109,3527 litre	O
350	CM	130	CM	176 LEVEL CM	13388,1887 litre	72,047 %	5194,3318 litre	O
350	CM	130	CM	175 LEVEL CM	13302,9447 litre	71,588 %	5279,5758 litre	O
350	CM	130	CM	174 LEVEL CM	13217,4425 litre	71,128 %	5365,0780 litre	O
350	CM	130	CM	173 LEVEL CM	13131,6885 litre	70,667 %	5450,8320 litre	O
350	CM	130	CM	172 LEVEL CM	13045,6891 litre	70,204 %	5536,8314 litre	O
350	CM	130	CM	171 LEVEL CM	12959,4508 litre	69,740 %	5623,0697 litre	O
350	CM	130	CM	170 LEVEL CM	12872,9798 litre	69,275 %	5709,5407 litre	O
350	CM	130	CM	169 LEVEL CM	12786,2824 litre	68,808 %	5796,2381 litre	O
350	CM	130	CM	168 LEVEL CM	12699,3649 litre	68,340 %	5883,1556 litre	O
350	CM	130	CM	167 LEVEL CM	12612,2335 litre	67,871 %	5970,2870 litre	O
350	CM	130	CM	166 LEVEL CM	12524,8942 litre	67,401 %	6057,6263 litre	O
350	CM	130	CM	165 LEVEL CM	12437,3531 litre	66,930 %	6145,1674 litre	O
350	CM	130	CM	164 LEVEL CM	12349,6164 litre	66,458 %	6232,9041 litre	O
350	CM	130	CM	163 LEVEL CM	12261,6900 litre	65,985 %	6320,8305 litre	O
350	CM	130	CM	162 LEVEL CM	12173,5799 litre	65,511 %	6408,9406 litre	O
350	CM	130	CM	161 LEVEL CM	12085,2920 litre	65,036 %	6497,2285 litre	O
350	CM	130	CM	160 LEVEL CM	11996,8322 litre	64,560 %	6585,6883 litre	O
350	CM	130	CM	159 LEVEL CM	11908,2064 litre	64,083 %	6674,3141 litre	O
350	CM	130	CM	158 LEVEL CM	11819,4203 litre	63,605 %	6763,1002 litre	O
350	CM	130	CM	157 LEVEL CM	11730,4799 litre	63,126 %	6852,0406 litre	O
350	CM	130	CM	156 LEVEL CM	11641,3909 litre	62,647 %	6941,1296 litre	O

350	CM	130	CM	155 LEVEL CM	11552,1590 litre	62,167 %	7030,3615 litre	O
350	CM	130	CM	154 LEVEL CM	11462,7899 litre	61,686 %	7119,7306 litre	O
350	CM	130	CM	153 LEVEL CM	11373,2893 litre	61,204 %	7209,2312 litre	O
350	CM	130	CM	152 LEVEL CM	11283,6629 litre	60,722 %	7298,8576 litre	O
350	CM	130	CM	151 LEVEL CM	11193,9163 litre	60,239 %	7388,6042 litre	O
350	CM	130	CM	150 LEVEL CM	11104,0551 litre	59,755 %	7478,4654 litre	O
350	CM	130	CM	149 LEVEL CM	11014,0849 litre	59,271 %	7568,4356 litre	O
350	CM	130	CM	148 LEVEL CM	10924,0113 litre	58,786 %	7658,5092 litre	O
350	CM	130	CM	147 LEVEL CM	10833,8398 litre	58,301 %	7748,6807 litre	O
350	CM	130	CM	146 LEVEL CM	10743,5760 litre	57,815 %	7838,9445 litre	O
350	CM	130	CM	145 LEVEL CM	10653,2253 litre	57,329 %	7929,2952 litre	O
350	CM	130	CM	144 LEVEL CM	10562,7934 litre	56,843 %	8019,7271 litre	O
350	CM	130	CM	143 LEVEL CM	10472,2856 litre	56,356 %	8110,2349 litre	O
350	CM	130	CM	142 LEVEL CM	10381,7075 litre	55,868 %	8200,8130 litre	O
350	CM	130	CM	141 LEVEL CM	10291,0645 litre	55,380 %	8291,4560 litre	O
350	CM	130	CM	140 LEVEL CM	10200,3620 litre	54,892 %	8382,1585 litre	O
350	CM	130	CM	139 LEVEL CM	10109,6056 litre	54,404 %	8472,9149 litre	O
350	CM	130	CM	138 LEVEL CM	10018,8005 litre	53,915 %	8563,7200 litre	O
350	CM	130	CM	137 LEVEL CM	9927,9523 litre	53,426 %	8654,5682 litre	O
350	CM	130	CM	136 LEVEL CM	9837,0664 litre	52,937 %	8745,4541 litre	O
350	CM	130	CM	135 LEVEL CM	9746,1481 litre	52,448 %	8836,3724 litre	O
350	CM	130	CM	134 LEVEL CM	9655,2028 litre	51,959 %	8927,3177 litre	O
350	CM	130	CM	133 LEVEL CM	9564,2360 litre	51,469 %	9018,2845 litre	O
350	CM	130	CM	132 LEVEL CM	9473,2531 litre	50,979 %	9109,2674 litre	O
350	CM	130	CM	131 LEVEL CM	9382,2594 litre	50,490 %	9200,2611 litre	O
350	CM	130	CM	130 LEVEL CM	9291,2603 litre	50,000 %	9291,2602 litre	O
350	CM	130	CM	129 LEVEL CM	9200,2612 litre	49,510 %	9382,2593 litre	O
350	CM	130	CM	128 LEVEL CM	9109,2675 litre	49,021 %	9473,2530 litre	O
350	CM	130	CM	127 LEVEL CM	9018,2845 litre	48,531 %	9564,2360 litre	O
350	CM	130	CM	126 LEVEL CM	8927,3177 litre	48,041 %	9655,2028 litre	O
350	CM	130	CM	125 LEVEL CM	8836,3725 litre	47,552 %	9746,1480 litre	O
350	CM	130	CM	124 LEVEL CM	8745,4542 litre	47,063 %	9837,0663 litre	O
350	CM	130	CM	123 LEVEL CM	8654,5682 litre	46,574 %	9927,9523 litre	O
350	CM	130	CM	122 LEVEL CM	8563,7200 litre	46,085 %	10018,8005 litre	O
350	CM	130	CM	121 LEVEL CM	8472,9150 litre	45,596 %	10109,6055 litre	O
350	CM	130	CM	120 LEVEL CM	8382,1585 litre	45,108 %	10200,3620 litre	O
350	CM	130	CM	119 LEVEL CM	8291,4560 litre	44,620 %	10291,0645 litre	O
350	CM	130	CM	118 LEVEL CM	8200,8130 litre	44,132 %	10381,7075 litre	O
350	CM	130	CM	117 LEVEL CM	8110,2349 litre	43,644 %	10472,2856 litre	O
350	CM	130	CM	116 LEVEL CM	8019,7271 litre	43,157 %	10562,7934 litre	O
350	CM	130	CM	115 LEVEL CM	7929,2952 litre	42,671 %	10653,2253 litre	O
350	CM	130	CM	114 LEVEL CM	7838,9446 litre	42,185 %	10743,5759 litre	O
350	CM	130	CM	113 LEVEL CM	7748,6808 litre	41,699 %	10833,8397 litre	O
350	CM	130	CM	112 LEVEL CM	7658,5093 litre	41,214 %	10924,0112 litre	O
350	CM	130	CM	111 LEVEL CM	7568,4357 litre	40,729 %	11014,0848 litre	O
350	CM	130	CM	110 LEVEL CM	7478,4655 litre	40,245 %	11104,0550 litre	O
350	CM	130	CM	109 LEVEL CM	7388,6043 litre	39,761 %	11193,9162 litre	O
350	CM	130	CM	108 LEVEL CM	7298,8576 litre	39,278 %	11283,6629 litre	O
350	CM	130	CM	107 LEVEL CM	7209,2312 litre	38,796 %	11373,2893 litre	O
350	CM	130	CM	106 LEVEL CM	7119,7306 litre	38,314 %	11462,7899 litre	O
350	CM	130	CM	105 LEVEL CM	7030,3615 litre	37,833 %	11552,1590 litre	O
350	CM	130	CM	104 LEVEL CM	6941,1296 litre	37,353 %	11641,3909 litre	O
350	CM	130	CM	103 LEVEL CM	6852,0406 litre	36,874 %	11730,4799 litre	O

350	CM	130	CM	102 LEVEL CM	6763,1002 litre	36,395 %	11819,4203 litre	O
350	CM	130	CM	101 LEVEL CM	6674,3142 litre	35,917 %	11908,2063 litre	O
350	CM	130	CM	100 LEVEL CM	6585,6884 litre	35,440 %	11996,8321 litre	O
350	CM	130	CM	99 LEVEL CM	6497,2286 litre	34,964 %	12085,2919 litre	O
350	CM	130	CM	98 LEVEL CM	6408,9407 litre	34,489 %	12173,5798 litre	O
350	CM	130	CM	97 LEVEL CM	6320,8306 litre	34,015 %	12261,6899 litre	O
350	CM	130	CM	96 LEVEL CM	6232,9042 litre	33,542 %	12349,6163 litre	O
350	CM	130	CM	95 LEVEL CM	6145,1674 litre	33,070 %	12437,3531 litre	O
350	CM	130	CM	94 LEVEL CM	6057,6264 litre	32,599 %	12524,8941 litre	O
350	CM	130	CM	93 LEVEL CM	5970,2871 litre	32,129 %	12612,2334 litre	O
350	CM	130	CM	92 LEVEL CM	5883,1556 litre	31,660 %	12699,3649 litre	O
350	CM	130	CM	91 LEVEL CM	5796,2381 litre	31,192 %	12786,2824 litre	O
350	CM	130	CM	90 LEVEL CM	5709,5407 litre	30,725 %	12872,9798 litre	O
350	CM	130	CM	89 LEVEL CM	5623,0698 litre	30,260 %	12959,4507 litre	O
350	CM	130	CM	88 LEVEL CM	5536,8314 litre	29,796 %	13045,6891 litre	O
350	CM	130	CM	87 LEVEL CM	5450,8320 litre	29,333 %	13131,6885 litre	O
350	CM	130	CM	86 LEVEL CM	5365,0780 litre	28,872 %	13217,4425 litre	O
350	CM	130	CM	85 LEVEL CM	5279,5758 litre	28,412 %	13302,9447 litre	O
350	CM	130	CM	84 LEVEL CM	5194,3318 litre	27,953 %	13388,1887 litre	O
350	CM	130	CM	83 LEVEL CM	5109,3527 litre	27,495 %	13473,1678 litre	O
350	CM	130	CM	82 LEVEL CM	5024,6451 litre	27,040 %	13557,8754 litre	O
350	CM	130	CM	81 LEVEL CM	4940,2155 litre	26,585 %	13642,3050 litre	O
350	CM	130	CM	80 LEVEL CM	4856,0708 litre	26,132 %	13726,4497 litre	O
350	CM	130	CM	79 LEVEL CM	4772,2178 litre	25,681 %	13810,3027 litre	O
350	CM	130	CM	78 LEVEL CM	4688,6633 litre	25,232 %	13893,8572 litre	O
350	CM	130	CM	77 LEVEL CM	4605,4144 litre	24,784 %	13977,1061 litre	O
350	CM	130	CM	76 LEVEL CM	4522,4779 litre	24,337 %	14060,0426 litre	O
350	CM	130	CM	75 LEVEL CM	4439,8612 litre	23,893 %	14142,6593 litre	O
350	CM	130	CM	74 LEVEL CM	4357,5713 litre	23,450 %	14224,9492 litre	O
350	CM	130	CM	73 LEVEL CM	4275,6155 litre	23,009 %	14306,9050 litre	O
350	CM	130	CM	72 LEVEL CM	4194,0013 litre	22,570 %	14388,5192 litre	O
350	CM	130	CM	71 LEVEL CM	4112,7360 litre	22,132 %	14469,7845 litre	O
350	CM	130	CM	70 LEVEL CM	4031,8272 litre	21,697 %	14550,6933 litre	O
350	CM	130	CM	69 LEVEL CM	3951,2827 litre	21,263 %	14631,2378 litre	O
350	CM	130	CM	68 LEVEL CM	3871,1101 litre	20,832 %	14711,4104 litre	O
350	CM	130	CM	67 LEVEL CM	3791,3173 litre	20,403 %	14791,2032 litre	O
350	CM	130	CM	66 LEVEL CM	3711,9124 litre	19,975 %	14870,6081 litre	O
350	CM	130	CM	65 LEVEL CM	3632,9034 litre	19,550 %	14949,6171 litre	O
350	CM	130	CM	64 LEVEL CM	3554,2985 litre	19,127 %	15028,2220 litre	O
350	CM	130	CM	63 LEVEL CM	3476,1062 litre	18,706 %	15106,4143 litre	O
350	CM	130	CM	62 LEVEL CM	3398,3348 litre	18,288 %	15184,1857 litre	O
350	CM	130	CM	61 LEVEL CM	3320,9931 litre	17,872 %	15261,5274 litre	O
350	CM	130	CM	60 LEVEL CM	3244,0898 litre	17,458 %	15338,4307 litre	O
350	CM	130	CM	59 LEVEL CM	3167,6338 litre	17,046 %	15414,8867 litre	O
350	CM	130	CM	58 LEVEL CM	3091,6342 litre	16,637 %	15490,8863 litre	O
350	CM	130	CM	57 LEVEL CM	3016,1003 litre	16,231 %	15566,4202 litre	O
350	CM	130	CM	56 LEVEL CM	2941,0414 litre	15,827 %	15641,4791 litre	O
350	CM	130	CM	55 LEVEL CM	2866,4671 litre	15,426 %	15716,0534 litre	O
350	CM	130	CM	54 LEVEL CM	2792,3873 litre	15,027 %	15790,1332 litre	O
350	CM	130	CM	53 LEVEL CM	2718,8120 litre	14,631 %	15863,7085 litre	O
350	CM	130	CM	52 LEVEL CM	2645,7512 litre	14,238 %	15936,7693 litre	O
350	CM	130	CM	51 LEVEL CM	2573,2155 litre	13,848 %	16009,3050 litre	O
350	CM	130	CM	50 LEVEL CM	2501,2154 litre	13,460 %	16081,3051 litre	O

350	CM	130	CM	49 LEVEL CM	2429,7618 litre	13,076 %	16152,7587 litre	O
350	CM	130	CM	48 LEVEL CM	2358,8659 litre	12,694 %	16223,6546 litre	O
350	CM	130	CM	47 LEVEL CM	2288,5390 litre	12,316 %	16293,9815 litre	O
350	CM	130	CM	46 LEVEL CM	2218,7929 litre	11,940 %	16363,7276 litre	O
350	CM	130	CM	45 LEVEL CM	2149,6394 litre	11,568 %	16432,8811 litre	O
350	CM	130	CM	44 LEVEL CM	2081,0908 litre	11,199 %	16501,4297 litre	O
350	CM	130	CM	43 LEVEL CM	2013,1598 litre	10,834 %	16569,3607 litre	O
350	CM	130	CM	42 LEVEL CM	1945,8592 litre	10,471 %	16636,6613 litre	O
350	CM	130	CM	41 LEVEL CM	1879,2025 litre	10,113 %	16703,3180 litre	O
350	CM	130	CM	40 LEVEL CM	1813,2033 litre	9,758 %	16769,3172 litre	O
350	CM	130	CM	39 LEVEL CM	1747,8756 litre	9,406 %	16834,6449 litre	O
350	CM	130	CM	38 LEVEL CM	1683,2342 litre	9,058 %	16899,2863 litre	O
350	CM	130	CM	37 LEVEL CM	1619,2939 litre	8,714 %	16963,2266 litre	O
350	CM	130	CM	36 LEVEL CM	1556,0704 litre	8,374 %	17026,4501 litre	O
350	CM	130	CM	35 LEVEL CM	1493,5797 litre	8,038 %	17088,9408 litre	O
350	CM	130	CM	34 LEVEL CM	1431,8384 litre	7,705 %	17150,6821 litre	O
350	CM	130	CM	33 LEVEL CM	1370,8638 litre	7,377 %	17211,6567 litre	O
350	CM	130	CM	32 LEVEL CM	1310,6737 litre	7,053 %	17271,8468 litre	O
350	CM	130	CM	31 LEVEL CM	1251,2868 litre	6,734 %	17331,2337 litre	O
350	CM	130	CM	30 LEVEL CM	1192,7225 litre	6,419 %	17389,7980 litre	O
350	CM	130	CM	29 LEVEL CM	1135,0010 litre	6,108 %	17447,5195 litre	O
350	CM	130	CM	28 LEVEL CM	1078,1433 litre	5,802 %	17504,3772 litre	O
350	CM	130	CM	27 LEVEL CM	1022,1716 litre	5,501 %	17560,3489 litre	O
350	CM	130	CM	26 LEVEL CM	967,1091 litre	5,204 %	17615,4114 litre	O
350	CM	130	CM	25 LEVEL CM	912,9799 litre	4,913 %	17669,5406 litre	O
350	CM	130	CM	24 LEVEL CM	859,8098 litre	4,627 %	17722,7107 litre	O
350	CM	130	CM	23 LEVEL CM	807,6258 litre	4,346 %	17774,8947 litre	O
350	CM	130	CM	22 LEVEL CM	756,4564 litre	4,071 %	17826,0641 litre	O
350	CM	130	CM	21 LEVEL CM	706,3319 litre	3,801 %	17876,1886 litre	O
350	CM	130	CM	20 LEVEL CM	657,2846 litre	3,537 %	17925,2359 litre	O
350	CM	130	CM	19 LEVEL CM	609,3490 litre	3,279 %	17973,1715 litre	O
350	CM	130	CM	18 LEVEL CM	562,5617 litre	3,027 %	18019,9588 litre	O
350	CM	130	CM	17 LEVEL CM	516,9627 litre	2,782 %	18065,5578 litre	O
350	CM	130	CM	16 LEVEL CM	472,5946 litre	2,543 %	18109,9259 litre	O
350	CM	130	CM	15 LEVEL CM	429,5041 litre	2,311 %	18153,0164 litre	O
350	CM	130	CM	14 LEVEL CM	387,7418 litre	2,087 %	18194,7787 litre	O
350	CM	130	CM	13 LEVEL CM	347,3637 litre	1,869 %	18235,1568 litre	O
350	CM	130	CM	12 LEVEL CM	308,4316 litre	1,660 %	18274,0889 litre	O
350	CM	130	CM	11 LEVEL CM	271,0142 litre	1,458 %	18311,5063 litre	O
350	CM	130	CM	10 LEVEL CM	235,1895 litre	1,266 %	18347,3310 litre	O
350	CM	130	CM	9 LEVEL CM	201,0458 litre	1,082 %	18381,4747 litre	O
350	CM	130	CM	8 LEVEL CM	168,6858 litre	0,908 %	18413,8347 litre	O
350	CM	130	CM	7 LEVEL CM	138,2297 litre	0,744 %	18444,2908 litre	O
350	CM	130	CM	6 LEVEL CM	109,8223 litre	0,591 %	18472,6982 litre	O
350	CM	130	CM	5 LEVEL CM	83,6425 litre	0,450 %	18498,8780 litre	O
350	CM	130	CM	4 LEVEL CM	59,9196 litre	0,322 %	18522,6009 litre	O
350	CM	130	CM	3 LEVEL CM	38,9642 litre	0,210 %	18543,5563 litre	O
350	CM	130	CM	2 LEVEL CM	21,2341 litre	0,114 %	18561,2864 litre	O
350	CM	130	CM	1 LEVEL CM	7,5161 litre	0,040 %	18575,0044 litre	O
350	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	18582,5205 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM	125	CM 250 LEVEL CM	17180,5848 litre	100,000 %	0,0000 litre	O
350	CM	125	CM 249 LEVEL CM	17173,2150 litre	99,957 %	7,3698 litre	O
350	CM	125	CM 248 LEVEL CM	17159,7650 litre	99,879 %	20,8198 litre	O
350	CM	125	CM 247 LEVEL CM	17142,3826 litre	99,778 %	38,2022 litre	O
350	CM	125	CM 246 LEVEL CM	17121,8398 litre	99,658 %	58,7450 litre	O
350	CM	125	CM 245 LEVEL CM	17098,5858 litre	99,523 %	81,9990 litre	O
350	CM	125	CM 244 LEVEL CM	17072,9255 litre	99,373 %	107,6593 litre	O
350	CM	125	CM 243 LEVEL CM	17045,0841 litre	99,211 %	135,5007 litre	O
350	CM	125	CM 242 LEVEL CM	17015,2372 litre	99,038 %	165,3476 litre	O
350	CM	125	CM 241 LEVEL CM	16983,5270 litre	98,853 %	197,0578 litre	O
350	CM	125	CM 240 LEVEL CM	16950,0718 litre	98,658 %	230,5130 litre	O
350	CM	125	CM 239 LEVEL CM	16914,9723 litre	98,454 %	265,6125 litre	O
350	CM	125	CM 238 LEVEL CM	16878,3156 litre	98,241 %	302,2692 litre	O
350	CM	125	CM 237 LEVEL CM	16840,1781 litre	98,019 %	340,4067 litre	O
350	CM	125	CM 236 LEVEL CM	16800,6275 litre	97,788 %	379,9573 litre	O
350	CM	125	CM 235 LEVEL CM	16759,7247 litre	97,550 %	420,8601 litre	O
350	CM	125	CM 234 LEVEL CM	16717,5245 litre	97,305 %	463,0603 litre	O
350	CM	125	CM 233 LEVEL CM	16674,0771 litre	97,052 %	506,5077 litre	O
350	CM	125	CM 232 LEVEL CM	16629,4281 litre	96,792 %	551,1567 litre	O
350	CM	125	CM 231 LEVEL CM	16583,6198 litre	96,525 %	596,9650 litre	O
350	CM	125	CM 230 LEVEL CM	16536,6913 litre	96,252 %	643,8935 litre	O
350	CM	125	CM 229 LEVEL CM	16488,6789 litre	95,973 %	691,9059 litre	O
350	CM	125	CM 228 LEVEL CM	16439,6165 litre	95,687 %	740,9683 litre	O
350	CM	125	CM 227 LEVEL CM	16389,5359 litre	95,396 %	791,0489 litre	O
350	CM	125	CM 226 LEVEL CM	16338,4671 litre	95,098 %	842,1177 litre	O
350	CM	125	CM 225 LEVEL CM	16286,4381 litre	94,796 %	894,1467 litre	O
350	CM	125	CM 224 LEVEL CM	16233,4757 litre	94,487 %	947,1091 litre	O
350	CM	125	CM 223 LEVEL CM	16179,6051 litre	94,174 %	1000,9797 litre	O
350	CM	125	CM 222 LEVEL CM	16124,8504 litre	93,855 %	1055,7344 litre	O
350	CM	125	CM 221 LEVEL CM	16069,2343 litre	93,531 %	1111,3505 litre	O
350	CM	125	CM 220 LEVEL CM	16012,7788 litre	93,203 %	1167,8060 litre	O
350	CM	125	CM 219 LEVEL CM	15955,5046 litre	92,869 %	1225,0802 litre	O
350	CM	125	CM 218 LEVEL CM	15897,4318 litre	92,531 %	1283,1530 litre	O
350	CM	125	CM 217 LEVEL CM	15838,5794 litre	92,189 %	1342,0054 litre	O
350	CM	125	CM 216 LEVEL CM	15778,9660 litre	91,842 %	1401,6188 litre	O
350	CM	125	CM 215 LEVEL CM	15718,6092 litre	91,491 %	1461,9756 litre	O
350	CM	125	CM 214 LEVEL CM	15657,5261 litre	91,135 %	1523,0587 litre	O
350	CM	125	CM 213 LEVEL CM	15595,7332 litre	90,775 %	1584,8516 litre	O
350	CM	125	CM 212 LEVEL CM	15533,2463 litre	90,412 %	1647,3385 litre	O
350	CM	125	CM 211 LEVEL CM	15470,0809 litre	90,044 %	1710,5039 litre	O
350	CM	125	CM 210 LEVEL CM	15406,2519 litre	89,672 %	1774,3329 litre	O
350	CM	125	CM 209 LEVEL CM	15341,7736 litre	89,297 %	1838,8112 litre	O
350	CM	125	CM 208 LEVEL CM	15276,6600 litre	88,918 %	1903,9248 litre	O
350	CM	125	CM 207 LEVEL CM	15210,9248 litre	88,536 %	1969,6600 litre	O
350	CM	125	CM 206 LEVEL CM	15144,5812 litre	88,149 %	2036,0036 litre	O
350	CM	125	CM 205 LEVEL CM	15077,6420 litre	87,760 %	2102,9428 litre	O
350	CM	125	CM 204 LEVEL CM	15010,1197 litre	87,367 %	2170,4651 litre	O
350	CM	125	CM 203 LEVEL CM	14942,0265 litre	86,970 %	2238,5583 litre	O
350	CM	125	CM 202 LEVEL CM	14873,3744 litre	86,571 %	2307,2104 litre	O
350	CM	125	CM 201 LEVEL CM	14804,1748 litre	86,168 %	2376,4100 litre	O
350	CM	125	CM 200 LEVEL CM	14734,4391 litre	85,762 %	2446,1457 litre	O
350	CM	125	CM 199 LEVEL CM	14664,1784 litre	85,353 %	2516,4064 litre	O

350	CM	125	CM	198 LEVEL CM	14593,4035 litre	84,941 %	2587,1813 litre	O
350	CM	125	CM	197 LEVEL CM	14522,1250 litre	84,526 %	2658,4598 litre	O
350	CM	125	CM	196 LEVEL CM	14450,3532 litre	84,109 %	2730,2316 litre	O
350	CM	125	CM	195 LEVEL CM	14378,0984 litre	83,688 %	2802,4864 litre	O
350	CM	125	CM	194 LEVEL CM	14305,3703 litre	83,265 %	2875,2145 litre	O
350	CM	125	CM	193 LEVEL CM	14232,1789 litre	82,839 %	2948,4059 litre	O
350	CM	125	CM	192 LEVEL CM	14158,5336 litre	82,410 %	3022,0512 litre	O
350	CM	125	CM	191 LEVEL CM	14084,4438 litre	81,979 %	3096,1410 litre	O
350	CM	125	CM	190 LEVEL CM	14009,9189 litre	81,545 %	3170,6659 litre	O
350	CM	125	CM	189 LEVEL CM	13934,9677 litre	81,109 %	3245,6171 litre	O
350	CM	125	CM	188 LEVEL CM	13859,5993 litre	80,670 %	3320,9855 litre	O
350	CM	125	CM	187 LEVEL CM	13783,8225 litre	80,229 %	3396,7623 litre	O
350	CM	125	CM	186 LEVEL CM	13707,6458 litre	79,786 %	3472,9390 litre	O
350	CM	125	CM	185 LEVEL CM	13631,0777 litre	79,340 %	3549,5071 litre	O
350	CM	125	CM	184 LEVEL CM	13554,1265 litre	78,892 %	3626,4583 litre	O
350	CM	125	CM	183 LEVEL CM	13476,8006 litre	78,442 %	3703,7842 litre	O
350	CM	125	CM	182 LEVEL CM	13399,1081 litre	77,990 %	3781,4767 litre	O
350	CM	125	CM	181 LEVEL CM	13321,0568 litre	77,536 %	3859,5280 litre	O
350	CM	125	CM	180 LEVEL CM	13242,6548 litre	77,079 %	3937,9300 litre	O
350	CM	125	CM	179 LEVEL CM	13163,9098 litre	76,621 %	4016,6750 litre	O
350	CM	125	CM	178 LEVEL CM	13084,8295 litre	76,161 %	4095,7553 litre	O
350	CM	125	CM	177 LEVEL CM	13005,4214 litre	75,698 %	4175,1634 litre	O
350	CM	125	CM	176 LEVEL CM	12925,6931 litre	75,234 %	4254,8917 litre	O
350	CM	125	CM	175 LEVEL CM	12845,6520 litre	74,768 %	4334,9328 litre	O
350	CM	125	CM	174 LEVEL CM	12765,3054 litre	74,301 %	4415,2794 litre	O
350	CM	125	CM	173 LEVEL CM	12684,6605 litre	73,831 %	4495,9243 litre	O
350	CM	125	CM	172 LEVEL CM	12603,7245 litre	73,360 %	4576,8603 litre	O
350	CM	125	CM	171 LEVEL CM	12522,5044 litre	72,888 %	4658,0804 litre	O
350	CM	125	CM	170 LEVEL CM	12441,0073 litre	72,413 %	4739,5775 litre	O
350	CM	125	CM	169 LEVEL CM	12359,2401 litre	71,937 %	4821,3447 litre	O
350	CM	125	CM	168 LEVEL CM	12277,2096 litre	71,460 %	4903,3752 litre	O
350	CM	125	CM	167 LEVEL CM	12194,9226 litre	70,981 %	4985,6622 litre	O
350	CM	125	CM	166 LEVEL CM	12112,3860 litre	70,500 %	5068,1988 litre	O
350	CM	125	CM	165 LEVEL CM	12029,6062 litre	70,019 %	5150,9786 litre	O
350	CM	125	CM	164 LEVEL CM	11946,5901 litre	69,535 %	5233,9947 litre	O
350	CM	125	CM	163 LEVEL CM	11863,3441 litre	69,051 %	5317,2407 litre	O
350	CM	125	CM	162 LEVEL CM	11779,8746 litre	68,565 %	5400,7102 litre	O
350	CM	125	CM	161 LEVEL CM	11696,1883 litre	68,078 %	5484,3965 litre	O
350	CM	125	CM	160 LEVEL CM	11612,2914 litre	67,590 %	5568,2934 litre	O
350	CM	125	CM	159 LEVEL CM	11528,1904 litre	67,100 %	5652,3944 litre	O
350	CM	125	CM	158 LEVEL CM	11443,8915 litre	66,609 %	5736,6933 litre	O
350	CM	125	CM	157 LEVEL CM	11359,4010 litre	66,118 %	5821,1838 litre	O
350	CM	125	CM	156 LEVEL CM	11274,7252 litre	65,625 %	5905,8596 litre	O
350	CM	125	CM	155 LEVEL CM	11189,8701 litre	65,131 %	5990,7147 litre	O
350	CM	125	CM	154 LEVEL CM	11104,8419 litre	64,636 %	6075,7429 litre	O
350	CM	125	CM	153 LEVEL CM	11019,6468 litre	64,140 %	6160,9380 litre	O
350	CM	125	CM	152 LEVEL CM	10934,2909 litre	63,643 %	6246,2939 litre	O
350	CM	125	CM	151 LEVEL CM	10848,7800 litre	63,146 %	6331,8048 litre	O
350	CM	125	CM	150 LEVEL CM	10763,1203 litre	62,647 %	6417,4645 litre	O
350	CM	125	CM	149 LEVEL CM	10677,3177 litre	62,148 %	6503,2671 litre	O
350	CM	125	CM	148 LEVEL CM	10591,3782 litre	61,647 %	6589,2066 litre	O
350	CM	125	CM	147 LEVEL CM	10505,3076 litre	61,146 %	6675,2772 litre	O
350	CM	125	CM	146 LEVEL CM	10419,1118 litre	60,645 %	6761,4730 litre	O

350	CM	125	CM	145 LEVEL CM	10332,7968 litre	60,142 %	6847,7880 litre	O
350	CM	125	CM	144 LEVEL CM	10246,3683 litre	59,639 %	6934,2165 litre	O
350	CM	125	CM	143 LEVEL CM	10159,8322 litre	59,136 %	7020,7526 litre	O
350	CM	125	CM	142 LEVEL CM	10073,1941 litre	58,631 %	7107,3907 litre	O
350	CM	125	CM	141 LEVEL CM	9986,4600 litre	58,126 %	7194,1248 litre	O
350	CM	125	CM	140 LEVEL CM	9899,6356 litre	57,621 %	7280,9492 litre	O
350	CM	125	CM	139 LEVEL CM	9812,7265 litre	57,115 %	7367,8583 litre	O
350	CM	125	CM	138 LEVEL CM	9725,7385 litre	56,609 %	7454,8463 litre	O
350	CM	125	CM	137 LEVEL CM	9638,6774 litre	56,102 %	7541,9074 litre	O
350	CM	125	CM	136 LEVEL CM	9551,5487 litre	55,595 %	7629,0361 litre	O
350	CM	125	CM	135 LEVEL CM	9464,3582 litre	55,088 %	7716,2266 litre	O
350	CM	125	CM	134 LEVEL CM	9377,1115 litre	54,580 %	7803,4733 litre	O
350	CM	125	CM	133 LEVEL CM	9289,8143 litre	54,072 %	7890,7705 litre	O
350	CM	125	CM	132 LEVEL CM	9202,4721 litre	53,563 %	7978,1127 litre	O
350	CM	125	CM	131 LEVEL CM	9115,0907 litre	53,055 %	8065,4941 litre	O
350	CM	125	CM	130 LEVEL CM	9027,6757 litre	52,546 %	8152,9091 litre	O
350	CM	125	CM	129 LEVEL CM	8940,2327 litre	52,037 %	8240,3521 litre	O
350	CM	125	CM	128 LEVEL CM	8852,7672 litre	51,528 %	8327,8176 litre	O
350	CM	125	CM	127 LEVEL CM	8765,2849 litre	51,019 %	8415,2999 litre	O
350	CM	125	CM	126 LEVEL CM	8677,7915 litre	50,509 %	8502,7933 litre	O
350	CM	125	CM	125 LEVEL CM	8590,2924 litre	50,000 %	8590,2924 litre	O
350	CM	125	CM	124 LEVEL CM	8502,7933 litre	49,491 %	8677,7915 litre	O
350	CM	125	CM	123 LEVEL CM	8415,2999 litre	48,981 %	8765,2849 litre	O
350	CM	125	CM	122 LEVEL CM	8327,8176 litre	48,472 %	8852,7672 litre	O
350	CM	125	CM	121 LEVEL CM	8240,3522 litre	47,963 %	8940,2326 litre	O
350	CM	125	CM	120 LEVEL CM	8152,9091 litre	47,454 %	9027,6757 litre	O
350	CM	125	CM	119 LEVEL CM	8065,4941 litre	46,945 %	9115,0907 litre	O
350	CM	125	CM	118 LEVEL CM	7978,1127 litre	46,437 %	9202,4721 litre	O
350	CM	125	CM	117 LEVEL CM	7890,7706 litre	45,928 %	9289,8142 litre	O
350	CM	125	CM	116 LEVEL CM	7803,4733 litre	45,420 %	9377,1115 litre	O
350	CM	125	CM	115 LEVEL CM	7716,2266 litre	44,912 %	9464,3582 litre	O
350	CM	125	CM	114 LEVEL CM	7629,0361 litre	44,405 %	9551,5487 litre	O
350	CM	125	CM	113 LEVEL CM	7541,9074 litre	43,898 %	9638,6774 litre	O
350	CM	125	CM	112 LEVEL CM	7454,8463 litre	43,391 %	9725,7385 litre	O
350	CM	125	CM	111 LEVEL CM	7367,8583 litre	42,885 %	9812,7265 litre	O
350	CM	125	CM	110 LEVEL CM	7280,9493 litre	42,379 %	9899,6355 litre	O
350	CM	125	CM	109 LEVEL CM	7194,1248 litre	41,874 %	9986,4600 litre	O
350	CM	125	CM	108 LEVEL CM	7107,3907 litre	41,369 %	10073,1941 litre	O
350	CM	125	CM	107 LEVEL CM	7020,7527 litre	40,864 %	10159,8321 litre	O
350	CM	125	CM	106 LEVEL CM	6934,2165 litre	40,361 %	10246,3683 litre	O
350	CM	125	CM	105 LEVEL CM	6847,7880 litre	39,858 %	10332,7968 litre	O
350	CM	125	CM	104 LEVEL CM	6761,4730 litre	39,355 %	10419,1118 litre	O
350	CM	125	CM	103 LEVEL CM	6675,2772 litre	38,854 %	10505,3076 litre	O
350	CM	125	CM	102 LEVEL CM	6589,2067 litre	38,353 %	10591,3781 litre	O
350	CM	125	CM	101 LEVEL CM	6503,2671 litre	37,852 %	10677,3177 litre	O
350	CM	125	CM	100 LEVEL CM	6417,4645 litre	37,353 %	10763,1203 litre	O
350	CM	125	CM	99 LEVEL CM	6331,8048 litre	36,854 %	10848,7800 litre	O
350	CM	125	CM	98 LEVEL CM	6246,2940 litre	36,357 %	10934,2908 litre	O
350	CM	125	CM	97 LEVEL CM	6160,9380 litre	35,860 %	11019,6468 litre	O
350	CM	125	CM	96 LEVEL CM	6075,7429 litre	35,364 %	11104,8419 litre	O
350	CM	125	CM	95 LEVEL CM	5990,7147 litre	34,869 %	11189,8701 litre	O
350	CM	125	CM	94 LEVEL CM	5905,8597 litre	34,375 %	11274,7251 litre	O
350	CM	125	CM	93 LEVEL CM	5821,1838 litre	33,882 %	11359,4010 litre	O

350	CM	125	CM	92 LEVEL CM	5736,6933 litre	33,391 %	11443,8915 litre	O
350	CM	125	CM	91 LEVEL CM	5652,3944 litre	32,900 %	11528,1904 litre	O
350	CM	125	CM	90 LEVEL CM	5568,2934 litre	32,410 %	11612,2914 litre	O
350	CM	125	CM	89 LEVEL CM	5484,3965 litre	31,922 %	11696,1883 litre	O
350	CM	125	CM	88 LEVEL CM	5400,7102 litre	31,435 %	11779,8746 litre	O
350	CM	125	CM	87 LEVEL CM	5317,2408 litre	30,949 %	11863,3440 litre	O
350	CM	125	CM	86 LEVEL CM	5233,9947 litre	30,465 %	11946,5901 litre	O
350	CM	125	CM	85 LEVEL CM	5150,9786 litre	29,981 %	12029,6062 litre	O
350	CM	125	CM	84 LEVEL CM	5068,1989 litre	29,500 %	12112,3859 litre	O
350	CM	125	CM	83 LEVEL CM	4985,6622 litre	29,019 %	12194,9226 litre	O
350	CM	125	CM	82 LEVEL CM	4903,3752 litre	28,540 %	12277,2096 litre	O
350	CM	125	CM	81 LEVEL CM	4821,3448 litre	28,063 %	12359,2400 litre	O
350	CM	125	CM	80 LEVEL CM	4739,5775 litre	27,587 %	12441,0073 litre	O
350	CM	125	CM	79 LEVEL CM	4658,0804 litre	27,112 %	12522,5044 litre	O
350	CM	125	CM	78 LEVEL CM	4576,8603 litre	26,640 %	12603,7245 litre	O
350	CM	125	CM	77 LEVEL CM	4495,9243 litre	26,169 %	12684,6605 litre	O
350	CM	125	CM	76 LEVEL CM	4415,2794 litre	25,699 %	12765,3054 litre	O
350	CM	125	CM	75 LEVEL CM	4334,9328 litre	25,232 %	12845,6520 litre	O
350	CM	125	CM	74 LEVEL CM	4254,8917 litre	24,766 %	12925,6931 litre	O
350	CM	125	CM	73 LEVEL CM	4175,1634 litre	24,302 %	13005,4214 litre	O
350	CM	125	CM	72 LEVEL CM	4095,7554 litre	23,839 %	13084,8294 litre	O
350	CM	125	CM	71 LEVEL CM	4016,6750 litre	23,379 %	13163,9098 litre	O
350	CM	125	CM	70 LEVEL CM	3937,9300 litre	22,921 %	13242,6548 litre	O
350	CM	125	CM	69 LEVEL CM	3859,5280 litre	22,464 %	13321,0568 litre	O
350	CM	125	CM	68 LEVEL CM	3781,4768 litre	22,010 %	13399,1080 litre	O
350	CM	125	CM	67 LEVEL CM	3703,7842 litre	21,558 %	13476,8006 litre	O
350	CM	125	CM	66 LEVEL CM	3626,4583 litre	21,108 %	13554,1265 litre	O
350	CM	125	CM	65 LEVEL CM	3549,5072 litre	20,660 %	13631,0776 litre	O
350	CM	125	CM	64 LEVEL CM	3472,9391 litre	20,214 %	13707,6457 litre	O
350	CM	125	CM	63 LEVEL CM	3396,7623 litre	19,771 %	13783,8225 litre	O
350	CM	125	CM	62 LEVEL CM	3320,9855 litre	19,330 %	13859,5993 litre	O
350	CM	125	CM	61 LEVEL CM	3245,6171 litre	18,891 %	13934,9677 litre	O
350	CM	125	CM	60 LEVEL CM	3170,6660 litre	18,455 %	14009,9188 litre	O
350	CM	125	CM	59 LEVEL CM	3096,1410 litre	18,021 %	14084,4438 litre	O
350	CM	125	CM	58 LEVEL CM	3022,0513 litre	17,590 %	14158,5335 litre	O
350	CM	125	CM	57 LEVEL CM	2948,4060 litre	17,161 %	14232,1788 litre	O
350	CM	125	CM	56 LEVEL CM	2875,2145 litre	16,735 %	14305,3703 litre	O
350	CM	125	CM	55 LEVEL CM	2802,4865 litre	16,312 %	14378,0983 litre	O
350	CM	125	CM	54 LEVEL CM	2730,2316 litre	15,891 %	14450,3532 litre	O
350	CM	125	CM	53 LEVEL CM	2658,4598 litre	15,474 %	14522,1250 litre	O
350	CM	125	CM	52 LEVEL CM	2587,1813 litre	15,059 %	14593,4035 litre	O
350	CM	125	CM	51 LEVEL CM	2516,4064 litre	14,647 %	14664,1784 litre	O
350	CM	125	CM	50 LEVEL CM	2446,1457 litre	14,238 %	14734,4391 litre	O
350	CM	125	CM	49 LEVEL CM	2376,4101 litre	13,832 %	14804,1747 litre	O
350	CM	125	CM	48 LEVEL CM	2307,2105 litre	13,429 %	14873,3743 litre	O
350	CM	125	CM	47 LEVEL CM	2238,5583 litre	13,030 %	14942,0265 litre	O
350	CM	125	CM	46 LEVEL CM	2170,4651 litre	12,633 %	15010,1197 litre	O
350	CM	125	CM	45 LEVEL CM	2102,9428 litre	12,240 %	15077,6420 litre	O
350	CM	125	CM	44 LEVEL CM	2036,0036 litre	11,851 %	15144,5812 litre	O
350	CM	125	CM	43 LEVEL CM	1969,6600 litre	11,464 %	15210,9248 litre	O
350	CM	125	CM	42 LEVEL CM	1903,9248 litre	11,082 %	15276,6600 litre	O
350	CM	125	CM	41 LEVEL CM	1838,8113 litre	10,703 %	15341,7735 litre	O
350	CM	125	CM	40 LEVEL CM	1774,3330 litre	10,328 %	15406,2518 litre	O

350	CM	125	CM	39 LEVEL CM	1710,5039 litre	9,956 %	15470,0809 litre	O
350	CM	125	CM	38 LEVEL CM	1647,3385 litre	9,588 %	15533,2463 litre	O
350	CM	125	CM	37 LEVEL CM	1584,8516 litre	9,225 %	15595,7332 litre	O
350	CM	125	CM	36 LEVEL CM	1523,0587 litre	8,865 %	15657,5261 litre	O
350	CM	125	CM	35 LEVEL CM	1461,9756 litre	8,509 %	15718,6092 litre	O
350	CM	125	CM	34 LEVEL CM	1401,6188 litre	8,158 %	15778,9660 litre	O
350	CM	125	CM	33 LEVEL CM	1342,0054 litre	7,811 %	15838,5794 litre	O
350	CM	125	CM	32 LEVEL CM	1283,1531 litre	7,469 %	15897,4317 litre	O
350	CM	125	CM	31 LEVEL CM	1225,0802 litre	7,131 %	15955,5046 litre	O
350	CM	125	CM	30 LEVEL CM	1167,8060 litre	6,797 %	16012,7788 litre	O
350	CM	125	CM	29 LEVEL CM	1111,3505 litre	6,469 %	16069,2343 litre	O
350	CM	125	CM	28 LEVEL CM	1055,7344 litre	6,145 %	16124,8504 litre	O
350	CM	125	CM	27 LEVEL CM	1000,9797 litre	5,826 %	16179,6051 litre	O
350	CM	125	CM	26 LEVEL CM	947,1091 litre	5,513 %	16233,4757 litre	O
350	CM	125	CM	25 LEVEL CM	894,1467 litre	5,204 %	16286,4381 litre	O
350	CM	125	CM	24 LEVEL CM	842,1177 litre	4,902 %	16338,4671 litre	O
350	CM	125	CM	23 LEVEL CM	791,0489 litre	4,604 %	16389,5359 litre	O
350	CM	125	CM	22 LEVEL CM	740,9683 litre	4,313 %	16439,6165 litre	O
350	CM	125	CM	21 LEVEL CM	691,9059 litre	4,027 %	16488,6789 litre	O
350	CM	125	CM	20 LEVEL CM	643,8935 litre	3,748 %	16536,6913 litre	O
350	CM	125	CM	19 LEVEL CM	596,9650 litre	3,475 %	16583,6198 litre	O
350	CM	125	CM	18 LEVEL CM	551,1567 litre	3,208 %	16629,4281 litre	O
350	CM	125	CM	17 LEVEL CM	506,5078 litre	2,948 %	16674,0770 litre	O
350	CM	125	CM	16 LEVEL CM	463,0603 litre	2,695 %	16717,5245 litre	O
350	CM	125	CM	15 LEVEL CM	420,8602 litre	2,450 %	16759,7246 litre	O
350	CM	125	CM	14 LEVEL CM	379,9573 litre	2,212 %	16800,6275 litre	O
350	CM	125	CM	13 LEVEL CM	340,4068 litre	1,981 %	16840,1780 litre	O
350	CM	125	CM	12 LEVEL CM	302,2692 litre	1,759 %	16878,3156 litre	O
350	CM	125	CM	11 LEVEL CM	265,6125 litre	1,546 %	16914,9723 litre	O
350	CM	125	CM	10 LEVEL CM	230,5130 litre	1,342 %	16950,0718 litre	O
350	CM	125	CM	9 LEVEL CM	197,0578 litre	1,147 %	16983,5270 litre	O
350	CM	125	CM	8 LEVEL CM	165,3477 litre	0,962 %	17015,2371 litre	O
350	CM	125	CM	7 LEVEL CM	135,5008 litre	0,789 %	17045,0840 litre	O
350	CM	125	CM	6 LEVEL CM	107,6594 litre	0,627 %	17072,9254 litre	O
350	CM	125	CM	5 LEVEL CM	81,9990 litre	0,477 %	17098,5858 litre	O
350	CM	125	CM	4 LEVEL CM	58,7450 litre	0,342 %	17121,8398 litre	O
350	CM	125	CM	3 LEVEL CM	38,2023 litre	0,222 %	17142,3825 litre	O
350	CM	125	CM	2 LEVEL CM	20,8198 litre	0,121 %	17159,7650 litre	O
350	CM	125	CM	1 LEVEL CM	7,3698 litre	0,043 %	17173,2150 litre	O
350	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	17180,5848 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM	120	CM 240 LEVEL CM	15833,6270 litre	100,000 %	0,0000 litre	O
350	CM	120	CM 239 LEVEL CM	15826,4064 litre	99,954 %	7,2206 litre	O
350	CM	120	CM 238 LEVEL CM	15813,2299 litre	99,871 %	20,3971 litre	O
350	CM	120	CM 237 LEVEL CM	15796,2022 litre	99,764 %	37,4248 litre	O
350	CM	120	CM 236 LEVEL CM	15776,0805 litre	99,637 %	57,5465 litre	O
350	CM	120	CM 235 LEVEL CM	15753,3050 litre	99,493 %	80,3220 litre	O
350	CM	120	CM 234 LEVEL CM	15728,1749 litre	99,334 %	105,4521 litre	O
350	CM	120	CM 233 LEVEL CM	15700,9112 litre	99,162 %	132,7158 litre	O
350	CM	120	CM 232 LEVEL CM	15671,6862 litre	98,977 %	161,9408 litre	O
350	CM	120	CM 231 LEVEL CM	15640,6395 litre	98,781 %	192,9875 litre	O
350	CM	120	CM 230 LEVEL CM	15607,8873 litre	98,574 %	225,7397 litre	O
350	CM	120	CM 229 LEVEL CM	15573,5284 litre	98,357 %	260,0986 litre	O
350	CM	120	CM 228 LEVEL CM	15537,6484 litre	98,131 %	295,9786 litre	O
350	CM	120	CM 227 LEVEL CM	15500,3224 litre	97,895 %	333,3046 litre	O
350	CM	120	CM 226 LEVEL CM	15461,6170 litre	97,651 %	372,0100 litre	O
350	CM	120	CM 225 LEVEL CM	15421,5921 litre	97,398 %	412,0349 litre	O
350	CM	120	CM 224 LEVEL CM	15380,3015 litre	97,137 %	453,3255 litre	O
350	CM	120	CM 223 LEVEL CM	15337,7946 litre	96,868 %	495,8324 litre	O
350	CM	120	CM 222 LEVEL CM	15294,1164 litre	96,593 %	539,5106 litre	O
350	CM	120	CM 221 LEVEL CM	15249,3084 litre	96,310 %	584,3186 litre	O
350	CM	120	CM 220 LEVEL CM	15203,4092 litre	96,020 %	630,2178 litre	O
350	CM	120	CM 219 LEVEL CM	15156,4545 litre	95,723 %	677,1725 litre	O
350	CM	120	CM 218 LEVEL CM	15108,4777 litre	95,420 %	725,1493 litre	O
350	CM	120	CM 217 LEVEL CM	15059,5102 litre	95,111 %	774,1168 litre	O
350	CM	120	CM 216 LEVEL CM	15009,5814 litre	94,796 %	824,0456 litre	O
350	CM	120	CM 215 LEVEL CM	14958,7192 litre	94,474 %	874,9078 litre	O
350	CM	120	CM 214 LEVEL CM	14906,9498 litre	94,147 %	926,6772 litre	O
350	CM	120	CM 213 LEVEL CM	14854,2981 litre	93,815 %	979,3289 litre	O
350	CM	120	CM 212 LEVEL CM	14800,7880 litre	93,477 %	1032,8390 litre	O
350	CM	120	CM 211 LEVEL CM	14746,4419 litre	93,134 %	1087,1851 litre	O
350	CM	120	CM 210 LEVEL CM	14691,2814 litre	92,785 %	1142,3456 litre	O
350	CM	120	CM 209 LEVEL CM	14635,3270 litre	92,432 %	1198,3000 litre	O
350	CM	120	CM 208 LEVEL CM	14578,5987 litre	92,074 %	1255,0283 litre	O
350	CM	120	CM 207 LEVEL CM	14521,1152 litre	91,711 %	1312,5118 litre	O
350	CM	120	CM 206 LEVEL CM	14462,8948 litre	91,343 %	1370,7322 litre	O
350	CM	120	CM 205 LEVEL CM	14403,9551 litre	90,971 %	1429,6719 litre	O
350	CM	120	CM 204 LEVEL CM	14344,3128 litre	90,594 %	1489,3142 litre	O
350	CM	120	CM 203 LEVEL CM	14283,9844 litre	90,213 %	1549,6426 litre	O
350	CM	120	CM 202 LEVEL CM	14222,9855 litre	89,828 %	1610,6415 litre	O
350	CM	120	CM 201 LEVEL CM	14161,3315 litre	89,438 %	1672,2955 litre	O
350	CM	120	CM 200 LEVEL CM	14099,0370 litre	89,045 %	1734,5900 litre	O
350	CM	120	CM 199 LEVEL CM	14036,1164 litre	88,648 %	1797,5106 litre	O
350	CM	120	CM 198 LEVEL CM	13972,5835 litre	88,246 %	1861,0435 litre	O
350	CM	120	CM 197 LEVEL CM	13908,4519 litre	87,841 %	1925,1751 litre	O
350	CM	120	CM 196 LEVEL CM	13843,7346 litre	87,432 %	1989,8924 litre	O
350	CM	120	CM 195 LEVEL CM	13778,4444 litre	87,020 %	2055,1826 litre	O
350	CM	120	CM 194 LEVEL CM	13712,5937 litre	86,604 %	2121,0333 litre	O
350	CM	120	CM 193 LEVEL CM	13646,1947 litre	86,185 %	2187,4323 litre	O
350	CM	120	CM 192 LEVEL CM	13579,2591 litre	85,762 %	2254,3679 litre	O
350	CM	120	CM 191 LEVEL CM	13511,7985 litre	85,336 %	2321,8285 litre	O
350	CM	120	CM 190 LEVEL CM	13443,8241 litre	84,907 %	2389,8029 litre	O
350	CM	120	CM 189 LEVEL CM	13375,3470 litre	84,474 %	2458,2800 litre	O

350	CM	120	CM	188 LEVEL CM	13306,3779 litre	84,039 %	2527,2491 litre	O
350	CM	120	CM	187 LEVEL CM	13236,9273 litre	83,600 %	2596,6997 litre	O
350	CM	120	CM	186 LEVEL CM	13167,0057 litre	83,158 %	2666,6213 litre	O
350	CM	120	CM	185 LEVEL CM	13096,6230 litre	82,714 %	2737,0040 litre	O
350	CM	120	CM	184 LEVEL CM	13025,7893 litre	82,267 %	2807,8377 litre	O
350	CM	120	CM	183 LEVEL CM	12954,5141 litre	81,816 %	2879,1129 litre	O
350	CM	120	CM	182 LEVEL CM	12882,8072 litre	81,364 %	2950,8198 litre	O
350	CM	120	CM	181 LEVEL CM	12810,6779 litre	80,908 %	3022,9491 litre	O
350	CM	120	CM	180 LEVEL CM	12738,1353 litre	80,450 %	3095,4917 litre	O
350	CM	120	CM	179 LEVEL CM	12665,1886 litre	79,989 %	3168,4384 litre	O
350	CM	120	CM	178 LEVEL CM	12591,8467 litre	79,526 %	3241,7803 litre	O
350	CM	120	CM	177 LEVEL CM	12518,1182 litre	79,060 %	3315,5088 litre	O
350	CM	120	CM	176 LEVEL CM	12444,0119 litre	78,592 %	3389,6151 litre	O
350	CM	120	CM	175 LEVEL CM	12369,5362 litre	78,122 %	3464,0908 litre	O
350	CM	120	CM	174 LEVEL CM	12294,6996 litre	77,649 %	3538,9274 litre	O
350	CM	120	CM	173 LEVEL CM	12219,5102 litre	77,174 %	3614,1168 litre	O
350	CM	120	CM	172 LEVEL CM	12143,9761 litre	76,697 %	3689,6509 litre	O
350	CM	120	CM	171 LEVEL CM	12068,1055 litre	76,218 %	3765,5215 litre	O
350	CM	120	CM	170 LEVEL CM	11991,9063 litre	75,737 %	3841,7207 litre	O
350	CM	120	CM	169 LEVEL CM	11915,3862 litre	75,254 %	3918,2408 litre	O
350	CM	120	CM	168 LEVEL CM	11838,5529 litre	74,768 %	3995,0741 litre	O
350	CM	120	CM	167 LEVEL CM	11761,4141 litre	74,281 %	4072,2129 litre	O
350	CM	120	CM	166 LEVEL CM	11683,9774 litre	73,792 %	4149,6496 litre	O
350	CM	120	CM	165 LEVEL CM	11606,2501 litre	73,301 %	4227,3769 litre	O
350	CM	120	CM	164 LEVEL CM	11528,2397 litre	72,809 %	4305,3873 litre	O
350	CM	120	CM	163 LEVEL CM	11449,9533 litre	72,314 %	4383,6737 litre	O
350	CM	120	CM	162 LEVEL CM	11371,3983 litre	71,818 %	4462,2287 litre	O
350	CM	120	CM	161 LEVEL CM	11292,5818 litre	71,320 %	4541,0452 litre	O
350	CM	120	CM	160 LEVEL CM	11213,5107 litre	70,821 %	4620,1163 litre	O
350	CM	120	CM	159 LEVEL CM	11134,1922 litre	70,320 %	4699,4348 litre	O
350	CM	120	CM	158 LEVEL CM	11054,6330 litre	69,817 %	4778,9940 litre	O
350	CM	120	CM	157 LEVEL CM	10974,8402 litre	69,313 %	4858,7868 litre	O
350	CM	120	CM	156 LEVEL CM	10894,8205 litre	68,808 %	4938,8065 litre	O
350	CM	120	CM	155 LEVEL CM	10814,5807 litre	68,301 %	5019,0463 litre	O
350	CM	120	CM	154 LEVEL CM	10734,1274 litre	67,793 %	5099,4996 litre	O
350	CM	120	CM	153 LEVEL CM	10653,4673 litre	67,284 %	5180,1597 litre	O
350	CM	120	CM	152 LEVEL CM	10572,6070 litre	66,773 %	5261,0200 litre	O
350	CM	120	CM	151 LEVEL CM	10491,5529 litre	66,261 %	5342,0741 litre	O
350	CM	120	CM	150 LEVEL CM	10410,3117 litre	65,748 %	5423,3153 litre	O
350	CM	120	CM	149 LEVEL CM	10328,8898 litre	65,234 %	5504,7372 litre	O
350	CM	120	CM	148 LEVEL CM	10247,2935 litre	64,719 %	5586,3335 litre	O
350	CM	120	CM	147 LEVEL CM	10165,5292 litre	64,202 %	5668,0978 litre	O
350	CM	120	CM	146 LEVEL CM	10083,6033 litre	63,685 %	5750,0237 litre	O
350	CM	120	CM	145 LEVEL CM	10001,5220 litre	63,166 %	5832,1050 litre	O
350	CM	120	CM	144 LEVEL CM	9919,2917 litre	62,647 %	5914,3353 litre	O
350	CM	120	CM	143 LEVEL CM	9836,9184 litre	62,127 %	5996,7086 litre	O
350	CM	120	CM	142 LEVEL CM	9754,4084 litre	61,606 %	6079,2186 litre	O
350	CM	120	CM	141 LEVEL CM	9671,7679 litre	61,084 %	6161,8591 litre	O
350	CM	120	CM	140 LEVEL CM	9589,0030 litre	60,561 %	6244,6240 litre	O
350	CM	120	CM	139 LEVEL CM	9506,1197 litre	60,038 %	6327,5073 litre	O
350	CM	120	CM	138 LEVEL CM	9423,1242 litre	59,513 %	6410,5028 litre	O
350	CM	120	CM	137 LEVEL CM	9340,0225 litre	58,989 %	6493,6045 litre	O
350	CM	120	CM	136 LEVEL CM	9256,8206 litre	58,463 %	6576,8064 litre	O

350	CM	120	CM	135 LEVEL CM	9173,5245 litre	57,937 %	6660,1025 litre	O
350	CM	120	CM	134 LEVEL CM	9090,1402 litre	57,410 %	6743,4868 litre	O
350	CM	120	CM	133 LEVEL CM	9006,6737 litre	56,883 %	6826,9533 litre	O
350	CM	120	CM	132 LEVEL CM	8923,1310 litre	56,356 %	6910,4960 litre	O
350	CM	120	CM	131 LEVEL CM	8839,5178 litre	55,827 %	6994,1092 litre	O
350	CM	120	CM	130 LEVEL CM	8755,8402 litre	55,299 %	7077,7868 litre	O
350	CM	120	CM	129 LEVEL CM	8672,1041 litre	54,770 %	7161,5229 litre	O
350	CM	120	CM	128 LEVEL CM	8588,3154 litre	54,241 %	7245,3116 litre	O
350	CM	120	CM	127 LEVEL CM	8504,4798 litre	53,712 %	7329,1472 litre	O
350	CM	120	CM	126 LEVEL CM	8420,6034 litre	53,182 %	7413,0236 litre	O
350	CM	120	CM	125 LEVEL CM	8336,6919 litre	52,652 %	7496,9351 litre	O
350	CM	120	CM	124 LEVEL CM	8252,7513 litre	52,122 %	7580,8757 litre	O
350	CM	120	CM	123 LEVEL CM	8168,7872 litre	51,591 %	7664,8398 litre	O
350	CM	120	CM	122 LEVEL CM	8084,8057 litre	51,061 %	7748,8213 litre	O
350	CM	120	CM	121 LEVEL CM	8000,8125 litre	50,531 %	7832,8145 litre	O
350	CM	120	CM	120 LEVEL CM	7916,8135 litre	50,000 %	7916,8135 litre	O
350	CM	120	CM	119 LEVEL CM	7832,8145 litre	49,469 %	8000,8125 litre	O
350	CM	120	CM	118 LEVEL CM	7748,8213 litre	48,939 %	8084,8057 litre	O
350	CM	120	CM	117 LEVEL CM	7664,8397 litre	48,409 %	8168,7873 litre	O
350	CM	120	CM	116 LEVEL CM	7580,8757 litre	47,878 %	8252,7513 litre	O
350	CM	120	CM	115 LEVEL CM	7496,9350 litre	47,348 %	8336,6920 litre	O
350	CM	120	CM	114 LEVEL CM	7413,0236 litre	46,818 %	8420,6034 litre	O
350	CM	120	CM	113 LEVEL CM	7329,1471 litre	46,288 %	8504,4799 litre	O
350	CM	120	CM	112 LEVEL CM	7245,3116 litre	45,759 %	8588,3154 litre	O
350	CM	120	CM	111 LEVEL CM	7161,5228 litre	45,230 %	8672,1042 litre	O
350	CM	120	CM	110 LEVEL CM	7077,7867 litre	44,701 %	8755,8403 litre	O
350	CM	120	CM	109 LEVEL CM	6994,1092 litre	44,173 %	8839,5178 litre	O
350	CM	120	CM	108 LEVEL CM	6910,4960 litre	43,644 %	8923,1310 litre	O
350	CM	120	CM	107 LEVEL CM	6826,9532 litre	43,117 %	9006,6738 litre	O
350	CM	120	CM	106 LEVEL CM	6743,4867 litre	42,590 %	9090,1403 litre	O
350	CM	120	CM	105 LEVEL CM	6660,1025 litre	42,063 %	9173,5245 litre	O
350	CM	120	CM	104 LEVEL CM	6576,8064 litre	41,537 %	9256,8206 litre	O
350	CM	120	CM	103 LEVEL CM	6493,6045 litre	41,011 %	9340,0225 litre	O
350	CM	120	CM	102 LEVEL CM	6410,5028 litre	40,487 %	9423,1242 litre	O
350	CM	120	CM	101 LEVEL CM	6327,5073 litre	39,962 %	9506,1197 litre	O
350	CM	120	CM	100 LEVEL CM	6244,6240 litre	39,439 %	9589,0030 litre	O
350	CM	120	CM	99 LEVEL CM	6161,8591 litre	38,916 %	9671,7679 litre	O
350	CM	120	CM	98 LEVEL CM	6079,2185 litre	38,394 %	9754,4085 litre	O
350	CM	120	CM	97 LEVEL CM	5996,7086 litre	37,873 %	9836,9184 litre	O
350	CM	120	CM	96 LEVEL CM	5914,3353 litre	37,353 %	9919,2917 litre	O
350	CM	120	CM	95 LEVEL CM	5832,1049 litre	36,834 %	10001,5221 litre	O
350	CM	120	CM	94 LEVEL CM	5750,0237 litre	36,315 %	10083,6033 litre	O
350	CM	120	CM	93 LEVEL CM	5668,0977 litre	35,798 %	10165,5293 litre	O
350	CM	120	CM	92 LEVEL CM	5586,3335 litre	35,281 %	10247,2935 litre	O
350	CM	120	CM	91 LEVEL CM	5504,7372 litre	34,766 %	10328,8898 litre	O
350	CM	120	CM	90 LEVEL CM	5423,3152 litre	34,252 %	10410,3118 litre	O
350	CM	120	CM	89 LEVEL CM	5342,0740 litre	33,739 %	10491,5530 litre	O
350	CM	120	CM	88 LEVEL CM	5261,0200 litre	33,227 %	10572,6070 litre	O
350	CM	120	CM	87 LEVEL CM	5180,1597 litre	32,716 %	10653,4673 litre	O
350	CM	120	CM	86 LEVEL CM	5099,4996 litre	32,207 %	10734,1274 litre	O
350	CM	120	CM	85 LEVEL CM	5019,0463 litre	31,699 %	10814,5807 litre	O
350	CM	120	CM	84 LEVEL CM	4938,8064 litre	31,192 %	10894,8206 litre	O
350	CM	120	CM	83 LEVEL CM	4858,7867 litre	30,687 %	10974,8403 litre	O

350	CM	120	CM	82 LEVEL CM	4778,9939 litre	30,183 %	11054,6331 litre	O
350	CM	120	CM	81 LEVEL CM	4699,4348 litre	29,680 %	11134,1922 litre	O
350	CM	120	CM	80 LEVEL CM	4620,1163 litre	29,179 %	11213,5107 litre	O
350	CM	120	CM	79 LEVEL CM	4541,0452 litre	28,680 %	11292,5818 litre	O
350	CM	120	CM	78 LEVEL CM	4462,2287 litre	28,182 %	11371,3983 litre	O
350	CM	120	CM	77 LEVEL CM	4383,6736 litre	27,686 %	11449,9534 litre	O
350	CM	120	CM	76 LEVEL CM	4305,3873 litre	27,191 %	11528,2397 litre	O
350	CM	120	CM	75 LEVEL CM	4227,3769 litre	26,699 %	11606,2501 litre	O
350	CM	120	CM	74 LEVEL CM	4149,6496 litre	26,208 %	11683,9774 litre	O
350	CM	120	CM	73 LEVEL CM	4072,2128 litre	25,719 %	11761,4142 litre	O
350	CM	120	CM	72 LEVEL CM	3995,0741 litre	25,232 %	11838,5529 litre	O
350	CM	120	CM	71 LEVEL CM	3918,2408 litre	24,746 %	11915,3862 litre	O
350	CM	120	CM	70 LEVEL CM	3841,7207 litre	24,263 %	11991,9063 litre	O
350	CM	120	CM	69 LEVEL CM	3765,5214 litre	23,782 %	12068,1056 litre	O
350	CM	120	CM	68 LEVEL CM	3689,6508 litre	23,303 %	12143,9762 litre	O
350	CM	120	CM	67 LEVEL CM	3614,1168 litre	22,826 %	12219,5102 litre	O
350	CM	120	CM	66 LEVEL CM	3538,9274 litre	22,351 %	12294,6996 litre	O
350	CM	120	CM	65 LEVEL CM	3464,0908 litre	21,878 %	12369,5362 litre	O
350	CM	120	CM	64 LEVEL CM	3389,6151 litre	21,408 %	12444,0119 litre	O
350	CM	120	CM	63 LEVEL CM	3315,5088 litre	20,940 %	12518,1182 litre	O
350	CM	120	CM	62 LEVEL CM	3241,7803 litre	20,474 %	12591,8467 litre	O
350	CM	120	CM	61 LEVEL CM	3168,4384 litre	20,011 %	12665,1886 litre	O
350	CM	120	CM	60 LEVEL CM	3095,4916 litre	19,550 %	12738,1354 litre	O
350	CM	120	CM	59 LEVEL CM	3022,9491 litre	19,092 %	12810,6779 litre	O
350	CM	120	CM	58 LEVEL CM	2950,8197 litre	18,636 %	12882,8073 litre	O
350	CM	120	CM	57 LEVEL CM	2879,1128 litre	18,184 %	12954,5142 litre	O
350	CM	120	CM	56 LEVEL CM	2807,8377 litre	17,733 %	13025,7893 litre	O
350	CM	120	CM	55 LEVEL CM	2737,0040 litre	17,286 %	13096,6230 litre	O
350	CM	120	CM	54 LEVEL CM	2666,6213 litre	16,842 %	13167,0057 litre	O
350	CM	120	CM	53 LEVEL CM	2596,6996 litre	16,400 %	13236,9274 litre	O
350	CM	120	CM	52 LEVEL CM	2527,2491 litre	15,961 %	13306,3779 litre	O
350	CM	120	CM	51 LEVEL CM	2458,2800 litre	15,526 %	13375,3470 litre	O
350	CM	120	CM	50 LEVEL CM	2389,8029 litre	15,093 %	13443,8241 litre	O
350	CM	120	CM	49 LEVEL CM	2321,8285 litre	14,664 %	13511,7985 litre	O
350	CM	120	CM	48 LEVEL CM	2254,3679 litre	14,238 %	13579,2591 litre	O
350	CM	120	CM	47 LEVEL CM	2187,4323 litre	13,815 %	13646,1947 litre	O
350	CM	120	CM	46 LEVEL CM	2121,0333 litre	13,396 %	13712,5937 litre	O
350	CM	120	CM	45 LEVEL CM	2055,1826 litre	12,980 %	13778,4444 litre	O
350	CM	120	CM	44 LEVEL CM	1989,8924 litre	12,568 %	13843,7346 litre	O
350	CM	120	CM	43 LEVEL CM	1925,1751 litre	12,159 %	13908,4519 litre	O
350	CM	120	CM	42 LEVEL CM	1861,0435 litre	11,754 %	13972,5835 litre	O
350	CM	120	CM	41 LEVEL CM	1797,5106 litre	11,352 %	14036,1164 litre	O
350	CM	120	CM	40 LEVEL CM	1734,5900 litre	10,955 %	14099,0370 litre	O
350	CM	120	CM	39 LEVEL CM	1672,2955 litre	10,562 %	14161,3315 litre	O
350	CM	120	CM	38 LEVEL CM	1610,6414 litre	10,172 %	14222,9856 litre	O
350	CM	120	CM	37 LEVEL CM	1549,6426 litre	9,787 %	14283,9844 litre	O
350	CM	120	CM	36 LEVEL CM	1489,3142 litre	9,406 %	14344,3128 litre	O
350	CM	120	CM	35 LEVEL CM	1429,6719 litre	9,029 %	14403,9551 litre	O
350	CM	120	CM	34 LEVEL CM	1370,7322 litre	8,657 %	14462,8948 litre	O
350	CM	120	CM	33 LEVEL CM	1312,5118 litre	8,289 %	14521,1152 litre	O
350	CM	120	CM	32 LEVEL CM	1255,0283 litre	7,926 %	14578,5987 litre	O
350	CM	120	CM	31 LEVEL CM	1198,2999 litre	7,568 %	14635,3271 litre	O
350	CM	120	CM	30 LEVEL CM	1142,3456 litre	7,215 %	14691,2814 litre	O

350	CM	120	CM	29 LEVEL CM	1087,1851 litre	6,866 %	14746,4419 litre	O
350	CM	120	CM	28 LEVEL CM	1032,8390 litre	6,523 %	14800,7880 litre	O
350	CM	120	CM	27 LEVEL CM	979,3288 litre	6,185 %	14854,2982 litre	O
350	CM	120	CM	26 LEVEL CM	926,6772 litre	5,853 %	14906,9498 litre	O
350	CM	120	CM	25 LEVEL CM	874,9078 litre	5,526 %	14958,7192 litre	O
350	CM	120	CM	24 LEVEL CM	824,0456 litre	5,204 %	15009,5814 litre	O
350	CM	120	CM	23 LEVEL CM	774,1168 litre	4,889 %	15059,5102 litre	O
350	CM	120	CM	22 LEVEL CM	725,1493 litre	4,580 %	15108,4777 litre	O
350	CM	120	CM	21 LEVEL CM	677,1725 litre	4,277 %	15156,4545 litre	O
350	CM	120	CM	20 LEVEL CM	630,2178 litre	3,980 %	15203,4092 litre	O
350	CM	120	CM	19 LEVEL CM	584,3185 litre	3,690 %	15249,3085 litre	O
350	CM	120	CM	18 LEVEL CM	539,5106 litre	3,407 %	15294,1164 litre	O
350	CM	120	CM	17 LEVEL CM	495,8324 litre	3,132 %	15337,7946 litre	O
350	CM	120	CM	16 LEVEL CM	453,3254 litre	2,863 %	15380,3016 litre	O
350	CM	120	CM	15 LEVEL CM	412,0349 litre	2,602 %	15421,5921 litre	O
350	CM	120	CM	14 LEVEL CM	372,0099 litre	2,349 %	15461,6171 litre	O
350	CM	120	CM	13 LEVEL CM	333,3046 litre	2,105 %	15500,3224 litre	O
350	CM	120	CM	12 LEVEL CM	295,9786 litre	1,869 %	15537,6484 litre	O
350	CM	120	CM	11 LEVEL CM	260,0986 litre	1,643 %	15573,5284 litre	O
350	CM	120	CM	10 LEVEL CM	225,7397 litre	1,426 %	15607,8873 litre	O
350	CM	120	CM	9 LEVEL CM	192,9875 litre	1,219 %	15640,6395 litre	O
350	CM	120	CM	8 LEVEL CM	161,9407 litre	1,023 %	15671,6863 litre	O
350	CM	120	CM	7 LEVEL CM	132,7157 litre	0,838 %	15700,9113 litre	O
350	CM	120	CM	6 LEVEL CM	105,4520 litre	0,666 %	15728,1750 litre	O
350	CM	120	CM	5 LEVEL CM	80,3220 litre	0,507 %	15753,3050 litre	O
350	CM	120	CM	4 LEVEL CM	57,5465 litre	0,363 %	15776,0805 litre	O
350	CM	120	CM	3 LEVEL CM	37,4248 litre	0,236 %	15796,2022 litre	O
350	CM	120	CM	2 LEVEL CM	20,3971 litre	0,129 %	15813,2299 litre	O
350	CM	120	CM	1 LEVEL CM	7,2205 litre	0,046 %	15826,4065 litre	O
350	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	15833,6270 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM	115	CM 230 LEVEL CM	14541,6470 litre	100,000 %	0,0000 litre	O
350	CM	115	CM 229 LEVEL CM	14534,5789 litre	99,951 %	7,0681 litre	O
350	CM	115	CM 228 LEVEL CM	14521,6815 litre	99,863 %	19,9655 litre	O
350	CM	115	CM 227 LEVEL CM	14505,0162 litre	99,748 %	36,6308 litre	O
350	CM	115	CM 226 LEVEL CM	14485,3245 litre	99,613 %	56,3225 litre	O
350	CM	115	CM 225 LEVEL CM	14463,0379 litre	99,459 %	78,6091 litre	O
350	CM	115	CM 224 LEVEL CM	14438,4495 litre	99,290 %	103,1975 litre	O
350	CM	115	CM 223 LEVEL CM	14411,7760 litre	99,107 %	129,8710 litre	O
350	CM	115	CM 222 LEVEL CM	14383,1864 litre	98,910 %	158,4606 litre	O
350	CM	115	CM 221 LEVEL CM	14352,8177 litre	98,701 %	188,8293 litre	O
350	CM	115	CM 220 LEVEL CM	14320,7838 litre	98,481 %	220,8632 litre	O
350	CM	115	CM 219 LEVEL CM	14287,1818 litre	98,250 %	254,4652 litre	O
350	CM	115	CM 218 LEVEL CM	14252,0957 litre	98,009 %	289,5513 litre	O
350	CM	115	CM 217 LEVEL CM	14215,5993 litre	97,758 %	326,0477 litre	O
350	CM	115	CM 216 LEVEL CM	14177,7580 litre	97,498 %	363,8890 litre	O
350	CM	115	CM 215 LEVEL CM	14138,6306 litre	97,229 %	403,0164 litre	O
350	CM	115	CM 214 LEVEL CM	14098,2702 litre	96,951 %	443,3768 litre	O
350	CM	115	CM 213 LEVEL CM	14056,7251 litre	96,665 %	484,9219 litre	O
350	CM	115	CM 212 LEVEL CM	14014,0397 litre	96,372 %	527,6073 litre	O
350	CM	115	CM 211 LEVEL CM	13970,2549 litre	96,071 %	571,3921 litre	O
350	CM	115	CM 210 LEVEL CM	13925,4085 litre	95,762 %	616,2385 litre	O
350	CM	115	CM 209 LEVEL CM	13879,5359 litre	95,447 %	662,1111 litre	O
350	CM	115	CM 208 LEVEL CM	13832,6698 litre	95,125 %	708,9772 litre	O
350	CM	115	CM 207 LEVEL CM	13784,8412 litre	94,796 %	756,8058 litre	O
350	CM	115	CM 206 LEVEL CM	13736,0792 litre	94,460 %	805,5678 litre	O
350	CM	115	CM 205 LEVEL CM	13686,4111 litre	94,119 %	855,2359 litre	O
350	CM	115	CM 204 LEVEL CM	13635,8629 litre	93,771 %	905,7841 litre	O
350	CM	115	CM 203 LEVEL CM	13584,4591 litre	93,418 %	957,1879 litre	O
350	CM	115	CM 202 LEVEL CM	13532,2232 litre	93,058 %	1009,4238 litre	O
350	CM	115	CM 201 LEVEL CM	13479,1774 litre	92,694 %	1062,4696 litre	O
350	CM	115	CM 200 LEVEL CM	13425,3431 litre	92,323 %	1116,3039 litre	O
350	CM	115	CM 199 LEVEL CM	13370,7405 litre	91,948 %	1170,9065 litre	O
350	CM	115	CM 198 LEVEL CM	13315,3893 litre	91,567 %	1226,2577 litre	O
350	CM	115	CM 197 LEVEL CM	13259,3081 litre	91,182 %	1282,3389 litre	O
350	CM	115	CM 196 LEVEL CM	13202,5149 litre	90,791 %	1339,1321 litre	O
350	CM	115	CM 195 LEVEL CM	13145,0271 litre	90,396 %	1396,6199 litre	O
350	CM	115	CM 194 LEVEL CM	13086,8614 litre	89,996 %	1454,7856 litre	O
350	CM	115	CM 193 LEVEL CM	13028,0339 litre	89,591 %	1513,6131 litre	O
350	CM	115	CM 192 LEVEL CM	12968,5603 litre	89,182 %	1573,0867 litre	O
350	CM	115	CM 191 LEVEL CM	12908,4556 litre	88,769 %	1633,1914 litre	O
350	CM	115	CM 190 LEVEL CM	12847,7344 litre	88,351 %	1693,9126 litre	O
350	CM	115	CM 189 LEVEL CM	12786,4111 litre	87,930 %	1755,2359 litre	O
350	CM	115	CM 188 LEVEL CM	12724,4992 litre	87,504 %	1817,1478 litre	O
350	CM	115	CM 187 LEVEL CM	12662,0122 litre	87,074 %	1879,6348 litre	O
350	CM	115	CM 186 LEVEL CM	12598,9632 litre	86,641 %	1942,6838 litre	O
350	CM	115	CM 185 LEVEL CM	12535,3648 litre	86,203 %	2006,2822 litre	O
350	CM	115	CM 184 LEVEL CM	12471,2293 litre	85,762 %	2070,4177 litre	O
350	CM	115	CM 183 LEVEL CM	12406,5687 litre	85,317 %	2135,0783 litre	O
350	CM	115	CM 182 LEVEL CM	12341,3949 litre	84,869 %	2200,2521 litre	O
350	CM	115	CM 181 LEVEL CM	12275,7193 litre	84,418 %	2265,9277 litre	O
350	CM	115	CM 180 LEVEL CM	12209,5531 litre	83,963 %	2332,0939 litre	O
350	CM	115	CM 179 LEVEL CM	12142,9073 litre	83,504 %	2398,7397 litre	O

350	CM 115	CM	178 LEVEL CM	12075,7925 litre	83,043 %	2465,8545 litre	O
350	CM 115	CM	177 LEVEL CM	12008,2194 litre	82,578 %	2533,4276 litre	O
350	CM 115	CM	176 LEVEL CM	11940,1981 litre	82,110 %	2601,4489 litre	O
350	CM 115	CM	175 LEVEL CM	11871,7389 litre	81,640 %	2669,9081 litre	O
350	CM 115	CM	174 LEVEL CM	11802,8515 litre	81,166 %	2738,7955 litre	O
350	CM 115	CM	173 LEVEL CM	11733,5457 litre	80,689 %	2808,1013 litre	O
350	CM 115	CM	172 LEVEL CM	11663,8310 litre	80,210 %	2877,8160 litre	O
350	CM 115	CM	171 LEVEL CM	11593,7169 litre	79,728 %	2947,9301 litre	O
350	CM 115	CM	170 LEVEL CM	11523,2125 litre	79,243 %	3018,4345 litre	O
350	CM 115	CM	169 LEVEL CM	11452,3268 litre	78,755 %	3089,3202 litre	O
350	CM 115	CM	168 LEVEL CM	11381,0689 litre	78,265 %	3160,5781 litre	O
350	CM 115	CM	167 LEVEL CM	11309,4474 litre	77,773 %	3232,1996 litre	O
350	CM 115	CM	166 LEVEL CM	11237,4710 litre	77,278 %	3304,1760 litre	O
350	CM 115	CM	165 LEVEL CM	11165,1483 litre	76,780 %	3376,4987 litre	O
350	CM 115	CM	164 LEVEL CM	11092,4876 litre	76,281 %	3449,1594 litre	O
350	CM 115	CM	163 LEVEL CM	11019,4972 litre	75,779 %	3522,1498 litre	O
350	CM 115	CM	162 LEVEL CM	10946,1853 litre	75,275 %	3595,4617 litre	O
350	CM 115	CM	161 LEVEL CM	10872,5599 litre	74,768 %	3669,0871 litre	O
350	CM 115	CM	160 LEVEL CM	10798,6290 litre	74,260 %	3743,0180 litre	O
350	CM 115	CM	159 LEVEL CM	10724,4004 litre	73,750 %	3817,2466 litre	O
350	CM 115	CM	158 LEVEL CM	10649,8820 litre	73,237 %	3891,7650 litre	O
350	CM 115	CM	157 LEVEL CM	10575,0813 litre	72,723 %	3966,5657 litre	O
350	CM 115	CM	156 LEVEL CM	10500,0060 litre	72,206 %	4041,6410 litre	O
350	CM 115	CM	155 LEVEL CM	10424,6636 litre	71,688 %	4116,9834 litre	O
350	CM 115	CM	154 LEVEL CM	10349,0614 litre	71,168 %	4192,5856 litre	O
350	CM 115	CM	153 LEVEL CM	10273,2070 litre	70,647 %	4268,4400 litre	O
350	CM 115	CM	152 LEVEL CM	10197,1074 litre	70,123 %	4344,5396 litre	O
350	CM 115	CM	151 LEVEL CM	10120,7700 litre	69,599 %	4420,8770 litre	O
350	CM 115	CM	150 LEVEL CM	10044,2018 litre	69,072 %	4497,4452 litre	O
350	CM 115	CM	149 LEVEL CM	9967,4100 litre	68,544 %	4574,2370 litre	O
350	CM 115	CM	148 LEVEL CM	9890,4016 litre	68,014 %	4651,2454 litre	O
350	CM 115	CM	147 LEVEL CM	9813,1834 litre	67,483 %	4728,4636 litre	O
350	CM 115	CM	146 LEVEL CM	9735,7625 litre	66,951 %	4805,8845 litre	O
350	CM 115	CM	145 LEVEL CM	9658,1456 litre	66,417 %	4883,5014 litre	O
350	CM 115	CM	144 LEVEL CM	9580,3395 litre	65,882 %	4961,3075 litre	O
350	CM 115	CM	143 LEVEL CM	9502,3510 litre	65,346 %	5039,2960 litre	O
350	CM 115	CM	142 LEVEL CM	9424,1868 litre	64,808 %	5117,4602 litre	O
350	CM 115	CM	141 LEVEL CM	9345,8535 litre	64,270 %	5195,7935 litre	O
350	CM 115	CM	140 LEVEL CM	9267,3577 litre	63,730 %	5274,2893 litre	O
350	CM 115	CM	139 LEVEL CM	9188,7061 litre	63,189 %	5352,9409 litre	O
350	CM 115	CM	138 LEVEL CM	9109,9050 litre	62,647 %	5431,7420 litre	O
350	CM 115	CM	137 LEVEL CM	9030,9611 litre	62,104 %	5510,6859 litre	O
350	CM 115	CM	136 LEVEL CM	8951,8807 litre	61,560 %	5589,7663 litre	O
350	CM 115	CM	135 LEVEL CM	8872,6703 litre	61,016 %	5668,9767 litre	O
350	CM 115	CM	134 LEVEL CM	8793,3363 litre	60,470 %	5748,3107 litre	O
350	CM 115	CM	133 LEVEL CM	8713,8850 litre	59,924 %	5827,7620 litre	O
350	CM 115	CM	132 LEVEL CM	8634,3228 litre	59,377 %	5907,3242 litre	O
350	CM 115	CM	131 LEVEL CM	8554,6560 litre	58,829 %	5986,9910 litre	O
350	CM 115	CM	130 LEVEL CM	8474,8908 litre	58,280 %	6066,7562 litre	O
350	CM 115	CM	129 LEVEL CM	8395,0335 litre	57,731 %	6146,6135 litre	O
350	CM 115	CM	128 LEVEL CM	8315,0904 litre	57,181 %	6226,5566 litre	O
350	CM 115	CM	127 LEVEL CM	8235,0676 litre	56,631 %	6306,5794 litre	O
350	CM 115	CM	126 LEVEL CM	8154,9713 litre	56,080 %	6386,6757 litre	O

350	CM 115	CM	125 LEVEL CM	8074,8079 litre	55,529 %	6466,8391 litre	O
350	CM 115	CM	124 LEVEL CM	7994,5833 litre	54,977 %	6547,0637 litre	O
350	CM 115	CM	123 LEVEL CM	7914,3037 litre	54,425 %	6627,3433 litre	O
350	CM 115	CM	122 LEVEL CM	7833,9753 litre	53,873 %	6707,6717 litre	O
350	CM 115	CM	121 LEVEL CM	7753,6043 litre	53,320 %	6788,0427 litre	O
350	CM 115	CM	120 LEVEL CM	7673,1967 litre	52,767 %	6868,4503 litre	O
350	CM 115	CM	119 LEVEL CM	7592,7586 litre	52,214 %	6948,8884 litre	O
350	CM 115	CM	118 LEVEL CM	7512,2961 litre	51,661 %	7029,3509 litre	O
350	CM 115	CM	117 LEVEL CM	7431,8154 litre	51,107 %	7109,8316 litre	O
350	CM 115	CM	116 LEVEL CM	7351,3225 litre	50,554 %	7190,3245 litre	O
350	CM 115	CM	115 LEVEL CM	7270,8235 litre	50,000 %	7270,8235 litre	O
350	CM 115	CM	114 LEVEL CM	7190,3245 litre	49,446 %	7351,3225 litre	O
350	CM 115	CM	113 LEVEL CM	7109,8316 litre	48,893 %	7431,8154 litre	O
350	CM 115	CM	112 LEVEL CM	7029,3509 litre	48,339 %	7512,2961 litre	O
350	CM 115	CM	111 LEVEL CM	6948,8884 litre	47,786 %	7592,7586 litre	O
350	CM 115	CM	110 LEVEL CM	6868,4503 litre	47,233 %	7673,1967 litre	O
350	CM 115	CM	109 LEVEL CM	6788,0427 litre	46,680 %	7753,6043 litre	O
350	CM 115	CM	108 LEVEL CM	6707,6717 litre	46,127 %	7833,9753 litre	O
350	CM 115	CM	107 LEVEL CM	6627,3433 litre	45,575 %	7914,3037 litre	O
350	CM 115	CM	106 LEVEL CM	6547,0637 litre	45,023 %	7994,5833 litre	O
350	CM 115	CM	105 LEVEL CM	6466,8391 litre	44,471 %	8074,8079 litre	O
350	CM 115	CM	104 LEVEL CM	6386,6756 litre	43,920 %	8154,9714 litre	O
350	CM 115	CM	103 LEVEL CM	6306,5794 litre	43,369 %	8235,0676 litre	O
350	CM 115	CM	102 LEVEL CM	6226,5566 litre	42,819 %	8315,0904 litre	O
350	CM 115	CM	101 LEVEL CM	6146,6135 litre	42,269 %	8395,0335 litre	O
350	CM 115	CM	100 LEVEL CM	6066,7562 litre	41,720 %	8474,8908 litre	O
350	CM 115	CM	99 LEVEL CM	5986,9910 litre	41,171 %	8554,6560 litre	O
350	CM 115	CM	98 LEVEL CM	5907,3242 litre	40,623 %	8634,3228 litre	O
350	CM 115	CM	97 LEVEL CM	5827,7620 litre	40,076 %	8713,8850 litre	O
350	CM 115	CM	96 LEVEL CM	5748,3107 litre	39,530 %	8793,3363 litre	O
350	CM 115	CM	95 LEVEL CM	5668,9767 litre	38,984 %	8872,6703 litre	O
350	CM 115	CM	94 LEVEL CM	5589,7663 litre	38,440 %	8951,8807 litre	O
350	CM 115	CM	93 LEVEL CM	5510,6859 litre	37,896 %	9030,9611 litre	O
350	CM 115	CM	92 LEVEL CM	5431,7420 litre	37,353 %	9109,9050 litre	O
350	CM 115	CM	91 LEVEL CM	5352,9409 litre	36,811 %	9188,7061 litre	O
350	CM 115	CM	90 LEVEL CM	5274,2893 litre	36,270 %	9267,3577 litre	O
350	CM 115	CM	89 LEVEL CM	5195,7935 litre	35,730 %	9345,8535 litre	O
350	CM 115	CM	88 LEVEL CM	5117,4602 litre	35,192 %	9424,1868 litre	O
350	CM 115	CM	87 LEVEL CM	5039,2960 litre	34,654 %	9502,3510 litre	O
350	CM 115	CM	86 LEVEL CM	4961,3075 litre	34,118 %	9580,3395 litre	O
350	CM 115	CM	85 LEVEL CM	4883,5014 litre	33,583 %	9658,1456 litre	O
350	CM 115	CM	84 LEVEL CM	4805,8845 litre	33,049 %	9735,7625 litre	O
350	CM 115	CM	83 LEVEL CM	4728,4636 litre	32,517 %	9813,1834 litre	O
350	CM 115	CM	82 LEVEL CM	4651,2454 litre	31,986 %	9890,4016 litre	O
350	CM 115	CM	81 LEVEL CM	4574,2370 litre	31,456 %	9967,4100 litre	O
350	CM 115	CM	80 LEVEL CM	4497,4452 litre	30,928 %	10044,2018 litre	O
350	CM 115	CM	79 LEVEL CM	4420,8770 litre	30,401 %	10120,7700 litre	O
350	CM 115	CM	78 LEVEL CM	4344,5396 litre	29,877 %	10197,1074 litre	O
350	CM 115	CM	77 LEVEL CM	4268,4400 litre	29,353 %	10273,2070 litre	O
350	CM 115	CM	76 LEVEL CM	4192,5856 litre	28,832 %	10349,0614 litre	O
350	CM 115	CM	75 LEVEL CM	4116,9834 litre	28,312 %	10424,6636 litre	O
350	CM 115	CM	74 LEVEL CM	4041,6410 litre	27,794 %	10500,0060 litre	O
350	CM 115	CM	73 LEVEL CM	3966,5657 litre	27,277 %	10575,0813 litre	O

350	CM 115	CM	72 LEVEL CM	3891,7650 litre	26,763 %	10649,8820 litre	O
350	CM 115	CM	71 LEVEL CM	3817,2466 litre	26,250 %	10724,4004 litre	O
350	CM 115	CM	70 LEVEL CM	3743,0180 litre	25,740 %	10798,6290 litre	O
350	CM 115	CM	69 LEVEL CM	3669,0871 litre	25,232 %	10872,5599 litre	O
350	CM 115	CM	68 LEVEL CM	3595,4617 litre	24,725 %	10946,1853 litre	O
350	CM 115	CM	67 LEVEL CM	3522,1498 litre	24,221 %	11019,4972 litre	O
350	CM 115	CM	66 LEVEL CM	3449,1594 litre	23,719 %	11092,4876 litre	O
350	CM 115	CM	65 LEVEL CM	3376,4987 litre	23,220 %	11165,1483 litre	O
350	CM 115	CM	64 LEVEL CM	3304,1760 litre	22,722 %	11237,4710 litre	O
350	CM 115	CM	63 LEVEL CM	3232,1996 litre	22,227 %	11309,4474 litre	O
350	CM 115	CM	62 LEVEL CM	3160,5781 litre	21,735 %	11381,0689 litre	O
350	CM 115	CM	61 LEVEL CM	3089,3202 litre	21,245 %	11452,3268 litre	O
350	CM 115	CM	60 LEVEL CM	3018,4345 litre	20,757 %	11523,2125 litre	O
350	CM 115	CM	59 LEVEL CM	2947,9301 litre	20,272 %	11593,7169 litre	O
350	CM 115	CM	58 LEVEL CM	2877,8160 litre	19,790 %	11663,8310 litre	O
350	CM 115	CM	57 LEVEL CM	2808,1013 litre	19,311 %	11733,5457 litre	O
350	CM 115	CM	56 LEVEL CM	2738,7955 litre	18,834 %	11802,8515 litre	O
350	CM 115	CM	55 LEVEL CM	2669,9081 litre	18,360 %	11871,7389 litre	O
350	CM 115	CM	54 LEVEL CM	2601,4489 litre	17,890 %	11940,1981 litre	O
350	CM 115	CM	53 LEVEL CM	2533,4276 litre	17,422 %	12008,2194 litre	O
350	CM 115	CM	52 LEVEL CM	2465,8545 litre	16,957 %	12075,7925 litre	O
350	CM 115	CM	51 LEVEL CM	2398,7397 litre	16,496 %	12142,9073 litre	O
350	CM 115	CM	50 LEVEL CM	2332,0939 litre	16,037 %	12209,5531 litre	O
350	CM 115	CM	49 LEVEL CM	2265,9277 litre	15,582 %	12275,7193 litre	O
350	CM 115	CM	48 LEVEL CM	2200,2521 litre	15,131 %	12341,3949 litre	O
350	CM 115	CM	47 LEVEL CM	2135,0783 litre	14,683 %	12406,5687 litre	O
350	CM 115	CM	46 LEVEL CM	2070,4177 litre	14,238 %	12471,2293 litre	O
350	CM 115	CM	45 LEVEL CM	2006,2822 litre	13,797 %	12535,3648 litre	O
350	CM 115	CM	44 LEVEL CM	1942,6838 litre	13,359 %	12598,9632 litre	O
350	CM 115	CM	43 LEVEL CM	1879,6348 litre	12,926 %	12662,0122 litre	O
350	CM 115	CM	42 LEVEL CM	1817,1478 litre	12,496 %	12724,4992 litre	O
350	CM 115	CM	41 LEVEL CM	1755,2359 litre	12,070 %	12786,4111 litre	O
350	CM 115	CM	40 LEVEL CM	1693,9126 litre	11,649 %	12847,7344 litre	O
350	CM 115	CM	39 LEVEL CM	1633,1914 litre	11,231 %	12908,4556 litre	O
350	CM 115	CM	38 LEVEL CM	1573,0867 litre	10,818 %	12968,5603 litre	O
350	CM 115	CM	37 LEVEL CM	1513,6131 litre	10,409 %	13028,0339 litre	O
350	CM 115	CM	36 LEVEL CM	1454,7856 litre	10,004 %	13086,8614 litre	O
350	CM 115	CM	35 LEVEL CM	1396,6199 litre	9,604 %	13145,0271 litre	O
350	CM 115	CM	34 LEVEL CM	1339,1321 litre	9,209 %	13202,5149 litre	O
350	CM 115	CM	33 LEVEL CM	1282,3389 litre	8,818 %	13259,3081 litre	O
350	CM 115	CM	32 LEVEL CM	1226,2577 litre	8,433 %	13315,3893 litre	O
350	CM 115	CM	31 LEVEL CM	1170,9065 litre	8,052 %	13370,7405 litre	O
350	CM 115	CM	30 LEVEL CM	1116,3039 litre	7,677 %	13425,3431 litre	O
350	CM 115	CM	29 LEVEL CM	1062,4696 litre	7,306 %	13479,1774 litre	O
350	CM 115	CM	28 LEVEL CM	1009,4238 litre	6,942 %	13532,2232 litre	O
350	CM 115	CM	27 LEVEL CM	957,1879 litre	6,582 %	13584,4591 litre	O
350	CM 115	CM	26 LEVEL CM	905,7841 litre	6,229 %	13635,8629 litre	O
350	CM 115	CM	25 LEVEL CM	855,2359 litre	5,881 %	13686,4111 litre	O
350	CM 115	CM	24 LEVEL CM	805,5678 litre	5,540 %	13736,0792 litre	O
350	CM 115	CM	23 LEVEL CM	756,8058 litre	5,204 %	13784,8412 litre	O
350	CM 115	CM	22 LEVEL CM	708,9772 litre	4,875 %	13832,6698 litre	O
350	CM 115	CM	21 LEVEL CM	662,1111 litre	4,553 %	13879,5359 litre	O
350	CM 115	CM	20 LEVEL CM	616,2385 litre	4,238 %	13925,4085 litre	O

350	CM	115	CM	19 LEVEL CM	571,3921 litre	3,929 %	13970,2549 litre	O
350	CM	115	CM	18 LEVEL CM	527,6073 litre	3,628 %	14014,0397 litre	O
350	CM	115	CM	17 LEVEL CM	484,9219 litre	3,335 %	14056,7251 litre	O
350	CM	115	CM	16 LEVEL CM	443,3768 litre	3,049 %	14098,2702 litre	O
350	CM	115	CM	15 LEVEL CM	403,0164 litre	2,771 %	14138,6306 litre	O
350	CM	115	CM	14 LEVEL CM	363,8890 litre	2,502 %	14177,7580 litre	O
350	CM	115	CM	13 LEVEL CM	326,0477 litre	2,242 %	14215,5993 litre	O
350	CM	115	CM	12 LEVEL CM	289,5513 litre	1,991 %	14252,0957 litre	O
350	CM	115	CM	11 LEVEL CM	254,4652 litre	1,750 %	14287,1818 litre	O
350	CM	115	CM	10 LEVEL CM	220,8632 litre	1,519 %	14320,7838 litre	O
350	CM	115	CM	9 LEVEL CM	188,8293 litre	1,299 %	14352,8177 litre	O
350	CM	115	CM	8 LEVEL CM	158,4606 litre	1,090 %	14383,1864 litre	O
350	CM	115	CM	7 LEVEL CM	129,8710 litre	0,893 %	14411,7760 litre	O
350	CM	115	CM	6 LEVEL CM	103,1975 litre	0,710 %	14438,4495 litre	O
350	CM	115	CM	5 LEVEL CM	78,6091 litre	0,541 %	14463,0379 litre	O
350	CM	115	CM	4 LEVEL CM	56,3225 litre	0,387 %	14485,3245 litre	O
350	CM	115	CM	3 LEVEL CM	36,6308 litre	0,252 %	14505,0162 litre	O
350	CM	115	CM	2 LEVEL CM	19,9655 litre	0,137 %	14521,6815 litre	O
350	CM	115	CM	1 LEVEL CM	7,0681 litre	0,049 %	14534,5789 litre	O
350	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	14541,6470 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM	110	CM 220 LEVEL CM	13304,6449 litre	100,000 %	0,0000 litre	O
350	CM	110	CM 219 LEVEL CM	13297,7325 litre	99,948 %	6,9124 litre	O
350	CM	110	CM 218 LEVEL CM	13285,1206 litre	99,853 %	19,5243 litre	O
350	CM	110	CM 217 LEVEL CM	13268,8257 litre	99,731 %	35,8192 litre	O
350	CM	110	CM 216 LEVEL CM	13249,5736 litre	99,586 %	55,0713 litre	O
350	CM	110	CM 215 LEVEL CM	13227,7868 litre	99,422 %	76,8581 litre	O
350	CM	110	CM 214 LEVEL CM	13203,7523 litre	99,242 %	100,8926 litre	O
350	CM	110	CM 213 LEVEL CM	13177,6823 litre	99,046 %	126,9626 litre	O
350	CM	110	CM 212 LEVEL CM	13149,7426 litre	98,836 %	154,9023 litre	O
350	CM	110	CM 211 LEVEL CM	13120,0673 litre	98,613 %	184,5776 litre	O
350	CM	110	CM 210 LEVEL CM	13088,7683 litre	98,377 %	215,8766 litre	O
350	CM	110	CM 209 LEVEL CM	13055,9407 litre	98,131 %	248,7042 litre	O
350	CM	110	CM 208 LEVEL CM	13021,6669 litre	97,873 %	282,9780 litre	O
350	CM	110	CM 207 LEVEL CM	12986,0194 litre	97,605 %	318,6255 litre	O
350	CM	110	CM 206 LEVEL CM	12949,0624 litre	97,327 %	355,5825 litre	O
350	CM	110	CM 205 LEVEL CM	12910,8536 litre	97,040 %	393,7913 litre	O
350	CM	110	CM 204 LEVEL CM	12871,4452 litre	96,744 %	433,1997 litre	O
350	CM	110	CM 203 LEVEL CM	12830,8847 litre	96,439 %	473,7602 litre	O
350	CM	110	CM 202 LEVEL CM	12789,2158 litre	96,126 %	515,4291 litre	O
350	CM	110	CM 201 LEVEL CM	12746,4786 litre	95,805 %	558,1663 litre	O
350	CM	110	CM 200 LEVEL CM	12702,7105 litre	95,476 %	601,9344 litre	O
350	CM	110	CM 199 LEVEL CM	12657,9460 litre	95,139 %	646,6989 litre	O
350	CM	110	CM 198 LEVEL CM	12612,2177 litre	94,796 %	692,4272 litre	O
350	CM	110	CM 197 LEVEL CM	12565,5559 litre	94,445 %	739,0890 litre	O
350	CM	110	CM 196 LEVEL CM	12517,9892 litre	94,087 %	786,6557 litre	O
350	CM	110	CM 195 LEVEL CM	12469,5446 litre	93,723 %	835,1003 litre	O
350	CM	110	CM 194 LEVEL CM	12420,2478 litre	93,353 %	884,3971 litre	O
350	CM	110	CM 193 LEVEL CM	12370,1229 litre	92,976 %	934,5220 litre	O
350	CM	110	CM 192 LEVEL CM	12319,1931 litre	92,593 %	985,4518 litre	O
350	CM	110	CM 191 LEVEL CM	12267,4804 litre	92,204 %	1037,1645 litre	O
350	CM	110	CM 190 LEVEL CM	12215,0057 litre	91,810 %	1089,6392 litre	O
350	CM	110	CM 189 LEVEL CM	12161,7893 litre	91,410 %	1142,8556 litre	O
350	CM	110	CM 188 LEVEL CM	12107,8503 litre	91,005 %	1196,7946 litre	O
350	CM	110	CM 187 LEVEL CM	12053,2073 litre	90,594 %	1251,4376 litre	O
350	CM	110	CM 186 LEVEL CM	11997,8781 litre	90,178 %	1306,7668 litre	O
350	CM	110	CM 185 LEVEL CM	11941,8799 litre	89,757 %	1362,7650 litre	O
350	CM	110	CM 184 LEVEL CM	11885,2292 litre	89,331 %	1419,4157 litre	O
350	CM	110	CM 183 LEVEL CM	11827,9420 litre	88,901 %	1476,7029 litre	O
350	CM	110	CM 182 LEVEL CM	11770,0337 litre	88,466 %	1534,6112 litre	O
350	CM	110	CM 181 LEVEL CM	11711,5194 litre	88,026 %	1593,1255 litre	O
350	CM	110	CM 180 LEVEL CM	11652,4135 litre	87,582 %	1652,2314 litre	O
350	CM	110	CM 179 LEVEL CM	11592,7301 litre	87,133 %	1711,9148 litre	O
350	CM	110	CM 178 LEVEL CM	11532,4829 litre	86,680 %	1772,1620 litre	O
350	CM	110	CM 177 LEVEL CM	11471,6851 litre	86,223 %	1832,9598 litre	O
350	CM	110	CM 176 LEVEL CM	11410,3496 litre	85,762 %	1894,2953 litre	O
350	CM	110	CM 175 LEVEL CM	11348,4892 litre	85,297 %	1956,1557 litre	O
350	CM	110	CM 174 LEVEL CM	11286,1160 litre	84,828 %	2018,5289 litre	O
350	CM	110	CM 173 LEVEL CM	11223,2420 litre	84,356 %	2081,4029 litre	O
350	CM	110	CM 172 LEVEL CM	11159,8790 litre	83,880 %	2144,7659 litre	O
350	CM	110	CM 171 LEVEL CM	11096,0383 litre	83,400 %	2208,6066 litre	O
350	CM	110	CM 170 LEVEL CM	11031,7310 litre	82,916 %	2272,9139 litre	O
350	CM	110	CM 169 LEVEL CM	10966,9682 litre	82,430 %	2337,6767 litre	O

350	CM 110	CM	168 LEVEL CM	10901,7606 litre	81,940 %	2402,8843 litre	O
350	CM 110	CM	167 LEVEL CM	10836,1185 litre	81,446 %	2468,5264 litre	O
350	CM 110	CM	166 LEVEL CM	10770,0523 litre	80,950 %	2534,5926 litre	O
350	CM 110	CM	165 LEVEL CM	10703,5721 litre	80,450 %	2601,0728 litre	O
350	CM 110	CM	164 LEVEL CM	10636,6876 litre	79,947 %	2667,9573 litre	O
350	CM 110	CM	163 LEVEL CM	10569,4088 litre	79,441 %	2735,2361 litre	O
350	CM 110	CM	162 LEVEL CM	10501,7450 litre	78,933 %	2802,8999 litre	O
350	CM 110	CM	161 LEVEL CM	10433,7057 litre	78,422 %	2870,9392 litre	O
350	CM 110	CM	160 LEVEL CM	10365,3001 litre	77,907 %	2939,3448 litre	O
350	CM 110	CM	159 LEVEL CM	10296,5373 litre	77,391 %	3008,1076 litre	O
350	CM 110	CM	158 LEVEL CM	10227,4262 litre	76,871 %	3077,2187 litre	O
350	CM 110	CM	157 LEVEL CM	10157,9756 litre	76,349 %	3146,6693 litre	O
350	CM 110	CM	156 LEVEL CM	10088,1942 litre	75,825 %	3216,4507 litre	O
350	CM 110	CM	155 LEVEL CM	10018,0905 litre	75,298 %	3286,5544 litre	O
350	CM 110	CM	154 LEVEL CM	9947,6729 litre	74,768 %	3356,9720 litre	O
350	CM 110	CM	153 LEVEL CM	9876,9499 litre	74,237 %	3427,6950 litre	O
350	CM 110	CM	152 LEVEL CM	9805,9295 litre	73,703 %	3498,7154 litre	O
350	CM 110	CM	151 LEVEL CM	9734,6200 litre	73,167 %	3570,0249 litre	O
350	CM 110	CM	150 LEVEL CM	9663,0293 litre	72,629 %	3641,6156 litre	O
350	CM 110	CM	149 LEVEL CM	9591,1653 litre	72,089 %	3713,4796 litre	O
350	CM 110	CM	148 LEVEL CM	9519,0359 litre	71,547 %	3785,6090 litre	O
350	CM 110	CM	147 LEVEL CM	9446,6488 litre	71,003 %	3857,9961 litre	O
350	CM 110	CM	146 LEVEL CM	9374,0117 litre	70,457 %	3930,6332 litre	O
350	CM 110	CM	145 LEVEL CM	9301,1321 litre	69,909 %	4003,5128 litre	O
350	CM 110	CM	144 LEVEL CM	9228,0176 litre	69,359 %	4076,6273 litre	O
350	CM 110	CM	143 LEVEL CM	9154,6756 litre	68,808 %	4149,9693 litre	O
350	CM 110	CM	142 LEVEL CM	9081,1134 litre	68,255 %	4223,5315 litre	O
350	CM 110	CM	141 LEVEL CM	9007,3384 litre	67,701 %	4297,3065 litre	O
350	CM 110	CM	140 LEVEL CM	8933,3578 litre	67,145 %	4371,2871 litre	O
350	CM 110	CM	139 LEVEL CM	8859,1787 litre	66,587 %	4445,4662 litre	O
350	CM 110	CM	138 LEVEL CM	8784,8083 litre	66,028 %	4519,8366 litre	O
350	CM 110	CM	137 LEVEL CM	8710,2537 litre	65,468 %	4594,3912 litre	O
350	CM 110	CM	136 LEVEL CM	8635,5218 litre	64,906 %	4669,1231 litre	O
350	CM 110	CM	135 LEVEL CM	8560,6196 litre	64,343 %	4744,0253 litre	O
350	CM 110	CM	134 LEVEL CM	8485,5541 litre	63,779 %	4819,0908 litre	O
350	CM 110	CM	133 LEVEL CM	8410,3321 litre	63,214 %	4894,3128 litre	O
350	CM 110	CM	132 LEVEL CM	8334,9604 litre	62,647 %	4969,6845 litre	O
350	CM 110	CM	131 LEVEL CM	8259,4458 litre	62,079 %	5045,1991 litre	O
350	CM 110	CM	130 LEVEL CM	8183,7950 litre	61,511 %	5120,8499 litre	O
350	CM 110	CM	129 LEVEL CM	8108,0148 litre	60,941 %	5196,6301 litre	O
350	CM 110	CM	128 LEVEL CM	8032,1119 litre	60,371 %	5272,5330 litre	O
350	CM 110	CM	127 LEVEL CM	7956,0929 litre	59,799 %	5348,5520 litre	O
350	CM 110	CM	126 LEVEL CM	7879,9643 litre	59,227 %	5424,6806 litre	O
350	CM 110	CM	125 LEVEL CM	7803,7328 litre	58,654 %	5500,9121 litre	O
350	CM 110	CM	124 LEVEL CM	7727,4050 litre	58,081 %	5577,2399 litre	O
350	CM 110	CM	123 LEVEL CM	7650,9874 litre	57,506 %	5653,6575 litre	O
350	CM 110	CM	122 LEVEL CM	7574,4864 litre	56,931 %	5730,1585 litre	O
350	CM 110	CM	121 LEVEL CM	7497,9087 litre	56,356 %	5806,7362 litre	O
350	CM 110	CM	120 LEVEL CM	7421,2605 litre	55,779 %	5883,3844 litre	O
350	CM 110	CM	119 LEVEL CM	7344,5485 litre	55,203 %	5960,0964 litre	O
350	CM 110	CM	118 LEVEL CM	7267,7790 litre	54,626 %	6036,8659 litre	O
350	CM 110	CM	117 LEVEL CM	7190,9584 litre	54,048 %	6113,6865 litre	O
350	CM 110	CM	116 LEVEL CM	7114,0933 litre	53,471 %	6190,5516 litre	O

350	CM 110	CM	115 LEVEL CM	7037,1898 litre	52,893 %	6267,4551 litre	O
350	CM 110	CM	114 LEVEL CM	6960,2546 litre	52,314 %	6344,3903 litre	O
350	CM 110	CM	113 LEVEL CM	6883,2938 litre	51,736 %	6421,3511 litre	O
350	CM 110	CM	112 LEVEL CM	6806,3140 litre	51,157 %	6498,3309 litre	O
350	CM 110	CM	111 LEVEL CM	6729,3214 litre	50,579 %	6575,3235 litre	O
350	CM 110	CM	110 LEVEL CM	6652,3224 litre	50,000 %	6652,3225 litre	O
350	CM 110	CM	109 LEVEL CM	6575,3235 litre	49,421 %	6729,3214 litre	O
350	CM 110	CM	108 LEVEL CM	6498,3309 litre	48,843 %	6806,3140 litre	O
350	CM 110	CM	107 LEVEL CM	6421,3511 litre	48,264 %	6883,2938 litre	O
350	CM 110	CM	106 LEVEL CM	6344,3903 litre	47,686 %	6960,2546 litre	O
350	CM 110	CM	105 LEVEL CM	6267,4551 litre	47,107 %	7037,1898 litre	O
350	CM 110	CM	104 LEVEL CM	6190,5516 litre	46,529 %	7114,0933 litre	O
350	CM 110	CM	103 LEVEL CM	6113,6865 litre	45,952 %	7190,9584 litre	O
350	CM 110	CM	102 LEVEL CM	6036,8659 litre	45,374 %	7267,7790 litre	O
350	CM 110	CM	101 LEVEL CM	5960,0964 litre	44,797 %	7344,5485 litre	O
350	CM 110	CM	100 LEVEL CM	5883,3844 litre	44,221 %	7421,2605 litre	O
350	CM 110	CM	99 LEVEL CM	5806,7362 litre	43,644 %	7497,9087 litre	O
350	CM 110	CM	98 LEVEL CM	5730,1585 litre	43,069 %	7574,4864 litre	O
350	CM 110	CM	97 LEVEL CM	5653,6575 litre	42,494 %	7650,9874 litre	O
350	CM 110	CM	96 LEVEL CM	5577,2399 litre	41,919 %	7727,4050 litre	O
350	CM 110	CM	95 LEVEL CM	5500,9120 litre	41,346 %	7803,7329 litre	O
350	CM 110	CM	94 LEVEL CM	5424,6806 litre	40,773 %	7879,9643 litre	O
350	CM 110	CM	93 LEVEL CM	5348,5520 litre	40,201 %	7956,0929 litre	O
350	CM 110	CM	92 LEVEL CM	5272,5330 litre	39,629 %	8032,1119 litre	O
350	CM 110	CM	91 LEVEL CM	5196,6300 litre	39,059 %	8108,0149 litre	O
350	CM 110	CM	90 LEVEL CM	5120,8499 litre	38,489 %	8183,7950 litre	O
350	CM 110	CM	89 LEVEL CM	5045,1991 litre	37,921 %	8259,4458 litre	O
350	CM 110	CM	88 LEVEL CM	4969,6845 litre	37,353 %	8334,9604 litre	O
350	CM 110	CM	87 LEVEL CM	4894,3128 litre	36,786 %	8410,3321 litre	O
350	CM 110	CM	86 LEVEL CM	4819,0908 litre	36,221 %	8485,5541 litre	O
350	CM 110	CM	85 LEVEL CM	4744,0252 litre	35,657 %	8560,6197 litre	O
350	CM 110	CM	84 LEVEL CM	4669,1231 litre	35,094 %	8635,5218 litre	O
350	CM 110	CM	83 LEVEL CM	4594,3912 litre	34,532 %	8710,2537 litre	O
350	CM 110	CM	82 LEVEL CM	4519,8366 litre	33,972 %	8784,8083 litre	O
350	CM 110	CM	81 LEVEL CM	4445,4662 litre	33,413 %	8859,1787 litre	O
350	CM 110	CM	80 LEVEL CM	4371,2871 litre	32,855 %	8933,3578 litre	O
350	CM 110	CM	79 LEVEL CM	4297,3065 litre	32,299 %	9007,3384 litre	O
350	CM 110	CM	78 LEVEL CM	4223,5315 litre	31,745 %	9081,1134 litre	O
350	CM 110	CM	77 LEVEL CM	4149,9693 litre	31,192 %	9154,6756 litre	O
350	CM 110	CM	76 LEVEL CM	4076,6273 litre	30,641 %	9228,0176 litre	O
350	CM 110	CM	75 LEVEL CM	4003,5128 litre	30,091 %	9301,1321 litre	O
350	CM 110	CM	74 LEVEL CM	3930,6332 litre	29,543 %	9374,0117 litre	O
350	CM 110	CM	73 LEVEL CM	3857,9961 litre	28,997 %	9446,6488 litre	O
350	CM 110	CM	72 LEVEL CM	3785,6090 litre	28,453 %	9519,0359 litre	O
350	CM 110	CM	71 LEVEL CM	3713,4796 litre	27,911 %	9591,1653 litre	O
350	CM 110	CM	70 LEVEL CM	3641,6156 litre	27,371 %	9663,0293 litre	O
350	CM 110	CM	69 LEVEL CM	3570,0249 litre	26,833 %	9734,6200 litre	O
350	CM 110	CM	68 LEVEL CM	3498,7153 litre	26,297 %	9805,9296 litre	O
350	CM 110	CM	67 LEVEL CM	3427,6950 litre	25,763 %	9876,9499 litre	O
350	CM 110	CM	66 LEVEL CM	3356,9720 litre	25,232 %	9947,6729 litre	O
350	CM 110	CM	65 LEVEL CM	3286,5544 litre	24,702 %	10018,0905 litre	O
350	CM 110	CM	64 LEVEL CM	3216,4507 litre	24,175 %	10088,1942 litre	O
350	CM 110	CM	63 LEVEL CM	3146,6693 litre	23,651 %	10157,9756 litre	O

350	CM 110	CM	62 LEVEL CM	3077,2187 litre	23,129 %	10227,4262 litre	O
350	CM 110	CM	61 LEVEL CM	3008,1076 litre	22,609 %	10296,5373 litre	O
350	CM 110	CM	60 LEVEL CM	2939,3447 litre	22,093 %	10365,3002 litre	O
350	CM 110	CM	59 LEVEL CM	2870,9391 litre	21,578 %	10433,7058 litre	O
350	CM 110	CM	58 LEVEL CM	2802,8999 litre	21,067 %	10501,7450 litre	O
350	CM 110	CM	57 LEVEL CM	2735,2361 litre	20,559 %	10569,4088 litre	O
350	CM 110	CM	56 LEVEL CM	2667,9572 litre	20,053 %	10636,6877 litre	O
350	CM 110	CM	55 LEVEL CM	2601,0728 litre	19,550 %	10703,5721 litre	O
350	CM 110	CM	54 LEVEL CM	2534,5926 litre	19,050 %	10770,0523 litre	O
350	CM 110	CM	53 LEVEL CM	2468,5264 litre	18,554 %	10836,1185 litre	O
350	CM 110	CM	52 LEVEL CM	2402,8843 litre	18,060 %	10901,7606 litre	O
350	CM 110	CM	51 LEVEL CM	2337,6767 litre	17,570 %	10966,9682 litre	O
350	CM 110	CM	50 LEVEL CM	2272,9139 litre	17,084 %	11031,7310 litre	O
350	CM 110	CM	49 LEVEL CM	2208,6066 litre	16,600 %	11096,0383 litre	O
350	CM 110	CM	48 LEVEL CM	2144,7659 litre	16,120 %	11159,8790 litre	O
350	CM 110	CM	47 LEVEL CM	2081,4029 litre	15,644 %	11223,2420 litre	O
350	CM 110	CM	46 LEVEL CM	2018,5289 litre	15,172 %	11286,1160 litre	O
350	CM 110	CM	45 LEVEL CM	1956,1557 litre	14,703 %	11348,4892 litre	O
350	CM 110	CM	44 LEVEL CM	1894,2952 litre	14,238 %	11410,3497 litre	O
350	CM 110	CM	43 LEVEL CM	1832,9598 litre	13,777 %	11471,6851 litre	O
350	CM 110	CM	42 LEVEL CM	1772,1620 litre	13,320 %	11532,4829 litre	O
350	CM 110	CM	41 LEVEL CM	1711,9148 litre	12,867 %	11592,7301 litre	O
350	CM 110	CM	40 LEVEL CM	1652,2314 litre	12,418 %	11652,4135 litre	O
350	CM 110	CM	39 LEVEL CM	1593,1255 litre	11,974 %	11711,5194 litre	O
350	CM 110	CM	38 LEVEL CM	1534,6111 litre	11,534 %	11770,0338 litre	O
350	CM 110	CM	37 LEVEL CM	1476,7029 litre	11,099 %	11827,9420 litre	O
350	CM 110	CM	36 LEVEL CM	1419,4157 litre	10,669 %	11885,2292 litre	O
350	CM 110	CM	35 LEVEL CM	1362,7650 litre	10,243 %	11941,8799 litre	O
350	CM 110	CM	34 LEVEL CM	1306,7668 litre	9,822 %	11997,8781 litre	O
350	CM 110	CM	33 LEVEL CM	1251,4376 litre	9,406 %	12053,2073 litre	O
350	CM 110	CM	32 LEVEL CM	1196,7946 litre	8,995 %	12107,8503 litre	O
350	CM 110	CM	31 LEVEL CM	1142,8556 litre	8,590 %	12161,7893 litre	O
350	CM 110	CM	30 LEVEL CM	1089,6391 litre	8,190 %	12215,0058 litre	O
350	CM 110	CM	29 LEVEL CM	1037,1645 litre	7,796 %	12267,4804 litre	O
350	CM 110	CM	28 LEVEL CM	985,4518 litre	7,407 %	12319,1931 litre	O
350	CM 110	CM	27 LEVEL CM	934,5220 litre	7,024 %	12370,1229 litre	O
350	CM 110	CM	26 LEVEL CM	884,3971 litre	6,647 %	12420,2478 litre	O
350	CM 110	CM	25 LEVEL CM	835,1003 litre	6,277 %	12469,5446 litre	O
350	CM 110	CM	24 LEVEL CM	786,6557 litre	5,913 %	12517,9892 litre	O
350	CM 110	CM	23 LEVEL CM	739,0890 litre	5,555 %	12565,5559 litre	O
350	CM 110	CM	22 LEVEL CM	692,4272 litre	5,204 %	12612,2177 litre	O
350	CM 110	CM	21 LEVEL CM	646,6988 litre	4,861 %	12657,9461 litre	O
350	CM 110	CM	20 LEVEL CM	601,9344 litre	4,524 %	12702,7105 litre	O
350	CM 110	CM	19 LEVEL CM	558,1662 litre	4,195 %	12746,4787 litre	O
350	CM 110	CM	18 LEVEL CM	515,4291 litre	3,874 %	12789,2158 litre	O
350	CM 110	CM	17 LEVEL CM	473,7602 litre	3,561 %	12830,8847 litre	O
350	CM 110	CM	16 LEVEL CM	433,1997 litre	3,256 %	12871,4452 litre	O
350	CM 110	CM	15 LEVEL CM	393,7913 litre	2,960 %	12910,8536 litre	O
350	CM 110	CM	14 LEVEL CM	355,5825 litre	2,673 %	12949,0624 litre	O
350	CM 110	CM	13 LEVEL CM	318,6255 litre	2,395 %	12986,0194 litre	O
350	CM 110	CM	12 LEVEL CM	282,9780 litre	2,127 %	13021,6669 litre	O
350	CM 110	CM	11 LEVEL CM	248,7042 litre	1,869 %	13055,9407 litre	O
350	CM 110	CM	10 LEVEL CM	215,8766 litre	1,623 %	13088,7683 litre	O

350_110

-1987-

350	CM	110	CM	9 LEVEL CM	184,5775 litre	1,387 %	13120,0674 litre	O
350	CM	110	CM	8 LEVEL CM	154,9023 litre	1,164 %	13149,7426 litre	O
350	CM	110	CM	7 LEVEL CM	126,9626 litre	0,954 %	13177,6823 litre	O
350	CM	110	CM	6 LEVEL CM	100,8926 litre	0,758 %	13203,7523 litre	O
350	CM	110	CM	5 LEVEL CM	76,8581 litre	0,578 %	13227,7868 litre	O
350	CM	110	CM	4 LEVEL CM	55,0713 litre	0,414 %	13249,5736 litre	O
350	CM	110	CM	3 LEVEL CM	35,8192 litre	0,269 %	13268,8257 litre	O
350	CM	110	CM	2 LEVEL CM	19,5243 litre	0,147 %	13285,1206 litre	O
350	CM	110	CM	1 LEVEL CM	6,9123 litre	0,052 %	13297,7326 litre	O
350	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	13304,6449 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM 105	CM 210 LEVEL CM	12122,6207 litre	100,000 %	0,0000 litre	O
350	CM 105	CM 209 LEVEL CM	12115,8677 litre	99,944 %	6,7530 litre	O
350	CM 105	CM 208 LEVEL CM	12103,5478 litre	99,843 %	19,0729 litre	O
350	CM 105	CM 207 LEVEL CM	12087,6319 litre	99,711 %	34,9888 litre	O
350	CM 105	CM 206 LEVEL CM	12068,8297 litre	99,556 %	53,7910 litre	O
350	CM 105	CM 205 LEVEL CM	12047,5544 litre	99,381 %	75,0663 litre	O
350	CM 105	CM 204 LEVEL CM	12024,0868 litre	99,187 %	98,5339 litre	O
350	CM 105	CM 203 LEVEL CM	11998,6348 litre	98,977 %	123,9859 litre	O
350	CM 105	CM 202 LEVEL CM	11971,3604 litre	98,752 %	151,2603 litre	O
350	CM 105	CM 201 LEVEL CM	11942,3952 litre	98,513 %	180,2255 litre	O
350	CM 105	CM 200 LEVEL CM	11911,8486 litre	98,261 %	210,7721 litre	O
350	CM 105	CM 199 LEVEL CM	11879,8141 litre	97,997 %	242,8066 litre	O
350	CM 105	CM 198 LEVEL CM	11846,3723 litre	97,721 %	276,2484 litre	O
350	CM 105	CM 197 LEVEL CM	11811,5944 litre	97,434 %	311,0263 litre	O
350	CM 105	CM 196 LEVEL CM	11775,5434 litre	97,137 %	347,0773 litre	O
350	CM 105	CM 195 LEVEL CM	11738,2758 litre	96,830 %	384,3449 litre	O
350	CM 105	CM 194 LEVEL CM	11699,8431 litre	96,512 %	422,7776 litre	O
350	CM 105	CM 193 LEVEL CM	11660,2917 litre	96,186 %	462,3290 litre	O
350	CM 105	CM 192 LEVEL CM	11619,6647 litre	95,851 %	502,9560 litre	O
350	CM 105	CM 191 LEVEL CM	11578,0016 litre	95,507 %	544,6191 litre	O
350	CM 105	CM 190 LEVEL CM	11535,3389 litre	95,155 %	587,2818 litre	O
350	CM 105	CM 189 LEVEL CM	11491,7107 litre	94,796 %	630,9100 litre	O
350	CM 105	CM 188 LEVEL CM	11447,1491 litre	94,428 %	675,4716 litre	O
350	CM 105	CM 187 LEVEL CM	11401,6840 litre	94,053 %	720,9367 litre	O
350	CM 105	CM 186 LEVEL CM	11355,3435 litre	93,671 %	767,2772 litre	O
350	CM 105	CM 185 LEVEL CM	11308,1542 litre	93,281 %	814,4665 litre	O
350	CM 105	CM 184 LEVEL CM	11260,1413 litre	92,885 %	862,4794 litre	O
350	CM 105	CM 183 LEVEL CM	11211,3289 litre	92,483 %	911,2918 litre	O
350	CM 105	CM 182 LEVEL CM	11161,7396 litre	92,074 %	960,8811 litre	O
350	CM 105	CM 181 LEVEL CM	11111,3952 litre	91,658 %	1011,2255 litre	O
350	CM 105	CM 180 LEVEL CM	11060,3164 litre	91,237 %	1062,3043 litre	O
350	CM 105	CM 179 LEVEL CM	11008,5231 litre	90,810 %	1114,0976 litre	O
350	CM 105	CM 178 LEVEL CM	10956,0344 litre	90,377 %	1166,5863 litre	O
350	CM 105	CM 177 LEVEL CM	10902,8685 litre	89,938 %	1219,7522 litre	O
350	CM 105	CM 176 LEVEL CM	10849,0431 litre	89,494 %	1273,5776 litre	O
350	CM 105	CM 175 LEVEL CM	10794,5752 litre	89,045 %	1328,0455 litre	O
350	CM 105	CM 174 LEVEL CM	10739,4812 litre	88,590 %	1383,1395 litre	O
350	CM 105	CM 173 LEVEL CM	10683,7768 litre	88,131 %	1438,8439 litre	O
350	CM 105	CM 172 LEVEL CM	10627,4774 litre	87,667 %	1495,1433 litre	O
350	CM 105	CM 171 LEVEL CM	10570,5979 litre	87,197 %	1552,0228 litre	O
350	CM 105	CM 170 LEVEL CM	10513,1526 litre	86,723 %	1609,4681 litre	O
350	CM 105	CM 169 LEVEL CM	10455,1555 litre	86,245 %	1667,4652 litre	O
350	CM 105	CM 168 LEVEL CM	10396,6202 litre	85,762 %	1726,0005 litre	O
350	CM 105	CM 167 LEVEL CM	10337,5599 litre	85,275 %	1785,0608 litre	O
350	CM 105	CM 166 LEVEL CM	10277,9874 litre	84,784 %	1844,6333 litre	O
350	CM 105	CM 165 LEVEL CM	10217,9152 litre	84,288 %	1904,7055 litre	O
350	CM 105	CM 164 LEVEL CM	10157,3556 litre	83,788 %	1965,2651 litre	O
350	CM 105	CM 163 LEVEL CM	10096,3204 litre	83,285 %	2026,3003 litre	O
350	CM 105	CM 162 LEVEL CM	10034,8214 litre	82,778 %	2087,7993 litre	O
350	CM 105	CM 161 LEVEL CM	9972,8699 litre	82,267 %	2149,7508 litre	O
350	CM 105	CM 160 LEVEL CM	9910,4770 litre	81,752 %	2212,1437 litre	O
350	CM 105	CM 159 LEVEL CM	9847,6537 litre	81,234 %	2274,9670 litre	O

350	CM	105	CM	158 LEVEL CM	9784,4106 litre	80,712 %	2338,2101 litre	O
350	CM	105	CM	157 LEVEL CM	9720,7581 litre	80,187 %	2401,8626 litre	O
350	CM	105	CM	156 LEVEL CM	9656,7066 litre	79,659 %	2465,9141 litre	O
350	CM	105	CM	155 LEVEL CM	9592,2662 litre	79,127 %	2530,3545 litre	O
350	CM	105	CM	154 LEVEL CM	9527,4466 litre	78,592 %	2595,1741 litre	O
350	CM	105	CM	153 LEVEL CM	9462,2577 litre	78,055 %	2660,3630 litre	O
350	CM	105	CM	152 LEVEL CM	9396,7090 litre	77,514 %	2725,9117 litre	O
350	CM	105	CM	151 LEVEL CM	9330,8098 litre	76,970 %	2791,8109 litre	O
350	CM	105	CM	150 LEVEL CM	9264,5695 litre	76,424 %	2858,0512 litre	O
350	CM	105	CM	149 LEVEL CM	9197,9972 litre	75,875 %	2924,6235 litre	O
350	CM	105	CM	148 LEVEL CM	9131,1017 litre	75,323 %	2991,5190 litre	O
350	CM	105	CM	147 LEVEL CM	9063,8921 litre	74,768 %	3058,7286 litre	O
350	CM	105	CM	146 LEVEL CM	8996,3769 litre	74,211 %	3126,2438 litre	O
350	CM	105	CM	145 LEVEL CM	8928,5648 litre	73,652 %	3194,0559 litre	O
350	CM	105	CM	144 LEVEL CM	8860,4643 litre	73,090 %	3262,1564 litre	O
350	CM	105	CM	143 LEVEL CM	8792,0837 litre	72,526 %	3330,5370 litre	O
350	CM	105	CM	142 LEVEL CM	8723,4314 litre	71,960 %	3399,1893 litre	O
350	CM	105	CM	141 LEVEL CM	8654,5155 litre	71,391 %	3468,1052 litre	O
350	CM	105	CM	140 LEVEL CM	8585,3441 litre	70,821 %	3537,2766 litre	O
350	CM	105	CM	139 LEVEL CM	8515,9252 litre	70,248 %	3606,6955 litre	O
350	CM	105	CM	138 LEVEL CM	8446,2668 litre	69,674 %	3676,3539 litre	O
350	CM	105	CM	137 LEVEL CM	8376,3766 litre	69,097 %	3746,2441 litre	O
350	CM	105	CM	136 LEVEL CM	8306,2623 litre	68,519 %	3816,3584 litre	O
350	CM	105	CM	135 LEVEL CM	8235,9318 litre	67,939 %	3886,6889 litre	O
350	CM	105	CM	134 LEVEL CM	8165,3926 litre	67,357 %	3957,2281 litre	O
350	CM	105	CM	133 LEVEL CM	8094,6522 litre	66,773 %	4027,9685 litre	O
350	CM	105	CM	132 LEVEL CM	8023,7181 litre	66,188 %	4098,9026 litre	O
350	CM	105	CM	131 LEVEL CM	7952,5978 litre	65,601 %	4170,0229 litre	O
350	CM	105	CM	130 LEVEL CM	7881,2985 litre	65,013 %	4241,3222 litre	O
350	CM	105	CM	129 LEVEL CM	7809,8276 litre	64,424 %	4312,7931 litre	O
350	CM	105	CM	128 LEVEL CM	7738,1924 litre	63,833 %	4384,4283 litre	O
350	CM	105	CM	127 LEVEL CM	7666,4001 litre	63,240 %	4456,2206 litre	O
350	CM	105	CM	126 LEVEL CM	7594,4577 litre	62,647 %	4528,1630 litre	O
350	CM	105	CM	125 LEVEL CM	7522,3724 litre	62,052 %	4600,2483 litre	O
350	CM	105	CM	124 LEVEL CM	7450,1513 litre	61,457 %	4672,4694 litre	O
350	CM	105	CM	123 LEVEL CM	7377,8015 litre	60,860 %	4744,8192 litre	O
350	CM	105	CM	122 LEVEL CM	7305,3298 litre	60,262 %	4817,2909 litre	O
350	CM	105	CM	121 LEVEL CM	7232,7432 litre	59,663 %	4889,8775 litre	O
350	CM	105	CM	120 LEVEL CM	7160,0488 litre	59,064 %	4962,5719 litre	O
350	CM	105	CM	119 LEVEL CM	7087,2533 litre	58,463 %	5035,3674 litre	O
350	CM	105	CM	118 LEVEL CM	7014,3636 litre	57,862 %	5108,2571 litre	O
350	CM	105	CM	117 LEVEL CM	6941,3865 litre	57,260 %	5181,2342 litre	O
350	CM	105	CM	116 LEVEL CM	6868,3290 litre	56,657 %	5254,2917 litre	O
350	CM	105	CM	115 LEVEL CM	6795,1977 litre	56,054 %	5327,4230 litre	O
350	CM	105	CM	114 LEVEL CM	6721,9994 litre	55,450 %	5400,6213 litre	O
350	CM	105	CM	113 LEVEL CM	6648,7409 litre	54,846 %	5473,8798 litre	O
350	CM	105	CM	112 LEVEL CM	6575,4290 litre	54,241 %	5547,1917 litre	O
350	CM	105	CM	111 LEVEL CM	6502,0702 litre	53,636 %	5620,5505 litre	O
350	CM	105	CM	110 LEVEL CM	6428,6714 litre	53,030 %	5693,9493 litre	O
350	CM	105	CM	109 LEVEL CM	6355,2392 litre	52,425 %	5767,3815 litre	O
350	CM	105	CM	108 LEVEL CM	6281,7803 litre	51,819 %	5840,8404 litre	O
350	CM	105	CM	107 LEVEL CM	6208,3014 litre	51,213 %	5914,3193 litre	O
350	CM	105	CM	106 LEVEL CM	6134,8092 litre	50,606 %	5987,8115 litre	O

350	CM	105	CM	105 LEVEL CM	6061,3103 litre	50,000 %	6061,3104 litre	O
350	CM	105	CM	104 LEVEL CM	5987,8114 litre	49,394 %	6134,8093 litre	O
350	CM	105	CM	103 LEVEL CM	5914,3192 litre	48,787 %	6208,3015 litre	O
350	CM	105	CM	102 LEVEL CM	5840,8403 litre	48,181 %	6281,7804 litre	O
350	CM	105	CM	101 LEVEL CM	5767,3815 litre	47,575 %	6355,2392 litre	O
350	CM	105	CM	100 LEVEL CM	5693,9493 litre	46,970 %	6428,6714 litre	O
350	CM	105	CM	99 LEVEL CM	5620,5504 litre	46,364 %	6502,0703 litre	O
350	CM	105	CM	98 LEVEL CM	5547,1917 litre	45,759 %	6575,4290 litre	O
350	CM	105	CM	97 LEVEL CM	5473,8797 litre	45,154 %	6648,7410 litre	O
350	CM	105	CM	96 LEVEL CM	5400,6212 litre	44,550 %	6721,9995 litre	O
350	CM	105	CM	95 LEVEL CM	5327,4230 litre	43,946 %	6795,1977 litre	O
350	CM	105	CM	94 LEVEL CM	5254,2917 litre	43,343 %	6868,3290 litre	O
350	CM	105	CM	93 LEVEL CM	5181,2341 litre	42,740 %	6941,3866 litre	O
350	CM	105	CM	92 LEVEL CM	5108,2571 litre	42,138 %	7014,3636 litre	O
350	CM	105	CM	91 LEVEL CM	5035,3674 litre	41,537 %	7087,2533 litre	O
350	CM	105	CM	90 LEVEL CM	4962,5719 litre	40,936 %	7160,0488 litre	O
350	CM	105	CM	89 LEVEL CM	4889,8774 litre	40,337 %	7232,7433 litre	O
350	CM	105	CM	88 LEVEL CM	4817,2909 litre	39,738 %	7305,3298 litre	O
350	CM	105	CM	87 LEVEL CM	4744,8192 litre	39,140 %	7377,8015 litre	O
350	CM	105	CM	86 LEVEL CM	4672,4693 litre	38,543 %	7450,1514 litre	O
350	CM	105	CM	85 LEVEL CM	4600,2482 litre	37,948 %	7522,3725 litre	O
350	CM	105	CM	84 LEVEL CM	4528,1630 litre	37,353 %	7594,4577 litre	O
350	CM	105	CM	83 LEVEL CM	4456,2206 litre	36,760 %	7666,4001 litre	O
350	CM	105	CM	82 LEVEL CM	4384,4282 litre	36,167 %	7738,1925 litre	O
350	CM	105	CM	81 LEVEL CM	4312,7930 litre	35,576 %	7809,8277 litre	O
350	CM	105	CM	80 LEVEL CM	4241,3221 litre	34,987 %	7881,2986 litre	O
350	CM	105	CM	79 LEVEL CM	4170,0229 litre	34,399 %	7952,5978 litre	O
350	CM	105	CM	78 LEVEL CM	4098,9025 litre	33,812 %	8023,7182 litre	O
350	CM	105	CM	77 LEVEL CM	4027,9685 litre	33,227 %	8094,6522 litre	O
350	CM	105	CM	76 LEVEL CM	3957,2281 litre	32,643 %	8165,3926 litre	O
350	CM	105	CM	75 LEVEL CM	3886,6888 litre	32,061 %	8235,9319 litre	O
350	CM	105	CM	74 LEVEL CM	3816,3583 litre	31,481 %	8306,2624 litre	O
350	CM	105	CM	73 LEVEL CM	3746,2441 litre	30,903 %	8376,3766 litre	O
350	CM	105	CM	72 LEVEL CM	3676,3539 litre	30,326 %	8446,2668 litre	O
350	CM	105	CM	71 LEVEL CM	3606,6954 litre	29,752 %	8515,9253 litre	O
350	CM	105	CM	70 LEVEL CM	3537,2765 litre	29,179 %	8585,3442 litre	O
350	CM	105	CM	69 LEVEL CM	3468,1051 litre	28,609 %	8654,5156 litre	O
350	CM	105	CM	68 LEVEL CM	3399,1892 litre	28,040 %	8723,4315 litre	O
350	CM	105	CM	67 LEVEL CM	3330,5369 litre	27,474 %	8792,0838 litre	O
350	CM	105	CM	66 LEVEL CM	3262,1564 litre	26,910 %	8860,4643 litre	O
350	CM	105	CM	65 LEVEL CM	3194,0558 litre	26,348 %	8928,5649 litre	O
350	CM	105	CM	64 LEVEL CM	3126,2438 litre	25,789 %	8996,3769 litre	O
350	CM	105	CM	63 LEVEL CM	3058,7286 litre	25,232 %	9063,8921 litre	O
350	CM	105	CM	62 LEVEL CM	2991,5189 litre	24,677 %	9131,1018 litre	O
350	CM	105	CM	61 LEVEL CM	2924,6235 litre	24,125 %	9197,9972 litre	O
350	CM	105	CM	60 LEVEL CM	2858,0511 litre	23,576 %	9264,5696 litre	O
350	CM	105	CM	59 LEVEL CM	2791,8108 litre	23,030 %	9330,8099 litre	O
350	CM	105	CM	58 LEVEL CM	2725,9117 litre	22,486 %	9396,7090 litre	O
350	CM	105	CM	57 LEVEL CM	2660,3630 litre	21,945 %	9462,2577 litre	O
350	CM	105	CM	56 LEVEL CM	2595,1740 litre	21,408 %	9527,4467 litre	O
350	CM	105	CM	55 LEVEL CM	2530,3545 litre	20,873 %	9592,2662 litre	O
350	CM	105	CM	54 LEVEL CM	2465,9140 litre	20,341 %	9656,7067 litre	O
350	CM	105	CM	53 LEVEL CM	2401,8625 litre	19,813 %	9720,7582 litre	O

350	CM	105	CM	52 LEVEL CM	2338,2101 litre	19,288 %	9784,4106 litre	O
350	CM	105	CM	51 LEVEL CM	2274,9670 litre	18,766 %	9847,6537 litre	O
350	CM	105	CM	50 LEVEL CM	2212,1436 litre	18,248 %	9910,4771 litre	O
350	CM	105	CM	49 LEVEL CM	2149,7508 litre	17,733 %	9972,8699 litre	O
350	CM	105	CM	48 LEVEL CM	2087,7992 litre	17,222 %	10034,8215 litre	O
350	CM	105	CM	47 LEVEL CM	2026,3002 litre	16,715 %	10096,3205 litre	O
350	CM	105	CM	46 LEVEL CM	1965,2651 litre	16,212 %	10157,3556 litre	O
350	CM	105	CM	45 LEVEL CM	1904,7055 litre	15,712 %	10217,9152 litre	O
350	CM	105	CM	44 LEVEL CM	1844,6333 litre	15,216 %	10277,9874 litre	O
350	CM	105	CM	43 LEVEL CM	1785,0608 litre	14,725 %	10337,5599 litre	O
350	CM	105	CM	42 LEVEL CM	1726,0004 litre	14,238 %	10396,6203 litre	O
350	CM	105	CM	41 LEVEL CM	1667,4651 litre	13,755 %	10455,1556 litre	O
350	CM	105	CM	40 LEVEL CM	1609,4680 litre	13,277 %	10513,1527 litre	O
350	CM	105	CM	39 LEVEL CM	1552,0227 litre	12,803 %	10570,5980 litre	O
350	CM	105	CM	38 LEVEL CM	1495,1432 litre	12,333 %	10627,4775 litre	O
350	CM	105	CM	37 LEVEL CM	1438,8439 litre	11,869 %	10683,7768 litre	O
350	CM	105	CM	36 LEVEL CM	1383,1395 litre	11,410 %	10739,4812 litre	O
350	CM	105	CM	35 LEVEL CM	1328,0454 litre	10,955 %	10794,5753 litre	O
350	CM	105	CM	34 LEVEL CM	1273,5775 litre	10,506 %	10849,0432 litre	O
350	CM	105	CM	33 LEVEL CM	1219,7522 litre	10,062 %	10902,8685 litre	O
350	CM	105	CM	32 LEVEL CM	1166,5863 litre	9,623 %	10956,0344 litre	O
350	CM	105	CM	31 LEVEL CM	1114,0976 litre	9,190 %	11008,5231 litre	O
350	CM	105	CM	30 LEVEL CM	1062,3043 litre	8,763 %	11060,3164 litre	O
350	CM	105	CM	29 LEVEL CM	1011,2255 litre	8,342 %	11111,3952 litre	O
350	CM	105	CM	28 LEVEL CM	960,8810 litre	7,926 %	11161,7397 litre	O
350	CM	105	CM	27 LEVEL CM	911,2918 litre	7,517 %	11211,3289 litre	O
350	CM	105	CM	26 LEVEL CM	862,4793 litre	7,115 %	11260,1414 litre	O
350	CM	105	CM	25 LEVEL CM	814,4665 litre	6,719 %	11308,1542 litre	O
350	CM	105	CM	24 LEVEL CM	767,2772 litre	6,329 %	11355,3435 litre	O
350	CM	105	CM	23 LEVEL CM	720,9367 litre	5,947 %	11401,6840 litre	O
350	CM	105	CM	22 LEVEL CM	675,4715 litre	5,572 %	11447,1492 litre	O
350	CM	105	CM	21 LEVEL CM	630,9099 litre	5,204 %	11491,7108 litre	O
350	CM	105	CM	20 LEVEL CM	587,2818 litre	4,845 %	11535,3389 litre	O
350	CM	105	CM	19 LEVEL CM	544,6191 litre	4,493 %	11578,0016 litre	O
350	CM	105	CM	18 LEVEL CM	502,9559 litre	4,149 %	11619,6648 litre	O
350	CM	105	CM	17 LEVEL CM	462,3289 litre	3,814 %	11660,2918 litre	O
350	CM	105	CM	16 LEVEL CM	422,7776 litre	3,488 %	11699,8431 litre	O
350	CM	105	CM	15 LEVEL CM	384,3448 litre	3,170 %	11738,2759 litre	O
350	CM	105	CM	14 LEVEL CM	347,0773 litre	2,863 %	11775,5434 litre	O
350	CM	105	CM	13 LEVEL CM	311,0262 litre	2,566 %	11811,5945 litre	O
350	CM	105	CM	12 LEVEL CM	276,2483 litre	2,279 %	11846,3724 litre	O
350	CM	105	CM	11 LEVEL CM	242,8066 litre	2,003 %	11879,8141 litre	O
350	CM	105	CM	10 LEVEL CM	210,7720 litre	1,739 %	11911,8487 litre	O
350	CM	105	CM	9 LEVEL CM	180,2255 litre	1,487 %	11942,3952 litre	O
350	CM	105	CM	8 LEVEL CM	151,2602 litre	1,248 %	11971,3605 litre	O
350	CM	105	CM	7 LEVEL CM	123,9859 litre	1,023 %	11998,6348 litre	O
350	CM	105	CM	6 LEVEL CM	98,5338 litre	0,813 %	12024,0869 litre	O
350	CM	105	CM	5 LEVEL CM	75,0663 litre	0,619 %	12047,5544 litre	O
350	CM	105	CM	4 LEVEL CM	53,7909 litre	0,444 %	12068,8298 litre	O
350	CM	105	CM	3 LEVEL CM	34,9887 litre	0,289 %	12087,6320 litre	O
350	CM	105	CM	2 LEVEL CM	19,0729 litre	0,157 %	12103,5478 litre	O
350	CM	105	CM	1 LEVEL CM	6,7530 litre	0,056 %	12115,8677 litre	O
350	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	12122,6207 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM 100	CM 200 LEVEL CM	10995,5743 litre	100,000 %	0,0000 litre	O
350	CM 100	CM 199 LEVEL CM	10988,9845 litre	99,940 %	6,5898 litre	O
350	CM 100	CM 198 LEVEL CM	10976,9637 litre	99,831 %	18,6106 litre	O
350	CM 100	CM 197 LEVEL CM	10961,4362 litre	99,690 %	34,1381 litre	O
350	CM 100	CM 196 LEVEL CM	10943,0949 litre	99,523 %	52,4794 litre	O
350	CM 100	CM 195 LEVEL CM	10922,3437 litre	99,334 %	73,2306 litre	O
350	CM 100	CM 194 LEVEL CM	10899,4571 litre	99,126 %	96,1172 litre	O
350	CM 100	CM 193 LEVEL CM	10874,6383 litre	98,900 %	120,9360 litre	O
350	CM 100	CM 192 LEVEL CM	10848,0460 litre	98,658 %	147,5283 litre	O
350	CM 100	CM 191 LEVEL CM	10819,8086 litre	98,401 %	175,7657 litre	O
350	CM 100	CM 190 LEVEL CM	10790,0336 litre	98,131 %	205,5407 litre	O
350	CM 100	CM 189 LEVEL CM	10758,8123 litre	97,847 %	236,7620 litre	O
350	CM 100	CM 188 LEVEL CM	10726,2238 litre	97,550 %	269,3505 litre	O
350	CM 100	CM 187 LEVEL CM	10692,3378 litre	97,242 %	303,2365 litre	O
350	CM 100	CM 186 LEVEL CM	10657,2160 litre	96,923 %	338,3583 litre	O
350	CM 100	CM 185 LEVEL CM	10620,9142 litre	96,593 %	374,6601 litre	O
350	CM 100	CM 184 LEVEL CM	10583,4824 litre	96,252 %	412,0919 litre	O
350	CM 100	CM 183 LEVEL CM	10544,9667 litre	95,902 %	450,6076 litre	O
350	CM 100	CM 182 LEVEL CM	10505,4090 litre	95,542 %	490,1653 litre	O
350	CM 100	CM 181 LEVEL CM	10464,8482 litre	95,173 %	530,7261 litre	O
350	CM 100	CM 180 LEVEL CM	10423,3204 litre	94,796 %	572,2539 litre	O
350	CM 100	CM 179 LEVEL CM	10380,8591 litre	94,409 %	614,7152 litre	O
350	CM 100	CM 178 LEVEL CM	10337,4956 litre	94,015 %	658,0787 litre	O
350	CM 100	CM 177 LEVEL CM	10293,2594 litre	93,613 %	702,3149 litre	O
350	CM 100	CM 176 LEVEL CM	10248,1784 litre	93,203 %	747,3959 litre	O
350	CM 100	CM 175 LEVEL CM	10202,2787 litre	92,785 %	793,2956 litre	O
350	CM 100	CM 174 LEVEL CM	10155,5852 litre	92,361 %	839,9891 litre	O
350	CM 100	CM 173 LEVEL CM	10108,1214 litre	91,929 %	887,4529 litre	O
350	CM 100	CM 172 LEVEL CM	10059,9099 litre	91,491 %	935,6644 litre	O
350	CM 100	CM 171 LEVEL CM	10010,9720 litre	91,045 %	984,6023 litre	O
350	CM 100	CM 170 LEVEL CM	9961,3283 litre	90,594 %	1034,2460 litre	O
350	CM 100	CM 169 LEVEL CM	9910,9985 litre	90,136 %	1084,5758 litre	O
350	CM 100	CM 168 LEVEL CM	9860,0012 litre	89,672 %	1135,5731 litre	O
350	CM 100	CM 167 LEVEL CM	9808,3547 litre	89,203 %	1187,2196 litre	O
350	CM 100	CM 166 LEVEL CM	9756,0763 litre	88,727 %	1239,4980 litre	O
350	CM 100	CM 165 LEVEL CM	9703,1830 litre	88,246 %	1292,3913 litre	O
350	CM 100	CM 164 LEVEL CM	9649,6909 litre	87,760 %	1345,8834 litre	O
350	CM 100	CM 163 LEVEL CM	9595,6157 litre	87,268 %	1399,9586 litre	O
350	CM 100	CM 162 LEVEL CM	9540,9725 litre	86,771 %	1454,6018 litre	O
350	CM 100	CM 161 LEVEL CM	9485,7762 litre	86,269 %	1509,7981 litre	O
350	CM 100	CM 160 LEVEL CM	9430,0410 litre	85,762 %	1565,5333 litre	O
350	CM 100	CM 159 LEVEL CM	9373,7808 litre	85,250 %	1621,7935 litre	O
350	CM 100	CM 158 LEVEL CM	9317,0090 litre	84,734 %	1678,5653 litre	O
350	CM 100	CM 157 LEVEL CM	9259,7388 litre	84,213 %	1735,8355 litre	O
350	CM 100	CM 156 LEVEL CM	9201,9830 litre	83,688 %	1793,5913 litre	O
350	CM 100	CM 155 LEVEL CM	9143,7539 litre	83,158 %	1851,8204 litre	O
350	CM 100	CM 154 LEVEL CM	9085,0639 litre	82,625 %	1910,5104 litre	O
350	CM 100	CM 153 LEVEL CM	9025,9247 litre	82,087 %	1969,6496 litre	O
350	CM 100	CM 152 LEVEL CM	8966,3481 litre	81,545 %	2029,2262 litre	O
350	CM 100	CM 151 LEVEL CM	8906,3452 litre	80,999 %	2089,2291 litre	O
350	CM 100	CM 150 LEVEL CM	8845,9273 litre	80,450 %	2149,6470 litre	O
350	CM 100	CM 149 LEVEL CM	8785,1053 litre	79,897 %	2210,4690 litre	O

350	CM	100	CM	148 LEVEL CM	8723,8897 litre	79,340 %	2271,6846 litre	O
350	CM	100	CM	147 LEVEL CM	8662,2911 litre	78,780 %	2333,2832 litre	O
350	CM	100	CM	146 LEVEL CM	8600,3198 litre	78,216 %	2395,2545 litre	O
350	CM	100	CM	145 LEVEL CM	8537,9858 litre	77,649 %	2457,5885 litre	O
350	CM	100	CM	144 LEVEL CM	8475,2991 litre	77,079 %	2520,2752 litre	O
350	CM	100	CM	143 LEVEL CM	8412,2693 litre	76,506 %	2583,3050 litre	O
350	CM	100	CM	142 LEVEL CM	8348,9062 litre	75,930 %	2646,6681 litre	O
350	CM	100	CM	141 LEVEL CM	8285,2191 litre	75,350 %	2710,3552 litre	O
350	CM	100	CM	140 LEVEL CM	8221,2173 litre	74,768 %	2774,3570 litre	O
350	CM	100	CM	139 LEVEL CM	8156,9100 litre	74,184 %	2838,6643 litre	O
350	CM	100	CM	138 LEVEL CM	8092,3062 litre	73,596 %	2903,2681 litre	O
350	CM	100	CM	137 LEVEL CM	8027,4148 litre	73,006 %	2968,1595 litre	O
350	CM	100	CM	136 LEVEL CM	7962,2447 litre	72,413 %	3033,3296 litre	O
350	CM	100	CM	135 LEVEL CM	7896,8044 litre	71,818 %	3098,7699 litre	O
350	CM	100	CM	134 LEVEL CM	7831,1026 litre	71,220 %	3164,4717 litre	O
350	CM	100	CM	133 LEVEL CM	7765,1476 litre	70,621 %	3230,4267 litre	O
350	CM	100	CM	132 LEVEL CM	7698,9480 litre	70,019 %	3296,6263 litre	O
350	CM	100	CM	131 LEVEL CM	7632,5119 litre	69,414 %	3363,0624 litre	O
350	CM	100	CM	130 LEVEL CM	7565,8476 litre	68,808 %	3429,7267 litre	O
350	CM	100	CM	129 LEVEL CM	7498,9631 litre	68,200 %	3496,6112 litre	O
350	CM	100	CM	128 LEVEL CM	7431,8665 litre	67,590 %	3563,7078 litre	O
350	CM	100	CM	127 LEVEL CM	7364,5658 litre	66,978 %	3631,0085 litre	O
350	CM	100	CM	126 LEVEL CM	7297,0687 litre	66,364 %	3698,5056 litre	O
350	CM	100	CM	125 LEVEL CM	7229,3831 litre	65,748 %	3766,1912 litre	O
350	CM	100	CM	124 LEVEL CM	7161,5168 litre	65,131 %	3834,0575 litre	O
350	CM	100	CM	123 LEVEL CM	7093,4775 litre	64,512 %	3902,0968 litre	O
350	CM	100	CM	122 LEVEL CM	7025,2727 litre	63,892 %	3970,3016 litre	O
350	CM	100	CM	121 LEVEL CM	6956,9100 litre	63,270 %	4038,6643 litre	O
350	CM	100	CM	120 LEVEL CM	6888,3970 litre	62,647 %	4107,1773 litre	O
350	CM	100	CM	119 LEVEL CM	6819,7411 litre	62,023 %	4175,8332 litre	O
350	CM	100	CM	118 LEVEL CM	6750,9497 litre	61,397 %	4244,6246 litre	O
350	CM	100	CM	117 LEVEL CM	6682,0302 litre	60,770 %	4313,5441 litre	O
350	CM	100	CM	116 LEVEL CM	6612,9900 litre	60,142 %	4382,5843 litre	O
350	CM	100	CM	115 LEVEL CM	6543,8362 litre	59,513 %	4451,7381 litre	O
350	CM	100	CM	114 LEVEL CM	6474,5763 litre	58,883 %	4520,9980 litre	O
350	CM	100	CM	113 LEVEL CM	6405,2174 litre	58,253 %	4590,3569 litre	O
350	CM	100	CM	112 LEVEL CM	6335,7668 litre	57,621 %	4659,8075 litre	O
350	CM	100	CM	111 LEVEL CM	6266,2315 litre	56,989 %	4729,3428 litre	O
350	CM	100	CM	110 LEVEL CM	6196,6187 litre	56,356 %	4798,9556 litre	O
350	CM	100	CM	109 LEVEL CM	6126,9356 litre	55,722 %	4868,6387 litre	O
350	CM	100	CM	108 LEVEL CM	6057,1892 litre	55,088 %	4938,3851 litre	O
350	CM	100	CM	107 LEVEL CM	5987,3867 litre	54,453 %	5008,1876 litre	O
350	CM	100	CM	106 LEVEL CM	5917,5350 litre	53,817 %	5078,0393 litre	O
350	CM	100	CM	105 LEVEL CM	5847,6413 litre	53,182 %	5147,9330 litre	O
350	CM	100	CM	104 LEVEL CM	5777,7125 litre	52,546 %	5217,8618 litre	O
350	CM	100	CM	103 LEVEL CM	5707,7556 litre	51,910 %	5287,8187 litre	O
350	CM	100	CM	102 LEVEL CM	5637,7778 litre	51,273 %	5357,7965 litre	O
350	CM	100	CM	101 LEVEL CM	5567,7860 litre	50,637 %	5427,7883 litre	O
350	CM	100	CM	100 LEVEL CM	5497,7871 litre	50,000 %	5497,7872 litre	O
350	CM	100	CM	99 LEVEL CM	5427,7883 litre	49,363 %	5567,7860 litre	O
350	CM	100	CM	98 LEVEL CM	5357,7965 litre	48,727 %	5637,7778 litre	O
350	CM	100	CM	97 LEVEL CM	5287,8186 litre	48,090 %	5707,7557 litre	O
350	CM	100	CM	96 LEVEL CM	5217,8618 litre	47,454 %	5777,7125 litre	O

350	CM	100	CM	95 LEVEL CM	5147,9330 litre	46,818 %	5847,6413 litre	O
350	CM	100	CM	94 LEVEL CM	5078,0393 litre	46,183 %	5917,5350 litre	O
350	CM	100	CM	93 LEVEL CM	5008,1876 litre	45,547 %	5987,3867 litre	O
350	CM	100	CM	92 LEVEL CM	4938,3851 litre	44,912 %	6057,1892 litre	O
350	CM	100	CM	91 LEVEL CM	4868,6387 litre	44,278 %	6126,9356 litre	O
350	CM	100	CM	90 LEVEL CM	4798,9556 litre	43,644 %	6196,6187 litre	O
350	CM	100	CM	89 LEVEL CM	4729,3428 litre	43,011 %	6266,2315 litre	O
350	CM	100	CM	88 LEVEL CM	4659,8075 litre	42,379 %	6335,7668 litre	O
350	CM	100	CM	87 LEVEL CM	4590,3568 litre	41,747 %	6405,2175 litre	O
350	CM	100	CM	86 LEVEL CM	4520,9980 litre	41,117 %	6474,5763 litre	O
350	CM	100	CM	85 LEVEL CM	4451,7380 litre	40,487 %	6543,8363 litre	O
350	CM	100	CM	84 LEVEL CM	4382,5843 litre	39,858 %	6612,9900 litre	O
350	CM	100	CM	83 LEVEL CM	4313,5441 litre	39,230 %	6682,0302 litre	O
350	CM	100	CM	82 LEVEL CM	4244,6246 litre	38,603 %	6750,9497 litre	O
350	CM	100	CM	81 LEVEL CM	4175,8332 litre	37,977 %	6819,7411 litre	O
350	CM	100	CM	80 LEVEL CM	4107,1773 litre	37,353 %	6888,3970 litre	O
350	CM	100	CM	79 LEVEL CM	4038,6643 litre	36,730 %	6956,9100 litre	O
350	CM	100	CM	78 LEVEL CM	3970,3016 litre	36,108 %	7025,2727 litre	O
350	CM	100	CM	77 LEVEL CM	3902,0968 litre	35,488 %	7093,4775 litre	O
350	CM	100	CM	76 LEVEL CM	3834,0574 litre	34,869 %	7161,5169 litre	O
350	CM	100	CM	75 LEVEL CM	3766,1911 litre	34,252 %	7229,3832 litre	O
350	CM	100	CM	74 LEVEL CM	3698,5056 litre	33,636 %	7297,0687 litre	O
350	CM	100	CM	73 LEVEL CM	3631,0085 litre	33,022 %	7364,5658 litre	O
350	CM	100	CM	72 LEVEL CM	3563,7078 litre	32,410 %	7431,8665 litre	O
350	CM	100	CM	71 LEVEL CM	3496,6112 litre	31,800 %	7498,9631 litre	O
350	CM	100	CM	70 LEVEL CM	3429,7267 litre	31,192 %	7565,8476 litre	O
350	CM	100	CM	69 LEVEL CM	3363,0624 litre	30,586 %	7632,5119 litre	O
350	CM	100	CM	68 LEVEL CM	3296,6263 litre	29,981 %	7698,9480 litre	O
350	CM	100	CM	67 LEVEL CM	3230,4267 litre	29,379 %	7765,1476 litre	O
350	CM	100	CM	66 LEVEL CM	3164,4717 litre	28,780 %	7831,1026 litre	O
350	CM	100	CM	65 LEVEL CM	3098,7699 litre	28,182 %	7896,8044 litre	O
350	CM	100	CM	64 LEVEL CM	3033,3296 litre	27,587 %	7962,2447 litre	O
350	CM	100	CM	63 LEVEL CM	2968,1594 litre	26,994 %	8027,4149 litre	O
350	CM	100	CM	62 LEVEL CM	2903,2681 litre	26,404 %	8092,3062 litre	O
350	CM	100	CM	61 LEVEL CM	2838,6643 litre	25,816 %	8156,9100 litre	O
350	CM	100	CM	60 LEVEL CM	2774,3570 litre	25,232 %	8221,2173 litre	O
350	CM	100	CM	59 LEVEL CM	2710,3552 litre	24,650 %	8285,2191 litre	O
350	CM	100	CM	58 LEVEL CM	2646,6681 litre	24,070 %	8348,9062 litre	O
350	CM	100	CM	57 LEVEL CM	2583,3049 litre	23,494 %	8412,2694 litre	O
350	CM	100	CM	56 LEVEL CM	2520,2752 litre	22,921 %	8475,2991 litre	O
350	CM	100	CM	55 LEVEL CM	2457,5885 litre	22,351 %	8537,9858 litre	O
350	CM	100	CM	54 LEVEL CM	2395,2545 litre	21,784 %	8600,3198 litre	O
350	CM	100	CM	53 LEVEL CM	2333,2832 litre	21,220 %	8662,2911 litre	O
350	CM	100	CM	52 LEVEL CM	2271,6846 litre	20,660 %	8723,8897 litre	O
350	CM	100	CM	51 LEVEL CM	2210,4690 litre	20,103 %	8785,1053 litre	O
350	CM	100	CM	50 LEVEL CM	2149,6470 litre	19,550 %	8845,9273 litre	O
350	CM	100	CM	49 LEVEL CM	2089,2291 litre	19,001 %	8906,3452 litre	O
350	CM	100	CM	48 LEVEL CM	2029,2262 litre	18,455 %	8966,3481 litre	O
350	CM	100	CM	47 LEVEL CM	1969,6495 litre	17,913 %	9025,9248 litre	O
350	CM	100	CM	46 LEVEL CM	1910,5104 litre	17,375 %	9085,0639 litre	O
350	CM	100	CM	45 LEVEL CM	1851,8204 litre	16,842 %	9143,7539 litre	O
350	CM	100	CM	44 LEVEL CM	1793,5913 litre	16,312 %	9201,9830 litre	O
350	CM	100	CM	43 LEVEL CM	1735,8355 litre	15,787 %	9259,7388 litre	O

350	CM	100	CM	42 LEVEL CM	1678,5653 litre	15,266 %	9317,0090 litre	O
350	CM	100	CM	41 LEVEL CM	1621,7935 litre	14,750 %	9373,7808 litre	O
350	CM	100	CM	40 LEVEL CM	1565,5333 litre	14,238 %	9430,0410 litre	O
350	CM	100	CM	39 LEVEL CM	1509,7981 litre	13,731 %	9485,7762 litre	O
350	CM	100	CM	38 LEVEL CM	1454,6018 litre	13,229 %	9540,9725 litre	O
350	CM	100	CM	37 LEVEL CM	1399,9586 litre	12,732 %	9595,6157 litre	O
350	CM	100	CM	36 LEVEL CM	1345,8834 litre	12,240 %	9649,6909 litre	O
350	CM	100	CM	35 LEVEL CM	1292,3913 litre	11,754 %	9703,1830 litre	O
350	CM	100	CM	34 LEVEL CM	1239,4979 litre	11,273 %	9756,0764 litre	O
350	CM	100	CM	33 LEVEL CM	1187,2196 litre	10,797 %	9808,3547 litre	O
350	CM	100	CM	32 LEVEL CM	1135,5731 litre	10,328 %	9860,0012 litre	O
350	CM	100	CM	31 LEVEL CM	1084,5758 litre	9,864 %	9910,9985 litre	O
350	CM	100	CM	30 LEVEL CM	1034,2459 litre	9,406 %	9961,3284 litre	O
350	CM	100	CM	29 LEVEL CM	984,6022 litre	8,955 %	10010,9721 litre	O
350	CM	100	CM	28 LEVEL CM	935,6644 litre	8,509 %	10059,9099 litre	O
350	CM	100	CM	27 LEVEL CM	887,4529 litre	8,071 %	10108,1214 litre	O
350	CM	100	CM	26 LEVEL CM	839,9891 litre	7,639 %	10155,5852 litre	O
350	CM	100	CM	25 LEVEL CM	793,2956 litre	7,215 %	10202,2787 litre	O
350	CM	100	CM	24 LEVEL CM	747,3959 litre	6,797 %	10248,1784 litre	O
350	CM	100	CM	23 LEVEL CM	702,3148 litre	6,387 %	10293,2595 litre	O
350	CM	100	CM	22 LEVEL CM	658,0787 litre	5,985 %	10337,4956 litre	O
350	CM	100	CM	21 LEVEL CM	614,7152 litre	5,591 %	10380,8591 litre	O
350	CM	100	CM	20 LEVEL CM	572,2539 litre	5,204 %	10423,3204 litre	O
350	CM	100	CM	19 LEVEL CM	530,7260 litre	4,827 %	10464,8483 litre	O
350	CM	100	CM	18 LEVEL CM	490,1653 litre	4,458 %	10505,4090 litre	O
350	CM	100	CM	17 LEVEL CM	450,6076 litre	4,098 %	10544,9667 litre	O
350	CM	100	CM	16 LEVEL CM	412,0919 litre	3,748 %	10583,4824 litre	O
350	CM	100	CM	15 LEVEL CM	374,6601 litre	3,407 %	10620,9142 litre	O
350	CM	100	CM	14 LEVEL CM	338,3583 litre	3,077 %	10657,2160 litre	O
350	CM	100	CM	13 LEVEL CM	303,2365 litre	2,758 %	10692,3378 litre	O
350	CM	100	CM	12 LEVEL CM	269,3505 litre	2,450 %	10726,2238 litre	O
350	CM	100	CM	11 LEVEL CM	236,7620 litre	2,153 %	10758,8123 litre	O
350	CM	100	CM	10 LEVEL CM	205,5407 litre	1,869 %	10790,0336 litre	O
350	CM	100	CM	9 LEVEL CM	175,7657 litre	1,599 %	10819,8086 litre	O
350	CM	100	CM	8 LEVEL CM	147,5283 litre	1,342 %	10848,0460 litre	O
350	CM	100	CM	7 LEVEL CM	120,9360 litre	1,100 %	10874,6383 litre	O
350	CM	100	CM	6 LEVEL CM	96,1172 litre	0,874 %	10899,4571 litre	O
350	CM	100	CM	5 LEVEL CM	73,2306 litre	0,666 %	10922,3437 litre	O
350	CM	100	CM	4 LEVEL CM	52,4794 litre	0,477 %	10943,0949 litre	O
350	CM	100	CM	3 LEVEL CM	34,1381 litre	0,310 %	10961,4362 litre	O
350	CM	100	CM	2 LEVEL CM	18,6106 litre	0,169 %	10976,9637 litre	O
350	CM	100	CM	1 LEVEL CM	6,5898 litre	0,060 %	10988,9845 litre	O
350	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	10995,5743 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
350	CM	95	CM	190 LEVEL CM	9923,5058 litre	100,000 %	0,0000 litre	O
350	CM	95	CM	189 LEVEL CM	9917,0834 litre	99,935 %	6,4224 litre	O
350	CM	95	CM	188 LEVEL CM	9905,3693 litre	99,817 %	18,1365 litre	O
350	CM	95	CM	187 LEVEL CM	9890,2400 litre	99,665 %	33,2658 litre	O
350	CM	95	CM	186 LEVEL CM	9872,3716 litre	99,485 %	51,1342 litre	O
350	CM	95	CM	185 LEVEL CM	9852,1581 litre	99,281 %	71,3477 litre	O
350	CM	95	CM	184 LEVEL CM	9829,8677 litre	99,056 %	93,6381 litre	O
350	CM	95	CM	183 LEVEL CM	9805,6987 litre	98,813 %	117,8071 litre	O
350	CM	95	CM	182 LEVEL CM	9779,8063 litre	98,552 %	143,6995 litre	O
350	CM	95	CM	181 LEVEL CM	9752,3161 litre	98,275 %	171,1897 litre	O
350	CM	95	CM	180 LEVEL CM	9723,3332 litre	97,983 %	200,1726 litre	O
350	CM	95	CM	179 LEVEL CM	9692,9468 litre	97,677 %	230,5590 litre	O
350	CM	95	CM	178 LEVEL CM	9661,2345 litre	97,357 %	262,2713 litre	O
350	CM	95	CM	177 LEVEL CM	9628,2645 litre	97,025 %	295,2413 litre	O
350	CM	95	CM	176 LEVEL CM	9594,0974 litre	96,681 %	329,4084 litre	O
350	CM	95	CM	175 LEVEL CM	9558,7876 litre	96,325 %	364,7182 litre	O
350	CM	95	CM	174 LEVEL CM	9522,3844 litre	95,958 %	401,1214 litre	O
350	CM	95	CM	173 LEVEL CM	9484,9328 litre	95,580 %	438,5730 litre	O
350	CM	95	CM	172 LEVEL CM	9446,4742 litre	95,193 %	477,0316 litre	O
350	CM	95	CM	171 LEVEL CM	9407,0467 litre	94,796 %	516,4591 litre	O
350	CM	95	CM	170 LEVEL CM	9366,6856 litre	94,389 %	556,8202 litre	O
350	CM	95	CM	169 LEVEL CM	9325,4240 litre	93,973 %	598,0818 litre	O
350	CM	95	CM	168 LEVEL CM	9283,2927 litre	93,549 %	640,2131 litre	O
350	CM	95	CM	167 LEVEL CM	9240,3207 litre	93,115 %	683,1851 litre	O
350	CM	95	CM	166 LEVEL CM	9196,5354 litre	92,674 %	726,9704 litre	O
350	CM	95	CM	165 LEVEL CM	9151,9626 litre	92,225 %	771,5432 litre	O
350	CM	95	CM	164 LEVEL CM	9106,6267 litre	91,768 %	816,8791 litre	O
350	CM	95	CM	163 LEVEL CM	9060,5511 litre	91,304 %	862,9547 litre	O
350	CM	95	CM	162 LEVEL CM	9013,7579 litre	90,832 %	909,7479 litre	O
350	CM	95	CM	161 LEVEL CM	8966,2682 litre	90,354 %	957,2376 litre	O
350	CM	95	CM	160 LEVEL CM	8918,1024 litre	89,868 %	1005,4034 litre	O
350	CM	95	CM	159 LEVEL CM	8869,2797 litre	89,376 %	1054,2261 litre	O
350	CM	95	CM	158 LEVEL CM	8819,8189 litre	88,878 %	1103,6869 litre	O
350	CM	95	CM	157 LEVEL CM	8769,7378 litre	88,373 %	1153,7680 litre	O
350	CM	95	CM	156 LEVEL CM	8719,0537 litre	87,863 %	1204,4521 litre	O
350	CM	95	CM	155 LEVEL CM	8667,7833 litre	87,346 %	1255,7225 litre	O
350	CM	95	CM	154 LEVEL CM	8615,9425 litre	86,824 %	1307,5633 litre	O
350	CM	95	CM	153 LEVEL CM	8563,5471 litre	86,296 %	1359,9587 litre	O
350	CM	95	CM	152 LEVEL CM	8510,6120 litre	85,762 %	1412,8938 litre	O
350	CM	95	CM	151 LEVEL CM	8457,1519 litre	85,223 %	1466,3539 litre	O
350	CM	95	CM	150 LEVEL CM	8403,1809 litre	84,680 %	1520,3249 litre	O
350	CM	95	CM	149 LEVEL CM	8348,7129 litre	84,131 %	1574,7929 litre	O
350	CM	95	CM	148 LEVEL CM	8293,7612 litre	83,577 %	1629,7446 litre	O
350	CM	95	CM	147 LEVEL CM	8238,3389 litre	83,018 %	1685,1669 litre	O
350	CM	95	CM	146 LEVEL CM	8182,4588 litre	82,455 %	1741,0470 litre	O
350	CM	95	CM	145 LEVEL CM	8126,1332 litre	81,888 %	1797,3726 litre	O
350	CM	95	CM	144 LEVEL CM	8069,3743 litre	81,316 %	1854,1315 litre	O
350	CM	95	CM	143 LEVEL CM	8012,1940 litre	80,740 %	1911,3118 litre	O
350	CM	95	CM	142 LEVEL CM	7954,6038 litre	80,159 %	1968,9020 litre	O
350	CM	95	CM	141 LEVEL CM	7896,6150 litre	79,575 %	2026,8908 litre	O
350	CM	95	CM	140 LEVEL CM	7838,2389 litre	78,987 %	2085,2669 litre	O
350	CM	95	CM	139 LEVEL CM	7779,4862 litre	78,395 %	2144,0196 litre	O

350	CM	95	CM	138 LEVEL CM	7720,3677 litre	77,799 %	2203,1381 litre	O
350	CM	95	CM	137 LEVEL CM	7660,8939 litre	77,199 %	2262,6119 litre	O
350	CM	95	CM	136 LEVEL CM	7601,0750 litre	76,597 %	2322,4308 litre	O
350	CM	95	CM	135 LEVEL CM	7540,9213 litre	75,990 %	2382,5845 litre	O
350	CM	95	CM	134 LEVEL CM	7480,4425 litre	75,381 %	2443,0633 litre	O
350	CM	95	CM	133 LEVEL CM	7419,6486 litre	74,768 %	2503,8572 litre	O
350	CM	95	CM	132 LEVEL CM	7358,5492 litre	74,153 %	2564,9566 litre	O
350	CM	95	CM	131 LEVEL CM	7297,1538 litre	73,534 %	2626,3520 litre	O
350	CM	95	CM	130 LEVEL CM	7235,4717 litre	72,912 %	2688,0341 litre	O
350	CM	95	CM	129 LEVEL CM	7173,5122 litre	72,288 %	2749,9936 litre	O
350	CM	95	CM	128 LEVEL CM	7111,2843 litre	71,661 %	2812,2215 litre	O
350	CM	95	CM	127 LEVEL CM	7048,7972 litre	71,031 %	2874,7086 litre	O
350	CM	95	CM	126 LEVEL CM	6986,0597 litre	70,399 %	2937,4461 litre	O
350	CM	95	CM	125 LEVEL CM	6923,0804 litre	69,764 %	3000,4254 litre	O
350	CM	95	CM	124 LEVEL CM	6859,8682 litre	69,127 %	3063,6376 litre	O
350	CM	95	CM	123 LEVEL CM	6796,4316 litre	68,488 %	3127,0742 litre	O
350	CM	95	CM	122 LEVEL CM	6732,7791 litre	67,847 %	3190,7267 litre	O
350	CM	95	CM	121 LEVEL CM	6668,9191 litre	67,203 %	3254,5867 litre	O
350	CM	95	CM	120 LEVEL CM	6604,8599 litre	66,558 %	3318,6459 litre	O
350	CM	95	CM	119 LEVEL CM	6540,6097 litre	65,910 %	3382,8961 litre	O
350	CM	95	CM	118 LEVEL CM	6476,1768 litre	65,261 %	3447,3290 litre	O
350	CM	95	CM	117 LEVEL CM	6411,5691 litre	64,610 %	3511,9367 litre	O
350	CM	95	CM	116 LEVEL CM	6346,7949 litre	63,957 %	3576,7109 litre	O
350	CM	95	CM	115 LEVEL CM	6281,8620 litre	63,303 %	3641,6438 litre	O
350	CM	95	CM	114 LEVEL CM	6216,7783 litre	62,647 %	3706,7275 litre	O
350	CM	95	CM	113 LEVEL CM	6151,5517 litre	61,990 %	3771,9541 litre	O
350	CM	95	CM	112 LEVEL CM	6086,1901 litre	61,331 %	3837,3157 litre	O
350	CM	95	CM	111 LEVEL CM	6020,7011 litre	60,671 %	3902,8047 litre	O
350	CM	95	CM	110 LEVEL CM	5955,0925 litre	60,010 %	3968,4133 litre	O
350	CM	95	CM	109 LEVEL CM	5889,3720 litre	59,348 %	4034,1338 litre	O
350	CM	95	CM	108 LEVEL CM	5823,5472 litre	58,684 %	4099,9586 litre	O
350	CM	95	CM	107 LEVEL CM	5757,6257 litre	58,020 %	4165,8801 litre	O
350	CM	95	CM	106 LEVEL CM	5691,6150 litre	57,355 %	4231,8908 litre	O
350	CM	95	CM	105 LEVEL CM	5625,5228 litre	56,689 %	4297,9830 litre	O
350	CM	95	CM	104 LEVEL CM	5559,3564 litre	56,022 %	4364,1494 litre	O
350	CM	95	CM	103 LEVEL CM	5493,1235 litre	55,355 %	4430,3823 litre	O
350	CM	95	CM	102 LEVEL CM	5426,8313 litre	54,687 %	4496,6745 litre	O
350	CM	95	CM	101 LEVEL CM	5360,4875 litre	54,018 %	4563,0183 litre	O
350	CM	95	CM	100 LEVEL CM	5294,0993 litre	53,349 %	4629,4065 litre	O
350	CM	95	CM	99 LEVEL CM	5227,6743 litre	52,680 %	4695,8315 litre	O
350	CM	95	CM	98 LEVEL CM	5161,2197 litre	52,010 %	4762,2861 litre	O
350	CM	95	CM	97 LEVEL CM	5094,7431 litre	51,340 %	4828,7627 litre	O
350	CM	95	CM	96 LEVEL CM	5028,2517 litre	50,670 %	4895,2541 litre	O
350	CM	95	CM	95 LEVEL CM	4961,7529 litre	50,000 %	4961,7529 litre	O
350	CM	95	CM	94 LEVEL CM	4895,2541 litre	49,330 %	5028,2517 litre	O
350	CM	95	CM	93 LEVEL CM	4828,7627 litre	48,660 %	5094,7431 litre	O
350	CM	95	CM	92 LEVEL CM	4762,2861 litre	47,990 %	5161,2197 litre	O
350	CM	95	CM	91 LEVEL CM	4695,8315 litre	47,320 %	5227,6743 litre	O
350	CM	95	CM	90 LEVEL CM	4629,4065 litre	46,651 %	5294,0993 litre	O
350	CM	95	CM	89 LEVEL CM	4563,0183 litre	45,982 %	5360,4875 litre	O
350	CM	95	CM	88 LEVEL CM	4496,6745 litre	45,313 %	5426,8313 litre	O
350	CM	95	CM	87 LEVEL CM	4430,3823 litre	44,645 %	5493,1235 litre	O
350	CM	95	CM	86 LEVEL CM	4364,1494 litre	43,978 %	5559,3564 litre	O

350	CM	95	CM	85 LEVEL CM	4297,9830 litre	43,311 %	5625,5228 litre	O
350	CM	95	CM	84 LEVEL CM	4231,8908 litre	42,645 %	5691,6150 litre	O
350	CM	95	CM	83 LEVEL CM	4165,8801 litre	41,980 %	5757,6257 litre	O
350	CM	95	CM	82 LEVEL CM	4099,9586 litre	41,316 %	5823,5472 litre	O
350	CM	95	CM	81 LEVEL CM	4034,1338 litre	40,652 %	5889,3720 litre	O
350	CM	95	CM	80 LEVEL CM	3968,4133 litre	39,990 %	5955,0925 litre	O
350	CM	95	CM	79 LEVEL CM	3902,8047 litre	39,329 %	6020,7011 litre	O
350	CM	95	CM	78 LEVEL CM	3837,3157 litre	38,669 %	6086,1901 litre	O
350	CM	95	CM	77 LEVEL CM	3771,9541 litre	38,010 %	6151,5517 litre	O
350	CM	95	CM	76 LEVEL CM	3706,7275 litre	37,353 %	6216,7783 litre	O
350	CM	95	CM	75 LEVEL CM	3641,6438 litre	36,697 %	6281,8620 litre	O
350	CM	95	CM	74 LEVEL CM	3576,7109 litre	36,043 %	6346,7949 litre	O
350	CM	95	CM	73 LEVEL CM	3511,9366 litre	35,390 %	6411,5692 litre	O
350	CM	95	CM	72 LEVEL CM	3447,3290 litre	34,739 %	6476,1768 litre	O
350	CM	95	CM	71 LEVEL CM	3382,8961 litre	34,090 %	6540,6097 litre	O
350	CM	95	CM	70 LEVEL CM	3318,6459 litre	33,442 %	6604,8599 litre	O
350	CM	95	CM	69 LEVEL CM	3254,5867 litre	32,797 %	6668,9191 litre	O
350	CM	95	CM	68 LEVEL CM	3190,7267 litre	32,153 %	6732,7791 litre	O
350	CM	95	CM	67 LEVEL CM	3127,0742 litre	31,512 %	6796,4316 litre	O
350	CM	95	CM	66 LEVEL CM	3063,6376 litre	30,873 %	6859,8682 litre	O
350	CM	95	CM	65 LEVEL CM	3000,4254 litre	30,236 %	6923,0804 litre	O
350	CM	95	CM	64 LEVEL CM	2937,4461 litre	29,601 %	6986,0597 litre	O
350	CM	95	CM	63 LEVEL CM	2874,7086 litre	28,969 %	7048,7972 litre	O
350	CM	95	CM	62 LEVEL CM	2812,2214 litre	28,339 %	7111,2844 litre	O
350	CM	95	CM	61 LEVEL CM	2749,9936 litre	27,712 %	7173,5122 litre	O
350	CM	95	CM	60 LEVEL CM	2688,0341 litre	27,088 %	7235,4717 litre	O
350	CM	95	CM	59 LEVEL CM	2626,3520 litre	26,466 %	7297,1538 litre	O
350	CM	95	CM	58 LEVEL CM	2564,9566 litre	25,847 %	7358,5492 litre	O
350	CM	95	CM	57 LEVEL CM	2503,8572 litre	25,232 %	7419,6486 litre	O
350	CM	95	CM	56 LEVEL CM	2443,0633 litre	24,619 %	7480,4425 litre	O
350	CM	95	CM	55 LEVEL CM	2382,5845 litre	24,010 %	7540,9213 litre	O
350	CM	95	CM	54 LEVEL CM	2322,4308 litre	23,403 %	7601,0750 litre	O
350	CM	95	CM	53 LEVEL CM	2262,6119 litre	22,801 %	7660,8939 litre	O
350	CM	95	CM	52 LEVEL CM	2203,1381 litre	22,201 %	7720,3677 litre	O
350	CM	95	CM	51 LEVEL CM	2144,0196 litre	21,605 %	7779,4862 litre	O
350	CM	95	CM	50 LEVEL CM	2085,2669 litre	21,013 %	7838,2389 litre	O
350	CM	95	CM	49 LEVEL CM	2026,8908 litre	20,425 %	7896,6150 litre	O
350	CM	95	CM	48 LEVEL CM	1968,9020 litre	19,841 %	7954,6038 litre	O
350	CM	95	CM	47 LEVEL CM	1911,3118 litre	19,260 %	8012,1940 litre	O
350	CM	95	CM	46 LEVEL CM	1854,1315 litre	18,684 %	8069,3743 litre	O
350	CM	95	CM	45 LEVEL CM	1797,3726 litre	18,112 %	8126,1332 litre	O
350	CM	95	CM	44 LEVEL CM	1741,0470 litre	17,545 %	8182,4588 litre	O
350	CM	95	CM	43 LEVEL CM	1685,1669 litre	16,982 %	8238,3389 litre	O
350	CM	95	CM	42 LEVEL CM	1629,7446 litre	16,423 %	8293,7612 litre	O
350	CM	95	CM	41 LEVEL CM	1574,7929 litre	15,869 %	8348,7129 litre	O
350	CM	95	CM	40 LEVEL CM	1520,3249 litre	15,320 %	8403,1809 litre	O
350	CM	95	CM	39 LEVEL CM	1466,3539 litre	14,777 %	8457,1519 litre	O
350	CM	95	CM	38 LEVEL CM	1412,8938 litre	14,238 %	8510,6120 litre	O
350	CM	95	CM	37 LEVEL CM	1359,9587 litre	13,704 %	8563,5471 litre	O
350	CM	95	CM	36 LEVEL CM	1307,5633 litre	13,176 %	8615,9425 litre	O
350	CM	95	CM	35 LEVEL CM	1255,7225 litre	12,654 %	8667,7833 litre	O
350	CM	95	CM	34 LEVEL CM	1204,4521 litre	12,137 %	8719,0537 litre	O
350	CM	95	CM	33 LEVEL CM	1153,7680 litre	11,627 %	8769,7378 litre	O

350	CM	95	CM	32 LEVEL CM	1103,6869 litre	11,122 %	8819,8189 litre	O
350	CM	95	CM	31 LEVEL CM	1054,2261 litre	10,624 %	8869,2797 litre	O
350	CM	95	CM	30 LEVEL CM	1005,4034 litre	10,132 %	8918,1024 litre	O
350	CM	95	CM	29 LEVEL CM	957,2376 litre	9,646 %	8966,2682 litre	O
350	CM	95	CM	28 LEVEL CM	909,7479 litre	9,168 %	9013,7579 litre	O
350	CM	95	CM	27 LEVEL CM	862,9547 litre	8,696 %	9060,5511 litre	O
350	CM	95	CM	26 LEVEL CM	816,8791 litre	8,232 %	9106,6267 litre	O
350	CM	95	CM	25 LEVEL CM	771,5432 litre	7,775 %	9151,9626 litre	O
350	CM	95	CM	24 LEVEL CM	726,9704 litre	7,326 %	9196,5354 litre	O
350	CM	95	CM	23 LEVEL CM	683,1851 litre	6,885 %	9240,3207 litre	O
350	CM	95	CM	22 LEVEL CM	640,2131 litre	6,451 %	9283,2927 litre	O
350	CM	95	CM	21 LEVEL CM	598,0818 litre	6,027 %	9325,4240 litre	O
350	CM	95	CM	20 LEVEL CM	556,8202 litre	5,611 %	9366,6856 litre	O
350	CM	95	CM	19 LEVEL CM	516,4591 litre	5,204 %	9407,0467 litre	O
350	CM	95	CM	18 LEVEL CM	477,0316 litre	4,807 %	9446,4742 litre	O
350	CM	95	CM	17 LEVEL CM	438,5730 litre	4,420 %	9484,9328 litre	O
350	CM	95	CM	16 LEVEL CM	401,1214 litre	4,042 %	9522,3844 litre	O
350	CM	95	CM	15 LEVEL CM	364,7182 litre	3,675 %	9558,7876 litre	O
350	CM	95	CM	14 LEVEL CM	329,4084 litre	3,319 %	9594,0974 litre	O
350	CM	95	CM	13 LEVEL CM	295,2413 litre	2,975 %	9628,2645 litre	O
350	CM	95	CM	12 LEVEL CM	262,2713 litre	2,643 %	9661,2345 litre	O
350	CM	95	CM	11 LEVEL CM	230,5590 litre	2,323 %	9692,9468 litre	O
350	CM	95	CM	10 LEVEL CM	200,1726 litre	2,017 %	9723,3332 litre	O
350	CM	95	CM	9 LEVEL CM	171,1897 litre	1,725 %	9752,3161 litre	O
350	CM	95	CM	8 LEVEL CM	143,6995 litre	1,448 %	9779,8063 litre	O
350	CM	95	CM	7 LEVEL CM	117,8071 litre	1,187 %	9805,6987 litre	O
350	CM	95	CM	6 LEVEL CM	93,6381 litre	0,944 %	9829,8677 litre	O
350	CM	95	CM	5 LEVEL CM	71,3477 litre	0,719 %	9852,1581 litre	O
350	CM	95	CM	4 LEVEL CM	51,1342 litre	0,515 %	9872,3716 litre	O
350	CM	95	CM	3 LEVEL CM	33,2658 litre	0,335 %	9890,2400 litre	O
350	CM	95	CM	2 LEVEL CM	18,1365 litre	0,183 %	9905,3693 litre	O
350	CM	95	CM	1 LEVEL CM	6,4224 litre	0,065 %	9917,0834 litre	O
350	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	9923,5058 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
350	CM	90	CM	180 LEVEL CM	8906,4152 litre	100,000 %	0,0000 litre	O
350	CM	90	CM	179 LEVEL CM	8900,1646 litre	99,930 %	6,2506 litre	O
350	CM	90	CM	178 LEVEL CM	8888,7656 litre	99,802 %	17,6496 litre	O
350	CM	90	CM	177 LEVEL CM	8874,0453 litre	99,637 %	32,3699 litre	O
350	CM	90	CM	176 LEVEL CM	8856,6625 litre	99,441 %	49,7527 litre	O
350	CM	90	CM	175 LEVEL CM	8837,0014 litre	99,221 %	69,4138 litre	O
350	CM	90	CM	174 LEVEL CM	8815,3235 litre	98,977 %	91,0917 litre	O
350	CM	90	CM	173 LEVEL CM	8791,8224 litre	98,713 %	114,5928 litre	O
350	CM	90	CM	172 LEVEL CM	8766,6493 litre	98,431 %	139,7659 litre	O
350	CM	90	CM	171 LEVEL CM	8739,9272 litre	98,131 %	166,4880 litre	O
350	CM	90	CM	170 LEVEL CM	8711,7586 litre	97,814 %	194,6566 litre	O
350	CM	90	CM	169 LEVEL CM	8682,2308 litre	97,483 %	224,1844 litre	O
350	CM	90	CM	168 LEVEL CM	8651,4196 litre	97,137 %	254,9956 litre	O
350	CM	90	CM	167 LEVEL CM	8619,3918 litre	96,777 %	287,0234 litre	O
350	CM	90	CM	166 LEVEL CM	8586,2067 litre	96,405 %	320,2085 litre	O
350	CM	90	CM	165 LEVEL CM	8551,9177 litre	96,020 %	354,4975 litre	O
350	CM	90	CM	164 LEVEL CM	8516,5730 litre	95,623 %	389,8422 litre	O
350	CM	90	CM	163 LEVEL CM	8480,2167 litre	95,215 %	426,1985 litre	O
350	CM	90	CM	162 LEVEL CM	8442,8895 litre	94,796 %	463,5257 litre	O
350	CM	90	CM	161 LEVEL CM	8404,6288 litre	94,366 %	501,7864 litre	O
350	CM	90	CM	160 LEVEL CM	8365,4692 litre	93,926 %	540,9460 litre	O
350	CM	90	CM	159 LEVEL CM	8325,4432 litre	93,477 %	580,9720 litre	O
350	CM	90	CM	158 LEVEL CM	8284,5813 litre	93,018 %	621,8339 litre	O
350	CM	90	CM	157 LEVEL CM	8242,9118 litre	92,550 %	663,5034 litre	O
350	CM	90	CM	156 LEVEL CM	8200,4618 litre	92,074 %	705,9534 litre	O
350	CM	90	CM	155 LEVEL CM	8157,2565 litre	91,589 %	749,1587 litre	O
350	CM	90	CM	154 LEVEL CM	8113,3203 litre	91,095 %	793,0949 litre	O
350	CM	90	CM	153 LEVEL CM	8068,6760 litre	90,594 %	837,7392 litre	O
350	CM	90	CM	152 LEVEL CM	8023,3454 litre	90,085 %	883,0698 litre	O
350	CM	90	CM	151 LEVEL CM	7977,3495 litre	89,569 %	929,0657 litre	O
350	CM	90	CM	150 LEVEL CM	7930,7083 litre	89,045 %	975,7069 litre	O
350	CM	90	CM	149 LEVEL CM	7883,4409 litre	88,514 %	1022,9743 litre	O
350	CM	90	CM	148 LEVEL CM	7835,5658 litre	87,977 %	1070,8494 litre	O
350	CM	90	CM	147 LEVEL CM	7787,1007 litre	87,432 %	1119,3145 litre	O
350	CM	90	CM	146 LEVEL CM	7738,0626 litre	86,882 %	1168,3526 litre	O
350	CM	90	CM	145 LEVEL CM	7688,4682 litre	86,325 %	1217,9470 litre	O
350	CM	90	CM	144 LEVEL CM	7638,3332 litre	85,762 %	1268,0820 litre	O
350	CM	90	CM	143 LEVEL CM	7587,6732 litre	85,193 %	1318,7420 litre	O
350	CM	90	CM	142 LEVEL CM	7536,5032 litre	84,619 %	1369,9120 litre	O
350	CM	90	CM	141 LEVEL CM	7484,8376 litre	84,039 %	1421,5776 litre	O
350	CM	90	CM	140 LEVEL CM	7432,6905 litre	83,453 %	1473,7247 litre	O
350	CM	90	CM	139 LEVEL CM	7380,0757 litre	82,862 %	1526,3395 litre	O
350	CM	90	CM	138 LEVEL CM	7327,0065 litre	82,267 %	1579,4087 litre	O
350	CM	90	CM	137 LEVEL CM	7273,4959 litre	81,666 %	1632,9193 litre	O
350	CM	90	CM	136 LEVEL CM	7219,5566 litre	81,060 %	1686,8586 litre	O
350	CM	90	CM	135 LEVEL CM	7165,2011 litre	80,450 %	1741,2141 litre	O
350	CM	90	CM	134 LEVEL CM	7110,4414 litre	79,835 %	1795,9738 litre	O
350	CM	90	CM	133 LEVEL CM	7055,2894 litre	79,216 %	1851,1258 litre	O
350	CM	90	CM	132 LEVEL CM	6999,7567 litre	78,592 %	1906,6585 litre	O
350	CM	90	CM	131 LEVEL CM	6943,8546 litre	77,965 %	1962,5606 litre	O
350	CM	90	CM	130 LEVEL CM	6887,5942 litre	77,333 %	2018,8210 litre	O
350	CM	90	CM	129 LEVEL CM	6830,9866 litre	76,697 %	2075,4286 litre	O

350	CM	90	CM	128 LEVEL CM	6774,0423 litre	76,058 %	2132,3729 litre	O
350	CM	90	CM	127 LEVEL CM	6716,7720 litre	75,415 %	2189,6432 litre	O
350	CM	90	CM	126 LEVEL CM	6659,1860 litre	74,768 %	2247,2292 litre	O
350	CM	90	CM	125 LEVEL CM	6601,2945 litre	74,118 %	2305,1207 litre	O
350	CM	90	CM	124 LEVEL CM	6543,1075 litre	73,465 %	2363,3077 litre	O
350	CM	90	CM	123 LEVEL CM	6484,6348 litre	72,809 %	2421,7804 litre	O
350	CM	90	CM	122 LEVEL CM	6425,8863 litre	72,149 %	2480,5289 litre	O
350	CM	90	CM	121 LEVEL CM	6366,8714 litre	71,486 %	2539,5438 litre	O
350	CM	90	CM	120 LEVEL CM	6307,5998 litre	70,821 %	2598,8154 litre	O
350	CM	90	CM	119 LEVEL CM	6248,0806 litre	70,153 %	2658,3346 litre	O
350	CM	90	CM	118 LEVEL CM	6188,3232 litre	69,482 %	2718,0920 litre	O
350	CM	90	CM	117 LEVEL CM	6128,3366 litre	68,808 %	2778,0786 litre	O
350	CM	90	CM	116 LEVEL CM	6068,1298 litre	68,132 %	2838,2854 litre	O
350	CM	90	CM	115 LEVEL CM	6007,7118 litre	67,454 %	2898,7034 litre	O
350	CM	90	CM	114 LEVEL CM	5947,0914 litre	66,773 %	2959,3238 litre	O
350	CM	90	CM	113 LEVEL CM	5886,2773 litre	66,090 %	3020,1379 litre	O
350	CM	90	CM	112 LEVEL CM	5825,2782 litre	65,405 %	3081,1370 litre	O
350	CM	90	CM	111 LEVEL CM	5764,1026 litre	64,719 %	3142,3126 litre	O
350	CM	90	CM	110 LEVEL CM	5702,7590 litre	64,030 %	3203,6562 litre	O
350	CM	90	CM	109 LEVEL CM	5641,2559 litre	63,339 %	3265,1593 litre	O
350	CM	90	CM	108 LEVEL CM	5579,6016 litre	62,647 %	3326,8136 litre	O
350	CM	90	CM	107 LEVEL CM	5517,8044 litre	61,953 %	3388,6108 litre	O
350	CM	90	CM	106 LEVEL CM	5455,8725 litre	61,258 %	3450,5427 litre	O
350	CM	90	CM	105 LEVEL CM	5393,8142 litre	60,561 %	3512,6010 litre	O
350	CM	90	CM	104 LEVEL CM	5331,6375 litre	59,863 %	3574,7777 litre	O
350	CM	90	CM	103 LEVEL CM	5269,3506 litre	59,164 %	3637,0646 litre	O
350	CM	90	CM	102 LEVEL CM	5206,9616 litre	58,463 %	3699,4536 litre	O
350	CM	90	CM	101 LEVEL CM	5144,4783 litre	57,761 %	3761,9369 litre	O
350	CM	90	CM	100 LEVEL CM	5081,9089 litre	57,059 %	3824,5063 litre	O
350	CM	90	CM	99 LEVEL CM	5019,2612 litre	56,356 %	3887,1540 litre	O
350	CM	90	CM	98 LEVEL CM	4956,5431 litre	55,651 %	3949,8721 litre	O
350	CM	90	CM	97 LEVEL CM	4893,7626 litre	54,946 %	4012,6526 litre	O
350	CM	90	CM	96 LEVEL CM	4830,9274 litre	54,241 %	4075,4878 litre	O
350	CM	90	CM	95 LEVEL CM	4768,0455 litre	53,535 %	4138,3697 litre	O
350	CM	90	CM	94 LEVEL CM	4705,1246 litre	52,828 %	4201,2906 litre	O
350	CM	90	CM	93 LEVEL CM	4642,1726 litre	52,122 %	4264,2426 litre	O
350	CM	90	CM	92 LEVEL CM	4579,1972 litre	51,415 %	4327,2180 litre	O
350	CM	90	CM	91 LEVEL CM	4516,2063 litre	50,707 %	4390,2089 litre	O
350	CM	90	CM	90 LEVEL CM	4453,2076 litre	50,000 %	4453,2076 litre	O
350	CM	90	CM	89 LEVEL CM	4390,2089 litre	49,293 %	4516,2063 litre	O
350	CM	90	CM	88 LEVEL CM	4327,2180 litre	48,585 %	4579,1972 litre	O
350	CM	90	CM	87 LEVEL CM	4264,2426 litre	47,878 %	4642,1726 litre	O
350	CM	90	CM	86 LEVEL CM	4201,2906 litre	47,172 %	4705,1246 litre	O
350	CM	90	CM	85 LEVEL CM	4138,3697 litre	46,465 %	4768,0455 litre	O
350	CM	90	CM	84 LEVEL CM	4075,4878 litre	45,759 %	4830,9274 litre	O
350	CM	90	CM	83 LEVEL CM	4012,6526 litre	45,054 %	4893,7626 litre	O
350	CM	90	CM	82 LEVEL CM	3949,8721 litre	44,349 %	4956,5431 litre	O
350	CM	90	CM	81 LEVEL CM	3887,1540 litre	43,644 %	5019,2612 litre	O
350	CM	90	CM	80 LEVEL CM	3824,5063 litre	42,941 %	5081,9089 litre	O
350	CM	90	CM	79 LEVEL CM	3761,9368 litre	42,239 %	5144,4784 litre	O
350	CM	90	CM	78 LEVEL CM	3699,4536 litre	41,537 %	5206,9616 litre	O
350	CM	90	CM	77 LEVEL CM	3637,0645 litre	40,836 %	5269,3507 litre	O
350	CM	90	CM	76 LEVEL CM	3574,7776 litre	40,137 %	5331,6376 litre	O

350	CM	90	CM	75 LEVEL CM	3512,6010 litre	39,439 %	5393,8142 litre	O
350	CM	90	CM	74 LEVEL CM	3450,5427 litre	38,742 %	5455,8725 litre	O
350	CM	90	CM	73 LEVEL CM	3388,6108 litre	38,047 %	5517,8044 litre	O
350	CM	90	CM	72 LEVEL CM	3326,8136 litre	37,353 %	5579,6016 litre	O
350	CM	90	CM	71 LEVEL CM	3265,1593 litre	36,661 %	5641,2559 litre	O
350	CM	90	CM	70 LEVEL CM	3203,6562 litre	35,970 %	5702,7590 litre	O
350	CM	90	CM	69 LEVEL CM	3142,3126 litre	35,281 %	5764,1026 litre	O
350	CM	90	CM	68 LEVEL CM	3081,1370 litre	34,595 %	5825,2782 litre	O
350	CM	90	CM	67 LEVEL CM	3020,1379 litre	33,910 %	5886,2773 litre	O
350	CM	90	CM	66 LEVEL CM	2959,3238 litre	33,227 %	5947,0914 litre	O
350	CM	90	CM	65 LEVEL CM	2898,7034 litre	32,546 %	6007,7118 litre	O
350	CM	90	CM	64 LEVEL CM	2838,2854 litre	31,868 %	6068,1298 litre	O
350	CM	90	CM	63 LEVEL CM	2778,0786 litre	31,192 %	6128,3366 litre	O
350	CM	90	CM	62 LEVEL CM	2718,0920 litre	30,518 %	6188,3232 litre	O
350	CM	90	CM	61 LEVEL CM	2658,3346 litre	29,847 %	6248,0806 litre	O
350	CM	90	CM	60 LEVEL CM	2598,8154 litre	29,179 %	6307,5998 litre	O
350	CM	90	CM	59 LEVEL CM	2539,5437 litre	28,514 %	6366,8715 litre	O
350	CM	90	CM	58 LEVEL CM	2480,5289 litre	27,851 %	6425,8863 litre	O
350	CM	90	CM	57 LEVEL CM	2421,7804 litre	27,191 %	6484,6348 litre	O
350	CM	90	CM	56 LEVEL CM	2363,3077 litre	26,535 %	6543,1075 litre	O
350	CM	90	CM	55 LEVEL CM	2305,1207 litre	25,882 %	6601,2945 litre	O
350	CM	90	CM	54 LEVEL CM	2247,2292 litre	25,232 %	6659,1860 litre	O
350	CM	90	CM	53 LEVEL CM	2189,6431 litre	24,585 %	6716,7721 litre	O
350	CM	90	CM	52 LEVEL CM	2132,3728 litre	23,942 %	6774,0424 litre	O
350	CM	90	CM	51 LEVEL CM	2075,4286 litre	23,303 %	6830,9866 litre	O
350	CM	90	CM	50 LEVEL CM	2018,8209 litre	22,667 %	6887,5943 litre	O
350	CM	90	CM	49 LEVEL CM	1962,5606 litre	22,035 %	6943,8546 litre	O
350	CM	90	CM	48 LEVEL CM	1906,6585 litre	21,408 %	6999,7567 litre	O
350	CM	90	CM	47 LEVEL CM	1851,1257 litre	20,784 %	7055,2895 litre	O
350	CM	90	CM	46 LEVEL CM	1795,9737 litre	20,165 %	7110,4415 litre	O
350	CM	90	CM	45 LEVEL CM	1741,2140 litre	19,550 %	7165,2012 litre	O
350	CM	90	CM	44 LEVEL CM	1686,8585 litre	18,940 %	7219,5567 litre	O
350	CM	90	CM	43 LEVEL CM	1632,9193 litre	18,334 %	7273,4959 litre	O
350	CM	90	CM	42 LEVEL CM	1579,4087 litre	17,733 %	7327,0065 litre	O
350	CM	90	CM	41 LEVEL CM	1526,3395 litre	17,138 %	7380,0757 litre	O
350	CM	90	CM	40 LEVEL CM	1473,7247 litre	16,547 %	7432,6905 litre	O
350	CM	90	CM	39 LEVEL CM	1421,5776 litre	15,961 %	7484,8376 litre	O
350	CM	90	CM	38 LEVEL CM	1369,9120 litre	15,381 %	7536,5032 litre	O
350	CM	90	CM	37 LEVEL CM	1318,7419 litre	14,807 %	7587,6733 litre	O
350	CM	90	CM	36 LEVEL CM	1268,0819 litre	14,238 %	7638,3333 litre	O
350	CM	90	CM	35 LEVEL CM	1217,9470 litre	13,675 %	7688,4682 litre	O
350	CM	90	CM	34 LEVEL CM	1168,3525 litre	13,118 %	7738,0627 litre	O
350	CM	90	CM	33 LEVEL CM	1119,3145 litre	12,568 %	7787,1007 litre	O
350	CM	90	CM	32 LEVEL CM	1070,8493 litre	12,023 %	7835,5659 litre	O
350	CM	90	CM	31 LEVEL CM	1022,9742 litre	11,486 %	7883,4410 litre	O
350	CM	90	CM	30 LEVEL CM	975,7069 litre	10,955 %	7930,7083 litre	O
350	CM	90	CM	29 LEVEL CM	929,0656 litre	10,431 %	7977,3496 litre	O
350	CM	90	CM	28 LEVEL CM	883,0698 litre	9,915 %	8023,3454 litre	O
350	CM	90	CM	27 LEVEL CM	837,7392 litre	9,406 %	8068,6760 litre	O
350	CM	90	CM	26 LEVEL CM	793,0949 litre	8,905 %	8113,3203 litre	O
350	CM	90	CM	25 LEVEL CM	749,1586 litre	8,411 %	8157,2566 litre	O
350	CM	90	CM	24 LEVEL CM	705,9534 litre	7,926 %	8200,4618 litre	O
350	CM	90	CM	23 LEVEL CM	663,5034 litre	7,450 %	8242,9118 litre	O

350_90

-2003-

350	CM	90	CM	22 LEVEL CM	621,8339 litre	6,982 %	8284,5813 litre	O
350	CM	90	CM	21 LEVEL CM	580,9719 litre	6,523 %	8325,4433 litre	O
350	CM	90	CM	20 LEVEL CM	540,9460 litre	6,074 %	8365,4692 litre	O
350	CM	90	CM	19 LEVEL CM	501,7864 litre	5,634 %	8404,6288 litre	O
350	CM	90	CM	18 LEVEL CM	463,5256 litre	5,204 %	8442,8896 litre	O
350	CM	90	CM	17 LEVEL CM	426,1984 litre	4,785 %	8480,2168 litre	O
350	CM	90	CM	16 LEVEL CM	389,8422 litre	4,377 %	8516,5730 litre	O
350	CM	90	CM	15 LEVEL CM	354,4975 litre	3,980 %	8551,9177 litre	O
350	CM	90	CM	14 LEVEL CM	320,2084 litre	3,595 %	8586,2068 litre	O
350	CM	90	CM	13 LEVEL CM	287,0234 litre	3,223 %	8619,3918 litre	O
350	CM	90	CM	12 LEVEL CM	254,9956 litre	2,863 %	8651,4196 litre	O
350	CM	90	CM	11 LEVEL CM	224,1844 litre	2,517 %	8682,2308 litre	O
350	CM	90	CM	10 LEVEL CM	194,6566 litre	2,186 %	8711,7586 litre	O
350	CM	90	CM	9 LEVEL CM	166,4879 litre	1,869 %	8739,9273 litre	O
350	CM	90	CM	8 LEVEL CM	139,7658 litre	1,569 %	8766,6494 litre	O
350	CM	90	CM	7 LEVEL CM	114,5928 litre	1,287 %	8791,8224 litre	O
350	CM	90	CM	6 LEVEL CM	91,0917 litre	1,023 %	8815,3235 litre	O
350	CM	90	CM	5 LEVEL CM	69,4137 litre	0,779 %	8837,0015 litre	O
350	CM	90	CM	4 LEVEL CM	49,7527 litre	0,559 %	8856,6625 litre	O
350	CM	90	CM	3 LEVEL CM	32,3699 litre	0,363 %	8874,0453 litre	O
350	CM	90	CM	2 LEVEL CM	17,6496 litre	0,198 %	8888,7656 litre	O
350	CM	90	CM	1 LEVEL CM	6,2505 litre	0,070 %	8900,1647 litre	O
350	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	8906,4152 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM	85	CM 170 LEVEL CM	7944,3024 litre	100,000 %	0,0000 litre	O
350	CM	85	CM 169 LEVEL CM	7938,2286 litre	99,924 %	6,0738 litre	O
350	CM	85	CM 168 LEVEL CM	7927,1535 litre	99,784 %	17,1489 litre	O
350	CM	85	CM 167 LEVEL CM	7912,8539 litre	99,604 %	31,4485 litre	O
350	CM	85	CM 166 LEVEL CM	7895,9708 litre	99,392 %	48,3316 litre	O
350	CM	85	CM 165 LEVEL CM	7876,8781 litre	99,151 %	67,4243 litre	O
350	CM	85	CM 164 LEVEL CM	7855,8305 litre	98,886 %	88,4719 litre	O
350	CM	85	CM 163 LEVEL CM	7833,0167 litre	98,599 %	111,2857 litre	O
350	CM	85	CM 162 LEVEL CM	7808,5842 litre	98,292 %	135,7182 litre	O
350	CM	85	CM 161 LEVEL CM	7782,6529 litre	97,965 %	161,6495 litre	O
350	CM	85	CM 160 LEVEL CM	7755,3228 litre	97,621 %	188,9796 litre	O
350	CM	85	CM 159 LEVEL CM	7726,6793 litre	97,261 %	217,6231 litre	O
350	CM	85	CM 158 LEVEL CM	7696,7964 litre	96,884 %	247,5060 litre	O
350	CM	85	CM 157 LEVEL CM	7665,7394 litre	96,494 %	278,5630 litre	O
350	CM	85	CM 156 LEVEL CM	7633,5664 litre	96,089 %	310,7360 litre	O
350	CM	85	CM 155 LEVEL CM	7600,3294 litre	95,670 %	343,9730 litre	O
350	CM	85	CM 154 LEVEL CM	7566,0758 litre	95,239 %	378,2266 litre	O
350	CM	85	CM 153 LEVEL CM	7530,8490 litre	94,796 %	413,4534 litre	O
350	CM	85	CM 152 LEVEL CM	7494,6886 litre	94,340 %	449,6138 litre	O
350	CM	85	CM 151 LEVEL CM	7457,6313 litre	93,874 %	486,6711 litre	O
350	CM	85	CM 150 LEVEL CM	7419,7113 litre	93,397 %	524,5911 litre	O
350	CM	85	CM 149 LEVEL CM	7380,9604 litre	92,909 %	563,3420 litre	O
350	CM	85	CM 148 LEVEL CM	7341,4085 litre	92,411 %	602,8939 litre	O
350	CM	85	CM 147 LEVEL CM	7301,0835 litre	91,903 %	643,2189 litre	O
350	CM	85	CM 146 LEVEL CM	7260,0121 litre	91,386 %	684,2903 litre	O
350	CM	85	CM 145 LEVEL CM	7218,2192 litre	90,860 %	726,0832 litre	O
350	CM	85	CM 144 LEVEL CM	7175,7287 litre	90,325 %	768,5737 litre	O
350	CM	85	CM 143 LEVEL CM	7132,5631 litre	89,782 %	811,7393 litre	O
350	CM	85	CM 142 LEVEL CM	7088,7440 litre	89,231 %	855,5584 litre	O
350	CM	85	CM 141 LEVEL CM	7044,2921 litre	88,671 %	900,0103 litre	O
350	CM	85	CM 140 LEVEL CM	6999,2270 litre	88,104 %	945,0754 litre	O
350	CM	85	CM 139 LEVEL CM	6953,5679 litre	87,529 %	990,7345 litre	O
350	CM	85	CM 138 LEVEL CM	6907,3328 litre	86,947 %	1036,9696 litre	O
350	CM	85	CM 137 LEVEL CM	6860,5394 litre	86,358 %	1083,7630 litre	O
350	CM	85	CM 136 LEVEL CM	6813,2046 litre	85,762 %	1131,0978 litre	O
350	CM	85	CM 135 LEVEL CM	6765,3448 litre	85,160 %	1178,9576 litre	O
350	CM	85	CM 134 LEVEL CM	6716,9757 litre	84,551 %	1227,3267 litre	O
350	CM	85	CM 133 LEVEL CM	6668,1128 litre	83,936 %	1276,1896 litre	O
350	CM	85	CM 132 LEVEL CM	6618,7709 litre	83,315 %	1325,5315 litre	O
350	CM	85	CM 131 LEVEL CM	6568,9643 litre	82,688 %	1375,3381 litre	O
350	CM	85	CM 130 LEVEL CM	6518,7073 litre	82,055 %	1425,5951 litre	O
350	CM	85	CM 129 LEVEL CM	6468,0134 litre	81,417 %	1476,2890 litre	O
350	CM	85	CM 128 LEVEL CM	6416,8960 litre	80,774 %	1527,4064 litre	O
350	CM	85	CM 127 LEVEL CM	6365,3680 litre	80,125 %	1578,9344 litre	O
350	CM	85	CM 126 LEVEL CM	6313,4421 litre	79,471 %	1630,8603 litre	O
350	CM	85	CM 125 LEVEL CM	6261,1308 litre	78,813 %	1683,1716 litre	O
350	CM	85	CM 124 LEVEL CM	6208,4461 litre	78,150 %	1735,8563 litre	O
350	CM	85	CM 123 LEVEL CM	6155,4000 litre	77,482 %	1788,9024 litre	O
350	CM	85	CM 122 LEVEL CM	6102,0039 litre	76,810 %	1842,2985 litre	O
350	CM	85	CM 121 LEVEL CM	6048,2694 litre	76,133 %	1896,0330 litre	O
350	CM	85	CM 120 LEVEL CM	5994,2076 litre	75,453 %	1950,0948 litre	O
350	CM	85	CM 119 LEVEL CM	5939,8295 litre	74,768 %	2004,4729 litre	O

350	CM 85	CM	118 LEVEL CM	5885,1459 litre	74,080 %	2059,1565 litre	O
350	CM 85	CM	117 LEVEL CM	5830,1673 litre	73,388 %	2114,1351 litre	O
350	CM 85	CM	116 LEVEL CM	5774,9043 litre	72,692 %	2169,3981 litre	O
350	CM 85	CM	115 LEVEL CM	5719,3671 litre	71,993 %	2224,9353 litre	O
350	CM 85	CM	114 LEVEL CM	5663,5659 litre	71,291 %	2280,7365 litre	O
350	CM 85	CM	113 LEVEL CM	5607,5105 litre	70,585 %	2336,7919 litre	O
350	CM 85	CM	112 LEVEL CM	5551,2109 litre	69,877 %	2393,0915 litre	O
350	CM 85	CM	111 LEVEL CM	5494,6769 litre	69,165 %	2449,6255 litre	O
350	CM 85	CM	110 LEVEL CM	5437,9179 litre	68,451 %	2506,3845 litre	O
350	CM 85	CM	109 LEVEL CM	5380,9435 litre	67,733 %	2563,3589 litre	O
350	CM 85	CM	108 LEVEL CM	5323,7630 litre	67,014 %	2620,5394 litre	O
350	CM 85	CM	107 LEVEL CM	5266,3858 litre	66,291 %	2677,9166 litre	O
350	CM 85	CM	106 LEVEL CM	5208,8210 litre	65,567 %	2735,4814 litre	O
350	CM 85	CM	105 LEVEL CM	5151,0778 litre	64,840 %	2793,2246 litre	O
350	CM 85	CM	104 LEVEL CM	5093,1650 litre	64,111 %	2851,1374 litre	O
350	CM 85	CM	103 LEVEL CM	5035,0918 litre	63,380 %	2909,2106 litre	O
350	CM 85	CM	102 LEVEL CM	4976,8668 litre	62,647 %	2967,4356 litre	O
350	CM 85	CM	101 LEVEL CM	4918,4990 litre	61,912 %	3025,8034 litre	O
350	CM 85	CM	100 LEVEL CM	4859,9970 litre	61,176 %	3084,3054 litre	O
350	CM 85	CM	99 LEVEL CM	4801,3695 litre	60,438 %	3142,9329 litre	O
350	CM 85	CM	98 LEVEL CM	4742,6251 litre	59,698 %	3201,6773 litre	O
350	CM 85	CM	97 LEVEL CM	4683,7723 litre	58,958 %	3260,5301 litre	O
350	CM 85	CM	96 LEVEL CM	4624,8197 litre	58,216 %	3319,4827 litre	O
350	CM 85	CM	95 LEVEL CM	4565,7758 litre	57,472 %	3378,5266 litre	O
350	CM 85	CM	94 LEVEL CM	4506,6489 litre	56,728 %	3437,6535 litre	O
350	CM 85	CM	93 LEVEL CM	4447,4475 litre	55,983 %	3496,8549 litre	O
350	CM 85	CM	92 LEVEL CM	4388,1799 litre	55,237 %	3556,1225 litre	O
350	CM 85	CM	91 LEVEL CM	4328,8545 litre	54,490 %	3615,4479 litre	O
350	CM 85	CM	90 LEVEL CM	4269,4796 litre	53,743 %	3674,8228 litre	O
350	CM 85	CM	89 LEVEL CM	4210,0633 litre	52,995 %	3734,2391 litre	O
350	CM 85	CM	88 LEVEL CM	4150,6141 litre	52,246 %	3793,6883 litre	O
350	CM 85	CM	87 LEVEL CM	4091,1402 litre	51,498 %	3853,1622 litre	O
350	CM 85	CM	86 LEVEL CM	4031,6498 litre	50,749 %	3912,6526 litre	O
350	CM 85	CM	85 LEVEL CM	3972,1512 litre	50,000 %	3972,1512 litre	O
350	CM 85	CM	84 LEVEL CM	3912,6526 litre	49,251 %	4031,6498 litre	O
350	CM 85	CM	83 LEVEL CM	3853,1622 litre	48,502 %	4091,1402 litre	O
350	CM 85	CM	82 LEVEL CM	3793,6883 litre	47,754 %	4150,6141 litre	O
350	CM 85	CM	81 LEVEL CM	3734,2391 litre	47,005 %	4210,0633 litre	O
350	CM 85	CM	80 LEVEL CM	3674,8229 litre	46,257 %	4269,4795 litre	O
350	CM 85	CM	79 LEVEL CM	3615,4479 litre	45,510 %	4328,8545 litre	O
350	CM 85	CM	78 LEVEL CM	3556,1225 litre	44,763 %	4388,1799 litre	O
350	CM 85	CM	77 LEVEL CM	3496,8549 litre	44,017 %	4447,4475 litre	O
350	CM 85	CM	76 LEVEL CM	3437,6535 litre	43,272 %	4506,6489 litre	O
350	CM 85	CM	75 LEVEL CM	3378,5266 litre	42,528 %	4565,7758 litre	O
350	CM 85	CM	74 LEVEL CM	3319,4827 litre	41,784 %	4624,8197 litre	O
350	CM 85	CM	73 LEVEL CM	3260,5301 litre	41,042 %	4683,7723 litre	O
350	CM 85	CM	72 LEVEL CM	3201,6774 litre	40,302 %	4742,6250 litre	O
350	CM 85	CM	71 LEVEL CM	3142,9330 litre	39,562 %	4801,3694 litre	O
350	CM 85	CM	70 LEVEL CM	3084,3054 litre	38,824 %	4859,9970 litre	O
350	CM 85	CM	69 LEVEL CM	3025,8034 litre	38,088 %	4918,4990 litre	O
350	CM 85	CM	68 LEVEL CM	2967,4356 litre	37,353 %	4976,8668 litre	O
350	CM 85	CM	67 LEVEL CM	2909,2106 litre	36,620 %	5035,0918 litre	O
350	CM 85	CM	66 LEVEL CM	2851,1374 litre	35,889 %	5093,1650 litre	O

350	CM	85	CM	65 LEVEL CM	2793,2246 litre	35,160 %	5151,0778 litre	O
350	CM	85	CM	64 LEVEL CM	2735,4814 litre	34,433 %	5208,8210 litre	O
350	CM	85	CM	63 LEVEL CM	2677,9166 litre	33,709 %	5266,3858 litre	O
350	CM	85	CM	62 LEVEL CM	2620,5394 litre	32,986 %	5323,7630 litre	O
350	CM	85	CM	61 LEVEL CM	2563,3590 litre	32,267 %	5380,9434 litre	O
350	CM	85	CM	60 LEVEL CM	2506,3845 litre	31,549 %	5437,9179 litre	O
350	CM	85	CM	59 LEVEL CM	2449,6256 litre	30,835 %	5494,6768 litre	O
350	CM	85	CM	58 LEVEL CM	2393,0915 litre	30,123 %	5551,2109 litre	O
350	CM	85	CM	57 LEVEL CM	2336,7919 litre	29,415 %	5607,5105 litre	O
350	CM	85	CM	56 LEVEL CM	2280,7366 litre	28,709 %	5663,5658 litre	O
350	CM	85	CM	55 LEVEL CM	2224,9353 litre	28,007 %	5719,3671 litre	O
350	CM	85	CM	54 LEVEL CM	2169,3981 litre	27,308 %	5774,9043 litre	O
350	CM	85	CM	53 LEVEL CM	2114,1351 litre	26,612 %	5830,1673 litre	O
350	CM	85	CM	52 LEVEL CM	2059,1566 litre	25,920 %	5885,1458 litre	O
350	CM	85	CM	51 LEVEL CM	2004,4729 litre	25,232 %	5939,8295 litre	O
350	CM	85	CM	50 LEVEL CM	1950,0948 litre	24,547 %	5994,2076 litre	O
350	CM	85	CM	49 LEVEL CM	1896,0330 litre	23,867 %	6048,2694 litre	O
350	CM	85	CM	48 LEVEL CM	1842,2985 litre	23,190 %	6102,0039 litre	O
350	CM	85	CM	47 LEVEL CM	1788,9025 litre	22,518 %	6155,3999 litre	O
350	CM	85	CM	46 LEVEL CM	1735,8563 litre	21,850 %	6208,4461 litre	O
350	CM	85	CM	45 LEVEL CM	1683,1716 litre	21,187 %	6261,1308 litre	O
350	CM	85	CM	44 LEVEL CM	1630,8603 litre	20,529 %	6313,4421 litre	O
350	CM	85	CM	43 LEVEL CM	1578,9344 litre	19,875 %	6365,3680 litre	O
350	CM	85	CM	42 LEVEL CM	1527,4065 litre	19,226 %	6416,8959 litre	O
350	CM	85	CM	41 LEVEL CM	1476,2890 litre	18,583 %	6468,0134 litre	O
350	CM	85	CM	40 LEVEL CM	1425,5951 litre	17,945 %	6518,7073 litre	O
350	CM	85	CM	39 LEVEL CM	1375,3381 litre	17,312 %	6568,9643 litre	O
350	CM	85	CM	38 LEVEL CM	1325,5316 litre	16,685 %	6618,7708 litre	O
350	CM	85	CM	37 LEVEL CM	1276,1896 litre	16,064 %	6668,1128 litre	O
350	CM	85	CM	36 LEVEL CM	1227,3267 litre	15,449 %	6716,9757 litre	O
350	CM	85	CM	35 LEVEL CM	1178,9576 litre	14,840 %	6765,3448 litre	O
350	CM	85	CM	34 LEVEL CM	1131,0978 litre	14,238 %	6813,2046 litre	O
350	CM	85	CM	33 LEVEL CM	1083,7630 litre	13,642 %	6860,5394 litre	O
350	CM	85	CM	32 LEVEL CM	1036,9696 litre	13,053 %	6907,3328 litre	O
350	CM	85	CM	31 LEVEL CM	990,7345 litre	12,471 %	6953,5679 litre	O
350	CM	85	CM	30 LEVEL CM	945,0754 litre	11,896 %	6999,2270 litre	O
350	CM	85	CM	29 LEVEL CM	900,0104 litre	11,329 %	7044,2920 litre	O
350	CM	85	CM	28 LEVEL CM	855,5584 litre	10,769 %	7088,7440 litre	O
350	CM	85	CM	27 LEVEL CM	811,7394 litre	10,218 %	7132,5630 litre	O
350	CM	85	CM	26 LEVEL CM	768,5737 litre	9,675 %	7175,7287 litre	O
350	CM	85	CM	25 LEVEL CM	726,0832 litre	9,140 %	7218,2192 litre	O
350	CM	85	CM	24 LEVEL CM	684,2903 litre	8,614 %	7260,0121 litre	O
350	CM	85	CM	23 LEVEL CM	643,2189 litre	8,097 %	7301,0835 litre	O
350	CM	85	CM	22 LEVEL CM	602,8940 litre	7,589 %	7341,4084 litre	O
350	CM	85	CM	21 LEVEL CM	563,3420 litre	7,091 %	7380,9604 litre	O
350	CM	85	CM	20 LEVEL CM	524,5912 litre	6,603 %	7419,7112 litre	O
350	CM	85	CM	19 LEVEL CM	486,6711 litre	6,126 %	7457,6313 litre	O
350	CM	85	CM	18 LEVEL CM	449,6139 litre	5,660 %	7494,6885 litre	O
350	CM	85	CM	17 LEVEL CM	413,4534 litre	5,204 %	7530,8490 litre	O
350	CM	85	CM	16 LEVEL CM	378,2266 litre	4,761 %	7566,0758 litre	O
350	CM	85	CM	15 LEVEL CM	343,9730 litre	4,330 %	7600,3294 litre	O
350	CM	85	CM	14 LEVEL CM	310,7361 litre	3,911 %	7633,5663 litre	O
350	CM	85	CM	13 LEVEL CM	278,5630 litre	3,506 %	7665,7394 litre	O

350_85

-2007-

350	CM	85	CM	12 LEVEL CM	247,5060 litre	3,116 %	7696,7964 litre	O
350	CM	85	CM	11 LEVEL CM	217,6231 litre	2,739 %	7726,6793 litre	O
350	CM	85	CM	10 LEVEL CM	188,9796 litre	2,379 %	7755,3228 litre	O
350	CM	85	CM	9 LEVEL CM	161,6495 litre	2,035 %	7782,6529 litre	O
350	CM	85	CM	8 LEVEL CM	135,7182 litre	1,708 %	7808,5842 litre	O
350	CM	85	CM	7 LEVEL CM	111,2857 litre	1,401 %	7833,0167 litre	O
350	CM	85	CM	6 LEVEL CM	88,4719 litre	1,114 %	7855,8305 litre	O
350	CM	85	CM	5 LEVEL CM	67,4243 litre	0,849 %	7876,8781 litre	O
350	CM	85	CM	4 LEVEL CM	48,3317 litre	0,608 %	7895,9707 litre	O
350	CM	85	CM	3 LEVEL CM	31,4485 litre	0,396 %	7912,8539 litre	O
350	CM	85	CM	2 LEVEL CM	17,1489 litre	0,216 %	7927,1535 litre	O
350	CM	85	CM	1 LEVEL CM	6,0738 litre	0,076 %	7938,2286 litre	O
350	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	7944,3024 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM 80	CM 160 LEVEL CM	7037,1675 litre	100,000 %	0,0000 litre	O
350	CM 80	CM 159 LEVEL CM	7031,2757 litre	99,916 %	5,8918 litre	O
350	CM 80	CM 158 LEVEL CM	7020,5343 litre	99,764 %	16,6332 litre	O
350	CM 80	CM 157 LEVEL CM	7006,6682 litre	99,567 %	30,4993 litre	O
350	CM 80	CM 156 LEVEL CM	6990,3000 litre	99,334 %	46,8675 litre	O
350	CM 80	CM 155 LEVEL CM	6971,7931 litre	99,071 %	65,3744 litre	O
350	CM 80	CM 154 LEVEL CM	6951,3953 litre	98,781 %	85,7722 litre	O
350	CM 80	CM 153 LEVEL CM	6929,2902 litre	98,467 %	107,8773 litre	O
350	CM 80	CM 152 LEVEL CM	6905,6215 litre	98,131 %	131,5460 litre	O
350	CM 80	CM 151 LEVEL CM	6880,5059 litre	97,774 %	156,6616 litre	O
350	CM 80	CM 150 LEVEL CM	6854,0409 litre	97,398 %	183,1266 litre	O
350	CM 80	CM 149 LEVEL CM	6826,3099 litre	97,004 %	210,8576 litre	O
350	CM 80	CM 148 LEVEL CM	6797,3851 litre	96,593 %	239,7824 litre	O
350	CM 80	CM 147 LEVEL CM	6767,3302 litre	96,166 %	269,8373 litre	O
350	CM 80	CM 146 LEVEL CM	6736,2020 litre	95,723 %	300,9655 litre	O
350	CM 80	CM 145 LEVEL CM	6704,0515 litre	95,266 %	333,1160 litre	O
350	CM 80	CM 144 LEVEL CM	6670,9251 litre	94,796 %	366,2424 litre	O
350	CM 80	CM 143 LEVEL CM	6636,8650 litre	94,312 %	400,3025 litre	O
350	CM 80	CM 142 LEVEL CM	6601,9103 litre	93,815 %	435,2572 litre	O
350	CM 80	CM 141 LEVEL CM	6566,0969 litre	93,306 %	471,0706 litre	O
350	CM 80	CM 140 LEVEL CM	6529,4584 litre	92,785 %	507,7091 litre	O
350	CM 80	CM 139 LEVEL CM	6492,0260 litre	92,253 %	545,1415 litre	O
350	CM 80	CM 138 LEVEL CM	6453,8290 litre	91,711 %	583,3385 litre	O
350	CM 80	CM 137 LEVEL CM	6414,8950 litre	91,157 %	622,2725 litre	O
350	CM 80	CM 136 LEVEL CM	6375,2501 litre	90,594 %	661,9174 litre	O
350	CM 80	CM 135 LEVEL CM	6334,9190 litre	90,021 %	702,2485 litre	O
350	CM 80	CM 134 LEVEL CM	6293,9251 litre	89,438 %	743,2424 litre	O
350	CM 80	CM 133 LEVEL CM	6252,2907 litre	88,847 %	784,8768 litre	O
350	CM 80	CM 132 LEVEL CM	6210,0371 litre	88,246 %	827,1304 litre	O
350	CM 80	CM 131 LEVEL CM	6167,1847 litre	87,637 %	869,9828 litre	O
350	CM 80	CM 130 LEVEL CM	6123,7531 litre	87,020 %	913,4144 litre	O
350	CM 80	CM 129 LEVEL CM	6079,7609 litre	86,395 %	957,4066 litre	O
350	CM 80	CM 128 LEVEL CM	6035,2263 litre	85,762 %	1001,9412 litre	O
350	CM 80	CM 127 LEVEL CM	5990,1666 litre	85,122 %	1047,0009 litre	O
350	CM 80	CM 126 LEVEL CM	5944,5987 litre	84,474 %	1092,5688 litre	O
350	CM 80	CM 125 LEVEL CM	5898,5387 litre	83,820 %	1138,6288 litre	O
350	CM 80	CM 124 LEVEL CM	5852,0025 litre	83,158 %	1185,1650 litre	O
350	CM 80	CM 123 LEVEL CM	5805,0053 litre	82,491 %	1232,1622 litre	O
350	CM 80	CM 122 LEVEL CM	5757,5618 litre	81,816 %	1279,6057 litre	O
350	CM 80	CM 121 LEVEL CM	5709,6866 litre	81,136 %	1327,4809 litre	O
350	CM 80	CM 120 LEVEL CM	5661,3935 litre	80,450 %	1375,7740 litre	O
350	CM 80	CM 119 LEVEL CM	5612,6962 litre	79,758 %	1424,4713 litre	O
350	CM 80	CM 118 LEVEL CM	5563,6081 litre	79,060 %	1473,5594 litre	O
350	CM 80	CM 117 LEVEL CM	5514,1421 litre	78,357 %	1523,0254 litre	O
350	CM 80	CM 116 LEVEL CM	5464,3109 litre	77,649 %	1572,8566 litre	O
350	CM 80	CM 115 LEVEL CM	5414,1270 litre	76,936 %	1623,0405 litre	O
350	CM 80	CM 114 LEVEL CM	5363,6025 litre	76,218 %	1673,5650 litre	O
350	CM 80	CM 113 LEVEL CM	5312,7493 litre	75,496 %	1724,4182 litre	O
350	CM 80	CM 112 LEVEL CM	5261,5791 litre	74,768 %	1775,5884 litre	O
350	CM 80	CM 111 LEVEL CM	5210,1034 litre	74,037 %	1827,0641 litre	O
350	CM 80	CM 110 LEVEL CM	5158,3334 litre	73,301 %	1878,8341 litre	O
350	CM 80	CM 109 LEVEL CM	5106,2802 litre	72,562 %	1930,8873 litre	O

350	CM	80	CM	108 LEVEL CM	5053,9548 litre	71,818 %	1983,2127 litre	O
350	CM	80	CM	107 LEVEL CM	5001,3678 litre	71,071 %	2035,7997 litre	O
350	CM	80	CM	106 LEVEL CM	4948,5298 litre	70,320 %	2088,6377 litre	O
350	CM	80	CM	105 LEVEL CM	4895,4513 litre	69,566 %	2141,7162 litre	O
350	CM	80	CM	104 LEVEL CM	4842,1425 litre	68,808 %	2195,0250 litre	O
350	CM	80	CM	103 LEVEL CM	4788,6135 litre	68,047 %	2248,5540 litre	O
350	CM	80	CM	102 LEVEL CM	4734,8743 litre	67,284 %	2302,2932 litre	O
350	CM	80	CM	101 LEVEL CM	4680,9350 litre	66,517 %	2356,2325 litre	O
350	CM	80	CM	100 LEVEL CM	4626,8052 litre	65,748 %	2410,3623 litre	O
350	CM	80	CM	99 LEVEL CM	4572,4947 litre	64,976 %	2464,6728 litre	O
350	CM	80	CM	98 LEVEL CM	4518,0130 litre	64,202 %	2519,1545 litre	O
350	CM	80	CM	97 LEVEL CM	4463,3696 litre	63,426 %	2573,7979 litre	O
350	CM	80	CM	96 LEVEL CM	4408,5741 litre	62,647 %	2628,5934 litre	O
350	CM	80	CM	95 LEVEL CM	4353,6356 litre	61,866 %	2683,5319 litre	O
350	CM	80	CM	94 LEVEL CM	4298,5635 litre	61,084 %	2738,6040 litre	O
350	CM	80	CM	93 LEVEL CM	4243,3670 litre	60,299 %	2793,8005 litre	O
350	CM	80	CM	92 LEVEL CM	4188,0552 litre	59,513 %	2849,1123 litre	O
350	CM	80	CM	91 LEVEL CM	4132,6372 litre	58,726 %	2904,5303 litre	O
350	CM	80	CM	90 LEVEL CM	4077,1220 litre	57,937 %	2960,0455 litre	O
350	CM	80	CM	89 LEVEL CM	4021,5186 litre	57,147 %	3015,6489 litre	O
350	CM	80	CM	88 LEVEL CM	3965,8360 litre	56,356 %	3071,3315 litre	O
350	CM	80	CM	87 LEVEL CM	3910,0830 litre	55,563 %	3127,0845 litre	O
350	CM	80	CM	86 LEVEL CM	3854,2685 litre	54,770 %	3182,8990 litre	O
350	CM	80	CM	85 LEVEL CM	3798,4014 litre	53,976 %	3238,7661 litre	O
350	CM	80	CM	84 LEVEL CM	3742,4904 litre	53,182 %	3294,6771 litre	O
350	CM	80	CM	83 LEVEL CM	3686,5444 litre	52,387 %	3350,6231 litre	O
350	CM	80	CM	82 LEVEL CM	3630,5721 litre	51,591 %	3406,5954 litre	O
350	CM	80	CM	81 LEVEL CM	3574,5823 litre	50,796 %	3462,5852 litre	O
350	CM	80	CM	80 LEVEL CM	3518,5838 litre	50,000 %	3518,5837 litre	O
350	CM	80	CM	79 LEVEL CM	3462,5852 litre	49,204 %	3574,5823 litre	O
350	CM	80	CM	78 LEVEL CM	3406,5954 litre	48,409 %	3630,5721 litre	O
350	CM	80	CM	77 LEVEL CM	3350,6232 litre	47,613 %	3686,5443 litre	O
350	CM	80	CM	76 LEVEL CM	3294,6771 litre	46,818 %	3742,4904 litre	O
350	CM	80	CM	75 LEVEL CM	3238,7662 litre	46,024 %	3798,4013 litre	O
350	CM	80	CM	74 LEVEL CM	3182,8990 litre	45,230 %	3854,2685 litre	O
350	CM	80	CM	73 LEVEL CM	3127,0846 litre	44,437 %	3910,0829 litre	O
350	CM	80	CM	72 LEVEL CM	3071,3316 litre	43,644 %	3965,8359 litre	O
350	CM	80	CM	71 LEVEL CM	3015,6489 litre	42,853 %	4021,5186 litre	O
350	CM	80	CM	70 LEVEL CM	2960,0455 litre	42,063 %	4077,1220 litre	O
350	CM	80	CM	69 LEVEL CM	2904,5304 litre	41,274 %	4132,6371 litre	O
350	CM	80	CM	68 LEVEL CM	2849,1123 litre	40,487 %	4188,0552 litre	O
350	CM	80	CM	67 LEVEL CM	2793,8005 litre	39,701 %	4243,3670 litre	O
350	CM	80	CM	66 LEVEL CM	2738,6040 litre	38,916 %	4298,5635 litre	O
350	CM	80	CM	65 LEVEL CM	2683,5319 litre	38,134 %	4353,6356 litre	O
350	CM	80	CM	64 LEVEL CM	2628,5935 litre	37,353 %	4408,5740 litre	O
350	CM	80	CM	63 LEVEL CM	2573,7979 litre	36,574 %	4463,3696 litre	O
350	CM	80	CM	62 LEVEL CM	2519,1546 litre	35,798 %	4518,0129 litre	O
350	CM	80	CM	61 LEVEL CM	2464,6729 litre	35,024 %	4572,4946 litre	O
350	CM	80	CM	60 LEVEL CM	2410,3623 litre	34,252 %	4626,8052 litre	O
350	CM	80	CM	59 LEVEL CM	2356,2325 litre	33,483 %	4680,9350 litre	O
350	CM	80	CM	58 LEVEL CM	2302,2932 litre	32,716 %	4734,8743 litre	O
350	CM	80	CM	57 LEVEL CM	2248,5541 litre	31,953 %	4788,6134 litre	O
350	CM	80	CM	56 LEVEL CM	2195,0251 litre	31,192 %	4842,1424 litre	O

350	CM	80	CM	55 LEVEL CM	2141,7162 litre	30,434 %	4895,4513 litre	O
350	CM	80	CM	54 LEVEL CM	2088,6377 litre	29,680 %	4948,5298 litre	O
350	CM	80	CM	53 LEVEL CM	2035,7997 litre	28,929 %	5001,3678 litre	O
350	CM	80	CM	52 LEVEL CM	1983,2127 litre	28,182 %	5053,9548 litre	O
350	CM	80	CM	51 LEVEL CM	1930,8873 litre	27,438 %	5106,2802 litre	O
350	CM	80	CM	50 LEVEL CM	1878,8342 litre	26,699 %	5158,3333 litre	O
350	CM	80	CM	49 LEVEL CM	1827,0642 litre	25,963 %	5210,1033 litre	O
350	CM	80	CM	48 LEVEL CM	1775,5885 litre	25,232 %	5261,5790 litre	O
350	CM	80	CM	47 LEVEL CM	1724,4183 litre	24,504 %	5312,7492 litre	O
350	CM	80	CM	46 LEVEL CM	1673,5651 litre	23,782 %	5363,6024 litre	O
350	CM	80	CM	45 LEVEL CM	1623,0406 litre	23,064 %	5414,1269 litre	O
350	CM	80	CM	44 LEVEL CM	1572,8566 litre	22,351 %	5464,3109 litre	O
350	CM	80	CM	43 LEVEL CM	1523,0255 litre	21,643 %	5514,1420 litre	O
350	CM	80	CM	42 LEVEL CM	1473,5595 litre	20,940 %	5563,6080 litre	O
350	CM	80	CM	41 LEVEL CM	1424,4713 litre	20,242 %	5612,6962 litre	O
350	CM	80	CM	40 LEVEL CM	1375,7741 litre	19,550 %	5661,3934 litre	O
350	CM	80	CM	39 LEVEL CM	1327,4810 litre	18,864 %	5709,6865 litre	O
350	CM	80	CM	38 LEVEL CM	1279,6057 litre	18,184 %	5757,5618 litre	O
350	CM	80	CM	37 LEVEL CM	1232,1623 litre	17,509 %	5805,0052 litre	O
350	CM	80	CM	36 LEVEL CM	1185,1650 litre	16,842 %	5852,0025 litre	O
350	CM	80	CM	35 LEVEL CM	1138,6288 litre	16,180 %	5898,5387 litre	O
350	CM	80	CM	34 LEVEL CM	1092,5689 litre	15,526 %	5944,5986 litre	O
350	CM	80	CM	33 LEVEL CM	1047,0010 litre	14,878 %	5990,1665 litre	O
350	CM	80	CM	32 LEVEL CM	1001,9413 litre	14,238 %	6035,2262 litre	O
350	CM	80	CM	31 LEVEL CM	957,4067 litre	13,605 %	6079,7608 litre	O
350	CM	80	CM	30 LEVEL CM	913,4145 litre	12,980 %	6123,7530 litre	O
350	CM	80	CM	29 LEVEL CM	869,9828 litre	12,363 %	6167,1847 litre	O
350	CM	80	CM	28 LEVEL CM	827,1304 litre	11,754 %	6210,0371 litre	O
350	CM	80	CM	27 LEVEL CM	784,8768 litre	11,153 %	6252,2907 litre	O
350	CM	80	CM	26 LEVEL CM	743,2424 litre	10,562 %	6293,9251 litre	O
350	CM	80	CM	25 LEVEL CM	702,2485 litre	9,979 %	6334,9190 litre	O
350	CM	80	CM	24 LEVEL CM	661,9174 litre	9,406 %	6375,2501 litre	O
350	CM	80	CM	23 LEVEL CM	622,2725 litre	8,843 %	6414,8950 litre	O
350	CM	80	CM	22 LEVEL CM	583,3386 litre	8,289 %	6453,8289 litre	O
350	CM	80	CM	21 LEVEL CM	545,1416 litre	7,747 %	6492,0259 litre	O
350	CM	80	CM	20 LEVEL CM	507,7092 litre	7,215 %	6529,4583 litre	O
350	CM	80	CM	19 LEVEL CM	471,0706 litre	6,694 %	6566,0969 litre	O
350	CM	80	CM	18 LEVEL CM	435,2573 litre	6,185 %	6601,9102 litre	O
350	CM	80	CM	17 LEVEL CM	400,3025 litre	5,688 %	6636,8650 litre	O
350	CM	80	CM	16 LEVEL CM	366,2425 litre	5,204 %	6670,9250 litre	O
350	CM	80	CM	15 LEVEL CM	333,1160 litre	4,734 %	6704,0515 litre	O
350	CM	80	CM	14 LEVEL CM	300,9656 litre	4,277 %	6736,2019 litre	O
350	CM	80	CM	13 LEVEL CM	269,8374 litre	3,834 %	6767,3301 litre	O
350	CM	80	CM	12 LEVEL CM	239,7825 litre	3,407 %	6797,3850 litre	O
350	CM	80	CM	11 LEVEL CM	210,8577 litre	2,996 %	6826,3098 litre	O
350	CM	80	CM	10 LEVEL CM	183,1266 litre	2,602 %	6854,0409 litre	O
350	CM	80	CM	9 LEVEL CM	156,6617 litre	2,226 %	6880,5058 litre	O
350	CM	80	CM	8 LEVEL CM	131,5460 litre	1,869 %	6905,6215 litre	O
350	CM	80	CM	7 LEVEL CM	107,8773 litre	1,533 %	6929,2902 litre	O
350	CM	80	CM	6 LEVEL CM	85,7722 litre	1,219 %	6951,3953 litre	O
350	CM	80	CM	5 LEVEL CM	65,3744 litre	0,929 %	6971,7931 litre	O
350	CM	80	CM	4 LEVEL CM	46,8676 litre	0,666 %	6990,2999 litre	O
350	CM	80	CM	3 LEVEL CM	30,4993 litre	0,433 %	7006,6682 litre	O

350_80

-2011-

350	CM 80	CM	2 LEVEL CM	16,6332 litre	0,236 %	7020,5343 litre	O
350	CM 80	CM	1 LEVEL CM	5,8918 litre	0,084 %	7031,2757 litre	O
350	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	7037,1675 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
350	CM	75	CM	150 LEVEL CM	6185,0105 litre	100,000 %	0,0000 litre	O
350	CM	75	CM	149 LEVEL CM	6179,3065 litre	99,908 %	5,7040 litre	O
350	CM	75	CM	148 LEVEL CM	6168,9095 litre	99,740 %	16,1010 litre	O
350	CM	75	CM	147 LEVEL CM	6155,4909 litre	99,523 %	29,5196 litre	O
350	CM	75	CM	146 LEVEL CM	6139,6543 litre	99,267 %	45,3562 litre	O
350	CM	75	CM	145 LEVEL CM	6121,7524 litre	98,977 %	63,2581 litre	O
350	CM	75	CM	144 LEVEL CM	6102,0259 litre	98,658 %	82,9846 litre	O
350	CM	75	CM	143 LEVEL CM	6080,6529 litre	98,313 %	104,3576 litre	O
350	CM	75	CM	142 LEVEL CM	6057,7734 litre	97,943 %	127,2371 litre	O
350	CM	75	CM	141 LEVEL CM	6033,5009 litre	97,550 %	151,5096 litre	O
350	CM	75	CM	140 LEVEL CM	6007,9303 litre	97,137 %	177,0802 litre	O
350	CM	75	CM	139 LEVEL CM	5981,1428 litre	96,704 %	203,8677 litre	O
350	CM	75	CM	138 LEVEL CM	5953,2089 litre	96,252 %	231,8016 litre	O
350	CM	75	CM	137 LEVEL CM	5924,1907 litre	95,783 %	260,8198 litre	O
350	CM	75	CM	136 LEVEL CM	5894,1437 litre	95,297 %	290,8668 litre	O
350	CM	75	CM	135 LEVEL CM	5863,1177 litre	94,796 %	321,8928 litre	O
350	CM	75	CM	134 LEVEL CM	5831,1581 litre	94,279 %	353,8524 litre	O
350	CM	75	CM	133 LEVEL CM	5798,3063 litre	93,748 %	386,7042 litre	O
350	CM	75	CM	132 LEVEL CM	5764,6004 litre	93,203 %	420,4101 litre	O
350	CM	75	CM	131 LEVEL CM	5730,0757 litre	92,645 %	454,9348 litre	O
350	CM	75	CM	130 LEVEL CM	5694,7651 litre	92,074 %	490,2454 litre	O
350	CM	75	CM	129 LEVEL CM	5658,6993 litre	91,491 %	526,3112 litre	O
350	CM	75	CM	128 LEVEL CM	5621,9071 litre	90,896 %	563,1034 litre	O
350	CM	75	CM	127 LEVEL CM	5584,4157 litre	90,290 %	600,5948 litre	O
350	CM	75	CM	126 LEVEL CM	5546,2507 litre	89,672 %	638,7598 litre	O
350	CM	75	CM	125 LEVEL CM	5507,4363 litre	89,045 %	677,5742 litre	O
350	CM	75	CM	124 LEVEL CM	5467,9958 litre	88,407 %	717,0147 litre	O
350	CM	75	CM	123 LEVEL CM	5427,9511 litre	87,760 %	757,0594 litre	O
350	CM	75	CM	122 LEVEL CM	5387,3233 litre	87,103 %	797,6872 litre	O
350	CM	75	CM	121 LEVEL CM	5346,1325 litre	86,437 %	838,8780 litre	O
350	CM	75	CM	120 LEVEL CM	5304,3981 litre	85,762 %	880,6124 litre	O
350	CM	75	CM	119 LEVEL CM	5262,1386 litre	85,079 %	922,8719 litre	O
350	CM	75	CM	118 LEVEL CM	5219,3719 litre	84,387 %	965,6386 litre	O
350	CM	75	CM	117 LEVEL CM	5176,1154 litre	83,688 %	1008,8951 litre	O
350	CM	75	CM	116 LEVEL CM	5132,3857 litre	82,981 %	1052,6248 litre	O
350	CM	75	CM	115 LEVEL CM	5088,1989 litre	82,267 %	1096,8116 litre	O
350	CM	75	CM	114 LEVEL CM	5043,5708 litre	81,545 %	1141,4397 litre	O
350	CM	75	CM	113 LEVEL CM	4998,5165 litre	80,817 %	1186,4940 litre	O
350	CM	75	CM	112 LEVEL CM	4953,0507 litre	80,082 %	1231,9598 litre	O
350	CM	75	CM	111 LEVEL CM	4907,1880 litre	79,340 %	1277,8225 litre	O
350	CM	75	CM	110 LEVEL CM	4860,9421 litre	78,592 %	1324,0684 litre	O
350	CM	75	CM	109 LEVEL CM	4814,3270 litre	77,839 %	1370,6835 litre	O
350	CM	75	CM	108 LEVEL CM	4767,3557 litre	77,079 %	1417,6548 litre	O
350	CM	75	CM	107 LEVEL CM	4720,0415 litre	76,314 %	1464,9690 litre	O
350	CM	75	CM	106 LEVEL CM	4672,3970 litre	75,544 %	1512,6135 litre	O
350	CM	75	CM	105 LEVEL CM	4624,4347 litre	74,768 %	1560,5758 litre	O
350	CM	75	CM	104 LEVEL CM	4576,1669 litre	73,988 %	1608,8436 litre	O
350	CM	75	CM	103 LEVEL CM	4527,6056 litre	73,203 %	1657,4049 litre	O
350	CM	75	CM	102 LEVEL CM	4478,7626 litre	72,413 %	1706,2479 litre	O
350	CM	75	CM	101 LEVEL CM	4429,6495 litre	71,619 %	1755,3610 litre	O
350	CM	75	CM	100 LEVEL CM	4380,2776 litre	70,821 %	1804,7329 litre	O
350	CM	75	CM	99 LEVEL CM	4330,6582 litre	70,019 %	1854,3523 litre	O

350	CM	75	CM	98 LEVEL CM	4280,8024 litre	69,213 %	1904,2081 litre	O
350	CM	75	CM	97 LEVEL CM	4230,7211 litre	68,403 %	1954,2894 litre	O
350	CM	75	CM	96 LEVEL CM	4180,4249 litre	67,590 %	2004,5856 litre	O
350	CM	75	CM	95 LEVEL CM	4129,9246 litre	66,773 %	2055,0859 litre	O
350	CM	75	CM	94 LEVEL CM	4079,2306 litre	65,953 %	2105,7799 litre	O
350	CM	75	CM	93 LEVEL CM	4028,3532 litre	65,131 %	2156,6573 litre	O
350	CM	75	CM	92 LEVEL CM	3977,3028 litre	64,306 %	2207,7077 litre	O
350	CM	75	CM	91 LEVEL CM	3926,0895 litre	63,477 %	2258,9210 litre	O
350	CM	75	CM	90 LEVEL CM	3874,7233 litre	62,647 %	2310,2872 litre	O
350	CM	75	CM	89 LEVEL CM	3823,2142 litre	61,814 %	2361,7963 litre	O
350	CM	75	CM	88 LEVEL CM	3771,5721 litre	60,979 %	2413,4384 litre	O
350	CM	75	CM	87 LEVEL CM	3719,8069 litre	60,142 %	2465,2036 litre	O
350	CM	75	CM	86 LEVEL CM	3667,9281 litre	59,304 %	2517,0824 litre	O
350	CM	75	CM	85 LEVEL CM	3615,9455 litre	58,463 %	2569,0650 litre	O
350	CM	75	CM	84 LEVEL CM	3563,8688 litre	57,621 %	2621,1417 litre	O
350	CM	75	CM	83 LEVEL CM	3511,7075 litre	56,778 %	2673,3030 litre	O
350	CM	75	CM	82 LEVEL CM	3459,4710 litre	55,933 %	2725,5395 litre	O
350	CM	75	CM	81 LEVEL CM	3407,1689 litre	55,088 %	2777,8416 litre	O
350	CM	75	CM	80 LEVEL CM	3354,8107 litre	54,241 %	2830,1998 litre	O
350	CM	75	CM	79 LEVEL CM	3302,4057 litre	53,394 %	2882,6048 litre	O
350	CM	75	CM	78 LEVEL CM	3249,9633 litre	52,546 %	2935,0472 litre	O
350	CM	75	CM	77 LEVEL CM	3197,4928 litre	51,697 %	2987,5177 litre	O
350	CM	75	CM	76 LEVEL CM	3145,0037 litre	50,849 %	3040,0068 litre	O
350	CM	75	CM	75 LEVEL CM	3092,5053 litre	50,000 %	3092,5052 litre	O
350	CM	75	CM	74 LEVEL CM	3040,0068 litre	49,151 %	3145,0037 litre	O
350	CM	75	CM	73 LEVEL CM	2987,5177 litre	48,303 %	3197,4928 litre	O
350	CM	75	CM	72 LEVEL CM	2935,0473 litre	47,454 %	3249,9632 litre	O
350	CM	75	CM	71 LEVEL CM	2882,6049 litre	46,606 %	3302,4056 litre	O
350	CM	75	CM	70 LEVEL CM	2830,1998 litre	45,759 %	3354,8107 litre	O
350	CM	75	CM	69 LEVEL CM	2777,8416 litre	44,912 %	3407,1689 litre	O
350	CM	75	CM	68 LEVEL CM	2725,5395 litre	44,067 %	3459,4710 litre	O
350	CM	75	CM	67 LEVEL CM	2673,3031 litre	43,222 %	3511,7074 litre	O
350	CM	75	CM	66 LEVEL CM	2621,1417 litre	42,379 %	3563,8688 litre	O
350	CM	75	CM	65 LEVEL CM	2569,0650 litre	41,537 %	3615,9455 litre	O
350	CM	75	CM	64 LEVEL CM	2517,0824 litre	40,696 %	3667,9281 litre	O
350	CM	75	CM	63 LEVEL CM	2465,2037 litre	39,858 %	3719,8068 litre	O
350	CM	75	CM	62 LEVEL CM	2413,4384 litre	39,021 %	3771,5721 litre	O
350	CM	75	CM	61 LEVEL CM	2361,7963 litre	38,186 %	3823,2142 litre	O
350	CM	75	CM	60 LEVEL CM	2310,2872 litre	37,353 %	3874,7233 litre	O
350	CM	75	CM	59 LEVEL CM	2258,9210 litre	36,523 %	3926,0895 litre	O
350	CM	75	CM	58 LEVEL CM	2207,7077 litre	35,694 %	3977,3028 litre	O
350	CM	75	CM	57 LEVEL CM	2156,6573 litre	34,869 %	4028,3532 litre	O
350	CM	75	CM	56 LEVEL CM	2105,7800 litre	34,047 %	4079,2305 litre	O
350	CM	75	CM	55 LEVEL CM	2055,0859 litre	33,227 %	4129,9246 litre	O
350	CM	75	CM	54 LEVEL CM	2004,5856 litre	32,410 %	4180,4249 litre	O
350	CM	75	CM	53 LEVEL CM	1954,2895 litre	31,597 %	4230,7210 litre	O
350	CM	75	CM	52 LEVEL CM	1904,2081 litre	30,787 %	4280,8024 litre	O
350	CM	75	CM	51 LEVEL CM	1854,3523 litre	29,981 %	4330,6582 litre	O
350	CM	75	CM	50 LEVEL CM	1804,7329 litre	29,179 %	4380,2776 litre	O
350	CM	75	CM	49 LEVEL CM	1755,3611 litre	28,381 %	4429,6494 litre	O
350	CM	75	CM	48 LEVEL CM	1706,2479 litre	27,587 %	4478,7626 litre	O
350	CM	75	CM	47 LEVEL CM	1657,4049 litre	26,797 %	4527,6056 litre	O
350	CM	75	CM	46 LEVEL CM	1608,8436 litre	26,012 %	4576,1669 litre	O

350	CM	75	CM	45 LEVEL CM	1560,5758 litre	25,232 %	4624,4347 litre	O
350	CM	75	CM	44 LEVEL CM	1512,6135 litre	24,456 %	4672,3970 litre	O
350	CM	75	CM	43 LEVEL CM	1464,9690 litre	23,686 %	4720,0415 litre	O
350	CM	75	CM	42 LEVEL CM	1417,6548 litre	22,921 %	4767,3557 litre	O
350	CM	75	CM	41 LEVEL CM	1370,6836 litre	22,161 %	4814,3269 litre	O
350	CM	75	CM	40 LEVEL CM	1324,0684 litre	21,408 %	4860,9421 litre	O
350	CM	75	CM	39 LEVEL CM	1277,8226 litre	20,660 %	4907,1879 litre	O
350	CM	75	CM	38 LEVEL CM	1231,9598 litre	19,918 %	4953,0507 litre	O
350	CM	75	CM	37 LEVEL CM	1186,4941 litre	19,183 %	4998,5164 litre	O
350	CM	75	CM	36 LEVEL CM	1141,4398 litre	18,455 %	5043,5707 litre	O
350	CM	75	CM	35 LEVEL CM	1096,8116 litre	17,733 %	5088,1989 litre	O
350	CM	75	CM	34 LEVEL CM	1052,6248 litre	17,019 %	5132,3857 litre	O
350	CM	75	CM	33 LEVEL CM	1008,8951 litre	16,312 %	5176,1154 litre	O
350	CM	75	CM	32 LEVEL CM	965,6386 litre	15,613 %	5219,3719 litre	O
350	CM	75	CM	31 LEVEL CM	922,8720 litre	14,921 %	5262,1385 litre	O
350	CM	75	CM	30 LEVEL CM	880,6125 litre	14,238 %	5304,3980 litre	O
350	CM	75	CM	29 LEVEL CM	838,8780 litre	13,563 %	5346,1325 litre	O
350	CM	75	CM	28 LEVEL CM	797,6872 litre	12,897 %	5387,3233 litre	O
350	CM	75	CM	27 LEVEL CM	757,0594 litre	12,240 %	5427,9511 litre	O
350	CM	75	CM	26 LEVEL CM	717,0147 litre	11,593 %	5467,9958 litre	O
350	CM	75	CM	25 LEVEL CM	677,5742 litre	10,955 %	5507,4363 litre	O
350	CM	75	CM	24 LEVEL CM	638,7599 litre	10,328 %	5546,2506 litre	O
350	CM	75	CM	23 LEVEL CM	600,5948 litre	9,710 %	5584,4157 litre	O
350	CM	75	CM	22 LEVEL CM	563,1034 litre	9,104 %	5621,9071 litre	O
350	CM	75	CM	21 LEVEL CM	526,3112 litre	8,509 %	5658,6993 litre	O
350	CM	75	CM	20 LEVEL CM	490,2454 litre	7,926 %	5694,7651 litre	O
350	CM	75	CM	19 LEVEL CM	454,9348 litre	7,355 %	5730,0757 litre	O
350	CM	75	CM	18 LEVEL CM	420,4102 litre	6,797 %	5764,6003 litre	O
350	CM	75	CM	17 LEVEL CM	386,7043 litre	6,252 %	5798,3062 litre	O
350	CM	75	CM	16 LEVEL CM	353,8524 litre	5,721 %	5831,1581 litre	O
350	CM	75	CM	15 LEVEL CM	321,8928 litre	5,204 %	5863,1177 litre	O
350	CM	75	CM	14 LEVEL CM	290,8668 litre	4,703 %	5894,1437 litre	O
350	CM	75	CM	13 LEVEL CM	260,8198 litre	4,217 %	5924,1907 litre	O
350	CM	75	CM	12 LEVEL CM	231,8017 litre	3,748 %	5953,2088 litre	O
350	CM	75	CM	11 LEVEL CM	203,8678 litre	3,296 %	5981,1427 litre	O
350	CM	75	CM	10 LEVEL CM	177,0802 litre	2,863 %	6007,9303 litre	O
350	CM	75	CM	9 LEVEL CM	151,5097 litre	2,450 %	6033,5008 litre	O
350	CM	75	CM	8 LEVEL CM	127,2371 litre	2,057 %	6057,7734 litre	O
350	CM	75	CM	7 LEVEL CM	104,3576 litre	1,687 %	6080,6529 litre	O
350	CM	75	CM	6 LEVEL CM	82,9847 litre	1,342 %	6102,0258 litre	O
350	CM	75	CM	5 LEVEL CM	63,2581 litre	1,023 %	6121,7524 litre	O
350	CM	75	CM	4 LEVEL CM	45,3563 litre	0,733 %	6139,6542 litre	O
350	CM	75	CM	3 LEVEL CM	29,5197 litre	0,477 %	6155,4908 litre	O
350	CM	75	CM	2 LEVEL CM	16,1010 litre	0,260 %	6168,9095 litre	O
350	CM	75	CM	1 LEVEL CM	5,7040 litre	0,092 %	6179,3065 litre	O
350	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	6185,0105 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM 70	CM 140 LEVEL CM	5387,8314 litre	100,000 %	0,0000 litre	O
350	CM 70	CM 139 LEVEL CM	5382,3216 litre	99,898 %	5,5098 litre	O
350	CM 70	CM 138 LEVEL CM	5372,2809 litre	99,711 %	15,5505 litre	O
350	CM 70	CM 137 LEVEL CM	5359,3251 litre	99,471 %	28,5063 litre	O
350	CM 70	CM 136 LEVEL CM	5344,0386 litre	99,187 %	43,7928 litre	O
350	CM 70	CM 135 LEVEL CM	5326,7629 litre	98,867 %	61,0685 litre	O
350	CM 70	CM 134 LEVEL CM	5307,7312 litre	98,513 %	80,1002 litre	O
350	CM 70	CM 133 LEVEL CM	5287,1165 litre	98,131 %	100,7149 litre	O
350	CM 70	CM 132 LEVEL CM	5265,0544 litre	97,721 %	122,7770 litre	O
350	CM 70	CM 131 LEVEL CM	5241,6553 litre	97,287 %	146,1761 litre	O
350	CM 70	CM 130 LEVEL CM	5217,0115 litre	96,830 %	170,8199 litre	O
350	CM 70	CM 129 LEVEL CM	5191,2020 litre	96,350 %	196,6294 litre	O
350	CM 70	CM 128 LEVEL CM	5164,2954 litre	95,851 %	223,5360 litre	O
350	CM 70	CM 127 LEVEL CM	5136,3524 litre	95,332 %	251,4790 litre	O
350	CM 70	CM 126 LEVEL CM	5107,4270 litre	94,796 %	280,4044 litre	O
350	CM 70	CM 125 LEVEL CM	5077,5679 litre	94,241 %	310,2635 litre	O
350	CM 70	CM 124 LEVEL CM	5046,8193 litre	93,671 %	341,0121 litre	O
350	CM 70	CM 123 LEVEL CM	5015,2219 litre	93,084 %	372,6095 litre	O
350	CM 70	CM 122 LEVEL CM	4982,8128 litre	92,483 %	405,0186 litre	O
350	CM 70	CM 121 LEVEL CM	4949,6269 litre	91,867 %	438,2045 litre	O
350	CM 70	CM 120 LEVEL CM	4915,6962 litre	91,237 %	472,1352 litre	O
350	CM 70	CM 119 LEVEL CM	4881,0509 litre	90,594 %	506,7805 litre	O
350	CM 70	CM 118 LEVEL CM	4845,7193 litre	89,938 %	542,1121 litre	O
350	CM 70	CM 117 LEVEL CM	4809,7282 litre	89,270 %	578,1032 litre	O
350	CM 70	CM 116 LEVEL CM	4773,1027 litre	88,590 %	614,7287 litre	O
350	CM 70	CM 115 LEVEL CM	4735,8669 litre	87,899 %	651,9645 litre	O
350	CM 70	CM 114 LEVEL CM	4698,0435 litre	87,197 %	689,7879 litre	O
350	CM 70	CM 113 LEVEL CM	4659,6543 litre	86,485 %	728,1771 litre	O
350	CM 70	CM 112 LEVEL CM	4620,7201 litre	85,762 %	767,1113 litre	O
350	CM 70	CM 111 LEVEL CM	4581,2608 litre	85,030 %	806,5706 litre	O
350	CM 70	CM 110 LEVEL CM	4541,2956 litre	84,288 %	846,5358 litre	O
350	CM 70	CM 109 LEVEL CM	4500,8430 litre	83,537 %	886,9884 litre	O
350	CM 70	CM 108 LEVEL CM	4459,9206 litre	82,778 %	927,9108 litre	O
350	CM 70	CM 107 LEVEL CM	4418,5458 litre	82,010 %	969,2856 litre	O
350	CM 70	CM 106 LEVEL CM	4376,7350 litre	81,234 %	1011,0964 litre	O
350	CM 70	CM 105 LEVEL CM	4334,5044 litre	80,450 %	1053,3270 litre	O
350	CM 70	CM 104 LEVEL CM	4291,8696 litre	79,659 %	1095,9618 litre	O
350	CM 70	CM 103 LEVEL CM	4248,8458 litre	78,860 %	1138,9856 litre	O
350	CM 70	CM 102 LEVEL CM	4205,4479 litre	78,055 %	1182,3835 litre	O
350	CM 70	CM 101 LEVEL CM	4161,6900 litre	77,242 %	1226,1414 litre	O
350	CM 70	CM 100 LEVEL CM	4117,5864 litre	76,424 %	1270,2450 litre	O
350	CM 70	CM 99 LEVEL CM	4073,1508 litre	75,599 %	1314,6806 litre	O
350	CM 70	CM 98 LEVEL CM	4028,3965 litre	74,768 %	1359,4349 litre	O
350	CM 70	CM 97 LEVEL CM	3983,3366 litre	73,932 %	1404,4948 litre	O
350	CM 70	CM 96 LEVEL CM	3937,9841 litre	73,090 %	1449,8473 litre	O
350	CM 70	CM 95 LEVEL CM	3892,3516 litre	72,243 %	1495,4798 litre	O
350	CM 70	CM 94 LEVEL CM	3846,4513 litre	71,391 %	1541,3801 litre	O
350	CM 70	CM 93 LEVEL CM	3800,2956 litre	70,535 %	1587,5358 litre	O
350	CM 70	CM 92 LEVEL CM	3753,8963 litre	69,674 %	1633,9351 litre	O
350	CM 70	CM 91 LEVEL CM	3707,2653 litre	68,808 %	1680,5661 litre	O
350	CM 70	CM 90 LEVEL CM	3660,4141 litre	67,939 %	1727,4173 litre	O
350	CM 70	CM 89 LEVEL CM	3613,3543 litre	67,065 %	1774,4771 litre	O

350	CM	70	CM	88 LEVEL CM	3566,0969 litre	66,188 %	1821,7345 litre	O
350	CM	70	CM	87 LEVEL CM	3518,6534 litre	65,307 %	1869,1780 litre	O
350	CM	70	CM	86 LEVEL CM	3471,0345 litre	64,424 %	1916,7969 litre	O
350	CM	70	CM	85 LEVEL CM	3423,2513 litre	63,537 %	1964,5801 litre	O
350	CM	70	CM	84 LEVEL CM	3375,3145 litre	62,647 %	2012,5169 litre	O
350	CM	70	CM	83 LEVEL CM	3327,2349 litre	61,755 %	2060,5965 litre	O
350	CM	70	CM	82 LEVEL CM	3279,0229 litre	60,860 %	2108,8085 litre	O
350	CM	70	CM	81 LEVEL CM	3230,6891 litre	59,963 %	2157,1423 litre	O
350	CM	70	CM	80 LEVEL CM	3182,2439 litre	59,064 %	2205,5875 litre	O
350	CM	70	CM	79 LEVEL CM	3133,6977 litre	58,163 %	2254,1337 litre	O
350	CM	70	CM	78 LEVEL CM	3085,0607 litre	57,260 %	2302,7707 litre	O
350	CM	70	CM	77 LEVEL CM	3036,3432 litre	56,356 %	2351,4882 litre	O
350	CM	70	CM	76 LEVEL CM	2987,5553 litre	55,450 %	2400,2761 litre	O
350	CM	70	CM	75 LEVEL CM	2938,7072 litre	54,543 %	2449,1242 litre	O
350	CM	70	CM	74 LEVEL CM	2889,8090 litre	53,636 %	2498,0224 litre	O
350	CM	70	CM	73 LEVEL CM	2840,8707 litre	52,728 %	2546,9607 litre	O
350	CM	70	CM	72 LEVEL CM	2791,9024 litre	51,819 %	2595,9290 litre	O
350	CM	70	CM	71 LEVEL CM	2742,9140 litre	50,909 %	2644,9174 litre	O
350	CM	70	CM	70 LEVEL CM	2693,9157 litre	50,000 %	2693,9157 litre	O
350	CM	70	CM	69 LEVEL CM	2644,9174 litre	49,091 %	2742,9140 litre	O
350	CM	70	CM	68 LEVEL CM	2595,9290 litre	48,181 %	2791,9024 litre	O
350	CM	70	CM	67 LEVEL CM	2546,9607 litre	47,272 %	2840,8707 litre	O
350	CM	70	CM	66 LEVEL CM	2498,0224 litre	46,364 %	2889,8090 litre	O
350	CM	70	CM	65 LEVEL CM	2449,1242 litre	45,457 %	2938,7072 litre	O
350	CM	70	CM	64 LEVEL CM	2400,2761 litre	44,550 %	2987,5553 litre	O
350	CM	70	CM	63 LEVEL CM	2351,4882 litre	43,644 %	3036,3432 litre	O
350	CM	70	CM	62 LEVEL CM	2302,7707 litre	42,740 %	3085,0607 litre	O
350	CM	70	CM	61 LEVEL CM	2254,1337 litre	41,837 %	3133,6977 litre	O
350	CM	70	CM	60 LEVEL CM	2205,5875 litre	40,936 %	3182,2439 litre	O
350	CM	70	CM	59 LEVEL CM	2157,1423 litre	40,037 %	3230,6891 litre	O
350	CM	70	CM	58 LEVEL CM	2108,8085 litre	39,140 %	3279,0229 litre	O
350	CM	70	CM	57 LEVEL CM	2060,5965 litre	38,245 %	3327,2349 litre	O
350	CM	70	CM	56 LEVEL CM	2012,5169 litre	37,353 %	3375,3145 litre	O
350	CM	70	CM	55 LEVEL CM	1964,5801 litre	36,463 %	3423,2513 litre	O
350	CM	70	CM	54 LEVEL CM	1916,7969 litre	35,576 %	3471,0345 litre	O
350	CM	70	CM	53 LEVEL CM	1869,1780 litre	34,693 %	3518,6534 litre	O
350	CM	70	CM	52 LEVEL CM	1821,7345 litre	33,812 %	3566,0969 litre	O
350	CM	70	CM	51 LEVEL CM	1774,4771 litre	32,935 %	3613,3543 litre	O
350	CM	70	CM	50 LEVEL CM	1727,4173 litre	32,061 %	3660,4141 litre	O
350	CM	70	CM	49 LEVEL CM	1680,5661 litre	31,192 %	3707,2653 litre	O
350	CM	70	CM	48 LEVEL CM	1633,9351 litre	30,326 %	3753,8963 litre	O
350	CM	70	CM	47 LEVEL CM	1587,5358 litre	29,465 %	3800,2956 litre	O
350	CM	70	CM	46 LEVEL CM	1541,3801 litre	28,609 %	3846,4513 litre	O
350	CM	70	CM	45 LEVEL CM	1495,4798 litre	27,757 %	3892,3516 litre	O
350	CM	70	CM	44 LEVEL CM	1449,8473 litre	26,910 %	3937,9841 litre	O
350	CM	70	CM	43 LEVEL CM	1404,4948 litre	26,068 %	3983,3366 litre	O
350	CM	70	CM	42 LEVEL CM	1359,4349 litre	25,232 %	4028,3965 litre	O
350	CM	70	CM	41 LEVEL CM	1314,6806 litre	24,401 %	4073,1508 litre	O
350	CM	70	CM	40 LEVEL CM	1270,2450 litre	23,576 %	4117,5864 litre	O
350	CM	70	CM	39 LEVEL CM	1226,1414 litre	22,758 %	4161,6900 litre	O
350	CM	70	CM	38 LEVEL CM	1182,3835 litre	21,945 %	4205,4479 litre	O
350	CM	70	CM	37 LEVEL CM	1138,9856 litre	21,140 %	4248,8458 litre	O
350	CM	70	CM	36 LEVEL CM	1095,9618 litre	20,341 %	4291,8696 litre	O

350	CM	70	CM	35 LEVEL CM	1053,3270 litre	19,550 %	4334,5044 litre	O
350	CM	70	CM	34 LEVEL CM	1011,0964 litre	18,766 %	4376,7350 litre	O
350	CM	70	CM	33 LEVEL CM	969,2856 litre	17,990 %	4418,5458 litre	O
350	CM	70	CM	32 LEVEL CM	927,9108 litre	17,222 %	4459,9206 litre	O
350	CM	70	CM	31 LEVEL CM	886,9884 litre	16,463 %	4500,8430 litre	O
350	CM	70	CM	30 LEVEL CM	846,5358 litre	15,712 %	4541,2956 litre	O
350	CM	70	CM	29 LEVEL CM	806,5706 litre	14,970 %	4581,2608 litre	O
350	CM	70	CM	28 LEVEL CM	767,1113 litre	14,238 %	4620,7201 litre	O
350	CM	70	CM	27 LEVEL CM	728,1771 litre	13,515 %	4659,6543 litre	O
350	CM	70	CM	26 LEVEL CM	689,7879 litre	12,803 %	4698,0435 litre	O
350	CM	70	CM	25 LEVEL CM	651,9645 litre	12,101 %	4735,8669 litre	O
350	CM	70	CM	24 LEVEL CM	614,7287 litre	11,410 %	4773,1027 litre	O
350	CM	70	CM	23 LEVEL CM	578,1032 litre	10,730 %	4809,7282 litre	O
350	CM	70	CM	22 LEVEL CM	542,1121 litre	10,062 %	4845,7193 litre	O
350	CM	70	CM	21 LEVEL CM	506,7805 litre	9,406 %	4881,0509 litre	O
350	CM	70	CM	20 LEVEL CM	472,1352 litre	8,763 %	4915,6962 litre	O
350	CM	70	CM	19 LEVEL CM	438,2045 litre	8,133 %	4949,6269 litre	O
350	CM	70	CM	18 LEVEL CM	405,0186 litre	7,517 %	4982,8128 litre	O
350	CM	70	CM	17 LEVEL CM	372,6095 litre	6,916 %	5015,2219 litre	O
350	CM	70	CM	16 LEVEL CM	341,0121 litre	6,329 %	5046,8193 litre	O
350	CM	70	CM	15 LEVEL CM	310,2635 litre	5,759 %	5077,5679 litre	O
350	CM	70	CM	14 LEVEL CM	280,4044 litre	5,204 %	5107,4270 litre	O
350	CM	70	CM	13 LEVEL CM	251,4790 litre	4,668 %	5136,3524 litre	O
350	CM	70	CM	12 LEVEL CM	223,5360 litre	4,149 %	5164,2954 litre	O
350	CM	70	CM	11 LEVEL CM	196,6294 litre	3,650 %	5191,2020 litre	O
350	CM	70	CM	10 LEVEL CM	170,8199 litre	3,170 %	5217,0115 litre	O
350	CM	70	CM	9 LEVEL CM	146,1761 litre	2,713 %	5241,6553 litre	O
350	CM	70	CM	8 LEVEL CM	122,7770 litre	2,279 %	5265,0544 litre	O
350	CM	70	CM	7 LEVEL CM	100,7149 litre	1,869 %	5287,1165 litre	O
350	CM	70	CM	6 LEVEL CM	80,1002 litre	1,487 %	5307,7312 litre	O
350	CM	70	CM	5 LEVEL CM	61,0685 litre	1,133 %	5326,7629 litre	O
350	CM	70	CM	4 LEVEL CM	43,7928 litre	0,813 %	5344,0386 litre	O
350	CM	70	CM	3 LEVEL CM	28,5063 litre	0,529 %	5359,3251 litre	O
350	CM	70	CM	2 LEVEL CM	15,5505 litre	0,289 %	5372,2809 litre	O
350	CM	70	CM	1 LEVEL CM	5,5098 litre	0,102 %	5382,3216 litre	O
350	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	5387,8314 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
350	CM	65	CM	130 LEVEL CM	4645,6301 litre	100,000 %	0,0000 litre	O
350	CM	65	CM	129 LEVEL CM	4640,3216 litre	99,886 %	5,3085 litre	O
350	CM	65	CM	128 LEVEL CM	4630,6502 litre	99,678 %	14,9799 litre	O
350	CM	65	CM	127 LEVEL CM	4618,1746 litre	99,409 %	27,4555 litre	O
350	CM	65	CM	126 LEVEL CM	4603,4587 litre	99,092 %	42,1714 litre	O
350	CM	65	CM	125 LEVEL CM	4586,8328 litre	98,734 %	58,7973 litre	O
350	CM	65	CM	124 LEVEL CM	4568,5222 litre	98,340 %	77,1079 litre	O
350	CM	65	CM	123 LEVEL CM	4548,6947 litre	97,913 %	96,9354 litre	O
350	CM	65	CM	122 LEVEL CM	4527,4815 litre	97,457 %	118,1486 litre	O
350	CM	65	CM	121 LEVEL CM	4504,9897 litre	96,973 %	140,6404 litre	O
350	CM	65	CM	120 LEVEL CM	4481,3090 litre	96,463 %	164,3211 litre	O
350	CM	65	CM	119 LEVEL CM	4456,5160 litre	95,929 %	189,1141 litre	O
350	CM	65	CM	118 LEVEL CM	4430,6777 litre	95,373 %	214,9524 litre	O
350	CM	65	CM	117 LEVEL CM	4403,8529 litre	94,796 %	241,7772 litre	O
350	CM	65	CM	116 LEVEL CM	4376,0943 litre	94,198 %	269,5358 litre	O
350	CM	65	CM	115 LEVEL CM	4347,4495 litre	93,581 %	298,1806 litre	O
350	CM	65	CM	114 LEVEL CM	4317,9617 litre	92,947 %	327,6684 litre	O
350	CM	65	CM	113 LEVEL CM	4287,6705 litre	92,295 %	357,9596 litre	O
350	CM	65	CM	112 LEVEL CM	4256,6125 litre	91,626 %	389,0176 litre	O
350	CM	65	CM	111 LEVEL CM	4224,8216 litre	90,942 %	420,8085 litre	O
350	CM	65	CM	110 LEVEL CM	4192,3293 litre	90,242 %	453,3008 litre	O
350	CM	65	CM	109 LEVEL CM	4159,1653 litre	89,529 %	486,4648 litre	O
350	CM	65	CM	108 LEVEL CM	4125,3574 litre	88,801 %	520,2727 litre	O
350	CM	65	CM	107 LEVEL CM	4090,9319 litre	88,060 %	554,6982 litre	O
350	CM	65	CM	106 LEVEL CM	4055,9137 litre	87,306 %	589,7164 litre	O
350	CM	65	CM	105 LEVEL CM	4020,3263 litre	86,540 %	625,3038 litre	O
350	CM	65	CM	104 LEVEL CM	3984,1923 litre	85,762 %	661,4378 litre	O
350	CM	65	CM	103 LEVEL CM	3947,5333 litre	84,973 %	698,0968 litre	O
350	CM	65	CM	102 LEVEL CM	3910,3698 litre	84,173 %	735,2603 litre	O
350	CM	65	CM	101 LEVEL CM	3872,7216 litre	83,363 %	772,9085 litre	O
350	CM	65	CM	100 LEVEL CM	3834,6077 litre	82,542 %	811,0224 litre	O
350	CM	65	CM	99 LEVEL CM	3796,0464 litre	81,712 %	849,5837 litre	O
350	CM	65	CM	98 LEVEL CM	3757,0555 litre	80,873 %	888,5746 litre	O
350	CM	65	CM	97 LEVEL CM	3717,6520 litre	80,025 %	927,9781 litre	O
350	CM	65	CM	96 LEVEL CM	3677,8526 litre	79,168 %	967,7775 litre	O
350	CM	65	CM	95 LEVEL CM	3637,6733 litre	78,303 %	1007,9568 litre	O
350	CM	65	CM	94 LEVEL CM	3597,1298 litre	77,430 %	1048,5003 litre	O
350	CM	65	CM	93 LEVEL CM	3556,2373 litre	76,550 %	1089,3928 litre	O
350	CM	65	CM	92 LEVEL CM	3515,0107 litre	75,663 %	1130,6194 litre	O
350	CM	65	CM	91 LEVEL CM	3473,4643 litre	74,768 %	1172,1658 litre	O
350	CM	65	CM	90 LEVEL CM	3431,6124 litre	73,868 %	1214,0177 litre	O
350	CM	65	CM	89 LEVEL CM	3389,4689 litre	72,960 %	1256,1612 litre	O
350	CM	65	CM	88 LEVEL CM	3347,0472 litre	72,047 %	1298,5829 litre	O
350	CM	65	CM	87 LEVEL CM	3304,3606 litre	71,128 %	1341,2695 litre	O
350	CM	65	CM	86 LEVEL CM	3261,4223 litre	70,204 %	1384,2078 litre	O
350	CM	65	CM	85 LEVEL CM	3218,2449 litre	69,275 %	1427,3852 litre	O
350	CM	65	CM	84 LEVEL CM	3174,8412 litre	68,340 %	1470,7889 litre	O
350	CM	65	CM	83 LEVEL CM	3131,2235 litre	67,401 %	1514,4066 litre	O
350	CM	65	CM	82 LEVEL CM	3087,4041 litre	66,458 %	1558,2260 litre	O
350	CM	65	CM	81 LEVEL CM	3043,3950 litre	65,511 %	1602,2351 litre	O
350	CM	65	CM	80 LEVEL CM	2999,2080 litre	64,560 %	1646,4221 litre	O
350	CM	65	CM	79 LEVEL CM	2954,8551 litre	63,605 %	1690,7750 litre	O

350	CM	65	CM	78 LEVEL CM	2910,3477 litre	62,647 %	1735,2824 litre	O
350	CM	65	CM	77 LEVEL CM	2865,6975 litre	61,686 %	1779,9326 litre	O
350	CM	65	CM	76 LEVEL CM	2820,9157 litre	60,722 %	1824,7144 litre	O
350	CM	65	CM	75 LEVEL CM	2776,0138 litre	59,755 %	1869,6163 litre	O
350	CM	65	CM	74 LEVEL CM	2731,0028 litre	58,786 %	1914,6273 litre	O
350	CM	65	CM	73 LEVEL CM	2685,8940 litre	57,815 %	1959,7361 litre	O
350	CM	65	CM	72 LEVEL CM	2640,6984 litre	56,843 %	2004,9317 litre	O
350	CM	65	CM	71 LEVEL CM	2595,4269 litre	55,868 %	2050,2032 litre	O
350	CM	65	CM	70 LEVEL CM	2550,0905 litre	54,892 %	2095,5396 litre	O
350	CM	65	CM	69 LEVEL CM	2504,7001 litre	53,915 %	2140,9300 litre	O
350	CM	65	CM	68 LEVEL CM	2459,2666 litre	52,937 %	2186,3635 litre	O
350	CM	65	CM	67 LEVEL CM	2413,8007 litre	51,959 %	2231,8294 litre	O
350	CM	65	CM	66 LEVEL CM	2368,3133 litre	50,979 %	2277,3168 litre	O
350	CM	65	CM	65 LEVEL CM	2322,8151 litre	50,000 %	2322,8150 litre	O
350	CM	65	CM	64 LEVEL CM	2277,3169 litre	49,021 %	2368,3132 litre	O
350	CM	65	CM	63 LEVEL CM	2231,8294 litre	48,041 %	2413,8007 litre	O
350	CM	65	CM	62 LEVEL CM	2186,3635 litre	47,063 %	2459,2666 litre	O
350	CM	65	CM	61 LEVEL CM	2140,9300 litre	46,085 %	2504,7001 litre	O
350	CM	65	CM	60 LEVEL CM	2095,5396 litre	45,108 %	2550,0905 litre	O
350	CM	65	CM	59 LEVEL CM	2050,2033 litre	44,132 %	2595,4268 litre	O
350	CM	65	CM	58 LEVEL CM	2004,9318 litre	43,157 %	2640,6983 litre	O
350	CM	65	CM	57 LEVEL CM	1959,7361 litre	42,185 %	2685,8940 litre	O
350	CM	65	CM	56 LEVEL CM	1914,6273 litre	41,214 %	2731,0028 litre	O
350	CM	65	CM	55 LEVEL CM	1869,6164 litre	40,245 %	2776,0137 litre	O
350	CM	65	CM	54 LEVEL CM	1824,7144 litre	39,278 %	2820,9157 litre	O
350	CM	65	CM	53 LEVEL CM	1779,9327 litre	38,314 %	2865,6974 litre	O
350	CM	65	CM	52 LEVEL CM	1735,2824 litre	37,353 %	2910,3477 litre	O
350	CM	65	CM	51 LEVEL CM	1690,7750 litre	36,395 %	2954,8551 litre	O
350	CM	65	CM	50 LEVEL CM	1646,4221 litre	35,440 %	2999,2080 litre	O
350	CM	65	CM	49 LEVEL CM	1602,2352 litre	34,489 %	3043,3949 litre	O
350	CM	65	CM	48 LEVEL CM	1558,2260 litre	33,542 %	3087,4041 litre	O
350	CM	65	CM	47 LEVEL CM	1514,4066 litre	32,599 %	3131,2235 litre	O
350	CM	65	CM	46 LEVEL CM	1470,7889 litre	31,660 %	3174,8412 litre	O
350	CM	65	CM	45 LEVEL CM	1427,3852 litre	30,725 %	3218,2449 litre	O
350	CM	65	CM	44 LEVEL CM	1384,2079 litre	29,796 %	3261,4222 litre	O
350	CM	65	CM	43 LEVEL CM	1341,2695 litre	28,872 %	3304,3606 litre	O
350	CM	65	CM	42 LEVEL CM	1298,5830 litre	27,953 %	3347,0471 litre	O
350	CM	65	CM	41 LEVEL CM	1256,1613 litre	27,040 %	3389,4688 litre	O
350	CM	65	CM	40 LEVEL CM	1214,0177 litre	26,132 %	3431,6124 litre	O
350	CM	65	CM	39 LEVEL CM	1172,1658 litre	25,232 %	3473,4643 litre	O
350	CM	65	CM	38 LEVEL CM	1130,6195 litre	24,337 %	3515,0106 litre	O
350	CM	65	CM	37 LEVEL CM	1089,3928 litre	23,450 %	3556,2373 litre	O
350	CM	65	CM	36 LEVEL CM	1048,5003 litre	22,570 %	3597,1298 litre	O
350	CM	65	CM	35 LEVEL CM	1007,9568 litre	21,697 %	3637,6733 litre	O
350	CM	65	CM	34 LEVEL CM	967,7775 litre	20,832 %	3677,8526 litre	O
350	CM	65	CM	33 LEVEL CM	927,9781 litre	19,975 %	3717,6520 litre	O
350	CM	65	CM	32 LEVEL CM	888,5746 litre	19,127 %	3757,0555 litre	O
350	CM	65	CM	31 LEVEL CM	849,5837 litre	18,288 %	3796,0464 litre	O
350	CM	65	CM	30 LEVEL CM	811,0225 litre	17,458 %	3834,6076 litre	O
350	CM	65	CM	29 LEVEL CM	772,9086 litre	16,637 %	3872,7215 litre	O
350	CM	65	CM	28 LEVEL CM	735,2603 litre	15,827 %	3910,3698 litre	O
350	CM	65	CM	27 LEVEL CM	698,0968 litre	15,027 %	3947,5333 litre	O
350	CM	65	CM	26 LEVEL CM	661,4378 litre	14,238 %	3984,1923 litre	O

350	CM	65	CM	25 LEVEL CM	625,3038 litre	13,460 %	4020,3263 litre	O
350	CM	65	CM	24 LEVEL CM	589,7165 litre	12,694 %	4055,9136 litre	O
350	CM	65	CM	23 LEVEL CM	554,6982 litre	11,940 %	4090,9319 litre	O
350	CM	65	CM	22 LEVEL CM	520,2727 litre	11,199 %	4125,3574 litre	O
350	CM	65	CM	21 LEVEL CM	486,4648 litre	10,471 %	4159,1653 litre	O
350	CM	65	CM	20 LEVEL CM	453,3008 litre	9,758 %	4192,3293 litre	O
350	CM	65	CM	19 LEVEL CM	420,8085 litre	9,058 %	4224,8216 litre	O
350	CM	65	CM	18 LEVEL CM	389,0176 litre	8,374 %	4256,6125 litre	O
350	CM	65	CM	17 LEVEL CM	357,9596 litre	7,705 %	4287,6705 litre	O
350	CM	65	CM	16 LEVEL CM	327,6684 litre	7,053 %	4317,9617 litre	O
350	CM	65	CM	15 LEVEL CM	298,1806 litre	6,419 %	4347,4495 litre	O
350	CM	65	CM	14 LEVEL CM	269,5358 litre	5,802 %	4376,0943 litre	O
350	CM	65	CM	13 LEVEL CM	241,7773 litre	5,204 %	4403,8528 litre	O
350	CM	65	CM	12 LEVEL CM	214,9525 litre	4,627 %	4430,6776 litre	O
350	CM	65	CM	11 LEVEL CM	189,1141 litre	4,071 %	4456,5160 litre	O
350	CM	65	CM	10 LEVEL CM	164,3212 litre	3,537 %	4481,3089 litre	O
350	CM	65	CM	9 LEVEL CM	140,6404 litre	3,027 %	4504,9897 litre	O
350	CM	65	CM	8 LEVEL CM	118,1487 litre	2,543 %	4527,4814 litre	O
350	CM	65	CM	7 LEVEL CM	96,9355 litre	2,087 %	4548,6946 litre	O
350	CM	65	CM	6 LEVEL CM	77,1079 litre	1,660 %	4568,5222 litre	O
350	CM	65	CM	5 LEVEL CM	58,7974 litre	1,266 %	4586,8327 litre	O
350	CM	65	CM	4 LEVEL CM	42,1714 litre	0,908 %	4603,4587 litre	O
350	CM	65	CM	3 LEVEL CM	27,4556 litre	0,591 %	4618,1745 litre	O
350	CM	65	CM	2 LEVEL CM	14,9799 litre	0,322 %	4630,6502 litre	O
350	CM	65	CM	1 LEVEL CM	5,3085 litre	0,114 %	4640,3216 litre	O
350	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	4645,6301 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
350	CM	60	CM 120 LEVEL CM	3958,4067 litre	100,000 %	0,0000 litre	O
350	CM	60	CM 119 LEVEL CM	3953,3075 litre	99,871 %	5,0992 litre	O
350	CM	60	CM 118 LEVEL CM	3944,0201 litre	99,637 %	14,3866 litre	O
350	CM	60	CM 117 LEVEL CM	3932,0437 litre	99,334 %	26,3630 litre	O
350	CM	60	CM 116 LEVEL CM	3917,9216 litre	98,977 %	40,4851 litre	O
350	CM	60	CM 115 LEVEL CM	3901,9718 litre	98,574 %	56,4349 litre	O
350	CM	60	CM 114 LEVEL CM	3884,4121 litre	98,131 %	73,9946 litre	O
350	CM	60	CM 113 LEVEL CM	3865,4043 litre	97,651 %	93,0024 litre	O
350	CM	60	CM 112 LEVEL CM	3845,0754 litre	97,137 %	113,3313 litre	O
350	CM	60	CM 111 LEVEL CM	3823,5291 litre	96,593 %	134,8776 litre	O
350	CM	60	CM 110 LEVEL CM	3800,8523 litre	96,020 %	157,5544 litre	O
350	CM	60	CM 109 LEVEL CM	3777,1194 litre	95,420 %	181,2873 litre	O
350	CM	60	CM 108 LEVEL CM	3752,3953 litre	94,796 %	206,0114 litre	O
350	CM	60	CM 107 LEVEL CM	3726,7374 litre	94,147 %	231,6693 litre	O
350	CM	60	CM 106 LEVEL CM	3700,1970 litre	93,477 %	258,2097 litre	O
350	CM	60	CM 105 LEVEL CM	3672,8203 litre	92,785 %	285,5864 litre	O
350	CM	60	CM 104 LEVEL CM	3644,6497 litre	92,074 %	313,7570 litre	O
350	CM	60	CM 103 LEVEL CM	3615,7237 litre	91,343 %	342,6830 litre	O
350	CM	60	CM 102 LEVEL CM	3586,0782 litre	90,594 %	372,3285 litre	O
350	CM	60	CM 101 LEVEL CM	3555,7464 litre	89,828 %	402,6603 litre	O
350	CM	60	CM 100 LEVEL CM	3524,7593 litre	89,045 %	433,6474 litre	O
350	CM	60	CM 99 LEVEL CM	3493,1459 litre	88,246 %	465,2608 litre	O
350	CM	60	CM 98 LEVEL CM	3460,9336 litre	87,432 %	497,4731 litre	O
350	CM	60	CM 97 LEVEL CM	3428,1484 litre	86,604 %	530,2583 litre	O
350	CM	60	CM 96 LEVEL CM	3394,8148 litre	85,762 %	563,5919 litre	O
350	CM	60	CM 95 LEVEL CM	3360,9560 litre	84,907 %	597,4507 litre	O
350	CM	60	CM 94 LEVEL CM	3326,5945 litre	84,039 %	631,8122 litre	O
350	CM	60	CM 93 LEVEL CM	3291,7514 litre	83,158 %	666,6553 litre	O
350	CM	60	CM 92 LEVEL CM	3256,4473 litre	82,267 %	701,9594 litre	O
350	CM	60	CM 91 LEVEL CM	3220,7018 litre	81,364 %	737,7049 litre	O
350	CM	60	CM 90 LEVEL CM	3184,5338 litre	80,450 %	773,8729 litre	O
350	CM	60	CM 89 LEVEL CM	3147,9617 litre	79,526 %	810,4450 litre	O
350	CM	60	CM 88 LEVEL CM	3111,0030 litre	78,592 %	847,4037 litre	O
350	CM	60	CM 87 LEVEL CM	3073,6749 litre	77,649 %	884,7318 litre	O
350	CM	60	CM 86 LEVEL CM	3035,9940 litre	76,697 %	922,4127 litre	O
350	CM	60	CM 85 LEVEL CM	2997,9766 litre	75,737 %	960,4301 litre	O
350	CM	60	CM 84 LEVEL CM	2959,6382 litre	74,768 %	998,7685 litre	O
350	CM	60	CM 83 LEVEL CM	2920,9944 litre	73,792 %	1037,4123 litre	O
350	CM	60	CM 82 LEVEL CM	2882,0599 litre	72,809 %	1076,3468 litre	O
350	CM	60	CM 81 LEVEL CM	2842,8496 litre	71,818 %	1115,5571 litre	O
350	CM	60	CM 80 LEVEL CM	2803,3777 litre	70,821 %	1155,0290 litre	O
350	CM	60	CM 79 LEVEL CM	2763,6583 litre	69,817 %	1194,7484 litre	O
350	CM	60	CM 78 LEVEL CM	2723,7051 litre	68,808 %	1234,7016 litre	O
350	CM	60	CM 77 LEVEL CM	2683,5318 litre	67,793 %	1274,8749 litre	O
350	CM	60	CM 76 LEVEL CM	2643,1517 litre	66,773 %	1315,2550 litre	O
350	CM	60	CM 75 LEVEL CM	2602,5779 litre	65,748 %	1355,8288 litre	O
350	CM	60	CM 74 LEVEL CM	2561,8234 litre	64,719 %	1396,5833 litre	O
350	CM	60	CM 73 LEVEL CM	2520,9008 litre	63,685 %	1437,5059 litre	O
350	CM	60	CM 72 LEVEL CM	2479,8229 litre	62,647 %	1478,5838 litre	O
350	CM	60	CM 71 LEVEL CM	2438,6021 litre	61,606 %	1519,8046 litre	O
350	CM	60	CM 70 LEVEL CM	2397,2507 litre	60,561 %	1561,1560 litre	O
350	CM	60	CM 69 LEVEL CM	2355,7810 litre	59,513 %	1602,6257 litre	O

350	CM	60	CM	68 LEVEL CM	2314,2051 litre	58,463 %	1644,2016 litre	O
350	CM	60	CM	67 LEVEL CM	2272,5351 litre	57,410 %	1685,8716 litre	O
350	CM	60	CM	66 LEVEL CM	2230,7827 litre	56,356 %	1727,6240 litre	O
350	CM	60	CM	65 LEVEL CM	2188,9601 litre	55,299 %	1769,4466 litre	O
350	CM	60	CM	64 LEVEL CM	2147,0788 litre	54,241 %	1811,3279 litre	O
350	CM	60	CM	63 LEVEL CM	2105,1509 litre	53,182 %	1853,2558 litre	O
350	CM	60	CM	62 LEVEL CM	2063,1878 litre	52,122 %	1895,2189 litre	O
350	CM	60	CM	61 LEVEL CM	2021,2014 litre	51,061 %	1937,2053 litre	O
350	CM	60	CM	60 LEVEL CM	1979,2034 litre	50,000 %	1979,2033 litre	O
350	CM	60	CM	59 LEVEL CM	1937,2053 litre	48,939 %	2021,2014 litre	O
350	CM	60	CM	58 LEVEL CM	1895,2189 litre	47,878 %	2063,1878 litre	O
350	CM	60	CM	57 LEVEL CM	1853,2559 litre	46,818 %	2105,1508 litre	O
350	CM	60	CM	56 LEVEL CM	1811,3279 litre	45,759 %	2147,0788 litre	O
350	CM	60	CM	55 LEVEL CM	1769,4467 litre	44,701 %	2188,9600 litre	O
350	CM	60	CM	54 LEVEL CM	1727,6240 litre	43,644 %	2230,7827 litre	O
350	CM	60	CM	53 LEVEL CM	1685,8717 litre	42,590 %	2272,5350 litre	O
350	CM	60	CM	52 LEVEL CM	1644,2016 litre	41,537 %	2314,2051 litre	O
350	CM	60	CM	51 LEVEL CM	1602,6257 litre	40,487 %	2355,7810 litre	O
350	CM	60	CM	50 LEVEL CM	1561,1560 litre	39,439 %	2397,2507 litre	O
350	CM	60	CM	49 LEVEL CM	1519,8046 litre	38,394 %	2438,6021 litre	O
350	CM	60	CM	48 LEVEL CM	1478,5838 litre	37,353 %	2479,8229 litre	O
350	CM	60	CM	47 LEVEL CM	1437,5059 litre	36,315 %	2520,9008 litre	O
350	CM	60	CM	46 LEVEL CM	1396,5834 litre	35,281 %	2561,8233 litre	O
350	CM	60	CM	45 LEVEL CM	1355,8288 litre	34,252 %	2602,5779 litre	O
350	CM	60	CM	44 LEVEL CM	1315,2550 litre	33,227 %	2643,1517 litre	O
350	CM	60	CM	43 LEVEL CM	1274,8749 litre	32,207 %	2683,5318 litre	O
350	CM	60	CM	42 LEVEL CM	1234,7016 litre	31,192 %	2723,7051 litre	O
350	CM	60	CM	41 LEVEL CM	1194,7485 litre	30,183 %	2763,6582 litre	O
350	CM	60	CM	40 LEVEL CM	1155,0291 litre	29,179 %	2803,3776 litre	O
350	CM	60	CM	39 LEVEL CM	1115,5572 litre	28,182 %	2842,8495 litre	O
350	CM	60	CM	38 LEVEL CM	1076,3468 litre	27,191 %	2882,0599 litre	O
350	CM	60	CM	37 LEVEL CM	1037,4124 litre	26,208 %	2920,9943 litre	O
350	CM	60	CM	36 LEVEL CM	998,7685 litre	25,232 %	2959,6382 litre	O
350	CM	60	CM	35 LEVEL CM	960,4302 litre	24,263 %	2997,9765 litre	O
350	CM	60	CM	34 LEVEL CM	922,4127 litre	23,303 %	3035,9940 litre	O
350	CM	60	CM	33 LEVEL CM	884,7319 litre	22,351 %	3073,6748 litre	O
350	CM	60	CM	32 LEVEL CM	847,4038 litre	21,408 %	3111,0029 litre	O
350	CM	60	CM	31 LEVEL CM	810,4451 litre	20,474 %	3147,9616 litre	O
350	CM	60	CM	30 LEVEL CM	773,8729 litre	19,550 %	3184,5338 litre	O
350	CM	60	CM	29 LEVEL CM	737,7049 litre	18,636 %	3220,7018 litre	O
350	CM	60	CM	28 LEVEL CM	701,9594 litre	17,733 %	3256,4473 litre	O
350	CM	60	CM	27 LEVEL CM	666,6553 litre	16,842 %	3291,7514 litre	O
350	CM	60	CM	26 LEVEL CM	631,8123 litre	15,961 %	3326,5944 litre	O
350	CM	60	CM	25 LEVEL CM	597,4507 litre	15,093 %	3360,9560 litre	O
350	CM	60	CM	24 LEVEL CM	563,5920 litre	14,238 %	3394,8147 litre	O
350	CM	60	CM	23 LEVEL CM	530,2583 litre	13,396 %	3428,1484 litre	O
350	CM	60	CM	22 LEVEL CM	497,4731 litre	12,568 %	3460,9336 litre	O
350	CM	60	CM	21 LEVEL CM	465,2609 litre	11,754 %	3493,1458 litre	O
350	CM	60	CM	20 LEVEL CM	433,6475 litre	10,955 %	3524,7592 litre	O
350	CM	60	CM	19 LEVEL CM	402,6604 litre	10,172 %	3555,7463 litre	O
350	CM	60	CM	18 LEVEL CM	372,3285 litre	9,406 %	3586,0782 litre	O
350	CM	60	CM	17 LEVEL CM	342,6830 litre	8,657 %	3615,7237 litre	O
350	CM	60	CM	16 LEVEL CM	313,7571 litre	7,926 %	3644,6496 litre	O

350_60

-2023-

350	CM	60	CM	15 LEVEL CM	285,5864 litre	7,215 %	3672,8203 litre	O
350	CM	60	CM	14 LEVEL CM	258,2097 litre	6,523 %	3700,1970 litre	O
350	CM	60	CM	13 LEVEL CM	231,6693 litre	5,853 %	3726,7374 litre	O
350	CM	60	CM	12 LEVEL CM	206,0114 litre	5,204 %	3752,3953 litre	O
350	CM	60	CM	11 LEVEL CM	181,2873 litre	4,580 %	3777,1194 litre	O
350	CM	60	CM	10 LEVEL CM	157,5544 litre	3,980 %	3800,8523 litre	O
350	CM	60	CM	9 LEVEL CM	134,8776 litre	3,407 %	3823,5291 litre	O
350	CM	60	CM	8 LEVEL CM	113,3314 litre	2,863 %	3845,0753 litre	O
350	CM	60	CM	7 LEVEL CM	93,0025 litre	2,349 %	3865,4042 litre	O
350	CM	60	CM	6 LEVEL CM	73,9946 litre	1,869 %	3884,4121 litre	O
350	CM	60	CM	5 LEVEL CM	56,4349 litre	1,426 %	3901,9718 litre	O
350	CM	60	CM	4 LEVEL CM	40,4852 litre	1,023 %	3917,9215 litre	O
350	CM	60	CM	3 LEVEL CM	26,3630 litre	0,666 %	3932,0437 litre	O
350	CM	60	CM	2 LEVEL CM	14,3866 litre	0,363 %	3944,0201 litre	O
350	CM	60	CM	1 LEVEL CM	5,0993 litre	0,129 %	3953,3074 litre	O
350	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3958,4067 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
350	CM	55	CM	110 LEVEL CM	3326,1612 litre	100,000 %	0,0000 litre	O
350	CM	55	CM	109 LEVEL CM	3321,2802 litre	99,853 %	4,8810 litre	O
350	CM	55	CM	108 LEVEL CM	3312,3934 litre	99,586 %	13,7678 litre	O
350	CM	55	CM	107 LEVEL CM	3300,9381 litre	99,242 %	25,2231 litre	O
350	CM	55	CM	106 LEVEL CM	3287,4357 litre	98,836 %	38,7255 litre	O
350	CM	55	CM	105 LEVEL CM	3272,1921 litre	98,377 %	53,9691 litre	O
350	CM	55	CM	104 LEVEL CM	3255,4167 litre	97,873 %	70,7445 litre	O
350	CM	55	CM	103 LEVEL CM	3237,2656 litre	97,327 %	88,8956 litre	O
350	CM	55	CM	102 LEVEL CM	3217,8613 litre	96,744 %	108,2999 litre	O
350	CM	55	CM	101 LEVEL CM	3197,3040 litre	96,126 %	128,8572 litre	O
350	CM	55	CM	100 LEVEL CM	3175,6776 litre	95,476 %	150,4836 litre	O
350	CM	55	CM	99 LEVEL CM	3153,0544 litre	94,796 %	173,1068 litre	O
350	CM	55	CM	98 LEVEL CM	3129,4973 litre	94,087 %	196,6639 litre	O
350	CM	55	CM	97 LEVEL CM	3105,0619 litre	93,353 %	221,0993 litre	O
350	CM	55	CM	96 LEVEL CM	3079,7983 litre	92,593 %	246,3629 litre	O
350	CM	55	CM	95 LEVEL CM	3053,7514 litre	91,810 %	272,4098 litre	O
350	CM	55	CM	94 LEVEL CM	3026,9626 litre	91,005 %	299,1986 litre	O
350	CM	55	CM	93 LEVEL CM	2999,4695 litre	90,178 %	326,6917 litre	O
350	CM	55	CM	92 LEVEL CM	2971,3073 litre	89,331 %	354,8539 litre	O
350	CM	55	CM	91 LEVEL CM	2942,5084 litre	88,466 %	383,6528 litre	O
350	CM	55	CM	90 LEVEL CM	2913,1034 litre	87,582 %	413,0578 litre	O
350	CM	55	CM	89 LEVEL CM	2883,1207 litre	86,680 %	443,0405 litre	O
350	CM	55	CM	88 LEVEL CM	2852,5874 litre	85,762 %	473,5738 litre	O
350	CM	55	CM	87 LEVEL CM	2821,5290 litre	84,828 %	504,6322 litre	O
350	CM	55	CM	86 LEVEL CM	2789,9697 litre	83,880 %	536,1915 litre	O
350	CM	55	CM	85 LEVEL CM	2757,9328 litre	82,916 %	568,2284 litre	O
350	CM	55	CM	84 LEVEL CM	2725,4401 litre	81,940 %	600,7211 litre	O
350	CM	55	CM	83 LEVEL CM	2692,5131 litre	80,950 %	633,6481 litre	O
350	CM	55	CM	82 LEVEL CM	2659,1719 litre	79,947 %	666,9893 litre	O
350	CM	55	CM	81 LEVEL CM	2625,4363 litre	78,933 %	700,7249 litre	O
350	CM	55	CM	80 LEVEL CM	2591,3250 litre	77,907 %	734,8362 litre	O
350	CM	55	CM	79 LEVEL CM	2556,8565 litre	76,871 %	769,3047 litre	O
350	CM	55	CM	78 LEVEL CM	2522,0485 litre	75,825 %	804,1127 litre	O
350	CM	55	CM	77 LEVEL CM	2486,9182 litre	74,768 %	839,2430 litre	O
350	CM	55	CM	76 LEVEL CM	2451,4824 litre	73,703 %	874,6788 litre	O
350	CM	55	CM	75 LEVEL CM	2415,7573 litre	72,629 %	910,4039 litre	O
350	CM	55	CM	74 LEVEL CM	2379,7590 litre	71,547 %	946,4022 litre	O
350	CM	55	CM	73 LEVEL CM	2343,5029 litre	70,457 %	982,6583 litre	O
350	CM	55	CM	72 LEVEL CM	2307,0044 litre	69,359 %	1019,1568 litre	O
350	CM	55	CM	71 LEVEL CM	2270,2784 litre	68,255 %	1055,8828 litre	O
350	CM	55	CM	70 LEVEL CM	2233,3394 litre	67,145 %	1092,8218 litre	O
350	CM	55	CM	69 LEVEL CM	2196,2021 litre	66,028 %	1129,9591 litre	O
350	CM	55	CM	68 LEVEL CM	2158,8805 litre	64,906 %	1167,2807 litre	O
350	CM	55	CM	67 LEVEL CM	2121,3885 litre	63,779 %	1204,7727 litre	O
350	CM	55	CM	66 LEVEL CM	2083,7401 litre	62,647 %	1242,4211 litre	O
350	CM	55	CM	65 LEVEL CM	2045,9488 litre	61,511 %	1280,2124 litre	O
350	CM	55	CM	64 LEVEL CM	2008,0280 litre	60,371 %	1318,1332 litre	O
350	CM	55	CM	63 LEVEL CM	1969,9911 litre	59,227 %	1356,1701 litre	O
350	CM	55	CM	62 LEVEL CM	1931,8513 litre	58,081 %	1394,3099 litre	O
350	CM	55	CM	61 LEVEL CM	1893,6216 litre	56,931 %	1432,5396 litre	O
350	CM	55	CM	60 LEVEL CM	1855,3151 litre	55,779 %	1470,8461 litre	O
350	CM	55	CM	59 LEVEL CM	1816,9447 litre	54,626 %	1509,2165 litre	O

350	CM	55	CM	58 LEVEL CM	1778,5233 litre	53,471 %	1547,6379 litre	O
350	CM	55	CM	57 LEVEL CM	1740,0636 litre	52,314 %	1586,0976 litre	O
350	CM	55	CM	56 LEVEL CM	1701,5785 litre	51,157 %	1624,5827 litre	O
350	CM	55	CM	55 LEVEL CM	1663,0806 litre	50,000 %	1663,0806 litre	O
350	CM	55	CM	54 LEVEL CM	1624,5827 litre	48,843 %	1701,5785 litre	O
350	CM	55	CM	53 LEVEL CM	1586,0976 litre	47,686 %	1740,0636 litre	O
350	CM	55	CM	52 LEVEL CM	1547,6379 litre	46,529 %	1778,5233 litre	O
350	CM	55	CM	51 LEVEL CM	1509,2165 litre	45,374 %	1816,9447 litre	O
350	CM	55	CM	50 LEVEL CM	1470,8461 litre	44,221 %	1855,3151 litre	O
350	CM	55	CM	49 LEVEL CM	1432,5396 litre	43,069 %	1893,6216 litre	O
350	CM	55	CM	48 LEVEL CM	1394,3100 litre	41,919 %	1931,8512 litre	O
350	CM	55	CM	47 LEVEL CM	1356,1701 litre	40,773 %	1969,9911 litre	O
350	CM	55	CM	46 LEVEL CM	1318,1332 litre	39,629 %	2008,0280 litre	O
350	CM	55	CM	45 LEVEL CM	1280,2125 litre	38,489 %	2045,9487 litre	O
350	CM	55	CM	44 LEVEL CM	1242,4211 litre	37,353 %	2083,7401 litre	O
350	CM	55	CM	43 LEVEL CM	1204,7727 litre	36,221 %	2121,3885 litre	O
350	CM	55	CM	42 LEVEL CM	1167,2808 litre	35,094 %	2158,8804 litre	O
350	CM	55	CM	41 LEVEL CM	1129,9591 litre	33,972 %	2196,2021 litre	O
350	CM	55	CM	40 LEVEL CM	1092,8218 litre	32,855 %	2233,3394 litre	O
350	CM	55	CM	39 LEVEL CM	1055,8829 litre	31,745 %	2270,2783 litre	O
350	CM	55	CM	38 LEVEL CM	1019,1568 litre	30,641 %	2307,0044 litre	O
350	CM	55	CM	37 LEVEL CM	982,6583 litre	29,543 %	2343,5029 litre	O
350	CM	55	CM	36 LEVEL CM	946,4022 litre	28,453 %	2379,7590 litre	O
350	CM	55	CM	35 LEVEL CM	910,4039 litre	27,371 %	2415,7573 litre	O
350	CM	55	CM	34 LEVEL CM	874,6788 litre	26,297 %	2451,4824 litre	O
350	CM	55	CM	33 LEVEL CM	839,2430 litre	25,232 %	2486,9182 litre	O
350	CM	55	CM	32 LEVEL CM	804,1127 litre	24,175 %	2522,0485 litre	O
350	CM	55	CM	31 LEVEL CM	769,3047 litre	23,129 %	2556,8565 litre	O
350	CM	55	CM	30 LEVEL CM	734,8362 litre	22,093 %	2591,3250 litre	O
350	CM	55	CM	29 LEVEL CM	700,7250 litre	21,067 %	2625,4362 litre	O
350	CM	55	CM	28 LEVEL CM	666,9893 litre	20,053 %	2659,1719 litre	O
350	CM	55	CM	27 LEVEL CM	633,6481 litre	19,050 %	2692,5131 litre	O
350	CM	55	CM	26 LEVEL CM	600,7211 litre	18,060 %	2725,4401 litre	O
350	CM	55	CM	25 LEVEL CM	568,2285 litre	17,084 %	2757,9327 litre	O
350	CM	55	CM	24 LEVEL CM	536,1915 litre	16,120 %	2789,9697 litre	O
350	CM	55	CM	23 LEVEL CM	504,6322 litre	15,172 %	2821,5290 litre	O
350	CM	55	CM	22 LEVEL CM	473,5738 litre	14,238 %	2852,5874 litre	O
350	CM	55	CM	21 LEVEL CM	443,0405 litre	13,320 %	2883,1207 litre	O
350	CM	55	CM	20 LEVEL CM	413,0578 litre	12,418 %	2913,1034 litre	O
350	CM	55	CM	19 LEVEL CM	383,6528 litre	11,534 %	2942,5084 litre	O
350	CM	55	CM	18 LEVEL CM	354,8539 litre	10,669 %	2971,3073 litre	O
350	CM	55	CM	17 LEVEL CM	326,6917 litre	9,822 %	2999,4695 litre	O
350	CM	55	CM	16 LEVEL CM	299,1986 litre	8,995 %	3026,9626 litre	O
350	CM	55	CM	15 LEVEL CM	272,4098 litre	8,190 %	3053,7514 litre	O
350	CM	55	CM	14 LEVEL CM	246,3629 litre	7,407 %	3079,7983 litre	O
350	CM	55	CM	13 LEVEL CM	221,0993 litre	6,647 %	3105,0619 litre	O
350	CM	55	CM	12 LEVEL CM	196,6639 litre	5,913 %	3129,4973 litre	O
350	CM	55	CM	11 LEVEL CM	173,1068 litre	5,204 %	3153,0544 litre	O
350	CM	55	CM	10 LEVEL CM	150,4836 litre	4,524 %	3175,6776 litre	O
350	CM	55	CM	9 LEVEL CM	128,8573 litre	3,874 %	3197,3039 litre	O
350	CM	55	CM	8 LEVEL CM	108,2999 litre	3,256 %	3217,8613 litre	O
350	CM	55	CM	7 LEVEL CM	88,8956 litre	2,673 %	3237,2656 litre	O
350	CM	55	CM	6 LEVEL CM	70,7445 litre	2,127 %	3255,4167 litre	O

350_55

-2026-

350	CM 55	CM	5 LEVEL CM	53,9691 litre	1,623 %	3272,1921 litre	O
350	CM 55	CM	4 LEVEL CM	38,7256 litre	1,164 %	3287,4356 litre	O
350	CM 55	CM	3 LEVEL CM	25,2232 litre	0,758 %	3300,9380 litre	O
350	CM 55	CM	2 LEVEL CM	13,7678 litre	0,414 %	3312,3934 litre	O
350	CM 55	CM	1 LEVEL CM	4,8811 litre	0,147 %	3321,2801 litre	O
350	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3326,1612 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
350	CM	50	CM	100 LEVEL CM	2748,8936 litre	100,000 %	0,0000 litre	O
350	CM	50	CM	99 LEVEL CM	2744,2409 litre	99,831 %	4,6527 litre	O
350	CM	50	CM	98 LEVEL CM	2735,7737 litre	99,523 %	13,1199 litre	O
350	CM	50	CM	97 LEVEL CM	2724,8643 litre	99,126 %	24,0293 litre	O
350	CM	50	CM	96 LEVEL CM	2712,0115 litre	98,658 %	36,8821 litre	O
350	CM	50	CM	95 LEVEL CM	2697,5084 litre	98,131 %	51,3852 litre	O
350	CM	50	CM	94 LEVEL CM	2681,5559 litre	97,550 %	67,3377 litre	O
350	CM	50	CM	93 LEVEL CM	2664,3040 litre	96,923 %	84,5896 litre	O
350	CM	50	CM	92 LEVEL CM	2645,8706 litre	96,252 %	103,0230 litre	O
350	CM	50	CM	91 LEVEL CM	2626,3523 litre	95,542 %	122,5413 litre	O
350	CM	50	CM	90 LEVEL CM	2605,8301 litre	94,796 %	143,0635 litre	O
350	CM	50	CM	89 LEVEL CM	2584,3739 litre	94,015 %	164,5197 litre	O
350	CM	50	CM	88 LEVEL CM	2562,0446 litre	93,203 %	186,8490 litre	O
350	CM	50	CM	87 LEVEL CM	2538,8963 litre	92,361 %	209,9973 litre	O
350	CM	50	CM	86 LEVEL CM	2514,9775 litre	91,491 %	233,9161 litre	O
350	CM	50	CM	85 LEVEL CM	2490,3321 litre	90,594 %	258,5615 litre	O
350	CM	50	CM	84 LEVEL CM	2465,0003 litre	89,672 %	283,8933 litre	O
350	CM	50	CM	83 LEVEL CM	2439,0191 litre	88,727 %	309,8745 litre	O
350	CM	50	CM	82 LEVEL CM	2412,4227 litre	87,760 %	336,4709 litre	O
350	CM	50	CM	81 LEVEL CM	2385,2431 litre	86,771 %	363,6505 litre	O
350	CM	50	CM	80 LEVEL CM	2357,5103 litre	85,762 %	391,3833 litre	O
350	CM	50	CM	79 LEVEL CM	2329,2523 litre	84,734 %	419,6413 litre	O
350	CM	50	CM	78 LEVEL CM	2300,4957 litre	83,688 %	448,3979 litre	O
350	CM	50	CM	77 LEVEL CM	2271,2660 litre	82,625 %	477,6276 litre	O
350	CM	50	CM	76 LEVEL CM	2241,5870 litre	81,545 %	507,3066 litre	O
350	CM	50	CM	75 LEVEL CM	2211,4818 litre	80,450 %	537,4118 litre	O
350	CM	50	CM	74 LEVEL CM	2180,9724 litre	79,340 %	567,9212 litre	O
350	CM	50	CM	73 LEVEL CM	2150,0799 litre	78,216 %	598,8137 litre	O
350	CM	50	CM	72 LEVEL CM	2118,8248 litre	77,079 %	630,0688 litre	O
350	CM	50	CM	71 LEVEL CM	2087,2265 litre	75,930 %	661,6671 litre	O
350	CM	50	CM	70 LEVEL CM	2055,3043 litre	74,768 %	693,5893 litre	O
350	CM	50	CM	69 LEVEL CM	2023,0766 litre	73,596 %	725,8170 litre	O
350	CM	50	CM	68 LEVEL CM	1990,5612 litre	72,413 %	758,3324 litre	O
350	CM	50	CM	67 LEVEL CM	1957,7756 litre	71,220 %	791,1180 litre	O
350	CM	50	CM	66 LEVEL CM	1924,7370 litre	70,019 %	824,1566 litre	O
350	CM	50	CM	65 LEVEL CM	1891,4619 litre	68,808 %	857,4317 litre	O
350	CM	50	CM	64 LEVEL CM	1857,9666 litre	67,590 %	890,9270 litre	O
350	CM	50	CM	63 LEVEL CM	1824,2672 litre	66,364 %	924,6264 litre	O
350	CM	50	CM	62 LEVEL CM	1790,3792 litre	65,131 %	958,5144 litre	O
350	CM	50	CM	61 LEVEL CM	1756,3182 litre	63,892 %	992,5754 litre	O
350	CM	50	CM	60 LEVEL CM	1722,0992 litre	62,647 %	1026,7944 litre	O
350	CM	50	CM	59 LEVEL CM	1687,7374 litre	61,397 %	1061,1562 litre	O
350	CM	50	CM	58 LEVEL CM	1653,2475 litre	60,142 %	1095,6461 litre	O
350	CM	50	CM	57 LEVEL CM	1618,6441 litre	58,883 %	1130,2495 litre	O
350	CM	50	CM	56 LEVEL CM	1583,9417 litre	57,621 %	1164,9519 litre	O
350	CM	50	CM	55 LEVEL CM	1549,1547 litre	56,356 %	1199,7389 litre	O
350	CM	50	CM	54 LEVEL CM	1514,2973 litre	55,088 %	1234,5963 litre	O
350	CM	50	CM	53 LEVEL CM	1479,3838 litre	53,817 %	1269,5098 litre	O
350	CM	50	CM	52 LEVEL CM	1444,4281 litre	52,546 %	1304,4655 litre	O
350	CM	50	CM	51 LEVEL CM	1409,4445 litre	51,273 %	1339,4491 litre	O
350	CM	50	CM	50 LEVEL CM	1374,4468 litre	50,000 %	1374,4468 litre	O
350	CM	50	CM	49 LEVEL CM	1339,4491 litre	48,727 %	1409,4445 litre	O

350	CM	50	CM	48 LEVEL CM	1304,4655 litre	47,454 %	1444,4281 litre	O
350	CM	50	CM	47 LEVEL CM	1269,5098 litre	46,183 %	1479,3838 litre	O
350	CM	50	CM	46 LEVEL CM	1234,5963 litre	44,912 %	1514,2973 litre	O
350	CM	50	CM	45 LEVEL CM	1199,7389 litre	43,644 %	1549,1547 litre	O
350	CM	50	CM	44 LEVEL CM	1164,9519 litre	42,379 %	1583,9417 litre	O
350	CM	50	CM	43 LEVEL CM	1130,2495 litre	41,117 %	1618,6441 litre	O
350	CM	50	CM	42 LEVEL CM	1095,6461 litre	39,858 %	1653,2475 litre	O
350	CM	50	CM	41 LEVEL CM	1061,1562 litre	38,603 %	1687,7374 litre	O
350	CM	50	CM	40 LEVEL CM	1026,7943 litre	37,353 %	1722,0993 litre	O
350	CM	50	CM	39 LEVEL CM	992,5754 litre	36,108 %	1756,3182 litre	O
350	CM	50	CM	38 LEVEL CM	958,5144 litre	34,869 %	1790,3792 litre	O
350	CM	50	CM	37 LEVEL CM	924,6264 litre	33,636 %	1824,2672 litre	O
350	CM	50	CM	36 LEVEL CM	890,9269 litre	32,410 %	1857,9667 litre	O
350	CM	50	CM	35 LEVEL CM	857,4317 litre	31,192 %	1891,4619 litre	O
350	CM	50	CM	34 LEVEL CM	824,1566 litre	29,981 %	1924,7370 litre	O
350	CM	50	CM	33 LEVEL CM	791,1179 litre	28,780 %	1957,7757 litre	O
350	CM	50	CM	32 LEVEL CM	758,3324 litre	27,587 %	1990,5612 litre	O
350	CM	50	CM	31 LEVEL CM	725,8170 litre	26,404 %	2023,0766 litre	O
350	CM	50	CM	30 LEVEL CM	693,5892 litre	25,232 %	2055,3044 litre	O
350	CM	50	CM	29 LEVEL CM	661,6670 litre	24,070 %	2087,2266 litre	O
350	CM	50	CM	28 LEVEL CM	630,0688 litre	22,921 %	2118,8248 litre	O
350	CM	50	CM	27 LEVEL CM	598,8136 litre	21,784 %	2150,0800 litre	O
350	CM	50	CM	26 LEVEL CM	567,9211 litre	20,660 %	2180,9725 litre	O
350	CM	50	CM	25 LEVEL CM	537,4117 litre	19,550 %	2211,4819 litre	O
350	CM	50	CM	24 LEVEL CM	507,3066 litre	18,455 %	2241,5870 litre	O
350	CM	50	CM	23 LEVEL CM	477,6276 litre	17,375 %	2271,2660 litre	O
350	CM	50	CM	22 LEVEL CM	448,3978 litre	16,312 %	2300,4958 litre	O
350	CM	50	CM	21 LEVEL CM	419,6413 litre	15,266 %	2329,2523 litre	O
350	CM	50	CM	20 LEVEL CM	391,3833 litre	14,238 %	2357,5103 litre	O
350	CM	50	CM	19 LEVEL CM	363,6504 litre	13,229 %	2385,2432 litre	O
350	CM	50	CM	18 LEVEL CM	336,4709 litre	12,240 %	2412,4227 litre	O
350	CM	50	CM	17 LEVEL CM	309,8745 litre	11,273 %	2439,0191 litre	O
350	CM	50	CM	16 LEVEL CM	283,8933 litre	10,328 %	2465,0003 litre	O
350	CM	50	CM	15 LEVEL CM	258,5615 litre	9,406 %	2490,3321 litre	O
350	CM	50	CM	14 LEVEL CM	233,9161 litre	8,509 %	2514,9775 litre	O
350	CM	50	CM	13 LEVEL CM	209,9973 litre	7,639 %	2538,8963 litre	O
350	CM	50	CM	12 LEVEL CM	186,8490 litre	6,797 %	2562,0446 litre	O
350	CM	50	CM	11 LEVEL CM	164,5197 litre	5,985 %	2584,3739 litre	O
350	CM	50	CM	10 LEVEL CM	143,0635 litre	5,204 %	2605,8301 litre	O
350	CM	50	CM	9 LEVEL CM	122,5413 litre	4,458 %	2626,3523 litre	O
350	CM	50	CM	8 LEVEL CM	103,0230 litre	3,748 %	2645,8706 litre	O
350	CM	50	CM	7 LEVEL CM	84,5896 litre	3,077 %	2664,3040 litre	O
350	CM	50	CM	6 LEVEL CM	67,3376 litre	2,450 %	2681,5560 litre	O
350	CM	50	CM	5 LEVEL CM	51,3852 litre	1,869 %	2697,5084 litre	O
350	CM	50	CM	4 LEVEL CM	36,8821 litre	1,342 %	2712,0115 litre	O
350	CM	50	CM	3 LEVEL CM	24,0293 litre	0,874 %	2724,8643 litre	O
350	CM	50	CM	2 LEVEL CM	13,1198 litre	0,477 %	2735,7738 litre	O
350	CM	50	CM	1 LEVEL CM	4,6526 litre	0,169 %	2744,2410 litre	O
350	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2748,8936 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM	150	CM 300 LEVEL CM	24033,1838 litre	100,000 %	0,0000 litre	O
340	CM	150	CM 299 LEVEL CM	24025,3397 litre	99,967 %	7,8441 litre	O
340	CM	150	CM 298 LEVEL CM	24011,0196 litre	99,908 %	22,1642 litre	O
340	CM	150	CM 297 LEVEL CM	23992,5064 litre	99,831 %	40,6774 litre	O
340	CM	150	CM 296 LEVEL CM	23970,6200 litre	99,740 %	62,5638 litre	O
340	CM	150	CM 295 LEVEL CM	23945,8364 litre	99,637 %	87,3474 litre	O
340	CM	150	CM 294 LEVEL CM	23918,4789 litre	99,523 %	114,7049 litre	O
340	CM	150	CM 293 LEVEL CM	23888,7856 litre	99,399 %	144,3982 litre	O
340	CM	150	CM 292 LEVEL CM	23856,9423 litre	99,267 %	176,2415 litre	O
340	CM	150	CM 291 LEVEL CM	23823,0992 litre	99,126 %	210,0846 litre	O
340	CM	150	CM 290 LEVEL CM	23787,3809 litre	98,977 %	245,8029 litre	O
340	CM	150	CM 289 LEVEL CM	23749,8936 litre	98,821 %	283,2902 litre	O
340	CM	150	CM 288 LEVEL CM	23710,7290 litre	98,658 %	322,4548 litre	O
340	CM	150	CM 287 LEVEL CM	23669,9674 litre	98,489 %	363,2164 litre	O
340	CM	150	CM 286 LEVEL CM	23627,6800 litre	98,313 %	405,5038 litre	O
340	CM	150	CM 285 LEVEL CM	23583,9306 litre	98,131 %	449,2532 litre	O
340	CM	150	CM 284 LEVEL CM	23538,7767 litre	97,943 %	494,4071 litre	O
340	CM	150	CM 283 LEVEL CM	23492,2708 litre	97,749 %	540,9130 litre	O
340	CM	150	CM 282 LEVEL CM	23444,4606 litre	97,550 %	588,7232 litre	O
340	CM	150	CM 281 LEVEL CM	23395,3902 litre	97,346 %	637,7936 litre	O
340	CM	150	CM 280 LEVEL CM	23345,1005 litre	97,137 %	688,0833 litre	O
340	CM	150	CM 279 LEVEL CM	23293,6293 litre	96,923 %	739,5545 litre	O
340	CM	150	CM 278 LEVEL CM	23241,0119 litre	96,704 %	792,1719 litre	O
340	CM	150	CM 277 LEVEL CM	23187,2814 litre	96,480 %	845,9024 litre	O
340	CM	150	CM 276 LEVEL CM	23132,4687 litre	96,252 %	900,7151 litre	O
340	CM	150	CM 275 LEVEL CM	23076,6032 litre	96,020 %	956,5806 litre	O
340	CM	150	CM 274 LEVEL CM	23019,7125 litre	95,783 %	1013,4713 litre	O
340	CM	150	CM 273 LEVEL CM	22961,8226 litre	95,542 %	1071,3612 litre	O
340	CM	150	CM 272 LEVEL CM	22902,9584 litre	95,297 %	1130,2254 litre	O
340	CM	150	CM 271 LEVEL CM	22843,1434 litre	95,048 %	1190,0404 litre	O
340	CM	150	CM 270 LEVEL CM	22782,4003 litre	94,796 %	1250,7835 litre	O
340	CM	150	CM 269 LEVEL CM	22720,7504 litre	94,539 %	1312,4334 litre	O
340	CM	150	CM 268 LEVEL CM	22658,2144 litre	94,279 %	1374,9694 litre	O
340	CM	150	CM 267 LEVEL CM	22594,8118 litre	94,015 %	1438,3720 litre	O
340	CM	150	CM 266 LEVEL CM	22530,5615 litre	93,748 %	1502,6223 litre	O
340	CM	150	CM 265 LEVEL CM	22465,4818 litre	93,477 %	1567,7020 litre	O
340	CM	150	CM 264 LEVEL CM	22399,5900 litre	93,203 %	1633,5938 litre	O
340	CM	150	CM 263 LEVEL CM	22332,9030 litre	92,925 %	1700,2808 litre	O
340	CM	150	CM 262 LEVEL CM	22265,4370 litre	92,645 %	1767,7468 litre	O
340	CM	150	CM 261 LEVEL CM	22197,2076 litre	92,361 %	1835,9762 litre	O
340	CM	150	CM 260 LEVEL CM	22128,2301 litre	92,074 %	1904,9537 litre	O
340	CM	150	CM 259 LEVEL CM	22058,5191 litre	91,784 %	1974,6647 litre	O
340	CM	150	CM 258 LEVEL CM	21988,0888 litre	91,491 %	2045,0950 litre	O
340	CM	150	CM 257 LEVEL CM	21916,9529 litre	91,195 %	2116,2309 litre	O
340	CM	150	CM 256 LEVEL CM	21845,1249 litre	90,896 %	2188,0589 litre	O
340	CM	150	CM 255 LEVEL CM	21772,6177 litre	90,594 %	2260,5661 litre	O
340	CM	150	CM 254 LEVEL CM	21699,4439 litre	90,290 %	2333,7399 litre	O
340	CM	150	CM 253 LEVEL CM	21625,6158 litre	89,982 %	2407,5680 litre	O
340	CM	150	CM 252 LEVEL CM	21551,1455 litre	89,672 %	2482,0383 litre	O
340	CM	150	CM 251 LEVEL CM	21476,0444 litre	89,360 %	2557,1394 litre	O
340	CM	150	CM 250 LEVEL CM	21400,3240 litre	89,045 %	2632,8598 litre	O
340	CM	150	CM 249 LEVEL CM	21323,9954 litre	88,727 %	2709,1884 litre	O

340	CM	150	CM	248 LEVEL CM	21247,0694 litre	88,407 %	2786,1144 litre	O
340	CM	150	CM	247 LEVEL CM	21169,5566 litre	88,085 %	2863,6272 litre	O
340	CM	150	CM	246 LEVEL CM	21091,4672 litre	87,760 %	2941,7166 litre	O
340	CM	150	CM	245 LEVEL CM	21012,8114 litre	87,432 %	3020,3724 litre	O
340	CM	150	CM	244 LEVEL CM	20933,5991 litre	87,103 %	3099,5847 litre	O
340	CM	150	CM	243 LEVEL CM	20853,8400 litre	86,771 %	3179,3438 litre	O
340	CM	150	CM	242 LEVEL CM	20773,5435 litre	86,437 %	3259,6403 litre	O
340	CM	150	CM	241 LEVEL CM	20692,7189 litre	86,101 %	3340,4649 litre	O
340	CM	150	CM	240 LEVEL CM	20611,3754 litre	85,762 %	3421,8084 litre	O
340	CM	150	CM	239 LEVEL CM	20529,5219 litre	85,422 %	3503,6619 litre	O
340	CM	150	CM	238 LEVEL CM	20447,1671 litre	85,079 %	3586,0167 litre	O
340	CM	150	CM	237 LEVEL CM	20364,3197 litre	84,734 %	3668,8641 litre	O
340	CM	150	CM	236 LEVEL CM	20280,9881 litre	84,387 %	3752,1957 litre	O
340	CM	150	CM	235 LEVEL CM	20197,1807 litre	84,039 %	3836,0031 litre	O
340	CM	150	CM	234 LEVEL CM	20112,9056 litre	83,688 %	3920,2782 litre	O
340	CM	150	CM	233 LEVEL CM	20028,1709 litre	83,335 %	4005,0129 litre	O
340	CM	150	CM	232 LEVEL CM	19942,9844 litre	82,981 %	4090,1994 litre	O
340	CM	150	CM	231 LEVEL CM	19857,3540 litre	82,625 %	4175,8298 litre	O
340	CM	150	CM	230 LEVEL CM	19771,2873 litre	82,267 %	4261,8965 litre	O
340	CM	150	CM	229 LEVEL CM	19684,7918 litre	81,907 %	4348,3920 litre	O
340	CM	150	CM	228 LEVEL CM	19597,8751 litre	81,545 %	4435,3087 litre	O
340	CM	150	CM	227 LEVEL CM	19510,5443 litre	81,182 %	4522,6395 litre	O
340	CM	150	CM	226 LEVEL CM	19422,8068 litre	80,817 %	4610,3770 litre	O
340	CM	150	CM	225 LEVEL CM	19334,6697 litre	80,450 %	4698,5141 litre	O
340	CM	150	CM	224 LEVEL CM	19246,1400 litre	80,082 %	4787,0438 litre	O
340	CM	150	CM	223 LEVEL CM	19157,2246 litre	79,712 %	4875,9592 litre	O
340	CM	150	CM	222 LEVEL CM	19067,9303 litre	79,340 %	4965,2535 litre	O
340	CM	150	CM	221 LEVEL CM	18978,2640 litre	78,967 %	5054,9198 litre	O
340	CM	150	CM	220 LEVEL CM	18888,2323 litre	78,592 %	5144,9515 litre	O
340	CM	150	CM	219 LEVEL CM	18797,8418 litre	78,216 %	5235,3420 litre	O
340	CM	150	CM	218 LEVEL CM	18707,0990 litre	77,839 %	5326,0848 litre	O
340	CM	150	CM	217 LEVEL CM	18616,0104 litre	77,460 %	5417,1734 litre	O
340	CM	150	CM	216 LEVEL CM	18524,5823 litre	77,079 %	5508,6015 litre	O
340	CM	150	CM	215 LEVEL CM	18432,8209 litre	76,697 %	5600,3629 litre	O
340	CM	150	CM	214 LEVEL CM	18340,7326 litre	76,314 %	5692,4512 litre	O
340	CM	150	CM	213 LEVEL CM	18248,3235 litre	75,930 %	5784,8603 litre	O
340	CM	150	CM	212 LEVEL CM	18155,5997 litre	75,544 %	5877,5841 litre	O
340	CM	150	CM	211 LEVEL CM	18062,5673 litre	75,157 %	5970,6165 litre	O
340	CM	150	CM	210 LEVEL CM	17969,2321 litre	74,768 %	6063,9517 litre	O
340	CM	150	CM	209 LEVEL CM	17875,6001 litre	74,379 %	6157,5837 litre	O
340	CM	150	CM	208 LEVEL CM	17781,6773 litre	73,988 %	6251,5065 litre	O
340	CM	150	CM	207 LEVEL CM	17687,4693 litre	73,596 %	6345,7145 litre	O
340	CM	150	CM	206 LEVEL CM	17592,9819 litre	73,203 %	6440,2019 litre	O
340	CM	150	CM	205 LEVEL CM	17498,2209 litre	72,809 %	6534,9629 litre	O
340	CM	150	CM	204 LEVEL CM	17403,1919 litre	72,413 %	6629,9919 litre	O
340	CM	150	CM	203 LEVEL CM	17307,9005 litre	72,017 %	6725,2833 litre	O
340	CM	150	CM	202 LEVEL CM	17212,3523 litre	71,619 %	6820,8315 litre	O
340	CM	150	CM	201 LEVEL CM	17116,5527 litre	71,220 %	6916,6311 litre	O
340	CM	150	CM	200 LEVEL CM	17020,5073 litre	70,821 %	7012,6765 litre	O
340	CM	150	CM	199 LEVEL CM	16924,2215 litre	70,420 %	7108,9623 litre	O
340	CM	150	CM	198 LEVEL CM	16827,7006 litre	70,019 %	7205,4832 litre	O
340	CM	150	CM	197 LEVEL CM	16730,9501 litre	69,616 %	7302,2337 litre	O
340	CM	150	CM	196 LEVEL CM	16633,9752 litre	69,213 %	7399,2086 litre	O

340	CM	150	CM	195 LEVEL CM	16536,7812 litre	68,808 %	7496,4026 litre	O
340	CM	150	CM	194 LEVEL CM	16439,3733 litre	68,403 %	7593,8105 litre	O
340	CM	150	CM	193 LEVEL CM	16341,7568 litre	67,997 %	7691,4270 litre	O
340	CM	150	CM	192 LEVEL CM	16243,9368 litre	67,590 %	7789,2470 litre	O
340	CM	150	CM	191 LEVEL CM	16145,9185 litre	67,182 %	7887,2653 litre	O
340	CM	150	CM	190 LEVEL CM	16047,7070 litre	66,773 %	7985,4768 litre	O
340	CM	150	CM	189 LEVEL CM	15949,3073 litre	66,364 %	8083,8765 litre	O
340	CM	150	CM	188 LEVEL CM	15850,7245 litre	65,953 %	8182,4593 litre	O
340	CM	150	CM	187 LEVEL CM	15751,9636 litre	65,543 %	8281,2202 litre	O
340	CM	150	CM	186 LEVEL CM	15653,0297 litre	65,131 %	8380,1541 litre	O
340	CM	150	CM	185 LEVEL CM	15553,9276 litre	64,719 %	8479,2562 litre	O
340	CM	150	CM	184 LEVEL CM	15454,6624 litre	64,306 %	8578,5214 litre	O
340	CM	150	CM	183 LEVEL CM	15355,2389 litre	63,892 %	8677,9449 litre	O
340	CM	150	CM	182 LEVEL CM	15255,6620 litre	63,477 %	8777,5218 litre	O
340	CM	150	CM	181 LEVEL CM	15155,9367 litre	63,063 %	8877,2471 litre	O
340	CM	150	CM	180 LEVEL CM	15056,0677 litre	62,647 %	8977,1161 litre	O
340	CM	150	CM	179 LEVEL CM	14956,0599 litre	62,231 %	9077,1239 litre	O
340	CM	150	CM	178 LEVEL CM	14855,9182 litre	61,814 %	9177,2656 litre	O
340	CM	150	CM	177 LEVEL CM	14755,6472 litre	61,397 %	9277,5366 litre	O
340	CM	150	CM	176 LEVEL CM	14655,2518 litre	60,979 %	9377,9320 litre	O
340	CM	150	CM	175 LEVEL CM	14554,7367 litre	60,561 %	9478,4471 litre	O
340	CM	150	CM	174 LEVEL CM	14454,1066 litre	60,142 %	9579,0772 litre	O
340	CM	150	CM	173 LEVEL CM	14353,3664 litre	59,723 %	9679,8174 litre	O
340	CM	150	CM	172 LEVEL CM	14252,5206 litre	59,304 %	9780,6632 litre	O
340	CM	150	CM	171 LEVEL CM	14151,5740 litre	58,883 %	9881,6098 litre	O
340	CM	150	CM	170 LEVEL CM	14050,5312 litre	58,463 %	9982,6526 litre	O
340	CM	150	CM	169 LEVEL CM	13949,3970 litre	58,042 %	10083,7868 litre	O
340	CM	150	CM	168 LEVEL CM	13848,1759 litre	57,621 %	10185,0079 litre	O
340	CM	150	CM	167 LEVEL CM	13746,8727 litre	57,200 %	10286,3111 litre	O
340	CM	150	CM	166 LEVEL CM	13645,4918 litre	56,778 %	10387,6920 litre	O
340	CM	150	CM	165 LEVEL CM	13544,0381 litre	56,356 %	10489,1457 litre	O
340	CM	150	CM	164 LEVEL CM	13442,5159 litre	55,933 %	10590,6679 litre	O
340	CM	150	CM	163 LEVEL CM	13340,9301 litre	55,510 %	10692,2537 litre	O
340	CM	150	CM	162 LEVEL CM	13239,2850 litre	55,088 %	10793,8988 litre	O
340	CM	150	CM	161 LEVEL CM	13137,5854 litre	54,664 %	10895,5984 litre	O
340	CM	150	CM	160 LEVEL CM	13035,8358 litre	54,241 %	10997,3480 litre	O
340	CM	150	CM	159 LEVEL CM	12934,0408 litre	53,817 %	11099,1430 litre	O
340	CM	150	CM	158 LEVEL CM	12832,2049 litre	53,394 %	11200,9789 litre	O
340	CM	150	CM	157 LEVEL CM	12730,3327 litre	52,970 %	11302,8511 litre	O
340	CM	150	CM	156 LEVEL CM	12628,4287 litre	52,546 %	11404,7551 litre	O
340	CM	150	CM	155 LEVEL CM	12526,4974 litre	52,122 %	11506,6864 litre	O
340	CM	150	CM	154 LEVEL CM	12424,5435 litre	51,697 %	11608,6403 litre	O
340	CM	150	CM	153 LEVEL CM	12322,5715 litre	51,273 %	11710,6123 litre	O
340	CM	150	CM	152 LEVEL CM	12220,5859 litre	50,849 %	11812,5979 litre	O
340	CM	150	CM	151 LEVEL CM	12118,5911 litre	50,424 %	11914,5927 litre	O
340	CM	150	CM	150 LEVEL CM	12016,5919 litre	50,000 %	12016,5919 litre	O
340	CM	150	CM	149 LEVEL CM	11914,5927 litre	49,576 %	12118,5911 litre	O
340	CM	150	CM	148 LEVEL CM	11812,5979 litre	49,151 %	12220,5859 litre	O
340	CM	150	CM	147 LEVEL CM	11710,6123 litre	48,727 %	12322,5715 litre	O
340	CM	150	CM	146 LEVEL CM	11608,6403 litre	48,303 %	12424,5435 litre	O
340	CM	150	CM	145 LEVEL CM	11506,6864 litre	47,878 %	12526,4974 litre	O
340	CM	150	CM	144 LEVEL CM	11404,7551 litre	47,454 %	12628,4287 litre	O
340	CM	150	CM	143 LEVEL CM	11302,8511 litre	47,030 %	12730,3327 litre	O

340	CM	150	CM	142 LEVEL CM	11200,9789 litre	46,606 %	12832,2049 litre	O
340	CM	150	CM	141 LEVEL CM	11099,1430 litre	46,183 %	12934,0408 litre	O
340	CM	150	CM	140 LEVEL CM	10997,3480 litre	45,759 %	13035,8358 litre	O
340	CM	150	CM	139 LEVEL CM	10895,5984 litre	45,336 %	13137,5854 litre	O
340	CM	150	CM	138 LEVEL CM	10793,8988 litre	44,912 %	13239,2850 litre	O
340	CM	150	CM	137 LEVEL CM	10692,2537 litre	44,490 %	13340,9301 litre	O
340	CM	150	CM	136 LEVEL CM	10590,6679 litre	44,067 %	13442,5159 litre	O
340	CM	150	CM	135 LEVEL CM	10489,1457 litre	43,644 %	13544,0381 litre	O
340	CM	150	CM	134 LEVEL CM	10387,6920 litre	43,222 %	13645,4918 litre	O
340	CM	150	CM	133 LEVEL CM	10286,3111 litre	42,800 %	13746,8727 litre	O
340	CM	150	CM	132 LEVEL CM	10185,0079 litre	42,379 %	13848,1759 litre	O
340	CM	150	CM	131 LEVEL CM	10083,7868 litre	41,958 %	13949,3970 litre	O
340	CM	150	CM	130 LEVEL CM	9982,6526 litre	41,537 %	14050,5312 litre	O
340	CM	150	CM	129 LEVEL CM	9881,6098 litre	41,117 %	14151,5740 litre	O
340	CM	150	CM	128 LEVEL CM	9780,6632 litre	40,696 %	14252,5206 litre	O
340	CM	150	CM	127 LEVEL CM	9679,8174 litre	40,277 %	14353,3664 litre	O
340	CM	150	CM	126 LEVEL CM	9579,0772 litre	39,858 %	14454,1066 litre	O
340	CM	150	CM	125 LEVEL CM	9478,4471 litre	39,439 %	14554,7367 litre	O
340	CM	150	CM	124 LEVEL CM	9377,9320 litre	39,021 %	14655,2518 litre	O
340	CM	150	CM	123 LEVEL CM	9277,5366 litre	38,603 %	14755,6472 litre	O
340	CM	150	CM	122 LEVEL CM	9177,2656 litre	38,186 %	14855,9182 litre	O
340	CM	150	CM	121 LEVEL CM	9077,1239 litre	37,769 %	14956,0599 litre	O
340	CM	150	CM	120 LEVEL CM	8977,1161 litre	37,353 %	15056,0677 litre	O
340	CM	150	CM	119 LEVEL CM	8877,2471 litre	36,937 %	15155,9367 litre	O
340	CM	150	CM	118 LEVEL CM	8777,5218 litre	36,523 %	15255,6620 litre	O
340	CM	150	CM	117 LEVEL CM	8677,9449 litre	36,108 %	15355,2389 litre	O
340	CM	150	CM	116 LEVEL CM	8578,5214 litre	35,694 %	15454,6624 litre	O
340	CM	150	CM	115 LEVEL CM	8479,2562 litre	35,281 %	15553,9276 litre	O
340	CM	150	CM	114 LEVEL CM	8380,1541 litre	34,869 %	15653,0297 litre	O
340	CM	150	CM	113 LEVEL CM	8281,2202 litre	34,457 %	15751,9636 litre	O
340	CM	150	CM	112 LEVEL CM	8182,4593 litre	34,047 %	15850,7245 litre	O
340	CM	150	CM	111 LEVEL CM	8083,8765 litre	33,636 %	15949,3073 litre	O
340	CM	150	CM	110 LEVEL CM	7985,4768 litre	33,227 %	16047,7070 litre	O
340	CM	150	CM	109 LEVEL CM	7887,2653 litre	32,818 %	16145,9185 litre	O
340	CM	150	CM	108 LEVEL CM	7789,2470 litre	32,410 %	16243,9368 litre	O
340	CM	150	CM	107 LEVEL CM	7691,4270 litre	32,003 %	16341,7568 litre	O
340	CM	150	CM	106 LEVEL CM	7593,8105 litre	31,597 %	16439,3733 litre	O
340	CM	150	CM	105 LEVEL CM	7496,4026 litre	31,192 %	16536,7812 litre	O
340	CM	150	CM	104 LEVEL CM	7399,2086 litre	30,787 %	16633,9752 litre	O
340	CM	150	CM	103 LEVEL CM	7302,2337 litre	30,384 %	16730,9501 litre	O
340	CM	150	CM	102 LEVEL CM	7205,4832 litre	29,981 %	16827,7006 litre	O
340	CM	150	CM	101 LEVEL CM	7108,9623 litre	29,580 %	16924,2215 litre	O
340	CM	150	CM	100 LEVEL CM	7012,6765 litre	29,179 %	17020,5073 litre	O
340	CM	150	CM	99 LEVEL CM	6916,6311 litre	28,780 %	17116,5527 litre	O
340	CM	150	CM	98 LEVEL CM	6820,8315 litre	28,381 %	17212,3523 litre	O
340	CM	150	CM	97 LEVEL CM	6725,2833 litre	27,983 %	17307,9005 litre	O
340	CM	150	CM	96 LEVEL CM	6629,9919 litre	27,587 %	17403,1919 litre	O
340	CM	150	CM	95 LEVEL CM	6534,9629 litre	27,191 %	17498,2209 litre	O
340	CM	150	CM	94 LEVEL CM	6440,2019 litre	26,797 %	17592,9819 litre	O
340	CM	150	CM	93 LEVEL CM	6345,7145 litre	26,404 %	17687,4693 litre	O
340	CM	150	CM	92 LEVEL CM	6251,5065 litre	26,012 %	17781,6773 litre	O
340	CM	150	CM	91 LEVEL CM	6157,5837 litre	25,621 %	17875,6001 litre	O
340	CM	150	CM	90 LEVEL CM	6063,9517 litre	25,232 %	17969,2321 litre	O

340	CM	150	CM	89 LEVEL CM	5970,6165 litre	24,843 %	18062,5673 litre	O
340	CM	150	CM	88 LEVEL CM	5877,5841 litre	24,456 %	18155,5997 litre	O
340	CM	150	CM	87 LEVEL CM	5784,8603 litre	24,070 %	18248,3235 litre	O
340	CM	150	CM	86 LEVEL CM	5692,4512 litre	23,686 %	18340,7326 litre	O
340	CM	150	CM	85 LEVEL CM	5600,3629 litre	23,303 %	18432,8209 litre	O
340	CM	150	CM	84 LEVEL CM	5508,6015 litre	22,921 %	18524,5823 litre	O
340	CM	150	CM	83 LEVEL CM	5417,1734 litre	22,540 %	18616,0104 litre	O
340	CM	150	CM	82 LEVEL CM	5326,0848 litre	22,161 %	18707,0990 litre	O
340	CM	150	CM	81 LEVEL CM	5235,3420 litre	21,784 %	18797,8418 litre	O
340	CM	150	CM	80 LEVEL CM	5144,9515 litre	21,408 %	18888,2323 litre	O
340	CM	150	CM	79 LEVEL CM	5054,9198 litre	21,033 %	18978,2640 litre	O
340	CM	150	CM	78 LEVEL CM	4965,2535 litre	20,660 %	19067,9303 litre	O
340	CM	150	CM	77 LEVEL CM	4875,9592 litre	20,288 %	19157,2246 litre	O
340	CM	150	CM	76 LEVEL CM	4787,0438 litre	19,918 %	19246,1400 litre	O
340	CM	150	CM	75 LEVEL CM	4698,5141 litre	19,550 %	19334,6697 litre	O
340	CM	150	CM	74 LEVEL CM	4610,3770 litre	19,183 %	19422,8068 litre	O
340	CM	150	CM	73 LEVEL CM	4522,6395 litre	18,818 %	19510,5443 litre	O
340	CM	150	CM	72 LEVEL CM	4435,3087 litre	18,455 %	19597,8751 litre	O
340	CM	150	CM	71 LEVEL CM	4348,3920 litre	18,093 %	19684,7918 litre	O
340	CM	150	CM	70 LEVEL CM	4261,8965 litre	17,733 %	19771,2873 litre	O
340	CM	150	CM	69 LEVEL CM	4175,8298 litre	17,375 %	19857,3540 litre	O
340	CM	150	CM	68 LEVEL CM	4090,1994 litre	17,019 %	19942,9844 litre	O
340	CM	150	CM	67 LEVEL CM	4005,0129 litre	16,665 %	20028,1709 litre	O
340	CM	150	CM	66 LEVEL CM	3920,2782 litre	16,312 %	20112,9056 litre	O
340	CM	150	CM	65 LEVEL CM	3836,0031 litre	15,961 %	20197,1807 litre	O
340	CM	150	CM	64 LEVEL CM	3752,1957 litre	15,613 %	20280,9881 litre	O
340	CM	150	CM	63 LEVEL CM	3668,8641 litre	15,266 %	20364,3197 litre	O
340	CM	150	CM	62 LEVEL CM	3586,0167 litre	14,921 %	20447,1671 litre	O
340	CM	150	CM	61 LEVEL CM	3503,6619 litre	14,578 %	20529,5219 litre	O
340	CM	150	CM	60 LEVEL CM	3421,8084 litre	14,238 %	20611,3754 litre	O
340	CM	150	CM	59 LEVEL CM	3340,4649 litre	13,899 %	20692,7189 litre	O
340	CM	150	CM	58 LEVEL CM	3259,6403 litre	13,563 %	20773,5435 litre	O
340	CM	150	CM	57 LEVEL CM	3179,3438 litre	13,229 %	20853,8400 litre	O
340	CM	150	CM	56 LEVEL CM	3099,5847 litre	12,897 %	20933,5991 litre	O
340	CM	150	CM	55 LEVEL CM	3020,3724 litre	12,568 %	21012,8114 litre	O
340	CM	150	CM	54 LEVEL CM	2941,7166 litre	12,240 %	21091,4672 litre	O
340	CM	150	CM	53 LEVEL CM	2863,6272 litre	11,915 %	21169,5566 litre	O
340	CM	150	CM	52 LEVEL CM	2786,1144 litre	11,593 %	21247,0694 litre	O
340	CM	150	CM	51 LEVEL CM	2709,1884 litre	11,273 %	21323,9954 litre	O
340	CM	150	CM	50 LEVEL CM	2632,8598 litre	10,955 %	21400,3240 litre	O
340	CM	150	CM	49 LEVEL CM	2557,1394 litre	10,640 %	21476,0444 litre	O
340	CM	150	CM	48 LEVEL CM	2482,0383 litre	10,328 %	21551,1455 litre	O
340	CM	150	CM	47 LEVEL CM	2407,5680 litre	10,018 %	21625,6158 litre	O
340	CM	150	CM	46 LEVEL CM	2333,7399 litre	9,710 %	21699,4439 litre	O
340	CM	150	CM	45 LEVEL CM	2260,5661 litre	9,406 %	21772,6177 litre	O
340	CM	150	CM	44 LEVEL CM	2188,0589 litre	9,104 %	21845,1249 litre	O
340	CM	150	CM	43 LEVEL CM	2116,2309 litre	8,805 %	21916,9529 litre	O
340	CM	150	CM	42 LEVEL CM	2045,0950 litre	8,509 %	21988,0888 litre	O
340	CM	150	CM	41 LEVEL CM	1974,6647 litre	8,216 %	22058,5191 litre	O
340	CM	150	CM	40 LEVEL CM	1904,9537 litre	7,926 %	22128,2301 litre	O
340	CM	150	CM	39 LEVEL CM	1835,9762 litre	7,639 %	22197,2076 litre	O
340	CM	150	CM	38 LEVEL CM	1767,7468 litre	7,355 %	22265,4370 litre	O
340	CM	150	CM	37 LEVEL CM	1700,2808 litre	7,075 %	22332,9030 litre	O

340	CM	150	CM	36 LEVEL CM	1633,5938 litre	6,797 %	22399,5900 litre	O
340	CM	150	CM	35 LEVEL CM	1567,7020 litre	6,523 %	22465,4818 litre	O
340	CM	150	CM	34 LEVEL CM	1502,6223 litre	6,252 %	22530,5615 litre	O
340	CM	150	CM	33 LEVEL CM	1438,3720 litre	5,985 %	22594,8118 litre	O
340	CM	150	CM	32 LEVEL CM	1374,9694 litre	5,721 %	22658,2144 litre	O
340	CM	150	CM	31 LEVEL CM	1312,4334 litre	5,461 %	22720,7504 litre	O
340	CM	150	CM	30 LEVEL CM	1250,7835 litre	5,204 %	22782,4003 litre	O
340	CM	150	CM	29 LEVEL CM	1190,0404 litre	4,952 %	22843,1434 litre	O
340	CM	150	CM	28 LEVEL CM	1130,2254 litre	4,703 %	22902,9584 litre	O
340	CM	150	CM	27 LEVEL CM	1071,3612 litre	4,458 %	22961,8226 litre	O
340	CM	150	CM	26 LEVEL CM	1013,4713 litre	4,217 %	23019,7125 litre	O
340	CM	150	CM	25 LEVEL CM	956,5806 litre	3,980 %	23076,6032 litre	O
340	CM	150	CM	24 LEVEL CM	900,7151 litre	3,748 %	23132,4687 litre	O
340	CM	150	CM	23 LEVEL CM	845,9024 litre	3,520 %	23187,2814 litre	O
340	CM	150	CM	22 LEVEL CM	792,1719 litre	3,296 %	23241,0119 litre	O
340	CM	150	CM	21 LEVEL CM	739,5545 litre	3,077 %	23293,6293 litre	O
340	CM	150	CM	20 LEVEL CM	688,0833 litre	2,863 %	23345,1005 litre	O
340	CM	150	CM	19 LEVEL CM	637,7936 litre	2,654 %	23395,3902 litre	O
340	CM	150	CM	18 LEVEL CM	588,7232 litre	2,450 %	23444,4606 litre	O
340	CM	150	CM	17 LEVEL CM	540,9130 litre	2,251 %	23492,2708 litre	O
340	CM	150	CM	16 LEVEL CM	494,4071 litre	2,057 %	23538,7767 litre	O
340	CM	150	CM	15 LEVEL CM	449,2532 litre	1,869 %	23583,9306 litre	O
340	CM	150	CM	14 LEVEL CM	405,5038 litre	1,687 %	23627,6800 litre	O
340	CM	150	CM	13 LEVEL CM	363,2164 litre	1,511 %	23669,9674 litre	O
340	CM	150	CM	12 LEVEL CM	322,4548 litre	1,342 %	23710,7290 litre	O
340	CM	150	CM	11 LEVEL CM	283,2902 litre	1,179 %	23749,8936 litre	O
340	CM	150	CM	10 LEVEL CM	245,8029 litre	1,023 %	23787,3809 litre	O
340	CM	150	CM	9 LEVEL CM	210,0846 litre	0,874 %	23823,0992 litre	O
340	CM	150	CM	8 LEVEL CM	176,2415 litre	0,733 %	23856,9423 litre	O
340	CM	150	CM	7 LEVEL CM	144,3982 litre	0,601 %	23888,7856 litre	O
340	CM	150	CM	6 LEVEL CM	114,7049 litre	0,477 %	23918,4789 litre	O
340	CM	150	CM	5 LEVEL CM	87,3474 litre	0,363 %	23945,8364 litre	O
340	CM	150	CM	4 LEVEL CM	62,5638 litre	0,260 %	23970,6200 litre	O
340	CM	150	CM	3 LEVEL CM	40,6774 litre	0,169 %	23992,5064 litre	O
340	CM	150	CM	2 LEVEL CM	22,1642 litre	0,092 %	24011,0196 litre	O
340	CM	150	CM	1 LEVEL CM	7,8441 litre	0,033 %	24025,3397 litre	O
340	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	24033,1838 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 145	CM 290 LEVEL CM	22457,6751 litre	100,000 %	0,0000 litre	O
340	CM 145	CM 289 LEVEL CM	22449,9631 litre	99,966 %	7,7120 litre	O
340	CM 145	CM 288 LEVEL CM	22435,8849 litre	99,903 %	21,7902 litre	O
340	CM 145	CM 287 LEVEL CM	22417,6856 litre	99,822 %	39,9895 litre	O
340	CM 145	CM 286 LEVEL CM	22396,1714 litre	99,726 %	61,5037 litre	O
340	CM 145	CM 285 LEVEL CM	22371,8108 litre	99,618 %	85,8643 litre	O
340	CM 145	CM 284 LEVEL CM	22344,9217 litre	99,498 %	112,7534 litre	O
340	CM 145	CM 283 LEVEL CM	22315,7387 litre	99,368 %	141,9364 litre	O
340	CM 145	CM 282 LEVEL CM	22284,4445 litre	99,229 %	173,2306 litre	O
340	CM 145	CM 281 LEVEL CM	22251,1869 litre	99,081 %	206,4882 litre	O
340	CM 145	CM 280 LEVEL CM	22216,0888 litre	98,924 %	241,5863 litre	O
340	CM 145	CM 279 LEVEL CM	22179,2547 litre	98,760 %	278,4204 litre	O
340	CM 145	CM 278 LEVEL CM	22140,7749 litre	98,589 %	316,9002 litre	O
340	CM 145	CM 277 LEVEL CM	22100,7284 litre	98,411 %	356,9467 litre	O
340	CM 145	CM 276 LEVEL CM	22059,1856 litre	98,226 %	398,4895 litre	O
340	CM 145	CM 275 LEVEL CM	22016,2092 litre	98,034 %	441,4659 litre	O
340	CM 145	CM 274 LEVEL CM	21971,8560 litre	97,837 %	485,8191 litre	O
340	CM 145	CM 273 LEVEL CM	21926,1776 litre	97,633 %	531,4975 litre	O
340	CM 145	CM 272 LEVEL CM	21879,2213 litre	97,424 %	578,4538 litre	O
340	CM 145	CM 271 LEVEL CM	21831,0304 litre	97,210 %	626,6447 litre	O
340	CM 145	CM 270 LEVEL CM	21781,6453 litre	96,990 %	676,0298 litre	O
340	CM 145	CM 269 LEVEL CM	21731,1033 litre	96,765 %	726,5718 litre	O
340	CM 145	CM 268 LEVEL CM	21679,4392 litre	96,535 %	778,2359 litre	O
340	CM 145	CM 267 LEVEL CM	21626,6856 litre	96,300 %	830,9895 litre	O
340	CM 145	CM 266 LEVEL CM	21572,8733 litre	96,060 %	884,8018 litre	O
340	CM 145	CM 265 LEVEL CM	21518,0310 litre	95,816 %	939,6441 litre	O
340	CM 145	CM 264 LEVEL CM	21462,1862 litre	95,567 %	995,4889 litre	O
340	CM 145	CM 263 LEVEL CM	21405,3644 litre	95,314 %	1052,3107 litre	O
340	CM 145	CM 262 LEVEL CM	21347,5904 litre	95,057 %	1110,0847 litre	O
340	CM 145	CM 261 LEVEL CM	21288,8874 litre	94,796 %	1168,7877 litre	O
340	CM 145	CM 260 LEVEL CM	21229,2777 litre	94,530 %	1228,3974 litre	O
340	CM 145	CM 259 LEVEL CM	21168,7824 litre	94,261 %	1288,8927 litre	O
340	CM 145	CM 258 LEVEL CM	21107,4219 litre	93,988 %	1350,2532 litre	O
340	CM 145	CM 257 LEVEL CM	21045,2157 litre	93,711 %	1412,4594 litre	O
340	CM 145	CM 256 LEVEL CM	20982,1824 litre	93,430 %	1475,4927 litre	O
340	CM 145	CM 255 LEVEL CM	20918,3400 litre	93,146 %	1539,3351 litre	O
340	CM 145	CM 254 LEVEL CM	20853,7059 litre	92,858 %	1603,9692 litre	O
340	CM 145	CM 253 LEVEL CM	20788,2965 litre	92,567 %	1669,3786 litre	O
340	CM 145	CM 252 LEVEL CM	20722,1280 litre	92,272 %	1735,5471 litre	O
340	CM 145	CM 251 LEVEL CM	20655,2160 litre	91,974 %	1802,4591 litre	O
340	CM 145	CM 250 LEVEL CM	20587,5754 litre	91,673 %	1870,0997 litre	O
340	CM 145	CM 249 LEVEL CM	20519,2208 litre	91,368 %	1938,4543 litre	O
340	CM 145	CM 248 LEVEL CM	20450,1662 litre	91,061 %	2007,5089 litre	O
340	CM 145	CM 247 LEVEL CM	20380,4253 litre	90,750 %	2077,2498 litre	O
340	CM 145	CM 246 LEVEL CM	20310,0113 litre	90,437 %	2147,6638 litre	O
340	CM 145	CM 245 LEVEL CM	20238,9372 litre	90,120 %	2218,7379 litre	O
340	CM 145	CM 244 LEVEL CM	20167,2155 litre	89,801 %	2290,4596 litre	O
340	CM 145	CM 243 LEVEL CM	20094,8582 litre	89,479 %	2362,8169 litre	O
340	CM 145	CM 242 LEVEL CM	20021,8774 litre	89,154 %	2435,7977 litre	O
340	CM 145	CM 241 LEVEL CM	19948,2846 litre	88,826 %	2509,3905 litre	O
340	CM 145	CM 240 LEVEL CM	19874,0910 litre	88,496 %	2583,5841 litre	O
340	CM 145	CM 239 LEVEL CM	19799,3077 litre	88,163 %	2658,3674 litre	O

340	CM	145	CM	238 LEVEL CM	19723,9453 litre	87,827 %	2733,7298 litre	O
340	CM	145	CM	237 LEVEL CM	19648,0146 litre	87,489 %	2809,6605 litre	O
340	CM	145	CM	236 LEVEL CM	19571,5256 litre	87,148 %	2886,1495 litre	O
340	CM	145	CM	235 LEVEL CM	19494,4884 litre	86,805 %	2963,1867 litre	O
340	CM	145	CM	234 LEVEL CM	19416,9129 litre	86,460 %	3040,7622 litre	O
340	CM	145	CM	233 LEVEL CM	19338,8087 litre	86,112 %	3118,8664 litre	O
340	CM	145	CM	232 LEVEL CM	19260,1852 litre	85,762 %	3197,4899 litre	O
340	CM	145	CM	231 LEVEL CM	19181,0517 litre	85,410 %	3276,6234 litre	O
340	CM	145	CM	230 LEVEL CM	19101,4173 litre	85,055 %	3356,2578 litre	O
340	CM	145	CM	229 LEVEL CM	19021,2909 litre	84,698 %	3436,3842 litre	O
340	CM	145	CM	228 LEVEL CM	18940,6811 litre	84,339 %	3516,9940 litre	O
340	CM	145	CM	227 LEVEL CM	18859,5966 litre	83,978 %	3598,0785 litre	O
340	CM	145	CM	226 LEVEL CM	18778,0458 litre	83,615 %	3679,6293 litre	O
340	CM	145	CM	225 LEVEL CM	18696,0371 litre	83,250 %	3761,6380 litre	O
340	CM	145	CM	224 LEVEL CM	18613,5785 litre	82,883 %	3844,0966 litre	O
340	CM	145	CM	223 LEVEL CM	18530,6781 litre	82,514 %	3926,9970 litre	O
340	CM	145	CM	222 LEVEL CM	18447,3437 litre	82,143 %	4010,3314 litre	O
340	CM	145	CM	221 LEVEL CM	18363,5832 litre	81,770 %	4094,0919 litre	O
340	CM	145	CM	220 LEVEL CM	18279,4041 litre	81,395 %	4178,2710 litre	O
340	CM	145	CM	219 LEVEL CM	18194,8141 litre	81,018 %	4262,8610 litre	O
340	CM	145	CM	218 LEVEL CM	18109,8205 litre	80,640 %	4347,8546 litre	O
340	CM	145	CM	217 LEVEL CM	18024,4307 litre	80,260 %	4433,2444 litre	O
340	CM	145	CM	216 LEVEL CM	17938,6519 litre	79,878 %	4519,0232 litre	O
340	CM	145	CM	215 LEVEL CM	17852,4912 litre	79,494 %	4605,1839 litre	O
340	CM	145	CM	214 LEVEL CM	17765,9556 litre	79,109 %	4691,7195 litre	O
340	CM	145	CM	213 LEVEL CM	17679,0522 litre	78,722 %	4778,6229 litre	O
340	CM	145	CM	212 LEVEL CM	17591,7876 litre	78,333 %	4865,8875 litre	O
340	CM	145	CM	211 LEVEL CM	17504,1688 litre	77,943 %	4953,5063 litre	O
340	CM	145	CM	210 LEVEL CM	17416,2023 litre	77,551 %	5041,4728 litre	O
340	CM	145	CM	209 LEVEL CM	17327,8948 litre	77,158 %	5129,7803 litre	O
340	CM	145	CM	208 LEVEL CM	17239,2528 litre	76,763 %	5218,4223 litre	O
340	CM	145	CM	207 LEVEL CM	17150,2828 litre	76,367 %	5307,3923 litre	O
340	CM	145	CM	206 LEVEL CM	17060,9912 litre	75,970 %	5396,6839 litre	O
340	CM	145	CM	205 LEVEL CM	16971,3842 litre	75,571 %	5486,2909 litre	O
340	CM	145	CM	204 LEVEL CM	16881,4681 litre	75,170 %	5576,2070 litre	O
340	CM	145	CM	203 LEVEL CM	16791,2491 litre	74,768 %	5666,4260 litre	O
340	CM	145	CM	202 LEVEL CM	16700,7333 litre	74,365 %	5756,9418 litre	O
340	CM	145	CM	201 LEVEL CM	16609,9268 litre	73,961 %	5847,7483 litre	O
340	CM	145	CM	200 LEVEL CM	16518,8356 litre	73,555 %	5938,8395 litre	O
340	CM	145	CM	199 LEVEL CM	16427,4657 litre	73,149 %	6030,2094 litre	O
340	CM	145	CM	198 LEVEL CM	16335,8228 litre	72,740 %	6121,8523 litre	O
340	CM	145	CM	197 LEVEL CM	16243,9130 litre	72,331 %	6213,7621 litre	O
340	CM	145	CM	196 LEVEL CM	16151,7418 litre	71,921 %	6305,9333 litre	O
340	CM	145	CM	195 LEVEL CM	16059,3152 litre	71,509 %	6398,3599 litre	O
340	CM	145	CM	194 LEVEL CM	15966,6388 litre	71,097 %	6491,0363 litre	O
340	CM	145	CM	193 LEVEL CM	15873,7182 litre	70,683 %	6583,9569 litre	O
340	CM	145	CM	192 LEVEL CM	15780,5590 litre	70,268 %	6677,1161 litre	O
340	CM	145	CM	191 LEVEL CM	15687,1669 litre	69,852 %	6770,5082 litre	O
340	CM	145	CM	190 LEVEL CM	15593,5473 litre	69,435 %	6864,1278 litre	O
340	CM	145	CM	189 LEVEL CM	15499,7057 litre	69,017 %	6957,9694 litre	O
340	CM	145	CM	188 LEVEL CM	15405,6475 litre	68,599 %	7052,0276 litre	O
340	CM	145	CM	187 LEVEL CM	15311,3781 litre	68,179 %	7146,2970 litre	O
340	CM	145	CM	186 LEVEL CM	15216,9030 litre	67,758 %	7240,7721 litre	O

340	CM	145	CM	185 LEVEL CM	15122,2274 litre	67,337 %	7335,4477 litre	O
340	CM	145	CM	184 LEVEL CM	15027,3567 litre	66,914 %	7430,3184 litre	O
340	CM	145	CM	183 LEVEL CM	14932,2960 litre	66,491 %	7525,3791 litre	O
340	CM	145	CM	182 LEVEL CM	14837,0507 litre	66,067 %	7620,6244 litre	O
340	CM	145	CM	181 LEVEL CM	14741,6260 litre	65,642 %	7716,0491 litre	O
340	CM	145	CM	180 LEVEL CM	14646,0269 litre	65,216 %	7811,6482 litre	O
340	CM	145	CM	179 LEVEL CM	14550,2587 litre	64,790 %	7907,4164 litre	O
340	CM	145	CM	178 LEVEL CM	14454,3265 litre	64,363 %	8003,3486 litre	O
340	CM	145	CM	177 LEVEL CM	14358,2353 litre	63,935 %	8099,4398 litre	O
340	CM	145	CM	176 LEVEL CM	14261,9903 litre	63,506 %	8195,6848 litre	O
340	CM	145	CM	175 LEVEL CM	14165,5965 litre	63,077 %	8292,0786 litre	O
340	CM	145	CM	174 LEVEL CM	14069,0588 litre	62,647 %	8388,6163 litre	O
340	CM	145	CM	173 LEVEL CM	13972,3824 litre	62,217 %	8485,2927 litre	O
340	CM	145	CM	172 LEVEL CM	13875,5721 litre	61,785 %	8582,1030 litre	O
340	CM	145	CM	171 LEVEL CM	13778,6330 litre	61,354 %	8679,0421 litre	O
340	CM	145	CM	170 LEVEL CM	13681,5699 litre	60,922 %	8776,1052 litre	O
340	CM	145	CM	169 LEVEL CM	13584,3877 litre	60,489 %	8873,2874 litre	O
340	CM	145	CM	168 LEVEL CM	13487,0915 litre	60,056 %	8970,5836 litre	O
340	CM	145	CM	167 LEVEL CM	13389,6860 litre	59,622 %	9067,9891 litre	O
340	CM	145	CM	166 LEVEL CM	13292,1761 litre	59,188 %	9165,4990 litre	O
340	CM	145	CM	165 LEVEL CM	13194,5667 litre	58,753 %	9263,1084 litre	O
340	CM	145	CM	164 LEVEL CM	13096,8626 litre	58,318 %	9360,8125 litre	O
340	CM	145	CM	163 LEVEL CM	12999,0686 litre	57,883 %	9458,6065 litre	O
340	CM	145	CM	162 LEVEL CM	12901,1895 litre	57,447 %	9556,4856 litre	O
340	CM	145	CM	161 LEVEL CM	12803,2302 litre	57,010 %	9654,4449 litre	O
340	CM	145	CM	160 LEVEL CM	12705,1954 litre	56,574 %	9752,4797 litre	O
340	CM	145	CM	159 LEVEL CM	12607,0898 litre	56,137 %	9850,5853 litre	O
340	CM	145	CM	158 LEVEL CM	12508,9183 litre	55,700 %	9948,7568 litre	O
340	CM	145	CM	157 LEVEL CM	12410,6855 litre	55,263 %	10046,9896 litre	O
340	CM	145	CM	156 LEVEL CM	12312,3963 litre	54,825 %	10145,2788 litre	O
340	CM	145	CM	155 LEVEL CM	12214,0554 litre	54,387 %	10243,6197 litre	O
340	CM	145	CM	154 LEVEL CM	12115,6674 litre	53,949 %	10342,0077 litre	O
340	CM	145	CM	153 LEVEL CM	12017,2372 litre	53,511 %	10440,4379 litre	O
340	CM	145	CM	152 LEVEL CM	11918,7694 litre	53,072 %	10538,9057 litre	O
340	CM	145	CM	151 LEVEL CM	11820,2687 litre	52,634 %	10637,4064 litre	O
340	CM	145	CM	150 LEVEL CM	11721,7398 litre	52,195 %	10735,9353 litre	O
340	CM	145	CM	149 LEVEL CM	11623,1875 litre	51,756 %	10834,4876 litre	O
340	CM	145	CM	148 LEVEL CM	11524,6164 litre	51,317 %	10933,0587 litre	O
340	CM	145	CM	147 LEVEL CM	11426,0313 litre	50,878 %	11031,6438 litre	O
340	CM	145	CM	146 LEVEL CM	11327,4368 litre	50,439 %	11130,2383 litre	O
340	CM	145	CM	145 LEVEL CM	11228,8375 litre	50,000 %	11228,8376 litre	O
340	CM	145	CM	144 LEVEL CM	11130,2383 litre	49,561 %	11327,4368 litre	O
340	CM	145	CM	143 LEVEL CM	11031,6438 litre	49,122 %	11426,0313 litre	O
340	CM	145	CM	142 LEVEL CM	10933,0586 litre	48,683 %	11524,6165 litre	O
340	CM	145	CM	141 LEVEL CM	10834,4876 litre	48,244 %	11623,1875 litre	O
340	CM	145	CM	140 LEVEL CM	10735,9353 litre	47,805 %	11721,7398 litre	O
340	CM	145	CM	139 LEVEL CM	10637,4064 litre	47,366 %	11820,2687 litre	O
340	CM	145	CM	138 LEVEL CM	10538,9057 litre	46,928 %	11918,7694 litre	O
340	CM	145	CM	137 LEVEL CM	10440,4379 litre	46,489 %	12017,2372 litre	O
340	CM	145	CM	136 LEVEL CM	10342,0077 litre	46,051 %	12115,6674 litre	O
340	CM	145	CM	135 LEVEL CM	10243,6197 litre	45,613 %	12214,0554 litre	O
340	CM	145	CM	134 LEVEL CM	10145,2788 litre	45,175 %	12312,3963 litre	O
340	CM	145	CM	133 LEVEL CM	10046,9896 litre	44,737 %	12410,6855 litre	O

340	CM	145	CM	132 LEVEL CM	9948,7568 litre	44,300 %	12508,9183 litre	O
340	CM	145	CM	131 LEVEL CM	9850,5853 litre	43,863 %	12607,0898 litre	O
340	CM	145	CM	130 LEVEL CM	9752,4797 litre	43,426 %	12705,1954 litre	O
340	CM	145	CM	129 LEVEL CM	9654,4449 litre	42,990 %	12803,2302 litre	O
340	CM	145	CM	128 LEVEL CM	9556,4855 litre	42,553 %	12901,1896 litre	O
340	CM	145	CM	127 LEVEL CM	9458,6065 litre	42,117 %	12999,0686 litre	O
340	CM	145	CM	126 LEVEL CM	9360,8125 litre	41,682 %	13096,8626 litre	O
340	CM	145	CM	125 LEVEL CM	9263,1084 litre	41,247 %	13194,5667 litre	O
340	CM	145	CM	124 LEVEL CM	9165,4990 litre	40,812 %	13292,1761 litre	O
340	CM	145	CM	123 LEVEL CM	9067,9891 litre	40,378 %	13389,6860 litre	O
340	CM	145	CM	122 LEVEL CM	8970,5836 litre	39,944 %	13487,0915 litre	O
340	CM	145	CM	121 LEVEL CM	8873,2873 litre	39,511 %	13584,3878 litre	O
340	CM	145	CM	120 LEVEL CM	8776,1052 litre	39,078 %	13681,5699 litre	O
340	CM	145	CM	119 LEVEL CM	8679,0421 litre	38,646 %	13778,6330 litre	O
340	CM	145	CM	118 LEVEL CM	8582,1030 litre	38,215 %	13875,5721 litre	O
340	CM	145	CM	117 LEVEL CM	8485,2927 litre	37,783 %	13972,3824 litre	O
340	CM	145	CM	116 LEVEL CM	8388,6163 litre	37,353 %	14069,0588 litre	O
340	CM	145	CM	115 LEVEL CM	8292,0786 litre	36,923 %	14165,5965 litre	O
340	CM	145	CM	114 LEVEL CM	8195,6848 litre	36,494 %	14261,9903 litre	O
340	CM	145	CM	113 LEVEL CM	8099,4398 litre	36,065 %	14358,2353 litre	O
340	CM	145	CM	112 LEVEL CM	8003,3486 litre	35,637 %	14454,3265 litre	O
340	CM	145	CM	111 LEVEL CM	7907,4164 litre	35,210 %	14550,2587 litre	O
340	CM	145	CM	110 LEVEL CM	7811,6482 litre	34,784 %	14646,0269 litre	O
340	CM	145	CM	109 LEVEL CM	7716,0491 litre	34,358 %	14741,6260 litre	O
340	CM	145	CM	108 LEVEL CM	7620,6244 litre	33,933 %	14837,0507 litre	O
340	CM	145	CM	107 LEVEL CM	7525,3791 litre	33,509 %	14932,2960 litre	O
340	CM	145	CM	106 LEVEL CM	7430,3184 litre	33,086 %	15027,3567 litre	O
340	CM	145	CM	105 LEVEL CM	7335,4477 litre	32,663 %	15122,2274 litre	O
340	CM	145	CM	104 LEVEL CM	7240,7721 litre	32,242 %	15216,9030 litre	O
340	CM	145	CM	103 LEVEL CM	7146,2969 litre	31,821 %	15311,3782 litre	O
340	CM	145	CM	102 LEVEL CM	7052,0276 litre	31,401 %	15405,6475 litre	O
340	CM	145	CM	101 LEVEL CM	6957,9694 litre	30,983 %	15499,7057 litre	O
340	CM	145	CM	100 LEVEL CM	6864,1278 litre	30,565 %	15593,5473 litre	O
340	CM	145	CM	99 LEVEL CM	6770,5082 litre	30,148 %	15687,1669 litre	O
340	CM	145	CM	98 LEVEL CM	6677,1160 litre	29,732 %	15780,5591 litre	O
340	CM	145	CM	97 LEVEL CM	6583,9569 litre	29,317 %	15873,7182 litre	O
340	CM	145	CM	96 LEVEL CM	6491,0363 litre	28,903 %	15966,6388 litre	O
340	CM	145	CM	95 LEVEL CM	6398,3599 litre	28,491 %	16059,3152 litre	O
340	CM	145	CM	94 LEVEL CM	6305,9333 litre	28,079 %	16151,7418 litre	O
340	CM	145	CM	93 LEVEL CM	6213,7621 litre	27,669 %	16243,9130 litre	O
340	CM	145	CM	92 LEVEL CM	6121,8523 litre	27,260 %	16335,8228 litre	O
340	CM	145	CM	91 LEVEL CM	6030,2094 litre	26,851 %	16427,4657 litre	O
340	CM	145	CM	90 LEVEL CM	5938,8394 litre	26,445 %	16518,8357 litre	O
340	CM	145	CM	89 LEVEL CM	5847,7482 litre	26,039 %	16609,9269 litre	O
340	CM	145	CM	88 LEVEL CM	5756,9417 litre	25,635 %	16700,7334 litre	O
340	CM	145	CM	87 LEVEL CM	5666,4260 litre	25,232 %	16791,2491 litre	O
340	CM	145	CM	86 LEVEL CM	5576,2070 litre	24,830 %	16881,4681 litre	O
340	CM	145	CM	85 LEVEL CM	5486,2909 litre	24,429 %	16971,3842 litre	O
340	CM	145	CM	84 LEVEL CM	5396,6839 litre	24,030 %	17060,9912 litre	O
340	CM	145	CM	83 LEVEL CM	5307,3923 litre	23,633 %	17150,2828 litre	O
340	CM	145	CM	82 LEVEL CM	5218,4222 litre	23,237 %	17239,2529 litre	O
340	CM	145	CM	81 LEVEL CM	5129,7803 litre	22,842 %	17327,8948 litre	O
340	CM	145	CM	80 LEVEL CM	5041,4728 litre	22,449 %	17416,2023 litre	O

340	CM	145	CM	79 LEVEL CM	4953,5063 litre	22,057 %	17504,1688 litre	O
340	CM	145	CM	78 LEVEL CM	4865,8875 litre	21,667 %	17591,7876 litre	O
340	CM	145	CM	77 LEVEL CM	4778,6229 litre	21,278 %	17679,0522 litre	O
340	CM	145	CM	76 LEVEL CM	4691,7194 litre	20,891 %	17765,9557 litre	O
340	CM	145	CM	75 LEVEL CM	4605,1839 litre	20,506 %	17852,4912 litre	O
340	CM	145	CM	74 LEVEL CM	4519,0232 litre	20,122 %	17938,6519 litre	O
340	CM	145	CM	73 LEVEL CM	4433,2444 litre	19,740 %	18024,4307 litre	O
340	CM	145	CM	72 LEVEL CM	4347,8546 litre	19,360 %	18109,8205 litre	O
340	CM	145	CM	71 LEVEL CM	4262,8610 litre	18,982 %	18194,8141 litre	O
340	CM	145	CM	70 LEVEL CM	4178,2710 litre	18,605 %	18279,4041 litre	O
340	CM	145	CM	69 LEVEL CM	4094,0919 litre	18,230 %	18363,5832 litre	O
340	CM	145	CM	68 LEVEL CM	4010,3314 litre	17,857 %	18447,3437 litre	O
340	CM	145	CM	67 LEVEL CM	3926,9970 litre	17,486 %	18530,6781 litre	O
340	CM	145	CM	66 LEVEL CM	3844,0966 litre	17,117 %	18613,5785 litre	O
340	CM	145	CM	65 LEVEL CM	3761,6380 litre	16,750 %	18696,0371 litre	O
340	CM	145	CM	64 LEVEL CM	3679,6292 litre	16,385 %	18778,0459 litre	O
340	CM	145	CM	63 LEVEL CM	3598,0785 litre	16,022 %	18859,5966 litre	O
340	CM	145	CM	62 LEVEL CM	3516,9940 litre	15,661 %	18940,6811 litre	O
340	CM	145	CM	61 LEVEL CM	3436,3842 litre	15,302 %	19021,2909 litre	O
340	CM	145	CM	60 LEVEL CM	3356,2578 litre	14,945 %	19101,4173 litre	O
340	CM	145	CM	59 LEVEL CM	3276,6233 litre	14,590 %	19181,0518 litre	O
340	CM	145	CM	58 LEVEL CM	3197,4899 litre	14,238 %	19260,1852 litre	O
340	CM	145	CM	57 LEVEL CM	3118,8664 litre	13,888 %	19338,8087 litre	O
340	CM	145	CM	56 LEVEL CM	3040,7622 litre	13,540 %	19416,9129 litre	O
340	CM	145	CM	55 LEVEL CM	2963,1867 litre	13,195 %	19494,4884 litre	O
340	CM	145	CM	54 LEVEL CM	2886,1495 litre	12,852 %	19571,5256 litre	O
340	CM	145	CM	53 LEVEL CM	2809,6605 litre	12,511 %	19648,0146 litre	O
340	CM	145	CM	52 LEVEL CM	2733,7297 litre	12,173 %	19723,9454 litre	O
340	CM	145	CM	51 LEVEL CM	2658,3674 litre	11,837 %	19799,3077 litre	O
340	CM	145	CM	50 LEVEL CM	2583,5841 litre	11,504 %	19874,0910 litre	O
340	CM	145	CM	49 LEVEL CM	2509,3905 litre	11,174 %	19948,2846 litre	O
340	CM	145	CM	48 LEVEL CM	2435,7977 litre	10,846 %	20021,8774 litre	O
340	CM	145	CM	47 LEVEL CM	2362,8169 litre	10,521 %	20094,8582 litre	O
340	CM	145	CM	46 LEVEL CM	2290,4596 litre	10,199 %	20167,2155 litre	O
340	CM	145	CM	45 LEVEL CM	2218,7379 litre	9,880 %	20238,9372 litre	O
340	CM	145	CM	44 LEVEL CM	2147,6638 litre	9,563 %	20310,0113 litre	O
340	CM	145	CM	43 LEVEL CM	2077,2498 litre	9,250 %	20380,4253 litre	O
340	CM	145	CM	42 LEVEL CM	2007,5089 litre	8,939 %	20450,1662 litre	O
340	CM	145	CM	41 LEVEL CM	1938,4543 litre	8,632 %	20519,2208 litre	O
340	CM	145	CM	40 LEVEL CM	1870,0997 litre	8,327 %	20587,5754 litre	O
340	CM	145	CM	39 LEVEL CM	1802,4591 litre	8,026 %	20655,2160 litre	O
340	CM	145	CM	38 LEVEL CM	1735,5470 litre	7,728 %	20722,1281 litre	O
340	CM	145	CM	37 LEVEL CM	1669,3786 litre	7,433 %	20788,2965 litre	O
340	CM	145	CM	36 LEVEL CM	1603,9692 litre	7,142 %	20853,7059 litre	O
340	CM	145	CM	35 LEVEL CM	1539,3350 litre	6,854 %	20918,3401 litre	O
340	CM	145	CM	34 LEVEL CM	1475,4927 litre	6,570 %	20982,1824 litre	O
340	CM	145	CM	33 LEVEL CM	1412,4594 litre	6,289 %	21045,2157 litre	O
340	CM	145	CM	32 LEVEL CM	1350,2532 litre	6,012 %	21107,4219 litre	O
340	CM	145	CM	31 LEVEL CM	1288,8927 litre	5,739 %	21168,7824 litre	O
340	CM	145	CM	30 LEVEL CM	1228,3974 litre	5,470 %	21229,2777 litre	O
340	CM	145	CM	29 LEVEL CM	1168,7877 litre	5,204 %	21288,8874 litre	O
340	CM	145	CM	28 LEVEL CM	1110,0847 litre	4,943 %	21347,5904 litre	O
340	CM	145	CM	27 LEVEL CM	1052,3106 litre	4,686 %	21405,3645 litre	O

340	CM	145	CM	26 LEVEL CM	995,4889 litre	4,433 %	21462,1862 litre	O
340	CM	145	CM	25 LEVEL CM	939,6440 litre	4,184 %	21518,0311 litre	O
340	CM	145	CM	24 LEVEL CM	884,8018 litre	3,940 %	21572,8733 litre	O
340	CM	145	CM	23 LEVEL CM	830,9895 litre	3,700 %	21626,6856 litre	O
340	CM	145	CM	22 LEVEL CM	778,2359 litre	3,465 %	21679,4392 litre	O
340	CM	145	CM	21 LEVEL CM	726,5718 litre	3,235 %	21731,1033 litre	O
340	CM	145	CM	20 LEVEL CM	676,0298 litre	3,010 %	21781,6453 litre	O
340	CM	145	CM	19 LEVEL CM	626,6447 litre	2,790 %	21831,0304 litre	O
340	CM	145	CM	18 LEVEL CM	578,4538 litre	2,576 %	21879,2213 litre	O
340	CM	145	CM	17 LEVEL CM	531,4974 litre	2,367 %	21926,1777 litre	O
340	CM	145	CM	16 LEVEL CM	485,8191 litre	2,163 %	21971,8560 litre	O
340	CM	145	CM	15 LEVEL CM	441,4659 litre	1,966 %	22016,2092 litre	O
340	CM	145	CM	14 LEVEL CM	398,4895 litre	1,774 %	22059,1856 litre	O
340	CM	145	CM	13 LEVEL CM	356,9466 litre	1,589 %	22100,7285 litre	O
340	CM	145	CM	12 LEVEL CM	316,9002 litre	1,411 %	22140,7749 litre	O
340	CM	145	CM	11 LEVEL CM	278,4204 litre	1,240 %	22179,2547 litre	O
340	CM	145	CM	10 LEVEL CM	241,5863 litre	1,076 %	22216,0888 litre	O
340	CM	145	CM	9 LEVEL CM	206,4882 litre	0,919 %	22251,1869 litre	O
340	CM	145	CM	8 LEVEL CM	173,2305 litre	0,771 %	22284,4446 litre	O
340	CM	145	CM	7 LEVEL CM	141,9363 litre	0,632 %	22315,7388 litre	O
340	CM	145	CM	6 LEVEL CM	112,7533 litre	0,502 %	22344,9218 litre	O
340	CM	145	CM	5 LEVEL CM	85,8643 litre	0,382 %	22371,8108 litre	O
340	CM	145	CM	4 LEVEL CM	61,5037 litre	0,274 %	22396,1714 litre	O
340	CM	145	CM	3 LEVEL CM	39,9895 litre	0,178 %	22417,6856 litre	O
340	CM	145	CM	2 LEVEL CM	21,7902 litre	0,097 %	22435,8849 litre	O
340	CM	145	CM	1 LEVEL CM	7,7120 litre	0,034 %	22449,9631 litre	O
340	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	22457,6751 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 140	CM 280 LEVEL CM	20935,5734 litre	100,000 %	0,0000 litre	O
340	CM 140	CM 279 LEVEL CM	20927,9959 litre	99,964 %	7,5775 litre	O
340	CM 140	CM 278 LEVEL CM	20914,1638 litre	99,898 %	21,4096 litre	O
340	CM 140	CM 277 LEVEL CM	20896,2838 litre	99,812 %	39,2896 litre	O
340	CM 140	CM 276 LEVEL CM	20875,1485 litre	99,711 %	60,4249 litre	O
340	CM 140	CM 275 LEVEL CM	20851,2183 litre	99,597 %	84,3551 litre	O
340	CM 140	CM 274 LEVEL CM	20824,8061 litre	99,471 %	110,7673 litre	O
340	CM 140	CM 273 LEVEL CM	20796,1424 litre	99,334 %	139,4310 litre	O
340	CM 140	CM 272 LEVEL CM	20765,4071 litre	99,187 %	170,1663 litre	O
340	CM 140	CM 271 LEVEL CM	20732,7455 litre	99,031 %	202,8279 litre	O
340	CM 140	CM 270 LEVEL CM	20698,2788 litre	98,867 %	237,2946 litre	O
340	CM 140	CM 269 LEVEL CM	20662,1096 litre	98,694 %	273,4638 litre	O
340	CM 140	CM 268 LEVEL CM	20624,3269 litre	98,513 %	311,2465 litre	O
340	CM 140	CM 267 LEVEL CM	20585,0087 litre	98,326 %	350,5647 litre	O
340	CM 140	CM 266 LEVEL CM	20544,2240 litre	98,131 %	391,3494 litre	O
340	CM 140	CM 265 LEVEL CM	20502,0348 litre	97,929 %	433,5386 litre	O
340	CM 140	CM 264 LEVEL CM	20458,4970 litre	97,721 %	477,0764 litre	O
340	CM 140	CM 263 LEVEL CM	20413,6615 litre	97,507 %	521,9119 litre	O
340	CM 140	CM 262 LEVEL CM	20367,5747 litre	97,287 %	567,9987 litre	O
340	CM 140	CM 261 LEVEL CM	20320,2797 litre	97,061 %	615,2937 litre	O
340	CM 140	CM 260 LEVEL CM	20271,8160 litre	96,830 %	663,7574 litre	O
340	CM 140	CM 259 LEVEL CM	20222,2206 litre	96,593 %	713,3528 litre	O
340	CM 140	CM 258 LEVEL CM	20171,5277 litre	96,350 %	764,0457 litre	O
340	CM 140	CM 257 LEVEL CM	20119,7696 litre	96,103 %	815,8038 litre	O
340	CM 140	CM 256 LEVEL CM	20066,9766 litre	95,851 %	868,5968 litre	O
340	CM 140	CM 255 LEVEL CM	20013,1770 litre	95,594 %	922,3964 litre	O
340	CM 140	CM 254 LEVEL CM	19958,3980 litre	95,332 %	977,1754 litre	O
340	CM 140	CM 253 LEVEL CM	19902,6649 litre	95,066 %	1032,9085 litre	O
340	CM 140	CM 252 LEVEL CM	19846,0021 litre	94,796 %	1089,5713 litre	O
340	CM 140	CM 251 LEVEL CM	19788,4324 litre	94,521 %	1147,1410 litre	O
340	CM 140	CM 250 LEVEL CM	19729,9780 litre	94,241 %	1205,5954 litre	O
340	CM 140	CM 249 LEVEL CM	19670,6598 litre	93,958 %	1264,9136 litre	O
340	CM 140	CM 248 LEVEL CM	19610,4979 litre	93,671 %	1325,0755 litre	O
340	CM 140	CM 247 LEVEL CM	19549,5115 litre	93,379 %	1386,0619 litre	O
340	CM 140	CM 246 LEVEL CM	19487,7192 litre	93,084 %	1447,8542 litre	O
340	CM 140	CM 245 LEVEL CM	19425,1387 litre	92,785 %	1510,4347 litre	O
340	CM 140	CM 244 LEVEL CM	19361,7870 litre	92,483 %	1573,7864 litre	O
340	CM 140	CM 243 LEVEL CM	19297,6808 litre	92,177 %	1637,8926 litre	O
340	CM 140	CM 242 LEVEL CM	19232,8359 litre	91,867 %	1702,7375 litre	O
340	CM 140	CM 241 LEVEL CM	19167,2676 litre	91,554 %	1768,3058 litre	O
340	CM 140	CM 240 LEVEL CM	19100,9909 litre	91,237 %	1834,5825 litre	O
340	CM 140	CM 239 LEVEL CM	19034,0201 litre	90,917 %	1901,5533 litre	O
340	CM 140	CM 238 LEVEL CM	18966,3692 litre	90,594 %	1969,2042 litre	O
340	CM 140	CM 237 LEVEL CM	18898,0517 litre	90,268 %	2037,5217 litre	O
340	CM 140	CM 236 LEVEL CM	18829,0808 litre	89,938 %	2106,4926 litre	O
340	CM 140	CM 235 LEVEL CM	18759,4693 litre	89,606 %	2176,1041 litre	O
340	CM 140	CM 234 LEVEL CM	18689,2296 litre	89,270 %	2246,3438 litre	O
340	CM 140	CM 233 LEVEL CM	18618,3737 litre	88,932 %	2317,1997 litre	O
340	CM 140	CM 232 LEVEL CM	18546,9135 litre	88,590 %	2388,6599 litre	O
340	CM 140	CM 231 LEVEL CM	18474,8604 litre	88,246 %	2460,7130 litre	O
340	CM 140	CM 230 LEVEL CM	18402,2257 litre	87,899 %	2533,3477 litre	O
340	CM 140	CM 229 LEVEL CM	18329,0203 litre	87,550 %	2606,5531 litre	O

340	CM	140	CM	228 LEVEL CM	18255,2548 litre	87,197 %	2680,3186 litre	O
340	CM	140	CM	227 LEVEL CM	18180,9398 litre	86,842 %	2754,6336 litre	O
340	CM	140	CM	226 LEVEL CM	18106,0853 litre	86,485 %	2829,4881 litre	O
340	CM	140	CM	225 LEVEL CM	18030,7015 litre	86,125 %	2904,8719 litre	O
340	CM	140	CM	224 LEVEL CM	17954,7981 litre	85,762 %	2980,7753 litre	O
340	CM	140	CM	223 LEVEL CM	17878,3847 litre	85,397 %	3057,1887 litre	O
340	CM	140	CM	222 LEVEL CM	17801,4706 litre	85,030 %	3134,1028 litre	O
340	CM	140	CM	221 LEVEL CM	17724,0652 litre	84,660 %	3211,5082 litre	O
340	CM	140	CM	220 LEVEL CM	17646,1773 litre	84,288 %	3289,3961 litre	O
340	CM	140	CM	219 LEVEL CM	17567,8160 litre	83,914 %	3367,7574 litre	O
340	CM	140	CM	218 LEVEL CM	17488,9899 litre	83,537 %	3446,5835 litre	O
340	CM	140	CM	217 LEVEL CM	17409,7075 litre	83,158 %	3525,8659 litre	O
340	CM	140	CM	216 LEVEL CM	17329,9773 litre	82,778 %	3605,5961 litre	O
340	CM	140	CM	215 LEVEL CM	17249,8075 litre	82,395 %	3685,7659 litre	O
340	CM	140	CM	214 LEVEL CM	17169,2064 litre	82,010 %	3766,3670 litre	O
340	CM	140	CM	213 LEVEL CM	17088,1818 litre	81,623 %	3847,3916 litre	O
340	CM	140	CM	212 LEVEL CM	17006,7416 litre	81,234 %	3928,8318 litre	O
340	CM	140	CM	211 LEVEL CM	16924,8937 litre	80,843 %	4010,6797 litre	O
340	CM	140	CM	210 LEVEL CM	16842,6456 litre	80,450 %	4092,9278 litre	O
340	CM	140	CM	209 LEVEL CM	16760,0049 litre	80,055 %	4175,5685 litre	O
340	CM	140	CM	208 LEVEL CM	16676,9791 litre	79,659 %	4258,5943 litre	O
340	CM	140	CM	207 LEVEL CM	16593,5754 litre	79,260 %	4341,9980 litre	O
340	CM	140	CM	206 LEVEL CM	16509,8010 litre	78,860 %	4425,7724 litre	O
340	CM	140	CM	205 LEVEL CM	16425,6632 litre	78,458 %	4509,9102 litre	O
340	CM	140	CM	204 LEVEL CM	16341,1688 litre	78,055 %	4594,4046 litre	O
340	CM	140	CM	203 LEVEL CM	16256,3250 litre	77,649 %	4679,2484 litre	O
340	CM	140	CM	202 LEVEL CM	16171,1385 litre	77,242 %	4764,4349 litre	O
340	CM	140	CM	201 LEVEL CM	16085,6161 litre	76,834 %	4849,9573 litre	O
340	CM	140	CM	200 LEVEL CM	15999,7645 litre	76,424 %	4935,8089 litre	O
340	CM	140	CM	199 LEVEL CM	15913,5904 litre	76,012 %	5021,9830 litre	O
340	CM	140	CM	198 LEVEL CM	15827,1002 litre	75,599 %	5108,4732 litre	O
340	CM	140	CM	197 LEVEL CM	15740,3005 litre	75,184 %	5195,2729 litre	O
340	CM	140	CM	196 LEVEL CM	15653,1977 litre	74,768 %	5282,3757 litre	O
340	CM	140	CM	195 LEVEL CM	15565,7982 litre	74,351 %	5369,7752 litre	O
340	CM	140	CM	194 LEVEL CM	15478,1081 litre	73,932 %	5457,4653 litre	O
340	CM	140	CM	193 LEVEL CM	15390,1337 litre	73,512 %	5545,4397 litre	O
340	CM	140	CM	192 LEVEL CM	15301,8812 litre	73,090 %	5633,6922 litre	O
340	CM	140	CM	191 LEVEL CM	15213,3566 litre	72,667 %	5722,2168 litre	O
340	CM	140	CM	190 LEVEL CM	15124,5661 litre	72,243 %	5811,0073 litre	O
340	CM	140	CM	189 LEVEL CM	15035,5156 litre	71,818 %	5900,0578 litre	O
340	CM	140	CM	188 LEVEL CM	14946,2109 litre	71,391 %	5989,3625 litre	O
340	CM	140	CM	187 LEVEL CM	14856,6581 litre	70,964 %	6078,9153 litre	O
340	CM	140	CM	186 LEVEL CM	14766,8630 litre	70,535 %	6168,7104 litre	O
340	CM	140	CM	185 LEVEL CM	14676,8312 litre	70,105 %	6258,7422 litre	O
340	CM	140	CM	184 LEVEL CM	14586,5687 litre	69,674 %	6349,0047 litre	O
340	CM	140	CM	183 LEVEL CM	14496,0810 litre	69,241 %	6439,4924 litre	O
340	CM	140	CM	182 LEVEL CM	14405,3738 litre	68,808 %	6530,1996 litre	O
340	CM	140	CM	181 LEVEL CM	14314,4528 litre	68,374 %	6621,1206 litre	O
340	CM	140	CM	180 LEVEL CM	14223,3235 litre	67,939 %	6712,2499 litre	O
340	CM	140	CM	179 LEVEL CM	14131,9915 litre	67,502 %	6803,5819 litre	O
340	CM	140	CM	178 LEVEL CM	14040,4622 litre	67,065 %	6895,1112 litre	O
340	CM	140	CM	177 LEVEL CM	13948,7412 litre	66,627 %	6986,8322 litre	O
340	CM	140	CM	176 LEVEL CM	13856,8338 litre	66,188 %	7078,7396 litre	O

340	CM	140	CM	175 LEVEL CM	13764,7455 litre	65,748 %	7170,8279 litre	O
340	CM	140	CM	174 LEVEL CM	13672,4816 litre	65,307 %	7263,0918 litre	O
340	CM	140	CM	173 LEVEL CM	13580,0475 litre	64,866 %	7355,5259 litre	O
340	CM	140	CM	172 LEVEL CM	13487,4484 litre	64,424 %	7448,1250 litre	O
340	CM	140	CM	171 LEVEL CM	13394,6896 litre	63,981 %	7540,8838 litre	O
340	CM	140	CM	170 LEVEL CM	13301,7765 litre	63,537 %	7633,7969 litre	O
340	CM	140	CM	169 LEVEL CM	13208,7142 litre	63,092 %	7726,8592 litre	O
340	CM	140	CM	168 LEVEL CM	13115,5079 litre	62,647 %	7820,0655 litre	O
340	CM	140	CM	167 LEVEL CM	13022,1628 litre	62,201 %	7913,4106 litre	O
340	CM	140	CM	166 LEVEL CM	12928,6840 litre	61,755 %	8006,8894 litre	O
340	CM	140	CM	165 LEVEL CM	12835,0767 litre	61,308 %	8100,4967 litre	O
340	CM	140	CM	164 LEVEL CM	12741,3460 litre	60,860 %	8194,2274 litre	O
340	CM	140	CM	163 LEVEL CM	12647,4970 litre	60,412 %	8288,0764 litre	O
340	CM	140	CM	162 LEVEL CM	12553,5347 litre	59,963 %	8382,0387 litre	O
340	CM	140	CM	161 LEVEL CM	12459,4642 litre	59,513 %	8476,1092 litre	O
340	CM	140	CM	160 LEVEL CM	12365,2906 litre	59,064 %	8570,2828 litre	O
340	CM	140	CM	159 LEVEL CM	12271,0188 litre	58,613 %	8664,5546 litre	O
340	CM	140	CM	158 LEVEL CM	12176,6538 litre	58,163 %	8758,9196 litre	O
340	CM	140	CM	157 LEVEL CM	12082,2007 litre	57,711 %	8853,3727 litre	O
340	CM	140	CM	156 LEVEL CM	11987,6644 litre	57,260 %	8947,9090 litre	O
340	CM	140	CM	155 LEVEL CM	11893,0499 litre	56,808 %	9042,5235 litre	O
340	CM	140	CM	154 LEVEL CM	11798,3620 litre	56,356 %	9137,2114 litre	O
340	CM	140	CM	153 LEVEL CM	11703,6059 litre	55,903 %	9231,9675 litre	O
340	CM	140	CM	152 LEVEL CM	11608,7863 litre	55,450 %	9326,7871 litre	O
340	CM	140	CM	151 LEVEL CM	11513,9082 litre	54,997 %	9421,6652 litre	O
340	CM	140	CM	150 LEVEL CM	11418,9766 litre	54,543 %	9516,5968 litre	O
340	CM	140	CM	149 LEVEL CM	11323,9962 litre	54,090 %	9611,5772 litre	O
340	CM	140	CM	148 LEVEL CM	11228,9720 litre	53,636 %	9706,6014 litre	O
340	CM	140	CM	147 LEVEL CM	11133,9090 litre	53,182 %	9801,6644 litre	O
340	CM	140	CM	146 LEVEL CM	11038,8118 litre	52,728 %	9896,7616 litre	O
340	CM	140	CM	145 LEVEL CM	10943,6855 litre	52,273 %	9991,8879 litre	O
340	CM	140	CM	144 LEVEL CM	10848,5349 litre	51,819 %	10087,0385 litre	O
340	CM	140	CM	143 LEVEL CM	10753,3649 litre	51,364 %	10182,2085 litre	O
340	CM	140	CM	142 LEVEL CM	10658,1802 litre	50,909 %	10277,3932 litre	O
340	CM	140	CM	141 LEVEL CM	10562,9859 litre	50,455 %	10372,5875 litre	O
340	CM	140	CM	140 LEVEL CM	10467,7867 litre	50,000 %	10467,7867 litre	O
340	CM	140	CM	139 LEVEL CM	10372,5875 litre	49,545 %	10562,9859 litre	O
340	CM	140	CM	138 LEVEL CM	10277,3932 litre	49,091 %	10658,1802 litre	O
340	CM	140	CM	137 LEVEL CM	10182,2086 litre	48,636 %	10753,3648 litre	O
340	CM	140	CM	136 LEVEL CM	10087,0385 litre	48,181 %	10848,5349 litre	O
340	CM	140	CM	135 LEVEL CM	9991,8879 litre	47,727 %	10943,6855 litre	O
340	CM	140	CM	134 LEVEL CM	9896,7616 litre	47,272 %	11038,8118 litre	O
340	CM	140	CM	133 LEVEL CM	9801,6645 litre	46,818 %	11133,9089 litre	O
340	CM	140	CM	132 LEVEL CM	9706,6014 litre	46,364 %	11228,9720 litre	O
340	CM	140	CM	131 LEVEL CM	9611,5772 litre	45,910 %	11323,9962 litre	O
340	CM	140	CM	130 LEVEL CM	9516,5969 litre	45,457 %	11418,9765 litre	O
340	CM	140	CM	129 LEVEL CM	9421,6652 litre	45,003 %	11513,9082 litre	O
340	CM	140	CM	128 LEVEL CM	9326,7871 litre	44,550 %	11608,7863 litre	O
340	CM	140	CM	127 LEVEL CM	9231,9676 litre	44,097 %	11703,6058 litre	O
340	CM	140	CM	126 LEVEL CM	9137,2114 litre	43,644 %	11798,3620 litre	O
340	CM	140	CM	125 LEVEL CM	9042,5236 litre	43,192 %	11893,0498 litre	O
340	CM	140	CM	124 LEVEL CM	8947,9091 litre	42,740 %	11987,6643 litre	O
340	CM	140	CM	123 LEVEL CM	8853,3728 litre	42,289 %	12082,2006 litre	O

340	CM	140	CM	122 LEVEL CM	8758,9196 litre	41,837 %	12176,6538 litre	O
340	CM	140	CM	121 LEVEL CM	8664,5547 litre	41,387 %	12271,0187 litre	O
340	CM	140	CM	120 LEVEL CM	8570,2829 litre	40,936 %	12365,2905 litre	O
340	CM	140	CM	119 LEVEL CM	8476,1092 litre	40,487 %	12459,4642 litre	O
340	CM	140	CM	118 LEVEL CM	8382,0387 litre	40,037 %	12553,5347 litre	O
340	CM	140	CM	117 LEVEL CM	8288,0765 litre	39,588 %	12647,4969 litre	O
340	CM	140	CM	116 LEVEL CM	8194,2274 litre	39,140 %	12741,3460 litre	O
340	CM	140	CM	115 LEVEL CM	8100,4967 litre	38,692 %	12835,0767 litre	O
340	CM	140	CM	114 LEVEL CM	8006,8894 litre	38,245 %	12928,6840 litre	O
340	CM	140	CM	113 LEVEL CM	7913,4107 litre	37,799 %	13022,1627 litre	O
340	CM	140	CM	112 LEVEL CM	7820,0656 litre	37,353 %	13115,5078 litre	O
340	CM	140	CM	111 LEVEL CM	7726,8593 litre	36,908 %	13208,7141 litre	O
340	CM	140	CM	110 LEVEL CM	7633,7969 litre	36,463 %	13301,7765 litre	O
340	CM	140	CM	109 LEVEL CM	7540,8838 litre	36,019 %	13394,6896 litre	O
340	CM	140	CM	108 LEVEL CM	7448,1251 litre	35,576 %	13487,4483 litre	O
340	CM	140	CM	107 LEVEL CM	7355,5260 litre	35,134 %	13580,0474 litre	O
340	CM	140	CM	106 LEVEL CM	7263,0918 litre	34,693 %	13672,4816 litre	O
340	CM	140	CM	105 LEVEL CM	7170,8279 litre	34,252 %	13764,7455 litre	O
340	CM	140	CM	104 LEVEL CM	7078,7396 litre	33,812 %	13856,8338 litre	O
340	CM	140	CM	103 LEVEL CM	6986,8322 litre	33,373 %	13948,7412 litre	O
340	CM	140	CM	102 LEVEL CM	6895,1112 litre	32,935 %	14040,4622 litre	O
340	CM	140	CM	101 LEVEL CM	6803,5819 litre	32,498 %	14131,9915 litre	O
340	CM	140	CM	100 LEVEL CM	6712,2499 litre	32,061 %	14223,3235 litre	O
340	CM	140	CM	99 LEVEL CM	6621,1206 litre	31,626 %	14314,4528 litre	O
340	CM	140	CM	98 LEVEL CM	6530,1996 litre	31,192 %	14405,3738 litre	O
340	CM	140	CM	97 LEVEL CM	6439,4925 litre	30,759 %	14496,0809 litre	O
340	CM	140	CM	96 LEVEL CM	6349,0048 litre	30,326 %	14586,5686 litre	O
340	CM	140	CM	95 LEVEL CM	6258,7422 litre	29,895 %	14676,8312 litre	O
340	CM	140	CM	94 LEVEL CM	6168,7105 litre	29,465 %	14766,8629 litre	O
340	CM	140	CM	93 LEVEL CM	6078,9153 litre	29,036 %	14856,6581 litre	O
340	CM	140	CM	92 LEVEL CM	5989,3625 litre	28,609 %	14946,2109 litre	O
340	CM	140	CM	91 LEVEL CM	5900,0579 litre	28,182 %	15035,5155 litre	O
340	CM	140	CM	90 LEVEL CM	5811,0073 litre	27,757 %	15124,5661 litre	O
340	CM	140	CM	89 LEVEL CM	5722,2168 litre	27,333 %	15213,3566 litre	O
340	CM	140	CM	88 LEVEL CM	5633,6923 litre	26,910 %	15301,8811 litre	O
340	CM	140	CM	87 LEVEL CM	5545,4397 litre	26,488 %	15390,1337 litre	O
340	CM	140	CM	86 LEVEL CM	5457,4654 litre	26,068 %	15478,1080 litre	O
340	CM	140	CM	85 LEVEL CM	5369,7753 litre	25,649 %	15565,7981 litre	O
340	CM	140	CM	84 LEVEL CM	5282,3757 litre	25,232 %	15653,1977 litre	O
340	CM	140	CM	83 LEVEL CM	5195,2729 litre	24,816 %	15740,3005 litre	O
340	CM	140	CM	82 LEVEL CM	5108,4732 litre	24,401 %	15827,1002 litre	O
340	CM	140	CM	81 LEVEL CM	5021,9831 litre	23,988 %	15913,5903 litre	O
340	CM	140	CM	80 LEVEL CM	4935,8090 litre	23,576 %	15999,7644 litre	O
340	CM	140	CM	79 LEVEL CM	4849,9574 litre	23,166 %	16085,6160 litre	O
340	CM	140	CM	78 LEVEL CM	4764,4350 litre	22,758 %	16171,1384 litre	O
340	CM	140	CM	77 LEVEL CM	4679,2485 litre	22,351 %	16256,3249 litre	O
340	CM	140	CM	76 LEVEL CM	4594,4046 litre	21,945 %	16341,1688 litre	O
340	CM	140	CM	75 LEVEL CM	4509,9103 litre	21,542 %	16425,6631 litre	O
340	CM	140	CM	74 LEVEL CM	4425,7724 litre	21,140 %	16509,8010 litre	O
340	CM	140	CM	73 LEVEL CM	4341,9981 litre	20,740 %	16593,5753 litre	O
340	CM	140	CM	72 LEVEL CM	4258,5944 litre	20,341 %	16676,9790 litre	O
340	CM	140	CM	71 LEVEL CM	4175,5685 litre	19,945 %	16760,0049 litre	O
340	CM	140	CM	70 LEVEL CM	4092,9278 litre	19,550 %	16842,6456 litre	O

340	CM	140	CM	69 LEVEL CM	4010,6798 litre	19,157 %	16924,8936 litre	O
340	CM	140	CM	68 LEVEL CM	3928,8318 litre	18,766 %	17006,7416 litre	O
340	CM	140	CM	67 LEVEL CM	3847,3917 litre	18,377 %	17088,1817 litre	O
340	CM	140	CM	66 LEVEL CM	3766,3671 litre	17,990 %	17169,2063 litre	O
340	CM	140	CM	65 LEVEL CM	3685,7659 litre	17,605 %	17249,8075 litre	O
340	CM	140	CM	64 LEVEL CM	3605,5961 litre	17,222 %	17329,9773 litre	O
340	CM	140	CM	63 LEVEL CM	3525,8659 litre	16,842 %	17409,7075 litre	O
340	CM	140	CM	62 LEVEL CM	3446,5836 litre	16,463 %	17488,9898 litre	O
340	CM	140	CM	61 LEVEL CM	3367,7574 litre	16,086 %	17567,8160 litre	O
340	CM	140	CM	60 LEVEL CM	3289,3961 litre	15,712 %	17646,1773 litre	O
340	CM	140	CM	59 LEVEL CM	3211,5083 litre	15,340 %	17724,0651 litre	O
340	CM	140	CM	58 LEVEL CM	3134,1028 litre	14,970 %	17801,4706 litre	O
340	CM	140	CM	57 LEVEL CM	3057,1888 litre	14,603 %	17878,3846 litre	O
340	CM	140	CM	56 LEVEL CM	2980,7753 litre	14,238 %	17954,7981 litre	O
340	CM	140	CM	55 LEVEL CM	2904,8719 litre	13,875 %	18030,7015 litre	O
340	CM	140	CM	54 LEVEL CM	2829,4881 litre	13,515 %	18106,0853 litre	O
340	CM	140	CM	53 LEVEL CM	2754,6337 litre	13,158 %	18180,9397 litre	O
340	CM	140	CM	52 LEVEL CM	2680,3186 litre	12,803 %	18255,2548 litre	O
340	CM	140	CM	51 LEVEL CM	2606,5532 litre	12,450 %	18329,0202 litre	O
340	CM	140	CM	50 LEVEL CM	2533,3477 litre	12,101 %	18402,2257 litre	O
340	CM	140	CM	49 LEVEL CM	2460,7130 litre	11,754 %	18474,8604 litre	O
340	CM	140	CM	48 LEVEL CM	2388,6600 litre	11,410 %	18546,9134 litre	O
340	CM	140	CM	47 LEVEL CM	2317,1997 litre	11,068 %	18618,3737 litre	O
340	CM	140	CM	46 LEVEL CM	2246,3439 litre	10,730 %	18689,2295 litre	O
340	CM	140	CM	45 LEVEL CM	2176,1041 litre	10,394 %	18759,4693 litre	O
340	CM	140	CM	44 LEVEL CM	2106,4926 litre	10,062 %	18829,0808 litre	O
340	CM	140	CM	43 LEVEL CM	2037,5217 litre	9,732 %	18898,0517 litre	O
340	CM	140	CM	42 LEVEL CM	1969,2043 litre	9,406 %	18966,3691 litre	O
340	CM	140	CM	41 LEVEL CM	1901,5534 litre	9,083 %	19034,0200 litre	O
340	CM	140	CM	40 LEVEL CM	1834,5826 litre	8,763 %	19100,9908 litre	O
340	CM	140	CM	39 LEVEL CM	1768,3059 litre	8,446 %	19167,2675 litre	O
340	CM	140	CM	38 LEVEL CM	1702,7376 litre	8,133 %	19232,8358 litre	O
340	CM	140	CM	37 LEVEL CM	1637,8926 litre	7,823 %	19297,6808 litre	O
340	CM	140	CM	36 LEVEL CM	1573,7864 litre	7,517 %	19361,7870 litre	O
340	CM	140	CM	35 LEVEL CM	1510,4348 litre	7,215 %	19425,1386 litre	O
340	CM	140	CM	34 LEVEL CM	1447,8542 litre	6,916 %	19487,7192 litre	O
340	CM	140	CM	33 LEVEL CM	1386,0619 litre	6,621 %	19549,5115 litre	O
340	CM	140	CM	32 LEVEL CM	1325,0755 litre	6,329 %	19610,4979 litre	O
340	CM	140	CM	31 LEVEL CM	1264,9136 litre	6,042 %	19670,6598 litre	O
340	CM	140	CM	30 LEVEL CM	1205,5954 litre	5,759 %	19729,9780 litre	O
340	CM	140	CM	29 LEVEL CM	1147,1410 litre	5,479 %	19788,4324 litre	O
340	CM	140	CM	28 LEVEL CM	1089,5714 litre	5,204 %	19846,0020 litre	O
340	CM	140	CM	27 LEVEL CM	1032,9085 litre	4,934 %	19902,6649 litre	O
340	CM	140	CM	26 LEVEL CM	977,1754 litre	4,668 %	19958,3980 litre	O
340	CM	140	CM	25 LEVEL CM	922,3964 litre	4,406 %	20013,1770 litre	O
340	CM	140	CM	24 LEVEL CM	868,5969 litre	4,149 %	20066,9765 litre	O
340	CM	140	CM	23 LEVEL CM	815,8038 litre	3,897 %	20119,7696 litre	O
340	CM	140	CM	22 LEVEL CM	764,0457 litre	3,650 %	20171,5277 litre	O
340	CM	140	CM	21 LEVEL CM	713,3529 litre	3,407 %	20222,2205 litre	O
340	CM	140	CM	20 LEVEL CM	663,7574 litre	3,170 %	20271,8160 litre	O
340	CM	140	CM	19 LEVEL CM	615,2937 litre	2,939 %	20320,2797 litre	O
340	CM	140	CM	18 LEVEL CM	567,9987 litre	2,713 %	20367,5747 litre	O
340	CM	140	CM	17 LEVEL CM	521,9120 litre	2,493 %	20413,6614 litre	O

340	CM	140	CM	16 LEVEL CM	477,0764 litre	2,279 %	20458,4970 litre	O
340	CM	140	CM	15 LEVEL CM	433,5386 litre	2,071 %	20502,0348 litre	O
340	CM	140	CM	14 LEVEL CM	391,3494 litre	1,869 %	20544,2240 litre	O
340	CM	140	CM	13 LEVEL CM	350,5648 litre	1,674 %	20585,0086 litre	O
340	CM	140	CM	12 LEVEL CM	311,2465 litre	1,487 %	20624,3269 litre	O
340	CM	140	CM	11 LEVEL CM	273,4638 litre	1,306 %	20662,1096 litre	O
340	CM	140	CM	10 LEVEL CM	237,2947 litre	1,133 %	20698,2787 litre	O
340	CM	140	CM	9 LEVEL CM	202,8279 litre	0,969 %	20732,7455 litre	O
340	CM	140	CM	8 LEVEL CM	170,1664 litre	0,813 %	20765,4070 litre	O
340	CM	140	CM	7 LEVEL CM	139,4310 litre	0,666 %	20796,1424 litre	O
340	CM	140	CM	6 LEVEL CM	110,7674 litre	0,529 %	20824,8060 litre	O
340	CM	140	CM	5 LEVEL CM	84,3551 litre	0,403 %	20851,2183 litre	O
340	CM	140	CM	4 LEVEL CM	60,4250 litre	0,289 %	20875,1484 litre	O
340	CM	140	CM	3 LEVEL CM	39,2896 litre	0,188 %	20896,2838 litre	O
340	CM	140	CM	2 LEVEL CM	21,4096 litre	0,102 %	20914,1638 litre	O
340	CM	140	CM	1 LEVEL CM	7,5776 litre	0,036 %	20927,9958 litre	O
340	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	20935,5734 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM	135	CM 270 LEVEL CM	19466,8789 litre	100,000 %	0,0000 litre	O
340	CM	135	CM 269 LEVEL CM	19459,4381 litre	99,962 %	7,4408 litre	O
340	CM	135	CM 268 LEVEL CM	19445,8567 litre	99,892 %	21,0222 litre	O
340	CM	135	CM 267 LEVEL CM	19428,3019 litre	99,802 %	38,5770 litre	O
340	CM	135	CM 266 LEVEL CM	19407,5522 litre	99,695 %	59,3267 litre	O
340	CM	135	CM 265 LEVEL CM	19384,0604 litre	99,575 %	82,8185 litre	O
340	CM	135	CM 264 LEVEL CM	19358,1338 litre	99,441 %	108,7451 litre	O
340	CM	135	CM 263 LEVEL CM	19329,9990 litre	99,297 %	136,8799 litre	O
340	CM	135	CM 262 LEVEL CM	19299,8329 litre	99,142 %	167,0460 litre	O
340	CM	135	CM 261 LEVEL CM	19267,7785 litre	98,977 %	199,1004 litre	O
340	CM	135	CM 260 LEVEL CM	19233,9549 litre	98,803 %	232,9240 litre	O
340	CM	135	CM 259 LEVEL CM	19198,4631 litre	98,621 %	268,4158 litre	O
340	CM	135	CM 258 LEVEL CM	19161,3907 litre	98,431 %	305,4882 litre	O
340	CM	135	CM 257 LEVEL CM	19122,8144 litre	98,233 %	344,0645 litre	O
340	CM	135	CM 256 LEVEL CM	19082,8022 litre	98,027 %	384,0767 litre	O
340	CM	135	CM 255 LEVEL CM	19041,4152 litre	97,814 %	425,4637 litre	O
340	CM	135	CM 254 LEVEL CM	18998,7083 litre	97,595 %	468,1706 litre	O
340	CM	135	CM 253 LEVEL CM	18954,7318 litre	97,369 %	512,1471 litre	O
340	CM	135	CM 252 LEVEL CM	18909,5314 litre	97,137 %	557,3475 litre	O
340	CM	135	CM 251 LEVEL CM	18863,1495 litre	96,899 %	603,7294 litre	O
340	CM	135	CM 250 LEVEL CM	18815,6252 litre	96,655 %	651,2537 litre	O
340	CM	135	CM 249 LEVEL CM	18766,9947 litre	96,405 %	699,8842 litre	O
340	CM	135	CM 248 LEVEL CM	18717,2920 litre	96,149 %	749,5869 litre	O
340	CM	135	CM 247 LEVEL CM	18666,5489 litre	95,889 %	800,3300 litre	O
340	CM	135	CM 246 LEVEL CM	18614,7952 litre	95,623 %	852,0837 litre	O
340	CM	135	CM 245 LEVEL CM	18562,0590 litre	95,352 %	904,8199 litre	O
340	CM	135	CM 244 LEVEL CM	18508,3670 litre	95,076 %	958,5119 litre	O
340	CM	135	CM 243 LEVEL CM	18453,7443 litre	94,796 %	1013,1346 litre	O
340	CM	135	CM 242 LEVEL CM	18398,2148 litre	94,510 %	1068,6641 litre	O
340	CM	135	CM 241 LEVEL CM	18341,8013 litre	94,221 %	1125,0776 litre	O
340	CM	135	CM 240 LEVEL CM	18284,5255 litre	93,926 %	1182,3534 litre	O
340	CM	135	CM 239 LEVEL CM	18226,4082 litre	93,628 %	1240,4707 litre	O
340	CM	135	CM 238 LEVEL CM	18167,4692 litre	93,325 %	1299,4097 litre	O
340	CM	135	CM 237 LEVEL CM	18107,7276 litre	93,018 %	1359,1513 litre	O
340	CM	135	CM 236 LEVEL CM	18047,2017 litre	92,707 %	1419,6772 litre	O
340	CM	135	CM 235 LEVEL CM	17985,9090 litre	92,392 %	1480,9699 litre	O
340	CM	135	CM 234 LEVEL CM	17923,8664 litre	92,074 %	1543,0125 litre	O
340	CM	135	CM 233 LEVEL CM	17861,0903 litre	91,751 %	1605,7886 litre	O
340	CM	135	CM 232 LEVEL CM	17797,5965 litre	91,425 %	1669,2824 litre	O
340	CM	135	CM 231 LEVEL CM	17733,4001 litre	91,095 %	1733,4788 litre	O
340	CM	135	CM 230 LEVEL CM	17668,5159 litre	90,762 %	1798,3630 litre	O
340	CM	135	CM 229 LEVEL CM	17602,9581 litre	90,425 %	1863,9208 litre	O
340	CM	135	CM 228 LEVEL CM	17536,7407 litre	90,085 %	1930,1382 litre	O
340	CM	135	CM 227 LEVEL CM	17469,8770 litre	89,742 %	1997,0019 litre	O
340	CM	135	CM 226 LEVEL CM	17402,3800 litre	89,395 %	2064,4989 litre	O
340	CM	135	CM 225 LEVEL CM	17334,2625 litre	89,045 %	2132,6164 litre	O
340	CM	135	CM 224 LEVEL CM	17265,5367 litre	88,692 %	2201,3422 litre	O
340	CM	135	CM 223 LEVEL CM	17196,2147 litre	88,336 %	2270,6642 litre	O
340	CM	135	CM 222 LEVEL CM	17126,3082 litre	87,977 %	2340,5707 litre	O
340	CM	135	CM 221 LEVEL CM	17055,8285 litre	87,615 %	2411,0504 litre	O
340	CM	135	CM 220 LEVEL CM	16984,7868 litre	87,250 %	2482,0921 litre	O
340	CM	135	CM 219 LEVEL CM	16913,1941 litre	86,882 %	2553,6848 litre	O

340	CM	135	CM	218 LEVEL CM	16841,0608 litre	86,511 %	2625,8181 litre	O
340	CM	135	CM	217 LEVEL CM	16768,3974 litre	86,138 %	2698,4815 litre	O
340	CM	135	CM	216 LEVEL CM	16695,2141 litre	85,762 %	2771,6648 litre	O
340	CM	135	CM	215 LEVEL CM	16621,5207 litre	85,384 %	2845,3582 litre	O
340	CM	135	CM	214 LEVEL CM	16547,3270 litre	85,002 %	2919,5519 litre	O
340	CM	135	CM	213 LEVEL CM	16472,6427 litre	84,619 %	2994,2362 litre	O
340	CM	135	CM	212 LEVEL CM	16397,4769 litre	84,233 %	3069,4020 litre	O
340	CM	135	CM	211 LEVEL CM	16321,8389 litre	83,844 %	3145,0400 litre	O
340	CM	135	CM	210 LEVEL CM	16245,7377 litre	83,453 %	3221,1412 litre	O
340	CM	135	CM	209 LEVEL CM	16169,1822 litre	83,060 %	3297,6967 litre	O
340	CM	135	CM	208 LEVEL CM	16092,1810 litre	82,664 %	3374,6979 litre	O
340	CM	135	CM	207 LEVEL CM	16014,7427 litre	82,267 %	3452,1362 litre	O
340	CM	135	CM	206 LEVEL CM	15936,8756 litre	81,867 %	3530,0033 litre	O
340	CM	135	CM	205 LEVEL CM	15858,5880 litre	81,464 %	3608,2909 litre	O
340	CM	135	CM	204 LEVEL CM	15779,8881 litre	81,060 %	3686,9908 litre	O
340	CM	135	CM	203 LEVEL CM	15700,7838 litre	80,654 %	3766,0951 litre	O
340	CM	135	CM	202 LEVEL CM	15621,2830 litre	80,245 %	3845,5959 litre	O
340	CM	135	CM	201 LEVEL CM	15541,3934 litre	79,835 %	3925,4855 litre	O
340	CM	135	CM	200 LEVEL CM	15461,1228 litre	79,423 %	4005,7561 litre	O
340	CM	135	CM	199 LEVEL CM	15380,4786 litre	79,008 %	4086,4003 litre	O
340	CM	135	CM	198 LEVEL CM	15299,4682 litre	78,592 %	4167,4107 litre	O
340	CM	135	CM	197 LEVEL CM	15218,0990 litre	78,174 %	4248,7799 litre	O
340	CM	135	CM	196 LEVEL CM	15136,3783 litre	77,755 %	4330,5006 litre	O
340	CM	135	CM	195 LEVEL CM	15054,3131 litre	77,333 %	4412,5658 litre	O
340	CM	135	CM	194 LEVEL CM	14971,9106 litre	76,910 %	4494,9683 litre	O
340	CM	135	CM	193 LEVEL CM	14889,1776 litre	76,485 %	4577,7013 litre	O
340	CM	135	CM	192 LEVEL CM	14806,1211 litre	76,058 %	4660,7578 litre	O
340	CM	135	CM	191 LEVEL CM	14722,7479 litre	75,630 %	4744,1310 litre	O
340	CM	135	CM	190 LEVEL CM	14639,0646 litre	75,200 %	4827,8143 litre	O
340	CM	135	CM	189 LEVEL CM	14555,0780 litre	74,768 %	4911,8009 litre	O
340	CM	135	CM	188 LEVEL CM	14470,7946 litre	74,335 %	4996,0843 litre	O
340	CM	135	CM	187 LEVEL CM	14386,2209 litre	73,901 %	5080,6580 litre	O
340	CM	135	CM	186 LEVEL CM	14301,3634 litre	73,465 %	5165,5155 litre	O
340	CM	135	CM	185 LEVEL CM	14216,2285 litre	73,028 %	5250,6504 litre	O
340	CM	135	CM	184 LEVEL CM	14130,8224 litre	72,589 %	5336,0565 litre	O
340	CM	135	CM	183 LEVEL CM	14045,1514 litre	72,149 %	5421,7275 litre	O
340	CM	135	CM	182 LEVEL CM	13959,2218 litre	71,708 %	5507,6571 litre	O
340	CM	135	CM	181 LEVEL CM	13873,0396 litre	71,265 %	5593,8393 litre	O
340	CM	135	CM	180 LEVEL CM	13786,6109 litre	70,821 %	5680,2680 litre	O
340	CM	135	CM	179 LEVEL CM	13699,9418 litre	70,376 %	5766,9371 litre	O
340	CM	135	CM	178 LEVEL CM	13613,0383 litre	69,929 %	5853,8406 litre	O
340	CM	135	CM	177 LEVEL CM	13525,9063 litre	69,482 %	5940,9726 litre	O
340	CM	135	CM	176 LEVEL CM	13438,5517 litre	69,033 %	6028,3272 litre	O
340	CM	135	CM	175 LEVEL CM	13350,9803 litre	68,583 %	6115,8986 litre	O
340	CM	135	CM	174 LEVEL CM	13263,1980 litre	68,132 %	6203,6809 litre	O
340	CM	135	CM	173 LEVEL CM	13175,2105 litre	67,680 %	6291,6684 litre	O
340	CM	135	CM	172 LEVEL CM	13087,0235 litre	67,227 %	6379,8554 litre	O
340	CM	135	CM	171 LEVEL CM	12998,6427 litre	66,773 %	6468,2362 litre	O
340	CM	135	CM	170 LEVEL CM	12910,0737 litre	66,318 %	6556,8052 litre	O
340	CM	135	CM	169 LEVEL CM	12821,3222 litre	65,862 %	6645,5567 litre	O
340	CM	135	CM	168 LEVEL CM	12732,3938 litre	65,405 %	6734,4851 litre	O
340	CM	135	CM	167 LEVEL CM	12643,2939 litre	64,948 %	6823,5850 litre	O
340	CM	135	CM	166 LEVEL CM	12554,0281 litre	64,489 %	6912,8508 litre	O

340	CM	135	CM	165 LEVEL CM	12464,6018 litre	64,030 %	7002,2771 litre	O
340	CM	135	CM	164 LEVEL CM	12375,0206 litre	63,570 %	7091,8583 litre	O
340	CM	135	CM	163 LEVEL CM	12285,2898 litre	63,109 %	7181,5891 litre	O
340	CM	135	CM	162 LEVEL CM	12195,4149 litre	62,647 %	7271,4640 litre	O
340	CM	135	CM	161 LEVEL CM	12105,4011 litre	62,185 %	7361,4778 litre	O
340	CM	135	CM	160 LEVEL CM	12015,2538 litre	61,722 %	7451,6251 litre	O
340	CM	135	CM	159 LEVEL CM	11924,9785 litre	61,258 %	7541,9004 litre	O
340	CM	135	CM	158 LEVEL CM	11834,5802 litre	60,793 %	7632,2987 litre	O
340	CM	135	CM	157 LEVEL CM	11744,0644 litre	60,328 %	7722,8145 litre	O
340	CM	135	CM	156 LEVEL CM	11653,4363 litre	59,863 %	7813,4426 litre	O
340	CM	135	CM	155 LEVEL CM	11562,7011 litre	59,397 %	7904,1778 litre	O
340	CM	135	CM	154 LEVEL CM	11471,8640 litre	58,930 %	7995,0149 litre	O
340	CM	135	CM	153 LEVEL CM	11380,9303 litre	58,463 %	8085,9486 litre	O
340	CM	135	CM	152 LEVEL CM	11289,9051 litre	57,995 %	8176,9738 litre	O
340	CM	135	CM	151 LEVEL CM	11198,7935 litre	57,527 %	8268,0854 litre	O
340	CM	135	CM	150 LEVEL CM	11107,6008 litre	57,059 %	8359,2781 litre	O
340	CM	135	CM	149 LEVEL CM	11016,3321 litre	56,590 %	8450,5468 litre	O
340	CM	135	CM	148 LEVEL CM	10924,9925 litre	56,121 %	8541,8864 litre	O
340	CM	135	CM	147 LEVEL CM	10833,5870 litre	55,651 %	8633,2919 litre	O
340	CM	135	CM	146 LEVEL CM	10742,1209 litre	55,182 %	8724,7580 litre	O
340	CM	135	CM	145 LEVEL CM	10650,5992 litre	54,711 %	8816,2797 litre	O
340	CM	135	CM	144 LEVEL CM	10559,0270 litre	54,241 %	8907,8519 litre	O
340	CM	135	CM	143 LEVEL CM	10467,4094 litre	53,770 %	8999,4695 litre	O
340	CM	135	CM	142 LEVEL CM	10375,7514 litre	53,300 %	9091,1275 litre	O
340	CM	135	CM	141 LEVEL CM	10284,0581 litre	52,828 %	9182,8208 litre	O
340	CM	135	CM	140 LEVEL CM	10192,3345 litre	52,357 %	9274,5444 litre	O
340	CM	135	CM	139 LEVEL CM	10100,5857 litre	51,886 %	9366,2932 litre	O
340	CM	135	CM	138 LEVEL CM	10008,8168 litre	51,415 %	9458,0621 litre	O
340	CM	135	CM	137 LEVEL CM	9917,0327 litre	50,943 %	9549,8462 litre	O
340	CM	135	CM	136 LEVEL CM	9825,2386 litre	50,472 %	9641,6403 litre	O
340	CM	135	CM	135 LEVEL CM	9733,4394 litre	50,000 %	9733,4395 litre	O
340	CM	135	CM	134 LEVEL CM	9641,6403 litre	49,528 %	9825,2386 litre	O
340	CM	135	CM	133 LEVEL CM	9549,8462 litre	49,057 %	9917,0327 litre	O
340	CM	135	CM	132 LEVEL CM	9458,0621 litre	48,585 %	10008,8168 litre	O
340	CM	135	CM	131 LEVEL CM	9366,2932 litre	48,114 %	10100,5857 litre	O
340	CM	135	CM	130 LEVEL CM	9274,5444 litre	47,643 %	10192,3345 litre	O
340	CM	135	CM	129 LEVEL CM	9182,8208 litre	47,172 %	10284,0581 litre	O
340	CM	135	CM	128 LEVEL CM	9091,1275 litre	46,700 %	10375,7514 litre	O
340	CM	135	CM	127 LEVEL CM	8999,4695 litre	46,230 %	10467,4094 litre	O
340	CM	135	CM	126 LEVEL CM	8907,8518 litre	45,759 %	10559,0271 litre	O
340	CM	135	CM	125 LEVEL CM	8816,2796 litre	45,289 %	10650,5993 litre	O
340	CM	135	CM	124 LEVEL CM	8724,7579 litre	44,818 %	10742,1210 litre	O
340	CM	135	CM	123 LEVEL CM	8633,2918 litre	44,349 %	10833,5871 litre	O
340	CM	135	CM	122 LEVEL CM	8541,8864 litre	43,879 %	10924,9925 litre	O
340	CM	135	CM	121 LEVEL CM	8450,5468 litre	43,410 %	11016,3321 litre	O
340	CM	135	CM	120 LEVEL CM	8359,2780 litre	42,941 %	11107,6009 litre	O
340	CM	135	CM	119 LEVEL CM	8268,0853 litre	42,473 %	11198,7936 litre	O
340	CM	135	CM	118 LEVEL CM	8176,9738 litre	42,005 %	11289,9051 litre	O
340	CM	135	CM	117 LEVEL CM	8085,9486 litre	41,537 %	11380,9303 litre	O
340	CM	135	CM	116 LEVEL CM	7995,0148 litre	41,070 %	11471,8641 litre	O
340	CM	135	CM	115 LEVEL CM	7904,1778 litre	40,603 %	11562,7011 litre	O
340	CM	135	CM	114 LEVEL CM	7813,4426 litre	40,137 %	11653,4363 litre	O
340	CM	135	CM	113 LEVEL CM	7722,8145 litre	39,672 %	11744,0644 litre	O

340	CM	135	CM	112 LEVEL CM	7632,2987 litre	39,207 %	11834,5802 litre	O
340	CM	135	CM	111 LEVEL CM	7541,9004 litre	38,742 %	11924,9785 litre	O
340	CM	135	CM	110 LEVEL CM	7451,6250 litre	38,278 %	12015,2539 litre	O
340	CM	135	CM	109 LEVEL CM	7361,4778 litre	37,815 %	12105,4011 litre	O
340	CM	135	CM	108 LEVEL CM	7271,4640 litre	37,353 %	12195,4149 litre	O
340	CM	135	CM	107 LEVEL CM	7181,5891 litre	36,891 %	12285,2898 litre	O
340	CM	135	CM	106 LEVEL CM	7091,8583 litre	36,430 %	12375,0206 litre	O
340	CM	135	CM	105 LEVEL CM	7002,2770 litre	35,970 %	12464,6019 litre	O
340	CM	135	CM	104 LEVEL CM	6912,8508 litre	35,511 %	12554,0281 litre	O
340	CM	135	CM	103 LEVEL CM	6823,5850 litre	35,052 %	12643,2939 litre	O
340	CM	135	CM	102 LEVEL CM	6734,4851 litre	34,595 %	12732,3938 litre	O
340	CM	135	CM	101 LEVEL CM	6645,5567 litre	34,138 %	12821,3222 litre	O
340	CM	135	CM	100 LEVEL CM	6556,8052 litre	33,682 %	12910,0737 litre	O
340	CM	135	CM	99 LEVEL CM	6468,2362 litre	33,227 %	12998,6427 litre	O
340	CM	135	CM	98 LEVEL CM	6379,8554 litre	32,773 %	13087,0235 litre	O
340	CM	135	CM	97 LEVEL CM	6291,6684 litre	32,320 %	13175,2105 litre	O
340	CM	135	CM	96 LEVEL CM	6203,6809 litre	31,868 %	13263,1980 litre	O
340	CM	135	CM	95 LEVEL CM	6115,8985 litre	31,417 %	13350,9804 litre	O
340	CM	135	CM	94 LEVEL CM	6028,3272 litre	30,967 %	13438,5517 litre	O
340	CM	135	CM	93 LEVEL CM	5940,9726 litre	30,518 %	13525,9063 litre	O
340	CM	135	CM	92 LEVEL CM	5853,8405 litre	30,071 %	13613,0384 litre	O
340	CM	135	CM	91 LEVEL CM	5766,9370 litre	29,624 %	13699,9419 litre	O
340	CM	135	CM	90 LEVEL CM	5680,2680 litre	29,179 %	13786,6109 litre	O
340	CM	135	CM	89 LEVEL CM	5593,8393 litre	28,735 %	13873,0396 litre	O
340	CM	135	CM	88 LEVEL CM	5507,6571 litre	28,292 %	13959,2218 litre	O
340	CM	135	CM	87 LEVEL CM	5421,7274 litre	27,851 %	14045,1515 litre	O
340	CM	135	CM	86 LEVEL CM	5336,0565 litre	27,411 %	14130,8224 litre	O
340	CM	135	CM	85 LEVEL CM	5250,6504 litre	26,972 %	14216,2285 litre	O
340	CM	135	CM	84 LEVEL CM	5165,5154 litre	26,535 %	14301,3635 litre	O
340	CM	135	CM	83 LEVEL CM	5080,6579 litre	26,099 %	14386,2210 litre	O
340	CM	135	CM	82 LEVEL CM	4996,0843 litre	25,665 %	14470,7946 litre	O
340	CM	135	CM	81 LEVEL CM	4911,8009 litre	25,232 %	14555,0780 litre	O
340	CM	135	CM	80 LEVEL CM	4827,8143 litre	24,800 %	14639,0646 litre	O
340	CM	135	CM	79 LEVEL CM	4744,1310 litre	24,370 %	14722,7479 litre	O
340	CM	135	CM	78 LEVEL CM	4660,7578 litre	23,942 %	14806,1211 litre	O
340	CM	135	CM	77 LEVEL CM	4577,7013 litre	23,515 %	14889,1776 litre	O
340	CM	135	CM	76 LEVEL CM	4494,9683 litre	23,090 %	14971,9106 litre	O
340	CM	135	CM	75 LEVEL CM	4412,5658 litre	22,667 %	15054,3131 litre	O
340	CM	135	CM	74 LEVEL CM	4330,5006 litre	22,245 %	15136,3783 litre	O
340	CM	135	CM	73 LEVEL CM	4248,7799 litre	21,826 %	15218,0990 litre	O
340	CM	135	CM	72 LEVEL CM	4167,4107 litre	21,408 %	15299,4682 litre	O
340	CM	135	CM	71 LEVEL CM	4086,4003 litre	20,992 %	15380,4786 litre	O
340	CM	135	CM	70 LEVEL CM	4005,7561 litre	20,577 %	15461,1228 litre	O
340	CM	135	CM	69 LEVEL CM	3925,4855 litre	20,165 %	15541,3934 litre	O
340	CM	135	CM	68 LEVEL CM	3845,5959 litre	19,755 %	15621,2830 litre	O
340	CM	135	CM	67 LEVEL CM	3766,0951 litre	19,346 %	15700,7838 litre	O
340	CM	135	CM	66 LEVEL CM	3686,9908 litre	18,940 %	15779,8881 litre	O
340	CM	135	CM	65 LEVEL CM	3608,2908 litre	18,536 %	15858,5881 litre	O
340	CM	135	CM	64 LEVEL CM	3530,0033 litre	18,133 %	15936,8756 litre	O
340	CM	135	CM	63 LEVEL CM	3452,1362 litre	17,733 %	16014,7427 litre	O
340	CM	135	CM	62 LEVEL CM	3374,6979 litre	17,336 %	16092,1810 litre	O
340	CM	135	CM	61 LEVEL CM	3297,6967 litre	16,940 %	16169,1822 litre	O
340	CM	135	CM	60 LEVEL CM	3221,1411 litre	16,547 %	16245,7378 litre	O

340	CM	135	CM	59 LEVEL CM	3145,0400 litre	16,156 %	16321,8389 litre	O
340	CM	135	CM	58 LEVEL CM	3069,4020 litre	15,767 %	16397,4769 litre	O
340	CM	135	CM	57 LEVEL CM	2994,2362 litre	15,381 %	16472,6427 litre	O
340	CM	135	CM	56 LEVEL CM	2919,5518 litre	14,998 %	16547,3271 litre	O
340	CM	135	CM	55 LEVEL CM	2845,3582 litre	14,616 %	16621,5207 litre	O
340	CM	135	CM	54 LEVEL CM	2771,6648 litre	14,238 %	16695,2141 litre	O
340	CM	135	CM	53 LEVEL CM	2698,4815 litre	13,862 %	16768,3974 litre	O
340	CM	135	CM	52 LEVEL CM	2625,8181 litre	13,489 %	16841,0608 litre	O
340	CM	135	CM	51 LEVEL CM	2553,6848 litre	13,118 %	16913,1941 litre	O
340	CM	135	CM	50 LEVEL CM	2482,0920 litre	12,750 %	16984,7869 litre	O
340	CM	135	CM	49 LEVEL CM	2411,0504 litre	12,385 %	17055,8285 litre	O
340	CM	135	CM	48 LEVEL CM	2340,5707 litre	12,023 %	17126,3082 litre	O
340	CM	135	CM	47 LEVEL CM	2270,6642 litre	11,664 %	17196,2147 litre	O
340	CM	135	CM	46 LEVEL CM	2201,3422 litre	11,308 %	17265,5367 litre	O
340	CM	135	CM	45 LEVEL CM	2132,6164 litre	10,955 %	17334,2625 litre	O
340	CM	135	CM	44 LEVEL CM	2064,4989 litre	10,605 %	17402,3800 litre	O
340	CM	135	CM	43 LEVEL CM	1997,0019 litre	10,258 %	17469,8770 litre	O
340	CM	135	CM	42 LEVEL CM	1930,1382 litre	9,915 %	17536,7407 litre	O
340	CM	135	CM	41 LEVEL CM	1863,9207 litre	9,575 %	17602,9582 litre	O
340	CM	135	CM	40 LEVEL CM	1798,3630 litre	9,238 %	17668,5159 litre	O
340	CM	135	CM	39 LEVEL CM	1733,4788 litre	8,905 %	17733,4001 litre	O
340	CM	135	CM	38 LEVEL CM	1669,2824 litre	8,575 %	17797,5965 litre	O
340	CM	135	CM	37 LEVEL CM	1605,7886 litre	8,249 %	17861,0903 litre	O
340	CM	135	CM	36 LEVEL CM	1543,0125 litre	7,926 %	17923,8664 litre	O
340	CM	135	CM	35 LEVEL CM	1480,9699 litre	7,608 %	17985,9090 litre	O
340	CM	135	CM	34 LEVEL CM	1419,6772 litre	7,293 %	18047,2017 litre	O
340	CM	135	CM	33 LEVEL CM	1359,1512 litre	6,982 %	18107,7277 litre	O
340	CM	135	CM	32 LEVEL CM	1299,4096 litre	6,675 %	18167,4693 litre	O
340	CM	135	CM	31 LEVEL CM	1240,4707 litre	6,372 %	18226,4082 litre	O
340	CM	135	CM	30 LEVEL CM	1182,3534 litre	6,074 %	18284,5255 litre	O
340	CM	135	CM	29 LEVEL CM	1125,0776 litre	5,779 %	18341,8013 litre	O
340	CM	135	CM	28 LEVEL CM	1068,6641 litre	5,490 %	18398,2148 litre	O
340	CM	135	CM	27 LEVEL CM	1013,1346 litre	5,204 %	18453,7443 litre	O
340	CM	135	CM	26 LEVEL CM	958,5119 litre	4,924 %	18508,3670 litre	O
340	CM	135	CM	25 LEVEL CM	904,8198 litre	4,648 %	18562,0591 litre	O
340	CM	135	CM	24 LEVEL CM	852,0837 litre	4,377 %	18614,7952 litre	O
340	CM	135	CM	23 LEVEL CM	800,3300 litre	4,111 %	18666,5489 litre	O
340	CM	135	CM	22 LEVEL CM	749,5868 litre	3,851 %	18717,2921 litre	O
340	CM	135	CM	21 LEVEL CM	699,8842 litre	3,595 %	18766,9947 litre	O
340	CM	135	CM	20 LEVEL CM	651,2537 litre	3,345 %	18815,6252 litre	O
340	CM	135	CM	19 LEVEL CM	603,7293 litre	3,101 %	18863,1496 litre	O
340	CM	135	CM	18 LEVEL CM	557,3474 litre	2,863 %	18909,5315 litre	O
340	CM	135	CM	17 LEVEL CM	512,1471 litre	2,631 %	18954,7318 litre	O
340	CM	135	CM	16 LEVEL CM	468,1706 litre	2,405 %	18998,7083 litre	O
340	CM	135	CM	15 LEVEL CM	425,4637 litre	2,186 %	19041,4152 litre	O
340	CM	135	CM	14 LEVEL CM	384,0767 litre	1,973 %	19082,8022 litre	O
340	CM	135	CM	13 LEVEL CM	344,0645 litre	1,767 %	19122,8144 litre	O
340	CM	135	CM	12 LEVEL CM	305,4882 litre	1,569 %	19161,3907 litre	O
340	CM	135	CM	11 LEVEL CM	268,4158 litre	1,379 %	19198,4631 litre	O
340	CM	135	CM	10 LEVEL CM	232,9240 litre	1,197 %	19233,9549 litre	O
340	CM	135	CM	9 LEVEL CM	199,1004 litre	1,023 %	19267,7785 litre	O
340	CM	135	CM	8 LEVEL CM	167,0460 litre	0,858 %	19299,8329 litre	O
340	CM	135	CM	7 LEVEL CM	136,8799 litre	0,703 %	19329,9990 litre	O

340	CM	135	CM	6 LEVEL CM	108,7451 litre	0,559 %	19358,1338 litre	O
340	CM	135	CM	5 LEVEL CM	82,8184 litre	0,425 %	19384,0605 litre	O
340	CM	135	CM	4 LEVEL CM	59,3267 litre	0,305 %	19407,5522 litre	O
340	CM	135	CM	3 LEVEL CM	38,5770 litre	0,198 %	19428,3019 litre	O
340	CM	135	CM	2 LEVEL CM	21,0221 litre	0,108 %	19445,8568 litre	O
340	CM	135	CM	1 LEVEL CM	7,4407 litre	0,038 %	19459,4382 litre	O
340	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	19466,8789 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 130	CM 260 LEVEL CM	18051,5914 litre	100,000 %	0,0000 litre	O
340	CM 130	CM 259 LEVEL CM	18044,2900 litre	99,960 %	7,3014 litre	O
340	CM 130	CM 258 LEVEL CM	18030,9640 litre	99,886 %	20,6274 litre	O
340	CM 130	CM 257 LEVEL CM	18013,7404 litre	99,790 %	37,8510 litre	O
340	CM 130	CM 256 LEVEL CM	17993,3838 litre	99,678 %	58,2076 litre	O
340	CM 130	CM 255 LEVEL CM	17970,3387 litre	99,550 %	81,2527 litre	O
340	CM 130	CM 254 LEVEL CM	17944,9068 litre	99,409 %	106,6846 litre	O
340	CM 130	CM 253 LEVEL CM	17917,3111 litre	99,256 %	134,2803 litre	O
340	CM 130	CM 252 LEVEL CM	17887,7252 litre	99,092 %	163,8662 litre	O
340	CM 130	CM 251 LEVEL CM	17856,2897 litre	98,918 %	195,3017 litre	O
340	CM 130	CM 250 LEVEL CM	17823,1216 litre	98,734 %	228,4698 litre	O
340	CM 130	CM 249 LEVEL CM	17788,3204 litre	98,542 %	263,2710 litre	O
340	CM 130	CM 248 LEVEL CM	17751,9722 litre	98,340 %	299,6192 litre	O
340	CM 130	CM 247 LEVEL CM	17714,1523 litre	98,131 %	337,4391 litre	O
340	CM 130	CM 246 LEVEL CM	17674,9279 litre	97,913 %	376,6635 litre	O
340	CM 130	CM 245 LEVEL CM	17634,3589 litre	97,689 %	417,2325 litre	O
340	CM 130	CM 244 LEVEL CM	17592,4995 litre	97,457 %	459,0919 litre	O
340	CM 130	CM 243 LEVEL CM	17549,3991 litre	97,218 %	502,1923 litre	O
340	CM 130	CM 242 LEVEL CM	17505,1028 litre	96,973 %	546,4886 litre	O
340	CM 130	CM 241 LEVEL CM	17459,6524 litre	96,721 %	591,9390 litre	O
340	CM 130	CM 240 LEVEL CM	17413,0863 litre	96,463 %	638,5051 litre	O
340	CM 130	CM 239 LEVEL CM	17365,4404 litre	96,199 %	686,1510 litre	O
340	CM 130	CM 238 LEVEL CM	17316,7480 litre	95,929 %	734,8434 litre	O
340	CM 130	CM 237 LEVEL CM	17267,0406 litre	95,654 %	784,5508 litre	O
340	CM 130	CM 236 LEVEL CM	17216,3475 litre	95,373 %	835,2439 litre	O
340	CM 130	CM 235 LEVEL CM	17164,6966 litre	95,087 %	886,8948 litre	O
340	CM 130	CM 234 LEVEL CM	17112,1140 litre	94,796 %	939,4774 litre	O
340	CM 130	CM 233 LEVEL CM	17058,6247 litre	94,499 %	992,9667 litre	O
340	CM 130	CM 232 LEVEL CM	17004,2522 litre	94,198 %	1047,3392 litre	O
340	CM 130	CM 231 LEVEL CM	16949,0190 litre	93,892 %	1102,5724 litre	O
340	CM 130	CM 230 LEVEL CM	16892,9467 litre	93,581 %	1158,6447 litre	O
340	CM 130	CM 229 LEVEL CM	16836,0556 litre	93,266 %	1215,5358 litre	O
340	CM 130	CM 228 LEVEL CM	16778,3655 litre	92,947 %	1273,2259 litre	O
340	CM 130	CM 227 LEVEL CM	16719,8952 litre	92,623 %	1331,6962 litre	O
340	CM 130	CM 226 LEVEL CM	16660,6627 litre	92,295 %	1390,9287 litre	O
340	CM 130	CM 225 LEVEL CM	16600,6854 litre	91,962 %	1450,9060 litre	O
340	CM 130	CM 224 LEVEL CM	16539,9801 litre	91,626 %	1511,6113 litre	O
340	CM 130	CM 223 LEVEL CM	16478,5630 litre	91,286 %	1573,0284 litre	O
340	CM 130	CM 222 LEVEL CM	16416,4496 litre	90,942 %	1635,1418 litre	O
340	CM 130	CM 221 LEVEL CM	16353,6551 litre	90,594 %	1697,9363 litre	O
340	CM 130	CM 220 LEVEL CM	16290,1939 litre	90,242 %	1761,3975 litre	O
340	CM 130	CM 219 LEVEL CM	16226,0804 litre	89,887 %	1825,5110 litre	O
340	CM 130	CM 218 LEVEL CM	16161,3281 litre	89,529 %	1890,2633 litre	O
340	CM 130	CM 217 LEVEL CM	16095,9505 litre	89,166 %	1955,6409 litre	O
340	CM 130	CM 216 LEVEL CM	16029,9603 litre	88,801 %	2021,6311 litre	O
340	CM 130	CM 215 LEVEL CM	15963,3703 litre	88,432 %	2088,2211 litre	O
340	CM 130	CM 214 LEVEL CM	15896,1926 litre	88,060 %	2155,3988 litre	O
340	CM 130	CM 213 LEVEL CM	15828,4392 litre	87,684 %	2223,1522 litre	O
340	CM 130	CM 212 LEVEL CM	15760,1216 litre	87,306 %	2291,4698 litre	O
340	CM 130	CM 211 LEVEL CM	15691,2513 litre	86,924 %	2360,3401 litre	O
340	CM 130	CM 210 LEVEL CM	15621,8393 litre	86,540 %	2429,7521 litre	O
340	CM 130	CM 209 LEVEL CM	15551,8964 litre	86,152 %	2499,6950 litre	O

340	CM	130	CM	208 LEVEL CM	15481,4331 litre	85,762 %	2570,1583 litre	O
340	CM	130	CM	207 LEVEL CM	15410,4598 litre	85,369 %	2641,1316 litre	O
340	CM	130	CM	206 LEVEL CM	15338,9865 litre	84,973 %	2712,6049 litre	O
340	CM	130	CM	205 LEVEL CM	15267,0233 litre	84,574 %	2784,5681 litre	O
340	CM	130	CM	204 LEVEL CM	15194,5798 litre	84,173 %	2857,0116 litre	O
340	CM	130	CM	203 LEVEL CM	15121,6654 litre	83,769 %	2929,9260 litre	O
340	CM	130	CM	202 LEVEL CM	15048,2896 litre	83,363 %	3003,3018 litre	O
340	CM	130	CM	201 LEVEL CM	14974,4614 litre	82,954 %	3077,1300 litre	O
340	CM	130	CM	200 LEVEL CM	14900,1899 litre	82,542 %	3151,4015 litre	O
340	CM	130	CM	199 LEVEL CM	14825,4838 litre	82,128 %	3226,1076 litre	O
340	CM	130	CM	198 LEVEL CM	14750,3518 litre	81,712 %	3301,2396 litre	O
340	CM	130	CM	197 LEVEL CM	14674,8025 litre	81,294 %	3376,7889 litre	O
340	CM	130	CM	196 LEVEL CM	14598,8442 litre	80,873 %	3452,7472 litre	O
340	CM	130	CM	195 LEVEL CM	14522,4852 litre	80,450 %	3529,1062 litre	O
340	CM	130	CM	194 LEVEL CM	14445,7336 litre	80,025 %	3605,8578 litre	O
340	CM	130	CM	193 LEVEL CM	14368,5974 litre	79,597 %	3682,9940 litre	O
340	CM	130	CM	192 LEVEL CM	14291,0844 litre	79,168 %	3760,5070 litre	O
340	CM	130	CM	191 LEVEL CM	14213,2025 litre	78,737 %	3838,3889 litre	O
340	CM	130	CM	190 LEVEL CM	14134,9592 litre	78,303 %	3916,6322 litre	O
340	CM	130	CM	189 LEVEL CM	14056,3621 litre	77,868 %	3995,2293 litre	O
340	CM	130	CM	188 LEVEL CM	13977,4187 litre	77,430 %	4074,1727 litre	O
340	CM	130	CM	187 LEVEL CM	13898,1363 litre	76,991 %	4153,4551 litre	O
340	CM	130	CM	186 LEVEL CM	13818,5221 litre	76,550 %	4233,0693 litre	O
340	CM	130	CM	185 LEVEL CM	13738,5834 litre	76,107 %	4313,0080 litre	O
340	CM	130	CM	184 LEVEL CM	13658,3271 litre	75,663 %	4393,2643 litre	O
340	CM	130	CM	183 LEVEL CM	13577,7603 litre	75,216 %	4473,8311 litre	O
340	CM	130	CM	182 LEVEL CM	13496,8899 litre	74,768 %	4554,7015 litre	O
340	CM	130	CM	181 LEVEL CM	13415,7227 litre	74,319 %	4635,8687 litre	O
340	CM	130	CM	180 LEVEL CM	13334,2655 litre	73,868 %	4717,3259 litre	O
340	CM	130	CM	179 LEVEL CM	13252,5249 litre	73,415 %	4799,0665 litre	O
340	CM	130	CM	178 LEVEL CM	13170,5076 litre	72,960 %	4881,0838 litre	O
340	CM	130	CM	177 LEVEL CM	13088,2202 litre	72,505 %	4963,3712 litre	O
340	CM	130	CM	176 LEVEL CM	13005,6690 litre	72,047 %	5045,9224 litre	O
340	CM	130	CM	175 LEVEL CM	12922,8606 litre	71,588 %	5128,7308 litre	O
340	CM	130	CM	174 LEVEL CM	12839,8013 litre	71,128 %	5211,7901 litre	O
340	CM	130	CM	173 LEVEL CM	12756,4974 litre	70,667 %	5295,0940 litre	O
340	CM	130	CM	172 LEVEL CM	12672,9552 litre	70,204 %	5378,6362 litre	O
340	CM	130	CM	171 LEVEL CM	12589,1808 litre	69,740 %	5462,4106 litre	O
340	CM	130	CM	170 LEVEL CM	12505,1804 litre	69,275 %	5546,4110 litre	O
340	CM	130	CM	169 LEVEL CM	12420,9601 litre	68,808 %	5630,6313 litre	O
340	CM	130	CM	168 LEVEL CM	12336,5259 litre	68,340 %	5715,0655 litre	O
340	CM	130	CM	167 LEVEL CM	12251,8839 litre	67,871 %	5799,7075 litre	O
340	CM	130	CM	166 LEVEL CM	12167,0400 litre	67,401 %	5884,5514 litre	O
340	CM	130	CM	165 LEVEL CM	12082,0002 litre	66,930 %	5969,5912 litre	O
340	CM	130	CM	164 LEVEL CM	11996,7702 litre	66,458 %	6054,8212 litre	O
340	CM	130	CM	163 LEVEL CM	11911,3560 litre	65,985 %	6140,2354 litre	O
340	CM	130	CM	162 LEVEL CM	11825,7633 litre	65,511 %	6225,8281 litre	O
340	CM	130	CM	161 LEVEL CM	11739,9979 litre	65,036 %	6311,5935 litre	O
340	CM	130	CM	160 LEVEL CM	11654,0655 litre	64,560 %	6397,5259 litre	O
340	CM	130	CM	159 LEVEL CM	11567,9719 litre	64,083 %	6483,6195 litre	O
340	CM	130	CM	158 LEVEL CM	11481,7226 litre	63,605 %	6569,8688 litre	O
340	CM	130	CM	157 LEVEL CM	11395,3234 litre	63,126 %	6656,2680 litre	O
340	CM	130	CM	156 LEVEL CM	11308,7798 litre	62,647 %	6742,8116 litre	O

340	CM	130	CM	155 LEVEL CM	11222,0973 litre	62,167 %	6829,4941 litre	O
340	CM	130	CM	154 LEVEL CM	11135,2816 litre	61,686 %	6916,3098 litre	O
340	CM	130	CM	153 LEVEL CM	11048,3382 litre	61,204 %	7003,2532 litre	O
340	CM	130	CM	152 LEVEL CM	10961,2725 litre	60,722 %	7090,3189 litre	O
340	CM	130	CM	151 LEVEL CM	10874,0901 litre	60,239 %	7177,5013 litre	O
340	CM	130	CM	150 LEVEL CM	10786,7964 litre	59,755 %	7264,7950 litre	O
340	CM	130	CM	149 LEVEL CM	10699,3967 litre	59,271 %	7352,1947 litre	O
340	CM	130	CM	148 LEVEL CM	10611,8967 litre	58,786 %	7439,6947 litre	O
340	CM	130	CM	147 LEVEL CM	10524,3015 litre	58,301 %	7527,2899 litre	O
340	CM	130	CM	146 LEVEL CM	10436,6167 litre	57,815 %	7614,9747 litre	O
340	CM	130	CM	145 LEVEL CM	10348,8475 litre	57,329 %	7702,7439 litre	O
340	CM	130	CM	144 LEVEL CM	10260,9993 litre	56,843 %	7790,5921 litre	O
340	CM	130	CM	143 LEVEL CM	10173,0775 litre	56,356 %	7878,5139 litre	O
340	CM	130	CM	142 LEVEL CM	10085,0873 litre	55,868 %	7966,5041 litre	O
340	CM	130	CM	141 LEVEL CM	9997,0341 litre	55,380 %	8054,5573 litre	O
340	CM	130	CM	140 LEVEL CM	9908,9231 litre	54,892 %	8142,6683 litre	O
340	CM	130	CM	139 LEVEL CM	9820,7597 litre	54,404 %	8230,8317 litre	O
340	CM	130	CM	138 LEVEL CM	9732,5491 litre	53,915 %	8319,0423 litre	O
340	CM	130	CM	137 LEVEL CM	9644,2965 litre	53,426 %	8407,2949 litre	O
340	CM	130	CM	136 LEVEL CM	9556,0073 litre	52,937 %	8495,5841 litre	O
340	CM	130	CM	135 LEVEL CM	9467,6867 litre	52,448 %	8583,9047 litre	O
340	CM	130	CM	134 LEVEL CM	9379,3399 litre	51,959 %	8672,2515 litre	O
340	CM	130	CM	133 LEVEL CM	9290,9722 litre	51,469 %	8760,6192 litre	O
340	CM	130	CM	132 LEVEL CM	9202,5887 litre	50,979 %	8849,0027 litre	O
340	CM	130	CM	131 LEVEL CM	9114,1948 litre	50,490 %	8937,3966 litre	O
340	CM	130	CM	130 LEVEL CM	9025,7957 litre	50,000 %	9025,7957 litre	O
340	CM	130	CM	129 LEVEL CM	8937,3966 litre	49,510 %	9114,1948 litre	O
340	CM	130	CM	128 LEVEL CM	8849,0027 litre	49,021 %	9202,5887 litre	O
340	CM	130	CM	127 LEVEL CM	8760,6192 litre	48,531 %	9290,9722 litre	O
340	CM	130	CM	126 LEVEL CM	8672,2515 litre	48,041 %	9379,3399 litre	O
340	CM	130	CM	125 LEVEL CM	8583,9047 litre	47,552 %	9467,6867 litre	O
340	CM	130	CM	124 LEVEL CM	8495,5841 litre	47,063 %	9556,0073 litre	O
340	CM	130	CM	123 LEVEL CM	8407,2948 litre	46,574 %	9644,2966 litre	O
340	CM	130	CM	122 LEVEL CM	8319,0423 litre	46,085 %	9732,5491 litre	O
340	CM	130	CM	121 LEVEL CM	8230,8317 litre	45,596 %	9820,7597 litre	O
340	CM	130	CM	120 LEVEL CM	8142,6683 litre	45,108 %	9908,9231 litre	O
340	CM	130	CM	119 LEVEL CM	8054,5573 litre	44,620 %	9997,0341 litre	O
340	CM	130	CM	118 LEVEL CM	7966,5041 litre	44,132 %	10085,0873 litre	O
340	CM	130	CM	117 LEVEL CM	7878,5139 litre	43,644 %	10173,0775 litre	O
340	CM	130	CM	116 LEVEL CM	7790,5921 litre	43,157 %	10260,9993 litre	O
340	CM	130	CM	115 LEVEL CM	7702,7439 litre	42,671 %	10348,8475 litre	O
340	CM	130	CM	114 LEVEL CM	7614,9747 litre	42,185 %	10436,6167 litre	O
340	CM	130	CM	113 LEVEL CM	7527,2899 litre	41,699 %	10524,3015 litre	O
340	CM	130	CM	112 LEVEL CM	7439,6947 litre	41,214 %	10611,8967 litre	O
340	CM	130	CM	111 LEVEL CM	7352,1946 litre	40,729 %	10699,3968 litre	O
340	CM	130	CM	110 LEVEL CM	7264,7950 litre	40,245 %	10786,7964 litre	O
340	CM	130	CM	109 LEVEL CM	7177,5013 litre	39,761 %	10874,0901 litre	O
340	CM	130	CM	108 LEVEL CM	7090,3189 litre	39,278 %	10961,2725 litre	O
340	CM	130	CM	107 LEVEL CM	7003,2532 litre	38,796 %	11048,3382 litre	O
340	CM	130	CM	106 LEVEL CM	6916,3098 litre	38,314 %	11135,2816 litre	O
340	CM	130	CM	105 LEVEL CM	6829,4941 litre	37,833 %	11222,0973 litre	O
340	CM	130	CM	104 LEVEL CM	6742,8116 litre	37,353 %	11308,7798 litre	O
340	CM	130	CM	103 LEVEL CM	6656,2680 litre	36,874 %	11395,3234 litre	O

340	CM	130	CM	102 LEVEL CM	6569,8688 litre	36,395 %	11481,7226 litre	O
340	CM	130	CM	101 LEVEL CM	6483,6195 litre	35,917 %	11567,9719 litre	O
340	CM	130	CM	100 LEVEL CM	6397,5259 litre	35,440 %	11654,0655 litre	O
340	CM	130	CM	99 LEVEL CM	6311,5935 litre	34,964 %	11739,9979 litre	O
340	CM	130	CM	98 LEVEL CM	6225,8281 litre	34,489 %	11825,7633 litre	O
340	CM	130	CM	97 LEVEL CM	6140,2354 litre	34,015 %	11911,3560 litre	O
340	CM	130	CM	96 LEVEL CM	6054,8212 litre	33,542 %	11996,7702 litre	O
340	CM	130	CM	95 LEVEL CM	5969,5912 litre	33,070 %	12082,0002 litre	O
340	CM	130	CM	94 LEVEL CM	5884,5513 litre	32,599 %	12167,0401 litre	O
340	CM	130	CM	93 LEVEL CM	5799,7075 litre	32,129 %	12251,8839 litre	O
340	CM	130	CM	92 LEVEL CM	5715,0655 litre	31,660 %	12336,5259 litre	O
340	CM	130	CM	91 LEVEL CM	5630,6313 litre	31,192 %	12420,9601 litre	O
340	CM	130	CM	90 LEVEL CM	5546,4110 litre	30,725 %	12505,1804 litre	O
340	CM	130	CM	89 LEVEL CM	5462,4106 litre	30,260 %	12589,1808 litre	O
340	CM	130	CM	88 LEVEL CM	5378,6362 litre	29,796 %	12672,9552 litre	O
340	CM	130	CM	87 LEVEL CM	5295,0940 litre	29,333 %	12756,4974 litre	O
340	CM	130	CM	86 LEVEL CM	5211,7901 litre	28,872 %	12839,8013 litre	O
340	CM	130	CM	85 LEVEL CM	5128,7308 litre	28,412 %	12922,8606 litre	O
340	CM	130	CM	84 LEVEL CM	5045,9224 litre	27,953 %	13005,6690 litre	O
340	CM	130	CM	83 LEVEL CM	4963,3712 litre	27,495 %	13088,2202 litre	O
340	CM	130	CM	82 LEVEL CM	4881,0838 litre	27,040 %	13170,5076 litre	O
340	CM	130	CM	81 LEVEL CM	4799,0665 litre	26,585 %	13252,5249 litre	O
340	CM	130	CM	80 LEVEL CM	4717,3259 litre	26,132 %	13334,2655 litre	O
340	CM	130	CM	79 LEVEL CM	4635,8687 litre	25,681 %	13415,7227 litre	O
340	CM	130	CM	78 LEVEL CM	4554,7015 litre	25,232 %	13496,8899 litre	O
340	CM	130	CM	77 LEVEL CM	4473,8311 litre	24,784 %	13577,7603 litre	O
340	CM	130	CM	76 LEVEL CM	4393,2643 litre	24,337 %	13658,3271 litre	O
340	CM	130	CM	75 LEVEL CM	4313,0080 litre	23,893 %	13738,5834 litre	O
340	CM	130	CM	74 LEVEL CM	4233,0693 litre	23,450 %	13818,5221 litre	O
340	CM	130	CM	73 LEVEL CM	4153,4551 litre	23,009 %	13898,1363 litre	O
340	CM	130	CM	72 LEVEL CM	4074,1727 litre	22,570 %	13977,4187 litre	O
340	CM	130	CM	71 LEVEL CM	3995,2292 litre	22,132 %	14056,3622 litre	O
340	CM	130	CM	70 LEVEL CM	3916,6322 litre	21,697 %	14134,9592 litre	O
340	CM	130	CM	69 LEVEL CM	3838,3889 litre	21,263 %	14213,2025 litre	O
340	CM	130	CM	68 LEVEL CM	3760,5069 litre	20,832 %	14291,0845 litre	O
340	CM	130	CM	67 LEVEL CM	3682,9940 litre	20,403 %	14368,5974 litre	O
340	CM	130	CM	66 LEVEL CM	3605,8578 litre	19,975 %	14445,7336 litre	O
340	CM	130	CM	65 LEVEL CM	3529,1061 litre	19,550 %	14522,4853 litre	O
340	CM	130	CM	64 LEVEL CM	3452,7471 litre	19,127 %	14598,8443 litre	O
340	CM	130	CM	63 LEVEL CM	3376,7889 litre	18,706 %	14674,8025 litre	O
340	CM	130	CM	62 LEVEL CM	3301,2396 litre	18,288 %	14750,3518 litre	O
340	CM	130	CM	61 LEVEL CM	3226,1076 litre	17,872 %	14825,4838 litre	O
340	CM	130	CM	60 LEVEL CM	3151,4015 litre	17,458 %	14900,1899 litre	O
340	CM	130	CM	59 LEVEL CM	3077,1300 litre	17,046 %	14974,4614 litre	O
340	CM	130	CM	58 LEVEL CM	3003,3018 litre	16,637 %	15048,2896 litre	O
340	CM	130	CM	57 LEVEL CM	2929,9260 litre	16,231 %	15121,6654 litre	O
340	CM	130	CM	56 LEVEL CM	2857,0116 litre	15,827 %	15194,5798 litre	O
340	CM	130	CM	55 LEVEL CM	2784,5681 litre	15,426 %	15267,0233 litre	O
340	CM	130	CM	54 LEVEL CM	2712,6048 litre	15,027 %	15338,9866 litre	O
340	CM	130	CM	53 LEVEL CM	2641,1316 litre	14,631 %	15410,4598 litre	O
340	CM	130	CM	52 LEVEL CM	2570,1583 litre	14,238 %	15481,4331 litre	O
340	CM	130	CM	51 LEVEL CM	2499,6950 litre	13,848 %	15551,8964 litre	O
340	CM	130	CM	50 LEVEL CM	2429,7521 litre	13,460 %	15621,8393 litre	O

340	CM	130	CM	49 LEVEL CM	2360,3401 litre	13,076 %	15691,2513 litre	O
340	CM	130	CM	48 LEVEL CM	2291,4698 litre	12,694 %	15760,1216 litre	O
340	CM	130	CM	47 LEVEL CM	2223,1522 litre	12,316 %	15828,4392 litre	O
340	CM	130	CM	46 LEVEL CM	2155,3988 litre	11,940 %	15896,1926 litre	O
340	CM	130	CM	45 LEVEL CM	2088,2211 litre	11,568 %	15963,3703 litre	O
340	CM	130	CM	44 LEVEL CM	2021,6311 litre	11,199 %	16029,9603 litre	O
340	CM	130	CM	43 LEVEL CM	1955,6409 litre	10,834 %	16095,9505 litre	O
340	CM	130	CM	42 LEVEL CM	1890,2633 litre	10,471 %	16161,3281 litre	O
340	CM	130	CM	41 LEVEL CM	1825,5110 litre	10,113 %	16226,0804 litre	O
340	CM	130	CM	40 LEVEL CM	1761,3975 litre	9,758 %	16290,1939 litre	O
340	CM	130	CM	39 LEVEL CM	1697,9363 litre	9,406 %	16353,6551 litre	O
340	CM	130	CM	38 LEVEL CM	1635,1418 litre	9,058 %	16416,4496 litre	O
340	CM	130	CM	37 LEVEL CM	1573,0284 litre	8,714 %	16478,5630 litre	O
340	CM	130	CM	36 LEVEL CM	1511,6113 litre	8,374 %	16539,9801 litre	O
340	CM	130	CM	35 LEVEL CM	1450,9060 litre	8,038 %	16600,6854 litre	O
340	CM	130	CM	34 LEVEL CM	1390,9287 litre	7,705 %	16660,6627 litre	O
340	CM	130	CM	33 LEVEL CM	1331,6962 litre	7,377 %	16719,8952 litre	O
340	CM	130	CM	32 LEVEL CM	1273,2259 litre	7,053 %	16778,3655 litre	O
340	CM	130	CM	31 LEVEL CM	1215,5358 litre	6,734 %	16836,0556 litre	O
340	CM	130	CM	30 LEVEL CM	1158,6447 litre	6,419 %	16892,9467 litre	O
340	CM	130	CM	29 LEVEL CM	1102,5724 litre	6,108 %	16949,0190 litre	O
340	CM	130	CM	28 LEVEL CM	1047,3392 litre	5,802 %	17004,2522 litre	O
340	CM	130	CM	27 LEVEL CM	992,9667 litre	5,501 %	17058,6247 litre	O
340	CM	130	CM	26 LEVEL CM	939,4774 litre	5,204 %	17112,1140 litre	O
340	CM	130	CM	25 LEVEL CM	886,8948 litre	4,913 %	17164,6966 litre	O
340	CM	130	CM	24 LEVEL CM	835,2439 litre	4,627 %	17216,3475 litre	O
340	CM	130	CM	23 LEVEL CM	784,5508 litre	4,346 %	17267,0406 litre	O
340	CM	130	CM	22 LEVEL CM	734,8434 litre	4,071 %	17316,7480 litre	O
340	CM	130	CM	21 LEVEL CM	686,1510 litre	3,801 %	17365,4404 litre	O
340	CM	130	CM	20 LEVEL CM	638,5051 litre	3,537 %	17413,0863 litre	O
340	CM	130	CM	19 LEVEL CM	591,9390 litre	3,279 %	17459,6524 litre	O
340	CM	130	CM	18 LEVEL CM	546,4885 litre	3,027 %	17505,1029 litre	O
340	CM	130	CM	17 LEVEL CM	502,1923 litre	2,782 %	17549,3991 litre	O
340	CM	130	CM	16 LEVEL CM	459,0919 litre	2,543 %	17592,4995 litre	O
340	CM	130	CM	15 LEVEL CM	417,2325 litre	2,311 %	17634,3589 litre	O
340	CM	130	CM	14 LEVEL CM	376,6635 litre	2,087 %	17674,9279 litre	O
340	CM	130	CM	13 LEVEL CM	337,4391 litre	1,869 %	17714,1523 litre	O
340	CM	130	CM	12 LEVEL CM	299,6192 litre	1,660 %	17751,9722 litre	O
340	CM	130	CM	11 LEVEL CM	263,2710 litre	1,458 %	17788,3204 litre	O
340	CM	130	CM	10 LEVEL CM	228,4698 litre	1,266 %	17823,1216 litre	O
340	CM	130	CM	9 LEVEL CM	195,3017 litre	1,082 %	17856,2897 litre	O
340	CM	130	CM	8 LEVEL CM	163,8662 litre	0,908 %	17887,7252 litre	O
340	CM	130	CM	7 LEVEL CM	134,2803 litre	0,744 %	17917,3111 litre	O
340	CM	130	CM	6 LEVEL CM	106,6845 litre	0,591 %	17944,9069 litre	O
340	CM	130	CM	5 LEVEL CM	81,2527 litre	0,450 %	17970,3387 litre	O
340	CM	130	CM	4 LEVEL CM	58,2076 litre	0,322 %	17993,3838 litre	O
340	CM	130	CM	3 LEVEL CM	37,8510 litre	0,210 %	18013,7404 litre	O
340	CM	130	CM	2 LEVEL CM	20,6274 litre	0,114 %	18030,9640 litre	O
340	CM	130	CM	1 LEVEL CM	7,3013 litre	0,040 %	18044,2901 litre	O
340	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	18051,5914 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM	125	CM 250 LEVEL CM	16689,7110 litre	100,000 %	0,0000 litre	O
340	CM	125	CM 249 LEVEL CM	16682,5518 litre	99,957 %	7,1592 litre	O
340	CM	125	CM 248 LEVEL CM	16669,4860 litre	99,879 %	20,2250 litre	O
340	CM	125	CM 247 LEVEL CM	16652,6002 litre	99,778 %	37,1108 litre	O
340	CM	125	CM 246 LEVEL CM	16632,6444 litre	99,658 %	57,0666 litre	O
340	CM	125	CM 245 LEVEL CM	16610,0548 litre	99,523 %	79,6562 litre	O
340	CM	125	CM 244 LEVEL CM	16585,1276 litre	99,373 %	104,5834 litre	O
340	CM	125	CM 243 LEVEL CM	16558,0817 litre	99,211 %	131,6293 litre	O
340	CM	125	CM 242 LEVEL CM	16529,0875 litre	99,038 %	160,6235 litre	O
340	CM	125	CM 241 LEVEL CM	16498,2833 litre	98,853 %	191,4277 litre	O
340	CM	125	CM 240 LEVEL CM	16465,7840 litre	98,658 %	223,9270 litre	O
340	CM	125	CM 239 LEVEL CM	16431,6874 litre	98,454 %	258,0236 litre	O
340	CM	125	CM 238 LEVEL CM	16396,0780 litre	98,241 %	293,6330 litre	O
340	CM	125	CM 237 LEVEL CM	16359,0301 litre	98,019 %	330,6809 litre	O
340	CM	125	CM 236 LEVEL CM	16320,6096 litre	97,788 %	369,1014 litre	O
340	CM	125	CM 235 LEVEL CM	16280,8754 litre	97,550 %	408,8356 litre	O
340	CM	125	CM 234 LEVEL CM	16239,8810 litre	97,305 %	449,8300 litre	O
340	CM	125	CM 233 LEVEL CM	16197,6749 litre	97,052 %	492,0361 litre	O
340	CM	125	CM 232 LEVEL CM	16154,3016 litre	96,792 %	535,4094 litre	O
340	CM	125	CM 231 LEVEL CM	16109,8021 litre	96,525 %	579,9089 litre	O
340	CM	125	CM 230 LEVEL CM	16064,2144 litre	96,252 %	625,4966 litre	O
340	CM	125	CM 229 LEVEL CM	16017,5738 litre	95,973 %	672,1372 litre	O
340	CM	125	CM 228 LEVEL CM	15969,9132 litre	95,687 %	719,7978 litre	O
340	CM	125	CM 227 LEVEL CM	15921,2635 litre	95,396 %	768,4475 litre	O
340	CM	125	CM 226 LEVEL CM	15871,6537 litre	95,098 %	818,0573 litre	O
340	CM	125	CM 225 LEVEL CM	15821,1113 litre	94,796 %	868,5997 litre	O
340	CM	125	CM 224 LEVEL CM	15769,6621 litre	94,487 %	920,0489 litre	O
340	CM	125	CM 223 LEVEL CM	15717,3307 litre	94,174 %	972,3803 litre	O
340	CM	125	CM 222 LEVEL CM	15664,1404 litre	93,855 %	1025,5706 litre	O
340	CM	125	CM 221 LEVEL CM	15610,1134 litre	93,531 %	1079,5976 litre	O
340	CM	125	CM 220 LEVEL CM	15555,2708 litre	93,203 %	1134,4402 litre	O
340	CM	125	CM 219 LEVEL CM	15499,6330 litre	92,869 %	1190,0780 litre	O
340	CM	125	CM 218 LEVEL CM	15443,2194 litre	92,531 %	1246,4916 litre	O
340	CM	125	CM 217 LEVEL CM	15386,0486 litre	92,189 %	1303,6624 litre	O
340	CM	125	CM 216 LEVEL CM	15328,1384 litre	91,842 %	1361,5726 litre	O
340	CM	125	CM 215 LEVEL CM	15269,5061 litre	91,491 %	1420,2049 litre	O
340	CM	125	CM 214 LEVEL CM	15210,1682 litre	91,135 %	1479,5428 litre	O
340	CM	125	CM 213 LEVEL CM	15150,1408 litre	90,775 %	1539,5702 litre	O
340	CM	125	CM 212 LEVEL CM	15089,4393 litre	90,412 %	1600,2717 litre	O
340	CM	125	CM 211 LEVEL CM	15028,0786 litre	90,044 %	1661,6324 litre	O
340	CM	125	CM 210 LEVEL CM	14966,0732 litre	89,672 %	1723,6378 litre	O
340	CM	125	CM 209 LEVEL CM	14903,4372 litre	89,297 %	1786,2738 litre	O
340	CM	125	CM 208 LEVEL CM	14840,1840 litre	88,918 %	1849,5270 litre	O
340	CM	125	CM 207 LEVEL CM	14776,3270 litre	88,536 %	1913,3840 litre	O
340	CM	125	CM 206 LEVEL CM	14711,8789 litre	88,149 %	1977,8321 litre	O
340	CM	125	CM 205 LEVEL CM	14646,8522 litre	87,760 %	2042,8588 litre	O
340	CM	125	CM 204 LEVEL CM	14581,2591 litre	87,367 %	2108,4519 litre	O
340	CM	125	CM 203 LEVEL CM	14515,1115 litre	86,970 %	2174,5995 litre	O
340	CM	125	CM 202 LEVEL CM	14448,4208 litre	86,571 %	2241,2902 litre	O
340	CM	125	CM 201 LEVEL CM	14381,1983 litre	86,168 %	2308,5127 litre	O
340	CM	125	CM 200 LEVEL CM	14313,4551 litre	85,762 %	2376,2559 litre	O
340	CM	125	CM 199 LEVEL CM	14245,2019 litre	85,353 %	2444,5091 litre	O

340	CM	125	CM	198 LEVEL CM	14176,4491 litre	84,941 %	2513,2619 litre	O
340	CM	125	CM	197 LEVEL CM	14107,2072 litre	84,526 %	2582,5038 litre	O
340	CM	125	CM	196 LEVEL CM	14037,4860 litre	84,109 %	2652,2250 litre	O
340	CM	125	CM	195 LEVEL CM	13967,2956 litre	83,688 %	2722,4154 litre	O
340	CM	125	CM	194 LEVEL CM	13896,6455 litre	83,265 %	2793,0655 litre	O
340	CM	125	CM	193 LEVEL CM	13825,5452 litre	82,839 %	2864,1658 litre	O
340	CM	125	CM	192 LEVEL CM	13754,0040 litre	82,410 %	2935,7070 litre	O
340	CM	125	CM	191 LEVEL CM	13682,0311 litre	81,979 %	3007,6799 litre	O
340	CM	125	CM	190 LEVEL CM	13609,6355 litre	81,545 %	3080,0755 litre	O
340	CM	125	CM	189 LEVEL CM	13536,8258 litre	81,109 %	3152,8852 litre	O
340	CM	125	CM	188 LEVEL CM	13463,6108 litre	80,670 %	3226,1002 litre	O
340	CM	125	CM	187 LEVEL CM	13389,9990 litre	80,229 %	3299,7120 litre	O
340	CM	125	CM	186 LEVEL CM	13315,9987 litre	79,786 %	3373,7123 litre	O
340	CM	125	CM	185 LEVEL CM	13241,6183 litre	79,340 %	3448,0927 litre	O
340	CM	125	CM	184 LEVEL CM	13166,8658 litre	78,892 %	3522,8452 litre	O
340	CM	125	CM	183 LEVEL CM	13091,7492 litre	78,442 %	3597,9618 litre	O
340	CM	125	CM	182 LEVEL CM	13016,2764 litre	77,990 %	3673,4346 litre	O
340	CM	125	CM	181 LEVEL CM	12940,4552 litre	77,536 %	3749,2558 litre	O
340	CM	125	CM	180 LEVEL CM	12864,2932 litre	77,079 %	3825,4178 litre	O
340	CM	125	CM	179 LEVEL CM	12787,7981 litre	76,621 %	3901,9129 litre	O
340	CM	125	CM	178 LEVEL CM	12710,9772 litre	76,161 %	3978,7338 litre	O
340	CM	125	CM	177 LEVEL CM	12633,8379 litre	75,698 %	4055,8731 litre	O
340	CM	125	CM	176 LEVEL CM	12556,3876 litre	75,234 %	4133,3234 litre	O
340	CM	125	CM	175 LEVEL CM	12478,6334 litre	74,768 %	4211,0776 litre	O
340	CM	125	CM	174 LEVEL CM	12400,5824 litre	74,301 %	4289,1286 litre	O
340	CM	125	CM	173 LEVEL CM	12322,2416 litre	73,831 %	4367,4694 litre	O
340	CM	125	CM	172 LEVEL CM	12243,6181 litre	73,360 %	4446,0929 litre	O
340	CM	125	CM	171 LEVEL CM	12164,7186 litre	72,888 %	4524,9924 litre	O
340	CM	125	CM	170 LEVEL CM	12085,5499 litre	72,413 %	4604,1611 litre	O
340	CM	125	CM	169 LEVEL CM	12006,1189 litre	71,937 %	4683,5921 litre	O
340	CM	125	CM	168 LEVEL CM	11926,4322 litre	71,460 %	4763,2788 litre	O
340	CM	125	CM	167 LEVEL CM	11846,4963 litre	70,981 %	4843,2147 litre	O
340	CM	125	CM	166 LEVEL CM	11766,3178 litre	70,500 %	4923,3932 litre	O
340	CM	125	CM	165 LEVEL CM	11685,9032 litre	70,019 %	5003,8078 litre	O
340	CM	125	CM	164 LEVEL CM	11605,2589 litre	69,535 %	5084,4521 litre	O
340	CM	125	CM	163 LEVEL CM	11524,3914 litre	69,051 %	5165,3196 litre	O
340	CM	125	CM	162 LEVEL CM	11443,3068 litre	68,565 %	5246,4042 litre	O
340	CM	125	CM	161 LEVEL CM	11362,0115 litre	68,078 %	5327,6995 litre	O
340	CM	125	CM	160 LEVEL CM	11280,5117 litre	67,590 %	5409,1993 litre	O
340	CM	125	CM	159 LEVEL CM	11198,8135 litre	67,100 %	5490,8975 litre	O
340	CM	125	CM	158 LEVEL CM	11116,9232 litre	66,609 %	5572,7878 litre	O
340	CM	125	CM	157 LEVEL CM	11034,8467 litre	66,118 %	5654,8643 litre	O
340	CM	125	CM	156 LEVEL CM	10952,5901 litre	65,625 %	5737,1209 litre	O
340	CM	125	CM	155 LEVEL CM	10870,1595 litre	65,131 %	5819,5515 litre	O
340	CM	125	CM	154 LEVEL CM	10787,5607 litre	64,636 %	5902,1503 litre	O
340	CM	125	CM	153 LEVEL CM	10704,7998 litre	64,140 %	5984,9112 litre	O
340	CM	125	CM	152 LEVEL CM	10621,8825 litre	63,643 %	6067,8285 litre	O
340	CM	125	CM	151 LEVEL CM	10538,8149 litre	63,146 %	6150,8961 litre	O
340	CM	125	CM	150 LEVEL CM	10455,6026 litre	62,647 %	6234,1084 litre	O
340	CM	125	CM	149 LEVEL CM	10372,2515 litre	62,148 %	6317,4595 litre	O
340	CM	125	CM	148 LEVEL CM	10288,7674 litre	61,647 %	6400,9436 litre	O
340	CM	125	CM	147 LEVEL CM	10205,1559 litre	61,146 %	6484,5551 litre	O
340	CM	125	CM	146 LEVEL CM	10121,4229 litre	60,645 %	6568,2881 litre	O

340	CM	125	CM	145 LEVEL CM	10037,5740 litre	60,142 %	6652,1370 litre	O
340	CM	125	CM	144 LEVEL CM	9953,6149 litre	59,639 %	6736,0961 litre	O
340	CM	125	CM	143 LEVEL CM	9869,5512 litre	59,136 %	6820,1598 litre	O
340	CM	125	CM	142 LEVEL CM	9785,3886 litre	58,631 %	6904,3224 litre	O
340	CM	125	CM	141 LEVEL CM	9701,1326 litre	58,126 %	6988,5784 litre	O
340	CM	125	CM	140 LEVEL CM	9616,7888 litre	57,621 %	7072,9222 litre	O
340	CM	125	CM	139 LEVEL CM	9532,3629 litre	57,115 %	7157,3481 litre	O
340	CM	125	CM	138 LEVEL CM	9447,8603 litre	56,609 %	7241,8507 litre	O
340	CM	125	CM	137 LEVEL CM	9363,2866 litre	56,102 %	7326,4244 litre	O
340	CM	125	CM	136 LEVEL CM	9278,6473 litre	55,595 %	7411,0637 litre	O
340	CM	125	CM	135 LEVEL CM	9193,9479 litre	55,088 %	7495,7631 litre	O
340	CM	125	CM	134 LEVEL CM	9109,1940 litre	54,580 %	7580,5170 litre	O
340	CM	125	CM	133 LEVEL CM	9024,3910 litre	54,072 %	7665,3200 litre	O
340	CM	125	CM	132 LEVEL CM	8939,5444 litre	53,563 %	7750,1666 litre	O
340	CM	125	CM	131 LEVEL CM	8854,6596 litre	53,055 %	7835,0514 litre	O
340	CM	125	CM	130 LEVEL CM	8769,7421 litre	52,546 %	7919,9689 litre	O
340	CM	125	CM	129 LEVEL CM	8684,7975 litre	52,037 %	8004,9135 litre	O
340	CM	125	CM	128 LEVEL CM	8599,8310 litre	51,528 %	8089,8800 litre	O
340	CM	125	CM	127 LEVEL CM	8514,8482 litre	51,019 %	8174,8628 litre	O
340	CM	125	CM	126 LEVEL CM	8429,8546 litre	50,509 %	8259,8564 litre	O
340	CM	125	CM	125 LEVEL CM	8344,8555 litre	50,000 %	8344,8555 litre	O
340	CM	125	CM	124 LEVEL CM	8259,8564 litre	49,491 %	8429,8546 litre	O
340	CM	125	CM	123 LEVEL CM	8174,8627 litre	48,981 %	8514,8483 litre	O
340	CM	125	CM	122 LEVEL CM	8089,8800 litre	48,472 %	8599,8310 litre	O
340	CM	125	CM	121 LEVEL CM	8004,9135 litre	47,963 %	8684,7975 litre	O
340	CM	125	CM	120 LEVEL CM	7919,9688 litre	47,454 %	8769,7422 litre	O
340	CM	125	CM	119 LEVEL CM	7835,0514 litre	46,945 %	8854,6596 litre	O
340	CM	125	CM	118 LEVEL CM	7750,1666 litre	46,437 %	8939,5444 litre	O
340	CM	125	CM	117 LEVEL CM	7665,3200 litre	45,928 %	9024,3910 litre	O
340	CM	125	CM	116 LEVEL CM	7580,5170 litre	45,420 %	9109,1940 litre	O
340	CM	125	CM	115 LEVEL CM	7495,7630 litre	44,912 %	9193,9480 litre	O
340	CM	125	CM	114 LEVEL CM	7411,0637 litre	44,405 %	9278,6473 litre	O
340	CM	125	CM	113 LEVEL CM	7326,4244 litre	43,898 %	9363,2866 litre	O
340	CM	125	CM	112 LEVEL CM	7241,8507 litre	43,391 %	9447,8603 litre	O
340	CM	125	CM	111 LEVEL CM	7157,3481 litre	42,885 %	9532,3629 litre	O
340	CM	125	CM	110 LEVEL CM	7072,9221 litre	42,379 %	9616,7889 litre	O
340	CM	125	CM	109 LEVEL CM	6988,5784 litre	41,874 %	9701,1326 litre	O
340	CM	125	CM	108 LEVEL CM	6904,3224 litre	41,369 %	9785,3886 litre	O
340	CM	125	CM	107 LEVEL CM	6820,1597 litre	40,864 %	9869,5513 litre	O
340	CM	125	CM	106 LEVEL CM	6736,0960 litre	40,361 %	9953,6150 litre	O
340	CM	125	CM	105 LEVEL CM	6652,1369 litre	39,858 %	10037,5741 litre	O
340	CM	125	CM	104 LEVEL CM	6568,2880 litre	39,355 %	10121,4230 litre	O
340	CM	125	CM	103 LEVEL CM	6484,5550 litre	38,854 %	10205,1560 litre	O
340	CM	125	CM	102 LEVEL CM	6400,9436 litre	38,353 %	10288,7674 litre	O
340	CM	125	CM	101 LEVEL CM	6317,4595 litre	37,852 %	10372,2515 litre	O
340	CM	125	CM	100 LEVEL CM	6234,1084 litre	37,353 %	10455,6026 litre	O
340	CM	125	CM	99 LEVEL CM	6150,8961 litre	36,854 %	10538,8149 litre	O
340	CM	125	CM	98 LEVEL CM	6067,8284 litre	36,357 %	10621,8826 litre	O
340	CM	125	CM	97 LEVEL CM	5984,9112 litre	35,860 %	10704,7998 litre	O
340	CM	125	CM	96 LEVEL CM	5902,1502 litre	35,364 %	10787,5608 litre	O
340	CM	125	CM	95 LEVEL CM	5819,5515 litre	34,869 %	10870,1595 litre	O
340	CM	125	CM	94 LEVEL CM	5737,1208 litre	34,375 %	10952,5902 litre	O
340	CM	125	CM	93 LEVEL CM	5654,8643 litre	33,882 %	11034,8467 litre	O

340	CM	125	CM	92 LEVEL CM	5572,7878 litre	33,391 %	11116,9232 litre	O
340	CM	125	CM	91 LEVEL CM	5490,8974 litre	32,900 %	11198,8136 litre	O
340	CM	125	CM	90 LEVEL CM	5409,1993 litre	32,410 %	11280,5117 litre	O
340	CM	125	CM	89 LEVEL CM	5327,6995 litre	31,922 %	11362,0115 litre	O
340	CM	125	CM	88 LEVEL CM	5246,4042 litre	31,435 %	11443,3068 litre	O
340	CM	125	CM	87 LEVEL CM	5165,3196 litre	30,949 %	11524,3914 litre	O
340	CM	125	CM	86 LEVEL CM	5084,4520 litre	30,465 %	11605,2590 litre	O
340	CM	125	CM	85 LEVEL CM	5003,8078 litre	29,981 %	11685,9032 litre	O
340	CM	125	CM	84 LEVEL CM	4923,3932 litre	29,500 %	11766,3178 litre	O
340	CM	125	CM	83 LEVEL CM	4843,2147 litre	29,019 %	11846,4963 litre	O
340	CM	125	CM	82 LEVEL CM	4763,2788 litre	28,540 %	11926,4322 litre	O
340	CM	125	CM	81 LEVEL CM	4683,5921 litre	28,063 %	12006,1189 litre	O
340	CM	125	CM	80 LEVEL CM	4604,1610 litre	27,587 %	12085,5500 litre	O
340	CM	125	CM	79 LEVEL CM	4524,9924 litre	27,112 %	12164,7186 litre	O
340	CM	125	CM	78 LEVEL CM	4446,0929 litre	26,640 %	12243,6181 litre	O
340	CM	125	CM	77 LEVEL CM	4367,4693 litre	26,169 %	12322,2417 litre	O
340	CM	125	CM	76 LEVEL CM	4289,1286 litre	25,699 %	12400,5824 litre	O
340	CM	125	CM	75 LEVEL CM	4211,0776 litre	25,232 %	12478,6334 litre	O
340	CM	125	CM	74 LEVEL CM	4133,3234 litre	24,766 %	12556,3876 litre	O
340	CM	125	CM	73 LEVEL CM	4055,8730 litre	24,302 %	12633,8380 litre	O
340	CM	125	CM	72 LEVEL CM	3978,7338 litre	23,839 %	12710,9772 litre	O
340	CM	125	CM	71 LEVEL CM	3901,9129 litre	23,379 %	12787,7981 litre	O
340	CM	125	CM	70 LEVEL CM	3825,4177 litre	22,921 %	12864,2933 litre	O
340	CM	125	CM	69 LEVEL CM	3749,2558 litre	22,464 %	12940,4552 litre	O
340	CM	125	CM	68 LEVEL CM	3673,4346 litre	22,010 %	13016,2764 litre	O
340	CM	125	CM	67 LEVEL CM	3597,9618 litre	21,558 %	13091,7492 litre	O
340	CM	125	CM	66 LEVEL CM	3522,8452 litre	21,108 %	13166,8658 litre	O
340	CM	125	CM	65 LEVEL CM	3448,0927 litre	20,660 %	13241,6183 litre	O
340	CM	125	CM	64 LEVEL CM	3373,7122 litre	20,214 %	13315,9988 litre	O
340	CM	125	CM	63 LEVEL CM	3299,7120 litre	19,771 %	13389,9990 litre	O
340	CM	125	CM	62 LEVEL CM	3226,1002 litre	19,330 %	13463,6108 litre	O
340	CM	125	CM	61 LEVEL CM	3152,8852 litre	18,891 %	13536,8258 litre	O
340	CM	125	CM	60 LEVEL CM	3080,0755 litre	18,455 %	13609,6355 litre	O
340	CM	125	CM	59 LEVEL CM	3007,6798 litre	18,021 %	13682,0312 litre	O
340	CM	125	CM	58 LEVEL CM	2935,7069 litre	17,590 %	13754,0041 litre	O
340	CM	125	CM	57 LEVEL CM	2864,1658 litre	17,161 %	13825,5452 litre	O
340	CM	125	CM	56 LEVEL CM	2793,0655 litre	16,735 %	13896,6455 litre	O
340	CM	125	CM	55 LEVEL CM	2722,4154 litre	16,312 %	13967,2956 litre	O
340	CM	125	CM	54 LEVEL CM	2652,2250 litre	15,891 %	14037,4860 litre	O
340	CM	125	CM	53 LEVEL CM	2582,5038 litre	15,474 %	14107,2072 litre	O
340	CM	125	CM	52 LEVEL CM	2513,2618 litre	15,059 %	14176,4492 litre	O
340	CM	125	CM	51 LEVEL CM	2444,5091 litre	14,647 %	14245,2019 litre	O
340	CM	125	CM	50 LEVEL CM	2376,2558 litre	14,238 %	14313,4552 litre	O
340	CM	125	CM	49 LEVEL CM	2308,5126 litre	13,832 %	14381,1984 litre	O
340	CM	125	CM	48 LEVEL CM	2241,2902 litre	13,429 %	14448,4208 litre	O
340	CM	125	CM	47 LEVEL CM	2174,5995 litre	13,030 %	14515,1115 litre	O
340	CM	125	CM	46 LEVEL CM	2108,4518 litre	12,633 %	14581,2592 litre	O
340	CM	125	CM	45 LEVEL CM	2042,8588 litre	12,240 %	14646,8522 litre	O
340	CM	125	CM	44 LEVEL CM	1977,8321 litre	11,851 %	14711,8789 litre	O
340	CM	125	CM	43 LEVEL CM	1913,3840 litre	11,464 %	14776,3270 litre	O
340	CM	125	CM	42 LEVEL CM	1849,5270 litre	11,082 %	14840,1840 litre	O
340	CM	125	CM	41 LEVEL CM	1786,2738 litre	10,703 %	14903,4372 litre	O
340	CM	125	CM	40 LEVEL CM	1723,6377 litre	10,328 %	14966,0733 litre	O

340	CM	125	CM	39 LEVEL CM	1661,6324 litre	9,956 %	15028,0786 litre	O
340	CM	125	CM	38 LEVEL CM	1600,2717 litre	9,588 %	15089,4393 litre	O
340	CM	125	CM	37 LEVEL CM	1539,5701 litre	9,225 %	15150,1409 litre	O
340	CM	125	CM	36 LEVEL CM	1479,5427 litre	8,865 %	15210,1683 litre	O
340	CM	125	CM	35 LEVEL CM	1420,2049 litre	8,509 %	15269,5061 litre	O
340	CM	125	CM	34 LEVEL CM	1361,5726 litre	8,158 %	15328,1384 litre	O
340	CM	125	CM	33 LEVEL CM	1303,6624 litre	7,811 %	15386,0486 litre	O
340	CM	125	CM	32 LEVEL CM	1246,4916 litre	7,469 %	15443,2194 litre	O
340	CM	125	CM	31 LEVEL CM	1190,0779 litre	7,131 %	15499,6331 litre	O
340	CM	125	CM	30 LEVEL CM	1134,4402 litre	6,797 %	15555,2708 litre	O
340	CM	125	CM	29 LEVEL CM	1079,5976 litre	6,469 %	15610,1134 litre	O
340	CM	125	CM	28 LEVEL CM	1025,5706 litre	6,145 %	15664,1404 litre	O
340	CM	125	CM	27 LEVEL CM	972,3803 litre	5,826 %	15717,3307 litre	O
340	CM	125	CM	26 LEVEL CM	920,0488 litre	5,513 %	15769,6622 litre	O
340	CM	125	CM	25 LEVEL CM	868,5996 litre	5,204 %	15821,1114 litre	O
340	CM	125	CM	24 LEVEL CM	818,0572 litre	4,902 %	15871,6538 litre	O
340	CM	125	CM	23 LEVEL CM	768,4475 litre	4,604 %	15921,2635 litre	O
340	CM	125	CM	22 LEVEL CM	719,7978 litre	4,313 %	15969,9132 litre	O
340	CM	125	CM	21 LEVEL CM	672,1372 litre	4,027 %	16017,5738 litre	O
340	CM	125	CM	20 LEVEL CM	625,4966 litre	3,748 %	16064,2144 litre	O
340	CM	125	CM	19 LEVEL CM	579,9089 litre	3,475 %	16109,8021 litre	O
340	CM	125	CM	18 LEVEL CM	535,4094 litre	3,208 %	16154,3016 litre	O
340	CM	125	CM	17 LEVEL CM	492,0361 litre	2,948 %	16197,6749 litre	O
340	CM	125	CM	16 LEVEL CM	449,8300 litre	2,695 %	16239,8810 litre	O
340	CM	125	CM	15 LEVEL CM	408,8356 litre	2,450 %	16280,8754 litre	O
340	CM	125	CM	14 LEVEL CM	369,1014 litre	2,212 %	16320,6096 litre	O
340	CM	125	CM	13 LEVEL CM	330,6809 litre	1,981 %	16359,0301 litre	O
340	CM	125	CM	12 LEVEL CM	293,6330 litre	1,759 %	16396,0780 litre	O
340	CM	125	CM	11 LEVEL CM	258,0236 litre	1,546 %	16431,6874 litre	O
340	CM	125	CM	10 LEVEL CM	223,9269 litre	1,342 %	16465,7841 litre	O
340	CM	125	CM	9 LEVEL CM	191,4276 litre	1,147 %	16498,2834 litre	O
340	CM	125	CM	8 LEVEL CM	160,6234 litre	0,962 %	16529,0876 litre	O
340	CM	125	CM	7 LEVEL CM	131,6293 litre	0,789 %	16558,0817 litre	O
340	CM	125	CM	6 LEVEL CM	104,5834 litre	0,627 %	16585,1276 litre	O
340	CM	125	CM	5 LEVEL CM	79,6562 litre	0,477 %	16610,0548 litre	O
340	CM	125	CM	4 LEVEL CM	57,0666 litre	0,342 %	16632,6444 litre	O
340	CM	125	CM	3 LEVEL CM	37,1108 litre	0,222 %	16652,6002 litre	O
340	CM	125	CM	2 LEVEL CM	20,2250 litre	0,121 %	16669,4860 litre	O
340	CM	125	CM	1 LEVEL CM	7,1592 litre	0,043 %	16682,5518 litre	O
340	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	16689,7110 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 120	CM 240 LEVEL CM	15381,2376 litre	100,000 %	0,0000 litre	O
340	CM 120	CM 239 LEVEL CM	15374,2234 litre	99,954 %	7,0142 litre	O
340	CM 120	CM 238 LEVEL CM	15361,4233 litre	99,871 %	19,8143 litre	O
340	CM 120	CM 237 LEVEL CM	15344,8822 litre	99,764 %	36,3554 litre	O
340	CM 120	CM 236 LEVEL CM	15325,3353 litre	99,637 %	55,9023 litre	O
340	CM 120	CM 235 LEVEL CM	15303,2106 litre	99,493 %	78,0270 litre	O
340	CM 120	CM 234 LEVEL CM	15278,7985 litre	99,334 %	102,4391 litre	O
340	CM 120	CM 233 LEVEL CM	15252,3138 litre	99,162 %	128,9238 litre	O
340	CM 120	CM 232 LEVEL CM	15223,9238 litre	98,977 %	157,3138 litre	O
340	CM 120	CM 231 LEVEL CM	15193,7641 litre	98,781 %	187,4735 litre	O
340	CM 120	CM 230 LEVEL CM	15161,9476 litre	98,574 %	219,2900 litre	O
340	CM 120	CM 229 LEVEL CM	15128,5704 litre	98,357 %	252,6672 litre	O
340	CM 120	CM 228 LEVEL CM	15093,7156 litre	98,131 %	287,5220 litre	O
340	CM 120	CM 227 LEVEL CM	15057,4560 litre	97,895 %	323,7816 litre	O
340	CM 120	CM 226 LEVEL CM	15019,8565 litre	97,651 %	361,3811 litre	O
340	CM 120	CM 225 LEVEL CM	14980,9752 litre	97,398 %	400,2624 litre	O
340	CM 120	CM 224 LEVEL CM	14940,8643 litre	97,137 %	440,3733 litre	O
340	CM 120	CM 223 LEVEL CM	14899,5719 litre	96,868 %	481,6657 litre	O
340	CM 120	CM 222 LEVEL CM	14857,1416 litre	96,593 %	524,0960 litre	O
340	CM 120	CM 221 LEVEL CM	14813,6139 litre	96,310 %	567,6237 litre	O
340	CM 120	CM 220 LEVEL CM	14769,0261 litre	96,020 %	612,2115 litre	O
340	CM 120	CM 219 LEVEL CM	14723,4129 litre	95,723 %	657,8247 litre	O
340	CM 120	CM 218 LEVEL CM	14676,8069 litre	95,420 %	704,4307 litre	O
340	CM 120	CM 217 LEVEL CM	14629,2384 litre	95,111 %	751,9992 litre	O
340	CM 120	CM 216 LEVEL CM	14580,7362 litre	94,796 %	800,5014 litre	O
340	CM 120	CM 215 LEVEL CM	14531,3272 litre	94,474 %	849,9104 litre	O
340	CM 120	CM 214 LEVEL CM	14481,0369 litre	94,147 %	900,2007 litre	O
340	CM 120	CM 213 LEVEL CM	14429,8896 litre	93,815 %	951,3480 litre	O
340	CM 120	CM 212 LEVEL CM	14377,9083 litre	93,477 %	1003,3293 litre	O
340	CM 120	CM 211 LEVEL CM	14325,1150 litre	93,134 %	1056,1226 litre	O
340	CM 120	CM 210 LEVEL CM	14271,5305 litre	92,785 %	1109,7071 litre	O
340	CM 120	CM 209 LEVEL CM	14217,1748 litre	92,432 %	1164,0628 litre	O
340	CM 120	CM 208 LEVEL CM	14162,0673 litre	92,074 %	1219,1703 litre	O
340	CM 120	CM 207 LEVEL CM	14106,2262 litre	91,711 %	1275,0114 litre	O
340	CM 120	CM 206 LEVEL CM	14049,6692 litre	91,343 %	1331,5684 litre	O
340	CM 120	CM 205 LEVEL CM	13992,4135 litre	90,971 %	1388,8241 litre	O
340	CM 120	CM 204 LEVEL CM	13934,4753 litre	90,594 %	1446,7623 litre	O
340	CM 120	CM 203 LEVEL CM	13875,8706 litre	90,213 %	1505,3670 litre	O
340	CM 120	CM 202 LEVEL CM	13816,6145 litre	89,828 %	1564,6231 litre	O
340	CM 120	CM 201 LEVEL CM	13756,7220 litre	89,438 %	1624,5156 litre	O
340	CM 120	CM 200 LEVEL CM	13696,2074 litre	89,045 %	1685,0302 litre	O
340	CM 120	CM 199 LEVEL CM	13635,0845 litre	88,648 %	1746,1531 litre	O
340	CM 120	CM 198 LEVEL CM	13573,3668 litre	88,246 %	1807,8708 litre	O
340	CM 120	CM 197 LEVEL CM	13511,0675 litre	87,841 %	1870,1701 litre	O
340	CM 120	CM 196 LEVEL CM	13448,1993 litre	87,432 %	1933,0383 litre	O
340	CM 120	CM 195 LEVEL CM	13384,7745 litre	87,020 %	1996,4631 litre	O
340	CM 120	CM 194 LEVEL CM	13320,8053 litre	86,604 %	2060,4323 litre	O
340	CM 120	CM 193 LEVEL CM	13256,3034 litre	86,185 %	2124,9342 litre	O
340	CM 120	CM 192 LEVEL CM	13191,2802 litre	85,762 %	2189,9574 litre	O
340	CM 120	CM 191 LEVEL CM	13125,7471 litre	85,336 %	2255,4905 litre	O
340	CM 120	CM 190 LEVEL CM	13059,7148 litre	84,907 %	2321,5228 litre	O
340	CM 120	CM 189 LEVEL CM	12993,1942 litre	84,474 %	2388,0434 litre	O

340	CM	120	CM	188 LEVEL CM	12926,1956 litre	84,039 %	2455,0420 litre	O
340	CM	120	CM	187 LEVEL CM	12858,7294 litre	83,600 %	2522,5082 litre	O
340	CM	120	CM	186 LEVEL CM	12790,8055 litre	83,158 %	2590,4321 litre	O
340	CM	120	CM	185 LEVEL CM	12722,4338 litre	82,714 %	2658,8038 litre	O
340	CM	120	CM	184 LEVEL CM	12653,6238 litre	82,267 %	2727,6138 litre	O
340	CM	120	CM	183 LEVEL CM	12584,3852 litre	81,816 %	2796,8524 litre	O
340	CM	120	CM	182 LEVEL CM	12514,7270 litre	81,364 %	2866,5106 litre	O
340	CM	120	CM	181 LEVEL CM	12444,6585 litre	80,908 %	2936,5791 litre	O
340	CM	120	CM	180 LEVEL CM	12374,1886 litre	80,450 %	3007,0490 litre	O
340	CM	120	CM	179 LEVEL CM	12303,3261 litre	79,989 %	3077,9115 litre	O
340	CM	120	CM	178 LEVEL CM	12232,0796 litre	79,526 %	3149,1580 litre	O
340	CM	120	CM	177 LEVEL CM	12160,4577 litre	79,060 %	3220,7799 litre	O
340	CM	120	CM	176 LEVEL CM	12088,4687 litre	78,592 %	3292,7689 litre	O
340	CM	120	CM	175 LEVEL CM	12016,1209 litre	78,122 %	3365,1167 litre	O
340	CM	120	CM	174 LEVEL CM	11943,4224 litre	77,649 %	3437,8152 litre	O
340	CM	120	CM	173 LEVEL CM	11870,3813 litre	77,174 %	3510,8563 litre	O
340	CM	120	CM	172 LEVEL CM	11797,0054 litre	76,697 %	3584,2322 litre	O
340	CM	120	CM	171 LEVEL CM	11723,3025 litre	76,218 %	3657,9351 litre	O
340	CM	120	CM	170 LEVEL CM	11649,2804 litre	75,737 %	3731,9572 litre	O
340	CM	120	CM	169 LEVEL CM	11574,9466 litre	75,254 %	3806,2910 litre	O
340	CM	120	CM	168 LEVEL CM	11500,3085 litre	74,768 %	3880,9291 litre	O
340	CM	120	CM	167 LEVEL CM	11425,3737 litre	74,281 %	3955,8639 litre	O
340	CM	120	CM	166 LEVEL CM	11350,1495 litre	73,792 %	4031,0881 litre	O
340	CM	120	CM	165 LEVEL CM	11274,6430 litre	73,301 %	4106,5946 litre	O
340	CM	120	CM	164 LEVEL CM	11198,8614 litre	72,809 %	4182,3762 litre	O
340	CM	120	CM	163 LEVEL CM	11122,8118 litre	72,314 %	4258,4258 litre	O
340	CM	120	CM	162 LEVEL CM	11046,5012 litre	71,818 %	4334,7364 litre	O
340	CM	120	CM	161 LEVEL CM	10969,9366 litre	71,320 %	4411,3010 litre	O
340	CM	120	CM	160 LEVEL CM	10893,1247 litre	70,821 %	4488,1129 litre	O
340	CM	120	CM	159 LEVEL CM	10816,0724 litre	70,320 %	4565,1652 litre	O
340	CM	120	CM	158 LEVEL CM	10738,7864 litre	69,817 %	4642,4512 litre	O
340	CM	120	CM	157 LEVEL CM	10661,2734 litre	69,313 %	4719,9642 litre	O
340	CM	120	CM	156 LEVEL CM	10583,5399 litre	68,808 %	4797,6977 litre	O
340	CM	120	CM	155 LEVEL CM	10505,5927 litre	68,301 %	4875,6449 litre	O
340	CM	120	CM	154 LEVEL CM	10427,4380 litre	67,793 %	4953,7996 litre	O
340	CM	120	CM	153 LEVEL CM	10349,0825 litre	67,284 %	5032,1551 litre	O
340	CM	120	CM	152 LEVEL CM	10270,5325 litre	66,773 %	5110,7051 litre	O
340	CM	120	CM	151 LEVEL CM	10191,7943 litre	66,261 %	5189,4433 litre	O
340	CM	120	CM	150 LEVEL CM	10112,8742 litre	65,748 %	5268,3634 litre	O
340	CM	120	CM	149 LEVEL CM	10033,7786 litre	65,234 %	5347,4590 litre	O
340	CM	120	CM	148 LEVEL CM	9954,5137 litre	64,719 %	5426,7239 litre	O
340	CM	120	CM	147 LEVEL CM	9875,0855 litre	64,202 %	5506,1521 litre	O
340	CM	120	CM	146 LEVEL CM	9795,5004 litre	63,685 %	5585,7372 litre	O
340	CM	120	CM	145 LEVEL CM	9715,7643 litre	63,166 %	5665,4733 litre	O
340	CM	120	CM	144 LEVEL CM	9635,8833 litre	62,647 %	5745,3543 litre	O
340	CM	120	CM	143 LEVEL CM	9555,8636 litre	62,127 %	5825,3740 litre	O
340	CM	120	CM	142 LEVEL CM	9475,7111 litre	61,606 %	5905,5265 litre	O
340	CM	120	CM	141 LEVEL CM	9395,4317 litre	61,084 %	5985,8059 litre	O
340	CM	120	CM	140 LEVEL CM	9315,0315 litre	60,561 %	6066,2061 litre	O
340	CM	120	CM	139 LEVEL CM	9234,5163 litre	60,038 %	6146,7213 litre	O
340	CM	120	CM	138 LEVEL CM	9153,8921 litre	59,513 %	6227,3455 litre	O
340	CM	120	CM	137 LEVEL CM	9073,1647 litre	58,989 %	6308,0729 litre	O
340	CM	120	CM	136 LEVEL CM	8992,3400 litre	58,463 %	6388,8976 litre	O

340	CM	120	CM	135 LEVEL CM	8911,4238 litre	57,937 %	6469,8138 litre	O
340	CM	120	CM	134 LEVEL CM	8830,4219 litre	57,410 %	6550,8157 litre	O
340	CM	120	CM	133 LEVEL CM	8749,3402 litre	56,883 %	6631,8974 litre	O
340	CM	120	CM	132 LEVEL CM	8668,1844 litre	56,356 %	6713,0532 litre	O
340	CM	120	CM	131 LEVEL CM	8586,9602 litre	55,827 %	6794,2774 litre	O
340	CM	120	CM	130 LEVEL CM	8505,6734 litre	55,299 %	6875,5642 litre	O
340	CM	120	CM	129 LEVEL CM	8424,3297 litre	54,770 %	6956,9079 litre	O
340	CM	120	CM	128 LEVEL CM	8342,9349 litre	54,241 %	7038,3027 litre	O
340	CM	120	CM	127 LEVEL CM	8261,4947 litre	53,712 %	7119,7429 litre	O
340	CM	120	CM	126 LEVEL CM	8180,0147 litre	53,182 %	7201,2229 litre	O
340	CM	120	CM	125 LEVEL CM	8098,5007 litre	52,652 %	7282,7369 litre	O
340	CM	120	CM	124 LEVEL CM	8016,9584 litre	52,122 %	7364,2792 litre	O
340	CM	120	CM	123 LEVEL CM	7935,3933 litre	51,591 %	7445,8443 litre	O
340	CM	120	CM	122 LEVEL CM	7853,8113 litre	51,061 %	7527,4263 litre	O
340	CM	120	CM	121 LEVEL CM	7772,2179 litre	50,531 %	7609,0197 litre	O
340	CM	120	CM	120 LEVEL CM	7690,6188 litre	50,000 %	7690,6188 litre	O
340	CM	120	CM	119 LEVEL CM	7609,0198 litre	49,469 %	7772,2178 litre	O
340	CM	120	CM	118 LEVEL CM	7527,4264 litre	48,939 %	7853,8112 litre	O
340	CM	120	CM	117 LEVEL CM	7445,8443 litre	48,409 %	7935,3933 litre	O
340	CM	120	CM	116 LEVEL CM	7364,2793 litre	47,878 %	8016,9583 litre	O
340	CM	120	CM	115 LEVEL CM	7282,7369 litre	47,348 %	8098,5007 litre	O
340	CM	120	CM	114 LEVEL CM	7201,2229 litre	46,818 %	8180,0147 litre	O
340	CM	120	CM	113 LEVEL CM	7119,7429 litre	46,288 %	8261,4947 litre	O
340	CM	120	CM	112 LEVEL CM	7038,3027 litre	45,759 %	8342,9349 litre	O
340	CM	120	CM	111 LEVEL CM	6956,9079 litre	45,230 %	8424,3297 litre	O
340	CM	120	CM	110 LEVEL CM	6875,5642 litre	44,701 %	8505,6734 litre	O
340	CM	120	CM	109 LEVEL CM	6794,2775 litre	44,173 %	8586,9601 litre	O
340	CM	120	CM	108 LEVEL CM	6713,0533 litre	43,644 %	8668,1843 litre	O
340	CM	120	CM	107 LEVEL CM	6631,8974 litre	43,117 %	8749,3402 litre	O
340	CM	120	CM	106 LEVEL CM	6550,8157 litre	42,590 %	8830,4219 litre	O
340	CM	120	CM	105 LEVEL CM	6469,8138 litre	42,063 %	8911,4238 litre	O
340	CM	120	CM	104 LEVEL CM	6388,8976 litre	41,537 %	8992,3400 litre	O
340	CM	120	CM	103 LEVEL CM	6308,0729 litre	41,011 %	9073,1647 litre	O
340	CM	120	CM	102 LEVEL CM	6227,3456 litre	40,487 %	9153,8920 litre	O
340	CM	120	CM	101 LEVEL CM	6146,7213 litre	39,962 %	9234,5163 litre	O
340	CM	120	CM	100 LEVEL CM	6066,2062 litre	39,439 %	9315,0314 litre	O
340	CM	120	CM	99 LEVEL CM	5985,8059 litre	38,916 %	9395,4317 litre	O
340	CM	120	CM	98 LEVEL CM	5905,5266 litre	38,394 %	9475,7110 litre	O
340	CM	120	CM	97 LEVEL CM	5825,3740 litre	37,873 %	9555,8636 litre	O
340	CM	120	CM	96 LEVEL CM	5745,3543 litre	37,353 %	9635,8833 litre	O
340	CM	120	CM	95 LEVEL CM	5665,4734 litre	36,834 %	9715,7642 litre	O
340	CM	120	CM	94 LEVEL CM	5585,7373 litre	36,315 %	9795,5003 litre	O
340	CM	120	CM	93 LEVEL CM	5506,1521 litre	35,798 %	9875,0855 litre	O
340	CM	120	CM	92 LEVEL CM	5426,7240 litre	35,281 %	9954,5136 litre	O
340	CM	120	CM	91 LEVEL CM	5347,4590 litre	34,766 %	10033,7786 litre	O
340	CM	120	CM	90 LEVEL CM	5268,3634 litre	34,252 %	10112,8742 litre	O
340	CM	120	CM	89 LEVEL CM	5189,4434 litre	33,739 %	10191,7942 litre	O
340	CM	120	CM	88 LEVEL CM	5110,7052 litre	33,227 %	10270,5324 litre	O
340	CM	120	CM	87 LEVEL CM	5032,1551 litre	32,716 %	10349,0825 litre	O
340	CM	120	CM	86 LEVEL CM	4953,7996 litre	32,207 %	10427,4380 litre	O
340	CM	120	CM	85 LEVEL CM	4875,6450 litre	31,699 %	10505,5926 litre	O
340	CM	120	CM	84 LEVEL CM	4797,6977 litre	31,192 %	10583,5399 litre	O
340	CM	120	CM	83 LEVEL CM	4719,9643 litre	30,687 %	10661,2733 litre	O

340	CM	120	CM	82 LEVEL CM	4642,4512 litre	30,183 %	10738,7864 litre	O
340	CM	120	CM	81 LEVEL CM	4565,1653 litre	29,680 %	10816,0723 litre	O
340	CM	120	CM	80 LEVEL CM	4488,1130 litre	29,179 %	10893,1246 litre	O
340	CM	120	CM	79 LEVEL CM	4411,3011 litre	28,680 %	10969,9365 litre	O
340	CM	120	CM	78 LEVEL CM	4334,7364 litre	28,182 %	11046,5012 litre	O
340	CM	120	CM	77 LEVEL CM	4258,4258 litre	27,686 %	11122,8118 litre	O
340	CM	120	CM	76 LEVEL CM	4182,3762 litre	27,191 %	11198,8614 litre	O
340	CM	120	CM	75 LEVEL CM	4106,5947 litre	26,699 %	11274,6429 litre	O
340	CM	120	CM	74 LEVEL CM	4031,0882 litre	26,208 %	11350,1494 litre	O
340	CM	120	CM	73 LEVEL CM	3955,8639 litre	25,719 %	11425,3737 litre	O
340	CM	120	CM	72 LEVEL CM	3880,9291 litre	25,232 %	11500,3085 litre	O
340	CM	120	CM	71 LEVEL CM	3806,2911 litre	24,746 %	11574,9465 litre	O
340	CM	120	CM	70 LEVEL CM	3731,9572 litre	24,263 %	11649,2804 litre	O
340	CM	120	CM	69 LEVEL CM	3657,9351 litre	23,782 %	11723,3025 litre	O
340	CM	120	CM	68 LEVEL CM	3584,2322 litre	23,303 %	11797,0054 litre	O
340	CM	120	CM	67 LEVEL CM	3510,8563 litre	22,826 %	11870,3813 litre	O
340	CM	120	CM	66 LEVEL CM	3437,8152 litre	22,351 %	11943,4224 litre	O
340	CM	120	CM	65 LEVEL CM	3365,1167 litre	21,878 %	12016,1209 litre	O
340	CM	120	CM	64 LEVEL CM	3292,7689 litre	21,408 %	12088,4687 litre	O
340	CM	120	CM	63 LEVEL CM	3220,7800 litre	20,940 %	12160,4576 litre	O
340	CM	120	CM	62 LEVEL CM	3149,1580 litre	20,474 %	12232,0796 litre	O
340	CM	120	CM	61 LEVEL CM	3077,9115 litre	20,011 %	12303,3261 litre	O
340	CM	120	CM	60 LEVEL CM	3007,0490 litre	19,550 %	12374,1886 litre	O
340	CM	120	CM	59 LEVEL CM	2936,5791 litre	19,092 %	12444,6585 litre	O
340	CM	120	CM	58 LEVEL CM	2866,5106 litre	18,636 %	12514,7270 litre	O
340	CM	120	CM	57 LEVEL CM	2796,8525 litre	18,184 %	12584,3851 litre	O
340	CM	120	CM	56 LEVEL CM	2727,6138 litre	17,733 %	12653,6238 litre	O
340	CM	120	CM	55 LEVEL CM	2658,8039 litre	17,286 %	12722,4337 litre	O
340	CM	120	CM	54 LEVEL CM	2590,4321 litre	16,842 %	12790,8055 litre	O
340	CM	120	CM	53 LEVEL CM	2522,5082 litre	16,400 %	12858,7294 litre	O
340	CM	120	CM	52 LEVEL CM	2455,0420 litre	15,961 %	12926,1956 litre	O
340	CM	120	CM	51 LEVEL CM	2388,0434 litre	15,526 %	12993,1942 litre	O
340	CM	120	CM	50 LEVEL CM	2321,5228 litre	15,093 %	13059,7148 litre	O
340	CM	120	CM	49 LEVEL CM	2255,4906 litre	14,664 %	13125,7470 litre	O
340	CM	120	CM	48 LEVEL CM	2189,9574 litre	14,238 %	13191,2802 litre	O
340	CM	120	CM	47 LEVEL CM	2124,9342 litre	13,815 %	13256,3034 litre	O
340	CM	120	CM	46 LEVEL CM	2060,4323 litre	13,396 %	13320,8053 litre	O
340	CM	120	CM	45 LEVEL CM	1996,4631 litre	12,980 %	13384,7745 litre	O
340	CM	120	CM	44 LEVEL CM	1933,0383 litre	12,568 %	13448,1993 litre	O
340	CM	120	CM	43 LEVEL CM	1870,1701 litre	12,159 %	13511,0675 litre	O
340	CM	120	CM	42 LEVEL CM	1807,8708 litre	11,754 %	13573,3668 litre	O
340	CM	120	CM	41 LEVEL CM	1746,1531 litre	11,352 %	13635,0845 litre	O
340	CM	120	CM	40 LEVEL CM	1685,0303 litre	10,955 %	13696,2073 litre	O
340	CM	120	CM	39 LEVEL CM	1624,5156 litre	10,562 %	13756,7220 litre	O
340	CM	120	CM	38 LEVEL CM	1564,6231 litre	10,172 %	13816,6145 litre	O
340	CM	120	CM	37 LEVEL CM	1505,3671 litre	9,787 %	13875,8705 litre	O
340	CM	120	CM	36 LEVEL CM	1446,7623 litre	9,406 %	13934,4753 litre	O
340	CM	120	CM	35 LEVEL CM	1388,8241 litre	9,029 %	13992,4135 litre	O
340	CM	120	CM	34 LEVEL CM	1331,5684 litre	8,657 %	14049,6692 litre	O
340	CM	120	CM	33 LEVEL CM	1275,0114 litre	8,289 %	14106,2262 litre	O
340	CM	120	CM	32 LEVEL CM	1219,1704 litre	7,926 %	14162,0672 litre	O
340	CM	120	CM	31 LEVEL CM	1164,0628 litre	7,568 %	14217,1748 litre	O
340	CM	120	CM	30 LEVEL CM	1109,7072 litre	7,215 %	14271,5304 litre	O

340	CM	120	CM	29 LEVEL CM	1056,1227 litre	6,866 %	14325,1149 litre	O
340	CM	120	CM	28 LEVEL CM	1003,3293 litre	6,523 %	14377,9083 litre	O
340	CM	120	CM	27 LEVEL CM	951,3480 litre	6,185 %	14429,8896 litre	O
340	CM	120	CM	26 LEVEL CM	900,2007 litre	5,853 %	14481,0369 litre	O
340	CM	120	CM	25 LEVEL CM	849,9104 litre	5,526 %	14531,3272 litre	O
340	CM	120	CM	24 LEVEL CM	800,5014 litre	5,204 %	14580,7362 litre	O
340	CM	120	CM	23 LEVEL CM	751,9992 litre	4,889 %	14629,2384 litre	O
340	CM	120	CM	22 LEVEL CM	704,4308 litre	4,580 %	14676,8068 litre	O
340	CM	120	CM	21 LEVEL CM	657,8247 litre	4,277 %	14723,4129 litre	O
340	CM	120	CM	20 LEVEL CM	612,2116 litre	3,980 %	14769,0260 litre	O
340	CM	120	CM	19 LEVEL CM	567,6237 litre	3,690 %	14813,6139 litre	O
340	CM	120	CM	18 LEVEL CM	524,0960 litre	3,407 %	14857,1416 litre	O
340	CM	120	CM	17 LEVEL CM	481,6657 litre	3,132 %	14899,5719 litre	O
340	CM	120	CM	16 LEVEL CM	440,3733 litre	2,863 %	14940,8643 litre	O
340	CM	120	CM	15 LEVEL CM	400,2625 litre	2,602 %	14980,9751 litre	O
340	CM	120	CM	14 LEVEL CM	361,3811 litre	2,349 %	15019,8565 litre	O
340	CM	120	CM	13 LEVEL CM	323,7816 litre	2,105 %	15057,4560 litre	O
340	CM	120	CM	12 LEVEL CM	287,5220 litre	1,869 %	15093,7156 litre	O
340	CM	120	CM	11 LEVEL CM	252,6672 litre	1,643 %	15128,5704 litre	O
340	CM	120	CM	10 LEVEL CM	219,2900 litre	1,426 %	15161,9476 litre	O
340	CM	120	CM	9 LEVEL CM	187,4735 litre	1,219 %	15193,7641 litre	O
340	CM	120	CM	8 LEVEL CM	157,3139 litre	1,023 %	15223,9237 litre	O
340	CM	120	CM	7 LEVEL CM	128,9239 litre	0,838 %	15252,3137 litre	O
340	CM	120	CM	6 LEVEL CM	102,4391 litre	0,666 %	15278,7985 litre	O
340	CM	120	CM	5 LEVEL CM	78,0270 litre	0,507 %	15303,2106 litre	O
340	CM	120	CM	4 LEVEL CM	55,9023 litre	0,363 %	15325,3353 litre	O
340	CM	120	CM	3 LEVEL CM	36,3555 litre	0,236 %	15344,8821 litre	O
340	CM	120	CM	2 LEVEL CM	19,8143 litre	0,129 %	15361,4233 litre	O
340	CM	120	CM	1 LEVEL CM	7,0142 litre	0,046 %	15374,2234 litre	O
340	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	15381,2376 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 115	CM 230 LEVEL CM	14126,1714 litre	100,000 %	0,0000 litre	O
340	CM 115	CM 229 LEVEL CM	14119,3052 litre	99,951 %	6,8662 litre	O
340	CM 115	CM 228 LEVEL CM	14106,7763 litre	99,863 %	19,3951 litre	O
340	CM 115	CM 227 LEVEL CM	14090,5872 litre	99,748 %	35,5842 litre	O
340	CM 115	CM 226 LEVEL CM	14071,4581 litre	99,613 %	54,7133 litre	O
340	CM 115	CM 225 LEVEL CM	14049,8082 litre	99,459 %	76,3632 litre	O
340	CM 115	CM 224 LEVEL CM	14025,9223 litre	99,290 %	100,2491 litre	O
340	CM 115	CM 223 LEVEL CM	14000,0110 litre	99,107 %	126,1604 litre	O
340	CM 115	CM 222 LEVEL CM	13972,2382 litre	98,910 %	153,9332 litre	O
340	CM 115	CM 221 LEVEL CM	13942,7372 litre	98,701 %	183,4342 litre	O
340	CM 115	CM 220 LEVEL CM	13911,6185 litre	98,481 %	214,5529 litre	O
340	CM 115	CM 219 LEVEL CM	13878,9766 litre	98,250 %	247,1948 litre	O
340	CM 115	CM 218 LEVEL CM	13844,8930 litre	98,009 %	281,2784 litre	O
340	CM 115	CM 217 LEVEL CM	13809,4393 litre	97,758 %	316,7321 litre	O
340	CM 115	CM 216 LEVEL CM	13772,6792 litre	97,498 %	353,4922 litre	O
340	CM 115	CM 215 LEVEL CM	13734,6697 litre	97,229 %	391,5017 litre	O
340	CM 115	CM 214 LEVEL CM	13695,4624 litre	96,951 %	430,7090 litre	O
340	CM 115	CM 213 LEVEL CM	13655,1044 litre	96,665 %	471,0670 litre	O
340	CM 115	CM 212 LEVEL CM	13613,6386 litre	96,372 %	512,5328 litre	O
340	CM 115	CM 211 LEVEL CM	13571,1047 litre	96,071 %	555,0667 litre	O
340	CM 115	CM 210 LEVEL CM	13527,5397 litre	95,762 %	598,6317 litre	O
340	CM 115	CM 209 LEVEL CM	13482,9777 litre	95,447 %	643,1937 litre	O
340	CM 115	CM 208 LEVEL CM	13437,4507 litre	95,125 %	688,7207 litre	O
340	CM 115	CM 207 LEVEL CM	13390,9886 litre	94,796 %	735,1828 litre	O
340	CM 115	CM 206 LEVEL CM	13343,6198 litre	94,460 %	782,5516 litre	O
340	CM 115	CM 205 LEVEL CM	13295,3708 litre	94,119 %	830,8006 litre	O
340	CM 115	CM 204 LEVEL CM	13246,2668 litre	93,771 %	879,9046 litre	O
340	CM 115	CM 203 LEVEL CM	13196,3317 litre	93,418 %	929,8397 litre	O
340	CM 115	CM 202 LEVEL CM	13145,5882 litre	93,058 %	980,5832 litre	O
340	CM 115	CM 201 LEVEL CM	13094,0581 litre	92,694 %	1032,1133 litre	O
340	CM 115	CM 200 LEVEL CM	13041,7618 litre	92,323 %	1084,4096 litre	O
340	CM 115	CM 199 LEVEL CM	12988,7194 litre	91,948 %	1137,4520 litre	O
340	CM 115	CM 198 LEVEL CM	12934,9496 litre	91,567 %	1191,2218 litre	O
340	CM 115	CM 197 LEVEL CM	12880,4707 litre	91,182 %	1245,7007 litre	O
340	CM 115	CM 196 LEVEL CM	12825,3002 litre	90,791 %	1300,8712 litre	O
340	CM 115	CM 195 LEVEL CM	12769,4549 litre	90,396 %	1356,7165 litre	O
340	CM 115	CM 194 LEVEL CM	12712,9510 litre	89,996 %	1413,2204 litre	O
340	CM 115	CM 193 LEVEL CM	12655,8044 litre	89,591 %	1470,3670 litre	O
340	CM 115	CM 192 LEVEL CM	12598,0300 litre	89,182 %	1528,1414 litre	O
340	CM 115	CM 191 LEVEL CM	12539,6426 litre	88,769 %	1586,5288 litre	O
340	CM 115	CM 190 LEVEL CM	12480,6563 litre	88,351 %	1645,5151 litre	O
340	CM 115	CM 189 LEVEL CM	12421,0850 litre	87,930 %	1705,0864 litre	O
340	CM 115	CM 188 LEVEL CM	12360,9421 litre	87,504 %	1765,2293 litre	O
340	CM 115	CM 187 LEVEL CM	12300,2405 litre	87,074 %	1825,9309 litre	O
340	CM 115	CM 186 LEVEL CM	12238,9928 litre	86,641 %	1887,1786 litre	O
340	CM 115	CM 185 LEVEL CM	12177,2115 litre	86,203 %	1948,9599 litre	O
340	CM 115	CM 184 LEVEL CM	12114,9084 litre	85,762 %	2011,2630 litre	O
340	CM 115	CM 183 LEVEL CM	12052,0953 litre	85,317 %	2074,0761 litre	O
340	CM 115	CM 182 LEVEL CM	11988,7836 litre	84,869 %	2137,3878 litre	O
340	CM 115	CM 181 LEVEL CM	11924,9845 litre	84,418 %	2201,1869 litre	O
340	CM 115	CM 180 LEVEL CM	11860,7087 litre	83,963 %	2265,4627 litre	O
340	CM 115	CM 179 LEVEL CM	11795,9670 litre	83,504 %	2330,2044 litre	O

340	CM 115	CM	178 LEVEL CM	11730,7699 litre	83,043 %	2395,4015 litre	O
340	CM 115	CM	177 LEVEL CM	11665,1274 litre	82,578 %	2461,0440 litre	O
340	CM 115	CM	176 LEVEL CM	11599,0496 litre	82,110 %	2527,1218 litre	O
340	CM 115	CM	175 LEVEL CM	11532,5463 litre	81,640 %	2593,6251 litre	O
340	CM 115	CM	174 LEVEL CM	11465,6271 litre	81,166 %	2660,5443 litre	O
340	CM 115	CM	173 LEVEL CM	11398,3015 litre	80,689 %	2727,8699 litre	O
340	CM 115	CM	172 LEVEL CM	11330,5787 litre	80,210 %	2795,5927 litre	O
340	CM 115	CM	171 LEVEL CM	11262,4678 litre	79,728 %	2863,7036 litre	O
340	CM 115	CM	170 LEVEL CM	11193,9778 litre	79,243 %	2932,1936 litre	O
340	CM 115	CM	169 LEVEL CM	11125,1175 litre	78,755 %	3001,0539 litre	O
340	CM 115	CM	168 LEVEL CM	11055,8955 litre	78,265 %	3070,2759 litre	O
340	CM 115	CM	167 LEVEL CM	10986,3203 litre	77,773 %	3139,8511 litre	O
340	CM 115	CM	166 LEVEL CM	10916,4004 litre	77,278 %	3209,7710 litre	O
340	CM 115	CM	165 LEVEL CM	10846,1441 litre	76,780 %	3280,0273 litre	O
340	CM 115	CM	164 LEVEL CM	10775,5594 litre	76,281 %	3350,6120 litre	O
340	CM 115	CM	163 LEVEL CM	10704,6544 litre	75,779 %	3421,5170 litre	O
340	CM 115	CM	162 LEVEL CM	10633,4371 litre	75,275 %	3492,7343 litre	O
340	CM 115	CM	161 LEVEL CM	10561,9153 litre	74,768 %	3564,2561 litre	O
340	CM 115	CM	160 LEVEL CM	10490,0967 litre	74,260 %	3636,0747 litre	O
340	CM 115	CM	159 LEVEL CM	10417,9890 litre	73,750 %	3708,1824 litre	O
340	CM 115	CM	158 LEVEL CM	10345,5996 litre	73,237 %	3780,5718 litre	O
340	CM 115	CM	157 LEVEL CM	10272,9361 litre	72,723 %	3853,2353 litre	O
340	CM 115	CM	156 LEVEL CM	10200,0058 litre	72,206 %	3926,1656 litre	O
340	CM 115	CM	155 LEVEL CM	10126,8160 litre	71,688 %	3999,3554 litre	O
340	CM 115	CM	154 LEVEL CM	10053,3740 litre	71,168 %	4072,7974 litre	O
340	CM 115	CM	153 LEVEL CM	9979,6868 litre	70,647 %	4146,4846 litre	O
340	CM 115	CM	152 LEVEL CM	9905,7615 litre	70,123 %	4220,4099 litre	O
340	CM 115	CM	151 LEVEL CM	9831,6051 litre	69,599 %	4294,5663 litre	O
340	CM 115	CM	150 LEVEL CM	9757,2246 litre	69,072 %	4368,9468 litre	O
340	CM 115	CM	149 LEVEL CM	9682,6269 litre	68,544 %	4443,5445 litre	O
340	CM 115	CM	148 LEVEL CM	9607,8187 litre	68,014 %	4518,3527 litre	O
340	CM 115	CM	147 LEVEL CM	9532,8067 litre	67,483 %	4593,3647 litre	O
340	CM 115	CM	146 LEVEL CM	9457,5978 litre	66,951 %	4668,5736 litre	O
340	CM 115	CM	145 LEVEL CM	9382,1985 litre	66,417 %	4743,9729 litre	O
340	CM 115	CM	144 LEVEL CM	9306,6155 litre	65,882 %	4819,5559 litre	O
340	CM 115	CM	143 LEVEL CM	9230,8553 litre	65,346 %	4895,3161 litre	O
340	CM 115	CM	142 LEVEL CM	9154,9243 litre	64,808 %	4971,2471 litre	O
340	CM 115	CM	141 LEVEL CM	9078,8291 litre	64,270 %	5047,3423 litre	O
340	CM 115	CM	140 LEVEL CM	9002,5761 litre	63,730 %	5123,5953 litre	O
340	CM 115	CM	139 LEVEL CM	8926,1716 litre	63,189 %	5199,9998 litre	O
340	CM 115	CM	138 LEVEL CM	8849,6220 litre	62,647 %	5276,5494 litre	O
340	CM 115	CM	137 LEVEL CM	8772,9336 litre	62,104 %	5353,2378 litre	O
340	CM 115	CM	136 LEVEL CM	8696,1127 litre	61,560 %	5430,0587 litre	O
340	CM 115	CM	135 LEVEL CM	8619,1655 litre	61,016 %	5507,0059 litre	O
340	CM 115	CM	134 LEVEL CM	8542,0981 litre	60,470 %	5584,0733 litre	O
340	CM 115	CM	133 LEVEL CM	8464,9169 litre	59,924 %	5661,2545 litre	O
340	CM 115	CM	132 LEVEL CM	8387,6279 litre	59,377 %	5738,5435 litre	O
340	CM 115	CM	131 LEVEL CM	8310,2372 litre	58,829 %	5815,9342 litre	O
340	CM 115	CM	130 LEVEL CM	8232,7511 litre	58,280 %	5893,4203 litre	O
340	CM 115	CM	129 LEVEL CM	8155,1754 litre	57,731 %	5970,9960 litre	O
340	CM 115	CM	128 LEVEL CM	8077,5164 litre	57,181 %	6048,6550 litre	O
340	CM 115	CM	127 LEVEL CM	7999,7799 litre	56,631 %	6126,3915 litre	O
340	CM 115	CM	126 LEVEL CM	7921,9722 litre	56,080 %	6204,1992 litre	O

340	CM 115	CM	125 LEVEL CM	7844,0991 litre	55,529 %	6282,0723 litre	O
340	CM 115	CM	124 LEVEL CM	7766,1666 litre	54,977 %	6360,0048 litre	O
340	CM 115	CM	123 LEVEL CM	7688,1807 litre	54,425 %	6437,9907 litre	O
340	CM 115	CM	122 LEVEL CM	7610,1475 litre	53,873 %	6516,0239 litre	O
340	CM 115	CM	121 LEVEL CM	7532,0727 litre	53,320 %	6594,0987 litre	O
340	CM 115	CM	120 LEVEL CM	7453,9625 litre	52,767 %	6672,2089 litre	O
340	CM 115	CM	119 LEVEL CM	7375,8226 litre	52,214 %	6750,3488 litre	O
340	CM 115	CM	118 LEVEL CM	7297,6591 litre	51,661 %	6828,5123 litre	O
340	CM 115	CM	117 LEVEL CM	7219,4778 litre	51,107 %	6906,6936 litre	O
340	CM 115	CM	116 LEVEL CM	7141,2847 litre	50,554 %	6984,8867 litre	O
340	CM 115	CM	115 LEVEL CM	7063,0857 litre	50,000 %	7063,0857 litre	O
340	CM 115	CM	114 LEVEL CM	6984,8867 litre	49,446 %	7141,2847 litre	O
340	CM 115	CM	113 LEVEL CM	6906,6936 litre	48,893 %	7219,4778 litre	O
340	CM 115	CM	112 LEVEL CM	6828,5123 litre	48,339 %	7297,6591 litre	O
340	CM 115	CM	111 LEVEL CM	6750,3488 litre	47,786 %	7375,8226 litre	O
340	CM 115	CM	110 LEVEL CM	6672,2089 litre	47,233 %	7453,9625 litre	O
340	CM 115	CM	109 LEVEL CM	6594,0986 litre	46,680 %	7532,0728 litre	O
340	CM 115	CM	108 LEVEL CM	6516,0239 litre	46,127 %	7610,1475 litre	O
340	CM 115	CM	107 LEVEL CM	6437,9906 litre	45,575 %	7688,1808 litre	O
340	CM 115	CM	106 LEVEL CM	6360,0048 litre	45,023 %	7766,1666 litre	O
340	CM 115	CM	105 LEVEL CM	6282,0723 litre	44,471 %	7844,0991 litre	O
340	CM 115	CM	104 LEVEL CM	6204,1992 litre	43,920 %	7921,9722 litre	O
340	CM 115	CM	103 LEVEL CM	6126,3914 litre	43,369 %	7999,7800 litre	O
340	CM 115	CM	102 LEVEL CM	6048,6550 litre	42,819 %	8077,5164 litre	O
340	CM 115	CM	101 LEVEL CM	5970,9960 litre	42,269 %	8155,1754 litre	O
340	CM 115	CM	100 LEVEL CM	5893,4203 litre	41,720 %	8232,7511 litre	O
340	CM 115	CM	99 LEVEL CM	5815,9341 litre	41,171 %	8310,2373 litre	O
340	CM 115	CM	98 LEVEL CM	5738,5435 litre	40,623 %	8387,6279 litre	O
340	CM 115	CM	97 LEVEL CM	5661,2545 litre	40,076 %	8464,9169 litre	O
340	CM 115	CM	96 LEVEL CM	5584,0732 litre	39,530 %	8542,0982 litre	O
340	CM 115	CM	95 LEVEL CM	5507,0059 litre	38,984 %	8619,1655 litre	O
340	CM 115	CM	94 LEVEL CM	5430,0587 litre	38,440 %	8696,1127 litre	O
340	CM 115	CM	93 LEVEL CM	5353,2377 litre	37,896 %	8772,9337 litre	O
340	CM 115	CM	92 LEVEL CM	5276,5493 litre	37,353 %	8849,6221 litre	O
340	CM 115	CM	91 LEVEL CM	5199,9998 litre	36,811 %	8926,1716 litre	O
340	CM 115	CM	90 LEVEL CM	5123,5953 litre	36,270 %	9002,5761 litre	O
340	CM 115	CM	89 LEVEL CM	5047,3423 litre	35,730 %	9078,8291 litre	O
340	CM 115	CM	88 LEVEL CM	4971,2471 litre	35,192 %	9154,9243 litre	O
340	CM 115	CM	87 LEVEL CM	4895,3161 litre	34,654 %	9230,8553 litre	O
340	CM 115	CM	86 LEVEL CM	4819,5559 litre	34,118 %	9306,6155 litre	O
340	CM 115	CM	85 LEVEL CM	4743,9728 litre	33,583 %	9382,1986 litre	O
340	CM 115	CM	84 LEVEL CM	4668,5736 litre	33,049 %	9457,5978 litre	O
340	CM 115	CM	83 LEVEL CM	4593,3646 litre	32,517 %	9532,8068 litre	O
340	CM 115	CM	82 LEVEL CM	4518,3527 litre	31,986 %	9607,8187 litre	O
340	CM 115	CM	81 LEVEL CM	4443,5445 litre	31,456 %	9682,6269 litre	O
340	CM 115	CM	80 LEVEL CM	4368,9467 litre	30,928 %	9757,2247 litre	O
340	CM 115	CM	79 LEVEL CM	4294,5662 litre	30,401 %	9831,6052 litre	O
340	CM 115	CM	78 LEVEL CM	4220,4099 litre	29,877 %	9905,7615 litre	O
340	CM 115	CM	77 LEVEL CM	4146,4846 litre	29,353 %	9979,6868 litre	O
340	CM 115	CM	76 LEVEL CM	4072,7974 litre	28,832 %	10053,3740 litre	O
340	CM 115	CM	75 LEVEL CM	3999,3553 litre	28,312 %	10126,8161 litre	O
340	CM 115	CM	74 LEVEL CM	3926,1656 litre	27,794 %	10200,0058 litre	O
340	CM 115	CM	73 LEVEL CM	3853,2353 litre	27,277 %	10272,9361 litre	O

340	CM	115	CM	72 LEVEL CM	3780,5718 litre	26,763 %	10345,5996 litre	O
340	CM	115	CM	71 LEVEL CM	3708,1824 litre	26,250 %	10417,9890 litre	O
340	CM	115	CM	70 LEVEL CM	3636,0747 litre	25,740 %	10490,0967 litre	O
340	CM	115	CM	69 LEVEL CM	3564,2561 litre	25,232 %	10561,9153 litre	O
340	CM	115	CM	68 LEVEL CM	3492,7342 litre	24,725 %	10633,4372 litre	O
340	CM	115	CM	67 LEVEL CM	3421,5169 litre	24,221 %	10704,6545 litre	O
340	CM	115	CM	66 LEVEL CM	3350,6120 litre	23,719 %	10775,5594 litre	O
340	CM	115	CM	65 LEVEL CM	3280,0273 litre	23,220 %	10846,1441 litre	O
340	CM	115	CM	64 LEVEL CM	3209,7709 litre	22,722 %	10916,4005 litre	O
340	CM	115	CM	63 LEVEL CM	3139,8511 litre	22,227 %	10986,3203 litre	O
340	CM	115	CM	62 LEVEL CM	3070,2759 litre	21,735 %	11055,8955 litre	O
340	CM	115	CM	61 LEVEL CM	3001,0539 litre	21,245 %	11125,1175 litre	O
340	CM	115	CM	60 LEVEL CM	2932,1936 litre	20,757 %	11193,9778 litre	O
340	CM	115	CM	59 LEVEL CM	2863,7035 litre	20,272 %	11262,4679 litre	O
340	CM	115	CM	58 LEVEL CM	2795,5927 litre	19,790 %	11330,5787 litre	O
340	CM	115	CM	57 LEVEL CM	2727,8698 litre	19,311 %	11398,3016 litre	O
340	CM	115	CM	56 LEVEL CM	2660,5442 litre	18,834 %	11465,6272 litre	O
340	CM	115	CM	55 LEVEL CM	2593,6250 litre	18,360 %	11532,5464 litre	O
340	CM	115	CM	54 LEVEL CM	2527,1218 litre	17,890 %	11599,0496 litre	O
340	CM	115	CM	53 LEVEL CM	2461,0440 litre	17,422 %	11665,1274 litre	O
340	CM	115	CM	52 LEVEL CM	2395,4015 litre	16,957 %	11730,7699 litre	O
340	CM	115	CM	51 LEVEL CM	2330,2043 litre	16,496 %	11795,9671 litre	O
340	CM	115	CM	50 LEVEL CM	2265,4626 litre	16,037 %	11860,7088 litre	O
340	CM	115	CM	49 LEVEL CM	2201,1869 litre	15,582 %	11924,9845 litre	O
340	CM	115	CM	48 LEVEL CM	2137,3877 litre	15,131 %	11988,7837 litre	O
340	CM	115	CM	47 LEVEL CM	2074,0760 litre	14,683 %	12052,0954 litre	O
340	CM	115	CM	46 LEVEL CM	2011,2629 litre	14,238 %	12114,9085 litre	O
340	CM	115	CM	45 LEVEL CM	1948,9599 litre	13,797 %	12177,2115 litre	O
340	CM	115	CM	44 LEVEL CM	1887,1785 litre	13,359 %	12238,9929 litre	O
340	CM	115	CM	43 LEVEL CM	1825,9309 litre	12,926 %	12300,2405 litre	O
340	CM	115	CM	42 LEVEL CM	1765,2293 litre	12,496 %	12360,9421 litre	O
340	CM	115	CM	41 LEVEL CM	1705,0863 litre	12,070 %	12421,0851 litre	O
340	CM	115	CM	40 LEVEL CM	1645,5151 litre	11,649 %	12480,6563 litre	O
340	CM	115	CM	39 LEVEL CM	1586,5288 litre	11,231 %	12539,6426 litre	O
340	CM	115	CM	38 LEVEL CM	1528,1414 litre	10,818 %	12598,0300 litre	O
340	CM	115	CM	37 LEVEL CM	1470,3670 litre	10,409 %	12655,8044 litre	O
340	CM	115	CM	36 LEVEL CM	1413,2203 litre	10,004 %	12712,9511 litre	O
340	CM	115	CM	35 LEVEL CM	1356,7165 litre	9,604 %	12769,4549 litre	O
340	CM	115	CM	34 LEVEL CM	1300,8712 litre	9,209 %	12825,3002 litre	O
340	CM	115	CM	33 LEVEL CM	1245,7007 litre	8,818 %	12880,4707 litre	O
340	CM	115	CM	32 LEVEL CM	1191,2218 litre	8,433 %	12934,9496 litre	O
340	CM	115	CM	31 LEVEL CM	1137,4520 litre	8,052 %	12988,7194 litre	O
340	CM	115	CM	30 LEVEL CM	1084,4095 litre	7,677 %	13041,7619 litre	O
340	CM	115	CM	29 LEVEL CM	1032,1133 litre	7,306 %	13094,0581 litre	O
340	CM	115	CM	28 LEVEL CM	980,5831 litre	6,942 %	13145,5883 litre	O
340	CM	115	CM	27 LEVEL CM	929,8397 litre	6,582 %	13196,3317 litre	O
340	CM	115	CM	26 LEVEL CM	879,9046 litre	6,229 %	13246,2668 litre	O
340	CM	115	CM	25 LEVEL CM	830,8006 litre	5,881 %	13295,3708 litre	O
340	CM	115	CM	24 LEVEL CM	782,5516 litre	5,540 %	13343,6198 litre	O
340	CM	115	CM	23 LEVEL CM	735,1827 litre	5,204 %	13390,9887 litre	O
340	CM	115	CM	22 LEVEL CM	688,7207 litre	4,875 %	13437,4507 litre	O
340	CM	115	CM	21 LEVEL CM	643,1937 litre	4,553 %	13482,9777 litre	O
340	CM	115	CM	20 LEVEL CM	598,6317 litre	4,238 %	13527,5397 litre	O

340	CM	115	CM	19 LEVEL CM	555,0666 litre	3,929 %	13571,1048 litre	O
340	CM	115	CM	18 LEVEL CM	512,5328 litre	3,628 %	13613,6386 litre	O
340	CM	115	CM	17 LEVEL CM	471,0670 litre	3,335 %	13655,1044 litre	O
340	CM	115	CM	16 LEVEL CM	430,7089 litre	3,049 %	13695,4625 litre	O
340	CM	115	CM	15 LEVEL CM	391,5016 litre	2,771 %	13734,6698 litre	O
340	CM	115	CM	14 LEVEL CM	353,4921 litre	2,502 %	13772,6793 litre	O
340	CM	115	CM	13 LEVEL CM	316,7320 litre	2,242 %	13809,4394 litre	O
340	CM	115	CM	12 LEVEL CM	281,2784 litre	1,991 %	13844,8930 litre	O
340	CM	115	CM	11 LEVEL CM	247,1948 litre	1,750 %	13878,9766 litre	O
340	CM	115	CM	10 LEVEL CM	214,5528 litre	1,519 %	13911,6186 litre	O
340	CM	115	CM	9 LEVEL CM	183,4342 litre	1,299 %	13942,7372 litre	O
340	CM	115	CM	8 LEVEL CM	153,9331 litre	1,090 %	13972,2383 litre	O
340	CM	115	CM	7 LEVEL CM	126,1604 litre	0,893 %	14000,0110 litre	O
340	CM	115	CM	6 LEVEL CM	100,2490 litre	0,710 %	14025,9224 litre	O
340	CM	115	CM	5 LEVEL CM	76,3631 litre	0,541 %	14049,8083 litre	O
340	CM	115	CM	4 LEVEL CM	54,7133 litre	0,387 %	14071,4581 litre	O
340	CM	115	CM	3 LEVEL CM	35,5842 litre	0,252 %	14090,5872 litre	O
340	CM	115	CM	2 LEVEL CM	19,3950 litre	0,137 %	14106,7764 litre	O
340	CM	115	CM	1 LEVEL CM	6,8662 litre	0,049 %	14119,3052 litre	O
340	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	14126,1714 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM	110	CM 220 LEVEL CM	12924,5122 litre	100,000 %	0,0000 litre	O
340	CM	110	CM 219 LEVEL CM	12917,7973 litre	99,948 %	6,7149 litre	O
340	CM	110	CM 218 LEVEL CM	12905,5457 litre	99,853 %	18,9665 litre	O
340	CM	110	CM 217 LEVEL CM	12889,7164 litre	99,731 %	34,7958 litre	O
340	CM	110	CM 216 LEVEL CM	12871,0144 litre	99,586 %	53,4978 litre	O
340	CM	110	CM 215 LEVEL CM	12849,8500 litre	99,422 %	74,6622 litre	O
340	CM	110	CM 214 LEVEL CM	12826,5022 litre	99,242 %	98,0100 litre	O
340	CM	110	CM 213 LEVEL CM	12801,1771 litre	99,046 %	123,3351 litre	O
340	CM	110	CM 212 LEVEL CM	12774,0357 litre	98,836 %	150,4765 litre	O
340	CM	110	CM 211 LEVEL CM	12745,2083 litre	98,613 %	179,3039 litre	O
340	CM	110	CM 210 LEVEL CM	12714,8035 litre	98,377 %	209,7087 litre	O
340	CM	110	CM 209 LEVEL CM	12682,9138 litre	98,131 %	241,5984 litre	O
340	CM	110	CM 208 LEVEL CM	12649,6193 litre	97,873 %	274,8929 litre	O
340	CM	110	CM 207 LEVEL CM	12614,9902 litre	97,605 %	309,5220 litre	O
340	CM	110	CM 206 LEVEL CM	12579,0891 litre	97,327 %	345,4231 litre	O
340	CM	110	CM 205 LEVEL CM	12541,9720 litre	97,040 %	382,5402 litre	O
340	CM	110	CM 204 LEVEL CM	12503,6896 litre	96,744 %	420,8226 litre	O
340	CM	110	CM 203 LEVEL CM	12464,2880 litre	96,439 %	460,2242 litre	O
340	CM	110	CM 202 LEVEL CM	12423,8096 litre	96,126 %	500,7026 litre	O
340	CM	110	CM 201 LEVEL CM	12382,2935 litre	95,805 %	542,2187 litre	O
340	CM	110	CM 200 LEVEL CM	12339,7759 litre	95,476 %	584,7363 litre	O
340	CM	110	CM 199 LEVEL CM	12296,2904 litre	95,139 %	628,2218 litre	O
340	CM	110	CM 198 LEVEL CM	12251,8686 litre	94,796 %	672,6436 litre	O
340	CM	110	CM 197 LEVEL CM	12206,5400 litre	94,445 %	717,9722 litre	O
340	CM	110	CM 196 LEVEL CM	12160,3323 litre	94,087 %	764,1799 litre	O
340	CM	110	CM 195 LEVEL CM	12113,2719 litre	93,723 %	811,2403 litre	O
340	CM	110	CM 194 LEVEL CM	12065,3836 litre	93,353 %	859,1286 litre	O
340	CM	110	CM 193 LEVEL CM	12016,6908 litre	92,976 %	907,8214 litre	O
340	CM	110	CM 192 LEVEL CM	11967,2162 litre	92,593 %	957,2960 litre	O
340	CM	110	CM 191 LEVEL CM	11916,9810 litre	92,204 %	1007,5312 litre	O
340	CM	110	CM 190 LEVEL CM	11866,0056 litre	91,810 %	1058,5066 litre	O
340	CM	110	CM 189 LEVEL CM	11814,3096 litre	91,410 %	1110,2026 litre	O
340	CM	110	CM 188 LEVEL CM	11761,9117 litre	91,005 %	1162,6005 litre	O
340	CM	110	CM 187 LEVEL CM	11708,8299 litre	90,594 %	1215,6823 litre	O
340	CM	110	CM 186 LEVEL CM	11655,0816 litre	90,178 %	1269,4306 litre	O
340	CM	110	CM 185 LEVEL CM	11600,6833 litre	89,757 %	1323,8289 litre	O
340	CM	110	CM 184 LEVEL CM	11545,6512 litre	89,331 %	1378,8610 litre	O
340	CM	110	CM 183 LEVEL CM	11490,0008 litre	88,901 %	1434,5114 litre	O
340	CM	110	CM 182 LEVEL CM	11433,7471 litre	88,466 %	1490,7651 litre	O
340	CM	110	CM 181 LEVEL CM	11376,9046 litre	88,026 %	1547,6076 litre	O
340	CM	110	CM 180 LEVEL CM	11319,4874 litre	87,582 %	1605,0248 litre	O
340	CM	110	CM 179 LEVEL CM	11261,5092 litre	87,133 %	1663,0030 litre	O
340	CM	110	CM 178 LEVEL CM	11202,9833 litre	86,680 %	1721,5289 litre	O
340	CM	110	CM 177 LEVEL CM	11143,9226 litre	86,223 %	1780,5896 litre	O
340	CM	110	CM 176 LEVEL CM	11084,3397 litre	85,762 %	1840,1725 litre	O
340	CM	110	CM 175 LEVEL CM	11024,2466 litre	85,297 %	1900,2656 litre	O
340	CM	110	CM 174 LEVEL CM	10963,6555 litre	84,828 %	1960,8567 litre	O
340	CM	110	CM 173 LEVEL CM	10902,5780 litre	84,356 %	2021,9342 litre	O
340	CM	110	CM 172 LEVEL CM	10841,0253 litre	83,880 %	2083,4869 litre	O
340	CM	110	CM 171 LEVEL CM	10779,0086 litre	83,400 %	2145,5036 litre	O
340	CM	110	CM 170 LEVEL CM	10716,5387 litre	82,916 %	2207,9735 litre	O
340	CM	110	CM 169 LEVEL CM	10653,6263 litre	82,430 %	2270,8859 litre	O

340	CM 110	CM	168 LEVEL CM	10590,2817 litre	81,940 %	2334,2305 litre	O
340	CM 110	CM	167 LEVEL CM	10526,5151 litre	81,446 %	2397,9971 litre	O
340	CM 110	CM	166 LEVEL CM	10462,3365 litre	80,950 %	2462,1757 litre	O
340	CM 110	CM	165 LEVEL CM	10397,7557 litre	80,450 %	2526,7565 litre	O
340	CM 110	CM	164 LEVEL CM	10332,7823 litre	79,947 %	2591,7299 litre	O
340	CM 110	CM	163 LEVEL CM	10267,4257 litre	79,441 %	2657,0865 litre	O
340	CM 110	CM	162 LEVEL CM	10201,6952 litre	78,933 %	2722,8170 litre	O
340	CM 110	CM	161 LEVEL CM	10135,5999 litre	78,422 %	2788,9123 litre	O
340	CM 110	CM	160 LEVEL CM	10069,1487 litre	77,907 %	2855,3635 litre	O
340	CM 110	CM	159 LEVEL CM	10002,3505 litre	77,391 %	2922,1617 litre	O
340	CM 110	CM	158 LEVEL CM	9935,2140 litre	76,871 %	2989,2982 litre	O
340	CM 110	CM	157 LEVEL CM	9867,7477 litre	76,349 %	3056,7645 litre	O
340	CM 110	CM	156 LEVEL CM	9799,9600 litre	75,825 %	3124,5522 litre	O
340	CM 110	CM	155 LEVEL CM	9731,8593 litre	75,298 %	3192,6529 litre	O
340	CM 110	CM	154 LEVEL CM	9663,4537 litre	74,768 %	3261,0585 litre	O
340	CM 110	CM	153 LEVEL CM	9594,7513 litre	74,237 %	3329,7609 litre	O
340	CM 110	CM	152 LEVEL CM	9525,7601 litre	73,703 %	3398,7521 litre	O
340	CM 110	CM	151 LEVEL CM	9456,4880 litre	73,167 %	3468,0242 litre	O
340	CM 110	CM	150 LEVEL CM	9386,9427 litre	72,629 %	3537,5695 litre	O
340	CM 110	CM	149 LEVEL CM	9317,1320 litre	72,089 %	3607,3802 litre	O
340	CM 110	CM	148 LEVEL CM	9247,0635 litre	71,547 %	3677,4487 litre	O
340	CM 110	CM	147 LEVEL CM	9176,7446 litre	71,003 %	3747,7676 litre	O
340	CM 110	CM	146 LEVEL CM	9106,1828 litre	70,457 %	3818,3294 litre	O
340	CM 110	CM	145 LEVEL CM	9035,3855 litre	69,909 %	3889,1267 litre	O
340	CM 110	CM	144 LEVEL CM	8964,3600 litre	69,359 %	3960,1522 litre	O
340	CM 110	CM	143 LEVEL CM	8893,1134 litre	68,808 %	4031,3988 litre	O
340	CM 110	CM	142 LEVEL CM	8821,6530 litre	68,255 %	4102,8592 litre	O
340	CM 110	CM	141 LEVEL CM	8749,9859 litre	67,701 %	4174,5263 litre	O
340	CM 110	CM	140 LEVEL CM	8678,1190 litre	67,145 %	4246,3932 litre	O
340	CM 110	CM	139 LEVEL CM	8606,0593 litre	66,587 %	4318,4529 litre	O
340	CM 110	CM	138 LEVEL CM	8533,8138 litre	66,028 %	4390,6984 litre	O
340	CM 110	CM	137 LEVEL CM	8461,3893 litre	65,468 %	4463,1229 litre	O
340	CM 110	CM	136 LEVEL CM	8388,7926 litre	64,906 %	4535,7196 litre	O
340	CM 110	CM	135 LEVEL CM	8316,0305 litre	64,343 %	4608,4817 litre	O
340	CM 110	CM	134 LEVEL CM	8243,1097 litre	63,779 %	4681,4025 litre	O
340	CM 110	CM	133 LEVEL CM	8170,0369 litre	63,214 %	4754,4753 litre	O
340	CM 110	CM	132 LEVEL CM	8096,8186 litre	62,647 %	4827,6936 litre	O
340	CM 110	CM	131 LEVEL CM	8023,4616 litre	62,079 %	4901,0506 litre	O
340	CM 110	CM	130 LEVEL CM	7949,9723 litre	61,511 %	4974,5399 litre	O
340	CM 110	CM	129 LEVEL CM	7876,3573 litre	60,941 %	5048,1549 litre	O
340	CM 110	CM	128 LEVEL CM	7802,6230 litre	60,371 %	5121,8892 litre	O
340	CM 110	CM	127 LEVEL CM	7728,7759 litre	59,799 %	5195,7363 litre	O
340	CM 110	CM	126 LEVEL CM	7654,8225 litre	59,227 %	5269,6897 litre	O
340	CM 110	CM	125 LEVEL CM	7580,7691 litre	58,654 %	5343,7431 litre	O
340	CM 110	CM	124 LEVEL CM	7506,6220 litre	58,081 %	5417,8902 litre	O
340	CM 110	CM	123 LEVEL CM	7432,3877 litre	57,506 %	5492,1245 litre	O
340	CM 110	CM	122 LEVEL CM	7358,0725 litre	56,931 %	5566,4397 litre	O
340	CM 110	CM	121 LEVEL CM	7283,6827 litre	56,356 %	5640,8295 litre	O
340	CM 110	CM	120 LEVEL CM	7209,2245 litre	55,779 %	5715,2877 litre	O
340	CM 110	CM	119 LEVEL CM	7134,7042 litre	55,203 %	5789,8080 litre	O
340	CM 110	CM	118 LEVEL CM	7060,1282 litre	54,626 %	5864,3840 litre	O
340	CM 110	CM	117 LEVEL CM	6985,5025 litre	54,048 %	5939,0097 litre	O
340	CM 110	CM	116 LEVEL CM	6910,8334 litre	53,471 %	6013,6788 litre	O

340	CM	110	CM	115 LEVEL CM	6836,1273 litre	52,893 %	6088,3849 litre	O
340	CM	110	CM	114 LEVEL CM	6761,3901 litre	52,314 %	6163,1221 litre	O
340	CM	110	CM	113 LEVEL CM	6686,6283 litre	51,736 %	6237,8839 litre	O
340	CM	110	CM	112 LEVEL CM	6611,8478 litre	51,157 %	6312,6644 litre	O
340	CM	110	CM	111 LEVEL CM	6537,0551 litre	50,579 %	6387,4571 litre	O
340	CM	110	CM	110 LEVEL CM	6462,2561 litre	50,000 %	6462,2561 litre	O
340	CM	110	CM	109 LEVEL CM	6387,4571 litre	49,421 %	6537,0551 litre	O
340	CM	110	CM	108 LEVEL CM	6312,6643 litre	48,843 %	6611,8479 litre	O
340	CM	110	CM	107 LEVEL CM	6237,8839 litre	48,264 %	6686,6283 litre	O
340	CM	110	CM	106 LEVEL CM	6163,1220 litre	47,686 %	6761,3902 litre	O
340	CM	110	CM	105 LEVEL CM	6088,3849 litre	47,107 %	6836,1273 litre	O
340	CM	110	CM	104 LEVEL CM	6013,6787 litre	46,529 %	6910,8335 litre	O
340	CM	110	CM	103 LEVEL CM	5939,0097 litre	45,952 %	6985,5025 litre	O
340	CM	110	CM	102 LEVEL CM	5864,3840 litre	45,374 %	7060,1282 litre	O
340	CM	110	CM	101 LEVEL CM	5789,8079 litre	44,797 %	7134,7043 litre	O
340	CM	110	CM	100 LEVEL CM	5715,2877 litre	44,221 %	7209,2245 litre	O
340	CM	110	CM	99 LEVEL CM	5640,8295 litre	43,644 %	7283,6827 litre	O
340	CM	110	CM	98 LEVEL CM	5566,4396 litre	43,069 %	7358,0726 litre	O
340	CM	110	CM	97 LEVEL CM	5492,1244 litre	42,494 %	7432,3878 litre	O
340	CM	110	CM	96 LEVEL CM	5417,8901 litre	41,919 %	7506,6221 litre	O
340	CM	110	CM	95 LEVEL CM	5343,7431 litre	41,346 %	7580,7691 litre	O
340	CM	110	CM	94 LEVEL CM	5269,6897 litre	40,773 %	7654,8225 litre	O
340	CM	110	CM	93 LEVEL CM	5195,7363 litre	40,201 %	7728,7759 litre	O
340	CM	110	CM	92 LEVEL CM	5121,8892 litre	39,629 %	7802,6230 litre	O
340	CM	110	CM	91 LEVEL CM	5048,1549 litre	39,059 %	7876,3573 litre	O
340	CM	110	CM	90 LEVEL CM	4974,5399 litre	38,489 %	7949,9723 litre	O
340	CM	110	CM	89 LEVEL CM	4901,0506 litre	37,921 %	8023,4616 litre	O
340	CM	110	CM	88 LEVEL CM	4827,6935 litre	37,353 %	8096,8187 litre	O
340	CM	110	CM	87 LEVEL CM	4754,4753 litre	36,786 %	8170,0369 litre	O
340	CM	110	CM	86 LEVEL CM	4681,4025 litre	36,221 %	8243,1097 litre	O
340	CM	110	CM	85 LEVEL CM	4608,4817 litre	35,657 %	8316,0305 litre	O
340	CM	110	CM	84 LEVEL CM	4535,7196 litre	35,094 %	8388,7926 litre	O
340	CM	110	CM	83 LEVEL CM	4463,1229 litre	34,532 %	8461,3893 litre	O
340	CM	110	CM	82 LEVEL CM	4390,6984 litre	33,972 %	8533,8138 litre	O
340	CM	110	CM	81 LEVEL CM	4318,4529 litre	33,413 %	8606,0593 litre	O
340	CM	110	CM	80 LEVEL CM	4246,3932 litre	32,855 %	8678,1190 litre	O
340	CM	110	CM	79 LEVEL CM	4174,5263 litre	32,299 %	8749,9859 litre	O
340	CM	110	CM	78 LEVEL CM	4102,8591 litre	31,745 %	8821,6531 litre	O
340	CM	110	CM	77 LEVEL CM	4031,3987 litre	31,192 %	8893,1135 litre	O
340	CM	110	CM	76 LEVEL CM	3960,1522 litre	30,641 %	8964,3600 litre	O
340	CM	110	CM	75 LEVEL CM	3889,1267 litre	30,091 %	9035,3855 litre	O
340	CM	110	CM	74 LEVEL CM	3818,3294 litre	29,543 %	9106,1828 litre	O
340	CM	110	CM	73 LEVEL CM	3747,7676 litre	28,997 %	9176,7446 litre	O
340	CM	110	CM	72 LEVEL CM	3677,4487 litre	28,453 %	9247,0635 litre	O
340	CM	110	CM	71 LEVEL CM	3607,3802 litre	27,911 %	9317,1320 litre	O
340	CM	110	CM	70 LEVEL CM	3537,5694 litre	27,371 %	9386,9428 litre	O
340	CM	110	CM	69 LEVEL CM	3468,0242 litre	26,833 %	9456,4880 litre	O
340	CM	110	CM	68 LEVEL CM	3398,7521 litre	26,297 %	9525,7601 litre	O
340	CM	110	CM	67 LEVEL CM	3329,7609 litre	25,763 %	9594,7513 litre	O
340	CM	110	CM	66 LEVEL CM	3261,0585 litre	25,232 %	9663,4537 litre	O
340	CM	110	CM	65 LEVEL CM	3192,6529 litre	24,702 %	9731,8593 litre	O
340	CM	110	CM	64 LEVEL CM	3124,5521 litre	24,175 %	9799,9601 litre	O
340	CM	110	CM	63 LEVEL CM	3056,7645 litre	23,651 %	9867,7477 litre	O

340	CM 110	CM	62 LEVEL CM	2989,2982 litre	23,129 %	9935,2140 litre	O
340	CM 110	CM	61 LEVEL CM	2922,1616 litre	22,609 %	10002,3506 litre	O
340	CM 110	CM	60 LEVEL CM	2855,3635 litre	22,093 %	10069,1487 litre	O
340	CM 110	CM	59 LEVEL CM	2788,9123 litre	21,578 %	10135,5999 litre	O
340	CM 110	CM	58 LEVEL CM	2722,8170 litre	21,067 %	10201,6952 litre	O
340	CM 110	CM	57 LEVEL CM	2657,0865 litre	20,559 %	10267,4257 litre	O
340	CM 110	CM	56 LEVEL CM	2591,7299 litre	20,053 %	10332,7823 litre	O
340	CM 110	CM	55 LEVEL CM	2526,7565 litre	19,550 %	10397,7557 litre	O
340	CM 110	CM	54 LEVEL CM	2462,1757 litre	19,050 %	10462,3365 litre	O
340	CM 110	CM	53 LEVEL CM	2397,9971 litre	18,554 %	10526,5151 litre	O
340	CM 110	CM	52 LEVEL CM	2334,2305 litre	18,060 %	10590,2817 litre	O
340	CM 110	CM	51 LEVEL CM	2270,8859 litre	17,570 %	10653,6263 litre	O
340	CM 110	CM	50 LEVEL CM	2207,9735 litre	17,084 %	10716,5387 litre	O
340	CM 110	CM	49 LEVEL CM	2145,5036 litre	16,600 %	10779,0086 litre	O
340	CM 110	CM	48 LEVEL CM	2083,4869 litre	16,120 %	10841,0253 litre	O
340	CM 110	CM	47 LEVEL CM	2021,9342 litre	15,644 %	10902,5780 litre	O
340	CM 110	CM	46 LEVEL CM	1960,8566 litre	15,172 %	10963,6556 litre	O
340	CM 110	CM	45 LEVEL CM	1900,2655 litre	14,703 %	11024,2467 litre	O
340	CM 110	CM	44 LEVEL CM	1840,1725 litre	14,238 %	11084,3397 litre	O
340	CM 110	CM	43 LEVEL CM	1780,5896 litre	13,777 %	11143,9226 litre	O
340	CM 110	CM	42 LEVEL CM	1721,5288 litre	13,320 %	11202,9834 litre	O
340	CM 110	CM	41 LEVEL CM	1663,0029 litre	12,867 %	11261,5093 litre	O
340	CM 110	CM	40 LEVEL CM	1605,0248 litre	12,418 %	11319,4874 litre	O
340	CM 110	CM	39 LEVEL CM	1547,6076 litre	11,974 %	11376,9046 litre	O
340	CM 110	CM	38 LEVEL CM	1490,7651 litre	11,534 %	11433,7471 litre	O
340	CM 110	CM	37 LEVEL CM	1434,5114 litre	11,099 %	11490,0008 litre	O
340	CM 110	CM	36 LEVEL CM	1378,8610 litre	10,669 %	11545,6512 litre	O
340	CM 110	CM	35 LEVEL CM	1323,8288 litre	10,243 %	11600,6834 litre	O
340	CM 110	CM	34 LEVEL CM	1269,4306 litre	9,822 %	11655,0816 litre	O
340	CM 110	CM	33 LEVEL CM	1215,6822 litre	9,406 %	11708,8300 litre	O
340	CM 110	CM	32 LEVEL CM	1162,6005 litre	8,995 %	11761,9117 litre	O
340	CM 110	CM	31 LEVEL CM	1110,2026 litre	8,590 %	11814,3096 litre	O
340	CM 110	CM	30 LEVEL CM	1058,5066 litre	8,190 %	11866,0056 litre	O
340	CM 110	CM	29 LEVEL CM	1007,5312 litre	7,796 %	11916,9810 litre	O
340	CM 110	CM	28 LEVEL CM	957,2960 litre	7,407 %	11967,2162 litre	O
340	CM 110	CM	27 LEVEL CM	907,8213 litre	7,024 %	12016,6909 litre	O
340	CM 110	CM	26 LEVEL CM	859,1286 litre	6,647 %	12065,3836 litre	O
340	CM 110	CM	25 LEVEL CM	811,2403 litre	6,277 %	12113,2719 litre	O
340	CM 110	CM	24 LEVEL CM	764,1798 litre	5,913 %	12160,3324 litre	O
340	CM 110	CM	23 LEVEL CM	717,9722 litre	5,555 %	12206,5400 litre	O
340	CM 110	CM	22 LEVEL CM	672,6436 litre	5,204 %	12251,8686 litre	O
340	CM 110	CM	21 LEVEL CM	628,2217 litre	4,861 %	12296,2905 litre	O
340	CM 110	CM	20 LEVEL CM	584,7363 litre	4,524 %	12339,7759 litre	O
340	CM 110	CM	19 LEVEL CM	542,2186 litre	4,195 %	12382,2936 litre	O
340	CM 110	CM	18 LEVEL CM	500,7025 litre	3,874 %	12423,8097 litre	O
340	CM 110	CM	17 LEVEL CM	460,2242 litre	3,561 %	12464,2880 litre	O
340	CM 110	CM	16 LEVEL CM	420,8226 litre	3,256 %	12503,6896 litre	O
340	CM 110	CM	15 LEVEL CM	382,5401 litre	2,960 %	12541,9721 litre	O
340	CM 110	CM	14 LEVEL CM	345,4230 litre	2,673 %	12579,0892 litre	O
340	CM 110	CM	13 LEVEL CM	309,5219 litre	2,395 %	12614,9903 litre	O
340	CM 110	CM	12 LEVEL CM	274,8929 litre	2,127 %	12649,6193 litre	O
340	CM 110	CM	11 LEVEL CM	241,5984 litre	1,869 %	12682,9138 litre	O
340	CM 110	CM	10 LEVEL CM	209,7087 litre	1,623 %	12714,8035 litre	O

340_110

-2077-

340	CM	110	CM	9 LEVEL CM	179,3039 litre	1,387 %	12745,2083 litre	O
340	CM	110	CM	8 LEVEL CM	150,4765 litre	1,164 %	12774,0357 litre	O
340	CM	110	CM	7 LEVEL CM	123,3351 litre	0,954 %	12801,1771 litre	O
340	CM	110	CM	6 LEVEL CM	98,0100 litre	0,758 %	12826,5022 litre	O
340	CM	110	CM	5 LEVEL CM	74,6622 litre	0,578 %	12849,8500 litre	O
340	CM	110	CM	4 LEVEL CM	53,4978 litre	0,414 %	12871,0144 litre	O
340	CM	110	CM	3 LEVEL CM	34,7958 litre	0,269 %	12889,7164 litre	O
340	CM	110	CM	2 LEVEL CM	18,9664 litre	0,147 %	12905,5458 litre	O
340	CM	110	CM	1 LEVEL CM	6,7148 litre	0,052 %	12917,7974 litre	O
340	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	12924,5122 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 105	CM 210 LEVEL CM	11776,2601 litre	100,000 %	0,0000 litre	O
340	CM 105	CM 209 LEVEL CM	11769,7000 litre	99,944 %	6,5601 litre	O
340	CM 105	CM 208 LEVEL CM	11757,7321 litre	99,843 %	18,5280 litre	O
340	CM 105	CM 207 LEVEL CM	11742,2710 litre	99,711 %	33,9891 litre	O
340	CM 105	CM 206 LEVEL CM	11724,0060 litre	99,556 %	52,2541 litre	O
340	CM 105	CM 205 LEVEL CM	11703,3386 litre	99,381 %	72,9215 litre	O
340	CM 105	CM 204 LEVEL CM	11680,5415 litre	99,187 %	95,7186 litre	O
340	CM 105	CM 203 LEVEL CM	11655,8166 litre	98,977 %	120,4435 litre	O
340	CM 105	CM 202 LEVEL CM	11629,3215 litre	98,752 %	146,9386 litre	O
340	CM 105	CM 201 LEVEL CM	11601,1839 litre	98,513 %	175,0762 litre	O
340	CM 105	CM 200 LEVEL CM	11571,5101 litre	98,261 %	204,7500 litre	O
340	CM 105	CM 199 LEVEL CM	11540,3908 litre	97,997 %	235,8693 litre	O
340	CM 105	CM 198 LEVEL CM	11507,9046 litre	97,721 %	268,3555 litre	O
340	CM 105	CM 197 LEVEL CM	11474,1203 litre	97,434 %	302,1398 litre	O
340	CM 105	CM 196 LEVEL CM	11439,0993 litre	97,137 %	337,1608 litre	O
340	CM 105	CM 195 LEVEL CM	11402,8965 litre	96,830 %	373,3636 litre	O
340	CM 105	CM 194 LEVEL CM	11365,5618 litre	96,512 %	410,6983 litre	O
340	CM 105	CM 193 LEVEL CM	11327,1406 litre	96,186 %	449,1195 litre	O
340	CM 105	CM 192 LEVEL CM	11287,6743 litre	95,851 %	488,5858 litre	O
340	CM 105	CM 191 LEVEL CM	11247,2015 litre	95,507 %	529,0586 litre	O
340	CM 105	CM 190 LEVEL CM	11205,7577 litre	95,155 %	570,5024 litre	O
340	CM 105	CM 189 LEVEL CM	11163,3762 litre	94,796 %	612,8839 litre	O
340	CM 105	CM 188 LEVEL CM	11120,0877 litre	94,428 %	656,1724 litre	O
340	CM 105	CM 187 LEVEL CM	11075,9216 litre	94,053 %	700,3385 litre	O
340	CM 105	CM 186 LEVEL CM	11030,9051 litre	93,671 %	745,3550 litre	O
340	CM 105	CM 185 LEVEL CM	10985,0641 litre	93,281 %	791,1960 litre	O
340	CM 105	CM 184 LEVEL CM	10938,4230 litre	92,885 %	837,8371 litre	O
340	CM 105	CM 183 LEVEL CM	10891,0052 litre	92,483 %	885,2549 litre	O
340	CM 105	CM 182 LEVEL CM	10842,8328 litre	92,074 %	933,4273 litre	O
340	CM 105	CM 181 LEVEL CM	10793,9268 litre	91,658 %	982,3333 litre	O
340	CM 105	CM 180 LEVEL CM	10744,3074 litre	91,237 %	1031,9527 litre	O
340	CM 105	CM 179 LEVEL CM	10693,9939 litre	90,810 %	1082,2662 litre	O
340	CM 105	CM 178 LEVEL CM	10643,0048 litre	90,377 %	1133,2553 litre	O
340	CM 105	CM 177 LEVEL CM	10591,3580 litre	89,938 %	1184,9021 litre	O
340	CM 105	CM 176 LEVEL CM	10539,0705 litre	89,494 %	1237,1896 litre	O
340	CM 105	CM 175 LEVEL CM	10486,1588 litre	89,045 %	1290,1013 litre	O
340	CM 105	CM 174 LEVEL CM	10432,6388 litre	88,590 %	1343,6213 litre	O
340	CM 105	CM 173 LEVEL CM	10378,5260 litre	88,131 %	1397,7341 litre	O
340	CM 105	CM 172 LEVEL CM	10323,8352 litre	87,667 %	1452,4249 litre	O
340	CM 105	CM 171 LEVEL CM	10268,5808 litre	87,197 %	1507,6793 litre	O
340	CM 105	CM 170 LEVEL CM	10212,7768 litre	86,723 %	1563,4833 litre	O
340	CM 105	CM 169 LEVEL CM	10156,4368 litre	86,245 %	1619,8233 litre	O
340	CM 105	CM 168 LEVEL CM	10099,5739 litre	85,762 %	1676,6862 litre	O
340	CM 105	CM 167 LEVEL CM	10042,2010 litre	85,275 %	1734,0591 litre	O
340	CM 105	CM 166 LEVEL CM	9984,3306 litre	84,784 %	1791,9295 litre	O
340	CM 105	CM 165 LEVEL CM	9925,9748 litre	84,288 %	1850,2853 litre	O
340	CM 105	CM 164 LEVEL CM	9867,1454 litre	83,788 %	1909,1147 litre	O
340	CM 105	CM 163 LEVEL CM	9807,8541 litre	83,285 %	1968,4060 litre	O
340	CM 105	CM 162 LEVEL CM	9748,1122 litre	82,778 %	2028,1479 litre	O
340	CM 105	CM 161 LEVEL CM	9687,9308 litre	82,267 %	2088,3293 litre	O
340	CM 105	CM 160 LEVEL CM	9627,3205 litre	81,752 %	2148,9396 litre	O
340	CM 105	CM 159 LEVEL CM	9566,2922 litre	81,234 %	2209,9679 litre	O

340	CM	105	CM	158 LEVEL CM	9504,8560 litre	80,712 %	2271,4041 litre	O
340	CM	105	CM	157 LEVEL CM	9443,0222 litre	80,187 %	2333,2379 litre	O
340	CM	105	CM	156 LEVEL CM	9380,8007 litre	79,659 %	2395,4594 litre	O
340	CM	105	CM	155 LEVEL CM	9318,2014 litre	79,127 %	2458,0587 litre	O
340	CM	105	CM	154 LEVEL CM	9255,2338 litre	78,592 %	2521,0263 litre	O
340	CM	105	CM	153 LEVEL CM	9191,9075 litre	78,055 %	2584,3526 litre	O
340	CM	105	CM	152 LEVEL CM	9128,2316 litre	77,514 %	2648,0285 litre	O
340	CM	105	CM	151 LEVEL CM	9064,2152 litre	76,970 %	2712,0449 litre	O
340	CM	105	CM	150 LEVEL CM	8999,8675 litre	76,424 %	2776,3926 litre	O
340	CM	105	CM	149 LEVEL CM	8935,1972 litre	75,875 %	2841,0629 litre	O
340	CM	105	CM	148 LEVEL CM	8870,2131 litre	75,323 %	2906,0470 litre	O
340	CM	105	CM	147 LEVEL CM	8804,9237 litre	74,768 %	2971,3364 litre	O
340	CM	105	CM	146 LEVEL CM	8739,3376 litre	74,211 %	3036,9225 litre	O
340	CM	105	CM	145 LEVEL CM	8673,4630 litre	73,652 %	3102,7971 litre	O
340	CM	105	CM	144 LEVEL CM	8607,3082 litre	73,090 %	3168,9519 litre	O
340	CM	105	CM	143 LEVEL CM	8540,8813 litre	72,526 %	3235,3788 litre	O
340	CM	105	CM	142 LEVEL CM	8474,1905 litre	71,960 %	3302,0696 litre	O
340	CM	105	CM	141 LEVEL CM	8407,2436 litre	71,391 %	3369,0165 litre	O
340	CM	105	CM	140 LEVEL CM	8340,0486 litre	70,821 %	3436,2115 litre	O
340	CM	105	CM	139 LEVEL CM	8272,6131 litre	70,248 %	3503,6470 litre	O
340	CM	105	CM	138 LEVEL CM	8204,9449 litre	69,674 %	3571,3152 litre	O
340	CM	105	CM	137 LEVEL CM	8137,0515 litre	69,097 %	3639,2086 litre	O
340	CM	105	CM	136 LEVEL CM	8068,9406 litre	68,519 %	3707,3195 litre	O
340	CM	105	CM	135 LEVEL CM	8000,6195 litre	67,939 %	3775,6406 litre	O
340	CM	105	CM	134 LEVEL CM	7932,0957 litre	67,357 %	3844,1644 litre	O
340	CM	105	CM	133 LEVEL CM	7863,3764 litre	66,773 %	3912,8837 litre	O
340	CM	105	CM	132 LEVEL CM	7794,4690 litre	66,188 %	3981,7911 litre	O
340	CM	105	CM	131 LEVEL CM	7725,3807 litre	65,601 %	4050,8794 litre	O
340	CM	105	CM	130 LEVEL CM	7656,1186 litre	65,013 %	4120,1415 litre	O
340	CM	105	CM	129 LEVEL CM	7586,6897 litre	64,424 %	4189,5704 litre	O
340	CM	105	CM	128 LEVEL CM	7517,1012 litre	63,833 %	4259,1589 litre	O
340	CM	105	CM	127 LEVEL CM	7447,3601 litre	63,240 %	4328,9000 litre	O
340	CM	105	CM	126 LEVEL CM	7377,4732 litre	62,647 %	4398,7869 litre	O
340	CM	105	CM	125 LEVEL CM	7307,4475 litre	62,052 %	4468,8126 litre	O
340	CM	105	CM	124 LEVEL CM	7237,2899 litre	61,457 %	4538,9702 litre	O
340	CM	105	CM	123 LEVEL CM	7167,0071 litre	60,860 %	4609,2530 litre	O
340	CM	105	CM	122 LEVEL CM	7096,6061 litre	60,262 %	4679,6540 litre	O
340	CM	105	CM	121 LEVEL CM	7026,0934 litre	59,663 %	4750,1667 litre	O
340	CM	105	CM	120 LEVEL CM	6955,4759 litre	59,064 %	4820,7842 litre	O
340	CM	105	CM	119 LEVEL CM	6884,7603 litre	58,463 %	4891,4998 litre	O
340	CM	105	CM	118 LEVEL CM	6813,9532 litre	57,862 %	4962,3069 litre	O
340	CM	105	CM	117 LEVEL CM	6743,0612 litre	57,260 %	5033,1989 litre	O
340	CM	105	CM	116 LEVEL CM	6672,0910 litre	56,657 %	5104,1691 litre	O
340	CM	105	CM	115 LEVEL CM	6601,0492 litre	56,054 %	5175,2109 litre	O
340	CM	105	CM	114 LEVEL CM	6529,9423 litre	55,450 %	5246,3178 litre	O
340	CM	105	CM	113 LEVEL CM	6458,7769 litre	54,846 %	5317,4832 litre	O
340	CM	105	CM	112 LEVEL CM	6387,5596 litre	54,241 %	5388,7005 litre	O
340	CM	105	CM	111 LEVEL CM	6316,2968 litre	53,636 %	5459,9633 litre	O
340	CM	105	CM	110 LEVEL CM	6244,9951 litre	53,030 %	5531,2650 litre	O
340	CM	105	CM	109 LEVEL CM	6173,6609 litre	52,425 %	5602,5992 litre	O
340	CM	105	CM	108 LEVEL CM	6102,3009 litre	51,819 %	5673,9592 litre	O
340	CM	105	CM	107 LEVEL CM	6030,9214 litre	51,213 %	5745,3387 litre	O
340	CM	105	CM	106 LEVEL CM	5959,5290 litre	50,606 %	5816,7311 litre	O

340	CM	105	CM	105 LEVEL CM	5888,1300 litre	50,000 %	5888,1301 litre	O
340	CM	105	CM	104 LEVEL CM	5816,7311 litre	49,394 %	5959,5290 litre	O
340	CM	105	CM	103 LEVEL CM	5745,3387 litre	48,787 %	6030,9214 litre	O
340	CM	105	CM	102 LEVEL CM	5673,9592 litre	48,181 %	6102,3009 litre	O
340	CM	105	CM	101 LEVEL CM	5602,5991 litre	47,575 %	6173,6610 litre	O
340	CM	105	CM	100 LEVEL CM	5531,2650 litre	46,970 %	6244,9951 litre	O
340	CM	105	CM	99 LEVEL CM	5459,9633 litre	46,364 %	6316,2968 litre	O
340	CM	105	CM	98 LEVEL CM	5388,7005 litre	45,759 %	6387,5596 litre	O
340	CM	105	CM	97 LEVEL CM	5317,4831 litre	45,154 %	6458,7770 litre	O
340	CM	105	CM	96 LEVEL CM	5246,3178 litre	44,550 %	6529,9423 litre	O
340	CM	105	CM	95 LEVEL CM	5175,2109 litre	43,946 %	6601,0492 litre	O
340	CM	105	CM	94 LEVEL CM	5104,1690 litre	43,343 %	6672,0911 litre	O
340	CM	105	CM	93 LEVEL CM	5033,1988 litre	42,740 %	6743,0613 litre	O
340	CM	105	CM	92 LEVEL CM	4962,3069 litre	42,138 %	6813,9532 litre	O
340	CM	105	CM	91 LEVEL CM	4891,4998 litre	41,537 %	6884,7603 litre	O
340	CM	105	CM	90 LEVEL CM	4820,7841 litre	40,936 %	6955,4760 litre	O
340	CM	105	CM	89 LEVEL CM	4750,1666 litre	40,337 %	7026,0935 litre	O
340	CM	105	CM	88 LEVEL CM	4679,6540 litre	39,738 %	7096,6061 litre	O
340	CM	105	CM	87 LEVEL CM	4609,2529 litre	39,140 %	7167,0072 litre	O
340	CM	105	CM	86 LEVEL CM	4538,9702 litre	38,543 %	7237,2899 litre	O
340	CM	105	CM	85 LEVEL CM	4468,8126 litre	37,948 %	7307,4475 litre	O
340	CM	105	CM	84 LEVEL CM	4398,7869 litre	37,353 %	7377,4732 litre	O
340	CM	105	CM	83 LEVEL CM	4328,9000 litre	36,760 %	7447,3601 litre	O
340	CM	105	CM	82 LEVEL CM	4259,1588 litre	36,167 %	7517,1013 litre	O
340	CM	105	CM	81 LEVEL CM	4189,5703 litre	35,576 %	7586,6898 litre	O
340	CM	105	CM	80 LEVEL CM	4120,1415 litre	34,987 %	7656,1186 litre	O
340	CM	105	CM	79 LEVEL CM	4050,8794 litre	34,399 %	7725,3807 litre	O
340	CM	105	CM	78 LEVEL CM	3981,7910 litre	33,812 %	7794,4691 litre	O
340	CM	105	CM	77 LEVEL CM	3912,8836 litre	33,227 %	7863,3765 litre	O
340	CM	105	CM	76 LEVEL CM	3844,1644 litre	32,643 %	7932,0957 litre	O
340	CM	105	CM	75 LEVEL CM	3775,6406 litre	32,061 %	8000,6195 litre	O
340	CM	105	CM	74 LEVEL CM	3707,3195 litre	31,481 %	8068,9406 litre	O
340	CM	105	CM	73 LEVEL CM	3639,2085 litre	30,903 %	8137,0516 litre	O
340	CM	105	CM	72 LEVEL CM	3571,3152 litre	30,326 %	8204,9449 litre	O
340	CM	105	CM	71 LEVEL CM	3503,6470 litre	29,752 %	8272,6131 litre	O
340	CM	105	CM	70 LEVEL CM	3436,2115 litre	29,179 %	8340,0486 litre	O
340	CM	105	CM	69 LEVEL CM	3369,0164 litre	28,609 %	8407,2437 litre	O
340	CM	105	CM	68 LEVEL CM	3302,0695 litre	28,040 %	8474,1906 litre	O
340	CM	105	CM	67 LEVEL CM	3235,3787 litre	27,474 %	8540,8814 litre	O
340	CM	105	CM	66 LEVEL CM	3168,9519 litre	26,910 %	8607,3082 litre	O
340	CM	105	CM	65 LEVEL CM	3102,7971 litre	26,348 %	8673,4630 litre	O
340	CM	105	CM	64 LEVEL CM	3036,9225 litre	25,789 %	8739,3376 litre	O
340	CM	105	CM	63 LEVEL CM	2971,3363 litre	25,232 %	8804,9238 litre	O
340	CM	105	CM	62 LEVEL CM	2906,0469 litre	24,677 %	8870,2132 litre	O
340	CM	105	CM	61 LEVEL CM	2841,0628 litre	24,125 %	8935,1973 litre	O
340	CM	105	CM	60 LEVEL CM	2776,3925 litre	23,576 %	8999,8676 litre	O
340	CM	105	CM	59 LEVEL CM	2712,0448 litre	23,030 %	9064,2153 litre	O
340	CM	105	CM	58 LEVEL CM	2648,0285 litre	22,486 %	9128,2316 litre	O
340	CM	105	CM	57 LEVEL CM	2584,3526 litre	21,945 %	9191,9075 litre	O
340	CM	105	CM	56 LEVEL CM	2521,0262 litre	21,408 %	9255,2339 litre	O
340	CM	105	CM	55 LEVEL CM	2458,0586 litre	20,873 %	9318,2015 litre	O
340	CM	105	CM	54 LEVEL CM	2395,4593 litre	20,341 %	9380,8008 litre	O
340	CM	105	CM	53 LEVEL CM	2333,2379 litre	19,813 %	9443,0222 litre	O

340	CM	105	CM	52 LEVEL CM	2271,4041 litre	19,288 %	9504,8560 litre	O
340	CM	105	CM	51 LEVEL CM	2209,9679 litre	18,766 %	9566,2922 litre	O
340	CM	105	CM	50 LEVEL CM	2148,9395 litre	18,248 %	9627,3206 litre	O
340	CM	105	CM	49 LEVEL CM	2088,3293 litre	17,733 %	9687,9308 litre	O
340	CM	105	CM	48 LEVEL CM	2028,1478 litre	17,222 %	9748,1123 litre	O
340	CM	105	CM	47 LEVEL CM	1968,4059 litre	16,715 %	9807,8542 litre	O
340	CM	105	CM	46 LEVEL CM	1909,1147 litre	16,212 %	9867,1454 litre	O
340	CM	105	CM	45 LEVEL CM	1850,2853 litre	15,712 %	9925,9748 litre	O
340	CM	105	CM	44 LEVEL CM	1791,9295 litre	15,216 %	9984,3306 litre	O
340	CM	105	CM	43 LEVEL CM	1734,0590 litre	14,725 %	10042,2011 litre	O
340	CM	105	CM	42 LEVEL CM	1676,6861 litre	14,238 %	10099,5740 litre	O
340	CM	105	CM	41 LEVEL CM	1619,8232 litre	13,755 %	10156,4369 litre	O
340	CM	105	CM	40 LEVEL CM	1563,4832 litre	13,277 %	10212,7769 litre	O
340	CM	105	CM	39 LEVEL CM	1507,6792 litre	12,803 %	10268,5809 litre	O
340	CM	105	CM	38 LEVEL CM	1452,4248 litre	12,333 %	10323,8353 litre	O
340	CM	105	CM	37 LEVEL CM	1397,7340 litre	11,869 %	10378,5261 litre	O
340	CM	105	CM	36 LEVEL CM	1343,6212 litre	11,410 %	10432,6389 litre	O
340	CM	105	CM	35 LEVEL CM	1290,1013 litre	10,955 %	10486,1588 litre	O
340	CM	105	CM	34 LEVEL CM	1237,1896 litre	10,506 %	10539,0705 litre	O
340	CM	105	CM	33 LEVEL CM	1184,9021 litre	10,062 %	10591,3580 litre	O
340	CM	105	CM	32 LEVEL CM	1133,2552 litre	9,623 %	10643,0049 litre	O
340	CM	105	CM	31 LEVEL CM	1082,2662 litre	9,190 %	10693,9939 litre	O
340	CM	105	CM	30 LEVEL CM	1031,9527 litre	8,763 %	10744,3074 litre	O
340	CM	105	CM	29 LEVEL CM	982,3333 litre	8,342 %	10793,9268 litre	O
340	CM	105	CM	28 LEVEL CM	933,4273 litre	7,926 %	10842,8328 litre	O
340	CM	105	CM	27 LEVEL CM	885,2548 litre	7,517 %	10891,0053 litre	O
340	CM	105	CM	26 LEVEL CM	837,8370 litre	7,115 %	10938,4231 litre	O
340	CM	105	CM	25 LEVEL CM	791,1960 litre	6,719 %	10985,0641 litre	O
340	CM	105	CM	24 LEVEL CM	745,3550 litre	6,329 %	11030,9051 litre	O
340	CM	105	CM	23 LEVEL CM	700,3385 litre	5,947 %	11075,9216 litre	O
340	CM	105	CM	22 LEVEL CM	656,1723 litre	5,572 %	11120,0878 litre	O
340	CM	105	CM	21 LEVEL CM	612,8839 litre	5,204 %	11163,3762 litre	O
340	CM	105	CM	20 LEVEL CM	570,5023 litre	4,845 %	11205,7578 litre	O
340	CM	105	CM	19 LEVEL CM	529,0585 litre	4,493 %	11247,2016 litre	O
340	CM	105	CM	18 LEVEL CM	488,5857 litre	4,149 %	11287,6744 litre	O
340	CM	105	CM	17 LEVEL CM	449,1195 litre	3,814 %	11327,1406 litre	O
340	CM	105	CM	16 LEVEL CM	410,6982 litre	3,488 %	11365,5619 litre	O
340	CM	105	CM	15 LEVEL CM	373,3635 litre	3,170 %	11402,8966 litre	O
340	CM	105	CM	14 LEVEL CM	337,1608 litre	2,863 %	11439,0993 litre	O
340	CM	105	CM	13 LEVEL CM	302,1398 litre	2,566 %	11474,1203 litre	O
340	CM	105	CM	12 LEVEL CM	268,3555 litre	2,279 %	11507,9046 litre	O
340	CM	105	CM	11 LEVEL CM	235,8692 litre	2,003 %	11540,3909 litre	O
340	CM	105	CM	10 LEVEL CM	204,7500 litre	1,739 %	11571,5101 litre	O
340	CM	105	CM	9 LEVEL CM	175,0762 litre	1,487 %	11601,1839 litre	O
340	CM	105	CM	8 LEVEL CM	146,9385 litre	1,248 %	11629,3216 litre	O
340	CM	105	CM	7 LEVEL CM	120,4434 litre	1,023 %	11655,8167 litre	O
340	CM	105	CM	6 LEVEL CM	95,7186 litre	0,813 %	11680,5415 litre	O
340	CM	105	CM	5 LEVEL CM	72,9215 litre	0,619 %	11703,3386 litre	O
340	CM	105	CM	4 LEVEL CM	52,2540 litre	0,444 %	11724,0061 litre	O
340	CM	105	CM	3 LEVEL CM	33,9891 litre	0,289 %	11742,2710 litre	O
340	CM	105	CM	2 LEVEL CM	18,5280 litre	0,157 %	11757,7321 litre	O
340	CM	105	CM	1 LEVEL CM	6,5600 litre	0,056 %	11769,7001 litre	O
340	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	11776,2601 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 100	CM 200 LEVEL CM	10681,4150 litre	100,000 %	0,0000 litre	O
340	CM 100	CM 199 LEVEL CM	10675,0135 litre	99,940 %	6,4015 litre	O
340	CM 100	CM 198 LEVEL CM	10663,3362 litre	99,831 %	18,0788 litre	O
340	CM 100	CM 197 LEVEL CM	10648,2523 litre	99,690 %	33,1627 litre	O
340	CM 100	CM 196 LEVEL CM	10630,4351 litre	99,523 %	50,9799 litre	O
340	CM 100	CM 195 LEVEL CM	10610,2767 litre	99,334 %	71,1383 litre	O
340	CM 100	CM 194 LEVEL CM	10588,0441 litre	99,126 %	93,3709 litre	O
340	CM 100	CM 193 LEVEL CM	10563,9344 litre	98,900 %	117,4806 litre	O
340	CM 100	CM 192 LEVEL CM	10538,1018 litre	98,658 %	143,3132 litre	O
340	CM 100	CM 191 LEVEL CM	10510,6712 litre	98,401 %	170,7438 litre	O
340	CM 100	CM 190 LEVEL CM	10481,7469 litre	98,131 %	199,6681 litre	O
340	CM 100	CM 189 LEVEL CM	10451,4176 litre	97,847 %	229,9974 litre	O
340	CM 100	CM 188 LEVEL CM	10419,7603 litre	97,550 %	261,6547 litre	O
340	CM 100	CM 187 LEVEL CM	10386,8424 litre	97,242 %	294,5726 litre	O
340	CM 100	CM 186 LEVEL CM	10352,7241 litre	96,923 %	328,6909 litre	O
340	CM 100	CM 185 LEVEL CM	10317,4595 litre	96,593 %	363,9555 litre	O
340	CM 100	CM 184 LEVEL CM	10281,0972 litre	96,252 %	400,3178 litre	O
340	CM 100	CM 183 LEVEL CM	10243,6819 litre	95,902 %	437,7331 litre	O
340	CM 100	CM 182 LEVEL CM	10205,2545 litre	95,542 %	476,1605 litre	O
340	CM 100	CM 181 LEVEL CM	10165,8526 litre	95,173 %	515,5624 litre	O
340	CM 100	CM 180 LEVEL CM	10125,5113 litre	94,796 %	555,9037 litre	O
340	CM 100	CM 179 LEVEL CM	10084,2631 litre	94,409 %	597,1519 litre	O
340	CM 100	CM 178 LEVEL CM	10042,1386 litre	94,015 %	639,2764 litre	O
340	CM 100	CM 177 LEVEL CM	9999,1663 litre	93,613 %	682,2487 litre	O
340	CM 100	CM 176 LEVEL CM	9955,3733 litre	93,203 %	726,0417 litre	O
340	CM 100	CM 175 LEVEL CM	9910,7850 litre	92,785 %	770,6300 litre	O
340	CM 100	CM 174 LEVEL CM	9865,4256 litre	92,361 %	815,9894 litre	O
340	CM 100	CM 173 LEVEL CM	9819,3180 litre	91,929 %	862,0970 litre	O
340	CM 100	CM 172 LEVEL CM	9772,4839 litre	91,491 %	908,9311 litre	O
340	CM 100	CM 171 LEVEL CM	9724,9443 litre	91,045 %	956,4707 litre	O
340	CM 100	CM 170 LEVEL CM	9676,7190 litre	90,594 %	1004,6960 litre	O
340	CM 100	CM 169 LEVEL CM	9627,8271 litre	90,136 %	1053,5879 litre	O
340	CM 100	CM 168 LEVEL CM	9578,2869 litre	89,672 %	1103,1281 litre	O
340	CM 100	CM 167 LEVEL CM	9528,1160 litre	89,203 %	1153,2990 litre	O
340	CM 100	CM 166 LEVEL CM	9477,3313 litre	88,727 %	1204,0837 litre	O
340	CM 100	CM 165 LEVEL CM	9425,9492 litre	88,246 %	1255,4658 litre	O
340	CM 100	CM 164 LEVEL CM	9373,9854 litre	87,760 %	1307,4296 litre	O
340	CM 100	CM 163 LEVEL CM	9321,4552 litre	87,268 %	1359,9598 litre	O
340	CM 100	CM 162 LEVEL CM	9268,3733 litre	86,771 %	1413,0417 litre	O
340	CM 100	CM 161 LEVEL CM	9214,7541 litre	86,269 %	1466,6609 litre	O
340	CM 100	CM 160 LEVEL CM	9160,6113 litre	85,762 %	1520,8037 litre	O
340	CM 100	CM 159 LEVEL CM	9105,9585 litre	85,250 %	1575,4565 litre	O
340	CM 100	CM 158 LEVEL CM	9050,8087 litre	84,734 %	1630,6063 litre	O
340	CM 100	CM 157 LEVEL CM	8995,1748 litre	84,213 %	1686,2402 litre	O
340	CM 100	CM 156 LEVEL CM	8939,0692 litre	83,688 %	1742,3458 litre	O
340	CM 100	CM 155 LEVEL CM	8882,5038 litre	83,158 %	1798,9112 litre	O
340	CM 100	CM 154 LEVEL CM	8825,4907 litre	82,625 %	1855,9243 litre	O
340	CM 100	CM 153 LEVEL CM	8768,0412 litre	82,087 %	1913,3738 litre	O
340	CM 100	CM 152 LEVEL CM	8710,1667 litre	81,545 %	1971,2483 litre	O
340	CM 100	CM 151 LEVEL CM	8651,8782 litre	80,999 %	2029,5368 litre	O
340	CM 100	CM 150 LEVEL CM	8593,1865 litre	80,450 %	2088,2285 litre	O
340	CM 100	CM 149 LEVEL CM	8534,1022 litre	79,897 %	2147,3128 litre	O

340	CM	100	CM	148 LEVEL CM	8474,6357 litre	79,340 %	2206,7793 litre	O
340	CM	100	CM	147 LEVEL CM	8414,7971 litre	78,780 %	2266,6179 litre	O
340	CM	100	CM	146 LEVEL CM	8354,5964 litre	78,216 %	2326,8186 litre	O
340	CM	100	CM	145 LEVEL CM	8294,0434 litre	77,649 %	2387,3716 litre	O
340	CM	100	CM	144 LEVEL CM	8233,1477 litre	77,079 %	2448,2673 litre	O
340	CM	100	CM	143 LEVEL CM	8171,9188 litre	76,506 %	2509,4962 litre	O
340	CM	100	CM	142 LEVEL CM	8110,3660 litre	75,930 %	2571,0490 litre	O
340	CM	100	CM	141 LEVEL CM	8048,4985 litre	75,350 %	2632,9165 litre	O
340	CM	100	CM	140 LEVEL CM	7986,3254 litre	74,768 %	2695,0896 litre	O
340	CM	100	CM	139 LEVEL CM	7923,8554 litre	74,184 %	2757,5596 litre	O
340	CM	100	CM	138 LEVEL CM	7861,0975 litre	73,596 %	2820,3175 litre	O
340	CM	100	CM	137 LEVEL CM	7798,0601 litre	73,006 %	2883,3549 litre	O
340	CM	100	CM	136 LEVEL CM	7734,7520 litre	72,413 %	2946,6630 litre	O
340	CM	100	CM	135 LEVEL CM	7671,1814 litre	71,818 %	3010,2336 litre	O
340	CM	100	CM	134 LEVEL CM	7607,3568 litre	71,220 %	3074,0582 litre	O
340	CM	100	CM	133 LEVEL CM	7543,2863 litre	70,621 %	3138,1287 litre	O
340	CM	100	CM	132 LEVEL CM	7478,9781 litre	70,019 %	3202,4369 litre	O
340	CM	100	CM	131 LEVEL CM	7414,4402 litre	69,414 %	3266,9748 litre	O
340	CM	100	CM	130 LEVEL CM	7349,6805 litre	68,808 %	3331,7345 litre	O
340	CM	100	CM	129 LEVEL CM	7284,7070 litre	68,200 %	3396,7080 litre	O
340	CM	100	CM	128 LEVEL CM	7219,5275 litre	67,590 %	3461,8875 litre	O
340	CM	100	CM	127 LEVEL CM	7154,1496 litre	66,978 %	3527,2654 litre	O
340	CM	100	CM	126 LEVEL CM	7088,5810 litre	66,364 %	3592,8340 litre	O
340	CM	100	CM	125 LEVEL CM	7022,8293 litre	65,748 %	3658,5857 litre	O
340	CM	100	CM	124 LEVEL CM	6956,9021 litre	65,131 %	3724,5129 litre	O
340	CM	100	CM	123 LEVEL CM	6890,8067 litre	64,512 %	3790,6083 litre	O
340	CM	100	CM	122 LEVEL CM	6824,5506 litre	63,892 %	3856,8644 litre	O
340	CM	100	CM	121 LEVEL CM	6758,1412 litre	63,270 %	3923,2738 litre	O
340	CM	100	CM	120 LEVEL CM	6691,5857 litre	62,647 %	3989,8293 litre	O
340	CM	100	CM	119 LEVEL CM	6624,8913 litre	62,023 %	4056,5237 litre	O
340	CM	100	CM	118 LEVEL CM	6558,0654 litre	61,397 %	4123,3496 litre	O
340	CM	100	CM	117 LEVEL CM	6491,1151 litre	60,770 %	4190,2999 litre	O
340	CM	100	CM	116 LEVEL CM	6424,0474 litre	60,142 %	4257,3676 litre	O
340	CM	100	CM	115 LEVEL CM	6356,8695 litre	59,513 %	4324,5455 litre	O
340	CM	100	CM	114 LEVEL CM	6289,5884 litre	58,883 %	4391,8266 litre	O
340	CM	100	CM	113 LEVEL CM	6222,2112 litre	58,253 %	4459,2038 litre	O
340	CM	100	CM	112 LEVEL CM	6154,7449 litre	57,621 %	4526,6701 litre	O
340	CM	100	CM	111 LEVEL CM	6087,1963 litre	56,989 %	4594,2187 litre	O
340	CM	100	CM	110 LEVEL CM	6019,5725 litre	56,356 %	4661,8425 litre	O
340	CM	100	CM	109 LEVEL CM	5951,8803 litre	55,722 %	4729,5347 litre	O
340	CM	100	CM	108 LEVEL CM	5884,1267 litre	55,088 %	4797,2883 litre	O
340	CM	100	CM	107 LEVEL CM	5816,3185 litre	54,453 %	4865,0965 litre	O
340	CM	100	CM	106 LEVEL CM	5748,4626 litre	53,817 %	4932,9524 litre	O
340	CM	100	CM	105 LEVEL CM	5680,5658 litre	53,182 %	5000,8492 litre	O
340	CM	100	CM	104 LEVEL CM	5612,6350 litre	52,546 %	5068,7800 litre	O
340	CM	100	CM	103 LEVEL CM	5544,6769 litre	51,910 %	5136,7381 litre	O
340	CM	100	CM	102 LEVEL CM	5476,6984 litre	51,273 %	5204,7166 litre	O
340	CM	100	CM	101 LEVEL CM	5408,7064 litre	50,637 %	5272,7086 litre	O
340	CM	100	CM	100 LEVEL CM	5340,7075 litre	50,000 %	5340,7075 litre	O
340	CM	100	CM	99 LEVEL CM	5272,7086 litre	49,363 %	5408,7064 litre	O
340	CM	100	CM	98 LEVEL CM	5204,7166 litre	48,727 %	5476,6984 litre	O
340	CM	100	CM	97 LEVEL CM	5136,7381 litre	48,090 %	5544,6769 litre	O
340	CM	100	CM	96 LEVEL CM	5068,7801 litre	47,454 %	5612,6349 litre	O

340	CM	100	CM	95 LEVEL CM	5000,8492 litre	46,818 %	5680,5658 litre	O
340	CM	100	CM	94 LEVEL CM	4932,9524 litre	46,183 %	5748,4626 litre	O
340	CM	100	CM	93 LEVEL CM	4865,0965 litre	45,547 %	5816,3185 litre	O
340	CM	100	CM	92 LEVEL CM	4797,2883 litre	44,912 %	5884,1267 litre	O
340	CM	100	CM	91 LEVEL CM	4729,5347 litre	44,278 %	5951,8803 litre	O
340	CM	100	CM	90 LEVEL CM	4661,8426 litre	43,644 %	6019,5724 litre	O
340	CM	100	CM	89 LEVEL CM	4594,2187 litre	43,011 %	6087,1963 litre	O
340	CM	100	CM	88 LEVEL CM	4526,6702 litre	42,379 %	6154,7448 litre	O
340	CM	100	CM	87 LEVEL CM	4459,2038 litre	41,747 %	6222,2112 litre	O
340	CM	100	CM	86 LEVEL CM	4391,8266 litre	41,117 %	6289,5884 litre	O
340	CM	100	CM	85 LEVEL CM	4324,5455 litre	40,487 %	6356,8695 litre	O
340	CM	100	CM	84 LEVEL CM	4257,3676 litre	39,858 %	6424,0474 litre	O
340	CM	100	CM	83 LEVEL CM	4190,3000 litre	39,230 %	6491,1150 litre	O
340	CM	100	CM	82 LEVEL CM	4123,3496 litre	38,603 %	6558,0654 litre	O
340	CM	100	CM	81 LEVEL CM	4056,5237 litre	37,977 %	6624,8913 litre	O
340	CM	100	CM	80 LEVEL CM	3989,8294 litre	37,353 %	6691,5856 litre	O
340	CM	100	CM	79 LEVEL CM	3923,2739 litre	36,730 %	6758,1411 litre	O
340	CM	100	CM	78 LEVEL CM	3856,8644 litre	36,108 %	6824,5506 litre	O
340	CM	100	CM	77 LEVEL CM	3790,6083 litre	35,488 %	6890,8067 litre	O
340	CM	100	CM	76 LEVEL CM	3724,5129 litre	34,869 %	6956,9021 litre	O
340	CM	100	CM	75 LEVEL CM	3658,5857 litre	34,252 %	7022,8293 litre	O
340	CM	100	CM	74 LEVEL CM	3592,8340 litre	33,636 %	7088,5810 litre	O
340	CM	100	CM	73 LEVEL CM	3527,2654 litre	33,022 %	7154,1496 litre	O
340	CM	100	CM	72 LEVEL CM	3461,8875 litre	32,410 %	7219,5275 litre	O
340	CM	100	CM	71 LEVEL CM	3396,7080 litre	31,800 %	7284,7070 litre	O
340	CM	100	CM	70 LEVEL CM	3331,7345 litre	31,192 %	7349,6805 litre	O
340	CM	100	CM	69 LEVEL CM	3266,9749 litre	30,586 %	7414,4401 litre	O
340	CM	100	CM	68 LEVEL CM	3202,4370 litre	29,981 %	7478,9780 litre	O
340	CM	100	CM	67 LEVEL CM	3138,1287 litre	29,379 %	7543,2863 litre	O
340	CM	100	CM	66 LEVEL CM	3074,0583 litre	28,780 %	7607,3567 litre	O
340	CM	100	CM	65 LEVEL CM	3010,2336 litre	28,182 %	7671,1814 litre	O
340	CM	100	CM	64 LEVEL CM	2946,6631 litre	27,587 %	7734,7519 litre	O
340	CM	100	CM	63 LEVEL CM	2883,3549 litre	26,994 %	7798,0601 litre	O
340	CM	100	CM	62 LEVEL CM	2820,3176 litre	26,404 %	7861,0974 litre	O
340	CM	100	CM	61 LEVEL CM	2757,5596 litre	25,816 %	7923,8554 litre	O
340	CM	100	CM	60 LEVEL CM	2695,0896 litre	25,232 %	7986,3254 litre	O
340	CM	100	CM	59 LEVEL CM	2632,9165 litre	24,650 %	8048,4985 litre	O
340	CM	100	CM	58 LEVEL CM	2571,0490 litre	24,070 %	8110,3660 litre	O
340	CM	100	CM	57 LEVEL CM	2509,4962 litre	23,494 %	8171,9188 litre	O
340	CM	100	CM	56 LEVEL CM	2448,2674 litre	22,921 %	8233,1476 litre	O
340	CM	100	CM	55 LEVEL CM	2387,3717 litre	22,351 %	8294,0433 litre	O
340	CM	100	CM	54 LEVEL CM	2326,8187 litre	21,784 %	8354,5963 litre	O
340	CM	100	CM	53 LEVEL CM	2266,6179 litre	21,220 %	8414,7971 litre	O
340	CM	100	CM	52 LEVEL CM	2206,7793 litre	20,660 %	8474,6357 litre	O
340	CM	100	CM	51 LEVEL CM	2147,3128 litre	20,103 %	8534,1022 litre	O
340	CM	100	CM	50 LEVEL CM	2088,2285 litre	19,550 %	8593,1865 litre	O
340	CM	100	CM	49 LEVEL CM	2029,5368 litre	19,001 %	8651,8782 litre	O
340	CM	100	CM	48 LEVEL CM	1971,2483 litre	18,455 %	8710,1667 litre	O
340	CM	100	CM	47 LEVEL CM	1913,3738 litre	17,913 %	8768,0412 litre	O
340	CM	100	CM	46 LEVEL CM	1855,9244 litre	17,375 %	8825,4906 litre	O
340	CM	100	CM	45 LEVEL CM	1798,9112 litre	16,842 %	8882,5038 litre	O
340	CM	100	CM	44 LEVEL CM	1742,3459 litre	16,312 %	8939,0691 litre	O
340	CM	100	CM	43 LEVEL CM	1686,2402 litre	15,787 %	8995,1748 litre	O

340	CM	100	CM	42 LEVEL CM	1630,6063 litre	15,266 %	9050,8087 litre	O
340	CM	100	CM	41 LEVEL CM	1575,4565 litre	14,750 %	9105,9585 litre	O
340	CM	100	CM	40 LEVEL CM	1520,8037 litre	14,238 %	9160,6113 litre	O
340	CM	100	CM	39 LEVEL CM	1466,6610 litre	13,731 %	9214,7540 litre	O
340	CM	100	CM	38 LEVEL CM	1413,0417 litre	13,229 %	9268,3733 litre	O
340	CM	100	CM	37 LEVEL CM	1359,9598 litre	12,732 %	9321,4552 litre	O
340	CM	100	CM	36 LEVEL CM	1307,4296 litre	12,240 %	9373,9854 litre	O
340	CM	100	CM	35 LEVEL CM	1255,4658 litre	11,754 %	9425,9492 litre	O
340	CM	100	CM	34 LEVEL CM	1204,0837 litre	11,273 %	9477,3313 litre	O
340	CM	100	CM	33 LEVEL CM	1153,2991 litre	10,797 %	9528,1159 litre	O
340	CM	100	CM	32 LEVEL CM	1103,1282 litre	10,328 %	9578,2868 litre	O
340	CM	100	CM	31 LEVEL CM	1053,5880 litre	9,864 %	9627,8270 litre	O
340	CM	100	CM	30 LEVEL CM	1004,6961 litre	9,406 %	9676,7189 litre	O
340	CM	100	CM	29 LEVEL CM	956,4708 litre	8,955 %	9724,9442 litre	O
340	CM	100	CM	28 LEVEL CM	908,9311 litre	8,509 %	9772,4839 litre	O
340	CM	100	CM	27 LEVEL CM	862,0971 litre	8,071 %	9819,3179 litre	O
340	CM	100	CM	26 LEVEL CM	815,9894 litre	7,639 %	9865,4256 litre	O
340	CM	100	CM	25 LEVEL CM	770,6300 litre	7,215 %	9910,7850 litre	O
340	CM	100	CM	24 LEVEL CM	726,0417 litre	6,797 %	9955,3733 litre	O
340	CM	100	CM	23 LEVEL CM	682,2487 litre	6,387 %	9999,1663 litre	O
340	CM	100	CM	22 LEVEL CM	639,2765 litre	5,985 %	10042,1385 litre	O
340	CM	100	CM	21 LEVEL CM	597,1519 litre	5,591 %	10084,2631 litre	O
340	CM	100	CM	20 LEVEL CM	555,9038 litre	5,204 %	10125,5112 litre	O
340	CM	100	CM	19 LEVEL CM	515,5624 litre	4,827 %	10165,8526 litre	O
340	CM	100	CM	18 LEVEL CM	476,1606 litre	4,458 %	10205,2544 litre	O
340	CM	100	CM	17 LEVEL CM	437,7331 litre	4,098 %	10243,6819 litre	O
340	CM	100	CM	16 LEVEL CM	400,3178 litre	3,748 %	10281,0972 litre	O
340	CM	100	CM	15 LEVEL CM	363,9555 litre	3,407 %	10317,4595 litre	O
340	CM	100	CM	14 LEVEL CM	328,6909 litre	3,077 %	10352,7241 litre	O
340	CM	100	CM	13 LEVEL CM	294,5726 litre	2,758 %	10386,8424 litre	O
340	CM	100	CM	12 LEVEL CM	261,6548 litre	2,450 %	10419,7602 litre	O
340	CM	100	CM	11 LEVEL CM	229,9974 litre	2,153 %	10451,4176 litre	O
340	CM	100	CM	10 LEVEL CM	199,6681 litre	1,869 %	10481,7469 litre	O
340	CM	100	CM	9 LEVEL CM	170,7438 litre	1,599 %	10510,6712 litre	O
340	CM	100	CM	8 LEVEL CM	143,3132 litre	1,342 %	10538,1018 litre	O
340	CM	100	CM	7 LEVEL CM	117,4806 litre	1,100 %	10563,9344 litre	O
340	CM	100	CM	6 LEVEL CM	93,3710 litre	0,874 %	10588,0440 litre	O
340	CM	100	CM	5 LEVEL CM	71,1383 litre	0,666 %	10610,2767 litre	O
340	CM	100	CM	4 LEVEL CM	50,9800 litre	0,477 %	10630,4350 litre	O
340	CM	100	CM	3 LEVEL CM	33,1627 litre	0,310 %	10648,2523 litre	O
340	CM	100	CM	2 LEVEL CM	18,0788 litre	0,169 %	10663,3362 litre	O
340	CM	100	CM	1 LEVEL CM	6,4015 litre	0,060 %	10675,0135 litre	O
340	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	10681,4150 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
340	CM	95	CM	190 LEVEL CM	9639,9771 litre	100,000 %	0,0000 litre	O
340	CM	95	CM	189 LEVEL CM	9633,7382 litre	99,935 %	6,2389 litre	O
340	CM	95	CM	188 LEVEL CM	9622,3588 litre	99,817 %	17,6183 litre	O
340	CM	95	CM	187 LEVEL CM	9607,6617 litre	99,665 %	32,3154 litre	O
340	CM	95	CM	186 LEVEL CM	9590,3038 litre	99,485 %	49,6733 litre	O
340	CM	95	CM	185 LEVEL CM	9570,6679 litre	99,281 %	69,3092 litre	O
340	CM	95	CM	184 LEVEL CM	9549,0143 litre	99,056 %	90,9628 litre	O
340	CM	95	CM	183 LEVEL CM	9525,5359 litre	98,813 %	114,4412 litre	O
340	CM	95	CM	182 LEVEL CM	9500,3832 litre	98,552 %	139,5939 litre	O
340	CM	95	CM	181 LEVEL CM	9473,6785 litre	98,275 %	166,2986 litre	O
340	CM	95	CM	180 LEVEL CM	9445,5236 litre	97,983 %	194,4535 litre	O
340	CM	95	CM	179 LEVEL CM	9416,0054 litre	97,677 %	223,9717 litre	O
340	CM	95	CM	178 LEVEL CM	9385,1992 litre	97,357 %	254,7779 litre	O
340	CM	95	CM	177 LEVEL CM	9353,1712 litre	97,025 %	286,8059 litre	O
340	CM	95	CM	176 LEVEL CM	9319,9803 litre	96,681 %	319,9968 litre	O
340	CM	95	CM	175 LEVEL CM	9285,6793 litre	96,325 %	354,2978 litre	O
340	CM	95	CM	174 LEVEL CM	9250,3163 litre	95,958 %	389,6608 litre	O
340	CM	95	CM	173 LEVEL CM	9213,9348 litre	95,580 %	426,0423 litre	O
340	CM	95	CM	172 LEVEL CM	9176,5749 litre	95,193 %	463,4022 litre	O
340	CM	95	CM	171 LEVEL CM	9138,2739 litre	94,796 %	501,7032 litre	O
340	CM	95	CM	170 LEVEL CM	9099,0660 litre	94,389 %	540,9111 litre	O
340	CM	95	CM	169 LEVEL CM	9058,9833 litre	93,973 %	580,9938 litre	O
340	CM	95	CM	168 LEVEL CM	9018,0557 litre	93,549 %	621,9214 litre	O
340	CM	95	CM	167 LEVEL CM	8976,3115 litre	93,115 %	663,6656 litre	O
340	CM	95	CM	166 LEVEL CM	8933,7772 litre	92,674 %	706,1999 litre	O
340	CM	95	CM	165 LEVEL CM	8890,4779 litre	92,225 %	749,4992 litre	O
340	CM	95	CM	164 LEVEL CM	8846,4374 litre	91,768 %	793,5397 litre	O
340	CM	95	CM	163 LEVEL CM	8801,6782 litre	91,304 %	838,2989 litre	O
340	CM	95	CM	162 LEVEL CM	8756,2220 litre	90,832 %	883,7551 litre	O
340	CM	95	CM	161 LEVEL CM	8710,0891 litre	90,354 %	929,8880 litre	O
340	CM	95	CM	160 LEVEL CM	8663,2995 litre	89,868 %	976,6776 litre	O
340	CM	95	CM	159 LEVEL CM	8615,8717 litre	89,376 %	1024,1054 litre	O
340	CM	95	CM	158 LEVEL CM	8567,8241 litre	88,878 %	1072,1530 litre	O
340	CM	95	CM	157 LEVEL CM	8519,1739 litre	88,373 %	1120,8032 litre	O
340	CM	95	CM	156 LEVEL CM	8469,9379 litre	87,863 %	1170,0392 litre	O
340	CM	95	CM	155 LEVEL CM	8420,1323 litre	87,346 %	1219,8448 litre	O
340	CM	95	CM	154 LEVEL CM	8369,7728 litre	86,824 %	1270,2043 litre	O
340	CM	95	CM	153 LEVEL CM	8318,8743 litre	86,296 %	1321,1028 litre	O
340	CM	95	CM	152 LEVEL CM	8267,4517 litre	85,762 %	1372,5254 litre	O
340	CM	95	CM	151 LEVEL CM	8215,5190 litre	85,223 %	1424,4581 litre	O
340	CM	95	CM	150 LEVEL CM	8163,0901 litre	84,680 %	1476,8870 litre	O
340	CM	95	CM	149 LEVEL CM	8110,1782 litre	84,131 %	1529,7989 litre	O
340	CM	95	CM	148 LEVEL CM	8056,7966 litre	83,577 %	1583,1805 litre	O
340	CM	95	CM	147 LEVEL CM	8002,9578 litre	83,018 %	1637,0193 litre	O
340	CM	95	CM	146 LEVEL CM	7948,6743 litre	82,455 %	1691,3028 litre	O
340	CM	95	CM	145 LEVEL CM	7893,9580 litre	81,888 %	1746,0191 litre	O
340	CM	95	CM	144 LEVEL CM	7838,8208 litre	81,316 %	1801,1563 litre	O
340	CM	95	CM	143 LEVEL CM	7783,2742 litre	80,740 %	1856,7029 litre	O
340	CM	95	CM	142 LEVEL CM	7727,3294 litre	80,159 %	1912,6477 litre	O
340	CM	95	CM	141 LEVEL CM	7670,9975 litre	79,575 %	1968,9796 litre	O
340	CM	95	CM	140 LEVEL CM	7614,2892 litre	78,987 %	2025,6879 litre	O
340	CM	95	CM	139 LEVEL CM	7557,2152 litre	78,395 %	2082,7619 litre	O

340	CM	95	CM	138 LEVEL CM	7499,7858 litre	77,799 %	2140,1913 litre	O
340	CM	95	CM	137 LEVEL CM	7442,0112 litre	77,199 %	2197,9659 litre	O
340	CM	95	CM	136 LEVEL CM	7383,9015 litre	76,597 %	2256,0756 litre	O
340	CM	95	CM	135 LEVEL CM	7325,4664 litre	75,990 %	2314,5107 litre	O
340	CM	95	CM	134 LEVEL CM	7266,7156 litre	75,381 %	2373,2615 litre	O
340	CM	95	CM	133 LEVEL CM	7207,6587 litre	74,768 %	2432,3184 litre	O
340	CM	95	CM	132 LEVEL CM	7148,3049 litre	74,153 %	2491,6722 litre	O
340	CM	95	CM	131 LEVEL CM	7088,6636 litre	73,534 %	2551,3135 litre	O
340	CM	95	CM	130 LEVEL CM	7028,7439 litre	72,912 %	2611,2332 litre	O
340	CM	95	CM	129 LEVEL CM	6968,5547 litre	72,288 %	2671,4224 litre	O
340	CM	95	CM	128 LEVEL CM	6908,1048 litre	71,661 %	2731,8723 litre	O
340	CM	95	CM	127 LEVEL CM	6847,4030 litre	71,031 %	2792,5741 litre	O
340	CM	95	CM	126 LEVEL CM	6786,4580 litre	70,399 %	2853,5191 litre	O
340	CM	95	CM	125 LEVEL CM	6725,2781 litre	69,764 %	2914,6990 litre	O
340	CM	95	CM	124 LEVEL CM	6663,8720 litre	69,127 %	2976,1051 litre	O
340	CM	95	CM	123 LEVEL CM	6602,2479 litre	68,488 %	3037,7292 litre	O
340	CM	95	CM	122 LEVEL CM	6540,4140 litre	67,847 %	3099,5631 litre	O
340	CM	95	CM	121 LEVEL CM	6478,3785 litre	67,203 %	3161,5986 litre	O
340	CM	95	CM	120 LEVEL CM	6416,1496 litre	66,558 %	3223,8275 litre	O
340	CM	95	CM	119 LEVEL CM	6353,7351 litre	65,910 %	3286,2420 litre	O
340	CM	95	CM	118 LEVEL CM	6291,1431 litre	65,261 %	3348,8340 litre	O
340	CM	95	CM	117 LEVEL CM	6228,3815 litre	64,610 %	3411,5956 litre	O
340	CM	95	CM	116 LEVEL CM	6165,4579 litre	63,957 %	3474,5192 litre	O
340	CM	95	CM	115 LEVEL CM	6102,3802 litre	63,303 %	3537,5969 litre	O
340	CM	95	CM	114 LEVEL CM	6039,1561 litre	62,647 %	3600,8210 litre	O
340	CM	95	CM	113 LEVEL CM	5975,7931 litre	61,990 %	3664,1840 litre	O
340	CM	95	CM	112 LEVEL CM	5912,2989 litre	61,331 %	3727,6782 litre	O
340	CM	95	CM	111 LEVEL CM	5848,6811 litre	60,671 %	3791,2960 litre	O
340	CM	95	CM	110 LEVEL CM	5784,9470 litre	60,010 %	3855,0301 litre	O
340	CM	95	CM	109 LEVEL CM	5721,1042 litre	59,348 %	3918,8729 litre	O
340	CM	95	CM	108 LEVEL CM	5657,1601 litre	58,684 %	3982,8170 litre	O
340	CM	95	CM	107 LEVEL CM	5593,1221 litre	58,020 %	4046,8550 litre	O
340	CM	95	CM	106 LEVEL CM	5528,9975 litre	57,355 %	4110,9796 litre	O
340	CM	95	CM	105 LEVEL CM	5464,7936 litre	56,689 %	4175,1835 litre	O
340	CM	95	CM	104 LEVEL CM	5400,5177 litre	56,022 %	4239,4594 litre	O
340	CM	95	CM	103 LEVEL CM	5336,1771 litre	55,355 %	4303,8000 litre	O
340	CM	95	CM	102 LEVEL CM	5271,7790 litre	54,687 %	4368,1981 litre	O
340	CM	95	CM	101 LEVEL CM	5207,3307 litre	54,018 %	4432,6464 litre	O
340	CM	95	CM	100 LEVEL CM	5142,8393 litre	53,349 %	4497,1378 litre	O
340	CM	95	CM	99 LEVEL CM	5078,3122 litre	52,680 %	4561,6649 litre	O
340	CM	95	CM	98 LEVEL CM	5013,7563 litre	52,010 %	4626,2208 litre	O
340	CM	95	CM	97 LEVEL CM	4949,1790 litre	51,340 %	4690,7981 litre	O
340	CM	95	CM	96 LEVEL CM	4884,5873 litre	50,670 %	4755,3898 litre	O
340	CM	95	CM	95 LEVEL CM	4819,9885 litre	50,000 %	4819,9886 litre	O
340	CM	95	CM	94 LEVEL CM	4755,3897 litre	49,330 %	4884,5874 litre	O
340	CM	95	CM	93 LEVEL CM	4690,7981 litre	48,660 %	4949,1790 litre	O
340	CM	95	CM	92 LEVEL CM	4626,2207 litre	47,990 %	5013,7564 litre	O
340	CM	95	CM	91 LEVEL CM	4561,6649 litre	47,320 %	5078,3122 litre	O
340	CM	95	CM	90 LEVEL CM	4497,1377 litre	46,651 %	5142,8394 litre	O
340	CM	95	CM	89 LEVEL CM	4432,6464 litre	45,982 %	5207,3307 litre	O
340	CM	95	CM	88 LEVEL CM	4368,1981 litre	45,313 %	5271,7790 litre	O
340	CM	95	CM	87 LEVEL CM	4303,8000 litre	44,645 %	5336,1771 litre	O
340	CM	95	CM	86 LEVEL CM	4239,4594 litre	43,978 %	5400,5177 litre	O

340	CM	95	CM	85 LEVEL CM	4175,1835 litre	43,311 %	5464,7936 litre	O
340	CM	95	CM	84 LEVEL CM	4110,9796 litre	42,645 %	5528,9975 litre	O
340	CM	95	CM	83 LEVEL CM	4046,8550 litre	41,980 %	5593,1221 litre	O
340	CM	95	CM	82 LEVEL CM	3982,8169 litre	41,316 %	5657,1602 litre	O
340	CM	95	CM	81 LEVEL CM	3918,8728 litre	40,652 %	5721,1043 litre	O
340	CM	95	CM	80 LEVEL CM	3855,0300 litre	39,990 %	5784,9471 litre	O
340	CM	95	CM	79 LEVEL CM	3791,2960 litre	39,329 %	5848,6811 litre	O
340	CM	95	CM	78 LEVEL CM	3727,6781 litre	38,669 %	5912,2990 litre	O
340	CM	95	CM	77 LEVEL CM	3664,1840 litre	38,010 %	5975,7931 litre	O
340	CM	95	CM	76 LEVEL CM	3600,8210 litre	37,353 %	6039,1561 litre	O
340	CM	95	CM	75 LEVEL CM	3537,5969 litre	36,697 %	6102,3802 litre	O
340	CM	95	CM	74 LEVEL CM	3474,5192 litre	36,043 %	6165,4579 litre	O
340	CM	95	CM	73 LEVEL CM	3411,5956 litre	35,390 %	6228,3815 litre	O
340	CM	95	CM	72 LEVEL CM	3348,8339 litre	34,739 %	6291,1432 litre	O
340	CM	95	CM	71 LEVEL CM	3286,2419 litre	34,090 %	6353,7352 litre	O
340	CM	95	CM	70 LEVEL CM	3223,8275 litre	33,442 %	6416,1496 litre	O
340	CM	95	CM	69 LEVEL CM	3161,5985 litre	32,797 %	6478,3786 litre	O
340	CM	95	CM	68 LEVEL CM	3099,5631 litre	32,153 %	6540,4140 litre	O
340	CM	95	CM	67 LEVEL CM	3037,7292 litre	31,512 %	6602,2479 litre	O
340	CM	95	CM	66 LEVEL CM	2976,1051 litre	30,873 %	6663,8720 litre	O
340	CM	95	CM	65 LEVEL CM	2914,6989 litre	30,236 %	6725,2782 litre	O
340	CM	95	CM	64 LEVEL CM	2853,5191 litre	29,601 %	6786,4580 litre	O
340	CM	95	CM	63 LEVEL CM	2792,5740 litre	28,969 %	6847,4031 litre	O
340	CM	95	CM	62 LEVEL CM	2731,8723 litre	28,339 %	6908,1048 litre	O
340	CM	95	CM	61 LEVEL CM	2671,4224 litre	27,712 %	6968,5547 litre	O
340	CM	95	CM	60 LEVEL CM	2611,2332 litre	27,088 %	7028,7439 litre	O
340	CM	95	CM	59 LEVEL CM	2551,3134 litre	26,466 %	7088,6637 litre	O
340	CM	95	CM	58 LEVEL CM	2491,6721 litre	25,847 %	7148,3050 litre	O
340	CM	95	CM	57 LEVEL CM	2432,3184 litre	25,232 %	7207,6587 litre	O
340	CM	95	CM	56 LEVEL CM	2373,2615 litre	24,619 %	7266,7156 litre	O
340	CM	95	CM	55 LEVEL CM	2314,5107 litre	24,010 %	7325,4664 litre	O
340	CM	95	CM	54 LEVEL CM	2256,0756 litre	23,403 %	7383,9015 litre	O
340	CM	95	CM	53 LEVEL CM	2197,9658 litre	22,801 %	7442,0113 litre	O
340	CM	95	CM	52 LEVEL CM	2140,1913 litre	22,201 %	7499,7858 litre	O
340	CM	95	CM	51 LEVEL CM	2082,7619 litre	21,605 %	7557,2152 litre	O
340	CM	95	CM	50 LEVEL CM	2025,6879 litre	21,013 %	7614,2892 litre	O
340	CM	95	CM	49 LEVEL CM	1968,9796 litre	20,425 %	7670,9975 litre	O
340	CM	95	CM	48 LEVEL CM	1912,6477 litre	19,841 %	7727,3294 litre	O
340	CM	95	CM	47 LEVEL CM	1856,7029 litre	19,260 %	7783,2742 litre	O
340	CM	95	CM	46 LEVEL CM	1801,1563 litre	18,684 %	7838,8208 litre	O
340	CM	95	CM	45 LEVEL CM	1746,0191 litre	18,112 %	7893,9580 litre	O
340	CM	95	CM	44 LEVEL CM	1691,3028 litre	17,545 %	7948,6743 litre	O
340	CM	95	CM	43 LEVEL CM	1637,0192 litre	16,982 %	8002,9579 litre	O
340	CM	95	CM	42 LEVEL CM	1583,1804 litre	16,423 %	8056,7967 litre	O
340	CM	95	CM	41 LEVEL CM	1529,7988 litre	15,869 %	8110,1783 litre	O
340	CM	95	CM	40 LEVEL CM	1476,8870 litre	15,320 %	8163,0901 litre	O
340	CM	95	CM	39 LEVEL CM	1424,4581 litre	14,777 %	8215,5190 litre	O
340	CM	95	CM	38 LEVEL CM	1372,5254 litre	14,238 %	8267,4517 litre	O
340	CM	95	CM	37 LEVEL CM	1321,1027 litre	13,704 %	8318,8744 litre	O
340	CM	95	CM	36 LEVEL CM	1270,2043 litre	13,176 %	8369,7728 litre	O
340	CM	95	CM	35 LEVEL CM	1219,8447 litre	12,654 %	8420,1324 litre	O
340	CM	95	CM	34 LEVEL CM	1170,0392 litre	12,137 %	8469,9379 litre	O
340	CM	95	CM	33 LEVEL CM	1120,8032 litre	11,627 %	8519,1739 litre	O

340	CM	95	CM	32 LEVEL CM	1072,1530 litre	11,122 %	8567,8241 litre	O
340	CM	95	CM	31 LEVEL CM	1024,1053 litre	10,624 %	8615,8718 litre	O
340	CM	95	CM	30 LEVEL CM	976,6776 litre	10,132 %	8663,2995 litre	O
340	CM	95	CM	29 LEVEL CM	929,8879 litre	9,646 %	8710,0892 litre	O
340	CM	95	CM	28 LEVEL CM	883,7551 litre	9,168 %	8756,2220 litre	O
340	CM	95	CM	27 LEVEL CM	838,2988 litre	8,696 %	8801,6783 litre	O
340	CM	95	CM	26 LEVEL CM	793,5397 litre	8,232 %	8846,4374 litre	O
340	CM	95	CM	25 LEVEL CM	749,4991 litre	7,775 %	8890,4780 litre	O
340	CM	95	CM	24 LEVEL CM	706,1998 litre	7,326 %	8933,7773 litre	O
340	CM	95	CM	23 LEVEL CM	663,6655 litre	6,885 %	8976,3116 litre	O
340	CM	95	CM	22 LEVEL CM	621,9213 litre	6,451 %	9018,0558 litre	O
340	CM	95	CM	21 LEVEL CM	580,9938 litre	6,027 %	9058,9833 litre	O
340	CM	95	CM	20 LEVEL CM	540,9111 litre	5,611 %	9099,0660 litre	O
340	CM	95	CM	19 LEVEL CM	501,7032 litre	5,204 %	9138,2739 litre	O
340	CM	95	CM	18 LEVEL CM	463,4021 litre	4,807 %	9176,5750 litre	O
340	CM	95	CM	17 LEVEL CM	426,0423 litre	4,420 %	9213,9348 litre	O
340	CM	95	CM	16 LEVEL CM	389,6608 litre	4,042 %	9250,3163 litre	O
340	CM	95	CM	15 LEVEL CM	354,2977 litre	3,675 %	9285,6794 litre	O
340	CM	95	CM	14 LEVEL CM	319,9968 litre	3,319 %	9319,9803 litre	O
340	CM	95	CM	13 LEVEL CM	286,8058 litre	2,975 %	9353,1713 litre	O
340	CM	95	CM	12 LEVEL CM	254,7778 litre	2,643 %	9385,1993 litre	O
340	CM	95	CM	11 LEVEL CM	223,9716 litre	2,323 %	9416,0055 litre	O
340	CM	95	CM	10 LEVEL CM	194,4534 litre	2,017 %	9445,5237 litre	O
340	CM	95	CM	9 LEVEL CM	166,2985 litre	1,725 %	9473,6786 litre	O
340	CM	95	CM	8 LEVEL CM	139,5938 litre	1,448 %	9500,3833 litre	O
340	CM	95	CM	7 LEVEL CM	114,4412 litre	1,187 %	9525,5359 litre	O
340	CM	95	CM	6 LEVEL CM	90,9628 litre	0,944 %	9549,0143 litre	O
340	CM	95	CM	5 LEVEL CM	69,3092 litre	0,719 %	9570,6679 litre	O
340	CM	95	CM	4 LEVEL CM	49,6732 litre	0,515 %	9590,3039 litre	O
340	CM	95	CM	3 LEVEL CM	32,3153 litre	0,335 %	9607,6618 litre	O
340	CM	95	CM	2 LEVEL CM	17,6183 litre	0,183 %	9622,3588 litre	O
340	CM	95	CM	1 LEVEL CM	6,2389 litre	0,065 %	9633,7382 litre	O
340	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	9639,9771 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM	90	CM 180 LEVEL CM	8651,9462 litre	100,000 %	0,0000 litre	O
340	CM	90	CM 179 LEVEL CM	8645,8742 litre	99,930 %	6,0720 litre	O
340	CM	90	CM 178 LEVEL CM	8634,8008 litre	99,802 %	17,1454 litre	O
340	CM	90	CM 177 LEVEL CM	8620,5011 litre	99,637 %	31,4451 litre	O
340	CM	90	CM 176 LEVEL CM	8603,6150 litre	99,441 %	48,3312 litre	O
340	CM	90	CM 175 LEVEL CM	8584,5157 litre	99,221 %	67,4305 litre	O
340	CM	90	CM 174 LEVEL CM	8563,4571 litre	98,977 %	88,4891 litre	O
340	CM	90	CM 173 LEVEL CM	8540,6274 litre	98,713 %	111,3188 litre	O
340	CM	90	CM 172 LEVEL CM	8516,1736 litre	98,431 %	135,7726 litre	O
340	CM	90	CM 171 LEVEL CM	8490,2150 litre	98,131 %	161,7312 litre	O
340	CM	90	CM 170 LEVEL CM	8462,8512 litre	97,814 %	189,0950 litre	O
340	CM	90	CM 169 LEVEL CM	8434,1670 litre	97,483 %	217,7792 litre	O
340	CM	90	CM 168 LEVEL CM	8404,2362 litre	97,137 %	247,7100 litre	O
340	CM	90	CM 167 LEVEL CM	8373,1235 litre	96,777 %	278,8227 litre	O
340	CM	90	CM 166 LEVEL CM	8340,8865 litre	96,405 %	311,0597 litre	O
340	CM	90	CM 165 LEVEL CM	8307,5772 litre	96,020 %	344,3690 litre	O
340	CM	90	CM 164 LEVEL CM	8273,2423 litre	95,623 %	378,7039 litre	O
340	CM	90	CM 163 LEVEL CM	8237,9248 litre	95,215 %	414,0214 litre	O
340	CM	90	CM 162 LEVEL CM	8201,6641 litre	94,796 %	450,2821 litre	O
340	CM	90	CM 161 LEVEL CM	8164,4965 litre	94,366 %	487,4497 litre	O
340	CM	90	CM 160 LEVEL CM	8126,4558 litre	93,926 %	525,4904 litre	O
340	CM	90	CM 159 LEVEL CM	8087,5734 litre	93,477 %	564,3728 litre	O
340	CM	90	CM 158 LEVEL CM	8047,8790 litre	93,018 %	604,0672 litre	O
340	CM	90	CM 157 LEVEL CM	8007,4000 litre	92,550 %	644,5462 litre	O
340	CM	90	CM 156 LEVEL CM	7966,1628 litre	92,074 %	685,7834 litre	O
340	CM	90	CM 155 LEVEL CM	7924,1921 litre	91,589 %	727,7541 litre	O
340	CM	90	CM 154 LEVEL CM	7881,5111 litre	91,095 %	770,4351 litre	O
340	CM	90	CM 153 LEVEL CM	7838,1424 litre	90,594 %	813,8038 litre	O
340	CM	90	CM 152 LEVEL CM	7794,1070 litre	90,085 %	857,8392 litre	O
340	CM	90	CM 151 LEVEL CM	7749,4253 litre	89,569 %	902,5209 litre	O
340	CM	90	CM 150 LEVEL CM	7704,1167 litre	89,045 %	947,8295 litre	O
340	CM	90	CM 149 LEVEL CM	7658,1998 litre	88,514 %	993,7464 litre	O
340	CM	90	CM 148 LEVEL CM	7611,6925 litre	87,977 %	1040,2537 litre	O
340	CM	90	CM 147 LEVEL CM	7564,6121 litre	87,432 %	1087,3341 litre	O
340	CM	90	CM 146 LEVEL CM	7516,9751 litre	86,882 %	1134,9711 litre	O
340	CM	90	CM 145 LEVEL CM	7468,7977 litre	86,325 %	1183,1485 litre	O
340	CM	90	CM 144 LEVEL CM	7420,0951 litre	85,762 %	1231,8511 litre	O
340	CM	90	CM 143 LEVEL CM	7370,8826 litre	85,193 %	1281,0636 litre	O
340	CM	90	CM 142 LEVEL CM	7321,1745 litre	84,619 %	1330,7717 litre	O
340	CM	90	CM 141 LEVEL CM	7270,9851 litre	84,039 %	1380,9611 litre	O
340	CM	90	CM 140 LEVEL CM	7220,3279 litre	83,453 %	1431,6183 litre	O
340	CM	90	CM 139 LEVEL CM	7169,2164 litre	82,862 %	1482,7298 litre	O
340	CM	90	CM 138 LEVEL CM	7117,6634 litre	82,267 %	1534,2828 litre	O
340	CM	90	CM 137 LEVEL CM	7065,6817 litre	81,666 %	1586,2645 litre	O
340	CM	90	CM 136 LEVEL CM	7013,2836 litre	81,060 %	1638,6626 litre	O
340	CM	90	CM 135 LEVEL CM	6960,4811 litre	80,450 %	1691,4651 litre	O
340	CM	90	CM 134 LEVEL CM	6907,2860 litre	79,835 %	1744,6602 litre	O
340	CM	90	CM 133 LEVEL CM	6853,7097 litre	79,216 %	1798,2365 litre	O
340	CM	90	CM 132 LEVEL CM	6799,7636 litre	78,592 %	1852,1826 litre	O
340	CM	90	CM 131 LEVEL CM	6745,4587 litre	77,965 %	1906,4875 litre	O
340	CM	90	CM 130 LEVEL CM	6690,8058 litre	77,333 %	1961,1404 litre	O
340	CM	90	CM 129 LEVEL CM	6635,8155 litre	76,697 %	2016,1307 litre	O

340	CM	90	CM	128 LEVEL CM	6580,4983 litre	76,058 %	2071,4479 litre	O
340	CM	90	CM	127 LEVEL CM	6524,8643 litre	75,415 %	2127,0819 litre	O
340	CM	90	CM	126 LEVEL CM	6468,9236 litre	74,768 %	2183,0226 litre	O
340	CM	90	CM	125 LEVEL CM	6412,6861 litre	74,118 %	2239,2601 litre	O
340	CM	90	CM	124 LEVEL CM	6356,1615 litre	73,465 %	2295,7847 litre	O
340	CM	90	CM	123 LEVEL CM	6299,3595 litre	72,809 %	2352,5867 litre	O
340	CM	90	CM	122 LEVEL CM	6242,2895 litre	72,149 %	2409,6567 litre	O
340	CM	90	CM	121 LEVEL CM	6184,9608 litre	71,486 %	2466,9854 litre	O
340	CM	90	CM	120 LEVEL CM	6127,3826 litre	70,821 %	2524,5636 litre	O
340	CM	90	CM	119 LEVEL CM	6069,5640 litre	70,153 %	2582,3822 litre	O
340	CM	90	CM	118 LEVEL CM	6011,5139 litre	69,482 %	2640,4323 litre	O
340	CM	90	CM	117 LEVEL CM	5953,2412 litre	68,808 %	2698,7050 litre	O
340	CM	90	CM	116 LEVEL CM	5894,7547 litre	68,132 %	2757,1915 litre	O
340	CM	90	CM	115 LEVEL CM	5836,0629 litre	67,454 %	2815,8833 litre	O
340	CM	90	CM	114 LEVEL CM	5777,1745 litre	66,773 %	2874,7717 litre	O
340	CM	90	CM	113 LEVEL CM	5718,0980 litre	66,090 %	2933,8482 litre	O
340	CM	90	CM	112 LEVEL CM	5658,8417 litre	65,405 %	2993,1045 litre	O
340	CM	90	CM	111 LEVEL CM	5599,4139 litre	64,719 %	3052,5323 litre	O
340	CM	90	CM	110 LEVEL CM	5539,8230 litre	64,030 %	3112,1232 litre	O
340	CM	90	CM	109 LEVEL CM	5480,0771 litre	63,339 %	3171,8691 litre	O
340	CM	90	CM	108 LEVEL CM	5420,1844 litre	62,647 %	3231,7618 litre	O
340	CM	90	CM	107 LEVEL CM	5360,1528 litre	61,953 %	3291,7934 litre	O
340	CM	90	CM	106 LEVEL CM	5299,9904 litre	61,258 %	3351,9558 litre	O
340	CM	90	CM	105 LEVEL CM	5239,7052 litre	60,561 %	3412,2410 litre	O
340	CM	90	CM	104 LEVEL CM	5179,3050 litre	59,863 %	3472,6412 litre	O
340	CM	90	CM	103 LEVEL CM	5118,7978 litre	59,164 %	3533,1484 litre	O
340	CM	90	CM	102 LEVEL CM	5058,1912 litre	58,463 %	3593,7550 litre	O
340	CM	90	CM	101 LEVEL CM	4997,4932 litre	57,761 %	3654,4530 litre	O
340	CM	90	CM	100 LEVEL CM	4936,7115 litre	57,059 %	3715,2347 litre	O
340	CM	90	CM	99 LEVEL CM	4875,8537 litre	56,356 %	3776,0925 litre	O
340	CM	90	CM	98 LEVEL CM	4814,9276 litre	55,651 %	3837,0186 litre	O
340	CM	90	CM	97 LEVEL CM	4753,9408 litre	54,946 %	3898,0054 litre	O
340	CM	90	CM	96 LEVEL CM	4692,9009 litre	54,241 %	3959,0453 litre	O
340	CM	90	CM	95 LEVEL CM	4631,8156 litre	53,535 %	4020,1306 litre	O
340	CM	90	CM	94 LEVEL CM	4570,6925 litre	52,828 %	4081,2537 litre	O
340	CM	90	CM	93 LEVEL CM	4509,5391 litre	52,122 %	4142,4071 litre	O
340	CM	90	CM	92 LEVEL CM	4448,3630 litre	51,415 %	4203,5832 litre	O
340	CM	90	CM	91 LEVEL CM	4387,1718 litre	50,707 %	4264,7744 litre	O
340	CM	90	CM	90 LEVEL CM	4325,9731 litre	50,000 %	4325,9731 litre	O
340	CM	90	CM	89 LEVEL CM	4264,7743 litre	49,293 %	4387,1719 litre	O
340	CM	90	CM	88 LEVEL CM	4203,5832 litre	48,585 %	4448,3630 litre	O
340	CM	90	CM	87 LEVEL CM	4142,4071 litre	47,878 %	4509,5391 litre	O
340	CM	90	CM	86 LEVEL CM	4081,2537 litre	47,172 %	4570,6925 litre	O
340	CM	90	CM	85 LEVEL CM	4020,1306 litre	46,465 %	4631,8156 litre	O
340	CM	90	CM	84 LEVEL CM	3959,0453 litre	45,759 %	4692,9009 litre	O
340	CM	90	CM	83 LEVEL CM	3898,0054 litre	45,054 %	4753,9408 litre	O
340	CM	90	CM	82 LEVEL CM	3837,0186 litre	44,349 %	4814,9276 litre	O
340	CM	90	CM	81 LEVEL CM	3776,0925 litre	43,644 %	4875,8537 litre	O
340	CM	90	CM	80 LEVEL CM	3715,2347 litre	42,941 %	4936,7115 litre	O
340	CM	90	CM	79 LEVEL CM	3654,4529 litre	42,239 %	4997,4933 litre	O
340	CM	90	CM	78 LEVEL CM	3593,7549 litre	41,537 %	5058,1913 litre	O
340	CM	90	CM	77 LEVEL CM	3533,1484 litre	40,836 %	5118,7978 litre	O
340	CM	90	CM	76 LEVEL CM	3472,6411 litre	40,137 %	5179,3051 litre	O

340	CM	90	CM	75 LEVEL CM	3412,2410 litre	39,439 %	5239,7052 litre	O
340	CM	90	CM	74 LEVEL CM	3351,9557 litre	38,742 %	5299,9905 litre	O
340	CM	90	CM	73 LEVEL CM	3291,7934 litre	38,047 %	5360,1528 litre	O
340	CM	90	CM	72 LEVEL CM	3231,7618 litre	37,353 %	5420,1844 litre	O
340	CM	90	CM	71 LEVEL CM	3171,8690 litre	36,661 %	5480,0772 litre	O
340	CM	90	CM	70 LEVEL CM	3112,1231 litre	35,970 %	5539,8231 litre	O
340	CM	90	CM	69 LEVEL CM	3052,5322 litre	35,281 %	5599,4140 litre	O
340	CM	90	CM	68 LEVEL CM	2993,1045 litre	34,595 %	5658,8417 litre	O
340	CM	90	CM	67 LEVEL CM	2933,8482 litre	33,910 %	5718,0980 litre	O
340	CM	90	CM	66 LEVEL CM	2874,7717 litre	33,227 %	5777,1745 litre	O
340	CM	90	CM	65 LEVEL CM	2815,8833 litre	32,546 %	5836,0629 litre	O
340	CM	90	CM	64 LEVEL CM	2757,1915 litre	31,868 %	5894,7547 litre	O
340	CM	90	CM	63 LEVEL CM	2698,7049 litre	31,192 %	5953,2413 litre	O
340	CM	90	CM	62 LEVEL CM	2640,4322 litre	30,518 %	6011,5140 litre	O
340	CM	90	CM	61 LEVEL CM	2582,3822 litre	29,847 %	6069,5640 litre	O
340	CM	90	CM	60 LEVEL CM	2524,5635 litre	29,179 %	6127,3827 litre	O
340	CM	90	CM	59 LEVEL CM	2466,9853 litre	28,514 %	6184,9609 litre	O
340	CM	90	CM	58 LEVEL CM	2409,6566 litre	27,851 %	6242,2896 litre	O
340	CM	90	CM	57 LEVEL CM	2352,5866 litre	27,191 %	6299,3596 litre	O
340	CM	90	CM	56 LEVEL CM	2295,7846 litre	26,535 %	6356,1616 litre	O
340	CM	90	CM	55 LEVEL CM	2239,2601 litre	25,882 %	6412,6861 litre	O
340	CM	90	CM	54 LEVEL CM	2183,0226 litre	25,232 %	6468,9236 litre	O
340	CM	90	CM	53 LEVEL CM	2127,0819 litre	24,585 %	6524,8643 litre	O
340	CM	90	CM	52 LEVEL CM	2071,4479 litre	23,942 %	6580,4983 litre	O
340	CM	90	CM	51 LEVEL CM	2016,1306 litre	23,303 %	6635,8156 litre	O
340	CM	90	CM	50 LEVEL CM	1961,1403 litre	22,667 %	6690,8059 litre	O
340	CM	90	CM	49 LEVEL CM	1906,4874 litre	22,035 %	6745,4588 litre	O
340	CM	90	CM	48 LEVEL CM	1852,1825 litre	21,408 %	6799,7637 litre	O
340	CM	90	CM	47 LEVEL CM	1798,2364 litre	20,784 %	6853,7098 litre	O
340	CM	90	CM	46 LEVEL CM	1744,6602 litre	20,165 %	6907,2860 litre	O
340	CM	90	CM	45 LEVEL CM	1691,4651 litre	19,550 %	6960,4811 litre	O
340	CM	90	CM	44 LEVEL CM	1638,6626 litre	18,940 %	7013,2836 litre	O
340	CM	90	CM	43 LEVEL CM	1586,2644 litre	18,334 %	7065,6818 litre	O
340	CM	90	CM	42 LEVEL CM	1534,2828 litre	17,733 %	7117,6634 litre	O
340	CM	90	CM	41 LEVEL CM	1482,7298 litre	17,138 %	7169,2164 litre	O
340	CM	90	CM	40 LEVEL CM	1431,6183 litre	16,547 %	7220,3279 litre	O
340	CM	90	CM	39 LEVEL CM	1380,9611 litre	15,961 %	7270,9851 litre	O
340	CM	90	CM	38 LEVEL CM	1330,7717 litre	15,381 %	7321,1745 litre	O
340	CM	90	CM	37 LEVEL CM	1281,0636 litre	14,807 %	7370,8826 litre	O
340	CM	90	CM	36 LEVEL CM	1231,8510 litre	14,238 %	7420,0952 litre	O
340	CM	90	CM	35 LEVEL CM	1183,1485 litre	13,675 %	7468,7977 litre	O
340	CM	90	CM	34 LEVEL CM	1134,9710 litre	13,118 %	7516,9752 litre	O
340	CM	90	CM	33 LEVEL CM	1087,3341 litre	12,568 %	7564,6121 litre	O
340	CM	90	CM	32 LEVEL CM	1040,2537 litre	12,023 %	7611,6925 litre	O
340	CM	90	CM	31 LEVEL CM	993,7464 litre	11,486 %	7658,1998 litre	O
340	CM	90	CM	30 LEVEL CM	947,8295 litre	10,955 %	7704,1167 litre	O
340	CM	90	CM	29 LEVEL CM	902,5209 litre	10,431 %	7749,4253 litre	O
340	CM	90	CM	28 LEVEL CM	857,8392 litre	9,915 %	7794,1070 litre	O
340	CM	90	CM	27 LEVEL CM	813,8038 litre	9,406 %	7838,1424 litre	O
340	CM	90	CM	26 LEVEL CM	770,4350 litre	8,905 %	7881,5112 litre	O
340	CM	90	CM	25 LEVEL CM	727,7541 litre	8,411 %	7924,1921 litre	O
340	CM	90	CM	24 LEVEL CM	685,7833 litre	7,926 %	7966,1629 litre	O
340	CM	90	CM	23 LEVEL CM	644,5461 litre	7,450 %	8007,4001 litre	O

340	CM	90	CM	22 LEVEL CM	604,0672 litre	6,982 %	8047,8790 litre	O
340	CM	90	CM	21 LEVEL CM	564,3727 litre	6,523 %	8087,5735 litre	O
340	CM	90	CM	20 LEVEL CM	525,4904 litre	6,074 %	8126,4558 litre	O
340	CM	90	CM	19 LEVEL CM	487,4497 litre	5,634 %	8164,4965 litre	O
340	CM	90	CM	18 LEVEL CM	450,2821 litre	5,204 %	8201,6641 litre	O
340	CM	90	CM	17 LEVEL CM	414,0213 litre	4,785 %	8237,9249 litre	O
340	CM	90	CM	16 LEVEL CM	378,7039 litre	4,377 %	8273,2423 litre	O
340	CM	90	CM	15 LEVEL CM	344,3690 litre	3,980 %	8307,5772 litre	O
340	CM	90	CM	14 LEVEL CM	311,0596 litre	3,595 %	8340,8866 litre	O
340	CM	90	CM	13 LEVEL CM	278,8227 litre	3,223 %	8373,1235 litre	O
340	CM	90	CM	12 LEVEL CM	247,7100 litre	2,863 %	8404,2362 litre	O
340	CM	90	CM	11 LEVEL CM	217,7791 litre	2,517 %	8434,1671 litre	O
340	CM	90	CM	10 LEVEL CM	189,0950 litre	2,186 %	8462,8512 litre	O
340	CM	90	CM	9 LEVEL CM	161,7311 litre	1,869 %	8490,2151 litre	O
340	CM	90	CM	8 LEVEL CM	135,7725 litre	1,569 %	8516,1737 litre	O
340	CM	90	CM	7 LEVEL CM	111,3187 litre	1,287 %	8540,6275 litre	O
340	CM	90	CM	6 LEVEL CM	88,4890 litre	1,023 %	8563,4572 litre	O
340	CM	90	CM	5 LEVEL CM	67,4305 litre	0,779 %	8584,5157 litre	O
340	CM	90	CM	4 LEVEL CM	48,3312 litre	0,559 %	8603,6150 litre	O
340	CM	90	CM	3 LEVEL CM	31,4451 litre	0,363 %	8620,5011 litre	O
340	CM	90	CM	2 LEVEL CM	17,1453 litre	0,198 %	8634,8009 litre	O
340	CM	90	CM	1 LEVEL CM	6,0720 litre	0,070 %	8645,8742 litre	O
340	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	8651,9462 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM	85	CM 170 LEVEL CM	7717,3224 litre	100,000 %	0,0000 litre	O
340	CM	85	CM 169 LEVEL CM	7711,4221 litre	99,924 %	5,9003 litre	O
340	CM	85	CM 168 LEVEL CM	7700,6634 litre	99,784 %	16,6590 litre	O
340	CM	85	CM 167 LEVEL CM	7686,7723 litre	99,604 %	30,5501 litre	O
340	CM	85	CM 166 LEVEL CM	7670,3716 litre	99,392 %	46,9508 litre	O
340	CM	85	CM 165 LEVEL CM	7651,8244 litre	99,151 %	65,4980 litre	O
340	CM	85	CM 164 LEVEL CM	7631,3782 litre	98,886 %	85,9442 litre	O
340	CM	85	CM 163 LEVEL CM	7609,2162 litre	98,599 %	108,1062 litre	O
340	CM	85	CM 162 LEVEL CM	7585,4818 litre	98,292 %	131,8406 litre	O
340	CM	85	CM 161 LEVEL CM	7560,2914 litre	97,965 %	157,0310 litre	O
340	CM	85	CM 160 LEVEL CM	7533,7422 litre	97,621 %	183,5802 litre	O
340	CM	85	CM 159 LEVEL CM	7505,9170 litre	97,261 %	211,4054 litre	O
340	CM	85	CM 158 LEVEL CM	7476,8880 litre	96,884 %	240,4344 litre	O
340	CM	85	CM 157 LEVEL CM	7446,7183 litre	96,494 %	270,6041 litre	O
340	CM	85	CM 156 LEVEL CM	7415,4645 litre	96,089 %	301,8579 litre	O
340	CM	85	CM 155 LEVEL CM	7383,1771 litre	95,670 %	334,1453 litre	O
340	CM	85	CM 154 LEVEL CM	7349,9022 litre	95,239 %	367,4202 litre	O
340	CM	85	CM 153 LEVEL CM	7315,6819 litre	94,796 %	401,6405 litre	O
340	CM	85	CM 152 LEVEL CM	7280,5546 litre	94,340 %	436,7678 litre	O
340	CM	85	CM 151 LEVEL CM	7244,5561 litre	93,874 %	472,7663 litre	O
340	CM	85	CM 150 LEVEL CM	7207,7195 litre	93,397 %	509,6029 litre	O
340	CM	85	CM 149 LEVEL CM	7170,0758 litre	92,909 %	547,2466 litre	O
340	CM	85	CM 148 LEVEL CM	7131,6539 litre	92,411 %	585,6685 litre	O
340	CM	85	CM 147 LEVEL CM	7092,4812 litre	91,903 %	624,8412 litre	O
340	CM	85	CM 146 LEVEL CM	7052,5832 litre	91,386 %	664,7392 litre	O
340	CM	85	CM 145 LEVEL CM	7011,9844 litre	90,860 %	705,3380 litre	O
340	CM	85	CM 144 LEVEL CM	6970,7079 litre	90,325 %	746,6145 litre	O
340	CM	85	CM 143 LEVEL CM	6928,7756 litre	89,782 %	788,5468 litre	O
340	CM	85	CM 142 LEVEL CM	6886,2084 litre	89,231 %	831,1140 litre	O
340	CM	85	CM 141 LEVEL CM	6843,0266 litre	88,671 %	874,2958 litre	O
340	CM	85	CM 140 LEVEL CM	6799,2491 litre	88,104 %	918,0733 litre	O
340	CM	85	CM 139 LEVEL CM	6754,8945 litre	87,529 %	962,4279 litre	O
340	CM	85	CM 138 LEVEL CM	6709,9805 litre	86,947 %	1007,3419 litre	O
340	CM	85	CM 137 LEVEL CM	6664,5240 litre	86,358 %	1052,7984 litre	O
340	CM	85	CM 136 LEVEL CM	6618,5417 litre	85,762 %	1098,7807 litre	O
340	CM	85	CM 135 LEVEL CM	6572,0492 litre	85,160 %	1145,2732 litre	O
340	CM	85	CM 134 LEVEL CM	6525,0621 litre	84,551 %	1192,2603 litre	O
340	CM	85	CM 133 LEVEL CM	6477,5953 litre	83,936 %	1239,7271 litre	O
340	CM	85	CM 132 LEVEL CM	6429,6631 litre	83,315 %	1287,6593 litre	O
340	CM	85	CM 131 LEVEL CM	6381,2796 litre	82,688 %	1336,0428 litre	O
340	CM	85	CM 130 LEVEL CM	6332,4585 litre	82,055 %	1384,8639 litre	O
340	CM	85	CM 129 LEVEL CM	6283,2130 litre	81,417 %	1434,1094 litre	O
340	CM	85	CM 128 LEVEL CM	6233,5561 litre	80,774 %	1483,7663 litre	O
340	CM	85	CM 127 LEVEL CM	6183,5003 litre	80,125 %	1533,8221 litre	O
340	CM	85	CM 126 LEVEL CM	6133,0581 litre	79,471 %	1584,2643 litre	O
340	CM	85	CM 125 LEVEL CM	6082,2413 litre	78,813 %	1635,0811 litre	O
340	CM	85	CM 124 LEVEL CM	6031,0619 litre	78,150 %	1686,2605 litre	O
340	CM	85	CM 123 LEVEL CM	5979,5314 litre	77,482 %	1737,7910 litre	O
340	CM	85	CM 122 LEVEL CM	5927,6609 litre	76,810 %	1789,6615 litre	O
340	CM	85	CM 121 LEVEL CM	5875,4617 litre	76,133 %	1841,8607 litre	O
340	CM	85	CM 120 LEVEL CM	5822,9445 litre	75,453 %	1894,3779 litre	O
340	CM	85	CM 119 LEVEL CM	5770,1201 litre	74,768 %	1947,2023 litre	O

340	CM	85	CM	118 LEVEL CM	5716,9988 litre	74,080 %	2000,3236 litre	O
340	CM	85	CM	117 LEVEL CM	5663,5911 litre	73,388 %	2053,7313 litre	O
340	CM	85	CM	116 LEVEL CM	5609,9071 litre	72,692 %	2107,4153 litre	O
340	CM	85	CM	115 LEVEL CM	5555,9566 litre	71,993 %	2161,3658 litre	O
340	CM	85	CM	114 LEVEL CM	5501,7497 litre	71,291 %	2215,5727 litre	O
340	CM	85	CM	113 LEVEL CM	5447,2959 litre	70,585 %	2270,0265 litre	O
340	CM	85	CM	112 LEVEL CM	5392,6049 litre	69,877 %	2324,7175 litre	O
340	CM	85	CM	111 LEVEL CM	5337,6861 litre	69,165 %	2379,6363 litre	O
340	CM	85	CM	110 LEVEL CM	5282,5488 litre	68,451 %	2434,7736 litre	O
340	CM	85	CM	109 LEVEL CM	5227,2022 litre	67,733 %	2490,1202 litre	O
340	CM	85	CM	108 LEVEL CM	5171,6555 litre	67,014 %	2545,6669 litre	O
340	CM	85	CM	107 LEVEL CM	5115,9177 litre	66,291 %	2601,4047 litre	O
340	CM	85	CM	106 LEVEL CM	5059,9976 litre	65,567 %	2657,3248 litre	O
340	CM	85	CM	105 LEVEL CM	5003,9041 litre	64,840 %	2713,4183 litre	O
340	CM	85	CM	104 LEVEL CM	4947,6460 litre	64,111 %	2769,6764 litre	O
340	CM	85	CM	103 LEVEL CM	4891,2320 litre	63,380 %	2826,0904 litre	O
340	CM	85	CM	102 LEVEL CM	4834,6706 litre	62,647 %	2882,6518 litre	O
340	CM	85	CM	101 LEVEL CM	4777,9704 litre	61,912 %	2939,3520 litre	O
340	CM	85	CM	100 LEVEL CM	4721,1399 litre	61,176 %	2996,1825 litre	O
340	CM	85	CM	99 LEVEL CM	4664,1875 litre	60,438 %	3053,1349 litre	O
340	CM	85	CM	98 LEVEL CM	4607,1215 litre	59,698 %	3110,2009 litre	O
340	CM	85	CM	97 LEVEL CM	4549,9502 litre	58,958 %	3167,3722 litre	O
340	CM	85	CM	96 LEVEL CM	4492,6820 litre	58,216 %	3224,6404 litre	O
340	CM	85	CM	95 LEVEL CM	4435,3251 litre	57,472 %	3281,9973 litre	O
340	CM	85	CM	94 LEVEL CM	4377,8875 litre	56,728 %	3339,4349 litre	O
340	CM	85	CM	93 LEVEL CM	4320,3776 litre	55,983 %	3396,9448 litre	O
340	CM	85	CM	92 LEVEL CM	4262,8034 litre	55,237 %	3454,5190 litre	O
340	CM	85	CM	91 LEVEL CM	4205,1730 litre	54,490 %	3512,1494 litre	O
340	CM	85	CM	90 LEVEL CM	4147,4944 litre	53,743 %	3569,8280 litre	O
340	CM	85	CM	89 LEVEL CM	4089,7758 litre	52,995 %	3627,5466 litre	O
340	CM	85	CM	88 LEVEL CM	4032,0252 litre	52,246 %	3685,2972 litre	O
340	CM	85	CM	87 LEVEL CM	3974,2505 litre	51,498 %	3743,0719 litre	O
340	CM	85	CM	86 LEVEL CM	3916,4598 litre	50,749 %	3800,8626 litre	O
340	CM	85	CM	85 LEVEL CM	3858,6612 litre	50,000 %	3858,6612 litre	O
340	CM	85	CM	84 LEVEL CM	3800,8625 litre	49,251 %	3916,4599 litre	O
340	CM	85	CM	83 LEVEL CM	3743,0718 litre	48,502 %	3974,2506 litre	O
340	CM	85	CM	82 LEVEL CM	3685,2972 litre	47,754 %	4032,0252 litre	O
340	CM	85	CM	81 LEVEL CM	3627,5465 litre	47,005 %	4089,7759 litre	O
340	CM	85	CM	80 LEVEL CM	3569,8279 litre	46,257 %	4147,4945 litre	O
340	CM	85	CM	79 LEVEL CM	3512,1494 litre	45,510 %	4205,1730 litre	O
340	CM	85	CM	78 LEVEL CM	3454,5190 litre	44,763 %	4262,8034 litre	O
340	CM	85	CM	77 LEVEL CM	3396,9448 litre	44,017 %	4320,3776 litre	O
340	CM	85	CM	76 LEVEL CM	3339,4348 litre	43,272 %	4377,8876 litre	O
340	CM	85	CM	75 LEVEL CM	3281,9973 litre	42,528 %	4435,3251 litre	O
340	CM	85	CM	74 LEVEL CM	3224,6403 litre	41,784 %	4492,6821 litre	O
340	CM	85	CM	73 LEVEL CM	3167,3721 litre	41,042 %	4549,9503 litre	O
340	CM	85	CM	72 LEVEL CM	3110,2009 litre	40,302 %	4607,1215 litre	O
340	CM	85	CM	71 LEVEL CM	3053,1349 litre	39,562 %	4664,1875 litre	O
340	CM	85	CM	70 LEVEL CM	2996,1824 litre	38,824 %	4721,1400 litre	O
340	CM	85	CM	69 LEVEL CM	2939,3519 litre	38,088 %	4777,9705 litre	O
340	CM	85	CM	68 LEVEL CM	2882,6517 litre	37,353 %	4834,6707 litre	O
340	CM	85	CM	67 LEVEL CM	2826,0903 litre	36,620 %	4891,2321 litre	O
340	CM	85	CM	66 LEVEL CM	2769,6763 litre	35,889 %	4947,6461 litre	O

340	CM	85	CM	65 LEVEL CM	2713,4182 litre	35,160 %	5003,9042 litre	O
340	CM	85	CM	64 LEVEL CM	2657,3248 litre	34,433 %	5059,9976 litre	O
340	CM	85	CM	63 LEVEL CM	2601,4047 litre	33,709 %	5115,9177 litre	O
340	CM	85	CM	62 LEVEL CM	2545,6668 litre	32,986 %	5171,6556 litre	O
340	CM	85	CM	61 LEVEL CM	2490,1201 litre	32,267 %	5227,2023 litre	O
340	CM	85	CM	60 LEVEL CM	2434,7736 litre	31,549 %	5282,5488 litre	O
340	CM	85	CM	59 LEVEL CM	2379,6363 litre	30,835 %	5337,6861 litre	O
340	CM	85	CM	58 LEVEL CM	2324,7174 litre	30,123 %	5392,6050 litre	O
340	CM	85	CM	57 LEVEL CM	2270,0264 litre	29,415 %	5447,2960 litre	O
340	CM	85	CM	56 LEVEL CM	2215,5727 litre	28,709 %	5501,7497 litre	O
340	CM	85	CM	55 LEVEL CM	2161,3657 litre	28,007 %	5555,9567 litre	O
340	CM	85	CM	54 LEVEL CM	2107,4153 litre	27,308 %	5609,9071 litre	O
340	CM	85	CM	53 LEVEL CM	2053,7312 litre	26,612 %	5663,5912 litre	O
340	CM	85	CM	52 LEVEL CM	2000,3235 litre	25,920 %	5716,9989 litre	O
340	CM	85	CM	51 LEVEL CM	1947,2023 litre	25,232 %	5770,1201 litre	O
340	CM	85	CM	50 LEVEL CM	1894,3778 litre	24,547 %	5822,9446 litre	O
340	CM	85	CM	49 LEVEL CM	1841,8606 litre	23,867 %	5875,4618 litre	O
340	CM	85	CM	48 LEVEL CM	1789,6614 litre	23,190 %	5927,6610 litre	O
340	CM	85	CM	47 LEVEL CM	1737,7910 litre	22,518 %	5979,5314 litre	O
340	CM	85	CM	46 LEVEL CM	1686,2604 litre	21,850 %	6031,0620 litre	O
340	CM	85	CM	45 LEVEL CM	1635,0810 litre	21,187 %	6082,2414 litre	O
340	CM	85	CM	44 LEVEL CM	1584,2643 litre	20,529 %	6133,0581 litre	O
340	CM	85	CM	43 LEVEL CM	1533,8220 litre	19,875 %	6183,5004 litre	O
340	CM	85	CM	42 LEVEL CM	1483,7663 litre	19,226 %	6233,5561 litre	O
340	CM	85	CM	41 LEVEL CM	1434,1093 litre	18,583 %	6283,2131 litre	O
340	CM	85	CM	40 LEVEL CM	1384,8638 litre	17,945 %	6332,4586 litre	O
340	CM	85	CM	39 LEVEL CM	1336,0427 litre	17,312 %	6381,2797 litre	O
340	CM	85	CM	38 LEVEL CM	1287,6592 litre	16,685 %	6429,6632 litre	O
340	CM	85	CM	37 LEVEL CM	1239,7271 litre	16,064 %	6477,5953 litre	O
340	CM	85	CM	36 LEVEL CM	1192,2602 litre	15,449 %	6525,0622 litre	O
340	CM	85	CM	35 LEVEL CM	1145,2731 litre	14,840 %	6572,0493 litre	O
340	CM	85	CM	34 LEVEL CM	1098,7807 litre	14,238 %	6618,5417 litre	O
340	CM	85	CM	33 LEVEL CM	1052,7983 litre	13,642 %	6664,5241 litre	O
340	CM	85	CM	32 LEVEL CM	1007,3419 litre	13,053 %	6709,9805 litre	O
340	CM	85	CM	31 LEVEL CM	962,4278 litre	12,471 %	6754,8946 litre	O
340	CM	85	CM	30 LEVEL CM	918,0732 litre	11,896 %	6799,2492 litre	O
340	CM	85	CM	29 LEVEL CM	874,2958 litre	11,329 %	6843,0266 litre	O
340	CM	85	CM	28 LEVEL CM	831,1139 litre	10,769 %	6886,2085 litre	O
340	CM	85	CM	27 LEVEL CM	788,5468 litre	10,218 %	6928,7756 litre	O
340	CM	85	CM	26 LEVEL CM	746,6145 litre	9,675 %	6970,7079 litre	O
340	CM	85	CM	25 LEVEL CM	705,3379 litre	9,140 %	7011,9845 litre	O
340	CM	85	CM	24 LEVEL CM	664,7392 litre	8,614 %	7052,5832 litre	O
340	CM	85	CM	23 LEVEL CM	624,8412 litre	8,097 %	7092,4812 litre	O
340	CM	85	CM	22 LEVEL CM	585,6684 litre	7,589 %	7131,6540 litre	O
340	CM	85	CM	21 LEVEL CM	547,2466 litre	7,091 %	7170,0758 litre	O
340	CM	85	CM	20 LEVEL CM	509,6028 litre	6,603 %	7207,7196 litre	O
340	CM	85	CM	19 LEVEL CM	472,7663 litre	6,126 %	7244,5561 litre	O
340	CM	85	CM	18 LEVEL CM	436,7678 litre	5,660 %	7280,5546 litre	O
340	CM	85	CM	17 LEVEL CM	401,6405 litre	5,204 %	7315,6819 litre	O
340	CM	85	CM	16 LEVEL CM	367,4201 litre	4,761 %	7349,9023 litre	O
340	CM	85	CM	15 LEVEL CM	334,1452 litre	4,330 %	7383,1772 litre	O
340	CM	85	CM	14 LEVEL CM	301,8579 litre	3,911 %	7415,4645 litre	O
340	CM	85	CM	13 LEVEL CM	270,6040 litre	3,506 %	7446,7184 litre	O

340	CM	85	CM	12 LEVEL CM	240,4344 litre	3,116 %	7476,8880 litre	O
340	CM	85	CM	11 LEVEL CM	211,4053 litre	2,739 %	7505,9171 litre	O
340	CM	85	CM	10 LEVEL CM	183,5802 litre	2,379 %	7533,7422 litre	O
340	CM	85	CM	9 LEVEL CM	157,0309 litre	2,035 %	7560,2915 litre	O
340	CM	85	CM	8 LEVEL CM	131,8405 litre	1,708 %	7585,4819 litre	O
340	CM	85	CM	7 LEVEL CM	108,1061 litre	1,401 %	7609,2163 litre	O
340	CM	85	CM	6 LEVEL CM	85,9442 litre	1,114 %	7631,3782 litre	O
340	CM	85	CM	5 LEVEL CM	65,4979 litre	0,849 %	7651,8245 litre	O
340	CM	85	CM	4 LEVEL CM	46,9507 litre	0,608 %	7670,3717 litre	O
340	CM	85	CM	3 LEVEL CM	30,5500 litre	0,396 %	7686,7724 litre	O
340	CM	85	CM	2 LEVEL CM	16,6590 litre	0,216 %	7700,6634 litre	O
340	CM	85	CM	1 LEVEL CM	5,9003 litre	0,076 %	7711,4221 litre	O
340	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	7717,3224 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 80	CM 160 LEVEL CM	6836,1056 litre	100,000 %	0,0000 litre	O
340	CM 80	CM 159 LEVEL CM	6830,3821 litre	99,916 %	5,7235 litre	O
340	CM 80	CM 158 LEVEL CM	6819,9476 litre	99,764 %	16,1580 litre	O
340	CM 80	CM 157 LEVEL CM	6806,4777 litre	99,567 %	29,6279 litre	O
340	CM 80	CM 156 LEVEL CM	6790,5771 litre	99,334 %	45,5285 litre	O
340	CM 80	CM 155 LEVEL CM	6772,5990 litre	99,071 %	63,5066 litre	O
340	CM 80	CM 154 LEVEL CM	6752,7840 litre	98,781 %	83,3216 litre	O
340	CM 80	CM 153 LEVEL CM	6731,3105 litre	98,467 %	104,7951 litre	O
340	CM 80	CM 152 LEVEL CM	6708,3180 litre	98,131 %	127,7876 litre	O
340	CM 80	CM 151 LEVEL CM	6683,9200 litre	97,774 %	152,1856 litre	O
340	CM 80	CM 150 LEVEL CM	6658,2112 litre	97,398 %	177,8944 litre	O
340	CM 80	CM 149 LEVEL CM	6631,2724 litre	97,004 %	204,8332 litre	O
340	CM 80	CM 148 LEVEL CM	6603,1741 litre	96,593 %	232,9315 litre	O
340	CM 80	CM 147 LEVEL CM	6573,9779 litre	96,166 %	262,1277 litre	O
340	CM 80	CM 146 LEVEL CM	6543,7391 litre	95,723 %	292,3665 litre	O
340	CM 80	CM 145 LEVEL CM	6512,5072 litre	95,266 %	323,5984 litre	O
340	CM 80	CM 144 LEVEL CM	6480,3272 litre	94,796 %	355,7784 litre	O
340	CM 80	CM 143 LEVEL CM	6447,2403 litre	94,312 %	388,8653 litre	O
340	CM 80	CM 142 LEVEL CM	6413,2843 litre	93,815 %	422,8213 litre	O
340	CM 80	CM 141 LEVEL CM	6378,4941 litre	93,306 %	457,6115 litre	O
340	CM 80	CM 140 LEVEL CM	6342,9024 litre	92,785 %	493,2032 litre	O
340	CM 80	CM 139 LEVEL CM	6306,5395 litre	92,253 %	529,5661 litre	O
340	CM 80	CM 138 LEVEL CM	6269,4339 litre	91,711 %	566,6717 litre	O
340	CM 80	CM 137 LEVEL CM	6231,6123 litre	91,157 %	604,4933 litre	O
340	CM 80	CM 136 LEVEL CM	6193,1001 litre	90,594 %	643,0055 litre	O
340	CM 80	CM 135 LEVEL CM	6153,9213 litre	90,021 %	682,1843 litre	O
340	CM 80	CM 134 LEVEL CM	6114,0987 litre	89,438 %	722,0069 litre	O
340	CM 80	CM 133 LEVEL CM	6073,6538 litre	88,847 %	762,4518 litre	O
340	CM 80	CM 132 LEVEL CM	6032,6075 litre	88,246 %	803,4981 litre	O
340	CM 80	CM 131 LEVEL CM	5990,9794 litre	87,637 %	845,1262 litre	O
340	CM 80	CM 130 LEVEL CM	5948,7887 litre	87,020 %	887,3169 litre	O
340	CM 80	CM 129 LEVEL CM	5906,0534 litre	86,395 %	930,0522 litre	O
340	CM 80	CM 128 LEVEL CM	5862,7912 litre	85,762 %	973,3144 litre	O
340	CM 80	CM 127 LEVEL CM	5819,0190 litre	85,122 %	1017,0866 litre	O
340	CM 80	CM 126 LEVEL CM	5774,7530 litre	84,474 %	1061,3526 litre	O
340	CM 80	CM 125 LEVEL CM	5730,0090 litre	83,820 %	1106,0966 litre	O
340	CM 80	CM 124 LEVEL CM	5684,8024 litre	83,158 %	1151,3032 litre	O
340	CM 80	CM 123 LEVEL CM	5639,1480 litre	82,491 %	1196,9576 litre	O
340	CM 80	CM 122 LEVEL CM	5593,0601 litre	81,816 %	1243,0455 litre	O
340	CM 80	CM 121 LEVEL CM	5546,5527 litre	81,136 %	1289,5529 litre	O
340	CM 80	CM 120 LEVEL CM	5499,6394 litre	80,450 %	1336,4662 litre	O
340	CM 80	CM 119 LEVEL CM	5452,3335 litre	79,758 %	1383,7721 litre	O
340	CM 80	CM 118 LEVEL CM	5404,6479 litre	79,060 %	1431,4577 litre	O
340	CM 80	CM 117 LEVEL CM	5356,5952 litre	78,357 %	1479,5104 litre	O
340	CM 80	CM 116 LEVEL CM	5308,1877 litre	77,649 %	1527,9179 litre	O
340	CM 80	CM 115 LEVEL CM	5259,4376 litre	76,936 %	1576,6680 litre	O
340	CM 80	CM 114 LEVEL CM	5210,3567 litre	76,218 %	1625,7489 litre	O
340	CM 80	CM 113 LEVEL CM	5160,9564 litre	75,496 %	1675,1492 litre	O
340	CM 80	CM 112 LEVEL CM	5111,2482 litre	74,768 %	1724,8574 litre	O
340	CM 80	CM 111 LEVEL CM	5061,2433 litre	74,037 %	1774,8623 litre	O
340	CM 80	CM 110 LEVEL CM	5010,9524 litre	73,301 %	1825,1532 litre	O
340	CM 80	CM 109 LEVEL CM	4960,3865 litre	72,562 %	1875,7191 litre	O

340	CM	80	CM	108 LEVEL CM	4909,5561 litre	71,818 %	1926,5495 litre	O
340	CM	80	CM	107 LEVEL CM	4858,4716 litre	71,071 %	1977,6340 litre	O
340	CM	80	CM	106 LEVEL CM	4807,1433 litre	70,320 %	2028,9623 litre	O
340	CM	80	CM	105 LEVEL CM	4755,5813 litre	69,566 %	2080,5243 litre	O
340	CM	80	CM	104 LEVEL CM	4703,7955 litre	68,808 %	2132,3101 litre	O
340	CM	80	CM	103 LEVEL CM	4651,7959 litre	68,047 %	2184,3097 litre	O
340	CM	80	CM	102 LEVEL CM	4599,5922 litre	67,284 %	2236,5134 litre	O
340	CM	80	CM	101 LEVEL CM	4547,1940 litre	66,517 %	2288,9116 litre	O
340	CM	80	CM	100 LEVEL CM	4494,6108 litre	65,748 %	2341,4948 litre	O
340	CM	80	CM	99 LEVEL CM	4441,8520 litre	64,976 %	2394,2536 litre	O
340	CM	80	CM	98 LEVEL CM	4388,9269 litre	64,202 %	2447,1787 litre	O
340	CM	80	CM	97 LEVEL CM	4335,8448 litre	63,426 %	2500,2608 litre	O
340	CM	80	CM	96 LEVEL CM	4282,6148 litre	62,647 %	2553,4908 litre	O
340	CM	80	CM	95 LEVEL CM	4229,2460 litre	61,866 %	2606,8596 litre	O
340	CM	80	CM	94 LEVEL CM	4175,7474 litre	61,084 %	2660,3582 litre	O
340	CM	80	CM	93 LEVEL CM	4122,1279 litre	60,299 %	2713,9777 litre	O
340	CM	80	CM	92 LEVEL CM	4068,3965 litre	59,513 %	2767,7091 litre	O
340	CM	80	CM	91 LEVEL CM	4014,5618 litre	58,726 %	2821,5438 litre	O
340	CM	80	CM	90 LEVEL CM	3960,6328 litre	57,937 %	2875,4728 litre	O
340	CM	80	CM	89 LEVEL CM	3906,6181 litre	57,147 %	2929,4875 litre	O
340	CM	80	CM	88 LEVEL CM	3852,5264 litre	56,356 %	2983,5792 litre	O
340	CM	80	CM	87 LEVEL CM	3798,3663 litre	55,563 %	3037,7393 litre	O
340	CM	80	CM	86 LEVEL CM	3744,1465 litre	54,770 %	3091,9591 litre	O
340	CM	80	CM	85 LEVEL CM	3689,8756 litre	53,976 %	3146,2300 litre	O
340	CM	80	CM	84 LEVEL CM	3635,5621 litre	53,182 %	3200,5435 litre	O
340	CM	80	CM	83 LEVEL CM	3581,2145 litre	52,387 %	3254,8911 litre	O
340	CM	80	CM	82 LEVEL CM	3526,8415 litre	51,591 %	3309,2641 litre	O
340	CM	80	CM	81 LEVEL CM	3472,4514 litre	50,796 %	3363,6542 litre	O
340	CM	80	CM	80 LEVEL CM	3418,0528 litre	50,000 %	3418,0528 litre	O
340	CM	80	CM	79 LEVEL CM	3363,6542 litre	49,204 %	3472,4514 litre	O
340	CM	80	CM	78 LEVEL CM	3309,2641 litre	48,409 %	3526,8415 litre	O
340	CM	80	CM	77 LEVEL CM	3254,8911 litre	47,613 %	3581,2145 litre	O
340	CM	80	CM	76 LEVEL CM	3200,5435 litre	46,818 %	3635,5621 litre	O
340	CM	80	CM	75 LEVEL CM	3146,2300 litre	46,024 %	3689,8756 litre	O
340	CM	80	CM	74 LEVEL CM	3091,9591 litre	45,230 %	3744,1465 litre	O
340	CM	80	CM	73 LEVEL CM	3037,7393 litre	44,437 %	3798,3663 litre	O
340	CM	80	CM	72 LEVEL CM	2983,5792 litre	43,644 %	3852,5264 litre	O
340	CM	80	CM	71 LEVEL CM	2929,4875 litre	42,853 %	3906,6181 litre	O
340	CM	80	CM	70 LEVEL CM	2875,4728 litre	42,063 %	3960,6328 litre	O
340	CM	80	CM	69 LEVEL CM	2821,5438 litre	41,274 %	4014,5618 litre	O
340	CM	80	CM	68 LEVEL CM	2767,7091 litre	40,487 %	4068,3965 litre	O
340	CM	80	CM	67 LEVEL CM	2713,9777 litre	39,701 %	4122,1279 litre	O
340	CM	80	CM	66 LEVEL CM	2660,3582 litre	38,916 %	4175,7474 litre	O
340	CM	80	CM	65 LEVEL CM	2606,8596 litre	38,134 %	4229,2460 litre	O
340	CM	80	CM	64 LEVEL CM	2553,4908 litre	37,353 %	4282,6148 litre	O
340	CM	80	CM	63 LEVEL CM	2500,2608 litre	36,574 %	4335,8448 litre	O
340	CM	80	CM	62 LEVEL CM	2447,1787 litre	35,798 %	4388,9269 litre	O
340	CM	80	CM	61 LEVEL CM	2394,2536 litre	35,024 %	4441,8520 litre	O
340	CM	80	CM	60 LEVEL CM	2341,4948 litre	34,252 %	4494,6108 litre	O
340	CM	80	CM	59 LEVEL CM	2288,9116 litre	33,483 %	4547,1940 litre	O
340	CM	80	CM	58 LEVEL CM	2236,5134 litre	32,716 %	4599,5922 litre	O
340	CM	80	CM	57 LEVEL CM	2184,3097 litre	31,953 %	4651,7959 litre	O
340	CM	80	CM	56 LEVEL CM	2132,3101 litre	31,192 %	4703,7955 litre	O

340	CM	80	CM	55 LEVEL CM	2080,5244 litre	30,434 %	4755,5812 litre	O
340	CM	80	CM	54 LEVEL CM	2028,9623 litre	29,680 %	4807,1433 litre	O
340	CM	80	CM	53 LEVEL CM	1977,6340 litre	28,929 %	4858,4716 litre	O
340	CM	80	CM	52 LEVEL CM	1926,5495 litre	28,182 %	4909,5561 litre	O
340	CM	80	CM	51 LEVEL CM	1875,7191 litre	27,438 %	4960,3865 litre	O
340	CM	80	CM	50 LEVEL CM	1825,1532 litre	26,699 %	5010,9524 litre	O
340	CM	80	CM	49 LEVEL CM	1774,8624 litre	25,963 %	5061,2432 litre	O
340	CM	80	CM	48 LEVEL CM	1724,8574 litre	25,232 %	5111,2482 litre	O
340	CM	80	CM	47 LEVEL CM	1675,1492 litre	24,504 %	5160,9564 litre	O
340	CM	80	CM	46 LEVEL CM	1625,7489 litre	23,782 %	5210,3567 litre	O
340	CM	80	CM	45 LEVEL CM	1576,6680 litre	23,064 %	5259,4376 litre	O
340	CM	80	CM	44 LEVEL CM	1527,9179 litre	22,351 %	5308,1877 litre	O
340	CM	80	CM	43 LEVEL CM	1479,5104 litre	21,643 %	5356,5952 litre	O
340	CM	80	CM	42 LEVEL CM	1431,4578 litre	20,940 %	5404,6478 litre	O
340	CM	80	CM	41 LEVEL CM	1383,7721 litre	20,242 %	5452,3335 litre	O
340	CM	80	CM	40 LEVEL CM	1336,4662 litre	19,550 %	5499,6394 litre	O
340	CM	80	CM	39 LEVEL CM	1289,5529 litre	18,864 %	5546,5527 litre	O
340	CM	80	CM	38 LEVEL CM	1243,0455 litre	18,184 %	5593,0601 litre	O
340	CM	80	CM	37 LEVEL CM	1196,9576 litre	17,509 %	5639,1480 litre	O
340	CM	80	CM	36 LEVEL CM	1151,3032 litre	16,842 %	5684,8024 litre	O
340	CM	80	CM	35 LEVEL CM	1106,0966 litre	16,180 %	5730,0090 litre	O
340	CM	80	CM	34 LEVEL CM	1061,3526 litre	15,526 %	5774,7530 litre	O
340	CM	80	CM	33 LEVEL CM	1017,0867 litre	14,878 %	5819,0189 litre	O
340	CM	80	CM	32 LEVEL CM	973,3144 litre	14,238 %	5862,7912 litre	O
340	CM	80	CM	31 LEVEL CM	930,0522 litre	13,605 %	5906,0534 litre	O
340	CM	80	CM	30 LEVEL CM	887,3169 litre	12,980 %	5948,7887 litre	O
340	CM	80	CM	29 LEVEL CM	845,1262 litre	12,363 %	5990,9794 litre	O
340	CM	80	CM	28 LEVEL CM	803,4981 litre	11,754 %	6032,6075 litre	O
340	CM	80	CM	27 LEVEL CM	762,4518 litre	11,153 %	6073,6538 litre	O
340	CM	80	CM	26 LEVEL CM	722,0069 litre	10,562 %	6114,0987 litre	O
340	CM	80	CM	25 LEVEL CM	682,1843 litre	9,979 %	6153,9213 litre	O
340	CM	80	CM	24 LEVEL CM	643,0055 litre	9,406 %	6193,1001 litre	O
340	CM	80	CM	23 LEVEL CM	604,4933 litre	8,843 %	6231,6123 litre	O
340	CM	80	CM	22 LEVEL CM	566,6718 litre	8,289 %	6269,4338 litre	O
340	CM	80	CM	21 LEVEL CM	529,5661 litre	7,747 %	6306,5395 litre	O
340	CM	80	CM	20 LEVEL CM	493,2032 litre	7,215 %	6342,9024 litre	O
340	CM	80	CM	19 LEVEL CM	457,6115 litre	6,694 %	6378,4941 litre	O
340	CM	80	CM	18 LEVEL CM	422,8213 litre	6,185 %	6413,2843 litre	O
340	CM	80	CM	17 LEVEL CM	388,8653 litre	5,688 %	6447,2403 litre	O
340	CM	80	CM	16 LEVEL CM	355,7784 litre	5,204 %	6480,3272 litre	O
340	CM	80	CM	15 LEVEL CM	323,5984 litre	4,734 %	6512,5072 litre	O
340	CM	80	CM	14 LEVEL CM	292,3665 litre	4,277 %	6543,7391 litre	O
340	CM	80	CM	13 LEVEL CM	262,1277 litre	3,834 %	6573,9779 litre	O
340	CM	80	CM	12 LEVEL CM	232,9315 litre	3,407 %	6603,1741 litre	O
340	CM	80	CM	11 LEVEL CM	204,8332 litre	2,996 %	6631,2724 litre	O
340	CM	80	CM	10 LEVEL CM	177,8944 litre	2,602 %	6658,2112 litre	O
340	CM	80	CM	9 LEVEL CM	152,1856 litre	2,226 %	6683,9200 litre	O
340	CM	80	CM	8 LEVEL CM	127,7876 litre	1,869 %	6708,3180 litre	O
340	CM	80	CM	7 LEVEL CM	104,7951 litre	1,533 %	6731,3105 litre	O
340	CM	80	CM	6 LEVEL CM	83,3216 litre	1,219 %	6752,7840 litre	O
340	CM	80	CM	5 LEVEL CM	63,5066 litre	0,929 %	6772,5990 litre	O
340	CM	80	CM	4 LEVEL CM	45,5285 litre	0,666 %	6790,5771 litre	O
340	CM	80	CM	3 LEVEL CM	29,6279 litre	0,433 %	6806,4777 litre	O

340_80

-2101-

340	CM 80	CM	2 LEVEL CM	16,1580 litre	0,236 %	6819,9476 litre	O
340	CM 80	CM	1 LEVEL CM	5,7235 litre	0,084 %	6830,3821 litre	O
340	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	6836,1056 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 75	CM 150 LEVEL CM	6008,2959 litre	100,000 %	0,0000 litre	O
340	CM 75	CM 149 LEVEL CM	6002,7549 litre	99,908 %	5,5410 litre	O
340	CM 75	CM 148 LEVEL CM	5992,6550 litre	99,740 %	15,6409 litre	O
340	CM 75	CM 147 LEVEL CM	5979,6197 litre	99,523 %	28,6762 litre	O
340	CM 75	CM 146 LEVEL CM	5964,2356 litre	99,267 %	44,0603 litre	O
340	CM 75	CM 145 LEVEL CM	5946,8452 litre	98,977 %	61,4507 litre	O
340	CM 75	CM 144 LEVEL CM	5927,6823 litre	98,658 %	80,6136 litre	O
340	CM 75	CM 143 LEVEL CM	5906,9200 litre	98,313 %	101,3759 litre	O
340	CM 75	CM 142 LEVEL CM	5884,6942 litre	97,943 %	123,6017 litre	O
340	CM 75	CM 141 LEVEL CM	5861,1151 litre	97,550 %	147,1808 litre	O
340	CM 75	CM 140 LEVEL CM	5836,2751 litre	97,137 %	172,0208 litre	O
340	CM 75	CM 139 LEVEL CM	5810,2530 litre	96,704 %	198,0429 litre	O
340	CM 75	CM 138 LEVEL CM	5783,1172 litre	96,252 %	225,1787 litre	O
340	CM 75	CM 137 LEVEL CM	5754,9281 litre	95,783 %	253,3678 litre	O
340	CM 75	CM 136 LEVEL CM	5725,7396 litre	95,297 %	282,5563 litre	O
340	CM 75	CM 135 LEVEL CM	5695,6001 litre	94,796 %	312,6958 litre	O
340	CM 75	CM 134 LEVEL CM	5664,5536 litre	94,279 %	343,7423 litre	O
340	CM 75	CM 133 LEVEL CM	5632,6404 litre	93,748 %	375,6555 litre	O
340	CM 75	CM 132 LEVEL CM	5599,8975 litre	93,203 %	408,3984 litre	O
340	CM 75	CM 131 LEVEL CM	5566,3592 litre	92,645 %	441,9367 litre	O
340	CM 75	CM 130 LEVEL CM	5532,0575 litre	92,074 %	476,2384 litre	O
340	CM 75	CM 129 LEVEL CM	5497,0222 litre	91,491 %	511,2737 litre	O
340	CM 75	CM 128 LEVEL CM	5461,2812 litre	90,896 %	547,0147 litre	O
340	CM 75	CM 127 LEVEL CM	5424,8610 litre	90,290 %	583,4349 litre	O
340	CM 75	CM 126 LEVEL CM	5387,7864 litre	89,672 %	620,5095 litre	O
340	CM 75	CM 125 LEVEL CM	5350,0810 litre	89,045 %	658,2149 litre	O
340	CM 75	CM 124 LEVEL CM	5311,7674 litre	88,407 %	696,5285 litre	O
340	CM 75	CM 123 LEVEL CM	5272,8668 litre	87,760 %	735,4291 litre	O
340	CM 75	CM 122 LEVEL CM	5233,3998 litre	87,103 %	774,8961 litre	O
340	CM 75	CM 121 LEVEL CM	5193,3859 litre	86,437 %	814,9100 litre	O
340	CM 75	CM 120 LEVEL CM	5152,8438 litre	85,762 %	855,4521 litre	O
340	CM 75	CM 119 LEVEL CM	5111,7918 litre	85,079 %	896,5041 litre	O
340	CM 75	CM 118 LEVEL CM	5070,2470 litre	84,387 %	938,0489 litre	O
340	CM 75	CM 117 LEVEL CM	5028,2264 litre	83,688 %	980,0695 litre	O
340	CM 75	CM 116 LEVEL CM	4985,7461 litre	82,981 %	1022,5498 litre	O
340	CM 75	CM 115 LEVEL CM	4942,8218 litre	82,267 %	1065,4741 litre	O
340	CM 75	CM 114 LEVEL CM	4899,4688 litre	81,545 %	1108,8271 litre	O
340	CM 75	CM 113 LEVEL CM	4855,7017 litre	80,817 %	1152,5942 litre	O
340	CM 75	CM 112 LEVEL CM	4811,5350 litre	80,082 %	1196,7609 litre	O
340	CM 75	CM 111 LEVEL CM	4766,9826 litre	79,340 %	1241,3133 litre	O
340	CM 75	CM 110 LEVEL CM	4722,0581 litre	78,592 %	1286,2378 litre	O
340	CM 75	CM 109 LEVEL CM	4676,7748 litre	77,839 %	1331,5211 litre	O
340	CM 75	CM 108 LEVEL CM	4631,1456 litre	77,079 %	1377,1503 litre	O
340	CM 75	CM 107 LEVEL CM	4585,1832 litre	76,314 %	1423,1127 litre	O
340	CM 75	CM 106 LEVEL CM	4538,8999 litre	75,544 %	1469,3960 litre	O
340	CM 75	CM 105 LEVEL CM	4492,3080 litre	74,768 %	1515,9879 litre	O
340	CM 75	CM 104 LEVEL CM	4445,4193 litre	73,988 %	1562,8766 litre	O
340	CM 75	CM 103 LEVEL CM	4398,2455 litre	73,203 %	1610,0504 litre	O
340	CM 75	CM 102 LEVEL CM	4350,7980 litre	72,413 %	1657,4979 litre	O
340	CM 75	CM 101 LEVEL CM	4303,0881 litre	71,619 %	1705,2078 litre	O
340	CM 75	CM 100 LEVEL CM	4255,1268 litre	70,821 %	1753,1691 litre	O
340	CM 75	CM 99 LEVEL CM	4206,9252 litre	70,019 %	1801,3707 litre	O

340	CM	75	CM	98 LEVEL CM	4158,4938 litre	69,213 %	1849,8021 litre	O
340	CM	75	CM	97 LEVEL CM	4109,8433 litre	68,403 %	1898,4526 litre	O
340	CM	75	CM	96 LEVEL CM	4060,9842 litre	67,590 %	1947,3117 litre	O
340	CM	75	CM	95 LEVEL CM	4011,9267 litre	66,773 %	1996,3692 litre	O
340	CM	75	CM	94 LEVEL CM	3962,6811 litre	65,953 %	2045,6148 litre	O
340	CM	75	CM	93 LEVEL CM	3913,2574 litre	65,131 %	2095,0385 litre	O
340	CM	75	CM	92 LEVEL CM	3863,6656 litre	64,306 %	2144,6303 litre	O
340	CM	75	CM	91 LEVEL CM	3813,9155 litre	63,477 %	2194,3804 litre	O
340	CM	75	CM	90 LEVEL CM	3764,0169 litre	62,647 %	2244,2790 litre	O
340	CM	75	CM	89 LEVEL CM	3713,9795 litre	61,814 %	2294,3164 litre	O
340	CM	75	CM	88 LEVEL CM	3663,8129 litre	60,979 %	2344,4830 litre	O
340	CM	75	CM	87 LEVEL CM	3613,5267 litre	60,142 %	2394,7692 litre	O
340	CM	75	CM	86 LEVEL CM	3563,1301 litre	59,304 %	2445,1658 litre	O
340	CM	75	CM	85 LEVEL CM	3512,6328 litre	58,463 %	2495,6631 litre	O
340	CM	75	CM	84 LEVEL CM	3462,0440 litre	57,621 %	2546,2519 litre	O
340	CM	75	CM	83 LEVEL CM	3411,3730 litre	56,778 %	2596,9229 litre	O
340	CM	75	CM	82 LEVEL CM	3360,6290 litre	55,933 %	2647,6669 litre	O
340	CM	75	CM	81 LEVEL CM	3309,8213 litre	55,088 %	2698,4746 litre	O
340	CM	75	CM	80 LEVEL CM	3258,9590 litre	54,241 %	2749,3369 litre	O
340	CM	75	CM	79 LEVEL CM	3208,0512 litre	53,394 %	2800,2447 litre	O
340	CM	75	CM	78 LEVEL CM	3157,1072 litre	52,546 %	2851,1887 litre	O
340	CM	75	CM	77 LEVEL CM	3106,1359 litre	51,697 %	2902,1600 litre	O
340	CM	75	CM	76 LEVEL CM	3055,1465 litre	50,849 %	2953,1494 litre	O
340	CM	75	CM	75 LEVEL CM	3004,1480 litre	50,000 %	3004,1479 litre	O
340	CM	75	CM	74 LEVEL CM	2953,1495 litre	49,151 %	3055,1464 litre	O
340	CM	75	CM	73 LEVEL CM	2902,1601 litre	48,303 %	3106,1358 litre	O
340	CM	75	CM	72 LEVEL CM	2851,1888 litre	47,454 %	3157,1071 litre	O
340	CM	75	CM	71 LEVEL CM	2800,2447 litre	46,606 %	3208,0512 litre	O
340	CM	75	CM	70 LEVEL CM	2749,3370 litre	45,759 %	3258,9589 litre	O
340	CM	75	CM	69 LEVEL CM	2698,4747 litre	44,912 %	3309,8212 litre	O
340	CM	75	CM	68 LEVEL CM	2647,6670 litre	44,067 %	3360,6289 litre	O
340	CM	75	CM	67 LEVEL CM	2596,9230 litre	43,222 %	3411,3729 litre	O
340	CM	75	CM	66 LEVEL CM	2546,2520 litre	42,379 %	3462,0439 litre	O
340	CM	75	CM	65 LEVEL CM	2495,6631 litre	41,537 %	3512,6328 litre	O
340	CM	75	CM	64 LEVEL CM	2445,1658 litre	40,696 %	3563,1301 litre	O
340	CM	75	CM	63 LEVEL CM	2394,7693 litre	39,858 %	3613,5266 litre	O
340	CM	75	CM	62 LEVEL CM	2344,4830 litre	39,021 %	3663,8129 litre	O
340	CM	75	CM	61 LEVEL CM	2294,3164 litre	38,186 %	3713,9795 litre	O
340	CM	75	CM	60 LEVEL CM	2244,2790 litre	37,353 %	3764,0169 litre	O
340	CM	75	CM	59 LEVEL CM	2194,3804 litre	36,523 %	3813,9155 litre	O
340	CM	75	CM	58 LEVEL CM	2144,6304 litre	35,694 %	3863,6655 litre	O
340	CM	75	CM	57 LEVEL CM	2095,0385 litre	34,869 %	3913,2574 litre	O
340	CM	75	CM	56 LEVEL CM	2045,6148 litre	34,047 %	3962,6811 litre	O
340	CM	75	CM	55 LEVEL CM	1996,3692 litre	33,227 %	4011,9267 litre	O
340	CM	75	CM	54 LEVEL CM	1947,3117 litre	32,410 %	4060,9842 litre	O
340	CM	75	CM	53 LEVEL CM	1898,4526 litre	31,597 %	4109,8433 litre	O
340	CM	75	CM	52 LEVEL CM	1849,8022 litre	30,787 %	4158,4937 litre	O
340	CM	75	CM	51 LEVEL CM	1801,3708 litre	29,981 %	4206,9251 litre	O
340	CM	75	CM	50 LEVEL CM	1753,1691 litre	29,179 %	4255,1268 litre	O
340	CM	75	CM	49 LEVEL CM	1705,2079 litre	28,381 %	4303,0880 litre	O
340	CM	75	CM	48 LEVEL CM	1657,4980 litre	27,587 %	4350,7979 litre	O
340	CM	75	CM	47 LEVEL CM	1610,0505 litre	26,797 %	4398,2454 litre	O
340	CM	75	CM	46 LEVEL CM	1562,8766 litre	26,012 %	4445,4193 litre	O

340	CM	75	CM	45 LEVEL CM	1515,9879 litre	25,232 %	4492,3080 litre	O
340	CM	75	CM	44 LEVEL CM	1469,3960 litre	24,456 %	4538,8999 litre	O
340	CM	75	CM	43 LEVEL CM	1423,1128 litre	23,686 %	4585,1831 litre	O
340	CM	75	CM	42 LEVEL CM	1377,1504 litre	22,921 %	4631,1455 litre	O
340	CM	75	CM	41 LEVEL CM	1331,5212 litre	22,161 %	4676,7747 litre	O
340	CM	75	CM	40 LEVEL CM	1286,2379 litre	21,408 %	4722,0580 litre	O
340	CM	75	CM	39 LEVEL CM	1241,3134 litre	20,660 %	4766,9825 litre	O
340	CM	75	CM	38 LEVEL CM	1196,7610 litre	19,918 %	4811,5349 litre	O
340	CM	75	CM	37 LEVEL CM	1152,5942 litre	19,183 %	4855,7017 litre	O
340	CM	75	CM	36 LEVEL CM	1108,8272 litre	18,455 %	4899,4687 litre	O
340	CM	75	CM	35 LEVEL CM	1065,4741 litre	17,733 %	4942,8218 litre	O
340	CM	75	CM	34 LEVEL CM	1022,5499 litre	17,019 %	4985,7460 litre	O
340	CM	75	CM	33 LEVEL CM	980,0696 litre	16,312 %	5028,2263 litre	O
340	CM	75	CM	32 LEVEL CM	938,0489 litre	15,613 %	5070,2470 litre	O
340	CM	75	CM	31 LEVEL CM	896,5042 litre	14,921 %	5111,7917 litre	O
340	CM	75	CM	30 LEVEL CM	855,4521 litre	14,238 %	5152,8438 litre	O
340	CM	75	CM	29 LEVEL CM	814,9101 litre	13,563 %	5193,3858 litre	O
340	CM	75	CM	28 LEVEL CM	774,8962 litre	12,897 %	5233,3997 litre	O
340	CM	75	CM	27 LEVEL CM	735,4292 litre	12,240 %	5272,8667 litre	O
340	CM	75	CM	26 LEVEL CM	696,5286 litre	11,593 %	5311,7673 litre	O
340	CM	75	CM	25 LEVEL CM	658,2149 litre	10,955 %	5350,0810 litre	O
340	CM	75	CM	24 LEVEL CM	620,5096 litre	10,328 %	5387,7863 litre	O
340	CM	75	CM	23 LEVEL CM	583,4350 litre	9,710 %	5424,8609 litre	O
340	CM	75	CM	22 LEVEL CM	547,0147 litre	9,104 %	5461,2812 litre	O
340	CM	75	CM	21 LEVEL CM	511,2738 litre	8,509 %	5497,0221 litre	O
340	CM	75	CM	20 LEVEL CM	476,2384 litre	7,926 %	5532,0575 litre	O
340	CM	75	CM	19 LEVEL CM	441,9367 litre	7,355 %	5566,3592 litre	O
340	CM	75	CM	18 LEVEL CM	408,3985 litre	6,797 %	5599,8974 litre	O
340	CM	75	CM	17 LEVEL CM	375,6556 litre	6,252 %	5632,6403 litre	O
340	CM	75	CM	16 LEVEL CM	343,7424 litre	5,721 %	5664,5535 litre	O
340	CM	75	CM	15 LEVEL CM	312,6959 litre	5,204 %	5695,6000 litre	O
340	CM	75	CM	14 LEVEL CM	282,5564 litre	4,703 %	5725,7395 litre	O
340	CM	75	CM	13 LEVEL CM	253,3678 litre	4,217 %	5754,9281 litre	O
340	CM	75	CM	12 LEVEL CM	225,1788 litre	3,748 %	5783,1171 litre	O
340	CM	75	CM	11 LEVEL CM	198,0430 litre	3,296 %	5810,2529 litre	O
340	CM	75	CM	10 LEVEL CM	172,0208 litre	2,863 %	5836,2751 litre	O
340	CM	75	CM	9 LEVEL CM	147,1808 litre	2,450 %	5861,1151 litre	O
340	CM	75	CM	8 LEVEL CM	123,6018 litre	2,057 %	5884,6941 litre	O
340	CM	75	CM	7 LEVEL CM	101,3759 litre	1,687 %	5906,9200 litre	O
340	CM	75	CM	6 LEVEL CM	80,6137 litre	1,342 %	5927,6822 litre	O
340	CM	75	CM	5 LEVEL CM	61,4507 litre	1,023 %	5946,8452 litre	O
340	CM	75	CM	4 LEVEL CM	44,0604 litre	0,733 %	5964,2355 litre	O
340	CM	75	CM	3 LEVEL CM	28,6762 litre	0,477 %	5979,6197 litre	O
340	CM	75	CM	2 LEVEL CM	15,6410 litre	0,260 %	5992,6549 litre	O
340	CM	75	CM	1 LEVEL CM	5,5411 litre	0,092 %	6002,7548 litre	O
340	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	6008,2959 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM 70	CM 140 LEVEL CM	5233,8934 litre	100,000 %	0,0000 litre	O
340	CM 70	CM 139 LEVEL CM	5228,5410 litre	99,898 %	5,3524 litre	O
340	CM 70	CM 138 LEVEL CM	5218,7871 litre	99,711 %	15,1063 litre	O
340	CM 70	CM 137 LEVEL CM	5206,2015 litre	99,471 %	27,6919 litre	O
340	CM 70	CM 136 LEVEL CM	5191,3518 litre	99,187 %	42,5416 litre	O
340	CM 70	CM 135 LEVEL CM	5174,5697 litre	98,867 %	59,3237 litre	O
340	CM 70	CM 134 LEVEL CM	5156,0817 litre	98,513 %	77,8117 litre	O
340	CM 70	CM 133 LEVEL CM	5136,0560 litre	98,131 %	97,8374 litre	O
340	CM 70	CM 132 LEVEL CM	5114,6243 litre	97,721 %	119,2691 litre	O
340	CM 70	CM 131 LEVEL CM	5091,8937 litre	97,287 %	141,9997 litre	O
340	CM 70	CM 130 LEVEL CM	5067,9540 litre	96,830 %	165,9394 litre	O
340	CM 70	CM 129 LEVEL CM	5042,8819 litre	96,350 %	191,0115 litre	O
340	CM 70	CM 128 LEVEL CM	5016,7441 litre	95,851 %	217,1493 litre	O
340	CM 70	CM 127 LEVEL CM	4989,5995 litre	95,332 %	244,2939 litre	O
340	CM 70	CM 126 LEVEL CM	4961,5005 litre	94,796 %	272,3929 litre	O
340	CM 70	CM 125 LEVEL CM	4932,4945 litre	94,241 %	301,3989 litre	O
340	CM 70	CM 124 LEVEL CM	4902,6245 litre	93,671 %	331,2689 litre	O
340	CM 70	CM 123 LEVEL CM	4871,9298 litre	93,084 %	361,9636 litre	O
340	CM 70	CM 122 LEVEL CM	4840,4468 litre	92,483 %	393,4466 litre	O
340	CM 70	CM 121 LEVEL CM	4808,2090 litre	91,867 %	425,6844 litre	O
340	CM 70	CM 120 LEVEL CM	4775,2477 litre	91,237 %	458,6457 litre	O
340	CM 70	CM 119 LEVEL CM	4741,5923 litre	90,594 %	492,3011 litre	O
340	CM 70	CM 118 LEVEL CM	4707,2702 litre	89,938 %	526,6232 litre	O
340	CM 70	CM 117 LEVEL CM	4672,3074 litre	89,270 %	561,5860 litre	O
340	CM 70	CM 116 LEVEL CM	4636,7284 litre	88,590 %	597,1650 litre	O
340	CM 70	CM 115 LEVEL CM	4600,5564 litre	87,899 %	633,3370 litre	O
340	CM 70	CM 114 LEVEL CM	4563,8137 litre	87,197 %	670,0797 litre	O
340	CM 70	CM 113 LEVEL CM	4526,5213 litre	86,485 %	707,3721 litre	O
340	CM 70	CM 112 LEVEL CM	4488,6995 litre	85,762 %	745,1939 litre	O
340	CM 70	CM 111 LEVEL CM	4450,3677 litre	85,030 %	783,5257 litre	O
340	CM 70	CM 110 LEVEL CM	4411,5443 litre	84,288 %	822,3491 litre	O
340	CM 70	CM 109 LEVEL CM	4372,2475 litre	83,537 %	861,6459 litre	O
340	CM 70	CM 108 LEVEL CM	4332,4943 litre	82,778 %	901,3991 litre	O
340	CM 70	CM 107 LEVEL CM	4292,3016 litre	82,010 %	941,5918 litre	O
340	CM 70	CM 106 LEVEL CM	4251,6854 litre	81,234 %	982,2080 litre	O
340	CM 70	CM 105 LEVEL CM	4210,6614 litre	80,450 %	1023,2320 litre	O
340	CM 70	CM 104 LEVEL CM	4169,2448 litre	79,659 %	1064,6486 litre	O
340	CM 70	CM 103 LEVEL CM	4127,4503 litre	78,860 %	1106,4431 litre	O
340	CM 70	CM 102 LEVEL CM	4085,2922 litre	78,055 %	1148,6012 litre	O
340	CM 70	CM 101 LEVEL CM	4042,7846 litre	77,242 %	1191,1088 litre	O
340	CM 70	CM 100 LEVEL CM	3999,9411 litre	76,424 %	1233,9523 litre	O
340	CM 70	CM 99 LEVEL CM	3956,7751 litre	75,599 %	1277,1183 litre	O
340	CM 70	CM 98 LEVEL CM	3913,2994 litre	74,768 %	1320,5940 litre	O
340	CM 70	CM 97 LEVEL CM	3869,5270 litre	73,932 %	1364,3664 litre	O
340	CM 70	CM 96 LEVEL CM	3825,4703 litre	73,090 %	1408,4231 litre	O
340	CM 70	CM 95 LEVEL CM	3781,1415 litre	72,243 %	1452,7519 litre	O
340	CM 70	CM 94 LEVEL CM	3736,5527 litre	71,391 %	1497,3407 litre	O
340	CM 70	CM 93 LEVEL CM	3691,7157 litre	70,535 %	1542,1777 litre	O
340	CM 70	CM 92 LEVEL CM	3646,6422 litre	69,674 %	1587,2512 litre	O
340	CM 70	CM 91 LEVEL CM	3601,3435 litre	68,808 %	1632,5499 litre	O
340	CM 70	CM 90 LEVEL CM	3555,8309 litre	67,939 %	1678,0625 litre	O
340	CM 70	CM 89 LEVEL CM	3510,1156 litre	67,065 %	1723,7778 litre	O

340	CM	70	CM	88 LEVEL CM	3464,2085 litre	66,188 %	1769,6849 litre	O
340	CM	70	CM	87 LEVEL CM	3418,1204 litre	65,307 %	1815,7730 litre	O
340	CM	70	CM	86 LEVEL CM	3371,8621 litre	64,424 %	1862,0313 litre	O
340	CM	70	CM	85 LEVEL CM	3325,4441 litre	63,537 %	1908,4493 litre	O
340	CM	70	CM	84 LEVEL CM	3278,8770 litre	62,647 %	1955,0164 litre	O
340	CM	70	CM	83 LEVEL CM	3232,1710 litre	61,755 %	2001,7224 litre	O
340	CM	70	CM	82 LEVEL CM	3185,3365 litre	60,860 %	2048,5569 litre	O
340	CM	70	CM	81 LEVEL CM	3138,3837 litre	59,963 %	2095,5097 litre	O
340	CM	70	CM	80 LEVEL CM	3091,3226 litre	59,064 %	2142,5708 litre	O
340	CM	70	CM	79 LEVEL CM	3044,1635 litre	58,163 %	2189,7299 litre	O
340	CM	70	CM	78 LEVEL CM	2996,9161 litre	57,260 %	2236,9773 litre	O
340	CM	70	CM	77 LEVEL CM	2949,5905 litre	56,356 %	2284,3029 litre	O
340	CM	70	CM	76 LEVEL CM	2902,1966 litre	55,450 %	2331,6968 litre	O
340	CM	70	CM	75 LEVEL CM	2854,7441 litre	54,543 %	2379,1493 litre	O
340	CM	70	CM	74 LEVEL CM	2807,2430 litre	53,636 %	2426,6504 litre	O
340	CM	70	CM	73 LEVEL CM	2759,7030 litre	52,728 %	2474,1904 litre	O
340	CM	70	CM	72 LEVEL CM	2712,1337 litre	51,819 %	2521,7597 litre	O
340	CM	70	CM	71 LEVEL CM	2664,5451 litre	50,909 %	2569,3483 litre	O
340	CM	70	CM	70 LEVEL CM	2616,9467 litre	50,000 %	2616,9467 litre	O
340	CM	70	CM	69 LEVEL CM	2569,3483 litre	49,091 %	2664,5451 litre	O
340	CM	70	CM	68 LEVEL CM	2521,7596 litre	48,181 %	2712,1338 litre	O
340	CM	70	CM	67 LEVEL CM	2474,1904 litre	47,272 %	2759,7030 litre	O
340	CM	70	CM	66 LEVEL CM	2426,6504 litre	46,364 %	2807,2430 litre	O
340	CM	70	CM	65 LEVEL CM	2379,1492 litre	45,457 %	2854,7442 litre	O
340	CM	70	CM	64 LEVEL CM	2331,6968 litre	44,550 %	2902,1966 litre	O
340	CM	70	CM	63 LEVEL CM	2284,3028 litre	43,644 %	2949,5906 litre	O
340	CM	70	CM	62 LEVEL CM	2236,9773 litre	42,740 %	2996,9161 litre	O
340	CM	70	CM	61 LEVEL CM	2189,7299 litre	41,837 %	3044,1635 litre	O
340	CM	70	CM	60 LEVEL CM	2142,5707 litre	40,936 %	3091,3227 litre	O
340	CM	70	CM	59 LEVEL CM	2095,5097 litre	40,037 %	3138,3837 litre	O
340	CM	70	CM	58 LEVEL CM	2048,5569 litre	39,140 %	3185,3365 litre	O
340	CM	70	CM	57 LEVEL CM	2001,7224 litre	38,245 %	3232,1710 litre	O
340	CM	70	CM	56 LEVEL CM	1955,0164 litre	37,353 %	3278,8770 litre	O
340	CM	70	CM	55 LEVEL CM	1908,4492 litre	36,463 %	3325,4442 litre	O
340	CM	70	CM	54 LEVEL CM	1862,0313 litre	35,576 %	3371,8621 litre	O
340	CM	70	CM	53 LEVEL CM	1815,7730 litre	34,693 %	3418,1204 litre	O
340	CM	70	CM	52 LEVEL CM	1769,6849 litre	33,812 %	3464,2085 litre	O
340	CM	70	CM	51 LEVEL CM	1723,7778 litre	32,935 %	3510,1156 litre	O
340	CM	70	CM	50 LEVEL CM	1678,0625 litre	32,061 %	3555,8309 litre	O
340	CM	70	CM	49 LEVEL CM	1632,5499 litre	31,192 %	3601,3435 litre	O
340	CM	70	CM	48 LEVEL CM	1587,2512 litre	30,326 %	3646,6422 litre	O
340	CM	70	CM	47 LEVEL CM	1542,1776 litre	29,465 %	3691,7158 litre	O
340	CM	70	CM	46 LEVEL CM	1497,3406 litre	28,609 %	3736,5528 litre	O
340	CM	70	CM	45 LEVEL CM	1452,7518 litre	27,757 %	3781,1416 litre	O
340	CM	70	CM	44 LEVEL CM	1408,4231 litre	26,910 %	3825,4703 litre	O
340	CM	70	CM	43 LEVEL CM	1364,3663 litre	26,068 %	3869,5271 litre	O
340	CM	70	CM	42 LEVEL CM	1320,5939 litre	25,232 %	3913,2995 litre	O
340	CM	70	CM	41 LEVEL CM	1277,1183 litre	24,401 %	3956,7751 litre	O
340	CM	70	CM	40 LEVEL CM	1233,9522 litre	23,576 %	3999,9412 litre	O
340	CM	70	CM	39 LEVEL CM	1191,1087 litre	22,758 %	4042,7847 litre	O
340	CM	70	CM	38 LEVEL CM	1148,6012 litre	21,945 %	4085,2922 litre	O
340	CM	70	CM	37 LEVEL CM	1106,4431 litre	21,140 %	4127,4503 litre	O
340	CM	70	CM	36 LEVEL CM	1064,6486 litre	20,341 %	4169,2448 litre	O

340	CM	70	CM	35 LEVEL CM	1023,2320 litre	19,550 %	4210,6614 litre	O
340	CM	70	CM	34 LEVEL CM	982,2080 litre	18,766 %	4251,6854 litre	O
340	CM	70	CM	33 LEVEL CM	941,5918 litre	17,990 %	4292,3016 litre	O
340	CM	70	CM	32 LEVEL CM	901,3990 litre	17,222 %	4332,4944 litre	O
340	CM	70	CM	31 LEVEL CM	861,6459 litre	16,463 %	4372,2475 litre	O
340	CM	70	CM	30 LEVEL CM	822,3490 litre	15,712 %	4411,5444 litre	O
340	CM	70	CM	29 LEVEL CM	783,5257 litre	14,970 %	4450,3677 litre	O
340	CM	70	CM	28 LEVEL CM	745,1938 litre	14,238 %	4488,6996 litre	O
340	CM	70	CM	27 LEVEL CM	707,3720 litre	13,515 %	4526,5214 litre	O
340	CM	70	CM	26 LEVEL CM	670,0797 litre	12,803 %	4563,8137 litre	O
340	CM	70	CM	25 LEVEL CM	633,3369 litre	12,101 %	4600,5565 litre	O
340	CM	70	CM	24 LEVEL CM	597,1650 litre	11,410 %	4636,7284 litre	O
340	CM	70	CM	23 LEVEL CM	561,5860 litre	10,730 %	4672,3074 litre	O
340	CM	70	CM	22 LEVEL CM	526,6232 litre	10,062 %	4707,2702 litre	O
340	CM	70	CM	21 LEVEL CM	492,3011 litre	9,406 %	4741,5923 litre	O
340	CM	70	CM	20 LEVEL CM	458,6456 litre	8,763 %	4775,2478 litre	O
340	CM	70	CM	19 LEVEL CM	425,6844 litre	8,133 %	4808,2090 litre	O
340	CM	70	CM	18 LEVEL CM	393,4466 litre	7,517 %	4840,4468 litre	O
340	CM	70	CM	17 LEVEL CM	361,9636 litre	6,916 %	4871,9298 litre	O
340	CM	70	CM	16 LEVEL CM	331,2689 litre	6,329 %	4902,6245 litre	O
340	CM	70	CM	15 LEVEL CM	301,3989 litre	5,759 %	4932,4945 litre	O
340	CM	70	CM	14 LEVEL CM	272,3928 litre	5,204 %	4961,5006 litre	O
340	CM	70	CM	13 LEVEL CM	244,2939 litre	4,668 %	4989,5995 litre	O
340	CM	70	CM	12 LEVEL CM	217,1492 litre	4,149 %	5016,7442 litre	O
340	CM	70	CM	11 LEVEL CM	191,0114 litre	3,650 %	5042,8820 litre	O
340	CM	70	CM	10 LEVEL CM	165,9394 litre	3,170 %	5067,9540 litre	O
340	CM	70	CM	9 LEVEL CM	141,9997 litre	2,713 %	5091,8937 litre	O
340	CM	70	CM	8 LEVEL CM	119,2691 litre	2,279 %	5114,6243 litre	O
340	CM	70	CM	7 LEVEL CM	97,8374 litre	1,869 %	5136,0560 litre	O
340	CM	70	CM	6 LEVEL CM	77,8116 litre	1,487 %	5156,0818 litre	O
340	CM	70	CM	5 LEVEL CM	59,3237 litre	1,133 %	5174,5697 litre	O
340	CM	70	CM	4 LEVEL CM	42,5416 litre	0,813 %	5191,3518 litre	O
340	CM	70	CM	3 LEVEL CM	27,6918 litre	0,529 %	5206,2016 litre	O
340	CM	70	CM	2 LEVEL CM	15,1062 litre	0,289 %	5218,7872 litre	O
340	CM	70	CM	1 LEVEL CM	5,3524 litre	0,102 %	5228,5410 litre	O
340	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	5233,8934 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
340	CM	65	CM	130 LEVEL CM	4512,8978 litre	100,000 %	0,0000 litre	O
340	CM	65	CM	129 LEVEL CM	4507,7410 litre	99,886 %	5,1568 litre	O
340	CM	65	CM	128 LEVEL CM	4498,3459 litre	99,678 %	14,5519 litre	O
340	CM	65	CM	127 LEVEL CM	4486,2267 litre	99,409 %	26,6711 litre	O
340	CM	65	CM	126 LEVEL CM	4471,9313 litre	99,092 %	40,9665 litre	O
340	CM	65	CM	125 LEVEL CM	4455,7804 litre	98,734 %	57,1174 litre	O
340	CM	65	CM	124 LEVEL CM	4437,9930 litre	98,340 %	74,9048 litre	O
340	CM	65	CM	123 LEVEL CM	4418,7320 litre	97,913 %	94,1658 litre	O
340	CM	65	CM	122 LEVEL CM	4398,1249 litre	97,457 %	114,7729 litre	O
340	CM	65	CM	121 LEVEL CM	4376,2757 litre	96,973 %	136,6221 litre	O
340	CM	65	CM	120 LEVEL CM	4353,2716 litre	96,463 %	159,6262 litre	O
340	CM	65	CM	119 LEVEL CM	4329,1870 litre	95,929 %	183,7108 litre	O
340	CM	65	CM	118 LEVEL CM	4304,0869 litre	95,373 %	208,8109 litre	O
340	CM	65	CM	117 LEVEL CM	4278,0285 litre	94,796 %	234,8693 litre	O
340	CM	65	CM	116 LEVEL CM	4251,0630 litre	94,198 %	261,8348 litre	O
340	CM	65	CM	115 LEVEL CM	4223,2367 litre	93,581 %	289,6611 litre	O
340	CM	65	CM	114 LEVEL CM	4194,5914 litre	92,947 %	318,3064 litre	O
340	CM	65	CM	113 LEVEL CM	4165,1657 litre	92,295 %	347,7321 litre	O
340	CM	65	CM	112 LEVEL CM	4134,9950 litre	91,626 %	377,9028 litre	O
340	CM	65	CM	111 LEVEL CM	4104,1124 litre	90,942 %	408,7854 litre	O
340	CM	65	CM	110 LEVEL CM	4072,5485 litre	90,242 %	440,3493 litre	O
340	CM	65	CM	109 LEVEL CM	4040,3320 litre	89,529 %	472,5658 litre	O
340	CM	65	CM	108 LEVEL CM	4007,4901 litre	88,801 %	505,4077 litre	O
340	CM	65	CM	107 LEVEL CM	3974,0481 litre	88,060 %	538,8497 litre	O
340	CM	65	CM	106 LEVEL CM	3940,0304 litre	87,306 %	572,8674 litre	O
340	CM	65	CM	105 LEVEL CM	3905,4598 litre	86,540 %	607,4380 litre	O
340	CM	65	CM	104 LEVEL CM	3870,3583 litre	85,762 %	642,5395 litre	O
340	CM	65	CM	103 LEVEL CM	3834,7466 litre	84,973 %	678,1512 litre	O
340	CM	65	CM	102 LEVEL CM	3798,6449 litre	84,173 %	714,2529 litre	O
340	CM	65	CM	101 LEVEL CM	3762,0724 litre	83,363 %	750,8254 litre	O
340	CM	65	CM	100 LEVEL CM	3725,0475 litre	82,542 %	787,8503 litre	O
340	CM	65	CM	99 LEVEL CM	3687,5880 litre	81,712 %	825,3098 litre	O
340	CM	65	CM	98 LEVEL CM	3649,7111 litre	80,873 %	863,1867 litre	O
340	CM	65	CM	97 LEVEL CM	3611,4334 litre	80,025 %	901,4644 litre	O
340	CM	65	CM	96 LEVEL CM	3572,7711 litre	79,168 %	940,1267 litre	O
340	CM	65	CM	95 LEVEL CM	3533,7398 litre	78,303 %	979,1580 litre	O
340	CM	65	CM	94 LEVEL CM	3494,3547 litre	77,430 %	1018,5431 litre	O
340	CM	65	CM	93 LEVEL CM	3454,6305 litre	76,550 %	1058,2673 litre	O
340	CM	65	CM	92 LEVEL CM	3414,5818 litre	75,663 %	1098,3160 litre	O
340	CM	65	CM	91 LEVEL CM	3374,2225 litre	74,768 %	1138,6753 litre	O
340	CM	65	CM	90 LEVEL CM	3333,5664 litre	73,868 %	1179,3314 litre	O
340	CM	65	CM	89 LEVEL CM	3292,6269 litre	72,960 %	1220,2709 litre	O
340	CM	65	CM	88 LEVEL CM	3251,4173 litre	72,047 %	1261,4805 litre	O
340	CM	65	CM	87 LEVEL CM	3209,9503 litre	71,128 %	1302,9475 litre	O
340	CM	65	CM	86 LEVEL CM	3168,2388 litre	70,204 %	1344,6590 litre	O
340	CM	65	CM	85 LEVEL CM	3126,2951 litre	69,275 %	1386,6027 litre	O
340	CM	65	CM	84 LEVEL CM	3084,1315 litre	68,340 %	1428,7663 litre	O
340	CM	65	CM	83 LEVEL CM	3041,7600 litre	67,401 %	1471,1378 litre	O
340	CM	65	CM	82 LEVEL CM	2999,1926 litre	66,458 %	1513,7052 litre	O
340	CM	65	CM	81 LEVEL CM	2956,4408 litre	65,511 %	1556,4570 litre	O
340	CM	65	CM	80 LEVEL CM	2913,5164 litre	64,560 %	1599,3814 litre	O
340	CM	65	CM	79 LEVEL CM	2870,4307 litre	63,605 %	1642,4671 litre	O

340	CM	65	CM	78 LEVEL CM	2827,1949 litre	62,647 %	1685,7029 litre	O
340	CM	65	CM	77 LEVEL CM	2783,8204 litre	61,686 %	1729,0774 litre	O
340	CM	65	CM	76 LEVEL CM	2740,3181 litre	60,722 %	1772,5797 litre	O
340	CM	65	CM	75 LEVEL CM	2696,6991 litre	59,755 %	1816,1987 litre	O
340	CM	65	CM	74 LEVEL CM	2652,9742 litre	58,786 %	1859,9236 litre	O
340	CM	65	CM	73 LEVEL CM	2609,1542 litre	57,815 %	1903,7436 litre	O
340	CM	65	CM	72 LEVEL CM	2565,2498 litre	56,843 %	1947,6480 litre	O
340	CM	65	CM	71 LEVEL CM	2521,2718 litre	55,868 %	1991,6260 litre	O
340	CM	65	CM	70 LEVEL CM	2477,2308 litre	54,892 %	2035,6670 litre	O
340	CM	65	CM	69 LEVEL CM	2433,1373 litre	53,915 %	2079,7605 litre	O
340	CM	65	CM	68 LEVEL CM	2389,0018 litre	52,937 %	2123,8960 litre	O
340	CM	65	CM	67 LEVEL CM	2344,8350 litre	51,959 %	2168,0628 litre	O
340	CM	65	CM	66 LEVEL CM	2300,6472 litre	50,979 %	2212,2506 litre	O
340	CM	65	CM	65 LEVEL CM	2256,4489 litre	50,000 %	2256,4489 litre	O
340	CM	65	CM	64 LEVEL CM	2212,2507 litre	49,021 %	2300,6471 litre	O
340	CM	65	CM	63 LEVEL CM	2168,0629 litre	48,041 %	2344,8349 litre	O
340	CM	65	CM	62 LEVEL CM	2123,8960 litre	47,063 %	2389,0018 litre	O
340	CM	65	CM	61 LEVEL CM	2079,7606 litre	46,085 %	2433,1372 litre	O
340	CM	65	CM	60 LEVEL CM	2035,6671 litre	45,108 %	2477,2307 litre	O
340	CM	65	CM	59 LEVEL CM	1991,6260 litre	44,132 %	2521,2718 litre	O
340	CM	65	CM	58 LEVEL CM	1947,6480 litre	43,157 %	2565,2498 litre	O
340	CM	65	CM	57 LEVEL CM	1903,7437 litre	42,185 %	2609,1541 litre	O
340	CM	65	CM	56 LEVEL CM	1859,9237 litre	41,214 %	2652,9741 litre	O
340	CM	65	CM	55 LEVEL CM	1816,1988 litre	40,245 %	2696,6990 litre	O
340	CM	65	CM	54 LEVEL CM	1772,5797 litre	39,278 %	2740,3181 litre	O
340	CM	65	CM	53 LEVEL CM	1729,0774 litre	38,314 %	2783,8204 litre	O
340	CM	65	CM	52 LEVEL CM	1685,7029 litre	37,353 %	2827,1949 litre	O
340	CM	65	CM	51 LEVEL CM	1642,4672 litre	36,395 %	2870,4306 litre	O
340	CM	65	CM	50 LEVEL CM	1599,3815 litre	35,440 %	2913,5163 litre	O
340	CM	65	CM	49 LEVEL CM	1556,4570 litre	34,489 %	2956,4408 litre	O
340	CM	65	CM	48 LEVEL CM	1513,7053 litre	33,542 %	2999,1925 litre	O
340	CM	65	CM	47 LEVEL CM	1471,1378 litre	32,599 %	3041,7600 litre	O
340	CM	65	CM	46 LEVEL CM	1428,7664 litre	31,660 %	3084,1314 litre	O
340	CM	65	CM	45 LEVEL CM	1386,6028 litre	30,725 %	3126,2950 litre	O
340	CM	65	CM	44 LEVEL CM	1344,6591 litre	29,796 %	3168,2387 litre	O
340	CM	65	CM	43 LEVEL CM	1302,9475 litre	28,872 %	3209,9503 litre	O
340	CM	65	CM	42 LEVEL CM	1261,4806 litre	27,953 %	3251,4172 litre	O
340	CM	65	CM	41 LEVEL CM	1220,2709 litre	27,040 %	3292,6269 litre	O
340	CM	65	CM	40 LEVEL CM	1179,3315 litre	26,132 %	3333,5663 litre	O
340	CM	65	CM	39 LEVEL CM	1138,6754 litre	25,232 %	3374,2224 litre	O
340	CM	65	CM	38 LEVEL CM	1098,3161 litre	24,337 %	3414,5817 litre	O
340	CM	65	CM	37 LEVEL CM	1058,2673 litre	23,450 %	3454,6305 litre	O
340	CM	65	CM	36 LEVEL CM	1018,5432 litre	22,570 %	3494,3546 litre	O
340	CM	65	CM	35 LEVEL CM	979,1580 litre	21,697 %	3533,7398 litre	O
340	CM	65	CM	34 LEVEL CM	940,1267 litre	20,832 %	3572,7711 litre	O
340	CM	65	CM	33 LEVEL CM	901,4644 litre	19,975 %	3611,4334 litre	O
340	CM	65	CM	32 LEVEL CM	863,1868 litre	19,127 %	3649,7110 litre	O
340	CM	65	CM	31 LEVEL CM	825,3099 litre	18,288 %	3687,5879 litre	O
340	CM	65	CM	30 LEVEL CM	787,8504 litre	17,458 %	3725,0474 litre	O
340	CM	65	CM	29 LEVEL CM	750,8255 litre	16,637 %	3762,0723 litre	O
340	CM	65	CM	28 LEVEL CM	714,2529 litre	15,827 %	3798,6449 litre	O
340	CM	65	CM	27 LEVEL CM	678,1512 litre	15,027 %	3834,7466 litre	O
340	CM	65	CM	26 LEVEL CM	642,5396 litre	14,238 %	3870,3582 litre	O

340	CM	65	CM	25 LEVEL CM	607,4380 litre	13,460 %	3905,4598 litre	O
340	CM	65	CM	24 LEVEL CM	572,8674 litre	12,694 %	3940,0304 litre	O
340	CM	65	CM	23 LEVEL CM	538,8497 litre	11,940 %	3974,0481 litre	O
340	CM	65	CM	22 LEVEL CM	505,4078 litre	11,199 %	4007,4900 litre	O
340	CM	65	CM	21 LEVEL CM	472,5658 litre	10,471 %	4040,3320 litre	O
340	CM	65	CM	20 LEVEL CM	440,3494 litre	9,758 %	4072,5484 litre	O
340	CM	65	CM	19 LEVEL CM	408,7854 litre	9,058 %	4104,1124 litre	O
340	CM	65	CM	18 LEVEL CM	377,9028 litre	8,374 %	4134,9950 litre	O
340	CM	65	CM	17 LEVEL CM	347,7322 litre	7,705 %	4165,1656 litre	O
340	CM	65	CM	16 LEVEL CM	318,3065 litre	7,053 %	4194,5913 litre	O
340	CM	65	CM	15 LEVEL CM	289,6612 litre	6,419 %	4223,2366 litre	O
340	CM	65	CM	14 LEVEL CM	261,8348 litre	5,802 %	4251,0630 litre	O
340	CM	65	CM	13 LEVEL CM	234,8693 litre	5,204 %	4278,0285 litre	O
340	CM	65	CM	12 LEVEL CM	208,8110 litre	4,627 %	4304,0868 litre	O
340	CM	65	CM	11 LEVEL CM	183,7108 litre	4,071 %	4329,1870 litre	O
340	CM	65	CM	10 LEVEL CM	159,6263 litre	3,537 %	4353,2715 litre	O
340	CM	65	CM	9 LEVEL CM	136,6221 litre	3,027 %	4376,2757 litre	O
340	CM	65	CM	8 LEVEL CM	114,7730 litre	2,543 %	4398,1248 litre	O
340	CM	65	CM	7 LEVEL CM	94,1659 litre	2,087 %	4418,7319 litre	O
340	CM	65	CM	6 LEVEL CM	74,9048 litre	1,660 %	4437,9930 litre	O
340	CM	65	CM	5 LEVEL CM	57,1174 litre	1,266 %	4455,7804 litre	O
340	CM	65	CM	4 LEVEL CM	40,9665 litre	0,908 %	4471,9313 litre	O
340	CM	65	CM	3 LEVEL CM	26,6711 litre	0,591 %	4486,2267 litre	O
340	CM	65	CM	2 LEVEL CM	14,5519 litre	0,322 %	4498,3459 litre	O
340	CM	65	CM	1 LEVEL CM	5,1569 litre	0,114 %	4507,7409 litre	O
340	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	4512,8978 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
340	CM	60	CM 120 LEVEL CM	3845,3094 litre	100,000 %	0,0000 litre	O
340	CM	60	CM 119 LEVEL CM	3840,3558 litre	99,871 %	4,9536 litre	O
340	CM	60	CM 118 LEVEL CM	3831,3338 litre	99,637 %	13,9756 litre	O
340	CM	60	CM 117 LEVEL CM	3819,6996 litre	99,334 %	25,6098 litre	O
340	CM	60	CM 116 LEVEL CM	3805,9809 litre	98,977 %	39,3285 litre	O
340	CM	60	CM 115 LEVEL CM	3790,4869 litre	98,574 %	54,8225 litre	O
340	CM	60	CM 114 LEVEL CM	3773,4289 litre	98,131 %	71,8805 litre	O
340	CM	60	CM 113 LEVEL CM	3754,9641 litre	97,651 %	90,3453 litre	O
340	CM	60	CM 112 LEVEL CM	3735,2161 litre	97,137 %	110,0933 litre	O
340	CM	60	CM 111 LEVEL CM	3714,2854 litre	96,593 %	131,0240 litre	O
340	CM	60	CM 110 LEVEL CM	3692,2565 litre	96,020 %	153,0529 litre	O
340	CM	60	CM 109 LEVEL CM	3669,2017 litre	95,420 %	176,1077 litre	O
340	CM	60	CM 108 LEVEL CM	3645,1841 litre	94,796 %	200,1253 litre	O
340	CM	60	CM 107 LEVEL CM	3620,2592 litre	94,148 %	225,0502 litre	O
340	CM	60	CM 106 LEVEL CM	3594,4771 litre	93,477 %	250,8323 litre	O
340	CM	60	CM 105 LEVEL CM	3567,8826 litre	92,785 %	277,4268 litre	O
340	CM	60	CM 104 LEVEL CM	3540,5168 litre	92,074 %	304,7926 litre	O
340	CM	60	CM 103 LEVEL CM	3512,4173 litre	91,343 %	332,8921 litre	O
340	CM	60	CM 102 LEVEL CM	3483,6188 litre	90,594 %	361,6906 litre	O
340	CM	60	CM 101 LEVEL CM	3454,1536 litre	89,828 %	391,1558 litre	O
340	CM	60	CM 100 LEVEL CM	3424,0518 litre	89,045 %	421,2576 litre	O
340	CM	60	CM 99 LEVEL CM	3393,3417 litre	88,246 %	451,9677 litre	O
340	CM	60	CM 98 LEVEL CM	3362,0498 litre	87,433 %	483,2596 litre	O
340	CM	60	CM 97 LEVEL CM	3330,2013 litre	86,604 %	515,1081 litre	O
340	CM	60	CM 96 LEVEL CM	3297,8201 litre	85,762 %	547,4893 litre	O
340	CM	60	CM 95 LEVEL CM	3264,9287 litre	84,907 %	580,3807 litre	O
340	CM	60	CM 94 LEVEL CM	3231,5489 litre	84,039 %	613,7605 litre	O
340	CM	60	CM 93 LEVEL CM	3197,7014 litre	83,159 %	647,6080 litre	O
340	CM	60	CM 92 LEVEL CM	3163,4060 litre	82,267 %	681,9034 litre	O
340	CM	60	CM 91 LEVEL CM	3128,6818 litre	81,364 %	716,6276 litre	O
340	CM	60	CM 90 LEVEL CM	3093,5472 litre	80,450 %	751,7622 litre	O
340	CM	60	CM 89 LEVEL CM	3058,0199 litre	79,526 %	787,2895 litre	O
340	CM	60	CM 88 LEVEL CM	3022,1172 litre	78,592 %	823,1922 litre	O
340	CM	60	CM 87 LEVEL CM	2985,8556 litre	77,649 %	859,4538 litre	O
340	CM	60	CM 86 LEVEL CM	2949,2513 litre	76,697 %	896,0581 litre	O
340	CM	60	CM 85 LEVEL CM	2912,3201 litre	75,737 %	932,9893 litre	O
340	CM	60	CM 84 LEVEL CM	2875,0771 litre	74,769 %	970,2323 litre	O
340	CM	60	CM 83 LEVEL CM	2837,5374 litre	73,792 %	1007,7720 litre	O
340	CM	60	CM 82 LEVEL CM	2799,7153 litre	72,809 %	1045,5941 litre	O
340	CM	60	CM 81 LEVEL CM	2761,6253 litre	71,818 %	1083,6841 litre	O
340	CM	60	CM 80 LEVEL CM	2723,2812 litre	70,821 %	1122,0282 litre	O
340	CM	60	CM 79 LEVEL CM	2684,6966 litre	69,818 %	1160,6128 litre	O
340	CM	60	CM 78 LEVEL CM	2645,8850 litre	68,808 %	1199,4244 litre	O
340	CM	60	CM 77 LEVEL CM	2606,8595 litre	67,793 %	1238,4499 litre	O
340	CM	60	CM 76 LEVEL CM	2567,6331 litre	66,773 %	1277,6763 litre	O
340	CM	60	CM 75 LEVEL CM	2528,2186 litre	65,748 %	1317,0908 litre	O
340	CM	60	CM 74 LEVEL CM	2488,6284 litre	64,719 %	1356,6810 litre	O
340	CM	60	CM 73 LEVEL CM	2448,8751 litre	63,685 %	1396,4343 litre	O
340	CM	60	CM 72 LEVEL CM	2408,9708 litre	62,647 %	1436,3386 litre	O
340	CM	60	CM 71 LEVEL CM	2368,9278 litre	61,606 %	1476,3816 litre	O
340	CM	60	CM 70 LEVEL CM	2328,7579 litre	60,561 %	1516,5515 litre	O
340	CM	60	CM 69 LEVEL CM	2288,4730 litre	59,513 %	1556,8364 litre	O

340	CM	60	CM	68 LEVEL CM	2248,0850 litre	58,463 %	1597,2244 litre	O
340	CM	60	CM	67 LEVEL CM	2207,6055 litre	57,410 %	1637,7039 litre	O
340	CM	60	CM	66 LEVEL CM	2167,0461 litre	56,356 %	1678,2633 litre	O
340	CM	60	CM	65 LEVEL CM	2126,4183 litre	55,299 %	1718,8911 litre	O
340	CM	60	CM	64 LEVEL CM	2085,7337 litre	54,241 %	1759,5757 litre	O
340	CM	60	CM	63 LEVEL CM	2045,0037 litre	53,182 %	1800,3057 litre	O
340	CM	60	CM	62 LEVEL CM	2004,2396 litre	52,122 %	1841,0698 litre	O
340	CM	60	CM	61 LEVEL CM	1963,4528 litre	51,061 %	1881,8566 litre	O
340	CM	60	CM	60 LEVEL CM	1922,6547 litre	50,000 %	1922,6547 litre	O
340	CM	60	CM	59 LEVEL CM	1881,8566 litre	48,939 %	1963,4528 litre	O
340	CM	60	CM	58 LEVEL CM	1841,0698 litre	47,878 %	2004,2396 litre	O
340	CM	60	CM	57 LEVEL CM	1800,3057 litre	46,818 %	2045,0037 litre	O
340	CM	60	CM	56 LEVEL CM	1759,5757 litre	45,759 %	2085,7337 litre	O
340	CM	60	CM	55 LEVEL CM	1718,8911 litre	44,701 %	2126,4183 litre	O
340	CM	60	CM	54 LEVEL CM	1678,2633 litre	43,644 %	2167,0461 litre	O
340	CM	60	CM	53 LEVEL CM	1637,7039 litre	42,590 %	2207,6055 litre	O
340	CM	60	CM	52 LEVEL CM	1597,2244 litre	41,537 %	2248,0850 litre	O
340	CM	60	CM	51 LEVEL CM	1556,8364 litre	40,487 %	2288,4730 litre	O
340	CM	60	CM	50 LEVEL CM	1516,5515 litre	39,439 %	2328,7579 litre	O
340	CM	60	CM	49 LEVEL CM	1476,3816 litre	38,394 %	2368,9278 litre	O
340	CM	60	CM	48 LEVEL CM	1436,3386 litre	37,353 %	2408,9708 litre	O
340	CM	60	CM	47 LEVEL CM	1396,4343 litre	36,315 %	2448,8751 litre	O
340	CM	60	CM	46 LEVEL CM	1356,6810 litre	35,282 %	2488,6284 litre	O
340	CM	60	CM	45 LEVEL CM	1317,0908 litre	34,252 %	2528,2186 litre	O
340	CM	60	CM	44 LEVEL CM	1277,6763 litre	33,227 %	2567,6331 litre	O
340	CM	60	CM	43 LEVEL CM	1238,4499 litre	32,207 %	2606,8595 litre	O
340	CM	60	CM	42 LEVEL CM	1199,4244 litre	31,192 %	2645,8850 litre	O
340	CM	60	CM	41 LEVEL CM	1160,6128 litre	30,183 %	2684,6966 litre	O
340	CM	60	CM	40 LEVEL CM	1122,0282 litre	29,179 %	2723,2812 litre	O
340	CM	60	CM	39 LEVEL CM	1083,6841 litre	28,182 %	2761,6253 litre	O
340	CM	60	CM	38 LEVEL CM	1045,5941 litre	27,191 %	2799,7153 litre	O
340	CM	60	CM	37 LEVEL CM	1007,7720 litre	26,208 %	2837,5374 litre	O
340	CM	60	CM	36 LEVEL CM	970,2323 litre	25,232 %	2875,0771 litre	O
340	CM	60	CM	35 LEVEL CM	932,9893 litre	24,263 %	2912,3201 litre	O
340	CM	60	CM	34 LEVEL CM	896,0581 litre	23,303 %	2949,2513 litre	O
340	CM	60	CM	33 LEVEL CM	859,4538 litre	22,351 %	2985,8556 litre	O
340	CM	60	CM	32 LEVEL CM	823,1922 litre	21,408 %	3022,1172 litre	O
340	CM	60	CM	31 LEVEL CM	787,2895 litre	20,474 %	3058,0199 litre	O
340	CM	60	CM	30 LEVEL CM	751,7623 litre	19,550 %	3093,5471 litre	O
340	CM	60	CM	29 LEVEL CM	716,6277 litre	18,636 %	3128,6817 litre	O
340	CM	60	CM	28 LEVEL CM	681,9034 litre	17,733 %	3163,4060 litre	O
340	CM	60	CM	27 LEVEL CM	647,6080 litre	16,842 %	3197,7014 litre	O
340	CM	60	CM	26 LEVEL CM	613,7605 litre	15,961 %	3231,5489 litre	O
340	CM	60	CM	25 LEVEL CM	580,3807 litre	15,093 %	3264,9287 litre	O
340	CM	60	CM	24 LEVEL CM	547,4893 litre	14,238 %	3297,8201 litre	O
340	CM	60	CM	23 LEVEL CM	515,1081 litre	13,396 %	3330,2013 litre	O
340	CM	60	CM	22 LEVEL CM	483,2596 litre	12,568 %	3362,0498 litre	O
340	CM	60	CM	21 LEVEL CM	451,9677 litre	11,754 %	3393,3417 litre	O
340	CM	60	CM	20 LEVEL CM	421,2576 litre	10,955 %	3424,0518 litre	O
340	CM	60	CM	19 LEVEL CM	391,1558 litre	10,172 %	3454,1536 litre	O
340	CM	60	CM	18 LEVEL CM	361,6906 litre	9,406 %	3483,6188 litre	O
340	CM	60	CM	17 LEVEL CM	332,8921 litre	8,657 %	3512,4173 litre	O
340	CM	60	CM	16 LEVEL CM	304,7926 litre	7,926 %	3540,5168 litre	O

340	CM	60	CM	15 LEVEL CM	277,4268 litre	7,215 %	3567,8826 litre	O
340	CM	60	CM	14 LEVEL CM	250,8323 litre	6,523 %	3594,4771 litre	O
340	CM	60	CM	13 LEVEL CM	225,0502 litre	5,853 %	3620,2592 litre	O
340	CM	60	CM	12 LEVEL CM	200,1254 litre	5,204 %	3645,1840 litre	O
340	CM	60	CM	11 LEVEL CM	176,1077 litre	4,580 %	3669,2017 litre	O
340	CM	60	CM	10 LEVEL CM	153,0529 litre	3,980 %	3692,2565 litre	O
340	CM	60	CM	9 LEVEL CM	131,0240 litre	3,407 %	3714,2854 litre	O
340	CM	60	CM	8 LEVEL CM	110,0933 litre	2,863 %	3735,2161 litre	O
340	CM	60	CM	7 LEVEL CM	90,3453 litre	2,349 %	3754,9641 litre	O
340	CM	60	CM	6 LEVEL CM	71,8805 litre	1,869 %	3773,4289 litre	O
340	CM	60	CM	5 LEVEL CM	54,8225 litre	1,426 %	3790,4869 litre	O
340	CM	60	CM	4 LEVEL CM	39,3285 litre	1,023 %	3805,9809 litre	O
340	CM	60	CM	3 LEVEL CM	25,6098 litre	0,666 %	3819,6996 litre	O
340	CM	60	CM	2 LEVEL CM	13,9756 litre	0,363 %	3831,3338 litre	O
340	CM	60	CM	1 LEVEL CM	4,9536 litre	0,129 %	3840,3558 litre	O
340	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3845,3094 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
340	CM	55	CM	110 LEVEL CM	3231,1280 litre	100,000 %	0,0000 litre	O
340	CM	55	CM	109 LEVEL CM	3226,3864 litre	99,853 %	4,7416 litre	O
340	CM	55	CM	108 LEVEL CM	3217,7536 litre	99,586 %	13,3744 litre	O
340	CM	55	CM	107 LEVEL CM	3206,6255 litre	99,242 %	24,5025 litre	O
340	CM	55	CM	106 LEVEL CM	3193,5089 litre	98,836 %	37,6191 litre	O
340	CM	55	CM	105 LEVEL CM	3178,7009 litre	98,377 %	52,4271 litre	O
340	CM	55	CM	104 LEVEL CM	3162,4048 litre	97,873 %	68,7232 litre	O
340	CM	55	CM	103 LEVEL CM	3144,7723 litre	97,327 %	86,3557 litre	O
340	CM	55	CM	102 LEVEL CM	3125,9224 litre	96,744 %	105,2056 litre	O
340	CM	55	CM	101 LEVEL CM	3105,9524 litre	96,126 %	125,1756 litre	O
340	CM	55	CM	100 LEVEL CM	3084,9440 litre	95,476 %	146,1840 litre	O
340	CM	55	CM	99 LEVEL CM	3062,9672 litre	94,796 %	168,1608 litre	O
340	CM	55	CM	98 LEVEL CM	3040,0831 litre	94,087 %	191,0449 litre	O
340	CM	55	CM	97 LEVEL CM	3016,3459 litre	93,353 %	214,7821 litre	O
340	CM	55	CM	96 LEVEL CM	2991,8040 litre	92,593 %	239,3240 litre	O
340	CM	55	CM	95 LEVEL CM	2966,5014 litre	91,810 %	264,6266 litre	O
340	CM	55	CM	94 LEVEL CM	2940,4779 litre	91,005 %	290,6501 litre	O
340	CM	55	CM	93 LEVEL CM	2913,7704 litre	90,178 %	317,3576 litre	O
340	CM	55	CM	92 LEVEL CM	2886,4128 litre	89,331 %	344,7152 litre	O
340	CM	55	CM	91 LEVEL CM	2858,4368 litre	88,466 %	372,6912 litre	O
340	CM	55	CM	90 LEVEL CM	2829,8719 litre	87,582 %	401,2561 litre	O
340	CM	55	CM	89 LEVEL CM	2800,7458 litre	86,680 %	430,3822 litre	O
340	CM	55	CM	88 LEVEL CM	2771,0849 litre	85,762 %	460,0431 litre	O
340	CM	55	CM	87 LEVEL CM	2740,9139 litre	84,828 %	490,2141 litre	O
340	CM	55	CM	86 LEVEL CM	2710,2563 litre	83,880 %	520,8717 litre	O
340	CM	55	CM	85 LEVEL CM	2679,1347 litre	82,916 %	551,9933 litre	O
340	CM	55	CM	84 LEVEL CM	2647,5704 litre	81,940 %	583,5576 litre	O
340	CM	55	CM	83 LEVEL CM	2615,5841 litre	80,950 %	615,5439 litre	O
340	CM	55	CM	82 LEVEL CM	2583,1956 litre	79,947 %	647,9324 litre	O
340	CM	55	CM	81 LEVEL CM	2550,4238 litre	78,933 %	680,7042 litre	O
340	CM	55	CM	80 LEVEL CM	2517,2872 litre	77,907 %	713,8408 litre	O
340	CM	55	CM	79 LEVEL CM	2483,8035 litre	76,871 %	747,3245 litre	O
340	CM	55	CM	78 LEVEL CM	2449,9900 litre	75,825 %	781,1380 litre	O
340	CM	55	CM	77 LEVEL CM	2415,8634 litre	74,768 %	815,2646 litre	O
340	CM	55	CM	76 LEVEL CM	2381,4400 litre	73,703 %	849,6880 litre	O
340	CM	55	CM	75 LEVEL CM	2346,7357 litre	72,629 %	884,3923 litre	O
340	CM	55	CM	74 LEVEL CM	2311,7659 litre	71,547 %	919,3621 litre	O
340	CM	55	CM	73 LEVEL CM	2276,5457 litre	70,457 %	954,5823 litre	O
340	CM	55	CM	72 LEVEL CM	2241,0900 litre	69,359 %	990,0380 litre	O
340	CM	55	CM	71 LEVEL CM	2205,4133 litre	68,255 %	1025,7147 litre	O
340	CM	55	CM	70 LEVEL CM	2169,5297 litre	67,145 %	1061,5983 litre	O
340	CM	55	CM	69 LEVEL CM	2133,4535 litre	66,028 %	1097,6745 litre	O
340	CM	55	CM	68 LEVEL CM	2097,1982 litre	64,906 %	1133,9298 litre	O
340	CM	55	CM	67 LEVEL CM	2060,7774 litre	63,779 %	1170,3506 litre	O
340	CM	55	CM	66 LEVEL CM	2024,2047 litre	62,647 %	1206,9233 litre	O
340	CM	55	CM	65 LEVEL CM	1987,4931 litre	61,511 %	1243,6349 litre	O
340	CM	55	CM	64 LEVEL CM	1950,6557 litre	60,371 %	1280,4723 litre	O
340	CM	55	CM	63 LEVEL CM	1913,7056 litre	59,227 %	1317,4224 litre	O
340	CM	55	CM	62 LEVEL CM	1876,6555 litre	58,081 %	1354,4725 litre	O
340	CM	55	CM	61 LEVEL CM	1839,5181 litre	56,931 %	1391,6099 litre	O
340	CM	55	CM	60 LEVEL CM	1802,3061 litre	55,779 %	1428,8219 litre	O
340	CM	55	CM	59 LEVEL CM	1765,0320 litre	54,626 %	1466,0960 litre	O

340	CM	55	CM	58 LEVEL CM	1727,7084 litre	53,471 %	1503,4196 litre	O
340	CM	55	CM	57 LEVEL CM	1690,3475 litre	52,314 %	1540,7805 litre	O
340	CM	55	CM	56 LEVEL CM	1652,9620 litre	51,157 %	1578,1660 litre	O
340	CM	55	CM	55 LEVEL CM	1615,5640 litre	50,000 %	1615,5640 litre	O
340	CM	55	CM	54 LEVEL CM	1578,1661 litre	48,843 %	1652,9619 litre	O
340	CM	55	CM	53 LEVEL CM	1540,7805 litre	47,686 %	1690,3475 litre	O
340	CM	55	CM	52 LEVEL CM	1503,4197 litre	46,529 %	1727,7083 litre	O
340	CM	55	CM	51 LEVEL CM	1466,0960 litre	45,374 %	1765,0320 litre	O
340	CM	55	CM	50 LEVEL CM	1428,8219 litre	44,221 %	1802,3061 litre	O
340	CM	55	CM	49 LEVEL CM	1391,6099 litre	43,069 %	1839,5181 litre	O
340	CM	55	CM	48 LEVEL CM	1354,4725 litre	41,919 %	1876,6555 litre	O
340	CM	55	CM	47 LEVEL CM	1317,4224 litre	40,773 %	1913,7056 litre	O
340	CM	55	CM	46 LEVEL CM	1280,4723 litre	39,629 %	1950,6557 litre	O
340	CM	55	CM	45 LEVEL CM	1243,6350 litre	38,489 %	1987,4930 litre	O
340	CM	55	CM	44 LEVEL CM	1206,9234 litre	37,353 %	2024,2046 litre	O
340	CM	55	CM	43 LEVEL CM	1170,3506 litre	36,221 %	2060,7774 litre	O
340	CM	55	CM	42 LEVEL CM	1133,9299 litre	35,094 %	2097,1981 litre	O
340	CM	55	CM	41 LEVEL CM	1097,6746 litre	33,972 %	2133,4534 litre	O
340	CM	55	CM	40 LEVEL CM	1061,5983 litre	32,855 %	2169,5297 litre	O
340	CM	55	CM	39 LEVEL CM	1025,7148 litre	31,745 %	2205,4132 litre	O
340	CM	55	CM	38 LEVEL CM	990,0381 litre	30,641 %	2241,0899 litre	O
340	CM	55	CM	37 LEVEL CM	954,5823 litre	29,543 %	2276,5457 litre	O
340	CM	55	CM	36 LEVEL CM	919,3622 litre	28,453 %	2311,7658 litre	O
340	CM	55	CM	35 LEVEL CM	884,3924 litre	27,371 %	2346,7356 litre	O
340	CM	55	CM	34 LEVEL CM	849,6880 litre	26,297 %	2381,4400 litre	O
340	CM	55	CM	33 LEVEL CM	815,2646 litre	25,232 %	2415,8634 litre	O
340	CM	55	CM	32 LEVEL CM	781,1380 litre	24,175 %	2449,9900 litre	O
340	CM	55	CM	31 LEVEL CM	747,3245 litre	23,129 %	2483,8035 litre	O
340	CM	55	CM	30 LEVEL CM	713,8409 litre	22,093 %	2517,2871 litre	O
340	CM	55	CM	29 LEVEL CM	680,7043 litre	21,067 %	2550,4237 litre	O
340	CM	55	CM	28 LEVEL CM	647,9325 litre	20,053 %	2583,1955 litre	O
340	CM	55	CM	27 LEVEL CM	615,5439 litre	19,050 %	2615,5841 litre	O
340	CM	55	CM	26 LEVEL CM	583,5576 litre	18,060 %	2647,5704 litre	O
340	CM	55	CM	25 LEVEL CM	551,9934 litre	17,084 %	2679,1346 litre	O
340	CM	55	CM	24 LEVEL CM	520,8717 litre	16,120 %	2710,2563 litre	O
340	CM	55	CM	23 LEVEL CM	490,2142 litre	15,172 %	2740,9138 litre	O
340	CM	55	CM	22 LEVEL CM	460,0431 litre	14,238 %	2771,0849 litre	O
340	CM	55	CM	21 LEVEL CM	430,3822 litre	13,320 %	2800,7458 litre	O
340	CM	55	CM	20 LEVEL CM	401,2562 litre	12,418 %	2829,8718 litre	O
340	CM	55	CM	19 LEVEL CM	372,6913 litre	11,534 %	2858,4367 litre	O
340	CM	55	CM	18 LEVEL CM	344,7152 litre	10,669 %	2886,4128 litre	O
340	CM	55	CM	17 LEVEL CM	317,3576 litre	9,822 %	2913,7704 litre	O
340	CM	55	CM	16 LEVEL CM	290,6501 litre	8,995 %	2940,4779 litre	O
340	CM	55	CM	15 LEVEL CM	264,6267 litre	8,190 %	2966,5013 litre	O
340	CM	55	CM	14 LEVEL CM	239,3240 litre	7,407 %	2991,8040 litre	O
340	CM	55	CM	13 LEVEL CM	214,7822 litre	6,647 %	3016,3458 litre	O
340	CM	55	CM	12 LEVEL CM	191,0450 litre	5,913 %	3040,0830 litre	O
340	CM	55	CM	11 LEVEL CM	168,1609 litre	5,204 %	3062,9671 litre	O
340	CM	55	CM	10 LEVEL CM	146,1841 litre	4,524 %	3084,9439 litre	O
340	CM	55	CM	9 LEVEL CM	125,1756 litre	3,874 %	3105,9524 litre	O
340	CM	55	CM	8 LEVEL CM	105,2056 litre	3,256 %	3125,9224 litre	O
340	CM	55	CM	7 LEVEL CM	86,3558 litre	2,673 %	3144,7722 litre	O
340	CM	55	CM	6 LEVEL CM	68,7232 litre	2,127 %	3162,4048 litre	O

340	CM 55	CM	5 LEVEL CM	52,4272 litre	1,623 %	3178,7008 litre	O
340	CM 55	CM	4 LEVEL CM	37,6191 litre	1,164 %	3193,5089 litre	O
340	CM 55	CM	3 LEVEL CM	24,5025 litre	0,758 %	3206,6255 litre	O
340	CM 55	CM	2 LEVEL CM	13,3744 litre	0,414 %	3217,7536 litre	O
340	CM 55	CM	1 LEVEL CM	4,7416 litre	0,147 %	3226,3864 litre	O
340	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3231,1280 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
340	CM	50	CM	100 LEVEL CM	2670,3538 litre	100,000 %	0,0000 litre	O
340	CM	50	CM	99 LEVEL CM	2665,8340 litre	99,831 %	4,5198 litre	O
340	CM	50	CM	98 LEVEL CM	2657,6088 litre	99,523 %	12,7450 litre	O
340	CM	50	CM	97 LEVEL CM	2647,0110 litre	99,126 %	23,3428 litre	O
340	CM	50	CM	96 LEVEL CM	2634,5254 litre	98,658 %	35,8284 litre	O
340	CM	50	CM	95 LEVEL CM	2620,4367 litre	98,131 %	49,9171 litre	O
340	CM	50	CM	94 LEVEL CM	2604,9401 litre	97,550 %	65,4137 litre	O
340	CM	50	CM	93 LEVEL CM	2588,1810 litre	96,923 %	82,1728 litre	O
340	CM	50	CM	92 LEVEL CM	2570,2743 litre	96,252 %	100,0795 litre	O
340	CM	50	CM	91 LEVEL CM	2551,3136 litre	95,542 %	119,0402 litre	O
340	CM	50	CM	90 LEVEL CM	2531,3778 litre	94,796 %	138,9760 litre	O
340	CM	50	CM	89 LEVEL CM	2510,5346 litre	94,015 %	159,8192 litre	O
340	CM	50	CM	88 LEVEL CM	2488,8433 litre	93,203 %	181,5105 litre	O
340	CM	50	CM	87 LEVEL CM	2466,3564 litre	92,361 %	203,9974 litre	O
340	CM	50	CM	86 LEVEL CM	2443,1210 litre	91,491 %	227,2328 litre	O
340	CM	50	CM	85 LEVEL CM	2419,1797 litre	90,594 %	251,1741 litre	O
340	CM	50	CM	84 LEVEL CM	2394,5717 litre	89,672 %	275,7821 litre	O
340	CM	50	CM	83 LEVEL CM	2369,3328 litre	88,727 %	301,0210 litre	O
340	CM	50	CM	82 LEVEL CM	2343,4964 litre	87,760 %	326,8574 litre	O
340	CM	50	CM	81 LEVEL CM	2317,0933 litre	86,771 %	353,2605 litre	O
340	CM	50	CM	80 LEVEL CM	2290,1528 litre	85,762 %	380,2010 litre	O
340	CM	50	CM	79 LEVEL CM	2262,7022 litre	84,734 %	407,6516 litre	O
340	CM	50	CM	78 LEVEL CM	2234,7673 litre	83,688 %	435,5865 litre	O
340	CM	50	CM	77 LEVEL CM	2206,3727 litre	82,625 %	463,9811 litre	O
340	CM	50	CM	76 LEVEL CM	2177,5417 litre	81,545 %	492,8121 litre	O
340	CM	50	CM	75 LEVEL CM	2148,2966 litre	80,450 %	522,0572 litre	O
340	CM	50	CM	74 LEVEL CM	2118,6589 litre	79,340 %	551,6949 litre	O
340	CM	50	CM	73 LEVEL CM	2088,6491 litre	78,216 %	581,7047 litre	O
340	CM	50	CM	72 LEVEL CM	2058,2869 litre	77,079 %	612,0669 litre	O
340	CM	50	CM	71 LEVEL CM	2027,5915 litre	75,930 %	642,7623 litre	O
340	CM	50	CM	70 LEVEL CM	1996,5813 litre	74,768 %	673,7725 litre	O
340	CM	50	CM	69 LEVEL CM	1965,2744 litre	73,596 %	705,0794 litre	O
340	CM	50	CM	68 LEVEL CM	1933,6880 litre	72,413 %	736,6658 litre	O
340	CM	50	CM	67 LEVEL CM	1901,8392 litre	71,220 %	768,5146 litre	O
340	CM	50	CM	66 LEVEL CM	1869,7445 litre	70,019 %	800,6093 litre	O
340	CM	50	CM	65 LEVEL CM	1837,4201 litre	68,808 %	832,9337 litre	O
340	CM	50	CM	64 LEVEL CM	1804,8819 litre	67,590 %	865,4719 litre	O
340	CM	50	CM	63 LEVEL CM	1772,1453 litre	66,364 %	898,2085 litre	O
340	CM	50	CM	62 LEVEL CM	1739,2255 litre	65,131 %	931,1283 litre	O
340	CM	50	CM	61 LEVEL CM	1706,1377 litre	63,892 %	964,2161 litre	O
340	CM	50	CM	60 LEVEL CM	1672,8964 litre	62,647 %	997,4574 litre	O
340	CM	50	CM	59 LEVEL CM	1639,5164 litre	61,397 %	1030,8374 litre	O
340	CM	50	CM	58 LEVEL CM	1606,0118 litre	60,142 %	1064,3420 litre	O
340	CM	50	CM	57 LEVEL CM	1572,3971 litre	58,883 %	1097,9567 litre	O
340	CM	50	CM	56 LEVEL CM	1538,6862 litre	57,621 %	1131,6676 litre	O
340	CM	50	CM	55 LEVEL CM	1504,8931 litre	56,356 %	1165,4607 litre	O
340	CM	50	CM	54 LEVEL CM	1471,0317 litre	55,088 %	1199,3221 litre	O
340	CM	50	CM	53 LEVEL CM	1437,1156 litre	53,817 %	1233,2382 litre	O
340	CM	50	CM	52 LEVEL CM	1403,1587 litre	52,546 %	1267,1951 litre	O
340	CM	50	CM	51 LEVEL CM	1369,1746 litre	51,273 %	1301,1792 litre	O
340	CM	50	CM	50 LEVEL CM	1335,1769 litre	50,000 %	1335,1769 litre	O
340	CM	50	CM	49 LEVEL CM	1301,1791 litre	48,727 %	1369,1747 litre	O

340	CM	50	CM	48 LEVEL CM	1267,1950 litre	47,454 %	1403,1588 litre	O
340	CM	50	CM	47 LEVEL CM	1233,2381 litre	46,183 %	1437,1157 litre	O
340	CM	50	CM	46 LEVEL CM	1199,3221 litre	44,912 %	1471,0317 litre	O
340	CM	50	CM	45 LEVEL CM	1165,4606 litre	43,644 %	1504,8932 litre	O
340	CM	50	CM	44 LEVEL CM	1131,6675 litre	42,379 %	1538,6863 litre	O
340	CM	50	CM	43 LEVEL CM	1097,9566 litre	41,117 %	1572,3972 litre	O
340	CM	50	CM	42 LEVEL CM	1064,3419 litre	39,858 %	1606,0119 litre	O
340	CM	50	CM	41 LEVEL CM	1030,8374 litre	38,603 %	1639,5164 litre	O
340	CM	50	CM	40 LEVEL CM	997,4573 litre	37,353 %	1672,8965 litre	O
340	CM	50	CM	39 LEVEL CM	964,2161 litre	36,108 %	1706,1377 litre	O
340	CM	50	CM	38 LEVEL CM	931,1282 litre	34,869 %	1739,2256 litre	O
340	CM	50	CM	37 LEVEL CM	898,2085 litre	33,636 %	1772,1453 litre	O
340	CM	50	CM	36 LEVEL CM	865,4719 litre	32,410 %	1804,8819 litre	O
340	CM	50	CM	35 LEVEL CM	832,9336 litre	31,192 %	1837,4202 litre	O
340	CM	50	CM	34 LEVEL CM	800,6092 litre	29,981 %	1869,7446 litre	O
340	CM	50	CM	33 LEVEL CM	768,5146 litre	28,780 %	1901,8392 litre	O
340	CM	50	CM	32 LEVEL CM	736,6658 litre	27,587 %	1933,6880 litre	O
340	CM	50	CM	31 LEVEL CM	705,0794 litre	26,404 %	1965,2744 litre	O
340	CM	50	CM	30 LEVEL CM	673,7724 litre	25,232 %	1996,5814 litre	O
340	CM	50	CM	29 LEVEL CM	642,7623 litre	24,070 %	2027,5915 litre	O
340	CM	50	CM	28 LEVEL CM	612,0668 litre	22,921 %	2058,2870 litre	O
340	CM	50	CM	27 LEVEL CM	581,7047 litre	21,784 %	2088,6491 litre	O
340	CM	50	CM	26 LEVEL CM	551,6948 litre	20,660 %	2118,6590 litre	O
340	CM	50	CM	25 LEVEL CM	522,0571 litre	19,550 %	2148,2967 litre	O
340	CM	50	CM	24 LEVEL CM	492,8121 litre	18,455 %	2177,5417 litre	O
340	CM	50	CM	23 LEVEL CM	463,9811 litre	17,375 %	2206,3727 litre	O
340	CM	50	CM	22 LEVEL CM	435,5865 litre	16,312 %	2234,7673 litre	O
340	CM	50	CM	21 LEVEL CM	407,6516 litre	15,266 %	2262,7022 litre	O
340	CM	50	CM	20 LEVEL CM	380,2009 litre	14,238 %	2290,1529 litre	O
340	CM	50	CM	19 LEVEL CM	353,2604 litre	13,229 %	2317,0934 litre	O
340	CM	50	CM	18 LEVEL CM	326,8574 litre	12,240 %	2343,4964 litre	O
340	CM	50	CM	17 LEVEL CM	301,0209 litre	11,273 %	2369,3329 litre	O
340	CM	50	CM	16 LEVEL CM	275,7820 litre	10,328 %	2394,5718 litre	O
340	CM	50	CM	15 LEVEL CM	251,1740 litre	9,406 %	2419,1798 litre	O
340	CM	50	CM	14 LEVEL CM	227,2328 litre	8,509 %	2443,1210 litre	O
340	CM	50	CM	13 LEVEL CM	203,9974 litre	7,639 %	2466,3564 litre	O
340	CM	50	CM	12 LEVEL CM	181,5104 litre	6,797 %	2488,8434 litre	O
340	CM	50	CM	11 LEVEL CM	159,8191 litre	5,985 %	2510,5347 litre	O
340	CM	50	CM	10 LEVEL CM	138,9759 litre	5,204 %	2531,3779 litre	O
340	CM	50	CM	9 LEVEL CM	119,0401 litre	4,458 %	2551,3137 litre	O
340	CM	50	CM	8 LEVEL CM	100,0795 litre	3,748 %	2570,2743 litre	O
340	CM	50	CM	7 LEVEL CM	82,1727 litre	3,077 %	2588,1811 litre	O
340	CM	50	CM	6 LEVEL CM	65,4137 litre	2,450 %	2604,9401 litre	O
340	CM	50	CM	5 LEVEL CM	49,9170 litre	1,869 %	2620,4368 litre	O
340	CM	50	CM	4 LEVEL CM	35,8283 litre	1,342 %	2634,5255 litre	O
340	CM	50	CM	3 LEVEL CM	23,3427 litre	0,874 %	2647,0111 litre	O
340	CM	50	CM	2 LEVEL CM	12,7450 litre	0,477 %	2657,6088 litre	O
340	CM	50	CM	1 LEVEL CM	4,5197 litre	0,169 %	2665,8341 litre	O
340	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2670,3538 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 150	CM 300 LEVEL CM	23326,3255 litre	100,000 %	0,0000 litre	O
330	CM 150	CM 299 LEVEL CM	23318,7121 litre	99,967 %	7,6134 litre	O
330	CM 150	CM 298 LEVEL CM	23304,8131 litre	99,908 %	21,5124 litre	O
330	CM 150	CM 297 LEVEL CM	23286,8445 litre	99,831 %	39,4810 litre	O
330	CM 150	CM 296 LEVEL CM	23265,6017 litre	99,740 %	60,7238 litre	O
330	CM 150	CM 295 LEVEL CM	23241,5471 litre	99,637 %	84,7784 litre	O
330	CM 150	CM 294 LEVEL CM	23214,9942 litre	99,523 %	111,3313 litre	O
330	CM 150	CM 293 LEVEL CM	23186,1743 litre	99,399 %	140,1512 litre	O
330	CM 150	CM 292 LEVEL CM	23155,2676 litre	99,267 %	171,0579 litre	O
330	CM 150	CM 291 LEVEL CM	23122,4198 litre	99,126 %	203,9057 litre	O
330	CM 150	CM 290 LEVEL CM	23087,7520 litre	98,977 %	238,5735 litre	O
330	CM 150	CM 289 LEVEL CM	23051,3673 litre	98,821 %	274,9582 litre	O
330	CM 150	CM 288 LEVEL CM	23013,3546 litre	98,658 %	312,9709 litre	O
330	CM 150	CM 287 LEVEL CM	22973,7919 litre	98,489 %	352,5336 litre	O
330	CM 150	CM 286 LEVEL CM	22932,7483 litre	98,313 %	393,5772 litre	O
330	CM 150	CM 285 LEVEL CM	22890,2856 litre	98,131 %	436,0399 litre	O
330	CM 150	CM 284 LEVEL CM	22846,4598 litre	97,943 %	479,8657 litre	O
330	CM 150	CM 283 LEVEL CM	22801,3216 litre	97,749 %	525,0039 litre	O
330	CM 150	CM 282 LEVEL CM	22754,9176 litre	97,550 %	571,4079 litre	O
330	CM 150	CM 281 LEVEL CM	22707,2905 litre	97,346 %	619,0350 litre	O
330	CM 150	CM 280 LEVEL CM	22658,4799 litre	97,137 %	667,8456 litre	O
330	CM 150	CM 279 LEVEL CM	22608,5226 litre	96,923 %	717,8029 litre	O
330	CM 150	CM 278 LEVEL CM	22557,4528 litre	96,704 %	768,8727 litre	O
330	CM 150	CM 277 LEVEL CM	22505,3025 litre	96,480 %	821,0230 litre	O
330	CM 150	CM 276 LEVEL CM	22452,1020 litre	96,252 %	874,2235 litre	O
330	CM 150	CM 275 LEVEL CM	22397,8796 litre	96,020 %	928,4459 litre	O
330	CM 150	CM 274 LEVEL CM	22342,6621 litre	95,783 %	983,6634 litre	O
330	CM 150	CM 273 LEVEL CM	22286,4748 litre	95,542 %	1039,8507 litre	O
330	CM 150	CM 272 LEVEL CM	22229,3419 litre	95,297 %	1096,9836 litre	O
330	CM 150	CM 271 LEVEL CM	22171,2863 litre	95,048 %	1155,0392 litre	O
330	CM 150	CM 270 LEVEL CM	22112,3297 litre	94,796 %	1213,9958 litre	O
330	CM 150	CM 269 LEVEL CM	22052,4931 litre	94,539 %	1273,8324 litre	O
330	CM 150	CM 268 LEVEL CM	21991,7963 litre	94,279 %	1334,5292 litre	O
330	CM 150	CM 267 LEVEL CM	21930,2585 litre	94,015 %	1396,0670 litre	O
330	CM 150	CM 266 LEVEL CM	21867,8979 litre	93,748 %	1458,4276 litre	O
330	CM 150	CM 265 LEVEL CM	21804,7323 litre	93,477 %	1521,5932 litre	O
330	CM 150	CM 264 LEVEL CM	21740,7785 litre	93,203 %	1585,5470 litre	O
330	CM 150	CM 263 LEVEL CM	21676,0529 litre	92,925 %	1650,2726 litre	O
330	CM 150	CM 262 LEVEL CM	21610,5712 litre	92,645 %	1715,7543 litre	O
330	CM 150	CM 261 LEVEL CM	21544,3486 litre	92,361 %	1781,9769 litre	O
330	CM 150	CM 260 LEVEL CM	21477,3998 litre	92,074 %	1848,9257 litre	O
330	CM 150	CM 259 LEVEL CM	21409,7391 litre	91,784 %	1916,5864 litre	O
330	CM 150	CM 258 LEVEL CM	21341,3803 litre	91,491 %	1984,9452 litre	O
330	CM 150	CM 257 LEVEL CM	21272,3367 litre	91,195 %	2053,9888 litre	O
330	CM 150	CM 256 LEVEL CM	21202,6212 litre	90,896 %	2123,7043 litre	O
330	CM 150	CM 255 LEVEL CM	21132,2466 litre	90,594 %	2194,0789 litre	O
330	CM 150	CM 254 LEVEL CM	21061,2250 litre	90,290 %	2265,1005 litre	O
330	CM 150	CM 253 LEVEL CM	20989,5683 litre	89,982 %	2336,7572 litre	O
330	CM 150	CM 252 LEVEL CM	20917,2882 litre	89,672 %	2409,0373 litre	O
330	CM 150	CM 251 LEVEL CM	20844,3960 litre	89,360 %	2481,9295 litre	O
330	CM 150	CM 250 LEVEL CM	20770,9027 litre	89,045 %	2555,4228 litre	O
330	CM 150	CM 249 LEVEL CM	20696,8191 litre	88,727 %	2629,5064 litre	O

330	CM	150	CM	248 LEVEL CM	20622,1556 litre	88,407 %	2704,1699 litre	O
330	CM	150	CM	247 LEVEL CM	20546,9225 litre	88,085 %	2779,4030 litre	O
330	CM	150	CM	246 LEVEL CM	20471,1299 litre	87,760 %	2855,1956 litre	O
330	CM	150	CM	245 LEVEL CM	20394,7875 litre	87,432 %	2931,5380 litre	O
330	CM	150	CM	244 LEVEL CM	20317,9050 litre	87,103 %	3008,4205 litre	O
330	CM	150	CM	243 LEVEL CM	20240,4917 litre	86,771 %	3085,8338 litre	O
330	CM	150	CM	242 LEVEL CM	20162,5569 litre	86,437 %	3163,7686 litre	O
330	CM	150	CM	241 LEVEL CM	20084,1095 litre	86,101 %	3242,2160 litre	O
330	CM	150	CM	240 LEVEL CM	20005,1585 litre	85,762 %	3321,1670 litre	O
330	CM	150	CM	239 LEVEL CM	19925,7124 litre	85,422 %	3400,6131 litre	O
330	CM	150	CM	238 LEVEL CM	19845,7798 litre	85,079 %	3480,5457 litre	O
330	CM	150	CM	237 LEVEL CM	19765,3691 litre	84,734 %	3560,9564 litre	O
330	CM	150	CM	236 LEVEL CM	19684,4885 litre	84,387 %	3641,8370 litre	O
330	CM	150	CM	235 LEVEL CM	19603,1460 litre	84,039 %	3723,1795 litre	O
330	CM	150	CM	234 LEVEL CM	19521,3496 litre	83,688 %	3804,9759 litre	O
330	CM	150	CM	233 LEVEL CM	19439,1070 litre	83,335 %	3887,2185 litre	O
330	CM	150	CM	232 LEVEL CM	19356,4260 litre	82,981 %	3969,8995 litre	O
330	CM	150	CM	231 LEVEL CM	19273,3141 litre	82,625 %	4053,0114 litre	O
330	CM	150	CM	230 LEVEL CM	19189,7788 litre	82,267 %	4136,5467 litre	O
330	CM	150	CM	229 LEVEL CM	19105,8273 litre	81,907 %	4220,4982 litre	O
330	CM	150	CM	228 LEVEL CM	19021,4670 litre	81,545 %	4304,8585 litre	O
330	CM	150	CM	227 LEVEL CM	18936,7048 litre	81,182 %	4389,6207 litre	O
330	CM	150	CM	226 LEVEL CM	18851,5478 litre	80,817 %	4474,7777 litre	O
330	CM	150	CM	225 LEVEL CM	18766,0029 litre	80,450 %	4560,3226 litre	O
330	CM	150	CM	224 LEVEL CM	18680,0770 litre	80,082 %	4646,2485 litre	O
330	CM	150	CM	223 LEVEL CM	18593,7768 litre	79,712 %	4732,5487 litre	O
330	CM	150	CM	222 LEVEL CM	18507,1089 litre	79,340 %	4819,2166 litre	O
330	CM	150	CM	221 LEVEL CM	18420,0798 litre	78,967 %	4906,2457 litre	O
330	CM	150	CM	220 LEVEL CM	18332,6961 litre	78,592 %	4993,6294 litre	O
330	CM	150	CM	219 LEVEL CM	18244,9641 litre	78,216 %	5081,3614 litre	O
330	CM	150	CM	218 LEVEL CM	18156,8902 litre	77,839 %	5169,4353 litre	O
330	CM	150	CM	217 LEVEL CM	18068,4807 litre	77,460 %	5257,8448 litre	O
330	CM	150	CM	216 LEVEL CM	17979,7416 litre	77,079 %	5346,5839 litre	O
330	CM	150	CM	215 LEVEL CM	17890,6791 litre	76,697 %	5435,6464 litre	O
330	CM	150	CM	214 LEVEL CM	17801,2993 litre	76,314 %	5525,0262 litre	O
330	CM	150	CM	213 LEVEL CM	17711,6081 litre	75,930 %	5614,7174 litre	O
330	CM	150	CM	212 LEVEL CM	17621,6115 litre	75,544 %	5704,7140 litre	O
330	CM	150	CM	211 LEVEL CM	17531,3153 litre	75,157 %	5795,0102 litre	O
330	CM	150	CM	210 LEVEL CM	17440,7253 litre	74,768 %	5885,6002 litre	O
330	CM	150	CM	209 LEVEL CM	17349,8472 litre	74,379 %	5976,4783 litre	O
330	CM	150	CM	208 LEVEL CM	17258,6868 litre	73,988 %	6067,6387 litre	O
330	CM	150	CM	207 LEVEL CM	17167,2496 litre	73,596 %	6159,0759 litre	O
330	CM	150	CM	206 LEVEL CM	17075,5413 litre	73,203 %	6250,7842 litre	O
330	CM	150	CM	205 LEVEL CM	16983,5674 litre	72,809 %	6342,7581 litre	O
330	CM	150	CM	204 LEVEL CM	16891,3333 litre	72,413 %	6434,9922 litre	O
330	CM	150	CM	203 LEVEL CM	16798,8446 litre	72,017 %	6527,4809 litre	O
330	CM	150	CM	202 LEVEL CM	16706,1066 litre	71,619 %	6620,2189 litre	O
330	CM	150	CM	201 LEVEL CM	16613,1247 litre	71,220 %	6713,2008 litre	O
330	CM	150	CM	200 LEVEL CM	16519,9042 litre	70,821 %	6806,4213 litre	O
330	CM	150	CM	199 LEVEL CM	16426,4503 litre	70,420 %	6899,8752 litre	O
330	CM	150	CM	198 LEVEL CM	16332,7683 litre	70,019 %	6993,5572 litre	O
330	CM	150	CM	197 LEVEL CM	16238,8633 litre	69,616 %	7087,4622 litre	O
330	CM	150	CM	196 LEVEL CM	16144,7406 litre	69,213 %	7181,5849 litre	O

330	CM	150	CM	195 LEVEL CM	16050,4053 litre	68,808 %	7275,9202 litre	O
330	CM	150	CM	194 LEVEL CM	15955,8623 litre	68,403 %	7370,4632 litre	O
330	CM	150	CM	193 LEVEL CM	15861,1169 litre	67,997 %	7465,2086 litre	O
330	CM	150	CM	192 LEVEL CM	15766,1740 litre	67,590 %	7560,1515 litre	O
330	CM	150	CM	191 LEVEL CM	15671,0386 litre	67,182 %	7655,2869 litre	O
330	CM	150	CM	190 LEVEL CM	15575,7156 litre	66,773 %	7750,6099 litre	O
330	CM	150	CM	189 LEVEL CM	15480,2100 litre	66,364 %	7846,1155 litre	O
330	CM	150	CM	188 LEVEL CM	15384,5267 litre	65,953 %	7941,7988 litre	O
330	CM	150	CM	187 LEVEL CM	15288,6706 litre	65,543 %	8037,6549 litre	O
330	CM	150	CM	186 LEVEL CM	15192,6465 litre	65,131 %	8133,6790 litre	O
330	CM	150	CM	185 LEVEL CM	15096,4592 litre	64,719 %	8229,8663 litre	O
330	CM	150	CM	184 LEVEL CM	15000,1135 litre	64,306 %	8326,2120 litre	O
330	CM	150	CM	183 LEVEL CM	14903,6142 litre	63,892 %	8422,7113 litre	O
330	CM	150	CM	182 LEVEL CM	14806,9661 litre	63,477 %	8519,3594 litre	O
330	CM	150	CM	181 LEVEL CM	14710,1738 litre	63,063 %	8616,1517 litre	O
330	CM	150	CM	180 LEVEL CM	14613,2422 litre	62,647 %	8713,0833 litre	O
330	CM	150	CM	179 LEVEL CM	14516,1758 litre	62,231 %	8810,1497 litre	O
330	CM	150	CM	178 LEVEL CM	14418,9794 litre	61,814 %	8907,3461 litre	O
330	CM	150	CM	177 LEVEL CM	14321,6576 litre	61,397 %	9004,6679 litre	O
330	CM	150	CM	176 LEVEL CM	14224,2149 litre	60,979 %	9102,1106 litre	O
330	CM	150	CM	175 LEVEL CM	14126,6562 litre	60,561 %	9199,6693 litre	O
330	CM	150	CM	174 LEVEL CM	14028,9858 litre	60,142 %	9297,3397 litre	O
330	CM	150	CM	173 LEVEL CM	13931,2085 litre	59,723 %	9395,1170 litre	O
330	CM	150	CM	172 LEVEL CM	13833,3288 litre	59,304 %	9492,9967 litre	O
330	CM	150	CM	171 LEVEL CM	13735,3512 litre	58,883 %	9590,9743 litre	O
330	CM	150	CM	170 LEVEL CM	13637,2803 litre	58,463 %	9689,0452 litre	O
330	CM	150	CM	169 LEVEL CM	13539,1206 litre	58,042 %	9787,2049 litre	O
330	CM	150	CM	168 LEVEL CM	13440,8766 litre	57,621 %	9885,4489 litre	O
330	CM	150	CM	167 LEVEL CM	13342,5529 litre	57,200 %	9983,7726 litre	O
330	CM	150	CM	166 LEVEL CM	13244,1538 litre	56,778 %	10082,1717 litre	O
330	CM	150	CM	165 LEVEL CM	13145,6840 litre	56,356 %	10180,6415 litre	O
330	CM	150	CM	164 LEVEL CM	13047,1478 litre	55,933 %	10279,1777 litre	O
330	CM	150	CM	163 LEVEL CM	12948,5498 litre	55,510 %	10377,7757 litre	O
330	CM	150	CM	162 LEVEL CM	12849,8943 litre	55,088 %	10476,4312 litre	O
330	CM	150	CM	161 LEVEL CM	12751,1859 litre	54,664 %	10575,1396 litre	O
330	CM	150	CM	160 LEVEL CM	12652,4289 litre	54,241 %	10673,8966 litre	O
330	CM	150	CM	159 LEVEL CM	12553,6278 litre	53,817 %	10772,6977 litre	O
330	CM	150	CM	158 LEVEL CM	12454,7871 litre	53,394 %	10871,5384 litre	O
330	CM	150	CM	157 LEVEL CM	12355,9111 litre	52,970 %	10970,4144 litre	O
330	CM	150	CM	156 LEVEL CM	12257,0043 litre	52,546 %	11069,3212 litre	O
330	CM	150	CM	155 LEVEL CM	12158,0710 litre	52,122 %	11168,2545 litre	O
330	CM	150	CM	154 LEVEL CM	12059,1158 litre	51,697 %	11267,2097 litre	O
330	CM	150	CM	153 LEVEL CM	11960,1429 litre	51,273 %	11366,1826 litre	O
330	CM	150	CM	152 LEVEL CM	11861,1569 litre	50,849 %	11465,1686 litre	O
330	CM	150	CM	151 LEVEL CM	11762,1620 litre	50,424 %	11564,1635 litre	O
330	CM	150	CM	150 LEVEL CM	11663,1627 litre	50,000 %	11663,1628 litre	O
330	CM	150	CM	149 LEVEL CM	11564,1635 litre	49,576 %	11762,1620 litre	O
330	CM	150	CM	148 LEVEL CM	11465,1686 litre	49,151 %	11861,1569 litre	O
330	CM	150	CM	147 LEVEL CM	11366,1825 litre	48,727 %	11960,1430 litre	O
330	CM	150	CM	146 LEVEL CM	11267,2097 litre	48,303 %	12059,1158 litre	O
330	CM	150	CM	145 LEVEL CM	11168,2544 litre	47,878 %	12158,0711 litre	O
330	CM	150	CM	144 LEVEL CM	11069,3212 litre	47,454 %	12257,0043 litre	O
330	CM	150	CM	143 LEVEL CM	10970,4143 litre	47,030 %	12355,9112 litre	O

330	CM	150	CM	142 LEVEL CM	10871,5384 litre	46,606 %	12454,7871 litre	O
330	CM	150	CM	141 LEVEL CM	10772,6976 litre	46,183 %	12553,6279 litre	O
330	CM	150	CM	140 LEVEL CM	10673,8965 litre	45,759 %	12652,4290 litre	O
330	CM	150	CM	139 LEVEL CM	10575,1396 litre	45,336 %	12751,1859 litre	O
330	CM	150	CM	138 LEVEL CM	10476,4311 litre	44,912 %	12849,8944 litre	O
330	CM	150	CM	137 LEVEL CM	10377,7757 litre	44,490 %	12948,5498 litre	O
330	CM	150	CM	136 LEVEL CM	10279,1776 litre	44,067 %	13047,1479 litre	O
330	CM	150	CM	135 LEVEL CM	10180,6415 litre	43,644 %	13145,6840 litre	O
330	CM	150	CM	134 LEVEL CM	10082,1716 litre	43,222 %	13244,1539 litre	O
330	CM	150	CM	133 LEVEL CM	9983,7726 litre	42,800 %	13342,5529 litre	O
330	CM	150	CM	132 LEVEL CM	9885,4488 litre	42,379 %	13440,8767 litre	O
330	CM	150	CM	131 LEVEL CM	9787,2048 litre	41,958 %	13539,1207 litre	O
330	CM	150	CM	130 LEVEL CM	9689,0451 litre	41,537 %	13637,2804 litre	O
330	CM	150	CM	129 LEVEL CM	9590,9742 litre	41,117 %	13735,3513 litre	O
330	CM	150	CM	128 LEVEL CM	9492,9967 litre	40,696 %	13833,3288 litre	O
330	CM	150	CM	127 LEVEL CM	9395,1169 litre	40,277 %	13931,2086 litre	O
330	CM	150	CM	126 LEVEL CM	9297,3396 litre	39,858 %	14028,9859 litre	O
330	CM	150	CM	125 LEVEL CM	9199,6693 litre	39,439 %	14126,6562 litre	O
330	CM	150	CM	124 LEVEL CM	9102,1105 litre	39,021 %	14224,2150 litre	O
330	CM	150	CM	123 LEVEL CM	9004,6679 litre	38,603 %	14321,6576 litre	O
330	CM	150	CM	122 LEVEL CM	8907,3461 litre	38,186 %	14418,9794 litre	O
330	CM	150	CM	121 LEVEL CM	8810,1496 litre	37,769 %	14516,1759 litre	O
330	CM	150	CM	120 LEVEL CM	8713,0833 litre	37,353 %	14613,2422 litre	O
330	CM	150	CM	119 LEVEL CM	8616,1516 litre	36,937 %	14710,1739 litre	O
330	CM	150	CM	118 LEVEL CM	8519,3594 litre	36,523 %	14806,9661 litre	O
330	CM	150	CM	117 LEVEL CM	8422,7112 litre	36,108 %	14903,6143 litre	O
330	CM	150	CM	116 LEVEL CM	8326,2120 litre	35,694 %	15000,1135 litre	O
330	CM	150	CM	115 LEVEL CM	8229,8663 litre	35,281 %	15096,4592 litre	O
330	CM	150	CM	114 LEVEL CM	8133,6790 litre	34,869 %	15192,6465 litre	O
330	CM	150	CM	113 LEVEL CM	8037,6549 litre	34,457 %	15288,6706 litre	O
330	CM	150	CM	112 LEVEL CM	7941,7987 litre	34,047 %	15384,5268 litre	O
330	CM	150	CM	111 LEVEL CM	7846,1154 litre	33,636 %	15480,2101 litre	O
330	CM	150	CM	110 LEVEL CM	7750,6099 litre	33,227 %	15575,7156 litre	O
330	CM	150	CM	109 LEVEL CM	7655,2869 litre	32,818 %	15671,0386 litre	O
330	CM	150	CM	108 LEVEL CM	7560,1515 litre	32,410 %	15766,1740 litre	O
330	CM	150	CM	107 LEVEL CM	7465,2085 litre	32,003 %	15861,1170 litre	O
330	CM	150	CM	106 LEVEL CM	7370,4631 litre	31,597 %	15955,8624 litre	O
330	CM	150	CM	105 LEVEL CM	7275,9202 litre	31,192 %	16050,4053 litre	O
330	CM	150	CM	104 LEVEL CM	7181,5848 litre	30,787 %	16144,7407 litre	O
330	CM	150	CM	103 LEVEL CM	7087,4621 litre	30,384 %	16238,8634 litre	O
330	CM	150	CM	102 LEVEL CM	6993,5572 litre	29,981 %	16332,7683 litre	O
330	CM	150	CM	101 LEVEL CM	6899,8752 litre	29,580 %	16426,4503 litre	O
330	CM	150	CM	100 LEVEL CM	6806,4213 litre	29,179 %	16519,9042 litre	O
330	CM	150	CM	99 LEVEL CM	6713,2008 litre	28,780 %	16613,1247 litre	O
330	CM	150	CM	98 LEVEL CM	6620,2188 litre	28,381 %	16706,1067 litre	O
330	CM	150	CM	97 LEVEL CM	6527,4808 litre	27,983 %	16798,8447 litre	O
330	CM	150	CM	96 LEVEL CM	6434,9921 litre	27,587 %	16891,3334 litre	O
330	CM	150	CM	95 LEVEL CM	6342,7581 litre	27,191 %	16983,5674 litre	O
330	CM	150	CM	94 LEVEL CM	6250,7842 litre	26,797 %	17075,5413 litre	O
330	CM	150	CM	93 LEVEL CM	6159,0759 litre	26,404 %	17167,2496 litre	O
330	CM	150	CM	92 LEVEL CM	6067,6387 litre	26,012 %	17258,6868 litre	O
330	CM	150	CM	91 LEVEL CM	5976,4783 litre	25,621 %	17349,8472 litre	O
330	CM	150	CM	90 LEVEL CM	5885,6002 litre	25,232 %	17440,7253 litre	O

330	CM	150	CM	89 LEVEL CM	5795,0102 litre	24,843 %	17531,3153 litre	O
330	CM	150	CM	88 LEVEL CM	5704,7139 litre	24,456 %	17621,6116 litre	O
330	CM	150	CM	87 LEVEL CM	5614,7173 litre	24,070 %	17711,6082 litre	O
330	CM	150	CM	86 LEVEL CM	5525,0261 litre	23,686 %	17801,2994 litre	O
330	CM	150	CM	85 LEVEL CM	5435,6463 litre	23,303 %	17890,6792 litre	O
330	CM	150	CM	84 LEVEL CM	5346,5839 litre	22,921 %	17979,7416 litre	O
330	CM	150	CM	83 LEVEL CM	5257,8448 litre	22,540 %	18068,4807 litre	O
330	CM	150	CM	82 LEVEL CM	5169,4352 litre	22,161 %	18156,8903 litre	O
330	CM	150	CM	81 LEVEL CM	5081,3613 litre	21,784 %	18244,9642 litre	O
330	CM	150	CM	80 LEVEL CM	4993,6294 litre	21,408 %	18332,6961 litre	O
330	CM	150	CM	79 LEVEL CM	4906,2457 litre	21,033 %	18420,0798 litre	O
330	CM	150	CM	78 LEVEL CM	4819,2166 litre	20,660 %	18507,1089 litre	O
330	CM	150	CM	77 LEVEL CM	4732,5487 litre	20,288 %	18593,7768 litre	O
330	CM	150	CM	76 LEVEL CM	4646,2484 litre	19,918 %	18680,0771 litre	O
330	CM	150	CM	75 LEVEL CM	4560,3225 litre	19,550 %	18766,0030 litre	O
330	CM	150	CM	74 LEVEL CM	4474,7776 litre	19,183 %	18851,5479 litre	O
330	CM	150	CM	73 LEVEL CM	4389,6207 litre	18,818 %	18936,7048 litre	O
330	CM	150	CM	72 LEVEL CM	4304,8585 litre	18,455 %	19021,4670 litre	O
330	CM	150	CM	71 LEVEL CM	4220,4981 litre	18,093 %	19105,8274 litre	O
330	CM	150	CM	70 LEVEL CM	4136,5466 litre	17,733 %	19189,7789 litre	O
330	CM	150	CM	69 LEVEL CM	4053,0113 litre	17,375 %	19273,3142 litre	O
330	CM	150	CM	68 LEVEL CM	3969,8994 litre	17,019 %	19356,4261 litre	O
330	CM	150	CM	67 LEVEL CM	3887,2184 litre	16,665 %	19439,1071 litre	O
330	CM	150	CM	66 LEVEL CM	3804,9759 litre	16,312 %	19521,3496 litre	O
330	CM	150	CM	65 LEVEL CM	3723,1795 litre	15,961 %	19603,1460 litre	O
330	CM	150	CM	64 LEVEL CM	3641,8370 litre	15,613 %	19684,4885 litre	O
330	CM	150	CM	63 LEVEL CM	3560,9564 litre	15,266 %	19765,3691 litre	O
330	CM	150	CM	62 LEVEL CM	3480,5456 litre	14,921 %	19845,7799 litre	O
330	CM	150	CM	61 LEVEL CM	3400,6131 litre	14,578 %	19925,7124 litre	O
330	CM	150	CM	60 LEVEL CM	3321,1670 litre	14,238 %	20005,1585 litre	O
330	CM	150	CM	59 LEVEL CM	3242,2159 litre	13,899 %	20084,1096 litre	O
330	CM	150	CM	58 LEVEL CM	3163,7686 litre	13,563 %	20162,5569 litre	O
330	CM	150	CM	57 LEVEL CM	3085,8337 litre	13,229 %	20240,4918 litre	O
330	CM	150	CM	56 LEVEL CM	3008,4204 litre	12,897 %	20317,9051 litre	O
330	CM	150	CM	55 LEVEL CM	2931,5379 litre	12,568 %	20394,7876 litre	O
330	CM	150	CM	54 LEVEL CM	2855,1955 litre	12,240 %	20471,1300 litre	O
330	CM	150	CM	53 LEVEL CM	2779,4029 litre	11,915 %	20546,9226 litre	O
330	CM	150	CM	52 LEVEL CM	2704,1698 litre	11,593 %	20622,1557 litre	O
330	CM	150	CM	51 LEVEL CM	2629,5064 litre	11,273 %	20696,8191 litre	O
330	CM	150	CM	50 LEVEL CM	2555,4227 litre	10,955 %	20770,9028 litre	O
330	CM	150	CM	49 LEVEL CM	2481,9294 litre	10,640 %	20844,3961 litre	O
330	CM	150	CM	48 LEVEL CM	2409,0372 litre	10,328 %	20917,2883 litre	O
330	CM	150	CM	47 LEVEL CM	2336,7571 litre	10,018 %	20989,5684 litre	O
330	CM	150	CM	46 LEVEL CM	2265,1005 litre	9,710 %	21061,2250 litre	O
330	CM	150	CM	45 LEVEL CM	2194,0789 litre	9,406 %	21132,2466 litre	O
330	CM	150	CM	44 LEVEL CM	2123,7042 litre	9,104 %	21202,6213 litre	O
330	CM	150	CM	43 LEVEL CM	2053,9888 litre	8,805 %	21272,3367 litre	O
330	CM	150	CM	42 LEVEL CM	1984,9452 litre	8,509 %	21341,3803 litre	O
330	CM	150	CM	41 LEVEL CM	1916,5863 litre	8,216 %	21409,7392 litre	O
330	CM	150	CM	40 LEVEL CM	1848,9256 litre	7,926 %	21477,3999 litre	O
330	CM	150	CM	39 LEVEL CM	1781,9769 litre	7,639 %	21544,3486 litre	O
330	CM	150	CM	38 LEVEL CM	1715,7543 litre	7,355 %	21610,5712 litre	O
330	CM	150	CM	37 LEVEL CM	1650,2726 litre	7,075 %	21676,0529 litre	O

330	CM	150	CM	36 LEVEL CM	1585,5470 litre	6,797 %	21740,7785 litre	O
330	CM	150	CM	35 LEVEL CM	1521,5932 litre	6,523 %	21804,7323 litre	O
330	CM	150	CM	34 LEVEL CM	1458,4275 litre	6,252 %	21867,8980 litre	O
330	CM	150	CM	33 LEVEL CM	1396,0670 litre	5,985 %	21930,2585 litre	O
330	CM	150	CM	32 LEVEL CM	1334,5292 litre	5,721 %	21991,7963 litre	O
330	CM	150	CM	31 LEVEL CM	1273,8324 litre	5,461 %	22052,4931 litre	O
330	CM	150	CM	30 LEVEL CM	1213,9957 litre	5,204 %	22112,3298 litre	O
330	CM	150	CM	29 LEVEL CM	1155,0392 litre	4,952 %	22171,2863 litre	O
330	CM	150	CM	28 LEVEL CM	1096,9835 litre	4,703 %	22229,3420 litre	O
330	CM	150	CM	27 LEVEL CM	1039,8506 litre	4,458 %	22286,4749 litre	O
330	CM	150	CM	26 LEVEL CM	983,6634 litre	4,217 %	22342,6621 litre	O
330	CM	150	CM	25 LEVEL CM	928,4458 litre	3,980 %	22397,8797 litre	O
330	CM	150	CM	24 LEVEL CM	874,2234 litre	3,748 %	22452,1021 litre	O
330	CM	150	CM	23 LEVEL CM	821,0229 litre	3,520 %	22505,3026 litre	O
330	CM	150	CM	22 LEVEL CM	768,8727 litre	3,296 %	22557,4528 litre	O
330	CM	150	CM	21 LEVEL CM	717,8029 litre	3,077 %	22608,5226 litre	O
330	CM	150	CM	20 LEVEL CM	667,8455 litre	2,863 %	22658,4800 litre	O
330	CM	150	CM	19 LEVEL CM	619,0349 litre	2,654 %	22707,2906 litre	O
330	CM	150	CM	18 LEVEL CM	571,4078 litre	2,450 %	22754,9177 litre	O
330	CM	150	CM	17 LEVEL CM	525,0038 litre	2,251 %	22801,3217 litre	O
330	CM	150	CM	16 LEVEL CM	479,8657 litre	2,057 %	22846,4598 litre	O
330	CM	150	CM	15 LEVEL CM	436,0399 litre	1,869 %	22890,2856 litre	O
330	CM	150	CM	14 LEVEL CM	393,5772 litre	1,687 %	22932,7483 litre	O
330	CM	150	CM	13 LEVEL CM	352,5336 litre	1,511 %	22973,7919 litre	O
330	CM	150	CM	12 LEVEL CM	312,9708 litre	1,342 %	23013,3547 litre	O
330	CM	150	CM	11 LEVEL CM	274,9581 litre	1,179 %	23051,3674 litre	O
330	CM	150	CM	10 LEVEL CM	238,5734 litre	1,023 %	23087,7521 litre	O
330	CM	150	CM	9 LEVEL CM	203,9057 litre	0,874 %	23122,4198 litre	O
330	CM	150	CM	8 LEVEL CM	171,0579 litre	0,733 %	23155,2676 litre	O
330	CM	150	CM	7 LEVEL CM	140,1512 litre	0,601 %	23186,1743 litre	O
330	CM	150	CM	6 LEVEL CM	111,3313 litre	0,477 %	23214,9942 litre	O
330	CM	150	CM	5 LEVEL CM	84,7783 litre	0,363 %	23241,5472 litre	O
330	CM	150	CM	4 LEVEL CM	60,7237 litre	0,260 %	23265,6018 litre	O
330	CM	150	CM	3 LEVEL CM	39,4810 litre	0,169 %	23286,8445 litre	O
330	CM	150	CM	2 LEVEL CM	21,5123 litre	0,092 %	23304,8132 litre	O
330	CM	150	CM	1 LEVEL CM	7,6134 litre	0,033 %	23318,7121 litre	O
330	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	23326,3255 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 145	CM 290 LEVEL CM	21797,1552 litre	100,000 %	0,0000 litre	O
330	CM 145	CM 289 LEVEL CM	21789,6701 litre	99,966 %	7,4851 litre	O
330	CM 145	CM 288 LEVEL CM	21776,0059 litre	99,903 %	21,1493 litre	O
330	CM 145	CM 287 LEVEL CM	21758,3419 litre	99,822 %	38,8133 litre	O
330	CM 145	CM 286 LEVEL CM	21737,4604 litre	99,726 %	59,6948 litre	O
330	CM 145	CM 285 LEVEL CM	21713,8164 litre	99,618 %	83,3388 litre	O
330	CM 145	CM 284 LEVEL CM	21687,7182 litre	99,498 %	109,4370 litre	O
330	CM 145	CM 283 LEVEL CM	21659,3935 litre	99,368 %	137,7617 litre	O
330	CM 145	CM 282 LEVEL CM	21629,0197 litre	99,229 %	168,1355 litre	O
330	CM 145	CM 281 LEVEL CM	21596,7403 litre	99,081 %	200,4149 litre	O
330	CM 145	CM 280 LEVEL CM	21562,6745 litre	98,924 %	234,4807 litre	O
330	CM 145	CM 279 LEVEL CM	21526,9237 litre	98,760 %	270,2315 litre	O
330	CM 145	CM 278 LEVEL CM	21489,5756 litre	98,589 %	307,5796 litre	O
330	CM 145	CM 277 LEVEL CM	21450,7070 litre	98,411 %	346,4482 litre	O
330	CM 145	CM 276 LEVEL CM	21410,3860 litre	98,226 %	386,7692 litre	O
330	CM 145	CM 275 LEVEL CM	21368,6737 litre	98,034 %	428,4815 litre	O
330	CM 145	CM 274 LEVEL CM	21325,6250 litre	97,837 %	471,5302 litre	O
330	CM 145	CM 273 LEVEL CM	21281,2901 litre	97,633 %	515,8651 litre	O
330	CM 145	CM 272 LEVEL CM	21235,7148 litre	97,424 %	561,4404 litre	O
330	CM 145	CM 271 LEVEL CM	21188,9413 litre	97,210 %	608,2139 litre	O
330	CM 145	CM 270 LEVEL CM	21141,0087 litre	96,990 %	656,1465 litre	O
330	CM 145	CM 269 LEVEL CM	21091,9532 litre	96,765 %	705,2020 litre	O
330	CM 145	CM 268 LEVEL CM	21041,8086 litre	96,535 %	755,3466 litre	O
330	CM 145	CM 267 LEVEL CM	20990,6066 litre	96,300 %	806,5486 litre	O
330	CM 145	CM 266 LEVEL CM	20938,3770 litre	96,060 %	858,7782 litre	O
330	CM 145	CM 265 LEVEL CM	20885,1478 litre	95,816 %	912,0074 litre	O
330	CM 145	CM 264 LEVEL CM	20830,9454 litre	95,567 %	966,2098 litre	O
330	CM 145	CM 263 LEVEL CM	20775,7949 litre	95,314 %	1021,3603 litre	O
330	CM 145	CM 262 LEVEL CM	20719,7201 litre	95,057 %	1077,4351 litre	O
330	CM 145	CM 261 LEVEL CM	20662,7437 litre	94,796 %	1134,4115 litre	O
330	CM 145	CM 260 LEVEL CM	20604,8871 litre	94,530 %	1192,2681 litre	O
330	CM 145	CM 259 LEVEL CM	20546,1711 litre	94,261 %	1250,9841 litre	O
330	CM 145	CM 258 LEVEL CM	20486,6154 litre	93,988 %	1310,5398 litre	O
330	CM 145	CM 257 LEVEL CM	20426,2388 litre	93,711 %	1370,9164 litre	O
330	CM 145	CM 256 LEVEL CM	20365,0594 litre	93,430 %	1432,0958 litre	O
330	CM 145	CM 255 LEVEL CM	20303,0947 litre	93,146 %	1494,0605 litre	O
330	CM 145	CM 254 LEVEL CM	20240,3616 litre	92,858 %	1556,7936 litre	O
330	CM 145	CM 253 LEVEL CM	20176,8760 litre	92,567 %	1620,2792 litre	O
330	CM 145	CM 252 LEVEL CM	20112,6537 litre	92,272 %	1684,5015 litre	O
330	CM 145	CM 251 LEVEL CM	20047,7097 litre	91,974 %	1749,4455 litre	O
330	CM 145	CM 250 LEVEL CM	19982,0585 litre	91,673 %	1815,0967 litre	O
330	CM 145	CM 249 LEVEL CM	19915,7143 litre	91,368 %	1881,4409 litre	O
330	CM 145	CM 248 LEVEL CM	19848,6907 litre	91,061 %	1948,4645 litre	O
330	CM 145	CM 247 LEVEL CM	19781,0010 litre	90,750 %	2016,1542 litre	O
330	CM 145	CM 246 LEVEL CM	19712,6581 litre	90,437 %	2084,4971 litre	O
330	CM 145	CM 245 LEVEL CM	19643,6744 litre	90,120 %	2153,4808 litre	O
330	CM 145	CM 244 LEVEL CM	19574,0621 litre	89,801 %	2223,0931 litre	O
330	CM 145	CM 243 LEVEL CM	19503,8330 litre	89,479 %	2293,3222 litre	O
330	CM 145	CM 242 LEVEL CM	19432,9987 litre	89,154 %	2364,1565 litre	O
330	CM 145	CM 241 LEVEL CM	19361,5703 litre	88,826 %	2435,5849 litre	O
330	CM 145	CM 240 LEVEL CM	19289,5589 litre	88,496 %	2507,5963 litre	O
330	CM 145	CM 239 LEVEL CM	19216,9751 litre	88,163 %	2580,1801 litre	O

330	CM	145	CM	238 LEVEL CM	19143,8293 litre	87,827 %	2653,3259 litre	O
330	CM	145	CM	237 LEVEL CM	19070,1318 litre	87,489 %	2727,0234 litre	O
330	CM	145	CM	236 LEVEL CM	18995,8924 litre	87,148 %	2801,2628 litre	O
330	CM	145	CM	235 LEVEL CM	18921,1211 litre	86,805 %	2876,0341 litre	O
330	CM	145	CM	234 LEVEL CM	18845,8272 litre	86,460 %	2951,3280 litre	O
330	CM	145	CM	233 LEVEL CM	18770,0202 litre	86,112 %	3027,1350 litre	O
330	CM	145	CM	232 LEVEL CM	18693,7092 litre	85,762 %	3103,4460 litre	O
330	CM	145	CM	231 LEVEL CM	18616,9032 litre	85,410 %	3180,2520 litre	O
330	CM	145	CM	230 LEVEL CM	18539,6109 litre	85,055 %	3257,5443 litre	O
330	CM	145	CM	229 LEVEL CM	18461,8411 litre	84,698 %	3335,3141 litre	O
330	CM	145	CM	228 LEVEL CM	18383,6022 litre	84,339 %	3413,5530 litre	O
330	CM	145	CM	227 LEVEL CM	18304,9026 litre	83,978 %	3492,2526 litre	O
330	CM	145	CM	226 LEVEL CM	18225,7504 litre	83,615 %	3571,4048 litre	O
330	CM	145	CM	225 LEVEL CM	18146,1536 litre	83,250 %	3651,0016 litre	O
330	CM	145	CM	224 LEVEL CM	18066,1203 litre	82,883 %	3731,0349 litre	O
330	CM	145	CM	223 LEVEL CM	17985,6581 litre	82,514 %	3811,4971 litre	O
330	CM	145	CM	222 LEVEL CM	17904,7748 litre	82,143 %	3892,3804 litre	O
330	CM	145	CM	221 LEVEL CM	17823,4778 litre	81,770 %	3973,6774 litre	O
330	CM	145	CM	220 LEVEL CM	17741,7746 litre	81,395 %	4055,3806 litre	O
330	CM	145	CM	219 LEVEL CM	17659,6725 litre	81,018 %	4137,4827 litre	O
330	CM	145	CM	218 LEVEL CM	17577,1787 litre	80,640 %	4219,9765 litre	O
330	CM	145	CM	217 LEVEL CM	17494,3004 litre	80,260 %	4302,8548 litre	O
330	CM	145	CM	216 LEVEL CM	17411,0445 litre	79,878 %	4386,1107 litre	O
330	CM	145	CM	215 LEVEL CM	17327,4179 litre	79,494 %	4469,7373 litre	O
330	CM	145	CM	214 LEVEL CM	17243,4275 litre	79,109 %	4553,7277 litre	O
330	CM	145	CM	213 LEVEL CM	17159,0800 litre	78,722 %	4638,0752 litre	O
330	CM	145	CM	212 LEVEL CM	17074,3821 litre	78,333 %	4722,7731 litre	O
330	CM	145	CM	211 LEVEL CM	16989,3403 litre	77,943 %	4807,8149 litre	O
330	CM	145	CM	210 LEVEL CM	16903,9611 litre	77,551 %	4893,1941 litre	O
330	CM	145	CM	209 LEVEL CM	16818,2509 litre	77,158 %	4978,9043 litre	O
330	CM	145	CM	208 LEVEL CM	16732,2160 litre	76,763 %	5064,9392 litre	O
330	CM	145	CM	207 LEVEL CM	16645,8627 litre	76,367 %	5151,2925 litre	O
330	CM	145	CM	206 LEVEL CM	16559,1973 litre	75,970 %	5237,9579 litre	O
330	CM	145	CM	205 LEVEL CM	16472,2258 litre	75,571 %	5324,9294 litre	O
330	CM	145	CM	204 LEVEL CM	16384,9543 litre	75,170 %	5412,2009 litre	O
330	CM	145	CM	203 LEVEL CM	16297,3888 litre	74,768 %	5499,7664 litre	O
330	CM	145	CM	202 LEVEL CM	16209,5353 litre	74,365 %	5587,6199 litre	O
330	CM	145	CM	201 LEVEL CM	16121,3996 litre	73,961 %	5675,7556 litre	O
330	CM	145	CM	200 LEVEL CM	16032,9875 litre	73,555 %	5764,1677 litre	O
330	CM	145	CM	199 LEVEL CM	15944,3049 litre	73,149 %	5852,8503 litre	O
330	CM	145	CM	198 LEVEL CM	15855,3575 litre	72,740 %	5941,7977 litre	O
330	CM	145	CM	197 LEVEL CM	15766,1508 litre	72,331 %	6031,0044 litre	O
330	CM	145	CM	196 LEVEL CM	15676,6906 litre	71,921 %	6120,4646 litre	O
330	CM	145	CM	195 LEVEL CM	15586,9824 litre	71,509 %	6210,1728 litre	O
330	CM	145	CM	194 LEVEL CM	15497,0318 litre	71,097 %	6300,1234 litre	O
330	CM	145	CM	193 LEVEL CM	15406,8441 litre	70,683 %	6390,3111 litre	O
330	CM	145	CM	192 LEVEL CM	15316,4250 litre	70,268 %	6480,7302 litre	O
330	CM	145	CM	191 LEVEL CM	15225,7796 litre	69,852 %	6571,3756 litre	O
330	CM	145	CM	190 LEVEL CM	15134,9135 litre	69,435 %	6662,2417 litre	O
330	CM	145	CM	189 LEVEL CM	15043,8320 litre	69,017 %	6753,3232 litre	O
330	CM	145	CM	188 LEVEL CM	14952,5402 litre	68,599 %	6844,6150 litre	O
330	CM	145	CM	187 LEVEL CM	14861,0435 litre	68,179 %	6936,1117 litre	O
330	CM	145	CM	186 LEVEL CM	14769,3470 litre	67,758 %	7027,8082 litre	O

330	CM	145	CM	185 LEVEL CM	14677,4560 litre	67,337 %	7119,6992 litre	O
330	CM	145	CM	184 LEVEL CM	14585,3756 litre	66,914 %	7211,7796 litre	O
330	CM	145	CM	183 LEVEL CM	14493,1109 litre	66,491 %	7304,0443 litre	O
330	CM	145	CM	182 LEVEL CM	14400,6669 litre	66,067 %	7396,4883 litre	O
330	CM	145	CM	181 LEVEL CM	14308,0487 litre	65,642 %	7489,1065 litre	O
330	CM	145	CM	180 LEVEL CM	14215,2614 litre	65,216 %	7581,8938 litre	O
330	CM	145	CM	179 LEVEL CM	14122,3099 litre	64,790 %	7674,8453 litre	O
330	CM	145	CM	178 LEVEL CM	14029,1992 litre	64,363 %	7767,9560 litre	O
330	CM	145	CM	177 LEVEL CM	13935,9343 litre	63,935 %	7861,2209 litre	O
330	CM	145	CM	176 LEVEL CM	13842,5200 litre	63,506 %	7954,6352 litre	O
330	CM	145	CM	175 LEVEL CM	13748,9613 litre	63,077 %	8048,1939 litre	O
330	CM	145	CM	174 LEVEL CM	13655,2630 litre	62,647 %	8141,8922 litre	O
330	CM	145	CM	173 LEVEL CM	13561,4300 litre	62,217 %	8235,7252 litre	O
330	CM	145	CM	172 LEVEL CM	13467,4670 litre	61,785 %	8329,6882 litre	O
330	CM	145	CM	171 LEVEL CM	13373,3790 litre	61,354 %	8423,7762 litre	O
330	CM	145	CM	170 LEVEL CM	13279,1707 litre	60,922 %	8517,9845 litre	O
330	CM	145	CM	169 LEVEL CM	13184,8469 litre	60,489 %	8612,3083 litre	O
330	CM	145	CM	168 LEVEL CM	13090,4123 litre	60,056 %	8706,7429 litre	O
330	CM	145	CM	167 LEVEL CM	12995,8717 litre	59,622 %	8801,2835 litre	O
330	CM	145	CM	166 LEVEL CM	12901,2298 litre	59,188 %	8895,9254 litre	O
330	CM	145	CM	165 LEVEL CM	12806,4912 litre	58,753 %	8990,6640 litre	O
330	CM	145	CM	164 LEVEL CM	12711,6608 litre	58,318 %	9085,4944 litre	O
330	CM	145	CM	163 LEVEL CM	12616,7431 litre	57,883 %	9180,4121 litre	O
330	CM	145	CM	162 LEVEL CM	12521,7428 litre	57,447 %	9275,4124 litre	O
330	CM	145	CM	161 LEVEL CM	12426,6646 litre	57,010 %	9370,4906 litre	O
330	CM	145	CM	160 LEVEL CM	12331,5131 litre	56,574 %	9465,6421 litre	O
330	CM	145	CM	159 LEVEL CM	12236,2930 litre	56,137 %	9560,8622 litre	O
330	CM	145	CM	158 LEVEL CM	12141,0089 litre	55,700 %	9656,1463 litre	O
330	CM	145	CM	157 LEVEL CM	12045,6654 litre	55,263 %	9751,4898 litre	O
330	CM	145	CM	156 LEVEL CM	11950,2670 litre	54,825 %	9846,8882 litre	O
330	CM	145	CM	155 LEVEL CM	11854,8185 litre	54,387 %	9942,3367 litre	O
330	CM	145	CM	154 LEVEL CM	11759,3243 litre	53,949 %	10037,8309 litre	O
330	CM	145	CM	153 LEVEL CM	11663,7890 litre	53,511 %	10133,3662 litre	O
330	CM	145	CM	152 LEVEL CM	11568,2173 litre	53,072 %	10228,9379 litre	O
330	CM	145	CM	151 LEVEL CM	11472,6137 litre	52,634 %	10324,5415 litre	O
330	CM	145	CM	150 LEVEL CM	11376,9828 litre	52,195 %	10420,1724 litre	O
330	CM	145	CM	149 LEVEL CM	11281,3291 litre	51,756 %	10515,8261 litre	O
330	CM	145	CM	148 LEVEL CM	11185,6571 litre	51,317 %	10611,4981 litre	O
330	CM	145	CM	147 LEVEL CM	11089,9715 litre	50,878 %	10707,1837 litre	O
330	CM	145	CM	146 LEVEL CM	10994,2769 litre	50,439 %	10802,8783 litre	O
330	CM	145	CM	145 LEVEL CM	10898,5776 litre	50,000 %	10898,5776 litre	O
330	CM	145	CM	144 LEVEL CM	10802,8784 litre	49,561 %	10994,2768 litre	O
330	CM	145	CM	143 LEVEL CM	10707,1837 litre	49,122 %	11089,9715 litre	O
330	CM	145	CM	142 LEVEL CM	10611,4981 litre	48,683 %	11185,6571 litre	O
330	CM	145	CM	141 LEVEL CM	10515,8262 litre	48,244 %	11281,3290 litre	O
330	CM	145	CM	140 LEVEL CM	10420,1725 litre	47,805 %	11376,9827 litre	O
330	CM	145	CM	139 LEVEL CM	10324,5415 litre	47,366 %	11472,6137 litre	O
330	CM	145	CM	138 LEVEL CM	10228,9379 litre	46,928 %	11568,2173 litre	O
330	CM	145	CM	137 LEVEL CM	10133,3662 litre	46,489 %	11663,7890 litre	O
330	CM	145	CM	136 LEVEL CM	10037,8310 litre	46,051 %	11759,3242 litre	O
330	CM	145	CM	135 LEVEL CM	9942,3368 litre	45,613 %	11854,8184 litre	O
330	CM	145	CM	134 LEVEL CM	9846,8882 litre	45,175 %	11950,2670 litre	O
330	CM	145	CM	133 LEVEL CM	9751,4899 litre	44,737 %	12045,6653 litre	O

330	CM	145	CM	132 LEVEL CM	9656,1463 litre	44,300 %	12141,0089 litre	O
330	CM	145	CM	131 LEVEL CM	9560,8622 litre	43,863 %	12236,2930 litre	O
330	CM	145	CM	130 LEVEL CM	9465,6421 litre	43,426 %	12331,5131 litre	O
330	CM	145	CM	129 LEVEL CM	9370,4906 litre	42,990 %	12426,6646 litre	O
330	CM	145	CM	128 LEVEL CM	9275,4124 litre	42,553 %	12521,7428 litre	O
330	CM	145	CM	127 LEVEL CM	9180,4122 litre	42,117 %	12616,7430 litre	O
330	CM	145	CM	126 LEVEL CM	9085,4945 litre	41,682 %	12711,6607 litre	O
330	CM	145	CM	125 LEVEL CM	8990,6640 litre	41,247 %	12806,4912 litre	O
330	CM	145	CM	124 LEVEL CM	8895,9255 litre	40,812 %	12901,2297 litre	O
330	CM	145	CM	123 LEVEL CM	8801,2835 litre	40,378 %	12995,8717 litre	O
330	CM	145	CM	122 LEVEL CM	8706,7429 litre	39,944 %	13090,4123 litre	O
330	CM	145	CM	121 LEVEL CM	8612,3083 litre	39,511 %	13184,8469 litre	O
330	CM	145	CM	120 LEVEL CM	8517,9845 litre	39,078 %	13279,1707 litre	O
330	CM	145	CM	119 LEVEL CM	8423,7762 litre	38,646 %	13373,3790 litre	O
330	CM	145	CM	118 LEVEL CM	8329,6882 litre	38,215 %	13467,4670 litre	O
330	CM	145	CM	117 LEVEL CM	8235,7253 litre	37,783 %	13561,4299 litre	O
330	CM	145	CM	116 LEVEL CM	8141,8922 litre	37,353 %	13655,2630 litre	O
330	CM	145	CM	115 LEVEL CM	8048,1939 litre	36,923 %	13748,9613 litre	O
330	CM	145	CM	114 LEVEL CM	7954,6352 litre	36,494 %	13842,5200 litre	O
330	CM	145	CM	113 LEVEL CM	7861,2209 litre	36,065 %	13935,9343 litre	O
330	CM	145	CM	112 LEVEL CM	7767,9560 litre	35,637 %	14029,1992 litre	O
330	CM	145	CM	111 LEVEL CM	7674,8453 litre	35,210 %	14122,3099 litre	O
330	CM	145	CM	110 LEVEL CM	7581,8938 litre	34,784 %	14215,2614 litre	O
330	CM	145	CM	109 LEVEL CM	7489,1065 litre	34,358 %	14308,0487 litre	O
330	CM	145	CM	108 LEVEL CM	7396,4884 litre	33,933 %	14400,6668 litre	O
330	CM	145	CM	107 LEVEL CM	7304,0444 litre	33,509 %	14493,1108 litre	O
330	CM	145	CM	106 LEVEL CM	7211,7796 litre	33,086 %	14585,3756 litre	O
330	CM	145	CM	105 LEVEL CM	7119,6992 litre	32,663 %	14677,4560 litre	O
330	CM	145	CM	104 LEVEL CM	7027,8082 litre	32,242 %	14769,3470 litre	O
330	CM	145	CM	103 LEVEL CM	6936,1117 litre	31,821 %	14861,0435 litre	O
330	CM	145	CM	102 LEVEL CM	6844,6150 litre	31,401 %	14952,5402 litre	O
330	CM	145	CM	101 LEVEL CM	6753,3233 litre	30,983 %	15043,8319 litre	O
330	CM	145	CM	100 LEVEL CM	6662,2417 litre	30,565 %	15134,9135 litre	O
330	CM	145	CM	99 LEVEL CM	6571,3756 litre	30,148 %	15225,7796 litre	O
330	CM	145	CM	98 LEVEL CM	6480,7303 litre	29,732 %	15316,4249 litre	O
330	CM	145	CM	97 LEVEL CM	6390,3111 litre	29,317 %	15406,8441 litre	O
330	CM	145	CM	96 LEVEL CM	6300,1235 litre	28,903 %	15497,0317 litre	O
330	CM	145	CM	95 LEVEL CM	6210,1728 litre	28,491 %	15586,9824 litre	O
330	CM	145	CM	94 LEVEL CM	6120,4646 litre	28,079 %	15676,6906 litre	O
330	CM	145	CM	93 LEVEL CM	6031,0044 litre	27,669 %	15766,1508 litre	O
330	CM	145	CM	92 LEVEL CM	5941,7978 litre	27,260 %	15855,3574 litre	O
330	CM	145	CM	91 LEVEL CM	5852,8503 litre	26,851 %	15944,3049 litre	O
330	CM	145	CM	90 LEVEL CM	5764,1677 litre	26,445 %	16032,9875 litre	O
330	CM	145	CM	89 LEVEL CM	5675,7556 litre	26,039 %	16121,3996 litre	O
330	CM	145	CM	88 LEVEL CM	5587,6199 litre	25,635 %	16209,5353 litre	O
330	CM	145	CM	87 LEVEL CM	5499,7664 litre	25,232 %	16297,3888 litre	O
330	CM	145	CM	86 LEVEL CM	5412,2009 litre	24,830 %	16384,9543 litre	O
330	CM	145	CM	85 LEVEL CM	5324,9294 litre	24,429 %	16472,2258 litre	O
330	CM	145	CM	84 LEVEL CM	5237,9579 litre	24,030 %	16559,1973 litre	O
330	CM	145	CM	83 LEVEL CM	5151,2925 litre	23,633 %	16645,8627 litre	O
330	CM	145	CM	82 LEVEL CM	5064,9392 litre	23,237 %	16732,2160 litre	O
330	CM	145	CM	81 LEVEL CM	4978,9044 litre	22,842 %	16818,2508 litre	O
330	CM	145	CM	80 LEVEL CM	4893,1942 litre	22,449 %	16903,9610 litre	O

330	CM	145	CM	79 LEVEL CM	4807,8149 litre	22,057 %	16989,3403 litre	O
330	CM	145	CM	78 LEVEL CM	4722,7731 litre	21,667 %	17074,3821 litre	O
330	CM	145	CM	77 LEVEL CM	4638,0752 litre	21,278 %	17159,0800 litre	O
330	CM	145	CM	76 LEVEL CM	4553,7277 litre	20,891 %	17243,4275 litre	O
330	CM	145	CM	75 LEVEL CM	4469,7373 litre	20,506 %	17327,4179 litre	O
330	CM	145	CM	74 LEVEL CM	4386,1107 litre	20,122 %	17411,0445 litre	O
330	CM	145	CM	73 LEVEL CM	4302,8548 litre	19,740 %	17494,3004 litre	O
330	CM	145	CM	72 LEVEL CM	4219,9765 litre	19,360 %	17577,1787 litre	O
330	CM	145	CM	71 LEVEL CM	4137,4827 litre	18,982 %	17659,6725 litre	O
330	CM	145	CM	70 LEVEL CM	4055,3806 litre	18,605 %	17741,7746 litre	O
330	CM	145	CM	69 LEVEL CM	3973,6775 litre	18,230 %	17823,4777 litre	O
330	CM	145	CM	68 LEVEL CM	3892,3805 litre	17,857 %	17904,7747 litre	O
330	CM	145	CM	67 LEVEL CM	3811,4971 litre	17,486 %	17985,6581 litre	O
330	CM	145	CM	66 LEVEL CM	3731,0349 litre	17,117 %	18066,1203 litre	O
330	CM	145	CM	65 LEVEL CM	3651,0016 litre	16,750 %	18146,1536 litre	O
330	CM	145	CM	64 LEVEL CM	3571,4049 litre	16,385 %	18225,7503 litre	O
330	CM	145	CM	63 LEVEL CM	3492,2526 litre	16,022 %	18304,9026 litre	O
330	CM	145	CM	62 LEVEL CM	3413,5530 litre	15,661 %	18383,6022 litre	O
330	CM	145	CM	61 LEVEL CM	3335,3141 litre	15,302 %	18461,8411 litre	O
330	CM	145	CM	60 LEVEL CM	3257,5443 litre	14,945 %	18539,6109 litre	O
330	CM	145	CM	59 LEVEL CM	3180,2521 litre	14,590 %	18616,9031 litre	O
330	CM	145	CM	58 LEVEL CM	3103,4460 litre	14,238 %	18693,7092 litre	O
330	CM	145	CM	57 LEVEL CM	3027,1350 litre	13,888 %	18770,0202 litre	O
330	CM	145	CM	56 LEVEL CM	2951,3280 litre	13,540 %	18845,8272 litre	O
330	CM	145	CM	55 LEVEL CM	2876,0341 litre	13,195 %	18921,1211 litre	O
330	CM	145	CM	54 LEVEL CM	2801,2628 litre	12,852 %	18995,8924 litre	O
330	CM	145	CM	53 LEVEL CM	2727,0235 litre	12,511 %	19070,1317 litre	O
330	CM	145	CM	52 LEVEL CM	2653,3259 litre	12,173 %	19143,8293 litre	O
330	CM	145	CM	51 LEVEL CM	2580,1802 litre	11,837 %	19216,9750 litre	O
330	CM	145	CM	50 LEVEL CM	2507,5963 litre	11,504 %	19289,5589 litre	O
330	CM	145	CM	49 LEVEL CM	2435,5849 litre	11,174 %	19361,5703 litre	O
330	CM	145	CM	48 LEVEL CM	2364,1566 litre	10,846 %	19432,9986 litre	O
330	CM	145	CM	47 LEVEL CM	2293,3222 litre	10,521 %	19503,8330 litre	O
330	CM	145	CM	46 LEVEL CM	2223,0932 litre	10,199 %	19574,0620 litre	O
330	CM	145	CM	45 LEVEL CM	2153,4809 litre	9,880 %	19643,6743 litre	O
330	CM	145	CM	44 LEVEL CM	2084,4972 litre	9,563 %	19712,6580 litre	O
330	CM	145	CM	43 LEVEL CM	2016,1542 litre	9,250 %	19781,0010 litre	O
330	CM	145	CM	42 LEVEL CM	1948,4645 litre	8,939 %	19848,6907 litre	O
330	CM	145	CM	41 LEVEL CM	1881,4409 litre	8,632 %	19915,7143 litre	O
330	CM	145	CM	40 LEVEL CM	1815,0967 litre	8,327 %	19982,0585 litre	O
330	CM	145	CM	39 LEVEL CM	1749,4456 litre	8,026 %	20047,7096 litre	O
330	CM	145	CM	38 LEVEL CM	1684,5015 litre	7,728 %	20112,6537 litre	O
330	CM	145	CM	37 LEVEL CM	1620,2792 litre	7,433 %	20176,8760 litre	O
330	CM	145	CM	36 LEVEL CM	1556,7937 litre	7,142 %	20240,3615 litre	O
330	CM	145	CM	35 LEVEL CM	1494,0605 litre	6,854 %	20303,0947 litre	O
330	CM	145	CM	34 LEVEL CM	1432,0958 litre	6,570 %	20365,0594 litre	O
330	CM	145	CM	33 LEVEL CM	1370,9165 litre	6,289 %	20426,2387 litre	O
330	CM	145	CM	32 LEVEL CM	1310,5399 litre	6,012 %	20486,6153 litre	O
330	CM	145	CM	31 LEVEL CM	1250,9841 litre	5,739 %	20546,1711 litre	O
330	CM	145	CM	30 LEVEL CM	1192,2681 litre	5,470 %	20604,8871 litre	O
330	CM	145	CM	29 LEVEL CM	1134,4116 litre	5,204 %	20662,7436 litre	O
330	CM	145	CM	28 LEVEL CM	1077,4351 litre	4,943 %	20719,7201 litre	O
330	CM	145	CM	27 LEVEL CM	1021,3603 litre	4,686 %	20775,7949 litre	O

330	CM	145	CM	26 LEVEL CM	966,2098 litre	4,433 %	20830,9454 litre	O
330	CM	145	CM	25 LEVEL CM	912,0074 litre	4,184 %	20885,1478 litre	O
330	CM	145	CM	24 LEVEL CM	858,7782 litre	3,940 %	20938,3770 litre	O
330	CM	145	CM	23 LEVEL CM	806,5486 litre	3,700 %	20990,6066 litre	O
330	CM	145	CM	22 LEVEL CM	755,3466 litre	3,465 %	21041,8086 litre	O
330	CM	145	CM	21 LEVEL CM	705,2021 litre	3,235 %	21091,9531 litre	O
330	CM	145	CM	20 LEVEL CM	656,1466 litre	3,010 %	21141,0086 litre	O
330	CM	145	CM	19 LEVEL CM	608,2139 litre	2,790 %	21188,9413 litre	O
330	CM	145	CM	18 LEVEL CM	561,4405 litre	2,576 %	21235,7147 litre	O
330	CM	145	CM	17 LEVEL CM	515,8652 litre	2,367 %	21281,2900 litre	O
330	CM	145	CM	16 LEVEL CM	471,5303 litre	2,163 %	21325,6249 litre	O
330	CM	145	CM	15 LEVEL CM	428,4816 litre	1,966 %	21368,6736 litre	O
330	CM	145	CM	14 LEVEL CM	386,7692 litre	1,774 %	21410,3860 litre	O
330	CM	145	CM	13 LEVEL CM	346,4482 litre	1,589 %	21450,7070 litre	O
330	CM	145	CM	12 LEVEL CM	307,5796 litre	1,411 %	21489,5756 litre	O
330	CM	145	CM	11 LEVEL CM	270,2315 litre	1,240 %	21526,9237 litre	O
330	CM	145	CM	10 LEVEL CM	234,4808 litre	1,076 %	21562,6744 litre	O
330	CM	145	CM	9 LEVEL CM	200,4150 litre	0,919 %	21596,7402 litre	O
330	CM	145	CM	8 LEVEL CM	168,1355 litre	0,771 %	21629,0197 litre	O
330	CM	145	CM	7 LEVEL CM	137,7617 litre	0,632 %	21659,3935 litre	O
330	CM	145	CM	6 LEVEL CM	109,4371 litre	0,502 %	21687,7181 litre	O
330	CM	145	CM	5 LEVEL CM	83,3388 litre	0,382 %	21713,8164 litre	O
330	CM	145	CM	4 LEVEL CM	59,6948 litre	0,274 %	21737,4604 litre	O
330	CM	145	CM	3 LEVEL CM	38,8134 litre	0,178 %	21758,3418 litre	O
330	CM	145	CM	2 LEVEL CM	21,1493 litre	0,097 %	21776,0059 litre	O
330	CM	145	CM	1 LEVEL CM	7,4852 litre	0,034 %	21789,6700 litre	O
330	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	21797,1552 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 140	CM 280 LEVEL CM	20319,8213 litre	100,000 %	0,0000 litre	O
330	CM 140	CM 279 LEVEL CM	20312,4666 litre	99,964 %	7,3547 litre	O
330	CM 140	CM 278 LEVEL CM	20299,0414 litre	99,898 %	20,7799 litre	O
330	CM 140	CM 277 LEVEL CM	20281,6873 litre	99,812 %	38,1340 litre	O
330	CM 140	CM 276 LEVEL CM	20261,1735 litre	99,711 %	58,6478 litre	O
330	CM 140	CM 275 LEVEL CM	20237,9472 litre	99,597 %	81,8741 litre	O
330	CM 140	CM 274 LEVEL CM	20212,3118 litre	99,471 %	107,5095 litre	O
330	CM 140	CM 273 LEVEL CM	20184,4912 litre	99,334 %	135,3301 litre	O
330	CM 140	CM 272 LEVEL CM	20154,6598 litre	99,187 %	165,1615 litre	O
330	CM 140	CM 271 LEVEL CM	20122,9589 litre	99,031 %	196,8624 litre	O
330	CM 140	CM 270 LEVEL CM	20089,5059 litre	98,867 %	230,3154 litre	O
330	CM 140	CM 269 LEVEL CM	20054,4005 litre	98,694 %	265,4208 litre	O
330	CM 140	CM 268 LEVEL CM	20017,7291 litre	98,513 %	302,0922 litre	O
330	CM 140	CM 267 LEVEL CM	19979,5672 litre	98,326 %	340,2541 litre	O
330	CM 140	CM 266 LEVEL CM	19939,9821 litre	98,131 %	379,8392 litre	O
330	CM 140	CM 265 LEVEL CM	19899,0338 litre	97,929 %	420,7875 litre	O
330	CM 140	CM 264 LEVEL CM	19856,7765 litre	97,721 %	463,0448 litre	O
330	CM 140	CM 263 LEVEL CM	19813,2597 litre	97,507 %	506,5616 litre	O
330	CM 140	CM 262 LEVEL CM	19768,5284 litre	97,287 %	551,2929 litre	O
330	CM 140	CM 261 LEVEL CM	19722,6244 litre	97,061 %	597,1969 litre	O
330	CM 140	CM 260 LEVEL CM	19675,5862 litre	96,830 %	644,2351 litre	O
330	CM 140	CM 259 LEVEL CM	19627,4494 litre	96,593 %	692,3719 litre	O
330	CM 140	CM 258 LEVEL CM	19578,2475 litre	96,350 %	741,5738 litre	O
330	CM 140	CM 257 LEVEL CM	19528,0117 litre	96,103 %	791,8096 litre	O
330	CM 140	CM 256 LEVEL CM	19476,7714 litre	95,851 %	843,0499 litre	O
330	CM 140	CM 255 LEVEL CM	19424,5542 litre	95,594 %	895,2671 litre	O
330	CM 140	CM 254 LEVEL CM	19371,3863 litre	95,332 %	948,4350 litre	O
330	CM 140	CM 253 LEVEL CM	19317,2924 litre	95,066 %	1002,5289 litre	O
330	CM 140	CM 252 LEVEL CM	19262,2961 litre	94,796 %	1057,5252 litre	O
330	CM 140	CM 251 LEVEL CM	19206,4197 litre	94,521 %	1113,4016 litre	O
330	CM 140	CM 250 LEVEL CM	19149,6845 litre	94,241 %	1170,1368 litre	O
330	CM 140	CM 249 LEVEL CM	19092,1110 litre	93,958 %	1227,7103 litre	O
330	CM 140	CM 248 LEVEL CM	19033,7186 litre	93,671 %	1286,1027 litre	O
330	CM 140	CM 247 LEVEL CM	18974,5259 litre	93,379 %	1345,2954 litre	O
330	CM 140	CM 246 LEVEL CM	18914,5510 litre	93,084 %	1405,2703 litre	O
330	CM 140	CM 245 LEVEL CM	18853,8111 litre	92,785 %	1466,0102 litre	O
330	CM 140	CM 244 LEVEL CM	18792,3227 litre	92,483 %	1527,4986 litre	O
330	CM 140	CM 243 LEVEL CM	18730,1020 litre	92,177 %	1589,7193 litre	O
330	CM 140	CM 242 LEVEL CM	18667,1642 litre	91,867 %	1652,6571 litre	O
330	CM 140	CM 241 LEVEL CM	18603,5244 litre	91,554 %	1716,2969 litre	O
330	CM 140	CM 240 LEVEL CM	18539,1970 litre	91,237 %	1780,6243 litre	O
330	CM 140	CM 239 LEVEL CM	18474,1959 litre	90,917 %	1845,6254 litre	O
330	CM 140	CM 238 LEVEL CM	18408,5348 litre	90,594 %	1911,2865 litre	O
330	CM 140	CM 237 LEVEL CM	18342,2267 litre	90,268 %	1977,5946 litre	O
330	CM 140	CM 236 LEVEL CM	18275,2843 litre	89,938 %	2044,5370 litre	O
330	CM 140	CM 235 LEVEL CM	18207,7202 litre	89,606 %	2112,1011 litre	O
330	CM 140	CM 234 LEVEL CM	18139,5463 litre	89,270 %	2180,2750 litre	O
330	CM 140	CM 233 LEVEL CM	18070,7745 litre	88,932 %	2249,0468 litre	O
330	CM 140	CM 232 LEVEL CM	18001,4160 litre	88,590 %	2318,4053 litre	O
330	CM 140	CM 231 LEVEL CM	17931,4822 litre	88,246 %	2388,3391 litre	O
330	CM 140	CM 230 LEVEL CM	17860,9838 litre	87,899 %	2458,8375 litre	O
330	CM 140	CM 229 LEVEL CM	17789,9314 litre	87,550 %	2529,8899 litre	O

330	CM	140	CM	228 LEVEL CM	17718,3356 litre	87,197 %	2601,4857 litre	O
330	CM	140	CM	227 LEVEL CM	17646,2062 litre	86,842 %	2673,6151 litre	O
330	CM	140	CM	226 LEVEL CM	17573,5534 litre	86,485 %	2746,2679 litre	O
330	CM	140	CM	225 LEVEL CM	17500,3868 litre	86,125 %	2819,4345 litre	O
330	CM	140	CM	224 LEVEL CM	17426,7158 litre	85,762 %	2893,1055 litre	O
330	CM	140	CM	223 LEVEL CM	17352,5498 litre	85,397 %	2967,2715 litre	O
330	CM	140	CM	222 LEVEL CM	17277,8980 litre	85,030 %	3041,9233 litre	O
330	CM	140	CM	221 LEVEL CM	17202,7691 litre	84,660 %	3117,0522 litre	O
330	CM	140	CM	220 LEVEL CM	17127,1721 litre	84,288 %	3192,6492 litre	O
330	CM	140	CM	219 LEVEL CM	17051,1155 litre	83,914 %	3268,7058 litre	O
330	CM	140	CM	218 LEVEL CM	16974,6078 litre	83,537 %	3345,2135 litre	O
330	CM	140	CM	217 LEVEL CM	16897,6573 litre	83,158 %	3422,1640 litre	O
330	CM	140	CM	216 LEVEL CM	16820,2721 litre	82,778 %	3499,5492 litre	O
330	CM	140	CM	215 LEVEL CM	16742,4603 litre	82,395 %	3577,3610 litre	O
330	CM	140	CM	214 LEVEL CM	16664,2297 litre	82,010 %	3655,5916 litre	O
330	CM	140	CM	213 LEVEL CM	16585,5882 litre	81,623 %	3734,2331 litre	O
330	CM	140	CM	212 LEVEL CM	16506,5433 litre	81,234 %	3813,2780 litre	O
330	CM	140	CM	211 LEVEL CM	16427,1027 litre	80,843 %	3892,7186 litre	O
330	CM	140	CM	210 LEVEL CM	16347,2737 litre	80,450 %	3972,5476 litre	O
330	CM	140	CM	209 LEVEL CM	16267,0636 litre	80,055 %	4052,7577 litre	O
330	CM	140	CM	208 LEVEL CM	16186,4797 litre	79,659 %	4133,3416 litre	O
330	CM	140	CM	207 LEVEL CM	16105,5290 litre	79,260 %	4214,2923 litre	O
330	CM	140	CM	206 LEVEL CM	16024,2186 litre	78,860 %	4295,6027 litre	O
330	CM	140	CM	205 LEVEL CM	15942,5554 litre	78,458 %	4377,2659 litre	O
330	CM	140	CM	204 LEVEL CM	15860,5462 litre	78,055 %	4459,2751 litre	O
330	CM	140	CM	203 LEVEL CM	15778,1978 litre	77,649 %	4541,6235 litre	O
330	CM	140	CM	202 LEVEL CM	15695,5167 litre	77,242 %	4624,3046 litre	O
330	CM	140	CM	201 LEVEL CM	15612,5097 litre	76,834 %	4707,3116 litre	O
330	CM	140	CM	200 LEVEL CM	15529,1832 litre	76,424 %	4790,6381 litre	O
330	CM	140	CM	199 LEVEL CM	15445,5436 litre	76,012 %	4874,2777 litre	O
330	CM	140	CM	198 LEVEL CM	15361,5973 litre	75,599 %	4958,2240 litre	O
330	CM	140	CM	197 LEVEL CM	15277,3505 litre	75,184 %	5042,4708 litre	O
330	CM	140	CM	196 LEVEL CM	15192,8096 litre	74,768 %	5127,0117 litre	O
330	CM	140	CM	195 LEVEL CM	15107,9806 litre	74,351 %	5211,8407 litre	O
330	CM	140	CM	194 LEVEL CM	15022,8696 litre	73,932 %	5296,9517 litre	O
330	CM	140	CM	193 LEVEL CM	14937,4827 litre	73,512 %	5382,3386 litre	O
330	CM	140	CM	192 LEVEL CM	14851,8259 litre	73,090 %	5467,9954 litre	O
330	CM	140	CM	191 LEVEL CM	14765,9050 litre	72,667 %	5553,9163 litre	O
330	CM	140	CM	190 LEVEL CM	14679,7259 litre	72,243 %	5640,0954 litre	O
330	CM	140	CM	189 LEVEL CM	14593,2945 litre	71,818 %	5726,5268 litre	O
330	CM	140	CM	188 LEVEL CM	14506,6165 litre	71,391 %	5813,2048 litre	O
330	CM	140	CM	187 LEVEL CM	14419,6976 litre	70,964 %	5900,1237 litre	O
330	CM	140	CM	186 LEVEL CM	14332,5435 litre	70,535 %	5987,2778 litre	O
330	CM	140	CM	185 LEVEL CM	14245,1597 litre	70,105 %	6074,6616 litre	O
330	CM	140	CM	184 LEVEL CM	14157,5519 litre	69,674 %	6162,2694 litre	O
330	CM	140	CM	183 LEVEL CM	14069,7256 litre	69,241 %	6250,0957 litre	O
330	CM	140	CM	182 LEVEL CM	13981,6864 litre	68,808 %	6338,1349 litre	O
330	CM	140	CM	181 LEVEL CM	13893,4395 litre	68,374 %	6426,3818 litre	O
330	CM	140	CM	180 LEVEL CM	13804,9905 litre	67,939 %	6514,8308 litre	O
330	CM	140	CM	179 LEVEL CM	13716,3447 litre	67,502 %	6603,4766 litre	O
330	CM	140	CM	178 LEVEL CM	13627,5075 litre	67,065 %	6692,3138 litre	O
330	CM	140	CM	177 LEVEL CM	13538,4841 litre	66,627 %	6781,3372 litre	O
330	CM	140	CM	176 LEVEL CM	13449,2799 litre	66,188 %	6870,5414 litre	O

330	CM	140	CM	175 LEVEL CM	13359,9000 litre	65,748 %	6959,9213 litre	O
330	CM	140	CM	174 LEVEL CM	13270,3498 litre	65,307 %	7049,4715 litre	O
330	CM	140	CM	173 LEVEL CM	13180,6343 litre	64,866 %	7139,1870 litre	O
330	CM	140	CM	172 LEVEL CM	13090,7587 litre	64,424 %	7229,0626 litre	O
330	CM	140	CM	171 LEVEL CM	13000,7282 litre	63,981 %	7319,0931 litre	O
330	CM	140	CM	170 LEVEL CM	12910,5478 litre	63,537 %	7409,2735 litre	O
330	CM	140	CM	169 LEVEL CM	12820,2226 litre	63,092 %	7499,5987 litre	O
330	CM	140	CM	168 LEVEL CM	12729,7576 litre	62,647 %	7590,0637 litre	O
330	CM	140	CM	167 LEVEL CM	12639,1580 litre	62,201 %	7680,6633 litre	O
330	CM	140	CM	166 LEVEL CM	12548,4286 litre	61,755 %	7771,3927 litre	O
330	CM	140	CM	165 LEVEL CM	12457,5745 litre	61,308 %	7862,2468 litre	O
330	CM	140	CM	164 LEVEL CM	12366,6005 litre	60,860 %	7953,2208 litre	O
330	CM	140	CM	163 LEVEL CM	12275,5118 litre	60,412 %	8044,3095 litre	O
330	CM	140	CM	162 LEVEL CM	12184,3131 litre	59,963 %	8135,5082 litre	O
330	CM	140	CM	161 LEVEL CM	12093,0094 litre	59,513 %	8226,8119 litre	O
330	CM	140	CM	160 LEVEL CM	12001,6055 litre	59,064 %	8318,2158 litre	O
330	CM	140	CM	159 LEVEL CM	11910,1064 litre	58,613 %	8409,7149 litre	O
330	CM	140	CM	158 LEVEL CM	11818,5169 litre	58,163 %	8501,3044 litre	O
330	CM	140	CM	157 LEVEL CM	11726,8418 litre	57,711 %	8592,9795 litre	O
330	CM	140	CM	156 LEVEL CM	11635,0860 litre	57,260 %	8684,7353 litre	O
330	CM	140	CM	155 LEVEL CM	11543,2543 litre	56,808 %	8776,5670 litre	O
330	CM	140	CM	154 LEVEL CM	11451,3514 litre	56,356 %	8868,4699 litre	O
330	CM	140	CM	153 LEVEL CM	11359,3822 litre	55,903 %	8960,4391 litre	O
330	CM	140	CM	152 LEVEL CM	11267,3514 litre	55,450 %	9052,4699 litre	O
330	CM	140	CM	151 LEVEL CM	11175,2639 litre	54,997 %	9144,5574 litre	O
330	CM	140	CM	150 LEVEL CM	11083,1243 litre	54,543 %	9236,6970 litre	O
330	CM	140	CM	149 LEVEL CM	10990,9375 litre	54,090 %	9328,8838 litre	O
330	CM	140	CM	148 LEVEL CM	10898,7082 litre	53,636 %	9421,1131 litre	O
330	CM	140	CM	147 LEVEL CM	10806,4410 litre	53,182 %	9513,3803 litre	O
330	CM	140	CM	146 LEVEL CM	10714,1409 litre	52,728 %	9605,6804 litre	O
330	CM	140	CM	145 LEVEL CM	10621,8124 litre	52,273 %	9698,0089 litre	O
330	CM	140	CM	144 LEVEL CM	10529,4603 litre	51,819 %	9790,3610 litre	O
330	CM	140	CM	143 LEVEL CM	10437,0894 litre	51,364 %	9882,7319 litre	O
330	CM	140	CM	142 LEVEL CM	10344,7044 litre	50,909 %	9975,1169 litre	O
330	CM	140	CM	141 LEVEL CM	10252,3099 litre	50,455 %	10067,5114 litre	O
330	CM	140	CM	140 LEVEL CM	10159,9106 litre	50,000 %	10159,9107 litre	O
330	CM	140	CM	139 LEVEL CM	10067,5114 litre	49,545 %	10252,3099 litre	O
330	CM	140	CM	138 LEVEL CM	9975,1169 litre	49,091 %	10344,7044 litre	O
330	CM	140	CM	137 LEVEL CM	9882,7319 litre	48,636 %	10437,0894 litre	O
330	CM	140	CM	136 LEVEL CM	9790,3609 litre	48,181 %	10529,4604 litre	O
330	CM	140	CM	135 LEVEL CM	9698,0089 litre	47,727 %	10621,8124 litre	O
330	CM	140	CM	134 LEVEL CM	9605,6804 litre	47,272 %	10714,1409 litre	O
330	CM	140	CM	133 LEVEL CM	9513,3802 litre	46,818 %	10806,4411 litre	O
330	CM	140	CM	132 LEVEL CM	9421,1131 litre	46,364 %	10898,7082 litre	O
330	CM	140	CM	131 LEVEL CM	9328,8838 litre	45,910 %	10990,9375 litre	O
330	CM	140	CM	130 LEVEL CM	9236,6970 litre	45,457 %	11083,1243 litre	O
330	CM	140	CM	129 LEVEL CM	9144,5574 litre	45,003 %	11175,2639 litre	O
330	CM	140	CM	128 LEVEL CM	9052,4699 litre	44,550 %	11267,3514 litre	O
330	CM	140	CM	127 LEVEL CM	8960,4391 litre	44,097 %	11359,3822 litre	O
330	CM	140	CM	126 LEVEL CM	8868,4699 litre	43,644 %	11451,3514 litre	O
330	CM	140	CM	125 LEVEL CM	8776,5670 litre	43,192 %	11543,2543 litre	O
330	CM	140	CM	124 LEVEL CM	8684,7353 litre	42,740 %	11635,0860 litre	O
330	CM	140	CM	123 LEVEL CM	8592,9794 litre	42,289 %	11726,8419 litre	O

330	CM	140	CM	122 LEVEL CM	8501,3044 litre	41,837 %	11818,5169 litre	O
330	CM	140	CM	121 LEVEL CM	8409,7148 litre	41,387 %	11910,1065 litre	O
330	CM	140	CM	120 LEVEL CM	8318,2157 litre	40,936 %	12001,6056 litre	O
330	CM	140	CM	119 LEVEL CM	8226,8119 litre	40,487 %	12093,0094 litre	O
330	CM	140	CM	118 LEVEL CM	8135,5082 litre	40,037 %	12184,3131 litre	O
330	CM	140	CM	117 LEVEL CM	8044,3095 litre	39,588 %	12275,5118 litre	O
330	CM	140	CM	116 LEVEL CM	7953,2207 litre	39,140 %	12366,6006 litre	O
330	CM	140	CM	115 LEVEL CM	7862,2468 litre	38,692 %	12457,5745 litre	O
330	CM	140	CM	114 LEVEL CM	7771,3927 litre	38,245 %	12548,4286 litre	O
330	CM	140	CM	113 LEVEL CM	7680,6633 litre	37,799 %	12639,1580 litre	O
330	CM	140	CM	112 LEVEL CM	7590,0636 litre	37,353 %	12729,7577 litre	O
330	CM	140	CM	111 LEVEL CM	7499,5987 litre	36,908 %	12820,2226 litre	O
330	CM	140	CM	110 LEVEL CM	7409,2735 litre	36,463 %	12910,5478 litre	O
330	CM	140	CM	109 LEVEL CM	7319,0931 litre	36,019 %	13000,7282 litre	O
330	CM	140	CM	108 LEVEL CM	7229,0626 litre	35,576 %	13090,7587 litre	O
330	CM	140	CM	107 LEVEL CM	7139,1870 litre	35,134 %	13180,6343 litre	O
330	CM	140	CM	106 LEVEL CM	7049,4715 litre	34,693 %	13270,3498 litre	O
330	CM	140	CM	105 LEVEL CM	6959,9212 litre	34,252 %	13359,9001 litre	O
330	CM	140	CM	104 LEVEL CM	6870,5414 litre	33,812 %	13449,2799 litre	O
330	CM	140	CM	103 LEVEL CM	6781,3372 litre	33,373 %	13538,4841 litre	O
330	CM	140	CM	102 LEVEL CM	6692,3138 litre	32,935 %	13627,5075 litre	O
330	CM	140	CM	101 LEVEL CM	6603,4766 litre	32,498 %	13716,3447 litre	O
330	CM	140	CM	100 LEVEL CM	6514,8308 litre	32,061 %	13804,9905 litre	O
330	CM	140	CM	99 LEVEL CM	6426,3818 litre	31,626 %	13893,4395 litre	O
330	CM	140	CM	98 LEVEL CM	6338,1349 litre	31,192 %	13981,6864 litre	O
330	CM	140	CM	97 LEVEL CM	6250,0956 litre	30,759 %	14069,7257 litre	O
330	CM	140	CM	96 LEVEL CM	6162,2694 litre	30,326 %	14157,5519 litre	O
330	CM	140	CM	95 LEVEL CM	6074,6616 litre	29,895 %	14245,1597 litre	O
330	CM	140	CM	94 LEVEL CM	5987,2778 litre	29,465 %	14332,5435 litre	O
330	CM	140	CM	93 LEVEL CM	5900,1237 litre	29,036 %	14419,6976 litre	O
330	CM	140	CM	92 LEVEL CM	5813,2048 litre	28,609 %	14506,6165 litre	O
330	CM	140	CM	91 LEVEL CM	5726,5268 litre	28,182 %	14593,2945 litre	O
330	CM	140	CM	90 LEVEL CM	5640,0954 litre	27,757 %	14679,7259 litre	O
330	CM	140	CM	89 LEVEL CM	5553,9163 litre	27,333 %	14765,9050 litre	O
330	CM	140	CM	88 LEVEL CM	5467,9954 litre	26,910 %	14851,8259 litre	O
330	CM	140	CM	87 LEVEL CM	5382,3386 litre	26,488 %	14937,4827 litre	O
330	CM	140	CM	86 LEVEL CM	5296,9517 litre	26,068 %	15022,8696 litre	O
330	CM	140	CM	85 LEVEL CM	5211,8407 litre	25,649 %	15107,9806 litre	O
330	CM	140	CM	84 LEVEL CM	5127,0117 litre	25,232 %	15192,8096 litre	O
330	CM	140	CM	83 LEVEL CM	5042,4708 litre	24,816 %	15277,3505 litre	O
330	CM	140	CM	82 LEVEL CM	4958,2240 litre	24,401 %	15361,5973 litre	O
330	CM	140	CM	81 LEVEL CM	4874,2777 litre	23,988 %	15445,5436 litre	O
330	CM	140	CM	80 LEVEL CM	4790,6381 litre	23,576 %	15529,1832 litre	O
330	CM	140	CM	79 LEVEL CM	4707,3116 litre	23,166 %	15612,5097 litre	O
330	CM	140	CM	78 LEVEL CM	4624,3045 litre	22,758 %	15695,5168 litre	O
330	CM	140	CM	77 LEVEL CM	4541,6235 litre	22,351 %	15778,1978 litre	O
330	CM	140	CM	76 LEVEL CM	4459,2751 litre	21,945 %	15860,5462 litre	O
330	CM	140	CM	75 LEVEL CM	4377,2659 litre	21,542 %	15942,5554 litre	O
330	CM	140	CM	74 LEVEL CM	4295,6027 litre	21,140 %	16024,2186 litre	O
330	CM	140	CM	73 LEVEL CM	4214,2923 litre	20,740 %	16105,5290 litre	O
330	CM	140	CM	72 LEVEL CM	4133,3416 litre	20,341 %	16186,4797 litre	O
330	CM	140	CM	71 LEVEL CM	4052,7577 litre	19,945 %	16267,0636 litre	O
330	CM	140	CM	70 LEVEL CM	3972,5476 litre	19,550 %	16347,2737 litre	O

330	CM	140	CM	69 LEVEL CM	3892,7186 litre	19,157 %	16427,1027 litre	O
330	CM	140	CM	68 LEVEL CM	3813,2780 litre	18,766 %	16506,5433 litre	O
330	CM	140	CM	67 LEVEL CM	3734,2331 litre	18,377 %	16585,5882 litre	O
330	CM	140	CM	66 LEVEL CM	3655,5916 litre	17,990 %	16664,2297 litre	O
330	CM	140	CM	65 LEVEL CM	3577,3610 litre	17,605 %	16742,4603 litre	O
330	CM	140	CM	64 LEVEL CM	3499,5492 litre	17,222 %	16820,2721 litre	O
330	CM	140	CM	63 LEVEL CM	3422,1640 litre	16,842 %	16897,6573 litre	O
330	CM	140	CM	62 LEVEL CM	3345,2135 litre	16,463 %	16974,6078 litre	O
330	CM	140	CM	61 LEVEL CM	3268,7058 litre	16,086 %	17051,1155 litre	O
330	CM	140	CM	60 LEVEL CM	3192,6492 litre	15,712 %	17127,1721 litre	O
330	CM	140	CM	59 LEVEL CM	3117,0521 litre	15,340 %	17202,7692 litre	O
330	CM	140	CM	58 LEVEL CM	3041,9233 litre	14,970 %	17277,8980 litre	O
330	CM	140	CM	57 LEVEL CM	2967,2714 litre	14,603 %	17352,5499 litre	O
330	CM	140	CM	56 LEVEL CM	2893,1055 litre	14,238 %	17426,7158 litre	O
330	CM	140	CM	55 LEVEL CM	2819,4345 litre	13,875 %	17500,3868 litre	O
330	CM	140	CM	54 LEVEL CM	2746,2679 litre	13,515 %	17573,5534 litre	O
330	CM	140	CM	53 LEVEL CM	2673,6150 litre	13,158 %	17646,2063 litre	O
330	CM	140	CM	52 LEVEL CM	2601,4857 litre	12,803 %	17718,3356 litre	O
330	CM	140	CM	51 LEVEL CM	2529,8898 litre	12,450 %	17789,9315 litre	O
330	CM	140	CM	50 LEVEL CM	2458,8375 litre	12,101 %	17860,9838 litre	O
330	CM	140	CM	49 LEVEL CM	2388,3391 litre	11,754 %	17931,4822 litre	O
330	CM	140	CM	48 LEVEL CM	2318,4053 litre	11,410 %	18001,4160 litre	O
330	CM	140	CM	47 LEVEL CM	2249,0468 litre	11,068 %	18070,7745 litre	O
330	CM	140	CM	46 LEVEL CM	2180,2749 litre	10,730 %	18139,5464 litre	O
330	CM	140	CM	45 LEVEL CM	2112,1011 litre	10,394 %	18207,7202 litre	O
330	CM	140	CM	44 LEVEL CM	2044,5369 litre	10,062 %	18275,2844 litre	O
330	CM	140	CM	43 LEVEL CM	1977,5946 litre	9,732 %	18342,2267 litre	O
330	CM	140	CM	42 LEVEL CM	1911,2865 litre	9,406 %	18408,5348 litre	O
330	CM	140	CM	41 LEVEL CM	1845,6253 litre	9,083 %	18474,1960 litre	O
330	CM	140	CM	40 LEVEL CM	1780,6243 litre	8,763 %	18539,1970 litre	O
330	CM	140	CM	39 LEVEL CM	1716,2969 litre	8,446 %	18603,5244 litre	O
330	CM	140	CM	38 LEVEL CM	1652,6571 litre	8,133 %	18667,1642 litre	O
330	CM	140	CM	37 LEVEL CM	1589,7193 litre	7,823 %	18730,1020 litre	O
330	CM	140	CM	36 LEVEL CM	1527,4986 litre	7,517 %	18792,3227 litre	O
330	CM	140	CM	35 LEVEL CM	1466,0102 litre	7,215 %	18853,8111 litre	O
330	CM	140	CM	34 LEVEL CM	1405,2703 litre	6,916 %	18914,5510 litre	O
330	CM	140	CM	33 LEVEL CM	1345,2954 litre	6,621 %	18974,5259 litre	O
330	CM	140	CM	32 LEVEL CM	1286,1027 litre	6,329 %	19033,7186 litre	O
330	CM	140	CM	31 LEVEL CM	1227,7103 litre	6,042 %	19092,1110 litre	O
330	CM	140	CM	30 LEVEL CM	1170,1367 litre	5,759 %	19149,6846 litre	O
330	CM	140	CM	29 LEVEL CM	1113,4016 litre	5,479 %	19206,4197 litre	O
330	CM	140	CM	28 LEVEL CM	1057,5252 litre	5,204 %	19262,2961 litre	O
330	CM	140	CM	27 LEVEL CM	1002,5289 litre	4,934 %	19317,2924 litre	O
330	CM	140	CM	26 LEVEL CM	948,4350 litre	4,668 %	19371,3863 litre	O
330	CM	140	CM	25 LEVEL CM	895,2671 litre	4,406 %	19424,5542 litre	O
330	CM	140	CM	24 LEVEL CM	843,0499 litre	4,149 %	19476,7714 litre	O
330	CM	140	CM	23 LEVEL CM	791,8096 litre	3,897 %	19528,0117 litre	O
330	CM	140	CM	22 LEVEL CM	741,5738 litre	3,650 %	19578,2475 litre	O
330	CM	140	CM	21 LEVEL CM	692,3719 litre	3,407 %	19627,4494 litre	O
330	CM	140	CM	20 LEVEL CM	644,2351 litre	3,170 %	19675,5862 litre	O
330	CM	140	CM	19 LEVEL CM	597,1969 litre	2,939 %	19722,6244 litre	O
330	CM	140	CM	18 LEVEL CM	551,2929 litre	2,713 %	19768,5284 litre	O
330	CM	140	CM	17 LEVEL CM	506,5616 litre	2,493 %	19813,2597 litre	O

330	CM	140	CM	16 LEVEL CM	463,0448 litre	2,279 %	19856,7765 litre	O
330	CM	140	CM	15 LEVEL CM	420,7875 litre	2,071 %	19899,0338 litre	O
330	CM	140	CM	14 LEVEL CM	379,8392 litre	1,869 %	19939,9821 litre	O
330	CM	140	CM	13 LEVEL CM	340,2540 litre	1,674 %	19979,5673 litre	O
330	CM	140	CM	12 LEVEL CM	302,0922 litre	1,487 %	20017,7291 litre	O
330	CM	140	CM	11 LEVEL CM	265,4208 litre	1,306 %	20054,4005 litre	O
330	CM	140	CM	10 LEVEL CM	230,3154 litre	1,133 %	20089,5059 litre	O
330	CM	140	CM	9 LEVEL CM	196,8624 litre	0,969 %	20122,9589 litre	O
330	CM	140	CM	8 LEVEL CM	165,1615 litre	0,813 %	20154,6598 litre	O
330	CM	140	CM	7 LEVEL CM	135,3301 litre	0,666 %	20184,4912 litre	O
330	CM	140	CM	6 LEVEL CM	107,5095 litre	0,529 %	20212,3118 litre	O
330	CM	140	CM	5 LEVEL CM	81,8741 litre	0,403 %	20237,9472 litre	O
330	CM	140	CM	4 LEVEL CM	58,6478 litre	0,289 %	20261,1735 litre	O
330	CM	140	CM	3 LEVEL CM	38,1340 litre	0,188 %	20281,6873 litre	O
330	CM	140	CM	2 LEVEL CM	20,7799 litre	0,102 %	20299,0414 litre	O
330	CM	140	CM	1 LEVEL CM	7,3547 litre	0,036 %	20312,4666 litre	O
330	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	20319,8213 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 135	CM 270 LEVEL CM	18894,3236 litre	100,000 %	0,0000 litre	O
330	CM 135	CM 269 LEVEL CM	18887,1017 litre	99,962 %	7,2219 litre	O
330	CM 135	CM 268 LEVEL CM	18873,9198 litre	99,892 %	20,4038 litre	O
330	CM 135	CM 267 LEVEL CM	18856,8812 litre	99,802 %	37,4424 litre	O
330	CM 135	CM 266 LEVEL CM	18836,7419 litre	99,695 %	57,5817 litre	O
330	CM 135	CM 265 LEVEL CM	18813,9410 litre	99,575 %	80,3826 litre	O
330	CM 135	CM 264 LEVEL CM	18788,7769 litre	99,441 %	105,5467 litre	O
330	CM 135	CM 263 LEVEL CM	18761,4696 litre	99,297 %	132,8540 litre	O
330	CM 135	CM 262 LEVEL CM	18732,1908 litre	99,142 %	162,1328 litre	O
330	CM 135	CM 261 LEVEL CM	18701,0792 litre	98,977 %	193,2444 litre	O
330	CM 135	CM 260 LEVEL CM	18668,2503 litre	98,803 %	226,0733 litre	O
330	CM 135	CM 259 LEVEL CM	18633,8024 litre	98,621 %	260,5212 litre	O
330	CM 135	CM 258 LEVEL CM	18597,8204 litre	98,431 %	296,5032 litre	O
330	CM 135	CM 257 LEVEL CM	18560,3786 litre	98,233 %	333,9450 litre	O
330	CM 135	CM 256 LEVEL CM	18521,5433 litre	98,027 %	372,7803 litre	O
330	CM 135	CM 255 LEVEL CM	18481,3735 litre	97,814 %	412,9501 litre	O
330	CM 135	CM 254 LEVEL CM	18439,9228 litre	97,595 %	454,4008 litre	O
330	CM 135	CM 253 LEVEL CM	18397,2397 litre	97,369 %	497,0839 litre	O
330	CM 135	CM 252 LEVEL CM	18353,3688 litre	97,137 %	540,9548 litre	O
330	CM 135	CM 251 LEVEL CM	18308,3510 litre	96,899 %	585,9726 litre	O
330	CM 135	CM 250 LEVEL CM	18262,2244 litre	96,655 %	632,0992 litre	O
330	CM 135	CM 249 LEVEL CM	18215,0243 litre	96,405 %	679,2993 litre	O
330	CM 135	CM 248 LEVEL CM	18166,7834 litre	96,149 %	727,5402 litre	O
330	CM 135	CM 247 LEVEL CM	18117,5328 litre	95,889 %	776,7908 litre	O
330	CM 135	CM 246 LEVEL CM	18067,3012 litre	95,623 %	827,0224 litre	O
330	CM 135	CM 245 LEVEL CM	18016,1161 litre	95,352 %	878,2075 litre	O
330	CM 135	CM 244 LEVEL CM	17964,0033 litre	95,076 %	930,3203 litre	O
330	CM 135	CM 243 LEVEL CM	17910,9871 litre	94,796 %	983,3365 litre	O
330	CM 135	CM 242 LEVEL CM	17857,0908 litre	94,510 %	1037,2328 litre	O
330	CM 135	CM 241 LEVEL CM	17802,3365 litre	94,221 %	1091,9871 litre	O
330	CM 135	CM 240 LEVEL CM	17746,7453 litre	93,926 %	1147,5783 litre	O
330	CM 135	CM 239 LEVEL CM	17690,3374 litre	93,628 %	1203,9862 litre	O
330	CM 135	CM 238 LEVEL CM	17633,1319 litre	93,325 %	1261,1917 litre	O
330	CM 135	CM 237 LEVEL CM	17575,1474 litre	93,018 %	1319,1762 litre	O
330	CM 135	CM 236 LEVEL CM	17516,4016 litre	92,707 %	1377,9220 litre	O
330	CM 135	CM 235 LEVEL CM	17456,9116 litre	92,392 %	1437,4120 litre	O
330	CM 135	CM 234 LEVEL CM	17396,6939 litre	92,074 %	1497,6297 litre	O
330	CM 135	CM 233 LEVEL CM	17335,7641 litre	91,751 %	1558,5595 litre	O
330	CM 135	CM 232 LEVEL CM	17274,1377 litre	91,425 %	1620,1859 litre	O
330	CM 135	CM 231 LEVEL CM	17211,8295 litre	91,095 %	1682,4941 litre	O
330	CM 135	CM 230 LEVEL CM	17148,8536 litre	90,762 %	1745,4700 litre	O
330	CM 135	CM 229 LEVEL CM	17085,2241 litre	90,425 %	1809,0995 litre	O
330	CM 135	CM 228 LEVEL CM	17020,9542 litre	90,085 %	1873,3694 litre	O
330	CM 135	CM 227 LEVEL CM	16956,0571 litre	89,742 %	1938,2665 litre	O
330	CM 135	CM 226 LEVEL CM	16890,5453 litre	89,395 %	2003,7783 litre	O
330	CM 135	CM 225 LEVEL CM	16824,4312 litre	89,045 %	2069,8924 litre	O
330	CM 135	CM 224 LEVEL CM	16757,7268 litre	88,692 %	2136,5968 litre	O
330	CM 135	CM 223 LEVEL CM	16690,4437 litre	88,336 %	2203,8799 litre	O
330	CM 135	CM 222 LEVEL CM	16622,5932 litre	87,977 %	2271,7304 litre	O
330	CM 135	CM 221 LEVEL CM	16554,1865 litre	87,615 %	2340,1371 litre	O
330	CM 135	CM 220 LEVEL CM	16485,2343 litre	87,250 %	2409,0893 litre	O
330	CM 135	CM 219 LEVEL CM	16415,7472 litre	86,882 %	2478,5764 litre	O

330	CM	135	CM	218 LEVEL CM	16345,7355 litre	86,511 %	2548,5881 litre	O
330	CM	135	CM	217 LEVEL CM	16275,2093 litre	86,138 %	2619,1143 litre	O
330	CM	135	CM	216 LEVEL CM	16204,1784 litre	85,762 %	2690,1452 litre	O
330	CM	135	CM	215 LEVEL CM	16132,6524 litre	85,384 %	2761,6712 litre	O
330	CM	135	CM	214 LEVEL CM	16060,6410 litre	85,002 %	2833,6826 litre	O
330	CM	135	CM	213 LEVEL CM	15988,1532 litre	84,619 %	2906,1704 litre	O
330	CM	135	CM	212 LEVEL CM	15915,1982 litre	84,233 %	2979,1254 litre	O
330	CM	135	CM	211 LEVEL CM	15841,7848 litre	83,844 %	3052,5388 litre	O
330	CM	135	CM	210 LEVEL CM	15767,9219 litre	83,453 %	3126,4017 litre	O
330	CM	135	CM	209 LEVEL CM	15693,6180 litre	83,060 %	3200,7056 litre	O
330	CM	135	CM	208 LEVEL CM	15618,8816 litre	82,664 %	3275,4420 litre	O
330	CM	135	CM	207 LEVEL CM	15543,7208 litre	82,267 %	3350,6028 litre	O
330	CM	135	CM	206 LEVEL CM	15468,1440 litre	81,867 %	3426,1796 litre	O
330	CM	135	CM	205 LEVEL CM	15392,1590 litre	81,464 %	3502,1646 litre	O
330	CM	135	CM	204 LEVEL CM	15315,7737 litre	81,060 %	3578,5499 litre	O
330	CM	135	CM	203 LEVEL CM	15238,9960 litre	80,654 %	3655,3276 litre	O
330	CM	135	CM	202 LEVEL CM	15161,8335 litre	80,245 %	3732,4901 litre	O
330	CM	135	CM	201 LEVEL CM	15084,2936 litre	79,835 %	3810,0300 litre	O
330	CM	135	CM	200 LEVEL CM	15006,3839 litre	79,423 %	3887,9397 litre	O
330	CM	135	CM	199 LEVEL CM	14928,1115 litre	79,008 %	3966,2121 litre	O
330	CM	135	CM	198 LEVEL CM	14849,4838 litre	78,592 %	4044,8398 litre	O
330	CM	135	CM	197 LEVEL CM	14770,5079 litre	78,174 %	4123,8157 litre	O
330	CM	135	CM	196 LEVEL CM	14691,1907 litre	77,755 %	4203,1329 litre	O
330	CM	135	CM	195 LEVEL CM	14611,5392 litre	77,333 %	4282,7844 litre	O
330	CM	135	CM	194 LEVEL CM	14531,5603 litre	76,910 %	4362,7633 litre	O
330	CM	135	CM	193 LEVEL CM	14451,2606 litre	76,485 %	4443,0630 litre	O
330	CM	135	CM	192 LEVEL CM	14370,6469 litre	76,058 %	4523,6767 litre	O
330	CM	135	CM	191 LEVEL CM	14289,7259 litre	75,630 %	4604,5977 litre	O
330	CM	135	CM	190 LEVEL CM	14208,5039 litre	75,200 %	4685,8197 litre	O
330	CM	135	CM	189 LEVEL CM	14126,9875 litre	74,768 %	4767,3361 litre	O
330	CM	135	CM	188 LEVEL CM	14045,1830 litre	74,335 %	4849,1406 litre	O
330	CM	135	CM	187 LEVEL CM	13963,0968 litre	73,901 %	4931,2268 litre	O
330	CM	135	CM	186 LEVEL CM	13880,7351 litre	73,465 %	5013,5885 litre	O
330	CM	135	CM	185 LEVEL CM	13798,1041 litre	73,028 %	5096,2195 litre	O
330	CM	135	CM	184 LEVEL CM	13715,2100 litre	72,589 %	5179,1136 litre	O
330	CM	135	CM	183 LEVEL CM	13632,0588 litre	72,149 %	5262,2648 litre	O
330	CM	135	CM	182 LEVEL CM	13548,6564 litre	71,708 %	5345,6672 litre	O
330	CM	135	CM	181 LEVEL CM	13465,0090 litre	71,265 %	5429,3146 litre	O
330	CM	135	CM	180 LEVEL CM	13381,1224 litre	70,821 %	5513,2012 litre	O
330	CM	135	CM	179 LEVEL CM	13297,0024 litre	70,376 %	5597,3212 litre	O
330	CM	135	CM	178 LEVEL CM	13212,6549 litre	69,929 %	5681,6687 litre	O
330	CM	135	CM	177 LEVEL CM	13128,0855 litre	69,482 %	5766,2381 litre	O
330	CM	135	CM	176 LEVEL CM	13043,3002 litre	69,033 %	5851,0234 litre	O
330	CM	135	CM	175 LEVEL CM	12958,3044 litre	68,583 %	5936,0192 litre	O
330	CM	135	CM	174 LEVEL CM	12873,1039 litre	68,132 %	6021,2197 litre	O
330	CM	135	CM	173 LEVEL CM	12787,7043 litre	67,680 %	6106,6193 litre	O
330	CM	135	CM	172 LEVEL CM	12702,1110 litre	67,227 %	6192,2126 litre	O
330	CM	135	CM	171 LEVEL CM	12616,3296 litre	66,773 %	6277,9940 litre	O
330	CM	135	CM	170 LEVEL CM	12530,3657 litre	66,318 %	6363,9579 litre	O
330	CM	135	CM	169 LEVEL CM	12444,2245 litre	65,862 %	6450,0991 litre	O
330	CM	135	CM	168 LEVEL CM	12357,9116 litre	65,405 %	6536,4120 litre	O
330	CM	135	CM	167 LEVEL CM	12271,4323 litre	64,948 %	6622,8913 litre	O
330	CM	135	CM	166 LEVEL CM	12184,7920 litre	64,489 %	6709,5316 litre	O

330	CM	135	CM	165 LEVEL CM	12097,9959 litre	64,030 %	6796,3277 litre	O
330	CM	135	CM	164 LEVEL CM	12011,0494 litre	63,570 %	6883,2742 litre	O
330	CM	135	CM	163 LEVEL CM	11923,9578 litre	63,109 %	6970,3658 litre	O
330	CM	135	CM	162 LEVEL CM	11836,7262 litre	62,647 %	7057,5974 litre	O
330	CM	135	CM	161 LEVEL CM	11749,3599 litre	62,185 %	7144,9637 litre	O
330	CM	135	CM	160 LEVEL CM	11661,8640 litre	61,722 %	7232,4596 litre	O
330	CM	135	CM	159 LEVEL CM	11574,2438 litre	61,258 %	7320,0798 litre	O
330	CM	135	CM	158 LEVEL CM	11486,5043 litre	60,793 %	7407,8193 litre	O
330	CM	135	CM	157 LEVEL CM	11398,6508 litre	60,328 %	7495,6728 litre	O
330	CM	135	CM	156 LEVEL CM	11310,6882 litre	59,863 %	7583,6354 litre	O
330	CM	135	CM	155 LEVEL CM	11222,6217 litre	59,397 %	7671,7019 litre	O
330	CM	135	CM	154 LEVEL CM	11134,4563 litre	58,930 %	7759,8673 litre	O
330	CM	135	CM	153 LEVEL CM	11046,1971 litre	58,463 %	7848,1265 litre	O
330	CM	135	CM	152 LEVEL CM	10957,8490 litre	57,995 %	7936,4746 litre	O
330	CM	135	CM	151 LEVEL CM	10869,4173 litre	57,527 %	8024,9063 litre	O
330	CM	135	CM	150 LEVEL CM	10780,9067 litre	57,059 %	8113,4169 litre	O
330	CM	135	CM	149 LEVEL CM	10692,3223 litre	56,590 %	8202,0013 litre	O
330	CM	135	CM	148 LEVEL CM	10603,6692 litre	56,121 %	8290,6544 litre	O
330	CM	135	CM	147 LEVEL CM	10514,9521 litre	55,651 %	8379,3715 litre	O
330	CM	135	CM	146 LEVEL CM	10426,1762 litre	55,182 %	8468,1474 litre	O
330	CM	135	CM	145 LEVEL CM	10337,3463 litre	54,711 %	8556,9773 litre	O
330	CM	135	CM	144 LEVEL CM	10248,4674 litre	54,241 %	8645,8562 litre	O
330	CM	135	CM	143 LEVEL CM	10159,5444 litre	53,770 %	8734,7792 litre	O
330	CM	135	CM	142 LEVEL CM	10070,5822 litre	53,300 %	8823,7414 litre	O
330	CM	135	CM	141 LEVEL CM	9981,5858 litre	52,828 %	8912,7378 litre	O
330	CM	135	CM	140 LEVEL CM	9892,5599 litre	52,357 %	9001,7637 litre	O
330	CM	135	CM	139 LEVEL CM	9803,5097 litre	51,886 %	9090,8139 litre	O
330	CM	135	CM	138 LEVEL CM	9714,4398 litre	51,415 %	9179,8838 litre	O
330	CM	135	CM	137 LEVEL CM	9625,3553 litre	50,943 %	9268,9683 litre	O
330	CM	135	CM	136 LEVEL CM	9536,2610 litre	50,472 %	9358,0626 litre	O
330	CM	135	CM	135 LEVEL CM	9447,1618 litre	50,000 %	9447,1618 litre	O
330	CM	135	CM	134 LEVEL CM	9358,0626 litre	49,528 %	9536,2610 litre	O
330	CM	135	CM	133 LEVEL CM	9268,9683 litre	49,057 %	9625,3553 litre	O
330	CM	135	CM	132 LEVEL CM	9179,8838 litre	48,585 %	9714,4398 litre	O
330	CM	135	CM	131 LEVEL CM	9090,8140 litre	48,114 %	9803,5096 litre	O
330	CM	135	CM	130 LEVEL CM	9001,7637 litre	47,643 %	9892,5599 litre	O
330	CM	135	CM	129 LEVEL CM	8912,7379 litre	47,172 %	9981,5857 litre	O
330	CM	135	CM	128 LEVEL CM	8823,7414 litre	46,700 %	10070,5822 litre	O
330	CM	135	CM	127 LEVEL CM	8734,7792 litre	46,230 %	10159,5444 litre	O
330	CM	135	CM	126 LEVEL CM	8645,8562 litre	45,759 %	10248,4674 litre	O
330	CM	135	CM	125 LEVEL CM	8556,9773 litre	45,289 %	10337,3463 litre	O
330	CM	135	CM	124 LEVEL CM	8468,1474 litre	44,818 %	10426,1762 litre	O
330	CM	135	CM	123 LEVEL CM	8379,3715 litre	44,349 %	10514,9521 litre	O
330	CM	135	CM	122 LEVEL CM	8290,6545 litre	43,879 %	10603,6691 litre	O
330	CM	135	CM	121 LEVEL CM	8202,0013 litre	43,410 %	10692,3223 litre	O
330	CM	135	CM	120 LEVEL CM	8113,4169 litre	42,941 %	10780,9067 litre	O
330	CM	135	CM	119 LEVEL CM	8024,9064 litre	42,473 %	10869,4172 litre	O
330	CM	135	CM	118 LEVEL CM	7936,4746 litre	42,005 %	10957,8490 litre	O
330	CM	135	CM	117 LEVEL CM	7848,1266 litre	41,537 %	11046,1970 litre	O
330	CM	135	CM	116 LEVEL CM	7759,8673 litre	41,070 %	11134,4563 litre	O
330	CM	135	CM	115 LEVEL CM	7671,7020 litre	40,603 %	11222,6216 litre	O
330	CM	135	CM	114 LEVEL CM	7583,6354 litre	40,137 %	11310,6882 litre	O
330	CM	135	CM	113 LEVEL CM	7495,6729 litre	39,672 %	11398,6507 litre	O

330	CM	135	CM	112 LEVEL CM	7407,8193 litre	39,207 %	11486,5043 litre	O
330	CM	135	CM	111 LEVEL CM	7320,0798 litre	38,742 %	11574,2438 litre	O
330	CM	135	CM	110 LEVEL CM	7232,4596 litre	38,278 %	11661,8640 litre	O
330	CM	135	CM	109 LEVEL CM	7144,9637 litre	37,815 %	11749,3599 litre	O
330	CM	135	CM	108 LEVEL CM	7057,5974 litre	37,353 %	11836,7262 litre	O
330	CM	135	CM	107 LEVEL CM	6970,3659 litre	36,891 %	11923,9577 litre	O
330	CM	135	CM	106 LEVEL CM	6883,2742 litre	36,430 %	12011,0494 litre	O
330	CM	135	CM	105 LEVEL CM	6796,3277 litre	35,970 %	12097,9959 litre	O
330	CM	135	CM	104 LEVEL CM	6709,5317 litre	35,511 %	12184,7919 litre	O
330	CM	135	CM	103 LEVEL CM	6622,8913 litre	35,052 %	12271,4323 litre	O
330	CM	135	CM	102 LEVEL CM	6536,4120 litre	34,595 %	12357,9116 litre	O
330	CM	135	CM	101 LEVEL CM	6450,0991 litre	34,138 %	12444,2245 litre	O
330	CM	135	CM	100 LEVEL CM	6363,9580 litre	33,682 %	12530,3656 litre	O
330	CM	135	CM	99 LEVEL CM	6277,9940 litre	33,227 %	12616,3296 litre	O
330	CM	135	CM	98 LEVEL CM	6192,2126 litre	32,773 %	12702,1110 litre	O
330	CM	135	CM	97 LEVEL CM	6106,6193 litre	32,320 %	12787,7043 litre	O
330	CM	135	CM	96 LEVEL CM	6021,2197 litre	31,868 %	12873,1039 litre	O
330	CM	135	CM	95 LEVEL CM	5936,0192 litre	31,417 %	12958,3044 litre	O
330	CM	135	CM	94 LEVEL CM	5851,0234 litre	30,967 %	13043,3002 litre	O
330	CM	135	CM	93 LEVEL CM	5766,2381 litre	30,518 %	13128,0855 litre	O
330	CM	135	CM	92 LEVEL CM	5681,6688 litre	30,071 %	13212,6548 litre	O
330	CM	135	CM	91 LEVEL CM	5597,3212 litre	29,624 %	13297,0024 litre	O
330	CM	135	CM	90 LEVEL CM	5513,2012 litre	29,179 %	13381,1224 litre	O
330	CM	135	CM	89 LEVEL CM	5429,3146 litre	28,735 %	13465,0090 litre	O
330	CM	135	CM	88 LEVEL CM	5345,6672 litre	28,292 %	13548,6564 litre	O
330	CM	135	CM	87 LEVEL CM	5262,2649 litre	27,851 %	13632,0587 litre	O
330	CM	135	CM	86 LEVEL CM	5179,1136 litre	27,411 %	13715,2100 litre	O
330	CM	135	CM	85 LEVEL CM	5096,2195 litre	26,972 %	13798,1041 litre	O
330	CM	135	CM	84 LEVEL CM	5013,5885 litre	26,535 %	13880,7351 litre	O
330	CM	135	CM	83 LEVEL CM	4931,2268 litre	26,099 %	13963,0968 litre	O
330	CM	135	CM	82 LEVEL CM	4849,1406 litre	25,665 %	14045,1830 litre	O
330	CM	135	CM	81 LEVEL CM	4767,3361 litre	25,232 %	14126,9875 litre	O
330	CM	135	CM	80 LEVEL CM	4685,8197 litre	24,800 %	14208,5039 litre	O
330	CM	135	CM	79 LEVEL CM	4604,5978 litre	24,370 %	14289,7258 litre	O
330	CM	135	CM	78 LEVEL CM	4523,6767 litre	23,942 %	14370,6469 litre	O
330	CM	135	CM	77 LEVEL CM	4443,0630 litre	23,515 %	14451,2606 litre	O
330	CM	135	CM	76 LEVEL CM	4362,7634 litre	23,090 %	14531,5602 litre	O
330	CM	135	CM	75 LEVEL CM	4282,7844 litre	22,667 %	14611,5392 litre	O
330	CM	135	CM	74 LEVEL CM	4203,1329 litre	22,245 %	14691,1907 litre	O
330	CM	135	CM	73 LEVEL CM	4123,8157 litre	21,826 %	14770,5079 litre	O
330	CM	135	CM	72 LEVEL CM	4044,8398 litre	21,408 %	14849,4838 litre	O
330	CM	135	CM	71 LEVEL CM	3966,2121 litre	20,992 %	14928,1115 litre	O
330	CM	135	CM	70 LEVEL CM	3887,9398 litre	20,577 %	15006,3838 litre	O
330	CM	135	CM	69 LEVEL CM	3810,0300 litre	20,165 %	15084,2936 litre	O
330	CM	135	CM	68 LEVEL CM	3732,4901 litre	19,755 %	15161,8335 litre	O
330	CM	135	CM	67 LEVEL CM	3655,3276 litre	19,346 %	15238,9960 litre	O
330	CM	135	CM	66 LEVEL CM	3578,5499 litre	18,940 %	15315,7737 litre	O
330	CM	135	CM	65 LEVEL CM	3502,1646 litre	18,536 %	15392,1590 litre	O
330	CM	135	CM	64 LEVEL CM	3426,1796 litre	18,133 %	15468,1440 litre	O
330	CM	135	CM	63 LEVEL CM	3350,6028 litre	17,733 %	15543,7208 litre	O
330	CM	135	CM	62 LEVEL CM	3275,4420 litre	17,336 %	15618,8816 litre	O
330	CM	135	CM	61 LEVEL CM	3200,7056 litre	16,940 %	15693,6180 litre	O
330	CM	135	CM	60 LEVEL CM	3126,4017 litre	16,547 %	15767,9219 litre	O

330	CM	135	CM	59 LEVEL CM	3052,5388 litre	16,156 %	15841,7848 litre	O
330	CM	135	CM	58 LEVEL CM	2979,1255 litre	15,767 %	15915,1981 litre	O
330	CM	135	CM	57 LEVEL CM	2906,1704 litre	15,381 %	15988,1532 litre	O
330	CM	135	CM	56 LEVEL CM	2833,6827 litre	14,998 %	16060,6409 litre	O
330	CM	135	CM	55 LEVEL CM	2761,6712 litre	14,616 %	16132,6524 litre	O
330	CM	135	CM	54 LEVEL CM	2690,1453 litre	14,238 %	16204,1783 litre	O
330	CM	135	CM	53 LEVEL CM	2619,1144 litre	13,862 %	16275,2092 litre	O
330	CM	135	CM	52 LEVEL CM	2548,5881 litre	13,489 %	16345,7355 litre	O
330	CM	135	CM	51 LEVEL CM	2478,5764 litre	13,118 %	16415,7472 litre	O
330	CM	135	CM	50 LEVEL CM	2409,0893 litre	12,750 %	16485,2343 litre	O
330	CM	135	CM	49 LEVEL CM	2340,1371 litre	12,385 %	16554,1865 litre	O
330	CM	135	CM	48 LEVEL CM	2271,7304 litre	12,023 %	16622,5932 litre	O
330	CM	135	CM	47 LEVEL CM	2203,8799 litre	11,664 %	16690,4437 litre	O
330	CM	135	CM	46 LEVEL CM	2136,5968 litre	11,308 %	16757,7268 litre	O
330	CM	135	CM	45 LEVEL CM	2069,8924 litre	10,955 %	16824,4312 litre	O
330	CM	135	CM	44 LEVEL CM	2003,7783 litre	10,605 %	16890,5453 litre	O
330	CM	135	CM	43 LEVEL CM	1938,2666 litre	10,258 %	16956,0570 litre	O
330	CM	135	CM	42 LEVEL CM	1873,3694 litre	9,915 %	17020,9542 litre	O
330	CM	135	CM	41 LEVEL CM	1809,0996 litre	9,575 %	17085,2240 litre	O
330	CM	135	CM	40 LEVEL CM	1745,4700 litre	9,238 %	17148,8536 litre	O
330	CM	135	CM	39 LEVEL CM	1682,4941 litre	8,905 %	17211,8295 litre	O
330	CM	135	CM	38 LEVEL CM	1620,1859 litre	8,575 %	17274,1377 litre	O
330	CM	135	CM	37 LEVEL CM	1558,5595 litre	8,249 %	17335,7641 litre	O
330	CM	135	CM	36 LEVEL CM	1497,6298 litre	7,926 %	17396,6938 litre	O
330	CM	135	CM	35 LEVEL CM	1437,4120 litre	7,608 %	17456,9116 litre	O
330	CM	135	CM	34 LEVEL CM	1377,9220 litre	7,293 %	17516,4016 litre	O
330	CM	135	CM	33 LEVEL CM	1319,1762 litre	6,982 %	17575,1474 litre	O
330	CM	135	CM	32 LEVEL CM	1261,1917 litre	6,675 %	17633,1319 litre	O
330	CM	135	CM	31 LEVEL CM	1203,9862 litre	6,372 %	17690,3374 litre	O
330	CM	135	CM	30 LEVEL CM	1147,5783 litre	6,074 %	17746,7453 litre	O
330	CM	135	CM	29 LEVEL CM	1091,9871 litre	5,779 %	17802,3365 litre	O
330	CM	135	CM	28 LEVEL CM	1037,2328 litre	5,490 %	17857,0908 litre	O
330	CM	135	CM	27 LEVEL CM	983,3365 litre	5,204 %	17910,9871 litre	O
330	CM	135	CM	26 LEVEL CM	930,3204 litre	4,924 %	17964,0032 litre	O
330	CM	135	CM	25 LEVEL CM	878,2075 litre	4,648 %	18016,1161 litre	O
330	CM	135	CM	24 LEVEL CM	827,0224 litre	4,377 %	18067,3012 litre	O
330	CM	135	CM	23 LEVEL CM	776,7908 litre	4,111 %	18117,5328 litre	O
330	CM	135	CM	22 LEVEL CM	727,5402 litre	3,851 %	18166,7834 litre	O
330	CM	135	CM	21 LEVEL CM	679,2993 litre	3,595 %	18215,0243 litre	O
330	CM	135	CM	20 LEVEL CM	632,0992 litre	3,345 %	18262,2244 litre	O
330	CM	135	CM	19 LEVEL CM	585,9726 litre	3,101 %	18308,3510 litre	O
330	CM	135	CM	18 LEVEL CM	540,9549 litre	2,863 %	18353,3687 litre	O
330	CM	135	CM	17 LEVEL CM	497,0839 litre	2,631 %	18397,2397 litre	O
330	CM	135	CM	16 LEVEL CM	454,4008 litre	2,405 %	18439,9228 litre	O
330	CM	135	CM	15 LEVEL CM	412,9501 litre	2,186 %	18481,3735 litre	O
330	CM	135	CM	14 LEVEL CM	372,7803 litre	1,973 %	18521,5433 litre	O
330	CM	135	CM	13 LEVEL CM	333,9450 litre	1,767 %	18560,3786 litre	O
330	CM	135	CM	12 LEVEL CM	296,5033 litre	1,569 %	18597,8203 litre	O
330	CM	135	CM	11 LEVEL CM	260,5212 litre	1,379 %	18633,8024 litre	O
330	CM	135	CM	10 LEVEL CM	226,0733 litre	1,197 %	18668,2503 litre	O
330	CM	135	CM	9 LEVEL CM	193,2445 litre	1,023 %	18701,0791 litre	O
330	CM	135	CM	8 LEVEL CM	162,1329 litre	0,858 %	18732,1907 litre	O
330	CM	135	CM	7 LEVEL CM	132,8540 litre	0,703 %	18761,4696 litre	O

330	CM	135	CM	6 LEVEL CM	105,5467 litre	0,559 %	18788,7769 litre	O
330	CM	135	CM	5 LEVEL CM	80,3826 litre	0,425 %	18813,9410 litre	O
330	CM	135	CM	4 LEVEL CM	57,5818 litre	0,305 %	18836,7418 litre	O
330	CM	135	CM	3 LEVEL CM	37,4424 litre	0,198 %	18856,8812 litre	O
330	CM	135	CM	2 LEVEL CM	20,4038 litre	0,108 %	18873,9198 litre	O
330	CM	135	CM	1 LEVEL CM	7,2219 litre	0,038 %	18887,1017 litre	O
330	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	18894,3236 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 130	CM 260 LEVEL CM	17520,6622 litre	100,000 %	0,0000 litre	O
330	CM 130	CM 259 LEVEL CM	17513,5756 litre	99,960 %	7,0866 litre	O
330	CM 130	CM 258 LEVEL CM	17500,6415 litre	99,886 %	20,0207 litre	O
330	CM 130	CM 257 LEVEL CM	17483,9245 litre	99,790 %	36,7377 litre	O
330	CM 130	CM 256 LEVEL CM	17464,1666 litre	99,678 %	56,4956 litre	O
330	CM 130	CM 255 LEVEL CM	17441,7993 litre	99,550 %	78,8629 litre	O
330	CM 130	CM 254 LEVEL CM	17417,1155 litre	99,409 %	103,5467 litre	O
330	CM 130	CM 253 LEVEL CM	17390,3314 litre	99,256 %	130,3308 litre	O
330	CM 130	CM 252 LEVEL CM	17361,6156 litre	99,092 %	159,0466 litre	O
330	CM 130	CM 251 LEVEL CM	17331,1047 litre	98,918 %	189,5575 litre	O
330	CM 130	CM 250 LEVEL CM	17298,9122 litre	98,734 %	221,7500 litre	O
330	CM 130	CM 249 LEVEL CM	17265,1345 litre	98,542 %	255,5277 litre	O
330	CM 130	CM 248 LEVEL CM	17229,8553 litre	98,340 %	290,8069 litre	O
330	CM 130	CM 247 LEVEL CM	17193,1478 litre	98,131 %	327,5144 litre	O
330	CM 130	CM 246 LEVEL CM	17155,0771 litre	97,913 %	365,5851 litre	O
330	CM 130	CM 245 LEVEL CM	17115,7013 litre	97,689 %	404,9609 litre	O
330	CM 130	CM 244 LEVEL CM	17075,0730 litre	97,457 %	445,5892 litre	O
330	CM 130	CM 243 LEVEL CM	17033,2403 litre	97,218 %	487,4219 litre	O
330	CM 130	CM 242 LEVEL CM	16990,2469 litre	96,973 %	530,4153 litre	O
330	CM 130	CM 241 LEVEL CM	16946,1332 litre	96,721 %	574,5290 litre	O
330	CM 130	CM 240 LEVEL CM	16900,9367 litre	96,463 %	619,7255 litre	O
330	CM 130	CM 239 LEVEL CM	16854,6921 litre	96,199 %	665,9701 litre	O
330	CM 130	CM 238 LEVEL CM	16807,4319 litre	95,929 %	713,2303 litre	O
330	CM 130	CM 237 LEVEL CM	16759,1865 litre	95,654 %	761,4757 litre	O
330	CM 130	CM 236 LEVEL CM	16709,9844 litre	95,373 %	810,6778 litre	O
330	CM 130	CM 235 LEVEL CM	16659,8526 litre	95,087 %	860,8096 litre	O
330	CM 130	CM 234 LEVEL CM	16608,8165 litre	94,796 %	911,8457 litre	O
330	CM 130	CM 233 LEVEL CM	16556,9004 litre	94,499 %	963,7618 litre	O
330	CM 130	CM 232 LEVEL CM	16504,1271 litre	94,198 %	1016,5351 litre	O
330	CM 130	CM 231 LEVEL CM	16450,5185 litre	93,892 %	1070,1437 litre	O
330	CM 130	CM 230 LEVEL CM	16396,0953 litre	93,581 %	1124,5669 litre	O
330	CM 130	CM 229 LEVEL CM	16340,8775 litre	93,266 %	1179,7847 litre	O
330	CM 130	CM 228 LEVEL CM	16284,8842 litre	92,947 %	1235,7780 litre	O
330	CM 130	CM 227 LEVEL CM	16228,1335 litre	92,623 %	1292,5287 litre	O
330	CM 130	CM 226 LEVEL CM	16170,6432 litre	92,295 %	1350,0190 litre	O
330	CM 130	CM 225 LEVEL CM	16112,4299 litre	91,962 %	1408,2323 litre	O
330	CM 130	CM 224 LEVEL CM	16053,5101 litre	91,626 %	1467,1521 litre	O
330	CM 130	CM 223 LEVEL CM	15993,8994 litre	91,286 %	1526,7628 litre	O
330	CM 130	CM 222 LEVEL CM	15933,6128 litre	90,942 %	1587,0494 litre	O
330	CM 130	CM 221 LEVEL CM	15872,6652 litre	90,594 %	1647,9970 litre	O
330	CM 130	CM 220 LEVEL CM	15811,0706 litre	90,242 %	1709,5916 litre	O
330	CM 130	CM 219 LEVEL CM	15748,8427 litre	89,887 %	1771,8195 litre	O
330	CM 130	CM 218 LEVEL CM	15685,9949 litre	89,529 %	1834,6673 litre	O
330	CM 130	CM 217 LEVEL CM	15622,5401 litre	89,166 %	1898,1221 litre	O
330	CM 130	CM 216 LEVEL CM	15558,4909 litre	88,801 %	1962,1713 litre	O
330	CM 130	CM 215 LEVEL CM	15493,8594 litre	88,432 %	2026,8028 litre	O
330	CM 130	CM 214 LEVEL CM	15428,6575 litre	88,060 %	2092,0047 litre	O
330	CM 130	CM 213 LEVEL CM	15362,8968 litre	87,684 %	2157,7654 litre	O
330	CM 130	CM 212 LEVEL CM	15296,5886 litre	87,306 %	2224,0736 litre	O
330	CM 130	CM 211 LEVEL CM	15229,7439 litre	86,924 %	2290,9183 litre	O
330	CM 130	CM 210 LEVEL CM	15162,3734 litre	86,540 %	2358,2888 litre	O
330	CM 130	CM 209 LEVEL CM	15094,4876 litre	86,152 %	2426,1746 litre	O

330	CM	130	CM	208 LEVEL CM	15026,0968 litre	85,762 %	2494,5654 litre	O
330	CM	130	CM	207 LEVEL CM	14957,2109 litre	85,369 %	2563,4513 litre	O
330	CM	130	CM	206 LEVEL CM	14887,8399 litre	84,973 %	2632,8223 litre	O
330	CM	130	CM	205 LEVEL CM	14817,9932 litre	84,574 %	2702,6690 litre	O
330	CM	130	CM	204 LEVEL CM	14747,6804 litre	84,173 %	2772,9818 litre	O
330	CM	130	CM	203 LEVEL CM	14676,9106 litre	83,769 %	2843,7516 litre	O
330	CM	130	CM	202 LEVEL CM	14605,6928 litre	83,363 %	2914,9694 litre	O
330	CM	130	CM	201 LEVEL CM	14534,0361 litre	82,954 %	2986,6261 litre	O
330	CM	130	CM	200 LEVEL CM	14461,9490 litre	82,542 %	3058,7132 litre	O
330	CM	130	CM	199 LEVEL CM	14389,4401 litre	82,128 %	3131,2221 litre	O
330	CM	130	CM	198 LEVEL CM	14316,5179 litre	81,712 %	3204,1443 litre	O
330	CM	130	CM	197 LEVEL CM	14243,1907 litre	81,294 %	3277,4715 litre	O
330	CM	130	CM	196 LEVEL CM	14169,4665 litre	80,873 %	3351,1957 litre	O
330	CM	130	CM	195 LEVEL CM	14095,3533 litre	80,450 %	3425,3089 litre	O
330	CM	130	CM	194 LEVEL CM	14020,8591 litre	80,025 %	3499,8031 litre	O
330	CM	130	CM	193 LEVEL CM	13945,9916 litre	79,597 %	3574,6706 litre	O
330	CM	130	CM	192 LEVEL CM	13870,7584 litre	79,168 %	3649,9038 litre	O
330	CM	130	CM	191 LEVEL CM	13795,1671 litre	78,737 %	3725,4951 litre	O
330	CM	130	CM	190 LEVEL CM	13719,2251 litre	78,303 %	3801,4371 litre	O
330	CM	130	CM	189 LEVEL CM	13642,9397 litre	77,868 %	3877,7225 litre	O
330	CM	130	CM	188 LEVEL CM	13566,3182 litre	77,430 %	3954,3440 litre	O
330	CM	130	CM	187 LEVEL CM	13489,3676 litre	76,991 %	4031,2946 litre	O
330	CM	130	CM	186 LEVEL CM	13412,0950 litre	76,550 %	4108,5672 litre	O
330	CM	130	CM	185 LEVEL CM	13334,5074 litre	76,107 %	4186,1548 litre	O
330	CM	130	CM	184 LEVEL CM	13256,6116 litre	75,663 %	4264,0506 litre	O
330	CM	130	CM	183 LEVEL CM	13178,4144 litre	75,216 %	4342,2478 litre	O
330	CM	130	CM	182 LEVEL CM	13099,9225 litre	74,768 %	4420,7397 litre	O
330	CM	130	CM	181 LEVEL CM	13021,1426 litre	74,319 %	4499,5196 litre	O
330	CM	130	CM	180 LEVEL CM	12942,0812 litre	73,868 %	4578,5810 litre	O
330	CM	130	CM	179 LEVEL CM	12862,7448 litre	73,415 %	4657,9174 litre	O
330	CM	130	CM	178 LEVEL CM	12783,1398 litre	72,960 %	4737,5224 litre	O
330	CM	130	CM	177 LEVEL CM	12703,2725 litre	72,505 %	4817,3897 litre	O
330	CM	130	CM	176 LEVEL CM	12623,1493 litre	72,047 %	4897,5129 litre	O
330	CM	130	CM	175 LEVEL CM	12542,7765 litre	71,588 %	4977,8857 litre	O
330	CM	130	CM	174 LEVEL CM	12462,1601 litre	71,128 %	5058,5021 litre	O
330	CM	130	CM	173 LEVEL CM	12381,3063 litre	70,667 %	5139,3559 litre	O
330	CM	130	CM	172 LEVEL CM	12300,2212 litre	70,204 %	5220,4410 litre	O
330	CM	130	CM	171 LEVEL CM	12218,9107 litre	69,740 %	5301,7515 litre	O
330	CM	130	CM	170 LEVEL CM	12137,3810 litre	69,275 %	5383,2812 litre	O
330	CM	130	CM	169 LEVEL CM	12055,6377 litre	68,808 %	5465,0245 litre	O
330	CM	130	CM	168 LEVEL CM	11973,6869 litre	68,340 %	5546,9753 litre	O
330	CM	130	CM	167 LEVEL CM	11891,5344 litre	67,871 %	5629,1278 litre	O
330	CM	130	CM	166 LEVEL CM	11809,1859 litre	67,401 %	5711,4763 litre	O
330	CM	130	CM	165 LEVEL CM	11726,6472 litre	66,930 %	5794,0150 litre	O
330	CM	130	CM	164 LEVEL CM	11643,9240 litre	66,458 %	5876,7382 litre	O
330	CM	130	CM	163 LEVEL CM	11561,0220 litre	65,985 %	5959,6402 litre	O
330	CM	130	CM	162 LEVEL CM	11477,9467 litre	65,511 %	6042,7155 litre	O
330	CM	130	CM	161 LEVEL CM	11394,7038 litre	65,036 %	6125,9584 litre	O
330	CM	130	CM	160 LEVEL CM	11311,2989 litre	64,560 %	6209,3633 litre	O
330	CM	130	CM	159 LEVEL CM	11227,7374 litre	64,083 %	6292,9248 litre	O
330	CM	130	CM	158 LEVEL CM	11144,0249 litre	63,605 %	6376,6373 litre	O
330	CM	130	CM	157 LEVEL CM	11060,1668 litre	63,126 %	6460,4954 litre	O
330	CM	130	CM	156 LEVEL CM	10976,1686 litre	62,647 %	6544,4936 litre	O

330	CM	130	CM	155 LEVEL CM	10892,0356 litre	62,167 %	6628,6266 litre	O
330	CM	130	CM	154 LEVEL CM	10807,7733 litre	61,686 %	6712,8889 litre	O
330	CM	130	CM	153 LEVEL CM	10723,3871 litre	61,204 %	6797,2751 litre	O
330	CM	130	CM	152 LEVEL CM	10638,8822 litre	60,722 %	6881,7800 litre	O
330	CM	130	CM	151 LEVEL CM	10554,2639 litre	60,239 %	6966,3983 litre	O
330	CM	130	CM	150 LEVEL CM	10469,5376 litre	59,755 %	7051,1246 litre	O
330	CM	130	CM	149 LEVEL CM	10384,7086 litre	59,271 %	7135,9536 litre	O
330	CM	130	CM	148 LEVEL CM	10299,7821 litre	58,786 %	7220,8801 litre	O
330	CM	130	CM	147 LEVEL CM	10214,7632 litre	58,301 %	7305,8990 litre	O
330	CM	130	CM	146 LEVEL CM	10129,6574 litre	57,815 %	7391,0048 litre	O
330	CM	130	CM	145 LEVEL CM	10044,4696 litre	57,329 %	7476,1926 litre	O
330	CM	130	CM	144 LEVEL CM	9959,2052 litre	56,843 %	7561,4570 litre	O
330	CM	130	CM	143 LEVEL CM	9873,8693 litre	56,356 %	7646,7929 litre	O
330	CM	130	CM	142 LEVEL CM	9788,4671 litre	55,868 %	7732,1951 litre	O
330	CM	130	CM	141 LEVEL CM	9703,0037 litre	55,380 %	7817,6585 litre	O
330	CM	130	CM	140 LEVEL CM	9617,4842 litre	54,892 %	7903,1780 litre	O
330	CM	130	CM	139 LEVEL CM	9531,9138 litre	54,404 %	7988,7484 litre	O
330	CM	130	CM	138 LEVEL CM	9446,2976 litre	53,915 %	8074,3646 litre	O
330	CM	130	CM	137 LEVEL CM	9360,6408 litre	53,426 %	8160,0214 litre	O
330	CM	130	CM	136 LEVEL CM	9274,9483 litre	52,937 %	8245,7139 litre	O
330	CM	130	CM	135 LEVEL CM	9189,2253 litre	52,448 %	8331,4369 litre	O
330	CM	130	CM	134 LEVEL CM	9103,4770 litre	51,959 %	8417,1852 litre	O
330	CM	130	CM	133 LEVEL CM	9017,7083 litre	51,469 %	8502,9539 litre	O
330	CM	130	CM	132 LEVEL CM	8931,9243 litre	50,979 %	8588,7379 litre	O
330	CM	130	CM	131 LEVEL CM	8846,1303 litre	50,490 %	8674,5319 litre	O
330	CM	130	CM	130 LEVEL CM	8760,3311 litre	50,000 %	8760,3311 litre	O
330	CM	130	CM	129 LEVEL CM	8674,5320 litre	49,510 %	8846,1302 litre	O
330	CM	130	CM	128 LEVEL CM	8588,7379 litre	49,021 %	8931,9243 litre	O
330	CM	130	CM	127 LEVEL CM	8502,9540 litre	48,531 %	9017,7082 litre	O
330	CM	130	CM	126 LEVEL CM	8417,1853 litre	48,041 %	9103,4769 litre	O
330	CM	130	CM	125 LEVEL CM	8331,4369 litre	47,552 %	9189,2253 litre	O
330	CM	130	CM	124 LEVEL CM	8245,7139 litre	47,063 %	9274,9483 litre	O
330	CM	130	CM	123 LEVEL CM	8160,0215 litre	46,574 %	9360,6407 litre	O
330	CM	130	CM	122 LEVEL CM	8074,3646 litre	46,085 %	9446,2976 litre	O
330	CM	130	CM	121 LEVEL CM	7988,7484 litre	45,596 %	9531,9138 litre	O
330	CM	130	CM	120 LEVEL CM	7903,1780 litre	45,108 %	9617,4842 litre	O
330	CM	130	CM	119 LEVEL CM	7817,6586 litre	44,620 %	9703,0036 litre	O
330	CM	130	CM	118 LEVEL CM	7732,1951 litre	44,132 %	9788,4671 litre	O
330	CM	130	CM	117 LEVEL CM	7646,7929 litre	43,644 %	9873,8693 litre	O
330	CM	130	CM	116 LEVEL CM	7561,4570 litre	43,157 %	9959,2052 litre	O
330	CM	130	CM	115 LEVEL CM	7476,1926 litre	42,671 %	10044,4696 litre	O
330	CM	130	CM	114 LEVEL CM	7391,0049 litre	42,185 %	10129,6573 litre	O
330	CM	130	CM	113 LEVEL CM	7305,8990 litre	41,699 %	10214,7632 litre	O
330	CM	130	CM	112 LEVEL CM	7220,8802 litre	41,214 %	10299,7820 litre	O
330	CM	130	CM	111 LEVEL CM	7135,9536 litre	40,729 %	10384,7086 litre	O
330	CM	130	CM	110 LEVEL CM	7051,1246 litre	40,245 %	10469,5376 litre	O
330	CM	130	CM	109 LEVEL CM	6966,3983 litre	39,761 %	10554,2639 litre	O
330	CM	130	CM	108 LEVEL CM	6881,7801 litre	39,278 %	10638,8821 litre	O
330	CM	130	CM	107 LEVEL CM	6797,2752 litre	38,796 %	10723,3870 litre	O
330	CM	130	CM	106 LEVEL CM	6712,8889 litre	38,314 %	10807,7733 litre	O
330	CM	130	CM	105 LEVEL CM	6628,6266 litre	37,833 %	10892,0356 litre	O
330	CM	130	CM	104 LEVEL CM	6544,4936 litre	37,353 %	10976,1686 litre	O
330	CM	130	CM	103 LEVEL CM	6460,4954 litre	36,874 %	11060,1668 litre	O

330	CM	130	CM	102 LEVEL CM	6376,6373 litre	36,395 %	11144,0249 litre	O
330	CM	130	CM	101 LEVEL CM	6292,9248 litre	35,917 %	11227,7374 litre	O
330	CM	130	CM	100 LEVEL CM	6209,3633 litre	35,440 %	11311,2989 litre	O
330	CM	130	CM	99 LEVEL CM	6125,9584 litre	34,964 %	11394,7038 litre	O
330	CM	130	CM	98 LEVEL CM	6042,7155 litre	34,489 %	11477,9467 litre	O
330	CM	130	CM	97 LEVEL CM	5959,6402 litre	34,015 %	11561,0220 litre	O
330	CM	130	CM	96 LEVEL CM	5876,7382 litre	33,542 %	11643,9240 litre	O
330	CM	130	CM	95 LEVEL CM	5794,0150 litre	33,070 %	11726,6472 litre	O
330	CM	130	CM	94 LEVEL CM	5711,4763 litre	32,599 %	11809,1859 litre	O
330	CM	130	CM	93 LEVEL CM	5629,1278 litre	32,129 %	11891,5344 litre	O
330	CM	130	CM	92 LEVEL CM	5546,9753 litre	31,660 %	11973,6869 litre	O
330	CM	130	CM	91 LEVEL CM	5465,0245 litre	31,192 %	12055,6377 litre	O
330	CM	130	CM	90 LEVEL CM	5383,2813 litre	30,725 %	12137,3809 litre	O
330	CM	130	CM	89 LEVEL CM	5301,7515 litre	30,260 %	12218,9107 litre	O
330	CM	130	CM	88 LEVEL CM	5220,4410 litre	29,796 %	12300,2212 litre	O
330	CM	130	CM	87 LEVEL CM	5139,3559 litre	29,333 %	12381,3063 litre	O
330	CM	130	CM	86 LEVEL CM	5058,5021 litre	28,872 %	12462,1601 litre	O
330	CM	130	CM	85 LEVEL CM	4977,8858 litre	28,412 %	12542,7764 litre	O
330	CM	130	CM	84 LEVEL CM	4897,5129 litre	27,953 %	12623,1493 litre	O
330	CM	130	CM	83 LEVEL CM	4817,3897 litre	27,495 %	12703,2725 litre	O
330	CM	130	CM	82 LEVEL CM	4737,5225 litre	27,040 %	12783,1397 litre	O
330	CM	130	CM	81 LEVEL CM	4657,9175 litre	26,585 %	12862,7447 litre	O
330	CM	130	CM	80 LEVEL CM	4578,5810 litre	26,132 %	12942,0812 litre	O
330	CM	130	CM	79 LEVEL CM	4499,5196 litre	25,681 %	13021,1426 litre	O
330	CM	130	CM	78 LEVEL CM	4420,7397 litre	25,232 %	13099,9225 litre	O
330	CM	130	CM	77 LEVEL CM	4342,2478 litre	24,784 %	13178,4144 litre	O
330	CM	130	CM	76 LEVEL CM	4264,0506 litre	24,337 %	13256,6116 litre	O
330	CM	130	CM	75 LEVEL CM	4186,1548 litre	23,893 %	13334,5074 litre	O
330	CM	130	CM	74 LEVEL CM	4108,5672 litre	23,450 %	13412,0950 litre	O
330	CM	130	CM	73 LEVEL CM	4031,2946 litre	23,009 %	13489,3676 litre	O
330	CM	130	CM	72 LEVEL CM	3954,3441 litre	22,570 %	13566,3181 litre	O
330	CM	130	CM	71 LEVEL CM	3877,7225 litre	22,132 %	13642,9397 litre	O
330	CM	130	CM	70 LEVEL CM	3801,4371 litre	21,697 %	13719,2251 litre	O
330	CM	130	CM	69 LEVEL CM	3725,4951 litre	21,263 %	13795,1671 litre	O
330	CM	130	CM	68 LEVEL CM	3649,9038 litre	20,832 %	13870,7584 litre	O
330	CM	130	CM	67 LEVEL CM	3574,6706 litre	20,403 %	13945,9916 litre	O
330	CM	130	CM	66 LEVEL CM	3499,8031 litre	19,975 %	14020,8591 litre	O
330	CM	130	CM	65 LEVEL CM	3425,3089 litre	19,550 %	14095,3533 litre	O
330	CM	130	CM	64 LEVEL CM	3351,1958 litre	19,127 %	14169,4664 litre	O
330	CM	130	CM	63 LEVEL CM	3277,4716 litre	18,706 %	14243,1906 litre	O
330	CM	130	CM	62 LEVEL CM	3204,1443 litre	18,288 %	14316,5179 litre	O
330	CM	130	CM	61 LEVEL CM	3131,2221 litre	17,872 %	14389,4401 litre	O
330	CM	130	CM	60 LEVEL CM	3058,7133 litre	17,458 %	14461,9489 litre	O
330	CM	130	CM	59 LEVEL CM	2986,6262 litre	17,046 %	14534,0360 litre	O
330	CM	130	CM	58 LEVEL CM	2914,9694 litre	16,637 %	14605,6928 litre	O
330	CM	130	CM	57 LEVEL CM	2843,7517 litre	16,231 %	14676,9105 litre	O
330	CM	130	CM	56 LEVEL CM	2772,9819 litre	15,827 %	14747,6803 litre	O
330	CM	130	CM	55 LEVEL CM	2702,6690 litre	15,426 %	14817,9932 litre	O
330	CM	130	CM	54 LEVEL CM	2632,8223 litre	15,027 %	14887,8399 litre	O
330	CM	130	CM	53 LEVEL CM	2563,4513 litre	14,631 %	14957,2109 litre	O
330	CM	130	CM	52 LEVEL CM	2494,5654 litre	14,238 %	15026,0968 litre	O
330	CM	130	CM	51 LEVEL CM	2426,1746 litre	13,848 %	15094,4876 litre	O
330	CM	130	CM	50 LEVEL CM	2358,2888 litre	13,460 %	15162,3734 litre	O

330	CM	130	CM	49 LEVEL CM	2290,9183 litre	13,076 %	15229,7439 litre	O
330	CM	130	CM	48 LEVEL CM	2224,0736 litre	12,694 %	15296,5886 litre	O
330	CM	130	CM	47 LEVEL CM	2157,7654 litre	12,316 %	15362,8968 litre	O
330	CM	130	CM	46 LEVEL CM	2092,0047 litre	11,940 %	15428,6575 litre	O
330	CM	130	CM	45 LEVEL CM	2026,8028 litre	11,568 %	15493,8594 litre	O
330	CM	130	CM	44 LEVEL CM	1962,1713 litre	11,199 %	15558,4909 litre	O
330	CM	130	CM	43 LEVEL CM	1898,1221 litre	10,834 %	15622,5401 litre	O
330	CM	130	CM	42 LEVEL CM	1834,6673 litre	10,471 %	15685,9949 litre	O
330	CM	130	CM	41 LEVEL CM	1771,8195 litre	10,113 %	15748,8427 litre	O
330	CM	130	CM	40 LEVEL CM	1709,5916 litre	9,758 %	15811,0706 litre	O
330	CM	130	CM	39 LEVEL CM	1647,9970 litre	9,406 %	15872,6652 litre	O
330	CM	130	CM	38 LEVEL CM	1587,0494 litre	9,058 %	15933,6128 litre	O
330	CM	130	CM	37 LEVEL CM	1526,7629 litre	8,714 %	15993,8993 litre	O
330	CM	130	CM	36 LEVEL CM	1467,1521 litre	8,374 %	16053,5101 litre	O
330	CM	130	CM	35 LEVEL CM	1408,2323 litre	8,038 %	16112,4299 litre	O
330	CM	130	CM	34 LEVEL CM	1350,0191 litre	7,705 %	16170,6431 litre	O
330	CM	130	CM	33 LEVEL CM	1292,5287 litre	7,377 %	16228,1335 litre	O
330	CM	130	CM	32 LEVEL CM	1235,7781 litre	7,053 %	16284,8841 litre	O
330	CM	130	CM	31 LEVEL CM	1179,7847 litre	6,734 %	16340,8775 litre	O
330	CM	130	CM	30 LEVEL CM	1124,5669 litre	6,419 %	16396,0953 litre	O
330	CM	130	CM	29 LEVEL CM	1070,1438 litre	6,108 %	16450,5184 litre	O
330	CM	130	CM	28 LEVEL CM	1016,5351 litre	5,802 %	16504,1271 litre	O
330	CM	130	CM	27 LEVEL CM	963,7618 litre	5,501 %	16556,9004 litre	O
330	CM	130	CM	26 LEVEL CM	911,8457 litre	5,204 %	16608,8165 litre	O
330	CM	130	CM	25 LEVEL CM	860,8097 litre	4,913 %	16659,8525 litre	O
330	CM	130	CM	24 LEVEL CM	810,6779 litre	4,627 %	16709,9843 litre	O
330	CM	130	CM	23 LEVEL CM	761,4758 litre	4,346 %	16759,1864 litre	O
330	CM	130	CM	22 LEVEL CM	713,2303 litre	4,071 %	16807,4319 litre	O
330	CM	130	CM	21 LEVEL CM	665,9701 litre	3,801 %	16854,6921 litre	O
330	CM	130	CM	20 LEVEL CM	619,7255 litre	3,537 %	16900,9367 litre	O
330	CM	130	CM	19 LEVEL CM	574,5290 litre	3,279 %	16946,1332 litre	O
330	CM	130	CM	18 LEVEL CM	530,4154 litre	3,027 %	16990,2468 litre	O
330	CM	130	CM	17 LEVEL CM	487,4220 litre	2,782 %	17033,2402 litre	O
330	CM	130	CM	16 LEVEL CM	445,5892 litre	2,543 %	17075,0730 litre	O
330	CM	130	CM	15 LEVEL CM	404,9610 litre	2,311 %	17115,7012 litre	O
330	CM	130	CM	14 LEVEL CM	365,5852 litre	2,087 %	17155,0770 litre	O
330	CM	130	CM	13 LEVEL CM	327,5144 litre	1,869 %	17193,1478 litre	O
330	CM	130	CM	12 LEVEL CM	290,8069 litre	1,660 %	17229,8553 litre	O
330	CM	130	CM	11 LEVEL CM	255,5277 litre	1,458 %	17265,1345 litre	O
330	CM	130	CM	10 LEVEL CM	221,7501 litre	1,266 %	17298,9121 litre	O
330	CM	130	CM	9 LEVEL CM	189,5575 litre	1,082 %	17331,1047 litre	O
330	CM	130	CM	8 LEVEL CM	159,0466 litre	0,908 %	17361,6156 litre	O
330	CM	130	CM	7 LEVEL CM	130,3308 litre	0,744 %	17390,3314 litre	O
330	CM	130	CM	6 LEVEL CM	103,5468 litre	0,591 %	17417,1154 litre	O
330	CM	130	CM	5 LEVEL CM	78,8629 litre	0,450 %	17441,7993 litre	O
330	CM	130	CM	4 LEVEL CM	56,4956 litre	0,322 %	17464,1666 litre	O
330	CM	130	CM	3 LEVEL CM	36,7377 litre	0,210 %	17483,9245 litre	O
330	CM	130	CM	2 LEVEL CM	20,0207 litre	0,114 %	17500,6415 litre	O
330	CM	130	CM	1 LEVEL CM	7,0866 litre	0,040 %	17513,5756 litre	O
330	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	17520,6622 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM	125	CM 250 LEVEL CM	16198,8371 litre	100,000 %	0,0000 litre	O
330	CM	125	CM 249 LEVEL CM	16191,8885 litre	99,957 %	6,9486 litre	O
330	CM	125	CM 248 LEVEL CM	16179,2070 litre	99,879 %	19,6301 litre	O
330	CM	125	CM 247 LEVEL CM	16162,8179 litre	99,778 %	36,0192 litre	O
330	CM	125	CM 246 LEVEL CM	16143,4490 litre	99,658 %	55,3881 litre	O
330	CM	125	CM 245 LEVEL CM	16121,5237 litre	99,523 %	77,3134 litre	O
330	CM	125	CM 244 LEVEL CM	16097,3297 litre	99,373 %	101,5074 litre	O
330	CM	125	CM 243 LEVEL CM	16071,0793 litre	99,211 %	127,7578 litre	O
330	CM	125	CM 242 LEVEL CM	16042,9379 litre	99,038 %	155,8992 litre	O
330	CM	125	CM 241 LEVEL CM	16013,0397 litre	98,853 %	185,7974 litre	O
330	CM	125	CM 240 LEVEL CM	15981,4963 litre	98,658 %	217,3408 litre	O
330	CM	125	CM 239 LEVEL CM	15948,4025 litre	98,454 %	250,4346 litre	O
330	CM	125	CM 238 LEVEL CM	15913,8404 litre	98,241 %	284,9967 litre	O
330	CM	125	CM 237 LEVEL CM	15877,8822 litre	98,019 %	320,9549 litre	O
330	CM	125	CM 236 LEVEL CM	15840,5916 litre	97,788 %	358,2455 litre	O
330	CM	125	CM 235 LEVEL CM	15802,0261 litre	97,550 %	396,8110 litre	O
330	CM	125	CM 234 LEVEL CM	15762,2374 litre	97,305 %	436,5997 litre	O
330	CM	125	CM 233 LEVEL CM	15721,2727 litre	97,052 %	477,5644 litre	O
330	CM	125	CM 232 LEVEL CM	15679,1751 litre	96,792 %	519,6620 litre	O
330	CM	125	CM 231 LEVEL CM	15635,9844 litre	96,525 %	562,8527 litre	O
330	CM	125	CM 230 LEVEL CM	15591,7375 litre	96,252 %	607,0996 litre	O
330	CM	125	CM 229 LEVEL CM	15546,4687 litre	95,973 %	652,3684 litre	O
330	CM	125	CM 228 LEVEL CM	15500,2098 litre	95,687 %	698,6273 litre	O
330	CM	125	CM 227 LEVEL CM	15452,9910 litre	95,396 %	745,8461 litre	O
330	CM	125	CM 226 LEVEL CM	15404,8404 litre	95,098 %	793,9967 litre	O
330	CM	125	CM 225 LEVEL CM	15355,7845 litre	94,796 %	843,0526 litre	O
330	CM	125	CM 224 LEVEL CM	15305,8485 litre	94,487 %	892,9886 litre	O
330	CM	125	CM 223 LEVEL CM	15255,0563 litre	94,174 %	943,7808 litre	O
330	CM	125	CM 222 LEVEL CM	15203,4304 litre	93,855 %	995,4067 litre	O
330	CM	125	CM 221 LEVEL CM	15150,9924 litre	93,531 %	1047,8447 litre	O
330	CM	125	CM 220 LEVEL CM	15097,7628 litre	93,203 %	1101,0743 litre	O
330	CM	125	CM 219 LEVEL CM	15043,7615 litre	92,869 %	1155,0756 litre	O
330	CM	125	CM 218 LEVEL CM	14989,0071 litre	92,531 %	1209,8300 litre	O
330	CM	125	CM 217 LEVEL CM	14933,5177 litre	92,189 %	1265,3194 litre	O
330	CM	125	CM 216 LEVEL CM	14877,3108 litre	91,842 %	1321,5263 litre	O
330	CM	125	CM 215 LEVEL CM	14820,4030 litre	91,491 %	1378,4341 litre	O
330	CM	125	CM 214 LEVEL CM	14762,8103 litre	91,135 %	1436,0268 litre	O
330	CM	125	CM 213 LEVEL CM	14704,5484 litre	90,775 %	1494,2887 litre	O
330	CM	125	CM 212 LEVEL CM	14645,6323 litre	90,412 %	1553,2048 litre	O
330	CM	125	CM 211 LEVEL CM	14586,0763 litre	90,044 %	1612,7608 litre	O
330	CM	125	CM 210 LEVEL CM	14525,8946 litre	89,672 %	1672,9425 litre	O
330	CM	125	CM 209 LEVEL CM	14465,1008 litre	89,297 %	1733,7363 litre	O
330	CM	125	CM 208 LEVEL CM	14403,7080 litre	88,918 %	1795,1291 litre	O
330	CM	125	CM 207 LEVEL CM	14341,7291 litre	88,536 %	1857,1080 litre	O
330	CM	125	CM 206 LEVEL CM	14279,1766 litre	88,149 %	1919,6605 litre	O
330	CM	125	CM 205 LEVEL CM	14216,0624 litre	87,760 %	1982,7747 litre	O
330	CM	125	CM 204 LEVEL CM	14152,3986 litre	87,367 %	2046,4385 litre	O
330	CM	125	CM 203 LEVEL CM	14088,1964 litre	86,970 %	2110,6407 litre	O
330	CM	125	CM 202 LEVEL CM	14023,4672 litre	86,571 %	2175,3699 litre	O
330	CM	125	CM 201 LEVEL CM	13958,2219 litre	86,168 %	2240,6152 litre	O
330	CM	125	CM 200 LEVEL CM	13892,4712 litre	85,762 %	2306,3659 litre	O
330	CM	125	CM 199 LEVEL CM	13826,2254 litre	85,353 %	2372,6117 litre	O

330	CM	125	CM	198 LEVEL CM	13759,4948 litre	84,941 %	2439,3423 litre	O
330	CM	125	CM	197 LEVEL CM	13692,2893 litre	84,526 %	2506,5478 litre	O
330	CM	125	CM	196 LEVEL CM	13624,6188 litre	84,109 %	2574,2183 litre	O
330	CM	125	CM	195 LEVEL CM	13556,4927 litre	83,688 %	2642,3444 litre	O
330	CM	125	CM	194 LEVEL CM	13487,9206 litre	83,265 %	2710,9165 litre	O
330	CM	125	CM	193 LEVEL CM	13418,9115 litre	82,839 %	2779,9256 litre	O
330	CM	125	CM	192 LEVEL CM	13349,4745 litre	82,410 %	2849,3626 litre	O
330	CM	125	CM	191 LEVEL CM	13279,6185 litre	81,979 %	2919,2186 litre	O
330	CM	125	CM	190 LEVEL CM	13209,3521 litre	81,545 %	2989,4850 litre	O
330	CM	125	CM	189 LEVEL CM	13138,6839 litre	81,109 %	3060,1532 litre	O
330	CM	125	CM	188 LEVEL CM	13067,6222 litre	80,670 %	3131,2149 litre	O
330	CM	125	CM	187 LEVEL CM	12996,1755 litre	80,229 %	3202,6616 litre	O
330	CM	125	CM	186 LEVEL CM	12924,3517 litre	79,786 %	3274,4854 litre	O
330	CM	125	CM	185 LEVEL CM	12852,1589 litre	79,340 %	3346,6782 litre	O
330	CM	125	CM	184 LEVEL CM	12779,6050 litre	78,892 %	3419,2321 litre	O
330	CM	125	CM	183 LEVEL CM	12706,6977 litre	78,442 %	3492,1394 litre	O
330	CM	125	CM	182 LEVEL CM	12633,4447 litre	77,990 %	3565,3924 litre	O
330	CM	125	CM	181 LEVEL CM	12559,8536 litre	77,536 %	3638,9835 litre	O
330	CM	125	CM	180 LEVEL CM	12485,9317 litre	77,079 %	3712,9054 litre	O
330	CM	125	CM	179 LEVEL CM	12411,6864 litre	76,621 %	3787,1507 litre	O
330	CM	125	CM	178 LEVEL CM	12337,1249 litre	76,161 %	3861,7122 litre	O
330	CM	125	CM	177 LEVEL CM	12262,2545 litre	75,698 %	3936,5826 litre	O
330	CM	125	CM	176 LEVEL CM	12187,0821 litre	75,234 %	4011,7550 litre	O
330	CM	125	CM	175 LEVEL CM	12111,6148 litre	74,768 %	4087,2223 litre	O
330	CM	125	CM	174 LEVEL CM	12035,8594 litre	74,301 %	4162,9777 litre	O
330	CM	125	CM	173 LEVEL CM	11959,8228 litre	73,831 %	4239,0143 litre	O
330	CM	125	CM	172 LEVEL CM	11883,5117 litre	73,360 %	4315,3254 litre	O
330	CM	125	CM	171 LEVEL CM	11806,9327 litre	72,888 %	4391,9044 litre	O
330	CM	125	CM	170 LEVEL CM	11730,0926 litre	72,413 %	4468,7445 litre	O
330	CM	125	CM	169 LEVEL CM	11652,9978 litre	71,937 %	4545,8393 litre	O
330	CM	125	CM	168 LEVEL CM	11575,6547 litre	71,460 %	4623,1824 litre	O
330	CM	125	CM	167 LEVEL CM	11498,0699 litre	70,981 %	4700,7672 litre	O
330	CM	125	CM	166 LEVEL CM	11420,2496 litre	70,500 %	4778,5875 litre	O
330	CM	125	CM	165 LEVEL CM	11342,2002 litre	70,019 %	4856,6369 litre	O
330	CM	125	CM	164 LEVEL CM	11263,9278 litre	69,535 %	4934,9093 litre	O
330	CM	125	CM	163 LEVEL CM	11185,4387 litre	69,051 %	5013,3984 litre	O
330	CM	125	CM	162 LEVEL CM	11106,7389 litre	68,565 %	5092,0982 litre	O
330	CM	125	CM	161 LEVEL CM	11027,8347 litre	68,078 %	5171,0024 litre	O
330	CM	125	CM	160 LEVEL CM	10948,7319 litre	67,590 %	5250,1052 litre	O
330	CM	125	CM	159 LEVEL CM	10869,4367 litre	67,100 %	5329,4004 litre	O
330	CM	125	CM	158 LEVEL CM	10789,9549 litre	66,609 %	5408,8822 litre	O
330	CM	125	CM	157 LEVEL CM	10710,2924 litre	66,118 %	5488,5447 litre	O
330	CM	125	CM	156 LEVEL CM	10630,4551 litre	65,625 %	5568,3820 litre	O
330	CM	125	CM	155 LEVEL CM	10550,4489 litre	65,131 %	5648,3882 litre	O
330	CM	125	CM	154 LEVEL CM	10470,2795 litre	64,636 %	5728,5576 litre	O
330	CM	125	CM	153 LEVEL CM	10389,9527 litre	64,140 %	5808,8844 litre	O
330	CM	125	CM	152 LEVEL CM	10309,4742 litre	63,643 %	5889,3629 litre	O
330	CM	125	CM	151 LEVEL CM	10228,8497 litre	63,146 %	5969,9874 litre	O
330	CM	125	CM	150 LEVEL CM	10148,0849 litre	62,647 %	6050,7522 litre	O
330	CM	125	CM	149 LEVEL CM	10067,1853 litre	62,148 %	6131,6518 litre	O
330	CM	125	CM	148 LEVEL CM	9986,1566 litre	61,647 %	6212,6805 litre	O
330	CM	125	CM	147 LEVEL CM	9905,0043 litre	61,146 %	6293,8328 litre	O
330	CM	125	CM	146 LEVEL CM	9823,7340 litre	60,645 %	6375,1031 litre	O

330	CM	125	CM	145 LEVEL CM	9742,3513 litre	60,142 %	6456,4858 litre	O
330	CM	125	CM	144 LEVEL CM	9660,8615 litre	59,639 %	6537,9756 litre	O
330	CM	125	CM	143 LEVEL CM	9579,2703 litre	59,136 %	6619,5668 litre	O
330	CM	125	CM	142 LEVEL CM	9497,5830 litre	58,631 %	6701,2541 litre	O
330	CM	125	CM	141 LEVEL CM	9415,8052 litre	58,126 %	6783,0319 litre	O
330	CM	125	CM	140 LEVEL CM	9333,9421 litre	57,621 %	6864,8950 litre	O
330	CM	125	CM	139 LEVEL CM	9251,9993 litre	57,115 %	6946,8378 litre	O
330	CM	125	CM	138 LEVEL CM	9169,9821 litre	56,609 %	7028,8550 litre	O
330	CM	125	CM	137 LEVEL CM	9087,8958 litre	56,102 %	7110,9413 litre	O
330	CM	125	CM	136 LEVEL CM	9005,7459 litre	55,595 %	7193,0912 litre	O
330	CM	125	CM	135 LEVEL CM	8923,5377 litre	55,088 %	7275,2994 litre	O
330	CM	125	CM	134 LEVEL CM	8841,2765 litre	54,580 %	7357,5606 litre	O
330	CM	125	CM	133 LEVEL CM	8758,9677 litre	54,072 %	7439,8694 litre	O
330	CM	125	CM	132 LEVEL CM	8676,6166 litre	53,563 %	7522,2205 litre	O
330	CM	125	CM	131 LEVEL CM	8594,2284 litre	53,055 %	7604,6087 litre	O
330	CM	125	CM	130 LEVEL CM	8511,8085 litre	52,546 %	7687,0286 litre	O
330	CM	125	CM	129 LEVEL CM	8429,3622 litre	52,037 %	7769,4749 litre	O
330	CM	125	CM	128 LEVEL CM	8346,8948 litre	51,528 %	7851,9423 litre	O
330	CM	125	CM	127 LEVEL CM	8264,4115 litre	51,019 %	7934,4256 litre	O
330	CM	125	CM	126 LEVEL CM	8181,9177 litre	50,509 %	8016,9194 litre	O
330	CM	125	CM	125 LEVEL CM	8099,4186 litre	50,000 %	8099,4185 litre	O
330	CM	125	CM	124 LEVEL CM	8016,9194 litre	49,491 %	8181,9177 litre	O
330	CM	125	CM	123 LEVEL CM	7934,4256 litre	48,981 %	8264,4115 litre	O
330	CM	125	CM	122 LEVEL CM	7851,9423 litre	48,472 %	8346,8948 litre	O
330	CM	125	CM	121 LEVEL CM	7769,4749 litre	47,963 %	8429,3622 litre	O
330	CM	125	CM	120 LEVEL CM	7687,0286 litre	47,454 %	8511,8085 litre	O
330	CM	125	CM	119 LEVEL CM	7604,6087 litre	46,945 %	8594,2284 litre	O
330	CM	125	CM	118 LEVEL CM	7522,2205 litre	46,437 %	8676,6166 litre	O
330	CM	125	CM	117 LEVEL CM	7439,8694 litre	45,928 %	8758,9677 litre	O
330	CM	125	CM	116 LEVEL CM	7357,5606 litre	45,420 %	8841,2765 litre	O
330	CM	125	CM	115 LEVEL CM	7275,2994 litre	44,912 %	8923,5377 litre	O
330	CM	125	CM	114 LEVEL CM	7193,0912 litre	44,405 %	9005,7459 litre	O
330	CM	125	CM	113 LEVEL CM	7110,9413 litre	43,898 %	9087,8958 litre	O
330	CM	125	CM	112 LEVEL CM	7028,8551 litre	43,391 %	9169,9820 litre	O
330	CM	125	CM	111 LEVEL CM	6946,8378 litre	42,885 %	9251,9993 litre	O
330	CM	125	CM	110 LEVEL CM	6864,8950 litre	42,379 %	9333,9421 litre	O
330	CM	125	CM	109 LEVEL CM	6783,0320 litre	41,874 %	9415,8051 litre	O
330	CM	125	CM	108 LEVEL CM	6701,2541 litre	41,369 %	9497,5830 litre	O
330	CM	125	CM	107 LEVEL CM	6619,5668 litre	40,864 %	9579,2703 litre	O
330	CM	125	CM	106 LEVEL CM	6537,9756 litre	40,361 %	9660,8615 litre	O
330	CM	125	CM	105 LEVEL CM	6456,4858 litre	39,858 %	9742,3513 litre	O
330	CM	125	CM	104 LEVEL CM	6375,1031 litre	39,355 %	9823,7340 litre	O
330	CM	125	CM	103 LEVEL CM	6293,8328 litre	38,854 %	9905,0043 litre	O
330	CM	125	CM	102 LEVEL CM	6212,6806 litre	38,353 %	9986,1565 litre	O
330	CM	125	CM	101 LEVEL CM	6131,6519 litre	37,852 %	10067,1852 litre	O
330	CM	125	CM	100 LEVEL CM	6050,7523 litre	37,353 %	10148,0848 litre	O
330	CM	125	CM	99 LEVEL CM	5969,9874 litre	36,854 %	10228,8497 litre	O
330	CM	125	CM	98 LEVEL CM	5889,3629 litre	36,357 %	10309,4742 litre	O
330	CM	125	CM	97 LEVEL CM	5808,8844 litre	35,860 %	10389,9527 litre	O
330	CM	125	CM	96 LEVEL CM	5728,5576 litre	35,364 %	10470,2795 litre	O
330	CM	125	CM	95 LEVEL CM	5648,3882 litre	34,869 %	10550,4489 litre	O
330	CM	125	CM	94 LEVEL CM	5568,3820 litre	34,375 %	10630,4551 litre	O
330	CM	125	CM	93 LEVEL CM	5488,5447 litre	33,882 %	10710,2924 litre	O

330	CM	125	CM	92 LEVEL CM	5408,8823 litre	33,391 %	10789,9548 litre	O
330	CM	125	CM	91 LEVEL CM	5329,4004 litre	32,900 %	10869,4367 litre	O
330	CM	125	CM	90 LEVEL CM	5250,1052 litre	32,410 %	10948,7319 litre	O
330	CM	125	CM	89 LEVEL CM	5171,0024 litre	31,922 %	11027,8347 litre	O
330	CM	125	CM	88 LEVEL CM	5092,0982 litre	31,435 %	11106,7389 litre	O
330	CM	125	CM	87 LEVEL CM	5013,3984 litre	30,949 %	11185,4387 litre	O
330	CM	125	CM	86 LEVEL CM	4934,9093 litre	30,465 %	11263,9278 litre	O
330	CM	125	CM	85 LEVEL CM	4856,6369 litre	29,981 %	11342,2002 litre	O
330	CM	125	CM	84 LEVEL CM	4778,5875 litre	29,500 %	11420,2496 litre	O
330	CM	125	CM	83 LEVEL CM	4700,7672 litre	29,019 %	11498,0699 litre	O
330	CM	125	CM	82 LEVEL CM	4623,1824 litre	28,540 %	11575,6547 litre	O
330	CM	125	CM	81 LEVEL CM	4545,8393 litre	28,063 %	11652,9978 litre	O
330	CM	125	CM	80 LEVEL CM	4468,7445 litre	27,587 %	11730,0926 litre	O
330	CM	125	CM	79 LEVEL CM	4391,9044 litre	27,112 %	11806,9327 litre	O
330	CM	125	CM	78 LEVEL CM	4315,3255 litre	26,640 %	11883,5116 litre	O
330	CM	125	CM	77 LEVEL CM	4239,0143 litre	26,169 %	11959,8228 litre	O
330	CM	125	CM	76 LEVEL CM	4162,9777 litre	25,699 %	12035,8594 litre	O
330	CM	125	CM	75 LEVEL CM	4087,2223 litre	25,232 %	12111,6148 litre	O
330	CM	125	CM	74 LEVEL CM	4011,7550 litre	24,766 %	12187,0821 litre	O
330	CM	125	CM	73 LEVEL CM	3936,5826 litre	24,302 %	12262,2545 litre	O
330	CM	125	CM	72 LEVEL CM	3861,7122 litre	23,839 %	12337,1249 litre	O
330	CM	125	CM	71 LEVEL CM	3787,1508 litre	23,379 %	12411,6863 litre	O
330	CM	125	CM	70 LEVEL CM	3712,9055 litre	22,921 %	12485,9316 litre	O
330	CM	125	CM	69 LEVEL CM	3638,9835 litre	22,464 %	12559,8536 litre	O
330	CM	125	CM	68 LEVEL CM	3565,3924 litre	22,010 %	12633,4447 litre	O
330	CM	125	CM	67 LEVEL CM	3492,1394 litre	21,558 %	12706,6977 litre	O
330	CM	125	CM	66 LEVEL CM	3419,2321 litre	21,108 %	12779,6050 litre	O
330	CM	125	CM	65 LEVEL CM	3346,6782 litre	20,660 %	12852,1589 litre	O
330	CM	125	CM	64 LEVEL CM	3274,4854 litre	20,214 %	12924,3517 litre	O
330	CM	125	CM	63 LEVEL CM	3202,6616 litre	19,771 %	12996,1755 litre	O
330	CM	125	CM	62 LEVEL CM	3131,2149 litre	19,330 %	13067,6222 litre	O
330	CM	125	CM	61 LEVEL CM	3060,1533 litre	18,891 %	13138,6838 litre	O
330	CM	125	CM	60 LEVEL CM	2989,4851 litre	18,455 %	13209,3520 litre	O
330	CM	125	CM	59 LEVEL CM	2919,2187 litre	18,021 %	13279,6184 litre	O
330	CM	125	CM	58 LEVEL CM	2849,3626 litre	17,590 %	13349,4745 litre	O
330	CM	125	CM	57 LEVEL CM	2779,9256 litre	17,161 %	13418,9115 litre	O
330	CM	125	CM	56 LEVEL CM	2710,9165 litre	16,735 %	13487,9206 litre	O
330	CM	125	CM	55 LEVEL CM	2642,3444 litre	16,312 %	13556,4927 litre	O
330	CM	125	CM	54 LEVEL CM	2574,2183 litre	15,891 %	13624,6188 litre	O
330	CM	125	CM	53 LEVEL CM	2506,5478 litre	15,474 %	13692,2893 litre	O
330	CM	125	CM	52 LEVEL CM	2439,3424 litre	15,059 %	13759,4947 litre	O
330	CM	125	CM	51 LEVEL CM	2372,6118 litre	14,647 %	13826,2253 litre	O
330	CM	125	CM	50 LEVEL CM	2306,3660 litre	14,238 %	13892,4711 litre	O
330	CM	125	CM	49 LEVEL CM	2240,6152 litre	13,832 %	13958,2219 litre	O
330	CM	125	CM	48 LEVEL CM	2175,3699 litre	13,429 %	14023,4672 litre	O
330	CM	125	CM	47 LEVEL CM	2110,6407 litre	13,030 %	14088,1964 litre	O
330	CM	125	CM	46 LEVEL CM	2046,4385 litre	12,633 %	14152,3986 litre	O
330	CM	125	CM	45 LEVEL CM	1982,7747 litre	12,240 %	14216,0624 litre	O
330	CM	125	CM	44 LEVEL CM	1919,6606 litre	11,851 %	14279,1765 litre	O
330	CM	125	CM	43 LEVEL CM	1857,1080 litre	11,464 %	14341,7291 litre	O
330	CM	125	CM	42 LEVEL CM	1795,1291 litre	11,082 %	14403,7080 litre	O
330	CM	125	CM	41 LEVEL CM	1733,7363 litre	10,703 %	14465,1008 litre	O
330	CM	125	CM	40 LEVEL CM	1672,9425 litre	10,328 %	14525,8946 litre	O

330	CM	125	CM	39 LEVEL CM	1612,7608 litre	9,956 %	14586,0763 litre	O
330	CM	125	CM	38 LEVEL CM	1553,2049 litre	9,588 %	14645,6322 litre	O
330	CM	125	CM	37 LEVEL CM	1494,2887 litre	9,225 %	14704,5484 litre	O
330	CM	125	CM	36 LEVEL CM	1436,0268 litre	8,865 %	14762,8103 litre	O
330	CM	125	CM	35 LEVEL CM	1378,4341 litre	8,509 %	14820,4030 litre	O
330	CM	125	CM	34 LEVEL CM	1321,5263 litre	8,158 %	14877,3108 litre	O
330	CM	125	CM	33 LEVEL CM	1265,3194 litre	7,811 %	14933,5177 litre	O
330	CM	125	CM	32 LEVEL CM	1209,8300 litre	7,469 %	14989,0071 litre	O
330	CM	125	CM	31 LEVEL CM	1155,0756 litre	7,131 %	15043,7615 litre	O
330	CM	125	CM	30 LEVEL CM	1101,0743 litre	6,797 %	15097,7628 litre	O
330	CM	125	CM	29 LEVEL CM	1047,8447 litre	6,469 %	15150,9924 litre	O
330	CM	125	CM	28 LEVEL CM	995,4067 litre	6,145 %	15203,4304 litre	O
330	CM	125	CM	27 LEVEL CM	943,7808 litre	5,826 %	15255,0563 litre	O
330	CM	125	CM	26 LEVEL CM	892,9886 litre	5,513 %	15305,8485 litre	O
330	CM	125	CM	25 LEVEL CM	843,0526 litre	5,204 %	15355,7845 litre	O
330	CM	125	CM	24 LEVEL CM	793,9967 litre	4,902 %	15404,8404 litre	O
330	CM	125	CM	23 LEVEL CM	745,8461 litre	4,604 %	15452,9910 litre	O
330	CM	125	CM	22 LEVEL CM	698,6273 litre	4,313 %	15500,2098 litre	O
330	CM	125	CM	21 LEVEL CM	652,3685 litre	4,027 %	15546,4686 litre	O
330	CM	125	CM	20 LEVEL CM	607,0996 litre	3,748 %	15591,7375 litre	O
330	CM	125	CM	19 LEVEL CM	562,8527 litre	3,475 %	15635,9844 litre	O
330	CM	125	CM	18 LEVEL CM	519,6621 litre	3,208 %	15679,1750 litre	O
330	CM	125	CM	17 LEVEL CM	477,5645 litre	2,948 %	15721,2726 litre	O
330	CM	125	CM	16 LEVEL CM	436,5997 litre	2,695 %	15762,2374 litre	O
330	CM	125	CM	15 LEVEL CM	396,8110 litre	2,450 %	15802,0261 litre	O
330	CM	125	CM	14 LEVEL CM	358,2455 litre	2,212 %	15840,5916 litre	O
330	CM	125	CM	13 LEVEL CM	320,9549 litre	1,981 %	15877,8822 litre	O
330	CM	125	CM	12 LEVEL CM	284,9967 litre	1,759 %	15913,8404 litre	O
330	CM	125	CM	11 LEVEL CM	250,4346 litre	1,546 %	15948,4025 litre	O
330	CM	125	CM	10 LEVEL CM	217,3408 litre	1,342 %	15981,4963 litre	O
330	CM	125	CM	9 LEVEL CM	185,7974 litre	1,147 %	16013,0397 litre	O
330	CM	125	CM	8 LEVEL CM	155,8992 litre	0,962 %	16042,9379 litre	O
330	CM	125	CM	7 LEVEL CM	127,7579 litre	0,789 %	16071,0792 litre	O
330	CM	125	CM	6 LEVEL CM	101,5074 litre	0,627 %	16097,3297 litre	O
330	CM	125	CM	5 LEVEL CM	77,3134 litre	0,477 %	16121,5237 litre	O
330	CM	125	CM	4 LEVEL CM	55,3882 litre	0,342 %	16143,4489 litre	O
330	CM	125	CM	3 LEVEL CM	36,0193 litre	0,222 %	16162,8178 litre	O
330	CM	125	CM	2 LEVEL CM	19,6301 litre	0,121 %	16179,2070 litre	O
330	CM	125	CM	1 LEVEL CM	6,9487 litre	0,043 %	16191,8884 litre	O
330	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	16198,8371 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 120	CM 240 LEVEL CM	14928,8483 litre	100,000 %	0,0000 litre	O
330	CM 120	CM 239 LEVEL CM	14922,0404 litre	99,954 %	6,8079 litre	O
330	CM 120	CM 238 LEVEL CM	14909,6167 litre	99,871 %	19,2316 litre	O
330	CM 120	CM 237 LEVEL CM	14893,5621 litre	99,764 %	35,2862 litre	O
330	CM 120	CM 236 LEVEL CM	14874,5902 litre	99,637 %	54,2581 litre	O
330	CM 120	CM 235 LEVEL CM	14853,1162 litre	99,493 %	75,7321 litre	O
330	CM 120	CM 234 LEVEL CM	14829,4221 litre	99,334 %	99,4262 litre	O
330	CM 120	CM 233 LEVEL CM	14803,7163 litre	99,162 %	125,1320 litre	O
330	CM 120	CM 232 LEVEL CM	14776,1613 litre	98,977 %	152,6870 litre	O
330	CM 120	CM 231 LEVEL CM	14746,8887 litre	98,781 %	181,9596 litre	O
330	CM 120	CM 230 LEVEL CM	14716,0080 litre	98,574 %	212,8403 litre	O
330	CM 120	CM 229 LEVEL CM	14683,6125 litre	98,357 %	245,2358 litre	O
330	CM 120	CM 228 LEVEL CM	14649,7828 litre	98,131 %	279,0655 litre	O
330	CM 120	CM 227 LEVEL CM	14614,5897 litre	97,895 %	314,2586 litre	O
330	CM 120	CM 226 LEVEL CM	14578,0961 litre	97,651 %	350,7522 litre	O
330	CM 120	CM 225 LEVEL CM	14540,3582 litre	97,398 %	388,4901 litre	O
330	CM 120	CM 224 LEVEL CM	14501,4272 litre	97,137 %	427,4211 litre	O
330	CM 120	CM 223 LEVEL CM	14461,3492 litre	96,868 %	467,4991 litre	O
330	CM 120	CM 222 LEVEL CM	14420,1669 litre	96,593 %	508,6814 litre	O
330	CM 120	CM 221 LEVEL CM	14377,9194 litre	96,310 %	550,9289 litre	O
330	CM 120	CM 220 LEVEL CM	14334,6429 litre	96,020 %	594,2054 litre	O
330	CM 120	CM 219 LEVEL CM	14290,3713 litre	95,723 %	638,4770 litre	O
330	CM 120	CM 218 LEVEL CM	14245,1361 litre	95,420 %	683,7122 litre	O
330	CM 120	CM 217 LEVEL CM	14198,9667 litre	95,111 %	729,8816 litre	O
330	CM 120	CM 216 LEVEL CM	14151,8910 litre	94,796 %	776,9573 litre	O
330	CM 120	CM 215 LEVEL CM	14103,9352 litre	94,474 %	824,9131 litre	O
330	CM 120	CM 214 LEVEL CM	14055,1241 litre	94,147 %	873,7242 litre	O
330	CM 120	CM 213 LEVEL CM	14005,4811 litre	93,815 %	923,3672 litre	O
330	CM 120	CM 212 LEVEL CM	13955,0287 litre	93,477 %	973,8196 litre	O
330	CM 120	CM 211 LEVEL CM	13903,7881 litre	93,134 %	1025,0602 litre	O
330	CM 120	CM 210 LEVEL CM	13851,7796 litre	92,785 %	1077,0687 litre	O
330	CM 120	CM 209 LEVEL CM	13799,0226 litre	92,432 %	1129,8257 litre	O
330	CM 120	CM 208 LEVEL CM	13745,5359 litre	92,074 %	1183,3124 litre	O
330	CM 120	CM 207 LEVEL CM	13691,3372 litre	91,711 %	1237,5111 litre	O
330	CM 120	CM 206 LEVEL CM	13636,4437 litre	91,343 %	1292,4046 litre	O
330	CM 120	CM 205 LEVEL CM	13580,8719 litre	90,971 %	1347,9764 litre	O
330	CM 120	CM 204 LEVEL CM	13524,6378 litre	90,594 %	1404,2105 litre	O
330	CM 120	CM 203 LEVEL CM	13467,7567 litre	90,213 %	1461,0916 litre	O
330	CM 120	CM 202 LEVEL CM	13410,2435 litre	89,828 %	1518,6048 litre	O
330	CM 120	CM 201 LEVEL CM	13352,1126 litre	89,438 %	1576,7357 litre	O
330	CM 120	CM 200 LEVEL CM	13293,3778 litre	89,045 %	1635,4705 litre	O
330	CM 120	CM 199 LEVEL CM	13234,0526 litre	88,648 %	1694,7957 litre	O
330	CM 120	CM 198 LEVEL CM	13174,1502 litre	88,246 %	1754,6981 litre	O
330	CM 120	CM 197 LEVEL CM	13113,6832 litre	87,841 %	1815,1651 litre	O
330	CM 120	CM 196 LEVEL CM	13052,6640 litre	87,432 %	1876,1843 litre	O
330	CM 120	CM 195 LEVEL CM	12991,1047 litre	87,020 %	1937,7436 litre	O
330	CM 120	CM 194 LEVEL CM	12929,0169 litre	86,604 %	1999,8314 litre	O
330	CM 120	CM 193 LEVEL CM	12866,4121 litre	86,185 %	2062,4362 litre	O
330	CM 120	CM 192 LEVEL CM	12803,3014 litre	85,762 %	2125,5469 litre	O
330	CM 120	CM 191 LEVEL CM	12739,6957 litre	85,336 %	2189,1526 litre	O
330	CM 120	CM 190 LEVEL CM	12675,6056 litre	84,907 %	2253,2427 litre	O
330	CM 120	CM 189 LEVEL CM	12611,0414 litre	84,474 %	2317,8069 litre	O

330	CM	120	CM	188 LEVEL CM	12546,0134 litre	84,039 %	2382,8349 litre	O
330	CM	120	CM	187 LEVEL CM	12480,5315 litre	83,600 %	2448,3168 litre	O
330	CM	120	CM	186 LEVEL CM	12414,6053 litre	83,158 %	2514,2430 litre	O
330	CM	120	CM	185 LEVEL CM	12348,2445 litre	82,714 %	2580,6038 litre	O
330	CM	120	CM	184 LEVEL CM	12281,4584 litre	82,267 %	2647,3899 litre	O
330	CM	120	CM	183 LEVEL CM	12214,2562 litre	81,816 %	2714,5921 litre	O
330	CM	120	CM	182 LEVEL CM	12146,6468 litre	81,364 %	2782,2015 litre	O
330	CM	120	CM	181 LEVEL CM	12078,6392 litre	80,908 %	2850,2091 litre	O
330	CM	120	CM	180 LEVEL CM	12010,2419 litre	80,450 %	2918,6064 litre	O
330	CM	120	CM	179 LEVEL CM	11941,4636 litre	79,989 %	2987,3847 litre	O
330	CM	120	CM	178 LEVEL CM	11872,3126 litre	79,526 %	3056,5357 litre	O
330	CM	120	CM	177 LEVEL CM	11802,7972 litre	79,060 %	3126,0511 litre	O
330	CM	120	CM	176 LEVEL CM	11732,9255 litre	78,592 %	3195,9228 litre	O
330	CM	120	CM	175 LEVEL CM	11662,7056 litre	78,122 %	3266,1427 litre	O
330	CM	120	CM	174 LEVEL CM	11592,1453 litre	77,649 %	3336,7030 litre	O
330	CM	120	CM	173 LEVEL CM	11521,2524 litre	77,174 %	3407,5959 litre	O
330	CM	120	CM	172 LEVEL CM	11450,0346 litre	76,697 %	3478,8137 litre	O
330	CM	120	CM	171 LEVEL CM	11378,4995 litre	76,218 %	3550,3488 litre	O
330	CM	120	CM	170 LEVEL CM	11306,6545 litre	75,737 %	3622,1938 litre	O
330	CM	120	CM	169 LEVEL CM	11234,5070 litre	75,254 %	3694,3413 litre	O
330	CM	120	CM	168 LEVEL CM	11162,0642 litre	74,768 %	3766,7841 litre	O
330	CM	120	CM	167 LEVEL CM	11089,3333 litre	74,281 %	3839,5150 litre	O
330	CM	120	CM	166 LEVEL CM	11016,3215 litre	73,792 %	3912,5268 litre	O
330	CM	120	CM	165 LEVEL CM	10943,0358 litre	73,301 %	3985,8125 litre	O
330	CM	120	CM	164 LEVEL CM	10869,4831 litre	72,809 %	4059,3652 litre	O
330	CM	120	CM	163 LEVEL CM	10795,6703 litre	72,314 %	4133,1780 litre	O
330	CM	120	CM	162 LEVEL CM	10721,6041 litre	71,818 %	4207,2442 litre	O
330	CM	120	CM	161 LEVEL CM	10647,2914 litre	71,320 %	4281,5569 litre	O
330	CM	120	CM	160 LEVEL CM	10572,7387 litre	70,821 %	4356,1096 litre	O
330	CM	120	CM	159 LEVEL CM	10497,9526 litre	70,320 %	4430,8957 litre	O
330	CM	120	CM	158 LEVEL CM	10422,9397 litre	69,817 %	4505,9086 litre	O
330	CM	120	CM	157 LEVEL CM	10347,7065 litre	69,313 %	4581,1418 litre	O
330	CM	120	CM	156 LEVEL CM	10272,2594 litre	68,808 %	4656,5889 litre	O
330	CM	120	CM	155 LEVEL CM	10196,6047 litre	68,301 %	4732,2436 litre	O
330	CM	120	CM	154 LEVEL CM	10120,7487 litre	67,793 %	4808,0996 litre	O
330	CM	120	CM	153 LEVEL CM	10044,6977 litre	67,284 %	4884,1506 litre	O
330	CM	120	CM	152 LEVEL CM	9968,4580 litre	66,773 %	4960,3903 litre	O
330	CM	120	CM	151 LEVEL CM	9892,0356 litre	66,261 %	5036,8127 litre	O
330	CM	120	CM	150 LEVEL CM	9815,4368 litre	65,748 %	5113,4115 litre	O
330	CM	120	CM	149 LEVEL CM	9738,6675 litre	65,234 %	5190,1808 litre	O
330	CM	120	CM	148 LEVEL CM	9661,7339 litre	64,719 %	5267,1144 litre	O
330	CM	120	CM	147 LEVEL CM	9584,6418 litre	64,202 %	5344,2065 litre	O
330	CM	120	CM	146 LEVEL CM	9507,3974 litre	63,685 %	5421,4509 litre	O
330	CM	120	CM	145 LEVEL CM	9430,0065 litre	63,166 %	5498,8418 litre	O
330	CM	120	CM	144 LEVEL CM	9352,4750 litre	62,647 %	5576,3733 litre	O
330	CM	120	CM	143 LEVEL CM	9274,8088 litre	62,127 %	5654,0395 litre	O
330	CM	120	CM	142 LEVEL CM	9197,0137 litre	61,606 %	5731,8346 litre	O
330	CM	120	CM	141 LEVEL CM	9119,0955 litre	61,084 %	5809,7528 litre	O
330	CM	120	CM	140 LEVEL CM	9041,0599 litre	60,561 %	5887,7884 litre	O
330	CM	120	CM	139 LEVEL CM	8962,9129 litre	60,038 %	5965,9354 litre	O
330	CM	120	CM	138 LEVEL CM	8884,6600 litre	59,513 %	6044,1883 litre	O
330	CM	120	CM	137 LEVEL CM	8806,3069 litre	58,989 %	6122,5414 litre	O
330	CM	120	CM	136 LEVEL CM	8727,8594 litre	58,463 %	6200,9889 litre	O

330	CM	120	CM	135 LEVEL CM	8649,3231 litre	57,937 %	6279,5252 litre	O
330	CM	120	CM	134 LEVEL CM	8570,7037 litre	57,410 %	6358,1446 litre	O
330	CM	120	CM	133 LEVEL CM	8492,0067 litre	56,883 %	6436,8416 litre	O
330	CM	120	CM	132 LEVEL CM	8413,2378 litre	56,356 %	6515,6105 litre	O
330	CM	120	CM	131 LEVEL CM	8334,4025 litre	55,827 %	6594,4458 litre	O
330	CM	120	CM	130 LEVEL CM	8255,5065 litre	55,299 %	6673,3418 litre	O
330	CM	120	CM	129 LEVEL CM	8176,5553 litre	54,770 %	6752,2930 litre	O
330	CM	120	CM	128 LEVEL CM	8097,5545 litre	54,241 %	6831,2938 litre	O
330	CM	120	CM	127 LEVEL CM	8018,5096 litre	53,712 %	6910,3387 litre	O
330	CM	120	CM	126 LEVEL CM	7939,4261 litre	53,182 %	6989,4222 litre	O
330	CM	120	CM	125 LEVEL CM	7860,3095 litre	52,652 %	7068,5388 litre	O
330	CM	120	CM	124 LEVEL CM	7781,1655 litre	52,122 %	7147,6828 litre	O
330	CM	120	CM	123 LEVEL CM	7701,9994 litre	51,591 %	7226,8489 litre	O
330	CM	120	CM	122 LEVEL CM	7622,8168 litre	51,061 %	7306,0315 litre	O
330	CM	120	CM	121 LEVEL CM	7543,6232 litre	50,531 %	7385,2251 litre	O
330	CM	120	CM	120 LEVEL CM	7464,4241 litre	50,000 %	7464,4242 litre	O
330	CM	120	CM	119 LEVEL CM	7385,2251 litre	49,469 %	7543,6232 litre	O
330	CM	120	CM	118 LEVEL CM	7306,0315 litre	48,939 %	7622,8168 litre	O
330	CM	120	CM	117 LEVEL CM	7226,8489 litre	48,409 %	7701,9994 litre	O
330	CM	120	CM	116 LEVEL CM	7147,6828 litre	47,878 %	7781,1655 litre	O
330	CM	120	CM	115 LEVEL CM	7068,5388 litre	47,348 %	7860,3095 litre	O
330	CM	120	CM	114 LEVEL CM	6989,4222 litre	46,818 %	7939,4261 litre	O
330	CM	120	CM	113 LEVEL CM	6910,3387 litre	46,288 %	8018,5096 litre	O
330	CM	120	CM	112 LEVEL CM	6831,2938 litre	45,759 %	8097,5545 litre	O
330	CM	120	CM	111 LEVEL CM	6752,2930 litre	45,230 %	8176,5553 litre	O
330	CM	120	CM	110 LEVEL CM	6673,3418 litre	44,701 %	8255,5065 litre	O
330	CM	120	CM	109 LEVEL CM	6594,4458 litre	44,173 %	8334,4025 litre	O
330	CM	120	CM	108 LEVEL CM	6515,6105 litre	43,644 %	8413,2378 litre	O
330	CM	120	CM	107 LEVEL CM	6436,8416 litre	43,117 %	8492,0067 litre	O
330	CM	120	CM	106 LEVEL CM	6358,1446 litre	42,590 %	8570,7037 litre	O
330	CM	120	CM	105 LEVEL CM	6279,5252 litre	42,063 %	8649,3231 litre	O
330	CM	120	CM	104 LEVEL CM	6200,9889 litre	41,537 %	8727,8594 litre	O
330	CM	120	CM	103 LEVEL CM	6122,5414 litre	41,011 %	8806,3069 litre	O
330	CM	120	CM	102 LEVEL CM	6044,1883 litre	40,487 %	8884,6600 litre	O
330	CM	120	CM	101 LEVEL CM	5965,9354 litre	39,962 %	8962,9129 litre	O
330	CM	120	CM	100 LEVEL CM	5887,7883 litre	39,439 %	9041,0600 litre	O
330	CM	120	CM	99 LEVEL CM	5809,7528 litre	38,916 %	9119,0955 litre	O
330	CM	120	CM	98 LEVEL CM	5731,8346 litre	38,394 %	9197,0137 litre	O
330	CM	120	CM	97 LEVEL CM	5654,0395 litre	37,873 %	9274,8088 litre	O
330	CM	120	CM	96 LEVEL CM	5576,3733 litre	37,353 %	9352,4750 litre	O
330	CM	120	CM	95 LEVEL CM	5498,8418 litre	36,834 %	9430,0065 litre	O
330	CM	120	CM	94 LEVEL CM	5421,4509 litre	36,315 %	9507,3974 litre	O
330	CM	120	CM	93 LEVEL CM	5344,2064 litre	35,798 %	9584,6419 litre	O
330	CM	120	CM	92 LEVEL CM	5267,1144 litre	35,281 %	9661,7339 litre	O
330	CM	120	CM	91 LEVEL CM	5190,1808 litre	34,766 %	9738,6675 litre	O
330	CM	120	CM	90 LEVEL CM	5113,4115 litre	34,252 %	9815,4368 litre	O
330	CM	120	CM	89 LEVEL CM	5036,8127 litre	33,739 %	9892,0356 litre	O
330	CM	120	CM	88 LEVEL CM	4960,3903 litre	33,227 %	9968,4580 litre	O
330	CM	120	CM	87 LEVEL CM	4884,1506 litre	32,716 %	10044,6977 litre	O
330	CM	120	CM	86 LEVEL CM	4808,0996 litre	32,207 %	10120,7487 litre	O
330	CM	120	CM	85 LEVEL CM	4732,2436 litre	31,699 %	10196,6047 litre	O
330	CM	120	CM	84 LEVEL CM	4656,5889 litre	31,192 %	10272,2594 litre	O
330	CM	120	CM	83 LEVEL CM	4581,1418 litre	30,687 %	10347,7065 litre	O

330	CM	120	CM	82 LEVEL CM	4505,9086 litre	30,183 %	10422,9397 litre	O
330	CM	120	CM	81 LEVEL CM	4430,8957 litre	29,680 %	10497,9526 litre	O
330	CM	120	CM	80 LEVEL CM	4356,1096 litre	29,179 %	10572,7387 litre	O
330	CM	120	CM	79 LEVEL CM	4281,5569 litre	28,680 %	10647,2914 litre	O
330	CM	120	CM	78 LEVEL CM	4207,2442 litre	28,182 %	10721,6041 litre	O
330	CM	120	CM	77 LEVEL CM	4133,1780 litre	27,686 %	10795,6703 litre	O
330	CM	120	CM	76 LEVEL CM	4059,3652 litre	27,191 %	10869,4831 litre	O
330	CM	120	CM	75 LEVEL CM	3985,8125 litre	26,699 %	10943,0358 litre	O
330	CM	120	CM	74 LEVEL CM	3912,5267 litre	26,208 %	11016,3216 litre	O
330	CM	120	CM	73 LEVEL CM	3839,5150 litre	25,719 %	11089,3333 litre	O
330	CM	120	CM	72 LEVEL CM	3766,7841 litre	25,232 %	11162,0642 litre	O
330	CM	120	CM	71 LEVEL CM	3694,3413 litre	24,746 %	11234,5070 litre	O
330	CM	120	CM	70 LEVEL CM	3622,1938 litre	24,263 %	11306,6545 litre	O
330	CM	120	CM	69 LEVEL CM	3550,3488 litre	23,782 %	11378,4995 litre	O
330	CM	120	CM	68 LEVEL CM	3478,8136 litre	23,303 %	11450,0347 litre	O
330	CM	120	CM	67 LEVEL CM	3407,5959 litre	22,826 %	11521,2524 litre	O
330	CM	120	CM	66 LEVEL CM	3336,7030 litre	22,351 %	11592,1453 litre	O
330	CM	120	CM	65 LEVEL CM	3266,1427 litre	21,878 %	11662,7056 litre	O
330	CM	120	CM	64 LEVEL CM	3195,9228 litre	21,408 %	11732,9255 litre	O
330	CM	120	CM	63 LEVEL CM	3126,0511 litre	20,940 %	11802,7972 litre	O
330	CM	120	CM	62 LEVEL CM	3056,5357 litre	20,474 %	11872,3126 litre	O
330	CM	120	CM	61 LEVEL CM	2987,3847 litre	20,011 %	11941,4636 litre	O
330	CM	120	CM	60 LEVEL CM	2918,6064 litre	19,550 %	12010,2419 litre	O
330	CM	120	CM	59 LEVEL CM	2850,2091 litre	19,092 %	12078,6392 litre	O
330	CM	120	CM	58 LEVEL CM	2782,2015 litre	18,636 %	12146,6468 litre	O
330	CM	120	CM	57 LEVEL CM	2714,5921 litre	18,184 %	12214,2562 litre	O
330	CM	120	CM	56 LEVEL CM	2647,3898 litre	17,733 %	12281,4585 litre	O
330	CM	120	CM	55 LEVEL CM	2580,6037 litre	17,286 %	12348,2446 litre	O
330	CM	120	CM	54 LEVEL CM	2514,2429 litre	16,842 %	12414,6054 litre	O
330	CM	120	CM	53 LEVEL CM	2448,3168 litre	16,400 %	12480,5315 litre	O
330	CM	120	CM	52 LEVEL CM	2382,8349 litre	15,961 %	12546,0134 litre	O
330	CM	120	CM	51 LEVEL CM	2317,8069 litre	15,526 %	12611,0414 litre	O
330	CM	120	CM	50 LEVEL CM	2253,2427 litre	15,093 %	12675,6056 litre	O
330	CM	120	CM	49 LEVEL CM	2189,1526 litre	14,664 %	12739,6957 litre	O
330	CM	120	CM	48 LEVEL CM	2125,5469 litre	14,238 %	12803,3014 litre	O
330	CM	120	CM	47 LEVEL CM	2062,4362 litre	13,815 %	12866,4121 litre	O
330	CM	120	CM	46 LEVEL CM	1999,8314 litre	13,396 %	12929,0169 litre	O
330	CM	120	CM	45 LEVEL CM	1937,7436 litre	12,980 %	12991,1047 litre	O
330	CM	120	CM	44 LEVEL CM	1876,1843 litre	12,568 %	13052,6640 litre	O
330	CM	120	CM	43 LEVEL CM	1815,1651 litre	12,159 %	13113,6832 litre	O
330	CM	120	CM	42 LEVEL CM	1754,6981 litre	11,754 %	13174,1502 litre	O
330	CM	120	CM	41 LEVEL CM	1694,7957 litre	11,352 %	13234,0526 litre	O
330	CM	120	CM	40 LEVEL CM	1635,4705 litre	10,955 %	13293,3778 litre	O
330	CM	120	CM	39 LEVEL CM	1576,7357 litre	10,562 %	13352,1126 litre	O
330	CM	120	CM	38 LEVEL CM	1518,6048 litre	10,172 %	13410,2435 litre	O
330	CM	120	CM	37 LEVEL CM	1461,0916 litre	9,787 %	13467,7567 litre	O
330	CM	120	CM	36 LEVEL CM	1404,2105 litre	9,406 %	13524,6378 litre	O
330	CM	120	CM	35 LEVEL CM	1347,9764 litre	9,029 %	13580,8719 litre	O
330	CM	120	CM	34 LEVEL CM	1292,4046 litre	8,657 %	13636,4437 litre	O
330	CM	120	CM	33 LEVEL CM	1237,5111 litre	8,289 %	13691,3372 litre	O
330	CM	120	CM	32 LEVEL CM	1183,3124 litre	7,926 %	13745,5359 litre	O
330	CM	120	CM	31 LEVEL CM	1129,8257 litre	7,568 %	13799,0226 litre	O
330	CM	120	CM	30 LEVEL CM	1077,0687 litre	7,215 %	13851,7796 litre	O

330	CM	120	CM	29 LEVEL CM	1025,0602 litre	6,866 %	13903,7881 litre	O
330	CM	120	CM	28 LEVEL CM	973,8196 litre	6,523 %	13955,0287 litre	O
330	CM	120	CM	27 LEVEL CM	923,3672 litre	6,185 %	14005,4811 litre	O
330	CM	120	CM	26 LEVEL CM	873,7242 litre	5,853 %	14055,1241 litre	O
330	CM	120	CM	25 LEVEL CM	824,9131 litre	5,526 %	14103,9352 litre	O
330	CM	120	CM	24 LEVEL CM	776,9573 litre	5,204 %	14151,8910 litre	O
330	CM	120	CM	23 LEVEL CM	729,8816 litre	4,889 %	14198,9667 litre	O
330	CM	120	CM	22 LEVEL CM	683,7122 litre	4,580 %	14245,1361 litre	O
330	CM	120	CM	21 LEVEL CM	638,4769 litre	4,277 %	14290,3714 litre	O
330	CM	120	CM	20 LEVEL CM	594,2053 litre	3,980 %	14334,6430 litre	O
330	CM	120	CM	19 LEVEL CM	550,9289 litre	3,690 %	14377,9194 litre	O
330	CM	120	CM	18 LEVEL CM	508,6814 litre	3,407 %	14420,1669 litre	O
330	CM	120	CM	17 LEVEL CM	467,4991 litre	3,132 %	14461,3492 litre	O
330	CM	120	CM	16 LEVEL CM	427,4211 litre	2,863 %	14501,4272 litre	O
330	CM	120	CM	15 LEVEL CM	388,4901 litre	2,602 %	14540,3582 litre	O
330	CM	120	CM	14 LEVEL CM	350,7522 litre	2,349 %	14578,0961 litre	O
330	CM	120	CM	13 LEVEL CM	314,2586 litre	2,105 %	14614,5897 litre	O
330	CM	120	CM	12 LEVEL CM	279,0655 litre	1,869 %	14649,7828 litre	O
330	CM	120	CM	11 LEVEL CM	245,2358 litre	1,643 %	14683,6125 litre	O
330	CM	120	CM	10 LEVEL CM	212,8403 litre	1,426 %	14716,0080 litre	O
330	CM	120	CM	9 LEVEL CM	181,9596 litre	1,219 %	14746,8887 litre	O
330	CM	120	CM	8 LEVEL CM	152,6870 litre	1,023 %	14776,1613 litre	O
330	CM	120	CM	7 LEVEL CM	125,1320 litre	0,838 %	14803,7163 litre	O
330	CM	120	CM	6 LEVEL CM	99,4262 litre	0,666 %	14829,4221 litre	O
330	CM	120	CM	5 LEVEL CM	75,7321 litre	0,507 %	14853,1162 litre	O
330	CM	120	CM	4 LEVEL CM	54,2581 litre	0,363 %	14874,5902 litre	O
330	CM	120	CM	3 LEVEL CM	35,2862 litre	0,236 %	14893,5621 litre	O
330	CM	120	CM	2 LEVEL CM	19,2316 litre	0,129 %	14909,6167 litre	O
330	CM	120	CM	1 LEVEL CM	6,8079 litre	0,046 %	14922,0404 litre	O
330	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	14928,8483 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
330	CM	115	CM	230 LEVEL CM	13710,6957 litre	100,000 %	0,0000 litre	O
330	CM	115	CM	229 LEVEL CM	13704,0315 litre	99,951 %	6,6642 litre	O
330	CM	115	CM	228 LEVEL CM	13691,8712 litre	99,863 %	18,8245 litre	O
330	CM	115	CM	227 LEVEL CM	13676,1582 litre	99,748 %	34,5375 litre	O
330	CM	115	CM	226 LEVEL CM	13657,5917 litre	99,613 %	53,1040 litre	O
330	CM	115	CM	225 LEVEL CM	13636,5786 litre	99,459 %	74,1171 litre	O
330	CM	115	CM	224 LEVEL CM	13613,3952 litre	99,290 %	97,3005 litre	O
330	CM	115	CM	223 LEVEL CM	13588,2459 litre	99,107 %	122,4498 litre	O
330	CM	115	CM	222 LEVEL CM	13561,2900 litre	98,910 %	149,4057 litre	O
330	CM	115	CM	221 LEVEL CM	13532,6567 litre	98,701 %	178,0390 litre	O
330	CM	115	CM	220 LEVEL CM	13502,4533 litre	98,481 %	208,2424 litre	O
330	CM	115	CM	219 LEVEL CM	13470,7714 litre	98,250 %	239,9243 litre	O
330	CM	115	CM	218 LEVEL CM	13437,6903 litre	98,009 %	273,0054 litre	O
330	CM	115	CM	217 LEVEL CM	13403,2793 litre	97,758 %	307,4164 litre	O
330	CM	115	CM	216 LEVEL CM	13367,6004 litre	97,498 %	343,0953 litre	O
330	CM	115	CM	215 LEVEL CM	13330,7089 litre	97,229 %	379,9868 litre	O
330	CM	115	CM	214 LEVEL CM	13292,6547 litre	96,951 %	418,0410 litre	O
330	CM	115	CM	213 LEVEL CM	13253,4836 litre	96,665 %	457,2121 litre	O
330	CM	115	CM	212 LEVEL CM	13213,2374 litre	96,372 %	497,4583 litre	O
330	CM	115	CM	211 LEVEL CM	13171,9546 litre	96,071 %	538,7411 litre	O
330	CM	115	CM	210 LEVEL CM	13129,6709 litre	95,762 %	581,0248 litre	O
330	CM	115	CM	209 LEVEL CM	13086,4195 litre	95,447 %	624,2762 litre	O
330	CM	115	CM	208 LEVEL CM	13042,2315 litre	95,125 %	668,4642 litre	O
330	CM	115	CM	207 LEVEL CM	12997,1360 litre	94,796 %	713,5597 litre	O
330	CM	115	CM	206 LEVEL CM	12951,1604 litre	94,460 %	759,5353 litre	O
330	CM	115	CM	205 LEVEL CM	12904,3305 litre	94,119 %	806,3652 litre	O
330	CM	115	CM	204 LEVEL CM	12856,6707 litre	93,771 %	854,0250 litre	O
330	CM	115	CM	203 LEVEL CM	12808,2043 litre	93,418 %	902,4914 litre	O
330	CM	115	CM	202 LEVEL CM	12758,9533 litre	93,058 %	951,7424 litre	O
330	CM	115	CM	201 LEVEL CM	12708,9387 litre	92,694 %	1001,7570 litre	O
330	CM	115	CM	200 LEVEL CM	12658,1806 litre	92,323 %	1052,5151 litre	O
330	CM	115	CM	199 LEVEL CM	12606,6982 litre	91,948 %	1103,9975 litre	O
330	CM	115	CM	198 LEVEL CM	12554,5099 litre	91,567 %	1156,1858 litre	O
330	CM	115	CM	197 LEVEL CM	12501,6333 litre	91,182 %	1209,0624 litre	O
330	CM	115	CM	196 LEVEL CM	12448,0855 litre	90,791 %	1262,6102 litre	O
330	CM	115	CM	195 LEVEL CM	12393,8827 litre	90,396 %	1316,8130 litre	O
330	CM	115	CM	194 LEVEL CM	12339,0407 litre	89,996 %	1371,6550 litre	O
330	CM	115	CM	193 LEVEL CM	12283,5748 litre	89,591 %	1427,1209 litre	O
330	CM	115	CM	192 LEVEL CM	12227,4997 litre	89,182 %	1483,1960 litre	O
330	CM	115	CM	191 LEVEL CM	12170,8295 litre	88,769 %	1539,8662 litre	O
330	CM	115	CM	190 LEVEL CM	12113,5782 litre	88,351 %	1597,1175 litre	O
330	CM	115	CM	189 LEVEL CM	12055,7590 litre	87,930 %	1654,9367 litre	O
330	CM	115	CM	188 LEVEL CM	11997,3850 litre	87,504 %	1713,3107 litre	O
330	CM	115	CM	187 LEVEL CM	11938,4687 litre	87,074 %	1772,2270 litre	O
330	CM	115	CM	186 LEVEL CM	11879,0225 litre	86,641 %	1831,6732 litre	O
330	CM	115	CM	185 LEVEL CM	11819,0582 litre	86,203 %	1891,6375 litre	O
330	CM	115	CM	184 LEVEL CM	11758,5876 litre	85,762 %	1952,1081 litre	O
330	CM	115	CM	183 LEVEL CM	11697,6219 litre	85,317 %	2013,0738 litre	O
330	CM	115	CM	182 LEVEL CM	11636,1724 litre	84,869 %	2074,5233 litre	O
330	CM	115	CM	181 LEVEL CM	11574,2496 litre	84,418 %	2136,4461 litre	O
330	CM	115	CM	180 LEVEL CM	11511,8643 litre	83,963 %	2198,8314 litre	O
330	CM	115	CM	179 LEVEL CM	11449,0268 litre	83,504 %	2261,6689 litre	O

330	CM	115	CM	178 LEVEL CM	11385,7472 litre	83,043 %	2324,9485 litre	O
330	CM	115	CM	177 LEVEL CM	11322,0354 litre	82,578 %	2388,6603 litre	O
330	CM	115	CM	176 LEVEL CM	11257,9011 litre	82,110 %	2452,7946 litre	O
330	CM	115	CM	175 LEVEL CM	11193,3538 litre	81,640 %	2517,3419 litre	O
330	CM	115	CM	174 LEVEL CM	11128,4028 litre	81,166 %	2582,2929 litre	O
330	CM	115	CM	173 LEVEL CM	11063,0574 litre	80,689 %	2647,6383 litre	O
330	CM	115	CM	172 LEVEL CM	10997,3264 litre	80,210 %	2713,3693 litre	O
330	CM	115	CM	171 LEVEL CM	10931,2188 litre	79,728 %	2779,4769 litre	O
330	CM	115	CM	170 LEVEL CM	10864,7432 litre	79,243 %	2845,9525 litre	O
330	CM	115	CM	169 LEVEL CM	10797,9081 litre	78,755 %	2912,7876 litre	O
330	CM	115	CM	168 LEVEL CM	10730,7221 litre	78,265 %	2979,9736 litre	O
330	CM	115	CM	167 LEVEL CM	10663,1932 litre	77,773 %	3047,5025 litre	O
330	CM	115	CM	166 LEVEL CM	10595,3298 litre	77,278 %	3115,3659 litre	O
330	CM	115	CM	165 LEVEL CM	10527,1398 litre	76,780 %	3183,5559 litre	O
330	CM	115	CM	164 LEVEL CM	10458,6312 litre	76,281 %	3252,0645 litre	O
330	CM	115	CM	163 LEVEL CM	10389,8116 litre	75,779 %	3320,8841 litre	O
330	CM	115	CM	162 LEVEL CM	10320,6890 litre	75,275 %	3390,0067 litre	O
330	CM	115	CM	161 LEVEL CM	10251,2707 litre	74,768 %	3459,4250 litre	O
330	CM	115	CM	160 LEVEL CM	10181,5645 litre	74,260 %	3529,1312 litre	O
330	CM	115	CM	159 LEVEL CM	10111,5775 litre	73,750 %	3599,1182 litre	O
330	CM	115	CM	158 LEVEL CM	10041,3173 litre	73,237 %	3669,3784 litre	O
330	CM	115	CM	157 LEVEL CM	9970,7909 litre	72,723 %	3739,9048 litre	O
330	CM	115	CM	156 LEVEL CM	9900,0056 litre	72,206 %	3810,6901 litre	O
330	CM	115	CM	155 LEVEL CM	9828,9685 litre	71,688 %	3881,7272 litre	O
330	CM	115	CM	154 LEVEL CM	9757,6865 litre	71,168 %	3953,0092 litre	O
330	CM	115	CM	153 LEVEL CM	9686,1666 litre	70,647 %	4024,5291 litre	O
330	CM	115	CM	152 LEVEL CM	9614,4156 litre	70,123 %	4096,2801 litre	O
330	CM	115	CM	151 LEVEL CM	9542,4403 litre	69,599 %	4168,2554 litre	O
330	CM	115	CM	150 LEVEL CM	9470,2474 litre	69,072 %	4240,4483 litre	O
330	CM	115	CM	149 LEVEL CM	9397,8437 litre	68,544 %	4312,8520 litre	O
330	CM	115	CM	148 LEVEL CM	9325,2358 litre	68,014 %	4385,4599 litre	O
330	CM	115	CM	147 LEVEL CM	9252,4301 litre	67,483 %	4458,2656 litre	O
330	CM	115	CM	146 LEVEL CM	9179,4332 litre	66,951 %	4531,2625 litre	O
330	CM	115	CM	145 LEVEL CM	9106,2515 litre	66,417 %	4604,4442 litre	O
330	CM	115	CM	144 LEVEL CM	9032,8915 litre	65,882 %	4677,8042 litre	O
330	CM	115	CM	143 LEVEL CM	8959,3595 litre	65,346 %	4751,3362 litre	O
330	CM	115	CM	142 LEVEL CM	8885,6618 litre	64,808 %	4825,0339 litre	O
330	CM	115	CM	141 LEVEL CM	8811,8047 litre	64,270 %	4898,8910 litre	O
330	CM	115	CM	140 LEVEL CM	8737,7944 litre	63,730 %	4972,9013 litre	O
330	CM	115	CM	139 LEVEL CM	8663,6372 litre	63,189 %	5047,0585 litre	O
330	CM	115	CM	138 LEVEL CM	8589,3390 litre	62,647 %	5121,3567 litre	O
330	CM	115	CM	137 LEVEL CM	8514,9062 litre	62,104 %	5195,7895 litre	O
330	CM	115	CM	136 LEVEL CM	8440,3447 litre	61,560 %	5270,3510 litre	O
330	CM	115	CM	135 LEVEL CM	8365,6606 litre	61,016 %	5345,0351 litre	O
330	CM	115	CM	134 LEVEL CM	8290,8600 litre	60,470 %	5419,8357 litre	O
330	CM	115	CM	133 LEVEL CM	8215,9488 litre	59,924 %	5494,7469 litre	O
330	CM	115	CM	132 LEVEL CM	8140,9330 litre	59,377 %	5569,7627 litre	O
330	CM	115	CM	131 LEVEL CM	8065,8185 litre	58,829 %	5644,8772 litre	O
330	CM	115	CM	130 LEVEL CM	7990,6113 litre	58,280 %	5720,0844 litre	O
330	CM	115	CM	129 LEVEL CM	7915,3173 litre	57,731 %	5795,3784 litre	O
330	CM	115	CM	128 LEVEL CM	7839,9423 litre	57,181 %	5870,7534 litre	O
330	CM	115	CM	127 LEVEL CM	7764,4923 litre	56,631 %	5946,2034 litre	O
330	CM	115	CM	126 LEVEL CM	7688,9730 litre	56,080 %	6021,7227 litre	O

330	CM	115	CM	125 LEVEL CM	7613,3903 litre	55,529 %	6097,3054 litre	O
330	CM	115	CM	124 LEVEL CM	7537,7499 litre	54,977 %	6172,9458 litre	O
330	CM	115	CM	123 LEVEL CM	7462,0578 litre	54,425 %	6248,6379 litre	O
330	CM	115	CM	122 LEVEL CM	7386,3196 litre	53,873 %	6324,3761 litre	O
330	CM	115	CM	121 LEVEL CM	7310,5412 litre	53,320 %	6400,1545 litre	O
330	CM	115	CM	120 LEVEL CM	7234,7283 litre	52,767 %	6475,9674 litre	O
330	CM	115	CM	119 LEVEL CM	7158,8866 litre	52,214 %	6551,8091 litre	O
330	CM	115	CM	118 LEVEL CM	7083,0220 litre	51,661 %	6627,6737 litre	O
330	CM	115	CM	117 LEVEL CM	7007,1402 litre	51,107 %	6703,5555 litre	O
330	CM	115	CM	116 LEVEL CM	6931,2469 litre	50,554 %	6779,4488 litre	O
330	CM	115	CM	115 LEVEL CM	6855,3479 litre	50,000 %	6855,3478 litre	O
330	CM	115	CM	114 LEVEL CM	6779,4488 litre	49,446 %	6931,2469 litre	O
330	CM	115	CM	113 LEVEL CM	6703,5555 litre	48,893 %	7007,1402 litre	O
330	CM	115	CM	112 LEVEL CM	6627,6737 litre	48,339 %	7083,0220 litre	O
330	CM	115	CM	111 LEVEL CM	6551,8091 litre	47,786 %	7158,8866 litre	O
330	CM	115	CM	110 LEVEL CM	6475,9675 litre	47,233 %	7234,7282 litre	O
330	CM	115	CM	109 LEVEL CM	6400,1546 litre	46,680 %	7310,5411 litre	O
330	CM	115	CM	108 LEVEL CM	6324,3761 litre	46,127 %	7386,3196 litre	O
330	CM	115	CM	107 LEVEL CM	6248,6380 litre	45,575 %	7462,0577 litre	O
330	CM	115	CM	106 LEVEL CM	6172,9458 litre	45,023 %	7537,7499 litre	O
330	CM	115	CM	105 LEVEL CM	6097,3055 litre	44,471 %	7613,3902 litre	O
330	CM	115	CM	104 LEVEL CM	6021,7228 litre	43,920 %	7688,9729 litre	O
330	CM	115	CM	103 LEVEL CM	5946,2034 litre	43,369 %	7764,4923 litre	O
330	CM	115	CM	102 LEVEL CM	5870,7534 litre	42,819 %	7839,9423 litre	O
330	CM	115	CM	101 LEVEL CM	5795,3784 litre	42,269 %	7915,3173 litre	O
330	CM	115	CM	100 LEVEL CM	5720,0844 litre	41,720 %	7990,6113 litre	O
330	CM	115	CM	99 LEVEL CM	5644,8772 litre	41,171 %	8065,8185 litre	O
330	CM	115	CM	98 LEVEL CM	5569,7628 litre	40,623 %	8140,9329 litre	O
330	CM	115	CM	97 LEVEL CM	5494,7470 litre	40,076 %	8215,9487 litre	O
330	CM	115	CM	96 LEVEL CM	5419,8358 litre	39,530 %	8290,8599 litre	O
330	CM	115	CM	95 LEVEL CM	5345,0351 litre	38,984 %	8365,6606 litre	O
330	CM	115	CM	94 LEVEL CM	5270,3511 litre	38,440 %	8440,3446 litre	O
330	CM	115	CM	93 LEVEL CM	5195,7896 litre	37,896 %	8514,9061 litre	O
330	CM	115	CM	92 LEVEL CM	5121,3567 litre	37,353 %	8589,3390 litre	O
330	CM	115	CM	91 LEVEL CM	5047,0586 litre	36,811 %	8663,6371 litre	O
330	CM	115	CM	90 LEVEL CM	4972,9013 litre	36,270 %	8737,7944 litre	O
330	CM	115	CM	89 LEVEL CM	4898,8910 litre	35,730 %	8811,8047 litre	O
330	CM	115	CM	88 LEVEL CM	4825,0339 litre	35,192 %	8885,6618 litre	O
330	CM	115	CM	87 LEVEL CM	4751,3362 litre	34,654 %	8959,3595 litre	O
330	CM	115	CM	86 LEVEL CM	4677,8042 litre	34,118 %	9032,8915 litre	O
330	CM	115	CM	85 LEVEL CM	4604,4442 litre	33,583 %	9106,2515 litre	O
330	CM	115	CM	84 LEVEL CM	4531,2626 litre	33,049 %	9179,4331 litre	O
330	CM	115	CM	83 LEVEL CM	4458,2657 litre	32,517 %	9252,4300 litre	O
330	CM	115	CM	82 LEVEL CM	4385,4600 litre	31,986 %	9325,2357 litre	O
330	CM	115	CM	81 LEVEL CM	4312,8520 litre	31,456 %	9397,8437 litre	O
330	CM	115	CM	80 LEVEL CM	4240,4483 litre	30,928 %	9470,2474 litre	O
330	CM	115	CM	79 LEVEL CM	4168,2555 litre	30,401 %	9542,4402 litre	O
330	CM	115	CM	78 LEVEL CM	4096,2802 litre	29,877 %	9614,4155 litre	O
330	CM	115	CM	77 LEVEL CM	4024,5292 litre	29,353 %	9686,1665 litre	O
330	CM	115	CM	76 LEVEL CM	3953,0092 litre	28,832 %	9757,6865 litre	O
330	CM	115	CM	75 LEVEL CM	3881,7272 litre	28,312 %	9828,9685 litre	O
330	CM	115	CM	74 LEVEL CM	3810,6901 litre	27,794 %	9900,0056 litre	O
330	CM	115	CM	73 LEVEL CM	3739,9048 litre	27,277 %	9970,7909 litre	O

330	CM	115	CM	72 LEVEL CM	3669,3785 litre	26,763 %	10041,3172 litre	O
330	CM	115	CM	71 LEVEL CM	3599,1182 litre	26,250 %	10111,5775 litre	O
330	CM	115	CM	70 LEVEL CM	3529,1313 litre	25,740 %	10181,5644 litre	O
330	CM	115	CM	69 LEVEL CM	3459,4250 litre	25,232 %	10251,2707 litre	O
330	CM	115	CM	68 LEVEL CM	3390,0068 litre	24,725 %	10320,6889 litre	O
330	CM	115	CM	67 LEVEL CM	3320,8841 litre	24,221 %	10389,8116 litre	O
330	CM	115	CM	66 LEVEL CM	3252,0646 litre	23,719 %	10458,6311 litre	O
330	CM	115	CM	65 LEVEL CM	3183,5559 litre	23,220 %	10527,1398 litre	O
330	CM	115	CM	64 LEVEL CM	3115,3659 litre	22,722 %	10595,3298 litre	O
330	CM	115	CM	63 LEVEL CM	3047,5025 litre	22,227 %	10663,1932 litre	O
330	CM	115	CM	62 LEVEL CM	2979,9737 litre	21,735 %	10730,7220 litre	O
330	CM	115	CM	61 LEVEL CM	2912,7876 litre	21,245 %	10797,9081 litre	O
330	CM	115	CM	60 LEVEL CM	2845,9526 litre	20,757 %	10864,7431 litre	O
330	CM	115	CM	59 LEVEL CM	2779,4770 litre	20,272 %	10931,2187 litre	O
330	CM	115	CM	58 LEVEL CM	2713,3693 litre	19,790 %	10997,3264 litre	O
330	CM	115	CM	57 LEVEL CM	2647,6384 litre	19,311 %	11063,0573 litre	O
330	CM	115	CM	56 LEVEL CM	2582,2929 litre	18,834 %	11128,4028 litre	O
330	CM	115	CM	55 LEVEL CM	2517,3420 litre	18,360 %	11193,3537 litre	O
330	CM	115	CM	54 LEVEL CM	2452,7947 litre	17,890 %	11257,9010 litre	O
330	CM	115	CM	53 LEVEL CM	2388,6603 litre	17,422 %	11322,0354 litre	O
330	CM	115	CM	52 LEVEL CM	2324,9485 litre	16,957 %	11385,7472 litre	O
330	CM	115	CM	51 LEVEL CM	2261,6689 litre	16,496 %	11449,0268 litre	O
330	CM	115	CM	50 LEVEL CM	2198,8314 litre	16,037 %	11511,8643 litre	O
330	CM	115	CM	49 LEVEL CM	2136,4461 litre	15,582 %	11574,2496 litre	O
330	CM	115	CM	48 LEVEL CM	2074,5234 litre	15,131 %	11636,1723 litre	O
330	CM	115	CM	47 LEVEL CM	2013,0738 litre	14,683 %	11697,6219 litre	O
330	CM	115	CM	46 LEVEL CM	1952,1082 litre	14,238 %	11758,5875 litre	O
330	CM	115	CM	45 LEVEL CM	1891,6375 litre	13,797 %	11819,0582 litre	O
330	CM	115	CM	44 LEVEL CM	1831,6733 litre	13,359 %	11879,0224 litre	O
330	CM	115	CM	43 LEVEL CM	1772,2271 litre	12,926 %	11938,4686 litre	O
330	CM	115	CM	42 LEVEL CM	1713,3108 litre	12,496 %	11997,3849 litre	O
330	CM	115	CM	41 LEVEL CM	1654,9367 litre	12,070 %	12055,7590 litre	O
330	CM	115	CM	40 LEVEL CM	1597,1176 litre	11,649 %	12113,5781 litre	O
330	CM	115	CM	39 LEVEL CM	1539,8662 litre	11,231 %	12170,8295 litre	O
330	CM	115	CM	38 LEVEL CM	1483,1961 litre	10,818 %	12227,4996 litre	O
330	CM	115	CM	37 LEVEL CM	1427,1209 litre	10,409 %	12283,5748 litre	O
330	CM	115	CM	36 LEVEL CM	1371,6550 litre	10,004 %	12339,0407 litre	O
330	CM	115	CM	35 LEVEL CM	1316,8131 litre	9,604 %	12393,8826 litre	O
330	CM	115	CM	34 LEVEL CM	1262,6103 litre	9,209 %	12448,0854 litre	O
330	CM	115	CM	33 LEVEL CM	1209,0624 litre	8,818 %	12501,6333 litre	O
330	CM	115	CM	32 LEVEL CM	1156,1859 litre	8,433 %	12554,5098 litre	O
330	CM	115	CM	31 LEVEL CM	1103,9975 litre	8,052 %	12606,6982 litre	O
330	CM	115	CM	30 LEVEL CM	1052,5151 litre	7,677 %	12658,1806 litre	O
330	CM	115	CM	29 LEVEL CM	1001,7570 litre	7,306 %	12708,9387 litre	O
330	CM	115	CM	28 LEVEL CM	951,7424 litre	6,942 %	12758,9533 litre	O
330	CM	115	CM	27 LEVEL CM	902,4914 litre	6,582 %	12808,2043 litre	O
330	CM	115	CM	26 LEVEL CM	854,0250 litre	6,229 %	12856,6707 litre	O
330	CM	115	CM	25 LEVEL CM	806,3653 litre	5,881 %	12904,3304 litre	O
330	CM	115	CM	24 LEVEL CM	759,5353 litre	5,540 %	12951,1604 litre	O
330	CM	115	CM	23 LEVEL CM	713,5597 litre	5,204 %	12997,1360 litre	O
330	CM	115	CM	22 LEVEL CM	668,4642 litre	4,875 %	13042,2315 litre	O
330	CM	115	CM	21 LEVEL CM	624,2762 litre	4,553 %	13086,4195 litre	O
330	CM	115	CM	20 LEVEL CM	581,0248 litre	4,238 %	13129,6709 litre	O

330	CM	115	CM	19 LEVEL CM	538,7411 litre	3,929 %	13171,9546 litre	O
330	CM	115	CM	18 LEVEL CM	497,4583 litre	3,628 %	13213,2374 litre	O
330	CM	115	CM	17 LEVEL CM	457,2121 litre	3,335 %	13253,4836 litre	O
330	CM	115	CM	16 LEVEL CM	418,0410 litre	3,049 %	13292,6547 litre	O
330	CM	115	CM	15 LEVEL CM	379,9869 litre	2,771 %	13330,7088 litre	O
330	CM	115	CM	14 LEVEL CM	343,0953 litre	2,502 %	13367,6004 litre	O
330	CM	115	CM	13 LEVEL CM	307,4164 litre	2,242 %	13403,2793 litre	O
330	CM	115	CM	12 LEVEL CM	273,0055 litre	1,991 %	13437,6902 litre	O
330	CM	115	CM	11 LEVEL CM	239,9243 litre	1,750 %	13470,7714 litre	O
330	CM	115	CM	10 LEVEL CM	208,2425 litre	1,519 %	13502,4532 litre	O
330	CM	115	CM	9 LEVEL CM	178,0391 litre	1,299 %	13532,6566 litre	O
330	CM	115	CM	8 LEVEL CM	149,4057 litre	1,090 %	13561,2900 litre	O
330	CM	115	CM	7 LEVEL CM	122,4498 litre	0,893 %	13588,2459 litre	O
330	CM	115	CM	6 LEVEL CM	97,3005 litre	0,710 %	13613,3952 litre	O
330	CM	115	CM	5 LEVEL CM	74,1172 litre	0,541 %	13636,5785 litre	O
330	CM	115	CM	4 LEVEL CM	53,1040 litre	0,387 %	13657,5917 litre	O
330	CM	115	CM	3 LEVEL CM	34,5376 litre	0,252 %	13676,1581 litre	O
330	CM	115	CM	2 LEVEL CM	18,8246 litre	0,137 %	13691,8711 litre	O
330	CM	115	CM	1 LEVEL CM	6,6642 litre	0,049 %	13704,0315 litre	O
330	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	13710,6957 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM	110	CM 220 LEVEL CM	12544,3795 litre	100,000 %	0,0000 litre	O
330	CM	110	CM 219 LEVEL CM	12537,8621 litre	99,948 %	6,5174 litre	O
330	CM	110	CM 218 LEVEL CM	12525,9709 litre	99,853 %	18,4086 litre	O
330	CM	110	CM 217 LEVEL CM	12510,6071 litre	99,731 %	33,7724 litre	O
330	CM	110	CM 216 LEVEL CM	12492,4551 litre	99,586 %	51,9244 litre	O
330	CM	110	CM 215 LEVEL CM	12471,9133 litre	99,422 %	72,4662 litre	O
330	CM	110	CM 214 LEVEL CM	12449,2521 litre	99,242 %	95,1274 litre	O
330	CM	110	CM 213 LEVEL CM	12424,6719 litre	99,046 %	119,7076 litre	O
330	CM	110	CM 212 LEVEL CM	12398,3288 litre	98,836 %	146,0507 litre	O
330	CM	110	CM 211 LEVEL CM	12370,3492 litre	98,613 %	174,0303 litre	O
330	CM	110	CM 210 LEVEL CM	12340,8387 litre	98,377 %	203,5408 litre	O
330	CM	110	CM 209 LEVEL CM	12309,8869 litre	98,131 %	234,4926 litre	O
330	CM	110	CM 208 LEVEL CM	12277,5716 litre	97,873 %	266,8079 litre	O
330	CM	110	CM 207 LEVEL CM	12243,9611 litre	97,605 %	300,4184 litre	O
330	CM	110	CM 206 LEVEL CM	12209,1159 litre	97,327 %	335,2636 litre	O
330	CM	110	CM 205 LEVEL CM	12173,0905 litre	97,040 %	371,2890 litre	O
330	CM	110	CM 204 LEVEL CM	12135,9340 litre	96,744 %	408,4455 litre	O
330	CM	110	CM 203 LEVEL CM	12097,6913 litre	96,439 %	446,6882 litre	O
330	CM	110	CM 202 LEVEL CM	12058,4035 litre	96,126 %	485,9760 litre	O
330	CM	110	CM 201 LEVEL CM	12018,1084 litre	95,805 %	526,2711 litre	O
330	CM	110	CM 200 LEVEL CM	11976,8413 litre	95,476 %	567,5382 litre	O
330	CM	110	CM 199 LEVEL CM	11934,6348 litre	95,139 %	609,7447 litre	O
330	CM	110	CM 198 LEVEL CM	11891,5195 litre	94,796 %	652,8600 litre	O
330	CM	110	CM 197 LEVEL CM	11847,5241 litre	94,445 %	696,8554 litre	O
330	CM	110	CM 196 LEVEL CM	11802,6755 litre	94,087 %	741,7040 litre	O
330	CM	110	CM 195 LEVEL CM	11756,9992 litre	93,723 %	787,3803 litre	O
330	CM	110	CM 194 LEVEL CM	11710,5193 litre	93,353 %	833,8602 litre	O
330	CM	110	CM 193 LEVEL CM	11663,2588 litre	92,976 %	881,1207 litre	O
330	CM	110	CM 192 LEVEL CM	11615,2392 litre	92,593 %	929,1403 litre	O
330	CM	110	CM 191 LEVEL CM	11566,4815 litre	92,204 %	977,8980 litre	O
330	CM	110	CM 190 LEVEL CM	11517,0054 litre	91,810 %	1027,3741 litre	O
330	CM	110	CM 189 LEVEL CM	11466,8299 litre	91,410 %	1077,5496 litre	O
330	CM	110	CM 188 LEVEL CM	11415,9731 litre	91,005 %	1128,4064 litre	O
330	CM	110	CM 187 LEVEL CM	11364,4526 litre	90,594 %	1179,9269 litre	O
330	CM	110	CM 186 LEVEL CM	11312,2851 litre	90,178 %	1232,0944 litre	O
330	CM	110	CM 185 LEVEL CM	11259,4868 litre	89,757 %	1284,8927 litre	O
330	CM	110	CM 184 LEVEL CM	11206,0732 litre	89,331 %	1338,3063 litre	O
330	CM	110	CM 183 LEVEL CM	11152,0596 litre	88,901 %	1392,3199 litre	O
330	CM	110	CM 182 LEVEL CM	11097,4604 litre	88,466 %	1446,9191 litre	O
330	CM	110	CM 181 LEVEL CM	11042,2897 litre	88,026 %	1502,0898 litre	O
330	CM	110	CM 180 LEVEL CM	10986,5613 litre	87,582 %	1557,8182 litre	O
330	CM	110	CM 179 LEVEL CM	10930,2884 litre	87,133 %	1614,0911 litre	O
330	CM	110	CM 178 LEVEL CM	10873,4838 litre	86,680 %	1670,8957 litre	O
330	CM	110	CM 177 LEVEL CM	10816,1602 litre	86,223 %	1728,2193 litre	O
330	CM	110	CM 176 LEVEL CM	10758,3297 litre	85,762 %	1786,0498 litre	O
330	CM	110	CM 175 LEVEL CM	10700,0041 litre	85,297 %	1844,3754 litre	O
330	CM	110	CM 174 LEVEL CM	10641,1951 litre	84,828 %	1903,1844 litre	O
330	CM	110	CM 173 LEVEL CM	10581,9139 litre	84,356 %	1962,4656 litre	O
330	CM	110	CM 172 LEVEL CM	10522,1716 litre	83,880 %	2022,2079 litre	O
330	CM	110	CM 171 LEVEL CM	10461,9789 litre	83,400 %	2082,4006 litre	O
330	CM	110	CM 170 LEVEL CM	10401,3464 litre	82,916 %	2143,0331 litre	O
330	CM	110	CM 169 LEVEL CM	10340,2843 litre	82,430 %	2204,0952 litre	O

330	CM 110	CM	168 LEVEL CM	10278,8028 litre	81,940 %	2265,5767 litre	O
330	CM 110	CM	167 LEVEL CM	10216,9117 litre	81,446 %	2327,4678 litre	O
330	CM 110	CM	166 LEVEL CM	10154,6207 litre	80,950 %	2389,7588 litre	O
330	CM 110	CM	165 LEVEL CM	10091,9394 litre	80,450 %	2452,4401 litre	O
330	CM 110	CM	164 LEVEL CM	10028,8769 litre	79,947 %	2515,5026 litre	O
330	CM 110	CM	163 LEVEL CM	9965,4426 litre	79,441 %	2578,9369 litre	O
330	CM 110	CM	162 LEVEL CM	9901,6453 litre	78,933 %	2642,7342 litre	O
330	CM 110	CM	161 LEVEL CM	9837,4940 litre	78,422 %	2706,8855 litre	O
330	CM 110	CM	160 LEVEL CM	9772,9973 litre	77,907 %	2771,3822 litre	O
330	CM 110	CM	159 LEVEL CM	9708,1638 litre	77,391 %	2836,2157 litre	O
330	CM 110	CM	158 LEVEL CM	9643,0018 litre	76,871 %	2901,3777 litre	O
330	CM 110	CM	157 LEVEL CM	9577,5198 litre	76,349 %	2966,8597 litre	O
330	CM 110	CM	156 LEVEL CM	9511,7259 litre	75,825 %	3032,6536 litre	O
330	CM 110	CM	155 LEVEL CM	9445,6282 litre	75,298 %	3098,7513 litre	O
330	CM 110	CM	154 LEVEL CM	9379,2345 litre	74,768 %	3165,1450 litre	O
330	CM 110	CM	153 LEVEL CM	9312,5528 litre	74,237 %	3231,8267 litre	O
330	CM 110	CM	152 LEVEL CM	9245,5907 litre	73,703 %	3298,7888 litre	O
330	CM 110	CM	151 LEVEL CM	9178,3560 litre	73,167 %	3366,0235 litre	O
330	CM 110	CM	150 LEVEL CM	9110,8562 litre	72,629 %	3433,5233 litre	O
330	CM 110	CM	149 LEVEL CM	9043,0987 litre	72,089 %	3501,2808 litre	O
330	CM 110	CM	148 LEVEL CM	8975,0910 litre	71,547 %	3569,2885 litre	O
330	CM 110	CM	147 LEVEL CM	8906,8403 litre	71,003 %	3637,5392 litre	O
330	CM 110	CM	146 LEVEL CM	8838,3539 litre	70,457 %	3706,0256 litre	O
330	CM 110	CM	145 LEVEL CM	8769,6389 litre	69,909 %	3774,7406 litre	O
330	CM 110	CM	144 LEVEL CM	8700,7023 litre	69,359 %	3843,6772 litre	O
330	CM 110	CM	143 LEVEL CM	8631,5513 litre	68,808 %	3912,8282 litre	O
330	CM 110	CM	142 LEVEL CM	8562,1927 litre	68,255 %	3982,1868 litre	O
330	CM 110	CM	141 LEVEL CM	8492,6334 litre	67,701 %	4051,7461 litre	O
330	CM 110	CM	140 LEVEL CM	8422,8802 litre	67,145 %	4121,4993 litre	O
330	CM 110	CM	139 LEVEL CM	8352,9399 litre	66,587 %	4191,4396 litre	O
330	CM 110	CM	138 LEVEL CM	8282,8193 litre	66,028 %	4261,5602 litre	O
330	CM 110	CM	137 LEVEL CM	8212,5249 litre	65,468 %	4331,8546 litre	O
330	CM 110	CM	136 LEVEL CM	8142,0634 litre	64,906 %	4402,3161 litre	O
330	CM 110	CM	135 LEVEL CM	8071,4414 litre	64,343 %	4472,9381 litre	O
330	CM 110	CM	134 LEVEL CM	8000,6653 litre	63,779 %	4543,7142 litre	O
330	CM 110	CM	133 LEVEL CM	7929,7417 litre	63,214 %	4614,6378 litre	O
330	CM 110	CM	132 LEVEL CM	7858,6769 litre	62,647 %	4685,7026 litre	O
330	CM 110	CM	131 LEVEL CM	7787,4774 litre	62,079 %	4756,9021 litre	O
330	CM 110	CM	130 LEVEL CM	7716,1496 litre	61,511 %	4828,2299 litre	O
330	CM 110	CM	129 LEVEL CM	7644,6997 litre	60,941 %	4899,6798 litre	O
330	CM 110	CM	128 LEVEL CM	7573,1341 litre	60,371 %	4971,2454 litre	O
330	CM 110	CM	127 LEVEL CM	7501,4590 litre	59,799 %	5042,9205 litre	O
330	CM 110	CM	126 LEVEL CM	7429,6806 litre	59,227 %	5114,6989 litre	O
330	CM 110	CM	125 LEVEL CM	7357,8053 litre	58,654 %	5186,5742 litre	O
330	CM 110	CM	124 LEVEL CM	7285,8390 litre	58,081 %	5258,5405 litre	O
330	CM 110	CM	123 LEVEL CM	7213,7881 litre	57,506 %	5330,5914 litre	O
330	CM 110	CM	122 LEVEL CM	7141,6586 litre	56,931 %	5402,7209 litre	O
330	CM 110	CM	121 LEVEL CM	7069,4567 litre	56,356 %	5474,9228 litre	O
330	CM 110	CM	120 LEVEL CM	6997,1885 litre	55,779 %	5547,1910 litre	O
330	CM 110	CM	119 LEVEL CM	6924,8600 litre	55,203 %	5619,5195 litre	O
330	CM 110	CM	118 LEVEL CM	6852,4773 litre	54,626 %	5691,9022 litre	O
330	CM 110	CM	117 LEVEL CM	6780,0465 litre	54,048 %	5764,3330 litre	O
330	CM 110	CM	116 LEVEL CM	6707,5736 litre	53,471 %	5836,8059 litre	O

330	CM	110	CM	115 LEVEL CM	6635,0647 litre	52,893 %	5909,3148 litre	O
330	CM	110	CM	114 LEVEL CM	6562,5257 litre	52,314 %	5981,8538 litre	O
330	CM	110	CM	113 LEVEL CM	6489,9627 litre	51,736 %	6054,4168 litre	O
330	CM	110	CM	112 LEVEL CM	6417,3817 litre	51,157 %	6126,9978 litre	O
330	CM	110	CM	111 LEVEL CM	6344,7887 litre	50,579 %	6199,5908 litre	O
330	CM	110	CM	110 LEVEL CM	6272,1897 litre	50,000 %	6272,1898 litre	O
330	CM	110	CM	109 LEVEL CM	6199,5907 litre	49,421 %	6344,7888 litre	O
330	CM	110	CM	108 LEVEL CM	6126,9977 litre	48,843 %	6417,3818 litre	O
330	CM	110	CM	107 LEVEL CM	6054,4167 litre	48,264 %	6489,9628 litre	O
330	CM	110	CM	106 LEVEL CM	5981,8537 litre	47,686 %	6562,5258 litre	O
330	CM	110	CM	105 LEVEL CM	5909,3148 litre	47,107 %	6635,0647 litre	O
330	CM	110	CM	104 LEVEL CM	5836,8058 litre	46,529 %	6707,5737 litre	O
330	CM	110	CM	103 LEVEL CM	5764,3329 litre	45,952 %	6780,0466 litre	O
330	CM	110	CM	102 LEVEL CM	5691,9021 litre	45,374 %	6852,4774 litre	O
330	CM	110	CM	101 LEVEL CM	5619,5195 litre	44,797 %	6924,8600 litre	O
330	CM	110	CM	100 LEVEL CM	5547,1910 litre	44,221 %	6997,1885 litre	O
330	CM	110	CM	99 LEVEL CM	5474,9227 litre	43,644 %	7069,4568 litre	O
330	CM	110	CM	98 LEVEL CM	5402,7208 litre	43,069 %	7141,6587 litre	O
330	CM	110	CM	97 LEVEL CM	5330,5914 litre	42,494 %	7213,7881 litre	O
330	CM	110	CM	96 LEVEL CM	5258,5404 litre	41,919 %	7285,8391 litre	O
330	CM	110	CM	95 LEVEL CM	5186,5742 litre	41,346 %	7357,8053 litre	O
330	CM	110	CM	94 LEVEL CM	5114,6988 litre	40,773 %	7429,6807 litre	O
330	CM	110	CM	93 LEVEL CM	5042,9205 litre	40,201 %	7501,4590 litre	O
330	CM	110	CM	92 LEVEL CM	4971,2454 litre	39,629 %	7573,1341 litre	O
330	CM	110	CM	91 LEVEL CM	4899,6798 litre	39,059 %	7644,6997 litre	O
330	CM	110	CM	90 LEVEL CM	4828,2299 litre	38,489 %	7716,1496 litre	O
330	CM	110	CM	89 LEVEL CM	4756,9020 litre	37,921 %	7787,4775 litre	O
330	CM	110	CM	88 LEVEL CM	4685,7026 litre	37,353 %	7858,6769 litre	O
330	CM	110	CM	87 LEVEL CM	4614,6378 litre	36,786 %	7929,7417 litre	O
330	CM	110	CM	86 LEVEL CM	4543,7142 litre	36,221 %	8000,6653 litre	O
330	CM	110	CM	85 LEVEL CM	4472,9381 litre	35,657 %	8071,4414 litre	O
330	CM	110	CM	84 LEVEL CM	4402,3160 litre	35,094 %	8142,0635 litre	O
330	CM	110	CM	83 LEVEL CM	4331,8546 litre	34,532 %	8212,5249 litre	O
330	CM	110	CM	82 LEVEL CM	4261,5602 litre	33,972 %	8282,8193 litre	O
330	CM	110	CM	81 LEVEL CM	4191,4395 litre	33,413 %	8352,9400 litre	O
330	CM	110	CM	80 LEVEL CM	4121,4993 litre	32,855 %	8422,8802 litre	O
330	CM	110	CM	79 LEVEL CM	4051,7461 litre	32,299 %	8492,6334 litre	O
330	CM	110	CM	78 LEVEL CM	3982,1868 litre	31,745 %	8562,1927 litre	O
330	CM	110	CM	77 LEVEL CM	3912,8282 litre	31,192 %	8631,5513 litre	O
330	CM	110	CM	76 LEVEL CM	3843,6771 litre	30,641 %	8700,7024 litre	O
330	CM	110	CM	75 LEVEL CM	3774,7406 litre	30,091 %	8769,6389 litre	O
330	CM	110	CM	74 LEVEL CM	3706,0256 litre	29,543 %	8838,3539 litre	O
330	CM	110	CM	73 LEVEL CM	3637,5391 litre	28,997 %	8906,8404 litre	O
330	CM	110	CM	72 LEVEL CM	3569,2885 litre	28,453 %	8975,0910 litre	O
330	CM	110	CM	71 LEVEL CM	3501,2807 litre	27,911 %	9043,0988 litre	O
330	CM	110	CM	70 LEVEL CM	3433,5233 litre	27,371 %	9110,8562 litre	O
330	CM	110	CM	69 LEVEL CM	3366,0235 litre	26,833 %	9178,3560 litre	O
330	CM	110	CM	68 LEVEL CM	3298,7888 litre	26,297 %	9245,5907 litre	O
330	CM	110	CM	67 LEVEL CM	3231,8267 litre	25,763 %	9312,5528 litre	O
330	CM	110	CM	66 LEVEL CM	3165,1450 litre	25,232 %	9379,2345 litre	O
330	CM	110	CM	65 LEVEL CM	3098,7513 litre	24,702 %	9445,6282 litre	O
330	CM	110	CM	64 LEVEL CM	3032,6535 litre	24,175 %	9511,7260 litre	O
330	CM	110	CM	63 LEVEL CM	2966,8596 litre	23,651 %	9577,5199 litre	O

330	CM 110	CM	62 LEVEL CM	2901,3776 litre	23,129 %	9643,0019 litre	O
330	CM 110	CM	61 LEVEL CM	2836,2157 litre	22,609 %	9708,1638 litre	O
330	CM 110	CM	60 LEVEL CM	2771,3822 litre	22,093 %	9772,9973 litre	O
330	CM 110	CM	59 LEVEL CM	2706,8855 litre	21,578 %	9837,4940 litre	O
330	CM 110	CM	58 LEVEL CM	2642,7341 litre	21,067 %	9901,6454 litre	O
330	CM 110	CM	57 LEVEL CM	2578,9369 litre	20,559 %	9965,4426 litre	O
330	CM 110	CM	56 LEVEL CM	2515,5025 litre	20,053 %	10028,8770 litre	O
330	CM 110	CM	55 LEVEL CM	2452,4401 litre	19,550 %	10091,9394 litre	O
330	CM 110	CM	54 LEVEL CM	2389,7587 litre	19,050 %	10154,6208 litre	O
330	CM 110	CM	53 LEVEL CM	2327,4677 litre	18,554 %	10216,9118 litre	O
330	CM 110	CM	52 LEVEL CM	2265,5767 litre	18,060 %	10278,8028 litre	O
330	CM 110	CM	51 LEVEL CM	2204,0951 litre	17,570 %	10340,2844 litre	O
330	CM 110	CM	50 LEVEL CM	2143,0331 litre	17,084 %	10401,3464 litre	O
330	CM 110	CM	49 LEVEL CM	2082,4005 litre	16,600 %	10461,9790 litre	O
330	CM 110	CM	48 LEVEL CM	2022,2079 litre	16,120 %	10522,1716 litre	O
330	CM 110	CM	47 LEVEL CM	1962,4655 litre	15,644 %	10581,9140 litre	O
330	CM 110	CM	46 LEVEL CM	1903,1844 litre	15,172 %	10641,1951 litre	O
330	CM 110	CM	45 LEVEL CM	1844,3754 litre	14,703 %	10700,0041 litre	O
330	CM 110	CM	44 LEVEL CM	1786,0498 litre	14,238 %	10758,3297 litre	O
330	CM 110	CM	43 LEVEL CM	1728,2193 litre	13,777 %	10816,1602 litre	O
330	CM 110	CM	42 LEVEL CM	1670,8956 litre	13,320 %	10873,4839 litre	O
330	CM 110	CM	41 LEVEL CM	1614,0911 litre	12,867 %	10930,2884 litre	O
330	CM 110	CM	40 LEVEL CM	1557,8182 litre	12,418 %	10986,5613 litre	O
330	CM 110	CM	39 LEVEL CM	1502,0897 litre	11,974 %	11042,2898 litre	O
330	CM 110	CM	38 LEVEL CM	1446,9191 litre	11,534 %	11097,4604 litre	O
330	CM 110	CM	37 LEVEL CM	1392,3199 litre	11,099 %	11152,0596 litre	O
330	CM 110	CM	36 LEVEL CM	1338,3062 litre	10,669 %	11206,0733 litre	O
330	CM 110	CM	35 LEVEL CM	1284,8927 litre	10,243 %	11259,4868 litre	O
330	CM 110	CM	34 LEVEL CM	1232,0944 litre	9,822 %	11312,2851 litre	O
330	CM 110	CM	33 LEVEL CM	1179,9269 litre	9,406 %	11364,4526 litre	O
330	CM 110	CM	32 LEVEL CM	1128,4063 litre	8,995 %	11415,9732 litre	O
330	CM 110	CM	31 LEVEL CM	1077,5496 litre	8,590 %	11466,8299 litre	O
330	CM 110	CM	30 LEVEL CM	1027,3741 litre	8,190 %	11517,0054 litre	O
330	CM 110	CM	29 LEVEL CM	977,8979 litre	7,796 %	11566,4816 litre	O
330	CM 110	CM	28 LEVEL CM	929,1402 litre	7,407 %	11615,2393 litre	O
330	CM 110	CM	27 LEVEL CM	881,1207 litre	7,024 %	11663,2588 litre	O
330	CM 110	CM	26 LEVEL CM	833,8601 litre	6,647 %	11710,5194 litre	O
330	CM 110	CM	25 LEVEL CM	787,3803 litre	6,277 %	11756,9992 litre	O
330	CM 110	CM	24 LEVEL CM	741,7040 litre	5,913 %	11802,6755 litre	O
330	CM 110	CM	23 LEVEL CM	696,8554 litre	5,555 %	11847,5241 litre	O
330	CM 110	CM	22 LEVEL CM	652,8599 litre	5,204 %	11891,5196 litre	O
330	CM 110	CM	21 LEVEL CM	609,7446 litre	4,861 %	11934,6349 litre	O
330	CM 110	CM	20 LEVEL CM	567,5381 litre	4,524 %	11976,8414 litre	O
330	CM 110	CM	19 LEVEL CM	526,2710 litre	4,195 %	12018,1085 litre	O
330	CM 110	CM	18 LEVEL CM	485,9760 litre	3,874 %	12058,4035 litre	O
330	CM 110	CM	17 LEVEL CM	446,6882 litre	3,561 %	12097,6913 litre	O
330	CM 110	CM	16 LEVEL CM	408,4454 litre	3,256 %	12135,9341 litre	O
330	CM 110	CM	15 LEVEL CM	371,2890 litre	2,960 %	12173,0905 litre	O
330	CM 110	CM	14 LEVEL CM	335,2635 litre	2,673 %	12209,1160 litre	O
330	CM 110	CM	13 LEVEL CM	300,4184 litre	2,395 %	12243,9611 litre	O
330	CM 110	CM	12 LEVEL CM	266,8078 litre	2,127 %	12277,5717 litre	O
330	CM 110	CM	11 LEVEL CM	234,4925 litre	1,869 %	12309,8870 litre	O
330	CM 110	CM	10 LEVEL CM	203,5408 litre	1,623 %	12340,8387 litre	O

330	CM	110	CM	9 LEVEL CM	174,0303 litre	1,387 %	12370,3492 litre	O
330	CM	110	CM	8 LEVEL CM	146,0507 litre	1,164 %	12398,3288 litre	O
330	CM	110	CM	7 LEVEL CM	119,7076 litre	0,954 %	12424,6719 litre	O
330	CM	110	CM	6 LEVEL CM	95,1273 litre	0,758 %	12449,2522 litre	O
330	CM	110	CM	5 LEVEL CM	72,4662 litre	0,578 %	12471,9133 litre	O
330	CM	110	CM	4 LEVEL CM	51,9243 litre	0,414 %	12492,4552 litre	O
330	CM	110	CM	3 LEVEL CM	33,7723 litre	0,269 %	12510,6072 litre	O
330	CM	110	CM	2 LEVEL CM	18,4086 litre	0,147 %	12525,9709 litre	O
330	CM	110	CM	1 LEVEL CM	6,5173 litre	0,052 %	12537,8622 litre	O
330	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	12544,3795 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 105	CM 210 LEVEL CM	11429,8995 litre	100,000 %	0,0000 litre	O
330	CM 105	CM 209 LEVEL CM	11423,5324 litre	99,944 %	6,3671 litre	O
330	CM 105	CM 208 LEVEL CM	11411,9165 litre	99,843 %	17,9830 litre	O
330	CM 105	CM 207 LEVEL CM	11396,9101 litre	99,711 %	32,9894 litre	O
330	CM 105	CM 206 LEVEL CM	11379,1823 litre	99,556 %	50,7172 litre	O
330	CM 105	CM 205 LEVEL CM	11359,1227 litre	99,381 %	70,7768 litre	O
330	CM 105	CM 204 LEVEL CM	11336,9961 litre	99,187 %	92,9034 litre	O
330	CM 105	CM 203 LEVEL CM	11312,9985 litre	98,977 %	116,9010 litre	O
330	CM 105	CM 202 LEVEL CM	11287,2827 litre	98,752 %	142,6168 litre	O
330	CM 105	CM 201 LEVEL CM	11259,9726 litre	98,513 %	169,9269 litre	O
330	CM 105	CM 200 LEVEL CM	11231,1716 litre	98,261 %	198,7279 litre	O
330	CM 105	CM 199 LEVEL CM	11200,9676 litre	97,997 %	228,9319 litre	O
330	CM 105	CM 198 LEVEL CM	11169,4368 litre	97,721 %	260,4627 litre	O
330	CM 105	CM 197 LEVEL CM	11136,6462 litre	97,434 %	293,2533 litre	O
330	CM 105	CM 196 LEVEL CM	11102,6552 litre	97,137 %	327,2443 litre	O
330	CM 105	CM 195 LEVEL CM	11067,5172 litre	96,830 %	362,3823 litre	O
330	CM 105	CM 194 LEVEL CM	11031,2806 litre	96,512 %	398,6189 litre	O
330	CM 105	CM 193 LEVEL CM	10993,9894 litre	96,186 %	435,9101 litre	O
330	CM 105	CM 192 LEVEL CM	10955,6839 litre	95,851 %	474,2156 litre	O
330	CM 105	CM 191 LEVEL CM	10916,4015 litre	95,507 %	513,4980 litre	O
330	CM 105	CM 190 LEVEL CM	10876,1766 litre	95,155 %	553,7229 litre	O
330	CM 105	CM 189 LEVEL CM	10835,0416 litre	94,796 %	594,8579 litre	O
330	CM 105	CM 188 LEVEL CM	10793,0263 litre	94,428 %	636,8732 litre	O
330	CM 105	CM 187 LEVEL CM	10750,1592 litre	94,053 %	679,7403 litre	O
330	CM 105	CM 186 LEVEL CM	10706,4667 litre	93,671 %	723,4328 litre	O
330	CM 105	CM 185 LEVEL CM	10661,9739 litre	93,281 %	767,9256 litre	O
330	CM 105	CM 184 LEVEL CM	10616,7047 litre	92,885 %	813,1948 litre	O
330	CM 105	CM 183 LEVEL CM	10570,6815 litre	92,483 %	859,2180 litre	O
330	CM 105	CM 182 LEVEL CM	10523,9259 litre	92,074 %	905,9736 litre	O
330	CM 105	CM 181 LEVEL CM	10476,4583 litre	91,658 %	953,4412 litre	O
330	CM 105	CM 180 LEVEL CM	10428,2983 litre	91,237 %	1001,6012 litre	O
330	CM 105	CM 179 LEVEL CM	10379,4646 litre	90,810 %	1050,4349 litre	O
330	CM 105	CM 178 LEVEL CM	10329,9753 litre	90,377 %	1099,9242 litre	O
330	CM 105	CM 177 LEVEL CM	10279,8474 litre	89,938 %	1150,0521 litre	O
330	CM 105	CM 176 LEVEL CM	10229,0978 litre	89,494 %	1200,8017 litre	O
330	CM 105	CM 175 LEVEL CM	10177,7423 litre	89,045 %	1252,1572 litre	O
330	CM 105	CM 174 LEVEL CM	10125,7965 litre	88,590 %	1304,1030 litre	O
330	CM 105	CM 173 LEVEL CM	10073,2753 litre	88,131 %	1356,6242 litre	O
330	CM 105	CM 172 LEVEL CM	10020,1930 litre	87,667 %	1409,7065 litre	O
330	CM 105	CM 171 LEVEL CM	9966,5637 litre	87,197 %	1463,3358 litre	O
330	CM 105	CM 170 LEVEL CM	9912,4011 litre	86,723 %	1517,4984 litre	O
330	CM 105	CM 169 LEVEL CM	9857,7181 litre	86,245 %	1572,1814 litre	O
330	CM 105	CM 168 LEVEL CM	9802,5276 litre	85,762 %	1627,3719 litre	O
330	CM 105	CM 167 LEVEL CM	9746,8422 litre	85,275 %	1683,0573 litre	O
330	CM 105	CM 166 LEVEL CM	9690,6738 litre	84,784 %	1739,2257 litre	O
330	CM 105	CM 165 LEVEL CM	9634,0343 litre	84,288 %	1795,8652 litre	O
330	CM 105	CM 164 LEVEL CM	9576,9353 litre	83,788 %	1852,9642 litre	O
330	CM 105	CM 163 LEVEL CM	9519,3878 litre	83,285 %	1910,5117 litre	O
330	CM 105	CM 162 LEVEL CM	9461,4030 litre	82,778 %	1968,4965 litre	O
330	CM 105	CM 161 LEVEL CM	9402,9916 litre	82,267 %	2026,9079 litre	O
330	CM 105	CM 160 LEVEL CM	9344,1641 litre	81,752 %	2085,7354 litre	O
330	CM 105	CM 159 LEVEL CM	9284,9306 litre	81,234 %	2144,9689 litre	O

330	CM	105	CM	158 LEVEL CM	9225,3014 litre	80,712 %	2204,5981 litre	O
330	CM	105	CM	157 LEVEL CM	9165,2862 litre	80,187 %	2264,6133 litre	O
330	CM	105	CM	156 LEVEL CM	9104,8948 litre	79,659 %	2325,0047 litre	O
330	CM	105	CM	155 LEVEL CM	9044,1367 litre	79,127 %	2385,7628 litre	O
330	CM	105	CM	154 LEVEL CM	8983,0211 litre	78,592 %	2446,8784 litre	O
330	CM	105	CM	153 LEVEL CM	8921,5572 litre	78,055 %	2508,3423 litre	O
330	CM	105	CM	152 LEVEL CM	8859,7542 litre	77,514 %	2570,1453 litre	O
330	CM	105	CM	151 LEVEL CM	8797,6207 litre	76,970 %	2632,2788 litre	O
330	CM	105	CM	150 LEVEL CM	8735,1655 litre	76,424 %	2694,7340 litre	O
330	CM	105	CM	149 LEVEL CM	8672,3973 litre	75,875 %	2757,5022 litre	O
330	CM	105	CM	148 LEVEL CM	8609,3245 litre	75,323 %	2820,5750 litre	O
330	CM	105	CM	147 LEVEL CM	8545,9554 litre	74,768 %	2883,9441 litre	O
330	CM	105	CM	146 LEVEL CM	8482,2982 litre	74,211 %	2947,6013 litre	O
330	CM	105	CM	145 LEVEL CM	8418,3611 litre	73,652 %	3011,5384 litre	O
330	CM	105	CM	144 LEVEL CM	8354,1520 litre	73,090 %	3075,7475 litre	O
330	CM	105	CM	143 LEVEL CM	8289,6790 litre	72,526 %	3140,2205 litre	O
330	CM	105	CM	142 LEVEL CM	8224,9496 litre	71,960 %	3204,9499 litre	O
330	CM	105	CM	141 LEVEL CM	8159,9718 litre	71,391 %	3269,9277 litre	O
330	CM	105	CM	140 LEVEL CM	8094,7530 litre	70,821 %	3335,1465 litre	O
330	CM	105	CM	139 LEVEL CM	8029,3009 litre	70,248 %	3400,5986 litre	O
330	CM	105	CM	138 LEVEL CM	7963,6230 litre	69,674 %	3466,2765 litre	O
330	CM	105	CM	137 LEVEL CM	7897,7265 litre	69,097 %	3532,1730 litre	O
330	CM	105	CM	136 LEVEL CM	7831,6188 litre	68,519 %	3598,2807 litre	O
330	CM	105	CM	135 LEVEL CM	7765,3071 litre	67,939 %	3664,5924 litre	O
330	CM	105	CM	134 LEVEL CM	7698,7987 litre	67,357 %	3731,1008 litre	O
330	CM	105	CM	133 LEVEL CM	7632,1006 litre	66,773 %	3797,7989 litre	O
330	CM	105	CM	132 LEVEL CM	7565,2199 litre	66,188 %	3864,6796 litre	O
330	CM	105	CM	131 LEVEL CM	7498,1636 litre	65,601 %	3931,7359 litre	O
330	CM	105	CM	130 LEVEL CM	7430,9386 litre	65,013 %	3998,9609 litre	O
330	CM	105	CM	129 LEVEL CM	7363,5518 litre	64,424 %	4066,3477 litre	O
330	CM	105	CM	128 LEVEL CM	7296,0100 litre	63,833 %	4133,8895 litre	O
330	CM	105	CM	127 LEVEL CM	7228,3201 litre	63,240 %	4201,5794 litre	O
330	CM	105	CM	126 LEVEL CM	7160,4887 litre	62,647 %	4269,4108 litre	O
330	CM	105	CM	125 LEVEL CM	7092,5226 litre	62,052 %	4337,3769 litre	O
330	CM	105	CM	124 LEVEL CM	7024,4284 litre	61,457 %	4405,4711 litre	O
330	CM	105	CM	123 LEVEL CM	6956,2128 litre	60,860 %	4473,6867 litre	O
330	CM	105	CM	122 LEVEL CM	6887,8824 litre	60,262 %	4542,0171 litre	O
330	CM	105	CM	121 LEVEL CM	6819,4436 litre	59,663 %	4610,4559 litre	O
330	CM	105	CM	120 LEVEL CM	6750,9031 litre	59,064 %	4678,9964 litre	O
330	CM	105	CM	119 LEVEL CM	6682,2674 litre	58,463 %	4747,6321 litre	O
330	CM	105	CM	118 LEVEL CM	6613,5428 litre	57,862 %	4816,3567 litre	O
330	CM	105	CM	117 LEVEL CM	6544,7359 litre	57,260 %	4885,1636 litre	O
330	CM	105	CM	116 LEVEL CM	6475,8531 litre	56,657 %	4954,0464 litre	O
330	CM	105	CM	115 LEVEL CM	6406,9007 litre	56,054 %	5022,9988 litre	O
330	CM	105	CM	114 LEVEL CM	6337,8852 litre	55,450 %	5092,0143 litre	O
330	CM	105	CM	113 LEVEL CM	6268,8129 litre	54,846 %	5161,0866 litre	O
330	CM	105	CM	112 LEVEL CM	6199,6902 litre	54,241 %	5230,2093 litre	O
330	CM	105	CM	111 LEVEL CM	6130,5233 litre	53,636 %	5299,3762 litre	O
330	CM	105	CM	110 LEVEL CM	6061,3187 litre	53,030 %	5368,5808 litre	O
330	CM	105	CM	109 LEVEL CM	5992,0827 litre	52,425 %	5437,8168 litre	O
330	CM	105	CM	108 LEVEL CM	5922,8214 litre	51,819 %	5507,0781 litre	O
330	CM	105	CM	107 LEVEL CM	5853,5414 litre	51,213 %	5576,3581 litre	O
330	CM	105	CM	106 LEVEL CM	5784,2487 litre	50,606 %	5645,6508 litre	O

330	CM	105	CM	105 LEVEL CM	5714,9497 litre	50,000 %	5714,9498 litre	O
330	CM	105	CM	104 LEVEL CM	5645,6508 litre	49,394 %	5784,2487 litre	O
330	CM	105	CM	103 LEVEL CM	5576,3581 litre	48,787 %	5853,5414 litre	O
330	CM	105	CM	102 LEVEL CM	5507,0780 litre	48,181 %	5922,8215 litre	O
330	CM	105	CM	101 LEVEL CM	5437,8168 litre	47,575 %	5992,0827 litre	O
330	CM	105	CM	100 LEVEL CM	5368,5807 litre	46,970 %	6061,3188 litre	O
330	CM	105	CM	99 LEVEL CM	5299,3761 litre	46,364 %	6130,5234 litre	O
330	CM	105	CM	98 LEVEL CM	5230,2093 litre	45,759 %	6199,6902 litre	O
330	CM	105	CM	97 LEVEL CM	5161,0866 litre	45,154 %	6268,8129 litre	O
330	CM	105	CM	96 LEVEL CM	5092,0143 litre	44,550 %	6337,8852 litre	O
330	CM	105	CM	95 LEVEL CM	5022,9988 litre	43,946 %	6406,9007 litre	O
330	CM	105	CM	94 LEVEL CM	4954,0464 litre	43,343 %	6475,8531 litre	O
330	CM	105	CM	93 LEVEL CM	4885,1636 litre	42,740 %	6544,7359 litre	O
330	CM	105	CM	92 LEVEL CM	4816,3567 litre	42,138 %	6613,5428 litre	O
330	CM	105	CM	91 LEVEL CM	4747,6321 litre	41,537 %	6682,2674 litre	O
330	CM	105	CM	90 LEVEL CM	4678,9964 litre	40,936 %	6750,9031 litre	O
330	CM	105	CM	89 LEVEL CM	4610,4559 litre	40,337 %	6819,4436 litre	O
330	CM	105	CM	88 LEVEL CM	4542,0171 litre	39,738 %	6887,8824 litre	O
330	CM	105	CM	87 LEVEL CM	4473,6867 litre	39,140 %	6956,2128 litre	O
330	CM	105	CM	86 LEVEL CM	4405,4711 litre	38,543 %	7024,4284 litre	O
330	CM	105	CM	85 LEVEL CM	4337,3769 litre	37,948 %	7092,5226 litre	O
330	CM	105	CM	84 LEVEL CM	4269,4108 litre	37,353 %	7160,4887 litre	O
330	CM	105	CM	83 LEVEL CM	4201,5794 litre	36,760 %	7228,3201 litre	O
330	CM	105	CM	82 LEVEL CM	4133,8895 litre	36,167 %	7296,0100 litre	O
330	CM	105	CM	81 LEVEL CM	4066,3477 litre	35,576 %	7363,5518 litre	O
330	CM	105	CM	80 LEVEL CM	3998,9609 litre	34,987 %	7430,9386 litre	O
330	CM	105	CM	79 LEVEL CM	3931,7359 litre	34,399 %	7498,1636 litre	O
330	CM	105	CM	78 LEVEL CM	3864,6795 litre	33,812 %	7565,2200 litre	O
330	CM	105	CM	77 LEVEL CM	3797,7988 litre	33,227 %	7632,1007 litre	O
330	CM	105	CM	76 LEVEL CM	3731,1007 litre	32,643 %	7698,7988 litre	O
330	CM	105	CM	75 LEVEL CM	3664,5923 litre	32,061 %	7765,3072 litre	O
330	CM	105	CM	74 LEVEL CM	3598,2807 litre	31,481 %	7831,6188 litre	O
330	CM	105	CM	73 LEVEL CM	3532,1730 litre	30,903 %	7897,7265 litre	O
330	CM	105	CM	72 LEVEL CM	3466,2765 litre	30,326 %	7963,6230 litre	O
330	CM	105	CM	71 LEVEL CM	3400,5985 litre	29,752 %	8029,3010 litre	O
330	CM	105	CM	70 LEVEL CM	3335,1464 litre	29,179 %	8094,7531 litre	O
330	CM	105	CM	69 LEVEL CM	3269,9277 litre	28,609 %	8159,9718 litre	O
330	CM	105	CM	68 LEVEL CM	3204,9498 litre	28,040 %	8224,9497 litre	O
330	CM	105	CM	67 LEVEL CM	3140,2205 litre	27,474 %	8289,6790 litre	O
330	CM	105	CM	66 LEVEL CM	3075,7474 litre	26,910 %	8354,1521 litre	O
330	CM	105	CM	65 LEVEL CM	3011,5384 litre	26,348 %	8418,3611 litre	O
330	CM	105	CM	64 LEVEL CM	2947,6013 litre	25,789 %	8482,2982 litre	O
330	CM	105	CM	63 LEVEL CM	2883,9441 litre	25,232 %	8545,9554 litre	O
330	CM	105	CM	62 LEVEL CM	2820,5750 litre	24,677 %	8609,3245 litre	O
330	CM	105	CM	61 LEVEL CM	2757,5021 litre	24,125 %	8672,3974 litre	O
330	CM	105	CM	60 LEVEL CM	2694,7339 litre	23,576 %	8735,1656 litre	O
330	CM	105	CM	59 LEVEL CM	2632,2788 litre	23,030 %	8797,6207 litre	O
330	CM	105	CM	58 LEVEL CM	2570,1453 litre	22,486 %	8859,7542 litre	O
330	CM	105	CM	57 LEVEL CM	2508,3422 litre	21,945 %	8921,5573 litre	O
330	CM	105	CM	56 LEVEL CM	2446,8784 litre	21,408 %	8983,0211 litre	O
330	CM	105	CM	55 LEVEL CM	2385,7628 litre	20,873 %	9044,1367 litre	O
330	CM	105	CM	54 LEVEL CM	2325,0046 litre	20,341 %	9104,8949 litre	O
330	CM	105	CM	53 LEVEL CM	2264,6132 litre	19,813 %	9165,2863 litre	O

330	CM	105	CM	52 LEVEL CM	2204,5981 litre	19,288 %	9225,3014 litre	O
330	CM	105	CM	51 LEVEL CM	2144,9689 litre	18,766 %	9284,9306 litre	O
330	CM	105	CM	50 LEVEL CM	2085,7354 litre	18,248 %	9344,1641 litre	O
330	CM	105	CM	49 LEVEL CM	2026,9079 litre	17,733 %	9402,9916 litre	O
330	CM	105	CM	48 LEVEL CM	1968,4964 litre	17,222 %	9461,4031 litre	O
330	CM	105	CM	47 LEVEL CM	1910,5116 litre	16,715 %	9519,3879 litre	O
330	CM	105	CM	46 LEVEL CM	1852,9642 litre	16,212 %	9576,9353 litre	O
330	CM	105	CM	45 LEVEL CM	1795,8652 litre	15,712 %	9634,0343 litre	O
330	CM	105	CM	44 LEVEL CM	1739,2257 litre	15,216 %	9690,6738 litre	O
330	CM	105	CM	43 LEVEL CM	1683,0573 litre	14,725 %	9746,8422 litre	O
330	CM	105	CM	42 LEVEL CM	1627,3718 litre	14,238 %	9802,5277 litre	O
330	CM	105	CM	41 LEVEL CM	1572,1814 litre	13,755 %	9857,7181 litre	O
330	CM	105	CM	40 LEVEL CM	1517,4984 litre	13,277 %	9912,4011 litre	O
330	CM	105	CM	39 LEVEL CM	1463,3357 litre	12,803 %	9966,5638 litre	O
330	CM	105	CM	38 LEVEL CM	1409,7065 litre	12,333 %	10020,1930 litre	O
330	CM	105	CM	37 LEVEL CM	1356,6242 litre	11,869 %	10073,2753 litre	O
330	CM	105	CM	36 LEVEL CM	1304,1030 litre	11,410 %	10125,7965 litre	O
330	CM	105	CM	35 LEVEL CM	1252,1571 litre	10,955 %	10177,7424 litre	O
330	CM	105	CM	34 LEVEL CM	1200,8017 litre	10,506 %	10229,0978 litre	O
330	CM	105	CM	33 LEVEL CM	1150,0520 litre	10,062 %	10279,8475 litre	O
330	CM	105	CM	32 LEVEL CM	1099,9242 litre	9,623 %	10329,9753 litre	O
330	CM	105	CM	31 LEVEL CM	1050,4348 litre	9,190 %	10379,4647 litre	O
330	CM	105	CM	30 LEVEL CM	1001,6012 litre	8,763 %	10428,2983 litre	O
330	CM	105	CM	29 LEVEL CM	953,4412 litre	8,342 %	10476,4583 litre	O
330	CM	105	CM	28 LEVEL CM	905,9736 litre	7,926 %	10523,9259 litre	O
330	CM	105	CM	27 LEVEL CM	859,2179 litre	7,517 %	10570,6816 litre	O
330	CM	105	CM	26 LEVEL CM	813,1948 litre	7,115 %	10616,7047 litre	O
330	CM	105	CM	25 LEVEL CM	767,9255 litre	6,719 %	10661,9740 litre	O
330	CM	105	CM	24 LEVEL CM	723,4328 litre	6,329 %	10706,4667 litre	O
330	CM	105	CM	23 LEVEL CM	679,7403 litre	5,947 %	10750,1592 litre	O
330	CM	105	CM	22 LEVEL CM	636,8731 litre	5,572 %	10793,0264 litre	O
330	CM	105	CM	21 LEVEL CM	594,8579 litre	5,204 %	10835,0416 litre	O
330	CM	105	CM	20 LEVEL CM	553,7228 litre	4,845 %	10876,1767 litre	O
330	CM	105	CM	19 LEVEL CM	513,4980 litre	4,493 %	10916,4015 litre	O
330	CM	105	CM	18 LEVEL CM	474,2156 litre	4,149 %	10955,6839 litre	O
330	CM	105	CM	17 LEVEL CM	435,9101 litre	3,814 %	10993,9894 litre	O
330	CM	105	CM	16 LEVEL CM	398,6189 litre	3,488 %	11031,2806 litre	O
330	CM	105	CM	15 LEVEL CM	362,3823 litre	3,170 %	11067,5172 litre	O
330	CM	105	CM	14 LEVEL CM	327,2443 litre	2,863 %	11102,6552 litre	O
330	CM	105	CM	13 LEVEL CM	293,2533 litre	2,566 %	11136,6462 litre	O
330	CM	105	CM	12 LEVEL CM	260,4627 litre	2,279 %	11169,4368 litre	O
330	CM	105	CM	11 LEVEL CM	228,9319 litre	2,003 %	11200,9676 litre	O
330	CM	105	CM	10 LEVEL CM	198,7279 litre	1,739 %	11231,1716 litre	O
330	CM	105	CM	9 LEVEL CM	169,9269 litre	1,487 %	11259,9726 litre	O
330	CM	105	CM	8 LEVEL CM	142,6168 litre	1,248 %	11287,2827 litre	O
330	CM	105	CM	7 LEVEL CM	116,9010 litre	1,023 %	11312,9985 litre	O
330	CM	105	CM	6 LEVEL CM	92,9033 litre	0,813 %	11336,9962 litre	O
330	CM	105	CM	5 LEVEL CM	70,7768 litre	0,619 %	11359,1227 litre	O
330	CM	105	CM	4 LEVEL CM	50,7172 litre	0,444 %	11379,1823 litre	O
330	CM	105	CM	3 LEVEL CM	32,9894 litre	0,289 %	11396,9101 litre	O
330	CM	105	CM	2 LEVEL CM	17,9830 litre	0,157 %	11411,9165 litre	O
330	CM	105	CM	1 LEVEL CM	6,3671 litre	0,056 %	11423,5324 litre	O
330	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	11429,8995 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 100	CM 200 LEVEL CM	10367,2558 litre	100,000 %	0,0000 litre	O
330	CM 100	CM 199 LEVEL CM	10361,0426 litre	99,940 %	6,2132 litre	O
330	CM 100	CM 198 LEVEL CM	10349,7087 litre	99,831 %	17,5471 litre	O
330	CM 100	CM 197 LEVEL CM	10335,0684 litre	99,690 %	32,1874 litre	O
330	CM 100	CM 196 LEVEL CM	10317,7752 litre	99,523 %	49,4806 litre	O
330	CM 100	CM 195 LEVEL CM	10298,2098 litre	99,334 %	69,0460 litre	O
330	CM 100	CM 194 LEVEL CM	10276,6310 litre	99,126 %	90,6248 litre	O
330	CM 100	CM 193 LEVEL CM	10253,2304 litre	98,900 %	114,0254 litre	O
330	CM 100	CM 192 LEVEL CM	10228,1576 litre	98,658 %	139,0982 litre	O
330	CM 100	CM 191 LEVEL CM	10201,5339 litre	98,401 %	165,7219 litre	O
330	CM 100	CM 190 LEVEL CM	10173,4603 litre	98,131 %	193,7955 litre	O
330	CM 100	CM 189 LEVEL CM	10144,0230 litre	97,847 %	223,2328 litre	O
330	CM 100	CM 188 LEVEL CM	10113,2967 litre	97,550 %	253,9591 litre	O
330	CM 100	CM 187 LEVEL CM	10081,3470 litre	97,242 %	285,9088 litre	O
330	CM 100	CM 186 LEVEL CM	10048,2323 litre	96,923 %	319,0235 litre	O
330	CM 100	CM 185 LEVEL CM	10014,0048 litre	96,593 %	353,2510 litre	O
330	CM 100	CM 184 LEVEL CM	9978,7120 litre	96,252 %	388,5438 litre	O
330	CM 100	CM 183 LEVEL CM	9942,3972 litre	95,902 %	424,8586 litre	O
330	CM 100	CM 182 LEVEL CM	9905,0999 litre	95,542 %	462,1559 litre	O
330	CM 100	CM 181 LEVEL CM	9866,8569 litre	95,173 %	500,3989 litre	O
330	CM 100	CM 180 LEVEL CM	9827,7021 litre	94,796 %	539,5537 litre	O
330	CM 100	CM 179 LEVEL CM	9787,6671 litre	94,409 %	579,5887 litre	O
330	CM 100	CM 178 LEVEL CM	9746,7815 litre	94,015 %	620,4743 litre	O
330	CM 100	CM 177 LEVEL CM	9705,0732 litre	93,613 %	662,1826 litre	O
330	CM 100	CM 176 LEVEL CM	9662,5682 litre	93,203 %	704,6876 litre	O
330	CM 100	CM 175 LEVEL CM	9619,2914 litre	92,785 %	747,9644 litre	O
330	CM 100	CM 174 LEVEL CM	9575,2660 litre	92,361 %	791,9898 litre	O
330	CM 100	CM 173 LEVEL CM	9530,5145 litre	91,929 %	836,7413 litre	O
330	CM 100	CM 172 LEVEL CM	9485,0579 litre	91,491 %	882,1979 litre	O
330	CM 100	CM 171 LEVEL CM	9438,9165 litre	91,045 %	928,3393 litre	O
330	CM 100	CM 170 LEVEL CM	9392,1096 litre	90,594 %	975,1462 litre	O
330	CM 100	CM 169 LEVEL CM	9344,6557 litre	90,136 %	1022,6001 litre	O
330	CM 100	CM 168 LEVEL CM	9296,5726 litre	89,672 %	1070,6832 litre	O
330	CM 100	CM 167 LEVEL CM	9247,8773 litre	89,203 %	1119,3785 litre	O
330	CM 100	CM 166 LEVEL CM	9198,5863 litre	88,727 %	1168,6695 litre	O
330	CM 100	CM 165 LEVEL CM	9148,7154 litre	88,246 %	1218,5404 litre	O
330	CM 100	CM 164 LEVEL CM	9098,2800 litre	87,760 %	1268,9758 litre	O
330	CM 100	CM 163 LEVEL CM	9047,2948 litre	87,268 %	1319,9610 litre	O
330	CM 100	CM 162 LEVEL CM	8995,7741 litre	86,771 %	1371,4817 litre	O
330	CM 100	CM 161 LEVEL CM	8943,7319 litre	86,269 %	1423,5239 litre	O
330	CM 100	CM 160 LEVEL CM	8891,1815 litre	85,762 %	1476,0743 litre	O
330	CM 100	CM 159 LEVEL CM	8838,1362 litre	85,250 %	1529,1196 litre	O
330	CM 100	CM 158 LEVEL CM	8784,6085 litre	84,734 %	1582,6473 litre	O
330	CM 100	CM 157 LEVEL CM	8730,6109 litre	84,213 %	1636,6449 litre	O
330	CM 100	CM 156 LEVEL CM	8676,1554 litre	83,688 %	1691,1004 litre	O
330	CM 100	CM 155 LEVEL CM	8621,2537 litre	83,158 %	1746,0021 litre	O
330	CM 100	CM 154 LEVEL CM	8565,9174 litre	82,625 %	1801,3384 litre	O
330	CM 100	CM 153 LEVEL CM	8510,1576 litre	82,087 %	1857,0982 litre	O
330	CM 100	CM 152 LEVEL CM	8453,9853 litre	81,545 %	1913,2705 litre	O
330	CM 100	CM 151 LEVEL CM	8397,4112 litre	80,999 %	1969,8446 litre	O
330	CM 100	CM 150 LEVEL CM	8340,4458 litre	80,450 %	2026,8100 litre	O
330	CM 100	CM 149 LEVEL CM	8283,0992 litre	79,897 %	2084,1566 litre	O

330	CM	100	CM	148 LEVEL CM	8225,3817 litre	79,340 %	2141,8741 litre	O
330	CM	100	CM	147 LEVEL CM	8167,3031 litre	78,780 %	2199,9527 litre	O
330	CM	100	CM	146 LEVEL CM	8108,8729 litre	78,216 %	2258,3829 litre	O
330	CM	100	CM	145 LEVEL CM	8050,1009 litre	77,649 %	2317,1549 litre	O
330	CM	100	CM	144 LEVEL CM	7990,9963 litre	77,079 %	2376,2595 litre	O
330	CM	100	CM	143 LEVEL CM	7931,5682 litre	76,506 %	2435,6876 litre	O
330	CM	100	CM	142 LEVEL CM	7871,8258 litre	75,930 %	2495,4300 litre	O
330	CM	100	CM	141 LEVEL CM	7811,7780 litre	75,350 %	2555,4778 litre	O
330	CM	100	CM	140 LEVEL CM	7751,4335 litre	74,768 %	2615,8223 litre	O
330	CM	100	CM	139 LEVEL CM	7690,8009 litre	74,184 %	2676,4549 litre	O
330	CM	100	CM	138 LEVEL CM	7629,8887 litre	73,596 %	2737,3671 litre	O
330	CM	100	CM	137 LEVEL CM	7568,7054 litre	73,006 %	2798,5504 litre	O
330	CM	100	CM	136 LEVEL CM	7507,2593 litre	72,413 %	2859,9965 litre	O
330	CM	100	CM	135 LEVEL CM	7445,5584 litre	71,818 %	2921,6974 litre	O
330	CM	100	CM	134 LEVEL CM	7383,6110 litre	71,220 %	2983,6448 litre	O
330	CM	100	CM	133 LEVEL CM	7321,4249 litre	70,621 %	3045,8309 litre	O
330	CM	100	CM	132 LEVEL CM	7259,0081 litre	70,019 %	3108,2477 litre	O
330	CM	100	CM	131 LEVEL CM	7196,3684 litre	69,414 %	3170,8874 litre	O
330	CM	100	CM	130 LEVEL CM	7133,5134 litre	68,808 %	3233,7424 litre	O
330	CM	100	CM	129 LEVEL CM	7070,4509 litre	68,200 %	3296,8049 litre	O
330	CM	100	CM	128 LEVEL CM	7007,1884 litre	67,590 %	3360,0674 litre	O
330	CM	100	CM	127 LEVEL CM	6943,7334 litre	66,978 %	3423,5224 litre	O
330	CM	100	CM	126 LEVEL CM	6880,0933 litre	66,364 %	3487,1625 litre	O
330	CM	100	CM	125 LEVEL CM	6816,2755 litre	65,748 %	3550,9803 litre	O
330	CM	100	CM	124 LEVEL CM	6752,2873 litre	65,131 %	3614,9685 litre	O
330	CM	100	CM	123 LEVEL CM	6688,1359 litre	64,512 %	3679,1199 litre	O
330	CM	100	CM	122 LEVEL CM	6623,8285 litre	63,892 %	3743,4273 litre	O
330	CM	100	CM	121 LEVEL CM	6559,3723 litre	63,270 %	3807,8835 litre	O
330	CM	100	CM	120 LEVEL CM	6494,7743 litre	62,647 %	3872,4815 litre	O
330	CM	100	CM	119 LEVEL CM	6430,0416 litre	62,023 %	3937,2142 litre	O
330	CM	100	CM	118 LEVEL CM	6365,1811 litre	61,397 %	4002,0747 litre	O
330	CM	100	CM	117 LEVEL CM	6300,1999 litre	60,770 %	4067,0559 litre	O
330	CM	100	CM	116 LEVEL CM	6235,1048 litre	60,142 %	4132,1510 litre	O
330	CM	100	CM	115 LEVEL CM	6169,9027 litre	59,513 %	4197,3531 litre	O
330	CM	100	CM	114 LEVEL CM	6104,6005 litre	58,883 %	4262,6553 litre	O
330	CM	100	CM	113 LEVEL CM	6039,2050 litre	58,253 %	4328,0508 litre	O
330	CM	100	CM	112 LEVEL CM	5973,7230 litre	57,621 %	4393,5328 litre	O
330	CM	100	CM	111 LEVEL CM	5908,1611 litre	56,989 %	4459,0947 litre	O
330	CM	100	CM	110 LEVEL CM	5842,5262 litre	56,356 %	4524,7296 litre	O
330	CM	100	CM	109 LEVEL CM	5776,8250 litre	55,722 %	4590,4308 litre	O
330	CM	100	CM	108 LEVEL CM	5711,0641 litre	55,088 %	4656,1917 litre	O
330	CM	100	CM	107 LEVEL CM	5645,2503 litre	54,453 %	4722,0055 litre	O
330	CM	100	CM	106 LEVEL CM	5579,3901 litre	53,817 %	4787,8657 litre	O
330	CM	100	CM	105 LEVEL CM	5513,4903 litre	53,182 %	4853,7655 litre	O
330	CM	100	CM	104 LEVEL CM	5447,5575 litre	52,546 %	4919,6983 litre	O
330	CM	100	CM	103 LEVEL CM	5381,5982 litre	51,910 %	4985,6576 litre	O
330	CM	100	CM	102 LEVEL CM	5315,6191 litre	51,273 %	5051,6367 litre	O
330	CM	100	CM	101 LEVEL CM	5249,6268 litre	50,637 %	5117,6290 litre	O
330	CM	100	CM	100 LEVEL CM	5183,6279 litre	50,000 %	5183,6279 litre	O
330	CM	100	CM	99 LEVEL CM	5117,6290 litre	49,363 %	5249,6268 litre	O
330	CM	100	CM	98 LEVEL CM	5051,6367 litre	48,727 %	5315,6191 litre	O
330	CM	100	CM	97 LEVEL CM	4985,6576 litre	48,090 %	5381,5982 litre	O
330	CM	100	CM	96 LEVEL CM	4919,6983 litre	47,454 %	5447,5575 litre	O

330	CM	100	CM	95 LEVEL CM	4853,7654 litre	46,818 %	5513,4904 litre	O
330	CM	100	CM	94 LEVEL CM	4787,8656 litre	46,183 %	5579,3902 litre	O
330	CM	100	CM	93 LEVEL CM	4722,0055 litre	45,547 %	5645,2503 litre	O
330	CM	100	CM	92 LEVEL CM	4656,1916 litre	44,912 %	5711,0642 litre	O
330	CM	100	CM	91 LEVEL CM	4590,4308 litre	44,278 %	5776,8250 litre	O
330	CM	100	CM	90 LEVEL CM	4524,7295 litre	43,644 %	5842,5263 litre	O
330	CM	100	CM	89 LEVEL CM	4459,0946 litre	43,011 %	5908,1612 litre	O
330	CM	100	CM	88 LEVEL CM	4393,5328 litre	42,379 %	5973,7230 litre	O
330	CM	100	CM	87 LEVEL CM	4328,0507 litre	41,747 %	6039,2051 litre	O
330	CM	100	CM	86 LEVEL CM	4262,6552 litre	41,117 %	6104,6006 litre	O
330	CM	100	CM	85 LEVEL CM	4197,3530 litre	40,487 %	6169,9028 litre	O
330	CM	100	CM	84 LEVEL CM	4132,1509 litre	39,858 %	6235,1049 litre	O
330	CM	100	CM	83 LEVEL CM	4067,0559 litre	39,230 %	6300,1999 litre	O
330	CM	100	CM	82 LEVEL CM	4002,0746 litre	38,603 %	6365,1812 litre	O
330	CM	100	CM	81 LEVEL CM	3937,2142 litre	37,977 %	6430,0416 litre	O
330	CM	100	CM	80 LEVEL CM	3872,4814 litre	37,353 %	6494,7744 litre	O
330	CM	100	CM	79 LEVEL CM	3807,8835 litre	36,730 %	6559,3723 litre	O
330	CM	100	CM	78 LEVEL CM	3743,4272 litre	36,108 %	6623,8286 litre	O
330	CM	100	CM	77 LEVEL CM	3679,1198 litre	35,488 %	6688,1360 litre	O
330	CM	100	CM	76 LEVEL CM	3614,9684 litre	34,869 %	6752,2874 litre	O
330	CM	100	CM	75 LEVEL CM	3550,9802 litre	34,252 %	6816,2756 litre	O
330	CM	100	CM	74 LEVEL CM	3487,1624 litre	33,636 %	6880,0934 litre	O
330	CM	100	CM	73 LEVEL CM	3423,5223 litre	33,022 %	6943,7335 litre	O
330	CM	100	CM	72 LEVEL CM	3360,0673 litre	32,410 %	7007,1885 litre	O
330	CM	100	CM	71 LEVEL CM	3296,8048 litre	31,800 %	7070,4510 litre	O
330	CM	100	CM	70 LEVEL CM	3233,7423 litre	31,192 %	7133,5135 litre	O
330	CM	100	CM	69 LEVEL CM	3170,8874 litre	30,586 %	7196,3684 litre	O
330	CM	100	CM	68 LEVEL CM	3108,2476 litre	29,981 %	7259,0082 litre	O
330	CM	100	CM	67 LEVEL CM	3045,8308 litre	29,379 %	7321,4250 litre	O
330	CM	100	CM	66 LEVEL CM	2983,6448 litre	28,780 %	7383,6110 litre	O
330	CM	100	CM	65 LEVEL CM	2921,6973 litre	28,182 %	7445,5585 litre	O
330	CM	100	CM	64 LEVEL CM	2859,9965 litre	27,587 %	7507,2593 litre	O
330	CM	100	CM	63 LEVEL CM	2798,5503 litre	26,994 %	7568,7055 litre	O
330	CM	100	CM	62 LEVEL CM	2737,3670 litre	26,404 %	7629,8888 litre	O
330	CM	100	CM	61 LEVEL CM	2676,4549 litre	25,816 %	7690,8009 litre	O
330	CM	100	CM	60 LEVEL CM	2615,8223 litre	25,232 %	7751,4335 litre	O
330	CM	100	CM	59 LEVEL CM	2555,4778 litre	24,650 %	7811,7780 litre	O
330	CM	100	CM	58 LEVEL CM	2495,4299 litre	24,070 %	7871,8259 litre	O
330	CM	100	CM	57 LEVEL CM	2435,6875 litre	23,494 %	7931,5683 litre	O
330	CM	100	CM	56 LEVEL CM	2376,2595 litre	22,921 %	7990,9963 litre	O
330	CM	100	CM	55 LEVEL CM	2317,1549 litre	22,351 %	8050,1009 litre	O
330	CM	100	CM	54 LEVEL CM	2258,3828 litre	21,784 %	8108,8730 litre	O
330	CM	100	CM	53 LEVEL CM	2199,9527 litre	21,220 %	8167,3031 litre	O
330	CM	100	CM	52 LEVEL CM	2141,8740 litre	20,660 %	8225,3818 litre	O
330	CM	100	CM	51 LEVEL CM	2084,1565 litre	20,103 %	8283,0993 litre	O
330	CM	100	CM	50 LEVEL CM	2026,8100 litre	19,550 %	8340,4458 litre	O
330	CM	100	CM	49 LEVEL CM	1969,8446 litre	19,001 %	8397,4112 litre	O
330	CM	100	CM	48 LEVEL CM	1913,2704 litre	18,455 %	8453,9854 litre	O
330	CM	100	CM	47 LEVEL CM	1857,0981 litre	17,913 %	8510,1577 litre	O
330	CM	100	CM	46 LEVEL CM	1801,3384 litre	17,375 %	8565,9174 litre	O
330	CM	100	CM	45 LEVEL CM	1746,0020 litre	16,842 %	8621,2538 litre	O
330	CM	100	CM	44 LEVEL CM	1691,1004 litre	16,312 %	8676,1554 litre	O
330	CM	100	CM	43 LEVEL CM	1636,6449 litre	15,787 %	8730,6109 litre	O

330	CM	100	CM	42 LEVEL CM	1582,6473 litre	15,266 %	8784,6085 litre	O
330	CM	100	CM	41 LEVEL CM	1529,1196 litre	14,750 %	8838,1362 litre	O
330	CM	100	CM	40 LEVEL CM	1476,0742 litre	14,238 %	8891,1816 litre	O
330	CM	100	CM	39 LEVEL CM	1423,5239 litre	13,731 %	8943,7319 litre	O
330	CM	100	CM	38 LEVEL CM	1371,4817 litre	13,229 %	8995,7741 litre	O
330	CM	100	CM	37 LEVEL CM	1319,9610 litre	12,732 %	9047,2948 litre	O
330	CM	100	CM	36 LEVEL CM	1268,9758 litre	12,240 %	9098,2800 litre	O
330	CM	100	CM	35 LEVEL CM	1218,5404 litre	11,754 %	9148,7154 litre	O
330	CM	100	CM	34 LEVEL CM	1168,6695 litre	11,273 %	9198,5863 litre	O
330	CM	100	CM	33 LEVEL CM	1119,3785 litre	10,797 %	9247,8773 litre	O
330	CM	100	CM	32 LEVEL CM	1070,6832 litre	10,328 %	9296,5726 litre	O
330	CM	100	CM	31 LEVEL CM	1022,6001 litre	9,864 %	9344,6557 litre	O
330	CM	100	CM	30 LEVEL CM	975,1462 litre	9,406 %	9392,1096 litre	O
330	CM	100	CM	29 LEVEL CM	928,3393 litre	8,955 %	9438,9165 litre	O
330	CM	100	CM	28 LEVEL CM	882,1979 litre	8,509 %	9485,0579 litre	O
330	CM	100	CM	27 LEVEL CM	836,7413 litre	8,071 %	9530,5145 litre	O
330	CM	100	CM	26 LEVEL CM	791,9897 litre	7,639 %	9575,2661 litre	O
330	CM	100	CM	25 LEVEL CM	747,9644 litre	7,215 %	9619,2914 litre	O
330	CM	100	CM	24 LEVEL CM	704,6875 litre	6,797 %	9662,5683 litre	O
330	CM	100	CM	23 LEVEL CM	662,1826 litre	6,387 %	9705,0732 litre	O
330	CM	100	CM	22 LEVEL CM	620,4742 litre	5,985 %	9746,7816 litre	O
330	CM	100	CM	21 LEVEL CM	579,5886 litre	5,591 %	9787,6672 litre	O
330	CM	100	CM	20 LEVEL CM	539,5537 litre	5,204 %	9827,7021 litre	O
330	CM	100	CM	19 LEVEL CM	500,3988 litre	4,827 %	9866,8570 litre	O
330	CM	100	CM	18 LEVEL CM	462,1558 litre	4,458 %	9905,1000 litre	O
330	CM	100	CM	17 LEVEL CM	424,8586 litre	4,098 %	9942,3972 litre	O
330	CM	100	CM	16 LEVEL CM	388,5437 litre	3,748 %	9978,7121 litre	O
330	CM	100	CM	15 LEVEL CM	353,2510 litre	3,407 %	10014,0048 litre	O
330	CM	100	CM	14 LEVEL CM	319,0235 litre	3,077 %	10048,2323 litre	O
330	CM	100	CM	13 LEVEL CM	285,9087 litre	2,758 %	10081,3471 litre	O
330	CM	100	CM	12 LEVEL CM	253,9590 litre	2,450 %	10113,2968 litre	O
330	CM	100	CM	11 LEVEL CM	223,2328 litre	2,153 %	10144,0230 litre	O
330	CM	100	CM	10 LEVEL CM	193,7955 litre	1,869 %	10173,4603 litre	O
330	CM	100	CM	9 LEVEL CM	165,7219 litre	1,599 %	10201,5339 litre	O
330	CM	100	CM	8 LEVEL CM	139,0981 litre	1,342 %	10228,1577 litre	O
330	CM	100	CM	7 LEVEL CM	114,0253 litre	1,100 %	10253,2305 litre	O
330	CM	100	CM	6 LEVEL CM	90,6248 litre	0,874 %	10276,6310 litre	O
330	CM	100	CM	5 LEVEL CM	69,0460 litre	0,666 %	10298,2098 litre	O
330	CM	100	CM	4 LEVEL CM	49,4806 litre	0,477 %	10317,7752 litre	O
330	CM	100	CM	3 LEVEL CM	32,1874 litre	0,310 %	10335,0684 litre	O
330	CM	100	CM	2 LEVEL CM	17,5471 litre	0,169 %	10349,7087 litre	O
330	CM	100	CM	1 LEVEL CM	6,2132 litre	0,060 %	10361,0426 litre	O
330	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	10367,2558 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
330	CM	95	CM	190 LEVEL CM	9356,4483 litre	100,000 %	0,0000 litre	O
330	CM	95	CM	189 LEVEL CM	9350,3929 litre	99,935 %	6,0554 litre	O
330	CM	95	CM	188 LEVEL CM	9339,3482 litre	99,817 %	17,1001 litre	O
330	CM	95	CM	187 LEVEL CM	9325,0835 litre	99,665 %	31,3648 litre	O
330	CM	95	CM	186 LEVEL CM	9308,2361 litre	99,485 %	48,2122 litre	O
330	CM	95	CM	185 LEVEL CM	9289,1776 litre	99,281 %	67,2707 litre	O
330	CM	95	CM	184 LEVEL CM	9268,1609 litre	99,056 %	88,2874 litre	O
330	CM	95	CM	183 LEVEL CM	9245,3731 litre	98,813 %	111,0752 litre	O
330	CM	95	CM	182 LEVEL CM	9220,9602 litre	98,552 %	135,4881 litre	O
330	CM	95	CM	181 LEVEL CM	9195,0409 litre	98,275 %	161,4074 litre	O
330	CM	95	CM	180 LEVEL CM	9167,7141 litre	97,983 %	188,7342 litre	O
330	CM	95	CM	179 LEVEL CM	9139,0641 litre	97,677 %	217,3842 litre	O
330	CM	95	CM	178 LEVEL CM	9109,1640 litre	97,357 %	247,2843 litre	O
330	CM	95	CM	177 LEVEL CM	9078,0780 litre	97,025 %	278,3703 litre	O
330	CM	95	CM	176 LEVEL CM	9045,8632 litre	96,681 %	310,5851 litre	O
330	CM	95	CM	175 LEVEL CM	9012,5711 litre	96,325 %	343,8772 litre	O
330	CM	95	CM	174 LEVEL CM	8978,2481 litre	95,958 %	378,2002 litre	O
330	CM	95	CM	173 LEVEL CM	8942,9367 litre	95,580 %	413,5116 litre	O
330	CM	95	CM	172 LEVEL CM	8906,6757 litre	95,193 %	449,7726 litre	O
330	CM	95	CM	171 LEVEL CM	8869,5011 litre	94,796 %	486,9472 litre	O
330	CM	95	CM	170 LEVEL CM	8831,4464 litre	94,389 %	525,0019 litre	O
330	CM	95	CM	169 LEVEL CM	8792,5426 litre	93,973 %	563,9057 litre	O
330	CM	95	CM	168 LEVEL CM	8752,8188 litre	93,549 %	603,6295 litre	O
330	CM	95	CM	167 LEVEL CM	8712,3024 litre	93,115 %	644,1459 litre	O
330	CM	95	CM	166 LEVEL CM	8671,0191 litre	92,674 %	685,4292 litre	O
330	CM	95	CM	165 LEVEL CM	8628,9933 litre	92,225 %	727,4550 litre	O
330	CM	95	CM	164 LEVEL CM	8586,2481 litre	91,768 %	770,2002 litre	O
330	CM	95	CM	163 LEVEL CM	8542,8053 litre	91,304 %	813,6430 litre	O
330	CM	95	CM	162 LEVEL CM	8498,6860 litre	90,832 %	857,7623 litre	O
330	CM	95	CM	161 LEVEL CM	8453,9101 litre	90,354 %	902,5382 litre	O
330	CM	95	CM	160 LEVEL CM	8408,4965 litre	89,868 %	947,9518 litre	O
330	CM	95	CM	159 LEVEL CM	8362,4637 litre	89,376 %	993,9846 litre	O
330	CM	95	CM	158 LEVEL CM	8315,8292 litre	88,878 %	1040,6191 litre	O
330	CM	95	CM	157 LEVEL CM	8268,6099 litre	88,373 %	1087,8384 litre	O
330	CM	95	CM	156 LEVEL CM	8220,8221 litre	87,863 %	1135,6262 litre	O
330	CM	95	CM	155 LEVEL CM	8172,4814 litre	87,346 %	1183,9669 litre	O
330	CM	95	CM	154 LEVEL CM	8123,6030 litre	86,824 %	1232,8453 litre	O
330	CM	95	CM	153 LEVEL CM	8074,2016 litre	86,296 %	1282,2467 litre	O
330	CM	95	CM	152 LEVEL CM	8024,2913 litre	85,762 %	1332,1570 litre	O
330	CM	95	CM	151 LEVEL CM	7973,8861 litre	85,223 %	1382,5622 litre	O
330	CM	95	CM	150 LEVEL CM	7922,9992 litre	84,680 %	1433,4491 litre	O
330	CM	95	CM	149 LEVEL CM	7871,6436 litre	84,131 %	1484,8047 litre	O
330	CM	95	CM	148 LEVEL CM	7819,8320 litre	83,577 %	1536,6163 litre	O
330	CM	95	CM	147 LEVEL CM	7767,5767 litre	83,018 %	1588,8716 litre	O
330	CM	95	CM	146 LEVEL CM	7714,8897 litre	82,455 %	1641,5586 litre	O
330	CM	95	CM	145 LEVEL CM	7661,7828 litre	81,888 %	1694,6655 litre	O
330	CM	95	CM	144 LEVEL CM	7608,2672 litre	81,316 %	1748,1811 litre	O
330	CM	95	CM	143 LEVEL CM	7554,3543 litre	80,740 %	1802,0940 litre	O
330	CM	95	CM	142 LEVEL CM	7500,0550 litre	80,159 %	1856,3933 litre	O
330	CM	95	CM	141 LEVEL CM	7445,3799 litre	79,575 %	1911,0684 litre	O
330	CM	95	CM	140 LEVEL CM	7390,3395 litre	78,987 %	1966,1088 litre	O
330	CM	95	CM	139 LEVEL CM	7334,9442 litre	78,395 %	2021,5041 litre	O

330	CM	95	CM	138 LEVEL CM	7279,2039 litre	77,799 %	2077,2444 litre	O
330	CM	95	CM	137 LEVEL CM	7223,1285 litre	77,199 %	2133,3198 litre	O
330	CM	95	CM	136 LEVEL CM	7166,7279 litre	76,597 %	2189,7204 litre	O
330	CM	95	CM	135 LEVEL CM	7110,0115 litre	75,990 %	2246,4368 litre	O
330	CM	95	CM	134 LEVEL CM	7052,9887 litre	75,381 %	2303,4596 litre	O
330	CM	95	CM	133 LEVEL CM	6995,6687 litre	74,768 %	2360,7796 litre	O
330	CM	95	CM	132 LEVEL CM	6938,0607 litre	74,153 %	2418,3876 litre	O
330	CM	95	CM	131 LEVEL CM	6880,1735 litre	73,534 %	2476,2748 litre	O
330	CM	95	CM	130 LEVEL CM	6822,0161 litre	72,912 %	2534,4322 litre	O
330	CM	95	CM	129 LEVEL CM	6763,5972 litre	72,288 %	2592,8511 litre	O
330	CM	95	CM	128 LEVEL CM	6704,9252 litre	71,661 %	2651,5231 litre	O
330	CM	95	CM	127 LEVEL CM	6646,0088 litre	71,031 %	2710,4395 litre	O
330	CM	95	CM	126 LEVEL CM	6586,8562 litre	70,399 %	2769,5921 litre	O
330	CM	95	CM	125 LEVEL CM	6527,4758 litre	69,764 %	2828,9725 litre	O
330	CM	95	CM	124 LEVEL CM	6467,8758 litre	69,127 %	2888,5725 litre	O
330	CM	95	CM	123 LEVEL CM	6408,0641 litre	68,488 %	2948,3842 litre	O
330	CM	95	CM	122 LEVEL CM	6348,0489 litre	67,847 %	3008,3994 litre	O
330	CM	95	CM	121 LEVEL CM	6287,8380 litre	67,203 %	3068,6103 litre	O
330	CM	95	CM	120 LEVEL CM	6227,4393 litre	66,558 %	3129,0090 litre	O
330	CM	95	CM	119 LEVEL CM	6166,8606 litre	65,910 %	3189,5877 litre	O
330	CM	95	CM	118 LEVEL CM	6106,1095 litre	65,261 %	3250,3388 litre	O
330	CM	95	CM	117 LEVEL CM	6045,1938 litre	64,610 %	3311,2545 litre	O
330	CM	95	CM	116 LEVEL CM	5984,1209 litre	63,957 %	3372,3274 litre	O
330	CM	95	CM	115 LEVEL CM	5922,8984 litre	63,303 %	3433,5499 litre	O
330	CM	95	CM	114 LEVEL CM	5861,5338 litre	62,647 %	3494,9145 litre	O
330	CM	95	CM	113 LEVEL CM	5800,0345 litre	61,990 %	3556,4138 litre	O
330	CM	95	CM	112 LEVEL CM	5738,4078 litre	61,331 %	3618,0405 litre	O
330	CM	95	CM	111 LEVEL CM	5676,6610 litre	60,671 %	3679,7873 litre	O
330	CM	95	CM	110 LEVEL CM	5614,8015 litre	60,010 %	3741,6468 litre	O
330	CM	95	CM	109 LEVEL CM	5552,8365 litre	59,348 %	3803,6118 litre	O
330	CM	95	CM	108 LEVEL CM	5490,7731 litre	58,684 %	3865,6752 litre	O
330	CM	95	CM	107 LEVEL CM	5428,6185 litre	58,020 %	3927,8298 litre	O
330	CM	95	CM	106 LEVEL CM	5366,3799 litre	57,355 %	3990,0684 litre	O
330	CM	95	CM	105 LEVEL CM	5304,0643 litre	56,689 %	4052,3840 litre	O
330	CM	95	CM	104 LEVEL CM	5241,6789 litre	56,022 %	4114,7694 litre	O
330	CM	95	CM	103 LEVEL CM	5179,2307 litre	55,355 %	4177,2176 litre	O
330	CM	95	CM	102 LEVEL CM	5116,7267 litre	54,687 %	4239,7216 litre	O
330	CM	95	CM	101 LEVEL CM	5054,1739 litre	54,018 %	4302,2744 litre	O
330	CM	95	CM	100 LEVEL CM	4991,5794 litre	53,349 %	4364,8689 litre	O
330	CM	95	CM	99 LEVEL CM	4928,9500 litre	52,680 %	4427,4983 litre	O
330	CM	95	CM	98 LEVEL CM	4866,2929 litre	52,010 %	4490,1554 litre	O
330	CM	95	CM	97 LEVEL CM	4803,6149 litre	51,340 %	4552,8334 litre	O
330	CM	95	CM	96 LEVEL CM	4740,9230 litre	50,670 %	4615,5253 litre	O
330	CM	95	CM	95 LEVEL CM	4678,2242 litre	50,000 %	4678,2241 litre	O
330	CM	95	CM	94 LEVEL CM	4615,5253 litre	49,330 %	4740,9230 litre	O
330	CM	95	CM	93 LEVEL CM	4552,8334 litre	48,660 %	4803,6149 litre	O
330	CM	95	CM	92 LEVEL CM	4490,1554 litre	47,990 %	4866,2929 litre	O
330	CM	95	CM	91 LEVEL CM	4427,4983 litre	47,320 %	4928,9500 litre	O
330	CM	95	CM	90 LEVEL CM	4364,8690 litre	46,651 %	4991,5793 litre	O
330	CM	95	CM	89 LEVEL CM	4302,2744 litre	45,982 %	5054,1739 litre	O
330	CM	95	CM	88 LEVEL CM	4239,7216 litre	45,313 %	5116,7267 litre	O
330	CM	95	CM	87 LEVEL CM	4177,2176 litre	44,645 %	5179,2307 litre	O
330	CM	95	CM	86 LEVEL CM	4114,7694 litre	43,978 %	5241,6789 litre	O

330	CM	95	CM	85 LEVEL CM	4052,3840 litre	43,311 %	5304,0643 litre	O
330	CM	95	CM	84 LEVEL CM	3990,0684 litre	42,645 %	5366,3799 litre	O
330	CM	95	CM	83 LEVEL CM	3927,8298 litre	41,980 %	5428,6185 litre	O
330	CM	95	CM	82 LEVEL CM	3865,6752 litre	41,316 %	5490,7731 litre	O
330	CM	95	CM	81 LEVEL CM	3803,6119 litre	40,652 %	5552,8364 litre	O
330	CM	95	CM	80 LEVEL CM	3741,6468 litre	39,990 %	5614,8015 litre	O
330	CM	95	CM	79 LEVEL CM	3679,7873 litre	39,329 %	5676,6610 litre	O
330	CM	95	CM	78 LEVEL CM	3618,0405 litre	38,669 %	5738,4078 litre	O
330	CM	95	CM	77 LEVEL CM	3556,4138 litre	38,010 %	5800,0345 litre	O
330	CM	95	CM	76 LEVEL CM	3494,9145 litre	37,353 %	5861,5338 litre	O
330	CM	95	CM	75 LEVEL CM	3433,5499 litre	36,697 %	5922,8984 litre	O
330	CM	95	CM	74 LEVEL CM	3372,3274 litre	36,043 %	5984,1209 litre	O
330	CM	95	CM	73 LEVEL CM	3311,2546 litre	35,390 %	6045,1937 litre	O
330	CM	95	CM	72 LEVEL CM	3250,3388 litre	34,739 %	6106,1095 litre	O
330	CM	95	CM	71 LEVEL CM	3189,5877 litre	34,090 %	6166,8606 litre	O
330	CM	95	CM	70 LEVEL CM	3129,0090 litre	33,442 %	6227,4393 litre	O
330	CM	95	CM	69 LEVEL CM	3068,6103 litre	32,797 %	6287,8380 litre	O
330	CM	95	CM	68 LEVEL CM	3008,3994 litre	32,153 %	6348,0489 litre	O
330	CM	95	CM	67 LEVEL CM	2948,3842 litre	31,512 %	6408,0641 litre	O
330	CM	95	CM	66 LEVEL CM	2888,5726 litre	30,873 %	6467,8757 litre	O
330	CM	95	CM	65 LEVEL CM	2828,9725 litre	30,236 %	6527,4758 litre	O
330	CM	95	CM	64 LEVEL CM	2769,5921 litre	29,601 %	6586,8562 litre	O
330	CM	95	CM	63 LEVEL CM	2710,4395 litre	28,969 %	6646,0088 litre	O
330	CM	95	CM	62 LEVEL CM	2651,5231 litre	28,339 %	6704,9252 litre	O
330	CM	95	CM	61 LEVEL CM	2592,8511 litre	27,712 %	6763,5972 litre	O
330	CM	95	CM	60 LEVEL CM	2534,4322 litre	27,088 %	6822,0161 litre	O
330	CM	95	CM	59 LEVEL CM	2476,2748 litre	26,466 %	6880,1735 litre	O
330	CM	95	CM	58 LEVEL CM	2418,3877 litre	25,847 %	6938,0606 litre	O
330	CM	95	CM	57 LEVEL CM	2360,7796 litre	25,232 %	6995,6687 litre	O
330	CM	95	CM	56 LEVEL CM	2303,4597 litre	24,619 %	7052,9886 litre	O
330	CM	95	CM	55 LEVEL CM	2246,4368 litre	24,010 %	7110,0115 litre	O
330	CM	95	CM	54 LEVEL CM	2189,7204 litre	23,403 %	7166,7279 litre	O
330	CM	95	CM	53 LEVEL CM	2133,3198 litre	22,801 %	7223,1285 litre	O
330	CM	95	CM	52 LEVEL CM	2077,2445 litre	22,201 %	7279,2038 litre	O
330	CM	95	CM	51 LEVEL CM	2021,5042 litre	21,605 %	7334,9441 litre	O
330	CM	95	CM	50 LEVEL CM	1966,1088 litre	21,013 %	7390,3395 litre	O
330	CM	95	CM	49 LEVEL CM	1911,0684 litre	20,425 %	7445,3799 litre	O
330	CM	95	CM	48 LEVEL CM	1856,3933 litre	19,841 %	7500,0550 litre	O
330	CM	95	CM	47 LEVEL CM	1802,0940 litre	19,260 %	7554,3543 litre	O
330	CM	95	CM	46 LEVEL CM	1748,1811 litre	18,684 %	7608,2672 litre	O
330	CM	95	CM	45 LEVEL CM	1694,6656 litre	18,112 %	7661,7827 litre	O
330	CM	95	CM	44 LEVEL CM	1641,5586 litre	17,545 %	7714,8897 litre	O
330	CM	95	CM	43 LEVEL CM	1588,8716 litre	16,982 %	7767,5767 litre	O
330	CM	95	CM	42 LEVEL CM	1536,6163 litre	16,423 %	7819,8320 litre	O
330	CM	95	CM	41 LEVEL CM	1484,8047 litre	15,869 %	7871,6436 litre	O
330	CM	95	CM	40 LEVEL CM	1433,4492 litre	15,320 %	7922,9991 litre	O
330	CM	95	CM	39 LEVEL CM	1382,5622 litre	14,777 %	7973,8861 litre	O
330	CM	95	CM	38 LEVEL CM	1332,1570 litre	14,238 %	8024,2913 litre	O
330	CM	95	CM	37 LEVEL CM	1282,2468 litre	13,704 %	8074,2015 litre	O
330	CM	95	CM	36 LEVEL CM	1232,8454 litre	13,176 %	8123,6029 litre	O
330	CM	95	CM	35 LEVEL CM	1183,9670 litre	12,654 %	8172,4813 litre	O
330	CM	95	CM	34 LEVEL CM	1135,6262 litre	12,137 %	8220,8221 litre	O
330	CM	95	CM	33 LEVEL CM	1087,8384 litre	11,627 %	8268,6099 litre	O

330	CM	95	CM	32 LEVEL CM	1040,6191 litre	11,122 %	8315,8292 litre	O
330	CM	95	CM	31 LEVEL CM	993,9846 litre	10,624 %	8362,4637 litre	O
330	CM	95	CM	30 LEVEL CM	947,9518 litre	10,132 %	8408,4965 litre	O
330	CM	95	CM	29 LEVEL CM	902,5383 litre	9,646 %	8453,9100 litre	O
330	CM	95	CM	28 LEVEL CM	857,7623 litre	9,168 %	8498,6860 litre	O
330	CM	95	CM	27 LEVEL CM	813,6430 litre	8,696 %	8542,8053 litre	O
330	CM	95	CM	26 LEVEL CM	770,2003 litre	8,232 %	8586,2480 litre	O
330	CM	95	CM	25 LEVEL CM	727,4550 litre	7,775 %	8628,9933 litre	O
330	CM	95	CM	24 LEVEL CM	685,4292 litre	7,326 %	8671,0191 litre	O
330	CM	95	CM	23 LEVEL CM	644,1459 litre	6,885 %	8712,3024 litre	O
330	CM	95	CM	22 LEVEL CM	603,6295 litre	6,451 %	8752,8188 litre	O
330	CM	95	CM	21 LEVEL CM	563,9057 litre	6,027 %	8792,5426 litre	O
330	CM	95	CM	20 LEVEL CM	525,0019 litre	5,611 %	8831,4464 litre	O
330	CM	95	CM	19 LEVEL CM	486,9472 litre	5,204 %	8869,5011 litre	O
330	CM	95	CM	18 LEVEL CM	449,7726 litre	4,807 %	8906,6757 litre	O
330	CM	95	CM	17 LEVEL CM	413,5117 litre	4,420 %	8942,9366 litre	O
330	CM	95	CM	16 LEVEL CM	378,2002 litre	4,042 %	8978,2481 litre	O
330	CM	95	CM	15 LEVEL CM	343,8772 litre	3,675 %	9012,5711 litre	O
330	CM	95	CM	14 LEVEL CM	310,5851 litre	3,319 %	9045,8632 litre	O
330	CM	95	CM	13 LEVEL CM	278,3704 litre	2,975 %	9078,0779 litre	O
330	CM	95	CM	12 LEVEL CM	247,2844 litre	2,643 %	9109,1639 litre	O
330	CM	95	CM	11 LEVEL CM	217,3842 litre	2,323 %	9139,0641 litre	O
330	CM	95	CM	10 LEVEL CM	188,7342 litre	2,017 %	9167,7141 litre	O
330	CM	95	CM	9 LEVEL CM	161,4074 litre	1,725 %	9195,0409 litre	O
330	CM	95	CM	8 LEVEL CM	135,4881 litre	1,448 %	9220,9602 litre	O
330	CM	95	CM	7 LEVEL CM	111,0753 litre	1,187 %	9245,3730 litre	O
330	CM	95	CM	6 LEVEL CM	88,2874 litre	0,944 %	9268,1609 litre	O
330	CM	95	CM	5 LEVEL CM	67,2707 litre	0,719 %	9289,1776 litre	O
330	CM	95	CM	4 LEVEL CM	48,2122 litre	0,515 %	9308,2361 litre	O
330	CM	95	CM	3 LEVEL CM	31,3649 litre	0,335 %	9325,0834 litre	O
330	CM	95	CM	2 LEVEL CM	17,1001 litre	0,183 %	9339,3482 litre	O
330	CM	95	CM	1 LEVEL CM	6,0554 litre	0,065 %	9350,3929 litre	O
330	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	9356,4483 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
330	CM	90	CM	180 LEVEL CM	8397,4772 litre	100,000 %	0,0000 litre	O
330	CM	90	CM	179 LEVEL CM	8391,5838 litre	99,930 %	5,8934 litre	O
330	CM	90	CM	178 LEVEL CM	8380,8361 litre	99,802 %	16,6411 litre	O
330	CM	90	CM	177 LEVEL CM	8366,9570 litre	99,637 %	30,5202 litre	O
330	CM	90	CM	176 LEVEL CM	8350,5675 litre	99,441 %	46,9097 litre	O
330	CM	90	CM	175 LEVEL CM	8332,0299 litre	99,221 %	65,4473 litre	O
330	CM	90	CM	174 LEVEL CM	8311,5907 litre	98,977 %	85,8865 litre	O
330	CM	90	CM	173 LEVEL CM	8289,4325 litre	98,713 %	108,0447 litre	O
330	CM	90	CM	172 LEVEL CM	8265,6979 litre	98,431 %	131,7793 litre	O
330	CM	90	CM	171 LEVEL CM	8240,5028 litre	98,131 %	156,9744 litre	O
330	CM	90	CM	170 LEVEL CM	8213,9438 litre	97,814 %	183,5334 litre	O
330	CM	90	CM	169 LEVEL CM	8186,1033 litre	97,483 %	211,3739 litre	O
330	CM	90	CM	168 LEVEL CM	8157,0528 litre	97,137 %	240,4244 litre	O
330	CM	90	CM	167 LEVEL CM	8126,8551 litre	96,777 %	270,6221 litre	O
330	CM	90	CM	166 LEVEL CM	8095,5663 litre	96,405 %	301,9109 litre	O
330	CM	90	CM	165 LEVEL CM	8063,2367 litre	96,020 %	334,2405 litre	O
330	CM	90	CM	164 LEVEL CM	8029,9117 litre	95,623 %	367,5655 litre	O
330	CM	90	CM	163 LEVEL CM	7995,6329 litre	95,215 %	401,8443 litre	O
330	CM	90	CM	162 LEVEL CM	7960,4387 litre	94,796 %	437,0385 litre	O
330	CM	90	CM	161 LEVEL CM	7924,3643 litre	94,366 %	473,1129 litre	O
330	CM	90	CM	160 LEVEL CM	7887,4424 litre	93,926 %	510,0348 litre	O
330	CM	90	CM	159 LEVEL CM	7849,7036 litre	93,477 %	547,7736 litre	O
330	CM	90	CM	158 LEVEL CM	7811,1766 litre	93,018 %	586,3006 litre	O
330	CM	90	CM	157 LEVEL CM	7771,8883 litre	92,550 %	625,5889 litre	O
330	CM	90	CM	156 LEVEL CM	7731,8639 litre	92,074 %	665,6133 litre	O
330	CM	90	CM	155 LEVEL CM	7691,1276 litre	91,589 %	706,3496 litre	O
330	CM	90	CM	154 LEVEL CM	7649,7020 litre	91,095 %	747,7752 litre	O
330	CM	90	CM	153 LEVEL CM	7607,6088 litre	90,594 %	789,8684 litre	O
330	CM	90	CM	152 LEVEL CM	7564,8685 litre	90,085 %	832,6087 litre	O
330	CM	90	CM	151 LEVEL CM	7521,5010 litre	89,569 %	875,9762 litre	O
330	CM	90	CM	150 LEVEL CM	7477,5250 litre	89,045 %	919,9522 litre	O
330	CM	90	CM	149 LEVEL CM	7432,9586 litre	88,514 %	964,5186 litre	O
330	CM	90	CM	148 LEVEL CM	7387,8192 litre	87,977 %	1009,6580 litre	O
330	CM	90	CM	147 LEVEL CM	7342,1235 litre	87,432 %	1055,3537 litre	O
330	CM	90	CM	146 LEVEL CM	7295,8876 litre	86,882 %	1101,5896 litre	O
330	CM	90	CM	145 LEVEL CM	7249,1271 litre	86,325 %	1148,3501 litre	O
330	CM	90	CM	144 LEVEL CM	7201,8570 litre	85,762 %	1195,6202 litre	O
330	CM	90	CM	143 LEVEL CM	7154,0919 litre	85,193 %	1243,3853 litre	O
330	CM	90	CM	142 LEVEL CM	7105,8459 litre	84,619 %	1291,6313 litre	O
330	CM	90	CM	141 LEVEL CM	7057,1325 litre	84,039 %	1340,3447 litre	O
330	CM	90	CM	140 LEVEL CM	7007,9653 litre	83,453 %	1389,5119 litre	O
330	CM	90	CM	139 LEVEL CM	6958,3570 litre	82,862 %	1439,1202 litre	O
330	CM	90	CM	138 LEVEL CM	6908,3204 litre	82,267 %	1489,1568 litre	O
330	CM	90	CM	137 LEVEL CM	6857,8676 litre	81,666 %	1539,6096 litre	O
330	CM	90	CM	136 LEVEL CM	6807,0106 litre	81,060 %	1590,4666 litre	O
330	CM	90	CM	135 LEVEL CM	6755,7611 litre	80,450 %	1641,7161 litre	O
330	CM	90	CM	134 LEVEL CM	6704,1305 litre	79,835 %	1693,3467 litre	O
330	CM	90	CM	133 LEVEL CM	6652,1300 litre	79,216 %	1745,3472 litre	O
330	CM	90	CM	132 LEVEL CM	6599,7706 litre	78,592 %	1797,7066 litre	O
330	CM	90	CM	131 LEVEL CM	6547,0629 litre	77,965 %	1850,4143 litre	O
330	CM	90	CM	130 LEVEL CM	6494,0174 litre	77,333 %	1903,4598 litre	O
330	CM	90	CM	129 LEVEL CM	6440,6445 litre	76,697 %	1956,8327 litre	O

330	CM	90	CM	128 LEVEL CM	6386,9542 litre	76,058 %	2010,5230 litre	O
330	CM	90	CM	127 LEVEL CM	6332,9565 litre	75,415 %	2064,5207 litre	O
330	CM	90	CM	126 LEVEL CM	6278,6611 litre	74,768 %	2118,8161 litre	O
330	CM	90	CM	125 LEVEL CM	6224,0777 litre	74,118 %	2173,3995 litre	O
330	CM	90	CM	124 LEVEL CM	6169,2156 litre	73,465 %	2228,2616 litre	O
330	CM	90	CM	123 LEVEL CM	6114,0843 litre	72,809 %	2283,3929 litre	O
330	CM	90	CM	122 LEVEL CM	6058,6928 litre	72,149 %	2338,7844 litre	O
330	CM	90	CM	121 LEVEL CM	6003,0502 litre	71,486 %	2394,4270 litre	O
330	CM	90	CM	120 LEVEL CM	5947,1655 litre	70,821 %	2450,3117 litre	O
330	CM	90	CM	119 LEVEL CM	5891,0474 litre	70,153 %	2506,4298 litre	O
330	CM	90	CM	118 LEVEL CM	5834,7047 litre	69,482 %	2562,7725 litre	O
330	CM	90	CM	117 LEVEL CM	5778,1459 litre	68,808 %	2619,3313 litre	O
330	CM	90	CM	116 LEVEL CM	5721,3795 litre	68,132 %	2676,0977 litre	O
330	CM	90	CM	115 LEVEL CM	5664,4140 litre	67,454 %	2733,0632 litre	O
330	CM	90	CM	114 LEVEL CM	5607,2576 litre	66,773 %	2790,2196 litre	O
330	CM	90	CM	113 LEVEL CM	5549,9186 litre	66,090 %	2847,5586 litre	O
330	CM	90	CM	112 LEVEL CM	5492,4051 litre	65,405 %	2905,0721 litre	O
330	CM	90	CM	111 LEVEL CM	5434,7253 litre	64,719 %	2962,7519 litre	O
330	CM	90	CM	110 LEVEL CM	5376,8871 litre	64,030 %	3020,5901 litre	O
330	CM	90	CM	109 LEVEL CM	5318,8984 litre	63,339 %	3078,5788 litre	O
330	CM	90	CM	108 LEVEL CM	5260,7672 litre	62,647 %	3136,7100 litre	O
330	CM	90	CM	107 LEVEL CM	5202,5013 litre	61,953 %	3194,9759 litre	O
330	CM	90	CM	106 LEVEL CM	5144,1084 litre	61,258 %	3253,3688 litre	O
330	CM	90	CM	105 LEVEL CM	5085,5962 litre	60,561 %	3311,8810 litre	O
330	CM	90	CM	104 LEVEL CM	5026,9725 litre	59,863 %	3370,5047 litre	O
330	CM	90	CM	103 LEVEL CM	4968,2449 litre	59,164 %	3429,2323 litre	O
330	CM	90	CM	102 LEVEL CM	4909,4209 litre	58,463 %	3488,0563 litre	O
330	CM	90	CM	101 LEVEL CM	4850,5081 litre	57,761 %	3546,9691 litre	O
330	CM	90	CM	100 LEVEL CM	4791,5141 litre	57,059 %	3605,9631 litre	O
330	CM	90	CM	99 LEVEL CM	4732,4462 litre	56,356 %	3665,0310 litre	O
330	CM	90	CM	98 LEVEL CM	4673,3121 litre	55,651 %	3724,1651 litre	O
330	CM	90	CM	97 LEVEL CM	4614,1190 litre	54,946 %	3783,3582 litre	O
330	CM	90	CM	96 LEVEL CM	4554,8744 litre	54,241 %	3842,6028 litre	O
330	CM	90	CM	95 LEVEL CM	4495,5857 litre	53,535 %	3901,8915 litre	O
330	CM	90	CM	94 LEVEL CM	4436,2603 litre	52,828 %	3961,2169 litre	O
330	CM	90	CM	93 LEVEL CM	4376,9056 litre	52,122 %	4020,5716 litre	O
330	CM	90	CM	92 LEVEL CM	4317,5288 litre	51,415 %	4079,9484 litre	O
330	CM	90	CM	91 LEVEL CM	4258,1374 litre	50,707 %	4139,3398 litre	O
330	CM	90	CM	90 LEVEL CM	4198,7386 litre	50,000 %	4198,7386 litre	O
330	CM	90	CM	89 LEVEL CM	4139,3398 litre	49,293 %	4258,1374 litre	O
330	CM	90	CM	88 LEVEL CM	4079,9484 litre	48,585 %	4317,5288 litre	O
330	CM	90	CM	87 LEVEL CM	4020,5716 litre	47,878 %	4376,9056 litre	O
330	CM	90	CM	86 LEVEL CM	3961,2168 litre	47,172 %	4436,2604 litre	O
330	CM	90	CM	85 LEVEL CM	3901,8914 litre	46,465 %	4495,5858 litre	O
330	CM	90	CM	84 LEVEL CM	3842,6028 litre	45,759 %	4554,8744 litre	O
330	CM	90	CM	83 LEVEL CM	3783,3582 litre	45,054 %	4614,1190 litre	O
330	CM	90	CM	82 LEVEL CM	3724,1651 litre	44,349 %	4673,3121 litre	O
330	CM	90	CM	81 LEVEL CM	3665,0309 litre	43,644 %	4732,4463 litre	O
330	CM	90	CM	80 LEVEL CM	3605,9631 litre	42,941 %	4791,5141 litre	O
330	CM	90	CM	79 LEVEL CM	3546,9690 litre	42,239 %	4850,5082 litre	O
330	CM	90	CM	78 LEVEL CM	3488,0562 litre	41,537 %	4909,4210 litre	O
330	CM	90	CM	77 LEVEL CM	3429,2323 litre	40,836 %	4968,2449 litre	O
330	CM	90	CM	76 LEVEL CM	3370,5046 litre	40,137 %	5026,9726 litre	O

330	CM	90	CM	75 LEVEL CM	3311,8809 litre	39,439 %	5085,5963 litre	O
330	CM	90	CM	74 LEVEL CM	3253,3688 litre	38,742 %	5144,1084 litre	O
330	CM	90	CM	73 LEVEL CM	3194,9759 litre	38,047 %	5202,5013 litre	O
330	CM	90	CM	72 LEVEL CM	3136,7100 litre	37,353 %	5260,7672 litre	O
330	CM	90	CM	71 LEVEL CM	3078,5788 litre	36,661 %	5318,8984 litre	O
330	CM	90	CM	70 LEVEL CM	3020,5901 litre	35,970 %	5376,8871 litre	O
330	CM	90	CM	69 LEVEL CM	2962,7519 litre	35,281 %	5434,7253 litre	O
330	CM	90	CM	68 LEVEL CM	2905,0720 litre	34,595 %	5492,4052 litre	O
330	CM	90	CM	67 LEVEL CM	2847,5585 litre	33,910 %	5549,9187 litre	O
330	CM	90	CM	66 LEVEL CM	2790,2195 litre	33,227 %	5607,2577 litre	O
330	CM	90	CM	65 LEVEL CM	2733,0632 litre	32,546 %	5664,4140 litre	O
330	CM	90	CM	64 LEVEL CM	2676,0976 litre	31,868 %	5721,3796 litre	O
330	CM	90	CM	63 LEVEL CM	2619,3313 litre	31,192 %	5778,1459 litre	O
330	CM	90	CM	62 LEVEL CM	2562,7725 litre	30,518 %	5834,7047 litre	O
330	CM	90	CM	61 LEVEL CM	2506,4297 litre	29,847 %	5891,0475 litre	O
330	CM	90	CM	60 LEVEL CM	2450,3117 litre	29,179 %	5947,1655 litre	O
330	CM	90	CM	59 LEVEL CM	2394,4269 litre	28,514 %	6003,0503 litre	O
330	CM	90	CM	58 LEVEL CM	2338,7844 litre	27,851 %	6058,6928 litre	O
330	CM	90	CM	57 LEVEL CM	2283,3929 litre	27,191 %	6114,0843 litre	O
330	CM	90	CM	56 LEVEL CM	2228,2616 litre	26,535 %	6169,2156 litre	O
330	CM	90	CM	55 LEVEL CM	2173,3995 litre	25,882 %	6224,0777 litre	O
330	CM	90	CM	54 LEVEL CM	2118,8161 litre	25,232 %	6278,6611 litre	O
330	CM	90	CM	53 LEVEL CM	2064,5207 litre	24,585 %	6332,9565 litre	O
330	CM	90	CM	52 LEVEL CM	2010,5230 litre	23,942 %	6386,9542 litre	O
330	CM	90	CM	51 LEVEL CM	1956,8327 litre	23,303 %	6440,6445 litre	O
330	CM	90	CM	50 LEVEL CM	1903,4597 litre	22,667 %	6494,0175 litre	O
330	CM	90	CM	49 LEVEL CM	1850,4143 litre	22,035 %	6547,0629 litre	O
330	CM	90	CM	48 LEVEL CM	1797,7066 litre	21,408 %	6599,7706 litre	O
330	CM	90	CM	47 LEVEL CM	1745,3471 litre	20,784 %	6652,1301 litre	O
330	CM	90	CM	46 LEVEL CM	1693,3467 litre	20,165 %	6704,1305 litre	O
330	CM	90	CM	45 LEVEL CM	1641,7161 litre	19,550 %	6755,7611 litre	O
330	CM	90	CM	44 LEVEL CM	1590,4666 litre	18,940 %	6807,0106 litre	O
330	CM	90	CM	43 LEVEL CM	1539,6096 litre	18,334 %	6857,8676 litre	O
330	CM	90	CM	42 LEVEL CM	1489,1568 litre	17,733 %	6908,3204 litre	O
330	CM	90	CM	41 LEVEL CM	1439,1201 litre	17,138 %	6958,3571 litre	O
330	CM	90	CM	40 LEVEL CM	1389,5119 litre	16,547 %	7007,9653 litre	O
330	CM	90	CM	39 LEVEL CM	1340,3446 litre	15,961 %	7057,1326 litre	O
330	CM	90	CM	38 LEVEL CM	1291,6313 litre	15,381 %	7105,8459 litre	O
330	CM	90	CM	37 LEVEL CM	1243,3852 litre	14,807 %	7154,0920 litre	O
330	CM	90	CM	36 LEVEL CM	1195,6201 litre	14,238 %	7201,8571 litre	O
330	CM	90	CM	35 LEVEL CM	1148,3500 litre	13,675 %	7249,1272 litre	O
330	CM	90	CM	34 LEVEL CM	1101,5895 litre	13,118 %	7295,8877 litre	O
330	CM	90	CM	33 LEVEL CM	1055,3536 litre	12,568 %	7342,1236 litre	O
330	CM	90	CM	32 LEVEL CM	1009,6580 litre	12,023 %	7387,8192 litre	O
330	CM	90	CM	31 LEVEL CM	964,5186 litre	11,486 %	7432,9586 litre	O
330	CM	90	CM	30 LEVEL CM	919,9522 litre	10,955 %	7477,5250 litre	O
330	CM	90	CM	29 LEVEL CM	875,9762 litre	10,431 %	7521,5010 litre	O
330	CM	90	CM	28 LEVEL CM	832,6086 litre	9,915 %	7564,8686 litre	O
330	CM	90	CM	27 LEVEL CM	789,8684 litre	9,406 %	7607,6088 litre	O
330	CM	90	CM	26 LEVEL CM	747,7752 litre	8,905 %	7649,7020 litre	O
330	CM	90	CM	25 LEVEL CM	706,3496 litre	8,411 %	7691,1276 litre	O
330	CM	90	CM	24 LEVEL CM	665,6132 litre	7,926 %	7731,8640 litre	O
330	CM	90	CM	23 LEVEL CM	625,5889 litre	7,450 %	7771,8883 litre	O

330	CM	90	CM	22 LEVEL CM	586,3005 litre	6,982 %	7811,1767 litre	O
330	CM	90	CM	21 LEVEL CM	547,7735 litre	6,523 %	7849,7037 litre	O
330	CM	90	CM	20 LEVEL CM	510,0348 litre	6,074 %	7887,4424 litre	O
330	CM	90	CM	19 LEVEL CM	473,1129 litre	5,634 %	7924,3643 litre	O
330	CM	90	CM	18 LEVEL CM	437,0385 litre	5,204 %	7960,4387 litre	O
330	CM	90	CM	17 LEVEL CM	401,8442 litre	4,785 %	7995,6330 litre	O
330	CM	90	CM	16 LEVEL CM	367,5655 litre	4,377 %	8029,9117 litre	O
330	CM	90	CM	15 LEVEL CM	334,2405 litre	3,980 %	8063,2367 litre	O
330	CM	90	CM	14 LEVEL CM	301,9108 litre	3,595 %	8095,5664 litre	O
330	CM	90	CM	13 LEVEL CM	270,6220 litre	3,223 %	8126,8552 litre	O
330	CM	90	CM	12 LEVEL CM	240,4244 litre	2,863 %	8157,0528 litre	O
330	CM	90	CM	11 LEVEL CM	211,3739 litre	2,517 %	8186,1033 litre	O
330	CM	90	CM	10 LEVEL CM	183,5334 litre	2,186 %	8213,9438 litre	O
330	CM	90	CM	9 LEVEL CM	156,9743 litre	1,869 %	8240,5029 litre	O
330	CM	90	CM	8 LEVEL CM	131,7792 litre	1,569 %	8265,6980 litre	O
330	CM	90	CM	7 LEVEL CM	108,0447 litre	1,287 %	8289,4325 litre	O
330	CM	90	CM	6 LEVEL CM	85,8864 litre	1,023 %	8311,5908 litre	O
330	CM	90	CM	5 LEVEL CM	65,4472 litre	0,779 %	8332,0300 litre	O
330	CM	90	CM	4 LEVEL CM	46,9097 litre	0,559 %	8350,5675 litre	O
330	CM	90	CM	3 LEVEL CM	30,5202 litre	0,363 %	8366,9570 litre	O
330	CM	90	CM	2 LEVEL CM	16,6411 litre	0,198 %	8380,8361 litre	O
330	CM	90	CM	1 LEVEL CM	5,8934 litre	0,070 %	8391,5838 litre	O
330	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	8397,4772 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 85	CM 170 LEVEL CM	7490,3423 litre	100,000 %	0,0000 litre	O
330	CM 85	CM 169 LEVEL CM	7484,6155 litre	99,924 %	5,7268 litre	O
330	CM 85	CM 168 LEVEL CM	7474,1733 litre	99,784 %	16,1690 litre	O
330	CM 85	CM 167 LEVEL CM	7460,6908 litre	99,604 %	29,6515 litre	O
330	CM 85	CM 166 LEVEL CM	7444,7724 litre	99,392 %	45,5699 litre	O
330	CM 85	CM 165 LEVEL CM	7426,7708 litre	99,151 %	63,5715 litre	O
330	CM 85	CM 164 LEVEL CM	7406,9259 litre	98,886 %	83,4164 litre	O
330	CM 85	CM 163 LEVEL CM	7385,4157 litre	98,599 %	104,9266 litre	O
330	CM 85	CM 162 LEVEL CM	7362,3794 litre	98,292 %	127,9629 litre	O
330	CM 85	CM 161 LEVEL CM	7337,9299 litre	97,965 %	152,4124 litre	O
330	CM 85	CM 160 LEVEL CM	7312,1615 litre	97,621 %	178,1808 litre	O
330	CM 85	CM 159 LEVEL CM	7285,1548 litre	97,261 %	205,1875 litre	O
330	CM 85	CM 158 LEVEL CM	7256,9795 litre	96,884 %	233,3628 litre	O
330	CM 85	CM 157 LEVEL CM	7227,6972 litre	96,494 %	262,6451 litre	O
330	CM 85	CM 156 LEVEL CM	7197,3626 litre	96,089 %	292,9797 litre	O
330	CM 85	CM 155 LEVEL CM	7166,0248 litre	95,670 %	324,3175 litre	O
330	CM 85	CM 154 LEVEL CM	7133,7287 litre	95,239 %	356,6136 litre	O
330	CM 85	CM 153 LEVEL CM	7100,5148 litre	94,796 %	389,8275 litre	O
330	CM 85	CM 152 LEVEL CM	7066,4206 litre	94,340 %	423,9217 litre	O
330	CM 85	CM 151 LEVEL CM	7031,4809 litre	93,874 %	458,8614 litre	O
330	CM 85	CM 150 LEVEL CM	6995,7278 litre	93,397 %	494,6145 litre	O
330	CM 85	CM 149 LEVEL CM	6959,1912 litre	92,909 %	531,1511 litre	O
330	CM 85	CM 148 LEVEL CM	6921,8994 litre	92,411 %	568,4429 litre	O
330	CM 85	CM 147 LEVEL CM	6883,8788 litre	91,903 %	606,4635 litre	O
330	CM 85	CM 146 LEVEL CM	6845,1543 litre	91,386 %	645,1880 litre	O
330	CM 85	CM 145 LEVEL CM	6805,7496 litre	90,860 %	684,5927 litre	O
330	CM 85	CM 144 LEVEL CM	6765,6870 litre	90,325 %	724,6553 litre	O
330	CM 85	CM 143 LEVEL CM	6724,9880 litre	89,782 %	765,3543 litre	O
330	CM 85	CM 142 LEVEL CM	6683,6729 litre	89,231 %	806,6694 litre	O
330	CM 85	CM 141 LEVEL CM	6641,7611 litre	88,671 %	848,5812 litre	O
330	CM 85	CM 140 LEVEL CM	6599,2712 litre	88,104 %	891,0711 litre	O
330	CM 85	CM 139 LEVEL CM	6556,2211 litre	87,529 %	934,1212 litre	O
330	CM 85	CM 138 LEVEL CM	6512,6281 litre	86,947 %	977,7142 litre	O
330	CM 85	CM 137 LEVEL CM	6468,5086 litre	86,358 %	1021,8337 litre	O
330	CM 85	CM 136 LEVEL CM	6423,8787 litre	85,762 %	1066,4636 litre	O
330	CM 85	CM 135 LEVEL CM	6378,7537 litre	85,160 %	1111,5886 litre	O
330	CM 85	CM 134 LEVEL CM	6333,1486 litre	84,551 %	1157,1937 litre	O
330	CM 85	CM 133 LEVEL CM	6287,0778 litre	83,936 %	1203,2645 litre	O
330	CM 85	CM 132 LEVEL CM	6240,5554 litre	83,315 %	1249,7869 litre	O
330	CM 85	CM 131 LEVEL CM	6193,5949 litre	82,688 %	1296,7474 litre	O
330	CM 85	CM 130 LEVEL CM	6146,2097 litre	82,055 %	1344,1326 litre	O
330	CM 85	CM 129 LEVEL CM	6098,4126 litre	81,417 %	1391,9297 litre	O
330	CM 85	CM 128 LEVEL CM	6050,2162 litre	80,774 %	1440,1261 litre	O
330	CM 85	CM 127 LEVEL CM	6001,6327 litre	80,125 %	1488,7096 litre	O
330	CM 85	CM 126 LEVEL CM	5952,6740 litre	79,471 %	1537,6683 litre	O
330	CM 85	CM 125 LEVEL CM	5903,3519 litre	78,813 %	1586,9904 litre	O
330	CM 85	CM 124 LEVEL CM	5853,6778 litre	78,150 %	1636,6645 litre	O
330	CM 85	CM 123 LEVEL CM	5803,6628 litre	77,482 %	1686,6795 litre	O
330	CM 85	CM 122 LEVEL CM	5753,3180 litre	76,810 %	1737,0243 litre	O
330	CM 85	CM 121 LEVEL CM	5702,6540 litre	76,133 %	1787,6883 litre	O
330	CM 85	CM 120 LEVEL CM	5651,6815 litre	75,453 %	1838,6608 litre	O
330	CM 85	CM 119 LEVEL CM	5600,4107 litre	74,768 %	1889,9316 litre	O

330	CM 85	CM	118 LEVEL CM	5548,8518 litre	74,080 %	1941,4905 litre	O
330	CM 85	CM	117 LEVEL CM	5497,0149 litre	73,388 %	1993,3274 litre	O
330	CM 85	CM	116 LEVEL CM	5444,9098 litre	72,692 %	2045,4325 litre	O
330	CM 85	CM	115 LEVEL CM	5392,5461 litre	71,993 %	2097,7962 litre	O
330	CM 85	CM	114 LEVEL CM	5339,9335 litre	71,291 %	2150,4088 litre	O
330	CM 85	CM	113 LEVEL CM	5287,0813 litre	70,585 %	2203,2610 litre	O
330	CM 85	CM	112 LEVEL CM	5233,9989 litre	69,877 %	2256,3434 litre	O
330	CM 85	CM	111 LEVEL CM	5180,6953 litre	69,165 %	2309,6470 litre	O
330	CM 85	CM	110 LEVEL CM	5127,1797 litre	68,451 %	2363,1626 litre	O
330	CM 85	CM	109 LEVEL CM	5073,4610 litre	67,733 %	2416,8813 litre	O
330	CM 85	CM	108 LEVEL CM	5019,5480 litre	67,014 %	2470,7943 litre	O
330	CM 85	CM	107 LEVEL CM	4965,4495 litre	66,291 %	2524,8928 litre	O
330	CM 85	CM	106 LEVEL CM	4911,1741 litre	65,567 %	2579,1682 litre	O
330	CM 85	CM	105 LEVEL CM	4856,7305 litre	64,840 %	2633,6118 litre	O
330	CM 85	CM	104 LEVEL CM	4802,1270 litre	64,111 %	2688,2153 litre	O
330	CM 85	CM	103 LEVEL CM	4747,3722 litre	63,380 %	2742,9701 litre	O
330	CM 85	CM	102 LEVEL CM	4692,4744 litre	62,647 %	2797,8679 litre	O
330	CM 85	CM	101 LEVEL CM	4637,4419 litre	61,912 %	2852,9004 litre	O
330	CM 85	CM	100 LEVEL CM	4582,2829 litre	61,176 %	2908,0594 litre	O
330	CM 85	CM	99 LEVEL CM	4527,0055 litre	60,438 %	2963,3368 litre	O
330	CM 85	CM	98 LEVEL CM	4471,6179 litre	59,698 %	3018,7244 litre	O
330	CM 85	CM	97 LEVEL CM	4416,1282 litre	58,958 %	3074,2141 litre	O
330	CM 85	CM	96 LEVEL CM	4360,5443 litre	58,216 %	3129,7980 litre	O
330	CM 85	CM	95 LEVEL CM	4304,8743 litre	57,472 %	3185,4680 litre	O
330	CM 85	CM	94 LEVEL CM	4249,1261 litre	56,728 %	3241,2162 litre	O
330	CM 85	CM	93 LEVEL CM	4193,3077 litre	55,983 %	3297,0346 litre	O
330	CM 85	CM	92 LEVEL CM	4137,4268 litre	55,237 %	3352,9155 litre	O
330	CM 85	CM	91 LEVEL CM	4081,4914 litre	54,490 %	3408,8509 litre	O
330	CM 85	CM	90 LEVEL CM	4025,5093 litre	53,743 %	3464,8330 litre	O
330	CM 85	CM	89 LEVEL CM	3969,4883 litre	52,995 %	3520,8540 litre	O
330	CM 85	CM	88 LEVEL CM	3913,4362 litre	52,246 %	3576,9061 litre	O
330	CM 85	CM	87 LEVEL CM	3857,3608 litre	51,498 %	3632,9815 litre	O
330	CM 85	CM	86 LEVEL CM	3801,2698 litre	50,749 %	3689,0725 litre	O
330	CM 85	CM	85 LEVEL CM	3745,1711 litre	50,000 %	3745,1712 litre	O
330	CM 85	CM	84 LEVEL CM	3689,0724 litre	49,251 %	3801,2699 litre	O
330	CM 85	CM	83 LEVEL CM	3632,9815 litre	48,502 %	3857,3608 litre	O
330	CM 85	CM	82 LEVEL CM	3576,9061 litre	47,754 %	3913,4362 litre	O
330	CM 85	CM	81 LEVEL CM	3520,8540 litre	47,005 %	3969,4883 litre	O
330	CM 85	CM	80 LEVEL CM	3464,8330 litre	46,257 %	4025,5093 litre	O
330	CM 85	CM	79 LEVEL CM	3408,8509 litre	45,510 %	4081,4914 litre	O
330	CM 85	CM	78 LEVEL CM	3352,9155 litre	44,763 %	4137,4268 litre	O
330	CM 85	CM	77 LEVEL CM	3297,0346 litre	44,017 %	4193,3077 litre	O
330	CM 85	CM	76 LEVEL CM	3241,2161 litre	43,272 %	4249,1262 litre	O
330	CM 85	CM	75 LEVEL CM	3185,4680 litre	42,528 %	4304,8743 litre	O
330	CM 85	CM	74 LEVEL CM	3129,7980 litre	41,784 %	4360,5443 litre	O
330	CM 85	CM	73 LEVEL CM	3074,2141 litre	41,042 %	4416,1282 litre	O
330	CM 85	CM	72 LEVEL CM	3018,7244 litre	40,302 %	4471,6179 litre	O
330	CM 85	CM	71 LEVEL CM	2963,3368 litre	39,562 %	4527,0055 litre	O
330	CM 85	CM	70 LEVEL CM	2908,0594 litre	38,824 %	4582,2829 litre	O
330	CM 85	CM	69 LEVEL CM	2852,9004 litre	38,088 %	4637,4419 litre	O
330	CM 85	CM	68 LEVEL CM	2797,8678 litre	37,353 %	4692,4745 litre	O
330	CM 85	CM	67 LEVEL CM	2742,9700 litre	36,620 %	4747,3723 litre	O
330	CM 85	CM	66 LEVEL CM	2688,2152 litre	35,889 %	4802,1271 litre	O

330	CM	85	CM	65 LEVEL CM	2633,6118 litre	35,160 %	4856,7305 litre	O
330	CM	85	CM	64 LEVEL CM	2579,1682 litre	34,433 %	4911,1741 litre	O
330	CM	85	CM	63 LEVEL CM	2524,8928 litre	33,709 %	4965,4495 litre	O
330	CM	85	CM	62 LEVEL CM	2470,7943 litre	32,986 %	5019,5480 litre	O
330	CM	85	CM	61 LEVEL CM	2416,8813 litre	32,267 %	5073,4610 litre	O
330	CM	85	CM	60 LEVEL CM	2363,1626 litre	31,549 %	5127,1797 litre	O
330	CM	85	CM	59 LEVEL CM	2309,6470 litre	30,835 %	5180,6953 litre	O
330	CM	85	CM	58 LEVEL CM	2256,3434 litre	30,123 %	5233,9989 litre	O
330	CM	85	CM	57 LEVEL CM	2203,2609 litre	29,415 %	5287,0814 litre	O
330	CM	85	CM	56 LEVEL CM	2150,4088 litre	28,709 %	5339,9335 litre	O
330	CM	85	CM	55 LEVEL CM	2097,7961 litre	28,007 %	5392,5462 litre	O
330	CM	85	CM	54 LEVEL CM	2045,4325 litre	27,308 %	5444,9098 litre	O
330	CM	85	CM	53 LEVEL CM	1993,3274 litre	26,612 %	5497,0149 litre	O
330	CM	85	CM	52 LEVEL CM	1941,4905 litre	25,920 %	5548,8518 litre	O
330	CM	85	CM	51 LEVEL CM	1889,9316 litre	25,232 %	5600,4107 litre	O
330	CM	85	CM	50 LEVEL CM	1838,6608 litre	24,547 %	5651,6815 litre	O
330	CM	85	CM	49 LEVEL CM	1787,6883 litre	23,867 %	5702,6540 litre	O
330	CM	85	CM	48 LEVEL CM	1737,0243 litre	23,190 %	5753,3180 litre	O
330	CM	85	CM	47 LEVEL CM	1686,6795 litre	22,518 %	5803,6628 litre	O
330	CM	85	CM	46 LEVEL CM	1636,6645 litre	21,850 %	5853,6778 litre	O
330	CM	85	CM	45 LEVEL CM	1586,9904 litre	21,187 %	5903,3519 litre	O
330	CM	85	CM	44 LEVEL CM	1537,6683 litre	20,529 %	5952,6740 litre	O
330	CM	85	CM	43 LEVEL CM	1488,7096 litre	19,875 %	6001,6327 litre	O
330	CM	85	CM	42 LEVEL CM	1440,1261 litre	19,226 %	6050,2162 litre	O
330	CM	85	CM	41 LEVEL CM	1391,9297 litre	18,583 %	6098,4126 litre	O
330	CM	85	CM	40 LEVEL CM	1344,1326 litre	17,945 %	6146,2097 litre	O
330	CM	85	CM	39 LEVEL CM	1296,7473 litre	17,312 %	6193,5950 litre	O
330	CM	85	CM	38 LEVEL CM	1249,7869 litre	16,685 %	6240,5554 litre	O
330	CM	85	CM	37 LEVEL CM	1203,2645 litre	16,064 %	6287,0778 litre	O
330	CM	85	CM	36 LEVEL CM	1157,1937 litre	15,449 %	6333,1486 litre	O
330	CM	85	CM	35 LEVEL CM	1111,5886 litre	14,840 %	6378,7537 litre	O
330	CM	85	CM	34 LEVEL CM	1066,4636 litre	14,238 %	6423,8787 litre	O
330	CM	85	CM	33 LEVEL CM	1021,8337 litre	13,642 %	6468,5086 litre	O
330	CM	85	CM	32 LEVEL CM	977,7142 litre	13,053 %	6512,6281 litre	O
330	CM	85	CM	31 LEVEL CM	934,1211 litre	12,471 %	6556,2212 litre	O
330	CM	85	CM	30 LEVEL CM	891,0711 litre	11,896 %	6599,2712 litre	O
330	CM	85	CM	29 LEVEL CM	848,5812 litre	11,329 %	6641,7611 litre	O
330	CM	85	CM	28 LEVEL CM	806,6694 litre	10,769 %	6683,6729 litre	O
330	CM	85	CM	27 LEVEL CM	765,3542 litre	10,218 %	6724,9881 litre	O
330	CM	85	CM	26 LEVEL CM	724,6552 litre	9,675 %	6765,6871 litre	O
330	CM	85	CM	25 LEVEL CM	684,5927 litre	9,140 %	6805,7496 litre	O
330	CM	85	CM	24 LEVEL CM	645,1880 litre	8,614 %	6845,1543 litre	O
330	CM	85	CM	23 LEVEL CM	606,4635 litre	8,097 %	6883,8788 litre	O
330	CM	85	CM	22 LEVEL CM	568,4429 litre	7,589 %	6921,8994 litre	O
330	CM	85	CM	21 LEVEL CM	531,1511 litre	7,091 %	6959,1912 litre	O
330	CM	85	CM	20 LEVEL CM	494,6145 litre	6,603 %	6995,7278 litre	O
330	CM	85	CM	19 LEVEL CM	458,8614 litre	6,126 %	7031,4809 litre	O
330	CM	85	CM	18 LEVEL CM	423,9216 litre	5,660 %	7066,4207 litre	O
330	CM	85	CM	17 LEVEL CM	389,8275 litre	5,204 %	7100,5148 litre	O
330	CM	85	CM	16 LEVEL CM	356,6136 litre	4,761 %	7133,7287 litre	O
330	CM	85	CM	15 LEVEL CM	324,3174 litre	4,330 %	7166,0249 litre	O
330	CM	85	CM	14 LEVEL CM	292,9797 litre	3,911 %	7197,3626 litre	O
330	CM	85	CM	13 LEVEL CM	262,6451 litre	3,506 %	7227,6972 litre	O

330	CM	85	CM	12 LEVEL CM	233,3628 litre	3,116 %	7256,9795 litre	O
330	CM	85	CM	11 LEVEL CM	205,1875 litre	2,739 %	7285,1548 litre	O
330	CM	85	CM	10 LEVEL CM	178,1808 litre	2,379 %	7312,1615 litre	O
330	CM	85	CM	9 LEVEL CM	152,4124 litre	2,035 %	7337,9299 litre	O
330	CM	85	CM	8 LEVEL CM	127,9629 litre	1,708 %	7362,3794 litre	O
330	CM	85	CM	7 LEVEL CM	104,9265 litre	1,401 %	7385,4158 litre	O
330	CM	85	CM	6 LEVEL CM	83,4164 litre	1,114 %	7406,9259 litre	O
330	CM	85	CM	5 LEVEL CM	63,5715 litre	0,849 %	7426,7708 litre	O
330	CM	85	CM	4 LEVEL CM	45,5698 litre	0,608 %	7444,7725 litre	O
330	CM	85	CM	3 LEVEL CM	29,6515 litre	0,396 %	7460,6908 litre	O
330	CM	85	CM	2 LEVEL CM	16,1690 litre	0,216 %	7474,1733 litre	O
330	CM	85	CM	1 LEVEL CM	5,7268 litre	0,076 %	7484,6155 litre	O
330	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	7490,3423 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 80	CM 160 LEVEL CM	6635,0437 litre	100,000 %	0,0000 litre	O
330	CM 80	CM 159 LEVEL CM	6629,4885 litre	99,916 %	5,5552 litre	O
330	CM 80	CM 158 LEVEL CM	6619,3609 litre	99,764 %	15,6828 litre	O
330	CM 80	CM 157 LEVEL CM	6606,2872 litre	99,567 %	28,7565 litre	O
330	CM 80	CM 156 LEVEL CM	6590,8543 litre	99,334 %	44,1894 litre	O
330	CM 80	CM 155 LEVEL CM	6573,4049 litre	99,071 %	61,6388 litre	O
330	CM 80	CM 154 LEVEL CM	6554,1728 litre	98,781 %	80,8709 litre	O
330	CM 80	CM 153 LEVEL CM	6533,3308 litre	98,467 %	101,7129 litre	O
330	CM 80	CM 152 LEVEL CM	6511,0146 litre	98,131 %	124,0291 litre	O
330	CM 80	CM 151 LEVEL CM	6487,3341 litre	97,774 %	147,7096 litre	O
330	CM 80	CM 150 LEVEL CM	6462,3814 litre	97,398 %	172,6623 litre	O
330	CM 80	CM 149 LEVEL CM	6436,2350 litre	97,004 %	198,8087 litre	O
330	CM 80	CM 148 LEVEL CM	6408,9631 litre	96,593 %	226,0806 litre	O
330	CM 80	CM 147 LEVEL CM	6380,6256 litre	96,166 %	254,4181 litre	O
330	CM 80	CM 146 LEVEL CM	6351,2762 litre	95,723 %	283,7675 litre	O
330	CM 80	CM 145 LEVEL CM	6320,9628 litre	95,266 %	314,0809 litre	O
330	CM 80	CM 144 LEVEL CM	6289,7293 litre	94,796 %	345,3144 litre	O
330	CM 80	CM 143 LEVEL CM	6257,6156 litre	94,312 %	377,4281 litre	O
330	CM 80	CM 142 LEVEL CM	6224,6583 litre	93,815 %	410,3854 litre	O
330	CM 80	CM 141 LEVEL CM	6190,8914 litre	93,306 %	444,1523 litre	O
330	CM 80	CM 140 LEVEL CM	6156,3465 litre	92,785 %	478,6972 litre	O
330	CM 80	CM 139 LEVEL CM	6121,0530 litre	92,253 %	513,9907 litre	O
330	CM 80	CM 138 LEVEL CM	6085,0387 litre	91,711 %	550,0050 litre	O
330	CM 80	CM 137 LEVEL CM	6048,3296 litre	91,157 %	586,7141 litre	O
330	CM 80	CM 136 LEVEL CM	6010,9501 litre	90,594 %	624,0936 litre	O
330	CM 80	CM 135 LEVEL CM	5972,9237 litre	90,021 %	662,1200 litre	O
330	CM 80	CM 134 LEVEL CM	5934,2722 litre	89,438 %	700,7715 litre	O
330	CM 80	CM 133 LEVEL CM	5895,0170 litre	88,847 %	740,0267 litre	O
330	CM 80	CM 132 LEVEL CM	5855,1779 litre	88,246 %	779,8658 litre	O
330	CM 80	CM 131 LEVEL CM	5814,7742 litre	87,637 %	820,2695 litre	O
330	CM 80	CM 130 LEVEL CM	5773,8243 litre	87,020 %	861,2194 litre	O
330	CM 80	CM 129 LEVEL CM	5732,3460 litre	86,395 %	902,6977 litre	O
330	CM 80	CM 128 LEVEL CM	5690,3562 litre	85,762 %	944,6875 litre	O
330	CM 80	CM 127 LEVEL CM	5647,8713 litre	85,122 %	987,1724 litre	O
330	CM 80	CM 126 LEVEL CM	5604,9073 litre	84,474 %	1030,1364 litre	O
330	CM 80	CM 125 LEVEL CM	5561,4794 litre	83,820 %	1073,5643 litre	O
330	CM 80	CM 124 LEVEL CM	5517,6024 litre	83,158 %	1117,4413 litre	O
330	CM 80	CM 123 LEVEL CM	5473,2907 litre	82,491 %	1161,7530 litre	O
330	CM 80	CM 122 LEVEL CM	5428,5583 litre	81,816 %	1206,4854 litre	O
330	CM 80	CM 121 LEVEL CM	5383,4188 litre	81,136 %	1251,6249 litre	O
330	CM 80	CM 120 LEVEL CM	5337,8853 litre	80,450 %	1297,1584 litre	O
330	CM 80	CM 119 LEVEL CM	5291,9707 litre	79,758 %	1343,0730 litre	O
330	CM 80	CM 118 LEVEL CM	5245,6876 litre	79,060 %	1389,3561 litre	O
330	CM 80	CM 117 LEVEL CM	5199,0483 litre	78,357 %	1435,9954 litre	O
330	CM 80	CM 116 LEVEL CM	5152,0646 litre	77,649 %	1482,9791 litre	O
330	CM 80	CM 115 LEVEL CM	5104,7483 litre	76,936 %	1530,2954 litre	O
330	CM 80	CM 114 LEVEL CM	5057,1109 litre	76,218 %	1577,9328 litre	O
330	CM 80	CM 113 LEVEL CM	5009,1636 litre	75,496 %	1625,8801 litre	O
330	CM 80	CM 112 LEVEL CM	4960,9174 litre	74,768 %	1674,1263 litre	O
330	CM 80	CM 111 LEVEL CM	4912,3832 litre	74,037 %	1722,6605 litre	O
330	CM 80	CM 110 LEVEL CM	4863,5715 litre	73,301 %	1771,4722 litre	O
330	CM 80	CM 109 LEVEL CM	4814,4928 litre	72,562 %	1820,5509 litre	O

330	CM	80	CM	108 LEVEL CM	4765,1574 litre	71,818 %	1869,8863 litre	O
330	CM	80	CM	107 LEVEL CM	4715,5754 litre	71,071 %	1919,4683 litre	O
330	CM	80	CM	106 LEVEL CM	4665,7567 litre	70,320 %	1969,2870 litre	O
330	CM	80	CM	105 LEVEL CM	4615,7112 litre	69,566 %	2019,3325 litre	O
330	CM	80	CM	104 LEVEL CM	4565,4486 litre	68,808 %	2069,5951 litre	O
330	CM	80	CM	103 LEVEL CM	4514,9784 litre	68,047 %	2120,0653 litre	O
330	CM	80	CM	102 LEVEL CM	4464,3101 litre	67,284 %	2170,7336 litre	O
330	CM	80	CM	101 LEVEL CM	4413,4530 litre	66,517 %	2221,5907 litre	O
330	CM	80	CM	100 LEVEL CM	4362,4163 litre	65,748 %	2272,6274 litre	O
330	CM	80	CM	99 LEVEL CM	4311,2093 litre	64,976 %	2323,8344 litre	O
330	CM	80	CM	98 LEVEL CM	4259,8408 litre	64,202 %	2375,2029 litre	O
330	CM	80	CM	97 LEVEL CM	4208,3200 litre	63,426 %	2426,7237 litre	O
330	CM	80	CM	96 LEVEL CM	4156,6556 litre	62,647 %	2478,3881 litre	O
330	CM	80	CM	95 LEVEL CM	4104,8564 litre	61,866 %	2530,1873 litre	O
330	CM	80	CM	94 LEVEL CM	4052,9313 litre	61,084 %	2582,1124 litre	O
330	CM	80	CM	93 LEVEL CM	4000,8889 litre	60,299 %	2634,1548 litre	O
330	CM	80	CM	92 LEVEL CM	3948,7378 litre	59,513 %	2686,3059 litre	O
330	CM	80	CM	91 LEVEL CM	3896,4865 litre	58,726 %	2738,5572 litre	O
330	CM	80	CM	90 LEVEL CM	3844,1436 litre	57,937 %	2790,9001 litre	O
330	CM	80	CM	89 LEVEL CM	3791,7176 litre	57,147 %	2843,3261 litre	O
330	CM	80	CM	88 LEVEL CM	3739,2168 litre	56,356 %	2895,8269 litre	O
330	CM	80	CM	87 LEVEL CM	3686,6497 litre	55,563 %	2948,3940 litre	O
330	CM	80	CM	86 LEVEL CM	3634,0246 litre	54,770 %	3001,0191 litre	O
330	CM	80	CM	85 LEVEL CM	3581,3499 litre	53,976 %	3053,6938 litre	O
330	CM	80	CM	84 LEVEL CM	3528,6338 litre	53,182 %	3106,4099 litre	O
330	CM	80	CM	83 LEVEL CM	3475,8847 litre	52,387 %	3159,1590 litre	O
330	CM	80	CM	82 LEVEL CM	3423,1108 litre	51,591 %	3211,9329 litre	O
330	CM	80	CM	81 LEVEL CM	3370,3205 litre	50,796 %	3264,7232 litre	O
330	CM	80	CM	80 LEVEL CM	3317,5218 litre	50,000 %	3317,5219 litre	O
330	CM	80	CM	79 LEVEL CM	3264,7232 litre	49,204 %	3370,3205 litre	O
330	CM	80	CM	78 LEVEL CM	3211,9328 litre	48,409 %	3423,1109 litre	O
330	CM	80	CM	77 LEVEL CM	3159,1590 litre	47,613 %	3475,8847 litre	O
330	CM	80	CM	76 LEVEL CM	3106,4099 litre	46,818 %	3528,6338 litre	O
330	CM	80	CM	75 LEVEL CM	3053,6938 litre	46,024 %	3581,3499 litre	O
330	CM	80	CM	74 LEVEL CM	3001,0191 litre	45,230 %	3634,0246 litre	O
330	CM	80	CM	73 LEVEL CM	2948,3940 litre	44,437 %	3686,6497 litre	O
330	CM	80	CM	72 LEVEL CM	2895,8269 litre	43,644 %	3739,2168 litre	O
330	CM	80	CM	71 LEVEL CM	2843,3261 litre	42,853 %	3791,7176 litre	O
330	CM	80	CM	70 LEVEL CM	2790,9001 litre	42,063 %	3844,1436 litre	O
330	CM	80	CM	69 LEVEL CM	2738,5572 litre	41,274 %	3896,4865 litre	O
330	CM	80	CM	68 LEVEL CM	2686,3059 litre	40,487 %	3948,7378 litre	O
330	CM	80	CM	67 LEVEL CM	2634,1548 litre	39,701 %	4000,8889 litre	O
330	CM	80	CM	66 LEVEL CM	2582,1124 litre	38,916 %	4052,9313 litre	O
330	CM	80	CM	65 LEVEL CM	2530,1873 litre	38,134 %	4104,8564 litre	O
330	CM	80	CM	64 LEVEL CM	2478,3881 litre	37,353 %	4156,6556 litre	O
330	CM	80	CM	63 LEVEL CM	2426,7237 litre	36,574 %	4208,3200 litre	O
330	CM	80	CM	62 LEVEL CM	2375,2029 litre	35,798 %	4259,8408 litre	O
330	CM	80	CM	61 LEVEL CM	2323,8344 litre	35,024 %	4311,2093 litre	O
330	CM	80	CM	60 LEVEL CM	2272,6273 litre	34,252 %	4362,4164 litre	O
330	CM	80	CM	59 LEVEL CM	2221,5907 litre	33,483 %	4413,4530 litre	O
330	CM	80	CM	58 LEVEL CM	2170,7336 litre	32,716 %	4464,3101 litre	O
330	CM	80	CM	57 LEVEL CM	2120,0653 litre	31,953 %	4514,9784 litre	O
330	CM	80	CM	56 LEVEL CM	2069,5951 litre	31,192 %	4565,4486 litre	O

330	CM	80	CM	55 LEVEL CM	2019,3325 litre	30,434 %	4615,7112 litre	O
330	CM	80	CM	54 LEVEL CM	1969,2870 litre	29,680 %	4665,7567 litre	O
330	CM	80	CM	53 LEVEL CM	1919,4683 litre	28,929 %	4715,5754 litre	O
330	CM	80	CM	52 LEVEL CM	1869,8863 litre	28,182 %	4765,1574 litre	O
330	CM	80	CM	51 LEVEL CM	1820,5509 litre	27,438 %	4814,4928 litre	O
330	CM	80	CM	50 LEVEL CM	1771,4722 litre	26,699 %	4863,5715 litre	O
330	CM	80	CM	49 LEVEL CM	1722,6605 litre	25,963 %	4912,3832 litre	O
330	CM	80	CM	48 LEVEL CM	1674,1263 litre	25,232 %	4960,9174 litre	O
330	CM	80	CM	47 LEVEL CM	1625,8801 litre	24,504 %	5009,1636 litre	O
330	CM	80	CM	46 LEVEL CM	1577,9328 litre	23,782 %	5057,1109 litre	O
330	CM	80	CM	45 LEVEL CM	1530,2954 litre	23,064 %	5104,7483 litre	O
330	CM	80	CM	44 LEVEL CM	1482,9791 litre	22,351 %	5152,0646 litre	O
330	CM	80	CM	43 LEVEL CM	1435,9954 litre	21,643 %	5199,0483 litre	O
330	CM	80	CM	42 LEVEL CM	1389,3561 litre	20,940 %	5245,6876 litre	O
330	CM	80	CM	41 LEVEL CM	1343,0730 litre	20,242 %	5291,9707 litre	O
330	CM	80	CM	40 LEVEL CM	1297,1584 litre	19,550 %	5337,8853 litre	O
330	CM	80	CM	39 LEVEL CM	1251,6249 litre	18,864 %	5383,4188 litre	O
330	CM	80	CM	38 LEVEL CM	1206,4854 litre	18,184 %	5428,5583 litre	O
330	CM	80	CM	37 LEVEL CM	1161,7530 litre	17,509 %	5473,2907 litre	O
330	CM	80	CM	36 LEVEL CM	1117,4413 litre	16,842 %	5517,6024 litre	O
330	CM	80	CM	35 LEVEL CM	1073,5643 litre	16,180 %	5561,4794 litre	O
330	CM	80	CM	34 LEVEL CM	1030,1364 litre	15,526 %	5604,9073 litre	O
330	CM	80	CM	33 LEVEL CM	987,1723 litre	14,878 %	5647,8714 litre	O
330	CM	80	CM	32 LEVEL CM	944,6875 litre	14,238 %	5690,3562 litre	O
330	CM	80	CM	31 LEVEL CM	902,6977 litre	13,605 %	5732,3460 litre	O
330	CM	80	CM	30 LEVEL CM	861,2194 litre	12,980 %	5773,8243 litre	O
330	CM	80	CM	29 LEVEL CM	820,2695 litre	12,363 %	5814,7742 litre	O
330	CM	80	CM	28 LEVEL CM	779,8658 litre	11,754 %	5855,1779 litre	O
330	CM	80	CM	27 LEVEL CM	740,0267 litre	11,153 %	5895,0170 litre	O
330	CM	80	CM	26 LEVEL CM	700,7714 litre	10,562 %	5934,2723 litre	O
330	CM	80	CM	25 LEVEL CM	662,1200 litre	9,979 %	5972,9237 litre	O
330	CM	80	CM	24 LEVEL CM	624,0936 litre	9,406 %	6010,9501 litre	O
330	CM	80	CM	23 LEVEL CM	586,7141 litre	8,843 %	6048,3296 litre	O
330	CM	80	CM	22 LEVEL CM	550,0049 litre	8,289 %	6085,0388 litre	O
330	CM	80	CM	21 LEVEL CM	513,9906 litre	7,747 %	6121,0531 litre	O
330	CM	80	CM	20 LEVEL CM	478,6972 litre	7,215 %	6156,3465 litre	O
330	CM	80	CM	19 LEVEL CM	444,1523 litre	6,694 %	6190,8914 litre	O
330	CM	80	CM	18 LEVEL CM	410,3854 litre	6,185 %	6224,6583 litre	O
330	CM	80	CM	17 LEVEL CM	377,4281 litre	5,688 %	6257,6156 litre	O
330	CM	80	CM	16 LEVEL CM	345,3143 litre	5,204 %	6289,7294 litre	O
330	CM	80	CM	15 LEVEL CM	314,0808 litre	4,734 %	6320,9629 litre	O
330	CM	80	CM	14 LEVEL CM	283,7675 litre	4,277 %	6351,2762 litre	O
330	CM	80	CM	13 LEVEL CM	254,4181 litre	3,834 %	6380,6256 litre	O
330	CM	80	CM	12 LEVEL CM	226,0806 litre	3,407 %	6408,9631 litre	O
330	CM	80	CM	11 LEVEL CM	198,8087 litre	2,996 %	6436,2350 litre	O
330	CM	80	CM	10 LEVEL CM	172,6622 litre	2,602 %	6462,3815 litre	O
330	CM	80	CM	9 LEVEL CM	147,7096 litre	2,226 %	6487,3341 litre	O
330	CM	80	CM	8 LEVEL CM	124,0291 litre	1,869 %	6511,0146 litre	O
330	CM	80	CM	7 LEVEL CM	101,7129 litre	1,533 %	6533,3308 litre	O
330	CM	80	CM	6 LEVEL CM	80,8709 litre	1,219 %	6554,1728 litre	O
330	CM	80	CM	5 LEVEL CM	61,6387 litre	0,929 %	6573,4050 litre	O
330	CM	80	CM	4 LEVEL CM	44,1894 litre	0,666 %	6590,8543 litre	O
330	CM	80	CM	3 LEVEL CM	28,7565 litre	0,433 %	6606,2872 litre	O

330_80

-2191-

330	CM 80	CM	2 LEVEL CM	15,6828 litre	0,236 %	6619,3609 litre	O
330	CM 80	CM	1 LEVEL CM	5,5552 litre	0,084 %	6629,4885 litre	O
330	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	6635,0437 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 75	CM 150 LEVEL CM	5831,5814 litre	100,000 %	0,0000 litre	O
330	CM 75	CM 149 LEVEL CM	5826,2033 litre	99,908 %	5,3781 litre	O
330	CM 75	CM 148 LEVEL CM	5816,4004 litre	99,740 %	15,1810 litre	O
330	CM 75	CM 147 LEVEL CM	5803,7485 litre	99,523 %	27,8329 litre	O
330	CM 75	CM 146 LEVEL CM	5788,8169 litre	99,267 %	42,7645 litre	O
330	CM 75	CM 145 LEVEL CM	5771,9380 litre	98,977 %	59,6434 litre	O
330	CM 75	CM 144 LEVEL CM	5753,3387 litre	98,658 %	78,2427 litre	O
330	CM 75	CM 143 LEVEL CM	5733,1871 litre	98,313 %	98,3943 litre	O
330	CM 75	CM 142 LEVEL CM	5711,6149 litre	97,943 %	119,9665 litre	O
330	CM 75	CM 141 LEVEL CM	5688,7294 litre	97,550 %	142,8520 litre	O
330	CM 75	CM 140 LEVEL CM	5664,6200 litre	97,137 %	166,9614 litre	O
330	CM 75	CM 139 LEVEL CM	5639,3632 litre	96,704 %	192,2182 litre	O
330	CM 75	CM 138 LEVEL CM	5613,0255 litre	96,252 %	218,5559 litre	O
330	CM 75	CM 137 LEVEL CM	5585,6655 litre	95,783 %	245,9159 litre	O
330	CM 75	CM 136 LEVEL CM	5557,3355 litre	95,297 %	274,2459 litre	O
330	CM 75	CM 135 LEVEL CM	5528,0824 litre	94,796 %	303,4990 litre	O
330	CM 75	CM 134 LEVEL CM	5497,9491 litre	94,279 %	333,6323 litre	O
330	CM 75	CM 133 LEVEL CM	5466,9745 litre	93,748 %	364,6069 litre	O
330	CM 75	CM 132 LEVEL CM	5435,1946 litre	93,203 %	396,3868 litre	O
330	CM 75	CM 131 LEVEL CM	5402,6428 litre	92,645 %	428,9386 litre	O
330	CM 75	CM 130 LEVEL CM	5369,3500 litre	92,074 %	462,2314 litre	O
330	CM 75	CM 129 LEVEL CM	5335,3451 litre	91,491 %	496,2363 litre	O
330	CM 75	CM 128 LEVEL CM	5300,6553 litre	90,896 %	530,9261 litre	O
330	CM 75	CM 127 LEVEL CM	5265,3062 litre	90,290 %	566,2752 litre	O
330	CM 75	CM 126 LEVEL CM	5229,3221 litre	89,672 %	602,2593 litre	O
330	CM 75	CM 125 LEVEL CM	5192,7257 litre	89,045 %	638,8557 litre	O
330	CM 75	CM 124 LEVEL CM	5155,5389 litre	88,407 %	676,0425 litre	O
330	CM 75	CM 123 LEVEL CM	5117,7825 litre	87,760 %	713,7989 litre	O
330	CM 75	CM 122 LEVEL CM	5079,4763 litre	87,103 %	752,1051 litre	O
330	CM 75	CM 121 LEVEL CM	5040,6392 litre	86,437 %	790,9422 litre	O
330	CM 75	CM 120 LEVEL CM	5001,2896 litre	85,762 %	830,2918 litre	O
330	CM 75	CM 119 LEVEL CM	4961,4450 litre	85,079 %	870,1364 litre	O
330	CM 75	CM 118 LEVEL CM	4921,1221 litre	84,387 %	910,4593 litre	O
330	CM 75	CM 117 LEVEL CM	4880,3374 litre	83,688 %	951,2440 litre	O
330	CM 75	CM 116 LEVEL CM	4839,1065 litre	82,981 %	992,4749 litre	O
330	CM 75	CM 115 LEVEL CM	4797,4447 litre	82,267 %	1034,1367 litre	O
330	CM 75	CM 114 LEVEL CM	4755,3667 litre	81,545 %	1076,2147 litre	O
330	CM 75	CM 113 LEVEL CM	4712,8870 litre	80,817 %	1118,6944 litre	O
330	CM 75	CM 112 LEVEL CM	4670,0193 litre	80,082 %	1161,5621 litre	O
330	CM 75	CM 111 LEVEL CM	4626,7772 litre	79,340 %	1204,8042 litre	O
330	CM 75	CM 110 LEVEL CM	4583,1740 litre	78,592 %	1248,4074 litre	O
330	CM 75	CM 109 LEVEL CM	4539,2226 litre	77,839 %	1292,3588 litre	O
330	CM 75	CM 108 LEVEL CM	4494,9354 litre	77,079 %	1336,6460 litre	O
330	CM 75	CM 107 LEVEL CM	4450,3248 litre	76,314 %	1381,2566 litre	O
330	CM 75	CM 106 LEVEL CM	4405,4029 litre	75,544 %	1426,1785 litre	O
330	CM 75	CM 105 LEVEL CM	4360,1813 litre	74,768 %	1471,4001 litre	O
330	CM 75	CM 104 LEVEL CM	4314,6717 litre	73,988 %	1516,9097 litre	O
330	CM 75	CM 103 LEVEL CM	4268,8853 litre	73,203 %	1562,6961 litre	O
330	CM 75	CM 102 LEVEL CM	4222,8333 litre	72,413 %	1608,7481 litre	O
330	CM 75	CM 101 LEVEL CM	4176,5267 litre	71,619 %	1655,0547 litre	O
330	CM 75	CM 100 LEVEL CM	4129,9760 litre	70,821 %	1701,6054 litre	O
330	CM 75	CM 99 LEVEL CM	4083,1921 litre	70,019 %	1748,3893 litre	O

330	CM	75	CM	98 LEVEL CM	4036,1852 litre	69,213 %	1795,3962 litre	O
330	CM	75	CM	97 LEVEL CM	3988,9656 litre	68,403 %	1842,6158 litre	O
330	CM	75	CM	96 LEVEL CM	3941,5435 litre	67,590 %	1890,0379 litre	O
330	CM	75	CM	95 LEVEL CM	3893,9289 litre	66,773 %	1937,6525 litre	O
330	CM	75	CM	94 LEVEL CM	3846,1317 litre	65,953 %	1985,4497 litre	O
330	CM	75	CM	93 LEVEL CM	3798,1616 litre	65,131 %	2033,4198 litre	O
330	CM	75	CM	92 LEVEL CM	3750,0284 litre	64,306 %	2081,5530 litre	O
330	CM	75	CM	91 LEVEL CM	3701,7415 litre	63,477 %	2129,8399 litre	O
330	CM	75	CM	90 LEVEL CM	3653,3105 litre	62,647 %	2178,2709 litre	O
330	CM	75	CM	89 LEVEL CM	3604,7448 litre	61,814 %	2226,8366 litre	O
330	CM	75	CM	88 LEVEL CM	3556,0537 litre	60,979 %	2275,5277 litre	O
330	CM	75	CM	87 LEVEL CM	3507,2465 litre	60,142 %	2324,3349 litre	O
330	CM	75	CM	86 LEVEL CM	3458,3322 litre	59,304 %	2373,2492 litre	O
330	CM	75	CM	85 LEVEL CM	3409,3201 litre	58,463 %	2422,2613 litre	O
330	CM	75	CM	84 LEVEL CM	3360,2192 litre	57,621 %	2471,3622 litre	O
330	CM	75	CM	83 LEVEL CM	3311,0385 litre	56,778 %	2520,5429 litre	O
330	CM	75	CM	82 LEVEL CM	3261,7870 litre	55,933 %	2569,7944 litre	O
330	CM	75	CM	81 LEVEL CM	3212,4736 litre	55,088 %	2619,1078 litre	O
330	CM	75	CM	80 LEVEL CM	3163,1072 litre	54,241 %	2668,4742 litre	O
330	CM	75	CM	79 LEVEL CM	3113,6968 litre	53,394 %	2717,8846 litre	O
330	CM	75	CM	78 LEVEL CM	3064,2511 litre	52,546 %	2767,3303 litre	O
330	CM	75	CM	77 LEVEL CM	3014,7789 litre	51,697 %	2816,8025 litre	O
330	CM	75	CM	76 LEVEL CM	2965,2892 litre	50,849 %	2866,2922 litre	O
330	CM	75	CM	75 LEVEL CM	2915,7907 litre	50,000 %	2915,7907 litre	O
330	CM	75	CM	74 LEVEL CM	2866,2921 litre	49,151 %	2965,2893 litre	O
330	CM	75	CM	73 LEVEL CM	2816,8024 litre	48,303 %	3014,7790 litre	O
330	CM	75	CM	72 LEVEL CM	2767,3303 litre	47,454 %	3064,2511 litre	O
330	CM	75	CM	71 LEVEL CM	2717,8846 litre	46,606 %	3113,6968 litre	O
330	CM	75	CM	70 LEVEL CM	2668,4741 litre	45,759 %	3163,1073 litre	O
330	CM	75	CM	69 LEVEL CM	2619,1078 litre	44,912 %	3212,4736 litre	O
330	CM	75	CM	68 LEVEL CM	2569,7944 litre	44,067 %	3261,7870 litre	O
330	CM	75	CM	67 LEVEL CM	2520,5429 litre	43,222 %	3311,0385 litre	O
330	CM	75	CM	66 LEVEL CM	2471,3622 litre	42,379 %	3360,2192 litre	O
330	CM	75	CM	65 LEVEL CM	2422,2613 litre	41,537 %	3409,3201 litre	O
330	CM	75	CM	64 LEVEL CM	2373,2492 litre	40,696 %	3458,3322 litre	O
330	CM	75	CM	63 LEVEL CM	2324,3349 litre	39,858 %	3507,2465 litre	O
330	CM	75	CM	62 LEVEL CM	2275,5276 litre	39,021 %	3556,0538 litre	O
330	CM	75	CM	61 LEVEL CM	2226,8365 litre	38,186 %	3604,7449 litre	O
330	CM	75	CM	60 LEVEL CM	2178,2708 litre	37,353 %	3653,3106 litre	O
330	CM	75	CM	59 LEVEL CM	2129,8398 litre	36,523 %	3701,7416 litre	O
330	CM	75	CM	58 LEVEL CM	2081,5530 litre	35,694 %	3750,0284 litre	O
330	CM	75	CM	57 LEVEL CM	2033,4197 litre	34,869 %	3798,1617 litre	O
330	CM	75	CM	56 LEVEL CM	1985,4497 litre	34,047 %	3846,1317 litre	O
330	CM	75	CM	55 LEVEL CM	1937,6525 litre	33,227 %	3893,9289 litre	O
330	CM	75	CM	54 LEVEL CM	1890,0379 litre	32,410 %	3941,5435 litre	O
330	CM	75	CM	53 LEVEL CM	1842,6158 litre	31,597 %	3988,9656 litre	O
330	CM	75	CM	52 LEVEL CM	1795,3962 litre	30,787 %	4036,1852 litre	O
330	CM	75	CM	51 LEVEL CM	1748,3893 litre	29,981 %	4083,1921 litre	O
330	CM	75	CM	50 LEVEL CM	1701,6053 litre	29,179 %	4129,9761 litre	O
330	CM	75	CM	49 LEVEL CM	1655,0547 litre	28,381 %	4176,5267 litre	O
330	CM	75	CM	48 LEVEL CM	1608,7480 litre	27,587 %	4222,8334 litre	O
330	CM	75	CM	47 LEVEL CM	1562,6960 litre	26,797 %	4268,8854 litre	O
330	CM	75	CM	46 LEVEL CM	1516,9097 litre	26,012 %	4314,6717 litre	O

330	CM	75	CM	45 LEVEL CM	1471,4000 litre	25,232 %	4360,1814 litre	O
330	CM	75	CM	44 LEVEL CM	1426,1785 litre	24,456 %	4405,4029 litre	O
330	CM	75	CM	43 LEVEL CM	1381,2565 litre	23,686 %	4450,3249 litre	O
330	CM	75	CM	42 LEVEL CM	1336,6460 litre	22,921 %	4494,9354 litre	O
330	CM	75	CM	41 LEVEL CM	1292,3588 litre	22,161 %	4539,2226 litre	O
330	CM	75	CM	40 LEVEL CM	1248,4073 litre	21,408 %	4583,1741 litre	O
330	CM	75	CM	39 LEVEL CM	1204,8041 litre	20,660 %	4626,7773 litre	O
330	CM	75	CM	38 LEVEL CM	1161,5621 litre	19,918 %	4670,0193 litre	O
330	CM	75	CM	37 LEVEL CM	1118,6944 litre	19,183 %	4712,8870 litre	O
330	CM	75	CM	36 LEVEL CM	1076,2146 litre	18,455 %	4755,3668 litre	O
330	CM	75	CM	35 LEVEL CM	1034,1367 litre	17,733 %	4797,4447 litre	O
330	CM	75	CM	34 LEVEL CM	992,4749 litre	17,019 %	4839,1065 litre	O
330	CM	75	CM	33 LEVEL CM	951,2440 litre	16,312 %	4880,3374 litre	O
330	CM	75	CM	32 LEVEL CM	910,4592 litre	15,613 %	4921,1222 litre	O
330	CM	75	CM	31 LEVEL CM	870,1364 litre	14,921 %	4961,4450 litre	O
330	CM	75	CM	30 LEVEL CM	830,2917 litre	14,238 %	5001,2897 litre	O
330	CM	75	CM	29 LEVEL CM	790,9421 litre	13,563 %	5040,6393 litre	O
330	CM	75	CM	28 LEVEL CM	752,1051 litre	12,897 %	5079,4763 litre	O
330	CM	75	CM	27 LEVEL CM	713,7989 litre	12,240 %	5117,7825 litre	O
330	CM	75	CM	26 LEVEL CM	676,0425 litre	11,593 %	5155,5389 litre	O
330	CM	75	CM	25 LEVEL CM	638,8557 litre	10,955 %	5192,7257 litre	O
330	CM	75	CM	24 LEVEL CM	602,2593 litre	10,328 %	5229,3221 litre	O
330	CM	75	CM	23 LEVEL CM	566,2751 litre	9,710 %	5265,3063 litre	O
330	CM	75	CM	22 LEVEL CM	530,9261 litre	9,104 %	5300,6553 litre	O
330	CM	75	CM	21 LEVEL CM	496,2363 litre	8,509 %	5335,3451 litre	O
330	CM	75	CM	20 LEVEL CM	462,2314 litre	7,926 %	5369,3500 litre	O
330	CM	75	CM	19 LEVEL CM	428,9386 litre	7,355 %	5402,6428 litre	O
330	CM	75	CM	18 LEVEL CM	396,3867 litre	6,797 %	5435,1947 litre	O
330	CM	75	CM	17 LEVEL CM	364,6069 litre	6,252 %	5466,9745 litre	O
330	CM	75	CM	16 LEVEL CM	333,6323 litre	5,721 %	5497,9491 litre	O
330	CM	75	CM	15 LEVEL CM	303,4989 litre	5,204 %	5528,0825 litre	O
330	CM	75	CM	14 LEVEL CM	274,2459 litre	4,703 %	5557,3355 litre	O
330	CM	75	CM	13 LEVEL CM	245,9158 litre	4,217 %	5585,6656 litre	O
330	CM	75	CM	12 LEVEL CM	218,5559 litre	3,748 %	5613,0255 litre	O
330	CM	75	CM	11 LEVEL CM	192,2182 litre	3,296 %	5639,3632 litre	O
330	CM	75	CM	10 LEVEL CM	166,9614 litre	2,863 %	5664,6200 litre	O
330	CM	75	CM	9 LEVEL CM	142,8520 litre	2,450 %	5688,7294 litre	O
330	CM	75	CM	8 LEVEL CM	119,9664 litre	2,057 %	5711,6150 litre	O
330	CM	75	CM	7 LEVEL CM	98,3943 litre	1,687 %	5733,1871 litre	O
330	CM	75	CM	6 LEVEL CM	78,2427 litre	1,342 %	5753,3387 litre	O
330	CM	75	CM	5 LEVEL CM	59,6434 litre	1,023 %	5771,9380 litre	O
330	CM	75	CM	4 LEVEL CM	42,7645 litre	0,733 %	5788,8169 litre	O
330	CM	75	CM	3 LEVEL CM	27,8328 litre	0,477 %	5803,7486 litre	O
330	CM	75	CM	2 LEVEL CM	15,1809 litre	0,260 %	5816,4005 litre	O
330	CM	75	CM	1 LEVEL CM	5,3781 litre	0,092 %	5826,2033 litre	O
330	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	5831,5814 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM 70	CM 140 LEVEL CM	5079,9553 litre	100,000 %	0,0000 litre	O
330	CM 70	CM 139 LEVEL CM	5074,7603 litre	99,898 %	5,1950 litre	O
330	CM 70	CM 138 LEVEL CM	5065,2934 litre	99,711 %	14,6619 litre	O
330	CM 70	CM 137 LEVEL CM	5053,0779 litre	99,471 %	26,8774 litre	O
330	CM 70	CM 136 LEVEL CM	5038,6650 litre	99,187 %	41,2903 litre	O
330	CM 70	CM 135 LEVEL CM	5022,3765 litre	98,867 %	57,5788 litre	O
330	CM 70	CM 134 LEVEL CM	5004,4323 litre	98,513 %	75,5230 litre	O
330	CM 70	CM 133 LEVEL CM	4984,9955 litre	98,131 %	94,9598 litre	O
330	CM 70	CM 132 LEVEL CM	4964,1941 litre	97,721 %	115,7612 litre	O
330	CM 70	CM 131 LEVEL CM	4942,1321 litre	97,287 %	137,8232 litre	O
330	CM 70	CM 130 LEVEL CM	4918,8965 litre	96,830 %	161,0588 litre	O
330	CM 70	CM 129 LEVEL CM	4894,5619 litre	96,350 %	185,3934 litre	O
330	CM 70	CM 128 LEVEL CM	4869,1928 litre	95,851 %	210,7625 litre	O
330	CM 70	CM 127 LEVEL CM	4842,8466 litre	95,332 %	237,1087 litre	O
330	CM 70	CM 126 LEVEL CM	4815,5740 litre	94,796 %	264,3813 litre	O
330	CM 70	CM 125 LEVEL CM	4787,4211 litre	94,241 %	292,5342 litre	O
330	CM 70	CM 124 LEVEL CM	4758,4296 litre	93,671 %	321,5257 litre	O
330	CM 70	CM 123 LEVEL CM	4728,6378 litre	93,084 %	351,3175 litre	O
330	CM 70	CM 122 LEVEL CM	4698,0807 litre	92,483 %	381,8746 litre	O
330	CM 70	CM 121 LEVEL CM	4666,7911 litre	91,867 %	413,1642 litre	O
330	CM 70	CM 120 LEVEL CM	4634,7993 litre	91,237 %	445,1560 litre	O
330	CM 70	CM 119 LEVEL CM	4602,1337 litre	90,594 %	477,8216 litre	O
330	CM 70	CM 118 LEVEL CM	4568,8211 litre	89,938 %	511,1342 litre	O
330	CM 70	CM 117 LEVEL CM	4534,8866 litre	89,270 %	545,0687 litre	O
330	CM 70	CM 116 LEVEL CM	4500,3540 litre	88,590 %	579,6013 litre	O
330	CM 70	CM 115 LEVEL CM	4465,2459 litre	87,899 %	614,7094 litre	O
330	CM 70	CM 114 LEVEL CM	4429,5839 litre	87,197 %	650,3714 litre	O
330	CM 70	CM 113 LEVEL CM	4393,3884 litre	86,485 %	686,5669 litre	O
330	CM 70	CM 112 LEVEL CM	4356,6790 litre	85,762 %	723,2763 litre	O
330	CM 70	CM 111 LEVEL CM	4319,4745 litre	85,030 %	760,4808 litre	O
330	CM 70	CM 110 LEVEL CM	4281,7930 litre	84,288 %	798,1623 litre	O
330	CM 70	CM 109 LEVEL CM	4243,6520 litre	83,537 %	836,3033 litre	O
330	CM 70	CM 108 LEVEL CM	4205,0680 litre	82,778 %	874,8873 litre	O
330	CM 70	CM 107 LEVEL CM	4166,0574 litre	82,010 %	913,8979 litre	O
330	CM 70	CM 106 LEVEL CM	4126,6358 litre	81,234 %	953,3195 litre	O
330	CM 70	CM 105 LEVEL CM	4086,8184 litre	80,450 %	993,1369 litre	O
330	CM 70	CM 104 LEVEL CM	4046,6199 litre	79,659 %	1033,3354 litre	O
330	CM 70	CM 103 LEVEL CM	4006,0547 litre	78,860 %	1073,9006 litre	O
330	CM 70	CM 102 LEVEL CM	3965,1366 litre	78,055 %	1114,8187 litre	O
330	CM 70	CM 101 LEVEL CM	3923,8792 litre	77,242 %	1156,0761 litre	O
330	CM 70	CM 100 LEVEL CM	3882,2958 litre	76,424 %	1197,6595 litre	O
330	CM 70	CM 99 LEVEL CM	3840,3993 litre	75,599 %	1239,5560 litre	O
330	CM 70	CM 98 LEVEL CM	3798,2024 litre	74,768 %	1281,7529 litre	O
330	CM 70	CM 97 LEVEL CM	3755,7174 litre	73,932 %	1324,2379 litre	O
330	CM 70	CM 96 LEVEL CM	3712,9565 litre	73,090 %	1366,9988 litre	O
330	CM 70	CM 95 LEVEL CM	3669,9315 litre	72,243 %	1410,0238 litre	O
330	CM 70	CM 94 LEVEL CM	3626,6541 litre	71,391 %	1453,3012 litre	O
330	CM 70	CM 93 LEVEL CM	3583,1359 litre	70,535 %	1496,8194 litre	O
330	CM 70	CM 92 LEVEL CM	3539,3880 litre	69,674 %	1540,5673 litre	O
330	CM 70	CM 91 LEVEL CM	3495,4216 litre	68,808 %	1584,5337 litre	O
330	CM 70	CM 90 LEVEL CM	3451,2476 litre	67,939 %	1628,7077 litre	O
330	CM 70	CM 89 LEVEL CM	3406,8769 litre	67,065 %	1673,0784 litre	O

330	CM	70	CM	88 LEVEL CM	3362,3200 litre	66,188 %	1717,6353 litre	O
330	CM	70	CM	87 LEVEL CM	3317,5874 litre	65,307 %	1762,3679 litre	O
330	CM	70	CM	86 LEVEL CM	3272,6897 litre	64,424 %	1807,2656 litre	O
330	CM	70	CM	85 LEVEL CM	3227,6369 litre	63,537 %	1852,3184 litre	O
330	CM	70	CM	84 LEVEL CM	3182,4394 litre	62,647 %	1897,5159 litre	O
330	CM	70	CM	83 LEVEL CM	3137,1071 litre	61,755 %	1942,8482 litre	O
330	CM	70	CM	82 LEVEL CM	3091,6501 litre	60,860 %	1988,3052 litre	O
330	CM	70	CM	81 LEVEL CM	3046,0783 litre	59,963 %	2033,8770 litre	O
330	CM	70	CM	80 LEVEL CM	3000,4014 litre	59,064 %	2079,5539 litre	O
330	CM	70	CM	79 LEVEL CM	2954,6292 litre	58,163 %	2125,3261 litre	O
330	CM	70	CM	78 LEVEL CM	2908,7715 litre	57,260 %	2171,1838 litre	O
330	CM	70	CM	77 LEVEL CM	2862,8378 litre	56,356 %	2217,1175 litre	O
330	CM	70	CM	76 LEVEL CM	2816,8379 litre	55,450 %	2263,1174 litre	O
330	CM	70	CM	75 LEVEL CM	2770,7811 litre	54,543 %	2309,1742 litre	O
330	CM	70	CM	74 LEVEL CM	2724,6770 litre	53,636 %	2355,2783 litre	O
330	CM	70	CM	73 LEVEL CM	2678,5352 litre	52,728 %	2401,4201 litre	O
330	CM	70	CM	72 LEVEL CM	2632,3651 litre	51,819 %	2447,5902 litre	O
330	CM	70	CM	71 LEVEL CM	2586,1761 litre	50,909 %	2493,7792 litre	O
330	CM	70	CM	70 LEVEL CM	2539,9777 litre	50,000 %	2539,9776 litre	O
330	CM	70	CM	69 LEVEL CM	2493,7792 litre	49,091 %	2586,1761 litre	O
330	CM	70	CM	68 LEVEL CM	2447,5902 litre	48,181 %	2632,3651 litre	O
330	CM	70	CM	67 LEVEL CM	2401,4201 litre	47,272 %	2678,5352 litre	O
330	CM	70	CM	66 LEVEL CM	2355,2783 litre	46,364 %	2724,6770 litre	O
330	CM	70	CM	65 LEVEL CM	2309,1742 litre	45,457 %	2770,7811 litre	O
330	CM	70	CM	64 LEVEL CM	2263,1175 litre	44,550 %	2816,8378 litre	O
330	CM	70	CM	63 LEVEL CM	2217,1175 litre	43,644 %	2862,8378 litre	O
330	CM	70	CM	62 LEVEL CM	2171,1838 litre	42,740 %	2908,7715 litre	O
330	CM	70	CM	61 LEVEL CM	2125,3261 litre	41,837 %	2954,6292 litre	O
330	CM	70	CM	60 LEVEL CM	2079,5539 litre	40,936 %	3000,4014 litre	O
330	CM	70	CM	59 LEVEL CM	2033,8770 litre	40,037 %	3046,0783 litre	O
330	CM	70	CM	58 LEVEL CM	1988,3052 litre	39,140 %	3091,6501 litre	O
330	CM	70	CM	57 LEVEL CM	1942,8482 litre	38,245 %	3137,1071 litre	O
330	CM	70	CM	56 LEVEL CM	1897,5159 litre	37,353 %	3182,4394 litre	O
330	CM	70	CM	55 LEVEL CM	1852,3184 litre	36,463 %	3227,6369 litre	O
330	CM	70	CM	54 LEVEL CM	1807,2656 litre	35,576 %	3272,6897 litre	O
330	CM	70	CM	53 LEVEL CM	1762,3679 litre	34,693 %	3317,5874 litre	O
330	CM	70	CM	52 LEVEL CM	1717,6353 litre	33,812 %	3362,3200 litre	O
330	CM	70	CM	51 LEVEL CM	1673,0785 litre	32,935 %	3406,8768 litre	O
330	CM	70	CM	50 LEVEL CM	1628,7077 litre	32,061 %	3451,2476 litre	O
330	CM	70	CM	49 LEVEL CM	1584,5337 litre	31,192 %	3495,4216 litre	O
330	CM	70	CM	48 LEVEL CM	1540,5673 litre	30,326 %	3539,3880 litre	O
330	CM	70	CM	47 LEVEL CM	1496,8195 litre	29,465 %	3583,1358 litre	O
330	CM	70	CM	46 LEVEL CM	1453,3012 litre	28,609 %	3626,6541 litre	O
330	CM	70	CM	45 LEVEL CM	1410,0238 litre	27,757 %	3669,9315 litre	O
330	CM	70	CM	44 LEVEL CM	1366,9989 litre	26,910 %	3712,9564 litre	O
330	CM	70	CM	43 LEVEL CM	1324,2379 litre	26,068 %	3755,7174 litre	O
330	CM	70	CM	42 LEVEL CM	1281,7529 litre	25,232 %	3798,2024 litre	O
330	CM	70	CM	41 LEVEL CM	1239,5560 litre	24,401 %	3840,3993 litre	O
330	CM	70	CM	40 LEVEL CM	1197,6595 litre	23,576 %	3882,2958 litre	O
330	CM	70	CM	39 LEVEL CM	1156,0761 litre	22,758 %	3923,8792 litre	O
330	CM	70	CM	38 LEVEL CM	1114,8188 litre	21,945 %	3965,1365 litre	O
330	CM	70	CM	37 LEVEL CM	1073,9007 litre	21,140 %	4006,0546 litre	O
330	CM	70	CM	36 LEVEL CM	1033,3354 litre	20,341 %	4046,6199 litre	O

330	CM	70	CM	35 LEVEL CM	993,1369 litre	19,550 %	4086,8184 litre	O
330	CM	70	CM	34 LEVEL CM	953,3195 litre	18,766 %	4126,6358 litre	O
330	CM	70	CM	33 LEVEL CM	913,8979 litre	17,990 %	4166,0574 litre	O
330	CM	70	CM	32 LEVEL CM	874,8873 litre	17,222 %	4205,0680 litre	O
330	CM	70	CM	31 LEVEL CM	836,3034 litre	16,463 %	4243,6519 litre	O
330	CM	70	CM	30 LEVEL CM	798,1623 litre	15,712 %	4281,7930 litre	O
330	CM	70	CM	29 LEVEL CM	760,4808 litre	14,970 %	4319,4745 litre	O
330	CM	70	CM	28 LEVEL CM	723,2764 litre	14,238 %	4356,6789 litre	O
330	CM	70	CM	27 LEVEL CM	686,5670 litre	13,515 %	4393,3883 litre	O
330	CM	70	CM	26 LEVEL CM	650,3714 litre	12,803 %	4429,5839 litre	O
330	CM	70	CM	25 LEVEL CM	614,7094 litre	12,101 %	4465,2459 litre	O
330	CM	70	CM	24 LEVEL CM	579,6013 litre	11,410 %	4500,3540 litre	O
330	CM	70	CM	23 LEVEL CM	545,0687 litre	10,730 %	4534,8866 litre	O
330	CM	70	CM	22 LEVEL CM	511,1342 litre	10,062 %	4568,8211 litre	O
330	CM	70	CM	21 LEVEL CM	477,8216 litre	9,406 %	4602,1337 litre	O
330	CM	70	CM	20 LEVEL CM	445,1561 litre	8,763 %	4634,7992 litre	O
330	CM	70	CM	19 LEVEL CM	413,1643 litre	8,133 %	4666,7910 litre	O
330	CM	70	CM	18 LEVEL CM	381,8746 litre	7,517 %	4698,0807 litre	O
330	CM	70	CM	17 LEVEL CM	351,3176 litre	6,916 %	4728,6377 litre	O
330	CM	70	CM	16 LEVEL CM	321,5257 litre	6,329 %	4758,4296 litre	O
330	CM	70	CM	15 LEVEL CM	292,5342 litre	5,759 %	4787,4211 litre	O
330	CM	70	CM	14 LEVEL CM	264,3813 litre	5,204 %	4815,5740 litre	O
330	CM	70	CM	13 LEVEL CM	237,1087 litre	4,668 %	4842,8466 litre	O
330	CM	70	CM	12 LEVEL CM	210,7625 litre	4,149 %	4869,1928 litre	O
330	CM	70	CM	11 LEVEL CM	185,3935 litre	3,650 %	4894,5618 litre	O
330	CM	70	CM	10 LEVEL CM	161,0588 litre	3,170 %	4918,8965 litre	O
330	CM	70	CM	9 LEVEL CM	137,8232 litre	2,713 %	4942,1321 litre	O
330	CM	70	CM	8 LEVEL CM	115,7612 litre	2,279 %	4964,1941 litre	O
330	CM	70	CM	7 LEVEL CM	94,9598 litre	1,869 %	4984,9955 litre	O
330	CM	70	CM	6 LEVEL CM	75,5231 litre	1,487 %	5004,4322 litre	O
330	CM	70	CM	5 LEVEL CM	57,5789 litre	1,133 %	5022,3764 litre	O
330	CM	70	CM	4 LEVEL CM	41,2904 litre	0,813 %	5038,6649 litre	O
330	CM	70	CM	3 LEVEL CM	26,8774 litre	0,529 %	5053,0779 litre	O
330	CM	70	CM	2 LEVEL CM	14,6619 litre	0,289 %	5065,2934 litre	O
330	CM	70	CM	1 LEVEL CM	5,1950 litre	0,102 %	5074,7603 litre	O
330	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	5079,9553 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM	65	CM 130 LEVEL CM	4380,1656 litre	100,000 %	0,0000 litre	O
330	CM	65	CM 129 LEVEL CM	4375,1604 litre	99,886 %	5,0052 litre	O
330	CM	65	CM 128 LEVEL CM	4366,0417 litre	99,678 %	14,1239 litre	O
330	CM	65	CM 127 LEVEL CM	4354,2789 litre	99,409 %	25,8867 litre	O
330	CM	65	CM 126 LEVEL CM	4340,4039 litre	99,092 %	39,7617 litre	O
330	CM	65	CM 125 LEVEL CM	4324,7280 litre	98,734 %	55,4376 litre	O
330	CM	65	CM 124 LEVEL CM	4307,4638 litre	98,340 %	72,7018 litre	O
330	CM	65	CM 123 LEVEL CM	4288,7693 litre	97,913 %	91,3963 litre	O
330	CM	65	CM 122 LEVEL CM	4268,7683 litre	97,457 %	111,3973 litre	O
330	CM	65	CM 121 LEVEL CM	4247,5617 litre	96,973 %	132,6039 litre	O
330	CM	65	CM 120 LEVEL CM	4225,2342 litre	96,463 %	154,9314 litre	O
330	CM	65	CM 119 LEVEL CM	4201,8580 litre	95,929 %	178,3076 litre	O
330	CM	65	CM 118 LEVEL CM	4177,4961 litre	95,373 %	202,6695 litre	O
330	CM	65	CM 117 LEVEL CM	4152,2041 litre	94,796 %	227,9615 litre	O
330	CM	65	CM 116 LEVEL CM	4126,0318 litre	94,198 %	254,1338 litre	O
330	CM	65	CM 115 LEVEL CM	4099,0238 litre	93,581 %	281,1418 litre	O
330	CM	65	CM 114 LEVEL CM	4071,2210 litre	92,947 %	308,9446 litre	O
330	CM	65	CM 113 LEVEL CM	4042,6608 litre	92,295 %	337,5048 litre	O
330	CM	65	CM 112 LEVEL CM	4013,3775 litre	91,626 %	366,7881 litre	O
330	CM	65	CM 111 LEVEL CM	3983,4032 litre	90,942 %	396,7624 litre	O
330	CM	65	CM 110 LEVEL CM	3952,7676 litre	90,242 %	427,3980 litre	O
330	CM	65	CM 109 LEVEL CM	3921,4987 litre	89,529 %	458,6669 litre	O
330	CM	65	CM 108 LEVEL CM	3889,6227 litre	88,801 %	490,5429 litre	O
330	CM	65	CM 107 LEVEL CM	3857,1644 litre	88,060 %	523,0012 litre	O
330	CM	65	CM 106 LEVEL CM	3824,1472 litre	87,306 %	556,0184 litre	O
330	CM	65	CM 105 LEVEL CM	3790,5934 litre	86,540 %	589,5722 litre	O
330	CM	65	CM 104 LEVEL CM	3756,5242 litre	85,762 %	623,6414 litre	O
330	CM	65	CM 103 LEVEL CM	3721,9600 litre	84,973 %	658,2056 litre	O
330	CM	65	CM 102 LEVEL CM	3686,9201 litre	84,173 %	693,2455 litre	O
330	CM	65	CM 101 LEVEL CM	3651,4232 litre	83,363 %	728,7424 litre	O
330	CM	65	CM 100 LEVEL CM	3615,4872 litre	82,542 %	764,6784 litre	O
330	CM	65	CM 99 LEVEL CM	3579,1295 litre	81,712 %	801,0361 litre	O
330	CM	65	CM 98 LEVEL CM	3542,3666 litre	80,873 %	837,7990 litre	O
330	CM	65	CM 97 LEVEL CM	3505,2148 litre	80,025 %	874,9508 litre	O
330	CM	65	CM 96 LEVEL CM	3467,6896 litre	79,168 %	912,4760 litre	O
330	CM	65	CM 95 LEVEL CM	3429,8063 litre	78,303 %	950,3593 litre	O
330	CM	65	CM 94 LEVEL CM	3391,5795 litre	77,430 %	988,5861 litre	O
330	CM	65	CM 93 LEVEL CM	3353,0238 litre	76,550 %	1027,1418 litre	O
330	CM	65	CM 92 LEVEL CM	3314,1529 litre	75,663 %	1066,0127 litre	O
330	CM	65	CM 91 LEVEL CM	3274,9806 litre	74,768 %	1105,1850 litre	O
330	CM	65	CM 90 LEVEL CM	3235,5203 litre	73,868 %	1144,6453 litre	O
330	CM	65	CM 89 LEVEL CM	3195,7849 litre	72,960 %	1184,3807 litre	O
330	CM	65	CM 88 LEVEL CM	3155,7873 litre	72,047 %	1224,3783 litre	O
330	CM	65	CM 87 LEVEL CM	3115,5400 litre	71,128 %	1264,6256 litre	O
330	CM	65	CM 86 LEVEL CM	3075,0553 litre	70,204 %	1305,1103 litre	O
330	CM	65	CM 85 LEVEL CM	3034,3452 litre	69,275 %	1345,8204 litre	O
330	CM	65	CM 84 LEVEL CM	2993,4217 litre	68,340 %	1386,7439 litre	O
330	CM	65	CM 83 LEVEL CM	2952,2965 litre	67,401 %	1427,8691 litre	O
330	CM	65	CM 82 LEVEL CM	2910,9810 litre	66,458 %	1469,1846 litre	O
330	CM	65	CM 81 LEVEL CM	2869,4867 litre	65,511 %	1510,6789 litre	O
330	CM	65	CM 80 LEVEL CM	2827,8247 litre	64,560 %	1552,3409 litre	O
330	CM	65	CM 79 LEVEL CM	2786,0062 litre	63,605 %	1594,1594 litre	O

330	CM	65	CM	78 LEVEL CM	2744,0421 litre	62,647 %	1636,1235 litre	O
330	CM	65	CM	77 LEVEL CM	2701,9433 litre	61,686 %	1678,2223 litre	O
330	CM	65	CM	76 LEVEL CM	2659,7205 litre	60,722 %	1720,4451 litre	O
330	CM	65	CM	75 LEVEL CM	2617,3844 litre	59,755 %	1762,7812 litre	O
330	CM	65	CM	74 LEVEL CM	2574,9455 litre	58,786 %	1805,2201 litre	O
330	CM	65	CM	73 LEVEL CM	2532,4143 litre	57,815 %	1847,7513 litre	O
330	CM	65	CM	72 LEVEL CM	2489,8013 litre	56,843 %	1890,3643 litre	O
330	CM	65	CM	71 LEVEL CM	2447,1168 litre	55,868 %	1933,0488 litre	O
330	CM	65	CM	70 LEVEL CM	2404,3711 litre	54,892 %	1975,7945 litre	O
330	CM	65	CM	69 LEVEL CM	2361,5744 litre	53,915 %	2018,5912 litre	O
330	CM	65	CM	68 LEVEL CM	2318,7371 litre	52,937 %	2061,4285 litre	O
330	CM	65	CM	67 LEVEL CM	2275,8692 litre	51,959 %	2104,2964 litre	O
330	CM	65	CM	66 LEVEL CM	2232,9811 litre	50,979 %	2147,1845 litre	O
330	CM	65	CM	65 LEVEL CM	2190,0828 litre	50,000 %	2190,0828 litre	O
330	CM	65	CM	64 LEVEL CM	2147,1845 litre	49,021 %	2232,9811 litre	O
330	CM	65	CM	63 LEVEL CM	2104,2963 litre	48,041 %	2275,8693 litre	O
330	CM	65	CM	62 LEVEL CM	2061,4285 litre	47,063 %	2318,7371 litre	O
330	CM	65	CM	61 LEVEL CM	2018,5911 litre	46,085 %	2361,5745 litre	O
330	CM	65	CM	60 LEVEL CM	1975,7945 litre	45,108 %	2404,3711 litre	O
330	CM	65	CM	59 LEVEL CM	1933,0488 litre	44,132 %	2447,1168 litre	O
330	CM	65	CM	58 LEVEL CM	1890,3643 litre	43,157 %	2489,8013 litre	O
330	CM	65	CM	57 LEVEL CM	1847,7512 litre	42,185 %	2532,4144 litre	O
330	CM	65	CM	56 LEVEL CM	1805,2200 litre	41,214 %	2574,9456 litre	O
330	CM	65	CM	55 LEVEL CM	1762,7811 litre	40,245 %	2617,3845 litre	O
330	CM	65	CM	54 LEVEL CM	1720,4450 litre	39,278 %	2659,7206 litre	O
330	CM	65	CM	53 LEVEL CM	1678,2222 litre	38,314 %	2701,9434 litre	O
330	CM	65	CM	52 LEVEL CM	1636,1234 litre	37,353 %	2744,0422 litre	O
330	CM	65	CM	51 LEVEL CM	1594,1593 litre	36,395 %	2786,0063 litre	O
330	CM	65	CM	50 LEVEL CM	1552,3408 litre	35,440 %	2827,8248 litre	O
330	CM	65	CM	49 LEVEL CM	1510,6789 litre	34,489 %	2869,4867 litre	O
330	CM	65	CM	48 LEVEL CM	1469,1846 litre	33,542 %	2910,9810 litre	O
330	CM	65	CM	47 LEVEL CM	1427,8691 litre	32,599 %	2952,2965 litre	O
330	CM	65	CM	46 LEVEL CM	1386,7438 litre	31,660 %	2993,4218 litre	O
330	CM	65	CM	45 LEVEL CM	1345,8203 litre	30,725 %	3034,3453 litre	O
330	CM	65	CM	44 LEVEL CM	1305,1103 litre	29,796 %	3075,0553 litre	O
330	CM	65	CM	43 LEVEL CM	1264,6255 litre	28,872 %	3115,5401 litre	O
330	CM	65	CM	42 LEVEL CM	1224,3782 litre	27,953 %	3155,7874 litre	O
330	CM	65	CM	41 LEVEL CM	1184,3806 litre	27,040 %	3195,7850 litre	O
330	CM	65	CM	40 LEVEL CM	1144,6453 litre	26,132 %	3235,5203 litre	O
330	CM	65	CM	39 LEVEL CM	1105,1849 litre	25,232 %	3274,9807 litre	O
330	CM	65	CM	38 LEVEL CM	1066,0127 litre	24,337 %	3314,1529 litre	O
330	CM	65	CM	37 LEVEL CM	1027,1418 litre	23,450 %	3353,0238 litre	O
330	CM	65	CM	36 LEVEL CM	988,5860 litre	22,570 %	3391,5796 litre	O
330	CM	65	CM	35 LEVEL CM	950,3593 litre	21,697 %	3429,8063 litre	O
330	CM	65	CM	34 LEVEL CM	912,4759 litre	20,832 %	3467,6897 litre	O
330	CM	65	CM	33 LEVEL CM	874,9508 litre	19,975 %	3505,2148 litre	O
330	CM	65	CM	32 LEVEL CM	837,7989 litre	19,127 %	3542,3667 litre	O
330	CM	65	CM	31 LEVEL CM	801,0361 litre	18,288 %	3579,1295 litre	O
330	CM	65	CM	30 LEVEL CM	764,6783 litre	17,458 %	3615,4873 litre	O
330	CM	65	CM	29 LEVEL CM	728,7424 litre	16,637 %	3651,4232 litre	O
330	CM	65	CM	28 LEVEL CM	693,2455 litre	15,827 %	3686,9201 litre	O
330	CM	65	CM	27 LEVEL CM	658,2056 litre	15,027 %	3721,9600 litre	O
330	CM	65	CM	26 LEVEL CM	623,6414 litre	14,238 %	3756,5242 litre	O

330	CM	65	CM	25 LEVEL CM	589,5722 litre	13,460 %	3790,5934 litre	O
330	CM	65	CM	24 LEVEL CM	556,0184 litre	12,694 %	3824,1472 litre	O
330	CM	65	CM	23 LEVEL CM	523,0012 litre	11,940 %	3857,1644 litre	O
330	CM	65	CM	22 LEVEL CM	490,5428 litre	11,199 %	3889,6228 litre	O
330	CM	65	CM	21 LEVEL CM	458,6668 litre	10,471 %	3921,4988 litre	O
330	CM	65	CM	20 LEVEL CM	427,3979 litre	9,758 %	3952,7677 litre	O
330	CM	65	CM	19 LEVEL CM	396,7623 litre	9,058 %	3983,4033 litre	O
330	CM	65	CM	18 LEVEL CM	366,7880 litre	8,374 %	4013,3776 litre	O
330	CM	65	CM	17 LEVEL CM	337,5048 litre	7,705 %	4042,6608 litre	O
330	CM	65	CM	16 LEVEL CM	308,9445 litre	7,053 %	4071,2211 litre	O
330	CM	65	CM	15 LEVEL CM	281,1417 litre	6,419 %	4099,0239 litre	O
330	CM	65	CM	14 LEVEL CM	254,1338 litre	5,802 %	4126,0318 litre	O
330	CM	65	CM	13 LEVEL CM	227,9614 litre	5,204 %	4152,2042 litre	O
330	CM	65	CM	12 LEVEL CM	202,6695 litre	4,627 %	4177,4961 litre	O
330	CM	65	CM	11 LEVEL CM	178,3076 litre	4,071 %	4201,8580 litre	O
330	CM	65	CM	10 LEVEL CM	154,9314 litre	3,537 %	4225,2342 litre	O
330	CM	65	CM	9 LEVEL CM	132,6038 litre	3,027 %	4247,5618 litre	O
330	CM	65	CM	8 LEVEL CM	111,3973 litre	2,543 %	4268,7683 litre	O
330	CM	65	CM	7 LEVEL CM	91,3963 litre	2,087 %	4288,7693 litre	O
330	CM	65	CM	6 LEVEL CM	72,7017 litre	1,660 %	4307,4639 litre	O
330	CM	65	CM	5 LEVEL CM	55,4375 litre	1,266 %	4324,7281 litre	O
330	CM	65	CM	4 LEVEL CM	39,7616 litre	0,908 %	4340,4040 litre	O
330	CM	65	CM	3 LEVEL CM	25,8867 litre	0,591 %	4354,2789 litre	O
330	CM	65	CM	2 LEVEL CM	14,1239 litre	0,322 %	4366,0417 litre	O
330	CM	65	CM	1 LEVEL CM	5,0052 litre	0,114 %	4375,1604 litre	O
330	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	4380,1656 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM	60	CM 120 LEVEL CM	3732,2121 litre	100,000 %	0,0000 litre	O
330	CM	60	CM 119 LEVEL CM	3727,4042 litre	99,871 %	4,8079 litre	O
330	CM	60	CM 118 LEVEL CM	3718,6475 litre	99,637 %	13,5646 litre	O
330	CM	60	CM 117 LEVEL CM	3707,3555 litre	99,334 %	24,8566 litre	O
330	CM	60	CM 116 LEVEL CM	3694,0403 litre	98,977 %	38,1718 litre	O
330	CM	60	CM 115 LEVEL CM	3679,0020 litre	98,574 %	53,2101 litre	O
330	CM	60	CM 114 LEVEL CM	3662,4457 litre	98,131 %	69,7664 litre	O
330	CM	60	CM 113 LEVEL CM	3644,5240 litre	97,651 %	87,6881 litre	O
330	CM	60	CM 112 LEVEL CM	3625,3568 litre	97,137 %	106,8553 litre	O
330	CM	60	CM 111 LEVEL CM	3605,0417 litre	96,593 %	127,1704 litre	O
330	CM	60	CM 110 LEVEL CM	3583,6607 litre	96,020 %	148,5514 litre	O
330	CM	60	CM 109 LEVEL CM	3561,2840 litre	95,420 %	170,9281 litre	O
330	CM	60	CM 108 LEVEL CM	3537,9728 litre	94,796 %	194,2393 litre	O
330	CM	60	CM 107 LEVEL CM	3513,7810 litre	94,147 %	218,4311 litre	O
330	CM	60	CM 106 LEVEL CM	3488,7572 litre	93,477 %	243,4549 litre	O
330	CM	60	CM 105 LEVEL CM	3462,9449 litre	92,785 %	269,2672 litre	O
330	CM	60	CM 104 LEVEL CM	3436,3840 litre	92,074 %	295,8281 litre	O
330	CM	60	CM 103 LEVEL CM	3409,1109 litre	91,343 %	323,1012 litre	O
330	CM	60	CM 102 LEVEL CM	3381,1595 litre	90,594 %	351,0526 litre	O
330	CM	60	CM 101 LEVEL CM	3352,5609 litre	89,828 %	379,6512 litre	O
330	CM	60	CM 100 LEVEL CM	3323,3444 litre	89,045 %	408,8677 litre	O
330	CM	60	CM 99 LEVEL CM	3293,5375 litre	88,246 %	438,6746 litre	O
330	CM	60	CM 98 LEVEL CM	3263,1660 litre	87,432 %	469,0461 litre	O
330	CM	60	CM 97 LEVEL CM	3232,2542 litre	86,604 %	499,9579 litre	O
330	CM	60	CM 96 LEVEL CM	3200,8254 litre	85,762 %	531,3867 litre	O
330	CM	60	CM 95 LEVEL CM	3168,9014 litre	84,907 %	563,3107 litre	O
330	CM	60	CM 94 LEVEL CM	3136,5034 litre	84,039 %	595,7087 litre	O
330	CM	60	CM 93 LEVEL CM	3103,6513 litre	83,158 %	628,5608 litre	O
330	CM	60	CM 92 LEVEL CM	3070,3646 litre	82,267 %	661,8475 litre	O
330	CM	60	CM 91 LEVEL CM	3036,6617 litre	81,364 %	695,5504 litre	O
330	CM	60	CM 90 LEVEL CM	3002,5605 litre	80,450 %	729,6516 litre	O
330	CM	60	CM 89 LEVEL CM	2968,0781 litre	79,526 %	764,1340 litre	O
330	CM	60	CM 88 LEVEL CM	2933,2314 litre	78,592 %	798,9807 litre	O
330	CM	60	CM 87 LEVEL CM	2898,0363 litre	77,649 %	834,1758 litre	O
330	CM	60	CM 86 LEVEL CM	2862,5087 litre	76,697 %	869,7034 litre	O
330	CM	60	CM 85 LEVEL CM	2826,6636 litre	75,737 %	905,5485 litre	O
330	CM	60	CM 84 LEVEL CM	2790,5160 litre	74,768 %	941,6961 litre	O
330	CM	60	CM 83 LEVEL CM	2754,0804 litre	73,792 %	978,1317 litre	O
330	CM	60	CM 82 LEVEL CM	2717,3708 litre	72,809 %	1014,8413 litre	O
330	CM	60	CM 81 LEVEL CM	2680,4010 litre	71,818 %	1051,8111 litre	O
330	CM	60	CM 80 LEVEL CM	2643,1847 litre	70,821 %	1089,0274 litre	O
330	CM	60	CM 79 LEVEL CM	2605,7349 litre	69,817 %	1126,4772 litre	O
330	CM	60	CM 78 LEVEL CM	2568,0648 litre	68,808 %	1164,1473 litre	O
330	CM	60	CM 77 LEVEL CM	2530,1872 litre	67,793 %	1202,0249 litre	O
330	CM	60	CM 76 LEVEL CM	2492,1145 litre	66,773 %	1240,0976 litre	O
330	CM	60	CM 75 LEVEL CM	2453,8592 litre	65,748 %	1278,3529 litre	O
330	CM	60	CM 74 LEVEL CM	2415,4335 litre	64,719 %	1316,7786 litre	O
330	CM	60	CM 73 LEVEL CM	2376,8494 litre	63,685 %	1355,3627 litre	O
330	CM	60	CM 72 LEVEL CM	2338,1188 litre	62,647 %	1394,0933 litre	O
330	CM	60	CM 71 LEVEL CM	2299,2534 litre	61,606 %	1432,9587 litre	O
330	CM	60	CM 70 LEVEL CM	2260,2650 litre	60,561 %	1471,9471 litre	O
330	CM	60	CM 69 LEVEL CM	2221,1650 litre	59,513 %	1511,0471 litre	O

330	CM	60	CM	68 LEVEL CM	2181,9649 litre	58,463 %	1550,2472 litre	O
330	CM	60	CM	67 LEVEL CM	2142,6759 litre	57,410 %	1589,5362 litre	O
330	CM	60	CM	66 LEVEL CM	2103,3094 litre	56,356 %	1628,9027 litre	O
330	CM	60	CM	65 LEVEL CM	2063,8766 litre	55,299 %	1668,3355 litre	O
330	CM	60	CM	64 LEVEL CM	2024,3886 litre	54,241 %	1707,8235 litre	O
330	CM	60	CM	63 LEVEL CM	1984,8565 litre	53,182 %	1747,3556 litre	O
330	CM	60	CM	62 LEVEL CM	1945,2914 litre	52,122 %	1786,9207 litre	O
330	CM	60	CM	61 LEVEL CM	1905,7042 litre	51,061 %	1826,5079 litre	O
330	CM	60	CM	60 LEVEL CM	1866,1060 litre	50,000 %	1866,1061 litre	O
330	CM	60	CM	59 LEVEL CM	1826,5079 litre	48,939 %	1905,7042 litre	O
330	CM	60	CM	58 LEVEL CM	1786,9207 litre	47,878 %	1945,2914 litre	O
330	CM	60	CM	57 LEVEL CM	1747,3556 litre	46,818 %	1984,8565 litre	O
330	CM	60	CM	56 LEVEL CM	1707,8234 litre	45,759 %	2024,3887 litre	O
330	CM	60	CM	55 LEVEL CM	1668,3354 litre	44,701 %	2063,8767 litre	O
330	CM	60	CM	54 LEVEL CM	1628,9026 litre	43,644 %	2103,3095 litre	O
330	CM	60	CM	53 LEVEL CM	1589,5362 litre	42,590 %	2142,6759 litre	O
330	CM	60	CM	52 LEVEL CM	1550,2472 litre	41,537 %	2181,9649 litre	O
330	CM	60	CM	51 LEVEL CM	1511,0471 litre	40,487 %	2221,1650 litre	O
330	CM	60	CM	50 LEVEL CM	1471,9471 litre	39,439 %	2260,2650 litre	O
330	CM	60	CM	49 LEVEL CM	1432,9587 litre	38,394 %	2299,2534 litre	O
330	CM	60	CM	48 LEVEL CM	1394,0933 litre	37,353 %	2338,1188 litre	O
330	CM	60	CM	47 LEVEL CM	1355,3627 litre	36,315 %	2376,8494 litre	O
330	CM	60	CM	46 LEVEL CM	1316,7786 litre	35,281 %	2415,4335 litre	O
330	CM	60	CM	45 LEVEL CM	1278,3529 litre	34,252 %	2453,8592 litre	O
330	CM	60	CM	44 LEVEL CM	1240,0976 litre	33,227 %	2492,1145 litre	O
330	CM	60	CM	43 LEVEL CM	1202,0249 litre	32,207 %	2530,1872 litre	O
330	CM	60	CM	42 LEVEL CM	1164,1472 litre	31,192 %	2568,0649 litre	O
330	CM	60	CM	41 LEVEL CM	1126,4771 litre	30,183 %	2605,7350 litre	O
330	CM	60	CM	40 LEVEL CM	1089,0274 litre	29,179 %	2643,1847 litre	O
330	CM	60	CM	39 LEVEL CM	1051,8110 litre	28,182 %	2680,4011 litre	O
330	CM	60	CM	38 LEVEL CM	1014,8413 litre	27,191 %	2717,3708 litre	O
330	CM	60	CM	37 LEVEL CM	978,1317 litre	26,208 %	2754,0804 litre	O
330	CM	60	CM	36 LEVEL CM	941,6960 litre	25,232 %	2790,5161 litre	O
330	CM	60	CM	35 LEVEL CM	905,5484 litre	24,263 %	2826,6637 litre	O
330	CM	60	CM	34 LEVEL CM	869,7034 litre	23,303 %	2862,5087 litre	O
330	CM	60	CM	33 LEVEL CM	834,1757 litre	22,351 %	2898,0364 litre	O
330	CM	60	CM	32 LEVEL CM	798,9807 litre	21,408 %	2933,2314 litre	O
330	CM	60	CM	31 LEVEL CM	764,1339 litre	20,474 %	2968,0782 litre	O
330	CM	60	CM	30 LEVEL CM	729,6516 litre	19,550 %	3002,5605 litre	O
330	CM	60	CM	29 LEVEL CM	695,5504 litre	18,636 %	3036,6617 litre	O
330	CM	60	CM	28 LEVEL CM	661,8475 litre	17,733 %	3070,3646 litre	O
330	CM	60	CM	27 LEVEL CM	628,5607 litre	16,842 %	3103,6514 litre	O
330	CM	60	CM	26 LEVEL CM	595,7087 litre	15,961 %	3136,5034 litre	O
330	CM	60	CM	25 LEVEL CM	563,3107 litre	15,093 %	3168,9014 litre	O
330	CM	60	CM	24 LEVEL CM	531,3867 litre	14,238 %	3200,8254 litre	O
330	CM	60	CM	23 LEVEL CM	499,9578 litre	13,396 %	3232,2543 litre	O
330	CM	60	CM	22 LEVEL CM	469,0461 litre	12,568 %	3263,1660 litre	O
330	CM	60	CM	21 LEVEL CM	438,6745 litre	11,754 %	3293,5376 litre	O
330	CM	60	CM	20 LEVEL CM	408,8676 litre	10,955 %	3323,3445 litre	O
330	CM	60	CM	19 LEVEL CM	379,6512 litre	10,172 %	3352,5609 litre	O
330	CM	60	CM	18 LEVEL CM	351,0526 litre	9,406 %	3381,1595 litre	O
330	CM	60	CM	17 LEVEL CM	323,1012 litre	8,657 %	3409,1109 litre	O
330	CM	60	CM	16 LEVEL CM	295,8281 litre	7,926 %	3436,3840 litre	O

330	CM	60	CM	15 LEVEL CM	269,2672 litre	7,215 %	3462,9449 litre	O
330	CM	60	CM	14 LEVEL CM	243,4549 litre	6,523 %	3488,7572 litre	O
330	CM	60	CM	13 LEVEL CM	218,4311 litre	5,853 %	3513,7810 litre	O
330	CM	60	CM	12 LEVEL CM	194,2393 litre	5,204 %	3537,9728 litre	O
330	CM	60	CM	11 LEVEL CM	170,9281 litre	4,580 %	3561,2840 litre	O
330	CM	60	CM	10 LEVEL CM	148,5513 litre	3,980 %	3583,6608 litre	O
330	CM	60	CM	9 LEVEL CM	127,1703 litre	3,407 %	3605,0418 litre	O
330	CM	60	CM	8 LEVEL CM	106,8553 litre	2,863 %	3625,3568 litre	O
330	CM	60	CM	7 LEVEL CM	87,6881 litre	2,349 %	3644,5240 litre	O
330	CM	60	CM	6 LEVEL CM	69,7664 litre	1,869 %	3662,4457 litre	O
330	CM	60	CM	5 LEVEL CM	53,2101 litre	1,426 %	3679,0020 litre	O
330	CM	60	CM	4 LEVEL CM	38,1717 litre	1,023 %	3694,0404 litre	O
330	CM	60	CM	3 LEVEL CM	24,8566 litre	0,666 %	3707,3555 litre	O
330	CM	60	CM	2 LEVEL CM	13,5645 litre	0,363 %	3718,6476 litre	O
330	CM	60	CM	1 LEVEL CM	4,8079 litre	0,129 %	3727,4042 litre	O
330	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3732,2121 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
330	CM	55	CM 110 LEVEL CM	3136,0949 litre	100,000 %	0,0000 litre	O
330	CM	55	CM 109 LEVEL CM	3131,4927 litre	99,853 %	4,6022 litre	O
330	CM	55	CM 108 LEVEL CM	3123,1138 litre	99,586 %	12,9811 litre	O
330	CM	55	CM 107 LEVEL CM	3112,3130 litre	99,242 %	23,7819 litre	O
330	CM	55	CM 106 LEVEL CM	3099,5822 litre	98,836 %	36,5127 litre	O
330	CM	55	CM 105 LEVEL CM	3085,2097 litre	98,377 %	50,8852 litre	O
330	CM	55	CM 104 LEVEL CM	3069,3929 litre	97,873 %	66,7020 litre	O
330	CM	55	CM 103 LEVEL CM	3052,2790 litre	97,327 %	83,8159 litre	O
330	CM	55	CM 102 LEVEL CM	3033,9835 litre	96,744 %	102,1114 litre	O
330	CM	55	CM 101 LEVEL CM	3014,6009 litre	96,126 %	121,4940 litre	O
330	CM	55	CM 100 LEVEL CM	2994,2103 litre	95,476 %	141,8846 litre	O
330	CM	55	CM 99 LEVEL CM	2972,8799 litre	94,796 %	163,2150 litre	O
330	CM	55	CM 98 LEVEL CM	2950,6689 litre	94,087 %	185,4260 litre	O
330	CM	55	CM 97 LEVEL CM	2927,6298 litre	93,353 %	208,4651 litre	O
330	CM	55	CM 96 LEVEL CM	2903,8098 litre	92,593 %	232,2851 litre	O
330	CM	55	CM 95 LEVEL CM	2879,2514 litre	91,810 %	256,8435 litre	O
330	CM	55	CM 94 LEVEL CM	2853,9933 litre	91,005 %	282,1016 litre	O
330	CM	55	CM 93 LEVEL CM	2828,0713 litre	90,178 %	308,0236 litre	O
330	CM	55	CM 92 LEVEL CM	2801,5183 litre	89,331 %	334,5766 litre	O
330	CM	55	CM 91 LEVEL CM	2774,3651 litre	88,466 %	361,7298 litre	O
330	CM	55	CM 90 LEVEL CM	2746,6403 litre	87,582 %	389,4546 litre	O
330	CM	55	CM 89 LEVEL CM	2718,3710 litre	86,680 %	417,7239 litre	O
330	CM	55	CM 88 LEVEL CM	2689,5824 litre	85,762 %	446,5125 litre	O
330	CM	55	CM 87 LEVEL CM	2660,2988 litre	84,828 %	475,7961 litre	O
330	CM	55	CM 86 LEVEL CM	2630,5429 litre	83,880 %	505,5520 litre	O
330	CM	55	CM 85 LEVEL CM	2600,3366 litre	82,916 %	535,7583 litre	O
330	CM	55	CM 84 LEVEL CM	2569,7007 litre	81,940 %	566,3942 litre	O
330	CM	55	CM 83 LEVEL CM	2538,6552 litre	80,950 %	597,4397 litre	O
330	CM	55	CM 82 LEVEL CM	2507,2192 litre	79,947 %	628,8757 litre	O
330	CM	55	CM 81 LEVEL CM	2475,4113 litre	78,933 %	660,6836 litre	O
330	CM	55	CM 80 LEVEL CM	2443,2493 litre	77,907 %	692,8456 litre	O
330	CM	55	CM 79 LEVEL CM	2410,7505 litre	76,871 %	725,3444 litre	O
330	CM	55	CM 78 LEVEL CM	2377,9315 litre	75,825 %	758,1634 litre	O
330	CM	55	CM 77 LEVEL CM	2344,8086 litre	74,768 %	791,2863 litre	O
330	CM	55	CM 76 LEVEL CM	2311,3977 litre	73,703 %	824,6972 litre	O
330	CM	55	CM 75 LEVEL CM	2277,7140 litre	72,629 %	858,3809 litre	O
330	CM	55	CM 74 LEVEL CM	2243,7728 litre	71,547 %	892,3221 litre	O
330	CM	55	CM 73 LEVEL CM	2209,5885 litre	70,457 %	926,5064 litre	O
330	CM	55	CM 72 LEVEL CM	2175,1756 litre	69,359 %	960,9193 litre	O
330	CM	55	CM 71 LEVEL CM	2140,5482 litre	68,255 %	995,5467 litre	O
330	CM	55	CM 70 LEVEL CM	2105,7200 litre	67,145 %	1030,3749 litre	O
330	CM	55	CM 69 LEVEL CM	2070,7048 litre	66,028 %	1065,3901 litre	O
330	CM	55	CM 68 LEVEL CM	2035,5159 litre	64,906 %	1100,5790 litre	O
330	CM	55	CM 67 LEVEL CM	2000,1663 litre	63,779 %	1135,9286 litre	O
330	CM	55	CM 66 LEVEL CM	1964,6692 litre	62,647 %	1171,4257 litre	O
330	CM	55	CM 65 LEVEL CM	1929,0374 litre	61,511 %	1207,0575 litre	O
330	CM	55	CM 64 LEVEL CM	1893,2835 litre	60,371 %	1242,8114 litre	O
330	CM	55	CM 63 LEVEL CM	1857,4202 litre	59,227 %	1278,6747 litre	O
330	CM	55	CM 62 LEVEL CM	1821,4598 litre	58,081 %	1314,6351 litre	O
330	CM	55	CM 61 LEVEL CM	1785,4147 litre	56,931 %	1350,6802 litre	O
330	CM	55	CM 60 LEVEL CM	1749,2971 litre	55,779 %	1386,7978 litre	O
330	CM	55	CM 59 LEVEL CM	1713,1193 litre	54,626 %	1422,9756 litre	O

330	CM	55	CM	58 LEVEL CM	1676,8934 litre	53,471 %	1459,2015 litre	O
330	CM	55	CM	57 LEVEL CM	1640,6314 litre	52,314 %	1495,4635 litre	O
330	CM	55	CM	56 LEVEL CM	1604,3454 litre	51,157 %	1531,7495 litre	O
330	CM	55	CM	55 LEVEL CM	1568,0474 litre	50,000 %	1568,0475 litre	O
330	CM	55	CM	54 LEVEL CM	1531,7494 litre	48,843 %	1604,3455 litre	O
330	CM	55	CM	53 LEVEL CM	1495,4634 litre	47,686 %	1640,6315 litre	O
330	CM	55	CM	52 LEVEL CM	1459,2015 litre	46,529 %	1676,8934 litre	O
330	CM	55	CM	51 LEVEL CM	1422,9755 litre	45,374 %	1713,1194 litre	O
330	CM	55	CM	50 LEVEL CM	1386,7977 litre	44,221 %	1749,2972 litre	O
330	CM	55	CM	49 LEVEL CM	1350,6802 litre	43,069 %	1785,4147 litre	O
330	CM	55	CM	48 LEVEL CM	1314,6351 litre	41,919 %	1821,4598 litre	O
330	CM	55	CM	47 LEVEL CM	1278,6747 litre	40,773 %	1857,4202 litre	O
330	CM	55	CM	46 LEVEL CM	1242,8113 litre	39,629 %	1893,2836 litre	O
330	CM	55	CM	45 LEVEL CM	1207,0575 litre	38,489 %	1929,0374 litre	O
330	CM	55	CM	44 LEVEL CM	1171,4256 litre	37,353 %	1964,6693 litre	O
330	CM	55	CM	43 LEVEL CM	1135,9285 litre	36,221 %	2000,1664 litre	O
330	CM	55	CM	42 LEVEL CM	1100,5790 litre	35,094 %	2035,5159 litre	O
330	CM	55	CM	41 LEVEL CM	1065,3900 litre	33,972 %	2070,7049 litre	O
330	CM	55	CM	40 LEVEL CM	1030,3748 litre	32,855 %	2105,7201 litre	O
330	CM	55	CM	39 LEVEL CM	995,5467 litre	31,745 %	2140,5482 litre	O
330	CM	55	CM	38 LEVEL CM	960,9193 litre	30,641 %	2175,1756 litre	O
330	CM	55	CM	37 LEVEL CM	926,5064 litre	29,543 %	2209,5885 litre	O
330	CM	55	CM	36 LEVEL CM	892,3221 litre	28,453 %	2243,7728 litre	O
330	CM	55	CM	35 LEVEL CM	858,3808 litre	27,371 %	2277,7141 litre	O
330	CM	55	CM	34 LEVEL CM	824,6972 litre	26,297 %	2311,3977 litre	O
330	CM	55	CM	33 LEVEL CM	791,2862 litre	25,232 %	2344,8087 litre	O
330	CM	55	CM	32 LEVEL CM	758,1634 litre	24,175 %	2377,9315 litre	O
330	CM	55	CM	31 LEVEL CM	725,3444 litre	23,129 %	2410,7505 litre	O
330	CM	55	CM	30 LEVEL CM	692,8455 litre	22,093 %	2443,2494 litre	O
330	CM	55	CM	29 LEVEL CM	660,6835 litre	21,067 %	2475,4114 litre	O
330	CM	55	CM	28 LEVEL CM	628,8756 litre	20,053 %	2507,2193 litre	O
330	CM	55	CM	27 LEVEL CM	597,4397 litre	19,050 %	2538,6552 litre	O
330	CM	55	CM	26 LEVEL CM	566,3942 litre	18,060 %	2569,7007 litre	O
330	CM	55	CM	25 LEVEL CM	535,7583 litre	17,084 %	2600,3366 litre	O
330	CM	55	CM	24 LEVEL CM	505,5520 litre	16,120 %	2630,5429 litre	O
330	CM	55	CM	23 LEVEL CM	475,7961 litre	15,172 %	2660,2988 litre	O
330	CM	55	CM	22 LEVEL CM	446,5125 litre	14,238 %	2689,5824 litre	O
330	CM	55	CM	21 LEVEL CM	417,7239 litre	13,320 %	2718,3710 litre	O
330	CM	55	CM	20 LEVEL CM	389,4545 litre	12,418 %	2746,6404 litre	O
330	CM	55	CM	19 LEVEL CM	361,7298 litre	11,534 %	2774,3651 litre	O
330	CM	55	CM	18 LEVEL CM	334,5766 litre	10,669 %	2801,5183 litre	O
330	CM	55	CM	17 LEVEL CM	308,0236 litre	9,822 %	2828,0713 litre	O
330	CM	55	CM	16 LEVEL CM	282,1016 litre	8,995 %	2853,9933 litre	O
330	CM	55	CM	15 LEVEL CM	256,8435 litre	8,190 %	2879,2514 litre	O
330	CM	55	CM	14 LEVEL CM	232,2851 litre	7,407 %	2903,8098 litre	O
330	CM	55	CM	13 LEVEL CM	208,4650 litre	6,647 %	2927,6299 litre	O
330	CM	55	CM	12 LEVEL CM	185,4260 litre	5,913 %	2950,6689 litre	O
330	CM	55	CM	11 LEVEL CM	163,2150 litre	5,204 %	2972,8799 litre	O
330	CM	55	CM	10 LEVEL CM	141,8845 litre	4,524 %	2994,2104 litre	O
330	CM	55	CM	9 LEVEL CM	121,4940 litre	3,874 %	3014,6009 litre	O
330	CM	55	CM	8 LEVEL CM	102,1114 litre	3,256 %	3033,9835 litre	O
330	CM	55	CM	7 LEVEL CM	83,8159 litre	2,673 %	3052,2790 litre	O
330	CM	55	CM	6 LEVEL CM	66,7020 litre	2,127 %	3069,3929 litre	O

330	CM 55	CM	5 LEVEL CM	50,8852 litre	1,623 %	3085,2097 litre	O
330	CM 55	CM	4 LEVEL CM	36,5127 litre	1,164 %	3099,5822 litre	O
330	CM 55	CM	3 LEVEL CM	23,7818 litre	0,758 %	3112,3131 litre	O
330	CM 55	CM	2 LEVEL CM	12,9811 litre	0,414 %	3123,1138 litre	O
330	CM 55	CM	1 LEVEL CM	4,6022 litre	0,147 %	3131,4927 litre	O
330	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3136,0949 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
330	CM	50	CM	100 LEVEL CM	2591,8139 litre	100,000 %	0,0000 litre	O
330	CM	50	CM	99 LEVEL CM	2587,4272 litre	99,831 %	4,3867 litre	O
330	CM	50	CM	98 LEVEL CM	2579,4438 litre	99,523 %	12,3701 litre	O
330	CM	50	CM	97 LEVEL CM	2569,1578 litre	99,126 %	22,6561 litre	O
330	CM	50	CM	96 LEVEL CM	2557,0394 litre	98,658 %	34,7745 litre	O
330	CM	50	CM	95 LEVEL CM	2543,3651 litre	98,131 %	48,4488 litre	O
330	CM	50	CM	94 LEVEL CM	2528,3242 litre	97,550 %	63,4897 litre	O
330	CM	50	CM	93 LEVEL CM	2512,0581 litre	96,923 %	79,7558 litre	O
330	CM	50	CM	92 LEVEL CM	2494,6780 litre	96,252 %	97,1359 litre	O
330	CM	50	CM	91 LEVEL CM	2476,2750 litre	95,542 %	115,5389 litre	O
330	CM	50	CM	90 LEVEL CM	2456,9255 litre	94,796 %	134,8884 litre	O
330	CM	50	CM	89 LEVEL CM	2436,6954 litre	94,015 %	155,1185 litre	O
330	CM	50	CM	88 LEVEL CM	2415,6421 litre	93,203 %	176,1718 litre	O
330	CM	50	CM	87 LEVEL CM	2393,8165 litre	92,361 %	197,9974 litre	O
330	CM	50	CM	86 LEVEL CM	2371,2645 litre	91,491 %	220,5494 litre	O
330	CM	50	CM	85 LEVEL CM	2348,0274 litre	90,594 %	243,7865 litre	O
330	CM	50	CM	84 LEVEL CM	2324,1431 litre	89,672 %	267,6708 litre	O
330	CM	50	CM	83 LEVEL CM	2299,6466 litre	88,727 %	292,1673 litre	O
330	CM	50	CM	82 LEVEL CM	2274,5700 litre	87,760 %	317,2439 litre	O
330	CM	50	CM	81 LEVEL CM	2248,9435 litre	86,771 %	342,8704 litre	O
330	CM	50	CM	80 LEVEL CM	2222,7954 litre	85,762 %	369,0185 litre	O
330	CM	50	CM	79 LEVEL CM	2196,1521 litre	84,734 %	395,6618 litre	O
330	CM	50	CM	78 LEVEL CM	2169,0388 litre	83,688 %	422,7751 litre	O
330	CM	50	CM	77 LEVEL CM	2141,4793 litre	82,625 %	450,3346 litre	O
330	CM	50	CM	76 LEVEL CM	2113,4963 litre	81,545 %	478,3176 litre	O
330	CM	50	CM	75 LEVEL CM	2085,1114 litre	80,450 %	506,7025 litre	O
330	CM	50	CM	74 LEVEL CM	2056,3454 litre	79,340 %	535,4685 litre	O
330	CM	50	CM	73 LEVEL CM	2027,2182 litre	78,216 %	564,5957 litre	O
330	CM	50	CM	72 LEVEL CM	1997,7491 litre	77,079 %	594,0648 litre	O
330	CM	50	CM	71 LEVEL CM	1967,9565 litre	75,930 %	623,8574 litre	O
330	CM	50	CM	70 LEVEL CM	1937,8584 litre	74,768 %	653,9555 litre	O
330	CM	50	CM	69 LEVEL CM	1907,4722 litre	73,596 %	684,3417 litre	O
330	CM	50	CM	68 LEVEL CM	1876,8148 litre	72,413 %	714,9991 litre	O
330	CM	50	CM	67 LEVEL CM	1845,9027 litre	71,220 %	745,9112 litre	O
330	CM	50	CM	66 LEVEL CM	1814,7520 litre	70,019 %	777,0619 litre	O
330	CM	50	CM	65 LEVEL CM	1783,3784 litre	68,808 %	808,4355 litre	O
330	CM	50	CM	64 LEVEL CM	1751,7971 litre	67,590 %	840,0168 litre	O
330	CM	50	CM	63 LEVEL CM	1720,0233 litre	66,364 %	871,7906 litre	O
330	CM	50	CM	62 LEVEL CM	1688,0718 litre	65,131 %	903,7421 litre	O
330	CM	50	CM	61 LEVEL CM	1655,9571 litre	63,892 %	935,8568 litre	O
330	CM	50	CM	60 LEVEL CM	1623,6936 litre	62,647 %	968,1203 litre	O
330	CM	50	CM	59 LEVEL CM	1591,2953 litre	61,397 %	1000,5186 litre	O
330	CM	50	CM	58 LEVEL CM	1558,7762 litre	60,142 %	1033,0377 litre	O
330	CM	50	CM	57 LEVEL CM	1526,1501 litre	58,883 %	1065,6638 litre	O
330	CM	50	CM	56 LEVEL CM	1493,4307 litre	57,621 %	1098,3832 litre	O
330	CM	50	CM	55 LEVEL CM	1460,6316 litre	56,356 %	1131,1823 litre	O
330	CM	50	CM	54 LEVEL CM	1427,7660 litre	55,088 %	1164,0479 litre	O
330	CM	50	CM	53 LEVEL CM	1394,8475 litre	53,817 %	1196,9664 litre	O
330	CM	50	CM	52 LEVEL CM	1361,8894 litre	52,546 %	1229,9245 litre	O
330	CM	50	CM	51 LEVEL CM	1328,9048 litre	51,273 %	1262,9091 litre	O
330	CM	50	CM	50 LEVEL CM	1295,9070 litre	50,000 %	1295,9069 litre	O
330	CM	50	CM	49 LEVEL CM	1262,9092 litre	48,727 %	1328,9047 litre	O

330	CM	50	CM	48 LEVEL CM	1229,9246 litre	47,454 %	1361,8893 litre	O
330	CM	50	CM	47 LEVEL CM	1196,9664 litre	46,183 %	1394,8475 litre	O
330	CM	50	CM	46 LEVEL CM	1164,0479 litre	44,912 %	1427,7660 litre	O
330	CM	50	CM	45 LEVEL CM	1131,1824 litre	43,644 %	1460,6315 litre	O
330	CM	50	CM	44 LEVEL CM	1098,3832 litre	42,379 %	1493,4307 litre	O
330	CM	50	CM	43 LEVEL CM	1065,6638 litre	41,117 %	1526,1501 litre	O
330	CM	50	CM	42 LEVEL CM	1033,0377 litre	39,858 %	1558,7762 litre	O
330	CM	50	CM	41 LEVEL CM	1000,5187 litre	38,603 %	1591,2952 litre	O
330	CM	50	CM	40 LEVEL CM	968,1204 litre	37,353 %	1623,6935 litre	O
330	CM	50	CM	39 LEVEL CM	935,8568 litre	36,108 %	1655,9571 litre	O
330	CM	50	CM	38 LEVEL CM	903,7421 litre	34,869 %	1688,0718 litre	O
330	CM	50	CM	37 LEVEL CM	871,7906 litre	33,636 %	1720,0233 litre	O
330	CM	50	CM	36 LEVEL CM	840,0168 litre	32,410 %	1751,7971 litre	O
330	CM	50	CM	35 LEVEL CM	808,4356 litre	31,192 %	1783,3783 litre	O
330	CM	50	CM	34 LEVEL CM	777,0619 litre	29,981 %	1814,7520 litre	O
330	CM	50	CM	33 LEVEL CM	745,9112 litre	28,780 %	1845,9027 litre	O
330	CM	50	CM	32 LEVEL CM	714,9991 litre	27,587 %	1876,8148 litre	O
330	CM	50	CM	31 LEVEL CM	684,3418 litre	26,404 %	1907,4721 litre	O
330	CM	50	CM	30 LEVEL CM	653,9556 litre	25,232 %	1937,8583 litre	O
330	CM	50	CM	29 LEVEL CM	623,8575 litre	24,070 %	1967,9564 litre	O
330	CM	50	CM	28 LEVEL CM	594,0649 litre	22,921 %	1997,7490 litre	O
330	CM	50	CM	27 LEVEL CM	564,5957 litre	21,784 %	2027,2182 litre	O
330	CM	50	CM	26 LEVEL CM	535,4685 litre	20,660 %	2056,3454 litre	O
330	CM	50	CM	25 LEVEL CM	506,7025 litre	19,550 %	2085,1114 litre	O
330	CM	50	CM	24 LEVEL CM	478,3176 litre	18,455 %	2113,4963 litre	O
330	CM	50	CM	23 LEVEL CM	450,3346 litre	17,375 %	2141,4793 litre	O
330	CM	50	CM	22 LEVEL CM	422,7751 litre	16,312 %	2169,0388 litre	O
330	CM	50	CM	21 LEVEL CM	395,6618 litre	15,266 %	2196,1521 litre	O
330	CM	50	CM	20 LEVEL CM	369,0186 litre	14,238 %	2222,7953 litre	O
330	CM	50	CM	19 LEVEL CM	342,8704 litre	13,229 %	2248,9435 litre	O
330	CM	50	CM	18 LEVEL CM	317,2439 litre	12,240 %	2274,5700 litre	O
330	CM	50	CM	17 LEVEL CM	292,1674 litre	11,273 %	2299,6465 litre	O
330	CM	50	CM	16 LEVEL CM	267,6708 litre	10,328 %	2324,1431 litre	O
330	CM	50	CM	15 LEVEL CM	243,7865 litre	9,406 %	2348,0274 litre	O
330	CM	50	CM	14 LEVEL CM	220,5495 litre	8,509 %	2371,2644 litre	O
330	CM	50	CM	13 LEVEL CM	197,9974 litre	7,639 %	2393,8165 litre	O
330	CM	50	CM	12 LEVEL CM	176,1719 litre	6,797 %	2415,6420 litre	O
330	CM	50	CM	11 LEVEL CM	155,1186 litre	5,985 %	2436,6953 litre	O
330	CM	50	CM	10 LEVEL CM	134,8884 litre	5,204 %	2456,9255 litre	O
330	CM	50	CM	9 LEVEL CM	115,5390 litre	4,458 %	2476,2749 litre	O
330	CM	50	CM	8 LEVEL CM	97,1359 litre	3,748 %	2494,6780 litre	O
330	CM	50	CM	7 LEVEL CM	79,7559 litre	3,077 %	2512,0580 litre	O
330	CM	50	CM	6 LEVEL CM	63,4898 litre	2,450 %	2528,3241 litre	O
330	CM	50	CM	5 LEVEL CM	48,4489 litre	1,869 %	2543,3650 litre	O
330	CM	50	CM	4 LEVEL CM	34,7745 litre	1,342 %	2557,0394 litre	O
330	CM	50	CM	3 LEVEL CM	22,6562 litre	0,874 %	2569,1577 litre	O
330	CM	50	CM	2 LEVEL CM	12,3701 litre	0,477 %	2579,4438 litre	O
330	CM	50	CM	1 LEVEL CM	4,3868 litre	0,169 %	2587,4271 litre	O
330	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2591,8139 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
320	CM	150	CM	300 LEVEL CM	22619,4671 litre	100,000 %	0,0000 litre	O
320	CM	150	CM	299 LEVEL CM	22612,0844 litre	99,967 %	7,3827 litre	O
320	CM	150	CM	298 LEVEL CM	22598,6066 litre	99,908 %	20,8605 litre	O
320	CM	150	CM	297 LEVEL CM	22581,1825 litre	99,831 %	38,2846 litre	O
320	CM	150	CM	296 LEVEL CM	22560,5835 litre	99,740 %	58,8836 litre	O
320	CM	150	CM	295 LEVEL CM	22537,2578 litre	99,637 %	82,2093 litre	O
320	CM	150	CM	294 LEVEL CM	22511,5095 litre	99,523 %	107,9576 litre	O
320	CM	150	CM	293 LEVEL CM	22483,5629 litre	99,399 %	135,9042 litre	O
320	CM	150	CM	292 LEVEL CM	22453,5928 litre	99,267 %	165,8743 litre	O
320	CM	150	CM	291 LEVEL CM	22421,7404 litre	99,126 %	197,7267 litre	O
320	CM	150	CM	290 LEVEL CM	22388,1232 litre	98,977 %	231,3439 litre	O
320	CM	150	CM	289 LEVEL CM	22352,8411 litre	98,821 %	266,6260 litre	O
320	CM	150	CM	288 LEVEL CM	22315,9803 litre	98,658 %	303,4868 litre	O
320	CM	150	CM	287 LEVEL CM	22277,6164 litre	98,489 %	341,8507 litre	O
320	CM	150	CM	286 LEVEL CM	22237,8165 litre	98,313 %	381,6506 litre	O
320	CM	150	CM	285 LEVEL CM	22196,6406 litre	98,131 %	422,8265 litre	O
320	CM	150	CM	284 LEVEL CM	22154,1428 litre	97,943 %	465,3243 litre	O
320	CM	150	CM	283 LEVEL CM	22110,3725 litre	97,749 %	509,0946 litre	O
320	CM	150	CM	282 LEVEL CM	22065,3747 litre	97,550 %	554,0924 litre	O
320	CM	150	CM	281 LEVEL CM	22019,1908 litre	97,346 %	600,2763 litre	O
320	CM	150	CM	280 LEVEL CM	21971,8593 litre	97,137 %	647,6078 litre	O
320	CM	150	CM	279 LEVEL CM	21923,4158 litre	96,923 %	696,0513 litre	O
320	CM	150	CM	278 LEVEL CM	21873,8936 litre	96,704 %	745,5735 litre	O
320	CM	150	CM	277 LEVEL CM	21823,3237 litre	96,480 %	796,1434 litre	O
320	CM	150	CM	276 LEVEL CM	21771,7353 litre	96,252 %	847,7318 litre	O
320	CM	150	CM	275 LEVEL CM	21719,1560 litre	96,020 %	900,3111 litre	O
320	CM	150	CM	274 LEVEL CM	21665,6117 litre	95,783 %	953,8554 litre	O
320	CM	150	CM	273 LEVEL CM	21611,1271 litre	95,542 %	1008,3400 litre	O
320	CM	150	CM	272 LEVEL CM	21555,7255 litre	95,297 %	1063,7416 litre	O
320	CM	150	CM	271 LEVEL CM	21499,4291 litre	95,048 %	1120,0380 litre	O
320	CM	150	CM	270 LEVEL CM	21442,2591 litre	94,796 %	1177,2080 litre	O
320	CM	150	CM	269 LEVEL CM	21384,2357 litre	94,539 %	1235,2314 litre	O
320	CM	150	CM	268 LEVEL CM	21325,3782 litre	94,279 %	1294,0889 litre	O
320	CM	150	CM	267 LEVEL CM	21265,7052 litre	94,015 %	1353,7619 litre	O
320	CM	150	CM	266 LEVEL CM	21205,2344 litre	93,748 %	1414,2327 litre	O
320	CM	150	CM	265 LEVEL CM	21143,9828 litre	93,477 %	1475,4843 litre	O
320	CM	150	CM	264 LEVEL CM	21081,9670 litre	93,203 %	1537,5001 litre	O
320	CM	150	CM	263 LEVEL CM	21019,2028 litre	92,925 %	1600,2643 litre	O
320	CM	150	CM	262 LEVEL CM	20955,7054 litre	92,645 %	1663,7617 litre	O
320	CM	150	CM	261 LEVEL CM	20891,4895 litre	92,361 %	1727,9776 litre	O
320	CM	150	CM	260 LEVEL CM	20826,5695 litre	92,074 %	1792,8976 litre	O
320	CM	150	CM	259 LEVEL CM	20760,9592 litre	91,784 %	1858,5079 litre	O
320	CM	150	CM	258 LEVEL CM	20694,6718 litre	91,491 %	1924,7953 litre	O
320	CM	150	CM	257 LEVEL CM	20627,7204 litre	91,195 %	1991,7467 litre	O
320	CM	150	CM	256 LEVEL CM	20560,1175 litre	90,896 %	2059,3496 litre	O
320	CM	150	CM	255 LEVEL CM	20491,8755 litre	90,594 %	2127,5916 litre	O
320	CM	150	CM	254 LEVEL CM	20423,0060 litre	90,290 %	2196,4611 litre	O
320	CM	150	CM	253 LEVEL CM	20353,5208 litre	89,982 %	2265,9463 litre	O
320	CM	150	CM	252 LEVEL CM	20283,4310 litre	89,672 %	2336,0361 litre	O
320	CM	150	CM	251 LEVEL CM	20212,7477 litre	89,360 %	2406,7194 litre	O
320	CM	150	CM	250 LEVEL CM	20141,4814 litre	89,045 %	2477,9857 litre	O
320	CM	150	CM	249 LEVEL CM	20069,6428 litre	88,727 %	2549,8243 litre	O

320	CM	150	CM	248 LEVEL CM	19997,2418 litre	88,407 %	2622,2253 litre	O
320	CM	150	CM	247 LEVEL CM	19924,2885 litre	88,085 %	2695,1786 litre	O
320	CM	150	CM	246 LEVEL CM	19850,7926 litre	87,760 %	2768,6745 litre	O
320	CM	150	CM	245 LEVEL CM	19776,7637 litre	87,432 %	2842,7034 litre	O
320	CM	150	CM	244 LEVEL CM	19702,2109 litre	87,103 %	2917,2562 litre	O
320	CM	150	CM	243 LEVEL CM	19627,1435 litre	86,771 %	2992,3236 litre	O
320	CM	150	CM	242 LEVEL CM	19551,5703 litre	86,437 %	3067,8968 litre	O
320	CM	150	CM	241 LEVEL CM	19475,5001 litre	86,101 %	3143,9670 litre	O
320	CM	150	CM	240 LEVEL CM	19398,9415 litre	85,762 %	3220,5256 litre	O
320	CM	150	CM	239 LEVEL CM	19321,9029 litre	85,422 %	3297,5642 litre	O
320	CM	150	CM	238 LEVEL CM	19244,3925 litre	85,079 %	3375,0746 litre	O
320	CM	150	CM	237 LEVEL CM	19166,4185 litre	84,734 %	3453,0486 litre	O
320	CM	150	CM	236 LEVEL CM	19087,9888 litre	84,387 %	3531,4783 litre	O
320	CM	150	CM	235 LEVEL CM	19009,1112 litre	84,039 %	3610,3559 litre	O
320	CM	150	CM	234 LEVEL CM	18929,7935 litre	83,688 %	3689,6736 litre	O
320	CM	150	CM	233 LEVEL CM	18850,0432 litre	83,335 %	3769,4239 litre	O
320	CM	150	CM	232 LEVEL CM	18769,8677 litre	82,981 %	3849,5994 litre	O
320	CM	150	CM	231 LEVEL CM	18689,2743 litre	82,625 %	3930,1928 litre	O
320	CM	150	CM	230 LEVEL CM	18608,2704 litre	82,267 %	4011,1967 litre	O
320	CM	150	CM	229 LEVEL CM	18526,8629 litre	81,907 %	4092,6042 litre	O
320	CM	150	CM	228 LEVEL CM	18445,0589 litre	81,545 %	4174,4082 litre	O
320	CM	150	CM	227 LEVEL CM	18362,8652 litre	81,182 %	4256,6019 litre	O
320	CM	150	CM	226 LEVEL CM	18280,2888 litre	80,817 %	4339,1783 litre	O
320	CM	150	CM	225 LEVEL CM	18197,3362 litre	80,450 %	4422,1309 litre	O
320	CM	150	CM	224 LEVEL CM	18114,0141 litre	80,082 %	4505,4530 litre	O
320	CM	150	CM	223 LEVEL CM	18030,3290 litre	79,712 %	4589,1381 litre	O
320	CM	150	CM	222 LEVEL CM	17946,2874 litre	79,340 %	4673,1797 litre	O
320	CM	150	CM	221 LEVEL CM	17861,8956 litre	78,967 %	4757,5715 litre	O
320	CM	150	CM	220 LEVEL CM	17777,1598 litre	78,592 %	4842,3073 litre	O
320	CM	150	CM	219 LEVEL CM	17692,0864 litre	78,216 %	4927,3807 litre	O
320	CM	150	CM	218 LEVEL CM	17606,6814 litre	77,839 %	5012,7857 litre	O
320	CM	150	CM	217 LEVEL CM	17520,9510 litre	77,460 %	5098,5161 litre	O
320	CM	150	CM	216 LEVEL CM	17434,9009 litre	77,079 %	5184,5662 litre	O
320	CM	150	CM	215 LEVEL CM	17348,5373 litre	76,697 %	5270,9298 litre	O
320	CM	150	CM	214 LEVEL CM	17261,8660 litre	76,314 %	5357,6011 litre	O
320	CM	150	CM	213 LEVEL CM	17174,8927 litre	75,930 %	5444,5744 litre	O
320	CM	150	CM	212 LEVEL CM	17087,6233 litre	75,544 %	5531,8438 litre	O
320	CM	150	CM	211 LEVEL CM	17000,0633 litre	75,157 %	5619,4038 litre	O
320	CM	150	CM	210 LEVEL CM	16912,2184 litre	74,768 %	5707,2487 litre	O
320	CM	150	CM	209 LEVEL CM	16824,0943 litre	74,379 %	5795,3728 litre	O
320	CM	150	CM	208 LEVEL CM	16735,6963 litre	73,988 %	5883,7708 litre	O
320	CM	150	CM	207 LEVEL CM	16647,0299 litre	73,596 %	5972,4372 litre	O
320	CM	150	CM	206 LEVEL CM	16558,1006 litre	73,203 %	6061,3665 litre	O
320	CM	150	CM	205 LEVEL CM	16468,9138 litre	72,809 %	6150,5533 litre	O
320	CM	150	CM	204 LEVEL CM	16379,4748 litre	72,413 %	6239,9923 litre	O
320	CM	150	CM	203 LEVEL CM	16289,7887 litre	72,017 %	6329,6784 litre	O
320	CM	150	CM	202 LEVEL CM	16199,8610 litre	71,619 %	6419,6061 litre	O
320	CM	150	CM	201 LEVEL CM	16109,6967 litre	71,220 %	6509,7704 litre	O
320	CM	150	CM	200 LEVEL CM	16019,3010 litre	70,821 %	6600,1661 litre	O
320	CM	150	CM	199 LEVEL CM	15928,6790 litre	70,420 %	6690,7881 litre	O
320	CM	150	CM	198 LEVEL CM	15837,8359 litre	70,019 %	6781,6312 litre	O
320	CM	150	CM	197 LEVEL CM	15746,7765 litre	69,616 %	6872,6906 litre	O
320	CM	150	CM	196 LEVEL CM	15655,5060 litre	69,213 %	6963,9611 litre	O

320	CM	150	CM	195 LEVEL CM	15564,0293 litre	68,808 %	7055,4378 litre	O
320	CM	150	CM	194 LEVEL CM	15472,3514 litre	68,403 %	7147,1157 litre	O
320	CM	150	CM	193 LEVEL CM	15380,4770 litre	67,997 %	7238,9901 litre	O
320	CM	150	CM	192 LEVEL CM	15288,4111 litre	67,590 %	7331,0560 litre	O
320	CM	150	CM	191 LEVEL CM	15196,1586 litre	67,182 %	7423,3085 litre	O
320	CM	150	CM	190 LEVEL CM	15103,7242 litre	66,773 %	7515,7429 litre	O
320	CM	150	CM	189 LEVEL CM	15011,1127 litre	66,364 %	7608,3544 litre	O
320	CM	150	CM	188 LEVEL CM	14918,3289 litre	65,953 %	7701,1382 litre	O
320	CM	150	CM	187 LEVEL CM	14825,3775 litre	65,543 %	7794,0896 litre	O
320	CM	150	CM	186 LEVEL CM	14732,2632 litre	65,131 %	7887,2039 litre	O
320	CM	150	CM	185 LEVEL CM	14638,9907 litre	64,719 %	7980,4764 litre	O
320	CM	150	CM	184 LEVEL CM	14545,5646 litre	64,306 %	8073,9025 litre	O
320	CM	150	CM	183 LEVEL CM	14451,9895 litre	63,892 %	8167,4776 litre	O
320	CM	150	CM	182 LEVEL CM	14358,2701 litre	63,477 %	8261,1970 litre	O
320	CM	150	CM	181 LEVEL CM	14264,4110 litre	63,063 %	8355,0561 litre	O
320	CM	150	CM	180 LEVEL CM	14170,4167 litre	62,647 %	8449,0504 litre	O
320	CM	150	CM	179 LEVEL CM	14076,2917 litre	62,231 %	8543,1754 litre	O
320	CM	150	CM	178 LEVEL CM	13982,0406 litre	61,814 %	8637,4265 litre	O
320	CM	150	CM	177 LEVEL CM	13887,6679 litre	61,397 %	8731,7992 litre	O
320	CM	150	CM	176 LEVEL CM	13793,1781 litre	60,979 %	8826,2890 litre	O
320	CM	150	CM	175 LEVEL CM	13698,5757 litre	60,561 %	8920,8914 litre	O
320	CM	150	CM	174 LEVEL CM	13603,8651 litre	60,142 %	9015,6020 litre	O
320	CM	150	CM	173 LEVEL CM	13509,0507 litre	59,723 %	9110,4164 litre	O
320	CM	150	CM	172 LEVEL CM	13414,1370 litre	59,304 %	9205,3301 litre	O
320	CM	150	CM	171 LEVEL CM	13319,1285 litre	58,883 %	9300,3386 litre	O
320	CM	150	CM	170 LEVEL CM	13224,0294 litre	58,463 %	9395,4377 litre	O
320	CM	150	CM	169 LEVEL CM	13128,8442 litre	58,042 %	9490,6229 litre	O
320	CM	150	CM	168 LEVEL CM	13033,5773 litre	57,621 %	9585,8898 litre	O
320	CM	150	CM	167 LEVEL CM	12938,2331 litre	57,200 %	9681,2340 litre	O
320	CM	150	CM	166 LEVEL CM	12842,8159 litre	56,778 %	9776,6512 litre	O
320	CM	150	CM	165 LEVEL CM	12747,3299 litre	56,356 %	9872,1372 litre	O
320	CM	150	CM	164 LEVEL CM	12651,7797 litre	55,933 %	9967,6874 litre	O
320	CM	150	CM	163 LEVEL CM	12556,1695 litre	55,510 %	10063,2976 litre	O
320	CM	150	CM	162 LEVEL CM	12460,5036 litre	55,088 %	10158,9635 litre	O
320	CM	150	CM	161 LEVEL CM	12364,7863 litre	54,664 %	10254,6808 litre	O
320	CM	150	CM	160 LEVEL CM	12269,0220 litre	54,241 %	10350,4451 litre	O
320	CM	150	CM	159 LEVEL CM	12173,2149 litre	53,817 %	10446,2522 litre	O
320	CM	150	CM	158 LEVEL CM	12077,3693 litre	53,394 %	10542,0978 litre	O
320	CM	150	CM	157 LEVEL CM	11981,4896 litre	52,970 %	10637,9775 litre	O
320	CM	150	CM	156 LEVEL CM	11885,5799 litre	52,546 %	10733,8872 litre	O
320	CM	150	CM	155 LEVEL CM	11789,6446 litre	52,122 %	10829,8225 litre	O
320	CM	150	CM	154 LEVEL CM	11693,6880 litre	51,697 %	10925,7791 litre	O
320	CM	150	CM	153 LEVEL CM	11597,7144 litre	51,273 %	11021,7527 litre	O
320	CM	150	CM	152 LEVEL CM	11501,7279 litre	50,849 %	11117,7392 litre	O
320	CM	150	CM	151 LEVEL CM	11405,7328 litre	50,424 %	11213,7343 litre	O
320	CM	150	CM	150 LEVEL CM	11309,7336 litre	50,000 %	11309,7335 litre	O
320	CM	150	CM	149 LEVEL CM	11213,7343 litre	49,576 %	11405,7328 litre	O
320	CM	150	CM	148 LEVEL CM	11117,7392 litre	49,151 %	11501,7279 litre	O
320	CM	150	CM	147 LEVEL CM	11021,7528 litre	48,727 %	11597,7143 litre	O
320	CM	150	CM	146 LEVEL CM	10925,7791 litre	48,303 %	11693,6880 litre	O
320	CM	150	CM	145 LEVEL CM	10829,8225 litre	47,878 %	11789,6446 litre	O
320	CM	150	CM	144 LEVEL CM	10733,8872 litre	47,454 %	11885,5799 litre	O
320	CM	150	CM	143 LEVEL CM	10637,9775 litre	47,030 %	11981,4896 litre	O

320	CM	150	CM	142 LEVEL CM	10542,0978 litre	46,606 %	12077,3693 litre	O
320	CM	150	CM	141 LEVEL CM	10446,2522 litre	46,183 %	12173,2149 litre	O
320	CM	150	CM	140 LEVEL CM	10350,4451 litre	45,759 %	12269,0220 litre	O
320	CM	150	CM	139 LEVEL CM	10254,6808 litre	45,336 %	12364,7863 litre	O
320	CM	150	CM	138 LEVEL CM	10158,9635 litre	44,912 %	12460,5036 litre	O
320	CM	150	CM	137 LEVEL CM	10063,2976 litre	44,490 %	12556,1695 litre	O
320	CM	150	CM	136 LEVEL CM	9967,6874 litre	44,067 %	12651,7797 litre	O
320	CM	150	CM	135 LEVEL CM	9872,1372 litre	43,644 %	12747,3299 litre	O
320	CM	150	CM	134 LEVEL CM	9776,6513 litre	43,222 %	12842,8158 litre	O
320	CM	150	CM	133 LEVEL CM	9681,2340 litre	42,800 %	12938,2331 litre	O
320	CM	150	CM	132 LEVEL CM	9585,8898 litre	42,379 %	13033,5773 litre	O
320	CM	150	CM	131 LEVEL CM	9490,6229 litre	41,958 %	13128,8442 litre	O
320	CM	150	CM	130 LEVEL CM	9395,4377 litre	41,537 %	13224,0294 litre	O
320	CM	150	CM	129 LEVEL CM	9300,3387 litre	41,117 %	13319,1284 litre	O
320	CM	150	CM	128 LEVEL CM	9205,3301 litre	40,696 %	13414,1370 litre	O
320	CM	150	CM	127 LEVEL CM	9110,4164 litre	40,277 %	13509,0507 litre	O
320	CM	150	CM	126 LEVEL CM	9015,6021 litre	39,858 %	13603,8650 litre	O
320	CM	150	CM	125 LEVEL CM	8920,8914 litre	39,439 %	13698,5757 litre	O
320	CM	150	CM	124 LEVEL CM	8826,2890 litre	39,021 %	13793,1781 litre	O
320	CM	150	CM	123 LEVEL CM	8731,7992 litre	38,603 %	13887,6679 litre	O
320	CM	150	CM	122 LEVEL CM	8637,4265 litre	38,186 %	13982,0406 litre	O
320	CM	150	CM	121 LEVEL CM	8543,1754 litre	37,769 %	14076,2917 litre	O
320	CM	150	CM	120 LEVEL CM	8449,0504 litre	37,353 %	14170,4167 litre	O
320	CM	150	CM	119 LEVEL CM	8355,0561 litre	36,937 %	14264,4110 litre	O
320	CM	150	CM	118 LEVEL CM	8261,1970 litre	36,523 %	14358,2701 litre	O
320	CM	150	CM	117 LEVEL CM	8167,4776 litre	36,108 %	14451,9895 litre	O
320	CM	150	CM	116 LEVEL CM	8073,9025 litre	35,694 %	14545,5646 litre	O
320	CM	150	CM	115 LEVEL CM	7980,4764 litre	35,281 %	14638,9907 litre	O
320	CM	150	CM	114 LEVEL CM	7887,2039 litre	34,869 %	14732,2632 litre	O
320	CM	150	CM	113 LEVEL CM	7794,0896 litre	34,457 %	14825,3775 litre	O
320	CM	150	CM	112 LEVEL CM	7701,1382 litre	34,047 %	14918,3289 litre	O
320	CM	150	CM	111 LEVEL CM	7608,3544 litre	33,636 %	15011,1127 litre	O
320	CM	150	CM	110 LEVEL CM	7515,7429 litre	33,227 %	15103,7242 litre	O
320	CM	150	CM	109 LEVEL CM	7423,3085 litre	32,818 %	15196,1586 litre	O
320	CM	150	CM	108 LEVEL CM	7331,0560 litre	32,410 %	15288,4111 litre	O
320	CM	150	CM	107 LEVEL CM	7238,9901 litre	32,003 %	15380,4770 litre	O
320	CM	150	CM	106 LEVEL CM	7147,1157 litre	31,597 %	15472,3514 litre	O
320	CM	150	CM	105 LEVEL CM	7055,4378 litre	31,192 %	15564,0293 litre	O
320	CM	150	CM	104 LEVEL CM	6963,9611 litre	30,787 %	15655,5060 litre	O
320	CM	150	CM	103 LEVEL CM	6872,6906 litre	30,384 %	15746,7765 litre	O
320	CM	150	CM	102 LEVEL CM	6781,6312 litre	29,981 %	15837,8359 litre	O
320	CM	150	CM	101 LEVEL CM	6690,7881 litre	29,580 %	15928,6790 litre	O
320	CM	150	CM	100 LEVEL CM	6600,1661 litre	29,179 %	16019,3010 litre	O
320	CM	150	CM	99 LEVEL CM	6509,7704 litre	28,780 %	16109,6967 litre	O
320	CM	150	CM	98 LEVEL CM	6419,6061 litre	28,381 %	16199,8610 litre	O
320	CM	150	CM	97 LEVEL CM	6329,6784 litre	27,983 %	16289,7887 litre	O
320	CM	150	CM	96 LEVEL CM	6239,9924 litre	27,587 %	16379,4747 litre	O
320	CM	150	CM	95 LEVEL CM	6150,5533 litre	27,191 %	16468,9138 litre	O
320	CM	150	CM	94 LEVEL CM	6061,3665 litre	26,797 %	16558,1006 litre	O
320	CM	150	CM	93 LEVEL CM	5972,4372 litre	26,404 %	16647,0299 litre	O
320	CM	150	CM	92 LEVEL CM	5883,7709 litre	26,012 %	16735,6962 litre	O
320	CM	150	CM	91 LEVEL CM	5795,3729 litre	25,621 %	16824,0942 litre	O
320	CM	150	CM	90 LEVEL CM	5707,2487 litre	25,232 %	16912,2184 litre	O

320	CM	150	CM	89 LEVEL CM	5619,4038 litre	24,843 %	17000,0633 litre	O
320	CM	150	CM	88 LEVEL CM	5531,8438 litre	24,456 %	17087,6233 litre	O
320	CM	150	CM	87 LEVEL CM	5444,5744 litre	24,070 %	17174,8927 litre	O
320	CM	150	CM	86 LEVEL CM	5357,6011 litre	23,686 %	17261,8660 litre	O
320	CM	150	CM	85 LEVEL CM	5270,9298 litre	23,303 %	17348,5373 litre	O
320	CM	150	CM	84 LEVEL CM	5184,5662 litre	22,921 %	17434,9009 litre	O
320	CM	150	CM	83 LEVEL CM	5098,5162 litre	22,540 %	17520,9509 litre	O
320	CM	150	CM	82 LEVEL CM	5012,7857 litre	22,161 %	17606,6814 litre	O
320	CM	150	CM	81 LEVEL CM	4927,3807 litre	21,784 %	17692,0864 litre	O
320	CM	150	CM	80 LEVEL CM	4842,3073 litre	21,408 %	17777,1598 litre	O
320	CM	150	CM	79 LEVEL CM	4757,5715 litre	21,033 %	17861,8956 litre	O
320	CM	150	CM	78 LEVEL CM	4673,1797 litre	20,660 %	17946,2874 litre	O
320	CM	150	CM	77 LEVEL CM	4589,1381 litre	20,288 %	18030,3290 litre	O
320	CM	150	CM	76 LEVEL CM	4505,4530 litre	19,918 %	18114,0141 litre	O
320	CM	150	CM	75 LEVEL CM	4422,1309 litre	19,550 %	18197,3362 litre	O
320	CM	150	CM	74 LEVEL CM	4339,1783 litre	19,183 %	18280,2888 litre	O
320	CM	150	CM	73 LEVEL CM	4256,6019 litre	18,818 %	18362,8652 litre	O
320	CM	150	CM	72 LEVEL CM	4174,4082 litre	18,455 %	18445,0589 litre	O
320	CM	150	CM	71 LEVEL CM	4092,6042 litre	18,093 %	18526,8629 litre	O
320	CM	150	CM	70 LEVEL CM	4011,1967 litre	17,733 %	18608,2704 litre	O
320	CM	150	CM	69 LEVEL CM	3930,1928 litre	17,375 %	18689,2743 litre	O
320	CM	150	CM	68 LEVEL CM	3849,5994 litre	17,019 %	18769,8677 litre	O
320	CM	150	CM	67 LEVEL CM	3769,4239 litre	16,665 %	18850,0432 litre	O
320	CM	150	CM	66 LEVEL CM	3689,6736 litre	16,312 %	18929,7935 litre	O
320	CM	150	CM	65 LEVEL CM	3610,3559 litre	15,961 %	19009,1112 litre	O
320	CM	150	CM	64 LEVEL CM	3531,4783 litre	15,613 %	19087,9888 litre	O
320	CM	150	CM	63 LEVEL CM	3453,0486 litre	15,266 %	19166,4185 litre	O
320	CM	150	CM	62 LEVEL CM	3375,0746 litre	14,921 %	19244,3925 litre	O
320	CM	150	CM	61 LEVEL CM	3297,5642 litre	14,578 %	19321,9029 litre	O
320	CM	150	CM	60 LEVEL CM	3220,5256 litre	14,238 %	19398,9415 litre	O
320	CM	150	CM	59 LEVEL CM	3143,9670 litre	13,899 %	19475,5001 litre	O
320	CM	150	CM	58 LEVEL CM	3067,8968 litre	13,563 %	19551,5703 litre	O
320	CM	150	CM	57 LEVEL CM	2992,3236 litre	13,229 %	19627,1435 litre	O
320	CM	150	CM	56 LEVEL CM	2917,2562 litre	12,897 %	19702,2109 litre	O
320	CM	150	CM	55 LEVEL CM	2842,7034 litre	12,568 %	19776,7637 litre	O
320	CM	150	CM	54 LEVEL CM	2768,6745 litre	12,240 %	19850,7926 litre	O
320	CM	150	CM	53 LEVEL CM	2695,1786 litre	11,915 %	19924,2885 litre	O
320	CM	150	CM	52 LEVEL CM	2622,2253 litre	11,593 %	19997,2418 litre	O
320	CM	150	CM	51 LEVEL CM	2549,8243 litre	11,273 %	20069,6428 litre	O
320	CM	150	CM	50 LEVEL CM	2477,9857 litre	10,955 %	20141,4814 litre	O
320	CM	150	CM	49 LEVEL CM	2406,7194 litre	10,640 %	20212,7477 litre	O
320	CM	150	CM	48 LEVEL CM	2336,0361 litre	10,328 %	20283,4310 litre	O
320	CM	150	CM	47 LEVEL CM	2265,9463 litre	10,018 %	20353,5208 litre	O
320	CM	150	CM	46 LEVEL CM	2196,4611 litre	9,710 %	20423,0060 litre	O
320	CM	150	CM	45 LEVEL CM	2127,5916 litre	9,406 %	20491,8755 litre	O
320	CM	150	CM	44 LEVEL CM	2059,3496 litre	9,104 %	20560,1175 litre	O
320	CM	150	CM	43 LEVEL CM	1991,7467 litre	8,805 %	20627,7204 litre	O
320	CM	150	CM	42 LEVEL CM	1924,7953 litre	8,509 %	20694,6718 litre	O
320	CM	150	CM	41 LEVEL CM	1858,5079 litre	8,216 %	20760,9592 litre	O
320	CM	150	CM	40 LEVEL CM	1792,8976 litre	7,926 %	20826,5695 litre	O
320	CM	150	CM	39 LEVEL CM	1727,9776 litre	7,639 %	20891,4895 litre	O
320	CM	150	CM	38 LEVEL CM	1663,7617 litre	7,355 %	20955,7054 litre	O
320	CM	150	CM	37 LEVEL CM	1600,2643 litre	7,075 %	21019,2028 litre	O

320	CM	150	CM	36 LEVEL CM	1537,5001 litre	6,797 %	21081,9670 litre	O
320	CM	150	CM	35 LEVEL CM	1475,4843 litre	6,523 %	21143,9828 litre	O
320	CM	150	CM	34 LEVEL CM	1414,2327 litre	6,252 %	21205,2344 litre	O
320	CM	150	CM	33 LEVEL CM	1353,7619 litre	5,985 %	21265,7052 litre	O
320	CM	150	CM	32 LEVEL CM	1294,0889 litre	5,721 %	21325,3782 litre	O
320	CM	150	CM	31 LEVEL CM	1235,2314 litre	5,461 %	21384,2357 litre	O
320	CM	150	CM	30 LEVEL CM	1177,2080 litre	5,204 %	21442,2591 litre	O
320	CM	150	CM	29 LEVEL CM	1120,0380 litre	4,952 %	21499,4291 litre	O
320	CM	150	CM	28 LEVEL CM	1063,7416 litre	4,703 %	21555,7255 litre	O
320	CM	150	CM	27 LEVEL CM	1008,3400 litre	4,458 %	21611,1271 litre	O
320	CM	150	CM	26 LEVEL CM	953,8554 litre	4,217 %	21665,6117 litre	O
320	CM	150	CM	25 LEVEL CM	900,3111 litre	3,980 %	21719,1560 litre	O
320	CM	150	CM	24 LEVEL CM	847,7318 litre	3,748 %	21771,7353 litre	O
320	CM	150	CM	23 LEVEL CM	796,1434 litre	3,520 %	21823,3237 litre	O
320	CM	150	CM	22 LEVEL CM	745,5735 litre	3,296 %	21873,8936 litre	O
320	CM	150	CM	21 LEVEL CM	696,0513 litre	3,077 %	21923,4158 litre	O
320	CM	150	CM	20 LEVEL CM	647,6078 litre	2,863 %	21971,8593 litre	O
320	CM	150	CM	19 LEVEL CM	600,2763 litre	2,654 %	22019,1908 litre	O
320	CM	150	CM	18 LEVEL CM	554,0925 litre	2,450 %	22065,3746 litre	O
320	CM	150	CM	17 LEVEL CM	509,0946 litre	2,251 %	22110,3725 litre	O
320	CM	150	CM	16 LEVEL CM	465,3243 litre	2,057 %	22154,1428 litre	O
320	CM	150	CM	15 LEVEL CM	422,8265 litre	1,869 %	22196,6406 litre	O
320	CM	150	CM	14 LEVEL CM	381,6506 litre	1,687 %	22237,8165 litre	O
320	CM	150	CM	13 LEVEL CM	341,8507 litre	1,511 %	22277,6164 litre	O
320	CM	150	CM	12 LEVEL CM	303,4869 litre	1,342 %	22315,9802 litre	O
320	CM	150	CM	11 LEVEL CM	266,6260 litre	1,179 %	22352,8411 litre	O
320	CM	150	CM	10 LEVEL CM	231,3439 litre	1,023 %	22388,1232 litre	O
320	CM	150	CM	9 LEVEL CM	197,7267 litre	0,874 %	22421,7404 litre	O
320	CM	150	CM	8 LEVEL CM	165,8743 litre	0,733 %	22453,5928 litre	O
320	CM	150	CM	7 LEVEL CM	135,9042 litre	0,601 %	22483,5629 litre	O
320	CM	150	CM	6 LEVEL CM	107,9576 litre	0,477 %	22511,5095 litre	O
320	CM	150	CM	5 LEVEL CM	82,2093 litre	0,363 %	22537,2578 litre	O
320	CM	150	CM	4 LEVEL CM	58,8836 litre	0,260 %	22560,5835 litre	O
320	CM	150	CM	3 LEVEL CM	38,2846 litre	0,169 %	22581,1825 litre	O
320	CM	150	CM	2 LEVEL CM	20,8605 litre	0,092 %	22598,6066 litre	O
320	CM	150	CM	1 LEVEL CM	7,3827 litre	0,033 %	22612,0844 litre	O
320	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	22619,4671 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM 145	CM 290 LEVEL CM	21136,6354 litre	100,000 %	0,0000 litre	O
320	CM 145	CM 289 LEVEL CM	21129,3770 litre	99,966 %	7,2584 litre	O
320	CM 145	CM 288 LEVEL CM	21116,1270 litre	99,903 %	20,5084 litre	O
320	CM 145	CM 287 LEVEL CM	21098,9982 litre	99,822 %	37,6372 litre	O
320	CM 145	CM 286 LEVEL CM	21078,7495 litre	99,726 %	57,8859 litre	O
320	CM 145	CM 285 LEVEL CM	21055,8219 litre	99,618 %	80,8135 litre	O
320	CM 145	CM 284 LEVEL CM	21030,5146 litre	99,498 %	106,1208 litre	O
320	CM 145	CM 283 LEVEL CM	21003,0482 litre	99,368 %	133,5872 litre	O
320	CM 145	CM 282 LEVEL CM	20973,5949 litre	99,229 %	163,0405 litre	O
320	CM 145	CM 281 LEVEL CM	20942,2936 litre	99,081 %	194,3418 litre	O
320	CM 145	CM 280 LEVEL CM	20909,2601 litre	98,924 %	227,3753 litre	O
320	CM 145	CM 279 LEVEL CM	20874,5927 litre	98,760 %	262,0427 litre	O
320	CM 145	CM 278 LEVEL CM	20838,3763 litre	98,589 %	298,2591 litre	O
320	CM 145	CM 277 LEVEL CM	20800,6856 litre	98,411 %	335,9498 litre	O
320	CM 145	CM 276 LEVEL CM	20761,5865 litre	98,226 %	375,0489 litre	O
320	CM 145	CM 275 LEVEL CM	20721,1381 litre	98,034 %	415,4973 litre	O
320	CM 145	CM 274 LEVEL CM	20679,3939 litre	97,837 %	457,2415 litre	O
320	CM 145	CM 273 LEVEL CM	20636,4025 litre	97,633 %	500,2329 litre	O
320	CM 145	CM 272 LEVEL CM	20592,2083 litre	97,424 %	544,4271 litre	O
320	CM 145	CM 271 LEVEL CM	20546,8522 litre	97,210 %	589,7832 litre	O
320	CM 145	CM 270 LEVEL CM	20500,3720 litre	96,990 %	636,2634 litre	O
320	CM 145	CM 269 LEVEL CM	20452,8031 litre	96,765 %	683,8323 litre	O
320	CM 145	CM 268 LEVEL CM	20404,1780 litre	96,535 %	732,4574 litre	O
320	CM 145	CM 267 LEVEL CM	20354,5276 litre	96,300 %	782,1078 litre	O
320	CM 145	CM 266 LEVEL CM	20303,8807 litre	96,060 %	832,7547 litre	O
320	CM 145	CM 265 LEVEL CM	20252,2645 litre	95,816 %	884,3709 litre	O
320	CM 145	CM 264 LEVEL CM	20199,7046 litre	95,567 %	936,9308 litre	O
320	CM 145	CM 263 LEVEL CM	20146,2254 litre	95,314 %	990,4100 litre	O
320	CM 145	CM 262 LEVEL CM	20091,8498 litre	95,057 %	1044,7856 litre	O
320	CM 145	CM 261 LEVEL CM	20036,5999 litre	94,796 %	1100,0355 litre	O
320	CM 145	CM 260 LEVEL CM	19980,4966 litre	94,530 %	1156,1388 litre	O
320	CM 145	CM 259 LEVEL CM	19923,5599 litre	94,261 %	1213,0755 litre	O
320	CM 145	CM 258 LEVEL CM	19865,8088 litre	93,988 %	1270,8266 litre	O
320	CM 145	CM 257 LEVEL CM	19807,2618 litre	93,711 %	1329,3736 litre	O
320	CM 145	CM 256 LEVEL CM	19747,9364 litre	93,430 %	1388,6990 litre	O
320	CM 145	CM 255 LEVEL CM	19687,8495 litre	93,146 %	1448,7859 litre	O
320	CM 145	CM 254 LEVEL CM	19627,0173 litre	92,858 %	1509,6181 litre	O
320	CM 145	CM 253 LEVEL CM	19565,4555 litre	92,567 %	1571,1799 litre	O
320	CM 145	CM 252 LEVEL CM	19503,1793 litre	92,272 %	1633,4561 litre	O
320	CM 145	CM 251 LEVEL CM	19440,2033 litre	91,974 %	1696,4321 litre	O
320	CM 145	CM 250 LEVEL CM	19376,5416 litre	91,673 %	1760,0938 litre	O
320	CM 145	CM 249 LEVEL CM	19312,2078 litre	91,368 %	1824,4276 litre	O
320	CM 145	CM 248 LEVEL CM	19247,2152 litre	91,061 %	1889,4202 litre	O
320	CM 145	CM 247 LEVEL CM	19181,5767 litre	90,750 %	1955,0587 litre	O
320	CM 145	CM 246 LEVEL CM	19115,3048 litre	90,437 %	2021,3306 litre	O
320	CM 145	CM 245 LEVEL CM	19048,4115 litre	90,120 %	2088,2239 litre	O
320	CM 145	CM 244 LEVEL CM	18980,9087 litre	89,801 %	2155,7267 litre	O
320	CM 145	CM 243 LEVEL CM	18912,8077 litre	89,479 %	2223,8277 litre	O
320	CM 145	CM 242 LEVEL CM	18844,1199 litre	89,154 %	2292,5155 litre	O
320	CM 145	CM 241 LEVEL CM	18774,8561 litre	88,826 %	2361,7793 litre	O
320	CM 145	CM 240 LEVEL CM	18705,0268 litre	88,496 %	2431,6086 litre	O
320	CM 145	CM 239 LEVEL CM	18634,6425 litre	88,163 %	2501,9929 litre	O

320	CM	145	CM	238 LEVEL CM	18563,7133 litre	87,827 %	2572,9221 litre	O
320	CM	145	CM	237 LEVEL CM	18492,2490 litre	87,489 %	2644,3864 litre	O
320	CM	145	CM	236 LEVEL CM	18420,2593 litre	87,148 %	2716,3761 litre	O
320	CM	145	CM	235 LEVEL CM	18347,7538 litre	86,805 %	2788,8816 litre	O
320	CM	145	CM	234 LEVEL CM	18274,7415 litre	86,460 %	2861,8939 litre	O
320	CM	145	CM	233 LEVEL CM	18201,2317 litre	86,112 %	2935,4037 litre	O
320	CM	145	CM	232 LEVEL CM	18127,2331 litre	85,762 %	3009,4023 litre	O
320	CM	145	CM	231 LEVEL CM	18052,7546 litre	85,410 %	3083,8808 litre	O
320	CM	145	CM	230 LEVEL CM	17977,8045 litre	85,055 %	3158,8309 litre	O
320	CM	145	CM	229 LEVEL CM	17902,3914 litre	84,698 %	3234,2440 litre	O
320	CM	145	CM	228 LEVEL CM	17826,5234 litre	84,339 %	3310,1120 litre	O
320	CM	145	CM	227 LEVEL CM	17750,2086 litre	83,978 %	3386,4268 litre	O
320	CM	145	CM	226 LEVEL CM	17673,4549 litre	83,615 %	3463,1805 litre	O
320	CM	145	CM	225 LEVEL CM	17596,2702 litre	83,250 %	3540,3652 litre	O
320	CM	145	CM	224 LEVEL CM	17518,6621 litre	82,883 %	3617,9733 litre	O
320	CM	145	CM	223 LEVEL CM	17440,6382 litre	82,514 %	3695,9972 litre	O
320	CM	145	CM	222 LEVEL CM	17362,2058 litre	82,143 %	3774,4296 litre	O
320	CM	145	CM	221 LEVEL CM	17283,3724 litre	81,770 %	3853,2630 litre	O
320	CM	145	CM	220 LEVEL CM	17204,1450 litre	81,395 %	3932,4904 litre	O
320	CM	145	CM	219 LEVEL CM	17124,5309 litre	81,018 %	4012,1045 litre	O
320	CM	145	CM	218 LEVEL CM	17044,5370 litre	80,640 %	4092,0984 litre	O
320	CM	145	CM	217 LEVEL CM	16964,1701 litre	80,260 %	4172,4653 litre	O
320	CM	145	CM	216 LEVEL CM	16883,4371 litre	79,878 %	4253,1983 litre	O
320	CM	145	CM	215 LEVEL CM	16802,3447 litre	79,494 %	4334,2907 litre	O
320	CM	145	CM	214 LEVEL CM	16720,8994 litre	79,109 %	4415,7360 litre	O
320	CM	145	CM	213 LEVEL CM	16639,1079 litre	78,722 %	4497,5275 litre	O
320	CM	145	CM	212 LEVEL CM	16556,9766 litre	78,333 %	4579,6588 litre	O
320	CM	145	CM	211 LEVEL CM	16474,5118 litre	77,943 %	4662,1236 litre	O
320	CM	145	CM	210 LEVEL CM	16391,7198 litre	77,551 %	4744,9156 litre	O
320	CM	145	CM	209 LEVEL CM	16308,6069 litre	77,158 %	4828,0285 litre	O
320	CM	145	CM	208 LEVEL CM	16225,1791 litre	76,763 %	4911,4563 litre	O
320	CM	145	CM	207 LEVEL CM	16141,4427 litre	76,367 %	4995,1927 litre	O
320	CM	145	CM	206 LEVEL CM	16057,4035 litre	75,970 %	5079,2319 litre	O
320	CM	145	CM	205 LEVEL CM	15973,0675 litre	75,571 %	5163,5679 litre	O
320	CM	145	CM	204 LEVEL CM	15888,4406 litre	75,170 %	5248,1948 litre	O
320	CM	145	CM	203 LEVEL CM	15803,5286 litre	74,768 %	5333,1068 litre	O
320	CM	145	CM	202 LEVEL CM	15718,3373 litre	74,365 %	5418,2981 litre	O
320	CM	145	CM	201 LEVEL CM	15632,8723 litre	73,961 %	5503,7631 litre	O
320	CM	145	CM	200 LEVEL CM	15547,1394 litre	73,555 %	5589,4960 litre	O
320	CM	145	CM	199 LEVEL CM	15461,1442 litre	73,149 %	5675,4912 litre	O
320	CM	145	CM	198 LEVEL CM	15374,8921 litre	72,740 %	5761,7433 litre	O
320	CM	145	CM	197 LEVEL CM	15288,3887 litre	72,331 %	5848,2467 litre	O
320	CM	145	CM	196 LEVEL CM	15201,6394 litre	71,921 %	5934,9960 litre	O
320	CM	145	CM	195 LEVEL CM	15114,6496 litre	71,509 %	6021,9858 litre	O
320	CM	145	CM	194 LEVEL CM	15027,4247 litre	71,097 %	6109,2107 litre	O
320	CM	145	CM	193 LEVEL CM	14939,9701 litre	70,683 %	6196,6653 litre	O
320	CM	145	CM	192 LEVEL CM	14852,2909 litre	70,268 %	6284,3445 litre	O
320	CM	145	CM	191 LEVEL CM	14764,3924 litre	69,852 %	6372,2430 litre	O
320	CM	145	CM	190 LEVEL CM	14676,2798 litre	69,435 %	6460,3556 litre	O
320	CM	145	CM	189 LEVEL CM	14587,9583 litre	69,017 %	6548,6771 litre	O
320	CM	145	CM	188 LEVEL CM	14499,4329 litre	68,599 %	6637,2025 litre	O
320	CM	145	CM	187 LEVEL CM	14410,7088 litre	68,179 %	6725,9266 litre	O
320	CM	145	CM	186 LEVEL CM	14321,7911 litre	67,758 %	6814,8443 litre	O

320	CM	145	CM	185 LEVEL CM	14232,6846 litre	67,337 %	6903,9508 litre	O
320	CM	145	CM	184 LEVEL CM	14143,3945 litre	66,914 %	6993,2409 litre	O
320	CM	145	CM	183 LEVEL CM	14053,9257 litre	66,491 %	7082,7097 litre	O
320	CM	145	CM	182 LEVEL CM	13964,2830 litre	66,067 %	7172,3524 litre	O
320	CM	145	CM	181 LEVEL CM	13874,4715 litre	65,642 %	7262,1639 litre	O
320	CM	145	CM	180 LEVEL CM	13784,4959 litre	65,216 %	7352,1395 litre	O
320	CM	145	CM	179 LEVEL CM	13694,3611 litre	64,790 %	7442,2743 litre	O
320	CM	145	CM	178 LEVEL CM	13604,0720 litre	64,363 %	7532,5634 litre	O
320	CM	145	CM	177 LEVEL CM	13513,6333 litre	63,935 %	7623,0021 litre	O
320	CM	145	CM	176 LEVEL CM	13423,0497 litre	63,506 %	7713,5857 litre	O
320	CM	145	CM	175 LEVEL CM	13332,3261 litre	63,077 %	7804,3093 litre	O
320	CM	145	CM	174 LEVEL CM	13241,4671 litre	62,647 %	7895,1683 litre	O
320	CM	145	CM	173 LEVEL CM	13150,4775 litre	62,217 %	7986,1579 litre	O
320	CM	145	CM	172 LEVEL CM	13059,3620 litre	61,785 %	8077,2734 litre	O
320	CM	145	CM	171 LEVEL CM	12968,1251 litre	61,354 %	8168,5103 litre	O
320	CM	145	CM	170 LEVEL CM	12876,7716 litre	60,922 %	8259,8638 litre	O
320	CM	145	CM	169 LEVEL CM	12785,3061 litre	60,489 %	8351,3293 litre	O
320	CM	145	CM	168 LEVEL CM	12693,7332 litre	60,056 %	8442,9022 litre	O
320	CM	145	CM	167 LEVEL CM	12602,0574 litre	59,622 %	8534,5780 litre	O
320	CM	145	CM	166 LEVEL CM	12510,2834 litre	59,188 %	8626,3520 litre	O
320	CM	145	CM	165 LEVEL CM	12418,4157 litre	58,753 %	8718,2197 litre	O
320	CM	145	CM	164 LEVEL CM	12326,4589 litre	58,318 %	8810,1765 litre	O
320	CM	145	CM	163 LEVEL CM	12234,4175 litre	57,883 %	8902,2179 litre	O
320	CM	145	CM	162 LEVEL CM	12142,2960 litre	57,447 %	8994,3394 litre	O
320	CM	145	CM	161 LEVEL CM	12050,0990 litre	57,010 %	9086,5364 litre	O
320	CM	145	CM	160 LEVEL CM	11957,8309 litre	56,574 %	9178,8045 litre	O
320	CM	145	CM	159 LEVEL CM	11865,4963 litre	56,137 %	9271,1391 litre	O
320	CM	145	CM	158 LEVEL CM	11773,0995 litre	55,700 %	9363,5359 litre	O
320	CM	145	CM	157 LEVEL CM	11680,6452 litre	55,263 %	9455,9902 litre	O
320	CM	145	CM	156 LEVEL CM	11588,1377 litre	54,825 %	9548,4977 litre	O
320	CM	145	CM	155 LEVEL CM	11495,5815 litre	54,387 %	9641,0539 litre	O
320	CM	145	CM	154 LEVEL CM	11402,9811 litre	53,949 %	9733,6543 litre	O
320	CM	145	CM	153 LEVEL CM	11310,3409 litre	53,511 %	9826,2945 litre	O
320	CM	145	CM	152 LEVEL CM	11217,6653 litre	53,072 %	9918,9701 litre	O
320	CM	145	CM	151 LEVEL CM	11124,9587 litre	52,634 %	10011,6767 litre	O
320	CM	145	CM	150 LEVEL CM	11032,2257 litre	52,195 %	10104,4097 litre	O
320	CM	145	CM	149 LEVEL CM	10939,4706 litre	51,756 %	10197,1648 litre	O
320	CM	145	CM	148 LEVEL CM	10846,6978 litre	51,317 %	10289,9376 litre	O
320	CM	145	CM	147 LEVEL CM	10753,9118 litre	50,878 %	10382,7236 litre	O
320	CM	145	CM	146 LEVEL CM	10661,1170 litre	50,439 %	10475,5184 litre	O
320	CM	145	CM	145 LEVEL CM	10568,3177 litre	50,000 %	10568,3177 litre	O
320	CM	145	CM	144 LEVEL CM	10475,5184 litre	49,561 %	10661,1170 litre	O
320	CM	145	CM	143 LEVEL CM	10382,7236 litre	49,122 %	10753,9118 litre	O
320	CM	145	CM	142 LEVEL CM	10289,9376 litre	48,683 %	10846,6978 litre	O
320	CM	145	CM	141 LEVEL CM	10197,1648 litre	48,244 %	10939,4706 litre	O
320	CM	145	CM	140 LEVEL CM	10104,4097 litre	47,805 %	11032,2257 litre	O
320	CM	145	CM	139 LEVEL CM	10011,6766 litre	47,366 %	11124,9588 litre	O
320	CM	145	CM	138 LEVEL CM	9918,9701 litre	46,928 %	11217,6653 litre	O
320	CM	145	CM	137 LEVEL CM	9826,2945 litre	46,489 %	11310,3409 litre	O
320	CM	145	CM	136 LEVEL CM	9733,6543 litre	46,051 %	11402,9811 litre	O
320	CM	145	CM	135 LEVEL CM	9641,0538 litre	45,613 %	11495,5816 litre	O
320	CM	145	CM	134 LEVEL CM	9548,4977 litre	45,175 %	11588,1377 litre	O
320	CM	145	CM	133 LEVEL CM	9455,9902 litre	44,737 %	11680,6452 litre	O

320	CM	145	CM	132 LEVEL CM	9363,5358 litre	44,300 %	11773,0996 litre	O
320	CM	145	CM	131 LEVEL CM	9271,1391 litre	43,863 %	11865,4963 litre	O
320	CM	145	CM	130 LEVEL CM	9178,8044 litre	43,426 %	11957,8310 litre	O
320	CM	145	CM	129 LEVEL CM	9086,5364 litre	42,990 %	12050,0990 litre	O
320	CM	145	CM	128 LEVEL CM	8994,3393 litre	42,553 %	12142,2961 litre	O
320	CM	145	CM	127 LEVEL CM	8902,2179 litre	42,117 %	12234,4175 litre	O
320	CM	145	CM	126 LEVEL CM	8810,1765 litre	41,682 %	12326,4589 litre	O
320	CM	145	CM	125 LEVEL CM	8718,2197 litre	41,247 %	12418,4157 litre	O
320	CM	145	CM	124 LEVEL CM	8626,3520 litre	40,812 %	12510,2834 litre	O
320	CM	145	CM	123 LEVEL CM	8534,5780 litre	40,378 %	12602,0574 litre	O
320	CM	145	CM	122 LEVEL CM	8442,9022 litre	39,944 %	12693,7332 litre	O
320	CM	145	CM	121 LEVEL CM	8351,3293 litre	39,511 %	12785,3061 litre	O
320	CM	145	CM	120 LEVEL CM	8259,8637 litre	39,078 %	12876,7717 litre	O
320	CM	145	CM	119 LEVEL CM	8168,5102 litre	38,646 %	12968,1252 litre	O
320	CM	145	CM	118 LEVEL CM	8077,2734 litre	38,215 %	13059,3620 litre	O
320	CM	145	CM	117 LEVEL CM	7986,1578 litre	37,783 %	13150,4776 litre	O
320	CM	145	CM	116 LEVEL CM	7895,1682 litre	37,353 %	13241,4672 litre	O
320	CM	145	CM	115 LEVEL CM	7804,3093 litre	36,923 %	13332,3261 litre	O
320	CM	145	CM	114 LEVEL CM	7713,5857 litre	36,494 %	13423,0497 litre	O
320	CM	145	CM	113 LEVEL CM	7623,0021 litre	36,065 %	13513,6333 litre	O
320	CM	145	CM	112 LEVEL CM	7532,5634 litre	35,637 %	13604,0720 litre	O
320	CM	145	CM	111 LEVEL CM	7442,2742 litre	35,210 %	13694,3612 litre	O
320	CM	145	CM	110 LEVEL CM	7352,1395 litre	34,784 %	13784,4959 litre	O
320	CM	145	CM	109 LEVEL CM	7262,1639 litre	34,358 %	13874,4715 litre	O
320	CM	145	CM	108 LEVEL CM	7172,3523 litre	33,933 %	13964,2831 litre	O
320	CM	145	CM	107 LEVEL CM	7082,7097 litre	33,509 %	14053,9257 litre	O
320	CM	145	CM	106 LEVEL CM	6993,2409 litre	33,086 %	14143,3945 litre	O
320	CM	145	CM	105 LEVEL CM	6903,9507 litre	32,663 %	14232,6847 litre	O
320	CM	145	CM	104 LEVEL CM	6814,8443 litre	32,242 %	14321,7911 litre	O
320	CM	145	CM	103 LEVEL CM	6725,9265 litre	31,821 %	14410,7089 litre	O
320	CM	145	CM	102 LEVEL CM	6637,2025 litre	31,401 %	14499,4329 litre	O
320	CM	145	CM	101 LEVEL CM	6548,6771 litre	30,983 %	14587,9583 litre	O
320	CM	145	CM	100 LEVEL CM	6460,3556 litre	30,565 %	14676,2798 litre	O
320	CM	145	CM	99 LEVEL CM	6372,2430 litre	30,148 %	14764,3924 litre	O
320	CM	145	CM	98 LEVEL CM	6284,3445 litre	29,732 %	14852,2909 litre	O
320	CM	145	CM	97 LEVEL CM	6196,6653 litre	29,317 %	14939,9701 litre	O
320	CM	145	CM	96 LEVEL CM	6109,2106 litre	28,903 %	15027,4248 litre	O
320	CM	145	CM	95 LEVEL CM	6021,9858 litre	28,491 %	15114,6496 litre	O
320	CM	145	CM	94 LEVEL CM	5934,9960 litre	28,079 %	15201,6394 litre	O
320	CM	145	CM	93 LEVEL CM	5848,2467 litre	27,669 %	15288,3887 litre	O
320	CM	145	CM	92 LEVEL CM	5761,7433 litre	27,260 %	15374,8921 litre	O
320	CM	145	CM	91 LEVEL CM	5675,4912 litre	26,851 %	15461,1442 litre	O
320	CM	145	CM	90 LEVEL CM	5589,4959 litre	26,445 %	15547,1395 litre	O
320	CM	145	CM	89 LEVEL CM	5503,7630 litre	26,039 %	15632,8724 litre	O
320	CM	145	CM	88 LEVEL CM	5418,2981 litre	25,635 %	15718,3373 litre	O
320	CM	145	CM	87 LEVEL CM	5333,1068 litre	25,232 %	15803,5286 litre	O
320	CM	145	CM	86 LEVEL CM	5248,1948 litre	24,830 %	15888,4406 litre	O
320	CM	145	CM	85 LEVEL CM	5163,5679 litre	24,429 %	15973,0675 litre	O
320	CM	145	CM	84 LEVEL CM	5079,2319 litre	24,030 %	16057,4035 litre	O
320	CM	145	CM	83 LEVEL CM	4995,1927 litre	23,633 %	16141,4427 litre	O
320	CM	145	CM	82 LEVEL CM	4911,4562 litre	23,237 %	16225,1792 litre	O
320	CM	145	CM	81 LEVEL CM	4828,0285 litre	22,842 %	16308,6069 litre	O
320	CM	145	CM	80 LEVEL CM	4744,9156 litre	22,449 %	16391,7198 litre	O

320	CM	145	CM	79 LEVEL CM	4662,1236 litre	22,057 %	16474,5118 litre	O
320	CM	145	CM	78 LEVEL CM	4579,6588 litre	21,667 %	16556,9766 litre	O
320	CM	145	CM	77 LEVEL CM	4497,5274 litre	21,278 %	16639,1080 litre	O
320	CM	145	CM	76 LEVEL CM	4415,7359 litre	20,891 %	16720,8995 litre	O
320	CM	145	CM	75 LEVEL CM	4334,2907 litre	20,506 %	16802,3447 litre	O
320	CM	145	CM	74 LEVEL CM	4253,1983 litre	20,122 %	16883,4371 litre	O
320	CM	145	CM	73 LEVEL CM	4172,4653 litre	19,740 %	16964,1701 litre	O
320	CM	145	CM	72 LEVEL CM	4092,0984 litre	19,360 %	17044,5370 litre	O
320	CM	145	CM	71 LEVEL CM	4012,1045 litre	18,982 %	17124,5309 litre	O
320	CM	145	CM	70 LEVEL CM	3932,4903 litre	18,605 %	17204,1451 litre	O
320	CM	145	CM	69 LEVEL CM	3853,2630 litre	18,230 %	17283,3724 litre	O
320	CM	145	CM	68 LEVEL CM	3774,4295 litre	17,857 %	17362,2059 litre	O
320	CM	145	CM	67 LEVEL CM	3695,9972 litre	17,486 %	17440,6382 litre	O
320	CM	145	CM	66 LEVEL CM	3617,9733 litre	17,117 %	17518,6621 litre	O
320	CM	145	CM	65 LEVEL CM	3540,3652 litre	16,750 %	17596,2702 litre	O
320	CM	145	CM	64 LEVEL CM	3463,1805 litre	16,385 %	17673,4549 litre	O
320	CM	145	CM	63 LEVEL CM	3386,4268 litre	16,022 %	17750,2086 litre	O
320	CM	145	CM	62 LEVEL CM	3310,1120 litre	15,661 %	17826,5234 litre	O
320	CM	145	CM	61 LEVEL CM	3234,2440 litre	15,302 %	17902,3914 litre	O
320	CM	145	CM	60 LEVEL CM	3158,8308 litre	14,945 %	17977,8046 litre	O
320	CM	145	CM	59 LEVEL CM	3083,8808 litre	14,590 %	18052,7546 litre	O
320	CM	145	CM	58 LEVEL CM	3009,4022 litre	14,238 %	18127,2332 litre	O
320	CM	145	CM	57 LEVEL CM	2935,4037 litre	13,888 %	18201,2317 litre	O
320	CM	145	CM	56 LEVEL CM	2861,8938 litre	13,540 %	18274,7416 litre	O
320	CM	145	CM	55 LEVEL CM	2788,8816 litre	13,195 %	18347,7538 litre	O
320	CM	145	CM	54 LEVEL CM	2716,3760 litre	12,852 %	18420,2594 litre	O
320	CM	145	CM	53 LEVEL CM	2644,3864 litre	12,511 %	18492,2490 litre	O
320	CM	145	CM	52 LEVEL CM	2572,9221 litre	12,173 %	18563,7133 litre	O
320	CM	145	CM	51 LEVEL CM	2501,9929 litre	11,837 %	18634,6425 litre	O
320	CM	145	CM	50 LEVEL CM	2431,6086 litre	11,504 %	18705,0268 litre	O
320	CM	145	CM	49 LEVEL CM	2361,7793 litre	11,174 %	18774,8561 litre	O
320	CM	145	CM	48 LEVEL CM	2292,5155 litre	10,846 %	18844,1199 litre	O
320	CM	145	CM	47 LEVEL CM	2223,8276 litre	10,521 %	18912,8078 litre	O
320	CM	145	CM	46 LEVEL CM	2155,7267 litre	10,199 %	18980,9087 litre	O
320	CM	145	CM	45 LEVEL CM	2088,2239 litre	9,880 %	19048,4115 litre	O
320	CM	145	CM	44 LEVEL CM	2021,3306 litre	9,563 %	19115,3048 litre	O
320	CM	145	CM	43 LEVEL CM	1955,0586 litre	9,250 %	19181,5768 litre	O
320	CM	145	CM	42 LEVEL CM	1889,4201 litre	8,939 %	19247,2153 litre	O
320	CM	145	CM	41 LEVEL CM	1824,4276 litre	8,632 %	19312,2078 litre	O
320	CM	145	CM	40 LEVEL CM	1760,0938 litre	8,327 %	19376,5416 litre	O
320	CM	145	CM	39 LEVEL CM	1696,4321 litre	8,026 %	19440,2033 litre	O
320	CM	145	CM	38 LEVEL CM	1633,4560 litre	7,728 %	19503,1794 litre	O
320	CM	145	CM	37 LEVEL CM	1571,1798 litre	7,433 %	19565,4556 litre	O
320	CM	145	CM	36 LEVEL CM	1509,6181 litre	7,142 %	19627,0173 litre	O
320	CM	145	CM	35 LEVEL CM	1448,7859 litre	6,854 %	19687,8495 litre	O
320	CM	145	CM	34 LEVEL CM	1388,6990 litre	6,570 %	19747,9364 litre	O
320	CM	145	CM	33 LEVEL CM	1329,3735 litre	6,289 %	19807,2619 litre	O
320	CM	145	CM	32 LEVEL CM	1270,8265 litre	6,012 %	19865,8089 litre	O
320	CM	145	CM	31 LEVEL CM	1213,0755 litre	5,739 %	19923,5599 litre	O
320	CM	145	CM	30 LEVEL CM	1156,1388 litre	5,470 %	19980,4966 litre	O
320	CM	145	CM	29 LEVEL CM	1100,0355 litre	5,204 %	20036,5999 litre	O
320	CM	145	CM	28 LEVEL CM	1044,7856 litre	4,943 %	20091,8498 litre	O
320	CM	145	CM	27 LEVEL CM	990,4100 litre	4,686 %	20146,2254 litre	O

320	CM	145	CM	26 LEVEL CM	936,9308 litre	4,433 %	20199,7046 litre	O
320	CM	145	CM	25 LEVEL CM	884,3709 litre	4,184 %	20252,2645 litre	O
320	CM	145	CM	24 LEVEL CM	832,7546 litre	3,940 %	20303,8808 litre	O
320	CM	145	CM	23 LEVEL CM	782,1077 litre	3,700 %	20354,5277 litre	O
320	CM	145	CM	22 LEVEL CM	732,4573 litre	3,465 %	20404,1781 litre	O
320	CM	145	CM	21 LEVEL CM	683,8323 litre	3,235 %	20452,8031 litre	O
320	CM	145	CM	20 LEVEL CM	636,2633 litre	3,010 %	20500,3721 litre	O
320	CM	145	CM	19 LEVEL CM	589,7832 litre	2,790 %	20546,8522 litre	O
320	CM	145	CM	18 LEVEL CM	544,4271 litre	2,576 %	20592,2083 litre	O
320	CM	145	CM	17 LEVEL CM	500,2329 litre	2,367 %	20636,4025 litre	O
320	CM	145	CM	16 LEVEL CM	457,2415 litre	2,163 %	20679,3939 litre	O
320	CM	145	CM	15 LEVEL CM	415,4973 litre	1,966 %	20721,1381 litre	O
320	CM	145	CM	14 LEVEL CM	375,0489 litre	1,774 %	20761,5865 litre	O
320	CM	145	CM	13 LEVEL CM	335,9498 litre	1,589 %	20800,6856 litre	O
320	CM	145	CM	12 LEVEL CM	298,2590 litre	1,411 %	20838,3764 litre	O
320	CM	145	CM	11 LEVEL CM	262,0427 litre	1,240 %	20874,5927 litre	O
320	CM	145	CM	10 LEVEL CM	227,3753 litre	1,076 %	20909,2601 litre	O
320	CM	145	CM	9 LEVEL CM	194,3418 litre	0,919 %	20942,2936 litre	O
320	CM	145	CM	8 LEVEL CM	163,0405 litre	0,771 %	20973,5949 litre	O
320	CM	145	CM	7 LEVEL CM	133,5871 litre	0,632 %	21003,0483 litre	O
320	CM	145	CM	6 LEVEL CM	106,1208 litre	0,502 %	21030,5146 litre	O
320	CM	145	CM	5 LEVEL CM	80,8134 litre	0,382 %	21055,8220 litre	O
320	CM	145	CM	4 LEVEL CM	57,8859 litre	0,274 %	21078,7495 litre	O
320	CM	145	CM	3 LEVEL CM	37,6372 litre	0,178 %	21098,9982 litre	O
320	CM	145	CM	2 LEVEL CM	20,5084 litre	0,097 %	21116,1270 litre	O
320	CM	145	CM	1 LEVEL CM	7,2584 litre	0,034 %	21129,3770 litre	O
320	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	21136,6354 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM 140	CM 280 LEVEL CM	19704,0691 litre	100,000 %	0,0000 litre	O
320	CM 140	CM 279 LEVEL CM	19696,9373 litre	99,964 %	7,1318 litre	O
320	CM 140	CM 278 LEVEL CM	19683,9189 litre	99,898 %	20,1502 litre	O
320	CM 140	CM 277 LEVEL CM	19667,0907 litre	99,812 %	36,9784 litre	O
320	CM 140	CM 276 LEVEL CM	19647,1985 litre	99,711 %	56,8706 litre	O
320	CM 140	CM 275 LEVEL CM	19624,6761 litre	99,597 %	79,3930 litre	O
320	CM 140	CM 274 LEVEL CM	19599,8175 litre	99,471 %	104,2516 litre	O
320	CM 140	CM 273 LEVEL CM	19572,8399 litre	99,334 %	131,2292 litre	O
320	CM 140	CM 272 LEVEL CM	19543,9125 litre	99,187 %	160,1566 litre	O
320	CM 140	CM 271 LEVEL CM	19513,1723 litre	99,031 %	190,8968 litre	O
320	CM 140	CM 270 LEVEL CM	19480,7330 litre	98,867 %	223,3361 litre	O
320	CM 140	CM 269 LEVEL CM	19446,6914 litre	98,694 %	257,3777 litre	O
320	CM 140	CM 268 LEVEL CM	19411,1312 litre	98,513 %	292,9379 litre	O
320	CM 140	CM 267 LEVEL CM	19374,1258 litre	98,326 %	329,9433 litre	O
320	CM 140	CM 266 LEVEL CM	19335,7402 litre	98,131 %	368,3289 litre	O
320	CM 140	CM 265 LEVEL CM	19296,0328 litre	97,929 %	408,0363 litre	O
320	CM 140	CM 264 LEVEL CM	19255,0560 litre	97,721 %	449,0131 litre	O
320	CM 140	CM 263 LEVEL CM	19212,8578 litre	97,507 %	491,2113 litre	O
320	CM 140	CM 262 LEVEL CM	19169,4821 litre	97,287 %	534,5870 litre	O
320	CM 140	CM 261 LEVEL CM	19124,9691 litre	97,061 %	579,1000 litre	O
320	CM 140	CM 260 LEVEL CM	19079,3563 litre	96,830 %	624,7128 litre	O
320	CM 140	CM 259 LEVEL CM	19032,6782 litre	96,593 %	671,3909 litre	O
320	CM 140	CM 258 LEVEL CM	18984,9672 litre	96,350 %	719,1019 litre	O
320	CM 140	CM 257 LEVEL CM	18936,2538 litre	96,103 %	767,8153 litre	O
320	CM 140	CM 256 LEVEL CM	18886,5662 litre	95,851 %	817,5029 litre	O
320	CM 140	CM 255 LEVEL CM	18835,9313 litre	95,594 %	868,1378 litre	O
320	CM 140	CM 254 LEVEL CM	18784,3746 litre	95,332 %	919,6945 litre	O
320	CM 140	CM 253 LEVEL CM	18731,9199 litre	95,066 %	972,1492 litre	O
320	CM 140	CM 252 LEVEL CM	18678,5902 litre	94,796 %	1025,4789 litre	O
320	CM 140	CM 251 LEVEL CM	18624,4070 litre	94,521 %	1079,6621 litre	O
320	CM 140	CM 250 LEVEL CM	18569,3911 litre	94,241 %	1134,6780 litre	O
320	CM 140	CM 249 LEVEL CM	18513,5622 litre	93,958 %	1190,5069 litre	O
320	CM 140	CM 248 LEVEL CM	18456,9392 litre	93,671 %	1247,1299 litre	O
320	CM 140	CM 247 LEVEL CM	18399,5403 litre	93,379 %	1304,5288 litre	O
320	CM 140	CM 246 LEVEL CM	18341,3828 litre	93,084 %	1362,6863 litre	O
320	CM 140	CM 245 LEVEL CM	18282,4835 litre	92,785 %	1421,5856 litre	O
320	CM 140	CM 244 LEVEL CM	18222,8584 litre	92,483 %	1481,2107 litre	O
320	CM 140	CM 243 LEVEL CM	18162,5231 litre	92,177 %	1541,5460 litre	O
320	CM 140	CM 242 LEVEL CM	18101,4926 litre	91,867 %	1602,5765 litre	O
320	CM 140	CM 241 LEVEL CM	18039,7813 litre	91,554 %	1664,2878 litre	O
320	CM 140	CM 240 LEVEL CM	17977,4032 litre	91,237 %	1726,6659 litre	O
320	CM 140	CM 239 LEVEL CM	17914,3718 litre	90,917 %	1789,6973 litre	O
320	CM 140	CM 238 LEVEL CM	17850,7004 litre	90,594 %	1853,3687 litre	O
320	CM 140	CM 237 LEVEL CM	17786,4016 litre	90,268 %	1917,6675 litre	O
320	CM 140	CM 236 LEVEL CM	17721,4878 litre	89,938 %	1982,5813 litre	O
320	CM 140	CM 235 LEVEL CM	17655,9711 litre	89,606 %	2048,0980 litre	O
320	CM 140	CM 234 LEVEL CM	17589,8631 litre	89,270 %	2114,2060 litre	O
320	CM 140	CM 233 LEVEL CM	17523,1752 litre	88,932 %	2180,8939 litre	O
320	CM 140	CM 232 LEVEL CM	17455,9186 litre	88,590 %	2248,1505 litre	O
320	CM 140	CM 231 LEVEL CM	17388,1039 litre	88,246 %	2315,9652 litre	O
320	CM 140	CM 230 LEVEL CM	17319,7418 litre	87,899 %	2384,3273 litre	O
320	CM 140	CM 229 LEVEL CM	17250,8426 litre	87,550 %	2453,2265 litre	O

320	CM	140	CM	228 LEVEL CM	17181,4163 litre	87,197 %	2522,6528 litre	O
320	CM	140	CM	227 LEVEL CM	17111,4727 litre	86,842 %	2592,5964 litre	O
320	CM	140	CM	226 LEVEL CM	17041,0215 litre	86,485 %	2663,0476 litre	O
320	CM	140	CM	225 LEVEL CM	16970,0720 litre	86,125 %	2733,9971 litre	O
320	CM	140	CM	224 LEVEL CM	16898,6335 litre	85,762 %	2805,4356 litre	O
320	CM	140	CM	223 LEVEL CM	16826,7150 litre	85,397 %	2877,3541 litre	O
320	CM	140	CM	222 LEVEL CM	16754,3253 litre	85,030 %	2949,7438 litre	O
320	CM	140	CM	221 LEVEL CM	16681,4731 litre	84,660 %	3022,5960 litre	O
320	CM	140	CM	220 LEVEL CM	16608,1669 litre	84,288 %	3095,9022 litre	O
320	CM	140	CM	219 LEVEL CM	16534,4151 litre	83,914 %	3169,6540 litre	O
320	CM	140	CM	218 LEVEL CM	16460,2258 litre	83,537 %	3243,8433 litre	O
320	CM	140	CM	217 LEVEL CM	16385,6071 litre	83,158 %	3318,4620 litre	O
320	CM	140	CM	216 LEVEL CM	16310,5669 litre	82,778 %	3393,5022 litre	O
320	CM	140	CM	215 LEVEL CM	16235,1130 litre	82,395 %	3468,9561 litre	O
320	CM	140	CM	214 LEVEL CM	16159,2530 litre	82,010 %	3544,8161 litre	O
320	CM	140	CM	213 LEVEL CM	16082,9946 litre	81,623 %	3621,0745 litre	O
320	CM	140	CM	212 LEVEL CM	16006,3450 litre	81,234 %	3697,7241 litre	O
320	CM	140	CM	211 LEVEL CM	15929,3117 litre	80,843 %	3774,7574 litre	O
320	CM	140	CM	210 LEVEL CM	15851,9017 litre	80,450 %	3852,1674 litre	O
320	CM	140	CM	209 LEVEL CM	15774,1223 litre	80,055 %	3929,9468 litre	O
320	CM	140	CM	208 LEVEL CM	15695,9803 litre	79,659 %	4008,0888 litre	O
320	CM	140	CM	207 LEVEL CM	15617,4827 litre	79,260 %	4086,5864 litre	O
320	CM	140	CM	206 LEVEL CM	15538,6362 litre	78,860 %	4165,4329 litre	O
320	CM	140	CM	205 LEVEL CM	15459,4477 litre	78,458 %	4244,6214 litre	O
320	CM	140	CM	204 LEVEL CM	15379,9236 litre	78,055 %	4324,1455 litre	O
320	CM	140	CM	203 LEVEL CM	15300,0706 litre	77,649 %	4403,9985 litre	O
320	CM	140	CM	202 LEVEL CM	15219,8950 litre	77,242 %	4484,1741 litre	O
320	CM	140	CM	201 LEVEL CM	15139,4034 litre	76,834 %	4564,6657 litre	O
320	CM	140	CM	200 LEVEL CM	15058,6019 litre	76,424 %	4645,4672 litre	O
320	CM	140	CM	199 LEVEL CM	14977,4968 litre	76,012 %	4726,5723 litre	O
320	CM	140	CM	198 LEVEL CM	14896,0943 litre	75,599 %	4807,9748 litre	O
320	CM	140	CM	197 LEVEL CM	14814,4005 litre	75,184 %	4889,6686 litre	O
320	CM	140	CM	196 LEVEL CM	14732,4214 litre	74,768 %	4971,6477 litre	O
320	CM	140	CM	195 LEVEL CM	14650,1630 litre	74,351 %	5053,9061 litre	O
320	CM	140	CM	194 LEVEL CM	14567,6311 litre	73,932 %	5136,4380 litre	O
320	CM	140	CM	193 LEVEL CM	14484,8317 litre	73,512 %	5219,2374 litre	O
320	CM	140	CM	192 LEVEL CM	14401,7705 litre	73,090 %	5302,2986 litre	O
320	CM	140	CM	191 LEVEL CM	14318,4533 litre	72,667 %	5385,6158 litre	O
320	CM	140	CM	190 LEVEL CM	14234,8857 litre	72,243 %	5469,1834 litre	O
320	CM	140	CM	189 LEVEL CM	14151,0735 litre	71,818 %	5552,9956 litre	O
320	CM	140	CM	188 LEVEL CM	14067,0221 litre	71,391 %	5637,0470 litre	O
320	CM	140	CM	187 LEVEL CM	13982,7371 litre	70,964 %	5721,3320 litre	O
320	CM	140	CM	186 LEVEL CM	13898,2240 litre	70,535 %	5805,8451 litre	O
320	CM	140	CM	185 LEVEL CM	13813,4882 litre	70,105 %	5890,5809 litre	O
320	CM	140	CM	184 LEVEL CM	13728,5352 litre	69,674 %	5975,5339 litre	O
320	CM	140	CM	183 LEVEL CM	13643,3703 litre	69,241 %	6060,6988 litre	O
320	CM	140	CM	182 LEVEL CM	13557,9989 litre	68,808 %	6146,0702 litre	O
320	CM	140	CM	181 LEVEL CM	13472,4262 litre	68,374 %	6231,6429 litre	O
320	CM	140	CM	180 LEVEL CM	13386,6574 litre	67,939 %	6317,4117 litre	O
320	CM	140	CM	179 LEVEL CM	13300,6979 litre	67,502 %	6403,3712 litre	O
320	CM	140	CM	178 LEVEL CM	13214,5527 litre	67,065 %	6489,5164 litre	O
320	CM	140	CM	177 LEVEL CM	13128,2270 litre	66,627 %	6575,8421 litre	O
320	CM	140	CM	176 LEVEL CM	13041,7260 litre	66,188 %	6662,3431 litre	O

320	CM	140	CM	175 LEVEL CM	12955,0546 litre	65,748 %	6749,0145 litre	O
320	CM	140	CM	174 LEVEL CM	12868,2180 litre	65,307 %	6835,8511 litre	O
320	CM	140	CM	173 LEVEL CM	12781,2211 litre	64,866 %	6922,8480 litre	O
320	CM	140	CM	172 LEVEL CM	12694,0691 litre	64,424 %	7010,0000 litre	O
320	CM	140	CM	171 LEVEL CM	12606,7667 litre	63,981 %	7097,3024 litre	O
320	CM	140	CM	170 LEVEL CM	12519,3191 litre	63,537 %	7184,7500 litre	O
320	CM	140	CM	169 LEVEL CM	12431,7310 litre	63,092 %	7272,3381 litre	O
320	CM	140	CM	168 LEVEL CM	12344,0074 litre	62,647 %	7360,0617 litre	O
320	CM	140	CM	167 LEVEL CM	12256,1532 litre	62,201 %	7447,9159 litre	O
320	CM	140	CM	166 LEVEL CM	12168,1732 litre	61,755 %	7535,8959 litre	O
320	CM	140	CM	165 LEVEL CM	12080,0722 litre	61,308 %	7623,9969 litre	O
320	CM	140	CM	164 LEVEL CM	11991,8551 litre	60,860 %	7712,2140 litre	O
320	CM	140	CM	163 LEVEL CM	11903,5266 litre	60,412 %	7800,5425 litre	O
320	CM	140	CM	162 LEVEL CM	11815,0915 litre	59,963 %	7888,9776 litre	O
320	CM	140	CM	161 LEVEL CM	11726,5546 litre	59,513 %	7977,5145 litre	O
320	CM	140	CM	160 LEVEL CM	11637,9205 litre	59,064 %	8066,1486 litre	O
320	CM	140	CM	159 LEVEL CM	11549,1941 litre	58,613 %	8154,8750 litre	O
320	CM	140	CM	158 LEVEL CM	11460,3800 litre	58,163 %	8243,6891 litre	O
320	CM	140	CM	157 LEVEL CM	11371,4830 litre	57,711 %	8332,5861 litre	O
320	CM	140	CM	156 LEVEL CM	11282,5077 litre	57,260 %	8421,5614 litre	O
320	CM	140	CM	155 LEVEL CM	11193,4587 litre	56,808 %	8510,6104 litre	O
320	CM	140	CM	154 LEVEL CM	11104,3407 litre	56,356 %	8599,7284 litre	O
320	CM	140	CM	153 LEVEL CM	11015,1585 litre	55,903 %	8688,9106 litre	O
320	CM	140	CM	152 LEVEL CM	10925,9165 litre	55,450 %	8778,1526 litre	O
320	CM	140	CM	151 LEVEL CM	10836,6195 litre	54,997 %	8867,4496 litre	O
320	CM	140	CM	150 LEVEL CM	10747,2721 litre	54,543 %	8956,7970 litre	O
320	CM	140	CM	149 LEVEL CM	10657,8788 litre	54,090 %	9046,1903 litre	O
320	CM	140	CM	148 LEVEL CM	10568,4443 litre	53,636 %	9135,6248 litre	O
320	CM	140	CM	147 LEVEL CM	10478,9731 litre	53,182 %	9225,0960 litre	O
320	CM	140	CM	146 LEVEL CM	10389,4699 litre	52,728 %	9314,5992 litre	O
320	CM	140	CM	145 LEVEL CM	10299,9393 litre	52,273 %	9404,1298 litre	O
320	CM	140	CM	144 LEVEL CM	10210,3858 litre	51,819 %	9493,6833 litre	O
320	CM	140	CM	143 LEVEL CM	10120,8140 litre	51,364 %	9583,2551 litre	O
320	CM	140	CM	142 LEVEL CM	10031,2285 litre	50,909 %	9672,8406 litre	O
320	CM	140	CM	141 LEVEL CM	9941,6338 litre	50,455 %	9762,4353 litre	O
320	CM	140	CM	140 LEVEL CM	9852,0346 litre	50,000 %	9852,0345 litre	O
320	CM	140	CM	139 LEVEL CM	9762,4353 litre	49,545 %	9941,6338 litre	O
320	CM	140	CM	138 LEVEL CM	9672,8407 litre	49,091 %	10031,2284 litre	O
320	CM	140	CM	137 LEVEL CM	9583,2551 litre	48,636 %	10120,8140 litre	O
320	CM	140	CM	136 LEVEL CM	9493,6833 litre	48,181 %	10210,3858 litre	O
320	CM	140	CM	135 LEVEL CM	9404,1298 litre	47,727 %	10299,9393 litre	O
320	CM	140	CM	134 LEVEL CM	9314,5992 litre	47,272 %	10389,4699 litre	O
320	CM	140	CM	133 LEVEL CM	9225,0960 litre	46,818 %	10478,9731 litre	O
320	CM	140	CM	132 LEVEL CM	9135,6248 litre	46,364 %	10568,4443 litre	O
320	CM	140	CM	131 LEVEL CM	9046,1903 litre	45,910 %	10657,8788 litre	O
320	CM	140	CM	130 LEVEL CM	8956,7971 litre	45,457 %	10747,2720 litre	O
320	CM	140	CM	129 LEVEL CM	8867,4496 litre	45,003 %	10836,6195 litre	O
320	CM	140	CM	128 LEVEL CM	8778,1526 litre	44,550 %	10925,9165 litre	O
320	CM	140	CM	127 LEVEL CM	8688,9106 litre	44,097 %	11015,1585 litre	O
320	CM	140	CM	126 LEVEL CM	8599,7284 litre	43,644 %	11104,3407 litre	O
320	CM	140	CM	125 LEVEL CM	8510,6104 litre	43,192 %	11193,4587 litre	O
320	CM	140	CM	124 LEVEL CM	8421,5615 litre	42,740 %	11282,5076 litre	O
320	CM	140	CM	123 LEVEL CM	8332,5861 litre	42,289 %	11371,4830 litre	O

320	CM	140	CM	122 LEVEL CM	8243,6891 litre	41,837 %	11460,3800 litre	O
320	CM	140	CM	121 LEVEL CM	8154,8750 litre	41,387 %	11549,1941 litre	O
320	CM	140	CM	120 LEVEL CM	8066,1486 litre	40,936 %	11637,9205 litre	O
320	CM	140	CM	119 LEVEL CM	7977,5146 litre	40,487 %	11726,5545 litre	O
320	CM	140	CM	118 LEVEL CM	7888,9776 litre	40,037 %	11815,0915 litre	O
320	CM	140	CM	117 LEVEL CM	7800,5426 litre	39,588 %	11903,5265 litre	O
320	CM	140	CM	116 LEVEL CM	7712,2141 litre	39,140 %	11991,8550 litre	O
320	CM	140	CM	115 LEVEL CM	7623,9969 litre	38,692 %	12080,0722 litre	O
320	CM	140	CM	114 LEVEL CM	7535,8959 litre	38,245 %	12168,1732 litre	O
320	CM	140	CM	113 LEVEL CM	7447,9159 litre	37,799 %	12256,1532 litre	O
320	CM	140	CM	112 LEVEL CM	7360,0617 litre	37,353 %	12344,0074 litre	O
320	CM	140	CM	111 LEVEL CM	7272,3381 litre	36,908 %	12431,7310 litre	O
320	CM	140	CM	110 LEVEL CM	7184,7501 litre	36,463 %	12519,3190 litre	O
320	CM	140	CM	109 LEVEL CM	7097,3024 litre	36,019 %	12606,7667 litre	O
320	CM	140	CM	108 LEVEL CM	7010,0001 litre	35,576 %	12694,0690 litre	O
320	CM	140	CM	107 LEVEL CM	6922,8480 litre	35,134 %	12781,2211 litre	O
320	CM	140	CM	106 LEVEL CM	6835,8511 litre	34,693 %	12868,2180 litre	O
320	CM	140	CM	105 LEVEL CM	6749,0145 litre	34,252 %	12955,0546 litre	O
320	CM	140	CM	104 LEVEL CM	6662,3432 litre	33,812 %	13041,7259 litre	O
320	CM	140	CM	103 LEVEL CM	6575,8421 litre	33,373 %	13128,2270 litre	O
320	CM	140	CM	102 LEVEL CM	6489,5164 litre	32,935 %	13214,5527 litre	O
320	CM	140	CM	101 LEVEL CM	6403,3712 litre	32,498 %	13300,6979 litre	O
320	CM	140	CM	100 LEVEL CM	6317,4117 litre	32,061 %	13386,6574 litre	O
320	CM	140	CM	99 LEVEL CM	6231,6429 litre	31,626 %	13472,4262 litre	O
320	CM	140	CM	98 LEVEL CM	6146,0702 litre	31,192 %	13557,9989 litre	O
320	CM	140	CM	97 LEVEL CM	6060,6988 litre	30,759 %	13643,3703 litre	O
320	CM	140	CM	96 LEVEL CM	5975,5339 litre	30,326 %	13728,5352 litre	O
320	CM	140	CM	95 LEVEL CM	5890,5809 litre	29,895 %	13813,4882 litre	O
320	CM	140	CM	94 LEVEL CM	5805,8452 litre	29,465 %	13898,2239 litre	O
320	CM	140	CM	93 LEVEL CM	5721,3321 litre	29,036 %	13982,7370 litre	O
320	CM	140	CM	92 LEVEL CM	5637,0471 litre	28,609 %	14067,0220 litre	O
320	CM	140	CM	91 LEVEL CM	5552,9957 litre	28,182 %	14151,0734 litre	O
320	CM	140	CM	90 LEVEL CM	5469,1834 litre	27,757 %	14234,8857 litre	O
320	CM	140	CM	89 LEVEL CM	5385,6158 litre	27,333 %	14318,4533 litre	O
320	CM	140	CM	88 LEVEL CM	5302,2986 litre	26,910 %	14401,7705 litre	O
320	CM	140	CM	87 LEVEL CM	5219,2374 litre	26,488 %	14484,8317 litre	O
320	CM	140	CM	86 LEVEL CM	5136,4380 litre	26,068 %	14567,6311 litre	O
320	CM	140	CM	85 LEVEL CM	5053,9062 litre	25,649 %	14650,1629 litre	O
320	CM	140	CM	84 LEVEL CM	4971,6477 litre	25,232 %	14732,4214 litre	O
320	CM	140	CM	83 LEVEL CM	4889,6686 litre	24,816 %	14814,4005 litre	O
320	CM	140	CM	82 LEVEL CM	4807,9748 litre	24,401 %	14896,0943 litre	O
320	CM	140	CM	81 LEVEL CM	4726,5723 litre	23,988 %	14977,4968 litre	O
320	CM	140	CM	80 LEVEL CM	4645,4673 litre	23,576 %	15058,6018 litre	O
320	CM	140	CM	79 LEVEL CM	4564,6658 litre	23,166 %	15139,4033 litre	O
320	CM	140	CM	78 LEVEL CM	4484,1741 litre	22,758 %	15219,8950 litre	O
320	CM	140	CM	77 LEVEL CM	4403,9986 litre	22,351 %	15300,0705 litre	O
320	CM	140	CM	76 LEVEL CM	4324,1455 litre	21,945 %	15379,9236 litre	O
320	CM	140	CM	75 LEVEL CM	4244,6215 litre	21,542 %	15459,4476 litre	O
320	CM	140	CM	74 LEVEL CM	4165,4329 litre	21,140 %	15538,6362 litre	O
320	CM	140	CM	73 LEVEL CM	4086,5864 litre	20,740 %	15617,4827 litre	O
320	CM	140	CM	72 LEVEL CM	4008,0888 litre	20,341 %	15695,9803 litre	O
320	CM	140	CM	71 LEVEL CM	3929,9468 litre	19,945 %	15774,1223 litre	O
320	CM	140	CM	70 LEVEL CM	3852,1674 litre	19,550 %	15851,9017 litre	O

320	CM	140	CM	69 LEVEL CM	3774,7574 litre	19,157 %	15929,3117 litre	O
320	CM	140	CM	68 LEVEL CM	3697,7241 litre	18,766 %	16006,3450 litre	O
320	CM	140	CM	67 LEVEL CM	3621,0745 litre	18,377 %	16082,9946 litre	O
320	CM	140	CM	66 LEVEL CM	3544,8161 litre	17,990 %	16159,2530 litre	O
320	CM	140	CM	65 LEVEL CM	3468,9561 litre	17,605 %	16235,1130 litre	O
320	CM	140	CM	64 LEVEL CM	3393,5023 litre	17,222 %	16310,5668 litre	O
320	CM	140	CM	63 LEVEL CM	3318,4621 litre	16,842 %	16385,6070 litre	O
320	CM	140	CM	62 LEVEL CM	3243,8434 litre	16,463 %	16460,2257 litre	O
320	CM	140	CM	61 LEVEL CM	3169,6541 litre	16,086 %	16534,4150 litre	O
320	CM	140	CM	60 LEVEL CM	3095,9022 litre	15,712 %	16608,1669 litre	O
320	CM	140	CM	59 LEVEL CM	3022,5960 litre	15,340 %	16681,4731 litre	O
320	CM	140	CM	58 LEVEL CM	2949,7438 litre	14,970 %	16754,3253 litre	O
320	CM	140	CM	57 LEVEL CM	2877,3541 litre	14,603 %	16826,7150 litre	O
320	CM	140	CM	56 LEVEL CM	2805,4356 litre	14,238 %	16898,6335 litre	O
320	CM	140	CM	55 LEVEL CM	2733,9971 litre	13,875 %	16970,0720 litre	O
320	CM	140	CM	54 LEVEL CM	2663,0476 litre	13,515 %	17041,0215 litre	O
320	CM	140	CM	53 LEVEL CM	2592,5964 litre	13,158 %	17111,4727 litre	O
320	CM	140	CM	52 LEVEL CM	2522,6528 litre	12,803 %	17181,4163 litre	O
320	CM	140	CM	51 LEVEL CM	2453,2265 litre	12,450 %	17250,8426 litre	O
320	CM	140	CM	50 LEVEL CM	2384,3273 litre	12,101 %	17319,7418 litre	O
320	CM	140	CM	49 LEVEL CM	2315,9652 litre	11,754 %	17388,1039 litre	O
320	CM	140	CM	48 LEVEL CM	2248,1505 litre	11,410 %	17455,9186 litre	O
320	CM	140	CM	47 LEVEL CM	2180,8939 litre	11,068 %	17523,1752 litre	O
320	CM	140	CM	46 LEVEL CM	2114,2060 litre	10,730 %	17589,8631 litre	O
320	CM	140	CM	45 LEVEL CM	2048,0980 litre	10,394 %	17655,9711 litre	O
320	CM	140	CM	44 LEVEL CM	1982,5813 litre	10,062 %	17721,4878 litre	O
320	CM	140	CM	43 LEVEL CM	1917,6675 litre	9,732 %	17786,4016 litre	O
320	CM	140	CM	42 LEVEL CM	1853,3687 litre	9,406 %	17850,7004 litre	O
320	CM	140	CM	41 LEVEL CM	1789,6973 litre	9,083 %	17914,3718 litre	O
320	CM	140	CM	40 LEVEL CM	1726,6660 litre	8,763 %	17977,4031 litre	O
320	CM	140	CM	39 LEVEL CM	1664,2879 litre	8,446 %	18039,7812 litre	O
320	CM	140	CM	38 LEVEL CM	1602,5766 litre	8,133 %	18101,4925 litre	O
320	CM	140	CM	37 LEVEL CM	1541,5460 litre	7,823 %	18162,5231 litre	O
320	CM	140	CM	36 LEVEL CM	1481,2107 litre	7,517 %	18222,8584 litre	O
320	CM	140	CM	35 LEVEL CM	1421,5857 litre	7,215 %	18282,4834 litre	O
320	CM	140	CM	34 LEVEL CM	1362,6863 litre	6,916 %	18341,3828 litre	O
320	CM	140	CM	33 LEVEL CM	1304,5288 litre	6,621 %	18399,5403 litre	O
320	CM	140	CM	32 LEVEL CM	1247,1299 litre	6,329 %	18456,9392 litre	O
320	CM	140	CM	31 LEVEL CM	1190,5069 litre	6,042 %	18513,5622 litre	O
320	CM	140	CM	30 LEVEL CM	1134,6781 litre	5,759 %	18569,3910 litre	O
320	CM	140	CM	29 LEVEL CM	1079,6621 litre	5,479 %	18624,4070 litre	O
320	CM	140	CM	28 LEVEL CM	1025,4790 litre	5,204 %	18678,5901 litre	O
320	CM	140	CM	27 LEVEL CM	972,1492 litre	4,934 %	18731,9199 litre	O
320	CM	140	CM	26 LEVEL CM	919,6945 litre	4,668 %	18784,3746 litre	O
320	CM	140	CM	25 LEVEL CM	868,1378 litre	4,406 %	18835,9313 litre	O
320	CM	140	CM	24 LEVEL CM	817,5029 litre	4,149 %	18886,5662 litre	O
320	CM	140	CM	23 LEVEL CM	767,8154 litre	3,897 %	18936,2537 litre	O
320	CM	140	CM	22 LEVEL CM	719,1019 litre	3,650 %	18984,9672 litre	O
320	CM	140	CM	21 LEVEL CM	671,3909 litre	3,407 %	19032,6782 litre	O
320	CM	140	CM	20 LEVEL CM	624,7128 litre	3,170 %	19079,3563 litre	O
320	CM	140	CM	19 LEVEL CM	579,1000 litre	2,939 %	19124,9691 litre	O
320	CM	140	CM	18 LEVEL CM	534,5870 litre	2,713 %	19169,4821 litre	O
320	CM	140	CM	17 LEVEL CM	491,2113 litre	2,493 %	19212,8578 litre	O

320	CM	140	CM	16 LEVEL CM	449,0131 litre	2,279 %	19255,0560 litre	O
320	CM	140	CM	15 LEVEL CM	408,0364 litre	2,071 %	19296,0327 litre	O
320	CM	140	CM	14 LEVEL CM	368,3289 litre	1,869 %	19335,7402 litre	O
320	CM	140	CM	13 LEVEL CM	329,9433 litre	1,674 %	19374,1258 litre	O
320	CM	140	CM	12 LEVEL CM	292,9379 litre	1,487 %	19411,1312 litre	O
320	CM	140	CM	11 LEVEL CM	257,3777 litre	1,306 %	19446,6914 litre	O
320	CM	140	CM	10 LEVEL CM	223,3362 litre	1,133 %	19480,7329 litre	O
320	CM	140	CM	9 LEVEL CM	190,8968 litre	0,969 %	19513,1723 litre	O
320	CM	140	CM	8 LEVEL CM	160,1566 litre	0,813 %	19543,9125 litre	O
320	CM	140	CM	7 LEVEL CM	131,2292 litre	0,666 %	19572,8399 litre	O
320	CM	140	CM	6 LEVEL CM	104,2516 litre	0,529 %	19599,8175 litre	O
320	CM	140	CM	5 LEVEL CM	79,3930 litre	0,403 %	19624,6761 litre	O
320	CM	140	CM	4 LEVEL CM	56,8706 litre	0,289 %	19647,1985 litre	O
320	CM	140	CM	3 LEVEL CM	36,9785 litre	0,188 %	19667,0906 litre	O
320	CM	140	CM	2 LEVEL CM	20,1502 litre	0,102 %	19683,9189 litre	O
320	CM	140	CM	1 LEVEL CM	7,1318 litre	0,036 %	19696,9373 litre	O
320	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	19704,0691 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	135	CM 270 LEVEL CM	18321,7684 litre	100,000 %	0,0000 litre	O
320	CM	135	CM 269 LEVEL CM	18314,7653 litre	99,962 %	7,0031 litre	O
320	CM	135	CM 268 LEVEL CM	18301,9828 litre	99,892 %	19,7856 litre	O
320	CM	135	CM 267 LEVEL CM	18285,4606 litre	99,802 %	36,3078 litre	O
320	CM	135	CM 266 LEVEL CM	18265,9315 litre	99,695 %	55,8369 litre	O
320	CM	135	CM 265 LEVEL CM	18243,8216 litre	99,575 %	77,9468 litre	O
320	CM	135	CM 264 LEVEL CM	18219,4200 litre	99,441 %	102,3484 litre	O
320	CM	135	CM 263 LEVEL CM	18192,9402 litre	99,297 %	128,8282 litre	O
320	CM	135	CM 262 LEVEL CM	18164,5486 litre	99,142 %	157,2198 litre	O
320	CM	135	CM 261 LEVEL CM	18134,3798 litre	98,977 %	187,3886 litre	O
320	CM	135	CM 260 LEVEL CM	18102,5457 litre	98,803 %	219,2227 litre	O
320	CM	135	CM 259 LEVEL CM	18069,1417 litre	98,621 %	252,6267 litre	O
320	CM	135	CM 258 LEVEL CM	18034,2500 litre	98,431 %	287,5184 litre	O
320	CM	135	CM 257 LEVEL CM	17997,9429 litre	98,233 %	323,8255 litre	O
320	CM	135	CM 256 LEVEL CM	17960,2844 litre	98,027 %	361,4840 litre	O
320	CM	135	CM 255 LEVEL CM	17921,3319 litre	97,814 %	400,4365 litre	O
320	CM	135	CM 254 LEVEL CM	17881,1372 litre	97,595 %	440,6312 litre	O
320	CM	135	CM 253 LEVEL CM	17839,7476 litre	97,369 %	482,0208 litre	O
320	CM	135	CM 252 LEVEL CM	17797,2061 litre	97,137 %	524,5623 litre	O
320	CM	135	CM 251 LEVEL CM	17753,5525 litre	96,899 %	568,2159 litre	O
320	CM	135	CM 250 LEVEL CM	17708,8237 litre	96,655 %	612,9447 litre	O
320	CM	135	CM 249 LEVEL CM	17663,0538 litre	96,405 %	658,7146 litre	O
320	CM	135	CM 248 LEVEL CM	17616,2749 litre	96,149 %	705,4935 litre	O
320	CM	135	CM 247 LEVEL CM	17568,5166 litre	95,889 %	753,2518 litre	O
320	CM	135	CM 246 LEVEL CM	17519,8073 litre	95,623 %	801,9611 litre	O
320	CM	135	CM 245 LEVEL CM	17470,1732 litre	95,352 %	851,5952 litre	O
320	CM	135	CM 244 LEVEL CM	17419,6395 litre	95,076 %	902,1289 litre	O
320	CM	135	CM 243 LEVEL CM	17368,2299 litre	94,796 %	953,5385 litre	O
320	CM	135	CM 242 LEVEL CM	17315,9668 litre	94,510 %	1005,8016 litre	O
320	CM	135	CM 241 LEVEL CM	17262,8718 litre	94,221 %	1058,8966 litre	O
320	CM	135	CM 240 LEVEL CM	17208,9652 litre	93,926 %	1112,8032 litre	O
320	CM	135	CM 239 LEVEL CM	17154,2666 litre	93,628 %	1167,5018 litre	O
320	CM	135	CM 238 LEVEL CM	17098,7946 litre	93,325 %	1222,9738 litre	O
320	CM	135	CM 237 LEVEL CM	17042,5672 litre	93,018 %	1279,2012 litre	O
320	CM	135	CM 236 LEVEL CM	16985,6016 litre	92,707 %	1336,1668 litre	O
320	CM	135	CM 235 LEVEL CM	16927,9143 litre	92,392 %	1393,8541 litre	O
320	CM	135	CM 234 LEVEL CM	16869,5213 litre	92,074 %	1452,2471 litre	O
320	CM	135	CM 233 LEVEL CM	16810,4379 litre	91,751 %	1511,3305 litre	O
320	CM	135	CM 232 LEVEL CM	16750,6790 litre	91,425 %	1571,0894 litre	O
320	CM	135	CM 231 LEVEL CM	16690,2589 litre	91,095 %	1631,5095 litre	O
320	CM	135	CM 230 LEVEL CM	16629,1914 litre	90,762 %	1692,5770 litre	O
320	CM	135	CM 229 LEVEL CM	16567,4900 litre	90,425 %	1754,2784 litre	O
320	CM	135	CM 228 LEVEL CM	16505,1677 litre	90,085 %	1816,6007 litre	O
320	CM	135	CM 227 LEVEL CM	16442,2371 litre	89,742 %	1879,5313 litre	O
320	CM	135	CM 226 LEVEL CM	16378,7106 litre	89,395 %	1943,0578 litre	O
320	CM	135	CM 225 LEVEL CM	16314,6000 litre	89,045 %	2007,1684 litre	O
320	CM	135	CM 224 LEVEL CM	16249,9169 litre	88,692 %	2071,8515 litre	O
320	CM	135	CM 223 LEVEL CM	16184,6727 litre	88,336 %	2137,0957 litre	O
320	CM	135	CM 222 LEVEL CM	16118,8783 litre	87,977 %	2202,8901 litre	O
320	CM	135	CM 221 LEVEL CM	16052,5445 litre	87,615 %	2269,2239 litre	O
320	CM	135	CM 220 LEVEL CM	15985,6817 litre	87,250 %	2336,0867 litre	O
320	CM	135	CM 219 LEVEL CM	15918,3003 litre	86,882 %	2403,4681 litre	O

320	CM	135	CM	218 LEVEL CM	15850,4102 litre	86,511 %	2471,3582 litre	O
320	CM	135	CM	217 LEVEL CM	15782,0211 litre	86,138 %	2539,7473 litre	O
320	CM	135	CM	216 LEVEL CM	15713,1426 litre	85,762 %	2608,6258 litre	O
320	CM	135	CM	215 LEVEL CM	15643,7842 litre	85,384 %	2677,9842 litre	O
320	CM	135	CM	214 LEVEL CM	15573,9549 litre	85,002 %	2747,8135 litre	O
320	CM	135	CM	213 LEVEL CM	15503,6637 litre	84,619 %	2818,1047 litre	O
320	CM	135	CM	212 LEVEL CM	15432,9194 litre	84,233 %	2888,8490 litre	O
320	CM	135	CM	211 LEVEL CM	15361,7307 litre	83,844 %	2960,0377 litre	O
320	CM	135	CM	210 LEVEL CM	15290,1061 litre	83,453 %	3031,6623 litre	O
320	CM	135	CM	209 LEVEL CM	15218,0539 litre	83,060 %	3103,7145 litre	O
320	CM	135	CM	208 LEVEL CM	15145,5821 litre	82,664 %	3176,1863 litre	O
320	CM	135	CM	207 LEVEL CM	15072,6990 litre	82,267 %	3249,0694 litre	O
320	CM	135	CM	206 LEVEL CM	14999,4123 litre	81,867 %	3322,3561 litre	O
320	CM	135	CM	205 LEVEL CM	14925,7299 litre	81,464 %	3396,0385 litre	O
320	CM	135	CM	204 LEVEL CM	14851,6594 litre	81,060 %	3470,1090 litre	O
320	CM	135	CM	203 LEVEL CM	14777,2083 litre	80,654 %	3544,5601 litre	O
320	CM	135	CM	202 LEVEL CM	14702,3840 litre	80,245 %	3619,3844 litre	O
320	CM	135	CM	201 LEVEL CM	14627,1938 litre	79,835 %	3694,5746 litre	O
320	CM	135	CM	200 LEVEL CM	14551,6450 litre	79,423 %	3770,1234 litre	O
320	CM	135	CM	199 LEVEL CM	14475,7445 litre	79,008 %	3846,0239 litre	O
320	CM	135	CM	198 LEVEL CM	14399,4995 litre	78,592 %	3922,2689 litre	O
320	CM	135	CM	197 LEVEL CM	14322,9167 litre	78,174 %	3998,8517 litre	O
320	CM	135	CM	196 LEVEL CM	14246,0031 litre	77,755 %	4075,7653 litre	O
320	CM	135	CM	195 LEVEL CM	14168,7653 litre	77,333 %	4153,0031 litre	O
320	CM	135	CM	194 LEVEL CM	14091,2099 litre	76,910 %	4230,5585 litre	O
320	CM	135	CM	193 LEVEL CM	14013,3436 litre	76,485 %	4308,4248 litre	O
320	CM	135	CM	192 LEVEL CM	13935,1728 litre	76,058 %	4386,5956 litre	O
320	CM	135	CM	191 LEVEL CM	13856,7039 litre	75,630 %	4465,0645 litre	O
320	CM	135	CM	190 LEVEL CM	13777,9432 litre	75,200 %	4543,8252 litre	O
320	CM	135	CM	189 LEVEL CM	13698,8969 litre	74,768 %	4622,8715 litre	O
320	CM	135	CM	188 LEVEL CM	13619,5714 litre	74,335 %	4702,1970 litre	O
320	CM	135	CM	187 LEVEL CM	13539,9727 litre	73,901 %	4781,7957 litre	O
320	CM	135	CM	186 LEVEL CM	13460,1068 litre	73,465 %	4861,6616 litre	O
320	CM	135	CM	185 LEVEL CM	13379,9798 litre	73,028 %	4941,7886 litre	O
320	CM	135	CM	184 LEVEL CM	13299,5976 litre	72,589 %	5022,1708 litre	O
320	CM	135	CM	183 LEVEL CM	13218,9661 litre	72,149 %	5102,8023 litre	O
320	CM	135	CM	182 LEVEL CM	13138,0911 litre	71,708 %	5183,6773 litre	O
320	CM	135	CM	181 LEVEL CM	13056,9784 litre	71,265 %	5264,7900 litre	O
320	CM	135	CM	180 LEVEL CM	12975,6338 litre	70,821 %	5346,1346 litre	O
320	CM	135	CM	179 LEVEL CM	12894,0629 litre	70,376 %	5427,7055 litre	O
320	CM	135	CM	178 LEVEL CM	12812,2714 litre	69,929 %	5509,4970 litre	O
320	CM	135	CM	177 LEVEL CM	12730,2648 litre	69,482 %	5591,5036 litre	O
320	CM	135	CM	176 LEVEL CM	12648,0487 litre	69,033 %	5673,7197 litre	O
320	CM	135	CM	175 LEVEL CM	12565,6285 litre	68,583 %	5756,1399 litre	O
320	CM	135	CM	174 LEVEL CM	12483,0099 litre	68,132 %	5838,7585 litre	O
320	CM	135	CM	173 LEVEL CM	12400,1981 litre	67,680 %	5921,5703 litre	O
320	CM	135	CM	172 LEVEL CM	12317,1985 litre	67,227 %	6004,5699 litre	O
320	CM	135	CM	171 LEVEL CM	12234,0166 litre	66,773 %	6087,7518 litre	O
320	CM	135	CM	170 LEVEL CM	12150,6576 litre	66,318 %	6171,1108 litre	O
320	CM	135	CM	169 LEVEL CM	12067,1268 litre	65,862 %	6254,6416 litre	O
320	CM	135	CM	168 LEVEL CM	11983,4294 litre	65,405 %	6338,3390 litre	O
320	CM	135	CM	167 LEVEL CM	11899,5707 litre	64,948 %	6422,1977 litre	O
320	CM	135	CM	166 LEVEL CM	11815,5558 litre	64,489 %	6506,2126 litre	O

320	CM	135	CM	165 LEVEL CM	11731,3900 litre	64,030 %	6590,3784 litre	O
320	CM	135	CM	164 LEVEL CM	11647,0782 litre	63,570 %	6674,6902 litre	O
320	CM	135	CM	163 LEVEL CM	11562,6257 litre	63,109 %	6759,1427 litre	O
320	CM	135	CM	162 LEVEL CM	11478,0375 litre	62,647 %	6843,7309 litre	O
320	CM	135	CM	161 LEVEL CM	11393,3187 litre	62,185 %	6928,4497 litre	O
320	CM	135	CM	160 LEVEL CM	11308,4742 litre	61,722 %	7013,2942 litre	O
320	CM	135	CM	159 LEVEL CM	11223,5091 litre	61,258 %	7098,2593 litre	O
320	CM	135	CM	158 LEVEL CM	11138,4284 litre	60,793 %	7183,3400 litre	O
320	CM	135	CM	157 LEVEL CM	11053,2371 litre	60,328 %	7268,5313 litre	O
320	CM	135	CM	156 LEVEL CM	10967,9401 litre	59,863 %	7353,8283 litre	O
320	CM	135	CM	155 LEVEL CM	10882,5422 litre	59,397 %	7439,2262 litre	O
320	CM	135	CM	154 LEVEL CM	10797,0485 litre	58,930 %	7524,7199 litre	O
320	CM	135	CM	153 LEVEL CM	10711,4638 litre	58,463 %	7610,3046 litre	O
320	CM	135	CM	152 LEVEL CM	10625,7930 litre	57,995 %	7695,9754 litre	O
320	CM	135	CM	151 LEVEL CM	10540,0410 litre	57,527 %	7781,7274 litre	O
320	CM	135	CM	150 LEVEL CM	10454,2126 litre	57,059 %	7867,5558 litre	O
320	CM	135	CM	149 LEVEL CM	10368,3126 litre	56,590 %	7953,4558 litre	O
320	CM	135	CM	148 LEVEL CM	10282,3459 litre	56,121 %	8039,4225 litre	O
320	CM	135	CM	147 LEVEL CM	10196,3172 litre	55,651 %	8125,4512 litre	O
320	CM	135	CM	146 LEVEL CM	10110,2315 litre	55,182 %	8211,5369 litre	O
320	CM	135	CM	145 LEVEL CM	10024,0934 litre	54,711 %	8297,6750 litre	O
320	CM	135	CM	144 LEVEL CM	9937,9078 litre	54,241 %	8383,8606 litre	O
320	CM	135	CM	143 LEVEL CM	9851,6794 litre	53,770 %	8470,0890 litre	O
320	CM	135	CM	142 LEVEL CM	9765,4131 litre	53,300 %	8556,3553 litre	O
320	CM	135	CM	141 LEVEL CM	9679,1135 litre	52,828 %	8642,6549 litre	O
320	CM	135	CM	140 LEVEL CM	9592,7854 litre	52,357 %	8728,9830 litre	O
320	CM	135	CM	139 LEVEL CM	9506,4336 litre	51,886 %	8815,3348 litre	O
320	CM	135	CM	138 LEVEL CM	9420,0628 litre	51,415 %	8901,7056 litre	O
320	CM	135	CM	137 LEVEL CM	9333,6779 litre	50,943 %	8988,0905 litre	O
320	CM	135	CM	136 LEVEL CM	9247,2834 litre	50,472 %	9074,4850 litre	O
320	CM	135	CM	135 LEVEL CM	9160,8842 litre	50,000 %	9160,8842 litre	O
320	CM	135	CM	134 LEVEL CM	9074,4850 litre	49,528 %	9247,2834 litre	O
320	CM	135	CM	133 LEVEL CM	8988,0905 litre	49,057 %	9333,6779 litre	O
320	CM	135	CM	132 LEVEL CM	8901,7055 litre	48,585 %	9420,0629 litre	O
320	CM	135	CM	131 LEVEL CM	8815,3348 litre	48,114 %	9506,4336 litre	O
320	CM	135	CM	130 LEVEL CM	8728,9830 litre	47,643 %	9592,7854 litre	O
320	CM	135	CM	129 LEVEL CM	8642,6549 litre	47,172 %	9679,1135 litre	O
320	CM	135	CM	128 LEVEL CM	8556,3553 litre	46,700 %	9765,4131 litre	O
320	CM	135	CM	127 LEVEL CM	8470,0889 litre	46,230 %	9851,6795 litre	O
320	CM	135	CM	126 LEVEL CM	8383,8606 litre	45,759 %	9937,9078 litre	O
320	CM	135	CM	125 LEVEL CM	8297,6750 litre	45,289 %	10024,0934 litre	O
320	CM	135	CM	124 LEVEL CM	8211,5369 litre	44,818 %	10110,2315 litre	O
320	CM	135	CM	123 LEVEL CM	8125,4511 litre	44,349 %	10196,3173 litre	O
320	CM	135	CM	122 LEVEL CM	8039,4225 litre	43,879 %	10282,3459 litre	O
320	CM	135	CM	121 LEVEL CM	7953,4558 litre	43,410 %	10368,3126 litre	O
320	CM	135	CM	120 LEVEL CM	7867,5558 litre	42,941 %	10454,2126 litre	O
320	CM	135	CM	119 LEVEL CM	7781,7274 litre	42,473 %	10540,0410 litre	O
320	CM	135	CM	118 LEVEL CM	7695,9753 litre	42,005 %	10625,7931 litre	O
320	CM	135	CM	117 LEVEL CM	7610,3045 litre	41,537 %	10711,4639 litre	O
320	CM	135	CM	116 LEVEL CM	7524,7199 litre	41,070 %	10797,0485 litre	O
320	CM	135	CM	115 LEVEL CM	7439,2261 litre	40,603 %	10882,5423 litre	O
320	CM	135	CM	114 LEVEL CM	7353,8283 litre	40,137 %	10967,9401 litre	O
320	CM	135	CM	113 LEVEL CM	7268,5312 litre	39,672 %	11053,2372 litre	O

320	CM	135	CM	112 LEVEL CM	7183,3399 litre	39,207 %	11138,4285 litre	O
320	CM	135	CM	111 LEVEL CM	7098,2592 litre	38,742 %	11223,5092 litre	O
320	CM	135	CM	110 LEVEL CM	7013,2942 litre	38,278 %	11308,4742 litre	O
320	CM	135	CM	109 LEVEL CM	6928,4497 litre	37,815 %	11393,3187 litre	O
320	CM	135	CM	108 LEVEL CM	6843,7308 litre	37,353 %	11478,0376 litre	O
320	CM	135	CM	107 LEVEL CM	6759,1426 litre	36,891 %	11562,6258 litre	O
320	CM	135	CM	106 LEVEL CM	6674,6901 litre	36,430 %	11647,0783 litre	O
320	CM	135	CM	105 LEVEL CM	6590,3784 litre	35,970 %	11731,3900 litre	O
320	CM	135	CM	104 LEVEL CM	6506,2125 litre	35,511 %	11815,5559 litre	O
320	CM	135	CM	103 LEVEL CM	6422,1977 litre	35,052 %	11899,5707 litre	O
320	CM	135	CM	102 LEVEL CM	6338,3389 litre	34,595 %	11983,4295 litre	O
320	CM	135	CM	101 LEVEL CM	6254,6416 litre	34,138 %	12067,1268 litre	O
320	CM	135	CM	100 LEVEL CM	6171,1108 litre	33,682 %	12150,6576 litre	O
320	CM	135	CM	99 LEVEL CM	6087,7517 litre	33,227 %	12234,0167 litre	O
320	CM	135	CM	98 LEVEL CM	6004,5698 litre	32,773 %	12317,1986 litre	O
320	CM	135	CM	97 LEVEL CM	5921,5703 litre	32,320 %	12400,1981 litre	O
320	CM	135	CM	96 LEVEL CM	5838,7585 litre	31,868 %	12483,0099 litre	O
320	CM	135	CM	95 LEVEL CM	5756,1398 litre	31,417 %	12565,6286 litre	O
320	CM	135	CM	94 LEVEL CM	5673,7197 litre	30,967 %	12648,0487 litre	O
320	CM	135	CM	93 LEVEL CM	5591,5036 litre	30,518 %	12730,2648 litre	O
320	CM	135	CM	92 LEVEL CM	5509,4970 litre	30,071 %	12812,2714 litre	O
320	CM	135	CM	91 LEVEL CM	5427,7054 litre	29,624 %	12894,0630 litre	O
320	CM	135	CM	90 LEVEL CM	5346,1345 litre	29,179 %	12975,6339 litre	O
320	CM	135	CM	89 LEVEL CM	5264,7899 litre	28,735 %	13056,9785 litre	O
320	CM	135	CM	88 LEVEL CM	5183,6773 litre	28,292 %	13138,0911 litre	O
320	CM	135	CM	87 LEVEL CM	5102,8023 litre	27,851 %	13218,9661 litre	O
320	CM	135	CM	86 LEVEL CM	5022,1708 litre	27,411 %	13299,5976 litre	O
320	CM	135	CM	85 LEVEL CM	4941,7886 litre	26,972 %	13379,9798 litre	O
320	CM	135	CM	84 LEVEL CM	4861,6616 litre	26,535 %	13460,1068 litre	O
320	CM	135	CM	83 LEVEL CM	4781,7957 litre	26,099 %	13539,9727 litre	O
320	CM	135	CM	82 LEVEL CM	4702,1970 litre	25,665 %	13619,5714 litre	O
320	CM	135	CM	81 LEVEL CM	4622,8714 litre	25,232 %	13698,8970 litre	O
320	CM	135	CM	80 LEVEL CM	4543,8252 litre	24,800 %	13777,9432 litre	O
320	CM	135	CM	79 LEVEL CM	4465,0645 litre	24,370 %	13856,7039 litre	O
320	CM	135	CM	78 LEVEL CM	4386,5956 litre	23,942 %	13935,1728 litre	O
320	CM	135	CM	77 LEVEL CM	4308,4247 litre	23,515 %	14013,3437 litre	O
320	CM	135	CM	76 LEVEL CM	4230,5584 litre	23,090 %	14091,2100 litre	O
320	CM	135	CM	75 LEVEL CM	4153,0031 litre	22,667 %	14168,7653 litre	O
320	CM	135	CM	74 LEVEL CM	4075,7653 litre	22,245 %	14246,0031 litre	O
320	CM	135	CM	73 LEVEL CM	3998,8516 litre	21,826 %	14322,9168 litre	O
320	CM	135	CM	72 LEVEL CM	3922,2689 litre	21,408 %	14399,4995 litre	O
320	CM	135	CM	71 LEVEL CM	3846,0238 litre	20,992 %	14475,7446 litre	O
320	CM	135	CM	70 LEVEL CM	3770,1234 litre	20,577 %	14551,6450 litre	O
320	CM	135	CM	69 LEVEL CM	3694,5745 litre	20,165 %	14627,1939 litre	O
320	CM	135	CM	68 LEVEL CM	3619,3844 litre	19,755 %	14702,3840 litre	O
320	CM	135	CM	67 LEVEL CM	3544,5601 litre	19,346 %	14777,2083 litre	O
320	CM	135	CM	66 LEVEL CM	3470,1090 litre	18,940 %	14851,6594 litre	O
320	CM	135	CM	65 LEVEL CM	3396,0384 litre	18,536 %	14925,7300 litre	O
320	CM	135	CM	64 LEVEL CM	3322,3560 litre	18,133 %	14999,4124 litre	O
320	CM	135	CM	63 LEVEL CM	3249,0694 litre	17,733 %	15072,6990 litre	O
320	CM	135	CM	62 LEVEL CM	3176,1862 litre	17,336 %	15145,5822 litre	O
320	CM	135	CM	61 LEVEL CM	3103,7145 litre	16,940 %	15218,0539 litre	O
320	CM	135	CM	60 LEVEL CM	3031,6622 litre	16,547 %	15290,1062 litre	O

320	CM	135	CM	59 LEVEL CM	2960,0376 litre	16,156 %	15361,7308 litre	O
320	CM	135	CM	58 LEVEL CM	2888,8489 litre	15,767 %	15432,9195 litre	O
320	CM	135	CM	57 LEVEL CM	2818,1047 litre	15,381 %	15503,6637 litre	O
320	CM	135	CM	56 LEVEL CM	2747,8135 litre	14,998 %	15573,9549 litre	O
320	CM	135	CM	55 LEVEL CM	2677,9842 litre	14,616 %	15643,7842 litre	O
320	CM	135	CM	54 LEVEL CM	2608,6257 litre	14,238 %	15713,1427 litre	O
320	CM	135	CM	53 LEVEL CM	2539,7473 litre	13,862 %	15782,0211 litre	O
320	CM	135	CM	52 LEVEL CM	2471,3582 litre	13,489 %	15850,4102 litre	O
320	CM	135	CM	51 LEVEL CM	2403,4680 litre	13,118 %	15918,3004 litre	O
320	CM	135	CM	50 LEVEL CM	2336,0866 litre	12,750 %	15985,6818 litre	O
320	CM	135	CM	49 LEVEL CM	2269,2239 litre	12,385 %	16052,5445 litre	O
320	CM	135	CM	48 LEVEL CM	2202,8901 litre	12,023 %	16118,8783 litre	O
320	CM	135	CM	47 LEVEL CM	2137,0957 litre	11,664 %	16184,6727 litre	O
320	CM	135	CM	46 LEVEL CM	2071,8515 litre	11,308 %	16249,9169 litre	O
320	CM	135	CM	45 LEVEL CM	2007,1684 litre	10,955 %	16314,6000 litre	O
320	CM	135	CM	44 LEVEL CM	1943,0578 litre	10,605 %	16378,7106 litre	O
320	CM	135	CM	43 LEVEL CM	1879,5312 litre	10,258 %	16442,2372 litre	O
320	CM	135	CM	42 LEVEL CM	1816,6007 litre	9,915 %	16505,1677 litre	O
320	CM	135	CM	41 LEVEL CM	1754,2784 litre	9,575 %	16567,4900 litre	O
320	CM	135	CM	40 LEVEL CM	1692,5770 litre	9,238 %	16629,1914 litre	O
320	CM	135	CM	39 LEVEL CM	1631,5095 litre	8,905 %	16690,2589 litre	O
320	CM	135	CM	38 LEVEL CM	1571,0893 litre	8,575 %	16750,6791 litre	O
320	CM	135	CM	37 LEVEL CM	1511,3304 litre	8,249 %	16810,4380 litre	O
320	CM	135	CM	36 LEVEL CM	1452,2470 litre	7,926 %	16869,5214 litre	O
320	CM	135	CM	35 LEVEL CM	1393,8540 litre	7,608 %	16927,9144 litre	O
320	CM	135	CM	34 LEVEL CM	1336,1668 litre	7,293 %	16985,6016 litre	O
320	CM	135	CM	33 LEVEL CM	1279,2012 litre	6,982 %	17042,5672 litre	O
320	CM	135	CM	32 LEVEL CM	1222,9738 litre	6,675 %	17098,7946 litre	O
320	CM	135	CM	31 LEVEL CM	1167,5018 litre	6,372 %	17154,2666 litre	O
320	CM	135	CM	30 LEVEL CM	1112,8032 litre	6,074 %	17208,9652 litre	O
320	CM	135	CM	29 LEVEL CM	1058,8966 litre	5,779 %	17262,8718 litre	O
320	CM	135	CM	28 LEVEL CM	1005,8015 litre	5,490 %	17315,9669 litre	O
320	CM	135	CM	27 LEVEL CM	953,5385 litre	5,204 %	17368,2299 litre	O
320	CM	135	CM	26 LEVEL CM	902,1288 litre	4,924 %	17419,6396 litre	O
320	CM	135	CM	25 LEVEL CM	851,5951 litre	4,648 %	17470,1733 litre	O
320	CM	135	CM	24 LEVEL CM	801,9611 litre	4,377 %	17519,8073 litre	O
320	CM	135	CM	23 LEVEL CM	753,2517 litre	4,111 %	17568,5167 litre	O
320	CM	135	CM	22 LEVEL CM	705,4935 litre	3,851 %	17616,2749 litre	O
320	CM	135	CM	21 LEVEL CM	658,7145 litre	3,595 %	17663,0539 litre	O
320	CM	135	CM	20 LEVEL CM	612,9447 litre	3,345 %	17708,8237 litre	O
320	CM	135	CM	19 LEVEL CM	568,2158 litre	3,101 %	17753,5526 litre	O
320	CM	135	CM	18 LEVEL CM	524,5623 litre	2,863 %	17797,2061 litre	O
320	CM	135	CM	17 LEVEL CM	482,0208 litre	2,631 %	17839,7476 litre	O
320	CM	135	CM	16 LEVEL CM	440,6311 litre	2,405 %	17881,1373 litre	O
320	CM	135	CM	15 LEVEL CM	400,4364 litre	2,186 %	17921,3320 litre	O
320	CM	135	CM	14 LEVEL CM	361,4839 litre	1,973 %	17960,2845 litre	O
320	CM	135	CM	13 LEVEL CM	323,8254 litre	1,767 %	17997,9430 litre	O
320	CM	135	CM	12 LEVEL CM	287,5183 litre	1,569 %	18034,2501 litre	O
320	CM	135	CM	11 LEVEL CM	252,6266 litre	1,379 %	18069,1418 litre	O
320	CM	135	CM	10 LEVEL CM	219,2226 litre	1,197 %	18102,5458 litre	O
320	CM	135	CM	9 LEVEL CM	187,3886 litre	1,023 %	18134,3798 litre	O
320	CM	135	CM	8 LEVEL CM	157,2197 litre	0,858 %	18164,5487 litre	O
320	CM	135	CM	7 LEVEL CM	128,8281 litre	0,703 %	18192,9403 litre	O

320	CM	135	CM	6 LEVEL CM	102,3483 litre	0,559 %	18219,4201 litre	O
320	CM	135	CM	5 LEVEL CM	77,9468 litre	0,425 %	18243,8216 litre	O
320	CM	135	CM	4 LEVEL CM	55,8369 litre	0,305 %	18265,9315 litre	O
320	CM	135	CM	3 LEVEL CM	36,3078 litre	0,198 %	18285,4606 litre	O
320	CM	135	CM	2 LEVEL CM	19,7856 litre	0,108 %	18301,9828 litre	O
320	CM	135	CM	1 LEVEL CM	7,0031 litre	0,038 %	18314,7653 litre	O
320	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	18321,7684 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM 130	CM 260 LEVEL CM	16989,7331 litre	100,000 %	0,0000 litre	O
320	CM 130	CM 259 LEVEL CM	16982,8612 litre	99,960 %	6,8719 litre	O
320	CM 130	CM 258 LEVEL CM	16970,3190 litre	99,886 %	19,4141 litre	O
320	CM 130	CM 257 LEVEL CM	16954,1086 litre	99,790 %	35,6245 litre	O
320	CM 130	CM 256 LEVEL CM	16934,9494 litre	99,678 %	54,7837 litre	O
320	CM 130	CM 255 LEVEL CM	16913,2599 litre	99,550 %	76,4732 litre	O
320	CM 130	CM 254 LEVEL CM	16889,3241 litre	99,409 %	100,4090 litre	O
320	CM 130	CM 253 LEVEL CM	16863,3516 litre	99,256 %	126,3815 litre	O
320	CM 130	CM 252 LEVEL CM	16835,5061 litre	99,092 %	154,2270 litre	O
320	CM 130	CM 251 LEVEL CM	16805,9197 litre	98,918 %	183,8134 litre	O
320	CM 130	CM 250 LEVEL CM	16774,7027 litre	98,734 %	215,0304 litre	O
320	CM 130	CM 249 LEVEL CM	16741,9486 litre	98,542 %	247,7845 litre	O
320	CM 130	CM 248 LEVEL CM	16707,7385 litre	98,340 %	281,9946 litre	O
320	CM 130	CM 247 LEVEL CM	16672,1434 litre	98,131 %	317,5897 litre	O
320	CM 130	CM 246 LEVEL CM	16635,2263 litre	97,913 %	354,5068 litre	O
320	CM 130	CM 245 LEVEL CM	16597,0436 litre	97,689 %	392,6895 litre	O
320	CM 130	CM 244 LEVEL CM	16557,6466 litre	97,457 %	432,0865 litre	O
320	CM 130	CM 243 LEVEL CM	16517,0815 litre	97,218 %	472,6516 litre	O
320	CM 130	CM 242 LEVEL CM	16475,3909 litre	96,973 %	514,3422 litre	O
320	CM 130	CM 241 LEVEL CM	16432,6140 litre	96,721 %	557,1191 litre	O
320	CM 130	CM 240 LEVEL CM	16388,7871 litre	96,463 %	600,9460 litre	O
320	CM 130	CM 239 LEVEL CM	16343,9439 litre	96,199 %	645,7892 litre	O
320	CM 130	CM 238 LEVEL CM	16298,1158 litre	95,929 %	691,6173 litre	O
320	CM 130	CM 237 LEVEL CM	16251,3323 litre	95,654 %	738,4008 litre	O
320	CM 130	CM 236 LEVEL CM	16203,6212 litre	95,373 %	786,1119 litre	O
320	CM 130	CM 235 LEVEL CM	16155,0086 litre	95,087 %	834,7245 litre	O
320	CM 130	CM 234 LEVEL CM	16105,5191 litre	94,796 %	884,2140 litre	O
320	CM 130	CM 233 LEVEL CM	16055,1762 litre	94,499 %	934,5569 litre	O
320	CM 130	CM 232 LEVEL CM	16004,0020 litre	94,198 %	985,7311 litre	O
320	CM 130	CM 231 LEVEL CM	15952,0179 litre	93,892 %	1037,7152 litre	O
320	CM 130	CM 230 LEVEL CM	15899,2439 litre	93,581 %	1090,4892 litre	O
320	CM 130	CM 229 LEVEL CM	15845,6994 litre	93,266 %	1144,0337 litre	O
320	CM 130	CM 228 LEVEL CM	15791,4028 litre	92,947 %	1198,3303 litre	O
320	CM 130	CM 227 LEVEL CM	15736,3719 litre	92,623 %	1253,3612 litre	O
320	CM 130	CM 226 LEVEL CM	15680,6237 litre	92,295 %	1309,1094 litre	O
320	CM 130	CM 225 LEVEL CM	15624,1745 litre	91,962 %	1365,5586 litre	O
320	CM 130	CM 224 LEVEL CM	15567,0401 litre	91,626 %	1422,6930 litre	O
320	CM 130	CM 223 LEVEL CM	15509,2357 litre	91,286 %	1480,4974 litre	O
320	CM 130	CM 222 LEVEL CM	15450,7761 litre	90,942 %	1538,9570 litre	O
320	CM 130	CM 221 LEVEL CM	15391,6753 litre	90,594 %	1598,0578 litre	O
320	CM 130	CM 220 LEVEL CM	15331,9472 litre	90,242 %	1657,7859 litre	O
320	CM 130	CM 219 LEVEL CM	15271,6051 litre	89,887 %	1718,1280 litre	O
320	CM 130	CM 218 LEVEL CM	15210,6618 litre	89,529 %	1779,0713 litre	O
320	CM 130	CM 217 LEVEL CM	15149,1298 litre	89,166 %	1840,6033 litre	O
320	CM 130	CM 216 LEVEL CM	15087,0215 litre	88,801 %	1902,7116 litre	O
320	CM 130	CM 215 LEVEL CM	15024,3485 litre	88,432 %	1965,3846 litre	O
320	CM 130	CM 214 LEVEL CM	14961,1224 litre	88,060 %	2028,6107 litre	O
320	CM 130	CM 213 LEVEL CM	14897,3545 litre	87,684 %	2092,3786 litre	O
320	CM 130	CM 212 LEVEL CM	14833,0557 litre	87,306 %	2156,6774 litre	O
320	CM 130	CM 211 LEVEL CM	14768,2365 litre	86,924 %	2221,4966 litre	O
320	CM 130	CM 210 LEVEL CM	14702,9076 litre	86,540 %	2286,8255 litre	O
320	CM 130	CM 209 LEVEL CM	14637,0789 litre	86,152 %	2352,6542 litre	O

320	CM	130	CM	208 LEVEL CM	14570,7605 litre	85,762 %	2418,9726 litre	O
320	CM	130	CM	207 LEVEL CM	14503,9621 litre	85,369 %	2485,7710 litre	O
320	CM	130	CM	206 LEVEL CM	14436,6932 litre	84,973 %	2553,0399 litre	O
320	CM	130	CM	205 LEVEL CM	14368,9631 litre	84,574 %	2620,7700 litre	O
320	CM	130	CM	204 LEVEL CM	14300,7810 litre	84,173 %	2688,9521 litre	O
320	CM	130	CM	203 LEVEL CM	14232,1557 litre	83,769 %	2757,5774 litre	O
320	CM	130	CM	202 LEVEL CM	14163,0961 litre	83,363 %	2826,6370 litre	O
320	CM	130	CM	201 LEVEL CM	14093,6107 litre	82,954 %	2896,1224 litre	O
320	CM	130	CM	200 LEVEL CM	14023,7081 litre	82,542 %	2966,0250 litre	O
320	CM	130	CM	199 LEVEL CM	13953,3965 litre	82,128 %	3036,3366 litre	O
320	CM	130	CM	198 LEVEL CM	13882,6841 litre	81,712 %	3107,0490 litre	O
320	CM	130	CM	197 LEVEL CM	13811,5788 litre	81,294 %	3178,1543 litre	O
320	CM	130	CM	196 LEVEL CM	13740,0887 litre	80,873 %	3249,6444 litre	O
320	CM	130	CM	195 LEVEL CM	13668,2214 litre	80,450 %	3321,5117 litre	O
320	CM	130	CM	194 LEVEL CM	13595,9846 litre	80,025 %	3393,7485 litre	O
320	CM	130	CM	193 LEVEL CM	13523,3858 litre	79,597 %	3466,3473 litre	O
320	CM	130	CM	192 LEVEL CM	13450,4324 litre	79,168 %	3539,3007 litre	O
320	CM	130	CM	191 LEVEL CM	13377,1318 litre	78,737 %	3612,6013 litre	O
320	CM	130	CM	190 LEVEL CM	13303,4910 litre	78,303 %	3686,2421 litre	O
320	CM	130	CM	189 LEVEL CM	13229,5173 litre	77,868 %	3760,2158 litre	O
320	CM	130	CM	188 LEVEL CM	13155,2176 litre	77,430 %	3834,5155 litre	O
320	CM	130	CM	187 LEVEL CM	13080,5989 litre	76,991 %	3909,1342 litre	O
320	CM	130	CM	186 LEVEL CM	13005,6679 litre	76,550 %	3984,0652 litre	O
320	CM	130	CM	185 LEVEL CM	12930,4314 litre	76,107 %	4059,3017 litre	O
320	CM	130	CM	184 LEVEL CM	12854,8961 litre	75,663 %	4134,8370 litre	O
320	CM	130	CM	183 LEVEL CM	12779,0685 litre	75,216 %	4210,6646 litre	O
320	CM	130	CM	182 LEVEL CM	12702,9552 litre	74,768 %	4286,7779 litre	O
320	CM	130	CM	181 LEVEL CM	12626,5625 litre	74,319 %	4363,1706 litre	O
320	CM	130	CM	180 LEVEL CM	12549,8969 litre	73,868 %	4439,8362 litre	O
320	CM	130	CM	179 LEVEL CM	12472,9646 litre	73,415 %	4516,7685 litre	O
320	CM	130	CM	178 LEVEL CM	12395,7719 litre	72,960 %	4593,9612 litre	O
320	CM	130	CM	177 LEVEL CM	12318,3249 litre	72,505 %	4671,4082 litre	O
320	CM	130	CM	176 LEVEL CM	12240,6297 litre	72,047 %	4749,1034 litre	O
320	CM	130	CM	175 LEVEL CM	12162,6923 litre	71,588 %	4827,0408 litre	O
320	CM	130	CM	174 LEVEL CM	12084,5189 litre	71,128 %	4905,2142 litre	O
320	CM	130	CM	173 LEVEL CM	12006,1152 litre	70,667 %	4983,6179 litre	O
320	CM	130	CM	172 LEVEL CM	11927,4872 litre	70,204 %	5062,2459 litre	O
320	CM	130	CM	171 LEVEL CM	11848,6407 litre	69,740 %	5141,0924 litre	O
320	CM	130	CM	170 LEVEL CM	11769,5815 litre	69,275 %	5220,1516 litre	O
320	CM	130	CM	169 LEVEL CM	11690,3154 litre	68,808 %	5299,4177 litre	O
320	CM	130	CM	168 LEVEL CM	11610,8479 litre	68,340 %	5378,8852 litre	O
320	CM	130	CM	167 LEVEL CM	11531,1849 litre	67,871 %	5458,5482 litre	O
320	CM	130	CM	166 LEVEL CM	11451,3318 litre	67,401 %	5538,4013 litre	O
320	CM	130	CM	165 LEVEL CM	11371,2943 litre	66,930 %	5618,4388 litre	O
320	CM	130	CM	164 LEVEL CM	11291,0778 litre	66,458 %	5698,6553 litre	O
320	CM	130	CM	163 LEVEL CM	11210,6880 litre	65,985 %	5779,0451 litre	O
320	CM	130	CM	162 LEVEL CM	11130,1302 litre	65,511 %	5859,6029 litre	O
320	CM	130	CM	161 LEVEL CM	11049,4098 litre	65,036 %	5940,3233 litre	O
320	CM	130	CM	160 LEVEL CM	10968,5323 litre	64,560 %	6021,2008 litre	O
320	CM	130	CM	159 LEVEL CM	10887,5030 litre	64,083 %	6102,2301 litre	O
320	CM	130	CM	158 LEVEL CM	10806,3272 litre	63,605 %	6183,4059 litre	O
320	CM	130	CM	157 LEVEL CM	10725,0102 litre	63,126 %	6264,7229 litre	O
320	CM	130	CM	156 LEVEL CM	10643,5574 litre	62,647 %	6346,1757 litre	O

320	CM	130	CM	155 LEVEL CM	10561,9739 litre	62,167 %	6427,7592 litre	O
320	CM	130	CM	154 LEVEL CM	10480,2651 litre	61,686 %	6509,4680 litre	O
320	CM	130	CM	153 LEVEL CM	10398,4360 litre	61,204 %	6591,2971 litre	O
320	CM	130	CM	152 LEVEL CM	10316,4918 litre	60,722 %	6673,2413 litre	O
320	CM	130	CM	151 LEVEL CM	10234,4377 litre	60,239 %	6755,2954 litre	O
320	CM	130	CM	150 LEVEL CM	10152,2789 litre	59,755 %	6837,4542 litre	O
320	CM	130	CM	149 LEVEL CM	10070,0205 litre	59,271 %	6919,7126 litre	O
320	CM	130	CM	148 LEVEL CM	9987,6674 litre	58,786 %	7002,0657 litre	O
320	CM	130	CM	147 LEVEL CM	9905,2250 litre	58,301 %	7084,5081 litre	O
320	CM	130	CM	146 LEVEL CM	9822,6980 litre	57,815 %	7167,0351 litre	O
320	CM	130	CM	145 LEVEL CM	9740,0917 litre	57,329 %	7249,6414 litre	O
320	CM	130	CM	144 LEVEL CM	9657,4111 litre	56,843 %	7332,3220 litre	O
320	CM	130	CM	143 LEVEL CM	9574,6612 litre	56,356 %	7415,0719 litre	O
320	CM	130	CM	142 LEVEL CM	9491,8469 litre	55,868 %	7497,8862 litre	O
320	CM	130	CM	141 LEVEL CM	9408,9733 litre	55,380 %	7580,7598 litre	O
320	CM	130	CM	140 LEVEL CM	9326,0453 litre	54,892 %	7663,6878 litre	O
320	CM	130	CM	139 LEVEL CM	9243,0680 litre	54,404 %	7746,6651 litre	O
320	CM	130	CM	138 LEVEL CM	9160,0462 litre	53,915 %	7829,6869 litre	O
320	CM	130	CM	137 LEVEL CM	9076,9850 litre	53,426 %	7912,7481 litre	O
320	CM	130	CM	136 LEVEL CM	8993,8892 litre	52,937 %	7995,8439 litre	O
320	CM	130	CM	135 LEVEL CM	8910,7639 litre	52,448 %	8078,9692 litre	O
320	CM	130	CM	134 LEVEL CM	8827,6140 litre	51,959 %	8162,1191 litre	O
320	CM	130	CM	133 LEVEL CM	8744,4444 litre	51,469 %	8245,2887 litre	O
320	CM	130	CM	132 LEVEL CM	8661,2600 litre	50,979 %	8328,4731 litre	O
320	CM	130	CM	131 LEVEL CM	8578,0657 litre	50,490 %	8411,6674 litre	O
320	CM	130	CM	130 LEVEL CM	8494,8665 litre	50,000 %	8494,8666 litre	O
320	CM	130	CM	129 LEVEL CM	8411,6674 litre	49,510 %	8578,0657 litre	O
320	CM	130	CM	128 LEVEL CM	8328,4731 litre	49,021 %	8661,2600 litre	O
320	CM	130	CM	127 LEVEL CM	8245,2887 litre	48,531 %	8744,4444 litre	O
320	CM	130	CM	126 LEVEL CM	8162,1191 litre	48,041 %	8827,6140 litre	O
320	CM	130	CM	125 LEVEL CM	8078,9691 litre	47,552 %	8910,7640 litre	O
320	CM	130	CM	124 LEVEL CM	7995,8438 litre	47,063 %	8993,8893 litre	O
320	CM	130	CM	123 LEVEL CM	7912,7481 litre	46,574 %	9076,9850 litre	O
320	CM	130	CM	122 LEVEL CM	7829,6869 litre	46,085 %	9160,0462 litre	O
320	CM	130	CM	121 LEVEL CM	7746,6651 litre	45,596 %	9243,0680 litre	O
320	CM	130	CM	120 LEVEL CM	7663,6878 litre	45,108 %	9326,0453 litre	O
320	CM	130	CM	119 LEVEL CM	7580,7598 litre	44,620 %	9408,9733 litre	O
320	CM	130	CM	118 LEVEL CM	7497,8862 litre	44,132 %	9491,8469 litre	O
320	CM	130	CM	117 LEVEL CM	7415,0719 litre	43,644 %	9574,6612 litre	O
320	CM	130	CM	116 LEVEL CM	7332,3220 litre	43,157 %	9657,4111 litre	O
320	CM	130	CM	115 LEVEL CM	7249,6413 litre	42,671 %	9740,0918 litre	O
320	CM	130	CM	114 LEVEL CM	7167,0350 litre	42,185 %	9822,6981 litre	O
320	CM	130	CM	113 LEVEL CM	7084,5081 litre	41,699 %	9905,2250 litre	O
320	CM	130	CM	112 LEVEL CM	7002,0656 litre	41,214 %	9987,6675 litre	O
320	CM	130	CM	111 LEVEL CM	6919,7126 litre	40,729 %	10070,0205 litre	O
320	CM	130	CM	110 LEVEL CM	6837,4541 litre	40,245 %	10152,2790 litre	O
320	CM	130	CM	109 LEVEL CM	6755,2953 litre	39,761 %	10234,4378 litre	O
320	CM	130	CM	108 LEVEL CM	6673,2413 litre	39,278 %	10316,4918 litre	O
320	CM	130	CM	107 LEVEL CM	6591,2971 litre	38,796 %	10398,4360 litre	O
320	CM	130	CM	106 LEVEL CM	6509,4680 litre	38,314 %	10480,2651 litre	O
320	CM	130	CM	105 LEVEL CM	6427,7591 litre	37,833 %	10561,9740 litre	O
320	CM	130	CM	104 LEVEL CM	6346,1757 litre	37,353 %	10643,5574 litre	O
320	CM	130	CM	103 LEVEL CM	6264,7228 litre	36,874 %	10725,0103 litre	O

320	CM	130	CM	102 LEVEL CM	6183,4059 litre	36,395 %	10806,3272 litre	O
320	CM	130	CM	101 LEVEL CM	6102,2301 litre	35,917 %	10887,5030 litre	O
320	CM	130	CM	100 LEVEL CM	6021,2008 litre	35,440 %	10968,5323 litre	O
320	CM	130	CM	99 LEVEL CM	5940,3233 litre	34,964 %	11049,4098 litre	O
320	CM	130	CM	98 LEVEL CM	5859,6029 litre	34,489 %	11130,1302 litre	O
320	CM	130	CM	97 LEVEL CM	5779,0451 litre	34,015 %	11210,6880 litre	O
320	CM	130	CM	96 LEVEL CM	5698,6552 litre	33,542 %	11291,0779 litre	O
320	CM	130	CM	95 LEVEL CM	5618,4388 litre	33,070 %	11371,2943 litre	O
320	CM	130	CM	94 LEVEL CM	5538,4013 litre	32,599 %	11451,3318 litre	O
320	CM	130	CM	93 LEVEL CM	5458,5482 litre	32,129 %	11531,1849 litre	O
320	CM	130	CM	92 LEVEL CM	5378,8851 litre	31,660 %	11610,8480 litre	O
320	CM	130	CM	91 LEVEL CM	5299,4177 litre	31,192 %	11690,3154 litre	O
320	CM	130	CM	90 LEVEL CM	5220,1515 litre	30,725 %	11769,5816 litre	O
320	CM	130	CM	89 LEVEL CM	5141,0924 litre	30,260 %	11848,6407 litre	O
320	CM	130	CM	88 LEVEL CM	5062,2459 litre	29,796 %	11927,4872 litre	O
320	CM	130	CM	87 LEVEL CM	4983,6179 litre	29,333 %	12006,1152 litre	O
320	CM	130	CM	86 LEVEL CM	4905,2142 litre	28,872 %	12084,5189 litre	O
320	CM	130	CM	85 LEVEL CM	4827,0407 litre	28,412 %	12162,6924 litre	O
320	CM	130	CM	84 LEVEL CM	4749,1034 litre	27,953 %	12240,6297 litre	O
320	CM	130	CM	83 LEVEL CM	4671,4082 litre	27,495 %	12318,3249 litre	O
320	CM	130	CM	82 LEVEL CM	4593,9612 litre	27,040 %	12395,7719 litre	O
320	CM	130	CM	81 LEVEL CM	4516,7685 litre	26,585 %	12472,9646 litre	O
320	CM	130	CM	80 LEVEL CM	4439,8362 litre	26,132 %	12549,8969 litre	O
320	CM	130	CM	79 LEVEL CM	4363,1705 litre	25,681 %	12626,5626 litre	O
320	CM	130	CM	78 LEVEL CM	4286,7779 litre	25,232 %	12702,9552 litre	O
320	CM	130	CM	77 LEVEL CM	4210,6646 litre	24,784 %	12779,0685 litre	O
320	CM	130	CM	76 LEVEL CM	4134,8370 litre	24,337 %	12854,8961 litre	O
320	CM	130	CM	75 LEVEL CM	4059,3017 litre	23,893 %	12930,4314 litre	O
320	CM	130	CM	74 LEVEL CM	3984,0652 litre	23,450 %	13005,6679 litre	O
320	CM	130	CM	73 LEVEL CM	3909,1342 litre	23,009 %	13080,5989 litre	O
320	CM	130	CM	72 LEVEL CM	3834,5154 litre	22,570 %	13155,2177 litre	O
320	CM	130	CM	71 LEVEL CM	3760,2158 litre	22,132 %	13229,5173 litre	O
320	CM	130	CM	70 LEVEL CM	3686,2420 litre	21,697 %	13303,4911 litre	O
320	CM	130	CM	69 LEVEL CM	3612,6013 litre	21,263 %	13377,1318 litre	O
320	CM	130	CM	68 LEVEL CM	3539,3007 litre	20,832 %	13450,4324 litre	O
320	CM	130	CM	67 LEVEL CM	3466,3473 litre	20,403 %	13523,3858 litre	O
320	CM	130	CM	66 LEVEL CM	3393,7485 litre	19,975 %	13595,9846 litre	O
320	CM	130	CM	65 LEVEL CM	3321,5117 litre	19,550 %	13668,2214 litre	O
320	CM	130	CM	64 LEVEL CM	3249,6444 litre	19,127 %	13740,0887 litre	O
320	CM	130	CM	63 LEVEL CM	3178,1542 litre	18,706 %	13811,5789 litre	O
320	CM	130	CM	62 LEVEL CM	3107,0490 litre	18,288 %	13882,6841 litre	O
320	CM	130	CM	61 LEVEL CM	3036,3366 litre	17,872 %	13953,3965 litre	O
320	CM	130	CM	60 LEVEL CM	2966,0250 litre	17,458 %	14023,7081 litre	O
320	CM	130	CM	59 LEVEL CM	2896,1223 litre	17,046 %	14093,6108 litre	O
320	CM	130	CM	58 LEVEL CM	2826,6370 litre	16,637 %	14163,0961 litre	O
320	CM	130	CM	57 LEVEL CM	2757,5774 litre	16,231 %	14232,1557 litre	O
320	CM	130	CM	56 LEVEL CM	2688,9521 litre	15,827 %	14300,7810 litre	O
320	CM	130	CM	55 LEVEL CM	2620,7700 litre	15,426 %	14368,9631 litre	O
320	CM	130	CM	54 LEVEL CM	2553,0399 litre	15,027 %	14436,6932 litre	O
320	CM	130	CM	53 LEVEL CM	2485,7709 litre	14,631 %	14503,9622 litre	O
320	CM	130	CM	52 LEVEL CM	2418,9725 litre	14,238 %	14570,7606 litre	O
320	CM	130	CM	51 LEVEL CM	2352,6542 litre	13,848 %	14637,0789 litre	O
320	CM	130	CM	50 LEVEL CM	2286,8255 litre	13,460 %	14702,9076 litre	O

320	CM	130	CM	49 LEVEL CM	2221,4965 litre	13,076 %	14768,2366 litre	O
320	CM	130	CM	48 LEVEL CM	2156,6774 litre	12,694 %	14833,0557 litre	O
320	CM	130	CM	47 LEVEL CM	2092,3786 litre	12,316 %	14897,3545 litre	O
320	CM	130	CM	46 LEVEL CM	2028,6106 litre	11,940 %	14961,1225 litre	O
320	CM	130	CM	45 LEVEL CM	1965,3846 litre	11,568 %	15024,3485 litre	O
320	CM	130	CM	44 LEVEL CM	1902,7116 litre	11,199 %	15087,0215 litre	O
320	CM	130	CM	43 LEVEL CM	1840,6032 litre	10,834 %	15149,1299 litre	O
320	CM	130	CM	42 LEVEL CM	1779,0713 litre	10,471 %	15210,6618 litre	O
320	CM	130	CM	41 LEVEL CM	1718,1280 litre	10,113 %	15271,6051 litre	O
320	CM	130	CM	40 LEVEL CM	1657,7858 litre	9,758 %	15331,9473 litre	O
320	CM	130	CM	39 LEVEL CM	1598,0577 litre	9,406 %	15391,6754 litre	O
320	CM	130	CM	38 LEVEL CM	1538,9570 litre	9,058 %	15450,7761 litre	O
320	CM	130	CM	37 LEVEL CM	1480,4973 litre	8,714 %	15509,2358 litre	O
320	CM	130	CM	36 LEVEL CM	1422,6930 litre	8,374 %	15567,0401 litre	O
320	CM	130	CM	35 LEVEL CM	1365,5586 litre	8,038 %	15624,1745 litre	O
320	CM	130	CM	34 LEVEL CM	1309,1094 litre	7,705 %	15680,6237 litre	O
320	CM	130	CM	33 LEVEL CM	1253,3612 litre	7,377 %	15736,3719 litre	O
320	CM	130	CM	32 LEVEL CM	1198,3302 litre	7,053 %	15791,4029 litre	O
320	CM	130	CM	31 LEVEL CM	1144,0337 litre	6,734 %	15845,6994 litre	O
320	CM	130	CM	30 LEVEL CM	1090,4891 litre	6,419 %	15899,2440 litre	O
320	CM	130	CM	29 LEVEL CM	1037,7152 litre	6,108 %	15952,0179 litre	O
320	CM	130	CM	28 LEVEL CM	985,7310 litre	5,802 %	16004,0021 litre	O
320	CM	130	CM	27 LEVEL CM	934,5569 litre	5,501 %	16055,1762 litre	O
320	CM	130	CM	26 LEVEL CM	884,2140 litre	5,204 %	16105,5191 litre	O
320	CM	130	CM	25 LEVEL CM	834,7245 litre	4,913 %	16155,0086 litre	O
320	CM	130	CM	24 LEVEL CM	786,1119 litre	4,627 %	16203,6212 litre	O
320	CM	130	CM	23 LEVEL CM	738,4007 litre	4,346 %	16251,3324 litre	O
320	CM	130	CM	22 LEVEL CM	691,6173 litre	4,071 %	16298,1158 litre	O
320	CM	130	CM	21 LEVEL CM	645,7892 litre	3,801 %	16343,9439 litre	O
320	CM	130	CM	20 LEVEL CM	600,9460 litre	3,537 %	16388,7871 litre	O
320	CM	130	CM	19 LEVEL CM	557,1190 litre	3,279 %	16432,6141 litre	O
320	CM	130	CM	18 LEVEL CM	514,3422 litre	3,027 %	16475,3909 litre	O
320	CM	130	CM	17 LEVEL CM	472,6516 litre	2,782 %	16517,0815 litre	O
320	CM	130	CM	16 LEVEL CM	432,0865 litre	2,543 %	16557,6466 litre	O
320	CM	130	CM	15 LEVEL CM	392,6894 litre	2,311 %	16597,0437 litre	O
320	CM	130	CM	14 LEVEL CM	354,5068 litre	2,087 %	16635,2263 litre	O
320	CM	130	CM	13 LEVEL CM	317,5897 litre	1,869 %	16672,1434 litre	O
320	CM	130	CM	12 LEVEL CM	281,9946 litre	1,660 %	16707,7385 litre	O
320	CM	130	CM	11 LEVEL CM	247,7844 litre	1,458 %	16741,9487 litre	O
320	CM	130	CM	10 LEVEL CM	215,0304 litre	1,266 %	16774,7027 litre	O
320	CM	130	CM	9 LEVEL CM	183,8133 litre	1,082 %	16805,9198 litre	O
320	CM	130	CM	8 LEVEL CM	154,2270 litre	0,908 %	16835,5061 litre	O
320	CM	130	CM	7 LEVEL CM	126,3814 litre	0,744 %	16863,3517 litre	O
320	CM	130	CM	6 LEVEL CM	100,4090 litre	0,591 %	16889,3241 litre	O
320	CM	130	CM	5 LEVEL CM	76,4731 litre	0,450 %	16913,2600 litre	O
320	CM	130	CM	4 LEVEL CM	54,7836 litre	0,322 %	16934,9495 litre	O
320	CM	130	CM	3 LEVEL CM	35,6245 litre	0,210 %	16954,1086 litre	O
320	CM	130	CM	2 LEVEL CM	19,4140 litre	0,114 %	16970,3191 litre	O
320	CM	130	CM	1 LEVEL CM	6,8718 litre	0,040 %	16982,8613 litre	O
320	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	16989,7331 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	125	CM 250 LEVEL CM	15707,9633 litre	100,000 %	0,0000 litre	O
320	CM	125	CM 249 LEVEL CM	15701,2252 litre	99,957 %	6,7381 litre	O
320	CM	125	CM 248 LEVEL CM	15688,9280 litre	99,879 %	19,0353 litre	O
320	CM	125	CM 247 LEVEL CM	15673,0355 litre	99,778 %	34,9278 litre	O
320	CM	125	CM 246 LEVEL CM	15654,2535 litre	99,658 %	53,7098 litre	O
320	CM	125	CM 245 LEVEL CM	15632,9927 litre	99,523 %	74,9706 litre	O
320	CM	125	CM 244 LEVEL CM	15609,5319 litre	99,373 %	98,4314 litre	O
320	CM	125	CM 243 LEVEL CM	15584,0768 litre	99,211 %	123,8865 litre	O
320	CM	125	CM 242 LEVEL CM	15556,7883 litre	99,038 %	151,1750 litre	O
320	CM	125	CM 241 LEVEL CM	15527,7961 litre	98,853 %	180,1672 litre	O
320	CM	125	CM 240 LEVEL CM	15497,2085 litre	98,658 %	210,7548 litre	O
320	CM	125	CM 239 LEVEL CM	15465,1176 litre	98,454 %	242,8457 litre	O
320	CM	125	CM 238 LEVEL CM	15431,6028 litre	98,241 %	276,3605 litre	O
320	CM	125	CM 237 LEVEL CM	15396,7342 litre	98,019 %	311,2291 litre	O
320	CM	125	CM 236 LEVEL CM	15360,5737 litre	97,788 %	347,3896 litre	O
320	CM	125	CM 235 LEVEL CM	15323,1768 litre	97,550 %	384,7865 litre	O
320	CM	125	CM 234 LEVEL CM	15284,5939 litre	97,305 %	423,3694 litre	O
320	CM	125	CM 233 LEVEL CM	15244,8705 litre	97,052 %	463,0928 litre	O
320	CM	125	CM 232 LEVEL CM	15204,0485 litre	96,792 %	503,9148 litre	O
320	CM	125	CM 231 LEVEL CM	15162,1667 litre	96,525 %	545,7966 litre	O
320	CM	125	CM 230 LEVEL CM	15119,2606 litre	96,252 %	588,7027 litre	O
320	CM	125	CM 229 LEVEL CM	15075,3636 litre	95,973 %	632,5997 litre	O
320	CM	125	CM 228 LEVEL CM	15030,5065 litre	95,687 %	677,4568 litre	O
320	CM	125	CM 227 LEVEL CM	14984,7186 litre	95,396 %	723,2447 litre	O
320	CM	125	CM 226 LEVEL CM	14938,0271 litre	95,098 %	769,9362 litre	O
320	CM	125	CM 225 LEVEL CM	14890,4577 litre	94,796 %	817,5056 litre	O
320	CM	125	CM 224 LEVEL CM	14842,0350 litre	94,487 %	865,9283 litre	O
320	CM	125	CM 223 LEVEL CM	14792,7819 litre	94,174 %	915,1814 litre	O
320	CM	125	CM 222 LEVEL CM	14742,7204 litre	93,855 %	965,2429 litre	O
320	CM	125	CM 221 LEVEL CM	14691,8714 litre	93,531 %	1016,0919 litre	O
320	CM	125	CM 220 LEVEL CM	14640,2549 litre	93,203 %	1067,7084 litre	O
320	CM	125	CM 219 LEVEL CM	14587,8899 litre	92,869 %	1120,0734 litre	O
320	CM	125	CM 218 LEVEL CM	14534,7947 litre	92,531 %	1173,1686 litre	O
320	CM	125	CM 217 LEVEL CM	14480,9869 litre	92,189 %	1226,9764 litre	O
320	CM	125	CM 216 LEVEL CM	14426,4832 litre	91,842 %	1281,4801 litre	O
320	CM	125	CM 215 LEVEL CM	14371,2999 litre	91,491 %	1336,6634 litre	O
320	CM	125	CM 214 LEVEL CM	14315,4525 litre	91,135 %	1392,5108 litre	O
320	CM	125	CM 213 LEVEL CM	14258,9561 litre	90,775 %	1449,0072 litre	O
320	CM	125	CM 212 LEVEL CM	14201,8252 litre	90,412 %	1506,1381 litre	O
320	CM	125	CM 211 LEVEL CM	14144,0740 litre	90,044 %	1563,8893 litre	O
320	CM	125	CM 210 LEVEL CM	14085,7160 litre	89,672 %	1622,2473 litre	O
320	CM	125	CM 209 LEVEL CM	14026,7644 litre	89,297 %	1681,1989 litre	O
320	CM	125	CM 208 LEVEL CM	13967,2320 litre	88,918 %	1740,7313 litre	O
320	CM	125	CM 207 LEVEL CM	13907,1313 litre	88,536 %	1800,8320 litre	O
320	CM	125	CM 206 LEVEL CM	13846,4742 litre	88,149 %	1861,4891 litre	O
320	CM	125	CM 205 LEVEL CM	13785,2727 litre	87,760 %	1922,6906 litre	O
320	CM	125	CM 204 LEVEL CM	13723,5380 litre	87,367 %	1984,4253 litre	O
320	CM	125	CM 203 LEVEL CM	13661,2814 litre	86,970 %	2046,6819 litre	O
320	CM	125	CM 202 LEVEL CM	13598,5137 litre	86,571 %	2109,4496 litre	O
320	CM	125	CM 201 LEVEL CM	13535,2455 litre	86,168 %	2172,7178 litre	O
320	CM	125	CM 200 LEVEL CM	13471,4872 litre	85,762 %	2236,4761 litre	O
320	CM	125	CM 199 LEVEL CM	13407,2488 litre	85,353 %	2300,7145 litre	O

320	CM	125	CM	198 LEVEL CM	13342,5404 litre	84,941 %	2365,4229 litre	O
320	CM	125	CM	197 LEVEL CM	13277,3714 litre	84,526 %	2430,5919 litre	O
320	CM	125	CM	196 LEVEL CM	13211,7515 litre	84,109 %	2496,2118 litre	O
320	CM	125	CM	195 LEVEL CM	13145,6899 litre	83,688 %	2562,2734 litre	O
320	CM	125	CM	194 LEVEL CM	13079,1957 litre	83,265 %	2628,7676 litre	O
320	CM	125	CM	193 LEVEL CM	13012,2778 litre	82,839 %	2695,6855 litre	O
320	CM	125	CM	192 LEVEL CM	12944,9450 litre	82,410 %	2763,0183 litre	O
320	CM	125	CM	191 LEVEL CM	12877,2058 litre	81,979 %	2830,7575 litre	O
320	CM	125	CM	190 LEVEL CM	12809,0687 litre	81,545 %	2898,8946 litre	O
320	CM	125	CM	189 LEVEL CM	12740,5419 litre	81,109 %	2967,4214 litre	O
320	CM	125	CM	188 LEVEL CM	12671,6337 litre	80,670 %	3036,3296 litre	O
320	CM	125	CM	187 LEVEL CM	12602,3520 litre	80,229 %	3105,6113 litre	O
320	CM	125	CM	186 LEVEL CM	12532,7047 litre	79,786 %	3175,2586 litre	O
320	CM	125	CM	185 LEVEL CM	12462,6996 litre	79,340 %	3245,2637 litre	O
320	CM	125	CM	184 LEVEL CM	12392,3443 litre	78,892 %	3315,6190 litre	O
320	CM	125	CM	183 LEVEL CM	12321,6463 litre	78,442 %	3386,3170 litre	O
320	CM	125	CM	182 LEVEL CM	12250,6131 litre	77,990 %	3457,3502 litre	O
320	CM	125	CM	181 LEVEL CM	12179,2519 litre	77,536 %	3528,7114 litre	O
320	CM	125	CM	180 LEVEL CM	12107,5701 litre	77,079 %	3600,3932 litre	O
320	CM	125	CM	179 LEVEL CM	12035,5747 litre	76,621 %	3672,3886 litre	O
320	CM	125	CM	178 LEVEL CM	11963,2727 litre	76,161 %	3744,6906 litre	O
320	CM	125	CM	177 LEVEL CM	11890,6710 litre	75,698 %	3817,2923 litre	O
320	CM	125	CM	176 LEVEL CM	11817,7766 litre	75,234 %	3890,1867 litre	O
320	CM	125	CM	175 LEVEL CM	11744,5961 litre	74,768 %	3963,3672 litre	O
320	CM	125	CM	174 LEVEL CM	11671,1364 litre	74,301 %	4036,8269 litre	O
320	CM	125	CM	173 LEVEL CM	11597,4039 litre	73,831 %	4110,5594 litre	O
320	CM	125	CM	172 LEVEL CM	11523,4053 litre	73,360 %	4184,5580 litre	O
320	CM	125	CM	171 LEVEL CM	11449,1469 litre	72,888 %	4258,8164 litre	O
320	CM	125	CM	170 LEVEL CM	11374,6352 litre	72,413 %	4333,3281 litre	O
320	CM	125	CM	169 LEVEL CM	11299,8766 litre	71,937 %	4408,0867 litre	O
320	CM	125	CM	168 LEVEL CM	11224,8773 litre	71,460 %	4483,0860 litre	O
320	CM	125	CM	167 LEVEL CM	11149,6435 litre	70,981 %	4558,3198 litre	O
320	CM	125	CM	166 LEVEL CM	11074,1815 litre	70,500 %	4633,7818 litre	O
320	CM	125	CM	165 LEVEL CM	10998,4971 litre	70,019 %	4709,4662 litre	O
320	CM	125	CM	164 LEVEL CM	10922,5967 litre	69,535 %	4785,3666 litre	O
320	CM	125	CM	163 LEVEL CM	10846,4860 litre	69,051 %	4861,4773 litre	O
320	CM	125	CM	162 LEVEL CM	10770,1711 litre	68,565 %	4937,7922 litre	O
320	CM	125	CM	161 LEVEL CM	10693,6579 litre	68,078 %	5014,3054 litre	O
320	CM	125	CM	160 LEVEL CM	10616,9522 litre	67,590 %	5091,0111 litre	O
320	CM	125	CM	159 LEVEL CM	10540,0598 litre	67,100 %	5167,9035 litre	O
320	CM	125	CM	158 LEVEL CM	10462,9865 litre	66,609 %	5244,9768 litre	O
320	CM	125	CM	157 LEVEL CM	10385,7381 litre	66,118 %	5322,2252 litre	O
320	CM	125	CM	156 LEVEL CM	10308,3201 litre	65,625 %	5399,6432 litre	O
320	CM	125	CM	155 LEVEL CM	10230,7384 litre	65,131 %	5477,2249 litre	O
320	CM	125	CM	154 LEVEL CM	10152,9983 litre	64,636 %	5554,9650 litre	O
320	CM	125	CM	153 LEVEL CM	10075,1057 litre	64,140 %	5632,8576 litre	O
320	CM	125	CM	152 LEVEL CM	9997,0659 litre	63,643 %	5710,8974 litre	O
320	CM	125	CM	151 LEVEL CM	9918,8846 litre	63,146 %	5789,0787 litre	O
320	CM	125	CM	150 LEVEL CM	9840,5671 litre	62,647 %	5867,3962 litre	O
320	CM	125	CM	149 LEVEL CM	9762,1190 litre	62,148 %	5945,8443 litre	O
320	CM	125	CM	148 LEVEL CM	9683,5458 litre	61,647 %	6024,4175 litre	O
320	CM	125	CM	147 LEVEL CM	9604,8526 litre	61,146 %	6103,1107 litre	O
320	CM	125	CM	146 LEVEL CM	9526,0451 litre	60,645 %	6181,9182 litre	O

320	CM	125	CM	145 LEVEL CM	9447,1285 litre	60,142 %	6260,8348 litre	O
320	CM	125	CM	144 LEVEL CM	9368,1082 litre	59,639 %	6339,8551 litre	O
320	CM	125	CM	143 LEVEL CM	9288,9894 litre	59,136 %	6418,9739 litre	O
320	CM	125	CM	142 LEVEL CM	9209,7775 litre	58,631 %	6498,1858 litre	O
320	CM	125	CM	141 LEVEL CM	9130,4777 litre	58,126 %	6577,4856 litre	O
320	CM	125	CM	140 LEVEL CM	9051,0954 litre	57,621 %	6656,8679 litre	O
320	CM	125	CM	139 LEVEL CM	8971,6357 litre	57,115 %	6736,3276 litre	O
320	CM	125	CM	138 LEVEL CM	8892,1038 litre	56,609 %	6815,8595 litre	O
320	CM	125	CM	137 LEVEL CM	8812,5050 litre	56,102 %	6895,4583 litre	O
320	CM	125	CM	136 LEVEL CM	8732,8445 litre	55,595 %	6975,1188 litre	O
320	CM	125	CM	135 LEVEL CM	8653,1275 litre	55,088 %	7054,8358 litre	O
320	CM	125	CM	134 LEVEL CM	8573,3591 litre	54,580 %	7134,6042 litre	O
320	CM	125	CM	133 LEVEL CM	8493,5445 litre	54,072 %	7214,4188 litre	O
320	CM	125	CM	132 LEVEL CM	8413,6888 litre	53,563 %	7294,2745 litre	O
320	CM	125	CM	131 LEVEL CM	8333,7973 litre	53,055 %	7374,1660 litre	O
320	CM	125	CM	130 LEVEL CM	8253,8749 litre	52,546 %	7454,0884 litre	O
320	CM	125	CM	129 LEVEL CM	8173,9270 litre	52,037 %	7534,0363 litre	O
320	CM	125	CM	128 LEVEL CM	8093,9586 litre	51,528 %	7614,0047 litre	O
320	CM	125	CM	127 LEVEL CM	8013,9748 litre	51,019 %	7693,9885 litre	O
320	CM	125	CM	126 LEVEL CM	7933,9808 litre	50,509 %	7773,9825 litre	O
320	CM	125	CM	125 LEVEL CM	7853,9816 litre	50,000 %	7853,9817 litre	O
320	CM	125	CM	124 LEVEL CM	7773,9825 litre	49,491 %	7933,9808 litre	O
320	CM	125	CM	123 LEVEL CM	7693,9885 litre	48,981 %	8013,9748 litre	O
320	CM	125	CM	122 LEVEL CM	7614,0047 litre	48,472 %	8093,9586 litre	O
320	CM	125	CM	121 LEVEL CM	7534,0363 litre	47,963 %	8173,9270 litre	O
320	CM	125	CM	120 LEVEL CM	7454,0883 litre	47,454 %	8253,8750 litre	O
320	CM	125	CM	119 LEVEL CM	7374,1660 litre	46,945 %	8333,7973 litre	O
320	CM	125	CM	118 LEVEL CM	7294,2745 litre	46,437 %	8413,6888 litre	O
320	CM	125	CM	117 LEVEL CM	7214,4188 litre	45,928 %	8493,5445 litre	O
320	CM	125	CM	116 LEVEL CM	7134,6042 litre	45,420 %	8573,3591 litre	O
320	CM	125	CM	115 LEVEL CM	7054,8358 litre	44,912 %	8653,1275 litre	O
320	CM	125	CM	114 LEVEL CM	6975,1187 litre	44,405 %	8732,8446 litre	O
320	CM	125	CM	113 LEVEL CM	6895,4582 litre	43,898 %	8812,5051 litre	O
320	CM	125	CM	112 LEVEL CM	6815,8595 litre	43,391 %	8892,1038 litre	O
320	CM	125	CM	111 LEVEL CM	6736,3276 litre	42,885 %	8971,6357 litre	O
320	CM	125	CM	110 LEVEL CM	6656,8679 litre	42,379 %	9051,0954 litre	O
320	CM	125	CM	109 LEVEL CM	6577,4855 litre	41,874 %	9130,4778 litre	O
320	CM	125	CM	108 LEVEL CM	6498,1858 litre	41,369 %	9209,7775 litre	O
320	CM	125	CM	107 LEVEL CM	6418,9739 litre	40,864 %	9288,9894 litre	O
320	CM	125	CM	106 LEVEL CM	6339,8551 litre	40,361 %	9368,1082 litre	O
320	CM	125	CM	105 LEVEL CM	6260,8348 litre	39,858 %	9447,1285 litre	O
320	CM	125	CM	104 LEVEL CM	6181,9182 litre	39,355 %	9526,0451 litre	O
320	CM	125	CM	103 LEVEL CM	6103,1106 litre	38,854 %	9604,8527 litre	O
320	CM	125	CM	102 LEVEL CM	6024,4175 litre	38,353 %	9683,5458 litre	O
320	CM	125	CM	101 LEVEL CM	5945,8442 litre	37,852 %	9762,1191 litre	O
320	CM	125	CM	100 LEVEL CM	5867,3961 litre	37,353 %	9840,5672 litre	O
320	CM	125	CM	99 LEVEL CM	5789,0787 litre	36,854 %	9918,8846 litre	O
320	CM	125	CM	98 LEVEL CM	5710,8973 litre	36,357 %	9997,0660 litre	O
320	CM	125	CM	97 LEVEL CM	5632,8576 litre	35,860 %	10075,1057 litre	O
320	CM	125	CM	96 LEVEL CM	5554,9649 litre	35,364 %	10152,9984 litre	O
320	CM	125	CM	95 LEVEL CM	5477,2249 litre	34,869 %	10230,7384 litre	O
320	CM	125	CM	94 LEVEL CM	5399,6431 litre	34,375 %	10308,3202 litre	O
320	CM	125	CM	93 LEVEL CM	5322,2252 litre	33,882 %	10385,7381 litre	O

320	CM	125	CM	92 LEVEL CM	5244,9767 litre	33,391 %	10462,9866 litre	O
320	CM	125	CM	91 LEVEL CM	5167,9035 litre	32,900 %	10540,0598 litre	O
320	CM	125	CM	90 LEVEL CM	5091,0111 litre	32,410 %	10616,9522 litre	O
320	CM	125	CM	89 LEVEL CM	5014,3054 litre	31,922 %	10693,6579 litre	O
320	CM	125	CM	88 LEVEL CM	4937,7922 litre	31,435 %	10770,1711 litre	O
320	CM	125	CM	87 LEVEL CM	4861,4773 litre	30,949 %	10846,4860 litre	O
320	CM	125	CM	86 LEVEL CM	4785,3666 litre	30,465 %	10922,5967 litre	O
320	CM	125	CM	85 LEVEL CM	4709,4661 litre	29,981 %	10998,4972 litre	O
320	CM	125	CM	84 LEVEL CM	4633,7818 litre	29,500 %	11074,1815 litre	O
320	CM	125	CM	83 LEVEL CM	4558,3197 litre	29,019 %	11149,6436 litre	O
320	CM	125	CM	82 LEVEL CM	4483,0859 litre	28,540 %	11224,8774 litre	O
320	CM	125	CM	81 LEVEL CM	4408,0866 litre	28,063 %	11299,8767 litre	O
320	CM	125	CM	80 LEVEL CM	4333,3280 litre	27,587 %	11374,6353 litre	O
320	CM	125	CM	79 LEVEL CM	4258,8164 litre	27,112 %	11449,1469 litre	O
320	CM	125	CM	78 LEVEL CM	4184,5580 litre	26,640 %	11523,4053 litre	O
320	CM	125	CM	77 LEVEL CM	4110,5594 litre	26,169 %	11597,4039 litre	O
320	CM	125	CM	76 LEVEL CM	4036,8269 litre	25,699 %	11671,1364 litre	O
320	CM	125	CM	75 LEVEL CM	3963,3671 litre	25,232 %	11744,5962 litre	O
320	CM	125	CM	74 LEVEL CM	3890,1867 litre	24,766 %	11817,7766 litre	O
320	CM	125	CM	73 LEVEL CM	3817,2923 litre	24,302 %	11890,6710 litre	O
320	CM	125	CM	72 LEVEL CM	3744,6906 litre	23,839 %	11963,2727 litre	O
320	CM	125	CM	71 LEVEL CM	3672,3886 litre	23,379 %	12035,5747 litre	O
320	CM	125	CM	70 LEVEL CM	3600,3932 litre	22,921 %	12107,5701 litre	O
320	CM	125	CM	69 LEVEL CM	3528,7113 litre	22,464 %	12179,2520 litre	O
320	CM	125	CM	68 LEVEL CM	3457,3502 litre	22,010 %	12250,6131 litre	O
320	CM	125	CM	67 LEVEL CM	3386,3170 litre	21,558 %	12321,6463 litre	O
320	CM	125	CM	66 LEVEL CM	3315,6190 litre	21,108 %	12392,3443 litre	O
320	CM	125	CM	65 LEVEL CM	3245,2637 litre	20,660 %	12462,6996 litre	O
320	CM	125	CM	64 LEVEL CM	3175,2586 litre	20,214 %	12532,7047 litre	O
320	CM	125	CM	63 LEVEL CM	3105,6113 litre	19,771 %	12602,3520 litre	O
320	CM	125	CM	62 LEVEL CM	3036,3296 litre	19,330 %	12671,6337 litre	O
320	CM	125	CM	61 LEVEL CM	2967,4214 litre	18,891 %	12740,5419 litre	O
320	CM	125	CM	60 LEVEL CM	2898,8946 litre	18,455 %	12809,0687 litre	O
320	CM	125	CM	59 LEVEL CM	2830,7575 litre	18,021 %	12877,2058 litre	O
320	CM	125	CM	58 LEVEL CM	2763,0183 litre	17,590 %	12944,9450 litre	O
320	CM	125	CM	57 LEVEL CM	2695,6854 litre	17,161 %	13012,2779 litre	O
320	CM	125	CM	56 LEVEL CM	2628,7675 litre	16,735 %	13079,1958 litre	O
320	CM	125	CM	55 LEVEL CM	2562,2733 litre	16,312 %	13145,6900 litre	O
320	CM	125	CM	54 LEVEL CM	2496,2117 litre	15,891 %	13211,7516 litre	O
320	CM	125	CM	53 LEVEL CM	2430,5918 litre	15,474 %	13277,3715 litre	O
320	CM	125	CM	52 LEVEL CM	2365,4229 litre	15,059 %	13342,5404 litre	O
320	CM	125	CM	51 LEVEL CM	2300,7144 litre	14,647 %	13407,2489 litre	O
320	CM	125	CM	50 LEVEL CM	2236,4761 litre	14,238 %	13471,4872 litre	O
320	CM	125	CM	49 LEVEL CM	2172,7178 litre	13,832 %	13535,2455 litre	O
320	CM	125	CM	48 LEVEL CM	2109,4496 litre	13,429 %	13598,5137 litre	O
320	CM	125	CM	47 LEVEL CM	2046,6819 litre	13,030 %	13661,2814 litre	O
320	CM	125	CM	46 LEVEL CM	1984,4253 litre	12,633 %	13723,5380 litre	O
320	CM	125	CM	45 LEVEL CM	1922,6906 litre	12,240 %	13785,2727 litre	O
320	CM	125	CM	44 LEVEL CM	1861,4890 litre	11,851 %	13846,4743 litre	O
320	CM	125	CM	43 LEVEL CM	1800,8320 litre	11,464 %	13907,1313 litre	O
320	CM	125	CM	42 LEVEL CM	1740,7313 litre	11,082 %	13967,2320 litre	O
320	CM	125	CM	41 LEVEL CM	1681,1989 litre	10,703 %	14026,7644 litre	O
320	CM	125	CM	40 LEVEL CM	1622,2473 litre	10,328 %	14085,7160 litre	O

320	CM	125	CM	39 LEVEL CM	1563,8893 litre	9,956 %	14144,0740 litre	O
320	CM	125	CM	38 LEVEL CM	1506,1380 litre	9,588 %	14201,8253 litre	O
320	CM	125	CM	37 LEVEL CM	1449,0072 litre	9,225 %	14258,9561 litre	O
320	CM	125	CM	36 LEVEL CM	1392,5108 litre	8,865 %	14315,4525 litre	O
320	CM	125	CM	35 LEVEL CM	1336,6634 litre	8,509 %	14371,2999 litre	O
320	CM	125	CM	34 LEVEL CM	1281,4801 litre	8,158 %	14426,4832 litre	O
320	CM	125	CM	33 LEVEL CM	1226,9764 litre	7,811 %	14480,9869 litre	O
320	CM	125	CM	32 LEVEL CM	1173,1685 litre	7,469 %	14534,7948 litre	O
320	CM	125	CM	31 LEVEL CM	1120,0734 litre	7,131 %	14587,8899 litre	O
320	CM	125	CM	30 LEVEL CM	1067,7084 litre	6,797 %	14640,2549 litre	O
320	CM	125	CM	29 LEVEL CM	1016,0919 litre	6,469 %	14691,8714 litre	O
320	CM	125	CM	28 LEVEL CM	965,2429 litre	6,145 %	14742,7204 litre	O
320	CM	125	CM	27 LEVEL CM	915,1814 litre	5,826 %	14792,7819 litre	O
320	CM	125	CM	26 LEVEL CM	865,9283 litre	5,513 %	14842,0350 litre	O
320	CM	125	CM	25 LEVEL CM	817,5055 litre	5,204 %	14890,4578 litre	O
320	CM	125	CM	24 LEVEL CM	769,9362 litre	4,902 %	14938,0271 litre	O
320	CM	125	CM	23 LEVEL CM	723,2447 litre	4,604 %	14984,7186 litre	O
320	CM	125	CM	22 LEVEL CM	677,4567 litre	4,313 %	15030,5066 litre	O
320	CM	125	CM	21 LEVEL CM	632,5997 litre	4,027 %	15075,3636 litre	O
320	CM	125	CM	20 LEVEL CM	588,7026 litre	3,748 %	15119,2607 litre	O
320	CM	125	CM	19 LEVEL CM	545,7966 litre	3,475 %	15162,1667 litre	O
320	CM	125	CM	18 LEVEL CM	503,9147 litre	3,208 %	15204,0486 litre	O
320	CM	125	CM	17 LEVEL CM	463,0928 litre	2,948 %	15244,8705 litre	O
320	CM	125	CM	16 LEVEL CM	423,3694 litre	2,695 %	15284,5939 litre	O
320	CM	125	CM	15 LEVEL CM	384,7864 litre	2,450 %	15323,1769 litre	O
320	CM	125	CM	14 LEVEL CM	347,3896 litre	2,212 %	15360,5737 litre	O
320	CM	125	CM	13 LEVEL CM	311,2290 litre	1,981 %	15396,7343 litre	O
320	CM	125	CM	12 LEVEL CM	276,3604 litre	1,759 %	15431,6029 litre	O
320	CM	125	CM	11 LEVEL CM	242,8457 litre	1,546 %	15465,1176 litre	O
320	CM	125	CM	10 LEVEL CM	210,7548 litre	1,342 %	15497,2085 litre	O
320	CM	125	CM	9 LEVEL CM	180,1672 litre	1,147 %	15527,7961 litre	O
320	CM	125	CM	8 LEVEL CM	151,1750 litre	0,962 %	15556,7883 litre	O
320	CM	125	CM	7 LEVEL CM	123,8864 litre	0,789 %	15584,0769 litre	O
320	CM	125	CM	6 LEVEL CM	98,4314 litre	0,627 %	15609,5319 litre	O
320	CM	125	CM	5 LEVEL CM	74,9705 litre	0,477 %	15632,9928 litre	O
320	CM	125	CM	4 LEVEL CM	53,7097 litre	0,342 %	15654,2536 litre	O
320	CM	125	CM	3 LEVEL CM	34,9278 litre	0,222 %	15673,0355 litre	O
320	CM	125	CM	2 LEVEL CM	19,0353 litre	0,121 %	15688,9280 litre	O
320	CM	125	CM	1 LEVEL CM	6,7381 litre	0,043 %	15701,2252 litre	O
320	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	15707,9633 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM 120	CM 240 LEVEL CM	14476,4589 litre	100,000 %	0,0000 litre	O
320	CM 120	CM 239 LEVEL CM	14469,8573 litre	99,954 %	6,6016 litre	O
320	CM 120	CM 238 LEVEL CM	14457,8102 litre	99,871 %	18,6487 litre	O
320	CM 120	CM 237 LEVEL CM	14442,2420 litre	99,764 %	34,2169 litre	O
320	CM 120	CM 236 LEVEL CM	14423,8450 litre	99,637 %	52,6139 litre	O
320	CM 120	CM 235 LEVEL CM	14403,0217 litre	99,493 %	73,4372 litre	O
320	CM 120	CM 234 LEVEL CM	14380,0457 litre	99,334 %	96,4132 litre	O
320	CM 120	CM 233 LEVEL CM	14355,1188 litre	99,162 %	121,3401 litre	O
320	CM 120	CM 232 LEVEL CM	14328,3988 litre	98,977 %	148,0601 litre	O
320	CM 120	CM 231 LEVEL CM	14300,0133 litre	98,781 %	176,4456 litre	O
320	CM 120	CM 230 LEVEL CM	14270,0684 litre	98,574 %	206,3905 litre	O
320	CM 120	CM 229 LEVEL CM	14238,6545 litre	98,357 %	237,8044 litre	O
320	CM 120	CM 228 LEVEL CM	14205,8500 litre	98,131 %	270,6089 litre	O
320	CM 120	CM 227 LEVEL CM	14171,7233 litre	97,895 %	304,7356 litre	O
320	CM 120	CM 226 LEVEL CM	14136,3356 litre	97,651 %	340,1233 litre	O
320	CM 120	CM 225 LEVEL CM	14099,7413 litre	97,398 %	376,7176 litre	O
320	CM 120	CM 224 LEVEL CM	14061,9900 litre	97,137 %	414,4689 litre	O
320	CM 120	CM 223 LEVEL CM	14023,1265 litre	96,868 %	453,3324 litre	O
320	CM 120	CM 222 LEVEL CM	13983,1921 litre	96,593 %	493,2668 litre	O
320	CM 120	CM 221 LEVEL CM	13942,2249 litre	96,310 %	534,2340 litre	O
320	CM 120	CM 220 LEVEL CM	13900,2598 litre	96,020 %	576,1991 litre	O
320	CM 120	CM 219 LEVEL CM	13857,3298 litre	95,723 %	619,1291 litre	O
320	CM 120	CM 218 LEVEL CM	13813,4653 litre	95,420 %	662,9936 litre	O
320	CM 120	CM 217 LEVEL CM	13768,6950 litre	95,111 %	707,7639 litre	O
320	CM 120	CM 216 LEVEL CM	13723,0458 litre	94,796 %	753,4131 litre	O
320	CM 120	CM 215 LEVEL CM	13676,5432 litre	94,474 %	799,9157 litre	O
320	CM 120	CM 214 LEVEL CM	13629,2112 litre	94,147 %	847,2477 litre	O
320	CM 120	CM 213 LEVEL CM	13581,0726 litre	93,815 %	895,3863 litre	O
320	CM 120	CM 212 LEVEL CM	13532,1490 litre	93,477 %	944,3099 litre	O
320	CM 120	CM 211 LEVEL CM	13482,4611 litre	93,134 %	993,9978 litre	O
320	CM 120	CM 210 LEVEL CM	13432,0287 litre	92,785 %	1044,4302 litre	O
320	CM 120	CM 209 LEVEL CM	13380,8704 litre	92,432 %	1095,5885 litre	O
320	CM 120	CM 208 LEVEL CM	13329,0045 litre	92,074 %	1147,4544 litre	O
320	CM 120	CM 207 LEVEL CM	13276,4482 litre	91,711 %	1200,0107 litre	O
320	CM 120	CM 206 LEVEL CM	13223,2181 litre	91,343 %	1253,2408 litre	O
320	CM 120	CM 205 LEVEL CM	13169,3303 litre	90,971 %	1307,1286 litre	O
320	CM 120	CM 204 LEVEL CM	13114,8003 litre	90,594 %	1361,6586 litre	O
320	CM 120	CM 203 LEVEL CM	13059,6429 litre	90,213 %	1416,8160 litre	O
320	CM 120	CM 202 LEVEL CM	13003,8725 litre	89,828 %	1472,5864 litre	O
320	CM 120	CM 201 LEVEL CM	12947,5031 litre	89,438 %	1528,9558 litre	O
320	CM 120	CM 200 LEVEL CM	12890,5481 litre	89,045 %	1585,9108 litre	O
320	CM 120	CM 199 LEVEL CM	12833,0207 litre	88,648 %	1643,4382 litre	O
320	CM 120	CM 198 LEVEL CM	12774,9335 litre	88,246 %	1701,5254 litre	O
320	CM 120	CM 197 LEVEL CM	12716,2989 litre	87,841 %	1760,1600 litre	O
320	CM 120	CM 196 LEVEL CM	12657,1288 litre	87,432 %	1819,3301 litre	O
320	CM 120	CM 195 LEVEL CM	12597,4349 litre	87,020 %	1879,0240 litre	O
320	CM 120	CM 194 LEVEL CM	12537,2285 litre	86,604 %	1939,2304 litre	O
320	CM 120	CM 193 LEVEL CM	12476,5208 litre	86,185 %	1999,9381 litre	O
320	CM 120	CM 192 LEVEL CM	12415,3226 litre	85,762 %	2061,1363 litre	O
320	CM 120	CM 191 LEVEL CM	12353,6443 litre	85,336 %	2122,8146 litre	O
320	CM 120	CM 190 LEVEL CM	12291,4963 litre	84,907 %	2184,9626 litre	O
320	CM 120	CM 189 LEVEL CM	12228,8887 litre	84,474 %	2247,5702 litre	O

320	CM	120	CM	188 LEVEL CM	12165,8312 litre	84,039 %	2310,6277 litre	O
320	CM	120	CM	187 LEVEL CM	12102,3336 litre	83,600 %	2374,1253 litre	O
320	CM	120	CM	186 LEVEL CM	12038,4052 litre	83,158 %	2438,0537 litre	O
320	CM	120	CM	185 LEVEL CM	11974,0553 litre	82,714 %	2502,4036 litre	O
320	CM	120	CM	184 LEVEL CM	11909,2930 litre	82,267 %	2567,1659 litre	O
320	CM	120	CM	183 LEVEL CM	11844,1272 litre	81,816 %	2632,3317 litre	O
320	CM	120	CM	182 LEVEL CM	11778,5666 litre	81,364 %	2697,8923 litre	O
320	CM	120	CM	181 LEVEL CM	11712,6198 litre	80,908 %	2763,8391 litre	O
320	CM	120	CM	180 LEVEL CM	11646,2952 litre	80,450 %	2830,1637 litre	O
320	CM	120	CM	179 LEVEL CM	11579,6010 litre	79,989 %	2896,8579 litre	O
320	CM	120	CM	178 LEVEL CM	11512,5455 litre	79,526 %	2963,9134 litre	O
320	CM	120	CM	177 LEVEL CM	11445,1366 litre	79,060 %	3031,3223 litre	O
320	CM	120	CM	176 LEVEL CM	11377,3823 litre	78,592 %	3099,0766 litre	O
320	CM	120	CM	175 LEVEL CM	11309,2903 litre	78,122 %	3167,1686 litre	O
320	CM	120	CM	174 LEVEL CM	11240,8682 litre	77,649 %	3235,5907 litre	O
320	CM	120	CM	173 LEVEL CM	11172,1236 litre	77,174 %	3304,3353 litre	O
320	CM	120	CM	172 LEVEL CM	11103,0639 litre	76,697 %	3373,3950 litre	O
320	CM	120	CM	171 LEVEL CM	11033,6965 litre	76,218 %	3442,7624 litre	O
320	CM	120	CM	170 LEVEL CM	10964,0286 litre	75,737 %	3512,4303 litre	O
320	CM	120	CM	169 LEVEL CM	10894,0673 litre	75,254 %	3582,3916 litre	O
320	CM	120	CM	168 LEVEL CM	10823,8198 litre	74,768 %	3652,6391 litre	O
320	CM	120	CM	167 LEVEL CM	10753,2929 litre	74,281 %	3723,1660 litre	O
320	CM	120	CM	166 LEVEL CM	10682,4936 litre	73,792 %	3793,9653 litre	O
320	CM	120	CM	165 LEVEL CM	10611,4287 litre	73,301 %	3865,0302 litre	O
320	CM	120	CM	164 LEVEL CM	10540,1048 litre	72,809 %	3936,3541 litre	O
320	CM	120	CM	163 LEVEL CM	10468,5288 litre	72,314 %	4007,9301 litre	O
320	CM	120	CM	162 LEVEL CM	10396,7070 litre	71,818 %	4079,7519 litre	O
320	CM	120	CM	161 LEVEL CM	10324,6462 litre	71,320 %	4151,8127 litre	O
320	CM	120	CM	160 LEVEL CM	10252,3526 litre	70,821 %	4224,1063 litre	O
320	CM	120	CM	159 LEVEL CM	10179,8328 litre	70,320 %	4296,6261 litre	O
320	CM	120	CM	158 LEVEL CM	10107,0931 litre	69,817 %	4369,3658 litre	O
320	CM	120	CM	157 LEVEL CM	10034,1396 litre	69,313 %	4442,3193 litre	O
320	CM	120	CM	156 LEVEL CM	9960,9788 litre	68,808 %	4515,4801 litre	O
320	CM	120	CM	155 LEVEL CM	9887,6166 litre	68,301 %	4588,8423 litre	O
320	CM	120	CM	154 LEVEL CM	9814,0593 litre	67,793 %	4662,3996 litre	O
320	CM	120	CM	153 LEVEL CM	9740,3129 litre	67,284 %	4736,1460 litre	O
320	CM	120	CM	152 LEVEL CM	9666,3835 litre	66,773 %	4810,0754 litre	O
320	CM	120	CM	151 LEVEL CM	9592,2770 litre	66,261 %	4884,1819 litre	O
320	CM	120	CM	150 LEVEL CM	9517,9993 litre	65,748 %	4958,4596 litre	O
320	CM	120	CM	149 LEVEL CM	9443,5564 litre	65,234 %	5032,9025 litre	O
320	CM	120	CM	148 LEVEL CM	9368,9540 litre	64,719 %	5107,5049 litre	O
320	CM	120	CM	147 LEVEL CM	9294,1982 litre	64,202 %	5182,2607 litre	O
320	CM	120	CM	146 LEVEL CM	9219,2945 litre	63,685 %	5257,1644 litre	O
320	CM	120	CM	145 LEVEL CM	9144,2487 litre	63,166 %	5332,2102 litre	O
320	CM	120	CM	144 LEVEL CM	9069,0667 litre	62,647 %	5407,3922 litre	O
320	CM	120	CM	143 LEVEL CM	8993,7540 litre	62,127 %	5482,7049 litre	O
320	CM	120	CM	142 LEVEL CM	8918,3163 litre	61,606 %	5558,1426 litre	O
320	CM	120	CM	141 LEVEL CM	8842,7592 litre	61,084 %	5633,6997 litre	O
320	CM	120	CM	140 LEVEL CM	8767,0884 litre	60,561 %	5709,3705 litre	O
320	CM	120	CM	139 LEVEL CM	8691,3095 litre	60,038 %	5785,1494 litre	O
320	CM	120	CM	138 LEVEL CM	8615,4278 litre	59,513 %	5861,0311 litre	O
320	CM	120	CM	137 LEVEL CM	8539,4491 litre	58,989 %	5937,0098 litre	O
320	CM	120	CM	136 LEVEL CM	8463,3788 litre	58,463 %	6013,0801 litre	O

320	CM	120	CM	135 LEVEL CM	8387,2224 litre	57,937 %	6089,2365 litre	O
320	CM	120	CM	134 LEVEL CM	8310,9854 litre	57,410 %	6165,4735 litre	O
320	CM	120	CM	133 LEVEL CM	8234,6731 litre	56,883 %	6241,7858 litre	O
320	CM	120	CM	132 LEVEL CM	8158,2912 litre	56,356 %	6318,1677 litre	O
320	CM	120	CM	131 LEVEL CM	8081,8449 litre	55,827 %	6394,6140 litre	O
320	CM	120	CM	130 LEVEL CM	8005,3397 litre	55,299 %	6471,1192 litre	O
320	CM	120	CM	129 LEVEL CM	7928,7809 litre	54,770 %	6547,6780 litre	O
320	CM	120	CM	128 LEVEL CM	7852,1741 litre	54,241 %	6624,2848 litre	O
320	CM	120	CM	127 LEVEL CM	7775,5244 litre	53,712 %	6700,9345 litre	O
320	CM	120	CM	126 LEVEL CM	7698,8374 litre	53,182 %	6777,6215 litre	O
320	CM	120	CM	125 LEVEL CM	7622,1183 litre	52,652 %	6854,3406 litre	O
320	CM	120	CM	124 LEVEL CM	7545,3726 litre	52,122 %	6931,0863 litre	O
320	CM	120	CM	123 LEVEL CM	7468,6055 litre	51,591 %	7007,8534 litre	O
320	CM	120	CM	122 LEVEL CM	7391,8224 litre	51,061 %	7084,6365 litre	O
320	CM	120	CM	121 LEVEL CM	7315,0286 litre	50,531 %	7161,4303 litre	O
320	CM	120	CM	120 LEVEL CM	7238,2295 litre	50,000 %	7238,2294 litre	O
320	CM	120	CM	119 LEVEL CM	7161,4304 litre	49,469 %	7315,0285 litre	O
320	CM	120	CM	118 LEVEL CM	7084,6366 litre	48,939 %	7391,8223 litre	O
320	CM	120	CM	117 LEVEL CM	7007,8535 litre	48,409 %	7468,6054 litre	O
320	CM	120	CM	116 LEVEL CM	6931,0864 litre	47,878 %	7545,3725 litre	O
320	CM	120	CM	115 LEVEL CM	6854,3406 litre	47,348 %	7622,1183 litre	O
320	CM	120	CM	114 LEVEL CM	6777,6215 litre	46,818 %	7698,8374 litre	O
320	CM	120	CM	113 LEVEL CM	6700,9345 litre	46,288 %	7775,5244 litre	O
320	CM	120	CM	112 LEVEL CM	6624,2849 litre	45,759 %	7852,1740 litre	O
320	CM	120	CM	111 LEVEL CM	6547,6780 litre	45,230 %	7928,7809 litre	O
320	CM	120	CM	110 LEVEL CM	6471,1193 litre	44,701 %	8005,3396 litre	O
320	CM	120	CM	109 LEVEL CM	6394,6141 litre	44,173 %	8081,8448 litre	O
320	CM	120	CM	108 LEVEL CM	6318,1678 litre	43,644 %	8158,2911 litre	O
320	CM	120	CM	107 LEVEL CM	6241,7858 litre	43,117 %	8234,6731 litre	O
320	CM	120	CM	106 LEVEL CM	6165,4736 litre	42,590 %	8310,9853 litre	O
320	CM	120	CM	105 LEVEL CM	6089,2365 litre	42,063 %	8387,2224 litre	O
320	CM	120	CM	104 LEVEL CM	6013,0801 litre	41,537 %	8463,3788 litre	O
320	CM	120	CM	103 LEVEL CM	5937,0098 litre	41,011 %	8539,4491 litre	O
320	CM	120	CM	102 LEVEL CM	5861,0311 litre	40,487 %	8615,4278 litre	O
320	CM	120	CM	101 LEVEL CM	5785,1495 litre	39,962 %	8691,3094 litre	O
320	CM	120	CM	100 LEVEL CM	5709,3705 litre	39,439 %	8767,0884 litre	O
320	CM	120	CM	99 LEVEL CM	5633,6997 litre	38,916 %	8842,7592 litre	O
320	CM	120	CM	98 LEVEL CM	5558,1427 litre	38,394 %	8918,3162 litre	O
320	CM	120	CM	97 LEVEL CM	5482,7050 litre	37,873 %	8993,7539 litre	O
320	CM	120	CM	96 LEVEL CM	5407,3923 litre	37,353 %	9069,0666 litre	O
320	CM	120	CM	95 LEVEL CM	5332,2102 litre	36,834 %	9144,2487 litre	O
320	CM	120	CM	94 LEVEL CM	5257,1645 litre	36,315 %	9219,2944 litre	O
320	CM	120	CM	93 LEVEL CM	5182,2608 litre	35,798 %	9294,1981 litre	O
320	CM	120	CM	92 LEVEL CM	5107,5049 litre	35,281 %	9368,9540 litre	O
320	CM	120	CM	91 LEVEL CM	5032,9026 litre	34,766 %	9443,5563 litre	O
320	CM	120	CM	90 LEVEL CM	4958,4597 litre	34,252 %	9517,9992 litre	O
320	CM	120	CM	89 LEVEL CM	4884,1820 litre	33,739 %	9592,2769 litre	O
320	CM	120	CM	88 LEVEL CM	4810,0754 litre	33,227 %	9666,3835 litre	O
320	CM	120	CM	87 LEVEL CM	4736,1460 litre	32,716 %	9740,3129 litre	O
320	CM	120	CM	86 LEVEL CM	4662,3996 litre	32,207 %	9814,0593 litre	O
320	CM	120	CM	85 LEVEL CM	4588,8423 litre	31,699 %	9887,6166 litre	O
320	CM	120	CM	84 LEVEL CM	4515,4802 litre	31,192 %	9960,9787 litre	O
320	CM	120	CM	83 LEVEL CM	4442,3193 litre	30,687 %	10034,1396 litre	O

320	CM	120	CM	82 LEVEL CM	4369,3659 litre	30,183 %	10107,0930 litre	O
320	CM	120	CM	81 LEVEL CM	4296,6261 litre	29,680 %	10179,8328 litre	O
320	CM	120	CM	80 LEVEL CM	4224,1063 litre	29,179 %	10252,3526 litre	O
320	CM	120	CM	79 LEVEL CM	4151,8128 litre	28,680 %	10324,6461 litre	O
320	CM	120	CM	78 LEVEL CM	4079,7519 litre	28,182 %	10396,7070 litre	O
320	CM	120	CM	77 LEVEL CM	4007,9302 litre	27,686 %	10468,5287 litre	O
320	CM	120	CM	76 LEVEL CM	3936,3541 litre	27,191 %	10540,1048 litre	O
320	CM	120	CM	75 LEVEL CM	3865,0303 litre	26,699 %	10611,4286 litre	O
320	CM	120	CM	74 LEVEL CM	3793,9653 litre	26,208 %	10682,4936 litre	O
320	CM	120	CM	73 LEVEL CM	3723,1660 litre	25,719 %	10753,2929 litre	O
320	CM	120	CM	72 LEVEL CM	3652,6391 litre	25,232 %	10823,8198 litre	O
320	CM	120	CM	71 LEVEL CM	3582,3916 litre	24,746 %	10894,0673 litre	O
320	CM	120	CM	70 LEVEL CM	3512,4303 litre	24,263 %	10964,0286 litre	O
320	CM	120	CM	69 LEVEL CM	3442,7624 litre	23,782 %	11033,6965 litre	O
320	CM	120	CM	68 LEVEL CM	3373,3950 litre	23,303 %	11103,0639 litre	O
320	CM	120	CM	67 LEVEL CM	3304,3354 litre	22,826 %	11172,1235 litre	O
320	CM	120	CM	66 LEVEL CM	3235,5908 litre	22,351 %	11240,8681 litre	O
320	CM	120	CM	65 LEVEL CM	3167,1687 litre	21,878 %	11309,2902 litre	O
320	CM	120	CM	64 LEVEL CM	3099,0766 litre	21,408 %	11377,3823 litre	O
320	CM	120	CM	63 LEVEL CM	3031,3223 litre	20,940 %	11445,1366 litre	O
320	CM	120	CM	62 LEVEL CM	2963,9134 litre	20,474 %	11512,5455 litre	O
320	CM	120	CM	61 LEVEL CM	2896,8579 litre	20,011 %	11579,6010 litre	O
320	CM	120	CM	60 LEVEL CM	2830,1638 litre	19,550 %	11646,2951 litre	O
320	CM	120	CM	59 LEVEL CM	2763,8392 litre	19,092 %	11712,6197 litre	O
320	CM	120	CM	58 LEVEL CM	2697,8923 litre	18,636 %	11778,5666 litre	O
320	CM	120	CM	57 LEVEL CM	2632,3317 litre	18,184 %	11844,1272 litre	O
320	CM	120	CM	56 LEVEL CM	2567,1659 litre	17,733 %	11909,2930 litre	O
320	CM	120	CM	55 LEVEL CM	2502,4036 litre	17,286 %	11974,0553 litre	O
320	CM	120	CM	54 LEVEL CM	2438,0538 litre	16,842 %	12038,4051 litre	O
320	CM	120	CM	53 LEVEL CM	2374,1254 litre	16,400 %	12102,3335 litre	O
320	CM	120	CM	52 LEVEL CM	2310,6278 litre	15,961 %	12165,8311 litre	O
320	CM	120	CM	51 LEVEL CM	2247,5703 litre	15,526 %	12228,8886 litre	O
320	CM	120	CM	50 LEVEL CM	2184,9626 litre	15,093 %	12291,4963 litre	O
320	CM	120	CM	49 LEVEL CM	2122,8146 litre	14,664 %	12353,6443 litre	O
320	CM	120	CM	48 LEVEL CM	2061,1364 litre	14,238 %	12415,3225 litre	O
320	CM	120	CM	47 LEVEL CM	1999,9381 litre	13,815 %	12476,5208 litre	O
320	CM	120	CM	46 LEVEL CM	1939,2304 litre	13,396 %	12537,2285 litre	O
320	CM	120	CM	45 LEVEL CM	1879,0241 litre	12,980 %	12597,4348 litre	O
320	CM	120	CM	44 LEVEL CM	1819,3302 litre	12,568 %	12657,1287 litre	O
320	CM	120	CM	43 LEVEL CM	1760,1601 litre	12,159 %	12716,2988 litre	O
320	CM	120	CM	42 LEVEL CM	1701,5255 litre	11,754 %	12774,9334 litre	O
320	CM	120	CM	41 LEVEL CM	1643,4383 litre	11,352 %	12833,0206 litre	O
320	CM	120	CM	40 LEVEL CM	1585,9108 litre	10,955 %	12890,5481 litre	O
320	CM	120	CM	39 LEVEL CM	1528,9559 litre	10,562 %	12947,5030 litre	O
320	CM	120	CM	38 LEVEL CM	1472,5864 litre	10,172 %	13003,8725 litre	O
320	CM	120	CM	37 LEVEL CM	1416,8161 litre	9,787 %	13059,6428 litre	O
320	CM	120	CM	36 LEVEL CM	1361,6587 litre	9,406 %	13114,8002 litre	O
320	CM	120	CM	35 LEVEL CM	1307,1286 litre	9,029 %	13169,3303 litre	O
320	CM	120	CM	34 LEVEL CM	1253,2408 litre	8,657 %	13223,2181 litre	O
320	CM	120	CM	33 LEVEL CM	1200,0108 litre	8,289 %	13276,4481 litre	O
320	CM	120	CM	32 LEVEL CM	1147,4545 litre	7,926 %	13329,0044 litre	O
320	CM	120	CM	31 LEVEL CM	1095,5885 litre	7,568 %	13380,8704 litre	O
320	CM	120	CM	30 LEVEL CM	1044,4303 litre	7,215 %	13432,0286 litre	O

320	CM	120	CM	29 LEVEL CM	993,9978 litre	6,866 %	13482,4611 litre	O
320	CM	120	CM	28 LEVEL CM	944,3099 litre	6,523 %	13532,1490 litre	O
320	CM	120	CM	27 LEVEL CM	895,3864 litre	6,185 %	13581,0725 litre	O
320	CM	120	CM	26 LEVEL CM	847,2477 litre	5,853 %	13629,2112 litre	O
320	CM	120	CM	25 LEVEL CM	799,9157 litre	5,526 %	13676,5432 litre	O
320	CM	120	CM	24 LEVEL CM	753,4131 litre	5,204 %	13723,0458 litre	O
320	CM	120	CM	23 LEVEL CM	707,7639 litre	4,889 %	13768,6950 litre	O
320	CM	120	CM	22 LEVEL CM	662,9937 litre	4,580 %	13813,4652 litre	O
320	CM	120	CM	21 LEVEL CM	619,1292 litre	4,277 %	13857,3297 litre	O
320	CM	120	CM	20 LEVEL CM	576,1991 litre	3,980 %	13900,2598 litre	O
320	CM	120	CM	19 LEVEL CM	534,2341 litre	3,690 %	13942,2248 litre	O
320	CM	120	CM	18 LEVEL CM	493,2668 litre	3,407 %	13983,1921 litre	O
320	CM	120	CM	17 LEVEL CM	453,3324 litre	3,132 %	14023,1265 litre	O
320	CM	120	CM	16 LEVEL CM	414,4690 litre	2,863 %	14061,9899 litre	O
320	CM	120	CM	15 LEVEL CM	376,7176 litre	2,602 %	14099,7413 litre	O
320	CM	120	CM	14 LEVEL CM	340,1234 litre	2,349 %	14136,3355 litre	O
320	CM	120	CM	13 LEVEL CM	304,7356 litre	2,105 %	14171,7233 litre	O
320	CM	120	CM	12 LEVEL CM	270,6090 litre	1,869 %	14205,8499 litre	O
320	CM	120	CM	11 LEVEL CM	237,8044 litre	1,643 %	14238,6545 litre	O
320	CM	120	CM	10 LEVEL CM	206,3906 litre	1,426 %	14270,0683 litre	O
320	CM	120	CM	9 LEVEL CM	176,4457 litre	1,219 %	14300,0132 litre	O
320	CM	120	CM	8 LEVEL CM	148,0601 litre	1,023 %	14328,3988 litre	O
320	CM	120	CM	7 LEVEL CM	121,3401 litre	0,838 %	14355,1188 litre	O
320	CM	120	CM	6 LEVEL CM	96,4133 litre	0,666 %	14380,0456 litre	O
320	CM	120	CM	5 LEVEL CM	73,4372 litre	0,507 %	14403,0217 litre	O
320	CM	120	CM	4 LEVEL CM	52,6139 litre	0,363 %	14423,8450 litre	O
320	CM	120	CM	3 LEVEL CM	34,2169 litre	0,236 %	14442,2420 litre	O
320	CM	120	CM	2 LEVEL CM	18,6488 litre	0,129 %	14457,8101 litre	O
320	CM	120	CM	1 LEVEL CM	6,6016 litre	0,046 %	14469,8573 litre	O
320	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	14476,4589 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	115	CM 230 LEVEL CM	13295,2201 litre	100,000 %	0,0000 litre	O
320	CM	115	CM 229 LEVEL CM	13288,7578 litre	99,951 %	6,4623 litre	O
320	CM	115	CM 228 LEVEL CM	13276,9660 litre	99,863 %	18,2541 litre	O
320	CM	115	CM 227 LEVEL CM	13261,7291 litre	99,748 %	33,4910 litre	O
320	CM	115	CM 226 LEVEL CM	13243,7253 litre	99,613 %	51,4948 litre	O
320	CM	115	CM 225 LEVEL CM	13223,3489 litre	99,459 %	71,8712 litre	O
320	CM	115	CM 224 LEVEL CM	13200,8681 litre	99,290 %	94,3520 litre	O
320	CM	115	CM 223 LEVEL CM	13176,4809 litre	99,107 %	118,7392 litre	O
320	CM	115	CM 222 LEVEL CM	13150,3419 litre	98,910 %	144,8782 litre	O
320	CM	115	CM 221 LEVEL CM	13122,5762 litre	98,701 %	172,6439 litre	O
320	CM	115	CM 220 LEVEL CM	13093,2880 litre	98,481 %	201,9321 litre	O
320	CM	115	CM 219 LEVEL CM	13062,5662 litre	98,250 %	232,6539 litre	O
320	CM	115	CM 218 LEVEL CM	13030,4875 litre	98,009 %	264,7326 litre	O
320	CM	115	CM 217 LEVEL CM	12997,1194 litre	97,758 %	298,1007 litre	O
320	CM	115	CM 216 LEVEL CM	12962,5216 litre	97,498 %	332,6985 litre	O
320	CM	115	CM 215 LEVEL CM	12926,7480 litre	97,229 %	368,4721 litre	O
320	CM	115	CM 214 LEVEL CM	12889,8470 litre	96,951 %	405,3731 litre	O
320	CM	115	CM 213 LEVEL CM	12851,8629 litre	96,665 %	443,3572 litre	O
320	CM	115	CM 212 LEVEL CM	12812,8363 litre	96,372 %	482,3838 litre	O
320	CM	115	CM 211 LEVEL CM	12772,8045 litre	96,071 %	522,4156 litre	O
320	CM	115	CM 210 LEVEL CM	12731,8021 litre	95,762 %	563,4180 litre	O
320	CM	115	CM 209 LEVEL CM	12689,8614 litre	95,447 %	605,3587 litre	O
320	CM	115	CM 208 LEVEL CM	12647,0124 litre	95,125 %	648,2077 litre	O
320	CM	115	CM 207 LEVEL CM	12603,2834 litre	94,796 %	691,9367 litre	O
320	CM	115	CM 206 LEVEL CM	12558,7010 litre	94,460 %	736,5191 litre	O
320	CM	115	CM 205 LEVEL CM	12513,2901 litre	94,119 %	781,9300 litre	O
320	CM	115	CM 204 LEVEL CM	12467,0746 litre	93,771 %	828,1455 litre	O
320	CM	115	CM 203 LEVEL CM	12420,0769 litre	93,418 %	875,1432 litre	O
320	CM	115	CM 202 LEVEL CM	12372,3183 litre	93,058 %	922,9018 litre	O
320	CM	115	CM 201 LEVEL CM	12323,8194 litre	92,694 %	971,4007 litre	O
320	CM	115	CM 200 LEVEL CM	12274,5994 litre	92,323 %	1020,6207 litre	O
320	CM	115	CM 199 LEVEL CM	12224,6771 litre	91,948 %	1070,5430 litre	O
320	CM	115	CM 198 LEVEL CM	12174,0702 litre	91,567 %	1121,1499 litre	O
320	CM	115	CM 197 LEVEL CM	12122,7959 litre	91,182 %	1172,4242 litre	O
320	CM	115	CM 196 LEVEL CM	12070,8707 litre	90,791 %	1224,3494 litre	O
320	CM	115	CM 195 LEVEL CM	12018,3105 litre	90,396 %	1276,9096 litre	O
320	CM	115	CM 194 LEVEL CM	11965,1304 litre	89,996 %	1330,0897 litre	O
320	CM	115	CM 193 LEVEL CM	11911,3453 litre	89,591 %	1383,8748 litre	O
320	CM	115	CM 192 LEVEL CM	11856,9694 litre	89,182 %	1438,2507 litre	O
320	CM	115	CM 191 LEVEL CM	11802,0165 litre	88,769 %	1493,2036 litre	O
320	CM	115	CM 190 LEVEL CM	11746,5001 litre	88,351 %	1548,7200 litre	O
320	CM	115	CM 189 LEVEL CM	11690,4330 litre	87,930 %	1604,7871 litre	O
320	CM	115	CM 188 LEVEL CM	11633,8278 litre	87,504 %	1661,3923 litre	O
320	CM	115	CM 187 LEVEL CM	11576,6969 litre	87,074 %	1718,5232 litre	O
320	CM	115	CM 186 LEVEL CM	11519,0521 litre	86,641 %	1776,1680 litre	O
320	CM	115	CM 185 LEVEL CM	11460,9049 litre	86,203 %	1834,3152 litre	O
320	CM	115	CM 184 LEVEL CM	11402,2667 litre	85,762 %	1892,9534 litre	O
320	CM	115	CM 183 LEVEL CM	11343,1485 litre	85,317 %	1952,0716 litre	O
320	CM	115	CM 182 LEVEL CM	11283,5611 litre	84,869 %	2011,6590 litre	O
320	CM	115	CM 181 LEVEL CM	11223,5148 litre	84,418 %	2071,7053 litre	O
320	CM	115	CM 180 LEVEL CM	11163,0200 litre	83,963 %	2132,2001 litre	O
320	CM	115	CM 179 LEVEL CM	11102,0866 litre	83,504 %	2193,1335 litre	O

320	CM 115	CM	178 LEVEL CM	11040,7246 litre	83,043 %	2254,4955 litre	O
320	CM 115	CM	177 LEVEL CM	10978,9434 litre	82,578 %	2316,2767 litre	O
320	CM 115	CM	176 LEVEL CM	10916,7526 litre	82,110 %	2378,4675 litre	O
320	CM 115	CM	175 LEVEL CM	10854,1612 litre	81,640 %	2441,0589 litre	O
320	CM 115	CM	174 LEVEL CM	10791,1785 litre	81,166 %	2504,0416 litre	O
320	CM 115	CM	173 LEVEL CM	10727,8132 litre	80,689 %	2567,4069 litre	O
320	CM 115	CM	172 LEVEL CM	10664,0741 litre	80,210 %	2631,1460 litre	O
320	CM 115	CM	171 LEVEL CM	10599,9697 litre	79,728 %	2695,2504 litre	O
320	CM 115	CM	170 LEVEL CM	10535,5085 litre	79,243 %	2759,7116 litre	O
320	CM 115	CM	169 LEVEL CM	10470,6988 litre	78,755 %	2824,5213 litre	O
320	CM 115	CM	168 LEVEL CM	10405,5487 litre	78,265 %	2889,6714 litre	O
320	CM 115	CM	167 LEVEL CM	10340,0662 litre	77,773 %	2955,1539 litre	O
320	CM 115	CM	166 LEVEL CM	10274,2592 litre	77,278 %	3020,9609 litre	O
320	CM 115	CM	165 LEVEL CM	10208,1356 litre	76,780 %	3087,0845 litre	O
320	CM 115	CM	164 LEVEL CM	10141,7029 litre	76,281 %	3153,5172 litre	O
320	CM 115	CM	163 LEVEL CM	10074,9689 litre	75,779 %	3220,2512 litre	O
320	CM 115	CM	162 LEVEL CM	10007,9408 litre	75,275 %	3287,2793 litre	O
320	CM 115	CM	161 LEVEL CM	9940,6262 litre	74,768 %	3354,5939 litre	O
320	CM 115	CM	160 LEVEL CM	9873,0322 litre	74,260 %	3422,1879 litre	O
320	CM 115	CM	159 LEVEL CM	9805,1661 litre	73,750 %	3490,0540 litre	O
320	CM 115	CM	158 LEVEL CM	9737,0349 litre	73,237 %	3558,1852 litre	O
320	CM 115	CM	157 LEVEL CM	9668,6457 litre	72,723 %	3626,5744 litre	O
320	CM 115	CM	156 LEVEL CM	9600,0055 litre	72,206 %	3695,2146 litre	O
320	CM 115	CM	155 LEVEL CM	9531,1210 litre	71,688 %	3764,0991 litre	O
320	CM 115	CM	154 LEVEL CM	9461,9990 litre	71,168 %	3833,2211 litre	O
320	CM 115	CM	153 LEVEL CM	9392,6464 litre	70,647 %	3902,5737 litre	O
320	CM 115	CM	152 LEVEL CM	9323,0696 litre	70,123 %	3972,1505 litre	O
320	CM 115	CM	151 LEVEL CM	9253,2754 litre	69,599 %	4041,9447 litre	O
320	CM 115	CM	150 LEVEL CM	9183,2702 litre	69,072 %	4111,9499 litre	O
320	CM 115	CM	149 LEVEL CM	9113,0606 litre	68,544 %	4182,1595 litre	O
320	CM 115	CM	148 LEVEL CM	9042,6529 litre	68,014 %	4252,5672 litre	O
320	CM 115	CM	147 LEVEL CM	8972,0534 litre	67,483 %	4323,1667 litre	O
320	CM 115	CM	146 LEVEL CM	8901,2685 litre	66,951 %	4393,9516 litre	O
320	CM 115	CM	145 LEVEL CM	8830,3045 litre	66,417 %	4464,9156 litre	O
320	CM 115	CM	144 LEVEL CM	8759,1675 litre	65,882 %	4536,0526 litre	O
320	CM 115	CM	143 LEVEL CM	8687,8638 litre	65,346 %	4607,3563 litre	O
320	CM 115	CM	142 LEVEL CM	8616,3994 litre	64,808 %	4678,8207 litre	O
320	CM 115	CM	141 LEVEL CM	8544,7803 litre	64,270 %	4750,4398 litre	O
320	CM 115	CM	140 LEVEL CM	8473,0128 litre	63,730 %	4822,2073 litre	O
320	CM 115	CM	139 LEVEL CM	8401,1027 litre	63,189 %	4894,1174 litre	O
320	CM 115	CM	138 LEVEL CM	8329,0560 litre	62,647 %	4966,1641 litre	O
320	CM 115	CM	137 LEVEL CM	8256,8787 litre	62,104 %	5038,3414 litre	O
320	CM 115	CM	136 LEVEL CM	8184,5767 litre	61,560 %	5110,6434 litre	O
320	CM 115	CM	135 LEVEL CM	8112,1557 litre	61,016 %	5183,0644 litre	O
320	CM 115	CM	134 LEVEL CM	8039,6218 litre	60,470 %	5255,5983 litre	O
320	CM 115	CM	133 LEVEL CM	7966,9806 litre	59,924 %	5328,2395 litre	O
320	CM 115	CM	132 LEVEL CM	7894,2380 litre	59,377 %	5400,9821 litre	O
320	CM 115	CM	131 LEVEL CM	7821,3998 litre	58,829 %	5473,8203 litre	O
320	CM 115	CM	130 LEVEL CM	7748,4716 litre	58,280 %	5546,7485 litre	O
320	CM 115	CM	129 LEVEL CM	7675,4592 litre	57,731 %	5619,7609 litre	O
320	CM 115	CM	128 LEVEL CM	7602,3683 litre	57,181 %	5692,8518 litre	O
320	CM 115	CM	127 LEVEL CM	7529,2046 litre	56,631 %	5766,0155 litre	O
320	CM 115	CM	126 LEVEL CM	7455,9738 litre	56,080 %	5839,2463 litre	O

320	CM 115	CM	125 LEVEL CM	7382,6815 litre	55,529 %	5912,5386 litre	O
320	CM 115	CM	124 LEVEL CM	7309,3333 litre	54,977 %	5985,8868 litre	O
320	CM 115	CM	123 LEVEL CM	7235,9348 litre	54,425 %	6059,2853 litre	O
320	CM 115	CM	122 LEVEL CM	7162,4917 litre	53,873 %	6132,7284 litre	O
320	CM 115	CM	121 LEVEL CM	7089,0096 litre	53,320 %	6206,2105 litre	O
320	CM 115	CM	120 LEVEL CM	7015,4941 litre	52,767 %	6279,7260 litre	O
320	CM 115	CM	119 LEVEL CM	6941,9507 litre	52,214 %	6353,2694 litre	O
320	CM 115	CM	118 LEVEL CM	6868,3850 litre	51,661 %	6426,8351 litre	O
320	CM 115	CM	117 LEVEL CM	6794,8026 litre	51,107 %	6500,4175 litre	O
320	CM 115	CM	116 LEVEL CM	6721,2091 litre	50,554 %	6574,0110 litre	O
320	CM 115	CM	115 LEVEL CM	6647,6101 litre	50,000 %	6647,6100 litre	O
320	CM 115	CM	114 LEVEL CM	6574,0110 litre	49,446 %	6721,2091 litre	O
320	CM 115	CM	113 LEVEL CM	6500,4175 litre	48,893 %	6794,8026 litre	O
320	CM 115	CM	112 LEVEL CM	6426,8351 litre	48,339 %	6868,3850 litre	O
320	CM 115	CM	111 LEVEL CM	6353,2694 litre	47,786 %	6941,9507 litre	O
320	CM 115	CM	110 LEVEL CM	6279,7260 litre	47,233 %	7015,4941 litre	O
320	CM 115	CM	109 LEVEL CM	6206,2105 litre	46,680 %	7089,0096 litre	O
320	CM 115	CM	108 LEVEL CM	6132,7284 litre	46,127 %	7162,4917 litre	O
320	CM 115	CM	107 LEVEL CM	6059,2853 litre	45,575 %	7235,9348 litre	O
320	CM 115	CM	106 LEVEL CM	5985,8869 litre	45,023 %	7309,3332 litre	O
320	CM 115	CM	105 LEVEL CM	5912,5386 litre	44,471 %	7382,6815 litre	O
320	CM 115	CM	104 LEVEL CM	5839,2463 litre	43,920 %	7455,9738 litre	O
320	CM 115	CM	103 LEVEL CM	5766,0155 litre	43,369 %	7529,2046 litre	O
320	CM 115	CM	102 LEVEL CM	5692,8518 litre	42,819 %	7602,3683 litre	O
320	CM 115	CM	101 LEVEL CM	5619,7609 litre	42,269 %	7675,4592 litre	O
320	CM 115	CM	100 LEVEL CM	5546,7485 litre	41,720 %	7748,4716 litre	O
320	CM 115	CM	99 LEVEL CM	5473,8204 litre	41,171 %	7821,3997 litre	O
320	CM 115	CM	98 LEVEL CM	5400,9821 litre	40,623 %	7894,2380 litre	O
320	CM 115	CM	97 LEVEL CM	5328,2395 litre	40,076 %	7966,9806 litre	O
320	CM 115	CM	96 LEVEL CM	5255,5983 litre	39,530 %	8039,6218 litre	O
320	CM 115	CM	95 LEVEL CM	5183,0644 litre	38,984 %	8112,1557 litre	O
320	CM 115	CM	94 LEVEL CM	5110,6435 litre	38,440 %	8184,5766 litre	O
320	CM 115	CM	93 LEVEL CM	5038,3414 litre	37,896 %	8256,8787 litre	O
320	CM 115	CM	92 LEVEL CM	4966,1641 litre	37,353 %	8329,0560 litre	O
320	CM 115	CM	91 LEVEL CM	4894,1174 litre	36,811 %	8401,1027 litre	O
320	CM 115	CM	90 LEVEL CM	4822,2073 litre	36,270 %	8473,0128 litre	O
320	CM 115	CM	89 LEVEL CM	4750,4398 litre	35,730 %	8544,7803 litre	O
320	CM 115	CM	88 LEVEL CM	4678,8208 litre	35,192 %	8616,3993 litre	O
320	CM 115	CM	87 LEVEL CM	4607,3563 litre	34,654 %	8687,8638 litre	O
320	CM 115	CM	86 LEVEL CM	4536,0526 litre	34,118 %	8759,1675 litre	O
320	CM 115	CM	85 LEVEL CM	4464,9156 litre	33,583 %	8830,3045 litre	O
320	CM 115	CM	84 LEVEL CM	4393,9516 litre	33,049 %	8901,2685 litre	O
320	CM 115	CM	83 LEVEL CM	4323,1667 litre	32,517 %	8972,0534 litre	O
320	CM 115	CM	82 LEVEL CM	4252,5673 litre	31,986 %	9042,6528 litre	O
320	CM 115	CM	81 LEVEL CM	4182,1595 litre	31,456 %	9113,0606 litre	O
320	CM 115	CM	80 LEVEL CM	4111,9499 litre	30,928 %	9183,2702 litre	O
320	CM 115	CM	79 LEVEL CM	4041,9447 litre	30,401 %	9253,2754 litre	O
320	CM 115	CM	78 LEVEL CM	3972,1505 litre	29,877 %	9323,0696 litre	O
320	CM 115	CM	77 LEVEL CM	3902,5737 litre	29,353 %	9392,6464 litre	O
320	CM 115	CM	76 LEVEL CM	3833,2211 litre	28,832 %	9461,9990 litre	O
320	CM 115	CM	75 LEVEL CM	3764,0991 litre	28,312 %	9531,1210 litre	O
320	CM 115	CM	74 LEVEL CM	3695,2146 litre	27,794 %	9600,0055 litre	O
320	CM 115	CM	73 LEVEL CM	3626,5744 litre	27,277 %	9668,6457 litre	O

320	CM	115	CM	72 LEVEL CM	3558,1852 litre	26,763 %	9737,0349 litre	O
320	CM	115	CM	71 LEVEL CM	3490,0540 litre	26,250 %	9805,1661 litre	O
320	CM	115	CM	70 LEVEL CM	3422,1879 litre	25,740 %	9873,0322 litre	O
320	CM	115	CM	69 LEVEL CM	3354,5939 litre	25,232 %	9940,6262 litre	O
320	CM	115	CM	68 LEVEL CM	3287,2793 litre	24,725 %	10007,9408 litre	O
320	CM	115	CM	67 LEVEL CM	3220,2512 litre	24,221 %	10074,9689 litre	O
320	CM	115	CM	66 LEVEL CM	3153,5172 litre	23,719 %	10141,7029 litre	O
320	CM	115	CM	65 LEVEL CM	3087,0845 litre	23,220 %	10208,1356 litre	O
320	CM	115	CM	64 LEVEL CM	3020,9609 litre	22,722 %	10274,2592 litre	O
320	CM	115	CM	63 LEVEL CM	2955,1539 litre	22,227 %	10340,0662 litre	O
320	CM	115	CM	62 LEVEL CM	2889,6714 litre	21,735 %	10405,5487 litre	O
320	CM	115	CM	61 LEVEL CM	2824,5213 litre	21,245 %	10470,6988 litre	O
320	CM	115	CM	60 LEVEL CM	2759,7116 litre	20,757 %	10535,5085 litre	O
320	CM	115	CM	59 LEVEL CM	2695,2504 litre	20,272 %	10599,9697 litre	O
320	CM	115	CM	58 LEVEL CM	2631,1460 litre	19,790 %	10664,0741 litre	O
320	CM	115	CM	57 LEVEL CM	2567,4069 litre	19,311 %	10727,8132 litre	O
320	CM	115	CM	56 LEVEL CM	2504,0416 litre	18,834 %	10791,1785 litre	O
320	CM	115	CM	55 LEVEL CM	2441,0589 litre	18,360 %	10854,1612 litre	O
320	CM	115	CM	54 LEVEL CM	2378,4675 litre	17,890 %	10916,7526 litre	O
320	CM	115	CM	53 LEVEL CM	2316,2767 litre	17,422 %	10978,9434 litre	O
320	CM	115	CM	52 LEVEL CM	2254,4955 litre	16,957 %	11040,7246 litre	O
320	CM	115	CM	51 LEVEL CM	2193,1335 litre	16,496 %	11102,0866 litre	O
320	CM	115	CM	50 LEVEL CM	2132,2001 litre	16,037 %	11163,0200 litre	O
320	CM	115	CM	49 LEVEL CM	2071,7053 litre	15,582 %	11223,5148 litre	O
320	CM	115	CM	48 LEVEL CM	2011,6590 litre	15,131 %	11283,5611 litre	O
320	CM	115	CM	47 LEVEL CM	1952,0716 litre	14,683 %	11343,1485 litre	O
320	CM	115	CM	46 LEVEL CM	1892,9534 litre	14,238 %	11402,2667 litre	O
320	CM	115	CM	45 LEVEL CM	1834,3152 litre	13,797 %	11460,9049 litre	O
320	CM	115	CM	44 LEVEL CM	1776,1680 litre	13,359 %	11519,0521 litre	O
320	CM	115	CM	43 LEVEL CM	1718,5232 litre	12,926 %	11576,6969 litre	O
320	CM	115	CM	42 LEVEL CM	1661,3923 litre	12,496 %	11633,8278 litre	O
320	CM	115	CM	41 LEVEL CM	1604,7871 litre	12,070 %	11690,4330 litre	O
320	CM	115	CM	40 LEVEL CM	1548,7201 litre	11,649 %	11746,5000 litre	O
320	CM	115	CM	39 LEVEL CM	1493,2036 litre	11,231 %	11802,0165 litre	O
320	CM	115	CM	38 LEVEL CM	1438,2507 litre	10,818 %	11856,9694 litre	O
320	CM	115	CM	37 LEVEL CM	1383,8748 litre	10,409 %	11911,3453 litre	O
320	CM	115	CM	36 LEVEL CM	1330,0897 litre	10,004 %	11965,1304 litre	O
320	CM	115	CM	35 LEVEL CM	1276,9096 litre	9,604 %	12018,3105 litre	O
320	CM	115	CM	34 LEVEL CM	1224,3494 litre	9,209 %	12070,8707 litre	O
320	CM	115	CM	33 LEVEL CM	1172,4242 litre	8,818 %	12122,7959 litre	O
320	CM	115	CM	32 LEVEL CM	1121,1499 litre	8,433 %	12174,0702 litre	O
320	CM	115	CM	31 LEVEL CM	1070,5431 litre	8,052 %	12224,6770 litre	O
320	CM	115	CM	30 LEVEL CM	1020,6207 litre	7,677 %	12274,5994 litre	O
320	CM	115	CM	29 LEVEL CM	971,4008 litre	7,306 %	12323,8193 litre	O
320	CM	115	CM	28 LEVEL CM	922,9018 litre	6,942 %	12372,3183 litre	O
320	CM	115	CM	27 LEVEL CM	875,1432 litre	6,582 %	12420,0769 litre	O
320	CM	115	CM	26 LEVEL CM	828,1455 litre	6,229 %	12467,0746 litre	O
320	CM	115	CM	25 LEVEL CM	781,9300 litre	5,881 %	12513,2901 litre	O
320	CM	115	CM	24 LEVEL CM	736,5191 litre	5,540 %	12558,7010 litre	O
320	CM	115	CM	23 LEVEL CM	691,9367 litre	5,204 %	12603,2834 litre	O
320	CM	115	CM	22 LEVEL CM	648,2077 litre	4,875 %	12647,0124 litre	O
320	CM	115	CM	21 LEVEL CM	605,3588 litre	4,553 %	12689,8613 litre	O
320	CM	115	CM	20 LEVEL CM	563,4180 litre	4,238 %	12731,8021 litre	O

320	CM	115	CM	19 LEVEL CM	522,4156 litre	3,929 %	12772,8045 litre	O
320	CM	115	CM	18 LEVEL CM	482,3838 litre	3,628 %	12812,8363 litre	O
320	CM	115	CM	17 LEVEL CM	443,3572 litre	3,335 %	12851,8629 litre	O
320	CM	115	CM	16 LEVEL CM	405,3731 litre	3,049 %	12889,8470 litre	O
320	CM	115	CM	15 LEVEL CM	368,4721 litre	2,771 %	12926,7480 litre	O
320	CM	115	CM	14 LEVEL CM	332,6985 litre	2,502 %	12962,5216 litre	O
320	CM	115	CM	13 LEVEL CM	298,1007 litre	2,242 %	12997,1194 litre	O
320	CM	115	CM	12 LEVEL CM	264,7326 litre	1,991 %	13030,4875 litre	O
320	CM	115	CM	11 LEVEL CM	232,6539 litre	1,750 %	13062,5662 litre	O
320	CM	115	CM	10 LEVEL CM	201,9321 litre	1,519 %	13093,2880 litre	O
320	CM	115	CM	9 LEVEL CM	172,6440 litre	1,299 %	13122,5761 litre	O
320	CM	115	CM	8 LEVEL CM	144,8783 litre	1,090 %	13150,3418 litre	O
320	CM	115	CM	7 LEVEL CM	118,7392 litre	0,893 %	13176,4809 litre	O
320	CM	115	CM	6 LEVEL CM	94,3520 litre	0,710 %	13200,8681 litre	O
320	CM	115	CM	5 LEVEL CM	71,8712 litre	0,541 %	13223,3489 litre	O
320	CM	115	CM	4 LEVEL CM	51,4948 litre	0,387 %	13243,7253 litre	O
320	CM	115	CM	3 LEVEL CM	33,4910 litre	0,252 %	13261,7291 litre	O
320	CM	115	CM	2 LEVEL CM	18,2541 litre	0,137 %	13276,9660 litre	O
320	CM	115	CM	1 LEVEL CM	6,4623 litre	0,049 %	13288,7578 litre	O
320	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	13295,2201 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	110	CM 220 LEVEL CM	12164,2468 litre	100,000 %	0,0000 litre	O
320	CM	110	CM 219 LEVEL CM	12157,9269 litre	99,948 %	6,3199 litre	O
320	CM	110	CM 218 LEVEL CM	12146,3960 litre	99,853 %	17,8508 litre	O
320	CM	110	CM 217 LEVEL CM	12131,4978 litre	99,731 %	32,7490 litre	O
320	CM	110	CM 216 LEVEL CM	12113,8959 litre	99,586 %	50,3509 litre	O
320	CM	110	CM 215 LEVEL CM	12093,9765 litre	99,422 %	70,2703 litre	O
320	CM	110	CM 214 LEVEL CM	12072,0021 litre	99,242 %	92,2447 litre	O
320	CM	110	CM 213 LEVEL CM	12048,1667 litre	99,046 %	116,0801 litre	O
320	CM	110	CM 212 LEVEL CM	12022,6218 litre	98,836 %	141,6250 litre	O
320	CM	110	CM 211 LEVEL CM	11995,4901 litre	98,613 %	168,7567 litre	O
320	CM	110	CM 210 LEVEL CM	11966,8739 litre	98,377 %	197,3729 litre	O
320	CM	110	CM 209 LEVEL CM	11936,8600 litre	98,131 %	227,3868 litre	O
320	CM	110	CM 208 LEVEL CM	11905,5240 litre	97,873 %	258,7228 litre	O
320	CM	110	CM 207 LEVEL CM	11872,9320 litre	97,605 %	291,3148 litre	O
320	CM	110	CM 206 LEVEL CM	11839,1427 litre	97,327 %	325,1041 litre	O
320	CM	110	CM 205 LEVEL CM	11804,2090 litre	97,040 %	360,0378 litre	O
320	CM	110	CM 204 LEVEL CM	11768,1784 litre	96,744 %	396,0684 litre	O
320	CM	110	CM 203 LEVEL CM	11731,0946 litre	96,439 %	433,1522 litre	O
320	CM	110	CM 202 LEVEL CM	11692,9973 litre	96,126 %	471,2495 litre	O
320	CM	110	CM 201 LEVEL CM	11653,9233 litre	95,805 %	510,3235 litre	O
320	CM	110	CM 200 LEVEL CM	11613,9067 litre	95,476 %	550,3401 litre	O
320	CM	110	CM 199 LEVEL CM	11572,9792 litre	95,139 %	591,2676 litre	O
320	CM	110	CM 198 LEVEL CM	11531,1705 litre	94,796 %	633,0763 litre	O
320	CM	110	CM 197 LEVEL CM	11488,5082 litre	94,445 %	675,7386 litre	O
320	CM	110	CM 196 LEVEL CM	11445,0187 litre	94,087 %	719,2281 litre	O
320	CM	110	CM 195 LEVEL CM	11400,7265 litre	93,723 %	763,5203 litre	O
320	CM	110	CM 194 LEVEL CM	11355,6551 litre	93,353 %	808,5917 litre	O
320	CM	110	CM 193 LEVEL CM	11309,8267 litre	92,976 %	854,4201 litre	O
320	CM	110	CM 192 LEVEL CM	11263,2623 litre	92,593 %	900,9845 litre	O
320	CM	110	CM 191 LEVEL CM	11215,9821 litre	92,204 %	948,2647 litre	O
320	CM	110	CM 190 LEVEL CM	11168,0052 litre	91,810 %	996,2416 litre	O
320	CM	110	CM 189 LEVEL CM	11119,3502 litre	91,410 %	1044,8966 litre	O
320	CM	110	CM 188 LEVEL CM	11070,0346 litre	91,005 %	1094,2122 litre	O
320	CM	110	CM 187 LEVEL CM	11020,0752 litre	90,594 %	1144,1716 litre	O
320	CM	110	CM 186 LEVEL CM	10969,4886 litre	90,178 %	1194,7582 litre	O
320	CM	110	CM 185 LEVEL CM	10918,2902 litre	89,757 %	1245,9566 litre	O
320	CM	110	CM 184 LEVEL CM	10866,4953 litre	89,331 %	1297,7515 litre	O
320	CM	110	CM 183 LEVEL CM	10814,1184 litre	88,901 %	1350,1284 litre	O
320	CM	110	CM 182 LEVEL CM	10761,1737 litre	88,466 %	1403,0731 litre	O
320	CM	110	CM 181 LEVEL CM	10707,6749 litre	88,026 %	1456,5719 litre	O
320	CM	110	CM 180 LEVEL CM	10653,6352 litre	87,582 %	1510,6116 litre	O
320	CM	110	CM 179 LEVEL CM	10599,0675 litre	87,133 %	1565,1793 litre	O
320	CM	110	CM 178 LEVEL CM	10543,9843 litre	86,680 %	1620,2625 litre	O
320	CM	110	CM 177 LEVEL CM	10488,3978 litre	86,223 %	1675,8490 litre	O
320	CM	110	CM 176 LEVEL CM	10432,3197 litre	85,762 %	1731,9271 litre	O
320	CM	110	CM 175 LEVEL CM	10375,7616 litre	85,297 %	1788,4852 litre	O
320	CM	110	CM 174 LEVEL CM	10318,7346 litre	84,828 %	1845,5122 litre	O
320	CM	110	CM 173 LEVEL CM	10261,2499 litre	84,356 %	1902,9969 litre	O
320	CM	110	CM 172 LEVEL CM	10203,3179 litre	83,880 %	1960,9289 litre	O
320	CM	110	CM 171 LEVEL CM	10144,9493 litre	83,400 %	2019,2975 litre	O
320	CM	110	CM 170 LEVEL CM	10086,1541 litre	82,916 %	2078,0927 litre	O
320	CM	110	CM 169 LEVEL CM	10026,9424 litre	82,430 %	2137,3044 litre	O

320	CM 110	CM	168 LEVEL CM	9967,3239 litre	81,940 %	2196,9229 litre	O
320	CM 110	CM	167 LEVEL CM	9907,3083 litre	81,446 %	2256,9385 litre	O
320	CM 110	CM	166 LEVEL CM	9846,9050 litre	80,950 %	2317,3418 litre	O
320	CM 110	CM	165 LEVEL CM	9786,1230 litre	80,450 %	2378,1238 litre	O
320	CM 110	CM	164 LEVEL CM	9724,9716 litre	79,947 %	2439,2752 litre	O
320	CM 110	CM	163 LEVEL CM	9663,4595 litre	79,441 %	2500,7873 litre	O
320	CM 110	CM	162 LEVEL CM	9601,5955 litre	78,933 %	2562,6513 litre	O
320	CM 110	CM	161 LEVEL CM	9539,3881 litre	78,422 %	2624,8587 litre	O
320	CM 110	CM	160 LEVEL CM	9476,8458 litre	77,907 %	2687,4010 litre	O
320	CM 110	CM	159 LEVEL CM	9413,9770 litre	77,391 %	2750,2698 litre	O
320	CM 110	CM	158 LEVEL CM	9350,7897 litre	76,871 %	2813,4571 litre	O
320	CM 110	CM	157 LEVEL CM	9287,2920 litre	76,349 %	2876,9548 litre	O
320	CM 110	CM	156 LEVEL CM	9223,4918 litre	75,825 %	2940,7550 litre	O
320	CM 110	CM	155 LEVEL CM	9159,3970 litre	75,298 %	3004,8498 litre	O
320	CM 110	CM	154 LEVEL CM	9095,0153 litre	74,768 %	3069,2315 litre	O
320	CM 110	CM	153 LEVEL CM	9030,3542 litre	74,237 %	3133,8926 litre	O
320	CM 110	CM	152 LEVEL CM	8965,4213 litre	73,703 %	3198,8255 litre	O
320	CM 110	CM	151 LEVEL CM	8900,2240 litre	73,167 %	3264,0228 litre	O
320	CM 110	CM	150 LEVEL CM	8834,7696 litre	72,629 %	3329,4772 litre	O
320	CM 110	CM	149 LEVEL CM	8769,0654 litre	72,089 %	3395,1814 litre	O
320	CM 110	CM	148 LEVEL CM	8703,1186 litre	71,547 %	3461,1282 litre	O
320	CM 110	CM	147 LEVEL CM	8636,9361 litre	71,003 %	3527,3107 litre	O
320	CM 110	CM	146 LEVEL CM	8570,5250 litre	70,457 %	3593,7218 litre	O
320	CM 110	CM	145 LEVEL CM	8503,8922 litre	69,909 %	3660,3546 litre	O
320	CM 110	CM	144 LEVEL CM	8437,0447 litre	69,359 %	3727,2021 litre	O
320	CM 110	CM	143 LEVEL CM	8369,9891 litre	68,808 %	3794,2577 litre	O
320	CM 110	CM	142 LEVEL CM	8302,7323 litre	68,255 %	3861,5145 litre	O
320	CM 110	CM	141 LEVEL CM	8235,2808 litre	67,701 %	3928,9660 litre	O
320	CM 110	CM	140 LEVEL CM	8167,6414 litre	67,145 %	3996,6054 litre	O
320	CM 110	CM	139 LEVEL CM	8099,8205 litre	66,587 %	4064,4263 litre	O
320	CM 110	CM	138 LEVEL CM	8031,8248 litre	66,028 %	4132,4220 litre	O
320	CM 110	CM	137 LEVEL CM	7963,6605 litre	65,468 %	4200,5863 litre	O
320	CM 110	CM	136 LEVEL CM	7895,3342 litre	64,906 %	4268,9126 litre	O
320	CM 110	CM	135 LEVEL CM	7826,8522 litre	64,343 %	4337,3946 litre	O
320	CM 110	CM	134 LEVEL CM	7758,2209 litre	63,779 %	4406,0259 litre	O
320	CM 110	CM	133 LEVEL CM	7689,4465 litre	63,214 %	4474,8003 litre	O
320	CM 110	CM	132 LEVEL CM	7620,5352 litre	62,647 %	4543,7116 litre	O
320	CM 110	CM	131 LEVEL CM	7551,4933 litre	62,079 %	4612,7535 litre	O
320	CM 110	CM	130 LEVEL CM	7482,3269 litre	61,511 %	4681,9199 litre	O
320	CM 110	CM	129 LEVEL CM	7413,0421 litre	60,941 %	4751,2047 litre	O
320	CM 110	CM	128 LEVEL CM	7343,6452 litre	60,371 %	4820,6016 litre	O
320	CM 110	CM	127 LEVEL CM	7274,1420 litre	59,799 %	4890,1048 litre	O
320	CM 110	CM	126 LEVEL CM	7204,5388 litre	59,227 %	4959,7080 litre	O
320	CM 110	CM	125 LEVEL CM	7134,8415 litre	58,654 %	5029,4053 litre	O
320	CM 110	CM	124 LEVEL CM	7065,0560 litre	58,081 %	5099,1908 litre	O
320	CM 110	CM	123 LEVEL CM	6995,1885 litre	57,506 %	5169,0583 litre	O
320	CM 110	CM	122 LEVEL CM	6925,2447 litre	56,931 %	5239,0021 litre	O
320	CM 110	CM	121 LEVEL CM	6855,2308 litre	56,356 %	5309,0160 litre	O
320	CM 110	CM	120 LEVEL CM	6785,1525 litre	55,779 %	5379,0943 litre	O
320	CM 110	CM	119 LEVEL CM	6715,0158 litre	55,203 %	5449,2310 litre	O
320	CM 110	CM	118 LEVEL CM	6644,8265 litre	54,626 %	5519,4203 litre	O
320	CM 110	CM	117 LEVEL CM	6574,5906 litre	54,048 %	5589,6562 litre	O
320	CM 110	CM	116 LEVEL CM	6504,3138 litre	53,471 %	5659,9330 litre	O

320	CM	110	CM	115 LEVEL CM	6434,0021 litre	52,893 %	5730,2447 litre	O
320	CM	110	CM	114 LEVEL CM	6363,6613 litre	52,314 %	5800,5855 litre	O
320	CM	110	CM	113 LEVEL CM	6293,2972 litre	51,736 %	5870,9496 litre	O
320	CM	110	CM	112 LEVEL CM	6222,9156 litre	51,157 %	5941,3312 litre	O
320	CM	110	CM	111 LEVEL CM	6152,5224 litre	50,579 %	6011,7244 litre	O
320	CM	110	CM	110 LEVEL CM	6082,1234 litre	50,000 %	6082,1234 litre	O
320	CM	110	CM	109 LEVEL CM	6011,7243 litre	49,421 %	6152,5225 litre	O
320	CM	110	CM	108 LEVEL CM	5941,3311 litre	48,843 %	6222,9157 litre	O
320	CM	110	CM	107 LEVEL CM	5870,9496 litre	48,264 %	6293,2972 litre	O
320	CM	110	CM	106 LEVEL CM	5800,5855 litre	47,686 %	6363,6613 litre	O
320	CM	110	CM	105 LEVEL CM	5730,2446 litre	47,107 %	6434,0022 litre	O
320	CM	110	CM	104 LEVEL CM	5659,9329 litre	46,529 %	6504,3139 litre	O
320	CM	110	CM	103 LEVEL CM	5589,6562 litre	45,952 %	6574,5906 litre	O
320	CM	110	CM	102 LEVEL CM	5519,4203 litre	45,374 %	6644,8265 litre	O
320	CM	110	CM	101 LEVEL CM	5449,2310 litre	44,797 %	6715,0158 litre	O
320	CM	110	CM	100 LEVEL CM	5379,0943 litre	44,221 %	6785,1525 litre	O
320	CM	110	CM	99 LEVEL CM	5309,0160 litre	43,644 %	6855,2308 litre	O
320	CM	110	CM	98 LEVEL CM	5239,0020 litre	43,069 %	6925,2448 litre	O
320	CM	110	CM	97 LEVEL CM	5169,0583 litre	42,494 %	6995,1885 litre	O
320	CM	110	CM	96 LEVEL CM	5099,1907 litre	41,919 %	7065,0561 litre	O
320	CM	110	CM	95 LEVEL CM	5029,4053 litre	41,346 %	7134,8415 litre	O
320	CM	110	CM	94 LEVEL CM	4959,7080 litre	40,773 %	7204,5388 litre	O
320	CM	110	CM	93 LEVEL CM	4890,1047 litre	40,201 %	7274,1421 litre	O
320	CM	110	CM	92 LEVEL CM	4820,6016 litre	39,629 %	7343,6452 litre	O
320	CM	110	CM	91 LEVEL CM	4751,2046 litre	39,059 %	7413,0422 litre	O
320	CM	110	CM	90 LEVEL CM	4681,9199 litre	38,489 %	7482,3269 litre	O
320	CM	110	CM	89 LEVEL CM	4612,7535 litre	37,921 %	7551,4933 litre	O
320	CM	110	CM	88 LEVEL CM	4543,7116 litre	37,353 %	7620,5352 litre	O
320	CM	110	CM	87 LEVEL CM	4474,8003 litre	36,786 %	7689,4465 litre	O
320	CM	110	CM	86 LEVEL CM	4406,0259 litre	36,221 %	7758,2209 litre	O
320	CM	110	CM	85 LEVEL CM	4337,3945 litre	35,657 %	7826,8523 litre	O
320	CM	110	CM	84 LEVEL CM	4268,9125 litre	35,094 %	7895,3343 litre	O
320	CM	110	CM	83 LEVEL CM	4200,5862 litre	34,532 %	7963,6606 litre	O
320	CM	110	CM	82 LEVEL CM	4132,4220 litre	33,972 %	8031,8248 litre	O
320	CM	110	CM	81 LEVEL CM	4064,4262 litre	33,413 %	8099,8206 litre	O
320	CM	110	CM	80 LEVEL CM	3996,6054 litre	32,855 %	8167,6414 litre	O
320	CM	110	CM	79 LEVEL CM	3928,9659 litre	32,299 %	8235,2809 litre	O
320	CM	110	CM	78 LEVEL CM	3861,5145 litre	31,745 %	8302,7323 litre	O
320	CM	110	CM	77 LEVEL CM	3794,2576 litre	31,192 %	8369,9892 litre	O
320	CM	110	CM	76 LEVEL CM	3727,2021 litre	30,641 %	8437,0447 litre	O
320	CM	110	CM	75 LEVEL CM	3660,3545 litre	30,091 %	8503,8923 litre	O
320	CM	110	CM	74 LEVEL CM	3593,7218 litre	29,543 %	8570,5250 litre	O
320	CM	110	CM	73 LEVEL CM	3527,3107 litre	28,997 %	8636,9361 litre	O
320	CM	110	CM	72 LEVEL CM	3461,1282 litre	28,453 %	8703,1186 litre	O
320	CM	110	CM	71 LEVEL CM	3395,1813 litre	27,911 %	8769,0655 litre	O
320	CM	110	CM	70 LEVEL CM	3329,4771 litre	27,371 %	8834,7697 litre	O
320	CM	110	CM	69 LEVEL CM	3264,0227 litre	26,833 %	8900,2241 litre	O
320	CM	110	CM	68 LEVEL CM	3198,8255 litre	26,297 %	8965,4213 litre	O
320	CM	110	CM	67 LEVEL CM	3133,8926 litre	25,763 %	9030,3542 litre	O
320	CM	110	CM	66 LEVEL CM	3069,2315 litre	25,232 %	9095,0153 litre	O
320	CM	110	CM	65 LEVEL CM	3004,8498 litre	24,702 %	9159,3970 litre	O
320	CM	110	CM	64 LEVEL CM	2940,7550 litre	24,175 %	9223,4918 litre	O
320	CM	110	CM	63 LEVEL CM	2876,9548 litre	23,651 %	9287,2920 litre	O

320	CM	110	CM	62 LEVEL CM	2813,4571 litre	23,129 %	9350,7897 litre	O
320	CM	110	CM	61 LEVEL CM	2750,2698 litre	22,609 %	9413,9770 litre	O
320	CM	110	CM	60 LEVEL CM	2687,4009 litre	22,093 %	9476,8459 litre	O
320	CM	110	CM	59 LEVEL CM	2624,8586 litre	21,578 %	9539,3882 litre	O
320	CM	110	CM	58 LEVEL CM	2562,6513 litre	21,067 %	9601,5955 litre	O
320	CM	110	CM	57 LEVEL CM	2500,7873 litre	20,559 %	9663,4595 litre	O
320	CM	110	CM	56 LEVEL CM	2439,2752 litre	20,053 %	9724,9716 litre	O
320	CM	110	CM	55 LEVEL CM	2378,1237 litre	19,550 %	9786,1231 litre	O
320	CM	110	CM	54 LEVEL CM	2317,3418 litre	19,050 %	9846,9050 litre	O
320	CM	110	CM	53 LEVEL CM	2256,9384 litre	18,554 %	9907,3084 litre	O
320	CM	110	CM	52 LEVEL CM	2196,9228 litre	18,060 %	9967,3240 litre	O
320	CM	110	CM	51 LEVEL CM	2137,3044 litre	17,570 %	10026,9424 litre	O
320	CM	110	CM	50 LEVEL CM	2078,0927 litre	17,084 %	10086,1541 litre	O
320	CM	110	CM	49 LEVEL CM	2019,2975 litre	16,600 %	10144,9493 litre	O
320	CM	110	CM	48 LEVEL CM	1960,9288 litre	16,120 %	10203,3180 litre	O
320	CM	110	CM	47 LEVEL CM	1902,9969 litre	15,644 %	10261,2499 litre	O
320	CM	110	CM	46 LEVEL CM	1845,5121 litre	15,172 %	10318,7347 litre	O
320	CM	110	CM	45 LEVEL CM	1788,4852 litre	14,703 %	10375,7616 litre	O
320	CM	110	CM	44 LEVEL CM	1731,9271 litre	14,238 %	10432,3197 litre	O
320	CM	110	CM	43 LEVEL CM	1675,8490 litre	13,777 %	10488,3978 litre	O
320	CM	110	CM	42 LEVEL CM	1620,2624 litre	13,320 %	10543,9844 litre	O
320	CM	110	CM	41 LEVEL CM	1565,1792 litre	12,867 %	10599,0676 litre	O
320	CM	110	CM	40 LEVEL CM	1510,6115 litre	12,418 %	10653,6353 litre	O
320	CM	110	CM	39 LEVEL CM	1456,5719 litre	11,974 %	10707,6749 litre	O
320	CM	110	CM	38 LEVEL CM	1403,0730 litre	11,534 %	10761,1738 litre	O
320	CM	110	CM	37 LEVEL CM	1350,1284 litre	11,099 %	10814,1184 litre	O
320	CM	110	CM	36 LEVEL CM	1297,7515 litre	10,669 %	10866,4953 litre	O
320	CM	110	CM	35 LEVEL CM	1245,9566 litre	10,243 %	10918,2902 litre	O
320	CM	110	CM	34 LEVEL CM	1194,7582 litre	9,822 %	10969,4886 litre	O
320	CM	110	CM	33 LEVEL CM	1144,1715 litre	9,406 %	11020,0753 litre	O
320	CM	110	CM	32 LEVEL CM	1094,2122 litre	8,995 %	11070,0346 litre	O
320	CM	110	CM	31 LEVEL CM	1044,8966 litre	8,590 %	11119,3502 litre	O
320	CM	110	CM	30 LEVEL CM	996,2415 litre	8,190 %	11168,0053 litre	O
320	CM	110	CM	29 LEVEL CM	948,2647 litre	7,796 %	11215,9821 litre	O
320	CM	110	CM	28 LEVEL CM	900,9845 litre	7,407 %	11263,2623 litre	O
320	CM	110	CM	27 LEVEL CM	854,4201 litre	7,024 %	11309,8267 litre	O
320	CM	110	CM	26 LEVEL CM	808,5916 litre	6,647 %	11355,6552 litre	O
320	CM	110	CM	25 LEVEL CM	763,5202 litre	6,277 %	11400,7266 litre	O
320	CM	110	CM	24 LEVEL CM	719,2281 litre	5,913 %	11445,0187 litre	O
320	CM	110	CM	23 LEVEL CM	675,7385 litre	5,555 %	11488,5083 litre	O
320	CM	110	CM	22 LEVEL CM	633,0763 litre	5,204 %	11531,1705 litre	O
320	CM	110	CM	21 LEVEL CM	591,2675 litre	4,861 %	11572,9793 litre	O
320	CM	110	CM	20 LEVEL CM	550,3400 litre	4,524 %	11613,9068 litre	O
320	CM	110	CM	19 LEVEL CM	510,3234 litre	4,195 %	11653,9234 litre	O
320	CM	110	CM	18 LEVEL CM	471,2494 litre	3,874 %	11692,9974 litre	O
320	CM	110	CM	17 LEVEL CM	433,1522 litre	3,561 %	11731,0946 litre	O
320	CM	110	CM	16 LEVEL CM	396,0683 litre	3,256 %	11768,1785 litre	O
320	CM	110	CM	15 LEVEL CM	360,0378 litre	2,960 %	11804,2090 litre	O
320	CM	110	CM	14 LEVEL CM	325,1040 litre	2,673 %	11839,1428 litre	O
320	CM	110	CM	13 LEVEL CM	291,3148 litre	2,395 %	11872,9320 litre	O
320	CM	110	CM	12 LEVEL CM	258,7227 litre	2,127 %	11905,5241 litre	O
320	CM	110	CM	11 LEVEL CM	227,3867 litre	1,869 %	11936,8601 litre	O
320	CM	110	CM	10 LEVEL CM	197,3729 litre	1,623 %	11966,8739 litre	O

320	CM	110	CM	9 LEVEL CM	168,7566 litre	1,387 %	11995,4902 litre	O
320	CM	110	CM	8 LEVEL CM	141,6249 litre	1,164 %	12022,6219 litre	O
320	CM	110	CM	7 LEVEL CM	116,0800 litre	0,954 %	12048,1668 litre	O
320	CM	110	CM	6 LEVEL CM	92,2447 litre	0,758 %	12072,0021 litre	O
320	CM	110	CM	5 LEVEL CM	70,2703 litre	0,578 %	12093,9765 litre	O
320	CM	110	CM	4 LEVEL CM	50,3509 litre	0,414 %	12113,8959 litre	O
320	CM	110	CM	3 LEVEL CM	32,7489 litre	0,269 %	12131,4979 litre	O
320	CM	110	CM	2 LEVEL CM	17,8508 litre	0,147 %	12146,3960 litre	O
320	CM	110	CM	1 LEVEL CM	6,3199 litre	0,052 %	12157,9269 litre	O
320	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	12164,2468 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	105	CM 210 LEVEL CM	11083,5389 litre	100,000 %	0,0000 litre	O
320	CM	105	CM 209 LEVEL CM	11077,3647 litre	99,944 %	6,1742 litre	O
320	CM	105	CM 208 LEVEL CM	11066,1008 litre	99,843 %	17,4381 litre	O
320	CM	105	CM 207 LEVEL CM	11051,5492 litre	99,711 %	31,9897 litre	O
320	CM	105	CM 206 LEVEL CM	11034,3586 litre	99,556 %	49,1803 litre	O
320	CM	105	CM 205 LEVEL CM	11014,9069 litre	99,381 %	68,6320 litre	O
320	CM	105	CM 204 LEVEL CM	10993,4508 litre	99,187 %	90,0881 litre	O
320	CM	105	CM 203 LEVEL CM	10970,1804 litre	98,977 %	113,3585 litre	O
320	CM	105	CM 202 LEVEL CM	10945,2438 litre	98,752 %	138,2951 litre	O
320	CM	105	CM 201 LEVEL CM	10918,7613 litre	98,513 %	164,7776 litre	O
320	CM	105	CM 200 LEVEL CM	10890,8330 litre	98,261 %	192,7059 litre	O
320	CM	105	CM 199 LEVEL CM	10861,5443 litre	97,997 %	221,9946 litre	O
320	CM	105	CM 198 LEVEL CM	10830,9690 litre	97,721 %	252,5699 litre	O
320	CM	105	CM 197 LEVEL CM	10799,1720 litre	97,434 %	284,3669 litre	O
320	CM	105	CM 196 LEVEL CM	10766,2111 litre	97,137 %	317,3278 litre	O
320	CM	105	CM 195 LEVEL CM	10732,1379 litre	96,830 %	351,4010 litre	O
320	CM	105	CM 194 LEVEL CM	10696,9994 litre	96,512 %	386,5395 litre	O
320	CM	105	CM 193 LEVEL CM	10660,8382 litre	96,186 %	422,7007 litre	O
320	CM	105	CM 192 LEVEL CM	10623,6935 litre	95,851 %	459,8454 litre	O
320	CM	105	CM 191 LEVEL CM	10585,6014 litre	95,507 %	497,9375 litre	O
320	CM	105	CM 190 LEVEL CM	10546,5955 litre	95,155 %	536,9434 litre	O
320	CM	105	CM 189 LEVEL CM	10506,7070 litre	94,796 %	576,8319 litre	O
320	CM	105	CM 188 LEVEL CM	10465,9649 litre	94,428 %	617,5740 litre	O
320	CM	105	CM 187 LEVEL CM	10424,3968 litre	94,053 %	659,1421 litre	O
320	CM	105	CM 186 LEVEL CM	10382,0283 litre	93,671 %	701,5106 litre	O
320	CM	105	CM 185 LEVEL CM	10338,8838 litre	93,281 %	744,6551 litre	O
320	CM	105	CM 184 LEVEL CM	10294,9864 litre	92,885 %	788,5525 litre	O
320	CM	105	CM 183 LEVEL CM	10250,3578 litre	92,483 %	833,1811 litre	O
320	CM	105	CM 182 LEVEL CM	10205,0191 litre	92,074 %	878,5198 litre	O
320	CM	105	CM 181 LEVEL CM	10158,9899 litre	91,658 %	924,5490 litre	O
320	CM	105	CM 180 LEVEL CM	10112,2893 litre	91,237 %	971,2496 litre	O
320	CM	105	CM 179 LEVEL CM	10064,9354 litre	90,810 %	1018,6035 litre	O
320	CM	105	CM 178 LEVEL CM	10016,9457 litre	90,377 %	1066,5932 litre	O
320	CM	105	CM 177 LEVEL CM	9968,3369 litre	89,938 %	1115,2020 litre	O
320	CM	105	CM 176 LEVEL CM	9919,1251 litre	89,494 %	1164,4138 litre	O
320	CM	105	CM 175 LEVEL CM	9869,3259 litre	89,045 %	1214,2130 litre	O
320	CM	105	CM 174 LEVEL CM	9818,9542 litre	88,590 %	1264,5847 litre	O
320	CM	105	CM 173 LEVEL CM	9768,0245 litre	88,131 %	1315,5144 litre	O
320	CM	105	CM 172 LEVEL CM	9716,5508 litre	87,667 %	1366,9881 litre	O
320	CM	105	CM 171 LEVEL CM	9664,5467 litre	87,197 %	1418,9922 litre	O
320	CM	105	CM 170 LEVEL CM	9612,0253 litre	86,723 %	1471,5136 litre	O
320	CM	105	CM 169 LEVEL CM	9558,9994 litre	86,245 %	1524,5395 litre	O
320	CM	105	CM 168 LEVEL CM	9505,4814 litre	85,762 %	1578,0575 litre	O
320	CM	105	CM 167 LEVEL CM	9451,4833 litre	85,275 %	1632,0556 litre	O
320	CM	105	CM 166 LEVEL CM	9397,0170 litre	84,784 %	1686,5219 litre	O
320	CM	105	CM 165 LEVEL CM	9342,0939 litre	84,288 %	1741,4450 litre	O
320	CM	105	CM 164 LEVEL CM	9286,7251 litre	83,788 %	1796,8138 litre	O
320	CM	105	CM 163 LEVEL CM	9230,9215 litre	83,285 %	1852,6174 litre	O
320	CM	105	CM 162 LEVEL CM	9174,6939 litre	82,778 %	1908,8450 litre	O
320	CM	105	CM 161 LEVEL CM	9118,0525 litre	82,267 %	1965,4864 litre	O
320	CM	105	CM 160 LEVEL CM	9061,0076 litre	81,752 %	2022,5313 litre	O
320	CM	105	CM 159 LEVEL CM	9003,5691 litre	81,234 %	2079,9698 litre	O

320	CM	105	CM	158 LEVEL CM	8945,7468 litre	80,712 %	2137,7921 litre	O
320	CM	105	CM	157 LEVEL CM	8887,5503 litre	80,187 %	2195,9886 litre	O
320	CM	105	CM	156 LEVEL CM	8828,9889 litre	79,659 %	2254,5500 litre	O
320	CM	105	CM	155 LEVEL CM	8770,0719 litre	79,127 %	2313,4670 litre	O
320	CM	105	CM	154 LEVEL CM	8710,8083 litre	78,592 %	2372,7306 litre	O
320	CM	105	CM	153 LEVEL CM	8651,2070 litre	78,055 %	2432,3319 litre	O
320	CM	105	CM	152 LEVEL CM	8591,2768 litre	77,514 %	2492,2621 litre	O
320	CM	105	CM	151 LEVEL CM	8531,0261 litre	76,970 %	2552,5128 litre	O
320	CM	105	CM	150 LEVEL CM	8470,4636 litre	76,424 %	2613,0753 litre	O
320	CM	105	CM	149 LEVEL CM	8409,5974 litre	75,875 %	2673,9415 litre	O
320	CM	105	CM	148 LEVEL CM	8348,4359 litre	75,323 %	2735,1030 litre	O
320	CM	105	CM	147 LEVEL CM	8286,9870 litre	74,768 %	2796,5519 litre	O
320	CM	105	CM	146 LEVEL CM	8225,2589 litre	74,211 %	2858,2800 litre	O
320	CM	105	CM	145 LEVEL CM	8163,2593 litre	73,652 %	2920,2796 litre	O
320	CM	105	CM	144 LEVEL CM	8100,9959 litre	73,090 %	2982,5430 litre	O
320	CM	105	CM	143 LEVEL CM	8038,4766 litre	72,526 %	3045,0623 litre	O
320	CM	105	CM	142 LEVEL CM	7975,7087 litre	71,960 %	3107,8302 litre	O
320	CM	105	CM	141 LEVEL CM	7912,6999 litre	71,391 %	3170,8390 litre	O
320	CM	105	CM	140 LEVEL CM	7849,4575 litre	70,821 %	3234,0814 litre	O
320	CM	105	CM	139 LEVEL CM	7785,9888 litre	70,248 %	3297,5501 litre	O
320	CM	105	CM	138 LEVEL CM	7722,3011 litre	69,674 %	3361,2378 litre	O
320	CM	105	CM	137 LEVEL CM	7658,4014 litre	69,097 %	3425,1375 litre	O
320	CM	105	CM	136 LEVEL CM	7594,2970 litre	68,519 %	3489,2419 litre	O
320	CM	105	CM	135 LEVEL CM	7529,9948 litre	67,939 %	3553,5441 litre	O
320	CM	105	CM	134 LEVEL CM	7465,5018 litre	67,357 %	3618,0371 litre	O
320	CM	105	CM	133 LEVEL CM	7400,8249 litre	66,773 %	3682,7140 litre	O
320	CM	105	CM	132 LEVEL CM	7335,9709 litre	66,188 %	3747,5680 litre	O
320	CM	105	CM	131 LEVEL CM	7270,9465 litre	65,601 %	3812,5924 litre	O
320	CM	105	CM	130 LEVEL CM	7205,7586 litre	65,013 %	3877,7803 litre	O
320	CM	105	CM	129 LEVEL CM	7140,4139 litre	64,424 %	3943,1250 litre	O
320	CM	105	CM	128 LEVEL CM	7074,9188 litre	63,833 %	4008,6201 litre	O
320	CM	105	CM	127 LEVEL CM	7009,2801 litre	63,240 %	4074,2588 litre	O
320	CM	105	CM	126 LEVEL CM	6943,5042 litre	62,647 %	4140,0347 litre	O
320	CM	105	CM	125 LEVEL CM	6877,5976 litre	62,052 %	4205,9413 litre	O
320	CM	105	CM	124 LEVEL CM	6811,5669 litre	61,457 %	4271,9720 litre	O
320	CM	105	CM	123 LEVEL CM	6745,4185 litre	60,860 %	4338,1204 litre	O
320	CM	105	CM	122 LEVEL CM	6679,1586 litre	60,262 %	4404,3803 litre	O
320	CM	105	CM	121 LEVEL CM	6612,7938 litre	59,663 %	4470,7451 litre	O
320	CM	105	CM	120 LEVEL CM	6546,3303 litre	59,064 %	4537,2086 litre	O
320	CM	105	CM	119 LEVEL CM	6479,7744 litre	58,463 %	4603,7645 litre	O
320	CM	105	CM	118 LEVEL CM	6413,1324 litre	57,862 %	4670,4065 litre	O
320	CM	105	CM	117 LEVEL CM	6346,4106 litre	57,260 %	4737,1283 litre	O
320	CM	105	CM	116 LEVEL CM	6279,6151 litre	56,657 %	4803,9238 litre	O
320	CM	105	CM	115 LEVEL CM	6212,7522 litre	56,054 %	4870,7867 litre	O
320	CM	105	CM	114 LEVEL CM	6145,8281 litre	55,450 %	4937,7108 litre	O
320	CM	105	CM	113 LEVEL CM	6078,8489 litre	54,846 %	5004,6900 litre	O
320	CM	105	CM	112 LEVEL CM	6011,8208 litre	54,241 %	5071,7181 litre	O
320	CM	105	CM	111 LEVEL CM	5944,7499 litre	53,636 %	5138,7890 litre	O
320	CM	105	CM	110 LEVEL CM	5877,6424 litre	53,030 %	5205,8965 litre	O
320	CM	105	CM	109 LEVEL CM	5810,5044 litre	52,425 %	5273,0345 litre	O
320	CM	105	CM	108 LEVEL CM	5743,3420 litre	51,819 %	5340,1969 litre	O
320	CM	105	CM	107 LEVEL CM	5676,1613 litre	51,213 %	5407,3776 litre	O
320	CM	105	CM	106 LEVEL CM	5608,9684 litre	50,606 %	5474,5705 litre	O

320	CM	105	CM	105 LEVEL CM	5541,7694 litre	50,000 %	5541,7695 litre	O
320	CM	105	CM	104 LEVEL CM	5474,5705 litre	49,394 %	5608,9684 litre	O
320	CM	105	CM	103 LEVEL CM	5407,3776 litre	48,787 %	5676,1613 litre	O
320	CM	105	CM	102 LEVEL CM	5340,1969 litre	48,181 %	5743,3420 litre	O
320	CM	105	CM	101 LEVEL CM	5273,0345 litre	47,575 %	5810,5044 litre	O
320	CM	105	CM	100 LEVEL CM	5205,8965 litre	46,970 %	5877,6424 litre	O
320	CM	105	CM	99 LEVEL CM	5138,7890 litre	46,364 %	5944,7499 litre	O
320	CM	105	CM	98 LEVEL CM	5071,7181 litre	45,759 %	6011,8208 litre	O
320	CM	105	CM	97 LEVEL CM	5004,6900 litre	45,154 %	6078,8489 litre	O
320	CM	105	CM	96 LEVEL CM	4937,7108 litre	44,550 %	6145,8281 litre	O
320	CM	105	CM	95 LEVEL CM	4870,7867 litre	43,946 %	6212,7522 litre	O
320	CM	105	CM	94 LEVEL CM	4803,9238 litre	43,343 %	6279,6151 litre	O
320	CM	105	CM	93 LEVEL CM	4737,1283 litre	42,740 %	6346,4106 litre	O
320	CM	105	CM	92 LEVEL CM	4670,4065 litre	42,138 %	6413,1324 litre	O
320	CM	105	CM	91 LEVEL CM	4603,7645 litre	41,537 %	6479,7744 litre	O
320	CM	105	CM	90 LEVEL CM	4537,2086 litre	40,936 %	6546,3303 litre	O
320	CM	105	CM	89 LEVEL CM	4470,7451 litre	40,337 %	6612,7938 litre	O
320	CM	105	CM	88 LEVEL CM	4404,3802 litre	39,738 %	6679,1587 litre	O
320	CM	105	CM	87 LEVEL CM	4338,1204 litre	39,140 %	6745,4185 litre	O
320	CM	105	CM	86 LEVEL CM	4271,9719 litre	38,543 %	6811,5670 litre	O
320	CM	105	CM	85 LEVEL CM	4205,9412 litre	37,948 %	6877,5977 litre	O
320	CM	105	CM	84 LEVEL CM	4140,0347 litre	37,353 %	6943,5042 litre	O
320	CM	105	CM	83 LEVEL CM	4074,2588 litre	36,760 %	7009,2801 litre	O
320	CM	105	CM	82 LEVEL CM	4008,6201 litre	36,167 %	7074,9188 litre	O
320	CM	105	CM	81 LEVEL CM	3943,1250 litre	35,576 %	7140,4139 litre	O
320	CM	105	CM	80 LEVEL CM	3877,7802 litre	34,987 %	7205,7587 litre	O
320	CM	105	CM	79 LEVEL CM	3812,5923 litre	34,399 %	7270,9466 litre	O
320	CM	105	CM	78 LEVEL CM	3747,5680 litre	33,812 %	7335,9709 litre	O
320	CM	105	CM	77 LEVEL CM	3682,7140 litre	33,227 %	7400,8249 litre	O
320	CM	105	CM	76 LEVEL CM	3618,0371 litre	32,643 %	7465,5018 litre	O
320	CM	105	CM	75 LEVEL CM	3553,5441 litre	32,061 %	7529,9948 litre	O
320	CM	105	CM	74 LEVEL CM	3489,2419 litre	31,481 %	7594,2970 litre	O
320	CM	105	CM	73 LEVEL CM	3425,1375 litre	30,903 %	7658,4014 litre	O
320	CM	105	CM	72 LEVEL CM	3361,2378 litre	30,326 %	7722,3011 litre	O
320	CM	105	CM	71 LEVEL CM	3297,5501 litre	29,752 %	7785,9888 litre	O
320	CM	105	CM	70 LEVEL CM	3234,0814 litre	29,179 %	7849,4575 litre	O
320	CM	105	CM	69 LEVEL CM	3170,8390 litre	28,609 %	7912,6999 litre	O
320	CM	105	CM	68 LEVEL CM	3107,8302 litre	28,040 %	7975,7087 litre	O
320	CM	105	CM	67 LEVEL CM	3045,0623 litre	27,474 %	8038,4766 litre	O
320	CM	105	CM	66 LEVEL CM	2982,5430 litre	26,910 %	8100,9959 litre	O
320	CM	105	CM	65 LEVEL CM	2920,2796 litre	26,348 %	8163,2593 litre	O
320	CM	105	CM	64 LEVEL CM	2858,2800 litre	25,789 %	8225,2589 litre	O
320	CM	105	CM	63 LEVEL CM	2796,5518 litre	25,232 %	8286,9871 litre	O
320	CM	105	CM	62 LEVEL CM	2735,1030 litre	24,677 %	8348,4359 litre	O
320	CM	105	CM	61 LEVEL CM	2673,9415 litre	24,125 %	8409,5974 litre	O
320	CM	105	CM	60 LEVEL CM	2613,0753 litre	23,576 %	8470,4636 litre	O
320	CM	105	CM	59 LEVEL CM	2552,5128 litre	23,030 %	8531,0261 litre	O
320	CM	105	CM	58 LEVEL CM	2492,2621 litre	22,486 %	8591,2768 litre	O
320	CM	105	CM	57 LEVEL CM	2432,3319 litre	21,945 %	8651,2070 litre	O
320	CM	105	CM	56 LEVEL CM	2372,7306 litre	21,408 %	8710,8083 litre	O
320	CM	105	CM	55 LEVEL CM	2313,4670 litre	20,873 %	8770,0719 litre	O
320	CM	105	CM	54 LEVEL CM	2254,5500 litre	20,341 %	8828,9889 litre	O
320	CM	105	CM	53 LEVEL CM	2195,9886 litre	19,813 %	8887,5503 litre	O

320	CM	105	CM	52 LEVEL CM	2137,7921 litre	19,288 %	8945,7468 litre	O
320	CM	105	CM	51 LEVEL CM	2079,9698 litre	18,766 %	9003,5691 litre	O
320	CM	105	CM	50 LEVEL CM	2022,5313 litre	18,248 %	9061,0076 litre	O
320	CM	105	CM	49 LEVEL CM	1965,4864 litre	17,733 %	9118,0525 litre	O
320	CM	105	CM	48 LEVEL CM	1908,8450 litre	17,222 %	9174,6939 litre	O
320	CM	105	CM	47 LEVEL CM	1852,6173 litre	16,715 %	9230,9216 litre	O
320	CM	105	CM	46 LEVEL CM	1796,8138 litre	16,212 %	9286,7251 litre	O
320	CM	105	CM	45 LEVEL CM	1741,4450 litre	15,712 %	9342,0939 litre	O
320	CM	105	CM	44 LEVEL CM	1686,5219 litre	15,216 %	9397,0170 litre	O
320	CM	105	CM	43 LEVEL CM	1632,0556 litre	14,725 %	9451,4833 litre	O
320	CM	105	CM	42 LEVEL CM	1578,0575 litre	14,238 %	9505,4814 litre	O
320	CM	105	CM	41 LEVEL CM	1524,5395 litre	13,755 %	9558,9994 litre	O
320	CM	105	CM	40 LEVEL CM	1471,5136 litre	13,277 %	9612,0253 litre	O
320	CM	105	CM	39 LEVEL CM	1418,9922 litre	12,803 %	9664,5467 litre	O
320	CM	105	CM	38 LEVEL CM	1366,9881 litre	12,333 %	9716,5508 litre	O
320	CM	105	CM	37 LEVEL CM	1315,5144 litre	11,869 %	9768,0245 litre	O
320	CM	105	CM	36 LEVEL CM	1264,5847 litre	11,410 %	9818,9542 litre	O
320	CM	105	CM	35 LEVEL CM	1214,2130 litre	10,955 %	9869,3259 litre	O
320	CM	105	CM	34 LEVEL CM	1164,4137 litre	10,506 %	9919,1252 litre	O
320	CM	105	CM	33 LEVEL CM	1115,2020 litre	10,062 %	9968,3369 litre	O
320	CM	105	CM	32 LEVEL CM	1066,5932 litre	9,623 %	10016,9457 litre	O
320	CM	105	CM	31 LEVEL CM	1018,6035 litre	9,190 %	10064,9354 litre	O
320	CM	105	CM	30 LEVEL CM	971,2496 litre	8,763 %	10112,2893 litre	O
320	CM	105	CM	29 LEVEL CM	924,5490 litre	8,342 %	10158,9899 litre	O
320	CM	105	CM	28 LEVEL CM	878,5198 litre	7,926 %	10205,0191 litre	O
320	CM	105	CM	27 LEVEL CM	833,1810 litre	7,517 %	10250,3579 litre	O
320	CM	105	CM	26 LEVEL CM	788,5525 litre	7,115 %	10294,9864 litre	O
320	CM	105	CM	25 LEVEL CM	744,6551 litre	6,719 %	10338,8838 litre	O
320	CM	105	CM	24 LEVEL CM	701,5106 litre	6,329 %	10382,0283 litre	O
320	CM	105	CM	23 LEVEL CM	659,1421 litre	5,947 %	10424,3968 litre	O
320	CM	105	CM	22 LEVEL CM	617,5739 litre	5,572 %	10465,9650 litre	O
320	CM	105	CM	21 LEVEL CM	576,8319 litre	5,204 %	10506,7070 litre	O
320	CM	105	CM	20 LEVEL CM	536,9434 litre	4,845 %	10546,5955 litre	O
320	CM	105	CM	19 LEVEL CM	497,9375 litre	4,493 %	10585,6014 litre	O
320	CM	105	CM	18 LEVEL CM	459,8454 litre	4,149 %	10623,6935 litre	O
320	CM	105	CM	17 LEVEL CM	422,7007 litre	3,814 %	10660,8382 litre	O
320	CM	105	CM	16 LEVEL CM	386,5395 litre	3,488 %	10696,9994 litre	O
320	CM	105	CM	15 LEVEL CM	351,4010 litre	3,170 %	10732,1379 litre	O
320	CM	105	CM	14 LEVEL CM	317,3278 litre	2,863 %	10766,2111 litre	O
320	CM	105	CM	13 LEVEL CM	284,3669 litre	2,566 %	10799,1720 litre	O
320	CM	105	CM	12 LEVEL CM	252,5699 litre	2,279 %	10830,9690 litre	O
320	CM	105	CM	11 LEVEL CM	221,9946 litre	2,003 %	10861,5443 litre	O
320	CM	105	CM	10 LEVEL CM	192,7058 litre	1,739 %	10890,8331 litre	O
320	CM	105	CM	9 LEVEL CM	164,7776 litre	1,487 %	10918,7613 litre	O
320	CM	105	CM	8 LEVEL CM	138,2951 litre	1,248 %	10945,2438 litre	O
320	CM	105	CM	7 LEVEL CM	113,3585 litre	1,023 %	10970,1804 litre	O
320	CM	105	CM	6 LEVEL CM	90,0881 litre	0,813 %	10993,4508 litre	O
320	CM	105	CM	5 LEVEL CM	68,6320 litre	0,619 %	11014,9069 litre	O
320	CM	105	CM	4 LEVEL CM	49,1803 litre	0,444 %	11034,3586 litre	O
320	CM	105	CM	3 LEVEL CM	31,9897 litre	0,289 %	11051,5492 litre	O
320	CM	105	CM	2 LEVEL CM	17,4381 litre	0,157 %	11066,1008 litre	O
320	CM	105	CM	1 LEVEL CM	6,1741 litre	0,056 %	11077,3648 litre	O
320	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	11083,5389 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM 100	CM 200 LEVEL CM	10053,0965 litre	100,000 %	0,0000 litre	O
320	CM 100	CM 199 LEVEL CM	10047,0716 litre	99,940 %	6,0249 litre	O
320	CM 100	CM 198 LEVEL CM	10036,0811 litre	99,831 %	17,0154 litre	O
320	CM 100	CM 197 LEVEL CM	10021,8845 litre	99,690 %	31,2120 litre	O
320	CM 100	CM 196 LEVEL CM	10005,1153 litre	99,523 %	47,9812 litre	O
320	CM 100	CM 195 LEVEL CM	9986,1428 litre	99,334 %	66,9537 litre	O
320	CM 100	CM 194 LEVEL CM	9965,2179 litre	99,126 %	87,8786 litre	O
320	CM 100	CM 193 LEVEL CM	9942,5265 litre	98,900 %	110,5700 litre	O
320	CM 100	CM 192 LEVEL CM	9918,2134 litre	98,658 %	134,8831 litre	O
320	CM 100	CM 191 LEVEL CM	9892,3965 litre	98,401 %	160,7000 litre	O
320	CM 100	CM 190 LEVEL CM	9865,1736 litre	98,131 %	187,9229 litre	O
320	CM 100	CM 189 LEVEL CM	9836,6284 litre	97,847 %	216,4681 litre	O
320	CM 100	CM 188 LEVEL CM	9806,8332 litre	97,550 %	246,2633 litre	O
320	CM 100	CM 187 LEVEL CM	9775,8517 litre	97,242 %	277,2448 litre	O
320	CM 100	CM 186 LEVEL CM	9743,7404 litre	96,923 %	309,3561 litre	O
320	CM 100	CM 185 LEVEL CM	9710,5501 litre	96,593 %	342,5464 litre	O
320	CM 100	CM 184 LEVEL CM	9676,3268 litre	96,252 %	376,7697 litre	O
320	CM 100	CM 183 LEVEL CM	9641,1124 litre	95,902 %	411,9841 litre	O
320	CM 100	CM 182 LEVEL CM	9604,9454 litre	95,542 %	448,1511 litre	O
320	CM 100	CM 181 LEVEL CM	9567,8613 litre	95,173 %	485,2352 litre	O
320	CM 100	CM 180 LEVEL CM	9529,8929 litre	94,796 %	523,2036 litre	O
320	CM 100	CM 179 LEVEL CM	9491,0711 litre	94,409 %	562,0254 litre	O
320	CM 100	CM 178 LEVEL CM	9451,4245 litre	94,015 %	601,6720 litre	O
320	CM 100	CM 177 LEVEL CM	9410,9801 litre	93,613 %	642,1164 litre	O
320	CM 100	CM 176 LEVEL CM	9369,7631 litre	93,203 %	683,3334 litre	O
320	CM 100	CM 175 LEVEL CM	9327,7977 litre	92,785 %	725,2988 litre	O
320	CM 100	CM 174 LEVEL CM	9285,1065 litre	92,361 %	767,9900 litre	O
320	CM 100	CM 173 LEVEL CM	9241,7110 litre	91,929 %	811,3855 litre	O
320	CM 100	CM 172 LEVEL CM	9197,6319 litre	91,491 %	855,4646 litre	O
320	CM 100	CM 171 LEVEL CM	9152,8887 litre	91,045 %	900,2078 litre	O
320	CM 100	CM 170 LEVEL CM	9107,5002 litre	90,594 %	945,5963 litre	O
320	CM 100	CM 169 LEVEL CM	9061,4843 litre	90,136 %	991,6122 litre	O
320	CM 100	CM 168 LEVEL CM	9014,8582 litre	89,672 %	1038,2383 litre	O
320	CM 100	CM 167 LEVEL CM	8967,6386 litre	89,203 %	1085,4579 litre	O
320	CM 100	CM 166 LEVEL CM	8919,8412 litre	88,727 %	1133,2553 litre	O
320	CM 100	CM 165 LEVEL CM	8871,4816 litre	88,246 %	1181,6149 litre	O
320	CM 100	CM 164 LEVEL CM	8822,5745 litre	87,760 %	1230,5220 litre	O
320	CM 100	CM 163 LEVEL CM	8773,1343 litre	87,268 %	1279,9622 litre	O
320	CM 100	CM 162 LEVEL CM	8723,1749 litre	86,771 %	1329,9216 litre	O
320	CM 100	CM 161 LEVEL CM	8672,7097 litre	86,269 %	1380,3868 litre	O
320	CM 100	CM 160 LEVEL CM	8621,7518 litre	85,762 %	1431,3447 litre	O
320	CM 100	CM 159 LEVEL CM	8570,3139 litre	85,250 %	1482,7826 litre	O
320	CM 100	CM 158 LEVEL CM	8518,4082 litre	84,734 %	1534,6883 litre	O
320	CM 100	CM 157 LEVEL CM	8466,0469 litre	84,213 %	1587,0496 litre	O
320	CM 100	CM 156 LEVEL CM	8413,2416 litre	83,688 %	1639,8549 litre	O
320	CM 100	CM 155 LEVEL CM	8360,0036 litre	83,158 %	1693,0929 litre	O
320	CM 100	CM 154 LEVEL CM	8306,3441 litre	82,625 %	1746,7524 litre	O
320	CM 100	CM 153 LEVEL CM	8252,2741 litre	82,087 %	1800,8224 litre	O
320	CM 100	CM 152 LEVEL CM	8197,8039 litre	81,545 %	1855,2926 litre	O
320	CM 100	CM 151 LEVEL CM	8142,9442 litre	80,999 %	1910,1523 litre	O
320	CM 100	CM 150 LEVEL CM	8087,7050 litre	80,450 %	1965,3915 litre	O
320	CM 100	CM 149 LEVEL CM	8032,0962 litre	79,897 %	2021,0003 litre	O

320	CM	100	CM	148 LEVEL CM	7976,1277 litre	79,340 %	2076,9688 litre	O
320	CM	100	CM	147 LEVEL CM	7919,8090 litre	78,780 %	2133,2875 litre	O
320	CM	100	CM	146 LEVEL CM	7863,1495 litre	78,216 %	2189,9470 litre	O
320	CM	100	CM	145 LEVEL CM	7806,1584 litre	77,649 %	2246,9381 litre	O
320	CM	100	CM	144 LEVEL CM	7748,8449 litre	77,079 %	2304,2516 litre	O
320	CM	100	CM	143 LEVEL CM	7691,2177 litre	76,506 %	2361,8788 litre	O
320	CM	100	CM	142 LEVEL CM	7633,2857 litre	75,930 %	2419,8108 litre	O
320	CM	100	CM	141 LEVEL CM	7575,0575 litre	75,350 %	2478,0390 litre	O
320	CM	100	CM	140 LEVEL CM	7516,5415 litre	74,768 %	2536,5550 litre	O
320	CM	100	CM	139 LEVEL CM	7457,7463 litre	74,184 %	2595,3502 litre	O
320	CM	100	CM	138 LEVEL CM	7398,6800 litre	73,596 %	2654,4165 litre	O
320	CM	100	CM	137 LEVEL CM	7339,3507 litre	73,006 %	2713,7458 litre	O
320	CM	100	CM	136 LEVEL CM	7279,7666 litre	72,413 %	2773,3299 litre	O
320	CM	100	CM	135 LEVEL CM	7219,9354 litre	71,818 %	2833,1611 litre	O
320	CM	100	CM	134 LEVEL CM	7159,8652 litre	71,220 %	2893,2313 litre	O
320	CM	100	CM	133 LEVEL CM	7099,5636 litre	70,621 %	2953,5329 litre	O
320	CM	100	CM	132 LEVEL CM	7039,0382 litre	70,019 %	3014,0583 litre	O
320	CM	100	CM	131 LEVEL CM	6978,2966 litre	69,414 %	3074,7999 litre	O
320	CM	100	CM	130 LEVEL CM	6917,3464 litre	68,808 %	3135,7501 litre	O
320	CM	100	CM	129 LEVEL CM	6856,1949 litre	68,200 %	3196,9016 litre	O
320	CM	100	CM	128 LEVEL CM	6794,8494 litre	67,590 %	3258,2471 litre	O
320	CM	100	CM	127 LEVEL CM	6733,3173 litre	66,978 %	3319,7792 litre	O
320	CM	100	CM	126 LEVEL CM	6671,6057 litre	66,364 %	3381,4908 litre	O
320	CM	100	CM	125 LEVEL CM	6609,7217 litre	65,748 %	3443,3748 litre	O
320	CM	100	CM	124 LEVEL CM	6547,6725 litre	65,131 %	3505,4240 litre	O
320	CM	100	CM	123 LEVEL CM	6485,4651 litre	64,512 %	3567,6314 litre	O
320	CM	100	CM	122 LEVEL CM	6423,1065 litre	63,892 %	3629,9900 litre	O
320	CM	100	CM	121 LEVEL CM	6360,6034 litre	63,270 %	3692,4931 litre	O
320	CM	100	CM	120 LEVEL CM	6297,9630 litre	62,647 %	3755,1335 litre	O
320	CM	100	CM	119 LEVEL CM	6235,1918 litre	62,023 %	3817,9047 litre	O
320	CM	100	CM	118 LEVEL CM	6172,2969 litre	61,397 %	3880,7996 litre	O
320	CM	100	CM	117 LEVEL CM	6109,2848 litre	60,770 %	3943,8117 litre	O
320	CM	100	CM	116 LEVEL CM	6046,1622 litre	60,142 %	4006,9343 litre	O
320	CM	100	CM	115 LEVEL CM	5982,9360 litre	59,513 %	4070,1605 litre	O
320	CM	100	CM	114 LEVEL CM	5919,6126 litre	58,883 %	4133,4839 litre	O
320	CM	100	CM	113 LEVEL CM	5856,1988 litre	58,253 %	4196,8977 litre	O
320	CM	100	CM	112 LEVEL CM	5792,7010 litre	57,621 %	4260,3955 litre	O
320	CM	100	CM	111 LEVEL CM	5729,1259 litre	56,989 %	4323,9706 litre	O
320	CM	100	CM	110 LEVEL CM	5665,4800 litre	56,356 %	4387,6165 litre	O
320	CM	100	CM	109 LEVEL CM	5601,7697 litre	55,722 %	4451,3268 litre	O
320	CM	100	CM	108 LEVEL CM	5538,0016 litre	55,088 %	4515,0949 litre	O
320	CM	100	CM	107 LEVEL CM	5474,1821 litre	54,453 %	4578,9144 litre	O
320	CM	100	CM	106 LEVEL CM	5410,3177 litre	53,817 %	4642,7788 litre	O
320	CM	100	CM	105 LEVEL CM	5346,4149 litre	53,182 %	4706,6816 litre	O
320	CM	100	CM	104 LEVEL CM	5282,4800 litre	52,546 %	4770,6165 litre	O
320	CM	100	CM	103 LEVEL CM	5218,5194 litre	51,910 %	4834,5771 litre	O
320	CM	100	CM	102 LEVEL CM	5154,5397 litre	51,273 %	4898,5568 litre	O
320	CM	100	CM	101 LEVEL CM	5090,5472 litre	50,637 %	4962,5493 litre	O
320	CM	100	CM	100 LEVEL CM	5026,5482 litre	50,000 %	5026,5483 litre	O
320	CM	100	CM	99 LEVEL CM	4962,5493 litre	49,363 %	5090,5472 litre	O
320	CM	100	CM	98 LEVEL CM	4898,5568 litre	48,727 %	5154,5397 litre	O
320	CM	100	CM	97 LEVEL CM	4834,5770 litre	48,090 %	5218,5195 litre	O
320	CM	100	CM	96 LEVEL CM	4770,6165 litre	47,454 %	5282,4800 litre	O

320	CM	100	CM	95 LEVEL CM	4706,6816 litre	46,818 %	5346,4149 litre	O
320	CM	100	CM	94 LEVEL CM	4642,7788 litre	46,183 %	5410,3177 litre	O
320	CM	100	CM	93 LEVEL CM	4578,9144 litre	45,547 %	5474,1821 litre	O
320	CM	100	CM	92 LEVEL CM	4515,0949 litre	44,912 %	5538,0016 litre	O
320	CM	100	CM	91 LEVEL CM	4451,3268 litre	44,278 %	5601,7697 litre	O
320	CM	100	CM	90 LEVEL CM	4387,6165 litre	43,644 %	5665,4800 litre	O
320	CM	100	CM	89 LEVEL CM	4323,9706 litre	43,011 %	5729,1259 litre	O
320	CM	100	CM	88 LEVEL CM	4260,3954 litre	42,379 %	5792,7011 litre	O
320	CM	100	CM	87 LEVEL CM	4196,8977 litre	41,747 %	5856,1988 litre	O
320	CM	100	CM	86 LEVEL CM	4133,4838 litre	41,117 %	5919,6127 litre	O
320	CM	100	CM	85 LEVEL CM	4070,1605 litre	40,487 %	5982,9360 litre	O
320	CM	100	CM	84 LEVEL CM	4006,9342 litre	39,858 %	6046,1623 litre	O
320	CM	100	CM	83 LEVEL CM	3943,8117 litre	39,230 %	6109,2848 litre	O
320	CM	100	CM	82 LEVEL CM	3880,7996 litre	38,603 %	6172,2969 litre	O
320	CM	100	CM	81 LEVEL CM	3817,9046 litre	37,977 %	6235,1919 litre	O
320	CM	100	CM	80 LEVEL CM	3755,1335 litre	37,353 %	6297,9630 litre	O
320	CM	100	CM	79 LEVEL CM	3692,4930 litre	36,730 %	6360,6035 litre	O
320	CM	100	CM	78 LEVEL CM	3629,9900 litre	36,108 %	6423,1065 litre	O
320	CM	100	CM	77 LEVEL CM	3567,6314 litre	35,488 %	6485,4651 litre	O
320	CM	100	CM	76 LEVEL CM	3505,4239 litre	34,869 %	6547,6726 litre	O
320	CM	100	CM	75 LEVEL CM	3443,3748 litre	34,252 %	6609,7217 litre	O
320	CM	100	CM	74 LEVEL CM	3381,4908 litre	33,636 %	6671,6057 litre	O
320	CM	100	CM	73 LEVEL CM	3319,7792 litre	33,022 %	6733,3173 litre	O
320	CM	100	CM	72 LEVEL CM	3258,2471 litre	32,410 %	6794,8494 litre	O
320	CM	100	CM	71 LEVEL CM	3196,9016 litre	31,800 %	6856,1949 litre	O
320	CM	100	CM	70 LEVEL CM	3135,7501 litre	31,192 %	6917,3464 litre	O
320	CM	100	CM	69 LEVEL CM	3074,7999 litre	30,586 %	6978,2966 litre	O
320	CM	100	CM	68 LEVEL CM	3014,0583 litre	29,981 %	7039,0382 litre	O
320	CM	100	CM	67 LEVEL CM	2953,5329 litre	29,379 %	7099,5636 litre	O
320	CM	100	CM	66 LEVEL CM	2893,2313 litre	28,780 %	7159,8652 litre	O
320	CM	100	CM	65 LEVEL CM	2833,1611 litre	28,182 %	7219,9354 litre	O
320	CM	100	CM	64 LEVEL CM	2773,3299 litre	27,587 %	7279,7666 litre	O
320	CM	100	CM	63 LEVEL CM	2713,7458 litre	26,994 %	7339,3507 litre	O
320	CM	100	CM	62 LEVEL CM	2654,4165 litre	26,404 %	7398,6800 litre	O
320	CM	100	CM	61 LEVEL CM	2595,3502 litre	25,816 %	7457,7463 litre	O
320	CM	100	CM	60 LEVEL CM	2536,5550 litre	25,232 %	7516,5415 litre	O
320	CM	100	CM	59 LEVEL CM	2478,0390 litre	24,650 %	7575,0575 litre	O
320	CM	100	CM	58 LEVEL CM	2419,8108 litre	24,070 %	7633,2857 litre	O
320	CM	100	CM	57 LEVEL CM	2361,8788 litre	23,494 %	7691,2177 litre	O
320	CM	100	CM	56 LEVEL CM	2304,2516 litre	22,921 %	7748,8449 litre	O
320	CM	100	CM	55 LEVEL CM	2246,9380 litre	22,351 %	7806,1585 litre	O
320	CM	100	CM	54 LEVEL CM	2189,9470 litre	21,784 %	7863,1495 litre	O
320	CM	100	CM	53 LEVEL CM	2133,2875 litre	21,220 %	7919,8090 litre	O
320	CM	100	CM	52 LEVEL CM	2076,9688 litre	20,660 %	7976,1277 litre	O
320	CM	100	CM	51 LEVEL CM	2021,0003 litre	20,103 %	8032,0962 litre	O
320	CM	100	CM	50 LEVEL CM	1965,3915 litre	19,550 %	8087,7050 litre	O
320	CM	100	CM	49 LEVEL CM	1910,1523 litre	19,001 %	8142,9442 litre	O
320	CM	100	CM	48 LEVEL CM	1855,2925 litre	18,455 %	8197,8040 litre	O
320	CM	100	CM	47 LEVEL CM	1800,8224 litre	17,913 %	8252,2741 litre	O
320	CM	100	CM	46 LEVEL CM	1746,7523 litre	17,375 %	8306,3442 litre	O
320	CM	100	CM	45 LEVEL CM	1693,0929 litre	16,842 %	8360,0036 litre	O
320	CM	100	CM	44 LEVEL CM	1639,8549 litre	16,312 %	8413,2416 litre	O
320	CM	100	CM	43 LEVEL CM	1587,0496 litre	15,787 %	8466,0469 litre	O

320	CM	100	CM	42 LEVEL CM	1534,6883 litre	15,266 %	8518,4082 litre	O
320	CM	100	CM	41 LEVEL CM	1482,7826 litre	14,750 %	8570,3139 litre	O
320	CM	100	CM	40 LEVEL CM	1431,3447 litre	14,238 %	8621,7518 litre	O
320	CM	100	CM	39 LEVEL CM	1380,3868 litre	13,731 %	8672,7097 litre	O
320	CM	100	CM	38 LEVEL CM	1329,9216 litre	13,229 %	8723,1749 litre	O
320	CM	100	CM	37 LEVEL CM	1279,9622 litre	12,732 %	8773,1343 litre	O
320	CM	100	CM	36 LEVEL CM	1230,5220 litre	12,240 %	8822,5745 litre	O
320	CM	100	CM	35 LEVEL CM	1181,6149 litre	11,754 %	8871,4816 litre	O
320	CM	100	CM	34 LEVEL CM	1133,2553 litre	11,273 %	8919,8412 litre	O
320	CM	100	CM	33 LEVEL CM	1085,4579 litre	10,797 %	8967,6386 litre	O
320	CM	100	CM	32 LEVEL CM	1038,2383 litre	10,328 %	9014,8582 litre	O
320	CM	100	CM	31 LEVEL CM	991,6122 litre	9,864 %	9061,4843 litre	O
320	CM	100	CM	30 LEVEL CM	945,5963 litre	9,406 %	9107,5002 litre	O
320	CM	100	CM	29 LEVEL CM	900,2078 litre	8,955 %	9152,8887 litre	O
320	CM	100	CM	28 LEVEL CM	855,4646 litre	8,509 %	9197,6319 litre	O
320	CM	100	CM	27 LEVEL CM	811,3855 litre	8,071 %	9241,7110 litre	O
320	CM	100	CM	26 LEVEL CM	767,9900 litre	7,639 %	9285,1065 litre	O
320	CM	100	CM	25 LEVEL CM	725,2988 litre	7,215 %	9327,7977 litre	O
320	CM	100	CM	24 LEVEL CM	683,3334 litre	6,797 %	9369,7631 litre	O
320	CM	100	CM	23 LEVEL CM	642,1164 litre	6,387 %	9410,9801 litre	O
320	CM	100	CM	22 LEVEL CM	601,6720 litre	5,985 %	9451,4245 litre	O
320	CM	100	CM	21 LEVEL CM	562,0254 litre	5,591 %	9491,0711 litre	O
320	CM	100	CM	20 LEVEL CM	523,2035 litre	5,204 %	9529,8930 litre	O
320	CM	100	CM	19 LEVEL CM	485,2352 litre	4,827 %	9567,8613 litre	O
320	CM	100	CM	18 LEVEL CM	448,1511 litre	4,458 %	9604,9454 litre	O
320	CM	100	CM	17 LEVEL CM	411,9841 litre	4,098 %	9641,1124 litre	O
320	CM	100	CM	16 LEVEL CM	376,7697 litre	3,748 %	9676,3268 litre	O
320	CM	100	CM	15 LEVEL CM	342,5464 litre	3,407 %	9710,5501 litre	O
320	CM	100	CM	14 LEVEL CM	309,3561 litre	3,077 %	9743,7404 litre	O
320	CM	100	CM	13 LEVEL CM	277,2448 litre	2,758 %	9775,8517 litre	O
320	CM	100	CM	12 LEVEL CM	246,2633 litre	2,450 %	9806,8332 litre	O
320	CM	100	CM	11 LEVEL CM	216,4681 litre	2,153 %	9836,6284 litre	O
320	CM	100	CM	10 LEVEL CM	187,9229 litre	1,869 %	9865,1736 litre	O
320	CM	100	CM	9 LEVEL CM	160,7000 litre	1,599 %	9892,3965 litre	O
320	CM	100	CM	8 LEVEL CM	134,8830 litre	1,342 %	9918,2135 litre	O
320	CM	100	CM	7 LEVEL CM	110,5700 litre	1,100 %	9942,5265 litre	O
320	CM	100	CM	6 LEVEL CM	87,8785 litre	0,874 %	9965,2180 litre	O
320	CM	100	CM	5 LEVEL CM	66,9537 litre	0,666 %	9986,1428 litre	O
320	CM	100	CM	4 LEVEL CM	47,9811 litre	0,477 %	10005,1154 litre	O
320	CM	100	CM	3 LEVEL CM	31,2120 litre	0,310 %	10021,8845 litre	O
320	CM	100	CM	2 LEVEL CM	17,0154 litre	0,169 %	10036,0811 litre	O
320	CM	100	CM	1 LEVEL CM	6,0249 litre	0,060 %	10047,0716 litre	O
320	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	10053,0965 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
320	CM	95	CM	190 LEVEL CM	9072,9196 litre	100,000 %	0,0000 litre	O
320	CM	95	CM	189 LEVEL CM	9067,0477 litre	99,935 %	5,8719 litre	O
320	CM	95	CM	188 LEVEL CM	9056,3377 litre	99,817 %	16,5819 litre	O
320	CM	95	CM	187 LEVEL CM	9042,5052 litre	99,665 %	30,4144 litre	O
320	CM	95	CM	186 LEVEL CM	9026,1683 litre	99,485 %	46,7513 litre	O
320	CM	95	CM	185 LEVEL CM	9007,6874 litre	99,281 %	65,2322 litre	O
320	CM	95	CM	184 LEVEL CM	8987,3076 litre	99,056 %	85,6120 litre	O
320	CM	95	CM	183 LEVEL CM	8965,2102 litre	98,813 %	107,7094 litre	O
320	CM	95	CM	182 LEVEL CM	8941,5372 litre	98,552 %	131,3824 litre	O
320	CM	95	CM	181 LEVEL CM	8916,4033 litre	98,275 %	156,5163 litre	O
320	CM	95	CM	180 LEVEL CM	8889,9046 litre	97,983 %	183,0150 litre	O
320	CM	95	CM	179 LEVEL CM	8862,1228 litre	97,677 %	210,7968 litre	O
320	CM	95	CM	178 LEVEL CM	8833,1287 litre	97,357 %	239,7909 litre	O
320	CM	95	CM	177 LEVEL CM	8802,9847 litre	97,025 %	269,9349 litre	O
320	CM	95	CM	176 LEVEL CM	8771,7462 litre	96,681 %	301,1734 litre	O
320	CM	95	CM	175 LEVEL CM	8739,4629 litre	96,325 %	333,4567 litre	O
320	CM	95	CM	174 LEVEL CM	8706,1800 litre	95,958 %	366,7396 litre	O
320	CM	95	CM	173 LEVEL CM	8671,9386 litre	95,580 %	400,9810 litre	O
320	CM	95	CM	172 LEVEL CM	8636,7764 litre	95,193 %	436,1432 litre	O
320	CM	95	CM	171 LEVEL CM	8600,7284 litre	94,796 %	472,1912 litre	O
320	CM	95	CM	170 LEVEL CM	8563,8268 litre	94,389 %	509,0928 litre	O
320	CM	95	CM	169 LEVEL CM	8526,1019 litre	93,973 %	546,8177 litre	O
320	CM	95	CM	168 LEVEL CM	8487,5819 litre	93,549 %	585,3377 litre	O
320	CM	95	CM	167 LEVEL CM	8448,2932 litre	93,115 %	624,6264 litre	O
320	CM	95	CM	166 LEVEL CM	8408,2609 litre	92,674 %	664,6587 litre	O
320	CM	95	CM	165 LEVEL CM	8367,5086 litre	92,225 %	705,4110 litre	O
320	CM	95	CM	164 LEVEL CM	8326,0587 litre	91,768 %	746,8609 litre	O
320	CM	95	CM	163 LEVEL CM	8283,9324 litre	91,304 %	788,9872 litre	O
320	CM	95	CM	162 LEVEL CM	8241,1501 litre	90,832 %	831,7695 litre	O
320	CM	95	CM	161 LEVEL CM	8197,7310 litre	90,354 %	875,1886 litre	O
320	CM	95	CM	160 LEVEL CM	8153,6936 litre	89,868 %	919,2260 litre	O
320	CM	95	CM	159 LEVEL CM	8109,0557 litre	89,376 %	963,8639 litre	O
320	CM	95	CM	158 LEVEL CM	8063,8344 litre	88,878 %	1009,0852 litre	O
320	CM	95	CM	157 LEVEL CM	8018,0460 litre	88,373 %	1054,8736 litre	O
320	CM	95	CM	156 LEVEL CM	7971,7063 litre	87,863 %	1101,2133 litre	O
320	CM	95	CM	155 LEVEL CM	7924,8304 litre	87,346 %	1148,0892 litre	O
320	CM	95	CM	154 LEVEL CM	7877,4332 litre	86,824 %	1195,4864 litre	O
320	CM	95	CM	153 LEVEL CM	7829,5288 litre	86,296 %	1243,3908 litre	O
320	CM	95	CM	152 LEVEL CM	7781,1310 litre	85,762 %	1291,7886 litre	O
320	CM	95	CM	151 LEVEL CM	7732,2532 litre	85,223 %	1340,6664 litre	O
320	CM	95	CM	150 LEVEL CM	7682,9083 litre	84,680 %	1390,0113 litre	O
320	CM	95	CM	149 LEVEL CM	7633,1089 litre	84,131 %	1439,8107 litre	O
320	CM	95	CM	148 LEVEL CM	7582,8674 litre	83,577 %	1490,0522 litre	O
320	CM	95	CM	147 LEVEL CM	7532,1956 litre	83,018 %	1540,7240 litre	O
320	CM	95	CM	146 LEVEL CM	7481,1052 litre	82,455 %	1591,8144 litre	O
320	CM	95	CM	145 LEVEL CM	7429,6075 litre	81,888 %	1643,3121 litre	O
320	CM	95	CM	144 LEVEL CM	7377,7137 litre	81,316 %	1695,2059 litre	O
320	CM	95	CM	143 LEVEL CM	7325,4345 litre	80,740 %	1747,4851 litre	O
320	CM	95	CM	142 LEVEL CM	7272,7806 litre	80,159 %	1800,1390 litre	O
320	CM	95	CM	141 LEVEL CM	7219,7623 litre	79,575 %	1853,1573 litre	O
320	CM	95	CM	140 LEVEL CM	7166,3898 litre	78,987 %	1906,5298 litre	O
320	CM	95	CM	139 LEVEL CM	7112,6731 litre	78,395 %	1960,2465 litre	O

320	CM	95	CM	138 LEVEL CM	7058,6219 litre	77,799 %	2014,2977 litre	O
320	CM	95	CM	137 LEVEL CM	7004,2459 litre	77,199 %	2068,6737 litre	O
320	CM	95	CM	136 LEVEL CM	6949,5543 litre	76,597 %	2123,3653 litre	O
320	CM	95	CM	135 LEVEL CM	6894,5566 litre	75,990 %	2178,3630 litre	O
320	CM	95	CM	134 LEVEL CM	6839,2617 litre	75,381 %	2233,6579 litre	O
320	CM	95	CM	133 LEVEL CM	6783,6787 litre	74,768 %	2289,2409 litre	O
320	CM	95	CM	132 LEVEL CM	6727,8164 litre	74,153 %	2345,1032 litre	O
320	CM	95	CM	131 LEVEL CM	6671,6834 litre	73,534 %	2401,2362 litre	O
320	CM	95	CM	130 LEVEL CM	6615,2884 litre	72,912 %	2457,6312 litre	O
320	CM	95	CM	129 LEVEL CM	6558,6397 litre	72,288 %	2514,2799 litre	O
320	CM	95	CM	128 LEVEL CM	6501,7457 litre	71,661 %	2571,1739 litre	O
320	CM	95	CM	127 LEVEL CM	6444,6146 litre	71,031 %	2628,3050 litre	O
320	CM	95	CM	126 LEVEL CM	6387,2545 litre	70,399 %	2685,6651 litre	O
320	CM	95	CM	125 LEVEL CM	6329,6735 litre	69,764 %	2743,2461 litre	O
320	CM	95	CM	124 LEVEL CM	6271,8795 litre	69,127 %	2801,0401 litre	O
320	CM	95	CM	123 LEVEL CM	6213,8804 litre	68,488 %	2859,0392 litre	O
320	CM	95	CM	122 LEVEL CM	6155,6838 litre	67,847 %	2917,2358 litre	O
320	CM	95	CM	121 LEVEL CM	6097,2975 litre	67,203 %	2975,6221 litre	O
320	CM	95	CM	120 LEVEL CM	6038,7290 litre	66,558 %	3034,1906 litre	O
320	CM	95	CM	119 LEVEL CM	5979,9860 litre	65,910 %	3092,9336 litre	O
320	CM	95	CM	118 LEVEL CM	5921,0759 litre	65,261 %	3151,8437 litre	O
320	CM	95	CM	117 LEVEL CM	5862,0061 litre	64,610 %	3210,9135 litre	O
320	CM	95	CM	116 LEVEL CM	5802,7839 litre	63,957 %	3270,1357 litre	O
320	CM	95	CM	115 LEVEL CM	5743,4167 litre	63,303 %	3329,5029 litre	O
320	CM	95	CM	114 LEVEL CM	5683,9116 litre	62,647 %	3389,0080 litre	O
320	CM	95	CM	113 LEVEL CM	5624,2759 litre	61,990 %	3448,6437 litre	O
320	CM	95	CM	112 LEVEL CM	5564,5166 litre	61,331 %	3508,4030 litre	O
320	CM	95	CM	111 LEVEL CM	5504,6410 litre	60,671 %	3568,2786 litre	O
320	CM	95	CM	110 LEVEL CM	5444,6560 litre	60,010 %	3628,2636 litre	O
320	CM	95	CM	109 LEVEL CM	5384,5687 litre	59,348 %	3688,3509 litre	O
320	CM	95	CM	108 LEVEL CM	5324,3860 litre	58,684 %	3748,5336 litre	O
320	CM	95	CM	107 LEVEL CM	5264,1149 litre	58,020 %	3808,8047 litre	O
320	CM	95	CM	106 LEVEL CM	5203,7623 litre	57,355 %	3869,1573 litre	O
320	CM	95	CM	105 LEVEL CM	5143,3351 litre	56,689 %	3929,5845 litre	O
320	CM	95	CM	104 LEVEL CM	5082,8402 litre	56,022 %	3990,0794 litre	O
320	CM	95	CM	103 LEVEL CM	5022,2843 litre	55,355 %	4050,6353 litre	O
320	CM	95	CM	102 LEVEL CM	4961,6744 litre	54,687 %	4111,2452 litre	O
320	CM	95	CM	101 LEVEL CM	4901,0171 litre	54,018 %	4171,9025 litre	O
320	CM	95	CM	100 LEVEL CM	4840,3194 litre	53,349 %	4232,6002 litre	O
320	CM	95	CM	99 LEVEL CM	4779,5879 litre	52,680 %	4293,3317 litre	O
320	CM	95	CM	98 LEVEL CM	4718,8295 litre	52,010 %	4354,0901 litre	O
320	CM	95	CM	97 LEVEL CM	4658,0508 litre	51,340 %	4414,8688 litre	O
320	CM	95	CM	96 LEVEL CM	4597,2587 litre	50,670 %	4475,6609 litre	O
320	CM	95	CM	95 LEVEL CM	4536,4598 litre	50,000 %	4536,4598 litre	O
320	CM	95	CM	94 LEVEL CM	4475,6609 litre	49,330 %	4597,2587 litre	O
320	CM	95	CM	93 LEVEL CM	4414,8688 litre	48,660 %	4658,0508 litre	O
320	CM	95	CM	92 LEVEL CM	4354,0901 litre	47,990 %	4718,8295 litre	O
320	CM	95	CM	91 LEVEL CM	4293,3317 litre	47,320 %	4779,5879 litre	O
320	CM	95	CM	90 LEVEL CM	4232,6002 litre	46,651 %	4840,3194 litre	O
320	CM	95	CM	89 LEVEL CM	4171,9025 litre	45,982 %	4901,0171 litre	O
320	CM	95	CM	88 LEVEL CM	4111,2452 litre	45,313 %	4961,6744 litre	O
320	CM	95	CM	87 LEVEL CM	4050,6353 litre	44,645 %	5022,2843 litre	O
320	CM	95	CM	86 LEVEL CM	3990,0794 litre	43,978 %	5082,8402 litre	O

320	CM	95	CM	85 LEVEL CM	3929,5845 litre	43,311 %	5143,3351 litre	O
320	CM	95	CM	84 LEVEL CM	3869,1573 litre	42,645 %	5203,7623 litre	O
320	CM	95	CM	83 LEVEL CM	3808,8047 litre	41,980 %	5264,1149 litre	O
320	CM	95	CM	82 LEVEL CM	3748,5336 litre	41,316 %	5324,3860 litre	O
320	CM	95	CM	81 LEVEL CM	3688,3509 litre	40,652 %	5384,5687 litre	O
320	CM	95	CM	80 LEVEL CM	3628,2636 litre	39,990 %	5444,6560 litre	O
320	CM	95	CM	79 LEVEL CM	3568,2786 litre	39,329 %	5504,6410 litre	O
320	CM	95	CM	78 LEVEL CM	3508,4029 litre	38,669 %	5564,5167 litre	O
320	CM	95	CM	77 LEVEL CM	3448,6437 litre	38,010 %	5624,2759 litre	O
320	CM	95	CM	76 LEVEL CM	3389,0080 litre	37,353 %	5683,9116 litre	O
320	CM	95	CM	75 LEVEL CM	3329,5029 litre	36,697 %	5743,4167 litre	O
320	CM	95	CM	74 LEVEL CM	3270,1357 litre	36,043 %	5802,7839 litre	O
320	CM	95	CM	73 LEVEL CM	3210,9135 litre	35,390 %	5862,0061 litre	O
320	CM	95	CM	72 LEVEL CM	3151,8437 litre	34,739 %	5921,0759 litre	O
320	CM	95	CM	71 LEVEL CM	3092,9336 litre	34,090 %	5979,9860 litre	O
320	CM	95	CM	70 LEVEL CM	3034,1906 litre	33,442 %	6038,7290 litre	O
320	CM	95	CM	69 LEVEL CM	2975,6221 litre	32,797 %	6097,2975 litre	O
320	CM	95	CM	68 LEVEL CM	2917,2358 litre	32,153 %	6155,6838 litre	O
320	CM	95	CM	67 LEVEL CM	2859,0392 litre	31,512 %	6213,8804 litre	O
320	CM	95	CM	66 LEVEL CM	2801,0401 litre	30,873 %	6271,8795 litre	O
320	CM	95	CM	65 LEVEL CM	2743,2460 litre	30,236 %	6329,6736 litre	O
320	CM	95	CM	64 LEVEL CM	2685,6650 litre	29,601 %	6387,2546 litre	O
320	CM	95	CM	63 LEVEL CM	2628,3050 litre	28,969 %	6444,6146 litre	O
320	CM	95	CM	62 LEVEL CM	2571,1739 litre	28,339 %	6501,7457 litre	O
320	CM	95	CM	61 LEVEL CM	2514,2799 litre	27,712 %	6558,6397 litre	O
320	CM	95	CM	60 LEVEL CM	2457,6312 litre	27,088 %	6615,2884 litre	O
320	CM	95	CM	59 LEVEL CM	2401,2361 litre	26,466 %	6671,6835 litre	O
320	CM	95	CM	58 LEVEL CM	2345,1032 litre	25,847 %	6727,8164 litre	O
320	CM	95	CM	57 LEVEL CM	2289,2409 litre	25,232 %	6783,6787 litre	O
320	CM	95	CM	56 LEVEL CM	2233,6579 litre	24,619 %	6839,2617 litre	O
320	CM	95	CM	55 LEVEL CM	2178,3630 litre	24,010 %	6894,5566 litre	O
320	CM	95	CM	54 LEVEL CM	2123,3653 litre	23,403 %	6949,5543 litre	O
320	CM	95	CM	53 LEVEL CM	2068,6737 litre	22,801 %	7004,2459 litre	O
320	CM	95	CM	52 LEVEL CM	2014,2977 litre	22,201 %	7058,6219 litre	O
320	CM	95	CM	51 LEVEL CM	1960,2465 litre	21,605 %	7112,6731 litre	O
320	CM	95	CM	50 LEVEL CM	1906,5297 litre	21,013 %	7166,3899 litre	O
320	CM	95	CM	49 LEVEL CM	1853,1573 litre	20,425 %	7219,7623 litre	O
320	CM	95	CM	48 LEVEL CM	1800,1390 litre	19,841 %	7272,7806 litre	O
320	CM	95	CM	47 LEVEL CM	1747,4851 litre	19,260 %	7325,4345 litre	O
320	CM	95	CM	46 LEVEL CM	1695,2059 litre	18,684 %	7377,7137 litre	O
320	CM	95	CM	45 LEVEL CM	1643,3121 litre	18,112 %	7429,6075 litre	O
320	CM	95	CM	44 LEVEL CM	1591,8144 litre	17,545 %	7481,1052 litre	O
320	CM	95	CM	43 LEVEL CM	1540,7240 litre	16,982 %	7532,1956 litre	O
320	CM	95	CM	42 LEVEL CM	1490,0522 litre	16,423 %	7582,8674 litre	O
320	CM	95	CM	41 LEVEL CM	1439,8106 litre	15,869 %	7633,1090 litre	O
320	CM	95	CM	40 LEVEL CM	1390,0113 litre	15,320 %	7682,9083 litre	O
320	CM	95	CM	39 LEVEL CM	1340,6664 litre	14,777 %	7732,2532 litre	O
320	CM	95	CM	38 LEVEL CM	1291,7886 litre	14,238 %	7781,1310 litre	O
320	CM	95	CM	37 LEVEL CM	1243,3908 litre	13,704 %	7829,5288 litre	O
320	CM	95	CM	36 LEVEL CM	1195,4864 litre	13,176 %	7877,4332 litre	O
320	CM	95	CM	35 LEVEL CM	1148,0892 litre	12,654 %	7924,8304 litre	O
320	CM	95	CM	34 LEVEL CM	1101,2133 litre	12,137 %	7971,7063 litre	O
320	CM	95	CM	33 LEVEL CM	1054,8736 litre	11,627 %	8018,0460 litre	O

320	CM	95	CM	32 LEVEL CM	1009,0852 litre	11,122 %	8063,8344 litre	O
320	CM	95	CM	31 LEVEL CM	963,8638 litre	10,624 %	8109,0558 litre	O
320	CM	95	CM	30 LEVEL CM	919,2260 litre	10,132 %	8153,6936 litre	O
320	CM	95	CM	29 LEVEL CM	875,1886 litre	9,646 %	8197,7310 litre	O
320	CM	95	CM	28 LEVEL CM	831,7695 litre	9,168 %	8241,1501 litre	O
320	CM	95	CM	27 LEVEL CM	788,9871 litre	8,696 %	8283,9325 litre	O
320	CM	95	CM	26 LEVEL CM	746,8609 litre	8,232 %	8326,0587 litre	O
320	CM	95	CM	25 LEVEL CM	705,4109 litre	7,775 %	8367,5087 litre	O
320	CM	95	CM	24 LEVEL CM	664,6586 litre	7,326 %	8408,2610 litre	O
320	CM	95	CM	23 LEVEL CM	624,6264 litre	6,885 %	8448,2932 litre	O
320	CM	95	CM	22 LEVEL CM	585,3377 litre	6,451 %	8487,5819 litre	O
320	CM	95	CM	21 LEVEL CM	546,8177 litre	6,027 %	8526,1019 litre	O
320	CM	95	CM	20 LEVEL CM	509,0928 litre	5,611 %	8563,8268 litre	O
320	CM	95	CM	19 LEVEL CM	472,1912 litre	5,204 %	8600,7284 litre	O
320	CM	95	CM	18 LEVEL CM	436,1432 litre	4,807 %	8636,7764 litre	O
320	CM	95	CM	17 LEVEL CM	400,9810 litre	4,420 %	8671,9386 litre	O
320	CM	95	CM	16 LEVEL CM	366,7396 litre	4,042 %	8706,1800 litre	O
320	CM	95	CM	15 LEVEL CM	333,4567 litre	3,675 %	8739,4629 litre	O
320	CM	95	CM	14 LEVEL CM	301,1734 litre	3,319 %	8771,7462 litre	O
320	CM	95	CM	13 LEVEL CM	269,9349 litre	2,975 %	8802,9847 litre	O
320	CM	95	CM	12 LEVEL CM	239,7909 litre	2,643 %	8833,1287 litre	O
320	CM	95	CM	11 LEVEL CM	210,7968 litre	2,323 %	8862,1228 litre	O
320	CM	95	CM	10 LEVEL CM	183,0150 litre	2,017 %	8889,9046 litre	O
320	CM	95	CM	9 LEVEL CM	156,5163 litre	1,725 %	8916,4033 litre	O
320	CM	95	CM	8 LEVEL CM	131,3824 litre	1,448 %	8941,5372 litre	O
320	CM	95	CM	7 LEVEL CM	107,7093 litre	1,187 %	8965,2103 litre	O
320	CM	95	CM	6 LEVEL CM	85,6120 litre	0,944 %	8987,3076 litre	O
320	CM	95	CM	5 LEVEL CM	65,2322 litre	0,719 %	9007,6874 litre	O
320	CM	95	CM	4 LEVEL CM	46,7513 litre	0,515 %	9026,1683 litre	O
320	CM	95	CM	3 LEVEL CM	30,4144 litre	0,335 %	9042,5052 litre	O
320	CM	95	CM	2 LEVEL CM	16,5819 litre	0,183 %	9056,3377 litre	O
320	CM	95	CM	1 LEVEL CM	5,8719 litre	0,065 %	9067,0477 litre	O
320	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	9072,9196 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	90	CM 180 LEVEL CM	8143,0082 litre	100,000 %	0,0000 litre	O
320	CM	90	CM 179 LEVEL CM	8137,2934 litre	99,930 %	5,7148 litre	O
320	CM	90	CM 178 LEVEL CM	8126,8714 litre	99,802 %	16,1368 litre	O
320	CM	90	CM 177 LEVEL CM	8113,4128 litre	99,637 %	29,5954 litre	O
320	CM	90	CM 176 LEVEL CM	8097,5200 litre	99,441 %	45,4882 litre	O
320	CM	90	CM 175 LEVEL CM	8079,5442 litre	99,221 %	63,4640 litre	O
320	CM	90	CM 174 LEVEL CM	8059,7243 litre	98,977 %	83,2839 litre	O
320	CM	90	CM 173 LEVEL CM	8038,2376 litre	98,713 %	104,7706 litre	O
320	CM	90	CM 172 LEVEL CM	8015,2222 litre	98,431 %	127,7860 litre	O
320	CM	90	CM 171 LEVEL CM	7990,7906 litre	98,131 %	152,2176 litre	O
320	CM	90	CM 170 LEVEL CM	7965,0364 litre	97,814 %	177,9718 litre	O
320	CM	90	CM 169 LEVEL CM	7938,0396 litre	97,483 %	204,9686 litre	O
320	CM	90	CM 168 LEVEL CM	7909,8694 litre	97,137 %	233,1388 litre	O
320	CM	90	CM 167 LEVEL CM	7880,5868 litre	96,777 %	262,4214 litre	O
320	CM	90	CM 166 LEVEL CM	7850,2462 litre	96,405 %	292,7620 litre	O
320	CM	90	CM 165 LEVEL CM	7818,8962 litre	96,020 %	324,1120 litre	O
320	CM	90	CM 164 LEVEL CM	7786,5810 litre	95,623 %	356,4272 litre	O
320	CM	90	CM 163 LEVEL CM	7753,3410 litre	95,215 %	389,6672 litre	O
320	CM	90	CM 162 LEVEL CM	7719,2133 litre	94,796 %	423,7949 litre	O
320	CM	90	CM 161 LEVEL CM	7684,2320 litre	94,366 %	458,7762 litre	O
320	CM	90	CM 160 LEVEL CM	7648,4290 litre	93,926 %	494,5792 litre	O
320	CM	90	CM 159 LEVEL CM	7611,8338 litre	93,477 %	531,1744 litre	O
320	CM	90	CM 158 LEVEL CM	7574,4743 litre	93,018 %	568,5339 litre	O
320	CM	90	CM 157 LEVEL CM	7536,3765 litre	92,550 %	606,6317 litre	O
320	CM	90	CM 156 LEVEL CM	7497,5650 litre	92,074 %	645,4432 litre	O
320	CM	90	CM 155 LEVEL CM	7458,0631 litre	91,589 %	684,9451 litre	O
320	CM	90	CM 154 LEVEL CM	7417,8928 litre	91,095 %	725,1154 litre	O
320	CM	90	CM 153 LEVEL CM	7377,0752 litre	90,594 %	765,9330 litre	O
320	CM	90	CM 152 LEVEL CM	7335,6301 litre	90,085 %	807,3781 litre	O
320	CM	90	CM 151 LEVEL CM	7293,5767 litre	89,569 %	849,4315 litre	O
320	CM	90	CM 150 LEVEL CM	7250,9333 litre	89,045 %	892,0749 litre	O
320	CM	90	CM 149 LEVEL CM	7207,7174 litre	88,514 %	935,2908 litre	O
320	CM	90	CM 148 LEVEL CM	7163,9459 litre	87,977 %	979,0623 litre	O
320	CM	90	CM 147 LEVEL CM	7119,6349 litre	87,432 %	1023,3733 litre	O
320	CM	90	CM 146 LEVEL CM	7074,8001 litre	86,882 %	1068,2081 litre	O
320	CM	90	CM 145 LEVEL CM	7029,4566 litre	86,325 %	1113,5516 litre	O
320	CM	90	CM 144 LEVEL CM	6983,6190 litre	85,762 %	1159,3892 litre	O
320	CM	90	CM 143 LEVEL CM	6937,3013 litre	85,193 %	1205,7069 litre	O
320	CM	90	CM 142 LEVEL CM	6890,5172 litre	84,619 %	1252,4910 litre	O
320	CM	90	CM 141 LEVEL CM	6843,2800 litre	84,039 %	1299,7282 litre	O
320	CM	90	CM 140 LEVEL CM	6795,6027 litre	83,453 %	1347,4055 litre	O
320	CM	90	CM 139 LEVEL CM	6747,4977 litre	82,862 %	1395,5105 litre	O
320	CM	90	CM 138 LEVEL CM	6698,9773 litre	82,267 %	1444,0309 litre	O
320	CM	90	CM 137 LEVEL CM	6650,0534 litre	81,666 %	1492,9548 litre	O
320	CM	90	CM 136 LEVEL CM	6600,7375 litre	81,060 %	1542,2707 litre	O
320	CM	90	CM 135 LEVEL CM	6551,0410 litre	80,450 %	1591,9672 litre	O
320	CM	90	CM 134 LEVEL CM	6500,9750 litre	79,835 %	1642,0332 litre	O
320	CM	90	CM 133 LEVEL CM	6450,5503 litre	79,216 %	1692,4579 litre	O
320	CM	90	CM 132 LEVEL CM	6399,7775 litre	78,592 %	1743,2307 litre	O
320	CM	90	CM 131 LEVEL CM	6348,6670 litre	77,965 %	1794,3412 litre	O
320	CM	90	CM 130 LEVEL CM	6297,2290 litre	77,333 %	1845,7792 litre	O
320	CM	90	CM 129 LEVEL CM	6245,4734 litre	76,697 %	1897,5348 litre	O

320	CM	90	CM	128 LEVEL CM	6193,4101 litre	76,058 %	1949,5981 litre	O
320	CM	90	CM	127 LEVEL CM	6141,0487 litre	75,415 %	2001,9595 litre	O
320	CM	90	CM	126 LEVEL CM	6088,3986 litre	74,768 %	2054,6096 litre	O
320	CM	90	CM	125 LEVEL CM	6035,4692 litre	74,118 %	2107,5390 litre	O
320	CM	90	CM	124 LEVEL CM	5982,2697 litre	73,465 %	2160,7385 litre	O
320	CM	90	CM	123 LEVEL CM	5928,8090 litre	72,809 %	2214,1992 litre	O
320	CM	90	CM	122 LEVEL CM	5875,0960 litre	72,149 %	2267,9122 litre	O
320	CM	90	CM	121 LEVEL CM	5821,1396 litre	71,486 %	2321,8686 litre	O
320	CM	90	CM	120 LEVEL CM	5766,9484 litre	70,821 %	2376,0598 litre	O
320	CM	90	CM	119 LEVEL CM	5712,5308 litre	70,153 %	2430,4774 litre	O
320	CM	90	CM	118 LEVEL CM	5657,8955 litre	69,482 %	2485,1127 litre	O
320	CM	90	CM	117 LEVEL CM	5603,0506 litre	68,808 %	2539,9576 litre	O
320	CM	90	CM	116 LEVEL CM	5548,0044 litre	68,132 %	2595,0038 litre	O
320	CM	90	CM	115 LEVEL CM	5492,7651 litre	67,454 %	2650,2431 litre	O
320	CM	90	CM	114 LEVEL CM	5437,3407 litre	66,773 %	2705,6675 litre	O
320	CM	90	CM	113 LEVEL CM	5381,7393 litre	66,090 %	2761,2689 litre	O
320	CM	90	CM	112 LEVEL CM	5325,9686 litre	65,405 %	2817,0396 litre	O
320	CM	90	CM	111 LEVEL CM	5270,0367 litre	64,719 %	2872,9715 litre	O
320	CM	90	CM	110 LEVEL CM	5213,9511 litre	64,030 %	2929,0571 litre	O
320	CM	90	CM	109 LEVEL CM	5157,7197 litre	63,339 %	2985,2885 litre	O
320	CM	90	CM	108 LEVEL CM	5101,3500 litre	62,647 %	3041,6582 litre	O
320	CM	90	CM	107 LEVEL CM	5044,8497 litre	61,953 %	3098,1585 litre	O
320	CM	90	CM	106 LEVEL CM	4988,2263 litre	61,258 %	3154,7819 litre	O
320	CM	90	CM	105 LEVEL CM	4931,4872 litre	60,561 %	3211,5210 litre	O
320	CM	90	CM	104 LEVEL CM	4874,6400 litre	59,863 %	3268,3682 litre	O
320	CM	90	CM	103 LEVEL CM	4817,6920 litre	59,164 %	3325,3162 litre	O
320	CM	90	CM	102 LEVEL CM	4760,6506 litre	58,463 %	3382,3576 litre	O
320	CM	90	CM	101 LEVEL CM	4703,5230 litre	57,761 %	3439,4852 litre	O
320	CM	90	CM	100 LEVEL CM	4646,3167 litre	57,059 %	3496,6915 litre	O
320	CM	90	CM	99 LEVEL CM	4589,0388 litre	56,356 %	3553,9694 litre	O
320	CM	90	CM	98 LEVEL CM	4531,6965 litre	55,651 %	3611,3117 litre	O
320	CM	90	CM	97 LEVEL CM	4474,2972 litre	54,946 %	3668,7110 litre	O
320	CM	90	CM	96 LEVEL CM	4416,8479 litre	54,241 %	3726,1603 litre	O
320	CM	90	CM	95 LEVEL CM	4359,3559 litre	53,535 %	3783,6523 litre	O
320	CM	90	CM	94 LEVEL CM	4301,8282 litre	52,828 %	3841,1800 litre	O
320	CM	90	CM	93 LEVEL CM	4244,2721 litre	52,122 %	3898,7361 litre	O
320	CM	90	CM	92 LEVEL CM	4186,6946 litre	51,415 %	3956,3136 litre	O
320	CM	90	CM	91 LEVEL CM	4129,1029 litre	50,707 %	4013,9053 litre	O
320	CM	90	CM	90 LEVEL CM	4071,5041 litre	50,000 %	4071,5041 litre	O
320	CM	90	CM	89 LEVEL CM	4013,9053 litre	49,293 %	4129,1029 litre	O
320	CM	90	CM	88 LEVEL CM	3956,3136 litre	48,585 %	4186,6946 litre	O
320	CM	90	CM	87 LEVEL CM	3898,7361 litre	47,878 %	4244,2721 litre	O
320	CM	90	CM	86 LEVEL CM	3841,1800 litre	47,172 %	4301,8282 litre	O
320	CM	90	CM	85 LEVEL CM	3783,6523 litre	46,465 %	4359,3559 litre	O
320	CM	90	CM	84 LEVEL CM	3726,1602 litre	45,759 %	4416,8480 litre	O
320	CM	90	CM	83 LEVEL CM	3668,7110 litre	45,054 %	4474,2972 litre	O
320	CM	90	CM	82 LEVEL CM	3611,3116 litre	44,349 %	4531,6966 litre	O
320	CM	90	CM	81 LEVEL CM	3553,9694 litre	43,644 %	4589,0388 litre	O
320	CM	90	CM	80 LEVEL CM	3496,6915 litre	42,941 %	4646,3167 litre	O
320	CM	90	CM	79 LEVEL CM	3439,4851 litre	42,239 %	4703,5231 litre	O
320	CM	90	CM	78 LEVEL CM	3382,3576 litre	41,537 %	4760,6506 litre	O
320	CM	90	CM	77 LEVEL CM	3325,3161 litre	40,836 %	4817,6921 litre	O
320	CM	90	CM	76 LEVEL CM	3268,3681 litre	40,137 %	4874,6401 litre	O

320	CM	90	CM	75 LEVEL CM	3211,5209 litre	39,439 %	4931,4873 litre	O
320	CM	90	CM	74 LEVEL CM	3154,7819 litre	38,742 %	4988,2263 litre	O
320	CM	90	CM	73 LEVEL CM	3098,1585 litre	38,047 %	5044,8497 litre	O
320	CM	90	CM	72 LEVEL CM	3041,6582 litre	37,353 %	5101,3500 litre	O
320	CM	90	CM	71 LEVEL CM	2985,2885 litre	36,661 %	5157,7197 litre	O
320	CM	90	CM	70 LEVEL CM	2929,0571 litre	35,970 %	5213,9511 litre	O
320	CM	90	CM	69 LEVEL CM	2872,9715 litre	35,281 %	5270,0367 litre	O
320	CM	90	CM	68 LEVEL CM	2817,0395 litre	34,595 %	5325,9687 litre	O
320	CM	90	CM	67 LEVEL CM	2761,2689 litre	33,910 %	5381,7393 litre	O
320	CM	90	CM	66 LEVEL CM	2705,6674 litre	33,227 %	5437,3408 litre	O
320	CM	90	CM	65 LEVEL CM	2650,2431 litre	32,546 %	5492,7651 litre	O
320	CM	90	CM	64 LEVEL CM	2595,0038 litre	31,868 %	5548,0044 litre	O
320	CM	90	CM	63 LEVEL CM	2539,9576 litre	31,192 %	5603,0506 litre	O
320	CM	90	CM	62 LEVEL CM	2485,1127 litre	30,518 %	5657,8955 litre	O
320	CM	90	CM	61 LEVEL CM	2430,4773 litre	29,847 %	5712,5309 litre	O
320	CM	90	CM	60 LEVEL CM	2376,0598 litre	29,179 %	5766,9484 litre	O
320	CM	90	CM	59 LEVEL CM	2321,8686 litre	28,514 %	5821,1396 litre	O
320	CM	90	CM	58 LEVEL CM	2267,9121 litre	27,851 %	5875,0961 litre	O
320	CM	90	CM	57 LEVEL CM	2214,1992 litre	27,191 %	5928,8090 litre	O
320	CM	90	CM	56 LEVEL CM	2160,7385 litre	26,535 %	5982,2697 litre	O
320	CM	90	CM	55 LEVEL CM	2107,5389 litre	25,882 %	6035,4693 litre	O
320	CM	90	CM	54 LEVEL CM	2054,6095 litre	25,232 %	6088,3987 litre	O
320	CM	90	CM	53 LEVEL CM	2001,9595 litre	24,585 %	6141,0487 litre	O
320	CM	90	CM	52 LEVEL CM	1949,5980 litre	23,942 %	6193,4102 litre	O
320	CM	90	CM	51 LEVEL CM	1897,5347 litre	23,303 %	6245,4735 litre	O
320	CM	90	CM	50 LEVEL CM	1845,7791 litre	22,667 %	6297,2291 litre	O
320	CM	90	CM	49 LEVEL CM	1794,3411 litre	22,035 %	6348,6671 litre	O
320	CM	90	CM	48 LEVEL CM	1743,2306 litre	21,408 %	6399,7776 litre	O
320	CM	90	CM	47 LEVEL CM	1692,4578 litre	20,784 %	6450,5504 litre	O
320	CM	90	CM	46 LEVEL CM	1642,0331 litre	20,165 %	6500,9751 litre	O
320	CM	90	CM	45 LEVEL CM	1591,9671 litre	19,550 %	6551,0411 litre	O
320	CM	90	CM	44 LEVEL CM	1542,2707 litre	18,940 %	6600,7375 litre	O
320	CM	90	CM	43 LEVEL CM	1492,9548 litre	18,334 %	6650,0534 litre	O
320	CM	90	CM	42 LEVEL CM	1444,0308 litre	17,733 %	6698,9774 litre	O
320	CM	90	CM	41 LEVEL CM	1395,5104 litre	17,138 %	6747,4978 litre	O
320	CM	90	CM	40 LEVEL CM	1347,4054 litre	16,547 %	6795,6028 litre	O
320	CM	90	CM	39 LEVEL CM	1299,7281 litre	15,961 %	6843,2801 litre	O
320	CM	90	CM	38 LEVEL CM	1252,4910 litre	15,381 %	6890,5172 litre	O
320	CM	90	CM	37 LEVEL CM	1205,7069 litre	14,807 %	6937,3013 litre	O
320	CM	90	CM	36 LEVEL CM	1159,3892 litre	14,238 %	6983,6190 litre	O
320	CM	90	CM	35 LEVEL CM	1113,5515 litre	13,675 %	7029,4567 litre	O
320	CM	90	CM	34 LEVEL CM	1068,2080 litre	13,118 %	7074,8002 litre	O
320	CM	90	CM	33 LEVEL CM	1023,3732 litre	12,568 %	7119,6350 litre	O
320	CM	90	CM	32 LEVEL CM	979,0623 litre	12,023 %	7163,9459 litre	O
320	CM	90	CM	31 LEVEL CM	935,2907 litre	11,486 %	7207,7175 litre	O
320	CM	90	CM	30 LEVEL CM	892,0748 litre	10,955 %	7250,9334 litre	O
320	CM	90	CM	29 LEVEL CM	849,4314 litre	10,431 %	7293,5768 litre	O
320	CM	90	CM	28 LEVEL CM	807,3781 litre	9,915 %	7335,6301 litre	O
320	CM	90	CM	27 LEVEL CM	765,9330 litre	9,406 %	7377,0752 litre	O
320	CM	90	CM	26 LEVEL CM	725,1153 litre	8,905 %	7417,8929 litre	O
320	CM	90	CM	25 LEVEL CM	684,9450 litre	8,411 %	7458,0632 litre	O
320	CM	90	CM	24 LEVEL CM	645,4431 litre	7,926 %	7497,5651 litre	O
320	CM	90	CM	23 LEVEL CM	606,6316 litre	7,450 %	7536,3766 litre	O

320	CM	90	CM	22 LEVEL CM	568,5339 litre	6,982 %	7574,4743 litre	O
320	CM	90	CM	21 LEVEL CM	531,1743 litre	6,523 %	7611,8339 litre	O
320	CM	90	CM	20 LEVEL CM	494,5792 litre	6,074 %	7648,4290 litre	O
320	CM	90	CM	19 LEVEL CM	458,7762 litre	5,634 %	7684,2320 litre	O
320	CM	90	CM	18 LEVEL CM	423,7949 litre	5,204 %	7719,2133 litre	O
320	CM	90	CM	17 LEVEL CM	389,6671 litre	4,785 %	7753,3411 litre	O
320	CM	90	CM	16 LEVEL CM	356,4272 litre	4,377 %	7786,5810 litre	O
320	CM	90	CM	15 LEVEL CM	324,1120 litre	3,980 %	7818,8962 litre	O
320	CM	90	CM	14 LEVEL CM	292,7620 litre	3,595 %	7850,2462 litre	O
320	CM	90	CM	13 LEVEL CM	262,4214 litre	3,223 %	7880,5868 litre	O
320	CM	90	CM	12 LEVEL CM	233,1388 litre	2,863 %	7909,8694 litre	O
320	CM	90	CM	11 LEVEL CM	204,9686 litre	2,517 %	7938,0396 litre	O
320	CM	90	CM	10 LEVEL CM	177,9718 litre	2,186 %	7965,0364 litre	O
320	CM	90	CM	9 LEVEL CM	152,2176 litre	1,869 %	7990,7906 litre	O
320	CM	90	CM	8 LEVEL CM	127,7859 litre	1,569 %	8015,2223 litre	O
320	CM	90	CM	7 LEVEL CM	104,7706 litre	1,287 %	8038,2376 litre	O
320	CM	90	CM	6 LEVEL CM	83,2838 litre	1,023 %	8059,7244 litre	O
320	CM	90	CM	5 LEVEL CM	63,4640 litre	0,779 %	8079,5442 litre	O
320	CM	90	CM	4 LEVEL CM	45,4882 litre	0,559 %	8097,5200 litre	O
320	CM	90	CM	3 LEVEL CM	29,5953 litre	0,363 %	8113,4129 litre	O
320	CM	90	CM	2 LEVEL CM	16,1368 litre	0,198 %	8126,8714 litre	O
320	CM	90	CM	1 LEVEL CM	5,7148 litre	0,070 %	8137,2934 litre	O
320	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	8143,0082 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
320	CM 85	CM 170 LEVEL CM	7263,3622 litre	100,000 %	0,0000 litre O
320	CM 85	CM 169 LEVEL CM	7257,8090 litre	99,924 %	5,5532 litre O
320	CM 85	CM 168 LEVEL CM	7247,6832 litre	99,784 %	15,6790 litre O
320	CM 85	CM 167 LEVEL CM	7234,6093 litre	99,604 %	28,7529 litre O
320	CM 85	CM 166 LEVEL CM	7219,1733 litre	99,392 %	44,1889 litre O
320	CM 85	CM 165 LEVEL CM	7201,7171 litre	99,151 %	61,6451 litre O
320	CM 85	CM 164 LEVEL CM	7182,4736 litre	98,886 %	80,8886 litre O
320	CM 85	CM 163 LEVEL CM	7161,6153 litre	98,599 %	101,7469 litre O
320	CM 85	CM 162 LEVEL CM	7139,2770 litre	98,292 %	124,0852 litre O
320	CM 85	CM 161 LEVEL CM	7115,5684 litre	97,965 %	147,7938 litre O
320	CM 85	CM 160 LEVEL CM	7090,5809 litre	97,621 %	172,7813 litre O
320	CM 85	CM 159 LEVEL CM	7064,3925 litre	97,261 %	198,9697 litre O
320	CM 85	CM 158 LEVEL CM	7037,0710 litre	96,884 %	226,2912 litre O
320	CM 85	CM 157 LEVEL CM	7008,6761 litre	96,494 %	254,6861 litre O
320	CM 85	CM 156 LEVEL CM	6979,2607 litre	96,089 %	284,1015 litre O
320	CM 85	CM 155 LEVEL CM	6948,8726 litre	95,670 %	314,4896 litre O
320	CM 85	CM 154 LEVEL CM	6917,5551 litre	95,239 %	345,8071 litre O
320	CM 85	CM 153 LEVEL CM	6885,3477 litre	94,796 %	378,0145 litre O
320	CM 85	CM 152 LEVEL CM	6852,2867 litre	94,340 %	411,0755 litre O
320	CM 85	CM 151 LEVEL CM	6818,4057 litre	93,874 %	444,9565 litre O
320	CM 85	CM 150 LEVEL CM	6783,7360 litre	93,397 %	479,6262 litre O
320	CM 85	CM 149 LEVEL CM	6748,3066 litre	92,909 %	515,0556 litre O
320	CM 85	CM 148 LEVEL CM	6712,1449 litre	92,411 %	551,2173 litre O
320	CM 85	CM 147 LEVEL CM	6675,2764 litre	91,903 %	588,0858 litre O
320	CM 85	CM 146 LEVEL CM	6637,7254 litre	91,386 %	625,6368 litre O
320	CM 85	CM 145 LEVEL CM	6599,5147 litre	90,860 %	663,8475 litre O
320	CM 85	CM 144 LEVEL CM	6560,6662 litre	90,325 %	702,6960 litre O
320	CM 85	CM 143 LEVEL CM	6521,2005 litre	89,782 %	742,1617 litre O
320	CM 85	CM 142 LEVEL CM	6481,1374 litre	89,231 %	782,2248 litre O
320	CM 85	CM 141 LEVEL CM	6440,4956 litre	88,671 %	822,8666 litre O
320	CM 85	CM 140 LEVEL CM	6399,2933 litre	88,104 %	864,0689 litre O
320	CM 85	CM 139 LEVEL CM	6357,5478 litre	87,529 %	905,8144 litre O
320	CM 85	CM 138 LEVEL CM	6315,2757 litre	86,947 %	948,0865 litre O
320	CM 85	CM 137 LEVEL CM	6272,4932 litre	86,358 %	990,8690 litre O
320	CM 85	CM 136 LEVEL CM	6229,2157 litre	85,762 %	1034,1465 litre O
320	CM 85	CM 135 LEVEL CM	6185,4581 litre	85,160 %	1077,9041 litre O
320	CM 85	CM 134 LEVEL CM	6141,2350 litre	84,551 %	1122,1272 litre O
320	CM 85	CM 133 LEVEL CM	6096,5603 litre	83,936 %	1166,8019 litre O
320	CM 85	CM 132 LEVEL CM	6051,4476 litre	83,315 %	1211,9146 litre O
320	CM 85	CM 131 LEVEL CM	6005,9102 litre	82,688 %	1257,4520 litre O
320	CM 85	CM 130 LEVEL CM	5959,9610 litre	82,055 %	1303,4012 litre O
320	CM 85	CM 129 LEVEL CM	5913,6122 litre	81,417 %	1349,7500 litre O
320	CM 85	CM 128 LEVEL CM	5866,8763 litre	80,774 %	1396,4859 litre O
320	CM 85	CM 127 LEVEL CM	5819,7650 litre	80,125 %	1443,5972 litre O
320	CM 85	CM 126 LEVEL CM	5772,2899 litre	79,471 %	1491,0723 litre O
320	CM 85	CM 125 LEVEL CM	5724,4624 litre	78,813 %	1538,8998 litre O
320	CM 85	CM 124 LEVEL CM	5676,2936 litre	78,150 %	1587,0686 litre O
320	CM 85	CM 123 LEVEL CM	5627,7942 litre	77,482 %	1635,5680 litre O
320	CM 85	CM 122 LEVEL CM	5578,9750 litre	76,810 %	1684,3872 litre O
320	CM 85	CM 121 LEVEL CM	5529,8463 litre	76,133 %	1733,5159 litre O
320	CM 85	CM 120 LEVEL CM	5480,4184 litre	75,453 %	1782,9438 litre O
320	CM 85	CM 119 LEVEL CM	5430,7013 litre	74,768 %	1832,6609 litre O

320	CM	85	CM	118 LEVEL CM	5380,7048 litre	74,080 %	1882,6574 litre	O
320	CM	85	CM	117 LEVEL CM	5330,4387 litre	73,388 %	1932,9235 litre	O
320	CM	85	CM	116 LEVEL CM	5279,9125 litre	72,692 %	1983,4497 litre	O
320	CM	85	CM	115 LEVEL CM	5229,1357 litre	71,993 %	2034,2265 litre	O
320	CM	85	CM	114 LEVEL CM	5178,1174 litre	71,291 %	2085,2448 litre	O
320	CM	85	CM	113 LEVEL CM	5126,8668 litre	70,585 %	2136,4954 litre	O
320	CM	85	CM	112 LEVEL CM	5075,3929 litre	69,877 %	2187,9693 litre	O
320	CM	85	CM	111 LEVEL CM	5023,7046 litre	69,165 %	2239,6576 litre	O
320	CM	85	CM	110 LEVEL CM	4971,8106 litre	68,451 %	2291,5516 litre	O
320	CM	85	CM	109 LEVEL CM	4919,7197 litre	67,733 %	2343,6425 litre	O
320	CM	85	CM	108 LEVEL CM	4867,4405 litre	67,014 %	2395,9217 litre	O
320	CM	85	CM	107 LEVEL CM	4814,9813 litre	66,291 %	2448,3809 litre	O
320	CM	85	CM	106 LEVEL CM	4762,3507 litre	65,567 %	2501,0115 litre	O
320	CM	85	CM	105 LEVEL CM	4709,5568 litre	64,840 %	2553,8054 litre	O
320	CM	85	CM	104 LEVEL CM	4656,6080 litre	64,111 %	2606,7542 litre	O
320	CM	85	CM	103 LEVEL CM	4603,5125 litre	63,380 %	2659,8497 litre	O
320	CM	85	CM	102 LEVEL CM	4550,2782 litre	62,647 %	2713,0840 litre	O
320	CM	85	CM	101 LEVEL CM	4496,9134 litre	61,912 %	2766,4488 litre	O
320	CM	85	CM	100 LEVEL CM	4443,4258 litre	61,176 %	2819,9364 litre	O
320	CM	85	CM	99 LEVEL CM	4389,8235 litre	60,438 %	2873,5387 litre	O
320	CM	85	CM	98 LEVEL CM	4336,1143 litre	59,698 %	2927,2479 litre	O
320	CM	85	CM	97 LEVEL CM	4282,3061 litre	58,958 %	2981,0561 litre	O
320	CM	85	CM	96 LEVEL CM	4228,4066 litre	58,216 %	3034,9556 litre	O
320	CM	85	CM	95 LEVEL CM	4174,4236 litre	57,472 %	3088,9386 litre	O
320	CM	85	CM	94 LEVEL CM	4120,3647 litre	56,728 %	3142,9975 litre	O
320	CM	85	CM	93 LEVEL CM	4066,2377 litre	55,983 %	3197,1245 litre	O
320	CM	85	CM	92 LEVEL CM	4012,0502 litre	55,237 %	3251,3120 litre	O
320	CM	85	CM	91 LEVEL CM	3957,8098 litre	54,490 %	3305,5524 litre	O
320	CM	85	CM	90 LEVEL CM	3903,5242 litre	53,743 %	3359,8380 litre	O
320	CM	85	CM	89 LEVEL CM	3849,2008 litre	52,995 %	3414,1614 litre	O
320	CM	85	CM	88 LEVEL CM	3794,8472 litre	52,246 %	3468,5150 litre	O
320	CM	85	CM	87 LEVEL CM	3740,4711 litre	51,498 %	3522,8911 litre	O
320	CM	85	CM	86 LEVEL CM	3686,0799 litre	50,749 %	3577,2823 litre	O
320	CM	85	CM	85 LEVEL CM	3631,6811 litre	50,000 %	3631,6811 litre	O
320	CM	85	CM	84 LEVEL CM	3577,2824 litre	49,251 %	3686,0798 litre	O
320	CM	85	CM	83 LEVEL CM	3522,8911 litre	48,502 %	3740,4711 litre	O
320	CM	85	CM	82 LEVEL CM	3468,5150 litre	47,754 %	3794,8472 litre	O
320	CM	85	CM	81 LEVEL CM	3414,1614 litre	47,005 %	3849,2008 litre	O
320	CM	85	CM	80 LEVEL CM	3359,8381 litre	46,257 %	3903,5241 litre	O
320	CM	85	CM	79 LEVEL CM	3305,5524 litre	45,510 %	3957,8098 litre	O
320	CM	85	CM	78 LEVEL CM	3251,3120 litre	44,763 %	4012,0502 litre	O
320	CM	85	CM	77 LEVEL CM	3197,1245 litre	44,017 %	4066,2377 litre	O
320	CM	85	CM	76 LEVEL CM	3142,9975 litre	43,272 %	4120,3647 litre	O
320	CM	85	CM	75 LEVEL CM	3088,9386 litre	42,528 %	4174,4236 litre	O
320	CM	85	CM	74 LEVEL CM	3034,9556 litre	41,784 %	4228,4066 litre	O
320	CM	85	CM	73 LEVEL CM	2981,0561 litre	41,042 %	4282,3061 litre	O
320	CM	85	CM	72 LEVEL CM	2927,2479 litre	40,302 %	4336,1143 litre	O
320	CM	85	CM	71 LEVEL CM	2873,5387 litre	39,562 %	4389,8235 litre	O
320	CM	85	CM	70 LEVEL CM	2819,9364 litre	38,824 %	4443,4258 litre	O
320	CM	85	CM	69 LEVEL CM	2766,4489 litre	38,088 %	4496,9133 litre	O
320	CM	85	CM	68 LEVEL CM	2713,0840 litre	37,353 %	4550,2782 litre	O
320	CM	85	CM	67 LEVEL CM	2659,8497 litre	36,620 %	4603,5125 litre	O
320	CM	85	CM	66 LEVEL CM	2606,7542 litre	35,889 %	4656,6080 litre	O

320	CM	85	CM	65 LEVEL CM	2553,8054 litre	35,160 %	4709,5568 litre	O
320	CM	85	CM	64 LEVEL CM	2501,0115 litre	34,433 %	4762,3507 litre	O
320	CM	85	CM	63 LEVEL CM	2448,3809 litre	33,709 %	4814,9813 litre	O
320	CM	85	CM	62 LEVEL CM	2395,9217 litre	32,986 %	4867,4405 litre	O
320	CM	85	CM	61 LEVEL CM	2343,6425 litre	32,267 %	4919,7197 litre	O
320	CM	85	CM	60 LEVEL CM	2291,5516 litre	31,549 %	4971,8106 litre	O
320	CM	85	CM	59 LEVEL CM	2239,6577 litre	30,835 %	5023,7045 litre	O
320	CM	85	CM	58 LEVEL CM	2187,9694 litre	30,123 %	5075,3928 litre	O
320	CM	85	CM	57 LEVEL CM	2136,4955 litre	29,415 %	5126,8667 litre	O
320	CM	85	CM	56 LEVEL CM	2085,2449 litre	28,709 %	5178,1173 litre	O
320	CM	85	CM	55 LEVEL CM	2034,2266 litre	28,007 %	5229,1356 litre	O
320	CM	85	CM	54 LEVEL CM	1983,4497 litre	27,308 %	5279,9125 litre	O
320	CM	85	CM	53 LEVEL CM	1932,9235 litre	26,612 %	5330,4387 litre	O
320	CM	85	CM	52 LEVEL CM	1882,6574 litre	25,920 %	5380,7048 litre	O
320	CM	85	CM	51 LEVEL CM	1832,6610 litre	25,232 %	5430,7012 litre	O
320	CM	85	CM	50 LEVEL CM	1782,9438 litre	24,547 %	5480,4184 litre	O
320	CM	85	CM	49 LEVEL CM	1733,5159 litre	23,867 %	5529,8463 litre	O
320	CM	85	CM	48 LEVEL CM	1684,3872 litre	23,190 %	5578,9750 litre	O
320	CM	85	CM	47 LEVEL CM	1635,5680 litre	22,518 %	5627,7942 litre	O
320	CM	85	CM	46 LEVEL CM	1587,0686 litre	21,850 %	5676,2936 litre	O
320	CM	85	CM	45 LEVEL CM	1538,8998 litre	21,187 %	5724,4624 litre	O
320	CM	85	CM	44 LEVEL CM	1491,0723 litre	20,529 %	5772,2899 litre	O
320	CM	85	CM	43 LEVEL CM	1443,5972 litre	19,875 %	5819,7650 litre	O
320	CM	85	CM	42 LEVEL CM	1396,4859 litre	19,226 %	5866,8763 litre	O
320	CM	85	CM	41 LEVEL CM	1349,7500 litre	18,583 %	5913,6122 litre	O
320	CM	85	CM	40 LEVEL CM	1303,4013 litre	17,945 %	5959,9609 litre	O
320	CM	85	CM	39 LEVEL CM	1257,4520 litre	17,312 %	6005,9102 litre	O
320	CM	85	CM	38 LEVEL CM	1211,9146 litre	16,685 %	6051,4476 litre	O
320	CM	85	CM	37 LEVEL CM	1166,8019 litre	16,064 %	6096,5603 litre	O
320	CM	85	CM	36 LEVEL CM	1122,1273 litre	15,449 %	6141,2349 litre	O
320	CM	85	CM	35 LEVEL CM	1077,9041 litre	14,840 %	6185,4581 litre	O
320	CM	85	CM	34 LEVEL CM	1034,1465 litre	14,238 %	6229,2157 litre	O
320	CM	85	CM	33 LEVEL CM	990,8690 litre	13,642 %	6272,4932 litre	O
320	CM	85	CM	32 LEVEL CM	948,0865 litre	13,053 %	6315,2757 litre	O
320	CM	85	CM	31 LEVEL CM	905,8144 litre	12,471 %	6357,5478 litre	O
320	CM	85	CM	30 LEVEL CM	864,0689 litre	11,896 %	6399,2933 litre	O
320	CM	85	CM	29 LEVEL CM	822,8666 litre	11,329 %	6440,4956 litre	O
320	CM	85	CM	28 LEVEL CM	782,2249 litre	10,769 %	6481,1373 litre	O
320	CM	85	CM	27 LEVEL CM	742,1617 litre	10,218 %	6521,2005 litre	O
320	CM	85	CM	26 LEVEL CM	702,6960 litre	9,675 %	6560,6662 litre	O
320	CM	85	CM	25 LEVEL CM	663,8475 litre	9,140 %	6599,5147 litre	O
320	CM	85	CM	24 LEVEL CM	625,6368 litre	8,614 %	6637,7254 litre	O
320	CM	85	CM	23 LEVEL CM	588,0858 litre	8,097 %	6675,2764 litre	O
320	CM	85	CM	22 LEVEL CM	551,2173 litre	7,589 %	6712,1449 litre	O
320	CM	85	CM	21 LEVEL CM	515,0556 litre	7,091 %	6748,3066 litre	O
320	CM	85	CM	20 LEVEL CM	479,6262 litre	6,603 %	6783,7360 litre	O
320	CM	85	CM	19 LEVEL CM	444,9565 litre	6,126 %	6818,4057 litre	O
320	CM	85	CM	18 LEVEL CM	411,0755 litre	5,660 %	6852,2867 litre	O
320	CM	85	CM	17 LEVEL CM	378,0146 litre	5,204 %	6885,3476 litre	O
320	CM	85	CM	16 LEVEL CM	345,8072 litre	4,761 %	6917,5550 litre	O
320	CM	85	CM	15 LEVEL CM	314,4896 litre	4,330 %	6948,8726 litre	O
320	CM	85	CM	14 LEVEL CM	284,1016 litre	3,911 %	6979,2606 litre	O
320	CM	85	CM	13 LEVEL CM	254,6862 litre	3,506 %	7008,6760 litre	O

320	CM	85	CM	12 LEVEL CM	226,2912 litre	3,116 %	7037,0710 litre	O
320	CM	85	CM	11 LEVEL CM	198,9697 litre	2,739 %	7064,3925 litre	O
320	CM	85	CM	10 LEVEL CM	172,7813 litre	2,379 %	7090,5809 litre	O
320	CM	85	CM	9 LEVEL CM	147,7938 litre	2,035 %	7115,5684 litre	O
320	CM	85	CM	8 LEVEL CM	124,0852 litre	1,708 %	7139,2770 litre	O
320	CM	85	CM	7 LEVEL CM	101,7470 litre	1,401 %	7161,6152 litre	O
320	CM	85	CM	6 LEVEL CM	80,8886 litre	1,114 %	7182,4736 litre	O
320	CM	85	CM	5 LEVEL CM	61,6451 litre	0,849 %	7201,7171 litre	O
320	CM	85	CM	4 LEVEL CM	44,1889 litre	0,608 %	7219,1733 litre	O
320	CM	85	CM	3 LEVEL CM	28,7530 litre	0,396 %	7234,6092 litre	O
320	CM	85	CM	2 LEVEL CM	15,6790 litre	0,216 %	7247,6832 litre	O
320	CM	85	CM	1 LEVEL CM	5,5532 litre	0,076 %	7257,8090 litre	O
320	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	7263,3622 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	80	CM 160 LEVEL CM	6433,9818 litre	100,000 %	0,0000 litre	O
320	CM	80	CM 159 LEVEL CM	6428,5949 litre	99,916 %	5,3869 litre	O
320	CM	80	CM 158 LEVEL CM	6418,7742 litre	99,764 %	15,2076 litre	O
320	CM	80	CM 157 LEVEL CM	6406,0966 litre	99,567 %	27,8852 litre	O
320	CM	80	CM 156 LEVEL CM	6391,1314 litre	99,334 %	42,8504 litre	O
320	CM	80	CM 155 LEVEL CM	6374,2109 litre	99,071 %	59,7709 litre	O
320	CM	80	CM 154 LEVEL CM	6355,5615 litre	98,781 %	78,4203 litre	O
320	CM	80	CM 153 LEVEL CM	6335,3511 litre	98,467 %	98,6307 litre	O
320	CM	80	CM 152 LEVEL CM	6313,7111 litre	98,131 %	120,2707 litre	O
320	CM	80	CM 151 LEVEL CM	6290,7482 litre	97,774 %	143,2336 litre	O
320	CM	80	CM 150 LEVEL CM	6266,5517 litre	97,398 %	167,4301 litre	O
320	CM	80	CM 149 LEVEL CM	6241,1976 litre	97,004 %	192,7842 litre	O
320	CM	80	CM 148 LEVEL CM	6214,7521 litre	96,593 %	219,2297 litre	O
320	CM	80	CM 147 LEVEL CM	6187,2733 litre	96,166 %	246,7085 litre	O
320	CM	80	CM 146 LEVEL CM	6158,8132 litre	95,723 %	275,1686 litre	O
320	CM	80	CM 145 LEVEL CM	6129,4185 litre	95,266 %	304,5633 litre	O
320	CM	80	CM 144 LEVEL CM	6099,1315 litre	94,796 %	334,8503 litre	O
320	CM	80	CM 143 LEVEL CM	6067,9909 litre	94,312 %	365,9909 litre	O
320	CM	80	CM 142 LEVEL CM	6036,0323 litre	93,815 %	397,9495 litre	O
320	CM	80	CM 141 LEVEL CM	6003,2886 litre	93,306 %	430,6932 litre	O
320	CM	80	CM 140 LEVEL CM	5969,7905 litre	92,785 %	464,1913 litre	O
320	CM	80	CM 139 LEVEL CM	5935,5666 litre	92,253 %	498,4152 litre	O
320	CM	80	CM 138 LEVEL CM	5900,6436 litre	91,711 %	533,3382 litre	O
320	CM	80	CM 137 LEVEL CM	5865,0469 litre	91,157 %	568,9349 litre	O
320	CM	80	CM 136 LEVEL CM	5828,8001 litre	90,594 %	605,1817 litre	O
320	CM	80	CM 135 LEVEL CM	5791,9260 litre	90,021 %	642,0558 litre	O
320	CM	80	CM 134 LEVEL CM	5754,4458 litre	89,438 %	679,5360 litre	O
320	CM	80	CM 133 LEVEL CM	5716,3801 litre	88,847 %	717,6017 litre	O
320	CM	80	CM 132 LEVEL CM	5677,7482 litre	88,246 %	756,2336 litre	O
320	CM	80	CM 131 LEVEL CM	5638,5689 litre	87,637 %	795,4129 litre	O
320	CM	80	CM 130 LEVEL CM	5598,8599 litre	87,020 %	835,1219 litre	O
320	CM	80	CM 129 LEVEL CM	5558,6385 litre	86,395 %	875,3433 litre	O
320	CM	80	CM 128 LEVEL CM	5517,9211 litre	85,762 %	916,0607 litre	O
320	CM	80	CM 127 LEVEL CM	5476,7237 litre	85,122 %	957,2581 litre	O
320	CM	80	CM 126 LEVEL CM	5435,0616 litre	84,474 %	998,9202 litre	O
320	CM	80	CM 125 LEVEL CM	5392,9497 litre	83,820 %	1041,0321 litre	O
320	CM	80	CM 124 LEVEL CM	5350,4023 litre	83,158 %	1083,5795 litre	O
320	CM	80	CM 123 LEVEL CM	5307,4334 litre	82,491 %	1126,5484 litre	O
320	CM	80	CM 122 LEVEL CM	5264,0565 litre	81,816 %	1169,9253 litre	O
320	CM	80	CM 121 LEVEL CM	5220,2849 litre	81,136 %	1213,6969 litre	O
320	CM	80	CM 120 LEVEL CM	5176,1312 litre	80,450 %	1257,8506 litre	O
320	CM	80	CM 119 LEVEL CM	5131,6080 litre	79,758 %	1302,3738 litre	O
320	CM	80	CM 118 LEVEL CM	5086,7274 litre	79,060 %	1347,2544 litre	O
320	CM	80	CM 117 LEVEL CM	5041,5013 litre	78,357 %	1392,4805 litre	O
320	CM	80	CM 116 LEVEL CM	4995,9414 litre	77,649 %	1438,0404 litre	O
320	CM	80	CM 115 LEVEL CM	4950,0590 litre	76,936 %	1483,9228 litre	O
320	CM	80	CM 114 LEVEL CM	4903,8651 litre	76,218 %	1530,1167 litre	O
320	CM	80	CM 113 LEVEL CM	4857,3708 litre	75,496 %	1576,6110 litre	O
320	CM	80	CM 112 LEVEL CM	4810,5866 litre	74,768 %	1623,3952 litre	O
320	CM	80	CM 111 LEVEL CM	4763,5231 litre	74,037 %	1670,4587 litre	O
320	CM	80	CM 110 LEVEL CM	4716,1905 litre	73,301 %	1717,7913 litre	O
320	CM	80	CM 109 LEVEL CM	4668,5991 litre	72,562 %	1765,3827 litre	O

320	CM	80	CM	108 LEVEL CM	4620,7587 litre	71,818 %	1813,2231 litre	O
320	CM	80	CM	107 LEVEL CM	4572,6792 litre	71,071 %	1861,3026 litre	O
320	CM	80	CM	106 LEVEL CM	4524,3701 litre	70,320 %	1909,6117 litre	O
320	CM	80	CM	105 LEVEL CM	4475,8412 litre	69,566 %	1958,1406 litre	O
320	CM	80	CM	104 LEVEL CM	4427,1017 litre	68,808 %	2006,8801 litre	O
320	CM	80	CM	103 LEVEL CM	4378,1609 litre	68,047 %	2055,8209 litre	O
320	CM	80	CM	102 LEVEL CM	4329,0280 litre	67,284 %	2104,9538 litre	O
320	CM	80	CM	101 LEVEL CM	4279,7120 litre	66,517 %	2154,2698 litre	O
320	CM	80	CM	100 LEVEL CM	4230,2219 litre	65,748 %	2203,7599 litre	O
320	CM	80	CM	99 LEVEL CM	4180,5666 litre	64,976 %	2253,4152 litre	O
320	CM	80	CM	98 LEVEL CM	4130,7547 litre	64,202 %	2303,2271 litre	O
320	CM	80	CM	97 LEVEL CM	4080,7951 litre	63,426 %	2353,1867 litre	O
320	CM	80	CM	96 LEVEL CM	4030,6963 litre	62,647 %	2403,2855 litre	O
320	CM	80	CM	95 LEVEL CM	3980,4668 litre	61,866 %	2453,5150 litre	O
320	CM	80	CM	94 LEVEL CM	3930,1152 litre	61,084 %	2503,8666 litre	O
320	CM	80	CM	93 LEVEL CM	3879,6498 litre	60,299 %	2554,3320 litre	O
320	CM	80	CM	92 LEVEL CM	3829,0790 litre	59,513 %	2604,9028 litre	O
320	CM	80	CM	91 LEVEL CM	3778,4111 litre	58,726 %	2655,5707 litre	O
320	CM	80	CM	90 LEVEL CM	3727,6544 litre	57,937 %	2706,3274 litre	O
320	CM	80	CM	89 LEVEL CM	3676,8170 litre	57,147 %	2757,1648 litre	O
320	CM	80	CM	88 LEVEL CM	3625,9072 litre	56,356 %	2808,0746 litre	O
320	CM	80	CM	87 LEVEL CM	3574,9330 litre	55,563 %	2859,0488 litre	O
320	CM	80	CM	86 LEVEL CM	3523,9026 litre	54,770 %	2910,0792 litre	O
320	CM	80	CM	85 LEVEL CM	3472,8241 litre	53,976 %	2961,1577 litre	O
320	CM	80	CM	84 LEVEL CM	3421,7055 litre	53,182 %	3012,2763 litre	O
320	CM	80	CM	83 LEVEL CM	3370,5549 litre	52,387 %	3063,4269 litre	O
320	CM	80	CM	82 LEVEL CM	3319,3802 litre	51,591 %	3114,6016 litre	O
320	CM	80	CM	81 LEVEL CM	3268,1895 litre	50,796 %	3165,7923 litre	O
320	CM	80	CM	80 LEVEL CM	3216,9909 litre	50,000 %	3216,9909 litre	O
320	CM	80	CM	79 LEVEL CM	3165,7922 litre	49,204 %	3268,1896 litre	O
320	CM	80	CM	78 LEVEL CM	3114,6015 litre	48,409 %	3319,3803 litre	O
320	CM	80	CM	77 LEVEL CM	3063,4269 litre	47,613 %	3370,5549 litre	O
320	CM	80	CM	76 LEVEL CM	3012,2762 litre	46,818 %	3421,7056 litre	O
320	CM	80	CM	75 LEVEL CM	2961,1576 litre	46,024 %	3472,8242 litre	O
320	CM	80	CM	74 LEVEL CM	2910,0791 litre	45,230 %	3523,9027 litre	O
320	CM	80	CM	73 LEVEL CM	2859,0487 litre	44,437 %	3574,9331 litre	O
320	CM	80	CM	72 LEVEL CM	2808,0746 litre	43,644 %	3625,9072 litre	O
320	CM	80	CM	71 LEVEL CM	2757,1647 litre	42,853 %	3676,8171 litre	O
320	CM	80	CM	70 LEVEL CM	2706,3274 litre	42,063 %	3727,6544 litre	O
320	CM	80	CM	69 LEVEL CM	2655,5706 litre	41,274 %	3778,4112 litre	O
320	CM	80	CM	68 LEVEL CM	2604,9027 litre	40,487 %	3829,0791 litre	O
320	CM	80	CM	67 LEVEL CM	2554,3319 litre	39,701 %	3879,6499 litre	O
320	CM	80	CM	66 LEVEL CM	2503,8665 litre	38,916 %	3930,1153 litre	O
320	CM	80	CM	65 LEVEL CM	2453,5149 litre	38,134 %	3980,4669 litre	O
320	CM	80	CM	64 LEVEL CM	2403,2855 litre	37,353 %	4030,6963 litre	O
320	CM	80	CM	63 LEVEL CM	2353,1866 litre	36,574 %	4080,7952 litre	O
320	CM	80	CM	62 LEVEL CM	2303,2270 litre	35,798 %	4130,7548 litre	O
320	CM	80	CM	61 LEVEL CM	2253,4152 litre	35,024 %	4180,5666 litre	O
320	CM	80	CM	60 LEVEL CM	2203,7598 litre	34,252 %	4230,2220 litre	O
320	CM	80	CM	59 LEVEL CM	2154,2698 litre	33,483 %	4279,7120 litre	O
320	CM	80	CM	58 LEVEL CM	2104,9538 litre	32,716 %	4329,0280 litre	O
320	CM	80	CM	57 LEVEL CM	2055,8209 litre	31,953 %	4378,1609 litre	O
320	CM	80	CM	56 LEVEL CM	2006,8801 litre	31,192 %	4427,1017 litre	O

320	CM	80	CM	55 LEVEL CM	1958,1406 litre	30,434 %	4475,8412 litre	O
320	CM	80	CM	54 LEVEL CM	1909,6116 litre	29,680 %	4524,3702 litre	O
320	CM	80	CM	53 LEVEL CM	1861,3026 litre	28,929 %	4572,6792 litre	O
320	CM	80	CM	52 LEVEL CM	1813,2231 litre	28,182 %	4620,7587 litre	O
320	CM	80	CM	51 LEVEL CM	1765,3827 litre	27,438 %	4668,5991 litre	O
320	CM	80	CM	50 LEVEL CM	1717,7912 litre	26,699 %	4716,1906 litre	O
320	CM	80	CM	49 LEVEL CM	1670,4587 litre	25,963 %	4763,5231 litre	O
320	CM	80	CM	48 LEVEL CM	1623,3952 litre	25,232 %	4810,5866 litre	O
320	CM	80	CM	47 LEVEL CM	1576,6110 litre	24,504 %	4857,3708 litre	O
320	CM	80	CM	46 LEVEL CM	1530,1166 litre	23,782 %	4903,8652 litre	O
320	CM	80	CM	45 LEVEL CM	1483,9228 litre	23,064 %	4950,0590 litre	O
320	CM	80	CM	44 LEVEL CM	1438,0403 litre	22,351 %	4995,9415 litre	O
320	CM	80	CM	43 LEVEL CM	1392,4804 litre	21,643 %	5041,5014 litre	O
320	CM	80	CM	42 LEVEL CM	1347,2544 litre	20,940 %	5086,7274 litre	O
320	CM	80	CM	41 LEVEL CM	1302,3738 litre	20,242 %	5131,6080 litre	O
320	CM	80	CM	40 LEVEL CM	1257,8506 litre	19,550 %	5176,1312 litre	O
320	CM	80	CM	39 LEVEL CM	1213,6969 litre	18,864 %	5220,2849 litre	O
320	CM	80	CM	38 LEVEL CM	1169,9252 litre	18,184 %	5264,0566 litre	O
320	CM	80	CM	37 LEVEL CM	1126,5483 litre	17,509 %	5307,4335 litre	O
320	CM	80	CM	36 LEVEL CM	1083,5795 litre	16,842 %	5350,4023 litre	O
320	CM	80	CM	35 LEVEL CM	1041,0321 litre	16,180 %	5392,9497 litre	O
320	CM	80	CM	34 LEVEL CM	998,9201 litre	15,526 %	5435,0617 litre	O
320	CM	80	CM	33 LEVEL CM	957,2580 litre	14,878 %	5476,7238 litre	O
320	CM	80	CM	32 LEVEL CM	916,0606 litre	14,238 %	5517,9212 litre	O
320	CM	80	CM	31 LEVEL CM	875,3432 litre	13,605 %	5558,6386 litre	O
320	CM	80	CM	30 LEVEL CM	835,1218 litre	12,980 %	5598,8600 litre	O
320	CM	80	CM	29 LEVEL CM	795,4129 litre	12,363 %	5638,5689 litre	O
320	CM	80	CM	28 LEVEL CM	756,2335 litre	11,754 %	5677,7483 litre	O
320	CM	80	CM	27 LEVEL CM	717,6017 litre	11,153 %	5716,3801 litre	O
320	CM	80	CM	26 LEVEL CM	679,5359 litre	10,562 %	5754,4459 litre	O
320	CM	80	CM	25 LEVEL CM	642,0558 litre	9,979 %	5791,9260 litre	O
320	CM	80	CM	24 LEVEL CM	605,1816 litre	9,406 %	5828,8002 litre	O
320	CM	80	CM	23 LEVEL CM	568,9349 litre	8,843 %	5865,0469 litre	O
320	CM	80	CM	22 LEVEL CM	533,3381 litre	8,289 %	5900,6437 litre	O
320	CM	80	CM	21 LEVEL CM	498,4152 litre	7,747 %	5935,5666 litre	O
320	CM	80	CM	20 LEVEL CM	464,1912 litre	7,215 %	5969,7906 litre	O
320	CM	80	CM	19 LEVEL CM	430,6931 litre	6,694 %	6003,2887 litre	O
320	CM	80	CM	18 LEVEL CM	397,9495 litre	6,185 %	6036,0323 litre	O
320	CM	80	CM	17 LEVEL CM	365,9909 litre	5,688 %	6067,9909 litre	O
320	CM	80	CM	16 LEVEL CM	334,8503 litre	5,204 %	6099,1315 litre	O
320	CM	80	CM	15 LEVEL CM	304,5632 litre	4,734 %	6129,4186 litre	O
320	CM	80	CM	14 LEVEL CM	275,1685 litre	4,277 %	6158,8133 litre	O
320	CM	80	CM	13 LEVEL CM	246,7084 litre	3,834 %	6187,2734 litre	O
320	CM	80	CM	12 LEVEL CM	219,2297 litre	3,407 %	6214,7521 litre	O
320	CM	80	CM	11 LEVEL CM	192,7842 litre	2,996 %	6241,1976 litre	O
320	CM	80	CM	10 LEVEL CM	167,4301 litre	2,602 %	6266,5517 litre	O
320	CM	80	CM	9 LEVEL CM	143,2335 litre	2,226 %	6290,7483 litre	O
320	CM	80	CM	8 LEVEL CM	120,2707 litre	1,869 %	6313,7111 litre	O
320	CM	80	CM	7 LEVEL CM	98,6307 litre	1,533 %	6335,3511 litre	O
320	CM	80	CM	6 LEVEL CM	78,4203 litre	1,219 %	6355,5615 litre	O
320	CM	80	CM	5 LEVEL CM	59,7709 litre	0,929 %	6374,2109 litre	O
320	CM	80	CM	4 LEVEL CM	42,8504 litre	0,666 %	6391,1314 litre	O
320	CM	80	CM	3 LEVEL CM	27,8851 litre	0,433 %	6406,0967 litre	O

320_80

-2281-

320	CM 80	CM	2 LEVEL CM	15,2075 litre	0,236 %	6418,7743 litre	O
320	CM 80	CM	1 LEVEL CM	5,3868 litre	0,084 %	6428,5950 litre	O
320	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	6433,9818 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	75	CM 150 LEVEL CM	5654,8668 litre	100,000 %	0,0000 litre	O
320	CM	75	CM 149 LEVEL CM	5649,6517 litre	99,908 %	5,2151 litre	O
320	CM	75	CM 148 LEVEL CM	5640,1459 litre	99,740 %	14,7209 litre	O
320	CM	75	CM 147 LEVEL CM	5627,8774 litre	99,523 %	26,9894 litre	O
320	CM	75	CM 146 LEVEL CM	5613,3982 litre	99,267 %	41,4686 litre	O
320	CM	75	CM 145 LEVEL CM	5597,0308 litre	98,977 %	57,8360 litre	O
320	CM	75	CM 144 LEVEL CM	5578,9951 litre	98,658 %	75,8717 litre	O
320	CM	75	CM 143 LEVEL CM	5559,4541 litre	98,313 %	95,4127 litre	O
320	CM	75	CM 142 LEVEL CM	5538,5357 litre	97,943 %	116,3311 litre	O
320	CM	75	CM 141 LEVEL CM	5516,3437 litre	97,550 %	138,5231 litre	O
320	CM	75	CM 140 LEVEL CM	5492,9648 litre	97,137 %	161,9020 litre	O
320	CM	75	CM 139 LEVEL CM	5468,4734 litre	96,704 %	186,3934 litre	O
320	CM	75	CM 138 LEVEL CM	5442,9338 litre	96,252 %	211,9330 litre	O
320	CM	75	CM 137 LEVEL CM	5416,4029 litre	95,783 %	238,4639 litre	O
320	CM	75	CM 136 LEVEL CM	5388,9314 litre	95,297 %	265,9354 litre	O
320	CM	75	CM 135 LEVEL CM	5360,5648 litre	94,796 %	294,3020 litre	O
320	CM	75	CM 134 LEVEL CM	5331,3446 litre	94,279 %	323,5222 litre	O
320	CM	75	CM 133 LEVEL CM	5301,3086 litre	93,748 %	353,5582 litre	O
320	CM	75	CM 132 LEVEL CM	5270,4918 litre	93,203 %	384,3750 litre	O
320	CM	75	CM 131 LEVEL CM	5238,9263 litre	92,645 %	415,9405 litre	O
320	CM	75	CM 130 LEVEL CM	5206,6424 litre	92,074 %	448,2244 litre	O
320	CM	75	CM 129 LEVEL CM	5173,6679 litre	91,491 %	481,1989 litre	O
320	CM	75	CM 128 LEVEL CM	5140,0294 litre	90,896 %	514,8374 litre	O
320	CM	75	CM 127 LEVEL CM	5105,7515 litre	90,290 %	549,1153 litre	O
320	CM	75	CM 126 LEVEL CM	5070,8578 litre	89,672 %	584,0090 litre	O
320	CM	75	CM 125 LEVEL CM	5035,3704 litre	89,045 %	619,4964 litre	O
320	CM	75	CM 124 LEVEL CM	4999,3105 litre	88,407 %	655,5563 litre	O
320	CM	75	CM 123 LEVEL CM	4962,6982 litre	87,760 %	692,1686 litre	O
320	CM	75	CM 122 LEVEL CM	4925,5527 litre	87,103 %	729,3141 litre	O
320	CM	75	CM 121 LEVEL CM	4887,8926 litre	86,437 %	766,9742 litre	O
320	CM	75	CM 120 LEVEL CM	4849,7354 litre	85,762 %	805,1314 litre	O
320	CM	75	CM 119 LEVEL CM	4811,0981 litre	85,079 %	843,7687 litre	O
320	CM	75	CM 118 LEVEL CM	4771,9972 litre	84,387 %	882,8696 litre	O
320	CM	75	CM 117 LEVEL CM	4732,4484 litre	83,688 %	922,4184 litre	O
320	CM	75	CM 116 LEVEL CM	4692,4669 litre	82,981 %	962,3999 litre	O
320	CM	75	CM 115 LEVEL CM	4652,0676 litre	82,267 %	1002,7992 litre	O
320	CM	75	CM 114 LEVEL CM	4611,2647 litre	81,545 %	1043,6021 litre	O
320	CM	75	CM 113 LEVEL CM	4570,0722 litre	80,817 %	1084,7946 litre	O
320	CM	75	CM 112 LEVEL CM	4528,5035 litre	80,082 %	1126,3633 litre	O
320	CM	75	CM 111 LEVEL CM	4486,5718 litre	79,340 %	1168,2950 litre	O
320	CM	75	CM 110 LEVEL CM	4444,2900 litre	78,592 %	1210,5768 litre	O
320	CM	75	CM 109 LEVEL CM	4401,6704 litre	77,839 %	1253,1964 litre	O
320	CM	75	CM 108 LEVEL CM	4358,7252 litre	77,079 %	1296,1416 litre	O
320	CM	75	CM 107 LEVEL CM	4315,4665 litre	76,314 %	1339,4003 litre	O
320	CM	75	CM 106 LEVEL CM	4271,9058 litre	75,544 %	1382,9610 litre	O
320	CM	75	CM 105 LEVEL CM	4228,0546 litre	74,768 %	1426,8122 litre	O
320	CM	75	CM 104 LEVEL CM	4183,9241 litre	73,988 %	1470,9427 litre	O
320	CM	75	CM 103 LEVEL CM	4139,5252 litre	73,203 %	1515,3416 litre	O
320	CM	75	CM 102 LEVEL CM	4094,8687 litre	72,413 %	1559,9981 litre	O
320	CM	75	CM 101 LEVEL CM	4049,9652 litre	71,619 %	1604,9016 litre	O
320	CM	75	CM 100 LEVEL CM	4004,8253 litre	70,821 %	1650,0415 litre	O
320	CM	75	CM 99 LEVEL CM	3959,4590 litre	70,019 %	1695,4078 litre	O

320	CM	75	CM	98 LEVEL CM	3913,8765 litre	69,213 %	1740,9903 litre	O
320	CM	75	CM	97 LEVEL CM	3868,0878 litre	68,403 %	1786,7790 litre	O
320	CM	75	CM	96 LEVEL CM	3822,1028 litre	67,590 %	1832,7640 litre	O
320	CM	75	CM	95 LEVEL CM	3775,9311 litre	66,773 %	1878,9357 litre	O
320	CM	75	CM	94 LEVEL CM	3729,5822 litre	65,953 %	1925,2846 litre	O
320	CM	75	CM	93 LEVEL CM	3683,0658 litre	65,131 %	1971,8010 litre	O
320	CM	75	CM	92 LEVEL CM	3636,3911 litre	64,306 %	2018,4757 litre	O
320	CM	75	CM	91 LEVEL CM	3589,5675 litre	63,477 %	2065,2993 litre	O
320	CM	75	CM	90 LEVEL CM	3542,6042 litre	62,647 %	2112,2626 litre	O
320	CM	75	CM	89 LEVEL CM	3495,5102 litre	61,814 %	2159,3566 litre	O
320	CM	75	CM	88 LEVEL CM	3448,2945 litre	60,979 %	2206,5723 litre	O
320	CM	75	CM	87 LEVEL CM	3400,9663 litre	60,142 %	2253,9005 litre	O
320	CM	75	CM	86 LEVEL CM	3353,5343 litre	59,304 %	2301,3325 litre	O
320	CM	75	CM	85 LEVEL CM	3306,0073 litre	58,463 %	2348,8595 litre	O
320	CM	75	CM	84 LEVEL CM	3258,3943 litre	57,621 %	2396,4725 litre	O
320	CM	75	CM	83 LEVEL CM	3210,7040 litre	56,778 %	2444,1628 litre	O
320	CM	75	CM	82 LEVEL CM	3162,9449 litre	55,933 %	2491,9219 litre	O
320	CM	75	CM	81 LEVEL CM	3115,1259 litre	55,088 %	2539,7409 litre	O
320	CM	75	CM	80 LEVEL CM	3067,2555 litre	54,241 %	2587,6113 litre	O
320	CM	75	CM	79 LEVEL CM	3019,3423 litre	53,394 %	2635,5245 litre	O
320	CM	75	CM	78 LEVEL CM	2971,3950 litre	52,546 %	2683,4718 litre	O
320	CM	75	CM	77 LEVEL CM	2923,4220 litre	51,697 %	2731,4448 litre	O
320	CM	75	CM	76 LEVEL CM	2875,4320 litre	50,849 %	2779,4348 litre	O
320	CM	75	CM	75 LEVEL CM	2827,4334 litre	50,000 %	2827,4334 litre	O
320	CM	75	CM	74 LEVEL CM	2779,4348 litre	49,151 %	2875,4320 litre	O
320	CM	75	CM	73 LEVEL CM	2731,4448 litre	48,303 %	2923,4220 litre	O
320	CM	75	CM	72 LEVEL CM	2683,4718 litre	47,454 %	2971,3950 litre	O
320	CM	75	CM	71 LEVEL CM	2635,5244 litre	46,606 %	3019,3424 litre	O
320	CM	75	CM	70 LEVEL CM	2587,6113 litre	45,759 %	3067,2555 litre	O
320	CM	75	CM	69 LEVEL CM	2539,7409 litre	44,912 %	3115,1259 litre	O
320	CM	75	CM	68 LEVEL CM	2491,9218 litre	44,067 %	3162,9450 litre	O
320	CM	75	CM	67 LEVEL CM	2444,1628 litre	43,222 %	3210,7040 litre	O
320	CM	75	CM	66 LEVEL CM	2396,4724 litre	42,379 %	3258,3944 litre	O
320	CM	75	CM	65 LEVEL CM	2348,8594 litre	41,537 %	3306,0074 litre	O
320	CM	75	CM	64 LEVEL CM	2301,3325 litre	40,696 %	3353,5343 litre	O
320	CM	75	CM	63 LEVEL CM	2253,9005 litre	39,858 %	3400,9663 litre	O
320	CM	75	CM	62 LEVEL CM	2206,5722 litre	39,021 %	3448,2946 litre	O
320	CM	75	CM	61 LEVEL CM	2159,3566 litre	38,186 %	3495,5102 litre	O
320	CM	75	CM	60 LEVEL CM	2112,2626 litre	37,353 %	3542,6042 litre	O
320	CM	75	CM	59 LEVEL CM	2065,2992 litre	36,523 %	3589,5676 litre	O
320	CM	75	CM	58 LEVEL CM	2018,4756 litre	35,694 %	3636,3912 litre	O
320	CM	75	CM	57 LEVEL CM	1971,8010 litre	34,869 %	3683,0658 litre	O
320	CM	75	CM	56 LEVEL CM	1925,2845 litre	34,047 %	3729,5823 litre	O
320	CM	75	CM	55 LEVEL CM	1878,9357 litre	33,227 %	3775,9311 litre	O
320	CM	75	CM	54 LEVEL CM	1832,7640 litre	32,410 %	3822,1028 litre	O
320	CM	75	CM	53 LEVEL CM	1786,7789 litre	31,597 %	3868,0879 litre	O
320	CM	75	CM	52 LEVEL CM	1740,9903 litre	30,787 %	3913,8765 litre	O
320	CM	75	CM	51 LEVEL CM	1695,4078 litre	29,981 %	3959,4590 litre	O
320	CM	75	CM	50 LEVEL CM	1650,0415 litre	29,179 %	4004,8253 litre	O
320	CM	75	CM	49 LEVEL CM	1604,9015 litre	28,381 %	4049,9653 litre	O
320	CM	75	CM	48 LEVEL CM	1559,9981 litre	27,587 %	4094,8687 litre	O
320	CM	75	CM	47 LEVEL CM	1515,3416 litre	26,797 %	4139,5252 litre	O
320	CM	75	CM	46 LEVEL CM	1470,9427 litre	26,012 %	4183,9241 litre	O

320	CM	75	CM	45 LEVEL CM	1426,8122 litre	25,232 %	4228,0546 litre	O
320	CM	75	CM	44 LEVEL CM	1382,9610 litre	24,456 %	4271,9058 litre	O
320	CM	75	CM	43 LEVEL CM	1339,4003 litre	23,686 %	4315,4665 litre	O
320	CM	75	CM	42 LEVEL CM	1296,1415 litre	22,921 %	4358,7253 litre	O
320	CM	75	CM	41 LEVEL CM	1253,1964 litre	22,161 %	4401,6704 litre	O
320	CM	75	CM	40 LEVEL CM	1210,5768 litre	21,408 %	4444,2900 litre	O
320	CM	75	CM	39 LEVEL CM	1168,2949 litre	20,660 %	4486,5719 litre	O
320	CM	75	CM	38 LEVEL CM	1126,3633 litre	19,918 %	4528,5035 litre	O
320	CM	75	CM	37 LEVEL CM	1084,7946 litre	19,183 %	4570,0722 litre	O
320	CM	75	CM	36 LEVEL CM	1043,6021 litre	18,455 %	4611,2647 litre	O
320	CM	75	CM	35 LEVEL CM	1002,7992 litre	17,733 %	4652,0676 litre	O
320	CM	75	CM	34 LEVEL CM	962,3999 litre	17,019 %	4692,4669 litre	O
320	CM	75	CM	33 LEVEL CM	922,4184 litre	16,312 %	4732,4484 litre	O
320	CM	75	CM	32 LEVEL CM	882,8696 litre	15,613 %	4771,9972 litre	O
320	CM	75	CM	31 LEVEL CM	843,7686 litre	14,921 %	4811,0982 litre	O
320	CM	75	CM	30 LEVEL CM	805,1314 litre	14,238 %	4849,7354 litre	O
320	CM	75	CM	29 LEVEL CM	766,9742 litre	13,563 %	4887,8926 litre	O
320	CM	75	CM	28 LEVEL CM	729,3140 litre	12,897 %	4925,5528 litre	O
320	CM	75	CM	27 LEVEL CM	692,1686 litre	12,240 %	4962,6982 litre	O
320	CM	75	CM	26 LEVEL CM	655,5563 litre	11,593 %	4999,3105 litre	O
320	CM	75	CM	25 LEVEL CM	619,4964 litre	10,955 %	5035,3704 litre	O
320	CM	75	CM	24 LEVEL CM	584,0090 litre	10,328 %	5070,8578 litre	O
320	CM	75	CM	23 LEVEL CM	549,1153 litre	9,710 %	5105,7515 litre	O
320	CM	75	CM	22 LEVEL CM	514,8374 litre	9,104 %	5140,0294 litre	O
320	CM	75	CM	21 LEVEL CM	481,1988 litre	8,509 %	5173,6680 litre	O
320	CM	75	CM	20 LEVEL CM	448,2244 litre	7,926 %	5206,6424 litre	O
320	CM	75	CM	19 LEVEL CM	415,9404 litre	7,355 %	5238,9264 litre	O
320	CM	75	CM	18 LEVEL CM	384,3750 litre	6,797 %	5270,4918 litre	O
320	CM	75	CM	17 LEVEL CM	353,5582 litre	6,252 %	5301,3086 litre	O
320	CM	75	CM	16 LEVEL CM	323,5222 litre	5,721 %	5331,3446 litre	O
320	CM	75	CM	15 LEVEL CM	294,3020 litre	5,204 %	5360,5648 litre	O
320	CM	75	CM	14 LEVEL CM	265,9354 litre	4,703 %	5388,9314 litre	O
320	CM	75	CM	13 LEVEL CM	238,4638 litre	4,217 %	5416,4030 litre	O
320	CM	75	CM	12 LEVEL CM	211,9330 litre	3,748 %	5442,9338 litre	O
320	CM	75	CM	11 LEVEL CM	186,3934 litre	3,296 %	5468,4734 litre	O
320	CM	75	CM	10 LEVEL CM	161,9019 litre	2,863 %	5492,9649 litre	O
320	CM	75	CM	9 LEVEL CM	138,5231 litre	2,450 %	5516,3437 litre	O
320	CM	75	CM	8 LEVEL CM	116,3311 litre	2,057 %	5538,5357 litre	O
320	CM	75	CM	7 LEVEL CM	95,4127 litre	1,687 %	5559,4541 litre	O
320	CM	75	CM	6 LEVEL CM	75,8717 litre	1,342 %	5578,9951 litre	O
320	CM	75	CM	5 LEVEL CM	57,8360 litre	1,023 %	5597,0308 litre	O
320	CM	75	CM	4 LEVEL CM	41,4686 litre	0,733 %	5613,3982 litre	O
320	CM	75	CM	3 LEVEL CM	26,9894 litre	0,477 %	5627,8774 litre	O
320	CM	75	CM	2 LEVEL CM	14,7209 litre	0,260 %	5640,1459 litre	O
320	CM	75	CM	1 LEVEL CM	5,2151 litre	0,092 %	5649,6517 litre	O
320	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	5654,8668 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	70	CM 140 LEVEL CM	4926,0173 litre	100,000 %	0,0000 litre	O
320	CM	70	CM 139 LEVEL CM	4920,9797 litre	99,898 %	5,0376 litre	O
320	CM	70	CM 138 LEVEL CM	4911,7996 litre	99,711 %	14,2177 litre	O
320	CM	70	CM 137 LEVEL CM	4899,9544 litre	99,471 %	26,0629 litre	O
320	CM	70	CM 136 LEVEL CM	4885,9781 litre	99,187 %	40,0392 litre	O
320	CM	70	CM 135 LEVEL CM	4870,1832 litre	98,867 %	55,8341 litre	O
320	CM	70	CM 134 LEVEL CM	4852,7828 litre	98,513 %	73,2345 litre	O
320	CM	70	CM 133 LEVEL CM	4833,9351 litre	98,131 %	92,0822 litre	O
320	CM	70	CM 132 LEVEL CM	4813,7640 litre	97,721 %	112,2533 litre	O
320	CM	70	CM 131 LEVEL CM	4792,3705 litre	97,287 %	133,6468 litre	O
320	CM	70	CM 130 LEVEL CM	4769,8391 litre	96,830 %	156,1782 litre	O
320	CM	70	CM 129 LEVEL CM	4746,2418 litre	96,350 %	179,7755 litre	O
320	CM	70	CM 128 LEVEL CM	4721,6415 litre	95,851 %	204,3758 litre	O
320	CM	70	CM 127 LEVEL CM	4696,0936 litre	95,332 %	229,9237 litre	O
320	CM	70	CM 126 LEVEL CM	4669,6475 litre	94,796 %	256,3698 litre	O
320	CM	70	CM 125 LEVEL CM	4642,3478 litre	94,241 %	283,6695 litre	O
320	CM	70	CM 124 LEVEL CM	4614,2348 litre	93,671 %	311,7825 litre	O
320	CM	70	CM 123 LEVEL CM	4585,3457 litre	93,084 %	340,6716 litre	O
320	CM	70	CM 122 LEVEL CM	4555,7146 litre	92,483 %	370,3027 litre	O
320	CM	70	CM 121 LEVEL CM	4525,3731 litre	91,867 %	400,6442 litre	O
320	CM	70	CM 120 LEVEL CM	4494,3508 litre	91,237 %	431,6665 litre	O
320	CM	70	CM 119 LEVEL CM	4462,6751 litre	90,594 %	463,3422 litre	O
320	CM	70	CM 118 LEVEL CM	4430,3720 litre	89,938 %	495,6453 litre	O
320	CM	70	CM 117 LEVEL CM	4397,4658 litre	89,270 %	528,5515 litre	O
320	CM	70	CM 116 LEVEL CM	4363,9796 litre	88,590 %	562,0377 litre	O
320	CM	70	CM 115 LEVEL CM	4329,9355 litre	87,899 %	596,0818 litre	O
320	CM	70	CM 114 LEVEL CM	4295,3541 litre	87,197 %	630,6632 litre	O
320	CM	70	CM 113 LEVEL CM	4260,2554 litre	86,485 %	665,7619 litre	O
320	CM	70	CM 112 LEVEL CM	4224,6584 litre	85,762 %	701,3589 litre	O
320	CM	70	CM 111 LEVEL CM	4188,5813 litre	85,030 %	737,4360 litre	O
320	CM	70	CM 110 LEVEL CM	4152,0417 litre	84,288 %	773,9756 litre	O
320	CM	70	CM 109 LEVEL CM	4115,0564 litre	83,537 %	810,9609 litre	O
320	CM	70	CM 108 LEVEL CM	4077,6417 litre	82,778 %	848,3756 litre	O
320	CM	70	CM 107 LEVEL CM	4039,8133 litre	82,010 %	886,2040 litre	O
320	CM	70	CM 106 LEVEL CM	4001,5863 litre	81,234 %	924,4310 litre	O
320	CM	70	CM 105 LEVEL CM	3962,9754 litre	80,450 %	963,0419 litre	O
320	CM	70	CM 104 LEVEL CM	3923,9951 litre	79,659 %	1002,0222 litre	O
320	CM	70	CM 103 LEVEL CM	3884,6591 litre	78,860 %	1041,3582 litre	O
320	CM	70	CM 102 LEVEL CM	3844,9809 litre	78,055 %	1081,0364 litre	O
320	CM	70	CM 101 LEVEL CM	3804,9738 litre	77,242 %	1121,0435 litre	O
320	CM	70	CM 100 LEVEL CM	3764,6505 litre	76,424 %	1161,3668 litre	O
320	CM	70	CM 99 LEVEL CM	3724,0236 litre	75,599 %	1201,9937 litre	O
320	CM	70	CM 98 LEVEL CM	3683,1054 litre	74,768 %	1242,9119 litre	O
320	CM	70	CM 97 LEVEL CM	3641,9078 litre	73,932 %	1284,1095 litre	O
320	CM	70	CM 96 LEVEL CM	3600,4426 litre	73,090 %	1325,5747 litre	O
320	CM	70	CM 95 LEVEL CM	3558,7214 litre	72,243 %	1367,2959 litre	O
320	CM	70	CM 94 LEVEL CM	3516,7555 litre	71,391 %	1409,2618 litre	O
320	CM	70	CM 93 LEVEL CM	3474,5560 litre	70,535 %	1451,4613 litre	O
320	CM	70	CM 92 LEVEL CM	3432,1338 litre	69,674 %	1493,8835 litre	O
320	CM	70	CM 91 LEVEL CM	3389,4997 litre	68,808 %	1536,5176 litre	O
320	CM	70	CM 90 LEVEL CM	3346,6644 litre	67,939 %	1579,3529 litre	O
320	CM	70	CM 89 LEVEL CM	3303,6382 litre	67,065 %	1622,3791 litre	O

320	CM	70	CM	88 LEVEL CM	3260,4315 litre	66,188 %	1665,5858 litre	O
320	CM	70	CM	87 LEVEL CM	3217,0545 litre	65,307 %	1708,9628 litre	O
320	CM	70	CM	86 LEVEL CM	3173,5173 litre	64,424 %	1752,5000 litre	O
320	CM	70	CM	85 LEVEL CM	3129,8298 litre	63,537 %	1796,1875 litre	O
320	CM	70	CM	84 LEVEL CM	3086,0019 litre	62,647 %	1840,0154 litre	O
320	CM	70	CM	83 LEVEL CM	3042,0433 litre	61,755 %	1883,9740 litre	O
320	CM	70	CM	82 LEVEL CM	2997,9638 litre	60,860 %	1928,0535 litre	O
320	CM	70	CM	81 LEVEL CM	2953,7729 litre	59,963 %	1972,2444 litre	O
320	CM	70	CM	80 LEVEL CM	2909,4801 litre	59,064 %	2016,5372 litre	O
320	CM	70	CM	79 LEVEL CM	2865,0950 litre	58,163 %	2060,9223 litre	O
320	CM	70	CM	78 LEVEL CM	2820,6269 litre	57,260 %	2105,3904 litre	O
320	CM	70	CM	77 LEVEL CM	2776,0852 litre	56,356 %	2149,9321 litre	O
320	CM	70	CM	76 LEVEL CM	2731,4791 litre	55,450 %	2194,5382 litre	O
320	CM	70	CM	75 LEVEL CM	2686,8180 litre	54,543 %	2239,1993 litre	O
320	CM	70	CM	74 LEVEL CM	2642,1111 litre	53,636 %	2283,9062 litre	O
320	CM	70	CM	73 LEVEL CM	2597,3675 litre	52,728 %	2328,6498 litre	O
320	CM	70	CM	72 LEVEL CM	2552,5964 litre	51,819 %	2373,4209 litre	O
320	CM	70	CM	71 LEVEL CM	2507,8071 litre	50,909 %	2418,2102 litre	O
320	CM	70	CM	70 LEVEL CM	2463,0086 litre	50,000 %	2463,0087 litre	O
320	CM	70	CM	69 LEVEL CM	2418,2102 litre	49,091 %	2507,8071 litre	O
320	CM	70	CM	68 LEVEL CM	2373,4208 litre	48,181 %	2552,5965 litre	O
320	CM	70	CM	67 LEVEL CM	2328,6498 litre	47,272 %	2597,3675 litre	O
320	CM	70	CM	66 LEVEL CM	2283,9062 litre	46,364 %	2642,1111 litre	O
320	CM	70	CM	65 LEVEL CM	2239,1993 litre	45,457 %	2686,8180 litre	O
320	CM	70	CM	64 LEVEL CM	2194,5381 litre	44,550 %	2731,4792 litre	O
320	CM	70	CM	63 LEVEL CM	2149,9321 litre	43,644 %	2776,0852 litre	O
320	CM	70	CM	62 LEVEL CM	2105,3904 litre	42,740 %	2820,6269 litre	O
320	CM	70	CM	61 LEVEL CM	2060,9223 litre	41,837 %	2865,0950 litre	O
320	CM	70	CM	60 LEVEL CM	2016,5371 litre	40,936 %	2909,4802 litre	O
320	CM	70	CM	59 LEVEL CM	1972,2444 litre	40,037 %	2953,7729 litre	O
320	CM	70	CM	58 LEVEL CM	1928,0535 litre	39,140 %	2997,9638 litre	O
320	CM	70	CM	57 LEVEL CM	1883,9740 litre	38,245 %	3042,0433 litre	O
320	CM	70	CM	56 LEVEL CM	1840,0154 litre	37,353 %	3086,0019 litre	O
320	CM	70	CM	55 LEVEL CM	1796,1875 litre	36,463 %	3129,8298 litre	O
320	CM	70	CM	54 LEVEL CM	1752,5000 litre	35,576 %	3173,5173 litre	O
320	CM	70	CM	53 LEVEL CM	1708,9628 litre	34,693 %	3217,0545 litre	O
320	CM	70	CM	52 LEVEL CM	1665,5858 litre	33,812 %	3260,4315 litre	O
320	CM	70	CM	51 LEVEL CM	1622,3791 litre	32,935 %	3303,6382 litre	O
320	CM	70	CM	50 LEVEL CM	1579,3529 litre	32,061 %	3346,6644 litre	O
320	CM	70	CM	49 LEVEL CM	1536,5176 litre	31,192 %	3389,4997 litre	O
320	CM	70	CM	48 LEVEL CM	1493,8835 litre	30,326 %	3432,1338 litre	O
320	CM	70	CM	47 LEVEL CM	1451,4613 litre	29,465 %	3474,5560 litre	O
320	CM	70	CM	46 LEVEL CM	1409,2618 litre	28,609 %	3516,7555 litre	O
320	CM	70	CM	45 LEVEL CM	1367,2958 litre	27,757 %	3558,7215 litre	O
320	CM	70	CM	44 LEVEL CM	1325,5746 litre	26,910 %	3600,4427 litre	O
320	CM	70	CM	43 LEVEL CM	1284,1095 litre	26,068 %	3641,9078 litre	O
320	CM	70	CM	42 LEVEL CM	1242,9119 litre	25,232 %	3683,1054 litre	O
320	CM	70	CM	41 LEVEL CM	1201,9937 litre	24,401 %	3724,0236 litre	O
320	CM	70	CM	40 LEVEL CM	1161,3668 litre	23,576 %	3764,6505 litre	O
320	CM	70	CM	39 LEVEL CM	1121,0435 litre	22,758 %	3804,9738 litre	O
320	CM	70	CM	38 LEVEL CM	1081,0364 litre	21,945 %	3844,9809 litre	O
320	CM	70	CM	37 LEVEL CM	1041,3582 litre	21,140 %	3884,6591 litre	O
320	CM	70	CM	36 LEVEL CM	1002,0222 litre	20,341 %	3923,9951 litre	O

320	CM	70	CM	35 LEVEL CM	963,0418 litre	19,550 %	3962,9755 litre	O
320	CM	70	CM	34 LEVEL CM	924,4310 litre	18,766 %	4001,5863 litre	O
320	CM	70	CM	33 LEVEL CM	886,2040 litre	17,990 %	4039,8133 litre	O
320	CM	70	CM	32 LEVEL CM	848,3756 litre	17,222 %	4077,6417 litre	O
320	CM	70	CM	31 LEVEL CM	810,9608 litre	16,463 %	4115,0565 litre	O
320	CM	70	CM	30 LEVEL CM	773,9756 litre	15,712 %	4152,0417 litre	O
320	CM	70	CM	29 LEVEL CM	737,4360 litre	14,970 %	4188,5813 litre	O
320	CM	70	CM	28 LEVEL CM	701,3589 litre	14,238 %	4224,6584 litre	O
320	CM	70	CM	27 LEVEL CM	665,7619 litre	13,515 %	4260,2554 litre	O
320	CM	70	CM	26 LEVEL CM	630,6632 litre	12,803 %	4295,3541 litre	O
320	CM	70	CM	25 LEVEL CM	596,0818 litre	12,101 %	4329,9355 litre	O
320	CM	70	CM	24 LEVEL CM	562,0376 litre	11,410 %	4363,9797 litre	O
320	CM	70	CM	23 LEVEL CM	528,5515 litre	10,730 %	4397,4658 litre	O
320	CM	70	CM	22 LEVEL CM	495,6453 litre	10,062 %	4430,3720 litre	O
320	CM	70	CM	21 LEVEL CM	463,3422 litre	9,406 %	4462,6751 litre	O
320	CM	70	CM	20 LEVEL CM	431,6665 litre	8,763 %	4494,3508 litre	O
320	CM	70	CM	19 LEVEL CM	400,6441 litre	8,133 %	4525,3732 litre	O
320	CM	70	CM	18 LEVEL CM	370,3027 litre	7,517 %	4555,7146 litre	O
320	CM	70	CM	17 LEVEL CM	340,6716 litre	6,916 %	4585,3457 litre	O
320	CM	70	CM	16 LEVEL CM	311,7825 litre	6,329 %	4614,2348 litre	O
320	CM	70	CM	15 LEVEL CM	283,6695 litre	5,759 %	4642,3478 litre	O
320	CM	70	CM	14 LEVEL CM	256,3697 litre	5,204 %	4669,6476 litre	O
320	CM	70	CM	13 LEVEL CM	229,9236 litre	4,668 %	4696,0937 litre	O
320	CM	70	CM	12 LEVEL CM	204,3757 litre	4,149 %	4721,6416 litre	O
320	CM	70	CM	11 LEVEL CM	179,7755 litre	3,650 %	4746,2418 litre	O
320	CM	70	CM	10 LEVEL CM	156,1782 litre	3,170 %	4769,8391 litre	O
320	CM	70	CM	9 LEVEL CM	133,6468 litre	2,713 %	4792,3705 litre	O
320	CM	70	CM	8 LEVEL CM	112,2533 litre	2,279 %	4813,7640 litre	O
320	CM	70	CM	7 LEVEL CM	92,0822 litre	1,869 %	4833,9351 litre	O
320	CM	70	CM	6 LEVEL CM	73,2345 litre	1,487 %	4852,7828 litre	O
320	CM	70	CM	5 LEVEL CM	55,8340 litre	1,133 %	4870,1833 litre	O
320	CM	70	CM	4 LEVEL CM	40,0391 litre	0,813 %	4885,9782 litre	O
320	CM	70	CM	3 LEVEL CM	26,0629 litre	0,529 %	4899,9544 litre	O
320	CM	70	CM	2 LEVEL CM	14,2176 litre	0,289 %	4911,7997 litre	O
320	CM	70	CM	1 LEVEL CM	5,0376 litre	0,102 %	4920,9797 litre	O
320	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	4926,0173 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	65	CM 130 LEVEL CM	4247,4333 litre	100,000 %	0,0000 litre	O
320	CM	65	CM 129 LEVEL CM	4242,5798 litre	99,886 %	4,8535 litre	O
320	CM	65	CM 128 LEVEL CM	4233,7374 litre	99,678 %	13,6959 litre	O
320	CM	65	CM 127 LEVEL CM	4222,3310 litre	99,409 %	25,1023 litre	O
320	CM	65	CM 126 LEVEL CM	4208,8765 litre	99,092 %	38,5568 litre	O
320	CM	65	CM 125 LEVEL CM	4193,6757 litre	98,734 %	53,7576 litre	O
320	CM	65	CM 124 LEVEL CM	4176,9346 litre	98,340 %	70,4987 litre	O
320	CM	65	CM 123 LEVEL CM	4158,8066 litre	97,913 %	88,6267 litre	O
320	CM	65	CM 122 LEVEL CM	4139,4116 litre	97,457 %	108,0217 litre	O
320	CM	65	CM 121 LEVEL CM	4118,8477 litre	96,973 %	128,5856 litre	O
320	CM	65	CM 120 LEVEL CM	4097,1968 litre	96,463 %	150,2365 litre	O
320	CM	65	CM 119 LEVEL CM	4074,5289 litre	95,929 %	172,9044 litre	O
320	CM	65	CM 118 LEVEL CM	4050,9053 litre	95,373 %	196,5280 litre	O
320	CM	65	CM 117 LEVEL CM	4026,3798 litre	94,796 %	221,0535 litre	O
320	CM	65	CM 116 LEVEL CM	4001,0005 litre	94,198 %	246,4328 litre	O
320	CM	65	CM 115 LEVEL CM	3974,8110 litre	93,581 %	272,6223 litre	O
320	CM	65	CM 114 LEVEL CM	3947,8507 litre	92,947 %	299,5826 litre	O
320	CM	65	CM 113 LEVEL CM	3920,1559 litre	92,295 %	327,2774 litre	O
320	CM	65	CM 112 LEVEL CM	3891,7600 litre	91,626 %	355,6733 litre	O
320	CM	65	CM 111 LEVEL CM	3862,6940 litre	90,942 %	384,7393 litre	O
320	CM	65	CM 110 LEVEL CM	3832,9868 litre	90,242 %	414,4465 litre	O
320	CM	65	CM 109 LEVEL CM	3802,6654 litre	89,529 %	444,7679 litre	O
320	CM	65	CM 108 LEVEL CM	3771,7554 litre	88,801 %	475,6779 litre	O
320	CM	65	CM 107 LEVEL CM	3740,2806 litre	88,060 %	507,1527 litre	O
320	CM	65	CM 106 LEVEL CM	3708,2639 litre	87,306 %	539,1694 litre	O
320	CM	65	CM 105 LEVEL CM	3675,7269 litre	86,540 %	571,7064 litre	O
320	CM	65	CM 104 LEVEL CM	3642,6901 litre	85,762 %	604,7432 litre	O
320	CM	65	CM 103 LEVEL CM	3609,1733 litre	84,973 %	638,2600 litre	O
320	CM	65	CM 102 LEVEL CM	3575,1952 litre	84,173 %	672,2381 litre	O
320	CM	65	CM 101 LEVEL CM	3540,7740 litre	83,363 %	706,6593 litre	O
320	CM	65	CM 100 LEVEL CM	3505,9270 litre	82,542 %	741,5063 litre	O
320	CM	65	CM 99 LEVEL CM	3470,6710 litre	81,712 %	776,7623 litre	O
320	CM	65	CM 98 LEVEL CM	3435,0222 litre	80,873 %	812,4111 litre	O
320	CM	65	CM 97 LEVEL CM	3398,9961 litre	80,025 %	848,4372 litre	O
320	CM	65	CM 96 LEVEL CM	3362,6081 litre	79,168 %	884,8252 litre	O
320	CM	65	CM 95 LEVEL CM	3325,8728 litre	78,303 %	921,5605 litre	O
320	CM	65	CM 94 LEVEL CM	3288,8044 litre	77,430 %	958,6289 litre	O
320	CM	65	CM 93 LEVEL CM	3251,4170 litre	76,550 %	996,0163 litre	O
320	CM	65	CM 92 LEVEL CM	3213,7240 litre	75,663 %	1033,7093 litre	O
320	CM	65	CM 91 LEVEL CM	3175,7388 litre	74,768 %	1071,6945 litre	O
320	CM	65	CM 90 LEVEL CM	3137,4742 litre	73,868 %	1109,9591 litre	O
320	CM	65	CM 89 LEVEL CM	3098,9430 litre	72,960 %	1148,4903 litre	O
320	CM	65	CM 88 LEVEL CM	3060,1574 litre	72,047 %	1187,2759 litre	O
320	CM	65	CM 87 LEVEL CM	3021,1297 litre	71,128 %	1226,3036 litre	O
320	CM	65	CM 86 LEVEL CM	2981,8718 litre	70,204 %	1265,5615 litre	O
320	CM	65	CM 85 LEVEL CM	2942,3954 litre	69,275 %	1305,0379 litre	O
320	CM	65	CM 84 LEVEL CM	2902,7120 litre	68,340 %	1344,7213 litre	O
320	CM	65	CM 83 LEVEL CM	2862,8330 litre	67,401 %	1384,6003 litre	O
320	CM	65	CM 82 LEVEL CM	2822,7695 litre	66,458 %	1424,6638 litre	O
320	CM	65	CM 81 LEVEL CM	2782,5325 litre	65,511 %	1464,9008 litre	O
320	CM	65	CM 80 LEVEL CM	2742,1331 litre	64,560 %	1505,3002 litre	O
320	CM	65	CM 79 LEVEL CM	2701,5818 litre	63,605 %	1545,8515 litre	O

320	CM	65	CM	78 LEVEL CM	2660,8894 litre	62,647 %	1586,5439 litre	O
320	CM	65	CM	77 LEVEL CM	2620,0663 litre	61,686 %	1627,3670 litre	O
320	CM	65	CM	76 LEVEL CM	2579,1229 litre	60,722 %	1668,3104 litre	O
320	CM	65	CM	75 LEVEL CM	2538,0697 litre	59,755 %	1709,3636 litre	O
320	CM	65	CM	74 LEVEL CM	2496,9169 litre	58,786 %	1750,5164 litre	O
320	CM	65	CM	73 LEVEL CM	2455,6745 litre	57,815 %	1791,7588 litre	O
320	CM	65	CM	72 LEVEL CM	2414,3528 litre	56,843 %	1833,0805 litre	O
320	CM	65	CM	71 LEVEL CM	2372,9617 litre	55,868 %	1874,4716 litre	O
320	CM	65	CM	70 LEVEL CM	2331,5113 litre	54,892 %	1915,9220 litre	O
320	CM	65	CM	69 LEVEL CM	2290,0115 litre	53,915 %	1957,4218 litre	O
320	CM	65	CM	68 LEVEL CM	2248,4723 litre	52,937 %	1998,9610 litre	O
320	CM	65	CM	67 LEVEL CM	2206,9035 litre	51,959 %	2040,5298 litre	O
320	CM	65	CM	66 LEVEL CM	2165,3150 litre	50,979 %	2082,1183 litre	O
320	CM	65	CM	65 LEVEL CM	2123,7166 litre	50,000 %	2123,7167 litre	O
320	CM	65	CM	64 LEVEL CM	2082,1183 litre	49,021 %	2165,3150 litre	O
320	CM	65	CM	63 LEVEL CM	2040,5298 litre	48,041 %	2206,9035 litre	O
320	CM	65	CM	62 LEVEL CM	1998,9610 litre	47,063 %	2248,4723 litre	O
320	CM	65	CM	61 LEVEL CM	1957,4217 litre	46,085 %	2290,0116 litre	O
320	CM	65	CM	60 LEVEL CM	1915,9219 litre	45,108 %	2331,5114 litre	O
320	CM	65	CM	59 LEVEL CM	1874,4715 litre	44,132 %	2372,9618 litre	O
320	CM	65	CM	58 LEVEL CM	1833,0805 litre	43,157 %	2414,3528 litre	O
320	CM	65	CM	57 LEVEL CM	1791,7588 litre	42,185 %	2455,6745 litre	O
320	CM	65	CM	56 LEVEL CM	1750,5164 litre	41,214 %	2496,9169 litre	O
320	CM	65	CM	55 LEVEL CM	1709,3635 litre	40,245 %	2538,0698 litre	O
320	CM	65	CM	54 LEVEL CM	1668,3103 litre	39,278 %	2579,1230 litre	O
320	CM	65	CM	53 LEVEL CM	1627,3670 litre	38,314 %	2620,0663 litre	O
320	CM	65	CM	52 LEVEL CM	1586,5439 litre	37,353 %	2660,8894 litre	O
320	CM	65	CM	51 LEVEL CM	1545,8515 litre	36,395 %	2701,5818 litre	O
320	CM	65	CM	50 LEVEL CM	1505,3002 litre	35,440 %	2742,1331 litre	O
320	CM	65	CM	49 LEVEL CM	1464,9007 litre	34,489 %	2782,5326 litre	O
320	CM	65	CM	48 LEVEL CM	1424,6638 litre	33,542 %	2822,7695 litre	O
320	CM	65	CM	47 LEVEL CM	1384,6003 litre	32,599 %	2862,8330 litre	O
320	CM	65	CM	46 LEVEL CM	1344,7213 litre	31,660 %	2902,7120 litre	O
320	CM	65	CM	45 LEVEL CM	1305,0379 litre	30,725 %	2942,3954 litre	O
320	CM	65	CM	44 LEVEL CM	1265,5615 litre	29,796 %	2981,8718 litre	O
320	CM	65	CM	43 LEVEL CM	1226,3035 litre	28,872 %	3021,1298 litre	O
320	CM	65	CM	42 LEVEL CM	1187,2759 litre	27,953 %	3060,1574 litre	O
320	CM	65	CM	41 LEVEL CM	1148,4903 litre	27,040 %	3098,9430 litre	O
320	CM	65	CM	40 LEVEL CM	1109,9590 litre	26,132 %	3137,4743 litre	O
320	CM	65	CM	39 LEVEL CM	1071,6945 litre	25,232 %	3175,7388 litre	O
320	CM	65	CM	38 LEVEL CM	1033,7092 litre	24,337 %	3213,7241 litre	O
320	CM	65	CM	37 LEVEL CM	996,0163 litre	23,450 %	3251,4170 litre	O
320	CM	65	CM	36 LEVEL CM	958,6289 litre	22,570 %	3288,8044 litre	O
320	CM	65	CM	35 LEVEL CM	921,5605 litre	21,697 %	3325,8728 litre	O
320	CM	65	CM	34 LEVEL CM	884,8252 litre	20,832 %	3362,6081 litre	O
320	CM	65	CM	33 LEVEL CM	848,4371 litre	19,975 %	3398,9962 litre	O
320	CM	65	CM	32 LEVEL CM	812,4111 litre	19,127 %	3435,0222 litre	O
320	CM	65	CM	31 LEVEL CM	776,7623 litre	18,288 %	3470,6710 litre	O
320	CM	65	CM	30 LEVEL CM	741,5062 litre	17,458 %	3505,9271 litre	O
320	CM	65	CM	29 LEVEL CM	706,6592 litre	16,637 %	3540,7741 litre	O
320	CM	65	CM	28 LEVEL CM	672,2380 litre	15,827 %	3575,1953 litre	O
320	CM	65	CM	27 LEVEL CM	638,2600 litre	15,027 %	3609,1733 litre	O
320	CM	65	CM	26 LEVEL CM	604,7431 litre	14,238 %	3642,6902 litre	O

320	CM	65	CM	25 LEVEL CM	571,7064 litre	13,460 %	3675,7269 litre	O
320	CM	65	CM	24 LEVEL CM	539,1694 litre	12,694 %	3708,2639 litre	O
320	CM	65	CM	23 LEVEL CM	507,1527 litre	11,940 %	3740,2806 litre	O
320	CM	65	CM	22 LEVEL CM	475,6779 litre	11,199 %	3771,7554 litre	O
320	CM	65	CM	21 LEVEL CM	444,7678 litre	10,471 %	3802,6655 litre	O
320	CM	65	CM	20 LEVEL CM	414,4465 litre	9,758 %	3832,9868 litre	O
320	CM	65	CM	19 LEVEL CM	384,7392 litre	9,058 %	3862,6941 litre	O
320	CM	65	CM	18 LEVEL CM	355,6732 litre	8,374 %	3891,7601 litre	O
320	CM	65	CM	17 LEVEL CM	327,2773 litre	7,705 %	3920,1560 litre	O
320	CM	65	CM	16 LEVEL CM	299,5826 litre	7,053 %	3947,8507 litre	O
320	CM	65	CM	15 LEVEL CM	272,6223 litre	6,419 %	3974,8110 litre	O
320	CM	65	CM	14 LEVEL CM	246,4328 litre	5,802 %	4001,0005 litre	O
320	CM	65	CM	13 LEVEL CM	221,0535 litre	5,204 %	4026,3798 litre	O
320	CM	65	CM	12 LEVEL CM	196,5280 litre	4,627 %	4050,9053 litre	O
320	CM	65	CM	11 LEVEL CM	172,9043 litre	4,071 %	4074,5290 litre	O
320	CM	65	CM	10 LEVEL CM	150,2365 litre	3,537 %	4097,1968 litre	O
320	CM	65	CM	9 LEVEL CM	128,5855 litre	3,027 %	4118,8478 litre	O
320	CM	65	CM	8 LEVEL CM	108,0216 litre	2,543 %	4139,4117 litre	O
320	CM	65	CM	7 LEVEL CM	88,6267 litre	2,087 %	4158,8066 litre	O
320	CM	65	CM	6 LEVEL CM	70,4986 litre	1,660 %	4176,9347 litre	O
320	CM	65	CM	5 LEVEL CM	53,7576 litre	1,266 %	4193,6757 litre	O
320	CM	65	CM	4 LEVEL CM	38,5567 litre	0,908 %	4208,8766 litre	O
320	CM	65	CM	3 LEVEL CM	25,1022 litre	0,591 %	4222,3311 litre	O
320	CM	65	CM	2 LEVEL CM	13,6959 litre	0,322 %	4233,7374 litre	O
320	CM	65	CM	1 LEVEL CM	4,8535 litre	0,114 %	4242,5798 litre	O
320	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	4247,4333 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	60	CM 120 LEVEL CM	3619,1147 litre	100,000 %	0,0000 litre	O
320	CM	60	CM 119 LEVEL CM	3614,4525 litre	99,871 %	4,6622 litre	O
320	CM	60	CM 118 LEVEL CM	3605,9613 litre	99,637 %	13,1534 litre	O
320	CM	60	CM 117 LEVEL CM	3595,0114 litre	99,334 %	24,1033 litre	O
320	CM	60	CM 116 LEVEL CM	3582,0997 litre	98,977 %	37,0150 litre	O
320	CM	60	CM 115 LEVEL CM	3567,5171 litre	98,574 %	51,5976 litre	O
320	CM	60	CM 114 LEVEL CM	3551,4625 litre	98,131 %	67,6522 litre	O
320	CM	60	CM 113 LEVEL CM	3534,0839 litre	97,651 %	85,0308 litre	O
320	CM	60	CM 112 LEVEL CM	3515,4975 litre	97,137 %	103,6172 litre	O
320	CM	60	CM 111 LEVEL CM	3495,7980 litre	96,593 %	123,3167 litre	O
320	CM	60	CM 110 LEVEL CM	3475,0650 litre	96,020 %	144,0497 litre	O
320	CM	60	CM 109 LEVEL CM	3453,3663 litre	95,420 %	165,7484 litre	O
320	CM	60	CM 108 LEVEL CM	3430,7615 litre	94,796 %	188,3532 litre	O
320	CM	60	CM 107 LEVEL CM	3407,3028 litre	94,147 %	211,8119 litre	O
320	CM	60	CM 106 LEVEL CM	3383,0373 litre	93,477 %	236,0774 litre	O
320	CM	60	CM 105 LEVEL CM	3358,0072 litre	92,785 %	261,1075 litre	O
320	CM	60	CM 104 LEVEL CM	3332,2511 litre	92,074 %	286,8636 litre	O
320	CM	60	CM 103 LEVEL CM	3305,8045 litre	91,343 %	313,3102 litre	O
320	CM	60	CM 102 LEVEL CM	3278,7001 litre	90,594 %	340,4146 litre	O
320	CM	60	CM 101 LEVEL CM	3250,9681 litre	89,828 %	368,1466 litre	O
320	CM	60	CM 100 LEVEL CM	3222,6370 litre	89,045 %	396,4777 litre	O
320	CM	60	CM 99 LEVEL CM	3193,7334 litre	88,246 %	425,3813 litre	O
320	CM	60	CM 98 LEVEL CM	3164,2822 litre	87,432 %	454,8325 litre	O
320	CM	60	CM 97 LEVEL CM	3134,3071 litre	86,604 %	484,8076 litre	O
320	CM	60	CM 96 LEVEL CM	3103,8306 litre	85,762 %	515,2841 litre	O
320	CM	60	CM 95 LEVEL CM	3072,8741 litre	84,907 %	546,2406 litre	O
320	CM	60	CM 94 LEVEL CM	3041,4578 litre	84,039 %	577,6569 litre	O
320	CM	60	CM 93 LEVEL CM	3009,6013 litre	83,158 %	609,5134 litre	O
320	CM	60	CM 92 LEVEL CM	2977,3233 litre	82,267 %	641,7914 litre	O
320	CM	60	CM 91 LEVEL CM	2944,6417 litre	81,364 %	674,4730 litre	O
320	CM	60	CM 90 LEVEL CM	2911,5738 litre	80,450 %	707,5409 litre	O
320	CM	60	CM 89 LEVEL CM	2878,1364 litre	79,526 %	740,9783 litre	O
320	CM	60	CM 88 LEVEL CM	2844,3456 litre	78,592 %	774,7691 litre	O
320	CM	60	CM 87 LEVEL CM	2810,2170 litre	77,649 %	808,8977 litre	O
320	CM	60	CM 86 LEVEL CM	2775,7660 litre	76,697 %	843,3487 litre	O
320	CM	60	CM 85 LEVEL CM	2741,0071 litre	75,737 %	878,1076 litre	O
320	CM	60	CM 84 LEVEL CM	2705,9550 litre	74,768 %	913,1597 litre	O
320	CM	60	CM 83 LEVEL CM	2670,6234 litre	73,792 %	948,4913 litre	O
320	CM	60	CM 82 LEVEL CM	2635,0262 litre	72,809 %	984,0885 litre	O
320	CM	60	CM 81 LEVEL CM	2599,1768 litre	71,818 %	1019,9379 litre	O
320	CM	60	CM 80 LEVEL CM	2563,0882 litre	70,821 %	1056,0265 litre	O
320	CM	60	CM 79 LEVEL CM	2526,7733 litre	69,817 %	1092,3414 litre	O
320	CM	60	CM 78 LEVEL CM	2490,2447 litre	68,808 %	1128,8700 litre	O
320	CM	60	CM 77 LEVEL CM	2453,5148 litre	67,793 %	1165,5999 litre	O
320	CM	60	CM 76 LEVEL CM	2416,5959 litre	66,773 %	1202,5188 litre	O
320	CM	60	CM 75 LEVEL CM	2379,4998 litre	65,748 %	1239,6149 litre	O
320	CM	60	CM 74 LEVEL CM	2342,2385 litre	64,719 %	1276,8762 litre	O
320	CM	60	CM 73 LEVEL CM	2304,8236 litre	63,685 %	1314,2911 litre	O
320	CM	60	CM 72 LEVEL CM	2267,2667 litre	62,647 %	1351,8480 litre	O
320	CM	60	CM 71 LEVEL CM	2229,5791 litre	61,606 %	1389,5356 litre	O
320	CM	60	CM 70 LEVEL CM	2191,7721 litre	60,561 %	1427,3426 litre	O
320	CM	60	CM 69 LEVEL CM	2153,8570 litre	59,513 %	1465,2577 litre	O

320	CM	60	CM	68 LEVEL CM	2115,8447 litre	58,463 %	1503,2700 litre	O
320	CM	60	CM	67 LEVEL CM	2077,7463 litre	57,410 %	1541,3684 litre	O
320	CM	60	CM	66 LEVEL CM	2039,5728 litre	56,356 %	1579,5419 litre	O
320	CM	60	CM	65 LEVEL CM	2001,3349 litre	55,299 %	1617,7798 litre	O
320	CM	60	CM	64 LEVEL CM	1963,0435 litre	54,241 %	1656,0712 litre	O
320	CM	60	CM	63 LEVEL CM	1924,7094 litre	53,182 %	1694,4053 litre	O
320	CM	60	CM	62 LEVEL CM	1886,3431 litre	52,122 %	1732,7716 litre	O
320	CM	60	CM	61 LEVEL CM	1847,9556 litre	51,061 %	1771,1591 litre	O
320	CM	60	CM	60 LEVEL CM	1809,5574 litre	50,000 %	1809,5573 litre	O
320	CM	60	CM	59 LEVEL CM	1771,1591 litre	48,939 %	1847,9556 litre	O
320	CM	60	CM	58 LEVEL CM	1732,7716 litre	47,878 %	1886,3431 litre	O
320	CM	60	CM	57 LEVEL CM	1694,4054 litre	46,818 %	1924,7093 litre	O
320	CM	60	CM	56 LEVEL CM	1656,0712 litre	45,759 %	1963,0435 litre	O
320	CM	60	CM	55 LEVEL CM	1617,7798 litre	44,701 %	2001,3349 litre	O
320	CM	60	CM	54 LEVEL CM	1579,5419 litre	43,644 %	2039,5728 litre	O
320	CM	60	CM	53 LEVEL CM	1541,3684 litre	42,590 %	2077,7463 litre	O
320	CM	60	CM	52 LEVEL CM	1503,2700 litre	41,537 %	2115,8447 litre	O
320	CM	60	CM	51 LEVEL CM	1465,2578 litre	40,487 %	2153,8569 litre	O
320	CM	60	CM	50 LEVEL CM	1427,3426 litre	39,439 %	2191,7721 litre	O
320	CM	60	CM	49 LEVEL CM	1389,5357 litre	38,394 %	2229,5790 litre	O
320	CM	60	CM	48 LEVEL CM	1351,8481 litre	37,353 %	2267,2666 litre	O
320	CM	60	CM	47 LEVEL CM	1314,2911 litre	36,315 %	2304,8236 litre	O
320	CM	60	CM	46 LEVEL CM	1276,8762 litre	35,281 %	2342,2385 litre	O
320	CM	60	CM	45 LEVEL CM	1239,6149 litre	34,252 %	2379,4998 litre	O
320	CM	60	CM	44 LEVEL CM	1202,5189 litre	33,227 %	2416,5958 litre	O
320	CM	60	CM	43 LEVEL CM	1165,5999 litre	32,207 %	2453,5148 litre	O
320	CM	60	CM	42 LEVEL CM	1128,8700 litre	31,192 %	2490,2447 litre	O
320	CM	60	CM	41 LEVEL CM	1092,3415 litre	30,183 %	2526,7732 litre	O
320	CM	60	CM	40 LEVEL CM	1056,0266 litre	29,179 %	2563,0881 litre	O
320	CM	60	CM	39 LEVEL CM	1019,9380 litre	28,182 %	2599,1767 litre	O
320	CM	60	CM	38 LEVEL CM	984,0885 litre	27,191 %	2635,0262 litre	O
320	CM	60	CM	37 LEVEL CM	948,4913 litre	26,208 %	2670,6234 litre	O
320	CM	60	CM	36 LEVEL CM	913,1598 litre	25,232 %	2705,9549 litre	O
320	CM	60	CM	35 LEVEL CM	878,1076 litre	24,263 %	2741,0071 litre	O
320	CM	60	CM	34 LEVEL CM	843,3488 litre	23,303 %	2775,7659 litre	O
320	CM	60	CM	33 LEVEL CM	808,8977 litre	22,351 %	2810,2170 litre	O
320	CM	60	CM	32 LEVEL CM	774,7692 litre	21,408 %	2844,3455 litre	O
320	CM	60	CM	31 LEVEL CM	740,9784 litre	20,474 %	2878,1363 litre	O
320	CM	60	CM	30 LEVEL CM	707,5409 litre	19,550 %	2911,5738 litre	O
320	CM	60	CM	29 LEVEL CM	674,4731 litre	18,636 %	2944,6416 litre	O
320	CM	60	CM	28 LEVEL CM	641,7915 litre	17,733 %	2977,3232 litre	O
320	CM	60	CM	27 LEVEL CM	609,5134 litre	16,842 %	3009,6013 litre	O
320	CM	60	CM	26 LEVEL CM	577,6569 litre	15,961 %	3041,4578 litre	O
320	CM	60	CM	25 LEVEL CM	546,2407 litre	15,093 %	3072,8740 litre	O
320	CM	60	CM	24 LEVEL CM	515,2841 litre	14,238 %	3103,8306 litre	O
320	CM	60	CM	23 LEVEL CM	484,8076 litre	13,396 %	3134,3071 litre	O
320	CM	60	CM	22 LEVEL CM	454,8325 litre	12,568 %	3164,2822 litre	O
320	CM	60	CM	21 LEVEL CM	425,3814 litre	11,754 %	3193,7333 litre	O
320	CM	60	CM	20 LEVEL CM	396,4777 litre	10,955 %	3222,6370 litre	O
320	CM	60	CM	19 LEVEL CM	368,1466 litre	10,172 %	3250,9681 litre	O
320	CM	60	CM	18 LEVEL CM	340,4147 litre	9,406 %	3278,7000 litre	O
320	CM	60	CM	17 LEVEL CM	313,3102 litre	8,657 %	3305,8045 litre	O
320	CM	60	CM	16 LEVEL CM	286,8636 litre	7,926 %	3332,2511 litre	O

320	CM	60	CM	15 LEVEL CM	261,1076 litre	7,215 %	3358,0071 litre	O
320	CM	60	CM	14 LEVEL CM	236,0775 litre	6,523 %	3383,0372 litre	O
320	CM	60	CM	13 LEVEL CM	211,8119 litre	5,853 %	3407,3028 litre	O
320	CM	60	CM	12 LEVEL CM	188,3533 litre	5,204 %	3430,7614 litre	O
320	CM	60	CM	11 LEVEL CM	165,7484 litre	4,580 %	3453,3663 litre	O
320	CM	60	CM	10 LEVEL CM	144,0498 litre	3,980 %	3475,0649 litre	O
320	CM	60	CM	9 LEVEL CM	123,3167 litre	3,407 %	3495,7980 litre	O
320	CM	60	CM	8 LEVEL CM	103,6172 litre	2,863 %	3515,4975 litre	O
320	CM	60	CM	7 LEVEL CM	85,0308 litre	2,349 %	3534,0839 litre	O
320	CM	60	CM	6 LEVEL CM	67,6522 litre	1,869 %	3551,4625 litre	O
320	CM	60	CM	5 LEVEL CM	51,5976 litre	1,426 %	3567,5171 litre	O
320	CM	60	CM	4 LEVEL CM	37,0150 litre	1,023 %	3582,0997 litre	O
320	CM	60	CM	3 LEVEL CM	24,1033 litre	0,666 %	3595,0114 litre	O
320	CM	60	CM	2 LEVEL CM	13,1535 litre	0,363 %	3605,9612 litre	O
320	CM	60	CM	1 LEVEL CM	4,6622 litre	0,129 %	3614,4525 litre	O
320	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3619,1147 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
320	CM	55	CM 110 LEVEL CM	3041,0617 litre	100,000 %	0,0000 litre	O
320	CM	55	CM 109 LEVEL CM	3036,5990 litre	99,853 %	4,4627 litre	O
320	CM	55	CM 108 LEVEL CM	3028,4740 litre	99,586 %	12,5877 litre	O
320	CM	55	CM 107 LEVEL CM	3018,0005 litre	99,242 %	23,0612 litre	O
320	CM	55	CM 106 LEVEL CM	3005,6555 litre	98,836 %	35,4062 litre	O
320	CM	55	CM 105 LEVEL CM	2991,7185 litre	98,377 %	49,3432 litre	O
320	CM	55	CM 104 LEVEL CM	2976,3810 litre	97,873 %	64,6807 litre	O
320	CM	55	CM 103 LEVEL CM	2959,7857 litre	97,327 %	81,2760 litre	O
320	CM	55	CM 102 LEVEL CM	2942,0446 litre	96,744 %	99,0171 litre	O
320	CM	55	CM 101 LEVEL CM	2923,2493 litre	96,126 %	117,8124 litre	O
320	CM	55	CM 100 LEVEL CM	2903,4767 litre	95,476 %	137,5850 litre	O
320	CM	55	CM 99 LEVEL CM	2882,7926 litre	94,796 %	158,2691 litre	O
320	CM	55	CM 98 LEVEL CM	2861,2547 litre	94,087 %	179,8070 litre	O
320	CM	55	CM 97 LEVEL CM	2838,9138 litre	93,353 %	202,1479 litre	O
320	CM	55	CM 96 LEVEL CM	2815,8156 litre	92,593 %	225,2461 litre	O
320	CM	55	CM 95 LEVEL CM	2792,0013 litre	91,810 %	249,0604 litre	O
320	CM	55	CM 94 LEVEL CM	2767,5086 litre	91,005 %	273,5531 litre	O
320	CM	55	CM 93 LEVEL CM	2742,3721 litre	90,178 %	298,6896 litre	O
320	CM	55	CM 92 LEVEL CM	2716,6238 litre	89,331 %	324,4379 litre	O
320	CM	55	CM 91 LEVEL CM	2690,2934 litre	88,466 %	350,7683 litre	O
320	CM	55	CM 90 LEVEL CM	2663,4088 litre	87,582 %	377,6529 litre	O
320	CM	55	CM 89 LEVEL CM	2635,9961 litre	86,680 %	405,0656 litre	O
320	CM	55	CM 88 LEVEL CM	2608,0799 litre	85,762 %	432,9818 litre	O
320	CM	55	CM 87 LEVEL CM	2579,6837 litre	84,828 %	461,3780 litre	O
320	CM	55	CM 86 LEVEL CM	2550,8295 litre	83,880 %	490,2322 litre	O
320	CM	55	CM 85 LEVEL CM	2521,5385 litre	82,916 %	519,5232 litre	O
320	CM	55	CM 84 LEVEL CM	2491,8310 litre	81,940 %	549,2307 litre	O
320	CM	55	CM 83 LEVEL CM	2461,7262 litre	80,950 %	579,3355 litre	O
320	CM	55	CM 82 LEVEL CM	2431,2429 litre	79,947 %	609,8188 litre	O
320	CM	55	CM 81 LEVEL CM	2400,3989 litre	78,933 %	640,6628 litre	O
320	CM	55	CM 80 LEVEL CM	2369,2115 litre	77,907 %	671,8502 litre	O
320	CM	55	CM 79 LEVEL CM	2337,6974 litre	76,871 %	703,3643 litre	O
320	CM	55	CM 78 LEVEL CM	2305,8730 litre	75,825 %	735,1887 litre	O
320	CM	55	CM 77 LEVEL CM	2273,7538 litre	74,768 %	767,3079 litre	O
320	CM	55	CM 76 LEVEL CM	2241,3553 litre	73,703 %	799,7064 litre	O
320	CM	55	CM 75 LEVEL CM	2208,6924 litre	72,629 %	832,3693 litre	O
320	CM	55	CM 74 LEVEL CM	2175,7796 litre	71,547 %	865,2821 litre	O
320	CM	55	CM 73 LEVEL CM	2142,6312 litre	70,457 %	898,4305 litre	O
320	CM	55	CM 72 LEVEL CM	2109,2612 litre	69,359 %	931,8005 litre	O
320	CM	55	CM 71 LEVEL CM	2075,6831 litre	68,255 %	965,3786 litre	O
320	CM	55	CM 70 LEVEL CM	2041,9103 litre	67,145 %	999,1514 litre	O
320	CM	55	CM 69 LEVEL CM	2007,9562 litre	66,028 %	1033,1055 litre	O
320	CM	55	CM 68 LEVEL CM	1973,8336 litre	64,906 %	1067,2281 litre	O
320	CM	55	CM 67 LEVEL CM	1939,5552 litre	63,779 %	1101,5065 litre	O
320	CM	55	CM 66 LEVEL CM	1905,1338 litre	62,647 %	1135,9279 litre	O
320	CM	55	CM 65 LEVEL CM	1870,5817 litre	61,511 %	1170,4800 litre	O
320	CM	55	CM 64 LEVEL CM	1835,9113 litre	60,371 %	1205,1504 litre	O
320	CM	55	CM 63 LEVEL CM	1801,1347 litre	59,227 %	1239,9270 litre	O
320	CM	55	CM 62 LEVEL CM	1766,2640 litre	58,081 %	1274,7977 litre	O
320	CM	55	CM 61 LEVEL CM	1731,3112 litre	56,931 %	1309,7505 litre	O
320	CM	55	CM 60 LEVEL CM	1696,2881 litre	55,779 %	1344,7736 litre	O
320	CM	55	CM 59 LEVEL CM	1661,2066 litre	54,626 %	1379,8551 litre	O

320	CM	55	CM	58 LEVEL CM	1626,0785 litre	53,471 %	1414,9832 litre	O
320	CM	55	CM	57 LEVEL CM	1590,9153 litre	52,314 %	1450,1464 litre	O
320	CM	55	CM	56 LEVEL CM	1555,7289 litre	51,157 %	1485,3328 litre	O
320	CM	55	CM	55 LEVEL CM	1520,5308 litre	50,000 %	1520,5309 litre	O
320	CM	55	CM	54 LEVEL CM	1485,3328 litre	48,843 %	1555,7289 litre	O
320	CM	55	CM	53 LEVEL CM	1450,1464 litre	47,686 %	1590,9153 litre	O
320	CM	55	CM	52 LEVEL CM	1414,9832 litre	46,529 %	1626,0785 litre	O
320	CM	55	CM	51 LEVEL CM	1379,8551 litre	45,374 %	1661,2066 litre	O
320	CM	55	CM	50 LEVEL CM	1344,7736 litre	44,221 %	1696,2881 litre	O
320	CM	55	CM	49 LEVEL CM	1309,7505 litre	43,069 %	1731,3112 litre	O
320	CM	55	CM	48 LEVEL CM	1274,7977 litre	41,919 %	1766,2640 litre	O
320	CM	55	CM	47 LEVEL CM	1239,9270 litre	40,773 %	1801,1347 litre	O
320	CM	55	CM	46 LEVEL CM	1205,1504 litre	39,629 %	1835,9113 litre	O
320	CM	55	CM	45 LEVEL CM	1170,4800 litre	38,489 %	1870,5817 litre	O
320	CM	55	CM	44 LEVEL CM	1135,9279 litre	37,353 %	1905,1338 litre	O
320	CM	55	CM	43 LEVEL CM	1101,5065 litre	36,221 %	1939,5552 litre	O
320	CM	55	CM	42 LEVEL CM	1067,2281 litre	35,094 %	1973,8336 litre	O
320	CM	55	CM	41 LEVEL CM	1033,1055 litre	33,972 %	2007,9562 litre	O
320	CM	55	CM	40 LEVEL CM	999,1513 litre	32,855 %	2041,9104 litre	O
320	CM	55	CM	39 LEVEL CM	965,3786 litre	31,745 %	2075,6831 litre	O
320	CM	55	CM	38 LEVEL CM	931,8005 litre	30,641 %	2109,2612 litre	O
320	CM	55	CM	37 LEVEL CM	898,4304 litre	29,543 %	2142,6313 litre	O
320	CM	55	CM	36 LEVEL CM	865,2821 litre	28,453 %	2175,7796 litre	O
320	CM	55	CM	35 LEVEL CM	832,3693 litre	27,371 %	2208,6924 litre	O
320	CM	55	CM	34 LEVEL CM	799,7064 litre	26,297 %	2241,3553 litre	O
320	CM	55	CM	33 LEVEL CM	767,3079 litre	25,232 %	2273,7538 litre	O
320	CM	55	CM	32 LEVEL CM	735,1887 litre	24,175 %	2305,8730 litre	O
320	CM	55	CM	31 LEVEL CM	703,3643 litre	23,129 %	2337,6974 litre	O
320	CM	55	CM	30 LEVEL CM	671,8502 litre	22,093 %	2369,2115 litre	O
320	CM	55	CM	29 LEVEL CM	640,6628 litre	21,067 %	2400,3989 litre	O
320	CM	55	CM	28 LEVEL CM	609,8188 litre	20,053 %	2431,2429 litre	O
320	CM	55	CM	27 LEVEL CM	579,3354 litre	19,050 %	2461,7263 litre	O
320	CM	55	CM	26 LEVEL CM	549,2307 litre	18,060 %	2491,8310 litre	O
320	CM	55	CM	25 LEVEL CM	519,5232 litre	17,084 %	2521,5385 litre	O
320	CM	55	CM	24 LEVEL CM	490,2322 litre	16,120 %	2550,8295 litre	O
320	CM	55	CM	23 LEVEL CM	461,3780 litre	15,172 %	2579,6837 litre	O
320	CM	55	CM	22 LEVEL CM	432,9818 litre	14,238 %	2608,0799 litre	O
320	CM	55	CM	21 LEVEL CM	405,0656 litre	13,320 %	2635,9961 litre	O
320	CM	55	CM	20 LEVEL CM	377,6529 litre	12,418 %	2663,4088 litre	O
320	CM	55	CM	19 LEVEL CM	350,7683 litre	11,534 %	2690,2934 litre	O
320	CM	55	CM	18 LEVEL CM	324,4379 litre	10,669 %	2716,6238 litre	O
320	CM	55	CM	17 LEVEL CM	298,6895 litre	9,822 %	2742,3722 litre	O
320	CM	55	CM	16 LEVEL CM	273,5531 litre	8,995 %	2767,5086 litre	O
320	CM	55	CM	15 LEVEL CM	249,0604 litre	8,190 %	2792,0013 litre	O
320	CM	55	CM	14 LEVEL CM	225,2461 litre	7,407 %	2815,8156 litre	O
320	CM	55	CM	13 LEVEL CM	202,1479 litre	6,647 %	2838,9138 litre	O
320	CM	55	CM	12 LEVEL CM	179,8070 litre	5,913 %	2861,2547 litre	O
320	CM	55	CM	11 LEVEL CM	158,2691 litre	5,204 %	2882,7926 litre	O
320	CM	55	CM	10 LEVEL CM	137,5850 litre	4,524 %	2903,4767 litre	O
320	CM	55	CM	9 LEVEL CM	117,8124 litre	3,874 %	2923,2493 litre	O
320	CM	55	CM	8 LEVEL CM	99,0171 litre	3,256 %	2942,0446 litre	O
320	CM	55	CM	7 LEVEL CM	81,2760 litre	2,673 %	2959,7857 litre	O
320	CM	55	CM	6 LEVEL CM	64,6807 litre	2,127 %	2976,3810 litre	O

320	CM 55	CM	5 LEVEL CM	49,3432 litre	1,623 %	2991,7185 litre	O
320	CM 55	CM	4 LEVEL CM	35,4062 litre	1,164 %	3005,6555 litre	O
320	CM 55	CM	3 LEVEL CM	23,0612 litre	0,758 %	3018,0005 litre	O
320	CM 55	CM	2 LEVEL CM	12,5877 litre	0,414 %	3028,4740 litre	O
320	CM 55	CM	1 LEVEL CM	4,4627 litre	0,147 %	3036,5990 litre	O
320	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	3041,0617 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
320	CM	50	CM	100 LEVEL CM	2513,2741 litre	100,000 %	0,0000 litre	O
320	CM	50	CM	99 LEVEL CM	2509,0203 litre	99,831 %	4,2538 litre	O
320	CM	50	CM	98 LEVEL CM	2501,2788 litre	99,523 %	11,9953 litre	O
320	CM	50	CM	97 LEVEL CM	2491,3045 litre	99,126 %	21,9696 litre	O
320	CM	50	CM	96 LEVEL CM	2479,5534 litre	98,658 %	33,7207 litre	O
320	CM	50	CM	95 LEVEL CM	2466,2934 litre	98,131 %	46,9807 litre	O
320	CM	50	CM	94 LEVEL CM	2451,7083 litre	97,550 %	61,5658 litre	O
320	CM	50	CM	93 LEVEL CM	2435,9351 litre	96,923 %	77,3390 litre	O
320	CM	50	CM	92 LEVEL CM	2419,0817 litre	96,252 %	94,1924 litre	O
320	CM	50	CM	91 LEVEL CM	2401,2363 litre	95,542 %	112,0378 litre	O
320	CM	50	CM	90 LEVEL CM	2382,4732 litre	94,796 %	130,8009 litre	O
320	CM	50	CM	89 LEVEL CM	2362,8561 litre	94,015 %	150,4180 litre	O
320	CM	50	CM	88 LEVEL CM	2342,4408 litre	93,203 %	170,8333 litre	O
320	CM	50	CM	87 LEVEL CM	2321,2766 litre	92,361 %	191,9975 litre	O
320	CM	50	CM	86 LEVEL CM	2299,4080 litre	91,491 %	213,8661 litre	O
320	CM	50	CM	85 LEVEL CM	2276,8751 litre	90,594 %	236,3990 litre	O
320	CM	50	CM	84 LEVEL CM	2253,7146 litre	89,672 %	259,5595 litre	O
320	CM	50	CM	83 LEVEL CM	2229,9603 litre	88,727 %	283,3138 litre	O
320	CM	50	CM	82 LEVEL CM	2205,6436 litre	87,760 %	307,6305 litre	O
320	CM	50	CM	81 LEVEL CM	2180,7937 litre	86,771 %	332,4804 litre	O
320	CM	50	CM	80 LEVEL CM	2155,4379 litre	85,762 %	357,8362 litre	O
320	CM	50	CM	79 LEVEL CM	2129,6021 litre	84,734 %	383,6720 litre	O
320	CM	50	CM	78 LEVEL CM	2103,3104 litre	83,688 %	409,9637 litre	O
320	CM	50	CM	77 LEVEL CM	2076,5860 litre	82,625 %	436,6881 litre	O
320	CM	50	CM	76 LEVEL CM	2049,4510 litre	81,545 %	463,8231 litre	O
320	CM	50	CM	75 LEVEL CM	2021,9262 litre	80,450 %	491,3479 litre	O
320	CM	50	CM	74 LEVEL CM	1994,0319 litre	79,340 %	519,2422 litre	O
320	CM	50	CM	73 LEVEL CM	1965,7874 litre	78,216 %	547,4867 litre	O
320	CM	50	CM	72 LEVEL CM	1937,2112 litre	77,079 %	576,0629 litre	O
320	CM	50	CM	71 LEVEL CM	1908,3214 litre	75,930 %	604,9527 litre	O
320	CM	50	CM	70 LEVEL CM	1879,1354 litre	74,768 %	634,1387 litre	O
320	CM	50	CM	69 LEVEL CM	1849,6700 litre	73,596 %	663,6041 litre	O
320	CM	50	CM	68 LEVEL CM	1819,9416 litre	72,413 %	693,3325 litre	O
320	CM	50	CM	67 LEVEL CM	1789,9663 litre	71,220 %	723,3078 litre	O
320	CM	50	CM	66 LEVEL CM	1759,7595 litre	70,019 %	753,5146 litre	O
320	CM	50	CM	65 LEVEL CM	1729,3366 litre	68,808 %	783,9375 litre	O
320	CM	50	CM	64 LEVEL CM	1698,7123 litre	67,590 %	814,5618 litre	O
320	CM	50	CM	63 LEVEL CM	1667,9014 litre	66,364 %	845,3727 litre	O
320	CM	50	CM	62 LEVEL CM	1636,9181 litre	65,131 %	876,3560 litre	O
320	CM	50	CM	61 LEVEL CM	1605,7766 litre	63,892 %	907,4975 litre	O
320	CM	50	CM	60 LEVEL CM	1574,4907 litre	62,647 %	938,7834 litre	O
320	CM	50	CM	59 LEVEL CM	1543,0742 litre	61,397 %	970,1999 litre	O
320	CM	50	CM	58 LEVEL CM	1511,5406 litre	60,142 %	1001,7335 litre	O
320	CM	50	CM	57 LEVEL CM	1479,9032 litre	58,883 %	1033,3709 litre	O
320	CM	50	CM	56 LEVEL CM	1448,1753 litre	57,621 %	1065,0988 litre	O
320	CM	50	CM	55 LEVEL CM	1416,3700 litre	56,356 %	1096,9041 litre	O
320	CM	50	CM	54 LEVEL CM	1384,5004 litre	55,088 %	1128,7737 litre	O
320	CM	50	CM	53 LEVEL CM	1352,5794 litre	53,817 %	1160,6947 litre	O
320	CM	50	CM	52 LEVEL CM	1320,6200 litre	52,546 %	1192,6541 litre	O
320	CM	50	CM	51 LEVEL CM	1288,6349 litre	51,273 %	1224,6392 litre	O
320	CM	50	CM	50 LEVEL CM	1256,6371 litre	50,000 %	1256,6370 litre	O
320	CM	50	CM	49 LEVEL CM	1224,6392 litre	48,727 %	1288,6349 litre	O

320	CM	50	CM	48 LEVEL CM	1192,6541 litre	47,454 %	1320,6200 litre	O
320	CM	50	CM	47 LEVEL CM	1160,6947 litre	46,183 %	1352,5794 litre	O
320	CM	50	CM	46 LEVEL CM	1128,7737 litre	44,912 %	1384,5004 litre	O
320	CM	50	CM	45 LEVEL CM	1096,9041 litre	43,644 %	1416,3700 litre	O
320	CM	50	CM	44 LEVEL CM	1065,0989 litre	42,379 %	1448,1752 litre	O
320	CM	50	CM	43 LEVEL CM	1033,3710 litre	41,117 %	1479,9031 litre	O
320	CM	50	CM	42 LEVEL CM	1001,7336 litre	39,858 %	1511,5405 litre	O
320	CM	50	CM	41 LEVEL CM	970,1999 litre	38,603 %	1543,0742 litre	O
320	CM	50	CM	40 LEVEL CM	938,7834 litre	37,353 %	1574,4907 litre	O
320	CM	50	CM	39 LEVEL CM	907,4975 litre	36,108 %	1605,7766 litre	O
320	CM	50	CM	38 LEVEL CM	876,3560 litre	34,869 %	1636,9181 litre	O
320	CM	50	CM	37 LEVEL CM	845,3727 litre	33,636 %	1667,9014 litre	O
320	CM	50	CM	36 LEVEL CM	814,5618 litre	32,410 %	1698,7123 litre	O
320	CM	50	CM	35 LEVEL CM	783,9375 litre	31,192 %	1729,3366 litre	O
320	CM	50	CM	34 LEVEL CM	753,5146 litre	29,981 %	1759,7595 litre	O
320	CM	50	CM	33 LEVEL CM	723,3078 litre	28,780 %	1789,9663 litre	O
320	CM	50	CM	32 LEVEL CM	693,3325 litre	27,587 %	1819,9416 litre	O
320	CM	50	CM	31 LEVEL CM	663,6041 litre	26,404 %	1849,6700 litre	O
320	CM	50	CM	30 LEVEL CM	634,1387 litre	25,232 %	1879,1354 litre	O
320	CM	50	CM	29 LEVEL CM	604,9527 litre	24,070 %	1908,3214 litre	O
320	CM	50	CM	28 LEVEL CM	576,0629 litre	22,921 %	1937,2112 litre	O
320	CM	50	CM	27 LEVEL CM	547,4867 litre	21,784 %	1965,7874 litre	O
320	CM	50	CM	26 LEVEL CM	519,2422 litre	20,660 %	1994,0319 litre	O
320	CM	50	CM	25 LEVEL CM	491,3479 litre	19,550 %	2021,9262 litre	O
320	CM	50	CM	24 LEVEL CM	463,8231 litre	18,455 %	2049,4510 litre	O
320	CM	50	CM	23 LEVEL CM	436,6881 litre	17,375 %	2076,5860 litre	O
320	CM	50	CM	22 LEVEL CM	409,9637 litre	16,312 %	2103,3104 litre	O
320	CM	50	CM	21 LEVEL CM	383,6721 litre	15,266 %	2129,6020 litre	O
320	CM	50	CM	20 LEVEL CM	357,8362 litre	14,238 %	2155,4379 litre	O
320	CM	50	CM	19 LEVEL CM	332,4804 litre	13,229 %	2180,7937 litre	O
320	CM	50	CM	18 LEVEL CM	307,6305 litre	12,240 %	2205,6436 litre	O
320	CM	50	CM	17 LEVEL CM	283,3138 litre	11,273 %	2229,9603 litre	O
320	CM	50	CM	16 LEVEL CM	259,5596 litre	10,328 %	2253,7145 litre	O
320	CM	50	CM	15 LEVEL CM	236,3991 litre	9,406 %	2276,8750 litre	O
320	CM	50	CM	14 LEVEL CM	213,8661 litre	8,509 %	2299,4080 litre	O
320	CM	50	CM	13 LEVEL CM	191,9975 litre	7,639 %	2321,2766 litre	O
320	CM	50	CM	12 LEVEL CM	170,8333 litre	6,797 %	2342,4408 litre	O
320	CM	50	CM	11 LEVEL CM	150,4180 litre	5,985 %	2362,8561 litre	O
320	CM	50	CM	10 LEVEL CM	130,8009 litre	5,204 %	2382,4732 litre	O
320	CM	50	CM	9 LEVEL CM	112,0378 litre	4,458 %	2401,2363 litre	O
320	CM	50	CM	8 LEVEL CM	94,1924 litre	3,748 %	2419,0817 litre	O
320	CM	50	CM	7 LEVEL CM	77,3390 litre	3,077 %	2435,9351 litre	O
320	CM	50	CM	6 LEVEL CM	61,5658 litre	2,450 %	2451,7083 litre	O
320	CM	50	CM	5 LEVEL CM	46,9807 litre	1,869 %	2466,2934 litre	O
320	CM	50	CM	4 LEVEL CM	33,7208 litre	1,342 %	2479,5533 litre	O
320	CM	50	CM	3 LEVEL CM	21,9696 litre	0,874 %	2491,3045 litre	O
320	CM	50	CM	2 LEVEL CM	11,9953 litre	0,477 %	2501,2788 litre	O
320	CM	50	CM	1 LEVEL CM	4,2538 litre	0,169 %	2509,0203 litre	O
320	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2513,2741 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 150	CM 300 LEVEL CM	21912,6088 litre	100,000 %	0,0000 litre	O
310	CM 150	CM 299 LEVEL CM	21905,4568 litre	99,967 %	7,1520 litre	O
310	CM 150	CM 298 LEVEL CM	21892,4002 litre	99,908 %	20,2086 litre	O
310	CM 150	CM 297 LEVEL CM	21875,5206 litre	99,831 %	37,0882 litre	O
310	CM 150	CM 296 LEVEL CM	21855,5653 litre	99,740 %	57,0435 litre	O
310	CM 150	CM 295 LEVEL CM	21832,9685 litre	99,637 %	79,6403 litre	O
310	CM 150	CM 294 LEVEL CM	21808,0248 litre	99,523 %	104,5840 litre	O
310	CM 150	CM 293 LEVEL CM	21780,9516 litre	99,399 %	131,6572 litre	O
310	CM 150	CM 292 LEVEL CM	21751,9180 litre	99,267 %	160,6908 litre	O
310	CM 150	CM 291 LEVEL CM	21721,0610 litre	99,126 %	191,5478 litre	O
310	CM 150	CM 290 LEVEL CM	21688,4943 litre	98,977 %	224,1145 litre	O
310	CM 150	CM 289 LEVEL CM	21654,3148 litre	98,821 %	258,2940 litre	O
310	CM 150	CM 288 LEVEL CM	21618,6059 litre	98,658 %	294,0029 litre	O
310	CM 150	CM 287 LEVEL CM	21581,4409 litre	98,489 %	331,1679 litre	O
310	CM 150	CM 286 LEVEL CM	21542,8847 litre	98,313 %	369,7241 litre	O
310	CM 150	CM 285 LEVEL CM	21502,9956 litre	98,131 %	409,6132 litre	O
310	CM 150	CM 284 LEVEL CM	21461,8259 litre	97,943 %	450,7829 litre	O
310	CM 150	CM 283 LEVEL CM	21419,4233 litre	97,749 %	493,1855 litre	O
310	CM 150	CM 282 LEVEL CM	21375,8317 litre	97,550 %	536,7771 litre	O
310	CM 150	CM 281 LEVEL CM	21331,0911 litre	97,346 %	581,5177 litre	O
310	CM 150	CM 280 LEVEL CM	21285,2387 litre	97,137 %	627,3701 litre	O
310	CM 150	CM 279 LEVEL CM	21238,3091 litre	96,923 %	674,2997 litre	O
310	CM 150	CM 278 LEVEL CM	21190,3344 litre	96,704 %	722,2744 litre	O
310	CM 150	CM 277 LEVEL CM	21141,3448 litre	96,480 %	771,2640 litre	O
310	CM 150	CM 276 LEVEL CM	21091,3686 litre	96,252 %	821,2402 litre	O
310	CM 150	CM 275 LEVEL CM	21040,4324 litre	96,020 %	872,1764 litre	O
310	CM 150	CM 274 LEVEL CM	20988,5614 litre	95,783 %	924,0474 litre	O
310	CM 150	CM 273 LEVEL CM	20935,7794 litre	95,542 %	976,8294 litre	O
310	CM 150	CM 272 LEVEL CM	20882,1091 litre	95,297 %	1030,4997 litre	O
310	CM 150	CM 271 LEVEL CM	20827,5720 litre	95,048 %	1085,0368 litre	O
310	CM 150	CM 270 LEVEL CM	20772,1885 litre	94,796 %	1140,4203 litre	O
310	CM 150	CM 269 LEVEL CM	20715,9783 litre	94,539 %	1196,6305 litre	O
310	CM 150	CM 268 LEVEL CM	20658,9602 litre	94,279 %	1253,6486 litre	O
310	CM 150	CM 267 LEVEL CM	20601,1519 litre	94,015 %	1311,4569 litre	O
310	CM 150	CM 266 LEVEL CM	20542,5708 litre	93,748 %	1370,0380 litre	O
310	CM 150	CM 265 LEVEL CM	20483,2334 litre	93,477 %	1429,3754 litre	O
310	CM 150	CM 264 LEVEL CM	20423,1556 litre	93,203 %	1489,4532 litre	O
310	CM 150	CM 263 LEVEL CM	20362,3527 litre	92,925 %	1550,2561 litre	O
310	CM 150	CM 262 LEVEL CM	20300,8396 litre	92,645 %	1611,7692 litre	O
310	CM 150	CM 261 LEVEL CM	20238,6305 litre	92,361 %	1673,9783 litre	O
310	CM 150	CM 260 LEVEL CM	20175,7392 litre	92,074 %	1736,8696 litre	O
310	CM 150	CM 259 LEVEL CM	20112,1792 litre	91,784 %	1800,4296 litre	O
310	CM 150	CM 258 LEVEL CM	20047,9633 litre	91,491 %	1864,6455 litre	O
310	CM 150	CM 257 LEVEL CM	19983,1041 litre	91,195 %	1929,5047 litre	O
310	CM 150	CM 256 LEVEL CM	19917,6139 litre	90,896 %	1994,9949 litre	O
310	CM 150	CM 255 LEVEL CM	19851,5043 litre	90,594 %	2061,1045 litre	O
310	CM 150	CM 254 LEVEL CM	19784,7871 litre	90,290 %	2127,8217 litre	O
310	CM 150	CM 253 LEVEL CM	19717,4733 litre	89,982 %	2195,1355 litre	O
310	CM 150	CM 252 LEVEL CM	19649,5738 litre	89,672 %	2263,0350 litre	O
310	CM 150	CM 251 LEVEL CM	19581,0993 litre	89,360 %	2331,5095 litre	O
310	CM 150	CM 250 LEVEL CM	19512,0601 litre	89,045 %	2400,5487 litre	O
310	CM 150	CM 249 LEVEL CM	19442,4664 litre	88,727 %	2470,1424 litre	O

310	CM	150	CM	248 LEVEL CM	19372,3280 litre	88,407 %	2540,2808 litre	O
310	CM	150	CM	247 LEVEL CM	19301,6545 litre	88,085 %	2610,9543 litre	O
310	CM	150	CM	246 LEVEL CM	19230,4554 litre	87,760 %	2682,1534 litre	O
310	CM	150	CM	245 LEVEL CM	19158,7398 litre	87,432 %	2753,8690 litre	O
310	CM	150	CM	244 LEVEL CM	19086,5168 litre	87,103 %	2826,0920 litre	O
310	CM	150	CM	243 LEVEL CM	19013,7953 litre	86,771 %	2898,8135 litre	O
310	CM	150	CM	242 LEVEL CM	18940,5837 litre	86,437 %	2972,0251 litre	O
310	CM	150	CM	241 LEVEL CM	18866,8908 litre	86,101 %	3045,7180 litre	O
310	CM	150	CM	240 LEVEL CM	18792,7246 litre	85,762 %	3119,8842 litre	O
310	CM	150	CM	239 LEVEL CM	18718,0935 litre	85,422 %	3194,5153 litre	O
310	CM	150	CM	238 LEVEL CM	18643,0053 litre	85,079 %	3269,6035 litre	O
310	CM	150	CM	237 LEVEL CM	18567,4679 litre	84,734 %	3345,1409 litre	O
310	CM	150	CM	236 LEVEL CM	18491,4892 litre	84,387 %	3421,1196 litre	O
310	CM	150	CM	235 LEVEL CM	18415,0765 litre	84,039 %	3497,5323 litre	O
310	CM	150	CM	234 LEVEL CM	18338,2375 litre	83,688 %	3574,3713 litre	O
310	CM	150	CM	233 LEVEL CM	18260,9793 litre	83,335 %	3651,6295 litre	O
310	CM	150	CM	232 LEVEL CM	18183,3093 litre	82,981 %	3729,2995 litre	O
310	CM	150	CM	231 LEVEL CM	18105,2345 litre	82,625 %	3807,3743 litre	O
310	CM	150	CM	230 LEVEL CM	18026,7619 litre	82,267 %	3885,8469 litre	O
310	CM	150	CM	229 LEVEL CM	17947,8984 litre	81,907 %	3964,7104 litre	O
310	CM	150	CM	228 LEVEL CM	17868,6508 litre	81,545 %	4043,9580 litre	O
310	CM	150	CM	227 LEVEL CM	17789,0257 litre	81,182 %	4123,5831 litre	O
310	CM	150	CM	226 LEVEL CM	17709,0298 litre	80,817 %	4203,5790 litre	O
310	CM	150	CM	225 LEVEL CM	17628,6694 litre	80,450 %	4283,9394 litre	O
310	CM	150	CM	224 LEVEL CM	17547,9512 litre	80,082 %	4364,6576 litre	O
310	CM	150	CM	223 LEVEL CM	17466,8812 litre	79,712 %	4445,7276 litre	O
310	CM	150	CM	222 LEVEL CM	17385,4659 litre	79,340 %	4527,1429 litre	O
310	CM	150	CM	221 LEVEL CM	17303,7113 litre	78,967 %	4608,8975 litre	O
310	CM	150	CM	220 LEVEL CM	17221,6236 litre	78,592 %	4690,9852 litre	O
310	CM	150	CM	219 LEVEL CM	17139,2087 litre	78,216 %	4773,4001 litre	O
310	CM	150	CM	218 LEVEL CM	17056,4727 litre	77,839 %	4856,1361 litre	O
310	CM	150	CM	217 LEVEL CM	16973,4212 litre	77,460 %	4939,1876 litre	O
310	CM	150	CM	216 LEVEL CM	16890,0603 litre	77,079 %	5022,5485 litre	O
310	CM	150	CM	215 LEVEL CM	16806,3956 litre	76,697 %	5106,2132 litre	O
310	CM	150	CM	214 LEVEL CM	16722,4327 litre	76,314 %	5190,1761 litre	O
310	CM	150	CM	213 LEVEL CM	16638,1774 litre	75,930 %	5274,4314 litre	O
310	CM	150	CM	212 LEVEL CM	16553,6351 litre	75,544 %	5358,9737 litre	O
310	CM	150	CM	211 LEVEL CM	16468,8113 litre	75,157 %	5443,7975 litre	O
310	CM	150	CM	210 LEVEL CM	16383,7116 litre	74,768 %	5528,8972 litre	O
310	CM	150	CM	209 LEVEL CM	16298,3413 litre	74,379 %	5614,2675 litre	O
310	CM	150	CM	208 LEVEL CM	16212,7057 litre	73,988 %	5699,9031 litre	O
310	CM	150	CM	207 LEVEL CM	16126,8102 litre	73,596 %	5785,7986 litre	O
310	CM	150	CM	206 LEVEL CM	16040,6600 litre	73,203 %	5871,9488 litre	O
310	CM	150	CM	205 LEVEL CM	15954,2603 litre	72,809 %	5958,3485 litre	O
310	CM	150	CM	204 LEVEL CM	15867,6162 litre	72,413 %	6044,9926 litre	O
310	CM	150	CM	203 LEVEL CM	15780,7328 litre	72,017 %	6131,8760 litre	O
310	CM	150	CM	202 LEVEL CM	15693,6153 litre	71,619 %	6218,9935 litre	O
310	CM	150	CM	201 LEVEL CM	15606,2687 litre	71,220 %	6306,3401 litre	O
310	CM	150	CM	200 LEVEL CM	15518,6978 litre	70,821 %	6393,9110 litre	O
310	CM	150	CM	199 LEVEL CM	15430,9078 litre	70,420 %	6481,7010 litre	O
310	CM	150	CM	198 LEVEL CM	15342,9035 litre	70,019 %	6569,7053 litre	O
310	CM	150	CM	197 LEVEL CM	15254,6898 litre	69,616 %	6657,9190 litre	O
310	CM	150	CM	196 LEVEL CM	15166,2715 litre	69,213 %	6746,3373 litre	O

310	CM	150	CM	195 LEVEL CM	15077,6534 litre	68,808 %	6834,9554 litre	O
310	CM	150	CM	194 LEVEL CM	14988,8404 litre	68,403 %	6923,7684 litre	O
310	CM	150	CM	193 LEVEL CM	14899,8371 litre	67,997 %	7012,7717 litre	O
310	CM	150	CM	192 LEVEL CM	14810,6483 litre	67,590 %	7101,9605 litre	O
310	CM	150	CM	191 LEVEL CM	14721,2787 litre	67,182 %	7191,3301 litre	O
310	CM	150	CM	190 LEVEL CM	14631,7328 litre	66,773 %	7280,8760 litre	O
310	CM	150	CM	189 LEVEL CM	14542,0155 litre	66,364 %	7370,5933 litre	O
310	CM	150	CM	188 LEVEL CM	14452,1312 litre	65,953 %	7460,4776 litre	O
310	CM	150	CM	187 LEVEL CM	14362,0845 litre	65,543 %	7550,5243 litre	O
310	CM	150	CM	186 LEVEL CM	14271,8800 litre	65,131 %	7640,7288 litre	O
310	CM	150	CM	185 LEVEL CM	14181,5222 litre	64,719 %	7731,0866 litre	O
310	CM	150	CM	184 LEVEL CM	14091,0157 litre	64,306 %	7821,5931 litre	O
310	CM	150	CM	183 LEVEL CM	14000,3649 litre	63,892 %	7912,2439 litre	O
310	CM	150	CM	182 LEVEL CM	13909,5742 litre	63,477 %	8003,0346 litre	O
310	CM	150	CM	181 LEVEL CM	13818,6482 litre	63,063 %	8093,9606 litre	O
310	CM	150	CM	180 LEVEL CM	13727,5912 litre	62,647 %	8185,0176 litre	O
310	CM	150	CM	179 LEVEL CM	13636,4076 litre	62,231 %	8276,2012 litre	O
310	CM	150	CM	178 LEVEL CM	13545,1018 litre	61,814 %	8367,5070 litre	O
310	CM	150	CM	177 LEVEL CM	13453,6783 litre	61,397 %	8458,9305 litre	O
310	CM	150	CM	176 LEVEL CM	13362,1413 litre	60,979 %	8550,4675 litre	O
310	CM	150	CM	175 LEVEL CM	13270,4952 litre	60,561 %	8642,1136 litre	O
310	CM	150	CM	174 LEVEL CM	13178,7443 litre	60,142 %	8733,8645 litre	O
310	CM	150	CM	173 LEVEL CM	13086,8929 litre	59,723 %	8825,7159 litre	O
310	CM	150	CM	172 LEVEL CM	12994,9452 litre	59,304 %	8917,6636 litre	O
310	CM	150	CM	171 LEVEL CM	12902,9057 litre	58,883 %	9009,7031 litre	O
310	CM	150	CM	170 LEVEL CM	12810,7785 litre	58,463 %	9101,8303 litre	O
310	CM	150	CM	169 LEVEL CM	12718,5679 litre	58,042 %	9194,0409 litre	O
310	CM	150	CM	168 LEVEL CM	12626,2781 litre	57,621 %	9286,3307 litre	O
310	CM	150	CM	167 LEVEL CM	12533,9133 litre	57,200 %	9378,6955 litre	O
310	CM	150	CM	166 LEVEL CM	12441,4779 litre	56,778 %	9471,1309 litre	O
310	CM	150	CM	165 LEVEL CM	12348,9759 litre	56,356 %	9563,6329 litre	O
310	CM	150	CM	164 LEVEL CM	12256,4116 litre	55,933 %	9656,1972 litre	O
310	CM	150	CM	163 LEVEL CM	12163,7892 litre	55,510 %	9748,8196 litre	O
310	CM	150	CM	162 LEVEL CM	12071,1128 litre	55,088 %	9841,4960 litre	O
310	CM	150	CM	161 LEVEL CM	11978,3867 litre	54,664 %	9934,2221 litre	O
310	CM	150	CM	160 LEVEL CM	11885,6150 litre	54,241 %	10026,9938 litre	O
310	CM	150	CM	159 LEVEL CM	11792,8019 litre	53,817 %	10119,8069 litre	O
310	CM	150	CM	158 LEVEL CM	11699,9515 litre	53,394 %	10212,6573 litre	O
310	CM	150	CM	157 LEVEL CM	11607,0680 litre	52,970 %	10305,5408 litre	O
310	CM	150	CM	156 LEVEL CM	11514,1555 litre	52,546 %	10398,4533 litre	O
310	CM	150	CM	155 LEVEL CM	11421,2183 litre	52,122 %	10491,3905 litre	O
310	CM	150	CM	154 LEVEL CM	11328,2603 litre	51,697 %	10584,3485 litre	O
310	CM	150	CM	153 LEVEL CM	11235,2858 litre	51,273 %	10677,3230 litre	O
310	CM	150	CM	152 LEVEL CM	11142,2989 litre	50,849 %	10770,3099 litre	O
310	CM	150	CM	151 LEVEL CM	11049,3037 litre	50,424 %	10863,3051 litre	O
310	CM	150	CM	150 LEVEL CM	10956,3044 litre	50,000 %	10956,3044 litre	O
310	CM	150	CM	149 LEVEL CM	10863,3051 litre	49,576 %	11049,3037 litre	O
310	CM	150	CM	148 LEVEL CM	10770,3099 litre	49,151 %	11142,2989 litre	O
310	CM	150	CM	147 LEVEL CM	10677,3230 litre	48,727 %	11235,2858 litre	O
310	CM	150	CM	146 LEVEL CM	10584,3485 litre	48,303 %	11328,2603 litre	O
310	CM	150	CM	145 LEVEL CM	10491,3905 litre	47,878 %	11421,2183 litre	O
310	CM	150	CM	144 LEVEL CM	10398,4532 litre	47,454 %	11514,1556 litre	O
310	CM	150	CM	143 LEVEL CM	10305,5407 litre	47,030 %	11607,0681 litre	O

310	CM	150	CM	142 LEVEL CM	10212,6572 litre	46,606 %	11699,9516 litre	O
310	CM	150	CM	141 LEVEL CM	10119,8069 litre	46,183 %	11792,8019 litre	O
310	CM	150	CM	140 LEVEL CM	10026,9937 litre	45,759 %	11885,6151 litre	O
310	CM	150	CM	139 LEVEL CM	9934,2220 litre	45,336 %	11978,3868 litre	O
310	CM	150	CM	138 LEVEL CM	9841,4959 litre	44,912 %	12071,1129 litre	O
310	CM	150	CM	137 LEVEL CM	9748,8196 litre	44,490 %	12163,7892 litre	O
310	CM	150	CM	136 LEVEL CM	9656,1972 litre	44,067 %	12256,4116 litre	O
310	CM	150	CM	135 LEVEL CM	9563,6329 litre	43,644 %	12348,9759 litre	O
310	CM	150	CM	134 LEVEL CM	9471,1309 litre	43,222 %	12441,4779 litre	O
310	CM	150	CM	133 LEVEL CM	9378,6954 litre	42,800 %	12533,9134 litre	O
310	CM	150	CM	132 LEVEL CM	9286,3307 litre	42,379 %	12626,2781 litre	O
310	CM	150	CM	131 LEVEL CM	9194,0409 litre	41,958 %	12718,5679 litre	O
310	CM	150	CM	130 LEVEL CM	9101,8303 litre	41,537 %	12810,7785 litre	O
310	CM	150	CM	129 LEVEL CM	9009,7031 litre	41,117 %	12902,9057 litre	O
310	CM	150	CM	128 LEVEL CM	8917,6635 litre	40,696 %	12994,9453 litre	O
310	CM	150	CM	127 LEVEL CM	8825,7159 litre	40,277 %	13086,8929 litre	O
310	CM	150	CM	126 LEVEL CM	8733,8645 litre	39,858 %	13178,7443 litre	O
310	CM	150	CM	125 LEVEL CM	8642,1136 litre	39,439 %	13270,4952 litre	O
310	CM	150	CM	124 LEVEL CM	8550,4675 litre	39,021 %	13362,1413 litre	O
310	CM	150	CM	123 LEVEL CM	8458,9305 litre	38,603 %	13453,6783 litre	O
310	CM	150	CM	122 LEVEL CM	8367,5069 litre	38,186 %	13545,1019 litre	O
310	CM	150	CM	121 LEVEL CM	8276,2012 litre	37,769 %	13636,4076 litre	O
310	CM	150	CM	120 LEVEL CM	8185,0176 litre	37,353 %	13727,5912 litre	O
310	CM	150	CM	119 LEVEL CM	8093,9606 litre	36,937 %	13818,6482 litre	O
310	CM	150	CM	118 LEVEL CM	8003,0346 litre	36,523 %	13909,5742 litre	O
310	CM	150	CM	117 LEVEL CM	7912,2439 litre	36,108 %	14000,3649 litre	O
310	CM	150	CM	116 LEVEL CM	7821,5931 litre	35,694 %	14091,0157 litre	O
310	CM	150	CM	115 LEVEL CM	7731,0865 litre	35,281 %	14181,5223 litre	O
310	CM	150	CM	114 LEVEL CM	7640,7288 litre	34,869 %	14271,8800 litre	O
310	CM	150	CM	113 LEVEL CM	7550,5243 litre	34,457 %	14362,0845 litre	O
310	CM	150	CM	112 LEVEL CM	7460,4776 litre	34,047 %	14452,1312 litre	O
310	CM	150	CM	111 LEVEL CM	7370,5933 litre	33,636 %	14542,0155 litre	O
310	CM	150	CM	110 LEVEL CM	7280,8759 litre	33,227 %	14631,7329 litre	O
310	CM	150	CM	109 LEVEL CM	7191,3301 litre	32,818 %	14721,2787 litre	O
310	CM	150	CM	108 LEVEL CM	7101,9605 litre	32,410 %	14810,6483 litre	O
310	CM	150	CM	107 LEVEL CM	7012,7717 litre	32,003 %	14899,8371 litre	O
310	CM	150	CM	106 LEVEL CM	6923,7684 litre	31,597 %	14988,8404 litre	O
310	CM	150	CM	105 LEVEL CM	6834,9553 litre	31,192 %	15077,6535 litre	O
310	CM	150	CM	104 LEVEL CM	6746,3373 litre	30,787 %	15166,2715 litre	O
310	CM	150	CM	103 LEVEL CM	6657,9190 litre	30,384 %	15254,6898 litre	O
310	CM	150	CM	102 LEVEL CM	6569,7053 litre	29,981 %	15342,9035 litre	O
310	CM	150	CM	101 LEVEL CM	6481,7009 litre	29,580 %	15430,9079 litre	O
310	CM	150	CM	100 LEVEL CM	6393,9109 litre	29,179 %	15518,6979 litre	O
310	CM	150	CM	99 LEVEL CM	6306,3401 litre	28,780 %	15606,2687 litre	O
310	CM	150	CM	98 LEVEL CM	6218,9934 litre	28,381 %	15693,6154 litre	O
310	CM	150	CM	97 LEVEL CM	6131,8759 litre	27,983 %	15780,7329 litre	O
310	CM	150	CM	96 LEVEL CM	6044,9926 litre	27,587 %	15867,6162 litre	O
310	CM	150	CM	95 LEVEL CM	5958,3485 litre	27,191 %	15954,2603 litre	O
310	CM	150	CM	94 LEVEL CM	5871,9488 litre	26,797 %	16040,6600 litre	O
310	CM	150	CM	93 LEVEL CM	5785,7985 litre	26,404 %	16126,8103 litre	O
310	CM	150	CM	92 LEVEL CM	5699,9030 litre	26,012 %	16212,7058 litre	O
310	CM	150	CM	91 LEVEL CM	5614,2675 litre	25,621 %	16298,3413 litre	O
310	CM	150	CM	90 LEVEL CM	5528,8971 litre	25,232 %	16383,7117 litre	O

310	CM	150	CM	89 LEVEL CM	5443,7974 litre	24,843 %	16468,8114 litre	O
310	CM	150	CM	88 LEVEL CM	5358,9737 litre	24,456 %	16553,6351 litre	O
310	CM	150	CM	87 LEVEL CM	5274,4314 litre	24,070 %	16638,1774 litre	O
310	CM	150	CM	86 LEVEL CM	5190,1761 litre	23,686 %	16722,4327 litre	O
310	CM	150	CM	85 LEVEL CM	5106,2132 litre	23,303 %	16806,3956 litre	O
310	CM	150	CM	84 LEVEL CM	5022,5485 litre	22,921 %	16890,0603 litre	O
310	CM	150	CM	83 LEVEL CM	4939,1875 litre	22,540 %	16973,4213 litre	O
310	CM	150	CM	82 LEVEL CM	4856,1361 litre	22,161 %	17056,4727 litre	O
310	CM	150	CM	81 LEVEL CM	4773,4000 litre	21,784 %	17139,2088 litre	O
310	CM	150	CM	80 LEVEL CM	4690,9852 litre	21,408 %	17221,6236 litre	O
310	CM	150	CM	79 LEVEL CM	4608,8974 litre	21,033 %	17303,7114 litre	O
310	CM	150	CM	78 LEVEL CM	4527,1429 litre	20,660 %	17385,4659 litre	O
310	CM	150	CM	77 LEVEL CM	4445,7275 litre	20,288 %	17466,8813 litre	O
310	CM	150	CM	76 LEVEL CM	4364,6576 litre	19,918 %	17547,9512 litre	O
310	CM	150	CM	75 LEVEL CM	4283,9393 litre	19,550 %	17628,6695 litre	O
310	CM	150	CM	74 LEVEL CM	4203,5790 litre	19,183 %	17709,0298 litre	O
310	CM	150	CM	73 LEVEL CM	4123,5831 litre	18,818 %	17789,0257 litre	O
310	CM	150	CM	72 LEVEL CM	4043,9580 litre	18,455 %	17868,6508 litre	O
310	CM	150	CM	71 LEVEL CM	3964,7103 litre	18,093 %	17947,8985 litre	O
310	CM	150	CM	70 LEVEL CM	3885,8468 litre	17,733 %	18026,7620 litre	O
310	CM	150	CM	69 LEVEL CM	3807,3743 litre	17,375 %	18105,2345 litre	O
310	CM	150	CM	68 LEVEL CM	3729,2995 litre	17,019 %	18183,3093 litre	O
310	CM	150	CM	67 LEVEL CM	3651,6294 litre	16,665 %	18260,9794 litre	O
310	CM	150	CM	66 LEVEL CM	3574,3713 litre	16,312 %	18338,2375 litre	O
310	CM	150	CM	65 LEVEL CM	3497,5322 litre	15,961 %	18415,0766 litre	O
310	CM	150	CM	64 LEVEL CM	3421,1196 litre	15,613 %	18491,4892 litre	O
310	CM	150	CM	63 LEVEL CM	3345,1408 litre	15,266 %	18567,4680 litre	O
310	CM	150	CM	62 LEVEL CM	3269,6035 litre	14,921 %	18643,0053 litre	O
310	CM	150	CM	61 LEVEL CM	3194,5153 litre	14,578 %	18718,0935 litre	O
310	CM	150	CM	60 LEVEL CM	3119,8841 litre	14,238 %	18792,7247 litre	O
310	CM	150	CM	59 LEVEL CM	3045,7180 litre	13,899 %	18866,8908 litre	O
310	CM	150	CM	58 LEVEL CM	2972,0250 litre	13,563 %	18940,5838 litre	O
310	CM	150	CM	57 LEVEL CM	2898,8135 litre	13,229 %	19013,7953 litre	O
310	CM	150	CM	56 LEVEL CM	2826,0919 litre	12,897 %	19086,5169 litre	O
310	CM	150	CM	55 LEVEL CM	2753,8689 litre	12,568 %	19158,7399 litre	O
310	CM	150	CM	54 LEVEL CM	2682,1534 litre	12,240 %	19230,4554 litre	O
310	CM	150	CM	53 LEVEL CM	2610,9543 litre	11,915 %	19301,6545 litre	O
310	CM	150	CM	52 LEVEL CM	2540,2808 litre	11,593 %	19372,3280 litre	O
310	CM	150	CM	51 LEVEL CM	2470,1423 litre	11,273 %	19442,4665 litre	O
310	CM	150	CM	50 LEVEL CM	2400,5486 litre	10,955 %	19512,0602 litre	O
310	CM	150	CM	49 LEVEL CM	2331,5095 litre	10,640 %	19581,0993 litre	O
310	CM	150	CM	48 LEVEL CM	2263,0350 litre	10,328 %	19649,5738 litre	O
310	CM	150	CM	47 LEVEL CM	2195,1355 litre	10,018 %	19717,4733 litre	O
310	CM	150	CM	46 LEVEL CM	2127,8217 litre	9,710 %	19784,7871 litre	O
310	CM	150	CM	45 LEVEL CM	2061,1044 litre	9,406 %	19851,5044 litre	O
310	CM	150	CM	44 LEVEL CM	1994,9949 litre	9,104 %	19917,6139 litre	O
310	CM	150	CM	43 LEVEL CM	1929,5046 litre	8,805 %	19983,1042 litre	O
310	CM	150	CM	42 LEVEL CM	1864,6455 litre	8,509 %	20047,9633 litre	O
310	CM	150	CM	41 LEVEL CM	1800,4296 litre	8,216 %	20112,1792 litre	O
310	CM	150	CM	40 LEVEL CM	1736,8695 litre	7,926 %	20175,7393 litre	O
310	CM	150	CM	39 LEVEL CM	1673,9783 litre	7,639 %	20238,6305 litre	O
310	CM	150	CM	38 LEVEL CM	1611,7692 litre	7,355 %	20300,8396 litre	O
310	CM	150	CM	37 LEVEL CM	1550,2561 litre	7,075 %	20362,3527 litre	O

310	CM	150	CM	36 LEVEL CM	1489,4532 litre	6,797 %	20423,1556 litre	O
310	CM	150	CM	35 LEVEL CM	1429,3754 litre	6,523 %	20483,2334 litre	O
310	CM	150	CM	34 LEVEL CM	1370,0380 litre	6,252 %	20542,5708 litre	O
310	CM	150	CM	33 LEVEL CM	1311,4569 litre	5,985 %	20601,1519 litre	O
310	CM	150	CM	32 LEVEL CM	1253,6486 litre	5,721 %	20658,9602 litre	O
310	CM	150	CM	31 LEVEL CM	1196,6304 litre	5,461 %	20715,9784 litre	O
310	CM	150	CM	30 LEVEL CM	1140,4202 litre	5,204 %	20772,1886 litre	O
310	CM	150	CM	29 LEVEL CM	1085,0368 litre	4,952 %	20827,5720 litre	O
310	CM	150	CM	28 LEVEL CM	1030,4997 litre	4,703 %	20882,1091 litre	O
310	CM	150	CM	27 LEVEL CM	976,8294 litre	4,458 %	20935,7794 litre	O
310	CM	150	CM	26 LEVEL CM	924,0474 litre	4,217 %	20988,5614 litre	O
310	CM	150	CM	25 LEVEL CM	872,1764 litre	3,980 %	21040,4324 litre	O
310	CM	150	CM	24 LEVEL CM	821,2402 litre	3,748 %	21091,3686 litre	O
310	CM	150	CM	23 LEVEL CM	771,2640 litre	3,520 %	21141,3448 litre	O
310	CM	150	CM	22 LEVEL CM	722,2743 litre	3,296 %	21190,3345 litre	O
310	CM	150	CM	21 LEVEL CM	674,2997 litre	3,077 %	21238,3091 litre	O
310	CM	150	CM	20 LEVEL CM	627,3700 litre	2,863 %	21285,2388 litre	O
310	CM	150	CM	19 LEVEL CM	581,5177 litre	2,654 %	21331,0911 litre	O
310	CM	150	CM	18 LEVEL CM	536,7771 litre	2,450 %	21375,8317 litre	O
310	CM	150	CM	17 LEVEL CM	493,1854 litre	2,251 %	21419,4234 litre	O
310	CM	150	CM	16 LEVEL CM	450,7829 litre	2,057 %	21461,8259 litre	O
310	CM	150	CM	15 LEVEL CM	409,6132 litre	1,869 %	21502,9956 litre	O
310	CM	150	CM	14 LEVEL CM	369,7240 litre	1,687 %	21542,8848 litre	O
310	CM	150	CM	13 LEVEL CM	331,1679 litre	1,511 %	21581,4409 litre	O
310	CM	150	CM	12 LEVEL CM	294,0029 litre	1,342 %	21618,6059 litre	O
310	CM	150	CM	11 LEVEL CM	258,2940 litre	1,179 %	21654,3148 litre	O
310	CM	150	CM	10 LEVEL CM	224,1144 litre	1,023 %	21688,4944 litre	O
310	CM	150	CM	9 LEVEL CM	191,5478 litre	0,874 %	21721,0610 litre	O
310	CM	150	CM	8 LEVEL CM	160,6907 litre	0,733 %	21751,9181 litre	O
310	CM	150	CM	7 LEVEL CM	131,6572 litre	0,601 %	21780,9516 litre	O
310	CM	150	CM	6 LEVEL CM	104,5839 litre	0,477 %	21808,0249 litre	O
310	CM	150	CM	5 LEVEL CM	79,6402 litre	0,363 %	21832,9686 litre	O
310	CM	150	CM	4 LEVEL CM	57,0435 litre	0,260 %	21855,5653 litre	O
310	CM	150	CM	3 LEVEL CM	37,0882 litre	0,169 %	21875,5206 litre	O
310	CM	150	CM	2 LEVEL CM	20,2086 litre	0,092 %	21892,4002 litre	O
310	CM	150	CM	1 LEVEL CM	7,1520 litre	0,033 %	21905,4568 litre	O
310	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	21912,6088 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 145	CM 290 LEVEL CM	20476,1155 litre	100,000 %	0,0000 litre	O
310	CM 145	CM 289 LEVEL CM	20469,0840 litre	99,966 %	7,0315 litre	O
310	CM 145	CM 288 LEVEL CM	20456,2480 litre	99,903 %	19,8675 litre	O
310	CM 145	CM 287 LEVEL CM	20439,6545 litre	99,822 %	36,4610 litre	O
310	CM 145	CM 286 LEVEL CM	20420,0386 litre	99,726 %	56,0769 litre	O
310	CM 145	CM 285 LEVEL CM	20397,8275 litre	99,618 %	78,2880 litre	O
310	CM 145	CM 284 LEVEL CM	20373,3110 litre	99,498 %	102,8045 litre	O
310	CM 145	CM 283 LEVEL CM	20346,7030 litre	99,368 %	129,4125 litre	O
310	CM 145	CM 282 LEVEL CM	20318,1700 litre	99,229 %	157,9455 litre	O
310	CM 145	CM 281 LEVEL CM	20287,8469 litre	99,081 %	188,2686 litre	O
310	CM 145	CM 280 LEVEL CM	20255,8457 litre	98,924 %	220,2698 litre	O
310	CM 145	CM 279 LEVEL CM	20222,2617 litre	98,760 %	253,8538 litre	O
310	CM 145	CM 278 LEVEL CM	20187,1771 litre	98,589 %	288,9384 litre	O
310	CM 145	CM 277 LEVEL CM	20150,6642 litre	98,411 %	325,4513 litre	O
310	CM 145	CM 276 LEVEL CM	20112,7869 litre	98,226 %	363,3286 litre	O
310	CM 145	CM 275 LEVEL CM	20073,6025 litre	98,034 %	402,5130 litre	O
310	CM 145	CM 274 LEVEL CM	20033,1629 litre	97,837 %	442,9526 litre	O
310	CM 145	CM 273 LEVEL CM	19991,5149 litre	97,633 %	484,6006 litre	O
310	CM 145	CM 272 LEVEL CM	19948,7017 litre	97,424 %	527,4138 litre	O
310	CM 145	CM 271 LEVEL CM	19904,7630 litre	97,210 %	571,3525 litre	O
310	CM 145	CM 270 LEVEL CM	19859,7354 litre	96,990 %	616,3801 litre	O
310	CM 145	CM 269 LEVEL CM	19813,6530 litre	96,765 %	662,4625 litre	O
310	CM 145	CM 268 LEVEL CM	19766,5475 litre	96,535 %	709,5680 litre	O
310	CM 145	CM 267 LEVEL CM	19718,4487 litre	96,300 %	757,6668 litre	O
310	CM 145	CM 266 LEVEL CM	19669,3845 litre	96,060 %	806,7310 litre	O
310	CM 145	CM 265 LEVEL CM	19619,3813 litre	95,816 %	856,7342 litre	O
310	CM 145	CM 264 LEVEL CM	19568,4638 litre	95,567 %	907,6517 litre	O
310	CM 145	CM 263 LEVEL CM	19516,6558 litre	95,314 %	959,4597 litre	O
310	CM 145	CM 262 LEVEL CM	19463,9795 litre	95,057 %	1012,1360 litre	O
310	CM 145	CM 261 LEVEL CM	19410,4562 litre	94,796 %	1065,6593 litre	O
310	CM 145	CM 260 LEVEL CM	19356,1061 litre	94,530 %	1120,0094 litre	O
310	CM 145	CM 259 LEVEL CM	19300,9486 litre	94,261 %	1175,1669 litre	O
310	CM 145	CM 258 LEVEL CM	19245,0023 litre	93,988 %	1231,1132 litre	O
310	CM 145	CM 257 LEVEL CM	19188,2849 litre	93,711 %	1287,8306 litre	O
310	CM 145	CM 256 LEVEL CM	19130,8134 litre	93,430 %	1345,3021 litre	O
310	CM 145	CM 255 LEVEL CM	19072,6042 litre	93,146 %	1403,5113 litre	O
310	CM 145	CM 254 LEVEL CM	19013,6730 litre	92,858 %	1462,4425 litre	O
310	CM 145	CM 253 LEVEL CM	18954,0350 litre	92,567 %	1522,0805 litre	O
310	CM 145	CM 252 LEVEL CM	18893,7050 litre	92,272 %	1582,4105 litre	O
310	CM 145	CM 251 LEVEL CM	18832,6969 litre	91,974 %	1643,4186 litre	O
310	CM 145	CM 250 LEVEL CM	18771,0246 litre	91,673 %	1705,0909 litre	O
310	CM 145	CM 249 LEVEL CM	18708,7013 litre	91,368 %	1767,4142 litre	O
310	CM 145	CM 248 LEVEL CM	18645,7398 litre	91,061 %	1830,3757 litre	O
310	CM 145	CM 247 LEVEL CM	18582,1525 litre	90,750 %	1893,9630 litre	O
310	CM 145	CM 246 LEVEL CM	18517,9515 litre	90,437 %	1958,1640 litre	O
310	CM 145	CM 245 LEVEL CM	18453,1486 litre	90,120 %	2022,9669 litre	O
310	CM 145	CM 244 LEVEL CM	18387,7553 litre	89,801 %	2088,3602 litre	O
310	CM 145	CM 243 LEVEL CM	18321,7825 litre	89,479 %	2154,3330 litre	O
310	CM 145	CM 242 LEVEL CM	18255,2412 litre	89,154 %	2220,8743 litre	O
310	CM 145	CM 241 LEVEL CM	18188,1418 litre	88,826 %	2287,9737 litre	O
310	CM 145	CM 240 LEVEL CM	18120,4947 litre	88,496 %	2355,6208 litre	O
310	CM 145	CM 239 LEVEL CM	18052,3099 litre	88,163 %	2423,8056 litre	O

310	CM	145	CM	238 LEVEL CM	17983,5972 litre	87,827 %	2492,5183 litre	O
310	CM	145	CM	237 LEVEL CM	17914,3662 litre	87,489 %	2561,7493 litre	O
310	CM	145	CM	236 LEVEL CM	17844,6262 litre	87,148 %	2631,4893 litre	O
310	CM	145	CM	235 LEVEL CM	17774,3865 litre	86,805 %	2701,7290 litre	O
310	CM	145	CM	234 LEVEL CM	17703,6559 litre	86,460 %	2772,4596 litre	O
310	CM	145	CM	233 LEVEL CM	17632,4432 litre	86,112 %	2843,6723 litre	O
310	CM	145	CM	232 LEVEL CM	17560,7571 litre	85,762 %	2915,3584 litre	O
310	CM	145	CM	231 LEVEL CM	17488,6060 litre	85,410 %	2987,5095 litre	O
310	CM	145	CM	230 LEVEL CM	17415,9981 litre	85,055 %	3060,1174 litre	O
310	CM	145	CM	229 LEVEL CM	17342,9417 litre	84,698 %	3133,1738 litre	O
310	CM	145	CM	228 LEVEL CM	17269,4445 litre	84,339 %	3206,6710 litre	O
310	CM	145	CM	227 LEVEL CM	17195,5146 litre	83,978 %	3280,6009 litre	O
310	CM	145	CM	226 LEVEL CM	17121,1594 litre	83,615 %	3354,9561 litre	O
310	CM	145	CM	225 LEVEL CM	17046,3868 litre	83,250 %	3429,7287 litre	O
310	CM	145	CM	224 LEVEL CM	16971,2039 litre	82,883 %	3504,9116 litre	O
310	CM	145	CM	223 LEVEL CM	16895,6182 litre	82,514 %	3580,4973 litre	O
310	CM	145	CM	222 LEVEL CM	16819,6369 litre	82,143 %	3656,4786 litre	O
310	CM	145	CM	221 LEVEL CM	16743,2670 litre	81,770 %	3732,8485 litre	O
310	CM	145	CM	220 LEVEL CM	16666,5155 litre	81,395 %	3809,6000 litre	O
310	CM	145	CM	219 LEVEL CM	16589,3893 litre	81,018 %	3886,7262 litre	O
310	CM	145	CM	218 LEVEL CM	16511,8952 litre	80,640 %	3964,2203 litre	O
310	CM	145	CM	217 LEVEL CM	16434,0398 litre	80,260 %	4042,0757 litre	O
310	CM	145	CM	216 LEVEL CM	16355,8297 litre	79,878 %	4120,2858 litre	O
310	CM	145	CM	215 LEVEL CM	16277,2714 litre	79,494 %	4198,8441 litre	O
310	CM	145	CM	214 LEVEL CM	16198,3713 litre	79,109 %	4277,7442 litre	O
310	CM	145	CM	213 LEVEL CM	16119,1358 litre	78,722 %	4356,9797 litre	O
310	CM	145	CM	212 LEVEL CM	16039,5711 litre	78,333 %	4436,5444 litre	O
310	CM	145	CM	211 LEVEL CM	15959,6833 litre	77,943 %	4516,4322 litre	O
310	CM	145	CM	210 LEVEL CM	15879,4786 litre	77,551 %	4596,6369 litre	O
310	CM	145	CM	209 LEVEL CM	15798,9629 litre	77,158 %	4677,1526 litre	O
310	CM	145	CM	208 LEVEL CM	15718,1423 litre	76,763 %	4757,9732 litre	O
310	CM	145	CM	207 LEVEL CM	15637,0226 litre	76,367 %	4839,0929 litre	O
310	CM	145	CM	206 LEVEL CM	15555,6096 litre	75,970 %	4920,5059 litre	O
310	CM	145	CM	205 LEVEL CM	15473,9091 litre	75,571 %	5002,2064 litre	O
310	CM	145	CM	204 LEVEL CM	15391,9268 litre	75,170 %	5084,1887 litre	O
310	CM	145	CM	203 LEVEL CM	15309,6683 litre	74,768 %	5166,4472 litre	O
310	CM	145	CM	202 LEVEL CM	15227,1392 litre	74,365 %	5248,9763 litre	O
310	CM	145	CM	201 LEVEL CM	15144,3451 litre	73,961 %	5331,7704 litre	O
310	CM	145	CM	200 LEVEL CM	15061,2913 litre	73,555 %	5414,8242 litre	O
310	CM	145	CM	199 LEVEL CM	14977,9834 litre	73,149 %	5498,1321 litre	O
310	CM	145	CM	198 LEVEL CM	14894,4267 litre	72,740 %	5581,6888 litre	O
310	CM	145	CM	197 LEVEL CM	14810,6265 litre	72,331 %	5665,4890 litre	O
310	CM	145	CM	196 LEVEL CM	14726,5881 litre	71,921 %	5749,5274 litre	O
310	CM	145	CM	195 LEVEL CM	14642,3168 litre	71,509 %	5833,7987 litre	O
310	CM	145	CM	194 LEVEL CM	14557,8177 litre	71,097 %	5918,2978 litre	O
310	CM	145	CM	193 LEVEL CM	14473,0960 litre	70,683 %	6003,0195 litre	O
310	CM	145	CM	192 LEVEL CM	14388,1568 litre	70,268 %	6087,9587 litre	O
310	CM	145	CM	191 LEVEL CM	14303,0051 litre	69,852 %	6173,1104 litre	O
310	CM	145	CM	190 LEVEL CM	14217,6460 litre	69,435 %	6258,4695 litre	O
310	CM	145	CM	189 LEVEL CM	14132,0846 litre	69,017 %	6344,0309 litre	O
310	CM	145	CM	188 LEVEL CM	14046,3256 litre	68,599 %	6429,7899 litre	O
310	CM	145	CM	187 LEVEL CM	13960,3742 litre	68,179 %	6515,7413 litre	O
310	CM	145	CM	186 LEVEL CM	13874,2351 litre	67,758 %	6601,8804 litre	O

310	CM	145	CM	185 LEVEL CM	13787,9132 litre	67,337 %	6688,2023 litre	O
310	CM	145	CM	184 LEVEL CM	13701,4134 litre	66,914 %	6774,7021 litre	O
310	CM	145	CM	183 LEVEL CM	13614,7405 litre	66,491 %	6861,3750 litre	O
310	CM	145	CM	182 LEVEL CM	13527,8992 litre	66,067 %	6948,2163 litre	O
310	CM	145	CM	181 LEVEL CM	13440,8943 litre	65,642 %	7035,2212 litre	O
310	CM	145	CM	180 LEVEL CM	13353,7304 litre	65,216 %	7122,3851 litre	O
310	CM	145	CM	179 LEVEL CM	13266,4123 litre	64,790 %	7209,7032 litre	O
310	CM	145	CM	178 LEVEL CM	13178,9447 litre	64,363 %	7297,1708 litre	O
310	CM	145	CM	177 LEVEL CM	13091,3322 litre	63,935 %	7384,7833 litre	O
310	CM	145	CM	176 LEVEL CM	13003,5794 litre	63,506 %	7472,5361 litre	O
310	CM	145	CM	175 LEVEL CM	12915,6909 litre	63,077 %	7560,4246 litre	O
310	CM	145	CM	174 LEVEL CM	12827,6713 litre	62,647 %	7648,4442 litre	O
310	CM	145	CM	173 LEVEL CM	12739,5251 litre	62,217 %	7736,5904 litre	O
310	CM	145	CM	172 LEVEL CM	12651,2569 litre	61,785 %	7824,8586 litre	O
310	CM	145	CM	171 LEVEL CM	12562,8712 litre	61,354 %	7913,2443 litre	O
310	CM	145	CM	170 LEVEL CM	12474,3725 litre	60,922 %	8001,7430 litre	O
310	CM	145	CM	169 LEVEL CM	12385,7653 litre	60,489 %	8090,3502 litre	O
310	CM	145	CM	168 LEVEL CM	12297,0540 litre	60,056 %	8179,0615 litre	O
310	CM	145	CM	167 LEVEL CM	12208,2431 litre	59,622 %	8267,8724 litre	O
310	CM	145	CM	166 LEVEL CM	12119,3370 litre	59,188 %	8356,7785 litre	O
310	CM	145	CM	165 LEVEL CM	12030,3402 litre	58,753 %	8445,7753 litre	O
310	CM	145	CM	164 LEVEL CM	11941,2571 litre	58,318 %	8534,8584 litre	O
310	CM	145	CM	163 LEVEL CM	11852,0920 litre	57,883 %	8624,0235 litre	O
310	CM	145	CM	162 LEVEL CM	11762,8493 litre	57,447 %	8713,2662 litre	O
310	CM	145	CM	161 LEVEL CM	11673,5334 litre	57,010 %	8802,5821 litre	O
310	CM	145	CM	160 LEVEL CM	11584,1487 litre	56,574 %	8891,9668 litre	O
310	CM	145	CM	159 LEVEL CM	11494,6995 litre	56,137 %	8981,4160 litre	O
310	CM	145	CM	158 LEVEL CM	11405,1902 litre	55,700 %	9070,9253 litre	O
310	CM	145	CM	157 LEVEL CM	11315,6250 litre	55,263 %	9160,4905 litre	O
310	CM	145	CM	156 LEVEL CM	11226,0084 litre	54,825 %	9250,1071 litre	O
310	CM	145	CM	155 LEVEL CM	11136,3446 litre	54,387 %	9339,7709 litre	O
310	CM	145	CM	154 LEVEL CM	11046,6379 litre	53,949 %	9429,4776 litre	O
310	CM	145	CM	153 LEVEL CM	10956,8927 litre	53,511 %	9519,2228 litre	O
310	CM	145	CM	152 LEVEL CM	10867,1132 litre	53,072 %	9609,0023 litre	O
310	CM	145	CM	151 LEVEL CM	10777,3038 litre	52,634 %	9698,8117 litre	O
310	CM	145	CM	150 LEVEL CM	10687,4687 litre	52,195 %	9788,6468 litre	O
310	CM	145	CM	149 LEVEL CM	10597,6121 litre	51,756 %	9878,5034 litre	O
310	CM	145	CM	148 LEVEL CM	10507,7385 litre	51,317 %	9968,3770 litre	O
310	CM	145	CM	147 LEVEL CM	10417,8521 litre	50,878 %	10058,2634 litre	O
310	CM	145	CM	146 LEVEL CM	10327,9570 litre	50,439 %	10148,1585 litre	O
310	CM	145	CM	145 LEVEL CM	10238,0578 litre	50,000 %	10238,0577 litre	O
310	CM	145	CM	144 LEVEL CM	10148,1585 litre	49,561 %	10327,9570 litre	O
310	CM	145	CM	143 LEVEL CM	10058,2635 litre	49,122 %	10417,8520 litre	O
310	CM	145	CM	142 LEVEL CM	9968,3770 litre	48,683 %	10507,7385 litre	O
310	CM	145	CM	141 LEVEL CM	9878,5034 litre	48,244 %	10597,6121 litre	O
310	CM	145	CM	140 LEVEL CM	9788,6469 litre	47,805 %	10687,4686 litre	O
310	CM	145	CM	139 LEVEL CM	9698,8117 litre	47,366 %	10777,3038 litre	O
310	CM	145	CM	138 LEVEL CM	9609,0023 litre	46,928 %	10867,1132 litre	O
310	CM	145	CM	137 LEVEL CM	9519,2228 litre	46,489 %	10956,8927 litre	O
310	CM	145	CM	136 LEVEL CM	9429,4776 litre	46,051 %	11046,6379 litre	O
310	CM	145	CM	135 LEVEL CM	9339,7709 litre	45,613 %	11136,3446 litre	O
310	CM	145	CM	134 LEVEL CM	9250,1071 litre	45,175 %	11226,0084 litre	O
310	CM	145	CM	133 LEVEL CM	9160,4905 litre	44,737 %	11315,6250 litre	O

310	CM	145	CM	132 LEVEL CM	9070,9253 litre	44,300 %	11405,1902 litre	O
310	CM	145	CM	131 LEVEL CM	8981,4160 litre	43,863 %	11494,6995 litre	O
310	CM	145	CM	130 LEVEL CM	8891,9668 litre	43,426 %	11584,1487 litre	O
310	CM	145	CM	129 LEVEL CM	8802,5821 litre	42,990 %	11673,5334 litre	O
310	CM	145	CM	128 LEVEL CM	8713,2662 litre	42,553 %	11762,8493 litre	O
310	CM	145	CM	127 LEVEL CM	8624,0236 litre	42,117 %	11852,0919 litre	O
310	CM	145	CM	126 LEVEL CM	8534,8584 litre	41,682 %	11941,2571 litre	O
310	CM	145	CM	125 LEVEL CM	8445,7753 litre	41,247 %	12030,3402 litre	O
310	CM	145	CM	124 LEVEL CM	8356,7785 litre	40,812 %	12119,3370 litre	O
310	CM	145	CM	123 LEVEL CM	8267,8724 litre	40,378 %	12208,2431 litre	O
310	CM	145	CM	122 LEVEL CM	8179,0615 litre	39,944 %	12297,0540 litre	O
310	CM	145	CM	121 LEVEL CM	8090,3502 litre	39,511 %	12385,7653 litre	O
310	CM	145	CM	120 LEVEL CM	8001,7430 litre	39,078 %	12474,3725 litre	O
310	CM	145	CM	119 LEVEL CM	7913,2443 litre	38,646 %	12562,8712 litre	O
310	CM	145	CM	118 LEVEL CM	7824,8586 litre	38,215 %	12651,2569 litre	O
310	CM	145	CM	117 LEVEL CM	7736,5904 litre	37,783 %	12739,5251 litre	O
310	CM	145	CM	116 LEVEL CM	7648,4442 litre	37,353 %	12827,6713 litre	O
310	CM	145	CM	115 LEVEL CM	7560,4246 litre	36,923 %	12915,6909 litre	O
310	CM	145	CM	114 LEVEL CM	7472,5361 litre	36,494 %	13003,5794 litre	O
310	CM	145	CM	113 LEVEL CM	7384,7833 litre	36,065 %	13091,3322 litre	O
310	CM	145	CM	112 LEVEL CM	7297,1708 litre	35,637 %	13178,9447 litre	O
310	CM	145	CM	111 LEVEL CM	7209,7032 litre	35,210 %	13266,4123 litre	O
310	CM	145	CM	110 LEVEL CM	7122,3851 litre	34,784 %	13353,7304 litre	O
310	CM	145	CM	109 LEVEL CM	7035,2213 litre	34,358 %	13440,8942 litre	O
310	CM	145	CM	108 LEVEL CM	6948,2163 litre	33,933 %	13527,8992 litre	O
310	CM	145	CM	107 LEVEL CM	6861,3750 litre	33,509 %	13614,7405 litre	O
310	CM	145	CM	106 LEVEL CM	6774,7021 litre	33,086 %	13701,4134 litre	O
310	CM	145	CM	105 LEVEL CM	6688,2023 litre	32,663 %	13787,9132 litre	O
310	CM	145	CM	104 LEVEL CM	6601,8804 litre	32,242 %	13874,2351 litre	O
310	CM	145	CM	103 LEVEL CM	6515,7413 litre	31,821 %	13960,3742 litre	O
310	CM	145	CM	102 LEVEL CM	6429,7899 litre	31,401 %	14046,3256 litre	O
310	CM	145	CM	101 LEVEL CM	6344,0310 litre	30,983 %	14132,0845 litre	O
310	CM	145	CM	100 LEVEL CM	6258,4695 litre	30,565 %	14217,6460 litre	O
310	CM	145	CM	99 LEVEL CM	6173,1104 litre	30,148 %	14303,0051 litre	O
310	CM	145	CM	98 LEVEL CM	6087,9587 litre	29,732 %	14388,1568 litre	O
310	CM	145	CM	97 LEVEL CM	6003,0195 litre	29,317 %	14473,0960 litre	O
310	CM	145	CM	96 LEVEL CM	5918,2978 litre	28,903 %	14557,8177 litre	O
310	CM	145	CM	95 LEVEL CM	5833,7987 litre	28,491 %	14642,3168 litre	O
310	CM	145	CM	94 LEVEL CM	5749,5274 litre	28,079 %	14726,5881 litre	O
310	CM	145	CM	93 LEVEL CM	5665,4890 litre	27,669 %	14810,6265 litre	O
310	CM	145	CM	92 LEVEL CM	5581,6888 litre	27,260 %	14894,4267 litre	O
310	CM	145	CM	91 LEVEL CM	5498,1321 litre	26,851 %	14977,9834 litre	O
310	CM	145	CM	90 LEVEL CM	5414,8242 litre	26,445 %	15061,2913 litre	O
310	CM	145	CM	89 LEVEL CM	5331,7704 litre	26,039 %	15144,3451 litre	O
310	CM	145	CM	88 LEVEL CM	5248,9763 litre	25,635 %	15227,1392 litre	O
310	CM	145	CM	87 LEVEL CM	5166,4472 litre	25,232 %	15309,6683 litre	O
310	CM	145	CM	86 LEVEL CM	5084,1887 litre	24,830 %	15391,9268 litre	O
310	CM	145	CM	85 LEVEL CM	5002,2064 litre	24,429 %	15473,9091 litre	O
310	CM	145	CM	84 LEVEL CM	4920,5059 litre	24,030 %	15555,6096 litre	O
310	CM	145	CM	83 LEVEL CM	4839,0929 litre	23,633 %	15637,0226 litre	O
310	CM	145	CM	82 LEVEL CM	4757,9732 litre	23,237 %	15718,1423 litre	O
310	CM	145	CM	81 LEVEL CM	4677,1526 litre	22,842 %	15798,9629 litre	O
310	CM	145	CM	80 LEVEL CM	4596,6369 litre	22,449 %	15879,4786 litre	O

310	CM	145	CM	79 LEVEL CM	4516,4322 litre	22,057 %	15959,6833 litre	O
310	CM	145	CM	78 LEVEL CM	4436,5444 litre	21,667 %	16039,5711 litre	O
310	CM	145	CM	77 LEVEL CM	4356,9797 litre	21,278 %	16119,1358 litre	O
310	CM	145	CM	76 LEVEL CM	4277,7442 litre	20,891 %	16198,3713 litre	O
310	CM	145	CM	75 LEVEL CM	4198,8441 litre	20,506 %	16277,2714 litre	O
310	CM	145	CM	74 LEVEL CM	4120,2858 litre	20,122 %	16355,8297 litre	O
310	CM	145	CM	73 LEVEL CM	4042,0758 litre	19,740 %	16434,0397 litre	O
310	CM	145	CM	72 LEVEL CM	3964,2203 litre	19,360 %	16511,8952 litre	O
310	CM	145	CM	71 LEVEL CM	3886,7262 litre	18,982 %	16589,3893 litre	O
310	CM	145	CM	70 LEVEL CM	3809,6000 litre	18,605 %	16666,5155 litre	O
310	CM	145	CM	69 LEVEL CM	3732,8485 litre	18,230 %	16743,2670 litre	O
310	CM	145	CM	68 LEVEL CM	3656,4786 litre	17,857 %	16819,6369 litre	O
310	CM	145	CM	67 LEVEL CM	3580,4973 litre	17,486 %	16895,6182 litre	O
310	CM	145	CM	66 LEVEL CM	3504,9116 litre	17,117 %	16971,2039 litre	O
310	CM	145	CM	65 LEVEL CM	3429,7288 litre	16,750 %	17046,3867 litre	O
310	CM	145	CM	64 LEVEL CM	3354,9561 litre	16,385 %	17121,1594 litre	O
310	CM	145	CM	63 LEVEL CM	3280,6010 litre	16,022 %	17195,5145 litre	O
310	CM	145	CM	62 LEVEL CM	3206,6710 litre	15,661 %	17269,4445 litre	O
310	CM	145	CM	61 LEVEL CM	3133,1739 litre	15,302 %	17342,9416 litre	O
310	CM	145	CM	60 LEVEL CM	3060,1174 litre	14,945 %	17415,9981 litre	O
310	CM	145	CM	59 LEVEL CM	2987,5095 litre	14,590 %	17488,6060 litre	O
310	CM	145	CM	58 LEVEL CM	2915,3584 litre	14,238 %	17560,7571 litre	O
310	CM	145	CM	57 LEVEL CM	2843,6723 litre	13,888 %	17632,4432 litre	O
310	CM	145	CM	56 LEVEL CM	2772,4597 litre	13,540 %	17703,6558 litre	O
310	CM	145	CM	55 LEVEL CM	2701,7290 litre	13,195 %	17774,3865 litre	O
310	CM	145	CM	54 LEVEL CM	2631,4893 litre	12,852 %	17844,6262 litre	O
310	CM	145	CM	53 LEVEL CM	2561,7493 litre	12,511 %	17914,3662 litre	O
310	CM	145	CM	52 LEVEL CM	2492,5183 litre	12,173 %	17983,5972 litre	O
310	CM	145	CM	51 LEVEL CM	2423,8056 litre	11,837 %	18052,3099 litre	O
310	CM	145	CM	50 LEVEL CM	2355,6208 litre	11,504 %	18120,4947 litre	O
310	CM	145	CM	49 LEVEL CM	2287,9737 litre	11,174 %	18188,1418 litre	O
310	CM	145	CM	48 LEVEL CM	2220,8744 litre	10,846 %	18255,2411 litre	O
310	CM	145	CM	47 LEVEL CM	2154,3330 litre	10,521 %	18321,7825 litre	O
310	CM	145	CM	46 LEVEL CM	2088,3603 litre	10,199 %	18387,7552 litre	O
310	CM	145	CM	45 LEVEL CM	2022,9669 litre	9,880 %	18453,1486 litre	O
310	CM	145	CM	44 LEVEL CM	1958,1640 litre	9,563 %	18517,9515 litre	O
310	CM	145	CM	43 LEVEL CM	1893,9631 litre	9,250 %	18582,1524 litre	O
310	CM	145	CM	42 LEVEL CM	1830,3758 litre	8,939 %	18645,7397 litre	O
310	CM	145	CM	41 LEVEL CM	1767,4142 litre	8,632 %	18708,7013 litre	O
310	CM	145	CM	40 LEVEL CM	1705,0909 litre	8,327 %	18771,0246 litre	O
310	CM	145	CM	39 LEVEL CM	1643,4186 litre	8,026 %	18832,6969 litre	O
310	CM	145	CM	38 LEVEL CM	1582,4105 litre	7,728 %	18893,7050 litre	O
310	CM	145	CM	37 LEVEL CM	1522,0805 litre	7,433 %	18954,0350 litre	O
310	CM	145	CM	36 LEVEL CM	1462,4425 litre	7,142 %	19013,6730 litre	O
310	CM	145	CM	35 LEVEL CM	1403,5114 litre	6,854 %	19072,6041 litre	O
310	CM	145	CM	34 LEVEL CM	1345,3021 litre	6,570 %	19130,8134 litre	O
310	CM	145	CM	33 LEVEL CM	1287,8306 litre	6,289 %	19188,2849 litre	O
310	CM	145	CM	32 LEVEL CM	1231,1132 litre	6,012 %	19245,0023 litre	O
310	CM	145	CM	31 LEVEL CM	1175,1669 litre	5,739 %	19300,9486 litre	O
310	CM	145	CM	30 LEVEL CM	1120,0094 litre	5,470 %	19356,1061 litre	O
310	CM	145	CM	29 LEVEL CM	1065,6594 litre	5,204 %	19410,4561 litre	O
310	CM	145	CM	28 LEVEL CM	1012,1360 litre	4,943 %	19463,9795 litre	O
310	CM	145	CM	27 LEVEL CM	959,4597 litre	4,686 %	19516,6558 litre	O

310	CM	145	CM	26 LEVEL CM	907,6517 litre	4,433 %	19568,4638 litre	O
310	CM	145	CM	25 LEVEL CM	856,7343 litre	4,184 %	19619,3812 litre	O
310	CM	145	CM	24 LEVEL CM	806,7310 litre	3,940 %	19669,3845 litre	O
310	CM	145	CM	23 LEVEL CM	757,6669 litre	3,700 %	19718,4486 litre	O
310	CM	145	CM	22 LEVEL CM	709,5681 litre	3,465 %	19766,5474 litre	O
310	CM	145	CM	21 LEVEL CM	662,4626 litre	3,235 %	19813,6529 litre	O
310	CM	145	CM	20 LEVEL CM	616,3801 litre	3,010 %	19859,7354 litre	O
310	CM	145	CM	19 LEVEL CM	571,3525 litre	2,790 %	19904,7630 litre	O
310	CM	145	CM	18 LEVEL CM	527,4138 litre	2,576 %	19948,7017 litre	O
310	CM	145	CM	17 LEVEL CM	484,6006 litre	2,367 %	19991,5149 litre	O
310	CM	145	CM	16 LEVEL CM	442,9527 litre	2,163 %	20033,1628 litre	O
310	CM	145	CM	15 LEVEL CM	402,5130 litre	1,966 %	20073,6025 litre	O
310	CM	145	CM	14 LEVEL CM	363,3286 litre	1,774 %	20112,7869 litre	O
310	CM	145	CM	13 LEVEL CM	325,4514 litre	1,589 %	20150,6641 litre	O
310	CM	145	CM	12 LEVEL CM	288,9384 litre	1,411 %	20187,1771 litre	O
310	CM	145	CM	11 LEVEL CM	253,8539 litre	1,240 %	20222,2616 litre	O
310	CM	145	CM	10 LEVEL CM	220,2698 litre	1,076 %	20255,8457 litre	O
310	CM	145	CM	9 LEVEL CM	188,2686 litre	0,919 %	20287,8469 litre	O
310	CM	145	CM	8 LEVEL CM	157,9455 litre	0,771 %	20318,1700 litre	O
310	CM	145	CM	7 LEVEL CM	129,4125 litre	0,632 %	20346,7030 litre	O
310	CM	145	CM	6 LEVEL CM	102,8045 litre	0,502 %	20373,3110 litre	O
310	CM	145	CM	5 LEVEL CM	78,2880 litre	0,382 %	20397,8275 litre	O
310	CM	145	CM	4 LEVEL CM	56,0769 litre	0,274 %	20420,0386 litre	O
310	CM	145	CM	3 LEVEL CM	36,4610 litre	0,178 %	20439,6545 litre	O
310	CM	145	CM	2 LEVEL CM	19,8675 litre	0,097 %	20456,2480 litre	O
310	CM	145	CM	1 LEVEL CM	7,0315 litre	0,034 %	20469,0840 litre	O
310	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	20476,1155 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 140	CM 280 LEVEL CM	19088,3170 litre	100,000 %	0,0000 litre	O
310	CM 140	CM 279 LEVEL CM	19081,4080 litre	99,964 %	6,9090 litre	O
310	CM 140	CM 278 LEVEL CM	19068,7964 litre	99,898 %	19,5206 litre	O
310	CM 140	CM 277 LEVEL CM	19052,4941 litre	99,812 %	35,8229 litre	O
310	CM 140	CM 276 LEVEL CM	19033,2236 litre	99,711 %	55,0934 litre	O
310	CM 140	CM 275 LEVEL CM	19011,4050 litre	99,597 %	76,9120 litre	O
310	CM 140	CM 274 LEVEL CM	18987,3232 litre	99,471 %	100,9938 litre	O
310	CM 140	CM 273 LEVEL CM	18961,1887 litre	99,334 %	127,1283 litre	O
310	CM 140	CM 272 LEVEL CM	18933,1653 litre	99,187 %	155,1517 litre	O
310	CM 140	CM 271 LEVEL CM	18903,3856 litre	99,031 %	184,9314 litre	O
310	CM 140	CM 270 LEVEL CM	18871,9601 litre	98,867 %	216,3569 litre	O
310	CM 140	CM 269 LEVEL CM	18838,9823 litre	98,694 %	249,3347 litre	O
310	CM 140	CM 268 LEVEL CM	18804,5334 litre	98,513 %	283,7836 litre	O
310	CM 140	CM 267 LEVEL CM	18768,6844 litre	98,326 %	319,6326 litre	O
310	CM 140	CM 266 LEVEL CM	18731,4984 litre	98,131 %	356,8186 litre	O
310	CM 140	CM 265 LEVEL CM	18693,0317 litre	97,929 %	395,2853 litre	O
310	CM 140	CM 264 LEVEL CM	18653,3355 litre	97,721 %	434,9815 litre	O
310	CM 140	CM 263 LEVEL CM	18612,4560 litre	97,507 %	475,8610 litre	O
310	CM 140	CM 262 LEVEL CM	18570,4358 litre	97,287 %	517,8812 litre	O
310	CM 140	CM 261 LEVEL CM	18527,3139 litre	97,061 %	561,0031 litre	O
310	CM 140	CM 260 LEVEL CM	18483,1264 litre	96,830 %	605,1906 litre	O
310	CM 140	CM 259 LEVEL CM	18437,9070 litre	96,593 %	650,4100 litre	O
310	CM 140	CM 258 LEVEL CM	18391,6870 litre	96,350 %	696,6300 litre	O
310	CM 140	CM 257 LEVEL CM	18344,4958 litre	96,103 %	743,8212 litre	O
310	CM 140	CM 256 LEVEL CM	18296,3610 litre	95,851 %	791,9560 litre	O
310	CM 140	CM 255 LEVEL CM	18247,3085 litre	95,594 %	841,0085 litre	O
310	CM 140	CM 254 LEVEL CM	18197,3629 litre	95,332 %	890,9541 litre	O
310	CM 140	CM 253 LEVEL CM	18146,5474 litre	95,066 %	941,7696 litre	O
310	CM 140	CM 252 LEVEL CM	18094,8842 litre	94,796 %	993,4328 litre	O
310	CM 140	CM 251 LEVEL CM	18042,3943 litre	94,521 %	1045,9227 litre	O
310	CM 140	CM 250 LEVEL CM	17989,0976 litre	94,241 %	1099,2194 litre	O
310	CM 140	CM 249 LEVEL CM	17935,0134 litre	93,958 %	1153,3036 litre	O
310	CM 140	CM 248 LEVEL CM	17880,1599 litre	93,671 %	1208,1571 litre	O
310	CM 140	CM 247 LEVEL CM	17824,5546 litre	93,379 %	1263,7624 litre	O
310	CM 140	CM 246 LEVEL CM	17768,2146 litre	93,084 %	1320,1024 litre	O
310	CM 140	CM 245 LEVEL CM	17711,1559 litre	92,785 %	1377,1611 litre	O
310	CM 140	CM 244 LEVEL CM	17653,3941 litre	92,483 %	1434,9229 litre	O
310	CM 140	CM 243 LEVEL CM	17594,9443 litre	92,177 %	1493,3727 litre	O
310	CM 140	CM 242 LEVEL CM	17535,8209 litre	91,867 %	1552,4961 litre	O
310	CM 140	CM 241 LEVEL CM	17476,0381 litre	91,554 %	1612,2789 litre	O
310	CM 140	CM 240 LEVEL CM	17415,6093 litre	91,237 %	1672,7077 litre	O
310	CM 140	CM 239 LEVEL CM	17354,5477 litre	90,917 %	1733,7693 litre	O
310	CM 140	CM 238 LEVEL CM	17292,8660 litre	90,594 %	1795,4510 litre	O
310	CM 140	CM 237 LEVEL CM	17230,5766 litre	90,268 %	1857,7404 litre	O
310	CM 140	CM 236 LEVEL CM	17167,6913 litre	89,938 %	1920,6257 litre	O
310	CM 140	CM 235 LEVEL CM	17104,2220 litre	89,606 %	1984,0950 litre	O
310	CM 140	CM 234 LEVEL CM	17040,1799 litre	89,270 %	2048,1371 litre	O
310	CM 140	CM 233 LEVEL CM	16975,5760 litre	88,932 %	2112,7410 litre	O
310	CM 140	CM 232 LEVEL CM	16910,4211 litre	88,590 %	2177,8959 litre	O
310	CM 140	CM 231 LEVEL CM	16844,7257 litre	88,246 %	2243,5913 litre	O
310	CM 140	CM 230 LEVEL CM	16778,4999 litre	87,899 %	2309,8171 litre	O
310	CM 140	CM 229 LEVEL CM	16711,7538 litre	87,550 %	2376,5632 litre	O

310	CM	140	CM	228 LEVEL CM	16644,4970 litre	87,197 %	2443,8200 litre	O
310	CM	140	CM	227 LEVEL CM	16576,7392 litre	86,842 %	2511,5778 litre	O
310	CM	140	CM	226 LEVEL CM	16508,4896 litre	86,485 %	2579,8274 litre	O
310	CM	140	CM	225 LEVEL CM	16439,7573 litre	86,125 %	2648,5597 litre	O
310	CM	140	CM	224 LEVEL CM	16370,5512 litre	85,762 %	2717,7658 litre	O
310	CM	140	CM	223 LEVEL CM	16300,8802 litre	85,397 %	2787,4368 litre	O
310	CM	140	CM	222 LEVEL CM	16230,7526 litre	85,030 %	2857,5644 litre	O
310	CM	140	CM	221 LEVEL CM	16160,1771 litre	84,660 %	2928,1399 litre	O
310	CM	140	CM	220 LEVEL CM	16089,1617 litre	84,288 %	2999,1553 litre	O
310	CM	140	CM	219 LEVEL CM	16017,7146 litre	83,914 %	3070,6024 litre	O
310	CM	140	CM	218 LEVEL CM	15945,8437 litre	83,537 %	3142,4733 litre	O
310	CM	140	CM	217 LEVEL CM	15873,5568 litre	83,158 %	3214,7602 litre	O
310	CM	140	CM	216 LEVEL CM	15800,8617 litre	82,778 %	3287,4553 litre	O
310	CM	140	CM	215 LEVEL CM	15727,7657 litre	82,395 %	3360,5513 litre	O
310	CM	140	CM	214 LEVEL CM	15654,2764 litre	82,010 %	3434,0406 litre	O
310	CM	140	CM	213 LEVEL CM	15580,4010 litre	81,623 %	3507,9160 litre	O
310	CM	140	CM	212 LEVEL CM	15506,1468 litre	81,234 %	3582,1702 litre	O
310	CM	140	CM	211 LEVEL CM	15431,5207 litre	80,843 %	3656,7963 litre	O
310	CM	140	CM	210 LEVEL CM	15356,5298 litre	80,450 %	3731,7872 litre	O
310	CM	140	CM	209 LEVEL CM	15281,1810 litre	80,055 %	3807,1360 litre	O
310	CM	140	CM	208 LEVEL CM	15205,4809 litre	79,659 %	3882,8361 litre	O
310	CM	140	CM	207 LEVEL CM	15129,4364 litre	79,260 %	3958,8806 litre	O
310	CM	140	CM	206 LEVEL CM	15053,0539 litre	78,860 %	4035,2631 litre	O
310	CM	140	CM	205 LEVEL CM	14976,3399 litre	78,458 %	4111,9771 litre	O
310	CM	140	CM	204 LEVEL CM	14899,3010 litre	78,055 %	4189,0160 litre	O
310	CM	140	CM	203 LEVEL CM	14821,9434 litre	77,649 %	4266,3736 litre	O
310	CM	140	CM	202 LEVEL CM	14744,2733 litre	77,242 %	4344,0437 litre	O
310	CM	140	CM	201 LEVEL CM	14666,2970 litre	76,834 %	4422,0200 litre	O
310	CM	140	CM	200 LEVEL CM	14588,0206 litre	76,424 %	4500,2964 litre	O
310	CM	140	CM	199 LEVEL CM	14509,4500 litre	76,012 %	4578,8670 litre	O
310	CM	140	CM	198 LEVEL CM	14430,5914 litre	75,599 %	4657,7256 litre	O
310	CM	140	CM	197 LEVEL CM	14351,4505 litre	75,184 %	4736,8665 litre	O
310	CM	140	CM	196 LEVEL CM	14272,0332 litre	74,768 %	4816,2838 litre	O
310	CM	140	CM	195 LEVEL CM	14192,3454 litre	74,351 %	4895,9716 litre	O
310	CM	140	CM	194 LEVEL CM	14112,3927 litre	73,932 %	4975,9243 litre	O
310	CM	140	CM	193 LEVEL CM	14032,1807 litre	73,512 %	5056,1363 litre	O
310	CM	140	CM	192 LEVEL CM	13951,7152 litre	73,090 %	5136,6018 litre	O
310	CM	140	CM	191 LEVEL CM	13871,0016 litre	72,667 %	5217,3154 litre	O
310	CM	140	CM	190 LEVEL CM	13790,0456 litre	72,243 %	5298,2714 litre	O
310	CM	140	CM	189 LEVEL CM	13708,8524 litre	71,818 %	5379,4646 litre	O
310	CM	140	CM	188 LEVEL CM	13627,4276 litre	71,391 %	5460,8894 litre	O
310	CM	140	CM	187 LEVEL CM	13545,7765 litre	70,964 %	5542,5405 litre	O
310	CM	140	CM	186 LEVEL CM	13463,9045 litre	70,535 %	5624,4125 litre	O
310	CM	140	CM	185 LEVEL CM	13381,8167 litre	70,105 %	5706,5003 litre	O
310	CM	140	CM	184 LEVEL CM	13299,5185 litre	69,674 %	5788,7985 litre	O
310	CM	140	CM	183 LEVEL CM	13217,0150 litre	69,241 %	5871,3020 litre	O
310	CM	140	CM	182 LEVEL CM	13134,3114 litre	68,808 %	5954,0056 litre	O
310	CM	140	CM	181 LEVEL CM	13051,4129 litre	68,374 %	6036,9041 litre	O
310	CM	140	CM	180 LEVEL CM	12968,3244 litre	67,939 %	6119,9926 litre	O
310	CM	140	CM	179 LEVEL CM	12885,0511 litre	67,502 %	6203,2659 litre	O
310	CM	140	CM	178 LEVEL CM	12801,5979 litre	67,065 %	6286,7191 litre	O
310	CM	140	CM	177 LEVEL CM	12717,9699 litre	66,627 %	6370,3471 litre	O
310	CM	140	CM	176 LEVEL CM	12634,1720 litre	66,188 %	6454,1450 litre	O

310	CM	140	CM	175 LEVEL CM	12550,2091 litre	65,748 %	6538,1079 litre	O
310	CM	140	CM	174 LEVEL CM	12466,0862 litre	65,307 %	6622,2308 litre	O
310	CM	140	CM	173 LEVEL CM	12381,8080 litre	64,866 %	6706,5090 litre	O
310	CM	140	CM	172 LEVEL CM	12297,3794 litre	64,424 %	6790,9376 litre	O
310	CM	140	CM	171 LEVEL CM	12212,8053 litre	63,981 %	6875,5117 litre	O
310	CM	140	CM	170 LEVEL CM	12128,0903 litre	63,537 %	6960,2267 litre	O
310	CM	140	CM	169 LEVEL CM	12043,2394 litre	63,092 %	7045,0776 litre	O
310	CM	140	CM	168 LEVEL CM	11958,2572 litre	62,647 %	7130,0598 litre	O
310	CM	140	CM	167 LEVEL CM	11873,1484 litre	62,201 %	7215,1686 litre	O
310	CM	140	CM	166 LEVEL CM	11787,9178 litre	61,755 %	7300,3992 litre	O
310	CM	140	CM	165 LEVEL CM	11702,5699 litre	61,307 %	7385,7471 litre	O
310	CM	140	CM	164 LEVEL CM	11617,1096 litre	60,860 %	7471,2074 litre	O
310	CM	140	CM	163 LEVEL CM	11531,5414 litre	60,412 %	7556,7756 litre	O
310	CM	140	CM	162 LEVEL CM	11445,8699 litre	59,963 %	7642,4471 litre	O
310	CM	140	CM	161 LEVEL CM	11360,0997 litre	59,513 %	7728,2173 litre	O
310	CM	140	CM	160 LEVEL CM	11274,2355 litre	59,064 %	7814,0815 litre	O
310	CM	140	CM	159 LEVEL CM	11188,2818 litre	58,613 %	7900,0352 litre	O
310	CM	140	CM	158 LEVEL CM	11102,2432 litre	58,163 %	7986,0738 litre	O
310	CM	140	CM	157 LEVEL CM	11016,1242 litre	57,711 %	8072,1928 litre	O
310	CM	140	CM	156 LEVEL CM	10929,9293 litre	57,260 %	8158,3877 litre	O
310	CM	140	CM	155 LEVEL CM	10843,6631 litre	56,808 %	8244,6539 litre	O
310	CM	140	CM	154 LEVEL CM	10757,3301 litre	56,356 %	8330,9869 litre	O
310	CM	140	CM	153 LEVEL CM	10670,9348 litre	55,903 %	8417,3822 litre	O
310	CM	140	CM	152 LEVEL CM	10584,4816 litre	55,450 %	8503,8354 litre	O
310	CM	140	CM	151 LEVEL CM	10497,9752 litre	54,997 %	8590,3418 litre	O
310	CM	140	CM	150 LEVEL CM	10411,4198 litre	54,543 %	8676,8972 litre	O
310	CM	140	CM	149 LEVEL CM	10324,8201 litre	54,090 %	8763,4969 litre	O
310	CM	140	CM	148 LEVEL CM	10238,1804 litre	53,636 %	8850,1366 litre	O
310	CM	140	CM	147 LEVEL CM	10151,5052 litre	53,182 %	8936,8118 litre	O
310	CM	140	CM	146 LEVEL CM	10064,7990 litre	52,728 %	9023,5180 litre	O
310	CM	140	CM	145 LEVEL CM	9978,0662 litre	52,273 %	9110,2508 litre	O
310	CM	140	CM	144 LEVEL CM	9891,3112 litre	51,819 %	9197,0058 litre	O
310	CM	140	CM	143 LEVEL CM	9804,5386 litre	51,364 %	9283,7784 litre	O
310	CM	140	CM	142 LEVEL CM	9717,7526 litre	50,909 %	9370,5644 litre	O
310	CM	140	CM	141 LEVEL CM	9630,9577 litre	50,455 %	9457,3593 litre	O
310	CM	140	CM	140 LEVEL CM	9544,1585 litre	50,000 %	9544,1585 litre	O
310	CM	140	CM	139 LEVEL CM	9457,3592 litre	49,545 %	9630,9578 litre	O
310	CM	140	CM	138 LEVEL CM	9370,5644 litre	49,091 %	9717,7526 litre	O
310	CM	140	CM	137 LEVEL CM	9283,7784 litre	48,636 %	9804,5386 litre	O
310	CM	140	CM	136 LEVEL CM	9197,0057 litre	48,181 %	9891,3113 litre	O
310	CM	140	CM	135 LEVEL CM	9110,2508 litre	47,727 %	9978,0662 litre	O
310	CM	140	CM	134 LEVEL CM	9023,5180 litre	47,272 %	10064,7990 litre	O
310	CM	140	CM	133 LEVEL CM	8936,8117 litre	46,818 %	10151,5053 litre	O
310	CM	140	CM	132 LEVEL CM	8850,1366 litre	46,364 %	10238,1804 litre	O
310	CM	140	CM	131 LEVEL CM	8763,4969 litre	45,910 %	10324,8201 litre	O
310	CM	140	CM	130 LEVEL CM	8676,8971 litre	45,457 %	10411,4199 litre	O
310	CM	140	CM	129 LEVEL CM	8590,3418 litre	45,003 %	10497,9752 litre	O
310	CM	140	CM	128 LEVEL CM	8503,8353 litre	44,550 %	10584,4817 litre	O
310	CM	140	CM	127 LEVEL CM	8417,3822 litre	44,097 %	10670,9348 litre	O
310	CM	140	CM	126 LEVEL CM	8330,9869 litre	43,644 %	10757,3301 litre	O
310	CM	140	CM	125 LEVEL CM	8244,6539 litre	43,192 %	10843,6631 litre	O
310	CM	140	CM	124 LEVEL CM	8158,3877 litre	42,740 %	10929,9293 litre	O
310	CM	140	CM	123 LEVEL CM	8072,1928 litre	42,289 %	11016,1242 litre	O

310	CM	140	CM	122 LEVEL CM	7986,0738 litre	41,837 %	11102,2432 litre	O
310	CM	140	CM	121 LEVEL CM	7900,0352 litre	41,387 %	11188,2818 litre	O
310	CM	140	CM	120 LEVEL CM	7814,0815 litre	40,936 %	11274,2355 litre	O
310	CM	140	CM	119 LEVEL CM	7728,2172 litre	40,487 %	11360,0998 litre	O
310	CM	140	CM	118 LEVEL CM	7642,4471 litre	40,037 %	11445,8699 litre	O
310	CM	140	CM	117 LEVEL CM	7556,7756 litre	39,588 %	11531,5414 litre	O
310	CM	140	CM	116 LEVEL CM	7471,2074 litre	39,140 %	11617,1096 litre	O
310	CM	140	CM	115 LEVEL CM	7385,7470 litre	38,692 %	11702,5700 litre	O
310	CM	140	CM	114 LEVEL CM	7300,3992 litre	38,245 %	11787,9178 litre	O
310	CM	140	CM	113 LEVEL CM	7215,1686 litre	37,799 %	11873,1484 litre	O
310	CM	140	CM	112 LEVEL CM	7130,0598 litre	37,353 %	11958,2572 litre	O
310	CM	140	CM	111 LEVEL CM	7045,0776 litre	36,908 %	12043,2394 litre	O
310	CM	140	CM	110 LEVEL CM	6960,2266 litre	36,463 %	12128,0904 litre	O
310	CM	140	CM	109 LEVEL CM	6875,5117 litre	36,019 %	12212,8053 litre	O
310	CM	140	CM	108 LEVEL CM	6790,9376 litre	35,576 %	12297,3794 litre	O
310	CM	140	CM	107 LEVEL CM	6706,5090 litre	35,134 %	12381,8080 litre	O
310	CM	140	CM	106 LEVEL CM	6622,2308 litre	34,693 %	12466,0862 litre	O
310	CM	140	CM	105 LEVEL CM	6538,1078 litre	34,252 %	12550,2092 litre	O
310	CM	140	CM	104 LEVEL CM	6454,1449 litre	33,812 %	12634,1721 litre	O
310	CM	140	CM	103 LEVEL CM	6370,3470 litre	33,373 %	12717,9700 litre	O
310	CM	140	CM	102 LEVEL CM	6286,7190 litre	32,935 %	12801,5980 litre	O
310	CM	140	CM	101 LEVEL CM	6203,2659 litre	32,498 %	12885,0511 litre	O
310	CM	140	CM	100 LEVEL CM	6119,9926 litre	32,061 %	12968,3244 litre	O
310	CM	140	CM	99 LEVEL CM	6036,9041 litre	31,626 %	13051,4129 litre	O
310	CM	140	CM	98 LEVEL CM	5954,0055 litre	31,192 %	13134,3115 litre	O
310	CM	140	CM	97 LEVEL CM	5871,3020 litre	30,759 %	13217,0150 litre	O
310	CM	140	CM	96 LEVEL CM	5788,7985 litre	30,326 %	13299,5185 litre	O
310	CM	140	CM	95 LEVEL CM	5706,5003 litre	29,895 %	13381,8167 litre	O
310	CM	140	CM	94 LEVEL CM	5624,4125 litre	29,465 %	13463,9045 litre	O
310	CM	140	CM	93 LEVEL CM	5542,5404 litre	29,036 %	13545,7766 litre	O
310	CM	140	CM	92 LEVEL CM	5460,8893 litre	28,609 %	13627,4277 litre	O
310	CM	140	CM	91 LEVEL CM	5379,4645 litre	28,182 %	13708,8525 litre	O
310	CM	140	CM	90 LEVEL CM	5298,2714 litre	27,757 %	13790,0456 litre	O
310	CM	140	CM	89 LEVEL CM	5217,3153 litre	27,333 %	13871,0017 litre	O
310	CM	140	CM	88 LEVEL CM	5136,6018 litre	26,910 %	13951,7152 litre	O
310	CM	140	CM	87 LEVEL CM	5056,1362 litre	26,488 %	14032,1808 litre	O
310	CM	140	CM	86 LEVEL CM	4975,9243 litre	26,068 %	14112,3927 litre	O
310	CM	140	CM	85 LEVEL CM	4895,9716 litre	25,649 %	14192,3454 litre	O
310	CM	140	CM	84 LEVEL CM	4816,2837 litre	25,232 %	14272,0333 litre	O
310	CM	140	CM	83 LEVEL CM	4736,8665 litre	24,816 %	14351,4505 litre	O
310	CM	140	CM	82 LEVEL CM	4657,7256 litre	24,401 %	14430,5914 litre	O
310	CM	140	CM	81 LEVEL CM	4578,8669 litre	23,988 %	14509,4501 litre	O
310	CM	140	CM	80 LEVEL CM	4500,2964 litre	23,576 %	14588,0206 litre	O
310	CM	140	CM	79 LEVEL CM	4422,0200 litre	23,166 %	14666,2970 litre	O
310	CM	140	CM	78 LEVEL CM	4344,0437 litre	22,758 %	14744,2733 litre	O
310	CM	140	CM	77 LEVEL CM	4266,3736 litre	22,351 %	14821,9434 litre	O
310	CM	140	CM	76 LEVEL CM	4189,0160 litre	21,945 %	14899,3010 litre	O
310	CM	140	CM	75 LEVEL CM	4111,9770 litre	21,542 %	14976,3400 litre	O
310	CM	140	CM	74 LEVEL CM	4035,2631 litre	21,140 %	15053,0539 litre	O
310	CM	140	CM	73 LEVEL CM	3958,8806 litre	20,740 %	15129,4364 litre	O
310	CM	140	CM	72 LEVEL CM	3882,8360 litre	20,341 %	15205,4810 litre	O
310	CM	140	CM	71 LEVEL CM	3807,1360 litre	19,945 %	15281,1810 litre	O
310	CM	140	CM	70 LEVEL CM	3731,7871 litre	19,550 %	15356,5299 litre	O

310	CM	140	CM	69 LEVEL CM	3656,7963 litre	19,157 %	15431,5207 litre	O
310	CM	140	CM	68 LEVEL CM	3582,1702 litre	18,766 %	15506,1468 litre	O
310	CM	140	CM	67 LEVEL CM	3507,9160 litre	18,377 %	15580,4010 litre	O
310	CM	140	CM	66 LEVEL CM	3434,0406 litre	17,990 %	15654,2764 litre	O
310	CM	140	CM	65 LEVEL CM	3360,5513 litre	17,605 %	15727,7657 litre	O
310	CM	140	CM	64 LEVEL CM	3287,4553 litre	17,222 %	15800,8617 litre	O
310	CM	140	CM	63 LEVEL CM	3214,7601 litre	16,842 %	15873,5569 litre	O
310	CM	140	CM	62 LEVEL CM	3142,4733 litre	16,463 %	15945,8437 litre	O
310	CM	140	CM	61 LEVEL CM	3070,6024 litre	16,086 %	16017,7146 litre	O
310	CM	140	CM	60 LEVEL CM	2999,1553 litre	15,712 %	16089,1617 litre	O
310	CM	140	CM	59 LEVEL CM	2928,1399 litre	15,340 %	16160,1771 litre	O
310	CM	140	CM	58 LEVEL CM	2857,5643 litre	14,970 %	16230,7527 litre	O
310	CM	140	CM	57 LEVEL CM	2787,4368 litre	14,603 %	16300,8802 litre	O
310	CM	140	CM	56 LEVEL CM	2717,7657 litre	14,238 %	16370,5513 litre	O
310	CM	140	CM	55 LEVEL CM	2648,5597 litre	13,875 %	16439,7573 litre	O
310	CM	140	CM	54 LEVEL CM	2579,8274 litre	13,515 %	16508,4896 litre	O
310	CM	140	CM	53 LEVEL CM	2511,5778 litre	13,158 %	16576,7392 litre	O
310	CM	140	CM	52 LEVEL CM	2443,8199 litre	12,803 %	16644,4971 litre	O
310	CM	140	CM	51 LEVEL CM	2376,5632 litre	12,450 %	16711,7538 litre	O
310	CM	140	CM	50 LEVEL CM	2309,8171 litre	12,101 %	16778,4999 litre	O
310	CM	140	CM	49 LEVEL CM	2243,5913 litre	11,754 %	16844,7257 litre	O
310	CM	140	CM	48 LEVEL CM	2177,8958 litre	11,410 %	16910,4212 litre	O
310	CM	140	CM	47 LEVEL CM	2112,7409 litre	11,068 %	16975,5761 litre	O
310	CM	140	CM	46 LEVEL CM	2048,1371 litre	10,730 %	17040,1799 litre	O
310	CM	140	CM	45 LEVEL CM	1984,0949 litre	10,394 %	17104,2221 litre	O
310	CM	140	CM	44 LEVEL CM	1920,6256 litre	10,062 %	17167,6914 litre	O
310	CM	140	CM	43 LEVEL CM	1857,7404 litre	9,732 %	17230,5766 litre	O
310	CM	140	CM	42 LEVEL CM	1795,4510 litre	9,406 %	17292,8660 litre	O
310	CM	140	CM	41 LEVEL CM	1733,7693 litre	9,083 %	17354,5477 litre	O
310	CM	140	CM	40 LEVEL CM	1672,7077 litre	8,763 %	17415,6093 litre	O
310	CM	140	CM	39 LEVEL CM	1612,2789 litre	8,446 %	17476,0381 litre	O
310	CM	140	CM	38 LEVEL CM	1552,4960 litre	8,133 %	17535,8210 litre	O
310	CM	140	CM	37 LEVEL CM	1493,3727 litre	7,823 %	17594,9443 litre	O
310	CM	140	CM	36 LEVEL CM	1434,9229 litre	7,517 %	17653,3941 litre	O
310	CM	140	CM	35 LEVEL CM	1377,1611 litre	7,215 %	17711,1559 litre	O
310	CM	140	CM	34 LEVEL CM	1320,1024 litre	6,916 %	17768,2146 litre	O
310	CM	140	CM	33 LEVEL CM	1263,7623 litre	6,621 %	17824,5547 litre	O
310	CM	140	CM	32 LEVEL CM	1208,1571 litre	6,329 %	17880,1599 litre	O
310	CM	140	CM	31 LEVEL CM	1153,3036 litre	6,042 %	17935,0134 litre	O
310	CM	140	CM	30 LEVEL CM	1099,2194 litre	5,759 %	17989,0976 litre	O
310	CM	140	CM	29 LEVEL CM	1045,9227 litre	5,479 %	18042,3943 litre	O
310	CM	140	CM	28 LEVEL CM	993,4327 litre	5,204 %	18094,8843 litre	O
310	CM	140	CM	27 LEVEL CM	941,7695 litre	4,934 %	18146,5475 litre	O
310	CM	140	CM	26 LEVEL CM	890,9541 litre	4,668 %	18197,3629 litre	O
310	CM	140	CM	25 LEVEL CM	841,0085 litre	4,406 %	18247,3085 litre	O
310	CM	140	CM	24 LEVEL CM	791,9560 litre	4,149 %	18296,3610 litre	O
310	CM	140	CM	23 LEVEL CM	743,8211 litre	3,897 %	18344,4959 litre	O
310	CM	140	CM	22 LEVEL CM	696,6299 litre	3,650 %	18391,6871 litre	O
310	CM	140	CM	21 LEVEL CM	650,4100 litre	3,407 %	18437,9070 litre	O
310	CM	140	CM	20 LEVEL CM	605,1906 litre	3,170 %	18483,1264 litre	O
310	CM	140	CM	19 LEVEL CM	561,0031 litre	2,939 %	18527,3139 litre	O
310	CM	140	CM	18 LEVEL CM	517,8812 litre	2,713 %	18570,4358 litre	O
310	CM	140	CM	17 LEVEL CM	475,8609 litre	2,493 %	18612,4561 litre	O

310	CM	140	CM	16 LEVEL CM	434,9815 litre	2,279 %	18653,3355 litre	O
310	CM	140	CM	15 LEVEL CM	395,2852 litre	2,071 %	18693,0318 litre	O
310	CM	140	CM	14 LEVEL CM	356,8186 litre	1,869 %	18731,4984 litre	O
310	CM	140	CM	13 LEVEL CM	319,6326 litre	1,674 %	18768,6844 litre	O
310	CM	140	CM	12 LEVEL CM	283,7836 litre	1,487 %	18804,5334 litre	O
310	CM	140	CM	11 LEVEL CM	249,3347 litre	1,306 %	18838,9823 litre	O
310	CM	140	CM	10 LEVEL CM	216,3569 litre	1,133 %	18871,9601 litre	O
310	CM	140	CM	9 LEVEL CM	184,9313 litre	0,969 %	18903,3857 litre	O
310	CM	140	CM	8 LEVEL CM	155,1517 litre	0,813 %	18933,1653 litre	O
310	CM	140	CM	7 LEVEL CM	127,1283 litre	0,666 %	18961,1887 litre	O
310	CM	140	CM	6 LEVEL CM	100,9938 litre	0,529 %	18987,3232 litre	O
310	CM	140	CM	5 LEVEL CM	76,9120 litre	0,403 %	19011,4050 litre	O
310	CM	140	CM	4 LEVEL CM	55,0934 litre	0,289 %	19033,2236 litre	O
310	CM	140	CM	3 LEVEL CM	35,8229 litre	0,188 %	19052,4941 litre	O
310	CM	140	CM	2 LEVEL CM	19,5205 litre	0,102 %	19068,7965 litre	O
310	CM	140	CM	1 LEVEL CM	6,9090 litre	0,036 %	19081,4080 litre	O
310	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	19088,3170 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM	135	CM 270 LEVEL CM	17749,2131 litre	100,000 %	0,0000 litre	O
310	CM	135	CM 269 LEVEL CM	17742,4289 litre	99,962 %	6,7842 litre	O
310	CM	135	CM 268 LEVEL CM	17730,0458 litre	99,892 %	19,1673 litre	O
310	CM	135	CM 267 LEVEL CM	17714,0399 litre	99,802 %	35,1732 litre	O
310	CM	135	CM 266 LEVEL CM	17695,1211 litre	99,695 %	54,0920 litre	O
310	CM	135	CM 265 LEVEL CM	17673,7022 litre	99,575 %	75,5109 litre	O
310	CM	135	CM 264 LEVEL CM	17650,0631 litre	99,441 %	99,1500 litre	O
310	CM	135	CM 263 LEVEL CM	17624,4108 litre	99,297 %	124,8023 litre	O
310	CM	135	CM 262 LEVEL CM	17596,9065 litre	99,142 %	152,3066 litre	O
310	CM	135	CM 261 LEVEL CM	17567,6804 litre	98,977 %	181,5327 litre	O
310	CM	135	CM 260 LEVEL CM	17536,8412 litre	98,803 %	212,3719 litre	O
310	CM	135	CM 259 LEVEL CM	17504,4810 litre	98,621 %	244,7321 litre	O
310	CM	135	CM 258 LEVEL CM	17470,6797 litre	98,431 %	278,5334 litre	O
310	CM	135	CM 257 LEVEL CM	17435,5072 litre	98,233 %	313,7059 litre	O
310	CM	135	CM 256 LEVEL CM	17399,0255 litre	98,027 %	350,1876 litre	O
310	CM	135	CM 255 LEVEL CM	17361,2903 litre	97,814 %	387,9228 litre	O
310	CM	135	CM 254 LEVEL CM	17322,3517 litre	97,595 %	426,8614 litre	O
310	CM	135	CM 253 LEVEL CM	17282,2554 litre	97,369 %	466,9577 litre	O
310	CM	135	CM 252 LEVEL CM	17241,0434 litre	97,137 %	508,1697 litre	O
310	CM	135	CM 251 LEVEL CM	17198,7540 litre	96,899 %	550,4591 litre	O
310	CM	135	CM 250 LEVEL CM	17155,4230 litre	96,655 %	593,7901 litre	O
310	CM	135	CM 249 LEVEL CM	17111,0834 litre	96,405 %	638,1297 litre	O
310	CM	135	CM 248 LEVEL CM	17065,7663 litre	96,149 %	683,4468 litre	O
310	CM	135	CM 247 LEVEL CM	17019,5005 litre	95,889 %	729,7126 litre	O
310	CM	135	CM 246 LEVEL CM	16972,3133 litre	95,623 %	776,8998 litre	O
310	CM	135	CM 245 LEVEL CM	16924,2303 litre	95,352 %	824,9828 litre	O
310	CM	135	CM 244 LEVEL CM	16875,2758 litre	95,076 %	873,9373 litre	O
310	CM	135	CM 243 LEVEL CM	16825,4727 litre	94,796 %	923,7404 litre	O
310	CM	135	CM 242 LEVEL CM	16774,8429 litre	94,510 %	974,3702 litre	O
310	CM	135	CM 241 LEVEL CM	16723,4070 litre	94,221 %	1025,8061 litre	O
310	CM	135	CM 240 LEVEL CM	16671,1850 litre	93,926 %	1078,0281 litre	O
310	CM	135	CM 239 LEVEL CM	16618,1957 litre	93,628 %	1131,0174 litre	O
310	CM	135	CM 238 LEVEL CM	16564,4573 litre	93,325 %	1184,7558 litre	O
310	CM	135	CM 237 LEVEL CM	16509,9870 litre	93,018 %	1239,2261 litre	O
310	CM	135	CM 236 LEVEL CM	16454,8015 litre	92,707 %	1294,4116 litre	O
310	CM	135	CM 235 LEVEL CM	16398,9170 litre	92,392 %	1350,2961 litre	O
310	CM	135	CM 234 LEVEL CM	16342,3488 litre	92,074 %	1406,8643 litre	O
310	CM	135	CM 233 LEVEL CM	16285,1118 litre	91,751 %	1464,1013 litre	O
310	CM	135	CM 232 LEVEL CM	16227,2203 litre	91,425 %	1521,9928 litre	O
310	CM	135	CM 231 LEVEL CM	16168,6883 litre	91,095 %	1580,5248 litre	O
310	CM	135	CM 230 LEVEL CM	16109,5292 litre	90,762 %	1639,6839 litre	O
310	CM	135	CM 229 LEVEL CM	16049,7559 litre	90,425 %	1699,4572 litre	O
310	CM	135	CM 228 LEVEL CM	15989,3812 litre	90,085 %	1759,8319 litre	O
310	CM	135	CM 227 LEVEL CM	15928,4172 litre	89,742 %	1820,7959 litre	O
310	CM	135	CM 226 LEVEL CM	15866,8759 litre	89,395 %	1882,3372 litre	O
310	CM	135	CM 225 LEVEL CM	15804,7687 litre	89,045 %	1944,4444 litre	O
310	CM	135	CM 224 LEVEL CM	15742,1070 litre	88,692 %	2007,1061 litre	O
310	CM	135	CM 223 LEVEL CM	15678,9016 litre	88,336 %	2070,3115 litre	O
310	CM	135	CM 222 LEVEL CM	15615,1633 litre	87,977 %	2134,0498 litre	O
310	CM	135	CM 221 LEVEL CM	15550,9025 litre	87,615 %	2198,3106 litre	O
310	CM	135	CM 220 LEVEL CM	15486,1292 litre	87,250 %	2263,0839 litre	O
310	CM	135	CM 219 LEVEL CM	15420,8534 litre	86,882 %	2328,3597 litre	O

310	CM	135	CM	218 LEVEL CM	15355,0848 litre	86,511 %	2394,1283 litre	O
310	CM	135	CM	217 LEVEL CM	15288,8329 litre	86,138 %	2460,3802 litre	O
310	CM	135	CM	216 LEVEL CM	15222,1069 litre	85,762 %	2527,1062 litre	O
310	CM	135	CM	215 LEVEL CM	15154,9159 litre	85,384 %	2594,2972 litre	O
310	CM	135	CM	214 LEVEL CM	15087,2688 litre	85,002 %	2661,9443 litre	O
310	CM	135	CM	213 LEVEL CM	15019,1742 litre	84,619 %	2730,0389 litre	O
310	CM	135	CM	212 LEVEL CM	14950,6407 litre	84,233 %	2798,5724 litre	O
310	CM	135	CM	211 LEVEL CM	14881,6767 litre	83,844 %	2867,5364 litre	O
310	CM	135	CM	210 LEVEL CM	14812,2903 litre	83,453 %	2936,9228 litre	O
310	CM	135	CM	209 LEVEL CM	14742,4897 litre	83,060 %	3006,7234 litre	O
310	CM	135	CM	208 LEVEL CM	14672,2827 litre	82,664 %	3076,9304 litre	O
310	CM	135	CM	207 LEVEL CM	14601,6772 litre	82,267 %	3147,5359 litre	O
310	CM	135	CM	206 LEVEL CM	14530,6807 litre	81,867 %	3218,5324 litre	O
310	CM	135	CM	205 LEVEL CM	14459,3009 litre	81,464 %	3289,9122 litre	O
310	CM	135	CM	204 LEVEL CM	14387,5450 litre	81,060 %	3361,6681 litre	O
310	CM	135	CM	203 LEVEL CM	14315,4205 litre	80,654 %	3433,7926 litre	O
310	CM	135	CM	202 LEVEL CM	14242,9345 litre	80,245 %	3506,2786 litre	O
310	CM	135	CM	201 LEVEL CM	14170,0940 litre	79,835 %	3579,1191 litre	O
310	CM	135	CM	200 LEVEL CM	14096,9061 litre	79,423 %	3652,3070 litre	O
310	CM	135	CM	199 LEVEL CM	14023,3775 litre	79,008 %	3725,8356 litre	O
310	CM	135	CM	198 LEVEL CM	13949,5151 litre	78,592 %	3799,6980 litre	O
310	CM	135	CM	197 LEVEL CM	13875,3256 litre	78,174 %	3873,8875 litre	O
310	CM	135	CM	196 LEVEL CM	13800,8155 litre	77,755 %	3948,3976 litre	O
310	CM	135	CM	195 LEVEL CM	13725,9914 litre	77,333 %	4023,2217 litre	O
310	CM	135	CM	194 LEVEL CM	13650,8596 litre	76,910 %	4098,3535 litre	O
310	CM	135	CM	193 LEVEL CM	13575,4266 litre	76,485 %	4173,7865 litre	O
310	CM	135	CM	192 LEVEL CM	13499,6986 litre	76,058 %	4249,5145 litre	O
310	CM	135	CM	191 LEVEL CM	13423,6819 litre	75,630 %	4325,5312 litre	O
310	CM	135	CM	190 LEVEL CM	13347,3824 litre	75,200 %	4401,8307 litre	O
310	CM	135	CM	189 LEVEL CM	13270,8064 litre	74,768 %	4478,4067 litre	O
310	CM	135	CM	188 LEVEL CM	13193,9598 litre	74,335 %	4555,2533 litre	O
310	CM	135	CM	187 LEVEL CM	13116,8485 litre	73,901 %	4632,3646 litre	O
310	CM	135	CM	186 LEVEL CM	13039,4784 litre	73,465 %	4709,7347 litre	O
310	CM	135	CM	185 LEVEL CM	12961,8554 litre	73,028 %	4787,3577 litre	O
310	CM	135	CM	184 LEVEL CM	12883,9851 litre	72,589 %	4865,2280 litre	O
310	CM	135	CM	183 LEVEL CM	12805,8734 litre	72,149 %	4943,3397 litre	O
310	CM	135	CM	182 LEVEL CM	12727,5257 litre	71,708 %	5021,6874 litre	O
310	CM	135	CM	181 LEVEL CM	12648,9479 litre	71,265 %	5100,2652 litre	O
310	CM	135	CM	180 LEVEL CM	12570,1453 litre	70,821 %	5179,0678 litre	O
310	CM	135	CM	179 LEVEL CM	12491,1234 litre	70,376 %	5258,0897 litre	O
310	CM	135	CM	178 LEVEL CM	12411,8879 litre	69,929 %	5337,3252 litre	O
310	CM	135	CM	177 LEVEL CM	12332,4440 litre	69,482 %	5416,7691 litre	O
310	CM	135	CM	176 LEVEL CM	12252,7971 litre	69,033 %	5496,4160 litre	O
310	CM	135	CM	175 LEVEL CM	12172,9527 litre	68,583 %	5576,2604 litre	O
310	CM	135	CM	174 LEVEL CM	12092,9158 litre	68,132 %	5656,2973 litre	O
310	CM	135	CM	173 LEVEL CM	12012,6919 litre	67,680 %	5736,5212 litre	O
310	CM	135	CM	172 LEVEL CM	11932,2861 litre	67,227 %	5816,9270 litre	O
310	CM	135	CM	171 LEVEL CM	11851,7036 litre	66,773 %	5897,5095 litre	O
310	CM	135	CM	170 LEVEL CM	11770,9496 litre	66,318 %	5978,2635 litre	O
310	CM	135	CM	169 LEVEL CM	11690,0291 litre	65,862 %	6059,1840 litre	O
310	CM	135	CM	168 LEVEL CM	11608,9472 litre	65,405 %	6140,2659 litre	O
310	CM	135	CM	167 LEVEL CM	11527,7091 litre	64,948 %	6221,5040 litre	O
310	CM	135	CM	166 LEVEL CM	11446,3197 litre	64,489 %	6302,8934 litre	O

310	CM	135	CM	165 LEVEL CM	11364,7840 litre	64,030 %	6384,4291 litre	O
310	CM	135	CM	164 LEVEL CM	11283,1070 litre	63,570 %	6466,1061 litre	O
310	CM	135	CM	163 LEVEL CM	11201,2937 litre	63,109 %	6547,9194 litre	O
310	CM	135	CM	162 LEVEL CM	11119,3488 litre	62,647 %	6629,8643 litre	O
310	CM	135	CM	161 LEVEL CM	11037,2775 litre	62,185 %	6711,9356 litre	O
310	CM	135	CM	160 LEVEL CM	10955,0844 litre	61,722 %	6794,1287 litre	O
310	CM	135	CM	159 LEVEL CM	10872,7745 litre	61,258 %	6876,4386 litre	O
310	CM	135	CM	158 LEVEL CM	10790,3526 litre	60,793 %	6958,8605 litre	O
310	CM	135	CM	157 LEVEL CM	10707,8234 litre	60,328 %	7041,3897 litre	O
310	CM	135	CM	156 LEVEL CM	10625,1919 litre	59,863 %	7124,0212 litre	O
310	CM	135	CM	155 LEVEL CM	10542,4628 litre	59,397 %	7206,7503 litre	O
310	CM	135	CM	154 LEVEL CM	10459,6407 litre	58,930 %	7289,5724 litre	O
310	CM	135	CM	153 LEVEL CM	10376,7306 litre	58,463 %	7372,4825 litre	O
310	CM	135	CM	152 LEVEL CM	10293,7370 litre	57,995 %	7455,4761 litre	O
310	CM	135	CM	151 LEVEL CM	10210,6647 litre	57,527 %	7538,5484 litre	O
310	CM	135	CM	150 LEVEL CM	10127,5184 litre	57,059 %	7621,6947 litre	O
310	CM	135	CM	149 LEVEL CM	10044,3028 litre	56,590 %	7704,9103 litre	O
310	CM	135	CM	148 LEVEL CM	9961,0225 litre	56,121 %	7788,1906 litre	O
310	CM	135	CM	147 LEVEL CM	9877,6823 litre	55,651 %	7871,5308 litre	O
310	CM	135	CM	146 LEVEL CM	9794,2867 litre	55,182 %	7954,9264 litre	O
310	CM	135	CM	145 LEVEL CM	9710,8405 litre	54,711 %	8038,3726 litre	O
310	CM	135	CM	144 LEVEL CM	9627,3482 litre	54,241 %	8121,8649 litre	O
310	CM	135	CM	143 LEVEL CM	9543,8144 litre	53,770 %	8205,3987 litre	O
310	CM	135	CM	142 LEVEL CM	9460,2439 litre	53,300 %	8288,9692 litre	O
310	CM	135	CM	141 LEVEL CM	9376,6412 litre	52,828 %	8372,5719 litre	O
310	CM	135	CM	140 LEVEL CM	9293,0108 litre	52,357 %	8456,2023 litre	O
310	CM	135	CM	139 LEVEL CM	9209,3576 litre	51,886 %	8539,8555 litre	O
310	CM	135	CM	138 LEVEL CM	9125,6859 litre	51,415 %	8623,5272 litre	O
310	CM	135	CM	137 LEVEL CM	9042,0004 litre	50,943 %	8707,2127 litre	O
310	CM	135	CM	136 LEVEL CM	8958,3058 litre	50,472 %	8790,9073 litre	O
310	CM	135	CM	135 LEVEL CM	8874,6065 litre	50,000 %	8874,6066 litre	O
310	CM	135	CM	134 LEVEL CM	8790,9073 litre	49,528 %	8958,3058 litre	O
310	CM	135	CM	133 LEVEL CM	8707,2127 litre	49,057 %	9042,0004 litre	O
310	CM	135	CM	132 LEVEL CM	8623,5272 litre	48,585 %	9125,6859 litre	O
310	CM	135	CM	131 LEVEL CM	8539,8555 litre	48,114 %	9209,3576 litre	O
310	CM	135	CM	130 LEVEL CM	8456,2022 litre	47,643 %	9293,0109 litre	O
310	CM	135	CM	129 LEVEL CM	8372,5719 litre	47,172 %	9376,6412 litre	O
310	CM	135	CM	128 LEVEL CM	8288,9692 litre	46,700 %	9460,2439 litre	O
310	CM	135	CM	127 LEVEL CM	8205,3987 litre	46,230 %	9543,8144 litre	O
310	CM	135	CM	126 LEVEL CM	8121,8649 litre	45,759 %	9627,3482 litre	O
310	CM	135	CM	125 LEVEL CM	8038,3726 litre	45,289 %	9710,8405 litre	O
310	CM	135	CM	124 LEVEL CM	7954,9264 litre	44,818 %	9794,2867 litre	O
310	CM	135	CM	123 LEVEL CM	7871,5308 litre	44,349 %	9877,6823 litre	O
310	CM	135	CM	122 LEVEL CM	7788,1905 litre	43,879 %	9961,0226 litre	O
310	CM	135	CM	121 LEVEL CM	7704,9103 litre	43,410 %	10044,3028 litre	O
310	CM	135	CM	120 LEVEL CM	7621,6947 litre	42,941 %	10127,5184 litre	O
310	CM	135	CM	119 LEVEL CM	7538,5484 litre	42,473 %	10210,6647 litre	O
310	CM	135	CM	118 LEVEL CM	7455,4761 litre	42,005 %	10293,7370 litre	O
310	CM	135	CM	117 LEVEL CM	7372,4825 litre	41,537 %	10376,7306 litre	O
310	CM	135	CM	116 LEVEL CM	7289,5724 litre	41,070 %	10459,6407 litre	O
310	CM	135	CM	115 LEVEL CM	7206,7503 litre	40,603 %	10542,4628 litre	O
310	CM	135	CM	114 LEVEL CM	7124,0212 litre	40,137 %	10625,1919 litre	O
310	CM	135	CM	113 LEVEL CM	7041,3896 litre	39,672 %	10707,8235 litre	O

310	CM	135	CM	112 LEVEL CM	6958,8605 litre	39,207 %	10790,3526 litre	O
310	CM	135	CM	111 LEVEL CM	6876,4386 litre	38,742 %	10872,7745 litre	O
310	CM	135	CM	110 LEVEL CM	6794,1287 litre	38,278 %	10955,0844 litre	O
310	CM	135	CM	109 LEVEL CM	6711,9356 litre	37,815 %	11037,2775 litre	O
310	CM	135	CM	108 LEVEL CM	6629,8643 litre	37,353 %	11119,3488 litre	O
310	CM	135	CM	107 LEVEL CM	6547,9194 litre	36,891 %	11201,2937 litre	O
310	CM	135	CM	106 LEVEL CM	6466,1061 litre	36,430 %	11283,1070 litre	O
310	CM	135	CM	105 LEVEL CM	6384,4291 litre	35,970 %	11364,7840 litre	O
310	CM	135	CM	104 LEVEL CM	6302,8934 litre	35,511 %	11446,3197 litre	O
310	CM	135	CM	103 LEVEL CM	6221,5040 litre	35,052 %	11527,7091 litre	O
310	CM	135	CM	102 LEVEL CM	6140,2658 litre	34,595 %	11608,9473 litre	O
310	CM	135	CM	101 LEVEL CM	6059,1840 litre	34,138 %	11690,0291 litre	O
310	CM	135	CM	100 LEVEL CM	5978,2635 litre	33,682 %	11770,9496 litre	O
310	CM	135	CM	99 LEVEL CM	5897,5095 litre	33,227 %	11851,7036 litre	O
310	CM	135	CM	98 LEVEL CM	5816,9270 litre	32,773 %	11932,2861 litre	O
310	CM	135	CM	97 LEVEL CM	5736,5212 litre	32,320 %	12012,6919 litre	O
310	CM	135	CM	96 LEVEL CM	5656,2973 litre	31,868 %	12092,9158 litre	O
310	CM	135	CM	95 LEVEL CM	5576,2604 litre	31,417 %	12172,9527 litre	O
310	CM	135	CM	94 LEVEL CM	5496,4160 litre	30,967 %	12252,7971 litre	O
310	CM	135	CM	93 LEVEL CM	5416,7691 litre	30,518 %	12332,4440 litre	O
310	CM	135	CM	92 LEVEL CM	5337,3252 litre	30,071 %	12411,8879 litre	O
310	CM	135	CM	91 LEVEL CM	5258,0896 litre	29,624 %	12491,1235 litre	O
310	CM	135	CM	90 LEVEL CM	5179,0678 litre	29,179 %	12570,1453 litre	O
310	CM	135	CM	89 LEVEL CM	5100,2652 litre	28,735 %	12648,9479 litre	O
310	CM	135	CM	88 LEVEL CM	5021,6874 litre	28,292 %	12727,5257 litre	O
310	CM	135	CM	87 LEVEL CM	4943,3397 litre	27,851 %	12805,8734 litre	O
310	CM	135	CM	86 LEVEL CM	4865,2280 litre	27,411 %	12883,9851 litre	O
310	CM	135	CM	85 LEVEL CM	4787,3577 litre	26,972 %	12961,8554 litre	O
310	CM	135	CM	84 LEVEL CM	4709,7347 litre	26,535 %	13039,4784 litre	O
310	CM	135	CM	83 LEVEL CM	4632,3646 litre	26,099 %	13116,8485 litre	O
310	CM	135	CM	82 LEVEL CM	4555,2533 litre	25,665 %	13193,9598 litre	O
310	CM	135	CM	81 LEVEL CM	4478,4067 litre	25,232 %	13270,8064 litre	O
310	CM	135	CM	80 LEVEL CM	4401,8307 litre	24,800 %	13347,3824 litre	O
310	CM	135	CM	79 LEVEL CM	4325,5312 litre	24,370 %	13423,6819 litre	O
310	CM	135	CM	78 LEVEL CM	4249,5145 litre	23,942 %	13499,6986 litre	O
310	CM	135	CM	77 LEVEL CM	4173,7865 litre	23,515 %	13575,4266 litre	O
310	CM	135	CM	76 LEVEL CM	4098,3535 litre	23,090 %	13650,8596 litre	O
310	CM	135	CM	75 LEVEL CM	4023,2217 litre	22,667 %	13725,9914 litre	O
310	CM	135	CM	74 LEVEL CM	3948,3976 litre	22,245 %	13800,8155 litre	O
310	CM	135	CM	73 LEVEL CM	3873,8875 litre	21,826 %	13875,3256 litre	O
310	CM	135	CM	72 LEVEL CM	3799,6980 litre	21,408 %	13949,5151 litre	O
310	CM	135	CM	71 LEVEL CM	3725,8356 litre	20,992 %	14023,3775 litre	O
310	CM	135	CM	70 LEVEL CM	3652,3070 litre	20,577 %	14096,9061 litre	O
310	CM	135	CM	69 LEVEL CM	3579,1191 litre	20,165 %	14170,0940 litre	O
310	CM	135	CM	68 LEVEL CM	3506,2786 litre	19,755 %	14242,9345 litre	O
310	CM	135	CM	67 LEVEL CM	3433,7926 litre	19,346 %	14315,4205 litre	O
310	CM	135	CM	66 LEVEL CM	3361,6681 litre	18,940 %	14387,5450 litre	O
310	CM	135	CM	65 LEVEL CM	3289,9122 litre	18,536 %	14459,3009 litre	O
310	CM	135	CM	64 LEVEL CM	3218,5324 litre	18,133 %	14530,6807 litre	O
310	CM	135	CM	63 LEVEL CM	3147,5359 litre	17,733 %	14601,6772 litre	O
310	CM	135	CM	62 LEVEL CM	3076,9304 litre	17,336 %	14672,2827 litre	O
310	CM	135	CM	61 LEVEL CM	3006,7234 litre	16,940 %	14742,4897 litre	O
310	CM	135	CM	60 LEVEL CM	2936,9228 litre	16,547 %	14812,2903 litre	O

310	CM	135	CM	59 LEVEL CM	2867,5364 litre	16,156 %	14881,6767 litre	O
310	CM	135	CM	58 LEVEL CM	2798,5724 litre	15,767 %	14950,6407 litre	O
310	CM	135	CM	57 LEVEL CM	2730,0389 litre	15,381 %	15019,1742 litre	O
310	CM	135	CM	56 LEVEL CM	2661,9443 litre	14,998 %	15087,2688 litre	O
310	CM	135	CM	55 LEVEL CM	2594,2972 litre	14,616 %	15154,9159 litre	O
310	CM	135	CM	54 LEVEL CM	2527,1062 litre	14,238 %	15222,1069 litre	O
310	CM	135	CM	53 LEVEL CM	2460,3802 litre	13,862 %	15288,8329 litre	O
310	CM	135	CM	52 LEVEL CM	2394,1282 litre	13,489 %	15355,0849 litre	O
310	CM	135	CM	51 LEVEL CM	2328,3597 litre	13,118 %	15420,8534 litre	O
310	CM	135	CM	50 LEVEL CM	2263,0839 litre	12,750 %	15486,1292 litre	O
310	CM	135	CM	49 LEVEL CM	2198,3106 litre	12,385 %	15550,9025 litre	O
310	CM	135	CM	48 LEVEL CM	2134,0498 litre	12,023 %	15615,1633 litre	O
310	CM	135	CM	47 LEVEL CM	2070,3115 litre	11,664 %	15678,9016 litre	O
310	CM	135	CM	46 LEVEL CM	2007,1061 litre	11,308 %	15742,1070 litre	O
310	CM	135	CM	45 LEVEL CM	1944,4444 litre	10,955 %	15804,7687 litre	O
310	CM	135	CM	44 LEVEL CM	1882,3372 litre	10,605 %	15866,8759 litre	O
310	CM	135	CM	43 LEVEL CM	1820,7959 litre	10,258 %	15928,4172 litre	O
310	CM	135	CM	42 LEVEL CM	1759,8319 litre	9,915 %	15989,3812 litre	O
310	CM	135	CM	41 LEVEL CM	1699,4572 litre	9,575 %	16049,7559 litre	O
310	CM	135	CM	40 LEVEL CM	1639,6839 litre	9,238 %	16109,5292 litre	O
310	CM	135	CM	39 LEVEL CM	1580,5248 litre	8,905 %	16168,6883 litre	O
310	CM	135	CM	38 LEVEL CM	1521,9928 litre	8,575 %	16227,2203 litre	O
310	CM	135	CM	37 LEVEL CM	1464,1013 litre	8,249 %	16285,1118 litre	O
310	CM	135	CM	36 LEVEL CM	1406,8643 litre	7,926 %	16342,3488 litre	O
310	CM	135	CM	35 LEVEL CM	1350,2961 litre	7,608 %	16398,9170 litre	O
310	CM	135	CM	34 LEVEL CM	1294,4116 litre	7,293 %	16454,8015 litre	O
310	CM	135	CM	33 LEVEL CM	1239,2261 litre	6,982 %	16509,9870 litre	O
310	CM	135	CM	32 LEVEL CM	1184,7558 litre	6,675 %	16564,4573 litre	O
310	CM	135	CM	31 LEVEL CM	1131,0174 litre	6,372 %	16618,1957 litre	O
310	CM	135	CM	30 LEVEL CM	1078,0281 litre	6,074 %	16671,1850 litre	O
310	CM	135	CM	29 LEVEL CM	1025,8060 litre	5,779 %	16723,4071 litre	O
310	CM	135	CM	28 LEVEL CM	974,3702 litre	5,490 %	16774,8429 litre	O
310	CM	135	CM	27 LEVEL CM	923,7404 litre	5,204 %	16825,4727 litre	O
310	CM	135	CM	26 LEVEL CM	873,9373 litre	4,924 %	16875,2758 litre	O
310	CM	135	CM	25 LEVEL CM	824,9828 litre	4,648 %	16924,2303 litre	O
310	CM	135	CM	24 LEVEL CM	776,8998 litre	4,377 %	16972,3133 litre	O
310	CM	135	CM	23 LEVEL CM	729,7126 litre	4,111 %	17019,5005 litre	O
310	CM	135	CM	22 LEVEL CM	683,4468 litre	3,851 %	17065,7663 litre	O
310	CM	135	CM	21 LEVEL CM	638,1297 litre	3,595 %	17111,0834 litre	O
310	CM	135	CM	20 LEVEL CM	593,7901 litre	3,345 %	17155,4230 litre	O
310	CM	135	CM	19 LEVEL CM	550,4591 litre	3,101 %	17198,7540 litre	O
310	CM	135	CM	18 LEVEL CM	508,1697 litre	2,863 %	17241,0434 litre	O
310	CM	135	CM	17 LEVEL CM	466,9576 litre	2,631 %	17282,2555 litre	O
310	CM	135	CM	16 LEVEL CM	426,8614 litre	2,405 %	17322,3517 litre	O
310	CM	135	CM	15 LEVEL CM	387,9228 litre	2,186 %	17361,2903 litre	O
310	CM	135	CM	14 LEVEL CM	350,1876 litre	1,973 %	17399,0255 litre	O
310	CM	135	CM	13 LEVEL CM	313,7059 litre	1,767 %	17435,5072 litre	O
310	CM	135	CM	12 LEVEL CM	278,5334 litre	1,569 %	17470,6797 litre	O
310	CM	135	CM	11 LEVEL CM	244,7321 litre	1,379 %	17504,4810 litre	O
310	CM	135	CM	10 LEVEL CM	212,3719 litre	1,197 %	17536,8412 litre	O
310	CM	135	CM	9 LEVEL CM	181,5327 litre	1,023 %	17567,6804 litre	O
310	CM	135	CM	8 LEVEL CM	152,3066 litre	0,858 %	17596,9065 litre	O
310	CM	135	CM	7 LEVEL CM	124,8022 litre	0,703 %	17624,4109 litre	O

310	CM	135	CM	6 LEVEL CM	99,1500 litre	0,559 %	17650,0631 litre	O
310	CM	135	CM	5 LEVEL CM	75,5109 litre	0,425 %	17673,7022 litre	O
310	CM	135	CM	4 LEVEL CM	54,0920 litre	0,305 %	17695,1211 litre	O
310	CM	135	CM	3 LEVEL CM	35,1731 litre	0,198 %	17714,0400 litre	O
310	CM	135	CM	2 LEVEL CM	19,1673 litre	0,108 %	17730,0458 litre	O
310	CM	135	CM	1 LEVEL CM	6,7842 litre	0,038 %	17742,4289 litre	O
310	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	17749,2131 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 130	CM 260 LEVEL CM	16458,8039 litre	100,000 %	0,0000 litre	O
310	CM 130	CM 259 LEVEL CM	16452,1468 litre	99,960 %	6,6571 litre	O
310	CM 130	CM 258 LEVEL CM	16439,9966 litre	99,886 %	18,8073 litre	O
310	CM 130	CM 257 LEVEL CM	16424,2927 litre	99,790 %	34,5112 litre	O
310	CM 130	CM 256 LEVEL CM	16405,7323 litre	99,678 %	53,0716 litre	O
310	CM 130	CM 255 LEVEL CM	16384,7206 litre	99,550 %	74,0833 litre	O
310	CM 130	CM 254 LEVEL CM	16361,5327 litre	99,409 %	97,2712 litre	O
310	CM 130	CM 253 LEVEL CM	16336,3719 litre	99,256 %	122,4320 litre	O
310	CM 130	CM 252 LEVEL CM	16309,3965 litre	99,092 %	149,4074 litre	O
310	CM 130	CM 251 LEVEL CM	16280,7347 litre	98,918 %	178,0692 litre	O
310	CM 130	CM 250 LEVEL CM	16250,4932 litre	98,734 %	208,3107 litre	O
310	CM 130	CM 249 LEVEL CM	16218,7627 litre	98,542 %	240,0412 litre	O
310	CM 130	CM 248 LEVEL CM	16185,6217 litre	98,340 %	273,1822 litre	O
310	CM 130	CM 247 LEVEL CM	16151,1389 litre	98,131 %	307,6650 litre	O
310	CM 130	CM 246 LEVEL CM	16115,3754 litre	97,913 %	343,4285 litre	O
310	CM 130	CM 245 LEVEL CM	16078,3860 litre	97,689 %	380,4179 litre	O
310	CM 130	CM 244 LEVEL CM	16040,2201 litre	97,457 %	418,5838 litre	O
310	CM 130	CM 243 LEVEL CM	16000,9227 litre	97,218 %	457,8812 litre	O
310	CM 130	CM 242 LEVEL CM	15960,5349 litre	96,973 %	498,2690 litre	O
310	CM 130	CM 241 LEVEL CM	15919,0948 litre	96,721 %	539,7091 litre	O
310	CM 130	CM 240 LEVEL CM	15876,6375 litre	96,463 %	582,1664 litre	O
310	CM 130	CM 239 LEVEL CM	15833,1956 litre	96,199 %	625,6083 litre	O
310	CM 130	CM 238 LEVEL CM	15788,7997 litre	95,929 %	670,0042 litre	O
310	CM 130	CM 237 LEVEL CM	15743,4782 litre	95,654 %	715,3257 litre	O
310	CM 130	CM 236 LEVEL CM	15697,2580 litre	95,373 %	761,5459 litre	O
310	CM 130	CM 235 LEVEL CM	15650,1645 litre	95,087 %	808,6394 litre	O
310	CM 130	CM 234 LEVEL CM	15602,2216 litre	94,796 %	856,5823 litre	O
310	CM 130	CM 233 LEVEL CM	15553,4519 litre	94,499 %	905,3520 litre	O
310	CM 130	CM 232 LEVEL CM	15503,8770 litre	94,198 %	954,9269 litre	O
310	CM 130	CM 231 LEVEL CM	15453,5173 litre	93,892 %	1005,2866 litre	O
310	CM 130	CM 230 LEVEL CM	15402,3926 litre	93,581 %	1056,4113 litre	O
310	CM 130	CM 229 LEVEL CM	15350,5213 litre	93,266 %	1108,2826 litre	O
310	CM 130	CM 228 LEVEL CM	15297,9215 litre	92,947 %	1160,8824 litre	O
310	CM 130	CM 227 LEVEL CM	15244,6103 litre	92,623 %	1214,1936 litre	O
310	CM 130	CM 226 LEVEL CM	15190,6042 litre	92,295 %	1268,1997 litre	O
310	CM 130	CM 225 LEVEL CM	15135,9190 litre	91,962 %	1322,8849 litre	O
310	CM 130	CM 224 LEVEL CM	15080,5701 litre	91,626 %	1378,2338 litre	O
310	CM 130	CM 223 LEVEL CM	15024,5721 litre	91,286 %	1434,2318 litre	O
310	CM 130	CM 222 LEVEL CM	14967,9393 litre	90,942 %	1490,8646 litre	O
310	CM 130	CM 221 LEVEL CM	14910,6855 litre	90,594 %	1548,1184 litre	O
310	CM 130	CM 220 LEVEL CM	14852,8239 litre	90,242 %	1605,9800 litre	O
310	CM 130	CM 219 LEVEL CM	14794,3674 litre	89,887 %	1664,4365 litre	O
310	CM 130	CM 218 LEVEL CM	14735,3286 litre	89,529 %	1723,4753 litre	O
310	CM 130	CM 217 LEVEL CM	14675,7195 litre	89,166 %	1783,0844 litre	O
310	CM 130	CM 216 LEVEL CM	14615,5520 litre	88,801 %	1843,2519 litre	O
310	CM 130	CM 215 LEVEL CM	14554,8376 litre	88,432 %	1903,9663 litre	O
310	CM 130	CM 214 LEVEL CM	14493,5874 litre	88,060 %	1965,2165 litre	O
310	CM 130	CM 213 LEVEL CM	14431,8122 litre	87,684 %	2026,9917 litre	O
310	CM 130	CM 212 LEVEL CM	14369,5227 litre	87,306 %	2089,2812 litre	O
310	CM 130	CM 211 LEVEL CM	14306,7291 litre	86,924 %	2152,0748 litre	O
310	CM 130	CM 210 LEVEL CM	14243,4417 litre	86,540 %	2215,3622 litre	O
310	CM 130	CM 209 LEVEL CM	14179,6702 litre	86,152 %	2279,1337 litre	O

310	CM	130	CM	208 LEVEL CM	14115,4243 litre	85,762 %	2343,3796 litre	O
310	CM	130	CM	207 LEVEL CM	14050,7133 litre	85,369 %	2408,0906 litre	O
310	CM	130	CM	206 LEVEL CM	13985,5466 litre	84,973 %	2473,2573 litre	O
310	CM	130	CM	205 LEVEL CM	13919,9330 litre	84,574 %	2538,8709 litre	O
310	CM	130	CM	204 LEVEL CM	13853,8816 litre	84,173 %	2604,9223 litre	O
310	CM	130	CM	203 LEVEL CM	13787,4008 litre	83,769 %	2671,4031 litre	O
310	CM	130	CM	202 LEVEL CM	13720,4993 litre	83,363 %	2738,3046 litre	O
310	CM	130	CM	201 LEVEL CM	13653,1854 litre	82,954 %	2805,6185 litre	O
310	CM	130	CM	200 LEVEL CM	13585,4672 litre	82,542 %	2873,3367 litre	O
310	CM	130	CM	199 LEVEL CM	13517,3529 litre	82,128 %	2941,4510 litre	O
310	CM	130	CM	198 LEVEL CM	13448,8502 litre	81,712 %	3009,9537 litre	O
310	CM	130	CM	197 LEVEL CM	13379,9670 litre	81,294 %	3078,8369 litre	O
310	CM	130	CM	196 LEVEL CM	13310,7109 litre	80,873 %	3148,0930 litre	O
310	CM	130	CM	195 LEVEL CM	13241,0895 litre	80,450 %	3217,7144 litre	O
310	CM	130	CM	194 LEVEL CM	13171,1101 litre	80,025 %	3287,6938 litre	O
310	CM	130	CM	193 LEVEL CM	13100,7800 litre	79,597 %	3358,0239 litre	O
310	CM	130	CM	192 LEVEL CM	13030,1064 litre	79,168 %	3428,6975 litre	O
310	CM	130	CM	191 LEVEL CM	12959,0964 litre	78,737 %	3499,7075 litre	O
310	CM	130	CM	190 LEVEL CM	12887,7569 litre	78,303 %	3571,0470 litre	O
310	CM	130	CM	189 LEVEL CM	12816,0949 litre	77,868 %	3642,7090 litre	O
310	CM	130	CM	188 LEVEL CM	12744,1171 litre	77,430 %	3714,6868 litre	O
310	CM	130	CM	187 LEVEL CM	12671,8302 litre	76,991 %	3786,9737 litre	O
310	CM	130	CM	186 LEVEL CM	12599,2408 litre	76,550 %	3859,5631 litre	O
310	CM	130	CM	185 LEVEL CM	12526,3554 litre	76,107 %	3932,4485 litre	O
310	CM	130	CM	184 LEVEL CM	12453,1806 litre	75,663 %	4005,6233 litre	O
310	CM	130	CM	183 LEVEL CM	12379,7226 litre	75,216 %	4079,0813 litre	O
310	CM	130	CM	182 LEVEL CM	12305,9878 litre	74,768 %	4152,8161 litre	O
310	CM	130	CM	181 LEVEL CM	12231,9825 litre	74,319 %	4226,8214 litre	O
310	CM	130	CM	180 LEVEL CM	12157,7126 litre	73,868 %	4301,0913 litre	O
310	CM	130	CM	179 LEVEL CM	12083,1845 litre	73,415 %	4375,6194 litre	O
310	CM	130	CM	178 LEVEL CM	12008,4040 litre	72,960 %	4450,3999 litre	O
310	CM	130	CM	177 LEVEL CM	11933,3772 litre	72,505 %	4525,4267 litre	O
310	CM	130	CM	176 LEVEL CM	11858,1100 litre	72,047 %	4600,6939 litre	O
310	CM	130	CM	175 LEVEL CM	11782,6082 litre	71,588 %	4676,1957 litre	O
310	CM	130	CM	174 LEVEL CM	11706,8777 litre	71,128 %	4751,9262 litre	O
310	CM	130	CM	173 LEVEL CM	11630,9241 litre	70,667 %	4827,8798 litre	O
310	CM	130	CM	172 LEVEL CM	11554,7532 litre	70,204 %	4904,0507 litre	O
310	CM	130	CM	171 LEVEL CM	11478,3707 litre	69,740 %	4980,4332 litre	O
310	CM	130	CM	170 LEVEL CM	11401,7821 litre	69,275 %	5057,0218 litre	O
310	CM	130	CM	169 LEVEL CM	11324,9930 litre	68,808 %	5133,8109 litre	O
310	CM	130	CM	168 LEVEL CM	11248,0089 litre	68,340 %	5210,7950 litre	O
310	CM	130	CM	167 LEVEL CM	11170,8353 litre	67,871 %	5287,9686 litre	O
310	CM	130	CM	166 LEVEL CM	11093,4777 litre	67,401 %	5365,3262 litre	O
310	CM	130	CM	165 LEVEL CM	11015,9413 litre	66,930 %	5442,8626 litre	O
310	CM	130	CM	164 LEVEL CM	10938,2317 litre	66,458 %	5520,5722 litre	O
310	CM	130	CM	163 LEVEL CM	10860,3540 litre	65,985 %	5598,4499 litre	O
310	CM	130	CM	162 LEVEL CM	10782,3136 litre	65,511 %	5676,4903 litre	O
310	CM	130	CM	161 LEVEL CM	10704,1157 litre	65,036 %	5754,6882 litre	O
310	CM	130	CM	160 LEVEL CM	10625,7656 litre	64,560 %	5833,0383 litre	O
310	CM	130	CM	159 LEVEL CM	10547,2685 litre	64,083 %	5911,5354 litre	O
310	CM	130	CM	158 LEVEL CM	10468,6295 litre	63,605 %	5990,1744 litre	O
310	CM	130	CM	157 LEVEL CM	10389,8537 litre	63,126 %	6068,9502 litre	O
310	CM	130	CM	156 LEVEL CM	10310,9462 litre	62,647 %	6147,8577 litre	O

310	CM	130	CM	155 LEVEL CM	10231,9123 litre	62,167 %	6226,8916 litre	O
310	CM	130	CM	154 LEVEL CM	10152,7568 litre	61,686 %	6306,0471 litre	O
310	CM	130	CM	153 LEVEL CM	10073,4848 litre	61,204 %	6385,3191 litre	O
310	CM	130	CM	152 LEVEL CM	9994,1014 litre	60,722 %	6464,7025 litre	O
310	CM	130	CM	151 LEVEL CM	9914,6116 litre	60,239 %	6544,1923 litre	O
310	CM	130	CM	150 LEVEL CM	9835,0202 litre	59,755 %	6623,7837 litre	O
310	CM	130	CM	149 LEVEL CM	9755,3323 litre	59,271 %	6703,4716 litre	O
310	CM	130	CM	148 LEVEL CM	9675,5528 litre	58,786 %	6783,2511 litre	O
310	CM	130	CM	147 LEVEL CM	9595,6867 litre	58,301 %	6863,1172 litre	O
310	CM	130	CM	146 LEVEL CM	9515,7387 litre	57,815 %	6943,0652 litre	O
310	CM	130	CM	145 LEVEL CM	9435,7139 litre	57,329 %	7023,0900 litre	O
310	CM	130	CM	144 LEVEL CM	9355,6170 litre	56,843 %	7103,1869 litre	O
310	CM	130	CM	143 LEVEL CM	9275,4530 litre	56,356 %	7183,3509 litre	O
310	CM	130	CM	142 LEVEL CM	9195,2267 litre	55,868 %	7263,5772 litre	O
310	CM	130	CM	141 LEVEL CM	9114,9428 litre	55,380 %	7343,8611 litre	O
310	CM	130	CM	140 LEVEL CM	9034,6064 litre	54,892 %	7424,1975 litre	O
310	CM	130	CM	139 LEVEL CM	8954,2221 litre	54,404 %	7504,5818 litre	O
310	CM	130	CM	138 LEVEL CM	8873,7948 litre	53,915 %	7585,0091 litre	O
310	CM	130	CM	137 LEVEL CM	8793,3292 litre	53,426 %	7665,4747 litre	O
310	CM	130	CM	136 LEVEL CM	8712,8302 litre	52,937 %	7745,9737 litre	O
310	CM	130	CM	135 LEVEL CM	8632,3026 litre	52,448 %	7826,5013 litre	O
310	CM	130	CM	134 LEVEL CM	8551,7511 litre	51,959 %	7907,0528 litre	O
310	CM	130	CM	133 LEVEL CM	8471,1805 litre	51,469 %	7987,6234 litre	O
310	CM	130	CM	132 LEVEL CM	8390,5956 litre	50,979 %	8068,2083 litre	O
310	CM	130	CM	131 LEVEL CM	8310,0012 litre	50,490 %	8148,8027 litre	O
310	CM	130	CM	130 LEVEL CM	8229,4020 litre	50,000 %	8229,4019 litre	O
310	CM	130	CM	129 LEVEL CM	8148,8028 litre	49,510 %	8310,0011 litre	O
310	CM	130	CM	128 LEVEL CM	8068,2083 litre	49,021 %	8390,5956 litre	O
310	CM	130	CM	127 LEVEL CM	7987,6234 litre	48,531 %	8471,1805 litre	O
310	CM	130	CM	126 LEVEL CM	7907,0528 litre	48,041 %	8551,7511 litre	O
310	CM	130	CM	125 LEVEL CM	7826,5013 litre	47,552 %	8632,3026 litre	O
310	CM	130	CM	124 LEVEL CM	7745,9737 litre	47,063 %	8712,8302 litre	O
310	CM	130	CM	123 LEVEL CM	7665,4747 litre	46,574 %	8793,3292 litre	O
310	CM	130	CM	122 LEVEL CM	7585,0092 litre	46,085 %	8873,7947 litre	O
310	CM	130	CM	121 LEVEL CM	7504,5818 litre	45,596 %	8954,2221 litre	O
310	CM	130	CM	120 LEVEL CM	7424,1975 litre	45,108 %	9034,6064 litre	O
310	CM	130	CM	119 LEVEL CM	7343,8611 litre	44,620 %	9114,9428 litre	O
310	CM	130	CM	118 LEVEL CM	7263,5773 litre	44,132 %	9195,2266 litre	O
310	CM	130	CM	117 LEVEL CM	7183,3509 litre	43,644 %	9275,4530 litre	O
310	CM	130	CM	116 LEVEL CM	7103,1869 litre	43,157 %	9355,6170 litre	O
310	CM	130	CM	115 LEVEL CM	7023,0900 litre	42,671 %	9435,7139 litre	O
310	CM	130	CM	114 LEVEL CM	6943,0652 litre	42,185 %	9515,7387 litre	O
310	CM	130	CM	113 LEVEL CM	6863,1172 litre	41,699 %	9595,6867 litre	O
310	CM	130	CM	112 LEVEL CM	6783,2511 litre	41,214 %	9675,5528 litre	O
310	CM	130	CM	111 LEVEL CM	6703,4716 litre	40,729 %	9755,3323 litre	O
310	CM	130	CM	110 LEVEL CM	6623,7837 litre	40,245 %	9835,0202 litre	O
310	CM	130	CM	109 LEVEL CM	6544,1923 litre	39,761 %	9914,6116 litre	O
310	CM	130	CM	108 LEVEL CM	6464,7025 litre	39,278 %	9994,1014 litre	O
310	CM	130	CM	107 LEVEL CM	6385,3191 litre	38,796 %	10073,4848 litre	O
310	CM	130	CM	106 LEVEL CM	6306,0471 litre	38,314 %	10152,7568 litre	O
310	CM	130	CM	105 LEVEL CM	6226,8917 litre	37,833 %	10231,9122 litre	O
310	CM	130	CM	104 LEVEL CM	6147,8577 litre	37,353 %	10310,9462 litre	O
310	CM	130	CM	103 LEVEL CM	6068,9502 litre	36,874 %	10389,8537 litre	O

310	CM	130	CM	102 LEVEL CM	5990,1745 litre	36,395 %	10468,6294 litre	O
310	CM	130	CM	101 LEVEL CM	5911,5354 litre	35,917 %	10547,2685 litre	O
310	CM	130	CM	100 LEVEL CM	5833,0383 litre	35,440 %	10625,7656 litre	O
310	CM	130	CM	99 LEVEL CM	5754,6882 litre	34,964 %	10704,1157 litre	O
310	CM	130	CM	98 LEVEL CM	5676,4903 litre	34,489 %	10782,3136 litre	O
310	CM	130	CM	97 LEVEL CM	5598,4499 litre	34,015 %	10860,3540 litre	O
310	CM	130	CM	96 LEVEL CM	5520,5722 litre	33,542 %	10938,2317 litre	O
310	CM	130	CM	95 LEVEL CM	5442,8626 litre	33,070 %	11015,9413 litre	O
310	CM	130	CM	94 LEVEL CM	5365,3262 litre	32,599 %	11093,4777 litre	O
310	CM	130	CM	93 LEVEL CM	5287,9686 litre	32,129 %	11170,8353 litre	O
310	CM	130	CM	92 LEVEL CM	5210,7950 litre	31,660 %	11248,0089 litre	O
310	CM	130	CM	91 LEVEL CM	5133,8109 litre	31,192 %	11324,9930 litre	O
310	CM	130	CM	90 LEVEL CM	5057,0218 litre	30,725 %	11401,7821 litre	O
310	CM	130	CM	89 LEVEL CM	4980,4332 litre	30,260 %	11478,3707 litre	O
310	CM	130	CM	88 LEVEL CM	4904,0507 litre	29,796 %	11554,7532 litre	O
310	CM	130	CM	87 LEVEL CM	4827,8798 litre	29,333 %	11630,9241 litre	O
310	CM	130	CM	86 LEVEL CM	4751,9263 litre	28,872 %	11706,8776 litre	O
310	CM	130	CM	85 LEVEL CM	4676,1957 litre	28,412 %	11782,6082 litre	O
310	CM	130	CM	84 LEVEL CM	4600,6939 litre	27,953 %	11858,1100 litre	O
310	CM	130	CM	83 LEVEL CM	4525,4267 litre	27,495 %	11933,3772 litre	O
310	CM	130	CM	82 LEVEL CM	4450,3999 litre	27,040 %	12008,4040 litre	O
310	CM	130	CM	81 LEVEL CM	4375,6194 litre	26,585 %	12083,1845 litre	O
310	CM	130	CM	80 LEVEL CM	4301,0913 litre	26,132 %	12157,7126 litre	O
310	CM	130	CM	79 LEVEL CM	4226,8215 litre	25,681 %	12231,9824 litre	O
310	CM	130	CM	78 LEVEL CM	4152,8161 litre	25,232 %	12305,9878 litre	O
310	CM	130	CM	77 LEVEL CM	4079,0813 litre	24,784 %	12379,7226 litre	O
310	CM	130	CM	76 LEVEL CM	4005,6233 litre	24,337 %	12453,1806 litre	O
310	CM	130	CM	75 LEVEL CM	3932,4485 litre	23,893 %	12526,3554 litre	O
310	CM	130	CM	74 LEVEL CM	3859,5631 litre	23,450 %	12599,2408 litre	O
310	CM	130	CM	73 LEVEL CM	3786,9738 litre	23,009 %	12671,8301 litre	O
310	CM	130	CM	72 LEVEL CM	3714,6868 litre	22,570 %	12744,1171 litre	O
310	CM	130	CM	71 LEVEL CM	3642,7090 litre	22,132 %	12816,0949 litre	O
310	CM	130	CM	70 LEVEL CM	3571,0470 litre	21,697 %	12887,7569 litre	O
310	CM	130	CM	69 LEVEL CM	3499,7075 litre	21,263 %	12959,0964 litre	O
310	CM	130	CM	68 LEVEL CM	3428,6975 litre	20,832 %	13030,1064 litre	O
310	CM	130	CM	67 LEVEL CM	3358,0239 litre	20,403 %	13100,7800 litre	O
310	CM	130	CM	66 LEVEL CM	3287,6938 litre	19,975 %	13171,1101 litre	O
310	CM	130	CM	65 LEVEL CM	3217,7144 litre	19,550 %	13241,0895 litre	O
310	CM	130	CM	64 LEVEL CM	3148,0930 litre	19,127 %	13310,7109 litre	O
310	CM	130	CM	63 LEVEL CM	3078,8369 litre	18,706 %	13379,9670 litre	O
310	CM	130	CM	62 LEVEL CM	3009,9537 litre	18,288 %	13448,8502 litre	O
310	CM	130	CM	61 LEVEL CM	2941,4511 litre	17,872 %	13517,3528 litre	O
310	CM	130	CM	60 LEVEL CM	2873,3367 litre	17,458 %	13585,4672 litre	O
310	CM	130	CM	59 LEVEL CM	2805,6185 litre	17,046 %	13653,1854 litre	O
310	CM	130	CM	58 LEVEL CM	2738,3046 litre	16,637 %	13720,4993 litre	O
310	CM	130	CM	57 LEVEL CM	2671,4031 litre	16,231 %	13787,4008 litre	O
310	CM	130	CM	56 LEVEL CM	2604,9224 litre	15,827 %	13853,8815 litre	O
310	CM	130	CM	55 LEVEL CM	2538,8709 litre	15,426 %	13919,9330 litre	O
310	CM	130	CM	54 LEVEL CM	2473,2574 litre	15,027 %	13985,5465 litre	O
310	CM	130	CM	53 LEVEL CM	2408,0906 litre	14,631 %	14050,7133 litre	O
310	CM	130	CM	52 LEVEL CM	2343,3796 litre	14,238 %	14115,4243 litre	O
310	CM	130	CM	51 LEVEL CM	2279,1337 litre	13,848 %	14179,6702 litre	O
310	CM	130	CM	50 LEVEL CM	2215,3622 litre	13,460 %	14243,4417 litre	O

310	CM	130	CM	49 LEVEL CM	2152,0748 litre	13,076 %	14306,7291 litre	O
310	CM	130	CM	48 LEVEL CM	2089,2812 litre	12,694 %	14369,5227 litre	O
310	CM	130	CM	47 LEVEL CM	2026,9917 litre	12,316 %	14431,8122 litre	O
310	CM	130	CM	46 LEVEL CM	1965,2165 litre	11,940 %	14493,5874 litre	O
310	CM	130	CM	45 LEVEL CM	1903,9663 litre	11,568 %	14554,8376 litre	O
310	CM	130	CM	44 LEVEL CM	1843,2519 litre	11,199 %	14615,5520 litre	O
310	CM	130	CM	43 LEVEL CM	1783,0844 litre	10,834 %	14675,7195 litre	O
310	CM	130	CM	42 LEVEL CM	1723,4753 litre	10,471 %	14735,3286 litre	O
310	CM	130	CM	41 LEVEL CM	1664,4365 litre	10,113 %	14794,3674 litre	O
310	CM	130	CM	40 LEVEL CM	1605,9800 litre	9,758 %	14852,8239 litre	O
310	CM	130	CM	39 LEVEL CM	1548,1184 litre	9,406 %	14910,6855 litre	O
310	CM	130	CM	38 LEVEL CM	1490,8646 litre	9,058 %	14967,9393 litre	O
310	CM	130	CM	37 LEVEL CM	1434,2318 litre	8,714 %	15024,5721 litre	O
310	CM	130	CM	36 LEVEL CM	1378,2338 litre	8,374 %	15080,5701 litre	O
310	CM	130	CM	35 LEVEL CM	1322,8849 litre	8,038 %	15135,9190 litre	O
310	CM	130	CM	34 LEVEL CM	1268,1997 litre	7,705 %	15190,6042 litre	O
310	CM	130	CM	33 LEVEL CM	1214,1936 litre	7,377 %	15244,6103 litre	O
310	CM	130	CM	32 LEVEL CM	1160,8824 litre	7,053 %	15297,9215 litre	O
310	CM	130	CM	31 LEVEL CM	1108,2826 litre	6,734 %	15350,5213 litre	O
310	CM	130	CM	30 LEVEL CM	1056,4114 litre	6,419 %	15402,3925 litre	O
310	CM	130	CM	29 LEVEL CM	1005,2866 litre	6,108 %	15453,5173 litre	O
310	CM	130	CM	28 LEVEL CM	954,9269 litre	5,802 %	15503,8770 litre	O
310	CM	130	CM	27 LEVEL CM	905,3520 litre	5,501 %	15553,4519 litre	O
310	CM	130	CM	26 LEVEL CM	856,5823 litre	5,204 %	15602,2216 litre	O
310	CM	130	CM	25 LEVEL CM	808,6394 litre	4,913 %	15650,1645 litre	O
310	CM	130	CM	24 LEVEL CM	761,5459 litre	4,627 %	15697,2580 litre	O
310	CM	130	CM	23 LEVEL CM	715,3257 litre	4,346 %	15743,4782 litre	O
310	CM	130	CM	22 LEVEL CM	670,0042 litre	4,071 %	15788,7997 litre	O
310	CM	130	CM	21 LEVEL CM	625,6083 litre	3,801 %	15833,1956 litre	O
310	CM	130	CM	20 LEVEL CM	582,1664 litre	3,537 %	15876,6375 litre	O
310	CM	130	CM	19 LEVEL CM	539,7091 litre	3,279 %	15919,0948 litre	O
310	CM	130	CM	18 LEVEL CM	498,2690 litre	3,027 %	15960,5349 litre	O
310	CM	130	CM	17 LEVEL CM	457,8812 litre	2,782 %	16000,9227 litre	O
310	CM	130	CM	16 LEVEL CM	418,5838 litre	2,543 %	16040,2201 litre	O
310	CM	130	CM	15 LEVEL CM	380,4179 litre	2,311 %	16078,3860 litre	O
310	CM	130	CM	14 LEVEL CM	343,4285 litre	2,087 %	16115,3754 litre	O
310	CM	130	CM	13 LEVEL CM	307,6650 litre	1,869 %	16151,1389 litre	O
310	CM	130	CM	12 LEVEL CM	273,1822 litre	1,660 %	16185,6217 litre	O
310	CM	130	CM	11 LEVEL CM	240,0412 litre	1,458 %	16218,7627 litre	O
310	CM	130	CM	10 LEVEL CM	208,3107 litre	1,266 %	16250,4932 litre	O
310	CM	130	CM	9 LEVEL CM	178,0692 litre	1,082 %	16280,7347 litre	O
310	CM	130	CM	8 LEVEL CM	149,4074 litre	0,908 %	16309,3965 litre	O
310	CM	130	CM	7 LEVEL CM	122,4320 litre	0,744 %	16336,3719 litre	O
310	CM	130	CM	6 LEVEL CM	97,2712 litre	0,591 %	16361,5327 litre	O
310	CM	130	CM	5 LEVEL CM	74,0833 litre	0,450 %	16384,7206 litre	O
310	CM	130	CM	4 LEVEL CM	53,0716 litre	0,322 %	16405,7323 litre	O
310	CM	130	CM	3 LEVEL CM	34,5112 litre	0,210 %	16424,2927 litre	O
310	CM	130	CM	2 LEVEL CM	18,8073 litre	0,114 %	16439,9966 litre	O
310	CM	130	CM	1 LEVEL CM	6,6571 litre	0,040 %	16452,1468 litre	O
310	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	16458,8039 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM	125	CM 250 LEVEL CM	15217,0894 litre	100,000 %	0,0000 litre	O
310	CM	125	CM 249 LEVEL CM	15210,5619 litre	99,957 %	6,5275 litre	O
310	CM	125	CM 248 LEVEL CM	15198,6490 litre	99,879 %	18,4404 litre	O
310	CM	125	CM 247 LEVEL CM	15183,2531 litre	99,778 %	33,8363 litre	O
310	CM	125	CM 246 LEVEL CM	15165,0581 litre	99,658 %	52,0313 litre	O
310	CM	125	CM 245 LEVEL CM	15144,4617 litre	99,523 %	72,6277 litre	O
310	CM	125	CM 244 LEVEL CM	15121,7340 litre	99,373 %	95,3554 litre	O
310	CM	125	CM 243 LEVEL CM	15097,0744 litre	99,211 %	120,0150 litre	O
310	CM	125	CM 242 LEVEL CM	15070,6386 litre	99,038 %	146,4508 litre	O
310	CM	125	CM 241 LEVEL CM	15042,5525 litre	98,853 %	174,5369 litre	O
310	CM	125	CM 240 LEVEL CM	15012,9207 litre	98,658 %	204,1687 litre	O
310	CM	125	CM 239 LEVEL CM	14981,8326 litre	98,454 %	235,2568 litre	O
310	CM	125	CM 238 LEVEL CM	14949,3653 litre	98,241 %	267,7241 litre	O
310	CM	125	CM 237 LEVEL CM	14915,5863 litre	98,019 %	301,5031 litre	O
310	CM	125	CM 236 LEVEL CM	14880,5558 litre	97,788 %	336,5336 litre	O
310	CM	125	CM 235 LEVEL CM	14844,3276 litre	97,550 %	372,7618 litre	O
310	CM	125	CM 234 LEVEL CM	14806,9503 litre	97,305 %	410,1391 litre	O
310	CM	125	CM 233 LEVEL CM	14768,4683 litre	97,052 %	448,6211 litre	O
310	CM	125	CM 232 LEVEL CM	14728,9220 litre	96,792 %	488,1674 litre	O
310	CM	125	CM 231 LEVEL CM	14688,3490 litre	96,525 %	528,7404 litre	O
310	CM	125	CM 230 LEVEL CM	14646,7837 litre	96,252 %	570,3057 litre	O
310	CM	125	CM 229 LEVEL CM	14604,2584 litre	95,973 %	612,8310 litre	O
310	CM	125	CM 228 LEVEL CM	14560,8032 litre	95,687 %	656,2862 litre	O
310	CM	125	CM 227 LEVEL CM	14516,4461 litre	95,396 %	700,6433 litre	O
310	CM	125	CM 226 LEVEL CM	14471,2137 litre	95,098 %	745,8757 litre	O
310	CM	125	CM 225 LEVEL CM	14425,1309 litre	94,796 %	791,9585 litre	O
310	CM	125	CM 224 LEVEL CM	14378,2214 litre	94,487 %	838,8680 litre	O
310	CM	125	CM 223 LEVEL CM	14330,5074 litre	94,174 %	886,5820 litre	O
310	CM	125	CM 222 LEVEL CM	14282,0103 litre	93,855 %	935,0791 litre	O
310	CM	125	CM 221 LEVEL CM	14232,7504 litre	93,531 %	984,3390 litre	O
310	CM	125	CM 220 LEVEL CM	14182,7469 litre	93,203 %	1034,3425 litre	O
310	CM	125	CM 219 LEVEL CM	14132,0184 litre	92,869 %	1085,0710 litre	O
310	CM	125	CM 218 LEVEL CM	14080,5824 litre	92,531 %	1136,5070 litre	O
310	CM	125	CM 217 LEVEL CM	14028,4561 litre	92,189 %	1188,6333 litre	O
310	CM	125	CM 216 LEVEL CM	13975,6556 litre	91,842 %	1241,4338 litre	O
310	CM	125	CM 215 LEVEL CM	13922,1967 litre	91,491 %	1294,8927 litre	O
310	CM	125	CM 214 LEVEL CM	13868,0946 litre	91,135 %	1348,9948 litre	O
310	CM	125	CM 213 LEVEL CM	13813,3637 litre	90,775 %	1403,7257 litre	O
310	CM	125	CM 212 LEVEL CM	13758,0182 litre	90,412 %	1459,0712 litre	O
310	CM	125	CM 211 LEVEL CM	13702,0717 litre	90,044 %	1515,0177 litre	O
310	CM	125	CM 210 LEVEL CM	13645,5374 litre	89,672 %	1571,5520 litre	O
310	CM	125	CM 209 LEVEL CM	13588,4280 litre	89,297 %	1628,6614 litre	O
310	CM	125	CM 208 LEVEL CM	13530,7560 litre	88,918 %	1686,3334 litre	O
310	CM	125	CM 207 LEVEL CM	13472,5334 litre	88,536 %	1744,5560 litre	O
310	CM	125	CM 206 LEVEL CM	13413,7719 litre	88,149 %	1803,3175 litre	O
310	CM	125	CM 205 LEVEL CM	13354,4829 litre	87,760 %	1862,6065 litre	O
310	CM	125	CM 204 LEVEL CM	13294,6774 litre	87,367 %	1922,4120 litre	O
310	CM	125	CM 203 LEVEL CM	13234,3664 litre	86,970 %	1982,7230 litre	O
310	CM	125	CM 202 LEVEL CM	13173,5601 litre	86,571 %	2043,5293 litre	O
310	CM	125	CM 201 LEVEL CM	13112,2691 litre	86,168 %	2104,8203 litre	O
310	CM	125	CM 200 LEVEL CM	13050,5032 litre	85,762 %	2166,5862 litre	O
310	CM	125	CM 199 LEVEL CM	12988,2723 litre	85,353 %	2228,8171 litre	O

310	CM	125	CM	198 LEVEL CM	12925,5860 litre	84,941 %	2291,5034 litre	O
310	CM	125	CM	197 LEVEL CM	12862,4536 litre	84,526 %	2354,6358 litre	O
310	CM	125	CM	196 LEVEL CM	12798,8843 litre	84,109 %	2418,2051 litre	O
310	CM	125	CM	195 LEVEL CM	12734,8871 litre	83,688 %	2482,2023 litre	O
310	CM	125	CM	194 LEVEL CM	12670,4709 litre	83,265 %	2546,6185 litre	O
310	CM	125	CM	193 LEVEL CM	12605,6441 litre	82,839 %	2611,4453 litre	O
310	CM	125	CM	192 LEVEL CM	12540,4154 litre	82,410 %	2676,6740 litre	O
310	CM	125	CM	191 LEVEL CM	12474,7931 litre	81,979 %	2742,2963 litre	O
310	CM	125	CM	190 LEVEL CM	12408,7853 litre	81,545 %	2808,3041 litre	O
310	CM	125	CM	189 LEVEL CM	12342,4000 litre	81,109 %	2874,6894 litre	O
310	CM	125	CM	188 LEVEL CM	12275,6451 litre	80,670 %	2941,4443 litre	O
310	CM	125	CM	187 LEVEL CM	12208,5285 litre	80,229 %	3008,5609 litre	O
310	CM	125	CM	186 LEVEL CM	12141,0577 litre	79,786 %	3076,0317 litre	O
310	CM	125	CM	185 LEVEL CM	12073,2402 litre	79,340 %	3143,8492 litre	O
310	CM	125	CM	184 LEVEL CM	12005,0835 litre	78,892 %	3212,0059 litre	O
310	CM	125	CM	183 LEVEL CM	11936,5948 litre	78,442 %	3280,4946 litre	O
310	CM	125	CM	182 LEVEL CM	11867,7814 litre	77,990 %	3349,3080 litre	O
310	CM	125	CM	181 LEVEL CM	11798,6503 litre	77,536 %	3418,4391 litre	O
310	CM	125	CM	180 LEVEL CM	11729,2085 litre	77,079 %	3487,8809 litre	O
310	CM	125	CM	179 LEVEL CM	11659,4630 litre	76,621 %	3557,6264 litre	O
310	CM	125	CM	178 LEVEL CM	11589,4204 litre	76,161 %	3627,6690 litre	O
310	CM	125	CM	177 LEVEL CM	11519,0875 litre	75,698 %	3698,0019 litre	O
310	CM	125	CM	176 LEVEL CM	11448,4711 litre	75,234 %	3768,6183 litre	O
310	CM	125	CM	175 LEVEL CM	11377,5775 litre	74,768 %	3839,5119 litre	O
310	CM	125	CM	174 LEVEL CM	11306,4134 litre	74,301 %	3910,6760 litre	O
310	CM	125	CM	173 LEVEL CM	11234,9850 litre	73,831 %	3982,1044 litre	O
310	CM	125	CM	172 LEVEL CM	11163,2988 litre	73,360 %	4053,7906 litre	O
310	CM	125	CM	171 LEVEL CM	11091,3611 litre	72,888 %	4125,7283 litre	O
310	CM	125	CM	170 LEVEL CM	11019,1779 litre	72,413 %	4197,9115 litre	O
310	CM	125	CM	169 LEVEL CM	10946,7555 litre	71,937 %	4270,3339 litre	O
310	CM	125	CM	168 LEVEL CM	10874,0999 litre	71,460 %	4342,9895 litre	O
310	CM	125	CM	167 LEVEL CM	10801,2172 litre	70,981 %	4415,8722 litre	O
310	CM	125	CM	166 LEVEL CM	10728,1133 litre	70,500 %	4488,9761 litre	O
310	CM	125	CM	165 LEVEL CM	10654,7941 litre	70,019 %	4562,2953 litre	O
310	CM	125	CM	164 LEVEL CM	10581,2655 litre	69,535 %	4635,8239 litre	O
310	CM	125	CM	163 LEVEL CM	10507,5333 litre	69,051 %	4709,5561 litre	O
310	CM	125	CM	162 LEVEL CM	10433,6033 litre	68,565 %	4783,4861 litre	O
310	CM	125	CM	161 LEVEL CM	10359,4811 litre	68,078 %	4857,6083 litre	O
310	CM	125	CM	160 LEVEL CM	10285,1724 litre	67,590 %	4931,9170 litre	O
310	CM	125	CM	159 LEVEL CM	10210,6829 litre	67,100 %	5006,4065 litre	O
310	CM	125	CM	158 LEVEL CM	10136,0182 litre	66,609 %	5081,0712 litre	O
310	CM	125	CM	157 LEVEL CM	10061,1838 litre	66,118 %	5155,9056 litre	O
310	CM	125	CM	156 LEVEL CM	9986,1851 litre	65,625 %	5230,9043 litre	O
310	CM	125	CM	155 LEVEL CM	9911,0278 litre	65,131 %	5306,0616 litre	O
310	CM	125	CM	154 LEVEL CM	9835,7171 litre	64,636 %	5381,3723 litre	O
310	CM	125	CM	153 LEVEL CM	9760,2586 litre	64,140 %	5456,8308 litre	O
310	CM	125	CM	152 LEVEL CM	9684,6576 litre	63,643 %	5532,4318 litre	O
310	CM	125	CM	151 LEVEL CM	9608,9194 litre	63,146 %	5608,1700 litre	O
310	CM	125	CM	150 LEVEL CM	9533,0494 litre	62,647 %	5684,0400 litre	O
310	CM	125	CM	149 LEVEL CM	9457,0528 litre	62,148 %	5760,0366 litre	O
310	CM	125	CM	148 LEVEL CM	9380,9349 litre	61,647 %	5836,1545 litre	O
310	CM	125	CM	147 LEVEL CM	9304,7010 litre	61,146 %	5912,3884 litre	O
310	CM	125	CM	146 LEVEL CM	9228,3562 litre	60,645 %	5988,7332 litre	O

310	CM	125	CM	145 LEVEL CM	9151,9057 litre	60,142 %	6065,1837 litre	O
310	CM	125	CM	144 LEVEL CM	9075,3548 litre	59,639 %	6141,7346 litre	O
310	CM	125	CM	143 LEVEL CM	8998,7085 litre	59,136 %	6218,3809 litre	O
310	CM	125	CM	142 LEVEL CM	8921,9720 litre	58,631 %	6295,1174 litre	O
310	CM	125	CM	141 LEVEL CM	8845,1503 litre	58,126 %	6371,9391 litre	O
310	CM	125	CM	140 LEVEL CM	8768,2487 litre	57,621 %	6448,8407 litre	O
310	CM	125	CM	139 LEVEL CM	8691,2720 litre	57,115 %	6525,8174 litre	O
310	CM	125	CM	138 LEVEL CM	8614,2256 litre	56,609 %	6602,8638 litre	O
310	CM	125	CM	137 LEVEL CM	8537,1142 litre	56,102 %	6679,9752 litre	O
310	CM	125	CM	136 LEVEL CM	8459,9431 litre	55,595 %	6757,1463 litre	O
310	CM	125	CM	135 LEVEL CM	8382,7172 litre	55,088 %	6834,3722 litre	O
310	CM	125	CM	134 LEVEL CM	8305,4416 litre	54,580 %	6911,6478 litre	O
310	CM	125	CM	133 LEVEL CM	8228,1212 litre	54,072 %	6988,9682 litre	O
310	CM	125	CM	132 LEVEL CM	8150,7610 litre	53,563 %	7066,3284 litre	O
310	CM	125	CM	131 LEVEL CM	8073,3661 litre	53,055 %	7143,7233 litre	O
310	CM	125	CM	130 LEVEL CM	7995,9413 litre	52,546 %	7221,1481 litre	O
310	CM	125	CM	129 LEVEL CM	7918,4918 litre	52,037 %	7298,5976 litre	O
310	CM	125	CM	128 LEVEL CM	7841,0224 litre	51,528 %	7376,0670 litre	O
310	CM	125	CM	127 LEVEL CM	7763,5381 litre	51,019 %	7453,5513 litre	O
310	CM	125	CM	126 LEVEL CM	7686,0439 litre	50,509 %	7531,0455 litre	O
310	CM	125	CM	125 LEVEL CM	7608,5447 litre	50,000 %	7608,5447 litre	O
310	CM	125	CM	124 LEVEL CM	7531,0455 litre	49,491 %	7686,0439 litre	O
310	CM	125	CM	123 LEVEL CM	7453,5513 litre	48,981 %	7763,5381 litre	O
310	CM	125	CM	122 LEVEL CM	7376,0670 litre	48,472 %	7841,0224 litre	O
310	CM	125	CM	121 LEVEL CM	7298,5976 litre	47,963 %	7918,4918 litre	O
310	CM	125	CM	120 LEVEL CM	7221,1481 litre	47,454 %	7995,9413 litre	O
310	CM	125	CM	119 LEVEL CM	7143,7233 litre	46,945 %	8073,3661 litre	O
310	CM	125	CM	118 LEVEL CM	7066,3284 litre	46,437 %	8150,7610 litre	O
310	CM	125	CM	117 LEVEL CM	6988,9682 litre	45,928 %	8228,1212 litre	O
310	CM	125	CM	116 LEVEL CM	6911,6478 litre	45,420 %	8305,4416 litre	O
310	CM	125	CM	115 LEVEL CM	6834,3722 litre	44,912 %	8382,7172 litre	O
310	CM	125	CM	114 LEVEL CM	6757,1463 litre	44,405 %	8459,9431 litre	O
310	CM	125	CM	113 LEVEL CM	6679,9752 litre	43,898 %	8537,1142 litre	O
310	CM	125	CM	112 LEVEL CM	6602,8639 litre	43,391 %	8614,2255 litre	O
310	CM	125	CM	111 LEVEL CM	6525,8174 litre	42,885 %	8691,2720 litre	O
310	CM	125	CM	110 LEVEL CM	6448,8408 litre	42,379 %	8768,2486 litre	O
310	CM	125	CM	109 LEVEL CM	6371,9391 litre	41,874 %	8845,1503 litre	O
310	CM	125	CM	108 LEVEL CM	6295,1175 litre	41,369 %	8921,9719 litre	O
310	CM	125	CM	107 LEVEL CM	6218,3809 litre	40,864 %	8998,7085 litre	O
310	CM	125	CM	106 LEVEL CM	6141,7346 litre	40,361 %	9075,3548 litre	O
310	CM	125	CM	105 LEVEL CM	6065,1837 litre	39,858 %	9151,9057 litre	O
310	CM	125	CM	104 LEVEL CM	5988,7332 litre	39,355 %	9228,3562 litre	O
310	CM	125	CM	103 LEVEL CM	5912,3884 litre	38,854 %	9304,7010 litre	O
310	CM	125	CM	102 LEVEL CM	5836,1545 litre	38,353 %	9380,9349 litre	O
310	CM	125	CM	101 LEVEL CM	5760,0366 litre	37,852 %	9457,0528 litre	O
310	CM	125	CM	100 LEVEL CM	5684,0400 litre	37,353 %	9533,0494 litre	O
310	CM	125	CM	99 LEVEL CM	5608,1700 litre	36,854 %	9608,9194 litre	O
310	CM	125	CM	98 LEVEL CM	5532,4318 litre	36,357 %	9684,6576 litre	O
310	CM	125	CM	97 LEVEL CM	5456,8308 litre	35,860 %	9760,2586 litre	O
310	CM	125	CM	96 LEVEL CM	5381,3723 litre	35,364 %	9835,7171 litre	O
310	CM	125	CM	95 LEVEL CM	5306,0616 litre	34,869 %	9911,0278 litre	O
310	CM	125	CM	94 LEVEL CM	5230,9043 litre	34,375 %	9986,1851 litre	O
310	CM	125	CM	93 LEVEL CM	5155,9056 litre	33,882 %	10061,1838 litre	O

310	CM	125	CM	92 LEVEL CM	5081,0712 litre	33,391 %	10136,0182 litre	O
310	CM	125	CM	91 LEVEL CM	5006,4065 litre	32,900 %	10210,6829 litre	O
310	CM	125	CM	90 LEVEL CM	4931,9170 litre	32,410 %	10285,1724 litre	O
310	CM	125	CM	89 LEVEL CM	4857,6083 litre	31,922 %	10359,4811 litre	O
310	CM	125	CM	88 LEVEL CM	4783,4862 litre	31,435 %	10433,6032 litre	O
310	CM	125	CM	87 LEVEL CM	4709,5561 litre	30,949 %	10507,5333 litre	O
310	CM	125	CM	86 LEVEL CM	4635,8239 litre	30,465 %	10581,2655 litre	O
310	CM	125	CM	85 LEVEL CM	4562,2953 litre	29,981 %	10654,7941 litre	O
310	CM	125	CM	84 LEVEL CM	4488,9761 litre	29,500 %	10728,1133 litre	O
310	CM	125	CM	83 LEVEL CM	4415,8722 litre	29,019 %	10801,2172 litre	O
310	CM	125	CM	82 LEVEL CM	4342,9895 litre	28,540 %	10874,0999 litre	O
310	CM	125	CM	81 LEVEL CM	4270,3339 litre	28,063 %	10946,7555 litre	O
310	CM	125	CM	80 LEVEL CM	4197,9115 litre	27,587 %	11019,1779 litre	O
310	CM	125	CM	79 LEVEL CM	4125,7284 litre	27,112 %	11091,3610 litre	O
310	CM	125	CM	78 LEVEL CM	4053,7906 litre	26,640 %	11163,2988 litre	O
310	CM	125	CM	77 LEVEL CM	3982,1044 litre	26,169 %	11234,9850 litre	O
310	CM	125	CM	76 LEVEL CM	3910,6761 litre	25,699 %	11306,4133 litre	O
310	CM	125	CM	75 LEVEL CM	3839,5119 litre	25,232 %	11377,5775 litre	O
310	CM	125	CM	74 LEVEL CM	3768,6184 litre	24,766 %	11448,4710 litre	O
310	CM	125	CM	73 LEVEL CM	3698,0019 litre	24,302 %	11519,0875 litre	O
310	CM	125	CM	72 LEVEL CM	3627,6690 litre	23,839 %	11589,4204 litre	O
310	CM	125	CM	71 LEVEL CM	3557,6265 litre	23,379 %	11659,4629 litre	O
310	CM	125	CM	70 LEVEL CM	3487,8809 litre	22,921 %	11729,2085 litre	O
310	CM	125	CM	69 LEVEL CM	3418,4391 litre	22,464 %	11798,6503 litre	O
310	CM	125	CM	68 LEVEL CM	3349,3080 litre	22,010 %	11867,7814 litre	O
310	CM	125	CM	67 LEVEL CM	3280,4946 litre	21,558 %	11936,5948 litre	O
310	CM	125	CM	66 LEVEL CM	3212,0059 litre	21,108 %	12005,0835 litre	O
310	CM	125	CM	65 LEVEL CM	3143,8492 litre	20,660 %	12073,2402 litre	O
310	CM	125	CM	64 LEVEL CM	3076,0317 litre	20,214 %	12141,0577 litre	O
310	CM	125	CM	63 LEVEL CM	3008,5609 litre	19,771 %	12208,5285 litre	O
310	CM	125	CM	62 LEVEL CM	2941,4443 litre	19,330 %	12275,6451 litre	O
310	CM	125	CM	61 LEVEL CM	2874,6894 litre	18,891 %	12342,4000 litre	O
310	CM	125	CM	60 LEVEL CM	2808,3041 litre	18,455 %	12408,7853 litre	O
310	CM	125	CM	59 LEVEL CM	2742,2963 litre	18,021 %	12474,7931 litre	O
310	CM	125	CM	58 LEVEL CM	2676,6740 litre	17,590 %	12540,4154 litre	O
310	CM	125	CM	57 LEVEL CM	2611,4453 litre	17,161 %	12605,6441 litre	O
310	CM	125	CM	56 LEVEL CM	2546,6186 litre	16,735 %	12670,4708 litre	O
310	CM	125	CM	55 LEVEL CM	2482,2023 litre	16,312 %	12734,8871 litre	O
310	CM	125	CM	54 LEVEL CM	2418,2051 litre	15,891 %	12798,8843 litre	O
310	CM	125	CM	53 LEVEL CM	2354,6358 litre	15,474 %	12862,4536 litre	O
310	CM	125	CM	52 LEVEL CM	2291,5034 litre	15,059 %	12925,5860 litre	O
310	CM	125	CM	51 LEVEL CM	2228,8171 litre	14,647 %	12988,2723 litre	O
310	CM	125	CM	50 LEVEL CM	2166,5862 litre	14,238 %	13050,5032 litre	O
310	CM	125	CM	49 LEVEL CM	2104,8203 litre	13,832 %	13112,2691 litre	O
310	CM	125	CM	48 LEVEL CM	2043,5293 litre	13,429 %	13173,5601 litre	O
310	CM	125	CM	47 LEVEL CM	1982,7231 litre	13,030 %	13234,3663 litre	O
310	CM	125	CM	46 LEVEL CM	1922,4120 litre	12,633 %	13294,6774 litre	O
310	CM	125	CM	45 LEVEL CM	1862,6065 litre	12,240 %	13354,4829 litre	O
310	CM	125	CM	44 LEVEL CM	1803,3175 litre	11,851 %	13413,7719 litre	O
310	CM	125	CM	43 LEVEL CM	1744,5560 litre	11,464 %	13472,5334 litre	O
310	CM	125	CM	42 LEVEL CM	1686,3334 litre	11,082 %	13530,7560 litre	O
310	CM	125	CM	41 LEVEL CM	1628,6614 litre	10,703 %	13588,4280 litre	O
310	CM	125	CM	40 LEVEL CM	1571,5521 litre	10,328 %	13645,5373 litre	O

310	CM	125	CM	39 LEVEL CM	1515,0177 litre	9,956 %	13702,0717 litre	O
310	CM	125	CM	38 LEVEL CM	1459,0712 litre	9,588 %	13758,0182 litre	O
310	CM	125	CM	37 LEVEL CM	1403,7257 litre	9,225 %	13813,3637 litre	O
310	CM	125	CM	36 LEVEL CM	1348,9948 litre	8,865 %	13868,0946 litre	O
310	CM	125	CM	35 LEVEL CM	1294,8927 litre	8,509 %	13922,1967 litre	O
310	CM	125	CM	34 LEVEL CM	1241,4338 litre	8,158 %	13975,6556 litre	O
310	CM	125	CM	33 LEVEL CM	1188,6334 litre	7,811 %	14028,4560 litre	O
310	CM	125	CM	32 LEVEL CM	1136,5070 litre	7,469 %	14080,5824 litre	O
310	CM	125	CM	31 LEVEL CM	1085,0711 litre	7,131 %	14132,0183 litre	O
310	CM	125	CM	30 LEVEL CM	1034,3425 litre	6,797 %	14182,7469 litre	O
310	CM	125	CM	29 LEVEL CM	984,3390 litre	6,469 %	14232,7504 litre	O
310	CM	125	CM	28 LEVEL CM	935,0791 litre	6,145 %	14282,0103 litre	O
310	CM	125	CM	27 LEVEL CM	886,5820 litre	5,826 %	14330,5074 litre	O
310	CM	125	CM	26 LEVEL CM	838,8681 litre	5,513 %	14378,2213 litre	O
310	CM	125	CM	25 LEVEL CM	791,9585 litre	5,204 %	14425,1309 litre	O
310	CM	125	CM	24 LEVEL CM	745,8757 litre	4,902 %	14471,2137 litre	O
310	CM	125	CM	23 LEVEL CM	700,6433 litre	4,604 %	14516,4461 litre	O
310	CM	125	CM	22 LEVEL CM	656,2862 litre	4,313 %	14560,8032 litre	O
310	CM	125	CM	21 LEVEL CM	612,8310 litre	4,027 %	14604,2584 litre	O
310	CM	125	CM	20 LEVEL CM	570,3057 litre	3,748 %	14646,7837 litre	O
310	CM	125	CM	19 LEVEL CM	528,7404 litre	3,475 %	14688,3490 litre	O
310	CM	125	CM	18 LEVEL CM	488,1674 litre	3,208 %	14728,9220 litre	O
310	CM	125	CM	17 LEVEL CM	448,6212 litre	2,948 %	14768,4682 litre	O
310	CM	125	CM	16 LEVEL CM	410,1391 litre	2,695 %	14806,9503 litre	O
310	CM	125	CM	15 LEVEL CM	372,7618 litre	2,450 %	14844,3276 litre	O
310	CM	125	CM	14 LEVEL CM	336,5336 litre	2,212 %	14880,5558 litre	O
310	CM	125	CM	13 LEVEL CM	301,5031 litre	1,981 %	14915,5863 litre	O
310	CM	125	CM	12 LEVEL CM	267,7242 litre	1,759 %	14949,3652 litre	O
310	CM	125	CM	11 LEVEL CM	235,2568 litre	1,546 %	14981,8326 litre	O
310	CM	125	CM	10 LEVEL CM	204,1687 litre	1,342 %	15012,9207 litre	O
310	CM	125	CM	9 LEVEL CM	174,5370 litre	1,147 %	15042,5524 litre	O
310	CM	125	CM	8 LEVEL CM	146,4508 litre	0,962 %	15070,6386 litre	O
310	CM	125	CM	7 LEVEL CM	120,0150 litre	0,789 %	15097,0744 litre	O
310	CM	125	CM	6 LEVEL CM	95,3554 litre	0,627 %	15121,7340 litre	O
310	CM	125	CM	5 LEVEL CM	72,6277 litre	0,477 %	15144,4617 litre	O
310	CM	125	CM	4 LEVEL CM	52,0313 litre	0,342 %	15165,0581 litre	O
310	CM	125	CM	3 LEVEL CM	33,8363 litre	0,222 %	15183,2531 litre	O
310	CM	125	CM	2 LEVEL CM	18,4404 litre	0,121 %	15198,6490 litre	O
310	CM	125	CM	1 LEVEL CM	6,5275 litre	0,043 %	15210,5619 litre	O
310	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	15217,0894 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 120	CM 240 LEVEL CM	14024,0696 litre	100,000 %	0,0000 litre	O
310	CM 120	CM 239 LEVEL CM	14017,6743 litre	99,954 %	6,3953 litre	O
310	CM 120	CM 238 LEVEL CM	14006,0036 litre	99,871 %	18,0660 litre	O
310	CM 120	CM 237 LEVEL CM	13990,9220 litre	99,764 %	33,1476 litre	O
310	CM 120	CM 236 LEVEL CM	13973,0998 litre	99,637 %	50,9698 litre	O
310	CM 120	CM 235 LEVEL CM	13952,9273 litre	99,493 %	71,1423 litre	O
310	CM 120	CM 234 LEVEL CM	13930,6692 litre	99,334 %	93,4004 litre	O
310	CM 120	CM 233 LEVEL CM	13906,5214 litre	99,162 %	117,5482 litre	O
310	CM 120	CM 232 LEVEL CM	13880,6364 litre	98,977 %	143,4332 litre	O
310	CM 120	CM 231 LEVEL CM	13853,1379 litre	98,781 %	170,9317 litre	O
310	CM 120	CM 230 LEVEL CM	13824,1287 litre	98,574 %	199,9409 litre	O
310	CM 120	CM 229 LEVEL CM	13793,6966 litre	98,357 %	230,3730 litre	O
310	CM 120	CM 228 LEVEL CM	13761,9172 litre	98,131 %	262,1524 litre	O
310	CM 120	CM 227 LEVEL CM	13728,8570 litre	97,895 %	295,2126 litre	O
310	CM 120	CM 226 LEVEL CM	13694,5751 litre	97,651 %	329,4945 litre	O
310	CM 120	CM 225 LEVEL CM	13659,1244 litre	97,398 %	364,9452 litre	O
310	CM 120	CM 224 LEVEL CM	13622,5528 litre	97,137 %	401,5168 litre	O
310	CM 120	CM 223 LEVEL CM	13584,9038 litre	96,868 %	439,1658 litre	O
310	CM 120	CM 222 LEVEL CM	13546,2174 litre	96,593 %	477,8522 litre	O
310	CM 120	CM 221 LEVEL CM	13506,5303 litre	96,310 %	517,5393 litre	O
310	CM 120	CM 220 LEVEL CM	13465,8767 litre	96,020 %	558,1929 litre	O
310	CM 120	CM 219 LEVEL CM	13424,2882 litre	95,723 %	599,7814 litre	O
310	CM 120	CM 218 LEVEL CM	13381,7945 litre	95,420 %	642,2751 litre	O
310	CM 120	CM 217 LEVEL CM	13338,4233 litre	95,111 %	685,6463 litre	O
310	CM 120	CM 216 LEVEL CM	13294,2007 litre	94,796 %	729,8689 litre	O
310	CM 120	CM 215 LEVEL CM	13249,1513 litre	94,474 %	774,9183 litre	O
310	CM 120	CM 214 LEVEL CM	13203,2984 litre	94,147 %	820,7712 litre	O
310	CM 120	CM 213 LEVEL CM	13156,6641 litre	93,815 %	867,4055 litre	O
310	CM 120	CM 212 LEVEL CM	13109,2694 litre	93,477 %	914,8002 litre	O
310	CM 120	CM 211 LEVEL CM	13061,1342 litre	93,134 %	962,9354 litre	O
310	CM 120	CM 210 LEVEL CM	13012,2778 litre	92,785 %	1011,7918 litre	O
310	CM 120	CM 209 LEVEL CM	12962,7182 litre	92,432 %	1061,3514 litre	O
310	CM 120	CM 208 LEVEL CM	12912,4731 litre	92,074 %	1111,5965 litre	O
310	CM 120	CM 207 LEVEL CM	12861,5592 litre	91,711 %	1162,5104 litre	O
310	CM 120	CM 206 LEVEL CM	12809,9925 litre	91,343 %	1214,0771 litre	O
310	CM 120	CM 205 LEVEL CM	12757,7888 litre	90,971 %	1266,2808 litre	O
310	CM 120	CM 204 LEVEL CM	12704,9628 litre	90,594 %	1319,1068 litre	O
310	CM 120	CM 203 LEVEL CM	12651,5290 litre	90,213 %	1372,5406 litre	O
310	CM 120	CM 202 LEVEL CM	12597,5015 litre	89,828 %	1426,5681 litre	O
310	CM 120	CM 201 LEVEL CM	12542,8936 litre	89,438 %	1481,1760 litre	O
310	CM 120	CM 200 LEVEL CM	12487,7185 litre	89,045 %	1536,3511 litre	O
310	CM 120	CM 199 LEVEL CM	12431,9888 litre	88,648 %	1592,0808 litre	O
310	CM 120	CM 198 LEVEL CM	12375,7168 litre	88,246 %	1648,3528 litre	O
310	CM 120	CM 197 LEVEL CM	12318,9145 litre	87,841 %	1705,1551 litre	O
310	CM 120	CM 196 LEVEL CM	12261,5935 litre	87,432 %	1762,4761 litre	O
310	CM 120	CM 195 LEVEL CM	12203,7650 litre	87,020 %	1820,3046 litre	O
310	CM 120	CM 194 LEVEL CM	12145,4401 litre	86,604 %	1878,6295 litre	O
310	CM 120	CM 193 LEVEL CM	12086,6296 litre	86,185 %	1937,4400 litre	O
310	CM 120	CM 192 LEVEL CM	12027,3438 litre	85,762 %	1996,7258 litre	O
310	CM 120	CM 191 LEVEL CM	11967,5929 litre	85,336 %	2056,4767 litre	O
310	CM 120	CM 190 LEVEL CM	11907,3871 litre	84,907 %	2116,6825 litre	O
310	CM 120	CM 189 LEVEL CM	11846,7359 litre	84,474 %	2177,3337 litre	O

310	CM	120	CM	188 LEVEL CM	11785,6490 litre	84,039 %	2238,4206 litre	O
310	CM	120	CM	187 LEVEL CM	11724,1356 litre	83,600 %	2299,9340 litre	O
310	CM	120	CM	186 LEVEL CM	11662,2050 litre	83,158 %	2361,8646 litre	O
310	CM	120	CM	185 LEVEL CM	11599,8661 litre	82,714 %	2424,2035 litre	O
310	CM	120	CM	184 LEVEL CM	11537,1276 litre	82,267 %	2486,9420 litre	O
310	CM	120	CM	183 LEVEL CM	11473,9982 litre	81,816 %	2550,0714 litre	O
310	CM	120	CM	182 LEVEL CM	11410,4864 litre	81,364 %	2613,5832 litre	O
310	CM	120	CM	181 LEVEL CM	11346,6004 litre	80,908 %	2677,4692 litre	O
310	CM	120	CM	180 LEVEL CM	11282,3484 litre	80,450 %	2741,7212 litre	O
310	CM	120	CM	179 LEVEL CM	11217,7385 litre	79,989 %	2806,3311 litre	O
310	CM	120	CM	178 LEVEL CM	11152,7785 litre	79,526 %	2871,2911 litre	O
310	CM	120	CM	177 LEVEL CM	11087,4761 litre	79,060 %	2936,5935 litre	O
310	CM	120	CM	176 LEVEL CM	11021,8391 litre	78,592 %	3002,2305 litre	O
310	CM	120	CM	175 LEVEL CM	10955,8749 litre	78,122 %	3068,1947 litre	O
310	CM	120	CM	174 LEVEL CM	10889,5910 litre	77,649 %	3134,4786 litre	O
310	CM	120	CM	173 LEVEL CM	10822,9947 litre	77,174 %	3201,0749 litre	O
310	CM	120	CM	172 LEVEL CM	10756,0932 litre	76,697 %	3267,9764 litre	O
310	CM	120	CM	171 LEVEL CM	10688,8935 litre	76,218 %	3335,1761 litre	O
310	CM	120	CM	170 LEVEL CM	10621,4027 litre	75,737 %	3402,6669 litre	O
310	CM	120	CM	169 LEVEL CM	10553,6277 litre	75,254 %	3470,4419 litre	O
310	CM	120	CM	168 LEVEL CM	10485,5754 litre	74,768 %	3538,4942 litre	O
310	CM	120	CM	167 LEVEL CM	10417,2525 litre	74,281 %	3606,8171 litre	O
310	CM	120	CM	166 LEVEL CM	10348,6657 litre	73,792 %	3675,4039 litre	O
310	CM	120	CM	165 LEVEL CM	10279,8215 litre	73,301 %	3744,2481 litre	O
310	CM	120	CM	164 LEVEL CM	10210,7266 litre	72,809 %	3813,3430 litre	O
310	CM	120	CM	163 LEVEL CM	10141,3872 litre	72,314 %	3882,6824 litre	O
310	CM	120	CM	162 LEVEL CM	10071,8099 litre	71,818 %	3952,2597 litre	O
310	CM	120	CM	161 LEVEL CM	10002,0010 litre	71,320 %	4022,0686 litre	O
310	CM	120	CM	160 LEVEL CM	9931,9666 litre	70,821 %	4092,1030 litre	O
310	CM	120	CM	159 LEVEL CM	9861,7131 litre	70,320 %	4162,3565 litre	O
310	CM	120	CM	158 LEVEL CM	9791,2464 litre	69,817 %	4232,8232 litre	O
310	CM	120	CM	157 LEVEL CM	9720,5728 litre	69,313 %	4303,4968 litre	O
310	CM	120	CM	156 LEVEL CM	9649,6982 litre	68,808 %	4374,3714 litre	O
310	CM	120	CM	155 LEVEL CM	9578,6286 litre	68,301 %	4445,4410 litre	O
310	CM	120	CM	154 LEVEL CM	9507,3700 litre	67,793 %	4516,6996 litre	O
310	CM	120	CM	153 LEVEL CM	9435,9282 litre	67,284 %	4588,1414 litre	O
310	CM	120	CM	152 LEVEL CM	9364,3090 litre	66,773 %	4659,7606 litre	O
310	CM	120	CM	151 LEVEL CM	9292,5183 litre	66,261 %	4731,5513 litre	O
310	CM	120	CM	150 LEVEL CM	9220,5618 litre	65,748 %	4803,5078 litre	O
310	CM	120	CM	149 LEVEL CM	9148,4452 litre	65,234 %	4875,6244 litre	O
310	CM	120	CM	148 LEVEL CM	9076,1742 litre	64,719 %	4947,8954 litre	O
310	CM	120	CM	147 LEVEL CM	9003,7545 litre	64,202 %	5020,3151 litre	O
310	CM	120	CM	146 LEVEL CM	8931,1915 litre	63,685 %	5092,8781 litre	O
310	CM	120	CM	145 LEVEL CM	8858,4910 litre	63,166 %	5165,5786 litre	O
310	CM	120	CM	144 LEVEL CM	8785,6583 litre	62,647 %	5238,4113 litre	O
310	CM	120	CM	143 LEVEL CM	8712,6992 litre	62,127 %	5311,3704 litre	O
310	CM	120	CM	142 LEVEL CM	8639,6189 litre	61,606 %	5384,4507 litre	O
310	CM	120	CM	141 LEVEL CM	8566,4230 litre	61,084 %	5457,6466 litre	O
310	CM	120	CM	140 LEVEL CM	8493,1169 litre	60,561 %	5530,9527 litre	O
310	CM	120	CM	139 LEVEL CM	8419,7060 litre	60,038 %	5604,3636 litre	O
310	CM	120	CM	138 LEVEL CM	8346,1957 litre	59,513 %	5677,8739 litre	O
310	CM	120	CM	137 LEVEL CM	8272,5913 litre	58,989 %	5751,4783 litre	O
310	CM	120	CM	136 LEVEL CM	8198,8982 litre	58,463 %	5825,1714 litre	O

310	CM	120	CM	135 LEVEL CM	8125,1217 litre	57,937 %	5898,9479 litre	O
310	CM	120	CM	134 LEVEL CM	8051,2671 litre	57,410 %	5972,8025 litre	O
310	CM	120	CM	133 LEVEL CM	7977,3396 litre	56,883 %	6046,7300 litre	O
310	CM	120	CM	132 LEVEL CM	7903,3446 litre	56,356 %	6120,7250 litre	O
310	CM	120	CM	131 LEVEL CM	7829,2872 litre	55,827 %	6194,7824 litre	O
310	CM	120	CM	130 LEVEL CM	7755,1728 litre	55,299 %	6268,8968 litre	O
310	CM	120	CM	129 LEVEL CM	7681,0065 litre	54,770 %	6343,0631 litre	O
310	CM	120	CM	128 LEVEL CM	7606,7936 litre	54,241 %	6417,2760 litre	O
310	CM	120	CM	127 LEVEL CM	7532,5393 litre	53,712 %	6491,5303 litre	O
310	CM	120	CM	126 LEVEL CM	7458,2487 litre	53,182 %	6565,8209 litre	O
310	CM	120	CM	125 LEVEL CM	7383,9271 litre	52,652 %	6640,1425 litre	O
310	CM	120	CM	124 LEVEL CM	7309,5797 litre	52,122 %	6714,4899 litre	O
310	CM	120	CM	123 LEVEL CM	7235,2116 litre	51,591 %	6788,8580 litre	O
310	CM	120	CM	122 LEVEL CM	7160,8279 litre	51,061 %	6863,2417 litre	O
310	CM	120	CM	121 LEVEL CM	7086,4339 litre	50,531 %	6937,6357 litre	O
310	CM	120	CM	120 LEVEL CM	7012,0348 litre	50,000 %	7012,0348 litre	O
310	CM	120	CM	119 LEVEL CM	6937,6357 litre	49,469 %	7086,4339 litre	O
310	CM	120	CM	118 LEVEL CM	6863,2417 litre	48,939 %	7160,8279 litre	O
310	CM	120	CM	117 LEVEL CM	6788,8581 litre	48,409 %	7235,2115 litre	O
310	CM	120	CM	116 LEVEL CM	6714,4899 litre	47,878 %	7309,5797 litre	O
310	CM	120	CM	115 LEVEL CM	6640,1425 litre	47,348 %	7383,9271 litre	O
310	CM	120	CM	114 LEVEL CM	6565,8209 litre	46,818 %	7458,2487 litre	O
310	CM	120	CM	113 LEVEL CM	6491,5303 litre	46,288 %	7532,5393 litre	O
310	CM	120	CM	112 LEVEL CM	6417,2760 litre	45,759 %	7606,7936 litre	O
310	CM	120	CM	111 LEVEL CM	6343,0631 litre	45,230 %	7681,0065 litre	O
310	CM	120	CM	110 LEVEL CM	6268,8968 litre	44,701 %	7755,1728 litre	O
310	CM	120	CM	109 LEVEL CM	6194,7824 litre	44,173 %	7829,2872 litre	O
310	CM	120	CM	108 LEVEL CM	6120,7250 litre	43,644 %	7903,3446 litre	O
310	CM	120	CM	107 LEVEL CM	6046,7300 litre	43,117 %	7977,3396 litre	O
310	CM	120	CM	106 LEVEL CM	5972,8025 litre	42,590 %	8051,2671 litre	O
310	CM	120	CM	105 LEVEL CM	5898,9479 litre	42,063 %	8125,1217 litre	O
310	CM	120	CM	104 LEVEL CM	5825,1714 litre	41,537 %	8198,8982 litre	O
310	CM	120	CM	103 LEVEL CM	5751,4783 litre	41,011 %	8272,5913 litre	O
310	CM	120	CM	102 LEVEL CM	5677,8739 litre	40,487 %	8346,1957 litre	O
310	CM	120	CM	101 LEVEL CM	5604,3636 litre	39,962 %	8419,7060 litre	O
310	CM	120	CM	100 LEVEL CM	5530,9527 litre	39,439 %	8493,1169 litre	O
310	CM	120	CM	99 LEVEL CM	5457,6466 litre	38,916 %	8566,4230 litre	O
310	CM	120	CM	98 LEVEL CM	5384,4507 litre	38,394 %	8639,6189 litre	O
310	CM	120	CM	97 LEVEL CM	5311,3704 litre	37,873 %	8712,6992 litre	O
310	CM	120	CM	96 LEVEL CM	5238,4113 litre	37,353 %	8785,6583 litre	O
310	CM	120	CM	95 LEVEL CM	5165,5786 litre	36,834 %	8858,4910 litre	O
310	CM	120	CM	94 LEVEL CM	5092,8781 litre	36,315 %	8931,1915 litre	O
310	CM	120	CM	93 LEVEL CM	5020,3151 litre	35,798 %	9003,7545 litre	O
310	CM	120	CM	92 LEVEL CM	4947,8954 litre	35,281 %	9076,1742 litre	O
310	CM	120	CM	91 LEVEL CM	4875,6244 litre	34,766 %	9148,4452 litre	O
310	CM	120	CM	90 LEVEL CM	4803,5078 litre	34,252 %	9220,5618 litre	O
310	CM	120	CM	89 LEVEL CM	4731,5513 litre	33,739 %	9292,5183 litre	O
310	CM	120	CM	88 LEVEL CM	4659,7606 litre	33,227 %	9364,3090 litre	O
310	CM	120	CM	87 LEVEL CM	4588,1414 litre	32,716 %	9435,9282 litre	O
310	CM	120	CM	86 LEVEL CM	4516,6996 litre	32,207 %	9507,3700 litre	O
310	CM	120	CM	85 LEVEL CM	4445,4410 litre	31,699 %	9578,6286 litre	O
310	CM	120	CM	84 LEVEL CM	4374,3714 litre	31,192 %	9649,6982 litre	O
310	CM	120	CM	83 LEVEL CM	4303,4968 litre	30,687 %	9720,5728 litre	O

310	CM	120	CM	82 LEVEL CM	4232,8232 litre	30,183 %	9791,2464 litre	O
310	CM	120	CM	81 LEVEL CM	4162,3566 litre	29,680 %	9861,7130 litre	O
310	CM	120	CM	80 LEVEL CM	4092,1030 litre	29,179 %	9931,9666 litre	O
310	CM	120	CM	79 LEVEL CM	4022,0686 litre	28,680 %	10002,0010 litre	O
310	CM	120	CM	78 LEVEL CM	3952,2597 litre	28,182 %	10071,8099 litre	O
310	CM	120	CM	77 LEVEL CM	3882,6824 litre	27,686 %	10141,3872 litre	O
310	CM	120	CM	76 LEVEL CM	3813,3430 litre	27,191 %	10210,7266 litre	O
310	CM	120	CM	75 LEVEL CM	3744,2481 litre	26,699 %	10279,8215 litre	O
310	CM	120	CM	74 LEVEL CM	3675,4039 litre	26,208 %	10348,6657 litre	O
310	CM	120	CM	73 LEVEL CM	3606,8171 litre	25,719 %	10417,2525 litre	O
310	CM	120	CM	72 LEVEL CM	3538,4942 litre	25,232 %	10485,5754 litre	O
310	CM	120	CM	71 LEVEL CM	3470,4419 litre	24,746 %	10553,6277 litre	O
310	CM	120	CM	70 LEVEL CM	3402,6669 litre	24,263 %	10621,4027 litre	O
310	CM	120	CM	69 LEVEL CM	3335,1761 litre	23,782 %	10688,8935 litre	O
310	CM	120	CM	68 LEVEL CM	3267,9765 litre	23,303 %	10756,0931 litre	O
310	CM	120	CM	67 LEVEL CM	3201,0749 litre	22,826 %	10822,9947 litre	O
310	CM	120	CM	66 LEVEL CM	3134,4786 litre	22,351 %	10889,5910 litre	O
310	CM	120	CM	65 LEVEL CM	3068,1947 litre	21,878 %	10955,8749 litre	O
310	CM	120	CM	64 LEVEL CM	3002,2305 litre	21,408 %	11021,8391 litre	O
310	CM	120	CM	63 LEVEL CM	2936,5935 litre	20,940 %	11087,4761 litre	O
310	CM	120	CM	62 LEVEL CM	2871,2911 litre	20,474 %	11152,7785 litre	O
310	CM	120	CM	61 LEVEL CM	2806,3311 litre	20,011 %	11217,7385 litre	O
310	CM	120	CM	60 LEVEL CM	2741,7212 litre	19,550 %	11282,3484 litre	O
310	CM	120	CM	59 LEVEL CM	2677,4692 litre	19,092 %	11346,6004 litre	O
310	CM	120	CM	58 LEVEL CM	2613,5832 litre	18,636 %	11410,4864 litre	O
310	CM	120	CM	57 LEVEL CM	2550,0714 litre	18,184 %	11473,9982 litre	O
310	CM	120	CM	56 LEVEL CM	2486,9420 litre	17,733 %	11537,1276 litre	O
310	CM	120	CM	55 LEVEL CM	2424,2035 litre	17,286 %	11599,8661 litre	O
310	CM	120	CM	54 LEVEL CM	2361,8646 litre	16,842 %	11662,2050 litre	O
310	CM	120	CM	53 LEVEL CM	2299,9340 litre	16,400 %	11724,1356 litre	O
310	CM	120	CM	52 LEVEL CM	2238,4206 litre	15,961 %	11785,6490 litre	O
310	CM	120	CM	51 LEVEL CM	2177,3337 litre	15,526 %	11846,7359 litre	O
310	CM	120	CM	50 LEVEL CM	2116,6826 litre	15,093 %	11907,3870 litre	O
310	CM	120	CM	49 LEVEL CM	2056,4767 litre	14,664 %	11967,5929 litre	O
310	CM	120	CM	48 LEVEL CM	1996,7259 litre	14,238 %	12027,3437 litre	O
310	CM	120	CM	47 LEVEL CM	1937,4400 litre	13,815 %	12086,6296 litre	O
310	CM	120	CM	46 LEVEL CM	1878,6295 litre	13,396 %	12145,4401 litre	O
310	CM	120	CM	45 LEVEL CM	1820,3046 litre	12,980 %	12203,7650 litre	O
310	CM	120	CM	44 LEVEL CM	1762,4761 litre	12,568 %	12261,5935 litre	O
310	CM	120	CM	43 LEVEL CM	1705,1551 litre	12,159 %	12318,9145 litre	O
310	CM	120	CM	42 LEVEL CM	1648,3528 litre	11,754 %	12375,7168 litre	O
310	CM	120	CM	41 LEVEL CM	1592,0808 litre	11,352 %	12431,9888 litre	O
310	CM	120	CM	40 LEVEL CM	1536,3511 litre	10,955 %	12487,7185 litre	O
310	CM	120	CM	39 LEVEL CM	1481,1760 litre	10,562 %	12542,8936 litre	O
310	CM	120	CM	38 LEVEL CM	1426,5681 litre	10,172 %	12597,5015 litre	O
310	CM	120	CM	37 LEVEL CM	1372,5406 litre	9,787 %	12651,5290 litre	O
310	CM	120	CM	36 LEVEL CM	1319,1068 litre	9,406 %	12704,9628 litre	O
310	CM	120	CM	35 LEVEL CM	1266,2808 litre	9,029 %	12757,7888 litre	O
310	CM	120	CM	34 LEVEL CM	1214,0771 litre	8,657 %	12809,9925 litre	O
310	CM	120	CM	33 LEVEL CM	1162,5104 litre	8,289 %	12861,5592 litre	O
310	CM	120	CM	32 LEVEL CM	1111,5965 litre	7,926 %	12912,4731 litre	O
310	CM	120	CM	31 LEVEL CM	1061,3514 litre	7,568 %	12962,7182 litre	O
310	CM	120	CM	30 LEVEL CM	1011,7918 litre	7,215 %	13012,2778 litre	O

310	CM	120	CM	29 LEVEL CM	962,9354 litre	6,866 %	13061,1342 litre	O
310	CM	120	CM	28 LEVEL CM	914,8002 litre	6,523 %	13109,2694 litre	O
310	CM	120	CM	27 LEVEL CM	867,4055 litre	6,185 %	13156,6641 litre	O
310	CM	120	CM	26 LEVEL CM	820,7712 litre	5,853 %	13203,2984 litre	O
310	CM	120	CM	25 LEVEL CM	774,9184 litre	5,526 %	13249,1512 litre	O
310	CM	120	CM	24 LEVEL CM	729,8689 litre	5,204 %	13294,2007 litre	O
310	CM	120	CM	23 LEVEL CM	685,6463 litre	4,889 %	13338,4233 litre	O
310	CM	120	CM	22 LEVEL CM	642,2751 litre	4,580 %	13381,7945 litre	O
310	CM	120	CM	21 LEVEL CM	599,7814 litre	4,277 %	13424,2882 litre	O
310	CM	120	CM	20 LEVEL CM	558,1929 litre	3,980 %	13465,8767 litre	O
310	CM	120	CM	19 LEVEL CM	517,5393 litre	3,690 %	13506,5303 litre	O
310	CM	120	CM	18 LEVEL CM	477,8522 litre	3,407 %	13546,2174 litre	O
310	CM	120	CM	17 LEVEL CM	439,1658 litre	3,132 %	13584,9038 litre	O
310	CM	120	CM	16 LEVEL CM	401,5168 litre	2,863 %	13622,5528 litre	O
310	CM	120	CM	15 LEVEL CM	364,9452 litre	2,602 %	13659,1244 litre	O
310	CM	120	CM	14 LEVEL CM	329,4945 litre	2,349 %	13694,5751 litre	O
310	CM	120	CM	13 LEVEL CM	295,2126 litre	2,105 %	13728,8570 litre	O
310	CM	120	CM	12 LEVEL CM	262,1524 litre	1,869 %	13761,9172 litre	O
310	CM	120	CM	11 LEVEL CM	230,3730 litre	1,643 %	13793,6966 litre	O
310	CM	120	CM	10 LEVEL CM	199,9409 litre	1,426 %	13824,1287 litre	O
310	CM	120	CM	9 LEVEL CM	170,9317 litre	1,219 %	13853,1379 litre	O
310	CM	120	CM	8 LEVEL CM	143,4332 litre	1,023 %	13880,6364 litre	O
310	CM	120	CM	7 LEVEL CM	117,5482 litre	0,838 %	13906,5214 litre	O
310	CM	120	CM	6 LEVEL CM	93,4004 litre	0,666 %	13930,6692 litre	O
310	CM	120	CM	5 LEVEL CM	71,1423 litre	0,507 %	13952,9273 litre	O
310	CM	120	CM	4 LEVEL CM	50,9698 litre	0,363 %	13973,0998 litre	O
310	CM	120	CM	3 LEVEL CM	33,1476 litre	0,236 %	13990,9220 litre	O
310	CM	120	CM	2 LEVEL CM	18,0660 litre	0,129 %	14006,0036 litre	O
310	CM	120	CM	1 LEVEL CM	6,3953 litre	0,046 %	14017,6743 litre	O
310	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	14024,0696 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
310	CM	115	CM	230 LEVEL CM	12879,7445 litre	100,000 %	0,0000 litre	O
310	CM	115	CM	229 LEVEL CM	12873,4842 litre	99,951 %	6,2603 litre	O
310	CM	115	CM	228 LEVEL CM	12862,0608 litre	99,863 %	17,6837 litre	O
310	CM	115	CM	227 LEVEL CM	12847,3001 litre	99,748 %	32,4444 litre	O
310	CM	115	CM	226 LEVEL CM	12829,8589 litre	99,613 %	49,8856 litre	O
310	CM	115	CM	225 LEVEL CM	12810,1193 litre	99,459 %	69,6252 litre	O
310	CM	115	CM	224 LEVEL CM	12788,3410 litre	99,290 %	91,4035 litre	O
310	CM	115	CM	223 LEVEL CM	12764,7159 litre	99,107 %	115,0286 litre	O
310	CM	115	CM	222 LEVEL CM	12739,3937 litre	98,910 %	140,3508 litre	O
310	CM	115	CM	221 LEVEL CM	12712,4956 litre	98,701 %	167,2489 litre	O
310	CM	115	CM	220 LEVEL CM	12684,1228 litre	98,481 %	195,6217 litre	O
310	CM	115	CM	219 LEVEL CM	12654,3610 litre	98,250 %	225,3835 litre	O
310	CM	115	CM	218 LEVEL CM	12623,2848 litre	98,009 %	256,4597 litre	O
310	CM	115	CM	217 LEVEL CM	12590,9594 litre	97,758 %	288,7851 litre	O
310	CM	115	CM	216 LEVEL CM	12557,4428 litre	97,498 %	322,3017 litre	O
310	CM	115	CM	215 LEVEL CM	12522,7871 litre	97,229 %	356,9574 litre	O
310	CM	115	CM	214 LEVEL CM	12487,0393 litre	96,951 %	392,7052 litre	O
310	CM	115	CM	213 LEVEL CM	12450,2422 litre	96,665 %	429,5023 litre	O
310	CM	115	CM	212 LEVEL CM	12412,4352 litre	96,372 %	467,3093 litre	O
310	CM	115	CM	211 LEVEL CM	12373,6543 litre	96,071 %	506,0902 litre	O
310	CM	115	CM	210 LEVEL CM	12333,9333 litre	95,762 %	545,8112 litre	O
310	CM	115	CM	209 LEVEL CM	12293,3032 litre	95,447 %	586,4413 litre	O
310	CM	115	CM	208 LEVEL CM	12251,7933 litre	95,125 %	627,9512 litre	O
310	CM	115	CM	207 LEVEL CM	12209,4308 litre	94,796 %	670,3137 litre	O
310	CM	115	CM	206 LEVEL CM	12166,2416 litre	94,460 %	713,5029 litre	O
310	CM	115	CM	205 LEVEL CM	12122,2498 litre	94,119 %	757,4947 litre	O
310	CM	115	CM	204 LEVEL CM	12077,4785 litre	93,771 %	802,2660 litre	O
310	CM	115	CM	203 LEVEL CM	12031,9495 litre	93,418 %	847,7950 litre	O
310	CM	115	CM	202 LEVEL CM	11985,6834 litre	93,058 %	894,0611 litre	O
310	CM	115	CM	201 LEVEL CM	11938,7000 litre	92,694 %	941,0445 litre	O
310	CM	115	CM	200 LEVEL CM	11891,0182 litre	92,323 %	988,7263 litre	O
310	CM	115	CM	199 LEVEL CM	11842,6559 litre	91,948 %	1037,0886 litre	O
310	CM	115	CM	198 LEVEL CM	11793,6305 litre	91,567 %	1086,1140 litre	O
310	CM	115	CM	197 LEVEL CM	11743,9586 litre	91,182 %	1135,7859 litre	O
310	CM	115	CM	196 LEVEL CM	11693,6560 litre	90,791 %	1186,0885 litre	O
310	CM	115	CM	195 LEVEL CM	11642,7383 litre	90,396 %	1237,0062 litre	O
310	CM	115	CM	194 LEVEL CM	11591,2201 litre	89,996 %	1288,5244 litre	O
310	CM	115	CM	193 LEVEL CM	11539,1157 litre	89,591 %	1340,6288 litre	O
310	CM	115	CM	192 LEVEL CM	11486,4391 litre	89,182 %	1393,3054 litre	O
310	CM	115	CM	191 LEVEL CM	11433,2035 litre	88,769 %	1446,5410 litre	O
310	CM	115	CM	190 LEVEL CM	11379,4219 litre	88,351 %	1500,3226 litre	O
310	CM	115	CM	189 LEVEL CM	11325,1069 litre	87,930 %	1554,6376 litre	O
310	CM	115	CM	188 LEVEL CM	11270,2707 litre	87,504 %	1609,4738 litre	O
310	CM	115	CM	187 LEVEL CM	11214,9251 litre	87,074 %	1664,8194 litre	O
310	CM	115	CM	186 LEVEL CM	11159,0817 litre	86,641 %	1720,6628 litre	O
310	CM	115	CM	185 LEVEL CM	11102,7516 litre	86,203 %	1776,9929 litre	O
310	CM	115	CM	184 LEVEL CM	11045,9459 litre	85,762 %	1833,7986 litre	O
310	CM	115	CM	183 LEVEL CM	10988,6752 litre	85,317 %	1891,0693 litre	O
310	CM	115	CM	182 LEVEL CM	10930,9498 litre	84,869 %	1948,7947 litre	O
310	CM	115	CM	181 LEVEL CM	10872,7800 litre	84,418 %	2006,9645 litre	O
310	CM	115	CM	180 LEVEL CM	10814,1756 litre	83,963 %	2065,5689 litre	O
310	CM	115	CM	179 LEVEL CM	10755,1464 litre	83,504 %	2124,5981 litre	O

310	CM	115	CM	178 LEVEL CM	10695,7019 litre	83,043 %	2184,0426 litre	O
310	CM	115	CM	177 LEVEL CM	10635,8514 litre	82,578 %	2243,8931 litre	O
310	CM	115	CM	176 LEVEL CM	10575,6041 litre	82,110 %	2304,1404 litre	O
310	CM	115	CM	175 LEVEL CM	10514,9687 litre	81,640 %	2364,7758 litre	O
310	CM	115	CM	174 LEVEL CM	10453,9542 litre	81,166 %	2425,7903 litre	O
310	CM	115	CM	173 LEVEL CM	10392,5690 litre	80,689 %	2487,1755 litre	O
310	CM	115	CM	172 LEVEL CM	10330,8218 litre	80,210 %	2548,9227 litre	O
310	CM	115	CM	171 LEVEL CM	10268,7207 litre	79,728 %	2611,0238 litre	O
310	CM	115	CM	170 LEVEL CM	10206,2739 litre	79,243 %	2673,4706 litre	O
310	CM	115	CM	169 LEVEL CM	10143,4895 litre	78,755 %	2736,2550 litre	O
310	CM	115	CM	168 LEVEL CM	10080,3753 litre	78,265 %	2799,3692 litre	O
310	CM	115	CM	167 LEVEL CM	10016,9391 litre	77,773 %	2862,8054 litre	O
310	CM	115	CM	166 LEVEL CM	9953,1886 litre	77,278 %	2926,5559 litre	O
310	CM	115	CM	165 LEVEL CM	9889,1313 litre	76,780 %	2990,6132 litre	O
310	CM	115	CM	164 LEVEL CM	9824,7747 litre	76,281 %	3054,9698 litre	O
310	CM	115	CM	163 LEVEL CM	9760,1261 litre	75,779 %	3119,6184 litre	O
310	CM	115	CM	162 LEVEL CM	9695,1927 litre	75,275 %	3184,5518 litre	O
310	CM	115	CM	161 LEVEL CM	9629,9816 litre	74,768 %	3249,7629 litre	O
310	CM	115	CM	160 LEVEL CM	9564,4999 litre	74,260 %	3315,2446 litre	O
310	CM	115	CM	159 LEVEL CM	9498,7546 litre	73,750 %	3380,9899 litre	O
310	CM	115	CM	158 LEVEL CM	9432,7526 litre	73,237 %	3446,9919 litre	O
310	CM	115	CM	157 LEVEL CM	9366,5006 litre	72,723 %	3513,2439 litre	O
310	CM	115	CM	156 LEVEL CM	9300,0053 litre	72,206 %	3579,7392 litre	O
310	CM	115	CM	155 LEVEL CM	9233,2734 litre	71,688 %	3646,4711 litre	O
310	CM	115	CM	154 LEVEL CM	9166,3116 litre	71,168 %	3713,4329 litre	O
310	CM	115	CM	153 LEVEL CM	9099,1262 litre	70,647 %	3780,6183 litre	O
310	CM	115	CM	152 LEVEL CM	9031,7237 litre	70,123 %	3848,0208 litre	O
310	CM	115	CM	151 LEVEL CM	8964,1106 litre	69,599 %	3915,6339 litre	O
310	CM	115	CM	150 LEVEL CM	8896,2931 litre	69,072 %	3983,4514 litre	O
310	CM	115	CM	149 LEVEL CM	8828,2774 litre	68,544 %	4051,4671 litre	O
310	CM	115	CM	148 LEVEL CM	8760,0700 litre	68,014 %	4119,6745 litre	O
310	CM	115	CM	147 LEVEL CM	8691,6767 litre	67,483 %	4188,0678 litre	O
310	CM	115	CM	146 LEVEL CM	8623,1039 litre	66,951 %	4256,6406 litre	O
310	CM	115	CM	145 LEVEL CM	8554,3575 litre	66,417 %	4325,3870 litre	O
310	CM	115	CM	144 LEVEL CM	8485,4435 litre	65,882 %	4394,3010 litre	O
310	CM	115	CM	143 LEVEL CM	8416,3680 litre	65,346 %	4463,3765 litre	O
310	CM	115	CM	142 LEVEL CM	8347,1369 litre	64,808 %	4532,6076 litre	O
310	CM	115	CM	141 LEVEL CM	8277,7560 litre	64,270 %	4601,9885 litre	O
310	CM	115	CM	140 LEVEL CM	8208,2311 litre	63,730 %	4671,5134 litre	O
310	CM	115	CM	139 LEVEL CM	8138,5682 litre	63,189 %	4741,1763 litre	O
310	CM	115	CM	138 LEVEL CM	8068,7730 litre	62,647 %	4810,9715 litre	O
310	CM	115	CM	137 LEVEL CM	7998,8513 litre	62,104 %	4880,8932 litre	O
310	CM	115	CM	136 LEVEL CM	7928,8086 litre	61,560 %	4950,9359 litre	O
310	CM	115	CM	135 LEVEL CM	7858,6509 litre	61,016 %	5021,0936 litre	O
310	CM	115	CM	134 LEVEL CM	7788,3836 litre	60,470 %	5091,3609 litre	O
310	CM	115	CM	133 LEVEL CM	7718,0125 litre	59,924 %	5161,7320 litre	O
310	CM	115	CM	132 LEVEL CM	7647,5431 litre	59,377 %	5232,2014 litre	O
310	CM	115	CM	131 LEVEL CM	7576,9810 litre	58,829 %	5302,7635 litre	O
310	CM	115	CM	130 LEVEL CM	7506,3318 litre	58,280 %	5373,4127 litre	O
310	CM	115	CM	129 LEVEL CM	7435,6011 litre	57,731 %	5444,1434 litre	O
310	CM	115	CM	128 LEVEL CM	7364,7943 litre	57,181 %	5514,9502 litre	O
310	CM	115	CM	127 LEVEL CM	7293,9170 litre	56,631 %	5585,8275 litre	O
310	CM	115	CM	126 LEVEL CM	7222,9746 litre	56,080 %	5656,7699 litre	O

310	CM	115	CM	125 LEVEL CM	7151,9727 litre	55,529 %	5727,7718 litre	O
310	CM	115	CM	124 LEVEL CM	7080,9166 litre	54,977 %	5798,8279 litre	O
310	CM	115	CM	123 LEVEL CM	7009,8118 litre	54,425 %	5869,9327 litre	O
310	CM	115	CM	122 LEVEL CM	6938,6639 litre	53,873 %	5941,0806 litre	O
310	CM	115	CM	121 LEVEL CM	6867,4781 litre	53,320 %	6012,2664 litre	O
310	CM	115	CM	120 LEVEL CM	6796,2599 litre	52,767 %	6083,4846 litre	O
310	CM	115	CM	119 LEVEL CM	6725,0147 litre	52,214 %	6154,7298 litre	O
310	CM	115	CM	118 LEVEL CM	6653,7480 litre	51,661 %	6225,9965 litre	O
310	CM	115	CM	117 LEVEL CM	6582,4651 litre	51,107 %	6297,2794 litre	O
310	CM	115	CM	116 LEVEL CM	6511,1713 litre	50,554 %	6368,5732 litre	O
310	CM	115	CM	115 LEVEL CM	6439,8722 litre	50,000 %	6439,8723 litre	O
310	CM	115	CM	114 LEVEL CM	6368,5731 litre	49,446 %	6511,1714 litre	O
310	CM	115	CM	113 LEVEL CM	6297,2794 litre	48,893 %	6582,4651 litre	O
310	CM	115	CM	112 LEVEL CM	6225,9965 litre	48,339 %	6653,7480 litre	O
310	CM	115	CM	111 LEVEL CM	6154,7298 litre	47,786 %	6725,0147 litre	O
310	CM	115	CM	110 LEVEL CM	6083,4846 litre	47,233 %	6796,2599 litre	O
310	CM	115	CM	109 LEVEL CM	6012,2664 litre	46,680 %	6867,4781 litre	O
310	CM	115	CM	108 LEVEL CM	5941,0806 litre	46,127 %	6938,6639 litre	O
310	CM	115	CM	107 LEVEL CM	5869,9326 litre	45,575 %	7009,8119 litre	O
310	CM	115	CM	106 LEVEL CM	5798,8279 litre	45,023 %	7080,9166 litre	O
310	CM	115	CM	105 LEVEL CM	5727,7718 litre	44,471 %	7151,9727 litre	O
310	CM	115	CM	104 LEVEL CM	5656,7699 litre	43,920 %	7222,9746 litre	O
310	CM	115	CM	103 LEVEL CM	5585,8275 litre	43,369 %	7293,9170 litre	O
310	CM	115	CM	102 LEVEL CM	5514,9502 litre	42,819 %	7364,7943 litre	O
310	CM	115	CM	101 LEVEL CM	5444,1434 litre	42,269 %	7435,6011 litre	O
310	CM	115	CM	100 LEVEL CM	5373,4126 litre	41,720 %	7506,3319 litre	O
310	CM	115	CM	99 LEVEL CM	5302,7635 litre	41,171 %	7576,9810 litre	O
310	CM	115	CM	98 LEVEL CM	5232,2014 litre	40,623 %	7647,5431 litre	O
310	CM	115	CM	97 LEVEL CM	5161,7320 litre	40,076 %	7718,0125 litre	O
310	CM	115	CM	96 LEVEL CM	5091,3609 litre	39,530 %	7788,3836 litre	O
310	CM	115	CM	95 LEVEL CM	5021,0936 litre	38,984 %	7858,6509 litre	O
310	CM	115	CM	94 LEVEL CM	4950,9358 litre	38,440 %	7928,8087 litre	O
310	CM	115	CM	93 LEVEL CM	4880,8932 litre	37,896 %	7998,8513 litre	O
310	CM	115	CM	92 LEVEL CM	4810,9715 litre	37,353 %	8068,7730 litre	O
310	CM	115	CM	91 LEVEL CM	4741,1762 litre	36,811 %	8138,5683 litre	O
310	CM	115	CM	90 LEVEL CM	4671,5133 litre	36,270 %	8208,2312 litre	O
310	CM	115	CM	89 LEVEL CM	4601,9885 litre	35,730 %	8277,7560 litre	O
310	CM	115	CM	88 LEVEL CM	4532,6076 litre	35,192 %	8347,1369 litre	O
310	CM	115	CM	87 LEVEL CM	4463,3765 litre	34,654 %	8416,3680 litre	O
310	CM	115	CM	86 LEVEL CM	4394,3009 litre	34,118 %	8485,4436 litre	O
310	CM	115	CM	85 LEVEL CM	4325,3870 litre	33,583 %	8554,3575 litre	O
310	CM	115	CM	84 LEVEL CM	4256,6406 litre	33,049 %	8623,1039 litre	O
310	CM	115	CM	83 LEVEL CM	4188,0678 litre	32,517 %	8691,6767 litre	O
310	CM	115	CM	82 LEVEL CM	4119,6745 litre	31,986 %	8760,0700 litre	O
310	CM	115	CM	81 LEVEL CM	4051,4670 litre	31,456 %	8828,2775 litre	O
310	CM	115	CM	80 LEVEL CM	3983,4514 litre	30,928 %	8896,2931 litre	O
310	CM	115	CM	79 LEVEL CM	3915,6339 litre	30,401 %	8964,1106 litre	O
310	CM	115	CM	78 LEVEL CM	3848,0208 litre	29,877 %	9031,7237 litre	O
310	CM	115	CM	77 LEVEL CM	3780,6183 litre	29,353 %	9099,1262 litre	O
310	CM	115	CM	76 LEVEL CM	3713,4329 litre	28,832 %	9166,3116 litre	O
310	CM	115	CM	75 LEVEL CM	3646,4710 litre	28,312 %	9233,2735 litre	O
310	CM	115	CM	74 LEVEL CM	3579,7392 litre	27,794 %	9300,0053 litre	O
310	CM	115	CM	73 LEVEL CM	3513,2439 litre	27,277 %	9366,5006 litre	O

310	CM	115	CM	72 LEVEL CM	3446,9919 litre	26,763 %	9432,7526 litre	O
310	CM	115	CM	71 LEVEL CM	3380,9898 litre	26,250 %	9498,7547 litre	O
310	CM	115	CM	70 LEVEL CM	3315,2445 litre	25,740 %	9564,5000 litre	O
310	CM	115	CM	69 LEVEL CM	3249,7629 litre	25,232 %	9629,9816 litre	O
310	CM	115	CM	68 LEVEL CM	3184,5518 litre	24,725 %	9695,1927 litre	O
310	CM	115	CM	67 LEVEL CM	3119,6184 litre	24,221 %	9760,1261 litre	O
310	CM	115	CM	66 LEVEL CM	3054,9698 litre	23,719 %	9824,7747 litre	O
310	CM	115	CM	65 LEVEL CM	2990,6131 litre	23,220 %	9889,1314 litre	O
310	CM	115	CM	64 LEVEL CM	2926,5559 litre	22,722 %	9953,1886 litre	O
310	CM	115	CM	63 LEVEL CM	2862,8054 litre	22,227 %	10016,9391 litre	O
310	CM	115	CM	62 LEVEL CM	2799,3692 litre	21,735 %	10080,3753 litre	O
310	CM	115	CM	61 LEVEL CM	2736,2550 litre	21,245 %	10143,4895 litre	O
310	CM	115	CM	60 LEVEL CM	2673,4706 litre	20,757 %	10206,2739 litre	O
310	CM	115	CM	59 LEVEL CM	2611,0238 litre	20,272 %	10268,7207 litre	O
310	CM	115	CM	58 LEVEL CM	2548,9227 litre	19,790 %	10330,8218 litre	O
310	CM	115	CM	57 LEVEL CM	2487,1754 litre	19,311 %	10392,5691 litre	O
310	CM	115	CM	56 LEVEL CM	2425,7903 litre	18,834 %	10453,9542 litre	O
310	CM	115	CM	55 LEVEL CM	2364,7758 litre	18,360 %	10514,9687 litre	O
310	CM	115	CM	54 LEVEL CM	2304,1404 litre	17,890 %	10575,6041 litre	O
310	CM	115	CM	53 LEVEL CM	2243,8930 litre	17,422 %	10635,8515 litre	O
310	CM	115	CM	52 LEVEL CM	2184,0425 litre	16,957 %	10695,7020 litre	O
310	CM	115	CM	51 LEVEL CM	2124,5981 litre	16,496 %	10755,1464 litre	O
310	CM	115	CM	50 LEVEL CM	2065,5689 litre	16,037 %	10814,1756 litre	O
310	CM	115	CM	49 LEVEL CM	2006,9645 litre	15,582 %	10872,7800 litre	O
310	CM	115	CM	48 LEVEL CM	1948,7947 litre	15,131 %	10930,9498 litre	O
310	CM	115	CM	47 LEVEL CM	1891,0693 litre	14,683 %	10988,6752 litre	O
310	CM	115	CM	46 LEVEL CM	1833,7986 litre	14,238 %	11045,9459 litre	O
310	CM	115	CM	45 LEVEL CM	1776,9928 litre	13,797 %	11102,7517 litre	O
310	CM	115	CM	44 LEVEL CM	1720,6628 litre	13,359 %	11159,0817 litre	O
310	CM	115	CM	43 LEVEL CM	1664,8194 litre	12,926 %	11214,9251 litre	O
310	CM	115	CM	42 LEVEL CM	1609,4738 litre	12,496 %	11270,2707 litre	O
310	CM	115	CM	41 LEVEL CM	1554,6375 litre	12,070 %	11325,1070 litre	O
310	CM	115	CM	40 LEVEL CM	1500,3225 litre	11,649 %	11379,4220 litre	O
310	CM	115	CM	39 LEVEL CM	1446,5410 litre	11,231 %	11433,2035 litre	O
310	CM	115	CM	38 LEVEL CM	1393,3054 litre	10,818 %	11486,4391 litre	O
310	CM	115	CM	37 LEVEL CM	1340,6287 litre	10,409 %	11539,1158 litre	O
310	CM	115	CM	36 LEVEL CM	1288,5244 litre	10,004 %	11591,2201 litre	O
310	CM	115	CM	35 LEVEL CM	1237,0062 litre	9,604 %	11642,7383 litre	O
310	CM	115	CM	34 LEVEL CM	1186,0885 litre	9,209 %	11693,6560 litre	O
310	CM	115	CM	33 LEVEL CM	1135,7859 litre	8,818 %	11743,9586 litre	O
310	CM	115	CM	32 LEVEL CM	1086,1140 litre	8,433 %	11793,6305 litre	O
310	CM	115	CM	31 LEVEL CM	1037,0886 litre	8,052 %	11842,6559 litre	O
310	CM	115	CM	30 LEVEL CM	988,7263 litre	7,677 %	11891,0182 litre	O
310	CM	115	CM	29 LEVEL CM	941,0445 litre	7,306 %	11938,7000 litre	O
310	CM	115	CM	28 LEVEL CM	894,0611 litre	6,942 %	11985,6834 litre	O
310	CM	115	CM	27 LEVEL CM	847,7950 litre	6,582 %	12031,9495 litre	O
310	CM	115	CM	26 LEVEL CM	802,2659 litre	6,229 %	12077,4786 litre	O
310	CM	115	CM	25 LEVEL CM	757,4946 litre	5,881 %	12122,2499 litre	O
310	CM	115	CM	24 LEVEL CM	713,5029 litre	5,540 %	12166,2416 litre	O
310	CM	115	CM	23 LEVEL CM	670,3137 litre	5,204 %	12209,4308 litre	O
310	CM	115	CM	22 LEVEL CM	627,9512 litre	4,875 %	12251,7933 litre	O
310	CM	115	CM	21 LEVEL CM	586,4413 litre	4,553 %	12293,3032 litre	O
310	CM	115	CM	20 LEVEL CM	545,8112 litre	4,238 %	12333,9333 litre	O

310	CM	115	CM	19 LEVEL CM	506,0902 litre	3,929 %	12373,6543 litre	O
310	CM	115	CM	18 LEVEL CM	467,3093 litre	3,628 %	12412,4352 litre	O
310	CM	115	CM	17 LEVEL CM	429,5023 litre	3,335 %	12450,2422 litre	O
310	CM	115	CM	16 LEVEL CM	392,7052 litre	3,049 %	12487,0393 litre	O
310	CM	115	CM	15 LEVEL CM	356,9574 litre	2,771 %	12522,7871 litre	O
310	CM	115	CM	14 LEVEL CM	322,3017 litre	2,502 %	12557,4428 litre	O
310	CM	115	CM	13 LEVEL CM	288,7851 litre	2,242 %	12590,9594 litre	O
310	CM	115	CM	12 LEVEL CM	256,4597 litre	1,991 %	12623,2848 litre	O
310	CM	115	CM	11 LEVEL CM	225,3835 litre	1,750 %	12654,3610 litre	O
310	CM	115	CM	10 LEVEL CM	195,6217 litre	1,519 %	12684,1228 litre	O
310	CM	115	CM	9 LEVEL CM	167,2488 litre	1,299 %	12712,4957 litre	O
310	CM	115	CM	8 LEVEL CM	140,3508 litre	1,090 %	12739,3937 litre	O
310	CM	115	CM	7 LEVEL CM	115,0286 litre	0,893 %	12764,7159 litre	O
310	CM	115	CM	6 LEVEL CM	91,4035 litre	0,710 %	12788,3410 litre	O
310	CM	115	CM	5 LEVEL CM	69,6252 litre	0,541 %	12810,1193 litre	O
310	CM	115	CM	4 LEVEL CM	49,8856 litre	0,387 %	12829,8589 litre	O
310	CM	115	CM	3 LEVEL CM	32,4444 litre	0,252 %	12847,3001 litre	O
310	CM	115	CM	2 LEVEL CM	17,6837 litre	0,137 %	12862,0608 litre	O
310	CM	115	CM	1 LEVEL CM	6,2603 litre	0,049 %	12873,4842 litre	O
310	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	12879,7445 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
310	CM	110	CM	220 LEVEL CM	11784,1140 litre	100,000 %	0,0000 litre	O
310	CM	110	CM	219 LEVEL CM	11777,9917 litre	99,948 %	6,1223 litre	O
310	CM	110	CM	218 LEVEL CM	11766,8211 litre	99,853 %	17,2929 litre	O
310	CM	110	CM	217 LEVEL CM	11752,3885 litre	99,731 %	31,7255 litre	O
310	CM	110	CM	216 LEVEL CM	11735,3366 litre	99,586 %	48,7774 litre	O
310	CM	110	CM	215 LEVEL CM	11716,0397 litre	99,422 %	68,0743 litre	O
310	CM	110	CM	214 LEVEL CM	11694,7520 litre	99,242 %	89,3620 litre	O
310	CM	110	CM	213 LEVEL CM	11671,6615 litre	99,046 %	112,4525 litre	O
310	CM	110	CM	212 LEVEL CM	11646,9149 litre	98,836 %	137,1991 litre	O
310	CM	110	CM	211 LEVEL CM	11620,6311 litre	98,613 %	163,4829 litre	O
310	CM	110	CM	210 LEVEL CM	11592,9091 litre	98,377 %	191,2049 litre	O
310	CM	110	CM	209 LEVEL CM	11563,8332 litre	98,131 %	220,2808 litre	O
310	CM	110	CM	208 LEVEL CM	11533,4764 litre	97,873 %	250,6376 litre	O
310	CM	110	CM	207 LEVEL CM	11501,9029 litre	97,605 %	282,2111 litre	O
310	CM	110	CM	206 LEVEL CM	11469,1695 litre	97,327 %	314,9445 litre	O
310	CM	110	CM	205 LEVEL CM	11435,3274 litre	97,040 %	348,7866 litre	O
310	CM	110	CM	204 LEVEL CM	11400,4229 litre	96,744 %	383,6911 litre	O
310	CM	110	CM	203 LEVEL CM	11364,4979 litre	96,439 %	419,6161 litre	O
310	CM	110	CM	202 LEVEL CM	11327,5911 litre	96,126 %	456,5229 litre	O
310	CM	110	CM	201 LEVEL CM	11289,7382 litre	95,805 %	494,3758 litre	O
310	CM	110	CM	200 LEVEL CM	11250,9722 litre	95,476 %	533,1418 litre	O
310	CM	110	CM	199 LEVEL CM	11211,3236 litre	95,139 %	572,7904 litre	O
310	CM	110	CM	198 LEVEL CM	11170,8214 litre	94,796 %	613,2926 litre	O
310	CM	110	CM	197 LEVEL CM	11129,4923 litre	94,445 %	654,6217 litre	O
310	CM	110	CM	196 LEVEL CM	11087,3618 litre	94,087 %	696,7522 litre	O
310	CM	110	CM	195 LEVEL CM	11044,4538 litre	93,723 %	739,6602 litre	O
310	CM	110	CM	194 LEVEL CM	11000,7909 litre	93,353 %	783,3231 litre	O
310	CM	110	CM	193 LEVEL CM	10956,3946 litre	92,976 %	827,7194 litre	O
310	CM	110	CM	192 LEVEL CM	10911,2853 litre	92,593 %	872,8287 litre	O
310	CM	110	CM	191 LEVEL CM	10865,4826 litre	92,204 %	918,6314 litre	O
310	CM	110	CM	190 LEVEL CM	10819,0051 litre	91,810 %	965,1089 litre	O
310	CM	110	CM	189 LEVEL CM	10771,8705 litre	91,410 %	1012,2435 litre	O
310	CM	110	CM	188 LEVEL CM	10724,0960 litre	91,005 %	1060,0180 litre	O
310	CM	110	CM	187 LEVEL CM	10675,6979 litre	90,594 %	1108,4161 litre	O
310	CM	110	CM	186 LEVEL CM	10626,6920 litre	90,178 %	1157,4220 litre	O
310	CM	110	CM	185 LEVEL CM	10577,0936 litre	89,757 %	1207,0204 litre	O
310	CM	110	CM	184 LEVEL CM	10526,9173 litre	89,331 %	1257,1967 litre	O
310	CM	110	CM	183 LEVEL CM	10476,1772 litre	88,901 %	1307,9368 litre	O
310	CM	110	CM	182 LEVEL CM	10424,8870 litre	88,466 %	1359,2270 litre	O
310	CM	110	CM	181 LEVEL CM	10373,0601 litre	88,026 %	1411,0539 litre	O
310	CM	110	CM	180 LEVEL CM	10320,7091 litre	87,582 %	1463,4049 litre	O
310	CM	110	CM	179 LEVEL CM	10267,8467 litre	87,133 %	1516,2673 litre	O
310	CM	110	CM	178 LEVEL CM	10214,4848 litre	86,680 %	1569,6292 litre	O
310	CM	110	CM	177 LEVEL CM	10160,6353 litre	86,223 %	1623,4787 litre	O
310	CM	110	CM	176 LEVEL CM	10106,3097 litre	85,762 %	1677,8043 litre	O
310	CM	110	CM	175 LEVEL CM	10051,5190 litre	85,297 %	1732,5950 litre	O
310	CM	110	CM	174 LEVEL CM	9996,2742 litre	84,828 %	1787,8398 litre	O
310	CM	110	CM	173 LEVEL CM	9940,5858 litre	84,356 %	1843,5282 litre	O
310	CM	110	CM	172 LEVEL CM	9884,4642 litre	83,880 %	1899,6498 litre	O
310	CM	110	CM	171 LEVEL CM	9827,9196 litre	83,400 %	1956,1944 litre	O
310	CM	110	CM	170 LEVEL CM	9770,9618 litre	82,916 %	2013,1522 litre	O
310	CM	110	CM	169 LEVEL CM	9713,6004 litre	82,430 %	2070,5136 litre	O

310	CM	110	CM	168 LEVEL CM	9655,8451 litre	81,940 %	2128,2689 litre	O
310	CM	110	CM	167 LEVEL CM	9597,7049 litre	81,446 %	2186,4091 litre	O
310	CM	110	CM	166 LEVEL CM	9539,1892 litre	80,950 %	2244,9248 litre	O
310	CM	110	CM	165 LEVEL CM	9480,3067 litre	80,450 %	2303,8073 litre	O
310	CM	110	CM	164 LEVEL CM	9421,0662 litre	79,947 %	2363,0478 litre	O
310	CM	110	CM	163 LEVEL CM	9361,4764 litre	79,441 %	2422,6376 litre	O
310	CM	110	CM	162 LEVEL CM	9301,5456 litre	78,933 %	2482,5684 litre	O
310	CM	110	CM	161 LEVEL CM	9241,2822 litre	78,422 %	2542,8318 litre	O
310	CM	110	CM	160 LEVEL CM	9180,6944 litre	77,907 %	2603,4196 litre	O
310	CM	110	CM	159 LEVEL CM	9119,7902 litre	77,391 %	2664,3238 litre	O
310	CM	110	CM	158 LEVEL CM	9058,5775 litre	76,871 %	2725,5365 litre	O
310	CM	110	CM	157 LEVEL CM	8997,0641 litre	76,349 %	2787,0499 litre	O
310	CM	110	CM	156 LEVEL CM	8935,2577 litre	75,825 %	2848,8563 litre	O
310	CM	110	CM	155 LEVEL CM	8873,1658 litre	75,298 %	2910,9482 litre	O
310	CM	110	CM	154 LEVEL CM	8810,7960 litre	74,768 %	2973,3180 litre	O
310	CM	110	CM	153 LEVEL CM	8748,1556 litre	74,237 %	3035,9584 litre	O
310	CM	110	CM	152 LEVEL CM	8685,2519 litre	73,703 %	3098,8621 litre	O
310	CM	110	CM	151 LEVEL CM	8622,0920 litre	73,167 %	3162,0220 litre	O
310	CM	110	CM	150 LEVEL CM	8558,6831 litre	72,629 %	3225,4309 litre	O
310	CM	110	CM	149 LEVEL CM	8495,0321 litre	72,089 %	3289,0819 litre	O
310	CM	110	CM	148 LEVEL CM	8431,1461 litre	71,547 %	3352,9679 litre	O
310	CM	110	CM	147 LEVEL CM	8367,0318 litre	71,003 %	3417,0822 litre	O
310	CM	110	CM	146 LEVEL CM	8302,6961 litre	70,457 %	3481,4179 litre	O
310	CM	110	CM	145 LEVEL CM	8238,1456 litre	69,909 %	3545,9684 litre	O
310	CM	110	CM	144 LEVEL CM	8173,3870 litre	69,359 %	3610,7270 litre	O
310	CM	110	CM	143 LEVEL CM	8108,4270 litre	68,808 %	3675,6870 litre	O
310	CM	110	CM	142 LEVEL CM	8043,2719 litre	68,255 %	3740,8421 litre	O
310	CM	110	CM	141 LEVEL CM	7977,9283 litre	67,701 %	3806,1857 litre	O
310	CM	110	CM	140 LEVEL CM	7912,4026 litre	67,145 %	3871,7114 litre	O
310	CM	110	CM	139 LEVEL CM	7846,7011 litre	66,587 %	3937,4129 litre	O
310	CM	110	CM	138 LEVEL CM	7780,8302 litre	66,028 %	4003,2838 litre	O
310	CM	110	CM	137 LEVEL CM	7714,7961 litre	65,468 %	4069,3179 litre	O
310	CM	110	CM	136 LEVEL CM	7648,6050 litre	64,906 %	4135,5090 litre	O
310	CM	110	CM	135 LEVEL CM	7582,2631 litre	64,343 %	4201,8509 litre	O
310	CM	110	CM	134 LEVEL CM	7515,7765 litre	63,779 %	4268,3375 litre	O
310	CM	110	CM	133 LEVEL CM	7449,1513 litre	63,214 %	4334,9627 litre	O
310	CM	110	CM	132 LEVEL CM	7382,3935 litre	62,647 %	4401,7205 litre	O
310	CM	110	CM	131 LEVEL CM	7315,5091 litre	62,079 %	4468,6049 litre	O
310	CM	110	CM	130 LEVEL CM	7248,5042 litre	61,511 %	4535,6098 litre	O
310	CM	110	CM	129 LEVEL CM	7181,3846 litre	60,941 %	4602,7294 litre	O
310	CM	110	CM	128 LEVEL CM	7114,1563 litre	60,371 %	4669,9577 litre	O
310	CM	110	CM	127 LEVEL CM	7046,8251 litre	59,799 %	4737,2889 litre	O
310	CM	110	CM	126 LEVEL CM	6979,3970 litre	59,227 %	4804,7170 litre	O
310	CM	110	CM	125 LEVEL CM	6911,8777 litre	58,654 %	4872,2363 litre	O
310	CM	110	CM	124 LEVEL CM	6844,2730 litre	58,081 %	4939,8410 litre	O
310	CM	110	CM	123 LEVEL CM	6776,5888 litre	57,506 %	5007,5252 litre	O
310	CM	110	CM	122 LEVEL CM	6708,8308 litre	56,931 %	5075,2832 litre	O
310	CM	110	CM	121 LEVEL CM	6641,0048 litre	56,356 %	5143,1092 litre	O
310	CM	110	CM	120 LEVEL CM	6573,1165 litre	55,779 %	5210,9975 litre	O
310	CM	110	CM	119 LEVEL CM	6505,1715 litre	55,203 %	5278,9425 litre	O
310	CM	110	CM	118 LEVEL CM	6437,1757 litre	54,626 %	5346,9383 litre	O
310	CM	110	CM	117 LEVEL CM	6369,1346 litre	54,048 %	5414,9794 litre	O
310	CM	110	CM	116 LEVEL CM	6301,0540 litre	53,471 %	5483,0600 litre	O

310	CM	110	CM	115 LEVEL CM	6232,9396 litre	52,893 %	5551,1744 litre	O
310	CM	110	CM	114 LEVEL CM	6164,7969 litre	52,314 %	5619,3171 litre	O
310	CM	110	CM	113 LEVEL CM	6096,6317 litre	51,736 %	5687,4823 litre	O
310	CM	110	CM	112 LEVEL CM	6028,4495 litre	51,157 %	5755,6645 litre	O
310	CM	110	CM	111 LEVEL CM	5960,2561 litre	50,579 %	5823,8579 litre	O
310	CM	110	CM	110 LEVEL CM	5892,0570 litre	50,000 %	5892,0570 litre	O
310	CM	110	CM	109 LEVEL CM	5823,8580 litre	49,421 %	5960,2560 litre	O
310	CM	110	CM	108 LEVEL CM	5755,6645 litre	48,843 %	6028,4495 litre	O
310	CM	110	CM	107 LEVEL CM	5687,4824 litre	48,264 %	6096,6316 litre	O
310	CM	110	CM	106 LEVEL CM	5619,3172 litre	47,686 %	6164,7968 litre	O
310	CM	110	CM	105 LEVEL CM	5551,1745 litre	47,107 %	6232,9395 litre	O
310	CM	110	CM	104 LEVEL CM	5483,0600 litre	46,529 %	6301,0540 litre	O
310	CM	110	CM	103 LEVEL CM	5414,9794 litre	45,952 %	6369,1346 litre	O
310	CM	110	CM	102 LEVEL CM	5346,9384 litre	45,374 %	6437,1756 litre	O
310	CM	110	CM	101 LEVEL CM	5278,9425 litre	44,797 %	6505,1715 litre	O
310	CM	110	CM	100 LEVEL CM	5210,9976 litre	44,221 %	6573,1164 litre	O
310	CM	110	CM	99 LEVEL CM	5143,1092 litre	43,644 %	6641,0048 litre	O
310	CM	110	CM	98 LEVEL CM	5075,2832 litre	43,069 %	6708,8308 litre	O
310	CM	110	CM	97 LEVEL CM	5007,5252 litre	42,494 %	6776,5888 litre	O
310	CM	110	CM	96 LEVEL CM	4939,8410 litre	41,919 %	6844,2730 litre	O
310	CM	110	CM	95 LEVEL CM	4872,2364 litre	41,346 %	6911,8776 litre	O
310	CM	110	CM	94 LEVEL CM	4804,7171 litre	40,773 %	6979,3969 litre	O
310	CM	110	CM	93 LEVEL CM	4737,2889 litre	40,201 %	7046,8251 litre	O
310	CM	110	CM	92 LEVEL CM	4669,9578 litre	39,629 %	7114,1562 litre	O
310	CM	110	CM	91 LEVEL CM	4602,7295 litre	39,059 %	7181,3845 litre	O
310	CM	110	CM	90 LEVEL CM	4535,6099 litre	38,489 %	7248,5041 litre	O
310	CM	110	CM	89 LEVEL CM	4468,6049 litre	37,921 %	7315,5091 litre	O
310	CM	110	CM	88 LEVEL CM	4401,7206 litre	37,353 %	7382,3934 litre	O
310	CM	110	CM	87 LEVEL CM	4334,9628 litre	36,786 %	7449,1512 litre	O
310	CM	110	CM	86 LEVEL CM	4268,3375 litre	36,221 %	7515,7765 litre	O
310	CM	110	CM	85 LEVEL CM	4201,8509 litre	35,657 %	7582,2631 litre	O
310	CM	110	CM	84 LEVEL CM	4135,5090 litre	35,094 %	7648,6050 litre	O
310	CM	110	CM	83 LEVEL CM	4069,3179 litre	34,532 %	7714,7961 litre	O
310	CM	110	CM	82 LEVEL CM	4003,2838 litre	33,972 %	7780,8302 litre	O
310	CM	110	CM	81 LEVEL CM	3937,4129 litre	33,413 %	7846,7011 litre	O
310	CM	110	CM	80 LEVEL CM	3871,7114 litre	32,855 %	7912,4026 litre	O
310	CM	110	CM	79 LEVEL CM	3806,1857 litre	32,299 %	7977,9283 litre	O
310	CM	110	CM	78 LEVEL CM	3740,8422 litre	31,745 %	8043,2718 litre	O
310	CM	110	CM	77 LEVEL CM	3675,6871 litre	31,192 %	8108,4269 litre	O
310	CM	110	CM	76 LEVEL CM	3610,7270 litre	30,641 %	8173,3870 litre	O
310	CM	110	CM	75 LEVEL CM	3545,9684 litre	30,091 %	8238,1456 litre	O
310	CM	110	CM	74 LEVEL CM	3481,4180 litre	29,543 %	8302,6960 litre	O
310	CM	110	CM	73 LEVEL CM	3417,0822 litre	28,997 %	8367,0318 litre	O
310	CM	110	CM	72 LEVEL CM	3352,9679 litre	28,453 %	8431,1461 litre	O
310	CM	110	CM	71 LEVEL CM	3289,0819 litre	27,911 %	8495,0321 litre	O
310	CM	110	CM	70 LEVEL CM	3225,4310 litre	27,371 %	8558,6830 litre	O
310	CM	110	CM	69 LEVEL CM	3162,0220 litre	26,833 %	8622,0920 litre	O
310	CM	110	CM	68 LEVEL CM	3098,8622 litre	26,297 %	8685,2518 litre	O
310	CM	110	CM	67 LEVEL CM	3035,9584 litre	25,763 %	8748,1556 litre	O
310	CM	110	CM	66 LEVEL CM	2973,3180 litre	25,232 %	8810,7960 litre	O
310	CM	110	CM	65 LEVEL CM	2910,9482 litre	24,702 %	8873,1658 litre	O
310	CM	110	CM	64 LEVEL CM	2848,8564 litre	24,175 %	8935,2576 litre	O
310	CM	110	CM	63 LEVEL CM	2787,0500 litre	23,651 %	8997,0640 litre	O

310	CM	110	CM	62 LEVEL CM	2725,5366 litre	23,129 %	9058,5774 litre	O
310	CM	110	CM	61 LEVEL CM	2664,3238 litre	22,609 %	9119,7902 litre	O
310	CM	110	CM	60 LEVEL CM	2603,4196 litre	22,093 %	9180,6944 litre	O
310	CM	110	CM	59 LEVEL CM	2542,8318 litre	21,578 %	9241,2822 litre	O
310	CM	110	CM	58 LEVEL CM	2482,5684 litre	21,067 %	9301,5456 litre	O
310	CM	110	CM	57 LEVEL CM	2422,6377 litre	20,559 %	9361,4763 litre	O
310	CM	110	CM	56 LEVEL CM	2363,0478 litre	20,053 %	9421,0662 litre	O
310	CM	110	CM	55 LEVEL CM	2303,8074 litre	19,550 %	9480,3066 litre	O
310	CM	110	CM	54 LEVEL CM	2244,9249 litre	19,050 %	9539,1891 litre	O
310	CM	110	CM	53 LEVEL CM	2186,4091 litre	18,554 %	9597,7049 litre	O
310	CM	110	CM	52 LEVEL CM	2128,2690 litre	18,060 %	9655,8450 litre	O
310	CM	110	CM	51 LEVEL CM	2070,5136 litre	17,570 %	9713,6004 litre	O
310	CM	110	CM	50 LEVEL CM	2013,1523 litre	17,084 %	9770,9617 litre	O
310	CM	110	CM	49 LEVEL CM	1956,1945 litre	16,600 %	9827,9195 litre	O
310	CM	110	CM	48 LEVEL CM	1899,6498 litre	16,120 %	9884,4642 litre	O
310	CM	110	CM	47 LEVEL CM	1843,5282 litre	15,644 %	9940,5858 litre	O
310	CM	110	CM	46 LEVEL CM	1787,8399 litre	15,172 %	9996,2741 litre	O
310	CM	110	CM	45 LEVEL CM	1732,5950 litre	14,703 %	10051,5190 litre	O
310	CM	110	CM	44 LEVEL CM	1677,8044 litre	14,238 %	10106,3096 litre	O
310	CM	110	CM	43 LEVEL CM	1623,4787 litre	13,777 %	10160,6353 litre	O
310	CM	110	CM	42 LEVEL CM	1569,6292 litre	13,320 %	10214,4848 litre	O
310	CM	110	CM	41 LEVEL CM	1516,2674 litre	12,867 %	10267,8466 litre	O
310	CM	110	CM	40 LEVEL CM	1463,4049 litre	12,418 %	10320,7091 litre	O
310	CM	110	CM	39 LEVEL CM	1411,0540 litre	11,974 %	10373,0600 litre	O
310	CM	110	CM	38 LEVEL CM	1359,2270 litre	11,534 %	10424,8870 litre	O
310	CM	110	CM	37 LEVEL CM	1307,9368 litre	11,099 %	10476,1772 litre	O
310	CM	110	CM	36 LEVEL CM	1257,1968 litre	10,669 %	10526,9172 litre	O
310	CM	110	CM	35 LEVEL CM	1207,0204 litre	10,243 %	10577,0936 litre	O
310	CM	110	CM	34 LEVEL CM	1157,4220 litre	9,822 %	10626,6920 litre	O
310	CM	110	CM	33 LEVEL CM	1108,4161 litre	9,406 %	10675,6979 litre	O
310	CM	110	CM	32 LEVEL CM	1060,0181 litre	8,995 %	10724,0959 litre	O
310	CM	110	CM	31 LEVEL CM	1012,2435 litre	8,590 %	10771,8705 litre	O
310	CM	110	CM	30 LEVEL CM	965,1090 litre	8,190 %	10819,0050 litre	O
310	CM	110	CM	29 LEVEL CM	918,6314 litre	7,796 %	10865,4826 litre	O
310	CM	110	CM	28 LEVEL CM	872,8287 litre	7,407 %	10911,2853 litre	O
310	CM	110	CM	27 LEVEL CM	827,7194 litre	7,024 %	10956,3946 litre	O
310	CM	110	CM	26 LEVEL CM	783,3231 litre	6,647 %	11000,7909 litre	O
310	CM	110	CM	25 LEVEL CM	739,6602 litre	6,277 %	11044,4538 litre	O
310	CM	110	CM	24 LEVEL CM	696,7522 litre	5,913 %	11087,3618 litre	O
310	CM	110	CM	23 LEVEL CM	654,6217 litre	5,555 %	11129,4923 litre	O
310	CM	110	CM	22 LEVEL CM	613,2927 litre	5,204 %	11170,8213 litre	O
310	CM	110	CM	21 LEVEL CM	572,7904 litre	4,861 %	11211,3236 litre	O
310	CM	110	CM	20 LEVEL CM	533,1419 litre	4,524 %	11250,9721 litre	O
310	CM	110	CM	19 LEVEL CM	494,3758 litre	4,195 %	11289,7382 litre	O
310	CM	110	CM	18 LEVEL CM	456,5229 litre	3,874 %	11327,5911 litre	O
310	CM	110	CM	17 LEVEL CM	419,6161 litre	3,561 %	11364,4979 litre	O
310	CM	110	CM	16 LEVEL CM	383,6912 litre	3,256 %	11400,4228 litre	O
310	CM	110	CM	15 LEVEL CM	348,7866 litre	2,960 %	11435,3274 litre	O
310	CM	110	CM	14 LEVEL CM	314,9445 litre	2,673 %	11469,1695 litre	O
310	CM	110	CM	13 LEVEL CM	282,2112 litre	2,395 %	11501,9028 litre	O
310	CM	110	CM	12 LEVEL CM	250,6376 litre	2,127 %	11533,4764 litre	O
310	CM	110	CM	11 LEVEL CM	220,2809 litre	1,869 %	11563,8331 litre	O
310	CM	110	CM	10 LEVEL CM	191,2050 litre	1,623 %	11592,9090 litre	O

310	CM	110	CM	9 LEVEL CM	163,4830 litre	1,387 %	11620,6310 litre	O
310	CM	110	CM	8 LEVEL CM	137,1991 litre	1,164 %	11646,9149 litre	O
310	CM	110	CM	7 LEVEL CM	112,4525 litre	0,954 %	11671,6615 litre	O
310	CM	110	CM	6 LEVEL CM	89,3620 litre	0,758 %	11694,7520 litre	O
310	CM	110	CM	5 LEVEL CM	68,0743 litre	0,578 %	11716,0397 litre	O
310	CM	110	CM	4 LEVEL CM	48,7774 litre	0,414 %	11735,3366 litre	O
310	CM	110	CM	3 LEVEL CM	31,7255 litre	0,269 %	11752,3885 litre	O
310	CM	110	CM	2 LEVEL CM	17,2929 litre	0,147 %	11766,8211 litre	O
310	CM	110	CM	1 LEVEL CM	6,1224 litre	0,052 %	11777,9916 litre	O
310	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	11784,1140 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 105	CM 210 LEVEL CM	10737,1783 litre	100,000 %	0,0000 litre	O
310	CM 105	CM 209 LEVEL CM	10731,1971 litre	99,944 %	5,9812 litre	O
310	CM 105	CM 208 LEVEL CM	10720,2852 litre	99,843 %	16,8931 litre	O
310	CM 105	CM 207 LEVEL CM	10706,1883 litre	99,711 %	30,9900 litre	O
310	CM 105	CM 206 LEVEL CM	10689,5349 litre	99,556 %	47,6434 litre	O
310	CM 105	CM 205 LEVEL CM	10670,6910 litre	99,381 %	66,4873 litre	O
310	CM 105	CM 204 LEVEL CM	10649,9055 litre	99,187 %	87,2728 litre	O
310	CM 105	CM 203 LEVEL CM	10627,3622 litre	98,977 %	109,8161 litre	O
310	CM 105	CM 202 LEVEL CM	10603,2049 litre	98,752 %	133,9734 litre	O
310	CM 105	CM 201 LEVEL CM	10577,5500 litre	98,513 %	159,6283 litre	O
310	CM 105	CM 200 LEVEL CM	10550,4945 litre	98,261 %	186,6838 litre	O
310	CM 105	CM 199 LEVEL CM	10522,1211 litre	97,997 %	215,0572 litre	O
310	CM 105	CM 198 LEVEL CM	10492,5012 litre	97,721 %	244,6771 litre	O
310	CM 105	CM 197 LEVEL CM	10461,6979 litre	97,434 %	275,4804 litre	O
310	CM 105	CM 196 LEVEL CM	10429,7670 litre	97,137 %	307,4113 litre	O
310	CM 105	CM 195 LEVEL CM	10396,7586 litre	96,830 %	340,4197 litre	O
310	CM 105	CM 194 LEVEL CM	10362,7181 litre	96,512 %	374,4602 litre	O
310	CM 105	CM 193 LEVEL CM	10327,6870 litre	96,186 %	409,4913 litre	O
310	CM 105	CM 192 LEVEL CM	10291,7031 litre	95,851 %	445,4752 litre	O
310	CM 105	CM 191 LEVEL CM	10254,8014 litre	95,507 %	482,3769 litre	O
310	CM 105	CM 190 LEVEL CM	10217,0144 litre	95,155 %	520,1639 litre	O
310	CM 105	CM 189 LEVEL CM	10178,3724 litre	94,796 %	558,8059 litre	O
310	CM 105	CM 188 LEVEL CM	10138,9035 litre	94,428 %	598,2748 litre	O
310	CM 105	CM 187 LEVEL CM	10098,6344 litre	94,053 %	638,5439 litre	O
310	CM 105	CM 186 LEVEL CM	10057,5899 litre	93,671 %	679,5884 litre	O
310	CM 105	CM 185 LEVEL CM	10015,7937 litre	93,281 %	721,3846 litre	O
310	CM 105	CM 184 LEVEL CM	9973,2680 litre	92,885 %	763,9103 litre	O
310	CM 105	CM 183 LEVEL CM	9930,0342 litre	92,483 %	807,1441 litre	O
310	CM 105	CM 182 LEVEL CM	9886,1122 litre	92,074 %	851,0661 litre	O
310	CM 105	CM 181 LEVEL CM	9841,5215 litre	91,658 %	895,6568 litre	O
310	CM 105	CM 180 LEVEL CM	9796,2802 litre	91,237 %	940,8981 litre	O
310	CM 105	CM 179 LEVEL CM	9750,4062 litre	90,810 %	986,7721 litre	O
310	CM 105	CM 178 LEVEL CM	9703,9162 litre	90,377 %	1033,2621 litre	O
310	CM 105	CM 177 LEVEL CM	9656,8264 litre	89,938 %	1080,3519 litre	O
310	CM 105	CM 176 LEVEL CM	9609,1525 litre	89,494 %	1128,0258 litre	O
310	CM 105	CM 175 LEVEL CM	9560,9095 litre	89,045 %	1176,2688 litre	O
310	CM 105	CM 174 LEVEL CM	9512,1119 litre	88,590 %	1225,0664 litre	O
310	CM 105	CM 173 LEVEL CM	9462,7737 litre	88,131 %	1274,4046 litre	O
310	CM 105	CM 172 LEVEL CM	9412,9086 litre	87,667 %	1324,2697 litre	O
310	CM 105	CM 171 LEVEL CM	9362,5296 litre	87,197 %	1374,6487 litre	O
310	CM 105	CM 170 LEVEL CM	9311,6495 litre	86,723 %	1425,5288 litre	O
310	CM 105	CM 169 LEVEL CM	9260,2806 litre	86,245 %	1476,8977 litre	O
310	CM 105	CM 168 LEVEL CM	9208,4351 litre	85,762 %	1528,7432 litre	O
310	CM 105	CM 167 LEVEL CM	9156,1245 litre	85,275 %	1581,0538 litre	O
310	CM 105	CM 166 LEVEL CM	9103,3602 litre	84,784 %	1633,8181 litre	O
310	CM 105	CM 165 LEVEL CM	9050,1535 litre	84,288 %	1687,0248 litre	O
310	CM 105	CM 164 LEVEL CM	8996,5149 litre	83,788 %	1740,6634 litre	O
310	CM 105	CM 163 LEVEL CM	8942,4552 litre	83,285 %	1794,7231 litre	O
310	CM 105	CM 162 LEVEL CM	8887,9847 litre	82,778 %	1849,1936 litre	O
310	CM 105	CM 161 LEVEL CM	8833,1133 litre	82,267 %	1904,0650 litre	O
310	CM 105	CM 160 LEVEL CM	8777,8511 litre	81,752 %	1959,3272 litre	O
310	CM 105	CM 159 LEVEL CM	8722,2076 litre	81,234 %	2014,9707 litre	O

310	CM	105	CM	158 LEVEL CM	8666,1922 litre	80,712 %	2070,9861 litre	O
310	CM	105	CM	157 LEVEL CM	8609,8143 litre	80,187 %	2127,3640 litre	O
310	CM	105	CM	156 LEVEL CM	8553,0830 litre	79,659 %	2184,0953 litre	O
310	CM	105	CM	155 LEVEL CM	8496,0072 litre	79,127 %	2241,1711 litre	O
310	CM	105	CM	154 LEVEL CM	8438,5956 litre	78,592 %	2298,5827 litre	O
310	CM	105	CM	153 LEVEL CM	8380,8568 litre	78,055 %	2356,3215 litre	O
310	CM	105	CM	152 LEVEL CM	8322,7994 litre	77,514 %	2414,3789 litre	O
310	CM	105	CM	151 LEVEL CM	8264,4315 litre	76,970 %	2472,7468 litre	O
310	CM	105	CM	150 LEVEL CM	8205,7616 litre	76,424 %	2531,4167 litre	O
310	CM	105	CM	149 LEVEL CM	8146,7975 litre	75,875 %	2590,3808 litre	O
310	CM	105	CM	148 LEVEL CM	8087,5473 litre	75,323 %	2649,6310 litre	O
310	CM	105	CM	147 LEVEL CM	8028,0187 litre	74,768 %	2709,1596 litre	O
310	CM	105	CM	146 LEVEL CM	7968,2195 litre	74,211 %	2768,9588 litre	O
310	CM	105	CM	145 LEVEL CM	7908,1574 litre	73,652 %	2829,0209 litre	O
310	CM	105	CM	144 LEVEL CM	7847,8398 litre	73,090 %	2889,3385 litre	O
310	CM	105	CM	143 LEVEL CM	7787,2742 litre	72,526 %	2949,9041 litre	O
310	CM	105	CM	142 LEVEL CM	7726,4678 litre	71,960 %	3010,7105 litre	O
310	CM	105	CM	141 LEVEL CM	7665,4280 litre	71,391 %	3071,7503 litre	O
310	CM	105	CM	140 LEVEL CM	7604,1619 litre	70,821 %	3133,0164 litre	O
310	CM	105	CM	139 LEVEL CM	7542,6766 litre	70,248 %	3194,5017 litre	O
310	CM	105	CM	138 LEVEL CM	7480,9791 litre	69,674 %	3256,1992 litre	O
310	CM	105	CM	137 LEVEL CM	7419,0764 litre	69,097 %	3318,1019 litre	O
310	CM	105	CM	136 LEVEL CM	7356,9752 litre	68,519 %	3380,2031 litre	O
310	CM	105	CM	135 LEVEL CM	7294,6825 litre	67,939 %	3442,4958 litre	O
310	CM	105	CM	134 LEVEL CM	7232,2049 litre	67,357 %	3504,9734 litre	O
310	CM	105	CM	133 LEVEL CM	7169,5491 litre	66,773 %	3567,6292 litre	O
310	CM	105	CM	132 LEVEL CM	7106,7218 litre	66,188 %	3630,4565 litre	O
310	CM	105	CM	131 LEVEL CM	7043,7295 litre	65,601 %	3693,4488 litre	O
310	CM	105	CM	130 LEVEL CM	6980,5787 litre	65,013 %	3756,5996 litre	O
310	CM	105	CM	129 LEVEL CM	6917,2759 litre	64,424 %	3819,9024 litre	O
310	CM	105	CM	128 LEVEL CM	6853,8276 litre	63,833 %	3883,3507 litre	O
310	CM	105	CM	127 LEVEL CM	6790,2401 litre	63,240 %	3946,9382 litre	O
310	CM	105	CM	126 LEVEL CM	6726,5197 litre	62,647 %	4010,6586 litre	O
310	CM	105	CM	125 LEVEL CM	6662,6727 litre	62,052 %	4074,5056 litre	O
310	CM	105	CM	124 LEVEL CM	6598,7055 litre	61,457 %	4138,4728 litre	O
310	CM	105	CM	123 LEVEL CM	6534,6241 litre	60,860 %	4202,5542 litre	O
310	CM	105	CM	122 LEVEL CM	6470,4349 litre	60,262 %	4266,7434 litre	O
310	CM	105	CM	121 LEVEL CM	6406,1440 litre	59,663 %	4331,0343 litre	O
310	CM	105	CM	120 LEVEL CM	6341,7575 litre	59,064 %	4395,4208 litre	O
310	CM	105	CM	119 LEVEL CM	6277,2815 litre	58,463 %	4459,8968 litre	O
310	CM	105	CM	118 LEVEL CM	6212,7220 litre	57,862 %	4524,4563 litre	O
310	CM	105	CM	117 LEVEL CM	6148,0852 litre	57,260 %	4589,0931 litre	O
310	CM	105	CM	116 LEVEL CM	6083,3771 litre	56,657 %	4653,8012 litre	O
310	CM	105	CM	115 LEVEL CM	6018,6037 litre	56,054 %	4718,5746 litre	O
310	CM	105	CM	114 LEVEL CM	5953,7709 litre	55,450 %	4783,4074 litre	O
310	CM	105	CM	113 LEVEL CM	5888,8848 litre	54,846 %	4848,2935 litre	O
310	CM	105	CM	112 LEVEL CM	5823,9514 litre	54,241 %	4913,2269 litre	O
310	CM	105	CM	111 LEVEL CM	5758,9765 litre	53,636 %	4978,2018 litre	O
310	CM	105	CM	110 LEVEL CM	5693,9661 litre	53,030 %	5043,2122 litre	O
310	CM	105	CM	109 LEVEL CM	5628,9261 litre	52,425 %	5108,2522 litre	O
310	CM	105	CM	108 LEVEL CM	5563,8626 litre	51,819 %	5173,3157 litre	O
310	CM	105	CM	107 LEVEL CM	5498,7813 litre	51,213 %	5238,3970 litre	O
310	CM	105	CM	106 LEVEL CM	5433,6882 litre	50,606 %	5303,4901 litre	O

310	CM	105	CM	105 LEVEL CM	5368,5891 litre	50,000 %	5368,5892 litre	O
310	CM	105	CM	104 LEVEL CM	5303,4901 litre	49,394 %	5433,6882 litre	O
310	CM	105	CM	103 LEVEL CM	5238,3970 litre	48,787 %	5498,7813 litre	O
310	CM	105	CM	102 LEVEL CM	5173,3157 litre	48,181 %	5563,8626 litre	O
310	CM	105	CM	101 LEVEL CM	5108,2521 litre	47,575 %	5628,9262 litre	O
310	CM	105	CM	100 LEVEL CM	5043,2122 litre	46,970 %	5693,9661 litre	O
310	CM	105	CM	99 LEVEL CM	4978,2018 litre	46,364 %	5758,9765 litre	O
310	CM	105	CM	98 LEVEL CM	4913,2269 litre	45,759 %	5823,9514 litre	O
310	CM	105	CM	97 LEVEL CM	4848,2935 litre	45,154 %	5888,8848 litre	O
310	CM	105	CM	96 LEVEL CM	4783,4074 litre	44,550 %	5953,7709 litre	O
310	CM	105	CM	95 LEVEL CM	4718,5746 litre	43,946 %	6018,6037 litre	O
310	CM	105	CM	94 LEVEL CM	4653,8012 litre	43,343 %	6083,3771 litre	O
310	CM	105	CM	93 LEVEL CM	4589,0931 litre	42,740 %	6148,0852 litre	O
310	CM	105	CM	92 LEVEL CM	4524,4563 litre	42,138 %	6212,7220 litre	O
310	CM	105	CM	91 LEVEL CM	4459,8968 litre	41,537 %	6277,2815 litre	O
310	CM	105	CM	90 LEVEL CM	4395,4208 litre	40,936 %	6341,7575 litre	O
310	CM	105	CM	89 LEVEL CM	4331,0343 litre	40,337 %	6406,1440 litre	O
310	CM	105	CM	88 LEVEL CM	4266,7434 litre	39,738 %	6470,4349 litre	O
310	CM	105	CM	87 LEVEL CM	4202,5541 litre	39,140 %	6534,6242 litre	O
310	CM	105	CM	86 LEVEL CM	4138,4728 litre	38,543 %	6598,7055 litre	O
310	CM	105	CM	85 LEVEL CM	4074,5056 litre	37,948 %	6662,6727 litre	O
310	CM	105	CM	84 LEVEL CM	4010,6586 litre	37,353 %	6726,5197 litre	O
310	CM	105	CM	83 LEVEL CM	3946,9382 litre	36,760 %	6790,2401 litre	O
310	CM	105	CM	82 LEVEL CM	3883,3507 litre	36,167 %	6853,8276 litre	O
310	CM	105	CM	81 LEVEL CM	3819,9024 litre	35,576 %	6917,2759 litre	O
310	CM	105	CM	80 LEVEL CM	3756,5996 litre	34,987 %	6980,5787 litre	O
310	CM	105	CM	79 LEVEL CM	3693,4488 litre	34,399 %	7043,7295 litre	O
310	CM	105	CM	78 LEVEL CM	3630,4565 litre	33,812 %	7106,7218 litre	O
310	CM	105	CM	77 LEVEL CM	3567,6292 litre	33,227 %	7169,5491 litre	O
310	CM	105	CM	76 LEVEL CM	3504,9734 litre	32,643 %	7232,2049 litre	O
310	CM	105	CM	75 LEVEL CM	3442,4958 litre	32,061 %	7294,6825 litre	O
310	CM	105	CM	74 LEVEL CM	3380,2031 litre	31,481 %	7356,9752 litre	O
310	CM	105	CM	73 LEVEL CM	3318,1019 litre	30,903 %	7419,0764 litre	O
310	CM	105	CM	72 LEVEL CM	3256,1991 litre	30,326 %	7480,9792 litre	O
310	CM	105	CM	71 LEVEL CM	3194,5016 litre	29,752 %	7542,6767 litre	O
310	CM	105	CM	70 LEVEL CM	3133,0163 litre	29,179 %	7604,1620 litre	O
310	CM	105	CM	69 LEVEL CM	3071,7503 litre	28,609 %	7665,4280 litre	O
310	CM	105	CM	68 LEVEL CM	3010,7105 litre	28,040 %	7726,4678 litre	O
310	CM	105	CM	67 LEVEL CM	2949,9041 litre	27,474 %	7787,2742 litre	O
310	CM	105	CM	66 LEVEL CM	2889,3385 litre	26,910 %	7847,8398 litre	O
310	CM	105	CM	65 LEVEL CM	2829,0209 litre	26,348 %	7908,1574 litre	O
310	CM	105	CM	64 LEVEL CM	2768,9588 litre	25,789 %	7968,2195 litre	O
310	CM	105	CM	63 LEVEL CM	2709,1596 litre	25,232 %	8028,0187 litre	O
310	CM	105	CM	62 LEVEL CM	2649,6310 litre	24,677 %	8087,5473 litre	O
310	CM	105	CM	61 LEVEL CM	2590,3808 litre	24,125 %	8146,7975 litre	O
310	CM	105	CM	60 LEVEL CM	2531,4167 litre	23,576 %	8205,7616 litre	O
310	CM	105	CM	59 LEVEL CM	2472,7467 litre	23,030 %	8264,4316 litre	O
310	CM	105	CM	58 LEVEL CM	2414,3789 litre	22,486 %	8322,7994 litre	O
310	CM	105	CM	57 LEVEL CM	2356,3215 litre	21,945 %	8380,8568 litre	O
310	CM	105	CM	56 LEVEL CM	2298,5827 litre	21,408 %	8438,5956 litre	O
310	CM	105	CM	55 LEVEL CM	2241,1711 litre	20,873 %	8496,0072 litre	O
310	CM	105	CM	54 LEVEL CM	2184,0953 litre	20,341 %	8553,0830 litre	O
310	CM	105	CM	53 LEVEL CM	2127,3640 litre	19,813 %	8609,8143 litre	O

310	CM	105	CM	52 LEVEL CM	2070,9861 litre	19,288 %	8666,1922 litre	O
310	CM	105	CM	51 LEVEL CM	2014,9707 litre	18,766 %	8722,2076 litre	O
310	CM	105	CM	50 LEVEL CM	1959,3272 litre	18,248 %	8777,8511 litre	O
310	CM	105	CM	49 LEVEL CM	1904,0650 litre	17,733 %	8833,1133 litre	O
310	CM	105	CM	48 LEVEL CM	1849,1936 litre	17,222 %	8887,9847 litre	O
310	CM	105	CM	47 LEVEL CM	1794,7231 litre	16,715 %	8942,4552 litre	O
310	CM	105	CM	46 LEVEL CM	1740,6634 litre	16,212 %	8996,5149 litre	O
310	CM	105	CM	45 LEVEL CM	1687,0248 litre	15,712 %	9050,1535 litre	O
310	CM	105	CM	44 LEVEL CM	1633,8181 litre	15,216 %	9103,3602 litre	O
310	CM	105	CM	43 LEVEL CM	1581,0538 litre	14,725 %	9156,1245 litre	O
310	CM	105	CM	42 LEVEL CM	1528,7432 litre	14,238 %	9208,4351 litre	O
310	CM	105	CM	41 LEVEL CM	1476,8977 litre	13,755 %	9260,2806 litre	O
310	CM	105	CM	40 LEVEL CM	1425,5288 litre	13,277 %	9311,6495 litre	O
310	CM	105	CM	39 LEVEL CM	1374,6487 litre	12,803 %	9362,5296 litre	O
310	CM	105	CM	38 LEVEL CM	1324,2697 litre	12,333 %	9412,9086 litre	O
310	CM	105	CM	37 LEVEL CM	1274,4046 litre	11,869 %	9462,7737 litre	O
310	CM	105	CM	36 LEVEL CM	1225,0664 litre	11,410 %	9512,1119 litre	O
310	CM	105	CM	35 LEVEL CM	1176,2688 litre	10,955 %	9560,9095 litre	O
310	CM	105	CM	34 LEVEL CM	1128,0258 litre	10,506 %	9609,1525 litre	O
310	CM	105	CM	33 LEVEL CM	1080,3519 litre	10,062 %	9656,8264 litre	O
310	CM	105	CM	32 LEVEL CM	1033,2621 litre	9,623 %	9703,9162 litre	O
310	CM	105	CM	31 LEVEL CM	986,7721 litre	9,190 %	9750,4062 litre	O
310	CM	105	CM	30 LEVEL CM	940,8981 litre	8,763 %	9796,2802 litre	O
310	CM	105	CM	29 LEVEL CM	895,6568 litre	8,342 %	9841,5215 litre	O
310	CM	105	CM	28 LEVEL CM	851,0661 litre	7,926 %	9886,1122 litre	O
310	CM	105	CM	27 LEVEL CM	807,1441 litre	7,517 %	9930,0342 litre	O
310	CM	105	CM	26 LEVEL CM	763,9102 litre	7,115 %	9973,2681 litre	O
310	CM	105	CM	25 LEVEL CM	721,3846 litre	6,719 %	10015,7937 litre	O
310	CM	105	CM	24 LEVEL CM	679,5884 litre	6,329 %	10057,5899 litre	O
310	CM	105	CM	23 LEVEL CM	638,5439 litre	5,947 %	10098,6344 litre	O
310	CM	105	CM	22 LEVEL CM	598,2748 litre	5,572 %	10138,9035 litre	O
310	CM	105	CM	21 LEVEL CM	558,8059 litre	5,204 %	10178,3724 litre	O
310	CM	105	CM	20 LEVEL CM	520,1639 litre	4,845 %	10217,0144 litre	O
310	CM	105	CM	19 LEVEL CM	482,3769 litre	4,493 %	10254,8014 litre	O
310	CM	105	CM	18 LEVEL CM	445,4752 litre	4,149 %	10291,7031 litre	O
310	CM	105	CM	17 LEVEL CM	409,4913 litre	3,814 %	10327,6870 litre	O
310	CM	105	CM	16 LEVEL CM	374,4602 litre	3,488 %	10362,7181 litre	O
310	CM	105	CM	15 LEVEL CM	340,4197 litre	3,170 %	10396,7586 litre	O
310	CM	105	CM	14 LEVEL CM	307,4113 litre	2,863 %	10429,7670 litre	O
310	CM	105	CM	13 LEVEL CM	275,4804 litre	2,566 %	10461,6979 litre	O
310	CM	105	CM	12 LEVEL CM	244,6771 litre	2,279 %	10492,5012 litre	O
310	CM	105	CM	11 LEVEL CM	215,0572 litre	2,003 %	10522,1211 litre	O
310	CM	105	CM	10 LEVEL CM	186,6838 litre	1,739 %	10550,4945 litre	O
310	CM	105	CM	9 LEVEL CM	159,6283 litre	1,487 %	10577,5500 litre	O
310	CM	105	CM	8 LEVEL CM	133,9734 litre	1,248 %	10603,2049 litre	O
310	CM	105	CM	7 LEVEL CM	109,8161 litre	1,023 %	10627,3622 litre	O
310	CM	105	CM	6 LEVEL CM	87,2728 litre	0,813 %	10649,9055 litre	O
310	CM	105	CM	5 LEVEL CM	66,4873 litre	0,619 %	10670,6910 litre	O
310	CM	105	CM	4 LEVEL CM	47,6434 litre	0,444 %	10689,5349 litre	O
310	CM	105	CM	3 LEVEL CM	30,9900 litre	0,289 %	10706,1883 litre	O
310	CM	105	CM	2 LEVEL CM	16,8931 litre	0,157 %	10720,2852 litre	O
310	CM	105	CM	1 LEVEL CM	5,9812 litre	0,056 %	10731,1971 litre	O
310	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	10737,1783 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 100	CM 200 LEVEL CM	9738,9372 litre	100,000 %	0,0000 litre	O
310	CM 100	CM 199 LEVEL CM	9733,1006 litre	99,940 %	5,8366 litre	O
310	CM 100	CM 198 LEVEL CM	9722,4536 litre	99,831 %	16,4836 litre	O
310	CM 100	CM 197 LEVEL CM	9708,7006 litre	99,690 %	30,2366 litre	O
310	CM 100	CM 196 LEVEL CM	9692,4555 litre	99,523 %	46,4817 litre	O
310	CM 100	CM 195 LEVEL CM	9674,0759 litre	99,334 %	64,8613 litre	O
310	CM 100	CM 194 LEVEL CM	9653,8049 litre	99,126 %	85,1323 litre	O
310	CM 100	CM 193 LEVEL CM	9631,8225 litre	98,900 %	107,1147 litre	O
310	CM 100	CM 192 LEVEL CM	9608,2693 litre	98,658 %	130,6679 litre	O
310	CM 100	CM 191 LEVEL CM	9583,2591 litre	98,401 %	155,6781 litre	O
310	CM 100	CM 190 LEVEL CM	9556,8869 litre	98,131 %	182,0503 litre	O
310	CM 100	CM 189 LEVEL CM	9529,2337 litre	97,847 %	209,7035 litre	O
310	CM 100	CM 188 LEVEL CM	9500,3696 litre	97,550 %	238,5676 litre	O
310	CM 100	CM 187 LEVEL CM	9470,3563 litre	97,242 %	268,5809 litre	O
310	CM 100	CM 186 LEVEL CM	9439,2485 litre	96,923 %	299,6887 litre	O
310	CM 100	CM 185 LEVEL CM	9407,0954 litre	96,593 %	331,8418 litre	O
310	CM 100	CM 184 LEVEL CM	9373,9416 litre	96,252 %	364,9956 litre	O
310	CM 100	CM 183 LEVEL CM	9339,8276 litre	95,902 %	399,1096 litre	O
310	CM 100	CM 182 LEVEL CM	9304,7908 litre	95,542 %	434,1464 litre	O
310	CM 100	CM 181 LEVEL CM	9268,8656 litre	95,173 %	470,0716 litre	O
310	CM 100	CM 180 LEVEL CM	9232,0838 litre	94,796 %	506,8534 litre	O
310	CM 100	CM 179 LEVEL CM	9194,4752 litre	94,409 %	544,4620 litre	O
310	CM 100	CM 178 LEVEL CM	9156,0675 litre	94,015 %	582,8697 litre	O
310	CM 100	CM 177 LEVEL CM	9116,8869 litre	93,613 %	622,0503 litre	O
310	CM 100	CM 176 LEVEL CM	9076,9580 litre	93,203 %	661,9792 litre	O
310	CM 100	CM 175 LEVEL CM	9036,3040 litre	92,785 %	702,6332 litre	O
310	CM 100	CM 174 LEVEL CM	8994,9469 litre	92,361 %	743,9903 litre	O
310	CM 100	CM 173 LEVEL CM	8952,9075 litre	91,929 %	786,0297 litre	O
310	CM 100	CM 172 LEVEL CM	8910,2059 litre	91,491 %	828,7313 litre	O
310	CM 100	CM 171 LEVEL CM	8866,8610 litre	91,045 %	872,0762 litre	O
310	CM 100	CM 170 LEVEL CM	8822,8908 litre	90,594 %	916,0464 litre	O
310	CM 100	CM 169 LEVEL CM	8778,3129 litre	90,136 %	960,6243 litre	O
310	CM 100	CM 168 LEVEL CM	8733,1439 litre	89,672 %	1005,7933 litre	O
310	CM 100	CM 167 LEVEL CM	8687,3999 litre	89,203 %	1051,5373 litre	O
310	CM 100	CM 166 LEVEL CM	8641,0962 litre	88,727 %	1097,8410 litre	O
310	CM 100	CM 165 LEVEL CM	8594,2478 litre	88,246 %	1144,6894 litre	O
310	CM 100	CM 164 LEVEL CM	8546,8691 litre	87,760 %	1192,0681 litre	O
310	CM 100	CM 163 LEVEL CM	8498,9739 litre	87,268 %	1239,9633 litre	O
310	CM 100	CM 162 LEVEL CM	8450,5757 litre	86,771 %	1288,3615 litre	O
310	CM 100	CM 161 LEVEL CM	8401,6875 litre	86,269 %	1337,2497 litre	O
310	CM 100	CM 160 LEVEL CM	8352,3221 litre	85,762 %	1386,6151 litre	O
310	CM 100	CM 159 LEVEL CM	8302,4916 litre	85,250 %	1436,4456 litre	O
310	CM 100	CM 158 LEVEL CM	8252,2080 litre	84,734 %	1486,7292 litre	O
310	CM 100	CM 157 LEVEL CM	8201,4829 litre	84,213 %	1537,4543 litre	O
310	CM 100	CM 156 LEVEL CM	8150,3278 litre	83,688 %	1588,6094 litre	O
310	CM 100	CM 155 LEVEL CM	8098,7535 litre	83,158 %	1640,1837 litre	O
310	CM 100	CM 154 LEVEL CM	8046,7709 litre	82,625 %	1692,1663 litre	O
310	CM 100	CM 153 LEVEL CM	7994,3905 litre	82,087 %	1744,5467 litre	O
310	CM 100	CM 152 LEVEL CM	7941,6226 litre	81,545 %	1797,3146 litre	O
310	CM 100	CM 151 LEVEL CM	7888,4772 litre	80,999 %	1850,4600 litre	O
310	CM 100	CM 150 LEVEL CM	7834,9642 litre	80,450 %	1903,9730 litre	O
310	CM 100	CM 149 LEVEL CM	7781,0932 litre	79,897 %	1957,8440 litre	O

310	CM	100	CM	148 LEVEL CM	7726,8737 litre	79,340 %	2012,0635 litre	O
310	CM	100	CM	147 LEVEL CM	7672,3150 litre	78,780 %	2066,6222 litre	O
310	CM	100	CM	146 LEVEL CM	7617,4261 litre	78,216 %	2121,5111 litre	O
310	CM	100	CM	145 LEVEL CM	7562,2160 litre	77,649 %	2176,7212 litre	O
310	CM	100	CM	144 LEVEL CM	7506,6935 litre	77,079 %	2232,2437 litre	O
310	CM	100	CM	143 LEVEL CM	7450,8671 litre	76,506 %	2288,0701 litre	O
310	CM	100	CM	142 LEVEL CM	7394,7455 litre	75,930 %	2344,1917 litre	O
310	CM	100	CM	141 LEVEL CM	7338,3369 litre	75,350 %	2400,6003 litre	O
310	CM	100	CM	140 LEVEL CM	7281,6496 litre	74,768 %	2457,2876 litre	O
310	CM	100	CM	139 LEVEL CM	7224,6917 litre	74,184 %	2514,2455 litre	O
310	CM	100	CM	138 LEVEL CM	7167,4712 litre	73,596 %	2571,4660 litre	O
310	CM	100	CM	137 LEVEL CM	7109,9960 litre	73,006 %	2628,9412 litre	O
310	CM	100	CM	136 LEVEL CM	7052,2739 litre	72,413 %	2686,6633 litre	O
310	CM	100	CM	135 LEVEL CM	6994,3125 litre	71,818 %	2744,6247 litre	O
310	CM	100	CM	134 LEVEL CM	6936,1194 litre	71,220 %	2802,8178 litre	O
310	CM	100	CM	133 LEVEL CM	6877,7022 litre	70,621 %	2861,2350 litre	O
310	CM	100	CM	132 LEVEL CM	6819,0682 litre	70,019 %	2919,8690 litre	O
310	CM	100	CM	131 LEVEL CM	6760,2248 litre	69,414 %	2978,7124 litre	O
310	CM	100	CM	130 LEVEL CM	6701,1793 litre	68,808 %	3037,7579 litre	O
310	CM	100	CM	129 LEVEL CM	6641,9388 litre	68,200 %	3096,9984 litre	O
310	CM	100	CM	128 LEVEL CM	6582,5104 litre	67,590 %	3156,4268 litre	O
310	CM	100	CM	127 LEVEL CM	6522,9011 litre	66,978 %	3216,0361 litre	O
310	CM	100	CM	126 LEVEL CM	6463,1180 litre	66,364 %	3275,8192 litre	O
310	CM	100	CM	125 LEVEL CM	6403,1679 litre	65,748 %	3335,7693 litre	O
310	CM	100	CM	124 LEVEL CM	6343,0578 litre	65,131 %	3395,8794 litre	O
310	CM	100	CM	123 LEVEL CM	6282,7943 litre	64,512 %	3456,1429 litre	O
310	CM	100	CM	122 LEVEL CM	6222,3844 litre	63,892 %	3516,5528 litre	O
310	CM	100	CM	121 LEVEL CM	6161,8346 litre	63,270 %	3577,1026 litre	O
310	CM	100	CM	120 LEVEL CM	6101,1516 litre	62,647 %	3637,7856 litre	O
310	CM	100	CM	119 LEVEL CM	6040,3421 litre	62,023 %	3698,5951 litre	O
310	CM	100	CM	118 LEVEL CM	5979,4126 litre	61,397 %	3759,5246 litre	O
310	CM	100	CM	117 LEVEL CM	5918,3696 litre	60,770 %	3820,5676 litre	O
310	CM	100	CM	116 LEVEL CM	5857,2197 litre	60,142 %	3881,7175 litre	O
310	CM	100	CM	115 LEVEL CM	5795,9692 litre	59,513 %	3942,9680 litre	O
310	CM	100	CM	114 LEVEL CM	5734,6248 litre	58,883 %	4004,3124 litre	O
310	CM	100	CM	113 LEVEL CM	5673,1926 litre	58,253 %	4065,7446 litre	O
310	CM	100	CM	112 LEVEL CM	5611,6791 litre	57,621 %	4127,2581 litre	O
310	CM	100	CM	111 LEVEL CM	5550,0907 litre	56,989 %	4188,8465 litre	O
310	CM	100	CM	110 LEVEL CM	5488,4337 litre	56,356 %	4250,5035 litre	O
310	CM	100	CM	109 LEVEL CM	5426,7144 litre	55,722 %	4312,2228 litre	O
310	CM	100	CM	108 LEVEL CM	5364,9390 litre	55,088 %	4373,9982 litre	O
310	CM	100	CM	107 LEVEL CM	5303,1139 litre	54,453 %	4435,8233 litre	O
310	CM	100	CM	106 LEVEL CM	5241,2453 litre	53,817 %	4497,6919 litre	O
310	CM	100	CM	105 LEVEL CM	5179,3394 litre	53,182 %	4559,5978 litre	O
310	CM	100	CM	104 LEVEL CM	5117,4025 litre	52,546 %	4621,5347 litre	O
310	CM	100	CM	103 LEVEL CM	5055,4407 litre	51,910 %	4683,4965 litre	O
310	CM	100	CM	102 LEVEL CM	4993,4603 litre	51,273 %	4745,4769 litre	O
310	CM	100	CM	101 LEVEL CM	4931,4676 litre	50,637 %	4807,4696 litre	O
310	CM	100	CM	100 LEVEL CM	4869,4686 litre	50,000 %	4869,4686 litre	O
310	CM	100	CM	99 LEVEL CM	4807,4696 litre	49,363 %	4931,4676 litre	O
310	CM	100	CM	98 LEVEL CM	4745,4769 litre	48,727 %	4993,4603 litre	O
310	CM	100	CM	97 LEVEL CM	4683,4965 litre	48,090 %	5055,4407 litre	O
310	CM	100	CM	96 LEVEL CM	4621,5348 litre	47,454 %	5117,4024 litre	O

310	CM	100	CM	95 LEVEL CM	4559,5978 litre	46,818 %	5179,3394 litre	O
310	CM	100	CM	94 LEVEL CM	4497,6919 litre	46,183 %	5241,2453 litre	O
310	CM	100	CM	93 LEVEL CM	4435,8233 litre	45,547 %	5303,1139 litre	O
310	CM	100	CM	92 LEVEL CM	4373,9982 litre	44,912 %	5364,9390 litre	O
310	CM	100	CM	91 LEVEL CM	4312,2228 litre	44,278 %	5426,7144 litre	O
310	CM	100	CM	90 LEVEL CM	4250,5035 litre	43,644 %	5488,4337 litre	O
310	CM	100	CM	89 LEVEL CM	4188,8465 litre	43,011 %	5550,0907 litre	O
310	CM	100	CM	88 LEVEL CM	4127,2581 litre	42,379 %	5611,6791 litre	O
310	CM	100	CM	87 LEVEL CM	4065,7446 litre	41,747 %	5673,1926 litre	O
310	CM	100	CM	86 LEVEL CM	4004,3125 litre	41,117 %	5734,6247 litre	O
310	CM	100	CM	85 LEVEL CM	3942,9680 litre	40,487 %	5795,9692 litre	O
310	CM	100	CM	84 LEVEL CM	3881,7175 litre	39,858 %	5857,2197 litre	O
310	CM	100	CM	83 LEVEL CM	3820,5676 litre	39,230 %	5918,3696 litre	O
310	CM	100	CM	82 LEVEL CM	3759,5246 litre	38,603 %	5979,4126 litre	O
310	CM	100	CM	81 LEVEL CM	3698,5951 litre	37,977 %	6040,3421 litre	O
310	CM	100	CM	80 LEVEL CM	3637,7856 litre	37,353 %	6101,1516 litre	O
310	CM	100	CM	79 LEVEL CM	3577,1026 litre	36,730 %	6161,8346 litre	O
310	CM	100	CM	78 LEVEL CM	3516,5528 litre	36,108 %	6222,3844 litre	O
310	CM	100	CM	77 LEVEL CM	3456,1429 litre	35,488 %	6282,7943 litre	O
310	CM	100	CM	76 LEVEL CM	3395,8794 litre	34,869 %	6343,0578 litre	O
310	CM	100	CM	75 LEVEL CM	3335,7693 litre	34,252 %	6403,1679 litre	O
310	CM	100	CM	74 LEVEL CM	3275,8192 litre	33,636 %	6463,1180 litre	O
310	CM	100	CM	73 LEVEL CM	3216,0361 litre	33,022 %	6522,9011 litre	O
310	CM	100	CM	72 LEVEL CM	3156,4269 litre	32,410 %	6582,5103 litre	O
310	CM	100	CM	71 LEVEL CM	3096,9985 litre	31,800 %	6641,9387 litre	O
310	CM	100	CM	70 LEVEL CM	3037,7579 litre	31,192 %	6701,1793 litre	O
310	CM	100	CM	69 LEVEL CM	2978,7124 litre	30,586 %	6760,2248 litre	O
310	CM	100	CM	68 LEVEL CM	2919,8690 litre	29,981 %	6819,0682 litre	O
310	CM	100	CM	67 LEVEL CM	2861,2350 litre	29,379 %	6877,7022 litre	O
310	CM	100	CM	66 LEVEL CM	2802,8178 litre	28,780 %	6936,1194 litre	O
310	CM	100	CM	65 LEVEL CM	2744,6248 litre	28,182 %	6994,3124 litre	O
310	CM	100	CM	64 LEVEL CM	2686,6634 litre	27,587 %	7052,2738 litre	O
310	CM	100	CM	63 LEVEL CM	2628,9412 litre	26,994 %	7109,9960 litre	O
310	CM	100	CM	62 LEVEL CM	2571,4660 litre	26,404 %	7167,4712 litre	O
310	CM	100	CM	61 LEVEL CM	2514,2455 litre	25,816 %	7224,6917 litre	O
310	CM	100	CM	60 LEVEL CM	2457,2876 litre	25,232 %	7281,6496 litre	O
310	CM	100	CM	59 LEVEL CM	2400,6003 litre	24,650 %	7338,3369 litre	O
310	CM	100	CM	58 LEVEL CM	2344,1917 litre	24,070 %	7394,7455 litre	O
310	CM	100	CM	57 LEVEL CM	2288,0701 litre	23,494 %	7450,8671 litre	O
310	CM	100	CM	56 LEVEL CM	2232,2438 litre	22,921 %	7506,6934 litre	O
310	CM	100	CM	55 LEVEL CM	2176,7212 litre	22,351 %	7562,2160 litre	O
310	CM	100	CM	54 LEVEL CM	2121,5111 litre	21,784 %	7617,4261 litre	O
310	CM	100	CM	53 LEVEL CM	2066,6222 litre	21,220 %	7672,3150 litre	O
310	CM	100	CM	52 LEVEL CM	2012,0635 litre	20,660 %	7726,8737 litre	O
310	CM	100	CM	51 LEVEL CM	1957,8440 litre	20,103 %	7781,0932 litre	O
310	CM	100	CM	50 LEVEL CM	1903,9730 litre	19,550 %	7834,9642 litre	O
310	CM	100	CM	49 LEVEL CM	1850,4600 litre	19,001 %	7888,4772 litre	O
310	CM	100	CM	48 LEVEL CM	1797,3147 litre	18,455 %	7941,6225 litre	O
310	CM	100	CM	47 LEVEL CM	1744,5467 litre	17,913 %	7994,3905 litre	O
310	CM	100	CM	46 LEVEL CM	1692,1663 litre	17,375 %	8046,7709 litre	O
310	CM	100	CM	45 LEVEL CM	1640,1837 litre	16,842 %	8098,7535 litre	O
310	CM	100	CM	44 LEVEL CM	1588,6095 litre	16,312 %	8150,3277 litre	O
310	CM	100	CM	43 LEVEL CM	1537,4543 litre	15,787 %	8201,4829 litre	O

310	CM	100	CM	42 LEVEL CM	1486,7293 litre	15,266 %	8252,2079 litre	O
310	CM	100	CM	41 LEVEL CM	1436,4457 litre	14,750 %	8302,4915 litre	O
310	CM	100	CM	40 LEVEL CM	1386,6152 litre	14,238 %	8352,3220 litre	O
310	CM	100	CM	39 LEVEL CM	1337,2497 litre	13,731 %	8401,6875 litre	O
310	CM	100	CM	38 LEVEL CM	1288,3616 litre	13,229 %	8450,5756 litre	O
310	CM	100	CM	37 LEVEL CM	1239,9634 litre	12,732 %	8498,9738 litre	O
310	CM	100	CM	36 LEVEL CM	1192,0682 litre	12,240 %	8546,8690 litre	O
310	CM	100	CM	35 LEVEL CM	1144,6894 litre	11,754 %	8594,2478 litre	O
310	CM	100	CM	34 LEVEL CM	1097,8410 litre	11,273 %	8641,0962 litre	O
310	CM	100	CM	33 LEVEL CM	1051,5374 litre	10,797 %	8687,3998 litre	O
310	CM	100	CM	32 LEVEL CM	1005,7933 litre	10,328 %	8733,1439 litre	O
310	CM	100	CM	31 LEVEL CM	960,6243 litre	9,864 %	8778,3129 litre	O
310	CM	100	CM	30 LEVEL CM	916,0464 litre	9,406 %	8822,8908 litre	O
310	CM	100	CM	29 LEVEL CM	872,0763 litre	8,955 %	8866,8609 litre	O
310	CM	100	CM	28 LEVEL CM	828,7313 litre	8,509 %	8910,2059 litre	O
310	CM	100	CM	27 LEVEL CM	786,0297 litre	8,071 %	8952,9075 litre	O
310	CM	100	CM	26 LEVEL CM	743,9903 litre	7,639 %	8994,9469 litre	O
310	CM	100	CM	25 LEVEL CM	702,6332 litre	7,215 %	9036,3040 litre	O
310	CM	100	CM	24 LEVEL CM	661,9792 litre	6,797 %	9076,9580 litre	O
310	CM	100	CM	23 LEVEL CM	622,0503 litre	6,387 %	9116,8869 litre	O
310	CM	100	CM	22 LEVEL CM	582,8697 litre	5,985 %	9156,0675 litre	O
310	CM	100	CM	21 LEVEL CM	544,4621 litre	5,591 %	9194,4751 litre	O
310	CM	100	CM	20 LEVEL CM	506,8534 litre	5,204 %	9232,0838 litre	O
310	CM	100	CM	19 LEVEL CM	470,0716 litre	4,827 %	9268,8656 litre	O
310	CM	100	CM	18 LEVEL CM	434,1464 litre	4,458 %	9304,7908 litre	O
310	CM	100	CM	17 LEVEL CM	399,1096 litre	4,098 %	9339,8276 litre	O
310	CM	100	CM	16 LEVEL CM	364,9956 litre	3,748 %	9373,9416 litre	O
310	CM	100	CM	15 LEVEL CM	331,8418 litre	3,407 %	9407,0954 litre	O
310	CM	100	CM	14 LEVEL CM	299,6887 litre	3,077 %	9439,2485 litre	O
310	CM	100	CM	13 LEVEL CM	268,5809 litre	2,758 %	9470,3563 litre	O
310	CM	100	CM	12 LEVEL CM	238,5676 litre	2,450 %	9500,3696 litre	O
310	CM	100	CM	11 LEVEL CM	209,7035 litre	2,153 %	9529,2337 litre	O
310	CM	100	CM	10 LEVEL CM	182,0503 litre	1,869 %	9556,8869 litre	O
310	CM	100	CM	9 LEVEL CM	155,6782 litre	1,599 %	9583,2590 litre	O
310	CM	100	CM	8 LEVEL CM	130,6679 litre	1,342 %	9608,2693 litre	O
310	CM	100	CM	7 LEVEL CM	107,1147 litre	1,100 %	9631,8225 litre	O
310	CM	100	CM	6 LEVEL CM	85,1323 litre	0,874 %	9653,8049 litre	O
310	CM	100	CM	5 LEVEL CM	64,8614 litre	0,666 %	9674,0758 litre	O
310	CM	100	CM	4 LEVEL CM	46,4817 litre	0,477 %	9692,4555 litre	O
310	CM	100	CM	3 LEVEL CM	30,2366 litre	0,310 %	9708,7006 litre	O
310	CM	100	CM	2 LEVEL CM	16,4836 litre	0,169 %	9722,4536 litre	O
310	CM	100	CM	1 LEVEL CM	5,8366 litre	0,060 %	9733,1006 litre	O
310	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	9738,9372 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
310	CM	95	CM	190 LEVEL CM	8789,3908 litre	100,000 %	0,0000 litre	O
310	CM	95	CM	189 LEVEL CM	8783,7024 litre	99,935 %	5,6884 litre	O
310	CM	95	CM	188 LEVEL CM	8773,3271 litre	99,817 %	16,0637 litre	O
310	CM	95	CM	187 LEVEL CM	8759,9269 litre	99,665 %	29,4639 litre	O
310	CM	95	CM	186 LEVEL CM	8744,1006 litre	99,485 %	45,2902 litre	O
310	CM	95	CM	185 LEVEL CM	8726,1972 litre	99,281 %	63,1936 litre	O
310	CM	95	CM	184 LEVEL CM	8706,4542 litre	99,056 %	82,9366 litre	O
310	CM	95	CM	183 LEVEL CM	8685,0474 litre	98,813 %	104,3434 litre	O
310	CM	95	CM	182 LEVEL CM	8662,1141 litre	98,552 %	127,2767 litre	O
310	CM	95	CM	181 LEVEL CM	8637,7657 litre	98,275 %	151,6251 litre	O
310	CM	95	CM	180 LEVEL CM	8612,0951 litre	97,983 %	177,2957 litre	O
310	CM	95	CM	179 LEVEL CM	8585,1814 litre	97,677 %	204,2094 litre	O
310	CM	95	CM	178 LEVEL CM	8557,0934 litre	97,357 %	232,2974 litre	O
310	CM	95	CM	177 LEVEL CM	8527,8914 litre	97,025 %	261,4994 litre	O
310	CM	95	CM	176 LEVEL CM	8497,6291 litre	96,681 %	291,7617 litre	O
310	CM	95	CM	175 LEVEL CM	8466,3547 litre	96,325 %	323,0361 litre	O
310	CM	95	CM	174 LEVEL CM	8434,1119 litre	95,958 %	355,2789 litre	O
310	CM	95	CM	173 LEVEL CM	8400,9405 litre	95,580 %	388,4503 litre	O
310	CM	95	CM	172 LEVEL CM	8366,8772 litre	95,193 %	422,5136 litre	O
310	CM	95	CM	171 LEVEL CM	8331,9556 litre	94,796 %	457,4352 litre	O
310	CM	95	CM	170 LEVEL CM	8296,2072 litre	94,389 %	493,1836 litre	O
310	CM	95	CM	169 LEVEL CM	8259,6612 litre	93,973 %	529,7296 litre	O
310	CM	95	CM	168 LEVEL CM	8222,3449 litre	93,549 %	567,0459 litre	O
310	CM	95	CM	167 LEVEL CM	8184,2841 litre	93,115 %	605,1067 litre	O
310	CM	95	CM	166 LEVEL CM	8145,5028 litre	92,674 %	643,8880 litre	O
310	CM	95	CM	165 LEVEL CM	8106,0240 litre	92,225 %	683,3668 litre	O
310	CM	95	CM	164 LEVEL CM	8065,8694 litre	91,768 %	723,5214 litre	O
310	CM	95	CM	163 LEVEL CM	8025,0596 litre	91,304 %	764,3312 litre	O
310	CM	95	CM	162 LEVEL CM	7983,6141 litre	90,832 %	805,7767 litre	O
310	CM	95	CM	161 LEVEL CM	7941,5519 litre	90,354 %	847,8389 litre	O
310	CM	95	CM	160 LEVEL CM	7898,8907 litre	89,868 %	890,5001 litre	O
310	CM	95	CM	159 LEVEL CM	7855,6478 litre	89,376 %	933,7430 litre	O
310	CM	95	CM	158 LEVEL CM	7811,8396 litre	88,878 %	977,5512 litre	O
310	CM	95	CM	157 LEVEL CM	7767,4821 litre	88,373 %	1021,9087 litre	O
310	CM	95	CM	156 LEVEL CM	7722,5904 litre	87,863 %	1066,8004 litre	O
310	CM	95	CM	155 LEVEL CM	7677,1795 litre	87,346 %	1112,2113 litre	O
310	CM	95	CM	154 LEVEL CM	7631,2634 litre	86,824 %	1158,1274 litre	O
310	CM	95	CM	153 LEVEL CM	7584,8560 litre	86,296 %	1204,5348 litre	O
310	CM	95	CM	152 LEVEL CM	7537,9707 litre	85,762 %	1251,4201 litre	O
310	CM	95	CM	151 LEVEL CM	7490,6203 litre	85,223 %	1298,7705 litre	O
310	CM	95	CM	150 LEVEL CM	7442,8174 litre	84,680 %	1346,5734 litre	O
310	CM	95	CM	149 LEVEL CM	7394,5743 litre	84,131 %	1394,8165 litre	O
310	CM	95	CM	148 LEVEL CM	7345,9028 litre	83,577 %	1443,4880 litre	O
310	CM	95	CM	147 LEVEL CM	7296,8145 litre	83,018 %	1492,5763 litre	O
310	CM	95	CM	146 LEVEL CM	7247,3207 litre	82,455 %	1542,0701 litre	O
310	CM	95	CM	145 LEVEL CM	7197,4323 litre	81,888 %	1591,9585 litre	O
310	CM	95	CM	144 LEVEL CM	7147,1601 litre	81,316 %	1642,2307 litre	O
310	CM	95	CM	143 LEVEL CM	7096,5147 litre	80,740 %	1692,8761 litre	O
310	CM	95	CM	142 LEVEL CM	7045,5062 litre	80,159 %	1743,8846 litre	O
310	CM	95	CM	141 LEVEL CM	6994,1447 litre	79,575 %	1795,2461 litre	O
310	CM	95	CM	140 LEVEL CM	6942,4402 litre	78,987 %	1846,9506 litre	O
310	CM	95	CM	139 LEVEL CM	6890,4021 litre	78,395 %	1898,9887 litre	O

310	CM	95	CM	138 LEVEL CM	6838,0400 litre	77,799 %	1951,3508 litre	O
310	CM	95	CM	137 LEVEL CM	6785,3632 litre	77,199 %	2004,0276 litre	O
310	CM	95	CM	136 LEVEL CM	6732,3807 litre	76,597 %	2057,0101 litre	O
310	CM	95	CM	135 LEVEL CM	6679,1017 litre	75,990 %	2110,2891 litre	O
310	CM	95	CM	134 LEVEL CM	6625,5348 litre	75,381 %	2163,8560 litre	O
310	CM	95	CM	133 LEVEL CM	6571,6888 litre	74,768 %	2217,7020 litre	O
310	CM	95	CM	132 LEVEL CM	6517,5721 litre	74,153 %	2271,8187 litre	O
310	CM	95	CM	131 LEVEL CM	6463,1933 litre	73,534 %	2326,1975 litre	O
310	CM	95	CM	130 LEVEL CM	6408,5606 litre	72,912 %	2380,8302 litre	O
310	CM	95	CM	129 LEVEL CM	6353,6822 litre	72,288 %	2435,7086 litre	O
310	CM	95	CM	128 LEVEL CM	6298,5661 litre	71,661 %	2490,8247 litre	O
310	CM	95	CM	127 LEVEL CM	6243,2204 litre	71,031 %	2546,1704 litre	O
310	CM	95	CM	126 LEVEL CM	6187,6528 litre	70,399 %	2601,7380 litre	O
310	CM	95	CM	125 LEVEL CM	6131,8712 litre	69,764 %	2657,5196 litre	O
310	CM	95	CM	124 LEVEL CM	6075,8833 litre	69,127 %	2713,5075 litre	O
310	CM	95	CM	123 LEVEL CM	6019,6966 litre	68,488 %	2769,6942 litre	O
310	CM	95	CM	122 LEVEL CM	5963,3186 litre	67,847 %	2826,0722 litre	O
310	CM	95	CM	121 LEVEL CM	5906,7569 litre	67,203 %	2882,6339 litre	O
310	CM	95	CM	120 LEVEL CM	5850,0187 litre	66,558 %	2939,3721 litre	O
310	CM	95	CM	119 LEVEL CM	5793,1115 litre	65,910 %	2996,2793 litre	O
310	CM	95	CM	118 LEVEL CM	5736,0423 litre	65,261 %	3053,3485 litre	O
310	CM	95	CM	117 LEVEL CM	5678,8184 litre	64,610 %	3110,5724 litre	O
310	CM	95	CM	116 LEVEL CM	5621,4469 litre	63,957 %	3167,9439 litre	O
310	CM	95	CM	115 LEVEL CM	5563,9349 litre	63,303 %	3225,4559 litre	O
310	CM	95	CM	114 LEVEL CM	5506,2893 litre	62,647 %	3283,1015 litre	O
310	CM	95	CM	113 LEVEL CM	5448,5172 litre	61,990 %	3340,8736 litre	O
310	CM	95	CM	112 LEVEL CM	5390,6255 litre	61,331 %	3398,7653 litre	O
310	CM	95	CM	111 LEVEL CM	5332,6210 litre	60,671 %	3456,7698 litre	O
310	CM	95	CM	110 LEVEL CM	5274,5105 litre	60,010 %	3514,8803 litre	O
310	CM	95	CM	109 LEVEL CM	5216,3009 litre	59,348 %	3573,0899 litre	O
310	CM	95	CM	108 LEVEL CM	5157,9989 litre	58,684 %	3631,3919 litre	O
310	CM	95	CM	107 LEVEL CM	5099,6113 litre	58,020 %	3689,7795 litre	O
310	CM	95	CM	106 LEVEL CM	5041,1447 litre	57,355 %	3748,2461 litre	O
310	CM	95	CM	105 LEVEL CM	4982,6059 litre	56,689 %	3806,7849 litre	O
310	CM	95	CM	104 LEVEL CM	4924,0014 litre	56,022 %	3865,3894 litre	O
310	CM	95	CM	103 LEVEL CM	4865,3379 litre	55,355 %	3924,0529 litre	O
310	CM	95	CM	102 LEVEL CM	4806,6220 litre	54,687 %	3982,7688 litre	O
310	CM	95	CM	101 LEVEL CM	4747,8603 litre	54,018 %	4041,5305 litre	O
310	CM	95	CM	100 LEVEL CM	4689,0594 litre	53,349 %	4100,3314 litre	O
310	CM	95	CM	99 LEVEL CM	4630,2258 litre	52,680 %	4159,1650 litre	O
310	CM	95	CM	98 LEVEL CM	4571,3661 litre	52,010 %	4218,0247 litre	O
310	CM	95	CM	97 LEVEL CM	4512,4867 litre	51,340 %	4276,9041 litre	O
310	CM	95	CM	96 LEVEL CM	4453,5943 litre	50,670 %	4335,7965 litre	O
310	CM	95	CM	95 LEVEL CM	4394,6954 litre	50,000 %	4394,6954 litre	O
310	CM	95	CM	94 LEVEL CM	4335,7965 litre	49,330 %	4453,5943 litre	O
310	CM	95	CM	93 LEVEL CM	4276,9041 litre	48,660 %	4512,4867 litre	O
310	CM	95	CM	92 LEVEL CM	4218,0248 litre	47,990 %	4571,3660 litre	O
310	CM	95	CM	91 LEVEL CM	4159,1651 litre	47,320 %	4630,2257 litre	O
310	CM	95	CM	90 LEVEL CM	4100,3314 litre	46,651 %	4689,0594 litre	O
310	CM	95	CM	89 LEVEL CM	4041,5305 litre	45,982 %	4747,8603 litre	O
310	CM	95	CM	88 LEVEL CM	3982,7688 litre	45,313 %	4806,6220 litre	O
310	CM	95	CM	87 LEVEL CM	3924,0529 litre	44,645 %	4865,3379 litre	O
310	CM	95	CM	86 LEVEL CM	3865,3894 litre	43,978 %	4924,0014 litre	O

310	CM	95	CM	85 LEVEL CM	3806,7850 litre	43,311 %	4982,6058 litre	O
310	CM	95	CM	84 LEVEL CM	3748,2461 litre	42,645 %	5041,1447 litre	O
310	CM	95	CM	83 LEVEL CM	3689,7795 litre	41,980 %	5099,6113 litre	O
310	CM	95	CM	82 LEVEL CM	3631,3919 litre	41,316 %	5157,9989 litre	O
310	CM	95	CM	81 LEVEL CM	3573,0899 litre	40,652 %	5216,3009 litre	O
310	CM	95	CM	80 LEVEL CM	3514,8803 litre	39,990 %	5274,5105 litre	O
310	CM	95	CM	79 LEVEL CM	3456,7699 litre	39,329 %	5332,6209 litre	O
310	CM	95	CM	78 LEVEL CM	3398,7654 litre	38,669 %	5390,6254 litre	O
310	CM	95	CM	77 LEVEL CM	3340,8736 litre	38,010 %	5448,5172 litre	O
310	CM	95	CM	76 LEVEL CM	3283,1015 litre	37,353 %	5506,2893 litre	O
310	CM	95	CM	75 LEVEL CM	3225,4560 litre	36,697 %	5563,9348 litre	O
310	CM	95	CM	74 LEVEL CM	3167,9439 litre	36,043 %	5621,4469 litre	O
310	CM	95	CM	73 LEVEL CM	3110,5725 litre	35,390 %	5678,8183 litre	O
310	CM	95	CM	72 LEVEL CM	3053,3486 litre	34,739 %	5736,0422 litre	O
310	CM	95	CM	71 LEVEL CM	2996,2794 litre	34,090 %	5793,1114 litre	O
310	CM	95	CM	70 LEVEL CM	2939,3721 litre	33,442 %	5850,0187 litre	O
310	CM	95	CM	69 LEVEL CM	2882,6339 litre	32,797 %	5906,7569 litre	O
310	CM	95	CM	68 LEVEL CM	2826,0722 litre	32,153 %	5963,3186 litre	O
310	CM	95	CM	67 LEVEL CM	2769,6943 litre	31,512 %	6019,6965 litre	O
310	CM	95	CM	66 LEVEL CM	2713,5076 litre	30,873 %	6075,8832 litre	O
310	CM	95	CM	65 LEVEL CM	2657,5196 litre	30,236 %	6131,8712 litre	O
310	CM	95	CM	64 LEVEL CM	2601,7380 litre	29,601 %	6187,6528 litre	O
310	CM	95	CM	63 LEVEL CM	2546,1705 litre	28,969 %	6243,2203 litre	O
310	CM	95	CM	62 LEVEL CM	2490,8247 litre	28,339 %	6298,5661 litre	O
310	CM	95	CM	61 LEVEL CM	2435,7086 litre	27,712 %	6353,6822 litre	O
310	CM	95	CM	60 LEVEL CM	2380,8302 litre	27,088 %	6408,5606 litre	O
310	CM	95	CM	59 LEVEL CM	2326,1975 litre	26,466 %	6463,1933 litre	O
310	CM	95	CM	58 LEVEL CM	2271,8187 litre	25,847 %	6517,5721 litre	O
310	CM	95	CM	57 LEVEL CM	2217,7021 litre	25,232 %	6571,6887 litre	O
310	CM	95	CM	56 LEVEL CM	2163,8560 litre	24,619 %	6625,5348 litre	O
310	CM	95	CM	55 LEVEL CM	2110,2892 litre	24,010 %	6679,1016 litre	O
310	CM	95	CM	54 LEVEL CM	2057,0101 litre	23,403 %	6732,3807 litre	O
310	CM	95	CM	53 LEVEL CM	2004,0277 litre	22,801 %	6785,3631 litre	O
310	CM	95	CM	52 LEVEL CM	1951,3508 litre	22,201 %	6838,0400 litre	O
310	CM	95	CM	51 LEVEL CM	1898,9888 litre	21,605 %	6890,4020 litre	O
310	CM	95	CM	50 LEVEL CM	1846,9507 litre	21,013 %	6942,4401 litre	O
310	CM	95	CM	49 LEVEL CM	1795,2461 litre	20,425 %	6994,1447 litre	O
310	CM	95	CM	48 LEVEL CM	1743,8846 litre	19,841 %	7045,5062 litre	O
310	CM	95	CM	47 LEVEL CM	1692,8762 litre	19,260 %	7096,5146 litre	O
310	CM	95	CM	46 LEVEL CM	1642,2307 litre	18,684 %	7147,1601 litre	O
310	CM	95	CM	45 LEVEL CM	1591,9586 litre	18,112 %	7197,4322 litre	O
310	CM	95	CM	44 LEVEL CM	1542,0702 litre	17,545 %	7247,3206 litre	O
310	CM	95	CM	43 LEVEL CM	1492,5764 litre	16,982 %	7296,8144 litre	O
310	CM	95	CM	42 LEVEL CM	1443,4881 litre	16,423 %	7345,9027 litre	O
310	CM	95	CM	41 LEVEL CM	1394,8166 litre	15,869 %	7394,5742 litre	O
310	CM	95	CM	40 LEVEL CM	1346,5734 litre	15,320 %	7442,8174 litre	O
310	CM	95	CM	39 LEVEL CM	1298,7706 litre	14,777 %	7490,6202 litre	O
310	CM	95	CM	38 LEVEL CM	1251,4202 litre	14,238 %	7537,9706 litre	O
310	CM	95	CM	37 LEVEL CM	1204,5348 litre	13,704 %	7584,8560 litre	O
310	CM	95	CM	36 LEVEL CM	1158,1275 litre	13,176 %	7631,2633 litre	O
310	CM	95	CM	35 LEVEL CM	1112,2114 litre	12,654 %	7677,1794 litre	O
310	CM	95	CM	34 LEVEL CM	1066,8004 litre	12,137 %	7722,5904 litre	O
310	CM	95	CM	33 LEVEL CM	1021,9088 litre	11,627 %	7767,4820 litre	O

310	CM	95	CM	32 LEVEL CM	977,5513 litre	11,122 %	7811,8395 litre	O
310	CM	95	CM	31 LEVEL CM	933,7431 litre	10,624 %	7855,6477 litre	O
310	CM	95	CM	30 LEVEL CM	890,5002 litre	10,132 %	7898,8906 litre	O
310	CM	95	CM	29 LEVEL CM	847,8390 litre	9,646 %	7941,5518 litre	O
310	CM	95	CM	28 LEVEL CM	805,7767 litre	9,168 %	7983,6141 litre	O
310	CM	95	CM	27 LEVEL CM	764,3313 litre	8,696 %	8025,0595 litre	O
310	CM	95	CM	26 LEVEL CM	723,5215 litre	8,232 %	8065,8693 litre	O
310	CM	95	CM	25 LEVEL CM	683,3668 litre	7,775 %	8106,0240 litre	O
310	CM	95	CM	24 LEVEL CM	643,8881 litre	7,326 %	8145,5027 litre	O
310	CM	95	CM	23 LEVEL CM	605,1068 litre	6,885 %	8184,2840 litre	O
310	CM	95	CM	22 LEVEL CM	567,0459 litre	6,451 %	8222,3449 litre	O
310	CM	95	CM	21 LEVEL CM	529,7296 litre	6,027 %	8259,6612 litre	O
310	CM	95	CM	20 LEVEL CM	493,1836 litre	5,611 %	8296,2072 litre	O
310	CM	95	CM	19 LEVEL CM	457,4352 litre	5,204 %	8331,9556 litre	O
310	CM	95	CM	18 LEVEL CM	422,5137 litre	4,807 %	8366,8771 litre	O
310	CM	95	CM	17 LEVEL CM	388,4503 litre	4,420 %	8400,9405 litre	O
310	CM	95	CM	16 LEVEL CM	355,2790 litre	4,042 %	8434,1118 litre	O
310	CM	95	CM	15 LEVEL CM	323,0362 litre	3,675 %	8466,3546 litre	O
310	CM	95	CM	14 LEVEL CM	291,7617 litre	3,319 %	8497,6291 litre	O
310	CM	95	CM	13 LEVEL CM	261,4994 litre	2,975 %	8527,8914 litre	O
310	CM	95	CM	12 LEVEL CM	232,2974 litre	2,643 %	8557,0934 litre	O
310	CM	95	CM	11 LEVEL CM	204,2094 litre	2,323 %	8585,1814 litre	O
310	CM	95	CM	10 LEVEL CM	177,2958 litre	2,017 %	8612,0950 litre	O
310	CM	95	CM	9 LEVEL CM	151,6251 litre	1,725 %	8637,7657 litre	O
310	CM	95	CM	8 LEVEL CM	127,2767 litre	1,448 %	8662,1141 litre	O
310	CM	95	CM	7 LEVEL CM	104,3434 litre	1,187 %	8685,0474 litre	O
310	CM	95	CM	6 LEVEL CM	82,9366 litre	0,944 %	8706,4542 litre	O
310	CM	95	CM	5 LEVEL CM	63,1937 litre	0,719 %	8726,1971 litre	O
310	CM	95	CM	4 LEVEL CM	45,2903 litre	0,515 %	8744,1005 litre	O
310	CM	95	CM	3 LEVEL CM	29,4640 litre	0,335 %	8759,9268 litre	O
310	CM	95	CM	2 LEVEL CM	16,0637 litre	0,183 %	8773,3271 litre	O
310	CM	95	CM	1 LEVEL CM	5,6884 litre	0,065 %	8783,7024 litre	O
310	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	8789,3908 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
310	CM	90	CM	180 LEVEL CM	7888,5392 litre	100,000 %	0,0000 litre	O
310	CM	90	CM	179 LEVEL CM	7883,0030 litre	99,930 %	5,5362 litre	O
310	CM	90	CM	178 LEVEL CM	7872,9066 litre	99,802 %	15,6326 litre	O
310	CM	90	CM	177 LEVEL CM	7859,8687 litre	99,637 %	28,6705 litre	O
310	CM	90	CM	176 LEVEL CM	7844,4725 litre	99,441 %	44,0667 litre	O
310	CM	90	CM	175 LEVEL CM	7827,0584 litre	99,221 %	61,4808 litre	O
310	CM	90	CM	174 LEVEL CM	7807,8580 litre	98,977 %	80,6812 litre	O
310	CM	90	CM	173 LEVEL CM	7787,0427 litre	98,713 %	101,4965 litre	O
310	CM	90	CM	172 LEVEL CM	7764,7465 litre	98,431 %	123,7927 litre	O
310	CM	90	CM	171 LEVEL CM	7741,0784 litre	98,131 %	147,4608 litre	O
310	CM	90	CM	170 LEVEL CM	7716,1290 litre	97,814 %	172,4102 litre	O
310	CM	90	CM	169 LEVEL CM	7689,9758 litre	97,483 %	198,5634 litre	O
310	CM	90	CM	168 LEVEL CM	7662,6859 litre	97,137 %	225,8533 litre	O
310	CM	90	CM	167 LEVEL CM	7634,3185 litre	96,777 %	254,2207 litre	O
310	CM	90	CM	166 LEVEL CM	7604,9260 litre	96,405 %	283,6132 litre	O
310	CM	90	CM	165 LEVEL CM	7574,5556 litre	96,020 %	313,9836 litre	O
310	CM	90	CM	164 LEVEL CM	7543,2503 litre	95,623 %	345,2889 litre	O
310	CM	90	CM	163 LEVEL CM	7511,0491 litre	95,215 %	377,4901 litre	O
310	CM	90	CM	162 LEVEL CM	7477,9879 litre	94,796 %	410,5513 litre	O
310	CM	90	CM	161 LEVEL CM	7444,0998 litre	94,366 %	444,4394 litre	O
310	CM	90	CM	160 LEVEL CM	7409,4156 litre	93,926 %	479,1236 litre	O
310	CM	90	CM	159 LEVEL CM	7373,9640 litre	93,477 %	514,5752 litre	O
310	CM	90	CM	158 LEVEL CM	7337,7720 litre	93,018 %	550,7672 litre	O
310	CM	90	CM	157 LEVEL CM	7300,8647 litre	92,550 %	587,6745 litre	O
310	CM	90	CM	156 LEVEL CM	7263,2661 litre	92,074 %	625,2731 litre	O
310	CM	90	CM	155 LEVEL CM	7224,9986 litre	91,589 %	663,5406 litre	O
310	CM	90	CM	154 LEVEL CM	7186,0837 litre	91,095 %	702,4555 litre	O
310	CM	90	CM	153 LEVEL CM	7146,5416 litre	90,594 %	741,9976 litre	O
310	CM	90	CM	152 LEVEL CM	7106,3917 litre	90,085 %	782,1475 litre	O
310	CM	90	CM	151 LEVEL CM	7065,6524 litre	89,569 %	822,8868 litre	O
310	CM	90	CM	150 LEVEL CM	7024,3417 litre	89,045 %	864,1975 litre	O
310	CM	90	CM	149 LEVEL CM	6982,4763 litre	88,514 %	906,0629 litre	O
310	CM	90	CM	148 LEVEL CM	6940,0726 litre	87,977 %	948,4666 litre	O
310	CM	90	CM	147 LEVEL CM	6897,1463 litre	87,432 %	991,3929 litre	O
310	CM	90	CM	146 LEVEL CM	6853,7126 litre	86,882 %	1034,8266 litre	O
310	CM	90	CM	145 LEVEL CM	6809,7861 litre	86,325 %	1078,7531 litre	O
310	CM	90	CM	144 LEVEL CM	6765,3809 litre	85,762 %	1123,1583 litre	O
310	CM	90	CM	143 LEVEL CM	6720,5106 litre	85,193 %	1168,0286 litre	O
310	CM	90	CM	142 LEVEL CM	6675,1885 litre	84,619 %	1213,3507 litre	O
310	CM	90	CM	141 LEVEL CM	6629,4275 litre	84,039 %	1259,1117 litre	O
310	CM	90	CM	140 LEVEL CM	6583,2401 litre	83,453 %	1305,2991 litre	O
310	CM	90	CM	139 LEVEL CM	6536,6384 litre	82,862 %	1351,9008 litre	O
310	CM	90	CM	138 LEVEL CM	6489,6343 litre	82,267 %	1398,9049 litre	O
310	CM	90	CM	137 LEVEL CM	6442,2392 litre	81,666 %	1446,3000 litre	O
310	CM	90	CM	136 LEVEL CM	6394,4645 litre	81,060 %	1494,0747 litre	O
310	CM	90	CM	135 LEVEL CM	6346,3210 litre	80,450 %	1542,2182 litre	O
310	CM	90	CM	134 LEVEL CM	6297,8196 litre	79,835 %	1590,7196 litre	O
310	CM	90	CM	133 LEVEL CM	6248,9706 litre	79,216 %	1639,5686 litre	O
310	CM	90	CM	132 LEVEL CM	6199,7845 litre	78,592 %	1688,7547 litre	O
310	CM	90	CM	131 LEVEL CM	6150,2712 litre	77,965 %	1738,2680 litre	O
310	CM	90	CM	130 LEVEL CM	6100,4406 litre	77,333 %	1788,0986 litre	O
310	CM	90	CM	129 LEVEL CM	6050,3024 litre	76,697 %	1838,2368 litre	O

310	CM	90	CM	128 LEVEL CM	5999,8661 litre	76,058 %	1888,6731 litre	O
310	CM	90	CM	127 LEVEL CM	5949,1409 litre	75,415 %	1939,3983 litre	O
310	CM	90	CM	126 LEVEL CM	5898,1362 litre	74,768 %	1990,4030 litre	O
310	CM	90	CM	125 LEVEL CM	5846,8608 litre	74,118 %	2041,6784 litre	O
310	CM	90	CM	124 LEVEL CM	5795,3238 litre	73,465 %	2093,2154 litre	O
310	CM	90	CM	123 LEVEL CM	5743,5337 litre	72,809 %	2145,0055 litre	O
310	CM	90	CM	122 LEVEL CM	5691,4993 litre	72,149 %	2197,0399 litre	O
310	CM	90	CM	121 LEVEL CM	5639,2290 litre	71,486 %	2249,3102 litre	O
310	CM	90	CM	120 LEVEL CM	5586,7312 litre	70,821 %	2301,8080 litre	O
310	CM	90	CM	119 LEVEL CM	5534,0142 litre	70,153 %	2354,5250 litre	O
310	CM	90	CM	118 LEVEL CM	5481,0862 litre	69,482 %	2407,4530 litre	O
310	CM	90	CM	117 LEVEL CM	5427,9552 litre	68,808 %	2460,5840 litre	O
310	CM	90	CM	116 LEVEL CM	5374,6293 litre	68,132 %	2513,9099 litre	O
310	CM	90	CM	115 LEVEL CM	5321,1162 litre	67,454 %	2567,4230 litre	O
310	CM	90	CM	114 LEVEL CM	5267,4238 litre	66,773 %	2621,1154 litre	O
310	CM	90	CM	113 LEVEL CM	5213,5599 litre	66,090 %	2674,9793 litre	O
310	CM	90	CM	112 LEVEL CM	5159,5321 litre	65,405 %	2729,0071 litre	O
310	CM	90	CM	111 LEVEL CM	5105,3480 litre	64,719 %	2783,1912 litre	O
310	CM	90	CM	110 LEVEL CM	5051,0151 litre	64,030 %	2837,5241 litre	O
310	CM	90	CM	109 LEVEL CM	4996,5409 litre	63,339 %	2891,9983 litre	O
310	CM	90	CM	108 LEVEL CM	4941,9328 litre	62,647 %	2946,6064 litre	O
310	CM	90	CM	107 LEVEL CM	4887,1981 litre	61,953 %	3001,3411 litre	O
310	CM	90	CM	106 LEVEL CM	4832,3442 litre	61,258 %	3056,1950 litre	O
310	CM	90	CM	105 LEVEL CM	4777,3783 litre	60,561 %	3111,1609 litre	O
310	CM	90	CM	104 LEVEL CM	4722,3075 litre	59,863 %	3166,2317 litre	O
310	CM	90	CM	103 LEVEL CM	4667,1391 litre	59,164 %	3221,4001 litre	O
310	CM	90	CM	102 LEVEL CM	4611,8803 litre	58,463 %	3276,6589 litre	O
310	CM	90	CM	101 LEVEL CM	4556,5379 litre	57,761 %	3332,0013 litre	O
310	CM	90	CM	100 LEVEL CM	4501,1193 litre	57,059 %	3387,4199 litre	O
310	CM	90	CM	99 LEVEL CM	4445,6313 litre	56,356 %	3442,9079 litre	O
310	CM	90	CM	98 LEVEL CM	4390,0810 litre	55,651 %	3498,4582 litre	O
310	CM	90	CM	97 LEVEL CM	4334,4754 litre	54,946 %	3554,0638 litre	O
310	CM	90	CM	96 LEVEL CM	4278,8214 litre	54,241 %	3609,7178 litre	O
310	CM	90	CM	95 LEVEL CM	4223,1260 litre	53,535 %	3665,4132 litre	O
310	CM	90	CM	94 LEVEL CM	4167,3961 litre	52,828 %	3721,1431 litre	O
310	CM	90	CM	93 LEVEL CM	4111,6386 litre	52,122 %	3776,9006 litre	O
310	CM	90	CM	92 LEVEL CM	4055,8604 litre	51,415 %	3832,6788 litre	O
310	CM	90	CM	91 LEVEL CM	4000,0684 litre	50,707 %	3888,4708 litre	O
310	CM	90	CM	90 LEVEL CM	3944,2696 litre	50,000 %	3944,2696 litre	O
310	CM	90	CM	89 LEVEL CM	3888,4707 litre	49,293 %	4000,0685 litre	O
310	CM	90	CM	88 LEVEL CM	3832,6788 litre	48,585 %	4055,8604 litre	O
310	CM	90	CM	87 LEVEL CM	3776,9006 litre	47,878 %	4111,6386 litre	O
310	CM	90	CM	86 LEVEL CM	3721,1431 litre	47,172 %	4167,3961 litre	O
310	CM	90	CM	85 LEVEL CM	3665,4132 litre	46,465 %	4223,1260 litre	O
310	CM	90	CM	84 LEVEL CM	3609,7177 litre	45,759 %	4278,8215 litre	O
310	CM	90	CM	83 LEVEL CM	3554,0637 litre	45,054 %	4334,4755 litre	O
310	CM	90	CM	82 LEVEL CM	3498,4581 litre	44,349 %	4390,0811 litre	O
310	CM	90	CM	81 LEVEL CM	3442,9078 litre	43,644 %	4445,6314 litre	O
310	CM	90	CM	80 LEVEL CM	3387,4199 litre	42,941 %	4501,1193 litre	O
310	CM	90	CM	79 LEVEL CM	3332,0012 litre	42,239 %	4556,5380 litre	O
310	CM	90	CM	78 LEVEL CM	3276,6589 litre	41,537 %	4611,8803 litre	O
310	CM	90	CM	77 LEVEL CM	3221,4000 litre	40,836 %	4667,1392 litre	O
310	CM	90	CM	76 LEVEL CM	3166,2316 litre	40,137 %	4722,3076 litre	O

310	CM	90	CM	75 LEVEL CM	3111,1609 litre	39,439 %	4777,3783 litre	O
310	CM	90	CM	74 LEVEL CM	3056,1949 litre	38,742 %	4832,3443 litre	O
310	CM	90	CM	73 LEVEL CM	3001,3410 litre	38,047 %	4887,1982 litre	O
310	CM	90	CM	72 LEVEL CM	2946,6063 litre	37,353 %	4941,9329 litre	O
310	CM	90	CM	71 LEVEL CM	2891,9982 litre	36,661 %	4996,5410 litre	O
310	CM	90	CM	70 LEVEL CM	2837,5240 litre	35,970 %	5051,0152 litre	O
310	CM	90	CM	69 LEVEL CM	2783,1911 litre	35,281 %	5105,3481 litre	O
310	CM	90	CM	68 LEVEL CM	2729,0070 litre	34,595 %	5159,5322 litre	O
310	CM	90	CM	67 LEVEL CM	2674,9792 litre	33,910 %	5213,5600 litre	O
310	CM	90	CM	66 LEVEL CM	2621,1153 litre	33,227 %	5267,4239 litre	O
310	CM	90	CM	65 LEVEL CM	2567,4230 litre	32,546 %	5321,1162 litre	O
310	CM	90	CM	64 LEVEL CM	2513,9099 litre	31,868 %	5374,6293 litre	O
310	CM	90	CM	63 LEVEL CM	2460,5839 litre	31,192 %	5427,9553 litre	O
310	CM	90	CM	62 LEVEL CM	2407,4529 litre	30,518 %	5481,0863 litre	O
310	CM	90	CM	61 LEVEL CM	2354,5249 litre	29,847 %	5534,0143 litre	O
310	CM	90	CM	60 LEVEL CM	2301,8079 litre	29,179 %	5586,7313 litre	O
310	CM	90	CM	59 LEVEL CM	2249,3102 litre	28,514 %	5639,2290 litre	O
310	CM	90	CM	58 LEVEL CM	2197,0399 litre	27,851 %	5691,4993 litre	O
310	CM	90	CM	57 LEVEL CM	2145,0055 litre	27,191 %	5743,5337 litre	O
310	CM	90	CM	56 LEVEL CM	2093,2154 litre	26,535 %	5795,3238 litre	O
310	CM	90	CM	55 LEVEL CM	2041,6783 litre	25,882 %	5846,8609 litre	O
310	CM	90	CM	54 LEVEL CM	1990,4030 litre	25,232 %	5898,1362 litre	O
310	CM	90	CM	53 LEVEL CM	1939,3982 litre	24,585 %	5949,1410 litre	O
310	CM	90	CM	52 LEVEL CM	1888,6731 litre	23,942 %	5999,8661 litre	O
310	CM	90	CM	51 LEVEL CM	1838,2368 litre	23,303 %	6050,3024 litre	O
310	CM	90	CM	50 LEVEL CM	1788,0985 litre	22,667 %	6100,4407 litre	O
310	CM	90	CM	49 LEVEL CM	1738,2680 litre	22,035 %	6150,2712 litre	O
310	CM	90	CM	48 LEVEL CM	1688,7547 litre	21,408 %	6199,7845 litre	O
310	CM	90	CM	47 LEVEL CM	1639,5685 litre	20,784 %	6248,9707 litre	O
310	CM	90	CM	46 LEVEL CM	1590,7196 litre	20,165 %	6297,8196 litre	O
310	CM	90	CM	45 LEVEL CM	1542,2182 litre	19,550 %	6346,3210 litre	O
310	CM	90	CM	44 LEVEL CM	1494,0747 litre	18,940 %	6394,4645 litre	O
310	CM	90	CM	43 LEVEL CM	1446,2999 litre	18,334 %	6442,2393 litre	O
310	CM	90	CM	42 LEVEL CM	1398,9049 litre	17,733 %	6489,6343 litre	O
310	CM	90	CM	41 LEVEL CM	1351,9007 litre	17,138 %	6536,6385 litre	O
310	CM	90	CM	40 LEVEL CM	1305,2990 litre	16,547 %	6583,2402 litre	O
310	CM	90	CM	39 LEVEL CM	1259,1116 litre	15,961 %	6629,4276 litre	O
310	CM	90	CM	38 LEVEL CM	1213,3506 litre	15,381 %	6675,1886 litre	O
310	CM	90	CM	37 LEVEL CM	1168,0286 litre	14,807 %	6720,5106 litre	O
310	CM	90	CM	36 LEVEL CM	1123,1583 litre	14,238 %	6765,3809 litre	O
310	CM	90	CM	35 LEVEL CM	1078,7531 litre	13,675 %	6809,7861 litre	O
310	CM	90	CM	34 LEVEL CM	1034,8265 litre	13,118 %	6853,7127 litre	O
310	CM	90	CM	33 LEVEL CM	991,3928 litre	12,568 %	6897,1464 litre	O
310	CM	90	CM	32 LEVEL CM	948,4666 litre	12,023 %	6940,0726 litre	O
310	CM	90	CM	31 LEVEL CM	906,0629 litre	11,486 %	6982,4763 litre	O
310	CM	90	CM	30 LEVEL CM	864,1975 litre	10,955 %	7024,3417 litre	O
310	CM	90	CM	29 LEVEL CM	822,8867 litre	10,431 %	7065,6525 litre	O
310	CM	90	CM	28 LEVEL CM	782,1475 litre	9,915 %	7106,3917 litre	O
310	CM	90	CM	27 LEVEL CM	741,9976 litre	9,406 %	7146,5416 litre	O
310	CM	90	CM	26 LEVEL CM	702,4555 litre	8,905 %	7186,0837 litre	O
310	CM	90	CM	25 LEVEL CM	663,5405 litre	8,411 %	7224,9987 litre	O
310	CM	90	CM	24 LEVEL CM	625,2730 litre	7,926 %	7263,2662 litre	O
310	CM	90	CM	23 LEVEL CM	587,6744 litre	7,450 %	7300,8648 litre	O

310	CM	90	CM	22 LEVEL CM	550,7672 litre	6,982 %	7337,7720 litre	O
310	CM	90	CM	21 LEVEL CM	514,5751 litre	6,523 %	7373,9641 litre	O
310	CM	90	CM	20 LEVEL CM	479,1236 litre	6,074 %	7409,4156 litre	O
310	CM	90	CM	19 LEVEL CM	444,4394 litre	5,634 %	7444,0998 litre	O
310	CM	90	CM	18 LEVEL CM	410,5513 litre	5,204 %	7477,9879 litre	O
310	CM	90	CM	17 LEVEL CM	377,4900 litre	4,785 %	7511,0492 litre	O
310	CM	90	CM	16 LEVEL CM	345,2888 litre	4,377 %	7543,2504 litre	O
310	CM	90	CM	15 LEVEL CM	313,9835 litre	3,980 %	7574,5557 litre	O
310	CM	90	CM	14 LEVEL CM	283,6132 litre	3,595 %	7604,9260 litre	O
310	CM	90	CM	13 LEVEL CM	254,2207 litre	3,223 %	7634,3185 litre	O
310	CM	90	CM	12 LEVEL CM	225,8532 litre	2,863 %	7662,6860 litre	O
310	CM	90	CM	11 LEVEL CM	198,5633 litre	2,517 %	7689,9759 litre	O
310	CM	90	CM	10 LEVEL CM	172,4101 litre	2,186 %	7716,1291 litre	O
310	CM	90	CM	9 LEVEL CM	147,4608 litre	1,869 %	7741,0784 litre	O
310	CM	90	CM	8 LEVEL CM	123,7926 litre	1,569 %	7764,7466 litre	O
310	CM	90	CM	7 LEVEL CM	101,4965 litre	1,287 %	7787,0427 litre	O
310	CM	90	CM	6 LEVEL CM	80,6812 litre	1,023 %	7807,8580 litre	O
310	CM	90	CM	5 LEVEL CM	61,4807 litre	0,779 %	7827,0585 litre	O
310	CM	90	CM	4 LEVEL CM	44,0666 litre	0,559 %	7844,4726 litre	O
310	CM	90	CM	3 LEVEL CM	28,6705 litre	0,363 %	7859,8687 litre	O
310	CM	90	CM	2 LEVEL CM	15,6325 litre	0,198 %	7872,9067 litre	O
310	CM	90	CM	1 LEVEL CM	5,5362 litre	0,070 %	7883,0030 litre	O
310	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	7888,5392 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 85	CM 170 LEVEL CM	7036,3821 litre	100,000 %	0,0000 litre	O
310	CM 85	CM 169 LEVEL CM	7031,0025 litre	99,924 %	5,3796 litre	O
310	CM 85	CM 168 LEVEL CM	7021,1931 litre	99,784 %	15,1890 litre	O
310	CM 85	CM 167 LEVEL CM	7008,5277 litre	99,604 %	27,8544 litre	O
310	CM 85	CM 166 LEVEL CM	6993,5741 litre	99,392 %	42,8080 litre	O
310	CM 85	CM 165 LEVEL CM	6976,6634 litre	99,151 %	59,7187 litre	O
310	CM 85	CM 164 LEVEL CM	6958,0213 litre	98,886 %	78,3608 litre	O
310	CM 85	CM 163 LEVEL CM	6937,8148 litre	98,599 %	98,5673 litre	O
310	CM 85	CM 162 LEVEL CM	6916,1746 litre	98,292 %	120,2075 litre	O
310	CM 85	CM 161 LEVEL CM	6893,2069 litre	97,965 %	143,1752 litre	O
310	CM 85	CM 160 LEVEL CM	6869,0002 litre	97,621 %	167,3819 litre	O
310	CM 85	CM 159 LEVEL CM	6843,6302 litre	97,261 %	192,7519 litre	O
310	CM 85	CM 158 LEVEL CM	6817,1626 litre	96,884 %	219,2195 litre	O
310	CM 85	CM 157 LEVEL CM	6789,6549 litre	96,494 %	246,7272 litre	O
310	CM 85	CM 156 LEVEL CM	6761,1588 litre	96,089 %	275,2233 litre	O
310	CM 85	CM 155 LEVEL CM	6731,7203 litre	95,670 %	304,6618 litre	O
310	CM 85	CM 154 LEVEL CM	6701,3815 litre	95,239 %	335,0006 litre	O
310	CM 85	CM 153 LEVEL CM	6670,1805 litre	94,796 %	366,2016 litre	O
310	CM 85	CM 152 LEVEL CM	6638,1527 litre	94,340 %	398,2294 litre	O
310	CM 85	CM 151 LEVEL CM	6605,3306 litre	93,874 %	431,0515 litre	O
310	CM 85	CM 150 LEVEL CM	6571,7443 litre	93,397 %	464,6378 litre	O
310	CM 85	CM 149 LEVEL CM	6537,4221 litre	92,909 %	498,9600 litre	O
310	CM 85	CM 148 LEVEL CM	6502,3903 litre	92,411 %	533,9918 litre	O
310	CM 85	CM 147 LEVEL CM	6466,6740 litre	91,903 %	569,7081 litre	O
310	CM 85	CM 146 LEVEL CM	6430,2964 litre	91,386 %	606,0857 litre	O
310	CM 85	CM 145 LEVEL CM	6393,2799 litre	90,860 %	643,1022 litre	O
310	CM 85	CM 144 LEVEL CM	6355,6454 litre	90,325 %	680,7367 litre	O
310	CM 85	CM 143 LEVEL CM	6317,4130 litre	89,782 %	718,9691 litre	O
310	CM 85	CM 142 LEVEL CM	6278,6018 litre	89,231 %	757,7803 litre	O
310	CM 85	CM 141 LEVEL CM	6239,2301 litre	88,671 %	797,1520 litre	O
310	CM 85	CM 140 LEVEL CM	6199,3154 litre	88,104 %	837,0667 litre	O
310	CM 85	CM 139 LEVEL CM	6158,8744 litre	87,529 %	877,5077 litre	O
310	CM 85	CM 138 LEVEL CM	6117,9234 litre	86,947 %	918,4587 litre	O
310	CM 85	CM 137 LEVEL CM	6076,4778 litre	86,358 %	959,9043 litre	O
310	CM 85	CM 136 LEVEL CM	6034,5527 litre	85,762 %	1001,8294 litre	O
310	CM 85	CM 135 LEVEL CM	5992,1625 litre	85,160 %	1044,2196 litre	O
310	CM 85	CM 134 LEVEL CM	5949,3214 litre	84,551 %	1087,0607 litre	O
310	CM 85	CM 133 LEVEL CM	5906,0428 litre	83,936 %	1130,3393 litre	O
310	CM 85	CM 132 LEVEL CM	5862,3399 litre	83,315 %	1174,0422 litre	O
310	CM 85	CM 131 LEVEL CM	5818,2256 litre	82,688 %	1218,1565 litre	O
310	CM 85	CM 130 LEVEL CM	5773,7122 litre	82,055 %	1262,6699 litre	O
310	CM 85	CM 129 LEVEL CM	5728,8119 litre	81,417 %	1307,5702 litre	O
310	CM 85	CM 128 LEVEL CM	5683,5364 litre	80,774 %	1352,8457 litre	O
310	CM 85	CM 127 LEVEL CM	5637,8973 litre	80,125 %	1398,4848 litre	O
310	CM 85	CM 126 LEVEL CM	5591,9059 litre	79,471 %	1444,4762 litre	O
310	CM 85	CM 125 LEVEL CM	5545,5730 litre	78,813 %	1490,8091 litre	O
310	CM 85	CM 124 LEVEL CM	5498,9094 litre	78,150 %	1537,4727 litre	O
310	CM 85	CM 123 LEVEL CM	5451,9257 litre	77,482 %	1584,4564 litre	O
310	CM 85	CM 122 LEVEL CM	5404,6320 litre	76,810 %	1631,7501 litre	O
310	CM 85	CM 121 LEVEL CM	5357,0386 litre	76,133 %	1679,3435 litre	O
310	CM 85	CM 120 LEVEL CM	5309,1553 litre	75,453 %	1727,2268 litre	O
310	CM 85	CM 119 LEVEL CM	5260,9918 litre	74,768 %	1775,3903 litre	O

310	CM 85	CM	118 LEVEL CM	5212,5578 litre	74,080 %	1823,8243 litre	O
310	CM 85	CM	117 LEVEL CM	5163,8625 litre	73,388 %	1872,5196 litre	O
310	CM 85	CM	116 LEVEL CM	5114,9153 litre	72,692 %	1921,4668 litre	O
310	CM 85	CM	115 LEVEL CM	5065,7252 litre	71,993 %	1970,6569 litre	O
310	CM 85	CM	114 LEVEL CM	5016,3012 litre	71,291 %	2020,0809 litre	O
310	CM 85	CM	113 LEVEL CM	4966,6522 litre	70,585 %	2069,7299 litre	O
310	CM 85	CM	112 LEVEL CM	4916,7868 litre	69,877 %	2119,5953 litre	O
310	CM 85	CM	111 LEVEL CM	4866,7138 litre	69,165 %	2169,6683 litre	O
310	CM 85	CM	110 LEVEL CM	4816,4415 litre	68,451 %	2219,9406 litre	O
310	CM 85	CM	109 LEVEL CM	4765,9785 litre	67,733 %	2270,4036 litre	O
310	CM 85	CM	108 LEVEL CM	4715,3330 litre	67,014 %	2321,0491 litre	O
310	CM 85	CM	107 LEVEL CM	4664,5132 litre	66,291 %	2371,8689 litre	O
310	CM 85	CM	106 LEVEL CM	4613,5272 litre	65,567 %	2422,8549 litre	O
310	CM 85	CM	105 LEVEL CM	4562,3832 litre	64,840 %	2473,9989 litre	O
310	CM 85	CM	104 LEVEL CM	4511,0890 litre	64,111 %	2525,2931 litre	O
310	CM 85	CM	103 LEVEL CM	4459,6527 litre	63,380 %	2576,7294 litre	O
310	CM 85	CM	102 LEVEL CM	4408,0820 litre	62,647 %	2628,3001 litre	O
310	CM 85	CM	101 LEVEL CM	4356,3848 litre	61,912 %	2679,9973 litre	O
310	CM 85	CM	100 LEVEL CM	4304,5687 litre	61,176 %	2731,8134 litre	O
310	CM 85	CM	99 LEVEL CM	4252,6415 litre	60,438 %	2783,7406 litre	O
310	CM 85	CM	98 LEVEL CM	4200,6108 litre	59,698 %	2835,7713 litre	O
310	CM 85	CM	97 LEVEL CM	4148,4840 litre	58,958 %	2887,8981 litre	O
310	CM 85	CM	96 LEVEL CM	4096,2689 litre	58,216 %	2940,1132 litre	O
310	CM 85	CM	95 LEVEL CM	4043,9729 litre	57,472 %	2992,4092 litre	O
310	CM 85	CM	94 LEVEL CM	3991,6033 litre	56,728 %	3044,7788 litre	O
310	CM 85	CM	93 LEVEL CM	3939,1678 litre	55,983 %	3097,2143 litre	O
310	CM 85	CM	92 LEVEL CM	3886,6737 litre	55,237 %	3149,7084 litre	O
310	CM 85	CM	91 LEVEL CM	3834,1283 litre	54,490 %	3202,2538 litre	O
310	CM 85	CM	90 LEVEL CM	3781,5390 litre	53,743 %	3254,8431 litre	O
310	CM 85	CM	89 LEVEL CM	3728,9132 litre	52,995 %	3307,4689 litre	O
310	CM 85	CM	88 LEVEL CM	3676,2582 litre	52,246 %	3360,1239 litre	O
310	CM 85	CM	87 LEVEL CM	3623,5813 litre	51,498 %	3412,8008 litre	O
310	CM 85	CM	86 LEVEL CM	3570,8899 litre	50,749 %	3465,4922 litre	O
310	CM 85	CM	85 LEVEL CM	3518,1911 litre	50,000 %	3518,1910 litre	O
310	CM 85	CM	84 LEVEL CM	3465,4923 litre	49,251 %	3570,8898 litre	O
310	CM 85	CM	83 LEVEL CM	3412,8008 litre	48,502 %	3623,5813 litre	O
310	CM 85	CM	82 LEVEL CM	3360,1239 litre	47,754 %	3676,2582 litre	O
310	CM 85	CM	81 LEVEL CM	3307,4689 litre	47,005 %	3728,9132 litre	O
310	CM 85	CM	80 LEVEL CM	3254,8431 litre	46,257 %	3781,5390 litre	O
310	CM 85	CM	79 LEVEL CM	3202,2539 litre	45,510 %	3834,1282 litre	O
310	CM 85	CM	78 LEVEL CM	3149,7085 litre	44,763 %	3886,6736 litre	O
310	CM 85	CM	77 LEVEL CM	3097,2143 litre	44,017 %	3939,1678 litre	O
310	CM 85	CM	76 LEVEL CM	3044,7788 litre	43,272 %	3991,6033 litre	O
310	CM 85	CM	75 LEVEL CM	2992,4093 litre	42,528 %	4043,9728 litre	O
310	CM 85	CM	74 LEVEL CM	2940,1132 litre	41,784 %	4096,2689 litre	O
310	CM 85	CM	73 LEVEL CM	2887,8981 litre	41,042 %	4148,4840 litre	O
310	CM 85	CM	72 LEVEL CM	2835,7714 litre	40,302 %	4200,6107 litre	O
310	CM 85	CM	71 LEVEL CM	2783,7406 litre	39,562 %	4252,6415 litre	O
310	CM 85	CM	70 LEVEL CM	2731,8134 litre	38,824 %	4304,5687 litre	O
310	CM 85	CM	69 LEVEL CM	2679,9973 litre	38,088 %	4356,3848 litre	O
310	CM 85	CM	68 LEVEL CM	2628,3001 litre	37,353 %	4408,0820 litre	O
310	CM 85	CM	67 LEVEL CM	2576,7294 litre	36,620 %	4459,6527 litre	O
310	CM 85	CM	66 LEVEL CM	2525,2931 litre	35,889 %	4511,0890 litre	O

310	CM	85	CM	65 LEVEL CM	2473,9990 litre	35,160 %	4562,3831 litre	O
310	CM	85	CM	64 LEVEL CM	2422,8549 litre	34,433 %	4613,5272 litre	O
310	CM	85	CM	63 LEVEL CM	2371,8690 litre	33,709 %	4664,5131 litre	O
310	CM	85	CM	62 LEVEL CM	2321,0492 litre	32,986 %	4715,3329 litre	O
310	CM	85	CM	61 LEVEL CM	2270,4036 litre	32,267 %	4765,9785 litre	O
310	CM	85	CM	60 LEVEL CM	2219,9406 litre	31,549 %	4816,4415 litre	O
310	CM	85	CM	59 LEVEL CM	2169,6684 litre	30,835 %	4866,7137 litre	O
310	CM	85	CM	58 LEVEL CM	2119,5953 litre	30,123 %	4916,7868 litre	O
310	CM	85	CM	57 LEVEL CM	2069,7300 litre	29,415 %	4966,6521 litre	O
310	CM	85	CM	56 LEVEL CM	2020,0810 litre	28,709 %	5016,3011 litre	O
310	CM	85	CM	55 LEVEL CM	1970,6570 litre	28,007 %	5065,7251 litre	O
310	CM	85	CM	54 LEVEL CM	1921,4669 litre	27,308 %	5114,9152 litre	O
310	CM	85	CM	53 LEVEL CM	1872,5197 litre	26,612 %	5163,8624 litre	O
310	CM	85	CM	52 LEVEL CM	1823,8244 litre	25,920 %	5212,5577 litre	O
310	CM	85	CM	51 LEVEL CM	1775,3903 litre	25,232 %	5260,9918 litre	O
310	CM	85	CM	50 LEVEL CM	1727,2268 litre	24,547 %	5309,1553 litre	O
310	CM	85	CM	49 LEVEL CM	1679,3435 litre	23,867 %	5357,0386 litre	O
310	CM	85	CM	48 LEVEL CM	1631,7501 litre	23,190 %	5404,6320 litre	O
310	CM	85	CM	47 LEVEL CM	1584,4565 litre	22,518 %	5451,9256 litre	O
310	CM	85	CM	46 LEVEL CM	1537,4727 litre	21,850 %	5498,9094 litre	O
310	CM	85	CM	45 LEVEL CM	1490,8092 litre	21,187 %	5545,5729 litre	O
310	CM	85	CM	44 LEVEL CM	1444,4763 litre	20,529 %	5591,9058 litre	O
310	CM	85	CM	43 LEVEL CM	1398,4848 litre	19,875 %	5637,8973 litre	O
310	CM	85	CM	42 LEVEL CM	1352,8457 litre	19,226 %	5683,5364 litre	O
310	CM	85	CM	41 LEVEL CM	1307,5703 litre	18,583 %	5728,8118 litre	O
310	CM	85	CM	40 LEVEL CM	1262,6700 litre	17,945 %	5773,7121 litre	O
310	CM	85	CM	39 LEVEL CM	1218,1566 litre	17,312 %	5818,2255 litre	O
310	CM	85	CM	38 LEVEL CM	1174,0422 litre	16,685 %	5862,3399 litre	O
310	CM	85	CM	37 LEVEL CM	1130,3394 litre	16,064 %	5906,0427 litre	O
310	CM	85	CM	36 LEVEL CM	1087,0608 litre	15,449 %	5949,3213 litre	O
310	CM	85	CM	35 LEVEL CM	1044,2196 litre	14,840 %	5992,1625 litre	O
310	CM	85	CM	34 LEVEL CM	1001,8295 litre	14,238 %	6034,5526 litre	O
310	CM	85	CM	33 LEVEL CM	959,9044 litre	13,642 %	6076,4777 litre	O
310	CM	85	CM	32 LEVEL CM	918,4588 litre	13,053 %	6117,9233 litre	O
310	CM	85	CM	31 LEVEL CM	877,5077 litre	12,471 %	6158,8744 litre	O
310	CM	85	CM	30 LEVEL CM	837,0668 litre	11,896 %	6199,3153 litre	O
310	CM	85	CM	29 LEVEL CM	797,1520 litre	11,329 %	6239,2301 litre	O
310	CM	85	CM	28 LEVEL CM	757,7803 litre	10,769 %	6278,6018 litre	O
310	CM	85	CM	27 LEVEL CM	718,9691 litre	10,218 %	6317,4130 litre	O
310	CM	85	CM	26 LEVEL CM	680,7367 litre	9,675 %	6355,6454 litre	O
310	CM	85	CM	25 LEVEL CM	643,1022 litre	9,140 %	6393,2799 litre	O
310	CM	85	CM	24 LEVEL CM	606,0857 litre	8,614 %	6430,2964 litre	O
310	CM	85	CM	23 LEVEL CM	569,7082 litre	8,097 %	6466,6739 litre	O
310	CM	85	CM	22 LEVEL CM	533,9918 litre	7,589 %	6502,3903 litre	O
310	CM	85	CM	21 LEVEL CM	498,9601 litre	7,091 %	6537,4220 litre	O
310	CM	85	CM	20 LEVEL CM	464,6379 litre	6,603 %	6571,7442 litre	O
310	CM	85	CM	19 LEVEL CM	431,0516 litre	6,126 %	6605,3305 litre	O
310	CM	85	CM	18 LEVEL CM	398,2294 litre	5,660 %	6638,1527 litre	O
310	CM	85	CM	17 LEVEL CM	366,2016 litre	5,204 %	6670,1805 litre	O
310	CM	85	CM	16 LEVEL CM	335,0007 litre	4,761 %	6701,3814 litre	O
310	CM	85	CM	15 LEVEL CM	304,6618 litre	4,330 %	6731,7203 litre	O
310	CM	85	CM	14 LEVEL CM	275,2234 litre	3,911 %	6761,1587 litre	O
310	CM	85	CM	13 LEVEL CM	246,7272 litre	3,506 %	6789,6549 litre	O

310	CM	85	CM	12 LEVEL CM	219,2196 litre	3,116 %	6817,1625 litre	O
310	CM	85	CM	11 LEVEL CM	192,7519 litre	2,739 %	6843,6302 litre	O
310	CM	85	CM	10 LEVEL CM	167,3819 litre	2,379 %	6869,0002 litre	O
310	CM	85	CM	9 LEVEL CM	143,1753 litre	2,035 %	6893,2068 litre	O
310	CM	85	CM	8 LEVEL CM	120,2075 litre	1,708 %	6916,1746 litre	O
310	CM	85	CM	7 LEVEL CM	98,5674 litre	1,401 %	6937,8147 litre	O
310	CM	85	CM	6 LEVEL CM	78,3608 litre	1,114 %	6958,0213 litre	O
310	CM	85	CM	5 LEVEL CM	59,7187 litre	0,849 %	6976,6634 litre	O
310	CM	85	CM	4 LEVEL CM	42,8080 litre	0,608 %	6993,5741 litre	O
310	CM	85	CM	3 LEVEL CM	27,8544 litre	0,396 %	7008,5277 litre	O
310	CM	85	CM	2 LEVEL CM	15,1891 litre	0,216 %	7021,1930 litre	O
310	CM	85	CM	1 LEVEL CM	5,3797 litre	0,076 %	7031,0024 litre	O
310	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	7036,3821 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
310	CM 80	CM 160 LEVEL CM	6232,9198 litre	100,000 %	0,0000 litre O
310	CM 80	CM 159 LEVEL CM	6227,7013 litre	99,916 %	5,2185 litre O
310	CM 80	CM 158 LEVEL CM	6218,1875 litre	99,764 %	14,7323 litre O
310	CM 80	CM 157 LEVEL CM	6205,9061 litre	99,567 %	27,0137 litre O
310	CM 80	CM 156 LEVEL CM	6191,4085 litre	99,334 %	41,5113 litre O
310	CM 80	CM 155 LEVEL CM	6175,0168 litre	99,071 %	57,9030 litre O
310	CM 80	CM 154 LEVEL CM	6156,9502 litre	98,781 %	75,9696 litre O
310	CM 80	CM 153 LEVEL CM	6137,3714 litre	98,467 %	95,5484 litre O
310	CM 80	CM 152 LEVEL CM	6116,4076 litre	98,131 %	116,5122 litre O
310	CM 80	CM 151 LEVEL CM	6094,1624 litre	97,774 %	138,7574 litre O
310	CM 80	CM 150 LEVEL CM	6070,7220 litre	97,398 %	162,1978 litre O
310	CM 80	CM 149 LEVEL CM	6046,1602 litre	97,004 %	186,7596 litre O
310	CM 80	CM 148 LEVEL CM	6020,5411 litre	96,593 %	212,3787 litre O
310	CM 80	CM 147 LEVEL CM	5993,9210 litre	96,166 %	238,9988 litre O
310	CM 80	CM 146 LEVEL CM	5966,3503 litre	95,723 %	266,5695 litre O
310	CM 80	CM 145 LEVEL CM	5937,8742 litre	95,266 %	295,0456 litre O
310	CM 80	CM 144 LEVEL CM	5908,5336 litre	94,796 %	324,3862 litre O
310	CM 80	CM 143 LEVEL CM	5878,3662 litre	94,312 %	354,5536 litre O
310	CM 80	CM 142 LEVEL CM	5847,4063 litre	93,815 %	385,5135 litre O
310	CM 80	CM 141 LEVEL CM	5815,6858 litre	93,306 %	417,2340 litre O
310	CM 80	CM 140 LEVEL CM	5783,2346 litre	92,785 %	449,6852 litre O
310	CM 80	CM 139 LEVEL CM	5750,0801 litre	92,253 %	482,8397 litre O
310	CM 80	CM 138 LEVEL CM	5716,2485 litre	91,711 %	516,6713 litre O
310	CM 80	CM 137 LEVEL CM	5681,7642 litre	91,157 %	551,1556 litre O
310	CM 80	CM 136 LEVEL CM	5646,6501 litre	90,594 %	586,2697 litre O
310	CM 80	CM 135 LEVEL CM	5610,9283 litre	90,021 %	621,9915 litre O
310	CM 80	CM 134 LEVEL CM	5574,6194 litre	89,438 %	658,3004 litre O
310	CM 80	CM 133 LEVEL CM	5537,7432 litre	88,847 %	695,1766 litre O
310	CM 80	CM 132 LEVEL CM	5500,3186 litre	88,246 %	732,6012 litre O
310	CM 80	CM 131 LEVEL CM	5462,3636 litre	87,637 %	770,5562 litre O
310	CM 80	CM 130 LEVEL CM	5423,8956 litre	87,020 %	809,0242 litre O
310	CM 80	CM 129 LEVEL CM	5384,9311 litre	86,395 %	847,9887 litre O
310	CM 80	CM 128 LEVEL CM	5345,4861 litre	85,762 %	887,4337 litre O
310	CM 80	CM 127 LEVEL CM	5305,5761 litre	85,122 %	927,3437 litre O
310	CM 80	CM 126 LEVEL CM	5265,2160 litre	84,474 %	967,7038 litre O
310	CM 80	CM 125 LEVEL CM	5224,4200 litre	83,820 %	1008,4998 litre O
310	CM 80	CM 124 LEVEL CM	5183,2022 litre	83,158 %	1049,7176 litre O
310	CM 80	CM 123 LEVEL CM	5141,5761 litre	82,491 %	1091,3437 litre O
310	CM 80	CM 122 LEVEL CM	5099,5548 litre	81,816 %	1133,3650 litre O
310	CM 80	CM 121 LEVEL CM	5057,1510 litre	81,136 %	1175,7688 litre O
310	CM 80	CM 120 LEVEL CM	5014,3771 litre	80,450 %	1218,5427 litre O
310	CM 80	CM 119 LEVEL CM	4971,2452 litre	79,758 %	1261,6746 litre O
310	CM 80	CM 118 LEVEL CM	4927,7672 litre	79,060 %	1305,1526 litre O
310	CM 80	CM 117 LEVEL CM	4883,9544 litre	78,357 %	1348,9654 litre O
310	CM 80	CM 116 LEVEL CM	4839,8182 litre	77,649 %	1393,1016 litre O
310	CM 80	CM 115 LEVEL CM	4795,3696 litre	76,936 %	1437,5502 litre O
310	CM 80	CM 114 LEVEL CM	4750,6193 litre	76,218 %	1482,3005 litre O
310	CM 80	CM 113 LEVEL CM	4705,5779 litre	75,496 %	1527,3419 litre O
310	CM 80	CM 112 LEVEL CM	4660,2557 litre	74,768 %	1572,6641 litre O
310	CM 80	CM 111 LEVEL CM	4614,6630 litre	74,037 %	1618,2568 litre O
310	CM 80	CM 110 LEVEL CM	4568,8096 litre	73,301 %	1664,1102 litre O
310	CM 80	CM 109 LEVEL CM	4522,7054 litre	72,562 %	1710,2144 litre O

310	CM	80	CM	108 LEVEL CM	4476,3600 litre	71,818 %	1756,5598 litre	O
310	CM	80	CM	107 LEVEL CM	4429,7829 litre	71,071 %	1803,1369 litre	O
310	CM	80	CM	106 LEVEL CM	4382,9836 litre	70,320 %	1849,9362 litre	O
310	CM	80	CM	105 LEVEL CM	4335,9712 litre	69,566 %	1896,9486 litre	O
310	CM	80	CM	104 LEVEL CM	4288,7548 litre	68,808 %	1944,1650 litre	O
310	CM	80	CM	103 LEVEL CM	4241,3434 litre	68,047 %	1991,5764 litre	O
310	CM	80	CM	102 LEVEL CM	4193,7459 litre	67,284 %	2039,1739 litre	O
310	CM	80	CM	101 LEVEL CM	4145,9710 litre	66,517 %	2086,9488 litre	O
310	CM	80	CM	100 LEVEL CM	4098,0275 litre	65,748 %	2134,8923 litre	O
310	CM	80	CM	99 LEVEL CM	4049,9239 litre	64,976 %	2182,9959 litre	O
310	CM	80	CM	98 LEVEL CM	4001,6686 litre	64,202 %	2231,2512 litre	O
310	CM	80	CM	97 LEVEL CM	3953,2703 litre	63,426 %	2279,6495 litre	O
310	CM	80	CM	96 LEVEL CM	3904,7370 litre	62,647 %	2328,1828 litre	O
310	CM	80	CM	95 LEVEL CM	3856,0773 litre	61,866 %	2376,8425 litre	O
310	CM	80	CM	94 LEVEL CM	3807,2991 litre	61,084 %	2425,6207 litre	O
310	CM	80	CM	93 LEVEL CM	3758,4108 litre	60,299 %	2474,5090 litre	O
310	CM	80	CM	92 LEVEL CM	3709,4203 litre	59,513 %	2523,4995 litre	O
310	CM	80	CM	91 LEVEL CM	3660,3358 litre	58,726 %	2572,5840 litre	O
310	CM	80	CM	90 LEVEL CM	3611,1652 litre	57,937 %	2621,7546 litre	O
310	CM	80	CM	89 LEVEL CM	3561,9165 litre	57,147 %	2671,0033 litre	O
310	CM	80	CM	88 LEVEL CM	3512,5976 litre	56,356 %	2720,3222 litre	O
310	CM	80	CM	87 LEVEL CM	3463,2164 litre	55,563 %	2769,7034 litre	O
310	CM	80	CM	86 LEVEL CM	3413,7807 litre	54,770 %	2819,1391 litre	O
310	CM	80	CM	85 LEVEL CM	3364,2984 litre	53,976 %	2868,6214 litre	O
310	CM	80	CM	84 LEVEL CM	3314,7772 litre	53,182 %	2918,1426 litre	O
310	CM	80	CM	83 LEVEL CM	3265,2250 litre	52,387 %	2967,6948 litre	O
310	CM	80	CM	82 LEVEL CM	3215,6496 litre	51,591 %	3017,2702 litre	O
310	CM	80	CM	81 LEVEL CM	3166,0586 litre	50,796 %	3066,8612 litre	O
310	CM	80	CM	80 LEVEL CM	3116,4599 litre	50,000 %	3116,4599 litre	O
310	CM	80	CM	79 LEVEL CM	3066,8612 litre	49,204 %	3166,0586 litre	O
310	CM	80	CM	78 LEVEL CM	3017,2702 litre	48,409 %	3215,6496 litre	O
310	CM	80	CM	77 LEVEL CM	2967,6948 litre	47,613 %	3265,2250 litre	O
310	CM	80	CM	76 LEVEL CM	2918,1426 litre	46,818 %	3314,7772 litre	O
310	CM	80	CM	75 LEVEL CM	2868,6215 litre	46,024 %	3364,2983 litre	O
310	CM	80	CM	74 LEVEL CM	2819,1391 litre	45,230 %	3413,7807 litre	O
310	CM	80	CM	73 LEVEL CM	2769,7035 litre	44,437 %	3463,2163 litre	O
310	CM	80	CM	72 LEVEL CM	2720,3222 litre	43,644 %	3512,5976 litre	O
310	CM	80	CM	71 LEVEL CM	2671,0033 litre	42,853 %	3561,9165 litre	O
310	CM	80	CM	70 LEVEL CM	2621,7546 litre	42,063 %	3611,1652 litre	O
310	CM	80	CM	69 LEVEL CM	2572,5840 litre	41,274 %	3660,3358 litre	O
310	CM	80	CM	68 LEVEL CM	2523,4995 litre	40,487 %	3709,4203 litre	O
310	CM	80	CM	67 LEVEL CM	2474,5091 litre	39,701 %	3758,4107 litre	O
310	CM	80	CM	66 LEVEL CM	2425,6207 litre	38,916 %	3807,2991 litre	O
310	CM	80	CM	65 LEVEL CM	2376,8426 litre	38,134 %	3856,0772 litre	O
310	CM	80	CM	64 LEVEL CM	2328,1828 litre	37,353 %	3904,7370 litre	O
310	CM	80	CM	63 LEVEL CM	2279,6496 litre	36,574 %	3953,2702 litre	O
310	CM	80	CM	62 LEVEL CM	2231,2512 litre	35,798 %	4001,6686 litre	O
310	CM	80	CM	61 LEVEL CM	2182,9960 litre	35,024 %	4049,9238 litre	O
310	CM	80	CM	60 LEVEL CM	2134,8924 litre	34,252 %	4098,0274 litre	O
310	CM	80	CM	59 LEVEL CM	2086,9488 litre	33,483 %	4145,9710 litre	O
310	CM	80	CM	58 LEVEL CM	2039,1740 litre	32,716 %	4193,7458 litre	O
310	CM	80	CM	57 LEVEL CM	1991,5765 litre	31,953 %	4241,3433 litre	O
310	CM	80	CM	56 LEVEL CM	1944,1651 litre	31,192 %	4288,7547 litre	O

310	CM	80	CM	55 LEVEL CM	1896,9487 litre	30,434 %	4335,9711 litre	O
310	CM	80	CM	54 LEVEL CM	1849,9362 litre	29,680 %	4382,9836 litre	O
310	CM	80	CM	53 LEVEL CM	1803,1369 litre	28,929 %	4429,7829 litre	O
310	CM	80	CM	52 LEVEL CM	1756,5599 litre	28,182 %	4476,3599 litre	O
310	CM	80	CM	51 LEVEL CM	1710,2145 litre	27,438 %	4522,7053 litre	O
310	CM	80	CM	50 LEVEL CM	1664,1103 litre	26,699 %	4568,8095 litre	O
310	CM	80	CM	49 LEVEL CM	1618,2569 litre	25,963 %	4614,6629 litre	O
310	CM	80	CM	48 LEVEL CM	1572,6641 litre	25,232 %	4660,2557 litre	O
310	CM	80	CM	47 LEVEL CM	1527,3419 litre	24,504 %	4705,5779 litre	O
310	CM	80	CM	46 LEVEL CM	1482,3005 litre	23,782 %	4750,6193 litre	O
310	CM	80	CM	45 LEVEL CM	1437,5502 litre	23,064 %	4795,3696 litre	O
310	CM	80	CM	44 LEVEL CM	1393,1016 litre	22,351 %	4839,8182 litre	O
310	CM	80	CM	43 LEVEL CM	1348,9654 litre	21,643 %	4883,9544 litre	O
310	CM	80	CM	42 LEVEL CM	1305,1527 litre	20,940 %	4927,7671 litre	O
310	CM	80	CM	41 LEVEL CM	1261,6746 litre	20,242 %	4971,2452 litre	O
310	CM	80	CM	40 LEVEL CM	1218,5427 litre	19,550 %	5014,3771 litre	O
310	CM	80	CM	39 LEVEL CM	1175,7689 litre	18,864 %	5057,1509 litre	O
310	CM	80	CM	38 LEVEL CM	1133,3650 litre	18,184 %	5099,5548 litre	O
310	CM	80	CM	37 LEVEL CM	1091,3437 litre	17,509 %	5141,5761 litre	O
310	CM	80	CM	36 LEVEL CM	1049,7176 litre	16,842 %	5183,2022 litre	O
310	CM	80	CM	35 LEVEL CM	1008,4998 litre	16,180 %	5224,4200 litre	O
310	CM	80	CM	34 LEVEL CM	967,7039 litre	15,526 %	5265,2159 litre	O
310	CM	80	CM	33 LEVEL CM	927,3437 litre	14,878 %	5305,5761 litre	O
310	CM	80	CM	32 LEVEL CM	887,4337 litre	14,238 %	5345,4861 litre	O
310	CM	80	CM	31 LEVEL CM	847,9888 litre	13,605 %	5384,9310 litre	O
310	CM	80	CM	30 LEVEL CM	809,0243 litre	12,980 %	5423,8955 litre	O
310	CM	80	CM	29 LEVEL CM	770,5562 litre	12,363 %	5462,3636 litre	O
310	CM	80	CM	28 LEVEL CM	732,6012 litre	11,754 %	5500,3186 litre	O
310	CM	80	CM	27 LEVEL CM	695,1766 litre	11,153 %	5537,7432 litre	O
310	CM	80	CM	26 LEVEL CM	658,3004 litre	10,562 %	5574,6194 litre	O
310	CM	80	CM	25 LEVEL CM	621,9915 litre	9,979 %	5610,9283 litre	O
310	CM	80	CM	24 LEVEL CM	586,2697 litre	9,406 %	5646,6501 litre	O
310	CM	80	CM	23 LEVEL CM	551,1557 litre	8,843 %	5681,7641 litre	O
310	CM	80	CM	22 LEVEL CM	516,6713 litre	8,289 %	5716,2485 litre	O
310	CM	80	CM	21 LEVEL CM	482,8397 litre	7,747 %	5750,0801 litre	O
310	CM	80	CM	20 LEVEL CM	449,6853 litre	7,215 %	5783,2345 litre	O
310	CM	80	CM	19 LEVEL CM	417,2340 litre	6,694 %	5815,6858 litre	O
310	CM	80	CM	18 LEVEL CM	385,5136 litre	6,185 %	5847,4062 litre	O
310	CM	80	CM	17 LEVEL CM	354,5537 litre	5,688 %	5878,3661 litre	O
310	CM	80	CM	16 LEVEL CM	324,3862 litre	5,204 %	5908,5336 litre	O
310	CM	80	CM	15 LEVEL CM	295,0456 litre	4,734 %	5937,8742 litre	O
310	CM	80	CM	14 LEVEL CM	266,5695 litre	4,277 %	5966,3503 litre	O
310	CM	80	CM	13 LEVEL CM	238,9988 litre	3,834 %	5993,9210 litre	O
310	CM	80	CM	12 LEVEL CM	212,3788 litre	3,407 %	6020,5410 litre	O
310	CM	80	CM	11 LEVEL CM	186,7597 litre	2,996 %	6046,1601 litre	O
310	CM	80	CM	10 LEVEL CM	162,1979 litre	2,602 %	6070,7219 litre	O
310	CM	80	CM	9 LEVEL CM	138,7575 litre	2,226 %	6094,1623 litre	O
310	CM	80	CM	8 LEVEL CM	116,5122 litre	1,869 %	6116,4076 litre	O
310	CM	80	CM	7 LEVEL CM	95,5485 litre	1,533 %	6137,3713 litre	O
310	CM	80	CM	6 LEVEL CM	75,9697 litre	1,219 %	6156,9501 litre	O
310	CM	80	CM	5 LEVEL CM	57,9031 litre	0,929 %	6175,0167 litre	O
310	CM	80	CM	4 LEVEL CM	41,5113 litre	0,666 %	6191,4085 litre	O
310	CM	80	CM	3 LEVEL CM	27,0137 litre	0,433 %	6205,9061 litre	O

310_80

-2371-

310	CM 80	CM	2 LEVEL CM	14,7323 litre	0,236 %	6218,1875 litre	0
310	CM 80	CM	1 LEVEL CM	5,2185 litre	0,084 %	6227,7013 litre	0
310	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	6232,9198 litre	0

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM	75	CM 150 LEVEL CM	5478,1522 litre	100,000 %	0,0000 litre	O
310	CM	75	CM 149 LEVEL CM	5473,1000 litre	99,908 %	5,0522 litre	O
310	CM	75	CM 148 LEVEL CM	5463,8913 litre	99,740 %	14,2609 litre	O
310	CM	75	CM 147 LEVEL CM	5452,0062 litre	99,523 %	26,1460 litre	O
310	CM	75	CM 146 LEVEL CM	5437,9795 litre	99,267 %	40,1727 litre	O
310	CM	75	CM 145 LEVEL CM	5422,1236 litre	98,977 %	56,0286 litre	O
310	CM	75	CM 144 LEVEL CM	5404,6515 litre	98,658 %	73,5007 litre	O
310	CM	75	CM 143 LEVEL CM	5385,7212 litre	98,313 %	92,4310 litre	O
310	CM	75	CM 142 LEVEL CM	5365,4565 litre	97,943 %	112,6957 litre	O
310	CM	75	CM 141 LEVEL CM	5343,9579 litre	97,550 %	134,1943 litre	O
310	CM	75	CM 140 LEVEL CM	5321,3097 litre	97,137 %	156,8425 litre	O
310	CM	75	CM 139 LEVEL CM	5297,5836 litre	96,704 %	180,5686 litre	O
310	CM	75	CM 138 LEVEL CM	5272,8421 litre	96,252 %	205,3101 litre	O
310	CM	75	CM 137 LEVEL CM	5247,1403 litre	95,783 %	231,0119 litre	O
310	CM	75	CM 136 LEVEL CM	5220,5273 litre	95,297 %	257,6249 litre	O
310	CM	75	CM 135 LEVEL CM	5193,0471 litre	94,796 %	285,1051 litre	O
310	CM	75	CM 134 LEVEL CM	5164,7400 litre	94,279 %	313,4122 litre	O
310	CM	75	CM 133 LEVEL CM	5135,6427 litre	93,748 %	342,5095 litre	O
310	CM	75	CM 132 LEVEL CM	5105,7889 litre	93,203 %	372,3633 litre	O
310	CM	75	CM 131 LEVEL CM	5075,2099 litre	92,645 %	402,9423 litre	O
310	CM	75	CM 130 LEVEL CM	5043,9348 litre	92,074 %	434,2174 litre	O
310	CM	75	CM 129 LEVEL CM	5011,9908 litre	91,491 %	466,1614 litre	O
310	CM	75	CM 128 LEVEL CM	4979,4035 litre	90,896 %	498,7487 litre	O
310	CM	75	CM 127 LEVEL CM	4946,1968 litre	90,290 %	531,9554 litre	O
310	CM	75	CM 126 LEVEL CM	4912,3934 litre	89,672 %	565,7588 litre	O
310	CM	75	CM 125 LEVEL CM	4878,0150 litre	89,045 %	600,1372 litre	O
310	CM	75	CM 124 LEVEL CM	4843,0820 litre	88,407 %	635,0702 litre	O
310	CM	75	CM 123 LEVEL CM	4807,6138 litre	87,760 %	670,5384 litre	O
310	CM	75	CM 122 LEVEL CM	4771,6292 litre	87,103 %	706,5230 litre	O
310	CM	75	CM 121 LEVEL CM	4735,1459 litre	86,437 %	743,0063 litre	O
310	CM	75	CM 120 LEVEL CM	4698,1812 litre	85,762 %	779,9710 litre	O
310	CM	75	CM 119 LEVEL CM	4660,7513 litre	85,079 %	817,4009 litre	O
310	CM	75	CM 118 LEVEL CM	4622,8723 litre	84,387 %	855,2799 litre	O
310	CM	75	CM 117 LEVEL CM	4584,5594 litre	83,688 %	893,5928 litre	O
310	CM	75	CM 116 LEVEL CM	4545,8273 litre	82,981 %	932,3249 litre	O
310	CM	75	CM 115 LEVEL CM	4506,6905 litre	82,267 %	971,4617 litre	O
310	CM	75	CM 114 LEVEL CM	4467,1627 litre	81,545 %	1010,9895 litre	O
310	CM	75	CM 113 LEVEL CM	4427,2574 litre	80,817 %	1050,8948 litre	O
310	CM	75	CM 112 LEVEL CM	4386,9878 litre	80,082 %	1091,1644 litre	O
310	CM	75	CM 111 LEVEL CM	4346,3665 litre	79,340 %	1131,7857 litre	O
310	CM	75	CM 110 LEVEL CM	4305,4059 litre	78,592 %	1172,7463 litre	O
310	CM	75	CM 109 LEVEL CM	4264,1182 litre	77,839 %	1214,0340 litre	O
310	CM	75	CM 108 LEVEL CM	4222,5151 litre	77,079 %	1255,6371 litre	O
310	CM	75	CM 107 LEVEL CM	4180,6082 litre	76,314 %	1297,5440 litre	O
310	CM	75	CM 106 LEVEL CM	4138,4088 litre	75,544 %	1339,7434 litre	O
310	CM	75	CM 105 LEVEL CM	4095,9279 litre	74,768 %	1382,2243 litre	O
310	CM	75	CM 104 LEVEL CM	4053,1764 litre	73,988 %	1424,9758 litre	O
310	CM	75	CM 103 LEVEL CM	4010,1650 litre	73,203 %	1467,9872 litre	O
310	CM	75	CM 102 LEVEL CM	3966,9040 litre	72,413 %	1511,2482 litre	O
310	CM	75	CM 101 LEVEL CM	3923,4038 litre	71,619 %	1554,7484 litre	O
310	CM	75	CM 100 LEVEL CM	3879,6745 litre	70,821 %	1598,4777 litre	O
310	CM	75	CM 99 LEVEL CM	3835,7259 litre	70,019 %	1642,4263 litre	O

310	CM	75	CM	98 LEVEL CM	3791,5679 litre	69,213 %	1686,5843 litre	O
310	CM	75	CM	97 LEVEL CM	3747,2101 litre	68,403 %	1730,9421 litre	O
310	CM	75	CM	96 LEVEL CM	3702,6621 litre	67,590 %	1775,4901 litre	O
310	CM	75	CM	95 LEVEL CM	3657,9332 litre	66,773 %	1820,2190 litre	O
310	CM	75	CM	94 LEVEL CM	3613,0328 litre	65,953 %	1865,1194 litre	O
310	CM	75	CM	93 LEVEL CM	3567,9700 litre	65,131 %	1910,1822 litre	O
310	CM	75	CM	92 LEVEL CM	3522,7539 litre	64,306 %	1955,3983 litre	O
310	CM	75	CM	91 LEVEL CM	3477,3936 litre	63,477 %	2000,7586 litre	O
310	CM	75	CM	90 LEVEL CM	3431,8978 litre	62,647 %	2046,2544 litre	O
310	CM	75	CM	89 LEVEL CM	3386,2755 litre	61,814 %	2091,8767 litre	O
310	CM	75	CM	88 LEVEL CM	3340,5353 litre	60,979 %	2137,6169 litre	O
310	CM	75	CM	87 LEVEL CM	3294,6861 litre	60,142 %	2183,4661 litre	O
310	CM	75	CM	86 LEVEL CM	3248,7363 litre	59,304 %	2229,4159 litre	O
310	CM	75	CM	85 LEVEL CM	3202,6946 litre	58,463 %	2275,4576 litre	O
310	CM	75	CM	84 LEVEL CM	3156,5695 litre	57,621 %	2321,5827 litre	O
310	CM	75	CM	83 LEVEL CM	3110,3695 litre	56,778 %	2367,7827 litre	O
310	CM	75	CM	82 LEVEL CM	3064,1029 litre	55,933 %	2414,0493 litre	O
310	CM	75	CM	81 LEVEL CM	3017,7782 litre	55,088 %	2460,3740 litre	O
310	CM	75	CM	80 LEVEL CM	2971,4038 litre	54,241 %	2506,7484 litre	O
310	CM	75	CM	79 LEVEL CM	2924,9879 litre	53,394 %	2553,1643 litre	O
310	CM	75	CM	78 LEVEL CM	2878,5389 litre	52,546 %	2599,6133 litre	O
310	CM	75	CM	77 LEVEL CM	2832,0651 litre	51,697 %	2646,0871 litre	O
310	CM	75	CM	76 LEVEL CM	2785,5747 litre	50,849 %	2692,5775 litre	O
310	CM	75	CM	75 LEVEL CM	2739,0761 litre	50,000 %	2739,0761 litre	O
310	CM	75	CM	74 LEVEL CM	2692,5775 litre	49,151 %	2785,5747 litre	O
310	CM	75	CM	73 LEVEL CM	2646,0871 litre	48,303 %	2832,0651 litre	O
310	CM	75	CM	72 LEVEL CM	2599,6133 litre	47,454 %	2878,5389 litre	O
310	CM	75	CM	71 LEVEL CM	2553,1643 litre	46,606 %	2924,9879 litre	O
310	CM	75	CM	70 LEVEL CM	2506,7484 litre	45,759 %	2971,4038 litre	O
310	CM	75	CM	69 LEVEL CM	2460,3740 litre	44,912 %	3017,7782 litre	O
310	CM	75	CM	68 LEVEL CM	2414,0493 litre	44,067 %	3064,1029 litre	O
310	CM	75	CM	67 LEVEL CM	2367,7827 litre	43,222 %	3110,3695 litre	O
310	CM	75	CM	66 LEVEL CM	2321,5827 litre	42,379 %	3156,5695 litre	O
310	CM	75	CM	65 LEVEL CM	2275,4576 litre	41,537 %	3202,6946 litre	O
310	CM	75	CM	64 LEVEL CM	2229,4159 litre	40,696 %	3248,7363 litre	O
310	CM	75	CM	63 LEVEL CM	2183,4661 litre	39,858 %	3294,6861 litre	O
310	CM	75	CM	62 LEVEL CM	2137,6169 litre	39,021 %	3340,5353 litre	O
310	CM	75	CM	61 LEVEL CM	2091,8767 litre	38,186 %	3386,2755 litre	O
310	CM	75	CM	60 LEVEL CM	2046,2544 litre	37,353 %	3431,8978 litre	O
310	CM	75	CM	59 LEVEL CM	2000,7586 litre	36,523 %	3477,3936 litre	O
310	CM	75	CM	58 LEVEL CM	1955,3983 litre	35,694 %	3522,7539 litre	O
310	CM	75	CM	57 LEVEL CM	1910,1822 litre	34,869 %	3567,9700 litre	O
310	CM	75	CM	56 LEVEL CM	1865,1194 litre	34,047 %	3613,0328 litre	O
310	CM	75	CM	55 LEVEL CM	1820,2190 litre	33,227 %	3657,9332 litre	O
310	CM	75	CM	54 LEVEL CM	1775,4901 litre	32,410 %	3702,6621 litre	O
310	CM	75	CM	53 LEVEL CM	1730,9421 litre	31,597 %	3747,2101 litre	O
310	CM	75	CM	52 LEVEL CM	1686,5843 litre	30,787 %	3791,5679 litre	O
310	CM	75	CM	51 LEVEL CM	1642,4263 litre	29,981 %	3835,7259 litre	O
310	CM	75	CM	50 LEVEL CM	1598,4777 litre	29,179 %	3879,6745 litre	O
310	CM	75	CM	49 LEVEL CM	1554,7484 litre	28,381 %	3923,4038 litre	O
310	CM	75	CM	48 LEVEL CM	1511,2481 litre	27,587 %	3966,9041 litre	O
310	CM	75	CM	47 LEVEL CM	1467,9872 litre	26,797 %	4010,1650 litre	O
310	CM	75	CM	46 LEVEL CM	1424,9758 litre	26,012 %	4053,1764 litre	O

310	CM	75	CM	45 LEVEL CM	1382,2243 litre	25,232 %	4095,9279 litre	O
310	CM	75	CM	44 LEVEL CM	1339,7434 litre	24,456 %	4138,4088 litre	O
310	CM	75	CM	43 LEVEL CM	1297,5440 litre	23,686 %	4180,6082 litre	O
310	CM	75	CM	42 LEVEL CM	1255,6371 litre	22,921 %	4222,5151 litre	O
310	CM	75	CM	41 LEVEL CM	1214,0340 litre	22,161 %	4264,1182 litre	O
310	CM	75	CM	40 LEVEL CM	1172,7463 litre	21,408 %	4305,4059 litre	O
310	CM	75	CM	39 LEVEL CM	1131,7857 litre	20,660 %	4346,3665 litre	O
310	CM	75	CM	38 LEVEL CM	1091,1644 litre	19,918 %	4386,9878 litre	O
310	CM	75	CM	37 LEVEL CM	1050,8948 litre	19,183 %	4427,2574 litre	O
310	CM	75	CM	36 LEVEL CM	1010,9895 litre	18,455 %	4467,1627 litre	O
310	CM	75	CM	35 LEVEL CM	971,4617 litre	17,733 %	4506,6905 litre	O
310	CM	75	CM	34 LEVEL CM	932,3249 litre	17,019 %	4545,8273 litre	O
310	CM	75	CM	33 LEVEL CM	893,5928 litre	16,312 %	4584,5594 litre	O
310	CM	75	CM	32 LEVEL CM	855,2799 litre	15,613 %	4622,8723 litre	O
310	CM	75	CM	31 LEVEL CM	817,4009 litre	14,921 %	4660,7513 litre	O
310	CM	75	CM	30 LEVEL CM	779,9710 litre	14,238 %	4698,1812 litre	O
310	CM	75	CM	29 LEVEL CM	743,0063 litre	13,563 %	4735,1459 litre	O
310	CM	75	CM	28 LEVEL CM	706,5230 litre	12,897 %	4771,6292 litre	O
310	CM	75	CM	27 LEVEL CM	670,5383 litre	12,240 %	4807,6139 litre	O
310	CM	75	CM	26 LEVEL CM	635,0702 litre	11,593 %	4843,0820 litre	O
310	CM	75	CM	25 LEVEL CM	600,1372 litre	10,955 %	4878,0150 litre	O
310	CM	75	CM	24 LEVEL CM	565,7587 litre	10,328 %	4912,3935 litre	O
310	CM	75	CM	23 LEVEL CM	531,9554 litre	9,710 %	4946,1968 litre	O
310	CM	75	CM	22 LEVEL CM	498,7487 litre	9,104 %	4979,4035 litre	O
310	CM	75	CM	21 LEVEL CM	466,1614 litre	8,509 %	5011,9908 litre	O
310	CM	75	CM	20 LEVEL CM	434,2174 litre	7,926 %	5043,9348 litre	O
310	CM	75	CM	19 LEVEL CM	402,9423 litre	7,355 %	5075,2099 litre	O
310	CM	75	CM	18 LEVEL CM	372,3633 litre	6,797 %	5105,7889 litre	O
310	CM	75	CM	17 LEVEL CM	342,5095 litre	6,252 %	5135,6427 litre	O
310	CM	75	CM	16 LEVEL CM	313,4122 litre	5,721 %	5164,7400 litre	O
310	CM	75	CM	15 LEVEL CM	285,1051 litre	5,204 %	5193,0471 litre	O
310	CM	75	CM	14 LEVEL CM	257,6249 litre	4,703 %	5220,5273 litre	O
310	CM	75	CM	13 LEVEL CM	231,0119 litre	4,217 %	5247,1403 litre	O
310	CM	75	CM	12 LEVEL CM	205,3100 litre	3,748 %	5272,8422 litre	O
310	CM	75	CM	11 LEVEL CM	180,5686 litre	3,296 %	5297,5836 litre	O
310	CM	75	CM	10 LEVEL CM	156,8425 litre	2,863 %	5321,3097 litre	O
310	CM	75	CM	9 LEVEL CM	134,1943 litre	2,450 %	5343,9579 litre	O
310	CM	75	CM	8 LEVEL CM	112,6957 litre	2,057 %	5365,4565 litre	O
310	CM	75	CM	7 LEVEL CM	92,4310 litre	1,687 %	5385,7212 litre	O
310	CM	75	CM	6 LEVEL CM	73,5007 litre	1,342 %	5404,6515 litre	O
310	CM	75	CM	5 LEVEL CM	56,0286 litre	1,023 %	5422,1236 litre	O
310	CM	75	CM	4 LEVEL CM	40,1727 litre	0,733 %	5437,9795 litre	O
310	CM	75	CM	3 LEVEL CM	26,1460 litre	0,477 %	5452,0062 litre	O
310	CM	75	CM	2 LEVEL CM	14,2609 litre	0,260 %	5463,8913 litre	O
310	CM	75	CM	1 LEVEL CM	5,0521 litre	0,092 %	5473,1001 litre	O
310	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	5478,1522 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM 70	CM 140 LEVEL CM	4772,0792 litre	100,000 %	0,0000 litre	O
310	CM 70	CM 139 LEVEL CM	4767,1991 litre	99,898 %	4,8801 litre	O
310	CM 70	CM 138 LEVEL CM	4758,3059 litre	99,711 %	13,7733 litre	O
310	CM 70	CM 137 LEVEL CM	4746,8308 litre	99,471 %	25,2484 litre	O
310	CM 70	CM 136 LEVEL CM	4733,2913 litre	99,187 %	38,7879 litre	O
310	CM 70	CM 135 LEVEL CM	4717,9900 litre	98,867 %	54,0892 litre	O
310	CM 70	CM 134 LEVEL CM	4701,1333 litre	98,513 %	70,9459 litre	O
310	CM 70	CM 133 LEVEL CM	4682,8746 litre	98,131 %	89,2046 litre	O
310	CM 70	CM 132 LEVEL CM	4663,3339 litre	97,721 %	108,7453 litre	O
310	CM 70	CM 131 LEVEL CM	4642,6089 litre	97,287 %	129,4703 litre	O
310	CM 70	CM 130 LEVEL CM	4620,7816 litre	96,830 %	151,2976 litre	O
310	CM 70	CM 129 LEVEL CM	4597,9218 litre	96,350 %	174,1574 litre	O
310	CM 70	CM 128 LEVEL CM	4574,0902 litre	95,851 %	197,9890 litre	O
310	CM 70	CM 127 LEVEL CM	4549,3407 litre	95,332 %	222,7385 litre	O
310	CM 70	CM 126 LEVEL CM	4523,7211 litre	94,796 %	248,3581 litre	O
310	CM 70	CM 125 LEVEL CM	4497,2744 litre	94,241 %	274,8048 litre	O
310	CM 70	CM 124 LEVEL CM	4470,0400 litre	93,671 %	302,0392 litre	O
310	CM 70	CM 123 LEVEL CM	4442,0536 litre	93,084 %	330,0256 litre	O
310	CM 70	CM 122 LEVEL CM	4413,3485 litre	92,483 %	358,7307 litre	O
310	CM 70	CM 121 LEVEL CM	4383,9552 litre	91,867 %	388,1240 litre	O
310	CM 70	CM 120 LEVEL CM	4353,9023 litre	91,237 %	418,1769 litre	O
310	CM 70	CM 119 LEVEL CM	4323,2165 litre	90,594 %	448,8627 litre	O
310	CM 70	CM 118 LEVEL CM	4291,9228 litre	89,938 %	480,1564 litre	O
310	CM 70	CM 117 LEVEL CM	4260,0450 litre	89,270 %	512,0342 litre	O
310	CM 70	CM 116 LEVEL CM	4227,6053 litre	88,590 %	544,4739 litre	O
310	CM 70	CM 115 LEVEL CM	4194,6250 litre	87,899 %	577,4542 litre	O
310	CM 70	CM 114 LEVEL CM	4161,1243 litre	87,197 %	610,9549 litre	O
310	CM 70	CM 113 LEVEL CM	4127,1224 litre	86,485 %	644,9568 litre	O
310	CM 70	CM 112 LEVEL CM	4092,6378 litre	85,762 %	679,4414 litre	O
310	CM 70	CM 111 LEVEL CM	4057,6882 litre	85,030 %	714,3910 litre	O
310	CM 70	CM 110 LEVEL CM	4022,2904 litre	84,288 %	749,7888 litre	O
310	CM 70	CM 109 LEVEL CM	3986,4609 litre	83,537 %	785,6183 litre	O
310	CM 70	CM 108 LEVEL CM	3950,2154 litre	82,778 %	821,8638 litre	O
310	CM 70	CM 107 LEVEL CM	3913,5691 litre	82,010 %	858,5101 litre	O
310	CM 70	CM 106 LEVEL CM	3876,5367 litre	81,234 %	895,5425 litre	O
310	CM 70	CM 105 LEVEL CM	3839,1325 litre	80,450 %	932,9467 litre	O
310	CM 70	CM 104 LEVEL CM	3801,3702 litre	79,659 %	970,7090 litre	O
310	CM 70	CM 103 LEVEL CM	3763,2635 litre	78,860 %	1008,8157 litre	O
310	CM 70	CM 102 LEVEL CM	3724,8252 litre	78,055 %	1047,2540 litre	O
310	CM 70	CM 101 LEVEL CM	3686,0683 litre	77,242 %	1086,0109 litre	O
310	CM 70	CM 100 LEVEL CM	3647,0051 litre	76,424 %	1125,0741 litre	O
310	CM 70	CM 99 LEVEL CM	3607,6478 litre	75,599 %	1164,4314 litre	O
310	CM 70	CM 98 LEVEL CM	3568,0083 litre	74,768 %	1204,0709 litre	O
310	CM 70	CM 97 LEVEL CM	3528,0982 litre	73,932 %	1243,9810 litre	O
310	CM 70	CM 96 LEVEL CM	3487,9288 litre	73,090 %	1284,1504 litre	O
310	CM 70	CM 95 LEVEL CM	3447,5114 litre	72,243 %	1324,5678 litre	O
310	CM 70	CM 94 LEVEL CM	3406,8569 litre	71,391 %	1365,2223 litre	O
310	CM 70	CM 93 LEVEL CM	3365,9761 litre	70,535 %	1406,1031 litre	O
310	CM 70	CM 92 LEVEL CM	3324,8796 litre	69,674 %	1447,1996 litre	O
310	CM 70	CM 91 LEVEL CM	3283,5779 litre	68,808 %	1488,5013 litre	O
310	CM 70	CM 90 LEVEL CM	3242,0811 litre	67,939 %	1529,9981 litre	O
310	CM 70	CM 89 LEVEL CM	3200,3995 litre	67,065 %	1571,6797 litre	O

310	CM	70	CM	88 LEVEL CM	3158,5430 litre	66,188 %	1613,5362 litre	O
310	CM	70	CM	87 LEVEL CM	3116,5215 litre	65,307 %	1655,5577 litre	O
310	CM	70	CM	86 LEVEL CM	3074,3449 litre	64,424 %	1697,7343 litre	O
310	CM	70	CM	85 LEVEL CM	3032,0226 litre	63,537 %	1740,0566 litre	O
310	CM	70	CM	84 LEVEL CM	2989,5643 litre	62,647 %	1782,5149 litre	O
310	CM	70	CM	83 LEVEL CM	2946,9794 litre	61,755 %	1825,0998 litre	O
310	CM	70	CM	82 LEVEL CM	2904,2774 litre	60,860 %	1867,8018 litre	O
310	CM	70	CM	81 LEVEL CM	2861,4675 litre	59,963 %	1910,6117 litre	O
310	CM	70	CM	80 LEVEL CM	2818,5589 litre	59,064 %	1953,5203 litre	O
310	CM	70	CM	79 LEVEL CM	2775,5608 litre	58,163 %	1996,5184 litre	O
310	CM	70	CM	78 LEVEL CM	2732,4823 litre	57,260 %	2039,5969 litre	O
310	CM	70	CM	77 LEVEL CM	2689,3325 litre	56,356 %	2082,7467 litre	O
310	CM	70	CM	76 LEVEL CM	2646,1204 litre	55,450 %	2125,9588 litre	O
310	CM	70	CM	75 LEVEL CM	2602,8550 litre	54,543 %	2169,2242 litre	O
310	CM	70	CM	74 LEVEL CM	2559,5451 litre	53,636 %	2212,5341 litre	O
310	CM	70	CM	73 LEVEL CM	2516,1998 litre	52,728 %	2255,8794 litre	O
310	CM	70	CM	72 LEVEL CM	2472,8278 litre	51,819 %	2299,2514 litre	O
310	CM	70	CM	71 LEVEL CM	2429,4381 litre	50,909 %	2342,6411 litre	O
310	CM	70	CM	70 LEVEL CM	2386,0396 litre	50,000 %	2386,0396 litre	O
310	CM	70	CM	69 LEVEL CM	2342,6411 litre	49,091 %	2429,4381 litre	O
310	CM	70	CM	68 LEVEL CM	2299,2514 litre	48,181 %	2472,8278 litre	O
310	CM	70	CM	67 LEVEL CM	2255,8795 litre	47,272 %	2516,1997 litre	O
310	CM	70	CM	66 LEVEL CM	2212,5341 litre	46,364 %	2559,5451 litre	O
310	CM	70	CM	65 LEVEL CM	2169,2243 litre	45,457 %	2602,8549 litre	O
310	CM	70	CM	64 LEVEL CM	2125,9588 litre	44,550 %	2646,1204 litre	O
310	CM	70	CM	63 LEVEL CM	2082,7467 litre	43,644 %	2689,3325 litre	O
310	CM	70	CM	62 LEVEL CM	2039,5969 litre	42,740 %	2732,4823 litre	O
310	CM	70	CM	61 LEVEL CM	1996,5184 litre	41,837 %	2775,5608 litre	O
310	CM	70	CM	60 LEVEL CM	1953,5204 litre	40,936 %	2818,5588 litre	O
310	CM	70	CM	59 LEVEL CM	1910,6118 litre	40,037 %	2861,4674 litre	O
310	CM	70	CM	58 LEVEL CM	1867,8018 litre	39,140 %	2904,2774 litre	O
310	CM	70	CM	57 LEVEL CM	1825,0998 litre	38,245 %	2946,9794 litre	O
310	CM	70	CM	56 LEVEL CM	1782,5149 litre	37,353 %	2989,5643 litre	O
310	CM	70	CM	55 LEVEL CM	1740,0567 litre	36,463 %	3032,0225 litre	O
310	CM	70	CM	54 LEVEL CM	1697,7344 litre	35,576 %	3074,3448 litre	O
310	CM	70	CM	53 LEVEL CM	1655,5577 litre	34,693 %	3116,5215 litre	O
310	CM	70	CM	52 LEVEL CM	1613,5362 litre	33,812 %	3158,5430 litre	O
310	CM	70	CM	51 LEVEL CM	1571,6798 litre	32,935 %	3200,3994 litre	O
310	CM	70	CM	50 LEVEL CM	1529,9981 litre	32,061 %	3242,0811 litre	O
310	CM	70	CM	49 LEVEL CM	1488,5014 litre	31,192 %	3283,5778 litre	O
310	CM	70	CM	48 LEVEL CM	1447,1996 litre	30,326 %	3324,8796 litre	O
310	CM	70	CM	47 LEVEL CM	1406,1031 litre	29,465 %	3365,9761 litre	O
310	CM	70	CM	46 LEVEL CM	1365,2223 litre	28,609 %	3406,8569 litre	O
310	CM	70	CM	45 LEVEL CM	1324,5678 litre	27,757 %	3447,5114 litre	O
310	CM	70	CM	44 LEVEL CM	1284,1504 litre	26,910 %	3487,9288 litre	O
310	CM	70	CM	43 LEVEL CM	1243,9811 litre	26,068 %	3528,0981 litre	O
310	CM	70	CM	42 LEVEL CM	1204,0709 litre	25,232 %	3568,0083 litre	O
310	CM	70	CM	41 LEVEL CM	1164,4314 litre	24,401 %	3607,6478 litre	O
310	CM	70	CM	40 LEVEL CM	1125,0741 litre	23,576 %	3647,0051 litre	O
310	CM	70	CM	39 LEVEL CM	1086,0109 litre	22,758 %	3686,0683 litre	O
310	CM	70	CM	38 LEVEL CM	1047,2540 litre	21,945 %	3724,8252 litre	O
310	CM	70	CM	37 LEVEL CM	1008,8158 litre	21,140 %	3763,2634 litre	O
310	CM	70	CM	36 LEVEL CM	970,7090 litre	20,341 %	3801,3702 litre	O

310	CM	70	CM	35 LEVEL CM	932,9468 litre	19,550 %	3839,1324 litre	O
310	CM	70	CM	34 LEVEL CM	895,5426 litre	18,766 %	3876,5366 litre	O
310	CM	70	CM	33 LEVEL CM	858,5101 litre	17,990 %	3913,5691 litre	O
310	CM	70	CM	32 LEVEL CM	821,8638 litre	17,222 %	3950,2154 litre	O
310	CM	70	CM	31 LEVEL CM	785,6183 litre	16,463 %	3986,4609 litre	O
310	CM	70	CM	30 LEVEL CM	749,7888 litre	15,712 %	4022,2904 litre	O
310	CM	70	CM	29 LEVEL CM	714,3911 litre	14,970 %	4057,6881 litre	O
310	CM	70	CM	28 LEVEL CM	679,4414 litre	14,238 %	4092,6378 litre	O
310	CM	70	CM	27 LEVEL CM	644,9568 litre	13,515 %	4127,1224 litre	O
310	CM	70	CM	26 LEVEL CM	610,9550 litre	12,803 %	4161,1242 litre	O
310	CM	70	CM	25 LEVEL CM	577,4543 litre	12,101 %	4194,6249 litre	O
310	CM	70	CM	24 LEVEL CM	544,4740 litre	11,410 %	4227,6052 litre	O
310	CM	70	CM	23 LEVEL CM	512,0343 litre	10,730 %	4260,0449 litre	O
310	CM	70	CM	22 LEVEL CM	480,1564 litre	10,062 %	4291,9228 litre	O
310	CM	70	CM	21 LEVEL CM	448,8627 litre	9,406 %	4323,2165 litre	O
310	CM	70	CM	20 LEVEL CM	418,1769 litre	8,763 %	4353,9023 litre	O
310	CM	70	CM	19 LEVEL CM	388,1240 litre	8,133 %	4383,9552 litre	O
310	CM	70	CM	18 LEVEL CM	358,7307 litre	7,517 %	4413,3485 litre	O
310	CM	70	CM	17 LEVEL CM	330,0256 litre	6,916 %	4442,0536 litre	O
310	CM	70	CM	16 LEVEL CM	302,0393 litre	6,329 %	4470,0399 litre	O
310	CM	70	CM	15 LEVEL CM	274,8048 litre	5,759 %	4497,2744 litre	O
310	CM	70	CM	14 LEVEL CM	248,3582 litre	5,204 %	4523,7210 litre	O
310	CM	70	CM	13 LEVEL CM	222,7385 litre	4,668 %	4549,3407 litre	O
310	CM	70	CM	12 LEVEL CM	197,9890 litre	4,149 %	4574,0902 litre	O
310	CM	70	CM	11 LEVEL CM	174,1575 litre	3,650 %	4597,9217 litre	O
310	CM	70	CM	10 LEVEL CM	151,2976 litre	3,170 %	4620,7816 litre	O
310	CM	70	CM	9 LEVEL CM	129,4703 litre	2,713 %	4642,6089 litre	O
310	CM	70	CM	8 LEVEL CM	108,7454 litre	2,279 %	4663,3338 litre	O
310	CM	70	CM	7 LEVEL CM	89,2047 litre	1,869 %	4682,8745 litre	O
310	CM	70	CM	6 LEVEL CM	70,9459 litre	1,487 %	4701,1333 litre	O
310	CM	70	CM	5 LEVEL CM	54,0892 litre	1,133 %	4717,9900 litre	O
310	CM	70	CM	4 LEVEL CM	38,7879 litre	0,813 %	4733,2913 litre	O
310	CM	70	CM	3 LEVEL CM	25,2484 litre	0,529 %	4746,8308 litre	O
310	CM	70	CM	2 LEVEL CM	13,7733 litre	0,289 %	4758,3059 litre	O
310	CM	70	CM	1 LEVEL CM	4,8801 litre	0,102 %	4767,1991 litre	O
310	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	4772,0792 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
310	CM 65	CM 130 LEVEL CM	4114,7010 litre	100,000 %	0,0000 litre O
310	CM 65	CM 129 LEVEL CM	4109,9991 litre	99,886 %	4,7019 litre O
310	CM 65	CM 128 LEVEL CM	4101,4331 litre	99,678 %	13,2679 litre O
310	CM 65	CM 127 LEVEL CM	4090,3832 litre	99,409 %	24,3178 litre O
310	CM 65	CM 126 LEVEL CM	4077,3491 litre	99,092 %	37,3519 litre O
310	CM 65	CM 125 LEVEL CM	4062,6233 litre	98,734 %	52,0777 litre O
310	CM 65	CM 124 LEVEL CM	4046,4054 litre	98,340 %	68,2956 litre O
310	CM 65	CM 123 LEVEL CM	4028,8439 litre	97,913 %	85,8571 litre O
310	CM 65	CM 122 LEVEL CM	4010,0550 litre	97,457 %	104,6460 litre O
310	CM 65	CM 121 LEVEL CM	3990,1337 litre	96,973 %	124,5673 litre O
310	CM 65	CM 120 LEVEL CM	3969,1594 litre	96,463 %	145,5416 litre O
310	CM 65	CM 119 LEVEL CM	3947,1999 litre	95,929 %	167,5011 litre O
310	CM 65	CM 118 LEVEL CM	3924,3145 litre	95,373 %	190,3865 litre O
310	CM 65	CM 117 LEVEL CM	3900,5554 litre	94,796 %	214,1456 litre O
310	CM 65	CM 116 LEVEL CM	3875,9692 litre	94,198 %	238,7318 litre O
310	CM 65	CM 115 LEVEL CM	3850,5981 litre	93,581 %	264,1029 litre O
310	CM 65	CM 114 LEVEL CM	3824,4804 litre	92,947 %	290,2206 litre O
310	CM 65	CM 113 LEVEL CM	3797,6510 litre	92,295 %	317,0500 litre O
310	CM 65	CM 112 LEVEL CM	3770,1425 litre	91,626 %	344,5585 litre O
310	CM 65	CM 111 LEVEL CM	3741,9848 litre	90,942 %	372,7162 litre O
310	CM 65	CM 110 LEVEL CM	3713,2060 litre	90,242 %	401,4950 litre O
310	CM 65	CM 109 LEVEL CM	3683,8321 litre	89,529 %	430,8689 litre O
310	CM 65	CM 108 LEVEL CM	3653,8880 litre	88,801 %	460,8130 litre O
310	CM 65	CM 107 LEVEL CM	3623,3968 litre	88,060 %	491,3042 litre O
310	CM 65	CM 106 LEVEL CM	3592,3807 litre	87,306 %	522,3203 litre O
310	CM 65	CM 105 LEVEL CM	3560,8604 litre	86,540 %	553,8406 litre O
310	CM 65	CM 104 LEVEL CM	3528,8561 litre	85,762 %	585,8449 litre O
310	CM 65	CM 103 LEVEL CM	3496,3866 litre	84,973 %	618,3144 litre O
310	CM 65	CM 102 LEVEL CM	3463,4704 litre	84,173 %	651,2306 litre O
310	CM 65	CM 101 LEVEL CM	3430,1248 litre	83,363 %	684,5762 litre O
310	CM 65	CM 100 LEVEL CM	3396,3668 litre	82,542 %	718,3342 litre O
310	CM 65	CM 99 LEVEL CM	3362,2125 litre	81,712 %	752,4885 litre O
310	CM 65	CM 98 LEVEL CM	3327,6777 litre	80,873 %	787,0233 litre O
310	CM 65	CM 97 LEVEL CM	3292,7775 litre	80,025 %	821,9235 litre O
310	CM 65	CM 96 LEVEL CM	3257,5266 litre	79,168 %	857,1744 litre O
310	CM 65	CM 95 LEVEL CM	3221,9392 litre	78,303 %	892,7618 litre O
310	CM 65	CM 94 LEVEL CM	3186,0293 litre	77,430 %	928,6717 litre O
310	CM 65	CM 93 LEVEL CM	3149,8102 litre	76,550 %	964,8908 litre O
310	CM 65	CM 92 LEVEL CM	3113,2951 litre	75,663 %	1001,4059 litre O
310	CM 65	CM 91 LEVEL CM	3076,4970 litre	74,768 %	1038,2040 litre O
310	CM 65	CM 90 LEVEL CM	3039,4282 litre	73,868 %	1075,2728 litre O
310	CM 65	CM 89 LEVEL CM	3002,1010 litre	72,960 %	1112,6000 litre O
310	CM 65	CM 88 LEVEL CM	2964,5275 litre	72,047 %	1150,1735 litre O
310	CM 65	CM 87 LEVEL CM	2926,7194 litre	71,128 %	1187,9816 litre O
310	CM 65	CM 86 LEVEL CM	2888,6883 litre	70,204 %	1226,0127 litre O
310	CM 65	CM 85 LEVEL CM	2850,4455 litre	69,275 %	1264,2555 litre O
310	CM 65	CM 84 LEVEL CM	2812,0022 litre	68,340 %	1302,6988 litre O
310	CM 65	CM 83 LEVEL CM	2773,3694 litre	67,401 %	1341,3316 litre O
310	CM 65	CM 82 LEVEL CM	2734,5579 litre	66,458 %	1380,1431 litre O
310	CM 65	CM 81 LEVEL CM	2695,5784 litre	65,511 %	1419,1226 litre O
310	CM 65	CM 80 LEVEL CM	2656,4414 litre	64,560 %	1458,2596 litre O
310	CM 65	CM 79 LEVEL CM	2617,1574 litre	63,605 %	1497,5436 litre O

310	CM	65	CM	78 LEVEL CM	2577,7366 litre	62,647 %	1536,9644 litre	O
310	CM	65	CM	77 LEVEL CM	2538,1892 litre	61,686 %	1576,5118 litre	O
310	CM	65	CM	76 LEVEL CM	2498,5254 litre	60,722 %	1616,1756 litre	O
310	CM	65	CM	75 LEVEL CM	2458,7551 litre	59,755 %	1655,9459 litre	O
310	CM	65	CM	74 LEVEL CM	2418,8882 litre	58,786 %	1695,8128 litre	O
310	CM	65	CM	73 LEVEL CM	2378,9347 litre	57,815 %	1735,7663 litre	O
310	CM	65	CM	72 LEVEL CM	2338,9043 litre	56,843 %	1775,7967 litre	O
310	CM	65	CM	71 LEVEL CM	2298,8067 litre	55,868 %	1815,8943 litre	O
310	CM	65	CM	70 LEVEL CM	2258,6516 litre	54,892 %	1856,0494 litre	O
310	CM	65	CM	69 LEVEL CM	2218,4487 litre	53,915 %	1896,2523 litre	O
310	CM	65	CM	68 LEVEL CM	2178,2076 litre	52,937 %	1936,4934 litre	O
310	CM	65	CM	67 LEVEL CM	2137,9378 litre	51,959 %	1976,7632 litre	O
310	CM	65	CM	66 LEVEL CM	2097,6489 litre	50,979 %	2017,0521 litre	O
310	CM	65	CM	65 LEVEL CM	2057,3505 litre	50,000 %	2057,3505 litre	O
310	CM	65	CM	64 LEVEL CM	2017,0521 litre	49,021 %	2097,6489 litre	O
310	CM	65	CM	63 LEVEL CM	1976,7632 litre	48,041 %	2137,9378 litre	O
310	CM	65	CM	62 LEVEL CM	1936,4934 litre	47,063 %	2178,2076 litre	O
310	CM	65	CM	61 LEVEL CM	1896,2523 litre	46,085 %	2218,4487 litre	O
310	CM	65	CM	60 LEVEL CM	1856,0494 litre	45,108 %	2258,6516 litre	O
310	CM	65	CM	59 LEVEL CM	1815,8943 litre	44,132 %	2298,8067 litre	O
310	CM	65	CM	58 LEVEL CM	1775,7967 litre	43,157 %	2338,9043 litre	O
310	CM	65	CM	57 LEVEL CM	1735,7663 litre	42,185 %	2378,9347 litre	O
310	CM	65	CM	56 LEVEL CM	1695,8128 litre	41,214 %	2418,8882 litre	O
310	CM	65	CM	55 LEVEL CM	1655,9459 litre	40,245 %	2458,7551 litre	O
310	CM	65	CM	54 LEVEL CM	1616,1756 litre	39,278 %	2498,5254 litre	O
310	CM	65	CM	53 LEVEL CM	1576,5118 litre	38,314 %	2538,1892 litre	O
310	CM	65	CM	52 LEVEL CM	1536,9644 litre	37,353 %	2577,7366 litre	O
310	CM	65	CM	51 LEVEL CM	1497,5436 litre	36,395 %	2617,1574 litre	O
310	CM	65	CM	50 LEVEL CM	1458,2596 litre	35,440 %	2656,4414 litre	O
310	CM	65	CM	49 LEVEL CM	1419,1226 litre	34,489 %	2695,5784 litre	O
310	CM	65	CM	48 LEVEL CM	1380,1431 litre	33,542 %	2734,5579 litre	O
310	CM	65	CM	47 LEVEL CM	1341,3316 litre	32,599 %	2773,3694 litre	O
310	CM	65	CM	46 LEVEL CM	1302,6987 litre	31,660 %	2812,0023 litre	O
310	CM	65	CM	45 LEVEL CM	1264,2555 litre	30,725 %	2850,4455 litre	O
310	CM	65	CM	44 LEVEL CM	1226,0127 litre	29,796 %	2888,6883 litre	O
310	CM	65	CM	43 LEVEL CM	1187,9816 litre	28,872 %	2926,7194 litre	O
310	CM	65	CM	42 LEVEL CM	1150,1735 litre	27,953 %	2964,5275 litre	O
310	CM	65	CM	41 LEVEL CM	1112,6000 litre	27,040 %	3002,1010 litre	O
310	CM	65	CM	40 LEVEL CM	1075,2728 litre	26,132 %	3039,4282 litre	O
310	CM	65	CM	39 LEVEL CM	1038,2040 litre	25,232 %	3076,4970 litre	O
310	CM	65	CM	38 LEVEL CM	1001,4058 litre	24,337 %	3113,2952 litre	O
310	CM	65	CM	37 LEVEL CM	964,8908 litre	23,450 %	3149,8102 litre	O
310	CM	65	CM	36 LEVEL CM	928,6717 litre	22,570 %	3186,0293 litre	O
310	CM	65	CM	35 LEVEL CM	892,7617 litre	21,697 %	3221,9393 litre	O
310	CM	65	CM	34 LEVEL CM	857,1744 litre	20,832 %	3257,5266 litre	O
310	CM	65	CM	33 LEVEL CM	821,9235 litre	19,975 %	3292,7775 litre	O
310	CM	65	CM	32 LEVEL CM	787,0232 litre	19,127 %	3327,6778 litre	O
310	CM	65	CM	31 LEVEL CM	752,4884 litre	18,288 %	3362,2126 litre	O
310	CM	65	CM	30 LEVEL CM	718,3342 litre	17,458 %	3396,3668 litre	O
310	CM	65	CM	29 LEVEL CM	684,5761 litre	16,637 %	3430,1249 litre	O
310	CM	65	CM	28 LEVEL CM	651,2306 litre	15,827 %	3463,4704 litre	O
310	CM	65	CM	27 LEVEL CM	618,3143 litre	15,027 %	3496,3867 litre	O
310	CM	65	CM	26 LEVEL CM	585,8449 litre	14,238 %	3528,8561 litre	O

310	CM	65	CM	25 LEVEL CM	553,8406 litre	13,460 %	3560,8604 litre	O
310	CM	65	CM	24 LEVEL CM	522,3203 litre	12,694 %	3592,3807 litre	O
310	CM	65	CM	23 LEVEL CM	491,3041 litre	11,940 %	3623,3969 litre	O
310	CM	65	CM	22 LEVEL CM	460,8130 litre	11,199 %	3653,8880 litre	O
310	CM	65	CM	21 LEVEL CM	430,8688 litre	10,471 %	3683,8322 litre	O
310	CM	65	CM	20 LEVEL CM	401,4950 litre	9,758 %	3713,2060 litre	O
310	CM	65	CM	19 LEVEL CM	372,7161 litre	9,058 %	3741,9849 litre	O
310	CM	65	CM	18 LEVEL CM	344,5585 litre	8,374 %	3770,1425 litre	O
310	CM	65	CM	17 LEVEL CM	317,0499 litre	7,705 %	3797,6511 litre	O
310	CM	65	CM	16 LEVEL CM	290,2206 litre	7,053 %	3824,4804 litre	O
310	CM	65	CM	15 LEVEL CM	264,1028 litre	6,419 %	3850,5982 litre	O
310	CM	65	CM	14 LEVEL CM	238,7317 litre	5,802 %	3875,9693 litre	O
310	CM	65	CM	13 LEVEL CM	214,1456 litre	5,204 %	3900,5554 litre	O
310	CM	65	CM	12 LEVEL CM	190,3865 litre	4,627 %	3924,3145 litre	O
310	CM	65	CM	11 LEVEL CM	167,5011 litre	4,071 %	3947,1999 litre	O
310	CM	65	CM	10 LEVEL CM	145,5416 litre	3,537 %	3969,1594 litre	O
310	CM	65	CM	9 LEVEL CM	124,5672 litre	3,027 %	3990,1338 litre	O
310	CM	65	CM	8 LEVEL CM	104,6459 litre	2,543 %	4010,0551 litre	O
310	CM	65	CM	7 LEVEL CM	85,8571 litre	2,087 %	4028,8439 litre	O
310	CM	65	CM	6 LEVEL CM	68,2956 litre	1,660 %	4046,4054 litre	O
310	CM	65	CM	5 LEVEL CM	52,0777 litre	1,266 %	4062,6233 litre	O
310	CM	65	CM	4 LEVEL CM	37,3518 litre	0,908 %	4077,3492 litre	O
310	CM	65	CM	3 LEVEL CM	24,3178 litre	0,591 %	4090,3832 litre	O
310	CM	65	CM	2 LEVEL CM	13,2679 litre	0,322 %	4101,4331 litre	O
310	CM	65	CM	1 LEVEL CM	4,7018 litre	0,114 %	4109,9992 litre	O
310	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	4114,7010 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM	60	CM 120 LEVEL CM	3506,0174 litre	100,000 %	0,0000 litre	O
310	CM	60	CM 119 LEVEL CM	3501,5009 litre	99,871 %	4,5165 litre	O
310	CM	60	CM 118 LEVEL CM	3493,2750 litre	99,637 %	12,7424 litre	O
310	CM	60	CM 117 LEVEL CM	3482,6673 litre	99,334 %	23,3501 litre	O
310	CM	60	CM 116 LEVEL CM	3470,1591 litre	98,977 %	35,8583 litre	O
310	CM	60	CM 115 LEVEL CM	3456,0322 litre	98,574 %	49,9852 litre	O
310	CM	60	CM 114 LEVEL CM	3440,4793 litre	98,131 %	65,5381 litre	O
310	CM	60	CM 113 LEVEL CM	3423,6438 litre	97,651 %	82,3736 litre	O
310	CM	60	CM 112 LEVEL CM	3405,6382 litre	97,137 %	100,3792 litre	O
310	CM	60	CM 111 LEVEL CM	3386,5543 litre	96,593 %	119,4631 litre	O
310	CM	60	CM 110 LEVEL CM	3366,4692 litre	96,020 %	139,5482 litre	O
310	CM	60	CM 109 LEVEL CM	3345,4486 litre	95,420 %	160,5688 litre	O
310	CM	60	CM 108 LEVEL CM	3323,5502 litre	94,796 %	182,4672 litre	O
310	CM	60	CM 107 LEVEL CM	3300,8246 litre	94,147 %	205,1928 litre	O
310	CM	60	CM 106 LEVEL CM	3277,3173 litre	93,477 %	228,7001 litre	O
310	CM	60	CM 105 LEVEL CM	3253,0694 litre	92,785 %	252,9480 litre	O
310	CM	60	CM 104 LEVEL CM	3228,1183 litre	92,074 %	277,8991 litre	O
310	CM	60	CM 103 LEVEL CM	3202,4981 litre	91,343 %	303,5193 litre	O
310	CM	60	CM 102 LEVEL CM	3176,2407 litre	90,594 %	329,7767 litre	O
310	CM	60	CM 101 LEVEL CM	3149,3754 litre	89,828 %	356,6420 litre	O
310	CM	60	CM 100 LEVEL CM	3121,9296 litre	89,045 %	384,0878 litre	O
310	CM	60	CM 99 LEVEL CM	3093,9292 litre	88,246 %	412,0882 litre	O
310	CM	60	CM 98 LEVEL CM	3065,3984 litre	87,432 %	440,6190 litre	O
310	CM	60	CM 97 LEVEL CM	3036,3600 litre	86,604 %	469,6574 litre	O
310	CM	60	CM 96 LEVEL CM	3006,8359 litre	85,762 %	499,1815 litre	O
310	CM	60	CM 95 LEVEL CM	2976,8468 litre	84,907 %	529,1706 litre	O
310	CM	60	CM 94 LEVEL CM	2946,4122 litre	84,039 %	559,6052 litre	O
310	CM	60	CM 93 LEVEL CM	2915,5513 litre	83,158 %	590,4661 litre	O
310	CM	60	CM 92 LEVEL CM	2884,2819 litre	82,267 %	621,7355 litre	O
310	CM	60	CM 91 LEVEL CM	2852,6216 litre	81,364 %	653,3958 litre	O
310	CM	60	CM 90 LEVEL CM	2820,5871 litre	80,450 %	685,4303 litre	O
310	CM	60	CM 89 LEVEL CM	2788,1946 litre	79,526 %	717,8228 litre	O
310	CM	60	CM 88 LEVEL CM	2755,4598 litre	78,592 %	750,5576 litre	O
310	CM	60	CM 87 LEVEL CM	2722,3978 litre	77,649 %	783,6196 litre	O
310	CM	60	CM 86 LEVEL CM	2689,0233 litre	76,697 %	816,9941 litre	O
310	CM	60	CM 85 LEVEL CM	2655,3507 litre	75,737 %	850,6667 litre	O
310	CM	60	CM 84 LEVEL CM	2621,3939 litre	74,768 %	884,6235 litre	O
310	CM	60	CM 83 LEVEL CM	2587,1664 litre	73,792 %	918,8510 litre	O
310	CM	60	CM 82 LEVEL CM	2552,6816 litre	72,809 %	953,3358 litre	O
310	CM	60	CM 81 LEVEL CM	2517,9525 litre	71,818 %	988,0649 litre	O
310	CM	60	CM 80 LEVEL CM	2482,9917 litre	70,821 %	1023,0257 litre	O
310	CM	60	CM 79 LEVEL CM	2447,8116 litre	69,817 %	1058,2058 litre	O
310	CM	60	CM 78 LEVEL CM	2412,4245 litre	68,808 %	1093,5929 litre	O
310	CM	60	CM 77 LEVEL CM	2376,8425 litre	67,793 %	1129,1749 litre	O
310	CM	60	CM 76 LEVEL CM	2341,0773 litre	66,773 %	1164,9401 litre	O
310	CM	60	CM 75 LEVEL CM	2305,1405 litre	65,748 %	1200,8769 litre	O
310	CM	60	CM 74 LEVEL CM	2269,0436 litre	64,719 %	1236,9738 litre	O
310	CM	60	CM 73 LEVEL CM	2232,7979 litre	63,685 %	1273,2195 litre	O
310	CM	60	CM 72 LEVEL CM	2196,4146 litre	62,647 %	1309,6028 litre	O
310	CM	60	CM 71 LEVEL CM	2159,9047 litre	61,606 %	1346,1127 litre	O
310	CM	60	CM 70 LEVEL CM	2123,2792 litre	60,561 %	1382,7382 litre	O
310	CM	60	CM 69 LEVEL CM	2086,5489 litre	59,513 %	1419,4685 litre	O

310	CM	60	CM	68 LEVEL CM	2049,7246 litre	58,463 %	1456,2928 litre	O
310	CM	60	CM	67 LEVEL CM	2012,8168 litre	57,410 %	1493,2006 litre	O
310	CM	60	CM	66 LEVEL CM	1975,8361 litre	56,356 %	1530,1813 litre	O
310	CM	60	CM	65 LEVEL CM	1938,7932 litre	55,299 %	1567,2242 litre	O
310	CM	60	CM	64 LEVEL CM	1901,6984 litre	54,241 %	1604,3190 litre	O
310	CM	60	CM	63 LEVEL CM	1864,5622 litre	53,182 %	1641,4552 litre	O
310	CM	60	CM	62 LEVEL CM	1827,3949 litre	52,122 %	1678,6225 litre	O
310	CM	60	CM	61 LEVEL CM	1790,2070 litre	51,061 %	1715,8104 litre	O
310	CM	60	CM	60 LEVEL CM	1753,0087 litre	50,000 %	1753,0087 litre	O
310	CM	60	CM	59 LEVEL CM	1715,8104 litre	48,939 %	1790,2070 litre	O
310	CM	60	CM	58 LEVEL CM	1678,6225 litre	47,878 %	1827,3949 litre	O
310	CM	60	CM	57 LEVEL CM	1641,4552 litre	46,818 %	1864,5622 litre	O
310	CM	60	CM	56 LEVEL CM	1604,3190 litre	45,759 %	1901,6984 litre	O
310	CM	60	CM	55 LEVEL CM	1567,2242 litre	44,701 %	1938,7932 litre	O
310	CM	60	CM	54 LEVEL CM	1530,1813 litre	43,644 %	1975,8361 litre	O
310	CM	60	CM	53 LEVEL CM	1493,2006 litre	42,590 %	2012,8168 litre	O
310	CM	60	CM	52 LEVEL CM	1456,2928 litre	41,537 %	2049,7246 litre	O
310	CM	60	CM	51 LEVEL CM	1419,4685 litre	40,487 %	2086,5489 litre	O
310	CM	60	CM	50 LEVEL CM	1382,7382 litre	39,439 %	2123,2792 litre	O
310	CM	60	CM	49 LEVEL CM	1346,1127 litre	38,394 %	2159,9047 litre	O
310	CM	60	CM	48 LEVEL CM	1309,6028 litre	37,353 %	2196,4146 litre	O
310	CM	60	CM	47 LEVEL CM	1273,2195 litre	36,315 %	2232,7979 litre	O
310	CM	60	CM	46 LEVEL CM	1236,9738 litre	35,281 %	2269,0436 litre	O
310	CM	60	CM	45 LEVEL CM	1200,8769 litre	34,252 %	2305,1405 litre	O
310	CM	60	CM	44 LEVEL CM	1164,9401 litre	33,227 %	2341,0773 litre	O
310	CM	60	CM	43 LEVEL CM	1129,1749 litre	32,207 %	2376,8425 litre	O
310	CM	60	CM	42 LEVEL CM	1093,5929 litre	31,192 %	2412,4245 litre	O
310	CM	60	CM	41 LEVEL CM	1058,2058 litre	30,183 %	2447,8116 litre	O
310	CM	60	CM	40 LEVEL CM	1023,0257 litre	29,179 %	2482,9917 litre	O
310	CM	60	CM	39 LEVEL CM	988,0649 litre	28,182 %	2517,9525 litre	O
310	CM	60	CM	38 LEVEL CM	953,3358 litre	27,191 %	2552,6816 litre	O
310	CM	60	CM	37 LEVEL CM	918,8510 litre	26,208 %	2587,1664 litre	O
310	CM	60	CM	36 LEVEL CM	884,6235 litre	25,232 %	2621,3939 litre	O
310	CM	60	CM	35 LEVEL CM	850,6667 litre	24,263 %	2655,3507 litre	O
310	CM	60	CM	34 LEVEL CM	816,9941 litre	23,303 %	2689,0233 litre	O
310	CM	60	CM	33 LEVEL CM	783,6196 litre	22,351 %	2722,3978 litre	O
310	CM	60	CM	32 LEVEL CM	750,5576 litre	21,408 %	2755,4598 litre	O
310	CM	60	CM	31 LEVEL CM	717,8228 litre	20,474 %	2788,1946 litre	O
310	CM	60	CM	30 LEVEL CM	685,4303 litre	19,550 %	2820,5871 litre	O
310	CM	60	CM	29 LEVEL CM	653,3958 litre	18,636 %	2852,6216 litre	O
310	CM	60	CM	28 LEVEL CM	621,7355 litre	17,733 %	2884,2819 litre	O
310	CM	60	CM	27 LEVEL CM	590,4661 litre	16,842 %	2915,5513 litre	O
310	CM	60	CM	26 LEVEL CM	559,6052 litre	15,961 %	2946,4122 litre	O
310	CM	60	CM	25 LEVEL CM	529,1706 litre	15,093 %	2976,8468 litre	O
310	CM	60	CM	24 LEVEL CM	499,1815 litre	14,238 %	3006,8359 litre	O
310	CM	60	CM	23 LEVEL CM	469,6574 litre	13,396 %	3036,3600 litre	O
310	CM	60	CM	22 LEVEL CM	440,6190 litre	12,568 %	3065,3984 litre	O
310	CM	60	CM	21 LEVEL CM	412,0882 litre	11,754 %	3093,9292 litre	O
310	CM	60	CM	20 LEVEL CM	384,0878 litre	10,955 %	3121,9296 litre	O
310	CM	60	CM	19 LEVEL CM	356,6420 litre	10,172 %	3149,3754 litre	O
310	CM	60	CM	18 LEVEL CM	329,7767 litre	9,406 %	3176,2407 litre	O
310	CM	60	CM	17 LEVEL CM	303,5193 litre	8,657 %	3202,4981 litre	O
310	CM	60	CM	16 LEVEL CM	277,8991 litre	7,926 %	3228,1183 litre	O

310	CM	60	CM	15 LEVEL CM	252,9480 litre	7,215 %	3253,0694 litre	O
310	CM	60	CM	14 LEVEL CM	228,7001 litre	6,523 %	3277,3173 litre	O
310	CM	60	CM	13 LEVEL CM	205,1928 litre	5,853 %	3300,8246 litre	O
310	CM	60	CM	12 LEVEL CM	182,4672 litre	5,204 %	3323,5502 litre	O
310	CM	60	CM	11 LEVEL CM	160,5688 litre	4,580 %	3345,4486 litre	O
310	CM	60	CM	10 LEVEL CM	139,5482 litre	3,980 %	3366,4692 litre	O
310	CM	60	CM	9 LEVEL CM	119,4631 litre	3,407 %	3386,5543 litre	O
310	CM	60	CM	8 LEVEL CM	100,3792 litre	2,863 %	3405,6382 litre	O
310	CM	60	CM	7 LEVEL CM	82,3736 litre	2,349 %	3423,6438 litre	O
310	CM	60	CM	6 LEVEL CM	65,5381 litre	1,869 %	3440,4793 litre	O
310	CM	60	CM	5 LEVEL CM	49,9852 litre	1,426 %	3456,0322 litre	O
310	CM	60	CM	4 LEVEL CM	35,8583 litre	1,023 %	3470,1591 litre	O
310	CM	60	CM	3 LEVEL CM	23,3501 litre	0,666 %	3482,6673 litre	O
310	CM	60	CM	2 LEVEL CM	12,7424 litre	0,363 %	3493,2750 litre	O
310	CM	60	CM	1 LEVEL CM	4,5165 litre	0,129 %	3501,5009 litre	O
310	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3506,0174 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
310	CM	55	CM 110 LEVEL CM	2946,0285 litre	100,000 %	0,0000 litre	O
310	CM	55	CM 109 LEVEL CM	2941,7053 litre	99,853 %	4,3232 litre	O
310	CM	55	CM 108 LEVEL CM	2933,8342 litre	99,586 %	12,1943 litre	O
310	CM	55	CM 107 LEVEL CM	2923,6880 litre	99,242 %	22,3405 litre	O
310	CM	55	CM 106 LEVEL CM	2911,7287 litre	98,836 %	34,2998 litre	O
310	CM	55	CM 105 LEVEL CM	2898,2273 litre	98,377 %	47,8012 litre	O
310	CM	55	CM 104 LEVEL CM	2883,3691 litre	97,873 %	62,6594 litre	O
310	CM	55	CM 103 LEVEL CM	2867,2924 litre	97,327 %	78,7361 litre	O
310	CM	55	CM 102 LEVEL CM	2850,1057 litre	96,744 %	95,9228 litre	O
310	CM	55	CM 101 LEVEL CM	2831,8978 litre	96,126 %	114,1307 litre	O
310	CM	55	CM 100 LEVEL CM	2812,7430 litre	95,476 %	133,2855 litre	O
310	CM	55	CM 99 LEVEL CM	2792,7053 litre	94,796 %	153,3232 litre	O
310	CM	55	CM 98 LEVEL CM	2771,8405 litre	94,087 %	174,1880 litre	O
310	CM	55	CM 97 LEVEL CM	2750,1977 litre	93,353 %	195,8308 litre	O
310	CM	55	CM 96 LEVEL CM	2727,8213 litre	92,593 %	218,2072 litre	O
310	CM	55	CM 95 LEVEL CM	2704,7513 litre	91,810 %	241,2772 litre	O
310	CM	55	CM 94 LEVEL CM	2681,0240 litre	91,005 %	265,0045 litre	O
310	CM	55	CM 93 LEVEL CM	2656,6730 litre	90,178 %	289,3555 litre	O
310	CM	55	CM 92 LEVEL CM	2631,7293 litre	89,331 %	314,2992 litre	O
310	CM	55	CM 91 LEVEL CM	2606,2218 litre	88,466 %	339,8067 litre	O
310	CM	55	CM 90 LEVEL CM	2580,1773 litre	87,582 %	365,8512 litre	O
310	CM	55	CM 89 LEVEL CM	2553,6212 litre	86,680 %	392,4073 litre	O
310	CM	55	CM 88 LEVEL CM	2526,5774 litre	85,762 %	419,4511 litre	O
310	CM	55	CM 87 LEVEL CM	2499,0685 litre	84,828 %	446,9600 litre	O
310	CM	55	CM 86 LEVEL CM	2471,1161 litre	83,880 %	474,9124 litre	O
310	CM	55	CM 85 LEVEL CM	2442,7404 litre	82,916 %	503,2881 litre	O
310	CM	55	CM 84 LEVEL CM	2413,9613 litre	81,940 %	532,0672 litre	O
310	CM	55	CM 83 LEVEL CM	2384,7973 litre	80,950 %	561,2312 litre	O
310	CM	55	CM 82 LEVEL CM	2355,2666 litre	79,947 %	590,7619 litre	O
310	CM	55	CM 81 LEVEL CM	2325,3864 litre	78,933 %	620,6421 litre	O
310	CM	55	CM 80 LEVEL CM	2295,1736 litre	77,907 %	650,8549 litre	O
310	CM	55	CM 79 LEVEL CM	2264,6444 litre	76,871 %	681,3841 litre	O
310	CM	55	CM 78 LEVEL CM	2233,8144 litre	75,825 %	712,2141 litre	O
310	CM	55	CM 77 LEVEL CM	2202,6990 litre	74,768 %	743,3295 litre	O
310	CM	55	CM 76 LEVEL CM	2171,3130 litre	73,703 %	774,7155 litre	O
310	CM	55	CM 75 LEVEL CM	2139,6708 litre	72,629 %	806,3577 litre	O
310	CM	55	CM 74 LEVEL CM	2107,7865 litre	71,547 %	838,2420 litre	O
310	CM	55	CM 73 LEVEL CM	2075,6740 litre	70,457 %	870,3545 litre	O
310	CM	55	CM 72 LEVEL CM	2043,3468 litre	69,359 %	902,6817 litre	O
310	CM	55	CM 71 LEVEL CM	2010,8180 litre	68,255 %	935,2105 litre	O
310	CM	55	CM 70 LEVEL CM	1978,1007 litre	67,145 %	967,9278 litre	O
310	CM	55	CM 69 LEVEL CM	1945,2076 litre	66,028 %	1000,8209 litre	O
310	CM	55	CM 68 LEVEL CM	1912,1513 litre	64,906 %	1033,8772 litre	O
310	CM	55	CM 67 LEVEL CM	1878,9441 litre	63,779 %	1067,0844 litre	O
310	CM	55	CM 66 LEVEL CM	1845,5984 litre	62,647 %	1100,4301 litre	O
310	CM	55	CM 65 LEVEL CM	1812,1260 litre	61,511 %	1133,9025 litre	O
310	CM	55	CM 64 LEVEL CM	1778,5391 litre	60,371 %	1167,4894 litre	O
310	CM	55	CM 63 LEVEL CM	1744,8492 litre	59,227 %	1201,1793 litre	O
310	CM	55	CM 62 LEVEL CM	1711,0683 litre	58,081 %	1234,9602 litre	O
310	CM	55	CM 61 LEVEL CM	1677,2077 litre	56,931 %	1268,8208 litre	O
310	CM	55	CM 60 LEVEL CM	1643,2791 litre	55,779 %	1302,7494 litre	O
310	CM	55	CM 59 LEVEL CM	1609,2939 litre	54,626 %	1336,7346 litre	O

310	CM	55	CM	58 LEVEL CM	1575,2635 litre	53,471 %	1370,7650 litre	O
310	CM	55	CM	57 LEVEL CM	1541,1992 litre	52,314 %	1404,8293 litre	O
310	CM	55	CM	56 LEVEL CM	1507,1124 litre	51,157 %	1438,9161 litre	O
310	CM	55	CM	55 LEVEL CM	1473,0143 litre	50,000 %	1473,0142 litre	O
310	CM	55	CM	54 LEVEL CM	1438,9161 litre	48,843 %	1507,1124 litre	O
310	CM	55	CM	53 LEVEL CM	1404,8293 litre	47,686 %	1541,1992 litre	O
310	CM	55	CM	52 LEVEL CM	1370,7650 litre	46,529 %	1575,2635 litre	O
310	CM	55	CM	51 LEVEL CM	1336,7346 litre	45,374 %	1609,2939 litre	O
310	CM	55	CM	50 LEVEL CM	1302,7494 litre	44,221 %	1643,2791 litre	O
310	CM	55	CM	49 LEVEL CM	1268,8208 litre	43,069 %	1677,2077 litre	O
310	CM	55	CM	48 LEVEL CM	1234,9603 litre	41,919 %	1711,0682 litre	O
310	CM	55	CM	47 LEVEL CM	1201,1793 litre	40,773 %	1744,8492 litre	O
310	CM	55	CM	46 LEVEL CM	1167,4894 litre	39,629 %	1778,5391 litre	O
310	CM	55	CM	45 LEVEL CM	1133,9025 litre	38,489 %	1812,1260 litre	O
310	CM	55	CM	44 LEVEL CM	1100,4301 litre	37,353 %	1845,5984 litre	O
310	CM	55	CM	43 LEVEL CM	1067,0844 litre	36,221 %	1878,9441 litre	O
310	CM	55	CM	42 LEVEL CM	1033,8773 litre	35,094 %	1912,1512 litre	O
310	CM	55	CM	41 LEVEL CM	1000,8210 litre	33,972 %	1945,2075 litre	O
310	CM	55	CM	40 LEVEL CM	967,9279 litre	32,855 %	1978,1006 litre	O
310	CM	55	CM	39 LEVEL CM	935,2105 litre	31,745 %	2010,8180 litre	O
310	CM	55	CM	38 LEVEL CM	902,6818 litre	30,641 %	2043,3467 litre	O
310	CM	55	CM	37 LEVEL CM	870,3545 litre	29,543 %	2075,6740 litre	O
310	CM	55	CM	36 LEVEL CM	838,2420 litre	28,453 %	2107,7865 litre	O
310	CM	55	CM	35 LEVEL CM	806,3577 litre	27,371 %	2139,6708 litre	O
310	CM	55	CM	34 LEVEL CM	774,7155 litre	26,297 %	2171,3130 litre	O
310	CM	55	CM	33 LEVEL CM	743,3295 litre	25,232 %	2202,6990 litre	O
310	CM	55	CM	32 LEVEL CM	712,2141 litre	24,175 %	2233,8144 litre	O
310	CM	55	CM	31 LEVEL CM	681,3841 litre	23,129 %	2264,6444 litre	O
310	CM	55	CM	30 LEVEL CM	650,8549 litre	22,093 %	2295,1736 litre	O
310	CM	55	CM	29 LEVEL CM	620,6421 litre	21,067 %	2325,3864 litre	O
310	CM	55	CM	28 LEVEL CM	590,7620 litre	20,053 %	2355,2665 litre	O
310	CM	55	CM	27 LEVEL CM	561,2312 litre	19,050 %	2384,7973 litre	O
310	CM	55	CM	26 LEVEL CM	532,0672 litre	18,060 %	2413,9613 litre	O
310	CM	55	CM	25 LEVEL CM	503,2881 litre	17,084 %	2442,7404 litre	O
310	CM	55	CM	24 LEVEL CM	474,9125 litre	16,120 %	2471,1160 litre	O
310	CM	55	CM	23 LEVEL CM	446,9600 litre	15,172 %	2499,0685 litre	O
310	CM	55	CM	22 LEVEL CM	419,4511 litre	14,238 %	2526,5774 litre	O
310	CM	55	CM	21 LEVEL CM	392,4073 litre	13,320 %	2553,6212 litre	O
310	CM	55	CM	20 LEVEL CM	365,8512 litre	12,418 %	2580,1773 litre	O
310	CM	55	CM	19 LEVEL CM	339,8068 litre	11,534 %	2606,2217 litre	O
310	CM	55	CM	18 LEVEL CM	314,2992 litre	10,669 %	2631,7293 litre	O
310	CM	55	CM	17 LEVEL CM	289,3555 litre	9,822 %	2656,6730 litre	O
310	CM	55	CM	16 LEVEL CM	265,0045 litre	8,995 %	2681,0240 litre	O
310	CM	55	CM	15 LEVEL CM	241,2772 litre	8,190 %	2704,7513 litre	O
310	CM	55	CM	14 LEVEL CM	218,2072 litre	7,407 %	2727,8213 litre	O
310	CM	55	CM	13 LEVEL CM	195,8308 litre	6,647 %	2750,1977 litre	O
310	CM	55	CM	12 LEVEL CM	174,1881 litre	5,913 %	2771,8404 litre	O
310	CM	55	CM	11 LEVEL CM	153,3232 litre	5,204 %	2792,7053 litre	O
310	CM	55	CM	10 LEVEL CM	133,2855 litre	4,524 %	2812,7430 litre	O
310	CM	55	CM	9 LEVEL CM	114,1307 litre	3,874 %	2831,8978 litre	O
310	CM	55	CM	8 LEVEL CM	95,9228 litre	3,256 %	2850,1057 litre	O
310	CM	55	CM	7 LEVEL CM	78,7361 litre	2,673 %	2867,2924 litre	O
310	CM	55	CM	6 LEVEL CM	62,6594 litre	2,127 %	2883,3691 litre	O

310_55

-2386-

310	CM 55	CM	5 LEVEL CM	47,8012 litre	1,623 %	2898,2273 litre	O
310	CM 55	CM	4 LEVEL CM	34,2998 litre	1,164 %	2911,7287 litre	O
310	CM 55	CM	3 LEVEL CM	22,3405 litre	0,758 %	2923,6880 litre	O
310	CM 55	CM	2 LEVEL CM	12,1943 litre	0,414 %	2933,8342 litre	O
310	CM 55	CM	1 LEVEL CM	4,3232 litre	0,147 %	2941,7053 litre	O
310	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2946,0285 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
310	CM	50	CM	100 LEVEL CM	2434,7343 litre	100,000 %	0,0000 litre	O
310	CM	50	CM	99 LEVEL CM	2430,6134 litre	99,831 %	4,1209 litre	O
310	CM	50	CM	98 LEVEL CM	2423,1139 litre	99,523 %	11,6204 litre	O
310	CM	50	CM	97 LEVEL CM	2413,4512 litre	99,126 %	21,2831 litre	O
310	CM	50	CM	96 LEVEL CM	2402,0673 litre	98,658 %	32,6670 litre	O
310	CM	50	CM	95 LEVEL CM	2389,2217 litre	98,131 %	45,5126 litre	O
310	CM	50	CM	94 LEVEL CM	2375,0924 litre	97,550 %	59,6419 litre	O
310	CM	50	CM	93 LEVEL CM	2359,8121 litre	96,923 %	74,9222 litre	O
310	CM	50	CM	92 LEVEL CM	2343,4854 litre	96,252 %	91,2489 litre	O
310	CM	50	CM	91 LEVEL CM	2326,1977 litre	95,542 %	108,5366 litre	O
310	CM	50	CM	90 LEVEL CM	2308,0209 litre	94,796 %	126,7134 litre	O
310	CM	50	CM	89 LEVEL CM	2289,0169 litre	94,015 %	145,7174 litre	O
310	CM	50	CM	88 LEVEL CM	2269,2395 litre	93,203 %	165,4948 litre	O
310	CM	50	CM	87 LEVEL CM	2248,7367 litre	92,361 %	185,9976 litre	O
310	CM	50	CM	86 LEVEL CM	2227,5515 litre	91,491 %	207,1828 litre	O
310	CM	50	CM	85 LEVEL CM	2205,7227 litre	90,594 %	229,0116 litre	O
310	CM	50	CM	84 LEVEL CM	2183,2860 litre	89,672 %	251,4483 litre	O
310	CM	50	CM	83 LEVEL CM	2160,2740 litre	88,727 %	274,4603 litre	O
310	CM	50	CM	82 LEVEL CM	2136,7173 litre	87,760 %	298,0170 litre	O
310	CM	50	CM	81 LEVEL CM	2112,6439 litre	86,771 %	322,0904 litre	O
310	CM	50	CM	80 LEVEL CM	2088,0805 litre	85,762 %	346,6538 litre	O
310	CM	50	CM	79 LEVEL CM	2063,0520 litre	84,734 %	371,6823 litre	O
310	CM	50	CM	78 LEVEL CM	2037,5819 litre	83,688 %	397,1524 litre	O
310	CM	50	CM	77 LEVEL CM	2011,6927 litre	82,625 %	423,0416 litre	O
310	CM	50	CM	76 LEVEL CM	1985,4056 litre	81,545 %	449,3287 litre	O
310	CM	50	CM	75 LEVEL CM	1958,7410 litre	80,450 %	475,9933 litre	O
310	CM	50	CM	74 LEVEL CM	1931,7184 litre	79,340 %	503,0159 litre	O
310	CM	50	CM	73 LEVEL CM	1904,3565 litre	78,216 %	530,3778 litre	O
310	CM	50	CM	72 LEVEL CM	1876,6734 litre	77,079 %	558,0609 litre	O
310	CM	50	CM	71 LEVEL CM	1848,6864 litre	75,930 %	586,0479 litre	O
310	CM	50	CM	70 LEVEL CM	1820,4124 litre	74,768 %	614,3219 litre	O
310	CM	50	CM	69 LEVEL CM	1791,8678 litre	73,596 %	642,8665 litre	O
310	CM	50	CM	68 LEVEL CM	1763,0685 litre	72,413 %	671,6658 litre	O
310	CM	50	CM	67 LEVEL CM	1734,0299 litre	71,220 %	700,7044 litre	O
310	CM	50	CM	66 LEVEL CM	1704,7671 litre	70,019 %	729,9672 litre	O
310	CM	50	CM	65 LEVEL CM	1675,2948 litre	68,808 %	759,4395 litre	O
310	CM	50	CM	64 LEVEL CM	1645,6276 litre	67,590 %	789,1067 litre	O
310	CM	50	CM	63 LEVEL CM	1615,7795 litre	66,364 %	818,9548 litre	O
310	CM	50	CM	62 LEVEL CM	1585,7644 litre	65,131 %	848,9699 litre	O
310	CM	50	CM	61 LEVEL CM	1555,5961 litre	63,892 %	879,1382 litre	O
310	CM	50	CM	60 LEVEL CM	1525,2879 litre	62,647 %	909,4464 litre	O
310	CM	50	CM	59 LEVEL CM	1494,8531 litre	61,397 %	939,8812 litre	O
310	CM	50	CM	58 LEVEL CM	1464,3049 litre	60,142 %	970,4294 litre	O
310	CM	50	CM	57 LEVEL CM	1433,6562 litre	58,883 %	1001,0781 litre	O
310	CM	50	CM	56 LEVEL CM	1402,9198 litre	57,621 %	1031,8145 litre	O
310	CM	50	CM	55 LEVEL CM	1372,1084 litre	56,356 %	1062,6259 litre	O
310	CM	50	CM	54 LEVEL CM	1341,2348 litre	55,088 %	1093,4995 litre	O
310	CM	50	CM	53 LEVEL CM	1310,3113 litre	53,817 %	1124,4230 litre	O
310	CM	50	CM	52 LEVEL CM	1279,3506 litre	52,546 %	1155,3837 litre	O
310	CM	50	CM	51 LEVEL CM	1248,3651 litre	51,273 %	1186,3692 litre	O
310	CM	50	CM	50 LEVEL CM	1217,3672 litre	50,000 %	1217,3671 litre	O
310	CM	50	CM	49 LEVEL CM	1186,3692 litre	48,727 %	1248,3651 litre	O

310	CM	50	CM	48 LEVEL CM	1155,3837 litre	47,454 %	1279,3506 litre	O
310	CM	50	CM	47 LEVEL CM	1124,4230 litre	46,183 %	1310,3113 litre	O
310	CM	50	CM	46 LEVEL CM	1093,4995 litre	44,912 %	1341,2348 litre	O
310	CM	50	CM	45 LEVEL CM	1062,6259 litre	43,644 %	1372,1084 litre	O
310	CM	50	CM	44 LEVEL CM	1031,8145 litre	42,379 %	1402,9198 litre	O
310	CM	50	CM	43 LEVEL CM	1001,0781 litre	41,117 %	1433,6562 litre	O
310	CM	50	CM	42 LEVEL CM	970,4294 litre	39,858 %	1464,3049 litre	O
310	CM	50	CM	41 LEVEL CM	939,8812 litre	38,603 %	1494,8531 litre	O
310	CM	50	CM	40 LEVEL CM	909,4464 litre	37,353 %	1525,2879 litre	O
310	CM	50	CM	39 LEVEL CM	879,1382 litre	36,108 %	1555,5961 litre	O
310	CM	50	CM	38 LEVEL CM	848,9699 litre	34,869 %	1585,7644 litre	O
310	CM	50	CM	37 LEVEL CM	818,9548 litre	33,636 %	1615,7795 litre	O
310	CM	50	CM	36 LEVEL CM	789,1067 litre	32,410 %	1645,6276 litre	O
310	CM	50	CM	35 LEVEL CM	759,4395 litre	31,192 %	1675,2948 litre	O
310	CM	50	CM	34 LEVEL CM	729,9673 litre	29,981 %	1704,7670 litre	O
310	CM	50	CM	33 LEVEL CM	700,7045 litre	28,780 %	1734,0298 litre	O
310	CM	50	CM	32 LEVEL CM	671,6658 litre	27,587 %	1763,0685 litre	O
310	CM	50	CM	31 LEVEL CM	642,8665 litre	26,404 %	1791,8678 litre	O
310	CM	50	CM	30 LEVEL CM	614,3219 litre	25,232 %	1820,4124 litre	O
310	CM	50	CM	29 LEVEL CM	586,0479 litre	24,070 %	1848,6864 litre	O
310	CM	50	CM	28 LEVEL CM	558,0609 litre	22,921 %	1876,6734 litre	O
310	CM	50	CM	27 LEVEL CM	530,3778 litre	21,784 %	1904,3565 litre	O
310	CM	50	CM	26 LEVEL CM	503,0159 litre	20,660 %	1931,7184 litre	O
310	CM	50	CM	25 LEVEL CM	475,9933 litre	19,550 %	1958,7410 litre	O
310	CM	50	CM	24 LEVEL CM	449,3287 litre	18,455 %	1985,4056 litre	O
310	CM	50	CM	23 LEVEL CM	423,0416 litre	17,375 %	2011,6927 litre	O
310	CM	50	CM	22 LEVEL CM	397,1524 litre	16,312 %	2037,5819 litre	O
310	CM	50	CM	21 LEVEL CM	371,6823 litre	15,266 %	2063,0520 litre	O
310	CM	50	CM	20 LEVEL CM	346,6538 litre	14,238 %	2088,0805 litre	O
310	CM	50	CM	19 LEVEL CM	322,0904 litre	13,229 %	2112,6439 litre	O
310	CM	50	CM	18 LEVEL CM	298,0170 litre	12,240 %	2136,7173 litre	O
310	CM	50	CM	17 LEVEL CM	274,4603 litre	11,273 %	2160,2740 litre	O
310	CM	50	CM	16 LEVEL CM	251,4483 litre	10,328 %	2183,2860 litre	O
310	CM	50	CM	15 LEVEL CM	229,0116 litre	9,406 %	2205,7227 litre	O
310	CM	50	CM	14 LEVEL CM	207,1828 litre	8,509 %	2227,5515 litre	O
310	CM	50	CM	13 LEVEL CM	185,9976 litre	7,639 %	2248,7367 litre	O
310	CM	50	CM	12 LEVEL CM	165,4948 litre	6,797 %	2269,2395 litre	O
310	CM	50	CM	11 LEVEL CM	145,7174 litre	5,985 %	2289,0169 litre	O
310	CM	50	CM	10 LEVEL CM	126,7134 litre	5,204 %	2308,0209 litre	O
310	CM	50	CM	9 LEVEL CM	108,5366 litre	4,458 %	2326,1977 litre	O
310	CM	50	CM	8 LEVEL CM	91,2489 litre	3,748 %	2343,4854 litre	O
310	CM	50	CM	7 LEVEL CM	74,9222 litre	3,077 %	2359,8121 litre	O
310	CM	50	CM	6 LEVEL CM	59,6419 litre	2,450 %	2375,0924 litre	O
310	CM	50	CM	5 LEVEL CM	45,5126 litre	1,869 %	2389,2217 litre	O
310	CM	50	CM	4 LEVEL CM	32,6670 litre	1,342 %	2402,0673 litre	O
310	CM	50	CM	3 LEVEL CM	21,2831 litre	0,874 %	2413,4512 litre	O
310	CM	50	CM	2 LEVEL CM	11,6204 litre	0,477 %	2423,1139 litre	O
310	CM	50	CM	1 LEVEL CM	4,1209 litre	0,169 %	2430,6134 litre	O
310	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2434,7343 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	150	CM 300 LEVEL CM	21205,7504 litre	100,000 %	0,0000 litre	O
300	CM	150	CM 299 LEVEL CM	21198,8291 litre	99,967 %	6,9213 litre	O
300	CM	150	CM 298 LEVEL CM	21186,1937 litre	99,908 %	19,5567 litre	O
300	CM	150	CM 297 LEVEL CM	21169,8586 litre	99,831 %	35,8918 litre	O
300	CM	150	CM 296 LEVEL CM	21150,5470 litre	99,740 %	55,2034 litre	O
300	CM	150	CM 295 LEVEL CM	21128,6792 litre	99,637 %	77,0712 litre	O
300	CM	150	CM 294 LEVEL CM	21104,5402 litre	99,523 %	101,2102 litre	O
300	CM	150	CM 293 LEVEL CM	21078,3403 litre	99,399 %	127,4101 litre	O
300	CM	150	CM 292 LEVEL CM	21050,2432 litre	99,267 %	155,5072 litre	O
300	CM	150	CM 291 LEVEL CM	21020,3816 litre	99,126 %	185,3688 litre	O
300	CM	150	CM 290 LEVEL CM	20988,8655 litre	98,977 %	216,8849 litre	O
300	CM	150	CM 289 LEVEL CM	20955,7885 litre	98,821 %	249,9619 litre	O
300	CM	150	CM 288 LEVEL CM	20921,2315 litre	98,658 %	284,5189 litre	O
300	CM	150	CM 287 LEVEL CM	20885,2654 litre	98,489 %	320,4850 litre	O
300	CM	150	CM 286 LEVEL CM	20847,9530 litre	98,313 %	357,7974 litre	O
300	CM	150	CM 285 LEVEL CM	20809,3505 litre	98,131 %	396,3999 litre	O
300	CM	150	CM 284 LEVEL CM	20769,5089 litre	97,943 %	436,2415 litre	O
300	CM	150	CM 283 LEVEL CM	20728,4742 litre	97,749 %	477,2762 litre	O
300	CM	150	CM 282 LEVEL CM	20686,2887 litre	97,550 %	519,4617 litre	O
300	CM	150	CM 281 LEVEL CM	20642,9914 litre	97,346 %	562,7590 litre	O
300	CM	150	CM 280 LEVEL CM	20598,6181 litre	97,137 %	607,1323 litre	O
300	CM	150	CM 279 LEVEL CM	20553,2024 litre	96,923 %	652,5480 litre	O
300	CM	150	CM 278 LEVEL CM	20506,7752 litre	96,704 %	698,9752 litre	O
300	CM	150	CM 277 LEVEL CM	20459,3659 litre	96,480 %	746,3845 litre	O
300	CM	150	CM 276 LEVEL CM	20411,0018 litre	96,252 %	794,7486 litre	O
300	CM	150	CM 275 LEVEL CM	20361,7087 litre	96,020 %	844,0417 litre	O
300	CM	150	CM 274 LEVEL CM	20311,5110 litre	95,783 %	894,2394 litre	O
300	CM	150	CM 273 LEVEL CM	20260,4317 litre	95,542 %	945,3187 litre	O
300	CM	150	CM 272 LEVEL CM	20208,4927 litre	95,297 %	997,2577 litre	O
300	CM	150	CM 271 LEVEL CM	20155,7148 litre	95,048 %	1050,0356 litre	O
300	CM	150	CM 270 LEVEL CM	20102,1179 litre	94,796 %	1103,6325 litre	O
300	CM	150	CM 269 LEVEL CM	20047,7210 litre	94,539 %	1158,0294 litre	O
300	CM	150	CM 268 LEVEL CM	19992,5421 litre	94,279 %	1213,2083 litre	O
300	CM	150	CM 267 LEVEL CM	19936,5986 litre	94,015 %	1269,1518 litre	O
300	CM	150	CM 266 LEVEL CM	19879,9072 litre	93,748 %	1325,8432 litre	O
300	CM	150	CM 265 LEVEL CM	19822,4839 litre	93,477 %	1383,2665 litre	O
300	CM	150	CM 264 LEVEL CM	19764,3441 litre	93,203 %	1441,4063 litre	O
300	CM	150	CM 263 LEVEL CM	19705,5026 litre	92,925 %	1500,2478 litre	O
300	CM	150	CM 262 LEVEL CM	19645,9738 litre	92,645 %	1559,7766 litre	O
300	CM	150	CM 261 LEVEL CM	19585,7714 litre	92,361 %	1619,9790 litre	O
300	CM	150	CM 260 LEVEL CM	19524,9089 litre	92,074 %	1680,8415 litre	O
300	CM	150	CM 259 LEVEL CM	19463,3992 litre	91,784 %	1742,3512 litre	O
300	CM	150	CM 258 LEVEL CM	19401,2548 litre	91,491 %	1804,4956 litre	O
300	CM	150	CM 257 LEVEL CM	19338,4879 litre	91,195 %	1867,2625 litre	O
300	CM	150	CM 256 LEVEL CM	19275,1102 litre	90,896 %	1930,6402 litre	O
300	CM	150	CM 255 LEVEL CM	19211,1332 litre	90,594 %	1994,6172 litre	O
300	CM	150	CM 254 LEVEL CM	19146,5681 litre	90,290 %	2059,1823 litre	O
300	CM	150	CM 253 LEVEL CM	19081,4257 litre	89,982 %	2124,3247 litre	O
300	CM	150	CM 252 LEVEL CM	19015,7166 litre	89,672 %	2190,0338 litre	O
300	CM	150	CM 251 LEVEL CM	18949,4509 litre	89,360 %	2256,2995 litre	O
300	CM	150	CM 250 LEVEL CM	18882,6389 litre	89,045 %	2323,1115 litre	O
300	CM	150	CM 249 LEVEL CM	18815,2901 litre	88,727 %	2390,4603 litre	O

300	CM	150	CM	248 LEVEL CM	18747,4142 litre	88,407 %	2458,3362 litre	O
300	CM	150	CM	247 LEVEL CM	18679,0205 litre	88,085 %	2526,7299 litre	O
300	CM	150	CM	246 LEVEL CM	18610,1181 litre	87,760 %	2595,6323 litre	O
300	CM	150	CM	245 LEVEL CM	18540,7159 litre	87,432 %	2665,0345 litre	O
300	CM	150	CM	244 LEVEL CM	18470,8227 litre	87,103 %	2734,9277 litre	O
300	CM	150	CM	243 LEVEL CM	18400,4470 litre	86,771 %	2805,3034 litre	O
300	CM	150	CM	242 LEVEL CM	18329,5972 litre	86,437 %	2876,1532 litre	O
300	CM	150	CM	241 LEVEL CM	18258,2814 litre	86,101 %	2947,4690 litre	O
300	CM	150	CM	240 LEVEL CM	18186,5077 litre	85,762 %	3019,2427 litre	O
300	CM	150	CM	239 LEVEL CM	18114,2840 litre	85,422 %	3091,4664 litre	O
300	CM	150	CM	238 LEVEL CM	18041,6180 litre	85,079 %	3164,1324 litre	O
300	CM	150	CM	237 LEVEL CM	17968,5174 litre	84,734 %	3237,2330 litre	O
300	CM	150	CM	236 LEVEL CM	17894,9895 litre	84,387 %	3310,7609 litre	O
300	CM	150	CM	235 LEVEL CM	17821,0418 litre	84,039 %	3384,7086 litre	O
300	CM	150	CM	234 LEVEL CM	17746,6814 litre	83,688 %	3459,0690 litre	O
300	CM	150	CM	233 LEVEL CM	17671,9155 litre	83,335 %	3533,8349 litre	O
300	CM	150	CM	232 LEVEL CM	17596,7509 litre	82,981 %	3608,9995 litre	O
300	CM	150	CM	231 LEVEL CM	17521,1947 litre	82,625 %	3684,5557 litre	O
300	CM	150	CM	230 LEVEL CM	17445,2535 litre	82,267 %	3760,4969 litre	O
300	CM	150	CM	229 LEVEL CM	17368,9340 litre	81,907 %	3836,8164 litre	O
300	CM	150	CM	228 LEVEL CM	17292,2427 litre	81,545 %	3913,5077 litre	O
300	CM	150	CM	227 LEVEL CM	17215,1862 litre	81,182 %	3990,5642 litre	O
300	CM	150	CM	226 LEVEL CM	17137,7707 litre	80,817 %	4067,9797 litre	O
300	CM	150	CM	225 LEVEL CM	17060,0027 litre	80,450 %	4145,7477 litre	O
300	CM	150	CM	224 LEVEL CM	16981,8882 litre	80,082 %	4223,8622 litre	O
300	CM	150	CM	223 LEVEL CM	16903,4334 litre	79,712 %	4302,3170 litre	O
300	CM	150	CM	222 LEVEL CM	16824,6444 litre	79,340 %	4381,1060 litre	O
300	CM	150	CM	221 LEVEL CM	16745,5271 litre	78,967 %	4460,2233 litre	O
300	CM	150	CM	220 LEVEL CM	16666,0874 litre	78,592 %	4539,6630 litre	O
300	CM	150	CM	219 LEVEL CM	16586,3310 litre	78,216 %	4619,4194 litre	O
300	CM	150	CM	218 LEVEL CM	16506,2639 litre	77,839 %	4699,4865 litre	O
300	CM	150	CM	217 LEVEL CM	16425,8915 litre	77,460 %	4779,8589 litre	O
300	CM	150	CM	216 LEVEL CM	16345,2196 litre	77,079 %	4860,5308 litre	O
300	CM	150	CM	215 LEVEL CM	16264,2538 litre	76,697 %	4941,4966 litre	O
300	CM	150	CM	214 LEVEL CM	16182,9994 litre	76,314 %	5022,7510 litre	O
300	CM	150	CM	213 LEVEL CM	16101,4620 litre	75,930 %	5104,2884 litre	O
300	CM	150	CM	212 LEVEL CM	16019,6468 litre	75,544 %	5186,1036 litre	O
300	CM	150	CM	211 LEVEL CM	15937,5594 litre	75,157 %	5268,1910 litre	O
300	CM	150	CM	210 LEVEL CM	15855,2048 litre	74,768 %	5350,5456 litre	O
300	CM	150	CM	209 LEVEL CM	15772,5884 litre	74,379 %	5433,1620 litre	O
300	CM	150	CM	208 LEVEL CM	15689,7152 litre	73,988 %	5516,0352 litre	O
300	CM	150	CM	207 LEVEL CM	15606,5905 litre	73,596 %	5599,1599 litre	O
300	CM	150	CM	206 LEVEL CM	15523,2194 litre	73,203 %	5682,5310 litre	O
300	CM	150	CM	205 LEVEL CM	15439,6067 litre	72,809 %	5766,1437 litre	O
300	CM	150	CM	204 LEVEL CM	15355,7576 litre	72,413 %	5849,9928 litre	O
300	CM	150	CM	203 LEVEL CM	15271,6769 litre	72,017 %	5934,0735 litre	O
300	CM	150	CM	202 LEVEL CM	15187,3697 litre	71,619 %	6018,3807 litre	O
300	CM	150	CM	201 LEVEL CM	15102,8406 litre	71,220 %	6102,9098 litre	O
300	CM	150	CM	200 LEVEL CM	15018,0947 litre	70,821 %	6187,6557 litre	O
300	CM	150	CM	199 LEVEL CM	14933,1366 litre	70,420 %	6272,6138 litre	O
300	CM	150	CM	198 LEVEL CM	14847,9711 litre	70,019 %	6357,7793 litre	O
300	CM	150	CM	197 LEVEL CM	14762,6030 litre	69,616 %	6443,1474 litre	O
300	CM	150	CM	196 LEVEL CM	14677,0369 litre	69,213 %	6528,7135 litre	O

300	CM	150	CM	195 LEVEL CM	14591,2775 litre	68,808 %	6614,4729 litre	O
300	CM	150	CM	194 LEVEL CM	14505,3294 litre	68,403 %	6700,4210 litre	O
300	CM	150	CM	193 LEVEL CM	14419,1972 litre	67,997 %	6786,5532 litre	O
300	CM	150	CM	192 LEVEL CM	14332,8854 litre	67,590 %	6872,8650 litre	O
300	CM	150	CM	191 LEVEL CM	14246,3987 litre	67,182 %	6959,3517 litre	O
300	CM	150	CM	190 LEVEL CM	14159,7415 litre	66,773 %	7046,0089 litre	O
300	CM	150	CM	189 LEVEL CM	14072,9182 litre	66,364 %	7132,8322 litre	O
300	CM	150	CM	188 LEVEL CM	13985,9334 litre	65,953 %	7219,8170 litre	O
300	CM	150	CM	187 LEVEL CM	13898,7914 litre	65,543 %	7306,9590 litre	O
300	CM	150	CM	186 LEVEL CM	13811,4968 litre	65,131 %	7394,2536 litre	O
300	CM	150	CM	185 LEVEL CM	13724,0538 litre	64,719 %	7481,6966 litre	O
300	CM	150	CM	184 LEVEL CM	13636,4668 litre	64,306 %	7569,2836 litre	O
300	CM	150	CM	183 LEVEL CM	13548,7402 litre	63,892 %	7657,0102 litre	O
300	CM	150	CM	182 LEVEL CM	13460,8783 litre	63,477 %	7744,8721 litre	O
300	CM	150	CM	181 LEVEL CM	13372,8853 litre	63,063 %	7832,8651 litre	O
300	CM	150	CM	180 LEVEL CM	13284,7656 litre	62,647 %	7920,9848 litre	O
300	CM	150	CM	179 LEVEL CM	13196,5235 litre	62,231 %	8009,2269 litre	O
300	CM	150	CM	178 LEVEL CM	13108,1631 litre	61,814 %	8097,5873 litre	O
300	CM	150	CM	177 LEVEL CM	13019,6887 litre	61,397 %	8186,0617 litre	O
300	CM	150	CM	176 LEVEL CM	12931,1045 litre	60,979 %	8274,6459 litre	O
300	CM	150	CM	175 LEVEL CM	12842,4147 litre	60,561 %	8363,3357 litre	O
300	CM	150	CM	174 LEVEL CM	12753,6235 litre	60,142 %	8452,1269 litre	O
300	CM	150	CM	173 LEVEL CM	12664,7350 litre	59,723 %	8541,0154 litre	O
300	CM	150	CM	172 LEVEL CM	12575,7535 litre	59,304 %	8629,9969 litre	O
300	CM	150	CM	171 LEVEL CM	12486,6829 litre	58,883 %	8719,0675 litre	O
300	CM	150	CM	170 LEVEL CM	12397,5276 litre	58,463 %	8808,2228 litre	O
300	CM	150	CM	169 LEVEL CM	12308,2915 litre	58,042 %	8897,4589 litre	O
300	CM	150	CM	168 LEVEL CM	12218,9788 litre	57,621 %	8986,7716 litre	O
300	CM	150	CM	167 LEVEL CM	12129,5935 litre	57,200 %	9076,1569 litre	O
300	CM	150	CM	166 LEVEL CM	12040,1399 litre	56,778 %	9165,6105 litre	O
300	CM	150	CM	165 LEVEL CM	11950,6218 litre	56,356 %	9255,1286 litre	O
300	CM	150	CM	164 LEVEL CM	11861,0435 litre	55,933 %	9344,7069 litre	O
300	CM	150	CM	163 LEVEL CM	11771,4089 litre	55,510 %	9434,3415 litre	O
300	CM	150	CM	162 LEVEL CM	11681,7221 litre	55,088 %	9524,0283 litre	O
300	CM	150	CM	161 LEVEL CM	11591,9872 litre	54,664 %	9613,7632 litre	O
300	CM	150	CM	160 LEVEL CM	11502,2081 litre	54,241 %	9703,5423 litre	O
300	CM	150	CM	159 LEVEL CM	11412,3889 litre	53,817 %	9793,3615 litre	O
300	CM	150	CM	158 LEVEL CM	11322,5337 litre	53,394 %	9883,2167 litre	O
300	CM	150	CM	157 LEVEL CM	11232,6465 litre	52,970 %	9973,1039 litre	O
300	CM	150	CM	156 LEVEL CM	11142,7312 litre	52,546 %	10063,0192 litre	O
300	CM	150	CM	155 LEVEL CM	11052,7919 litre	52,122 %	10152,9585 litre	O
300	CM	150	CM	154 LEVEL CM	10962,8325 litre	51,697 %	10242,9179 litre	O
300	CM	150	CM	153 LEVEL CM	10872,8572 litre	51,273 %	10332,8932 litre	O
300	CM	150	CM	152 LEVEL CM	10782,8699 litre	50,849 %	10422,8805 litre	O
300	CM	150	CM	151 LEVEL CM	10692,8745 litre	50,424 %	10512,8759 litre	O
300	CM	150	CM	150 LEVEL CM	10602,8752 litre	50,000 %	10602,8752 litre	O
300	CM	150	CM	149 LEVEL CM	10512,8759 litre	49,576 %	10692,8745 litre	O
300	CM	150	CM	148 LEVEL CM	10422,8805 litre	49,151 %	10782,8699 litre	O
300	CM	150	CM	147 LEVEL CM	10332,8932 litre	48,727 %	10872,8572 litre	O
300	CM	150	CM	146 LEVEL CM	10242,9179 litre	48,303 %	10962,8325 litre	O
300	CM	150	CM	145 LEVEL CM	10152,9586 litre	47,878 %	11052,7918 litre	O
300	CM	150	CM	144 LEVEL CM	10063,0192 litre	47,454 %	11142,7312 litre	O
300	CM	150	CM	143 LEVEL CM	9973,1039 litre	47,030 %	11232,6465 litre	O

300	CM	150	CM	142 LEVEL CM	9883,2167 litre	46,606 %	11322,5337 litre	O
300	CM	150	CM	141 LEVEL CM	9793,3615 litre	46,183 %	11412,3889 litre	O
300	CM	150	CM	140 LEVEL CM	9703,5423 litre	45,759 %	11502,2081 litre	O
300	CM	150	CM	139 LEVEL CM	9613,7633 litre	45,336 %	11591,9871 litre	O
300	CM	150	CM	138 LEVEL CM	9524,0283 litre	44,912 %	11681,7221 litre	O
300	CM	150	CM	137 LEVEL CM	9434,3415 litre	44,490 %	11771,4089 litre	O
300	CM	150	CM	136 LEVEL CM	9344,7069 litre	44,067 %	11861,0435 litre	O
300	CM	150	CM	135 LEVEL CM	9255,1286 litre	43,644 %	11950,6218 litre	O
300	CM	150	CM	134 LEVEL CM	9165,6106 litre	43,222 %	12040,1398 litre	O
300	CM	150	CM	133 LEVEL CM	9076,1569 litre	42,800 %	12129,5935 litre	O
300	CM	150	CM	132 LEVEL CM	8986,7716 litre	42,379 %	12218,9788 litre	O
300	CM	150	CM	131 LEVEL CM	8897,4589 litre	41,958 %	12308,2915 litre	O
300	CM	150	CM	130 LEVEL CM	8808,2229 litre	41,537 %	12397,5275 litre	O
300	CM	150	CM	129 LEVEL CM	8719,0675 litre	41,117 %	12486,6829 litre	O
300	CM	150	CM	128 LEVEL CM	8629,9970 litre	40,696 %	12575,7534 litre	O
300	CM	150	CM	127 LEVEL CM	8541,0154 litre	40,277 %	12664,7350 litre	O
300	CM	150	CM	126 LEVEL CM	8452,1269 litre	39,858 %	12753,6235 litre	O
300	CM	150	CM	125 LEVEL CM	8363,3357 litre	39,439 %	12842,4147 litre	O
300	CM	150	CM	124 LEVEL CM	8274,6459 litre	39,021 %	12931,1045 litre	O
300	CM	150	CM	123 LEVEL CM	8186,0617 litre	38,603 %	13019,6887 litre	O
300	CM	150	CM	122 LEVEL CM	8097,5873 litre	38,186 %	13108,1631 litre	O
300	CM	150	CM	121 LEVEL CM	8009,2269 litre	37,769 %	13196,5235 litre	O
300	CM	150	CM	120 LEVEL CM	7920,9848 litre	37,353 %	13284,7656 litre	O
300	CM	150	CM	119 LEVEL CM	7832,8651 litre	36,937 %	13372,8853 litre	O
300	CM	150	CM	118 LEVEL CM	7744,8721 litre	36,523 %	13460,8783 litre	O
300	CM	150	CM	117 LEVEL CM	7657,0102 litre	36,108 %	13548,7402 litre	O
300	CM	150	CM	116 LEVEL CM	7569,2836 litre	35,694 %	13636,4668 litre	O
300	CM	150	CM	115 LEVEL CM	7481,6966 litre	35,281 %	13724,0538 litre	O
300	CM	150	CM	114 LEVEL CM	7394,2536 litre	34,869 %	13811,4968 litre	O
300	CM	150	CM	113 LEVEL CM	7306,9590 litre	34,457 %	13898,7914 litre	O
300	CM	150	CM	112 LEVEL CM	7219,8170 litre	34,047 %	13985,9334 litre	O
300	CM	150	CM	111 LEVEL CM	7132,8322 litre	33,636 %	14072,9182 litre	O
300	CM	150	CM	110 LEVEL CM	7046,0090 litre	33,227 %	14159,7414 litre	O
300	CM	150	CM	109 LEVEL CM	6959,3517 litre	32,818 %	14246,3987 litre	O
300	CM	150	CM	108 LEVEL CM	6872,8650 litre	32,410 %	14332,8854 litre	O
300	CM	150	CM	107 LEVEL CM	6786,5532 litre	32,003 %	14419,1972 litre	O
300	CM	150	CM	106 LEVEL CM	6700,4210 litre	31,597 %	14505,3294 litre	O
300	CM	150	CM	105 LEVEL CM	6614,4729 litre	31,192 %	14591,2775 litre	O
300	CM	150	CM	104 LEVEL CM	6528,7135 litre	30,787 %	14677,0369 litre	O
300	CM	150	CM	103 LEVEL CM	6443,1474 litre	30,384 %	14762,6030 litre	O
300	CM	150	CM	102 LEVEL CM	6357,7793 litre	29,981 %	14847,9711 litre	O
300	CM	150	CM	101 LEVEL CM	6272,6138 litre	29,580 %	14933,1366 litre	O
300	CM	150	CM	100 LEVEL CM	6187,6557 litre	29,179 %	15018,0947 litre	O
300	CM	150	CM	99 LEVEL CM	6102,9098 litre	28,780 %	15102,8406 litre	O
300	CM	150	CM	98 LEVEL CM	6018,3807 litre	28,381 %	15187,3697 litre	O
300	CM	150	CM	97 LEVEL CM	5934,0735 litre	27,983 %	15271,6769 litre	O
300	CM	150	CM	96 LEVEL CM	5849,9928 litre	27,587 %	15355,7576 litre	O
300	CM	150	CM	95 LEVEL CM	5766,1437 litre	27,191 %	15439,6067 litre	O
300	CM	150	CM	94 LEVEL CM	5682,5311 litre	26,797 %	15523,2193 litre	O
300	CM	150	CM	93 LEVEL CM	5599,1599 litre	26,404 %	15606,5905 litre	O
300	CM	150	CM	92 LEVEL CM	5516,0352 litre	26,012 %	15689,7152 litre	O
300	CM	150	CM	91 LEVEL CM	5433,1620 litre	25,621 %	15772,5884 litre	O
300	CM	150	CM	90 LEVEL CM	5350,5456 litre	25,232 %	15855,2048 litre	O

300	CM	150	CM	89 LEVEL CM	5268,1911 litre	24,843 %	15937,5593 litre	O
300	CM	150	CM	88 LEVEL CM	5186,1036 litre	24,456 %	16019,6468 litre	O
300	CM	150	CM	87 LEVEL CM	5104,2885 litre	24,070 %	16101,4619 litre	O
300	CM	150	CM	86 LEVEL CM	5022,7510 litre	23,686 %	16182,9994 litre	O
300	CM	150	CM	85 LEVEL CM	4941,4967 litre	23,303 %	16264,2537 litre	O
300	CM	150	CM	84 LEVEL CM	4860,5308 litre	22,921 %	16345,2196 litre	O
300	CM	150	CM	83 LEVEL CM	4779,8589 litre	22,540 %	16425,8915 litre	O
300	CM	150	CM	82 LEVEL CM	4699,4866 litre	22,161 %	16506,2638 litre	O
300	CM	150	CM	81 LEVEL CM	4619,4194 litre	21,784 %	16586,3310 litre	O
300	CM	150	CM	80 LEVEL CM	4539,6631 litre	21,408 %	16666,0873 litre	O
300	CM	150	CM	79 LEVEL CM	4460,2233 litre	21,033 %	16745,5271 litre	O
300	CM	150	CM	78 LEVEL CM	4381,1060 litre	20,660 %	16824,6444 litre	O
300	CM	150	CM	77 LEVEL CM	4302,3170 litre	20,288 %	16903,4334 litre	O
300	CM	150	CM	76 LEVEL CM	4223,8622 litre	19,918 %	16981,8882 litre	O
300	CM	150	CM	75 LEVEL CM	4145,7477 litre	19,550 %	17060,0027 litre	O
300	CM	150	CM	74 LEVEL CM	4067,9797 litre	19,183 %	17137,7707 litre	O
300	CM	150	CM	73 LEVEL CM	3990,5642 litre	18,818 %	17215,1862 litre	O
300	CM	150	CM	72 LEVEL CM	3913,5077 litre	18,455 %	17292,2427 litre	O
300	CM	150	CM	71 LEVEL CM	3836,8165 litre	18,093 %	17368,9339 litre	O
300	CM	150	CM	70 LEVEL CM	3760,4969 litre	17,733 %	17445,2535 litre	O
300	CM	150	CM	69 LEVEL CM	3684,5557 litre	17,375 %	17521,1947 litre	O
300	CM	150	CM	68 LEVEL CM	3608,9995 litre	17,019 %	17596,7509 litre	O
300	CM	150	CM	67 LEVEL CM	3533,8349 litre	16,665 %	17671,9155 litre	O
300	CM	150	CM	66 LEVEL CM	3459,0690 litre	16,312 %	17746,6814 litre	O
300	CM	150	CM	65 LEVEL CM	3384,7086 litre	15,961 %	17821,0418 litre	O
300	CM	150	CM	64 LEVEL CM	3310,7609 litre	15,613 %	17894,9895 litre	O
300	CM	150	CM	63 LEVEL CM	3237,2330 litre	15,266 %	17968,5174 litre	O
300	CM	150	CM	62 LEVEL CM	3164,1324 litre	14,921 %	18041,6180 litre	O
300	CM	150	CM	61 LEVEL CM	3091,4664 litre	14,578 %	18114,2840 litre	O
300	CM	150	CM	60 LEVEL CM	3019,2427 litre	14,238 %	18186,5077 litre	O
300	CM	150	CM	59 LEVEL CM	2947,4690 litre	13,899 %	18258,2814 litre	O
300	CM	150	CM	58 LEVEL CM	2876,1532 litre	13,563 %	18329,5972 litre	O
300	CM	150	CM	57 LEVEL CM	2805,3034 litre	13,229 %	18400,4470 litre	O
300	CM	150	CM	56 LEVEL CM	2734,9277 litre	12,897 %	18470,8227 litre	O
300	CM	150	CM	55 LEVEL CM	2665,0345 litre	12,568 %	18540,7159 litre	O
300	CM	150	CM	54 LEVEL CM	2595,6323 litre	12,240 %	18610,1181 litre	O
300	CM	150	CM	53 LEVEL CM	2526,7299 litre	11,915 %	18679,0205 litre	O
300	CM	150	CM	52 LEVEL CM	2458,3362 litre	11,593 %	18747,4142 litre	O
300	CM	150	CM	51 LEVEL CM	2390,4603 litre	11,273 %	18815,2901 litre	O
300	CM	150	CM	50 LEVEL CM	2323,1116 litre	10,955 %	18882,6388 litre	O
300	CM	150	CM	49 LEVEL CM	2256,2995 litre	10,640 %	18949,4509 litre	O
300	CM	150	CM	48 LEVEL CM	2190,0338 litre	10,328 %	19015,7166 litre	O
300	CM	150	CM	47 LEVEL CM	2124,3247 litre	10,018 %	19081,4257 litre	O
300	CM	150	CM	46 LEVEL CM	2059,1823 litre	9,710 %	19146,5681 litre	O
300	CM	150	CM	45 LEVEL CM	1994,6172 litre	9,406 %	19211,1332 litre	O
300	CM	150	CM	44 LEVEL CM	1930,6402 litre	9,104 %	19275,1102 litre	O
300	CM	150	CM	43 LEVEL CM	1867,2625 litre	8,805 %	19338,4879 litre	O
300	CM	150	CM	42 LEVEL CM	1804,4956 litre	8,509 %	19401,2548 litre	O
300	CM	150	CM	41 LEVEL CM	1742,3512 litre	8,216 %	19463,3992 litre	O
300	CM	150	CM	40 LEVEL CM	1680,8415 litre	7,926 %	19524,9089 litre	O
300	CM	150	CM	39 LEVEL CM	1619,9790 litre	7,639 %	19585,7714 litre	O
300	CM	150	CM	38 LEVEL CM	1559,7766 litre	7,355 %	19645,9738 litre	O
300	CM	150	CM	37 LEVEL CM	1500,2478 litre	7,075 %	19705,5026 litre	O

300	CM	150	CM	36 LEVEL CM	1441,4063 litre	6,797 %	19764,3441 litre	O
300	CM	150	CM	35 LEVEL CM	1383,2665 litre	6,523 %	19822,4839 litre	O
300	CM	150	CM	34 LEVEL CM	1325,8432 litre	6,252 %	19879,9072 litre	O
300	CM	150	CM	33 LEVEL CM	1269,1518 litre	5,985 %	19936,5986 litre	O
300	CM	150	CM	32 LEVEL CM	1213,2083 litre	5,721 %	19992,5421 litre	O
300	CM	150	CM	31 LEVEL CM	1158,0294 litre	5,461 %	20047,7210 litre	O
300	CM	150	CM	30 LEVEL CM	1103,6325 litre	5,204 %	20102,1179 litre	O
300	CM	150	CM	29 LEVEL CM	1050,0356 litre	4,952 %	20155,7148 litre	O
300	CM	150	CM	28 LEVEL CM	997,2577 litre	4,703 %	20208,4927 litre	O
300	CM	150	CM	27 LEVEL CM	945,3187 litre	4,458 %	20260,4317 litre	O
300	CM	150	CM	26 LEVEL CM	894,2394 litre	4,217 %	20311,5110 litre	O
300	CM	150	CM	25 LEVEL CM	844,0417 litre	3,980 %	20361,7087 litre	O
300	CM	150	CM	24 LEVEL CM	794,7486 litre	3,748 %	20411,0018 litre	O
300	CM	150	CM	23 LEVEL CM	746,3845 litre	3,520 %	20459,3659 litre	O
300	CM	150	CM	22 LEVEL CM	698,9752 litre	3,296 %	20506,7752 litre	O
300	CM	150	CM	21 LEVEL CM	652,5481 litre	3,077 %	20553,2023 litre	O
300	CM	150	CM	20 LEVEL CM	607,1323 litre	2,863 %	20598,6181 litre	O
300	CM	150	CM	19 LEVEL CM	562,7590 litre	2,654 %	20642,9914 litre	O
300	CM	150	CM	18 LEVEL CM	519,4617 litre	2,450 %	20686,2887 litre	O
300	CM	150	CM	17 LEVEL CM	477,2762 litre	2,251 %	20728,4742 litre	O
300	CM	150	CM	16 LEVEL CM	436,2415 litre	2,057 %	20769,5089 litre	O
300	CM	150	CM	15 LEVEL CM	396,3999 litre	1,869 %	20809,3505 litre	O
300	CM	150	CM	14 LEVEL CM	357,7975 litre	1,687 %	20847,9529 litre	O
300	CM	150	CM	13 LEVEL CM	320,4850 litre	1,511 %	20885,2654 litre	O
300	CM	150	CM	12 LEVEL CM	284,5189 litre	1,342 %	20921,2315 litre	O
300	CM	150	CM	11 LEVEL CM	249,9619 litre	1,179 %	20955,7885 litre	O
300	CM	150	CM	10 LEVEL CM	216,8849 litre	1,023 %	20988,8655 litre	O
300	CM	150	CM	9 LEVEL CM	185,3688 litre	0,874 %	21020,3816 litre	O
300	CM	150	CM	8 LEVEL CM	155,5072 litre	0,733 %	21050,2432 litre	O
300	CM	150	CM	7 LEVEL CM	127,4102 litre	0,601 %	21078,3402 litre	O
300	CM	150	CM	6 LEVEL CM	101,2102 litre	0,477 %	21104,5402 litre	O
300	CM	150	CM	5 LEVEL CM	77,0712 litre	0,363 %	21128,6792 litre	O
300	CM	150	CM	4 LEVEL CM	55,2034 litre	0,260 %	21150,5470 litre	O
300	CM	150	CM	3 LEVEL CM	35,8918 litre	0,169 %	21169,8586 litre	O
300	CM	150	CM	2 LEVEL CM	19,5567 litre	0,092 %	21186,1937 litre	O
300	CM	150	CM	1 LEVEL CM	6,9213 litre	0,033 %	21198,8291 litre	O
300	CM	150	CM	0 LEVEL CM	0,0000 litre	0,000 %	21205,7504 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM 145	CM 290 LEVEL CM	19815,5957 litre	100,000 %	0,0000 litre	O
300	CM 145	CM 289 LEVEL CM	19808,7910 litre	99,966 %	6,8047 litre	O
300	CM 145	CM 288 LEVEL CM	19796,3690 litre	99,903 %	19,2267 litre	O
300	CM 145	CM 287 LEVEL CM	19780,3108 litre	99,822 %	35,2849 litre	O
300	CM 145	CM 286 LEVEL CM	19761,3277 litre	99,726 %	54,2680 litre	O
300	CM 145	CM 285 LEVEL CM	19739,8331 litre	99,618 %	75,7626 litre	O
300	CM 145	CM 284 LEVEL CM	19716,1074 litre	99,498 %	99,4883 litre	O
300	CM 145	CM 283 LEVEL CM	19690,3577 litre	99,368 %	125,2380 litre	O
300	CM 145	CM 282 LEVEL CM	19662,7452 litre	99,229 %	152,8505 litre	O
300	CM 145	CM 281 LEVEL CM	19633,4002 litre	99,081 %	182,1955 litre	O
300	CM 145	CM 280 LEVEL CM	19602,4313 litre	98,924 %	213,1644 litre	O
300	CM 145	CM 279 LEVEL CM	19569,9306 litre	98,760 %	245,6651 litre	O
300	CM 145	CM 278 LEVEL CM	19535,9778 litre	98,589 %	279,6179 litre	O
300	CM 145	CM 277 LEVEL CM	19500,6427 litre	98,411 %	314,9530 litre	O
300	CM 145	CM 276 LEVEL CM	19463,9873 litre	98,226 %	351,6084 litre	O
300	CM 145	CM 275 LEVEL CM	19426,0670 litre	98,034 %	389,5287 litre	O
300	CM 145	CM 274 LEVEL CM	19386,9318 litre	97,837 %	428,6639 litre	O
300	CM 145	CM 273 LEVEL CM	19346,6273 litre	97,633 %	468,9684 litre	O
300	CM 145	CM 272 LEVEL CM	19305,1952 litre	97,424 %	510,4005 litre	O
300	CM 145	CM 271 LEVEL CM	19262,6739 litre	97,210 %	552,9218 litre	O
300	CM 145	CM 270 LEVEL CM	19219,0988 litre	96,990 %	596,4969 litre	O
300	CM 145	CM 269 LEVEL CM	19174,5029 litre	96,765 %	641,0928 litre	O
300	CM 145	CM 268 LEVEL CM	19128,9169 litre	96,535 %	686,6788 litre	O
300	CM 145	CM 267 LEVEL CM	19082,3697 litre	96,300 %	733,2260 litre	O
300	CM 145	CM 266 LEVEL CM	19034,8882 litre	96,060 %	780,7075 litre	O
300	CM 145	CM 265 LEVEL CM	18986,4980 litre	95,816 %	829,0977 litre	O
300	CM 145	CM 264 LEVEL CM	18937,2231 litre	95,567 %	878,3726 litre	O
300	CM 145	CM 263 LEVEL CM	18887,0863 litre	95,314 %	928,5094 litre	O
300	CM 145	CM 262 LEVEL CM	18836,1092 litre	95,057 %	979,4865 litre	O
300	CM 145	CM 261 LEVEL CM	18784,3124 litre	94,796 %	1031,2833 litre	O
300	CM 145	CM 260 LEVEL CM	18731,7156 litre	94,530 %	1083,8801 litre	O
300	CM 145	CM 259 LEVEL CM	18678,3374 litre	94,261 %	1137,2583 litre	O
300	CM 145	CM 258 LEVEL CM	18624,1958 litre	93,988 %	1191,3999 litre	O
300	CM 145	CM 257 LEVEL CM	18569,3080 litre	93,711 %	1246,2877 litre	O
300	CM 145	CM 256 LEVEL CM	18513,6904 litre	93,430 %	1301,9053 litre	O
300	CM 145	CM 255 LEVEL CM	18457,3589 litre	93,146 %	1358,2368 litre	O
300	CM 145	CM 254 LEVEL CM	18400,3287 litre	92,858 %	1415,2670 litre	O
300	CM 145	CM 253 LEVEL CM	18342,6146 litre	92,567 %	1472,9811 litre	O
300	CM 145	CM 252 LEVEL CM	18284,2306 litre	92,272 %	1531,3651 litre	O
300	CM 145	CM 251 LEVEL CM	18225,1906 litre	91,974 %	1590,4051 litre	O
300	CM 145	CM 250 LEVEL CM	18165,5077 litre	91,673 %	1650,0880 litre	O
300	CM 145	CM 249 LEVEL CM	18105,1948 litre	91,368 %	1710,4009 litre	O
300	CM 145	CM 248 LEVEL CM	18044,2643 litre	91,061 %	1771,3314 litre	O
300	CM 145	CM 247 LEVEL CM	17982,7282 litre	90,750 %	1832,8675 litre	O
300	CM 145	CM 246 LEVEL CM	17920,5982 litre	90,437 %	1894,9975 litre	O
300	CM 145	CM 245 LEVEL CM	17857,8858 litre	90,120 %	1957,7099 litre	O
300	CM 145	CM 244 LEVEL CM	17794,6019 litre	89,801 %	2020,9938 litre	O
300	CM 145	CM 243 LEVEL CM	17730,7573 litre	89,479 %	2084,8384 litre	O
300	CM 145	CM 242 LEVEL CM	17666,3624 litre	89,154 %	2149,2333 litre	O
300	CM 145	CM 241 LEVEL CM	17601,4276 litre	88,826 %	2214,1681 litre	O
300	CM 145	CM 240 LEVEL CM	17535,9626 litre	88,496 %	2279,6331 litre	O
300	CM 145	CM 239 LEVEL CM	17469,9773 litre	88,163 %	2345,6184 litre	O

300	CM	145	CM	238 LEVEL CM	17403,4812 litre	87,827 %	2412,1145 litre	O
300	CM	145	CM	237 LEVEL CM	17336,4834 litre	87,489 %	2479,1123 litre	O
300	CM	145	CM	236 LEVEL CM	17268,9931 litre	87,148 %	2546,6026 litre	O
300	CM	145	CM	235 LEVEL CM	17201,0192 litre	86,805 %	2614,5765 litre	O
300	CM	145	CM	234 LEVEL CM	17132,5702 litre	86,460 %	2683,0255 litre	O
300	CM	145	CM	233 LEVEL CM	17063,6547 litre	86,112 %	2751,9410 litre	O
300	CM	145	CM	232 LEVEL CM	16994,2811 litre	85,762 %	2821,3146 litre	O
300	CM	145	CM	231 LEVEL CM	16924,4574 litre	85,410 %	2891,1383 litre	O
300	CM	145	CM	230 LEVEL CM	16854,1917 litre	85,055 %	2961,4040 litre	O
300	CM	145	CM	229 LEVEL CM	16783,4919 litre	84,698 %	3032,1038 litre	O
300	CM	145	CM	228 LEVEL CM	16712,3657 litre	84,339 %	3103,2300 litre	O
300	CM	145	CM	227 LEVEL CM	16640,8205 litre	83,978 %	3174,7752 litre	O
300	CM	145	CM	226 LEVEL CM	16568,8640 litre	83,615 %	3246,7317 litre	O
300	CM	145	CM	225 LEVEL CM	16496,5033 litre	83,250 %	3319,0924 litre	O
300	CM	145	CM	224 LEVEL CM	16423,7457 litre	82,883 %	3391,8500 litre	O
300	CM	145	CM	223 LEVEL CM	16350,5983 litre	82,514 %	3464,9974 litre	O
300	CM	145	CM	222 LEVEL CM	16277,0680 litre	82,143 %	3538,5277 litre	O
300	CM	145	CM	221 LEVEL CM	16203,1616 litre	81,770 %	3612,4341 litre	O
300	CM	145	CM	220 LEVEL CM	16128,8860 litre	81,395 %	3686,7097 litre	O
300	CM	145	CM	219 LEVEL CM	16054,2477 litre	81,018 %	3761,3480 litre	O
300	CM	145	CM	218 LEVEL CM	15979,2534 litre	80,640 %	3836,3423 litre	O
300	CM	145	CM	217 LEVEL CM	15903,9095 litre	80,260 %	3911,6862 litre	O
300	CM	145	CM	216 LEVEL CM	15828,2223 litre	79,878 %	3987,3734 litre	O
300	CM	145	CM	215 LEVEL CM	15752,1981 litre	79,494 %	4063,3976 litre	O
300	CM	145	CM	214 LEVEL CM	15675,8432 litre	79,109 %	4139,7525 litre	O
300	CM	145	CM	213 LEVEL CM	15599,1637 litre	78,722 %	4216,4320 litre	O
300	CM	145	CM	212 LEVEL CM	15522,1656 litre	78,333 %	4293,4301 litre	O
300	CM	145	CM	211 LEVEL CM	15444,8548 litre	77,943 %	4370,7409 litre	O
300	CM	145	CM	210 LEVEL CM	15367,2373 litre	77,551 %	4448,3584 litre	O
300	CM	145	CM	209 LEVEL CM	15289,3190 litre	77,158 %	4526,2767 litre	O
300	CM	145	CM	208 LEVEL CM	15211,1054 litre	76,763 %	4604,4903 litre	O
300	CM	145	CM	207 LEVEL CM	15132,6025 litre	76,367 %	4682,9932 litre	O
300	CM	145	CM	206 LEVEL CM	15053,8157 litre	75,970 %	4761,7800 litre	O
300	CM	145	CM	205 LEVEL CM	14974,7507 litre	75,571 %	4840,8450 litre	O
300	CM	145	CM	204 LEVEL CM	14895,4130 litre	75,170 %	4920,1827 litre	O
300	CM	145	CM	203 LEVEL CM	14815,8080 litre	74,768 %	4999,7877 litre	O
300	CM	145	CM	202 LEVEL CM	14735,9412 litre	74,365 %	5079,6545 litre	O
300	CM	145	CM	201 LEVEL CM	14655,8178 litre	73,961 %	5159,7779 litre	O
300	CM	145	CM	200 LEVEL CM	14575,4432 litre	73,555 %	5240,1525 litre	O
300	CM	145	CM	199 LEVEL CM	14494,8227 litre	73,149 %	5320,7730 litre	O
300	CM	145	CM	198 LEVEL CM	14413,9613 litre	72,740 %	5401,6344 litre	O
300	CM	145	CM	197 LEVEL CM	14332,8644 litre	72,331 %	5482,7313 litre	O
300	CM	145	CM	196 LEVEL CM	14251,5369 litre	71,921 %	5564,0588 litre	O
300	CM	145	CM	195 LEVEL CM	14169,9840 litre	71,509 %	5645,6117 litre	O
300	CM	145	CM	194 LEVEL CM	14088,2107 litre	71,097 %	5727,3850 litre	O
300	CM	145	CM	193 LEVEL CM	14006,2219 litre	70,683 %	5809,3738 litre	O
300	CM	145	CM	192 LEVEL CM	13924,0227 litre	70,268 %	5891,5730 litre	O
300	CM	145	CM	191 LEVEL CM	13841,6178 litre	69,852 %	5973,9779 litre	O
300	CM	145	CM	190 LEVEL CM	13759,0123 litre	69,435 %	6056,5834 litre	O
300	CM	145	CM	189 LEVEL CM	13676,2109 litre	69,017 %	6139,3848 litre	O
300	CM	145	CM	188 LEVEL CM	13593,2184 litre	68,599 %	6222,3773 litre	O
300	CM	145	CM	187 LEVEL CM	13510,0395 litre	68,179 %	6305,5562 litre	O
300	CM	145	CM	186 LEVEL CM	13426,6791 litre	67,758 %	6388,9166 litre	O

300	CM	145	CM	185 LEVEL CM	13343,1418 litre	67,337 %	6472,4539 litre	O
300	CM	145	CM	184 LEVEL CM	13259,4324 litre	66,914 %	6556,1633 litre	O
300	CM	145	CM	183 LEVEL CM	13175,5553 litre	66,491 %	6640,0404 litre	O
300	CM	145	CM	182 LEVEL CM	13091,5153 litre	66,067 %	6724,0804 litre	O
300	CM	145	CM	181 LEVEL CM	13007,3170 litre	65,642 %	6808,2787 litre	O
300	CM	145	CM	180 LEVEL CM	12922,9649 litre	65,216 %	6892,6308 litre	O
300	CM	145	CM	179 LEVEL CM	12838,4636 litre	64,790 %	6977,1321 litre	O
300	CM	145	CM	178 LEVEL CM	12753,8175 litre	64,363 %	7061,7782 litre	O
300	CM	145	CM	177 LEVEL CM	12669,0312 litre	63,935 %	7146,5645 litre	O
300	CM	145	CM	176 LEVEL CM	12584,1091 litre	63,506 %	7231,4866 litre	O
300	CM	145	CM	175 LEVEL CM	12499,0557 litre	63,077 %	7316,5400 litre	O
300	CM	145	CM	174 LEVEL CM	12413,8754 litre	62,647 %	7401,7203 litre	O
300	CM	145	CM	173 LEVEL CM	12328,5727 litre	62,217 %	7487,0230 litre	O
300	CM	145	CM	172 LEVEL CM	12243,1519 litre	61,785 %	7572,4438 litre	O
300	CM	145	CM	171 LEVEL CM	12157,6173 litre	61,354 %	7657,9784 litre	O
300	CM	145	CM	170 LEVEL CM	12071,9734 litre	60,922 %	7743,6223 litre	O
300	CM	145	CM	169 LEVEL CM	11986,2245 litre	60,489 %	7829,3712 litre	O
300	CM	145	CM	168 LEVEL CM	11900,3748 litre	60,056 %	7915,2209 litre	O
300	CM	145	CM	167 LEVEL CM	11814,4288 litre	59,622 %	8001,1669 litre	O
300	CM	145	CM	166 LEVEL CM	11728,3907 litre	59,188 %	8087,2050 litre	O
300	CM	145	CM	165 LEVEL CM	11642,2647 litre	58,753 %	8173,3310 litre	O
300	CM	145	CM	164 LEVEL CM	11556,0552 litre	58,318 %	8259,5405 litre	O
300	CM	145	CM	163 LEVEL CM	11469,7664 litre	57,883 %	8345,8293 litre	O
300	CM	145	CM	162 LEVEL CM	11383,4025 litre	57,447 %	8432,1932 litre	O
300	CM	145	CM	161 LEVEL CM	11296,9678 litre	57,010 %	8518,6279 litre	O
300	CM	145	CM	160 LEVEL CM	11210,4665 litre	56,574 %	8605,1292 litre	O
300	CM	145	CM	159 LEVEL CM	11123,9028 litre	56,137 %	8691,6929 litre	O
300	CM	145	CM	158 LEVEL CM	11037,2808 litre	55,700 %	8778,3149 litre	O
300	CM	145	CM	157 LEVEL CM	10950,6049 litre	55,263 %	8864,9908 litre	O
300	CM	145	CM	156 LEVEL CM	10863,8791 litre	54,825 %	8951,7166 litre	O
300	CM	145	CM	155 LEVEL CM	10777,1077 litre	54,387 %	9038,4880 litre	O
300	CM	145	CM	154 LEVEL CM	10690,2948 litre	53,949 %	9125,3009 litre	O
300	CM	145	CM	153 LEVEL CM	10603,4446 litre	53,511 %	9212,1511 litre	O
300	CM	145	CM	152 LEVEL CM	10516,5612 litre	53,072 %	9299,0345 litre	O
300	CM	145	CM	151 LEVEL CM	10429,6488 litre	52,634 %	9385,9469 litre	O
300	CM	145	CM	150 LEVEL CM	10342,7116 litre	52,195 %	9472,8841 litre	O
300	CM	145	CM	149 LEVEL CM	10255,7537 litre	51,756 %	9559,8420 litre	O
300	CM	145	CM	148 LEVEL CM	10168,7792 litre	51,317 %	9646,8165 litre	O
300	CM	145	CM	147 LEVEL CM	10081,7923 litre	50,878 %	9733,8034 litre	O
300	CM	145	CM	146 LEVEL CM	9994,7971 litre	50,439 %	9820,7986 litre	O
300	CM	145	CM	145 LEVEL CM	9907,7978 litre	50,000 %	9907,7979 litre	O
300	CM	145	CM	144 LEVEL CM	9820,7985 litre	49,561 %	9994,7972 litre	O
300	CM	145	CM	143 LEVEL CM	9733,8033 litre	49,122 %	10081,7924 litre	O
300	CM	145	CM	142 LEVEL CM	9646,8165 litre	48,683 %	10168,7792 litre	O
300	CM	145	CM	141 LEVEL CM	9559,8420 litre	48,244 %	10255,7537 litre	O
300	CM	145	CM	140 LEVEL CM	9472,8841 litre	47,805 %	10342,7116 litre	O
300	CM	145	CM	139 LEVEL CM	9385,9468 litre	47,366 %	10429,6489 litre	O
300	CM	145	CM	138 LEVEL CM	9299,0345 litre	46,928 %	10516,5612 litre	O
300	CM	145	CM	137 LEVEL CM	9212,1511 litre	46,489 %	10603,4446 litre	O
300	CM	145	CM	136 LEVEL CM	9125,3009 litre	46,051 %	10690,2948 litre	O
300	CM	145	CM	135 LEVEL CM	9038,4880 litre	45,613 %	10777,1077 litre	O
300	CM	145	CM	134 LEVEL CM	8951,7166 litre	45,175 %	10863,8791 litre	O
300	CM	145	CM	133 LEVEL CM	8864,9908 litre	44,737 %	10950,6049 litre	O

300	CM	145	CM	132 LEVEL CM	8778,3148 litre	44,300 %	11037,2809 litre	O
300	CM	145	CM	131 LEVEL CM	8691,6929 litre	43,863 %	11123,9028 litre	O
300	CM	145	CM	130 LEVEL CM	8605,1292 litre	43,426 %	11210,4665 litre	O
300	CM	145	CM	129 LEVEL CM	8518,6278 litre	42,990 %	11296,9679 litre	O
300	CM	145	CM	128 LEVEL CM	8432,1931 litre	42,553 %	11383,4026 litre	O
300	CM	145	CM	127 LEVEL CM	8345,8292 litre	42,117 %	11469,7665 litre	O
300	CM	145	CM	126 LEVEL CM	8259,5404 litre	41,682 %	11556,0553 litre	O
300	CM	145	CM	125 LEVEL CM	8173,3309 litre	41,247 %	11642,2648 litre	O
300	CM	145	CM	124 LEVEL CM	8087,2050 litre	40,812 %	11728,3907 litre	O
300	CM	145	CM	123 LEVEL CM	8001,1668 litre	40,378 %	11814,4289 litre	O
300	CM	145	CM	122 LEVEL CM	7915,2208 litre	39,944 %	11900,3749 litre	O
300	CM	145	CM	121 LEVEL CM	7829,3712 litre	39,511 %	11986,2245 litre	O
300	CM	145	CM	120 LEVEL CM	7743,6223 litre	39,078 %	12071,9734 litre	O
300	CM	145	CM	119 LEVEL CM	7657,9784 litre	38,646 %	12157,6173 litre	O
300	CM	145	CM	118 LEVEL CM	7572,4438 litre	38,215 %	12243,1519 litre	O
300	CM	145	CM	117 LEVEL CM	7487,0230 litre	37,783 %	12328,5727 litre	O
300	CM	145	CM	116 LEVEL CM	7401,7202 litre	37,353 %	12413,8755 litre	O
300	CM	145	CM	115 LEVEL CM	7316,5399 litre	36,923 %	12499,0558 litre	O
300	CM	145	CM	114 LEVEL CM	7231,4866 litre	36,494 %	12584,1091 litre	O
300	CM	145	CM	113 LEVEL CM	7146,5645 litre	36,065 %	12669,0312 litre	O
300	CM	145	CM	112 LEVEL CM	7061,7782 litre	35,637 %	12753,8175 litre	O
300	CM	145	CM	111 LEVEL CM	6977,1321 litre	35,210 %	12838,4636 litre	O
300	CM	145	CM	110 LEVEL CM	6892,6308 litre	34,784 %	12922,9649 litre	O
300	CM	145	CM	109 LEVEL CM	6808,2786 litre	34,358 %	13007,3171 litre	O
300	CM	145	CM	108 LEVEL CM	6724,0803 litre	33,933 %	13091,5154 litre	O
300	CM	145	CM	107 LEVEL CM	6640,0403 litre	33,509 %	13175,5554 litre	O
300	CM	145	CM	106 LEVEL CM	6556,1633 litre	33,086 %	13259,4324 litre	O
300	CM	145	CM	105 LEVEL CM	6472,4538 litre	32,663 %	13343,1419 litre	O
300	CM	145	CM	104 LEVEL CM	6388,9165 litre	32,242 %	13426,6792 litre	O
300	CM	145	CM	103 LEVEL CM	6305,5561 litre	31,821 %	13510,0396 litre	O
300	CM	145	CM	102 LEVEL CM	6222,3773 litre	31,401 %	13593,2184 litre	O
300	CM	145	CM	101 LEVEL CM	6139,3848 litre	30,983 %	13676,2109 litre	O
300	CM	145	CM	100 LEVEL CM	6056,5834 litre	30,565 %	13759,0123 litre	O
300	CM	145	CM	99 LEVEL CM	5973,9778 litre	30,148 %	13841,6179 litre	O
300	CM	145	CM	98 LEVEL CM	5891,5730 litre	29,732 %	13924,0227 litre	O
300	CM	145	CM	97 LEVEL CM	5809,3737 litre	29,317 %	14006,2220 litre	O
300	CM	145	CM	96 LEVEL CM	5727,3850 litre	28,903 %	14088,2107 litre	O
300	CM	145	CM	95 LEVEL CM	5645,6117 litre	28,491 %	14169,9840 litre	O
300	CM	145	CM	94 LEVEL CM	5564,0588 litre	28,079 %	14251,5369 litre	O
300	CM	145	CM	93 LEVEL CM	5482,7313 litre	27,669 %	14332,8644 litre	O
300	CM	145	CM	92 LEVEL CM	5401,6343 litre	27,260 %	14413,9614 litre	O
300	CM	145	CM	91 LEVEL CM	5320,7730 litre	26,851 %	14494,8227 litre	O
300	CM	145	CM	90 LEVEL CM	5240,1524 litre	26,445 %	14575,4433 litre	O
300	CM	145	CM	89 LEVEL CM	5159,7779 litre	26,039 %	14655,8178 litre	O
300	CM	145	CM	88 LEVEL CM	5079,6545 litre	25,635 %	14735,9412 litre	O
300	CM	145	CM	87 LEVEL CM	4999,7876 litre	25,232 %	14815,8081 litre	O
300	CM	145	CM	86 LEVEL CM	4920,1826 litre	24,830 %	14895,4131 litre	O
300	CM	145	CM	85 LEVEL CM	4840,8449 litre	24,429 %	14974,7508 litre	O
300	CM	145	CM	84 LEVEL CM	4761,7799 litre	24,030 %	15053,8158 litre	O
300	CM	145	CM	83 LEVEL CM	4682,9932 litre	23,633 %	15132,6025 litre	O
300	CM	145	CM	82 LEVEL CM	4604,4902 litre	23,237 %	15211,1055 litre	O
300	CM	145	CM	81 LEVEL CM	4526,2767 litre	22,842 %	15289,3190 litre	O
300	CM	145	CM	80 LEVEL CM	4448,3583 litre	22,449 %	15367,2374 litre	O

300	CM	145	CM	79 LEVEL CM	4370,7409 litre	22,057 %	15444,8548 litre	O
300	CM	145	CM	78 LEVEL CM	4293,4301 litre	21,667 %	15522,1656 litre	O
300	CM	145	CM	77 LEVEL CM	4216,4320 litre	21,278 %	15599,1637 litre	O
300	CM	145	CM	76 LEVEL CM	4139,7524 litre	20,891 %	15675,8433 litre	O
300	CM	145	CM	75 LEVEL CM	4063,3975 litre	20,506 %	15752,1982 litre	O
300	CM	145	CM	74 LEVEL CM	3987,3734 litre	20,122 %	15828,2223 litre	O
300	CM	145	CM	73 LEVEL CM	3911,6862 litre	19,740 %	15903,9095 litre	O
300	CM	145	CM	72 LEVEL CM	3836,3423 litre	19,360 %	15979,2534 litre	O
300	CM	145	CM	71 LEVEL CM	3761,3479 litre	18,982 %	16054,2478 litre	O
300	CM	145	CM	70 LEVEL CM	3686,7097 litre	18,605 %	16128,8860 litre	O
300	CM	145	CM	69 LEVEL CM	3612,4341 litre	18,230 %	16203,1616 litre	O
300	CM	145	CM	68 LEVEL CM	3538,5277 litre	17,857 %	16277,0680 litre	O
300	CM	145	CM	67 LEVEL CM	3464,9974 litre	17,486 %	16350,5983 litre	O
300	CM	145	CM	66 LEVEL CM	3391,8499 litre	17,117 %	16423,7458 litre	O
300	CM	145	CM	65 LEVEL CM	3319,0924 litre	16,750 %	16496,5033 litre	O
300	CM	145	CM	64 LEVEL CM	3246,7317 litre	16,385 %	16568,8640 litre	O
300	CM	145	CM	63 LEVEL CM	3174,7751 litre	16,022 %	16640,8206 litre	O
300	CM	145	CM	62 LEVEL CM	3103,2300 litre	15,661 %	16712,3657 litre	O
300	CM	145	CM	61 LEVEL CM	3032,1037 litre	15,302 %	16783,4920 litre	O
300	CM	145	CM	60 LEVEL CM	2961,4039 litre	14,945 %	16854,1918 litre	O
300	CM	145	CM	59 LEVEL CM	2891,1382 litre	14,590 %	16924,4575 litre	O
300	CM	145	CM	58 LEVEL CM	2821,3146 litre	14,238 %	16994,2811 litre	O
300	CM	145	CM	57 LEVEL CM	2751,9409 litre	13,888 %	17063,6548 litre	O
300	CM	145	CM	56 LEVEL CM	2683,0255 litre	13,540 %	17132,5702 litre	O
300	CM	145	CM	55 LEVEL CM	2614,5765 litre	13,195 %	17201,0192 litre	O
300	CM	145	CM	54 LEVEL CM	2546,6025 litre	12,852 %	17268,9932 litre	O
300	CM	145	CM	53 LEVEL CM	2479,1122 litre	12,511 %	17336,4835 litre	O
300	CM	145	CM	52 LEVEL CM	2412,1145 litre	12,173 %	17403,4812 litre	O
300	CM	145	CM	51 LEVEL CM	2345,6183 litre	11,837 %	17469,9774 litre	O
300	CM	145	CM	50 LEVEL CM	2279,6330 litre	11,504 %	17535,9627 litre	O
300	CM	145	CM	49 LEVEL CM	2214,1681 litre	11,174 %	17601,4276 litre	O
300	CM	145	CM	48 LEVEL CM	2149,2332 litre	10,846 %	17666,3625 litre	O
300	CM	145	CM	47 LEVEL CM	2084,8384 litre	10,521 %	17730,7573 litre	O
300	CM	145	CM	46 LEVEL CM	2020,9938 litre	10,199 %	17794,6019 litre	O
300	CM	145	CM	45 LEVEL CM	1957,7099 litre	9,880 %	17857,8858 litre	O
300	CM	145	CM	44 LEVEL CM	1894,9974 litre	9,563 %	17920,5983 litre	O
300	CM	145	CM	43 LEVEL CM	1832,8675 litre	9,250 %	17982,7282 litre	O
300	CM	145	CM	42 LEVEL CM	1771,3314 litre	8,939 %	18044,2643 litre	O
300	CM	145	CM	41 LEVEL CM	1710,4009 litre	8,632 %	18105,1948 litre	O
300	CM	145	CM	40 LEVEL CM	1650,0879 litre	8,327 %	18165,5078 litre	O
300	CM	145	CM	39 LEVEL CM	1590,4051 litre	8,026 %	18225,1906 litre	O
300	CM	145	CM	38 LEVEL CM	1531,3650 litre	7,728 %	18284,2307 litre	O
300	CM	145	CM	37 LEVEL CM	1472,9811 litre	7,433 %	18342,6146 litre	O
300	CM	145	CM	36 LEVEL CM	1415,2670 litre	7,142 %	18400,3287 litre	O
300	CM	145	CM	35 LEVEL CM	1358,2368 litre	6,854 %	18457,3589 litre	O
300	CM	145	CM	34 LEVEL CM	1301,9053 litre	6,570 %	18513,6904 litre	O
300	CM	145	CM	33 LEVEL CM	1246,2877 litre	6,289 %	18569,3080 litre	O
300	CM	145	CM	32 LEVEL CM	1191,3999 litre	6,012 %	18624,1958 litre	O
300	CM	145	CM	31 LEVEL CM	1137,2583 litre	5,739 %	18678,3374 litre	O
300	CM	145	CM	30 LEVEL CM	1083,8801 litre	5,470 %	18731,7156 litre	O
300	CM	145	CM	29 LEVEL CM	1031,2832 litre	5,204 %	18784,3125 litre	O
300	CM	145	CM	28 LEVEL CM	979,4865 litre	4,943 %	18836,1092 litre	O
300	CM	145	CM	27 LEVEL CM	928,5094 litre	4,686 %	18887,0863 litre	O

300	CM	145	CM	26 LEVEL CM	878,3726 litre	4,433 %	18937,2231 litre	O
300	CM	145	CM	25 LEVEL CM	829,0977 litre	4,184 %	18986,4980 litre	O
300	CM	145	CM	24 LEVEL CM	780,7075 litre	3,940 %	19034,8882 litre	O
300	CM	145	CM	23 LEVEL CM	733,2260 litre	3,700 %	19082,3697 litre	O
300	CM	145	CM	22 LEVEL CM	686,6788 litre	3,465 %	19128,9169 litre	O
300	CM	145	CM	21 LEVEL CM	641,0928 litre	3,235 %	19174,5029 litre	O
300	CM	145	CM	20 LEVEL CM	596,4969 litre	3,010 %	19219,0988 litre	O
300	CM	145	CM	19 LEVEL CM	552,9218 litre	2,790 %	19262,6739 litre	O
300	CM	145	CM	18 LEVEL CM	510,4004 litre	2,576 %	19305,1953 litre	O
300	CM	145	CM	17 LEVEL CM	468,9683 litre	2,367 %	19346,6274 litre	O
300	CM	145	CM	16 LEVEL CM	428,6639 litre	2,163 %	19386,9318 litre	O
300	CM	145	CM	15 LEVEL CM	389,5287 litre	1,966 %	19426,0670 litre	O
300	CM	145	CM	14 LEVEL CM	351,6084 litre	1,774 %	19463,9873 litre	O
300	CM	145	CM	13 LEVEL CM	314,9529 litre	1,589 %	19500,6428 litre	O
300	CM	145	CM	12 LEVEL CM	279,6178 litre	1,411 %	19535,9779 litre	O
300	CM	145	CM	11 LEVEL CM	245,6650 litre	1,240 %	19569,9307 litre	O
300	CM	145	CM	10 LEVEL CM	213,1643 litre	1,076 %	19602,4314 litre	O
300	CM	145	CM	9 LEVEL CM	182,1954 litre	0,919 %	19633,4003 litre	O
300	CM	145	CM	8 LEVEL CM	152,8505 litre	0,771 %	19662,7452 litre	O
300	CM	145	CM	7 LEVEL CM	125,2379 litre	0,632 %	19690,3578 litre	O
300	CM	145	CM	6 LEVEL CM	99,4882 litre	0,502 %	19716,1075 litre	O
300	CM	145	CM	5 LEVEL CM	75,7626 litre	0,382 %	19739,8331 litre	O
300	CM	145	CM	4 LEVEL CM	54,2680 litre	0,274 %	19761,3277 litre	O
300	CM	145	CM	3 LEVEL CM	35,2849 litre	0,178 %	19780,3108 litre	O
300	CM	145	CM	2 LEVEL CM	19,2266 litre	0,097 %	19796,3691 litre	O
300	CM	145	CM	1 LEVEL CM	6,8047 litre	0,034 %	19808,7910 litre	O
300	CM	145	CM	0 LEVEL CM	0,0000 litre	0,000 %	19815,5957 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM 140	CM 280 LEVEL CM	18472,5648 litre	100,000 %	0,0000 litre	O
300	CM 140	CM 279 LEVEL CM	18465,8787 litre	99,964 %	6,6861 litre	O
300	CM 140	CM 278 LEVEL CM	18453,6740 litre	99,898 %	18,8908 litre	O
300	CM 140	CM 277 LEVEL CM	18437,8975 litre	99,812 %	34,6673 litre	O
300	CM 140	CM 276 LEVEL CM	18419,2486 litre	99,711 %	53,3162 litre	O
300	CM 140	CM 275 LEVEL CM	18398,1338 litre	99,597 %	74,4310 litre	O
300	CM 140	CM 274 LEVEL CM	18374,8289 litre	99,471 %	97,7359 litre	O
300	CM 140	CM 273 LEVEL CM	18349,5374 litre	99,334 %	123,0274 litre	O
300	CM 140	CM 272 LEVEL CM	18322,4180 litre	99,187 %	150,1468 litre	O
300	CM 140	CM 271 LEVEL CM	18293,5990 litre	99,031 %	178,9658 litre	O
300	CM 140	CM 270 LEVEL CM	18263,1872 litre	98,867 %	209,3776 litre	O
300	CM 140	CM 269 LEVEL CM	18231,2732 litre	98,694 %	241,2916 litre	O
300	CM 140	CM 268 LEVEL CM	18197,9355 litre	98,513 %	274,6293 litre	O
300	CM 140	CM 267 LEVEL CM	18163,2429 litre	98,326 %	309,3219 litre	O
300	CM 140	CM 266 LEVEL CM	18127,2565 litre	98,131 %	345,3083 litre	O
300	CM 140	CM 265 LEVEL CM	18090,0307 litre	97,929 %	382,5341 litre	O
300	CM 140	CM 264 LEVEL CM	18051,6150 litre	97,721 %	420,9498 litre	O
300	CM 140	CM 263 LEVEL CM	18012,0542 litre	97,507 %	460,5106 litre	O
300	CM 140	CM 262 LEVEL CM	17971,3895 litre	97,287 %	501,1753 litre	O
300	CM 140	CM 261 LEVEL CM	17929,6586 litre	97,061 %	542,9062 litre	O
300	CM 140	CM 260 LEVEL CM	17886,8965 litre	96,830 %	585,6683 litre	O
300	CM 140	CM 259 LEVEL CM	17843,1358 litre	96,593 %	629,4290 litre	O
300	CM 140	CM 258 LEVEL CM	17798,4068 litre	96,350 %	674,1580 litre	O
300	CM 140	CM 257 LEVEL CM	17752,7379 litre	96,103 %	719,8269 litre	O
300	CM 140	CM 256 LEVEL CM	17706,1558 litre	95,851 %	766,4090 litre	O
300	CM 140	CM 255 LEVEL CM	17658,6856 litre	95,594 %	813,8792 litre	O
300	CM 140	CM 254 LEVEL CM	17610,3512 litre	95,332 %	862,2136 litre	O
300	CM 140	CM 253 LEVEL CM	17561,1749 litre	95,066 %	911,3899 litre	O
300	CM 140	CM 252 LEVEL CM	17511,1783 litre	94,796 %	961,3865 litre	O
300	CM 140	CM 251 LEVEL CM	17460,3816 litre	94,521 %	1012,1832 litre	O
300	CM 140	CM 250 LEVEL CM	17408,8041 litre	94,241 %	1063,7607 litre	O
300	CM 140	CM 249 LEVEL CM	17356,4645 litre	93,958 %	1116,1003 litre	O
300	CM 140	CM 248 LEVEL CM	17303,3805 litre	93,671 %	1169,1843 litre	O
300	CM 140	CM 247 LEVEL CM	17249,5690 litre	93,379 %	1222,9958 litre	O
300	CM 140	CM 246 LEVEL CM	17195,0464 litre	93,084 %	1277,5184 litre	O
300	CM 140	CM 245 LEVEL CM	17139,8282 litre	92,785 %	1332,7366 litre	O
300	CM 140	CM 244 LEVEL CM	17083,9297 litre	92,483 %	1388,6351 litre	O
300	CM 140	CM 243 LEVEL CM	17027,3654 litre	92,177 %	1445,1994 litre	O
300	CM 140	CM 242 LEVEL CM	16970,1493 litre	91,867 %	1502,4155 litre	O
300	CM 140	CM 241 LEVEL CM	16912,2949 litre	91,554 %	1560,2699 litre	O
300	CM 140	CM 240 LEVEL CM	16853,8155 litre	91,237 %	1618,7493 litre	O
300	CM 140	CM 239 LEVEL CM	16794,7236 litre	90,917 %	1677,8412 litre	O
300	CM 140	CM 238 LEVEL CM	16735,0316 litre	90,594 %	1737,5332 litre	O
300	CM 140	CM 237 LEVEL CM	16674,7515 litre	90,268 %	1797,8133 litre	O
300	CM 140	CM 236 LEVEL CM	16613,8949 litre	89,938 %	1858,6699 litre	O
300	CM 140	CM 235 LEVEL CM	16552,4729 litre	89,606 %	1920,0919 litre	O
300	CM 140	CM 234 LEVEL CM	16490,4967 litre	89,270 %	1982,0681 litre	O
300	CM 140	CM 233 LEVEL CM	16427,9768 litre	88,932 %	2044,5880 litre	O
300	CM 140	CM 232 LEVEL CM	16364,9237 litre	88,590 %	2107,6411 litre	O
300	CM 140	CM 231 LEVEL CM	16301,3474 litre	88,246 %	2171,2174 litre	O
300	CM 140	CM 230 LEVEL CM	16237,2580 litre	87,899 %	2235,3068 litre	O
300	CM 140	CM 229 LEVEL CM	16172,6649 litre	87,550 %	2299,8999 litre	O

300	CM	140	CM	228 LEVEL CM	16107,5778 litre	87,197 %	2364,9870 litre	O
300	CM	140	CM	227 LEVEL CM	16042,0057 litre	86,842 %	2430,5591 litre	O
300	CM	140	CM	226 LEVEL CM	15975,9576 litre	86,485 %	2496,6072 litre	O
300	CM	140	CM	225 LEVEL CM	15909,4425 litre	86,125 %	2563,1223 litre	O
300	CM	140	CM	224 LEVEL CM	15842,4689 litre	85,762 %	2630,0959 litre	O
300	CM	140	CM	223 LEVEL CM	15775,0453 litre	85,397 %	2697,5195 litre	O
300	CM	140	CM	222 LEVEL CM	15707,1800 litre	85,030 %	2765,3848 litre	O
300	CM	140	CM	221 LEVEL CM	15638,8810 litre	84,660 %	2833,6838 litre	O
300	CM	140	CM	220 LEVEL CM	15570,1565 litre	84,288 %	2902,4083 litre	O
300	CM	140	CM	219 LEVEL CM	15501,0141 litre	83,914 %	2971,5507 litre	O
300	CM	140	CM	218 LEVEL CM	15431,4616 litre	83,537 %	3041,1032 litre	O
300	CM	140	CM	217 LEVEL CM	15361,5066 litre	83,158 %	3111,0582 litre	O
300	CM	140	CM	216 LEVEL CM	15291,1564 litre	82,778 %	3181,4084 litre	O
300	CM	140	CM	215 LEVEL CM	15220,4184 litre	82,395 %	3252,1464 litre	O
300	CM	140	CM	214 LEVEL CM	15149,2997 litre	82,010 %	3323,2651 litre	O
300	CM	140	CM	213 LEVEL CM	15077,8074 litre	81,623 %	3394,7574 litre	O
300	CM	140	CM	212 LEVEL CM	15005,9485 litre	81,234 %	3466,6163 litre	O
300	CM	140	CM	211 LEVEL CM	14933,7297 litre	80,843 %	3538,8351 litre	O
300	CM	140	CM	210 LEVEL CM	14861,1579 litre	80,450 %	3611,4069 litre	O
300	CM	140	CM	209 LEVEL CM	14788,2396 litre	80,055 %	3684,3252 litre	O
300	CM	140	CM	208 LEVEL CM	14714,9815 litre	79,659 %	3757,5833 litre	O
300	CM	140	CM	207 LEVEL CM	14641,3900 litre	79,260 %	3831,1748 litre	O
300	CM	140	CM	206 LEVEL CM	14567,4715 litre	78,860 %	3905,0933 litre	O
300	CM	140	CM	205 LEVEL CM	14493,2322 litre	78,458 %	3979,3326 litre	O
300	CM	140	CM	204 LEVEL CM	14418,6784 litre	78,055 %	4053,8864 litre	O
300	CM	140	CM	203 LEVEL CM	14343,8162 litre	77,649 %	4128,7486 litre	O
300	CM	140	CM	202 LEVEL CM	14268,6516 litre	77,242 %	4203,9132 litre	O
300	CM	140	CM	201 LEVEL CM	14193,1906 litre	76,834 %	4279,3742 litre	O
300	CM	140	CM	200 LEVEL CM	14117,4393 litre	76,424 %	4355,1255 litre	O
300	CM	140	CM	199 LEVEL CM	14041,4033 litre	76,012 %	4431,1615 litre	O
300	CM	140	CM	198 LEVEL CM	13965,0884 litre	75,599 %	4507,4764 litre	O
300	CM	140	CM	197 LEVEL CM	13888,5005 litre	75,184 %	4584,0643 litre	O
300	CM	140	CM	196 LEVEL CM	13811,6451 litre	74,768 %	4660,9197 litre	O
300	CM	140	CM	195 LEVEL CM	13734,5278 litre	74,351 %	4738,0370 litre	O
300	CM	140	CM	194 LEVEL CM	13657,1542 litre	73,932 %	4815,4106 litre	O
300	CM	140	CM	193 LEVEL CM	13579,5297 litre	73,512 %	4893,0351 litre	O
300	CM	140	CM	192 LEVEL CM	13501,6599 litre	73,090 %	4970,9049 litre	O
300	CM	140	CM	191 LEVEL CM	13423,5500 litre	72,667 %	5049,0148 litre	O
300	CM	140	CM	190 LEVEL CM	13345,2054 litre	72,243 %	5127,3594 litre	O
300	CM	140	CM	189 LEVEL CM	13266,6314 litre	71,818 %	5205,9334 litre	O
300	CM	140	CM	188 LEVEL CM	13187,8332 litre	71,391 %	5284,7316 litre	O
300	CM	140	CM	187 LEVEL CM	13108,8160 litre	70,964 %	5363,7488 litre	O
300	CM	140	CM	186 LEVEL CM	13029,5850 litre	70,535 %	5442,9798 litre	O
300	CM	140	CM	185 LEVEL CM	12950,1452 litre	70,105 %	5522,4196 litre	O
300	CM	140	CM	184 LEVEL CM	12870,5018 litre	69,674 %	5602,0630 litre	O
300	CM	140	CM	183 LEVEL CM	12790,6597 litre	69,241 %	5681,9051 litre	O
300	CM	140	CM	182 LEVEL CM	12710,6240 litre	68,808 %	5761,9408 litre	O
300	CM	140	CM	181 LEVEL CM	12630,3995 litre	68,374 %	5842,1653 litre	O
300	CM	140	CM	180 LEVEL CM	12549,9913 litre	67,939 %	5922,5735 litre	O
300	CM	140	CM	179 LEVEL CM	12469,4043 litre	67,502 %	6003,1605 litre	O
300	CM	140	CM	178 LEVEL CM	12388,6432 litre	67,065 %	6083,9216 litre	O
300	CM	140	CM	177 LEVEL CM	12307,7128 litre	66,627 %	6164,8520 litre	O
300	CM	140	CM	176 LEVEL CM	12226,6181 litre	66,188 %	6245,9467 litre	O

300	CM	140	CM	175 LEVEL CM	12145,3637 litre	65,748 %	6327,2011 litre	O
300	CM	140	CM	174 LEVEL CM	12063,9544 litre	65,307 %	6408,6104 litre	O
300	CM	140	CM	173 LEVEL CM	11982,3948 litre	64,866 %	6490,1700 litre	O
300	CM	140	CM	172 LEVEL CM	11900,6898 litre	64,424 %	6571,8750 litre	O
300	CM	140	CM	171 LEVEL CM	11818,8438 litre	63,981 %	6653,7210 litre	O
300	CM	140	CM	170 LEVEL CM	11736,8616 litre	63,537 %	6735,7032 litre	O
300	CM	140	CM	169 LEVEL CM	11654,7478 litre	63,092 %	6817,8170 litre	O
300	CM	140	CM	168 LEVEL CM	11572,5070 litre	62,647 %	6900,0578 litre	O
300	CM	140	CM	167 LEVEL CM	11490,1436 litre	62,201 %	6982,4212 litre	O
300	CM	140	CM	166 LEVEL CM	11407,6624 litre	61,755 %	7064,9024 litre	O
300	CM	140	CM	165 LEVEL CM	11325,0677 litre	61,308 %	7147,4971 litre	O
300	CM	140	CM	164 LEVEL CM	11242,3641 litre	60,860 %	7230,2007 litre	O
300	CM	140	CM	163 LEVEL CM	11159,5562 litre	60,412 %	7313,0086 litre	O
300	CM	140	CM	162 LEVEL CM	11076,6483 litre	59,963 %	7395,9165 litre	O
300	CM	140	CM	161 LEVEL CM	10993,6449 litre	59,513 %	7478,9199 litre	O
300	CM	140	CM	160 LEVEL CM	10910,5505 litre	59,064 %	7562,0143 litre	O
300	CM	140	CM	159 LEVEL CM	10827,3695 litre	58,613 %	7645,1953 litre	O
300	CM	140	CM	158 LEVEL CM	10744,1063 litre	58,163 %	7728,4585 litre	O
300	CM	140	CM	157 LEVEL CM	10660,7653 litre	57,711 %	7811,7995 litre	O
300	CM	140	CM	156 LEVEL CM	10577,3509 litre	57,260 %	7895,2139 litre	O
300	CM	140	CM	155 LEVEL CM	10493,8675 litre	56,808 %	7978,6973 litre	O
300	CM	140	CM	154 LEVEL CM	10410,3195 litre	56,356 %	8062,2453 litre	O
300	CM	140	CM	153 LEVEL CM	10326,7111 litre	55,903 %	8145,8537 litre	O
300	CM	140	CM	152 LEVEL CM	10243,0468 litre	55,450 %	8229,5180 litre	O
300	CM	140	CM	151 LEVEL CM	10159,3308 litre	54,997 %	8313,2340 litre	O
300	CM	140	CM	150 LEVEL CM	10075,5676 litre	54,543 %	8396,9972 litre	O
300	CM	140	CM	149 LEVEL CM	9991,7614 litre	54,090 %	8480,8034 litre	O
300	CM	140	CM	148 LEVEL CM	9907,9165 litre	53,636 %	8564,6483 litre	O
300	CM	140	CM	147 LEVEL CM	9824,0373 litre	53,182 %	8648,5275 litre	O
300	CM	140	CM	146 LEVEL CM	9740,1281 litre	52,728 %	8732,4367 litre	O
300	CM	140	CM	145 LEVEL CM	9656,1931 litre	52,273 %	8816,3717 litre	O
300	CM	140	CM	144 LEVEL CM	9572,2367 litre	51,819 %	8900,3281 litre	O
300	CM	140	CM	143 LEVEL CM	9488,2631 litre	51,364 %	8984,3017 litre	O
300	CM	140	CM	142 LEVEL CM	9404,2767 litre	50,909 %	9068,2881 litre	O
300	CM	140	CM	141 LEVEL CM	9320,2817 litre	50,455 %	9152,2831 litre	O
300	CM	140	CM	140 LEVEL CM	9236,2824 litre	50,000 %	9236,2824 litre	O
300	CM	140	CM	139 LEVEL CM	9152,2831 litre	49,545 %	9320,2817 litre	O
300	CM	140	CM	138 LEVEL CM	9068,2881 litre	49,091 %	9404,2767 litre	O
300	CM	140	CM	137 LEVEL CM	8984,3017 litre	48,636 %	9488,2631 litre	O
300	CM	140	CM	136 LEVEL CM	8900,3281 litre	48,181 %	9572,2367 litre	O
300	CM	140	CM	135 LEVEL CM	8816,3717 litre	47,727 %	9656,1931 litre	O
300	CM	140	CM	134 LEVEL CM	8732,4367 litre	47,272 %	9740,1281 litre	O
300	CM	140	CM	133 LEVEL CM	8648,5275 litre	46,818 %	9824,0373 litre	O
300	CM	140	CM	132 LEVEL CM	8564,6483 litre	46,364 %	9907,9165 litre	O
300	CM	140	CM	131 LEVEL CM	8480,8034 litre	45,910 %	9991,7614 litre	O
300	CM	140	CM	130 LEVEL CM	8396,9972 litre	45,457 %	10075,5676 litre	O
300	CM	140	CM	129 LEVEL CM	8313,2340 litre	45,003 %	10159,3308 litre	O
300	CM	140	CM	128 LEVEL CM	8229,5181 litre	44,550 %	10243,0467 litre	O
300	CM	140	CM	127 LEVEL CM	8145,8537 litre	44,097 %	10326,7111 litre	O
300	CM	140	CM	126 LEVEL CM	8062,2454 litre	43,644 %	10410,3194 litre	O
300	CM	140	CM	125 LEVEL CM	7978,6973 litre	43,192 %	10493,8675 litre	O
300	CM	140	CM	124 LEVEL CM	7895,2139 litre	42,740 %	10577,3509 litre	O
300	CM	140	CM	123 LEVEL CM	7811,7995 litre	42,289 %	10660,7653 litre	O

300	CM	140	CM	122 LEVEL CM	7728,4585 litre	41,837 %	10744,1063 litre	O
300	CM	140	CM	121 LEVEL CM	7645,1953 litre	41,387 %	10827,3695 litre	O
300	CM	140	CM	120 LEVEL CM	7562,0143 litre	40,936 %	10910,5505 litre	O
300	CM	140	CM	119 LEVEL CM	7478,9199 litre	40,487 %	10993,6449 litre	O
300	CM	140	CM	118 LEVEL CM	7395,9165 litre	40,037 %	11076,6483 litre	O
300	CM	140	CM	117 LEVEL CM	7313,0086 litre	39,588 %	11159,5562 litre	O
300	CM	140	CM	116 LEVEL CM	7230,2007 litre	39,140 %	11242,3641 litre	O
300	CM	140	CM	115 LEVEL CM	7147,4971 litre	38,692 %	11325,0677 litre	O
300	CM	140	CM	114 LEVEL CM	7064,9025 litre	38,245 %	11407,6623 litre	O
300	CM	140	CM	113 LEVEL CM	6982,4212 litre	37,799 %	11490,1436 litre	O
300	CM	140	CM	112 LEVEL CM	6900,0579 litre	37,353 %	11572,5069 litre	O
300	CM	140	CM	111 LEVEL CM	6817,8170 litre	36,908 %	11654,7478 litre	O
300	CM	140	CM	110 LEVEL CM	6735,7032 litre	36,463 %	11736,8616 litre	O
300	CM	140	CM	109 LEVEL CM	6653,7210 litre	36,019 %	11818,8438 litre	O
300	CM	140	CM	108 LEVEL CM	6571,8751 litre	35,576 %	11900,6897 litre	O
300	CM	140	CM	107 LEVEL CM	6490,1700 litre	35,134 %	11982,3948 litre	O
300	CM	140	CM	106 LEVEL CM	6408,6104 litre	34,693 %	12063,9544 litre	O
300	CM	140	CM	105 LEVEL CM	6327,2011 litre	34,252 %	12145,3637 litre	O
300	CM	140	CM	104 LEVEL CM	6245,9467 litre	33,812 %	12226,6181 litre	O
300	CM	140	CM	103 LEVEL CM	6164,8520 litre	33,373 %	12307,7128 litre	O
300	CM	140	CM	102 LEVEL CM	6083,9216 litre	32,935 %	12388,6432 litre	O
300	CM	140	CM	101 LEVEL CM	6003,1605 litre	32,498 %	12469,4043 litre	O
300	CM	140	CM	100 LEVEL CM	5922,5735 litre	32,061 %	12549,9913 litre	O
300	CM	140	CM	99 LEVEL CM	5842,1653 litre	31,626 %	12630,3995 litre	O
300	CM	140	CM	98 LEVEL CM	5761,9408 litre	31,192 %	12710,6240 litre	O
300	CM	140	CM	97 LEVEL CM	5681,9051 litre	30,759 %	12790,6597 litre	O
300	CM	140	CM	96 LEVEL CM	5602,0630 litre	30,326 %	12870,5018 litre	O
300	CM	140	CM	95 LEVEL CM	5522,4196 litre	29,895 %	12950,1452 litre	O
300	CM	140	CM	94 LEVEL CM	5442,9798 litre	29,465 %	13029,5850 litre	O
300	CM	140	CM	93 LEVEL CM	5363,7488 litre	29,036 %	13108,8160 litre	O
300	CM	140	CM	92 LEVEL CM	5284,7316 litre	28,609 %	13187,8332 litre	O
300	CM	140	CM	91 LEVEL CM	5205,9334 litre	28,182 %	13266,6314 litre	O
300	CM	140	CM	90 LEVEL CM	5127,3594 litre	27,757 %	13345,2054 litre	O
300	CM	140	CM	89 LEVEL CM	5049,0148 litre	27,333 %	13423,5500 litre	O
300	CM	140	CM	88 LEVEL CM	4970,9049 litre	26,910 %	13501,6599 litre	O
300	CM	140	CM	87 LEVEL CM	4893,0351 litre	26,488 %	13579,5297 litre	O
300	CM	140	CM	86 LEVEL CM	4815,4106 litre	26,068 %	13657,1542 litre	O
300	CM	140	CM	85 LEVEL CM	4738,0370 litre	25,649 %	13734,5278 litre	O
300	CM	140	CM	84 LEVEL CM	4660,9197 litre	25,232 %	13811,6451 litre	O
300	CM	140	CM	83 LEVEL CM	4584,0643 litre	24,816 %	13888,5005 litre	O
300	CM	140	CM	82 LEVEL CM	4507,4764 litre	24,401 %	13965,0884 litre	O
300	CM	140	CM	81 LEVEL CM	4431,1615 litre	23,988 %	14041,4033 litre	O
300	CM	140	CM	80 LEVEL CM	4355,1255 litre	23,576 %	14117,4393 litre	O
300	CM	140	CM	79 LEVEL CM	4279,3742 litre	23,166 %	14193,1906 litre	O
300	CM	140	CM	78 LEVEL CM	4203,9132 litre	22,758 %	14268,6516 litre	O
300	CM	140	CM	77 LEVEL CM	4128,7487 litre	22,351 %	14343,8161 litre	O
300	CM	140	CM	76 LEVEL CM	4053,8864 litre	21,945 %	14418,6784 litre	O
300	CM	140	CM	75 LEVEL CM	3979,3326 litre	21,542 %	14493,2322 litre	O
300	CM	140	CM	74 LEVEL CM	3905,0933 litre	21,140 %	14567,4715 litre	O
300	CM	140	CM	73 LEVEL CM	3831,1748 litre	20,740 %	14641,3900 litre	O
300	CM	140	CM	72 LEVEL CM	3757,5833 litre	20,341 %	14714,9815 litre	O
300	CM	140	CM	71 LEVEL CM	3684,3252 litre	19,945 %	14788,2396 litre	O
300	CM	140	CM	70 LEVEL CM	3611,4069 litre	19,550 %	14861,1579 litre	O

300	CM	140	CM	69 LEVEL CM	3538,8351 litre	19,157 %	14933,7297 litre	O
300	CM	140	CM	68 LEVEL CM	3466,6163 litre	18,766 %	15005,9485 litre	O
300	CM	140	CM	67 LEVEL CM	3394,7574 litre	18,377 %	15077,8074 litre	O
300	CM	140	CM	66 LEVEL CM	3323,2651 litre	17,990 %	15149,2997 litre	O
300	CM	140	CM	65 LEVEL CM	3252,1464 litre	17,605 %	15220,4184 litre	O
300	CM	140	CM	64 LEVEL CM	3181,4084 litre	17,222 %	15291,1564 litre	O
300	CM	140	CM	63 LEVEL CM	3111,0582 litre	16,842 %	15361,5066 litre	O
300	CM	140	CM	62 LEVEL CM	3041,1032 litre	16,463 %	15431,4616 litre	O
300	CM	140	CM	61 LEVEL CM	2971,5507 litre	16,086 %	15501,0141 litre	O
300	CM	140	CM	60 LEVEL CM	2902,4083 litre	15,712 %	15570,1565 litre	O
300	CM	140	CM	59 LEVEL CM	2833,6838 litre	15,340 %	15638,8810 litre	O
300	CM	140	CM	58 LEVEL CM	2765,3848 litre	14,970 %	15707,1800 litre	O
300	CM	140	CM	57 LEVEL CM	2697,5195 litre	14,603 %	15775,0453 litre	O
300	CM	140	CM	56 LEVEL CM	2630,0959 litre	14,238 %	15842,4689 litre	O
300	CM	140	CM	55 LEVEL CM	2563,1223 litre	13,875 %	15909,4425 litre	O
300	CM	140	CM	54 LEVEL CM	2496,6072 litre	13,515 %	15975,9576 litre	O
300	CM	140	CM	53 LEVEL CM	2430,5591 litre	13,158 %	16042,0057 litre	O
300	CM	140	CM	52 LEVEL CM	2364,9870 litre	12,803 %	16107,5778 litre	O
300	CM	140	CM	51 LEVEL CM	2299,8999 litre	12,450 %	16172,6649 litre	O
300	CM	140	CM	50 LEVEL CM	2235,3068 litre	12,101 %	16237,2580 litre	O
300	CM	140	CM	49 LEVEL CM	2171,2174 litre	11,754 %	16301,3474 litre	O
300	CM	140	CM	48 LEVEL CM	2107,6411 litre	11,410 %	16364,9237 litre	O
300	CM	140	CM	47 LEVEL CM	2044,5880 litre	11,068 %	16427,9768 litre	O
300	CM	140	CM	46 LEVEL CM	1982,0681 litre	10,730 %	16490,4967 litre	O
300	CM	140	CM	45 LEVEL CM	1920,0919 litre	10,394 %	16552,4729 litre	O
300	CM	140	CM	44 LEVEL CM	1858,6699 litre	10,062 %	16613,8949 litre	O
300	CM	140	CM	43 LEVEL CM	1797,8133 litre	9,732 %	16674,7515 litre	O
300	CM	140	CM	42 LEVEL CM	1737,5332 litre	9,406 %	16735,0316 litre	O
300	CM	140	CM	41 LEVEL CM	1677,8412 litre	9,083 %	16794,7236 litre	O
300	CM	140	CM	40 LEVEL CM	1618,7493 litre	8,763 %	16853,8155 litre	O
300	CM	140	CM	39 LEVEL CM	1560,2699 litre	8,446 %	16912,2949 litre	O
300	CM	140	CM	38 LEVEL CM	1502,4155 litre	8,133 %	16970,1493 litre	O
300	CM	140	CM	37 LEVEL CM	1445,1994 litre	7,823 %	17027,3654 litre	O
300	CM	140	CM	36 LEVEL CM	1388,6351 litre	7,517 %	17083,9297 litre	O
300	CM	140	CM	35 LEVEL CM	1332,7366 litre	7,215 %	17139,8282 litre	O
300	CM	140	CM	34 LEVEL CM	1277,5184 litre	6,916 %	17195,0464 litre	O
300	CM	140	CM	33 LEVEL CM	1222,9958 litre	6,621 %	17249,5690 litre	O
300	CM	140	CM	32 LEVEL CM	1169,1843 litre	6,329 %	17303,3805 litre	O
300	CM	140	CM	31 LEVEL CM	1116,1003 litre	6,042 %	17356,4645 litre	O
300	CM	140	CM	30 LEVEL CM	1063,7607 litre	5,759 %	17408,8041 litre	O
300	CM	140	CM	29 LEVEL CM	1012,1833 litre	5,479 %	17460,3815 litre	O
300	CM	140	CM	28 LEVEL CM	961,3865 litre	5,204 %	17511,1783 litre	O
300	CM	140	CM	27 LEVEL CM	911,3899 litre	4,934 %	17561,1749 litre	O
300	CM	140	CM	26 LEVEL CM	862,2136 litre	4,668 %	17610,3512 litre	O
300	CM	140	CM	25 LEVEL CM	813,8792 litre	4,406 %	17658,6856 litre	O
300	CM	140	CM	24 LEVEL CM	766,4090 litre	4,149 %	17706,1558 litre	O
300	CM	140	CM	23 LEVEL CM	719,8269 litre	3,897 %	17752,7379 litre	O
300	CM	140	CM	22 LEVEL CM	674,1580 litre	3,650 %	17798,4068 litre	O
300	CM	140	CM	21 LEVEL CM	629,4290 litre	3,407 %	17843,1358 litre	O
300	CM	140	CM	20 LEVEL CM	585,6683 litre	3,170 %	17886,8965 litre	O
300	CM	140	CM	19 LEVEL CM	542,9062 litre	2,939 %	17929,6586 litre	O
300	CM	140	CM	18 LEVEL CM	501,1753 litre	2,713 %	17971,3895 litre	O
300	CM	140	CM	17 LEVEL CM	460,5106 litre	2,493 %	18012,0542 litre	O

300	CM	140	CM	16 LEVEL CM	420,9498 litre	2,279 %	18051,6150 litre	O
300	CM	140	CM	15 LEVEL CM	382,5341 litre	2,071 %	18090,0307 litre	O
300	CM	140	CM	14 LEVEL CM	345,3083 litre	1,869 %	18127,2565 litre	O
300	CM	140	CM	13 LEVEL CM	309,3219 litre	1,674 %	18163,2429 litre	O
300	CM	140	CM	12 LEVEL CM	274,6293 litre	1,487 %	18197,9355 litre	O
300	CM	140	CM	11 LEVEL CM	241,2916 litre	1,306 %	18231,2732 litre	O
300	CM	140	CM	10 LEVEL CM	209,3777 litre	1,133 %	18263,1871 litre	O
300	CM	140	CM	9 LEVEL CM	178,9658 litre	0,969 %	18293,5990 litre	O
300	CM	140	CM	8 LEVEL CM	150,1468 litre	0,813 %	18322,4180 litre	O
300	CM	140	CM	7 LEVEL CM	123,0274 litre	0,666 %	18349,5374 litre	O
300	CM	140	CM	6 LEVEL CM	97,7359 litre	0,529 %	18374,8289 litre	O
300	CM	140	CM	5 LEVEL CM	74,4310 litre	0,403 %	18398,1338 litre	O
300	CM	140	CM	4 LEVEL CM	53,3162 litre	0,289 %	18419,2486 litre	O
300	CM	140	CM	3 LEVEL CM	34,6673 litre	0,188 %	18437,8975 litre	O
300	CM	140	CM	2 LEVEL CM	18,8908 litre	0,102 %	18453,6740 litre	O
300	CM	140	CM	1 LEVEL CM	6,6861 litre	0,036 %	18465,8787 litre	O
300	CM	140	CM	0 LEVEL CM	0,0000 litre	0,000 %	18472,5648 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	135	CM 270 LEVEL CM	17176,6578 litre	100,000 %	0,0000 litre	O
300	CM	135	CM 269 LEVEL CM	17170,0925 litre	99,962 %	6,5653 litre	O
300	CM	135	CM 268 LEVEL CM	17158,1089 litre	99,892 %	18,5489 litre	O
300	CM	135	CM 267 LEVEL CM	17142,6193 litre	99,802 %	34,0385 litre	O
300	CM	135	CM 266 LEVEL CM	17124,3108 litre	99,695 %	52,3470 litre	O
300	CM	135	CM 265 LEVEL CM	17103,5827 litre	99,575 %	73,0751 litre	O
300	CM	135	CM 264 LEVEL CM	17080,7063 litre	99,441 %	95,9515 litre	O
300	CM	135	CM 263 LEVEL CM	17055,8815 litre	99,297 %	120,7763 litre	O
300	CM	135	CM 262 LEVEL CM	17029,2643 litre	99,142 %	147,3935 litre	O
300	CM	135	CM 261 LEVEL CM	17000,9810 litre	98,977 %	175,6768 litre	O
300	CM	135	CM 260 LEVEL CM	16971,1366 litre	98,803 %	205,5212 litre	O
300	CM	135	CM 259 LEVEL CM	16939,8204 litre	98,621 %	236,8374 litre	O
300	CM	135	CM 258 LEVEL CM	16907,1094 litre	98,431 %	269,5484 litre	O
300	CM	135	CM 257 LEVEL CM	16873,0715 litre	98,233 %	303,5863 litre	O
300	CM	135	CM 256 LEVEL CM	16837,7666 litre	98,027 %	338,8912 litre	O
300	CM	135	CM 255 LEVEL CM	16801,2487 litre	97,814 %	375,4091 litre	O
300	CM	135	CM 254 LEVEL CM	16763,5662 litre	97,595 %	413,0916 litre	O
300	CM	135	CM 253 LEVEL CM	16724,7633 litre	97,369 %	451,8945 litre	O
300	CM	135	CM 252 LEVEL CM	16684,8807 litre	97,137 %	491,7771 litre	O
300	CM	135	CM 251 LEVEL CM	16643,9555 litre	96,899 %	532,7023 litre	O
300	CM	135	CM 250 LEVEL CM	16602,0222 litre	96,655 %	574,6356 litre	O
300	CM	135	CM 249 LEVEL CM	16559,1130 litre	96,405 %	617,5448 litre	O
300	CM	135	CM 248 LEVEL CM	16515,2577 litre	96,149 %	661,4001 litre	O
300	CM	135	CM 247 LEVEL CM	16470,4843 litre	95,889 %	706,1735 litre	O
300	CM	135	CM 246 LEVEL CM	16424,8193 litre	95,623 %	751,8385 litre	O
300	CM	135	CM 245 LEVEL CM	16378,2874 litre	95,352 %	798,3704 litre	O
300	CM	135	CM 244 LEVEL CM	16330,9120 litre	95,076 %	845,7458 litre	O
300	CM	135	CM 243 LEVEL CM	16282,7155 litre	94,796 %	893,9423 litre	O
300	CM	135	CM 242 LEVEL CM	16233,7189 litre	94,510 %	942,9389 litre	O
300	CM	135	CM 241 LEVEL CM	16183,9423 litre	94,221 %	992,7155 litre	O
300	CM	135	CM 240 LEVEL CM	16133,4049 litre	93,926 %	1043,2529 litre	O
300	CM	135	CM 239 LEVEL CM	16082,1249 litre	93,628 %	1094,5329 litre	O
300	CM	135	CM 238 LEVEL CM	16030,1199 litre	93,325 %	1146,5379 litre	O
300	CM	135	CM 237 LEVEL CM	15977,4067 litre	93,018 %	1199,2511 litre	O
300	CM	135	CM 236 LEVEL CM	15924,0015 litre	92,707 %	1252,6563 litre	O
300	CM	135	CM 235 LEVEL CM	15869,9197 litre	92,392 %	1306,7381 litre	O
300	CM	135	CM 234 LEVEL CM	15815,1762 litre	92,074 %	1361,4816 litre	O
300	CM	135	CM 233 LEVEL CM	15759,7856 litre	91,751 %	1416,8722 litre	O
300	CM	135	CM 232 LEVEL CM	15703,7616 litre	91,425 %	1472,8962 litre	O
300	CM	135	CM 231 LEVEL CM	15647,1177 litre	91,095 %	1529,5401 litre	O
300	CM	135	CM 230 LEVEL CM	15589,8669 litre	90,762 %	1586,7909 litre	O
300	CM	135	CM 229 LEVEL CM	15532,0219 litre	90,425 %	1644,6359 litre	O
300	CM	135	CM 228 LEVEL CM	15473,5947 litre	90,085 %	1703,0631 litre	O
300	CM	135	CM 227 LEVEL CM	15414,5973 litre	89,742 %	1762,0605 litre	O
300	CM	135	CM 226 LEVEL CM	15355,0412 litre	89,395 %	1821,6166 litre	O
300	CM	135	CM 225 LEVEL CM	15294,9375 litre	89,045 %	1881,7203 litre	O
300	CM	135	CM 224 LEVEL CM	15234,2971 litre	88,692 %	1942,3607 litre	O
300	CM	135	CM 223 LEVEL CM	15173,1306 litre	88,336 %	2003,5272 litre	O
300	CM	135	CM 222 LEVEL CM	15111,4484 litre	87,977 %	2065,2094 litre	O
300	CM	135	CM 221 LEVEL CM	15049,2604 litre	87,615 %	2127,3974 litre	O
300	CM	135	CM 220 LEVEL CM	14986,5766 litre	87,250 %	2190,0812 litre	O
300	CM	135	CM 219 LEVEL CM	14923,4065 litre	86,882 %	2253,2513 litre	O

300	CM	135	CM	218 LEVEL CM	14859,7595 litre	86,511 %	2316,8983 litre	O
300	CM	135	CM	217 LEVEL CM	14795,6448 litre	86,138 %	2381,0130 litre	O
300	CM	135	CM	216 LEVEL CM	14731,0712 litre	85,762 %	2445,5866 litre	O
300	CM	135	CM	215 LEVEL CM	14666,0477 litre	85,384 %	2510,6101 litre	O
300	CM	135	CM	214 LEVEL CM	14600,5827 litre	85,002 %	2576,0751 litre	O
300	CM	135	CM	213 LEVEL CM	14534,6847 litre	84,619 %	2641,9731 litre	O
300	CM	135	CM	212 LEVEL CM	14468,3620 litre	84,233 %	2708,2958 litre	O
300	CM	135	CM	211 LEVEL CM	14401,6226 litre	83,844 %	2775,0352 litre	O
300	CM	135	CM	210 LEVEL CM	14334,4745 litre	83,453 %	2842,1833 litre	O
300	CM	135	CM	209 LEVEL CM	14266,9255 litre	83,060 %	2909,7323 litre	O
300	CM	135	CM	208 LEVEL CM	14198,9833 litre	82,664 %	2977,6745 litre	O
300	CM	135	CM	207 LEVEL CM	14130,6553 litre	82,267 %	3046,0025 litre	O
300	CM	135	CM	206 LEVEL CM	14061,9491 litre	81,867 %	3114,7087 litre	O
300	CM	135	CM	205 LEVEL CM	13992,8718 litre	81,464 %	3183,7860 litre	O
300	CM	135	CM	204 LEVEL CM	13923,4307 litre	81,060 %	3253,2271 litre	O
300	CM	135	CM	203 LEVEL CM	13853,6328 litre	80,654 %	3323,0250 litre	O
300	CM	135	CM	202 LEVEL CM	13783,4850 litre	80,245 %	3393,1728 litre	O
300	CM	135	CM	201 LEVEL CM	13712,9942 litre	79,835 %	3463,6636 litre	O
300	CM	135	CM	200 LEVEL CM	13642,1672 litre	79,423 %	3534,4906 litre	O
300	CM	135	CM	199 LEVEL CM	13571,0105 litre	79,008 %	3605,6473 litre	O
300	CM	135	CM	198 LEVEL CM	13499,5308 litre	78,592 %	3677,1270 litre	O
300	CM	135	CM	197 LEVEL CM	13427,7344 litre	78,174 %	3748,9234 litre	O
300	CM	135	CM	196 LEVEL CM	13355,6279 litre	77,755 %	3821,0299 litre	O
300	CM	135	CM	195 LEVEL CM	13283,2175 litre	77,333 %	3893,4403 litre	O
300	CM	135	CM	194 LEVEL CM	13210,5093 litre	76,910 %	3966,1485 litre	O
300	CM	135	CM	193 LEVEL CM	13137,5096 litre	76,485 %	4039,1482 litre	O
300	CM	135	CM	192 LEVEL CM	13064,2245 litre	76,058 %	4112,4333 litre	O
300	CM	135	CM	191 LEVEL CM	12990,6599 litre	75,630 %	4185,9979 litre	O
300	CM	135	CM	190 LEVEL CM	12916,8217 litre	75,200 %	4259,8361 litre	O
300	CM	135	CM	189 LEVEL CM	12842,7159 litre	74,768 %	4333,9419 litre	O
300	CM	135	CM	188 LEVEL CM	12768,3482 litre	74,335 %	4408,3096 litre	O
300	CM	135	CM	187 LEVEL CM	12693,7244 litre	73,901 %	4482,9334 litre	O
300	CM	135	CM	186 LEVEL CM	12618,8501 litre	73,465 %	4557,8077 litre	O
300	CM	135	CM	185 LEVEL CM	12543,7310 litre	73,028 %	4632,9268 litre	O
300	CM	135	CM	184 LEVEL CM	12468,3727 litre	72,589 %	4708,2851 litre	O
300	CM	135	CM	183 LEVEL CM	12392,7807 litre	72,149 %	4783,8771 litre	O
300	CM	135	CM	182 LEVEL CM	12316,9604 litre	71,708 %	4859,6974 litre	O
300	CM	135	CM	181 LEVEL CM	12240,9173 litre	71,265 %	4935,7405 litre	O
300	CM	135	CM	180 LEVEL CM	12164,6567 litre	70,821 %	5012,0011 litre	O
300	CM	135	CM	179 LEVEL CM	12088,1840 litre	70,376 %	5088,4738 litre	O
300	CM	135	CM	178 LEVEL CM	12011,5044 litre	69,929 %	5165,1534 litre	O
300	CM	135	CM	177 LEVEL CM	11934,6232 litre	69,482 %	5242,0346 litre	O
300	CM	135	CM	176 LEVEL CM	11857,5456 litre	69,033 %	5319,1122 litre	O
300	CM	135	CM	175 LEVEL CM	11780,2768 litre	68,583 %	5396,3810 litre	O
300	CM	135	CM	174 LEVEL CM	11702,8218 litre	68,132 %	5473,8360 litre	O
300	CM	135	CM	173 LEVEL CM	11625,1857 litre	67,680 %	5551,4721 litre	O
300	CM	135	CM	172 LEVEL CM	11547,3736 litre	67,227 %	5629,2842 litre	O
300	CM	135	CM	171 LEVEL CM	11469,3906 litre	66,773 %	5707,2672 litre	O
300	CM	135	CM	170 LEVEL CM	11391,2415 litre	66,318 %	5785,4163 litre	O
300	CM	135	CM	169 LEVEL CM	11312,9314 litre	65,862 %	5863,7264 litre	O
300	CM	135	CM	168 LEVEL CM	11234,4651 litre	65,405 %	5942,1927 litre	O
300	CM	135	CM	167 LEVEL CM	11155,8475 litre	64,948 %	6020,8103 litre	O
300	CM	135	CM	166 LEVEL CM	11077,0836 litre	64,489 %	6099,5742 litre	O

300	CM	135	CM	165 LEVEL CM	10998,1781 litre	64,030 %	6178,4797 litre	O
300	CM	135	CM	164 LEVEL CM	10919,1358 litre	63,570 %	6257,5220 litre	O
300	CM	135	CM	163 LEVEL CM	10839,9616 litre	63,109 %	6336,6962 litre	O
300	CM	135	CM	162 LEVEL CM	10760,6602 litre	62,647 %	6415,9976 litre	O
300	CM	135	CM	161 LEVEL CM	10681,2362 litre	62,185 %	6495,4216 litre	O
300	CM	135	CM	160 LEVEL CM	10601,6946 litre	61,722 %	6574,9632 litre	O
300	CM	135	CM	159 LEVEL CM	10522,0398 litre	61,258 %	6654,6180 litre	O
300	CM	135	CM	158 LEVEL CM	10442,2767 litre	60,793 %	6734,3811 litre	O
300	CM	135	CM	157 LEVEL CM	10362,4098 litre	60,328 %	6814,2480 litre	O
300	CM	135	CM	156 LEVEL CM	10282,4438 litre	59,863 %	6894,2140 litre	O
300	CM	135	CM	155 LEVEL CM	10202,3833 litre	59,397 %	6974,2745 litre	O
300	CM	135	CM	154 LEVEL CM	10122,2330 litre	58,930 %	7054,4248 litre	O
300	CM	135	CM	153 LEVEL CM	10041,9973 litre	58,463 %	7134,6605 litre	O
300	CM	135	CM	152 LEVEL CM	9961,6810 litre	57,995 %	7214,9768 litre	O
300	CM	135	CM	151 LEVEL CM	9881,2884 litre	57,527 %	7295,3694 litre	O
300	CM	135	CM	150 LEVEL CM	9800,8243 litre	57,059 %	7375,8335 litre	O
300	CM	135	CM	149 LEVEL CM	9720,2930 litre	56,590 %	7456,3648 litre	O
300	CM	135	CM	148 LEVEL CM	9639,6992 litre	56,121 %	7536,9586 litre	O
300	CM	135	CM	147 LEVEL CM	9559,0474 litre	55,651 %	7617,6104 litre	O
300	CM	135	CM	146 LEVEL CM	9478,3420 litre	55,182 %	7698,3158 litre	O
300	CM	135	CM	145 LEVEL CM	9397,5876 litre	54,711 %	7779,0702 litre	O
300	CM	135	CM	144 LEVEL CM	9316,7886 litre	54,241 %	7859,8692 litre	O
300	CM	135	CM	143 LEVEL CM	9235,9495 litre	53,770 %	7940,7083 litre	O
300	CM	135	CM	142 LEVEL CM	9155,0747 litre	53,300 %	8021,5831 litre	O
300	CM	135	CM	141 LEVEL CM	9074,1689 litre	52,828 %	8102,4889 litre	O
300	CM	135	CM	140 LEVEL CM	8993,2363 litre	52,357 %	8183,4215 litre	O
300	CM	135	CM	139 LEVEL CM	8912,2815 litre	51,886 %	8264,3763 litre	O
300	CM	135	CM	138 LEVEL CM	8831,3089 litre	51,415 %	8345,3489 litre	O
300	CM	135	CM	137 LEVEL CM	8750,3230 litre	50,943 %	8426,3348 litre	O
300	CM	135	CM	136 LEVEL CM	8669,3282 litre	50,472 %	8507,3296 litre	O
300	CM	135	CM	135 LEVEL CM	8588,3289 litre	50,000 %	8588,3289 litre	O
300	CM	135	CM	134 LEVEL CM	8507,3297 litre	49,528 %	8669,3281 litre	O
300	CM	135	CM	133 LEVEL CM	8426,3348 litre	49,057 %	8750,3230 litre	O
300	CM	135	CM	132 LEVEL CM	8345,3489 litre	48,585 %	8831,3089 litre	O
300	CM	135	CM	131 LEVEL CM	8264,3763 litre	48,114 %	8912,2815 litre	O
300	CM	135	CM	130 LEVEL CM	8183,4215 litre	47,643 %	8993,2363 litre	O
300	CM	135	CM	129 LEVEL CM	8102,4890 litre	47,172 %	9074,1688 litre	O
300	CM	135	CM	128 LEVEL CM	8021,5831 litre	46,700 %	9155,0747 litre	O
300	CM	135	CM	127 LEVEL CM	7940,7084 litre	46,230 %	9235,9494 litre	O
300	CM	135	CM	126 LEVEL CM	7859,8693 litre	45,759 %	9316,7885 litre	O
300	CM	135	CM	125 LEVEL CM	7779,0703 litre	45,289 %	9397,5875 litre	O
300	CM	135	CM	124 LEVEL CM	7698,3158 litre	44,818 %	9478,3420 litre	O
300	CM	135	CM	123 LEVEL CM	7617,6104 litre	44,349 %	9559,0474 litre	O
300	CM	135	CM	122 LEVEL CM	7536,9586 litre	43,879 %	9639,6992 litre	O
300	CM	135	CM	121 LEVEL CM	7456,3648 litre	43,410 %	9720,2930 litre	O
300	CM	135	CM	120 LEVEL CM	7375,8336 litre	42,941 %	9800,8242 litre	O
300	CM	135	CM	119 LEVEL CM	7295,3694 litre	42,473 %	9881,2884 litre	O
300	CM	135	CM	118 LEVEL CM	7214,9769 litre	42,005 %	9961,6809 litre	O
300	CM	135	CM	117 LEVEL CM	7134,6605 litre	41,537 %	10041,9973 litre	O
300	CM	135	CM	116 LEVEL CM	7054,4249 litre	41,070 %	10122,2329 litre	O
300	CM	135	CM	115 LEVEL CM	6974,2745 litre	40,603 %	10202,3833 litre	O
300	CM	135	CM	114 LEVEL CM	6894,2140 litre	40,137 %	10282,4438 litre	O
300	CM	135	CM	113 LEVEL CM	6814,2480 litre	39,672 %	10362,4098 litre	O

300	CM	135	CM	112 LEVEL CM	6734,3812 litre	39,207 %	10442,2766 litre	O
300	CM	135	CM	111 LEVEL CM	6654,6180 litre	38,742 %	10522,0398 litre	O
300	CM	135	CM	110 LEVEL CM	6574,9633 litre	38,278 %	10601,6945 litre	O
300	CM	135	CM	109 LEVEL CM	6495,4216 litre	37,815 %	10681,2362 litre	O
300	CM	135	CM	108 LEVEL CM	6415,9977 litre	37,353 %	10760,6601 litre	O
300	CM	135	CM	107 LEVEL CM	6336,6962 litre	36,891 %	10839,9616 litre	O
300	CM	135	CM	106 LEVEL CM	6257,5220 litre	36,430 %	10919,1358 litre	O
300	CM	135	CM	105 LEVEL CM	6178,4797 litre	35,970 %	10998,1781 litre	O
300	CM	135	CM	104 LEVEL CM	6099,5742 litre	35,511 %	11077,0836 litre	O
300	CM	135	CM	103 LEVEL CM	6020,8103 litre	35,052 %	11155,8475 litre	O
300	CM	135	CM	102 LEVEL CM	5942,1928 litre	34,595 %	11234,4650 litre	O
300	CM	135	CM	101 LEVEL CM	5863,7265 litre	34,138 %	11312,9313 litre	O
300	CM	135	CM	100 LEVEL CM	5785,4163 litre	33,682 %	11391,2415 litre	O
300	CM	135	CM	99 LEVEL CM	5707,2673 litre	33,227 %	11469,3905 litre	O
300	CM	135	CM	98 LEVEL CM	5629,2842 litre	32,773 %	11547,3736 litre	O
300	CM	135	CM	97 LEVEL CM	5551,4721 litre	32,320 %	11625,1857 litre	O
300	CM	135	CM	96 LEVEL CM	5473,8361 litre	31,868 %	11702,8217 litre	O
300	CM	135	CM	95 LEVEL CM	5396,3811 litre	31,417 %	11780,2767 litre	O
300	CM	135	CM	94 LEVEL CM	5319,1122 litre	30,967 %	11857,5456 litre	O
300	CM	135	CM	93 LEVEL CM	5242,0346 litre	30,518 %	11934,6232 litre	O
300	CM	135	CM	92 LEVEL CM	5165,1534 litre	30,071 %	12011,5044 litre	O
300	CM	135	CM	91 LEVEL CM	5088,4739 litre	29,624 %	12088,1839 litre	O
300	CM	135	CM	90 LEVEL CM	5012,0011 litre	29,179 %	12164,6567 litre	O
300	CM	135	CM	89 LEVEL CM	4935,7406 litre	28,735 %	12240,9172 litre	O
300	CM	135	CM	88 LEVEL CM	4859,6974 litre	28,292 %	12316,9604 litre	O
300	CM	135	CM	87 LEVEL CM	4783,8772 litre	27,851 %	12392,7806 litre	O
300	CM	135	CM	86 LEVEL CM	4708,2851 litre	27,411 %	12468,3727 litre	O
300	CM	135	CM	85 LEVEL CM	4632,9268 litre	26,972 %	12543,7310 litre	O
300	CM	135	CM	84 LEVEL CM	4557,8077 litre	26,535 %	12618,8501 litre	O
300	CM	135	CM	83 LEVEL CM	4482,9335 litre	26,099 %	12693,7243 litre	O
300	CM	135	CM	82 LEVEL CM	4408,3096 litre	25,665 %	12768,3482 litre	O
300	CM	135	CM	81 LEVEL CM	4333,9420 litre	25,232 %	12842,7158 litre	O
300	CM	135	CM	80 LEVEL CM	4259,8361 litre	24,800 %	12916,8217 litre	O
300	CM	135	CM	79 LEVEL CM	4185,9980 litre	24,370 %	12990,6598 litre	O
300	CM	135	CM	78 LEVEL CM	4112,4333 litre	23,942 %	13064,2245 litre	O
300	CM	135	CM	77 LEVEL CM	4039,1482 litre	23,515 %	13137,5096 litre	O
300	CM	135	CM	76 LEVEL CM	3966,1485 litre	23,090 %	13210,5093 litre	O
300	CM	135	CM	75 LEVEL CM	3893,4404 litre	22,667 %	13283,2174 litre	O
300	CM	135	CM	74 LEVEL CM	3821,0299 litre	22,245 %	13355,6279 litre	O
300	CM	135	CM	73 LEVEL CM	3748,9234 litre	21,826 %	13427,7344 litre	O
300	CM	135	CM	72 LEVEL CM	3677,1271 litre	21,408 %	13499,5307 litre	O
300	CM	135	CM	71 LEVEL CM	3605,6473 litre	20,992 %	13571,0105 litre	O
300	CM	135	CM	70 LEVEL CM	3534,4907 litre	20,577 %	13642,1671 litre	O
300	CM	135	CM	69 LEVEL CM	3463,6636 litre	20,165 %	13712,9942 litre	O
300	CM	135	CM	68 LEVEL CM	3393,1729 litre	19,755 %	13783,4849 litre	O
300	CM	135	CM	67 LEVEL CM	3323,0251 litre	19,346 %	13853,6327 litre	O
300	CM	135	CM	66 LEVEL CM	3253,2272 litre	18,940 %	13923,4306 litre	O
300	CM	135	CM	65 LEVEL CM	3183,7860 litre	18,536 %	13992,8718 litre	O
300	CM	135	CM	64 LEVEL CM	3114,7088 litre	18,133 %	14061,9490 litre	O
300	CM	135	CM	63 LEVEL CM	3046,0025 litre	17,733 %	14130,6553 litre	O
300	CM	135	CM	62 LEVEL CM	2977,6746 litre	17,336 %	14198,9832 litre	O
300	CM	135	CM	61 LEVEL CM	2909,7323 litre	16,940 %	14266,9255 litre	O
300	CM	135	CM	60 LEVEL CM	2842,1834 litre	16,547 %	14334,4744 litre	O

300	CM	135	CM	59 LEVEL CM	2775,0353 litre	16,156 %	14401,6225 litre	O
300	CM	135	CM	58 LEVEL CM	2708,2959 litre	15,767 %	14468,3619 litre	O
300	CM	135	CM	57 LEVEL CM	2641,9731 litre	15,381 %	14534,6847 litre	O
300	CM	135	CM	56 LEVEL CM	2576,0751 litre	14,998 %	14600,5827 litre	O
300	CM	135	CM	55 LEVEL CM	2510,6102 litre	14,616 %	14666,0476 litre	O
300	CM	135	CM	54 LEVEL CM	2445,5866 litre	14,238 %	14731,0712 litre	O
300	CM	135	CM	53 LEVEL CM	2381,0131 litre	13,862 %	14795,6447 litre	O
300	CM	135	CM	52 LEVEL CM	2316,8983 litre	13,489 %	14859,7595 litre	O
300	CM	135	CM	51 LEVEL CM	2253,2513 litre	13,118 %	14923,4065 litre	O
300	CM	135	CM	50 LEVEL CM	2190,0812 litre	12,750 %	14986,5766 litre	O
300	CM	135	CM	49 LEVEL CM	2127,3974 litre	12,385 %	15049,2604 litre	O
300	CM	135	CM	48 LEVEL CM	2065,2095 litre	12,023 %	15111,4483 litre	O
300	CM	135	CM	47 LEVEL CM	2003,5272 litre	11,664 %	15173,1306 litre	O
300	CM	135	CM	46 LEVEL CM	1942,3608 litre	11,308 %	15234,2970 litre	O
300	CM	135	CM	45 LEVEL CM	1881,7204 litre	10,955 %	15294,9374 litre	O
300	CM	135	CM	44 LEVEL CM	1821,6167 litre	10,605 %	15355,0411 litre	O
300	CM	135	CM	43 LEVEL CM	1762,0605 litre	10,258 %	15414,5973 litre	O
300	CM	135	CM	42 LEVEL CM	1703,0631 litre	9,915 %	15473,5947 litre	O
300	CM	135	CM	41 LEVEL CM	1644,6360 litre	9,575 %	15532,0218 litre	O
300	CM	135	CM	40 LEVEL CM	1586,7909 litre	9,238 %	15589,8669 litre	O
300	CM	135	CM	39 LEVEL CM	1529,5401 litre	8,905 %	15647,1177 litre	O
300	CM	135	CM	38 LEVEL CM	1472,8963 litre	8,575 %	15703,7615 litre	O
300	CM	135	CM	37 LEVEL CM	1416,8723 litre	8,249 %	15759,7855 litre	O
300	CM	135	CM	36 LEVEL CM	1361,4816 litre	7,926 %	15815,1762 litre	O
300	CM	135	CM	35 LEVEL CM	1306,7382 litre	7,608 %	15869,9196 litre	O
300	CM	135	CM	34 LEVEL CM	1252,6563 litre	7,293 %	15924,0015 litre	O
300	CM	135	CM	33 LEVEL CM	1199,2511 litre	6,982 %	15977,4067 litre	O
300	CM	135	CM	32 LEVEL CM	1146,5379 litre	6,675 %	16030,1199 litre	O
300	CM	135	CM	31 LEVEL CM	1094,5329 litre	6,372 %	16082,1249 litre	O
300	CM	135	CM	30 LEVEL CM	1043,2530 litre	6,074 %	16133,4048 litre	O
300	CM	135	CM	29 LEVEL CM	992,7155 litre	5,779 %	16183,9423 litre	O
300	CM	135	CM	28 LEVEL CM	942,9389 litre	5,490 %	16233,7189 litre	O
300	CM	135	CM	27 LEVEL CM	893,9423 litre	5,204 %	16282,7155 litre	O
300	CM	135	CM	26 LEVEL CM	845,7458 litre	4,924 %	16330,9120 litre	O
300	CM	135	CM	25 LEVEL CM	798,3705 litre	4,648 %	16378,2873 litre	O
300	CM	135	CM	24 LEVEL CM	751,8385 litre	4,377 %	16424,8193 litre	O
300	CM	135	CM	23 LEVEL CM	706,1735 litre	4,111 %	16470,4843 litre	O
300	CM	135	CM	22 LEVEL CM	661,4002 litre	3,851 %	16515,2576 litre	O
300	CM	135	CM	21 LEVEL CM	617,5449 litre	3,595 %	16559,1129 litre	O
300	CM	135	CM	20 LEVEL CM	574,6356 litre	3,345 %	16602,0222 litre	O
300	CM	135	CM	19 LEVEL CM	532,7024 litre	3,101 %	16643,9554 litre	O
300	CM	135	CM	18 LEVEL CM	491,7772 litre	2,863 %	16684,8806 litre	O
300	CM	135	CM	17 LEVEL CM	451,8945 litre	2,631 %	16724,7633 litre	O
300	CM	135	CM	16 LEVEL CM	413,0917 litre	2,405 %	16763,5661 litre	O
300	CM	135	CM	15 LEVEL CM	375,4092 litre	2,186 %	16801,2486 litre	O
300	CM	135	CM	14 LEVEL CM	338,8912 litre	1,973 %	16837,7666 litre	O
300	CM	135	CM	13 LEVEL CM	303,5863 litre	1,767 %	16873,0715 litre	O
300	CM	135	CM	12 LEVEL CM	269,5484 litre	1,569 %	16907,1094 litre	O
300	CM	135	CM	11 LEVEL CM	236,8375 litre	1,379 %	16939,8203 litre	O
300	CM	135	CM	10 LEVEL CM	205,5212 litre	1,197 %	16971,1366 litre	O
300	CM	135	CM	9 LEVEL CM	175,6768 litre	1,023 %	17000,9810 litre	O
300	CM	135	CM	8 LEVEL CM	147,3935 litre	0,858 %	17029,2643 litre	O
300	CM	135	CM	7 LEVEL CM	120,7764 litre	0,703 %	17055,8814 litre	O

300	CM	135	CM	6 LEVEL CM	95,9516 litre	0,559 %	17080,7062 litre	O
300	CM	135	CM	5 LEVEL CM	73,0751 litre	0,425 %	17103,5827 litre	O
300	CM	135	CM	4 LEVEL CM	52,3470 litre	0,305 %	17124,3108 litre	O
300	CM	135	CM	3 LEVEL CM	34,0385 litre	0,198 %	17142,6193 litre	O
300	CM	135	CM	2 LEVEL CM	18,5490 litre	0,108 %	17158,1088 litre	O
300	CM	135	CM	1 LEVEL CM	6,5654 litre	0,038 %	17170,0924 litre	O
300	CM	135	CM	0 LEVEL CM	0,0000 litre	0,000 %	17176,6578 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM 130	CM 260	LEVEL CM 15927,8748 litre	100,000 %	0,0000 litre	O
300	CM 130	CM 259	LEVEL CM 15921,4324 litre	99,960 %	6,4424 litre	O
300	CM 130	CM 258	LEVEL CM 15909,6741 litre	99,886 %	18,2007 litre	O
300	CM 130	CM 257	LEVEL CM 15894,4768 litre	99,790 %	33,3980 litre	O
300	CM 130	CM 256	LEVEL CM 15876,5151 litre	99,678 %	51,3597 litre	O
300	CM 130	CM 255	LEVEL CM 15856,1812 litre	99,550 %	71,6936 litre	O
300	CM 130	CM 254	LEVEL CM 15833,7413 litre	99,409 %	94,1335 litre	O
300	CM 130	CM 253	LEVEL CM 15809,3922 litre	99,256 %	118,4826 litre	O
300	CM 130	CM 252	LEVEL CM 15783,2870 litre	99,092 %	144,5878 litre	O
300	CM 130	CM 251	LEVEL CM 15755,5497 litre	98,918 %	172,3251 litre	O
300	CM 130	CM 250	LEVEL CM 15726,2838 litre	98,734 %	201,5910 litre	O
300	CM 130	CM 249	LEVEL CM 15695,5768 litre	98,542 %	232,2980 litre	O
300	CM 130	CM 248	LEVEL CM 15663,5048 litre	98,340 %	264,3700 litre	O
300	CM 130	CM 247	LEVEL CM 15630,1344 litre	98,131 %	297,7404 litre	O
300	CM 130	CM 246	LEVEL CM 15595,5246 litre	97,913 %	332,3502 litre	O
300	CM 130	CM 245	LEVEL CM 15559,7284 litre	97,689 %	368,1464 litre	O
300	CM 130	CM 244	LEVEL CM 15522,7937 litre	97,457 %	405,0811 litre	O
300	CM 130	CM 243	LEVEL CM 15484,7639 litre	97,218 %	443,1109 litre	O
300	CM 130	CM 242	LEVEL CM 15445,6790 litre	96,973 %	482,1958 litre	O
300	CM 130	CM 241	LEVEL CM 15405,5757 litre	96,721 %	522,2991 litre	O
300	CM 130	CM 240	LEVEL CM 15364,4879 litre	96,463 %	563,3869 litre	O
300	CM 130	CM 239	LEVEL CM 15322,4474 litre	96,199 %	605,4274 litre	O
300	CM 130	CM 238	LEVEL CM 15279,4835 litre	95,929 %	648,3913 litre	O
300	CM 130	CM 237	LEVEL CM 15235,6241 litre	95,654 %	692,2507 litre	O
300	CM 130	CM 236	LEVEL CM 15190,8949 litre	95,373 %	736,9799 litre	O
300	CM 130	CM 235	LEVEL CM 15145,3205 litre	95,087 %	782,5543 litre	O
300	CM 130	CM 234	LEVEL CM 15098,9241 litre	94,796 %	828,9507 litre	O
300	CM 130	CM 233	LEVEL CM 15051,7276 litre	94,499 %	876,1472 litre	O
300	CM 130	CM 232	LEVEL CM 15003,7519 litre	94,198 %	924,1229 litre	O
300	CM 130	CM 231	LEVEL CM 14955,0168 litre	93,892 %	972,8580 litre	O
300	CM 130	CM 230	LEVEL CM 14905,5412 litre	93,581 %	1022,3336 litre	O
300	CM 130	CM 229	LEVEL CM 14855,3432 litre	93,266 %	1072,5316 litre	O
300	CM 130	CM 228	LEVEL CM 14804,4402 litre	92,947 %	1123,4346 litre	O
300	CM 130	CM 227	LEVEL CM 14752,8487 litre	92,623 %	1175,0261 litre	O
300	CM 130	CM 226	LEVEL CM 14700,5847 litre	92,295 %	1227,2901 litre	O
300	CM 130	CM 225	LEVEL CM 14647,6636 litre	91,962 %	1280,2112 litre	O
300	CM 130	CM 224	LEVEL CM 14594,1001 litre	91,626 %	1333,7747 litre	O
300	CM 130	CM 223	LEVEL CM 14539,9085 litre	91,286 %	1387,9663 litre	O
300	CM 130	CM 222	LEVEL CM 14485,1026 litre	90,942 %	1442,7722 litre	O
300	CM 130	CM 221	LEVEL CM 14429,6956 litre	90,594 %	1498,1792 litre	O
300	CM 130	CM 220	LEVEL CM 14373,7005 litre	90,242 %	1554,1743 litre	O
300	CM 130	CM 219	LEVEL CM 14317,1298 litre	89,887 %	1610,7450 litre	O
300	CM 130	CM 218	LEVEL CM 14259,9954 litre	89,529 %	1667,8794 litre	O
300	CM 130	CM 217	LEVEL CM 14202,3092 litre	89,166 %	1725,5656 litre	O
300	CM 130	CM 216	LEVEL CM 14144,0826 litre	88,801 %	1783,7922 litre	O
300	CM 130	CM 215	LEVEL CM 14085,3267 litre	88,432 %	1842,5481 litre	O
300	CM 130	CM 214	LEVEL CM 14026,0523 litre	88,060 %	1901,8225 litre	O
300	CM 130	CM 213	LEVEL CM 13966,2699 litre	87,684 %	1961,6049 litre	O
300	CM 130	CM 212	LEVEL CM 13905,9897 litre	87,306 %	2021,8851 litre	O
300	CM 130	CM 211	LEVEL CM 13845,2218 litre	86,924 %	2082,6530 litre	O
300	CM 130	CM 210	LEVEL CM 13783,9758 litre	86,540 %	2143,8990 litre	O
300	CM 130	CM 209	LEVEL CM 13722,2615 litre	86,152 %	2205,6133 litre	O

300	CM	130	CM	208 LEVEL CM	13660,0880 litre	85,762 %	2267,7868 litre	O
300	CM	130	CM	207 LEVEL CM	13597,4645 litre	85,369 %	2330,4103 litre	O
300	CM	130	CM	206 LEVEL CM	13534,3999 litre	84,973 %	2393,4749 litre	O
300	CM	130	CM	205 LEVEL CM	13470,9029 litre	84,574 %	2456,9719 litre	O
300	CM	130	CM	204 LEVEL CM	13406,9821 litre	84,173 %	2520,8927 litre	O
300	CM	130	CM	203 LEVEL CM	13342,6460 litre	83,769 %	2585,2288 litre	O
300	CM	130	CM	202 LEVEL CM	13277,9026 litre	83,363 %	2649,9722 litre	O
300	CM	130	CM	201 LEVEL CM	13212,7601 litre	82,954 %	2715,1147 litre	O
300	CM	130	CM	200 LEVEL CM	13147,2263 litre	82,542 %	2780,6485 litre	O
300	CM	130	CM	199 LEVEL CM	13081,3092 litre	82,128 %	2846,5656 litre	O
300	CM	130	CM	198 LEVEL CM	13015,0163 litre	81,712 %	2912,8585 litre	O
300	CM	130	CM	197 LEVEL CM	12948,3552 litre	81,294 %	2979,5196 litre	O
300	CM	130	CM	196 LEVEL CM	12881,3332 litre	80,873 %	3046,5416 litre	O
300	CM	130	CM	195 LEVEL CM	12813,9576 litre	80,450 %	3113,9172 litre	O
300	CM	130	CM	194 LEVEL CM	12746,2356 litre	80,025 %	3181,6392 litre	O
300	CM	130	CM	193 LEVEL CM	12678,1742 litre	79,597 %	3249,7006 litre	O
300	CM	130	CM	192 LEVEL CM	12609,7804 litre	79,168 %	3318,0944 litre	O
300	CM	130	CM	191 LEVEL CM	12541,0610 litre	78,737 %	3386,8138 litre	O
300	CM	130	CM	190 LEVEL CM	12472,0228 litre	78,303 %	3455,8520 litre	O
300	CM	130	CM	189 LEVEL CM	12402,6725 litre	77,868 %	3525,2023 litre	O
300	CM	130	CM	188 LEVEL CM	12333,0165 litre	77,430 %	3594,8583 litre	O
300	CM	130	CM	187 LEVEL CM	12263,0614 litre	76,991 %	3664,8134 litre	O
300	CM	130	CM	186 LEVEL CM	12192,8136 litre	76,550 %	3735,0612 litre	O
300	CM	130	CM	185 LEVEL CM	12122,2794 litre	76,107 %	3805,5954 litre	O
300	CM	130	CM	184 LEVEL CM	12051,4651 litre	75,663 %	3876,4097 litre	O
300	CM	130	CM	183 LEVEL CM	11980,3767 litre	75,216 %	3947,4981 litre	O
300	CM	130	CM	182 LEVEL CM	11909,0205 litre	74,768 %	4018,8543 litre	O
300	CM	130	CM	181 LEVEL CM	11837,4024 litre	74,319 %	4090,4724 litre	O
300	CM	130	CM	180 LEVEL CM	11765,5284 litre	73,868 %	4162,3464 litre	O
300	CM	130	CM	179 LEVEL CM	11693,4043 litre	73,415 %	4234,4705 litre	O
300	CM	130	CM	178 LEVEL CM	11621,0361 litre	72,960 %	4306,8387 litre	O
300	CM	130	CM	177 LEVEL CM	11548,4296 litre	72,505 %	4379,4452 litre	O
300	CM	130	CM	176 LEVEL CM	11475,5903 litre	72,047 %	4452,2845 litre	O
300	CM	130	CM	175 LEVEL CM	11402,5241 litre	71,588 %	4525,3507 litre	O
300	CM	130	CM	174 LEVEL CM	11329,2364 litre	71,128 %	4598,6384 litre	O
300	CM	130	CM	173 LEVEL CM	11255,7330 litre	70,667 %	4672,1418 litre	O
300	CM	130	CM	172 LEVEL CM	11182,0193 litre	70,204 %	4745,8555 litre	O
300	CM	130	CM	171 LEVEL CM	11108,1007 litre	69,740 %	4819,7741 litre	O
300	CM	130	CM	170 LEVEL CM	11033,9827 litre	69,275 %	4893,8921 litre	O
300	CM	130	CM	169 LEVEL CM	10959,6707 litre	68,808 %	4968,2041 litre	O
300	CM	130	CM	168 LEVEL CM	10885,1699 litre	68,340 %	5042,7049 litre	O
300	CM	130	CM	167 LEVEL CM	10810,4858 litre	67,871 %	5117,3890 litre	O
300	CM	130	CM	166 LEVEL CM	10735,6236 litre	67,401 %	5192,2512 litre	O
300	CM	130	CM	165 LEVEL CM	10660,5884 litre	66,930 %	5267,2864 litre	O
300	CM	130	CM	164 LEVEL CM	10585,3855 litre	66,458 %	5342,4893 litre	O
300	CM	130	CM	163 LEVEL CM	10510,0200 litre	65,985 %	5417,8548 litre	O
300	CM	130	CM	162 LEVEL CM	10434,4970 litre	65,511 %	5493,3778 litre	O
300	CM	130	CM	161 LEVEL CM	10358,8217 litre	65,036 %	5569,0531 litre	O
300	CM	130	CM	160 LEVEL CM	10282,9990 litre	64,560 %	5644,8758 litre	O
300	CM	130	CM	159 LEVEL CM	10207,0340 litre	64,083 %	5720,8408 litre	O
300	CM	130	CM	158 LEVEL CM	10130,9317 litre	63,605 %	5796,9431 litre	O
300	CM	130	CM	157 LEVEL CM	10054,6971 litre	63,126 %	5873,1777 litre	O
300	CM	130	CM	156 LEVEL CM	9978,3351 litre	62,647 %	5949,5397 litre	O

300	CM	130	CM	155 LEVEL CM	9901,8506 litre	62,167 %	6026,0242 litre	O
300	CM	130	CM	154 LEVEL CM	9825,2485 litre	61,686 %	6102,6263 litre	O
300	CM	130	CM	153 LEVEL CM	9748,5337 litre	61,204 %	6179,3411 litre	O
300	CM	130	CM	152 LEVEL CM	9671,7111 litre	60,722 %	6256,1637 litre	O
300	CM	130	CM	151 LEVEL CM	9594,7854 litre	60,239 %	6333,0894 litre	O
300	CM	130	CM	150 LEVEL CM	9517,7615 litre	59,755 %	6410,1133 litre	O
300	CM	130	CM	149 LEVEL CM	9440,6442 litre	59,271 %	6487,2306 litre	O
300	CM	130	CM	148 LEVEL CM	9363,4382 litre	58,786 %	6564,4366 litre	O
300	CM	130	CM	147 LEVEL CM	9286,1484 litre	58,301 %	6641,7264 litre	O
300	CM	130	CM	146 LEVEL CM	9208,7794 litre	57,815 %	6719,0954 litre	O
300	CM	130	CM	145 LEVEL CM	9131,3360 litre	57,329 %	6796,5388 litre	O
300	CM	130	CM	144 LEVEL CM	9053,8229 litre	56,843 %	6874,0519 litre	O
300	CM	130	CM	143 LEVEL CM	8976,2448 litre	56,356 %	6951,6300 litre	O
300	CM	130	CM	142 LEVEL CM	8898,6064 litre	55,868 %	7029,2684 litre	O
300	CM	130	CM	141 LEVEL CM	8820,9124 litre	55,380 %	7106,9624 litre	O
300	CM	130	CM	140 LEVEL CM	8743,1675 litre	54,892 %	7184,7073 litre	O
300	CM	130	CM	139 LEVEL CM	8665,3762 litre	54,404 %	7262,4986 litre	O
300	CM	130	CM	138 LEVEL CM	8587,5433 litre	53,915 %	7340,3315 litre	O
300	CM	130	CM	137 LEVEL CM	8509,6734 litre	53,426 %	7418,2014 litre	O
300	CM	130	CM	136 LEVEL CM	8431,7712 litre	52,937 %	7496,1036 litre	O
300	CM	130	CM	135 LEVEL CM	8353,8412 litre	52,448 %	7574,0336 litre	O
300	CM	130	CM	134 LEVEL CM	8275,8881 litre	51,959 %	7651,9867 litre	O
300	CM	130	CM	133 LEVEL CM	8197,9166 litre	51,469 %	7729,9582 litre	O
300	CM	130	CM	132 LEVEL CM	8119,9312 litre	50,979 %	7807,9436 litre	O
300	CM	130	CM	131 LEVEL CM	8041,9366 litre	50,490 %	7885,9382 litre	O
300	CM	130	CM	130 LEVEL CM	7963,9374 litre	50,000 %	7963,9374 litre	O
300	CM	130	CM	129 LEVEL CM	7885,9381 litre	49,510 %	8041,9367 litre	O
300	CM	130	CM	128 LEVEL CM	7807,9435 litre	49,021 %	8119,9313 litre	O
300	CM	130	CM	127 LEVEL CM	7729,9581 litre	48,531 %	8197,9167 litre	O
300	CM	130	CM	126 LEVEL CM	7651,9866 litre	48,041 %	8275,8882 litre	O
300	CM	130	CM	125 LEVEL CM	7574,0336 litre	47,552 %	8353,8412 litre	O
300	CM	130	CM	124 LEVEL CM	7496,1036 litre	47,063 %	8431,7712 litre	O
300	CM	130	CM	123 LEVEL CM	7418,2013 litre	46,574 %	8509,6735 litre	O
300	CM	130	CM	122 LEVEL CM	7340,3314 litre	46,085 %	8587,5434 litre	O
300	CM	130	CM	121 LEVEL CM	7262,4985 litre	45,596 %	8665,3763 litre	O
300	CM	130	CM	120 LEVEL CM	7184,7073 litre	45,108 %	8743,1675 litre	O
300	CM	130	CM	119 LEVEL CM	7106,9623 litre	44,620 %	8820,9125 litre	O
300	CM	130	CM	118 LEVEL CM	7029,2683 litre	44,132 %	8898,6065 litre	O
300	CM	130	CM	117 LEVEL CM	6951,6299 litre	43,644 %	8976,2449 litre	O
300	CM	130	CM	116 LEVEL CM	6874,0518 litre	43,157 %	9053,8230 litre	O
300	CM	130	CM	115 LEVEL CM	6796,5387 litre	42,671 %	9131,3361 litre	O
300	CM	130	CM	114 LEVEL CM	6719,0953 litre	42,185 %	9208,7795 litre	O
300	CM	130	CM	113 LEVEL CM	6641,7264 litre	41,699 %	9286,1484 litre	O
300	CM	130	CM	112 LEVEL CM	6564,4365 litre	41,214 %	9363,4383 litre	O
300	CM	130	CM	111 LEVEL CM	6487,2306 litre	40,729 %	9440,6442 litre	O
300	CM	130	CM	110 LEVEL CM	6410,1133 litre	40,245 %	9517,7615 litre	O
300	CM	130	CM	109 LEVEL CM	6333,0894 litre	39,761 %	9594,7854 litre	O
300	CM	130	CM	108 LEVEL CM	6256,1637 litre	39,278 %	9671,7111 litre	O
300	CM	130	CM	107 LEVEL CM	6179,3411 litre	38,796 %	9748,5337 litre	O
300	CM	130	CM	106 LEVEL CM	6102,6263 litre	38,314 %	9825,2485 litre	O
300	CM	130	CM	105 LEVEL CM	6026,0242 litre	37,833 %	9901,8506 litre	O
300	CM	130	CM	104 LEVEL CM	5949,5397 litre	37,353 %	9978,3351 litre	O
300	CM	130	CM	103 LEVEL CM	5873,1777 litre	36,874 %	10054,6971 litre	O

300	CM	130	CM	102 LEVEL CM	5796,9430 litre	36,395 %	10130,9318 litre	O
300	CM	130	CM	101 LEVEL CM	5720,8407 litre	35,917 %	10207,0341 litre	O
300	CM	130	CM	100 LEVEL CM	5644,8758 litre	35,440 %	10282,9990 litre	O
300	CM	130	CM	99 LEVEL CM	5569,0531 litre	34,964 %	10358,8217 litre	O
300	CM	130	CM	98 LEVEL CM	5493,3777 litre	34,489 %	10434,4971 litre	O
300	CM	130	CM	97 LEVEL CM	5417,8548 litre	34,015 %	10510,0200 litre	O
300	CM	130	CM	96 LEVEL CM	5342,4893 litre	33,542 %	10585,3855 litre	O
300	CM	130	CM	95 LEVEL CM	5267,2864 litre	33,070 %	10660,5884 litre	O
300	CM	130	CM	94 LEVEL CM	5192,2512 litre	32,599 %	10735,6236 litre	O
300	CM	130	CM	93 LEVEL CM	5117,3889 litre	32,129 %	10810,4859 litre	O
300	CM	130	CM	92 LEVEL CM	5042,7048 litre	31,660 %	10885,1700 litre	O
300	CM	130	CM	91 LEVEL CM	4968,2041 litre	31,192 %	10959,6707 litre	O
300	CM	130	CM	90 LEVEL CM	4893,8921 litre	30,725 %	11033,9827 litre	O
300	CM	130	CM	89 LEVEL CM	4819,7741 litre	30,260 %	11108,1007 litre	O
300	CM	130	CM	88 LEVEL CM	4745,8555 litre	29,796 %	11182,0193 litre	O
300	CM	130	CM	87 LEVEL CM	4672,1418 litre	29,333 %	11255,7330 litre	O
300	CM	130	CM	86 LEVEL CM	4598,6383 litre	28,872 %	11329,2365 litre	O
300	CM	130	CM	85 LEVEL CM	4525,3507 litre	28,412 %	11402,5241 litre	O
300	CM	130	CM	84 LEVEL CM	4452,2844 litre	27,953 %	11475,5904 litre	O
300	CM	130	CM	83 LEVEL CM	4379,4452 litre	27,495 %	11548,4296 litre	O
300	CM	130	CM	82 LEVEL CM	4306,8386 litre	27,040 %	11621,0362 litre	O
300	CM	130	CM	81 LEVEL CM	4234,4704 litre	26,585 %	11693,4044 litre	O
300	CM	130	CM	80 LEVEL CM	4162,3464 litre	26,132 %	11765,5284 litre	O
300	CM	130	CM	79 LEVEL CM	4090,4724 litre	25,681 %	11837,4024 litre	O
300	CM	130	CM	78 LEVEL CM	4018,8543 litre	25,232 %	11909,0205 litre	O
300	CM	130	CM	77 LEVEL CM	3947,4980 litre	24,784 %	11980,3768 litre	O
300	CM	130	CM	76 LEVEL CM	3876,4097 litre	24,337 %	12051,4651 litre	O
300	CM	130	CM	75 LEVEL CM	3805,5953 litre	23,893 %	12122,2795 litre	O
300	CM	130	CM	74 LEVEL CM	3735,0611 litre	23,450 %	12192,8137 litre	O
300	CM	130	CM	73 LEVEL CM	3664,8133 litre	23,009 %	12263,0615 litre	O
300	CM	130	CM	72 LEVEL CM	3594,8582 litre	22,570 %	12333,0166 litre	O
300	CM	130	CM	71 LEVEL CM	3525,2023 litre	22,132 %	12402,6725 litre	O
300	CM	130	CM	70 LEVEL CM	3455,8519 litre	21,697 %	12472,0229 litre	O
300	CM	130	CM	69 LEVEL CM	3386,8137 litre	21,263 %	12541,0611 litre	O
300	CM	130	CM	68 LEVEL CM	3318,0944 litre	20,832 %	12609,7804 litre	O
300	CM	130	CM	67 LEVEL CM	3249,7006 litre	20,403 %	12678,1742 litre	O
300	CM	130	CM	66 LEVEL CM	3181,6392 litre	19,975 %	12746,2356 litre	O
300	CM	130	CM	65 LEVEL CM	3113,9172 litre	19,550 %	12813,9576 litre	O
300	CM	130	CM	64 LEVEL CM	3046,5416 litre	19,127 %	12881,3332 litre	O
300	CM	130	CM	63 LEVEL CM	2979,5196 litre	18,706 %	12948,3552 litre	O
300	CM	130	CM	62 LEVEL CM	2912,8584 litre	18,288 %	13015,0164 litre	O
300	CM	130	CM	61 LEVEL CM	2846,5655 litre	17,872 %	13081,3093 litre	O
300	CM	130	CM	60 LEVEL CM	2780,6484 litre	17,458 %	13147,2264 litre	O
300	CM	130	CM	59 LEVEL CM	2715,1147 litre	17,046 %	13212,7601 litre	O
300	CM	130	CM	58 LEVEL CM	2649,9722 litre	16,637 %	13277,9026 litre	O
300	CM	130	CM	57 LEVEL CM	2585,2288 litre	16,231 %	13342,6460 litre	O
300	CM	130	CM	56 LEVEL CM	2520,8926 litre	15,827 %	13406,9822 litre	O
300	CM	130	CM	55 LEVEL CM	2456,9718 litre	15,426 %	13470,9030 litre	O
300	CM	130	CM	54 LEVEL CM	2393,4749 litre	15,027 %	13534,3999 litre	O
300	CM	130	CM	53 LEVEL CM	2330,4103 litre	14,631 %	13597,4645 litre	O
300	CM	130	CM	52 LEVEL CM	2267,7868 litre	14,238 %	13660,0880 litre	O
300	CM	130	CM	51 LEVEL CM	2205,6133 litre	13,848 %	13722,2615 litre	O
300	CM	130	CM	50 LEVEL CM	2143,8989 litre	13,460 %	13783,9759 litre	O

300	CM	130	CM	49 LEVEL CM	2082,6530 litre	13,076 %	13845,2218 litre	O
300	CM	130	CM	48 LEVEL CM	2021,8851 litre	12,694 %	13905,9897 litre	O
300	CM	130	CM	47 LEVEL CM	1961,6049 litre	12,316 %	13966,2699 litre	O
300	CM	130	CM	46 LEVEL CM	1901,8225 litre	11,940 %	14026,0523 litre	O
300	CM	130	CM	45 LEVEL CM	1842,5480 litre	11,568 %	14085,3268 litre	O
300	CM	130	CM	44 LEVEL CM	1783,7921 litre	11,199 %	14144,0827 litre	O
300	CM	130	CM	43 LEVEL CM	1725,5655 litre	10,834 %	14202,3093 litre	O
300	CM	130	CM	42 LEVEL CM	1667,8794 litre	10,471 %	14259,9954 litre	O
300	CM	130	CM	41 LEVEL CM	1610,7450 litre	10,113 %	14317,1298 litre	O
300	CM	130	CM	40 LEVEL CM	1554,1742 litre	9,758 %	14373,7006 litre	O
300	CM	130	CM	39 LEVEL CM	1498,1791 litre	9,406 %	14429,6957 litre	O
300	CM	130	CM	38 LEVEL CM	1442,7722 litre	9,058 %	14485,1026 litre	O
300	CM	130	CM	37 LEVEL CM	1387,9662 litre	8,714 %	14539,9086 litre	O
300	CM	130	CM	36 LEVEL CM	1333,7747 litre	8,374 %	14594,1001 litre	O
300	CM	130	CM	35 LEVEL CM	1280,2112 litre	8,038 %	14647,6636 litre	O
300	CM	130	CM	34 LEVEL CM	1227,2901 litre	7,705 %	14700,5847 litre	O
300	CM	130	CM	33 LEVEL CM	1175,0261 litre	7,377 %	14752,8487 litre	O
300	CM	130	CM	32 LEVEL CM	1123,4346 litre	7,053 %	14804,4402 litre	O
300	CM	130	CM	31 LEVEL CM	1072,5316 litre	6,734 %	14855,3432 litre	O
300	CM	130	CM	30 LEVEL CM	1022,3336 litre	6,419 %	14905,5412 litre	O
300	CM	130	CM	29 LEVEL CM	972,8580 litre	6,108 %	14955,0168 litre	O
300	CM	130	CM	28 LEVEL CM	924,1228 litre	5,802 %	15003,7520 litre	O
300	CM	130	CM	27 LEVEL CM	876,1471 litre	5,501 %	15051,7277 litre	O
300	CM	130	CM	26 LEVEL CM	828,9506 litre	5,204 %	15098,9242 litre	O
300	CM	130	CM	25 LEVEL CM	782,5542 litre	4,913 %	15145,3206 litre	O
300	CM	130	CM	24 LEVEL CM	736,9799 litre	4,627 %	15190,8949 litre	O
300	CM	130	CM	23 LEVEL CM	692,2507 litre	4,346 %	15235,6241 litre	O
300	CM	130	CM	22 LEVEL CM	648,3912 litre	4,071 %	15279,4836 litre	O
300	CM	130	CM	21 LEVEL CM	605,4274 litre	3,801 %	15322,4474 litre	O
300	CM	130	CM	20 LEVEL CM	563,3868 litre	3,537 %	15364,4880 litre	O
300	CM	130	CM	19 LEVEL CM	522,2991 litre	3,279 %	15405,5757 litre	O
300	CM	130	CM	18 LEVEL CM	482,1958 litre	3,027 %	15445,6790 litre	O
300	CM	130	CM	17 LEVEL CM	443,1109 litre	2,782 %	15484,7639 litre	O
300	CM	130	CM	16 LEVEL CM	405,0811 litre	2,543 %	15522,7937 litre	O
300	CM	130	CM	15 LEVEL CM	368,1463 litre	2,311 %	15559,7285 litre	O
300	CM	130	CM	14 LEVEL CM	332,3501 litre	2,087 %	15595,5247 litre	O
300	CM	130	CM	13 LEVEL CM	297,7403 litre	1,869 %	15630,1345 litre	O
300	CM	130	CM	12 LEVEL CM	264,3699 litre	1,660 %	15663,5049 litre	O
300	CM	130	CM	11 LEVEL CM	232,2979 litre	1,458 %	15695,5769 litre	O
300	CM	130	CM	10 LEVEL CM	201,5910 litre	1,266 %	15726,2838 litre	O
300	CM	130	CM	9 LEVEL CM	172,3250 litre	1,082 %	15755,5498 litre	O
300	CM	130	CM	8 LEVEL CM	144,5878 litre	0,908 %	15783,2870 litre	O
300	CM	130	CM	7 LEVEL CM	118,4826 litre	0,744 %	15809,3922 litre	O
300	CM	130	CM	6 LEVEL CM	94,1334 litre	0,591 %	15833,7414 litre	O
300	CM	130	CM	5 LEVEL CM	71,6936 litre	0,450 %	15856,1812 litre	O
300	CM	130	CM	4 LEVEL CM	51,3596 litre	0,322 %	15876,5152 litre	O
300	CM	130	CM	3 LEVEL CM	33,3979 litre	0,210 %	15894,4769 litre	O
300	CM	130	CM	2 LEVEL CM	18,2007 litre	0,114 %	15909,6741 litre	O
300	CM	130	CM	1 LEVEL CM	6,4424 litre	0,040 %	15921,4324 litre	O
300	CM	130	CM	0 LEVEL CM	0,0000 litre	0,000 %	15927,8748 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM 125	CM 250 LEVEL CM	14726,2156 litre	100,000 %	0,0000 litre	O
300	CM 125	CM 249 LEVEL CM	14719,8986 litre	99,957 %	6,3170 litre	O
300	CM 125	CM 248 LEVEL CM	14708,3700 litre	99,879 %	17,8456 litre	O
300	CM 125	CM 247 LEVEL CM	14693,4708 litre	99,778 %	32,7448 litre	O
300	CM 125	CM 246 LEVEL CM	14675,8627 litre	99,658 %	50,3529 litre	O
300	CM 125	CM 245 LEVEL CM	14655,9307 litre	99,523 %	70,2849 litre	O
300	CM 125	CM 244 LEVEL CM	14633,9361 litre	99,373 %	92,2795 litre	O
300	CM 125	CM 243 LEVEL CM	14610,0720 litre	99,211 %	116,1436 litre	O
300	CM 125	CM 242 LEVEL CM	14584,4890 litre	99,038 %	141,7266 litre	O
300	CM 125	CM 241 LEVEL CM	14557,3088 litre	98,853 %	168,9068 litre	O
300	CM 125	CM 240 LEVEL CM	14528,6330 litre	98,658 %	197,5826 litre	O
300	CM 125	CM 239 LEVEL CM	14498,5477 litre	98,454 %	227,6679 litre	O
300	CM 125	CM 238 LEVEL CM	14467,1277 litre	98,241 %	259,0879 litre	O
300	CM 125	CM 237 LEVEL CM	14434,4383 litre	98,019 %	291,7773 litre	O
300	CM 125	CM 236 LEVEL CM	14400,5379 litre	97,788 %	325,6777 litre	O
300	CM 125	CM 235 LEVEL CM	14365,4783 litre	97,550 %	360,7373 litre	O
300	CM 125	CM 234 LEVEL CM	14329,3067 litre	97,305 %	396,9089 litre	O
300	CM 125	CM 233 LEVEL CM	14292,0661 litre	97,052 %	434,1495 litre	O
300	CM 125	CM 232 LEVEL CM	14253,7955 litre	96,792 %	472,4201 litre	O
300	CM 125	CM 231 LEVEL CM	14214,5313 litre	96,525 %	511,6843 litre	O
300	CM 125	CM 230 LEVEL CM	14174,3068 litre	96,252 %	551,9088 litre	O
300	CM 125	CM 229 LEVEL CM	14133,1533 litre	95,973 %	593,0623 litre	O
300	CM 125	CM 228 LEVEL CM	14091,0999 litre	95,687 %	635,1157 litre	O
300	CM 125	CM 227 LEVEL CM	14048,1737 litre	95,396 %	678,0419 litre	O
300	CM 125	CM 226 LEVEL CM	14004,4004 litre	95,098 %	721,8152 litre	O
300	CM 125	CM 225 LEVEL CM	13959,8041 litre	94,796 %	766,4115 litre	O
300	CM 125	CM 224 LEVEL CM	13914,4078 litre	94,487 %	811,8078 litre	O
300	CM 125	CM 223 LEVEL CM	13868,2330 litre	94,174 %	857,9826 litre	O
300	CM 125	CM 222 LEVEL CM	13821,3003 litre	93,855 %	904,9153 litre	O
300	CM 125	CM 221 LEVEL CM	13773,6294 litre	93,531 %	952,5862 litre	O
300	CM 125	CM 220 LEVEL CM	13725,2390 litre	93,203 %	1000,9766 litre	O
300	CM 125	CM 219 LEVEL CM	13676,1468 litre	92,869 %	1050,0688 litre	O
300	CM 125	CM 218 LEVEL CM	13626,3701 litre	92,531 %	1099,8455 litre	O
300	CM 125	CM 217 LEVEL CM	13575,9252 litre	92,189 %	1150,2904 litre	O
300	CM 125	CM 216 LEVEL CM	13524,8280 litre	91,842 %	1201,3876 litre	O
300	CM 125	CM 215 LEVEL CM	13473,0936 litre	91,491 %	1253,1220 litre	O
300	CM 125	CM 214 LEVEL CM	13420,7367 litre	91,135 %	1305,4789 litre	O
300	CM 125	CM 213 LEVEL CM	13367,7713 litre	90,775 %	1358,4443 litre	O
300	CM 125	CM 212 LEVEL CM	13314,2112 litre	90,412 %	1412,0044 litre	O
300	CM 125	CM 211 LEVEL CM	13260,0694 litre	90,044 %	1466,1462 litre	O
300	CM 125	CM 210 LEVEL CM	13205,3587 litre	89,672 %	1520,8569 litre	O
300	CM 125	CM 209 LEVEL CM	13150,0916 litre	89,297 %	1576,1240 litre	O
300	CM 125	CM 208 LEVEL CM	13094,2800 litre	88,918 %	1631,9356 litre	O
300	CM 125	CM 207 LEVEL CM	13037,9356 litre	88,536 %	1688,2800 litre	O
300	CM 125	CM 206 LEVEL CM	12981,0696 litre	88,149 %	1745,1460 litre	O
300	CM 125	CM 205 LEVEL CM	12923,6931 litre	87,760 %	1802,5225 litre	O
300	CM 125	CM 204 LEVEL CM	12865,8169 litre	87,367 %	1860,3987 litre	O
300	CM 125	CM 203 LEVEL CM	12807,4513 litre	86,970 %	1918,7643 litre	O
300	CM 125	CM 202 LEVEL CM	12748,6066 litre	86,571 %	1977,6090 litre	O
300	CM 125	CM 201 LEVEL CM	12689,2927 litre	86,168 %	2036,9229 litre	O
300	CM 125	CM 200 LEVEL CM	12629,5192 litre	85,762 %	2096,6964 litre	O
300	CM 125	CM 199 LEVEL CM	12569,2958 litre	85,353 %	2156,9198 litre	O

300	CM	125	CM	198 LEVEL CM	12508,6316 litre	84,941 %	2217,5840 litre	O
300	CM	125	CM	197 LEVEL CM	12447,5357 litre	84,526 %	2278,6799 litre	O
300	CM	125	CM	196 LEVEL CM	12386,0171 litre	84,109 %	2340,1985 litre	O
300	CM	125	CM	195 LEVEL CM	12324,0843 litre	83,688 %	2402,1313 litre	O
300	CM	125	CM	194 LEVEL CM	12261,7460 litre	83,265 %	2464,4696 litre	O
300	CM	125	CM	193 LEVEL CM	12199,0105 litre	82,839 %	2527,2051 litre	O
300	CM	125	CM	192 LEVEL CM	12135,8859 litre	82,410 %	2590,3297 litre	O
300	CM	125	CM	191 LEVEL CM	12072,3804 litre	81,979 %	2653,8352 litre	O
300	CM	125	CM	190 LEVEL CM	12008,5019 litre	81,545 %	2717,7137 litre	O
300	CM	125	CM	189 LEVEL CM	11944,2580 litre	81,109 %	2781,9576 litre	O
300	CM	125	CM	188 LEVEL CM	11879,6566 litre	80,670 %	2846,5590 litre	O
300	CM	125	CM	187 LEVEL CM	11814,7050 litre	80,229 %	2911,5106 litre	O
300	CM	125	CM	186 LEVEL CM	11749,4106 litre	79,786 %	2976,8050 litre	O
300	CM	125	CM	185 LEVEL CM	11683,7808 litre	79,340 %	3042,4348 litre	O
300	CM	125	CM	184 LEVEL CM	11617,8227 litre	78,892 %	3108,3929 litre	O
300	CM	125	CM	183 LEVEL CM	11551,5434 litre	78,442 %	3174,6722 litre	O
300	CM	125	CM	182 LEVEL CM	11484,9498 litre	77,990 %	3241,2658 litre	O
300	CM	125	CM	181 LEVEL CM	11418,0487 litre	77,536 %	3308,1669 litre	O
300	CM	125	CM	180 LEVEL CM	11350,8470 litre	77,079 %	3375,3686 litre	O
300	CM	125	CM	179 LEVEL CM	11283,3512 litre	76,621 %	3442,8644 litre	O
300	CM	125	CM	178 LEVEL CM	11215,5681 litre	76,161 %	3510,6475 litre	O
300	CM	125	CM	177 LEVEL CM	11147,5041 litre	75,698 %	3578,7115 litre	O
300	CM	125	CM	176 LEVEL CM	11079,1655 litre	75,234 %	3647,0501 litre	O
300	CM	125	CM	175 LEVEL CM	11010,5589 litre	74,768 %	3715,6567 litre	O
300	CM	125	CM	174 LEVEL CM	10941,6904 litre	74,301 %	3784,5252 litre	O
300	CM	125	CM	173 LEVEL CM	10872,5662 litre	73,831 %	3853,6494 litre	O
300	CM	125	CM	172 LEVEL CM	10803,1924 litre	73,360 %	3923,0232 litre	O
300	CM	125	CM	171 LEVEL CM	10733,5752 litre	72,888 %	3992,6404 litre	O
300	CM	125	CM	170 LEVEL CM	10663,7205 litre	72,413 %	4062,4951 litre	O
300	CM	125	CM	169 LEVEL CM	10593,6343 litre	71,937 %	4132,5813 litre	O
300	CM	125	CM	168 LEVEL CM	10523,3225 litre	71,460 %	4202,8931 litre	O
300	CM	125	CM	167 LEVEL CM	10452,7908 litre	70,981 %	4273,4248 litre	O
300	CM	125	CM	166 LEVEL CM	10382,0451 litre	70,500 %	4344,1705 litre	O
300	CM	125	CM	165 LEVEL CM	10311,0911 litre	70,019 %	4415,1245 litre	O
300	CM	125	CM	164 LEVEL CM	10239,9344 litre	69,535 %	4486,2812 litre	O
300	CM	125	CM	163 LEVEL CM	10168,5806 litre	69,051 %	4557,6350 litre	O
300	CM	125	CM	162 LEVEL CM	10097,0354 litre	68,565 %	4629,1802 litre	O
300	CM	125	CM	161 LEVEL CM	10025,3043 litre	68,078 %	4700,9113 litre	O
300	CM	125	CM	160 LEVEL CM	9953,3927 litre	67,590 %	4772,8229 litre	O
300	CM	125	CM	159 LEVEL CM	9881,3061 litre	67,100 %	4844,9095 litre	O
300	CM	125	CM	158 LEVEL CM	9809,0499 litre	66,609 %	4917,1657 litre	O
300	CM	125	CM	157 LEVEL CM	9736,6295 litre	66,118 %	4989,5861 litre	O
300	CM	125	CM	156 LEVEL CM	9664,0501 litre	65,625 %	5062,1655 litre	O
300	CM	125	CM	155 LEVEL CM	9591,3172 litre	65,131 %	5134,8984 litre	O
300	CM	125	CM	154 LEVEL CM	9518,4359 litre	64,636 %	5207,7797 litre	O
300	CM	125	CM	153 LEVEL CM	9445,4116 litre	64,140 %	5280,8040 litre	O
300	CM	125	CM	152 LEVEL CM	9372,2493 litre	63,643 %	5353,9663 litre	O
300	CM	125	CM	151 LEVEL CM	9298,9543 litre	63,146 %	5427,2613 litre	O
300	CM	125	CM	150 LEVEL CM	9225,5317 litre	62,647 %	5500,6839 litre	O
300	CM	125	CM	149 LEVEL CM	9151,9866 litre	62,148 %	5574,2290 litre	O
300	CM	125	CM	148 LEVEL CM	9078,3241 litre	61,647 %	5647,8915 litre	O
300	CM	125	CM	147 LEVEL CM	9004,5494 litre	61,146 %	5721,6662 litre	O
300	CM	125	CM	146 LEVEL CM	8930,6673 litre	60,645 %	5795,5483 litre	O

300	CM	125	CM	145 LEVEL CM	8856,6830 litre	60,142 %	5869,5326 litre	O
300	CM	125	CM	144 LEVEL CM	8782,6014 litre	59,639 %	5943,6142 litre	O
300	CM	125	CM	143 LEVEL CM	8708,4276 litre	59,136 %	6017,7880 litre	O
300	CM	125	CM	142 LEVEL CM	8634,1664 litre	58,631 %	6092,0492 litre	O
300	CM	125	CM	141 LEVEL CM	8559,8229 litre	58,126 %	6166,3927 litre	O
300	CM	125	CM	140 LEVEL CM	8485,4019 litre	57,621 %	6240,8137 litre	O
300	CM	125	CM	139 LEVEL CM	8410,9084 litre	57,115 %	6315,3072 litre	O
300	CM	125	CM	138 LEVEL CM	8336,3473 litre	56,609 %	6389,8683 litre	O
300	CM	125	CM	137 LEVEL CM	8261,7235 litre	56,102 %	6464,4921 litre	O
300	CM	125	CM	136 LEVEL CM	8187,0417 litre	55,595 %	6539,1739 litre	O
300	CM	125	CM	135 LEVEL CM	8112,3070 litre	55,088 %	6613,9086 litre	O
300	CM	125	CM	134 LEVEL CM	8037,5241 litre	54,580 %	6688,6915 litre	O
300	CM	125	CM	133 LEVEL CM	7962,6979 litre	54,072 %	6763,5177 litre	O
300	CM	125	CM	132 LEVEL CM	7887,8333 litre	53,563 %	6838,3823 litre	O
300	CM	125	CM	131 LEVEL CM	7812,9349 litre	53,055 %	6913,2807 litre	O
300	CM	125	CM	130 LEVEL CM	7738,0078 litre	52,546 %	6988,2078 litre	O
300	CM	125	CM	129 LEVEL CM	7663,0566 litre	52,037 %	7063,1590 litre	O
300	CM	125	CM	128 LEVEL CM	7588,0862 litre	51,528 %	7138,1294 litre	O
300	CM	125	CM	127 LEVEL CM	7513,1014 litre	51,019 %	7213,1142 litre	O
300	CM	125	CM	126 LEVEL CM	7438,1070 litre	50,509 %	7288,1086 litre	O
300	CM	125	CM	125 LEVEL CM	7363,1078 litre	50,000 %	7363,1078 litre	O
300	CM	125	CM	124 LEVEL CM	7288,1086 litre	49,491 %	7438,1070 litre	O
300	CM	125	CM	123 LEVEL CM	7213,1142 litre	48,981 %	7513,1014 litre	O
300	CM	125	CM	122 LEVEL CM	7138,1294 litre	48,472 %	7588,0862 litre	O
300	CM	125	CM	121 LEVEL CM	7063,1590 litre	47,963 %	7663,0566 litre	O
300	CM	125	CM	120 LEVEL CM	6988,2078 litre	47,454 %	7738,0078 litre	O
300	CM	125	CM	119 LEVEL CM	6913,2806 litre	46,945 %	7812,9350 litre	O
300	CM	125	CM	118 LEVEL CM	6838,3823 litre	46,437 %	7887,8333 litre	O
300	CM	125	CM	117 LEVEL CM	6763,5176 litre	45,928 %	7962,6980 litre	O
300	CM	125	CM	116 LEVEL CM	6688,6914 litre	45,420 %	8037,5242 litre	O
300	CM	125	CM	115 LEVEL CM	6613,9086 litre	44,912 %	8112,3070 litre	O
300	CM	125	CM	114 LEVEL CM	6539,1738 litre	44,405 %	8187,0418 litre	O
300	CM	125	CM	113 LEVEL CM	6464,4921 litre	43,898 %	8261,7235 litre	O
300	CM	125	CM	112 LEVEL CM	6389,8682 litre	43,391 %	8336,3474 litre	O
300	CM	125	CM	111 LEVEL CM	6315,3071 litre	42,885 %	8410,9085 litre	O
300	CM	125	CM	110 LEVEL CM	6240,8136 litre	42,379 %	8485,4020 litre	O
300	CM	125	CM	109 LEVEL CM	6166,3927 litre	41,874 %	8559,8229 litre	O
300	CM	125	CM	108 LEVEL CM	6092,0492 litre	41,369 %	8634,1664 litre	O
300	CM	125	CM	107 LEVEL CM	6017,7880 litre	40,864 %	8708,4276 litre	O
300	CM	125	CM	106 LEVEL CM	5943,6142 litre	40,361 %	8782,6014 litre	O
300	CM	125	CM	105 LEVEL CM	5869,5326 litre	39,858 %	8856,6830 litre	O
300	CM	125	CM	104 LEVEL CM	5795,5483 litre	39,355 %	8930,6673 litre	O
300	CM	125	CM	103 LEVEL CM	5721,6662 litre	38,854 %	9004,5494 litre	O
300	CM	125	CM	102 LEVEL CM	5647,8914 litre	38,353 %	9078,3242 litre	O
300	CM	125	CM	101 LEVEL CM	5574,2290 litre	37,852 %	9151,9866 litre	O
300	CM	125	CM	100 LEVEL CM	5500,6839 litre	37,353 %	9225,5317 litre	O
300	CM	125	CM	99 LEVEL CM	5427,2613 litre	36,854 %	9298,9543 litre	O
300	CM	125	CM	98 LEVEL CM	5353,9663 litre	36,357 %	9372,2493 litre	O
300	CM	125	CM	97 LEVEL CM	5280,8040 litre	35,860 %	9445,4116 litre	O
300	CM	125	CM	96 LEVEL CM	5207,7796 litre	35,364 %	9518,4360 litre	O
300	CM	125	CM	95 LEVEL CM	5134,8984 litre	34,869 %	9591,3172 litre	O
300	CM	125	CM	94 LEVEL CM	5062,1654 litre	34,375 %	9664,0502 litre	O
300	CM	125	CM	93 LEVEL CM	4989,5861 litre	33,882 %	9736,6295 litre	O

300	CM	125	CM	92 LEVEL CM	4917,1657 litre	33,391 %	9809,0499 litre	O
300	CM	125	CM	91 LEVEL CM	4844,9095 litre	32,900 %	9881,3061 litre	O
300	CM	125	CM	90 LEVEL CM	4772,8229 litre	32,410 %	9953,3927 litre	O
300	CM	125	CM	89 LEVEL CM	4700,9113 litre	31,922 %	10025,3043 litre	O
300	CM	125	CM	88 LEVEL CM	4629,1802 litre	31,435 %	10097,0354 litre	O
300	CM	125	CM	87 LEVEL CM	4557,6349 litre	30,949 %	10168,5807 litre	O
300	CM	125	CM	86 LEVEL CM	4486,2812 litre	30,465 %	10239,9344 litre	O
300	CM	125	CM	85 LEVEL CM	4415,1245 litre	29,981 %	10311,0911 litre	O
300	CM	125	CM	84 LEVEL CM	4344,1705 litre	29,500 %	10382,0451 litre	O
300	CM	125	CM	83 LEVEL CM	4273,4247 litre	29,019 %	10452,7909 litre	O
300	CM	125	CM	82 LEVEL CM	4202,8931 litre	28,540 %	10523,3225 litre	O
300	CM	125	CM	81 LEVEL CM	4132,5812 litre	28,063 %	10593,6344 litre	O
300	CM	125	CM	80 LEVEL CM	4062,4950 litre	27,587 %	10663,7206 litre	O
300	CM	125	CM	79 LEVEL CM	3992,6403 litre	27,112 %	10733,5753 litre	O
300	CM	125	CM	78 LEVEL CM	3923,0231 litre	26,640 %	10803,1925 litre	O
300	CM	125	CM	77 LEVEL CM	3853,6494 litre	26,169 %	10872,5662 litre	O
300	CM	125	CM	76 LEVEL CM	3784,5252 litre	25,699 %	10941,6904 litre	O
300	CM	125	CM	75 LEVEL CM	3715,6567 litre	25,232 %	11010,5589 litre	O
300	CM	125	CM	74 LEVEL CM	3647,0500 litre	24,766 %	11079,1656 litre	O
300	CM	125	CM	73 LEVEL CM	3578,7115 litre	24,302 %	11147,5041 litre	O
300	CM	125	CM	72 LEVEL CM	3510,6475 litre	23,839 %	11215,5681 litre	O
300	CM	125	CM	71 LEVEL CM	3442,8643 litre	23,379 %	11283,3513 litre	O
300	CM	125	CM	70 LEVEL CM	3375,3686 litre	22,921 %	11350,8470 litre	O
300	CM	125	CM	69 LEVEL CM	3308,1669 litre	22,464 %	11418,0487 litre	O
300	CM	125	CM	68 LEVEL CM	3241,2658 litre	22,010 %	11484,9498 litre	O
300	CM	125	CM	67 LEVEL CM	3174,6722 litre	21,558 %	11551,5434 litre	O
300	CM	125	CM	66 LEVEL CM	3108,3928 litre	21,108 %	11617,8228 litre	O
300	CM	125	CM	65 LEVEL CM	3042,4347 litre	20,660 %	11683,7809 litre	O
300	CM	125	CM	64 LEVEL CM	2976,8049 litre	20,214 %	11749,4107 litre	O
300	CM	125	CM	63 LEVEL CM	2911,5106 litre	19,771 %	11814,7050 litre	O
300	CM	125	CM	62 LEVEL CM	2846,5590 litre	19,330 %	11879,6566 litre	O
300	CM	125	CM	61 LEVEL CM	2781,9575 litre	18,891 %	11944,2581 litre	O
300	CM	125	CM	60 LEVEL CM	2717,7137 litre	18,455 %	12008,5019 litre	O
300	CM	125	CM	59 LEVEL CM	2653,8351 litre	18,021 %	12072,3805 litre	O
300	CM	125	CM	58 LEVEL CM	2590,3296 litre	17,590 %	12135,8860 litre	O
300	CM	125	CM	57 LEVEL CM	2527,2051 litre	17,161 %	12199,0105 litre	O
300	CM	125	CM	56 LEVEL CM	2464,4696 litre	16,735 %	12261,7460 litre	O
300	CM	125	CM	55 LEVEL CM	2402,1313 litre	16,312 %	12324,0843 litre	O
300	CM	125	CM	54 LEVEL CM	2340,1985 litre	15,891 %	12386,0171 litre	O
300	CM	125	CM	53 LEVEL CM	2278,6798 litre	15,474 %	12447,5358 litre	O
300	CM	125	CM	52 LEVEL CM	2217,5840 litre	15,059 %	12508,6316 litre	O
300	CM	125	CM	51 LEVEL CM	2156,9198 litre	14,647 %	12569,2958 litre	O
300	CM	125	CM	50 LEVEL CM	2096,6963 litre	14,238 %	12629,5193 litre	O
300	CM	125	CM	49 LEVEL CM	2036,9229 litre	13,832 %	12689,2927 litre	O
300	CM	125	CM	48 LEVEL CM	1977,6090 litre	13,429 %	12748,6066 litre	O
300	CM	125	CM	47 LEVEL CM	1918,7643 litre	13,030 %	12807,4513 litre	O
300	CM	125	CM	46 LEVEL CM	1860,3987 litre	12,633 %	12865,8169 litre	O
300	CM	125	CM	45 LEVEL CM	1802,5224 litre	12,240 %	12923,6932 litre	O
300	CM	125	CM	44 LEVEL CM	1745,1460 litre	11,851 %	12981,0696 litre	O
300	CM	125	CM	43 LEVEL CM	1688,2800 litre	11,464 %	13037,9356 litre	O
300	CM	125	CM	42 LEVEL CM	1631,9356 litre	11,082 %	13094,2800 litre	O
300	CM	125	CM	41 LEVEL CM	1576,1239 litre	10,703 %	13150,0917 litre	O
300	CM	125	CM	40 LEVEL CM	1520,8568 litre	10,328 %	13205,3588 litre	O

300	CM	125	CM	39 LEVEL CM	1466,1462 litre	9,956 %	13260,0694 litre	O
300	CM	125	CM	38 LEVEL CM	1412,0044 litre	9,588 %	13314,2112 litre	O
300	CM	125	CM	37 LEVEL CM	1358,4442 litre	9,225 %	13367,7714 litre	O
300	CM	125	CM	36 LEVEL CM	1305,4789 litre	8,865 %	13420,7367 litre	O
300	CM	125	CM	35 LEVEL CM	1253,1219 litre	8,509 %	13473,0937 litre	O
300	CM	125	CM	34 LEVEL CM	1201,3876 litre	8,158 %	13524,8280 litre	O
300	CM	125	CM	33 LEVEL CM	1150,2903 litre	7,811 %	13575,9253 litre	O
300	CM	125	CM	32 LEVEL CM	1099,8455 litre	7,469 %	13626,3701 litre	O
300	CM	125	CM	31 LEVEL CM	1050,0688 litre	7,131 %	13676,1468 litre	O
300	CM	125	CM	30 LEVEL CM	1000,9766 litre	6,797 %	13725,2390 litre	O
300	CM	125	CM	29 LEVEL CM	952,5861 litre	6,469 %	13773,6295 litre	O
300	CM	125	CM	28 LEVEL CM	904,9152 litre	6,145 %	13821,3004 litre	O
300	CM	125	CM	27 LEVEL CM	857,9826 litre	5,826 %	13868,2330 litre	O
300	CM	125	CM	26 LEVEL CM	811,8078 litre	5,513 %	13914,4078 litre	O
300	CM	125	CM	25 LEVEL CM	766,4114 litre	5,204 %	13959,8042 litre	O
300	CM	125	CM	24 LEVEL CM	721,8152 litre	4,902 %	14004,4004 litre	O
300	CM	125	CM	23 LEVEL CM	678,0419 litre	4,604 %	14048,1737 litre	O
300	CM	125	CM	22 LEVEL CM	635,1157 litre	4,313 %	14091,0999 litre	O
300	CM	125	CM	21 LEVEL CM	593,0622 litre	4,027 %	14133,1534 litre	O
300	CM	125	CM	20 LEVEL CM	551,9087 litre	3,748 %	14174,3069 litre	O
300	CM	125	CM	19 LEVEL CM	511,6843 litre	3,475 %	14214,5313 litre	O
300	CM	125	CM	18 LEVEL CM	472,4201 litre	3,208 %	14253,7955 litre	O
300	CM	125	CM	17 LEVEL CM	434,1495 litre	2,948 %	14292,0661 litre	O
300	CM	125	CM	16 LEVEL CM	396,9088 litre	2,695 %	14329,3068 litre	O
300	CM	125	CM	15 LEVEL CM	360,7373 litre	2,450 %	14365,4783 litre	O
300	CM	125	CM	14 LEVEL CM	325,6777 litre	2,212 %	14400,5379 litre	O
300	CM	125	CM	13 LEVEL CM	291,7772 litre	1,981 %	14434,4384 litre	O
300	CM	125	CM	12 LEVEL CM	259,0879 litre	1,759 %	14467,1277 litre	O
300	CM	125	CM	11 LEVEL CM	227,6679 litre	1,546 %	14498,5477 litre	O
300	CM	125	CM	10 LEVEL CM	197,5826 litre	1,342 %	14528,6330 litre	O
300	CM	125	CM	9 LEVEL CM	168,9067 litre	1,147 %	14557,3089 litre	O
300	CM	125	CM	8 LEVEL CM	141,7266 litre	0,962 %	14584,4890 litre	O
300	CM	125	CM	7 LEVEL CM	116,1435 litre	0,789 %	14610,0721 litre	O
300	CM	125	CM	6 LEVEL CM	92,2795 litre	0,627 %	14633,9361 litre	O
300	CM	125	CM	5 LEVEL CM	70,2849 litre	0,477 %	14655,9307 litre	O
300	CM	125	CM	4 LEVEL CM	50,3529 litre	0,342 %	14675,8627 litre	O
300	CM	125	CM	3 LEVEL CM	32,7448 litre	0,222 %	14693,4708 litre	O
300	CM	125	CM	2 LEVEL CM	17,8455 litre	0,121 %	14708,3701 litre	O
300	CM	125	CM	1 LEVEL CM	6,3170 litre	0,043 %	14719,8986 litre	O
300	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	14726,2156 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	120	CM 240 LEVEL CM	13571,6803 litre	100,000 %	0,0000 litre	O
300	CM	120	CM 239 LEVEL CM	13565,4912 litre	99,954 %	6,1891 litre	O
300	CM	120	CM 238 LEVEL CM	13554,1970 litre	99,871 %	17,4833 litre	O
300	CM	120	CM 237 LEVEL CM	13539,6019 litre	99,764 %	32,0784 litre	O
300	CM	120	CM 236 LEVEL CM	13522,3547 litre	99,637 %	49,3256 litre	O
300	CM	120	CM 235 LEVEL CM	13502,8329 litre	99,493 %	68,8474 litre	O
300	CM	120	CM 234 LEVEL CM	13481,2928 litre	99,334 %	90,3875 litre	O
300	CM	120	CM 233 LEVEL CM	13457,9239 litre	99,162 %	113,7564 litre	O
300	CM	120	CM 232 LEVEL CM	13432,8739 litre	98,977 %	138,8064 litre	O
300	CM	120	CM 231 LEVEL CM	13406,2624 litre	98,781 %	165,4179 litre	O
300	CM	120	CM 230 LEVEL CM	13378,1891 litre	98,574 %	193,4912 litre	O
300	CM	120	CM 229 LEVEL CM	13348,7386 litre	98,357 %	222,9417 litre	O
300	CM	120	CM 228 LEVEL CM	13317,9843 litre	98,131 %	253,6960 litre	O
300	CM	120	CM 227 LEVEL CM	13285,9906 litre	97,895 %	285,6897 litre	O
300	CM	120	CM 226 LEVEL CM	13252,8146 litre	97,651 %	318,8657 litre	O
300	CM	120	CM 225 LEVEL CM	13218,5075 litre	97,398 %	353,1728 litre	O
300	CM	120	CM 224 LEVEL CM	13183,1156 litre	97,137 %	388,5647 litre	O
300	CM	120	CM 223 LEVEL CM	13146,6811 litre	96,868 %	424,9992 litre	O
300	CM	120	CM 222 LEVEL CM	13109,2426 litre	96,593 %	462,4377 litre	O
300	CM	120	CM 221 LEVEL CM	13070,8358 litre	96,310 %	500,8445 litre	O
300	CM	120	CM 220 LEVEL CM	13031,4936 litre	96,020 %	540,1867 litre	O
300	CM	120	CM 219 LEVEL CM	12991,2467 litre	95,723 %	580,4336 litre	O
300	CM	120	CM 218 LEVEL CM	12950,1237 litre	95,420 %	621,5566 litre	O
300	CM	120	CM 217 LEVEL CM	12908,1516 litre	95,111 %	663,5287 litre	O
300	CM	120	CM 216 LEVEL CM	12865,3555 litre	94,796 %	706,3248 litre	O
300	CM	120	CM 215 LEVEL CM	12821,7593 litre	94,474 %	749,9210 litre	O
300	CM	120	CM 214 LEVEL CM	12777,3855 litre	94,147 %	794,2948 litre	O
300	CM	120	CM 213 LEVEL CM	12732,2556 litre	93,815 %	839,4247 litre	O
300	CM	120	CM 212 LEVEL CM	12686,3897 litre	93,477 %	885,2906 litre	O
300	CM	120	CM 211 LEVEL CM	12639,8073 litre	93,134 %	931,8730 litre	O
300	CM	120	CM 210 LEVEL CM	12592,5269 litre	92,785 %	979,1534 litre	O
300	CM	120	CM 209 LEVEL CM	12544,5660 litre	92,432 %	1027,1143 litre	O
300	CM	120	CM 208 LEVEL CM	12495,9417 litre	92,074 %	1075,7386 litre	O
300	CM	120	CM 207 LEVEL CM	12446,6702 litre	91,711 %	1125,0101 litre	O
300	CM	120	CM 206 LEVEL CM	12396,7670 litre	91,343 %	1174,9133 litre	O
300	CM	120	CM 205 LEVEL CM	12346,2472 litre	90,971 %	1225,4331 litre	O
300	CM	120	CM 204 LEVEL CM	12295,1253 litre	90,594 %	1276,5550 litre	O
300	CM	120	CM 203 LEVEL CM	12243,4152 litre	90,213 %	1328,2651 litre	O
300	CM	120	CM 202 LEVEL CM	12191,1305 litre	89,828 %	1380,5498 litre	O
300	CM	120	CM 201 LEVEL CM	12138,2841 litre	89,438 %	1433,3962 litre	O
300	CM	120	CM 200 LEVEL CM	12084,8889 litre	89,045 %	1486,7914 litre	O
300	CM	120	CM 199 LEVEL CM	12030,9569 litre	88,648 %	1540,7234 litre	O
300	CM	120	CM 198 LEVEL CM	11976,5002 litre	88,246 %	1595,1801 litre	O
300	CM	120	CM 197 LEVEL CM	11921,5302 litre	87,841 %	1650,1501 litre	O
300	CM	120	CM 196 LEVEL CM	11866,0582 litre	87,432 %	1705,6221 litre	O
300	CM	120	CM 195 LEVEL CM	11810,0952 litre	87,020 %	1761,5851 litre	O
300	CM	120	CM 194 LEVEL CM	11753,6517 litre	86,604 %	1818,0286 litre	O
300	CM	120	CM 193 LEVEL CM	11696,7383 litre	86,185 %	1874,9420 litre	O
300	CM	120	CM 192 LEVEL CM	11639,3649 litre	85,762 %	1932,3154 litre	O
300	CM	120	CM 191 LEVEL CM	11581,5415 litre	85,336 %	1990,1388 litre	O
300	CM	120	CM 190 LEVEL CM	11523,2778 litre	84,907 %	2048,4025 litre	O
300	CM	120	CM 189 LEVEL CM	11464,5831 litre	84,474 %	2107,0972 litre	O

300	CM	120	CM	188 LEVEL CM	11405,4667 litre	84,039 %	2166,2136 litre	O
300	CM	120	CM	187 LEVEL CM	11345,9377 litre	83,600 %	2225,7426 litre	O
300	CM	120	CM	186 LEVEL CM	11286,0049 litre	83,158 %	2285,6754 litre	O
300	CM	120	CM	185 LEVEL CM	11225,6769 litre	82,714 %	2346,0034 litre	O
300	CM	120	CM	184 LEVEL CM	11164,9622 litre	82,267 %	2406,7181 litre	O
300	CM	120	CM	183 LEVEL CM	11103,8693 litre	81,816 %	2467,8110 litre	O
300	CM	120	CM	182 LEVEL CM	11042,4062 litre	81,364 %	2529,2741 litre	O
300	CM	120	CM	181 LEVEL CM	10980,5811 litre	80,908 %	2591,0992 litre	O
300	CM	120	CM	180 LEVEL CM	10918,4017 litre	80,450 %	2653,2786 litre	O
300	CM	120	CM	179 LEVEL CM	10855,8760 litre	79,989 %	2715,8043 litre	O
300	CM	120	CM	178 LEVEL CM	10793,0114 litre	79,526 %	2778,6689 litre	O
300	CM	120	CM	177 LEVEL CM	10729,8156 litre	79,060 %	2841,8647 litre	O
300	CM	120	CM	176 LEVEL CM	10666,2959 litre	78,592 %	2905,3844 litre	O
300	CM	120	CM	175 LEVEL CM	10602,4596 litre	78,122 %	2969,2207 litre	O
300	CM	120	CM	174 LEVEL CM	10538,3139 litre	77,649 %	3033,3664 litre	O
300	CM	120	CM	173 LEVEL CM	10473,8658 litre	77,174 %	3097,8145 litre	O
300	CM	120	CM	172 LEVEL CM	10409,1224 litre	76,697 %	3162,5579 litre	O
300	CM	120	CM	171 LEVEL CM	10344,0905 litre	76,218 %	3227,5898 litre	O
300	CM	120	CM	170 LEVEL CM	10278,7768 litre	75,737 %	3292,9035 litre	O
300	CM	120	CM	169 LEVEL CM	10213,1881 litre	75,254 %	3358,4922 litre	O
300	CM	120	CM	168 LEVEL CM	10147,3311 litre	74,768 %	3424,3492 litre	O
300	CM	120	CM	167 LEVEL CM	10081,2121 litre	74,281 %	3490,4682 litre	O
300	CM	120	CM	166 LEVEL CM	10014,8378 litre	73,792 %	3556,8425 litre	O
300	CM	120	CM	165 LEVEL CM	9948,2144 litre	73,301 %	3623,4659 litre	O
300	CM	120	CM	164 LEVEL CM	9881,3483 litre	72,809 %	3690,3320 litre	O
300	CM	120	CM	163 LEVEL CM	9814,2457 litre	72,314 %	3757,4346 litre	O
300	CM	120	CM	162 LEVEL CM	9746,9128 litre	71,818 %	3824,7675 litre	O
300	CM	120	CM	161 LEVEL CM	9679,3558 litre	71,320 %	3892,3245 litre	O
300	CM	120	CM	160 LEVEL CM	9611,5806 litre	70,821 %	3960,0997 litre	O
300	CM	120	CM	159 LEVEL CM	9543,5933 litre	70,320 %	4028,0870 litre	O
300	CM	120	CM	158 LEVEL CM	9475,3998 litre	69,817 %	4096,2805 litre	O
300	CM	120	CM	157 LEVEL CM	9407,0059 litre	69,313 %	4164,6744 litre	O
300	CM	120	CM	156 LEVEL CM	9338,4176 litre	68,808 %	4233,2627 litre	O
300	CM	120	CM	155 LEVEL CM	9269,6406 litre	68,301 %	4302,0397 litre	O
300	CM	120	CM	154 LEVEL CM	9200,6806 litre	67,793 %	4370,9997 litre	O
300	CM	120	CM	153 LEVEL CM	9131,5434 litre	67,284 %	4440,1369 litre	O
300	CM	120	CM	152 LEVEL CM	9062,2345 litre	66,773 %	4509,4458 litre	O
300	CM	120	CM	151 LEVEL CM	8992,7597 litre	66,261 %	4578,9206 litre	O
300	CM	120	CM	150 LEVEL CM	8923,1243 litre	65,748 %	4648,5560 litre	O
300	CM	120	CM	149 LEVEL CM	8853,3341 litre	65,234 %	4718,3462 litre	O
300	CM	120	CM	148 LEVEL CM	8783,3944 litre	64,719 %	4788,2859 litre	O
300	CM	120	CM	147 LEVEL CM	8713,3108 litre	64,202 %	4858,3695 litre	O
300	CM	120	CM	146 LEVEL CM	8643,0886 litre	63,685 %	4928,5917 litre	O
300	CM	120	CM	145 LEVEL CM	8572,7332 litre	63,166 %	4998,9471 litre	O
300	CM	120	CM	144 LEVEL CM	8502,2500 litre	62,647 %	5069,4303 litre	O
300	CM	120	CM	143 LEVEL CM	8431,6443 litre	62,127 %	5140,0360 litre	O
300	CM	120	CM	142 LEVEL CM	8360,9215 litre	61,606 %	5210,7588 litre	O
300	CM	120	CM	141 LEVEL CM	8290,0868 litre	61,084 %	5281,5935 litre	O
300	CM	120	CM	140 LEVEL CM	8219,1454 litre	60,561 %	5352,5349 litre	O
300	CM	120	CM	139 LEVEL CM	8148,1026 litre	60,038 %	5423,5777 litre	O
300	CM	120	CM	138 LEVEL CM	8076,9636 litre	59,513 %	5494,7167 litre	O
300	CM	120	CM	137 LEVEL CM	8005,7336 litre	58,989 %	5565,9467 litre	O
300	CM	120	CM	136 LEVEL CM	7934,4176 litre	58,463 %	5637,2627 litre	O

300	CM	120	CM	135 LEVEL CM	7863,0210 litre	57,937 %	5708,6593 litre	O
300	CM	120	CM	134 LEVEL CM	7791,5488 litre	57,410 %	5780,1315 litre	O
300	CM	120	CM	133 LEVEL CM	7720,0061 litre	56,883 %	5851,6742 litre	O
300	CM	120	CM	132 LEVEL CM	7648,3980 litre	56,356 %	5923,2823 litre	O
300	CM	120	CM	131 LEVEL CM	7576,7296 litre	55,827 %	5994,9507 litre	O
300	CM	120	CM	130 LEVEL CM	7505,0059 litre	55,299 %	6066,6744 litre	O
300	CM	120	CM	129 LEVEL CM	7433,2321 litre	54,770 %	6138,4482 litre	O
300	CM	120	CM	128 LEVEL CM	7361,4132 litre	54,241 %	6210,2671 litre	O
300	CM	120	CM	127 LEVEL CM	7289,5542 litre	53,712 %	6282,1261 litre	O
300	CM	120	CM	126 LEVEL CM	7217,6601 litre	53,182 %	6354,0202 litre	O
300	CM	120	CM	125 LEVEL CM	7145,7359 litre	52,652 %	6425,9444 litre	O
300	CM	120	CM	124 LEVEL CM	7073,7868 litre	52,122 %	6497,8935 litre	O
300	CM	120	CM	123 LEVEL CM	7001,8176 litre	51,591 %	6569,8627 litre	O
300	CM	120	CM	122 LEVEL CM	6929,8335 litre	51,061 %	6641,8468 litre	O
300	CM	120	CM	121 LEVEL CM	6857,8393 litre	50,531 %	6713,8410 litre	O
300	CM	120	CM	120 LEVEL CM	6785,8401 litre	50,000 %	6785,8402 litre	O
300	CM	120	CM	119 LEVEL CM	6713,8410 litre	49,469 %	6857,8393 litre	O
300	CM	120	CM	118 LEVEL CM	6641,8468 litre	48,939 %	6929,8335 litre	O
300	CM	120	CM	117 LEVEL CM	6569,8626 litre	48,409 %	7001,8177 litre	O
300	CM	120	CM	116 LEVEL CM	6497,8935 litre	47,878 %	7073,7868 litre	O
300	CM	120	CM	115 LEVEL CM	6425,9443 litre	47,348 %	7145,7360 litre	O
300	CM	120	CM	114 LEVEL CM	6354,0202 litre	46,818 %	7217,6601 litre	O
300	CM	120	CM	113 LEVEL CM	6282,1261 litre	46,288 %	7289,5542 litre	O
300	CM	120	CM	112 LEVEL CM	6210,2671 litre	45,759 %	7361,4132 litre	O
300	CM	120	CM	111 LEVEL CM	6138,4481 litre	45,230 %	7433,2322 litre	O
300	CM	120	CM	110 LEVEL CM	6066,6743 litre	44,701 %	7505,0060 litre	O
300	CM	120	CM	109 LEVEL CM	5994,9507 litre	44,173 %	7576,7296 litre	O
300	CM	120	CM	108 LEVEL CM	5923,2823 litre	43,644 %	7648,3980 litre	O
300	CM	120	CM	107 LEVEL CM	5851,6742 litre	43,117 %	7720,0061 litre	O
300	CM	120	CM	106 LEVEL CM	5780,1315 litre	42,590 %	7791,5488 litre	O
300	CM	120	CM	105 LEVEL CM	5708,6593 litre	42,063 %	7863,0210 litre	O
300	CM	120	CM	104 LEVEL CM	5637,2626 litre	41,537 %	7934,4177 litre	O
300	CM	120	CM	103 LEVEL CM	5565,9467 litre	41,011 %	8005,7336 litre	O
300	CM	120	CM	102 LEVEL CM	5494,7167 litre	40,487 %	8076,9636 litre	O
300	CM	120	CM	101 LEVEL CM	5423,5777 litre	39,962 %	8148,1026 litre	O
300	CM	120	CM	100 LEVEL CM	5352,5349 litre	39,439 %	8219,1454 litre	O
300	CM	120	CM	99 LEVEL CM	5281,5935 litre	38,916 %	8290,0868 litre	O
300	CM	120	CM	98 LEVEL CM	5210,7587 litre	38,394 %	8360,9216 litre	O
300	CM	120	CM	97 LEVEL CM	5140,0359 litre	37,873 %	8431,6444 litre	O
300	CM	120	CM	96 LEVEL CM	5069,4303 litre	37,353 %	8502,2500 litre	O
300	CM	120	CM	95 LEVEL CM	4998,9471 litre	36,834 %	8572,7332 litre	O
300	CM	120	CM	94 LEVEL CM	4928,5917 litre	36,315 %	8643,0886 litre	O
300	CM	120	CM	93 LEVEL CM	4858,3695 litre	35,798 %	8713,3108 litre	O
300	CM	120	CM	92 LEVEL CM	4788,2858 litre	35,281 %	8783,3945 litre	O
300	CM	120	CM	91 LEVEL CM	4718,3462 litre	34,766 %	8853,3341 litre	O
300	CM	120	CM	90 LEVEL CM	4648,5559 litre	34,252 %	8923,1244 litre	O
300	CM	120	CM	89 LEVEL CM	4578,9206 litre	33,739 %	8992,7597 litre	O
300	CM	120	CM	88 LEVEL CM	4509,4457 litre	33,227 %	9062,2346 litre	O
300	CM	120	CM	87 LEVEL CM	4440,1369 litre	32,716 %	9131,5434 litre	O
300	CM	120	CM	86 LEVEL CM	4370,9996 litre	32,207 %	9200,6807 litre	O
300	CM	120	CM	85 LEVEL CM	4302,0397 litre	31,699 %	9269,6406 litre	O
300	CM	120	CM	84 LEVEL CM	4233,2627 litre	31,192 %	9338,4176 litre	O
300	CM	120	CM	83 LEVEL CM	4164,6743 litre	30,687 %	9407,0060 litre	O

300	CM	120	CM	82 LEVEL CM	4096,2805 litre	30,183 %	9475,3998 litre	O
300	CM	120	CM	81 LEVEL CM	4028,0870 litre	29,680 %	9543,5933 litre	O
300	CM	120	CM	80 LEVEL CM	3960,0997 litre	29,179 %	9611,5806 litre	O
300	CM	120	CM	79 LEVEL CM	3892,3245 litre	28,680 %	9679,3558 litre	O
300	CM	120	CM	78 LEVEL CM	3824,7674 litre	28,182 %	9746,9129 litre	O
300	CM	120	CM	77 LEVEL CM	3757,4345 litre	27,686 %	9814,2458 litre	O
300	CM	120	CM	76 LEVEL CM	3690,3320 litre	27,191 %	9881,3483 litre	O
300	CM	120	CM	75 LEVEL CM	3623,4659 litre	26,699 %	9948,2144 litre	O
300	CM	120	CM	74 LEVEL CM	3556,8425 litre	26,208 %	10014,8378 litre	O
300	CM	120	CM	73 LEVEL CM	3490,4681 litre	25,719 %	10081,2122 litre	O
300	CM	120	CM	72 LEVEL CM	3424,3492 litre	25,232 %	10147,3311 litre	O
300	CM	120	CM	71 LEVEL CM	3358,4921 litre	24,746 %	10213,1882 litre	O
300	CM	120	CM	70 LEVEL CM	3292,9035 litre	24,263 %	10278,7768 litre	O
300	CM	120	CM	69 LEVEL CM	3227,5898 litre	23,782 %	10344,0905 litre	O
300	CM	120	CM	68 LEVEL CM	3162,5579 litre	23,303 %	10409,1224 litre	O
300	CM	120	CM	67 LEVEL CM	3097,8144 litre	22,826 %	10473,8659 litre	O
300	CM	120	CM	66 LEVEL CM	3033,3664 litre	22,351 %	10538,3139 litre	O
300	CM	120	CM	65 LEVEL CM	2969,2206 litre	21,878 %	10602,4597 litre	O
300	CM	120	CM	64 LEVEL CM	2905,3844 litre	21,408 %	10666,2959 litre	O
300	CM	120	CM	63 LEVEL CM	2841,8647 litre	20,940 %	10729,8156 litre	O
300	CM	120	CM	62 LEVEL CM	2778,6688 litre	20,474 %	10793,0115 litre	O
300	CM	120	CM	61 LEVEL CM	2715,8043 litre	20,011 %	10855,8760 litre	O
300	CM	120	CM	60 LEVEL CM	2653,2785 litre	19,550 %	10918,4018 litre	O
300	CM	120	CM	59 LEVEL CM	2591,0992 litre	19,092 %	10980,5811 litre	O
300	CM	120	CM	58 LEVEL CM	2529,2741 litre	18,636 %	11042,4062 litre	O
300	CM	120	CM	57 LEVEL CM	2467,8110 litre	18,184 %	11103,8693 litre	O
300	CM	120	CM	56 LEVEL CM	2406,7180 litre	17,733 %	11164,9623 litre	O
300	CM	120	CM	55 LEVEL CM	2346,0034 litre	17,286 %	11225,6769 litre	O
300	CM	120	CM	54 LEVEL CM	2285,6754 litre	16,842 %	11286,0049 litre	O
300	CM	120	CM	53 LEVEL CM	2225,7426 litre	16,400 %	11345,9377 litre	O
300	CM	120	CM	52 LEVEL CM	2166,2135 litre	15,961 %	11405,4668 litre	O
300	CM	120	CM	51 LEVEL CM	2107,0971 litre	15,526 %	11464,5832 litre	O
300	CM	120	CM	50 LEVEL CM	2048,4025 litre	15,093 %	11523,2778 litre	O
300	CM	120	CM	49 LEVEL CM	1990,1387 litre	14,664 %	11581,5416 litre	O
300	CM	120	CM	48 LEVEL CM	1932,3153 litre	14,238 %	11639,3650 litre	O
300	CM	120	CM	47 LEVEL CM	1874,9420 litre	13,815 %	11696,7383 litre	O
300	CM	120	CM	46 LEVEL CM	1818,0285 litre	13,396 %	11753,6518 litre	O
300	CM	120	CM	45 LEVEL CM	1761,5851 litre	12,980 %	11810,0952 litre	O
300	CM	120	CM	44 LEVEL CM	1705,6221 litre	12,568 %	11866,0582 litre	O
300	CM	120	CM	43 LEVEL CM	1650,1501 litre	12,159 %	11921,5302 litre	O
300	CM	120	CM	42 LEVEL CM	1595,1801 litre	11,754 %	11976,5002 litre	O
300	CM	120	CM	41 LEVEL CM	1540,7234 litre	11,352 %	12030,9569 litre	O
300	CM	120	CM	40 LEVEL CM	1486,7914 litre	10,955 %	12084,8889 litre	O
300	CM	120	CM	39 LEVEL CM	1433,3961 litre	10,562 %	12138,2842 litre	O
300	CM	120	CM	38 LEVEL CM	1380,5498 litre	10,172 %	12191,1305 litre	O
300	CM	120	CM	37 LEVEL CM	1328,2651 litre	9,787 %	12243,4152 litre	O
300	CM	120	CM	36 LEVEL CM	1276,5550 litre	9,406 %	12295,1253 litre	O
300	CM	120	CM	35 LEVEL CM	1225,4331 litre	9,029 %	12346,2472 litre	O
300	CM	120	CM	34 LEVEL CM	1174,9133 litre	8,657 %	12396,7670 litre	O
300	CM	120	CM	33 LEVEL CM	1125,0101 litre	8,289 %	12446,6702 litre	O
300	CM	120	CM	32 LEVEL CM	1075,7385 litre	7,926 %	12495,9418 litre	O
300	CM	120	CM	31 LEVEL CM	1027,1142 litre	7,568 %	12544,5661 litre	O
300	CM	120	CM	30 LEVEL CM	979,1534 litre	7,215 %	12592,5269 litre	O

300	CM	120	CM	29 LEVEL CM	931,8729 litre	6,866 %	12639,8074 litre	O
300	CM	120	CM	28 LEVEL CM	885,2906 litre	6,523 %	12686,3897 litre	O
300	CM	120	CM	27 LEVEL CM	839,4247 litre	6,185 %	12732,2556 litre	O
300	CM	120	CM	26 LEVEL CM	794,2947 litre	5,853 %	12777,3856 litre	O
300	CM	120	CM	25 LEVEL CM	749,9210 litre	5,526 %	12821,7593 litre	O
300	CM	120	CM	24 LEVEL CM	706,3248 litre	5,204 %	12865,3555 litre	O
300	CM	120	CM	23 LEVEL CM	663,5287 litre	4,889 %	12908,1516 litre	O
300	CM	120	CM	22 LEVEL CM	621,5565 litre	4,580 %	12950,1238 litre	O
300	CM	120	CM	21 LEVEL CM	580,4336 litre	4,277 %	12991,2467 litre	O
300	CM	120	CM	20 LEVEL CM	540,1867 litre	3,980 %	13031,4936 litre	O
300	CM	120	CM	19 LEVEL CM	500,8445 litre	3,690 %	13070,8358 litre	O
300	CM	120	CM	18 LEVEL CM	462,4376 litre	3,407 %	13109,2427 litre	O
300	CM	120	CM	17 LEVEL CM	424,9992 litre	3,132 %	13146,6811 litre	O
300	CM	120	CM	16 LEVEL CM	388,5647 litre	2,863 %	13183,1156 litre	O
300	CM	120	CM	15 LEVEL CM	353,1728 litre	2,602 %	13218,5075 litre	O
300	CM	120	CM	14 LEVEL CM	318,8657 litre	2,349 %	13252,8146 litre	O
300	CM	120	CM	13 LEVEL CM	285,6896 litre	2,105 %	13285,9907 litre	O
300	CM	120	CM	12 LEVEL CM	253,6959 litre	1,869 %	13317,9844 litre	O
300	CM	120	CM	11 LEVEL CM	222,9416 litre	1,643 %	13348,7387 litre	O
300	CM	120	CM	10 LEVEL CM	193,4912 litre	1,426 %	13378,1891 litre	O
300	CM	120	CM	9 LEVEL CM	165,4178 litre	1,219 %	13406,2625 litre	O
300	CM	120	CM	8 LEVEL CM	138,8063 litre	1,023 %	13432,8740 litre	O
300	CM	120	CM	7 LEVEL CM	113,7564 litre	0,838 %	13457,9239 litre	O
300	CM	120	CM	6 LEVEL CM	90,3875 litre	0,666 %	13481,2928 litre	O
300	CM	120	CM	5 LEVEL CM	68,8474 litre	0,507 %	13502,8329 litre	O
300	CM	120	CM	4 LEVEL CM	49,3256 litre	0,363 %	13522,3547 litre	O
300	CM	120	CM	3 LEVEL CM	32,0784 litre	0,236 %	13539,6019 litre	O
300	CM	120	CM	2 LEVEL CM	17,4832 litre	0,129 %	13554,1971 litre	O
300	CM	120	CM	1 LEVEL CM	6,1890 litre	0,046 %	13565,4913 litre	O
300	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	13571,6803 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	115	CM 230 LEVEL CM	12464,2689 litre	100,000 %	0,0000 litre	O
300	CM	115	CM 229 LEVEL CM	12458,2105 litre	99,951 %	6,0584 litre	O
300	CM	115	CM 228 LEVEL CM	12447,1556 litre	99,863 %	17,1133 litre	O
300	CM	115	CM 227 LEVEL CM	12432,8711 litre	99,748 %	31,3978 litre	O
300	CM	115	CM 226 LEVEL CM	12415,9924 litre	99,613 %	48,2765 litre	O
300	CM	115	CM 225 LEVEL CM	12396,8896 litre	99,459 %	67,3793 litre	O
300	CM	115	CM 224 LEVEL CM	12375,8138 litre	99,290 %	88,4551 litre	O
300	CM	115	CM 223 LEVEL CM	12352,9508 litre	99,107 %	111,3181 litre	O
300	CM	115	CM 222 LEVEL CM	12328,4455 litre	98,910 %	135,8234 litre	O
300	CM	115	CM 221 LEVEL CM	12302,4151 litre	98,701 %	161,8538 litre	O
300	CM	115	CM 220 LEVEL CM	12274,9575 litre	98,481 %	189,3114 litre	O
300	CM	115	CM 219 LEVEL CM	12246,1558 litre	98,250 %	218,1131 litre	O
300	CM	115	CM 218 LEVEL CM	12216,0821 litre	98,009 %	248,1868 litre	O
300	CM	115	CM 217 LEVEL CM	12184,7994 litre	97,758 %	279,4695 litre	O
300	CM	115	CM 216 LEVEL CM	12152,3640 litre	97,498 %	311,9049 litre	O
300	CM	115	CM 215 LEVEL CM	12118,8262 litre	97,229 %	345,4427 litre	O
300	CM	115	CM 214 LEVEL CM	12084,2316 litre	96,951 %	380,0373 litre	O
300	CM	115	CM 213 LEVEL CM	12048,6215 litre	96,665 %	415,6474 litre	O
300	CM	115	CM 212 LEVEL CM	12012,0340 litre	96,372 %	452,2349 litre	O
300	CM	115	CM 211 LEVEL CM	11974,5042 litre	96,071 %	489,7647 litre	O
300	CM	115	CM 210 LEVEL CM	11936,0645 litre	95,762 %	528,2044 litre	O
300	CM	115	CM 209 LEVEL CM	11896,7450 litre	95,447 %	567,5239 litre	O
300	CM	115	CM 208 LEVEL CM	11856,5741 litre	95,125 %	607,6948 litre	O
300	CM	115	CM 207 LEVEL CM	11815,5782 litre	94,796 %	648,6907 litre	O
300	CM	115	CM 206 LEVEL CM	11773,7822 litre	94,460 %	690,4867 litre	O
300	CM	115	CM 205 LEVEL CM	11731,2095 litre	94,119 %	733,0594 litre	O
300	CM	115	CM 204 LEVEL CM	11687,8825 litre	93,771 %	776,3864 litre	O
300	CM	115	CM 203 LEVEL CM	11643,8221 litre	93,418 %	820,4468 litre	O
300	CM	115	CM 202 LEVEL CM	11599,0484 litre	93,058 %	865,2205 litre	O
300	CM	115	CM 201 LEVEL CM	11553,5806 litre	92,694 %	910,6883 litre	O
300	CM	115	CM 200 LEVEL CM	11507,4369 litre	92,323 %	956,8320 litre	O
300	CM	115	CM 199 LEVEL CM	11460,6347 litre	91,948 %	1003,6342 litre	O
300	CM	115	CM 198 LEVEL CM	11413,1908 litre	91,567 %	1051,0781 litre	O
300	CM	115	CM 197 LEVEL CM	11365,1212 litre	91,182 %	1099,1477 litre	O
300	CM	115	CM 196 LEVEL CM	11316,4413 litre	90,791 %	1147,8276 litre	O
300	CM	115	CM 195 LEVEL CM	11267,1661 litre	90,396 %	1197,1028 litre	O
300	CM	115	CM 194 LEVEL CM	11217,3097 litre	89,996 %	1246,9592 litre	O
300	CM	115	CM 193 LEVEL CM	11166,8862 litre	89,591 %	1297,3827 litre	O
300	CM	115	CM 192 LEVEL CM	11115,9088 litre	89,182 %	1348,3601 litre	O
300	CM	115	CM 191 LEVEL CM	11064,3905 litre	88,769 %	1399,8784 litre	O
300	CM	115	CM 190 LEVEL CM	11012,3438 litre	88,351 %	1451,9251 litre	O
300	CM	115	CM 189 LEVEL CM	10959,7809 litre	87,930 %	1504,4880 litre	O
300	CM	115	CM 188 LEVEL CM	10906,7136 litre	87,504 %	1557,5553 litre	O
300	CM	115	CM 187 LEVEL CM	10853,1533 litre	87,074 %	1611,1156 litre	O
300	CM	115	CM 186 LEVEL CM	10799,1113 litre	86,641 %	1665,1576 litre	O
300	CM	115	CM 185 LEVEL CM	10744,5984 litre	86,203 %	1719,6705 litre	O
300	CM	115	CM 184 LEVEL CM	10689,6251 litre	85,762 %	1774,6438 litre	O
300	CM	115	CM 183 LEVEL CM	10634,2018 litre	85,317 %	1830,0671 litre	O
300	CM	115	CM 182 LEVEL CM	10578,3385 litre	84,869 %	1885,9304 litre	O
300	CM	115	CM 181 LEVEL CM	10522,0451 litre	84,418 %	1942,2238 litre	O
300	CM	115	CM 180 LEVEL CM	10465,3312 litre	83,963 %	1998,9377 litre	O
300	CM	115	CM 179 LEVEL CM	10408,2062 litre	83,504 %	2056,0627 litre	O

300	CM 115	CM	178 LEVEL CM	10350,6793 litre	83,043 %	2113,5896 litre	O
300	CM 115	CM	177 LEVEL CM	10292,7595 litre	82,578 %	2171,5094 litre	O
300	CM 115	CM	176 LEVEL CM	10234,4555 litre	82,110 %	2229,8134 litre	O
300	CM 115	CM	175 LEVEL CM	10175,7762 litre	81,640 %	2288,4927 litre	O
300	CM 115	CM	174 LEVEL CM	10116,7298 litre	81,166 %	2347,5391 litre	O
300	CM 115	CM	173 LEVEL CM	10057,3249 litre	80,689 %	2406,9440 litre	O
300	CM 115	CM	172 LEVEL CM	9997,5695 litre	80,210 %	2466,6994 litre	O
300	CM 115	CM	171 LEVEL CM	9937,4716 litre	79,728 %	2526,7973 litre	O
300	CM 115	CM	170 LEVEL CM	9877,0392 litre	79,243 %	2587,2297 litre	O
300	CM 115	CM	169 LEVEL CM	9816,2801 litre	78,755 %	2647,9888 litre	O
300	CM 115	CM	168 LEVEL CM	9755,2019 litre	78,265 %	2709,0670 litre	O
300	CM 115	CM	167 LEVEL CM	9693,8120 litre	77,773 %	2770,4569 litre	O
300	CM 115	CM	166 LEVEL CM	9632,1180 litre	77,278 %	2832,1509 litre	O
300	CM 115	CM	165 LEVEL CM	9570,1271 litre	76,780 %	2894,1418 litre	O
300	CM 115	CM	164 LEVEL CM	9507,8465 litre	76,281 %	2956,4224 litre	O
300	CM 115	CM	163 LEVEL CM	9445,2833 litre	75,779 %	3018,9856 litre	O
300	CM 115	CM	162 LEVEL CM	9382,4445 litre	75,275 %	3081,8244 litre	O
300	CM 115	CM	161 LEVEL CM	9319,3370 litre	74,768 %	3144,9319 litre	O
300	CM 115	CM	160 LEVEL CM	9255,9677 litre	74,260 %	3208,3012 litre	O
300	CM 115	CM	159 LEVEL CM	9192,3432 litre	73,750 %	3271,9257 litre	O
300	CM 115	CM	158 LEVEL CM	9128,4702 litre	73,237 %	3335,7987 litre	O
300	CM 115	CM	157 LEVEL CM	9064,3554 litre	72,723 %	3399,9135 litre	O
300	CM 115	CM	156 LEVEL CM	9000,0051 litre	72,206 %	3464,2638 litre	O
300	CM 115	CM	155 LEVEL CM	8935,4259 litre	71,688 %	3528,8430 litre	O
300	CM 115	CM	154 LEVEL CM	8870,6241 litre	71,168 %	3593,6448 litre	O
300	CM 115	CM	153 LEVEL CM	8805,6060 litre	70,647 %	3658,6629 litre	O
300	CM 115	CM	152 LEVEL CM	8740,3778 litre	70,123 %	3723,8911 litre	O
300	CM 115	CM	151 LEVEL CM	8674,9457 litre	69,599 %	3789,3232 litre	O
300	CM 115	CM	150 LEVEL CM	8609,3159 litre	69,072 %	3854,9530 litre	O
300	CM 115	CM	149 LEVEL CM	8543,4943 litre	68,544 %	3920,7746 litre	O
300	CM 115	CM	148 LEVEL CM	8477,4871 litre	68,014 %	3986,7818 litre	O
300	CM 115	CM	147 LEVEL CM	8411,3001 litre	67,483 %	4052,9688 litre	O
300	CM 115	CM	146 LEVEL CM	8344,9392 litre	66,951 %	4119,3297 litre	O
300	CM 115	CM	145 LEVEL CM	8278,4105 litre	66,417 %	4185,8584 litre	O
300	CM 115	CM	144 LEVEL CM	8211,7196 litre	65,882 %	4252,5493 litre	O
300	CM 115	CM	143 LEVEL CM	8144,8723 litre	65,346 %	4319,3966 litre	O
300	CM 115	CM	142 LEVEL CM	8077,8744 litre	64,808 %	4386,3945 litre	O
300	CM 115	CM	141 LEVEL CM	8010,7316 litre	64,270 %	4453,5373 litre	O
300	CM 115	CM	140 LEVEL CM	7943,4495 litre	63,730 %	4520,8194 litre	O
300	CM 115	CM	139 LEVEL CM	7876,0338 litre	63,189 %	4588,2351 litre	O
300	CM 115	CM	138 LEVEL CM	7808,4900 litre	62,647 %	4655,7789 litre	O
300	CM 115	CM	137 LEVEL CM	7740,8238 litre	62,104 %	4723,4451 litre	O
300	CM 115	CM	136 LEVEL CM	7673,0406 litre	61,560 %	4791,2283 litre	O
300	CM 115	CM	135 LEVEL CM	7605,1460 litre	61,016 %	4859,1229 litre	O
300	CM 115	CM	134 LEVEL CM	7537,1454 litre	60,470 %	4927,1235 litre	O
300	CM 115	CM	133 LEVEL CM	7469,0443 litre	59,924 %	4995,2246 litre	O
300	CM 115	CM	132 LEVEL CM	7400,8481 litre	59,377 %	5063,4208 litre	O
300	CM 115	CM	131 LEVEL CM	7332,5623 litre	58,829 %	5131,7066 litre	O
300	CM 115	CM	130 LEVEL CM	7264,1921 litre	58,280 %	5200,0768 litre	O
300	CM 115	CM	129 LEVEL CM	7195,7430 litre	57,731 %	5268,5259 litre	O
300	CM 115	CM	128 LEVEL CM	7127,2203 litre	57,181 %	5337,0486 litre	O
300	CM 115	CM	127 LEVEL CM	7058,6294 litre	56,631 %	5405,6395 litre	O
300	CM 115	CM	126 LEVEL CM	6989,9754 litre	56,080 %	5474,2935 litre	O

300	CM 115	CM	125 LEVEL CM	6921,2639 litre	55,529 %	5543,0050 litre	O
300	CM 115	CM	124 LEVEL CM	6852,4999 litre	54,977 %	5611,7690 litre	O
300	CM 115	CM	123 LEVEL CM	6783,6889 litre	54,425 %	5680,5800 litre	O
300	CM 115	CM	122 LEVEL CM	6714,8360 litre	53,873 %	5749,4329 litre	O
300	CM 115	CM	121 LEVEL CM	6645,9465 litre	53,320 %	5818,3224 litre	O
300	CM 115	CM	120 LEVEL CM	6577,0257 litre	52,767 %	5887,2432 litre	O
300	CM 115	CM	119 LEVEL CM	6508,0788 litre	52,214 %	5956,1901 litre	O
300	CM 115	CM	118 LEVEL CM	6439,1109 litre	51,661 %	6025,1580 litre	O
300	CM 115	CM	117 LEVEL CM	6370,1275 litre	51,107 %	6094,1414 litre	O
300	CM 115	CM	116 LEVEL CM	6301,1336 litre	50,554 %	6163,1353 litre	O
300	CM 115	CM	115 LEVEL CM	6232,1344 litre	50,000 %	6232,1345 litre	O
300	CM 115	CM	114 LEVEL CM	6163,1353 litre	49,446 %	6301,1336 litre	O
300	CM 115	CM	113 LEVEL CM	6094,1414 litre	48,893 %	6370,1275 litre	O
300	CM 115	CM	112 LEVEL CM	6025,1579 litre	48,339 %	6439,1110 litre	O
300	CM 115	CM	111 LEVEL CM	5956,1901 litre	47,786 %	6508,0788 litre	O
300	CM 115	CM	110 LEVEL CM	5887,2432 litre	47,233 %	6577,0257 litre	O
300	CM 115	CM	109 LEVEL CM	5818,3223 litre	46,680 %	6645,9466 litre	O
300	CM 115	CM	108 LEVEL CM	5749,4329 litre	46,127 %	6714,8360 litre	O
300	CM 115	CM	107 LEVEL CM	5680,5800 litre	45,575 %	6783,6889 litre	O
300	CM 115	CM	106 LEVEL CM	5611,7689 litre	45,023 %	6852,5000 litre	O
300	CM 115	CM	105 LEVEL CM	5543,0050 litre	44,471 %	6921,2639 litre	O
300	CM 115	CM	104 LEVEL CM	5474,2934 litre	43,920 %	6989,9755 litre	O
300	CM 115	CM	103 LEVEL CM	5405,6395 litre	43,369 %	7058,6294 litre	O
300	CM 115	CM	102 LEVEL CM	5337,0485 litre	42,819 %	7127,2204 litre	O
300	CM 115	CM	101 LEVEL CM	5268,5258 litre	42,269 %	7195,7431 litre	O
300	CM 115	CM	100 LEVEL CM	5200,0767 litre	41,720 %	7264,1922 litre	O
300	CM 115	CM	99 LEVEL CM	5131,7066 litre	41,171 %	7332,5623 litre	O
300	CM 115	CM	98 LEVEL CM	5063,4207 litre	40,623 %	7400,8482 litre	O
300	CM 115	CM	97 LEVEL CM	4995,2245 litre	40,076 %	7469,0444 litre	O
300	CM 115	CM	96 LEVEL CM	4927,1234 litre	39,530 %	7537,1455 litre	O
300	CM 115	CM	95 LEVEL CM	4859,1229 litre	38,984 %	7605,1460 litre	O
300	CM 115	CM	94 LEVEL CM	4791,2282 litre	38,440 %	7673,0407 litre	O
300	CM 115	CM	93 LEVEL CM	4723,4451 litre	37,896 %	7740,8238 litre	O
300	CM 115	CM	92 LEVEL CM	4655,7788 litre	37,353 %	7808,4901 litre	O
300	CM 115	CM	91 LEVEL CM	4588,2351 litre	36,811 %	7876,0338 litre	O
300	CM 115	CM	90 LEVEL CM	4520,8194 litre	36,270 %	7943,4495 litre	O
300	CM 115	CM	89 LEVEL CM	4453,5373 litre	35,730 %	8010,7316 litre	O
300	CM 115	CM	88 LEVEL CM	4386,3945 litre	35,192 %	8077,8744 litre	O
300	CM 115	CM	87 LEVEL CM	4319,3966 litre	34,654 %	8144,8723 litre	O
300	CM 115	CM	86 LEVEL CM	4252,5493 litre	34,118 %	8211,7196 litre	O
300	CM 115	CM	85 LEVEL CM	4185,8584 litre	33,583 %	8278,4105 litre	O
300	CM 115	CM	84 LEVEL CM	4119,3296 litre	33,049 %	8344,9393 litre	O
300	CM 115	CM	83 LEVEL CM	4052,9688 litre	32,517 %	8411,3001 litre	O
300	CM 115	CM	82 LEVEL CM	3986,7818 litre	31,986 %	8477,4871 litre	O
300	CM 115	CM	81 LEVEL CM	3920,7746 litre	31,456 %	8543,4943 litre	O
300	CM 115	CM	80 LEVEL CM	3854,9530 litre	30,928 %	8609,3159 litre	O
300	CM 115	CM	79 LEVEL CM	3789,3231 litre	30,401 %	8674,9458 litre	O
300	CM 115	CM	78 LEVEL CM	3723,8911 litre	29,877 %	8740,3778 litre	O
300	CM 115	CM	77 LEVEL CM	3658,6629 litre	29,353 %	8805,6060 litre	O
300	CM 115	CM	76 LEVEL CM	3593,6448 litre	28,832 %	8870,6241 litre	O
300	CM 115	CM	75 LEVEL CM	3528,8429 litre	28,312 %	8935,4260 litre	O
300	CM 115	CM	74 LEVEL CM	3464,2637 litre	27,794 %	9000,0052 litre	O
300	CM 115	CM	73 LEVEL CM	3399,9135 litre	27,277 %	9064,3554 litre	O

300	CM	115	CM	72 LEVEL CM	3335,7986 litre	26,763 %	9128,4703 litre	O
300	CM	115	CM	71 LEVEL CM	3271,9256 litre	26,250 %	9192,3433 litre	O
300	CM	115	CM	70 LEVEL CM	3208,3012 litre	25,740 %	9255,9677 litre	O
300	CM	115	CM	69 LEVEL CM	3144,9318 litre	25,232 %	9319,3371 litre	O
300	CM	115	CM	68 LEVEL CM	3081,8243 litre	24,725 %	9382,4446 litre	O
300	CM	115	CM	67 LEVEL CM	3018,9855 litre	24,221 %	9445,2834 litre	O
300	CM	115	CM	66 LEVEL CM	2956,4223 litre	23,719 %	9507,8466 litre	O
300	CM	115	CM	65 LEVEL CM	2894,1417 litre	23,220 %	9570,1272 litre	O
300	CM	115	CM	64 LEVEL CM	2832,1508 litre	22,722 %	9632,1181 litre	O
300	CM	115	CM	63 LEVEL CM	2770,4568 litre	22,227 %	9693,8121 litre	O
300	CM	115	CM	62 LEVEL CM	2709,0670 litre	21,735 %	9755,2019 litre	O
300	CM	115	CM	61 LEVEL CM	2647,9887 litre	21,245 %	9816,2802 litre	O
300	CM	115	CM	60 LEVEL CM	2587,2296 litre	20,757 %	9877,0393 litre	O
300	CM	115	CM	59 LEVEL CM	2526,7972 litre	20,272 %	9937,4717 litre	O
300	CM	115	CM	58 LEVEL CM	2466,6994 litre	19,790 %	9997,5695 litre	O
300	CM	115	CM	57 LEVEL CM	2406,9440 litre	19,311 %	10057,3249 litre	O
300	CM	115	CM	56 LEVEL CM	2347,5390 litre	18,834 %	10116,7299 litre	O
300	CM	115	CM	55 LEVEL CM	2288,4927 litre	18,360 %	10175,7762 litre	O
300	CM	115	CM	54 LEVEL CM	2229,8133 litre	17,890 %	10234,4556 litre	O
300	CM	115	CM	53 LEVEL CM	2171,5094 litre	17,422 %	10292,7595 litre	O
300	CM	115	CM	52 LEVEL CM	2113,5896 litre	16,957 %	10350,6793 litre	O
300	CM	115	CM	51 LEVEL CM	2056,0626 litre	16,496 %	10408,2063 litre	O
300	CM	115	CM	50 LEVEL CM	1998,9376 litre	16,037 %	10465,3313 litre	O
300	CM	115	CM	49 LEVEL CM	1942,2237 litre	15,582 %	10522,0452 litre	O
300	CM	115	CM	48 LEVEL CM	1885,9304 litre	15,131 %	10578,3385 litre	O
300	CM	115	CM	47 LEVEL CM	1830,0671 litre	14,683 %	10634,2018 litre	O
300	CM	115	CM	46 LEVEL CM	1774,6438 litre	14,238 %	10689,6251 litre	O
300	CM	115	CM	45 LEVEL CM	1719,6705 litre	13,797 %	10744,5984 litre	O
300	CM	115	CM	44 LEVEL CM	1665,1575 litre	13,359 %	10799,1114 litre	O
300	CM	115	CM	43 LEVEL CM	1611,1155 litre	12,926 %	10853,1534 litre	O
300	CM	115	CM	42 LEVEL CM	1557,5553 litre	12,496 %	10906,7136 litre	O
300	CM	115	CM	41 LEVEL CM	1504,4879 litre	12,070 %	10959,7810 litre	O
300	CM	115	CM	40 LEVEL CM	1451,9250 litre	11,649 %	11012,3439 litre	O
300	CM	115	CM	39 LEVEL CM	1399,8784 litre	11,231 %	11064,3905 litre	O
300	CM	115	CM	38 LEVEL CM	1348,3601 litre	10,818 %	11115,9088 litre	O
300	CM	115	CM	37 LEVEL CM	1297,3827 litre	10,409 %	11166,8862 litre	O
300	CM	115	CM	36 LEVEL CM	1246,9591 litre	10,004 %	11217,3098 litre	O
300	CM	115	CM	35 LEVEL CM	1197,1028 litre	9,604 %	11267,1661 litre	O
300	CM	115	CM	34 LEVEL CM	1147,8275 litre	9,209 %	11316,4414 litre	O
300	CM	115	CM	33 LEVEL CM	1099,1477 litre	8,818 %	11365,1212 litre	O
300	CM	115	CM	32 LEVEL CM	1051,0780 litre	8,433 %	11413,1909 litre	O
300	CM	115	CM	31 LEVEL CM	1003,6341 litre	8,052 %	11460,6348 litre	O
300	CM	115	CM	30 LEVEL CM	956,8319 litre	7,677 %	11507,4370 litre	O
300	CM	115	CM	29 LEVEL CM	910,6882 litre	7,306 %	11553,5807 litre	O
300	CM	115	CM	28 LEVEL CM	865,2204 litre	6,942 %	11599,0485 litre	O
300	CM	115	CM	27 LEVEL CM	820,4468 litre	6,582 %	11643,8221 litre	O
300	CM	115	CM	26 LEVEL CM	776,3864 litre	6,229 %	11687,8825 litre	O
300	CM	115	CM	25 LEVEL CM	733,0593 litre	5,881 %	11731,2096 litre	O
300	CM	115	CM	24 LEVEL CM	690,4867 litre	5,540 %	11773,7822 litre	O
300	CM	115	CM	23 LEVEL CM	648,6906 litre	5,204 %	11815,5783 litre	O
300	CM	115	CM	22 LEVEL CM	607,6947 litre	4,875 %	11856,5742 litre	O
300	CM	115	CM	21 LEVEL CM	567,5238 litre	4,553 %	11896,7451 litre	O
300	CM	115	CM	20 LEVEL CM	528,2044 litre	4,238 %	11936,0645 litre	O

300	CM	115	CM	19 LEVEL CM	489,7647 litre	3,929 %	11974,5042 litre	O
300	CM	115	CM	18 LEVEL CM	452,2348 litre	3,628 %	12012,0341 litre	O
300	CM	115	CM	17 LEVEL CM	415,6474 litre	3,335 %	12048,6215 litre	O
300	CM	115	CM	16 LEVEL CM	380,0373 litre	3,049 %	12084,2316 litre	O
300	CM	115	CM	15 LEVEL CM	345,4426 litre	2,771 %	12118,8263 litre	O
300	CM	115	CM	14 LEVEL CM	311,9048 litre	2,502 %	12152,3641 litre	O
300	CM	115	CM	13 LEVEL CM	279,4694 litre	2,242 %	12184,7995 litre	O
300	CM	115	CM	12 LEVEL CM	248,1868 litre	1,991 %	12216,0821 litre	O
300	CM	115	CM	11 LEVEL CM	218,1130 litre	1,750 %	12246,1559 litre	O
300	CM	115	CM	10 LEVEL CM	189,3113 litre	1,519 %	12274,9576 litre	O
300	CM	115	CM	9 LEVEL CM	161,8537 litre	1,299 %	12302,4152 litre	O
300	CM	115	CM	8 LEVEL CM	135,8234 litre	1,090 %	12328,4455 litre	O
300	CM	115	CM	7 LEVEL CM	111,3180 litre	0,893 %	12352,9509 litre	O
300	CM	115	CM	6 LEVEL CM	88,4550 litre	0,710 %	12375,8139 litre	O
300	CM	115	CM	5 LEVEL CM	67,3792 litre	0,541 %	12396,8897 litre	O
300	CM	115	CM	4 LEVEL CM	48,2764 litre	0,387 %	12415,9925 litre	O
300	CM	115	CM	3 LEVEL CM	31,3978 litre	0,252 %	12432,8711 litre	O
300	CM	115	CM	2 LEVEL CM	17,1133 litre	0,137 %	12447,1556 litre	O
300	CM	115	CM	1 LEVEL CM	6,0584 litre	0,049 %	12458,2105 litre	O
300	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	12464,2689 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	110	CM 220 LEVEL CM	11403,9813 litre	100,000 %	0,0000 litre	O
300	CM	110	CM 219 LEVEL CM	11398,0565 litre	99,948 %	5,9248 litre	O
300	CM	110	CM 218 LEVEL CM	11387,2462 litre	99,853 %	16,7351 litre	O
300	CM	110	CM 217 LEVEL CM	11373,2792 litre	99,731 %	30,7021 litre	O
300	CM	110	CM 216 LEVEL CM	11356,7774 litre	99,586 %	47,2039 litre	O
300	CM	110	CM 215 LEVEL CM	11338,1030 litre	99,422 %	65,8783 litre	O
300	CM	110	CM 214 LEVEL CM	11317,5019 litre	99,242 %	86,4794 litre	O
300	CM	110	CM 213 LEVEL CM	11295,1563 litre	99,046 %	108,8250 litre	O
300	CM	110	CM 212 LEVEL CM	11271,2080 litre	98,836 %	132,7733 litre	O
300	CM	110	CM 211 LEVEL CM	11245,7720 litre	98,613 %	158,2093 litre	O
300	CM	110	CM 210 LEVEL CM	11218,9443 litre	98,377 %	185,0370 litre	O
300	CM	110	CM 209 LEVEL CM	11190,8063 litre	98,131 %	213,1750 litre	O
300	CM	110	CM 208 LEVEL CM	11161,4288 litre	97,873 %	242,5525 litre	O
300	CM	110	CM 207 LEVEL CM	11130,8737 litre	97,605 %	273,1076 litre	O
300	CM	110	CM 206 LEVEL CM	11099,1963 litre	97,327 %	304,7850 litre	O
300	CM	110	CM 205 LEVEL CM	11066,4459 litre	97,040 %	337,5354 litre	O
300	CM	110	CM 204 LEVEL CM	11032,6673 litre	96,744 %	371,3140 litre	O
300	CM	110	CM 203 LEVEL CM	10997,9012 litre	96,439 %	406,0801 litre	O
300	CM	110	CM 202 LEVEL CM	10962,1850 litre	96,126 %	441,7963 litre	O
300	CM	110	CM 201 LEVEL CM	10925,5531 litre	95,805 %	478,4282 litre	O
300	CM	110	CM 200 LEVEL CM	10888,0376 litre	95,476 %	515,9437 litre	O
300	CM	110	CM 199 LEVEL CM	10849,6680 litre	95,139 %	554,3133 litre	O
300	CM	110	CM 198 LEVEL CM	10810,4723 litre	94,796 %	593,5090 litre	O
300	CM	110	CM 197 LEVEL CM	10770,4765 litre	94,445 %	633,5048 litre	O
300	CM	110	CM 196 LEVEL CM	10729,7050 litre	94,087 %	674,2763 litre	O
300	CM	110	CM 195 LEVEL CM	10688,1811 litre	93,723 %	715,8002 litre	O
300	CM	110	CM 194 LEVEL CM	10645,9267 litre	93,353 %	758,0546 litre	O
300	CM	110	CM 193 LEVEL CM	10602,9625 litre	92,976 %	801,0188 litre	O
300	CM	110	CM 192 LEVEL CM	10559,3084 litre	92,593 %	844,6729 litre	O
300	CM	110	CM 191 LEVEL CM	10514,9832 litre	92,204 %	888,9981 litre	O
300	CM	110	CM 190 LEVEL CM	10470,0049 litre	91,810 %	933,9764 litre	O
300	CM	110	CM 189 LEVEL CM	10424,3908 litre	91,410 %	979,5905 litre	O
300	CM	110	CM 188 LEVEL CM	10378,1574 litre	91,005 %	1025,8239 litre	O
300	CM	110	CM 187 LEVEL CM	10331,3205 litre	90,594 %	1072,6608 litre	O
300	CM	110	CM 186 LEVEL CM	10283,8955 litre	90,178 %	1120,0858 litre	O
300	CM	110	CM 185 LEVEL CM	10235,8971 litre	89,757 %	1168,0842 litre	O
300	CM	110	CM 184 LEVEL CM	10187,3393 litre	89,331 %	1216,6420 litre	O
300	CM	110	CM 183 LEVEL CM	10138,2360 litre	88,901 %	1265,7453 litre	O
300	CM	110	CM 182 LEVEL CM	10088,6004 litre	88,466 %	1315,3809 litre	O
300	CM	110	CM 181 LEVEL CM	10038,4452 litre	88,026 %	1365,5361 litre	O
300	CM	110	CM 180 LEVEL CM	9987,7830 litre	87,582 %	1416,1983 litre	O
300	CM	110	CM 179 LEVEL CM	9936,6258 litre	87,133 %	1467,3555 litre	O
300	CM	110	CM 178 LEVEL CM	9884,9853 litre	86,680 %	1518,9960 litre	O
300	CM	110	CM 177 LEVEL CM	9832,8729 litre	86,223 %	1571,1084 litre	O
300	CM	110	CM 176 LEVEL CM	9780,2997 litre	85,762 %	1623,6816 litre	O
300	CM	110	CM 175 LEVEL CM	9727,2765 litre	85,297 %	1676,7048 litre	O
300	CM	110	CM 174 LEVEL CM	9673,8137 litre	84,828 %	1730,1676 litre	O
300	CM	110	CM 173 LEVEL CM	9619,9217 litre	84,356 %	1784,0596 litre	O
300	CM	110	CM 172 LEVEL CM	9565,6105 litre	83,880 %	1838,3708 litre	O
300	CM	110	CM 171 LEVEL CM	9510,8899 litre	83,400 %	1893,0914 litre	O
300	CM	110	CM 170 LEVEL CM	9455,7695 litre	82,916 %	1948,2118 litre	O
300	CM	110	CM 169 LEVEL CM	9400,2585 litre	82,430 %	2003,7228 litre	O

300	CM 110	CM	168 LEVEL CM	9344,3662 litre	81,940 %	2059,6151 litre	O
300	CM 110	CM	167 LEVEL CM	9288,1016 litre	81,446 %	2115,8797 litre	O
300	CM 110	CM	166 LEVEL CM	9231,4734 litre	80,950 %	2172,5079 litre	O
300	CM 110	CM	165 LEVEL CM	9174,4903 litre	80,450 %	2229,4910 litre	O
300	CM 110	CM	164 LEVEL CM	9117,1608 litre	79,947 %	2286,8205 litre	O
300	CM 110	CM	163 LEVEL CM	9059,4933 litre	79,441 %	2344,4880 litre	O
300	CM 110	CM	162 LEVEL CM	9001,4957 litre	78,933 %	2402,4856 litre	O
300	CM 110	CM	161 LEVEL CM	8943,1764 litre	78,422 %	2460,8049 litre	O
300	CM 110	CM	160 LEVEL CM	8884,5430 litre	77,907 %	2519,4383 litre	O
300	CM 110	CM	159 LEVEL CM	8825,6034 litre	77,391 %	2578,3779 litre	O
300	CM 110	CM	158 LEVEL CM	8766,3653 litre	76,871 %	2637,6160 litre	O
300	CM 110	CM	157 LEVEL CM	8706,8362 litre	76,349 %	2697,1451 litre	O
300	CM 110	CM	156 LEVEL CM	8647,0236 litre	75,825 %	2756,9577 litre	O
300	CM 110	CM	155 LEVEL CM	8586,9347 litre	75,298 %	2817,0466 litre	O
300	CM 110	CM	154 LEVEL CM	8526,5768 litre	74,768 %	2877,4045 litre	O
300	CM 110	CM	153 LEVEL CM	8465,9570 litre	74,237 %	2938,0243 litre	O
300	CM 110	CM	152 LEVEL CM	8405,0825 litre	73,703 %	2998,8988 litre	O
300	CM 110	CM	151 LEVEL CM	8343,9600 litre	73,167 %	3060,0213 litre	O
300	CM 110	CM	150 LEVEL CM	8282,5965 litre	72,629 %	3121,3848 litre	O
300	CM 110	CM	149 LEVEL CM	8220,9988 litre	72,089 %	3182,9825 litre	O
300	CM 110	CM	148 LEVEL CM	8159,1736 litre	71,547 %	3244,8077 litre	O
300	CM 110	CM	147 LEVEL CM	8097,1276 litre	71,003 %	3306,8537 litre	O
300	CM 110	CM	146 LEVEL CM	8034,8672 litre	70,457 %	3369,1141 litre	O
300	CM 110	CM	145 LEVEL CM	7972,3990 litre	69,909 %	3431,5823 litre	O
300	CM 110	CM	144 LEVEL CM	7909,7294 litre	69,359 %	3494,2519 litre	O
300	CM 110	CM	143 LEVEL CM	7846,8648 litre	68,808 %	3557,1165 litre	O
300	CM 110	CM	142 LEVEL CM	7783,8115 litre	68,255 %	3620,1698 litre	O
300	CM 110	CM	141 LEVEL CM	7720,5758 litre	67,701 %	3683,4055 litre	O
300	CM 110	CM	140 LEVEL CM	7657,1638 litre	67,145 %	3746,8175 litre	O
300	CM 110	CM	139 LEVEL CM	7593,5818 litre	66,587 %	3810,3995 litre	O
300	CM 110	CM	138 LEVEL CM	7529,8357 litre	66,028 %	3874,1456 litre	O
300	CM 110	CM	137 LEVEL CM	7465,9317 litre	65,468 %	3938,0496 litre	O
300	CM 110	CM	136 LEVEL CM	7401,8758 litre	64,906 %	4002,1055 litre	O
300	CM 110	CM	135 LEVEL CM	7337,6740 litre	64,343 %	4066,3073 litre	O
300	CM 110	CM	134 LEVEL CM	7273,3321 litre	63,779 %	4130,6492 litre	O
300	CM 110	CM	133 LEVEL CM	7208,8561 litre	63,214 %	4195,1252 litre	O
300	CM 110	CM	132 LEVEL CM	7144,2517 litre	62,647 %	4259,7296 litre	O
300	CM 110	CM	131 LEVEL CM	7079,5249 litre	62,079 %	4324,4564 litre	O
300	CM 110	CM	130 LEVEL CM	7014,6814 litre	61,511 %	4389,2999 litre	O
300	CM 110	CM	129 LEVEL CM	6949,7270 litre	60,941 %	4454,2543 litre	O
300	CM 110	CM	128 LEVEL CM	6884,6673 litre	60,371 %	4519,3140 litre	O
300	CM 110	CM	127 LEVEL CM	6819,5082 litre	59,799 %	4584,4731 litre	O
300	CM 110	CM	126 LEVEL CM	6754,2551 litre	59,227 %	4649,7262 litre	O
300	CM 110	CM	125 LEVEL CM	6688,9139 litre	58,654 %	4715,0674 litre	O
300	CM 110	CM	124 LEVEL CM	6623,4900 litre	58,081 %	4780,4913 litre	O
300	CM 110	CM	123 LEVEL CM	6557,9892 litre	57,506 %	4845,9921 litre	O
300	CM 110	CM	122 LEVEL CM	6492,4169 litre	56,931 %	4911,5644 litre	O
300	CM 110	CM	121 LEVEL CM	6426,7788 litre	56,356 %	4977,2025 litre	O
300	CM 110	CM	120 LEVEL CM	6361,0804 litre	55,779 %	5042,9009 litre	O
300	CM 110	CM	119 LEVEL CM	6295,3273 litre	55,203 %	5108,6540 litre	O
300	CM 110	CM	118 LEVEL CM	6229,5248 litre	54,626 %	5174,4565 litre	O
300	CM 110	CM	117 LEVEL CM	6163,6787 litre	54,048 %	5240,3026 litre	O
300	CM 110	CM	116 LEVEL CM	6097,7942 litre	53,471 %	5306,1871 litre	O

300	CM 110	CM	115 LEVEL CM	6031,8770 litre	52,893 %	5372,1043 litre	O
300	CM 110	CM	114 LEVEL CM	5965,9325 litre	52,314 %	5438,0488 litre	O
300	CM 110	CM	113 LEVEL CM	5899,9661 litre	51,736 %	5504,0152 litre	O
300	CM 110	CM	112 LEVEL CM	5833,9834 litre	51,157 %	5569,9979 litre	O
300	CM 110	CM	111 LEVEL CM	5767,9898 litre	50,579 %	5635,9915 litre	O
300	CM 110	CM	110 LEVEL CM	5701,9907 litre	50,000 %	5701,9906 litre	O
300	CM 110	CM	109 LEVEL CM	5635,9916 litre	49,421 %	5767,9897 litre	O
300	CM 110	CM	108 LEVEL CM	5569,9979 litre	48,843 %	5833,9834 litre	O
300	CM 110	CM	107 LEVEL CM	5504,0152 litre	48,264 %	5899,9661 litre	O
300	CM 110	CM	106 LEVEL CM	5438,0489 litre	47,686 %	5965,9324 litre	O
300	CM 110	CM	105 LEVEL CM	5372,1043 litre	47,107 %	6031,8770 litre	O
300	CM 110	CM	104 LEVEL CM	5306,1871 litre	46,529 %	6097,7942 litre	O
300	CM 110	CM	103 LEVEL CM	5240,3027 litre	45,952 %	6163,6786 litre	O
300	CM 110	CM	102 LEVEL CM	5174,4565 litre	45,374 %	6229,5248 litre	O
300	CM 110	CM	101 LEVEL CM	5108,6541 litre	44,797 %	6295,3272 litre	O
300	CM 110	CM	100 LEVEL CM	5042,9009 litre	44,221 %	6361,0804 litre	O
300	CM 110	CM	99 LEVEL CM	4977,2025 litre	43,644 %	6426,7788 litre	O
300	CM 110	CM	98 LEVEL CM	4911,5644 litre	43,069 %	6492,4169 litre	O
300	CM 110	CM	97 LEVEL CM	4845,9921 litre	42,494 %	6557,9892 litre	O
300	CM 110	CM	96 LEVEL CM	4780,4913 litre	41,919 %	6623,4900 litre	O
300	CM 110	CM	95 LEVEL CM	4715,0675 litre	41,346 %	6688,9138 litre	O
300	CM 110	CM	94 LEVEL CM	4649,7262 litre	40,773 %	6754,2551 litre	O
300	CM 110	CM	93 LEVEL CM	4584,4732 litre	40,201 %	6819,5081 litre	O
300	CM 110	CM	92 LEVEL CM	4519,3140 litre	39,629 %	6884,6673 litre	O
300	CM 110	CM	91 LEVEL CM	4454,2543 litre	39,059 %	6949,7270 litre	O
300	CM 110	CM	90 LEVEL CM	4389,2999 litre	38,489 %	7014,6814 litre	O
300	CM 110	CM	89 LEVEL CM	4324,4564 litre	37,921 %	7079,5249 litre	O
300	CM 110	CM	88 LEVEL CM	4259,7296 litre	37,353 %	7144,2517 litre	O
300	CM 110	CM	87 LEVEL CM	4195,1253 litre	36,786 %	7208,8560 litre	O
300	CM 110	CM	86 LEVEL CM	4130,6492 litre	36,221 %	7273,3321 litre	O
300	CM 110	CM	85 LEVEL CM	4066,3074 litre	35,657 %	7337,6739 litre	O
300	CM 110	CM	84 LEVEL CM	4002,1055 litre	35,094 %	7401,8758 litre	O
300	CM 110	CM	83 LEVEL CM	3938,0496 litre	34,532 %	7465,9317 litre	O
300	CM 110	CM	82 LEVEL CM	3874,1456 litre	33,972 %	7529,8357 litre	O
300	CM 110	CM	81 LEVEL CM	3810,3996 litre	33,413 %	7593,5817 litre	O
300	CM 110	CM	80 LEVEL CM	3746,8175 litre	32,855 %	7657,1638 litre	O
300	CM 110	CM	79 LEVEL CM	3683,4056 litre	32,299 %	7720,5757 litre	O
300	CM 110	CM	78 LEVEL CM	3620,1698 litre	31,745 %	7783,8115 litre	O
300	CM 110	CM	77 LEVEL CM	3557,1165 litre	31,192 %	7846,8648 litre	O
300	CM 110	CM	76 LEVEL CM	3494,2519 litre	30,641 %	7909,7294 litre	O
300	CM 110	CM	75 LEVEL CM	3431,5824 litre	30,091 %	7972,3989 litre	O
300	CM 110	CM	74 LEVEL CM	3369,1142 litre	29,543 %	8034,8671 litre	O
300	CM 110	CM	73 LEVEL CM	3306,8538 litre	28,997 %	8097,1275 litre	O
300	CM 110	CM	72 LEVEL CM	3244,8077 litre	28,453 %	8159,1736 litre	O
300	CM 110	CM	71 LEVEL CM	3182,9825 litre	27,911 %	8220,9988 litre	O
300	CM 110	CM	70 LEVEL CM	3121,3848 litre	27,371 %	8282,5965 litre	O
300	CM 110	CM	69 LEVEL CM	3060,0213 litre	26,833 %	8343,9600 litre	O
300	CM 110	CM	68 LEVEL CM	2998,8989 litre	26,297 %	8405,0824 litre	O
300	CM 110	CM	67 LEVEL CM	2938,0243 litre	25,763 %	8465,9570 litre	O
300	CM 110	CM	66 LEVEL CM	2877,4045 litre	25,232 %	8526,5768 litre	O
300	CM 110	CM	65 LEVEL CM	2817,0466 litre	24,702 %	8586,9347 litre	O
300	CM 110	CM	64 LEVEL CM	2756,9578 litre	24,175 %	8647,0235 litre	O
300	CM 110	CM	63 LEVEL CM	2697,1451 litre	23,651 %	8706,8362 litre	O

300	CM 110	CM	62 LEVEL CM	2637,6160 litre	23,129 %	8766,3653 litre	O
300	CM 110	CM	61 LEVEL CM	2578,3779 litre	22,609 %	8825,6034 litre	O
300	CM 110	CM	60 LEVEL CM	2519,4384 litre	22,093 %	8884,5429 litre	O
300	CM 110	CM	59 LEVEL CM	2460,8050 litre	21,578 %	8943,1763 litre	O
300	CM 110	CM	58 LEVEL CM	2402,4856 litre	21,067 %	9001,4957 litre	O
300	CM 110	CM	57 LEVEL CM	2344,4881 litre	20,559 %	9059,4932 litre	O
300	CM 110	CM	56 LEVEL CM	2286,8205 litre	20,053 %	9117,1608 litre	O
300	CM 110	CM	55 LEVEL CM	2229,4910 litre	19,550 %	9174,4903 litre	O
300	CM 110	CM	54 LEVEL CM	2172,5079 litre	19,050 %	9231,4734 litre	O
300	CM 110	CM	53 LEVEL CM	2115,8798 litre	18,554 %	9288,1015 litre	O
300	CM 110	CM	52 LEVEL CM	2059,6151 litre	18,060 %	9344,3662 litre	O
300	CM 110	CM	51 LEVEL CM	2003,7228 litre	17,570 %	9400,2585 litre	O
300	CM 110	CM	50 LEVEL CM	1948,2119 litre	17,084 %	9455,7694 litre	O
300	CM 110	CM	49 LEVEL CM	1893,0914 litre	16,600 %	9510,8899 litre	O
300	CM 110	CM	48 LEVEL CM	1838,3708 litre	16,120 %	9565,6105 litre	O
300	CM 110	CM	47 LEVEL CM	1784,0596 litre	15,644 %	9619,9217 litre	O
300	CM 110	CM	46 LEVEL CM	1730,1676 litre	15,172 %	9673,8137 litre	O
300	CM 110	CM	45 LEVEL CM	1676,7049 litre	14,703 %	9727,2764 litre	O
300	CM 110	CM	44 LEVEL CM	1623,6816 litre	14,238 %	9780,2997 litre	O
300	CM 110	CM	43 LEVEL CM	1571,1084 litre	13,777 %	9832,8729 litre	O
300	CM 110	CM	42 LEVEL CM	1518,9960 litre	13,320 %	9884,9853 litre	O
300	CM 110	CM	41 LEVEL CM	1467,3555 litre	12,867 %	9936,6258 litre	O
300	CM 110	CM	40 LEVEL CM	1416,1983 litre	12,418 %	9987,7830 litre	O
300	CM 110	CM	39 LEVEL CM	1365,5361 litre	11,974 %	10038,4452 litre	O
300	CM 110	CM	38 LEVEL CM	1315,3810 litre	11,534 %	10088,6003 litre	O
300	CM 110	CM	37 LEVEL CM	1265,7453 litre	11,099 %	10138,2360 litre	O
300	CM 110	CM	36 LEVEL CM	1216,6420 litre	10,669 %	10187,3393 litre	O
300	CM 110	CM	35 LEVEL CM	1168,0843 litre	10,243 %	10235,8970 litre	O
300	CM 110	CM	34 LEVEL CM	1120,0858 litre	9,822 %	10283,8955 litre	O
300	CM 110	CM	33 LEVEL CM	1072,6608 litre	9,406 %	10331,3205 litre	O
300	CM 110	CM	32 LEVEL CM	1025,8239 litre	8,995 %	10378,1574 litre	O
300	CM 110	CM	31 LEVEL CM	979,5905 litre	8,590 %	10424,3908 litre	O
300	CM 110	CM	30 LEVEL CM	933,9764 litre	8,190 %	10470,0049 litre	O
300	CM 110	CM	29 LEVEL CM	888,9981 litre	7,796 %	10514,9832 litre	O
300	CM 110	CM	28 LEVEL CM	844,6729 litre	7,407 %	10559,3084 litre	O
300	CM 110	CM	27 LEVEL CM	801,0188 litre	7,024 %	10602,9625 litre	O
300	CM 110	CM	26 LEVEL CM	758,0547 litre	6,647 %	10645,9266 litre	O
300	CM 110	CM	25 LEVEL CM	715,8002 litre	6,277 %	10688,1811 litre	O
300	CM 110	CM	24 LEVEL CM	674,2763 litre	5,913 %	10729,7050 litre	O
300	CM 110	CM	23 LEVEL CM	633,5049 litre	5,555 %	10770,4764 litre	O
300	CM 110	CM	22 LEVEL CM	593,5090 litre	5,204 %	10810,4723 litre	O
300	CM 110	CM	21 LEVEL CM	554,3133 litre	4,861 %	10849,6680 litre	O
300	CM 110	CM	20 LEVEL CM	515,9438 litre	4,524 %	10888,0375 litre	O
300	CM 110	CM	19 LEVEL CM	478,4282 litre	4,195 %	10925,5531 litre	O
300	CM 110	CM	18 LEVEL CM	441,7964 litre	3,874 %	10962,1849 litre	O
300	CM 110	CM	17 LEVEL CM	406,0801 litre	3,561 %	10997,9012 litre	O
300	CM 110	CM	16 LEVEL CM	371,3140 litre	3,256 %	11032,6673 litre	O
300	CM 110	CM	15 LEVEL CM	337,5354 litre	2,960 %	11066,4459 litre	O
300	CM 110	CM	14 LEVEL CM	304,7850 litre	2,673 %	11099,1963 litre	O
300	CM 110	CM	13 LEVEL CM	273,1076 litre	2,395 %	11130,8737 litre	O
300	CM 110	CM	12 LEVEL CM	242,5526 litre	2,127 %	11161,4287 litre	O
300	CM 110	CM	11 LEVEL CM	213,1750 litre	1,869 %	11190,8063 litre	O
300	CM 110	CM	10 LEVEL CM	185,0371 litre	1,623 %	11218,9442 litre	O

300	CM	110	CM	9 LEVEL CM	158,2093 litre	1,387 %	11245,7720 litre	O
300	CM	110	CM	8 LEVEL CM	132,7734 litre	1,164 %	11271,2079 litre	O
300	CM	110	CM	7 LEVEL CM	108,8250 litre	0,954 %	11295,1563 litre	O
300	CM	110	CM	6 LEVEL CM	86,4794 litre	0,758 %	11317,5019 litre	O
300	CM	110	CM	5 LEVEL CM	65,8784 litre	0,578 %	11338,1029 litre	O
300	CM	110	CM	4 LEVEL CM	47,2039 litre	0,414 %	11356,7774 litre	O
300	CM	110	CM	3 LEVEL CM	30,7021 litre	0,269 %	11373,2792 litre	O
300	CM	110	CM	2 LEVEL CM	16,7351 litre	0,147 %	11387,2462 litre	O
300	CM	110	CM	1 LEVEL CM	5,9249 litre	0,052 %	11398,0564 litre	O
300	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	11403,9813 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM 105	CM 210 LEVEL CM	10390,8177 litre	100,000 %	0,0000 litre	O
300	CM 105	CM 209 LEVEL CM	10385,0294 litre	99,944 %	5,7883 litre	O
300	CM 105	CM 208 LEVEL CM	10374,4695 litre	99,843 %	16,3482 litre	O
300	CM 105	CM 207 LEVEL CM	10360,8274 litre	99,711 %	29,9903 litre	O
300	CM 105	CM 206 LEVEL CM	10344,7112 litre	99,556 %	46,1065 litre	O
300	CM 105	CM 205 LEVEL CM	10326,4752 litre	99,381 %	64,3425 litre	O
300	CM 105	CM 204 LEVEL CM	10306,3601 litre	99,187 %	84,4576 litre	O
300	CM 105	CM 203 LEVEL CM	10284,5441 litre	98,977 %	106,2736 litre	O
300	CM 105	CM 202 LEVEL CM	10261,1661 litre	98,752 %	129,6516 litre	O
300	CM 105	CM 201 LEVEL CM	10236,3387 litre	98,513 %	154,4790 litre	O
300	CM 105	CM 200 LEVEL CM	10210,1560 litre	98,261 %	180,6617 litre	O
300	CM 105	CM 199 LEVEL CM	10182,6978 litre	97,997 %	208,1199 litre	O
300	CM 105	CM 198 LEVEL CM	10154,0334 litre	97,721 %	236,7843 litre	O
300	CM 105	CM 197 LEVEL CM	10124,2238 litre	97,434 %	266,5939 litre	O
300	CM 105	CM 196 LEVEL CM	10093,3229 litre	97,137 %	297,4948 litre	O
300	CM 105	CM 195 LEVEL CM	10061,3793 litre	96,830 %	329,4384 litre	O
300	CM 105	CM 194 LEVEL CM	10028,4369 litre	96,512 %	362,3808 litre	O
300	CM 105	CM 193 LEVEL CM	9994,5358 litre	96,186 %	396,2819 litre	O
300	CM 105	CM 192 LEVEL CM	9959,7126 litre	95,851 %	431,1051 litre	O
300	CM 105	CM 191 LEVEL CM	9924,0013 litre	95,507 %	466,8164 litre	O
300	CM 105	CM 190 LEVEL CM	9887,4333 litre	95,155 %	503,3844 litre	O
300	CM 105	CM 189 LEVEL CM	9850,0378 litre	94,796 %	540,7799 litre	O
300	CM 105	CM 188 LEVEL CM	9811,8421 litre	94,428 %	578,9756 litre	O
300	CM 105	CM 187 LEVEL CM	9772,8720 litre	94,053 %	617,9457 litre	O
300	CM 105	CM 186 LEVEL CM	9733,1515 litre	93,671 %	657,6662 litre	O
300	CM 105	CM 185 LEVEL CM	9692,7036 litre	93,281 %	698,1141 litre	O
300	CM 105	CM 184 LEVEL CM	9651,5497 litre	92,885 %	739,2680 litre	O
300	CM 105	CM 183 LEVEL CM	9609,7105 litre	92,483 %	781,1072 litre	O
300	CM 105	CM 182 LEVEL CM	9567,2054 litre	92,074 %	823,6123 litre	O
300	CM 105	CM 181 LEVEL CM	9524,0530 litre	91,658 %	866,7647 litre	O
300	CM 105	CM 180 LEVEL CM	9480,2712 litre	91,237 %	910,5465 litre	O
300	CM 105	CM 179 LEVEL CM	9435,8769 litre	90,810 %	954,9408 litre	O
300	CM 105	CM 178 LEVEL CM	9390,8866 litre	90,377 %	999,9311 litre	O
300	CM 105	CM 177 LEVEL CM	9345,3159 litre	89,938 %	1045,5018 litre	O
300	CM 105	CM 176 LEVEL CM	9299,1798 litre	89,494 %	1091,6379 litre	O
300	CM 105	CM 175 LEVEL CM	9252,4930 litre	89,045 %	1138,3247 litre	O
300	CM 105	CM 174 LEVEL CM	9205,2696 litre	88,590 %	1185,5481 litre	O
300	CM 105	CM 173 LEVEL CM	9157,5230 litre	88,131 %	1233,2947 litre	O
300	CM 105	CM 172 LEVEL CM	9109,2664 litre	87,667 %	1281,5513 litre	O
300	CM 105	CM 171 LEVEL CM	9060,5125 litre	87,197 %	1330,3052 litre	O
300	CM 105	CM 170 LEVEL CM	9011,2737 litre	86,723 %	1379,5440 litre	O
300	CM 105	CM 169 LEVEL CM	8961,5619 litre	86,245 %	1429,2558 litre	O
300	CM 105	CM 168 LEVEL CM	8911,3888 litre	85,762 %	1479,4289 litre	O
300	CM 105	CM 167 LEVEL CM	8860,7656 litre	85,275 %	1530,0521 litre	O
300	CM 105	CM 166 LEVEL CM	8809,7035 litre	84,784 %	1581,1142 litre	O
300	CM 105	CM 165 LEVEL CM	8758,2130 litre	84,288 %	1632,6047 litre	O
300	CM 105	CM 164 LEVEL CM	8706,3048 litre	83,788 %	1684,5129 litre	O
300	CM 105	CM 163 LEVEL CM	8653,9889 litre	83,285 %	1736,8288 litre	O
300	CM 105	CM 162 LEVEL CM	8601,2755 litre	82,778 %	1789,5422 litre	O
300	CM 105	CM 161 LEVEL CM	8548,1742 litre	82,267 %	1842,6435 litre	O
300	CM 105	CM 160 LEVEL CM	8494,6946 litre	81,752 %	1896,1231 litre	O
300	CM 105	CM 159 LEVEL CM	8440,8460 litre	81,234 %	1949,9717 litre	O

300	CM	105	CM	158 LEVEL CM	8386,6376 litre	80,712 %	2004,1801 litre	O
300	CM	105	CM	157 LEVEL CM	8332,0784 litre	80,187 %	2058,7393 litre	O
300	CM	105	CM	156 LEVEL CM	8277,1771 litre	79,659 %	2113,6406 litre	O
300	CM	105	CM	155 LEVEL CM	8221,9424 litre	79,127 %	2168,8753 litre	O
300	CM	105	CM	154 LEVEL CM	8166,3828 litre	78,592 %	2224,4349 litre	O
300	CM	105	CM	153 LEVEL CM	8110,5066 litre	78,055 %	2280,3111 litre	O
300	CM	105	CM	152 LEVEL CM	8054,3220 litre	77,514 %	2336,4957 litre	O
300	CM	105	CM	151 LEVEL CM	7997,8370 litre	76,970 %	2392,9807 litre	O
300	CM	105	CM	150 LEVEL CM	7941,0596 litre	76,424 %	2449,7581 litre	O
300	CM	105	CM	149 LEVEL CM	7883,9976 litre	75,875 %	2506,8201 litre	O
300	CM	105	CM	148 LEVEL CM	7826,6586 litre	75,323 %	2564,1591 litre	O
300	CM	105	CM	147 LEVEL CM	7769,0503 litre	74,768 %	2621,7674 litre	O
300	CM	105	CM	146 LEVEL CM	7711,1802 litre	74,211 %	2679,6375 litre	O
300	CM	105	CM	145 LEVEL CM	7653,0555 litre	73,652 %	2737,7622 litre	O
300	CM	105	CM	144 LEVEL CM	7594,6837 litre	73,090 %	2796,1340 litre	O
300	CM	105	CM	143 LEVEL CM	7536,0718 litre	72,526 %	2854,7459 litre	O
300	CM	105	CM	142 LEVEL CM	7477,2269 litre	71,960 %	2913,5908 litre	O
300	CM	105	CM	141 LEVEL CM	7418,1562 litre	71,391 %	2972,6615 litre	O
300	CM	105	CM	140 LEVEL CM	7358,8664 litre	70,821 %	3031,9513 litre	O
300	CM	105	CM	139 LEVEL CM	7299,3645 litre	70,248 %	3091,4532 litre	O
300	CM	105	CM	138 LEVEL CM	7239,6572 litre	69,674 %	3151,1605 litre	O
300	CM	105	CM	137 LEVEL CM	7179,7513 litre	69,097 %	3211,0664 litre	O
300	CM	105	CM	136 LEVEL CM	7119,6534 litre	68,519 %	3271,1643 litre	O
300	CM	105	CM	135 LEVEL CM	7059,3701 litre	67,939 %	3331,4476 litre	O
300	CM	105	CM	134 LEVEL CM	6998,9079 litre	67,357 %	3391,9098 litre	O
300	CM	105	CM	133 LEVEL CM	6938,2733 litre	66,773 %	3452,5444 litre	O
300	CM	105	CM	132 LEVEL CM	6877,4727 litre	66,188 %	3513,3450 litre	O
300	CM	105	CM	131 LEVEL CM	6816,5124 litre	65,601 %	3574,3053 litre	O
300	CM	105	CM	130 LEVEL CM	6755,3987 litre	65,013 %	3635,4190 litre	O
300	CM	105	CM	129 LEVEL CM	6694,1380 litre	64,424 %	3696,6797 litre	O
300	CM	105	CM	128 LEVEL CM	6632,7364 litre	63,833 %	3758,0813 litre	O
300	CM	105	CM	127 LEVEL CM	6571,2001 litre	63,240 %	3819,6176 litre	O
300	CM	105	CM	126 LEVEL CM	6509,5352 litre	62,647 %	3881,2825 litre	O
300	CM	105	CM	125 LEVEL CM	6447,7478 litre	62,052 %	3943,0699 litre	O
300	CM	105	CM	124 LEVEL CM	6385,8440 litre	61,457 %	4004,9737 litre	O
300	CM	105	CM	123 LEVEL CM	6323,8298 litre	60,860 %	4066,9879 litre	O
300	CM	105	CM	122 LEVEL CM	6261,7112 litre	60,262 %	4129,1065 litre	O
300	CM	105	CM	121 LEVEL CM	6199,4942 litre	59,663 %	4191,3235 litre	O
300	CM	105	CM	120 LEVEL CM	6137,1847 litre	59,064 %	4253,6330 litre	O
300	CM	105	CM	119 LEVEL CM	6074,7885 litre	58,463 %	4316,0292 litre	O
300	CM	105	CM	118 LEVEL CM	6012,3116 litre	57,862 %	4378,5061 litre	O
300	CM	105	CM	117 LEVEL CM	5949,7599 litre	57,260 %	4441,0578 litre	O
300	CM	105	CM	116 LEVEL CM	5887,1391 litre	56,657 %	4503,6786 litre	O
300	CM	105	CM	115 LEVEL CM	5824,4552 litre	56,054 %	4566,3625 litre	O
300	CM	105	CM	114 LEVEL CM	5761,7138 litre	55,450 %	4629,1039 litre	O
300	CM	105	CM	113 LEVEL CM	5698,9208 litre	54,846 %	4691,8969 litre	O
300	CM	105	CM	112 LEVEL CM	5636,0820 litre	54,241 %	4754,7357 litre	O
300	CM	105	CM	111 LEVEL CM	5573,2030 litre	53,636 %	4817,6147 litre	O
300	CM	105	CM	110 LEVEL CM	5510,2898 litre	53,030 %	4880,5279 litre	O
300	CM	105	CM	109 LEVEL CM	5447,3479 litre	52,425 %	4943,4698 litre	O
300	CM	105	CM	108 LEVEL CM	5384,3831 litre	51,819 %	5006,4346 litre	O
300	CM	105	CM	107 LEVEL CM	5321,4012 litre	51,213 %	5069,4165 litre	O
300	CM	105	CM	106 LEVEL CM	5258,4079 litre	50,606 %	5132,4098 litre	O

300	CM	105	CM	105 LEVEL CM	5195,4089 litre	50,000 %	5195,4088 litre	O
300	CM	105	CM	104 LEVEL CM	5132,4098 litre	49,394 %	5258,4079 litre	O
300	CM	105	CM	103 LEVEL CM	5069,4165 litre	48,787 %	5321,4012 litre	O
300	CM	105	CM	102 LEVEL CM	5006,4346 litre	48,181 %	5384,3831 litre	O
300	CM	105	CM	101 LEVEL CM	4943,4698 litre	47,575 %	5447,3479 litre	O
300	CM	105	CM	100 LEVEL CM	4880,5279 litre	46,970 %	5510,2898 litre	O
300	CM	105	CM	99 LEVEL CM	4817,6147 litre	46,364 %	5573,2030 litre	O
300	CM	105	CM	98 LEVEL CM	4754,7357 litre	45,759 %	5636,0820 litre	O
300	CM	105	CM	97 LEVEL CM	4691,8969 litre	45,154 %	5698,9208 litre	O
300	CM	105	CM	96 LEVEL CM	4629,1039 litre	44,550 %	5761,7138 litre	O
300	CM	105	CM	95 LEVEL CM	4566,3625 litre	43,946 %	5824,4552 litre	O
300	CM	105	CM	94 LEVEL CM	4503,6786 litre	43,343 %	5887,1391 litre	O
300	CM	105	CM	93 LEVEL CM	4441,0578 litre	42,740 %	5949,7599 litre	O
300	CM	105	CM	92 LEVEL CM	4378,5061 litre	42,138 %	6012,3116 litre	O
300	CM	105	CM	91 LEVEL CM	4316,0292 litre	41,537 %	6074,7885 litre	O
300	CM	105	CM	90 LEVEL CM	4253,6330 litre	40,936 %	6137,1847 litre	O
300	CM	105	CM	89 LEVEL CM	4191,3235 litre	40,337 %	6199,4942 litre	O
300	CM	105	CM	88 LEVEL CM	4129,1065 litre	39,738 %	6261,7112 litre	O
300	CM	105	CM	87 LEVEL CM	4066,9879 litre	39,140 %	6323,8298 litre	O
300	CM	105	CM	86 LEVEL CM	4004,9737 litre	38,543 %	6385,8440 litre	O
300	CM	105	CM	85 LEVEL CM	3943,0699 litre	37,948 %	6447,7478 litre	O
300	CM	105	CM	84 LEVEL CM	3881,2825 litre	37,353 %	6509,5352 litre	O
300	CM	105	CM	83 LEVEL CM	3819,6177 litre	36,760 %	6571,2000 litre	O
300	CM	105	CM	82 LEVEL CM	3758,0813 litre	36,167 %	6632,7364 litre	O
300	CM	105	CM	81 LEVEL CM	3696,6797 litre	35,576 %	6694,1380 litre	O
300	CM	105	CM	80 LEVEL CM	3635,4190 litre	34,987 %	6755,3987 litre	O
300	CM	105	CM	79 LEVEL CM	3574,3053 litre	34,399 %	6816,5124 litre	O
300	CM	105	CM	78 LEVEL CM	3513,3450 litre	33,812 %	6877,4727 litre	O
300	CM	105	CM	77 LEVEL CM	3452,5444 litre	33,227 %	6938,2733 litre	O
300	CM	105	CM	76 LEVEL CM	3391,9098 litre	32,643 %	6998,9079 litre	O
300	CM	105	CM	75 LEVEL CM	3331,4476 litre	32,061 %	7059,3701 litre	O
300	CM	105	CM	74 LEVEL CM	3271,1643 litre	31,481 %	7119,6534 litre	O
300	CM	105	CM	73 LEVEL CM	3211,0664 litre	30,903 %	7179,7513 litre	O
300	CM	105	CM	72 LEVEL CM	3151,1605 litre	30,326 %	7239,6572 litre	O
300	CM	105	CM	71 LEVEL CM	3091,4532 litre	29,752 %	7299,3645 litre	O
300	CM	105	CM	70 LEVEL CM	3031,9513 litre	29,179 %	7358,8664 litre	O
300	CM	105	CM	69 LEVEL CM	2972,6615 litre	28,609 %	7418,1562 litre	O
300	CM	105	CM	68 LEVEL CM	2913,5908 litre	28,040 %	7477,2269 litre	O
300	CM	105	CM	67 LEVEL CM	2854,7459 litre	27,474 %	7536,0718 litre	O
300	CM	105	CM	66 LEVEL CM	2796,1340 litre	26,910 %	7594,6837 litre	O
300	CM	105	CM	65 LEVEL CM	2737,7622 litre	26,348 %	7653,0555 litre	O
300	CM	105	CM	64 LEVEL CM	2679,6375 litre	25,789 %	7711,1802 litre	O
300	CM	105	CM	63 LEVEL CM	2621,7674 litre	25,232 %	7769,0503 litre	O
300	CM	105	CM	62 LEVEL CM	2564,1591 litre	24,677 %	7826,6586 litre	O
300	CM	105	CM	61 LEVEL CM	2506,8201 litre	24,125 %	7883,9976 litre	O
300	CM	105	CM	60 LEVEL CM	2449,7581 litre	23,576 %	7941,0596 litre	O
300	CM	105	CM	59 LEVEL CM	2392,9807 litre	23,030 %	7997,8370 litre	O
300	CM	105	CM	58 LEVEL CM	2336,4957 litre	22,486 %	8054,3220 litre	O
300	CM	105	CM	57 LEVEL CM	2280,3111 litre	21,945 %	8110,5066 litre	O
300	CM	105	CM	56 LEVEL CM	2224,4349 litre	21,408 %	8166,3828 litre	O
300	CM	105	CM	55 LEVEL CM	2168,8753 litre	20,873 %	8221,9424 litre	O
300	CM	105	CM	54 LEVEL CM	2113,6406 litre	20,341 %	8277,1771 litre	O
300	CM	105	CM	53 LEVEL CM	2058,7393 litre	19,813 %	8332,0784 litre	O

300	CM	105	CM	52 LEVEL CM	2004,1801 litre	19,288 %	8386,6376 litre	O
300	CM	105	CM	51 LEVEL CM	1949,9717 litre	18,766 %	8440,8460 litre	O
300	CM	105	CM	50 LEVEL CM	1896,1231 litre	18,248 %	8494,6946 litre	O
300	CM	105	CM	49 LEVEL CM	1842,6435 litre	17,733 %	8548,1742 litre	O
300	CM	105	CM	48 LEVEL CM	1789,5422 litre	17,222 %	8601,2755 litre	O
300	CM	105	CM	47 LEVEL CM	1736,8288 litre	16,715 %	8653,9889 litre	O
300	CM	105	CM	46 LEVEL CM	1684,5129 litre	16,212 %	8706,3048 litre	O
300	CM	105	CM	45 LEVEL CM	1632,6047 litre	15,712 %	8758,2130 litre	O
300	CM	105	CM	44 LEVEL CM	1581,1142 litre	15,216 %	8809,7035 litre	O
300	CM	105	CM	43 LEVEL CM	1530,0521 litre	14,725 %	8860,7656 litre	O
300	CM	105	CM	42 LEVEL CM	1479,4289 litre	14,238 %	8911,3888 litre	O
300	CM	105	CM	41 LEVEL CM	1429,2558 litre	13,755 %	8961,5619 litre	O
300	CM	105	CM	40 LEVEL CM	1379,5440 litre	13,277 %	9011,2737 litre	O
300	CM	105	CM	39 LEVEL CM	1330,3052 litre	12,803 %	9060,5125 litre	O
300	CM	105	CM	38 LEVEL CM	1281,5513 litre	12,333 %	9109,2664 litre	O
300	CM	105	CM	37 LEVEL CM	1233,2947 litre	11,869 %	9157,5230 litre	O
300	CM	105	CM	36 LEVEL CM	1185,5481 litre	11,410 %	9205,2696 litre	O
300	CM	105	CM	35 LEVEL CM	1138,3247 litre	10,955 %	9252,4930 litre	O
300	CM	105	CM	34 LEVEL CM	1091,6379 litre	10,506 %	9299,1798 litre	O
300	CM	105	CM	33 LEVEL CM	1045,5018 litre	10,062 %	9345,3159 litre	O
300	CM	105	CM	32 LEVEL CM	999,9311 litre	9,623 %	9390,8866 litre	O
300	CM	105	CM	31 LEVEL CM	954,9408 litre	9,190 %	9435,8769 litre	O
300	CM	105	CM	30 LEVEL CM	910,5465 litre	8,763 %	9480,2712 litre	O
300	CM	105	CM	29 LEVEL CM	866,7647 litre	8,342 %	9524,0530 litre	O
300	CM	105	CM	28 LEVEL CM	823,6123 litre	7,926 %	9567,2054 litre	O
300	CM	105	CM	27 LEVEL CM	781,1072 litre	7,517 %	9609,7105 litre	O
300	CM	105	CM	26 LEVEL CM	739,2680 litre	7,115 %	9651,5497 litre	O
300	CM	105	CM	25 LEVEL CM	698,1141 litre	6,719 %	9692,7036 litre	O
300	CM	105	CM	24 LEVEL CM	657,6662 litre	6,329 %	9733,1515 litre	O
300	CM	105	CM	23 LEVEL CM	617,9457 litre	5,947 %	9772,8720 litre	O
300	CM	105	CM	22 LEVEL CM	578,9756 litre	5,572 %	9811,8421 litre	O
300	CM	105	CM	21 LEVEL CM	540,7799 litre	5,204 %	9850,0378 litre	O
300	CM	105	CM	20 LEVEL CM	503,3844 litre	4,845 %	9887,4333 litre	O
300	CM	105	CM	19 LEVEL CM	466,8164 litre	4,493 %	9924,0013 litre	O
300	CM	105	CM	18 LEVEL CM	431,1051 litre	4,149 %	9959,7126 litre	O
300	CM	105	CM	17 LEVEL CM	396,2819 litre	3,814 %	9994,5358 litre	O
300	CM	105	CM	16 LEVEL CM	362,3808 litre	3,488 %	10028,4369 litre	O
300	CM	105	CM	15 LEVEL CM	329,4384 litre	3,170 %	10061,3793 litre	O
300	CM	105	CM	14 LEVEL CM	297,4948 litre	2,863 %	10093,3229 litre	O
300	CM	105	CM	13 LEVEL CM	266,5939 litre	2,566 %	10124,2238 litre	O
300	CM	105	CM	12 LEVEL CM	236,7843 litre	2,279 %	10154,0334 litre	O
300	CM	105	CM	11 LEVEL CM	208,1199 litre	2,003 %	10182,6978 litre	O
300	CM	105	CM	10 LEVEL CM	180,6617 litre	1,739 %	10210,1560 litre	O
300	CM	105	CM	9 LEVEL CM	154,4790 litre	1,487 %	10236,3387 litre	O
300	CM	105	CM	8 LEVEL CM	129,6516 litre	1,248 %	10261,1661 litre	O
300	CM	105	CM	7 LEVEL CM	106,2736 litre	1,023 %	10284,5441 litre	O
300	CM	105	CM	6 LEVEL CM	84,4576 litre	0,813 %	10306,3601 litre	O
300	CM	105	CM	5 LEVEL CM	64,3425 litre	0,619 %	10326,4752 litre	O
300	CM	105	CM	4 LEVEL CM	46,1065 litre	0,444 %	10344,7112 litre	O
300	CM	105	CM	3 LEVEL CM	29,9903 litre	0,289 %	10360,8274 litre	O
300	CM	105	CM	2 LEVEL CM	16,3482 litre	0,157 %	10374,4695 litre	O
300	CM	105	CM	1 LEVEL CM	5,7883 litre	0,056 %	10385,0294 litre	O
300	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	10390,8177 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
300	CM 100	CM 200 LEVEL CM	9424,7780 litre	100,000 %	0,0000 litre O
300	CM 100	CM 199 LEVEL CM	9419,1296 litre	99,940 %	5,6484 litre O
300	CM 100	CM 198 LEVEL CM	9408,8260 litre	99,831 %	15,9520 litre O
300	CM 100	CM 197 LEVEL CM	9395,5167 litre	99,690 %	29,2613 litre O
300	CM 100	CM 196 LEVEL CM	9379,7956 litre	99,523 %	44,9824 litre O
300	CM 100	CM 195 LEVEL CM	9362,0089 litre	99,334 %	62,7691 litre O
300	CM 100	CM 194 LEVEL CM	9342,3918 litre	99,126 %	82,3862 litre O
300	CM 100	CM 193 LEVEL CM	9321,1186 litre	98,900 %	103,6594 litre O
300	CM 100	CM 192 LEVEL CM	9298,3251 litre	98,658 %	126,4529 litre O
300	CM 100	CM 191 LEVEL CM	9274,1217 litre	98,401 %	150,6563 litre O
300	CM 100	CM 190 LEVEL CM	9248,6002 litre	98,131 %	176,1778 litre O
300	CM 100	CM 189 LEVEL CM	9221,8391 litre	97,847 %	202,9389 litre O
300	CM 100	CM 188 LEVEL CM	9193,9061 litre	97,550 %	230,8719 litre O
300	CM 100	CM 187 LEVEL CM	9164,8609 litre	97,242 %	259,9171 litre O
300	CM 100	CM 186 LEVEL CM	9134,7566 litre	96,923 %	290,0214 litre O
300	CM 100	CM 185 LEVEL CM	9103,6407 litre	96,593 %	321,1373 litre O
300	CM 100	CM 184 LEVEL CM	9071,5564 litre	96,252 %	353,2216 litre O
300	CM 100	CM 183 LEVEL CM	9038,5429 litre	95,902 %	386,2351 litre O
300	CM 100	CM 182 LEVEL CM	9004,6363 litre	95,542 %	420,1417 litre O
300	CM 100	CM 181 LEVEL CM	8969,8699 litre	95,173 %	454,9081 litre O
300	CM 100	CM 180 LEVEL CM	8934,2746 litre	94,796 %	490,5034 litre O
300	CM 100	CM 179 LEVEL CM	8897,8792 litre	94,409 %	526,8988 litre O
300	CM 100	CM 178 LEVEL CM	8860,7105 litre	94,015 %	564,0675 litre O
300	CM 100	CM 177 LEVEL CM	8822,7938 litre	93,613 %	601,9842 litre O
300	CM 100	CM 176 LEVEL CM	8784,1529 litre	93,203 %	640,6251 litre O
300	CM 100	CM 175 LEVEL CM	8744,8103 litre	92,785 %	679,9677 litre O
300	CM 100	CM 174 LEVEL CM	8704,7873 litre	92,361 %	719,9907 litre O
300	CM 100	CM 173 LEVEL CM	8664,1041 litre	91,929 %	760,6739 litre O
300	CM 100	CM 172 LEVEL CM	8622,7799 litre	91,491 %	801,9981 litre O
300	CM 100	CM 171 LEVEL CM	8580,8332 litre	91,045 %	843,9448 litre O
300	CM 100	CM 170 LEVEL CM	8538,2814 litre	90,594 %	886,4966 litre O
300	CM 100	CM 169 LEVEL CM	8495,1415 litre	90,136 %	929,6365 litre O
300	CM 100	CM 168 LEVEL CM	8451,4296 litre	89,672 %	973,3484 litre O
300	CM 100	CM 167 LEVEL CM	8407,1611 litre	89,203 %	1017,6169 litre O
300	CM 100	CM 166 LEVEL CM	8362,3511 litre	88,727 %	1062,4269 litre O
300	CM 100	CM 165 LEVEL CM	8317,0140 litre	88,246 %	1107,7640 litre O
300	CM 100	CM 164 LEVEL CM	8271,1636 litre	87,760 %	1153,6144 litre O
300	CM 100	CM 163 LEVEL CM	8224,8134 litre	87,268 %	1199,9646 litre O
300	CM 100	CM 162 LEVEL CM	8177,9765 litre	86,771 %	1246,8015 litre O
300	CM 100	CM 161 LEVEL CM	8130,6653 litre	86,269 %	1294,1127 litre O
300	CM 100	CM 160 LEVEL CM	8082,8923 litre	85,762 %	1341,8857 litre O
300	CM 100	CM 159 LEVEL CM	8034,6692 litre	85,250 %	1390,1088 litre O
300	CM 100	CM 158 LEVEL CM	7986,0077 litre	84,734 %	1438,7703 litre O
300	CM 100	CM 157 LEVEL CM	7936,9190 litre	84,213 %	1487,8590 litre O
300	CM 100	CM 156 LEVEL CM	7887,4140 litre	83,688 %	1537,3640 litre O
300	CM 100	CM 155 LEVEL CM	7837,5034 litre	83,158 %	1587,2746 litre O
300	CM 100	CM 154 LEVEL CM	7787,1976 litre	82,625 %	1637,5804 litre O
300	CM 100	CM 153 LEVEL CM	7736,5069 litre	82,087 %	1688,2711 litre O
300	CM 100	CM 152 LEVEL CM	7685,4412 litre	81,545 %	1739,3368 litre O
300	CM 100	CM 151 LEVEL CM	7634,0102 litre	80,999 %	1790,7678 litre O
300	CM 100	CM 150 LEVEL CM	7582,2234 litre	80,450 %	1842,5546 litre O
300	CM 100	CM 149 LEVEL CM	7530,0902 litre	79,897 %	1894,6878 litre O

300	CM	100	CM	148 LEVEL CM	7477,6197 litre	79,340 %	1947,1583 litre	O
300	CM	100	CM	147 LEVEL CM	7424,8210 litre	78,780 %	1999,9570 litre	O
300	CM	100	CM	146 LEVEL CM	7371,7027 litre	78,216 %	2053,0753 litre	O
300	CM	100	CM	145 LEVEL CM	7318,2735 litre	77,649 %	2106,5045 litre	O
300	CM	100	CM	144 LEVEL CM	7264,5421 litre	77,079 %	2160,2359 litre	O
300	CM	100	CM	143 LEVEL CM	7210,5166 litre	76,506 %	2214,2614 litre	O
300	CM	100	CM	142 LEVEL CM	7156,2053 litre	75,930 %	2268,5727 litre	O
300	CM	100	CM	141 LEVEL CM	7101,6164 litre	75,350 %	2323,1616 litre	O
300	CM	100	CM	140 LEVEL CM	7046,7577 litre	74,768 %	2378,0203 litre	O
300	CM	100	CM	139 LEVEL CM	6991,6371 litre	74,184 %	2433,1409 litre	O
300	CM	100	CM	138 LEVEL CM	6936,2625 litre	73,596 %	2488,5155 litre	O
300	CM	100	CM	137 LEVEL CM	6880,6413 litre	73,006 %	2544,1367 litre	O
300	CM	100	CM	136 LEVEL CM	6824,7811 litre	72,413 %	2599,9969 litre	O
300	CM	100	CM	135 LEVEL CM	6768,6895 litre	71,818 %	2656,0885 litre	O
300	CM	100	CM	134 LEVEL CM	6712,3736 litre	71,220 %	2712,4044 litre	O
300	CM	100	CM	133 LEVEL CM	6655,8408 litre	70,621 %	2768,9372 litre	O
300	CM	100	CM	132 LEVEL CM	6599,0983 litre	70,019 %	2825,6797 litre	O
300	CM	100	CM	131 LEVEL CM	6542,1531 litre	69,414 %	2882,6249 litre	O
300	CM	100	CM	130 LEVEL CM	6485,0122 litre	68,808 %	2939,7658 litre	O
300	CM	100	CM	129 LEVEL CM	6427,6827 litre	68,200 %	2997,0953 litre	O
300	CM	100	CM	128 LEVEL CM	6370,1713 litre	67,590 %	3054,6067 litre	O
300	CM	100	CM	127 LEVEL CM	6312,4849 litre	66,978 %	3112,2931 litre	O
300	CM	100	CM	126 LEVEL CM	6254,6303 litre	66,364 %	3170,1477 litre	O
300	CM	100	CM	125 LEVEL CM	6196,6141 litre	65,748 %	3228,1639 litre	O
300	CM	100	CM	124 LEVEL CM	6138,4430 litre	65,131 %	3286,3350 litre	O
300	CM	100	CM	123 LEVEL CM	6080,1236 litre	64,512 %	3344,6544 litre	O
300	CM	100	CM	122 LEVEL CM	6021,6623 litre	63,892 %	3403,1157 litre	O
300	CM	100	CM	121 LEVEL CM	5963,0657 litre	63,270 %	3461,7123 litre	O
300	CM	100	CM	120 LEVEL CM	5904,3403 litre	62,647 %	3520,4377 litre	O
300	CM	100	CM	119 LEVEL CM	5845,4924 litre	62,023 %	3579,2856 litre	O
300	CM	100	CM	118 LEVEL CM	5786,5283 litre	61,397 %	3638,2497 litre	O
300	CM	100	CM	117 LEVEL CM	5727,4545 litre	60,770 %	3697,3235 litre	O
300	CM	100	CM	116 LEVEL CM	5668,2771 litre	60,142 %	3756,5009 litre	O
300	CM	100	CM	115 LEVEL CM	5609,0025 litre	59,513 %	3815,7755 litre	O
300	CM	100	CM	114 LEVEL CM	5549,6369 litre	58,883 %	3875,1411 litre	O
300	CM	100	CM	113 LEVEL CM	5490,1864 litre	58,253 %	3934,5916 litre	O
300	CM	100	CM	112 LEVEL CM	5430,6572 litre	57,621 %	3994,1208 litre	O
300	CM	100	CM	111 LEVEL CM	5371,0556 litre	56,989 %	4053,7224 litre	O
300	CM	100	CM	110 LEVEL CM	5311,3875 litre	56,356 %	4113,3905 litre	O
300	CM	100	CM	109 LEVEL CM	5251,6591 litre	55,722 %	4173,1189 litre	O
300	CM	100	CM	108 LEVEL CM	5191,8765 litre	55,088 %	4232,9015 litre	O
300	CM	100	CM	107 LEVEL CM	5132,0457 litre	54,453 %	4292,7323 litre	O
300	CM	100	CM	106 LEVEL CM	5072,1729 litre	53,817 %	4352,6051 litre	O
300	CM	100	CM	105 LEVEL CM	5012,2639 litre	53,182 %	4412,5141 litre	O
300	CM	100	CM	104 LEVEL CM	4952,3250 litre	52,546 %	4472,4530 litre	O
300	CM	100	CM	103 LEVEL CM	4892,3620 litre	51,910 %	4532,4160 litre	O
300	CM	100	CM	102 LEVEL CM	4832,3810 litre	51,273 %	4592,3970 litre	O
300	CM	100	CM	101 LEVEL CM	4772,3880 litre	50,637 %	4652,3900 litre	O
300	CM	100	CM	100 LEVEL CM	4712,3890 litre	50,000 %	4712,3890 litre	O
300	CM	100	CM	99 LEVEL CM	4652,3900 litre	49,363 %	4772,3880 litre	O
300	CM	100	CM	98 LEVEL CM	4592,3970 litre	48,727 %	4832,3810 litre	O
300	CM	100	CM	97 LEVEL CM	4532,4160 litre	48,090 %	4892,3620 litre	O
300	CM	100	CM	96 LEVEL CM	4472,4530 litre	47,454 %	4952,3250 litre	O

300	CM	100	CM	95 LEVEL CM	4412,5140 litre	46,818 %	5012,2640 litre	O
300	CM	100	CM	94 LEVEL CM	4352,6051 litre	46,183 %	5072,1729 litre	O
300	CM	100	CM	93 LEVEL CM	4292,7322 litre	45,547 %	5132,0458 litre	O
300	CM	100	CM	92 LEVEL CM	4232,9015 litre	44,912 %	5191,8765 litre	O
300	CM	100	CM	91 LEVEL CM	4173,1189 litre	44,278 %	5251,6591 litre	O
300	CM	100	CM	90 LEVEL CM	4113,3905 litre	43,644 %	5311,3875 litre	O
300	CM	100	CM	89 LEVEL CM	4053,7224 litre	43,011 %	5371,0556 litre	O
300	CM	100	CM	88 LEVEL CM	3994,1207 litre	42,379 %	5430,6573 litre	O
300	CM	100	CM	87 LEVEL CM	3934,5916 litre	41,747 %	5490,1864 litre	O
300	CM	100	CM	86 LEVEL CM	3875,1411 litre	41,117 %	5549,6369 litre	O
300	CM	100	CM	85 LEVEL CM	3815,7755 litre	40,487 %	5609,0025 litre	O
300	CM	100	CM	84 LEVEL CM	3756,5009 litre	39,858 %	5668,2771 litre	O
300	CM	100	CM	83 LEVEL CM	3697,3235 litre	39,230 %	5727,4545 litre	O
300	CM	100	CM	82 LEVEL CM	3638,2497 litre	38,603 %	5786,5283 litre	O
300	CM	100	CM	81 LEVEL CM	3579,2856 litre	37,977 %	5845,4924 litre	O
300	CM	100	CM	80 LEVEL CM	3520,4377 litre	37,353 %	5904,3403 litre	O
300	CM	100	CM	79 LEVEL CM	3461,7122 litre	36,730 %	5963,0658 litre	O
300	CM	100	CM	78 LEVEL CM	3403,1157 litre	36,108 %	6021,6623 litre	O
300	CM	100	CM	77 LEVEL CM	3344,6544 litre	35,488 %	6080,1236 litre	O
300	CM	100	CM	76 LEVEL CM	3286,3349 litre	34,869 %	6138,4431 litre	O
300	CM	100	CM	75 LEVEL CM	3228,1638 litre	34,252 %	6196,6142 litre	O
300	CM	100	CM	74 LEVEL CM	3170,1477 litre	33,636 %	6254,6303 litre	O
300	CM	100	CM	73 LEVEL CM	3112,2930 litre	33,022 %	6312,4850 litre	O
300	CM	100	CM	72 LEVEL CM	3054,6067 litre	32,410 %	6370,1713 litre	O
300	CM	100	CM	71 LEVEL CM	2997,0953 litre	31,800 %	6427,6827 litre	O
300	CM	100	CM	70 LEVEL CM	2939,7657 litre	31,192 %	6485,0123 litre	O
300	CM	100	CM	69 LEVEL CM	2882,6249 litre	30,586 %	6542,1531 litre	O
300	CM	100	CM	68 LEVEL CM	2825,6797 litre	29,981 %	6599,0983 litre	O
300	CM	100	CM	67 LEVEL CM	2768,9371 litre	29,379 %	6655,8409 litre	O
300	CM	100	CM	66 LEVEL CM	2712,4043 litre	28,780 %	6712,3737 litre	O
300	CM	100	CM	65 LEVEL CM	2656,0885 litre	28,182 %	6768,6895 litre	O
300	CM	100	CM	64 LEVEL CM	2599,9968 litre	27,587 %	6824,7812 litre	O
300	CM	100	CM	63 LEVEL CM	2544,1367 litre	26,994 %	6880,6413 litre	O
300	CM	100	CM	62 LEVEL CM	2488,5155 litre	26,404 %	6936,2625 litre	O
300	CM	100	CM	61 LEVEL CM	2433,1408 litre	25,816 %	6991,6372 litre	O
300	CM	100	CM	60 LEVEL CM	2378,0203 litre	25,232 %	7046,7577 litre	O
300	CM	100	CM	59 LEVEL CM	2323,1616 litre	24,650 %	7101,6164 litre	O
300	CM	100	CM	58 LEVEL CM	2268,5726 litre	24,070 %	7156,2054 litre	O
300	CM	100	CM	57 LEVEL CM	2214,2614 litre	23,494 %	7210,5166 litre	O
300	CM	100	CM	56 LEVEL CM	2160,2359 litre	22,921 %	7264,5421 litre	O
300	CM	100	CM	55 LEVEL CM	2106,5044 litre	22,351 %	7318,2736 litre	O
300	CM	100	CM	54 LEVEL CM	2053,0753 litre	21,784 %	7371,7027 litre	O
300	CM	100	CM	53 LEVEL CM	1999,9570 litre	21,220 %	7424,8210 litre	O
300	CM	100	CM	52 LEVEL CM	1947,1582 litre	20,660 %	7477,6198 litre	O
300	CM	100	CM	51 LEVEL CM	1894,6877 litre	20,103 %	7530,0903 litre	O
300	CM	100	CM	50 LEVEL CM	1842,5545 litre	19,550 %	7582,2235 litre	O
300	CM	100	CM	49 LEVEL CM	1790,7678 litre	19,001 %	7634,0102 litre	O
300	CM	100	CM	48 LEVEL CM	1739,3368 litre	18,455 %	7685,4412 litre	O
300	CM	100	CM	47 LEVEL CM	1688,2710 litre	17,913 %	7736,5070 litre	O
300	CM	100	CM	46 LEVEL CM	1637,5803 litre	17,375 %	7787,1977 litre	O
300	CM	100	CM	45 LEVEL CM	1587,2746 litre	16,842 %	7837,5034 litre	O
300	CM	100	CM	44 LEVEL CM	1537,3640 litre	16,312 %	7887,4140 litre	O
300	CM	100	CM	43 LEVEL CM	1487,8590 litre	15,787 %	7936,9190 litre	O

300	CM	100	CM	42 LEVEL CM	1438,7702 litre	15,266 %	7986,0078 litre	O
300	CM	100	CM	41 LEVEL CM	1390,1087 litre	14,750 %	8034,6693 litre	O
300	CM	100	CM	40 LEVEL CM	1341,8857 litre	14,238 %	8082,8923 litre	O
300	CM	100	CM	39 LEVEL CM	1294,1126 litre	13,731 %	8130,6654 litre	O
300	CM	100	CM	38 LEVEL CM	1246,8015 litre	13,229 %	8177,9765 litre	O
300	CM	100	CM	37 LEVEL CM	1199,9645 litre	12,732 %	8224,8135 litre	O
300	CM	100	CM	36 LEVEL CM	1153,6144 litre	12,240 %	8271,1636 litre	O
300	CM	100	CM	35 LEVEL CM	1107,7640 litre	11,754 %	8317,0140 litre	O
300	CM	100	CM	34 LEVEL CM	1062,4268 litre	11,273 %	8362,3512 litre	O
300	CM	100	CM	33 LEVEL CM	1017,6168 litre	10,797 %	8407,1612 litre	O
300	CM	100	CM	32 LEVEL CM	973,3484 litre	10,328 %	8451,4296 litre	O
300	CM	100	CM	31 LEVEL CM	929,6364 litre	9,864 %	8495,1416 litre	O
300	CM	100	CM	30 LEVEL CM	886,4965 litre	9,406 %	8538,2815 litre	O
300	CM	100	CM	29 LEVEL CM	843,9448 litre	8,955 %	8580,8332 litre	O
300	CM	100	CM	28 LEVEL CM	801,9980 litre	8,509 %	8622,7800 litre	O
300	CM	100	CM	27 LEVEL CM	760,6739 litre	8,071 %	8664,1041 litre	O
300	CM	100	CM	26 LEVEL CM	719,9907 litre	7,639 %	8704,7873 litre	O
300	CM	100	CM	25 LEVEL CM	679,9676 litre	7,215 %	8744,8104 litre	O
300	CM	100	CM	24 LEVEL CM	640,6250 litre	6,797 %	8784,1530 litre	O
300	CM	100	CM	23 LEVEL CM	601,9841 litre	6,387 %	8822,7939 litre	O
300	CM	100	CM	22 LEVEL CM	564,0675 litre	5,985 %	8860,7105 litre	O
300	CM	100	CM	21 LEVEL CM	526,8988 litre	5,591 %	8897,8792 litre	O
300	CM	100	CM	20 LEVEL CM	490,5033 litre	5,204 %	8934,2747 litre	O
300	CM	100	CM	19 LEVEL CM	454,9080 litre	4,827 %	8969,8700 litre	O
300	CM	100	CM	18 LEVEL CM	420,1417 litre	4,458 %	9004,6363 litre	O
300	CM	100	CM	17 LEVEL CM	386,2351 litre	4,098 %	9038,5429 litre	O
300	CM	100	CM	16 LEVEL CM	353,2216 litre	3,748 %	9071,5564 litre	O
300	CM	100	CM	15 LEVEL CM	321,1372 litre	3,407 %	9103,6408 litre	O
300	CM	100	CM	14 LEVEL CM	290,0214 litre	3,077 %	9134,7566 litre	O
300	CM	100	CM	13 LEVEL CM	259,9170 litre	2,758 %	9164,8610 litre	O
300	CM	100	CM	12 LEVEL CM	230,8719 litre	2,450 %	9193,9061 litre	O
300	CM	100	CM	11 LEVEL CM	202,9389 litre	2,153 %	9221,8391 litre	O
300	CM	100	CM	10 LEVEL CM	176,1777 litre	1,869 %	9248,6003 litre	O
300	CM	100	CM	9 LEVEL CM	150,6563 litre	1,599 %	9274,1217 litre	O
300	CM	100	CM	8 LEVEL CM	126,4529 litre	1,342 %	9298,3251 litre	O
300	CM	100	CM	7 LEVEL CM	103,6594 litre	1,100 %	9321,1186 litre	O
300	CM	100	CM	6 LEVEL CM	82,3861 litre	0,874 %	9342,3919 litre	O
300	CM	100	CM	5 LEVEL CM	62,7691 litre	0,666 %	9362,0089 litre	O
300	CM	100	CM	4 LEVEL CM	44,9823 litre	0,477 %	9379,7957 litre	O
300	CM	100	CM	3 LEVEL CM	29,2612 litre	0,310 %	9395,5168 litre	O
300	CM	100	CM	2 LEVEL CM	15,9519 litre	0,169 %	9408,8261 litre	O
300	CM	100	CM	1 LEVEL CM	5,6484 litre	0,060 %	9419,1296 litre	O
300	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	9424,7780 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
300	CM	95	CM	190 LEVEL CM	8505,8621 litre	100,000 %	0,0000 litre	O
300	CM	95	CM	189 LEVEL CM	8500,3572 litre	99,935 %	5,5049 litre	O
300	CM	95	CM	188 LEVEL CM	8490,3166 litre	99,817 %	15,5455 litre	O
300	CM	95	CM	187 LEVEL CM	8477,3486 litre	99,665 %	28,5135 litre	O
300	CM	95	CM	186 LEVEL CM	8462,0328 litre	99,485 %	43,8293 litre	O
300	CM	95	CM	185 LEVEL CM	8444,7069 litre	99,281 %	61,1552 litre	O
300	CM	95	CM	184 LEVEL CM	8425,6009 litre	99,056 %	80,2612 litre	O
300	CM	95	CM	183 LEVEL CM	8404,8846 litre	98,813 %	100,9775 litre	O
300	CM	95	CM	182 LEVEL CM	8382,6911 litre	98,552 %	123,1710 litre	O
300	CM	95	CM	181 LEVEL CM	8359,1281 litre	98,275 %	146,7340 litre	O
300	CM	95	CM	180 LEVEL CM	8334,2856 litre	97,983 %	171,5765 litre	O
300	CM	95	CM	179 LEVEL CM	8308,2401 litre	97,677 %	197,6220 litre	O
300	CM	95	CM	178 LEVEL CM	8281,0581 litre	97,357 %	224,8040 litre	O
300	CM	95	CM	177 LEVEL CM	8252,7981 litre	97,025 %	253,0640 litre	O
300	CM	95	CM	176 LEVEL CM	8223,5120 litre	96,681 %	282,3501 litre	O
300	CM	95	CM	175 LEVEL CM	8193,2465 litre	96,325 %	312,6156 litre	O
300	CM	95	CM	174 LEVEL CM	8162,0438 litre	95,958 %	343,8183 litre	O
300	CM	95	CM	173 LEVEL CM	8129,9424 litre	95,580 %	375,9197 litre	O
300	CM	95	CM	172 LEVEL CM	8096,9779 litre	95,193 %	408,8842 litre	O
300	CM	95	CM	171 LEVEL CM	8063,1829 litre	94,796 %	442,6792 litre	O
300	CM	95	CM	170 LEVEL CM	8028,5876 litre	94,389 %	477,2745 litre	O
300	CM	95	CM	169 LEVEL CM	7993,2205 litre	93,973 %	512,6416 litre	O
300	CM	95	CM	168 LEVEL CM	7957,1080 litre	93,549 %	548,7541 litre	O
300	CM	95	CM	167 LEVEL CM	7920,2749 litre	93,115 %	585,5872 litre	O
300	CM	95	CM	166 LEVEL CM	7882,7446 litre	92,674 %	623,1175 litre	O
300	CM	95	CM	165 LEVEL CM	7844,5394 litre	92,225 %	661,3227 litre	O
300	CM	95	CM	164 LEVEL CM	7805,6800 litre	91,768 %	700,1821 litre	O
300	CM	95	CM	163 LEVEL CM	7766,1867 litre	91,304 %	739,6754 litre	O
300	CM	95	CM	162 LEVEL CM	7726,0782 litre	90,832 %	779,7839 litre	O
300	CM	95	CM	161 LEVEL CM	7685,3728 litre	90,354 %	820,4893 litre	O
300	CM	95	CM	160 LEVEL CM	7644,0878 litre	89,868 %	861,7743 litre	O
300	CM	95	CM	159 LEVEL CM	7602,2398 litre	89,376 %	903,6223 litre	O
300	CM	95	CM	158 LEVEL CM	7559,8448 litre	88,878 %	946,0173 litre	O
300	CM	95	CM	157 LEVEL CM	7516,9181 litre	88,373 %	988,9440 litre	O
300	CM	95	CM	156 LEVEL CM	7473,4746 litre	87,863 %	1032,3875 litre	O
300	CM	95	CM	155 LEVEL CM	7429,5285 litre	87,346 %	1076,3336 litre	O
300	CM	95	CM	154 LEVEL CM	7385,0936 litre	86,824 %	1120,7685 litre	O
300	CM	95	CM	153 LEVEL CM	7340,1832 litre	86,296 %	1165,6789 litre	O
300	CM	95	CM	152 LEVEL CM	7294,8103 litre	85,762 %	1211,0518 litre	O
300	CM	95	CM	151 LEVEL CM	7248,9873 litre	85,223 %	1256,8748 litre	O
300	CM	95	CM	150 LEVEL CM	7202,7265 litre	84,680 %	1303,1356 litre	O
300	CM	95	CM	149 LEVEL CM	7156,0396 litre	84,131 %	1349,8225 litre	O
300	CM	95	CM	148 LEVEL CM	7108,9382 litre	83,577 %	1396,9239 litre	O
300	CM	95	CM	147 LEVEL CM	7061,4334 litre	83,018 %	1444,4287 litre	O
300	CM	95	CM	146 LEVEL CM	7013,5361 litre	82,455 %	1492,3260 litre	O
300	CM	95	CM	145 LEVEL CM	6965,2571 litre	81,888 %	1540,6050 litre	O
300	CM	95	CM	144 LEVEL CM	6916,6066 litre	81,316 %	1589,2555 litre	O
300	CM	95	CM	143 LEVEL CM	6867,5948 litre	80,740 %	1638,2673 litre	O
300	CM	95	CM	142 LEVEL CM	6818,2318 litre	80,159 %	1687,6303 litre	O
300	CM	95	CM	141 LEVEL CM	6768,5272 litre	79,575 %	1737,3349 litre	O
300	CM	95	CM	140 LEVEL CM	6718,4905 litre	78,987 %	1787,3716 litre	O
300	CM	95	CM	139 LEVEL CM	6668,1311 litre	78,395 %	1837,7310 litre	O

300	CM 95	CM	138 LEVEL CM	6617,4581 litre	77,799 %	1888,4040 litre	O
300	CM 95	CM	137 LEVEL CM	6566,4805 litre	77,199 %	1939,3816 litre	O
300	CM 95	CM	136 LEVEL CM	6515,2072 litre	76,597 %	1990,6549 litre	O
300	CM 95	CM	135 LEVEL CM	6463,6468 litre	75,990 %	2042,2153 litre	O
300	CM 95	CM	134 LEVEL CM	6411,8079 litre	75,381 %	2094,0542 litre	O
300	CM 95	CM	133 LEVEL CM	6359,6988 litre	74,768 %	2146,1633 litre	O
300	CM 95	CM	132 LEVEL CM	6307,3279 litre	74,153 %	2198,5342 litre	O
300	CM 95	CM	131 LEVEL CM	6254,7032 litre	73,534 %	2251,1589 litre	O
300	CM 95	CM	130 LEVEL CM	6201,8329 litre	72,912 %	2304,0292 litre	O
300	CM 95	CM	129 LEVEL CM	6148,7247 litre	72,288 %	2357,1374 litre	O
300	CM 95	CM	128 LEVEL CM	6095,3866 litre	71,661 %	2410,4755 litre	O
300	CM 95	CM	127 LEVEL CM	6041,8262 litre	71,031 %	2464,0359 litre	O
300	CM 95	CM	126 LEVEL CM	5988,0511 litre	70,399 %	2517,8110 litre	O
300	CM 95	CM	125 LEVEL CM	5934,0689 litre	69,764 %	2571,7932 litre	O
300	CM 95	CM	124 LEVEL CM	5879,8871 litre	69,127 %	2625,9750 litre	O
300	CM 95	CM	123 LEVEL CM	5825,5128 litre	68,488 %	2680,3493 litre	O
300	CM 95	CM	122 LEVEL CM	5770,9535 litre	67,847 %	2734,9086 litre	O
300	CM 95	CM	121 LEVEL CM	5716,2164 litre	67,203 %	2789,6457 litre	O
300	CM 95	CM	120 LEVEL CM	5661,3085 litre	66,558 %	2844,5536 litre	O
300	CM 95	CM	119 LEVEL CM	5606,2369 litre	65,910 %	2899,6252 litre	O
300	CM 95	CM	118 LEVEL CM	5551,0087 litre	65,261 %	2954,8534 litre	O
300	CM 95	CM	117 LEVEL CM	5495,6307 litre	64,610 %	3010,2314 litre	O
300	CM 95	CM	116 LEVEL CM	5440,1099 litre	63,957 %	3065,7522 litre	O
300	CM 95	CM	115 LEVEL CM	5384,4531 litre	63,303 %	3121,4090 litre	O
300	CM 95	CM	114 LEVEL CM	5328,6671 litre	62,647 %	3177,1950 litre	O
300	CM 95	CM	113 LEVEL CM	5272,7586 litre	61,990 %	3233,1035 litre	O
300	CM 95	CM	112 LEVEL CM	5216,7343 litre	61,331 %	3289,1278 litre	O
300	CM 95	CM	111 LEVEL CM	5160,6009 litre	60,671 %	3345,2612 litre	O
300	CM 95	CM	110 LEVEL CM	5104,3650 litre	60,010 %	3401,4971 litre	O
300	CM 95	CM	109 LEVEL CM	5048,0332 litre	59,348 %	3457,8289 litre	O
300	CM 95	CM	108 LEVEL CM	4991,6119 litre	58,684 %	3514,2502 litre	O
300	CM 95	CM	107 LEVEL CM	4935,1077 litre	58,020 %	3570,7544 litre	O
300	CM 95	CM	106 LEVEL CM	4878,5272 litre	57,355 %	3627,3349 litre	O
300	CM 95	CM	105 LEVEL CM	4821,8767 litre	56,689 %	3683,9854 litre	O
300	CM 95	CM	104 LEVEL CM	4765,1626 litre	56,022 %	3740,6995 litre	O
300	CM 95	CM	103 LEVEL CM	4708,3915 litre	55,355 %	3797,4706 litre	O
300	CM 95	CM	102 LEVEL CM	4651,5697 litre	54,687 %	3854,2924 litre	O
300	CM 95	CM	101 LEVEL CM	4594,7036 litre	54,018 %	3911,1585 litre	O
300	CM 95	CM	100 LEVEL CM	4537,7994 litre	53,349 %	3968,0627 litre	O
300	CM 95	CM	99 LEVEL CM	4480,8637 litre	52,680 %	4024,9984 litre	O
300	CM 95	CM	98 LEVEL CM	4423,9026 litre	52,010 %	4081,9595 litre	O
300	CM 95	CM	97 LEVEL CM	4366,9226 litre	51,340 %	4138,9395 litre	O
300	CM 95	CM	96 LEVEL CM	4309,9300 litre	50,670 %	4195,9321 litre	O
300	CM 95	CM	95 LEVEL CM	4252,9311 litre	50,000 %	4252,9310 litre	O
300	CM 95	CM	94 LEVEL CM	4195,9321 litre	49,330 %	4309,9300 litre	O
300	CM 95	CM	93 LEVEL CM	4138,9395 litre	48,660 %	4366,9226 litre	O
300	CM 95	CM	92 LEVEL CM	4081,9595 litre	47,990 %	4423,9026 litre	O
300	CM 95	CM	91 LEVEL CM	4024,9984 litre	47,320 %	4480,8637 litre	O
300	CM 95	CM	90 LEVEL CM	3968,0627 litre	46,651 %	4537,7994 litre	O
300	CM 95	CM	89 LEVEL CM	3911,1586 litre	45,982 %	4594,7035 litre	O
300	CM 95	CM	88 LEVEL CM	3854,2924 litre	45,313 %	4651,5697 litre	O
300	CM 95	CM	87 LEVEL CM	3797,4706 litre	44,645 %	4708,3915 litre	O
300	CM 95	CM	86 LEVEL CM	3740,6995 litre	43,978 %	4765,1626 litre	O

300	CM	95	CM	85 LEVEL CM	3683,9854 litre	43,311 %	4821,8767 litre	O
300	CM	95	CM	84 LEVEL CM	3627,3349 litre	42,645 %	4878,5272 litre	O
300	CM	95	CM	83 LEVEL CM	3570,7544 litre	41,980 %	4935,1077 litre	O
300	CM	95	CM	82 LEVEL CM	3514,2502 litre	41,316 %	4991,6119 litre	O
300	CM	95	CM	81 LEVEL CM	3457,8290 litre	40,652 %	5048,0331 litre	O
300	CM	95	CM	80 LEVEL CM	3401,4971 litre	39,990 %	5104,3650 litre	O
300	CM	95	CM	79 LEVEL CM	3345,2612 litre	39,329 %	5160,6009 litre	O
300	CM	95	CM	78 LEVEL CM	3289,1278 litre	38,669 %	5216,7343 litre	O
300	CM	95	CM	77 LEVEL CM	3233,1035 litre	38,010 %	5272,7586 litre	O
300	CM	95	CM	76 LEVEL CM	3177,1950 litre	37,353 %	5328,6671 litre	O
300	CM	95	CM	75 LEVEL CM	3121,4090 litre	36,697 %	5384,4531 litre	O
300	CM	95	CM	74 LEVEL CM	3065,7522 litre	36,043 %	5440,1099 litre	O
300	CM	95	CM	73 LEVEL CM	3010,2314 litre	35,390 %	5495,6307 litre	O
300	CM	95	CM	72 LEVEL CM	2954,8535 litre	34,739 %	5551,0086 litre	O
300	CM	95	CM	71 LEVEL CM	2899,6252 litre	34,090 %	5606,2369 litre	O
300	CM	95	CM	70 LEVEL CM	2844,5536 litre	33,442 %	5661,3085 litre	O
300	CM	95	CM	69 LEVEL CM	2789,6457 litre	32,797 %	5716,2164 litre	O
300	CM	95	CM	68 LEVEL CM	2734,9086 litre	32,153 %	5770,9535 litre	O
300	CM	95	CM	67 LEVEL CM	2680,3493 litre	31,512 %	5825,5128 litre	O
300	CM	95	CM	66 LEVEL CM	2625,9750 litre	30,873 %	5879,8871 litre	O
300	CM	95	CM	65 LEVEL CM	2571,7932 litre	30,236 %	5934,0689 litre	O
300	CM	95	CM	64 LEVEL CM	2517,8110 litre	29,601 %	5988,0511 litre	O
300	CM	95	CM	63 LEVEL CM	2464,0359 litre	28,969 %	6041,8262 litre	O
300	CM	95	CM	62 LEVEL CM	2410,4755 litre	28,339 %	6095,3866 litre	O
300	CM	95	CM	61 LEVEL CM	2357,1374 litre	27,712 %	6148,7247 litre	O
300	CM	95	CM	60 LEVEL CM	2304,0293 litre	27,088 %	6201,8328 litre	O
300	CM	95	CM	59 LEVEL CM	2251,1589 litre	26,466 %	6254,7032 litre	O
300	CM	95	CM	58 LEVEL CM	2198,5342 litre	25,847 %	6307,3279 litre	O
300	CM	95	CM	57 LEVEL CM	2146,1633 litre	25,232 %	6359,6988 litre	O
300	CM	95	CM	56 LEVEL CM	2094,0542 litre	24,619 %	6411,8079 litre	O
300	CM	95	CM	55 LEVEL CM	2042,2153 litre	24,010 %	6463,6468 litre	O
300	CM	95	CM	54 LEVEL CM	1990,6549 litre	23,403 %	6515,2072 litre	O
300	CM	95	CM	53 LEVEL CM	1939,3816 litre	22,801 %	6566,4805 litre	O
300	CM	95	CM	52 LEVEL CM	1888,4040 litre	22,201 %	6617,4581 litre	O
300	CM	95	CM	51 LEVEL CM	1837,7311 litre	21,605 %	6668,1310 litre	O
300	CM	95	CM	50 LEVEL CM	1787,3716 litre	21,013 %	6718,4905 litre	O
300	CM	95	CM	49 LEVEL CM	1737,3349 litre	20,425 %	6768,5272 litre	O
300	CM	95	CM	48 LEVEL CM	1687,6303 litre	19,841 %	6818,2318 litre	O
300	CM	95	CM	47 LEVEL CM	1638,2673 litre	19,260 %	6867,5948 litre	O
300	CM	95	CM	46 LEVEL CM	1589,2555 litre	18,684 %	6916,6066 litre	O
300	CM	95	CM	45 LEVEL CM	1540,6051 litre	18,112 %	6965,2570 litre	O
300	CM	95	CM	44 LEVEL CM	1492,3260 litre	17,545 %	7013,5361 litre	O
300	CM	95	CM	43 LEVEL CM	1444,4287 litre	16,982 %	7061,4334 litre	O
300	CM	95	CM	42 LEVEL CM	1396,9239 litre	16,423 %	7108,9382 litre	O
300	CM	95	CM	41 LEVEL CM	1349,8225 litre	15,869 %	7156,0396 litre	O
300	CM	95	CM	40 LEVEL CM	1303,1356 litre	15,320 %	7202,7265 litre	O
300	CM	95	CM	39 LEVEL CM	1256,8748 litre	14,777 %	7248,9873 litre	O
300	CM	95	CM	38 LEVEL CM	1211,0518 litre	14,238 %	7294,8103 litre	O
300	CM	95	CM	37 LEVEL CM	1165,6789 litre	13,704 %	7340,1832 litre	O
300	CM	95	CM	36 LEVEL CM	1120,7685 litre	13,176 %	7385,0936 litre	O
300	CM	95	CM	35 LEVEL CM	1076,3336 litre	12,654 %	7429,5285 litre	O
300	CM	95	CM	34 LEVEL CM	1032,3875 litre	12,137 %	7473,4746 litre	O
300	CM	95	CM	33 LEVEL CM	988,9440 litre	11,627 %	7516,9181 litre	O

300	CM	95	CM	32 LEVEL CM	946,0173 litre	11,122 %	7559,8448 litre	O
300	CM	95	CM	31 LEVEL CM	903,6223 litre	10,624 %	7602,2398 litre	O
300	CM	95	CM	30 LEVEL CM	861,7744 litre	10,132 %	7644,0877 litre	O
300	CM	95	CM	29 LEVEL CM	820,4893 litre	9,646 %	7685,3728 litre	O
300	CM	95	CM	28 LEVEL CM	779,7839 litre	9,168 %	7726,0782 litre	O
300	CM	95	CM	27 LEVEL CM	739,6754 litre	8,696 %	7766,1867 litre	O
300	CM	95	CM	26 LEVEL CM	700,1821 litre	8,232 %	7805,6800 litre	O
300	CM	95	CM	25 LEVEL CM	661,3228 litre	7,775 %	7844,5393 litre	O
300	CM	95	CM	24 LEVEL CM	623,1175 litre	7,326 %	7882,7446 litre	O
300	CM	95	CM	23 LEVEL CM	585,5872 litre	6,885 %	7920,2749 litre	O
300	CM	95	CM	22 LEVEL CM	548,7541 litre	6,451 %	7957,1080 litre	O
300	CM	95	CM	21 LEVEL CM	512,6416 litre	6,027 %	7993,2205 litre	O
300	CM	95	CM	20 LEVEL CM	477,2745 litre	5,611 %	8028,5876 litre	O
300	CM	95	CM	19 LEVEL CM	442,6793 litre	5,204 %	8063,1828 litre	O
300	CM	95	CM	18 LEVEL CM	408,8842 litre	4,807 %	8096,9779 litre	O
300	CM	95	CM	17 LEVEL CM	375,9197 litre	4,420 %	8129,9424 litre	O
300	CM	95	CM	16 LEVEL CM	343,8184 litre	4,042 %	8162,0437 litre	O
300	CM	95	CM	15 LEVEL CM	312,6156 litre	3,675 %	8193,2465 litre	O
300	CM	95	CM	14 LEVEL CM	282,3501 litre	3,319 %	8223,5120 litre	O
300	CM	95	CM	13 LEVEL CM	253,0640 litre	2,975 %	8252,7981 litre	O
300	CM	95	CM	12 LEVEL CM	224,8040 litre	2,643 %	8281,0581 litre	O
300	CM	95	CM	11 LEVEL CM	197,6220 litre	2,323 %	8308,2401 litre	O
300	CM	95	CM	10 LEVEL CM	171,5766 litre	2,017 %	8334,2855 litre	O
300	CM	95	CM	9 LEVEL CM	146,7340 litre	1,725 %	8359,1281 litre	O
300	CM	95	CM	8 LEVEL CM	123,1710 litre	1,448 %	8382,6911 litre	O
300	CM	95	CM	7 LEVEL CM	100,9775 litre	1,187 %	8404,8846 litre	O
300	CM	95	CM	6 LEVEL CM	80,2613 litre	0,944 %	8425,6008 litre	O
300	CM	95	CM	5 LEVEL CM	61,1552 litre	0,719 %	8444,7069 litre	O
300	CM	95	CM	4 LEVEL CM	43,8293 litre	0,515 %	8462,0328 litre	O
300	CM	95	CM	3 LEVEL CM	28,5135 litre	0,335 %	8477,3486 litre	O
300	CM	95	CM	2 LEVEL CM	15,5455 litre	0,183 %	8490,3166 litre	O
300	CM	95	CM	1 LEVEL CM	5,5049 litre	0,065 %	8500,3572 litre	O
300	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	8505,8621 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
300	CM	90	CM	180 LEVEL CM	7634,0701 litre	100,000 %	0,0000 litre	O
300	CM	90	CM	179 LEVEL CM	7628,7125 litre	99,930 %	5,3576 litre	O
300	CM	90	CM	178 LEVEL CM	7618,9419 litre	99,802 %	15,1282 litre	O
300	CM	90	CM	177 LEVEL CM	7606,3245 litre	99,637 %	27,7456 litre	O
300	CM	90	CM	176 LEVEL CM	7591,4250 litre	99,441 %	42,6451 litre	O
300	CM	90	CM	175 LEVEL CM	7574,5727 litre	99,221 %	59,4974 litre	O
300	CM	90	CM	174 LEVEL CM	7555,9916 litre	98,977 %	78,0785 litre	O
300	CM	90	CM	173 LEVEL CM	7535,8477 litre	98,713 %	98,2224 litre	O
300	CM	90	CM	172 LEVEL CM	7514,2708 litre	98,431 %	119,7993 litre	O
300	CM	90	CM	171 LEVEL CM	7491,3662 litre	98,131 %	142,7039 litre	O
300	CM	90	CM	170 LEVEL CM	7467,2216 litre	97,814 %	166,8485 litre	O
300	CM	90	CM	169 LEVEL CM	7441,9121 litre	97,483 %	192,1580 litre	O
300	CM	90	CM	168 LEVEL CM	7415,5025 litre	97,137 %	218,5676 litre	O
300	CM	90	CM	167 LEVEL CM	7388,0501 litre	96,777 %	246,0200 litre	O
300	CM	90	CM	166 LEVEL CM	7359,6058 litre	96,405 %	274,4643 litre	O
300	CM	90	CM	165 LEVEL CM	7330,2151 litre	96,020 %	303,8550 litre	O
300	CM	90	CM	164 LEVEL CM	7299,9197 litre	95,623 %	334,1504 litre	O
300	CM	90	CM	163 LEVEL CM	7268,7572 litre	95,215 %	365,3129 litre	O
300	CM	90	CM	162 LEVEL CM	7236,7625 litre	94,796 %	397,3076 litre	O
300	CM	90	CM	161 LEVEL CM	7203,9675 litre	94,366 %	430,1026 litre	O
300	CM	90	CM	160 LEVEL CM	7170,4022 litre	93,926 %	463,6679 litre	O
300	CM	90	CM	159 LEVEL CM	7136,0942 litre	93,477 %	497,9759 litre	O
300	CM	90	CM	158 LEVEL CM	7101,0697 litre	93,018 %	533,0004 litre	O
300	CM	90	CM	157 LEVEL CM	7065,3530 litre	92,550 %	568,7171 litre	O
300	CM	90	CM	156 LEVEL CM	7028,9672 litre	92,074 %	605,1029 litre	O
300	CM	90	CM	155 LEVEL CM	6991,9342 litre	91,589 %	642,1359 litre	O
300	CM	90	CM	154 LEVEL CM	6954,2745 litre	91,095 %	679,7956 litre	O
300	CM	90	CM	153 LEVEL CM	6916,0080 litre	90,594 %	718,0621 litre	O
300	CM	90	CM	152 LEVEL CM	6877,1532 litre	90,085 %	756,9169 litre	O
300	CM	90	CM	151 LEVEL CM	6837,7282 litre	89,569 %	796,3419 litre	O
300	CM	90	CM	150 LEVEL CM	6797,7500 litre	89,045 %	836,3201 litre	O
300	CM	90	CM	149 LEVEL CM	6757,2351 litre	88,514 %	876,8350 litre	O
300	CM	90	CM	148 LEVEL CM	6716,1993 litre	87,977 %	917,8708 litre	O
300	CM	90	CM	147 LEVEL CM	6674,6577 litre	87,432 %	959,4124 litre	O
300	CM	90	CM	146 LEVEL CM	6632,6251 litre	86,882 %	1001,4450 litre	O
300	CM	90	CM	145 LEVEL CM	6590,1156 litre	86,325 %	1043,9545 litre	O
300	CM	90	CM	144 LEVEL CM	6547,1428 litre	85,762 %	1086,9273 litre	O
300	CM	90	CM	143 LEVEL CM	6503,7199 litre	85,193 %	1130,3502 litre	O
300	CM	90	CM	142 LEVEL CM	6459,8599 litre	84,619 %	1174,2102 litre	O
300	CM	90	CM	141 LEVEL CM	6415,5750 litre	84,039 %	1218,4951 litre	O
300	CM	90	CM	140 LEVEL CM	6370,8775 litre	83,453 %	1263,1926 litre	O
300	CM	90	CM	139 LEVEL CM	6325,7791 litre	82,862 %	1308,2910 litre	O
300	CM	90	CM	138 LEVEL CM	6280,2912 litre	82,267 %	1353,7789 litre	O
300	CM	90	CM	137 LEVEL CM	6234,4250 litre	81,666 %	1399,6451 litre	O
300	CM	90	CM	136 LEVEL CM	6188,1914 litre	81,060 %	1445,8787 litre	O
300	CM	90	CM	135 LEVEL CM	6141,6010 litre	80,450 %	1492,4691 litre	O
300	CM	90	CM	134 LEVEL CM	6094,6641 litre	79,835 %	1539,4060 litre	O
300	CM	90	CM	133 LEVEL CM	6047,3909 litre	79,216 %	1586,6792 litre	O
300	CM	90	CM	132 LEVEL CM	5999,7914 litre	78,592 %	1634,2787 litre	O
300	CM	90	CM	131 LEVEL CM	5951,8754 litre	77,965 %	1682,1947 litre	O
300	CM	90	CM	130 LEVEL CM	5903,6522 litre	77,333 %	1730,4179 litre	O
300	CM	90	CM	129 LEVEL CM	5855,1314 litre	76,697 %	1778,9387 litre	O

300	CM	90	CM	128 LEVEL CM	5806,3220 litre	76,058 %	1827,7481 litre	O
300	CM	90	CM	127 LEVEL CM	5757,2332 litre	75,415 %	1876,8369 litre	O
300	CM	90	CM	126 LEVEL CM	5707,8737 litre	74,768 %	1926,1964 litre	O
300	CM	90	CM	125 LEVEL CM	5658,2524 litre	74,118 %	1975,8177 litre	O
300	CM	90	CM	124 LEVEL CM	5608,3778 litre	73,465 %	2025,6923 litre	O
300	CM	90	CM	123 LEVEL CM	5558,2584 litre	72,809 %	2075,8117 litre	O
300	CM	90	CM	122 LEVEL CM	5507,9025 litre	72,149 %	2126,1676 litre	O
300	CM	90	CM	121 LEVEL CM	5457,3184 litre	71,486 %	2176,7517 litre	O
300	CM	90	CM	120 LEVEL CM	5406,5141 litre	70,821 %	2227,5560 litre	O
300	CM	90	CM	119 LEVEL CM	5355,4977 litre	70,153 %	2278,5724 litre	O
300	CM	90	CM	118 LEVEL CM	5304,2770 litre	69,482 %	2329,7931 litre	O
300	CM	90	CM	117 LEVEL CM	5252,8599 litre	68,808 %	2381,2102 litre	O
300	CM	90	CM	116 LEVEL CM	5201,2541 litre	68,132 %	2432,8160 litre	O
300	CM	90	CM	115 LEVEL CM	5149,4673 litre	67,454 %	2484,6028 litre	O
300	CM	90	CM	114 LEVEL CM	5097,5069 litre	66,773 %	2536,5632 litre	O
300	CM	90	CM	113 LEVEL CM	5045,3806 litre	66,090 %	2588,6895 litre	O
300	CM	90	CM	112 LEVEL CM	4993,0956 litre	65,405 %	2640,9745 litre	O
300	CM	90	CM	111 LEVEL CM	4940,6594 litre	64,719 %	2693,4107 litre	O
300	CM	90	CM	110 LEVEL CM	4888,0792 litre	64,030 %	2745,9909 litre	O
300	CM	90	CM	109 LEVEL CM	4835,3622 litre	63,339 %	2798,7079 litre	O
300	CM	90	CM	108 LEVEL CM	4782,5156 litre	62,647 %	2851,5545 litre	O
300	CM	90	CM	107 LEVEL CM	4729,5466 litre	61,953 %	2904,5235 litre	O
300	CM	90	CM	106 LEVEL CM	4676,4621 litre	61,258 %	2957,6080 litre	O
300	CM	90	CM	105 LEVEL CM	4623,2693 litre	60,561 %	3010,8008 litre	O
300	CM	90	CM	104 LEVEL CM	4569,9750 litre	59,863 %	3064,0951 litre	O
300	CM	90	CM	103 LEVEL CM	4516,5863 litre	59,164 %	3117,4838 litre	O
300	CM	90	CM	102 LEVEL CM	4463,1099 litre	58,463 %	3170,9602 litre	O
300	CM	90	CM	101 LEVEL CM	4409,5529 litre	57,761 %	3224,5172 litre	O
300	CM	90	CM	100 LEVEL CM	4355,9219 litre	57,059 %	3278,1482 litre	O
300	CM	90	CM	99 LEVEL CM	4302,2239 litre	56,356 %	3331,8462 litre	O
300	CM	90	CM	98 LEVEL CM	4248,4655 litre	55,651 %	3385,6046 litre	O
300	CM	90	CM	97 LEVEL CM	4194,6536 litre	54,946 %	3439,4165 litre	O
300	CM	90	CM	96 LEVEL CM	4140,7949 litre	54,241 %	3493,2752 litre	O
300	CM	90	CM	95 LEVEL CM	4086,8961 litre	53,535 %	3547,1740 litre	O
300	CM	90	CM	94 LEVEL CM	4032,9639 litre	52,828 %	3601,1062 litre	O
300	CM	90	CM	93 LEVEL CM	3979,0051 litre	52,122 %	3655,0650 litre	O
300	CM	90	CM	92 LEVEL CM	3925,0262 litre	51,415 %	3709,0439 litre	O
300	CM	90	CM	91 LEVEL CM	3871,0340 litre	50,707 %	3763,0361 litre	O
300	CM	90	CM	90 LEVEL CM	3817,0351 litre	50,000 %	3817,0350 litre	O
300	CM	90	CM	89 LEVEL CM	3763,0362 litre	49,293 %	3871,0339 litre	O
300	CM	90	CM	88 LEVEL CM	3709,0440 litre	48,585 %	3925,0261 litre	O
300	CM	90	CM	87 LEVEL CM	3655,0651 litre	47,878 %	3979,0050 litre	O
300	CM	90	CM	86 LEVEL CM	3601,1062 litre	47,172 %	4032,9639 litre	O
300	CM	90	CM	85 LEVEL CM	3547,1740 litre	46,465 %	4086,8961 litre	O
300	CM	90	CM	84 LEVEL CM	3493,2752 litre	45,759 %	4140,7949 litre	O
300	CM	90	CM	83 LEVEL CM	3439,4165 litre	45,054 %	4194,6536 litre	O
300	CM	90	CM	82 LEVEL CM	3385,6046 litre	44,349 %	4248,4655 litre	O
300	CM	90	CM	81 LEVEL CM	3331,8463 litre	43,644 %	4302,2238 litre	O
300	CM	90	CM	80 LEVEL CM	3278,1483 litre	42,941 %	4355,9218 litre	O
300	CM	90	CM	79 LEVEL CM	3224,5173 litre	42,239 %	4409,5528 litre	O
300	CM	90	CM	78 LEVEL CM	3170,9602 litre	41,537 %	4463,1099 litre	O
300	CM	90	CM	77 LEVEL CM	3117,4839 litre	40,836 %	4516,5862 litre	O
300	CM	90	CM	76 LEVEL CM	3064,0951 litre	40,137 %	4569,9750 litre	O

300	CM	90	CM	75 LEVEL CM	3010,8009 litre	39,439 %	4623,2692 litre	O
300	CM	90	CM	74 LEVEL CM	2957,6080 litre	38,742 %	4676,4621 litre	O
300	CM	90	CM	73 LEVEL CM	2904,5236 litre	38,047 %	4729,5465 litre	O
300	CM	90	CM	72 LEVEL CM	2851,5545 litre	37,353 %	4782,5156 litre	O
300	CM	90	CM	71 LEVEL CM	2798,7080 litre	36,661 %	4835,3621 litre	O
300	CM	90	CM	70 LEVEL CM	2745,9910 litre	35,970 %	4888,0791 litre	O
300	CM	90	CM	69 LEVEL CM	2693,4108 litre	35,281 %	4940,6593 litre	O
300	CM	90	CM	68 LEVEL CM	2640,9746 litre	34,595 %	4993,0955 litre	O
300	CM	90	CM	67 LEVEL CM	2588,6896 litre	33,910 %	5045,3805 litre	O
300	CM	90	CM	66 LEVEL CM	2536,5632 litre	33,227 %	5097,5069 litre	O
300	CM	90	CM	65 LEVEL CM	2484,6029 litre	32,546 %	5149,4672 litre	O
300	CM	90	CM	64 LEVEL CM	2432,8160 litre	31,868 %	5201,2541 litre	O
300	CM	90	CM	63 LEVEL CM	2381,2102 litre	31,192 %	5252,8599 litre	O
300	CM	90	CM	62 LEVEL CM	2329,7932 litre	30,518 %	5304,2769 litre	O
300	CM	90	CM	61 LEVEL CM	2278,5725 litre	29,847 %	5355,4976 litre	O
300	CM	90	CM	60 LEVEL CM	2227,5561 litre	29,179 %	5406,5140 litre	O
300	CM	90	CM	59 LEVEL CM	2176,7518 litre	28,514 %	5457,3183 litre	O
300	CM	90	CM	58 LEVEL CM	2126,1676 litre	27,851 %	5507,9025 litre	O
300	CM	90	CM	57 LEVEL CM	2075,8117 litre	27,191 %	5558,2584 litre	O
300	CM	90	CM	56 LEVEL CM	2025,6923 litre	26,535 %	5608,3778 litre	O
300	CM	90	CM	55 LEVEL CM	1975,8177 litre	25,882 %	5658,2524 litre	O
300	CM	90	CM	54 LEVEL CM	1926,1964 litre	25,232 %	5707,8737 litre	O
300	CM	90	CM	53 LEVEL CM	1876,8370 litre	24,585 %	5757,2331 litre	O
300	CM	90	CM	52 LEVEL CM	1827,7482 litre	23,942 %	5806,3219 litre	O
300	CM	90	CM	51 LEVEL CM	1778,9388 litre	23,303 %	5855,1313 litre	O
300	CM	90	CM	50 LEVEL CM	1730,4179 litre	22,667 %	5903,6522 litre	O
300	CM	90	CM	49 LEVEL CM	1682,1948 litre	22,035 %	5951,8753 litre	O
300	CM	90	CM	48 LEVEL CM	1634,2787 litre	21,408 %	5999,7914 litre	O
300	CM	90	CM	47 LEVEL CM	1586,6792 litre	20,784 %	6047,3909 litre	O
300	CM	90	CM	46 LEVEL CM	1539,4061 litre	20,165 %	6094,6640 litre	O
300	CM	90	CM	45 LEVEL CM	1492,4692 litre	19,550 %	6141,6009 litre	O
300	CM	90	CM	44 LEVEL CM	1445,8787 litre	18,940 %	6188,1914 litre	O
300	CM	90	CM	43 LEVEL CM	1399,6451 litre	18,334 %	6234,4250 litre	O
300	CM	90	CM	42 LEVEL CM	1353,7789 litre	17,733 %	6280,2912 litre	O
300	CM	90	CM	41 LEVEL CM	1308,2910 litre	17,138 %	6325,7791 litre	O
300	CM	90	CM	40 LEVEL CM	1263,1926 litre	16,547 %	6370,8775 litre	O
300	CM	90	CM	39 LEVEL CM	1218,4951 litre	15,961 %	6415,5750 litre	O
300	CM	90	CM	38 LEVEL CM	1174,2103 litre	15,381 %	6459,8598 litre	O
300	CM	90	CM	37 LEVEL CM	1130,3502 litre	14,807 %	6503,7199 litre	O
300	CM	90	CM	36 LEVEL CM	1086,9274 litre	14,238 %	6547,1427 litre	O
300	CM	90	CM	35 LEVEL CM	1043,9546 litre	13,675 %	6590,1155 litre	O
300	CM	90	CM	34 LEVEL CM	1001,4450 litre	13,118 %	6632,6251 litre	O
300	CM	90	CM	33 LEVEL CM	959,4124 litre	12,568 %	6674,6577 litre	O
300	CM	90	CM	32 LEVEL CM	917,8709 litre	12,023 %	6716,1992 litre	O
300	CM	90	CM	31 LEVEL CM	876,8351 litre	11,486 %	6757,2350 litre	O
300	CM	90	CM	30 LEVEL CM	836,3202 litre	10,955 %	6797,7499 litre	O
300	CM	90	CM	29 LEVEL CM	796,3420 litre	10,431 %	6837,7281 litre	O
300	CM	90	CM	28 LEVEL CM	756,9169 litre	9,915 %	6877,1532 litre	O
300	CM	90	CM	27 LEVEL CM	718,0622 litre	9,406 %	6916,0079 litre	O
300	CM	90	CM	26 LEVEL CM	679,7956 litre	8,905 %	6954,2745 litre	O
300	CM	90	CM	25 LEVEL CM	642,1360 litre	8,411 %	6991,9341 litre	O
300	CM	90	CM	24 LEVEL CM	605,1029 litre	7,926 %	7028,9672 litre	O
300	CM	90	CM	23 LEVEL CM	568,7172 litre	7,450 %	7065,3529 litre	O

300	CM	90	CM	22 LEVEL CM	533,0005 litre	6,982 %	7101,0696 litre	O
300	CM	90	CM	21 LEVEL CM	497,9759 litre	6,523 %	7136,0942 litre	O
300	CM	90	CM	20 LEVEL CM	463,6680 litre	6,074 %	7170,4021 litre	O
300	CM	90	CM	19 LEVEL CM	430,1026 litre	5,634 %	7203,9675 litre	O
300	CM	90	CM	18 LEVEL CM	397,3077 litre	5,204 %	7236,7624 litre	O
300	CM	90	CM	17 LEVEL CM	365,3129 litre	4,785 %	7268,7572 litre	O
300	CM	90	CM	16 LEVEL CM	334,1505 litre	4,377 %	7299,9196 litre	O
300	CM	90	CM	15 LEVEL CM	303,8550 litre	3,980 %	7330,2151 litre	O
300	CM	90	CM	14 LEVEL CM	274,4644 litre	3,595 %	7359,6057 litre	O
300	CM	90	CM	13 LEVEL CM	246,0200 litre	3,223 %	7388,0501 litre	O
300	CM	90	CM	12 LEVEL CM	218,5676 litre	2,863 %	7415,5025 litre	O
300	CM	90	CM	11 LEVEL CM	192,1581 litre	2,517 %	7441,9120 litre	O
300	CM	90	CM	10 LEVEL CM	166,8485 litre	2,186 %	7467,2216 litre	O
300	CM	90	CM	9 LEVEL CM	142,7040 litre	1,869 %	7491,3661 litre	O
300	CM	90	CM	8 LEVEL CM	119,7993 litre	1,569 %	7514,2708 litre	O
300	CM	90	CM	7 LEVEL CM	98,2224 litre	1,287 %	7535,8477 litre	O
300	CM	90	CM	6 LEVEL CM	78,0786 litre	1,023 %	7555,9915 litre	O
300	CM	90	CM	5 LEVEL CM	59,4975 litre	0,779 %	7574,5726 litre	O
300	CM	90	CM	4 LEVEL CM	42,6451 litre	0,559 %	7591,4250 litre	O
300	CM	90	CM	3 LEVEL CM	27,7456 litre	0,363 %	7606,3245 litre	O
300	CM	90	CM	2 LEVEL CM	15,1282 litre	0,198 %	7618,9419 litre	O
300	CM	90	CM	1 LEVEL CM	5,3576 litre	0,070 %	7628,7125 litre	O
300	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	7634,0701 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM 85	CM 170 LEVEL CM	6809,4021 litre	100,000 %	0,0000 litre	O
300	CM 85	CM 169 LEVEL CM	6804,1959 litre	99,924 %	5,2062 litre	O
300	CM 85	CM 168 LEVEL CM	6794,7030 litre	99,784 %	14,6991 litre	O
300	CM 85	CM 167 LEVEL CM	6782,4462 litre	99,604 %	26,9559 litre	O
300	CM 85	CM 166 LEVEL CM	6767,9749 litre	99,392 %	41,4272 litre	O
300	CM 85	CM 165 LEVEL CM	6751,6098 litre	99,151 %	57,7923 litre	O
300	CM 85	CM 164 LEVEL CM	6733,5690 litre	98,886 %	75,8331 litre	O
300	CM 85	CM 163 LEVEL CM	6714,0143 litre	98,599 %	95,3878 litre	O
300	CM 85	CM 162 LEVEL CM	6693,0722 litre	98,292 %	116,3299 litre	O
300	CM 85	CM 161 LEVEL CM	6670,8454 litre	97,965 %	138,5567 litre	O
300	CM 85	CM 160 LEVEL CM	6647,4196 litre	97,621 %	161,9825 litre	O
300	CM 85	CM 159 LEVEL CM	6622,8680 litre	97,261 %	186,5341 litre	O
300	CM 85	CM 158 LEVEL CM	6597,2541 litre	96,884 %	212,1480 litre	O
300	CM 85	CM 157 LEVEL CM	6570,6338 litre	96,494 %	238,7683 litre	O
300	CM 85	CM 156 LEVEL CM	6543,0569 litre	96,089 %	266,3452 litre	O
300	CM 85	CM 155 LEVEL CM	6514,5680 litre	95,670 %	294,8341 litre	O
300	CM 85	CM 154 LEVEL CM	6485,2079 litre	95,239 %	324,1942 litre	O
300	CM 85	CM 153 LEVEL CM	6455,0134 litre	94,796 %	354,3887 litre	O
300	CM 85	CM 152 LEVEL CM	6424,0188 litre	94,340 %	385,3833 litre	O
300	CM 85	CM 151 LEVEL CM	6392,2554 litre	93,874 %	417,1467 litre	O
300	CM 85	CM 150 LEVEL CM	6359,7525 litre	93,397 %	449,6496 litre	O
300	CM 85	CM 149 LEVEL CM	6326,5375 litre	92,909 %	482,8646 litre	O
300	CM 85	CM 148 LEVEL CM	6292,6358 litre	92,411 %	516,7663 litre	O
300	CM 85	CM 147 LEVEL CM	6258,0716 litre	91,903 %	551,3305 litre	O
300	CM 85	CM 146 LEVEL CM	6222,8675 litre	91,386 %	586,5346 litre	O
300	CM 85	CM 145 LEVEL CM	6187,0451 litre	90,860 %	622,3570 litre	O
300	CM 85	CM 144 LEVEL CM	6150,6246 litre	90,325 %	658,7775 litre	O
300	CM 85	CM 143 LEVEL CM	6113,6255 litre	89,782 %	695,7766 litre	O
300	CM 85	CM 142 LEVEL CM	6076,0663 litre	89,231 %	733,3358 litre	O
300	CM 85	CM 141 LEVEL CM	6037,9646 litre	88,671 %	771,4375 litre	O
300	CM 85	CM 140 LEVEL CM	5999,3375 litre	88,104 %	810,0646 litre	O
300	CM 85	CM 139 LEVEL CM	5960,2010 litre	87,529 %	849,2011 litre	O
300	CM 85	CM 138 LEVEL CM	5920,5710 litre	86,947 %	888,8311 litre	O
300	CM 85	CM 137 LEVEL CM	5880,4624 litre	86,358 %	928,9397 litre	O
300	CM 85	CM 136 LEVEL CM	5839,8897 litre	85,762 %	969,5124 litre	O
300	CM 85	CM 135 LEVEL CM	5798,8670 litre	85,160 %	1010,5351 litre	O
300	CM 85	CM 134 LEVEL CM	5757,4078 litre	84,551 %	1051,9943 litre	O
300	CM 85	CM 133 LEVEL CM	5715,5253 litre	83,936 %	1093,8768 litre	O
300	CM 85	CM 132 LEVEL CM	5673,2322 litre	83,315 %	1136,1699 litre	O
300	CM 85	CM 131 LEVEL CM	5630,5409 litre	82,688 %	1178,8612 litre	O
300	CM 85	CM 130 LEVEL CM	5587,4634 litre	82,055 %	1221,9387 litre	O
300	CM 85	CM 129 LEVEL CM	5544,0115 litre	81,417 %	1265,3906 litre	O
300	CM 85	CM 128 LEVEL CM	5500,1965 litre	80,774 %	1309,2056 litre	O
300	CM 85	CM 127 LEVEL CM	5456,0297 litre	80,125 %	1353,3724 litre	O
300	CM 85	CM 126 LEVEL CM	5411,5218 litre	79,471 %	1397,8803 litre	O
300	CM 85	CM 125 LEVEL CM	5366,6835 litre	78,813 %	1442,7186 litre	O
300	CM 85	CM 124 LEVEL CM	5321,5252 litre	78,150 %	1487,8769 litre	O
300	CM 85	CM 123 LEVEL CM	5276,0571 litre	77,482 %	1533,3450 litre	O
300	CM 85	CM 122 LEVEL CM	5230,2891 litre	76,810 %	1579,1130 litre	O
300	CM 85	CM 121 LEVEL CM	5184,2309 litre	76,133 %	1625,1712 litre	O
300	CM 85	CM 120 LEVEL CM	5137,8922 litre	75,453 %	1671,5099 litre	O
300	CM 85	CM 119 LEVEL CM	5091,2824 litre	74,768 %	1718,1197 litre	O

300	CM	85	CM	118 LEVEL CM	5044,4107 litre	74,080 %	1764,9914 litre	O
300	CM	85	CM	117 LEVEL CM	4997,2863 litre	73,388 %	1812,1158 litre	O
300	CM	85	CM	116 LEVEL CM	4949,9180 litre	72,692 %	1859,4841 litre	O
300	CM	85	CM	115 LEVEL CM	4902,3147 litre	71,993 %	1907,0874 litre	O
300	CM	85	CM	114 LEVEL CM	4854,4850 litre	71,291 %	1954,9171 litre	O
300	CM	85	CM	113 LEVEL CM	4806,4376 litre	70,585 %	2002,9645 litre	O
300	CM	85	CM	112 LEVEL CM	4758,1808 litre	69,877 %	2051,2213 litre	O
300	CM	85	CM	111 LEVEL CM	4709,7230 litre	69,165 %	2099,6791 litre	O
300	CM	85	CM	110 LEVEL CM	4661,0725 litre	68,451 %	2148,3296 litre	O
300	CM	85	CM	109 LEVEL CM	4612,2373 litre	67,733 %	2197,1648 litre	O
300	CM	85	CM	108 LEVEL CM	4563,2254 litre	67,014 %	2246,1767 litre	O
300	CM	85	CM	107 LEVEL CM	4514,0450 litre	66,291 %	2295,3571 litre	O
300	CM	85	CM	106 LEVEL CM	4464,7037 litre	65,567 %	2344,6984 litre	O
300	CM	85	CM	105 LEVEL CM	4415,2095 litre	64,840 %	2394,1926 litre	O
300	CM	85	CM	104 LEVEL CM	4365,5700 litre	64,111 %	2443,8321 litre	O
300	CM	85	CM	103 LEVEL CM	4315,7930 litre	63,380 %	2493,6091 litre	O
300	CM	85	CM	102 LEVEL CM	4265,8859 litre	62,647 %	2543,5162 litre	O
300	CM	85	CM	101 LEVEL CM	4215,8563 litre	61,912 %	2593,5458 litre	O
300	CM	85	CM	100 LEVEL CM	4165,7117 litre	61,176 %	2643,6904 litre	O
300	CM	85	CM	99 LEVEL CM	4115,4595 litre	60,438 %	2693,9426 litre	O
300	CM	85	CM	98 LEVEL CM	4065,1072 litre	59,698 %	2744,2949 litre	O
300	CM	85	CM	97 LEVEL CM	4014,6620 litre	58,958 %	2794,7401 litre	O
300	CM	85	CM	96 LEVEL CM	3964,1312 litre	58,216 %	2845,2709 litre	O
300	CM	85	CM	95 LEVEL CM	3913,5221 litre	57,472 %	2895,8800 litre	O
300	CM	85	CM	94 LEVEL CM	3862,8419 litre	56,728 %	2946,5602 litre	O
300	CM	85	CM	93 LEVEL CM	3812,0979 litre	55,983 %	2997,3042 litre	O
300	CM	85	CM	92 LEVEL CM	3761,2971 litre	55,237 %	3048,1050 litre	O
300	CM	85	CM	91 LEVEL CM	3710,4467 litre	54,490 %	3098,9554 litre	O
300	CM	85	CM	90 LEVEL CM	3659,5539 litre	53,743 %	3149,8482 litre	O
300	CM	85	CM	89 LEVEL CM	3608,6257 litre	52,995 %	3200,7764 litre	O
300	CM	85	CM	88 LEVEL CM	3557,6693 litre	52,246 %	3251,7328 litre	O
300	CM	85	CM	87 LEVEL CM	3506,6916 litre	51,498 %	3302,7105 litre	O
300	CM	85	CM	86 LEVEL CM	3455,6999 litre	50,749 %	3353,7022 litre	O
300	CM	85	CM	85 LEVEL CM	3404,7010 litre	50,000 %	3404,7011 litre	O
300	CM	85	CM	84 LEVEL CM	3353,7022 litre	49,251 %	3455,6999 litre	O
300	CM	85	CM	83 LEVEL CM	3302,7105 litre	48,502 %	3506,6916 litre	O
300	CM	85	CM	82 LEVEL CM	3251,7328 litre	47,754 %	3557,6693 litre	O
300	CM	85	CM	81 LEVEL CM	3200,7764 litre	47,005 %	3608,6257 litre	O
300	CM	85	CM	80 LEVEL CM	3149,8482 litre	46,257 %	3659,5539 litre	O
300	CM	85	CM	79 LEVEL CM	3098,9553 litre	45,510 %	3710,4468 litre	O
300	CM	85	CM	78 LEVEL CM	3048,1050 litre	44,763 %	3761,2971 litre	O
300	CM	85	CM	77 LEVEL CM	2997,3042 litre	44,017 %	3812,0979 litre	O
300	CM	85	CM	76 LEVEL CM	2946,5601 litre	43,272 %	3862,8420 litre	O
300	CM	85	CM	75 LEVEL CM	2895,8800 litre	42,528 %	3913,5221 litre	O
300	CM	85	CM	74 LEVEL CM	2845,2709 litre	41,784 %	3964,1312 litre	O
300	CM	85	CM	73 LEVEL CM	2794,7401 litre	41,042 %	4014,6620 litre	O
300	CM	85	CM	72 LEVEL CM	2744,2949 litre	40,302 %	4065,1072 litre	O
300	CM	85	CM	71 LEVEL CM	2693,9425 litre	39,562 %	4115,4596 litre	O
300	CM	85	CM	70 LEVEL CM	2643,6904 litre	38,824 %	4165,7117 litre	O
300	CM	85	CM	69 LEVEL CM	2593,5458 litre	38,088 %	4215,8563 litre	O
300	CM	85	CM	68 LEVEL CM	2543,5162 litre	37,353 %	4265,8859 litre	O
300	CM	85	CM	67 LEVEL CM	2493,6091 litre	36,620 %	4315,7930 litre	O
300	CM	85	CM	66 LEVEL CM	2443,8320 litre	35,889 %	4365,5701 litre	O

300	CM	85	CM	65 LEVEL CM	2394,1926 litre	35,160 %	4415,2095 litre	O
300	CM	85	CM	64 LEVEL CM	2344,6983 litre	34,433 %	4464,7038 litre	O
300	CM	85	CM	63 LEVEL CM	2295,3571 litre	33,709 %	4514,0450 litre	O
300	CM	85	CM	62 LEVEL CM	2246,1766 litre	32,986 %	4563,2255 litre	O
300	CM	85	CM	61 LEVEL CM	2197,1648 litre	32,267 %	4612,2373 litre	O
300	CM	85	CM	60 LEVEL CM	2148,3296 litre	31,549 %	4661,0725 litre	O
300	CM	85	CM	59 LEVEL CM	2099,6791 litre	30,835 %	4709,7230 litre	O
300	CM	85	CM	58 LEVEL CM	2051,2213 litre	30,123 %	4758,1808 litre	O
300	CM	85	CM	57 LEVEL CM	2002,9645 litre	29,415 %	4806,4376 litre	O
300	CM	85	CM	56 LEVEL CM	1954,9171 litre	28,709 %	4854,4850 litre	O
300	CM	85	CM	55 LEVEL CM	1907,0874 litre	28,007 %	4902,3147 litre	O
300	CM	85	CM	54 LEVEL CM	1859,4841 litre	27,308 %	4949,9180 litre	O
300	CM	85	CM	53 LEVEL CM	1812,1158 litre	26,612 %	4997,2863 litre	O
300	CM	85	CM	52 LEVEL CM	1764,9913 litre	25,920 %	5044,4108 litre	O
300	CM	85	CM	51 LEVEL CM	1718,1196 litre	25,232 %	5091,2825 litre	O
300	CM	85	CM	50 LEVEL CM	1671,5098 litre	24,547 %	5137,8923 litre	O
300	CM	85	CM	49 LEVEL CM	1625,1712 litre	23,867 %	5184,2309 litre	O
300	CM	85	CM	48 LEVEL CM	1579,1130 litre	23,190 %	5230,2891 litre	O
300	CM	85	CM	47 LEVEL CM	1533,3450 litre	22,518 %	5276,0571 litre	O
300	CM	85	CM	46 LEVEL CM	1487,8768 litre	21,850 %	5321,5253 litre	O
300	CM	85	CM	45 LEVEL CM	1442,7185 litre	21,187 %	5366,6836 litre	O
300	CM	85	CM	44 LEVEL CM	1397,8803 litre	20,529 %	5411,5218 litre	O
300	CM	85	CM	43 LEVEL CM	1353,3724 litre	19,875 %	5456,0297 litre	O
300	CM	85	CM	42 LEVEL CM	1309,2055 litre	19,226 %	5500,1966 litre	O
300	CM	85	CM	41 LEVEL CM	1265,3906 litre	18,583 %	5544,0115 litre	O
300	CM	85	CM	40 LEVEL CM	1221,9387 litre	17,945 %	5587,4634 litre	O
300	CM	85	CM	39 LEVEL CM	1178,8612 litre	17,312 %	5630,5409 litre	O
300	CM	85	CM	38 LEVEL CM	1136,1699 litre	16,685 %	5673,2322 litre	O
300	CM	85	CM	37 LEVEL CM	1093,8768 litre	16,064 %	5715,5253 litre	O
300	CM	85	CM	36 LEVEL CM	1051,9943 litre	15,449 %	5757,4078 litre	O
300	CM	85	CM	35 LEVEL CM	1010,5351 litre	14,840 %	5798,8670 litre	O
300	CM	85	CM	34 LEVEL CM	969,5124 litre	14,238 %	5839,8897 litre	O
300	CM	85	CM	33 LEVEL CM	928,9397 litre	13,642 %	5880,4624 litre	O
300	CM	85	CM	32 LEVEL CM	888,8311 litre	13,053 %	5920,5710 litre	O
300	CM	85	CM	31 LEVEL CM	849,2010 litre	12,471 %	5960,2011 litre	O
300	CM	85	CM	30 LEVEL CM	810,0646 litre	11,896 %	5999,3375 litre	O
300	CM	85	CM	29 LEVEL CM	771,4375 litre	11,329 %	6037,9646 litre	O
300	CM	85	CM	28 LEVEL CM	733,3358 litre	10,769 %	6076,0663 litre	O
300	CM	85	CM	27 LEVEL CM	695,7766 litre	10,218 %	6113,6255 litre	O
300	CM	85	CM	26 LEVEL CM	658,7775 litre	9,675 %	6150,6246 litre	O
300	CM	85	CM	25 LEVEL CM	622,3570 litre	9,140 %	6187,0451 litre	O
300	CM	85	CM	24 LEVEL CM	586,5345 litre	8,614 %	6222,8676 litre	O
300	CM	85	CM	23 LEVEL CM	551,3305 litre	8,097 %	6258,0716 litre	O
300	CM	85	CM	22 LEVEL CM	516,7663 litre	7,589 %	6292,6358 litre	O
300	CM	85	CM	21 LEVEL CM	482,8646 litre	7,091 %	6326,5375 litre	O
300	CM	85	CM	20 LEVEL CM	449,6496 litre	6,603 %	6359,7525 litre	O
300	CM	85	CM	19 LEVEL CM	417,1467 litre	6,126 %	6392,2554 litre	O
300	CM	85	CM	18 LEVEL CM	385,3833 litre	5,660 %	6424,0188 litre	O
300	CM	85	CM	17 LEVEL CM	354,3887 litre	5,204 %	6455,0134 litre	O
300	CM	85	CM	16 LEVEL CM	324,1942 litre	4,761 %	6485,2079 litre	O
300	CM	85	CM	15 LEVEL CM	294,8340 litre	4,330 %	6514,5681 litre	O
300	CM	85	CM	14 LEVEL CM	266,3452 litre	3,911 %	6543,0569 litre	O
300	CM	85	CM	13 LEVEL CM	238,7683 litre	3,506 %	6570,6338 litre	O

300	CM	85	CM	12 LEVEL CM	212,1480 litre	3,116 %	6597,2541 litre	O
300	CM	85	CM	11 LEVEL CM	186,5341 litre	2,739 %	6622,8680 litre	O
300	CM	85	CM	10 LEVEL CM	161,9825 litre	2,379 %	6647,4196 litre	O
300	CM	85	CM	9 LEVEL CM	138,5567 litre	2,035 %	6670,8454 litre	O
300	CM	85	CM	8 LEVEL CM	116,3299 litre	1,708 %	6693,0722 litre	O
300	CM	85	CM	7 LEVEL CM	95,3878 litre	1,401 %	6714,0143 litre	O
300	CM	85	CM	6 LEVEL CM	75,8331 litre	1,114 %	6733,5690 litre	O
300	CM	85	CM	5 LEVEL CM	57,7923 litre	0,849 %	6751,6098 litre	O
300	CM	85	CM	4 LEVEL CM	41,4271 litre	0,608 %	6767,9750 litre	O
300	CM	85	CM	3 LEVEL CM	26,9559 litre	0,396 %	6782,4462 litre	O
300	CM	85	CM	2 LEVEL CM	14,6991 litre	0,216 %	6794,7030 litre	O
300	CM	85	CM	1 LEVEL CM	5,2061 litre	0,076 %	6804,1960 litre	O
300	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	6809,4021 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	80	CM 160 LEVEL CM	6031,8579 litre	100,000 %	0,0000 litre	O
300	CM	80	CM 159 LEVEL CM	6026,8077 litre	99,916 %	5,0502 litre	O
300	CM	80	CM 158 LEVEL CM	6017,6008 litre	99,764 %	14,2571 litre	O
300	CM	80	CM 157 LEVEL CM	6005,7156 litre	99,567 %	26,1423 litre	O
300	CM	80	CM 156 LEVEL CM	5991,6857 litre	99,334 %	40,1722 litre	O
300	CM	80	CM 155 LEVEL CM	5975,8227 litre	99,071 %	56,0352 litre	O
300	CM	80	CM 154 LEVEL CM	5958,3389 litre	98,781 %	73,5190 litre	O
300	CM	80	CM 153 LEVEL CM	5939,3916 litre	98,467 %	92,4663 litre	O
300	CM	80	CM 152 LEVEL CM	5919,1042 litre	98,131 %	112,7537 litre	O
300	CM	80	CM 151 LEVEL CM	5897,5765 litre	97,774 %	134,2814 litre	O
300	CM	80	CM 150 LEVEL CM	5874,8922 litre	97,398 %	156,9657 litre	O
300	CM	80	CM 149 LEVEL CM	5851,1227 litre	97,004 %	180,7352 litre	O
300	CM	80	CM 148 LEVEL CM	5826,3301 litre	96,593 %	205,5278 litre	O
300	CM	80	CM 147 LEVEL CM	5800,5687 litre	96,166 %	231,2892 litre	O
300	CM	80	CM 146 LEVEL CM	5773,8874 litre	95,723 %	257,9705 litre	O
300	CM	80	CM 145 LEVEL CM	5746,3299 litre	95,266 %	285,5280 litre	O
300	CM	80	CM 144 LEVEL CM	5717,9358 litre	94,796 %	313,9221 litre	O
300	CM	80	CM 143 LEVEL CM	5688,7414 litre	94,312 %	343,1165 litre	O
300	CM	80	CM 142 LEVEL CM	5658,7802 litre	93,815 %	373,0777 litre	O
300	CM	80	CM 141 LEVEL CM	5628,0831 litre	93,306 %	403,7748 litre	O
300	CM	80	CM 140 LEVEL CM	5596,6786 litre	92,785 %	435,1793 litre	O
300	CM	80	CM 139 LEVEL CM	5564,5937 litre	92,253 %	467,2642 litre	O
300	CM	80	CM 138 LEVEL CM	5531,8534 litre	91,711 %	500,0045 litre	O
300	CM	80	CM 137 LEVEL CM	5498,4814 litre	91,157 %	533,3765 litre	O
300	CM	80	CM 136 LEVEL CM	5464,5001 litre	90,594 %	567,3578 litre	O
300	CM	80	CM 135 LEVEL CM	5429,9306 litre	90,021 %	601,9273 litre	O
300	CM	80	CM 134 LEVEL CM	5394,7930 litre	89,438 %	637,0649 litre	O
300	CM	80	CM 133 LEVEL CM	5359,1063 litre	88,847 %	672,7516 litre	O
300	CM	80	CM 132 LEVEL CM	5322,8890 litre	88,246 %	708,9689 litre	O
300	CM	80	CM 131 LEVEL CM	5286,1583 litre	87,637 %	745,6996 litre	O
300	CM	80	CM 130 LEVEL CM	5248,9312 litre	87,020 %	782,9267 litre	O
300	CM	80	CM 129 LEVEL CM	5211,2236 litre	86,395 %	820,6343 litre	O
300	CM	80	CM 128 LEVEL CM	5173,0511 litre	85,762 %	858,8068 litre	O
300	CM	80	CM 127 LEVEL CM	5134,4285 litre	85,122 %	897,4294 litre	O
300	CM	80	CM 126 LEVEL CM	5095,3703 litre	84,474 %	936,4876 litre	O
300	CM	80	CM 125 LEVEL CM	5055,8903 litre	83,820 %	975,9676 litre	O
300	CM	80	CM 124 LEVEL CM	5016,0022 litre	83,158 %	1015,8557 litre	O
300	CM	80	CM 123 LEVEL CM	4975,7188 litre	82,491 %	1056,1391 litre	O
300	CM	80	CM 122 LEVEL CM	4935,0530 litre	81,816 %	1096,8049 litre	O
300	CM	80	CM 121 LEVEL CM	4894,0171 litre	81,136 %	1137,8408 litre	O
300	CM	80	CM 120 LEVEL CM	4852,6230 litre	80,450 %	1179,2349 litre	O
300	CM	80	CM 119 LEVEL CM	4810,8825 litre	79,758 %	1220,9754 litre	O
300	CM	80	CM 118 LEVEL CM	4768,8069 litre	79,060 %	1263,0510 litre	O
300	CM	80	CM 117 LEVEL CM	4726,4075 litre	78,357 %	1305,4504 litre	O
300	CM	80	CM 116 LEVEL CM	4683,6951 litre	77,649 %	1348,1628 litre	O
300	CM	80	CM 115 LEVEL CM	4640,6803 litre	76,936 %	1391,1776 litre	O
300	CM	80	CM 114 LEVEL CM	4597,3735 litre	76,218 %	1434,4844 litre	O
300	CM	80	CM 113 LEVEL CM	4553,7851 litre	75,496 %	1478,0728 litre	O
300	CM	80	CM 112 LEVEL CM	4509,9249 litre	74,768 %	1521,9330 litre	O
300	CM	80	CM 111 LEVEL CM	4465,8029 litre	74,037 %	1566,0550 litre	O
300	CM	80	CM 110 LEVEL CM	4421,4286 litre	73,301 %	1610,4293 litre	O
300	CM	80	CM 109 LEVEL CM	4376,8116 litre	72,562 %	1655,0463 litre	O

300	CM	80	CM	108 LEVEL CM	4331,9613 litre	71,818 %	1699,8966 litre	O
300	CM	80	CM	107 LEVEL CM	4286,8867 litre	71,071 %	1744,9712 litre	O
300	CM	80	CM	106 LEVEL CM	4241,5970 litre	70,320 %	1790,2609 litre	O
300	CM	80	CM	105 LEVEL CM	4196,1011 litre	69,566 %	1835,7568 litre	O
300	CM	80	CM	104 LEVEL CM	4150,4078 litre	68,808 %	1881,4501 litre	O
300	CM	80	CM	103 LEVEL CM	4104,5258 litre	68,047 %	1927,3321 litre	O
300	CM	80	CM	102 LEVEL CM	4058,4637 litre	67,284 %	1973,3942 litre	O
300	CM	80	CM	101 LEVEL CM	4012,2300 litre	66,517 %	2019,6279 litre	O
300	CM	80	CM	100 LEVEL CM	3965,8330 litre	65,748 %	2066,0249 litre	O
300	CM	80	CM	99 LEVEL CM	3919,2812 litre	64,976 %	2112,5767 litre	O
300	CM	80	CM	98 LEVEL CM	3872,5826 litre	64,202 %	2159,2753 litre	O
300	CM	80	CM	97 LEVEL CM	3825,7454 litre	63,426 %	2206,1125 litre	O
300	CM	80	CM	96 LEVEL CM	3778,7778 litre	62,647 %	2253,0801 litre	O
300	CM	80	CM	95 LEVEL CM	3731,6877 litre	61,866 %	2300,1702 litre	O
300	CM	80	CM	94 LEVEL CM	3684,4830 litre	61,084 %	2347,3749 litre	O
300	CM	80	CM	93 LEVEL CM	3637,1717 litre	60,299 %	2394,6862 litre	O
300	CM	80	CM	92 LEVEL CM	3589,7616 litre	59,513 %	2442,0963 litre	O
300	CM	80	CM	91 LEVEL CM	3542,2604 litre	58,726 %	2489,5975 litre	O
300	CM	80	CM	90 LEVEL CM	3494,6760 litre	57,937 %	2537,1819 litre	O
300	CM	80	CM	89 LEVEL CM	3447,0160 litre	57,147 %	2584,8419 litre	O
300	CM	80	CM	88 LEVEL CM	3399,2880 litre	56,356 %	2632,5699 litre	O
300	CM	80	CM	87 LEVEL CM	3351,4997 litre	55,563 %	2680,3582 litre	O
300	CM	80	CM	86 LEVEL CM	3303,6587 litre	54,770 %	2728,1992 litre	O
300	CM	80	CM	85 LEVEL CM	3255,7726 litre	53,976 %	2776,0853 litre	O
300	CM	80	CM	84 LEVEL CM	3207,8489 litre	53,182 %	2824,0090 litre	O
300	CM	80	CM	83 LEVEL CM	3159,8952 litre	52,387 %	2871,9627 litre	O
300	CM	80	CM	82 LEVEL CM	3111,9189 litre	51,591 %	2919,9390 litre	O
300	CM	80	CM	81 LEVEL CM	3063,9277 litre	50,796 %	2967,9302 litre	O
300	CM	80	CM	80 LEVEL CM	3015,9289 litre	50,000 %	3015,9290 litre	O
300	CM	80	CM	79 LEVEL CM	2967,9302 litre	49,204 %	3063,9277 litre	O
300	CM	80	CM	78 LEVEL CM	2919,9389 litre	48,409 %	3111,9190 litre	O
300	CM	80	CM	77 LEVEL CM	2871,9627 litre	47,613 %	3159,8952 litre	O
300	CM	80	CM	76 LEVEL CM	2824,0090 litre	46,818 %	3207,8489 litre	O
300	CM	80	CM	75 LEVEL CM	2776,0853 litre	46,024 %	3255,7726 litre	O
300	CM	80	CM	74 LEVEL CM	2728,1992 litre	45,230 %	3303,6587 litre	O
300	CM	80	CM	73 LEVEL CM	2680,3582 litre	44,437 %	3351,4997 litre	O
300	CM	80	CM	72 LEVEL CM	2632,5699 litre	43,644 %	3399,2880 litre	O
300	CM	80	CM	71 LEVEL CM	2584,8419 litre	42,853 %	3447,0160 litre	O
300	CM	80	CM	70 LEVEL CM	2537,1819 litre	42,063 %	3494,6760 litre	O
300	CM	80	CM	69 LEVEL CM	2489,5974 litre	41,274 %	3542,2605 litre	O
300	CM	80	CM	68 LEVEL CM	2442,0963 litre	40,487 %	3589,7616 litre	O
300	CM	80	CM	67 LEVEL CM	2394,6862 litre	39,701 %	3637,1717 litre	O
300	CM	80	CM	66 LEVEL CM	2347,3749 litre	38,916 %	3684,4830 litre	O
300	CM	80	CM	65 LEVEL CM	2300,1702 litre	38,134 %	3731,6877 litre	O
300	CM	80	CM	64 LEVEL CM	2253,0801 litre	37,353 %	3778,7778 litre	O
300	CM	80	CM	63 LEVEL CM	2206,1125 litre	36,574 %	3825,7454 litre	O
300	CM	80	CM	62 LEVEL CM	2159,2753 litre	35,798 %	3872,5826 litre	O
300	CM	80	CM	61 LEVEL CM	2112,5767 litre	35,024 %	3919,2812 litre	O
300	CM	80	CM	60 LEVEL CM	2066,0249 litre	34,252 %	3965,8330 litre	O
300	CM	80	CM	59 LEVEL CM	2019,6279 litre	33,483 %	4012,2300 litre	O
300	CM	80	CM	58 LEVEL CM	1973,3942 litre	32,716 %	4058,4637 litre	O
300	CM	80	CM	57 LEVEL CM	1927,3321 litre	31,953 %	4104,5258 litre	O
300	CM	80	CM	56 LEVEL CM	1881,4501 litre	31,192 %	4150,4078 litre	O

300	CM	80	CM	55 LEVEL CM	1835,7568 litre	30,434 %	4196,1011 litre	O
300	CM	80	CM	54 LEVEL CM	1790,2609 litre	29,680 %	4241,5970 litre	O
300	CM	80	CM	53 LEVEL CM	1744,9712 litre	28,929 %	4286,8867 litre	O
300	CM	80	CM	52 LEVEL CM	1699,8966 litre	28,182 %	4331,9613 litre	O
300	CM	80	CM	51 LEVEL CM	1655,0463 litre	27,438 %	4376,8116 litre	O
300	CM	80	CM	50 LEVEL CM	1610,4293 litre	26,699 %	4421,4286 litre	O
300	CM	80	CM	49 LEVEL CM	1566,0550 litre	25,963 %	4465,8029 litre	O
300	CM	80	CM	48 LEVEL CM	1521,9330 litre	25,232 %	4509,9249 litre	O
300	CM	80	CM	47 LEVEL CM	1478,0728 litre	24,504 %	4553,7851 litre	O
300	CM	80	CM	46 LEVEL CM	1434,4844 litre	23,782 %	4597,3735 litre	O
300	CM	80	CM	45 LEVEL CM	1391,1776 litre	23,064 %	4640,6803 litre	O
300	CM	80	CM	44 LEVEL CM	1348,1628 litre	22,351 %	4683,6951 litre	O
300	CM	80	CM	43 LEVEL CM	1305,4504 litre	21,643 %	4726,4075 litre	O
300	CM	80	CM	42 LEVEL CM	1263,0510 litre	20,940 %	4768,8069 litre	O
300	CM	80	CM	41 LEVEL CM	1220,9754 litre	20,242 %	4810,8825 litre	O
300	CM	80	CM	40 LEVEL CM	1179,2349 litre	19,550 %	4852,6230 litre	O
300	CM	80	CM	39 LEVEL CM	1137,8408 litre	18,864 %	4894,0171 litre	O
300	CM	80	CM	38 LEVEL CM	1096,8049 litre	18,184 %	4935,0530 litre	O
300	CM	80	CM	37 LEVEL CM	1056,1391 litre	17,509 %	4975,7188 litre	O
300	CM	80	CM	36 LEVEL CM	1015,8557 litre	16,842 %	5016,0022 litre	O
300	CM	80	CM	35 LEVEL CM	975,9676 litre	16,180 %	5055,8903 litre	O
300	CM	80	CM	34 LEVEL CM	936,4876 litre	15,526 %	5095,3703 litre	O
300	CM	80	CM	33 LEVEL CM	897,4294 litre	14,878 %	5134,4285 litre	O
300	CM	80	CM	32 LEVEL CM	858,8068 litre	14,238 %	5173,0511 litre	O
300	CM	80	CM	31 LEVEL CM	820,6343 litre	13,605 %	5211,2236 litre	O
300	CM	80	CM	30 LEVEL CM	782,9267 litre	12,980 %	5248,9312 litre	O
300	CM	80	CM	29 LEVEL CM	745,6996 litre	12,363 %	5286,1583 litre	O
300	CM	80	CM	28 LEVEL CM	708,9689 litre	11,754 %	5322,8890 litre	O
300	CM	80	CM	27 LEVEL CM	672,7516 litre	11,153 %	5359,1063 litre	O
300	CM	80	CM	26 LEVEL CM	637,0649 litre	10,562 %	5394,7930 litre	O
300	CM	80	CM	25 LEVEL CM	601,9273 litre	9,979 %	5429,9306 litre	O
300	CM	80	CM	24 LEVEL CM	567,3578 litre	9,406 %	5464,5001 litre	O
300	CM	80	CM	23 LEVEL CM	533,3765 litre	8,843 %	5498,4814 litre	O
300	CM	80	CM	22 LEVEL CM	500,0045 litre	8,289 %	5531,8534 litre	O
300	CM	80	CM	21 LEVEL CM	467,2642 litre	7,747 %	5564,5937 litre	O
300	CM	80	CM	20 LEVEL CM	435,1793 litre	7,215 %	5596,6786 litre	O
300	CM	80	CM	19 LEVEL CM	403,7748 litre	6,694 %	5628,0831 litre	O
300	CM	80	CM	18 LEVEL CM	373,0777 litre	6,185 %	5658,7802 litre	O
300	CM	80	CM	17 LEVEL CM	343,1165 litre	5,688 %	5688,7414 litre	O
300	CM	80	CM	16 LEVEL CM	313,9221 litre	5,204 %	5717,9358 litre	O
300	CM	80	CM	15 LEVEL CM	285,5280 litre	4,734 %	5746,3299 litre	O
300	CM	80	CM	14 LEVEL CM	257,9705 litre	4,277 %	5773,8874 litre	O
300	CM	80	CM	13 LEVEL CM	231,2892 litre	3,834 %	5800,5687 litre	O
300	CM	80	CM	12 LEVEL CM	205,5278 litre	3,407 %	5826,3301 litre	O
300	CM	80	CM	11 LEVEL CM	180,7351 litre	2,996 %	5851,1228 litre	O
300	CM	80	CM	10 LEVEL CM	156,9657 litre	2,602 %	5874,8922 litre	O
300	CM	80	CM	9 LEVEL CM	134,2814 litre	2,226 %	5897,5765 litre	O
300	CM	80	CM	8 LEVEL CM	112,7537 litre	1,869 %	5919,1042 litre	O
300	CM	80	CM	7 LEVEL CM	92,4663 litre	1,533 %	5939,3916 litre	O
300	CM	80	CM	6 LEVEL CM	73,5190 litre	1,219 %	5958,3389 litre	O
300	CM	80	CM	5 LEVEL CM	56,0352 litre	0,929 %	5975,8227 litre	O
300	CM	80	CM	4 LEVEL CM	40,1722 litre	0,666 %	5991,6857 litre	O
300	CM	80	CM	3 LEVEL CM	26,1423 litre	0,433 %	6005,7156 litre	O

300_80

-2461-

300	CM 80	CM	2 LEVEL CM	14,2570 litre	0,236 %	6017,6009 litre	O
300	CM 80	CM	1 LEVEL CM	5,0501 litre	0,084 %	6026,8078 litre	O
300	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	6031,8579 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM 75	CM 150 LEVEL CM	5301,4376 litre	100,000 %	0,0000 litre	O
300	CM 75	CM 149 LEVEL CM	5296,5484 litre	99,908 %	4,8892 litre	O
300	CM 75	CM 148 LEVEL CM	5287,6368 litre	99,740 %	13,8008 litre	O
300	CM 75	CM 147 LEVEL CM	5276,1350 litre	99,523 %	25,3026 litre	O
300	CM 75	CM 146 LEVEL CM	5262,5608 litre	99,267 %	38,8768 litre	O
300	CM 75	CM 145 LEVEL CM	5247,2164 litre	98,977 %	54,2212 litre	O
300	CM 75	CM 144 LEVEL CM	5230,3079 litre	98,658 %	71,1297 litre	O
300	CM 75	CM 143 LEVEL CM	5211,9882 litre	98,313 %	89,4494 litre	O
300	CM 75	CM 142 LEVEL CM	5192,3772 litre	97,943 %	109,0604 litre	O
300	CM 75	CM 141 LEVEL CM	5171,5722 litre	97,550 %	129,8654 litre	O
300	CM 75	CM 140 LEVEL CM	5149,6545 litre	97,137 %	151,7831 litre	O
300	CM 75	CM 139 LEVEL CM	5126,6938 litre	96,704 %	174,7438 litre	O
300	CM 75	CM 138 LEVEL CM	5102,7505 litre	96,252 %	198,6871 litre	O
300	CM 75	CM 137 LEVEL CM	5077,8777 litre	95,783 %	223,5599 litre	O
300	CM 75	CM 136 LEVEL CM	5052,1232 litre	95,297 %	249,3144 litre	O
300	CM 75	CM 135 LEVEL CM	5025,5295 litre	94,796 %	275,9081 litre	O
300	CM 75	CM 134 LEVEL CM	4998,1355 litre	94,279 %	303,3021 litre	O
300	CM 75	CM 133 LEVEL CM	4969,9768 litre	93,748 %	331,4608 litre	O
300	CM 75	CM 132 LEVEL CM	4941,0860 litre	93,203 %	360,3516 litre	O
300	CM 75	CM 131 LEVEL CM	4911,4934 litre	92,645 %	389,9442 litre	O
300	CM 75	CM 130 LEVEL CM	4881,2272 litre	92,074 %	420,2104 litre	O
300	CM 75	CM 129 LEVEL CM	4850,3137 litre	91,491 %	451,1239 litre	O
300	CM 75	CM 128 LEVEL CM	4818,7775 litre	90,896 %	482,6601 litre	O
300	CM 75	CM 127 LEVEL CM	4786,6420 litre	90,290 %	514,7956 litre	O
300	CM 75	CM 126 LEVEL CM	4753,9291 litre	89,672 %	547,5085 litre	O
300	CM 75	CM 125 LEVEL CM	4720,6597 litre	89,045 %	580,7779 litre	O
300	CM 75	CM 124 LEVEL CM	4686,8535 litre	88,407 %	614,5841 litre	O
300	CM 75	CM 123 LEVEL CM	4652,5295 litre	87,760 %	648,9081 litre	O
300	CM 75	CM 122 LEVEL CM	4617,7057 litre	87,103 %	683,7319 litre	O
300	CM 75	CM 121 LEVEL CM	4582,3993 litre	86,437 %	719,0383 litre	O
300	CM 75	CM 120 LEVEL CM	4546,6269 litre	85,762 %	754,8107 litre	O
300	CM 75	CM 119 LEVEL CM	4510,4045 litre	85,079 %	791,0331 litre	O
300	CM 75	CM 118 LEVEL CM	4473,7474 litre	84,387 %	827,6902 litre	O
300	CM 75	CM 117 LEVEL CM	4436,6704 litre	83,688 %	864,7672 litre	O
300	CM 75	CM 116 LEVEL CM	4399,1877 litre	82,981 %	902,2499 litre	O
300	CM 75	CM 115 LEVEL CM	4361,3134 litre	82,267 %	940,1242 litre	O
300	CM 75	CM 114 LEVEL CM	4323,0607 litre	81,545 %	978,3769 litre	O
300	CM 75	CM 113 LEVEL CM	4284,4427 litre	80,817 %	1016,9949 litre	O
300	CM 75	CM 112 LEVEL CM	4245,4721 litre	80,082 %	1055,9655 litre	O
300	CM 75	CM 111 LEVEL CM	4206,1611 litre	79,340 %	1095,2765 litre	O
300	CM 75	CM 110 LEVEL CM	4166,5218 litre	78,592 %	1134,9158 litre	O
300	CM 75	CM 109 LEVEL CM	4126,5660 litre	77,839 %	1174,8716 litre	O
300	CM 75	CM 108 LEVEL CM	4086,3049 litre	77,079 %	1215,1327 litre	O
300	CM 75	CM 107 LEVEL CM	4045,7498 litre	76,314 %	1255,6878 litre	O
300	CM 75	CM 106 LEVEL CM	4004,9117 litre	75,544 %	1296,5259 litre	O
300	CM 75	CM 105 LEVEL CM	3963,8012 litre	74,768 %	1337,6364 litre	O
300	CM 75	CM 104 LEVEL CM	3922,4288 litre	73,988 %	1379,0088 litre	O
300	CM 75	CM 103 LEVEL CM	3880,8048 litre	73,203 %	1420,6328 litre	O
300	CM 75	CM 102 LEVEL CM	3838,9394 litre	72,413 %	1462,4982 litre	O
300	CM 75	CM 101 LEVEL CM	3796,8424 litre	71,619 %	1504,5952 litre	O
300	CM 75	CM 100 LEVEL CM	3754,5237 litre	70,821 %	1546,9139 litre	O
300	CM 75	CM 99 LEVEL CM	3711,9928 litre	70,019 %	1589,4448 litre	O

300	CM	75	CM	98 LEVEL CM	3669,2592 litre	69,213 %	1632,1784 litre	O
300	CM	75	CM	97 LEVEL CM	3626,3323 litre	68,403 %	1675,1053 litre	O
300	CM	75	CM	96 LEVEL CM	3583,2214 litre	67,590 %	1718,2162 litre	O
300	CM	75	CM	95 LEVEL CM	3539,9354 litre	66,773 %	1761,5022 litre	O
300	CM	75	CM	94 LEVEL CM	3496,4833 litre	65,953 %	1804,9543 litre	O
300	CM	75	CM	93 LEVEL CM	3452,8742 litre	65,131 %	1848,5634 litre	O
300	CM	75	CM	92 LEVEL CM	3409,1167 litre	64,306 %	1892,3209 litre	O
300	CM	75	CM	91 LEVEL CM	3365,2196 litre	63,477 %	1936,2180 litre	O
300	CM	75	CM	90 LEVEL CM	3321,1914 litre	62,647 %	1980,2462 litre	O
300	CM	75	CM	89 LEVEL CM	3277,0408 litre	61,814 %	2024,3968 litre	O
300	CM	75	CM	88 LEVEL CM	3232,7761 litre	60,979 %	2068,6615 litre	O
300	CM	75	CM	87 LEVEL CM	3188,4059 litre	60,142 %	2113,0317 litre	O
300	CM	75	CM	86 LEVEL CM	3143,9384 litre	59,304 %	2157,4992 litre	O
300	CM	75	CM	85 LEVEL CM	3099,3819 litre	58,463 %	2202,0557 litre	O
300	CM	75	CM	84 LEVEL CM	3054,7447 litre	57,621 %	2246,6929 litre	O
300	CM	75	CM	83 LEVEL CM	3010,0350 litre	56,778 %	2291,4026 litre	O
300	CM	75	CM	82 LEVEL CM	2965,2609 litre	55,933 %	2336,1767 litre	O
300	CM	75	CM	81 LEVEL CM	2920,4305 litre	55,088 %	2381,0071 litre	O
300	CM	75	CM	80 LEVEL CM	2875,5520 litre	54,241 %	2425,8856 litre	O
300	CM	75	CM	79 LEVEL CM	2830,6334 litre	53,394 %	2470,8042 litre	O
300	CM	75	CM	78 LEVEL CM	2785,6828 litre	52,546 %	2515,7548 litre	O
300	CM	75	CM	77 LEVEL CM	2740,7081 litre	51,697 %	2560,7295 litre	O
300	CM	75	CM	76 LEVEL CM	2695,7175 litre	50,849 %	2605,7201 litre	O
300	CM	75	CM	75 LEVEL CM	2650,7188 litre	50,000 %	2650,7188 litre	O
300	CM	75	CM	74 LEVEL CM	2605,7201 litre	49,151 %	2695,7175 litre	O
300	CM	75	CM	73 LEVEL CM	2560,7295 litre	48,303 %	2740,7081 litre	O
300	CM	75	CM	72 LEVEL CM	2515,7548 litre	47,454 %	2785,6828 litre	O
300	CM	75	CM	71 LEVEL CM	2470,8042 litre	46,606 %	2830,6334 litre	O
300	CM	75	CM	70 LEVEL CM	2425,8856 litre	45,759 %	2875,5520 litre	O
300	CM	75	CM	69 LEVEL CM	2381,0071 litre	44,912 %	2920,4305 litre	O
300	CM	75	CM	68 LEVEL CM	2336,1767 litre	44,067 %	2965,2609 litre	O
300	CM	75	CM	67 LEVEL CM	2291,4026 litre	43,222 %	3010,0350 litre	O
300	CM	75	CM	66 LEVEL CM	2246,6929 litre	42,379 %	3054,7447 litre	O
300	CM	75	CM	65 LEVEL CM	2202,0557 litre	41,537 %	3099,3819 litre	O
300	CM	75	CM	64 LEVEL CM	2157,4992 litre	40,696 %	3143,9384 litre	O
300	CM	75	CM	63 LEVEL CM	2113,0317 litre	39,858 %	3188,4059 litre	O
300	CM	75	CM	62 LEVEL CM	2068,6615 litre	39,021 %	3232,7761 litre	O
300	CM	75	CM	61 LEVEL CM	2024,3968 litre	38,186 %	3277,0408 litre	O
300	CM	75	CM	60 LEVEL CM	1980,2462 litre	37,353 %	3321,1914 litre	O
300	CM	75	CM	59 LEVEL CM	1936,2180 litre	36,523 %	3365,2196 litre	O
300	CM	75	CM	58 LEVEL CM	1892,3209 litre	35,694 %	3409,1167 litre	O
300	CM	75	CM	57 LEVEL CM	1848,5634 litre	34,869 %	3452,8742 litre	O
300	CM	75	CM	56 LEVEL CM	1804,9543 litre	34,047 %	3496,4833 litre	O
300	CM	75	CM	55 LEVEL CM	1761,5022 litre	33,227 %	3539,9354 litre	O
300	CM	75	CM	54 LEVEL CM	1718,2162 litre	32,410 %	3583,2214 litre	O
300	CM	75	CM	53 LEVEL CM	1675,1053 litre	31,597 %	3626,3323 litre	O
300	CM	75	CM	52 LEVEL CM	1632,1784 litre	30,787 %	3669,2592 litre	O
300	CM	75	CM	51 LEVEL CM	1589,4448 litre	29,981 %	3711,9928 litre	O
300	CM	75	CM	50 LEVEL CM	1546,9139 litre	29,179 %	3754,5237 litre	O
300	CM	75	CM	49 LEVEL CM	1504,5952 litre	28,381 %	3796,8424 litre	O
300	CM	75	CM	48 LEVEL CM	1462,4982 litre	27,587 %	3838,9394 litre	O
300	CM	75	CM	47 LEVEL CM	1420,6328 litre	26,797 %	3880,8048 litre	O
300	CM	75	CM	46 LEVEL CM	1379,0088 litre	26,012 %	3922,4288 litre	O

300	CM	75	CM	45 LEVEL CM	1337,6364 litre	25,232 %	3963,8012 litre	O
300	CM	75	CM	44 LEVEL CM	1296,5259 litre	24,456 %	4004,9117 litre	O
300	CM	75	CM	43 LEVEL CM	1255,6878 litre	23,686 %	4045,7498 litre	O
300	CM	75	CM	42 LEVEL CM	1215,1327 litre	22,921 %	4086,3049 litre	O
300	CM	75	CM	41 LEVEL CM	1174,8716 litre	22,161 %	4126,5660 litre	O
300	CM	75	CM	40 LEVEL CM	1134,9158 litre	21,408 %	4166,5218 litre	O
300	CM	75	CM	39 LEVEL CM	1095,2765 litre	20,660 %	4206,1611 litre	O
300	CM	75	CM	38 LEVEL CM	1055,9656 litre	19,918 %	4245,4720 litre	O
300	CM	75	CM	37 LEVEL CM	1016,9949 litre	19,183 %	4284,4427 litre	O
300	CM	75	CM	36 LEVEL CM	978,3769 litre	18,455 %	4323,0607 litre	O
300	CM	75	CM	35 LEVEL CM	940,1242 litre	17,733 %	4361,3134 litre	O
300	CM	75	CM	34 LEVEL CM	902,2499 litre	17,019 %	4399,1877 litre	O
300	CM	75	CM	33 LEVEL CM	864,7673 litre	16,312 %	4436,6703 litre	O
300	CM	75	CM	32 LEVEL CM	827,6902 litre	15,613 %	4473,7474 litre	O
300	CM	75	CM	31 LEVEL CM	791,0331 litre	14,921 %	4510,4045 litre	O
300	CM	75	CM	30 LEVEL CM	754,8107 litre	14,238 %	4546,6269 litre	O
300	CM	75	CM	29 LEVEL CM	719,0383 litre	13,563 %	4582,3993 litre	O
300	CM	75	CM	28 LEVEL CM	683,7319 litre	12,897 %	4617,7057 litre	O
300	CM	75	CM	27 LEVEL CM	648,9081 litre	12,240 %	4652,5295 litre	O
300	CM	75	CM	26 LEVEL CM	614,5841 litre	11,593 %	4686,8535 litre	O
300	CM	75	CM	25 LEVEL CM	580,7779 litre	10,955 %	4720,6597 litre	O
300	CM	75	CM	24 LEVEL CM	547,5085 litre	10,328 %	4753,9291 litre	O
300	CM	75	CM	23 LEVEL CM	514,7956 litre	9,710 %	4786,6420 litre	O
300	CM	75	CM	22 LEVEL CM	482,6601 litre	9,104 %	4818,7775 litre	O
300	CM	75	CM	21 LEVEL CM	451,1239 litre	8,509 %	4850,3137 litre	O
300	CM	75	CM	20 LEVEL CM	420,2104 litre	7,926 %	4881,2272 litre	O
300	CM	75	CM	19 LEVEL CM	389,9442 litre	7,355 %	4911,4934 litre	O
300	CM	75	CM	18 LEVEL CM	360,3516 litre	6,797 %	4941,0860 litre	O
300	CM	75	CM	17 LEVEL CM	331,4608 litre	6,252 %	4969,9768 litre	O
300	CM	75	CM	16 LEVEL CM	303,3021 litre	5,721 %	4998,1355 litre	O
300	CM	75	CM	15 LEVEL CM	275,9081 litre	5,204 %	5025,5295 litre	O
300	CM	75	CM	14 LEVEL CM	249,3144 litre	4,703 %	5052,1232 litre	O
300	CM	75	CM	13 LEVEL CM	223,5599 litre	4,217 %	5077,8777 litre	O
300	CM	75	CM	12 LEVEL CM	198,6871 litre	3,748 %	5102,7505 litre	O
300	CM	75	CM	11 LEVEL CM	174,7438 litre	3,296 %	5126,6938 litre	O
300	CM	75	CM	10 LEVEL CM	151,7831 litre	2,863 %	5149,6545 litre	O
300	CM	75	CM	9 LEVEL CM	129,8654 litre	2,450 %	5171,5722 litre	O
300	CM	75	CM	8 LEVEL CM	109,0604 litre	2,057 %	5192,3772 litre	O
300	CM	75	CM	7 LEVEL CM	89,4494 litre	1,687 %	5211,9882 litre	O
300	CM	75	CM	6 LEVEL CM	71,1297 litre	1,342 %	5230,3079 litre	O
300	CM	75	CM	5 LEVEL CM	54,2212 litre	1,023 %	5247,2164 litre	O
300	CM	75	CM	4 LEVEL CM	38,8768 litre	0,733 %	5262,5608 litre	O
300	CM	75	CM	3 LEVEL CM	25,3026 litre	0,477 %	5276,1350 litre	O
300	CM	75	CM	2 LEVEL CM	13,8008 litre	0,260 %	5287,6368 litre	O
300	CM	75	CM	1 LEVEL CM	4,8892 litre	0,092 %	5296,5484 litre	O
300	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	5301,4376 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM 70	CM 140 LEVEL CM	4618,1412 litre	100,000 %	0,0000 litre	O
300	CM 70	CM 139 LEVEL CM	4613,4185 litre	99,898 %	4,7227 litre	O
300	CM 70	CM 138 LEVEL CM	4604,8122 litre	99,711 %	13,3290 litre	O
300	CM 70	CM 137 LEVEL CM	4593,7072 litre	99,471 %	24,4340 litre	O
300	CM 70	CM 136 LEVEL CM	4580,6045 litre	99,187 %	37,5367 litre	O
300	CM 70	CM 135 LEVEL CM	4565,7968 litre	98,867 %	52,3444 litre	O
300	CM 70	CM 134 LEVEL CM	4549,4839 litre	98,513 %	68,6573 litre	O
300	CM 70	CM 133 LEVEL CM	4531,8141 litre	98,131 %	86,3271 litre	O
300	CM 70	CM 132 LEVEL CM	4512,9038 litre	97,721 %	105,2374 litre	O
300	CM 70	CM 131 LEVEL CM	4492,8474 litre	97,287 %	125,2938 litre	O
300	CM 70	CM 130 LEVEL CM	4471,7241 litre	96,830 %	146,4171 litre	O
300	CM 70	CM 129 LEVEL CM	4449,6017 litre	96,350 %	168,5395 litre	O
300	CM 70	CM 128 LEVEL CM	4426,5389 litre	95,851 %	191,6023 litre	O
300	CM 70	CM 127 LEVEL CM	4402,5878 litre	95,332 %	215,5534 litre	O
300	CM 70	CM 126 LEVEL CM	4377,7946 litre	94,796 %	240,3466 litre	O
300	CM 70	CM 125 LEVEL CM	4352,2010 litre	94,241 %	265,9402 litre	O
300	CM 70	CM 124 LEVEL CM	4325,8451 litre	93,671 %	292,2961 litre	O
300	CM 70	CM 123 LEVEL CM	4298,7616 litre	93,084 %	319,3796 litre	O
300	CM 70	CM 122 LEVEL CM	4270,9824 litre	92,483 %	347,1588 litre	O
300	CM 70	CM 121 LEVEL CM	4242,5373 litre	91,867 %	375,6039 litre	O
300	CM 70	CM 120 LEVEL CM	4213,4539 litre	91,237 %	404,6873 litre	O
300	CM 70	CM 119 LEVEL CM	4183,7579 litre	90,594 %	434,3833 litre	O
300	CM 70	CM 118 LEVEL CM	4153,4737 litre	89,938 %	464,6675 litre	O
300	CM 70	CM 117 LEVEL CM	4122,6242 litre	89,270 %	495,5170 litre	O
300	CM 70	CM 116 LEVEL CM	4091,2309 litre	88,590 %	526,9103 litre	O
300	CM 70	CM 115 LEVEL CM	4059,3145 litre	87,899 %	558,8267 litre	O
300	CM 70	CM 114 LEVEL CM	4026,8944 litre	87,197 %	591,2468 litre	O
300	CM 70	CM 113 LEVEL CM	3993,9894 litre	86,485 %	624,1518 litre	O
300	CM 70	CM 112 LEVEL CM	3960,6172 litre	85,762 %	657,5240 litre	O
300	CM 70	CM 111 LEVEL CM	3926,7950 litre	85,030 %	691,3462 litre	O
300	CM 70	CM 110 LEVEL CM	3892,5391 litre	84,288 %	725,6021 litre	O
300	CM 70	CM 109 LEVEL CM	3857,8654 litre	83,537 %	760,2758 litre	O
300	CM 70	CM 108 LEVEL CM	3822,7891 litre	82,778 %	795,3521 litre	O
300	CM 70	CM 107 LEVEL CM	3787,3249 litre	82,010 %	830,8163 litre	O
300	CM 70	CM 106 LEVEL CM	3751,4871 litre	81,234 %	866,6541 litre	O
300	CM 70	CM 105 LEVEL CM	3715,2895 litre	80,450 %	902,8517 litre	O
300	CM 70	CM 104 LEVEL CM	3678,7454 litre	79,659 %	939,3958 litre	O
300	CM 70	CM 103 LEVEL CM	3641,8679 litre	78,860 %	976,2733 litre	O
300	CM 70	CM 102 LEVEL CM	3604,6696 litre	78,055 %	1013,4716 litre	O
300	CM 70	CM 101 LEVEL CM	3567,1629 litre	77,242 %	1050,9783 litre	O
300	CM 70	CM 100 LEVEL CM	3529,3598 litre	76,424 %	1088,7814 litre	O
300	CM 70	CM 99 LEVEL CM	3491,2721 litre	75,599 %	1126,8691 litre	O
300	CM 70	CM 98 LEVEL CM	3452,9113 litre	74,768 %	1165,2299 litre	O
300	CM 70	CM 97 LEVEL CM	3414,2885 litre	73,932 %	1203,8527 litre	O
300	CM 70	CM 96 LEVEL CM	3375,4150 litre	73,090 %	1242,7262 litre	O
300	CM 70	CM 95 LEVEL CM	3336,3013 litre	72,243 %	1281,8399 litre	O
300	CM 70	CM 94 LEVEL CM	3296,9583 litre	71,391 %	1321,1829 litre	O
300	CM 70	CM 93 LEVEL CM	3257,3962 litre	70,535 %	1360,7450 litre	O
300	CM 70	CM 92 LEVEL CM	3217,6254 litre	69,674 %	1400,5158 litre	O
300	CM 70	CM 91 LEVEL CM	3177,6560 litre	68,808 %	1440,4852 litre	O
300	CM 70	CM 90 LEVEL CM	3137,4978 litre	67,939 %	1480,6434 litre	O
300	CM 70	CM 89 LEVEL CM	3097,1608 litre	67,065 %	1520,9804 litre	O

300	CM	70	CM	88 LEVEL CM	3056,6545 litre	66,188 %	1561,4867 litre	O
300	CM	70	CM	87 LEVEL CM	3015,9886 litre	65,307 %	1602,1526 litre	O
300	CM	70	CM	86 LEVEL CM	2975,1724 litre	64,424 %	1642,9688 litre	O
300	CM	70	CM	85 LEVEL CM	2934,2154 litre	63,537 %	1683,9258 litre	O
300	CM	70	CM	84 LEVEL CM	2893,1267 litre	62,647 %	1725,0145 litre	O
300	CM	70	CM	83 LEVEL CM	2851,9156 litre	61,755 %	1766,2256 litre	O
300	CM	70	CM	82 LEVEL CM	2810,5910 litre	60,860 %	1807,5502 litre	O
300	CM	70	CM	81 LEVEL CM	2769,1621 litre	59,963 %	1848,9791 litre	O
300	CM	70	CM	80 LEVEL CM	2727,6376 litre	59,064 %	1890,5036 litre	O
300	CM	70	CM	79 LEVEL CM	2686,0266 litre	58,163 %	1932,1146 litre	O
300	CM	70	CM	78 LEVEL CM	2644,3377 litre	57,260 %	1973,8035 litre	O
300	CM	70	CM	77 LEVEL CM	2602,5799 litre	56,356 %	2015,5613 litre	O
300	CM	70	CM	76 LEVEL CM	2560,7617 litre	55,450 %	2057,3795 litre	O
300	CM	70	CM	75 LEVEL CM	2518,8919 litre	54,543 %	2099,2493 litre	O
300	CM	70	CM	74 LEVEL CM	2476,9791 litre	53,636 %	2141,1621 litre	O
300	CM	70	CM	73 LEVEL CM	2435,0320 litre	52,728 %	2183,1092 litre	O
300	CM	70	CM	72 LEVEL CM	2393,0592 litre	51,819 %	2225,0820 litre	O
300	CM	70	CM	71 LEVEL CM	2351,0692 litre	50,909 %	2267,0720 litre	O
300	CM	70	CM	70 LEVEL CM	2309,0706 litre	50,000 %	2309,0706 litre	O
300	CM	70	CM	69 LEVEL CM	2267,0720 litre	49,091 %	2351,0692 litre	O
300	CM	70	CM	68 LEVEL CM	2225,0820 litre	48,181 %	2393,0592 litre	O
300	CM	70	CM	67 LEVEL CM	2183,1092 litre	47,272 %	2435,0320 litre	O
300	CM	70	CM	66 LEVEL CM	2141,1621 litre	46,364 %	2476,9791 litre	O
300	CM	70	CM	65 LEVEL CM	2099,2493 litre	45,457 %	2518,8919 litre	O
300	CM	70	CM	64 LEVEL CM	2057,3795 litre	44,550 %	2560,7617 litre	O
300	CM	70	CM	63 LEVEL CM	2015,5613 litre	43,644 %	2602,5799 litre	O
300	CM	70	CM	62 LEVEL CM	1973,8035 litre	42,740 %	2644,3377 litre	O
300	CM	70	CM	61 LEVEL CM	1932,1146 litre	41,837 %	2686,0266 litre	O
300	CM	70	CM	60 LEVEL CM	1890,5036 litre	40,936 %	2727,6376 litre	O
300	CM	70	CM	59 LEVEL CM	1848,9791 litre	40,037 %	2769,1621 litre	O
300	CM	70	CM	58 LEVEL CM	1807,5502 litre	39,140 %	2810,5910 litre	O
300	CM	70	CM	57 LEVEL CM	1766,2256 litre	38,245 %	2851,9156 litre	O
300	CM	70	CM	56 LEVEL CM	1725,0145 litre	37,353 %	2893,1267 litre	O
300	CM	70	CM	55 LEVEL CM	1683,9258 litre	36,463 %	2934,2154 litre	O
300	CM	70	CM	54 LEVEL CM	1642,9688 litre	35,576 %	2975,1724 litre	O
300	CM	70	CM	53 LEVEL CM	1602,1526 litre	34,693 %	3015,9886 litre	O
300	CM	70	CM	52 LEVEL CM	1561,4867 litre	33,812 %	3056,6545 litre	O
300	CM	70	CM	51 LEVEL CM	1520,9804 litre	32,935 %	3097,1608 litre	O
300	CM	70	CM	50 LEVEL CM	1480,6434 litre	32,061 %	3137,4978 litre	O
300	CM	70	CM	49 LEVEL CM	1440,4852 litre	31,192 %	3177,6560 litre	O
300	CM	70	CM	48 LEVEL CM	1400,5158 litre	30,326 %	3217,6254 litre	O
300	CM	70	CM	47 LEVEL CM	1360,7450 litre	29,465 %	3257,3962 litre	O
300	CM	70	CM	46 LEVEL CM	1321,1829 litre	28,609 %	3296,9583 litre	O
300	CM	70	CM	45 LEVEL CM	1281,8399 litre	27,757 %	3336,3013 litre	O
300	CM	70	CM	44 LEVEL CM	1242,7262 litre	26,910 %	3375,4150 litre	O
300	CM	70	CM	43 LEVEL CM	1203,8527 litre	26,068 %	3414,2885 litre	O
300	CM	70	CM	42 LEVEL CM	1165,2299 litre	25,232 %	3452,9113 litre	O
300	CM	70	CM	41 LEVEL CM	1126,8691 litre	24,401 %	3491,2721 litre	O
300	CM	70	CM	40 LEVEL CM	1088,7814 litre	23,576 %	3529,3598 litre	O
300	CM	70	CM	39 LEVEL CM	1050,9783 litre	22,758 %	3567,1629 litre	O
300	CM	70	CM	38 LEVEL CM	1013,4716 litre	21,945 %	3604,6696 litre	O
300	CM	70	CM	37 LEVEL CM	976,2733 litre	21,140 %	3641,8679 litre	O
300	CM	70	CM	36 LEVEL CM	939,3958 litre	20,341 %	3678,7454 litre	O

300	CM	70	CM	35 LEVEL CM	902,8517 litre	19,550 %	3715,2895 litre	O
300	CM	70	CM	34 LEVEL CM	866,6541 litre	18,766 %	3751,4871 litre	O
300	CM	70	CM	33 LEVEL CM	830,8163 litre	17,990 %	3787,3249 litre	O
300	CM	70	CM	32 LEVEL CM	795,3521 litre	17,222 %	3822,7891 litre	O
300	CM	70	CM	31 LEVEL CM	760,2758 litre	16,463 %	3857,8654 litre	O
300	CM	70	CM	30 LEVEL CM	725,6021 litre	15,712 %	3892,5391 litre	O
300	CM	70	CM	29 LEVEL CM	691,3462 litre	14,970 %	3926,7950 litre	O
300	CM	70	CM	28 LEVEL CM	657,5240 litre	14,238 %	3960,6172 litre	O
300	CM	70	CM	27 LEVEL CM	624,1518 litre	13,515 %	3993,9894 litre	O
300	CM	70	CM	26 LEVEL CM	591,2468 litre	12,803 %	4026,8944 litre	O
300	CM	70	CM	25 LEVEL CM	558,8267 litre	12,101 %	4059,3145 litre	O
300	CM	70	CM	24 LEVEL CM	526,9103 litre	11,410 %	4091,2309 litre	O
300	CM	70	CM	23 LEVEL CM	495,5170 litre	10,730 %	4122,6242 litre	O
300	CM	70	CM	22 LEVEL CM	464,6675 litre	10,062 %	4153,4737 litre	O
300	CM	70	CM	21 LEVEL CM	434,3833 litre	9,406 %	4183,7579 litre	O
300	CM	70	CM	20 LEVEL CM	404,6873 litre	8,763 %	4213,4539 litre	O
300	CM	70	CM	19 LEVEL CM	375,6039 litre	8,133 %	4242,5373 litre	O
300	CM	70	CM	18 LEVEL CM	347,1588 litre	7,517 %	4270,9824 litre	O
300	CM	70	CM	17 LEVEL CM	319,3796 litre	6,916 %	4298,7616 litre	O
300	CM	70	CM	16 LEVEL CM	292,2961 litre	6,329 %	4325,8451 litre	O
300	CM	70	CM	15 LEVEL CM	265,9402 litre	5,759 %	4352,2010 litre	O
300	CM	70	CM	14 LEVEL CM	240,3466 litre	5,204 %	4377,7946 litre	O
300	CM	70	CM	13 LEVEL CM	215,5534 litre	4,668 %	4402,5878 litre	O
300	CM	70	CM	12 LEVEL CM	191,6023 litre	4,149 %	4426,5389 litre	O
300	CM	70	CM	11 LEVEL CM	168,5395 litre	3,650 %	4449,6017 litre	O
300	CM	70	CM	10 LEVEL CM	146,4171 litre	3,170 %	4471,7241 litre	O
300	CM	70	CM	9 LEVEL CM	125,2938 litre	2,713 %	4492,8474 litre	O
300	CM	70	CM	8 LEVEL CM	105,2374 litre	2,279 %	4512,9038 litre	O
300	CM	70	CM	7 LEVEL CM	86,3271 litre	1,869 %	4531,8141 litre	O
300	CM	70	CM	6 LEVEL CM	68,6573 litre	1,487 %	4549,4839 litre	O
300	CM	70	CM	5 LEVEL CM	52,3444 litre	1,133 %	4565,7968 litre	O
300	CM	70	CM	4 LEVEL CM	37,5367 litre	0,813 %	4580,6045 litre	O
300	CM	70	CM	3 LEVEL CM	24,4340 litre	0,529 %	4593,7072 litre	O
300	CM	70	CM	2 LEVEL CM	13,3290 litre	0,289 %	4604,8122 litre	O
300	CM	70	CM	1 LEVEL CM	4,7227 litre	0,102 %	4613,4185 litre	O
300	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	4618,1412 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	65	CM 130 LEVEL CM	3981,9687 litre	100,000 %	0,0000 litre	O
300	CM	65	CM 129 LEVEL CM	3977,4185 litre	99,886 %	4,5502 litre	O
300	CM	65	CM 128 LEVEL CM	3969,1288 litre	99,678 %	12,8399 litre	O
300	CM	65	CM 127 LEVEL CM	3958,4353 litre	99,409 %	23,5334 litre	O
300	CM	65	CM 126 LEVEL CM	3945,8217 litre	99,092 %	36,1470 litre	O
300	CM	65	CM 125 LEVEL CM	3931,5709 litre	98,734 %	50,3978 litre	O
300	CM	65	CM 124 LEVEL CM	3915,8762 litre	98,340 %	66,0925 litre	O
300	CM	65	CM 123 LEVEL CM	3898,8812 litre	97,913 %	83,0875 litre	O
300	CM	65	CM 122 LEVEL CM	3880,6984 litre	97,457 %	101,2703 litre	O
300	CM	65	CM 121 LEVEL CM	3861,4197 litre	96,973 %	120,5490 litre	O
300	CM	65	CM 120 LEVEL CM	3841,1220 litre	96,463 %	140,8467 litre	O
300	CM	65	CM 119 LEVEL CM	3819,8709 litre	95,929 %	162,0978 litre	O
300	CM	65	CM 118 LEVEL CM	3797,7237 litre	95,373 %	184,2450 litre	O
300	CM	65	CM 117 LEVEL CM	3774,7310 litre	94,796 %	207,2377 litre	O
300	CM	65	CM 116 LEVEL CM	3750,9380 litre	94,198 %	231,0307 litre	O
300	CM	65	CM 115 LEVEL CM	3726,3853 litre	93,581 %	255,5834 litre	O
300	CM	65	CM 114 LEVEL CM	3701,1100 litre	92,947 %	280,8587 litre	O
300	CM	65	CM 113 LEVEL CM	3675,1462 litre	92,295 %	306,8225 litre	O
300	CM	65	CM 112 LEVEL CM	3648,5250 litre	91,626 %	333,4437 litre	O
300	CM	65	CM 111 LEVEL CM	3621,2756 litre	90,942 %	360,6931 litre	O
300	CM	65	CM 110 LEVEL CM	3593,4251 litre	90,242 %	388,5436 litre	O
300	CM	65	CM 109 LEVEL CM	3564,9988 litre	89,529 %	416,9699 litre	O
300	CM	65	CM 108 LEVEL CM	3536,0207 litre	88,801 %	445,9480 litre	O
300	CM	65	CM 107 LEVEL CM	3506,5131 litre	88,060 %	475,4556 litre	O
300	CM	65	CM 106 LEVEL CM	3476,4974 litre	87,306 %	505,4713 litre	O
300	CM	65	CM 105 LEVEL CM	3445,9940 litre	86,540 %	535,9747 litre	O
300	CM	65	CM 104 LEVEL CM	3415,0220 litre	85,762 %	566,9467 litre	O
300	CM	65	CM 103 LEVEL CM	3383,6000 litre	84,973 %	598,3687 litre	O
300	CM	65	CM 102 LEVEL CM	3351,7455 litre	84,173 %	630,2232 litre	O
300	CM	65	CM 101 LEVEL CM	3319,4756 litre	83,363 %	662,4931 litre	O
300	CM	65	CM 100 LEVEL CM	3286,8066 litre	82,542 %	695,1621 litre	O
300	CM	65	CM 99 LEVEL CM	3253,7541 litre	81,712 %	728,2146 litre	O
300	CM	65	CM 98 LEVEL CM	3220,3333 litre	80,873 %	761,6354 litre	O
300	CM	65	CM 97 LEVEL CM	3186,5589 litre	80,025 %	795,4098 litre	O
300	CM	65	CM 96 LEVEL CM	3152,4451 litre	79,168 %	829,5236 litre	O
300	CM	65	CM 95 LEVEL CM	3118,0057 litre	78,303 %	863,9630 litre	O
300	CM	65	CM 94 LEVEL CM	3083,2541 litre	77,430 %	898,7146 litre	O
300	CM	65	CM 93 LEVEL CM	3048,2034 litre	76,550 %	933,7653 litre	O
300	CM	65	CM 92 LEVEL CM	3012,8663 litre	75,663 %	969,1024 litre	O
300	CM	65	CM 91 LEVEL CM	2977,2551 litre	74,768 %	1004,7136 litre	O
300	CM	65	CM 90 LEVEL CM	2941,3821 litre	73,868 %	1040,5866 litre	O
300	CM	65	CM 89 LEVEL CM	2905,2590 litre	72,960 %	1076,7097 litre	O
300	CM	65	CM 88 LEVEL CM	2868,8976 litre	72,047 %	1113,0711 litre	O
300	CM	65	CM 87 LEVEL CM	2832,3091 litre	71,128 %	1149,6596 litre	O
300	CM	65	CM 86 LEVEL CM	2795,5048 litre	70,204 %	1186,4639 litre	O
300	CM	65	CM 85 LEVEL CM	2758,4957 litre	69,275 %	1223,4730 litre	O
300	CM	65	CM 84 LEVEL CM	2721,2925 litre	68,340 %	1260,6762 litre	O
300	CM	65	CM 83 LEVEL CM	2683,9059 litre	67,401 %	1298,0628 litre	O
300	CM	65	CM 82 LEVEL CM	2646,3464 litre	66,458 %	1335,6223 litre	O
300	CM	65	CM 81 LEVEL CM	2608,6243 litre	65,511 %	1373,3444 litre	O
300	CM	65	CM 80 LEVEL CM	2570,7497 litre	64,560 %	1411,2190 litre	O
300	CM	65	CM 79 LEVEL CM	2532,7329 litre	63,605 %	1449,2358 litre	O

300	CM	65	CM	78 LEVEL CM	2494,5838 litre	62,647 %	1487,3849 litre	O
300	CM	65	CM	77 LEVEL CM	2456,3121 litre	61,686 %	1525,6566 litre	O
300	CM	65	CM	76 LEVEL CM	2417,9278 litre	60,722 %	1564,0409 litre	O
300	CM	65	CM	75 LEVEL CM	2379,4404 litre	59,755 %	1602,5283 litre	O
300	CM	65	CM	74 LEVEL CM	2340,8596 litre	58,786 %	1641,1091 litre	O
300	CM	65	CM	73 LEVEL CM	2302,1949 litre	57,815 %	1679,7738 litre	O
300	CM	65	CM	72 LEVEL CM	2263,4557 litre	56,843 %	1718,5130 litre	O
300	CM	65	CM	71 LEVEL CM	2224,6516 litre	55,868 %	1757,3171 litre	O
300	CM	65	CM	70 LEVEL CM	2185,7919 litre	54,892 %	1796,1768 litre	O
300	CM	65	CM	69 LEVEL CM	2146,8858 litre	53,915 %	1835,0829 litre	O
300	CM	65	CM	68 LEVEL CM	2107,9428 litre	52,937 %	1874,0259 litre	O
300	CM	65	CM	67 LEVEL CM	2068,9720 litre	51,959 %	1912,9967 litre	O
300	CM	65	CM	66 LEVEL CM	2029,9828 litre	50,979 %	1951,9859 litre	O
300	CM	65	CM	65 LEVEL CM	1990,9843 litre	50,000 %	1990,9844 litre	O
300	CM	65	CM	64 LEVEL CM	1951,9859 litre	49,021 %	2029,9828 litre	O
300	CM	65	CM	63 LEVEL CM	1912,9967 litre	48,041 %	2068,9720 litre	O
300	CM	65	CM	62 LEVEL CM	1874,0259 litre	47,063 %	2107,9428 litre	O
300	CM	65	CM	61 LEVEL CM	1835,0829 litre	46,085 %	2146,8858 litre	O
300	CM	65	CM	60 LEVEL CM	1796,1768 litre	45,108 %	2185,7919 litre	O
300	CM	65	CM	59 LEVEL CM	1757,3171 litre	44,132 %	2224,6516 litre	O
300	CM	65	CM	58 LEVEL CM	1718,5130 litre	43,157 %	2263,4557 litre	O
300	CM	65	CM	57 LEVEL CM	1679,7738 litre	42,185 %	2302,1949 litre	O
300	CM	65	CM	56 LEVEL CM	1641,1091 litre	41,214 %	2340,8596 litre	O
300	CM	65	CM	55 LEVEL CM	1602,5283 litre	40,245 %	2379,4404 litre	O
300	CM	65	CM	54 LEVEL CM	1564,0409 litre	39,278 %	2417,9278 litre	O
300	CM	65	CM	53 LEVEL CM	1525,6566 litre	38,314 %	2456,3121 litre	O
300	CM	65	CM	52 LEVEL CM	1487,3849 litre	37,353 %	2494,5838 litre	O
300	CM	65	CM	51 LEVEL CM	1449,2358 litre	36,395 %	2532,7329 litre	O
300	CM	65	CM	50 LEVEL CM	1411,2189 litre	35,440 %	2570,7498 litre	O
300	CM	65	CM	49 LEVEL CM	1373,3444 litre	34,489 %	2608,6243 litre	O
300	CM	65	CM	48 LEVEL CM	1335,6223 litre	33,542 %	2646,3464 litre	O
300	CM	65	CM	47 LEVEL CM	1298,0628 litre	32,599 %	2683,9059 litre	O
300	CM	65	CM	46 LEVEL CM	1260,6762 litre	31,660 %	2721,2925 litre	O
300	CM	65	CM	45 LEVEL CM	1223,4730 litre	30,725 %	2758,4957 litre	O
300	CM	65	CM	44 LEVEL CM	1186,4639 litre	29,796 %	2795,5048 litre	O
300	CM	65	CM	43 LEVEL CM	1149,6596 litre	28,872 %	2832,3091 litre	O
300	CM	65	CM	42 LEVEL CM	1113,0711 litre	27,953 %	2868,8976 litre	O
300	CM	65	CM	41 LEVEL CM	1076,7097 litre	27,040 %	2905,2590 litre	O
300	CM	65	CM	40 LEVEL CM	1040,5866 litre	26,132 %	2941,3821 litre	O
300	CM	65	CM	39 LEVEL CM	1004,7136 litre	25,232 %	2977,2551 litre	O
300	CM	65	CM	38 LEVEL CM	969,1024 litre	24,337 %	3012,8663 litre	O
300	CM	65	CM	37 LEVEL CM	933,7653 litre	23,450 %	3048,2034 litre	O
300	CM	65	CM	36 LEVEL CM	898,7146 litre	22,570 %	3083,2541 litre	O
300	CM	65	CM	35 LEVEL CM	863,9630 litre	21,697 %	3118,0057 litre	O
300	CM	65	CM	34 LEVEL CM	829,5236 litre	20,832 %	3152,4451 litre	O
300	CM	65	CM	33 LEVEL CM	795,4098 litre	19,975 %	3186,5589 litre	O
300	CM	65	CM	32 LEVEL CM	761,6354 litre	19,127 %	3220,3333 litre	O
300	CM	65	CM	31 LEVEL CM	728,2146 litre	18,288 %	3253,7541 litre	O
300	CM	65	CM	30 LEVEL CM	695,1621 litre	17,458 %	3286,8066 litre	O
300	CM	65	CM	29 LEVEL CM	662,4930 litre	16,637 %	3319,4757 litre	O
300	CM	65	CM	28 LEVEL CM	630,2232 litre	15,827 %	3351,7455 litre	O
300	CM	65	CM	27 LEVEL CM	598,3687 litre	15,027 %	3383,6000 litre	O
300	CM	65	CM	26 LEVEL CM	566,9467 litre	14,238 %	3415,0220 litre	O

300	CM	65	CM	25 LEVEL CM	535,9747 litre	13,460 %	3445,9940 litre	O
300	CM	65	CM	24 LEVEL CM	505,4713 litre	12,694 %	3476,4974 litre	O
300	CM	65	CM	23 LEVEL CM	475,4556 litre	11,940 %	3506,5131 litre	O
300	CM	65	CM	22 LEVEL CM	445,9480 litre	11,199 %	3536,0207 litre	O
300	CM	65	CM	21 LEVEL CM	416,9698 litre	10,471 %	3564,9989 litre	O
300	CM	65	CM	20 LEVEL CM	388,5436 litre	9,758 %	3593,4251 litre	O
300	CM	65	CM	19 LEVEL CM	360,6930 litre	9,058 %	3621,2757 litre	O
300	CM	65	CM	18 LEVEL CM	333,4437 litre	8,374 %	3648,5250 litre	O
300	CM	65	CM	17 LEVEL CM	306,8225 litre	7,705 %	3675,1462 litre	O
300	CM	65	CM	16 LEVEL CM	280,8586 litre	7,053 %	3701,1101 litre	O
300	CM	65	CM	15 LEVEL CM	255,5834 litre	6,419 %	3726,3853 litre	O
300	CM	65	CM	14 LEVEL CM	231,0307 litre	5,802 %	3750,9380 litre	O
300	CM	65	CM	13 LEVEL CM	207,2377 litre	5,204 %	3774,7310 litre	O
300	CM	65	CM	12 LEVEL CM	184,2450 litre	4,627 %	3797,7237 litre	O
300	CM	65	CM	11 LEVEL CM	162,0978 litre	4,071 %	3819,8709 litre	O
300	CM	65	CM	10 LEVEL CM	140,8467 litre	3,537 %	3841,1220 litre	O
300	CM	65	CM	9 LEVEL CM	120,5489 litre	3,027 %	3861,4198 litre	O
300	CM	65	CM	8 LEVEL CM	101,2703 litre	2,543 %	3880,6984 litre	O
300	CM	65	CM	7 LEVEL CM	83,0875 litre	2,087 %	3898,8812 litre	O
300	CM	65	CM	6 LEVEL CM	66,0925 litre	1,660 %	3915,8762 litre	O
300	CM	65	CM	5 LEVEL CM	50,3977 litre	1,266 %	3931,5710 litre	O
300	CM	65	CM	4 LEVEL CM	36,1470 litre	0,908 %	3945,8217 litre	O
300	CM	65	CM	3 LEVEL CM	23,5334 litre	0,591 %	3958,4353 litre	O
300	CM	65	CM	2 LEVEL CM	12,8399 litre	0,322 %	3969,1288 litre	O
300	CM	65	CM	1 LEVEL CM	4,5502 litre	0,114 %	3977,4185 litre	O
300	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	3981,9687 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	60	CM 120 LEVEL CM	3392,9201 litre	100,000 %	0,0000 litre	O
300	CM	60	CM 119 LEVEL CM	3388,5493 litre	99,871 %	4,3708 litre	O
300	CM	60	CM 118 LEVEL CM	3380,5887 litre	99,637 %	12,3314 litre	O
300	CM	60	CM 117 LEVEL CM	3370,3232 litre	99,334 %	22,5969 litre	O
300	CM	60	CM 116 LEVEL CM	3358,2185 litre	98,977 %	34,7016 litre	O
300	CM	60	CM 115 LEVEL CM	3344,5473 litre	98,574 %	48,3728 litre	O
300	CM	60	CM 114 LEVEL CM	3329,4961 litre	98,131 %	63,4240 litre	O
300	CM	60	CM 113 LEVEL CM	3313,2037 litre	97,651 %	79,7164 litre	O
300	CM	60	CM 112 LEVEL CM	3295,7789 litre	97,137 %	97,1412 litre	O
300	CM	60	CM 111 LEVEL CM	3277,3107 litre	96,593 %	115,6094 litre	O
300	CM	60	CM 110 LEVEL CM	3257,8734 litre	96,020 %	135,0467 litre	O
300	CM	60	CM 109 LEVEL CM	3237,5309 litre	95,420 %	155,3892 litre	O
300	CM	60	CM 108 LEVEL CM	3216,3389 litre	94,796 %	176,5812 litre	O
300	CM	60	CM 107 LEVEL CM	3194,3464 litre	94,147 %	198,5737 litre	O
300	CM	60	CM 106 LEVEL CM	3171,5974 litre	93,477 %	221,3227 litre	O
300	CM	60	CM 105 LEVEL CM	3148,1317 litre	92,785 %	244,7884 litre	O
300	CM	60	CM 104 LEVEL CM	3123,9854 litre	92,074 %	268,9347 litre	O
300	CM	60	CM 103 LEVEL CM	3099,1917 litre	91,343 %	293,7284 litre	O
300	CM	60	CM 102 LEVEL CM	3073,7813 litre	90,594 %	319,1388 litre	O
300	CM	60	CM 101 LEVEL CM	3047,7826 litre	89,828 %	345,1375 litre	O
300	CM	60	CM 100 LEVEL CM	3021,2222 litre	89,045 %	371,6979 litre	O
300	CM	60	CM 99 LEVEL CM	2994,1250 litre	88,246 %	398,7951 litre	O
300	CM	60	CM 98 LEVEL CM	2966,5146 litre	87,432 %	426,4055 litre	O
300	CM	60	CM 97 LEVEL CM	2938,4129 litre	86,604 %	454,5072 litre	O
300	CM	60	CM 96 LEVEL CM	2909,8412 litre	85,762 %	483,0789 litre	O
300	CM	60	CM 95 LEVEL CM	2880,8194 litre	84,907 %	512,1007 litre	O
300	CM	60	CM 94 LEVEL CM	2851,3667 litre	84,039 %	541,5534 litre	O
300	CM	60	CM 93 LEVEL CM	2821,5012 litre	83,158 %	571,4189 litre	O
300	CM	60	CM 92 LEVEL CM	2791,2406 litre	82,267 %	601,6795 litre	O
300	CM	60	CM 91 LEVEL CM	2760,6016 litre	81,364 %	632,3185 litre	O
300	CM	60	CM 90 LEVEL CM	2729,6004 litre	80,450 %	663,3197 litre	O
300	CM	60	CM 89 LEVEL CM	2698,2529 litre	79,526 %	694,6672 litre	O
300	CM	60	CM 88 LEVEL CM	2666,5740 litre	78,592 %	726,3461 litre	O
300	CM	60	CM 87 LEVEL CM	2634,5785 litre	77,649 %	758,3416 litre	O
300	CM	60	CM 86 LEVEL CM	2602,2806 litre	76,697 %	790,6395 litre	O
300	CM	60	CM 85 LEVEL CM	2569,6942 litre	75,737 %	823,2259 litre	O
300	CM	60	CM 84 LEVEL CM	2536,8328 litre	74,768 %	856,0873 litre	O
300	CM	60	CM 83 LEVEL CM	2503,7094 litre	73,792 %	889,2107 litre	O
300	CM	60	CM 82 LEVEL CM	2470,3371 litre	72,809 %	922,5830 litre	O
300	CM	60	CM 81 LEVEL CM	2436,7282 litre	71,818 %	956,1919 litre	O
300	CM	60	CM 80 LEVEL CM	2402,8952 litre	70,821 %	990,0249 litre	O
300	CM	60	CM 79 LEVEL CM	2368,8499 litre	69,817 %	1024,0702 litre	O
300	CM	60	CM 78 LEVEL CM	2334,6044 litre	68,808 %	1058,3157 litre	O
300	CM	60	CM 77 LEVEL CM	2300,1702 litre	67,793 %	1092,7499 litre	O
300	CM	60	CM 76 LEVEL CM	2265,5586 litre	66,773 %	1127,3615 litre	O
300	CM	60	CM 75 LEVEL CM	2230,7811 litre	65,748 %	1162,1390 litre	O
300	CM	60	CM 74 LEVEL CM	2195,8486 litre	64,719 %	1197,0715 litre	O
300	CM	60	CM 73 LEVEL CM	2160,7721 litre	63,685 %	1232,1480 litre	O
300	CM	60	CM 72 LEVEL CM	2125,5625 litre	62,647 %	1267,3576 litre	O
300	CM	60	CM 71 LEVEL CM	2090,2304 litre	61,606 %	1302,6897 litre	O
300	CM	60	CM 70 LEVEL CM	2054,7864 litre	60,561 %	1338,1337 litre	O
300	CM	60	CM 69 LEVEL CM	2019,2409 litre	59,513 %	1373,6792 litre	O

300	CM	60	CM	68 LEVEL CM	1983,6044 litre	58,463 %	1409,3157 litre	O
300	CM	60	CM	67 LEVEL CM	1947,8872 litre	57,410 %	1445,0329 litre	O
300	CM	60	CM	66 LEVEL CM	1912,0995 litre	56,356 %	1480,8206 litre	O
300	CM	60	CM	65 LEVEL CM	1876,2515 litre	55,299 %	1516,6686 litre	O
300	CM	60	CM	64 LEVEL CM	1840,3533 litre	54,241 %	1552,5668 litre	O
300	CM	60	CM	63 LEVEL CM	1804,4150 litre	53,182 %	1588,5051 litre	O
300	CM	60	CM	62 LEVEL CM	1768,4467 litre	52,122 %	1624,4734 litre	O
300	CM	60	CM	61 LEVEL CM	1732,4584 litre	51,061 %	1660,4617 litre	O
300	CM	60	CM	60 LEVEL CM	1696,4600 litre	50,000 %	1696,4601 litre	O
300	CM	60	CM	59 LEVEL CM	1660,4617 litre	48,939 %	1732,4584 litre	O
300	CM	60	CM	58 LEVEL CM	1624,4734 litre	47,878 %	1768,4467 litre	O
300	CM	60	CM	57 LEVEL CM	1588,5050 litre	46,818 %	1804,4151 litre	O
300	CM	60	CM	56 LEVEL CM	1552,5668 litre	45,759 %	1840,3533 litre	O
300	CM	60	CM	55 LEVEL CM	1516,6686 litre	44,701 %	1876,2515 litre	O
300	CM	60	CM	54 LEVEL CM	1480,8206 litre	43,644 %	1912,0995 litre	O
300	CM	60	CM	53 LEVEL CM	1445,0329 litre	42,590 %	1947,8872 litre	O
300	CM	60	CM	52 LEVEL CM	1409,3157 litre	41,537 %	1983,6044 litre	O
300	CM	60	CM	51 LEVEL CM	1373,6792 litre	40,487 %	2019,2409 litre	O
300	CM	60	CM	50 LEVEL CM	1338,1337 litre	39,439 %	2054,7864 litre	O
300	CM	60	CM	49 LEVEL CM	1302,6897 litre	38,394 %	2090,2304 litre	O
300	CM	60	CM	48 LEVEL CM	1267,3576 litre	37,353 %	2125,5625 litre	O
300	CM	60	CM	47 LEVEL CM	1232,1479 litre	36,315 %	2160,7722 litre	O
300	CM	60	CM	46 LEVEL CM	1197,0715 litre	35,281 %	2195,8486 litre	O
300	CM	60	CM	45 LEVEL CM	1162,1390 litre	34,252 %	2230,7811 litre	O
300	CM	60	CM	44 LEVEL CM	1127,3614 litre	33,227 %	2265,5587 litre	O
300	CM	60	CM	43 LEVEL CM	1092,7499 litre	32,207 %	2300,1702 litre	O
300	CM	60	CM	42 LEVEL CM	1058,3157 litre	31,192 %	2334,6044 litre	O
300	CM	60	CM	41 LEVEL CM	1024,0701 litre	30,183 %	2368,8500 litre	O
300	CM	60	CM	40 LEVEL CM	990,0249 litre	29,179 %	2402,8952 litre	O
300	CM	60	CM	39 LEVEL CM	956,1919 litre	28,182 %	2436,7282 litre	O
300	CM	60	CM	38 LEVEL CM	922,5830 litre	27,191 %	2470,3371 litre	O
300	CM	60	CM	37 LEVEL CM	889,2106 litre	26,208 %	2503,7095 litre	O
300	CM	60	CM	36 LEVEL CM	856,0873 litre	25,232 %	2536,8328 litre	O
300	CM	60	CM	35 LEVEL CM	823,2259 litre	24,263 %	2569,6942 litre	O
300	CM	60	CM	34 LEVEL CM	790,6395 litre	23,303 %	2602,2806 litre	O
300	CM	60	CM	33 LEVEL CM	758,3416 litre	22,351 %	2634,5785 litre	O
300	CM	60	CM	32 LEVEL CM	726,3461 litre	21,408 %	2666,5740 litre	O
300	CM	60	CM	31 LEVEL CM	694,6672 litre	20,474 %	2698,2529 litre	O
300	CM	60	CM	30 LEVEL CM	663,3196 litre	19,550 %	2729,6005 litre	O
300	CM	60	CM	29 LEVEL CM	632,3185 litre	18,636 %	2760,6016 litre	O
300	CM	60	CM	28 LEVEL CM	601,6795 litre	17,733 %	2791,2406 litre	O
300	CM	60	CM	27 LEVEL CM	571,4189 litre	16,842 %	2821,5012 litre	O
300	CM	60	CM	26 LEVEL CM	541,5534 litre	15,961 %	2851,3667 litre	O
300	CM	60	CM	25 LEVEL CM	512,1006 litre	15,093 %	2880,8195 litre	O
300	CM	60	CM	24 LEVEL CM	483,0788 litre	14,238 %	2909,8413 litre	O
300	CM	60	CM	23 LEVEL CM	454,5071 litre	13,396 %	2938,4130 litre	O
300	CM	60	CM	22 LEVEL CM	426,4055 litre	12,568 %	2966,5146 litre	O
300	CM	60	CM	21 LEVEL CM	398,7950 litre	11,754 %	2994,1251 litre	O
300	CM	60	CM	20 LEVEL CM	371,6978 litre	10,955 %	3021,2223 litre	O
300	CM	60	CM	19 LEVEL CM	345,1374 litre	10,172 %	3047,7827 litre	O
300	CM	60	CM	18 LEVEL CM	319,1387 litre	9,406 %	3073,7814 litre	O
300	CM	60	CM	17 LEVEL CM	293,7283 litre	8,657 %	3099,1918 litre	O
300	CM	60	CM	16 LEVEL CM	268,9346 litre	7,926 %	3123,9855 litre	O

300	CM	60	CM	15 LEVEL CM	244,7883 litre	7,215 %	3148,1318 litre	O
300	CM	60	CM	14 LEVEL CM	221,3226 litre	6,523 %	3171,5975 litre	O
300	CM	60	CM	13 LEVEL CM	198,5737 litre	5,853 %	3194,3464 litre	O
300	CM	60	CM	12 LEVEL CM	176,5812 litre	5,204 %	3216,3389 litre	O
300	CM	60	CM	11 LEVEL CM	155,3891 litre	4,580 %	3237,5310 litre	O
300	CM	60	CM	10 LEVEL CM	135,0467 litre	3,980 %	3257,8734 litre	O
300	CM	60	CM	9 LEVEL CM	115,6094 litre	3,407 %	3277,3107 litre	O
300	CM	60	CM	8 LEVEL CM	97,1412 litre	2,863 %	3295,7789 litre	O
300	CM	60	CM	7 LEVEL CM	79,7164 litre	2,349 %	3313,2037 litre	O
300	CM	60	CM	6 LEVEL CM	63,4240 litre	1,869 %	3329,4961 litre	O
300	CM	60	CM	5 LEVEL CM	48,3728 litre	1,426 %	3344,5473 litre	O
300	CM	60	CM	4 LEVEL CM	34,7016 litre	1,023 %	3358,2185 litre	O
300	CM	60	CM	3 LEVEL CM	22,5969 litre	0,666 %	3370,3232 litre	O
300	CM	60	CM	2 LEVEL CM	12,3314 litre	0,363 %	3380,5887 litre	O
300	CM	60	CM	1 LEVEL CM	4,3708 litre	0,129 %	3388,5493 litre	O
300	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3392,9201 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
300	CM	55	CM 110 LEVEL CM	2850,9953 litre	100,000 %	0,0000 litre	O
300	CM	55	CM 109 LEVEL CM	2846,8116 litre	99,853 %	4,1837 litre	O
300	CM	55	CM 108 LEVEL CM	2839,1944 litre	99,586 %	11,8009 litre	O
300	CM	55	CM 107 LEVEL CM	2829,3755 litre	99,242 %	21,6198 litre	O
300	CM	55	CM 106 LEVEL CM	2817,8020 litre	98,836 %	33,1933 litre	O
300	CM	55	CM 105 LEVEL CM	2804,7361 litre	98,377 %	46,2592 litre	O
300	CM	55	CM 104 LEVEL CM	2790,3572 litre	97,873 %	60,6381 litre	O
300	CM	55	CM 103 LEVEL CM	2774,7991 litre	97,327 %	76,1962 litre	O
300	CM	55	CM 102 LEVEL CM	2758,1668 litre	96,744 %	92,8285 litre	O
300	CM	55	CM 101 LEVEL CM	2740,5462 litre	96,126 %	110,4491 litre	O
300	CM	55	CM 100 LEVEL CM	2722,0094 litre	95,476 %	128,9859 litre	O
300	CM	55	CM 99 LEVEL CM	2702,6181 litre	94,796 %	148,3772 litre	O
300	CM	55	CM 98 LEVEL CM	2682,4263 litre	94,087 %	168,5690 litre	O
300	CM	55	CM 97 LEVEL CM	2661,4817 litre	93,353 %	189,5136 litre	O
300	CM	55	CM 96 LEVEL CM	2639,8271 litre	92,593 %	211,1682 litre	O
300	CM	55	CM 95 LEVEL CM	2617,5012 litre	91,810 %	233,4941 litre	O
300	CM	55	CM 94 LEVEL CM	2594,5393 litre	91,005 %	256,4560 litre	O
300	CM	55	CM 93 LEVEL CM	2570,9739 litre	90,178 %	280,0214 litre	O
300	CM	55	CM 92 LEVEL CM	2546,8348 litre	89,331 %	304,1605 litre	O
300	CM	55	CM 91 LEVEL CM	2522,1501 litre	88,466 %	328,8452 litre	O
300	CM	55	CM 90 LEVEL CM	2496,9458 litre	87,582 %	354,0495 litre	O
300	CM	55	CM 89 LEVEL CM	2471,2463 litre	86,680 %	379,7490 litre	O
300	CM	55	CM 88 LEVEL CM	2445,0749 litre	85,762 %	405,9204 litre	O
300	CM	55	CM 87 LEVEL CM	2418,4534 litre	84,828 %	432,5419 litre	O
300	CM	55	CM 86 LEVEL CM	2391,4026 litre	83,880 %	459,5927 litre	O
300	CM	55	CM 85 LEVEL CM	2363,9424 litre	82,916 %	487,0529 litre	O
300	CM	55	CM 84 LEVEL CM	2336,0915 litre	81,940 %	514,9038 litre	O
300	CM	55	CM 83 LEVEL CM	2307,8683 litre	80,950 %	543,1270 litre	O
300	CM	55	CM 82 LEVEL CM	2279,2902 litre	79,947 %	571,7051 litre	O
300	CM	55	CM 81 LEVEL CM	2250,3739 litre	78,933 %	600,6214 litre	O
300	CM	55	CM 80 LEVEL CM	2221,1357 litre	77,907 %	629,8596 litre	O
300	CM	55	CM 79 LEVEL CM	2191,5913 litre	76,871 %	659,4040 litre	O
300	CM	55	CM 78 LEVEL CM	2161,7559 litre	75,825 %	689,2394 litre	O
300	CM	55	CM 77 LEVEL CM	2131,6442 litre	74,768 %	719,3511 litre	O
300	CM	55	CM 76 LEVEL CM	2101,2706 litre	73,703 %	749,7247 litre	O
300	CM	55	CM 75 LEVEL CM	2070,6491 litre	72,629 %	780,3462 litre	O
300	CM	55	CM 74 LEVEL CM	2039,7934 litre	71,547 %	811,2019 litre	O
300	CM	55	CM 73 LEVEL CM	2008,7168 litre	70,457 %	842,2785 litre	O
300	CM	55	CM 72 LEVEL CM	1977,4323 litre	69,359 %	873,5630 litre	O
300	CM	55	CM 71 LEVEL CM	1945,9529 litre	68,255 %	905,0424 litre	O
300	CM	55	CM 70 LEVEL CM	1914,2910 litre	67,145 %	936,7043 litre	O
300	CM	55	CM 69 LEVEL CM	1882,4589 litre	66,028 %	968,5364 litre	O
300	CM	55	CM 68 LEVEL CM	1850,4690 litre	64,906 %	1000,5263 litre	O
300	CM	55	CM 67 LEVEL CM	1818,3330 litre	63,779 %	1032,6623 litre	O
300	CM	55	CM 66 LEVEL CM	1786,0629 litre	62,647 %	1064,9324 litre	O
300	CM	55	CM 65 LEVEL CM	1753,6704 litre	61,511 %	1097,3249 litre	O
300	CM	55	CM 64 LEVEL CM	1721,1668 litre	60,371 %	1129,8285 litre	O
300	CM	55	CM 63 LEVEL CM	1688,5638 litre	59,227 %	1162,4315 litre	O
300	CM	55	CM 62 LEVEL CM	1655,8725 litre	58,081 %	1195,1228 litre	O
300	CM	55	CM 61 LEVEL CM	1623,1042 litre	56,931 %	1227,8911 litre	O
300	CM	55	CM 60 LEVEL CM	1590,2701 litre	55,779 %	1260,7252 litre	O
300	CM	55	CM 59 LEVEL CM	1557,3812 litre	54,626 %	1293,6141 litre	O

300	CM	55	CM	58 LEVEL CM	1524,4486 litre	53,471 %	1326,5467 litre	O
300	CM	55	CM	57 LEVEL CM	1491,4831 litre	52,314 %	1359,5122 litre	O
300	CM	55	CM	56 LEVEL CM	1458,4958 litre	51,157 %	1392,4995 litre	O
300	CM	55	CM	55 LEVEL CM	1425,4977 litre	50,000 %	1425,4976 litre	O
300	CM	55	CM	54 LEVEL CM	1392,4995 litre	48,843 %	1458,4958 litre	O
300	CM	55	CM	53 LEVEL CM	1359,5122 litre	47,686 %	1491,4831 litre	O
300	CM	55	CM	52 LEVEL CM	1326,5468 litre	46,529 %	1524,4485 litre	O
300	CM	55	CM	51 LEVEL CM	1293,6141 litre	45,374 %	1557,3812 litre	O
300	CM	55	CM	50 LEVEL CM	1260,7252 litre	44,221 %	1590,2701 litre	O
300	CM	55	CM	49 LEVEL CM	1227,8911 litre	43,069 %	1623,1042 litre	O
300	CM	55	CM	48 LEVEL CM	1195,1228 litre	41,919 %	1655,8725 litre	O
300	CM	55	CM	47 LEVEL CM	1162,4316 litre	40,773 %	1688,5637 litre	O
300	CM	55	CM	46 LEVEL CM	1129,8285 litre	39,629 %	1721,1668 litre	O
300	CM	55	CM	45 LEVEL CM	1097,3250 litre	38,489 %	1753,6703 litre	O
300	CM	55	CM	44 LEVEL CM	1064,9324 litre	37,353 %	1786,0629 litre	O
300	CM	55	CM	43 LEVEL CM	1032,6623 litre	36,221 %	1818,3330 litre	O
300	CM	55	CM	42 LEVEL CM	1000,5264 litre	35,094 %	1850,4689 litre	O
300	CM	55	CM	41 LEVEL CM	968,5364 litre	33,972 %	1882,4589 litre	O
300	CM	55	CM	40 LEVEL CM	936,7044 litre	32,855 %	1914,2909 litre	O
300	CM	55	CM	39 LEVEL CM	905,0425 litre	31,745 %	1945,9528 litre	O
300	CM	55	CM	38 LEVEL CM	873,5630 litre	30,641 %	1977,4323 litre	O
300	CM	55	CM	37 LEVEL CM	842,2785 litre	29,543 %	2008,7168 litre	O
300	CM	55	CM	36 LEVEL CM	811,2019 litre	28,453 %	2039,7934 litre	O
300	CM	55	CM	35 LEVEL CM	780,3462 litre	27,371 %	2070,6491 litre	O
300	CM	55	CM	34 LEVEL CM	749,7247 litre	26,297 %	2101,2706 litre	O
300	CM	55	CM	33 LEVEL CM	719,3511 litre	25,232 %	2131,6442 litre	O
300	CM	55	CM	32 LEVEL CM	689,2394 litre	24,175 %	2161,7559 litre	O
300	CM	55	CM	31 LEVEL CM	659,4040 litre	23,129 %	2191,5913 litre	O
300	CM	55	CM	30 LEVEL CM	629,8596 litre	22,093 %	2221,1357 litre	O
300	CM	55	CM	29 LEVEL CM	600,6214 litre	21,067 %	2250,3739 litre	O
300	CM	55	CM	28 LEVEL CM	571,7051 litre	20,053 %	2279,2902 litre	O
300	CM	55	CM	27 LEVEL CM	543,1270 litre	19,050 %	2307,8683 litre	O
300	CM	55	CM	26 LEVEL CM	514,9038 litre	18,060 %	2336,0915 litre	O
300	CM	55	CM	25 LEVEL CM	487,0530 litre	17,084 %	2363,9423 litre	O
300	CM	55	CM	24 LEVEL CM	459,5927 litre	16,120 %	2391,4026 litre	O
300	CM	55	CM	23 LEVEL CM	432,5419 litre	15,172 %	2418,4534 litre	O
300	CM	55	CM	22 LEVEL CM	405,9204 litre	14,238 %	2445,0749 litre	O
300	CM	55	CM	21 LEVEL CM	379,7490 litre	13,320 %	2471,2463 litre	O
300	CM	55	CM	20 LEVEL CM	354,0496 litre	12,418 %	2496,9457 litre	O
300	CM	55	CM	19 LEVEL CM	328,8452 litre	11,534 %	2522,1501 litre	O
300	CM	55	CM	18 LEVEL CM	304,1605 litre	10,669 %	2546,8348 litre	O
300	CM	55	CM	17 LEVEL CM	280,0215 litre	9,822 %	2570,9738 litre	O
300	CM	55	CM	16 LEVEL CM	256,4560 litre	8,995 %	2594,5393 litre	O
300	CM	55	CM	15 LEVEL CM	233,4941 litre	8,190 %	2617,5012 litre	O
300	CM	55	CM	14 LEVEL CM	211,1682 litre	7,407 %	2639,8271 litre	O
300	CM	55	CM	13 LEVEL CM	189,5137 litre	6,647 %	2661,4816 litre	O
300	CM	55	CM	12 LEVEL CM	168,5691 litre	5,913 %	2682,4262 litre	O
300	CM	55	CM	11 LEVEL CM	148,3773 litre	5,204 %	2702,6180 litre	O
300	CM	55	CM	10 LEVEL CM	128,9859 litre	4,524 %	2722,0094 litre	O
300	CM	55	CM	9 LEVEL CM	110,4491 litre	3,874 %	2740,5462 litre	O
300	CM	55	CM	8 LEVEL CM	92,8285 litre	3,256 %	2758,1668 litre	O
300	CM	55	CM	7 LEVEL CM	76,1963 litre	2,673 %	2774,7990 litre	O
300	CM	55	CM	6 LEVEL CM	60,6381 litre	2,127 %	2790,3572 litre	O

300_55

-2476-

300	CM	55	CM	5 LEVEL CM	46,2593 litre	1,623 %	2804,7360 litre	O
300	CM	55	CM	4 LEVEL CM	33,1933 litre	1,164 %	2817,8020 litre	O
300	CM	55	CM	3 LEVEL CM	21,6198 litre	0,758 %	2829,3755 litre	O
300	CM	55	CM	2 LEVEL CM	11,8010 litre	0,414 %	2839,1943 litre	O
300	CM	55	CM	1 LEVEL CM	4,1838 litre	0,147 %	2846,8115 litre	O
300	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2850,9953 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
300	CM	50	CM	100 LEVEL CM	2356,1945 litre	100,000 %	0,0000 litre	O
300	CM	50	CM	99 LEVEL CM	2352,2065 litre	99,831 %	3,9880 litre	O
300	CM	50	CM	98 LEVEL CM	2344,9489 litre	99,523 %	11,2456 litre	O
300	CM	50	CM	97 LEVEL CM	2335,5980 litre	99,126 %	20,5965 litre	O
300	CM	50	CM	96 LEVEL CM	2324,5813 litre	98,658 %	31,6132 litre	O
300	CM	50	CM	95 LEVEL CM	2312,1501 litre	98,131 %	44,0444 litre	O
300	CM	50	CM	94 LEVEL CM	2298,4765 litre	97,550 %	57,7180 litre	O
300	CM	50	CM	93 LEVEL CM	2283,6892 litre	96,923 %	72,5053 litre	O
300	CM	50	CM	92 LEVEL CM	2267,8891 litre	96,252 %	88,3054 litre	O
300	CM	50	CM	91 LEVEL CM	2251,1591 litre	95,542 %	105,0354 litre	O
300	CM	50	CM	90 LEVEL CM	2233,5687 litre	94,796 %	122,6258 litre	O
300	CM	50	CM	89 LEVEL CM	2215,1776 litre	94,015 %	141,0169 litre	O
300	CM	50	CM	88 LEVEL CM	2196,0382 litre	93,203 %	160,1563 litre	O
300	CM	50	CM	87 LEVEL CM	2176,1968 litre	92,361 %	179,9977 litre	O
300	CM	50	CM	86 LEVEL CM	2155,6950 litre	91,491 %	200,4995 litre	O
300	CM	50	CM	85 LEVEL CM	2134,5704 litre	90,594 %	221,6241 litre	O
300	CM	50	CM	84 LEVEL CM	2112,8574 litre	89,672 %	243,3371 litre	O
300	CM	50	CM	83 LEVEL CM	2090,5878 litre	88,727 %	265,6067 litre	O
300	CM	50	CM	82 LEVEL CM	2067,7909 litre	87,760 %	288,4036 litre	O
300	CM	50	CM	81 LEVEL CM	2044,4941 litre	86,771 %	311,7004 litre	O
300	CM	50	CM	80 LEVEL CM	2020,7231 litre	85,762 %	335,4714 litre	O
300	CM	50	CM	79 LEVEL CM	1996,5019 litre	84,734 %	359,6926 litre	O
300	CM	50	CM	78 LEVEL CM	1971,8535 litre	83,688 %	384,3410 litre	O
300	CM	50	CM	77 LEVEL CM	1946,7994 litre	82,625 %	409,3951 litre	O
300	CM	50	CM	76 LEVEL CM	1921,3603 litre	81,545 %	434,8342 litre	O
300	CM	50	CM	75 LEVEL CM	1895,5559 litre	80,450 %	460,6386 litre	O
300	CM	50	CM	74 LEVEL CM	1869,4049 litre	79,340 %	486,7896 litre	O
300	CM	50	CM	73 LEVEL CM	1842,9257 litre	78,216 %	513,2688 litre	O
300	CM	50	CM	72 LEVEL CM	1816,1355 litre	77,079 %	540,0590 litre	O
300	CM	50	CM	71 LEVEL CM	1789,0513 litre	75,930 %	567,1432 litre	O
300	CM	50	CM	70 LEVEL CM	1761,6894 litre	74,768 %	594,5051 litre	O
300	CM	50	CM	69 LEVEL CM	1734,0656 litre	73,596 %	622,1289 litre	O
300	CM	50	CM	68 LEVEL CM	1706,1953 litre	72,413 %	649,9992 litre	O
300	CM	50	CM	67 LEVEL CM	1678,0934 litre	71,220 %	678,1011 litre	O
300	CM	50	CM	66 LEVEL CM	1649,7746 litre	70,019 %	706,4199 litre	O
300	CM	50	CM	65 LEVEL CM	1621,2531 litre	68,808 %	734,9414 litre	O
300	CM	50	CM	64 LEVEL CM	1592,5428 litre	67,590 %	763,6517 litre	O
300	CM	50	CM	63 LEVEL CM	1563,6576 litre	66,364 %	792,5369 litre	O
300	CM	50	CM	62 LEVEL CM	1534,6108 litre	65,131 %	821,5837 litre	O
300	CM	50	CM	61 LEVEL CM	1505,4156 litre	63,892 %	850,7789 litre	O
300	CM	50	CM	60 LEVEL CM	1476,0851 litre	62,647 %	880,1094 litre	O
300	CM	50	CM	59 LEVEL CM	1446,6321 litre	61,397 %	909,5624 litre	O
300	CM	50	CM	58 LEVEL CM	1417,0693 litre	60,142 %	939,1252 litre	O
300	CM	50	CM	57 LEVEL CM	1387,4092 litre	58,883 %	968,7853 litre	O
300	CM	50	CM	56 LEVEL CM	1357,6643 litre	57,621 %	998,5302 litre	O
300	CM	50	CM	55 LEVEL CM	1327,8469 litre	56,356 %	1028,3476 litre	O
300	CM	50	CM	54 LEVEL CM	1297,9691 litre	55,088 %	1058,2254 litre	O
300	CM	50	CM	53 LEVEL CM	1268,0432 litre	53,817 %	1088,1513 litre	O
300	CM	50	CM	52 LEVEL CM	1238,0812 litre	52,546 %	1118,1133 litre	O
300	CM	50	CM	51 LEVEL CM	1208,0952 litre	51,273 %	1148,0993 litre	O
300	CM	50	CM	50 LEVEL CM	1178,0972 litre	50,000 %	1178,0973 litre	O
300	CM	50	CM	49 LEVEL CM	1148,0992 litre	48,727 %	1208,0953 litre	O

300	CM	50	CM	48 LEVEL CM	1118,1132 litre	47,454 %	1238,0813 litre	O
300	CM	50	CM	47 LEVEL CM	1088,1513 litre	46,183 %	1268,0432 litre	O
300	CM	50	CM	46 LEVEL CM	1058,2254 litre	44,912 %	1297,9691 litre	O
300	CM	50	CM	45 LEVEL CM	1028,3476 litre	43,644 %	1327,8469 litre	O
300	CM	50	CM	44 LEVEL CM	998,5302 litre	42,379 %	1357,6643 litre	O
300	CM	50	CM	43 LEVEL CM	968,7853 litre	41,117 %	1387,4092 litre	O
300	CM	50	CM	42 LEVEL CM	939,1252 litre	39,858 %	1417,0693 litre	O
300	CM	50	CM	41 LEVEL CM	909,5624 litre	38,603 %	1446,6321 litre	O
300	CM	50	CM	40 LEVEL CM	880,1094 litre	37,353 %	1476,0851 litre	O
300	CM	50	CM	39 LEVEL CM	850,7789 litre	36,108 %	1505,4156 litre	O
300	CM	50	CM	38 LEVEL CM	821,5837 litre	34,869 %	1534,6108 litre	O
300	CM	50	CM	37 LEVEL CM	792,5369 litre	33,636 %	1563,6576 litre	O
300	CM	50	CM	36 LEVEL CM	763,6517 litre	32,410 %	1592,5428 litre	O
300	CM	50	CM	35 LEVEL CM	734,9414 litre	31,192 %	1621,2531 litre	O
300	CM	50	CM	34 LEVEL CM	706,4199 litre	29,981 %	1649,7746 litre	O
300	CM	50	CM	33 LEVEL CM	678,1011 litre	28,780 %	1678,0934 litre	O
300	CM	50	CM	32 LEVEL CM	649,9992 litre	27,587 %	1706,1953 litre	O
300	CM	50	CM	31 LEVEL CM	622,1289 litre	26,404 %	1734,0656 litre	O
300	CM	50	CM	30 LEVEL CM	594,5051 litre	25,232 %	1761,6894 litre	O
300	CM	50	CM	29 LEVEL CM	567,1432 litre	24,070 %	1789,0513 litre	O
300	CM	50	CM	28 LEVEL CM	540,0590 litre	22,921 %	1816,1355 litre	O
300	CM	50	CM	27 LEVEL CM	513,2688 litre	21,784 %	1842,9257 litre	O
300	CM	50	CM	26 LEVEL CM	486,7896 litre	20,660 %	1869,4049 litre	O
300	CM	50	CM	25 LEVEL CM	460,6386 litre	19,550 %	1895,5559 litre	O
300	CM	50	CM	24 LEVEL CM	434,8342 litre	18,455 %	1921,3603 litre	O
300	CM	50	CM	23 LEVEL CM	409,3951 litre	17,375 %	1946,7994 litre	O
300	CM	50	CM	22 LEVEL CM	384,3410 litre	16,312 %	1971,8535 litre	O
300	CM	50	CM	21 LEVEL CM	359,6926 litre	15,266 %	1996,5019 litre	O
300	CM	50	CM	20 LEVEL CM	335,4714 litre	14,238 %	2020,7231 litre	O
300	CM	50	CM	19 LEVEL CM	311,7004 litre	13,229 %	2044,4941 litre	O
300	CM	50	CM	18 LEVEL CM	288,4036 litre	12,240 %	2067,7909 litre	O
300	CM	50	CM	17 LEVEL CM	265,6067 litre	11,273 %	2090,5878 litre	O
300	CM	50	CM	16 LEVEL CM	243,3371 litre	10,328 %	2112,8574 litre	O
300	CM	50	CM	15 LEVEL CM	221,6241 litre	9,406 %	2134,5704 litre	O
300	CM	50	CM	14 LEVEL CM	200,4995 litre	8,509 %	2155,6950 litre	O
300	CM	50	CM	13 LEVEL CM	179,9977 litre	7,639 %	2176,1968 litre	O
300	CM	50	CM	12 LEVEL CM	160,1563 litre	6,797 %	2196,0382 litre	O
300	CM	50	CM	11 LEVEL CM	141,0169 litre	5,985 %	2215,1776 litre	O
300	CM	50	CM	10 LEVEL CM	122,6258 litre	5,204 %	2233,5687 litre	O
300	CM	50	CM	9 LEVEL CM	105,0354 litre	4,458 %	2251,1591 litre	O
300	CM	50	CM	8 LEVEL CM	88,3054 litre	3,748 %	2267,8891 litre	O
300	CM	50	CM	7 LEVEL CM	72,5053 litre	3,077 %	2283,6892 litre	O
300	CM	50	CM	6 LEVEL CM	57,7180 litre	2,450 %	2298,4765 litre	O
300	CM	50	CM	5 LEVEL CM	44,0444 litre	1,869 %	2312,1501 litre	O
300	CM	50	CM	4 LEVEL CM	31,6132 litre	1,342 %	2324,5813 litre	O
300	CM	50	CM	3 LEVEL CM	20,5965 litre	0,874 %	2335,5980 litre	O
300	CM	50	CM	2 LEVEL CM	11,2456 litre	0,477 %	2344,9489 litre	O
300	CM	50	CM	1 LEVEL CM	3,9880 litre	0,169 %	2352,2065 litre	O
300	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2356,1945 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM	125	CM 250 LEVEL CM	14235,3417 litre	100,000 %	0,0000 litre	O
290	CM	125	CM 249 LEVEL CM	14229,2353 litre	99,957 %	6,1064 litre	O
290	CM	125	CM 248 LEVEL CM	14218,0910 litre	99,879 %	17,2507 litre	O
290	CM	125	CM 247 LEVEL CM	14203,6884 litre	99,778 %	31,6533 litre	O
290	CM	125	CM 246 LEVEL CM	14186,6673 litre	99,658 %	48,6744 litre	O
290	CM	125	CM 245 LEVEL CM	14167,3997 litre	99,523 %	67,9420 litre	O
290	CM	125	CM 244 LEVEL CM	14146,1382 litre	99,373 %	89,2035 litre	O
290	CM	125	CM 243 LEVEL CM	14123,0696 litre	99,211 %	112,2721 litre	O
290	CM	125	CM 242 LEVEL CM	14098,3394 litre	99,038 %	137,0023 litre	O
290	CM	125	CM 241 LEVEL CM	14072,0652 litre	98,853 %	163,2765 litre	O
290	CM	125	CM 240 LEVEL CM	14044,3452 litre	98,658 %	190,9965 litre	O
290	CM	125	CM 239 LEVEL CM	14015,2628 litre	98,454 %	220,0789 litre	O
290	CM	125	CM 238 LEVEL CM	13984,8901 litre	98,241 %	250,4516 litre	O
290	CM	125	CM 237 LEVEL CM	13953,2904 litre	98,019 %	282,0513 litre	O
290	CM	125	CM 236 LEVEL CM	13920,5199 litre	97,788 %	314,8218 litre	O
290	CM	125	CM 235 LEVEL CM	13886,6290 litre	97,550 %	348,7127 litre	O
290	CM	125	CM 234 LEVEL CM	13851,6632 litre	97,305 %	383,6785 litre	O
290	CM	125	CM 233 LEVEL CM	13815,6639 litre	97,052 %	419,6778 litre	O
290	CM	125	CM 232 LEVEL CM	13778,6690 litre	96,792 %	456,6727 litre	O
290	CM	125	CM 231 LEVEL CM	13740,7136 litre	96,525 %	494,6281 litre	O
290	CM	125	CM 230 LEVEL CM	13701,8299 litre	96,252 %	533,5118 litre	O
290	CM	125	CM 229 LEVEL CM	13662,0482 litre	95,973 %	573,2935 litre	O
290	CM	125	CM 228 LEVEL CM	13621,3965 litre	95,687 %	613,9452 litre	O
290	CM	125	CM 227 LEVEL CM	13579,9012 litre	95,396 %	655,4405 litre	O
290	CM	125	CM 226 LEVEL CM	13537,5870 litre	95,098 %	697,7547 litre	O
290	CM	125	CM 225 LEVEL CM	13494,4773 litre	94,796 %	740,8644 litre	O
290	CM	125	CM 224 LEVEL CM	13450,5942 litre	94,487 %	784,7475 litre	O
290	CM	125	CM 223 LEVEL CM	13405,9586 litre	94,174 %	829,3831 litre	O
290	CM	125	CM 222 LEVEL CM	13360,5903 litre	93,855 %	874,7514 litre	O
290	CM	125	CM 221 LEVEL CM	13314,5084 litre	93,531 %	920,8333 litre	O
290	CM	125	CM 220 LEVEL CM	13267,7310 litre	93,203 %	967,6107 litre	O
290	CM	125	CM 219 LEVEL CM	13220,2752 litre	92,869 %	1015,0665 litre	O
290	CM	125	CM 218 LEVEL CM	13172,1577 litre	92,531 %	1063,1840 litre	O
290	CM	125	CM 217 LEVEL CM	13123,3944 litre	92,189 %	1111,9473 litre	O
290	CM	125	CM 216 LEVEL CM	13074,0004 litre	91,842 %	1161,3413 litre	O
290	CM	125	CM 215 LEVEL CM	13023,9905 litre	91,491 %	1211,3512 litre	O
290	CM	125	CM 214 LEVEL CM	12973,3788 litre	91,135 %	1261,9629 litre	O
290	CM	125	CM 213 LEVEL CM	12922,1789 litre	90,775 %	1313,1628 litre	O
290	CM	125	CM 212 LEVEL CM	12870,4041 litre	90,412 %	1364,9376 litre	O
290	CM	125	CM 211 LEVEL CM	12818,0671 litre	90,044 %	1417,2746 litre	O
290	CM	125	CM 210 LEVEL CM	12765,1801 litre	89,672 %	1470,1616 litre	O
290	CM	125	CM 209 LEVEL CM	12711,7552 litre	89,297 %	1523,5865 litre	O
290	CM	125	CM 208 LEVEL CM	12657,8040 litre	88,918 %	1577,5377 litre	O
290	CM	125	CM 207 LEVEL CM	12603,3377 litre	88,536 %	1632,0040 litre	O
290	CM	125	CM 206 LEVEL CM	12548,3673 litre	88,149 %	1686,9744 litre	O
290	CM	125	CM 205 LEVEL CM	12492,9034 litre	87,760 %	1742,4383 litre	O
290	CM	125	CM 204 LEVEL CM	12436,9563 litre	87,367 %	1798,3854 litre	O
290	CM	125	CM 203 LEVEL CM	12380,5363 litre	86,970 %	1854,8054 litre	O
290	CM	125	CM 202 LEVEL CM	12323,6530 litre	86,571 %	1911,6887 litre	O
290	CM	125	CM 201 LEVEL CM	12266,3162 litre	86,168 %	1969,0255 litre	O
290	CM	125	CM 200 LEVEL CM	12208,5353 litre	85,762 %	2026,8064 litre	O
290	CM	125	CM 199 LEVEL CM	12150,3193 litre	85,353 %	2085,0224 litre	O

290	CM	125	CM	198 LEVEL CM	12091,6772 litre	84,941 %	2143,6645 litre	O
290	CM	125	CM	197 LEVEL CM	12032,6179 litre	84,526 %	2202,7238 litre	O
290	CM	125	CM	196 LEVEL CM	11973,1498 litre	84,109 %	2262,1919 litre	O
290	CM	125	CM	195 LEVEL CM	11913,2815 litre	83,688 %	2322,0602 litre	O
290	CM	125	CM	194 LEVEL CM	11853,0211 litre	83,265 %	2382,3206 litre	O
290	CM	125	CM	193 LEVEL CM	11792,3768 litre	82,839 %	2442,9649 litre	O
290	CM	125	CM	192 LEVEL CM	11731,3564 litre	82,410 %	2503,9853 litre	O
290	CM	125	CM	191 LEVEL CM	11669,9677 litre	81,979 %	2565,3740 litre	O
290	CM	125	CM	190 LEVEL CM	11608,2185 litre	81,545 %	2627,1232 litre	O
290	CM	125	CM	189 LEVEL CM	11546,1161 litre	81,109 %	2689,2256 litre	O
290	CM	125	CM	188 LEVEL CM	11483,6680 litre	80,670 %	2751,6737 litre	O
290	CM	125	CM	187 LEVEL CM	11420,8815 litre	80,229 %	2814,4602 litre	O
290	CM	125	CM	186 LEVEL CM	11357,7636 litre	79,786 %	2877,5781 litre	O
290	CM	125	CM	185 LEVEL CM	11294,3215 litre	79,340 %	2941,0202 litre	O
290	CM	125	CM	184 LEVEL CM	11230,5620 litre	78,892 %	3004,7797 litre	O
290	CM	125	CM	183 LEVEL CM	11166,4920 litre	78,442 %	3068,8497 litre	O
290	CM	125	CM	182 LEVEL CM	11102,1181 litre	77,990 %	3133,2236 litre	O
290	CM	125	CM	181 LEVEL CM	11037,4471 litre	77,536 %	3197,8946 litre	O
290	CM	125	CM	180 LEVEL CM	10972,4854 litre	77,079 %	3262,8563 litre	O
290	CM	125	CM	179 LEVEL CM	10907,2395 litre	76,621 %	3328,1022 litre	O
290	CM	125	CM	178 LEVEL CM	10841,7158 litre	76,161 %	3393,6259 litre	O
290	CM	125	CM	177 LEVEL CM	10775,9206 litre	75,698 %	3459,4211 litre	O
290	CM	125	CM	176 LEVEL CM	10709,8600 litre	75,234 %	3525,4817 litre	O
290	CM	125	CM	175 LEVEL CM	10643,5403 litre	74,768 %	3591,8014 litre	O
290	CM	125	CM	174 LEVEL CM	10576,9673 litre	74,301 %	3658,3744 litre	O
290	CM	125	CM	173 LEVEL CM	10510,1473 litre	73,831 %	3725,1944 litre	O
290	CM	125	CM	172 LEVEL CM	10443,0860 litre	73,360 %	3792,2557 litre	O
290	CM	125	CM	171 LEVEL CM	10375,7894 litre	72,888 %	3859,5523 litre	O
290	CM	125	CM	170 LEVEL CM	10308,2632 litre	72,413 %	3927,0785 litre	O
290	CM	125	CM	169 LEVEL CM	10240,5132 litre	71,937 %	3994,8285 litre	O
290	CM	125	CM	168 LEVEL CM	10172,5451 litre	71,460 %	4062,7966 litre	O
290	CM	125	CM	167 LEVEL CM	10104,3645 litre	70,981 %	4130,9772 litre	O
290	CM	125	CM	166 LEVEL CM	10035,9769 litre	70,500 %	4199,3648 litre	O
290	CM	125	CM	165 LEVEL CM	9967,3880 litre	70,019 %	4267,9537 litre	O
290	CM	125	CM	164 LEVEL CM	9898,6032 litre	69,535 %	4336,7385 litre	O
290	CM	125	CM	163 LEVEL CM	9829,6279 litre	69,051 %	4405,7138 litre	O
290	CM	125	CM	162 LEVEL CM	9760,4676 litre	68,565 %	4474,8741 litre	O
290	CM	125	CM	161 LEVEL CM	9691,1275 litre	68,078 %	4544,2142 litre	O
290	CM	125	CM	160 LEVEL CM	9621,6129 litre	67,590 %	4613,7288 litre	O
290	CM	125	CM	159 LEVEL CM	9551,9292 litre	67,100 %	4683,4125 litre	O
290	CM	125	CM	158 LEVEL CM	9482,0815 litre	66,609 %	4753,2602 litre	O
290	CM	125	CM	157 LEVEL CM	9412,0751 litre	66,118 %	4823,2666 litre	O
290	CM	125	CM	156 LEVEL CM	9341,9151 litre	65,625 %	4893,4266 litre	O
290	CM	125	CM	155 LEVEL CM	9271,6066 litre	65,131 %	4963,7351 litre	O
290	CM	125	CM	154 LEVEL CM	9201,1547 litre	64,636 %	5034,1870 litre	O
290	CM	125	CM	153 LEVEL CM	9130,5645 litre	64,140 %	5104,7772 litre	O
290	CM	125	CM	152 LEVEL CM	9059,8410 litre	63,643 %	5175,5007 litre	O
290	CM	125	CM	151 LEVEL CM	8988,9891 litre	63,146 %	5246,3526 litre	O
290	CM	125	CM	150 LEVEL CM	8918,0140 litre	62,647 %	5317,3277 litre	O
290	CM	125	CM	149 LEVEL CM	8846,9204 litre	62,148 %	5388,4213 litre	O
290	CM	125	CM	148 LEVEL CM	8775,7133 litre	61,647 %	5459,6284 litre	O
290	CM	125	CM	147 LEVEL CM	8704,3977 litre	61,146 %	5530,9440 litre	O
290	CM	125	CM	146 LEVEL CM	8632,9784 litre	60,645 %	5602,3633 litre	O

290	CM	125	CM	145 LEVEL CM	8561,4602 litre	60,142 %	5673,8815 litre	O
290	CM	125	CM	144 LEVEL CM	8489,8480 litre	59,639 %	5745,4937 litre	O
290	CM	125	CM	143 LEVEL CM	8418,1466 litre	59,136 %	5817,1951 litre	O
290	CM	125	CM	142 LEVEL CM	8346,3609 litre	58,631 %	5888,9808 litre	O
290	CM	125	CM	141 LEVEL CM	8274,4955 litre	58,126 %	5960,8462 litre	O
290	CM	125	CM	140 LEVEL CM	8202,5552 litre	57,621 %	6032,7865 litre	O
290	CM	125	CM	139 LEVEL CM	8130,5448 litre	57,115 %	6104,7969 litre	O
290	CM	125	CM	138 LEVEL CM	8058,4691 litre	56,609 %	6176,8726 litre	O
290	CM	125	CM	137 LEVEL CM	7986,3327 litre	56,102 %	6249,0090 litre	O
290	CM	125	CM	136 LEVEL CM	7914,1404 litre	55,595 %	6321,2013 litre	O
290	CM	125	CM	135 LEVEL CM	7841,8968 litre	55,088 %	6393,4449 litre	O
290	CM	125	CM	134 LEVEL CM	7769,6067 litre	54,580 %	6465,7350 litre	O
290	CM	125	CM	133 LEVEL CM	7697,2747 litre	54,072 %	6538,0670 litre	O
290	CM	125	CM	132 LEVEL CM	7624,9055 litre	53,563 %	6610,4362 litre	O
290	CM	125	CM	131 LEVEL CM	7552,5038 litre	53,055 %	6682,8379 litre	O
290	CM	125	CM	130 LEVEL CM	7480,0742 litre	52,546 %	6755,2675 litre	O
290	CM	125	CM	129 LEVEL CM	7407,6214 litre	52,037 %	6827,7203 litre	O
290	CM	125	CM	128 LEVEL CM	7335,1500 litre	51,528 %	6900,1917 litre	O
290	CM	125	CM	127 LEVEL CM	7262,6647 litre	51,019 %	6972,6770 litre	O
290	CM	125	CM	126 LEVEL CM	7190,1701 litre	50,509 %	7045,1716 litre	O
290	CM	125	CM	125 LEVEL CM	7117,6709 litre	50,000 %	7117,6708 litre	O
290	CM	125	CM	124 LEVEL CM	7045,1716 litre	49,491 %	7190,1701 litre	O
290	CM	125	CM	123 LEVEL CM	6972,6770 litre	48,981 %	7262,6647 litre	O
290	CM	125	CM	122 LEVEL CM	6900,1917 litre	48,472 %	7335,1500 litre	O
290	CM	125	CM	121 LEVEL CM	6827,7204 litre	47,963 %	7407,6213 litre	O
290	CM	125	CM	120 LEVEL CM	6755,2675 litre	47,454 %	7480,0742 litre	O
290	CM	125	CM	119 LEVEL CM	6682,8380 litre	46,945 %	7552,5037 litre	O
290	CM	125	CM	118 LEVEL CM	6610,4362 litre	46,437 %	7624,9055 litre	O
290	CM	125	CM	117 LEVEL CM	6538,0670 litre	45,928 %	7697,2747 litre	O
290	CM	125	CM	116 LEVEL CM	6465,7351 litre	45,420 %	7769,6066 litre	O
290	CM	125	CM	115 LEVEL CM	6393,4449 litre	44,912 %	7841,8968 litre	O
290	CM	125	CM	114 LEVEL CM	6321,2014 litre	44,405 %	7914,1403 litre	O
290	CM	125	CM	113 LEVEL CM	6249,0090 litre	43,898 %	7986,3327 litre	O
290	CM	125	CM	112 LEVEL CM	6176,8726 litre	43,391 %	8058,4691 litre	O
290	CM	125	CM	111 LEVEL CM	6104,7969 litre	42,885 %	8130,5448 litre	O
290	CM	125	CM	110 LEVEL CM	6032,7865 litre	42,379 %	8202,5552 litre	O
290	CM	125	CM	109 LEVEL CM	5960,8463 litre	41,874 %	8274,4954 litre	O
290	CM	125	CM	108 LEVEL CM	5888,9809 litre	41,369 %	8346,3608 litre	O
290	CM	125	CM	107 LEVEL CM	5817,1951 litre	40,864 %	8418,1466 litre	O
290	CM	125	CM	106 LEVEL CM	5745,4937 litre	40,361 %	8489,8480 litre	O
290	CM	125	CM	105 LEVEL CM	5673,8815 litre	39,858 %	8561,4602 litre	O
290	CM	125	CM	104 LEVEL CM	5602,3633 litre	39,355 %	8632,9784 litre	O
290	CM	125	CM	103 LEVEL CM	5530,9440 litre	38,854 %	8704,3977 litre	O
290	CM	125	CM	102 LEVEL CM	5459,6284 litre	38,353 %	8775,7133 litre	O
290	CM	125	CM	101 LEVEL CM	5388,4213 litre	37,852 %	8846,9204 litre	O
290	CM	125	CM	100 LEVEL CM	5317,3277 litre	37,353 %	8918,0140 litre	O
290	CM	125	CM	99 LEVEL CM	5246,3526 litre	36,854 %	8988,9891 litre	O
290	CM	125	CM	98 LEVEL CM	5175,5007 litre	36,357 %	9059,8410 litre	O
290	CM	125	CM	97 LEVEL CM	5104,7772 litre	35,860 %	9130,5645 litre	O
290	CM	125	CM	96 LEVEL CM	5034,1870 litre	35,364 %	9201,1547 litre	O
290	CM	125	CM	95 LEVEL CM	4963,7351 litre	34,869 %	9271,6066 litre	O
290	CM	125	CM	94 LEVEL CM	4893,4266 litre	34,375 %	9341,9151 litre	O
290	CM	125	CM	93 LEVEL CM	4823,2666 litre	33,882 %	9412,0751 litre	O

290	CM	125	CM	92 LEVEL CM	4753,2602 litre	33,391 %	9482,0815 litre	O
290	CM	125	CM	91 LEVEL CM	4683,4125 litre	32,900 %	9551,9292 litre	O
290	CM	125	CM	90 LEVEL CM	4613,7288 litre	32,410 %	9621,6129 litre	O
290	CM	125	CM	89 LEVEL CM	4544,2143 litre	31,922 %	9691,1274 litre	O
290	CM	125	CM	88 LEVEL CM	4474,8742 litre	31,435 %	9760,4675 litre	O
290	CM	125	CM	87 LEVEL CM	4405,7138 litre	30,949 %	9829,6279 litre	O
290	CM	125	CM	86 LEVEL CM	4336,7385 litre	30,465 %	9898,6032 litre	O
290	CM	125	CM	85 LEVEL CM	4267,9537 litre	29,981 %	9967,3880 litre	O
290	CM	125	CM	84 LEVEL CM	4199,3648 litre	29,500 %	10035,9769 litre	O
290	CM	125	CM	83 LEVEL CM	4130,9772 litre	29,019 %	10104,3645 litre	O
290	CM	125	CM	82 LEVEL CM	4062,7966 litre	28,540 %	10172,5451 litre	O
290	CM	125	CM	81 LEVEL CM	3994,8285 litre	28,063 %	10240,5132 litre	O
290	CM	125	CM	80 LEVEL CM	3927,0785 litre	27,587 %	10308,2632 litre	O
290	CM	125	CM	79 LEVEL CM	3859,5523 litre	27,112 %	10375,7894 litre	O
290	CM	125	CM	78 LEVEL CM	3792,2557 litre	26,640 %	10443,0860 litre	O
290	CM	125	CM	77 LEVEL CM	3725,1944 litre	26,169 %	10510,1473 litre	O
290	CM	125	CM	76 LEVEL CM	3658,3744 litre	25,699 %	10576,9673 litre	O
290	CM	125	CM	75 LEVEL CM	3591,8015 litre	25,232 %	10643,5402 litre	O
290	CM	125	CM	74 LEVEL CM	3525,4817 litre	24,766 %	10709,8600 litre	O
290	CM	125	CM	73 LEVEL CM	3459,4211 litre	24,302 %	10775,9206 litre	O
290	CM	125	CM	72 LEVEL CM	3393,6259 litre	23,839 %	10841,7158 litre	O
290	CM	125	CM	71 LEVEL CM	3328,1022 litre	23,379 %	10907,2395 litre	O
290	CM	125	CM	70 LEVEL CM	3262,8563 litre	22,921 %	10972,4854 litre	O
290	CM	125	CM	69 LEVEL CM	3197,8946 litre	22,464 %	11037,4471 litre	O
290	CM	125	CM	68 LEVEL CM	3133,2236 litre	22,010 %	11102,1181 litre	O
290	CM	125	CM	67 LEVEL CM	3068,8498 litre	21,558 %	11166,4919 litre	O
290	CM	125	CM	66 LEVEL CM	3004,7797 litre	21,108 %	11230,5620 litre	O
290	CM	125	CM	65 LEVEL CM	2941,0202 litre	20,660 %	11294,3215 litre	O
290	CM	125	CM	64 LEVEL CM	2877,5781 litre	20,214 %	11357,7636 litre	O
290	CM	125	CM	63 LEVEL CM	2814,4602 litre	19,771 %	11420,8815 litre	O
290	CM	125	CM	62 LEVEL CM	2751,6737 litre	19,330 %	11483,6680 litre	O
290	CM	125	CM	61 LEVEL CM	2689,2256 litre	18,891 %	11546,1161 litre	O
290	CM	125	CM	60 LEVEL CM	2627,1232 litre	18,455 %	11608,2185 litre	O
290	CM	125	CM	59 LEVEL CM	2565,3740 litre	18,021 %	11669,9677 litre	O
290	CM	125	CM	58 LEVEL CM	2503,9853 litre	17,590 %	11731,3564 litre	O
290	CM	125	CM	57 LEVEL CM	2442,9649 litre	17,161 %	11792,3768 litre	O
290	CM	125	CM	56 LEVEL CM	2382,3206 litre	16,735 %	11853,0211 litre	O
290	CM	125	CM	55 LEVEL CM	2322,0602 litre	16,312 %	11913,2815 litre	O
290	CM	125	CM	54 LEVEL CM	2262,1919 litre	15,891 %	11973,1498 litre	O
290	CM	125	CM	53 LEVEL CM	2202,7238 litre	15,474 %	12032,6179 litre	O
290	CM	125	CM	52 LEVEL CM	2143,6645 litre	15,059 %	12091,6772 litre	O
290	CM	125	CM	51 LEVEL CM	2085,0225 litre	14,647 %	12150,3192 litre	O
290	CM	125	CM	50 LEVEL CM	2026,8065 litre	14,238 %	12208,5352 litre	O
290	CM	125	CM	49 LEVEL CM	1969,0255 litre	13,832 %	12266,3162 litre	O
290	CM	125	CM	48 LEVEL CM	1911,6887 litre	13,429 %	12323,6530 litre	O
290	CM	125	CM	47 LEVEL CM	1854,8054 litre	13,030 %	12380,5363 litre	O
290	CM	125	CM	46 LEVEL CM	1798,3854 litre	12,633 %	12436,9563 litre	O
290	CM	125	CM	45 LEVEL CM	1742,4384 litre	12,240 %	12492,9033 litre	O
290	CM	125	CM	44 LEVEL CM	1686,9744 litre	11,851 %	12548,3673 litre	O
290	CM	125	CM	43 LEVEL CM	1632,0040 litre	11,464 %	12603,3377 litre	O
290	CM	125	CM	42 LEVEL CM	1577,5377 litre	11,082 %	12657,8040 litre	O
290	CM	125	CM	41 LEVEL CM	1523,5865 litre	10,703 %	12711,7552 litre	O
290	CM	125	CM	40 LEVEL CM	1470,1616 litre	10,328 %	12765,1801 litre	O

290	CM	125	CM	39 LEVEL CM	1417,2747 litre	9,956 %	12818,0670 litre	O
290	CM	125	CM	38 LEVEL CM	1364,9376 litre	9,588 %	12870,4041 litre	O
290	CM	125	CM	37 LEVEL CM	1313,1628 litre	9,225 %	12922,1789 litre	O
290	CM	125	CM	36 LEVEL CM	1261,9629 litre	8,865 %	12973,3788 litre	O
290	CM	125	CM	35 LEVEL CM	1211,3512 litre	8,509 %	13023,9905 litre	O
290	CM	125	CM	34 LEVEL CM	1161,3413 litre	8,158 %	13074,0004 litre	O
290	CM	125	CM	33 LEVEL CM	1111,9473 litre	7,811 %	13123,3944 litre	O
290	CM	125	CM	32 LEVEL CM	1063,1840 litre	7,469 %	13172,1577 litre	O
290	CM	125	CM	31 LEVEL CM	1015,0665 litre	7,131 %	13220,2752 litre	O
290	CM	125	CM	30 LEVEL CM	967,6107 litre	6,797 %	13267,7310 litre	O
290	CM	125	CM	29 LEVEL CM	920,8333 litre	6,469 %	13314,5084 litre	O
290	CM	125	CM	28 LEVEL CM	874,7514 litre	6,145 %	13360,5903 litre	O
290	CM	125	CM	27 LEVEL CM	829,3832 litre	5,826 %	13405,9585 litre	O
290	CM	125	CM	26 LEVEL CM	784,7475 litre	5,513 %	13450,5942 litre	O
290	CM	125	CM	25 LEVEL CM	740,8644 litre	5,204 %	13494,4773 litre	O
290	CM	125	CM	24 LEVEL CM	697,7547 litre	4,902 %	13537,5870 litre	O
290	CM	125	CM	23 LEVEL CM	655,4405 litre	4,604 %	13579,9012 litre	O
290	CM	125	CM	22 LEVEL CM	613,9452 litre	4,313 %	13621,3965 litre	O
290	CM	125	CM	21 LEVEL CM	573,2935 litre	4,027 %	13662,0482 litre	O
290	CM	125	CM	20 LEVEL CM	533,5118 litre	3,748 %	13701,8299 litre	O
290	CM	125	CM	19 LEVEL CM	494,6281 litre	3,475 %	13740,7136 litre	O
290	CM	125	CM	18 LEVEL CM	456,6727 litre	3,208 %	13778,6690 litre	O
290	CM	125	CM	17 LEVEL CM	419,6779 litre	2,948 %	13815,6638 litre	O
290	CM	125	CM	16 LEVEL CM	383,6785 litre	2,695 %	13851,6632 litre	O
290	CM	125	CM	15 LEVEL CM	348,7127 litre	2,450 %	13886,6290 litre	O
290	CM	125	CM	14 LEVEL CM	314,8218 litre	2,212 %	13920,5199 litre	O
290	CM	125	CM	13 LEVEL CM	282,0513 litre	1,981 %	13953,2904 litre	O
290	CM	125	CM	12 LEVEL CM	250,4516 litre	1,759 %	13984,8901 litre	O
290	CM	125	CM	11 LEVEL CM	220,0789 litre	1,546 %	14015,2628 litre	O
290	CM	125	CM	10 LEVEL CM	190,9965 litre	1,342 %	14044,3452 litre	O
290	CM	125	CM	9 LEVEL CM	163,2765 litre	1,147 %	14072,0652 litre	O
290	CM	125	CM	8 LEVEL CM	137,0023 litre	0,962 %	14098,3394 litre	O
290	CM	125	CM	7 LEVEL CM	112,2721 litre	0,789 %	14123,0696 litre	O
290	CM	125	CM	6 LEVEL CM	89,2035 litre	0,627 %	14146,1382 litre	O
290	CM	125	CM	5 LEVEL CM	67,9421 litre	0,477 %	14167,3996 litre	O
290	CM	125	CM	4 LEVEL CM	48,6745 litre	0,342 %	14186,6672 litre	O
290	CM	125	CM	3 LEVEL CM	31,6533 litre	0,222 %	14203,6884 litre	O
290	CM	125	CM	2 LEVEL CM	17,2507 litre	0,121 %	14218,0910 litre	O
290	CM	125	CM	1 LEVEL CM	6,1064 litre	0,043 %	14229,2353 litre	O
290	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	14235,3417 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM	120	CM 240 LEVEL CM	13119,2909 litre	100,000 %	0,0000 litre	O
290	CM	120	CM 239 LEVEL CM	13113,3082 litre	99,954 %	5,9827 litre	O
290	CM	120	CM 238 LEVEL CM	13102,3905 litre	99,871 %	16,9004 litre	O
290	CM	120	CM 237 LEVEL CM	13088,2818 litre	99,764 %	31,0091 litre	O
290	CM	120	CM 236 LEVEL CM	13071,6095 litre	99,637 %	47,6814 litre	O
290	CM	120	CM 235 LEVEL CM	13052,7384 litre	99,493 %	66,5525 litre	O
290	CM	120	CM 234 LEVEL CM	13031,9164 litre	99,334 %	87,3745 litre	O
290	CM	120	CM 233 LEVEL CM	13009,3264 litre	99,162 %	109,9645 litre	O
290	CM	120	CM 232 LEVEL CM	12985,1115 litre	98,977 %	134,1794 litre	O
290	CM	120	CM 231 LEVEL CM	12959,3870 litre	98,781 %	159,9039 litre	O
290	CM	120	CM 230 LEVEL CM	12932,2495 litre	98,574 %	187,0414 litre	O
290	CM	120	CM 229 LEVEL CM	12903,7807 litre	98,357 %	215,5102 litre	O
290	CM	120	CM 228 LEVEL CM	12874,0515 litre	98,131 %	245,2394 litre	O
290	CM	120	CM 227 LEVEL CM	12843,1243 litre	97,895 %	276,1666 litre	O
290	CM	120	CM 226 LEVEL CM	12811,0541 litre	97,651 %	308,2368 litre	O
290	CM	120	CM 225 LEVEL CM	12777,8906 litre	97,398 %	341,4003 litre	O
290	CM	120	CM 224 LEVEL CM	12743,6784 litre	97,137 %	375,6125 litre	O
290	CM	120	CM 223 LEVEL CM	12708,4584 litre	96,868 %	410,8325 litre	O
290	CM	120	CM 222 LEVEL CM	12672,2679 litre	96,593 %	447,0230 litre	O
290	CM	120	CM 221 LEVEL CM	12635,1413 litre	96,310 %	484,1496 litre	O
290	CM	120	CM 220 LEVEL CM	12597,1105 litre	96,020 %	522,1804 litre	O
290	CM	120	CM 219 LEVEL CM	12558,2051 litre	95,723 %	561,0858 litre	O
290	CM	120	CM 218 LEVEL CM	12518,4529 litre	95,420 %	600,8380 litre	O
290	CM	120	CM 217 LEVEL CM	12477,8798 litre	95,111 %	641,4111 litre	O
290	CM	120	CM 216 LEVEL CM	12436,5103 litre	94,796 %	682,7806 litre	O
290	CM	120	CM 215 LEVEL CM	12394,3673 litre	94,474 %	724,9236 litre	O
290	CM	120	CM 214 LEVEL CM	12351,4727 litre	94,147 %	767,8182 litre	O
290	CM	120	CM 213 LEVEL CM	12307,8470 litre	93,815 %	811,4439 litre	O
290	CM	120	CM 212 LEVEL CM	12263,5100 litre	93,477 %	855,7809 litre	O
290	CM	120	CM 211 LEVEL CM	12218,4804 litre	93,134 %	900,8105 litre	O
290	CM	120	CM 210 LEVEL CM	12172,7760 litre	92,785 %	946,5149 litre	O
290	CM	120	CM 209 LEVEL CM	12126,4138 litre	92,432 %	992,8771 litre	O
290	CM	120	CM 208 LEVEL CM	12079,4103 litre	92,074 %	1039,8806 litre	O
290	CM	120	CM 207 LEVEL CM	12031,7812 litre	91,711 %	1087,5097 litre	O
290	CM	120	CM 206 LEVEL CM	11983,5414 litre	91,343 %	1135,7495 litre	O
290	CM	120	CM 205 LEVEL CM	11934,7056 litre	90,971 %	1184,5853 litre	O
290	CM	120	CM 204 LEVEL CM	11885,2878 litre	90,594 %	1234,0031 litre	O
290	CM	120	CM 203 LEVEL CM	11835,3014 litre	90,213 %	1283,9895 litre	O
290	CM	120	CM 202 LEVEL CM	11784,7595 litre	89,828 %	1334,5314 litre	O
290	CM	120	CM 201 LEVEL CM	11733,6747 litre	89,438 %	1385,6162 litre	O
290	CM	120	CM 200 LEVEL CM	11682,0592 litre	89,045 %	1437,2317 litre	O
290	CM	120	CM 199 LEVEL CM	11629,9250 litre	88,648 %	1489,3659 litre	O
290	CM	120	CM 198 LEVEL CM	11577,2835 litre	88,246 %	1542,0074 litre	O
290	CM	120	CM 197 LEVEL CM	11524,1458 litre	87,841 %	1595,1451 litre	O
290	CM	120	CM 196 LEVEL CM	11470,5229 litre	87,432 %	1648,7680 litre	O
290	CM	120	CM 195 LEVEL CM	11416,4253 litre	87,020 %	1702,8656 litre	O
290	CM	120	CM 194 LEVEL CM	11361,8634 litre	86,604 %	1757,4275 litre	O
290	CM	120	CM 193 LEVEL CM	11306,8470 litre	86,185 %	1812,4439 litre	O
290	CM	120	CM 192 LEVEL CM	11251,3861 litre	85,762 %	1867,9048 litre	O
290	CM	120	CM 191 LEVEL CM	11195,4902 litre	85,336 %	1923,8007 litre	O
290	CM	120	CM 190 LEVEL CM	11139,1685 litre	84,907 %	1980,1224 litre	O
290	CM	120	CM 189 LEVEL CM	11082,4303 litre	84,474 %	2036,8606 litre	O

290	CM	120	CM	188 LEVEL CM	11025,2845 litre	84,039 %	2094,0064 litre	O
290	CM	120	CM	187 LEVEL CM	10967,7398 litre	83,600 %	2151,5511 litre	O
290	CM	120	CM	186 LEVEL CM	10909,8047 litre	83,158 %	2209,4862 litre	O
290	CM	120	CM	185 LEVEL CM	10851,4876 litre	82,714 %	2267,8033 litre	O
290	CM	120	CM	184 LEVEL CM	10792,7968 litre	82,267 %	2326,4941 litre	O
290	CM	120	CM	183 LEVEL CM	10733,7403 litre	81,816 %	2385,5506 litre	O
290	CM	120	CM	182 LEVEL CM	10674,3260 litre	81,364 %	2444,9649 litre	O
290	CM	120	CM	181 LEVEL CM	10614,5617 litre	80,908 %	2504,7292 litre	O
290	CM	120	CM	180 LEVEL CM	10554,4550 litre	80,450 %	2564,8359 litre	O
290	CM	120	CM	179 LEVEL CM	10494,0134 litre	79,989 %	2625,2775 litre	O
290	CM	120	CM	178 LEVEL CM	10433,2444 litre	79,526 %	2686,0465 litre	O
290	CM	120	CM	177 LEVEL CM	10372,1551 litre	79,060 %	2747,1358 litre	O
290	CM	120	CM	176 LEVEL CM	10310,7527 litre	78,592 %	2808,5382 litre	O
290	CM	120	CM	175 LEVEL CM	10249,0443 litre	78,122 %	2870,2466 litre	O
290	CM	120	CM	174 LEVEL CM	10187,0368 litre	77,649 %	2932,2541 litre	O
290	CM	120	CM	173 LEVEL CM	10124,7370 litre	77,174 %	2994,5539 litre	O
290	CM	120	CM	172 LEVEL CM	10062,1517 litre	76,697 %	3057,1392 litre	O
290	CM	120	CM	171 LEVEL CM	9999,2875 litre	76,218 %	3120,0034 litre	O
290	CM	120	CM	170 LEVEL CM	9936,1509 litre	75,737 %	3183,1400 litre	O
290	CM	120	CM	169 LEVEL CM	9872,7485 litre	75,254 %	3246,5424 litre	O
290	CM	120	CM	168 LEVEL CM	9809,0867 litre	74,768 %	3310,2042 litre	O
290	CM	120	CM	167 LEVEL CM	9745,1717 litre	74,281 %	3374,1192 litre	O
290	CM	120	CM	166 LEVEL CM	9681,0098 litre	73,792 %	3438,2811 litre	O
290	CM	120	CM	165 LEVEL CM	9616,6072 litre	73,301 %	3502,6837 litre	O
290	CM	120	CM	164 LEVEL CM	9551,9700 litre	72,809 %	3567,3209 litre	O
290	CM	120	CM	163 LEVEL CM	9487,1042 litre	72,314 %	3632,1867 litre	O
290	CM	120	CM	162 LEVEL CM	9422,0158 litre	71,818 %	3697,2751 litre	O
290	CM	120	CM	161 LEVEL CM	9356,7106 litre	71,320 %	3762,5803 litre	O
290	CM	120	CM	160 LEVEL CM	9291,1946 litre	70,821 %	3828,0963 litre	O
290	CM	120	CM	159 LEVEL CM	9225,4735 litre	70,320 %	3893,8174 litre	O
290	CM	120	CM	158 LEVEL CM	9159,5531 litre	69,817 %	3959,7378 litre	O
290	CM	120	CM	157 LEVEL CM	9093,4391 litre	69,313 %	4025,8518 litre	O
290	CM	120	CM	156 LEVEL CM	9027,1370 litre	68,808 %	4092,1539 litre	O
290	CM	120	CM	155 LEVEL CM	8960,6526 litre	68,301 %	4158,6383 litre	O
290	CM	120	CM	154 LEVEL CM	8893,9913 litre	67,793 %	4225,2996 litre	O
290	CM	120	CM	153 LEVEL CM	8827,1586 litre	67,284 %	4292,1323 litre	O
290	CM	120	CM	152 LEVEL CM	8760,1600 litre	66,773 %	4359,1309 litre	O
290	CM	120	CM	151 LEVEL CM	8693,0010 litre	66,261 %	4426,2899 litre	O
290	CM	120	CM	150 LEVEL CM	8625,6869 litre	65,748 %	4493,6040 litre	O
290	CM	120	CM	149 LEVEL CM	8558,2230 litre	65,234 %	4561,0679 litre	O
290	CM	120	CM	148 LEVEL CM	8490,6146 litre	64,719 %	4628,6763 litre	O
290	CM	120	CM	147 LEVEL CM	8422,8671 litre	64,202 %	4696,4238 litre	O
290	CM	120	CM	146 LEVEL CM	8354,9856 litre	63,685 %	4764,3053 litre	O
290	CM	120	CM	145 LEVEL CM	8286,9754 litre	63,166 %	4832,3155 litre	O
290	CM	120	CM	144 LEVEL CM	8218,8417 litre	62,647 %	4900,4492 litre	O
290	CM	120	CM	143 LEVEL CM	8150,5895 litre	62,127 %	4968,7014 litre	O
290	CM	120	CM	142 LEVEL CM	8082,2241 litre	61,606 %	5037,0668 litre	O
290	CM	120	CM	141 LEVEL CM	8013,7506 litre	61,084 %	5105,5403 litre	O
290	CM	120	CM	140 LEVEL CM	7945,1739 litre	60,561 %	5174,1170 litre	O
290	CM	120	CM	139 LEVEL CM	7876,4992 litre	60,038 %	5242,7917 litre	O
290	CM	120	CM	138 LEVEL CM	7807,7315 litre	59,513 %	5311,5594 litre	O
290	CM	120	CM	137 LEVEL CM	7738,8758 litre	58,989 %	5380,4151 litre	O
290	CM	120	CM	136 LEVEL CM	7669,9370 litre	58,463 %	5449,3539 litre	O

290	CM	120	CM	135 LEVEL CM	7600,9203 litre	57,937 %	5518,3706 litre	O
290	CM	120	CM	134 LEVEL CM	7531,8305 litre	57,410 %	5587,4604 litre	O
290	CM	120	CM	133 LEVEL CM	7462,6725 litre	56,883 %	5656,6184 litre	O
290	CM	120	CM	132 LEVEL CM	7393,4514 litre	56,356 %	5725,8395 litre	O
290	CM	120	CM	131 LEVEL CM	7324,1719 litre	55,827 %	5795,1190 litre	O
290	CM	120	CM	130 LEVEL CM	7254,8391 litre	55,299 %	5864,4518 litre	O
290	CM	120	CM	129 LEVEL CM	7185,4577 litre	54,770 %	5933,8332 litre	O
290	CM	120	CM	128 LEVEL CM	7116,0327 litre	54,241 %	6003,2582 litre	O
290	CM	120	CM	127 LEVEL CM	7046,5690 litre	53,712 %	6072,7219 litre	O
290	CM	120	CM	126 LEVEL CM	6977,0714 litre	53,182 %	6142,2195 litre	O
290	CM	120	CM	125 LEVEL CM	6907,5447 litre	52,652 %	6211,7462 litre	O
290	CM	120	CM	124 LEVEL CM	6837,9939 litre	52,122 %	6281,2970 litre	O
290	CM	120	CM	123 LEVEL CM	6768,4237 litre	51,591 %	6350,8672 litre	O
290	CM	120	CM	122 LEVEL CM	6698,8390 litre	51,061 %	6420,4519 litre	O
290	CM	120	CM	121 LEVEL CM	6629,2447 litre	50,531 %	6490,0462 litre	O
290	CM	120	CM	120 LEVEL CM	6559,6455 litre	50,000 %	6559,6454 litre	O
290	CM	120	CM	119 LEVEL CM	6490,0463 litre	49,469 %	6629,2446 litre	O
290	CM	120	CM	118 LEVEL CM	6420,4519 litre	48,939 %	6698,8390 litre	O
290	CM	120	CM	117 LEVEL CM	6350,8672 litre	48,409 %	6768,4237 litre	O
290	CM	120	CM	116 LEVEL CM	6281,2970 litre	47,878 %	6837,9939 litre	O
290	CM	120	CM	115 LEVEL CM	6211,7462 litre	47,348 %	6907,5447 litre	O
290	CM	120	CM	114 LEVEL CM	6142,2195 litre	46,818 %	6977,0714 litre	O
290	CM	120	CM	113 LEVEL CM	6072,7219 litre	46,288 %	7046,5690 litre	O
290	CM	120	CM	112 LEVEL CM	6003,2582 litre	45,759 %	7116,0327 litre	O
290	CM	120	CM	111 LEVEL CM	5933,8332 litre	45,230 %	7185,4577 litre	O
290	CM	120	CM	110 LEVEL CM	5864,4519 litre	44,701 %	7254,8390 litre	O
290	CM	120	CM	109 LEVEL CM	5795,1190 litre	44,173 %	7324,1719 litre	O
290	CM	120	CM	108 LEVEL CM	5725,8396 litre	43,644 %	7393,4513 litre	O
290	CM	120	CM	107 LEVEL CM	5656,6184 litre	43,117 %	7462,6725 litre	O
290	CM	120	CM	106 LEVEL CM	5587,4604 litre	42,590 %	7531,8305 litre	O
290	CM	120	CM	105 LEVEL CM	5518,3706 litre	42,063 %	7600,9203 litre	O
290	CM	120	CM	104 LEVEL CM	5449,3539 litre	41,537 %	7669,9370 litre	O
290	CM	120	CM	103 LEVEL CM	5380,4152 litre	41,011 %	7738,8757 litre	O
290	CM	120	CM	102 LEVEL CM	5311,5594 litre	40,487 %	7807,7315 litre	O
290	CM	120	CM	101 LEVEL CM	5242,7917 litre	39,962 %	7876,4992 litre	O
290	CM	120	CM	100 LEVEL CM	5174,1170 litre	39,439 %	7945,1739 litre	O
290	CM	120	CM	99 LEVEL CM	5105,5404 litre	38,916 %	8013,7505 litre	O
290	CM	120	CM	98 LEVEL CM	5037,0668 litre	38,394 %	8082,2241 litre	O
290	CM	120	CM	97 LEVEL CM	4968,7014 litre	37,873 %	8150,5895 litre	O
290	CM	120	CM	96 LEVEL CM	4900,4493 litre	37,353 %	8218,8416 litre	O
290	CM	120	CM	95 LEVEL CM	4832,3155 litre	36,834 %	8286,9754 litre	O
290	CM	120	CM	94 LEVEL CM	4764,3053 litre	36,315 %	8354,9856 litre	O
290	CM	120	CM	93 LEVEL CM	4696,4238 litre	35,798 %	8422,8671 litre	O
290	CM	120	CM	92 LEVEL CM	4628,6763 litre	35,281 %	8490,6146 litre	O
290	CM	120	CM	91 LEVEL CM	4561,0680 litre	34,766 %	8558,2229 litre	O
290	CM	120	CM	90 LEVEL CM	4493,6041 litre	34,252 %	8625,6868 litre	O
290	CM	120	CM	89 LEVEL CM	4426,2899 litre	33,739 %	8693,0010 litre	O
290	CM	120	CM	88 LEVEL CM	4359,1309 litre	33,227 %	8760,1600 litre	O
290	CM	120	CM	87 LEVEL CM	4292,1323 litre	32,716 %	8827,1586 litre	O
290	CM	120	CM	86 LEVEL CM	4225,2997 litre	32,207 %	8893,9912 litre	O
290	CM	120	CM	85 LEVEL CM	4158,6383 litre	31,699 %	8960,6526 litre	O
290	CM	120	CM	84 LEVEL CM	4092,1539 litre	31,192 %	9027,1370 litre	O
290	CM	120	CM	83 LEVEL CM	4025,8519 litre	30,687 %	9093,4390 litre	O

290	CM	120	CM	82 LEVEL CM	3959,7378 litre	30,183 %	9159,5531 litre	O
290	CM	120	CM	81 LEVEL CM	3893,8174 litre	29,680 %	9225,4735 litre	O
290	CM	120	CM	80 LEVEL CM	3828,0963 litre	29,179 %	9291,1946 litre	O
290	CM	120	CM	79 LEVEL CM	3762,5803 litre	28,680 %	9356,7106 litre	O
290	CM	120	CM	78 LEVEL CM	3697,2752 litre	28,182 %	9422,0157 litre	O
290	CM	120	CM	77 LEVEL CM	3632,1867 litre	27,686 %	9487,1042 litre	O
290	CM	120	CM	76 LEVEL CM	3567,3209 litre	27,191 %	9551,9700 litre	O
290	CM	120	CM	75 LEVEL CM	3502,6837 litre	26,699 %	9616,6072 litre	O
290	CM	120	CM	74 LEVEL CM	3438,2811 litre	26,208 %	9681,0098 litre	O
290	CM	120	CM	73 LEVEL CM	3374,1192 litre	25,719 %	9745,1717 litre	O
290	CM	120	CM	72 LEVEL CM	3310,2042 litre	25,232 %	9809,0867 litre	O
290	CM	120	CM	71 LEVEL CM	3246,5424 litre	24,746 %	9872,7485 litre	O
290	CM	120	CM	70 LEVEL CM	3183,1400 litre	24,263 %	9936,1509 litre	O
290	CM	120	CM	69 LEVEL CM	3120,0035 litre	23,782 %	9999,2874 litre	O
290	CM	120	CM	68 LEVEL CM	3057,1393 litre	23,303 %	10062,1516 litre	O
290	CM	120	CM	67 LEVEL CM	2994,5539 litre	22,826 %	10124,7370 litre	O
290	CM	120	CM	66 LEVEL CM	2932,2541 litre	22,351 %	10187,0368 litre	O
290	CM	120	CM	65 LEVEL CM	2870,2466 litre	21,878 %	10249,0443 litre	O
290	CM	120	CM	64 LEVEL CM	2808,5382 litre	21,408 %	10310,7527 litre	O
290	CM	120	CM	63 LEVEL CM	2747,1358 litre	20,940 %	10372,1551 litre	O
290	CM	120	CM	62 LEVEL CM	2686,0466 litre	20,474 %	10433,2443 litre	O
290	CM	120	CM	61 LEVEL CM	2625,2775 litre	20,011 %	10494,0134 litre	O
290	CM	120	CM	60 LEVEL CM	2564,8359 litre	19,550 %	10554,4550 litre	O
290	CM	120	CM	59 LEVEL CM	2504,7292 litre	19,092 %	10614,5617 litre	O
290	CM	120	CM	58 LEVEL CM	2444,9649 litre	18,636 %	10674,3260 litre	O
290	CM	120	CM	57 LEVEL CM	2385,5506 litre	18,184 %	10733,7403 litre	O
290	CM	120	CM	56 LEVEL CM	2326,4941 litre	17,733 %	10792,7968 litre	O
290	CM	120	CM	55 LEVEL CM	2267,8033 litre	17,286 %	10851,4876 litre	O
290	CM	120	CM	54 LEVEL CM	2209,4862 litre	16,842 %	10909,8047 litre	O
290	CM	120	CM	53 LEVEL CM	2151,5511 litre	16,400 %	10967,7398 litre	O
290	CM	120	CM	52 LEVEL CM	2094,0064 litre	15,961 %	11025,2845 litre	O
290	CM	120	CM	51 LEVEL CM	2036,8606 litre	15,526 %	11082,4303 litre	O
290	CM	120	CM	50 LEVEL CM	1980,1224 litre	15,093 %	11139,1685 litre	O
290	CM	120	CM	49 LEVEL CM	1923,8008 litre	14,664 %	11195,4901 litre	O
290	CM	120	CM	48 LEVEL CM	1867,9048 litre	14,238 %	11251,3861 litre	O
290	CM	120	CM	47 LEVEL CM	1812,4439 litre	13,815 %	11306,8470 litre	O
290	CM	120	CM	46 LEVEL CM	1757,4276 litre	13,396 %	11361,8633 litre	O
290	CM	120	CM	45 LEVEL CM	1702,8656 litre	12,980 %	11416,4253 litre	O
290	CM	120	CM	44 LEVEL CM	1648,7680 litre	12,568 %	11470,5229 litre	O
290	CM	120	CM	43 LEVEL CM	1595,1451 litre	12,159 %	11524,1458 litre	O
290	CM	120	CM	42 LEVEL CM	1542,0074 litre	11,754 %	11577,2835 litre	O
290	CM	120	CM	41 LEVEL CM	1489,3659 litre	11,352 %	11629,9250 litre	O
290	CM	120	CM	40 LEVEL CM	1437,2317 litre	10,955 %	11682,0592 litre	O
290	CM	120	CM	39 LEVEL CM	1385,6163 litre	10,562 %	11733,6746 litre	O
290	CM	120	CM	38 LEVEL CM	1334,5315 litre	10,172 %	11784,7594 litre	O
290	CM	120	CM	37 LEVEL CM	1283,9896 litre	9,787 %	11835,3013 litre	O
290	CM	120	CM	36 LEVEL CM	1234,0032 litre	9,406 %	11885,2877 litre	O
290	CM	120	CM	35 LEVEL CM	1184,5853 litre	9,029 %	11934,7056 litre	O
290	CM	120	CM	34 LEVEL CM	1135,7495 litre	8,657 %	11983,5414 litre	O
290	CM	120	CM	33 LEVEL CM	1087,5098 litre	8,289 %	12031,7811 litre	O
290	CM	120	CM	32 LEVEL CM	1039,8806 litre	7,926 %	12079,4103 litre	O
290	CM	120	CM	31 LEVEL CM	992,8771 litre	7,568 %	12126,4138 litre	O
290	CM	120	CM	30 LEVEL CM	946,5149 litre	7,215 %	12172,7760 litre	O

290	CM	120	CM	29 LEVEL CM	900,8105 litre	6,866 %	12218,4804 litre	O
290	CM	120	CM	28 LEVEL CM	855,7809 litre	6,523 %	12263,5100 litre	O
290	CM	120	CM	27 LEVEL CM	811,4439 litre	6,185 %	12307,8470 litre	O
290	CM	120	CM	26 LEVEL CM	767,8183 litre	5,853 %	12351,4726 litre	O
290	CM	120	CM	25 LEVEL CM	724,9236 litre	5,526 %	12394,3673 litre	O
290	CM	120	CM	24 LEVEL CM	682,7806 litre	5,204 %	12436,5103 litre	O
290	CM	120	CM	23 LEVEL CM	641,4111 litre	4,889 %	12477,8798 litre	O
290	CM	120	CM	22 LEVEL CM	600,8380 litre	4,580 %	12518,4529 litre	O
290	CM	120	CM	21 LEVEL CM	561,0858 litre	4,277 %	12558,2051 litre	O
290	CM	120	CM	20 LEVEL CM	522,1805 litre	3,980 %	12597,1104 litre	O
290	CM	120	CM	19 LEVEL CM	484,1496 litre	3,690 %	12635,1413 litre	O
290	CM	120	CM	18 LEVEL CM	447,0230 litre	3,407 %	12672,2679 litre	O
290	CM	120	CM	17 LEVEL CM	410,8325 litre	3,132 %	12708,4584 litre	O
290	CM	120	CM	16 LEVEL CM	375,6125 litre	2,863 %	12743,6784 litre	O
290	CM	120	CM	15 LEVEL CM	341,4003 litre	2,602 %	12777,8906 litre	O
290	CM	120	CM	14 LEVEL CM	308,2368 litre	2,349 %	12811,0541 litre	O
290	CM	120	CM	13 LEVEL CM	276,1666 litre	2,105 %	12843,1243 litre	O
290	CM	120	CM	12 LEVEL CM	245,2394 litre	1,869 %	12874,0515 litre	O
290	CM	120	CM	11 LEVEL CM	215,5103 litre	1,643 %	12903,7806 litre	O
290	CM	120	CM	10 LEVEL CM	187,0415 litre	1,426 %	12932,2494 litre	O
290	CM	120	CM	9 LEVEL CM	159,9039 litre	1,219 %	12959,3870 litre	O
290	CM	120	CM	8 LEVEL CM	134,1795 litre	1,023 %	12985,1114 litre	O
290	CM	120	CM	7 LEVEL CM	109,9645 litre	0,838 %	13009,3264 litre	O
290	CM	120	CM	6 LEVEL CM	87,3745 litre	0,666 %	13031,9164 litre	O
290	CM	120	CM	5 LEVEL CM	66,5525 litre	0,507 %	13052,7384 litre	O
290	CM	120	CM	4 LEVEL CM	47,6814 litre	0,363 %	13071,6095 litre	O
290	CM	120	CM	3 LEVEL CM	31,0091 litre	0,236 %	13088,2818 litre	O
290	CM	120	CM	2 LEVEL CM	16,9005 litre	0,129 %	13102,3904 litre	O
290	CM	120	CM	1 LEVEL CM	5,9827 litre	0,046 %	13113,3082 litre	O
290	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	13119,2909 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
290	CM	115	CM	230 LEVEL CM	12048,7932 litre	100,000 %	0,0000 litre	O
290	CM	115	CM	229 LEVEL CM	12042,9368 litre	99,951 %	5,8564 litre	O
290	CM	115	CM	228 LEVEL CM	12032,2504 litre	99,863 %	16,5428 litre	O
290	CM	115	CM	227 LEVEL CM	12018,4420 litre	99,748 %	30,3512 litre	O
290	CM	115	CM	226 LEVEL CM	12002,1260 litre	99,613 %	46,6672 litre	O
290	CM	115	CM	225 LEVEL CM	11983,6600 litre	99,459 %	65,1332 litre	O
290	CM	115	CM	224 LEVEL CM	11963,2867 litre	99,290 %	85,5065 litre	O
290	CM	115	CM	223 LEVEL CM	11941,1858 litre	99,107 %	107,6074 litre	O
290	CM	115	CM	222 LEVEL CM	11917,4973 litre	98,910 %	131,2959 litre	O
290	CM	115	CM	221 LEVEL CM	11892,3346 litre	98,701 %	156,4586 litre	O
290	CM	115	CM	220 LEVEL CM	11865,7923 litre	98,481 %	183,0009 litre	O
290	CM	115	CM	219 LEVEL CM	11837,9506 litre	98,250 %	210,8426 litre	O
290	CM	115	CM	218 LEVEL CM	11808,8793 litre	98,009 %	239,9139 litre	O
290	CM	115	CM	217 LEVEL CM	11778,6394 litre	97,758 %	270,1538 litre	O
290	CM	115	CM	216 LEVEL CM	11747,2852 litre	97,498 %	301,5080 litre	O
290	CM	115	CM	215 LEVEL CM	11714,8654 litre	97,229 %	333,9278 litre	O
290	CM	115	CM	214 LEVEL CM	11681,4239 litre	96,951 %	367,3693 litre	O
290	CM	115	CM	213 LEVEL CM	11647,0008 litre	96,665 %	401,7924 litre	O
290	CM	115	CM	212 LEVEL CM	11611,6329 litre	96,372 %	437,1603 litre	O
290	CM	115	CM	211 LEVEL CM	11575,3540 litre	96,071 %	473,4392 litre	O
290	CM	115	CM	210 LEVEL CM	11538,1956 litre	95,762 %	510,5976 litre	O
290	CM	115	CM	209 LEVEL CM	11500,1869 litre	95,447 %	548,6063 litre	O
290	CM	115	CM	208 LEVEL CM	11461,3550 litre	95,125 %	587,4382 litre	O
290	CM	115	CM	207 LEVEL CM	11421,7256 litre	94,796 %	627,0676 litre	O
290	CM	115	CM	206 LEVEL CM	11381,3228 litre	94,460 %	667,4704 litre	O
290	CM	115	CM	205 LEVEL CM	11340,1692 litre	94,119 %	708,6240 litre	O
290	CM	115	CM	204 LEVEL CM	11298,2864 litre	93,771 %	750,5068 litre	O
290	CM	115	CM	203 LEVEL CM	11255,6947 litre	93,418 %	793,0985 litre	O
290	CM	115	CM	202 LEVEL CM	11212,4135 litre	93,058 %	836,3797 litre	O
290	CM	115	CM	201 LEVEL CM	11168,4613 litre	92,694 %	880,3319 litre	O
290	CM	115	CM	200 LEVEL CM	11123,8557 litre	92,323 %	924,9375 litre	O
290	CM	115	CM	199 LEVEL CM	11078,6136 litre	91,948 %	970,1796 litre	O
290	CM	115	CM	198 LEVEL CM	11032,7511 litre	91,567 %	1016,0421 litre	O
290	CM	115	CM	197 LEVEL CM	10986,2838 litre	91,182 %	1062,5094 litre	O
290	CM	115	CM	196 LEVEL CM	10939,2266 litre	90,791 %	1109,5666 litre	O
290	CM	115	CM	195 LEVEL CM	10891,5939 litre	90,396 %	1157,1993 litre	O
290	CM	115	CM	194 LEVEL CM	10843,3994 litre	89,996 %	1205,3938 litre	O
290	CM	115	CM	193 LEVEL CM	10794,6567 litre	89,591 %	1254,1365 litre	O
290	CM	115	CM	192 LEVEL CM	10745,3785 litre	89,182 %	1303,4147 litre	O
290	CM	115	CM	191 LEVEL CM	10695,5775 litre	88,769 %	1353,2157 litre	O
290	CM	115	CM	190 LEVEL CM	10645,2657 litre	88,351 %	1403,5275 litre	O
290	CM	115	CM	189 LEVEL CM	10594,4549 litre	87,930 %	1454,3383 litre	O
290	CM	115	CM	188 LEVEL CM	10543,1565 litre	87,504 %	1505,6367 litre	O
290	CM	115	CM	187 LEVEL CM	10491,3816 litre	87,074 %	1557,4116 litre	O
290	CM	115	CM	186 LEVEL CM	10439,1409 litre	86,641 %	1609,6523 litre	O
290	CM	115	CM	185 LEVEL CM	10386,4451 litre	86,203 %	1662,3481 litre	O
290	CM	115	CM	184 LEVEL CM	10333,3042 litre	85,762 %	1715,4890 litre	O
290	CM	115	CM	183 LEVEL CM	10279,7284 litre	85,317 %	1769,0648 litre	O
290	CM	115	CM	182 LEVEL CM	10225,7272 litre	84,869 %	1823,0660 litre	O
290	CM	115	CM	181 LEVEL CM	10171,3103 litre	84,418 %	1877,4829 litre	O
290	CM	115	CM	180 LEVEL CM	10116,4869 litre	83,963 %	1932,3063 litre	O
290	CM	115	CM	179 LEVEL CM	10061,2660 litre	83,504 %	1987,5272 litre	O

290	CM 115	CM	178 LEVEL CM	10005,6567 litre	83,043 %	2043,1365 litre	O
290	CM 115	CM	177 LEVEL CM	9949,6675 litre	82,578 %	2099,1257 litre	O
290	CM 115	CM	176 LEVEL CM	9893,3070 litre	82,110 %	2155,4862 litre	O
290	CM 115	CM	175 LEVEL CM	9836,5836 litre	81,640 %	2212,2096 litre	O
290	CM 115	CM	174 LEVEL CM	9779,5055 litre	81,166 %	2269,2877 litre	O
290	CM 115	CM	173 LEVEL CM	9722,0807 litre	80,689 %	2326,7125 litre	O
290	CM 115	CM	172 LEVEL CM	9664,3171 litre	80,210 %	2384,4761 litre	O
290	CM 115	CM	171 LEVEL CM	9606,2226 litre	79,728 %	2442,5706 litre	O
290	CM 115	CM	170 LEVEL CM	9547,8046 litre	79,243 %	2500,9886 litre	O
290	CM 115	CM	169 LEVEL CM	9489,0708 litre	78,755 %	2559,7224 litre	O
290	CM 115	CM	168 LEVEL CM	9430,0285 litre	78,265 %	2618,7647 litre	O
290	CM 115	CM	167 LEVEL CM	9370,6850 litre	77,773 %	2678,1082 litre	O
290	CM 115	CM	166 LEVEL CM	9311,0474 litre	77,278 %	2737,7458 litre	O
290	CM 115	CM	165 LEVEL CM	9251,1229 litre	76,780 %	2797,6703 litre	O
290	CM 115	CM	164 LEVEL CM	9190,9183 litre	76,281 %	2857,8749 litre	O
290	CM 115	CM	163 LEVEL CM	9130,4405 litre	75,779 %	2918,3527 litre	O
290	CM 115	CM	162 LEVEL CM	9069,6964 litre	75,275 %	2979,0968 litre	O
290	CM 115	CM	161 LEVEL CM	9008,6925 litre	74,768 %	3040,1007 litre	O
290	CM 115	CM	160 LEVEL CM	8947,4354 litre	74,260 %	3101,3578 litre	O
290	CM 115	CM	159 LEVEL CM	8885,9318 litre	73,750 %	3162,8614 litre	O
290	CM 115	CM	158 LEVEL CM	8824,1879 litre	73,237 %	3224,6053 litre	O
290	CM 115	CM	157 LEVEL CM	8762,2102 litre	72,723 %	3286,5830 litre	O
290	CM 115	CM	156 LEVEL CM	8700,0050 litre	72,206 %	3348,7882 litre	O
290	CM 115	CM	155 LEVEL CM	8637,5784 litre	71,688 %	3411,2148 litre	O
290	CM 115	CM	154 LEVEL CM	8574,9366 litre	71,168 %	3473,8566 litre	O
290	CM 115	CM	153 LEVEL CM	8512,0858 litre	70,647 %	3536,7074 litre	O
290	CM 115	CM	152 LEVEL CM	8449,0319 litre	70,123 %	3599,7613 litre	O
290	CM 115	CM	151 LEVEL CM	8385,7808 litre	69,599 %	3663,0124 litre	O
290	CM 115	CM	150 LEVEL CM	8322,3387 litre	69,072 %	3726,4545 litre	O
290	CM 115	CM	149 LEVEL CM	8258,7112 litre	68,544 %	3790,0820 litre	O
290	CM 115	CM	148 LEVEL CM	8194,9041 litre	68,014 %	3853,8891 litre	O
290	CM 115	CM	147 LEVEL CM	8130,9234 litre	67,483 %	3917,8698 litre	O
290	CM 115	CM	146 LEVEL CM	8066,7746 litre	66,951 %	3982,0186 litre	O
290	CM 115	CM	145 LEVEL CM	8002,4635 litre	66,417 %	4046,3297 litre	O
290	CM 115	CM	144 LEVEL CM	7937,9956 litre	65,882 %	4110,7976 litre	O
290	CM 115	CM	143 LEVEL CM	7873,3765 litre	65,346 %	4175,4167 litre	O
290	CM 115	CM	142 LEVEL CM	7808,6119 litre	64,808 %	4240,1813 litre	O
290	CM 115	CM	141 LEVEL CM	7743,7072 litre	64,270 %	4305,0860 litre	O
290	CM 115	CM	140 LEVEL CM	7678,6678 litre	63,730 %	4370,1254 litre	O
290	CM 115	CM	139 LEVEL CM	7613,4993 litre	63,189 %	4435,2939 litre	O
290	CM 115	CM	138 LEVEL CM	7548,2070 litre	62,647 %	4500,5862 litre	O
290	CM 115	CM	137 LEVEL CM	7482,7963 litre	62,104 %	4565,9969 litre	O
290	CM 115	CM	136 LEVEL CM	7417,2726 litre	61,560 %	4631,5206 litre	O
290	CM 115	CM	135 LEVEL CM	7351,6411 litre	61,016 %	4697,1521 litre	O
290	CM 115	CM	134 LEVEL CM	7285,9072 litre	60,470 %	4762,8860 litre	O
290	CM 115	CM	133 LEVEL CM	7220,0762 litre	59,924 %	4828,7170 litre	O
290	CM 115	CM	132 LEVEL CM	7154,1532 litre	59,377 %	4894,6400 litre	O
290	CM 115	CM	131 LEVEL CM	7088,1435 litre	58,829 %	4960,6497 litre	O
290	CM 115	CM	130 LEVEL CM	7022,0524 litre	58,280 %	5026,7408 litre	O
290	CM 115	CM	129 LEVEL CM	6955,8849 litre	57,731 %	5092,9083 litre	O
290	CM 115	CM	128 LEVEL CM	6889,6463 litre	57,181 %	5159,1469 litre	O
290	CM 115	CM	127 LEVEL CM	6823,3417 litre	56,631 %	5225,4515 litre	O
290	CM 115	CM	126 LEVEL CM	6756,9763 litre	56,080 %	5291,8169 litre	O

290	CM 115	CM	125 LEVEL CM	6690,5551 litre	55,529 %	5358,2381 litre	O
290	CM 115	CM	124 LEVEL CM	6624,0833 litre	54,977 %	5424,7099 litre	O
290	CM 115	CM	123 LEVEL CM	6557,5659 litre	54,425 %	5491,2273 litre	O
290	CM 115	CM	122 LEVEL CM	6491,0081 litre	53,873 %	5557,7851 litre	O
290	CM 115	CM	121 LEVEL CM	6424,4150 litre	53,320 %	5624,3782 litre	O
290	CM 115	CM	120 LEVEL CM	6357,7915 litre	52,767 %	5691,0017 litre	O
290	CM 115	CM	119 LEVEL CM	6291,1428 litre	52,214 %	5757,6504 litre	O
290	CM 115	CM	118 LEVEL CM	6224,4739 litre	51,661 %	5824,3193 litre	O
290	CM 115	CM	117 LEVEL CM	6157,7899 litre	51,107 %	5891,0033 litre	O
290	CM 115	CM	116 LEVEL CM	6091,0958 litre	50,554 %	5957,6974 litre	O
290	CM 115	CM	115 LEVEL CM	6024,3966 litre	50,000 %	6024,3966 litre	O
290	CM 115	CM	114 LEVEL CM	5957,6975 litre	49,446 %	6091,0957 litre	O
290	CM 115	CM	113 LEVEL CM	5891,0033 litre	48,893 %	6157,7899 litre	O
290	CM 115	CM	112 LEVEL CM	5824,3193 litre	48,339 %	6224,4739 litre	O
290	CM 115	CM	111 LEVEL CM	5757,6504 litre	47,786 %	6291,1428 litre	O
290	CM 115	CM	110 LEVEL CM	5691,0017 litre	47,233 %	6357,7915 litre	O
290	CM 115	CM	109 LEVEL CM	5624,3783 litre	46,680 %	6424,4149 litre	O
290	CM 115	CM	108 LEVEL CM	5557,7851 litre	46,127 %	6491,0081 litre	O
290	CM 115	CM	107 LEVEL CM	5491,2273 litre	45,575 %	6557,5659 litre	O
290	CM 115	CM	106 LEVEL CM	5424,7100 litre	45,023 %	6624,0832 litre	O
290	CM 115	CM	105 LEVEL CM	5358,2381 litre	44,471 %	6690,5551 litre	O
290	CM 115	CM	104 LEVEL CM	5291,8170 litre	43,920 %	6756,9762 litre	O
290	CM 115	CM	103 LEVEL CM	5225,4515 litre	43,369 %	6823,3417 litre	O
290	CM 115	CM	102 LEVEL CM	5159,1469 litre	42,819 %	6889,6463 litre	O
290	CM 115	CM	101 LEVEL CM	5092,9083 litre	42,269 %	6955,8849 litre	O
290	CM 115	CM	100 LEVEL CM	5026,7409 litre	41,720 %	7022,0523 litre	O
290	CM 115	CM	99 LEVEL CM	4960,6497 litre	41,171 %	7088,1435 litre	O
290	CM 115	CM	98 LEVEL CM	4894,6400 litre	40,623 %	7154,1532 litre	O
290	CM 115	CM	97 LEVEL CM	4828,7170 litre	40,076 %	7220,0762 litre	O
290	CM 115	CM	96 LEVEL CM	4762,8860 litre	39,530 %	7285,9072 litre	O
290	CM 115	CM	95 LEVEL CM	4697,1521 litre	38,984 %	7351,6411 litre	O
290	CM 115	CM	94 LEVEL CM	4631,5206 litre	38,440 %	7417,2726 litre	O
290	CM 115	CM	93 LEVEL CM	4565,9969 litre	37,896 %	7482,7963 litre	O
290	CM 115	CM	92 LEVEL CM	4500,5862 litre	37,353 %	7548,2070 litre	O
290	CM 115	CM	91 LEVEL CM	4435,2939 litre	36,811 %	7613,4993 litre	O
290	CM 115	CM	90 LEVEL CM	4370,1254 litre	36,270 %	7678,6678 litre	O
290	CM 115	CM	89 LEVEL CM	4305,0860 litre	35,730 %	7743,7072 litre	O
290	CM 115	CM	88 LEVEL CM	4240,1813 litre	35,192 %	7808,6119 litre	O
290	CM 115	CM	87 LEVEL CM	4175,4167 litre	34,654 %	7873,3765 litre	O
290	CM 115	CM	86 LEVEL CM	4110,7976 litre	34,118 %	7937,9956 litre	O
290	CM 115	CM	85 LEVEL CM	4046,3298 litre	33,583 %	8002,4634 litre	O
290	CM 115	CM	84 LEVEL CM	3982,0186 litre	33,049 %	8066,7746 litre	O
290	CM 115	CM	83 LEVEL CM	3917,8698 litre	32,517 %	8130,9234 litre	O
290	CM 115	CM	82 LEVEL CM	3853,8891 litre	31,986 %	8194,9041 litre	O
290	CM 115	CM	81 LEVEL CM	3790,0821 litre	31,456 %	8258,7111 litre	O
290	CM 115	CM	80 LEVEL CM	3726,4546 litre	30,928 %	8322,3386 litre	O
290	CM 115	CM	79 LEVEL CM	3663,0124 litre	30,401 %	8385,7808 litre	O
290	CM 115	CM	78 LEVEL CM	3599,7614 litre	29,877 %	8449,0318 litre	O
290	CM 115	CM	77 LEVEL CM	3536,7075 litre	29,353 %	8512,0857 litre	O
290	CM 115	CM	76 LEVEL CM	3473,8566 litre	28,832 %	8574,9366 litre	O
290	CM 115	CM	75 LEVEL CM	3411,2148 litre	28,312 %	8637,5784 litre	O
290	CM 115	CM	74 LEVEL CM	3348,7883 litre	27,794 %	8700,0049 litre	O
290	CM 115	CM	73 LEVEL CM	3286,5830 litre	27,277 %	8762,2102 litre	O

290	CM 115	CM	72 LEVEL CM	3224,6053 litre	26,763 %	8824,1879 litre	O
290	CM 115	CM	71 LEVEL CM	3162,8615 litre	26,250 %	8885,9317 litre	O
290	CM 115	CM	70 LEVEL CM	3101,3578 litre	25,740 %	8947,4354 litre	O
290	CM 115	CM	69 LEVEL CM	3040,1008 litre	25,232 %	9008,6924 litre	O
290	CM 115	CM	68 LEVEL CM	2979,0969 litre	24,725 %	9069,6963 litre	O
290	CM 115	CM	67 LEVEL CM	2918,3527 litre	24,221 %	9130,4405 litre	O
290	CM 115	CM	66 LEVEL CM	2857,8749 litre	23,719 %	9190,9183 litre	O
290	CM 115	CM	65 LEVEL CM	2797,6704 litre	23,220 %	9251,1228 litre	O
290	CM 115	CM	64 LEVEL CM	2737,7458 litre	22,722 %	9311,0474 litre	O
290	CM 115	CM	63 LEVEL CM	2678,1083 litre	22,227 %	9370,6849 litre	O
290	CM 115	CM	62 LEVEL CM	2618,7647 litre	21,735 %	9430,0285 litre	O
290	CM 115	CM	61 LEVEL CM	2559,7224 litre	21,245 %	9489,0708 litre	O
290	CM 115	CM	60 LEVEL CM	2500,9886 litre	20,757 %	9549,8046 litre	O
290	CM 115	CM	59 LEVEL CM	2442,5707 litre	20,272 %	9606,2225 litre	O
290	CM 115	CM	58 LEVEL CM	2384,4761 litre	19,790 %	9664,3171 litre	O
290	CM 115	CM	57 LEVEL CM	2326,7125 litre	19,311 %	9722,0807 litre	O
290	CM 115	CM	56 LEVEL CM	2269,2877 litre	18,834 %	9779,5055 litre	O
290	CM 115	CM	55 LEVEL CM	2212,2096 litre	18,360 %	9836,5836 litre	O
290	CM 115	CM	54 LEVEL CM	2155,4862 litre	17,890 %	9893,3070 litre	O
290	CM 115	CM	53 LEVEL CM	2099,1257 litre	17,422 %	9949,6675 litre	O
290	CM 115	CM	52 LEVEL CM	2043,1366 litre	16,957 %	10005,6566 litre	O
290	CM 115	CM	51 LEVEL CM	1987,5272 litre	16,496 %	10061,2660 litre	O
290	CM 115	CM	50 LEVEL CM	1932,3064 litre	16,037 %	10116,4868 litre	O
290	CM 115	CM	49 LEVEL CM	1877,4829 litre	15,582 %	10171,3103 litre	O
290	CM 115	CM	48 LEVEL CM	1823,0660 litre	15,131 %	10225,7272 litre	O
290	CM 115	CM	47 LEVEL CM	1769,0649 litre	14,683 %	10279,7283 litre	O
290	CM 115	CM	46 LEVEL CM	1715,4890 litre	14,238 %	10333,3042 litre	O
290	CM 115	CM	45 LEVEL CM	1662,3481 litre	13,797 %	10386,4451 litre	O
290	CM 115	CM	44 LEVEL CM	1609,6523 litre	13,359 %	10439,1409 litre	O
290	CM 115	CM	43 LEVEL CM	1557,4117 litre	12,926 %	10491,3815 litre	O
290	CM 115	CM	42 LEVEL CM	1505,6367 litre	12,496 %	10543,1565 litre	O
290	CM 115	CM	41 LEVEL CM	1454,3383 litre	12,070 %	10594,4549 litre	O
290	CM 115	CM	40 LEVEL CM	1403,5275 litre	11,649 %	10645,2657 litre	O
290	CM 115	CM	39 LEVEL CM	1353,2158 litre	11,231 %	10695,5774 litre	O
290	CM 115	CM	38 LEVEL CM	1303,4147 litre	10,818 %	10745,3785 litre	O
290	CM 115	CM	37 LEVEL CM	1254,1366 litre	10,409 %	10794,6566 litre	O
290	CM 115	CM	36 LEVEL CM	1205,3938 litre	10,004 %	10843,3994 litre	O
290	CM 115	CM	35 LEVEL CM	1157,1994 litre	9,604 %	10891,5938 litre	O
290	CM 115	CM	34 LEVEL CM	1109,5666 litre	9,209 %	10939,2266 litre	O
290	CM 115	CM	33 LEVEL CM	1062,5094 litre	8,818 %	10986,2838 litre	O
290	CM 115	CM	32 LEVEL CM	1016,0421 litre	8,433 %	11032,7511 litre	O
290	CM 115	CM	31 LEVEL CM	970,1796 litre	8,052 %	11078,6136 litre	O
290	CM 115	CM	30 LEVEL CM	924,9375 litre	7,677 %	11123,8557 litre	O
290	CM 115	CM	29 LEVEL CM	880,3319 litre	7,306 %	11168,4613 litre	O
290	CM 115	CM	28 LEVEL CM	836,3797 litre	6,942 %	11212,4135 litre	O
290	CM 115	CM	27 LEVEL CM	793,0985 litre	6,582 %	11255,6947 litre	O
290	CM 115	CM	26 LEVEL CM	750,5068 litre	6,229 %	11298,2864 litre	O
290	CM 115	CM	25 LEVEL CM	708,6240 litre	5,881 %	11340,1692 litre	O
290	CM 115	CM	24 LEVEL CM	667,4705 litre	5,540 %	11381,3227 litre	O
290	CM 115	CM	23 LEVEL CM	627,0676 litre	5,204 %	11421,7256 litre	O
290	CM 115	CM	22 LEVEL CM	587,4382 litre	4,875 %	11461,3550 litre	O
290	CM 115	CM	21 LEVEL CM	548,6064 litre	4,553 %	11500,1868 litre	O
290	CM 115	CM	20 LEVEL CM	510,5976 litre	4,238 %	11538,1956 litre	O

290	CM	115	CM	19 LEVEL CM	473,4392 litre	3,929 %	11575,3540 litre	O
290	CM	115	CM	18 LEVEL CM	437,1603 litre	3,628 %	11611,6329 litre	O
290	CM	115	CM	17 LEVEL CM	401,7924 litre	3,335 %	11647,0008 litre	O
290	CM	115	CM	16 LEVEL CM	367,3694 litre	3,049 %	11681,4238 litre	O
290	CM	115	CM	15 LEVEL CM	333,9279 litre	2,771 %	11714,8653 litre	O
290	CM	115	CM	14 LEVEL CM	301,5080 litre	2,502 %	11747,2852 litre	O
290	CM	115	CM	13 LEVEL CM	270,1538 litre	2,242 %	11778,6394 litre	O
290	CM	115	CM	12 LEVEL CM	239,9139 litre	1,991 %	11808,8793 litre	O
290	CM	115	CM	11 LEVEL CM	210,8426 litre	1,750 %	11837,9506 litre	O
290	CM	115	CM	10 LEVEL CM	183,0009 litre	1,519 %	11865,7923 litre	O
290	CM	115	CM	9 LEVEL CM	156,4586 litre	1,299 %	11892,3346 litre	O
290	CM	115	CM	8 LEVEL CM	131,2959 litre	1,090 %	11917,4973 litre	O
290	CM	115	CM	7 LEVEL CM	107,6074 litre	0,893 %	11941,1858 litre	O
290	CM	115	CM	6 LEVEL CM	85,5065 litre	0,710 %	11963,2867 litre	O
290	CM	115	CM	5 LEVEL CM	65,1333 litre	0,541 %	11983,6599 litre	O
290	CM	115	CM	4 LEVEL CM	46,6672 litre	0,387 %	12002,1260 litre	O
290	CM	115	CM	3 LEVEL CM	30,3512 litre	0,252 %	12018,4420 litre	O
290	CM	115	CM	2 LEVEL CM	16,5428 litre	0,137 %	12032,2504 litre	O
290	CM	115	CM	1 LEVEL CM	5,8564 litre	0,049 %	12042,9368 litre	O
290	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	12048,7932 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM	110	CM 220 LEVEL CM	11023,8486 litre	100,000 %	0,0000 litre	O
290	CM	110	CM 219 LEVEL CM	11018,1213 litre	99,948 %	5,7273 litre	O
290	CM	110	CM 218 LEVEL CM	11007,6714 litre	99,853 %	16,1772 litre	O
290	CM	110	CM 217 LEVEL CM	10994,1699 litre	99,731 %	29,6787 litre	O
290	CM	110	CM 216 LEVEL CM	10978,2182 litre	99,586 %	45,6304 litre	O
290	CM	110	CM 215 LEVEL CM	10960,1662 litre	99,422 %	63,6824 litre	O
290	CM	110	CM 214 LEVEL CM	10940,2519 litre	99,242 %	83,5967 litre	O
290	CM	110	CM 213 LEVEL CM	10918,6511 litre	99,046 %	105,1975 litre	O
290	CM	110	CM 212 LEVEL CM	10895,5010 litre	98,836 %	128,3476 litre	O
290	CM	110	CM 211 LEVEL CM	10870,9129 litre	98,613 %	152,9357 litre	O
290	CM	110	CM 210 LEVEL CM	10844,9794 litre	98,377 %	178,8692 litre	O
290	CM	110	CM 209 LEVEL CM	10817,7794 litre	98,131 %	206,0692 litre	O
290	CM	110	CM 208 LEVEL CM	10789,3811 litre	97,873 %	234,4675 litre	O
290	CM	110	CM 207 LEVEL CM	10759,8446 litre	97,605 %	264,0040 litre	O
290	CM	110	CM 206 LEVEL CM	10729,2231 litre	97,327 %	294,6255 litre	O
290	CM	110	CM 205 LEVEL CM	10697,5644 litre	97,040 %	326,2842 litre	O
290	CM	110	CM 204 LEVEL CM	10664,9117 litre	96,744 %	358,9369 litre	O
290	CM	110	CM 203 LEVEL CM	10631,3045 litre	96,439 %	392,5441 litre	O
290	CM	110	CM 202 LEVEL CM	10596,7788 litre	96,126 %	427,0698 litre	O
290	CM	110	CM 201 LEVEL CM	10561,3680 litre	95,805 %	462,4806 litre	O
290	CM	110	CM 200 LEVEL CM	10525,1030 litre	95,476 %	498,7456 litre	O
290	CM	110	CM 199 LEVEL CM	10488,0124 litre	95,139 %	535,8362 litre	O
290	CM	110	CM 198 LEVEL CM	10450,1232 litre	94,796 %	573,7254 litre	O
290	CM	110	CM 197 LEVEL CM	10411,4606 litre	94,445 %	612,3880 litre	O
290	CM	110	CM 196 LEVEL CM	10372,0482 litre	94,087 %	651,8004 litre	O
290	CM	110	CM 195 LEVEL CM	10331,9084 litre	93,723 %	691,9402 litre	O
290	CM	110	CM 194 LEVEL CM	10291,0624 litre	93,353 %	732,7862 litre	O
290	CM	110	CM 193 LEVEL CM	10249,5304 litre	92,976 %	774,3182 litre	O
290	CM	110	CM 192 LEVEL CM	10207,3315 litre	92,593 %	816,5171 litre	O
290	CM	110	CM 191 LEVEL CM	10164,4838 litre	92,204 %	859,3648 litre	O
290	CM	110	CM 190 LEVEL CM	10121,0048 litre	91,810 %	902,8438 litre	O
290	CM	110	CM 189 LEVEL CM	10076,9111 litre	91,410 %	946,9375 litre	O
290	CM	110	CM 188 LEVEL CM	10032,2188 litre	91,005 %	991,6298 litre	O
290	CM	110	CM 187 LEVEL CM	9986,9432 litre	90,594 %	1036,9054 litre	O
290	CM	110	CM 186 LEVEL CM	9941,0990 litre	90,178 %	1082,7496 litre	O
290	CM	110	CM 185 LEVEL CM	9894,7005 litre	89,757 %	1129,1481 litre	O
290	CM	110	CM 184 LEVEL CM	9847,7613 litre	89,331 %	1176,0873 litre	O
290	CM	110	CM 183 LEVEL CM	9800,2948 litre	88,901 %	1223,5538 litre	O
290	CM	110	CM 182 LEVEL CM	9752,3137 litre	88,466 %	1271,5349 litre	O
290	CM	110	CM 181 LEVEL CM	9703,8304 litre	88,026 %	1320,0182 litre	O
290	CM	110	CM 180 LEVEL CM	9654,8569 litre	87,582 %	1368,9917 litre	O
290	CM	110	CM 179 LEVEL CM	9605,4049 litre	87,133 %	1418,4437 litre	O
290	CM	110	CM 178 LEVEL CM	9555,4858 litre	86,680 %	1468,3628 litre	O
290	CM	110	CM 177 LEVEL CM	9505,1105 litre	86,223 %	1518,7381 litre	O
290	CM	110	CM 176 LEVEL CM	9454,2897 litre	85,762 %	1569,5589 litre	O
290	CM	110	CM 175 LEVEL CM	9403,0339 litre	85,297 %	1620,8147 litre	O
290	CM	110	CM 174 LEVEL CM	9351,3533 litre	84,828 %	1672,4953 litre	O
290	CM	110	CM 173 LEVEL CM	9299,2577 litre	84,356 %	1724,5909 litre	O
290	CM	110	CM 172 LEVEL CM	9246,7569 litre	83,880 %	1777,0917 litre	O
290	CM	110	CM 171 LEVEL CM	9193,8603 litre	83,400 %	1829,9883 litre	O
290	CM	110	CM 170 LEVEL CM	9140,5771 litre	82,916 %	1883,2715 litre	O
290	CM	110	CM 169 LEVEL CM	9086,9165 litre	82,430 %	1936,9321 litre	O

290	CM 110	CM	168 LEVEL CM	9032,8873 litre	81,940 %	1990,9613 litre	O
290	CM 110	CM	167 LEVEL CM	8978,4982 litre	81,446 %	2045,3504 litre	O
290	CM 110	CM	166 LEVEL CM	8923,7576 litre	80,950 %	2100,0910 litre	O
290	CM 110	CM	165 LEVEL CM	8868,6740 litre	80,450 %	2155,1746 litre	O
290	CM 110	CM	164 LEVEL CM	8813,2555 litre	79,947 %	2210,5931 litre	O
290	CM 110	CM	163 LEVEL CM	8757,5101 litre	79,441 %	2266,3385 litre	O
290	CM 110	CM	162 LEVEL CM	8701,4459 litre	78,933 %	2322,4027 litre	O
290	CM 110	CM	161 LEVEL CM	8645,0705 litre	78,422 %	2378,7781 litre	O
290	CM 110	CM	160 LEVEL CM	8588,3915 litre	77,907 %	2435,4571 litre	O
290	CM 110	CM	159 LEVEL CM	8531,4166 litre	77,391 %	2492,4320 litre	O
290	CM 110	CM	158 LEVEL CM	8474,1531 litre	76,871 %	2549,6955 litre	O
290	CM 110	CM	157 LEVEL CM	8416,6083 litre	76,349 %	2607,2403 litre	O
290	CM 110	CM	156 LEVEL CM	8358,7894 litre	75,825 %	2665,0592 litre	O
290	CM 110	CM	155 LEVEL CM	8300,7035 litre	75,298 %	2723,1451 litre	O
290	CM 110	CM	154 LEVEL CM	8242,3576 litre	74,768 %	2781,4910 litre	O
290	CM 110	CM	153 LEVEL CM	8183,7585 litre	74,237 %	2840,0901 litre	O
290	CM 110	CM	152 LEVEL CM	8124,9130 litre	73,703 %	2898,9356 litre	O
290	CM 110	CM	151 LEVEL CM	8065,8280 litre	73,167 %	2958,0206 litre	O
290	CM 110	CM	150 LEVEL CM	8006,5100 litre	72,629 %	3017,3386 litre	O
290	CM 110	CM	149 LEVEL CM	7946,9656 litre	72,089 %	3076,8830 litre	O
290	CM 110	CM	148 LEVEL CM	7887,2012 litre	71,547 %	3136,6474 litre	O
290	CM 110	CM	147 LEVEL CM	7827,2233 litre	71,003 %	3196,6253 litre	O
290	CM 110	CM	146 LEVEL CM	7767,0383 litre	70,457 %	3256,8103 litre	O
290	CM 110	CM	145 LEVEL CM	7706,6523 litre	69,909 %	3317,1963 litre	O
290	CM 110	CM	144 LEVEL CM	7646,0717 litre	69,359 %	3377,7769 litre	O
290	CM 110	CM	143 LEVEL CM	7585,3026 litre	68,808 %	3438,5460 litre	O
290	CM 110	CM	142 LEVEL CM	7524,3511 litre	68,255 %	3499,4975 litre	O
290	CM 110	CM	141 LEVEL CM	7463,2232 litre	67,701 %	3560,6254 litre	O
290	CM 110	CM	140 LEVEL CM	7401,9250 litre	67,145 %	3621,9236 litre	O
290	CM 110	CM	139 LEVEL CM	7340,4624 litre	66,587 %	3683,3862 litre	O
290	CM 110	CM	138 LEVEL CM	7278,8412 litre	66,028 %	3745,0074 litre	O
290	CM 110	CM	137 LEVEL CM	7217,0673 litre	65,468 %	3806,7813 litre	O
290	CM 110	CM	136 LEVEL CM	7155,1466 litre	64,906 %	3868,7020 litre	O
290	CM 110	CM	135 LEVEL CM	7093,0848 litre	64,343 %	3930,7638 litre	O
290	CM 110	CM	134 LEVEL CM	7030,8877 litre	63,779 %	3992,9609 litre	O
290	CM 110	CM	133 LEVEL CM	6968,5609 litre	63,214 %	4055,2877 litre	O
290	CM 110	CM	132 LEVEL CM	6906,1100 litre	62,647 %	4117,7386 litre	O
290	CM 110	CM	131 LEVEL CM	6843,5408 litre	62,079 %	4180,3078 litre	O
290	CM 110	CM	130 LEVEL CM	6780,8587 litre	61,511 %	4242,9899 litre	O
290	CM 110	CM	129 LEVEL CM	6718,0694 litre	60,941 %	4305,7792 litre	O
290	CM 110	CM	128 LEVEL CM	6655,1784 litre	60,371 %	4368,6702 litre	O
290	CM 110	CM	127 LEVEL CM	6592,1912 litre	59,799 %	4431,6574 litre	O
290	CM 110	CM	126 LEVEL CM	6529,1133 litre	59,227 %	4494,7353 litre	O
290	CM 110	CM	125 LEVEL CM	6465,9501 litre	58,654 %	4557,8985 litre	O
290	CM 110	CM	124 LEVEL CM	6402,7070 litre	58,081 %	4621,1416 litre	O
290	CM 110	CM	123 LEVEL CM	6339,3895 litre	57,506 %	4684,4591 litre	O
290	CM 110	CM	122 LEVEL CM	6276,0030 litre	56,931 %	4747,8456 litre	O
290	CM 110	CM	121 LEVEL CM	6212,5529 litre	56,356 %	4811,2957 litre	O
290	CM 110	CM	120 LEVEL CM	6149,0444 litre	55,779 %	4874,8042 litre	O
290	CM 110	CM	119 LEVEL CM	6085,4830 litre	55,203 %	4938,3656 litre	O
290	CM 110	CM	118 LEVEL CM	6021,8740 litre	54,626 %	5001,9746 litre	O
290	CM 110	CM	117 LEVEL CM	5958,2227 litre	54,048 %	5065,6259 litre	O
290	CM 110	CM	116 LEVEL CM	5894,5344 litre	53,471 %	5129,3142 litre	O

290	CM 110	CM	115 LEVEL CM	5830,8144 litre	52,893 %	5193,0342 litre	O
290	CM 110	CM	114 LEVEL CM	5767,0681 litre	52,314 %	5256,7805 litre	O
290	CM 110	CM	113 LEVEL CM	5703,3006 litre	51,736 %	5320,5480 litre	O
290	CM 110	CM	112 LEVEL CM	5639,5173 litre	51,157 %	5384,3313 litre	O
290	CM 110	CM	111 LEVEL CM	5575,7234 litre	50,579 %	5448,1252 litre	O
290	CM 110	CM	110 LEVEL CM	5511,9243 litre	50,000 %	5511,9243 litre	O
290	CM 110	CM	109 LEVEL CM	5448,1252 litre	49,421 %	5575,7234 litre	O
290	CM 110	CM	108 LEVEL CM	5384,3313 litre	48,843 %	5639,5173 litre	O
290	CM 110	CM	107 LEVEL CM	5320,5480 litre	48,264 %	5703,3006 litre	O
290	CM 110	CM	106 LEVEL CM	5256,7806 litre	47,686 %	5767,0680 litre	O
290	CM 110	CM	105 LEVEL CM	5193,0342 litre	47,107 %	5830,8144 litre	O
290	CM 110	CM	104 LEVEL CM	5129,3142 litre	46,529 %	5894,5344 litre	O
290	CM 110	CM	103 LEVEL CM	5065,6259 litre	45,952 %	5958,2227 litre	O
290	CM 110	CM	102 LEVEL CM	5001,9746 litre	45,374 %	6021,8740 litre	O
290	CM 110	CM	101 LEVEL CM	4938,3656 litre	44,797 %	6085,4830 litre	O
290	CM 110	CM	100 LEVEL CM	4874,8042 litre	44,221 %	6149,0444 litre	O
290	CM 110	CM	99 LEVEL CM	4811,2957 litre	43,644 %	6212,5529 litre	O
290	CM 110	CM	98 LEVEL CM	4747,8456 litre	43,069 %	6276,0030 litre	O
290	CM 110	CM	97 LEVEL CM	4684,4591 litre	42,494 %	6339,3895 litre	O
290	CM 110	CM	96 LEVEL CM	4621,1416 litre	41,919 %	6402,7070 litre	O
290	CM 110	CM	95 LEVEL CM	4557,8985 litre	41,346 %	6465,9501 litre	O
290	CM 110	CM	94 LEVEL CM	4494,7353 litre	40,773 %	6529,1133 litre	O
290	CM 110	CM	93 LEVEL CM	4431,6574 litre	40,201 %	6592,1912 litre	O
290	CM 110	CM	92 LEVEL CM	4368,6702 litre	39,629 %	6655,1784 litre	O
290	CM 110	CM	91 LEVEL CM	4305,7792 litre	39,059 %	6718,0694 litre	O
290	CM 110	CM	90 LEVEL CM	4242,9899 litre	38,489 %	6780,8587 litre	O
290	CM 110	CM	89 LEVEL CM	4180,3078 litre	37,921 %	6843,5408 litre	O
290	CM 110	CM	88 LEVEL CM	4117,7386 litre	37,353 %	6906,1100 litre	O
290	CM 110	CM	87 LEVEL CM	4055,2878 litre	36,786 %	6968,5608 litre	O
290	CM 110	CM	86 LEVEL CM	3992,9609 litre	36,221 %	7030,8877 litre	O
290	CM 110	CM	85 LEVEL CM	3930,7638 litre	35,657 %	7093,0848 litre	O
290	CM 110	CM	84 LEVEL CM	3868,7020 litre	35,094 %	7155,1466 litre	O
290	CM 110	CM	83 LEVEL CM	3806,7813 litre	34,532 %	7217,0673 litre	O
290	CM 110	CM	82 LEVEL CM	3745,0074 litre	33,972 %	7278,8412 litre	O
290	CM 110	CM	81 LEVEL CM	3683,3863 litre	33,413 %	7340,4623 litre	O
290	CM 110	CM	80 LEVEL CM	3621,9236 litre	32,855 %	7401,9250 litre	O
290	CM 110	CM	79 LEVEL CM	3560,6254 litre	32,299 %	7463,2232 litre	O
290	CM 110	CM	78 LEVEL CM	3499,4975 litre	31,745 %	7524,3511 litre	O
290	CM 110	CM	77 LEVEL CM	3438,5460 litre	31,192 %	7585,3026 litre	O
290	CM 110	CM	76 LEVEL CM	3377,7769 litre	30,641 %	7646,0717 litre	O
290	CM 110	CM	75 LEVEL CM	3317,1963 litre	30,091 %	7706,6523 litre	O
290	CM 110	CM	74 LEVEL CM	3256,8104 litre	29,543 %	7767,0382 litre	O
290	CM 110	CM	73 LEVEL CM	3196,6253 litre	28,997 %	7827,2233 litre	O
290	CM 110	CM	72 LEVEL CM	3136,6474 litre	28,453 %	7887,2012 litre	O
290	CM 110	CM	71 LEVEL CM	3076,8831 litre	27,911 %	7946,9655 litre	O
290	CM 110	CM	70 LEVEL CM	3017,3386 litre	27,371 %	8006,5100 litre	O
290	CM 110	CM	69 LEVEL CM	2958,0206 litre	26,833 %	8065,8280 litre	O
290	CM 110	CM	68 LEVEL CM	2898,9356 litre	26,297 %	8124,9130 litre	O
290	CM 110	CM	67 LEVEL CM	2840,0901 litre	25,763 %	8183,7585 litre	O
290	CM 110	CM	66 LEVEL CM	2781,4910 litre	25,232 %	8242,3576 litre	O
290	CM 110	CM	65 LEVEL CM	2723,1451 litre	24,702 %	8300,7035 litre	O
290	CM 110	CM	64 LEVEL CM	2665,0592 litre	24,175 %	8358,7894 litre	O
290	CM 110	CM	63 LEVEL CM	2607,2403 litre	23,651 %	8416,6083 litre	O

290	CM 110	CM	62 LEVEL CM	2549,6955 litre	23,129 %	8474,1531 litre	O
290	CM 110	CM	61 LEVEL CM	2492,4320 litre	22,609 %	8531,4166 litre	O
290	CM 110	CM	60 LEVEL CM	2435,4571 litre	22,093 %	8588,3915 litre	O
290	CM 110	CM	59 LEVEL CM	2378,7781 litre	21,578 %	8645,0705 litre	O
290	CM 110	CM	58 LEVEL CM	2322,4027 litre	21,067 %	8701,4459 litre	O
290	CM 110	CM	57 LEVEL CM	2266,3385 litre	20,559 %	8757,5101 litre	O
290	CM 110	CM	56 LEVEL CM	2210,5931 litre	20,053 %	8813,2555 litre	O
290	CM 110	CM	55 LEVEL CM	2155,1746 litre	19,550 %	8868,6740 litre	O
290	CM 110	CM	54 LEVEL CM	2100,0910 litre	19,050 %	8923,7576 litre	O
290	CM 110	CM	53 LEVEL CM	2045,3504 litre	18,554 %	8978,4982 litre	O
290	CM 110	CM	52 LEVEL CM	1990,9613 litre	18,060 %	9032,8873 litre	O
290	CM 110	CM	51 LEVEL CM	1936,9321 litre	17,570 %	9086,9165 litre	O
290	CM 110	CM	50 LEVEL CM	1883,2715 litre	17,084 %	9140,5771 litre	O
290	CM 110	CM	49 LEVEL CM	1829,9884 litre	16,600 %	9193,8602 litre	O
290	CM 110	CM	48 LEVEL CM	1777,0918 litre	16,120 %	9246,7568 litre	O
290	CM 110	CM	47 LEVEL CM	1724,5909 litre	15,644 %	9299,2577 litre	O
290	CM 110	CM	46 LEVEL CM	1672,4954 litre	15,172 %	9351,3532 litre	O
290	CM 110	CM	45 LEVEL CM	1620,8147 litre	14,703 %	9403,0339 litre	O
290	CM 110	CM	44 LEVEL CM	1569,5589 litre	14,238 %	9454,2897 litre	O
290	CM 110	CM	43 LEVEL CM	1518,7381 litre	13,777 %	9505,1105 litre	O
290	CM 110	CM	42 LEVEL CM	1468,3628 litre	13,320 %	9555,4858 litre	O
290	CM 110	CM	41 LEVEL CM	1418,4437 litre	12,867 %	9605,4049 litre	O
290	CM 110	CM	40 LEVEL CM	1368,9917 litre	12,418 %	9654,8569 litre	O
290	CM 110	CM	39 LEVEL CM	1320,0182 litre	11,974 %	9703,8304 litre	O
290	CM 110	CM	38 LEVEL CM	1271,5349 litre	11,534 %	9752,3137 litre	O
290	CM 110	CM	37 LEVEL CM	1223,5538 litre	11,099 %	9800,2948 litre	O
290	CM 110	CM	36 LEVEL CM	1176,0873 litre	10,669 %	9847,7613 litre	O
290	CM 110	CM	35 LEVEL CM	1129,1481 litre	10,243 %	9894,7005 litre	O
290	CM 110	CM	34 LEVEL CM	1082,7496 litre	9,822 %	9941,0990 litre	O
290	CM 110	CM	33 LEVEL CM	1036,9054 litre	9,406 %	9986,9432 litre	O
290	CM 110	CM	32 LEVEL CM	991,6298 litre	8,995 %	10032,2188 litre	O
290	CM 110	CM	31 LEVEL CM	946,9375 litre	8,590 %	10076,9111 litre	O
290	CM 110	CM	30 LEVEL CM	902,8439 litre	8,190 %	10121,0047 litre	O
290	CM 110	CM	29 LEVEL CM	859,3649 litre	7,796 %	10164,4837 litre	O
290	CM 110	CM	28 LEVEL CM	816,5172 litre	7,407 %	10207,3314 litre	O
290	CM 110	CM	27 LEVEL CM	774,3182 litre	7,024 %	10249,5304 litre	O
290	CM 110	CM	26 LEVEL CM	732,7862 litre	6,647 %	10291,0624 litre	O
290	CM 110	CM	25 LEVEL CM	691,9402 litre	6,277 %	10331,9084 litre	O
290	CM 110	CM	24 LEVEL CM	651,8005 litre	5,913 %	10372,0481 litre	O
290	CM 110	CM	23 LEVEL CM	612,3880 litre	5,555 %	10411,4606 litre	O
290	CM 110	CM	22 LEVEL CM	573,7254 litre	5,204 %	10450,1232 litre	O
290	CM 110	CM	21 LEVEL CM	535,8362 litre	4,861 %	10488,0124 litre	O
290	CM 110	CM	20 LEVEL CM	498,7456 litre	4,524 %	10525,1030 litre	O
290	CM 110	CM	19 LEVEL CM	462,4806 litre	4,195 %	10561,3680 litre	O
290	CM 110	CM	18 LEVEL CM	427,0698 litre	3,874 %	10596,7788 litre	O
290	CM 110	CM	17 LEVEL CM	392,5441 litre	3,561 %	10631,3045 litre	O
290	CM 110	CM	16 LEVEL CM	358,9369 litre	3,256 %	10664,9117 litre	O
290	CM 110	CM	15 LEVEL CM	326,2842 litre	2,960 %	10697,5644 litre	O
290	CM 110	CM	14 LEVEL CM	294,6255 litre	2,673 %	10729,2231 litre	O
290	CM 110	CM	13 LEVEL CM	264,0040 litre	2,395 %	10759,8446 litre	O
290	CM 110	CM	12 LEVEL CM	234,4675 litre	2,127 %	10789,3811 litre	O
290	CM 110	CM	11 LEVEL CM	206,0692 litre	1,869 %	10817,7794 litre	O
290	CM 110	CM	10 LEVEL CM	178,8692 litre	1,623 %	10844,9794 litre	O

290	CM	110	CM	9 LEVEL CM	152,9357 litre	1,387 %	10870,9129 litre	O
290	CM	110	CM	8 LEVEL CM	128,3476 litre	1,164 %	10895,5010 litre	O
290	CM	110	CM	7 LEVEL CM	105,1975 litre	0,954 %	10918,6511 litre	O
290	CM	110	CM	6 LEVEL CM	83,5967 litre	0,758 %	10940,2519 litre	O
290	CM	110	CM	5 LEVEL CM	63,6824 litre	0,578 %	10960,1662 litre	O
290	CM	110	CM	4 LEVEL CM	45,6305 litre	0,414 %	10978,2181 litre	O
290	CM	110	CM	3 LEVEL CM	29,6787 litre	0,269 %	10994,1699 litre	O
290	CM	110	CM	2 LEVEL CM	16,1773 litre	0,147 %	11007,6713 litre	O
290	CM	110	CM	1 LEVEL CM	5,7274 litre	0,052 %	11018,1212 litre	O
290	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	11023,8486 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM 105	CM 210 LEVEL CM	10044,4571 litre	100,000 %	0,0000 litre	O
290	CM 105	CM 209 LEVEL CM	10038,8618 litre	99,944 %	5,5953 litre	O
290	CM 105	CM 208 LEVEL CM	10028,6539 litre	99,843 %	15,8032 litre	O
290	CM 105	CM 207 LEVEL CM	10015,4664 litre	99,711 %	28,9907 litre	O
290	CM 105	CM 206 LEVEL CM	9999,8875 litre	99,556 %	44,5696 litre	O
290	CM 105	CM 205 LEVEL CM	9982,2594 litre	99,381 %	62,1977 litre	O
290	CM 105	CM 204 LEVEL CM	9962,8148 litre	99,187 %	81,6423 litre	O
290	CM 105	CM 203 LEVEL CM	9941,7260 litre	98,977 %	102,7311 litre	O
290	CM 105	CM 202 LEVEL CM	9919,1272 litre	98,752 %	125,3299 litre	O
290	CM 105	CM 201 LEVEL CM	9895,1274 litre	98,513 %	149,3297 litre	O
290	CM 105	CM 200 LEVEL CM	9869,8174 litre	98,261 %	174,6397 litre	O
290	CM 105	CM 199 LEVEL CM	9843,2745 litre	97,997 %	201,1826 litre	O
290	CM 105	CM 198 LEVEL CM	9815,5657 litre	97,721 %	228,8914 litre	O
290	CM 105	CM 197 LEVEL CM	9786,7497 litre	97,434 %	257,7074 litre	O
290	CM 105	CM 196 LEVEL CM	9756,8788 litre	97,137 %	287,5783 litre	O
290	CM 105	CM 195 LEVEL CM	9726,0000 litre	96,830 %	318,4571 litre	O
290	CM 105	CM 194 LEVEL CM	9694,1557 litre	96,512 %	350,3014 litre	O
290	CM 105	CM 193 LEVEL CM	9661,3846 litre	96,186 %	383,0725 litre	O
290	CM 105	CM 192 LEVEL CM	9627,7222 litre	95,851 %	416,7349 litre	O
290	CM 105	CM 191 LEVEL CM	9593,2013 litre	95,507 %	451,2558 litre	O
290	CM 105	CM 190 LEVEL CM	9557,8522 litre	95,155 %	486,6049 litre	O
290	CM 105	CM 189 LEVEL CM	9521,7032 litre	94,796 %	522,7539 litre	O
290	CM 105	CM 188 LEVEL CM	9484,7807 litre	94,428 %	559,6764 litre	O
290	CM 105	CM 187 LEVEL CM	9447,1096 litre	94,053 %	597,3475 litre	O
290	CM 105	CM 186 LEVEL CM	9408,7131 litre	93,671 %	635,7440 litre	O
290	CM 105	CM 185 LEVEL CM	9369,6135 litre	93,281 %	674,8436 litre	O
290	CM 105	CM 184 LEVEL CM	9329,8314 litre	92,885 %	714,6257 litre	O
290	CM 105	CM 183 LEVEL CM	9289,3868 litre	92,483 %	755,0703 litre	O
290	CM 105	CM 182 LEVEL CM	9248,2985 litre	92,074 %	796,1586 litre	O
290	CM 105	CM 181 LEVEL CM	9206,5846 litre	91,658 %	837,8725 litre	O
290	CM 105	CM 180 LEVEL CM	9164,2622 litre	91,237 %	880,1949 litre	O
290	CM 105	CM 179 LEVEL CM	9121,3477 litre	90,810 %	923,1094 litre	O
290	CM 105	CM 178 LEVEL CM	9077,8570 litre	90,377 %	966,6001 litre	O
290	CM 105	CM 177 LEVEL CM	9033,8053 litre	89,938 %	1010,6518 litre	O
290	CM 105	CM 176 LEVEL CM	8989,2072 litre	89,494 %	1055,2499 litre	O
290	CM 105	CM 175 LEVEL CM	8944,0766 litre	89,045 %	1100,3805 litre	O
290	CM 105	CM 174 LEVEL CM	8898,4272 litre	88,590 %	1146,0299 litre	O
290	CM 105	CM 173 LEVEL CM	8852,2722 litre	88,131 %	1192,1849 litre	O
290	CM 105	CM 172 LEVEL CM	8805,6242 litre	87,667 %	1238,8329 litre	O
290	CM 105	CM 171 LEVEL CM	8758,4954 litre	87,197 %	1285,9617 litre	O
290	CM 105	CM 170 LEVEL CM	8710,8979 litre	86,723 %	1333,5592 litre	O
290	CM 105	CM 169 LEVEL CM	8662,8432 litre	86,245 %	1381,6139 litre	O
290	CM 105	CM 168 LEVEL CM	8614,3425 litre	85,762 %	1430,1146 litre	O
290	CM 105	CM 167 LEVEL CM	8565,4068 litre	85,275 %	1479,0503 litre	O
290	CM 105	CM 166 LEVEL CM	8516,0467 litre	84,784 %	1528,4104 litre	O
290	CM 105	CM 165 LEVEL CM	8466,2726 litre	84,288 %	1578,1845 litre	O
290	CM 105	CM 164 LEVEL CM	8416,0946 litre	83,788 %	1628,3625 litre	O
290	CM 105	CM 163 LEVEL CM	8365,5226 litre	83,285 %	1678,9345 litre	O
290	CM 105	CM 162 LEVEL CM	8314,5663 litre	82,778 %	1729,8908 litre	O
290	CM 105	CM 161 LEVEL CM	8263,2351 litre	82,267 %	1781,2220 litre	O
290	CM 105	CM 160 LEVEL CM	8211,5381 litre	81,752 %	1832,9190 litre	O
290	CM 105	CM 159 LEVEL CM	8159,4845 litre	81,234 %	1884,9726 litre	O

290	CM	105	CM	158 LEVEL CM	8107,0830 litre	80,712 %	1937,3741 litre	O
290	CM	105	CM	157 LEVEL CM	8054,3424 litre	80,187 %	1990,1147 litre	O
290	CM	105	CM	156 LEVEL CM	8001,2712 litre	79,659 %	2043,1859 litre	O
290	CM	105	CM	155 LEVEL CM	7947,8777 litre	79,127 %	2096,5794 litre	O
290	CM	105	CM	154 LEVEL CM	7894,1700 litre	78,592 %	2150,2871 litre	O
290	CM	105	CM	153 LEVEL CM	7840,1564 litre	78,055 %	2204,3007 litre	O
290	CM	105	CM	152 LEVEL CM	7785,8446 litre	77,514 %	2258,6125 litre	O
290	CM	105	CM	151 LEVEL CM	7731,2424 litre	76,970 %	2313,2147 litre	O
290	CM	105	CM	150 LEVEL CM	7676,3576 litre	76,424 %	2368,0995 litre	O
290	CM	105	CM	149 LEVEL CM	7621,1976 litre	75,875 %	2423,2595 litre	O
290	CM	105	CM	148 LEVEL CM	7565,7700 litre	75,323 %	2478,6871 litre	O
290	CM	105	CM	147 LEVEL CM	7510,0820 litre	74,768 %	2534,3751 litre	O
290	CM	105	CM	146 LEVEL CM	7454,1409 litre	74,211 %	2590,3162 litre	O
290	CM	105	CM	145 LEVEL CM	7397,9537 litre	73,652 %	2646,5034 litre	O
290	CM	105	CM	144 LEVEL CM	7341,5276 litre	73,090 %	2702,9295 litre	O
290	CM	105	CM	143 LEVEL CM	7284,8694 litre	72,526 %	2759,5877 litre	O
290	CM	105	CM	142 LEVEL CM	7227,9860 litre	71,960 %	2816,4711 litre	O
290	CM	105	CM	141 LEVEL CM	7170,8843 litre	71,391 %	2873,5728 litre	O
290	CM	105	CM	140 LEVEL CM	7113,5709 litre	70,821 %	2930,8862 litre	O
290	CM	105	CM	139 LEVEL CM	7056,0523 litre	70,248 %	2988,4048 litre	O
290	CM	105	CM	138 LEVEL CM	6998,3353 litre	69,674 %	3046,1218 litre	O
290	CM	105	CM	137 LEVEL CM	6940,4263 litre	69,097 %	3104,0308 litre	O
290	CM	105	CM	136 LEVEL CM	6882,3317 litre	68,519 %	3162,1254 litre	O
290	CM	105	CM	135 LEVEL CM	6824,0578 litre	67,939 %	3220,3993 litre	O
290	CM	105	CM	134 LEVEL CM	6765,6110 litre	67,357 %	3278,8461 litre	O
290	CM	105	CM	133 LEVEL CM	6706,9975 litre	66,773 %	3337,4596 litre	O
290	CM	105	CM	132 LEVEL CM	6648,2236 litre	66,188 %	3396,2335 litre	O
290	CM	105	CM	131 LEVEL CM	6589,2953 litre	65,601 %	3455,1618 litre	O
290	CM	105	CM	130 LEVEL CM	6530,2188 litre	65,013 %	3514,2383 litre	O
290	CM	105	CM	129 LEVEL CM	6471,0001 litre	64,424 %	3573,4570 litre	O
290	CM	105	CM	128 LEVEL CM	6411,6452 litre	63,833 %	3632,8119 litre	O
290	CM	105	CM	127 LEVEL CM	6352,1600 litre	63,240 %	3692,2971 litre	O
290	CM	105	CM	126 LEVEL CM	6292,5507 litre	62,647 %	3751,9064 litre	O
290	CM	105	CM	125 LEVEL CM	6232,8229 litre	62,052 %	3811,6342 litre	O
290	CM	105	CM	124 LEVEL CM	6172,9825 litre	61,457 %	3871,4746 litre	O
290	CM	105	CM	123 LEVEL CM	6113,0355 litre	60,860 %	3931,4216 litre	O
290	CM	105	CM	122 LEVEL CM	6052,9875 litre	60,262 %	3991,4696 litre	O
290	CM	105	CM	121 LEVEL CM	5992,8444 litre	59,663 %	4051,6127 litre	O
290	CM	105	CM	120 LEVEL CM	5932,6118 litre	59,064 %	4111,8453 litre	O
290	CM	105	CM	119 LEVEL CM	5872,2956 litre	58,463 %	4172,1615 litre	O
290	CM	105	CM	118 LEVEL CM	5811,9012 litre	57,862 %	4232,5559 litre	O
290	CM	105	CM	117 LEVEL CM	5751,4346 litre	57,260 %	4293,0225 litre	O
290	CM	105	CM	116 LEVEL CM	5690,9012 litre	56,657 %	4353,5559 litre	O
290	CM	105	CM	115 LEVEL CM	5630,3067 litre	56,054 %	4414,1504 litre	O
290	CM	105	CM	114 LEVEL CM	5569,6567 litre	55,450 %	4474,8004 litre	O
290	CM	105	CM	113 LEVEL CM	5508,9568 litre	54,846 %	4535,5003 litre	O
290	CM	105	CM	112 LEVEL CM	5448,2126 litre	54,241 %	4596,2445 litre	O
290	CM	105	CM	111 LEVEL CM	5387,4296 litre	53,636 %	4657,0275 litre	O
290	CM	105	CM	110 LEVEL CM	5326,6134 litre	53,030 %	4717,8437 litre	O
290	CM	105	CM	109 LEVEL CM	5265,7696 litre	52,425 %	4778,6875 litre	O
290	CM	105	CM	108 LEVEL CM	5204,9037 litre	51,819 %	4839,5534 litre	O
290	CM	105	CM	107 LEVEL CM	5144,0212 litre	51,213 %	4900,4359 litre	O
290	CM	105	CM	106 LEVEL CM	5083,1276 litre	50,606 %	4961,3295 litre	O

290	CM	105	CM	105 LEVEL CM	5022,2286 litre	50,000 %	5022,2285 litre	O
290	CM	105	CM	104 LEVEL CM	4961,3295 litre	49,394 %	5083,1276 litre	O
290	CM	105	CM	103 LEVEL CM	4900,4359 litre	48,787 %	5144,0212 litre	O
290	CM	105	CM	102 LEVEL CM	4839,5534 litre	48,181 %	5204,9037 litre	O
290	CM	105	CM	101 LEVEL CM	4778,6875 litre	47,575 %	5265,7696 litre	O
290	CM	105	CM	100 LEVEL CM	4717,8437 litre	46,970 %	5326,6134 litre	O
290	CM	105	CM	99 LEVEL CM	4657,0275 litre	46,364 %	5387,4296 litre	O
290	CM	105	CM	98 LEVEL CM	4596,2445 litre	45,759 %	5448,2126 litre	O
290	CM	105	CM	97 LEVEL CM	4535,5003 litre	45,154 %	5508,9568 litre	O
290	CM	105	CM	96 LEVEL CM	4474,8004 litre	44,550 %	5569,6567 litre	O
290	CM	105	CM	95 LEVEL CM	4414,1504 litre	43,946 %	5630,3067 litre	O
290	CM	105	CM	94 LEVEL CM	4353,5559 litre	43,343 %	5690,9012 litre	O
290	CM	105	CM	93 LEVEL CM	4293,0225 litre	42,740 %	5751,4346 litre	O
290	CM	105	CM	92 LEVEL CM	4232,5559 litre	42,138 %	5811,9012 litre	O
290	CM	105	CM	91 LEVEL CM	4172,1616 litre	41,537 %	5872,2955 litre	O
290	CM	105	CM	90 LEVEL CM	4111,8453 litre	40,936 %	5932,6118 litre	O
290	CM	105	CM	89 LEVEL CM	4051,6127 litre	40,337 %	5992,8444 litre	O
290	CM	105	CM	88 LEVEL CM	3991,4696 litre	39,738 %	6052,9875 litre	O
290	CM	105	CM	87 LEVEL CM	3931,4216 litre	39,140 %	6113,0355 litre	O
290	CM	105	CM	86 LEVEL CM	3871,4746 litre	38,543 %	6172,9825 litre	O
290	CM	105	CM	85 LEVEL CM	3811,6342 litre	37,948 %	6232,8229 litre	O
290	CM	105	CM	84 LEVEL CM	3751,9065 litre	37,353 %	6292,5506 litre	O
290	CM	105	CM	83 LEVEL CM	3692,2971 litre	36,760 %	6352,1600 litre	O
290	CM	105	CM	82 LEVEL CM	3632,8120 litre	36,167 %	6411,6451 litre	O
290	CM	105	CM	81 LEVEL CM	3573,4571 litre	35,576 %	6471,0000 litre	O
290	CM	105	CM	80 LEVEL CM	3514,2383 litre	34,987 %	6530,2188 litre	O
290	CM	105	CM	79 LEVEL CM	3455,1618 litre	34,399 %	6589,2953 litre	O
290	CM	105	CM	78 LEVEL CM	3396,2335 litre	33,812 %	6648,2236 litre	O
290	CM	105	CM	77 LEVEL CM	3337,4596 litre	33,227 %	6706,9975 litre	O
290	CM	105	CM	76 LEVEL CM	3278,8461 litre	32,643 %	6765,6110 litre	O
290	CM	105	CM	75 LEVEL CM	3220,3993 litre	32,061 %	6824,0578 litre	O
290	CM	105	CM	74 LEVEL CM	3162,1255 litre	31,481 %	6882,3316 litre	O
290	CM	105	CM	73 LEVEL CM	3104,0308 litre	30,903 %	6940,4263 litre	O
290	CM	105	CM	72 LEVEL CM	3046,1218 litre	30,326 %	6998,3353 litre	O
290	CM	105	CM	71 LEVEL CM	2988,4048 litre	29,752 %	7056,0523 litre	O
290	CM	105	CM	70 LEVEL CM	2930,8863 litre	29,179 %	7113,5708 litre	O
290	CM	105	CM	69 LEVEL CM	2873,5728 litre	28,609 %	7170,8843 litre	O
290	CM	105	CM	68 LEVEL CM	2816,4711 litre	28,040 %	7227,9860 litre	O
290	CM	105	CM	67 LEVEL CM	2759,5877 litre	27,474 %	7284,8694 litre	O
290	CM	105	CM	66 LEVEL CM	2702,9296 litre	26,910 %	7341,5275 litre	O
290	CM	105	CM	65 LEVEL CM	2646,5034 litre	26,348 %	7397,9537 litre	O
290	CM	105	CM	64 LEVEL CM	2590,3163 litre	25,789 %	7454,1408 litre	O
290	CM	105	CM	63 LEVEL CM	2534,3751 litre	25,232 %	7510,0820 litre	O
290	CM	105	CM	62 LEVEL CM	2478,6871 litre	24,677 %	7565,7700 litre	O
290	CM	105	CM	61 LEVEL CM	2423,2595 litre	24,125 %	7621,1976 litre	O
290	CM	105	CM	60 LEVEL CM	2368,0995 litre	23,576 %	7676,3576 litre	O
290	CM	105	CM	59 LEVEL CM	2313,2147 litre	23,030 %	7731,2424 litre	O
290	CM	105	CM	58 LEVEL CM	2258,6126 litre	22,486 %	7785,8445 litre	O
290	CM	105	CM	57 LEVEL CM	2204,3007 litre	21,945 %	7840,1564 litre	O
290	CM	105	CM	56 LEVEL CM	2150,2871 litre	21,408 %	7894,1700 litre	O
290	CM	105	CM	55 LEVEL CM	2096,5794 litre	20,873 %	7947,8777 litre	O
290	CM	105	CM	54 LEVEL CM	2043,1859 litre	20,341 %	8001,2712 litre	O
290	CM	105	CM	53 LEVEL CM	1990,1147 litre	19,813 %	8054,3424 litre	O

290	CM	105	CM	52 LEVEL CM	1937,3741 litre	19,288 %	8107,0830 litre	O
290	CM	105	CM	51 LEVEL CM	1884,9726 litre	18,766 %	8159,4845 litre	O
290	CM	105	CM	50 LEVEL CM	1832,9190 litre	18,248 %	8211,5381 litre	O
290	CM	105	CM	49 LEVEL CM	1781,2221 litre	17,733 %	8263,2350 litre	O
290	CM	105	CM	48 LEVEL CM	1729,8908 litre	17,222 %	8314,5663 litre	O
290	CM	105	CM	47 LEVEL CM	1678,9345 litre	16,715 %	8365,5226 litre	O
290	CM	105	CM	46 LEVEL CM	1628,3625 litre	16,212 %	8416,0946 litre	O
290	CM	105	CM	45 LEVEL CM	1578,1845 litre	15,712 %	8466,2726 litre	O
290	CM	105	CM	44 LEVEL CM	1528,4104 litre	15,216 %	8516,0467 litre	O
290	CM	105	CM	43 LEVEL CM	1479,0503 litre	14,725 %	8565,4068 litre	O
290	CM	105	CM	42 LEVEL CM	1430,1146 litre	14,238 %	8614,3425 litre	O
290	CM	105	CM	41 LEVEL CM	1381,6139 litre	13,755 %	8662,8432 litre	O
290	CM	105	CM	40 LEVEL CM	1333,5592 litre	13,277 %	8710,8979 litre	O
290	CM	105	CM	39 LEVEL CM	1285,9617 litre	12,803 %	8758,4954 litre	O
290	CM	105	CM	38 LEVEL CM	1238,8330 litre	12,333 %	8805,6241 litre	O
290	CM	105	CM	37 LEVEL CM	1192,1849 litre	11,869 %	8852,2722 litre	O
290	CM	105	CM	36 LEVEL CM	1146,0299 litre	11,410 %	8898,4272 litre	O
290	CM	105	CM	35 LEVEL CM	1100,3805 litre	10,955 %	8944,0766 litre	O
290	CM	105	CM	34 LEVEL CM	1055,2500 litre	10,506 %	8989,2071 litre	O
290	CM	105	CM	33 LEVEL CM	1010,6518 litre	10,062 %	9033,8053 litre	O
290	CM	105	CM	32 LEVEL CM	966,6001 litre	9,623 %	9077,8570 litre	O
290	CM	105	CM	31 LEVEL CM	923,1094 litre	9,190 %	9121,3477 litre	O
290	CM	105	CM	30 LEVEL CM	880,1950 litre	8,763 %	9164,2621 litre	O
290	CM	105	CM	29 LEVEL CM	837,8725 litre	8,342 %	9206,5846 litre	O
290	CM	105	CM	28 LEVEL CM	796,1586 litre	7,926 %	9248,2985 litre	O
290	CM	105	CM	27 LEVEL CM	755,0703 litre	7,517 %	9289,3868 litre	O
290	CM	105	CM	26 LEVEL CM	714,6257 litre	7,115 %	9329,8314 litre	O
290	CM	105	CM	25 LEVEL CM	674,8437 litre	6,719 %	9369,6134 litre	O
290	CM	105	CM	24 LEVEL CM	635,7440 litre	6,329 %	9408,7131 litre	O
290	CM	105	CM	23 LEVEL CM	597,3475 litre	5,947 %	9447,1096 litre	O
290	CM	105	CM	22 LEVEL CM	559,6764 litre	5,572 %	9484,7807 litre	O
290	CM	105	CM	21 LEVEL CM	522,7539 litre	5,204 %	9521,7032 litre	O
290	CM	105	CM	20 LEVEL CM	486,6049 litre	4,845 %	9557,8522 litre	O
290	CM	105	CM	19 LEVEL CM	451,2558 litre	4,493 %	9593,2013 litre	O
290	CM	105	CM	18 LEVEL CM	416,7349 litre	4,149 %	9627,7222 litre	O
290	CM	105	CM	17 LEVEL CM	383,0725 litre	3,814 %	9661,3846 litre	O
290	CM	105	CM	16 LEVEL CM	350,3014 litre	3,488 %	9694,1557 litre	O
290	CM	105	CM	15 LEVEL CM	318,4571 litre	3,170 %	9726,0000 litre	O
290	CM	105	CM	14 LEVEL CM	287,5783 litre	2,863 %	9756,8788 litre	O
290	CM	105	CM	13 LEVEL CM	257,7075 litre	2,566 %	9786,7496 litre	O
290	CM	105	CM	12 LEVEL CM	228,8915 litre	2,279 %	9815,5656 litre	O
290	CM	105	CM	11 LEVEL CM	201,1826 litre	2,003 %	9843,2745 litre	O
290	CM	105	CM	10 LEVEL CM	174,6397 litre	1,739 %	9869,8174 litre	O
290	CM	105	CM	9 LEVEL CM	149,3297 litre	1,487 %	9895,1274 litre	O
290	CM	105	CM	8 LEVEL CM	125,3299 litre	1,248 %	9919,1272 litre	O
290	CM	105	CM	7 LEVEL CM	102,7312 litre	1,023 %	9941,7259 litre	O
290	CM	105	CM	6 LEVEL CM	81,6423 litre	0,813 %	9962,8148 litre	O
290	CM	105	CM	5 LEVEL CM	62,1978 litre	0,619 %	9982,2593 litre	O
290	CM	105	CM	4 LEVEL CM	44,5696 litre	0,444 %	9999,8875 litre	O
290	CM	105	CM	3 LEVEL CM	28,9907 litre	0,289 %	10015,4664 litre	O
290	CM	105	CM	2 LEVEL CM	15,8033 litre	0,157 %	10028,6538 litre	O
290	CM	105	CM	1 LEVEL CM	5,5953 litre	0,056 %	10038,8618 litre	O
290	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	10044,4571 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM 100	CM 200 LEVEL CM	9110,6187 litre	100,000 %	0,0000 litre	O
290	CM 100	CM 199 LEVEL CM	9105,1586 litre	99,940 %	5,4601 litre	O
290	CM 100	CM 198 LEVEL CM	9095,1985 litre	99,831 %	15,4202 litre	O
290	CM 100	CM 197 LEVEL CM	9082,3328 litre	99,690 %	28,2859 litre	O
290	CM 100	CM 196 LEVEL CM	9067,1358 litre	99,523 %	43,4829 litre	O
290	CM 100	CM 195 LEVEL CM	9049,9419 litre	99,334 %	60,6768 litre	O
290	CM 100	CM 194 LEVEL CM	9030,9788 litre	99,126 %	79,6399 litre	O
290	CM 100	CM 193 LEVEL CM	9010,4146 litre	98,900 %	100,2041 litre	O
290	CM 100	CM 192 LEVEL CM	8988,3809 litre	98,658 %	122,2378 litre	O
290	CM 100	CM 191 LEVEL CM	8964,9843 litre	98,401 %	145,6344 litre	O
290	CM 100	CM 190 LEVEL CM	8940,3136 litre	98,131 %	170,3051 litre	O
290	CM 100	CM 189 LEVEL CM	8914,4445 litre	97,847 %	196,1742 litre	O
290	CM 100	CM 188 LEVEL CM	8887,4426 litre	97,550 %	223,1761 litre	O
290	CM 100	CM 187 LEVEL CM	8859,3656 litre	97,242 %	251,2531 litre	O
290	CM 100	CM 186 LEVEL CM	8830,2647 litre	96,923 %	280,3540 litre	O
290	CM 100	CM 185 LEVEL CM	8800,1860 litre	96,593 %	310,4327 litre	O
290	CM 100	CM 184 LEVEL CM	8769,1712 litre	96,252 %	341,4475 litre	O
290	CM 100	CM 183 LEVEL CM	8737,2581 litre	95,902 %	373,3606 litre	O
290	CM 100	CM 182 LEVEL CM	8704,4818 litre	95,542 %	406,1369 litre	O
290	CM 100	CM 181 LEVEL CM	8670,8743 litre	95,173 %	439,7444 litre	O
290	CM 100	CM 180 LEVEL CM	8636,4655 litre	94,796 %	474,1532 litre	O
290	CM 100	CM 179 LEVEL CM	8601,2832 litre	94,409 %	509,3355 litre	O
290	CM 100	CM 178 LEVEL CM	8565,3535 litre	94,015 %	545,2652 litre	O
290	CM 100	CM 177 LEVEL CM	8528,7007 litre	93,613 %	581,9180 litre	O
290	CM 100	CM 176 LEVEL CM	8491,3478 litre	93,203 %	619,2709 litre	O
290	CM 100	CM 175 LEVEL CM	8453,3167 litre	92,785 %	657,3020 litre	O
290	CM 100	CM 174 LEVEL CM	8414,6277 litre	92,361 %	695,9910 litre	O
290	CM 100	CM 173 LEVEL CM	8375,3006 litre	91,929 %	735,3181 litre	O
290	CM 100	CM 172 LEVEL CM	8335,3539 litre	91,491 %	775,2648 litre	O
290	CM 100	CM 171 LEVEL CM	8294,8054 litre	91,045 %	815,8133 litre	O
290	CM 100	CM 170 LEVEL CM	8253,6721 litre	90,594 %	856,9466 litre	O
290	CM 100	CM 169 LEVEL CM	8211,9701 litre	90,136 %	898,6486 litre	O
290	CM 100	CM 168 LEVEL CM	8169,7153 litre	89,672 %	940,9034 litre	O
290	CM 100	CM 167 LEVEL CM	8126,9224 litre	89,203 %	983,6963 litre	O
290	CM 100	CM 166 LEVEL CM	8083,6061 litre	88,727 %	1027,0126 litre	O
290	CM 100	CM 165 LEVEL CM	8039,7802 litre	88,246 %	1070,8385 litre	O
290	CM 100	CM 164 LEVEL CM	7995,4581 litre	87,760 %	1115,1606 litre	O
290	CM 100	CM 163 LEVEL CM	7950,6530 litre	87,268 %	1159,9657 litre	O
290	CM 100	CM 162 LEVEL CM	7905,3772 litre	86,771 %	1205,2415 litre	O
290	CM 100	CM 161 LEVEL CM	7859,6432 litre	86,269 %	1250,9755 litre	O
290	CM 100	CM 160 LEVEL CM	7813,4626 litre	85,762 %	1297,1561 litre	O
290	CM 100	CM 159 LEVEL CM	7766,8469 litre	85,250 %	1343,7718 litre	O
290	CM 100	CM 158 LEVEL CM	7719,8075 litre	84,734 %	1390,8112 litre	O
290	CM 100	CM 157 LEVEL CM	7672,3550 litre	84,213 %	1438,2637 litre	O
290	CM 100	CM 156 LEVEL CM	7624,5002 litre	83,688 %	1486,1185 litre	O
290	CM 100	CM 155 LEVEL CM	7576,2533 litre	83,158 %	1534,3654 litre	O
290	CM 100	CM 154 LEVEL CM	7527,6244 litre	82,625 %	1582,9943 litre	O
290	CM 100	CM 153 LEVEL CM	7478,6234 litre	82,087 %	1631,9953 litre	O
290	CM 100	CM 152 LEVEL CM	7429,2598 litre	81,545 %	1681,3589 litre	O
290	CM 100	CM 151 LEVEL CM	7379,5432 litre	80,999 %	1731,0755 litre	O
290	CM 100	CM 150 LEVEL CM	7329,4826 litre	80,450 %	1781,1361 litre	O
290	CM 100	CM 149 LEVEL CM	7279,0872 litre	79,897 %	1831,5315 litre	O

290	CM	100	CM	148 LEVEL CM	7228,3657 litre	79,340 %	1882,2530 litre	O
290	CM	100	CM	147 LEVEL CM	7177,3269 litre	78,780 %	1933,2918 litre	O
290	CM	100	CM	146 LEVEL CM	7125,9793 litre	78,216 %	1984,6394 litre	O
290	CM	100	CM	145 LEVEL CM	7074,3311 litre	77,649 %	2036,2876 litre	O
290	CM	100	CM	144 LEVEL CM	7022,3907 litre	77,079 %	2088,2280 litre	O
290	CM	100	CM	143 LEVEL CM	6970,1660 litre	76,506 %	2140,4527 litre	O
290	CM	100	CM	142 LEVEL CM	6917,6651 litre	75,930 %	2192,9536 litre	O
290	CM	100	CM	141 LEVEL CM	6864,8958 litre	75,350 %	2245,7229 litre	O
290	CM	100	CM	140 LEVEL CM	6811,8658 litre	74,768 %	2298,7529 litre	O
290	CM	100	CM	139 LEVEL CM	6758,5826 litre	74,184 %	2352,0361 litre	O
290	CM	100	CM	138 LEVEL CM	6705,0537 litre	73,596 %	2405,5650 litre	O
290	CM	100	CM	137 LEVEL CM	6651,2866 litre	73,006 %	2459,3321 litre	O
290	CM	100	CM	136 LEVEL CM	6597,2884 litre	72,413 %	2513,3303 litre	O
290	CM	100	CM	135 LEVEL CM	6543,0665 litre	71,818 %	2567,5522 litre	O
290	CM	100	CM	134 LEVEL CM	6488,6278 litre	71,220 %	2621,9909 litre	O
290	CM	100	CM	133 LEVEL CM	6433,9795 litre	70,621 %	2676,6392 litre	O
290	CM	100	CM	132 LEVEL CM	6379,1283 litre	70,019 %	2731,4904 litre	O
290	CM	100	CM	131 LEVEL CM	6324,0813 litre	69,414 %	2786,5374 litre	O
290	CM	100	CM	130 LEVEL CM	6268,8451 litre	68,808 %	2841,7736 litre	O
290	CM	100	CM	129 LEVEL CM	6213,4266 litre	68,200 %	2897,1921 litre	O
290	CM	100	CM	128 LEVEL CM	6157,8323 litre	67,590 %	2952,7864 litre	O
290	CM	100	CM	127 LEVEL CM	6102,0688 litre	66,978 %	3008,5499 litre	O
290	CM	100	CM	126 LEVEL CM	6046,1426 litre	66,364 %	3064,4761 litre	O
290	CM	100	CM	125 LEVEL CM	5990,0603 litre	65,748 %	3120,5584 litre	O
290	CM	100	CM	124 LEVEL CM	5933,8282 litre	65,131 %	3176,7905 litre	O
290	CM	100	CM	123 LEVEL CM	5877,4528 litre	64,512 %	3233,1659 litre	O
290	CM	100	CM	122 LEVEL CM	5820,9402 litre	63,892 %	3289,6785 litre	O
290	CM	100	CM	121 LEVEL CM	5764,2969 litre	63,270 %	3346,3218 litre	O
290	CM	100	CM	120 LEVEL CM	5707,5289 litre	62,647 %	3403,0898 litre	O
290	CM	100	CM	119 LEVEL CM	5650,6426 litre	62,023 %	3459,9761 litre	O
290	CM	100	CM	118 LEVEL CM	5593,6440 litre	61,397 %	3516,9747 litre	O
290	CM	100	CM	117 LEVEL CM	5536,5393 litre	60,770 %	3574,0794 litre	O
290	CM	100	CM	116 LEVEL CM	5479,3345 litre	60,142 %	3631,2842 litre	O
290	CM	100	CM	115 LEVEL CM	5422,0357 litre	59,513 %	3688,5830 litre	O
290	CM	100	CM	114 LEVEL CM	5364,6490 litre	58,883 %	3745,9697 litre	O
290	CM	100	CM	113 LEVEL CM	5307,1802 litre	58,253 %	3803,4385 litre	O
290	CM	100	CM	112 LEVEL CM	5249,6353 litre	57,621 %	3860,9834 litre	O
290	CM	100	CM	111 LEVEL CM	5192,0204 litre	56,989 %	3918,5983 litre	O
290	CM	100	CM	110 LEVEL CM	5134,3412 litre	56,356 %	3976,2775 litre	O
290	CM	100	CM	109 LEVEL CM	5076,6038 litre	55,722 %	4034,0149 litre	O
290	CM	100	CM	108 LEVEL CM	5018,8139 litre	55,088 %	4091,8048 litre	O
290	CM	100	CM	107 LEVEL CM	4960,9775 litre	54,453 %	4149,6412 litre	O
290	CM	100	CM	106 LEVEL CM	4903,1004 litre	53,817 %	4207,5183 litre	O
290	CM	100	CM	105 LEVEL CM	4845,1885 litre	53,182 %	4265,4302 litre	O
290	CM	100	CM	104 LEVEL CM	4787,2475 litre	52,546 %	4323,3712 litre	O
290	CM	100	CM	103 LEVEL CM	4729,2832 litre	51,910 %	4381,3355 litre	O
290	CM	100	CM	102 LEVEL CM	4671,3016 litre	51,273 %	4439,3171 litre	O
290	CM	100	CM	101 LEVEL CM	4613,3084 litre	50,637 %	4497,3103 litre	O
290	CM	100	CM	100 LEVEL CM	4555,3093 litre	50,000 %	4555,3094 litre	O
290	CM	100	CM	99 LEVEL CM	4497,3103 litre	49,363 %	4613,3084 litre	O
290	CM	100	CM	98 LEVEL CM	4439,3171 litre	48,727 %	4671,3016 litre	O
290	CM	100	CM	97 LEVEL CM	4381,3355 litre	48,090 %	4729,2832 litre	O
290	CM	100	CM	96 LEVEL CM	4323,3712 litre	47,454 %	4787,2475 litre	O

290	CM	100	CM	95 LEVEL CM	4265,4302 litre	46,818 %	4845,1885 litre	O
290	CM	100	CM	94 LEVEL CM	4207,5183 litre	46,183 %	4903,1004 litre	O
290	CM	100	CM	93 LEVEL CM	4149,6412 litre	45,547 %	4960,9775 litre	O
290	CM	100	CM	92 LEVEL CM	4091,8048 litre	44,912 %	5018,8139 litre	O
290	CM	100	CM	91 LEVEL CM	4034,0149 litre	44,278 %	5076,6038 litre	O
290	CM	100	CM	90 LEVEL CM	3976,2775 litre	43,644 %	5134,3412 litre	O
290	CM	100	CM	89 LEVEL CM	3918,5983 litre	43,011 %	5192,0204 litre	O
290	CM	100	CM	88 LEVEL CM	3860,9834 litre	42,379 %	5249,6353 litre	O
290	CM	100	CM	87 LEVEL CM	3803,4385 litre	41,747 %	5307,1802 litre	O
290	CM	100	CM	86 LEVEL CM	3745,9697 litre	41,117 %	5364,6490 litre	O
290	CM	100	CM	85 LEVEL CM	3688,5829 litre	40,487 %	5422,0358 litre	O
290	CM	100	CM	84 LEVEL CM	3631,2842 litre	39,858 %	5479,3345 litre	O
290	CM	100	CM	83 LEVEL CM	3574,0794 litre	39,230 %	5536,5393 litre	O
290	CM	100	CM	82 LEVEL CM	3516,9747 litre	38,603 %	5593,6440 litre	O
290	CM	100	CM	81 LEVEL CM	3459,9761 litre	37,977 %	5650,6426 litre	O
290	CM	100	CM	80 LEVEL CM	3403,0898 litre	37,353 %	5707,5289 litre	O
290	CM	100	CM	79 LEVEL CM	3346,3218 litre	36,730 %	5764,2969 litre	O
290	CM	100	CM	78 LEVEL CM	3289,6785 litre	36,108 %	5820,9402 litre	O
290	CM	100	CM	77 LEVEL CM	3233,1659 litre	35,488 %	5877,4528 litre	O
290	CM	100	CM	76 LEVEL CM	3176,7904 litre	34,869 %	5933,8283 litre	O
290	CM	100	CM	75 LEVEL CM	3120,5584 litre	34,252 %	5990,0603 litre	O
290	CM	100	CM	74 LEVEL CM	3064,4761 litre	33,636 %	6046,1426 litre	O
290	CM	100	CM	73 LEVEL CM	3008,5499 litre	33,022 %	6102,0688 litre	O
290	CM	100	CM	72 LEVEL CM	2952,7864 litre	32,410 %	6157,8323 litre	O
290	CM	100	CM	71 LEVEL CM	2897,1921 litre	31,800 %	6213,4266 litre	O
290	CM	100	CM	70 LEVEL CM	2841,7735 litre	31,192 %	6268,8452 litre	O
290	CM	100	CM	69 LEVEL CM	2786,5374 litre	30,586 %	6324,0813 litre	O
290	CM	100	CM	68 LEVEL CM	2731,4904 litre	29,981 %	6379,1283 litre	O
290	CM	100	CM	67 LEVEL CM	2676,6392 litre	29,379 %	6433,9795 litre	O
290	CM	100	CM	66 LEVEL CM	2621,9909 litre	28,780 %	6488,6278 litre	O
290	CM	100	CM	65 LEVEL CM	2567,5522 litre	28,182 %	6543,0665 litre	O
290	CM	100	CM	64 LEVEL CM	2513,3303 litre	27,587 %	6597,2884 litre	O
290	CM	100	CM	63 LEVEL CM	2459,3321 litre	26,994 %	6651,2866 litre	O
290	CM	100	CM	62 LEVEL CM	2405,5650 litre	26,404 %	6705,0537 litre	O
290	CM	100	CM	61 LEVEL CM	2352,0361 litre	25,816 %	6758,5826 litre	O
290	CM	100	CM	60 LEVEL CM	2298,7529 litre	25,232 %	6811,8658 litre	O
290	CM	100	CM	59 LEVEL CM	2245,7229 litre	24,650 %	6864,8958 litre	O
290	CM	100	CM	58 LEVEL CM	2192,9536 litre	24,070 %	6917,6651 litre	O
290	CM	100	CM	57 LEVEL CM	2140,4527 litre	23,494 %	6970,1660 litre	O
290	CM	100	CM	56 LEVEL CM	2088,2280 litre	22,921 %	7022,3907 litre	O
290	CM	100	CM	55 LEVEL CM	2036,2876 litre	22,351 %	7074,3311 litre	O
290	CM	100	CM	54 LEVEL CM	1984,6394 litre	21,784 %	7125,9793 litre	O
290	CM	100	CM	53 LEVEL CM	1933,2918 litre	21,220 %	7177,3269 litre	O
290	CM	100	CM	52 LEVEL CM	1882,2529 litre	20,660 %	7228,3658 litre	O
290	CM	100	CM	51 LEVEL CM	1831,5315 litre	20,103 %	7279,0872 litre	O
290	CM	100	CM	50 LEVEL CM	1781,1361 litre	19,550 %	7329,4826 litre	O
290	CM	100	CM	49 LEVEL CM	1731,0755 litre	19,001 %	7379,5432 litre	O
290	CM	100	CM	48 LEVEL CM	1681,3589 litre	18,455 %	7429,2598 litre	O
290	CM	100	CM	47 LEVEL CM	1631,9953 litre	17,913 %	7478,6234 litre	O
290	CM	100	CM	46 LEVEL CM	1582,9943 litre	17,375 %	7527,6244 litre	O
290	CM	100	CM	45 LEVEL CM	1534,3654 litre	16,842 %	7576,2533 litre	O
290	CM	100	CM	44 LEVEL CM	1486,1185 litre	16,312 %	7624,5002 litre	O
290	CM	100	CM	43 LEVEL CM	1438,2637 litre	15,787 %	7672,3550 litre	O

290	CM	100	CM	42 LEVEL CM	1390,8112 litre	15,266 %	7719,8075 litre	O
290	CM	100	CM	41 LEVEL CM	1343,7718 litre	14,750 %	7766,8469 litre	O
290	CM	100	CM	40 LEVEL CM	1297,1561 litre	14,238 %	7813,4626 litre	O
290	CM	100	CM	39 LEVEL CM	1250,9755 litre	13,731 %	7859,6432 litre	O
290	CM	100	CM	38 LEVEL CM	1205,2415 litre	13,229 %	7905,3772 litre	O
290	CM	100	CM	37 LEVEL CM	1159,9657 litre	12,732 %	7950,6530 litre	O
290	CM	100	CM	36 LEVEL CM	1115,1605 litre	12,240 %	7995,4582 litre	O
290	CM	100	CM	35 LEVEL CM	1070,8385 litre	11,754 %	8039,7802 litre	O
290	CM	100	CM	34 LEVEL CM	1027,0126 litre	11,273 %	8083,6061 litre	O
290	CM	100	CM	33 LEVEL CM	983,6963 litre	10,797 %	8126,9224 litre	O
290	CM	100	CM	32 LEVEL CM	940,9034 litre	10,328 %	8169,7153 litre	O
290	CM	100	CM	31 LEVEL CM	898,6486 litre	9,864 %	8211,9701 litre	O
290	CM	100	CM	30 LEVEL CM	856,9466 litre	9,406 %	8253,6721 litre	O
290	CM	100	CM	29 LEVEL CM	815,8133 litre	8,955 %	8294,8054 litre	O
290	CM	100	CM	28 LEVEL CM	775,2648 litre	8,509 %	8335,3539 litre	O
290	CM	100	CM	27 LEVEL CM	735,3181 litre	8,071 %	8375,3006 litre	O
290	CM	100	CM	26 LEVEL CM	695,9910 litre	7,639 %	8414,6277 litre	O
290	CM	100	CM	25 LEVEL CM	657,3020 litre	7,215 %	8453,3167 litre	O
290	CM	100	CM	24 LEVEL CM	619,2709 litre	6,797 %	8491,3478 litre	O
290	CM	100	CM	23 LEVEL CM	581,9180 litre	6,387 %	8528,7007 litre	O
290	CM	100	CM	22 LEVEL CM	545,2652 litre	5,985 %	8565,3535 litre	O
290	CM	100	CM	21 LEVEL CM	509,3355 litre	5,591 %	8601,2832 litre	O
290	CM	100	CM	20 LEVEL CM	474,1532 litre	5,204 %	8636,4655 litre	O
290	CM	100	CM	19 LEVEL CM	439,7444 litre	4,827 %	8670,8743 litre	O
290	CM	100	CM	18 LEVEL CM	406,1369 litre	4,458 %	8704,4818 litre	O
290	CM	100	CM	17 LEVEL CM	373,3606 litre	4,098 %	8737,2581 litre	O
290	CM	100	CM	16 LEVEL CM	341,4475 litre	3,748 %	8769,1712 litre	O
290	CM	100	CM	15 LEVEL CM	310,4327 litre	3,407 %	8800,1860 litre	O
290	CM	100	CM	14 LEVEL CM	280,3540 litre	3,077 %	8830,2647 litre	O
290	CM	100	CM	13 LEVEL CM	251,2531 litre	2,758 %	8859,3656 litre	O
290	CM	100	CM	12 LEVEL CM	223,1761 litre	2,450 %	8887,4426 litre	O
290	CM	100	CM	11 LEVEL CM	196,1742 litre	2,153 %	8914,4445 litre	O
290	CM	100	CM	10 LEVEL CM	170,3051 litre	1,869 %	8940,3136 litre	O
290	CM	100	CM	9 LEVEL CM	145,6344 litre	1,599 %	8964,9843 litre	O
290	CM	100	CM	8 LEVEL CM	122,2378 litre	1,342 %	8988,3809 litre	O
290	CM	100	CM	7 LEVEL CM	100,2041 litre	1,100 %	9010,4146 litre	O
290	CM	100	CM	6 LEVEL CM	79,6399 litre	0,874 %	9030,9788 litre	O
290	CM	100	CM	5 LEVEL CM	60,6768 litre	0,666 %	9049,9419 litre	O
290	CM	100	CM	4 LEVEL CM	43,4829 litre	0,477 %	9067,1358 litre	O
290	CM	100	CM	3 LEVEL CM	28,2859 litre	0,310 %	9082,3328 litre	O
290	CM	100	CM	2 LEVEL CM	15,4202 litre	0,169 %	9095,1985 litre	O
290	CM	100	CM	1 LEVEL CM	5,4601 litre	0,060 %	9105,1586 litre	O
290	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	9110,6187 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
290	CM	95	CM	190 LEVEL CM	8222,3334 litre	100,000 %	0,0000 litre	O
290	CM	95	CM	189 LEVEL CM	8217,0120 litre	99,935 %	5,3214 litre	O
290	CM	95	CM	188 LEVEL CM	8207,3060 litre	99,817 %	15,0274 litre	O
290	CM	95	CM	187 LEVEL CM	8194,7703 litre	99,665 %	27,5631 litre	O
290	CM	95	CM	186 LEVEL CM	8179,9650 litre	99,485 %	42,3684 litre	O
290	CM	95	CM	185 LEVEL CM	8163,2167 litre	99,281 %	59,1167 litre	O
290	CM	95	CM	184 LEVEL CM	8144,7475 litre	99,056 %	77,5859 litre	O
290	CM	95	CM	183 LEVEL CM	8124,7218 litre	98,813 %	97,6116 litre	O
290	CM	95	CM	182 LEVEL CM	8103,2681 litre	98,552 %	119,0653 litre	O
290	CM	95	CM	181 LEVEL CM	8080,4905 litre	98,275 %	141,8429 litre	O
290	CM	95	CM	180 LEVEL CM	8056,4760 litre	97,983 %	165,8574 litre	O
290	CM	95	CM	179 LEVEL CM	8031,2988 litre	97,677 %	191,0346 litre	O
290	CM	95	CM	178 LEVEL CM	8005,0229 litre	97,357 %	217,3105 litre	O
290	CM	95	CM	177 LEVEL CM	7977,7049 litre	97,025 %	244,6285 litre	O
290	CM	95	CM	176 LEVEL CM	7949,3950 litre	96,681 %	272,9384 litre	O
290	CM	95	CM	175 LEVEL CM	7920,1383 litre	96,325 %	302,1951 litre	O
290	CM	95	CM	174 LEVEL CM	7889,9756 litre	95,958 %	332,3578 litre	O
290	CM	95	CM	173 LEVEL CM	7858,9443 litre	95,580 %	363,3891 litre	O
290	CM	95	CM	172 LEVEL CM	7827,0786 litre	95,193 %	395,2548 litre	O
290	CM	95	CM	171 LEVEL CM	7794,4101 litre	94,796 %	427,9233 litre	O
290	CM	95	CM	170 LEVEL CM	7760,9681 litre	94,389 %	461,3653 litre	O
290	CM	95	CM	169 LEVEL CM	7726,7799 litre	93,973 %	495,5535 litre	O
290	CM	95	CM	168 LEVEL CM	7691,8711 litre	93,549 %	530,4623 litre	O
290	CM	95	CM	167 LEVEL CM	7656,2657 litre	93,115 %	566,0677 litre	O
290	CM	95	CM	166 LEVEL CM	7619,9865 litre	92,674 %	602,3469 litre	O
290	CM	95	CM	165 LEVEL CM	7583,0547 litre	92,225 %	639,2787 litre	O
290	CM	95	CM	164 LEVEL CM	7545,4907 litre	91,768 %	676,8427 litre	O
290	CM	95	CM	163 LEVEL CM	7507,3138 litre	91,304 %	715,0196 litre	O
290	CM	95	CM	162 LEVEL CM	7468,5423 litre	90,832 %	753,7911 litre	O
290	CM	95	CM	161 LEVEL CM	7429,1937 litre	90,354 %	793,1397 litre	O
290	CM	95	CM	160 LEVEL CM	7389,2848 litre	89,868 %	833,0486 litre	O
290	CM	95	CM	159 LEVEL CM	7348,8318 litre	89,376 %	873,5016 litre	O
290	CM	95	CM	158 LEVEL CM	7307,8499 litre	88,878 %	914,4835 litre	O
290	CM	95	CM	157 LEVEL CM	7266,3542 litre	88,373 %	955,9792 litre	O
290	CM	95	CM	156 LEVEL CM	7224,3588 litre	87,863 %	997,9746 litre	O
290	CM	95	CM	155 LEVEL CM	7181,8776 litre	87,346 %	1040,4558 litre	O
290	CM	95	CM	154 LEVEL CM	7138,9238 litre	86,824 %	1083,4096 litre	O
290	CM	95	CM	153 LEVEL CM	7095,5105 litre	86,296 %	1126,8229 litre	O
290	CM	95	CM	152 LEVEL CM	7051,6500 litre	85,762 %	1170,6834 litre	O
290	CM	95	CM	151 LEVEL CM	7007,3544 litre	85,223 %	1214,9790 litre	O
290	CM	95	CM	150 LEVEL CM	6962,6356 litre	84,680 %	1259,6978 litre	O
290	CM	95	CM	149 LEVEL CM	6917,5050 litre	84,131 %	1304,8284 litre	O
290	CM	95	CM	148 LEVEL CM	6871,9736 litre	83,577 %	1350,3598 litre	O
290	CM	95	CM	147 LEVEL CM	6826,0523 litre	83,018 %	1396,2811 litre	O
290	CM	95	CM	146 LEVEL CM	6779,7516 litre	82,455 %	1442,5818 litre	O
290	CM	95	CM	145 LEVEL CM	6733,0818 litre	81,888 %	1489,2516 litre	O
290	CM	95	CM	144 LEVEL CM	6686,0530 litre	81,316 %	1536,2804 litre	O
290	CM	95	CM	143 LEVEL CM	6638,6750 litre	80,740 %	1583,6584 litre	O
290	CM	95	CM	142 LEVEL CM	6590,9574 litre	80,159 %	1631,3760 litre	O
290	CM	95	CM	141 LEVEL CM	6542,9096 litre	79,575 %	1679,4238 litre	O
290	CM	95	CM	140 LEVEL CM	6494,5408 litre	78,987 %	1727,7926 litre	O
290	CM	95	CM	139 LEVEL CM	6445,8600 litre	78,395 %	1776,4734 litre	O

290	CM	95	CM	138 LEVEL CM	6396,8761 litre	77,799 %	1825,4573 litre	O
290	CM	95	CM	137 LEVEL CM	6347,5978 litre	77,199 %	1874,7356 litre	O
290	CM	95	CM	136 LEVEL CM	6298,0336 litre	76,597 %	1924,2998 litre	O
290	CM	95	CM	135 LEVEL CM	6248,1919 litre	75,990 %	1974,1415 litre	O
290	CM	95	CM	134 LEVEL CM	6198,0809 litre	75,381 %	2024,2525 litre	O
290	CM	95	CM	133 LEVEL CM	6147,7089 litre	74,768 %	2074,6245 litre	O
290	CM	95	CM	132 LEVEL CM	6097,0836 litre	74,153 %	2125,2498 litre	O
290	CM	95	CM	131 LEVEL CM	6046,2131 litre	73,534 %	2176,1203 litre	O
290	CM	95	CM	130 LEVEL CM	5995,1051 litre	72,912 %	2227,2283 litre	O
290	CM	95	CM	129 LEVEL CM	5943,7672 litre	72,288 %	2278,5662 litre	O
290	CM	95	CM	128 LEVEL CM	5892,2070 litre	71,661 %	2330,1264 litre	O
290	CM	95	CM	127 LEVEL CM	5840,4320 litre	71,031 %	2381,9014 litre	O
290	CM	95	CM	126 LEVEL CM	5788,4494 litre	70,399 %	2433,8840 litre	O
290	CM	95	CM	125 LEVEL CM	5736,2666 litre	69,764 %	2486,0668 litre	O
290	CM	95	CM	124 LEVEL CM	5683,8908 litre	69,127 %	2538,4426 litre	O
290	CM	95	CM	123 LEVEL CM	5631,3291 litre	68,488 %	2591,0043 litre	O
290	CM	95	CM	122 LEVEL CM	5578,5884 litre	67,847 %	2643,7450 litre	O
290	CM	95	CM	121 LEVEL CM	5525,6758 litre	67,203 %	2696,6576 litre	O
290	CM	95	CM	120 LEVEL CM	5472,5982 litre	66,558 %	2749,7352 litre	O
290	CM	95	CM	119 LEVEL CM	5419,3623 litre	65,910 %	2802,9711 litre	O
290	CM	95	CM	118 LEVEL CM	5365,9750 litre	65,261 %	2856,3584 litre	O
290	CM	95	CM	117 LEVEL CM	5312,4430 litre	64,610 %	2909,8904 litre	O
290	CM	95	CM	116 LEVEL CM	5258,7729 litre	63,957 %	2963,5605 litre	O
290	CM	95	CM	115 LEVEL CM	5204,9713 litre	63,303 %	3017,3621 litre	O
290	CM	95	CM	114 LEVEL CM	5151,0449 litre	62,647 %	3071,2885 litre	O
290	CM	95	CM	113 LEVEL CM	5097,0000 litre	61,990 %	3125,3334 litre	O
290	CM	95	CM	112 LEVEL CM	5042,8432 litre	61,331 %	3179,4902 litre	O
290	CM	95	CM	111 LEVEL CM	4988,5809 litre	60,671 %	3233,7525 litre	O
290	CM	95	CM	110 LEVEL CM	4934,2195 litre	60,010 %	3288,1139 litre	O
290	CM	95	CM	109 LEVEL CM	4879,7654 litre	59,348 %	3342,5680 litre	O
290	CM	95	CM	108 LEVEL CM	4825,2248 litre	58,684 %	3397,1086 litre	O
290	CM	95	CM	107 LEVEL CM	4770,6041 litre	58,020 %	3451,7293 litre	O
290	CM	95	CM	106 LEVEL CM	4715,9096 litre	57,355 %	3506,4238 litre	O
290	CM	95	CM	105 LEVEL CM	4661,1474 litre	56,689 %	3561,1860 litre	O
290	CM	95	CM	104 LEVEL CM	4606,3239 litre	56,022 %	3616,0095 litre	O
290	CM	95	CM	103 LEVEL CM	4551,4451 litre	55,355 %	3670,8883 litre	O
290	CM	95	CM	102 LEVEL CM	4496,5174 litre	54,687 %	3725,8160 litre	O
290	CM	95	CM	101 LEVEL CM	4441,5468 litre	54,018 %	3780,7866 litre	O
290	CM	95	CM	100 LEVEL CM	4386,5394 litre	53,349 %	3835,7940 litre	O
290	CM	95	CM	99 LEVEL CM	4331,5015 litre	52,680 %	3890,8319 litre	O
290	CM	95	CM	98 LEVEL CM	4276,4392 litre	52,010 %	3945,8942 litre	O
290	CM	95	CM	97 LEVEL CM	4221,3585 litre	51,340 %	4000,9749 litre	O
290	CM	95	CM	96 LEVEL CM	4166,2657 litre	50,670 %	4056,0677 litre	O
290	CM	95	CM	95 LEVEL CM	4111,1667 litre	50,000 %	4111,1667 litre	O
290	CM	95	CM	94 LEVEL CM	4056,0677 litre	49,330 %	4166,2657 litre	O
290	CM	95	CM	93 LEVEL CM	4000,9748 litre	48,660 %	4221,3586 litre	O
290	CM	95	CM	92 LEVEL CM	3945,8942 litre	47,990 %	4276,4392 litre	O
290	CM	95	CM	91 LEVEL CM	3890,8318 litre	47,320 %	4331,5016 litre	O
290	CM	95	CM	90 LEVEL CM	3835,7939 litre	46,651 %	4386,5395 litre	O
290	CM	95	CM	89 LEVEL CM	3780,7866 litre	45,982 %	4441,5468 litre	O
290	CM	95	CM	88 LEVEL CM	3725,8160 litre	45,313 %	4496,5174 litre	O
290	CM	95	CM	87 LEVEL CM	3670,8882 litre	44,645 %	4551,4452 litre	O
290	CM	95	CM	86 LEVEL CM	3616,0095 litre	43,978 %	4606,3239 litre	O

290	CM 95	CM	85 LEVEL CM	3561,1859 litre	43,311 %	4661,1475 litre	O
290	CM 95	CM	84 LEVEL CM	3506,4238 litre	42,645 %	4715,9096 litre	O
290	CM 95	CM	83 LEVEL CM	3451,7292 litre	41,980 %	4770,6042 litre	O
290	CM 95	CM	82 LEVEL CM	3397,1086 litre	41,316 %	4825,2248 litre	O
290	CM 95	CM	81 LEVEL CM	3342,5680 litre	40,652 %	4879,7654 litre	O
290	CM 95	CM	80 LEVEL CM	3288,1139 litre	39,990 %	4934,2195 litre	O
290	CM 95	CM	79 LEVEL CM	3233,7525 litre	39,329 %	4988,5809 litre	O
290	CM 95	CM	78 LEVEL CM	3179,4902 litre	38,669 %	5042,8432 litre	O
290	CM 95	CM	77 LEVEL CM	3125,3334 litre	38,010 %	5097,0000 litre	O
290	CM 95	CM	76 LEVEL CM	3071,2885 litre	37,353 %	5151,0449 litre	O
290	CM 95	CM	75 LEVEL CM	3017,3620 litre	36,697 %	5204,9714 litre	O
290	CM 95	CM	74 LEVEL CM	2963,5605 litre	36,043 %	5258,7729 litre	O
290	CM 95	CM	73 LEVEL CM	2909,8904 litre	35,390 %	5312,4430 litre	O
290	CM 95	CM	72 LEVEL CM	2856,3583 litre	34,739 %	5365,9751 litre	O
290	CM 95	CM	71 LEVEL CM	2802,9710 litre	34,090 %	5419,3624 litre	O
290	CM 95	CM	70 LEVEL CM	2749,7352 litre	33,442 %	5472,5982 litre	O
290	CM 95	CM	69 LEVEL CM	2696,6576 litre	32,797 %	5525,6758 litre	O
290	CM 95	CM	68 LEVEL CM	2643,7450 litre	32,153 %	5578,5884 litre	O
290	CM 95	CM	67 LEVEL CM	2591,0043 litre	31,512 %	5631,3291 litre	O
290	CM 95	CM	66 LEVEL CM	2538,4425 litre	30,873 %	5683,8909 litre	O
290	CM 95	CM	65 LEVEL CM	2486,0667 litre	30,236 %	5736,2667 litre	O
290	CM 95	CM	64 LEVEL CM	2433,8839 litre	29,601 %	5788,4495 litre	O
290	CM 95	CM	63 LEVEL CM	2381,9014 litre	28,969 %	5840,4320 litre	O
290	CM 95	CM	62 LEVEL CM	2330,1263 litre	28,339 %	5892,2071 litre	O
290	CM 95	CM	61 LEVEL CM	2278,5662 litre	27,712 %	5943,7672 litre	O
290	CM 95	CM	60 LEVEL CM	2227,2283 litre	27,088 %	5995,1051 litre	O
290	CM 95	CM	59 LEVEL CM	2176,1203 litre	26,466 %	6046,2131 litre	O
290	CM 95	CM	58 LEVEL CM	2125,2498 litre	25,847 %	6097,0836 litre	O
290	CM 95	CM	57 LEVEL CM	2074,6245 litre	25,232 %	6147,7089 litre	O
290	CM 95	CM	56 LEVEL CM	2024,2524 litre	24,619 %	6198,0810 litre	O
290	CM 95	CM	55 LEVEL CM	1974,1415 litre	24,010 %	6248,1919 litre	O
290	CM 95	CM	54 LEVEL CM	1924,2998 litre	23,403 %	6298,0336 litre	O
290	CM 95	CM	53 LEVEL CM	1874,7356 litre	22,801 %	6347,5978 litre	O
290	CM 95	CM	52 LEVEL CM	1825,4572 litre	22,201 %	6396,8762 litre	O
290	CM 95	CM	51 LEVEL CM	1776,4734 litre	21,605 %	6445,8600 litre	O
290	CM 95	CM	50 LEVEL CM	1727,7926 litre	21,013 %	6494,5408 litre	O
290	CM 95	CM	49 LEVEL CM	1679,4238 litre	20,425 %	6542,9096 litre	O
290	CM 95	CM	48 LEVEL CM	1631,3760 litre	19,841 %	6590,9574 litre	O
290	CM 95	CM	47 LEVEL CM	1583,6584 litre	19,260 %	6638,6750 litre	O
290	CM 95	CM	46 LEVEL CM	1536,2803 litre	18,684 %	6686,0531 litre	O
290	CM 95	CM	45 LEVEL CM	1489,2516 litre	18,112 %	6733,0818 litre	O
290	CM 95	CM	44 LEVEL CM	1442,5818 litre	17,545 %	6779,7516 litre	O
290	CM 95	CM	43 LEVEL CM	1396,2811 litre	16,982 %	6826,0523 litre	O
290	CM 95	CM	42 LEVEL CM	1350,3598 litre	16,423 %	6871,9736 litre	O
290	CM 95	CM	41 LEVEL CM	1304,8284 litre	15,869 %	6917,5050 litre	O
290	CM 95	CM	40 LEVEL CM	1259,6977 litre	15,320 %	6962,6357 litre	O
290	CM 95	CM	39 LEVEL CM	1214,9789 litre	14,777 %	7007,3545 litre	O
290	CM 95	CM	38 LEVEL CM	1170,6834 litre	14,238 %	7051,6500 litre	O
290	CM 95	CM	37 LEVEL CM	1126,8229 litre	13,704 %	7095,5105 litre	O
290	CM 95	CM	36 LEVEL CM	1083,4096 litre	13,176 %	7138,9238 litre	O
290	CM 95	CM	35 LEVEL CM	1040,4558 litre	12,654 %	7181,8776 litre	O
290	CM 95	CM	34 LEVEL CM	997,9746 litre	12,137 %	7224,3588 litre	O
290	CM 95	CM	33 LEVEL CM	955,9792 litre	11,627 %	7266,3542 litre	O

290	CM	95	CM	32 LEVEL CM	914,4834 litre	11,122 %	7307,8500 litre	O
290	CM	95	CM	31 LEVEL CM	873,5016 litre	10,624 %	7348,8318 litre	O
290	CM	95	CM	30 LEVEL CM	833,0485 litre	10,132 %	7389,2849 litre	O
290	CM	95	CM	29 LEVEL CM	793,1397 litre	9,646 %	7429,1937 litre	O
290	CM	95	CM	28 LEVEL CM	753,7911 litre	9,168 %	7468,5423 litre	O
290	CM	95	CM	27 LEVEL CM	715,0196 litre	8,696 %	7507,3138 litre	O
290	CM	95	CM	26 LEVEL CM	676,8427 litre	8,232 %	7545,4907 litre	O
290	CM	95	CM	25 LEVEL CM	639,2787 litre	7,775 %	7583,0547 litre	O
290	CM	95	CM	24 LEVEL CM	602,3469 litre	7,326 %	7619,9865 litre	O
290	CM	95	CM	23 LEVEL CM	566,0676 litre	6,885 %	7656,2658 litre	O
290	CM	95	CM	22 LEVEL CM	530,4623 litre	6,451 %	7691,8711 litre	O
290	CM	95	CM	21 LEVEL CM	495,5535 litre	6,027 %	7726,7799 litre	O
290	CM	95	CM	20 LEVEL CM	461,3653 litre	5,611 %	7760,9681 litre	O
290	CM	95	CM	19 LEVEL CM	427,9233 litre	5,204 %	7794,4101 litre	O
290	CM	95	CM	18 LEVEL CM	395,2547 litre	4,807 %	7827,0787 litre	O
290	CM	95	CM	17 LEVEL CM	363,3890 litre	4,420 %	7858,9444 litre	O
290	CM	95	CM	16 LEVEL CM	332,3577 litre	4,042 %	7889,9757 litre	O
290	CM	95	CM	15 LEVEL CM	302,1951 litre	3,675 %	7920,1383 litre	O
290	CM	95	CM	14 LEVEL CM	272,9384 litre	3,319 %	7949,3950 litre	O
290	CM	95	CM	13 LEVEL CM	244,6285 litre	2,975 %	7977,7049 litre	O
290	CM	95	CM	12 LEVEL CM	217,3105 litre	2,643 %	8005,0229 litre	O
290	CM	95	CM	11 LEVEL CM	191,0346 litre	2,323 %	8031,2988 litre	O
290	CM	95	CM	10 LEVEL CM	165,8573 litre	2,017 %	8056,4761 litre	O
290	CM	95	CM	9 LEVEL CM	141,8429 litre	1,725 %	8080,4905 litre	O
290	CM	95	CM	8 LEVEL CM	119,0653 litre	1,448 %	8103,2681 litre	O
290	CM	95	CM	7 LEVEL CM	97,6116 litre	1,187 %	8124,7218 litre	O
290	CM	95	CM	6 LEVEL CM	77,5859 litre	0,944 %	8144,7475 litre	O
290	CM	95	CM	5 LEVEL CM	59,1167 litre	0,719 %	8163,2167 litre	O
290	CM	95	CM	4 LEVEL CM	42,3683 litre	0,515 %	8179,9651 litre	O
290	CM	95	CM	3 LEVEL CM	27,5631 litre	0,335 %	8194,7703 litre	O
290	CM	95	CM	2 LEVEL CM	15,0273 litre	0,183 %	8207,3061 litre	O
290	CM	95	CM	1 LEVEL CM	5,3214 litre	0,065 %	8217,0120 litre	O
290	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	8222,3334 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
290	CM	90	CM	180 LEVEL CM	7379,6011 litre	100,000 %	0,0000 litre	O
290	CM	90	CM	179 LEVEL CM	7374,4221 litre	99,930 %	5,1790 litre	O
290	CM	90	CM	178 LEVEL CM	7364,9772 litre	99,802 %	14,6239 litre	O
290	CM	90	CM	177 LEVEL CM	7352,7804 litre	99,637 %	26,8207 litre	O
290	CM	90	CM	176 LEVEL CM	7338,3775 litre	99,441 %	41,2236 litre	O
290	CM	90	CM	175 LEVEL CM	7322,0869 litre	99,221 %	57,5142 litre	O
290	CM	90	CM	174 LEVEL CM	7304,1252 litre	98,977 %	75,4759 litre	O
290	CM	90	CM	173 LEVEL CM	7284,6528 litre	98,713 %	94,9483 litre	O
290	CM	90	CM	172 LEVEL CM	7263,7952 litre	98,431 %	115,8059 litre	O
290	CM	90	CM	171 LEVEL CM	7241,6540 litre	98,131 %	137,9471 litre	O
290	CM	90	CM	170 LEVEL CM	7218,3142 litre	97,814 %	161,2869 litre	O
290	CM	90	CM	169 LEVEL CM	7193,8483 litre	97,483 %	185,7528 litre	O
290	CM	90	CM	168 LEVEL CM	7168,3191 litre	97,137 %	211,2820 litre	O
290	CM	90	CM	167 LEVEL CM	7141,7818 litre	96,777 %	237,8193 litre	O
290	CM	90	CM	166 LEVEL CM	7114,2856 litre	96,405 %	265,3155 litre	O
290	CM	90	CM	165 LEVEL CM	7085,8746 litre	96,020 %	293,7265 litre	O
290	CM	90	CM	164 LEVEL CM	7056,5890 litre	95,623 %	323,0121 litre	O
290	CM	90	CM	163 LEVEL CM	7026,4653 litre	95,215 %	353,1358 litre	O
290	CM	90	CM	162 LEVEL CM	6995,5370 litre	94,796 %	384,0641 litre	O
290	CM	90	CM	161 LEVEL CM	6963,8353 litre	94,366 %	415,7658 litre	O
290	CM	90	CM	160 LEVEL CM	6931,3888 litre	93,926 %	448,2123 litre	O
290	CM	90	CM	159 LEVEL CM	6898,2244 litre	93,477 %	481,3767 litre	O
290	CM	90	CM	158 LEVEL CM	6864,3673 litre	93,018 %	515,2338 litre	O
290	CM	90	CM	157 LEVEL CM	6829,8412 litre	92,550 %	549,7599 litre	O
290	CM	90	CM	156 LEVEL CM	6794,6683 litre	92,074 %	584,9328 litre	O
290	CM	90	CM	155 LEVEL CM	6758,8697 litre	91,589 %	620,7314 litre	O
290	CM	90	CM	154 LEVEL CM	6722,4654 litre	91,095 %	657,1357 litre	O
290	CM	90	CM	153 LEVEL CM	6685,4744 litre	90,594 %	694,1267 litre	O
290	CM	90	CM	152 LEVEL CM	6647,9148 litre	90,085 %	731,6863 litre	O
290	CM	90	CM	151 LEVEL CM	6609,8039 litre	89,569 %	769,7972 litre	O
290	CM	90	CM	150 LEVEL CM	6571,1583 litre	89,045 %	808,4428 litre	O
290	CM	90	CM	149 LEVEL CM	6531,9939 litre	88,514 %	847,6072 litre	O
290	CM	90	CM	148 LEVEL CM	6492,3260 litre	87,977 %	887,2751 litre	O
290	CM	90	CM	147 LEVEL CM	6452,1691 litre	87,432 %	927,4320 litre	O
290	CM	90	CM	146 LEVEL CM	6411,5376 litre	86,882 %	968,0635 litre	O
290	CM	90	CM	145 LEVEL CM	6370,4451 litre	86,325 %	1009,1560 litre	O
290	CM	90	CM	144 LEVEL CM	6328,9047 litre	85,762 %	1050,6964 litre	O
290	CM	90	CM	143 LEVEL CM	6286,9293 litre	85,193 %	1092,6718 litre	O
290	CM	90	CM	142 LEVEL CM	6244,5312 litre	84,619 %	1135,0699 litre	O
290	CM	90	CM	141 LEVEL CM	6201,7225 litre	84,039 %	1177,8786 litre	O
290	CM	90	CM	140 LEVEL CM	6158,5150 litre	83,453 %	1221,0861 litre	O
290	CM	90	CM	139 LEVEL CM	6114,9198 litre	82,862 %	1264,6813 litre	O
290	CM	90	CM	138 LEVEL CM	6070,9482 litre	82,267 %	1308,6529 litre	O
290	CM	90	CM	137 LEVEL CM	6026,6109 litre	81,666 %	1352,9902 litre	O
290	CM	90	CM	136 LEVEL CM	5981,9184 litre	81,060 %	1397,6827 litre	O
290	CM	90	CM	135 LEVEL CM	5936,8809 litre	80,450 %	1442,7202 litre	O
290	CM	90	CM	134 LEVEL CM	5891,5086 litre	79,835 %	1488,0925 litre	O
290	CM	90	CM	133 LEVEL CM	5845,8112 litre	79,216 %	1533,7899 litre	O
290	CM	90	CM	132 LEVEL CM	5799,7984 litre	78,592 %	1579,8027 litre	O
290	CM	90	CM	131 LEVEL CM	5753,4795 litre	77,965 %	1626,1216 litre	O
290	CM	90	CM	130 LEVEL CM	5706,8638 litre	77,333 %	1672,7373 litre	O
290	CM	90	CM	129 LEVEL CM	5659,9603 litre	76,697 %	1719,6408 litre	O

290	CM	90	CM	128 LEVEL CM	5612,7779 litre	76,058 %	1766,8232 litre	O
290	CM	90	CM	127 LEVEL CM	5565,3254 litre	75,415 %	1814,2757 litre	O
290	CM	90	CM	126 LEVEL CM	5517,6113 litre	74,768 %	1861,9898 litre	O
290	CM	90	CM	125 LEVEL CM	5469,6440 litre	74,118 %	1909,9571 litre	O
290	CM	90	CM	124 LEVEL CM	5421,4319 litre	73,465 %	1958,1692 litre	O
290	CM	90	CM	123 LEVEL CM	5372,9831 litre	72,809 %	2006,6180 litre	O
290	CM	90	CM	122 LEVEL CM	5324,3058 litre	72,149 %	2055,2953 litre	O
290	CM	90	CM	121 LEVEL CM	5275,4078 litre	71,486 %	2104,1933 litre	O
290	CM	90	CM	120 LEVEL CM	5226,2970 litre	70,821 %	2153,3041 litre	O
290	CM	90	CM	119 LEVEL CM	5176,9811 litre	70,153 %	2202,6200 litre	O
290	CM	90	CM	118 LEVEL CM	5127,4678 litre	69,482 %	2252,1333 litre	O
290	CM	90	CM	117 LEVEL CM	5077,7646 litre	68,808 %	2301,8365 litre	O
290	CM	90	CM	116 LEVEL CM	5027,8790 litre	68,132 %	2351,7221 litre	O
290	CM	90	CM	115 LEVEL CM	4977,8184 litre	67,454 %	2401,7827 litre	O
290	CM	90	CM	114 LEVEL CM	4927,5900 litre	66,773 %	2452,0111 litre	O
290	CM	90	CM	113 LEVEL CM	4877,2012 litre	66,090 %	2502,3999 litre	O
290	CM	90	CM	112 LEVEL CM	4826,6591 litre	65,405 %	2552,9420 litre	O
290	CM	90	CM	111 LEVEL CM	4775,9707 litre	64,719 %	2603,6304 litre	O
290	CM	90	CM	110 LEVEL CM	4725,1432 litre	64,030 %	2654,4579 litre	O
290	CM	90	CM	109 LEVEL CM	4674,1834 litre	63,339 %	2705,4177 litre	O
290	CM	90	CM	108 LEVEL CM	4623,0984 litre	62,647 %	2756,5027 litre	O
290	CM	90	CM	107 LEVEL CM	4571,8950 litre	61,953 %	2807,7061 litre	O
290	CM	90	CM	106 LEVEL CM	4520,5801 litre	61,258 %	2859,0210 litre	O
290	CM	90	CM	105 LEVEL CM	4469,1603 litre	60,561 %	2910,4408 litre	O
290	CM	90	CM	104 LEVEL CM	4417,6425 litre	59,863 %	2961,9586 litre	O
290	CM	90	CM	103 LEVEL CM	4366,0334 litre	59,164 %	3013,5677 litre	O
290	CM	90	CM	102 LEVEL CM	4314,3396 litre	58,463 %	3065,2615 litre	O
290	CM	90	CM	101 LEVEL CM	4262,5678 litre	57,761 %	3117,0333 litre	O
290	CM	90	CM	100 LEVEL CM	4210,7245 litre	57,059 %	3168,8766 litre	O
290	CM	90	CM	99 LEVEL CM	4158,8164 litre	56,356 %	3220,7847 litre	O
290	CM	90	CM	98 LEVEL CM	4106,8500 litre	55,651 %	3272,7511 litre	O
290	CM	90	CM	97 LEVEL CM	4054,8318 litre	54,946 %	3324,7693 litre	O
290	CM	90	CM	96 LEVEL CM	4002,7684 litre	54,241 %	3376,8327 litre	O
290	CM	90	CM	95 LEVEL CM	3950,6663 litre	53,535 %	3428,9348 litre	O
290	CM	90	CM	94 LEVEL CM	3898,5318 litre	52,828 %	3481,0693 litre	O
290	CM	90	CM	93 LEVEL CM	3846,3716 litre	52,122 %	3533,2295 litre	O
290	CM	90	CM	92 LEVEL CM	3794,1920 litre	51,415 %	3585,4091 litre	O
290	CM	90	CM	91 LEVEL CM	3741,9995 litre	50,707 %	3637,6016 litre	O
290	CM	90	CM	90 LEVEL CM	3689,8006 litre	50,000 %	3689,8005 litre	O
290	CM	90	CM	89 LEVEL CM	3637,6016 litre	49,293 %	3741,9995 litre	O
290	CM	90	CM	88 LEVEL CM	3585,4092 litre	48,585 %	3794,1919 litre	O
290	CM	90	CM	87 LEVEL CM	3533,2296 litre	47,878 %	3846,3715 litre	O
290	CM	90	CM	86 LEVEL CM	3481,0693 litre	47,172 %	3898,5318 litre	O
290	CM	90	CM	85 LEVEL CM	3428,9349 litre	46,465 %	3950,6662 litre	O
290	CM	90	CM	84 LEVEL CM	3376,8327 litre	45,759 %	4002,7684 litre	O
290	CM	90	CM	83 LEVEL CM	3324,7693 litre	45,054 %	4054,8318 litre	O
290	CM	90	CM	82 LEVEL CM	3272,7512 litre	44,349 %	4106,8499 litre	O
290	CM	90	CM	81 LEVEL CM	3220,7848 litre	43,644 %	4158,8163 litre	O
290	CM	90	CM	80 LEVEL CM	3168,8766 litre	42,941 %	4210,7245 litre	O
290	CM	90	CM	79 LEVEL CM	3117,0334 litre	42,239 %	4262,5677 litre	O
290	CM	90	CM	78 LEVEL CM	3065,2616 litre	41,537 %	4314,3395 litre	O
290	CM	90	CM	77 LEVEL CM	3013,5678 litre	40,836 %	4366,0333 litre	O
290	CM	90	CM	76 LEVEL CM	2961,9586 litre	40,137 %	4417,6425 litre	O

290	CM	90	CM	75 LEVEL CM	2910,4408 litre	39,439 %	4469,1603 litre	O
290	CM	90	CM	74 LEVEL CM	2859,0211 litre	38,742 %	4520,5800 litre	O
290	CM	90	CM	73 LEVEL CM	2807,7061 litre	38,047 %	4571,8950 litre	O
290	CM	90	CM	72 LEVEL CM	2756,5027 litre	37,353 %	4623,0984 litre	O
290	CM	90	CM	71 LEVEL CM	2705,4177 litre	36,661 %	4674,1834 litre	O
290	CM	90	CM	70 LEVEL CM	2654,4580 litre	35,970 %	4725,1431 litre	O
290	CM	90	CM	69 LEVEL CM	2603,6304 litre	35,281 %	4775,9707 litre	O
290	CM	90	CM	68 LEVEL CM	2552,9421 litre	34,595 %	4826,6590 litre	O
290	CM	90	CM	67 LEVEL CM	2502,3999 litre	33,910 %	4877,2012 litre	O
290	CM	90	CM	66 LEVEL CM	2452,0111 litre	33,227 %	4927,5900 litre	O
290	CM	90	CM	65 LEVEL CM	2401,7828 litre	32,546 %	4977,8183 litre	O
290	CM	90	CM	64 LEVEL CM	2351,7222 litre	31,868 %	5027,8789 litre	O
290	CM	90	CM	63 LEVEL CM	2301,8366 litre	31,192 %	5077,7645 litre	O
290	CM	90	CM	62 LEVEL CM	2252,1334 litre	30,518 %	5127,4677 litre	O
290	CM	90	CM	61 LEVEL CM	2202,6201 litre	29,847 %	5176,9810 litre	O
290	CM	90	CM	60 LEVEL CM	2153,3042 litre	29,179 %	5226,2969 litre	O
290	CM	90	CM	59 LEVEL CM	2104,1934 litre	28,514 %	5275,4077 litre	O
290	CM	90	CM	58 LEVEL CM	2055,2954 litre	27,851 %	5324,3057 litre	O
290	CM	90	CM	57 LEVEL CM	2006,6180 litre	27,191 %	5372,9831 litre	O
290	CM	90	CM	56 LEVEL CM	1958,1692 litre	26,535 %	5421,4319 litre	O
290	CM	90	CM	55 LEVEL CM	1909,9571 litre	25,882 %	5469,6440 litre	O
290	CM	90	CM	54 LEVEL CM	1861,9899 litre	25,232 %	5517,6112 litre	O
290	CM	90	CM	53 LEVEL CM	1814,2758 litre	24,585 %	5565,3253 litre	O
290	CM	90	CM	52 LEVEL CM	1766,8232 litre	23,942 %	5612,7779 litre	O
290	CM	90	CM	51 LEVEL CM	1719,6408 litre	23,303 %	5659,9603 litre	O
290	CM	90	CM	50 LEVEL CM	1672,7373 litre	22,667 %	5706,8638 litre	O
290	CM	90	CM	49 LEVEL CM	1626,1216 litre	22,035 %	5753,4795 litre	O
290	CM	90	CM	48 LEVEL CM	1579,8027 litre	21,408 %	5799,7984 litre	O
290	CM	90	CM	47 LEVEL CM	1533,7899 litre	20,784 %	5845,8112 litre	O
290	CM	90	CM	46 LEVEL CM	1488,0925 litre	20,165 %	5891,5086 litre	O
290	CM	90	CM	45 LEVEL CM	1442,7202 litre	19,550 %	5936,8809 litre	O
290	CM	90	CM	44 LEVEL CM	1397,6828 litre	18,940 %	5981,9183 litre	O
290	CM	90	CM	43 LEVEL CM	1352,9903 litre	18,334 %	6026,6108 litre	O
290	CM	90	CM	42 LEVEL CM	1308,6529 litre	17,733 %	6070,9482 litre	O
290	CM	90	CM	41 LEVEL CM	1264,6813 litre	17,138 %	6114,9198 litre	O
290	CM	90	CM	40 LEVEL CM	1221,0862 litre	16,547 %	6158,5149 litre	O
290	CM	90	CM	39 LEVEL CM	1177,8786 litre	15,961 %	6201,7225 litre	O
290	CM	90	CM	38 LEVEL CM	1135,0699 litre	15,381 %	6244,5312 litre	O
290	CM	90	CM	37 LEVEL CM	1092,6719 litre	14,807 %	6286,9292 litre	O
290	CM	90	CM	36 LEVEL CM	1050,6965 litre	14,238 %	6328,9046 litre	O
290	CM	90	CM	35 LEVEL CM	1009,1561 litre	13,675 %	6370,4450 litre	O
290	CM	90	CM	34 LEVEL CM	968,0635 litre	13,118 %	6411,5376 litre	O
290	CM	90	CM	33 LEVEL CM	927,4320 litre	12,568 %	6452,1691 litre	O
290	CM	90	CM	32 LEVEL CM	887,2752 litre	12,023 %	6492,3259 litre	O
290	CM	90	CM	31 LEVEL CM	847,6072 litre	11,486 %	6531,9939 litre	O
290	CM	90	CM	30 LEVEL CM	808,4428 litre	10,955 %	6571,1583 litre	O
290	CM	90	CM	29 LEVEL CM	769,7972 litre	10,431 %	6609,8039 litre	O
290	CM	90	CM	28 LEVEL CM	731,6864 litre	9,915 %	6647,9147 litre	O
290	CM	90	CM	27 LEVEL CM	694,1268 litre	9,406 %	6685,4743 litre	O
290	CM	90	CM	26 LEVEL CM	657,1358 litre	8,905 %	6722,4653 litre	O
290	CM	90	CM	25 LEVEL CM	620,7314 litre	8,411 %	6758,8697 litre	O
290	CM	90	CM	24 LEVEL CM	584,9328 litre	7,926 %	6794,6683 litre	O
290	CM	90	CM	23 LEVEL CM	549,7599 litre	7,450 %	6829,8412 litre	O

290	CM	90	CM	22 LEVEL CM	515,2338 litre	6,982 %	6864,3673 litre	O
290	CM	90	CM	21 LEVEL CM	481,3767 litre	6,523 %	6898,2244 litre	O
290	CM	90	CM	20 LEVEL CM	448,2124 litre	6,074 %	6931,3887 litre	O
290	CM	90	CM	19 LEVEL CM	415,7659 litre	5,634 %	6963,8352 litre	O
290	CM	90	CM	18 LEVEL CM	384,0641 litre	5,204 %	6995,5370 litre	O
290	CM	90	CM	17 LEVEL CM	353,1358 litre	4,785 %	7026,4653 litre	O
290	CM	90	CM	16 LEVEL CM	323,0121 litre	4,377 %	7056,5890 litre	O
290	CM	90	CM	15 LEVEL CM	293,7265 litre	3,980 %	7085,8746 litre	O
290	CM	90	CM	14 LEVEL CM	265,3156 litre	3,595 %	7114,2855 litre	O
290	CM	90	CM	13 LEVEL CM	237,8193 litre	3,223 %	7141,7818 litre	O
290	CM	90	CM	12 LEVEL CM	211,2820 litre	2,863 %	7168,3191 litre	O
290	CM	90	CM	11 LEVEL CM	185,7528 litre	2,517 %	7193,8483 litre	O
290	CM	90	CM	10 LEVEL CM	161,2869 litre	2,186 %	7218,3142 litre	O
290	CM	90	CM	9 LEVEL CM	137,9472 litre	1,869 %	7241,6539 litre	O
290	CM	90	CM	8 LEVEL CM	115,8060 litre	1,569 %	7263,7951 litre	O
290	CM	90	CM	7 LEVEL CM	94,9483 litre	1,287 %	7284,6528 litre	O
290	CM	90	CM	6 LEVEL CM	75,4760 litre	1,023 %	7304,1251 litre	O
290	CM	90	CM	5 LEVEL CM	57,5142 litre	0,779 %	7322,0869 litre	O
290	CM	90	CM	4 LEVEL CM	41,2236 litre	0,559 %	7338,3775 litre	O
290	CM	90	CM	3 LEVEL CM	26,8208 litre	0,363 %	7352,7803 litre	O
290	CM	90	CM	2 LEVEL CM	14,6240 litre	0,198 %	7364,9771 litre	O
290	CM	90	CM	1 LEVEL CM	5,1790 litre	0,070 %	7374,4221 litre	O
290	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	7379,6011 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
290	CM 85	CM 170 LEVEL CM	6582,4220 litre	100,000 %	0,0000 litre O
290	CM 85	CM 169 LEVEL CM	6577,3894 litre	99,924 %	5,0326 litre O
290	CM 85	CM 168 LEVEL CM	6568,2129 litre	99,784 %	14,2091 litre O
290	CM 85	CM 167 LEVEL CM	6556,3646 litre	99,604 %	26,0574 litre O
290	CM 85	CM 166 LEVEL CM	6542,3758 litre	99,392 %	40,0462 litre O
290	CM 85	CM 165 LEVEL CM	6526,5561 litre	99,151 %	55,8659 litre O
290	CM 85	CM 164 LEVEL CM	6509,1167 litre	98,886 %	73,3053 litre O
290	CM 85	CM 163 LEVEL CM	6490,2138 litre	98,599 %	92,2082 litre O
290	CM 85	CM 162 LEVEL CM	6469,9698 litre	98,292 %	112,4522 litre O
290	CM 85	CM 161 LEVEL CM	6448,4839 litre	97,965 %	133,9381 litre O
290	CM 85	CM 160 LEVEL CM	6425,8389 litre	97,621 %	156,5831 litre O
290	CM 85	CM 159 LEVEL CM	6402,1057 litre	97,261 %	180,3163 litre O
290	CM 85	CM 158 LEVEL CM	6377,3456 litre	96,884 %	205,0764 litre O
290	CM 85	CM 157 LEVEL CM	6351,6127 litre	96,494 %	230,8093 litre O
290	CM 85	CM 156 LEVEL CM	6324,9550 litre	96,089 %	257,4670 litre O
290	CM 85	CM 155 LEVEL CM	6297,4158 litre	95,670 %	285,0062 litre O
290	CM 85	CM 154 LEVEL CM	6269,0343 litre	95,239 %	313,3877 litre O
290	CM 85	CM 153 LEVEL CM	6239,8463 litre	94,796 %	342,5757 litre O
290	CM 85	CM 152 LEVEL CM	6209,8848 litre	94,340 %	372,5372 litre O
290	CM 85	CM 151 LEVEL CM	6179,1802 litre	93,874 %	403,2418 litre O
290	CM 85	CM 150 LEVEL CM	6147,7608 litre	93,397 %	434,6612 litre O
290	CM 85	CM 149 LEVEL CM	6115,6529 litre	92,909 %	466,7691 litre O
290	CM 85	CM 148 LEVEL CM	6082,8813 litre	92,411 %	499,5407 litre O
290	CM 85	CM 147 LEVEL CM	6049,4692 litre	91,903 %	532,9528 litre O
290	CM 85	CM 146 LEVEL CM	6015,4386 litre	91,386 %	566,9834 litre O
290	CM 85	CM 145 LEVEL CM	5980,8102 litre	90,860 %	601,6118 litre O
290	CM 85	CM 144 LEVEL CM	5945,6038 litre	90,325 %	636,8182 litre O
290	CM 85	CM 143 LEVEL CM	5909,8380 litre	89,782 %	672,5840 litre O
290	CM 85	CM 142 LEVEL CM	5873,5307 litre	89,231 %	708,8913 litre O
290	CM 85	CM 141 LEVEL CM	5836,6991 litre	88,671 %	745,7229 litre O
290	CM 85	CM 140 LEVEL CM	5799,3595 litre	88,104 %	783,0625 litre O
290	CM 85	CM 139 LEVEL CM	5761,5277 litre	87,529 %	820,8943 litre O
290	CM 85	CM 138 LEVEL CM	5723,2186 litre	86,947 %	859,2034 litre O
290	CM 85	CM 137 LEVEL CM	5684,4470 litre	86,358 %	897,9750 litre O
290	CM 85	CM 136 LEVEL CM	5645,2267 litre	85,762 %	937,1953 litre O
290	CM 85	CM 135 LEVEL CM	5605,5714 litre	85,160 %	976,8506 litre O
290	CM 85	CM 134 LEVEL CM	5565,4942 litre	84,551 %	1016,9278 litre O
290	CM 85	CM 133 LEVEL CM	5525,0077 litre	83,936 %	1057,4143 litre O
290	CM 85	CM 132 LEVEL CM	5484,1244 litre	83,315 %	1098,2976 litre O
290	CM 85	CM 131 LEVEL CM	5442,8562 litre	82,688 %	1139,5658 litre O
290	CM 85	CM 130 LEVEL CM	5401,2146 litre	82,055 %	1181,2074 litre O
290	CM 85	CM 129 LEVEL CM	5359,2111 litre	81,417 %	1223,2109 litre O
290	CM 85	CM 128 LEVEL CM	5316,8567 litre	80,774 %	1265,5653 litre O
290	CM 85	CM 127 LEVEL CM	5274,1620 litre	80,125 %	1308,2600 litre O
290	CM 85	CM 126 LEVEL CM	5231,1378 litre	79,471 %	1351,2842 litre O
290	CM 85	CM 125 LEVEL CM	5187,7941 litre	78,813 %	1394,6279 litre O
290	CM 85	CM 124 LEVEL CM	5144,1411 litre	78,150 %	1438,2809 litre O
290	CM 85	CM 123 LEVEL CM	5100,1885 litre	77,482 %	1482,2335 litre O
290	CM 85	CM 122 LEVEL CM	5055,9461 litre	76,810 %	1526,4759 litre O
290	CM 85	CM 121 LEVEL CM	5011,4232 litre	76,133 %	1570,9988 litre O
290	CM 85	CM 120 LEVEL CM	4966,6292 litre	75,453 %	1615,7928 litre O
290	CM 85	CM 119 LEVEL CM	4921,5730 litre	74,768 %	1660,8490 litre O

290	CM 85	CM	118 LEVEL CM	4876,2637 litre	74,080 %	1706,1583 litre	O
290	CM 85	CM	117 LEVEL CM	4830,7101 litre	73,388 %	1751,7119 litre	O
290	CM 85	CM	116 LEVEL CM	4784,9207 litre	72,692 %	1797,5013 litre	O
290	CM 85	CM	115 LEVEL CM	4738,9042 litre	71,993 %	1843,5178 litre	O
290	CM 85	CM	114 LEVEL CM	4692,6689 litre	71,291 %	1889,7531 litre	O
290	CM 85	CM	113 LEVEL CM	4646,2230 litre	70,585 %	1936,1990 litre	O
290	CM 85	CM	112 LEVEL CM	4599,5748 litre	69,877 %	1982,8472 litre	O
290	CM 85	CM	111 LEVEL CM	4552,7323 litre	69,165 %	2029,6897 litre	O
290	CM 85	CM	110 LEVEL CM	4505,7034 litre	68,451 %	2076,7186 litre	O
290	CM 85	CM	109 LEVEL CM	4458,4960 litre	67,733 %	2123,9260 litre	O
290	CM 85	CM	108 LEVEL CM	4411,1179 litre	67,014 %	2171,3041 litre	O
290	CM 85	CM	107 LEVEL CM	4363,5768 litre	66,291 %	2218,8452 litre	O
290	CM 85	CM	106 LEVEL CM	4315,8803 litre	65,567 %	2266,5417 litre	O
290	CM 85	CM	105 LEVEL CM	4268,0359 litre	64,840 %	2314,3861 litre	O
290	CM 85	CM	104 LEVEL CM	4220,0510 litre	64,111 %	2362,3710 litre	O
290	CM 85	CM	103 LEVEL CM	4171,9332 litre	63,380 %	2410,4888 litre	O
290	CM 85	CM	102 LEVEL CM	4123,6897 litre	62,647 %	2458,7323 litre	O
290	CM 85	CM	101 LEVEL CM	4075,3277 litre	61,912 %	2507,0943 litre	O
290	CM 85	CM	100 LEVEL CM	4026,8546 litre	61,176 %	2555,5674 litre	O
290	CM 85	CM	99 LEVEL CM	3978,2776 litre	60,438 %	2604,1444 litre	O
290	CM 85	CM	98 LEVEL CM	3929,6036 litre	59,698 %	2652,8184 litre	O
290	CM 85	CM	97 LEVEL CM	3880,8399 litre	58,958 %	2701,5821 litre	O
290	CM 85	CM	96 LEVEL CM	3831,9935 litre	58,216 %	2750,4285 litre	O
290	CM 85	CM	95 LEVEL CM	3783,0714 litre	57,472 %	2799,3506 litre	O
290	CM 85	CM	94 LEVEL CM	3734,0805 litre	56,728 %	2848,3415 litre	O
290	CM 85	CM	93 LEVEL CM	3685,0280 litre	55,983 %	2897,3940 litre	O
290	CM 85	CM	92 LEVEL CM	3635,9205 litre	55,237 %	2946,5015 litre	O
290	CM 85	CM	91 LEVEL CM	3586,7652 litre	54,490 %	2995,6568 litre	O
290	CM 85	CM	90 LEVEL CM	3537,5688 litre	53,743 %	3044,8532 litre	O
290	CM 85	CM	89 LEVEL CM	3488,3382 litre	52,995 %	3094,0838 litre	O
290	CM 85	CM	88 LEVEL CM	3439,0803 litre	52,246 %	3143,3417 litre	O
290	CM 85	CM	87 LEVEL CM	3389,8019 litre	51,498 %	3192,6201 litre	O
290	CM 85	CM	86 LEVEL CM	3340,5099 litre	50,749 %	3241,9121 litre	O
290	CM 85	CM	85 LEVEL CM	3291,2110 litre	50,000 %	3291,2110 litre	O
290	CM 85	CM	84 LEVEL CM	3241,9121 litre	49,251 %	3340,5099 litre	O
290	CM 85	CM	83 LEVEL CM	3192,6201 litre	48,502 %	3389,8019 litre	O
290	CM 85	CM	82 LEVEL CM	3143,3417 litre	47,754 %	3439,0803 litre	O
290	CM 85	CM	81 LEVEL CM	3094,0838 litre	47,005 %	3488,3382 litre	O
290	CM 85	CM	80 LEVEL CM	3044,8532 litre	46,257 %	3537,5688 litre	O
290	CM 85	CM	79 LEVEL CM	2995,6568 litre	45,510 %	3586,7652 litre	O
290	CM 85	CM	78 LEVEL CM	2946,5015 litre	44,763 %	3635,9205 litre	O
290	CM 85	CM	77 LEVEL CM	2897,3941 litre	44,017 %	3685,0279 litre	O
290	CM 85	CM	76 LEVEL CM	2848,3415 litre	43,272 %	3734,0805 litre	O
290	CM 85	CM	75 LEVEL CM	2799,3506 litre	42,528 %	3783,0714 litre	O
290	CM 85	CM	74 LEVEL CM	2750,4285 litre	41,784 %	3831,9935 litre	O
290	CM 85	CM	73 LEVEL CM	2701,5821 litre	41,042 %	3880,8399 litre	O
290	CM 85	CM	72 LEVEL CM	2652,8184 litre	40,302 %	3929,6036 litre	O
290	CM 85	CM	71 LEVEL CM	2604,1445 litre	39,562 %	3978,2775 litre	O
290	CM 85	CM	70 LEVEL CM	2555,5674 litre	38,824 %	4026,8546 litre	O
290	CM 85	CM	69 LEVEL CM	2507,0943 litre	38,088 %	4075,3277 litre	O
290	CM 85	CM	68 LEVEL CM	2458,7323 litre	37,353 %	4123,6897 litre	O
290	CM 85	CM	67 LEVEL CM	2410,4888 litre	36,620 %	4171,9332 litre	O
290	CM 85	CM	66 LEVEL CM	2362,3710 litre	35,889 %	4220,0510 litre	O

290	CM	85	CM	65 LEVEL CM	2314,3861 litre	35,160 %	4268,0359 litre	O
290	CM	85	CM	64 LEVEL CM	2266,5417 litre	34,433 %	4315,8803 litre	O
290	CM	85	CM	63 LEVEL CM	2218,8452 litre	33,709 %	4363,5768 litre	O
290	CM	85	CM	62 LEVEL CM	2171,3041 litre	32,986 %	4411,1179 litre	O
290	CM	85	CM	61 LEVEL CM	2123,9260 litre	32,267 %	4458,4960 litre	O
290	CM	85	CM	60 LEVEL CM	2076,7186 litre	31,549 %	4505,7034 litre	O
290	CM	85	CM	59 LEVEL CM	2029,6897 litre	30,835 %	4552,7323 litre	O
290	CM	85	CM	58 LEVEL CM	1982,8472 litre	30,123 %	4599,5748 litre	O
290	CM	85	CM	57 LEVEL CM	1936,1990 litre	29,415 %	4646,2230 litre	O
290	CM	85	CM	56 LEVEL CM	1889,7532 litre	28,709 %	4692,6688 litre	O
290	CM	85	CM	55 LEVEL CM	1843,5178 litre	28,007 %	4738,9042 litre	O
290	CM	85	CM	54 LEVEL CM	1797,5013 litre	27,308 %	4784,9207 litre	O
290	CM	85	CM	53 LEVEL CM	1751,7119 litre	26,612 %	4830,7101 litre	O
290	CM	85	CM	52 LEVEL CM	1706,1583 litre	25,920 %	4876,2637 litre	O
290	CM	85	CM	51 LEVEL CM	1660,8490 litre	25,232 %	4921,5730 litre	O
290	CM	85	CM	50 LEVEL CM	1615,7928 litre	24,547 %	4966,6292 litre	O
290	CM	85	CM	49 LEVEL CM	1570,9988 litre	23,867 %	5011,4232 litre	O
290	CM	85	CM	48 LEVEL CM	1526,4759 litre	23,190 %	5055,9461 litre	O
290	CM	85	CM	47 LEVEL CM	1482,2335 litre	22,518 %	5100,1885 litre	O
290	CM	85	CM	46 LEVEL CM	1438,2809 litre	21,850 %	5144,1411 litre	O
290	CM	85	CM	45 LEVEL CM	1394,6279 litre	21,187 %	5187,7941 litre	O
290	CM	85	CM	44 LEVEL CM	1351,2842 litre	20,529 %	5231,1378 litre	O
290	CM	85	CM	43 LEVEL CM	1308,2600 litre	19,875 %	5274,1620 litre	O
290	CM	85	CM	42 LEVEL CM	1265,5654 litre	19,226 %	5316,8566 litre	O
290	CM	85	CM	41 LEVEL CM	1223,2109 litre	18,583 %	5359,2111 litre	O
290	CM	85	CM	40 LEVEL CM	1181,2074 litre	17,945 %	5401,2146 litre	O
290	CM	85	CM	39 LEVEL CM	1139,5658 litre	17,312 %	5442,8562 litre	O
290	CM	85	CM	38 LEVEL CM	1098,2976 litre	16,685 %	5484,1244 litre	O
290	CM	85	CM	37 LEVEL CM	1057,4143 litre	16,064 %	5525,0077 litre	O
290	CM	85	CM	36 LEVEL CM	1016,9278 litre	15,449 %	5565,4942 litre	O
290	CM	85	CM	35 LEVEL CM	976,8506 litre	14,840 %	5605,5714 litre	O
290	CM	85	CM	34 LEVEL CM	937,1953 litre	14,238 %	5645,2267 litre	O
290	CM	85	CM	33 LEVEL CM	897,9750 litre	13,642 %	5684,4470 litre	O
290	CM	85	CM	32 LEVEL CM	859,2034 litre	13,053 %	5723,2186 litre	O
290	CM	85	CM	31 LEVEL CM	820,8943 litre	12,471 %	5761,5277 litre	O
290	CM	85	CM	30 LEVEL CM	783,0625 litre	11,896 %	5799,3595 litre	O
290	CM	85	CM	29 LEVEL CM	745,7229 litre	11,329 %	5836,6991 litre	O
290	CM	85	CM	28 LEVEL CM	708,8913 litre	10,769 %	5873,5307 litre	O
290	CM	85	CM	27 LEVEL CM	672,5840 litre	10,218 %	5909,8380 litre	O
290	CM	85	CM	26 LEVEL CM	636,8182 litre	9,675 %	5945,6038 litre	O
290	CM	85	CM	25 LEVEL CM	601,6118 litre	9,140 %	5980,8102 litre	O
290	CM	85	CM	24 LEVEL CM	566,9834 litre	8,614 %	6015,4386 litre	O
290	CM	85	CM	23 LEVEL CM	532,9528 litre	8,097 %	6049,4692 litre	O
290	CM	85	CM	22 LEVEL CM	499,5407 litre	7,589 %	6082,8813 litre	O
290	CM	85	CM	21 LEVEL CM	466,7691 litre	7,091 %	6115,6529 litre	O
290	CM	85	CM	20 LEVEL CM	434,6612 litre	6,603 %	6147,7608 litre	O
290	CM	85	CM	19 LEVEL CM	403,2418 litre	6,126 %	6179,1802 litre	O
290	CM	85	CM	18 LEVEL CM	372,5372 litre	5,660 %	6209,8848 litre	O
290	CM	85	CM	17 LEVEL CM	342,5757 litre	5,204 %	6239,8463 litre	O
290	CM	85	CM	16 LEVEL CM	313,3877 litre	4,761 %	6269,0343 litre	O
290	CM	85	CM	15 LEVEL CM	285,0062 litre	4,330 %	6297,4158 litre	O
290	CM	85	CM	14 LEVEL CM	257,4670 litre	3,911 %	6324,9550 litre	O
290	CM	85	CM	13 LEVEL CM	230,8093 litre	3,506 %	6351,6127 litre	O

290	CM	85	CM	12 LEVEL CM	205,0764 litre	3,116 %	6377,3456 litre	O
290	CM	85	CM	11 LEVEL CM	180,3163 litre	2,739 %	6402,1057 litre	O
290	CM	85	CM	10 LEVEL CM	156,5831 litre	2,379 %	6425,8389 litre	O
290	CM	85	CM	9 LEVEL CM	133,9382 litre	2,035 %	6448,4838 litre	O
290	CM	85	CM	8 LEVEL CM	112,4522 litre	1,708 %	6469,9698 litre	O
290	CM	85	CM	7 LEVEL CM	92,2082 litre	1,401 %	6490,2138 litre	O
290	CM	85	CM	6 LEVEL CM	73,3053 litre	1,114 %	6509,1167 litre	O
290	CM	85	CM	5 LEVEL CM	55,8659 litre	0,849 %	6526,5561 litre	O
290	CM	85	CM	4 LEVEL CM	40,0462 litre	0,608 %	6542,3758 litre	O
290	CM	85	CM	3 LEVEL CM	26,0574 litre	0,396 %	6556,3646 litre	O
290	CM	85	CM	2 LEVEL CM	14,2091 litre	0,216 %	6568,2129 litre	O
290	CM	85	CM	1 LEVEL CM	5,0326 litre	0,076 %	6577,3894 litre	O
290	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	6582,4220 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM 80	CM 160 LEVEL CM	5830,7960 litre	100,000 %	0,0000 litre	O
290	CM 80	CM 159 LEVEL CM	5825,9142 litre	99,916 %	4,8818 litre	O
290	CM 80	CM 158 LEVEL CM	5817,0142 litre	99,764 %	13,7818 litre	O
290	CM 80	CM 157 LEVEL CM	5805,5251 litre	99,567 %	25,2709 litre	O
290	CM 80	CM 156 LEVEL CM	5791,9628 litre	99,334 %	38,8332 litre	O
290	CM 80	CM 155 LEVEL CM	5776,6286 litre	99,071 %	54,1674 litre	O
290	CM 80	CM 154 LEVEL CM	5759,7276 litre	98,781 %	71,0684 litre	O
290	CM 80	CM 153 LEVEL CM	5741,4119 litre	98,467 %	89,3841 litre	O
290	CM 80	CM 152 LEVEL CM	5721,8007 litre	98,131 %	108,9953 litre	O
290	CM 80	CM 151 LEVEL CM	5700,9906 litre	97,774 %	129,8054 litre	O
290	CM 80	CM 150 LEVEL CM	5679,0625 litre	97,398 %	151,7335 litre	O
290	CM 80	CM 149 LEVEL CM	5656,0853 litre	97,004 %	174,7107 litre	O
290	CM 80	CM 148 LEVEL CM	5632,1191 litre	96,593 %	198,6769 litre	O
290	CM 80	CM 147 LEVEL CM	5607,2164 litre	96,166 %	223,5796 litre	O
290	CM 80	CM 146 LEVEL CM	5581,4245 litre	95,723 %	249,3715 litre	O
290	CM 80	CM 145 LEVEL CM	5554,7855 litre	95,266 %	276,0105 litre	O
290	CM 80	CM 144 LEVEL CM	5527,3379 litre	94,796 %	303,4581 litre	O
290	CM 80	CM 143 LEVEL CM	5499,1167 litre	94,312 %	331,6793 litre	O
290	CM 80	CM 142 LEVEL CM	5470,1542 litre	93,815 %	360,6418 litre	O
290	CM 80	CM 141 LEVEL CM	5440,4803 litre	93,306 %	390,3157 litre	O
290	CM 80	CM 140 LEVEL CM	5410,1227 litre	92,785 %	420,6733 litre	O
290	CM 80	CM 139 LEVEL CM	5379,1072 litre	92,253 %	451,6888 litre	O
290	CM 80	CM 138 LEVEL CM	5347,4583 litre	91,711 %	483,3377 litre	O
290	CM 80	CM 137 LEVEL CM	5315,1987 litre	91,157 %	515,5973 litre	O
290	CM 80	CM 136 LEVEL CM	5282,3501 litre	90,594 %	548,4459 litre	O
290	CM 80	CM 135 LEVEL CM	5248,9329 litre	90,021 %	581,8631 litre	O
290	CM 80	CM 134 LEVEL CM	5214,9665 litre	89,438 %	615,8295 litre	O
290	CM 80	CM 133 LEVEL CM	5180,4694 litre	88,847 %	650,3266 litre	O
290	CM 80	CM 132 LEVEL CM	5145,4593 litre	88,246 %	685,3367 litre	O
290	CM 80	CM 131 LEVEL CM	5109,9531 litre	87,637 %	720,8429 litre	O
290	CM 80	CM 130 LEVEL CM	5073,9668 litre	87,020 %	756,8292 litre	O
290	CM 80	CM 129 LEVEL CM	5037,5162 litre	86,395 %	793,2798 litre	O
290	CM 80	CM 128 LEVEL CM	5000,6160 litre	85,762 %	830,1800 litre	O
290	CM 80	CM 127 LEVEL CM	4963,2809 litre	85,122 %	867,5151 litre	O
290	CM 80	CM 126 LEVEL CM	4925,5246 litre	84,474 %	905,2714 litre	O
290	CM 80	CM 125 LEVEL CM	4887,3607 litre	83,820 %	943,4353 litre	O
290	CM 80	CM 124 LEVEL CM	4848,8021 litre	83,158 %	981,9939 litre	O
290	CM 80	CM 123 LEVEL CM	4809,8615 litre	82,491 %	1020,9345 litre	O
290	CM 80	CM 122 LEVEL CM	4770,5512 litre	81,816 %	1060,2448 litre	O
290	CM 80	CM 121 LEVEL CM	4730,8832 litre	81,136 %	1099,9128 litre	O
290	CM 80	CM 120 LEVEL CM	4690,8689 litre	80,450 %	1139,9271 litre	O
290	CM 80	CM 119 LEVEL CM	4650,5197 litre	79,758 %	1180,2763 litre	O
290	CM 80	CM 118 LEVEL CM	4609,8467 litre	79,060 %	1220,9493 litre	O
290	CM 80	CM 117 LEVEL CM	4568,8606 litre	78,357 %	1261,9354 litre	O
290	CM 80	CM 116 LEVEL CM	4527,5719 litre	77,649 %	1303,2241 litre	O
290	CM 80	CM 115 LEVEL CM	4485,9909 litre	76,936 %	1344,8051 litre	O
290	CM 80	CM 114 LEVEL CM	4444,1278 litre	76,218 %	1386,6682 litre	O
290	CM 80	CM 113 LEVEL CM	4401,9922 litre	75,496 %	1428,8038 litre	O
290	CM 80	CM 112 LEVEL CM	4359,5941 litre	74,768 %	1471,2019 litre	O
290	CM 80	CM 111 LEVEL CM	4316,9428 litre	74,037 %	1513,8532 litre	O
290	CM 80	CM 110 LEVEL CM	4274,0477 litre	73,301 %	1556,7483 litre	O
290	CM 80	CM 109 LEVEL CM	4230,9179 litre	72,562 %	1599,8781 litre	O

290	CM	80	CM	108 LEVEL CM	4187,5626 litre	71,818 %	1643,2334 litre	O
290	CM	80	CM	107 LEVEL CM	4143,9905 litre	71,071 %	1686,8055 litre	O
290	CM	80	CM	106 LEVEL CM	4100,2104 litre	70,320 %	1730,5856 litre	O
290	CM	80	CM	105 LEVEL CM	4056,2311 litre	69,566 %	1774,5649 litre	O
290	CM	80	CM	104 LEVEL CM	4012,0609 litre	68,808 %	1818,7351 litre	O
290	CM	80	CM	103 LEVEL CM	3967,7083 litre	68,047 %	1863,0877 litre	O
290	CM	80	CM	102 LEVEL CM	3923,1816 litre	67,284 %	1907,6144 litre	O
290	CM	80	CM	101 LEVEL CM	3878,4890 litre	66,517 %	1952,3070 litre	O
290	CM	80	CM	100 LEVEL CM	3833,6386 litre	65,748 %	1997,1574 litre	O
290	CM	80	CM	99 LEVEL CM	3788,6384 litre	64,976 %	2042,1576 litre	O
290	CM	80	CM	98 LEVEL CM	3743,4965 litre	64,202 %	2087,2995 litre	O
290	CM	80	CM	97 LEVEL CM	3698,2206 litre	63,426 %	2132,5754 litre	O
290	CM	80	CM	96 LEVEL CM	3652,8185 litre	62,647 %	2177,9775 litre	O
290	CM	80	CM	95 LEVEL CM	3607,2981 litre	61,866 %	2223,4979 litre	O
290	CM	80	CM	94 LEVEL CM	3561,6669 litre	61,084 %	2269,1291 litre	O
290	CM	80	CM	93 LEVEL CM	3515,9327 litre	60,299 %	2314,8633 litre	O
290	CM	80	CM	92 LEVEL CM	3470,1029 litre	59,513 %	2360,6931 litre	O
290	CM	80	CM	91 LEVEL CM	3424,1851 litre	58,726 %	2406,6109 litre	O
290	CM	80	CM	90 LEVEL CM	3378,1868 litre	57,937 %	2452,6092 litre	O
290	CM	80	CM	89 LEVEL CM	3332,1154 litre	57,147 %	2498,6806 litre	O
290	CM	80	CM	88 LEVEL CM	3285,9784 litre	56,356 %	2544,8176 litre	O
290	CM	80	CM	87 LEVEL CM	3239,7830 litre	55,563 %	2591,0130 litre	O
290	CM	80	CM	86 LEVEL CM	3193,5368 litre	54,770 %	2637,2592 litre	O
290	CM	80	CM	85 LEVEL CM	3147,2469 litre	53,976 %	2683,5491 litre	O
290	CM	80	CM	84 LEVEL CM	3100,9206 litre	53,182 %	2729,8754 litre	O
290	CM	80	CM	83 LEVEL CM	3054,5654 litre	52,387 %	2776,2306 litre	O
290	CM	80	CM	82 LEVEL CM	3008,1883 litre	51,591 %	2822,6077 litre	O
290	CM	80	CM	81 LEVEL CM	2961,7968 litre	50,796 %	2868,9992 litre	O
290	CM	80	CM	80 LEVEL CM	2915,3980 litre	50,000 %	2915,3980 litre	O
290	CM	80	CM	79 LEVEL CM	2868,9992 litre	49,204 %	2961,7968 litre	O
290	CM	80	CM	78 LEVEL CM	2822,6077 litre	48,409 %	3008,1883 litre	O
290	CM	80	CM	77 LEVEL CM	2776,2306 litre	47,613 %	3054,5654 litre	O
290	CM	80	CM	76 LEVEL CM	2729,8753 litre	46,818 %	3100,9207 litre	O
290	CM	80	CM	75 LEVEL CM	2683,5491 litre	46,024 %	3147,2469 litre	O
290	CM	80	CM	74 LEVEL CM	2637,2592 litre	45,230 %	3193,5368 litre	O
290	CM	80	CM	73 LEVEL CM	2591,0129 litre	44,437 %	3239,7831 litre	O
290	CM	80	CM	72 LEVEL CM	2544,8176 litre	43,644 %	3285,9784 litre	O
290	CM	80	CM	71 LEVEL CM	2498,6805 litre	42,853 %	3332,1155 litre	O
290	CM	80	CM	70 LEVEL CM	2452,6092 litre	42,063 %	3378,1868 litre	O
290	CM	80	CM	69 LEVEL CM	2406,6109 litre	41,274 %	3424,1851 litre	O
290	CM	80	CM	68 LEVEL CM	2360,6931 litre	40,487 %	3470,1029 litre	O
290	CM	80	CM	67 LEVEL CM	2314,8633 litre	39,701 %	3515,9327 litre	O
290	CM	80	CM	66 LEVEL CM	2269,1290 litre	38,916 %	3561,6670 litre	O
290	CM	80	CM	65 LEVEL CM	2223,4979 litre	38,134 %	3607,2981 litre	O
290	CM	80	CM	64 LEVEL CM	2177,9774 litre	37,353 %	3652,8186 litre	O
290	CM	80	CM	63 LEVEL CM	2132,5754 litre	36,574 %	3698,2206 litre	O
290	CM	80	CM	62 LEVEL CM	2087,2995 litre	35,798 %	3743,4965 litre	O
290	CM	80	CM	61 LEVEL CM	2042,1575 litre	35,024 %	3788,6385 litre	O
290	CM	80	CM	60 LEVEL CM	1997,1574 litre	34,252 %	3833,6386 litre	O
290	CM	80	CM	59 LEVEL CM	1952,3070 litre	33,483 %	3878,4890 litre	O
290	CM	80	CM	58 LEVEL CM	1907,6144 litre	32,716 %	3923,1816 litre	O
290	CM	80	CM	57 LEVEL CM	1863,0877 litre	31,953 %	3967,7083 litre	O
290	CM	80	CM	56 LEVEL CM	1818,7351 litre	31,192 %	4012,0609 litre	O

290	CM	80	CM	55 LEVEL CM	1774,5649 litre	30,434 %	4056,2311 litre	O
290	CM	80	CM	54 LEVEL CM	1730,5855 litre	29,680 %	4100,2105 litre	O
290	CM	80	CM	53 LEVEL CM	1686,8055 litre	28,929 %	4143,9905 litre	O
290	CM	80	CM	52 LEVEL CM	1643,2334 litre	28,182 %	4187,5626 litre	O
290	CM	80	CM	51 LEVEL CM	1599,8781 litre	27,438 %	4230,9179 litre	O
290	CM	80	CM	50 LEVEL CM	1556,7483 litre	26,699 %	4274,0477 litre	O
290	CM	80	CM	49 LEVEL CM	1513,8532 litre	25,963 %	4316,9428 litre	O
290	CM	80	CM	48 LEVEL CM	1471,2019 litre	25,232 %	4359,5941 litre	O
290	CM	80	CM	47 LEVEL CM	1428,8037 litre	24,504 %	4401,9923 litre	O
290	CM	80	CM	46 LEVEL CM	1386,6682 litre	23,782 %	4444,1278 litre	O
290	CM	80	CM	45 LEVEL CM	1344,8050 litre	23,064 %	4485,9910 litre	O
290	CM	80	CM	44 LEVEL CM	1303,2241 litre	22,351 %	4527,5719 litre	O
290	CM	80	CM	43 LEVEL CM	1261,9354 litre	21,643 %	4568,8606 litre	O
290	CM	80	CM	42 LEVEL CM	1220,9493 litre	20,940 %	4609,8467 litre	O
290	CM	80	CM	41 LEVEL CM	1180,2762 litre	20,242 %	4650,5198 litre	O
290	CM	80	CM	40 LEVEL CM	1139,9271 litre	19,550 %	4690,8689 litre	O
290	CM	80	CM	39 LEVEL CM	1099,9128 litre	18,864 %	4730,8832 litre	O
290	CM	80	CM	38 LEVEL CM	1060,2447 litre	18,184 %	4770,5513 litre	O
290	CM	80	CM	37 LEVEL CM	1020,9344 litre	17,509 %	4809,8616 litre	O
290	CM	80	CM	36 LEVEL CM	981,9939 litre	16,842 %	4848,8021 litre	O
290	CM	80	CM	35 LEVEL CM	943,4353 litre	16,180 %	4887,3607 litre	O
290	CM	80	CM	34 LEVEL CM	905,2714 litre	15,526 %	4925,5246 litre	O
290	CM	80	CM	33 LEVEL CM	867,5151 litre	14,878 %	4963,2809 litre	O
290	CM	80	CM	32 LEVEL CM	830,1799 litre	14,238 %	5000,6161 litre	O
290	CM	80	CM	31 LEVEL CM	793,2798 litre	13,605 %	5037,5162 litre	O
290	CM	80	CM	30 LEVEL CM	756,8291 litre	12,980 %	5073,9669 litre	O
290	CM	80	CM	29 LEVEL CM	720,8429 litre	12,363 %	5109,9531 litre	O
290	CM	80	CM	28 LEVEL CM	685,3366 litre	11,754 %	5145,4594 litre	O
290	CM	80	CM	27 LEVEL CM	650,3265 litre	11,153 %	5180,4695 litre	O
290	CM	80	CM	26 LEVEL CM	615,8294 litre	10,562 %	5214,9666 litre	O
290	CM	80	CM	25 LEVEL CM	581,8631 litre	9,979 %	5248,9329 litre	O
290	CM	80	CM	24 LEVEL CM	548,4458 litre	9,406 %	5282,3502 litre	O
290	CM	80	CM	23 LEVEL CM	515,5972 litre	8,843 %	5315,1988 litre	O
290	CM	80	CM	22 LEVEL CM	483,3377 litre	8,289 %	5347,4583 litre	O
290	CM	80	CM	21 LEVEL CM	451,6887 litre	7,747 %	5379,1073 litre	O
290	CM	80	CM	20 LEVEL CM	420,6733 litre	7,215 %	5410,1227 litre	O
290	CM	80	CM	19 LEVEL CM	390,3157 litre	6,694 %	5440,4803 litre	O
290	CM	80	CM	18 LEVEL CM	360,6417 litre	6,185 %	5470,1543 litre	O
290	CM	80	CM	17 LEVEL CM	331,6792 litre	5,688 %	5499,1168 litre	O
290	CM	80	CM	16 LEVEL CM	303,4581 litre	5,204 %	5527,3379 litre	O
290	CM	80	CM	15 LEVEL CM	276,0104 litre	4,734 %	5554,7856 litre	O
290	CM	80	CM	14 LEVEL CM	249,3715 litre	4,277 %	5581,4245 litre	O
290	CM	80	CM	13 LEVEL CM	223,5795 litre	3,834 %	5607,2165 litre	O
290	CM	80	CM	12 LEVEL CM	198,6769 litre	3,407 %	5632,1191 litre	O
290	CM	80	CM	11 LEVEL CM	174,7106 litre	2,996 %	5656,0854 litre	O
290	CM	80	CM	10 LEVEL CM	151,7335 litre	2,602 %	5679,0625 litre	O
290	CM	80	CM	9 LEVEL CM	129,8054 litre	2,226 %	5700,9906 litre	O
290	CM	80	CM	8 LEVEL CM	108,9953 litre	1,869 %	5721,8007 litre	O
290	CM	80	CM	7 LEVEL CM	89,3840 litre	1,533 %	5741,4120 litre	O
290	CM	80	CM	6 LEVEL CM	71,0684 litre	1,219 %	5759,7276 litre	O
290	CM	80	CM	5 LEVEL CM	54,1674 litre	0,929 %	5776,6286 litre	O
290	CM	80	CM	4 LEVEL CM	38,8331 litre	0,666 %	5791,9629 litre	O
290	CM	80	CM	3 LEVEL CM	25,2709 litre	0,433 %	5805,5251 litre	O

290	CM 80	CM	2 LEVEL CM	13,7818 litre	0,236 %	5817,0142 litre	0
290	CM 80	CM	1 LEVEL CM	4,8818 litre	0,084 %	5825,9142 litre	0
290	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	5830,7960 litre	0

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
290	CM	75	CM	150 LEVEL CM	5124,7230 litre	100,000 %	0,0000 litre	O
290	CM	75	CM	149 LEVEL CM	5119,9968 litre	99,908 %	4,7262 litre	O
290	CM	75	CM	148 LEVEL CM	5111,3822 litre	99,740 %	13,3408 litre	O
290	CM	75	CM	147 LEVEL CM	5100,2639 litre	99,523 %	24,4591 litre	O
290	CM	75	CM	146 LEVEL CM	5087,1421 litre	99,267 %	37,5809 litre	O
290	CM	75	CM	145 LEVEL CM	5072,3092 litre	98,977 %	52,4138 litre	O
290	CM	75	CM	144 LEVEL CM	5055,9643 litre	98,658 %	68,7587 litre	O
290	CM	75	CM	143 LEVEL CM	5038,2553 litre	98,313 %	86,4677 litre	O
290	CM	75	CM	142 LEVEL CM	5019,2980 litre	97,943 %	105,4250 litre	O
290	CM	75	CM	141 LEVEL CM	4999,1864 litre	97,550 %	125,5366 litre	O
290	CM	75	CM	140 LEVEL CM	4977,9994 litre	97,137 %	146,7236 litre	O
290	CM	75	CM	139 LEVEL CM	4955,8040 litre	96,704 %	168,9190 litre	O
290	CM	75	CM	138 LEVEL CM	4932,6588 litre	96,252 %	192,0642 litre	O
290	CM	75	CM	137 LEVEL CM	4908,6152 litre	95,783 %	216,1078 litre	O
290	CM	75	CM	136 LEVEL CM	4883,7191 litre	95,297 %	241,0039 litre	O
290	CM	75	CM	135 LEVEL CM	4858,0118 litre	94,796 %	266,7112 litre	O
290	CM	75	CM	134 LEVEL CM	4831,5310 litre	94,279 %	293,1920 litre	O
290	CM	75	CM	133 LEVEL CM	4804,3109 litre	93,748 %	320,4121 litre	O
290	CM	75	CM	132 LEVEL CM	4776,3832 litre	93,203 %	348,3398 litre	O
290	CM	75	CM	131 LEVEL CM	4747,7770 litre	92,645 %	376,9460 litre	O
290	CM	75	CM	130 LEVEL CM	4718,5197 litre	92,074 %	406,2033 litre	O
290	CM	75	CM	129 LEVEL CM	4688,6366 litre	91,491 %	436,0864 litre	O
290	CM	75	CM	128 LEVEL CM	4658,1516 litre	90,896 %	466,5714 litre	O
290	CM	75	CM	127 LEVEL CM	4627,0873 litre	90,290 %	497,6357 litre	O
290	CM	75	CM	126 LEVEL CM	4595,4648 litre	89,672 %	529,2582 litre	O
290	CM	75	CM	125 LEVEL CM	4563,3044 litre	89,045 %	561,4186 litre	O
290	CM	75	CM	124 LEVEL CM	4530,6251 litre	88,407 %	594,0979 litre	O
290	CM	75	CM	123 LEVEL CM	4497,4452 litre	87,760 %	627,2778 litre	O
290	CM	75	CM	122 LEVEL CM	4463,7822 litre	87,103 %	660,9408 litre	O
290	CM	75	CM	121 LEVEL CM	4429,6527 litre	86,437 %	695,0703 litre	O
290	CM	75	CM	120 LEVEL CM	4395,0727 litre	85,762 %	729,6503 litre	O
290	CM	75	CM	119 LEVEL CM	4360,0577 litre	85,079 %	764,6653 litre	O
290	CM	75	CM	118 LEVEL CM	4324,6225 litre	84,387 %	800,1005 litre	O
290	CM	75	CM	117 LEVEL CM	4288,7813 litre	83,688 %	835,9417 litre	O
290	CM	75	CM	116 LEVEL CM	4252,5481 litre	82,981 %	872,1749 litre	O
290	CM	75	CM	115 LEVEL CM	4215,9363 litre	82,267 %	908,7867 litre	O
290	CM	75	CM	114 LEVEL CM	4178,9587 litre	81,545 %	945,7643 litre	O
290	CM	75	CM	113 LEVEL CM	4141,6279 litre	80,817 %	983,0951 litre	O
290	CM	75	CM	112 LEVEL CM	4103,9563 litre	80,082 %	1020,7667 litre	O
290	CM	75	CM	111 LEVEL CM	4065,9557 litre	79,340 %	1058,7673 litre	O
290	CM	75	CM	110 LEVEL CM	4027,6378 litre	78,592 %	1097,0852 litre	O
290	CM	75	CM	109 LEVEL CM	3989,0138 litre	77,839 %	1135,7092 litre	O
290	CM	75	CM	108 LEVEL CM	3950,0947 litre	77,079 %	1174,6283 litre	O
290	CM	75	CM	107 LEVEL CM	3910,8915 litre	76,314 %	1213,8315 litre	O
290	CM	75	CM	106 LEVEL CM	3871,4147 litre	75,544 %	1253,3083 litre	O
290	CM	75	CM	105 LEVEL CM	3831,6745 litre	74,768 %	1293,0485 litre	O
290	CM	75	CM	104 LEVEL CM	3791,6812 litre	73,988 %	1333,0418 litre	O
290	CM	75	CM	103 LEVEL CM	3751,4447 litre	73,203 %	1373,2783 litre	O
290	CM	75	CM	102 LEVEL CM	3710,9747 litre	72,413 %	1413,7483 litre	O
290	CM	75	CM	101 LEVEL CM	3670,2810 litre	71,619 %	1454,4420 litre	O
290	CM	75	CM	100 LEVEL CM	3629,3729 litre	70,821 %	1495,3501 litre	O
290	CM	75	CM	99 LEVEL CM	3588,2597 litre	70,019 %	1536,4633 litre	O

290	CM	75	CM	98 LEVEL CM	3546,9506 litre	69,213 %	1577,7724 litre	O
290	CM	75	CM	97 LEVEL CM	3505,4546 litre	68,403 %	1619,2684 litre	O
290	CM	75	CM	96 LEVEL CM	3463,7806 litre	67,590 %	1660,9424 litre	O
290	CM	75	CM	95 LEVEL CM	3421,9375 litre	66,773 %	1702,7855 litre	O
290	CM	75	CM	94 LEVEL CM	3379,9339 litre	65,953 %	1744,7891 litre	O
290	CM	75	CM	93 LEVEL CM	3337,7784 litre	65,131 %	1786,9446 litre	O
290	CM	75	CM	92 LEVEL CM	3295,4795 litre	64,306 %	1829,2435 litre	O
290	CM	75	CM	91 LEVEL CM	3253,0456 litre	63,477 %	1871,6774 litre	O
290	CM	75	CM	90 LEVEL CM	3210,4850 litre	62,647 %	1914,2380 litre	O
290	CM	75	CM	89 LEVEL CM	3167,8061 litre	61,814 %	1956,9169 litre	O
290	CM	75	CM	88 LEVEL CM	3125,0169 litre	60,979 %	1999,7061 litre	O
290	CM	75	CM	87 LEVEL CM	3082,1257 litre	60,142 %	2042,5973 litre	O
290	CM	75	CM	86 LEVEL CM	3039,1404 litre	59,304 %	2085,5826 litre	O
290	CM	75	CM	85 LEVEL CM	2996,0692 litre	58,463 %	2128,6538 litre	O
290	CM	75	CM	84 LEVEL CM	2952,9199 litre	57,621 %	2171,8031 litre	O
290	CM	75	CM	83 LEVEL CM	2909,7005 litre	56,778 %	2215,0225 litre	O
290	CM	75	CM	82 LEVEL CM	2866,4188 litre	55,933 %	2258,3042 litre	O
290	CM	75	CM	81 LEVEL CM	2823,0828 litre	55,088 %	2301,6402 litre	O
290	CM	75	CM	80 LEVEL CM	2779,7003 litre	54,241 %	2345,0227 litre	O
290	CM	75	CM	79 LEVEL CM	2736,2790 litre	53,394 %	2388,4440 litre	O
290	CM	75	CM	78 LEVEL CM	2692,8267 litre	52,546 %	2431,8963 litre	O
290	CM	75	CM	77 LEVEL CM	2649,3512 litre	51,697 %	2475,3718 litre	O
290	CM	75	CM	76 LEVEL CM	2605,8602 litre	50,849 %	2518,8628 litre	O
290	CM	75	CM	75 LEVEL CM	2562,3615 litre	50,000 %	2562,3615 litre	O
290	CM	75	CM	74 LEVEL CM	2518,8628 litre	49,151 %	2605,8602 litre	O
290	CM	75	CM	73 LEVEL CM	2475,3718 litre	48,303 %	2649,3512 litre	O
290	CM	75	CM	72 LEVEL CM	2431,8963 litre	47,454 %	2692,8267 litre	O
290	CM	75	CM	71 LEVEL CM	2388,4440 litre	46,606 %	2736,2790 litre	O
290	CM	75	CM	70 LEVEL CM	2345,0227 litre	45,759 %	2779,7003 litre	O
290	CM	75	CM	69 LEVEL CM	2301,6402 litre	44,912 %	2823,0828 litre	O
290	CM	75	CM	68 LEVEL CM	2258,3042 litre	44,067 %	2866,4188 litre	O
290	CM	75	CM	67 LEVEL CM	2215,0226 litre	43,222 %	2909,7004 litre	O
290	CM	75	CM	66 LEVEL CM	2171,8031 litre	42,379 %	2952,9199 litre	O
290	CM	75	CM	65 LEVEL CM	2128,6539 litre	41,537 %	2996,0691 litre	O
290	CM	75	CM	64 LEVEL CM	2085,5826 litre	40,696 %	3039,1404 litre	O
290	CM	75	CM	63 LEVEL CM	2042,5973 litre	39,858 %	3082,1257 litre	O
290	CM	75	CM	62 LEVEL CM	1999,7061 litre	39,021 %	3125,0169 litre	O
290	CM	75	CM	61 LEVEL CM	1956,9169 litre	38,186 %	3167,8061 litre	O
290	CM	75	CM	60 LEVEL CM	1914,2380 litre	37,353 %	3210,4850 litre	O
290	CM	75	CM	59 LEVEL CM	1871,6774 litre	36,523 %	3253,0456 litre	O
290	CM	75	CM	58 LEVEL CM	1829,2435 litre	35,694 %	3295,4795 litre	O
290	CM	75	CM	57 LEVEL CM	1786,9446 litre	34,869 %	3337,7784 litre	O
290	CM	75	CM	56 LEVEL CM	1744,7891 litre	34,047 %	3379,9339 litre	O
290	CM	75	CM	55 LEVEL CM	1702,7855 litre	33,227 %	3421,9375 litre	O
290	CM	75	CM	54 LEVEL CM	1660,9424 litre	32,410 %	3463,7806 litre	O
290	CM	75	CM	53 LEVEL CM	1619,2684 litre	31,597 %	3505,4546 litre	O
290	CM	75	CM	52 LEVEL CM	1577,7724 litre	30,787 %	3546,9506 litre	O
290	CM	75	CM	51 LEVEL CM	1536,4633 litre	29,981 %	3588,2597 litre	O
290	CM	75	CM	50 LEVEL CM	1495,3501 litre	29,179 %	3629,3729 litre	O
290	CM	75	CM	49 LEVEL CM	1454,4420 litre	28,381 %	3670,2810 litre	O
290	CM	75	CM	48 LEVEL CM	1413,7483 litre	27,587 %	3710,9747 litre	O
290	CM	75	CM	47 LEVEL CM	1373,2783 litre	26,797 %	3751,4447 litre	O
290	CM	75	CM	46 LEVEL CM	1333,0418 litre	26,012 %	3791,6812 litre	O

290	CM	75	CM	45 LEVEL CM	1293,0485 litre	25,232 %	3831,6745 litre	O
290	CM	75	CM	44 LEVEL CM	1253,3084 litre	24,456 %	3871,4146 litre	O
290	CM	75	CM	43 LEVEL CM	1213,8315 litre	23,686 %	3910,8915 litre	O
290	CM	75	CM	42 LEVEL CM	1174,6283 litre	22,921 %	3950,0947 litre	O
290	CM	75	CM	41 LEVEL CM	1135,7093 litre	22,161 %	3989,0137 litre	O
290	CM	75	CM	40 LEVEL CM	1097,0852 litre	21,408 %	4027,6378 litre	O
290	CM	75	CM	39 LEVEL CM	1058,7673 litre	20,660 %	4065,9557 litre	O
290	CM	75	CM	38 LEVEL CM	1020,7667 litre	19,918 %	4103,9563 litre	O
290	CM	75	CM	37 LEVEL CM	983,0951 litre	19,183 %	4141,6279 litre	O
290	CM	75	CM	36 LEVEL CM	945,7644 litre	18,455 %	4178,9586 litre	O
290	CM	75	CM	35 LEVEL CM	908,7868 litre	17,733 %	4215,9362 litre	O
290	CM	75	CM	34 LEVEL CM	872,1749 litre	17,019 %	4252,5481 litre	O
290	CM	75	CM	33 LEVEL CM	835,9417 litre	16,312 %	4288,7813 litre	O
290	CM	75	CM	32 LEVEL CM	800,1006 litre	15,613 %	4324,6224 litre	O
290	CM	75	CM	31 LEVEL CM	764,6653 litre	14,921 %	4360,0577 litre	O
290	CM	75	CM	30 LEVEL CM	729,6503 litre	14,238 %	4395,0727 litre	O
290	CM	75	CM	29 LEVEL CM	695,0704 litre	13,563 %	4429,6526 litre	O
290	CM	75	CM	28 LEVEL CM	660,9409 litre	12,897 %	4463,7821 litre	O
290	CM	75	CM	27 LEVEL CM	627,2778 litre	12,240 %	4497,4452 litre	O
290	CM	75	CM	26 LEVEL CM	594,0979 litre	11,593 %	4530,6251 litre	O
290	CM	75	CM	25 LEVEL CM	561,4186 litre	10,955 %	4563,3044 litre	O
290	CM	75	CM	24 LEVEL CM	529,2582 litre	10,328 %	4595,4648 litre	O
290	CM	75	CM	23 LEVEL CM	497,6357 litre	9,710 %	4627,0873 litre	O
290	CM	75	CM	22 LEVEL CM	466,5714 litre	9,104 %	4658,1516 litre	O
290	CM	75	CM	21 LEVEL CM	436,0864 litre	8,509 %	4688,6366 litre	O
290	CM	75	CM	20 LEVEL CM	406,2034 litre	7,926 %	4718,5196 litre	O
290	CM	75	CM	19 LEVEL CM	376,9460 litre	7,355 %	4747,7770 litre	O
290	CM	75	CM	18 LEVEL CM	348,3399 litre	6,797 %	4776,3831 litre	O
290	CM	75	CM	17 LEVEL CM	320,4121 litre	6,252 %	4804,3109 litre	O
290	CM	75	CM	16 LEVEL CM	293,1920 litre	5,721 %	4831,5310 litre	O
290	CM	75	CM	15 LEVEL CM	266,7112 litre	5,204 %	4858,0118 litre	O
290	CM	75	CM	14 LEVEL CM	241,0040 litre	4,703 %	4883,7190 litre	O
290	CM	75	CM	13 LEVEL CM	216,1079 litre	4,217 %	4908,6151 litre	O
290	CM	75	CM	12 LEVEL CM	192,0642 litre	3,748 %	4932,6588 litre	O
290	CM	75	CM	11 LEVEL CM	168,9190 litre	3,296 %	4955,8040 litre	O
290	CM	75	CM	10 LEVEL CM	146,7236 litre	2,863 %	4977,9994 litre	O
290	CM	75	CM	9 LEVEL CM	125,5366 litre	2,450 %	4999,1864 litre	O
290	CM	75	CM	8 LEVEL CM	105,4250 litre	2,057 %	5019,2980 litre	O
290	CM	75	CM	7 LEVEL CM	86,4677 litre	1,687 %	5038,2553 litre	O
290	CM	75	CM	6 LEVEL CM	68,7587 litre	1,342 %	5055,9643 litre	O
290	CM	75	CM	5 LEVEL CM	52,4139 litre	1,023 %	5072,3091 litre	O
290	CM	75	CM	4 LEVEL CM	37,5809 litre	0,733 %	5087,1421 litre	O
290	CM	75	CM	3 LEVEL CM	24,4591 litre	0,477 %	5100,2639 litre	O
290	CM	75	CM	2 LEVEL CM	13,3408 litre	0,260 %	5111,3822 litre	O
290	CM	75	CM	1 LEVEL CM	4,7262 litre	0,092 %	5119,9968 litre	O
290	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	5124,7230 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM 70	CM 140	LEVEL CM 4464,2032 litre	100,000 %	0,0000 litre	O
290	CM 70	CM 139	LEVEL CM 4459,6379 litre	99,898 %	4,5653 litre	O
290	CM 70	CM 138	LEVEL CM 4451,3184 litre	99,711 %	12,8848 litre	O
290	CM 70	CM 137	LEVEL CM 4440,5837 litre	99,471 %	23,6195 litre	O
290	CM 70	CM 136	LEVEL CM 4427,9177 litre	99,187 %	36,2855 litre	O
290	CM 70	CM 135	LEVEL CM 4413,6036 litre	98,867 %	50,5996 litre	O
290	CM 70	CM 134	LEVEL CM 4397,8344 litre	98,513 %	66,3688 litre	O
290	CM 70	CM 133	LEVEL CM 4380,7536 litre	98,131 %	83,4496 litre	O
290	CM 70	CM 132	LEVEL CM 4362,4736 litre	97,721 %	101,7296 litre	O
290	CM 70	CM 131	LEVEL CM 4343,0858 litre	97,287 %	121,1174 litre	O
290	CM 70	CM 130	LEVEL CM 4322,6667 litre	96,830 %	141,5365 litre	O
290	CM 70	CM 129	LEVEL CM 4301,2816 litre	96,350 %	162,9216 litre	O
290	CM 70	CM 128	LEVEL CM 4278,9876 litre	95,851 %	185,2156 litre	O
290	CM 70	CM 127	LEVEL CM 4255,8349 litre	95,332 %	208,3683 litre	O
290	CM 70	CM 126	LEVEL CM 4231,8681 litre	94,796 %	232,3351 litre	O
290	CM 70	CM 125	LEVEL CM 4207,1277 litre	94,241 %	257,0755 litre	O
290	CM 70	CM 124	LEVEL CM 4181,6503 litre	93,671 %	282,5529 litre	O
290	CM 70	CM 123	LEVEL CM 4155,4695 litre	93,084 %	308,7337 litre	O
290	CM 70	CM 122	LEVEL CM 4128,6164 litre	92,483 %	335,5868 litre	O
290	CM 70	CM 121	LEVEL CM 4101,1194 litre	91,867 %	363,0838 litre	O
290	CM 70	CM 120	LEVEL CM 4073,0054 litre	91,237 %	391,1978 litre	O
290	CM 70	CM 119	LEVEL CM 4044,2993 litre	90,594 %	419,9039 litre	O
290	CM 70	CM 118	LEVEL CM 4015,0246 litre	89,938 %	449,1786 litre	O
290	CM 70	CM 117	LEVEL CM 3985,2034 litre	89,270 %	478,9998 litre	O
290	CM 70	CM 116	LEVEL CM 3954,8566 litre	88,590 %	509,3466 litre	O
290	CM 70	CM 115	LEVEL CM 3924,0040 litre	87,899 %	540,1992 litre	O
290	CM 70	CM 114	LEVEL CM 3892,6646 litre	87,197 %	571,5386 litre	O
290	CM 70	CM 113	LEVEL CM 3860,8564 litre	86,485 %	603,3468 litre	O
290	CM 70	CM 112	LEVEL CM 3828,5967 litre	85,762 %	635,6065 litre	O
290	CM 70	CM 111	LEVEL CM 3795,9018 litre	85,030 %	668,3014 litre	O
290	CM 70	CM 110	LEVEL CM 3762,7878 litre	84,288 %	701,4154 litre	O
290	CM 70	CM 109	LEVEL CM 3729,2699 litre	83,537 %	734,9333 litre	O
290	CM 70	CM 108	LEVEL CM 3695,3628 litre	82,778 %	768,8404 litre	O
290	CM 70	CM 107	LEVEL CM 3661,0808 litre	82,010 %	803,1224 litre	O
290	CM 70	CM 106	LEVEL CM 3626,4375 litre	81,234 %	837,7657 litre	O
290	CM 70	CM 105	LEVEL CM 3591,4465 litre	80,450 %	872,7567 litre	O
290	CM 70	CM 104	LEVEL CM 3556,1205 litre	79,659 %	908,0827 litre	O
290	CM 70	CM 103	LEVEL CM 3520,4723 litre	78,860 %	943,7309 litre	O
290	CM 70	CM 102	LEVEL CM 3484,5139 litre	78,055 %	979,6893 litre	O
290	CM 70	CM 101	LEVEL CM 3448,2575 litre	77,242 %	1015,9457 litre	O
290	CM 70	CM 100	LEVEL CM 3411,7145 litre	76,424 %	1052,4887 litre	O
290	CM 70	CM 99	LEVEL CM 3374,8964 litre	75,599 %	1089,3068 litre	O
290	CM 70	CM 98	LEVEL CM 3337,8142 litre	74,768 %	1126,3890 litre	O
290	CM 70	CM 97	LEVEL CM 3300,4789 litre	73,932 %	1163,7243 litre	O
290	CM 70	CM 96	LEVEL CM 3262,9011 litre	73,090 %	1201,3021 litre	O
290	CM 70	CM 95	LEVEL CM 3225,0913 litre	72,243 %	1239,1119 litre	O
290	CM 70	CM 94	LEVEL CM 3187,0597 litre	71,391 %	1277,1435 litre	O
290	CM 70	CM 93	LEVEL CM 3148,8164 litre	70,535 %	1315,3868 litre	O
290	CM 70	CM 92	LEVEL CM 3110,3713 litre	69,674 %	1353,8319 litre	O
290	CM 70	CM 91	LEVEL CM 3071,7341 litre	68,808 %	1392,4691 litre	O
290	CM 70	CM 90	LEVEL CM 3032,9146 litre	67,939 %	1431,2886 litre	O
290	CM 70	CM 89	LEVEL CM 2993,9221 litre	67,065 %	1470,2811 litre	O

290	CM	70	CM	88 LEVEL CM	2954,7660 litre	66,188 %	1509,4372 litre	O
290	CM	70	CM	87 LEVEL CM	2915,4556 litre	65,307 %	1548,7476 litre	O
290	CM	70	CM	86 LEVEL CM	2876,0000 litre	64,424 %	1588,2032 litre	O
290	CM	70	CM	85 LEVEL CM	2836,4082 litre	63,537 %	1627,7950 litre	O
290	CM	70	CM	84 LEVEL CM	2796,6892 litre	62,647 %	1667,5140 litre	O
290	CM	70	CM	83 LEVEL CM	2756,8517 litre	61,755 %	1707,3515 litre	O
290	CM	70	CM	82 LEVEL CM	2716,9047 litre	60,860 %	1747,2985 litre	O
290	CM	70	CM	81 LEVEL CM	2676,8567 litre	59,963 %	1787,3465 litre	O
290	CM	70	CM	80 LEVEL CM	2636,7164 litre	59,064 %	1827,4868 litre	O
290	CM	70	CM	79 LEVEL CM	2596,4924 litre	58,163 %	1867,7108 litre	O
290	CM	70	CM	78 LEVEL CM	2556,1931 litre	57,260 %	1908,0101 litre	O
290	CM	70	CM	77 LEVEL CM	2515,8272 litre	56,356 %	1948,3760 litre	O
290	CM	70	CM	76 LEVEL CM	2475,4030 litre	55,450 %	1988,8002 litre	O
290	CM	70	CM	75 LEVEL CM	2434,9288 litre	54,543 %	2029,2744 litre	O
290	CM	70	CM	74 LEVEL CM	2394,4132 litre	53,636 %	2069,7900 litre	O
290	CM	70	CM	73 LEVEL CM	2353,8643 litre	52,728 %	2110,3389 litre	O
290	CM	70	CM	72 LEVEL CM	2313,2905 litre	51,819 %	2150,9127 litre	O
290	CM	70	CM	71 LEVEL CM	2272,7002 litre	50,909 %	2191,5030 litre	O
290	CM	70	CM	70 LEVEL CM	2232,1016 litre	50,000 %	2232,1016 litre	O
290	CM	70	CM	69 LEVEL CM	2191,5030 litre	49,091 %	2272,7002 litre	O
290	CM	70	CM	68 LEVEL CM	2150,9126 litre	48,181 %	2313,2906 litre	O
290	CM	70	CM	67 LEVEL CM	2110,3389 litre	47,272 %	2353,8643 litre	O
290	CM	70	CM	66 LEVEL CM	2069,7900 litre	46,364 %	2394,4132 litre	O
290	CM	70	CM	65 LEVEL CM	2029,2743 litre	45,457 %	2434,9289 litre	O
290	CM	70	CM	64 LEVEL CM	1988,8002 litre	44,550 %	2475,4030 litre	O
290	CM	70	CM	63 LEVEL CM	1948,3760 litre	43,644 %	2515,8272 litre	O
290	CM	70	CM	62 LEVEL CM	1908,0100 litre	42,740 %	2556,1932 litre	O
290	CM	70	CM	61 LEVEL CM	1867,7108 litre	41,837 %	2596,4924 litre	O
290	CM	70	CM	60 LEVEL CM	1827,4868 litre	40,936 %	2636,7164 litre	O
290	CM	70	CM	59 LEVEL CM	1787,3465 litre	40,037 %	2676,8567 litre	O
290	CM	70	CM	58 LEVEL CM	1747,2985 litre	39,140 %	2716,9047 litre	O
290	CM	70	CM	57 LEVEL CM	1707,3514 litre	38,245 %	2756,8518 litre	O
290	CM	70	CM	56 LEVEL CM	1667,5140 litre	37,353 %	2796,6892 litre	O
290	CM	70	CM	55 LEVEL CM	1627,7949 litre	36,463 %	2836,4083 litre	O
290	CM	70	CM	54 LEVEL CM	1588,2031 litre	35,576 %	2876,0001 litre	O
290	CM	70	CM	53 LEVEL CM	1548,7475 litre	34,693 %	2915,4557 litre	O
290	CM	70	CM	52 LEVEL CM	1509,4371 litre	33,812 %	2954,7661 litre	O
290	CM	70	CM	51 LEVEL CM	1470,2811 litre	32,935 %	2993,9221 litre	O
290	CM	70	CM	50 LEVEL CM	1431,2886 litre	32,061 %	3032,9146 litre	O
290	CM	70	CM	49 LEVEL CM	1392,4690 litre	31,192 %	3071,7342 litre	O
290	CM	70	CM	48 LEVEL CM	1353,8319 litre	30,326 %	3110,3713 litre	O
290	CM	70	CM	47 LEVEL CM	1315,3868 litre	29,465 %	3148,8164 litre	O
290	CM	70	CM	46 LEVEL CM	1277,1435 litre	28,609 %	3187,0597 litre	O
290	CM	70	CM	45 LEVEL CM	1239,1119 litre	27,757 %	3225,0913 litre	O
290	CM	70	CM	44 LEVEL CM	1201,3020 litre	26,910 %	3262,9012 litre	O
290	CM	70	CM	43 LEVEL CM	1163,7242 litre	26,068 %	3300,4790 litre	O
290	CM	70	CM	42 LEVEL CM	1126,3889 litre	25,232 %	3337,8143 litre	O
290	CM	70	CM	41 LEVEL CM	1089,3068 litre	24,401 %	3374,8964 litre	O
290	CM	70	CM	40 LEVEL CM	1052,4887 litre	23,576 %	3411,7145 litre	O
290	CM	70	CM	39 LEVEL CM	1015,9457 litre	22,758 %	3448,2575 litre	O
290	CM	70	CM	38 LEVEL CM	979,6892 litre	21,945 %	3484,5140 litre	O
290	CM	70	CM	37 LEVEL CM	943,7309 litre	21,140 %	3520,4723 litre	O
290	CM	70	CM	36 LEVEL CM	908,0826 litre	20,341 %	3556,1206 litre	O

290	CM	70	CM	35 LEVEL CM	872,7567 litre	19,550 %	3591,4465 litre	O
290	CM	70	CM	34 LEVEL CM	837,7656 litre	18,766 %	3626,4376 litre	O
290	CM	70	CM	33 LEVEL CM	803,1224 litre	17,990 %	3661,0808 litre	O
290	CM	70	CM	32 LEVEL CM	768,8404 litre	17,222 %	3695,3628 litre	O
290	CM	70	CM	31 LEVEL CM	734,9333 litre	16,463 %	3729,2699 litre	O
290	CM	70	CM	30 LEVEL CM	701,4153 litre	15,712 %	3762,7879 litre	O
290	CM	70	CM	29 LEVEL CM	668,3013 litre	14,970 %	3795,9019 litre	O
290	CM	70	CM	28 LEVEL CM	635,6065 litre	14,238 %	3828,5967 litre	O
290	CM	70	CM	27 LEVEL CM	603,3467 litre	13,515 %	3860,8565 litre	O
290	CM	70	CM	26 LEVEL CM	571,5385 litre	12,803 %	3892,6647 litre	O
290	CM	70	CM	25 LEVEL CM	540,1992 litre	12,101 %	3924,0040 litre	O
290	CM	70	CM	24 LEVEL CM	509,3466 litre	11,410 %	3954,8566 litre	O
290	CM	70	CM	23 LEVEL CM	478,9998 litre	10,730 %	3985,2034 litre	O
290	CM	70	CM	22 LEVEL CM	449,1786 litre	10,062 %	4015,0246 litre	O
290	CM	70	CM	21 LEVEL CM	419,9039 litre	9,406 %	4044,2993 litre	O
290	CM	70	CM	20 LEVEL CM	391,1978 litre	8,763 %	4073,0054 litre	O
290	CM	70	CM	19 LEVEL CM	363,0838 litre	8,133 %	4101,1194 litre	O
290	CM	70	CM	18 LEVEL CM	335,5868 litre	7,517 %	4128,6164 litre	O
290	CM	70	CM	17 LEVEL CM	308,7336 litre	6,916 %	4155,4696 litre	O
290	CM	70	CM	16 LEVEL CM	282,5529 litre	6,329 %	4181,6503 litre	O
290	CM	70	CM	15 LEVEL CM	257,0755 litre	5,759 %	4207,1277 litre	O
290	CM	70	CM	14 LEVEL CM	232,3351 litre	5,204 %	4231,8681 litre	O
290	CM	70	CM	13 LEVEL CM	208,3683 litre	4,668 %	4255,8349 litre	O
290	CM	70	CM	12 LEVEL CM	185,2155 litre	4,149 %	4278,9877 litre	O
290	CM	70	CM	11 LEVEL CM	162,9215 litre	3,650 %	4301,2817 litre	O
290	CM	70	CM	10 LEVEL CM	141,5365 litre	3,170 %	4322,6667 litre	O
290	CM	70	CM	9 LEVEL CM	121,1174 litre	2,713 %	4343,0858 litre	O
290	CM	70	CM	8 LEVEL CM	101,7295 litre	2,279 %	4362,4737 litre	O
290	CM	70	CM	7 LEVEL CM	83,4495 litre	1,869 %	4380,7537 litre	O
290	CM	70	CM	6 LEVEL CM	66,3687 litre	1,487 %	4397,8345 litre	O
290	CM	70	CM	5 LEVEL CM	50,5996 litre	1,133 %	4413,6036 litre	O
290	CM	70	CM	4 LEVEL CM	36,2855 litre	0,813 %	4427,9177 litre	O
290	CM	70	CM	3 LEVEL CM	23,6195 litre	0,529 %	4440,5837 litre	O
290	CM	70	CM	2 LEVEL CM	12,8847 litre	0,289 %	4451,3185 litre	O
290	CM	70	CM	1 LEVEL CM	4,5653 litre	0,102 %	4459,6379 litre	O
290	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	4464,2032 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM	65	CM 130 LEVEL CM	3849,2364 litre	100,000 %	0,0000 litre	O
290	CM	65	CM 129 LEVEL CM	3844,8379 litre	99,886 %	4,3985 litre	O
290	CM	65	CM 128 LEVEL CM	3836,8245 litre	99,678 %	12,4119 litre	O
290	CM	65	CM 127 LEVEL CM	3826,4875 litre	99,409 %	22,7489 litre	O
290	CM	65	CM 126 LEVEL CM	3814,2943 litre	99,092 %	34,9421 litre	O
290	CM	65	CM 125 LEVEL CM	3800,5186 litre	98,734 %	48,7178 litre	O
290	CM	65	CM 124 LEVEL CM	3785,3470 litre	98,340 %	63,8894 litre	O
290	CM	65	CM 123 LEVEL CM	3768,9184 litre	97,913 %	80,3180 litre	O
290	CM	65	CM 122 LEVEL CM	3751,3418 litre	97,457 %	97,8946 litre	O
290	CM	65	CM 121 LEVEL CM	3732,7058 litre	96,973 %	116,5306 litre	O
290	CM	65	CM 120 LEVEL CM	3713,0846 litre	96,463 %	136,1518 litre	O
290	CM	65	CM 119 LEVEL CM	3692,5419 litre	95,929 %	156,6945 litre	O
290	CM	65	CM 118 LEVEL CM	3671,1329 litre	95,373 %	178,1035 litre	O
290	CM	65	CM 117 LEVEL CM	3648,9067 litre	94,796 %	200,3297 litre	O
290	CM	65	CM 116 LEVEL CM	3625,9067 litre	94,198 %	223,3297 litre	O
290	CM	65	CM 115 LEVEL CM	3602,1725 litre	93,581 %	247,0639 litre	O
290	CM	65	CM 114 LEVEL CM	3577,7397 litre	92,947 %	271,4967 litre	O
290	CM	65	CM 113 LEVEL CM	3552,6413 litre	92,295 %	296,5951 litre	O
290	CM	65	CM 112 LEVEL CM	3526,9075 litre	91,626 %	322,3289 litre	O
290	CM	65	CM 111 LEVEL CM	3500,5665 litre	90,942 %	348,6699 litre	O
290	CM	65	CM 110 LEVEL CM	3473,6443 litre	90,242 %	375,5921 litre	O
290	CM	65	CM 109 LEVEL CM	3446,1656 litre	89,529 %	403,0708 litre	O
290	CM	65	CM 108 LEVEL CM	3418,1533 litre	88,801 %	431,0831 litre	O
290	CM	65	CM 107 LEVEL CM	3389,6293 litre	88,060 %	459,6071 litre	O
290	CM	65	CM 106 LEVEL CM	3360,6142 litre	87,306 %	488,6222 litre	O
290	CM	65	CM 105 LEVEL CM	3331,1275 litre	86,540 %	518,1089 litre	O
290	CM	65	CM 104 LEVEL CM	3301,1879 litre	85,762 %	548,0485 litre	O
290	CM	65	CM 103 LEVEL CM	3270,8133 litre	84,973 %	578,4231 litre	O
290	CM	65	CM 102 LEVEL CM	3240,0207 litre	84,173 %	609,2157 litre	O
290	CM	65	CM 101 LEVEL CM	3208,8265 litre	83,363 %	640,4099 litre	O
290	CM	65	CM 100 LEVEL CM	3177,2464 litre	82,542 %	671,9900 litre	O
290	CM	65	CM 99 LEVEL CM	3145,2956 litre	81,712 %	703,9408 litre	O
290	CM	65	CM 98 LEVEL CM	3112,9888 litre	80,873 %	736,2476 litre	O
290	CM	65	CM 97 LEVEL CM	3080,3403 litre	80,025 %	768,8961 litre	O
290	CM	65	CM 96 LEVEL CM	3047,3636 litre	79,168 %	801,8728 litre	O
290	CM	65	CM 95 LEVEL CM	3014,0722 litre	78,303 %	835,1642 litre	O
290	CM	65	CM 94 LEVEL CM	2980,4790 litre	77,430 %	868,7574 litre	O
290	CM	65	CM 93 LEVEL CM	2946,5966 litre	76,550 %	902,6398 litre	O
290	CM	65	CM 92 LEVEL CM	2912,4374 litre	75,663 %	936,7990 litre	O
290	CM	65	CM 91 LEVEL CM	2878,0133 litre	74,768 %	971,2231 litre	O
290	CM	65	CM 90 LEVEL CM	2843,3360 litre	73,868 %	1005,9004 litre	O
290	CM	65	CM 89 LEVEL CM	2808,4171 litre	72,960 %	1040,8193 litre	O
290	CM	65	CM 88 LEVEL CM	2773,2677 litre	72,047 %	1075,9687 litre	O
290	CM	65	CM 87 LEVEL CM	2737,8988 litre	71,128 %	1111,3376 litre	O
290	CM	65	CM 86 LEVEL CM	2702,3213 litre	70,204 %	1146,9151 litre	O
290	CM	65	CM 85 LEVEL CM	2666,5458 litre	69,275 %	1182,6906 litre	O
290	CM	65	CM 84 LEVEL CM	2630,5827 litre	68,340 %	1218,6537 litre	O
290	CM	65	CM 83 LEVEL CM	2594,4424 litre	67,401 %	1254,7940 litre	O
290	CM	65	CM 82 LEVEL CM	2558,1348 litre	66,458 %	1291,1016 litre	O
290	CM	65	CM 81 LEVEL CM	2521,6701 litre	65,511 %	1327,5663 litre	O
290	CM	65	CM 80 LEVEL CM	2485,0581 litre	64,560 %	1364,1783 litre	O
290	CM	65	CM 79 LEVEL CM	2448,3085 litre	63,605 %	1400,9279 litre	O

290	CM	65	CM	78 LEVEL CM	2411,4310 litre	62,647 %	1437,8054 litre	O
290	CM	65	CM	77 LEVEL CM	2374,4351 litre	61,686 %	1474,8013 litre	O
290	CM	65	CM	76 LEVEL CM	2337,3302 litre	60,722 %	1511,9062 litre	O
290	CM	65	CM	75 LEVEL CM	2300,1257 litre	59,755 %	1549,1107 litre	O
290	CM	65	CM	74 LEVEL CM	2262,8309 litre	58,786 %	1586,4055 litre	O
290	CM	65	CM	73 LEVEL CM	2225,4550 litre	57,815 %	1623,7814 litre	O
290	CM	65	CM	72 LEVEL CM	2188,0072 litre	56,843 %	1661,2292 litre	O
290	CM	65	CM	71 LEVEL CM	2150,4966 litre	55,868 %	1698,7398 litre	O
290	CM	65	CM	70 LEVEL CM	2112,9321 litre	54,892 %	1736,3043 litre	O
290	CM	65	CM	69 LEVEL CM	2075,3230 litre	53,915 %	1773,9134 litre	O
290	CM	65	CM	68 LEVEL CM	2037,6780 litre	52,937 %	1811,5584 litre	O
290	CM	65	CM	67 LEVEL CM	2000,0063 litre	51,959 %	1849,2301 litre	O
290	CM	65	CM	66 LEVEL CM	1962,3167 litre	50,979 %	1886,9197 litre	O
290	CM	65	CM	65 LEVEL CM	1924,6182 litre	50,000 %	1924,6182 litre	O
290	CM	65	CM	64 LEVEL CM	1886,9197 litre	49,021 %	1962,3167 litre	O
290	CM	65	CM	63 LEVEL CM	1849,2301 litre	48,041 %	2000,0063 litre	O
290	CM	65	CM	62 LEVEL CM	1811,5584 litre	47,063 %	2037,6780 litre	O
290	CM	65	CM	61 LEVEL CM	1773,9134 litre	46,085 %	2075,3230 litre	O
290	CM	65	CM	60 LEVEL CM	1736,3043 litre	45,108 %	2112,9321 litre	O
290	CM	65	CM	59 LEVEL CM	1698,7398 litre	44,132 %	2150,4966 litre	O
290	CM	65	CM	58 LEVEL CM	1661,2292 litre	43,157 %	2188,0072 litre	O
290	CM	65	CM	57 LEVEL CM	1623,7814 litre	42,185 %	2225,4550 litre	O
290	CM	65	CM	56 LEVEL CM	1586,4055 litre	41,214 %	2262,8309 litre	O
290	CM	65	CM	55 LEVEL CM	1549,1107 litre	40,245 %	2300,1257 litre	O
290	CM	65	CM	54 LEVEL CM	1511,9062 litre	39,278 %	2337,3302 litre	O
290	CM	65	CM	53 LEVEL CM	1474,8013 litre	38,314 %	2374,4351 litre	O
290	CM	65	CM	52 LEVEL CM	1437,8054 litre	37,353 %	2411,4310 litre	O
290	CM	65	CM	51 LEVEL CM	1400,9279 litre	36,395 %	2448,3085 litre	O
290	CM	65	CM	50 LEVEL CM	1364,1783 litre	35,440 %	2485,0581 litre	O
290	CM	65	CM	49 LEVEL CM	1327,5663 litre	34,489 %	2521,6701 litre	O
290	CM	65	CM	48 LEVEL CM	1291,1016 litre	33,542 %	2558,1348 litre	O
290	CM	65	CM	47 LEVEL CM	1254,7940 litre	32,599 %	2594,4424 litre	O
290	CM	65	CM	46 LEVEL CM	1218,6537 litre	31,660 %	2630,5827 litre	O
290	CM	65	CM	45 LEVEL CM	1182,6906 litre	30,725 %	2666,5458 litre	O
290	CM	65	CM	44 LEVEL CM	1146,9151 litre	29,796 %	2702,3213 litre	O
290	CM	65	CM	43 LEVEL CM	1111,3376 litre	28,872 %	2737,8988 litre	O
290	CM	65	CM	42 LEVEL CM	1075,9687 litre	27,953 %	2773,2677 litre	O
290	CM	65	CM	41 LEVEL CM	1040,8193 litre	27,040 %	2808,4171 litre	O
290	CM	65	CM	40 LEVEL CM	1005,9004 litre	26,132 %	2843,3360 litre	O
290	CM	65	CM	39 LEVEL CM	971,2231 litre	25,232 %	2878,0133 litre	O
290	CM	65	CM	38 LEVEL CM	936,7990 litre	24,337 %	2912,4374 litre	O
290	CM	65	CM	37 LEVEL CM	902,6398 litre	23,450 %	2946,5966 litre	O
290	CM	65	CM	36 LEVEL CM	868,7574 litre	22,570 %	2980,4790 litre	O
290	CM	65	CM	35 LEVEL CM	835,1642 litre	21,697 %	3014,0722 litre	O
290	CM	65	CM	34 LEVEL CM	801,8728 litre	20,832 %	3047,3636 litre	O
290	CM	65	CM	33 LEVEL CM	768,8961 litre	19,975 %	3080,3403 litre	O
290	CM	65	CM	32 LEVEL CM	736,2476 litre	19,127 %	3112,9888 litre	O
290	CM	65	CM	31 LEVEL CM	703,9408 litre	18,288 %	3145,2956 litre	O
290	CM	65	CM	30 LEVEL CM	671,9900 litre	17,458 %	3177,2464 litre	O
290	CM	65	CM	29 LEVEL CM	640,4099 litre	16,637 %	3208,8265 litre	O
290	CM	65	CM	28 LEVEL CM	609,2157 litre	15,827 %	3240,0207 litre	O
290	CM	65	CM	27 LEVEL CM	578,4231 litre	15,027 %	3270,8133 litre	O
290	CM	65	CM	26 LEVEL CM	548,0485 litre	14,238 %	3301,1879 litre	O

290	CM	65	CM	25 LEVEL CM	518,1089 litre	13,460 %	3331,1275 litre	O
290	CM	65	CM	24 LEVEL CM	488,6222 litre	12,694 %	3360,6142 litre	O
290	CM	65	CM	23 LEVEL CM	459,6071 litre	11,940 %	3389,6293 litre	O
290	CM	65	CM	22 LEVEL CM	431,0831 litre	11,199 %	3418,1533 litre	O
290	CM	65	CM	21 LEVEL CM	403,0708 litre	10,471 %	3446,1656 litre	O
290	CM	65	CM	20 LEVEL CM	375,5921 litre	9,758 %	3473,6443 litre	O
290	CM	65	CM	19 LEVEL CM	348,6699 litre	9,058 %	3500,5665 litre	O
290	CM	65	CM	18 LEVEL CM	322,3289 litre	8,374 %	3526,9075 litre	O
290	CM	65	CM	17 LEVEL CM	296,5951 litre	7,705 %	3552,6413 litre	O
290	CM	65	CM	16 LEVEL CM	271,4967 litre	7,053 %	3577,7397 litre	O
290	CM	65	CM	15 LEVEL CM	247,0639 litre	6,419 %	3602,1725 litre	O
290	CM	65	CM	14 LEVEL CM	223,3297 litre	5,802 %	3625,9067 litre	O
290	CM	65	CM	13 LEVEL CM	200,3297 litre	5,204 %	3648,9067 litre	O
290	CM	65	CM	12 LEVEL CM	178,1035 litre	4,627 %	3671,1329 litre	O
290	CM	65	CM	11 LEVEL CM	156,6945 litre	4,071 %	3692,5419 litre	O
290	CM	65	CM	10 LEVEL CM	136,1518 litre	3,537 %	3713,0846 litre	O
290	CM	65	CM	9 LEVEL CM	116,5306 litre	3,027 %	3732,7058 litre	O
290	CM	65	CM	8 LEVEL CM	97,8946 litre	2,543 %	3751,3418 litre	O
290	CM	65	CM	7 LEVEL CM	80,3180 litre	2,087 %	3768,9184 litre	O
290	CM	65	CM	6 LEVEL CM	63,8894 litre	1,660 %	3785,3470 litre	O
290	CM	65	CM	5 LEVEL CM	48,7178 litre	1,266 %	3800,5186 litre	O
290	CM	65	CM	4 LEVEL CM	34,9421 litre	0,908 %	3814,2943 litre	O
290	CM	65	CM	3 LEVEL CM	22,7489 litre	0,591 %	3826,4875 litre	O
290	CM	65	CM	2 LEVEL CM	12,4119 litre	0,322 %	3836,8245 litre	O
290	CM	65	CM	1 LEVEL CM	4,3985 litre	0,114 %	3844,8379 litre	O
290	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	3849,2364 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM	60	CM 120 LEVEL CM	3279,8227 litre	100,000 %	0,0000 litre	O
290	CM	60	CM 119 LEVEL CM	3275,5976 litre	99,871 %	4,2251 litre	O
290	CM	60	CM 118 LEVEL CM	3267,9024 litre	99,637 %	11,9203 litre	O
290	CM	60	CM 117 LEVEL CM	3257,9791 litre	99,334 %	21,8436 litre	O
290	CM	60	CM 116 LEVEL CM	3246,2779 litre	98,977 %	33,5448 litre	O
290	CM	60	CM 115 LEVEL CM	3233,0624 litre	98,574 %	46,7603 litre	O
290	CM	60	CM 114 LEVEL CM	3218,5129 litre	98,131 %	61,3098 litre	O
290	CM	60	CM 113 LEVEL CM	3202,7635 litre	97,651 %	77,0592 litre	O
290	CM	60	CM 112 LEVEL CM	3185,9196 litre	97,137 %	93,9031 litre	O
290	CM	60	CM 111 LEVEL CM	3168,0670 litre	96,593 %	111,7557 litre	O
290	CM	60	CM 110 LEVEL CM	3149,2776 litre	96,020 %	130,5451 litre	O
290	CM	60	CM 109 LEVEL CM	3129,6132 litre	95,420 %	150,2095 litre	O
290	CM	60	CM 108 LEVEL CM	3109,1276 litre	94,796 %	170,6951 litre	O
290	CM	60	CM 107 LEVEL CM	3087,8682 litre	94,147 %	191,9545 litre	O
290	CM	60	CM 106 LEVEL CM	3065,8775 litre	93,477 %	213,9452 litre	O
290	CM	60	CM 105 LEVEL CM	3043,1940 litre	92,785 %	236,6287 litre	O
290	CM	60	CM 104 LEVEL CM	3019,8526 litre	92,074 %	259,9701 litre	O
290	CM	60	CM 103 LEVEL CM	2995,8854 litre	91,343 %	283,9373 litre	O
290	CM	60	CM 102 LEVEL CM	2971,3219 litre	90,594 %	308,5008 litre	O
290	CM	60	CM 101 LEVEL CM	2946,1899 litre	89,828 %	333,6328 litre	O
290	CM	60	CM 100 LEVEL CM	2920,5148 litre	89,045 %	359,3079 litre	O
290	CM	60	CM 99 LEVEL CM	2894,3209 litre	88,246 %	385,5018 litre	O
290	CM	60	CM 98 LEVEL CM	2867,6307 litre	87,432 %	412,1920 litre	O
290	CM	60	CM 97 LEVEL CM	2840,4658 litre	86,604 %	439,3569 litre	O
290	CM	60	CM 96 LEVEL CM	2812,8465 litre	85,762 %	466,9762 litre	O
290	CM	60	CM 95 LEVEL CM	2784,7921 litre	84,907 %	495,0306 litre	O
290	CM	60	CM 94 LEVEL CM	2756,3211 litre	84,039 %	523,5016 litre	O
290	CM	60	CM 93 LEVEL CM	2727,4512 litre	83,158 %	552,3715 litre	O
290	CM	60	CM 92 LEVEL CM	2698,1992 litre	82,267 %	581,6235 litre	O
290	CM	60	CM 91 LEVEL CM	2668,5815 litre	81,364 %	611,2412 litre	O
290	CM	60	CM 90 LEVEL CM	2638,6137 litre	80,450 %	641,2090 litre	O
290	CM	60	CM 89 LEVEL CM	2608,3111 litre	79,526 %	671,5116 litre	O
290	CM	60	CM 88 LEVEL CM	2577,6882 litre	78,592 %	702,1345 litre	O
290	CM	60	CM 87 LEVEL CM	2546,7592 litre	77,649 %	733,0635 litre	O
290	CM	60	CM 86 LEVEL CM	2515,5379 litre	76,697 %	764,2848 litre	O
290	CM	60	CM 85 LEVEL CM	2484,0377 litre	75,737 %	795,7850 litre	O
290	CM	60	CM 84 LEVEL CM	2452,2717 litre	74,768 %	827,5510 litre	O
290	CM	60	CM 83 LEVEL CM	2420,2525 litre	73,792 %	859,5702 litre	O
290	CM	60	CM 82 LEVEL CM	2387,9925 litre	72,809 %	891,8302 litre	O
290	CM	60	CM 81 LEVEL CM	2355,5039 litre	71,818 %	924,3188 litre	O
290	CM	60	CM 80 LEVEL CM	2322,7986 litre	70,821 %	957,0241 litre	O
290	CM	60	CM 79 LEVEL CM	2289,8883 litre	69,817 %	989,9344 litre	O
290	CM	60	CM 78 LEVEL CM	2256,7843 litre	68,808 %	1023,0384 litre	O
290	CM	60	CM 77 LEVEL CM	2223,4978 litre	67,793 %	1056,3249 litre	O
290	CM	60	CM 76 LEVEL CM	2190,0400 litre	66,773 %	1089,7827 litre	O
290	CM	60	CM 75 LEVEL CM	2156,4217 litre	65,748 %	1123,4010 litre	O
290	CM	60	CM 74 LEVEL CM	2122,6537 litre	64,719 %	1157,1690 litre	O
290	CM	60	CM 73 LEVEL CM	2088,7464 litre	63,685 %	1191,0763 litre	O
290	CM	60	CM 72 LEVEL CM	2054,7104 litre	62,647 %	1225,1123 litre	O
290	CM	60	CM 71 LEVEL CM	2020,5560 litre	61,606 %	1259,2667 litre	O
290	CM	60	CM 70 LEVEL CM	1986,2935 litre	60,561 %	1293,5292 litre	O
290	CM	60	CM 69 LEVEL CM	1951,9329 litre	59,513 %	1327,8898 litre	O

290	CM	60	CM	68 LEVEL CM	1917,4843 litre	58,463 %	1362,3384 litre	O
290	CM	60	CM	67 LEVEL CM	1882,9576 litre	57,410 %	1396,8651 litre	O
290	CM	60	CM	66 LEVEL CM	1848,3628 litre	56,356 %	1431,4599 litre	O
290	CM	60	CM	65 LEVEL CM	1813,7098 litre	55,299 %	1466,1129 litre	O
290	CM	60	CM	64 LEVEL CM	1779,0082 litre	54,241 %	1500,8145 litre	O
290	CM	60	CM	63 LEVEL CM	1744,2678 litre	53,182 %	1535,5549 litre	O
290	CM	60	CM	62 LEVEL CM	1709,4985 litre	52,122 %	1570,3242 litre	O
290	CM	60	CM	61 LEVEL CM	1674,7098 litre	51,061 %	1605,1129 litre	O
290	CM	60	CM	60 LEVEL CM	1639,9114 litre	50,000 %	1639,9113 litre	O
290	CM	60	CM	59 LEVEL CM	1605,1130 litre	48,939 %	1674,7097 litre	O
290	CM	60	CM	58 LEVEL CM	1570,3243 litre	47,878 %	1709,4984 litre	O
290	CM	60	CM	57 LEVEL CM	1535,5549 litre	46,818 %	1744,2678 litre	O
290	CM	60	CM	56 LEVEL CM	1500,8145 litre	45,759 %	1779,0082 litre	O
290	CM	60	CM	55 LEVEL CM	1466,1130 litre	44,701 %	1813,7097 litre	O
290	CM	60	CM	54 LEVEL CM	1431,4599 litre	43,644 %	1848,3628 litre	O
290	CM	60	CM	53 LEVEL CM	1396,8651 litre	42,590 %	1882,9576 litre	O
290	CM	60	CM	52 LEVEL CM	1362,3385 litre	41,537 %	1917,4842 litre	O
290	CM	60	CM	51 LEVEL CM	1327,8899 litre	40,487 %	1951,9328 litre	O
290	CM	60	CM	50 LEVEL CM	1293,5293 litre	39,439 %	1986,2934 litre	O
290	CM	60	CM	49 LEVEL CM	1259,2667 litre	38,394 %	2020,5560 litre	O
290	CM	60	CM	48 LEVEL CM	1225,1123 litre	37,353 %	2054,7104 litre	O
290	CM	60	CM	47 LEVEL CM	1191,0763 litre	36,315 %	2088,7464 litre	O
290	CM	60	CM	46 LEVEL CM	1157,1691 litre	35,281 %	2122,6536 litre	O
290	CM	60	CM	45 LEVEL CM	1123,4010 litre	34,252 %	2156,4217 litre	O
290	CM	60	CM	44 LEVEL CM	1089,7827 litre	33,227 %	2190,0400 litre	O
290	CM	60	CM	43 LEVEL CM	1056,3249 litre	32,207 %	2223,4978 litre	O
290	CM	60	CM	42 LEVEL CM	1023,0385 litre	31,192 %	2256,7842 litre	O
290	CM	60	CM	41 LEVEL CM	989,9345 litre	30,183 %	2289,8882 litre	O
290	CM	60	CM	40 LEVEL CM	957,0241 litre	29,179 %	2322,7986 litre	O
290	CM	60	CM	39 LEVEL CM	924,3188 litre	28,182 %	2355,5039 litre	O
290	CM	60	CM	38 LEVEL CM	891,8302 litre	27,191 %	2387,9925 litre	O
290	CM	60	CM	37 LEVEL CM	859,5703 litre	26,208 %	2420,2524 litre	O
290	CM	60	CM	36 LEVEL CM	827,5511 litre	25,232 %	2452,2716 litre	O
290	CM	60	CM	35 LEVEL CM	795,7850 litre	24,263 %	2484,0377 litre	O
290	CM	60	CM	34 LEVEL CM	764,2848 litre	23,303 %	2515,5379 litre	O
290	CM	60	CM	33 LEVEL CM	733,0635 litre	22,351 %	2546,7592 litre	O
290	CM	60	CM	32 LEVEL CM	702,1346 litre	21,408 %	2577,6881 litre	O
290	CM	60	CM	31 LEVEL CM	671,5116 litre	20,474 %	2608,3111 litre	O
290	CM	60	CM	30 LEVEL CM	641,2090 litre	19,550 %	2638,6137 litre	O
290	CM	60	CM	29 LEVEL CM	611,2412 litre	18,636 %	2668,5815 litre	O
290	CM	60	CM	28 LEVEL CM	581,6235 litre	17,733 %	2698,1992 litre	O
290	CM	60	CM	27 LEVEL CM	552,3716 litre	16,842 %	2727,4511 litre	O
290	CM	60	CM	26 LEVEL CM	523,5016 litre	15,961 %	2756,3211 litre	O
290	CM	60	CM	25 LEVEL CM	495,0306 litre	15,093 %	2784,7921 litre	O
290	CM	60	CM	24 LEVEL CM	466,9762 litre	14,238 %	2812,8465 litre	O
290	CM	60	CM	23 LEVEL CM	439,3569 litre	13,396 %	2840,4658 litre	O
290	CM	60	CM	22 LEVEL CM	412,1920 litre	12,568 %	2867,6307 litre	O
290	CM	60	CM	21 LEVEL CM	385,5019 litre	11,754 %	2894,3208 litre	O
290	CM	60	CM	20 LEVEL CM	359,3079 litre	10,955 %	2920,5148 litre	O
290	CM	60	CM	19 LEVEL CM	333,6329 litre	10,172 %	2946,1898 litre	O
290	CM	60	CM	18 LEVEL CM	308,5008 litre	9,406 %	2971,3219 litre	O
290	CM	60	CM	17 LEVEL CM	283,9374 litre	8,657 %	2995,8853 litre	O
290	CM	60	CM	16 LEVEL CM	259,9701 litre	7,926 %	3019,8526 litre	O

290	CM	60	CM	15 LEVEL CM	236,6287 litre	7,215 %	3043,1940 litre	O
290	CM	60	CM	14 LEVEL CM	213,9452 litre	6,523 %	3065,8775 litre	O
290	CM	60	CM	13 LEVEL CM	191,9546 litre	5,853 %	3087,8681 litre	O
290	CM	60	CM	12 LEVEL CM	170,6952 litre	5,204 %	3109,1275 litre	O
290	CM	60	CM	11 LEVEL CM	150,2095 litre	4,580 %	3129,6132 litre	O
290	CM	60	CM	10 LEVEL CM	130,5451 litre	3,980 %	3149,2776 litre	O
290	CM	60	CM	9 LEVEL CM	111,7558 litre	3,407 %	3168,0669 litre	O
290	CM	60	CM	8 LEVEL CM	93,9031 litre	2,863 %	3185,9196 litre	O
290	CM	60	CM	7 LEVEL CM	77,0592 litre	2,349 %	3202,7635 litre	O
290	CM	60	CM	6 LEVEL CM	61,3098 litre	1,869 %	3218,5129 litre	O
290	CM	60	CM	5 LEVEL CM	46,7604 litre	1,426 %	3233,0623 litre	O
290	CM	60	CM	4 LEVEL CM	33,5449 litre	1,023 %	3246,2778 litre	O
290	CM	60	CM	3 LEVEL CM	21,8436 litre	0,666 %	3257,9791 litre	O
290	CM	60	CM	2 LEVEL CM	11,9203 litre	0,363 %	3267,9024 litre	O
290	CM	60	CM	1 LEVEL CM	4,2251 litre	0,129 %	3275,5976 litre	O
290	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3279,8227 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
290	CM	55	CM 110 LEVEL CM	2755,9622 litre	100,000 %	0,0000 litre	O
290	CM	55	CM 109 LEVEL CM	2751,9178 litre	99,853 %	4,0444 litre	O
290	CM	55	CM 108 LEVEL CM	2744,5545 litre	99,586 %	11,4077 litre	O
290	CM	55	CM 107 LEVEL CM	2735,0630 litre	99,242 %	20,8992 litre	O
290	CM	55	CM 106 LEVEL CM	2723,8753 litre	98,836 %	32,0869 litre	O
290	CM	55	CM 105 LEVEL CM	2711,2449 litre	98,377 %	44,7173 litre	O
290	CM	55	CM 104 LEVEL CM	2697,3453 litre	97,873 %	58,6169 litre	O
290	CM	55	CM 103 LEVEL CM	2682,3058 litre	97,327 %	73,6564 litre	O
290	CM	55	CM 102 LEVEL CM	2666,2279 litre	96,744 %	89,7343 litre	O
290	CM	55	CM 101 LEVEL CM	2649,1947 litre	96,126 %	106,7675 litre	O
290	CM	55	CM 100 LEVEL CM	2631,2757 litre	95,476 %	124,6865 litre	O
290	CM	55	CM 99 LEVEL CM	2612,5308 litre	94,796 %	143,4314 litre	O
290	CM	55	CM 98 LEVEL CM	2593,0120 litre	94,087 %	162,9502 litre	O
290	CM	55	CM 97 LEVEL CM	2572,7656 litre	93,353 %	183,1966 litre	O
290	CM	55	CM 96 LEVEL CM	2551,8329 litre	92,593 %	204,1293 litre	O
290	CM	55	CM 95 LEVEL CM	2530,2512 litre	91,810 %	225,7110 litre	O
290	CM	55	CM 94 LEVEL CM	2508,0547 litre	91,005 %	247,9075 litre	O
290	CM	55	CM 93 LEVEL CM	2485,2748 litre	90,178 %	270,6874 litre	O
290	CM	55	CM 92 LEVEL CM	2461,9403 litre	89,331 %	294,0219 litre	O
290	CM	55	CM 91 LEVEL CM	2438,0784 litre	88,466 %	317,8838 litre	O
290	CM	55	CM 90 LEVEL CM	2413,7142 litre	87,582 %	342,2480 litre	O
290	CM	55	CM 89 LEVEL CM	2388,8714 litre	86,680 %	367,0908 litre	O
290	CM	55	CM 88 LEVEL CM	2363,5724 litre	85,762 %	392,3898 litre	O
290	CM	55	CM 87 LEVEL CM	2337,8383 litre	84,828 %	418,1239 litre	O
290	CM	55	CM 86 LEVEL CM	2311,6892 litre	83,880 %	444,2730 litre	O
290	CM	55	CM 85 LEVEL CM	2285,1443 litre	82,916 %	470,8179 litre	O
290	CM	55	CM 84 LEVEL CM	2258,2218 litre	81,940 %	497,7404 litre	O
290	CM	55	CM 83 LEVEL CM	2230,9394 litre	80,950 %	525,0228 litre	O
290	CM	55	CM 82 LEVEL CM	2203,3139 litre	79,947 %	552,6483 litre	O
290	CM	55	CM 81 LEVEL CM	2175,3615 litre	78,933 %	580,6007 litre	O
290	CM	55	CM 80 LEVEL CM	2147,0979 litre	77,907 %	608,8643 litre	O
290	CM	55	CM 79 LEVEL CM	2118,5383 litre	76,871 %	637,4239 litre	O
290	CM	55	CM 78 LEVEL CM	2089,6974 litre	75,825 %	666,2648 litre	O
290	CM	55	CM 77 LEVEL CM	2060,5894 litre	74,768 %	695,3728 litre	O
290	CM	55	CM 76 LEVEL CM	2031,2283 litre	73,703 %	724,7339 litre	O
290	CM	55	CM 75 LEVEL CM	2001,6275 litre	72,629 %	754,3347 litre	O
290	CM	55	CM 74 LEVEL CM	1971,8003 litre	71,547 %	784,1619 litre	O
290	CM	55	CM 73 LEVEL CM	1941,7596 litre	70,457 %	814,2026 litre	O
290	CM	55	CM 72 LEVEL CM	1911,5179 litre	69,359 %	844,4443 litre	O
290	CM	55	CM 71 LEVEL CM	1881,0878 litre	68,255 %	874,8744 litre	O
290	CM	55	CM 70 LEVEL CM	1850,4813 litre	67,145 %	905,4809 litre	O
290	CM	55	CM 69 LEVEL CM	1819,7103 litre	66,028 %	936,2519 litre	O
290	CM	55	CM 68 LEVEL CM	1788,7867 litre	64,906 %	967,1755 litre	O
290	CM	55	CM 67 LEVEL CM	1757,7219 litre	63,779 %	998,2403 litre	O
290	CM	55	CM 66 LEVEL CM	1726,5275 litre	62,647 %	1029,4347 litre	O
290	CM	55	CM 65 LEVEL CM	1695,2147 litre	61,511 %	1060,7475 litre	O
290	CM	55	CM 64 LEVEL CM	1663,7946 litre	60,371 %	1092,1676 litre	O
290	CM	55	CM 63 LEVEL CM	1632,2783 litre	59,227 %	1123,6839 litre	O
290	CM	55	CM 62 LEVEL CM	1600,6768 litre	58,081 %	1155,2854 litre	O
290	CM	55	CM 61 LEVEL CM	1569,0008 litre	56,931 %	1186,9614 litre	O
290	CM	55	CM 60 LEVEL CM	1537,2611 litre	55,779 %	1218,7011 litre	O
290	CM	55	CM 59 LEVEL CM	1505,4685 litre	54,626 %	1250,4937 litre	O

290	CM 55	CM	58 LEVEL CM	1473,6336 litre	53,471 %	1282,3286 litre	O
290	CM 55	CM	57 LEVEL CM	1441,7670 litre	52,314 %	1314,1952 litre	O
290	CM 55	CM	56 LEVEL CM	1409,8793 litre	51,157 %	1346,0829 litre	O
290	CM 55	CM	55 LEVEL CM	1377,9811 litre	50,000 %	1377,9811 litre	O
290	CM 55	CM	54 LEVEL CM	1346,0828 litre	48,843 %	1409,8794 litre	O
290	CM 55	CM	53 LEVEL CM	1314,1951 litre	47,686 %	1441,7671 litre	O
290	CM 55	CM	52 LEVEL CM	1282,3286 litre	46,529 %	1473,6336 litre	O
290	CM 55	CM	51 LEVEL CM	1250,4937 litre	45,374 %	1505,4685 litre	O
290	CM 55	CM	50 LEVEL CM	1218,7010 litre	44,221 %	1537,2612 litre	O
290	CM 55	CM	49 LEVEL CM	1186,9614 litre	43,069 %	1569,0008 litre	O
290	CM 55	CM	48 LEVEL CM	1155,2854 litre	41,919 %	1600,6768 litre	O
290	CM 55	CM	47 LEVEL CM	1123,6838 litre	40,773 %	1632,2784 litre	O
290	CM 55	CM	46 LEVEL CM	1092,1675 litre	39,629 %	1663,7947 litre	O
290	CM 55	CM	45 LEVEL CM	1060,7475 litre	38,489 %	1695,2147 litre	O
290	CM 55	CM	44 LEVEL CM	1029,4347 litre	37,353 %	1726,5275 litre	O
290	CM 55	CM	43 LEVEL CM	998,2402 litre	36,221 %	1757,7220 litre	O
290	CM 55	CM	42 LEVEL CM	967,1755 litre	35,094 %	1788,7867 litre	O
290	CM 55	CM	41 LEVEL CM	936,2519 litre	33,972 %	1819,7103 litre	O
290	CM 55	CM	40 LEVEL CM	905,4809 litre	32,855 %	1850,4813 litre	O
290	CM 55	CM	39 LEVEL CM	874,8744 litre	31,745 %	1881,0878 litre	O
290	CM 55	CM	38 LEVEL CM	844,4442 litre	30,641 %	1911,5180 litre	O
290	CM 55	CM	37 LEVEL CM	814,2026 litre	29,543 %	1941,7596 litre	O
290	CM 55	CM	36 LEVEL CM	784,1619 litre	28,453 %	1971,8003 litre	O
290	CM 55	CM	35 LEVEL CM	754,3347 litre	27,371 %	2001,6275 litre	O
290	CM 55	CM	34 LEVEL CM	724,7339 litre	26,297 %	2031,2283 litre	O
290	CM 55	CM	33 LEVEL CM	695,3728 litre	25,232 %	2060,5894 litre	O
290	CM 55	CM	32 LEVEL CM	666,2648 litre	24,175 %	2089,6974 litre	O
290	CM 55	CM	31 LEVEL CM	637,4239 litre	23,129 %	2118,5383 litre	O
290	CM 55	CM	30 LEVEL CM	608,8643 litre	22,093 %	2147,0979 litre	O
290	CM 55	CM	29 LEVEL CM	580,6007 litre	21,067 %	2175,3615 litre	O
290	CM 55	CM	28 LEVEL CM	552,6483 litre	20,053 %	2203,3139 litre	O
290	CM 55	CM	27 LEVEL CM	525,0228 litre	19,050 %	2230,9394 litre	O
290	CM 55	CM	26 LEVEL CM	497,7403 litre	18,060 %	2258,2219 litre	O
290	CM 55	CM	25 LEVEL CM	470,8179 litre	17,084 %	2285,1443 litre	O
290	CM 55	CM	24 LEVEL CM	444,2729 litre	16,120 %	2311,6893 litre	O
290	CM 55	CM	23 LEVEL CM	418,1238 litre	15,172 %	2337,8384 litre	O
290	CM 55	CM	22 LEVEL CM	392,3897 litre	14,238 %	2363,5725 litre	O
290	CM 55	CM	21 LEVEL CM	367,0907 litre	13,320 %	2388,8715 litre	O
290	CM 55	CM	20 LEVEL CM	342,2479 litre	12,418 %	2413,7143 litre	O
290	CM 55	CM	19 LEVEL CM	317,8837 litre	11,534 %	2438,0785 litre	O
290	CM 55	CM	18 LEVEL CM	294,0218 litre	10,669 %	2461,9404 litre	O
290	CM 55	CM	17 LEVEL CM	270,6874 litre	9,822 %	2485,2748 litre	O
290	CM 55	CM	16 LEVEL CM	247,9075 litre	8,995 %	2508,0547 litre	O
290	CM 55	CM	15 LEVEL CM	225,7110 litre	8,190 %	2530,2512 litre	O
290	CM 55	CM	14 LEVEL CM	204,1293 litre	7,407 %	2551,8329 litre	O
290	CM 55	CM	13 LEVEL CM	183,1965 litre	6,647 %	2572,7657 litre	O
290	CM 55	CM	12 LEVEL CM	162,9501 litre	5,913 %	2593,0121 litre	O
290	CM 55	CM	11 LEVEL CM	143,4313 litre	5,204 %	2612,5309 litre	O
290	CM 55	CM	10 LEVEL CM	124,6864 litre	4,524 %	2631,2758 litre	O
290	CM 55	CM	9 LEVEL CM	106,7675 litre	3,874 %	2649,1947 litre	O
290	CM 55	CM	8 LEVEL CM	89,7342 litre	3,256 %	2666,2280 litre	O
290	CM 55	CM	7 LEVEL CM	73,6564 litre	2,673 %	2682,3058 litre	O
290	CM 55	CM	6 LEVEL CM	58,6169 litre	2,127 %	2697,3453 litre	O

290	CM	55	CM	5 LEVEL CM	44,7173 litre	1,623 %	2711,2449 litre	O
290	CM	55	CM	4 LEVEL CM	32,0869 litre	1,164 %	2723,8753 litre	O
290	CM	55	CM	3 LEVEL CM	20,8992 litre	0,758 %	2735,0630 litre	O
290	CM	55	CM	2 LEVEL CM	11,4076 litre	0,414 %	2744,5546 litre	O
290	CM	55	CM	1 LEVEL CM	4,0443 litre	0,147 %	2751,9179 litre	O
290	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2755,9622 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
290	CM	50	CM	100 LEVEL CM	2277,6547 litre	100,000 %	0,0000 litre	O
290	CM	50	CM	99 LEVEL CM	2273,7996 litre	99,831 %	3,8551 litre	O
290	CM	50	CM	98 LEVEL CM	2266,7839 litre	99,523 %	10,8708 litre	O
290	CM	50	CM	97 LEVEL CM	2257,7447 litre	99,126 %	19,9100 litre	O
290	CM	50	CM	96 LEVEL CM	2247,0952 litre	98,658 %	30,5595 litre	O
290	CM	50	CM	95 LEVEL CM	2235,0784 litre	98,131 %	42,5763 litre	O
290	CM	50	CM	94 LEVEL CM	2221,8606 litre	97,550 %	55,7941 litre	O
290	CM	50	CM	93 LEVEL CM	2207,5662 litre	96,923 %	70,0885 litre	O
290	CM	50	CM	92 LEVEL CM	2192,2928 litre	96,252 %	85,3619 litre	O
290	CM	50	CM	91 LEVEL CM	2176,1204 litre	95,542 %	101,5343 litre	O
290	CM	50	CM	90 LEVEL CM	2159,1164 litre	94,796 %	118,5383 litre	O
290	CM	50	CM	89 LEVEL CM	2141,3384 litre	94,015 %	136,3163 litre	O
290	CM	50	CM	88 LEVEL CM	2122,8370 litre	93,203 %	154,8177 litre	O
290	CM	50	CM	87 LEVEL CM	2103,6569 litre	92,361 %	173,9978 litre	O
290	CM	50	CM	86 LEVEL CM	2083,8385 litre	91,491 %	193,8162 litre	O
290	CM	50	CM	85 LEVEL CM	2063,4180 litre	90,594 %	214,2367 litre	O
290	CM	50	CM	84 LEVEL CM	2042,4288 litre	89,672 %	235,2259 litre	O
290	CM	50	CM	83 LEVEL CM	2020,9015 litre	88,727 %	256,7532 litre	O
290	CM	50	CM	82 LEVEL CM	1998,8645 litre	87,760 %	278,7902 litre	O
290	CM	50	CM	81 LEVEL CM	1976,3443 litre	86,771 %	301,3104 litre	O
290	CM	50	CM	80 LEVEL CM	1953,3656 litre	85,762 %	324,2891 litre	O
290	CM	50	CM	79 LEVEL CM	1929,9519 litre	84,734 %	347,7028 litre	O
290	CM	50	CM	78 LEVEL CM	1906,1250 litre	83,688 %	371,5297 litre	O
290	CM	50	CM	77 LEVEL CM	1881,9061 litre	82,625 %	395,7486 litre	O
290	CM	50	CM	76 LEVEL CM	1857,3150 litre	81,545 %	420,3397 litre	O
290	CM	50	CM	75 LEVEL CM	1832,3707 litre	80,450 %	445,2840 litre	O
290	CM	50	CM	74 LEVEL CM	1807,0914 litre	79,340 %	470,5633 litre	O
290	CM	50	CM	73 LEVEL CM	1781,4948 litre	78,216 %	496,1599 litre	O
290	CM	50	CM	72 LEVEL CM	1755,5977 litre	77,079 %	522,0570 litre	O
290	CM	50	CM	71 LEVEL CM	1729,4163 litre	75,930 %	548,2384 litre	O
290	CM	50	CM	70 LEVEL CM	1702,9664 litre	74,768 %	574,6883 litre	O
290	CM	50	CM	69 LEVEL CM	1676,2634 litre	73,596 %	601,3913 litre	O
290	CM	50	CM	68 LEVEL CM	1649,3221 litre	72,413 %	628,3326 litre	O
290	CM	50	CM	67 LEVEL CM	1622,1570 litre	71,220 %	655,4977 litre	O
290	CM	50	CM	66 LEVEL CM	1594,7821 litre	70,019 %	682,8726 litre	O
290	CM	50	CM	65 LEVEL CM	1567,2113 litre	68,808 %	710,4434 litre	O
290	CM	50	CM	64 LEVEL CM	1539,4581 litre	67,590 %	738,1966 litre	O
290	CM	50	CM	63 LEVEL CM	1511,5357 litre	66,364 %	766,1190 litre	O
290	CM	50	CM	62 LEVEL CM	1483,4571 litre	65,131 %	794,1976 litre	O
290	CM	50	CM	61 LEVEL CM	1455,2351 litre	63,892 %	822,4196 litre	O
290	CM	50	CM	60 LEVEL CM	1426,8822 litre	62,647 %	850,7725 litre	O
290	CM	50	CM	59 LEVEL CM	1398,4110 litre	61,397 %	879,2437 litre	O
290	CM	50	CM	58 LEVEL CM	1369,8336 litre	60,142 %	907,8211 litre	O
290	CM	50	CM	57 LEVEL CM	1341,1622 litre	58,883 %	936,4925 litre	O
290	CM	50	CM	56 LEVEL CM	1312,4088 litre	57,621 %	965,2459 litre	O
290	CM	50	CM	55 LEVEL CM	1283,5853 litre	56,356 %	994,0694 litre	O
290	CM	50	CM	54 LEVEL CM	1254,7035 litre	55,088 %	1022,9512 litre	O
290	CM	50	CM	53 LEVEL CM	1225,7751 litre	53,817 %	1051,8796 litre	O
290	CM	50	CM	52 LEVEL CM	1196,8119 litre	52,546 %	1080,8428 litre	O
290	CM	50	CM	51 LEVEL CM	1167,8254 litre	51,273 %	1109,8293 litre	O
290	CM	50	CM	50 LEVEL CM	1138,8273 litre	50,000 %	1138,8274 litre	O
290	CM	50	CM	49 LEVEL CM	1109,8293 litre	48,727 %	1167,8254 litre	O

290	CM 50	CM	48 LEVEL CM	1080,8428 litre	47,454 %	1196,8119 litre	O
290	CM 50	CM	47 LEVEL CM	1051,8796 litre	46,183 %	1225,7751 litre	O
290	CM 50	CM	46 LEVEL CM	1022,9512 litre	44,912 %	1254,7035 litre	O
290	CM 50	CM	45 LEVEL CM	994,0694 litre	43,644 %	1283,5853 litre	O
290	CM 50	CM	44 LEVEL CM	965,2458 litre	42,379 %	1312,4089 litre	O
290	CM 50	CM	43 LEVEL CM	936,4924 litre	41,117 %	1341,1623 litre	O
290	CM 50	CM	42 LEVEL CM	907,8210 litre	39,858 %	1369,8337 litre	O
290	CM 50	CM	41 LEVEL CM	879,2437 litre	38,603 %	1398,4110 litre	O
290	CM 50	CM	40 LEVEL CM	850,7724 litre	37,353 %	1426,8823 litre	O
290	CM 50	CM	39 LEVEL CM	822,4196 litre	36,108 %	1455,2351 litre	O
290	CM 50	CM	38 LEVEL CM	794,1976 litre	34,869 %	1483,4571 litre	O
290	CM 50	CM	37 LEVEL CM	766,1190 litre	33,636 %	1511,5357 litre	O
290	CM 50	CM	36 LEVEL CM	738,1966 litre	32,410 %	1539,4581 litre	O
290	CM 50	CM	35 LEVEL CM	710,4434 litre	31,192 %	1567,2113 litre	O
290	CM 50	CM	34 LEVEL CM	682,8726 litre	29,981 %	1594,7821 litre	O
290	CM 50	CM	33 LEVEL CM	655,4977 litre	28,780 %	1622,1570 litre	O
290	CM 50	CM	32 LEVEL CM	628,3326 litre	27,587 %	1649,3221 litre	O
290	CM 50	CM	31 LEVEL CM	601,3912 litre	26,404 %	1676,2635 litre	O
290	CM 50	CM	30 LEVEL CM	574,6882 litre	25,232 %	1702,9665 litre	O
290	CM 50	CM	29 LEVEL CM	548,2384 litre	24,070 %	1729,4163 litre	O
290	CM 50	CM	28 LEVEL CM	522,0570 litre	22,921 %	1755,5977 litre	O
290	CM 50	CM	27 LEVEL CM	496,1599 litre	21,784 %	1781,4948 litre	O
290	CM 50	CM	26 LEVEL CM	470,5632 litre	20,660 %	1807,0915 litre	O
290	CM 50	CM	25 LEVEL CM	445,2840 litre	19,550 %	1832,3707 litre	O
290	CM 50	CM	24 LEVEL CM	420,3397 litre	18,455 %	1857,3150 litre	O
290	CM 50	CM	23 LEVEL CM	395,7486 litre	17,375 %	1881,9061 litre	O
290	CM 50	CM	22 LEVEL CM	371,5296 litre	16,312 %	1906,1251 litre	O
290	CM 50	CM	21 LEVEL CM	347,7028 litre	15,266 %	1929,9519 litre	O
290	CM 50	CM	20 LEVEL CM	324,2890 litre	14,238 %	1953,3657 litre	O
290	CM 50	CM	19 LEVEL CM	301,3104 litre	13,229 %	1976,3443 litre	O
290	CM 50	CM	18 LEVEL CM	278,7901 litre	12,240 %	1998,8646 litre	O
290	CM 50	CM	17 LEVEL CM	256,7531 litre	11,273 %	2020,9016 litre	O
290	CM 50	CM	16 LEVEL CM	235,2259 litre	10,328 %	2042,4288 litre	O
290	CM 50	CM	15 LEVEL CM	214,2367 litre	9,406 %	2063,4180 litre	O
290	CM 50	CM	14 LEVEL CM	193,8162 litre	8,509 %	2083,8385 litre	O
290	CM 50	CM	13 LEVEL CM	173,9977 litre	7,639 %	2103,6570 litre	O
290	CM 50	CM	12 LEVEL CM	154,8177 litre	6,797 %	2122,8370 litre	O
290	CM 50	CM	11 LEVEL CM	136,3163 litre	5,985 %	2141,3384 litre	O
290	CM 50	CM	10 LEVEL CM	118,5383 litre	5,204 %	2159,1164 litre	O
290	CM 50	CM	9 LEVEL CM	101,5342 litre	4,458 %	2176,1205 litre	O
290	CM 50	CM	8 LEVEL CM	85,3619 litre	3,748 %	2192,2928 litre	O
290	CM 50	CM	7 LEVEL CM	70,0885 litre	3,077 %	2207,5662 litre	O
290	CM 50	CM	6 LEVEL CM	55,7940 litre	2,450 %	2221,8607 litre	O
290	CM 50	CM	5 LEVEL CM	42,5763 litre	1,869 %	2235,0784 litre	O
290	CM 50	CM	4 LEVEL CM	30,5594 litre	1,342 %	2247,0953 litre	O
290	CM 50	CM	3 LEVEL CM	19,9100 litre	0,874 %	2257,7447 litre	O
290	CM 50	CM	2 LEVEL CM	10,8707 litre	0,477 %	2266,7840 litre	O
290	CM 50	CM	1 LEVEL CM	3,8550 litre	0,169 %	2273,7997 litre	O
290	CM 50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2277,6547 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM	125	CM 250 LEVEL CM	13744,4679 litre	100,000 %	0,0000 litre	O
280	CM	125	CM 249 LEVEL CM	13738,5720 litre	99,957 %	5,8959 litre	O
280	CM	125	CM 248 LEVEL CM	13727,8120 litre	99,879 %	16,6559 litre	O
280	CM	125	CM 247 LEVEL CM	13713,9061 litre	99,778 %	30,5618 litre	O
280	CM	125	CM 246 LEVEL CM	13697,4718 litre	99,658 %	46,9961 litre	O
280	CM	125	CM 245 LEVEL CM	13678,8686 litre	99,523 %	65,5993 litre	O
280	CM	125	CM 244 LEVEL CM	13658,3404 litre	99,373 %	86,1275 litre	O
280	CM	125	CM 243 LEVEL CM	13636,0672 litre	99,211 %	108,4007 litre	O
280	CM	125	CM 242 LEVEL CM	13612,1897 litre	99,038 %	132,2782 litre	O
280	CM	125	CM 241 LEVEL CM	13586,8216 litre	98,853 %	157,6463 litre	O
280	CM	125	CM 240 LEVEL CM	13560,0574 litre	98,658 %	184,4105 litre	O
280	CM	125	CM 239 LEVEL CM	13531,9779 litre	98,454 %	212,4900 litre	O
280	CM	125	CM 238 LEVEL CM	13502,6525 litre	98,241 %	241,8154 litre	O
280	CM	125	CM 237 LEVEL CM	13472,1424 litre	98,019 %	272,3255 litre	O
280	CM	125	CM 236 LEVEL CM	13440,5020 litre	97,788 %	303,9659 litre	O
280	CM	125	CM 235 LEVEL CM	13407,7797 litre	97,550 %	336,6882 litre	O
280	CM	125	CM 234 LEVEL CM	13374,0196 litre	97,305 %	370,4483 litre	O
280	CM	125	CM 233 LEVEL CM	13339,2617 litre	97,052 %	405,2062 litre	O
280	CM	125	CM 232 LEVEL CM	13303,5425 litre	96,792 %	440,9254 litre	O
280	CM	125	CM 231 LEVEL CM	13266,8959 litre	96,525 %	477,5720 litre	O
280	CM	125	CM 230 LEVEL CM	13229,3530 litre	96,252 %	515,1149 litre	O
280	CM	125	CM 229 LEVEL CM	13190,9431 litre	95,973 %	553,5248 litre	O
280	CM	125	CM 228 LEVEL CM	13151,6932 litre	95,687 %	592,7747 litre	O
280	CM	125	CM 227 LEVEL CM	13111,6288 litre	95,396 %	632,8391 litre	O
280	CM	125	CM 226 LEVEL CM	13070,7737 litre	95,098 %	673,6942 litre	O
280	CM	125	CM 225 LEVEL CM	13029,1505 litre	94,796 %	715,3174 litre	O
280	CM	125	CM 224 LEVEL CM	12986,7806 litre	94,487 %	757,6873 litre	O
280	CM	125	CM 223 LEVEL CM	12943,6841 litre	94,174 %	800,7838 litre	O
280	CM	125	CM 222 LEVEL CM	12899,8803 litre	93,855 %	844,5876 litre	O
280	CM	125	CM 221 LEVEL CM	12855,3875 litre	93,531 %	889,0804 litre	O
280	CM	125	CM 220 LEVEL CM	12810,2230 litre	93,203 %	934,2449 litre	O
280	CM	125	CM 219 LEVEL CM	12764,4037 litre	92,869 %	980,0642 litre	O
280	CM	125	CM 218 LEVEL CM	12717,9454 litre	92,531 %	1026,5225 litre	O
280	CM	125	CM 217 LEVEL CM	12670,8635 litre	92,189 %	1073,6044 litre	O
280	CM	125	CM 216 LEVEL CM	12623,1728 litre	91,842 %	1121,2951 litre	O
280	CM	125	CM 215 LEVEL CM	12574,8874 litre	91,491 %	1169,5805 litre	O
280	CM	125	CM 214 LEVEL CM	12526,0209 litre	91,135 %	1218,4470 litre	O
280	CM	125	CM 213 LEVEL CM	12476,5866 litre	90,775 %	1267,8813 litre	O
280	CM	125	CM 212 LEVEL CM	12426,5971 litre	90,412 %	1317,8708 litre	O
280	CM	125	CM 211 LEVEL CM	12376,0647 litre	90,044 %	1368,4032 litre	O
280	CM	125	CM 210 LEVEL CM	12325,0015 litre	89,672 %	1419,4664 litre	O
280	CM	125	CM 209 LEVEL CM	12273,4188 litre	89,297 %	1471,0491 litre	O
280	CM	125	CM 208 LEVEL CM	12221,3280 litre	88,918 %	1523,1399 litre	O
280	CM	125	CM 207 LEVEL CM	12168,7399 litre	88,536 %	1575,7280 litre	O
280	CM	125	CM 206 LEVEL CM	12115,6650 litre	88,149 %	1628,8029 litre	O
280	CM	125	CM 205 LEVEL CM	12062,1136 litre	87,760 %	1682,3543 litre	O
280	CM	125	CM 204 LEVEL CM	12008,0958 litre	87,367 %	1736,3721 litre	O
280	CM	125	CM 203 LEVEL CM	11953,6212 litre	86,970 %	1790,8467 litre	O
280	CM	125	CM 202 LEVEL CM	11898,6995 litre	86,571 %	1845,7684 litre	O
280	CM	125	CM 201 LEVEL CM	11843,3398 litre	86,168 %	1901,1281 litre	O
280	CM	125	CM 200 LEVEL CM	11787,5513 litre	85,762 %	1956,9166 litre	O
280	CM	125	CM 199 LEVEL CM	11731,3427 litre	85,353 %	2013,1252 litre	O

280	CM	125	CM	198 LEVEL CM	11674,7228 litre	84,941 %	2069,7451 litre	O
280	CM	125	CM	197 LEVEL CM	11617,7000 litre	84,526 %	2126,7679 litre	O
280	CM	125	CM	196 LEVEL CM	11560,2826 litre	84,109 %	2184,1853 litre	O
280	CM	125	CM	195 LEVEL CM	11502,4787 litre	83,688 %	2241,9892 litre	O
280	CM	125	CM	194 LEVEL CM	11444,2963 litre	83,265 %	2300,1716 litre	O
280	CM	125	CM	193 LEVEL CM	11385,7431 litre	82,839 %	2358,7248 litre	O
280	CM	125	CM	192 LEVEL CM	11326,8269 litre	82,410 %	2417,6410 litre	O
280	CM	125	CM	191 LEVEL CM	11267,5551 litre	81,979 %	2476,9128 litre	O
280	CM	125	CM	190 LEVEL CM	11207,9351 litre	81,545 %	2536,5328 litre	O
280	CM	125	CM	189 LEVEL CM	11147,9742 litre	81,109 %	2596,4937 litre	O
280	CM	125	CM	188 LEVEL CM	11087,6795 litre	80,670 %	2656,7884 litre	O
280	CM	125	CM	187 LEVEL CM	11027,0580 litre	80,229 %	2717,4099 litre	O
280	CM	125	CM	186 LEVEL CM	10966,1166 litre	79,786 %	2778,3513 litre	O
280	CM	125	CM	185 LEVEL CM	10904,8621 litre	79,340 %	2839,6058 litre	O
280	CM	125	CM	184 LEVEL CM	10843,3012 litre	78,892 %	2901,1667 litre	O
280	CM	125	CM	183 LEVEL CM	10781,4405 litre	78,442 %	2963,0274 litre	O
280	CM	125	CM	182 LEVEL CM	10719,2864 litre	77,990 %	3025,1815 litre	O
280	CM	125	CM	181 LEVEL CM	10656,8455 litre	77,536 %	3087,6224 litre	O
280	CM	125	CM	180 LEVEL CM	10594,1238 litre	77,079 %	3150,3441 litre	O
280	CM	125	CM	179 LEVEL CM	10531,1278 litre	76,621 %	3213,3401 litre	O
280	CM	125	CM	178 LEVEL CM	10467,8636 litre	76,161 %	3276,6043 litre	O
280	CM	125	CM	177 LEVEL CM	10404,3371 litre	75,698 %	3340,1308 litre	O
280	CM	125	CM	176 LEVEL CM	10340,5545 litre	75,234 %	3403,9134 litre	O
280	CM	125	CM	175 LEVEL CM	10276,5216 litre	74,768 %	3467,9463 litre	O
280	CM	125	CM	174 LEVEL CM	10212,2443 litre	74,301 %	3532,2236 litre	O
280	CM	125	CM	173 LEVEL CM	10147,7284 litre	73,831 %	3596,7395 litre	O
280	CM	125	CM	172 LEVEL CM	10082,9796 litre	73,360 %	3661,4883 litre	O
280	CM	125	CM	171 LEVEL CM	10018,0035 litre	72,888 %	3726,4644 litre	O
280	CM	125	CM	170 LEVEL CM	9952,8058 litre	72,413 %	3791,6621 litre	O
280	CM	125	CM	169 LEVEL CM	9887,3921 litre	71,937 %	3857,0758 litre	O
280	CM	125	CM	168 LEVEL CM	9821,7677 litre	71,460 %	3922,7002 litre	O
280	CM	125	CM	167 LEVEL CM	9755,9381 litre	70,981 %	3988,5298 litre	O
280	CM	125	CM	166 LEVEL CM	9689,9088 litre	70,500 %	4054,5591 litre	O
280	CM	125	CM	165 LEVEL CM	9623,6850 litre	70,019 %	4120,7829 litre	O
280	CM	125	CM	164 LEVEL CM	9557,2721 litre	69,535 %	4187,1958 litre	O
280	CM	125	CM	163 LEVEL CM	9490,6752 litre	69,051 %	4253,7927 litre	O
280	CM	125	CM	162 LEVEL CM	9423,8997 litre	68,565 %	4320,5682 litre	O
280	CM	125	CM	161 LEVEL CM	9356,9506 litre	68,078 %	4387,5173 litre	O
280	CM	125	CM	160 LEVEL CM	9289,8332 litre	67,590 %	4454,6347 litre	O
280	CM	125	CM	159 LEVEL CM	9222,5523 litre	67,100 %	4521,9156 litre	O
280	CM	125	CM	158 LEVEL CM	9155,1132 litre	66,609 %	4589,3547 litre	O
280	CM	125	CM	157 LEVEL CM	9087,5208 litre	66,118 %	4656,9471 litre	O
280	CM	125	CM	156 LEVEL CM	9019,7801 litre	65,625 %	4724,6878 litre	O
280	CM	125	CM	155 LEVEL CM	8951,8961 litre	65,131 %	4792,5718 litre	O
280	CM	125	CM	154 LEVEL CM	8883,8735 litre	64,636 %	4860,5944 litre	O
280	CM	125	CM	153 LEVEL CM	8815,7175 litre	64,140 %	4928,7504 litre	O
280	CM	125	CM	152 LEVEL CM	8747,4327 litre	63,643 %	4997,0352 litre	O
280	CM	125	CM	151 LEVEL CM	8679,0240 litre	63,146 %	5065,4439 litre	O
280	CM	125	CM	150 LEVEL CM	8610,4962 litre	62,647 %	5133,9717 litre	O
280	CM	125	CM	149 LEVEL CM	8541,8542 litre	62,148 %	5202,6137 litre	O
280	CM	125	CM	148 LEVEL CM	8473,1025 litre	61,647 %	5271,3654 litre	O
280	CM	125	CM	147 LEVEL CM	8404,2461 litre	61,146 %	5340,2218 litre	O
280	CM	125	CM	146 LEVEL CM	8335,2895 litre	60,645 %	5409,1784 litre	O

280	CM	125	CM	145 LEVEL CM	8266,2374 litre	60,142 %	5478,2305 litre	O
280	CM	125	CM	144 LEVEL CM	8197,0946 litre	59,639 %	5547,3733 litre	O
280	CM	125	CM	143 LEVEL CM	8127,8657 litre	59,136 %	5616,6022 litre	O
280	CM	125	CM	142 LEVEL CM	8058,5553 litre	58,631 %	5685,9126 litre	O
280	CM	125	CM	141 LEVEL CM	7989,1680 litre	58,126 %	5755,2999 litre	O
280	CM	125	CM	140 LEVEL CM	7919,7085 litre	57,621 %	5824,7594 litre	O
280	CM	125	CM	139 LEVEL CM	7850,1812 litre	57,115 %	5894,2867 litre	O
280	CM	125	CM	138 LEVEL CM	7780,5908 litre	56,609 %	5963,8771 litre	O
280	CM	125	CM	137 LEVEL CM	7710,9419 litre	56,102 %	6033,5260 litre	O
280	CM	125	CM	136 LEVEL CM	7641,2390 litre	55,595 %	6103,2289 litre	O
280	CM	125	CM	135 LEVEL CM	7571,4865 litre	55,088 %	6172,9814 litre	O
280	CM	125	CM	134 LEVEL CM	7501,6892 litre	54,580 %	6242,7787 litre	O
280	CM	125	CM	133 LEVEL CM	7431,8514 litre	54,072 %	6312,6165 litre	O
280	CM	125	CM	132 LEVEL CM	7361,9777 litre	53,563 %	6382,4902 litre	O
280	CM	125	CM	131 LEVEL CM	7292,0726 litre	53,055 %	6452,3953 litre	O
280	CM	125	CM	130 LEVEL CM	7222,1406 litre	52,546 %	6522,3273 litre	O
280	CM	125	CM	129 LEVEL CM	7152,1861 litre	52,037 %	6592,2818 litre	O
280	CM	125	CM	128 LEVEL CM	7082,2138 litre	51,528 %	6662,2541 litre	O
280	CM	125	CM	127 LEVEL CM	7012,2280 litre	51,019 %	6732,2399 litre	O
280	CM	125	CM	126 LEVEL CM	6942,2332 litre	50,509 %	6802,2347 litre	O
280	CM	125	CM	125 LEVEL CM	6872,2339 litre	50,000 %	6872,2340 litre	O
280	CM	125	CM	124 LEVEL CM	6802,2347 litre	49,491 %	6942,2332 litre	O
280	CM	125	CM	123 LEVEL CM	6732,2399 litre	48,981 %	7012,2280 litre	O
280	CM	125	CM	122 LEVEL CM	6662,2541 litre	48,472 %	7082,2138 litre	O
280	CM	125	CM	121 LEVEL CM	6592,2817 litre	47,963 %	7152,1862 litre	O
280	CM	125	CM	120 LEVEL CM	6522,3273 litre	47,454 %	7222,1406 litre	O
280	CM	125	CM	119 LEVEL CM	6452,3953 litre	46,945 %	7292,0726 litre	O
280	CM	125	CM	118 LEVEL CM	6382,4902 litre	46,437 %	7361,9777 litre	O
280	CM	125	CM	117 LEVEL CM	6312,6165 litre	45,928 %	7431,8514 litre	O
280	CM	125	CM	116 LEVEL CM	6242,7787 litre	45,420 %	7501,6892 litre	O
280	CM	125	CM	115 LEVEL CM	6172,9813 litre	44,912 %	7571,4866 litre	O
280	CM	125	CM	114 LEVEL CM	6103,2289 litre	44,405 %	7641,2390 litre	O
280	CM	125	CM	113 LEVEL CM	6033,5260 litre	43,898 %	7710,9419 litre	O
280	CM	125	CM	112 LEVEL CM	5963,8770 litre	43,391 %	7780,5909 litre	O
280	CM	125	CM	111 LEVEL CM	5894,2867 litre	42,885 %	7850,1812 litre	O
280	CM	125	CM	110 LEVEL CM	5824,7594 litre	42,379 %	7919,7085 litre	O
280	CM	125	CM	109 LEVEL CM	5755,2998 litre	41,874 %	7989,1681 litre	O
280	CM	125	CM	108 LEVEL CM	5685,9125 litre	41,369 %	8058,5554 litre	O
280	CM	125	CM	107 LEVEL CM	5616,6021 litre	40,864 %	8127,8658 litre	O
280	CM	125	CM	106 LEVEL CM	5547,3732 litre	40,361 %	8197,0947 litre	O
280	CM	125	CM	105 LEVEL CM	5478,2304 litre	39,858 %	8266,2375 litre	O
280	CM	125	CM	104 LEVEL CM	5409,1784 litre	39,355 %	8335,2895 litre	O
280	CM	125	CM	103 LEVEL CM	5340,2218 litre	38,854 %	8404,2461 litre	O
280	CM	125	CM	102 LEVEL CM	5271,3653 litre	38,353 %	8473,1026 litre	O
280	CM	125	CM	101 LEVEL CM	5202,6137 litre	37,852 %	8541,8542 litre	O
280	CM	125	CM	100 LEVEL CM	5133,9716 litre	37,353 %	8610,4963 litre	O
280	CM	125	CM	99 LEVEL CM	5065,4439 litre	36,854 %	8679,0240 litre	O
280	CM	125	CM	98 LEVEL CM	4997,0352 litre	36,357 %	8747,4327 litre	O
280	CM	125	CM	97 LEVEL CM	4928,7504 litre	35,860 %	8815,7175 litre	O
280	CM	125	CM	96 LEVEL CM	4860,5943 litre	35,364 %	8883,8736 litre	O
280	CM	125	CM	95 LEVEL CM	4792,5718 litre	34,869 %	8951,8961 litre	O
280	CM	125	CM	94 LEVEL CM	4724,6877 litre	34,375 %	9019,7802 litre	O
280	CM	125	CM	93 LEVEL CM	4656,9470 litre	33,882 %	9087,5209 litre	O

280	CM	125	CM	92 LEVEL CM	4589,3546 litre	33,391 %	9155,1133 litre	O
280	CM	125	CM	91 LEVEL CM	4521,9155 litre	32,900 %	9222,5524 litre	O
280	CM	125	CM	90 LEVEL CM	4454,6347 litre	32,410 %	9289,8332 litre	O
280	CM	125	CM	89 LEVEL CM	4387,5172 litre	31,922 %	9356,9507 litre	O
280	CM	125	CM	88 LEVEL CM	4320,5681 litre	31,435 %	9423,8998 litre	O
280	CM	125	CM	87 LEVEL CM	4253,7926 litre	30,949 %	9490,6753 litre	O
280	CM	125	CM	86 LEVEL CM	4187,1958 litre	30,465 %	9557,2721 litre	O
280	CM	125	CM	85 LEVEL CM	4120,7829 litre	29,981 %	9623,6850 litre	O
280	CM	125	CM	84 LEVEL CM	4054,5591 litre	29,500 %	9689,9088 litre	O
280	CM	125	CM	83 LEVEL CM	3988,5298 litre	29,019 %	9755,9381 litre	O
280	CM	125	CM	82 LEVEL CM	3922,7002 litre	28,540 %	9821,7677 litre	O
280	CM	125	CM	81 LEVEL CM	3857,0758 litre	28,063 %	9887,3921 litre	O
280	CM	125	CM	80 LEVEL CM	3791,6620 litre	27,587 %	9952,8059 litre	O
280	CM	125	CM	79 LEVEL CM	3726,4643 litre	27,112 %	10018,0036 litre	O
280	CM	125	CM	78 LEVEL CM	3661,4883 litre	26,640 %	10082,9796 litre	O
280	CM	125	CM	77 LEVEL CM	3596,7394 litre	26,169 %	10147,7285 litre	O
280	CM	125	CM	76 LEVEL CM	3532,2235 litre	25,699 %	10212,2444 litre	O
280	CM	125	CM	75 LEVEL CM	3467,9462 litre	25,232 %	10276,5217 litre	O
280	CM	125	CM	74 LEVEL CM	3403,9133 litre	24,766 %	10340,5546 litre	O
280	CM	125	CM	73 LEVEL CM	3340,1307 litre	24,302 %	10404,3372 litre	O
280	CM	125	CM	72 LEVEL CM	3276,6043 litre	23,839 %	10467,8636 litre	O
280	CM	125	CM	71 LEVEL CM	3213,3400 litre	23,379 %	10531,1279 litre	O
280	CM	125	CM	70 LEVEL CM	3150,3440 litre	22,921 %	10594,1239 litre	O
280	CM	125	CM	69 LEVEL CM	3087,6224 litre	22,464 %	10656,8455 litre	O
280	CM	125	CM	68 LEVEL CM	3025,1814 litre	22,010 %	10719,2865 litre	O
280	CM	125	CM	67 LEVEL CM	2963,0274 litre	21,558 %	10781,4405 litre	O
280	CM	125	CM	66 LEVEL CM	2901,1666 litre	21,108 %	10843,3013 litre	O
280	CM	125	CM	65 LEVEL CM	2839,6057 litre	20,660 %	10904,8622 litre	O
280	CM	125	CM	64 LEVEL CM	2778,3513 litre	20,214 %	10966,1166 litre	O
280	CM	125	CM	63 LEVEL CM	2717,4099 litre	19,771 %	11027,0580 litre	O
280	CM	125	CM	62 LEVEL CM	2656,7884 litre	19,330 %	11087,6795 litre	O
280	CM	125	CM	61 LEVEL CM	2596,4937 litre	18,891 %	11147,9742 litre	O
280	CM	125	CM	60 LEVEL CM	2536,5328 litre	18,455 %	11207,9351 litre	O
280	CM	125	CM	59 LEVEL CM	2476,9128 litre	18,021 %	11267,5551 litre	O
280	CM	125	CM	58 LEVEL CM	2417,6410 litre	17,590 %	11326,8269 litre	O
280	CM	125	CM	57 LEVEL CM	2358,7248 litre	17,161 %	11385,7431 litre	O
280	CM	125	CM	56 LEVEL CM	2300,1716 litre	16,735 %	11444,2963 litre	O
280	CM	125	CM	55 LEVEL CM	2241,9892 litre	16,312 %	11502,4787 litre	O
280	CM	125	CM	54 LEVEL CM	2184,1853 litre	15,891 %	11560,2826 litre	O
280	CM	125	CM	53 LEVEL CM	2126,7678 litre	15,474 %	11617,7001 litre	O
280	CM	125	CM	52 LEVEL CM	2069,7450 litre	15,059 %	11674,7229 litre	O
280	CM	125	CM	51 LEVEL CM	2013,1251 litre	14,647 %	11731,3428 litre	O
280	CM	125	CM	50 LEVEL CM	1956,9166 litre	14,238 %	11787,5513 litre	O
280	CM	125	CM	49 LEVEL CM	1901,1280 litre	13,832 %	11843,3399 litre	O
280	CM	125	CM	48 LEVEL CM	1845,7684 litre	13,429 %	11898,6995 litre	O
280	CM	125	CM	47 LEVEL CM	1790,8466 litre	13,030 %	11953,6213 litre	O
280	CM	125	CM	46 LEVEL CM	1736,3721 litre	12,633 %	12008,0958 litre	O
280	CM	125	CM	45 LEVEL CM	1682,3543 litre	12,240 %	12062,1136 litre	O
280	CM	125	CM	44 LEVEL CM	1628,8029 litre	11,851 %	12115,6650 litre	O
280	CM	125	CM	43 LEVEL CM	1575,7280 litre	11,464 %	12168,7399 litre	O
280	CM	125	CM	42 LEVEL CM	1523,1399 litre	11,082 %	12221,3280 litre	O
280	CM	125	CM	41 LEVEL CM	1471,0490 litre	10,703 %	12273,4189 litre	O
280	CM	125	CM	40 LEVEL CM	1419,4664 litre	10,328 %	12325,0015 litre	O

280	CM	125	CM	39 LEVEL CM	1368,4031 litre	9,956 %	12376,0648 litre	O
280	CM	125	CM	38 LEVEL CM	1317,8708 litre	9,588 %	12426,5971 litre	O
280	CM	125	CM	37 LEVEL CM	1267,8813 litre	9,225 %	12476,5866 litre	O
280	CM	125	CM	36 LEVEL CM	1218,4470 litre	8,865 %	12526,0209 litre	O
280	CM	125	CM	35 LEVEL CM	1169,5805 litre	8,509 %	12574,8874 litre	O
280	CM	125	CM	34 LEVEL CM	1121,2951 litre	8,158 %	12623,1728 litre	O
280	CM	125	CM	33 LEVEL CM	1073,6043 litre	7,811 %	12670,8636 litre	O
280	CM	125	CM	32 LEVEL CM	1026,5225 litre	7,469 %	12717,9454 litre	O
280	CM	125	CM	31 LEVEL CM	980,0642 litre	7,131 %	12764,4037 litre	O
280	CM	125	CM	30 LEVEL CM	934,2448 litre	6,797 %	12810,2231 litre	O
280	CM	125	CM	29 LEVEL CM	889,0804 litre	6,469 %	12855,3875 litre	O
280	CM	125	CM	28 LEVEL CM	844,5875 litre	6,145 %	12899,8804 litre	O
280	CM	125	CM	27 LEVEL CM	800,7837 litre	5,826 %	12943,6842 litre	O
280	CM	125	CM	26 LEVEL CM	757,6873 litre	5,513 %	12986,7806 litre	O
280	CM	125	CM	25 LEVEL CM	715,3174 litre	5,204 %	13029,1505 litre	O
280	CM	125	CM	24 LEVEL CM	673,6942 litre	4,902 %	13070,7737 litre	O
280	CM	125	CM	23 LEVEL CM	632,8391 litre	4,604 %	13111,6288 litre	O
280	CM	125	CM	22 LEVEL CM	592,7747 litre	4,313 %	13151,6932 litre	O
280	CM	125	CM	21 LEVEL CM	553,5247 litre	4,027 %	13190,9432 litre	O
280	CM	125	CM	20 LEVEL CM	515,1148 litre	3,748 %	13229,3531 litre	O
280	CM	125	CM	19 LEVEL CM	477,5720 litre	3,475 %	13266,8959 litre	O
280	CM	125	CM	18 LEVEL CM	440,9254 litre	3,208 %	13303,5425 litre	O
280	CM	125	CM	17 LEVEL CM	405,2062 litre	2,948 %	13339,2617 litre	O
280	CM	125	CM	16 LEVEL CM	370,4482 litre	2,695 %	13374,0197 litre	O
280	CM	125	CM	15 LEVEL CM	336,6881 litre	2,450 %	13407,7798 litre	O
280	CM	125	CM	14 LEVEL CM	303,9659 litre	2,212 %	13440,5020 litre	O
280	CM	125	CM	13 LEVEL CM	272,3254 litre	1,981 %	13472,1425 litre	O
280	CM	125	CM	12 LEVEL CM	241,8154 litre	1,759 %	13502,6525 litre	O
280	CM	125	CM	11 LEVEL CM	212,4900 litre	1,546 %	13531,9779 litre	O
280	CM	125	CM	10 LEVEL CM	184,4104 litre	1,342 %	13560,0575 litre	O
280	CM	125	CM	9 LEVEL CM	157,6463 litre	1,147 %	13586,8216 litre	O
280	CM	125	CM	8 LEVEL CM	132,2781 litre	0,962 %	13612,1898 litre	O
280	CM	125	CM	7 LEVEL CM	108,4006 litre	0,789 %	13636,0673 litre	O
280	CM	125	CM	6 LEVEL CM	86,1275 litre	0,627 %	13658,3404 litre	O
280	CM	125	CM	5 LEVEL CM	65,5992 litre	0,477 %	13678,8687 litre	O
280	CM	125	CM	4 LEVEL CM	46,9960 litre	0,342 %	13697,4719 litre	O
280	CM	125	CM	3 LEVEL CM	30,5618 litre	0,222 %	13713,9061 litre	O
280	CM	125	CM	2 LEVEL CM	16,6558 litre	0,121 %	13727,8121 litre	O
280	CM	125	CM	1 LEVEL CM	5,8958 litre	0,043 %	13738,5721 litre	O
280	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	13744,4679 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM	120	CM 240 LEVEL CM	12666,9016 litre	100,000 %	0,0000 litre	O
280	CM	120	CM 239 LEVEL CM	12661,1252 litre	99,954 %	5,7764 litre	O
280	CM	120	CM 238 LEVEL CM	12650,5839 litre	99,871 %	16,3177 litre	O
280	CM	120	CM 237 LEVEL CM	12636,9618 litre	99,764 %	29,9398 litre	O
280	CM	120	CM 236 LEVEL CM	12620,8644 litre	99,637 %	46,0372 litre	O
280	CM	120	CM 235 LEVEL CM	12602,6440 litre	99,493 %	64,2576 litre	O
280	CM	120	CM 234 LEVEL CM	12582,5399 litre	99,334 %	84,3617 litre	O
280	CM	120	CM 233 LEVEL CM	12560,7290 litre	99,162 %	106,1726 litre	O
280	CM	120	CM 232 LEVEL CM	12537,3490 litre	98,977 %	129,5526 litre	O
280	CM	120	CM 231 LEVEL CM	12512,5116 litre	98,781 %	154,3900 litre	O
280	CM	120	CM 230 LEVEL CM	12486,3098 litre	98,574 %	180,5918 litre	O
280	CM	120	CM 229 LEVEL CM	12458,8227 litre	98,357 %	208,0789 litre	O
280	CM	120	CM 228 LEVEL CM	12430,1187 litre	98,131 %	236,7829 litre	O
280	CM	120	CM 227 LEVEL CM	12400,2579 litre	97,895 %	266,6437 litre	O
280	CM	120	CM 226 LEVEL CM	12369,2936 litre	97,651 %	297,6080 litre	O
280	CM	120	CM 225 LEVEL CM	12337,2737 litre	97,398 %	329,6279 litre	O
280	CM	120	CM 224 LEVEL CM	12304,2412 litre	97,137 %	362,6604 litre	O
280	CM	120	CM 223 LEVEL CM	12270,2357 litre	96,868 %	396,6659 litre	O
280	CM	120	CM 222 LEVEL CM	12235,2931 litre	96,593 %	431,6085 litre	O
280	CM	120	CM 221 LEVEL CM	12199,4467 litre	96,310 %	467,4549 litre	O
280	CM	120	CM 220 LEVEL CM	12162,7274 litre	96,020 %	504,1742 litre	O
280	CM	120	CM 219 LEVEL CM	12125,1636 litre	95,723 %	541,7380 litre	O
280	CM	120	CM 218 LEVEL CM	12086,7821 litre	95,420 %	580,1195 litre	O
280	CM	120	CM 217 LEVEL CM	12047,6081 litre	95,111 %	619,2935 litre	O
280	CM	120	CM 216 LEVEL CM	12007,6651 litre	94,796 %	659,2365 litre	O
280	CM	120	CM 215 LEVEL CM	11966,9753 litre	94,474 %	699,9263 litre	O
280	CM	120	CM 214 LEVEL CM	11925,5598 litre	94,147 %	741,3418 litre	O
280	CM	120	CM 213 LEVEL CM	11883,4385 litre	93,815 %	783,4631 litre	O
280	CM	120	CM 212 LEVEL CM	11840,6304 litre	93,477 %	826,2712 litre	O
280	CM	120	CM 211 LEVEL CM	11797,1535 litre	93,134 %	869,7481 litre	O
280	CM	120	CM 210 LEVEL CM	11753,0251 litre	92,785 %	913,8765 litre	O
280	CM	120	CM 209 LEVEL CM	11708,2616 litre	92,432 %	958,6400 litre	O
280	CM	120	CM 208 LEVEL CM	11662,8789 litre	92,074 %	1004,0227 litre	O
280	CM	120	CM 207 LEVEL CM	11616,8922 litre	91,711 %	1050,0094 litre	O
280	CM	120	CM 206 LEVEL CM	11570,3158 litre	91,343 %	1096,5858 litre	O
280	CM	120	CM 205 LEVEL CM	11523,1640 litre	90,971 %	1143,7376 litre	O
280	CM	120	CM 204 LEVEL CM	11475,4503 litre	90,594 %	1191,4513 litre	O
280	CM	120	CM 203 LEVEL CM	11427,1875 litre	90,213 %	1239,7141 litre	O
280	CM	120	CM 202 LEVEL CM	11378,3884 litre	89,828 %	1288,5132 litre	O
280	CM	120	CM 201 LEVEL CM	11329,0652 litre	89,438 %	1337,8364 litre	O
280	CM	120	CM 200 LEVEL CM	11279,2296 litre	89,045 %	1387,6720 litre	O
280	CM	120	CM 199 LEVEL CM	11228,8931 litre	88,648 %	1438,0085 litre	O
280	CM	120	CM 198 LEVEL CM	11178,0668 litre	88,246 %	1488,8348 litre	O
280	CM	120	CM 197 LEVEL CM	11126,7615 litre	87,841 %	1540,1401 litre	O
280	CM	120	CM 196 LEVEL CM	11074,9877 litre	87,432 %	1591,9139 litre	O
280	CM	120	CM 195 LEVEL CM	11022,7555 litre	87,020 %	1644,1461 litre	O
280	CM	120	CM 194 LEVEL CM	10970,0750 litre	86,604 %	1696,8266 litre	O
280	CM	120	CM 193 LEVEL CM	10916,9557 litre	86,185 %	1749,9459 litre	O
280	CM	120	CM 192 LEVEL CM	10863,4073 litre	85,762 %	1803,4943 litre	O
280	CM	120	CM 191 LEVEL CM	10809,4388 litre	85,336 %	1857,4628 litre	O
280	CM	120	CM 190 LEVEL CM	10755,0593 litre	84,907 %	1911,8423 litre	O
280	CM	120	CM 189 LEVEL CM	10700,2776 litre	84,474 %	1966,6240 litre	O

280	CM	120	CM	188 LEVEL CM	10645,1023 litre	84,039 %	2021,7993 litre	O
280	CM	120	CM	187 LEVEL CM	10589,5419 litre	83,600 %	2077,3597 litre	O
280	CM	120	CM	186 LEVEL CM	10533,6045 litre	83,158 %	2133,2971 litre	O
280	CM	120	CM	185 LEVEL CM	10477,2984 litre	82,714 %	2189,6032 litre	O
280	CM	120	CM	184 LEVEL CM	10420,6314 litre	82,267 %	2246,2702 litre	O
280	CM	120	CM	183 LEVEL CM	10363,6113 litre	81,816 %	2303,2903 litre	O
280	CM	120	CM	182 LEVEL CM	10306,2458 litre	81,364 %	2360,6558 litre	O
280	CM	120	CM	181 LEVEL CM	10248,5423 litre	80,908 %	2418,3593 litre	O
280	CM	120	CM	180 LEVEL CM	10190,5083 litre	80,450 %	2476,3933 litre	O
280	CM	120	CM	179 LEVEL CM	10132,1509 litre	79,989 %	2534,7507 litre	O
280	CM	120	CM	178 LEVEL CM	10073,4773 litre	79,526 %	2593,4243 litre	O
280	CM	120	CM	177 LEVEL CM	10014,4946 litre	79,060 %	2652,4070 litre	O
280	CM	120	CM	176 LEVEL CM	9955,2095 litre	78,592 %	2711,6921 litre	O
280	CM	120	CM	175 LEVEL CM	9895,6290 litre	78,122 %	2771,2726 litre	O
280	CM	120	CM	174 LEVEL CM	9835,7596 litre	77,649 %	2831,1420 litre	O
280	CM	120	CM	173 LEVEL CM	9775,6081 litre	77,174 %	2891,2935 litre	O
280	CM	120	CM	172 LEVEL CM	9715,1809 litre	76,697 %	2951,7207 litre	O
280	CM	120	CM	171 LEVEL CM	9654,4844 litre	76,218 %	3012,4172 litre	O
280	CM	120	CM	170 LEVEL CM	9593,5250 litre	75,737 %	3073,3766 litre	O
280	CM	120	CM	169 LEVEL CM	9532,3089 litre	75,254 %	3134,5927 litre	O
280	CM	120	CM	168 LEVEL CM	9470,8423 litre	74,768 %	3196,0593 litre	O
280	CM	120	CM	167 LEVEL CM	9409,1313 litre	74,281 %	3257,7703 litre	O
280	CM	120	CM	166 LEVEL CM	9347,1819 litre	73,792 %	3319,7197 litre	O
280	CM	120	CM	165 LEVEL CM	9285,0001 litre	73,301 %	3381,9015 litre	O
280	CM	120	CM	164 LEVEL CM	9222,5917 litre	72,809 %	3444,3099 litre	O
280	CM	120	CM	163 LEVEL CM	9159,9627 litre	72,314 %	3506,9389 litre	O
280	CM	120	CM	162 LEVEL CM	9097,1187 litre	71,818 %	3569,7829 litre	O
280	CM	120	CM	161 LEVEL CM	9034,0654 litre	71,320 %	3632,8362 litre	O
280	CM	120	CM	160 LEVEL CM	8970,8086 litre	70,821 %	3696,0930 litre	O
280	CM	120	CM	159 LEVEL CM	8907,3537 litre	70,320 %	3759,5479 litre	O
280	CM	120	CM	158 LEVEL CM	8843,7064 litre	69,817 %	3823,1952 litre	O
280	CM	120	CM	157 LEVEL CM	8779,8722 litre	69,313 %	3887,0294 litre	O
280	CM	120	CM	156 LEVEL CM	8715,8564 litre	68,808 %	3951,0452 litre	O
280	CM	120	CM	155 LEVEL CM	8651,6646 litre	68,301 %	4015,2370 litre	O
280	CM	120	CM	154 LEVEL CM	8587,3019 litre	67,793 %	4079,5997 litre	O
280	CM	120	CM	153 LEVEL CM	8522,7738 litre	67,284 %	4144,1278 litre	O
280	CM	120	CM	152 LEVEL CM	8458,0856 litre	66,773 %	4208,8160 litre	O
280	CM	120	CM	151 LEVEL CM	8393,2423 litre	66,261 %	4273,6593 litre	O
280	CM	120	CM	150 LEVEL CM	8328,2494 litre	65,748 %	4338,6522 litre	O
280	CM	120	CM	149 LEVEL CM	8263,1118 litre	65,234 %	4403,7898 litre	O
280	CM	120	CM	148 LEVEL CM	8197,8348 litre	64,719 %	4469,0668 litre	O
280	CM	120	CM	147 LEVEL CM	8132,4234 litre	64,202 %	4534,4782 litre	O
280	CM	120	CM	146 LEVEL CM	8066,8827 litre	63,685 %	4600,0189 litre	O
280	CM	120	CM	145 LEVEL CM	8001,2176 litre	63,166 %	4665,6840 litre	O
280	CM	120	CM	144 LEVEL CM	7935,4333 litre	62,647 %	4731,4683 litre	O
280	CM	120	CM	143 LEVEL CM	7869,5347 litre	62,127 %	4797,3669 litre	O
280	CM	120	CM	142 LEVEL CM	7803,5267 litre	61,606 %	4863,3749 litre	O
280	CM	120	CM	141 LEVEL CM	7737,4143 litre	61,084 %	4929,4873 litre	O
280	CM	120	CM	140 LEVEL CM	7671,2024 litre	60,561 %	4995,6992 litre	O
280	CM	120	CM	139 LEVEL CM	7604,8958 litre	60,038 %	5062,0058 litre	O
280	CM	120	CM	138 LEVEL CM	7538,4994 litre	59,513 %	5128,4022 litre	O
280	CM	120	CM	137 LEVEL CM	7472,0180 litre	58,989 %	5194,8836 litre	O
280	CM	120	CM	136 LEVEL CM	7405,4565 litre	58,463 %	5261,4451 litre	O

280	CM	120	CM	135 LEVEL CM	7338,8196 litre	57,937 %	5328,0820 litre	O
280	CM	120	CM	134 LEVEL CM	7272,1122 litre	57,410 %	5394,7894 litre	O
280	CM	120	CM	133 LEVEL CM	7205,3390 litre	56,883 %	5461,5626 litre	O
280	CM	120	CM	132 LEVEL CM	7138,5048 litre	56,356 %	5528,3968 litre	O
280	CM	120	CM	131 LEVEL CM	7071,6143 litre	55,827 %	5595,2873 litre	O
280	CM	120	CM	130 LEVEL CM	7004,6722 litre	55,299 %	5662,2294 litre	O
280	CM	120	CM	129 LEVEL CM	6937,6833 litre	54,770 %	5729,2183 litre	O
280	CM	120	CM	128 LEVEL CM	6870,6523 litre	54,241 %	5796,2493 litre	O
280	CM	120	CM	127 LEVEL CM	6803,5839 litre	53,712 %	5863,3177 litre	O
280	CM	120	CM	126 LEVEL CM	6736,4827 litre	53,182 %	5930,4189 litre	O
280	CM	120	CM	125 LEVEL CM	6669,3535 litre	52,652 %	5997,5481 litre	O
280	CM	120	CM	124 LEVEL CM	6602,2010 litre	52,122 %	6064,7006 litre	O
280	CM	120	CM	123 LEVEL CM	6535,0298 litre	51,591 %	6131,8718 litre	O
280	CM	120	CM	122 LEVEL CM	6467,8446 litre	51,061 %	6199,0570 litre	O
280	CM	120	CM	121 LEVEL CM	6400,6500 litre	50,531 %	6266,2516 litre	O
280	CM	120	CM	120 LEVEL CM	6333,4508 litre	50,000 %	6333,4508 litre	O
280	CM	120	CM	119 LEVEL CM	6266,2516 litre	49,469 %	6400,6500 litre	O
280	CM	120	CM	118 LEVEL CM	6199,0570 litre	48,939 %	6467,8446 litre	O
280	CM	120	CM	117 LEVEL CM	6131,8718 litre	48,409 %	6535,0298 litre	O
280	CM	120	CM	116 LEVEL CM	6064,7006 litre	47,878 %	6602,2010 litre	O
280	CM	120	CM	115 LEVEL CM	5997,5480 litre	47,348 %	6669,3536 litre	O
280	CM	120	CM	114 LEVEL CM	5930,4189 litre	46,818 %	6736,4827 litre	O
280	CM	120	CM	113 LEVEL CM	5863,3177 litre	46,288 %	6803,5839 litre	O
280	CM	120	CM	112 LEVEL CM	5796,2493 litre	45,759 %	6870,6523 litre	O
280	CM	120	CM	111 LEVEL CM	5729,2183 litre	45,230 %	6937,6833 litre	O
280	CM	120	CM	110 LEVEL CM	5662,2294 litre	44,701 %	7004,6722 litre	O
280	CM	120	CM	109 LEVEL CM	5595,2873 litre	44,173 %	7071,6143 litre	O
280	CM	120	CM	108 LEVEL CM	5528,3968 litre	43,644 %	7138,5048 litre	O
280	CM	120	CM	107 LEVEL CM	5461,5626 litre	43,117 %	7205,3390 litre	O
280	CM	120	CM	106 LEVEL CM	5394,7894 litre	42,590 %	7272,1122 litre	O
280	CM	120	CM	105 LEVEL CM	5328,0820 litre	42,063 %	7338,8196 litre	O
280	CM	120	CM	104 LEVEL CM	5261,4451 litre	41,537 %	7405,4565 litre	O
280	CM	120	CM	103 LEVEL CM	5194,8836 litre	41,011 %	7472,0180 litre	O
280	CM	120	CM	102 LEVEL CM	5128,4022 litre	40,487 %	7538,4994 litre	O
280	CM	120	CM	101 LEVEL CM	5062,0058 litre	39,962 %	7604,8958 litre	O
280	CM	120	CM	100 LEVEL CM	4995,6992 litre	39,439 %	7671,2024 litre	O
280	CM	120	CM	99 LEVEL CM	4929,4872 litre	38,916 %	7737,4144 litre	O
280	CM	120	CM	98 LEVEL CM	4863,3748 litre	38,394 %	7803,5268 litre	O
280	CM	120	CM	97 LEVEL CM	4797,3669 litre	37,873 %	7869,5347 litre	O
280	CM	120	CM	96 LEVEL CM	4731,4682 litre	37,353 %	7935,4334 litre	O
280	CM	120	CM	95 LEVEL CM	4665,6839 litre	36,834 %	8001,2177 litre	O
280	CM	120	CM	94 LEVEL CM	4600,0189 litre	36,315 %	8066,8827 litre	O
280	CM	120	CM	93 LEVEL CM	4534,4782 litre	35,798 %	8132,4234 litre	O
280	CM	120	CM	92 LEVEL CM	4469,0668 litre	35,281 %	8197,8348 litre	O
280	CM	120	CM	91 LEVEL CM	4403,7898 litre	34,766 %	8263,1118 litre	O
280	CM	120	CM	90 LEVEL CM	4338,6522 litre	34,252 %	8328,2494 litre	O
280	CM	120	CM	89 LEVEL CM	4273,6592 litre	33,739 %	8393,2424 litre	O
280	CM	120	CM	88 LEVEL CM	4208,8160 litre	33,227 %	8458,0856 litre	O
280	CM	120	CM	87 LEVEL CM	4144,1278 litre	32,716 %	8522,7738 litre	O
280	CM	120	CM	86 LEVEL CM	4079,5997 litre	32,207 %	8587,3019 litre	O
280	CM	120	CM	85 LEVEL CM	4015,2370 litre	31,699 %	8651,6646 litre	O
280	CM	120	CM	84 LEVEL CM	3951,0452 litre	31,192 %	8715,8564 litre	O
280	CM	120	CM	83 LEVEL CM	3887,0294 litre	30,687 %	8779,8722 litre	O

280	CM	120	CM	82 LEVEL CM	3823,1951 litre	30,183 %	8843,7065 litre	O
280	CM	120	CM	81 LEVEL CM	3759,5479 litre	29,680 %	8907,3537 litre	O
280	CM	120	CM	80 LEVEL CM	3696,0930 litre	29,179 %	8970,8086 litre	O
280	CM	120	CM	79 LEVEL CM	3632,8362 litre	28,680 %	9034,0654 litre	O
280	CM	120	CM	78 LEVEL CM	3569,7829 litre	28,182 %	9097,1187 litre	O
280	CM	120	CM	77 LEVEL CM	3506,9389 litre	27,686 %	9159,9627 litre	O
280	CM	120	CM	76 LEVEL CM	3444,3098 litre	27,191 %	9222,5918 litre	O
280	CM	120	CM	75 LEVEL CM	3381,9015 litre	26,699 %	9285,0001 litre	O
280	CM	120	CM	74 LEVEL CM	3319,7197 litre	26,208 %	9347,1819 litre	O
280	CM	120	CM	73 LEVEL CM	3257,7703 litre	25,719 %	9409,1313 litre	O
280	CM	120	CM	72 LEVEL CM	3196,0593 litre	25,232 %	9470,8423 litre	O
280	CM	120	CM	71 LEVEL CM	3134,5926 litre	24,746 %	9532,3090 litre	O
280	CM	120	CM	70 LEVEL CM	3073,3766 litre	24,263 %	9593,5250 litre	O
280	CM	120	CM	69 LEVEL CM	3012,4171 litre	23,782 %	9654,4845 litre	O
280	CM	120	CM	68 LEVEL CM	2951,7207 litre	23,303 %	9715,1809 litre	O
280	CM	120	CM	67 LEVEL CM	2891,2935 litre	22,826 %	9775,6081 litre	O
280	CM	120	CM	66 LEVEL CM	2831,1419 litre	22,351 %	9835,7597 litre	O
280	CM	120	CM	65 LEVEL CM	2771,2726 litre	21,878 %	9895,6290 litre	O
280	CM	120	CM	64 LEVEL CM	2711,6921 litre	21,408 %	9955,2095 litre	O
280	CM	120	CM	63 LEVEL CM	2652,4070 litre	20,940 %	10014,4946 litre	O
280	CM	120	CM	62 LEVEL CM	2593,4243 litre	20,474 %	10073,4773 litre	O
280	CM	120	CM	61 LEVEL CM	2534,7507 litre	20,011 %	10132,1509 litre	O
280	CM	120	CM	60 LEVEL CM	2476,3933 litre	19,550 %	10190,5083 litre	O
280	CM	120	CM	59 LEVEL CM	2418,3593 litre	19,092 %	10248,5423 litre	O
280	CM	120	CM	58 LEVEL CM	2360,6558 litre	18,636 %	10306,2458 litre	O
280	CM	120	CM	57 LEVEL CM	2303,2903 litre	18,184 %	10363,6113 litre	O
280	CM	120	CM	56 LEVEL CM	2246,2702 litre	17,733 %	10420,6314 litre	O
280	CM	120	CM	55 LEVEL CM	2189,6032 litre	17,286 %	10477,2984 litre	O
280	CM	120	CM	54 LEVEL CM	2133,2970 litre	16,842 %	10533,6046 litre	O
280	CM	120	CM	53 LEVEL CM	2077,3597 litre	16,400 %	10589,5419 litre	O
280	CM	120	CM	52 LEVEL CM	2021,7993 litre	15,961 %	10645,1023 litre	O
280	CM	120	CM	51 LEVEL CM	1966,6240 litre	15,526 %	10700,2776 litre	O
280	CM	120	CM	50 LEVEL CM	1911,8423 litre	15,093 %	10755,0593 litre	O
280	CM	120	CM	49 LEVEL CM	1857,4628 litre	14,664 %	10809,4388 litre	O
280	CM	120	CM	48 LEVEL CM	1803,4943 litre	14,238 %	10863,4073 litre	O
280	CM	120	CM	47 LEVEL CM	1749,9458 litre	13,815 %	10916,9558 litre	O
280	CM	120	CM	46 LEVEL CM	1696,8266 litre	13,396 %	10970,0750 litre	O
280	CM	120	CM	45 LEVEL CM	1644,1461 litre	12,980 %	11022,7555 litre	O
280	CM	120	CM	44 LEVEL CM	1591,9139 litre	12,568 %	11074,9877 litre	O
280	CM	120	CM	43 LEVEL CM	1540,1401 litre	12,159 %	11126,7615 litre	O
280	CM	120	CM	42 LEVEL CM	1488,8348 litre	11,754 %	11178,0668 litre	O
280	CM	120	CM	41 LEVEL CM	1438,0085 litre	11,352 %	11228,8931 litre	O
280	CM	120	CM	40 LEVEL CM	1387,6720 litre	10,955 %	11279,2296 litre	O
280	CM	120	CM	39 LEVEL CM	1337,8364 litre	10,562 %	11329,0652 litre	O
280	CM	120	CM	38 LEVEL CM	1288,5131 litre	10,172 %	11378,3885 litre	O
280	CM	120	CM	37 LEVEL CM	1239,7141 litre	9,787 %	11427,1875 litre	O
280	CM	120	CM	36 LEVEL CM	1191,4513 litre	9,406 %	11475,4503 litre	O
280	CM	120	CM	35 LEVEL CM	1143,7375 litre	9,029 %	11523,1641 litre	O
280	CM	120	CM	34 LEVEL CM	1096,5857 litre	8,657 %	11570,3159 litre	O
280	CM	120	CM	33 LEVEL CM	1050,0094 litre	8,289 %	11616,8922 litre	O
280	CM	120	CM	32 LEVEL CM	1004,0226 litre	7,926 %	11662,8790 litre	O
280	CM	120	CM	31 LEVEL CM	958,6399 litre	7,568 %	11708,2617 litre	O
280	CM	120	CM	30 LEVEL CM	913,8765 litre	7,215 %	11753,0251 litre	O

280	CM	120	CM	29 LEVEL CM	869,7481 litre	6,866 %	11797,1535 litre	O
280	CM	120	CM	28 LEVEL CM	826,2712 litre	6,523 %	11840,6304 litre	O
280	CM	120	CM	27 LEVEL CM	783,4631 litre	6,185 %	11883,4385 litre	O
280	CM	120	CM	26 LEVEL CM	741,3418 litre	5,853 %	11925,5598 litre	O
280	CM	120	CM	25 LEVEL CM	699,9263 litre	5,526 %	11966,9753 litre	O
280	CM	120	CM	24 LEVEL CM	659,2365 litre	5,204 %	12007,6651 litre	O
280	CM	120	CM	23 LEVEL CM	619,2935 litre	4,889 %	12047,6081 litre	O
280	CM	120	CM	22 LEVEL CM	580,1194 litre	4,580 %	12086,7822 litre	O
280	CM	120	CM	21 LEVEL CM	541,7380 litre	4,277 %	12125,1636 litre	O
280	CM	120	CM	20 LEVEL CM	504,1742 litre	3,980 %	12162,7274 litre	O
280	CM	120	CM	19 LEVEL CM	467,4548 litre	3,690 %	12199,4468 litre	O
280	CM	120	CM	18 LEVEL CM	431,6085 litre	3,407 %	12235,2931 litre	O
280	CM	120	CM	17 LEVEL CM	396,6659 litre	3,132 %	12270,2357 litre	O
280	CM	120	CM	16 LEVEL CM	362,6604 litre	2,863 %	12304,2412 litre	O
280	CM	120	CM	15 LEVEL CM	329,6279 litre	2,602 %	12337,2737 litre	O
280	CM	120	CM	14 LEVEL CM	297,6080 litre	2,349 %	12369,2936 litre	O
280	CM	120	CM	13 LEVEL CM	266,6437 litre	2,105 %	12400,2579 litre	O
280	CM	120	CM	12 LEVEL CM	236,7829 litre	1,869 %	12430,1187 litre	O
280	CM	120	CM	11 LEVEL CM	208,0789 litre	1,643 %	12458,8227 litre	O
280	CM	120	CM	10 LEVEL CM	180,5918 litre	1,426 %	12486,3098 litre	O
280	CM	120	CM	9 LEVEL CM	154,3900 litre	1,219 %	12512,5116 litre	O
280	CM	120	CM	8 LEVEL CM	129,5526 litre	1,023 %	12537,3490 litre	O
280	CM	120	CM	7 LEVEL CM	106,1726 litre	0,838 %	12560,7290 litre	O
280	CM	120	CM	6 LEVEL CM	84,3616 litre	0,666 %	12582,5400 litre	O
280	CM	120	CM	5 LEVEL CM	64,2576 litre	0,507 %	12602,6440 litre	O
280	CM	120	CM	4 LEVEL CM	46,0372 litre	0,363 %	12620,8644 litre	O
280	CM	120	CM	3 LEVEL CM	29,9398 litre	0,236 %	12636,9618 litre	O
280	CM	120	CM	2 LEVEL CM	16,3177 litre	0,129 %	12650,5839 litre	O
280	CM	120	CM	1 LEVEL CM	5,7764 litre	0,046 %	12661,1252 litre	O
280	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	12666,9016 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM	115	CM 230 LEVEL CM	11633,3176 litre	100,000 %	0,0000 litre	O
280	CM	115	CM 229 LEVEL CM	11627,6631 litre	99,951 %	5,6545 litre	O
280	CM	115	CM 228 LEVEL CM	11617,3452 litre	99,863 %	15,9724 litre	O
280	CM	115	CM 227 LEVEL CM	11604,0130 litre	99,748 %	29,3046 litre	O
280	CM	115	CM 226 LEVEL CM	11588,2596 litre	99,613 %	45,0580 litre	O
280	CM	115	CM 225 LEVEL CM	11570,4303 litre	99,459 %	62,8873 litre	O
280	CM	115	CM 224 LEVEL CM	11550,7596 litre	99,290 %	82,5580 litre	O
280	CM	115	CM 223 LEVEL CM	11529,4208 litre	99,107 %	103,8968 litre	O
280	CM	115	CM 222 LEVEL CM	11506,5491 litre	98,910 %	126,7685 litre	O
280	CM	115	CM 221 LEVEL CM	11482,2541 litre	98,701 %	151,0635 litre	O
280	CM	115	CM 220 LEVEL CM	11456,6270 litre	98,481 %	176,6906 litre	O
280	CM	115	CM 219 LEVEL CM	11429,7454 litre	98,250 %	203,5722 litre	O
280	CM	115	CM 218 LEVEL CM	11401,6766 litre	98,009 %	231,6410 litre	O
280	CM	115	CM 217 LEVEL CM	11372,4794 litre	97,758 %	260,8382 litre	O
280	CM	115	CM 216 LEVEL CM	11342,2064 litre	97,498 %	291,1112 litre	O
280	CM	115	CM 215 LEVEL CM	11310,9045 litre	97,229 %	322,4131 litre	O
280	CM	115	CM 214 LEVEL CM	11278,6161 litre	96,951 %	354,7015 litre	O
280	CM	115	CM 213 LEVEL CM	11245,3801 litre	96,665 %	387,9375 litre	O
280	CM	115	CM 212 LEVEL CM	11211,2318 litre	96,372 %	422,0858 litre	O
280	CM	115	CM 211 LEVEL CM	11176,2039 litre	96,071 %	457,1137 litre	O
280	CM	115	CM 210 LEVEL CM	11140,3268 litre	95,762 %	492,9908 litre	O
280	CM	115	CM 209 LEVEL CM	11103,6287 litre	95,447 %	529,6889 litre	O
280	CM	115	CM 208 LEVEL CM	11066,1358 litre	95,125 %	567,1818 litre	O
280	CM	115	CM 207 LEVEL CM	11027,8730 litre	94,796 %	605,4446 litre	O
280	CM	115	CM 206 LEVEL CM	10988,8634 litre	94,460 %	644,4542 litre	O
280	CM	115	CM 205 LEVEL CM	10949,1289 litre	94,119 %	684,1887 litre	O
280	CM	115	CM 204 LEVEL CM	10908,6903 litre	93,771 %	724,6273 litre	O
280	CM	115	CM 203 LEVEL CM	10867,5673 litre	93,418 %	765,7503 litre	O
280	CM	115	CM 202 LEVEL CM	10825,7785 litre	93,058 %	807,5391 litre	O
280	CM	115	CM 201 LEVEL CM	10783,3419 litre	92,694 %	849,9757 litre	O
280	CM	115	CM 200 LEVEL CM	10740,2745 litre	92,323 %	893,0431 litre	O
280	CM	115	CM 199 LEVEL CM	10696,5924 litre	91,948 %	936,7252 litre	O
280	CM	115	CM 198 LEVEL CM	10652,3114 litre	91,567 %	981,0062 litre	O
280	CM	115	CM 197 LEVEL CM	10607,4464 litre	91,182 %	1025,8712 litre	O
280	CM	115	CM 196 LEVEL CM	10562,0119 litre	90,791 %	1071,3057 litre	O
280	CM	115	CM 195 LEVEL CM	10516,0217 litre	90,396 %	1117,2959 litre	O
280	CM	115	CM 194 LEVEL CM	10469,4891 litre	89,996 %	1163,8285 litre	O
280	CM	115	CM 193 LEVEL CM	10422,4271 litre	89,591 %	1210,8905 litre	O
280	CM	115	CM 192 LEVEL CM	10374,8482 litre	89,182 %	1258,4694 litre	O
280	CM	115	CM 191 LEVEL CM	10326,7645 litre	88,769 %	1306,5531 litre	O
280	CM	115	CM 190 LEVEL CM	10278,1876 litre	88,351 %	1355,1300 litre	O
280	CM	115	CM 189 LEVEL CM	10229,1288 litre	87,930 %	1404,1888 litre	O
280	CM	115	CM 188 LEVEL CM	10179,5994 litre	87,504 %	1453,7182 litre	O
280	CM	115	CM 187 LEVEL CM	10129,6098 litre	87,074 %	1503,7078 litre	O
280	CM	115	CM 186 LEVEL CM	10079,1706 litre	86,641 %	1554,1470 litre	O
280	CM	115	CM 185 LEVEL CM	10028,2918 litre	86,203 %	1605,0258 litre	O
280	CM	115	CM 184 LEVEL CM	9976,9834 litre	85,762 %	1656,3342 litre	O
280	CM	115	CM 183 LEVEL CM	9925,2550 litre	85,317 %	1708,0626 litre	O
280	CM	115	CM 182 LEVEL CM	9873,1159 litre	84,869 %	1760,2017 litre	O
280	CM	115	CM 181 LEVEL CM	9820,5754 litre	84,418 %	1812,7422 litre	O
280	CM	115	CM 180 LEVEL CM	9767,6425 litre	83,963 %	1865,6751 litre	O
280	CM	115	CM 179 LEVEL CM	9714,3258 litre	83,504 %	1918,9918 litre	O

280	CM 115	CM	178 LEVEL CM	9660,6340 litre	83,043 %	1972,6836 litre	O
280	CM 115	CM	177 LEVEL CM	9606,5755 litre	82,578 %	2026,7421 litre	O
280	CM 115	CM	176 LEVEL CM	9552,1585 litre	82,110 %	2081,1591 litre	O
280	CM 115	CM	175 LEVEL CM	9497,3911 litre	81,640 %	2135,9265 litre	O
280	CM 115	CM	174 LEVEL CM	9442,2812 litre	81,166 %	2191,0364 litre	O
280	CM 115	CM	173 LEVEL CM	9386,8365 litre	80,689 %	2246,4811 litre	O
280	CM 115	CM	172 LEVEL CM	9331,0648 litre	80,210 %	2302,2528 litre	O
280	CM 115	CM	171 LEVEL CM	9274,9735 litre	79,728 %	2358,3441 litre	O
280	CM 115	CM	170 LEVEL CM	9218,5700 litre	79,243 %	2414,7476 litre	O
280	CM 115	CM	169 LEVEL CM	9161,8614 litre	78,755 %	2471,4562 litre	O
280	CM 115	CM	168 LEVEL CM	9104,8551 litre	78,265 %	2528,4625 litre	O
280	CM 115	CM	167 LEVEL CM	9047,5579 litre	77,773 %	2585,7597 litre	O
280	CM 115	CM	166 LEVEL CM	8989,9768 litre	77,278 %	2643,3408 litre	O
280	CM 115	CM	165 LEVEL CM	8932,1186 litre	76,780 %	2701,1990 litre	O
280	CM 115	CM	164 LEVEL CM	8873,9901 litre	76,281 %	2759,3275 litre	O
280	CM 115	CM	163 LEVEL CM	8815,5978 litre	75,779 %	2817,7198 litre	O
280	CM 115	CM	162 LEVEL CM	8756,9482 litre	75,275 %	2876,3694 litre	O
280	CM 115	CM	161 LEVEL CM	8698,0479 litre	74,768 %	2935,2697 litre	O
280	CM 115	CM	160 LEVEL CM	8638,9032 litre	74,260 %	2994,4144 litre	O
280	CM 115	CM	159 LEVEL CM	8579,5203 litre	73,750 %	3053,7973 litre	O
280	CM 115	CM	158 LEVEL CM	8519,9056 litre	73,237 %	3113,4120 litre	O
280	CM 115	CM	157 LEVEL CM	8460,0650 litre	72,723 %	3173,2526 litre	O
280	CM 115	CM	156 LEVEL CM	8400,0048 litre	72,206 %	3233,3128 litre	O
280	CM 115	CM	155 LEVEL CM	8339,7308 litre	71,688 %	3293,5868 litre	O
280	CM 115	CM	154 LEVEL CM	8279,2492 litre	71,168 %	3354,0684 litre	O
280	CM 115	CM	153 LEVEL CM	8218,5656 litre	70,647 %	3414,7520 litre	O
280	CM 115	CM	152 LEVEL CM	8157,6859 litre	70,123 %	3475,6317 litre	O
280	CM 115	CM	151 LEVEL CM	8096,6160 litre	69,599 %	3536,7016 litre	O
280	CM 115	CM	150 LEVEL CM	8035,3615 litre	69,072 %	3597,9561 litre	O
280	CM 115	CM	149 LEVEL CM	7973,9280 litre	68,544 %	3659,3896 litre	O
280	CM 115	CM	148 LEVEL CM	7912,3212 litre	68,014 %	3720,9964 litre	O
280	CM 115	CM	147 LEVEL CM	7850,5467 litre	67,483 %	3782,7709 litre	O
280	CM 115	CM	146 LEVEL CM	7788,6100 litre	66,951 %	3844,7076 litre	O
280	CM 115	CM	145 LEVEL CM	7726,5164 litre	66,417 %	3906,8012 litre	O
280	CM 115	CM	144 LEVEL CM	7664,2716 litre	65,882 %	3969,0460 litre	O
280	CM 115	CM	143 LEVEL CM	7601,8808 litre	65,346 %	4031,4368 litre	O
280	CM 115	CM	142 LEVEL CM	7539,3494 litre	64,808 %	4093,9682 litre	O
280	CM 115	CM	141 LEVEL CM	7476,6828 litre	64,270 %	4156,6348 litre	O
280	CM 115	CM	140 LEVEL CM	7413,8862 litre	63,730 %	4219,4314 litre	O
280	CM 115	CM	139 LEVEL CM	7350,9649 litre	63,189 %	4282,3527 litre	O
280	CM 115	CM	138 LEVEL CM	7287,9240 litre	62,647 %	4345,3936 litre	O
280	CM 115	CM	137 LEVEL CM	7224,7689 litre	62,104 %	4408,5487 litre	O
280	CM 115	CM	136 LEVEL CM	7161,5046 litre	61,560 %	4471,8130 litre	O
280	CM 115	CM	135 LEVEL CM	7098,1363 litre	61,016 %	4535,1813 litre	O
280	CM 115	CM	134 LEVEL CM	7034,6691 litre	60,470 %	4598,6485 litre	O
280	CM 115	CM	133 LEVEL CM	6971,1080 litre	59,924 %	4662,2096 litre	O
280	CM 115	CM	132 LEVEL CM	6907,4583 litre	59,377 %	4725,8593 litre	O
280	CM 115	CM	131 LEVEL CM	6843,7248 litre	58,829 %	4789,5928 litre	O
280	CM 115	CM	130 LEVEL CM	6779,9126 litre	58,280 %	4853,4050 litre	O
280	CM 115	CM	129 LEVEL CM	6716,0268 litre	57,731 %	4917,2908 litre	O
280	CM 115	CM	128 LEVEL CM	6652,0723 litre	57,181 %	4981,2453 litre	O
280	CM 115	CM	127 LEVEL CM	6588,0541 litre	56,631 %	5045,2635 litre	O
280	CM 115	CM	126 LEVEL CM	6523,9771 litre	56,080 %	5109,3405 litre	O

280	CM 115	CM	125 LEVEL CM	6459,8463 litre	55,529 %	5173,4713 litre	O
280	CM 115	CM	124 LEVEL CM	6395,6666 litre	54,977 %	5237,6510 litre	O
280	CM 115	CM	123 LEVEL CM	6331,4430 litre	54,425 %	5301,8746 litre	O
280	CM 115	CM	122 LEVEL CM	6267,1803 litre	53,873 %	5366,1373 litre	O
280	CM 115	CM	121 LEVEL CM	6202,8834 litre	53,320 %	5430,4342 litre	O
280	CM 115	CM	120 LEVEL CM	6138,5573 litre	52,767 %	5494,7603 litre	O
280	CM 115	CM	119 LEVEL CM	6074,2068 litre	52,214 %	5559,1108 litre	O
280	CM 115	CM	118 LEVEL CM	6009,8369 litre	51,661 %	5623,4807 litre	O
280	CM 115	CM	117 LEVEL CM	5945,4523 litre	51,107 %	5687,8653 litre	O
280	CM 115	CM	116 LEVEL CM	5881,0580 litre	50,554 %	5752,2596 litre	O
280	CM 115	CM	115 LEVEL CM	5816,6588 litre	50,000 %	5816,6588 litre	O
280	CM 115	CM	114 LEVEL CM	5752,2596 litre	49,446 %	5881,0580 litre	O
280	CM 115	CM	113 LEVEL CM	5687,8653 litre	48,893 %	5945,4523 litre	O
280	CM 115	CM	112 LEVEL CM	5623,4807 litre	48,339 %	6009,8369 litre	O
280	CM 115	CM	111 LEVEL CM	5559,1107 litre	47,786 %	6074,2069 litre	O
280	CM 115	CM	110 LEVEL CM	5494,7603 litre	47,233 %	6138,5573 litre	O
280	CM 115	CM	109 LEVEL CM	5430,4342 litre	46,680 %	6202,8834 litre	O
280	CM 115	CM	108 LEVEL CM	5366,1373 litre	46,127 %	6267,1803 litre	O
280	CM 115	CM	107 LEVEL CM	5301,8746 litre	45,575 %	6331,4430 litre	O
280	CM 115	CM	106 LEVEL CM	5237,6510 litre	45,023 %	6395,6666 litre	O
280	CM 115	CM	105 LEVEL CM	5173,4713 litre	44,471 %	6459,8463 litre	O
280	CM 115	CM	104 LEVEL CM	5109,3405 litre	43,920 %	6523,9771 litre	O
280	CM 115	CM	103 LEVEL CM	5045,2635 litre	43,369 %	6588,0541 litre	O
280	CM 115	CM	102 LEVEL CM	4981,2453 litre	42,819 %	6652,0723 litre	O
280	CM 115	CM	101 LEVEL CM	4917,2908 litre	42,269 %	6716,0268 litre	O
280	CM 115	CM	100 LEVEL CM	4853,4050 litre	41,720 %	6779,9126 litre	O
280	CM 115	CM	99 LEVEL CM	4789,5928 litre	41,171 %	6843,7248 litre	O
280	CM 115	CM	98 LEVEL CM	4725,8593 litre	40,623 %	6907,4583 litre	O
280	CM 115	CM	97 LEVEL CM	4662,2096 litre	40,076 %	6971,1080 litre	O
280	CM 115	CM	96 LEVEL CM	4598,6485 litre	39,530 %	7034,6691 litre	O
280	CM 115	CM	95 LEVEL CM	4535,1813 litre	38,984 %	7098,1363 litre	O
280	CM 115	CM	94 LEVEL CM	4471,8130 litre	38,440 %	7161,5046 litre	O
280	CM 115	CM	93 LEVEL CM	4408,5487 litre	37,896 %	7224,7689 litre	O
280	CM 115	CM	92 LEVEL CM	4345,3936 litre	37,353 %	7287,9240 litre	O
280	CM 115	CM	91 LEVEL CM	4282,3527 litre	36,811 %	7350,9649 litre	O
280	CM 115	CM	90 LEVEL CM	4219,4314 litre	36,270 %	7413,8862 litre	O
280	CM 115	CM	89 LEVEL CM	4156,6348 litre	35,730 %	7476,6828 litre	O
280	CM 115	CM	88 LEVEL CM	4093,9682 litre	35,192 %	7539,3494 litre	O
280	CM 115	CM	87 LEVEL CM	4031,4368 litre	34,654 %	7601,8808 litre	O
280	CM 115	CM	86 LEVEL CM	3969,0460 litre	34,118 %	7664,2716 litre	O
280	CM 115	CM	85 LEVEL CM	3906,8012 litre	33,583 %	7726,5164 litre	O
280	CM 115	CM	84 LEVEL CM	3844,7076 litre	33,049 %	7788,6100 litre	O
280	CM 115	CM	83 LEVEL CM	3782,7709 litre	32,517 %	7850,5467 litre	O
280	CM 115	CM	82 LEVEL CM	3720,9963 litre	31,986 %	7912,3213 litre	O
280	CM 115	CM	81 LEVEL CM	3659,3896 litre	31,456 %	7973,9280 litre	O
280	CM 115	CM	80 LEVEL CM	3597,9561 litre	30,928 %	8035,3615 litre	O
280	CM 115	CM	79 LEVEL CM	3536,7016 litre	30,401 %	8096,6160 litre	O
280	CM 115	CM	78 LEVEL CM	3475,6317 litre	29,877 %	8157,6859 litre	O
280	CM 115	CM	77 LEVEL CM	3414,7520 litre	29,353 %	8218,5656 litre	O
280	CM 115	CM	76 LEVEL CM	3354,0684 litre	28,832 %	8279,2492 litre	O
280	CM 115	CM	75 LEVEL CM	3293,5867 litre	28,312 %	8339,7309 litre	O
280	CM 115	CM	74 LEVEL CM	3233,3128 litre	27,794 %	8400,0048 litre	O
280	CM 115	CM	73 LEVEL CM	3173,2526 litre	27,277 %	8460,0650 litre	O

280	CM	115	CM	72 LEVEL CM	3113,4120 litre	26,763 %	8519,9056 litre	O
280	CM	115	CM	71 LEVEL CM	3053,7973 litre	26,250 %	8579,5203 litre	O
280	CM	115	CM	70 LEVEL CM	2994,4144 litre	25,740 %	8638,9032 litre	O
280	CM	115	CM	69 LEVEL CM	2935,2697 litre	25,232 %	8698,0479 litre	O
280	CM	115	CM	68 LEVEL CM	2876,3694 litre	24,725 %	8756,9482 litre	O
280	CM	115	CM	67 LEVEL CM	2817,7198 litre	24,221 %	8815,5978 litre	O
280	CM	115	CM	66 LEVEL CM	2759,3275 litre	23,719 %	8873,9901 litre	O
280	CM	115	CM	65 LEVEL CM	2701,1990 litre	23,220 %	8932,1186 litre	O
280	CM	115	CM	64 LEVEL CM	2643,3408 litre	22,722 %	8989,9768 litre	O
280	CM	115	CM	63 LEVEL CM	2585,7597 litre	22,227 %	9047,5579 litre	O
280	CM	115	CM	62 LEVEL CM	2528,4625 litre	21,735 %	9104,8551 litre	O
280	CM	115	CM	61 LEVEL CM	2471,4562 litre	21,245 %	9161,8614 litre	O
280	CM	115	CM	60 LEVEL CM	2414,7476 litre	20,757 %	9218,5700 litre	O
280	CM	115	CM	59 LEVEL CM	2358,3441 litre	20,272 %	9274,9735 litre	O
280	CM	115	CM	58 LEVEL CM	2302,2528 litre	19,790 %	9331,0648 litre	O
280	CM	115	CM	57 LEVEL CM	2246,4811 litre	19,311 %	9386,8365 litre	O
280	CM	115	CM	56 LEVEL CM	2191,0364 litre	18,834 %	9442,2812 litre	O
280	CM	115	CM	55 LEVEL CM	2135,9265 litre	18,360 %	9497,3911 litre	O
280	CM	115	CM	54 LEVEL CM	2081,1591 litre	17,890 %	9552,1585 litre	O
280	CM	115	CM	53 LEVEL CM	2026,7421 litre	17,422 %	9606,5755 litre	O
280	CM	115	CM	52 LEVEL CM	1972,6836 litre	16,957 %	9660,6340 litre	O
280	CM	115	CM	51 LEVEL CM	1918,9918 litre	16,496 %	9714,3258 litre	O
280	CM	115	CM	50 LEVEL CM	1865,6751 litre	16,037 %	9767,6425 litre	O
280	CM	115	CM	49 LEVEL CM	1812,7422 litre	15,582 %	9820,5754 litre	O
280	CM	115	CM	48 LEVEL CM	1760,2017 litre	15,131 %	9873,1159 litre	O
280	CM	115	CM	47 LEVEL CM	1708,0626 litre	14,683 %	9925,2550 litre	O
280	CM	115	CM	46 LEVEL CM	1656,3342 litre	14,238 %	9976,9834 litre	O
280	CM	115	CM	45 LEVEL CM	1605,0258 litre	13,797 %	10028,2918 litre	O
280	CM	115	CM	44 LEVEL CM	1554,1470 litre	13,359 %	10079,1706 litre	O
280	CM	115	CM	43 LEVEL CM	1503,7078 litre	12,926 %	10129,6098 litre	O
280	CM	115	CM	42 LEVEL CM	1453,7182 litre	12,496 %	10179,5994 litre	O
280	CM	115	CM	41 LEVEL CM	1404,1887 litre	12,070 %	10229,1289 litre	O
280	CM	115	CM	40 LEVEL CM	1355,1300 litre	11,649 %	10278,1876 litre	O
280	CM	115	CM	39 LEVEL CM	1306,5531 litre	11,231 %	10326,7645 litre	O
280	CM	115	CM	38 LEVEL CM	1258,4694 litre	10,818 %	10374,8482 litre	O
280	CM	115	CM	37 LEVEL CM	1210,8905 litre	10,409 %	10422,4271 litre	O
280	CM	115	CM	36 LEVEL CM	1163,8285 litre	10,004 %	10469,4891 litre	O
280	CM	115	CM	35 LEVEL CM	1117,2959 litre	9,604 %	10516,0217 litre	O
280	CM	115	CM	34 LEVEL CM	1071,3057 litre	9,209 %	10562,0119 litre	O
280	CM	115	CM	33 LEVEL CM	1025,8712 litre	8,818 %	10607,4464 litre	O
280	CM	115	CM	32 LEVEL CM	981,0062 litre	8,433 %	10652,3114 litre	O
280	CM	115	CM	31 LEVEL CM	936,7252 litre	8,052 %	10696,5924 litre	O
280	CM	115	CM	30 LEVEL CM	893,0431 litre	7,677 %	10740,2745 litre	O
280	CM	115	CM	29 LEVEL CM	849,9757 litre	7,306 %	10783,3419 litre	O
280	CM	115	CM	28 LEVEL CM	807,5390 litre	6,942 %	10825,7786 litre	O
280	CM	115	CM	27 LEVEL CM	765,7503 litre	6,582 %	10867,5673 litre	O
280	CM	115	CM	26 LEVEL CM	724,6273 litre	6,229 %	10908,6903 litre	O
280	CM	115	CM	25 LEVEL CM	684,1887 litre	5,881 %	10949,1289 litre	O
280	CM	115	CM	24 LEVEL CM	644,4542 litre	5,540 %	10988,8634 litre	O
280	CM	115	CM	23 LEVEL CM	605,4446 litre	5,204 %	11027,8730 litre	O
280	CM	115	CM	22 LEVEL CM	567,1818 litre	4,875 %	11066,1358 litre	O
280	CM	115	CM	21 LEVEL CM	529,6889 litre	4,553 %	11103,6287 litre	O
280	CM	115	CM	20 LEVEL CM	492,9908 litre	4,238 %	11140,3268 litre	O

280	CM	115	CM	19 LEVEL CM	457,1137 litre	3,929 %	11176,2039 litre	O
280	CM	115	CM	18 LEVEL CM	422,0858 litre	3,628 %	11211,2318 litre	O
280	CM	115	CM	17 LEVEL CM	387,9375 litre	3,335 %	11245,3801 litre	O
280	CM	115	CM	16 LEVEL CM	354,7015 litre	3,049 %	11278,6161 litre	O
280	CM	115	CM	15 LEVEL CM	322,4131 litre	2,771 %	11310,9045 litre	O
280	CM	115	CM	14 LEVEL CM	291,1112 litre	2,502 %	11342,2064 litre	O
280	CM	115	CM	13 LEVEL CM	260,8382 litre	2,242 %	11372,4794 litre	O
280	CM	115	CM	12 LEVEL CM	231,6410 litre	1,991 %	11401,6766 litre	O
280	CM	115	CM	11 LEVEL CM	203,5722 litre	1,750 %	11429,7454 litre	O
280	CM	115	CM	10 LEVEL CM	176,6906 litre	1,519 %	11456,6270 litre	O
280	CM	115	CM	9 LEVEL CM	151,0635 litre	1,299 %	11482,2541 litre	O
280	CM	115	CM	8 LEVEL CM	126,7685 litre	1,090 %	11506,5491 litre	O
280	CM	115	CM	7 LEVEL CM	103,8968 litre	0,893 %	11529,4208 litre	O
280	CM	115	CM	6 LEVEL CM	82,5580 litre	0,710 %	11550,7596 litre	O
280	CM	115	CM	5 LEVEL CM	62,8873 litre	0,541 %	11570,4303 litre	O
280	CM	115	CM	4 LEVEL CM	45,0580 litre	0,387 %	11588,2596 litre	O
280	CM	115	CM	3 LEVEL CM	29,3046 litre	0,252 %	11604,0130 litre	O
280	CM	115	CM	2 LEVEL CM	15,9724 litre	0,137 %	11617,3452 litre	O
280	CM	115	CM	1 LEVEL CM	5,6545 litre	0,049 %	11627,6631 litre	O
280	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	11633,3176 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM	110	CM 220 LEVEL CM	10643,7159 litre	100,000 %	0,0000 litre	O
280	CM	110	CM 219 LEVEL CM	10638,1860 litre	99,948 %	5,5299 litre	O
280	CM	110	CM 218 LEVEL CM	10628,0965 litre	99,853 %	15,6194 litre	O
280	CM	110	CM 217 LEVEL CM	10615,0606 litre	99,731 %	28,6553 litre	O
280	CM	110	CM 216 LEVEL CM	10599,6589 litre	99,586 %	44,0570 litre	O
280	CM	110	CM 215 LEVEL CM	10582,2294 litre	99,422 %	61,4865 litre	O
280	CM	110	CM 214 LEVEL CM	10563,0018 litre	99,242 %	80,7141 litre	O
280	CM	110	CM 213 LEVEL CM	10542,1459 litre	99,046 %	101,5700 litre	O
280	CM	110	CM 212 LEVEL CM	10519,7941 litre	98,836 %	123,9218 litre	O
280	CM	110	CM 211 LEVEL CM	10496,0539 litre	98,613 %	147,6620 litre	O
280	CM	110	CM 210 LEVEL CM	10471,0146 litre	98,377 %	172,7013 litre	O
280	CM	110	CM 209 LEVEL CM	10444,7525 litre	98,131 %	198,9634 litre	O
280	CM	110	CM 208 LEVEL CM	10417,3335 litre	97,873 %	226,3824 litre	O
280	CM	110	CM 207 LEVEL CM	10388,8155 litre	97,605 %	254,9004 litre	O
280	CM	110	CM 206 LEVEL CM	10359,2499 litre	97,327 %	284,4660 litre	O
280	CM	110	CM 205 LEVEL CM	10328,6829 litre	97,040 %	315,0330 litre	O
280	CM	110	CM 204 LEVEL CM	10297,1561 litre	96,744 %	346,5598 litre	O
280	CM	110	CM 203 LEVEL CM	10264,7078 litre	96,439 %	379,0081 litre	O
280	CM	110	CM 202 LEVEL CM	10231,3726 litre	96,126 %	412,3433 litre	O
280	CM	110	CM 201 LEVEL CM	10197,1829 litre	95,805 %	446,5330 litre	O
280	CM	110	CM 200 LEVEL CM	10162,1684 litre	95,476 %	481,5475 litre	O
280	CM	110	CM 199 LEVEL CM	10126,3568 litre	95,139 %	517,3591 litre	O
280	CM	110	CM 198 LEVEL CM	10089,7742 litre	94,796 %	553,9417 litre	O
280	CM	110	CM 197 LEVEL CM	10052,4447 litre	94,445 %	591,2712 litre	O
280	CM	110	CM 196 LEVEL CM	10014,3913 litre	94,087 %	629,3246 litre	O
280	CM	110	CM 195 LEVEL CM	9975,6357 litre	93,723 %	668,0802 litre	O
280	CM	110	CM 194 LEVEL CM	9936,1982 litre	93,353 %	707,5177 litre	O
280	CM	110	CM 193 LEVEL CM	9896,0983 litre	92,976 %	747,6176 litre	O
280	CM	110	CM 192 LEVEL CM	9855,3545 litre	92,593 %	788,3614 litre	O
280	CM	110	CM 191 LEVEL CM	9813,9843 litre	92,204 %	829,7316 litre	O
280	CM	110	CM 190 LEVEL CM	9772,0046 litre	91,810 %	871,7113 litre	O
280	CM	110	CM 189 LEVEL CM	9729,4314 litre	91,410 %	914,2845 litre	O
280	CM	110	CM 188 LEVEL CM	9686,2802 litre	91,005 %	957,4357 litre	O
280	CM	110	CM 187 LEVEL CM	9642,5658 litre	90,594 %	1001,1501 litre	O
280	CM	110	CM 186 LEVEL CM	9598,3025 litre	90,178 %	1045,4134 litre	O
280	CM	110	CM 185 LEVEL CM	9553,5039 litre	89,757 %	1090,2120 litre	O
280	CM	110	CM 184 LEVEL CM	9508,1834 litre	89,331 %	1135,5325 litre	O
280	CM	110	CM 183 LEVEL CM	9462,3536 litre	88,901 %	1181,3623 litre	O
280	CM	110	CM 182 LEVEL CM	9416,0270 litre	88,466 %	1227,6889 litre	O
280	CM	110	CM 181 LEVEL CM	9369,2155 litre	88,026 %	1274,5004 litre	O
280	CM	110	CM 180 LEVEL CM	9321,9308 litre	87,582 %	1321,7851 litre	O
280	CM	110	CM 179 LEVEL CM	9274,1841 litre	87,133 %	1369,5318 litre	O
280	CM	110	CM 178 LEVEL CM	9225,9863 litre	86,680 %	1417,7296 litre	O
280	CM	110	CM 177 LEVEL CM	9177,3480 litre	86,223 %	1466,3679 litre	O
280	CM	110	CM 176 LEVEL CM	9128,2797 litre	85,762 %	1515,4362 litre	O
280	CM	110	CM 175 LEVEL CM	9078,7914 litre	85,297 %	1564,9245 litre	O
280	CM	110	CM 174 LEVEL CM	9028,8928 litre	84,828 %	1614,8231 litre	O
280	CM	110	CM 173 LEVEL CM	8978,5936 litre	84,356 %	1665,1223 litre	O
280	CM	110	CM 172 LEVEL CM	8927,9032 litre	83,880 %	1715,8127 litre	O
280	CM	110	CM 171 LEVEL CM	8876,8306 litre	83,400 %	1766,8853 litre	O
280	CM	110	CM 170 LEVEL CM	8825,3848 litre	82,916 %	1818,3311 litre	O
280	CM	110	CM 169 LEVEL CM	8773,5746 litre	82,430 %	1870,1413 litre	O

280	CM 110	CM	168 LEVEL CM	8721,4084 litre	81,940 %	1922,3075 litre	O
280	CM 110	CM	167 LEVEL CM	8668,8948 litre	81,446 %	1974,8211 litre	O
280	CM 110	CM	166 LEVEL CM	8616,0418 litre	80,950 %	2027,6741 litre	O
280	CM 110	CM	165 LEVEL CM	8562,8576 litre	80,450 %	2080,8583 litre	O
280	CM 110	CM	164 LEVEL CM	8509,3501 litre	79,947 %	2134,3658 litre	O
280	CM 110	CM	163 LEVEL CM	8455,5270 litre	79,441 %	2188,1889 litre	O
280	CM 110	CM	162 LEVEL CM	8401,3960 litre	78,933 %	2242,3199 litre	O
280	CM 110	CM	161 LEVEL CM	8346,9646 litre	78,422 %	2296,7513 litre	O
280	CM 110	CM	160 LEVEL CM	8292,2401 litre	77,907 %	2351,4758 litre	O
280	CM 110	CM	159 LEVEL CM	8237,2299 litre	77,391 %	2406,4860 litre	O
280	CM 110	CM	158 LEVEL CM	8181,9410 litre	76,871 %	2461,7749 litre	O
280	CM 110	CM	157 LEVEL CM	8126,3805 litre	76,349 %	2517,3354 litre	O
280	CM 110	CM	156 LEVEL CM	8070,5553 litre	75,825 %	2573,1606 litre	O
280	CM 110	CM	155 LEVEL CM	8014,4724 litre	75,298 %	2629,2435 litre	O
280	CM 110	CM	154 LEVEL CM	7958,1383 litre	74,768 %	2685,5776 litre	O
280	CM 110	CM	153 LEVEL CM	7901,5599 litre	74,237 %	2742,1560 litre	O
280	CM 110	CM	152 LEVEL CM	7844,7436 litre	73,703 %	2798,9723 litre	O
280	CM 110	CM	151 LEVEL CM	7787,6960 litre	73,167 %	2856,0199 litre	O
280	CM 110	CM	150 LEVEL CM	7730,4234 litre	72,629 %	2913,2925 litre	O
280	CM 110	CM	149 LEVEL CM	7672,9323 litre	72,089 %	2970,7836 litre	O
280	CM 110	CM	148 LEVEL CM	7615,2287 litre	71,547 %	3028,4872 litre	O
280	CM 110	CM	147 LEVEL CM	7557,3191 litre	71,003 %	3086,3968 litre	O
280	CM 110	CM	146 LEVEL CM	7499,2094 litre	70,457 %	3144,5065 litre	O
280	CM 110	CM	145 LEVEL CM	7440,9057 litre	69,909 %	3202,8102 litre	O
280	CM 110	CM	144 LEVEL CM	7382,4141 litre	69,359 %	3261,3018 litre	O
280	CM 110	CM	143 LEVEL CM	7323,7405 litre	68,808 %	3319,9754 litre	O
280	CM 110	CM	142 LEVEL CM	7264,8907 litre	68,255 %	3378,8252 litre	O
280	CM 110	CM	141 LEVEL CM	7205,8707 litre	67,701 %	3437,8452 litre	O
280	CM 110	CM	140 LEVEL CM	7146,6862 litre	67,145 %	3497,0297 litre	O
280	CM 110	CM	139 LEVEL CM	7087,3430 litre	66,587 %	3556,3729 litre	O
280	CM 110	CM	138 LEVEL CM	7027,8467 litre	66,028 %	3615,8692 litre	O
280	CM 110	CM	137 LEVEL CM	6968,2030 litre	65,468 %	3675,5129 litre	O
280	CM 110	CM	136 LEVEL CM	6908,4174 litre	64,906 %	3735,2985 litre	O
280	CM 110	CM	135 LEVEL CM	6848,4957 litre	64,343 %	3795,2202 litre	O
280	CM 110	CM	134 LEVEL CM	6788,4433 litre	63,779 %	3855,2726 litre	O
280	CM 110	CM	133 LEVEL CM	6728,2657 litre	63,214 %	3915,4502 litre	O
280	CM 110	CM	132 LEVEL CM	6667,9683 litre	62,647 %	3975,7476 litre	O
280	CM 110	CM	131 LEVEL CM	6607,5566 litre	62,079 %	4036,1593 litre	O
280	CM 110	CM	130 LEVEL CM	6547,0360 litre	61,511 %	4096,6799 litre	O
280	CM 110	CM	129 LEVEL CM	6486,4119 litre	60,941 %	4157,3040 litre	O
280	CM 110	CM	128 LEVEL CM	6425,6895 litre	60,371 %	4218,0264 litre	O
280	CM 110	CM	127 LEVEL CM	6364,8743 litre	59,799 %	4278,8416 litre	O
280	CM 110	CM	126 LEVEL CM	6303,9714 litre	59,227 %	4339,7445 litre	O
280	CM 110	CM	125 LEVEL CM	6242,9863 litre	58,654 %	4400,7296 litre	O
280	CM 110	CM	124 LEVEL CM	6181,9240 litre	58,081 %	4461,7919 litre	O
280	CM 110	CM	123 LEVEL CM	6120,7899 litre	57,506 %	4522,9260 litre	O
280	CM 110	CM	122 LEVEL CM	6059,5891 litre	56,931 %	4584,1268 litre	O
280	CM 110	CM	121 LEVEL CM	5998,3269 litre	56,356 %	4645,3890 litre	O
280	CM 110	CM	120 LEVEL CM	5937,0084 litre	55,779 %	4706,7075 litre	O
280	CM 110	CM	119 LEVEL CM	5875,6388 litre	55,203 %	4768,0771 litre	O
280	CM 110	CM	118 LEVEL CM	5814,2232 litre	54,626 %	4829,4927 litre	O
280	CM 110	CM	117 LEVEL CM	5752,7667 litre	54,048 %	4890,9492 litre	O
280	CM 110	CM	116 LEVEL CM	5691,2746 litre	53,471 %	4952,4413 litre	O

280	CM 110	CM	115 LEVEL CM	5629,7519 litre	52,893 %	5013,9640 litre	O
280	CM 110	CM	114 LEVEL CM	5568,2036 litre	52,314 %	5075,5123 litre	O
280	CM 110	CM	113 LEVEL CM	5506,6350 litre	51,736 %	5137,0809 litre	O
280	CM 110	CM	112 LEVEL CM	5445,0512 litre	51,157 %	5198,6647 litre	O
280	CM 110	CM	111 LEVEL CM	5383,4571 litre	50,579 %	5260,2588 litre	O
280	CM 110	CM	110 LEVEL CM	5321,8580 litre	50,000 %	5321,8579 litre	O
280	CM 110	CM	109 LEVEL CM	5260,2588 litre	49,421 %	5383,4571 litre	O
280	CM 110	CM	108 LEVEL CM	5198,6647 litre	48,843 %	5445,0512 litre	O
280	CM 110	CM	107 LEVEL CM	5137,0809 litre	48,264 %	5506,6350 litre	O
280	CM 110	CM	106 LEVEL CM	5075,5123 litre	47,686 %	5568,2036 litre	O
280	CM 110	CM	105 LEVEL CM	5013,9640 litre	47,107 %	5629,7519 litre	O
280	CM 110	CM	104 LEVEL CM	4952,4413 litre	46,529 %	5691,2746 litre	O
280	CM 110	CM	103 LEVEL CM	4890,9492 litre	45,952 %	5752,7667 litre	O
280	CM 110	CM	102 LEVEL CM	4829,4927 litre	45,374 %	5814,2232 litre	O
280	CM 110	CM	101 LEVEL CM	4768,0771 litre	44,797 %	5875,6388 litre	O
280	CM 110	CM	100 LEVEL CM	4706,7075 litre	44,221 %	5937,0084 litre	O
280	CM 110	CM	99 LEVEL CM	4645,3890 litre	43,644 %	5998,3269 litre	O
280	CM 110	CM	98 LEVEL CM	4584,1268 litre	43,069 %	6059,5891 litre	O
280	CM 110	CM	97 LEVEL CM	4522,9260 litre	42,494 %	6120,7899 litre	O
280	CM 110	CM	96 LEVEL CM	4461,7919 litre	41,919 %	6181,9240 litre	O
280	CM 110	CM	95 LEVEL CM	4400,7296 litre	41,346 %	6242,9863 litre	O
280	CM 110	CM	94 LEVEL CM	4339,7445 litre	40,773 %	6303,9714 litre	O
280	CM 110	CM	93 LEVEL CM	4278,8416 litre	40,201 %	6364,8743 litre	O
280	CM 110	CM	92 LEVEL CM	4218,0264 litre	39,629 %	6425,6895 litre	O
280	CM 110	CM	91 LEVEL CM	4157,3040 litre	39,059 %	6486,4119 litre	O
280	CM 110	CM	90 LEVEL CM	4096,6799 litre	38,489 %	6547,0360 litre	O
280	CM 110	CM	89 LEVEL CM	4036,1593 litre	37,921 %	6607,5566 litre	O
280	CM 110	CM	88 LEVEL CM	3975,7476 litre	37,353 %	6667,9683 litre	O
280	CM 110	CM	87 LEVEL CM	3915,4503 litre	36,786 %	6728,2656 litre	O
280	CM 110	CM	86 LEVEL CM	3855,2726 litre	36,221 %	6788,4433 litre	O
280	CM 110	CM	85 LEVEL CM	3795,2202 litre	35,657 %	6848,4957 litre	O
280	CM 110	CM	84 LEVEL CM	3735,2985 litre	35,094 %	6908,4174 litre	O
280	CM 110	CM	83 LEVEL CM	3675,5130 litre	34,532 %	6968,2029 litre	O
280	CM 110	CM	82 LEVEL CM	3615,8692 litre	33,972 %	7027,8467 litre	O
280	CM 110	CM	81 LEVEL CM	3556,3729 litre	33,413 %	7087,3430 litre	O
280	CM 110	CM	80 LEVEL CM	3497,0297 litre	32,855 %	7146,6862 litre	O
280	CM 110	CM	79 LEVEL CM	3437,8452 litre	32,299 %	7205,8707 litre	O
280	CM 110	CM	78 LEVEL CM	3378,8252 litre	31,745 %	7264,8907 litre	O
280	CM 110	CM	77 LEVEL CM	3319,9754 litre	31,192 %	7323,7405 litre	O
280	CM 110	CM	76 LEVEL CM	3261,3018 litre	30,641 %	7382,4141 litre	O
280	CM 110	CM	75 LEVEL CM	3202,8102 litre	30,091 %	7440,9057 litre	O
280	CM 110	CM	74 LEVEL CM	3144,5066 litre	29,543 %	7499,2093 litre	O
280	CM 110	CM	73 LEVEL CM	3086,3969 litre	28,997 %	7557,3190 litre	O
280	CM 110	CM	72 LEVEL CM	3028,4872 litre	28,453 %	7615,2287 litre	O
280	CM 110	CM	71 LEVEL CM	2970,7837 litre	27,911 %	7672,9322 litre	O
280	CM 110	CM	70 LEVEL CM	2913,2925 litre	27,371 %	7730,4234 litre	O
280	CM 110	CM	69 LEVEL CM	2856,0199 litre	26,833 %	7787,6960 litre	O
280	CM 110	CM	68 LEVEL CM	2798,9723 litre	26,297 %	7844,7436 litre	O
280	CM 110	CM	67 LEVEL CM	2742,1560 litre	25,763 %	7901,5599 litre	O
280	CM 110	CM	66 LEVEL CM	2685,5776 litre	25,232 %	7958,1383 litre	O
280	CM 110	CM	65 LEVEL CM	2629,2435 litre	24,702 %	8014,4724 litre	O
280	CM 110	CM	64 LEVEL CM	2573,1606 litre	24,175 %	8070,5553 litre	O
280	CM 110	CM	63 LEVEL CM	2517,3354 litre	23,651 %	8126,3805 litre	O

280	CM 110	CM	62 LEVEL CM	2461,7750 litre	23,129 %	8181,9409 litre	O
280	CM 110	CM	61 LEVEL CM	2406,4861 litre	22,609 %	8237,2298 litre	O
280	CM 110	CM	60 LEVEL CM	2351,4758 litre	22,093 %	8292,2401 litre	O
280	CM 110	CM	59 LEVEL CM	2296,7513 litre	21,578 %	8346,9646 litre	O
280	CM 110	CM	58 LEVEL CM	2242,3199 litre	21,067 %	8401,3960 litre	O
280	CM 110	CM	57 LEVEL CM	2188,1889 litre	20,559 %	8455,5270 litre	O
280	CM 110	CM	56 LEVEL CM	2134,3658 litre	20,053 %	8509,3501 litre	O
280	CM 110	CM	55 LEVEL CM	2080,8583 litre	19,550 %	8562,8576 litre	O
280	CM 110	CM	54 LEVEL CM	2027,6741 litre	19,050 %	8616,0418 litre	O
280	CM 110	CM	53 LEVEL CM	1974,8211 litre	18,554 %	8668,8948 litre	O
280	CM 110	CM	52 LEVEL CM	1922,3075 litre	18,060 %	8721,4084 litre	O
280	CM 110	CM	51 LEVEL CM	1870,1413 litre	17,570 %	8773,5746 litre	O
280	CM 110	CM	50 LEVEL CM	1818,3311 litre	17,084 %	8825,3848 litre	O
280	CM 110	CM	49 LEVEL CM	1766,8853 litre	16,600 %	8876,8306 litre	O
280	CM 110	CM	48 LEVEL CM	1715,8127 litre	16,120 %	8927,9032 litre	O
280	CM 110	CM	47 LEVEL CM	1665,1223 litre	15,644 %	8978,5936 litre	O
280	CM 110	CM	46 LEVEL CM	1614,8231 litre	15,172 %	9028,8928 litre	O
280	CM 110	CM	45 LEVEL CM	1564,9246 litre	14,703 %	9078,7913 litre	O
280	CM 110	CM	44 LEVEL CM	1515,4362 litre	14,238 %	9128,2797 litre	O
280	CM 110	CM	43 LEVEL CM	1466,3679 litre	13,777 %	9177,3480 litre	O
280	CM 110	CM	42 LEVEL CM	1417,7296 litre	13,320 %	9225,9863 litre	O
280	CM 110	CM	41 LEVEL CM	1369,5318 litre	12,867 %	9274,1841 litre	O
280	CM 110	CM	40 LEVEL CM	1321,7851 litre	12,418 %	9321,9308 litre	O
280	CM 110	CM	39 LEVEL CM	1274,5004 litre	11,974 %	9369,2155 litre	O
280	CM 110	CM	38 LEVEL CM	1227,6889 litre	11,534 %	9416,0270 litre	O
280	CM 110	CM	37 LEVEL CM	1181,3623 litre	11,099 %	9462,3536 litre	O
280	CM 110	CM	36 LEVEL CM	1135,5326 litre	10,669 %	9508,1833 litre	O
280	CM 110	CM	35 LEVEL CM	1090,2120 litre	10,243 %	9553,5039 litre	O
280	CM 110	CM	34 LEVEL CM	1045,4134 litre	9,822 %	9598,3025 litre	O
280	CM 110	CM	33 LEVEL CM	1001,1501 litre	9,406 %	9642,5658 litre	O
280	CM 110	CM	32 LEVEL CM	957,4357 litre	8,995 %	9686,2802 litre	O
280	CM 110	CM	31 LEVEL CM	914,2845 litre	8,590 %	9729,4314 litre	O
280	CM 110	CM	30 LEVEL CM	871,7113 litre	8,190 %	9772,0046 litre	O
280	CM 110	CM	29 LEVEL CM	829,7316 litre	7,796 %	9813,9843 litre	O
280	CM 110	CM	28 LEVEL CM	788,3614 litre	7,407 %	9855,3545 litre	O
280	CM 110	CM	27 LEVEL CM	747,6176 litre	7,024 %	9896,0983 litre	O
280	CM 110	CM	26 LEVEL CM	707,5177 litre	6,647 %	9936,1982 litre	O
280	CM 110	CM	25 LEVEL CM	668,0802 litre	6,277 %	9975,6357 litre	O
280	CM 110	CM	24 LEVEL CM	629,3246 litre	5,913 %	10014,3913 litre	O
280	CM 110	CM	23 LEVEL CM	591,2712 litre	5,555 %	10052,4447 litre	O
280	CM 110	CM	22 LEVEL CM	553,9418 litre	5,204 %	10089,7741 litre	O
280	CM 110	CM	21 LEVEL CM	517,3591 litre	4,861 %	10126,3568 litre	O
280	CM 110	CM	20 LEVEL CM	481,5475 litre	4,524 %	10162,1684 litre	O
280	CM 110	CM	19 LEVEL CM	446,5330 litre	4,195 %	10197,1829 litre	O
280	CM 110	CM	18 LEVEL CM	412,3433 litre	3,874 %	10231,3726 litre	O
280	CM 110	CM	17 LEVEL CM	379,0081 litre	3,561 %	10264,7078 litre	O
280	CM 110	CM	16 LEVEL CM	346,5598 litre	3,256 %	10297,1561 litre	O
280	CM 110	CM	15 LEVEL CM	315,0331 litre	2,960 %	10328,6828 litre	O
280	CM 110	CM	14 LEVEL CM	284,4660 litre	2,673 %	10359,2499 litre	O
280	CM 110	CM	13 LEVEL CM	254,9004 litre	2,395 %	10388,8155 litre	O
280	CM 110	CM	12 LEVEL CM	226,3824 litre	2,127 %	10417,3335 litre	O
280	CM 110	CM	11 LEVEL CM	198,9634 litre	1,869 %	10444,7525 litre	O
280	CM 110	CM	10 LEVEL CM	172,7013 litre	1,623 %	10471,0146 litre	O

280	CM	110	CM	9 LEVEL CM	147,6620 litre	1,387 %	10496,0539 litre	O
280	CM	110	CM	8 LEVEL CM	123,9218 litre	1,164 %	10519,7941 litre	O
280	CM	110	CM	7 LEVEL CM	101,5700 litre	0,954 %	10542,1459 litre	O
280	CM	110	CM	6 LEVEL CM	80,7141 litre	0,758 %	10563,0018 litre	O
280	CM	110	CM	5 LEVEL CM	61,4865 litre	0,578 %	10582,2294 litre	O
280	CM	110	CM	4 LEVEL CM	44,0570 litre	0,414 %	10599,6589 litre	O
280	CM	110	CM	3 LEVEL CM	28,6553 litre	0,269 %	10615,0606 litre	O
280	CM	110	CM	2 LEVEL CM	15,6194 litre	0,147 %	10628,0965 litre	O
280	CM	110	CM	1 LEVEL CM	5,5299 litre	0,052 %	10638,1860 litre	O
280	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	10643,7159 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM 105	CM 210 LEVEL CM	9698,0965 litre	100,000 %	0,0000 litre	O
280	CM 105	CM 209 LEVEL CM	9692,6941 litre	99,944 %	5,4024 litre	O
280	CM 105	CM 208 LEVEL CM	9682,8382 litre	99,843 %	15,2583 litre	O
280	CM 105	CM 207 LEVEL CM	9670,1055 litre	99,711 %	27,9910 litre	O
280	CM 105	CM 206 LEVEL CM	9655,0638 litre	99,556 %	43,0327 litre	O
280	CM 105	CM 205 LEVEL CM	9638,0435 litre	99,381 %	60,0530 litre	O
280	CM 105	CM 204 LEVEL CM	9619,2695 litre	99,187 %	78,8270 litre	O
280	CM 105	CM 203 LEVEL CM	9598,9078 litre	98,977 %	99,1887 litre	O
280	CM 105	CM 202 LEVEL CM	9577,0883 litre	98,752 %	121,0082 litre	O
280	CM 105	CM 201 LEVEL CM	9553,9161 litre	98,513 %	144,1804 litre	O
280	CM 105	CM 200 LEVEL CM	9529,4789 litre	98,261 %	168,6176 litre	O
280	CM 105	CM 199 LEVEL CM	9503,8513 litre	97,997 %	194,2452 litre	O
280	CM 105	CM 198 LEVEL CM	9477,0979 litre	97,721 %	220,9986 litre	O
280	CM 105	CM 197 LEVEL CM	9449,2755 litre	97,434 %	248,8210 litre	O
280	CM 105	CM 196 LEVEL CM	9420,4347 litre	97,137 %	277,6618 litre	O
280	CM 105	CM 195 LEVEL CM	9390,6207 litre	96,830 %	307,4758 litre	O
280	CM 105	CM 194 LEVEL CM	9359,8744 litre	96,512 %	338,2221 litre	O
280	CM 105	CM 193 LEVEL CM	9328,2334 litre	96,186 %	369,8631 litre	O
280	CM 105	CM 192 LEVEL CM	9295,7318 litre	95,851 %	402,3647 litre	O
280	CM 105	CM 191 LEVEL CM	9262,4012 litre	95,507 %	435,6953 litre	O
280	CM 105	CM 190 LEVEL CM	9228,2711 litre	95,155 %	469,8254 litre	O
280	CM 105	CM 189 LEVEL CM	9193,3686 litre	94,796 %	504,7279 litre	O
280	CM 105	CM 188 LEVEL CM	9157,7193 litre	94,428 %	540,3772 litre	O
280	CM 105	CM 187 LEVEL CM	9121,3472 litre	94,053 %	576,7493 litre	O
280	CM 105	CM 186 LEVEL CM	9084,2748 litre	93,671 %	613,8217 litre	O
280	CM 105	CM 185 LEVEL CM	9046,5233 litre	93,281 %	651,5732 litre	O
280	CM 105	CM 184 LEVEL CM	9008,1131 litre	92,885 %	689,9834 litre	O
280	CM 105	CM 183 LEVEL CM	8969,0631 litre	92,483 %	729,0334 litre	O
280	CM 105	CM 182 LEVEL CM	8929,3917 litre	92,074 %	768,7048 litre	O
280	CM 105	CM 181 LEVEL CM	8889,1161 litre	91,658 %	808,9804 litre	O
280	CM 105	CM 180 LEVEL CM	8848,2531 litre	91,237 %	849,8434 litre	O
280	CM 105	CM 179 LEVEL CM	8806,8185 litre	90,810 %	891,2780 litre	O
280	CM 105	CM 178 LEVEL CM	8764,8275 litre	90,377 %	933,2690 litre	O
280	CM 105	CM 177 LEVEL CM	8722,2948 litre	89,938 %	975,8017 litre	O
280	CM 105	CM 176 LEVEL CM	8679,2345 litre	89,494 %	1018,8620 litre	O
280	CM 105	CM 175 LEVEL CM	8635,6602 litre	89,045 %	1062,4363 litre	O
280	CM 105	CM 174 LEVEL CM	8591,5849 litre	88,590 %	1106,5116 litre	O
280	CM 105	CM 173 LEVEL CM	8547,0214 litre	88,131 %	1151,0751 litre	O
280	CM 105	CM 172 LEVEL CM	8501,9819 litre	87,667 %	1196,1146 litre	O
280	CM 105	CM 171 LEVEL CM	8456,4783 litre	87,197 %	1241,6182 litre	O
280	CM 105	CM 170 LEVEL CM	8410,5221 litre	86,723 %	1287,5744 litre	O
280	CM 105	CM 169 LEVEL CM	8364,1244 litre	86,245 %	1333,9721 litre	O
280	CM 105	CM 168 LEVEL CM	8317,2962 litre	85,762 %	1380,8003 litre	O
280	CM 105	CM 167 LEVEL CM	8270,0479 litre	85,275 %	1428,0486 litre	O
280	CM 105	CM 166 LEVEL CM	8222,3899 litre	84,784 %	1475,7066 litre	O
280	CM 105	CM 165 LEVEL CM	8174,3321 litre	84,288 %	1523,7644 litre	O
280	CM 105	CM 164 LEVEL CM	8125,8845 litre	83,788 %	1572,2120 litre	O
280	CM 105	CM 163 LEVEL CM	8077,0563 litre	83,285 %	1621,0402 litre	O
280	CM 105	CM 162 LEVEL CM	8027,8571 litre	82,778 %	1670,2394 litre	O
280	CM 105	CM 161 LEVEL CM	7978,2959 litre	82,267 %	1719,8006 litre	O
280	CM 105	CM 160 LEVEL CM	7928,3816 litre	81,752 %	1769,7149 litre	O
280	CM 105	CM 159 LEVEL CM	7878,1229 litre	81,234 %	1819,9736 litre	O

280	CM	105	CM	158 LEVEL CM	7827,5285 litre	80,712 %	1870,5680 litre	O
280	CM	105	CM	157 LEVEL CM	7776,6065 litre	80,187 %	1921,4900 litre	O
280	CM	105	CM	156 LEVEL CM	7725,3653 litre	79,659 %	1972,7312 litre	O
280	CM	105	CM	155 LEVEL CM	7673,8129 litre	79,127 %	2024,2836 litre	O
280	CM	105	CM	154 LEVEL CM	7621,9573 litre	78,592 %	2076,1392 litre	O
280	CM	105	CM	153 LEVEL CM	7569,8061 litre	78,055 %	2128,2904 litre	O
280	CM	105	CM	152 LEVEL CM	7517,3672 litre	77,514 %	2180,7293 litre	O
280	CM	105	CM	151 LEVEL CM	7464,6478 litre	76,970 %	2233,4487 litre	O
280	CM	105	CM	150 LEVEL CM	7411,6556 litre	76,424 %	2286,4409 litre	O
280	CM	105	CM	149 LEVEL CM	7358,3977 litre	75,875 %	2339,6988 litre	O
280	CM	105	CM	148 LEVEL CM	7304,8814 litre	75,323 %	2393,2151 litre	O
280	CM	105	CM	147 LEVEL CM	7251,1137 litre	74,768 %	2446,9828 litre	O
280	CM	105	CM	146 LEVEL CM	7197,1015 litre	74,211 %	2500,9950 litre	O
280	CM	105	CM	145 LEVEL CM	7142,8518 litre	73,652 %	2555,2447 litre	O
280	CM	105	CM	144 LEVEL CM	7088,3714 litre	73,090 %	2609,7251 litre	O
280	CM	105	CM	143 LEVEL CM	7033,6670 litre	72,526 %	2664,4295 litre	O
280	CM	105	CM	142 LEVEL CM	6978,7451 litre	71,960 %	2719,3514 litre	O
280	CM	105	CM	141 LEVEL CM	6923,6124 litre	71,391 %	2774,4841 litre	O
280	CM	105	CM	140 LEVEL CM	6868,2753 litre	70,821 %	2829,8212 litre	O
280	CM	105	CM	139 LEVEL CM	6812,7402 litre	70,248 %	2885,3563 litre	O
280	CM	105	CM	138 LEVEL CM	6757,0134 litre	69,674 %	2941,0831 litre	O
280	CM	105	CM	137 LEVEL CM	6701,1012 litre	69,097 %	2996,9953 litre	O
280	CM	105	CM	136 LEVEL CM	6645,0099 litre	68,519 %	3053,0866 litre	O
280	CM	105	CM	135 LEVEL CM	6588,7455 litre	67,939 %	3109,3510 litre	O
280	CM	105	CM	134 LEVEL CM	6532,3141 litre	67,357 %	3165,7824 litre	O
280	CM	105	CM	133 LEVEL CM	6475,7218 litre	66,773 %	3222,3747 litre	O
280	CM	105	CM	132 LEVEL CM	6418,9745 litre	66,188 %	3279,1220 litre	O
280	CM	105	CM	131 LEVEL CM	6362,0782 litre	65,601 %	3336,0183 litre	O
280	CM	105	CM	130 LEVEL CM	6305,0388 litre	65,013 %	3393,0577 litre	O
280	CM	105	CM	129 LEVEL CM	6247,8621 litre	64,424 %	3450,2344 litre	O
280	CM	105	CM	128 LEVEL CM	6190,5539 litre	63,833 %	3507,5426 litre	O
280	CM	105	CM	127 LEVEL CM	6133,1200 litre	63,240 %	3564,9765 litre	O
280	CM	105	CM	126 LEVEL CM	6075,5661 litre	62,647 %	3622,5304 litre	O
280	CM	105	CM	125 LEVEL CM	6017,8979 litre	62,052 %	3680,1986 litre	O
280	CM	105	CM	124 LEVEL CM	5960,1211 litre	61,457 %	3737,9754 litre	O
280	CM	105	CM	123 LEVEL CM	5902,2412 litre	60,860 %	3795,8553 litre	O
280	CM	105	CM	122 LEVEL CM	5844,2638 litre	60,262 %	3853,8327 litre	O
280	CM	105	CM	121 LEVEL CM	5786,1946 litre	59,663 %	3911,9019 litre	O
280	CM	105	CM	120 LEVEL CM	5728,0390 litre	59,064 %	3970,0575 litre	O
280	CM	105	CM	119 LEVEL CM	5669,8026 litre	58,463 %	4028,2939 litre	O
280	CM	105	CM	118 LEVEL CM	5611,4909 litre	57,862 %	4086,6056 litre	O
280	CM	105	CM	117 LEVEL CM	5553,1092 litre	57,260 %	4144,9873 litre	O
280	CM	105	CM	116 LEVEL CM	5494,6632 litre	56,657 %	4203,4333 litre	O
280	CM	105	CM	115 LEVEL CM	5436,1582 litre	56,054 %	4261,9383 litre	O
280	CM	105	CM	114 LEVEL CM	5377,5995 litre	55,450 %	4320,4970 litre	O
280	CM	105	CM	113 LEVEL CM	5318,9928 litre	54,846 %	4379,1037 litre	O
280	CM	105	CM	112 LEVEL CM	5260,3432 litre	54,241 %	4437,7533 litre	O
280	CM	105	CM	111 LEVEL CM	5201,6562 litre	53,636 %	4496,4403 litre	O
280	CM	105	CM	110 LEVEL CM	5142,9371 litre	53,030 %	4555,1594 litre	O
280	CM	105	CM	109 LEVEL CM	5084,1914 litre	52,425 %	4613,9051 litre	O
280	CM	105	CM	108 LEVEL CM	5025,4243 litre	51,819 %	4672,6722 litre	O
280	CM	105	CM	107 LEVEL CM	4966,6411 litre	51,213 %	4731,4554 litre	O
280	CM	105	CM	106 LEVEL CM	4907,8474 litre	50,606 %	4790,2491 litre	O

280	CM	105	CM	105 LEVEL CM	4849,0483 litre	50,000 %	4849,0482 litre	O
280	CM	105	CM	104 LEVEL CM	4790,2491 litre	49,394 %	4907,8474 litre	O
280	CM	105	CM	103 LEVEL CM	4731,4554 litre	48,787 %	4966,6411 litre	O
280	CM	105	CM	102 LEVEL CM	4672,6723 litre	48,181 %	5025,4242 litre	O
280	CM	105	CM	101 LEVEL CM	4613,9052 litre	47,575 %	5084,1913 litre	O
280	CM	105	CM	100 LEVEL CM	4555,1594 litre	46,970 %	5142,9371 litre	O
280	CM	105	CM	99 LEVEL CM	4496,4404 litre	46,364 %	5201,6561 litre	O
280	CM	105	CM	98 LEVEL CM	4437,7534 litre	45,759 %	5260,3431 litre	O
280	CM	105	CM	97 LEVEL CM	4379,1038 litre	45,154 %	5318,9927 litre	O
280	CM	105	CM	96 LEVEL CM	4320,4970 litre	44,550 %	5377,5995 litre	O
280	CM	105	CM	95 LEVEL CM	4261,9384 litre	43,946 %	5436,1581 litre	O
280	CM	105	CM	94 LEVEL CM	4203,4333 litre	43,343 %	5494,6632 litre	O
280	CM	105	CM	93 LEVEL CM	4144,9873 litre	42,740 %	5553,1092 litre	O
280	CM	105	CM	92 LEVEL CM	4086,6057 litre	42,138 %	5611,4908 litre	O
280	CM	105	CM	91 LEVEL CM	4028,2939 litre	41,537 %	5669,8026 litre	O
280	CM	105	CM	90 LEVEL CM	3970,0575 litre	40,936 %	5728,0390 litre	O
280	CM	105	CM	89 LEVEL CM	3911,9019 litre	40,337 %	5786,1946 litre	O
280	CM	105	CM	88 LEVEL CM	3853,8327 litre	39,738 %	5844,2638 litre	O
280	CM	105	CM	87 LEVEL CM	3795,8554 litre	39,140 %	5902,2411 litre	O
280	CM	105	CM	86 LEVEL CM	3737,9755 litre	38,543 %	5960,1210 litre	O
280	CM	105	CM	85 LEVEL CM	3680,1986 litre	37,948 %	6017,8979 litre	O
280	CM	105	CM	84 LEVEL CM	3622,5304 litre	37,353 %	6075,5661 litre	O
280	CM	105	CM	83 LEVEL CM	3564,9765 litre	36,760 %	6133,1200 litre	O
280	CM	105	CM	82 LEVEL CM	3507,5426 litre	36,167 %	6190,5539 litre	O
280	CM	105	CM	81 LEVEL CM	3450,2344 litre	35,576 %	6247,8621 litre	O
280	CM	105	CM	80 LEVEL CM	3393,0577 litre	34,987 %	6305,0388 litre	O
280	CM	105	CM	79 LEVEL CM	3336,0183 litre	34,399 %	6362,0782 litre	O
280	CM	105	CM	78 LEVEL CM	3279,1220 litre	33,812 %	6418,9745 litre	O
280	CM	105	CM	77 LEVEL CM	3222,3748 litre	33,227 %	6475,7217 litre	O
280	CM	105	CM	76 LEVEL CM	3165,7824 litre	32,643 %	6532,3141 litre	O
280	CM	105	CM	75 LEVEL CM	3109,3511 litre	32,061 %	6588,7454 litre	O
280	CM	105	CM	74 LEVEL CM	3053,0866 litre	31,481 %	6645,0099 litre	O
280	CM	105	CM	73 LEVEL CM	2996,9953 litre	30,903 %	6701,1012 litre	O
280	CM	105	CM	72 LEVEL CM	2941,0831 litre	30,326 %	6757,0134 litre	O
280	CM	105	CM	71 LEVEL CM	2885,3563 litre	29,752 %	6812,7402 litre	O
280	CM	105	CM	70 LEVEL CM	2829,8212 litre	29,179 %	6868,2753 litre	O
280	CM	105	CM	69 LEVEL CM	2774,4841 litre	28,609 %	6923,6124 litre	O
280	CM	105	CM	68 LEVEL CM	2719,3514 litre	28,040 %	6978,7451 litre	O
280	CM	105	CM	67 LEVEL CM	2664,4295 litre	27,474 %	7033,6670 litre	O
280	CM	105	CM	66 LEVEL CM	2609,7251 litre	26,910 %	7088,3714 litre	O
280	CM	105	CM	65 LEVEL CM	2555,2447 litre	26,348 %	7142,8518 litre	O
280	CM	105	CM	64 LEVEL CM	2500,9950 litre	25,789 %	7197,1015 litre	O
280	CM	105	CM	63 LEVEL CM	2446,9829 litre	25,232 %	7251,1136 litre	O
280	CM	105	CM	62 LEVEL CM	2393,2151 litre	24,677 %	7304,8814 litre	O
280	CM	105	CM	61 LEVEL CM	2339,6988 litre	24,125 %	7358,3977 litre	O
280	CM	105	CM	60 LEVEL CM	2286,4409 litre	23,576 %	7411,6556 litre	O
280	CM	105	CM	59 LEVEL CM	2233,4487 litre	23,030 %	7464,6478 litre	O
280	CM	105	CM	58 LEVEL CM	2180,7294 litre	22,486 %	7517,3671 litre	O
280	CM	105	CM	57 LEVEL CM	2128,2904 litre	21,945 %	7569,8061 litre	O
280	CM	105	CM	56 LEVEL CM	2076,1392 litre	21,408 %	7621,9573 litre	O
280	CM	105	CM	55 LEVEL CM	2024,2836 litre	20,873 %	7673,8129 litre	O
280	CM	105	CM	54 LEVEL CM	1972,7312 litre	20,341 %	7725,3653 litre	O
280	CM	105	CM	53 LEVEL CM	1921,4900 litre	19,813 %	7776,6065 litre	O

280	CM	105	CM	52 LEVEL CM	1870,5681 litre	19,288 %	7827,5284 litre	O
280	CM	105	CM	51 LEVEL CM	1819,9736 litre	18,766 %	7878,1229 litre	O
280	CM	105	CM	50 LEVEL CM	1769,7149 litre	18,248 %	7928,3816 litre	O
280	CM	105	CM	49 LEVEL CM	1719,8006 litre	17,733 %	7978,2959 litre	O
280	CM	105	CM	48 LEVEL CM	1670,2394 litre	17,222 %	8027,8571 litre	O
280	CM	105	CM	47 LEVEL CM	1621,0402 litre	16,715 %	8077,0563 litre	O
280	CM	105	CM	46 LEVEL CM	1572,2121 litre	16,212 %	8125,8844 litre	O
280	CM	105	CM	45 LEVEL CM	1523,7644 litre	15,712 %	8174,3321 litre	O
280	CM	105	CM	44 LEVEL CM	1475,7066 litre	15,216 %	8222,3899 litre	O
280	CM	105	CM	43 LEVEL CM	1428,0486 litre	14,725 %	8270,0479 litre	O
280	CM	105	CM	42 LEVEL CM	1380,8003 litre	14,238 %	8317,2962 litre	O
280	CM	105	CM	41 LEVEL CM	1333,9721 litre	13,755 %	8364,1244 litre	O
280	CM	105	CM	40 LEVEL CM	1287,5744 litre	13,277 %	8410,5221 litre	O
280	CM	105	CM	39 LEVEL CM	1241,6182 litre	12,803 %	8456,4783 litre	O
280	CM	105	CM	38 LEVEL CM	1196,1146 litre	12,333 %	8501,9819 litre	O
280	CM	105	CM	37 LEVEL CM	1151,0751 litre	11,869 %	8547,0214 litre	O
280	CM	105	CM	36 LEVEL CM	1106,5116 litre	11,410 %	8591,5849 litre	O
280	CM	105	CM	35 LEVEL CM	1062,4364 litre	10,955 %	8635,6601 litre	O
280	CM	105	CM	34 LEVEL CM	1018,8620 litre	10,506 %	8679,2345 litre	O
280	CM	105	CM	33 LEVEL CM	975,8017 litre	10,062 %	8722,2948 litre	O
280	CM	105	CM	32 LEVEL CM	933,2690 litre	9,623 %	8764,8275 litre	O
280	CM	105	CM	31 LEVEL CM	891,2780 litre	9,190 %	8806,8185 litre	O
280	CM	105	CM	30 LEVEL CM	849,8434 litre	8,763 %	8848,2531 litre	O
280	CM	105	CM	29 LEVEL CM	808,9804 litre	8,342 %	8889,1161 litre	O
280	CM	105	CM	28 LEVEL CM	768,7048 litre	7,926 %	8929,3917 litre	O
280	CM	105	CM	27 LEVEL CM	729,0334 litre	7,517 %	8969,0631 litre	O
280	CM	105	CM	26 LEVEL CM	689,9834 litre	7,115 %	9008,1131 litre	O
280	CM	105	CM	25 LEVEL CM	651,5732 litre	6,719 %	9046,5233 litre	O
280	CM	105	CM	24 LEVEL CM	613,8218 litre	6,329 %	9084,2747 litre	O
280	CM	105	CM	23 LEVEL CM	576,7493 litre	5,947 %	9121,3472 litre	O
280	CM	105	CM	22 LEVEL CM	540,3772 litre	5,572 %	9157,7193 litre	O
280	CM	105	CM	21 LEVEL CM	504,7279 litre	5,204 %	9193,3686 litre	O
280	CM	105	CM	20 LEVEL CM	469,8254 litre	4,845 %	9228,2711 litre	O
280	CM	105	CM	19 LEVEL CM	435,6953 litre	4,493 %	9262,4012 litre	O
280	CM	105	CM	18 LEVEL CM	402,3647 litre	4,149 %	9295,7318 litre	O
280	CM	105	CM	17 LEVEL CM	369,8631 litre	3,814 %	9328,2334 litre	O
280	CM	105	CM	16 LEVEL CM	338,2221 litre	3,488 %	9359,8744 litre	O
280	CM	105	CM	15 LEVEL CM	307,4759 litre	3,170 %	9390,6206 litre	O
280	CM	105	CM	14 LEVEL CM	277,6618 litre	2,863 %	9420,4347 litre	O
280	CM	105	CM	13 LEVEL CM	248,8210 litre	2,566 %	9449,2755 litre	O
280	CM	105	CM	12 LEVEL CM	220,9986 litre	2,279 %	9477,0979 litre	O
280	CM	105	CM	11 LEVEL CM	194,2452 litre	2,003 %	9503,8513 litre	O
280	CM	105	CM	10 LEVEL CM	168,6176 litre	1,739 %	9529,4789 litre	O
280	CM	105	CM	9 LEVEL CM	144,1804 litre	1,487 %	9553,9161 litre	O
280	CM	105	CM	8 LEVEL CM	121,0082 litre	1,248 %	9577,0883 litre	O
280	CM	105	CM	7 LEVEL CM	99,1887 litre	1,023 %	9598,9078 litre	O
280	CM	105	CM	6 LEVEL CM	78,8271 litre	0,813 %	9619,2694 litre	O
280	CM	105	CM	5 LEVEL CM	60,0530 litre	0,619 %	9638,0435 litre	O
280	CM	105	CM	4 LEVEL CM	43,0327 litre	0,444 %	9655,0638 litre	O
280	CM	105	CM	3 LEVEL CM	27,9910 litre	0,289 %	9670,1055 litre	O
280	CM	105	CM	2 LEVEL CM	15,2583 litre	0,157 %	9682,8382 litre	O
280	CM	105	CM	1 LEVEL CM	5,4024 litre	0,056 %	9692,6941 litre	O
280	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	9698,0965 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM 100	CM 200 LEVEL CM	8796,4594 litre	100,000 %	0,0000 litre	O
280	CM 100	CM 199 LEVEL CM	8791,1876 litre	99,940 %	5,2718 litre	O
280	CM 100	CM 198 LEVEL CM	8781,5710 litre	99,831 %	14,8884 litre	O
280	CM 100	CM 197 LEVEL CM	8769,1489 litre	99,690 %	27,3105 litre	O
280	CM 100	CM 196 LEVEL CM	8754,4759 litre	99,523 %	41,9835 litre	O
280	CM 100	CM 195 LEVEL CM	8737,8750 litre	99,334 %	58,5844 litre	O
280	CM 100	CM 194 LEVEL CM	8719,5657 litre	99,126 %	76,8937 litre	O
280	CM 100	CM 193 LEVEL CM	8699,7107 litre	98,900 %	96,7487 litre	O
280	CM 100	CM 192 LEVEL CM	8678,4368 litre	98,658 %	118,0226 litre	O
280	CM 100	CM 191 LEVEL CM	8655,8469 litre	98,401 %	140,6125 litre	O
280	CM 100	CM 190 LEVEL CM	8632,0269 litre	98,131 %	164,4325 litre	O
280	CM 100	CM 189 LEVEL CM	8607,0498 litre	97,847 %	189,4096 litre	O
280	CM 100	CM 188 LEVEL CM	8580,9790 litre	97,550 %	215,4804 litre	O
280	CM 100	CM 187 LEVEL CM	8553,8702 litre	97,242 %	242,5892 litre	O
280	CM 100	CM 186 LEVEL CM	8525,7728 litre	96,923 %	270,6866 litre	O
280	CM 100	CM 185 LEVEL CM	8496,7313 litre	96,593 %	299,7281 litre	O
280	CM 100	CM 184 LEVEL CM	8466,7859 litre	96,252 %	329,6735 litre	O
280	CM 100	CM 183 LEVEL CM	8435,9734 litre	95,902 %	360,4860 litre	O
280	CM 100	CM 182 LEVEL CM	8404,3272 litre	95,542 %	392,1322 litre	O
280	CM 100	CM 181 LEVEL CM	8371,8786 litre	95,173 %	424,5808 litre	O
280	CM 100	CM 180 LEVEL CM	8338,6563 litre	94,796 %	457,8031 litre	O
280	CM 100	CM 179 LEVEL CM	8304,6872 litre	94,409 %	491,7722 litre	O
280	CM 100	CM 178 LEVEL CM	8269,9965 litre	94,015 %	526,4629 litre	O
280	CM 100	CM 177 LEVEL CM	8234,6076 litre	93,613 %	561,8518 litre	O
280	CM 100	CM 176 LEVEL CM	8198,5427 litre	93,203 %	597,9167 litre	O
280	CM 100	CM 175 LEVEL CM	8161,8230 litre	92,785 %	634,6364 litre	O
280	CM 100	CM 174 LEVEL CM	8124,4682 litre	92,361 %	671,9912 litre	O
280	CM 100	CM 173 LEVEL CM	8086,4971 litre	91,929 %	709,9623 litre	O
280	CM 100	CM 172 LEVEL CM	8047,9279 litre	91,491 %	748,5315 litre	O
280	CM 100	CM 171 LEVEL CM	8008,7776 litre	91,045 %	787,6818 litre	O
280	CM 100	CM 170 LEVEL CM	7969,0627 litre	90,594 %	827,3967 litre	O
280	CM 100	CM 169 LEVEL CM	7928,7988 litre	90,136 %	867,6606 litre	O
280	CM 100	CM 168 LEVEL CM	7888,0010 litre	89,672 %	908,4584 litre	O
280	CM 100	CM 167 LEVEL CM	7846,6837 litre	89,203 %	949,7757 litre	O
280	CM 100	CM 166 LEVEL CM	7804,8611 litre	88,727 %	991,5983 litre	O
280	CM 100	CM 165 LEVEL CM	7762,5464 litre	88,246 %	1033,9130 litre	O
280	CM 100	CM 164 LEVEL CM	7719,7527 litre	87,760 %	1076,7067 litre	O
280	CM 100	CM 163 LEVEL CM	7676,4925 litre	87,268 %	1119,9669 litre	O
280	CM 100	CM 162 LEVEL CM	7632,7780 litre	86,771 %	1163,6814 litre	O
280	CM 100	CM 161 LEVEL CM	7588,6210 litre	86,269 %	1207,8384 litre	O
280	CM 100	CM 160 LEVEL CM	7544,0328 litre	85,762 %	1252,4266 litre	O
280	CM 100	CM 159 LEVEL CM	7499,0246 litre	85,250 %	1297,4348 litre	O
280	CM 100	CM 158 LEVEL CM	7453,6072 litre	84,734 %	1342,8522 litre	O
280	CM 100	CM 157 LEVEL CM	7407,7910 litre	84,213 %	1388,6684 litre	O
280	CM 100	CM 156 LEVEL CM	7361,5864 litre	83,688 %	1434,8730 litre	O
280	CM 100	CM 155 LEVEL CM	7315,0031 litre	83,158 %	1481,4563 litre	O
280	CM 100	CM 154 LEVEL CM	7268,0511 litre	82,625 %	1528,4083 litre	O
280	CM 100	CM 153 LEVEL CM	7220,7398 litre	82,087 %	1575,7196 litre	O
280	CM 100	CM 152 LEVEL CM	7173,0785 litre	81,545 %	1623,3809 litre	O
280	CM 100	CM 151 LEVEL CM	7125,0762 litre	80,999 %	1671,3832 litre	O
280	CM 100	CM 150 LEVEL CM	7076,7419 litre	80,450 %	1719,7175 litre	O
280	CM 100	CM 149 LEVEL CM	7028,0842 litre	79,897 %	1768,3752 litre	O

280	CM	100	CM	148 LEVEL CM	6979,1118 litre	79,340 %	1817,3476 litre	O
280	CM	100	CM	147 LEVEL CM	6929,8329 litre	78,780 %	1866,6265 litre	O
280	CM	100	CM	146 LEVEL CM	6880,2558 litre	78,216 %	1916,2036 litre	O
280	CM	100	CM	145 LEVEL CM	6830,3886 litre	77,649 %	1966,0708 litre	O
280	CM	100	CM	144 LEVEL CM	6780,2393 litre	77,079 %	2016,2201 litre	O
280	CM	100	CM	143 LEVEL CM	6729,8155 litre	76,506 %	2066,6439 litre	O
280	CM	100	CM	142 LEVEL CM	6679,1250 litre	75,930 %	2117,3344 litre	O
280	CM	100	CM	141 LEVEL CM	6628,1753 litre	75,350 %	2168,2841 litre	O
280	CM	100	CM	140 LEVEL CM	6576,9738 litre	74,768 %	2219,4856 litre	O
280	CM	100	CM	139 LEVEL CM	6525,5280 litre	74,184 %	2270,9314 litre	O
280	CM	100	CM	138 LEVEL CM	6473,8450 litre	73,596 %	2322,6144 litre	O
280	CM	100	CM	137 LEVEL CM	6421,9319 litre	73,006 %	2374,5275 litre	O
280	CM	100	CM	136 LEVEL CM	6369,7957 litre	72,413 %	2426,6637 litre	O
280	CM	100	CM	135 LEVEL CM	6317,4435 litre	71,818 %	2479,0159 litre	O
280	CM	100	CM	134 LEVEL CM	6264,8820 litre	71,220 %	2531,5774 litre	O
280	CM	100	CM	133 LEVEL CM	6212,1181 litre	70,621 %	2584,3413 litre	O
280	CM	100	CM	132 LEVEL CM	6159,1584 litre	70,019 %	2637,3010 litre	O
280	CM	100	CM	131 LEVEL CM	6106,0095 litre	69,414 %	2690,4499 litre	O
280	CM	100	CM	130 LEVEL CM	6052,6781 litre	68,808 %	2743,7813 litre	O
280	CM	100	CM	129 LEVEL CM	5999,1705 litre	68,200 %	2797,2889 litre	O
280	CM	100	CM	128 LEVEL CM	5945,4932 litre	67,590 %	2850,9662 litre	O
280	CM	100	CM	127 LEVEL CM	5891,6526 litre	66,978 %	2904,8068 litre	O
280	CM	100	CM	126 LEVEL CM	5837,6550 litre	66,364 %	2958,8044 litre	O
280	CM	100	CM	125 LEVEL CM	5783,5065 litre	65,748 %	3012,9529 litre	O
280	CM	100	CM	124 LEVEL CM	5729,2135 litre	65,131 %	3067,2459 litre	O
280	CM	100	CM	123 LEVEL CM	5674,7820 litre	64,512 %	3121,6774 litre	O
280	CM	100	CM	122 LEVEL CM	5620,2182 litre	63,892 %	3176,2412 litre	O
280	CM	100	CM	121 LEVEL CM	5565,5280 litre	63,270 %	3230,9314 litre	O
280	CM	100	CM	120 LEVEL CM	5510,7176 litre	62,647 %	3285,7418 litre	O
280	CM	100	CM	119 LEVEL CM	5455,7929 litre	62,023 %	3340,6665 litre	O
280	CM	100	CM	118 LEVEL CM	5400,7598 litre	61,397 %	3395,6996 litre	O
280	CM	100	CM	117 LEVEL CM	5345,6242 litre	60,770 %	3450,8352 litre	O
280	CM	100	CM	116 LEVEL CM	5290,3920 litre	60,142 %	3506,0674 litre	O
280	CM	100	CM	115 LEVEL CM	5235,0690 litre	59,513 %	3561,3904 litre	O
280	CM	100	CM	114 LEVEL CM	5179,6611 litre	58,883 %	3616,7983 litre	O
280	CM	100	CM	113 LEVEL CM	5124,1740 litre	58,253 %	3672,2854 litre	O
280	CM	100	CM	112 LEVEL CM	5068,6134 litre	57,621 %	3727,8460 litre	O
280	CM	100	CM	111 LEVEL CM	5012,9852 litre	56,989 %	3783,4742 litre	O
280	CM	100	CM	110 LEVEL CM	4957,2950 litre	56,356 %	3839,1644 litre	O
280	CM	100	CM	109 LEVEL CM	4901,5485 litre	55,722 %	3894,9109 litre	O
280	CM	100	CM	108 LEVEL CM	4845,7514 litre	55,088 %	3950,7080 litre	O
280	CM	100	CM	107 LEVEL CM	4789,9093 litre	54,453 %	4006,5501 litre	O
280	CM	100	CM	106 LEVEL CM	4734,0280 litre	53,817 %	4062,4314 litre	O
280	CM	100	CM	105 LEVEL CM	4678,1130 litre	53,182 %	4118,3464 litre	O
280	CM	100	CM	104 LEVEL CM	4622,1700 litre	52,546 %	4174,2894 litre	O
280	CM	100	CM	103 LEVEL CM	4566,2045 litre	51,910 %	4230,2549 litre	O
280	CM	100	CM	102 LEVEL CM	4510,2222 litre	51,273 %	4286,2372 litre	O
280	CM	100	CM	101 LEVEL CM	4454,2288 litre	50,637 %	4342,2306 litre	O
280	CM	100	CM	100 LEVEL CM	4398,2297 litre	50,000 %	4398,2297 litre	O
280	CM	100	CM	99 LEVEL CM	4342,2306 litre	49,363 %	4454,2288 litre	O
280	CM	100	CM	98 LEVEL CM	4286,2372 litre	48,727 %	4510,2222 litre	O
280	CM	100	CM	97 LEVEL CM	4230,2549 litre	48,090 %	4566,2045 litre	O
280	CM	100	CM	96 LEVEL CM	4174,2895 litre	47,454 %	4622,1699 litre	O

280	CM	100	CM	95 LEVEL CM	4118,3464 litre	46,818 %	4678,1130 litre	O
280	CM	100	CM	94 LEVEL CM	4062,4314 litre	46,183 %	4734,0280 litre	O
280	CM	100	CM	93 LEVEL CM	4006,5501 litre	45,547 %	4789,9093 litre	O
280	CM	100	CM	92 LEVEL CM	3950,7080 litre	44,912 %	4845,7514 litre	O
280	CM	100	CM	91 LEVEL CM	3894,9109 litre	44,278 %	4901,5485 litre	O
280	CM	100	CM	90 LEVEL CM	3839,1645 litre	43,644 %	4957,2949 litre	O
280	CM	100	CM	89 LEVEL CM	3783,4742 litre	43,011 %	5012,9852 litre	O
280	CM	100	CM	88 LEVEL CM	3727,8460 litre	42,379 %	5068,6134 litre	O
280	CM	100	CM	87 LEVEL CM	3672,2855 litre	41,747 %	5124,1739 litre	O
280	CM	100	CM	86 LEVEL CM	3616,7984 litre	41,117 %	5179,6610 litre	O
280	CM	100	CM	85 LEVEL CM	3561,3904 litre	40,487 %	5235,0690 litre	O
280	CM	100	CM	84 LEVEL CM	3506,0675 litre	39,858 %	5290,3919 litre	O
280	CM	100	CM	83 LEVEL CM	3450,8353 litre	39,230 %	5345,6241 litre	O
280	CM	100	CM	82 LEVEL CM	3395,6997 litre	38,603 %	5400,7597 litre	O
280	CM	100	CM	81 LEVEL CM	3340,6666 litre	37,977 %	5455,7928 litre	O
280	CM	100	CM	80 LEVEL CM	3285,7418 litre	37,353 %	5510,7176 litre	O
280	CM	100	CM	79 LEVEL CM	3230,9314 litre	36,730 %	5565,5280 litre	O
280	CM	100	CM	78 LEVEL CM	3176,2413 litre	36,108 %	5620,2181 litre	O
280	CM	100	CM	77 LEVEL CM	3121,6774 litre	35,488 %	5674,7820 litre	O
280	CM	100	CM	76 LEVEL CM	3067,2460 litre	34,869 %	5729,2134 litre	O
280	CM	100	CM	75 LEVEL CM	3012,9529 litre	34,252 %	5783,5065 litre	O
280	CM	100	CM	74 LEVEL CM	2958,8045 litre	33,636 %	5837,6549 litre	O
280	CM	100	CM	73 LEVEL CM	2904,8068 litre	33,022 %	5891,6526 litre	O
280	CM	100	CM	72 LEVEL CM	2850,9662 litre	32,410 %	5945,4932 litre	O
280	CM	100	CM	71 LEVEL CM	2797,2889 litre	31,800 %	5999,1705 litre	O
280	CM	100	CM	70 LEVEL CM	2743,7814 litre	31,192 %	6052,6780 litre	O
280	CM	100	CM	69 LEVEL CM	2690,4499 litre	30,586 %	6106,0095 litre	O
280	CM	100	CM	68 LEVEL CM	2637,3010 litre	29,981 %	6159,1584 litre	O
280	CM	100	CM	67 LEVEL CM	2584,3413 litre	29,379 %	6212,1181 litre	O
280	CM	100	CM	66 LEVEL CM	2531,5774 litre	28,780 %	6264,8820 litre	O
280	CM	100	CM	65 LEVEL CM	2479,0159 litre	28,182 %	6317,4435 litre	O
280	CM	100	CM	64 LEVEL CM	2426,6637 litre	27,587 %	6369,7957 litre	O
280	CM	100	CM	63 LEVEL CM	2374,5276 litre	26,994 %	6421,9318 litre	O
280	CM	100	CM	62 LEVEL CM	2322,6145 litre	26,404 %	6473,8449 litre	O
280	CM	100	CM	61 LEVEL CM	2270,9314 litre	25,816 %	6525,5280 litre	O
280	CM	100	CM	60 LEVEL CM	2219,4856 litre	25,232 %	6576,9738 litre	O
280	CM	100	CM	59 LEVEL CM	2168,2842 litre	24,650 %	6628,1752 litre	O
280	CM	100	CM	58 LEVEL CM	2117,3345 litre	24,070 %	6679,1249 litre	O
280	CM	100	CM	57 LEVEL CM	2066,6440 litre	23,494 %	6729,8154 litre	O
280	CM	100	CM	56 LEVEL CM	2016,2202 litre	22,921 %	6780,2392 litre	O
280	CM	100	CM	55 LEVEL CM	1966,0708 litre	22,351 %	6830,3886 litre	O
280	CM	100	CM	54 LEVEL CM	1916,2036 litre	21,784 %	6880,2558 litre	O
280	CM	100	CM	53 LEVEL CM	1866,6265 litre	21,220 %	6929,8329 litre	O
280	CM	100	CM	52 LEVEL CM	1817,3477 litre	20,660 %	6979,1117 litre	O
280	CM	100	CM	51 LEVEL CM	1768,3752 litre	20,103 %	7028,0842 litre	O
280	CM	100	CM	50 LEVEL CM	1719,7176 litre	19,550 %	7076,7418 litre	O
280	CM	100	CM	49 LEVEL CM	1671,3833 litre	19,001 %	7125,0761 litre	O
280	CM	100	CM	48 LEVEL CM	1623,3810 litre	18,455 %	7173,0784 litre	O
280	CM	100	CM	47 LEVEL CM	1575,7196 litre	17,913 %	7220,7398 litre	O
280	CM	100	CM	46 LEVEL CM	1528,4083 litre	17,375 %	7268,0511 litre	O
280	CM	100	CM	45 LEVEL CM	1481,4563 litre	16,842 %	7315,0031 litre	O
280	CM	100	CM	44 LEVEL CM	1434,8731 litre	16,312 %	7361,5863 litre	O
280	CM	100	CM	43 LEVEL CM	1388,6684 litre	15,787 %	7407,7910 litre	O

280	CM	100	CM	42 LEVEL CM	1342,8522 litre	15,266 %	7453,6072 litre	O
280	CM	100	CM	41 LEVEL CM	1297,4348 litre	14,750 %	7499,0246 litre	O
280	CM	100	CM	40 LEVEL CM	1252,4266 litre	14,238 %	7544,0328 litre	O
280	CM	100	CM	39 LEVEL CM	1207,8384 litre	13,731 %	7588,6210 litre	O
280	CM	100	CM	38 LEVEL CM	1163,6814 litre	13,229 %	7632,7780 litre	O
280	CM	100	CM	37 LEVEL CM	1119,9669 litre	12,732 %	7676,4925 litre	O
280	CM	100	CM	36 LEVEL CM	1076,7067 litre	12,240 %	7719,7527 litre	O
280	CM	100	CM	35 LEVEL CM	1033,9130 litre	11,754 %	7762,5464 litre	O
280	CM	100	CM	34 LEVEL CM	991,5984 litre	11,273 %	7804,8610 litre	O
280	CM	100	CM	33 LEVEL CM	949,7757 litre	10,797 %	7846,6837 litre	O
280	CM	100	CM	32 LEVEL CM	908,4585 litre	10,328 %	7888,0009 litre	O
280	CM	100	CM	31 LEVEL CM	867,6607 litre	9,864 %	7928,7987 litre	O
280	CM	100	CM	30 LEVEL CM	827,3968 litre	9,406 %	7969,0626 litre	O
280	CM	100	CM	29 LEVEL CM	787,6818 litre	8,955 %	8008,7776 litre	O
280	CM	100	CM	28 LEVEL CM	748,5315 litre	8,509 %	8047,9279 litre	O
280	CM	100	CM	27 LEVEL CM	709,9623 litre	8,071 %	8086,4971 litre	O
280	CM	100	CM	26 LEVEL CM	671,9913 litre	7,639 %	8124,4681 litre	O
280	CM	100	CM	25 LEVEL CM	634,6365 litre	7,215 %	8161,8229 litre	O
280	CM	100	CM	24 LEVEL CM	597,9167 litre	6,797 %	8198,5427 litre	O
280	CM	100	CM	23 LEVEL CM	561,8519 litre	6,387 %	8234,6075 litre	O
280	CM	100	CM	22 LEVEL CM	526,4630 litre	5,985 %	8269,9964 litre	O
280	CM	100	CM	21 LEVEL CM	491,7722 litre	5,591 %	8304,6872 litre	O
280	CM	100	CM	20 LEVEL CM	457,8031 litre	5,204 %	8338,6563 litre	O
280	CM	100	CM	19 LEVEL CM	424,5808 litre	4,827 %	8371,8786 litre	O
280	CM	100	CM	18 LEVEL CM	392,1322 litre	4,458 %	8404,3272 litre	O
280	CM	100	CM	17 LEVEL CM	360,4861 litre	4,098 %	8435,9733 litre	O
280	CM	100	CM	16 LEVEL CM	329,6735 litre	3,748 %	8466,7859 litre	O
280	CM	100	CM	15 LEVEL CM	299,7281 litre	3,407 %	8496,7313 litre	O
280	CM	100	CM	14 LEVEL CM	270,6866 litre	3,077 %	8525,7728 litre	O
280	CM	100	CM	13 LEVEL CM	242,5892 litre	2,758 %	8553,8702 litre	O
280	CM	100	CM	12 LEVEL CM	215,4804 litre	2,450 %	8580,9790 litre	O
280	CM	100	CM	11 LEVEL CM	189,4096 litre	2,153 %	8607,0498 litre	O
280	CM	100	CM	10 LEVEL CM	164,4325 litre	1,869 %	8632,0269 litre	O
280	CM	100	CM	9 LEVEL CM	140,6125 litre	1,599 %	8655,8469 litre	O
280	CM	100	CM	8 LEVEL CM	118,0227 litre	1,342 %	8678,4367 litre	O
280	CM	100	CM	7 LEVEL CM	96,7488 litre	1,100 %	8699,7106 litre	O
280	CM	100	CM	6 LEVEL CM	76,8937 litre	0,874 %	8719,5657 litre	O
280	CM	100	CM	5 LEVEL CM	58,5845 litre	0,666 %	8737,8749 litre	O
280	CM	100	CM	4 LEVEL CM	41,9835 litre	0,477 %	8754,4759 litre	O
280	CM	100	CM	3 LEVEL CM	27,3105 litre	0,310 %	8769,1489 litre	O
280	CM	100	CM	2 LEVEL CM	14,8885 litre	0,169 %	8781,5709 litre	O
280	CM	100	CM	1 LEVEL CM	5,2718 litre	0,060 %	8791,1876 litre	O
280	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	8796,4594 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
280	CM	95	CM	190 LEVEL CM	7938,8046 litre	100,000 %	0,0000 litre	O
280	CM	95	CM	189 LEVEL CM	7933,6667 litre	99,935 %	5,1379 litre	O
280	CM	95	CM	188 LEVEL CM	7924,2955 litre	99,817 %	14,5091 litre	O
280	CM	95	CM	187 LEVEL CM	7912,1920 litre	99,665 %	26,6126 litre	O
280	CM	95	CM	186 LEVEL CM	7897,8973 litre	99,485 %	40,9073 litre	O
280	CM	95	CM	185 LEVEL CM	7881,7265 litre	99,281 %	57,0781 litre	O
280	CM	95	CM	184 LEVEL CM	7863,8941 litre	99,056 %	74,9105 litre	O
280	CM	95	CM	183 LEVEL CM	7844,5590 litre	98,813 %	94,2456 litre	O
280	CM	95	CM	182 LEVEL CM	7823,8450 litre	98,552 %	114,9596 litre	O
280	CM	95	CM	181 LEVEL CM	7801,8529 litre	98,275 %	136,9517 litre	O
280	CM	95	CM	180 LEVEL CM	7778,6665 litre	97,983 %	160,1381 litre	O
280	CM	95	CM	179 LEVEL CM	7754,3574 litre	97,677 %	184,4472 litre	O
280	CM	95	CM	178 LEVEL CM	7728,9876 litre	97,357 %	209,8170 litre	O
280	CM	95	CM	177 LEVEL CM	7702,6116 litre	97,025 %	236,1930 litre	O
280	CM	95	CM	176 LEVEL CM	7675,2779 litre	96,681 %	263,5267 litre	O
280	CM	95	CM	175 LEVEL CM	7647,0300 litre	96,325 %	291,7746 litre	O
280	CM	95	CM	174 LEVEL CM	7617,9075 litre	95,958 %	320,8971 litre	O
280	CM	95	CM	173 LEVEL CM	7587,9463 litre	95,580 %	350,8583 litre	O
280	CM	95	CM	172 LEVEL CM	7557,1794 litre	95,193 %	381,6252 litre	O
280	CM	95	CM	171 LEVEL CM	7525,6373 litre	94,796 %	413,1673 litre	O
280	CM	95	CM	170 LEVEL CM	7493,3485 litre	94,389 %	445,4561 litre	O
280	CM	95	CM	169 LEVEL CM	7460,3392 litre	93,973 %	478,4654 litre	O
280	CM	95	CM	168 LEVEL CM	7426,6341 litre	93,549 %	512,1705 litre	O
280	CM	95	CM	167 LEVEL CM	7392,2566 litre	93,115 %	546,5480 litre	O
280	CM	95	CM	166 LEVEL CM	7357,2283 litre	92,674 %	581,5763 litre	O
280	CM	95	CM	165 LEVEL CM	7321,5701 litre	92,225 %	617,2345 litre	O
280	CM	95	CM	164 LEVEL CM	7285,3014 litre	91,768 %	653,5032 litre	O
280	CM	95	CM	163 LEVEL CM	7248,4409 litre	91,304 %	690,3637 litre	O
280	CM	95	CM	162 LEVEL CM	7211,0063 litre	90,832 %	727,7983 litre	O
280	CM	95	CM	161 LEVEL CM	7173,0146 litre	90,354 %	765,7900 litre	O
280	CM	95	CM	160 LEVEL CM	7134,4819 litre	89,868 %	804,3227 litre	O
280	CM	95	CM	159 LEVEL CM	7095,4238 litre	89,376 %	843,3808 litre	O
280	CM	95	CM	158 LEVEL CM	7055,8551 litre	88,878 %	882,9495 litre	O
280	CM	95	CM	157 LEVEL CM	7015,7902 litre	88,373 %	923,0144 litre	O
280	CM	95	CM	156 LEVEL CM	6975,2430 litre	87,863 %	963,5616 litre	O
280	CM	95	CM	155 LEVEL CM	6934,2266 litre	87,346 %	1004,5780 litre	O
280	CM	95	CM	154 LEVEL CM	6892,7540 litre	86,824 %	1046,0506 litre	O
280	CM	95	CM	153 LEVEL CM	6850,8377 litre	86,296 %	1087,9669 litre	O
280	CM	95	CM	152 LEVEL CM	6808,4896 litre	85,762 %	1130,3150 litre	O
280	CM	95	CM	151 LEVEL CM	6765,7215 litre	85,223 %	1173,0831 litre	O
280	CM	95	CM	150 LEVEL CM	6722,5447 litre	84,680 %	1216,2599 litre	O
280	CM	95	CM	149 LEVEL CM	6678,9703 litre	84,131 %	1259,8343 litre	O
280	CM	95	CM	148 LEVEL CM	6635,0090 litre	83,577 %	1303,7956 litre	O
280	CM	95	CM	147 LEVEL CM	6590,6712 litre	83,018 %	1348,1334 litre	O
280	CM	95	CM	146 LEVEL CM	6545,9670 litre	82,455 %	1392,8376 litre	O
280	CM	95	CM	145 LEVEL CM	6500,9066 litre	81,888 %	1437,8980 litre	O
280	CM	95	CM	144 LEVEL CM	6455,4995 litre	81,316 %	1483,3051 litre	O
280	CM	95	CM	143 LEVEL CM	6409,7552 litre	80,740 %	1529,0494 litre	O
280	CM	95	CM	142 LEVEL CM	6363,6830 litre	80,159 %	1575,1216 litre	O
280	CM	95	CM	141 LEVEL CM	6317,2920 litre	79,575 %	1621,5126 litre	O
280	CM	95	CM	140 LEVEL CM	6270,5911 litre	78,987 %	1668,2135 litre	O
280	CM	95	CM	139 LEVEL CM	6223,5890 litre	78,395 %	1715,2156 litre	O

280	CM 95	CM	138 LEVEL CM	6176,2942 litre	77,799 %	1762,5104 litre	O
280	CM 95	CM	137 LEVEL CM	6128,7151 litre	77,199 %	1810,0895 litre	O
280	CM 95	CM	136 LEVEL CM	6080,8600 litre	76,597 %	1857,9446 litre	O
280	CM 95	CM	135 LEVEL CM	6032,7370 litre	75,990 %	1906,0676 litre	O
280	CM 95	CM	134 LEVEL CM	5984,3540 litre	75,381 %	1954,4506 litre	O
280	CM 95	CM	133 LEVEL CM	5935,7189 litre	74,768 %	2003,0857 litre	O
280	CM 95	CM	132 LEVEL CM	5886,8394 litre	74,153 %	2051,9652 litre	O
280	CM 95	CM	131 LEVEL CM	5837,7230 litre	73,534 %	2101,0816 litre	O
280	CM 95	CM	130 LEVEL CM	5788,3773 litre	72,912 %	2150,4273 litre	O
280	CM 95	CM	129 LEVEL CM	5738,8097 litre	72,288 %	2199,9949 litre	O
280	CM 95	CM	128 LEVEL CM	5689,0275 litre	71,661 %	2249,7771 litre	O
280	CM 95	CM	127 LEVEL CM	5639,0378 litre	71,031 %	2299,7668 litre	O
280	CM 95	CM	126 LEVEL CM	5588,8477 litre	70,399 %	2349,9569 litre	O
280	CM 95	CM	125 LEVEL CM	5538,4644 litre	69,764 %	2400,3402 litre	O
280	CM 95	CM	124 LEVEL CM	5487,8946 litre	69,127 %	2450,9100 litre	O
280	CM 95	CM	123 LEVEL CM	5437,1453 litre	68,488 %	2501,6593 litre	O
280	CM 95	CM	122 LEVEL CM	5386,2233 litre	67,847 %	2552,5813 litre	O
280	CM 95	CM	121 LEVEL CM	5335,1353 litre	67,203 %	2603,6693 litre	O
280	CM 95	CM	120 LEVEL CM	5283,8879 litre	66,558 %	2654,9167 litre	O
280	CM 95	CM	119 LEVEL CM	5232,4878 litre	65,910 %	2706,3168 litre	O
280	CM 95	CM	118 LEVEL CM	5180,9414 litre	65,261 %	2757,8632 litre	O
280	CM 95	CM	117 LEVEL CM	5129,2553 litre	64,610 %	2809,5493 litre	O
280	CM 95	CM	116 LEVEL CM	5077,4359 litre	63,957 %	2861,3687 litre	O
280	CM 95	CM	115 LEVEL CM	5025,4896 litre	63,303 %	2913,3150 litre	O
280	CM 95	CM	114 LEVEL CM	4973,4226 litre	62,647 %	2965,3820 litre	O
280	CM 95	CM	113 LEVEL CM	4921,2414 litre	61,990 %	3017,5632 litre	O
280	CM 95	CM	112 LEVEL CM	4868,9521 litre	61,331 %	3069,8525 litre	O
280	CM 95	CM	111 LEVEL CM	4816,5609 litre	60,671 %	3122,2437 litre	O
280	CM 95	CM	110 LEVEL CM	4764,0740 litre	60,010 %	3174,7306 litre	O
280	CM 95	CM	109 LEVEL CM	4711,4976 litre	59,348 %	3227,3070 litre	O
280	CM 95	CM	108 LEVEL CM	4658,8378 litre	58,684 %	3279,9668 litre	O
280	CM 95	CM	107 LEVEL CM	4606,1005 litre	58,020 %	3332,7041 litre	O
280	CM 95	CM	106 LEVEL CM	4553,2920 litre	57,355 %	3385,5126 litre	O
280	CM 95	CM	105 LEVEL CM	4500,4182 litre	56,689 %	3438,3864 litre	O
280	CM 95	CM	104 LEVEL CM	4447,4851 litre	56,022 %	3491,3195 litre	O
280	CM 95	CM	103 LEVEL CM	4394,4988 litre	55,355 %	3544,3058 litre	O
280	CM 95	CM	102 LEVEL CM	4341,4651 litre	54,687 %	3597,3395 litre	O
280	CM 95	CM	101 LEVEL CM	4288,3900 litre	54,018 %	3650,4146 litre	O
280	CM 95	CM	100 LEVEL CM	4235,2795 litre	53,349 %	3703,5251 litre	O
280	CM 95	CM	99 LEVEL CM	4182,1394 litre	52,680 %	3756,6652 litre	O
280	CM 95	CM	98 LEVEL CM	4128,9758 litre	52,010 %	3809,8288 litre	O
280	CM 95	CM	97 LEVEL CM	4075,7945 litre	51,340 %	3863,0101 litre	O
280	CM 95	CM	96 LEVEL CM	4022,6013 litre	50,670 %	3916,2033 litre	O
280	CM 95	CM	95 LEVEL CM	3969,4023 litre	50,000 %	3969,4023 litre	O
280	CM 95	CM	94 LEVEL CM	3916,2033 litre	49,330 %	4022,6013 litre	O
280	CM 95	CM	93 LEVEL CM	3863,0102 litre	48,660 %	4075,7944 litre	O
280	CM 95	CM	92 LEVEL CM	3809,8288 litre	47,990 %	4128,9758 litre	O
280	CM 95	CM	91 LEVEL CM	3756,6652 litre	47,320 %	4182,1394 litre	O
280	CM 95	CM	90 LEVEL CM	3703,5252 litre	46,651 %	4235,2794 litre	O
280	CM 95	CM	89 LEVEL CM	3650,4147 litre	45,982 %	4288,3899 litre	O
280	CM 95	CM	88 LEVEL CM	3597,3396 litre	45,313 %	4341,4650 litre	O
280	CM 95	CM	87 LEVEL CM	3544,3059 litre	44,645 %	4394,4987 litre	O
280	CM 95	CM	86 LEVEL CM	3491,3195 litre	43,978 %	4447,4851 litre	O

280	CM	95	CM	85 LEVEL CM	3438,3864 litre	43,311 %	4500,4182 litre	O
280	CM	95	CM	84 LEVEL CM	3385,5126 litre	42,645 %	4553,2920 litre	O
280	CM	95	CM	83 LEVEL CM	3332,7041 litre	41,980 %	4606,1005 litre	O
280	CM	95	CM	82 LEVEL CM	3279,9669 litre	41,316 %	4658,8377 litre	O
280	CM	95	CM	81 LEVEL CM	3227,3070 litre	40,652 %	4711,4976 litre	O
280	CM	95	CM	80 LEVEL CM	3174,7306 litre	39,990 %	4764,0740 litre	O
280	CM	95	CM	79 LEVEL CM	3122,2438 litre	39,329 %	4816,5608 litre	O
280	CM	95	CM	78 LEVEL CM	3069,8526 litre	38,669 %	4868,9520 litre	O
280	CM	95	CM	77 LEVEL CM	3017,5633 litre	38,010 %	4921,2413 litre	O
280	CM	95	CM	76 LEVEL CM	2965,3820 litre	37,353 %	4973,4226 litre	O
280	CM	95	CM	75 LEVEL CM	2913,3151 litre	36,697 %	5025,4895 litre	O
280	CM	95	CM	74 LEVEL CM	2861,3687 litre	36,043 %	5077,4359 litre	O
280	CM	95	CM	73 LEVEL CM	2809,5493 litre	35,390 %	5129,2553 litre	O
280	CM	95	CM	72 LEVEL CM	2757,8632 litre	34,739 %	5180,9414 litre	O
280	CM	95	CM	71 LEVEL CM	2706,3169 litre	34,090 %	5232,4877 litre	O
280	CM	95	CM	70 LEVEL CM	2654,9167 litre	33,442 %	5283,8879 litre	O
280	CM	95	CM	69 LEVEL CM	2603,6694 litre	32,797 %	5335,1352 litre	O
280	CM	95	CM	68 LEVEL CM	2552,5813 litre	32,153 %	5386,2233 litre	O
280	CM	95	CM	67 LEVEL CM	2501,6593 litre	31,512 %	5437,1453 litre	O
280	CM	95	CM	66 LEVEL CM	2450,9100 litre	30,873 %	5487,8946 litre	O
280	CM	95	CM	65 LEVEL CM	2400,3403 litre	30,236 %	5538,4643 litre	O
280	CM	95	CM	64 LEVEL CM	2349,9569 litre	29,601 %	5588,8477 litre	O
280	CM	95	CM	63 LEVEL CM	2299,7669 litre	28,969 %	5639,0377 litre	O
280	CM	95	CM	62 LEVEL CM	2249,7772 litre	28,339 %	5689,0274 litre	O
280	CM	95	CM	61 LEVEL CM	2199,9949 litre	27,712 %	5738,8097 litre	O
280	CM	95	CM	60 LEVEL CM	2150,4273 litre	27,088 %	5788,3773 litre	O
280	CM	95	CM	59 LEVEL CM	2101,0816 litre	26,466 %	5837,7230 litre	O
280	CM	95	CM	58 LEVEL CM	2051,9653 litre	25,847 %	5886,8393 litre	O
280	CM	95	CM	57 LEVEL CM	2003,0857 litre	25,232 %	5935,7189 litre	O
280	CM	95	CM	56 LEVEL CM	1954,4506 litre	24,619 %	5984,3540 litre	O
280	CM	95	CM	55 LEVEL CM	1906,0676 litre	24,010 %	6032,7370 litre	O
280	CM	95	CM	54 LEVEL CM	1857,9446 litre	23,403 %	6080,8600 litre	O
280	CM	95	CM	53 LEVEL CM	1810,0895 litre	22,801 %	6128,7151 litre	O
280	CM	95	CM	52 LEVEL CM	1762,5104 litre	22,201 %	6176,2942 litre	O
280	CM	95	CM	51 LEVEL CM	1715,2157 litre	21,605 %	6223,5889 litre	O
280	CM	95	CM	50 LEVEL CM	1668,2135 litre	21,013 %	6270,5911 litre	O
280	CM	95	CM	49 LEVEL CM	1621,5126 litre	20,425 %	6317,2920 litre	O
280	CM	95	CM	48 LEVEL CM	1575,1216 litre	19,841 %	6363,6830 litre	O
280	CM	95	CM	47 LEVEL CM	1529,0494 litre	19,260 %	6409,7552 litre	O
280	CM	95	CM	46 LEVEL CM	1483,3052 litre	18,684 %	6455,4994 litre	O
280	CM	95	CM	45 LEVEL CM	1437,8981 litre	18,112 %	6500,9065 litre	O
280	CM	95	CM	44 LEVEL CM	1392,8376 litre	17,545 %	6545,9670 litre	O
280	CM	95	CM	43 LEVEL CM	1348,1335 litre	16,982 %	6590,6711 litre	O
280	CM	95	CM	42 LEVEL CM	1303,7957 litre	16,423 %	6635,0089 litre	O
280	CM	95	CM	41 LEVEL CM	1259,8343 litre	15,869 %	6678,9703 litre	O
280	CM	95	CM	40 LEVEL CM	1216,2599 litre	15,320 %	6722,5447 litre	O
280	CM	95	CM	39 LEVEL CM	1173,0831 litre	14,777 %	6765,7215 litre	O
280	CM	95	CM	38 LEVEL CM	1130,3150 litre	14,238 %	6808,4896 litre	O
280	CM	95	CM	37 LEVEL CM	1087,9669 litre	13,704 %	6850,8377 litre	O
280	CM	95	CM	36 LEVEL CM	1046,0506 litre	13,176 %	6892,7540 litre	O
280	CM	95	CM	35 LEVEL CM	1004,5780 litre	12,654 %	6934,2266 litre	O
280	CM	95	CM	34 LEVEL CM	963,5617 litre	12,137 %	6975,2429 litre	O
280	CM	95	CM	33 LEVEL CM	923,0144 litre	11,627 %	7015,7902 litre	O

280	CM	95	CM	32 LEVEL CM	882,9495 litre	11,122 %	7055,8551 litre	O
280	CM	95	CM	31 LEVEL CM	843,3809 litre	10,624 %	7095,4237 litre	O
280	CM	95	CM	30 LEVEL CM	804,3227 litre	10,132 %	7134,4819 litre	O
280	CM	95	CM	29 LEVEL CM	765,7900 litre	9,646 %	7173,0146 litre	O
280	CM	95	CM	28 LEVEL CM	727,7983 litre	9,168 %	7211,0063 litre	O
280	CM	95	CM	27 LEVEL CM	690,3637 litre	8,696 %	7248,4409 litre	O
280	CM	95	CM	26 LEVEL CM	653,5033 litre	8,232 %	7285,3013 litre	O
280	CM	95	CM	25 LEVEL CM	617,2346 litre	7,775 %	7321,5700 litre	O
280	CM	95	CM	24 LEVEL CM	581,5763 litre	7,326 %	7357,2283 litre	O
280	CM	95	CM	23 LEVEL CM	546,5481 litre	6,885 %	7392,2565 litre	O
280	CM	95	CM	22 LEVEL CM	512,1705 litre	6,451 %	7426,6341 litre	O
280	CM	95	CM	21 LEVEL CM	478,4655 litre	6,027 %	7460,3391 litre	O
280	CM	95	CM	20 LEVEL CM	445,4562 litre	5,611 %	7493,3484 litre	O
280	CM	95	CM	19 LEVEL CM	413,1673 litre	5,204 %	7525,6373 litre	O
280	CM	95	CM	18 LEVEL CM	381,6253 litre	4,807 %	7557,1793 litre	O
280	CM	95	CM	17 LEVEL CM	350,8584 litre	4,420 %	7587,9462 litre	O
280	CM	95	CM	16 LEVEL CM	320,8971 litre	4,042 %	7617,9075 litre	O
280	CM	95	CM	15 LEVEL CM	291,7746 litre	3,675 %	7647,0300 litre	O
280	CM	95	CM	14 LEVEL CM	263,5267 litre	3,319 %	7675,2779 litre	O
280	CM	95	CM	13 LEVEL CM	236,1930 litre	2,975 %	7702,6116 litre	O
280	CM	95	CM	12 LEVEL CM	209,8170 litre	2,643 %	7728,9876 litre	O
280	CM	95	CM	11 LEVEL CM	184,4472 litre	2,323 %	7754,3574 litre	O
280	CM	95	CM	10 LEVEL CM	160,1381 litre	2,017 %	7778,6665 litre	O
280	CM	95	CM	9 LEVEL CM	136,9517 litre	1,725 %	7801,8529 litre	O
280	CM	95	CM	8 LEVEL CM	114,9596 litre	1,448 %	7823,8450 litre	O
280	CM	95	CM	7 LEVEL CM	94,2457 litre	1,187 %	7844,5589 litre	O
280	CM	95	CM	6 LEVEL CM	74,9105 litre	0,944 %	7863,8941 litre	O
280	CM	95	CM	5 LEVEL CM	57,0782 litre	0,719 %	7881,7264 litre	O
280	CM	95	CM	4 LEVEL CM	40,9074 litre	0,515 %	7897,8972 litre	O
280	CM	95	CM	3 LEVEL CM	26,6126 litre	0,335 %	7912,1920 litre	O
280	CM	95	CM	2 LEVEL CM	14,5092 litre	0,183 %	7924,2954 litre	O
280	CM	95	CM	1 LEVEL CM	5,1379 litre	0,065 %	7933,6667 litre	O
280	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	7938,8046 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
280	CM	90	CM	180 LEVEL CM	7125,1321 litre	100,000 %	0,0000 litre	O
280	CM	90	CM	179 LEVEL CM	7120,1317 litre	99,930 %	5,0004 litre	O
280	CM	90	CM	178 LEVEL CM	7111,0125 litre	99,802 %	14,1196 litre	O
280	CM	90	CM	177 LEVEL CM	7099,2362 litre	99,637 %	25,8959 litre	O
280	CM	90	CM	176 LEVEL CM	7085,3300 litre	99,441 %	39,8021 litre	O
280	CM	90	CM	175 LEVEL CM	7069,6011 litre	99,221 %	55,5310 litre	O
280	CM	90	CM	174 LEVEL CM	7052,2588 litre	98,977 %	72,8733 litre	O
280	CM	90	CM	173 LEVEL CM	7033,4579 litre	98,713 %	91,6742 litre	O
280	CM	90	CM	172 LEVEL CM	7013,3195 litre	98,431 %	111,8126 litre	O
280	CM	90	CM	171 LEVEL CM	6991,9418 litre	98,131 %	133,1903 litre	O
280	CM	90	CM	170 LEVEL CM	6969,4069 litre	97,814 %	155,7252 litre	O
280	CM	90	CM	169 LEVEL CM	6945,7846 litre	97,483 %	179,3475 litre	O
280	CM	90	CM	168 LEVEL CM	6921,1357 litre	97,137 %	203,9964 litre	O
280	CM	90	CM	167 LEVEL CM	6895,5135 litre	96,777 %	229,6186 litre	O
280	CM	90	CM	166 LEVEL CM	6868,9654 litre	96,405 %	256,1667 litre	O
280	CM	90	CM	165 LEVEL CM	6841,5341 litre	96,020 %	283,5980 litre	O
280	CM	90	CM	164 LEVEL CM	6813,2584 litre	95,623 %	311,8737 litre	O
280	CM	90	CM	163 LEVEL CM	6784,1734 litre	95,215 %	340,9587 litre	O
280	CM	90	CM	162 LEVEL CM	6754,3116 litre	94,796 %	370,8205 litre	O
280	CM	90	CM	161 LEVEL CM	6723,7030 litre	94,366 %	401,4291 litre	O
280	CM	90	CM	160 LEVEL CM	6692,3753 litre	93,926 %	432,7568 litre	O
280	CM	90	CM	159 LEVEL CM	6660,3546 litre	93,477 %	464,7775 litre	O
280	CM	90	CM	158 LEVEL CM	6627,6650 litre	93,018 %	497,4671 litre	O
280	CM	90	CM	157 LEVEL CM	6594,3294 litre	92,550 %	530,8027 litre	O
280	CM	90	CM	156 LEVEL CM	6560,3694 litre	92,074 %	564,7627 litre	O
280	CM	90	CM	155 LEVEL CM	6525,8052 litre	91,589 %	599,3269 litre	O
280	CM	90	CM	154 LEVEL CM	6490,6562 litre	91,095 %	634,4759 litre	O
280	CM	90	CM	153 LEVEL CM	6454,9408 litre	90,594 %	670,1913 litre	O
280	CM	90	CM	152 LEVEL CM	6418,6763 litre	90,085 %	706,4558 litre	O
280	CM	90	CM	151 LEVEL CM	6381,8796 litre	89,569 %	743,2525 litre	O
280	CM	90	CM	150 LEVEL CM	6344,5667 litre	89,045 %	780,5654 litre	O
280	CM	90	CM	149 LEVEL CM	6306,7528 litre	88,514 %	818,3793 litre	O
280	CM	90	CM	148 LEVEL CM	6268,4527 litre	87,977 %	856,6794 litre	O
280	CM	90	CM	147 LEVEL CM	6229,6806 litre	87,432 %	895,4515 litre	O
280	CM	90	CM	146 LEVEL CM	6190,4501 litre	86,882 %	934,6820 litre	O
280	CM	90	CM	145 LEVEL CM	6150,7745 litre	86,325 %	974,3576 litre	O
280	CM	90	CM	144 LEVEL CM	6110,6666 litre	85,762 %	1014,4655 litre	O
280	CM	90	CM	143 LEVEL CM	6070,1386 litre	85,193 %	1054,9935 litre	O
280	CM	90	CM	142 LEVEL CM	6029,2025 litre	84,619 %	1095,9296 litre	O
280	CM	90	CM	141 LEVEL CM	5987,8700 litre	84,039 %	1137,2621 litre	O
280	CM	90	CM	140 LEVEL CM	5946,1524 litre	83,453 %	1178,9797 litre	O
280	CM	90	CM	139 LEVEL CM	5904,0605 litre	82,862 %	1221,0716 litre	O
280	CM	90	CM	138 LEVEL CM	5861,6052 litre	82,267 %	1263,5269 litre	O
280	CM	90	CM	137 LEVEL CM	5818,7967 litre	81,666 %	1306,3354 litre	O
280	CM	90	CM	136 LEVEL CM	5775,6453 litre	81,060 %	1349,4868 litre	O
280	CM	90	CM	135 LEVEL CM	5732,1609 litre	80,450 %	1392,9712 litre	O
280	CM	90	CM	134 LEVEL CM	5688,3531 litre	79,835 %	1436,7790 litre	O
280	CM	90	CM	133 LEVEL CM	5644,2315 litre	79,216 %	1480,9006 litre	O
280	CM	90	CM	132 LEVEL CM	5599,8054 litre	78,592 %	1525,3267 litre	O
280	CM	90	CM	131 LEVEL CM	5555,0837 litre	77,965 %	1570,0484 litre	O
280	CM	90	CM	130 LEVEL CM	5510,0754 litre	77,333 %	1615,0567 litre	O
280	CM	90	CM	129 LEVEL CM	5464,7893 litre	76,697 %	1660,3428 litre	O

280	CM	90	CM	128 LEVEL CM	5419,2339 litre	76,058 %	1705,8982 litre	O
280	CM	90	CM	127 LEVEL CM	5373,4176 litre	75,415 %	1751,7145 litre	O
280	CM	90	CM	126 LEVEL CM	5327,3488 litre	74,768 %	1797,7833 litre	O
280	CM	90	CM	125 LEVEL CM	5281,0356 litre	74,118 %	1844,0965 litre	O
280	CM	90	CM	124 LEVEL CM	5234,4860 litre	73,465 %	1890,6461 litre	O
280	CM	90	CM	123 LEVEL CM	5187,7079 litre	72,809 %	1937,4242 litre	O
280	CM	90	CM	122 LEVEL CM	5140,7090 litre	72,149 %	1984,4231 litre	O
280	CM	90	CM	121 LEVEL CM	5093,4972 litre	71,486 %	2031,6349 litre	O
280	CM	90	CM	120 LEVEL CM	5046,0798 litre	70,821 %	2079,0523 litre	O
280	CM	90	CM	119 LEVEL CM	4998,4645 litre	70,153 %	2126,6676 litre	O
280	CM	90	CM	118 LEVEL CM	4950,6585 litre	69,482 %	2174,4736 litre	O
280	CM	90	CM	117 LEVEL CM	4902,6692 litre	68,808 %	2222,4629 litre	O
280	CM	90	CM	116 LEVEL CM	4854,5038 litre	68,132 %	2270,6283 litre	O
280	CM	90	CM	115 LEVEL CM	4806,1695 litre	67,454 %	2318,9626 litre	O
280	CM	90	CM	114 LEVEL CM	4757,6731 litre	66,773 %	2367,4590 litre	O
280	CM	90	CM	113 LEVEL CM	4709,0219 litre	66,090 %	2416,1102 litre	O
280	CM	90	CM	112 LEVEL CM	4660,2226 litre	65,405 %	2464,9095 litre	O
280	CM	90	CM	111 LEVEL CM	4611,2821 litre	64,719 %	2513,8500 litre	O
280	CM	90	CM	110 LEVEL CM	4562,2072 litre	64,030 %	2562,9249 litre	O
280	CM	90	CM	109 LEVEL CM	4513,0047 litre	63,339 %	2612,1274 litre	O
280	CM	90	CM	108 LEVEL CM	4463,6813 litre	62,647 %	2661,4508 litre	O
280	CM	90	CM	107 LEVEL CM	4414,2435 litre	61,953 %	2710,8886 litre	O
280	CM	90	CM	106 LEVEL CM	4364,6980 litre	61,258 %	2760,4341 litre	O
280	CM	90	CM	105 LEVEL CM	4315,0513 litre	60,561 %	2810,0808 litre	O
280	CM	90	CM	104 LEVEL CM	4265,3100 litre	59,863 %	2859,8221 litre	O
280	CM	90	CM	103 LEVEL CM	4215,4805 litre	59,164 %	2909,6516 litre	O
280	CM	90	CM	102 LEVEL CM	4165,5693 litre	58,463 %	2959,5628 litre	O
280	CM	90	CM	101 LEVEL CM	4115,5827 litre	57,761 %	3009,5494 litre	O
280	CM	90	CM	100 LEVEL CM	4065,5271 litre	57,059 %	3059,6050 litre	O
280	CM	90	CM	99 LEVEL CM	4015,4089 litre	56,356 %	3109,7232 litre	O
280	CM	90	CM	98 LEVEL CM	3965,2345 litre	55,651 %	3159,8976 litre	O
280	CM	90	CM	97 LEVEL CM	3915,0100 litre	54,946 %	3210,1221 litre	O
280	CM	90	CM	96 LEVEL CM	3864,7419 litre	54,241 %	3260,3902 litre	O
280	CM	90	CM	95 LEVEL CM	3814,4364 litre	53,535 %	3310,6957 litre	O
280	CM	90	CM	94 LEVEL CM	3764,0997 litre	52,828 %	3361,0324 litre	O
280	CM	90	CM	93 LEVEL CM	3713,7381 litre	52,122 %	3411,3940 litre	O
280	CM	90	CM	92 LEVEL CM	3663,3578 litre	51,415 %	3461,7743 litre	O
280	CM	90	CM	91 LEVEL CM	3612,9650 litre	50,707 %	3512,1671 litre	O
280	CM	90	CM	90 LEVEL CM	3562,5661 litre	50,000 %	3562,5660 litre	O
280	CM	90	CM	89 LEVEL CM	3512,1671 litre	49,293 %	3612,9650 litre	O
280	CM	90	CM	88 LEVEL CM	3461,7744 litre	48,585 %	3663,3577 litre	O
280	CM	90	CM	87 LEVEL CM	3411,3941 litre	47,878 %	3713,7380 litre	O
280	CM	90	CM	86 LEVEL CM	3361,0325 litre	47,172 %	3764,0996 litre	O
280	CM	90	CM	85 LEVEL CM	3310,6958 litre	46,465 %	3814,4363 litre	O
280	CM	90	CM	84 LEVEL CM	3260,3902 litre	45,759 %	3864,7419 litre	O
280	CM	90	CM	83 LEVEL CM	3210,1221 litre	45,054 %	3915,0100 litre	O
280	CM	90	CM	82 LEVEL CM	3159,8977 litre	44,349 %	3965,2344 litre	O
280	CM	90	CM	81 LEVEL CM	3109,7232 litre	43,644 %	4015,4089 litre	O
280	CM	90	CM	80 LEVEL CM	3059,6050 litre	42,941 %	4065,5271 litre	O
280	CM	90	CM	79 LEVEL CM	3009,5495 litre	42,239 %	4115,5826 litre	O
280	CM	90	CM	78 LEVEL CM	2959,5629 litre	41,537 %	4165,5692 litre	O
280	CM	90	CM	77 LEVEL CM	2909,6516 litre	40,836 %	4215,4805 litre	O
280	CM	90	CM	76 LEVEL CM	2859,8221 litre	40,137 %	4265,3100 litre	O

280	CM	90	CM	75 LEVEL CM	2810,0808 litre	39,439 %	4315,0513 litre	O
280	CM	90	CM	74 LEVEL CM	2760,4341 litre	38,742 %	4364,6980 litre	O
280	CM	90	CM	73 LEVEL CM	2710,8887 litre	38,047 %	4414,2434 litre	O
280	CM	90	CM	72 LEVEL CM	2661,4509 litre	37,353 %	4463,6812 litre	O
280	CM	90	CM	71 LEVEL CM	2612,1274 litre	36,661 %	4513,0047 litre	O
280	CM	90	CM	70 LEVEL CM	2562,9249 litre	35,970 %	4562,2072 litre	O
280	CM	90	CM	69 LEVEL CM	2513,8501 litre	35,281 %	4611,2820 litre	O
280	CM	90	CM	68 LEVEL CM	2464,9096 litre	34,595 %	4660,2225 litre	O
280	CM	90	CM	67 LEVEL CM	2416,1103 litre	33,910 %	4709,0218 litre	O
280	CM	90	CM	66 LEVEL CM	2367,4590 litre	33,227 %	4757,6731 litre	O
280	CM	90	CM	65 LEVEL CM	2318,9627 litre	32,546 %	4806,1694 litre	O
280	CM	90	CM	64 LEVEL CM	2270,6283 litre	31,868 %	4854,5038 litre	O
280	CM	90	CM	63 LEVEL CM	2222,4629 litre	31,192 %	4902,6692 litre	O
280	CM	90	CM	62 LEVEL CM	2174,4736 litre	30,518 %	4950,6585 litre	O
280	CM	90	CM	61 LEVEL CM	2126,6677 litre	29,847 %	4998,4644 litre	O
280	CM	90	CM	60 LEVEL CM	2079,0523 litre	29,179 %	5046,0798 litre	O
280	CM	90	CM	59 LEVEL CM	2031,6350 litre	28,514 %	5093,4971 litre	O
280	CM	90	CM	58 LEVEL CM	1984,4231 litre	27,851 %	5140,7090 litre	O
280	CM	90	CM	57 LEVEL CM	1937,4243 litre	27,191 %	5187,7078 litre	O
280	CM	90	CM	56 LEVEL CM	1890,6462 litre	26,535 %	5234,4859 litre	O
280	CM	90	CM	55 LEVEL CM	1844,0966 litre	25,882 %	5281,0355 litre	O
280	CM	90	CM	54 LEVEL CM	1797,7833 litre	25,232 %	5327,3488 litre	O
280	CM	90	CM	53 LEVEL CM	1751,7145 litre	24,585 %	5373,4176 litre	O
280	CM	90	CM	52 LEVEL CM	1705,8983 litre	23,942 %	5419,2338 litre	O
280	CM	90	CM	51 LEVEL CM	1660,3429 litre	23,303 %	5464,7892 litre	O
280	CM	90	CM	50 LEVEL CM	1615,0567 litre	22,667 %	5510,0754 litre	O
280	CM	90	CM	49 LEVEL CM	1570,0485 litre	22,035 %	5555,0836 litre	O
280	CM	90	CM	48 LEVEL CM	1525,3268 litre	21,408 %	5599,8053 litre	O
280	CM	90	CM	47 LEVEL CM	1480,9006 litre	20,784 %	5644,2315 litre	O
280	CM	90	CM	46 LEVEL CM	1436,7790 litre	20,165 %	5688,3531 litre	O
280	CM	90	CM	45 LEVEL CM	1392,9712 litre	19,550 %	5732,1609 litre	O
280	CM	90	CM	44 LEVEL CM	1349,4868 litre	18,940 %	5775,6453 litre	O
280	CM	90	CM	43 LEVEL CM	1306,3354 litre	18,334 %	5818,7967 litre	O
280	CM	90	CM	42 LEVEL CM	1263,5270 litre	17,733 %	5861,6051 litre	O
280	CM	90	CM	41 LEVEL CM	1221,0716 litre	17,138 %	5904,0605 litre	O
280	CM	90	CM	40 LEVEL CM	1178,9798 litre	16,547 %	5946,1523 litre	O
280	CM	90	CM	39 LEVEL CM	1137,2621 litre	15,961 %	5987,8700 litre	O
280	CM	90	CM	38 LEVEL CM	1095,9296 litre	15,381 %	6029,2025 litre	O
280	CM	90	CM	37 LEVEL CM	1054,9935 litre	14,807 %	6070,1386 litre	O
280	CM	90	CM	36 LEVEL CM	1014,4656 litre	14,238 %	6110,6665 litre	O
280	CM	90	CM	35 LEVEL CM	974,3576 litre	13,675 %	6150,7745 litre	O
280	CM	90	CM	34 LEVEL CM	934,6820 litre	13,118 %	6190,4501 litre	O
280	CM	90	CM	33 LEVEL CM	895,4516 litre	12,568 %	6229,6805 litre	O
280	CM	90	CM	32 LEVEL CM	856,6795 litre	12,023 %	6268,4526 litre	O
280	CM	90	CM	31 LEVEL CM	818,3794 litre	11,486 %	6306,7527 litre	O
280	CM	90	CM	30 LEVEL CM	780,5655 litre	10,955 %	6344,5666 litre	O
280	CM	90	CM	29 LEVEL CM	743,2525 litre	10,431 %	6381,8796 litre	O
280	CM	90	CM	28 LEVEL CM	706,4558 litre	9,915 %	6418,6763 litre	O
280	CM	90	CM	27 LEVEL CM	670,1914 litre	9,406 %	6454,9407 litre	O
280	CM	90	CM	26 LEVEL CM	634,4759 litre	8,905 %	6490,6562 litre	O
280	CM	90	CM	25 LEVEL CM	599,3269 litre	8,411 %	6525,8052 litre	O
280	CM	90	CM	24 LEVEL CM	564,7627 litre	7,926 %	6560,3694 litre	O
280	CM	90	CM	23 LEVEL CM	530,8027 litre	7,450 %	6594,3294 litre	O

280	CM	90	CM	22 LEVEL CM	497,4671 litre	6,982 %	6627,6650 litre	O
280	CM	90	CM	21 LEVEL CM	464,7775 litre	6,523 %	6660,3546 litre	O
280	CM	90	CM	20 LEVEL CM	432,7568 litre	6,074 %	6692,3753 litre	O
280	CM	90	CM	19 LEVEL CM	401,4291 litre	5,634 %	6723,7030 litre	O
280	CM	90	CM	18 LEVEL CM	370,8205 litre	5,204 %	6754,3116 litre	O
280	CM	90	CM	17 LEVEL CM	340,9587 litre	4,785 %	6784,1734 litre	O
280	CM	90	CM	16 LEVEL CM	311,8738 litre	4,377 %	6813,2583 litre	O
280	CM	90	CM	15 LEVEL CM	283,5980 litre	3,980 %	6841,5341 litre	O
280	CM	90	CM	14 LEVEL CM	256,1668 litre	3,595 %	6868,9653 litre	O
280	CM	90	CM	13 LEVEL CM	229,6187 litre	3,223 %	6895,5134 litre	O
280	CM	90	CM	12 LEVEL CM	203,9964 litre	2,863 %	6921,1357 litre	O
280	CM	90	CM	11 LEVEL CM	179,3475 litre	2,517 %	6945,7846 litre	O
280	CM	90	CM	10 LEVEL CM	155,7253 litre	2,186 %	6969,4068 litre	O
280	CM	90	CM	9 LEVEL CM	133,1904 litre	1,869 %	6991,9417 litre	O
280	CM	90	CM	8 LEVEL CM	111,8127 litre	1,569 %	7013,3194 litre	O
280	CM	90	CM	7 LEVEL CM	91,6743 litre	1,287 %	7033,4578 litre	O
280	CM	90	CM	6 LEVEL CM	72,8733 litre	1,023 %	7052,2588 litre	O
280	CM	90	CM	5 LEVEL CM	55,5310 litre	0,779 %	7069,6011 litre	O
280	CM	90	CM	4 LEVEL CM	39,8021 litre	0,559 %	7085,3300 litre	O
280	CM	90	CM	3 LEVEL CM	25,8959 litre	0,363 %	7099,2362 litre	O
280	CM	90	CM	2 LEVEL CM	14,1197 litre	0,198 %	7111,0124 litre	O
280	CM	90	CM	1 LEVEL CM	5,0004 litre	0,070 %	7120,1317 litre	O
280	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	7125,1321 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM	85	CM 170 LEVEL CM	6355,4419 litre	100,000 %	0,0000 litre	O
280	CM	85	CM 169 LEVEL CM	6350,5829 litre	99,924 %	4,8590 litre	O
280	CM	85	CM 168 LEVEL CM	6341,7228 litre	99,784 %	13,7191 litre	O
280	CM	85	CM 167 LEVEL CM	6330,2831 litre	99,604 %	25,1588 litre	O
280	CM	85	CM 166 LEVEL CM	6316,7766 litre	99,392 %	38,6653 litre	O
280	CM	85	CM 165 LEVEL CM	6301,5025 litre	99,151 %	53,9394 litre	O
280	CM	85	CM 164 LEVEL CM	6284,6644 litre	98,886 %	70,7775 litre	O
280	CM	85	CM 163 LEVEL CM	6266,4134 litre	98,599 %	89,0285 litre	O
280	CM	85	CM 162 LEVEL CM	6246,8674 litre	98,292 %	108,5745 litre	O
280	CM	85	CM 161 LEVEL CM	6226,1223 litre	97,965 %	129,3196 litre	O
280	CM	85	CM 160 LEVEL CM	6204,2583 litre	97,621 %	151,1836 litre	O
280	CM	85	CM 159 LEVEL CM	6181,3435 litre	97,261 %	174,0984 litre	O
280	CM	85	CM 158 LEVEL CM	6157,4372 litre	96,884 %	198,0047 litre	O
280	CM	85	CM 157 LEVEL CM	6132,5916 litre	96,494 %	222,8503 litre	O
280	CM	85	CM 156 LEVEL CM	6106,8531 litre	96,089 %	248,5888 litre	O
280	CM	85	CM 155 LEVEL CM	6080,2635 litre	95,670 %	275,1784 litre	O
280	CM	85	CM 154 LEVEL CM	6052,8607 litre	95,239 %	302,5812 litre	O
280	CM	85	CM 153 LEVEL CM	6024,6792 litre	94,796 %	330,7627 litre	O
280	CM	85	CM 152 LEVEL CM	5995,7508 litre	94,340 %	359,6911 litre	O
280	CM	85	CM 151 LEVEL CM	5966,1050 litre	93,874 %	389,3369 litre	O
280	CM	85	CM 150 LEVEL CM	5935,7690 litre	93,397 %	419,6729 litre	O
280	CM	85	CM 149 LEVEL CM	5904,7683 litre	92,909 %	450,6736 litre	O
280	CM	85	CM 148 LEVEL CM	5873,1268 litre	92,411 %	482,3151 litre	O
280	CM	85	CM 147 LEVEL CM	5840,8668 litre	91,903 %	514,5751 litre	O
280	CM	85	CM 146 LEVEL CM	5808,0097 litre	91,386 %	547,4322 litre	O
280	CM	85	CM 145 LEVEL CM	5774,5754 litre	90,860 %	580,8665 litre	O
280	CM	85	CM 144 LEVEL CM	5740,5829 litre	90,325 %	614,8590 litre	O
280	CM	85	CM 143 LEVEL CM	5706,0505 litre	89,782 %	649,3914 litre	O
280	CM	85	CM 142 LEVEL CM	5670,9952 litre	89,231 %	684,4467 litre	O
280	CM	85	CM 141 LEVEL CM	5635,4336 litre	88,671 %	720,0083 litre	O
280	CM	85	CM 140 LEVEL CM	5599,3816 litre	88,104 %	756,0603 litre	O
280	CM	85	CM 139 LEVEL CM	5562,8543 litre	87,529 %	792,5876 litre	O
280	CM	85	CM 138 LEVEL CM	5525,8663 litre	86,947 %	829,5756 litre	O
280	CM	85	CM 137 LEVEL CM	5488,4315 litre	86,358 %	867,0104 litre	O
280	CM	85	CM 136 LEVEL CM	5450,5637 litre	85,762 %	904,8782 litre	O
280	CM	85	CM 135 LEVEL CM	5412,2758 litre	85,160 %	943,1661 litre	O
280	CM	85	CM 134 LEVEL CM	5373,5806 litre	84,551 %	981,8613 litre	O
280	CM	85	CM 133 LEVEL CM	5334,4902 litre	83,936 %	1020,9517 litre	O
280	CM	85	CM 132 LEVEL CM	5295,0167 litre	83,315 %	1060,4252 litre	O
280	CM	85	CM 131 LEVEL CM	5255,1715 litre	82,688 %	1100,2704 litre	O
280	CM	85	CM 130 LEVEL CM	5214,9658 litre	82,055 %	1140,4761 litre	O
280	CM	85	CM 129 LEVEL CM	5174,4107 litre	81,417 %	1181,0312 litre	O
280	CM	85	CM 128 LEVEL CM	5133,5168 litre	80,774 %	1221,9251 litre	O
280	CM	85	CM 127 LEVEL CM	5092,2944 litre	80,125 %	1263,1475 litre	O
280	CM	85	CM 126 LEVEL CM	5050,7537 litre	79,471 %	1304,6882 litre	O
280	CM	85	CM 125 LEVEL CM	5008,9046 litre	78,813 %	1346,5373 litre	O
280	CM	85	CM 124 LEVEL CM	4966,7569 litre	78,150 %	1388,6850 litre	O
280	CM	85	CM 123 LEVEL CM	4924,3200 litre	77,482 %	1431,1219 litre	O
280	CM	85	CM 122 LEVEL CM	4881,6031 litre	76,810 %	1473,8388 litre	O
280	CM	85	CM 121 LEVEL CM	4838,6155 litre	76,133 %	1516,8264 litre	O
280	CM	85	CM 120 LEVEL CM	4795,3661 litre	75,453 %	1560,0758 litre	O
280	CM	85	CM 119 LEVEL CM	4751,8636 litre	74,768 %	1603,5783 litre	O

280	CM	85	CM	118 LEVEL CM	4708,1167 litre	74,080 %	1647,3252 litre	O
280	CM	85	CM	117 LEVEL CM	4664,1339 litre	73,388 %	1691,3080 litre	O
280	CM	85	CM	116 LEVEL CM	4619,9235 litre	72,692 %	1735,5184 litre	O
280	CM	85	CM	115 LEVEL CM	4575,4937 litre	71,993 %	1779,9482 litre	O
280	CM	85	CM	114 LEVEL CM	4530,8527 litre	71,291 %	1824,5892 litre	O
280	CM	85	CM	113 LEVEL CM	4486,0084 litre	70,585 %	1869,4335 litre	O
280	CM	85	CM	112 LEVEL CM	4440,9688 litre	69,877 %	1914,4731 litre	O
280	CM	85	CM	111 LEVEL CM	4395,7415 litre	69,165 %	1959,7004 litre	O
280	CM	85	CM	110 LEVEL CM	4350,3343 litre	68,451 %	2005,1076 litre	O
280	CM	85	CM	109 LEVEL CM	4304,7548 litre	67,733 %	2050,6871 litre	O
280	CM	85	CM	108 LEVEL CM	4259,0104 litre	67,014 %	2096,4315 litre	O
280	CM	85	CM	107 LEVEL CM	4213,1087 litre	66,291 %	2142,3332 litre	O
280	CM	85	CM	106 LEVEL CM	4167,0568 litre	65,567 %	2188,3851 litre	O
280	CM	85	CM	105 LEVEL CM	4120,8622 litre	64,840 %	2234,5797 litre	O
280	CM	85	CM	104 LEVEL CM	4074,5320 litre	64,111 %	2280,9099 litre	O
280	CM	85	CM	103 LEVEL CM	4028,0734 litre	63,380 %	2327,3685 litre	O
280	CM	85	CM	102 LEVEL CM	3981,4935 litre	62,647 %	2373,9484 litre	O
280	CM	85	CM	101 LEVEL CM	3934,7992 litre	61,912 %	2420,6427 litre	O
280	CM	85	CM	100 LEVEL CM	3887,9976 litre	61,176 %	2467,4443 litre	O
280	CM	85	CM	99 LEVEL CM	3841,0956 litre	60,438 %	2514,3463 litre	O
280	CM	85	CM	98 LEVEL CM	3794,1000 litre	59,698 %	2561,3419 litre	O
280	CM	85	CM	97 LEVEL CM	3747,0178 litre	58,958 %	2608,4241 litre	O
280	CM	85	CM	96 LEVEL CM	3699,8558 litre	58,216 %	2655,5861 litre	O
280	CM	85	CM	95 LEVEL CM	3652,6206 litre	57,472 %	2702,8213 litre	O
280	CM	85	CM	94 LEVEL CM	3605,3191 litre	56,728 %	2750,1228 litre	O
280	CM	85	CM	93 LEVEL CM	3557,9580 litre	55,983 %	2797,4839 litre	O
280	CM	85	CM	92 LEVEL CM	3510,5440 litre	55,237 %	2844,8979 litre	O
280	CM	85	CM	91 LEVEL CM	3463,0836 litre	54,490 %	2892,3583 litre	O
280	CM	85	CM	90 LEVEL CM	3415,5836 litre	53,743 %	2939,8583 litre	O
280	CM	85	CM	89 LEVEL CM	3368,0507 litre	52,995 %	2987,3912 litre	O
280	CM	85	CM	88 LEVEL CM	3320,4913 litre	52,246 %	3034,9506 litre	O
280	CM	85	CM	87 LEVEL CM	3272,9122 litre	51,498 %	3082,5297 litre	O
280	CM	85	CM	86 LEVEL CM	3225,3199 litre	50,749 %	3130,1220 litre	O
280	CM	85	CM	85 LEVEL CM	3177,7210 litre	50,000 %	3177,7209 litre	O
280	CM	85	CM	84 LEVEL CM	3130,1221 litre	49,251 %	3225,3198 litre	O
280	CM	85	CM	83 LEVEL CM	3082,5298 litre	48,502 %	3272,9121 litre	O
280	CM	85	CM	82 LEVEL CM	3034,9506 litre	47,754 %	3320,4913 litre	O
280	CM	85	CM	81 LEVEL CM	2987,3913 litre	47,005 %	3368,0506 litre	O
280	CM	85	CM	80 LEVEL CM	2939,8583 litre	46,257 %	3415,5836 litre	O
280	CM	85	CM	79 LEVEL CM	2892,3583 litre	45,510 %	3463,0836 litre	O
280	CM	85	CM	78 LEVEL CM	2844,8980 litre	44,763 %	3510,5439 litre	O
280	CM	85	CM	77 LEVEL CM	2797,4839 litre	44,017 %	3557,9580 litre	O
280	CM	85	CM	76 LEVEL CM	2750,1228 litre	43,272 %	3605,3191 litre	O
280	CM	85	CM	75 LEVEL CM	2702,8213 litre	42,528 %	3652,6206 litre	O
280	CM	85	CM	74 LEVEL CM	2655,5862 litre	41,784 %	3699,8557 litre	O
280	CM	85	CM	73 LEVEL CM	2608,4241 litre	41,042 %	3747,0178 litre	O
280	CM	85	CM	72 LEVEL CM	2561,3419 litre	40,302 %	3794,1000 litre	O
280	CM	85	CM	71 LEVEL CM	2514,3464 litre	39,562 %	3841,0955 litre	O
280	CM	85	CM	70 LEVEL CM	2467,4444 litre	38,824 %	3887,9975 litre	O
280	CM	85	CM	69 LEVEL CM	2420,6427 litre	38,088 %	3934,7992 litre	O
280	CM	85	CM	68 LEVEL CM	2373,9485 litre	37,353 %	3981,4934 litre	O
280	CM	85	CM	67 LEVEL CM	2327,3685 litre	36,620 %	4028,0734 litre	O
280	CM	85	CM	66 LEVEL CM	2280,9099 litre	35,889 %	4074,5320 litre	O

280	CM	85	CM	65 LEVEL CM	2234,5797 litre	35,160 %	4120,8622 litre	O
280	CM	85	CM	64 LEVEL CM	2188,3851 litre	34,433 %	4167,0568 litre	O
280	CM	85	CM	63 LEVEL CM	2142,3333 litre	33,709 %	4213,1086 litre	O
280	CM	85	CM	62 LEVEL CM	2096,4315 litre	32,986 %	4259,0104 litre	O
280	CM	85	CM	61 LEVEL CM	2050,6872 litre	32,267 %	4304,7547 litre	O
280	CM	85	CM	60 LEVEL CM	2005,1076 litre	31,549 %	4350,3343 litre	O
280	CM	85	CM	59 LEVEL CM	1959,7004 litre	30,835 %	4395,7415 litre	O
280	CM	85	CM	58 LEVEL CM	1914,4732 litre	30,123 %	4440,9687 litre	O
280	CM	85	CM	57 LEVEL CM	1869,4335 litre	29,415 %	4486,0084 litre	O
280	CM	85	CM	56 LEVEL CM	1824,5893 litre	28,709 %	4530,8526 litre	O
280	CM	85	CM	55 LEVEL CM	1779,9482 litre	28,007 %	4575,4937 litre	O
280	CM	85	CM	54 LEVEL CM	1735,5185 litre	27,308 %	4619,9234 litre	O
280	CM	85	CM	53 LEVEL CM	1691,3081 litre	26,612 %	4664,1338 litre	O
280	CM	85	CM	52 LEVEL CM	1647,3252 litre	25,920 %	4708,1167 litre	O
280	CM	85	CM	51 LEVEL CM	1603,5783 litre	25,232 %	4751,8636 litre	O
280	CM	85	CM	50 LEVEL CM	1560,0759 litre	24,547 %	4795,3660 litre	O
280	CM	85	CM	49 LEVEL CM	1516,8264 litre	23,867 %	4838,6155 litre	O
280	CM	85	CM	48 LEVEL CM	1473,8388 litre	23,190 %	4881,6031 litre	O
280	CM	85	CM	47 LEVEL CM	1431,1220 litre	22,518 %	4924,3199 litre	O
280	CM	85	CM	46 LEVEL CM	1388,6850 litre	21,850 %	4966,7569 litre	O
280	CM	85	CM	45 LEVEL CM	1346,5373 litre	21,187 %	5008,9046 litre	O
280	CM	85	CM	44 LEVEL CM	1304,6882 litre	20,529 %	5050,7537 litre	O
280	CM	85	CM	43 LEVEL CM	1263,1476 litre	19,875 %	5092,2943 litre	O
280	CM	85	CM	42 LEVEL CM	1221,9252 litre	19,226 %	5133,5167 litre	O
280	CM	85	CM	41 LEVEL CM	1181,0312 litre	18,583 %	5174,4107 litre	O
280	CM	85	CM	40 LEVEL CM	1140,4761 litre	17,945 %	5214,9658 litre	O
280	CM	85	CM	39 LEVEL CM	1100,2705 litre	17,312 %	5255,1714 litre	O
280	CM	85	CM	38 LEVEL CM	1060,4253 litre	16,685 %	5295,0166 litre	O
280	CM	85	CM	37 LEVEL CM	1020,9517 litre	16,064 %	5334,4902 litre	O
280	CM	85	CM	36 LEVEL CM	981,8613 litre	15,449 %	5373,5806 litre	O
280	CM	85	CM	35 LEVEL CM	943,1661 litre	14,840 %	5412,2758 litre	O
280	CM	85	CM	34 LEVEL CM	904,8782 litre	14,238 %	5450,5637 litre	O
280	CM	85	CM	33 LEVEL CM	867,0104 litre	13,642 %	5488,4315 litre	O
280	CM	85	CM	32 LEVEL CM	829,5757 litre	13,053 %	5525,8662 litre	O
280	CM	85	CM	31 LEVEL CM	792,5876 litre	12,471 %	5562,8543 litre	O
280	CM	85	CM	30 LEVEL CM	756,0603 litre	11,896 %	5599,3816 litre	O
280	CM	85	CM	29 LEVEL CM	720,0083 litre	11,329 %	5635,4336 litre	O
280	CM	85	CM	28 LEVEL CM	684,4467 litre	10,769 %	5670,9952 litre	O
280	CM	85	CM	27 LEVEL CM	649,3915 litre	10,218 %	5706,0504 litre	O
280	CM	85	CM	26 LEVEL CM	614,8590 litre	9,675 %	5740,5829 litre	O
280	CM	85	CM	25 LEVEL CM	580,8665 litre	9,140 %	5774,5754 litre	O
280	CM	85	CM	24 LEVEL CM	547,4322 litre	8,614 %	5808,0097 litre	O
280	CM	85	CM	23 LEVEL CM	514,5751 litre	8,097 %	5840,8668 litre	O
280	CM	85	CM	22 LEVEL CM	482,3152 litre	7,589 %	5873,1267 litre	O
280	CM	85	CM	21 LEVEL CM	450,6736 litre	7,091 %	5904,7683 litre	O
280	CM	85	CM	20 LEVEL CM	419,6729 litre	6,603 %	5935,7690 litre	O
280	CM	85	CM	19 LEVEL CM	389,3369 litre	6,126 %	5966,1050 litre	O
280	CM	85	CM	18 LEVEL CM	359,6911 litre	5,660 %	5995,7508 litre	O
280	CM	85	CM	17 LEVEL CM	330,7627 litre	5,204 %	6024,6792 litre	O
280	CM	85	CM	16 LEVEL CM	302,5813 litre	4,761 %	6052,8606 litre	O
280	CM	85	CM	15 LEVEL CM	275,1784 litre	4,330 %	6080,2635 litre	O
280	CM	85	CM	14 LEVEL CM	248,5889 litre	3,911 %	6106,8530 litre	O
280	CM	85	CM	13 LEVEL CM	222,8504 litre	3,506 %	6132,5915 litre	O

280	CM	85	CM	12 LEVEL CM	198,0048 litre	3,116 %	6157,4371 litre	O
280	CM	85	CM	11 LEVEL CM	174,0985 litre	2,739 %	6181,3434 litre	O
280	CM	85	CM	10 LEVEL CM	151,1837 litre	2,379 %	6204,2582 litre	O
280	CM	85	CM	9 LEVEL CM	129,3196 litre	2,035 %	6226,1223 litre	O
280	CM	85	CM	8 LEVEL CM	108,5746 litre	1,708 %	6246,8673 litre	O
280	CM	85	CM	7 LEVEL CM	89,0286 litre	1,401 %	6266,4133 litre	O
280	CM	85	CM	6 LEVEL CM	70,7775 litre	1,114 %	6284,6644 litre	O
280	CM	85	CM	5 LEVEL CM	53,9395 litre	0,849 %	6301,5024 litre	O
280	CM	85	CM	4 LEVEL CM	38,6653 litre	0,608 %	6316,7766 litre	O
280	CM	85	CM	3 LEVEL CM	25,1588 litre	0,396 %	6330,2831 litre	O
280	CM	85	CM	2 LEVEL CM	13,7192 litre	0,216 %	6341,7227 litre	O
280	CM	85	CM	1 LEVEL CM	4,8591 litre	0,076 %	6350,5828 litre	O
280	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	6355,4419 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM	80	CM 160 LEVEL CM	5629,7340 litre	100,000 %	0,0000 litre	O
280	CM	80	CM 159 LEVEL CM	5625,0206 litre	99,916 %	4,7134 litre	O
280	CM	80	CM 158 LEVEL CM	5616,4275 litre	99,764 %	13,3065 litre	O
280	CM	80	CM 157 LEVEL CM	5605,3346 litre	99,567 %	24,3994 litre	O
280	CM	80	CM 156 LEVEL CM	5592,2400 litre	99,334 %	37,4940 litre	O
280	CM	80	CM 155 LEVEL CM	5577,4345 litre	99,071 %	52,2995 litre	O
280	CM	80	CM 154 LEVEL CM	5561,1163 litre	98,781 %	68,6177 litre	O
280	CM	80	CM 153 LEVEL CM	5543,4322 litre	98,467 %	86,3018 litre	O
280	CM	80	CM 152 LEVEL CM	5524,4972 litre	98,131 %	105,2368 litre	O
280	CM	80	CM 151 LEVEL CM	5504,4047 litre	97,774 %	125,3293 litre	O
280	CM	80	CM 150 LEVEL CM	5483,2327 litre	97,398 %	146,5013 litre	O
280	CM	80	CM 149 LEVEL CM	5461,0479 litre	97,004 %	168,6861 litre	O
280	CM	80	CM 148 LEVEL CM	5437,9081 litre	96,593 %	191,8259 litre	O
280	CM	80	CM 147 LEVEL CM	5413,8642 litre	96,166 %	215,8698 litre	O
280	CM	80	CM 146 LEVEL CM	5388,9616 litre	95,723 %	240,7724 litre	O
280	CM	80	CM 145 LEVEL CM	5363,2412 litre	95,266 %	266,4928 litre	O
280	CM	80	CM 144 LEVEL CM	5336,7400 litre	94,796 %	292,9940 litre	O
280	CM	80	CM 143 LEVEL CM	5309,4920 litre	94,312 %	320,2420 litre	O
280	CM	80	CM 142 LEVEL CM	5281,5282 litre	93,815 %	348,2058 litre	O
280	CM	80	CM 141 LEVEL CM	5252,8775 litre	93,306 %	376,8565 litre	O
280	CM	80	CM 140 LEVEL CM	5223,5667 litre	92,785 %	406,1673 litre	O
280	CM	80	CM 139 LEVEL CM	5193,6208 litre	92,253 %	436,1132 litre	O
280	CM	80	CM 138 LEVEL CM	5163,0632 litre	91,711 %	466,6708 litre	O
280	CM	80	CM 137 LEVEL CM	5131,9160 litre	91,157 %	497,8180 litre	O
280	CM	80	CM 136 LEVEL CM	5100,2001 litre	90,594 %	529,5339 litre	O
280	CM	80	CM 135 LEVEL CM	5067,9352 litre	90,021 %	561,7988 litre	O
280	CM	80	CM 134 LEVEL CM	5035,1401 litre	89,438 %	594,5939 litre	O
280	CM	80	CM 133 LEVEL CM	5001,8326 litre	88,847 %	627,9014 litre	O
280	CM	80	CM 132 LEVEL CM	4968,0297 litre	88,246 %	661,7043 litre	O
280	CM	80	CM 131 LEVEL CM	4933,7478 litre	87,637 %	695,9862 litre	O
280	CM	80	CM 130 LEVEL CM	4899,0024 litre	87,020 %	730,7316 litre	O
280	CM	80	CM 129 LEVEL CM	4863,8087 litre	86,395 %	765,9253 litre	O
280	CM	80	CM 128 LEVEL CM	4828,1810 litre	85,762 %	801,5530 litre	O
280	CM	80	CM 127 LEVEL CM	4792,1333 litre	85,122 %	837,6007 litre	O
280	CM	80	CM 126 LEVEL CM	4755,6789 litre	84,474 %	874,0551 litre	O
280	CM	80	CM 125 LEVEL CM	4718,8310 litre	83,820 %	910,9030 litre	O
280	CM	80	CM 124 LEVEL CM	4681,6020 litre	83,158 %	948,1320 litre	O
280	CM	80	CM 123 LEVEL CM	4644,0042 litre	82,491 %	985,7298 litre	O
280	CM	80	CM 122 LEVEL CM	4606,0495 litre	81,816 %	1023,6845 litre	O
280	CM	80	CM 121 LEVEL CM	4567,7493 litre	81,136 %	1061,9847 litre	O
280	CM	80	CM 120 LEVEL CM	4529,1148 litre	80,450 %	1100,6192 litre	O
280	CM	80	CM 119 LEVEL CM	4490,1570 litre	79,758 %	1139,5770 litre	O
280	CM	80	CM 118 LEVEL CM	4450,8865 litre	79,060 %	1178,8475 litre	O
280	CM	80	CM 117 LEVEL CM	4411,3137 litre	78,357 %	1218,4203 litre	O
280	CM	80	CM 116 LEVEL CM	4371,4487 litre	77,649 %	1258,2853 litre	O
280	CM	80	CM 115 LEVEL CM	4331,3016 litre	76,936 %	1298,4324 litre	O
280	CM	80	CM 114 LEVEL CM	4290,8820 litre	76,218 %	1338,8520 litre	O
280	CM	80	CM 113 LEVEL CM	4250,1994 litre	75,496 %	1379,5346 litre	O
280	CM	80	CM 112 LEVEL CM	4209,2633 litre	74,768 %	1420,4707 litre	O
280	CM	80	CM 111 LEVEL CM	4168,0827 litre	74,037 %	1461,6513 litre	O
280	CM	80	CM 110 LEVEL CM	4126,6667 litre	73,301 %	1503,0673 litre	O
280	CM	80	CM 109 LEVEL CM	4085,0242 litre	72,562 %	1544,7098 litre	O

280	CM	80	CM	108 LEVEL CM	4043,1638 litre	71,818 %	1586,5702 litre	O
280	CM	80	CM	107 LEVEL CM	4001,0943 litre	71,071 %	1628,6397 litre	O
280	CM	80	CM	106 LEVEL CM	3958,8239 litre	70,320 %	1670,9101 litre	O
280	CM	80	CM	105 LEVEL CM	3916,3610 litre	69,566 %	1713,3730 litre	O
280	CM	80	CM	104 LEVEL CM	3873,7140 litre	68,808 %	1756,0200 litre	O
280	CM	80	CM	103 LEVEL CM	3830,8908 litre	68,047 %	1798,8432 litre	O
280	CM	80	CM	102 LEVEL CM	3787,8995 litre	67,284 %	1841,8345 litre	O
280	CM	80	CM	101 LEVEL CM	3744,7480 litre	66,517 %	1884,9860 litre	O
280	CM	80	CM	100 LEVEL CM	3701,4442 litre	65,748 %	1928,2898 litre	O
280	CM	80	CM	99 LEVEL CM	3657,9957 litre	64,976 %	1971,7383 litre	O
280	CM	80	CM	98 LEVEL CM	3614,4104 litre	64,202 %	2015,3236 litre	O
280	CM	80	CM	97 LEVEL CM	3570,6957 litre	63,426 %	2059,0383 litre	O
280	CM	80	CM	96 LEVEL CM	3526,8593 litre	62,647 %	2102,8747 litre	O
280	CM	80	CM	95 LEVEL CM	3482,9085 litre	61,866 %	2146,8255 litre	O
280	CM	80	CM	94 LEVEL CM	3438,8508 litre	61,084 %	2190,8832 litre	O
280	CM	80	CM	93 LEVEL CM	3394,6936 litre	60,299 %	2235,0404 litre	O
280	CM	80	CM	92 LEVEL CM	3350,4442 litre	59,513 %	2279,2898 litre	O
280	CM	80	CM	91 LEVEL CM	3306,1098 litre	58,726 %	2323,6242 litre	O
280	CM	80	CM	90 LEVEL CM	3261,6976 litre	57,937 %	2368,0364 litre	O
280	CM	80	CM	89 LEVEL CM	3217,2149 litre	57,147 %	2412,5191 litre	O
280	CM	80	CM	88 LEVEL CM	3172,6688 litre	56,356 %	2457,0652 litre	O
280	CM	80	CM	87 LEVEL CM	3128,0664 litre	55,563 %	2501,6676 litre	O
280	CM	80	CM	86 LEVEL CM	3083,4148 litre	54,770 %	2546,3192 litre	O
280	CM	80	CM	85 LEVEL CM	3038,7211 litre	53,976 %	2591,0129 litre	O
280	CM	80	CM	84 LEVEL CM	2993,9923 litre	53,182 %	2635,7417 litre	O
280	CM	80	CM	83 LEVEL CM	2949,2355 litre	52,387 %	2680,4985 litre	O
280	CM	80	CM	82 LEVEL CM	2904,4577 litre	51,591 %	2725,2763 litre	O
280	CM	80	CM	81 LEVEL CM	2859,6659 litre	50,796 %	2770,0681 litre	O
280	CM	80	CM	80 LEVEL CM	2814,8670 litre	50,000 %	2814,8670 litre	O
280	CM	80	CM	79 LEVEL CM	2770,0682 litre	49,204 %	2859,6658 litre	O
280	CM	80	CM	78 LEVEL CM	2725,2764 litre	48,409 %	2904,4576 litre	O
280	CM	80	CM	77 LEVEL CM	2680,4985 litre	47,613 %	2949,2355 litre	O
280	CM	80	CM	76 LEVEL CM	2635,7417 litre	46,818 %	2993,9923 litre	O
280	CM	80	CM	75 LEVEL CM	2591,0129 litre	46,024 %	3038,7211 litre	O
280	CM	80	CM	74 LEVEL CM	2546,3192 litre	45,230 %	3083,4148 litre	O
280	CM	80	CM	73 LEVEL CM	2501,6676 litre	44,437 %	3128,0664 litre	O
280	CM	80	CM	72 LEVEL CM	2457,0653 litre	43,644 %	3172,6687 litre	O
280	CM	80	CM	71 LEVEL CM	2412,5191 litre	42,853 %	3217,2149 litre	O
280	CM	80	CM	70 LEVEL CM	2368,0364 litre	42,063 %	3261,6976 litre	O
280	CM	80	CM	69 LEVEL CM	2323,6243 litre	41,274 %	3306,1097 litre	O
280	CM	80	CM	68 LEVEL CM	2279,2899 litre	40,487 %	3350,4441 litre	O
280	CM	80	CM	67 LEVEL CM	2235,0404 litre	39,701 %	3394,6936 litre	O
280	CM	80	CM	66 LEVEL CM	2190,8832 litre	38,916 %	3438,8508 litre	O
280	CM	80	CM	65 LEVEL CM	2146,8255 litre	38,134 %	3482,9085 litre	O
280	CM	80	CM	64 LEVEL CM	2102,8748 litre	37,353 %	3526,8592 litre	O
280	CM	80	CM	63 LEVEL CM	2059,0383 litre	36,574 %	3570,6957 litre	O
280	CM	80	CM	62 LEVEL CM	2015,3236 litre	35,798 %	3614,4104 litre	O
280	CM	80	CM	61 LEVEL CM	1971,7383 litre	35,024 %	3657,9957 litre	O
280	CM	80	CM	60 LEVEL CM	1928,2899 litre	34,252 %	3701,4441 litre	O
280	CM	80	CM	59 LEVEL CM	1884,9860 litre	33,483 %	3744,7480 litre	O
280	CM	80	CM	58 LEVEL CM	1841,8346 litre	32,716 %	3787,8994 litre	O
280	CM	80	CM	57 LEVEL CM	1798,8433 litre	31,953 %	3830,8907 litre	O
280	CM	80	CM	56 LEVEL CM	1756,0201 litre	31,192 %	3873,7139 litre	O

280	CM	80	CM	55 LEVEL CM	1713,3730 litre	30,434 %	3916,3610 litre	O
280	CM	80	CM	54 LEVEL CM	1670,9102 litre	29,680 %	3958,8238 litre	O
280	CM	80	CM	53 LEVEL CM	1628,6398 litre	28,929 %	4001,0942 litre	O
280	CM	80	CM	52 LEVEL CM	1586,5702 litre	28,182 %	4043,1638 litre	O
280	CM	80	CM	51 LEVEL CM	1544,7098 litre	27,438 %	4085,0242 litre	O
280	CM	80	CM	50 LEVEL CM	1503,0673 litre	26,699 %	4126,6667 litre	O
280	CM	80	CM	49 LEVEL CM	1461,6513 litre	25,963 %	4168,0827 litre	O
280	CM	80	CM	48 LEVEL CM	1420,4708 litre	25,232 %	4209,2632 litre	O
280	CM	80	CM	47 LEVEL CM	1379,5346 litre	24,504 %	4250,1994 litre	O
280	CM	80	CM	46 LEVEL CM	1338,8521 litre	23,782 %	4290,8819 litre	O
280	CM	80	CM	45 LEVEL CM	1298,4324 litre	23,064 %	4331,3016 litre	O
280	CM	80	CM	44 LEVEL CM	1258,2853 litre	22,351 %	4371,4487 litre	O
280	CM	80	CM	43 LEVEL CM	1218,4204 litre	21,643 %	4411,3136 litre	O
280	CM	80	CM	42 LEVEL CM	1178,8476 litre	20,940 %	4450,8864 litre	O
280	CM	80	CM	41 LEVEL CM	1139,5771 litre	20,242 %	4490,1569 litre	O
280	CM	80	CM	40 LEVEL CM	1100,6192 litre	19,550 %	4529,1148 litre	O
280	CM	80	CM	39 LEVEL CM	1061,9848 litre	18,864 %	4567,7492 litre	O
280	CM	80	CM	38 LEVEL CM	1023,6846 litre	18,184 %	4606,0494 litre	O
280	CM	80	CM	37 LEVEL CM	985,7298 litre	17,509 %	4644,0042 litre	O
280	CM	80	CM	36 LEVEL CM	948,1320 litre	16,842 %	4681,6020 litre	O
280	CM	80	CM	35 LEVEL CM	910,9031 litre	16,180 %	4718,8309 litre	O
280	CM	80	CM	34 LEVEL CM	874,0551 litre	15,526 %	4755,6789 litre	O
280	CM	80	CM	33 LEVEL CM	837,6008 litre	14,878 %	4792,1332 litre	O
280	CM	80	CM	32 LEVEL CM	801,5530 litre	14,238 %	4828,1810 litre	O
280	CM	80	CM	31 LEVEL CM	765,9253 litre	13,605 %	4863,8087 litre	O
280	CM	80	CM	30 LEVEL CM	730,7316 litre	12,980 %	4899,0024 litre	O
280	CM	80	CM	29 LEVEL CM	695,9863 litre	12,363 %	4933,7477 litre	O
280	CM	80	CM	28 LEVEL CM	661,7043 litre	11,754 %	4968,0297 litre	O
280	CM	80	CM	27 LEVEL CM	627,9015 litre	11,153 %	5001,8325 litre	O
280	CM	80	CM	26 LEVEL CM	594,5939 litre	10,562 %	5035,1401 litre	O
280	CM	80	CM	25 LEVEL CM	561,7988 litre	9,979 %	5067,9352 litre	O
280	CM	80	CM	24 LEVEL CM	529,5339 litre	9,406 %	5100,2001 litre	O
280	CM	80	CM	23 LEVEL CM	497,8180 litre	8,843 %	5131,9160 litre	O
280	CM	80	CM	22 LEVEL CM	466,6709 litre	8,289 %	5163,0631 litre	O
280	CM	80	CM	21 LEVEL CM	436,1133 litre	7,747 %	5193,6207 litre	O
280	CM	80	CM	20 LEVEL CM	406,1673 litre	7,215 %	5223,5667 litre	O
280	CM	80	CM	19 LEVEL CM	376,8565 litre	6,694 %	5252,8775 litre	O
280	CM	80	CM	18 LEVEL CM	348,2058 litre	6,185 %	5281,5282 litre	O
280	CM	80	CM	17 LEVEL CM	320,2420 litre	5,688 %	5309,4920 litre	O
280	CM	80	CM	16 LEVEL CM	292,9940 litre	5,204 %	5336,7400 litre	O
280	CM	80	CM	15 LEVEL CM	266,4928 litre	4,734 %	5363,2412 litre	O
280	CM	80	CM	14 LEVEL CM	240,7725 litre	4,277 %	5388,9615 litre	O
280	CM	80	CM	13 LEVEL CM	215,8699 litre	3,834 %	5413,8641 litre	O
280	CM	80	CM	12 LEVEL CM	191,8260 litre	3,407 %	5437,9080 litre	O
280	CM	80	CM	11 LEVEL CM	168,6861 litre	2,996 %	5461,0479 litre	O
280	CM	80	CM	10 LEVEL CM	146,5013 litre	2,602 %	5483,2327 litre	O
280	CM	80	CM	9 LEVEL CM	125,3293 litre	2,226 %	5504,4047 litre	O
280	CM	80	CM	8 LEVEL CM	105,2368 litre	1,869 %	5524,4972 litre	O
280	CM	80	CM	7 LEVEL CM	86,3018 litre	1,533 %	5543,4322 litre	O
280	CM	80	CM	6 LEVEL CM	68,6178 litre	1,219 %	5561,1162 litre	O
280	CM	80	CM	5 LEVEL CM	52,2995 litre	0,929 %	5577,4345 litre	O
280	CM	80	CM	4 LEVEL CM	37,4941 litre	0,666 %	5592,2399 litre	O
280	CM	80	CM	3 LEVEL CM	24,3995 litre	0,433 %	5605,3345 litre	O

280_80

-2583-

280	CM 80	CM	2 LEVEL CM	13,3066 litre	0,236 %	5616,4274 litre	O
280	CM 80	CM	1 LEVEL CM	4,7135 litre	0,084 %	5625,0205 litre	O
280	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	5629,7340 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
280	CM	75	CM	150 LEVEL CM	4948,0084 litre	100,000 %	0,0000 litre	O
280	CM	75	CM	149 LEVEL CM	4943,4452 litre	99,908 %	4,5632 litre	O
280	CM	75	CM	148 LEVEL CM	4935,1276 litre	99,740 %	12,8808 litre	O
280	CM	75	CM	147 LEVEL CM	4924,3927 litre	99,523 %	23,6157 litre	O
280	CM	75	CM	146 LEVEL CM	4911,7234 litre	99,267 %	36,2850 litre	O
280	CM	75	CM	145 LEVEL CM	4897,4019 litre	98,977 %	50,6065 litre	O
280	CM	75	CM	144 LEVEL CM	4881,6207 litre	98,658 %	66,3877 litre	O
280	CM	75	CM	143 LEVEL CM	4864,5224 litre	98,313 %	83,4860 litre	O
280	CM	75	CM	142 LEVEL CM	4846,2187 litre	97,943 %	101,7897 litre	O
280	CM	75	CM	141 LEVEL CM	4826,8007 litre	97,550 %	121,2077 litre	O
280	CM	75	CM	140 LEVEL CM	4806,3442 litre	97,137 %	141,6642 litre	O
280	CM	75	CM	139 LEVEL CM	4784,9142 litre	96,704 %	163,0942 litre	O
280	CM	75	CM	138 LEVEL CM	4762,5671 litre	96,252 %	185,4413 litre	O
280	CM	75	CM	137 LEVEL CM	4739,3526 litre	95,783 %	208,6558 litre	O
280	CM	75	CM	136 LEVEL CM	4715,3150 litre	95,297 %	232,6934 litre	O
280	CM	75	CM	135 LEVEL CM	4690,4942 litre	94,796 %	257,5142 litre	O
280	CM	75	CM	134 LEVEL CM	4664,9265 litre	94,279 %	283,0819 litre	O
280	CM	75	CM	133 LEVEL CM	4638,6450 litre	93,748 %	309,3634 litre	O
280	CM	75	CM	132 LEVEL CM	4611,6803 litre	93,203 %	336,3281 litre	O
280	CM	75	CM	131 LEVEL CM	4584,0605 litre	92,645 %	363,9479 litre	O
280	CM	75	CM	130 LEVEL CM	4555,8121 litre	92,074 %	392,1963 litre	O
280	CM	75	CM	129 LEVEL CM	4526,9595 litre	91,491 %	421,0489 litre	O
280	CM	75	CM	128 LEVEL CM	4497,5257 litre	90,896 %	450,4827 litre	O
280	CM	75	CM	127 LEVEL CM	4467,5326 litre	90,290 %	480,4758 litre	O
280	CM	75	CM	126 LEVEL CM	4437,0005 litre	89,672 %	511,0079 litre	O
280	CM	75	CM	125 LEVEL CM	4405,9491 litre	89,045 %	542,0593 litre	O
280	CM	75	CM	124 LEVEL CM	4374,3966 litre	88,407 %	573,6118 litre	O
280	CM	75	CM	123 LEVEL CM	4342,3609 litre	87,760 %	605,6475 litre	O
280	CM	75	CM	122 LEVEL CM	4309,8586 litre	87,103 %	638,1498 litre	O
280	CM	75	CM	121 LEVEL CM	4276,9060 litre	86,437 %	671,1024 litre	O
280	CM	75	CM	120 LEVEL CM	4243,5185 litre	85,762 %	704,4899 litre	O
280	CM	75	CM	119 LEVEL CM	4209,7109 litre	85,079 %	738,2975 litre	O
280	CM	75	CM	118 LEVEL CM	4175,4976 litre	84,387 %	772,5108 litre	O
280	CM	75	CM	117 LEVEL CM	4140,8923 litre	83,688 %	807,1161 litre	O
280	CM	75	CM	116 LEVEL CM	4105,9086 litre	82,981 %	842,0998 litre	O
280	CM	75	CM	115 LEVEL CM	4070,5591 litre	82,267 %	877,4493 litre	O
280	CM	75	CM	114 LEVEL CM	4034,8566 litre	81,545 %	913,1518 litre	O
280	CM	75	CM	113 LEVEL CM	3998,8132 litre	80,817 %	949,1952 litre	O
280	CM	75	CM	112 LEVEL CM	3962,4406 litre	80,082 %	985,5678 litre	O
280	CM	75	CM	111 LEVEL CM	3925,7504 litre	79,340 %	1022,2580 litre	O
280	CM	75	CM	110 LEVEL CM	3888,7537 litre	78,592 %	1059,2547 litre	O
280	CM	75	CM	109 LEVEL CM	3851,4616 litre	77,839 %	1096,5468 litre	O
280	CM	75	CM	108 LEVEL CM	3813,8846 litre	77,079 %	1134,1238 litre	O
280	CM	75	CM	107 LEVEL CM	3776,0332 litre	76,314 %	1171,9752 litre	O
280	CM	75	CM	106 LEVEL CM	3737,9176 litre	75,544 %	1210,0908 litre	O
280	CM	75	CM	105 LEVEL CM	3699,5478 litre	74,768 %	1248,4606 litre	O
280	CM	75	CM	104 LEVEL CM	3660,9336 litre	73,988 %	1287,0748 litre	O
280	CM	75	CM	103 LEVEL CM	3622,0845 litre	73,203 %	1325,9239 litre	O
280	CM	75	CM	102 LEVEL CM	3583,0101 litre	72,413 %	1364,9983 litre	O
280	CM	75	CM	101 LEVEL CM	3543,7196 litre	71,619 %	1404,2888 litre	O
280	CM	75	CM	100 LEVEL CM	3504,2221 litre	70,821 %	1443,7863 litre	O
280	CM	75	CM	99 LEVEL CM	3464,5266 litre	70,019 %	1483,4818 litre	O

280	CM	75	CM	98 LEVEL CM	3424,6419 litre	69,213 %	1523,3665 litre	O
280	CM	75	CM	97 LEVEL CM	3384,5769 litre	68,403 %	1563,4315 litre	O
280	CM	75	CM	96 LEVEL CM	3344,3399 litre	67,590 %	1603,6685 litre	O
280	CM	75	CM	95 LEVEL CM	3303,9397 litre	66,773 %	1644,0687 litre	O
280	CM	75	CM	94 LEVEL CM	3263,3845 litre	65,953 %	1684,6239 litre	O
280	CM	75	CM	93 LEVEL CM	3222,6826 litre	65,131 %	1725,3258 litre	O
280	CM	75	CM	92 LEVEL CM	3181,8423 litre	64,306 %	1766,1661 litre	O
280	CM	75	CM	91 LEVEL CM	3140,8716 litre	63,477 %	1807,1368 litre	O
280	CM	75	CM	90 LEVEL CM	3099,7786 litre	62,647 %	1848,2298 litre	O
280	CM	75	CM	89 LEVEL CM	3058,5714 litre	61,814 %	1889,4370 litre	O
280	CM	75	CM	88 LEVEL CM	3017,2577 litre	60,979 %	1930,7507 litre	O
280	CM	75	CM	87 LEVEL CM	2975,8455 litre	60,142 %	1972,1629 litre	O
280	CM	75	CM	86 LEVEL CM	2934,3425 litre	59,304 %	2013,6659 litre	O
280	CM	75	CM	85 LEVEL CM	2892,7564 litre	58,463 %	2055,2520 litre	O
280	CM	75	CM	84 LEVEL CM	2851,0950 litre	57,621 %	2096,9134 litre	O
280	CM	75	CM	83 LEVEL CM	2809,3660 litre	56,778 %	2138,6424 litre	O
280	CM	75	CM	82 LEVEL CM	2767,5768 litre	55,933 %	2180,4316 litre	O
280	CM	75	CM	81 LEVEL CM	2725,7352 litre	55,088 %	2222,2732 litre	O
280	CM	75	CM	80 LEVEL CM	2683,8486 litre	54,241 %	2264,1598 litre	O
280	CM	75	CM	79 LEVEL CM	2641,9245 litre	53,394 %	2306,0839 litre	O
280	CM	75	CM	78 LEVEL CM	2599,9706 litre	52,546 %	2348,0378 litre	O
280	CM	75	CM	77 LEVEL CM	2557,9943 litre	51,697 %	2390,0141 litre	O
280	CM	75	CM	76 LEVEL CM	2516,0030 litre	50,849 %	2432,0054 litre	O
280	CM	75	CM	75 LEVEL CM	2474,0042 litre	50,000 %	2474,0042 litre	O
280	CM	75	CM	74 LEVEL CM	2432,0055 litre	49,151 %	2516,0029 litre	O
280	CM	75	CM	73 LEVEL CM	2390,0142 litre	48,303 %	2557,9942 litre	O
280	CM	75	CM	72 LEVEL CM	2348,0378 litre	47,454 %	2599,9706 litre	O
280	CM	75	CM	71 LEVEL CM	2306,0839 litre	46,606 %	2641,9245 litre	O
280	CM	75	CM	70 LEVEL CM	2264,1599 litre	45,759 %	2683,8485 litre	O
280	CM	75	CM	69 LEVEL CM	2222,2733 litre	44,912 %	2725,7351 litre	O
280	CM	75	CM	68 LEVEL CM	2180,4316 litre	44,067 %	2767,5768 litre	O
280	CM	75	CM	67 LEVEL CM	2138,6425 litre	43,222 %	2809,3659 litre	O
280	CM	75	CM	66 LEVEL CM	2096,9134 litre	42,379 %	2851,0950 litre	O
280	CM	75	CM	65 LEVEL CM	2055,2520 litre	41,537 %	2892,7564 litre	O
280	CM	75	CM	64 LEVEL CM	2013,6660 litre	40,696 %	2934,3424 litre	O
280	CM	75	CM	63 LEVEL CM	1972,1629 litre	39,858 %	2975,8455 litre	O
280	CM	75	CM	62 LEVEL CM	1930,7507 litre	39,021 %	3017,2577 litre	O
280	CM	75	CM	61 LEVEL CM	1889,4370 litre	38,186 %	3058,5714 litre	O
280	CM	75	CM	60 LEVEL CM	1848,2298 litre	37,353 %	3099,7786 litre	O
280	CM	75	CM	59 LEVEL CM	1807,1368 litre	36,523 %	3140,8716 litre	O
280	CM	75	CM	58 LEVEL CM	1766,1662 litre	35,694 %	3181,8422 litre	O
280	CM	75	CM	57 LEVEL CM	1725,3258 litre	34,869 %	3222,6826 litre	O
280	CM	75	CM	56 LEVEL CM	1684,6240 litre	34,047 %	3263,3844 litre	O
280	CM	75	CM	55 LEVEL CM	1644,0688 litre	33,227 %	3303,9396 litre	O
280	CM	75	CM	54 LEVEL CM	1603,6685 litre	32,410 %	3344,3399 litre	O
280	CM	75	CM	53 LEVEL CM	1563,4316 litre	31,597 %	3384,5768 litre	O
280	CM	75	CM	52 LEVEL CM	1523,3665 litre	30,787 %	3424,6419 litre	O
280	CM	75	CM	51 LEVEL CM	1483,4818 litre	29,981 %	3464,5266 litre	O
280	CM	75	CM	50 LEVEL CM	1443,7863 litre	29,179 %	3504,2221 litre	O
280	CM	75	CM	49 LEVEL CM	1404,2888 litre	28,381 %	3543,7196 litre	O
280	CM	75	CM	48 LEVEL CM	1364,9983 litre	27,587 %	3583,0101 litre	O
280	CM	75	CM	47 LEVEL CM	1325,9239 litre	26,797 %	3622,0845 litre	O
280	CM	75	CM	46 LEVEL CM	1287,0749 litre	26,012 %	3660,9335 litre	O

280	CM	75	CM	45 LEVEL CM	1248,4606 litre	25,232 %	3699,5478 litre	O
280	CM	75	CM	44 LEVEL CM	1210,0908 litre	24,456 %	3737,9176 litre	O
280	CM	75	CM	43 LEVEL CM	1171,9752 litre	23,686 %	3776,0332 litre	O
280	CM	75	CM	42 LEVEL CM	1134,1238 litre	22,921 %	3813,8846 litre	O
280	CM	75	CM	41 LEVEL CM	1096,5469 litre	22,161 %	3851,4615 litre	O
280	CM	75	CM	40 LEVEL CM	1059,2547 litre	21,408 %	3888,7537 litre	O
280	CM	75	CM	39 LEVEL CM	1022,2581 litre	20,660 %	3925,7503 litre	O
280	CM	75	CM	38 LEVEL CM	985,5678 litre	19,918 %	3962,4406 litre	O
280	CM	75	CM	37 LEVEL CM	949,1953 litre	19,183 %	3998,8131 litre	O
280	CM	75	CM	36 LEVEL CM	913,1518 litre	18,455 %	4034,8566 litre	O
280	CM	75	CM	35 LEVEL CM	877,4493 litre	17,733 %	4070,5591 litre	O
280	CM	75	CM	34 LEVEL CM	842,0999 litre	17,019 %	4105,9085 litre	O
280	CM	75	CM	33 LEVEL CM	807,1161 litre	16,312 %	4140,8923 litre	O
280	CM	75	CM	32 LEVEL CM	772,5109 litre	15,613 %	4175,4975 litre	O
280	CM	75	CM	31 LEVEL CM	738,2976 litre	14,921 %	4209,7108 litre	O
280	CM	75	CM	30 LEVEL CM	704,4900 litre	14,238 %	4243,5184 litre	O
280	CM	75	CM	29 LEVEL CM	671,1024 litre	13,563 %	4276,9060 litre	O
280	CM	75	CM	28 LEVEL CM	638,1498 litre	12,897 %	4309,8586 litre	O
280	CM	75	CM	27 LEVEL CM	605,6475 litre	12,240 %	4342,3609 litre	O
280	CM	75	CM	26 LEVEL CM	573,6118 litre	11,593 %	4374,3966 litre	O
280	CM	75	CM	25 LEVEL CM	542,0594 litre	10,955 %	4405,9490 litre	O
280	CM	75	CM	24 LEVEL CM	511,0079 litre	10,328 %	4437,0005 litre	O
280	CM	75	CM	23 LEVEL CM	480,4759 litre	9,710 %	4467,5325 litre	O
280	CM	75	CM	22 LEVEL CM	450,4827 litre	9,104 %	4497,5257 litre	O
280	CM	75	CM	21 LEVEL CM	421,0490 litre	8,509 %	4526,9594 litre	O
280	CM	75	CM	20 LEVEL CM	392,1963 litre	7,926 %	4555,8121 litre	O
280	CM	75	CM	19 LEVEL CM	363,9479 litre	7,355 %	4584,0605 litre	O
280	CM	75	CM	18 LEVEL CM	336,3281 litre	6,797 %	4611,6803 litre	O
280	CM	75	CM	17 LEVEL CM	309,3634 litre	6,252 %	4638,6450 litre	O
280	CM	75	CM	16 LEVEL CM	283,0819 litre	5,721 %	4664,9265 litre	O
280	CM	75	CM	15 LEVEL CM	257,5142 litre	5,204 %	4690,4942 litre	O
280	CM	75	CM	14 LEVEL CM	232,6935 litre	4,703 %	4715,3149 litre	O
280	CM	75	CM	13 LEVEL CM	208,6559 litre	4,217 %	4739,3525 litre	O
280	CM	75	CM	12 LEVEL CM	185,4413 litre	3,748 %	4762,5671 litre	O
280	CM	75	CM	11 LEVEL CM	163,0942 litre	3,296 %	4784,9142 litre	O
280	CM	75	CM	10 LEVEL CM	141,6642 litre	2,863 %	4806,3442 litre	O
280	CM	75	CM	9 LEVEL CM	121,2077 litre	2,450 %	4826,8007 litre	O
280	CM	75	CM	8 LEVEL CM	101,7897 litre	2,057 %	4846,2187 litre	O
280	CM	75	CM	7 LEVEL CM	83,4861 litre	1,687 %	4864,5223 litre	O
280	CM	75	CM	6 LEVEL CM	66,3877 litre	1,342 %	4881,6207 litre	O
280	CM	75	CM	5 LEVEL CM	50,6065 litre	1,023 %	4897,4019 litre	O
280	CM	75	CM	4 LEVEL CM	36,2850 litre	0,733 %	4911,7234 litre	O
280	CM	75	CM	3 LEVEL CM	23,6157 litre	0,477 %	4924,3927 litre	O
280	CM	75	CM	2 LEVEL CM	12,8808 litre	0,260 %	4935,1276 litre	O
280	CM	75	CM	1 LEVEL CM	4,5632 litre	0,092 %	4943,4452 litre	O
280	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	4948,0084 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM 70	CM 140 LEVEL CM	4310,2651 litre	100,000 %	0,0000 litre	O
280	CM 70	CM 139 LEVEL CM	4305,8573 litre	99,898 %	4,4078 litre	O
280	CM 70	CM 138 LEVEL CM	4297,8247 litre	99,711 %	12,4404 litre	O
280	CM 70	CM 137 LEVEL CM	4287,4601 litre	99,471 %	22,8050 litre	O
280	CM 70	CM 136 LEVEL CM	4275,2309 litre	99,187 %	35,0342 litre	O
280	CM 70	CM 135 LEVEL CM	4261,4103 litre	98,867 %	48,8548 litre	O
280	CM 70	CM 134 LEVEL CM	4246,1850 litre	98,513 %	64,0801 litre	O
280	CM 70	CM 133 LEVEL CM	4229,6932 litre	98,131 %	80,5719 litre	O
280	CM 70	CM 132 LEVEL CM	4212,0435 litre	97,721 %	98,2216 litre	O
280	CM 70	CM 131 LEVEL CM	4193,3242 litre	97,287 %	116,9409 litre	O
280	CM 70	CM 130 LEVEL CM	4173,6092 litre	96,830 %	136,6559 litre	O
280	CM 70	CM 129 LEVEL CM	4152,9616 litre	96,350 %	157,3035 litre	O
280	CM 70	CM 128 LEVEL CM	4131,4364 litre	95,851 %	178,8287 litre	O
280	CM 70	CM 127 LEVEL CM	4109,0819 litre	95,332 %	201,1832 litre	O
280	CM 70	CM 126 LEVEL CM	4085,9416 litre	94,796 %	224,3235 litre	O
280	CM 70	CM 125 LEVEL CM	4062,0543 litre	94,241 %	248,2108 litre	O
280	CM 70	CM 124 LEVEL CM	4037,4555 litre	93,671 %	272,8096 litre	O
280	CM 70	CM 123 LEVEL CM	4012,1775 litre	93,084 %	298,0876 litre	O
280	CM 70	CM 122 LEVEL CM	3986,2503 litre	92,483 %	324,0148 litre	O
280	CM 70	CM 121 LEVEL CM	3959,7015 litre	91,867 %	350,5636 litre	O
280	CM 70	CM 120 LEVEL CM	3932,5569 litre	91,237 %	377,7082 litre	O
280	CM 70	CM 119 LEVEL CM	3904,8407 litre	90,594 %	405,4244 litre	O
280	CM 70	CM 118 LEVEL CM	3876,5755 litre	89,938 %	433,6896 litre	O
280	CM 70	CM 117 LEVEL CM	3847,7826 litre	89,270 %	462,4825 litre	O
280	CM 70	CM 116 LEVEL CM	3818,4822 litre	88,590 %	491,7829 litre	O
280	CM 70	CM 115 LEVEL CM	3788,6935 litre	87,899 %	521,5716 litre	O
280	CM 70	CM 114 LEVEL CM	3758,4348 litre	87,197 %	551,8303 litre	O
280	CM 70	CM 113 LEVEL CM	3727,7235 litre	86,485 %	582,5416 litre	O
280	CM 70	CM 112 LEVEL CM	3696,5761 litre	85,762 %	613,6890 litre	O
280	CM 70	CM 111 LEVEL CM	3665,0087 litre	85,030 %	645,2564 litre	O
280	CM 70	CM 110 LEVEL CM	3633,0365 litre	84,288 %	677,2286 litre	O
280	CM 70	CM 109 LEVEL CM	3600,6744 litre	83,537 %	709,5907 litre	O
280	CM 70	CM 108 LEVEL CM	3567,9365 litre	82,778 %	742,3286 litre	O
280	CM 70	CM 107 LEVEL CM	3534,8366 litre	82,010 %	775,4285 litre	O
280	CM 70	CM 106 LEVEL CM	3501,3880 litre	81,234 %	808,8771 litre	O
280	CM 70	CM 105 LEVEL CM	3467,6035 litre	80,450 %	842,6616 litre	O
280	CM 70	CM 104 LEVEL CM	3433,4957 litre	79,659 %	876,7694 litre	O
280	CM 70	CM 103 LEVEL CM	3399,0767 litre	78,860 %	911,1884 litre	O
280	CM 70	CM 102 LEVEL CM	3364,3583 litre	78,055 %	945,9068 litre	O
280	CM 70	CM 101 LEVEL CM	3329,3520 litre	77,242 %	980,9131 litre	O
280	CM 70	CM 100 LEVEL CM	3294,0692 litre	76,424 %	1016,1959 litre	O
280	CM 70	CM 99 LEVEL CM	3258,5206 litre	75,599 %	1051,7445 litre	O
280	CM 70	CM 98 LEVEL CM	3222,7172 litre	74,768 %	1087,5479 litre	O
280	CM 70	CM 97 LEVEL CM	3186,6693 litre	73,932 %	1123,5958 litre	O
280	CM 70	CM 96 LEVEL CM	3150,3873 litre	73,090 %	1159,8778 litre	O
280	CM 70	CM 95 LEVEL CM	3113,8813 litre	72,243 %	1196,3838 litre	O
280	CM 70	CM 94 LEVEL CM	3077,1611 litre	71,391 %	1233,1040 litre	O
280	CM 70	CM 93 LEVEL CM	3040,2365 litre	70,535 %	1270,0286 litre	O
280	CM 70	CM 92 LEVEL CM	3003,1171 litre	69,674 %	1307,1480 litre	O
280	CM 70	CM 91 LEVEL CM	2965,8123 litre	68,808 %	1344,4528 litre	O
280	CM 70	CM 90 LEVEL CM	2928,3313 litre	67,939 %	1381,9338 litre	O
280	CM 70	CM 89 LEVEL CM	2890,6834 litre	67,065 %	1419,5817 litre	O

280	CM	70	CM	88 LEVEL CM	2852,8776 litre	66,188 %	1457,3875 litre	O
280	CM	70	CM	87 LEVEL CM	2814,9227 litre	65,307 %	1495,3424 litre	O
280	CM	70	CM	86 LEVEL CM	2776,8276 litre	64,424 %	1533,4375 litre	O
280	CM	70	CM	85 LEVEL CM	2738,6010 litre	63,537 %	1571,6641 litre	O
280	CM	70	CM	84 LEVEL CM	2700,2516 litre	62,647 %	1610,0135 litre	O
280	CM	70	CM	83 LEVEL CM	2661,7879 litre	61,755 %	1648,4772 litre	O
280	CM	70	CM	82 LEVEL CM	2623,2183 litre	60,860 %	1687,0468 litre	O
280	CM	70	CM	81 LEVEL CM	2584,5513 litre	59,963 %	1725,7138 litre	O
280	CM	70	CM	80 LEVEL CM	2545,7951 litre	59,064 %	1764,4700 litre	O
280	CM	70	CM	79 LEVEL CM	2506,9581 litre	58,163 %	1803,3070 litre	O
280	CM	70	CM	78 LEVEL CM	2468,0485 litre	57,260 %	1842,2166 litre	O
280	CM	70	CM	77 LEVEL CM	2429,0745 litre	56,356 %	1881,1906 litre	O
280	CM	70	CM	76 LEVEL CM	2390,0442 litre	55,450 %	1920,2209 litre	O
280	CM	70	CM	75 LEVEL CM	2350,9658 litre	54,543 %	1959,2993 litre	O
280	CM	70	CM	74 LEVEL CM	2311,8472 litre	53,636 %	1998,4179 litre	O
280	CM	70	CM	73 LEVEL CM	2272,6966 litre	52,728 %	2037,5685 litre	O
280	CM	70	CM	72 LEVEL CM	2233,5219 litre	51,819 %	2076,7432 litre	O
280	CM	70	CM	71 LEVEL CM	2194,3312 litre	50,909 %	2115,9339 litre	O
280	CM	70	CM	70 LEVEL CM	2155,1326 litre	50,000 %	2155,1325 litre	O
280	CM	70	CM	69 LEVEL CM	2115,9339 litre	49,091 %	2194,3312 litre	O
280	CM	70	CM	68 LEVEL CM	2076,7432 litre	48,181 %	2233,5219 litre	O
280	CM	70	CM	67 LEVEL CM	2037,5686 litre	47,272 %	2272,6965 litre	O
280	CM	70	CM	66 LEVEL CM	1998,4179 litre	46,364 %	2311,8472 litre	O
280	CM	70	CM	65 LEVEL CM	1959,2994 litre	45,457 %	2350,9657 litre	O
280	CM	70	CM	64 LEVEL CM	1920,2209 litre	44,550 %	2390,0442 litre	O
280	CM	70	CM	63 LEVEL CM	1881,1906 litre	43,644 %	2429,0745 litre	O
280	CM	70	CM	62 LEVEL CM	1842,2166 litre	42,740 %	2468,0485 litre	O
280	CM	70	CM	61 LEVEL CM	1803,3070 litre	41,837 %	2506,9581 litre	O
280	CM	70	CM	60 LEVEL CM	1764,4700 litre	40,936 %	2545,7951 litre	O
280	CM	70	CM	59 LEVEL CM	1725,7139 litre	40,037 %	2584,5512 litre	O
280	CM	70	CM	58 LEVEL CM	1687,0468 litre	39,140 %	2623,2183 litre	O
280	CM	70	CM	57 LEVEL CM	1648,4772 litre	38,245 %	2661,7879 litre	O
280	CM	70	CM	56 LEVEL CM	1610,0135 litre	37,353 %	2700,2516 litre	O
280	CM	70	CM	55 LEVEL CM	1571,6641 litre	36,463 %	2738,6010 litre	O
280	CM	70	CM	54 LEVEL CM	1533,4375 litre	35,576 %	2776,8276 litre	O
280	CM	70	CM	53 LEVEL CM	1495,3424 litre	34,693 %	2814,9227 litre	O
280	CM	70	CM	52 LEVEL CM	1457,3876 litre	33,812 %	2852,8775 litre	O
280	CM	70	CM	51 LEVEL CM	1419,5817 litre	32,935 %	2890,6834 litre	O
280	CM	70	CM	50 LEVEL CM	1381,9338 litre	32,061 %	2928,3313 litre	O
280	CM	70	CM	49 LEVEL CM	1344,4529 litre	31,192 %	2965,8122 litre	O
280	CM	70	CM	48 LEVEL CM	1307,1480 litre	30,326 %	3003,1171 litre	O
280	CM	70	CM	47 LEVEL CM	1270,0286 litre	29,465 %	3040,2365 litre	O
280	CM	70	CM	46 LEVEL CM	1233,1040 litre	28,609 %	3077,1611 litre	O
280	CM	70	CM	45 LEVEL CM	1196,3839 litre	27,757 %	3113,8812 litre	O
280	CM	70	CM	44 LEVEL CM	1159,8778 litre	26,910 %	3150,3873 litre	O
280	CM	70	CM	43 LEVEL CM	1123,5958 litre	26,068 %	3186,6693 litre	O
280	CM	70	CM	42 LEVEL CM	1087,5479 litre	25,232 %	3222,7172 litre	O
280	CM	70	CM	41 LEVEL CM	1051,7445 litre	24,401 %	3258,5206 litre	O
280	CM	70	CM	40 LEVEL CM	1016,1960 litre	23,576 %	3294,0691 litre	O
280	CM	70	CM	39 LEVEL CM	980,9131 litre	22,758 %	3329,3520 litre	O
280	CM	70	CM	38 LEVEL CM	945,9068 litre	21,945 %	3364,3583 litre	O
280	CM	70	CM	37 LEVEL CM	911,1884 litre	21,140 %	3399,0767 litre	O
280	CM	70	CM	36 LEVEL CM	876,7694 litre	20,341 %	3433,4957 litre	O

280	CM	70	CM	35 LEVEL CM	842,6616 litre	19,550 %	3467,6035 litre	O
280	CM	70	CM	34 LEVEL CM	808,8771 litre	18,766 %	3501,3880 litre	O
280	CM	70	CM	33 LEVEL CM	775,4285 litre	17,990 %	3534,8366 litre	O
280	CM	70	CM	32 LEVEL CM	742,3286 litre	17,222 %	3567,9365 litre	O
280	CM	70	CM	31 LEVEL CM	709,5907 litre	16,463 %	3600,6744 litre	O
280	CM	70	CM	30 LEVEL CM	677,2286 litre	15,712 %	3633,0365 litre	O
280	CM	70	CM	29 LEVEL CM	645,2565 litre	14,970 %	3665,0086 litre	O
280	CM	70	CM	28 LEVEL CM	613,6890 litre	14,238 %	3696,5761 litre	O
280	CM	70	CM	27 LEVEL CM	582,5417 litre	13,515 %	3727,7234 litre	O
280	CM	70	CM	26 LEVEL CM	551,8303 litre	12,803 %	3758,4348 litre	O
280	CM	70	CM	25 LEVEL CM	521,5716 litre	12,101 %	3788,6935 litre	O
280	CM	70	CM	24 LEVEL CM	491,7829 litre	11,410 %	3818,4822 litre	O
280	CM	70	CM	23 LEVEL CM	462,4826 litre	10,730 %	3847,7825 litre	O
280	CM	70	CM	22 LEVEL CM	433,6897 litre	10,062 %	3876,5754 litre	O
280	CM	70	CM	21 LEVEL CM	405,4244 litre	9,406 %	3904,8407 litre	O
280	CM	70	CM	20 LEVEL CM	377,7082 litre	8,763 %	3932,5569 litre	O
280	CM	70	CM	19 LEVEL CM	350,5636 litre	8,133 %	3959,7015 litre	O
280	CM	70	CM	18 LEVEL CM	324,0148 litre	7,517 %	3986,2503 litre	O
280	CM	70	CM	17 LEVEL CM	298,0876 litre	6,916 %	4012,1775 litre	O
280	CM	70	CM	16 LEVEL CM	272,8097 litre	6,329 %	4037,4554 litre	O
280	CM	70	CM	15 LEVEL CM	248,2108 litre	5,759 %	4062,0543 litre	O
280	CM	70	CM	14 LEVEL CM	224,3235 litre	5,204 %	4085,9416 litre	O
280	CM	70	CM	13 LEVEL CM	201,1832 litre	4,668 %	4109,0819 litre	O
280	CM	70	CM	12 LEVEL CM	178,8288 litre	4,149 %	4131,4363 litre	O
280	CM	70	CM	11 LEVEL CM	157,3035 litre	3,650 %	4152,9616 litre	O
280	CM	70	CM	10 LEVEL CM	136,6559 litre	3,170 %	4173,6092 litre	O
280	CM	70	CM	9 LEVEL CM	116,9409 litre	2,713 %	4193,3242 litre	O
280	CM	70	CM	8 LEVEL CM	98,2216 litre	2,279 %	4212,0435 litre	O
280	CM	70	CM	7 LEVEL CM	80,5719 litre	1,869 %	4229,6932 litre	O
280	CM	70	CM	6 LEVEL CM	64,0802 litre	1,487 %	4246,1849 litre	O
280	CM	70	CM	5 LEVEL CM	48,8548 litre	1,133 %	4261,4103 litre	O
280	CM	70	CM	4 LEVEL CM	35,0343 litre	0,813 %	4275,2308 litre	O
280	CM	70	CM	3 LEVEL CM	22,8050 litre	0,529 %	4287,4601 litre	O
280	CM	70	CM	2 LEVEL CM	12,4404 litre	0,289 %	4297,8247 litre	O
280	CM	70	CM	1 LEVEL CM	4,4079 litre	0,102 %	4305,8572 litre	O
280	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	4310,2651 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
280	CM	65	CM 130 LEVEL CM	3716,5041 litre	100,000 %	0,0000 litre	O
280	CM	65	CM 129 LEVEL CM	3712,2573 litre	99,886 %	4,2468 litre	O
280	CM	65	CM 128 LEVEL CM	3704,5202 litre	99,678 %	11,9839 litre	O
280	CM	65	CM 127 LEVEL CM	3694,5396 litre	99,409 %	21,9645 litre	O
280	CM	65	CM 126 LEVEL CM	3682,7670 litre	99,092 %	33,7371 litre	O
280	CM	65	CM 125 LEVEL CM	3669,4662 litre	98,734 %	47,0379 litre	O
280	CM	65	CM 124 LEVEL CM	3654,8178 litre	98,340 %	61,6863 litre	O
280	CM	65	CM 123 LEVEL CM	3638,9557 litre	97,913 %	77,5484 litre	O
280	CM	65	CM 122 LEVEL CM	3621,9852 litre	97,457 %	94,5189 litre	O
280	CM	65	CM 121 LEVEL CM	3603,9918 litre	96,973 %	112,5123 litre	O
280	CM	65	CM 120 LEVEL CM	3585,0472 litre	96,463 %	131,4569 litre	O
280	CM	65	CM 119 LEVEL CM	3565,2128 litre	95,929 %	151,2913 litre	O
280	CM	65	CM 118 LEVEL CM	3544,5421 litre	95,373 %	171,9620 litre	O
280	CM	65	CM 117 LEVEL CM	3523,0823 litre	94,796 %	193,4218 litre	O
280	CM	65	CM 116 LEVEL CM	3500,8754 litre	94,198 %	215,6287 litre	O
280	CM	65	CM 115 LEVEL CM	3477,9596 litre	93,581 %	238,5445 litre	O
280	CM	65	CM 114 LEVEL CM	3454,3694 litre	92,947 %	262,1347 litre	O
280	CM	65	CM 113 LEVEL CM	3430,1364 litre	92,295 %	286,3677 litre	O
280	CM	65	CM 112 LEVEL CM	3405,2900 litre	91,626 %	311,2141 litre	O
280	CM	65	CM 111 LEVEL CM	3379,8573 litre	90,942 %	336,6468 litre	O
280	CM	65	CM 110 LEVEL CM	3353,8635 litre	90,242 %	362,6406 litre	O
280	CM	65	CM 109 LEVEL CM	3327,3323 litre	89,529 %	389,1718 litre	O
280	CM	65	CM 108 LEVEL CM	3300,2859 litre	88,801 %	416,2182 litre	O
280	CM	65	CM 107 LEVEL CM	3272,7455 litre	88,060 %	443,7586 litre	O
280	CM	65	CM 106 LEVEL CM	3244,7309 litre	87,306 %	471,7732 litre	O
280	CM	65	CM 105 LEVEL CM	3216,2610 litre	86,540 %	500,2431 litre	O
280	CM	65	CM 104 LEVEL CM	3187,3539 litre	85,762 %	529,1502 litre	O
280	CM	65	CM 103 LEVEL CM	3158,0266 litre	84,973 %	558,4775 litre	O
280	CM	65	CM 102 LEVEL CM	3128,2958 litre	84,173 %	588,2083 litre	O
280	CM	65	CM 101 LEVEL CM	3098,1773 litre	83,363 %	618,3268 litre	O
280	CM	65	CM 100 LEVEL CM	3067,6861 litre	82,542 %	648,8180 litre	O
280	CM	65	CM 99 LEVEL CM	3036,8371 litre	81,712 %	679,6670 litre	O
280	CM	65	CM 98 LEVEL CM	3005,6444 litre	80,873 %	710,8597 litre	O
280	CM	65	CM 97 LEVEL CM	2974,1216 litre	80,025 %	742,3825 litre	O
280	CM	65	CM 96 LEVEL CM	2942,2821 litre	79,168 %	774,2220 litre	O
280	CM	65	CM 95 LEVEL CM	2910,1387 litre	78,303 %	806,3654 litre	O
280	CM	65	CM 94 LEVEL CM	2877,7039 litre	77,430 %	838,8002 litre	O
280	CM	65	CM 93 LEVEL CM	2844,9899 litre	76,550 %	871,5142 litre	O
280	CM	65	CM 92 LEVEL CM	2812,0085 litre	75,663 %	904,4956 litre	O
280	CM	65	CM 91 LEVEL CM	2778,7714 litre	74,768 %	937,7327 litre	O
280	CM	65	CM 90 LEVEL CM	2745,2899 litre	73,868 %	971,2142 litre	O
280	CM	65	CM 89 LEVEL CM	2711,5751 litre	72,960 %	1004,9290 litre	O
280	CM	65	CM 88 LEVEL CM	2677,6377 litre	72,047 %	1038,8664 litre	O
280	CM	65	CM 87 LEVEL CM	2643,4885 litre	71,128 %	1073,0156 litre	O
280	CM	65	CM 86 LEVEL CM	2609,1378 litre	70,204 %	1107,3663 litre	O
280	CM	65	CM 85 LEVEL CM	2574,5960 litre	69,275 %	1141,9081 litre	O
280	CM	65	CM 84 LEVEL CM	2539,8730 litre	68,340 %	1176,6311 litre	O
280	CM	65	CM 83 LEVEL CM	2504,9788 litre	67,401 %	1211,5253 litre	O
280	CM	65	CM 82 LEVEL CM	2469,9233 litre	66,458 %	1246,5808 litre	O
280	CM	65	CM 81 LEVEL CM	2434,7160 litre	65,511 %	1281,7881 litre	O
280	CM	65	CM 80 LEVEL CM	2399,3664 litre	64,560 %	1317,1377 litre	O
280	CM	65	CM 79 LEVEL CM	2363,8841 litre	63,605 %	1352,6200 litre	O

280	CM	65	CM	78 LEVEL CM	2328,2782 litre	62,647 %	1388,2259 litre	O
280	CM	65	CM	77 LEVEL CM	2292,5580 litre	61,686 %	1423,9461 litre	O
280	CM	65	CM	76 LEVEL CM	2256,7326 litre	60,722 %	1459,7715 litre	O
280	CM	65	CM	75 LEVEL CM	2220,8110 litre	59,755 %	1495,6931 litre	O
280	CM	65	CM	74 LEVEL CM	2184,8023 litre	58,786 %	1531,7018 litre	O
280	CM	65	CM	73 LEVEL CM	2148,7152 litre	57,815 %	1567,7889 litre	O
280	CM	65	CM	72 LEVEL CM	2112,5587 litre	56,843 %	1603,9454 litre	O
280	CM	65	CM	71 LEVEL CM	2076,3415 litre	55,868 %	1640,1626 litre	O
280	CM	65	CM	70 LEVEL CM	2040,0724 litre	54,892 %	1676,4317 litre	O
280	CM	65	CM	69 LEVEL CM	2003,7601 litre	53,915 %	1712,7440 litre	O
280	CM	65	CM	68 LEVEL CM	1967,4133 litre	52,937 %	1749,0908 litre	O
280	CM	65	CM	67 LEVEL CM	1931,0406 litre	51,959 %	1785,4635 litre	O
280	CM	65	CM	66 LEVEL CM	1894,6506 litre	50,979 %	1821,8535 litre	O
280	CM	65	CM	65 LEVEL CM	1858,2521 litre	50,000 %	1858,2520 litre	O
280	CM	65	CM	64 LEVEL CM	1821,8535 litre	49,021 %	1894,6506 litre	O
280	CM	65	CM	63 LEVEL CM	1785,4635 litre	48,041 %	1931,0406 litre	O
280	CM	65	CM	62 LEVEL CM	1749,0908 litre	47,063 %	1967,4133 litre	O
280	CM	65	CM	61 LEVEL CM	1712,7440 litre	46,085 %	2003,7601 litre	O
280	CM	65	CM	60 LEVEL CM	1676,4317 litre	45,108 %	2040,0724 litre	O
280	CM	65	CM	59 LEVEL CM	1640,1626 litre	44,132 %	2076,3415 litre	O
280	CM	65	CM	58 LEVEL CM	1603,9454 litre	43,157 %	2112,5587 litre	O
280	CM	65	CM	57 LEVEL CM	1567,7889 litre	42,185 %	2148,7152 litre	O
280	CM	65	CM	56 LEVEL CM	1531,7019 litre	41,214 %	2184,8022 litre	O
280	CM	65	CM	55 LEVEL CM	1495,6931 litre	40,245 %	2220,8110 litre	O
280	CM	65	CM	54 LEVEL CM	1459,7715 litre	39,278 %	2256,7326 litre	O
280	CM	65	CM	53 LEVEL CM	1423,9461 litre	38,314 %	2292,5580 litre	O
280	CM	65	CM	52 LEVEL CM	1388,2259 litre	37,353 %	2328,2782 litre	O
280	CM	65	CM	51 LEVEL CM	1352,6200 litre	36,395 %	2363,8841 litre	O
280	CM	65	CM	50 LEVEL CM	1317,1377 litre	35,440 %	2399,3664 litre	O
280	CM	65	CM	49 LEVEL CM	1281,7881 litre	34,489 %	2434,7160 litre	O
280	CM	65	CM	48 LEVEL CM	1246,5808 litre	33,542 %	2469,9233 litre	O
280	CM	65	CM	47 LEVEL CM	1211,5253 litre	32,599 %	2504,9788 litre	O
280	CM	65	CM	46 LEVEL CM	1176,6311 litre	31,660 %	2539,8730 litre	O
280	CM	65	CM	45 LEVEL CM	1141,9081 litre	30,725 %	2574,5960 litre	O
280	CM	65	CM	44 LEVEL CM	1107,3663 litre	29,796 %	2609,1378 litre	O
280	CM	65	CM	43 LEVEL CM	1073,0156 litre	28,872 %	2643,4885 litre	O
280	CM	65	CM	42 LEVEL CM	1038,8664 litre	27,953 %	2677,6377 litre	O
280	CM	65	CM	41 LEVEL CM	1004,9290 litre	27,040 %	2711,5751 litre	O
280	CM	65	CM	40 LEVEL CM	971,2142 litre	26,132 %	2745,2899 litre	O
280	CM	65	CM	39 LEVEL CM	937,7327 litre	25,232 %	2778,7714 litre	O
280	CM	65	CM	38 LEVEL CM	904,4956 litre	24,337 %	2812,0085 litre	O
280	CM	65	CM	37 LEVEL CM	871,5143 litre	23,450 %	2844,9898 litre	O
280	CM	65	CM	36 LEVEL CM	838,8003 litre	22,570 %	2877,7038 litre	O
280	CM	65	CM	35 LEVEL CM	806,3654 litre	21,697 %	2910,1387 litre	O
280	CM	65	CM	34 LEVEL CM	774,2220 litre	20,832 %	2942,2821 litre	O
280	CM	65	CM	33 LEVEL CM	742,3825 litre	19,975 %	2974,1216 litre	O
280	CM	65	CM	32 LEVEL CM	710,8597 litre	19,127 %	3005,6444 litre	O
280	CM	65	CM	31 LEVEL CM	679,6670 litre	18,288 %	3036,8371 litre	O
280	CM	65	CM	30 LEVEL CM	648,8180 litre	17,458 %	3067,6861 litre	O
280	CM	65	CM	29 LEVEL CM	618,3268 litre	16,637 %	3098,1773 litre	O
280	CM	65	CM	28 LEVEL CM	588,2083 litre	15,827 %	3128,2958 litre	O
280	CM	65	CM	27 LEVEL CM	558,4775 litre	15,027 %	3158,0266 litre	O
280	CM	65	CM	26 LEVEL CM	529,1502 litre	14,238 %	3187,3539 litre	O

280	CM	65	CM	25 LEVEL CM	500,2431 litre	13,460 %	3216,2610 litre	O
280	CM	65	CM	24 LEVEL CM	471,7732 litre	12,694 %	3244,7309 litre	O
280	CM	65	CM	23 LEVEL CM	443,7586 litre	11,940 %	3272,7455 litre	O
280	CM	65	CM	22 LEVEL CM	416,2182 litre	11,199 %	3300,2859 litre	O
280	CM	65	CM	21 LEVEL CM	389,1718 litre	10,471 %	3327,3323 litre	O
280	CM	65	CM	20 LEVEL CM	362,6407 litre	9,758 %	3353,8634 litre	O
280	CM	65	CM	19 LEVEL CM	336,6468 litre	9,058 %	3379,8573 litre	O
280	CM	65	CM	18 LEVEL CM	311,2141 litre	8,374 %	3405,2900 litre	O
280	CM	65	CM	17 LEVEL CM	286,3677 litre	7,705 %	3430,1364 litre	O
280	CM	65	CM	16 LEVEL CM	262,1347 litre	7,053 %	3454,3694 litre	O
280	CM	65	CM	15 LEVEL CM	238,5445 litre	6,419 %	3477,9596 litre	O
280	CM	65	CM	14 LEVEL CM	215,6287 litre	5,802 %	3500,8754 litre	O
280	CM	65	CM	13 LEVEL CM	193,4218 litre	5,204 %	3523,0823 litre	O
280	CM	65	CM	12 LEVEL CM	171,9620 litre	4,627 %	3544,5421 litre	O
280	CM	65	CM	11 LEVEL CM	151,2913 litre	4,071 %	3565,2128 litre	O
280	CM	65	CM	10 LEVEL CM	131,4569 litre	3,537 %	3585,0472 litre	O
280	CM	65	CM	9 LEVEL CM	112,5123 litre	3,027 %	3603,9918 litre	O
280	CM	65	CM	8 LEVEL CM	94,5189 litre	2,543 %	3621,9852 litre	O
280	CM	65	CM	7 LEVEL CM	77,5484 litre	2,087 %	3638,9557 litre	O
280	CM	65	CM	6 LEVEL CM	61,6863 litre	1,660 %	3654,8178 litre	O
280	CM	65	CM	5 LEVEL CM	47,0379 litre	1,266 %	3669,4662 litre	O
280	CM	65	CM	4 LEVEL CM	33,7372 litre	0,908 %	3682,7669 litre	O
280	CM	65	CM	3 LEVEL CM	21,9645 litre	0,591 %	3694,5396 litre	O
280	CM	65	CM	2 LEVEL CM	11,9839 litre	0,322 %	3704,5202 litre	O
280	CM	65	CM	1 LEVEL CM	4,2468 litre	0,114 %	3712,2573 litre	O
280	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	3716,5041 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
280	CM	60	CM	120 LEVEL CM	3166,7254 litre	100,000 %	0,0000 litre	O
280	CM	60	CM	119 LEVEL CM	3162,6460 litre	99,871 %	4,0794 litre	O
280	CM	60	CM	118 LEVEL CM	3155,2161 litre	99,637 %	11,5093 litre	O
280	CM	60	CM	117 LEVEL CM	3145,6350 litre	99,334 %	21,0904 litre	O
280	CM	60	CM	116 LEVEL CM	3134,3372 litre	98,977 %	32,3882 litre	O
280	CM	60	CM	115 LEVEL CM	3121,5775 litre	98,574 %	45,1479 litre	O
280	CM	60	CM	114 LEVEL CM	3107,5297 litre	98,131 %	59,1957 litre	O
280	CM	60	CM	113 LEVEL CM	3092,3234 litre	97,651 %	74,4020 litre	O
280	CM	60	CM	112 LEVEL CM	3076,0603 litre	97,137 %	90,6651 litre	O
280	CM	60	CM	111 LEVEL CM	3058,8233 litre	96,593 %	107,9021 litre	O
280	CM	60	CM	110 LEVEL CM	3040,6818 litre	96,020 %	126,0436 litre	O
280	CM	60	CM	109 LEVEL CM	3021,6955 litre	95,420 %	145,0299 litre	O
280	CM	60	CM	108 LEVEL CM	3001,9163 litre	94,796 %	164,8091 litre	O
280	CM	60	CM	107 LEVEL CM	2981,3900 litre	94,147 %	185,3354 litre	O
280	CM	60	CM	106 LEVEL CM	2960,1576 litre	93,477 %	206,5678 litre	O
280	CM	60	CM	105 LEVEL CM	2938,2563 litre	92,785 %	228,4691 litre	O
280	CM	60	CM	104 LEVEL CM	2915,7197 litre	92,074 %	251,0057 litre	O
280	CM	60	CM	103 LEVEL CM	2892,5790 litre	91,343 %	274,1464 litre	O
280	CM	60	CM	102 LEVEL CM	2868,8626 litre	90,594 %	297,8628 litre	O
280	CM	60	CM	101 LEVEL CM	2844,5971 litre	89,828 %	322,1283 litre	O
280	CM	60	CM	100 LEVEL CM	2819,8074 litre	89,045 %	346,9180 litre	O
280	CM	60	CM	99 LEVEL CM	2794,5167 litre	88,246 %	372,2087 litre	O
280	CM	60	CM	98 LEVEL CM	2768,7469 litre	87,432 %	397,9785 litre	O
280	CM	60	CM	97 LEVEL CM	2742,5187 litre	86,604 %	424,2067 litre	O
280	CM	60	CM	96 LEVEL CM	2715,8518 litre	85,762 %	450,8736 litre	O
280	CM	60	CM	95 LEVEL CM	2688,7648 litre	84,907 %	477,9606 litre	O
280	CM	60	CM	94 LEVEL CM	2661,2756 litre	84,039 %	505,4498 litre	O
280	CM	60	CM	93 LEVEL CM	2633,4011 litre	83,158 %	533,3243 litre	O
280	CM	60	CM	92 LEVEL CM	2605,1579 litre	82,267 %	561,5675 litre	O
280	CM	60	CM	91 LEVEL CM	2576,5614 litre	81,364 %	590,1640 litre	O
280	CM	60	CM	90 LEVEL CM	2547,6271 litre	80,450 %	619,0983 litre	O
280	CM	60	CM	89 LEVEL CM	2518,3693 litre	79,526 %	648,3561 litre	O
280	CM	60	CM	88 LEVEL CM	2488,8024 litre	78,592 %	677,9230 litre	O
280	CM	60	CM	87 LEVEL CM	2458,9399 litre	77,649 %	707,7855 litre	O
280	CM	60	CM	86 LEVEL CM	2428,7952 litre	76,697 %	737,9302 litre	O
280	CM	60	CM	85 LEVEL CM	2398,3813 litre	75,737 %	768,3441 litre	O
280	CM	60	CM	84 LEVEL CM	2367,7106 litre	74,768 %	799,0148 litre	O
280	CM	60	CM	83 LEVEL CM	2336,7955 litre	73,792 %	829,9299 litre	O
280	CM	60	CM	82 LEVEL CM	2305,6479 litre	72,809 %	861,0775 litre	O
280	CM	60	CM	81 LEVEL CM	2274,2797 litre	71,818 %	892,4457 litre	O
280	CM	60	CM	80 LEVEL CM	2242,7021 litre	70,821 %	924,0233 litre	O
280	CM	60	CM	79 LEVEL CM	2210,9266 litre	69,817 %	955,7988 litre	O
280	CM	60	CM	78 LEVEL CM	2178,9641 litre	68,808 %	987,7613 litre	O
280	CM	60	CM	77 LEVEL CM	2146,8255 litre	67,793 %	1019,8999 litre	O
280	CM	60	CM	76 LEVEL CM	2114,5214 litre	66,773 %	1052,2040 litre	O
280	CM	60	CM	75 LEVEL CM	2082,0623 litre	65,748 %	1084,6631 litre	O
280	CM	60	CM	74 LEVEL CM	2049,4587 litre	64,719 %	1117,2667 litre	O
280	CM	60	CM	73 LEVEL CM	2016,7207 litre	63,685 %	1150,0047 litre	O
280	CM	60	CM	72 LEVEL CM	1983,8583 litre	62,647 %	1182,8671 litre	O
280	CM	60	CM	71 LEVEL CM	1950,8817 litre	61,606 %	1215,8437 litre	O
280	CM	60	CM	70 LEVEL CM	1917,8006 litre	60,561 %	1248,9248 litre	O
280	CM	60	CM	69 LEVEL CM	1884,6248 litre	59,513 %	1282,1006 litre	O

280	CM	60	CM	68 LEVEL CM	1851,3641 litre	58,463 %	1315,3613 litre	O
280	CM	60	CM	67 LEVEL CM	1818,0280 litre	57,410 %	1348,6974 litre	O
280	CM	60	CM	66 LEVEL CM	1784,6262 litre	56,356 %	1382,0992 litre	O
280	CM	60	CM	65 LEVEL CM	1751,1680 litre	55,299 %	1415,5574 litre	O
280	CM	60	CM	64 LEVEL CM	1717,6631 litre	54,241 %	1449,0623 litre	O
280	CM	60	CM	63 LEVEL CM	1684,1207 litre	53,182 %	1482,6047 litre	O
280	CM	60	CM	62 LEVEL CM	1650,5503 litre	52,122 %	1516,1751 litre	O
280	CM	60	CM	61 LEVEL CM	1616,9611 litre	51,061 %	1549,7643 litre	O
280	CM	60	CM	60 LEVEL CM	1583,3627 litre	50,000 %	1583,3627 litre	O
280	CM	60	CM	59 LEVEL CM	1549,7643 litre	48,939 %	1616,9611 litre	O
280	CM	60	CM	58 LEVEL CM	1516,1751 litre	47,878 %	1650,5503 litre	O
280	CM	60	CM	57 LEVEL CM	1482,6047 litre	46,818 %	1684,1207 litre	O
280	CM	60	CM	56 LEVEL CM	1449,0623 litre	45,759 %	1717,6631 litre	O
280	CM	60	CM	55 LEVEL CM	1415,5573 litre	44,701 %	1751,1681 litre	O
280	CM	60	CM	54 LEVEL CM	1382,0992 litre	43,644 %	1784,6262 litre	O
280	CM	60	CM	53 LEVEL CM	1348,6973 litre	42,590 %	1818,0281 litre	O
280	CM	60	CM	52 LEVEL CM	1315,3613 litre	41,537 %	1851,3641 litre	O
280	CM	60	CM	51 LEVEL CM	1282,1006 litre	40,487 %	1884,6248 litre	O
280	CM	60	CM	50 LEVEL CM	1248,9248 litre	39,439 %	1917,8006 litre	O
280	CM	60	CM	49 LEVEL CM	1215,8437 litre	38,394 %	1950,8817 litre	O
280	CM	60	CM	48 LEVEL CM	1182,8671 litre	37,353 %	1983,8583 litre	O
280	CM	60	CM	47 LEVEL CM	1150,0047 litre	36,315 %	2016,7207 litre	O
280	CM	60	CM	46 LEVEL CM	1117,2667 litre	35,281 %	2049,4587 litre	O
280	CM	60	CM	45 LEVEL CM	1084,6630 litre	34,252 %	2082,0624 litre	O
280	CM	60	CM	44 LEVEL CM	1052,2040 litre	33,227 %	2114,5214 litre	O
280	CM	60	CM	43 LEVEL CM	1019,8999 litre	32,207 %	2146,8255 litre	O
280	CM	60	CM	42 LEVEL CM	987,7613 litre	31,192 %	2178,9641 litre	O
280	CM	60	CM	41 LEVEL CM	955,7988 litre	30,183 %	2210,9266 litre	O
280	CM	60	CM	40 LEVEL CM	924,0233 litre	29,179 %	2242,7021 litre	O
280	CM	60	CM	39 LEVEL CM	892,4457 litre	28,182 %	2274,2797 litre	O
280	CM	60	CM	38 LEVEL CM	861,0775 litre	27,191 %	2305,6479 litre	O
280	CM	60	CM	37 LEVEL CM	829,9299 litre	26,208 %	2336,7955 litre	O
280	CM	60	CM	36 LEVEL CM	799,0148 litre	25,232 %	2367,7106 litre	O
280	CM	60	CM	35 LEVEL CM	768,3441 litre	24,263 %	2398,3813 litre	O
280	CM	60	CM	34 LEVEL CM	737,9302 litre	23,303 %	2428,7952 litre	O
280	CM	60	CM	33 LEVEL CM	707,7855 litre	22,351 %	2458,9399 litre	O
280	CM	60	CM	32 LEVEL CM	677,9230 litre	21,408 %	2488,8024 litre	O
280	CM	60	CM	31 LEVEL CM	648,3561 litre	20,474 %	2518,3693 litre	O
280	CM	60	CM	30 LEVEL CM	619,0983 litre	19,550 %	2547,6271 litre	O
280	CM	60	CM	29 LEVEL CM	590,1639 litre	18,636 %	2576,5615 litre	O
280	CM	60	CM	28 LEVEL CM	561,5675 litre	17,733 %	2605,1579 litre	O
280	CM	60	CM	27 LEVEL CM	533,3243 litre	16,842 %	2633,4011 litre	O
280	CM	60	CM	26 LEVEL CM	505,4498 litre	15,961 %	2661,2756 litre	O
280	CM	60	CM	25 LEVEL CM	477,9606 litre	15,093 %	2688,7648 litre	O
280	CM	60	CM	24 LEVEL CM	450,8736 litre	14,238 %	2715,8518 litre	O
280	CM	60	CM	23 LEVEL CM	424,2067 litre	13,396 %	2742,5187 litre	O
280	CM	60	CM	22 LEVEL CM	397,9785 litre	12,568 %	2768,7469 litre	O
280	CM	60	CM	21 LEVEL CM	372,2087 litre	11,754 %	2794,5167 litre	O
280	CM	60	CM	20 LEVEL CM	346,9180 litre	10,955 %	2819,8074 litre	O
280	CM	60	CM	19 LEVEL CM	322,1283 litre	10,172 %	2844,5971 litre	O
280	CM	60	CM	18 LEVEL CM	297,8628 litre	9,406 %	2868,8626 litre	O
280	CM	60	CM	17 LEVEL CM	274,1464 litre	8,657 %	2892,5790 litre	O
280	CM	60	CM	16 LEVEL CM	251,0057 litre	7,926 %	2915,7197 litre	O

280	CM	60	CM	15 LEVEL CM	228,4691 litre	7,215 %	2938,2563 litre	O
280	CM	60	CM	14 LEVEL CM	206,5678 litre	6,523 %	2960,1576 litre	O
280	CM	60	CM	13 LEVEL CM	185,3354 litre	5,853 %	2981,3900 litre	O
280	CM	60	CM	12 LEVEL CM	164,8091 litre	5,204 %	3001,9163 litre	O
280	CM	60	CM	11 LEVEL CM	145,0299 litre	4,580 %	3021,6955 litre	O
280	CM	60	CM	10 LEVEL CM	126,0436 litre	3,980 %	3040,6818 litre	O
280	CM	60	CM	9 LEVEL CM	107,9021 litre	3,407 %	3058,8233 litre	O
280	CM	60	CM	8 LEVEL CM	90,6651 litre	2,863 %	3076,0603 litre	O
280	CM	60	CM	7 LEVEL CM	74,4020 litre	2,349 %	3092,3234 litre	O
280	CM	60	CM	6 LEVEL CM	59,1957 litre	1,869 %	3107,5297 litre	O
280	CM	60	CM	5 LEVEL CM	45,1479 litre	1,426 %	3121,5775 litre	O
280	CM	60	CM	4 LEVEL CM	32,3881 litre	1,023 %	3134,3373 litre	O
280	CM	60	CM	3 LEVEL CM	21,0904 litre	0,666 %	3145,6350 litre	O
280	CM	60	CM	2 LEVEL CM	11,5093 litre	0,363 %	3155,2161 litre	O
280	CM	60	CM	1 LEVEL CM	4,0794 litre	0,129 %	3162,6460 litre	O
280	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3166,7254 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
280	CM	55	CM	110 LEVEL CM	2660,9290 litre	100,000 %	0,0000 litre	O
280	CM	55	CM	109 LEVEL CM	2657,0241 litre	99,853 %	3,9049 litre	O
280	CM	55	CM	108 LEVEL CM	2649,9147 litre	99,586 %	11,0143 litre	O
280	CM	55	CM	107 LEVEL CM	2640,7505 litre	99,242 %	20,1785 litre	O
280	CM	55	CM	106 LEVEL CM	2629,9485 litre	98,836 %	30,9805 litre	O
280	CM	55	CM	105 LEVEL CM	2617,7537 litre	98,377 %	43,1753 litre	O
280	CM	55	CM	104 LEVEL CM	2604,3334 litre	97,873 %	56,5956 litre	O
280	CM	55	CM	103 LEVEL CM	2589,8125 litre	97,327 %	71,1165 litre	O
280	CM	55	CM	102 LEVEL CM	2574,2890 litre	96,744 %	86,6400 litre	O
280	CM	55	CM	101 LEVEL CM	2557,8432 litre	96,126 %	103,0858 litre	O
280	CM	55	CM	100 LEVEL CM	2540,5421 litre	95,476 %	120,3869 litre	O
280	CM	55	CM	99 LEVEL CM	2522,4435 litre	94,796 %	138,4855 litre	O
280	CM	55	CM	98 LEVEL CM	2503,5978 litre	94,087 %	157,3312 litre	O
280	CM	55	CM	97 LEVEL CM	2484,0496 litre	93,353 %	176,8794 litre	O
280	CM	55	CM	96 LEVEL CM	2463,8386 litre	92,593 %	197,0904 litre	O
280	CM	55	CM	95 LEVEL CM	2443,0011 litre	91,810 %	217,9279 litre	O
280	CM	55	CM	94 LEVEL CM	2421,5701 litre	91,005 %	239,3589 litre	O
280	CM	55	CM	93 LEVEL CM	2399,5756 litre	90,178 %	261,3534 litre	O
280	CM	55	CM	92 LEVEL CM	2377,0458 litre	89,331 %	283,8832 litre	O
280	CM	55	CM	91 LEVEL CM	2354,0067 litre	88,466 %	306,9223 litre	O
280	CM	55	CM	90 LEVEL CM	2330,4827 litre	87,582 %	330,4463 litre	O
280	CM	55	CM	89 LEVEL CM	2306,4966 litre	86,680 %	354,4324 litre	O
280	CM	55	CM	88 LEVEL CM	2282,0699 litre	85,762 %	378,8591 litre	O
280	CM	55	CM	87 LEVEL CM	2257,2232 litre	84,828 %	403,7058 litre	O
280	CM	55	CM	86 LEVEL CM	2231,9758 litre	83,880 %	428,9532 litre	O
280	CM	55	CM	85 LEVEL CM	2206,3462 litre	82,916 %	454,5828 litre	O
280	CM	55	CM	84 LEVEL CM	2180,3521 litre	81,940 %	480,5769 litre	O
280	CM	55	CM	83 LEVEL CM	2154,0105 litre	80,950 %	506,9185 litre	O
280	CM	55	CM	82 LEVEL CM	2127,3375 litre	79,947 %	533,5915 litre	O
280	CM	55	CM	81 LEVEL CM	2100,3490 litre	78,933 %	560,5800 litre	O
280	CM	55	CM	80 LEVEL CM	2073,0600 litre	77,907 %	587,8690 litre	O
280	CM	55	CM	79 LEVEL CM	2045,4852 litre	76,871 %	615,4438 litre	O
280	CM	55	CM	78 LEVEL CM	2017,6388 litre	75,825 %	643,2902 litre	O
280	CM	55	CM	77 LEVEL CM	1989,5346 litre	74,768 %	671,3944 litre	O
280	CM	55	CM	76 LEVEL CM	1961,1859 litre	73,703 %	699,7431 litre	O
280	CM	55	CM	75 LEVEL CM	1932,6059 litre	72,629 %	728,3231 litre	O
280	CM	55	CM	74 LEVEL CM	1903,8072 litre	71,547 %	757,1218 litre	O
280	CM	55	CM	73 LEVEL CM	1874,8023 litre	70,457 %	786,1267 litre	O
280	CM	55	CM	72 LEVEL CM	1845,6035 litre	69,359 %	815,3255 litre	O
280	CM	55	CM	71 LEVEL CM	1816,2227 litre	68,255 %	844,7063 litre	O
280	CM	55	CM	70 LEVEL CM	1786,6716 litre	67,145 %	874,2574 litre	O
280	CM	55	CM	69 LEVEL CM	1756,9617 litre	66,028 %	903,9673 litre	O
280	CM	55	CM	68 LEVEL CM	1727,1044 litre	64,906 %	933,8246 litre	O
280	CM	55	CM	67 LEVEL CM	1697,1108 litre	63,779 %	963,8182 litre	O
280	CM	55	CM	66 LEVEL CM	1666,9921 litre	62,647 %	993,9369 litre	O
280	CM	55	CM	65 LEVEL CM	1636,7590 litre	61,511 %	1024,1700 litre	O
280	CM	55	CM	64 LEVEL CM	1606,4224 litre	60,371 %	1054,5066 litre	O
280	CM	55	CM	63 LEVEL CM	1575,9929 litre	59,227 %	1084,9361 litre	O
280	CM	55	CM	62 LEVEL CM	1545,4810 litre	58,081 %	1115,4480 litre	O
280	CM	55	CM	61 LEVEL CM	1514,8973 litre	56,931 %	1146,0317 litre	O
280	CM	55	CM	60 LEVEL CM	1484,2521 litre	55,779 %	1176,6769 litre	O
280	CM	55	CM	59 LEVEL CM	1453,5558 litre	54,626 %	1207,3732 litre	O

280	CM	55	CM	58 LEVEL CM	1422,8187 litre	53,471 %	1238,1103 litre	O
280	CM	55	CM	57 LEVEL CM	1392,0509 litre	52,314 %	1268,8781 litre	O
280	CM	55	CM	56 LEVEL CM	1361,2628 litre	51,157 %	1299,6662 litre	O
280	CM	55	CM	55 LEVEL CM	1330,4645 litre	50,000 %	1330,4645 litre	O
280	CM	55	CM	54 LEVEL CM	1299,6662 litre	48,843 %	1361,2628 litre	O
280	CM	55	CM	53 LEVEL CM	1268,8781 litre	47,686 %	1392,0509 litre	O
280	CM	55	CM	52 LEVEL CM	1238,1103 litre	46,529 %	1422,8187 litre	O
280	CM	55	CM	51 LEVEL CM	1207,3732 litre	45,374 %	1453,5558 litre	O
280	CM	55	CM	50 LEVEL CM	1176,6769 litre	44,221 %	1484,2521 litre	O
280	CM	55	CM	49 LEVEL CM	1146,0317 litre	43,069 %	1514,8973 litre	O
280	CM	55	CM	48 LEVEL CM	1115,4480 litre	41,919 %	1545,4810 litre	O
280	CM	55	CM	47 LEVEL CM	1084,9361 litre	40,773 %	1575,9929 litre	O
280	CM	55	CM	46 LEVEL CM	1054,5066 litre	39,629 %	1606,4224 litre	O
280	CM	55	CM	45 LEVEL CM	1024,1700 litre	38,489 %	1636,7590 litre	O
280	CM	55	CM	44 LEVEL CM	993,9369 litre	37,353 %	1666,9921 litre	O
280	CM	55	CM	43 LEVEL CM	963,8182 litre	36,221 %	1697,1108 litre	O
280	CM	55	CM	42 LEVEL CM	933,8246 litre	35,094 %	1727,1044 litre	O
280	CM	55	CM	41 LEVEL CM	903,9673 litre	33,972 %	1756,9617 litre	O
280	CM	55	CM	40 LEVEL CM	874,2574 litre	32,855 %	1786,6716 litre	O
280	CM	55	CM	39 LEVEL CM	844,7063 litre	31,745 %	1816,2227 litre	O
280	CM	55	CM	38 LEVEL CM	815,3255 litre	30,641 %	1845,6035 litre	O
280	CM	55	CM	37 LEVEL CM	786,1266 litre	29,543 %	1874,8024 litre	O
280	CM	55	CM	36 LEVEL CM	757,1218 litre	28,453 %	1903,8072 litre	O
280	CM	55	CM	35 LEVEL CM	728,3231 litre	27,371 %	1932,6059 litre	O
280	CM	55	CM	34 LEVEL CM	699,7431 litre	26,297 %	1961,1859 litre	O
280	CM	55	CM	33 LEVEL CM	671,3944 litre	25,232 %	1989,5346 litre	O
280	CM	55	CM	32 LEVEL CM	643,2901 litre	24,175 %	2017,6389 litre	O
280	CM	55	CM	31 LEVEL CM	615,4437 litre	23,129 %	2045,4853 litre	O
280	CM	55	CM	30 LEVEL CM	587,8689 litre	22,093 %	2073,0601 litre	O
280	CM	55	CM	29 LEVEL CM	560,5800 litre	21,067 %	2100,3490 litre	O
280	CM	55	CM	28 LEVEL CM	533,5914 litre	20,053 %	2127,3376 litre	O
280	CM	55	CM	27 LEVEL CM	506,9185 litre	19,050 %	2154,0105 litre	O
280	CM	55	CM	26 LEVEL CM	480,5769 litre	18,060 %	2180,3521 litre	O
280	CM	55	CM	25 LEVEL CM	454,5828 litre	17,084 %	2206,3462 litre	O
280	CM	55	CM	24 LEVEL CM	428,9532 litre	16,120 %	2231,9758 litre	O
280	CM	55	CM	23 LEVEL CM	403,7058 litre	15,172 %	2257,2232 litre	O
280	CM	55	CM	22 LEVEL CM	378,8590 litre	14,238 %	2282,0700 litre	O
280	CM	55	CM	21 LEVEL CM	354,4324 litre	13,320 %	2306,4966 litre	O
280	CM	55	CM	20 LEVEL CM	330,4463 litre	12,418 %	2330,4827 litre	O
280	CM	55	CM	19 LEVEL CM	306,9222 litre	11,534 %	2354,0068 litre	O
280	CM	55	CM	18 LEVEL CM	283,8831 litre	10,669 %	2377,0459 litre	O
280	CM	55	CM	17 LEVEL CM	261,3534 litre	9,822 %	2399,5756 litre	O
280	CM	55	CM	16 LEVEL CM	239,3589 litre	8,995 %	2421,5701 litre	O
280	CM	55	CM	15 LEVEL CM	217,9278 litre	8,190 %	2443,0012 litre	O
280	CM	55	CM	14 LEVEL CM	197,0904 litre	7,407 %	2463,8386 litre	O
280	CM	55	CM	13 LEVEL CM	176,8794 litre	6,647 %	2484,0496 litre	O
280	CM	55	CM	12 LEVEL CM	157,3311 litre	5,913 %	2503,5979 litre	O
280	CM	55	CM	11 LEVEL CM	138,4854 litre	5,204 %	2522,4436 litre	O
280	CM	55	CM	10 LEVEL CM	120,3869 litre	4,524 %	2540,5421 litre	O
280	CM	55	CM	9 LEVEL CM	103,0858 litre	3,874 %	2557,8432 litre	O
280	CM	55	CM	8 LEVEL CM	86,6399 litre	3,256 %	2574,2891 litre	O
280	CM	55	CM	7 LEVEL CM	71,1165 litre	2,673 %	2589,8125 litre	O
280	CM	55	CM	6 LEVEL CM	56,5956 litre	2,127 %	2604,3334 litre	O

280	CM	55	CM	5 LEVEL CM	43,1753 litre	1,623 %	2617,7537 litre	O
280	CM	55	CM	4 LEVEL CM	30,9805 litre	1,164 %	2629,9485 litre	O
280	CM	55	CM	3 LEVEL CM	20,1785 litre	0,758 %	2640,7505 litre	O
280	CM	55	CM	2 LEVEL CM	11,0143 litre	0,414 %	2649,9147 litre	O
280	CM	55	CM	1 LEVEL CM	3,9049 litre	0,147 %	2657,0241 litre	O
280	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2660,9290 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
280	CM	50	CM	100 LEVEL CM	2199,1149 litre	96,552 %	78,5398 litre	O
280	CM	50	CM	99 LEVEL CM	2195,3927 litre	96,388 %	82,2620 litre	O
280	CM	50	CM	98 LEVEL CM	2188,6190 litre	96,091 %	89,0357 litre	O
280	CM	50	CM	97 LEVEL CM	2179,8914 litre	95,708 %	97,7633 litre	O
280	CM	50	CM	96 LEVEL CM	2169,6092 litre	95,256 %	108,0455 litre	O
280	CM	50	CM	95 LEVEL CM	2158,0067 litre	94,747 %	119,6480 litre	O
280	CM	50	CM	94 LEVEL CM	2145,2448 litre	94,187 %	132,4099 litre	O
280	CM	50	CM	93 LEVEL CM	2131,4432 litre	93,581 %	146,2115 litre	O
280	CM	50	CM	92 LEVEL CM	2116,6965 litre	92,933 %	160,9582 litre	O
280	CM	50	CM	91 LEVEL CM	2101,0818 litre	92,248 %	176,5729 litre	O
280	CM	50	CM	90 LEVEL CM	2084,6641 litre	91,527 %	192,9906 litre	O
280	CM	50	CM	89 LEVEL CM	2067,4991 litre	90,773 %	210,1556 litre	O
280	CM	50	CM	88 LEVEL CM	2049,6357 litre	89,989 %	228,0190 litre	O
280	CM	50	CM	87 LEVEL CM	2031,1170 litre	89,176 %	246,5377 litre	O
280	CM	50	CM	86 LEVEL CM	2011,9820 litre	88,336 %	265,6727 litre	O
280	CM	50	CM	85 LEVEL CM	1992,2657 litre	87,470 %	285,3890 litre	O
280	CM	50	CM	84 LEVEL CM	1972,0002 litre	86,580 %	305,6545 litre	O
280	CM	50	CM	83 LEVEL CM	1951,2153 litre	85,668 %	326,4394 litre	O
280	CM	50	CM	82 LEVEL CM	1929,9382 litre	84,734 %	347,7165 litre	O
280	CM	50	CM	81 LEVEL CM	1908,1945 litre	83,779 %	369,4602 litre	O
280	CM	50	CM	80 LEVEL CM	1886,0082 litre	82,805 %	391,6465 litre	O
280	CM	50	CM	79 LEVEL CM	1863,4018 litre	81,812 %	414,2529 litre	O
280	CM	50	CM	78 LEVEL CM	1840,3966 litre	80,802 %	437,2581 litre	O
280	CM	50	CM	77 LEVEL CM	1817,0128 litre	79,776 %	460,6419 litre	O
280	CM	50	CM	76 LEVEL CM	1793,2696 litre	78,733 %	484,3851 litre	O
280	CM	50	CM	75 LEVEL CM	1769,1855 litre	77,676 %	508,4692 litre	O
280	CM	50	CM	74 LEVEL CM	1744,7779 litre	76,604 %	532,8768 litre	O
280	CM	50	CM	73 LEVEL CM	1720,0640 litre	75,519 %	557,5907 litre	O
280	CM	50	CM	72 LEVEL CM	1695,0598 litre	74,421 %	582,5949 litre	O
280	CM	50	CM	71 LEVEL CM	1669,7812 litre	73,311 %	607,8735 litre	O
280	CM	50	CM	70 LEVEL CM	1644,2435 litre	72,190 %	633,4112 litre	O
280	CM	50	CM	69 LEVEL CM	1618,4612 litre	71,058 %	659,1935 litre	O
280	CM	50	CM	68 LEVEL CM	1592,4489 litre	69,916 %	685,2058 litre	O
280	CM	50	CM	67 LEVEL CM	1566,2205 litre	68,765 %	711,4342 litre	O
280	CM	50	CM	66 LEVEL CM	1539,7896 litre	67,604 %	737,8651 litre	O
280	CM	50	CM	65 LEVEL CM	1513,1695 litre	66,435 %	764,4852 litre	O
280	CM	50	CM	64 LEVEL CM	1486,3733 litre	65,259 %	791,2814 litre	O
280	CM	50	CM	63 LEVEL CM	1459,4137 litre	64,075 %	818,2410 litre	O
280	CM	50	CM	62 LEVEL CM	1432,3034 litre	62,885 %	845,3513 litre	O
280	CM	50	CM	61 LEVEL CM	1405,0545 litre	61,689 %	872,6002 litre	O
280	CM	50	CM	60 LEVEL CM	1377,6794 litre	60,487 %	899,9753 litre	O
280	CM	50	CM	59 LEVEL CM	1350,1899 litre	59,280 %	927,4648 litre	O
280	CM	50	CM	58 LEVEL CM	1322,5980 litre	58,068 %	955,0567 litre	O
280	CM	50	CM	57 LEVEL CM	1294,9153 litre	56,853 %	982,7394 litre	O
280	CM	50	CM	56 LEVEL CM	1267,1534 litre	55,634 %	1010,5013 litre	O
280	CM	50	CM	55 LEVEL CM	1239,3237 litre	54,412 %	1038,3310 litre	O
280	CM	50	CM	54 LEVEL CM	1211,4378 litre	53,188 %	1066,2169 litre	O
280	CM	50	CM	53 LEVEL CM	1183,5070 litre	51,962 %	1094,1477 litre	O
280	CM	50	CM	52 LEVEL CM	1155,5425 litre	50,734 %	1122,1122 litre	O
280	CM	50	CM	51 LEVEL CM	1127,5556 litre	49,505 %	1150,0991 litre	O
280	CM	50	CM	50 LEVEL CM	1099,5574 litre	48,276 %	1178,0973 litre	O
280	CM	50	CM	49 LEVEL CM	1071,5593 litre	47,047 %	1206,0954 litre	O

280	CM	50	CM	48 LEVEL CM	1043,5724 litre	45,818 %	1234,0823 litre	O
280	CM	50	CM	47 LEVEL CM	1015,6079 litre	44,590 %	1262,0468 litre	O
280	CM	50	CM	46 LEVEL CM	987,6770 litre	43,364 %	1289,9777 litre	O
280	CM	50	CM	45 LEVEL CM	959,7911 litre	42,139 %	1317,8636 litre	O
280	CM	50	CM	44 LEVEL CM	931,9615 litre	40,918 %	1345,6932 litre	O
280	CM	50	CM	43 LEVEL CM	904,1996 litre	39,699 %	1373,4551 litre	O
280	CM	50	CM	42 LEVEL CM	876,5169 litre	38,483 %	1401,1378 litre	O
280	CM	50	CM	41 LEVEL CM	848,9249 litre	37,272 %	1428,7298 litre	O
280	CM	50	CM	40 LEVEL CM	821,4355 litre	36,065 %	1456,2192 litre	O
280	CM	50	CM	39 LEVEL CM	794,0603 litre	34,863 %	1483,5944 litre	O
280	CM	50	CM	38 LEVEL CM	766,8115 litre	33,667 %	1510,8432 litre	O
280	CM	50	CM	37 LEVEL CM	739,7011 litre	32,476 %	1537,9536 litre	O
280	CM	50	CM	36 LEVEL CM	712,7416 litre	31,293 %	1564,9131 litre	O
280	CM	50	CM	35 LEVEL CM	685,9453 litre	30,116 %	1591,7094 litre	O
280	CM	50	CM	34 LEVEL CM	659,3253 litre	28,948 %	1618,3294 litre	O
280	CM	50	CM	33 LEVEL CM	632,8943 litre	27,787 %	1644,7604 litre	O
280	CM	50	CM	32 LEVEL CM	606,6659 litre	26,636 %	1670,9888 litre	O
280	CM	50	CM	31 LEVEL CM	580,6536 litre	25,493 %	1697,0011 litre	O
280	CM	50	CM	30 LEVEL CM	554,8714 litre	24,362 %	1722,7833 litre	O
280	CM	50	CM	29 LEVEL CM	529,3336 litre	23,240 %	1748,3211 litre	O
280	CM	50	CM	28 LEVEL CM	504,0550 litre	22,130 %	1773,5997 litre	O
280	CM	50	CM	27 LEVEL CM	479,0509 litre	21,033 %	1798,6038 litre	O
280	CM	50	CM	26 LEVEL CM	454,3369 litre	19,948 %	1823,3178 litre	O
280	CM	50	CM	25 LEVEL CM	429,9294 litre	18,876 %	1847,7253 litre	O
280	CM	50	CM	24 LEVEL CM	405,8452 litre	17,819 %	1871,8095 litre	O
280	CM	50	CM	23 LEVEL CM	382,1021 litre	16,776 %	1895,5526 litre	O
280	CM	50	CM	22 LEVEL CM	358,7183 litre	15,749 %	1918,9364 litre	O
280	CM	50	CM	21 LEVEL CM	335,7131 litre	14,739 %	1941,9416 litre	O
280	CM	50	CM	20 LEVEL CM	313,1067 litre	13,747 %	1964,5480 litre	O
280	CM	50	CM	19 LEVEL CM	290,9204 litre	12,773 %	1986,7343 litre	O
280	CM	50	CM	18 LEVEL CM	269,1767 litre	11,818 %	2008,4780 litre	O
280	CM	50	CM	17 LEVEL CM	247,8996 litre	10,884 %	2029,7551 litre	O
280	CM	50	CM	16 LEVEL CM	227,1146 litre	9,971 %	2050,5401 litre	O
280	CM	50	CM	15 LEVEL CM	206,8492 litre	9,082 %	2070,8055 litre	O
280	CM	50	CM	14 LEVEL CM	187,1329 litre	8,216 %	2090,5218 litre	O
280	CM	50	CM	13 LEVEL CM	167,9978 litre	7,376 %	2109,6569 litre	O
280	CM	50	CM	12 LEVEL CM	149,4792 litre	6,563 %	2128,1755 litre	O
280	CM	50	CM	11 LEVEL CM	131,6157 litre	5,779 %	2146,0390 litre	O
280	CM	50	CM	10 LEVEL CM	114,4508 litre	5,025 %	2163,2039 litre	O
280	CM	50	CM	9 LEVEL CM	98,0331 litre	4,304 %	2179,6216 litre	O
280	CM	50	CM	8 LEVEL CM	82,4184 litre	3,619 %	2195,2363 litre	O
280	CM	50	CM	7 LEVEL CM	67,6717 litre	2,971 %	2209,9830 litre	O
280	CM	50	CM	6 LEVEL CM	53,8701 litre	2,365 %	2223,7846 litre	O
280	CM	50	CM	5 LEVEL CM	41,1081 litre	1,805 %	2236,5466 litre	O
280	CM	50	CM	4 LEVEL CM	29,5057 litre	1,295 %	2248,1490 litre	O
280	CM	50	CM	3 LEVEL CM	19,2234 litre	0,844 %	2258,4313 litre	O
280	CM	50	CM	2 LEVEL CM	10,4959 litre	0,461 %	2267,1588 litre	O
280	CM	50	CM	1 LEVEL CM	3,7221 litre	0,163 %	2273,9326 litre	O
280	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2277,6547 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM	125	CM 250 LEVEL CM	13253,5940 litre	100,000 %	0,0000 litre	O
270	CM	125	CM 249 LEVEL CM	13247,9087 litre	99,957 %	5,6853 litre	O
270	CM	125	CM 248 LEVEL CM	13237,5330 litre	99,879 %	16,0610 litre	O
270	CM	125	CM 247 LEVEL CM	13224,1237 litre	99,778 %	29,4703 litre	O
270	CM	125	CM 246 LEVEL CM	13208,2764 litre	99,658 %	45,3176 litre	O
270	CM	125	CM 245 LEVEL CM	13190,3376 litre	99,523 %	63,2564 litre	O
270	CM	125	CM 244 LEVEL CM	13170,5425 litre	99,373 %	83,0515 litre	O
270	CM	125	CM 243 LEVEL CM	13149,0648 litre	99,211 %	104,5292 litre	O
270	CM	125	CM 242 LEVEL CM	13126,0401 litre	99,038 %	127,5539 litre	O
270	CM	125	CM 241 LEVEL CM	13101,5780 litre	98,853 %	152,0160 litre	O
270	CM	125	CM 240 LEVEL CM	13075,7697 litre	98,658 %	177,8243 litre	O
270	CM	125	CM 239 LEVEL CM	13048,6929 litre	98,454 %	204,9011 litre	O
270	CM	125	CM 238 LEVEL CM	13020,4149 litre	98,241 %	233,1791 litre	O
270	CM	125	CM 237 LEVEL CM	12990,9945 litre	98,019 %	262,5995 litre	O
270	CM	125	CM 236 LEVEL CM	12960,4841 litre	97,788 %	293,1099 litre	O
270	CM	125	CM 235 LEVEL CM	12928,9305 litre	97,550 %	324,6635 litre	O
270	CM	125	CM 234 LEVEL CM	12896,3761 litre	97,305 %	357,2179 litre	O
270	CM	125	CM 233 LEVEL CM	12862,8595 litre	97,052 %	390,7345 litre	O
270	CM	125	CM 232 LEVEL CM	12828,4160 litre	96,792 %	425,1780 litre	O
270	CM	125	CM 231 LEVEL CM	12793,0781 litre	96,525 %	460,5159 litre	O
270	CM	125	CM 230 LEVEL CM	12756,8761 litre	96,252 %	496,7179 litre	O
270	CM	125	CM 229 LEVEL CM	12719,8380 litre	95,973 %	533,7560 litre	O
270	CM	125	CM 228 LEVEL CM	12681,9899 litre	95,687 %	571,6041 litre	O
270	CM	125	CM 227 LEVEL CM	12643,3563 litre	95,396 %	610,2377 litre	O
270	CM	125	CM 226 LEVEL CM	12603,9603 litre	95,098 %	649,6337 litre	O
270	CM	125	CM 225 LEVEL CM	12563,8237 litre	94,796 %	689,7703 litre	O
270	CM	125	CM 224 LEVEL CM	12522,9670 litre	94,487 %	730,6270 litre	O
270	CM	125	CM 223 LEVEL CM	12481,4097 litre	94,174 %	772,1843 litre	O
270	CM	125	CM 222 LEVEL CM	12439,1703 litre	93,855 %	814,4237 litre	O
270	CM	125	CM 221 LEVEL CM	12396,2665 litre	93,531 %	857,3275 litre	O
270	CM	125	CM 220 LEVEL CM	12352,7151 litre	93,203 %	900,8789 litre	O
270	CM	125	CM 219 LEVEL CM	12308,5321 litre	92,869 %	945,0619 litre	O
270	CM	125	CM 218 LEVEL CM	12263,7331 litre	92,531 %	989,8609 litre	O
270	CM	125	CM 217 LEVEL CM	12218,3327 litre	92,189 %	1035,2613 litre	O
270	CM	125	CM 216 LEVEL CM	12172,3452 litre	91,842 %	1081,2488 litre	O
270	CM	125	CM 215 LEVEL CM	12125,7843 litre	91,491 %	1127,8097 litre	O
270	CM	125	CM 214 LEVEL CM	12078,6630 litre	91,135 %	1174,9310 litre	O
270	CM	125	CM 213 LEVEL CM	12030,9942 litre	90,775 %	1222,5998 litre	O
270	CM	125	CM 212 LEVEL CM	11982,7900 litre	90,412 %	1270,8040 litre	O
270	CM	125	CM 211 LEVEL CM	11934,0624 litre	90,044 %	1319,5316 litre	O
270	CM	125	CM 210 LEVEL CM	11884,8229 litre	89,672 %	1368,7711 litre	O
270	CM	125	CM 209 LEVEL CM	11835,0825 litre	89,297 %	1418,5115 litre	O
270	CM	125	CM 208 LEVEL CM	11784,8520 litre	88,918 %	1468,7420 litre	O
270	CM	125	CM 207 LEVEL CM	11734,1420 litre	88,536 %	1519,4520 litre	O
270	CM	125	CM 206 LEVEL CM	11682,9626 litre	88,149 %	1570,6314 litre	O
270	CM	125	CM 205 LEVEL CM	11631,3238 litre	87,760 %	1622,2702 litre	O
270	CM	125	CM 204 LEVEL CM	11579,2352 litre	87,367 %	1674,3588 litre	O
270	CM	125	CM 203 LEVEL CM	11526,7062 litre	86,970 %	1726,8878 litre	O
270	CM	125	CM 202 LEVEL CM	11473,7459 litre	86,571 %	1779,8481 litre	O
270	CM	125	CM 201 LEVEL CM	11420,3634 litre	86,168 %	1833,2306 litre	O
270	CM	125	CM 200 LEVEL CM	11366,5673 litre	85,762 %	1887,0267 litre	O
270	CM	125	CM 199 LEVEL CM	11312,3662 litre	85,353 %	1941,2278 litre	O

270	CM	125	CM	198 LEVEL CM	11257,7684 litre	84,941 %	1995,8256 litre	O
270	CM	125	CM	197 LEVEL CM	11202,7822 litre	84,526 %	2050,8118 litre	O
270	CM	125	CM	196 LEVEL CM	11147,4154 litre	84,109 %	2106,1786 litre	O
270	CM	125	CM	195 LEVEL CM	11091,6759 litre	83,688 %	2161,9181 litre	O
270	CM	125	CM	194 LEVEL CM	11035,5714 litre	83,265 %	2218,0226 litre	O
270	CM	125	CM	193 LEVEL CM	10979,1094 litre	82,839 %	2274,4846 litre	O
270	CM	125	CM	192 LEVEL CM	10922,2973 litre	82,410 %	2331,2967 litre	O
270	CM	125	CM	191 LEVEL CM	10865,1424 litre	81,979 %	2388,4516 litre	O
270	CM	125	CM	190 LEVEL CM	10807,6517 litre	81,545 %	2445,9423 litre	O
270	CM	125	CM	189 LEVEL CM	10749,8322 litre	81,109 %	2503,7618 litre	O
270	CM	125	CM	188 LEVEL CM	10691,6909 litre	80,670 %	2561,9031 litre	O
270	CM	125	CM	187 LEVEL CM	10633,2345 litre	80,229 %	2620,3595 litre	O
270	CM	125	CM	186 LEVEL CM	10574,4696 litre	79,786 %	2679,1244 litre	O
270	CM	125	CM	185 LEVEL CM	10515,4028 litre	79,340 %	2738,1912 litre	O
270	CM	125	CM	184 LEVEL CM	10456,0405 litre	78,892 %	2797,5535 litre	O
270	CM	125	CM	183 LEVEL CM	10396,3891 litre	78,442 %	2857,2049 litre	O
270	CM	125	CM	182 LEVEL CM	10336,4548 litre	77,990 %	2917,1392 litre	O
270	CM	125	CM	181 LEVEL CM	10276,2438 litre	77,536 %	2977,3502 litre	O
270	CM	125	CM	180 LEVEL CM	10215,7623 litre	77,079 %	3037,8317 litre	O
270	CM	125	CM	179 LEVEL CM	10155,0161 litre	76,621 %	3098,5779 litre	O
270	CM	125	CM	178 LEVEL CM	10094,0113 litre	76,161 %	3159,5827 litre	O
270	CM	125	CM	177 LEVEL CM	10032,7537 litre	75,698 %	3220,8403 litre	O
270	CM	125	CM	176 LEVEL CM	9971,2490 litre	75,234 %	3282,3450 litre	O
270	CM	125	CM	175 LEVEL CM	9909,5030 litre	74,768 %	3344,0910 litre	O
270	CM	125	CM	174 LEVEL CM	9847,5213 litre	74,301 %	3406,0727 litre	O
270	CM	125	CM	173 LEVEL CM	9785,3095 litre	73,831 %	3468,2845 litre	O
270	CM	125	CM	172 LEVEL CM	9722,8732 litre	73,360 %	3530,7208 litre	O
270	CM	125	CM	171 LEVEL CM	9660,2177 litre	72,888 %	3593,3763 litre	O
270	CM	125	CM	170 LEVEL CM	9597,3485 litre	72,413 %	3656,2455 litre	O
270	CM	125	CM	169 LEVEL CM	9534,2709 litre	71,937 %	3719,3231 litre	O
270	CM	125	CM	168 LEVEL CM	9470,9902 litre	71,460 %	3782,6038 litre	O
270	CM	125	CM	167 LEVEL CM	9407,5117 litre	70,981 %	3846,0823 litre	O
270	CM	125	CM	166 LEVEL CM	9343,8406 litre	70,500 %	3909,7534 litre	O
270	CM	125	CM	165 LEVEL CM	9279,9820 litre	70,019 %	3973,6120 litre	O
270	CM	125	CM	164 LEVEL CM	9215,9409 litre	69,535 %	4037,6531 litre	O
270	CM	125	CM	163 LEVEL CM	9151,7226 litre	69,051 %	4101,8714 litre	O
270	CM	125	CM	162 LEVEL CM	9087,3319 litre	68,565 %	4166,2621 litre	O
270	CM	125	CM	161 LEVEL CM	9022,7738 litre	68,078 %	4230,8202 litre	O
270	CM	125	CM	160 LEVEL CM	8958,0534 litre	67,590 %	4295,5406 litre	O
270	CM	125	CM	159 LEVEL CM	8893,1755 litre	67,100 %	4360,4185 litre	O
270	CM	125	CM	158 LEVEL CM	8828,1449 litre	66,609 %	4425,4491 litre	O
270	CM	125	CM	157 LEVEL CM	8762,9665 litre	66,118 %	4490,6275 litre	O
270	CM	125	CM	156 LEVEL CM	8697,6451 litre	65,625 %	4555,9489 litre	O
270	CM	125	CM	155 LEVEL CM	8632,1855 litre	65,131 %	4621,4085 litre	O
270	CM	125	CM	154 LEVEL CM	8566,5924 litre	64,636 %	4687,0016 litre	O
270	CM	125	CM	153 LEVEL CM	8500,8704 litre	64,140 %	4752,7236 litre	O
270	CM	125	CM	152 LEVEL CM	8435,0244 litre	63,643 %	4818,5696 litre	O
270	CM	125	CM	151 LEVEL CM	8369,0589 litre	63,146 %	4884,5351 litre	O
270	CM	125	CM	150 LEVEL CM	8302,9785 litre	62,647 %	4950,6155 litre	O
270	CM	125	CM	149 LEVEL CM	8236,7879 litre	62,148 %	5016,8061 litre	O
270	CM	125	CM	148 LEVEL CM	8170,4917 litre	61,647 %	5083,1023 litre	O
270	CM	125	CM	147 LEVEL CM	8104,0944 litre	61,146 %	5149,4996 litre	O
270	CM	125	CM	146 LEVEL CM	8037,6006 litre	60,645 %	5215,9934 litre	O

270	CM	125	CM	145 LEVEL CM	7971,0147 litre	60,142 %	5282,5793 litre	O
270	CM	125	CM	144 LEVEL CM	7904,3413 litre	59,639 %	5349,2527 litre	O
270	CM	125	CM	143 LEVEL CM	7837,5848 litre	59,136 %	5416,0092 litre	O
270	CM	125	CM	142 LEVEL CM	7770,7498 litre	58,631 %	5482,8442 litre	O
270	CM	125	CM	141 LEVEL CM	7703,8406 litre	58,126 %	5549,7534 litre	O
270	CM	125	CM	140 LEVEL CM	7636,8617 litre	57,621 %	5616,7323 litre	O
270	CM	125	CM	139 LEVEL CM	7569,8176 litre	57,115 %	5683,7764 litre	O
270	CM	125	CM	138 LEVEL CM	7502,7126 litre	56,609 %	5750,8814 litre	O
270	CM	125	CM	137 LEVEL CM	7435,5511 litre	56,102 %	5818,0429 litre	O
270	CM	125	CM	136 LEVEL CM	7368,3376 litre	55,595 %	5885,2564 litre	O
270	CM	125	CM	135 LEVEL CM	7301,0763 litre	55,088 %	5952,5177 litre	O
270	CM	125	CM	134 LEVEL CM	7233,7717 litre	54,580 %	6019,8223 litre	O
270	CM	125	CM	133 LEVEL CM	7166,4281 litre	54,072 %	6087,1659 litre	O
270	CM	125	CM	132 LEVEL CM	7099,0499 litre	53,563 %	6154,5441 litre	O
270	CM	125	CM	131 LEVEL CM	7031,6414 litre	53,055 %	6221,9526 litre	O
270	CM	125	CM	130 LEVEL CM	6964,2070 litre	52,546 %	6289,3870 litre	O
270	CM	125	CM	129 LEVEL CM	6896,7509 litre	52,037 %	6356,8431 litre	O
270	CM	125	CM	128 LEVEL CM	6829,2776 litre	51,528 %	6424,3164 litre	O
270	CM	125	CM	127 LEVEL CM	6761,7912 litre	51,019 %	6491,8028 litre	O
270	CM	125	CM	126 LEVEL CM	6694,2963 litre	50,509 %	6559,2977 litre	O
270	CM	125	CM	125 LEVEL CM	6626,7970 litre	50,000 %	6626,7970 litre	O
270	CM	125	CM	124 LEVEL CM	6559,2977 litre	49,491 %	6694,2963 litre	O
270	CM	125	CM	123 LEVEL CM	6491,8028 litre	48,981 %	6761,7912 litre	O
270	CM	125	CM	122 LEVEL CM	6424,3164 litre	48,472 %	6829,2776 litre	O
270	CM	125	CM	121 LEVEL CM	6356,8431 litre	47,963 %	6896,7509 litre	O
270	CM	125	CM	120 LEVEL CM	6289,3870 litre	47,454 %	6964,2070 litre	O
270	CM	125	CM	119 LEVEL CM	6221,9526 litre	46,945 %	7031,6414 litre	O
270	CM	125	CM	118 LEVEL CM	6154,5441 litre	46,437 %	7099,0499 litre	O
270	CM	125	CM	117 LEVEL CM	6087,1659 litre	45,928 %	7166,4281 litre	O
270	CM	125	CM	116 LEVEL CM	6019,8223 litre	45,420 %	7233,7717 litre	O
270	CM	125	CM	115 LEVEL CM	5952,5177 litre	44,912 %	7301,0763 litre	O
270	CM	125	CM	114 LEVEL CM	5885,2564 litre	44,405 %	7368,3376 litre	O
270	CM	125	CM	113 LEVEL CM	5818,0429 litre	43,898 %	7435,5511 litre	O
270	CM	125	CM	112 LEVEL CM	5750,8814 litre	43,391 %	7502,7126 litre	O
270	CM	125	CM	111 LEVEL CM	5683,7764 litre	42,885 %	7569,8176 litre	O
270	CM	125	CM	110 LEVEL CM	5616,7323 litre	42,379 %	7636,8617 litre	O
270	CM	125	CM	109 LEVEL CM	5549,7534 litre	41,874 %	7703,8406 litre	O
270	CM	125	CM	108 LEVEL CM	5482,8442 litre	41,369 %	7770,7498 litre	O
270	CM	125	CM	107 LEVEL CM	5416,0092 litre	40,864 %	7837,5848 litre	O
270	CM	125	CM	106 LEVEL CM	5349,2527 litre	40,361 %	7904,3413 litre	O
270	CM	125	CM	105 LEVEL CM	5282,5793 litre	39,858 %	7971,0147 litre	O
270	CM	125	CM	104 LEVEL CM	5215,9934 litre	39,355 %	8037,6006 litre	O
270	CM	125	CM	103 LEVEL CM	5149,4996 litre	38,854 %	8104,0944 litre	O
270	CM	125	CM	102 LEVEL CM	5083,1023 litre	38,353 %	8170,4917 litre	O
270	CM	125	CM	101 LEVEL CM	5016,8061 litre	37,852 %	8236,7879 litre	O
270	CM	125	CM	100 LEVEL CM	4950,6155 litre	37,353 %	8302,9785 litre	O
270	CM	125	CM	99 LEVEL CM	4884,5351 litre	36,854 %	8369,0589 litre	O
270	CM	125	CM	98 LEVEL CM	4818,5696 litre	36,357 %	8435,0244 litre	O
270	CM	125	CM	97 LEVEL CM	4752,7236 litre	35,860 %	8500,8704 litre	O
270	CM	125	CM	96 LEVEL CM	4687,0017 litre	35,364 %	8566,5923 litre	O
270	CM	125	CM	95 LEVEL CM	4621,4085 litre	34,869 %	8632,1855 litre	O
270	CM	125	CM	94 LEVEL CM	4555,9489 litre	34,375 %	8697,6451 litre	O
270	CM	125	CM	93 LEVEL CM	4490,6275 litre	33,882 %	8762,9665 litre	O

270	CM	125	CM	92 LEVEL CM	4425,4491 litre	33,391 %	8828,1449 litre	O
270	CM	125	CM	91 LEVEL CM	4360,4185 litre	32,900 %	8893,1755 litre	O
270	CM	125	CM	90 LEVEL CM	4295,5406 litre	32,410 %	8958,0534 litre	O
270	CM	125	CM	89 LEVEL CM	4230,8202 litre	31,922 %	9022,7738 litre	O
270	CM	125	CM	88 LEVEL CM	4166,2621 litre	31,435 %	9087,3319 litre	O
270	CM	125	CM	87 LEVEL CM	4101,8715 litre	30,949 %	9151,7225 litre	O
270	CM	125	CM	86 LEVEL CM	4037,6531 litre	30,465 %	9215,9409 litre	O
270	CM	125	CM	85 LEVEL CM	3973,6120 litre	29,981 %	9279,9820 litre	O
270	CM	125	CM	84 LEVEL CM	3909,7534 litre	29,500 %	9343,8406 litre	O
270	CM	125	CM	83 LEVEL CM	3846,0823 litre	29,019 %	9407,5117 litre	O
270	CM	125	CM	82 LEVEL CM	3782,6038 litre	28,540 %	9470,9902 litre	O
270	CM	125	CM	81 LEVEL CM	3719,3231 litre	28,063 %	9534,2709 litre	O
270	CM	125	CM	80 LEVEL CM	3656,2455 litre	27,587 %	9597,3485 litre	O
270	CM	125	CM	79 LEVEL CM	3593,3763 litre	27,112 %	9660,2177 litre	O
270	CM	125	CM	78 LEVEL CM	3530,7208 litre	26,640 %	9722,8732 litre	O
270	CM	125	CM	77 LEVEL CM	3468,2845 litre	26,169 %	9785,3095 litre	O
270	CM	125	CM	76 LEVEL CM	3406,0727 litre	25,699 %	9847,5213 litre	O
270	CM	125	CM	75 LEVEL CM	3344,0910 litre	25,232 %	9909,5030 litre	O
270	CM	125	CM	74 LEVEL CM	3282,3450 litre	24,766 %	9971,2490 litre	O
270	CM	125	CM	73 LEVEL CM	3220,8403 litre	24,302 %	10032,7537 litre	O
270	CM	125	CM	72 LEVEL CM	3159,5827 litre	23,839 %	10094,0113 litre	O
270	CM	125	CM	71 LEVEL CM	3098,5779 litre	23,379 %	10155,0161 litre	O
270	CM	125	CM	70 LEVEL CM	3037,8317 litre	22,921 %	10215,7623 litre	O
270	CM	125	CM	69 LEVEL CM	2977,3502 litre	22,464 %	10276,2438 litre	O
270	CM	125	CM	68 LEVEL CM	2917,1392 litre	22,010 %	10336,4548 litre	O
270	CM	125	CM	67 LEVEL CM	2857,2049 litre	21,558 %	10396,3891 litre	O
270	CM	125	CM	66 LEVEL CM	2797,5535 litre	21,108 %	10456,0405 litre	O
270	CM	125	CM	65 LEVEL CM	2738,1912 litre	20,660 %	10515,4028 litre	O
270	CM	125	CM	64 LEVEL CM	2679,1244 litre	20,214 %	10574,4696 litre	O
270	CM	125	CM	63 LEVEL CM	2620,3595 litre	19,771 %	10633,2345 litre	O
270	CM	125	CM	62 LEVEL CM	2561,9031 litre	19,330 %	10691,6909 litre	O
270	CM	125	CM	61 LEVEL CM	2503,7618 litre	18,891 %	10749,8322 litre	O
270	CM	125	CM	60 LEVEL CM	2445,9423 litre	18,455 %	10807,6517 litre	O
270	CM	125	CM	59 LEVEL CM	2388,4516 litre	18,021 %	10865,1424 litre	O
270	CM	125	CM	58 LEVEL CM	2331,2967 litre	17,590 %	10922,2973 litre	O
270	CM	125	CM	57 LEVEL CM	2274,4846 litre	17,161 %	10979,1094 litre	O
270	CM	125	CM	56 LEVEL CM	2218,0226 litre	16,735 %	11035,5714 litre	O
270	CM	125	CM	55 LEVEL CM	2161,9181 litre	16,312 %	11091,6759 litre	O
270	CM	125	CM	54 LEVEL CM	2106,1786 litre	15,891 %	11147,4154 litre	O
270	CM	125	CM	53 LEVEL CM	2050,8119 litre	15,474 %	11202,7821 litre	O
270	CM	125	CM	52 LEVEL CM	1995,8256 litre	15,059 %	11257,7684 litre	O
270	CM	125	CM	51 LEVEL CM	1941,2278 litre	14,647 %	11312,3662 litre	O
270	CM	125	CM	50 LEVEL CM	1887,0267 litre	14,238 %	11366,5673 litre	O
270	CM	125	CM	49 LEVEL CM	1833,2306 litre	13,832 %	11420,3634 litre	O
270	CM	125	CM	48 LEVEL CM	1779,8481 litre	13,429 %	11473,7459 litre	O
270	CM	125	CM	47 LEVEL CM	1726,8878 litre	13,030 %	11526,7062 litre	O
270	CM	125	CM	46 LEVEL CM	1674,3588 litre	12,633 %	11579,2352 litre	O
270	CM	125	CM	45 LEVEL CM	1622,2702 litre	12,240 %	11631,3238 litre	O
270	CM	125	CM	44 LEVEL CM	1570,6314 litre	11,851 %	11682,9626 litre	O
270	CM	125	CM	43 LEVEL CM	1519,4520 litre	11,464 %	11734,1420 litre	O
270	CM	125	CM	42 LEVEL CM	1468,7420 litre	11,082 %	11784,8520 litre	O
270	CM	125	CM	41 LEVEL CM	1418,5116 litre	10,703 %	11835,0824 litre	O
270	CM	125	CM	40 LEVEL CM	1368,7711 litre	10,328 %	11884,8229 litre	O

270	CM	125	CM	39 LEVEL CM	1319,5316 litre	9,956 %	11934,0624 litre	O
270	CM	125	CM	38 LEVEL CM	1270,8040 litre	9,588 %	11982,7900 litre	O
270	CM	125	CM	37 LEVEL CM	1222,5998 litre	9,225 %	12030,9942 litre	O
270	CM	125	CM	36 LEVEL CM	1174,9310 litre	8,865 %	12078,6630 litre	O
270	CM	125	CM	35 LEVEL CM	1127,8098 litre	8,509 %	12125,7842 litre	O
270	CM	125	CM	34 LEVEL CM	1081,2488 litre	8,158 %	12172,3452 litre	O
270	CM	125	CM	33 LEVEL CM	1035,2613 litre	7,811 %	12218,3327 litre	O
270	CM	125	CM	32 LEVEL CM	989,8609 litre	7,469 %	12263,7331 litre	O
270	CM	125	CM	31 LEVEL CM	945,0619 litre	7,131 %	12308,5321 litre	O
270	CM	125	CM	30 LEVEL CM	900,8789 litre	6,797 %	12352,7151 litre	O
270	CM	125	CM	29 LEVEL CM	857,3275 litre	6,469 %	12396,2665 litre	O
270	CM	125	CM	28 LEVEL CM	814,4237 litre	6,145 %	12439,1703 litre	O
270	CM	125	CM	27 LEVEL CM	772,1843 litre	5,826 %	12481,4097 litre	O
270	CM	125	CM	26 LEVEL CM	730,6270 litre	5,513 %	12522,9670 litre	O
270	CM	125	CM	25 LEVEL CM	689,7703 litre	5,204 %	12563,8237 litre	O
270	CM	125	CM	24 LEVEL CM	649,6337 litre	4,902 %	12603,9603 litre	O
270	CM	125	CM	23 LEVEL CM	610,2377 litre	4,604 %	12643,3563 litre	O
270	CM	125	CM	22 LEVEL CM	571,6041 litre	4,313 %	12681,9899 litre	O
270	CM	125	CM	21 LEVEL CM	533,7560 litre	4,027 %	12719,8380 litre	O
270	CM	125	CM	20 LEVEL CM	496,7179 litre	3,748 %	12756,8761 litre	O
270	CM	125	CM	19 LEVEL CM	460,5159 litre	3,475 %	12793,0781 litre	O
270	CM	125	CM	18 LEVEL CM	425,1780 litre	3,208 %	12828,4160 litre	O
270	CM	125	CM	17 LEVEL CM	390,7346 litre	2,948 %	12862,8594 litre	O
270	CM	125	CM	16 LEVEL CM	357,2179 litre	2,695 %	12896,3761 litre	O
270	CM	125	CM	15 LEVEL CM	324,6635 litre	2,450 %	12928,9305 litre	O
270	CM	125	CM	14 LEVEL CM	293,1099 litre	2,212 %	12960,4841 litre	O
270	CM	125	CM	13 LEVEL CM	262,5995 litre	1,981 %	12990,9945 litre	O
270	CM	125	CM	12 LEVEL CM	233,1791 litre	1,759 %	13020,4149 litre	O
270	CM	125	CM	11 LEVEL CM	204,9011 litre	1,546 %	13048,6929 litre	O
270	CM	125	CM	10 LEVEL CM	177,8243 litre	1,342 %	13075,7697 litre	O
270	CM	125	CM	9 LEVEL CM	152,0161 litre	1,147 %	13101,5779 litre	O
270	CM	125	CM	8 LEVEL CM	127,5539 litre	0,962 %	13126,0401 litre	O
270	CM	125	CM	7 LEVEL CM	104,5292 litre	0,789 %	13149,0648 litre	O
270	CM	125	CM	6 LEVEL CM	83,0515 litre	0,627 %	13170,5425 litre	O
270	CM	125	CM	5 LEVEL CM	63,2564 litre	0,477 %	13190,3376 litre	O
270	CM	125	CM	4 LEVEL CM	45,3176 litre	0,342 %	13208,2764 litre	O
270	CM	125	CM	3 LEVEL CM	29,4703 litre	0,222 %	13224,1237 litre	O
270	CM	125	CM	2 LEVEL CM	16,0610 litre	0,121 %	13237,5330 litre	O
270	CM	125	CM	1 LEVEL CM	5,6853 litre	0,043 %	13247,9087 litre	O
270	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	13253,5940 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM 120	CM 240 LEVEL CM	12214,5122 litre	100,000 %	0,0000 litre	O
270	CM 120	CM 239 LEVEL CM	12208,9421 litre	99,954 %	5,5701 litre	O
270	CM 120	CM 238 LEVEL CM	12198,7773 litre	99,871 %	15,7349 litre	O
270	CM 120	CM 237 LEVEL CM	12185,6417 litre	99,764 %	28,8705 litre	O
270	CM 120	CM 236 LEVEL CM	12170,1192 litre	99,637 %	44,3930 litre	O
270	CM 120	CM 235 LEVEL CM	12152,5496 litre	99,493 %	61,9626 litre	O
270	CM 120	CM 234 LEVEL CM	12133,1635 litre	99,334 %	81,3487 litre	O
270	CM 120	CM 233 LEVEL CM	12112,1315 litre	99,162 %	102,3807 litre	O
270	CM 120	CM 232 LEVEL CM	12089,5865 litre	98,977 %	124,9257 litre	O
270	CM 120	CM 231 LEVEL CM	12065,6362 litre	98,781 %	148,8760 litre	O
270	CM 120	CM 230 LEVEL CM	12040,3702 litre	98,574 %	174,1420 litre	O
270	CM 120	CM 229 LEVEL CM	12013,8648 litre	98,357 %	200,6474 litre	O
270	CM 120	CM 228 LEVEL CM	11986,1859 litre	98,131 %	228,3263 litre	O
270	CM 120	CM 227 LEVEL CM	11957,3916 litre	97,895 %	257,1206 litre	O
270	CM 120	CM 226 LEVEL CM	11927,5331 litre	97,651 %	286,9791 litre	O
270	CM 120	CM 225 LEVEL CM	11896,6567 litre	97,398 %	317,8555 litre	O
270	CM 120	CM 224 LEVEL CM	11864,8040 litre	97,137 %	349,7082 litre	O
270	CM 120	CM 223 LEVEL CM	11832,0130 litre	96,868 %	382,4992 litre	O
270	CM 120	CM 222 LEVEL CM	11798,3184 litre	96,593 %	416,1938 litre	O
270	CM 120	CM 221 LEVEL CM	11763,7522 litre	96,310 %	450,7600 litre	O
270	CM 120	CM 220 LEVEL CM	11728,3442 litre	96,020 %	486,1680 litre	O
270	CM 120	CM 219 LEVEL CM	11692,1220 litre	95,723 %	522,3902 litre	O
270	CM 120	CM 218 LEVEL CM	11655,1113 litre	95,420 %	559,4009 litre	O
270	CM 120	CM 217 LEVEL CM	11617,3364 litre	95,111 %	597,1758 litre	O
270	CM 120	CM 216 LEVEL CM	11578,8199 litre	94,796 %	635,6923 litre	O
270	CM 120	CM 215 LEVEL CM	11539,5834 litre	94,474 %	674,9288 litre	O
270	CM 120	CM 214 LEVEL CM	11499,6470 litre	94,147 %	714,8652 litre	O
270	CM 120	CM 213 LEVEL CM	11459,0300 litre	93,815 %	755,4822 litre	O
270	CM 120	CM 212 LEVEL CM	11417,7507 litre	93,477 %	796,7615 litre	O
270	CM 120	CM 211 LEVEL CM	11375,8266 litre	93,134 %	838,6856 litre	O
270	CM 120	CM 210 LEVEL CM	11333,2742 litre	92,785 %	881,2380 litre	O
270	CM 120	CM 209 LEVEL CM	11290,1094 litre	92,432 %	924,4028 litre	O
270	CM 120	CM 208 LEVEL CM	11246,3475 litre	92,074 %	968,1647 litre	O
270	CM 120	CM 207 LEVEL CM	11202,0031 litre	91,711 %	1012,5091 litre	O
270	CM 120	CM 206 LEVEL CM	11157,0903 litre	91,343 %	1057,4219 litre	O
270	CM 120	CM 205 LEVEL CM	11111,6225 litre	90,971 %	1102,8897 litre	O
270	CM 120	CM 204 LEVEL CM	11065,6127 litre	90,594 %	1148,8995 litre	O
270	CM 120	CM 203 LEVEL CM	11019,0737 litre	90,213 %	1195,4385 litre	O
270	CM 120	CM 202 LEVEL CM	10972,0174 litre	89,828 %	1242,4948 litre	O
270	CM 120	CM 201 LEVEL CM	10924,4557 litre	89,438 %	1290,0565 litre	O
270	CM 120	CM 200 LEVEL CM	10876,4000 litre	89,045 %	1338,1122 litre	O
270	CM 120	CM 199 LEVEL CM	10827,8612 litre	88,648 %	1386,6510 litre	O
270	CM 120	CM 198 LEVEL CM	10778,8501 litre	88,246 %	1435,6621 litre	O
270	CM 120	CM 197 LEVEL CM	10729,3772 litre	87,841 %	1485,1350 litre	O
270	CM 120	CM 196 LEVEL CM	10679,4524 litre	87,432 %	1535,0598 litre	O
270	CM 120	CM 195 LEVEL CM	10629,0857 litre	87,020 %	1585,4265 litre	O
270	CM 120	CM 194 LEVEL CM	10578,2866 litre	86,604 %	1636,2256 litre	O
270	CM 120	CM 193 LEVEL CM	10527,0645 litre	86,185 %	1687,4477 litre	O
270	CM 120	CM 192 LEVEL CM	10475,4284 litre	85,762 %	1739,0838 litre	O
270	CM 120	CM 191 LEVEL CM	10423,3874 litre	85,336 %	1791,1248 litre	O
270	CM 120	CM 190 LEVEL CM	10370,9500 litre	84,907 %	1843,5622 litre	O
270	CM 120	CM 189 LEVEL CM	10318,1248 litre	84,474 %	1896,3874 litre	O

270	CM	120	CM	188 LEVEL CM	10264,9201 litre	84,039 %	1949,5921 litre	O
270	CM	120	CM	187 LEVEL CM	10211,3439 litre	83,600 %	2003,1683 litre	O
270	CM	120	CM	186 LEVEL CM	10157,4044 litre	83,158 %	2057,1078 litre	O
270	CM	120	CM	185 LEVEL CM	10103,1092 litre	82,714 %	2111,4030 litre	O
270	CM	120	CM	184 LEVEL CM	10048,4660 litre	82,267 %	2166,0462 litre	O
270	CM	120	CM	183 LEVEL CM	9993,4823 litre	81,816 %	2221,0299 litre	O
270	CM	120	CM	182 LEVEL CM	9938,1656 litre	81,364 %	2276,3466 litre	O
270	CM	120	CM	181 LEVEL CM	9882,5229 litre	80,908 %	2331,9893 litre	O
270	CM	120	CM	180 LEVEL CM	9826,5615 litre	80,450 %	2387,9507 litre	O
270	CM	120	CM	179 LEVEL CM	9770,2884 litre	79,989 %	2444,2238 litre	O
270	CM	120	CM	178 LEVEL CM	9713,7103 litre	79,526 %	2500,8019 litre	O
270	CM	120	CM	177 LEVEL CM	9656,8340 litre	79,060 %	2557,6782 litre	O
270	CM	120	CM	176 LEVEL CM	9599,6663 litre	78,592 %	2614,8459 litre	O
270	CM	120	CM	175 LEVEL CM	9542,2137 litre	78,122 %	2672,2985 litre	O
270	CM	120	CM	174 LEVEL CM	9484,4825 litre	77,649 %	2730,0297 litre	O
270	CM	120	CM	173 LEVEL CM	9426,4793 litre	77,174 %	2788,0329 litre	O
270	CM	120	CM	172 LEVEL CM	9368,2102 litre	76,697 %	2846,3020 litre	O
270	CM	120	CM	171 LEVEL CM	9309,6814 litre	76,218 %	2904,8308 litre	O
270	CM	120	CM	170 LEVEL CM	9250,8991 litre	75,737 %	2963,6131 litre	O
270	CM	120	CM	169 LEVEL CM	9191,8693 litre	75,254 %	3022,6429 litre	O
270	CM	120	CM	168 LEVEL CM	9132,5980 litre	74,768 %	3081,9142 litre	O
270	CM	120	CM	167 LEVEL CM	9073,0909 litre	74,281 %	3141,4213 litre	O
270	CM	120	CM	166 LEVEL CM	9013,3540 litre	73,792 %	3201,1582 litre	O
270	CM	120	CM	165 LEVEL CM	8953,3930 litre	73,301 %	3261,1192 litre	O
270	CM	120	CM	164 LEVEL CM	8893,2135 litre	72,809 %	3321,2987 litre	O
270	CM	120	CM	163 LEVEL CM	8832,8211 litre	72,314 %	3381,6911 litre	O
270	CM	120	CM	162 LEVEL CM	8772,2216 litre	71,818 %	3442,2906 litre	O
270	CM	120	CM	161 LEVEL CM	8711,4202 litre	71,320 %	3503,0920 litre	O
270	CM	120	CM	160 LEVEL CM	8650,4225 litre	70,821 %	3564,0897 litre	O
270	CM	120	CM	159 LEVEL CM	8589,2339 litre	70,320 %	3625,2783 litre	O
270	CM	120	CM	158 LEVEL CM	8527,8598 litre	69,817 %	3686,6524 litre	O
270	CM	120	CM	157 LEVEL CM	8466,3053 litre	69,313 %	3748,2069 litre	O
270	CM	120	CM	156 LEVEL CM	8404,5758 litre	68,808 %	3809,9364 litre	O
270	CM	120	CM	155 LEVEL CM	8342,6765 litre	68,301 %	3871,8357 litre	O
270	CM	120	CM	154 LEVEL CM	8280,6126 litre	67,793 %	3933,8996 litre	O
270	CM	120	CM	153 LEVEL CM	8218,3890 litre	67,284 %	3996,1232 litre	O
270	CM	120	CM	152 LEVEL CM	8156,0111 litre	66,773 %	4058,5011 litre	O
270	CM	120	CM	151 LEVEL CM	8093,4837 litre	66,261 %	4121,0285 litre	O
270	CM	120	CM	150 LEVEL CM	8030,8119 litre	65,748 %	4183,7003 litre	O
270	CM	120	CM	149 LEVEL CM	7968,0007 litre	65,234 %	4246,5115 litre	O
270	CM	120	CM	148 LEVEL CM	7905,0550 litre	64,719 %	4309,4572 litre	O
270	CM	120	CM	147 LEVEL CM	7841,9797 litre	64,202 %	4372,5325 litre	O
270	CM	120	CM	146 LEVEL CM	7778,7797 litre	63,685 %	4435,7325 litre	O
270	CM	120	CM	145 LEVEL CM	7715,4599 litre	63,166 %	4499,0523 litre	O
270	CM	120	CM	144 LEVEL CM	7652,0250 litre	62,647 %	4562,4872 litre	O
270	CM	120	CM	143 LEVEL CM	7588,4799 litre	62,127 %	4626,0323 litre	O
270	CM	120	CM	142 LEVEL CM	7524,8294 litre	61,606 %	4689,6828 litre	O
270	CM	120	CM	141 LEVEL CM	7461,0781 litre	61,084 %	4753,4341 litre	O
270	CM	120	CM	140 LEVEL CM	7397,2309 litre	60,561 %	4817,2813 litre	O
270	CM	120	CM	139 LEVEL CM	7333,2923 litre	60,038 %	4881,2199 litre	O
270	CM	120	CM	138 LEVEL CM	7269,2672 litre	59,513 %	4945,2450 litre	O
270	CM	120	CM	137 LEVEL CM	7205,1602 litre	58,989 %	5009,3520 litre	O
270	CM	120	CM	136 LEVEL CM	7140,9759 litre	58,463 %	5073,5363 litre	O

270	CM	120	CM	135 LEVEL CM	7076,7189 litre	57,937 %	5137,7933 litre	O
270	CM	120	CM	134 LEVEL CM	7012,3939 litre	57,410 %	5202,1183 litre	O
270	CM	120	CM	133 LEVEL CM	6948,0055 litre	56,883 %	5266,5067 litre	O
270	CM	120	CM	132 LEVEL CM	6883,5582 litre	56,356 %	5330,9540 litre	O
270	CM	120	CM	131 LEVEL CM	6819,0566 litre	55,827 %	5395,4556 litre	O
270	CM	120	CM	130 LEVEL CM	6754,5053 litre	55,299 %	5460,0069 litre	O
270	CM	120	CM	129 LEVEL CM	6689,9089 litre	54,770 %	5524,6033 litre	O
270	CM	120	CM	128 LEVEL CM	6625,2719 litre	54,241 %	5589,2403 litre	O
270	CM	120	CM	127 LEVEL CM	6560,5987 litre	53,712 %	5653,9135 litre	O
270	CM	120	CM	126 LEVEL CM	6495,8941 litre	53,182 %	5718,6181 litre	O
270	CM	120	CM	125 LEVEL CM	6431,1623 litre	52,652 %	5783,3499 litre	O
270	CM	120	CM	124 LEVEL CM	6366,4081 litre	52,122 %	5848,1041 litre	O
270	CM	120	CM	123 LEVEL CM	6301,6359 litre	51,591 %	5912,8763 litre	O
270	CM	120	CM	122 LEVEL CM	6236,8501 litre	51,061 %	5977,6621 litre	O
270	CM	120	CM	121 LEVEL CM	6172,0554 litre	50,531 %	6042,4568 litre	O
270	CM	120	CM	120 LEVEL CM	6107,2561 litre	50,000 %	6107,2561 litre	O
270	CM	120	CM	119 LEVEL CM	6042,4569 litre	49,469 %	6172,0553 litre	O
270	CM	120	CM	118 LEVEL CM	5977,6621 litre	48,939 %	6236,8501 litre	O
270	CM	120	CM	117 LEVEL CM	5912,8764 litre	48,409 %	6301,6358 litre	O
270	CM	120	CM	116 LEVEL CM	5848,1041 litre	47,878 %	6366,4081 litre	O
270	CM	120	CM	115 LEVEL CM	5783,3499 litre	47,348 %	6431,1623 litre	O
270	CM	120	CM	114 LEVEL CM	5718,6182 litre	46,818 %	6495,8940 litre	O
270	CM	120	CM	113 LEVEL CM	5653,9135 litre	46,288 %	6560,5987 litre	O
270	CM	120	CM	112 LEVEL CM	5589,2404 litre	45,759 %	6625,2718 litre	O
270	CM	120	CM	111 LEVEL CM	5524,6033 litre	45,230 %	6689,9089 litre	O
270	CM	120	CM	110 LEVEL CM	5460,0069 litre	44,701 %	6754,5053 litre	O
270	CM	120	CM	109 LEVEL CM	5395,4556 litre	44,173 %	6819,0566 litre	O
270	CM	120	CM	108 LEVEL CM	5330,9541 litre	43,644 %	6883,5581 litre	O
270	CM	120	CM	107 LEVEL CM	5266,5068 litre	43,117 %	6948,0054 litre	O
270	CM	120	CM	106 LEVEL CM	5202,1183 litre	42,590 %	7012,3939 litre	O
270	CM	120	CM	105 LEVEL CM	5137,7933 litre	42,063 %	7076,7189 litre	O
270	CM	120	CM	104 LEVEL CM	5073,5364 litre	41,537 %	7140,9758 litre	O
270	CM	120	CM	103 LEVEL CM	5009,3520 litre	41,011 %	7205,1602 litre	O
270	CM	120	CM	102 LEVEL CM	4945,2450 litre	40,487 %	7269,2672 litre	O
270	CM	120	CM	101 LEVEL CM	4881,2199 litre	39,962 %	7333,2923 litre	O
270	CM	120	CM	100 LEVEL CM	4817,2814 litre	39,439 %	7397,2308 litre	O
270	CM	120	CM	99 LEVEL CM	4753,4341 litre	38,916 %	7461,0781 litre	O
270	CM	120	CM	98 LEVEL CM	4689,6829 litre	38,394 %	7524,8293 litre	O
270	CM	120	CM	97 LEVEL CM	4626,0323 litre	37,873 %	7588,4799 litre	O
270	CM	120	CM	96 LEVEL CM	4562,4872 litre	37,353 %	7652,0250 litre	O
270	CM	120	CM	95 LEVEL CM	4499,0524 litre	36,834 %	7715,4598 litre	O
270	CM	120	CM	94 LEVEL CM	4435,7325 litre	36,315 %	7778,7797 litre	O
270	CM	120	CM	93 LEVEL CM	4372,5325 litre	35,798 %	7841,9797 litre	O
270	CM	120	CM	92 LEVEL CM	4309,4573 litre	35,281 %	7905,0549 litre	O
270	CM	120	CM	91 LEVEL CM	4246,5116 litre	34,766 %	7968,0006 litre	O
270	CM	120	CM	90 LEVEL CM	4183,7003 litre	34,252 %	8030,8119 litre	O
270	CM	120	CM	89 LEVEL CM	4121,0285 litre	33,739 %	8093,4837 litre	O
270	CM	120	CM	88 LEVEL CM	4058,5012 litre	33,227 %	8156,0110 litre	O
270	CM	120	CM	87 LEVEL CM	3996,1232 litre	32,716 %	8218,3890 litre	O
270	CM	120	CM	86 LEVEL CM	3933,8997 litre	32,207 %	8280,6125 litre	O
270	CM	120	CM	85 LEVEL CM	3871,8357 litre	31,699 %	8342,6765 litre	O
270	CM	120	CM	84 LEVEL CM	3809,9364 litre	31,192 %	8404,5758 litre	O
270	CM	120	CM	83 LEVEL CM	3748,2069 litre	30,687 %	8466,3053 litre	O

270	CM	120	CM	82 LEVEL CM	3686,6525 litre	30,183 %	8527,8597 litre	O
270	CM	120	CM	81 LEVEL CM	3625,2783 litre	29,680 %	8589,2339 litre	O
270	CM	120	CM	80 LEVEL CM	3564,0897 litre	29,179 %	8650,4225 litre	O
270	CM	120	CM	79 LEVEL CM	3503,0920 litre	28,680 %	8711,4202 litre	O
270	CM	120	CM	78 LEVEL CM	3442,2907 litre	28,182 %	8772,2215 litre	O
270	CM	120	CM	77 LEVEL CM	3381,6911 litre	27,686 %	8832,8211 litre	O
270	CM	120	CM	76 LEVEL CM	3321,2988 litre	27,191 %	8893,2134 litre	O
270	CM	120	CM	75 LEVEL CM	3261,1193 litre	26,699 %	8953,3929 litre	O
270	CM	120	CM	74 LEVEL CM	3201,1582 litre	26,208 %	9013,3540 litre	O
270	CM	120	CM	73 LEVEL CM	3141,4213 litre	25,719 %	9073,0909 litre	O
270	CM	120	CM	72 LEVEL CM	3081,9143 litre	25,232 %	9132,5979 litre	O
270	CM	120	CM	71 LEVEL CM	3022,6429 litre	24,746 %	9191,8693 litre	O
270	CM	120	CM	70 LEVEL CM	2963,6131 litre	24,263 %	9250,8991 litre	O
270	CM	120	CM	69 LEVEL CM	2904,8308 litre	23,782 %	9309,6814 litre	O
270	CM	120	CM	68 LEVEL CM	2846,3021 litre	23,303 %	9368,2101 litre	O
270	CM	120	CM	67 LEVEL CM	2788,0330 litre	22,826 %	9426,4792 litre	O
270	CM	120	CM	66 LEVEL CM	2730,0297 litre	22,351 %	9484,4825 litre	O
270	CM	120	CM	65 LEVEL CM	2672,2986 litre	21,878 %	9542,2136 litre	O
270	CM	120	CM	64 LEVEL CM	2614,8459 litre	21,408 %	9599,6663 litre	O
270	CM	120	CM	63 LEVEL CM	2557,6782 litre	20,940 %	9656,8340 litre	O
270	CM	120	CM	62 LEVEL CM	2500,8020 litre	20,474 %	9713,7102 litre	O
270	CM	120	CM	61 LEVEL CM	2444,2239 litre	20,011 %	9770,2883 litre	O
270	CM	120	CM	60 LEVEL CM	2387,9507 litre	19,550 %	9826,5615 litre	O
270	CM	120	CM	59 LEVEL CM	2331,9893 litre	19,092 %	9882,5229 litre	O
270	CM	120	CM	58 LEVEL CM	2276,3467 litre	18,636 %	9938,1655 litre	O
270	CM	120	CM	57 LEVEL CM	2221,0299 litre	18,184 %	9993,4823 litre	O
270	CM	120	CM	56 LEVEL CM	2166,0462 litre	17,733 %	10048,4660 litre	O
270	CM	120	CM	55 LEVEL CM	2111,4031 litre	17,286 %	10103,1091 litre	O
270	CM	120	CM	54 LEVEL CM	2057,1079 litre	16,842 %	10157,4043 litre	O
270	CM	120	CM	53 LEVEL CM	2003,1683 litre	16,400 %	10211,3439 litre	O
270	CM	120	CM	52 LEVEL CM	1949,5922 litre	15,961 %	10264,9200 litre	O
270	CM	120	CM	51 LEVEL CM	1896,3874 litre	15,526 %	10318,1248 litre	O
270	CM	120	CM	50 LEVEL CM	1843,5622 litre	15,093 %	10370,9500 litre	O
270	CM	120	CM	49 LEVEL CM	1791,1249 litre	14,664 %	10423,3873 litre	O
270	CM	120	CM	48 LEVEL CM	1739,0838 litre	14,238 %	10475,4284 litre	O
270	CM	120	CM	47 LEVEL CM	1687,4478 litre	13,815 %	10527,0644 litre	O
270	CM	120	CM	46 LEVEL CM	1636,2257 litre	13,396 %	10578,2865 litre	O
270	CM	120	CM	45 LEVEL CM	1585,4266 litre	12,980 %	10629,0856 litre	O
270	CM	120	CM	44 LEVEL CM	1535,0599 litre	12,568 %	10679,4523 litre	O
270	CM	120	CM	43 LEVEL CM	1485,1351 litre	12,159 %	10729,3771 litre	O
270	CM	120	CM	42 LEVEL CM	1435,6621 litre	11,754 %	10778,8501 litre	O
270	CM	120	CM	41 LEVEL CM	1386,6510 litre	11,352 %	10827,8612 litre	O
270	CM	120	CM	40 LEVEL CM	1338,1123 litre	10,955 %	10876,3999 litre	O
270	CM	120	CM	39 LEVEL CM	1290,0565 litre	10,562 %	10924,4557 litre	O
270	CM	120	CM	38 LEVEL CM	1242,4948 litre	10,172 %	10972,0174 litre	O
270	CM	120	CM	37 LEVEL CM	1195,4386 litre	9,787 %	11019,0736 litre	O
270	CM	120	CM	36 LEVEL CM	1148,8995 litre	9,406 %	11065,6127 litre	O
270	CM	120	CM	35 LEVEL CM	1102,8898 litre	9,029 %	11111,6224 litre	O
270	CM	120	CM	34 LEVEL CM	1057,4220 litre	8,657 %	11157,0902 litre	O
270	CM	120	CM	33 LEVEL CM	1012,5091 litre	8,289 %	11202,0031 litre	O
270	CM	120	CM	32 LEVEL CM	968,1647 litre	7,926 %	11246,3475 litre	O
270	CM	120	CM	31 LEVEL CM	924,4028 litre	7,568 %	11290,1094 litre	O
270	CM	120	CM	30 LEVEL CM	881,2380 litre	7,215 %	11333,2742 litre	O

270	CM	120	CM	29 LEVEL CM	838,6856 litre	6,866 %	11375,8266 litre	O
270	CM	120	CM	28 LEVEL CM	796,7615 litre	6,523 %	11417,7507 litre	O
270	CM	120	CM	27 LEVEL CM	755,4822 litre	6,185 %	11459,0300 litre	O
270	CM	120	CM	26 LEVEL CM	714,8653 litre	5,853 %	11499,6469 litre	O
270	CM	120	CM	25 LEVEL CM	674,9289 litre	5,526 %	11539,5833 litre	O
270	CM	120	CM	24 LEVEL CM	635,6923 litre	5,204 %	11578,8199 litre	O
270	CM	120	CM	23 LEVEL CM	597,1758 litre	4,889 %	11617,3364 litre	O
270	CM	120	CM	22 LEVEL CM	559,4009 litre	4,580 %	11655,1113 litre	O
270	CM	120	CM	21 LEVEL CM	522,3902 litre	4,277 %	11692,1220 litre	O
270	CM	120	CM	20 LEVEL CM	486,1680 litre	3,980 %	11728,3442 litre	O
270	CM	120	CM	19 LEVEL CM	450,7600 litre	3,690 %	11763,7522 litre	O
270	CM	120	CM	18 LEVEL CM	416,1939 litre	3,407 %	11798,3183 litre	O
270	CM	120	CM	17 LEVEL CM	382,4992 litre	3,132 %	11832,0130 litre	O
270	CM	120	CM	16 LEVEL CM	349,7082 litre	2,863 %	11864,8040 litre	O
270	CM	120	CM	15 LEVEL CM	317,8555 litre	2,602 %	11896,6567 litre	O
270	CM	120	CM	14 LEVEL CM	286,9791 litre	2,349 %	11927,5331 litre	O
270	CM	120	CM	13 LEVEL CM	257,1207 litre	2,105 %	11957,3915 litre	O
270	CM	120	CM	12 LEVEL CM	228,3263 litre	1,869 %	11986,1859 litre	O
270	CM	120	CM	11 LEVEL CM	200,6475 litre	1,643 %	12013,8647 litre	O
270	CM	120	CM	10 LEVEL CM	174,1420 litre	1,426 %	12040,3702 litre	O
270	CM	120	CM	9 LEVEL CM	148,8760 litre	1,219 %	12065,6362 litre	O
270	CM	120	CM	8 LEVEL CM	124,9257 litre	1,023 %	12089,5865 litre	O
270	CM	120	CM	7 LEVEL CM	102,3807 litre	0,838 %	12112,1315 litre	O
270	CM	120	CM	6 LEVEL CM	81,3487 litre	0,666 %	12133,1635 litre	O
270	CM	120	CM	5 LEVEL CM	61,9627 litre	0,507 %	12152,5495 litre	O
270	CM	120	CM	4 LEVEL CM	44,3930 litre	0,363 %	12170,1192 litre	O
270	CM	120	CM	3 LEVEL CM	28,8705 litre	0,236 %	12185,6417 litre	O
270	CM	120	CM	2 LEVEL CM	15,7349 litre	0,129 %	12198,7773 litre	O
270	CM	120	CM	1 LEVEL CM	5,5701 litre	0,046 %	12208,9421 litre	O
270	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	12214,5122 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM	115	CM 230 LEVEL CM	11217,8420 litre	100,000 %	0,0000 litre	O
270	CM	115	CM 229 LEVEL CM	11212,3894 litre	99,951 %	5,4526 litre	O
270	CM	115	CM 228 LEVEL CM	11202,4400 litre	99,863 %	15,4020 litre	O
270	CM	115	CM 227 LEVEL CM	11189,5840 litre	99,748 %	28,2580 litre	O
270	CM	115	CM 226 LEVEL CM	11174,3932 litre	99,613 %	43,4488 litre	O
270	CM	115	CM 225 LEVEL CM	11157,2006 litre	99,459 %	60,6414 litre	O
270	CM	115	CM 224 LEVEL CM	11138,2325 litre	99,290 %	79,6095 litre	O
270	CM	115	CM 223 LEVEL CM	11117,6558 litre	99,107 %	100,1862 litre	O
270	CM	115	CM 222 LEVEL CM	11095,6009 litre	98,910 %	122,2411 litre	O
270	CM	115	CM 221 LEVEL CM	11072,1736 litre	98,701 %	145,6684 litre	O
270	CM	115	CM 220 LEVEL CM	11047,4618 litre	98,481 %	170,3802 litre	O
270	CM	115	CM 219 LEVEL CM	11021,5402 litre	98,250 %	196,3018 litre	O
270	CM	115	CM 218 LEVEL CM	10994,4738 litre	98,009 %	223,3682 litre	O
270	CM	115	CM 217 LEVEL CM	10966,3195 litre	97,758 %	251,5225 litre	O
270	CM	115	CM 216 LEVEL CM	10937,1276 litre	97,498 %	280,7144 litre	O
270	CM	115	CM 215 LEVEL CM	10906,9436 litre	97,229 %	310,8984 litre	O
270	CM	115	CM 214 LEVEL CM	10875,8084 litre	96,951 %	342,0336 litre	O
270	CM	115	CM 213 LEVEL CM	10843,7593 litre	96,665 %	374,0827 litre	O
270	CM	115	CM 212 LEVEL CM	10810,8306 litre	96,372 %	407,0114 litre	O
270	CM	115	CM 211 LEVEL CM	10777,0538 litre	96,071 %	440,7882 litre	O
270	CM	115	CM 210 LEVEL CM	10742,4580 litre	95,762 %	475,3840 litre	O
270	CM	115	CM 209 LEVEL CM	10707,0705 litre	95,447 %	510,7715 litre	O
270	CM	115	CM 208 LEVEL CM	10670,9167 litre	95,125 %	546,9253 litre	O
270	CM	115	CM 207 LEVEL CM	10634,0204 litre	94,796 %	583,8216 litre	O
270	CM	115	CM 206 LEVEL CM	10596,4040 litre	94,460 %	621,4380 litre	O
270	CM	115	CM 205 LEVEL CM	10558,0886 litre	94,119 %	659,7534 litre	O
270	CM	115	CM 204 LEVEL CM	10519,0942 litre	93,771 %	698,7478 litre	O
270	CM	115	CM 203 LEVEL CM	10479,4399 litre	93,418 %	738,4021 litre	O
270	CM	115	CM 202 LEVEL CM	10439,1436 litre	93,058 %	778,6984 litre	O
270	CM	115	CM 201 LEVEL CM	10398,2226 litre	92,694 %	819,6194 litre	O
270	CM	115	CM 200 LEVEL CM	10356,6932 litre	92,323 %	861,1488 litre	O
270	CM	115	CM 199 LEVEL CM	10314,5713 litre	91,948 %	903,2707 litre	O
270	CM	115	CM 198 LEVEL CM	10271,8717 litre	91,567 %	945,9703 litre	O
270	CM	115	CM 197 LEVEL CM	10228,6091 litre	91,182 %	989,2329 litre	O
270	CM	115	CM 196 LEVEL CM	10184,7972 litre	90,791 %	1033,0448 litre	O
270	CM	115	CM 195 LEVEL CM	10140,4495 litre	90,396 %	1077,3925 litre	O
270	CM	115	CM 194 LEVEL CM	10095,5788 litre	89,996 %	1122,2632 litre	O
270	CM	115	CM 193 LEVEL CM	10050,1976 litre	89,591 %	1167,6444 litre	O
270	CM	115	CM 192 LEVEL CM	10004,3179 litre	89,182 %	1213,5241 litre	O
270	CM	115	CM 191 LEVEL CM	9957,9514 litre	88,769 %	1259,8906 litre	O
270	CM	115	CM 190 LEVEL CM	9911,1094 litre	88,351 %	1306,7326 litre	O
270	CM	115	CM 189 LEVEL CM	9863,8028 litre	87,930 %	1354,0392 litre	O
270	CM	115	CM 188 LEVEL CM	9816,0422 litre	87,504 %	1401,7998 litre	O
270	CM	115	CM 187 LEVEL CM	9767,8380 litre	87,074 %	1450,0040 litre	O
270	CM	115	CM 186 LEVEL CM	9719,2002 litre	86,641 %	1498,6418 litre	O
270	CM	115	CM 185 LEVEL CM	9670,1385 litre	86,203 %	1547,7035 litre	O
270	CM	115	CM 184 LEVEL CM	9620,6626 litre	85,762 %	1597,1794 litre	O
270	CM	115	CM 183 LEVEL CM	9570,7816 litre	85,317 %	1647,0604 litre	O
270	CM	115	CM 182 LEVEL CM	9520,5047 litre	84,869 %	1697,3373 litre	O
270	CM	115	CM 181 LEVEL CM	9469,8406 litre	84,418 %	1748,0014 litre	O
270	CM	115	CM 180 LEVEL CM	9418,7981 litre	83,963 %	1799,0439 litre	O
270	CM	115	CM 179 LEVEL CM	9367,3856 litre	83,504 %	1850,4564 litre	O

270	CM 115	CM	178 LEVEL CM	9315,6114 litre	83,043 %	1902,2306 litre	O
270	CM 115	CM	177 LEVEL CM	9263,4835 litre	82,578 %	1954,3585 litre	O
270	CM 115	CM	176 LEVEL CM	9211,0100 litre	82,110 %	2006,8320 litre	O
270	CM 115	CM	175 LEVEL CM	9158,1985 litre	81,640 %	2059,6435 litre	O
270	CM 115	CM	174 LEVEL CM	9105,0568 litre	81,166 %	2112,7852 litre	O
270	CM 115	CM	173 LEVEL CM	9051,5924 litre	80,689 %	2166,2496 litre	O
270	CM 115	CM	172 LEVEL CM	8997,8125 litre	80,210 %	2220,0295 litre	O
270	CM 115	CM	171 LEVEL CM	8943,7245 litre	79,728 %	2274,1175 litre	O
270	CM 115	CM	170 LEVEL CM	8889,3353 litre	79,243 %	2328,5067 litre	O
270	CM 115	CM	169 LEVEL CM	8834,6521 litre	78,755 %	2383,1899 litre	O
270	CM 115	CM	168 LEVEL CM	8779,6817 litre	78,265 %	2438,1603 litre	O
270	CM 115	CM	167 LEVEL CM	8724,4308 litre	77,773 %	2493,4112 litre	O
270	CM 115	CM	166 LEVEL CM	8668,9062 litre	77,278 %	2548,9358 litre	O
270	CM 115	CM	165 LEVEL CM	8613,1144 litre	76,780 %	2604,7276 litre	O
270	CM 115	CM	164 LEVEL CM	8557,0619 litre	76,281 %	2660,7801 litre	O
270	CM 115	CM	163 LEVEL CM	8500,7550 litre	75,779 %	2717,0870 litre	O
270	CM 115	CM	162 LEVEL CM	8444,2001 litre	75,275 %	2773,6419 litre	O
270	CM 115	CM	161 LEVEL CM	8387,4033 litre	74,768 %	2830,4387 litre	O
270	CM 115	CM	160 LEVEL CM	8330,3709 litre	74,260 %	2887,4711 litre	O
270	CM 115	CM	159 LEVEL CM	8273,1089 litre	73,750 %	2944,7331 litre	O
270	CM 115	CM	158 LEVEL CM	8215,6232 litre	73,237 %	3002,2188 litre	O
270	CM 115	CM	157 LEVEL CM	8157,9198 litre	72,723 %	3059,9222 litre	O
270	CM 115	CM	156 LEVEL CM	8100,0046 litre	72,206 %	3117,8374 litre	O
270	CM 115	CM	155 LEVEL CM	8041,8833 litre	71,688 %	3175,9587 litre	O
270	CM 115	CM	154 LEVEL CM	7983,5617 litre	71,168 %	3234,2803 litre	O
270	CM 115	CM	153 LEVEL CM	7925,0454 litre	70,647 %	3292,7966 litre	O
270	CM 115	CM	152 LEVEL CM	7866,3400 litre	70,123 %	3351,5020 litre	O
270	CM 115	CM	151 LEVEL CM	7807,4511 litre	69,599 %	3410,3909 litre	O
270	CM 115	CM	150 LEVEL CM	7748,3843 litre	69,072 %	3469,4577 litre	O
270	CM 115	CM	149 LEVEL CM	7689,1449 litre	68,544 %	3528,6971 litre	O
270	CM 115	CM	148 LEVEL CM	7629,7383 litre	68,014 %	3588,1037 litre	O
270	CM 115	CM	147 LEVEL CM	7570,1701 litre	67,483 %	3647,6719 litre	O
270	CM 115	CM	146 LEVEL CM	7510,4453 litre	66,951 %	3707,3967 litre	O
270	CM 115	CM	145 LEVEL CM	7450,5694 litre	66,417 %	3767,2726 litre	O
270	CM 115	CM	144 LEVEL CM	7390,5476 litre	65,882 %	3827,2944 litre	O
270	CM 115	CM	143 LEVEL CM	7330,3851 litre	65,346 %	3887,4569 litre	O
270	CM 115	CM	142 LEVEL CM	7270,0870 litre	64,808 %	3947,7550 litre	O
270	CM 115	CM	141 LEVEL CM	7209,6584 litre	64,270 %	4008,1836 litre	O
270	CM 115	CM	140 LEVEL CM	7149,1045 litre	63,730 %	4068,7375 litre	O
270	CM 115	CM	139 LEVEL CM	7088,4304 litre	63,189 %	4129,4116 litre	O
270	CM 115	CM	138 LEVEL CM	7027,6410 litre	62,647 %	4190,2010 litre	O
270	CM 115	CM	137 LEVEL CM	6966,7414 litre	62,104 %	4251,1006 litre	O
270	CM 115	CM	136 LEVEL CM	6905,7366 litre	61,560 %	4312,1054 litre	O
270	CM 115	CM	135 LEVEL CM	6844,6314 litre	61,016 %	4373,2106 litre	O
270	CM 115	CM	134 LEVEL CM	6783,4309 litre	60,470 %	4434,4111 litre	O
270	CM 115	CM	133 LEVEL CM	6722,1399 litre	59,924 %	4495,7021 litre	O
270	CM 115	CM	132 LEVEL CM	6660,7633 litre	59,377 %	4557,0787 litre	O
270	CM 115	CM	131 LEVEL CM	6599,3060 litre	58,829 %	4618,5360 litre	O
270	CM 115	CM	130 LEVEL CM	6537,7729 litre	58,280 %	4680,0691 litre	O
270	CM 115	CM	129 LEVEL CM	6476,1687 litre	57,731 %	4741,6733 litre	O
270	CM 115	CM	128 LEVEL CM	6414,4983 litre	57,181 %	4803,3437 litre	O
270	CM 115	CM	127 LEVEL CM	6352,7664 litre	56,631 %	4865,0756 litre	O
270	CM 115	CM	126 LEVEL CM	6290,9779 litre	56,080 %	4926,8641 litre	O

270	CM 115	CM	125 LEVEL CM	6229,1375 litre	55,529 %	4988,7045 litre	O
270	CM 115	CM	124 LEVEL CM	6167,2499 litre	54,977 %	5050,5921 litre	O
270	CM 115	CM	123 LEVEL CM	6105,3200 litre	54,425 %	5112,5220 litre	O
270	CM 115	CM	122 LEVEL CM	6043,3524 litre	53,873 %	5174,4896 litre	O
270	CM 115	CM	121 LEVEL CM	5981,3519 litre	53,320 %	5236,4901 litre	O
270	CM 115	CM	120 LEVEL CM	5919,3231 litre	52,767 %	5298,5189 litre	O
270	CM 115	CM	119 LEVEL CM	5857,2709 litre	52,214 %	5360,5711 litre	O
270	CM 115	CM	118 LEVEL CM	5795,1999 litre	51,661 %	5422,6421 litre	O
270	CM 115	CM	117 LEVEL CM	5733,1147 litre	51,107 %	5484,7273 litre	O
270	CM 115	CM	116 LEVEL CM	5671,0202 litre	50,554 %	5546,8218 litre	O
270	CM 115	CM	115 LEVEL CM	5608,9210 litre	50,000 %	5608,9210 litre	O
270	CM 115	CM	114 LEVEL CM	5546,8218 litre	49,446 %	5671,0202 litre	O
270	CM 115	CM	113 LEVEL CM	5484,7272 litre	48,893 %	5733,1148 litre	O
270	CM 115	CM	112 LEVEL CM	5422,6421 litre	48,339 %	5795,1999 litre	O
270	CM 115	CM	111 LEVEL CM	5360,5711 litre	47,786 %	5857,2709 litre	O
270	CM 115	CM	110 LEVEL CM	5298,5188 litre	47,233 %	5919,3232 litre	O
270	CM 115	CM	109 LEVEL CM	5236,4901 litre	46,680 %	5981,3519 litre	O
270	CM 115	CM	108 LEVEL CM	5174,4896 litre	46,127 %	6043,3524 litre	O
270	CM 115	CM	107 LEVEL CM	5112,5220 litre	45,575 %	6105,3200 litre	O
270	CM 115	CM	106 LEVEL CM	5050,5920 litre	45,023 %	6167,2500 litre	O
270	CM 115	CM	105 LEVEL CM	4988,7045 litre	44,471 %	6229,1375 litre	O
270	CM 115	CM	104 LEVEL CM	4926,8641 litre	43,920 %	6290,9779 litre	O
270	CM 115	CM	103 LEVEL CM	4865,0755 litre	43,369 %	6352,7665 litre	O
270	CM 115	CM	102 LEVEL CM	4803,3437 litre	42,819 %	6414,4983 litre	O
270	CM 115	CM	101 LEVEL CM	4741,6733 litre	42,269 %	6476,1687 litre	O
270	CM 115	CM	100 LEVEL CM	4680,0691 litre	41,720 %	6537,7729 litre	O
270	CM 115	CM	99 LEVEL CM	4618,5359 litre	41,171 %	6599,3061 litre	O
270	CM 115	CM	98 LEVEL CM	4557,0786 litre	40,623 %	6660,7634 litre	O
270	CM 115	CM	97 LEVEL CM	4495,7021 litre	40,076 %	6722,1399 litre	O
270	CM 115	CM	96 LEVEL CM	4434,4111 litre	39,530 %	6783,4309 litre	O
270	CM 115	CM	95 LEVEL CM	4373,2106 litre	38,984 %	6844,6314 litre	O
270	CM 115	CM	94 LEVEL CM	4312,1054 litre	38,440 %	6905,7366 litre	O
270	CM 115	CM	93 LEVEL CM	4251,1006 litre	37,896 %	6966,7414 litre	O
270	CM 115	CM	92 LEVEL CM	4190,2009 litre	37,353 %	7027,6411 litre	O
270	CM 115	CM	91 LEVEL CM	4129,4116 litre	36,811 %	7088,4304 litre	O
270	CM 115	CM	90 LEVEL CM	4068,7374 litre	36,270 %	7149,1046 litre	O
270	CM 115	CM	89 LEVEL CM	4008,1836 litre	35,730 %	7209,6584 litre	O
270	CM 115	CM	88 LEVEL CM	3947,7550 litre	35,192 %	7270,0870 litre	O
270	CM 115	CM	87 LEVEL CM	3887,4569 litre	34,654 %	7330,3851 litre	O
270	CM 115	CM	86 LEVEL CM	3827,2944 litre	34,118 %	7390,5476 litre	O
270	CM 115	CM	85 LEVEL CM	3767,2725 litre	33,583 %	7450,5695 litre	O
270	CM 115	CM	84 LEVEL CM	3707,3966 litre	33,049 %	7510,4454 litre	O
270	CM 115	CM	83 LEVEL CM	3647,6719 litre	32,517 %	7570,1701 litre	O
270	CM 115	CM	82 LEVEL CM	3588,1036 litre	31,986 %	7629,7384 litre	O
270	CM 115	CM	81 LEVEL CM	3528,6971 litre	31,456 %	7689,1449 litre	O
270	CM 115	CM	80 LEVEL CM	3469,4577 litre	30,928 %	7748,3843 litre	O
270	CM 115	CM	79 LEVEL CM	3410,3908 litre	30,401 %	7807,4512 litre	O
270	CM 115	CM	78 LEVEL CM	3351,5020 litre	29,877 %	7866,3400 litre	O
270	CM 115	CM	77 LEVEL CM	3292,7966 litre	29,353 %	7925,0454 litre	O
270	CM 115	CM	76 LEVEL CM	3234,2803 litre	28,832 %	7983,5617 litre	O
270	CM 115	CM	75 LEVEL CM	3175,9586 litre	28,312 %	8041,8834 litre	O
270	CM 115	CM	74 LEVEL CM	3117,8373 litre	27,794 %	8100,0047 litre	O
270	CM 115	CM	73 LEVEL CM	3059,9221 litre	27,277 %	8157,9199 litre	O

270	CM 115	CM	72 LEVEL CM	3002,2187 litre	26,763 %	8215,6233 litre	O
270	CM 115	CM	71 LEVEL CM	2944,7331 litre	26,250 %	8273,1089 litre	O
270	CM 115	CM	70 LEVEL CM	2887,4710 litre	25,740 %	8330,3710 litre	O
270	CM 115	CM	69 LEVEL CM	2830,4386 litre	25,232 %	8387,4034 litre	O
270	CM 115	CM	68 LEVEL CM	2773,6419 litre	24,725 %	8444,2001 litre	O
270	CM 115	CM	67 LEVEL CM	2717,0870 litre	24,221 %	8500,7550 litre	O
270	CM 115	CM	66 LEVEL CM	2660,7801 litre	23,719 %	8557,0619 litre	O
270	CM 115	CM	65 LEVEL CM	2604,7276 litre	23,220 %	8613,1144 litre	O
270	CM 115	CM	64 LEVEL CM	2548,9358 litre	22,722 %	8668,9062 litre	O
270	CM 115	CM	63 LEVEL CM	2493,4111 litre	22,227 %	8724,4309 litre	O
270	CM 115	CM	62 LEVEL CM	2438,1603 litre	21,735 %	8779,6817 litre	O
270	CM 115	CM	61 LEVEL CM	2383,1899 litre	21,245 %	8834,6521 litre	O
270	CM 115	CM	60 LEVEL CM	2328,5066 litre	20,757 %	8889,3354 litre	O
270	CM 115	CM	59 LEVEL CM	2274,1175 litre	20,272 %	8943,7245 litre	O
270	CM 115	CM	58 LEVEL CM	2220,0295 litre	19,790 %	8997,8125 litre	O
270	CM 115	CM	57 LEVEL CM	2166,2496 litre	19,311 %	9051,5924 litre	O
270	CM 115	CM	56 LEVEL CM	2112,7851 litre	18,834 %	9105,0569 litre	O
270	CM 115	CM	55 LEVEL CM	2059,6434 litre	18,360 %	9158,1986 litre	O
270	CM 115	CM	54 LEVEL CM	2006,8320 litre	17,890 %	9211,0100 litre	O
270	CM 115	CM	53 LEVEL CM	1954,3585 litre	17,422 %	9263,4835 litre	O
270	CM 115	CM	52 LEVEL CM	1902,2306 litre	16,957 %	9315,6114 litre	O
270	CM 115	CM	51 LEVEL CM	1850,4564 litre	16,496 %	9367,3856 litre	O
270	CM 115	CM	50 LEVEL CM	1799,0439 litre	16,037 %	9418,7981 litre	O
270	CM 115	CM	49 LEVEL CM	1748,0014 litre	15,582 %	9469,8406 litre	O
270	CM 115	CM	48 LEVEL CM	1697,3373 litre	15,131 %	9520,5047 litre	O
270	CM 115	CM	47 LEVEL CM	1647,0604 litre	14,683 %	9570,7816 litre	O
270	CM 115	CM	46 LEVEL CM	1597,1794 litre	14,238 %	9620,6626 litre	O
270	CM 115	CM	45 LEVEL CM	1547,7034 litre	13,797 %	9670,1386 litre	O
270	CM 115	CM	44 LEVEL CM	1498,6418 litre	13,359 %	9719,2002 litre	O
270	CM 115	CM	43 LEVEL CM	1450,0040 litre	12,926 %	9767,8380 litre	O
270	CM 115	CM	42 LEVEL CM	1401,7997 litre	12,496 %	9816,0423 litre	O
270	CM 115	CM	41 LEVEL CM	1354,0392 litre	12,070 %	9863,8028 litre	O
270	CM 115	CM	40 LEVEL CM	1306,7325 litre	11,649 %	9911,1095 litre	O
270	CM 115	CM	39 LEVEL CM	1259,8905 litre	11,231 %	9957,9515 litre	O
270	CM 115	CM	38 LEVEL CM	1213,5240 litre	10,818 %	10004,3180 litre	O
270	CM 115	CM	37 LEVEL CM	1167,6444 litre	10,409 %	10050,1976 litre	O
270	CM 115	CM	36 LEVEL CM	1122,2632 litre	10,004 %	10095,5788 litre	O
270	CM 115	CM	35 LEVEL CM	1077,3925 litre	9,604 %	10140,4495 litre	O
270	CM 115	CM	34 LEVEL CM	1033,0448 litre	9,209 %	10184,7972 litre	O
270	CM 115	CM	33 LEVEL CM	989,2329 litre	8,818 %	10228,6091 litre	O
270	CM 115	CM	32 LEVEL CM	945,9702 litre	8,433 %	10271,8718 litre	O
270	CM 115	CM	31 LEVEL CM	903,2707 litre	8,052 %	10314,5713 litre	O
270	CM 115	CM	30 LEVEL CM	861,1487 litre	7,677 %	10356,6933 litre	O
270	CM 115	CM	29 LEVEL CM	819,6194 litre	7,306 %	10398,2226 litre	O
270	CM 115	CM	28 LEVEL CM	778,6984 litre	6,942 %	10439,1436 litre	O
270	CM 115	CM	27 LEVEL CM	738,4021 litre	6,582 %	10479,4399 litre	O
270	CM 115	CM	26 LEVEL CM	698,7478 litre	6,229 %	10519,0942 litre	O
270	CM 115	CM	25 LEVEL CM	659,7534 litre	5,881 %	10558,0886 litre	O
270	CM 115	CM	24 LEVEL CM	621,4380 litre	5,540 %	10596,4040 litre	O
270	CM 115	CM	23 LEVEL CM	583,8216 litre	5,204 %	10634,0204 litre	O
270	CM 115	CM	22 LEVEL CM	546,9253 litre	4,875 %	10670,9167 litre	O
270	CM 115	CM	21 LEVEL CM	510,7714 litre	4,553 %	10707,0706 litre	O
270	CM 115	CM	20 LEVEL CM	475,3840 litre	4,238 %	10742,4580 litre	O

270	CM	115	CM	19 LEVEL CM	440,7882 litre	3,929 %	10777,0538 litre	O
270	CM	115	CM	18 LEVEL CM	407,0113 litre	3,628 %	10810,8307 litre	O
270	CM	115	CM	17 LEVEL CM	374,0826 litre	3,335 %	10843,7594 litre	O
270	CM	115	CM	16 LEVEL CM	342,0336 litre	3,049 %	10875,8084 litre	O
270	CM	115	CM	15 LEVEL CM	310,8984 litre	2,771 %	10906,9436 litre	O
270	CM	115	CM	14 LEVEL CM	280,7143 litre	2,502 %	10937,1277 litre	O
270	CM	115	CM	13 LEVEL CM	251,5225 litre	2,242 %	10966,3195 litre	O
270	CM	115	CM	12 LEVEL CM	223,3681 litre	1,991 %	10994,4739 litre	O
270	CM	115	CM	11 LEVEL CM	196,3017 litre	1,750 %	11021,5403 litre	O
270	CM	115	CM	10 LEVEL CM	170,3802 litre	1,519 %	11047,4618 litre	O
270	CM	115	CM	9 LEVEL CM	145,6683 litre	1,299 %	11072,1737 litre	O
270	CM	115	CM	8 LEVEL CM	122,2410 litre	1,090 %	11095,6010 litre	O
270	CM	115	CM	7 LEVEL CM	100,1862 litre	0,893 %	11117,6558 litre	O
270	CM	115	CM	6 LEVEL CM	79,6095 litre	0,710 %	11138,2325 litre	O
270	CM	115	CM	5 LEVEL CM	60,6413 litre	0,541 %	11157,2007 litre	O
270	CM	115	CM	4 LEVEL CM	43,4488 litre	0,387 %	11174,3932 litre	O
270	CM	115	CM	3 LEVEL CM	28,2580 litre	0,252 %	11189,5840 litre	O
270	CM	115	CM	2 LEVEL CM	15,4019 litre	0,137 %	11202,4401 litre	O
270	CM	115	CM	1 LEVEL CM	5,4525 litre	0,049 %	11212,3895 litre	O
270	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	11217,8420 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM	110	CM 220 LEVEL CM	10263,5832 litre	100,000 %	0,0000 litre	O
270	CM	110	CM 219 LEVEL CM	10258,2508 litre	99,948 %	5,3324 litre	O
270	CM	110	CM 218 LEVEL CM	10248,5216 litre	99,853 %	15,0616 litre	O
270	CM	110	CM 217 LEVEL CM	10235,9513 litre	99,731 %	27,6319 litre	O
270	CM	110	CM 216 LEVEL CM	10221,0997 litre	99,586 %	42,4835 litre	O
270	CM	110	CM 215 LEVEL CM	10204,2927 litre	99,422 %	59,2905 litre	O
270	CM	110	CM 214 LEVEL CM	10185,7517 litre	99,242 %	77,8315 litre	O
270	CM	110	CM 213 LEVEL CM	10165,6407 litre	99,046 %	97,9425 litre	O
270	CM	110	CM 212 LEVEL CM	10144,0872 litre	98,836 %	119,4960 litre	O
270	CM	110	CM 211 LEVEL CM	10121,1948 litre	98,613 %	142,3884 litre	O
270	CM	110	CM 210 LEVEL CM	10097,0498 litre	98,377 %	166,5334 litre	O
270	CM	110	CM 209 LEVEL CM	10071,7257 litre	98,131 %	191,8575 litre	O
270	CM	110	CM 208 LEVEL CM	10045,2859 litre	97,873 %	218,2973 litre	O
270	CM	110	CM 207 LEVEL CM	10017,7864 litre	97,605 %	245,7968 litre	O
270	CM	110	CM 206 LEVEL CM	9989,2767 litre	97,327 %	274,3065 litre	O
270	CM	110	CM 205 LEVEL CM	9959,8013 litre	97,040 %	303,7819 litre	O
270	CM	110	CM 204 LEVEL CM	9929,4006 litre	96,744 %	334,1826 litre	O
270	CM	110	CM 203 LEVEL CM	9898,1111 litre	96,439 %	365,4721 litre	O
270	CM	110	CM 202 LEVEL CM	9865,9665 litre	96,126 %	397,6167 litre	O
270	CM	110	CM 201 LEVEL CM	9832,9978 litre	95,805 %	430,5854 litre	O
270	CM	110	CM 200 LEVEL CM	9799,2338 litre	95,476 %	464,3494 litre	O
270	CM	110	CM 199 LEVEL CM	9764,7012 litre	95,139 %	498,8820 litre	O
270	CM	110	CM 198 LEVEL CM	9729,4251 litre	94,796 %	534,1581 litre	O
270	CM	110	CM 197 LEVEL CM	9693,4288 litre	94,445 %	570,1544 litre	O
270	CM	110	CM 196 LEVEL CM	9656,7345 litre	94,087 %	606,8487 litre	O
270	CM	110	CM 195 LEVEL CM	9619,3630 litre	93,723 %	644,2202 litre	O
270	CM	110	CM 194 LEVEL CM	9581,3340 litre	93,353 %	682,2492 litre	O
270	CM	110	CM 193 LEVEL CM	9542,6663 litre	92,976 %	720,9169 litre	O
270	CM	110	CM 192 LEVEL CM	9503,3776 litre	92,593 %	760,2056 litre	O
270	CM	110	CM 191 LEVEL CM	9463,4849 litre	92,204 %	800,0983 litre	O
270	CM	110	CM 190 LEVEL CM	9423,0044 litre	91,810 %	840,5788 litre	O
270	CM	110	CM 189 LEVEL CM	9381,9517 litre	91,410 %	881,6315 litre	O
270	CM	110	CM 188 LEVEL CM	9340,3417 litre	91,005 %	923,2415 litre	O
270	CM	110	CM 187 LEVEL CM	9298,1885 litre	90,594 %	965,3947 litre	O
270	CM	110	CM 186 LEVEL CM	9255,5060 litre	90,178 %	1008,0772 litre	O
270	CM	110	CM 185 LEVEL CM	9212,3074 litre	89,757 %	1051,2758 litre	O
270	CM	110	CM 184 LEVEL CM	9168,6054 litre	89,331 %	1094,9778 litre	O
270	CM	110	CM 183 LEVEL CM	9124,4124 litre	88,901 %	1139,1708 litre	O
270	CM	110	CM 182 LEVEL CM	9079,7403 litre	88,466 %	1183,8429 litre	O
270	CM	110	CM 181 LEVEL CM	9034,6007 litre	88,026 %	1228,9825 litre	O
270	CM	110	CM 180 LEVEL CM	8989,0047 litre	87,582 %	1274,5785 litre	O
270	CM	110	CM 179 LEVEL CM	8942,9632 litre	87,133 %	1320,6200 litre	O
270	CM	110	CM 178 LEVEL CM	8896,4868 litre	86,680 %	1367,0964 litre	O
270	CM	110	CM 177 LEVEL CM	8849,5856 litre	86,223 %	1413,9976 litre	O
270	CM	110	CM 176 LEVEL CM	8802,2697 litre	85,762 %	1461,3135 litre	O
270	CM	110	CM 175 LEVEL CM	8754,5488 litre	85,297 %	1509,0344 litre	O
270	CM	110	CM 174 LEVEL CM	8706,4323 litre	84,828 %	1557,1509 litre	O
270	CM	110	CM 173 LEVEL CM	8657,9296 litre	84,356 %	1605,6536 litre	O
270	CM	110	CM 172 LEVEL CM	8609,0495 litre	83,880 %	1654,5337 litre	O
270	CM	110	CM 171 LEVEL CM	8559,8009 litre	83,400 %	1703,7823 litre	O
270	CM	110	CM 170 LEVEL CM	8510,1925 litre	82,916 %	1753,3907 litre	O
270	CM	110	CM 169 LEVEL CM	8460,2326 litre	82,430 %	1803,3506 litre	O

270	CM 110	CM	168 LEVEL CM	8409,9296 litre	81,940 %	1853,6536 litre	O
270	CM 110	CM	167 LEVEL CM	8359,2914 litre	81,446 %	1904,2918 litre	O
270	CM 110	CM	166 LEVEL CM	8308,3261 litre	80,950 %	1955,2571 litre	O
270	CM 110	CM	165 LEVEL CM	8257,0413 litre	80,450 %	2006,5419 litre	O
270	CM 110	CM	164 LEVEL CM	8205,4448 litre	79,947 %	2058,1384 litre	O
270	CM 110	CM	163 LEVEL CM	8153,5439 litre	79,441 %	2110,0393 litre	O
270	CM 110	CM	162 LEVEL CM	8101,3462 litre	78,933 %	2162,2370 litre	O
270	CM 110	CM	161 LEVEL CM	8048,8587 litre	78,422 %	2214,7245 litre	O
270	CM 110	CM	160 LEVEL CM	7996,0887 litre	77,907 %	2267,4945 litre	O
270	CM 110	CM	159 LEVEL CM	7943,0431 litre	77,391 %	2320,5401 litre	O
270	CM 110	CM	158 LEVEL CM	7889,7288 litre	76,871 %	2373,8544 litre	O
270	CM 110	CM	157 LEVEL CM	7836,1526 litre	76,349 %	2427,4306 litre	O
270	CM 110	CM	156 LEVEL CM	7782,3212 litre	75,825 %	2481,2620 litre	O
270	CM 110	CM	155 LEVEL CM	7728,2412 litre	75,298 %	2535,3420 litre	O
270	CM 110	CM	154 LEVEL CM	7673,9191 litre	74,768 %	2589,6641 litre	O
270	CM 110	CM	153 LEVEL CM	7619,3613 litre	74,237 %	2644,2219 litre	O
270	CM 110	CM	152 LEVEL CM	7564,5742 litre	73,703 %	2699,0090 litre	O
270	CM 110	CM	151 LEVEL CM	7509,5640 litre	73,167 %	2754,0192 litre	O
270	CM 110	CM	150 LEVEL CM	7454,3369 litre	72,629 %	2809,2463 litre	O
270	CM 110	CM	149 LEVEL CM	7398,8990 litre	72,089 %	2864,6842 litre	O
270	CM 110	CM	148 LEVEL CM	7343,2563 litre	71,547 %	2920,3269 litre	O
270	CM 110	CM	147 LEVEL CM	7287,4148 litre	71,003 %	2976,1684 litre	O
270	CM 110	CM	146 LEVEL CM	7231,3805 litre	70,457 %	3032,2027 litre	O
270	CM 110	CM	145 LEVEL CM	7175,1591 litre	69,909 %	3088,4241 litre	O
270	CM 110	CM	144 LEVEL CM	7118,7564 litre	69,359 %	3144,8268 litre	O
270	CM 110	CM	143 LEVEL CM	7062,1783 litre	68,808 %	3201,4049 litre	O
270	CM 110	CM	142 LEVEL CM	7005,4304 litre	68,255 %	3258,1528 litre	O
270	CM 110	CM	141 LEVEL CM	6948,5182 litre	67,701 %	3315,0650 litre	O
270	CM 110	CM	140 LEVEL CM	6891,4474 litre	67,145 %	3372,1358 litre	O
270	CM 110	CM	139 LEVEL CM	6834,2236 litre	66,587 %	3429,3596 litre	O
270	CM 110	CM	138 LEVEL CM	6776,8521 litre	66,028 %	3486,7311 litre	O
270	CM 110	CM	137 LEVEL CM	6719,3386 litre	65,468 %	3544,2446 litre	O
270	CM 110	CM	136 LEVEL CM	6661,6883 litre	64,906 %	3601,8949 litre	O
270	CM 110	CM	135 LEVEL CM	6603,9066 litre	64,343 %	3659,6766 litre	O
270	CM 110	CM	134 LEVEL CM	6545,9989 litre	63,779 %	3717,5843 litre	O
270	CM 110	CM	133 LEVEL CM	6487,9705 litre	63,214 %	3775,6127 litre	O
270	CM 110	CM	132 LEVEL CM	6429,8266 litre	62,647 %	3833,7566 litre	O
270	CM 110	CM	131 LEVEL CM	6371,5724 litre	62,079 %	3892,0108 litre	O
270	CM 110	CM	130 LEVEL CM	6313,2133 litre	61,511 %	3950,3699 litre	O
270	CM 110	CM	129 LEVEL CM	6254,7543 litre	60,941 %	4008,8289 litre	O
270	CM 110	CM	128 LEVEL CM	6196,2006 litre	60,371 %	4067,3826 litre	O
270	CM 110	CM	127 LEVEL CM	6137,5573 litre	59,799 %	4126,0259 litre	O
270	CM 110	CM	126 LEVEL CM	6078,8296 litre	59,227 %	4184,7536 litre	O
270	CM 110	CM	125 LEVEL CM	6020,0225 litre	58,654 %	4243,5607 litre	O
270	CM 110	CM	124 LEVEL CM	5961,1410 litre	58,081 %	4302,4422 litre	O
270	CM 110	CM	123 LEVEL CM	5902,1903 litre	57,506 %	4361,3929 litre	O
270	CM 110	CM	122 LEVEL CM	5843,1752 litre	56,931 %	4420,4080 litre	O
270	CM 110	CM	121 LEVEL CM	5784,1010 litre	56,356 %	4479,4822 litre	O
270	CM 110	CM	120 LEVEL CM	5724,9724 litre	55,779 %	4538,6108 litre	O
270	CM 110	CM	119 LEVEL CM	5665,7945 litre	55,203 %	4597,7887 litre	O
270	CM 110	CM	118 LEVEL CM	5606,5724 litre	54,626 %	4657,0108 litre	O
270	CM 110	CM	117 LEVEL CM	5547,3108 litre	54,048 %	4716,2724 litre	O
270	CM 110	CM	116 LEVEL CM	5488,0148 litre	53,471 %	4775,5684 litre	O

270	CM 110	CM	115 LEVEL CM	5428,6893 litre	52,893 %	4834,8939 litre	O
270	CM 110	CM	114 LEVEL CM	5369,3392 litre	52,314 %	4894,2440 litre	O
270	CM 110	CM	113 LEVEL CM	5309,9695 litre	51,736 %	4953,6137 litre	O
270	CM 110	CM	112 LEVEL CM	5250,5851 litre	51,157 %	5012,9981 litre	O
270	CM 110	CM	111 LEVEL CM	5191,1908 litre	50,579 %	5072,3924 litre	O
270	CM 110	CM	110 LEVEL CM	5131,7916 litre	50,000 %	5131,7916 litre	O
270	CM 110	CM	109 LEVEL CM	5072,3924 litre	49,421 %	5191,1908 litre	O
270	CM 110	CM	108 LEVEL CM	5012,9981 litre	48,843 %	5250,5851 litre	O
270	CM 110	CM	107 LEVEL CM	4953,6137 litre	48,264 %	5309,9695 litre	O
270	CM 110	CM	106 LEVEL CM	4894,2440 litre	47,686 %	5369,3392 litre	O
270	CM 110	CM	105 LEVEL CM	4834,8939 litre	47,107 %	5428,6893 litre	O
270	CM 110	CM	104 LEVEL CM	4775,5684 litre	46,529 %	5488,0148 litre	O
270	CM 110	CM	103 LEVEL CM	4716,2724 litre	45,952 %	5547,3108 litre	O
270	CM 110	CM	102 LEVEL CM	4657,0108 litre	45,374 %	5606,5724 litre	O
270	CM 110	CM	101 LEVEL CM	4597,7887 litre	44,797 %	5665,7945 litre	O
270	CM 110	CM	100 LEVEL CM	4538,6108 litre	44,221 %	5724,9724 litre	O
270	CM 110	CM	99 LEVEL CM	4479,4822 litre	43,644 %	5784,1010 litre	O
270	CM 110	CM	98 LEVEL CM	4420,4080 litre	43,069 %	5843,1752 litre	O
270	CM 110	CM	97 LEVEL CM	4361,3929 litre	42,494 %	5902,1903 litre	O
270	CM 110	CM	96 LEVEL CM	4302,4422 litre	41,919 %	5961,1410 litre	O
270	CM 110	CM	95 LEVEL CM	4243,5607 litre	41,346 %	6020,0225 litre	O
270	CM 110	CM	94 LEVEL CM	4184,7536 litre	40,773 %	6078,8296 litre	O
270	CM 110	CM	93 LEVEL CM	4126,0259 litre	40,201 %	6137,5573 litre	O
270	CM 110	CM	92 LEVEL CM	4067,3826 litre	39,629 %	6196,2006 litre	O
270	CM 110	CM	91 LEVEL CM	4008,8289 litre	39,059 %	6254,7543 litre	O
270	CM 110	CM	90 LEVEL CM	3950,3699 litre	38,489 %	6313,2133 litre	O
270	CM 110	CM	89 LEVEL CM	3892,0108 litre	37,921 %	6371,5724 litre	O
270	CM 110	CM	88 LEVEL CM	3833,7566 litre	37,353 %	6429,8266 litre	O
270	CM 110	CM	87 LEVEL CM	3775,6127 litre	36,786 %	6487,9705 litre	O
270	CM 110	CM	86 LEVEL CM	3717,5843 litre	36,221 %	6545,9989 litre	O
270	CM 110	CM	85 LEVEL CM	3659,6766 litre	35,657 %	6603,9066 litre	O
270	CM 110	CM	84 LEVEL CM	3601,8949 litre	35,094 %	6661,6883 litre	O
270	CM 110	CM	83 LEVEL CM	3544,2446 litre	34,532 %	6719,3386 litre	O
270	CM 110	CM	82 LEVEL CM	3486,7311 litre	33,972 %	6776,8521 litre	O
270	CM 110	CM	81 LEVEL CM	3429,3596 litre	33,413 %	6834,2236 litre	O
270	CM 110	CM	80 LEVEL CM	3372,1358 litre	32,855 %	6891,4474 litre	O
270	CM 110	CM	79 LEVEL CM	3315,0650 litre	32,299 %	6948,5182 litre	O
270	CM 110	CM	78 LEVEL CM	3258,1528 litre	31,745 %	7005,4304 litre	O
270	CM 110	CM	77 LEVEL CM	3201,4049 litre	31,192 %	7062,1783 litre	O
270	CM 110	CM	76 LEVEL CM	3144,8268 litre	30,641 %	7118,7564 litre	O
270	CM 110	CM	75 LEVEL CM	3088,4241 litre	30,091 %	7175,1591 litre	O
270	CM 110	CM	74 LEVEL CM	3032,2027 litre	29,543 %	7231,3805 litre	O
270	CM 110	CM	73 LEVEL CM	2976,1684 litre	28,997 %	7287,4148 litre	O
270	CM 110	CM	72 LEVEL CM	2920,3269 litre	28,453 %	7343,2563 litre	O
270	CM 110	CM	71 LEVEL CM	2864,6842 litre	27,911 %	7398,8990 litre	O
270	CM 110	CM	70 LEVEL CM	2809,2463 litre	27,371 %	7454,3369 litre	O
270	CM 110	CM	69 LEVEL CM	2754,0192 litre	26,833 %	7509,5640 litre	O
270	CM 110	CM	68 LEVEL CM	2699,0090 litre	26,297 %	7564,5742 litre	O
270	CM 110	CM	67 LEVEL CM	2644,2219 litre	25,763 %	7619,3613 litre	O
270	CM 110	CM	66 LEVEL CM	2589,6641 litre	25,232 %	7673,9191 litre	O
270	CM 110	CM	65 LEVEL CM	2535,3420 litre	24,702 %	7728,2412 litre	O
270	CM 110	CM	64 LEVEL CM	2481,2620 litre	24,175 %	7782,3212 litre	O
270	CM 110	CM	63 LEVEL CM	2427,4306 litre	23,651 %	7836,1526 litre	O

270	CM 110	CM	62 LEVEL CM	2373,8544 litre	23,129 %	7889,7288 litre	O
270	CM 110	CM	61 LEVEL CM	2320,5401 litre	22,609 %	7943,0431 litre	O
270	CM 110	CM	60 LEVEL CM	2267,4945 litre	22,093 %	7996,0887 litre	O
270	CM 110	CM	59 LEVEL CM	2214,7245 litre	21,578 %	8048,8587 litre	O
270	CM 110	CM	58 LEVEL CM	2162,2370 litre	21,067 %	8101,3462 litre	O
270	CM 110	CM	57 LEVEL CM	2110,0393 litre	20,559 %	8153,5439 litre	O
270	CM 110	CM	56 LEVEL CM	2058,1384 litre	20,053 %	8205,4448 litre	O
270	CM 110	CM	55 LEVEL CM	2006,5419 litre	19,550 %	8257,0413 litre	O
270	CM 110	CM	54 LEVEL CM	1955,2571 litre	19,050 %	8308,3261 litre	O
270	CM 110	CM	53 LEVEL CM	1904,2918 litre	18,554 %	8359,2914 litre	O
270	CM 110	CM	52 LEVEL CM	1853,6536 litre	18,060 %	8409,9296 litre	O
270	CM 110	CM	51 LEVEL CM	1803,3506 litre	17,570 %	8460,2326 litre	O
270	CM 110	CM	50 LEVEL CM	1753,3907 litre	17,084 %	8510,1925 litre	O
270	CM 110	CM	49 LEVEL CM	1703,7823 litre	16,600 %	8559,8009 litre	O
270	CM 110	CM	48 LEVEL CM	1654,5337 litre	16,120 %	8609,0495 litre	O
270	CM 110	CM	47 LEVEL CM	1605,6536 litre	15,644 %	8657,9296 litre	O
270	CM 110	CM	46 LEVEL CM	1557,1509 litre	15,172 %	8706,4323 litre	O
270	CM 110	CM	45 LEVEL CM	1509,0344 litre	14,703 %	8754,5488 litre	O
270	CM 110	CM	44 LEVEL CM	1461,3135 litre	14,238 %	8802,2697 litre	O
270	CM 110	CM	43 LEVEL CM	1413,9976 litre	13,777 %	8849,5856 litre	O
270	CM 110	CM	42 LEVEL CM	1367,0964 litre	13,320 %	8896,4868 litre	O
270	CM 110	CM	41 LEVEL CM	1320,6200 litre	12,867 %	8942,9632 litre	O
270	CM 110	CM	40 LEVEL CM	1274,5785 litre	12,418 %	8989,0047 litre	O
270	CM 110	CM	39 LEVEL CM	1228,9825 litre	11,974 %	9034,6007 litre	O
270	CM 110	CM	38 LEVEL CM	1183,8429 litre	11,534 %	9079,7403 litre	O
270	CM 110	CM	37 LEVEL CM	1139,1708 litre	11,099 %	9124,4124 litre	O
270	CM 110	CM	36 LEVEL CM	1094,9778 litre	10,669 %	9168,6054 litre	O
270	CM 110	CM	35 LEVEL CM	1051,2758 litre	10,243 %	9212,3074 litre	O
270	CM 110	CM	34 LEVEL CM	1008,0772 litre	9,822 %	9255,5060 litre	O
270	CM 110	CM	33 LEVEL CM	965,3947 litre	9,406 %	9298,1885 litre	O
270	CM 110	CM	32 LEVEL CM	923,2415 litre	8,995 %	9340,3417 litre	O
270	CM 110	CM	31 LEVEL CM	881,6315 litre	8,590 %	9381,9517 litre	O
270	CM 110	CM	30 LEVEL CM	840,5788 litre	8,190 %	9423,0044 litre	O
270	CM 110	CM	29 LEVEL CM	800,0983 litre	7,796 %	9463,4849 litre	O
270	CM 110	CM	28 LEVEL CM	760,2056 litre	7,407 %	9503,3776 litre	O
270	CM 110	CM	27 LEVEL CM	720,9169 litre	7,024 %	9542,6663 litre	O
270	CM 110	CM	26 LEVEL CM	682,2492 litre	6,647 %	9581,3340 litre	O
270	CM 110	CM	25 LEVEL CM	644,2202 litre	6,277 %	9619,3630 litre	O
270	CM 110	CM	24 LEVEL CM	606,8487 litre	5,913 %	9656,7345 litre	O
270	CM 110	CM	23 LEVEL CM	570,1544 litre	5,555 %	9693,4288 litre	O
270	CM 110	CM	22 LEVEL CM	534,1581 litre	5,204 %	9729,4251 litre	O
270	CM 110	CM	21 LEVEL CM	498,8820 litre	4,861 %	9764,7012 litre	O
270	CM 110	CM	20 LEVEL CM	464,3494 litre	4,524 %	9799,2338 litre	O
270	CM 110	CM	19 LEVEL CM	430,5854 litre	4,195 %	9832,9978 litre	O
270	CM 110	CM	18 LEVEL CM	397,6167 litre	3,874 %	9865,9665 litre	O
270	CM 110	CM	17 LEVEL CM	365,4721 litre	3,561 %	9898,1111 litre	O
270	CM 110	CM	16 LEVEL CM	334,1826 litre	3,256 %	9929,4006 litre	O
270	CM 110	CM	15 LEVEL CM	303,7819 litre	2,960 %	9959,8013 litre	O
270	CM 110	CM	14 LEVEL CM	274,3065 litre	2,673 %	9989,2767 litre	O
270	CM 110	CM	13 LEVEL CM	245,7968 litre	2,395 %	10017,7864 litre	O
270	CM 110	CM	12 LEVEL CM	218,2973 litre	2,127 %	10045,2859 litre	O
270	CM 110	CM	11 LEVEL CM	191,8575 litre	1,869 %	10071,7257 litre	O
270	CM 110	CM	10 LEVEL CM	166,5334 litre	1,623 %	10097,0498 litre	O

270	CM	110	CM	9 LEVEL CM	142,3884 litre	1,387 %	10121,1948 litre	O
270	CM	110	CM	8 LEVEL CM	119,4960 litre	1,164 %	10144,0872 litre	O
270	CM	110	CM	7 LEVEL CM	97,9425 litre	0,954 %	10165,6407 litre	O
270	CM	110	CM	6 LEVEL CM	77,8315 litre	0,758 %	10185,7517 litre	O
270	CM	110	CM	5 LEVEL CM	59,2905 litre	0,578 %	10204,2927 litre	O
270	CM	110	CM	4 LEVEL CM	42,4835 litre	0,414 %	10221,0997 litre	O
270	CM	110	CM	3 LEVEL CM	27,6319 litre	0,269 %	10235,9513 litre	O
270	CM	110	CM	2 LEVEL CM	15,0616 litre	0,147 %	10248,5216 litre	O
270	CM	110	CM	1 LEVEL CM	5,3324 litre	0,052 %	10258,2508 litre	O
270	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	10263,5832 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM 105	CM 210 LEVEL CM	9351,7359 litre	100,000 %	0,0000 litre	O
270	CM 105	CM 209 LEVEL CM	9346,5265 litre	99,944 %	5,2094 litre	O
270	CM 105	CM 208 LEVEL CM	9337,0226 litre	99,843 %	14,7133 litre	O
270	CM 105	CM 207 LEVEL CM	9324,7446 litre	99,711 %	26,9913 litre	O
270	CM 105	CM 206 LEVEL CM	9310,2401 litre	99,556 %	41,4958 litre	O
270	CM 105	CM 205 LEVEL CM	9293,8277 litre	99,381 %	57,9082 litre	O
270	CM 105	CM 204 LEVEL CM	9275,7241 litre	99,187 %	76,0118 litre	O
270	CM 105	CM 203 LEVEL CM	9256,0897 litre	98,977 %	95,6462 litre	O
270	CM 105	CM 202 LEVEL CM	9235,0495 litre	98,752 %	116,6864 litre	O
270	CM 105	CM 201 LEVEL CM	9212,7049 litre	98,513 %	139,0310 litre	O
270	CM 105	CM 200 LEVEL CM	9189,1404 litre	98,261 %	162,5955 litre	O
270	CM 105	CM 199 LEVEL CM	9164,4280 litre	97,997 %	187,3079 litre	O
270	CM 105	CM 198 LEVEL CM	9138,6301 litre	97,721 %	213,1058 litre	O
270	CM 105	CM 197 LEVEL CM	9111,8014 litre	97,434 %	239,9345 litre	O
270	CM 105	CM 196 LEVEL CM	9083,9906 litre	97,137 %	267,7453 litre	O
270	CM 105	CM 195 LEVEL CM	9055,2414 litre	96,830 %	296,4945 litre	O
270	CM 105	CM 194 LEVEL CM	9025,5932 litre	96,512 %	326,1427 litre	O
270	CM 105	CM 193 LEVEL CM	8995,0822 litre	96,186 %	356,6537 litre	O
270	CM 105	CM 192 LEVEL CM	8963,7414 litre	95,851 %	387,9945 litre	O
270	CM 105	CM 191 LEVEL CM	8931,6012 litre	95,507 %	420,1347 litre	O
270	CM 105	CM 190 LEVEL CM	8898,6900 litre	95,155 %	453,0459 litre	O
270	CM 105	CM 189 LEVEL CM	8865,0340 litre	94,796 %	486,7019 litre	O
270	CM 105	CM 188 LEVEL CM	8830,6579 litre	94,428 %	521,0780 litre	O
270	CM 105	CM 187 LEVEL CM	8795,5848 litre	94,053 %	556,1511 litre	O
270	CM 105	CM 186 LEVEL CM	8759,8364 litre	93,671 %	591,8995 litre	O
270	CM 105	CM 185 LEVEL CM	8723,4332 litre	93,281 %	628,3027 litre	O
270	CM 105	CM 184 LEVEL CM	8686,3948 litre	92,885 %	665,3411 litre	O
270	CM 105	CM 183 LEVEL CM	8648,7394 litre	92,483 %	702,9965 litre	O
270	CM 105	CM 182 LEVEL CM	8610,4848 litre	92,074 %	741,2511 litre	O
270	CM 105	CM 181 LEVEL CM	8571,6477 litre	91,658 %	780,0882 litre	O
270	CM 105	CM 180 LEVEL CM	8532,2441 litre	91,237 %	819,4918 litre	O
270	CM 105	CM 179 LEVEL CM	8492,2892 litre	90,810 %	859,4467 litre	O
270	CM 105	CM 178 LEVEL CM	8451,7979 litre	90,377 %	899,9380 litre	O
270	CM 105	CM 177 LEVEL CM	8410,7843 litre	89,938 %	940,9516 litre	O
270	CM 105	CM 176 LEVEL CM	8369,2618 litre	89,494 %	982,4741 litre	O
270	CM 105	CM 175 LEVEL CM	8327,2437 litre	89,045 %	1024,4922 litre	O
270	CM 105	CM 174 LEVEL CM	8284,7426 litre	88,590 %	1066,9933 litre	O
270	CM 105	CM 173 LEVEL CM	8241,7707 litre	88,131 %	1109,9652 litre	O
270	CM 105	CM 172 LEVEL CM	8198,3397 litre	87,667 %	1153,3962 litre	O
270	CM 105	CM 171 LEVEL CM	8154,4612 litre	87,197 %	1197,2747 litre	O
270	CM 105	CM 170 LEVEL CM	8110,1463 litre	86,723 %	1241,5896 litre	O
270	CM 105	CM 169 LEVEL CM	8065,4057 litre	86,245 %	1286,3302 litre	O
270	CM 105	CM 168 LEVEL CM	8020,2499 litre	85,762 %	1331,4860 litre	O
270	CM 105	CM 167 LEVEL CM	7974,6891 litre	85,275 %	1377,0468 litre	O
270	CM 105	CM 166 LEVEL CM	7928,7331 litre	84,784 %	1423,0028 litre	O
270	CM 105	CM 165 LEVEL CM	7882,3917 litre	84,288 %	1469,3442 litre	O
270	CM 105	CM 164 LEVEL CM	7835,6743 litre	83,788 %	1516,0616 litre	O
270	CM 105	CM 163 LEVEL CM	7788,5900 litre	83,285 %	1563,1459 litre	O
270	CM 105	CM 162 LEVEL CM	7741,1479 litre	82,778 %	1610,5880 litre	O
270	CM 105	CM 161 LEVEL CM	7693,3568 litre	82,267 %	1658,3791 litre	O
270	CM 105	CM 160 LEVEL CM	7645,2251 litre	81,752 %	1706,5108 litre	O
270	CM 105	CM 159 LEVEL CM	7596,7614 litre	81,234 %	1754,9745 litre	O

270	CM	105	CM	158 LEVEL CM	7547,9739 litre	80,712 %	1803,7620 litre	O
270	CM	105	CM	157 LEVEL CM	7498,8706 litre	80,187 %	1852,8653 litre	O
270	CM	105	CM	156 LEVEL CM	7449,4594 litre	79,659 %	1902,2765 litre	O
270	CM	105	CM	155 LEVEL CM	7399,7482 litre	79,127 %	1951,9877 litre	O
270	CM	105	CM	154 LEVEL CM	7349,7445 litre	78,592 %	2001,9914 litre	O
270	CM	105	CM	153 LEVEL CM	7299,4559 litre	78,055 %	2052,2800 litre	O
270	CM	105	CM	152 LEVEL CM	7248,8898 litre	77,514 %	2102,8461 litre	O
270	CM	105	CM	151 LEVEL CM	7198,0533 litre	76,970 %	2153,6826 litre	O
270	CM	105	CM	150 LEVEL CM	7146,9536 litre	76,424 %	2204,7823 litre	O
270	CM	105	CM	149 LEVEL CM	7095,5978 litre	75,875 %	2256,1381 litre	O
270	CM	105	CM	148 LEVEL CM	7043,9928 litre	75,323 %	2307,7431 litre	O
270	CM	105	CM	147 LEVEL CM	6992,1453 litre	74,768 %	2359,5906 litre	O
270	CM	105	CM	146 LEVEL CM	6940,0622 litre	74,211 %	2411,6737 litre	O
270	CM	105	CM	145 LEVEL CM	6887,7500 litre	73,652 %	2463,9859 litre	O
270	CM	105	CM	144 LEVEL CM	6835,2153 litre	73,090 %	2516,5206 litre	O
270	CM	105	CM	143 LEVEL CM	6782,4646 litre	72,526 %	2569,2713 litre	O
270	CM	105	CM	142 LEVEL CM	6729,5042 litre	71,960 %	2622,2317 litre	O
270	CM	105	CM	141 LEVEL CM	6676,3405 litre	71,391 %	2675,3954 litre	O
270	CM	105	CM	140 LEVEL CM	6622,9798 litre	70,821 %	2728,7561 litre	O
270	CM	105	CM	139 LEVEL CM	6569,4280 litre	70,248 %	2782,3079 litre	O
270	CM	105	CM	138 LEVEL CM	6515,6915 litre	69,674 %	2836,0444 litre	O
270	CM	105	CM	137 LEVEL CM	6461,7762 litre	69,097 %	2889,9597 litre	O
270	CM	105	CM	136 LEVEL CM	6407,6881 litre	68,519 %	2944,0478 litre	O
270	CM	105	CM	135 LEVEL CM	6353,4331 litre	67,939 %	2998,3028 litre	O
270	CM	105	CM	134 LEVEL CM	6299,0171 litre	67,357 %	3052,7188 litre	O
270	CM	105	CM	133 LEVEL CM	6244,4460 litre	66,773 %	3107,2899 litre	O
270	CM	105	CM	132 LEVEL CM	6189,7254 litre	66,188 %	3162,0105 litre	O
270	CM	105	CM	131 LEVEL CM	6134,8611 litre	65,601 %	3216,8748 litre	O
270	CM	105	CM	130 LEVEL CM	6079,8589 litre	65,013 %	3271,8770 litre	O
270	CM	105	CM	129 LEVEL CM	6024,7242 litre	64,424 %	3327,0117 litre	O
270	CM	105	CM	128 LEVEL CM	5969,4627 litre	63,833 %	3382,2732 litre	O
270	CM	105	CM	127 LEVEL CM	5914,0800 litre	63,240 %	3437,6559 litre	O
270	CM	105	CM	126 LEVEL CM	5858,5816 litre	62,647 %	3493,1543 litre	O
270	CM	105	CM	125 LEVEL CM	5802,9730 litre	62,052 %	3548,7629 litre	O
270	CM	105	CM	124 LEVEL CM	5747,2596 litre	61,457 %	3604,4763 litre	O
270	CM	105	CM	123 LEVEL CM	5691,4468 litre	60,860 %	3660,2891 litre	O
270	CM	105	CM	122 LEVEL CM	5635,5401 litre	60,262 %	3716,1958 litre	O
270	CM	105	CM	121 LEVEL CM	5579,5448 litre	59,663 %	3772,1911 litre	O
270	CM	105	CM	120 LEVEL CM	5523,4662 litre	59,064 %	3828,2697 litre	O
270	CM	105	CM	119 LEVEL CM	5467,3097 litre	58,463 %	3884,4262 litre	O
270	CM	105	CM	118 LEVEL CM	5411,0805 litre	57,862 %	3940,6554 litre	O
270	CM	105	CM	117 LEVEL CM	5354,7839 litre	57,260 %	3996,9520 litre	O
270	CM	105	CM	116 LEVEL CM	5298,4252 litre	56,657 %	4053,3107 litre	O
270	CM	105	CM	115 LEVEL CM	5242,0097 litre	56,054 %	4109,7262 litre	O
270	CM	105	CM	114 LEVEL CM	5185,5424 litre	55,450 %	4166,1935 litre	O
270	CM	105	CM	113 LEVEL CM	5129,0287 litre	54,846 %	4222,7072 litre	O
270	CM	105	CM	112 LEVEL CM	5072,4738 litre	54,241 %	4279,2621 litre	O
270	CM	105	CM	111 LEVEL CM	5015,8827 litre	53,636 %	4335,8532 litre	O
270	CM	105	CM	110 LEVEL CM	4959,2608 litre	53,030 %	4392,4751 litre	O
270	CM	105	CM	109 LEVEL CM	4902,6131 litre	52,425 %	4449,1228 litre	O
270	CM	105	CM	108 LEVEL CM	4845,9448 litre	51,819 %	4505,7911 litre	O
270	CM	105	CM	107 LEVEL CM	4789,2611 litre	51,213 %	4562,4748 litre	O
270	CM	105	CM	106 LEVEL CM	4732,5671 litre	50,606 %	4619,1688 litre	O

270	CM	105	CM	105 LEVEL CM	4675,8680 litre	50,000 %	4675,8679 litre	O
270	CM	105	CM	104 LEVEL CM	4619,1688 litre	49,394 %	4732,5671 litre	O
270	CM	105	CM	103 LEVEL CM	4562,4748 litre	48,787 %	4789,2611 litre	O
270	CM	105	CM	102 LEVEL CM	4505,7911 litre	48,181 %	4845,9448 litre	O
270	CM	105	CM	101 LEVEL CM	4449,1228 litre	47,575 %	4902,6131 litre	O
270	CM	105	CM	100 LEVEL CM	4392,4751 litre	46,970 %	4959,2608 litre	O
270	CM	105	CM	99 LEVEL CM	4335,8532 litre	46,364 %	5015,8827 litre	O
270	CM	105	CM	98 LEVEL CM	4279,2622 litre	45,759 %	5072,4737 litre	O
270	CM	105	CM	97 LEVEL CM	4222,7072 litre	45,154 %	5129,0287 litre	O
270	CM	105	CM	96 LEVEL CM	4166,1935 litre	44,550 %	5185,5424 litre	O
270	CM	105	CM	95 LEVEL CM	4109,7263 litre	43,946 %	5242,0096 litre	O
270	CM	105	CM	94 LEVEL CM	4053,3107 litre	43,343 %	5298,4252 litre	O
270	CM	105	CM	93 LEVEL CM	3996,9520 litre	42,740 %	5354,7839 litre	O
270	CM	105	CM	92 LEVEL CM	3940,6555 litre	42,138 %	5411,0804 litre	O
270	CM	105	CM	91 LEVEL CM	3884,4263 litre	41,537 %	5467,3096 litre	O
270	CM	105	CM	90 LEVEL CM	3828,2697 litre	40,936 %	5523,4662 litre	O
270	CM	105	CM	89 LEVEL CM	3772,1912 litre	40,337 %	5579,5447 litre	O
270	CM	105	CM	88 LEVEL CM	3716,1958 litre	39,738 %	5635,5401 litre	O
270	CM	105	CM	87 LEVEL CM	3660,2891 litre	39,140 %	5691,4468 litre	O
270	CM	105	CM	86 LEVEL CM	3604,4763 litre	38,543 %	5747,2596 litre	O
270	CM	105	CM	85 LEVEL CM	3548,7629 litre	37,948 %	5802,9730 litre	O
270	CM	105	CM	84 LEVEL CM	3493,1543 litre	37,353 %	5858,5816 litre	O
270	CM	105	CM	83 LEVEL CM	3437,6559 litre	36,760 %	5914,0800 litre	O
270	CM	105	CM	82 LEVEL CM	3382,2732 litre	36,167 %	5969,4627 litre	O
270	CM	105	CM	81 LEVEL CM	3327,0117 litre	35,576 %	6024,7242 litre	O
270	CM	105	CM	80 LEVEL CM	3271,8771 litre	34,987 %	6079,8588 litre	O
270	CM	105	CM	79 LEVEL CM	3216,8748 litre	34,399 %	6134,8611 litre	O
270	CM	105	CM	78 LEVEL CM	3162,0105 litre	33,812 %	6189,7254 litre	O
270	CM	105	CM	77 LEVEL CM	3107,2900 litre	33,227 %	6244,4459 litre	O
270	CM	105	CM	76 LEVEL CM	3052,7188 litre	32,643 %	6299,0171 litre	O
270	CM	105	CM	75 LEVEL CM	2998,3028 litre	32,061 %	6353,4331 litre	O
270	CM	105	CM	74 LEVEL CM	2944,0478 litre	31,481 %	6407,6881 litre	O
270	CM	105	CM	73 LEVEL CM	2889,9597 litre	30,903 %	6461,7762 litre	O
270	CM	105	CM	72 LEVEL CM	2836,0444 litre	30,326 %	6515,6915 litre	O
270	CM	105	CM	71 LEVEL CM	2782,3079 litre	29,752 %	6569,4280 litre	O
270	CM	105	CM	70 LEVEL CM	2728,7562 litre	29,179 %	6622,9797 litre	O
270	CM	105	CM	69 LEVEL CM	2675,3954 litre	28,609 %	6676,3405 litre	O
270	CM	105	CM	68 LEVEL CM	2622,2317 litre	28,040 %	6729,5042 litre	O
270	CM	105	CM	67 LEVEL CM	2569,2713 litre	27,474 %	6782,4646 litre	O
270	CM	105	CM	66 LEVEL CM	2516,5206 litre	26,910 %	6835,2153 litre	O
270	CM	105	CM	65 LEVEL CM	2463,9859 litre	26,348 %	6887,7500 litre	O
270	CM	105	CM	64 LEVEL CM	2411,6738 litre	25,789 %	6940,0621 litre	O
270	CM	105	CM	63 LEVEL CM	2359,5906 litre	25,232 %	6992,1453 litre	O
270	CM	105	CM	62 LEVEL CM	2307,7432 litre	24,677 %	7043,9927 litre	O
270	CM	105	CM	61 LEVEL CM	2256,1381 litre	24,125 %	7095,5978 litre	O
270	CM	105	CM	60 LEVEL CM	2204,7823 litre	23,576 %	7146,9536 litre	O
270	CM	105	CM	59 LEVEL CM	2153,6826 litre	23,030 %	7198,0533 litre	O
270	CM	105	CM	58 LEVEL CM	2102,8462 litre	22,486 %	7248,8897 litre	O
270	CM	105	CM	57 LEVEL CM	2052,2800 litre	21,945 %	7299,4559 litre	O
270	CM	105	CM	56 LEVEL CM	2001,9914 litre	21,408 %	7349,7445 litre	O
270	CM	105	CM	55 LEVEL CM	1951,9877 litre	20,873 %	7399,7482 litre	O
270	CM	105	CM	54 LEVEL CM	1902,2765 litre	20,341 %	7449,4594 litre	O
270	CM	105	CM	53 LEVEL CM	1852,8654 litre	19,813 %	7498,8705 litre	O

270	CM	105	CM	52 LEVEL CM	1803,7621 litre	19,288 %	7547,9738 litre	O
270	CM	105	CM	51 LEVEL CM	1754,9745 litre	18,766 %	7596,7614 litre	O
270	CM	105	CM	50 LEVEL CM	1706,5108 litre	18,248 %	7645,2251 litre	O
270	CM	105	CM	49 LEVEL CM	1658,3792 litre	17,733 %	7693,3567 litre	O
270	CM	105	CM	48 LEVEL CM	1610,5880 litre	17,222 %	7741,1479 litre	O
270	CM	105	CM	47 LEVEL CM	1563,1459 litre	16,715 %	7788,5900 litre	O
270	CM	105	CM	46 LEVEL CM	1516,0616 litre	16,212 %	7835,6743 litre	O
270	CM	105	CM	45 LEVEL CM	1469,3442 litre	15,712 %	7882,3917 litre	O
270	CM	105	CM	44 LEVEL CM	1423,0028 litre	15,216 %	7928,7331 litre	O
270	CM	105	CM	43 LEVEL CM	1377,0469 litre	14,725 %	7974,6890 litre	O
270	CM	105	CM	42 LEVEL CM	1331,4860 litre	14,238 %	8020,2499 litre	O
270	CM	105	CM	41 LEVEL CM	1286,3302 litre	13,755 %	8065,4057 litre	O
270	CM	105	CM	40 LEVEL CM	1241,5896 litre	13,277 %	8110,1463 litre	O
270	CM	105	CM	39 LEVEL CM	1197,2747 litre	12,803 %	8154,4612 litre	O
270	CM	105	CM	38 LEVEL CM	1153,3962 litre	12,333 %	8198,3397 litre	O
270	CM	105	CM	37 LEVEL CM	1109,9653 litre	11,869 %	8241,7706 litre	O
270	CM	105	CM	36 LEVEL CM	1066,9933 litre	11,410 %	8284,7426 litre	O
270	CM	105	CM	35 LEVEL CM	1024,4922 litre	10,955 %	8327,2437 litre	O
270	CM	105	CM	34 LEVEL CM	982,4741 litre	10,506 %	8369,2618 litre	O
270	CM	105	CM	33 LEVEL CM	940,9517 litre	10,062 %	8410,7842 litre	O
270	CM	105	CM	32 LEVEL CM	899,9380 litre	9,623 %	8451,7979 litre	O
270	CM	105	CM	31 LEVEL CM	859,4467 litre	9,190 %	8492,2892 litre	O
270	CM	105	CM	30 LEVEL CM	819,4919 litre	8,763 %	8532,2440 litre	O
270	CM	105	CM	29 LEVEL CM	780,0882 litre	8,342 %	8571,6477 litre	O
270	CM	105	CM	28 LEVEL CM	741,2511 litre	7,926 %	8610,4848 litre	O
270	CM	105	CM	27 LEVEL CM	702,9965 litre	7,517 %	8648,7394 litre	O
270	CM	105	CM	26 LEVEL CM	665,3412 litre	7,115 %	8686,3947 litre	O
270	CM	105	CM	25 LEVEL CM	628,3027 litre	6,719 %	8723,4332 litre	O
270	CM	105	CM	24 LEVEL CM	591,8996 litre	6,329 %	8759,8363 litre	O
270	CM	105	CM	23 LEVEL CM	556,1511 litre	5,947 %	8795,5848 litre	O
270	CM	105	CM	22 LEVEL CM	521,0780 litre	5,572 %	8830,6579 litre	O
270	CM	105	CM	21 LEVEL CM	486,7019 litre	5,204 %	8865,0340 litre	O
270	CM	105	CM	20 LEVEL CM	453,0460 litre	4,845 %	8898,6899 litre	O
270	CM	105	CM	19 LEVEL CM	420,1347 litre	4,493 %	8931,6012 litre	O
270	CM	105	CM	18 LEVEL CM	387,9946 litre	4,149 %	8963,7413 litre	O
270	CM	105	CM	17 LEVEL CM	356,6537 litre	3,814 %	8995,0822 litre	O
270	CM	105	CM	16 LEVEL CM	326,1427 litre	3,488 %	9025,5932 litre	O
270	CM	105	CM	15 LEVEL CM	296,4946 litre	3,170 %	9055,2413 litre	O
270	CM	105	CM	14 LEVEL CM	267,7453 litre	2,863 %	9083,9906 litre	O
270	CM	105	CM	13 LEVEL CM	239,9345 litre	2,566 %	9111,8014 litre	O
270	CM	105	CM	12 LEVEL CM	213,1058 litre	2,279 %	9138,6301 litre	O
270	CM	105	CM	11 LEVEL CM	187,3079 litre	2,003 %	9164,4280 litre	O
270	CM	105	CM	10 LEVEL CM	162,5956 litre	1,739 %	9189,1403 litre	O
270	CM	105	CM	9 LEVEL CM	139,0311 litre	1,487 %	9212,7048 litre	O
270	CM	105	CM	8 LEVEL CM	116,6865 litre	1,248 %	9235,0494 litre	O
270	CM	105	CM	7 LEVEL CM	95,6462 litre	1,023 %	9256,0897 litre	O
270	CM	105	CM	6 LEVEL CM	76,0118 litre	0,813 %	9275,7241 litre	O
270	CM	105	CM	5 LEVEL CM	57,9083 litre	0,619 %	9293,8276 litre	O
270	CM	105	CM	4 LEVEL CM	41,4959 litre	0,444 %	9310,2400 litre	O
270	CM	105	CM	3 LEVEL CM	26,9913 litre	0,289 %	9324,7446 litre	O
270	CM	105	CM	2 LEVEL CM	14,7134 litre	0,157 %	9337,0225 litre	O
270	CM	105	CM	1 LEVEL CM	5,2094 litre	0,056 %	9346,5265 litre	O
270	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	9351,7359 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM 100	CM 200 LEVEL CM	8482,3002 litre	100,000 %	0,0000 litre	O
270	CM 100	CM 199 LEVEL CM	8477,2166 litre	99,940 %	5,0836 litre	O
270	CM 100	CM 198 LEVEL CM	8467,9434 litre	99,831 %	14,3568 litre	O
270	CM 100	CM 197 LEVEL CM	8455,9650 litre	99,690 %	26,3352 litre	O
270	CM 100	CM 196 LEVEL CM	8441,8161 litre	99,523 %	40,4841 litre	O
270	CM 100	CM 195 LEVEL CM	8425,8080 litre	99,334 %	56,4922 litre	O
270	CM 100	CM 194 LEVEL CM	8408,1526 litre	99,126 %	74,1476 litre	O
270	CM 100	CM 193 LEVEL CM	8389,0067 litre	98,900 %	93,2935 litre	O
270	CM 100	CM 192 LEVEL CM	8368,4926 litre	98,658 %	113,8076 litre	O
270	CM 100	CM 191 LEVEL CM	8346,7095 litre	98,401 %	135,5907 litre	O
270	CM 100	CM 190 LEVEL CM	8323,7402 litre	98,131 %	158,5600 litre	O
270	CM 100	CM 189 LEVEL CM	8299,6552 litre	97,847 %	182,6450 litre	O
270	CM 100	CM 188 LEVEL CM	8274,5155 litre	97,550 %	207,7847 litre	O
270	CM 100	CM 187 LEVEL CM	8248,3748 litre	97,242 %	233,9254 litre	O
270	CM 100	CM 186 LEVEL CM	8221,2809 litre	96,923 %	261,0193 litre	O
270	CM 100	CM 185 LEVEL CM	8193,2766 litre	96,593 %	289,0236 litre	O
270	CM 100	CM 184 LEVEL CM	8164,4007 litre	96,252 %	317,8995 litre	O
270	CM 100	CM 183 LEVEL CM	8134,6886 litre	95,902 %	347,6116 litre	O
270	CM 100	CM 182 LEVEL CM	8104,1727 litre	95,542 %	378,1275 litre	O
270	CM 100	CM 181 LEVEL CM	8072,8829 litre	95,173 %	409,4173 litre	O
270	CM 100	CM 180 LEVEL CM	8040,8472 litre	94,796 %	441,4530 litre	O
270	CM 100	CM 179 LEVEL CM	8008,0913 litre	94,409 %	474,2089 litre	O
270	CM 100	CM 178 LEVEL CM	7974,6394 litre	94,015 %	507,6608 litre	O
270	CM 100	CM 177 LEVEL CM	7940,5144 litre	93,613 %	541,7858 litre	O
270	CM 100	CM 176 LEVEL CM	7905,7376 litre	93,203 %	576,5626 litre	O
270	CM 100	CM 175 LEVEL CM	7870,3293 litre	92,785 %	611,9709 litre	O
270	CM 100	CM 174 LEVEL CM	7834,3086 litre	92,361 %	647,9916 litre	O
270	CM 100	CM 173 LEVEL CM	7797,6937 litre	91,929 %	684,6065 litre	O
270	CM 100	CM 172 LEVEL CM	7760,5019 litre	91,491 %	721,7983 litre	O
270	CM 100	CM 171 LEVEL CM	7722,7499 litre	91,045 %	759,5503 litre	O
270	CM 100	CM 170 LEVEL CM	7684,4533 litre	90,594 %	797,8469 litre	O
270	CM 100	CM 169 LEVEL CM	7645,6274 litre	90,136 %	836,6728 litre	O
270	CM 100	CM 168 LEVEL CM	7606,2866 litre	89,672 %	876,0136 litre	O
270	CM 100	CM 167 LEVEL CM	7566,4450 litre	89,203 %	915,8552 litre	O
270	CM 100	CM 166 LEVEL CM	7526,1160 litre	88,727 %	956,1842 litre	O
270	CM 100	CM 165 LEVEL CM	7485,3126 litre	88,246 %	996,9876 litre	O
270	CM 100	CM 164 LEVEL CM	7444,0472 litre	87,760 %	1038,2530 litre	O
270	CM 100	CM 163 LEVEL CM	7402,3321 litre	87,268 %	1079,9681 litre	O
270	CM 100	CM 162 LEVEL CM	7360,1788 litre	86,771 %	1122,1214 litre	O
270	CM 100	CM 161 LEVEL CM	7317,5988 litre	86,269 %	1164,7014 litre	O
270	CM 100	CM 160 LEVEL CM	7274,6031 litre	85,762 %	1207,6971 litre	O
270	CM 100	CM 159 LEVEL CM	7231,2023 litre	85,250 %	1251,0979 litre	O
270	CM 100	CM 158 LEVEL CM	7187,4069 litre	84,734 %	1294,8933 litre	O
270	CM 100	CM 157 LEVEL CM	7143,2271 litre	84,213 %	1339,0731 litre	O
270	CM 100	CM 156 LEVEL CM	7098,6726 litre	83,688 %	1383,6276 litre	O
270	CM 100	CM 155 LEVEL CM	7053,7530 litre	83,158 %	1428,5472 litre	O
270	CM 100	CM 154 LEVEL CM	7008,4779 litre	82,625 %	1473,8223 litre	O
270	CM 100	CM 153 LEVEL CM	6962,8562 litre	82,087 %	1519,4440 litre	O
270	CM 100	CM 152 LEVEL CM	6916,8971 litre	81,545 %	1565,4031 litre	O
270	CM 100	CM 151 LEVEL CM	6870,6092 litre	80,999 %	1611,6910 litre	O
270	CM 100	CM 150 LEVEL CM	6824,0011 litre	80,450 %	1658,2991 litre	O
270	CM 100	CM 149 LEVEL CM	6777,0812 litre	79,897 %	1705,2190 litre	O

270	CM	100	CM	148 LEVEL CM	6729,8578 litre	79,340 %	1752,4424 litre	O
270	CM	100	CM	147 LEVEL CM	6682,3389 litre	78,780 %	1799,9613 litre	O
270	CM	100	CM	146 LEVEL CM	6634,5324 litre	78,216 %	1847,7678 litre	O
270	CM	100	CM	145 LEVEL CM	6586,4462 litre	77,649 %	1895,8540 litre	O
270	CM	100	CM	144 LEVEL CM	6538,0879 litre	77,079 %	1944,2123 litre	O
270	CM	100	CM	143 LEVEL CM	6489,4649 litre	76,506 %	1992,8353 litre	O
270	CM	100	CM	142 LEVEL CM	6440,5848 litre	75,930 %	2041,7154 litre	O
270	CM	100	CM	141 LEVEL CM	6391,4547 litre	75,350 %	2090,8455 litre	O
270	CM	100	CM	140 LEVEL CM	6342,0819 litre	74,768 %	2140,2183 litre	O
270	CM	100	CM	139 LEVEL CM	6292,4734 litre	74,184 %	2189,8268 litre	O
270	CM	100	CM	138 LEVEL CM	6242,6362 litre	73,596 %	2239,6640 litre	O
270	CM	100	CM	137 LEVEL CM	6192,5772 litre	73,006 %	2289,7230 litre	O
270	CM	100	CM	136 LEVEL CM	6142,3030 litre	72,413 %	2339,9972 litre	O
270	CM	100	CM	135 LEVEL CM	6091,8205 litre	71,818 %	2390,4797 litre	O
270	CM	100	CM	134 LEVEL CM	6041,1363 litre	71,220 %	2441,1639 litre	O
270	CM	100	CM	133 LEVEL CM	5990,2567 litre	70,621 %	2492,0435 litre	O
270	CM	100	CM	132 LEVEL CM	5939,1885 litre	70,019 %	2543,1117 litre	O
270	CM	100	CM	131 LEVEL CM	5887,9378 litre	69,414 %	2594,3624 litre	O
270	CM	100	CM	130 LEVEL CM	5836,5110 litre	68,808 %	2645,7892 litre	O
270	CM	100	CM	129 LEVEL CM	5784,9144 litre	68,200 %	2697,3858 litre	O
270	CM	100	CM	128 LEVEL CM	5733,1542 litre	67,590 %	2749,1460 litre	O
270	CM	100	CM	127 LEVEL CM	5681,2364 litre	66,978 %	2801,0638 litre	O
270	CM	100	CM	126 LEVEL CM	5629,1673 litre	66,364 %	2853,1329 litre	O
270	CM	100	CM	125 LEVEL CM	5576,9527 litre	65,748 %	2905,3475 litre	O
270	CM	100	CM	124 LEVEL CM	5524,5987 litre	65,131 %	2957,7015 litre	O
270	CM	100	CM	123 LEVEL CM	5472,1112 litre	64,512 %	3010,1890 litre	O
270	CM	100	CM	122 LEVEL CM	5419,4961 litre	63,892 %	3062,8041 litre	O
270	CM	100	CM	121 LEVEL CM	5366,7592 litre	63,270 %	3115,5410 litre	O
270	CM	100	CM	120 LEVEL CM	5313,9063 litre	62,647 %	3168,3939 litre	O
270	CM	100	CM	119 LEVEL CM	5260,9431 litre	62,023 %	3221,3571 litre	O
270	CM	100	CM	118 LEVEL CM	5207,8755 litre	61,397 %	3274,4247 litre	O
270	CM	100	CM	117 LEVEL CM	5154,7090 litre	60,770 %	3327,5912 litre	O
270	CM	100	CM	116 LEVEL CM	5101,4494 litre	60,142 %	3380,8508 litre	O
270	CM	100	CM	115 LEVEL CM	5048,1022 litre	59,513 %	3434,1980 litre	O
270	CM	100	CM	114 LEVEL CM	4994,6732 litre	58,883 %	3487,6270 litre	O
270	CM	100	CM	113 LEVEL CM	4941,1677 litre	58,253 %	3541,1325 litre	O
270	CM	100	CM	112 LEVEL CM	4887,5915 litre	57,621 %	3594,7087 litre	O
270	CM	100	CM	111 LEVEL CM	4833,9500 litre	56,989 %	3648,3502 litre	O
270	CM	100	CM	110 LEVEL CM	4780,2487 litre	56,356 %	3702,0515 litre	O
270	CM	100	CM	109 LEVEL CM	4726,4932 litre	55,722 %	3755,8070 litre	O
270	CM	100	CM	108 LEVEL CM	4672,6888 litre	55,088 %	3809,6114 litre	O
270	CM	100	CM	107 LEVEL CM	4618,8412 litre	54,453 %	3863,4590 litre	O
270	CM	100	CM	106 LEVEL CM	4564,9556 litre	53,817 %	3917,3446 litre	O
270	CM	100	CM	105 LEVEL CM	4511,0375 litre	53,182 %	3971,2627 litre	O
270	CM	100	CM	104 LEVEL CM	4457,0925 litre	52,546 %	4025,2077 litre	O
270	CM	100	CM	103 LEVEL CM	4403,1258 litre	51,910 %	4079,1744 litre	O
270	CM	100	CM	102 LEVEL CM	4349,1429 litre	51,273 %	4133,1573 litre	O
270	CM	100	CM	101 LEVEL CM	4295,1492 litre	50,637 %	4187,1510 litre	O
270	CM	100	CM	100 LEVEL CM	4241,1501 litre	50,000 %	4241,1501 litre	O
270	CM	100	CM	99 LEVEL CM	4187,1510 litre	49,363 %	4295,1492 litre	O
270	CM	100	CM	98 LEVEL CM	4133,1573 litre	48,727 %	4349,1429 litre	O
270	CM	100	CM	97 LEVEL CM	4079,1744 litre	48,090 %	4403,1258 litre	O
270	CM	100	CM	96 LEVEL CM	4025,2077 litre	47,454 %	4457,0925 litre	O

270	CM	100	CM	95 LEVEL CM	3971,2626 litre	46,818 %	4511,0376 litre	O
270	CM	100	CM	94 LEVEL CM	3917,3446 litre	46,183 %	4564,9556 litre	O
270	CM	100	CM	93 LEVEL CM	3863,4590 litre	45,547 %	4618,8412 litre	O
270	CM	100	CM	92 LEVEL CM	3809,6113 litre	44,912 %	4672,6889 litre	O
270	CM	100	CM	91 LEVEL CM	3755,8070 litre	44,278 %	4726,4932 litre	O
270	CM	100	CM	90 LEVEL CM	3702,0514 litre	43,644 %	4780,2488 litre	O
270	CM	100	CM	89 LEVEL CM	3648,3502 litre	43,011 %	4833,9500 litre	O
270	CM	100	CM	88 LEVEL CM	3594,7087 litre	42,379 %	4887,5915 litre	O
270	CM	100	CM	87 LEVEL CM	3541,1324 litre	41,747 %	4941,1678 litre	O
270	CM	100	CM	86 LEVEL CM	3487,6270 litre	41,117 %	4994,6732 litre	O
270	CM	100	CM	85 LEVEL CM	3434,1979 litre	40,487 %	5048,1023 litre	O
270	CM	100	CM	84 LEVEL CM	3380,8508 litre	39,858 %	5101,4494 litre	O
270	CM	100	CM	83 LEVEL CM	3327,5912 litre	39,230 %	5154,7090 litre	O
270	CM	100	CM	82 LEVEL CM	3274,4247 litre	38,603 %	5207,8755 litre	O
270	CM	100	CM	81 LEVEL CM	3221,3570 litre	37,977 %	5260,9432 litre	O
270	CM	100	CM	80 LEVEL CM	3168,3939 litre	37,353 %	5313,9063 litre	O
270	CM	100	CM	79 LEVEL CM	3115,5410 litre	36,730 %	5366,7592 litre	O
270	CM	100	CM	78 LEVEL CM	3062,8041 litre	36,108 %	5419,4961 litre	O
270	CM	100	CM	77 LEVEL CM	3010,1890 litre	35,488 %	5472,1112 litre	O
270	CM	100	CM	76 LEVEL CM	2957,7015 litre	34,869 %	5524,5987 litre	O
270	CM	100	CM	75 LEVEL CM	2905,3475 litre	34,252 %	5576,9527 litre	O
270	CM	100	CM	74 LEVEL CM	2853,1329 litre	33,636 %	5629,1673 litre	O
270	CM	100	CM	73 LEVEL CM	2801,0637 litre	33,022 %	5681,2365 litre	O
270	CM	100	CM	72 LEVEL CM	2749,1460 litre	32,410 %	5733,1542 litre	O
270	CM	100	CM	71 LEVEL CM	2697,3858 litre	31,800 %	5784,9144 litre	O
270	CM	100	CM	70 LEVEL CM	2645,7892 litre	31,192 %	5836,5110 litre	O
270	CM	100	CM	69 LEVEL CM	2594,3624 litre	30,586 %	5887,9378 litre	O
270	CM	100	CM	68 LEVEL CM	2543,1117 litre	29,981 %	5939,1885 litre	O
270	CM	100	CM	67 LEVEL CM	2492,0434 litre	29,379 %	5990,2568 litre	O
270	CM	100	CM	66 LEVEL CM	2441,1639 litre	28,780 %	6041,1363 litre	O
270	CM	100	CM	65 LEVEL CM	2390,4796 litre	28,182 %	6091,8206 litre	O
270	CM	100	CM	64 LEVEL CM	2339,9971 litre	27,587 %	6142,3031 litre	O
270	CM	100	CM	63 LEVEL CM	2289,7230 litre	26,994 %	6192,5772 litre	O
270	CM	100	CM	62 LEVEL CM	2239,6639 litre	26,404 %	6242,6363 litre	O
270	CM	100	CM	61 LEVEL CM	2189,8267 litre	25,816 %	6292,4735 litre	O
270	CM	100	CM	60 LEVEL CM	2140,2182 litre	25,232 %	6342,0820 litre	O
270	CM	100	CM	59 LEVEL CM	2090,8454 litre	24,650 %	6391,4548 litre	O
270	CM	100	CM	58 LEVEL CM	2041,7154 litre	24,070 %	6440,5848 litre	O
270	CM	100	CM	57 LEVEL CM	1992,8352 litre	23,494 %	6489,4650 litre	O
270	CM	100	CM	56 LEVEL CM	1944,2123 litre	22,921 %	6538,0879 litre	O
270	CM	100	CM	55 LEVEL CM	1895,8540 litre	22,351 %	6586,4462 litre	O
270	CM	100	CM	54 LEVEL CM	1847,7678 litre	21,784 %	6634,5324 litre	O
270	CM	100	CM	53 LEVEL CM	1799,9613 litre	21,220 %	6682,3389 litre	O
270	CM	100	CM	52 LEVEL CM	1752,4424 litre	20,660 %	6729,8578 litre	O
270	CM	100	CM	51 LEVEL CM	1705,2190 litre	20,103 %	6777,0812 litre	O
270	CM	100	CM	50 LEVEL CM	1658,2991 litre	19,550 %	6824,0011 litre	O
270	CM	100	CM	49 LEVEL CM	1611,6910 litre	19,001 %	6870,6092 litre	O
270	CM	100	CM	48 LEVEL CM	1565,4031 litre	18,455 %	6916,8971 litre	O
270	CM	100	CM	47 LEVEL CM	1519,4439 litre	17,913 %	6962,8563 litre	O
270	CM	100	CM	46 LEVEL CM	1473,8223 litre	17,375 %	7008,4779 litre	O
270	CM	100	CM	45 LEVEL CM	1428,5471 litre	16,842 %	7053,7531 litre	O
270	CM	100	CM	44 LEVEL CM	1383,6276 litre	16,312 %	7098,6726 litre	O
270	CM	100	CM	43 LEVEL CM	1339,0731 litre	15,787 %	7143,2271 litre	O

270	CM	100	CM	42 LEVEL CM	1294,8932 litre	15,266 %	7187,4070 litre	O
270	CM	100	CM	41 LEVEL CM	1251,0978 litre	14,750 %	7231,2024 litre	O
270	CM	100	CM	40 LEVEL CM	1207,6971 litre	14,238 %	7274,6031 litre	O
270	CM	100	CM	39 LEVEL CM	1164,7014 litre	13,731 %	7317,5988 litre	O
270	CM	100	CM	38 LEVEL CM	1122,1214 litre	13,229 %	7360,1788 litre	O
270	CM	100	CM	37 LEVEL CM	1079,9681 litre	12,732 %	7402,3321 litre	O
270	CM	100	CM	36 LEVEL CM	1038,2529 litre	12,240 %	7444,0473 litre	O
270	CM	100	CM	35 LEVEL CM	996,9876 litre	11,754 %	7485,3126 litre	O
270	CM	100	CM	34 LEVEL CM	956,1841 litre	11,273 %	7526,1161 litre	O
270	CM	100	CM	33 LEVEL CM	915,8551 litre	10,797 %	7566,4451 litre	O
270	CM	100	CM	32 LEVEL CM	876,0135 litre	10,328 %	7606,2867 litre	O
270	CM	100	CM	31 LEVEL CM	836,6728 litre	9,864 %	7645,6274 litre	O
270	CM	100	CM	30 LEVEL CM	797,8469 litre	9,406 %	7684,4533 litre	O
270	CM	100	CM	29 LEVEL CM	759,5503 litre	8,955 %	7722,7499 litre	O
270	CM	100	CM	28 LEVEL CM	721,7982 litre	8,509 %	7760,5020 litre	O
270	CM	100	CM	27 LEVEL CM	684,6065 litre	8,071 %	7797,6937 litre	O
270	CM	100	CM	26 LEVEL CM	647,9916 litre	7,639 %	7834,3086 litre	O
270	CM	100	CM	25 LEVEL CM	611,9709 litre	7,215 %	7870,3293 litre	O
270	CM	100	CM	24 LEVEL CM	576,5625 litre	6,797 %	7905,7377 litre	O
270	CM	100	CM	23 LEVEL CM	541,7857 litre	6,387 %	7940,5145 litre	O
270	CM	100	CM	22 LEVEL CM	507,6607 litre	5,985 %	7974,6395 litre	O
270	CM	100	CM	21 LEVEL CM	474,2089 litre	5,591 %	8008,0913 litre	O
270	CM	100	CM	20 LEVEL CM	441,4530 litre	5,204 %	8040,8472 litre	O
270	CM	100	CM	19 LEVEL CM	409,4172 litre	4,827 %	8072,8830 litre	O
270	CM	100	CM	18 LEVEL CM	378,1275 litre	4,458 %	8104,1727 litre	O
270	CM	100	CM	17 LEVEL CM	347,6116 litre	4,098 %	8134,6886 litre	O
270	CM	100	CM	16 LEVEL CM	317,8994 litre	3,748 %	8164,4008 litre	O
270	CM	100	CM	15 LEVEL CM	289,0235 litre	3,407 %	8193,2767 litre	O
270	CM	100	CM	14 LEVEL CM	261,0192 litre	3,077 %	8221,2810 litre	O
270	CM	100	CM	13 LEVEL CM	233,9253 litre	2,758 %	8248,3749 litre	O
270	CM	100	CM	12 LEVEL CM	207,7847 litre	2,450 %	8274,5155 litre	O
270	CM	100	CM	11 LEVEL CM	182,6450 litre	2,153 %	8299,6552 litre	O
270	CM	100	CM	10 LEVEL CM	158,5599 litre	1,869 %	8323,7403 litre	O
270	CM	100	CM	9 LEVEL CM	135,5906 litre	1,599 %	8346,7096 litre	O
270	CM	100	CM	8 LEVEL CM	113,8076 litre	1,342 %	8368,4926 litre	O
270	CM	100	CM	7 LEVEL CM	93,2935 litre	1,100 %	8389,0067 litre	O
270	CM	100	CM	6 LEVEL CM	74,1475 litre	0,874 %	8408,1527 litre	O
270	CM	100	CM	5 LEVEL CM	56,4922 litre	0,666 %	8425,8080 litre	O
270	CM	100	CM	4 LEVEL CM	40,4841 litre	0,477 %	8441,8161 litre	O
270	CM	100	CM	3 LEVEL CM	26,3351 litre	0,310 %	8455,9651 litre	O
270	CM	100	CM	2 LEVEL CM	14,3567 litre	0,169 %	8467,9435 litre	O
270	CM	100	CM	1 LEVEL CM	5,0835 litre	0,060 %	8477,2167 litre	O
270	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	8482,3002 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
270	CM	95	CM	190 LEVEL CM	7655,2759 litre	100,000 %	0,0000 litre	O
270	CM	95	CM	189 LEVEL CM	7650,3215 litre	99,935 %	4,9544 litre	O
270	CM	95	CM	188 LEVEL CM	7641,2849 litre	99,817 %	13,9910 litre	O
270	CM	95	CM	187 LEVEL CM	7629,6137 litre	99,665 %	25,6622 litre	O
270	CM	95	CM	186 LEVEL CM	7615,8295 litre	99,485 %	39,4464 litre	O
270	CM	95	CM	185 LEVEL CM	7600,2363 litre	99,281 %	55,0396 litre	O
270	CM	95	CM	184 LEVEL CM	7583,0408 litre	99,056 %	72,2351 litre	O
270	CM	95	CM	183 LEVEL CM	7564,3961 litre	98,813 %	90,8798 litre	O
270	CM	95	CM	182 LEVEL CM	7544,4220 litre	98,552 %	110,8539 litre	O
270	CM	95	CM	181 LEVEL CM	7523,2153 litre	98,275 %	132,0606 litre	O
270	CM	95	CM	180 LEVEL CM	7500,8570 litre	97,983 %	154,4189 litre	O
270	CM	95	CM	179 LEVEL CM	7477,4161 litre	97,677 %	177,8598 litre	O
270	CM	95	CM	178 LEVEL CM	7452,9523 litre	97,357 %	202,3236 litre	O
270	CM	95	CM	177 LEVEL CM	7427,5183 litre	97,025 %	227,7576 litre	O
270	CM	95	CM	176 LEVEL CM	7401,1608 litre	96,681 %	254,1151 litre	O
270	CM	95	CM	175 LEVEL CM	7373,9218 litre	96,325 %	281,3541 litre	O
270	CM	95	CM	174 LEVEL CM	7345,8394 litre	95,958 %	309,4365 litre	O
270	CM	95	CM	173 LEVEL CM	7316,9482 litre	95,580 %	338,3277 litre	O
270	CM	95	CM	172 LEVEL CM	7287,2801 litre	95,193 %	367,9958 litre	O
270	CM	95	CM	171 LEVEL CM	7256,8646 litre	94,796 %	398,4113 litre	O
270	CM	95	CM	170 LEVEL CM	7225,7289 litre	94,389 %	429,5470 litre	O
270	CM	95	CM	169 LEVEL CM	7193,8985 litre	93,973 %	461,3774 litre	O
270	CM	95	CM	168 LEVEL CM	7161,3972 litre	93,549 %	493,8787 litre	O
270	CM	95	CM	167 LEVEL CM	7128,2474 litre	93,115 %	527,0285 litre	O
270	CM	95	CM	166 LEVEL CM	7094,4702 litre	92,674 %	560,8057 litre	O
270	CM	95	CM	165 LEVEL CM	7060,0854 litre	92,225 %	595,1905 litre	O
270	CM	95	CM	164 LEVEL CM	7025,1120 litre	91,768 %	630,1639 litre	O
270	CM	95	CM	163 LEVEL CM	6989,5680 litre	91,304 %	665,7079 litre	O
270	CM	95	CM	162 LEVEL CM	6953,4704 litre	90,832 %	701,8055 litre	O
270	CM	95	CM	161 LEVEL CM	6916,8355 litre	90,354 %	738,4404 litre	O
270	CM	95	CM	160 LEVEL CM	6879,6790 litre	89,868 %	775,5969 litre	O
270	CM	95	CM	159 LEVEL CM	6842,0158 litre	89,376 %	813,2601 litre	O
270	CM	95	CM	158 LEVEL CM	6803,8603 litre	88,878 %	851,4156 litre	O
270	CM	95	CM	157 LEVEL CM	6765,2263 litre	88,373 %	890,0496 litre	O
270	CM	95	CM	156 LEVEL CM	6726,1271 litre	87,863 %	929,1488 litre	O
270	CM	95	CM	155 LEVEL CM	6686,5757 litre	87,346 %	968,7002 litre	O
270	CM	95	CM	154 LEVEL CM	6646,5842 litre	86,824 %	1008,6917 litre	O
270	CM	95	CM	153 LEVEL CM	6606,1649 litre	86,296 %	1049,1110 litre	O
270	CM	95	CM	152 LEVEL CM	6565,3293 litre	85,762 %	1089,9466 litre	O
270	CM	95	CM	151 LEVEL CM	6524,0886 litre	85,223 %	1131,1873 litre	O
270	CM	95	CM	150 LEVEL CM	6482,4539 litre	84,680 %	1172,8220 litre	O
270	CM	95	CM	149 LEVEL CM	6440,4357 litre	84,131 %	1214,8402 litre	O
270	CM	95	CM	148 LEVEL CM	6398,0444 litre	83,577 %	1257,2315 litre	O
270	CM	95	CM	147 LEVEL CM	6355,2900 litre	83,018 %	1299,9859 litre	O
270	CM	95	CM	146 LEVEL CM	6312,1825 litre	82,455 %	1343,0934 litre	O
270	CM	95	CM	145 LEVEL CM	6268,7313 litre	81,888 %	1386,5446 litre	O
270	CM	95	CM	144 LEVEL CM	6224,9459 litre	81,316 %	1430,3300 litre	O
270	CM	95	CM	143 LEVEL CM	6180,8354 litre	80,740 %	1474,4405 litre	O
270	CM	95	CM	142 LEVEL CM	6136,4086 litre	80,159 %	1518,8673 litre	O
270	CM	95	CM	141 LEVEL CM	6091,6745 litre	79,575 %	1563,6014 litre	O
270	CM	95	CM	140 LEVEL CM	6046,6414 litre	78,987 %	1608,6345 litre	O
270	CM	95	CM	139 LEVEL CM	6001,3179 litre	78,395 %	1653,9580 litre	O

270	CM 95	CM	138 LEVEL CM	5955,7123 litre	77,799 %	1699,5636 litre	O
270	CM 95	CM	137 LEVEL CM	5909,8324 litre	77,199 %	1745,4435 litre	O
270	CM 95	CM	136 LEVEL CM	5863,6865 litre	76,597 %	1791,5894 litre	O
270	CM 95	CM	135 LEVEL CM	5817,2821 litre	75,990 %	1837,9938 litre	O
270	CM 95	CM	134 LEVEL CM	5770,6271 litre	75,381 %	1884,6488 litre	O
270	CM 95	CM	133 LEVEL CM	5723,7289 litre	74,768 %	1931,5470 litre	O
270	CM 95	CM	132 LEVEL CM	5676,5951 litre	74,153 %	1978,6808 litre	O
270	CM 95	CM	131 LEVEL CM	5629,2329 litre	73,534 %	2026,0430 litre	O
270	CM 95	CM	130 LEVEL CM	5581,6496 litre	72,912 %	2073,6263 litre	O
270	CM 95	CM	129 LEVEL CM	5533,8522 litre	72,288 %	2121,4237 litre	O
270	CM 95	CM	128 LEVEL CM	5485,8479 litre	71,661 %	2169,4280 litre	O
270	CM 95	CM	127 LEVEL CM	5437,6436 litre	71,031 %	2217,6323 litre	O
270	CM 95	CM	126 LEVEL CM	5389,2460 litre	70,399 %	2266,0299 litre	O
270	CM 95	CM	125 LEVEL CM	5340,6621 litre	69,764 %	2314,6138 litre	O
270	CM 95	CM	124 LEVEL CM	5291,8984 litre	69,127 %	2363,3775 litre	O
270	CM 95	CM	123 LEVEL CM	5242,9615 litre	68,488 %	2412,3144 litre	O
270	CM 95	CM	122 LEVEL CM	5193,8582 litre	67,847 %	2461,4177 litre	O
270	CM 95	CM	121 LEVEL CM	5144,5947 litre	67,203 %	2510,6812 litre	O
270	CM 95	CM	120 LEVEL CM	5095,1776 litre	66,558 %	2560,0983 litre	O
270	CM 95	CM	119 LEVEL CM	5045,6132 litre	65,910 %	2609,6627 litre	O
270	CM 95	CM	118 LEVEL CM	4995,9078 litre	65,261 %	2659,3681 litre	O
270	CM 95	CM	117 LEVEL CM	4946,0676 litre	64,610 %	2709,2083 litre	O
270	CM 95	CM	116 LEVEL CM	4896,0989 litre	63,957 %	2759,1770 litre	O
270	CM 95	CM	115 LEVEL CM	4846,0078 litre	63,303 %	2809,2681 litre	O
270	CM 95	CM	114 LEVEL CM	4795,8004 litre	62,647 %	2859,4755 litre	O
270	CM 95	CM	113 LEVEL CM	4745,4828 litre	61,990 %	2909,7931 litre	O
270	CM 95	CM	112 LEVEL CM	4695,0609 litre	61,331 %	2960,2150 litre	O
270	CM 95	CM	111 LEVEL CM	4644,5408 litre	60,671 %	3010,7351 litre	O
270	CM 95	CM	110 LEVEL CM	4593,9285 litre	60,010 %	3061,3474 litre	O
270	CM 95	CM	109 LEVEL CM	4543,2298 litre	59,348 %	3112,0461 litre	O
270	CM 95	CM	108 LEVEL CM	4492,4507 litre	58,684 %	3162,8252 litre	O
270	CM 95	CM	107 LEVEL CM	4441,5970 litre	58,020 %	3213,6789 litre	O
270	CM 95	CM	106 LEVEL CM	4390,6745 litre	57,355 %	3264,6014 litre	O
270	CM 95	CM	105 LEVEL CM	4339,6890 litre	56,689 %	3315,5869 litre	O
270	CM 95	CM	104 LEVEL CM	4288,6464 litre	56,022 %	3366,6295 litre	O
270	CM 95	CM	103 LEVEL CM	4237,5524 litre	55,355 %	3417,7235 litre	O
270	CM 95	CM	102 LEVEL CM	4186,4127 litre	54,687 %	3468,8632 litre	O
270	CM 95	CM	101 LEVEL CM	4135,2332 litre	54,018 %	3520,0427 litre	O
270	CM 95	CM	100 LEVEL CM	4084,0195 litre	53,349 %	3571,2564 litre	O
270	CM 95	CM	99 LEVEL CM	4032,7773 litre	52,680 %	3622,4986 litre	O
270	CM 95	CM	98 LEVEL CM	3981,5124 litre	52,010 %	3673,7635 litre	O
270	CM 95	CM	97 LEVEL CM	3930,2304 litre	51,340 %	3725,0455 litre	O
270	CM 95	CM	96 LEVEL CM	3878,9370 litre	50,670 %	3776,3389 litre	O
270	CM 95	CM	95 LEVEL CM	3827,6379 litre	50,000 %	3827,6380 litre	O
270	CM 95	CM	94 LEVEL CM	3776,3389 litre	49,330 %	3878,9370 litre	O
270	CM 95	CM	93 LEVEL CM	3725,0455 litre	48,660 %	3930,2304 litre	O
270	CM 95	CM	92 LEVEL CM	3673,7635 litre	47,990 %	3981,5124 litre	O
270	CM 95	CM	91 LEVEL CM	3622,4986 litre	47,320 %	4032,7773 litre	O
270	CM 95	CM	90 LEVEL CM	3571,2564 litre	46,651 %	4084,0195 litre	O
270	CM 95	CM	89 LEVEL CM	3520,0427 litre	45,982 %	4135,2332 litre	O
270	CM 95	CM	88 LEVEL CM	3468,8632 litre	45,313 %	4186,4127 litre	O
270	CM 95	CM	87 LEVEL CM	3417,7235 litre	44,645 %	4237,5524 litre	O
270	CM 95	CM	86 LEVEL CM	3366,6295 litre	43,978 %	4288,6464 litre	O

270	CM	95	CM	85 LEVEL CM	3315,5869 litre	43,311 %	4339,6890 litre	O
270	CM	95	CM	84 LEVEL CM	3264,6014 litre	42,645 %	4390,6745 litre	O
270	CM	95	CM	83 LEVEL CM	3213,6789 litre	41,980 %	4441,5970 litre	O
270	CM	95	CM	82 LEVEL CM	3162,8252 litre	41,316 %	4492,4507 litre	O
270	CM	95	CM	81 LEVEL CM	3112,0461 litre	40,652 %	4543,2298 litre	O
270	CM	95	CM	80 LEVEL CM	3061,3474 litre	39,990 %	4593,9285 litre	O
270	CM	95	CM	79 LEVEL CM	3010,7351 litre	39,329 %	4644,5408 litre	O
270	CM	95	CM	78 LEVEL CM	2960,2150 litre	38,669 %	4695,0609 litre	O
270	CM	95	CM	77 LEVEL CM	2909,7931 litre	38,010 %	4745,4828 litre	O
270	CM	95	CM	76 LEVEL CM	2859,4755 litre	37,353 %	4795,8004 litre	O
270	CM	95	CM	75 LEVEL CM	2809,2681 litre	36,697 %	4846,0078 litre	O
270	CM	95	CM	74 LEVEL CM	2759,1770 litre	36,043 %	4896,0989 litre	O
270	CM	95	CM	73 LEVEL CM	2709,2083 litre	35,390 %	4946,0676 litre	O
270	CM	95	CM	72 LEVEL CM	2659,3681 litre	34,739 %	4995,9078 litre	O
270	CM	95	CM	71 LEVEL CM	2609,6627 litre	34,090 %	5045,6132 litre	O
270	CM	95	CM	70 LEVEL CM	2560,0983 litre	33,442 %	5095,1776 litre	O
270	CM	95	CM	69 LEVEL CM	2510,6812 litre	32,797 %	5144,5947 litre	O
270	CM	95	CM	68 LEVEL CM	2461,4177 litre	32,153 %	5193,8582 litre	O
270	CM	95	CM	67 LEVEL CM	2412,3144 litre	31,512 %	5242,9615 litre	O
270	CM	95	CM	66 LEVEL CM	2363,3775 litre	30,873 %	5291,8984 litre	O
270	CM	95	CM	65 LEVEL CM	2314,6138 litre	30,236 %	5340,6621 litre	O
270	CM	95	CM	64 LEVEL CM	2266,0299 litre	29,601 %	5389,2460 litre	O
270	CM	95	CM	63 LEVEL CM	2217,6323 litre	28,969 %	5437,6436 litre	O
270	CM	95	CM	62 LEVEL CM	2169,4280 litre	28,339 %	5485,8479 litre	O
270	CM	95	CM	61 LEVEL CM	2121,4237 litre	27,712 %	5533,8522 litre	O
270	CM	95	CM	60 LEVEL CM	2073,6263 litre	27,088 %	5581,6496 litre	O
270	CM	95	CM	59 LEVEL CM	2026,0430 litre	26,466 %	5629,2329 litre	O
270	CM	95	CM	58 LEVEL CM	1978,6808 litre	25,847 %	5676,5951 litre	O
270	CM	95	CM	57 LEVEL CM	1931,5470 litre	25,232 %	5723,7289 litre	O
270	CM	95	CM	56 LEVEL CM	1884,6488 litre	24,619 %	5770,6271 litre	O
270	CM	95	CM	55 LEVEL CM	1837,9938 litre	24,010 %	5817,2821 litre	O
270	CM	95	CM	54 LEVEL CM	1791,5894 litre	23,403 %	5863,6865 litre	O
270	CM	95	CM	53 LEVEL CM	1745,4435 litre	22,801 %	5909,8324 litre	O
270	CM	95	CM	52 LEVEL CM	1699,5636 litre	22,201 %	5955,7123 litre	O
270	CM	95	CM	51 LEVEL CM	1653,9580 litre	21,605 %	6001,3179 litre	O
270	CM	95	CM	50 LEVEL CM	1608,6345 litre	21,013 %	6046,6414 litre	O
270	CM	95	CM	49 LEVEL CM	1563,6014 litre	20,425 %	6091,6745 litre	O
270	CM	95	CM	48 LEVEL CM	1518,8673 litre	19,841 %	6136,4086 litre	O
270	CM	95	CM	47 LEVEL CM	1474,4405 litre	19,260 %	6180,8354 litre	O
270	CM	95	CM	46 LEVEL CM	1430,3300 litre	18,684 %	6224,9459 litre	O
270	CM	95	CM	45 LEVEL CM	1386,5446 litre	18,112 %	6268,7313 litre	O
270	CM	95	CM	44 LEVEL CM	1343,0934 litre	17,545 %	6312,1825 litre	O
270	CM	95	CM	43 LEVEL CM	1299,9859 litre	16,982 %	6355,2900 litre	O
270	CM	95	CM	42 LEVEL CM	1257,2315 litre	16,423 %	6398,0444 litre	O
270	CM	95	CM	41 LEVEL CM	1214,8402 litre	15,869 %	6440,4357 litre	O
270	CM	95	CM	40 LEVEL CM	1172,8220 litre	15,320 %	6482,4539 litre	O
270	CM	95	CM	39 LEVEL CM	1131,1873 litre	14,777 %	6524,0886 litre	O
270	CM	95	CM	38 LEVEL CM	1089,9466 litre	14,238 %	6565,3293 litre	O
270	CM	95	CM	37 LEVEL CM	1049,1110 litre	13,704 %	6606,1649 litre	O
270	CM	95	CM	36 LEVEL CM	1008,6917 litre	13,176 %	6646,5842 litre	O
270	CM	95	CM	35 LEVEL CM	968,7002 litre	12,654 %	6686,5757 litre	O
270	CM	95	CM	34 LEVEL CM	929,1487 litre	12,137 %	6726,1272 litre	O
270	CM	95	CM	33 LEVEL CM	890,0496 litre	11,627 %	6765,2263 litre	O

270	CM	95	CM	32 LEVEL CM	851,4156 litre	11,122 %	6803,8603 litre	O
270	CM	95	CM	31 LEVEL CM	813,2601 litre	10,624 %	6842,0158 litre	O
270	CM	95	CM	30 LEVEL CM	775,5969 litre	10,132 %	6879,6790 litre	O
270	CM	95	CM	29 LEVEL CM	738,4404 litre	9,646 %	6916,8355 litre	O
270	CM	95	CM	28 LEVEL CM	701,8055 litre	9,168 %	6953,4704 litre	O
270	CM	95	CM	27 LEVEL CM	665,7079 litre	8,696 %	6989,5680 litre	O
270	CM	95	CM	26 LEVEL CM	630,1639 litre	8,232 %	7025,1120 litre	O
270	CM	95	CM	25 LEVEL CM	595,1905 litre	7,775 %	7060,0854 litre	O
270	CM	95	CM	24 LEVEL CM	560,8057 litre	7,326 %	7094,4702 litre	O
270	CM	95	CM	23 LEVEL CM	527,0285 litre	6,885 %	7128,2474 litre	O
270	CM	95	CM	22 LEVEL CM	493,8787 litre	6,451 %	7161,3972 litre	O
270	CM	95	CM	21 LEVEL CM	461,3774 litre	6,027 %	7193,8985 litre	O
270	CM	95	CM	20 LEVEL CM	429,5470 litre	5,611 %	7225,7289 litre	O
270	CM	95	CM	19 LEVEL CM	398,4113 litre	5,204 %	7256,8646 litre	O
270	CM	95	CM	18 LEVEL CM	367,9958 litre	4,807 %	7287,2801 litre	O
270	CM	95	CM	17 LEVEL CM	338,3277 litre	4,420 %	7316,9482 litre	O
270	CM	95	CM	16 LEVEL CM	309,4365 litre	4,042 %	7345,8394 litre	O
270	CM	95	CM	15 LEVEL CM	281,3541 litre	3,675 %	7373,9218 litre	O
270	CM	95	CM	14 LEVEL CM	254,1151 litre	3,319 %	7401,1608 litre	O
270	CM	95	CM	13 LEVEL CM	227,7576 litre	2,975 %	7427,5183 litre	O
270	CM	95	CM	12 LEVEL CM	202,3236 litre	2,643 %	7452,9523 litre	O
270	CM	95	CM	11 LEVEL CM	177,8598 litre	2,323 %	7477,4161 litre	O
270	CM	95	CM	10 LEVEL CM	154,4189 litre	2,017 %	7500,8570 litre	O
270	CM	95	CM	9 LEVEL CM	132,0606 litre	1,725 %	7523,2153 litre	O
270	CM	95	CM	8 LEVEL CM	110,8539 litre	1,448 %	7544,4220 litre	O
270	CM	95	CM	7 LEVEL CM	90,8798 litre	1,187 %	7564,3961 litre	O
270	CM	95	CM	6 LEVEL CM	72,2351 litre	0,944 %	7583,0408 litre	O
270	CM	95	CM	5 LEVEL CM	55,0396 litre	0,719 %	7600,2363 litre	O
270	CM	95	CM	4 LEVEL CM	39,4464 litre	0,515 %	7615,8295 litre	O
270	CM	95	CM	3 LEVEL CM	25,6622 litre	0,335 %	7629,6137 litre	O
270	CM	95	CM	2 LEVEL CM	13,9910 litre	0,183 %	7641,2849 litre	O
270	CM	95	CM	1 LEVEL CM	4,9544 litre	0,065 %	7650,3215 litre	O
270	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	7655,2759 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM 90	CM 180 LEVEL CM	6870,6631 litre	100,000 %	0,0000 litre	O
270	CM 90	CM 179 LEVEL CM	6865,8413 litre	99,930 %	4,8218 litre	O
270	CM 90	CM 178 LEVEL CM	6857,0477 litre	99,802 %	13,6154 litre	O
270	CM 90	CM 177 LEVEL CM	6845,6921 litre	99,637 %	24,9710 litre	O
270	CM 90	CM 176 LEVEL CM	6832,2825 litre	99,441 %	38,3806 litre	O
270	CM 90	CM 175 LEVEL CM	6817,1154 litre	99,221 %	53,5477 litre	O
270	CM 90	CM 174 LEVEL CM	6800,3924 litre	98,977 %	70,2707 litre	O
270	CM 90	CM 173 LEVEL CM	6782,2630 litre	98,713 %	88,4001 litre	O
270	CM 90	CM 172 LEVEL CM	6762,8438 litre	98,431 %	107,8193 litre	O
270	CM 90	CM 171 LEVEL CM	6742,2296 litre	98,131 %	128,4335 litre	O
270	CM 90	CM 170 LEVEL CM	6720,4995 litre	97,814 %	150,1636 litre	O
270	CM 90	CM 169 LEVEL CM	6697,7209 litre	97,483 %	172,9422 litre	O
270	CM 90	CM 168 LEVEL CM	6673,9523 litre	97,137 %	196,7108 litre	O
270	CM 90	CM 167 LEVEL CM	6649,2451 litre	96,777 %	221,4180 litre	O
270	CM 90	CM 166 LEVEL CM	6623,6452 litre	96,405 %	247,0179 litre	O
270	CM 90	CM 165 LEVEL CM	6597,1936 litre	96,020 %	273,4695 litre	O
270	CM 90	CM 164 LEVEL CM	6569,9277 litre	95,623 %	300,7354 litre	O
270	CM 90	CM 163 LEVEL CM	6541,8815 litre	95,215 %	328,7816 litre	O
270	CM 90	CM 162 LEVEL CM	6513,0862 litre	94,796 %	357,5769 litre	O
270	CM 90	CM 161 LEVEL CM	6483,5708 litre	94,366 %	387,0923 litre	O
270	CM 90	CM 160 LEVEL CM	6453,3619 litre	93,926 %	417,3012 litre	O
270	CM 90	CM 159 LEVEL CM	6422,4848 litre	93,477 %	448,1783 litre	O
270	CM 90	CM 158 LEVEL CM	6390,9627 litre	93,018 %	479,7004 litre	O
270	CM 90	CM 157 LEVEL CM	6358,8177 litre	92,550 %	511,8454 litre	O
270	CM 90	CM 156 LEVEL CM	6326,0705 litre	92,074 %	544,5926 litre	O
270	CM 90	CM 155 LEVEL CM	6292,7408 litre	91,589 %	577,9223 litre	O
270	CM 90	CM 154 LEVEL CM	6258,8471 litre	91,095 %	611,8160 litre	O
270	CM 90	CM 153 LEVEL CM	6224,4072 litre	90,594 %	646,2559 litre	O
270	CM 90	CM 152 LEVEL CM	6189,4379 litre	90,085 %	681,2252 litre	O
270	CM 90	CM 151 LEVEL CM	6153,9554 litre	89,569 %	716,7077 litre	O
270	CM 90	CM 150 LEVEL CM	6117,9750 litre	89,045 %	752,6881 litre	O
270	CM 90	CM 149 LEVEL CM	6081,5116 litre	88,514 %	789,1515 litre	O
270	CM 90	CM 148 LEVEL CM	6044,5793 litre	87,977 %	826,0838 litre	O
270	CM 90	CM 147 LEVEL CM	6007,1920 litre	87,432 %	863,4711 litre	O
270	CM 90	CM 146 LEVEL CM	5969,3626 litre	86,882 %	901,3005 litre	O
270	CM 90	CM 145 LEVEL CM	5931,1040 litre	86,325 %	939,5591 litre	O
270	CM 90	CM 144 LEVEL CM	5892,4285 litre	85,762 %	978,2346 litre	O
270	CM 90	CM 143 LEVEL CM	5853,3479 litre	85,193 %	1017,3152 litre	O
270	CM 90	CM 142 LEVEL CM	5813,8739 litre	84,619 %	1056,7892 litre	O
270	CM 90	CM 141 LEVEL CM	5774,0175 litre	84,039 %	1096,6456 litre	O
270	CM 90	CM 140 LEVEL CM	5733,7898 litre	83,453 %	1136,8733 litre	O
270	CM 90	CM 139 LEVEL CM	5693,2012 litre	82,862 %	1177,4619 litre	O
270	CM 90	CM 138 LEVEL CM	5652,2621 litre	82,267 %	1218,4010 litre	O
270	CM 90	CM 137 LEVEL CM	5610,9825 litre	81,666 %	1259,6806 litre	O
270	CM 90	CM 136 LEVEL CM	5569,3723 litre	81,060 %	1301,2908 litre	O
270	CM 90	CM 135 LEVEL CM	5527,4409 litre	80,450 %	1343,2222 litre	O
270	CM 90	CM 134 LEVEL CM	5485,1977 litre	79,835 %	1385,4654 litre	O
270	CM 90	CM 133 LEVEL CM	5442,6518 litre	79,216 %	1428,0113 litre	O
270	CM 90	CM 132 LEVEL CM	5399,8123 litre	78,592 %	1470,8508 litre	O
270	CM 90	CM 131 LEVEL CM	5356,6878 litre	77,965 %	1513,9753 litre	O
270	CM 90	CM 130 LEVEL CM	5313,2870 litre	77,333 %	1557,3761 litre	O
270	CM 90	CM 129 LEVEL CM	5269,6182 litre	76,697 %	1601,0449 litre	O

270	CM	90	CM	128 LEVEL CM	5225,6898 litre	76,058 %	1644,9733 litre	O
270	CM	90	CM	127 LEVEL CM	5181,5098 litre	75,415 %	1689,1533 litre	O
270	CM	90	CM	126 LEVEL CM	5137,0864 litre	74,768 %	1733,5767 litre	O
270	CM	90	CM	125 LEVEL CM	5092,4272 litre	74,118 %	1778,2359 litre	O
270	CM	90	CM	124 LEVEL CM	5047,5400 litre	73,465 %	1823,1231 litre	O
270	CM	90	CM	123 LEVEL CM	5002,4326 litre	72,809 %	1868,2305 litre	O
270	CM	90	CM	122 LEVEL CM	4957,1123 litre	72,149 %	1913,5508 litre	O
270	CM	90	CM	121 LEVEL CM	4911,5865 litre	71,486 %	1959,0766 litre	O
270	CM	90	CM	120 LEVEL CM	4865,8627 litre	70,821 %	2004,8004 litre	O
270	CM	90	CM	119 LEVEL CM	4819,9479 litre	70,153 %	2050,7152 litre	O
270	CM	90	CM	118 LEVEL CM	4773,8493 litre	69,482 %	2096,8138 litre	O
270	CM	90	CM	117 LEVEL CM	4727,5739 litre	68,808 %	2143,0892 litre	O
270	CM	90	CM	116 LEVEL CM	4681,1287 litre	68,132 %	2189,5344 litre	O
270	CM	90	CM	115 LEVEL CM	4634,5205 litre	67,454 %	2236,1426 litre	O
270	CM	90	CM	114 LEVEL CM	4587,7562 litre	66,773 %	2282,9069 litre	O
270	CM	90	CM	113 LEVEL CM	4540,8425 litre	66,090 %	2329,8206 litre	O
270	CM	90	CM	112 LEVEL CM	4493,7860 litre	65,405 %	2376,8771 litre	O
270	CM	90	CM	111 LEVEL CM	4446,5934 litre	64,719 %	2424,0697 litre	O
270	CM	90	CM	110 LEVEL CM	4399,2712 litre	64,030 %	2471,3919 litre	O
270	CM	90	CM	109 LEVEL CM	4351,8260 litre	63,339 %	2518,8371 litre	O
270	CM	90	CM	108 LEVEL CM	4304,2641 litre	62,647 %	2566,3990 litre	O
270	CM	90	CM	107 LEVEL CM	4256,5919 litre	61,953 %	2614,0712 litre	O
270	CM	90	CM	106 LEVEL CM	4208,8159 litre	61,258 %	2661,8472 litre	O
270	CM	90	CM	105 LEVEL CM	4160,9424 litre	60,561 %	2709,7207 litre	O
270	CM	90	CM	104 LEVEL CM	4112,9775 litre	59,863 %	2757,6856 litre	O
270	CM	90	CM	103 LEVEL CM	4064,9276 litre	59,164 %	2805,7355 litre	O
270	CM	90	CM	102 LEVEL CM	4016,7989 litre	58,463 %	2853,8642 litre	O
270	CM	90	CM	101 LEVEL CM	3968,5976 litre	57,761 %	2902,0655 litre	O
270	CM	90	CM	100 LEVEL CM	3920,3297 litre	57,059 %	2950,3334 litre	O
270	CM	90	CM	99 LEVEL CM	3872,0015 litre	56,356 %	2998,6616 litre	O
270	CM	90	CM	98 LEVEL CM	3823,6190 litre	55,651 %	3047,0441 litre	O
270	CM	90	CM	97 LEVEL CM	3775,1883 litre	54,946 %	3095,4748 litre	O
270	CM	90	CM	96 LEVEL CM	3726,7154 litre	54,241 %	3143,9477 litre	O
270	CM	90	CM	95 LEVEL CM	3678,2065 litre	53,535 %	3192,4566 litre	O
270	CM	90	CM	94 LEVEL CM	3629,6675 litre	52,828 %	3240,9956 litre	O
270	CM	90	CM	93 LEVEL CM	3581,1046 litre	52,122 %	3289,5585 litre	O
270	CM	90	CM	92 LEVEL CM	3532,5236 litre	51,415 %	3338,1395 litre	O
270	CM	90	CM	91 LEVEL CM	3483,9306 litre	50,707 %	3386,7325 litre	O
270	CM	90	CM	90 LEVEL CM	3435,3316 litre	50,000 %	3435,3315 litre	O
270	CM	90	CM	89 LEVEL CM	3386,7326 litre	49,293 %	3483,9305 litre	O
270	CM	90	CM	88 LEVEL CM	3338,1396 litre	48,585 %	3532,5235 litre	O
270	CM	90	CM	87 LEVEL CM	3289,5586 litre	47,878 %	3581,1045 litre	O
270	CM	90	CM	86 LEVEL CM	3240,9956 litre	47,172 %	3629,6675 litre	O
270	CM	90	CM	85 LEVEL CM	3192,4566 litre	46,465 %	3678,2065 litre	O
270	CM	90	CM	84 LEVEL CM	3143,9477 litre	45,759 %	3726,7154 litre	O
270	CM	90	CM	83 LEVEL CM	3095,4749 litre	45,054 %	3775,1882 litre	O
270	CM	90	CM	82 LEVEL CM	3047,0442 litre	44,349 %	3823,6189 litre	O
270	CM	90	CM	81 LEVEL CM	2998,6617 litre	43,644 %	3872,0014 litre	O
270	CM	90	CM	80 LEVEL CM	2950,3334 litre	42,941 %	3920,3297 litre	O
270	CM	90	CM	79 LEVEL CM	2902,0656 litre	42,239 %	3968,5975 litre	O
270	CM	90	CM	78 LEVEL CM	2853,8642 litre	41,537 %	4016,7989 litre	O
270	CM	90	CM	77 LEVEL CM	2805,7355 litre	40,836 %	4064,9276 litre	O
270	CM	90	CM	76 LEVEL CM	2757,6856 litre	40,137 %	4112,9775 litre	O

270	CM	90	CM	75 LEVEL CM	2709,7208 litre	39,439 %	4160,9423 litre	O
270	CM	90	CM	74 LEVEL CM	2661,8472 litre	38,742 %	4208,8159 litre	O
270	CM	90	CM	73 LEVEL CM	2614,0712 litre	38,047 %	4256,5919 litre	O
270	CM	90	CM	72 LEVEL CM	2566,3991 litre	37,353 %	4304,2640 litre	O
270	CM	90	CM	71 LEVEL CM	2518,8372 litre	36,661 %	4351,8259 litre	O
270	CM	90	CM	70 LEVEL CM	2471,3919 litre	35,970 %	4399,2712 litre	O
270	CM	90	CM	69 LEVEL CM	2424,0697 litre	35,281 %	4446,5934 litre	O
270	CM	90	CM	68 LEVEL CM	2376,8771 litre	34,595 %	4493,7860 litre	O
270	CM	90	CM	67 LEVEL CM	2329,8206 litre	33,910 %	4540,8425 litre	O
270	CM	90	CM	66 LEVEL CM	2282,9069 litre	33,227 %	4587,7562 litre	O
270	CM	90	CM	65 LEVEL CM	2236,1426 litre	32,546 %	4634,5205 litre	O
270	CM	90	CM	64 LEVEL CM	2189,5344 litre	31,868 %	4681,1287 litre	O
270	CM	90	CM	63 LEVEL CM	2143,0892 litre	31,192 %	4727,5739 litre	O
270	CM	90	CM	62 LEVEL CM	2096,8138 litre	30,518 %	4773,8493 litre	O
270	CM	90	CM	61 LEVEL CM	2050,7152 litre	29,847 %	4819,9479 litre	O
270	CM	90	CM	60 LEVEL CM	2004,8005 litre	29,179 %	4865,8626 litre	O
270	CM	90	CM	59 LEVEL CM	1959,0766 litre	28,514 %	4911,5865 litre	O
270	CM	90	CM	58 LEVEL CM	1913,5509 litre	27,851 %	4957,1122 litre	O
270	CM	90	CM	57 LEVEL CM	1868,2306 litre	27,191 %	5002,4325 litre	O
270	CM	90	CM	56 LEVEL CM	1823,1231 litre	26,535 %	5047,5400 litre	O
270	CM	90	CM	55 LEVEL CM	1778,2360 litre	25,882 %	5092,4271 litre	O
270	CM	90	CM	54 LEVEL CM	1733,5768 litre	25,232 %	5137,0863 litre	O
270	CM	90	CM	53 LEVEL CM	1689,1533 litre	24,585 %	5181,5098 litre	O
270	CM	90	CM	52 LEVEL CM	1644,9733 litre	23,942 %	5225,6898 litre	O
270	CM	90	CM	51 LEVEL CM	1601,0449 litre	23,303 %	5269,6182 litre	O
270	CM	90	CM	50 LEVEL CM	1557,3762 litre	22,667 %	5313,2869 litre	O
270	CM	90	CM	49 LEVEL CM	1513,9753 litre	22,035 %	5356,6878 litre	O
270	CM	90	CM	48 LEVEL CM	1470,8508 litre	21,408 %	5399,8123 litre	O
270	CM	90	CM	47 LEVEL CM	1428,0113 litre	20,784 %	5442,6518 litre	O
270	CM	90	CM	46 LEVEL CM	1385,4655 litre	20,165 %	5485,1976 litre	O
270	CM	90	CM	45 LEVEL CM	1343,2223 litre	19,550 %	5527,4408 litre	O
270	CM	90	CM	44 LEVEL CM	1301,2909 litre	18,940 %	5569,3722 litre	O
270	CM	90	CM	43 LEVEL CM	1259,6806 litre	18,334 %	5610,9825 litre	O
270	CM	90	CM	42 LEVEL CM	1218,4010 litre	17,733 %	5652,2621 litre	O
270	CM	90	CM	41 LEVEL CM	1177,4619 litre	17,138 %	5693,2012 litre	O
270	CM	90	CM	40 LEVEL CM	1136,8733 litre	16,547 %	5733,7898 litre	O
270	CM	90	CM	39 LEVEL CM	1096,6456 litre	15,961 %	5774,0175 litre	O
270	CM	90	CM	38 LEVEL CM	1056,7893 litre	15,381 %	5813,8738 litre	O
270	CM	90	CM	37 LEVEL CM	1017,3152 litre	14,807 %	5853,3479 litre	O
270	CM	90	CM	36 LEVEL CM	978,2346 litre	14,238 %	5892,4285 litre	O
270	CM	90	CM	35 LEVEL CM	939,5591 litre	13,675 %	5931,1040 litre	O
270	CM	90	CM	34 LEVEL CM	901,3005 litre	13,118 %	5969,3626 litre	O
270	CM	90	CM	33 LEVEL CM	863,4712 litre	12,568 %	6007,1919 litre	O
270	CM	90	CM	32 LEVEL CM	826,0838 litre	12,023 %	6044,5793 litre	O
270	CM	90	CM	31 LEVEL CM	789,1516 litre	11,486 %	6081,5115 litre	O
270	CM	90	CM	30 LEVEL CM	752,6881 litre	10,955 %	6117,9750 litre	O
270	CM	90	CM	29 LEVEL CM	716,7078 litre	10,431 %	6153,9553 litre	O
270	CM	90	CM	28 LEVEL CM	681,2252 litre	9,915 %	6189,4379 litre	O
270	CM	90	CM	27 LEVEL CM	646,2560 litre	9,406 %	6224,4071 litre	O
270	CM	90	CM	26 LEVEL CM	611,8161 litre	8,905 %	6258,8470 litre	O
270	CM	90	CM	25 LEVEL CM	577,9224 litre	8,411 %	6292,7407 litre	O
270	CM	90	CM	24 LEVEL CM	544,5926 litre	7,926 %	6326,0705 litre	O
270	CM	90	CM	23 LEVEL CM	511,8455 litre	7,450 %	6358,8176 litre	O

270	CM	90	CM	22 LEVEL CM	479,7004 litre	6,982 %	6390,9627 litre	O
270	CM	90	CM	21 LEVEL CM	448,1783 litre	6,523 %	6422,4848 litre	O
270	CM	90	CM	20 LEVEL CM	417,3012 litre	6,074 %	6453,3619 litre	O
270	CM	90	CM	19 LEVEL CM	387,0924 litre	5,634 %	6483,5707 litre	O
270	CM	90	CM	18 LEVEL CM	357,5769 litre	5,204 %	6513,0862 litre	O
270	CM	90	CM	17 LEVEL CM	328,7816 litre	4,785 %	6541,8815 litre	O
270	CM	90	CM	16 LEVEL CM	300,7354 litre	4,377 %	6569,9277 litre	O
270	CM	90	CM	15 LEVEL CM	273,4695 litre	3,980 %	6597,1936 litre	O
270	CM	90	CM	14 LEVEL CM	247,0179 litre	3,595 %	6623,6452 litre	O
270	CM	90	CM	13 LEVEL CM	221,4180 litre	3,223 %	6649,2451 litre	O
270	CM	90	CM	12 LEVEL CM	196,7109 litre	2,863 %	6673,9522 litre	O
270	CM	90	CM	11 LEVEL CM	172,9423 litre	2,517 %	6697,7208 litre	O
270	CM	90	CM	10 LEVEL CM	150,1637 litre	2,186 %	6720,4994 litre	O
270	CM	90	CM	9 LEVEL CM	128,4336 litre	1,869 %	6742,2295 litre	O
270	CM	90	CM	8 LEVEL CM	107,8194 litre	1,569 %	6762,8437 litre	O
270	CM	90	CM	7 LEVEL CM	88,4002 litre	1,287 %	6782,2629 litre	O
270	CM	90	CM	6 LEVEL CM	70,2707 litre	1,023 %	6800,3924 litre	O
270	CM	90	CM	5 LEVEL CM	53,5477 litre	0,779 %	6817,1154 litre	O
270	CM	90	CM	4 LEVEL CM	38,3806 litre	0,559 %	6832,2825 litre	O
270	CM	90	CM	3 LEVEL CM	24,9711 litre	0,363 %	6845,6920 litre	O
270	CM	90	CM	2 LEVEL CM	13,6154 litre	0,198 %	6857,0477 litre	O
270	CM	90	CM	1 LEVEL CM	4,8218 litre	0,070 %	6865,8413 litre	O
270	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	6870,6631 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
270	CM 85	CM 170 LEVEL CM	6128,4619 litre	100,000 %	0,0000 litre O
270	CM 85	CM 169 LEVEL CM	6123,7763 litre	99,924 %	4,6856 litre O
270	CM 85	CM 168 LEVEL CM	6115,2327 litre	99,784 %	13,2292 litre O
270	CM 85	CM 167 LEVEL CM	6104,2016 litre	99,604 %	24,2603 litre O
270	CM 85	CM 166 LEVEL CM	6091,1775 litre	99,392 %	37,2844 litre O
270	CM 85	CM 165 LEVEL CM	6076,4488 litre	99,151 %	52,0131 litre O
270	CM 85	CM 164 LEVEL CM	6060,2121 litre	98,886 %	68,2498 litre O
270	CM 85	CM 163 LEVEL CM	6042,6129 litre	98,599 %	85,8490 litre O
270	CM 85	CM 162 LEVEL CM	6023,7650 litre	98,292 %	104,6969 litre O
270	CM 85	CM 161 LEVEL CM	6003,7608 litre	97,965 %	124,7011 litre O
270	CM 85	CM 160 LEVEL CM	5982,6776 litre	97,621 %	145,7843 litre O
270	CM 85	CM 159 LEVEL CM	5960,5812 litre	97,261 %	167,8807 litre O
270	CM 85	CM 158 LEVEL CM	5937,5287 litre	96,884 %	190,9332 litre O
270	CM 85	CM 157 LEVEL CM	5913,5704 litre	96,494 %	214,8915 litre O
270	CM 85	CM 156 LEVEL CM	5888,7512 litre	96,089 %	239,7107 litre O
270	CM 85	CM 155 LEVEL CM	5863,1112 litre	95,670 %	265,3507 litre O
270	CM 85	CM 154 LEVEL CM	5836,6871 litre	95,239 %	291,7748 litre O
270	CM 85	CM 153 LEVEL CM	5809,5121 litre	94,796 %	318,9498 litre O
270	CM 85	CM 152 LEVEL CM	5781,6169 litre	94,340 %	346,8450 litre O
270	CM 85	CM 151 LEVEL CM	5753,0298 litre	93,874 %	375,4321 litre O
270	CM 85	CM 150 LEVEL CM	5723,7773 litre	93,397 %	404,6846 litre O
270	CM 85	CM 149 LEVEL CM	5693,8837 litre	92,909 %	434,5782 litre O
270	CM 85	CM 148 LEVEL CM	5663,3722 litre	92,411 %	465,0897 litre O
270	CM 85	CM 147 LEVEL CM	5632,2644 litre	91,903 %	496,1975 litre O
270	CM 85	CM 146 LEVEL CM	5600,5808 litre	91,386 %	527,8811 litre O
270	CM 85	CM 145 LEVEL CM	5568,3406 litre	90,860 %	560,1213 litre O
270	CM 85	CM 144 LEVEL CM	5535,5621 litre	90,325 %	592,8998 litre O
270	CM 85	CM 143 LEVEL CM	5502,2629 litre	89,782 %	626,1990 litre O
270	CM 85	CM 142 LEVEL CM	5468,4596 litre	89,231 %	660,0023 litre O
270	CM 85	CM 141 LEVEL CM	5434,1682 litre	88,671 %	694,2937 litre O
270	CM 85	CM 140 LEVEL CM	5399,4037 litre	88,104 %	729,0582 litre O
270	CM 85	CM 139 LEVEL CM	5364,1809 litre	87,529 %	764,2810 litre O
270	CM 85	CM 138 LEVEL CM	5328,5139 litre	86,947 %	799,9480 litre O
270	CM 85	CM 137 LEVEL CM	5292,4161 litre	86,358 %	836,0458 litre O
270	CM 85	CM 136 LEVEL CM	5255,9007 litre	85,762 %	872,5612 litre O
270	CM 85	CM 135 LEVEL CM	5218,9803 litre	85,160 %	909,4816 litre O
270	CM 85	CM 134 LEVEL CM	5181,6670 litre	84,551 %	946,7949 litre O
270	CM 85	CM 133 LEVEL CM	5143,9727 litre	83,936 %	984,4892 litre O
270	CM 85	CM 132 LEVEL CM	5105,9089 litre	83,315 %	1022,5530 litre O
270	CM 85	CM 131 LEVEL CM	5067,4868 litre	82,688 %	1060,9751 litre O
270	CM 85	CM 130 LEVEL CM	5028,7171 litre	82,055 %	1099,7448 litre O
270	CM 85	CM 129 LEVEL CM	4989,6103 litre	81,417 %	1138,8516 litre O
270	CM 85	CM 128 LEVEL CM	4950,1769 litre	80,774 %	1178,2850 litre O
270	CM 85	CM 127 LEVEL CM	4910,4267 litre	80,125 %	1218,0352 litre O
270	CM 85	CM 126 LEVEL CM	4870,3696 litre	79,471 %	1258,0923 litre O
270	CM 85	CM 125 LEVEL CM	4830,0152 litre	78,813 %	1298,4467 litre O
270	CM 85	CM 124 LEVEL CM	4789,3727 litre	78,150 %	1339,0892 litre O
270	CM 85	CM 123 LEVEL CM	4748,4514 litre	77,482 %	1380,0105 litre O
270	CM 85	CM 122 LEVEL CM	4707,2602 litre	76,810 %	1421,2017 litre O
270	CM 85	CM 121 LEVEL CM	4665,8078 litre	76,133 %	1462,6541 litre O
270	CM 85	CM 120 LEVEL CM	4624,1030 litre	75,453 %	1504,3589 litre O
270	CM 85	CM 119 LEVEL CM	4582,1542 litre	74,768 %	1546,3077 litre O

270	CM 85	CM	118 LEVEL CM	4539,9697 litre	74,080 %	1588,4922 litre	O
270	CM 85	CM	117 LEVEL CM	4497,5577 litre	73,388 %	1630,9042 litre	O
270	CM 85	CM	116 LEVEL CM	4454,9262 litre	72,692 %	1673,5357 litre	O
270	CM 85	CM	115 LEVEL CM	4412,0832 litre	71,993 %	1716,3787 litre	O
270	CM 85	CM	114 LEVEL CM	4369,0365 litre	71,291 %	1759,4254 litre	O
270	CM 85	CM	113 LEVEL CM	4325,7938 litre	70,585 %	1802,6681 litre	O
270	CM 85	CM	112 LEVEL CM	4282,3627 litre	69,877 %	1846,0992 litre	O
270	CM 85	CM	111 LEVEL CM	4238,7507 litre	69,165 %	1889,7112 litre	O
270	CM 85	CM	110 LEVEL CM	4194,9652 litre	68,451 %	1933,4967 litre	O
270	CM 85	CM	109 LEVEL CM	4151,0135 litre	67,733 %	1977,4484 litre	O
270	CM 85	CM	108 LEVEL CM	4106,9029 litre	67,014 %	2021,5590 litre	O
270	CM 85	CM	107 LEVEL CM	4062,6405 litre	66,291 %	2065,8214 litre	O
270	CM 85	CM	106 LEVEL CM	4018,2334 litre	65,567 %	2110,2285 litre	O
270	CM 85	CM	105 LEVEL CM	3973,6886 litre	64,840 %	2154,7733 litre	O
270	CM 85	CM	104 LEVEL CM	3929,0130 litre	64,111 %	2199,4489 litre	O
270	CM 85	CM	103 LEVEL CM	3884,2137 litre	63,380 %	2244,2482 litre	O
270	CM 85	CM	102 LEVEL CM	3839,2973 litre	62,647 %	2289,1646 litre	O
270	CM 85	CM	101 LEVEL CM	3794,2706 litre	61,912 %	2334,1913 litre	O
270	CM 85	CM	100 LEVEL CM	3749,1405 litre	61,176 %	2379,3214 litre	O
270	CM 85	CM	99 LEVEL CM	3703,9136 litre	60,438 %	2424,5483 litre	O
270	CM 85	CM	98 LEVEL CM	3658,5965 litre	59,698 %	2469,8654 litre	O
270	CM 85	CM	97 LEVEL CM	3613,1958 litre	58,958 %	2515,2661 litre	O
270	CM 85	CM	96 LEVEL CM	3567,7181 litre	58,216 %	2560,7438 litre	O
270	CM 85	CM	95 LEVEL CM	3522,1699 litre	57,472 %	2606,2920 litre	O
270	CM 85	CM	94 LEVEL CM	3476,5577 litre	56,728 %	2651,9042 litre	O
270	CM 85	CM	93 LEVEL CM	3430,8881 litre	55,983 %	2697,5738 litre	O
270	CM 85	CM	92 LEVEL CM	3385,1674 litre	55,237 %	2743,2945 litre	O
270	CM 85	CM	91 LEVEL CM	3339,4021 litre	54,490 %	2789,0598 litre	O
270	CM 85	CM	90 LEVEL CM	3293,5985 litre	53,743 %	2834,8634 litre	O
270	CM 85	CM	89 LEVEL CM	3247,7631 litre	52,995 %	2880,6988 litre	O
270	CM 85	CM	88 LEVEL CM	3201,9023 litre	52,246 %	2926,5596 litre	O
270	CM 85	CM	87 LEVEL CM	3156,0225 litre	51,498 %	2972,4394 litre	O
270	CM 85	CM	86 LEVEL CM	3110,1299 litre	50,749 %	3018,3320 litre	O
270	CM 85	CM	85 LEVEL CM	3064,2309 litre	50,000 %	3064,2310 litre	O
270	CM 85	CM	84 LEVEL CM	3018,3320 litre	49,251 %	3110,1299 litre	O
270	CM 85	CM	83 LEVEL CM	2972,4394 litre	48,502 %	3156,0225 litre	O
270	CM 85	CM	82 LEVEL CM	2926,5595 litre	47,754 %	3201,9024 litre	O
270	CM 85	CM	81 LEVEL CM	2880,6987 litre	47,005 %	3247,7632 litre	O
270	CM 85	CM	80 LEVEL CM	2834,8634 litre	46,257 %	3293,5985 litre	O
270	CM 85	CM	79 LEVEL CM	2789,0598 litre	45,510 %	3339,4021 litre	O
270	CM 85	CM	78 LEVEL CM	2743,2945 litre	44,763 %	3385,1674 litre	O
270	CM 85	CM	77 LEVEL CM	2697,5738 litre	44,017 %	3430,8881 litre	O
270	CM 85	CM	76 LEVEL CM	2651,9041 litre	43,272 %	3476,5578 litre	O
270	CM 85	CM	75 LEVEL CM	2606,2920 litre	42,528 %	3522,1699 litre	O
270	CM 85	CM	74 LEVEL CM	2560,7438 litre	41,784 %	3567,7181 litre	O
270	CM 85	CM	73 LEVEL CM	2515,2661 litre	41,042 %	3613,1958 litre	O
270	CM 85	CM	72 LEVEL CM	2469,8654 litre	40,302 %	3658,5965 litre	O
270	CM 85	CM	71 LEVEL CM	2424,5483 litre	39,562 %	3703,9136 litre	O
270	CM 85	CM	70 LEVEL CM	2379,3213 litre	38,824 %	3749,1406 litre	O
270	CM 85	CM	69 LEVEL CM	2334,1912 litre	38,088 %	3794,2707 litre	O
270	CM 85	CM	68 LEVEL CM	2289,1646 litre	37,353 %	3839,2973 litre	O
270	CM 85	CM	67 LEVEL CM	2244,2482 litre	36,620 %	3884,2137 litre	O
270	CM 85	CM	66 LEVEL CM	2199,4488 litre	35,889 %	3929,0131 litre	O

270	CM	85	CM	65 LEVEL CM	2154,7733 litre	35,160 %	3973,6886 litre	O
270	CM	85	CM	64 LEVEL CM	2110,2285 litre	34,433 %	4018,2334 litre	O
270	CM	85	CM	63 LEVEL CM	2065,8214 litre	33,709 %	4062,6405 litre	O
270	CM	85	CM	62 LEVEL CM	2021,5590 litre	32,986 %	4106,9029 litre	O
270	CM	85	CM	61 LEVEL CM	1977,4483 litre	32,267 %	4151,0136 litre	O
270	CM	85	CM	60 LEVEL CM	1933,4967 litre	31,549 %	4194,9652 litre	O
270	CM	85	CM	59 LEVEL CM	1889,7111 litre	30,835 %	4238,7508 litre	O
270	CM	85	CM	58 LEVEL CM	1846,0991 litre	30,123 %	4282,3628 litre	O
270	CM	85	CM	57 LEVEL CM	1802,6680 litre	29,415 %	4325,7939 litre	O
270	CM	85	CM	56 LEVEL CM	1759,4253 litre	28,709 %	4369,0366 litre	O
270	CM	85	CM	55 LEVEL CM	1716,3787 litre	28,007 %	4412,0832 litre	O
270	CM	85	CM	54 LEVEL CM	1673,5357 litre	27,308 %	4454,9262 litre	O
270	CM	85	CM	53 LEVEL CM	1630,9042 litre	26,612 %	4497,5577 litre	O
270	CM	85	CM	52 LEVEL CM	1588,4922 litre	25,920 %	4539,9697 litre	O
270	CM	85	CM	51 LEVEL CM	1546,3077 litre	25,232 %	4582,1542 litre	O
270	CM	85	CM	50 LEVEL CM	1504,3589 litre	24,547 %	4624,1030 litre	O
270	CM	85	CM	49 LEVEL CM	1462,6540 litre	23,867 %	4665,8079 litre	O
270	CM	85	CM	48 LEVEL CM	1421,2017 litre	23,190 %	4707,2602 litre	O
270	CM	85	CM	47 LEVEL CM	1380,0105 litre	22,518 %	4748,4514 litre	O
270	CM	85	CM	46 LEVEL CM	1339,0891 litre	21,850 %	4789,3728 litre	O
270	CM	85	CM	45 LEVEL CM	1298,4467 litre	21,187 %	4830,0152 litre	O
270	CM	85	CM	44 LEVEL CM	1258,0922 litre	20,529 %	4870,3697 litre	O
270	CM	85	CM	43 LEVEL CM	1218,0351 litre	19,875 %	4910,4268 litre	O
270	CM	85	CM	42 LEVEL CM	1178,2850 litre	19,226 %	4950,1769 litre	O
270	CM	85	CM	41 LEVEL CM	1138,8515 litre	18,583 %	4989,6104 litre	O
270	CM	85	CM	40 LEVEL CM	1099,7448 litre	17,945 %	5028,7171 litre	O
270	CM	85	CM	39 LEVEL CM	1060,9751 litre	17,312 %	5067,4868 litre	O
270	CM	85	CM	38 LEVEL CM	1022,5529 litre	16,685 %	5105,9090 litre	O
270	CM	85	CM	37 LEVEL CM	984,4891 litre	16,064 %	5143,9728 litre	O
270	CM	85	CM	36 LEVEL CM	946,7949 litre	15,449 %	5181,6670 litre	O
270	CM	85	CM	35 LEVEL CM	909,4816 litre	14,840 %	5218,9803 litre	O
270	CM	85	CM	34 LEVEL CM	872,5611 litre	14,238 %	5255,9008 litre	O
270	CM	85	CM	33 LEVEL CM	836,0457 litre	13,642 %	5292,4162 litre	O
270	CM	85	CM	32 LEVEL CM	799,9480 litre	13,053 %	5328,5139 litre	O
270	CM	85	CM	31 LEVEL CM	764,2809 litre	12,471 %	5364,1810 litre	O
270	CM	85	CM	30 LEVEL CM	729,0582 litre	11,896 %	5399,4037 litre	O
270	CM	85	CM	29 LEVEL CM	694,2937 litre	11,329 %	5434,1682 litre	O
270	CM	85	CM	28 LEVEL CM	660,0022 litre	10,769 %	5468,4597 litre	O
270	CM	85	CM	27 LEVEL CM	626,1989 litre	10,218 %	5502,2630 litre	O
270	CM	85	CM	26 LEVEL CM	592,8997 litre	9,675 %	5535,5622 litre	O
270	CM	85	CM	25 LEVEL CM	560,1213 litre	9,140 %	5568,3406 litre	O
270	CM	85	CM	24 LEVEL CM	527,8811 litre	8,614 %	5600,5808 litre	O
270	CM	85	CM	23 LEVEL CM	496,1974 litre	8,097 %	5632,2645 litre	O
270	CM	85	CM	22 LEVEL CM	465,0896 litre	7,589 %	5663,3723 litre	O
270	CM	85	CM	21 LEVEL CM	434,5781 litre	7,091 %	5693,8838 litre	O
270	CM	85	CM	20 LEVEL CM	404,6846 litre	6,603 %	5723,7773 litre	O
270	CM	85	CM	19 LEVEL CM	375,4320 litre	6,126 %	5753,0299 litre	O
270	CM	85	CM	18 LEVEL CM	346,8450 litre	5,660 %	5781,6169 litre	O
270	CM	85	CM	17 LEVEL CM	318,9498 litre	5,204 %	5809,5121 litre	O
270	CM	85	CM	16 LEVEL CM	291,7748 litre	4,761 %	5836,6871 litre	O
270	CM	85	CM	15 LEVEL CM	265,3506 litre	4,330 %	5863,1113 litre	O
270	CM	85	CM	14 LEVEL CM	239,7107 litre	3,911 %	5888,7512 litre	O
270	CM	85	CM	13 LEVEL CM	214,8914 litre	3,506 %	5913,5705 litre	O

270	CM	85	CM	12 LEVEL CM	190,9332 litre	3,116 %	5937,5287 litre	O
270	CM	85	CM	11 LEVEL CM	167,8807 litre	2,739 %	5960,5812 litre	O
270	CM	85	CM	10 LEVEL CM	145,7843 litre	2,379 %	5982,6776 litre	O
270	CM	85	CM	9 LEVEL CM	124,7010 litre	2,035 %	6003,7609 litre	O
270	CM	85	CM	8 LEVEL CM	104,6969 litre	1,708 %	6023,7650 litre	O
270	CM	85	CM	7 LEVEL CM	85,8490 litre	1,401 %	6042,6129 litre	O
270	CM	85	CM	6 LEVEL CM	68,2498 litre	1,114 %	6060,2121 litre	O
270	CM	85	CM	5 LEVEL CM	52,0131 litre	0,849 %	6076,4488 litre	O
270	CM	85	CM	4 LEVEL CM	37,2844 litre	0,608 %	6091,1775 litre	O
270	CM	85	CM	3 LEVEL CM	24,2603 litre	0,396 %	6104,2016 litre	O
270	CM	85	CM	2 LEVEL CM	13,2292 litre	0,216 %	6115,2327 litre	O
270	CM	85	CM	1 LEVEL CM	4,6855 litre	0,076 %	6123,7764 litre	O
270	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	6128,4619 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM 80	CM 160 LEVEL CM	5428,6721 litre	100,000 %	0,0000 litre	O
270	CM 80	CM 159 LEVEL CM	5424,1270 litre	99,916 %	4,5451 litre	O
270	CM 80	CM 158 LEVEL CM	5415,8408 litre	99,764 %	12,8313 litre	O
270	CM 80	CM 157 LEVEL CM	5405,1440 litre	99,567 %	23,5281 litre	O
270	CM 80	CM 156 LEVEL CM	5392,5171 litre	99,334 %	36,1550 litre	O
270	CM 80	CM 155 LEVEL CM	5378,2404 litre	99,071 %	50,4317 litre	O
270	CM 80	CM 154 LEVEL CM	5362,5050 litre	98,781 %	66,1671 litre	O
270	CM 80	CM 153 LEVEL CM	5345,4525 litre	98,467 %	83,2196 litre	O
270	CM 80	CM 152 LEVEL CM	5327,1937 litre	98,131 %	101,4784 litre	O
270	CM 80	CM 151 LEVEL CM	5307,8188 litre	97,774 %	120,8533 litre	O
270	CM 80	CM 150 LEVEL CM	5287,4030 litre	97,398 %	141,2691 litre	O
270	CM 80	CM 149 LEVEL CM	5266,0105 litre	97,004 %	162,6616 litre	O
270	CM 80	CM 148 LEVEL CM	5243,6971 litre	96,593 %	184,9750 litre	O
270	CM 80	CM 147 LEVEL CM	5220,5119 litre	96,166 %	208,1602 litre	O
270	CM 80	CM 146 LEVEL CM	5196,4987 litre	95,723 %	232,1734 litre	O
270	CM 80	CM 145 LEVEL CM	5171,6969 litre	95,266 %	256,9752 litre	O
270	CM 80	CM 144 LEVEL CM	5146,1422 litre	94,796 %	282,5299 litre	O
270	CM 80	CM 143 LEVEL CM	5119,8673 litre	94,312 %	308,8048 litre	O
270	CM 80	CM 142 LEVEL CM	5092,9022 litre	93,815 %	335,7699 litre	O
270	CM 80	CM 141 LEVEL CM	5065,2748 litre	93,306 %	363,3973 litre	O
270	CM 80	CM 140 LEVEL CM	5037,0107 litre	92,785 %	391,6614 litre	O
270	CM 80	CM 139 LEVEL CM	5008,1343 litre	92,253 %	420,5378 litre	O
270	CM 80	CM 138 LEVEL CM	4978,6681 litre	91,711 %	450,0040 litre	O
270	CM 80	CM 137 LEVEL CM	4948,6333 litre	91,157 %	480,0388 litre	O
270	CM 80	CM 136 LEVEL CM	4918,0501 litre	90,594 %	510,6220 litre	O
270	CM 80	CM 135 LEVEL CM	4886,9375 litre	90,021 %	541,7346 litre	O
270	CM 80	CM 134 LEVEL CM	4855,3137 litre	89,438 %	573,3584 litre	O
270	CM 80	CM 133 LEVEL CM	4823,1957 litre	88,847 %	605,4764 litre	O
270	CM 80	CM 132 LEVEL CM	4790,6001 litre	88,246 %	638,0720 litre	O
270	CM 80	CM 131 LEVEL CM	4757,5425 litre	87,637 %	671,1296 litre	O
270	CM 80	CM 130 LEVEL CM	4724,0381 litre	87,020 %	704,6340 litre	O
270	CM 80	CM 129 LEVEL CM	4690,1013 litre	86,395 %	738,5708 litre	O
270	CM 80	CM 128 LEVEL CM	4655,7460 litre	85,762 %	772,9261 litre	O
270	CM 80	CM 127 LEVEL CM	4620,9856 litre	85,122 %	807,6865 litre	O
270	CM 80	CM 126 LEVEL CM	4585,8332 litre	84,474 %	842,8389 litre	O
270	CM 80	CM 125 LEVEL CM	4550,3013 litre	83,820 %	878,3708 litre	O
270	CM 80	CM 124 LEVEL CM	4514,4019 litre	83,158 %	914,2702 litre	O
270	CM 80	CM 123 LEVEL CM	4478,1469 litre	82,491 %	950,5252 litre	O
270	CM 80	CM 122 LEVEL CM	4441,5477 litre	81,816 %	987,1244 litre	O
270	CM 80	CM 121 LEVEL CM	4404,6154 litre	81,136 %	1024,0567 litre	O
270	CM 80	CM 120 LEVEL CM	4367,3607 litre	80,450 %	1061,3114 litre	O
270	CM 80	CM 119 LEVEL CM	4329,7942 litre	79,758 %	1098,8779 litre	O
270	CM 80	CM 118 LEVEL CM	4291,9262 litre	79,060 %	1136,7459 litre	O
270	CM 80	CM 117 LEVEL CM	4253,7668 litre	78,357 %	1174,9053 litre	O
270	CM 80	CM 116 LEVEL CM	4215,3256 litre	77,649 %	1213,3465 litre	O
270	CM 80	CM 115 LEVEL CM	4176,6122 litre	76,936 %	1252,0599 litre	O
270	CM 80	CM 114 LEVEL CM	4137,6362 litre	76,218 %	1291,0359 litre	O
270	CM 80	CM 113 LEVEL CM	4098,4066 litre	75,496 %	1330,2655 litre	O
270	CM 80	CM 112 LEVEL CM	4058,9324 litre	74,768 %	1369,7397 litre	O
270	CM 80	CM 111 LEVEL CM	4019,2226 litre	74,037 %	1409,4495 litre	O
270	CM 80	CM 110 LEVEL CM	3979,2858 litre	73,301 %	1449,3863 litre	O
270	CM 80	CM 109 LEVEL CM	3939,1305 litre	72,562 %	1489,5416 litre	O

270	CM	80	CM	108 LEVEL CM	3898,7651 litre	71,818 %	1529,9070 litre	O
270	CM	80	CM	107 LEVEL CM	3858,1980 litre	71,071 %	1570,4741 litre	O
270	CM	80	CM	106 LEVEL CM	3817,4373 litre	70,320 %	1611,2348 litre	O
270	CM	80	CM	105 LEVEL CM	3776,4910 litre	69,566 %	1652,1811 litre	O
270	CM	80	CM	104 LEVEL CM	3735,3670 litre	68,808 %	1693,3051 litre	O
270	CM	80	CM	103 LEVEL CM	3694,0732 litre	68,047 %	1734,5989 litre	O
270	CM	80	CM	102 LEVEL CM	3652,6174 litre	67,284 %	1776,0547 litre	O
270	CM	80	CM	101 LEVEL CM	3611,0070 litre	66,517 %	1817,6651 litre	O
270	CM	80	CM	100 LEVEL CM	3569,2497 litre	65,748 %	1859,4224 litre	O
270	CM	80	CM	99 LEVEL CM	3527,3530 litre	64,976 %	1901,3191 litre	O
270	CM	80	CM	98 LEVEL CM	3485,3243 litre	64,202 %	1943,3478 litre	O
270	CM	80	CM	97 LEVEL CM	3443,1709 litre	63,426 %	1985,5012 litre	O
270	CM	80	CM	96 LEVEL CM	3400,9000 litre	62,647 %	2027,7721 litre	O
270	CM	80	CM	95 LEVEL CM	3358,5189 litre	61,866 %	2070,1532 litre	O
270	CM	80	CM	94 LEVEL CM	3316,0347 litre	61,084 %	2112,6374 litre	O
270	CM	80	CM	93 LEVEL CM	3273,4545 litre	60,299 %	2155,2176 litre	O
270	CM	80	CM	92 LEVEL CM	3230,7854 litre	59,513 %	2197,8867 litre	O
270	CM	80	CM	91 LEVEL CM	3188,0344 litre	58,726 %	2240,6377 litre	O
270	CM	80	CM	90 LEVEL CM	3145,2084 litre	57,937 %	2283,4637 litre	O
270	CM	80	CM	89 LEVEL CM	3102,3144 litre	57,147 %	2326,3577 litre	O
270	CM	80	CM	88 LEVEL CM	3059,3592 litre	56,356 %	2369,3129 litre	O
270	CM	80	CM	87 LEVEL CM	3016,3497 litre	55,563 %	2412,3224 litre	O
270	CM	80	CM	86 LEVEL CM	2973,2928 litre	54,770 %	2455,3793 litre	O
270	CM	80	CM	85 LEVEL CM	2930,1953 litre	53,976 %	2498,4768 litre	O
270	CM	80	CM	84 LEVEL CM	2887,0640 litre	53,182 %	2541,6081 litre	O
270	CM	80	CM	83 LEVEL CM	2843,9057 litre	52,387 %	2584,7664 litre	O
270	CM	80	CM	82 LEVEL CM	2800,7271 litre	51,591 %	2627,9450 litre	O
270	CM	80	CM	81 LEVEL CM	2757,5349 litre	50,796 %	2671,1372 litre	O
270	CM	80	CM	80 LEVEL CM	2714,3361 litre	50,000 %	2714,3360 litre	O
270	CM	80	CM	79 LEVEL CM	2671,1372 litre	49,204 %	2757,5349 litre	O
270	CM	80	CM	78 LEVEL CM	2627,9451 litre	48,409 %	2800,7270 litre	O
270	CM	80	CM	77 LEVEL CM	2584,7664 litre	47,613 %	2843,9057 litre	O
270	CM	80	CM	76 LEVEL CM	2541,6081 litre	46,818 %	2887,0640 litre	O
270	CM	80	CM	75 LEVEL CM	2498,4768 litre	46,024 %	2930,1953 litre	O
270	CM	80	CM	74 LEVEL CM	2455,3793 litre	45,230 %	2973,2928 litre	O
270	CM	80	CM	73 LEVEL CM	2412,3224 litre	44,437 %	3016,3497 litre	O
270	CM	80	CM	72 LEVEL CM	2369,3129 litre	43,644 %	3059,3592 litre	O
270	CM	80	CM	71 LEVEL CM	2326,3577 litre	42,853 %	3102,3144 litre	O
270	CM	80	CM	70 LEVEL CM	2283,4637 litre	42,063 %	3145,2084 litre	O
270	CM	80	CM	69 LEVEL CM	2240,6377 litre	41,274 %	3188,0344 litre	O
270	CM	80	CM	68 LEVEL CM	2197,8867 litre	40,487 %	3230,7854 litre	O
270	CM	80	CM	67 LEVEL CM	2155,2176 litre	39,701 %	3273,4545 litre	O
270	CM	80	CM	66 LEVEL CM	2112,6374 litre	38,916 %	3316,0347 litre	O
270	CM	80	CM	65 LEVEL CM	2070,1532 litre	38,134 %	3358,5189 litre	O
270	CM	80	CM	64 LEVEL CM	2027,7721 litre	37,353 %	3400,9000 litre	O
270	CM	80	CM	63 LEVEL CM	1985,5012 litre	36,574 %	3443,1709 litre	O
270	CM	80	CM	62 LEVEL CM	1943,3478 litre	35,798 %	3485,3243 litre	O
270	CM	80	CM	61 LEVEL CM	1901,3191 litre	35,024 %	3527,3530 litre	O
270	CM	80	CM	60 LEVEL CM	1859,4224 litre	34,252 %	3569,2497 litre	O
270	CM	80	CM	59 LEVEL CM	1817,6651 litre	33,483 %	3611,0070 litre	O
270	CM	80	CM	58 LEVEL CM	1776,0548 litre	32,716 %	3652,6173 litre	O
270	CM	80	CM	57 LEVEL CM	1734,5989 litre	31,953 %	3694,0732 litre	O
270	CM	80	CM	56 LEVEL CM	1693,3051 litre	31,192 %	3735,3670 litre	O

270	CM	80	CM	55 LEVEL CM	1652,1811 litre	30,434 %	3776,4910 litre	O
270	CM	80	CM	54 LEVEL CM	1611,2348 litre	29,680 %	3817,4373 litre	O
270	CM	80	CM	53 LEVEL CM	1570,4741 litre	28,929 %	3858,1980 litre	O
270	CM	80	CM	52 LEVEL CM	1529,9070 litre	28,182 %	3898,7651 litre	O
270	CM	80	CM	51 LEVEL CM	1489,5416 litre	27,438 %	3939,1305 litre	O
270	CM	80	CM	50 LEVEL CM	1449,3863 litre	26,699 %	3979,2858 litre	O
270	CM	80	CM	49 LEVEL CM	1409,4495 litre	25,963 %	4019,2226 litre	O
270	CM	80	CM	48 LEVEL CM	1369,7397 litre	25,232 %	4058,9324 litre	O
270	CM	80	CM	47 LEVEL CM	1330,2655 litre	24,504 %	4098,4066 litre	O
270	CM	80	CM	46 LEVEL CM	1291,0359 litre	23,782 %	4137,6362 litre	O
270	CM	80	CM	45 LEVEL CM	1252,0599 litre	23,064 %	4176,6122 litre	O
270	CM	80	CM	44 LEVEL CM	1213,3465 litre	22,351 %	4215,3256 litre	O
270	CM	80	CM	43 LEVEL CM	1174,9054 litre	21,643 %	4253,7667 litre	O
270	CM	80	CM	42 LEVEL CM	1136,7459 litre	20,940 %	4291,9262 litre	O
270	CM	80	CM	41 LEVEL CM	1098,8779 litre	20,242 %	4329,7942 litre	O
270	CM	80	CM	40 LEVEL CM	1061,3114 litre	19,550 %	4367,3607 litre	O
270	CM	80	CM	39 LEVEL CM	1024,0567 litre	18,864 %	4404,6154 litre	O
270	CM	80	CM	38 LEVEL CM	987,1244 litre	18,184 %	4441,5477 litre	O
270	CM	80	CM	37 LEVEL CM	950,5252 litre	17,509 %	4478,1469 litre	O
270	CM	80	CM	36 LEVEL CM	914,2702 litre	16,842 %	4514,4019 litre	O
270	CM	80	CM	35 LEVEL CM	878,3708 litre	16,180 %	4550,3013 litre	O
270	CM	80	CM	34 LEVEL CM	842,8389 litre	15,526 %	4585,8332 litre	O
270	CM	80	CM	33 LEVEL CM	807,6865 litre	14,878 %	4620,9856 litre	O
270	CM	80	CM	32 LEVEL CM	772,9261 litre	14,238 %	4655,7460 litre	O
270	CM	80	CM	31 LEVEL CM	738,5709 litre	13,605 %	4690,1012 litre	O
270	CM	80	CM	30 LEVEL CM	704,6340 litre	12,980 %	4724,0381 litre	O
270	CM	80	CM	29 LEVEL CM	671,1296 litre	12,363 %	4757,5425 litre	O
270	CM	80	CM	28 LEVEL CM	638,0720 litre	11,754 %	4790,6001 litre	O
270	CM	80	CM	27 LEVEL CM	605,4764 litre	11,153 %	4823,1957 litre	O
270	CM	80	CM	26 LEVEL CM	573,3584 litre	10,562 %	4855,3137 litre	O
270	CM	80	CM	25 LEVEL CM	541,7346 litre	9,979 %	4886,9375 litre	O
270	CM	80	CM	24 LEVEL CM	510,6220 litre	9,406 %	4918,0501 litre	O
270	CM	80	CM	23 LEVEL CM	480,0388 litre	8,843 %	4948,6333 litre	O
270	CM	80	CM	22 LEVEL CM	450,0040 litre	8,289 %	4978,6681 litre	O
270	CM	80	CM	21 LEVEL CM	420,5378 litre	7,747 %	5008,1343 litre	O
270	CM	80	CM	20 LEVEL CM	391,6614 litre	7,215 %	5037,0107 litre	O
270	CM	80	CM	19 LEVEL CM	363,3973 litre	6,694 %	5065,2748 litre	O
270	CM	80	CM	18 LEVEL CM	335,7699 litre	6,185 %	5092,9022 litre	O
270	CM	80	CM	17 LEVEL CM	308,8048 litre	5,688 %	5119,8673 litre	O
270	CM	80	CM	16 LEVEL CM	282,5299 litre	5,204 %	5146,1422 litre	O
270	CM	80	CM	15 LEVEL CM	256,9752 litre	4,734 %	5171,6969 litre	O
270	CM	80	CM	14 LEVEL CM	232,1734 litre	4,277 %	5196,4987 litre	O
270	CM	80	CM	13 LEVEL CM	208,1602 litre	3,834 %	5220,5119 litre	O
270	CM	80	CM	12 LEVEL CM	184,9751 litre	3,407 %	5243,6970 litre	O
270	CM	80	CM	11 LEVEL CM	162,6616 litre	2,996 %	5266,0105 litre	O
270	CM	80	CM	10 LEVEL CM	141,2691 litre	2,602 %	5287,4030 litre	O
270	CM	80	CM	9 LEVEL CM	120,8533 litre	2,226 %	5307,8188 litre	O
270	CM	80	CM	8 LEVEL CM	101,4784 litre	1,869 %	5327,1937 litre	O
270	CM	80	CM	7 LEVEL CM	83,2196 litre	1,533 %	5345,4525 litre	O
270	CM	80	CM	6 LEVEL CM	66,1671 litre	1,219 %	5362,5050 litre	O
270	CM	80	CM	5 LEVEL CM	50,4317 litre	0,929 %	5378,2404 litre	O
270	CM	80	CM	4 LEVEL CM	36,1550 litre	0,666 %	5392,5171 litre	O
270	CM	80	CM	3 LEVEL CM	23,5281 litre	0,433 %	5405,1440 litre	O

270_80

-2644-

270	CM 80	CM	2 LEVEL CM	12,8313 litre	0,236 %	5415,8408 litre	O
270	CM 80	CM	1 LEVEL CM	4,5451 litre	0,084 %	5424,1270 litre	O
270	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	5428,6721 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM 75	CM 150 LEVEL CM	4771,2938 litre	100,000 %	0,0000 litre	O
270	CM 75	CM 149 LEVEL CM	4766,8936 litre	99,908 %	4,4002 litre	O
270	CM 75	CM 148 LEVEL CM	4758,8731 litre	99,740 %	12,4207 litre	O
270	CM 75	CM 147 LEVEL CM	4748,5215 litre	99,523 %	22,7723 litre	O
270	CM 75	CM 146 LEVEL CM	4736,3047 litre	99,267 %	34,9891 litre	O
270	CM 75	CM 145 LEVEL CM	4722,4947 litre	98,977 %	48,7991 litre	O
270	CM 75	CM 144 LEVEL CM	4707,2771 litre	98,658 %	64,0167 litre	O
270	CM 75	CM 143 LEVEL CM	4690,7894 litre	98,313 %	80,5044 litre	O
270	CM 75	CM 142 LEVEL CM	4673,1395 litre	97,943 %	98,1543 litre	O
270	CM 75	CM 141 LEVEL CM	4654,4150 litre	97,550 %	116,8788 litre	O
270	CM 75	CM 140 LEVEL CM	4634,6891 litre	97,137 %	136,6047 litre	O
270	CM 75	CM 139 LEVEL CM	4614,0244 litre	96,704 %	157,2694 litre	O
270	CM 75	CM 138 LEVEL CM	4592,4754 litre	96,252 %	178,8184 litre	O
270	CM 75	CM 137 LEVEL CM	4570,0900 litre	95,783 %	201,2038 litre	O
270	CM 75	CM 136 LEVEL CM	4546,9109 litre	95,297 %	224,3829 litre	O
270	CM 75	CM 135 LEVEL CM	4522,9765 litre	94,796 %	248,3173 litre	O
270	CM 75	CM 134 LEVEL CM	4498,3220 litre	94,279 %	272,9718 litre	O
270	CM 75	CM 133 LEVEL CM	4472,9791 litre	93,748 %	298,3147 litre	O
270	CM 75	CM 132 LEVEL CM	4446,9774 litre	93,203 %	324,3164 litre	O
270	CM 75	CM 131 LEVEL CM	4420,3441 litre	92,645 %	350,9497 litre	O
270	CM 75	CM 130 LEVEL CM	4393,1045 litre	92,074 %	378,1893 litre	O
270	CM 75	CM 129 LEVEL CM	4365,2823 litre	91,491 %	406,0115 litre	O
270	CM 75	CM 128 LEVEL CM	4336,8998 litre	90,896 %	434,3940 litre	O
270	CM 75	CM 127 LEVEL CM	4307,9778 litre	90,290 %	463,3160 litre	O
270	CM 75	CM 126 LEVEL CM	4278,5362 litre	89,672 %	492,7576 litre	O
270	CM 75	CM 125 LEVEL CM	4248,5937 litre	89,045 %	522,7001 litre	O
270	CM 75	CM 124 LEVEL CM	4218,1682 litre	88,407 %	553,1256 litre	O
270	CM 75	CM 123 LEVEL CM	4187,2766 litre	87,760 %	584,0172 litre	O
270	CM 75	CM 122 LEVEL CM	4155,9351 litre	87,103 %	615,3587 litre	O
270	CM 75	CM 121 LEVEL CM	4124,1594 litre	86,437 %	647,1344 litre	O
270	CM 75	CM 120 LEVEL CM	4091,9642 litre	85,762 %	679,3296 litre	O
270	CM 75	CM 119 LEVEL CM	4059,3641 litre	85,079 %	711,9297 litre	O
270	CM 75	CM 118 LEVEL CM	4026,3726 litre	84,387 %	744,9212 litre	O
270	CM 75	CM 117 LEVEL CM	3993,0033 litre	83,688 %	778,2905 litre	O
270	CM 75	CM 116 LEVEL CM	3959,2690 litre	82,981 %	812,0248 litre	O
270	CM 75	CM 115 LEVEL CM	3925,1820 litre	82,267 %	846,1118 litre	O
270	CM 75	CM 114 LEVEL CM	3890,7546 litre	81,545 %	880,5392 litre	O
270	CM 75	CM 113 LEVEL CM	3855,9984 litre	80,817 %	915,2954 litre	O
270	CM 75	CM 112 LEVEL CM	3820,9248 litre	80,082 %	950,3690 litre	O
270	CM 75	CM 111 LEVEL CM	3785,5450 litre	79,340 %	985,7488 litre	O
270	CM 75	CM 110 LEVEL CM	3749,8697 litre	78,592 %	1021,4241 litre	O
270	CM 75	CM 109 LEVEL CM	3713,9094 litre	77,839 %	1057,3844 litre	O
270	CM 75	CM 108 LEVEL CM	3677,6744 litre	77,079 %	1093,6194 litre	O
270	CM 75	CM 107 LEVEL CM	3641,1749 litre	76,314 %	1130,1189 litre	O
270	CM 75	CM 106 LEVEL CM	3604,4205 litre	75,544 %	1166,8733 litre	O
270	CM 75	CM 105 LEVEL CM	3567,4211 litre	74,768 %	1203,8727 litre	O
270	CM 75	CM 104 LEVEL CM	3530,1859 litre	73,988 %	1241,1079 litre	O
270	CM 75	CM 103 LEVEL CM	3492,7244 litre	73,203 %	1278,5694 litre	O
270	CM 75	CM 102 LEVEL CM	3455,0455 litre	72,413 %	1316,2483 litre	O
270	CM 75	CM 101 LEVEL CM	3417,1582 litre	71,619 %	1354,1356 litre	O
270	CM 75	CM 100 LEVEL CM	3379,0713 litre	70,821 %	1392,2225 litre	O
270	CM 75	CM 99 LEVEL CM	3340,7935 litre	70,019 %	1430,5003 litre	O

270	CM	75	CM	98 LEVEL CM	3302,3333 litre	69,213 %	1468,9605 litre	O
270	CM	75	CM	97 LEVEL CM	3263,6991 litre	68,403 %	1507,5947 litre	O
270	CM	75	CM	96 LEVEL CM	3224,8992 litre	67,590 %	1546,3946 litre	O
270	CM	75	CM	95 LEVEL CM	3185,9418 litre	66,773 %	1585,3520 litre	O
270	CM	75	CM	94 LEVEL CM	3146,8350 litre	65,953 %	1624,4588 litre	O
270	CM	75	CM	93 LEVEL CM	3107,5868 litre	65,131 %	1663,7070 litre	O
270	CM	75	CM	92 LEVEL CM	3068,2050 litre	64,306 %	1703,0888 litre	O
270	CM	75	CM	91 LEVEL CM	3028,6976 litre	63,477 %	1742,5962 litre	O
270	CM	75	CM	90 LEVEL CM	2989,0723 litre	62,647 %	1782,2215 litre	O
270	CM	75	CM	89 LEVEL CM	2949,3367 litre	61,814 %	1821,9571 litre	O
270	CM	75	CM	88 LEVEL CM	2909,4985 litre	60,979 %	1861,7953 litre	O
270	CM	75	CM	87 LEVEL CM	2869,5653 litre	60,142 %	1901,7285 litre	O
270	CM	75	CM	86 LEVEL CM	2829,5445 litre	59,304 %	1941,7493 litre	O
270	CM	75	CM	85 LEVEL CM	2789,4437 litre	58,463 %	1981,8501 litre	O
270	CM	75	CM	84 LEVEL CM	2749,2702 litre	57,621 %	2022,0236 litre	O
270	CM	75	CM	83 LEVEL CM	2709,0315 litre	56,778 %	2062,2623 litre	O
270	CM	75	CM	82 LEVEL CM	2668,7348 litre	55,933 %	2102,5590 litre	O
270	CM	75	CM	81 LEVEL CM	2628,3875 litre	55,088 %	2142,9063 litre	O
270	CM	75	CM	80 LEVEL CM	2587,9968 litre	54,241 %	2183,2970 litre	O
270	CM	75	CM	79 LEVEL CM	2547,5701 litre	53,394 %	2223,7237 litre	O
270	CM	75	CM	78 LEVEL CM	2507,1145 litre	52,546 %	2264,1793 litre	O
270	CM	75	CM	77 LEVEL CM	2466,6373 litre	51,697 %	2304,6565 litre	O
270	CM	75	CM	76 LEVEL CM	2426,1457 litre	50,849 %	2345,1481 litre	O
270	CM	75	CM	75 LEVEL CM	2385,6469 litre	50,000 %	2385,6469 litre	O
270	CM	75	CM	74 LEVEL CM	2345,1481 litre	49,151 %	2426,1457 litre	O
270	CM	75	CM	73 LEVEL CM	2304,6565 litre	48,303 %	2466,6373 litre	O
270	CM	75	CM	72 LEVEL CM	2264,1793 litre	47,454 %	2507,1145 litre	O
270	CM	75	CM	71 LEVEL CM	2223,7238 litre	46,606 %	2547,5700 litre	O
270	CM	75	CM	70 LEVEL CM	2183,2970 litre	45,759 %	2587,9968 litre	O
270	CM	75	CM	69 LEVEL CM	2142,9064 litre	44,912 %	2628,3874 litre	O
270	CM	75	CM	68 LEVEL CM	2102,5591 litre	44,067 %	2668,7347 litre	O
270	CM	75	CM	67 LEVEL CM	2062,2624 litre	43,222 %	2709,0314 litre	O
270	CM	75	CM	66 LEVEL CM	2022,0236 litre	42,379 %	2749,2702 litre	O
270	CM	75	CM	65 LEVEL CM	1981,8501 litre	41,537 %	2789,4437 litre	O
270	CM	75	CM	64 LEVEL CM	1941,7493 litre	40,696 %	2829,5445 litre	O
270	CM	75	CM	63 LEVEL CM	1901,7286 litre	39,858 %	2869,5652 litre	O
270	CM	75	CM	62 LEVEL CM	1861,7953 litre	39,021 %	2909,4985 litre	O
270	CM	75	CM	61 LEVEL CM	1821,9571 litre	38,186 %	2949,3367 litre	O
270	CM	75	CM	60 LEVEL CM	1782,2216 litre	37,353 %	2989,0722 litre	O
270	CM	75	CM	59 LEVEL CM	1742,5962 litre	36,523 %	3028,6976 litre	O
270	CM	75	CM	58 LEVEL CM	1703,0888 litre	35,694 %	3068,2050 litre	O
270	CM	75	CM	57 LEVEL CM	1663,7071 litre	34,869 %	3107,5867 litre	O
270	CM	75	CM	56 LEVEL CM	1624,4588 litre	34,047 %	3146,8350 litre	O
270	CM	75	CM	55 LEVEL CM	1585,3520 litre	33,227 %	3185,9418 litre	O
270	CM	75	CM	54 LEVEL CM	1546,3946 litre	32,410 %	3224,8992 litre	O
270	CM	75	CM	53 LEVEL CM	1507,5947 litre	31,597 %	3263,6991 litre	O
270	CM	75	CM	52 LEVEL CM	1468,9605 litre	30,787 %	3302,3333 litre	O
270	CM	75	CM	51 LEVEL CM	1430,5003 litre	29,981 %	3340,7935 litre	O
270	CM	75	CM	50 LEVEL CM	1392,2225 litre	29,179 %	3379,0713 litre	O
270	CM	75	CM	49 LEVEL CM	1354,1357 litre	28,381 %	3417,1581 litre	O
270	CM	75	CM	48 LEVEL CM	1316,2484 litre	27,587 %	3455,0454 litre	O
270	CM	75	CM	47 LEVEL CM	1278,5695 litre	26,797 %	3492,7243 litre	O
270	CM	75	CM	46 LEVEL CM	1241,1079 litre	26,012 %	3530,1859 litre	O

270	CM	75	CM	45 LEVEL CM	1203,8728 litre	25,232 %	3567,4210 litre	O
270	CM	75	CM	44 LEVEL CM	1166,8733 litre	24,456 %	3604,4205 litre	O
270	CM	75	CM	43 LEVEL CM	1130,1190 litre	23,686 %	3641,1748 litre	O
270	CM	75	CM	42 LEVEL CM	1093,6194 litre	22,921 %	3677,6744 litre	O
270	CM	75	CM	41 LEVEL CM	1057,3845 litre	22,161 %	3713,9093 litre	O
270	CM	75	CM	40 LEVEL CM	1021,4242 litre	21,408 %	3749,8696 litre	O
270	CM	75	CM	39 LEVEL CM	985,7488 litre	20,660 %	3785,5450 litre	O
270	CM	75	CM	38 LEVEL CM	950,3690 litre	19,918 %	3820,9248 litre	O
270	CM	75	CM	37 LEVEL CM	915,2954 litre	19,183 %	3855,9984 litre	O
270	CM	75	CM	36 LEVEL CM	880,5392 litre	18,455 %	3890,7546 litre	O
270	CM	75	CM	35 LEVEL CM	846,1118 litre	17,733 %	3925,1820 litre	O
270	CM	75	CM	34 LEVEL CM	812,0249 litre	17,019 %	3959,2689 litre	O
270	CM	75	CM	33 LEVEL CM	778,2905 litre	16,312 %	3993,0033 litre	O
270	CM	75	CM	32 LEVEL CM	744,9212 litre	15,613 %	4026,3726 litre	O
270	CM	75	CM	31 LEVEL CM	711,9298 litre	14,921 %	4059,3640 litre	O
270	CM	75	CM	30 LEVEL CM	679,3296 litre	14,238 %	4091,9642 litre	O
270	CM	75	CM	29 LEVEL CM	647,1345 litre	13,563 %	4124,1593 litre	O
270	CM	75	CM	28 LEVEL CM	615,3587 litre	12,897 %	4155,9351 litre	O
270	CM	75	CM	27 LEVEL CM	584,0173 litre	12,240 %	4187,2765 litre	O
270	CM	75	CM	26 LEVEL CM	553,1257 litre	11,593 %	4218,1681 litre	O
270	CM	75	CM	25 LEVEL CM	522,7001 litre	10,955 %	4248,5937 litre	O
270	CM	75	CM	24 LEVEL CM	492,7576 litre	10,328 %	4278,5362 litre	O
270	CM	75	CM	23 LEVEL CM	463,3160 litre	9,710 %	4307,9778 litre	O
270	CM	75	CM	22 LEVEL CM	434,3940 litre	9,104 %	4336,8998 litre	O
270	CM	75	CM	21 LEVEL CM	406,0115 litre	8,509 %	4365,2823 litre	O
270	CM	75	CM	20 LEVEL CM	378,1893 litre	7,926 %	4393,1045 litre	O
270	CM	75	CM	19 LEVEL CM	350,9497 litre	7,355 %	4420,3441 litre	O
270	CM	75	CM	18 LEVEL CM	324,3164 litre	6,797 %	4446,9774 litre	O
270	CM	75	CM	17 LEVEL CM	298,3147 litre	6,252 %	4472,9791 litre	O
270	CM	75	CM	16 LEVEL CM	272,9719 litre	5,721 %	4498,3219 litre	O
270	CM	75	CM	15 LEVEL CM	248,3173 litre	5,204 %	4522,9765 litre	O
270	CM	75	CM	14 LEVEL CM	224,3830 litre	4,703 %	4546,9108 litre	O
270	CM	75	CM	13 LEVEL CM	201,2039 litre	4,217 %	4570,0899 litre	O
270	CM	75	CM	12 LEVEL CM	178,8184 litre	3,748 %	4592,4754 litre	O
270	CM	75	CM	11 LEVEL CM	157,2694 litre	3,296 %	4614,0244 litre	O
270	CM	75	CM	10 LEVEL CM	136,6048 litre	2,863 %	4634,6890 litre	O
270	CM	75	CM	9 LEVEL CM	116,8789 litre	2,450 %	4654,4149 litre	O
270	CM	75	CM	8 LEVEL CM	98,1543 litre	2,057 %	4673,1395 litre	O
270	CM	75	CM	7 LEVEL CM	80,5044 litre	1,687 %	4690,7894 litre	O
270	CM	75	CM	6 LEVEL CM	64,0168 litre	1,342 %	4707,2770 litre	O
270	CM	75	CM	5 LEVEL CM	48,7991 litre	1,023 %	4722,4947 litre	O
270	CM	75	CM	4 LEVEL CM	34,9891 litre	0,733 %	4736,3047 litre	O
270	CM	75	CM	3 LEVEL CM	22,7723 litre	0,477 %	4748,5215 litre	O
270	CM	75	CM	2 LEVEL CM	12,4208 litre	0,260 %	4758,8730 litre	O
270	CM	75	CM	1 LEVEL CM	4,4003 litre	0,092 %	4766,8935 litre	O
270	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	4771,2938 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM 70	CM 140 LEVEL CM	4156,3271 litre	100,000 %	0,0000 litre	O
270	CM 70	CM 139 LEVEL CM	4152,0766 litre	99,898 %	4,2505 litre	O
270	CM 70	CM 138 LEVEL CM	4144,3309 litre	99,711 %	11,9962 litre	O
270	CM 70	CM 137 LEVEL CM	4134,3365 litre	99,471 %	21,9906 litre	O
270	CM 70	CM 136 LEVEL CM	4122,5441 litre	99,187 %	33,7830 litre	O
270	CM 70	CM 135 LEVEL CM	4109,2171 litre	98,867 %	47,1100 litre	O
270	CM 70	CM 134 LEVEL CM	4094,5355 litre	98,513 %	61,7916 litre	O
270	CM 70	CM 133 LEVEL CM	4078,6327 litre	98,131 %	77,6944 litre	O
270	CM 70	CM 132 LEVEL CM	4061,6134 litre	97,721 %	94,7137 litre	O
270	CM 70	CM 131 LEVEL CM	4043,5626 litre	97,287 %	112,7645 litre	O
270	CM 70	CM 130 LEVEL CM	4024,5517 litre	96,830 %	131,7754 litre	O
270	CM 70	CM 129 LEVEL CM	4004,6415 litre	96,350 %	151,6856 litre	O
270	CM 70	CM 128 LEVEL CM	3983,8851 litre	95,851 %	172,4420 litre	O
270	CM 70	CM 127 LEVEL CM	3962,3290 litre	95,332 %	193,9981 litre	O
270	CM 70	CM 126 LEVEL CM	3940,0151 litre	94,796 %	216,3120 litre	O
270	CM 70	CM 125 LEVEL CM	3916,9809 litre	94,241 %	239,3462 litre	O
270	CM 70	CM 124 LEVEL CM	3893,2606 litre	93,671 %	263,0665 litre	O
270	CM 70	CM 123 LEVEL CM	3868,8854 litre	93,084 %	287,4417 litre	O
270	CM 70	CM 122 LEVEL CM	3843,8842 litre	92,483 %	312,4429 litre	O
270	CM 70	CM 121 LEVEL CM	3818,2836 litre	91,867 %	338,0435 litre	O
270	CM 70	CM 120 LEVEL CM	3792,1085 litre	91,237 %	364,2186 litre	O
270	CM 70	CM 119 LEVEL CM	3765,3821 litre	90,594 %	390,9450 litre	O
270	CM 70	CM 118 LEVEL CM	3738,1263 litre	89,938 %	418,2008 litre	O
270	CM 70	CM 117 LEVEL CM	3710,3618 litre	89,270 %	445,9653 litre	O
270	CM 70	CM 116 LEVEL CM	3682,1078 litre	88,590 %	474,2193 litre	O
270	CM 70	CM 115 LEVEL CM	3653,3830 litre	87,899 %	502,9441 litre	O
270	CM 70	CM 114 LEVEL CM	3624,2050 litre	87,197 %	532,1221 litre	O
270	CM 70	CM 113 LEVEL CM	3594,5905 litre	86,485 %	561,7366 litre	O
270	CM 70	CM 112 LEVEL CM	3564,5555 litre	85,762 %	591,7716 litre	O
270	CM 70	CM 111 LEVEL CM	3534,1155 litre	85,030 %	622,2116 litre	O
270	CM 70	CM 110 LEVEL CM	3503,2852 litre	84,288 %	653,0419 litre	O
270	CM 70	CM 109 LEVEL CM	3472,0789 litre	83,537 %	684,2482 litre	O
270	CM 70	CM 108 LEVEL CM	3440,5102 litre	82,778 %	715,8169 litre	O
270	CM 70	CM 107 LEVEL CM	3408,5924 litre	82,010 %	747,7347 litre	O
270	CM 70	CM 106 LEVEL CM	3376,3384 litre	81,234 %	779,9887 litre	O
270	CM 70	CM 105 LEVEL CM	3343,7605 litre	80,450 %	812,5666 litre	O
270	CM 70	CM 104 LEVEL CM	3310,8708 litre	79,659 %	845,4563 litre	O
270	CM 70	CM 103 LEVEL CM	3277,6811 litre	78,860 %	878,6460 litre	O
270	CM 70	CM 102 LEVEL CM	3244,2026 litre	78,055 %	912,1245 litre	O
270	CM 70	CM 101 LEVEL CM	3210,4466 litre	77,242 %	945,8805 litre	O
270	CM 70	CM 100 LEVEL CM	3176,4238 litre	76,424 %	979,9033 litre	O
270	CM 70	CM 99 LEVEL CM	3142,1449 litre	75,599 %	1014,1822 litre	O
270	CM 70	CM 98 LEVEL CM	3107,6201 litre	74,768 %	1048,7070 litre	O
270	CM 70	CM 97 LEVEL CM	3072,8597 litre	73,932 %	1083,4674 litre	O
270	CM 70	CM 96 LEVEL CM	3037,8735 litre	73,090 %	1118,4536 litre	O
270	CM 70	CM 95 LEVEL CM	3002,6712 litre	72,243 %	1153,6559 litre	O
270	CM 70	CM 94 LEVEL CM	2967,2625 litre	71,391 %	1189,0646 litre	O
270	CM 70	CM 93 LEVEL CM	2931,6566 litre	70,535 %	1224,6705 litre	O
270	CM 70	CM 92 LEVEL CM	2895,8629 litre	69,674 %	1260,4642 litre	O
270	CM 70	CM 91 LEVEL CM	2859,8904 litre	68,808 %	1296,4367 litre	O
270	CM 70	CM 90 LEVEL CM	2823,7481 litre	67,939 %	1332,5790 litre	O
270	CM 70	CM 89 LEVEL CM	2787,4447 litre	67,065 %	1368,8824 litre	O

270	CM	70	CM	88 LEVEL CM	2750,9891 litre	66,188 %	1405,3380 litre	O
270	CM	70	CM	87 LEVEL CM	2714,3897 litre	65,307 %	1441,9374 litre	O
270	CM	70	CM	86 LEVEL CM	2677,6552 litre	64,424 %	1478,6719 litre	O
270	CM	70	CM	85 LEVEL CM	2640,7939 litre	63,537 %	1515,5332 litre	O
270	CM	70	CM	84 LEVEL CM	2603,8141 litre	62,647 %	1552,5130 litre	O
270	CM	70	CM	83 LEVEL CM	2566,7240 litre	61,755 %	1589,6031 litre	O
270	CM	70	CM	82 LEVEL CM	2529,5319 litre	60,860 %	1626,7952 litre	O
270	CM	70	CM	81 LEVEL CM	2492,2459 litre	59,963 %	1664,0812 litre	O
270	CM	70	CM	80 LEVEL CM	2454,8739 litre	59,064 %	1701,4532 litre	O
270	CM	70	CM	79 LEVEL CM	2417,4239 litre	58,163 %	1738,9032 litre	O
270	CM	70	CM	78 LEVEL CM	2379,9040 litre	57,260 %	1776,4231 litre	O
270	CM	70	CM	77 LEVEL CM	2342,3219 litre	56,356 %	1814,0052 litre	O
270	CM	70	CM	76 LEVEL CM	2304,6855 litre	55,450 %	1851,6416 litre	O
270	CM	70	CM	75 LEVEL CM	2267,0027 litre	54,543 %	1889,3244 litre	O
270	CM	70	CM	74 LEVEL CM	2229,2812 litre	53,636 %	1927,0459 litre	O
270	CM	70	CM	73 LEVEL CM	2191,5288 litre	52,728 %	1964,7983 litre	O
270	CM	70	CM	72 LEVEL CM	2153,7533 litre	51,819 %	2002,5738 litre	O
270	CM	70	CM	71 LEVEL CM	2115,9623 litre	50,909 %	2040,3648 litre	O
270	CM	70	CM	70 LEVEL CM	2078,1635 litre	50,000 %	2078,1636 litre	O
270	CM	70	CM	69 LEVEL CM	2040,3648 litre	49,091 %	2115,9623 litre	O
270	CM	70	CM	68 LEVEL CM	2002,5738 litre	48,181 %	2153,7533 litre	O
270	CM	70	CM	67 LEVEL CM	1964,7983 litre	47,272 %	2191,5288 litre	O
270	CM	70	CM	66 LEVEL CM	1927,0459 litre	46,364 %	2229,2812 litre	O
270	CM	70	CM	65 LEVEL CM	1889,3244 litre	45,457 %	2267,0027 litre	O
270	CM	70	CM	64 LEVEL CM	1851,6416 litre	44,550 %	2304,6855 litre	O
270	CM	70	CM	63 LEVEL CM	1814,0052 litre	43,644 %	2342,3219 litre	O
270	CM	70	CM	62 LEVEL CM	1776,4231 litre	42,740 %	2379,9040 litre	O
270	CM	70	CM	61 LEVEL CM	1738,9032 litre	41,837 %	2417,4239 litre	O
270	CM	70	CM	60 LEVEL CM	1701,4532 litre	40,936 %	2454,8739 litre	O
270	CM	70	CM	59 LEVEL CM	1664,0812 litre	40,037 %	2492,2459 litre	O
270	CM	70	CM	58 LEVEL CM	1626,7952 litre	39,140 %	2529,5319 litre	O
270	CM	70	CM	57 LEVEL CM	1589,6031 litre	38,245 %	2566,7240 litre	O
270	CM	70	CM	56 LEVEL CM	1552,5130 litre	37,353 %	2603,8141 litre	O
270	CM	70	CM	55 LEVEL CM	1515,5332 litre	36,463 %	2640,7939 litre	O
270	CM	70	CM	54 LEVEL CM	1478,6719 litre	35,576 %	2677,6552 litre	O
270	CM	70	CM	53 LEVEL CM	1441,9374 litre	34,693 %	2714,3897 litre	O
270	CM	70	CM	52 LEVEL CM	1405,3380 litre	33,812 %	2750,9891 litre	O
270	CM	70	CM	51 LEVEL CM	1368,8824 litre	32,935 %	2787,4447 litre	O
270	CM	70	CM	50 LEVEL CM	1332,5790 litre	32,061 %	2823,7481 litre	O
270	CM	70	CM	49 LEVEL CM	1296,4367 litre	31,192 %	2859,8904 litre	O
270	CM	70	CM	48 LEVEL CM	1260,4642 litre	30,326 %	2895,8629 litre	O
270	CM	70	CM	47 LEVEL CM	1224,6705 litre	29,465 %	2931,6566 litre	O
270	CM	70	CM	46 LEVEL CM	1189,0646 litre	28,609 %	2967,2625 litre	O
270	CM	70	CM	45 LEVEL CM	1153,6559 litre	27,757 %	3002,6712 litre	O
270	CM	70	CM	44 LEVEL CM	1118,4536 litre	26,910 %	3037,8735 litre	O
270	CM	70	CM	43 LEVEL CM	1083,4674 litre	26,068 %	3072,8597 litre	O
270	CM	70	CM	42 LEVEL CM	1048,7069 litre	25,232 %	3107,6202 litre	O
270	CM	70	CM	41 LEVEL CM	1014,1822 litre	24,401 %	3142,1449 litre	O
270	CM	70	CM	40 LEVEL CM	979,9032 litre	23,576 %	3176,4239 litre	O
270	CM	70	CM	39 LEVEL CM	945,8805 litre	22,758 %	3210,4466 litre	O
270	CM	70	CM	38 LEVEL CM	912,1244 litre	21,945 %	3244,2027 litre	O
270	CM	70	CM	37 LEVEL CM	878,6460 litre	21,140 %	3277,6811 litre	O
270	CM	70	CM	36 LEVEL CM	845,4562 litre	20,341 %	3310,8709 litre	O

270	CM	70	CM	35 LEVEL CM	812,5666 litre	19,550 %	3343,7605 litre	O
270	CM	70	CM	34 LEVEL CM	779,9887 litre	18,766 %	3376,3384 litre	O
270	CM	70	CM	33 LEVEL CM	747,7346 litre	17,990 %	3408,5925 litre	O
270	CM	70	CM	32 LEVEL CM	715,8169 litre	17,222 %	3440,5102 litre	O
270	CM	70	CM	31 LEVEL CM	684,2482 litre	16,463 %	3472,0789 litre	O
270	CM	70	CM	30 LEVEL CM	653,0419 litre	15,712 %	3503,2852 litre	O
270	CM	70	CM	29 LEVEL CM	622,2116 litre	14,970 %	3534,1155 litre	O
270	CM	70	CM	28 LEVEL CM	591,7716 litre	14,238 %	3564,5555 litre	O
270	CM	70	CM	27 LEVEL CM	561,7366 litre	13,515 %	3594,5905 litre	O
270	CM	70	CM	26 LEVEL CM	532,1221 litre	12,803 %	3624,2050 litre	O
270	CM	70	CM	25 LEVEL CM	502,9440 litre	12,101 %	3653,3831 litre	O
270	CM	70	CM	24 LEVEL CM	474,2193 litre	11,410 %	3682,1078 litre	O
270	CM	70	CM	23 LEVEL CM	445,9653 litre	10,730 %	3710,3618 litre	O
270	CM	70	CM	22 LEVEL CM	418,2007 litre	10,062 %	3738,1264 litre	O
270	CM	70	CM	21 LEVEL CM	390,9450 litre	9,406 %	3765,3821 litre	O
270	CM	70	CM	20 LEVEL CM	364,2186 litre	8,763 %	3792,1085 litre	O
270	CM	70	CM	19 LEVEL CM	338,0435 litre	8,133 %	3818,2836 litre	O
270	CM	70	CM	18 LEVEL CM	312,4429 litre	7,517 %	3843,8842 litre	O
270	CM	70	CM	17 LEVEL CM	287,4416 litre	6,916 %	3868,8855 litre	O
270	CM	70	CM	16 LEVEL CM	263,0665 litre	6,329 %	3893,2606 litre	O
270	CM	70	CM	15 LEVEL CM	239,3462 litre	5,759 %	3916,9809 litre	O
270	CM	70	CM	14 LEVEL CM	216,3120 litre	5,204 %	3940,0151 litre	O
270	CM	70	CM	13 LEVEL CM	193,9981 litre	4,668 %	3962,3290 litre	O
270	CM	70	CM	12 LEVEL CM	172,4420 litre	4,149 %	3983,8851 litre	O
270	CM	70	CM	11 LEVEL CM	151,6856 litre	3,650 %	4004,6415 litre	O
270	CM	70	CM	10 LEVEL CM	131,7754 litre	3,170 %	4024,5517 litre	O
270	CM	70	CM	9 LEVEL CM	112,7644 litre	2,713 %	4043,5627 litre	O
270	CM	70	CM	8 LEVEL CM	94,7137 litre	2,279 %	4061,6134 litre	O
270	CM	70	CM	7 LEVEL CM	77,6944 litre	1,869 %	4078,6327 litre	O
270	CM	70	CM	6 LEVEL CM	61,7916 litre	1,487 %	4094,5355 litre	O
270	CM	70	CM	5 LEVEL CM	47,1100 litre	1,133 %	4109,2171 litre	O
270	CM	70	CM	4 LEVEL CM	33,7830 litre	0,813 %	4122,5441 litre	O
270	CM	70	CM	3 LEVEL CM	21,9906 litre	0,529 %	4134,3365 litre	O
270	CM	70	CM	2 LEVEL CM	11,9961 litre	0,289 %	4144,3310 litre	O
270	CM	70	CM	1 LEVEL CM	4,2504 litre	0,102 %	4152,0767 litre	O
270	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	4156,3271 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
270	CM 65	CM 130	LEVEL CM 3583,7718 litre	100,000 %	0,0000 litre	O
270	CM 65	CM 129	LEVEL CM 3579,6767 litre	99,886 %	4,0951 litre	O
270	CM 65	CM 128	LEVEL CM 3572,2159 litre	99,678 %	11,5559 litre	O
270	CM 65	CM 127	LEVEL CM 3562,5918 litre	99,409 %	21,1800 litre	O
270	CM 65	CM 126	LEVEL CM 3551,2396 litre	99,092 %	32,5322 litre	O
270	CM 65	CM 125	LEVEL CM 3538,4138 litre	98,734 %	45,3580 litre	O
270	CM 65	CM 124	LEVEL CM 3524,2886 litre	98,340 %	59,4832 litre	O
270	CM 65	CM 123	LEVEL CM 3508,9930 litre	97,913 %	74,7788 litre	O
270	CM 65	CM 122	LEVEL CM 3492,6286 litre	97,457 %	91,1432 litre	O
270	CM 65	CM 121	LEVEL CM 3475,2778 litre	96,973 %	108,4940 litre	O
270	CM 65	CM 120	LEVEL CM 3457,0098 litre	96,463 %	126,7620 litre	O
270	CM 65	CM 119	LEVEL CM 3437,8838 litre	95,929 %	145,8880 litre	O
270	CM 65	CM 118	LEVEL CM 3417,9513 litre	95,373 %	165,8205 litre	O
270	CM 65	CM 117	LEVEL CM 3397,2579 litre	94,796 %	186,5139 litre	O
270	CM 65	CM 116	LEVEL CM 3375,8442 litre	94,198 %	207,9276 litre	O
270	CM 65	CM 115	LEVEL CM 3353,7468 litre	93,581 %	230,0250 litre	O
270	CM 65	CM 114	LEVEL CM 3330,9990 litre	92,947 %	252,7728 litre	O
270	CM 65	CM 113	LEVEL CM 3307,6316 litre	92,295 %	276,1402 litre	O
270	CM 65	CM 112	LEVEL CM 3283,6725 litre	91,626 %	300,0993 litre	O
270	CM 65	CM 111	LEVEL CM 3259,1481 litre	90,942 %	324,6237 litre	O
270	CM 65	CM 110	LEVEL CM 3234,0826 litre	90,242 %	349,6892 litre	O
270	CM 65	CM 109	LEVEL CM 3208,4990 litre	89,529 %	375,2728 litre	O
270	CM 65	CM 108	LEVEL CM 3182,4186 litre	88,801 %	401,3532 litre	O
270	CM 65	CM 107	LEVEL CM 3155,8618 litre	88,060 %	427,9100 litre	O
270	CM 65	CM 106	LEVEL CM 3128,8477 litre	87,306 %	454,9241 litre	O
270	CM 65	CM 105	LEVEL CM 3101,3946 litre	86,540 %	482,3772 litre	O
270	CM 65	CM 104	LEVEL CM 3073,5198 litre	85,762 %	510,2520 litre	O
270	CM 65	CM 103	LEVEL CM 3045,2400 litre	84,973 %	538,5318 litre	O
270	CM 65	CM 102	LEVEL CM 3016,5710 litre	84,173 %	567,2008 litre	O
270	CM 65	CM 101	LEVEL CM 2987,5281 litre	83,363 %	596,2437 litre	O
270	CM 65	CM 100	LEVEL CM 2958,1259 litre	82,542 %	625,6459 litre	O
270	CM 65	CM 99	LEVEL CM 2928,3787 litre	81,712 %	655,3931 litre	O
270	CM 65	CM 98	LEVEL CM 2898,3000 litre	80,873 %	685,4718 litre	O
270	CM 65	CM 97	LEVEL CM 2867,9030 litre	80,025 %	715,8688 litre	O
270	CM 65	CM 96	LEVEL CM 2837,2006 litre	79,168 %	746,5712 litre	O
270	CM 65	CM 95	LEVEL CM 2806,2051 litre	78,303 %	777,5667 litre	O
270	CM 65	CM 94	LEVEL CM 2774,9287 litre	77,430 %	808,8431 litre	O
270	CM 65	CM 93	LEVEL CM 2743,3831 litre	76,550 %	840,3887 litre	O
270	CM 65	CM 92	LEVEL CM 2711,5796 litre	75,663 %	872,1922 litre	O
270	CM 65	CM 91	LEVEL CM 2679,5296 litre	74,768 %	904,2422 litre	O
270	CM 65	CM 90	LEVEL CM 2647,2439 litre	73,868 %	936,5279 litre	O
270	CM 65	CM 89	LEVEL CM 2614,7331 litre	72,960 %	969,0387 litre	O
270	CM 65	CM 88	LEVEL CM 2582,0078 litre	72,047 %	1001,7640 litre	O
270	CM 65	CM 87	LEVEL CM 2549,0782 litre	71,128 %	1034,6936 litre	O
270	CM 65	CM 86	LEVEL CM 2515,9543 litre	70,204 %	1067,8175 litre	O
270	CM 65	CM 85	LEVEL CM 2482,6461 litre	69,275 %	1101,1257 litre	O
270	CM 65	CM 84	LEVEL CM 2449,1632 litre	68,340 %	1134,6086 litre	O
270	CM 65	CM 83	LEVEL CM 2415,5153 litre	67,401 %	1168,2565 litre	O
270	CM 65	CM 82	LEVEL CM 2381,7117 litre	66,458 %	1202,0601 litre	O
270	CM 65	CM 81	LEVEL CM 2347,7618 litre	65,511 %	1236,0100 litre	O
270	CM 65	CM 80	LEVEL CM 2313,6748 litre	64,560 %	1270,0970 litre	O
270	CM 65	CM 79	LEVEL CM 2279,4596 litre	63,605 %	1304,3122 litre	O

270	CM	65	CM	78 LEVEL CM	2245,1254 litre	62,647 %	1338,6464 litre	O
270	CM	65	CM	77 LEVEL CM	2210,6809 litre	61,686 %	1373,0909 litre	O
270	CM	65	CM	76 LEVEL CM	2176,1350 litre	60,722 %	1407,6368 litre	O
270	CM	65	CM	75 LEVEL CM	2141,4963 litre	59,755 %	1442,2755 litre	O
270	CM	65	CM	74 LEVEL CM	2106,7736 litre	58,786 %	1476,9982 litre	O
270	CM	65	CM	73 LEVEL CM	2071,9754 litre	57,815 %	1511,7964 litre	O
270	CM	65	CM	72 LEVEL CM	2037,1102 litre	56,843 %	1546,6616 litre	O
270	CM	65	CM	71 LEVEL CM	2002,1864 litre	55,868 %	1581,5854 litre	O
270	CM	65	CM	70 LEVEL CM	1967,2127 litre	54,892 %	1616,5591 litre	O
270	CM	65	CM	69 LEVEL CM	1932,1972 litre	53,915 %	1651,5746 litre	O
270	CM	65	CM	68 LEVEL CM	1897,1485 litre	52,937 %	1686,6233 litre	O
270	CM	65	CM	67 LEVEL CM	1862,0748 litre	51,959 %	1721,6970 litre	O
270	CM	65	CM	66 LEVEL CM	1826,9845 litre	50,979 %	1756,7873 litre	O
270	CM	65	CM	65 LEVEL CM	1791,8859 litre	50,000 %	1791,8859 litre	O
270	CM	65	CM	64 LEVEL CM	1756,7873 litre	49,021 %	1826,9845 litre	O
270	CM	65	CM	63 LEVEL CM	1721,6970 litre	48,041 %	1862,0748 litre	O
270	CM	65	CM	62 LEVEL CM	1686,6233 litre	47,063 %	1897,1485 litre	O
270	CM	65	CM	61 LEVEL CM	1651,5746 litre	46,085 %	1932,1972 litre	O
270	CM	65	CM	60 LEVEL CM	1616,5591 litre	45,108 %	1967,2127 litre	O
270	CM	65	CM	59 LEVEL CM	1581,5854 litre	44,132 %	2002,1864 litre	O
270	CM	65	CM	58 LEVEL CM	1546,6617 litre	43,157 %	2037,1101 litre	O
270	CM	65	CM	57 LEVEL CM	1511,7965 litre	42,185 %	2071,9753 litre	O
270	CM	65	CM	56 LEVEL CM	1476,9982 litre	41,214 %	2106,7736 litre	O
270	CM	65	CM	55 LEVEL CM	1442,2755 litre	40,245 %	2141,4963 litre	O
270	CM	65	CM	54 LEVEL CM	1407,6368 litre	39,278 %	2176,1350 litre	O
270	CM	65	CM	53 LEVEL CM	1373,0909 litre	38,314 %	2210,6809 litre	O
270	CM	65	CM	52 LEVEL CM	1338,6464 litre	37,353 %	2245,1254 litre	O
270	CM	65	CM	51 LEVEL CM	1304,3122 litre	36,395 %	2279,4596 litre	O
270	CM	65	CM	50 LEVEL CM	1270,0970 litre	35,440 %	2313,6748 litre	O
270	CM	65	CM	49 LEVEL CM	1236,0100 litre	34,489 %	2347,7618 litre	O
270	CM	65	CM	48 LEVEL CM	1202,0601 litre	33,542 %	2381,7117 litre	O
270	CM	65	CM	47 LEVEL CM	1168,2565 litre	32,599 %	2415,5153 litre	O
270	CM	65	CM	46 LEVEL CM	1134,6086 litre	31,660 %	2449,1632 litre	O
270	CM	65	CM	45 LEVEL CM	1101,1257 litre	30,725 %	2482,6461 litre	O
270	CM	65	CM	44 LEVEL CM	1067,8175 litre	29,796 %	2515,9543 litre	O
270	CM	65	CM	43 LEVEL CM	1034,6936 litre	28,872 %	2549,0782 litre	O
270	CM	65	CM	42 LEVEL CM	1001,7640 litre	27,953 %	2582,0078 litre	O
270	CM	65	CM	41 LEVEL CM	969,0387 litre	27,040 %	2614,7331 litre	O
270	CM	65	CM	40 LEVEL CM	936,5279 litre	26,132 %	2647,2439 litre	O
270	CM	65	CM	39 LEVEL CM	904,2422 litre	25,232 %	2679,5296 litre	O
270	CM	65	CM	38 LEVEL CM	872,1922 litre	24,337 %	2711,5796 litre	O
270	CM	65	CM	37 LEVEL CM	840,3887 litre	23,450 %	2743,3831 litre	O
270	CM	65	CM	36 LEVEL CM	808,8431 litre	22,570 %	2774,9287 litre	O
270	CM	65	CM	35 LEVEL CM	777,5667 litre	21,697 %	2806,2051 litre	O
270	CM	65	CM	34 LEVEL CM	746,5712 litre	20,832 %	2837,2006 litre	O
270	CM	65	CM	33 LEVEL CM	715,8688 litre	19,975 %	2867,9030 litre	O
270	CM	65	CM	32 LEVEL CM	685,4719 litre	19,127 %	2898,2999 litre	O
270	CM	65	CM	31 LEVEL CM	655,3931 litre	18,288 %	2928,3787 litre	O
270	CM	65	CM	30 LEVEL CM	625,6459 litre	17,458 %	2958,1259 litre	O
270	CM	65	CM	29 LEVEL CM	596,2437 litre	16,637 %	2987,5281 litre	O
270	CM	65	CM	28 LEVEL CM	567,2008 litre	15,827 %	3016,5710 litre	O
270	CM	65	CM	27 LEVEL CM	538,5318 litre	15,027 %	3045,2400 litre	O
270	CM	65	CM	26 LEVEL CM	510,2520 litre	14,238 %	3073,5198 litre	O

270	CM	65	CM	25 LEVEL CM	482,3773 litre	13,460 %	3101,3945 litre	O
270	CM	65	CM	24 LEVEL CM	454,9241 litre	12,694 %	3128,8477 litre	O
270	CM	65	CM	23 LEVEL CM	427,9101 litre	11,940 %	3155,8617 litre	O
270	CM	65	CM	22 LEVEL CM	401,3532 litre	11,199 %	3182,4186 litre	O
270	CM	65	CM	21 LEVEL CM	375,2729 litre	10,471 %	3208,4989 litre	O
270	CM	65	CM	20 LEVEL CM	349,6892 litre	9,758 %	3234,0826 litre	O
270	CM	65	CM	19 LEVEL CM	324,6237 litre	9,058 %	3259,1481 litre	O
270	CM	65	CM	18 LEVEL CM	300,0993 litre	8,374 %	3283,6725 litre	O
270	CM	65	CM	17 LEVEL CM	276,1403 litre	7,705 %	3307,6315 litre	O
270	CM	65	CM	16 LEVEL CM	252,7728 litre	7,053 %	3330,9990 litre	O
270	CM	65	CM	15 LEVEL CM	230,0251 litre	6,419 %	3353,7467 litre	O
270	CM	65	CM	14 LEVEL CM	207,9276 litre	5,802 %	3375,8442 litre	O
270	CM	65	CM	13 LEVEL CM	186,5139 litre	5,204 %	3397,2579 litre	O
270	CM	65	CM	12 LEVEL CM	165,8205 litre	4,627 %	3417,9513 litre	O
270	CM	65	CM	11 LEVEL CM	145,8880 litre	4,071 %	3437,8838 litre	O
270	CM	65	CM	10 LEVEL CM	126,7620 litre	3,537 %	3457,0098 litre	O
270	CM	65	CM	9 LEVEL CM	108,4941 litre	3,027 %	3475,2777 litre	O
270	CM	65	CM	8 LEVEL CM	91,1432 litre	2,543 %	3492,6286 litre	O
270	CM	65	CM	7 LEVEL CM	74,7788 litre	2,087 %	3508,9930 litre	O
270	CM	65	CM	6 LEVEL CM	59,4832 litre	1,660 %	3524,2886 litre	O
270	CM	65	CM	5 LEVEL CM	45,3580 litre	1,266 %	3538,4138 litre	O
270	CM	65	CM	4 LEVEL CM	32,5323 litre	0,908 %	3551,2395 litre	O
270	CM	65	CM	3 LEVEL CM	21,1800 litre	0,591 %	3562,5918 litre	O
270	CM	65	CM	2 LEVEL CM	11,5559 litre	0,322 %	3572,2159 litre	O
270	CM	65	CM	1 LEVEL CM	4,0951 litre	0,114 %	3579,6767 litre	O
270	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	3583,7718 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
270	CM	60	CM	120 LEVEL CM	3053,6281 litre	100,000 %	0,0000 litre	O
270	CM	60	CM	119 LEVEL CM	3049,6943 litre	99,871 %	3,9338 litre	O
270	CM	60	CM	118 LEVEL CM	3042,5298 litre	99,637 %	11,0983 litre	O
270	CM	60	CM	117 LEVEL CM	3033,2909 litre	99,334 %	20,3372 litre	O
270	CM	60	CM	116 LEVEL CM	3022,3966 litre	98,977 %	31,2315 litre	O
270	CM	60	CM	115 LEVEL CM	3010,0925 litre	98,574 %	43,5356 litre	O
270	CM	60	CM	114 LEVEL CM	2996,5465 litre	98,131 %	57,0816 litre	O
270	CM	60	CM	113 LEVEL CM	2981,8833 litre	97,651 %	71,7448 litre	O
270	CM	60	CM	112 LEVEL CM	2966,2010 litre	97,137 %	87,4271 litre	O
270	CM	60	CM	111 LEVEL CM	2949,5796 litre	96,593 %	104,0485 litre	O
270	CM	60	CM	110 LEVEL CM	2932,0861 litre	96,020 %	121,5420 litre	O
270	CM	60	CM	109 LEVEL CM	2913,7778 litre	95,420 %	139,8503 litre	O
270	CM	60	CM	108 LEVEL CM	2894,7050 litre	94,796 %	158,9231 litre	O
270	CM	60	CM	107 LEVEL CM	2874,9117 litre	94,147 %	178,7164 litre	O
270	CM	60	CM	106 LEVEL CM	2854,4377 litre	93,477 %	199,1904 litre	O
270	CM	60	CM	105 LEVEL CM	2833,3185 litre	92,785 %	220,3096 litre	O
270	CM	60	CM	104 LEVEL CM	2811,5869 litre	92,074 %	242,0412 litre	O
270	CM	60	CM	103 LEVEL CM	2789,2726 litre	91,343 %	264,3555 litre	O
270	CM	60	CM	102 LEVEL CM	2766,4032 litre	90,594 %	287,2249 litre	O
270	CM	60	CM	101 LEVEL CM	2743,0044 litre	89,828 %	310,6237 litre	O
270	CM	60	CM	100 LEVEL CM	2719,1000 litre	89,045 %	334,5281 litre	O
270	CM	60	CM	99 LEVEL CM	2694,7125 litre	88,246 %	358,9156 litre	O
270	CM	60	CM	98 LEVEL CM	2669,8631 litre	87,432 %	383,7650 litre	O
270	CM	60	CM	97 LEVEL CM	2644,5716 litre	86,604 %	409,0565 litre	O
270	CM	60	CM	96 LEVEL CM	2618,8571 litre	85,762 %	434,7710 litre	O
270	CM	60	CM	95 LEVEL CM	2592,7375 litre	84,907 %	460,8906 litre	O
270	CM	60	CM	94 LEVEL CM	2566,2300 litre	84,039 %	487,3981 litre	O
270	CM	60	CM	93 LEVEL CM	2539,3511 litre	83,158 %	514,2770 litre	O
270	CM	60	CM	92 LEVEL CM	2512,1165 litre	82,267 %	541,5116 litre	O
270	CM	60	CM	91 LEVEL CM	2484,5414 litre	81,364 %	569,0867 litre	O
270	CM	60	CM	90 LEVEL CM	2456,6404 litre	80,450 %	596,9877 litre	O
270	CM	60	CM	89 LEVEL CM	2428,4276 litre	79,526 %	625,2005 litre	O
270	CM	60	CM	88 LEVEL CM	2399,9166 litre	78,592 %	653,7115 litre	O
270	CM	60	CM	87 LEVEL CM	2371,1206 litre	77,649 %	682,5075 litre	O
270	CM	60	CM	86 LEVEL CM	2342,0525 litre	76,697 %	711,5756 litre	O
270	CM	60	CM	85 LEVEL CM	2312,7248 litre	75,737 %	740,9033 litre	O
270	CM	60	CM	84 LEVEL CM	2283,1495 litre	74,768 %	770,4786 litre	O
270	CM	60	CM	83 LEVEL CM	2253,3385 litre	73,792 %	800,2896 litre	O
270	CM	60	CM	82 LEVEL CM	2223,3034 litre	72,809 %	830,3247 litre	O
270	CM	60	CM	81 LEVEL CM	2193,0554 litre	71,818 %	860,5727 litre	O
270	CM	60	CM	80 LEVEL CM	2162,6056 litre	70,821 %	891,0225 litre	O
270	CM	60	CM	79 LEVEL CM	2131,9649 litre	69,817 %	921,6632 litre	O
270	CM	60	CM	78 LEVEL CM	2101,1440 litre	68,808 %	952,4841 litre	O
270	CM	60	CM	77 LEVEL CM	2070,1531 litre	67,793 %	983,4750 litre	O
270	CM	60	CM	76 LEVEL CM	2039,0028 litre	66,773 %	1014,6253 litre	O
270	CM	60	CM	75 LEVEL CM	2007,7030 litre	65,748 %	1045,9251 litre	O
270	CM	60	CM	74 LEVEL CM	1976,2637 litre	64,719 %	1077,3644 litre	O
270	CM	60	CM	73 LEVEL CM	1944,6949 litre	63,685 %	1108,9332 litre	O
270	CM	60	CM	72 LEVEL CM	1913,0063 litre	62,647 %	1140,6218 litre	O
270	CM	60	CM	71 LEVEL CM	1881,2073 litre	61,606 %	1172,4208 litre	O
270	CM	60	CM	70 LEVEL CM	1849,3077 litre	60,561 %	1204,3204 litre	O
270	CM	60	CM	69 LEVEL CM	1817,3168 litre	59,513 %	1236,3113 litre	O

270	CM	60	CM	68 LEVEL CM	1785,2440 litre	58,463 %	1268,3841 litre	O
270	CM	60	CM	67 LEVEL CM	1753,0985 litre	57,410 %	1300,5296 litre	O
270	CM	60	CM	66 LEVEL CM	1720,8895 litre	56,356 %	1332,7386 litre	O
270	CM	60	CM	65 LEVEL CM	1688,6263 litre	55,299 %	1365,0018 litre	O
270	CM	60	CM	64 LEVEL CM	1656,3180 litre	54,241 %	1397,3101 litre	O
270	CM	60	CM	63 LEVEL CM	1623,9735 litre	53,182 %	1429,6546 litre	O
270	CM	60	CM	62 LEVEL CM	1591,6020 litre	52,122 %	1462,0261 litre	O
270	CM	60	CM	61 LEVEL CM	1559,2125 litre	51,061 %	1494,4156 litre	O
270	CM	60	CM	60 LEVEL CM	1526,8140 litre	50,000 %	1526,8141 litre	O
270	CM	60	CM	59 LEVEL CM	1494,4155 litre	48,939 %	1559,2126 litre	O
270	CM	60	CM	58 LEVEL CM	1462,0260 litre	47,878 %	1591,6021 litre	O
270	CM	60	CM	57 LEVEL CM	1429,6545 litre	46,818 %	1623,9736 litre	O
270	CM	60	CM	56 LEVEL CM	1397,3101 litre	45,759 %	1656,3180 litre	O
270	CM	60	CM	55 LEVEL CM	1365,0017 litre	44,701 %	1688,6264 litre	O
270	CM	60	CM	54 LEVEL CM	1332,7385 litre	43,644 %	1720,8896 litre	O
270	CM	60	CM	53 LEVEL CM	1300,5296 litre	42,590 %	1753,0985 litre	O
270	CM	60	CM	52 LEVEL CM	1268,3841 litre	41,537 %	1785,2440 litre	O
270	CM	60	CM	51 LEVEL CM	1236,3113 litre	40,487 %	1817,3168 litre	O
270	CM	60	CM	50 LEVEL CM	1204,3203 litre	39,439 %	1849,3078 litre	O
270	CM	60	CM	49 LEVEL CM	1172,4207 litre	38,394 %	1881,2074 litre	O
270	CM	60	CM	48 LEVEL CM	1140,6218 litre	37,353 %	1913,0063 litre	O
270	CM	60	CM	47 LEVEL CM	1108,9331 litre	36,315 %	1944,6950 litre	O
270	CM	60	CM	46 LEVEL CM	1077,3643 litre	35,281 %	1976,2638 litre	O
270	CM	60	CM	45 LEVEL CM	1045,9251 litre	34,252 %	2007,7030 litre	O
270	CM	60	CM	44 LEVEL CM	1014,6253 litre	33,227 %	2039,0028 litre	O
270	CM	60	CM	43 LEVEL CM	983,4749 litre	32,207 %	2070,1532 litre	O
270	CM	60	CM	42 LEVEL CM	952,4841 litre	31,192 %	2101,1440 litre	O
270	CM	60	CM	41 LEVEL CM	921,6631 litre	30,183 %	2131,9650 litre	O
270	CM	60	CM	40 LEVEL CM	891,0224 litre	29,179 %	2162,6057 litre	O
270	CM	60	CM	39 LEVEL CM	860,5727 litre	28,182 %	2193,0554 litre	O
270	CM	60	CM	38 LEVEL CM	830,3247 litre	27,191 %	2223,3034 litre	O
270	CM	60	CM	37 LEVEL CM	800,2896 litre	26,208 %	2253,3385 litre	O
270	CM	60	CM	36 LEVEL CM	770,4786 litre	25,232 %	2283,1495 litre	O
270	CM	60	CM	35 LEVEL CM	740,9033 litre	24,263 %	2312,7248 litre	O
270	CM	60	CM	34 LEVEL CM	711,5755 litre	23,303 %	2342,0526 litre	O
270	CM	60	CM	33 LEVEL CM	682,5074 litre	22,351 %	2371,1207 litre	O
270	CM	60	CM	32 LEVEL CM	653,7115 litre	21,408 %	2399,9166 litre	O
270	CM	60	CM	31 LEVEL CM	625,2005 litre	20,474 %	2428,4276 litre	O
270	CM	60	CM	30 LEVEL CM	596,9877 litre	19,550 %	2456,6404 litre	O
270	CM	60	CM	29 LEVEL CM	569,0867 litre	18,636 %	2484,5414 litre	O
270	CM	60	CM	28 LEVEL CM	541,5116 litre	17,733 %	2512,1165 litre	O
270	CM	60	CM	27 LEVEL CM	514,2770 litre	16,842 %	2539,3511 litre	O
270	CM	60	CM	26 LEVEL CM	487,3980 litre	15,961 %	2566,2301 litre	O
270	CM	60	CM	25 LEVEL CM	460,8906 litre	15,093 %	2592,7375 litre	O
270	CM	60	CM	24 LEVEL CM	434,7710 litre	14,238 %	2618,8571 litre	O
270	CM	60	CM	23 LEVEL CM	409,0564 litre	13,396 %	2644,5717 litre	O
270	CM	60	CM	22 LEVEL CM	383,7650 litre	12,568 %	2669,8631 litre	O
270	CM	60	CM	21 LEVEL CM	358,9155 litre	11,754 %	2694,7126 litre	O
270	CM	60	CM	20 LEVEL CM	334,5281 litre	10,955 %	2719,1000 litre	O
270	CM	60	CM	19 LEVEL CM	310,6237 litre	10,172 %	2743,0044 litre	O
270	CM	60	CM	18 LEVEL CM	287,2249 litre	9,406 %	2766,4032 litre	O
270	CM	60	CM	17 LEVEL CM	264,3555 litre	8,657 %	2789,2726 litre	O
270	CM	60	CM	16 LEVEL CM	242,0412 litre	7,926 %	2811,5869 litre	O

270	CM	60	CM	15 LEVEL CM	220,3095 litre	7,215 %	2833,3186 litre	O
270	CM	60	CM	14 LEVEL CM	199,1904 litre	6,523 %	2854,4377 litre	O
270	CM	60	CM	13 LEVEL CM	178,7163 litre	5,853 %	2874,9118 litre	O
270	CM	60	CM	12 LEVEL CM	158,9231 litre	5,204 %	2894,7050 litre	O
270	CM	60	CM	11 LEVEL CM	139,8502 litre	4,580 %	2913,7779 litre	O
270	CM	60	CM	10 LEVEL CM	121,5420 litre	3,980 %	2932,0861 litre	O
270	CM	60	CM	9 LEVEL CM	104,0485 litre	3,407 %	2949,5796 litre	O
270	CM	60	CM	8 LEVEL CM	87,4270 litre	2,863 %	2966,2011 litre	O
270	CM	60	CM	7 LEVEL CM	71,7448 litre	2,349 %	2981,8833 litre	O
270	CM	60	CM	6 LEVEL CM	57,0816 litre	1,869 %	2996,5465 litre	O
270	CM	60	CM	5 LEVEL CM	43,5355 litre	1,426 %	3010,0926 litre	O
270	CM	60	CM	4 LEVEL CM	31,2314 litre	1,023 %	3022,3967 litre	O
270	CM	60	CM	3 LEVEL CM	20,3372 litre	0,666 %	3033,2909 litre	O
270	CM	60	CM	2 LEVEL CM	11,0983 litre	0,363 %	3042,5298 litre	O
270	CM	60	CM	1 LEVEL CM	3,9337 litre	0,129 %	3049,6944 litre	O
270	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	3053,6281 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
270	CM	55	CM	110 LEVEL CM	2565,8958 litre	100,000 %	0,0000 litre	O
270	CM	55	CM	109 LEVEL CM	2562,1304 litre	99,853 %	3,7654 litre	O
270	CM	55	CM	108 LEVEL CM	2555,2749 litre	99,586 %	10,6209 litre	O
270	CM	55	CM	107 LEVEL CM	2546,4379 litre	99,242 %	19,4579 litre	O
270	CM	55	CM	106 LEVEL CM	2536,0218 litre	98,836 %	29,8740 litre	O
270	CM	55	CM	105 LEVEL CM	2524,2625 litre	98,377 %	41,6333 litre	O
270	CM	55	CM	104 LEVEL CM	2511,3215 litre	97,873 %	54,5743 litre	O
270	CM	55	CM	103 LEVEL CM	2497,3192 litre	97,327 %	68,5766 litre	O
270	CM	55	CM	102 LEVEL CM	2482,3501 litre	96,744 %	83,5457 litre	O
270	CM	55	CM	101 LEVEL CM	2466,4916 litre	96,126 %	99,4042 litre	O
270	CM	55	CM	100 LEVEL CM	2449,8085 litre	95,476 %	116,0873 litre	O
270	CM	55	CM	99 LEVEL CM	2432,3563 litre	94,796 %	133,5395 litre	O
270	CM	55	CM	98 LEVEL CM	2414,1836 litre	94,087 %	151,7122 litre	O
270	CM	55	CM	97 LEVEL CM	2395,3335 litre	93,353 %	170,5623 litre	O
270	CM	55	CM	96 LEVEL CM	2375,8444 litre	92,593 %	190,0514 litre	O
270	CM	55	CM	95 LEVEL CM	2355,7511 litre	91,810 %	210,1447 litre	O
270	CM	55	CM	94 LEVEL CM	2335,0854 litre	91,005 %	230,8104 litre	O
270	CM	55	CM	93 LEVEL CM	2313,8765 litre	90,178 %	252,0193 litre	O
270	CM	55	CM	92 LEVEL CM	2292,1513 litre	89,331 %	273,7445 litre	O
270	CM	55	CM	91 LEVEL CM	2269,9351 litre	88,466 %	295,9607 litre	O
270	CM	55	CM	90 LEVEL CM	2247,2512 litre	87,582 %	318,6446 litre	O
270	CM	55	CM	89 LEVEL CM	2224,1217 litre	86,680 %	341,7741 litre	O
270	CM	55	CM	88 LEVEL CM	2200,5674 litre	85,762 %	365,3284 litre	O
270	CM	55	CM	87 LEVEL CM	2176,6081 litre	84,828 %	389,2877 litre	O
270	CM	55	CM	86 LEVEL CM	2152,2624 litre	83,880 %	413,6334 litre	O
270	CM	55	CM	85 LEVEL CM	2127,5481 litre	82,916 %	438,3477 litre	O
270	CM	55	CM	84 LEVEL CM	2102,4824 litre	81,940 %	463,4134 litre	O
270	CM	55	CM	83 LEVEL CM	2077,0815 litre	80,950 %	488,8143 litre	O
270	CM	55	CM	82 LEVEL CM	2051,3612 litre	79,947 %	514,5346 litre	O
270	CM	55	CM	81 LEVEL CM	2025,3365 litre	78,933 %	540,5593 litre	O
270	CM	55	CM	80 LEVEL CM	1999,0222 litre	77,907 %	566,8736 litre	O
270	CM	55	CM	79 LEVEL CM	1972,4322 litre	76,871 %	593,4636 litre	O
270	CM	55	CM	78 LEVEL CM	1945,5803 litre	75,825 %	620,3155 litre	O
270	CM	55	CM	77 LEVEL CM	1918,4798 litre	74,768 %	647,4160 litre	O
270	CM	55	CM	76 LEVEL CM	1891,1436 litre	73,703 %	674,7522 litre	O
270	CM	55	CM	75 LEVEL CM	1863,5842 litre	72,629 %	702,3116 litre	O
270	CM	55	CM	74 LEVEL CM	1835,8141 litre	71,547 %	730,0817 litre	O
270	CM	55	CM	73 LEVEL CM	1807,8451 litre	70,457 %	758,0507 litre	O
270	CM	55	CM	72 LEVEL CM	1779,6891 litre	69,359 %	786,2067 litre	O
270	CM	55	CM	71 LEVEL CM	1751,3576 litre	68,255 %	814,5382 litre	O
270	CM	55	CM	70 LEVEL CM	1722,8619 litre	67,145 %	843,0339 litre	O
270	CM	55	CM	69 LEVEL CM	1694,2130 litre	66,028 %	871,6828 litre	O
270	CM	55	CM	68 LEVEL CM	1665,4221 litre	64,906 %	900,4737 litre	O
270	CM	55	CM	67 LEVEL CM	1636,4997 litre	63,779 %	929,3961 litre	O
270	CM	55	CM	66 LEVEL CM	1607,4566 litre	62,647 %	958,4392 litre	O
270	CM	55	CM	65 LEVEL CM	1578,3033 litre	61,511 %	987,5925 litre	O
270	CM	55	CM	64 LEVEL CM	1549,0502 litre	60,371 %	1016,8456 litre	O
270	CM	55	CM	63 LEVEL CM	1519,7074 litre	59,227 %	1046,1884 litre	O
270	CM	55	CM	62 LEVEL CM	1490,2853 litre	58,081 %	1075,6105 litre	O
270	CM	55	CM	61 LEVEL CM	1460,7938 litre	56,931 %	1105,1020 litre	O
270	CM	55	CM	60 LEVEL CM	1431,2431 litre	55,779 %	1134,6527 litre	O
270	CM	55	CM	59 LEVEL CM	1401,6431 litre	54,626 %	1164,2527 litre	O

270	CM 55	CM	58 LEVEL CM	1372,0037 litre	53,471 %	1193,8921 litre	O
270	CM 55	CM	57 LEVEL CM	1342,3348 litre	52,314 %	1223,5610 litre	O
270	CM 55	CM	56 LEVEL CM	1312,6463 litre	51,157 %	1253,2495 litre	O
270	CM 55	CM	55 LEVEL CM	1282,9479 litre	50,000 %	1282,9479 litre	O
270	CM 55	CM	54 LEVEL CM	1253,2495 litre	48,843 %	1312,6463 litre	O
270	CM 55	CM	53 LEVEL CM	1223,5610 litre	47,686 %	1342,3348 litre	O
270	CM 55	CM	52 LEVEL CM	1193,8921 litre	46,529 %	1372,0037 litre	O
270	CM 55	CM	51 LEVEL CM	1164,2527 litre	45,374 %	1401,6431 litre	O
270	CM 55	CM	50 LEVEL CM	1134,6527 litre	44,221 %	1431,2431 litre	O
270	CM 55	CM	49 LEVEL CM	1105,1020 litre	43,069 %	1460,7938 litre	O
270	CM 55	CM	48 LEVEL CM	1075,6105 litre	41,919 %	1490,2853 litre	O
270	CM 55	CM	47 LEVEL CM	1046,1884 litre	40,773 %	1519,7074 litre	O
270	CM 55	CM	46 LEVEL CM	1016,8456 litre	39,629 %	1549,0502 litre	O
270	CM 55	CM	45 LEVEL CM	987,5925 litre	38,489 %	1578,3033 litre	O
270	CM 55	CM	44 LEVEL CM	958,4392 litre	37,353 %	1607,4566 litre	O
270	CM 55	CM	43 LEVEL CM	929,3961 litre	36,221 %	1636,4997 litre	O
270	CM 55	CM	42 LEVEL CM	900,4737 litre	35,094 %	1665,4221 litre	O
270	CM 55	CM	41 LEVEL CM	871,6828 litre	33,972 %	1694,2130 litre	O
270	CM 55	CM	40 LEVEL CM	843,0339 litre	32,855 %	1722,8619 litre	O
270	CM 55	CM	39 LEVEL CM	814,5382 litre	31,745 %	1751,3576 litre	O
270	CM 55	CM	38 LEVEL CM	786,2067 litre	30,641 %	1779,6891 litre	O
270	CM 55	CM	37 LEVEL CM	758,0507 litre	29,543 %	1807,8451 litre	O
270	CM 55	CM	36 LEVEL CM	730,0817 litre	28,453 %	1835,8141 litre	O
270	CM 55	CM	35 LEVEL CM	702,3116 litre	27,371 %	1863,5842 litre	O
270	CM 55	CM	34 LEVEL CM	674,7522 litre	26,297 %	1891,1436 litre	O
270	CM 55	CM	33 LEVEL CM	647,4160 litre	25,232 %	1918,4798 litre	O
270	CM 55	CM	32 LEVEL CM	620,3155 litre	24,175 %	1945,5803 litre	O
270	CM 55	CM	31 LEVEL CM	593,4636 litre	23,129 %	1972,4322 litre	O
270	CM 55	CM	30 LEVEL CM	566,8736 litre	22,093 %	1999,0222 litre	O
270	CM 55	CM	29 LEVEL CM	540,5593 litre	21,067 %	2025,3365 litre	O
270	CM 55	CM	28 LEVEL CM	514,5346 litre	20,053 %	2051,3612 litre	O
270	CM 55	CM	27 LEVEL CM	488,8143 litre	19,050 %	2077,0815 litre	O
270	CM 55	CM	26 LEVEL CM	463,4134 litre	18,060 %	2102,4824 litre	O
270	CM 55	CM	25 LEVEL CM	438,3477 litre	17,084 %	2127,5481 litre	O
270	CM 55	CM	24 LEVEL CM	413,6334 litre	16,120 %	2152,2624 litre	O
270	CM 55	CM	23 LEVEL CM	389,2877 litre	15,172 %	2176,6081 litre	O
270	CM 55	CM	22 LEVEL CM	365,3284 litre	14,238 %	2200,5674 litre	O
270	CM 55	CM	21 LEVEL CM	341,7741 litre	13,320 %	2224,1217 litre	O
270	CM 55	CM	20 LEVEL CM	318,6446 litre	12,418 %	2247,2512 litre	O
270	CM 55	CM	19 LEVEL CM	295,9607 litre	11,534 %	2269,9351 litre	O
270	CM 55	CM	18 LEVEL CM	273,7445 litre	10,669 %	2292,1513 litre	O
270	CM 55	CM	17 LEVEL CM	252,0193 litre	9,822 %	2313,8765 litre	O
270	CM 55	CM	16 LEVEL CM	230,8104 litre	8,995 %	2335,0854 litre	O
270	CM 55	CM	15 LEVEL CM	210,1447 litre	8,190 %	2355,7511 litre	O
270	CM 55	CM	14 LEVEL CM	190,0514 litre	7,407 %	2375,8444 litre	O
270	CM 55	CM	13 LEVEL CM	170,5623 litre	6,647 %	2395,3335 litre	O
270	CM 55	CM	12 LEVEL CM	151,7122 litre	5,913 %	2414,1836 litre	O
270	CM 55	CM	11 LEVEL CM	133,5395 litre	5,204 %	2432,3563 litre	O
270	CM 55	CM	10 LEVEL CM	116,0873 litre	4,524 %	2449,8085 litre	O
270	CM 55	CM	9 LEVEL CM	99,4042 litre	3,874 %	2466,4916 litre	O
270	CM 55	CM	8 LEVEL CM	83,5457 litre	3,256 %	2482,3501 litre	O
270	CM 55	CM	7 LEVEL CM	68,5766 litre	2,673 %	2497,3192 litre	O
270	CM 55	CM	6 LEVEL CM	54,5743 litre	2,127 %	2511,3215 litre	O

270	CM	55	CM	5 LEVEL CM	41,6333 litre	1,623 %	2524,2625 litre	O
270	CM	55	CM	4 LEVEL CM	29,8740 litre	1,164 %	2536,0218 litre	O
270	CM	55	CM	3 LEVEL CM	19,4579 litre	0,758 %	2546,4379 litre	O
270	CM	55	CM	2 LEVEL CM	10,6209 litre	0,414 %	2555,2749 litre	O
270	CM	55	CM	1 LEVEL CM	3,7654 litre	0,147 %	2562,1304 litre	O
270	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2565,8958 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
270	CM	50	CM	100 LEVEL CM	2120,5750 litre	100,000 %	0,0000 litre	O
270	CM	50	CM	99 LEVEL CM	2116,9859 litre	99,831 %	3,5891 litre	O
270	CM	50	CM	98 LEVEL CM	2110,4540 litre	99,523 %	10,1210 litre	O
270	CM	50	CM	97 LEVEL CM	2102,0382 litre	99,126 %	18,5368 litre	O
270	CM	50	CM	96 LEVEL CM	2092,1231 litre	98,658 %	28,4519 litre	O
270	CM	50	CM	95 LEVEL CM	2080,9351 litre	98,131 %	39,6399 litre	O
270	CM	50	CM	94 LEVEL CM	2068,6289 litre	97,550 %	51,9461 litre	O
270	CM	50	CM	93 LEVEL CM	2055,3202 litre	96,923 %	65,2548 litre	O
270	CM	50	CM	92 LEVEL CM	2041,1002 litre	96,252 %	79,4748 litre	O
270	CM	50	CM	91 LEVEL CM	2026,0432 litre	95,542 %	94,5318 litre	O
270	CM	50	CM	90 LEVEL CM	2010,2118 litre	94,796 %	110,3632 litre	O
270	CM	50	CM	89 LEVEL CM	1993,6599 litre	94,015 %	126,9151 litre	O
270	CM	50	CM	88 LEVEL CM	1976,4344 litre	93,203 %	144,1406 litre	O
270	CM	50	CM	87 LEVEL CM	1958,5771 litre	92,361 %	161,9979 litre	O
270	CM	50	CM	86 LEVEL CM	1940,1255 litre	91,491 %	180,4495 litre	O
270	CM	50	CM	85 LEVEL CM	1921,1133 litre	90,594 %	199,4617 litre	O
270	CM	50	CM	84 LEVEL CM	1901,5717 litre	89,672 %	219,0033 litre	O
270	CM	50	CM	83 LEVEL CM	1881,5290 litre	88,727 %	239,0460 litre	O
270	CM	50	CM	82 LEVEL CM	1861,0118 litre	87,760 %	259,5632 litre	O
270	CM	50	CM	81 LEVEL CM	1840,0447 litre	86,771 %	280,5303 litre	O
270	CM	50	CM	80 LEVEL CM	1818,6508 litre	85,762 %	301,9242 litre	O
270	CM	50	CM	79 LEVEL CM	1796,8517 litre	84,734 %	323,7233 litre	O
270	CM	50	CM	78 LEVEL CM	1774,6681 litre	83,688 %	345,9069 litre	O
270	CM	50	CM	77 LEVEL CM	1752,1195 litre	82,625 %	368,4555 litre	O
270	CM	50	CM	76 LEVEL CM	1729,2243 litre	81,545 %	391,3507 litre	O
270	CM	50	CM	75 LEVEL CM	1706,0003 litre	80,450 %	414,5747 litre	O
270	CM	50	CM	74 LEVEL CM	1682,4644 litre	79,340 %	438,1106 litre	O
270	CM	50	CM	73 LEVEL CM	1658,6331 litre	78,216 %	461,9419 litre	O
270	CM	50	CM	72 LEVEL CM	1634,5220 litre	77,079 %	486,0530 litre	O
270	CM	50	CM	71 LEVEL CM	1610,1462 litre	75,930 %	510,4288 litre	O
270	CM	50	CM	70 LEVEL CM	1585,5205 litre	74,768 %	535,0545 litre	O
270	CM	50	CM	69 LEVEL CM	1560,6591 litre	73,596 %	559,9159 litre	O
270	CM	50	CM	68 LEVEL CM	1535,5758 litre	72,413 %	584,9992 litre	O
270	CM	50	CM	67 LEVEL CM	1510,2841 litre	71,220 %	610,2909 litre	O
270	CM	50	CM	66 LEVEL CM	1484,7971 litre	70,019 %	635,7779 litre	O
270	CM	50	CM	65 LEVEL CM	1459,1278 litre	68,808 %	661,4472 litre	O
270	CM	50	CM	64 LEVEL CM	1433,2885 litre	67,590 %	687,2865 litre	O
270	CM	50	CM	63 LEVEL CM	1407,2918 litre	66,364 %	713,2832 litre	O
270	CM	50	CM	62 LEVEL CM	1381,1497 litre	65,131 %	739,4253 litre	O
270	CM	50	CM	61 LEVEL CM	1354,8740 litre	63,892 %	765,7010 litre	O
270	CM	50	CM	60 LEVEL CM	1328,4766 litre	62,647 %	792,0984 litre	O
270	CM	50	CM	59 LEVEL CM	1301,9689 litre	61,397 %	818,6061 litre	O
270	CM	50	CM	58 LEVEL CM	1275,3623 litre	60,142 %	845,2127 litre	O
270	CM	50	CM	57 LEVEL CM	1248,6683 litre	58,883 %	871,9067 litre	O
270	CM	50	CM	56 LEVEL CM	1221,8979 litre	57,621 %	898,6771 litre	O
270	CM	50	CM	55 LEVEL CM	1195,0622 litre	56,356 %	925,5128 litre	O
270	CM	50	CM	54 LEVEL CM	1168,1722 litre	55,088 %	952,4028 litre	O
270	CM	50	CM	53 LEVEL CM	1141,2389 litre	53,817 %	979,3361 litre	O
270	CM	50	CM	52 LEVEL CM	1114,2731 litre	52,546 %	1006,3019 litre	O
270	CM	50	CM	51 LEVEL CM	1087,2857 litre	51,273 %	1033,2893 litre	O
270	CM	50	CM	50 LEVEL CM	1060,2875 litre	50,000 %	1060,2875 litre	O
270	CM	50	CM	49 LEVEL CM	1033,2893 litre	48,727 %	1087,2857 litre	O

270	CM	50	CM	48 LEVEL CM	1006,3019 litre	47,454 %	1114,2731 litre	O
270	CM	50	CM	47 LEVEL CM	979,3361 litre	46,183 %	1141,2389 litre	O
270	CM	50	CM	46 LEVEL CM	952,4028 litre	44,912 %	1168,1722 litre	O
270	CM	50	CM	45 LEVEL CM	925,5129 litre	43,644 %	1195,0621 litre	O
270	CM	50	CM	44 LEVEL CM	898,6772 litre	42,379 %	1221,8978 litre	O
270	CM	50	CM	43 LEVEL CM	871,9067 litre	41,117 %	1248,6683 litre	O
270	CM	50	CM	42 LEVEL CM	845,2127 litre	39,858 %	1275,3623 litre	O
270	CM	50	CM	41 LEVEL CM	818,6062 litre	38,603 %	1301,9688 litre	O
270	CM	50	CM	40 LEVEL CM	792,0985 litre	37,353 %	1328,4765 litre	O
270	CM	50	CM	39 LEVEL CM	765,7010 litre	36,108 %	1354,8740 litre	O
270	CM	50	CM	38 LEVEL CM	739,4254 litre	34,869 %	1381,1496 litre	O
270	CM	50	CM	37 LEVEL CM	713,2832 litre	33,636 %	1407,2918 litre	O
270	CM	50	CM	36 LEVEL CM	687,2865 litre	32,410 %	1433,2885 litre	O
270	CM	50	CM	35 LEVEL CM	661,4473 litre	31,192 %	1459,1277 litre	O
270	CM	50	CM	34 LEVEL CM	635,7779 litre	29,981 %	1484,7971 litre	O
270	CM	50	CM	33 LEVEL CM	610,2910 litre	28,780 %	1510,2840 litre	O
270	CM	50	CM	32 LEVEL CM	584,9993 litre	27,587 %	1535,5757 litre	O
270	CM	50	CM	31 LEVEL CM	559,9160 litre	26,404 %	1560,6590 litre	O
270	CM	50	CM	30 LEVEL CM	535,0546 litre	25,232 %	1585,5204 litre	O
270	CM	50	CM	29 LEVEL CM	510,4288 litre	24,070 %	1610,1462 litre	O
270	CM	50	CM	28 LEVEL CM	486,0531 litre	22,921 %	1634,5219 litre	O
270	CM	50	CM	27 LEVEL CM	461,9419 litre	21,784 %	1658,6331 litre	O
270	CM	50	CM	26 LEVEL CM	438,1106 litre	20,660 %	1682,4644 litre	O
270	CM	50	CM	25 LEVEL CM	414,5748 litre	19,550 %	1706,0002 litre	O
270	CM	50	CM	24 LEVEL CM	391,3508 litre	18,455 %	1729,2242 litre	O
270	CM	50	CM	23 LEVEL CM	368,4556 litre	17,375 %	1752,1194 litre	O
270	CM	50	CM	22 LEVEL CM	345,9069 litre	16,312 %	1774,6681 litre	O
270	CM	50	CM	21 LEVEL CM	323,7233 litre	15,266 %	1796,8517 litre	O
270	CM	50	CM	20 LEVEL CM	301,9243 litre	14,238 %	1818,6507 litre	O
270	CM	50	CM	19 LEVEL CM	280,5303 litre	13,229 %	1840,0447 litre	O
270	CM	50	CM	18 LEVEL CM	259,5632 litre	12,240 %	1861,0118 litre	O
270	CM	50	CM	17 LEVEL CM	239,0460 litre	11,273 %	1881,5290 litre	O
270	CM	50	CM	16 LEVEL CM	219,0034 litre	10,328 %	1901,5716 litre	O
270	CM	50	CM	15 LEVEL CM	199,4617 litre	9,406 %	1921,1133 litre	O
270	CM	50	CM	14 LEVEL CM	180,4496 litre	8,509 %	1940,1254 litre	O
270	CM	50	CM	13 LEVEL CM	161,9979 litre	7,639 %	1958,5771 litre	O
270	CM	50	CM	12 LEVEL CM	144,1406 litre	6,797 %	1976,4344 litre	O
270	CM	50	CM	11 LEVEL CM	126,9152 litre	5,985 %	1993,6598 litre	O
270	CM	50	CM	10 LEVEL CM	110,3632 litre	5,204 %	2010,2118 litre	O
270	CM	50	CM	9 LEVEL CM	94,5319 litre	4,458 %	2026,0431 litre	O
270	CM	50	CM	8 LEVEL CM	79,4749 litre	3,748 %	2041,1001 litre	O
270	CM	50	CM	7 LEVEL CM	65,2548 litre	3,077 %	2055,3202 litre	O
270	CM	50	CM	6 LEVEL CM	51,9462 litre	2,450 %	2068,6288 litre	O
270	CM	50	CM	5 LEVEL CM	39,6400 litre	1,869 %	2080,9350 litre	O
270	CM	50	CM	4 LEVEL CM	28,4519 litre	1,342 %	2092,1231 litre	O
270	CM	50	CM	3 LEVEL CM	18,5369 litre	0,874 %	2102,0381 litre	O
270	CM	50	CM	2 LEVEL CM	10,1210 litre	0,477 %	2110,4540 litre	O
270	CM	50	CM	1 LEVEL CM	3,5892 litre	0,169 %	2116,9858 litre	O
270	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2120,5750 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
260	CM	125	CM 250 LEVEL CM	12762,7202 litre	100,000 %	0,0000 litre	O
260	CM	125	CM 249 LEVEL CM	12757,2455 litre	99,957 %	5,4747 litre	O
260	CM	125	CM 248 LEVEL CM	12747,2540 litre	99,879 %	15,4662 litre	O
260	CM	125	CM 247 LEVEL CM	12734,3413 litre	99,778 %	28,3789 litre	O
260	CM	125	CM 246 LEVEL CM	12719,0810 litre	99,658 %	43,6392 litre	O
260	CM	125	CM 245 LEVEL CM	12701,8066 litre	99,523 %	60,9136 litre	O
260	CM	125	CM 244 LEVEL CM	12682,7446 litre	99,373 %	79,9756 litre	O
260	CM	125	CM 243 LEVEL CM	12662,0624 litre	99,211 %	100,6578 litre	O
260	CM	125	CM 242 LEVEL CM	12639,8905 litre	99,038 %	122,8297 litre	O
260	CM	125	CM 241 LEVEL CM	12616,3343 litre	98,853 %	146,3859 litre	O
260	CM	125	CM 240 LEVEL CM	12591,4819 litre	98,658 %	171,2383 litre	O
260	CM	125	CM 239 LEVEL CM	12565,4080 litre	98,454 %	197,3122 litre	O
260	CM	125	CM 238 LEVEL CM	12538,1773 litre	98,241 %	224,5429 litre	O
260	CM	125	CM 237 LEVEL CM	12509,8466 litre	98,019 %	252,8736 litre	O
260	CM	125	CM 236 LEVEL CM	12480,4661 litre	97,788 %	282,2541 litre	O
260	CM	125	CM 235 LEVEL CM	12450,0812 litre	97,550 %	312,6390 litre	O
260	CM	125	CM 234 LEVEL CM	12418,7325 litre	97,305 %	343,9877 litre	O
260	CM	125	CM 233 LEVEL CM	12386,4573 litre	97,052 %	376,2629 litre	O
260	CM	125	CM 232 LEVEL CM	12353,2894 litre	96,792 %	409,4308 litre	O
260	CM	125	CM 231 LEVEL CM	12319,2604 litre	96,525 %	443,4598 litre	O
260	CM	125	CM 230 LEVEL CM	12284,3993 litre	96,252 %	478,3209 litre	O
260	CM	125	CM 229 LEVEL CM	12248,7329 litre	95,973 %	513,9873 litre	O
260	CM	125	CM 228 LEVEL CM	12212,2865 litre	95,687 %	550,4337 litre	O
260	CM	125	CM 227 LEVEL CM	12175,0838 litre	95,396 %	587,6364 litre	O
260	CM	125	CM 226 LEVEL CM	12137,1470 litre	95,098 %	625,5732 litre	O
260	CM	125	CM 225 LEVEL CM	12098,4969 litre	94,796 %	664,2233 litre	O
260	CM	125	CM 224 LEVEL CM	12059,1534 litre	94,487 %	703,5668 litre	O
260	CM	125	CM 223 LEVEL CM	12019,1353 litre	94,174 %	743,5849 litre	O
260	CM	125	CM 222 LEVEL CM	11978,4603 litre	93,855 %	784,2599 litre	O
260	CM	125	CM 221 LEVEL CM	11937,1455 litre	93,531 %	825,5747 litre	O
260	CM	125	CM 220 LEVEL CM	11895,2071 litre	93,203 %	867,5131 litre	O
260	CM	125	CM 219 LEVEL CM	11852,6606 litre	92,869 %	910,0596 litre	O
260	CM	125	CM 218 LEVEL CM	11809,5207 litre	92,531 %	953,1995 litre	O
260	CM	125	CM 217 LEVEL CM	11765,8019 litre	92,189 %	996,9183 litre	O
260	CM	125	CM 216 LEVEL CM	11721,5176 litre	91,842 %	1041,2026 litre	O
260	CM	125	CM 215 LEVEL CM	11676,6811 litre	91,491 %	1086,0391 litre	O
260	CM	125	CM 214 LEVEL CM	11631,3051 litre	91,135 %	1131,4151 litre	O
260	CM	125	CM 213 LEVEL CM	11585,4018 litre	90,775 %	1177,3184 litre	O
260	CM	125	CM 212 LEVEL CM	11538,9830 litre	90,412 %	1223,7372 litre	O
260	CM	125	CM 211 LEVEL CM	11492,0601 litre	90,044 %	1270,6601 litre	O
260	CM	125	CM 210 LEVEL CM	11444,6442 litre	89,672 %	1318,0760 litre	O
260	CM	125	CM 209 LEVEL CM	11396,7461 litre	89,297 %	1365,9741 litre	O
260	CM	125	CM 208 LEVEL CM	11348,3760 litre	88,918 %	1414,3442 litre	O
260	CM	125	CM 207 LEVEL CM	11299,5441 litre	88,536 %	1463,1761 litre	O
260	CM	125	CM 206 LEVEL CM	11250,2603 litre	88,149 %	1512,4599 litre	O
260	CM	125	CM 205 LEVEL CM	11200,5340 litre	87,760 %	1562,1862 litre	O
260	CM	125	CM 204 LEVEL CM	11150,3746 litre	87,367 %	1612,3456 litre	O
260	CM	125	CM 203 LEVEL CM	11099,7911 litre	86,970 %	1662,9291 litre	O
260	CM	125	CM 202 LEVEL CM	11048,7924 litre	86,571 %	1713,9278 litre	O
260	CM	125	CM 201 LEVEL CM	10997,3870 litre	86,168 %	1765,3332 litre	O
260	CM	125	CM 200 LEVEL CM	10945,5833 litre	85,762 %	1817,1369 litre	O
260	CM	125	CM 199 LEVEL CM	10893,3897 litre	85,353 %	1869,3305 litre	O

260	CM	125	CM	198 LEVEL CM	10840,8140 litre	84,941 %	1921,9062 litre	O
260	CM	125	CM	197 LEVEL CM	10787,8643 litre	84,526 %	1974,8559 litre	O
260	CM	125	CM	196 LEVEL CM	10734,5481 litre	84,109 %	2028,1721 litre	O
260	CM	125	CM	195 LEVEL CM	10680,8731 litre	83,688 %	2081,8471 litre	O
260	CM	125	CM	194 LEVEL CM	10626,8465 litre	83,265 %	2135,8737 litre	O
260	CM	125	CM	193 LEVEL CM	10572,4757 litre	82,839 %	2190,2445 litre	O
260	CM	125	CM	192 LEVEL CM	10517,7678 litre	82,410 %	2244,9524 litre	O
260	CM	125	CM	191 LEVEL CM	10462,7297 litre	81,979 %	2299,9905 litre	O
260	CM	125	CM	190 LEVEL CM	10407,3683 litre	81,545 %	2355,3519 litre	O
260	CM	125	CM	189 LEVEL CM	10351,6903 litre	81,109 %	2411,0299 litre	O
260	CM	125	CM	188 LEVEL CM	10295,7024 litre	80,670 %	2467,0178 litre	O
260	CM	125	CM	187 LEVEL CM	10239,4110 litre	80,229 %	2523,3092 litre	O
260	CM	125	CM	186 LEVEL CM	10182,8226 litre	79,786 %	2579,8976 litre	O
260	CM	125	CM	185 LEVEL CM	10125,9434 litre	79,340 %	2636,7768 litre	O
260	CM	125	CM	184 LEVEL CM	10068,7797 litre	78,892 %	2693,9405 litre	O
260	CM	125	CM	183 LEVEL CM	10011,3376 litre	78,442 %	2751,3826 litre	O
260	CM	125	CM	182 LEVEL CM	9953,6231 litre	77,990 %	2809,0971 litre	O
260	CM	125	CM	181 LEVEL CM	9895,6422 litre	77,536 %	2867,0780 litre	O
260	CM	125	CM	180 LEVEL CM	9837,4007 litre	77,079 %	2925,3195 litre	O
260	CM	125	CM	179 LEVEL CM	9778,9044 litre	76,621 %	2983,8158 litre	O
260	CM	125	CM	178 LEVEL CM	9720,1590 litre	76,161 %	3042,5612 litre	O
260	CM	125	CM	177 LEVEL CM	9661,1702 litre	75,698 %	3101,5500 litre	O
260	CM	125	CM	176 LEVEL CM	9601,9435 litre	75,234 %	3160,7767 litre	O
260	CM	125	CM	175 LEVEL CM	9542,4844 litre	74,768 %	3220,2358 litre	O
260	CM	125	CM	174 LEVEL CM	9482,7983 litre	74,301 %	3279,9219 litre	O
260	CM	125	CM	173 LEVEL CM	9422,8907 litre	73,831 %	3339,8295 litre	O
260	CM	125	CM	172 LEVEL CM	9362,7668 litre	73,360 %	3399,9534 litre	O
260	CM	125	CM	171 LEVEL CM	9302,4319 litre	72,888 %	3460,2883 litre	O
260	CM	125	CM	170 LEVEL CM	9241,8911 litre	72,413 %	3520,8291 litre	O
260	CM	125	CM	169 LEVEL CM	9181,1498 litre	71,937 %	3581,5704 litre	O
260	CM	125	CM	168 LEVEL CM	9120,2128 litre	71,460 %	3642,5074 litre	O
260	CM	125	CM	167 LEVEL CM	9059,0854 litre	70,981 %	3703,6348 litre	O
260	CM	125	CM	166 LEVEL CM	8997,7724 litre	70,500 %	3764,9478 litre	O
260	CM	125	CM	165 LEVEL CM	8936,2789 litre	70,019 %	3826,4413 litre	O
260	CM	125	CM	164 LEVEL CM	8874,6098 litre	69,535 %	3888,1104 litre	O
260	CM	125	CM	163 LEVEL CM	8812,7699 litre	69,051 %	3949,9503 litre	O
260	CM	125	CM	162 LEVEL CM	8750,7640 litre	68,565 %	4011,9562 litre	O
260	CM	125	CM	161 LEVEL CM	8688,5970 litre	68,078 %	4074,1232 litre	O
260	CM	125	CM	160 LEVEL CM	8626,2736 litre	67,590 %	4136,4466 litre	O
260	CM	125	CM	159 LEVEL CM	8563,7986 litre	67,100 %	4198,9216 litre	O
260	CM	125	CM	158 LEVEL CM	8501,1766 litre	66,609 %	4261,5436 litre	O
260	CM	125	CM	157 LEVEL CM	8438,4122 litre	66,118 %	4324,3080 litre	O
260	CM	125	CM	156 LEVEL CM	8375,5101 litre	65,625 %	4387,2101 litre	O
260	CM	125	CM	155 LEVEL CM	8312,4749 litre	65,131 %	4450,2453 litre	O
260	CM	125	CM	154 LEVEL CM	8249,3112 litre	64,636 %	4513,4090 litre	O
260	CM	125	CM	153 LEVEL CM	8186,0234 litre	64,140 %	4576,6968 litre	O
260	CM	125	CM	152 LEVEL CM	8122,6161 litre	63,643 %	4640,1041 litre	O
260	CM	125	CM	151 LEVEL CM	8059,0937 litre	63,146 %	4703,6265 litre	O
260	CM	125	CM	150 LEVEL CM	7995,4608 litre	62,647 %	4767,2594 litre	O
260	CM	125	CM	149 LEVEL CM	7931,7217 litre	62,148 %	4830,9985 litre	O
260	CM	125	CM	148 LEVEL CM	7867,8809 litre	61,647 %	4894,8393 litre	O
260	CM	125	CM	147 LEVEL CM	7803,9428 litre	61,146 %	4958,7774 litre	O
260	CM	125	CM	146 LEVEL CM	7739,9117 litre	60,645 %	5022,8085 litre	O

260	CM	125	CM	145 LEVEL CM	7675,7919 litre	60,142 %	5086,9283 litre	O
260	CM	125	CM	144 LEVEL CM	7611,5879 litre	59,639 %	5151,1323 litre	O
260	CM	125	CM	143 LEVEL CM	7547,3039 litre	59,136 %	5215,4163 litre	O
260	CM	125	CM	142 LEVEL CM	7482,9442 litre	58,631 %	5279,7760 litre	O
260	CM	125	CM	141 LEVEL CM	7418,5132 litre	58,126 %	5344,2070 litre	O
260	CM	125	CM	140 LEVEL CM	7354,0150 litre	57,621 %	5408,7052 litre	O
260	CM	125	CM	139 LEVEL CM	7289,4540 litre	57,115 %	5473,2662 litre	O
260	CM	125	CM	138 LEVEL CM	7224,8343 litre	56,609 %	5537,8859 litre	O
260	CM	125	CM	137 LEVEL CM	7160,1603 litre	56,102 %	5602,5599 litre	O
260	CM	125	CM	136 LEVEL CM	7095,4362 litre	55,595 %	5667,2840 litre	O
260	CM	125	CM	135 LEVEL CM	7030,6661 litre	55,088 %	5732,0541 litre	O
260	CM	125	CM	134 LEVEL CM	6965,8542 litre	54,580 %	5796,8660 litre	O
260	CM	125	CM	133 LEVEL CM	6901,0049 litre	54,072 %	5861,7153 litre	O
260	CM	125	CM	132 LEVEL CM	6836,1222 litre	53,563 %	5926,5980 litre	O
260	CM	125	CM	131 LEVEL CM	6771,2103 litre	53,055 %	5991,5099 litre	O
260	CM	125	CM	130 LEVEL CM	6706,2734 litre	52,546 %	6056,4468 litre	O
260	CM	125	CM	129 LEVEL CM	6641,3157 litre	52,037 %	6121,4045 litre	O
260	CM	125	CM	128 LEVEL CM	6576,3414 litre	51,528 %	6186,3788 litre	O
260	CM	125	CM	127 LEVEL CM	6511,3545 litre	51,019 %	6251,3657 litre	O
260	CM	125	CM	126 LEVEL CM	6446,3594 litre	50,509 %	6316,3608 litre	O
260	CM	125	CM	125 LEVEL CM	6381,3601 litre	50,000 %	6381,3601 litre	O
260	CM	125	CM	124 LEVEL CM	6316,3608 litre	49,491 %	6446,3594 litre	O
260	CM	125	CM	123 LEVEL CM	6251,3656 litre	48,981 %	6511,3546 litre	O
260	CM	125	CM	122 LEVEL CM	6186,3788 litre	48,472 %	6576,3414 litre	O
260	CM	125	CM	121 LEVEL CM	6121,4045 litre	47,963 %	6641,3157 litre	O
260	CM	125	CM	120 LEVEL CM	6056,4468 litre	47,454 %	6706,2734 litre	O
260	CM	125	CM	119 LEVEL CM	5991,5099 litre	46,945 %	6771,2103 litre	O
260	CM	125	CM	118 LEVEL CM	5926,5980 litre	46,437 %	6836,1222 litre	O
260	CM	125	CM	117 LEVEL CM	5861,7153 litre	45,928 %	6901,0049 litre	O
260	CM	125	CM	116 LEVEL CM	5796,8659 litre	45,420 %	6965,8543 litre	O
260	CM	125	CM	115 LEVEL CM	5732,0541 litre	44,912 %	7030,6661 litre	O
260	CM	125	CM	114 LEVEL CM	5667,2840 litre	44,405 %	7095,4362 litre	O
260	CM	125	CM	113 LEVEL CM	5602,5598 litre	43,898 %	7160,1604 litre	O
260	CM	125	CM	112 LEVEL CM	5537,8858 litre	43,391 %	7224,8344 litre	O
260	CM	125	CM	111 LEVEL CM	5473,2662 litre	42,885 %	7289,4540 litre	O
260	CM	125	CM	110 LEVEL CM	5408,7052 litre	42,379 %	7354,0150 litre	O
260	CM	125	CM	109 LEVEL CM	5344,2070 litre	41,874 %	7418,5132 litre	O
260	CM	125	CM	108 LEVEL CM	5279,7759 litre	41,369 %	7482,9443 litre	O
260	CM	125	CM	107 LEVEL CM	5215,4163 litre	40,864 %	7547,3039 litre	O
260	CM	125	CM	106 LEVEL CM	5151,1323 litre	40,361 %	7611,5879 litre	O
260	CM	125	CM	105 LEVEL CM	5086,9282 litre	39,858 %	7675,7920 litre	O
260	CM	125	CM	104 LEVEL CM	5022,8085 litre	39,355 %	7739,9117 litre	O
260	CM	125	CM	103 LEVEL CM	4958,7774 litre	38,854 %	7803,9428 litre	O
260	CM	125	CM	102 LEVEL CM	4894,8392 litre	38,353 %	7867,8810 litre	O
260	CM	125	CM	101 LEVEL CM	4830,9984 litre	37,852 %	7931,7218 litre	O
260	CM	125	CM	100 LEVEL CM	4767,2594 litre	37,353 %	7995,4608 litre	O
260	CM	125	CM	99 LEVEL CM	4703,6264 litre	36,854 %	8059,0938 litre	O
260	CM	125	CM	98 LEVEL CM	4640,1041 litre	36,357 %	8122,6161 litre	O
260	CM	125	CM	97 LEVEL CM	4576,6968 litre	35,860 %	8186,0234 litre	O
260	CM	125	CM	96 LEVEL CM	4513,4090 litre	35,364 %	8249,3112 litre	O
260	CM	125	CM	95 LEVEL CM	4450,2452 litre	34,869 %	8312,4750 litre	O
260	CM	125	CM	94 LEVEL CM	4387,2100 litre	34,375 %	8375,5102 litre	O
260	CM	125	CM	93 LEVEL CM	4324,3080 litre	33,882 %	8438,4122 litre	O

260	CM	125	CM	92 LEVEL CM	4261,5436 litre	33,391 %	8501,1766 litre	O
260	CM	125	CM	91 LEVEL CM	4198,9216 litre	32,900 %	8563,7986 litre	O
260	CM	125	CM	90 LEVEL CM	4136,4465 litre	32,410 %	8626,2737 litre	O
260	CM	125	CM	89 LEVEL CM	4074,1231 litre	31,922 %	8688,5971 litre	O
260	CM	125	CM	88 LEVEL CM	4011,9561 litre	31,435 %	8750,7641 litre	O
260	CM	125	CM	87 LEVEL CM	3949,9503 litre	30,949 %	8812,7699 litre	O
260	CM	125	CM	86 LEVEL CM	3888,1104 litre	30,465 %	8874,6098 litre	O
260	CM	125	CM	85 LEVEL CM	3826,4412 litre	29,981 %	8936,2790 litre	O
260	CM	125	CM	84 LEVEL CM	3764,9477 litre	29,500 %	8997,7725 litre	O
260	CM	125	CM	83 LEVEL CM	3703,6348 litre	29,019 %	9059,0854 litre	O
260	CM	125	CM	82 LEVEL CM	3642,5073 litre	28,540 %	9120,2129 litre	O
260	CM	125	CM	81 LEVEL CM	3581,5704 litre	28,063 %	9181,1498 litre	O
260	CM	125	CM	80 LEVEL CM	3520,8290 litre	27,587 %	9241,8912 litre	O
260	CM	125	CM	79 LEVEL CM	3460,2883 litre	27,112 %	9302,4319 litre	O
260	CM	125	CM	78 LEVEL CM	3399,9534 litre	26,640 %	9362,7668 litre	O
260	CM	125	CM	77 LEVEL CM	3339,8295 litre	26,169 %	9422,8907 litre	O
260	CM	125	CM	76 LEVEL CM	3279,9218 litre	25,699 %	9482,7984 litre	O
260	CM	125	CM	75 LEVEL CM	3220,2358 litre	25,232 %	9542,4844 litre	O
260	CM	125	CM	74 LEVEL CM	3160,7767 litre	24,766 %	9601,9435 litre	O
260	CM	125	CM	73 LEVEL CM	3101,5500 litre	24,302 %	9661,1702 litre	O
260	CM	125	CM	72 LEVEL CM	3042,5611 litre	23,839 %	9720,1591 litre	O
260	CM	125	CM	71 LEVEL CM	2983,8157 litre	23,379 %	9778,9045 litre	O
260	CM	125	CM	70 LEVEL CM	2925,3194 litre	22,921 %	9837,4008 litre	O
260	CM	125	CM	69 LEVEL CM	2867,0779 litre	22,464 %	9895,6423 litre	O
260	CM	125	CM	68 LEVEL CM	2809,0970 litre	22,010 %	9953,6232 litre	O
260	CM	125	CM	67 LEVEL CM	2751,3825 litre	21,558 %	10011,3377 litre	O
260	CM	125	CM	66 LEVEL CM	2693,9404 litre	21,108 %	10068,7798 litre	O
260	CM	125	CM	65 LEVEL CM	2636,7768 litre	20,660 %	10125,9434 litre	O
260	CM	125	CM	64 LEVEL CM	2579,8976 litre	20,214 %	10182,8226 litre	O
260	CM	125	CM	63 LEVEL CM	2523,3092 litre	19,771 %	10239,4110 litre	O
260	CM	125	CM	62 LEVEL CM	2467,0178 litre	19,330 %	10295,7024 litre	O
260	CM	125	CM	61 LEVEL CM	2411,0298 litre	18,891 %	10351,6904 litre	O
260	CM	125	CM	60 LEVEL CM	2355,3519 litre	18,455 %	10407,3683 litre	O
260	CM	125	CM	59 LEVEL CM	2299,9905 litre	18,021 %	10462,7297 litre	O
260	CM	125	CM	58 LEVEL CM	2244,9524 litre	17,590 %	10517,7678 litre	O
260	CM	125	CM	57 LEVEL CM	2190,2444 litre	17,161 %	10572,4758 litre	O
260	CM	125	CM	56 LEVEL CM	2135,8736 litre	16,735 %	10626,8466 litre	O
260	CM	125	CM	55 LEVEL CM	2081,8471 litre	16,312 %	10680,8731 litre	O
260	CM	125	CM	54 LEVEL CM	2028,1720 litre	15,891 %	10734,5482 litre	O
260	CM	125	CM	53 LEVEL CM	1974,8559 litre	15,474 %	10787,8643 litre	O
260	CM	125	CM	52 LEVEL CM	1921,9061 litre	15,059 %	10840,8141 litre	O
260	CM	125	CM	51 LEVEL CM	1869,3305 litre	14,647 %	10893,3897 litre	O
260	CM	125	CM	50 LEVEL CM	1817,1368 litre	14,238 %	10945,5834 litre	O
260	CM	125	CM	49 LEVEL CM	1765,3332 litre	13,832 %	10997,3870 litre	O
260	CM	125	CM	48 LEVEL CM	1713,9278 litre	13,429 %	11048,7924 litre	O
260	CM	125	CM	47 LEVEL CM	1662,9290 litre	13,030 %	11099,7912 litre	O
260	CM	125	CM	46 LEVEL CM	1612,3455 litre	12,633 %	11150,3747 litre	O
260	CM	125	CM	45 LEVEL CM	1562,1861 litre	12,240 %	11200,5341 litre	O
260	CM	125	CM	44 LEVEL CM	1512,4598 litre	11,851 %	11250,2604 litre	O
260	CM	125	CM	43 LEVEL CM	1463,1760 litre	11,464 %	11299,5442 litre	O
260	CM	125	CM	42 LEVEL CM	1414,3442 litre	11,082 %	11348,3760 litre	O
260	CM	125	CM	41 LEVEL CM	1365,9741 litre	10,703 %	11396,7461 litre	O
260	CM	125	CM	40 LEVEL CM	1318,0759 litre	10,328 %	11444,6443 litre	O

260	CM	125	CM	39 LEVEL CM	1270,6600 litre	9,956 %	11492,0602 litre	O
260	CM	125	CM	38 LEVEL CM	1223,7372 litre	9,588 %	11538,9830 litre	O
260	CM	125	CM	37 LEVEL CM	1177,3183 litre	9,225 %	11585,4019 litre	O
260	CM	125	CM	36 LEVEL CM	1131,4150 litre	8,865 %	11631,3052 litre	O
260	CM	125	CM	35 LEVEL CM	1086,0390 litre	8,509 %	11676,6812 litre	O
260	CM	125	CM	34 LEVEL CM	1041,2026 litre	8,158 %	11721,5176 litre	O
260	CM	125	CM	33 LEVEL CM	996,9183 litre	7,811 %	11765,8019 litre	O
260	CM	125	CM	32 LEVEL CM	953,1994 litre	7,469 %	11809,5208 litre	O
260	CM	125	CM	31 LEVEL CM	910,0596 litre	7,131 %	11852,6606 litre	O
260	CM	125	CM	30 LEVEL CM	867,5131 litre	6,797 %	11895,2071 litre	O
260	CM	125	CM	29 LEVEL CM	825,5747 litre	6,469 %	11937,1455 litre	O
260	CM	125	CM	28 LEVEL CM	784,2599 litre	6,145 %	11978,4603 litre	O
260	CM	125	CM	27 LEVEL CM	743,5849 litre	5,826 %	12019,1353 litre	O
260	CM	125	CM	26 LEVEL CM	703,5668 litre	5,513 %	12059,1534 litre	O
260	CM	125	CM	25 LEVEL CM	664,2233 litre	5,204 %	12098,4969 litre	O
260	CM	125	CM	24 LEVEL CM	625,5732 litre	4,902 %	12137,1470 litre	O
260	CM	125	CM	23 LEVEL CM	587,6363 litre	4,604 %	12175,0839 litre	O
260	CM	125	CM	22 LEVEL CM	550,4336 litre	4,313 %	12212,2866 litre	O
260	CM	125	CM	21 LEVEL CM	513,9873 litre	4,027 %	12248,7329 litre	O
260	CM	125	CM	20 LEVEL CM	478,3209 litre	3,748 %	12284,3993 litre	O
260	CM	125	CM	19 LEVEL CM	443,4597 litre	3,475 %	12319,2605 litre	O
260	CM	125	CM	18 LEVEL CM	409,4307 litre	3,208 %	12353,2895 litre	O
260	CM	125	CM	17 LEVEL CM	376,2629 litre	2,948 %	12386,4573 litre	O
260	CM	125	CM	16 LEVEL CM	343,9876 litre	2,695 %	12418,7326 litre	O
260	CM	125	CM	15 LEVEL CM	312,6390 litre	2,450 %	12450,0812 litre	O
260	CM	125	CM	14 LEVEL CM	282,2540 litre	2,212 %	12480,4662 litre	O
260	CM	125	CM	13 LEVEL CM	252,8736 litre	1,981 %	12509,8466 litre	O
260	CM	125	CM	12 LEVEL CM	224,5428 litre	1,759 %	12538,1774 litre	O
260	CM	125	CM	11 LEVEL CM	197,3121 litre	1,546 %	12565,4081 litre	O
260	CM	125	CM	10 LEVEL CM	171,2382 litre	1,342 %	12591,4820 litre	O
260	CM	125	CM	9 LEVEL CM	146,3858 litre	1,147 %	12616,3344 litre	O
260	CM	125	CM	8 LEVEL CM	122,8297 litre	0,962 %	12639,8905 litre	O
260	CM	125	CM	7 LEVEL CM	100,6577 litre	0,789 %	12662,0625 litre	O
260	CM	125	CM	6 LEVEL CM	79,9755 litre	0,627 %	12682,7447 litre	O
260	CM	125	CM	5 LEVEL CM	60,9136 litre	0,477 %	12701,8066 litre	O
260	CM	125	CM	4 LEVEL CM	43,6392 litre	0,342 %	12719,0810 litre	O
260	CM	125	CM	3 LEVEL CM	28,3788 litre	0,222 %	12734,3414 litre	O
260	CM	125	CM	2 LEVEL CM	15,4661 litre	0,121 %	12747,2541 litre	O
260	CM	125	CM	1 LEVEL CM	5,4747 litre	0,043 %	12757,2455 litre	O
260	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	12762,7202 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
260	CM 120	CM 240 LEVEL CM	11762,1229 litre	100,000 %	0,0000 litre	O
260	CM 120	CM 239 LEVEL CM	11756,7591 litre	99,954 %	5,3638 litre	O
260	CM 120	CM 238 LEVEL CM	11746,9708 litre	99,871 %	15,1521 litre	O
260	CM 120	CM 237 LEVEL CM	11734,3216 litre	99,764 %	27,8013 litre	O
260	CM 120	CM 236 LEVEL CM	11719,3741 litre	99,637 %	42,7488 litre	O
260	CM 120	CM 235 LEVEL CM	11702,4552 litre	99,493 %	59,6677 litre	O
260	CM 120	CM 234 LEVEL CM	11683,7871 litre	99,334 %	78,3358 litre	O
260	CM 120	CM 233 LEVEL CM	11663,5341 litre	99,162 %	98,5888 litre	O
260	CM 120	CM 232 LEVEL CM	11641,8241 litre	98,977 %	120,2988 litre	O
260	CM 120	CM 231 LEVEL CM	11618,7608 litre	98,781 %	143,3621 litre	O
260	CM 120	CM 230 LEVEL CM	11594,4306 litre	98,574 %	167,6923 litre	O
260	CM 120	CM 229 LEVEL CM	11568,9068 litre	98,357 %	193,2161 litre	O
260	CM 120	CM 228 LEVEL CM	11542,2531 litre	98,131 %	219,8698 litre	O
260	CM 120	CM 227 LEVEL CM	11514,5252 litre	97,895 %	247,5977 litre	O
260	CM 120	CM 226 LEVEL CM	11485,7727 litre	97,651 %	276,3502 litre	O
260	CM 120	CM 225 LEVEL CM	11456,0398 litre	97,398 %	306,0831 litre	O
260	CM 120	CM 224 LEVEL CM	11425,3669 litre	97,137 %	336,7560 litre	O
260	CM 120	CM 223 LEVEL CM	11393,7903 litre	96,868 %	368,3326 litre	O
260	CM 120	CM 222 LEVEL CM	11361,3436 litre	96,593 %	400,7793 litre	O
260	CM 120	CM 221 LEVEL CM	11328,0577 litre	96,310 %	434,0652 litre	O
260	CM 120	CM 220 LEVEL CM	11293,9611 litre	96,020 %	468,1618 litre	O
260	CM 120	CM 219 LEVEL CM	11259,0805 litre	95,723 %	503,0424 litre	O
260	CM 120	CM 218 LEVEL CM	11223,4406 litre	95,420 %	538,6823 litre	O
260	CM 120	CM 217 LEVEL CM	11187,0647 litre	95,111 %	575,0582 litre	O
260	CM 120	CM 216 LEVEL CM	11149,9747 litre	94,796 %	612,1482 litre	O
260	CM 120	CM 215 LEVEL CM	11112,1914 litre	94,474 %	649,9315 litre	O
260	CM 120	CM 214 LEVEL CM	11073,7341 litre	94,147 %	688,3888 litre	O
260	CM 120	CM 213 LEVEL CM	11034,6215 litre	93,815 %	727,5014 litre	O
260	CM 120	CM 212 LEVEL CM	10994,8711 litre	93,477 %	767,2518 litre	O
260	CM 120	CM 211 LEVEL CM	10954,4997 litre	93,134 %	807,6232 litre	O
260	CM 120	CM 210 LEVEL CM	10913,5233 litre	92,785 %	848,5996 litre	O
260	CM 120	CM 209 LEVEL CM	10871,9572 litre	92,432 %	890,1657 litre	O
260	CM 120	CM 208 LEVEL CM	10829,8162 litre	92,074 %	932,3067 litre	O
260	CM 120	CM 207 LEVEL CM	10787,1141 litre	91,711 %	975,0088 litre	O
260	CM 120	CM 206 LEVEL CM	10743,8647 litre	91,343 %	1018,2582 litre	O
260	CM 120	CM 205 LEVEL CM	10700,0809 litre	90,971 %	1062,0420 litre	O
260	CM 120	CM 204 LEVEL CM	10655,7752 litre	90,594 %	1106,3477 litre	O
260	CM 120	CM 203 LEVEL CM	10610,9598 litre	90,213 %	1151,1631 litre	O
260	CM 120	CM 202 LEVEL CM	10565,6464 litre	89,828 %	1196,4765 litre	O
260	CM 120	CM 201 LEVEL CM	10519,8463 litre	89,438 %	1242,2766 litre	O
260	CM 120	CM 200 LEVEL CM	10473,5703 litre	89,045 %	1288,5526 litre	O
260	CM 120	CM 199 LEVEL CM	10426,8293 litre	88,648 %	1335,2936 litre	O
260	CM 120	CM 198 LEVEL CM	10379,6335 litre	88,246 %	1382,4894 litre	O
260	CM 120	CM 197 LEVEL CM	10331,9928 litre	87,841 %	1430,1301 litre	O
260	CM 120	CM 196 LEVEL CM	10283,9171 litre	87,432 %	1478,2058 litre	O
260	CM 120	CM 195 LEVEL CM	10235,4158 litre	87,020 %	1526,7071 litre	O
260	CM 120	CM 194 LEVEL CM	10186,4982 litre	86,604 %	1575,6247 litre	O
260	CM 120	CM 193 LEVEL CM	10137,1732 litre	86,185 %	1624,9497 litre	O
260	CM 120	CM 192 LEVEL CM	10087,4496 litre	85,762 %	1674,6733 litre	O
260	CM 120	CM 191 LEVEL CM	10037,3360 litre	85,336 %	1724,7869 litre	O
260	CM 120	CM 190 LEVEL CM	9986,8408 litre	84,907 %	1775,2821 litre	O
260	CM 120	CM 189 LEVEL CM	9935,9720 litre	84,474 %	1826,1509 litre	O

260	CM	120	CM	188 LEVEL CM	9884,7378 litre	84,039 %	1877,3851 litre	O
260	CM	120	CM	187 LEVEL CM	9833,1460 litre	83,600 %	1928,9769 litre	O
260	CM	120	CM	186 LEVEL CM	9781,2042 litre	83,158 %	1980,9187 litre	O
260	CM	120	CM	185 LEVEL CM	9728,9199 litre	82,714 %	2033,2030 litre	O
260	CM	120	CM	184 LEVEL CM	9676,3006 litre	82,267 %	2085,8223 litre	O
260	CM	120	CM	183 LEVEL CM	9623,3534 litre	81,816 %	2138,7695 litre	O
260	CM	120	CM	182 LEVEL CM	9570,0854 litre	81,364 %	2192,0375 litre	O
260	CM	120	CM	181 LEVEL CM	9516,5036 litre	80,908 %	2245,6193 litre	O
260	CM	120	CM	180 LEVEL CM	9462,6148 litre	80,450 %	2299,5081 litre	O
260	CM	120	CM	179 LEVEL CM	9408,4258 litre	79,989 %	2353,6971 litre	O
260	CM	120	CM	178 LEVEL CM	9353,9432 litre	79,526 %	2408,1797 litre	O
260	CM	120	CM	177 LEVEL CM	9299,1735 litre	79,060 %	2462,9494 litre	O
260	CM	120	CM	176 LEVEL CM	9244,1231 litre	78,592 %	2517,9998 litre	O
260	CM	120	CM	175 LEVEL CM	9188,7983 litre	78,122 %	2573,3246 litre	O
260	CM	120	CM	174 LEVEL CM	9133,2054 litre	77,649 %	2628,9175 litre	O
260	CM	120	CM	173 LEVEL CM	9077,3504 litre	77,174 %	2684,7725 litre	O
260	CM	120	CM	172 LEVEL CM	9021,2394 litre	76,697 %	2740,8835 litre	O
260	CM	120	CM	171 LEVEL CM	8964,8784 litre	76,218 %	2797,2445 litre	O
260	CM	120	CM	170 LEVEL CM	8908,2732 litre	75,737 %	2853,8497 litre	O
260	CM	120	CM	169 LEVEL CM	8851,4297 litre	75,254 %	2910,6932 litre	O
260	CM	120	CM	168 LEVEL CM	8794,3536 litre	74,768 %	2967,7693 litre	O
260	CM	120	CM	167 LEVEL CM	8737,0505 litre	74,281 %	3025,0724 litre	O
260	CM	120	CM	166 LEVEL CM	8679,5261 litre	73,792 %	3082,5968 litre	O
260	CM	120	CM	165 LEVEL CM	8621,7858 litre	73,301 %	3140,3371 litre	O
260	CM	120	CM	164 LEVEL CM	8563,8352 litre	72,809 %	3198,2877 litre	O
260	CM	120	CM	163 LEVEL CM	8505,6796 litre	72,314 %	3256,4433 litre	O
260	CM	120	CM	162 LEVEL CM	8447,3245 litre	71,818 %	3314,7984 litre	O
260	CM	120	CM	161 LEVEL CM	8388,7750 litre	71,320 %	3373,3479 litre	O
260	CM	120	CM	160 LEVEL CM	8330,0365 litre	70,821 %	3432,0864 litre	O
260	CM	120	CM	159 LEVEL CM	8271,1142 litre	70,320 %	3491,0087 litre	O
260	CM	120	CM	158 LEVEL CM	8212,0131 litre	69,817 %	3550,1098 litre	O
260	CM	120	CM	157 LEVEL CM	8152,7385 litre	69,313 %	3609,3844 litre	O
260	CM	120	CM	156 LEVEL CM	8093,2953 litre	68,808 %	3668,8276 litre	O
260	CM	120	CM	155 LEVEL CM	8033,6885 litre	68,301 %	3728,4344 litre	O
260	CM	120	CM	154 LEVEL CM	7973,9232 litre	67,793 %	3788,1997 litre	O
260	CM	120	CM	153 LEVEL CM	7914,0043 litre	67,284 %	3848,1186 litre	O
260	CM	120	CM	152 LEVEL CM	7853,9366 litre	66,773 %	3908,1863 litre	O
260	CM	120	CM	151 LEVEL CM	7793,7250 litre	66,261 %	3968,3979 litre	O
260	CM	120	CM	150 LEVEL CM	7733,3744 litre	65,748 %	4028,7485 litre	O
260	CM	120	CM	149 LEVEL CM	7672,8895 litre	65,234 %	4089,2334 litre	O
260	CM	120	CM	148 LEVEL CM	7612,2752 litre	64,719 %	4149,8477 litre	O
260	CM	120	CM	147 LEVEL CM	7551,5360 litre	64,202 %	4210,5869 litre	O
260	CM	120	CM	146 LEVEL CM	7490,6768 litre	63,685 %	4271,4461 litre	O
260	CM	120	CM	145 LEVEL CM	7429,7021 litre	63,166 %	4332,4208 litre	O
260	CM	120	CM	144 LEVEL CM	7368,6167 litre	62,647 %	4393,5062 litre	O
260	CM	120	CM	143 LEVEL CM	7307,4251 litre	62,127 %	4454,6978 litre	O
260	CM	120	CM	142 LEVEL CM	7246,1320 litre	61,606 %	4515,9909 litre	O
260	CM	120	CM	141 LEVEL CM	7184,7419 litre	61,084 %	4577,3810 litre	O
260	CM	120	CM	140 LEVEL CM	7123,2594 litre	60,561 %	4638,8635 litre	O
260	CM	120	CM	139 LEVEL CM	7061,6889 litre	60,038 %	4700,4340 litre	O
260	CM	120	CM	138 LEVEL CM	7000,0351 litre	59,513 %	4762,0878 litre	O
260	CM	120	CM	137 LEVEL CM	6938,3024 litre	58,989 %	4823,8205 litre	O
260	CM	120	CM	136 LEVEL CM	6876,4953 litre	58,463 %	4885,6276 litre	O

260	CM	120	CM	135 LEVEL CM	6814,6182 litre	57,937 %	4947,5047 litre	O
260	CM	120	CM	134 LEVEL CM	6752,6756 litre	57,410 %	5009,4473 litre	O
260	CM	120	CM	133 LEVEL CM	6690,6719 litre	56,883 %	5071,4510 litre	O
260	CM	120	CM	132 LEVEL CM	6628,6116 litre	56,356 %	5133,5113 litre	O
260	CM	120	CM	131 LEVEL CM	6566,4990 litre	55,827 %	5195,6239 litre	O
260	CM	120	CM	130 LEVEL CM	6504,3385 litre	55,299 %	5257,7844 litre	O
260	CM	120	CM	129 LEVEL CM	6442,1345 litre	54,770 %	5319,9884 litre	O
260	CM	120	CM	128 LEVEL CM	6379,8914 litre	54,241 %	5382,2315 litre	O
260	CM	120	CM	127 LEVEL CM	6317,6136 litre	53,712 %	5444,5093 litre	O
260	CM	120	CM	126 LEVEL CM	6255,3054 litre	53,182 %	5506,8175 litre	O
260	CM	120	CM	125 LEVEL CM	6192,9711 litre	52,652 %	5569,1518 litre	O
260	CM	120	CM	124 LEVEL CM	6130,6152 litre	52,122 %	5631,5077 litre	O
260	CM	120	CM	123 LEVEL CM	6068,2419 litre	51,591 %	5693,8810 litre	O
260	CM	120	CM	122 LEVEL CM	6005,8557 litre	51,061 %	5756,2672 litre	O
260	CM	120	CM	121 LEVEL CM	5943,4607 litre	50,531 %	5818,6622 litre	O
260	CM	120	CM	120 LEVEL CM	5881,0614 litre	50,000 %	5881,0615 litre	O
260	CM	120	CM	119 LEVEL CM	5818,6622 litre	49,469 %	5943,4607 litre	O
260	CM	120	CM	118 LEVEL CM	5756,2672 litre	48,939 %	6005,8557 litre	O
260	CM	120	CM	117 LEVEL CM	5693,8809 litre	48,409 %	6068,2420 litre	O
260	CM	120	CM	116 LEVEL CM	5631,5077 litre	47,878 %	6130,6152 litre	O
260	CM	120	CM	115 LEVEL CM	5569,1517 litre	47,348 %	6192,9712 litre	O
260	CM	120	CM	114 LEVEL CM	5506,8175 litre	46,818 %	6255,3054 litre	O
260	CM	120	CM	113 LEVEL CM	5444,5093 litre	46,288 %	6317,6136 litre	O
260	CM	120	CM	112 LEVEL CM	5382,2315 litre	45,759 %	6379,8914 litre	O
260	CM	120	CM	111 LEVEL CM	5319,9884 litre	45,230 %	6442,1345 litre	O
260	CM	120	CM	110 LEVEL CM	5257,7844 litre	44,701 %	6504,3385 litre	O
260	CM	120	CM	109 LEVEL CM	5195,6239 litre	44,173 %	6566,4990 litre	O
260	CM	120	CM	108 LEVEL CM	5133,5113 litre	43,644 %	6628,6116 litre	O
260	CM	120	CM	107 LEVEL CM	5071,4510 litre	43,117 %	6690,6719 litre	O
260	CM	120	CM	106 LEVEL CM	5009,4473 litre	42,590 %	6752,6756 litre	O
260	CM	120	CM	105 LEVEL CM	4947,5047 litre	42,063 %	6814,6182 litre	O
260	CM	120	CM	104 LEVEL CM	4885,6276 litre	41,537 %	6876,4953 litre	O
260	CM	120	CM	103 LEVEL CM	4823,8205 litre	41,011 %	6938,3024 litre	O
260	CM	120	CM	102 LEVEL CM	4762,0878 litre	40,487 %	7000,0351 litre	O
260	CM	120	CM	101 LEVEL CM	4700,4340 litre	39,962 %	7061,6889 litre	O
260	CM	120	CM	100 LEVEL CM	4638,8635 litre	39,439 %	7123,2594 litre	O
260	CM	120	CM	99 LEVEL CM	4577,3810 litre	38,916 %	7184,7419 litre	O
260	CM	120	CM	98 LEVEL CM	4515,9909 litre	38,394 %	7246,1320 litre	O
260	CM	120	CM	97 LEVEL CM	4454,6978 litre	37,873 %	7307,4251 litre	O
260	CM	120	CM	96 LEVEL CM	4393,5062 litre	37,353 %	7368,6167 litre	O
260	CM	120	CM	95 LEVEL CM	4332,4208 litre	36,834 %	7429,7021 litre	O
260	CM	120	CM	94 LEVEL CM	4271,4461 litre	36,315 %	7490,6768 litre	O
260	CM	120	CM	93 LEVEL CM	4210,5869 litre	35,798 %	7551,5360 litre	O
260	CM	120	CM	92 LEVEL CM	4149,8477 litre	35,281 %	7612,2752 litre	O
260	CM	120	CM	91 LEVEL CM	4089,2333 litre	34,766 %	7672,8896 litre	O
260	CM	120	CM	90 LEVEL CM	4028,7485 litre	34,252 %	7733,3744 litre	O
260	CM	120	CM	89 LEVEL CM	3968,3979 litre	33,739 %	7793,7250 litre	O
260	CM	120	CM	88 LEVEL CM	3908,1863 litre	33,227 %	7853,9366 litre	O
260	CM	120	CM	87 LEVEL CM	3848,1186 litre	32,716 %	7914,0043 litre	O
260	CM	120	CM	86 LEVEL CM	3788,1997 litre	32,207 %	7973,9232 litre	O
260	CM	120	CM	85 LEVEL CM	3728,4344 litre	31,699 %	8033,6885 litre	O
260	CM	120	CM	84 LEVEL CM	3668,8276 litre	31,192 %	8093,2953 litre	O
260	CM	120	CM	83 LEVEL CM	3609,3844 litre	30,687 %	8152,7385 litre	O

260	CM	120	CM	82 LEVEL CM	3550,1098 litre	30,183 %	8212,0131 litre	O
260	CM	120	CM	81 LEVEL CM	3491,0087 litre	29,680 %	8271,1142 litre	O
260	CM	120	CM	80 LEVEL CM	3432,0864 litre	29,179 %	8330,0365 litre	O
260	CM	120	CM	79 LEVEL CM	3373,3479 litre	28,680 %	8388,7750 litre	O
260	CM	120	CM	78 LEVEL CM	3314,7984 litre	28,182 %	8447,3245 litre	O
260	CM	120	CM	77 LEVEL CM	3256,4433 litre	27,686 %	8505,6796 litre	O
260	CM	120	CM	76 LEVEL CM	3198,2877 litre	27,191 %	8563,8352 litre	O
260	CM	120	CM	75 LEVEL CM	3140,3371 litre	26,699 %	8621,7858 litre	O
260	CM	120	CM	74 LEVEL CM	3082,5968 litre	26,208 %	8679,5261 litre	O
260	CM	120	CM	73 LEVEL CM	3025,0724 litre	25,719 %	8737,0505 litre	O
260	CM	120	CM	72 LEVEL CM	2967,7693 litre	25,232 %	8794,3536 litre	O
260	CM	120	CM	71 LEVEL CM	2910,6932 litre	24,746 %	8851,4297 litre	O
260	CM	120	CM	70 LEVEL CM	2853,8497 litre	24,263 %	8908,2732 litre	O
260	CM	120	CM	69 LEVEL CM	2797,2445 litre	23,782 %	8964,8784 litre	O
260	CM	120	CM	68 LEVEL CM	2740,8835 litre	23,303 %	9021,2394 litre	O
260	CM	120	CM	67 LEVEL CM	2684,7725 litre	22,826 %	9077,3504 litre	O
260	CM	120	CM	66 LEVEL CM	2628,9175 litre	22,351 %	9133,2054 litre	O
260	CM	120	CM	65 LEVEL CM	2573,3246 litre	21,878 %	9188,7983 litre	O
260	CM	120	CM	64 LEVEL CM	2517,9998 litre	21,408 %	9244,1231 litre	O
260	CM	120	CM	63 LEVEL CM	2462,9494 litre	20,940 %	9299,1735 litre	O
260	CM	120	CM	62 LEVEL CM	2408,1797 litre	20,474 %	9353,9432 litre	O
260	CM	120	CM	61 LEVEL CM	2353,6971 litre	20,011 %	9408,4258 litre	O
260	CM	120	CM	60 LEVEL CM	2299,5081 litre	19,550 %	9462,6148 litre	O
260	CM	120	CM	59 LEVEL CM	2245,6193 litre	19,092 %	9516,5036 litre	O
260	CM	120	CM	58 LEVEL CM	2192,0375 litre	18,636 %	9570,0854 litre	O
260	CM	120	CM	57 LEVEL CM	2138,7695 litre	18,184 %	9623,3534 litre	O
260	CM	120	CM	56 LEVEL CM	2085,8223 litre	17,733 %	9676,3006 litre	O
260	CM	120	CM	55 LEVEL CM	2033,2029 litre	17,286 %	9728,9200 litre	O
260	CM	120	CM	54 LEVEL CM	1980,9187 litre	16,842 %	9781,2042 litre	O
260	CM	120	CM	53 LEVEL CM	1928,9769 litre	16,400 %	9833,1460 litre	O
260	CM	120	CM	52 LEVEL CM	1877,3850 litre	15,961 %	9884,7379 litre	O
260	CM	120	CM	51 LEVEL CM	1826,1509 litre	15,526 %	9935,9720 litre	O
260	CM	120	CM	50 LEVEL CM	1775,2821 litre	15,093 %	9986,8408 litre	O
260	CM	120	CM	49 LEVEL CM	1724,7869 litre	14,664 %	10037,3360 litre	O
260	CM	120	CM	48 LEVEL CM	1674,6733 litre	14,238 %	10087,4496 litre	O
260	CM	120	CM	47 LEVEL CM	1624,9497 litre	13,815 %	10137,1732 litre	O
260	CM	120	CM	46 LEVEL CM	1575,6247 litre	13,396 %	10186,4982 litre	O
260	CM	120	CM	45 LEVEL CM	1526,7071 litre	12,980 %	10235,4158 litre	O
260	CM	120	CM	44 LEVEL CM	1478,2058 litre	12,568 %	10283,9171 litre	O
260	CM	120	CM	43 LEVEL CM	1430,1301 litre	12,159 %	10331,9928 litre	O
260	CM	120	CM	42 LEVEL CM	1382,4894 litre	11,754 %	10379,6335 litre	O
260	CM	120	CM	41 LEVEL CM	1335,2936 litre	11,352 %	10426,8293 litre	O
260	CM	120	CM	40 LEVEL CM	1288,5525 litre	10,955 %	10473,5704 litre	O
260	CM	120	CM	39 LEVEL CM	1242,2766 litre	10,562 %	10519,8463 litre	O
260	CM	120	CM	38 LEVEL CM	1196,4765 litre	10,172 %	10565,6464 litre	O
260	CM	120	CM	37 LEVEL CM	1151,1631 litre	9,787 %	10610,9598 litre	O
260	CM	120	CM	36 LEVEL CM	1106,3477 litre	9,406 %	10655,7752 litre	O
260	CM	120	CM	35 LEVEL CM	1062,0420 litre	9,029 %	10700,0809 litre	O
260	CM	120	CM	34 LEVEL CM	1018,2582 litre	8,657 %	10743,8647 litre	O
260	CM	120	CM	33 LEVEL CM	975,0088 litre	8,289 %	10787,1141 litre	O
260	CM	120	CM	32 LEVEL CM	932,3067 litre	7,926 %	10829,8162 litre	O
260	CM	120	CM	31 LEVEL CM	890,1657 litre	7,568 %	10871,9572 litre	O
260	CM	120	CM	30 LEVEL CM	848,5996 litre	7,215 %	10913,5233 litre	O

260	CM	120	CM	29 LEVEL CM	807,6232 litre	6,866 %	10954,4997 litre	O
260	CM	120	CM	28 LEVEL CM	767,2518 litre	6,523 %	10994,8711 litre	O
260	CM	120	CM	27 LEVEL CM	727,5014 litre	6,185 %	11034,6215 litre	O
260	CM	120	CM	26 LEVEL CM	688,3888 litre	5,853 %	11073,7341 litre	O
260	CM	120	CM	25 LEVEL CM	649,9315 litre	5,526 %	11112,1914 litre	O
260	CM	120	CM	24 LEVEL CM	612,1482 litre	5,204 %	11149,9747 litre	O
260	CM	120	CM	23 LEVEL CM	575,0582 litre	4,889 %	11187,0647 litre	O
260	CM	120	CM	22 LEVEL CM	538,6823 litre	4,580 %	11223,4406 litre	O
260	CM	120	CM	21 LEVEL CM	503,0424 litre	4,277 %	11259,0805 litre	O
260	CM	120	CM	20 LEVEL CM	468,1618 litre	3,980 %	11293,9611 litre	O
260	CM	120	CM	19 LEVEL CM	434,0652 litre	3,690 %	11328,0577 litre	O
260	CM	120	CM	18 LEVEL CM	400,7793 litre	3,407 %	11361,3436 litre	O
260	CM	120	CM	17 LEVEL CM	368,3326 litre	3,132 %	11393,7903 litre	O
260	CM	120	CM	16 LEVEL CM	336,7560 litre	2,863 %	11425,3669 litre	O
260	CM	120	CM	15 LEVEL CM	306,0831 litre	2,602 %	11456,0398 litre	O
260	CM	120	CM	14 LEVEL CM	276,3502 litre	2,349 %	11485,7727 litre	O
260	CM	120	CM	13 LEVEL CM	247,5977 litre	2,105 %	11514,5252 litre	O
260	CM	120	CM	12 LEVEL CM	219,8698 litre	1,869 %	11542,2531 litre	O
260	CM	120	CM	11 LEVEL CM	193,2161 litre	1,643 %	11568,9068 litre	O
260	CM	120	CM	10 LEVEL CM	167,6923 litre	1,426 %	11594,4306 litre	O
260	CM	120	CM	9 LEVEL CM	143,3621 litre	1,219 %	11618,7608 litre	O
260	CM	120	CM	8 LEVEL CM	120,2988 litre	1,023 %	11641,8241 litre	O
260	CM	120	CM	7 LEVEL CM	98,5888 litre	0,838 %	11663,5341 litre	O
260	CM	120	CM	6 LEVEL CM	78,3358 litre	0,666 %	11683,7871 litre	O
260	CM	120	CM	5 LEVEL CM	59,6677 litre	0,507 %	11702,4552 litre	O
260	CM	120	CM	4 LEVEL CM	42,7488 litre	0,363 %	11719,3741 litre	O
260	CM	120	CM	3 LEVEL CM	27,8012 litre	0,236 %	11734,3217 litre	O
260	CM	120	CM	2 LEVEL CM	15,1521 litre	0,129 %	11746,9708 litre	O
260	CM	120	CM	1 LEVEL CM	5,3638 litre	0,046 %	11756,7591 litre	O
260	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	11762,1229 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
260	CM	115	CM	230 LEVEL CM	10802,3663 litre	100,000 %	0,0000 litre	O
260	CM	115	CM	229 LEVEL CM	10797,1157 litre	99,951 %	5,2506 litre	O
260	CM	115	CM	228 LEVEL CM	10787,5348 litre	99,863 %	14,8315 litre	O
260	CM	115	CM	227 LEVEL CM	10775,1549 litre	99,748 %	27,2114 litre	O
260	CM	115	CM	226 LEVEL CM	10760,5268 litre	99,613 %	41,8395 litre	O
260	CM	115	CM	225 LEVEL CM	10743,9710 litre	99,459 %	58,3953 litre	O
260	CM	115	CM	224 LEVEL CM	10725,7053 litre	99,290 %	76,6610 litre	O
260	CM	115	CM	223 LEVEL CM	10705,8907 litre	99,107 %	96,4756 litre	O
260	CM	115	CM	222 LEVEL CM	10684,6528 litre	98,910 %	117,7135 litre	O
260	CM	115	CM	221 LEVEL CM	10662,0931 litre	98,701 %	140,2732 litre	O
260	CM	115	CM	220 LEVEL CM	10638,2965 litre	98,481 %	164,0698 litre	O
260	CM	115	CM	219 LEVEL CM	10613,3351 litre	98,250 %	189,0312 litre	O
260	CM	115	CM	218 LEVEL CM	10587,2711 litre	98,009 %	215,0952 litre	O
260	CM	115	CM	217 LEVEL CM	10560,1595 litre	97,758 %	242,2068 litre	O
260	CM	115	CM	216 LEVEL CM	10532,0488 litre	97,498 %	270,3175 litre	O
260	CM	115	CM	215 LEVEL CM	10502,9827 litre	97,229 %	299,3836 litre	O
260	CM	115	CM	214 LEVEL CM	10473,0007 litre	96,951 %	329,3656 litre	O
260	CM	115	CM	213 LEVEL CM	10442,1386 litre	96,665 %	360,2277 litre	O
260	CM	115	CM	212 LEVEL CM	10410,4295 litre	96,372 %	391,9368 litre	O
260	CM	115	CM	211 LEVEL CM	10377,9036 litre	96,071 %	424,4627 litre	O
260	CM	115	CM	210 LEVEL CM	10344,5892 litre	95,762 %	457,7771 litre	O
260	CM	115	CM	209 LEVEL CM	10310,5124 litre	95,447 %	491,8539 litre	O
260	CM	115	CM	208 LEVEL CM	10275,6976 litre	95,125 %	526,6687 litre	O
260	CM	115	CM	207 LEVEL CM	10240,1678 litre	94,796 %	562,1985 litre	O
260	CM	115	CM	206 LEVEL CM	10203,9445 litre	94,460 %	598,4218 litre	O
260	CM	115	CM	205 LEVEL CM	10167,0482 litre	94,119 %	635,3181 litre	O
260	CM	115	CM	204 LEVEL CM	10129,4981 litre	93,771 %	672,8682 litre	O
260	CM	115	CM	203 LEVEL CM	10091,3125 litre	93,418 %	711,0538 litre	O
260	CM	115	CM	202 LEVEL CM	10052,5087 litre	93,058 %	749,8576 litre	O
260	CM	115	CM	201 LEVEL CM	10013,1032 litre	92,694 %	789,2631 litre	O
260	CM	115	CM	200 LEVEL CM	9973,1120 litre	92,323 %	829,2543 litre	O
260	CM	115	CM	199 LEVEL CM	9932,5501 litre	91,948 %	869,8162 litre	O
260	CM	115	CM	198 LEVEL CM	9891,4320 litre	91,567 %	910,9343 litre	O
260	CM	115	CM	197 LEVEL CM	9849,7717 litre	91,182 %	952,5946 litre	O
260	CM	115	CM	196 LEVEL CM	9807,5825 litre	90,791 %	994,7838 litre	O
260	CM	115	CM	195 LEVEL CM	9764,8773 litre	90,396 %	1037,4890 litre	O
260	CM	115	CM	194 LEVEL CM	9721,6684 litre	89,996 %	1080,6979 litre	O
260	CM	115	CM	193 LEVEL CM	9677,9680 litre	89,591 %	1124,3983 litre	O
260	CM	115	CM	192 LEVEL CM	9633,7876 litre	89,182 %	1168,5787 litre	O
260	CM	115	CM	191 LEVEL CM	9589,1384 litre	88,769 %	1213,2279 litre	O
260	CM	115	CM	190 LEVEL CM	9544,0313 litre	88,351 %	1258,3350 litre	O
260	CM	115	CM	189 LEVEL CM	9498,4768 litre	87,930 %	1303,8895 litre	O
260	CM	115	CM	188 LEVEL CM	9452,4851 litre	87,504 %	1349,8812 litre	O
260	CM	115	CM	187 LEVEL CM	9406,0662 litre	87,074 %	1396,3001 litre	O
260	CM	115	CM	186 LEVEL CM	9359,2298 litre	86,641 %	1443,1365 litre	O
260	CM	115	CM	185 LEVEL CM	9311,9853 litre	86,203 %	1490,3810 litre	O
260	CM	115	CM	184 LEVEL CM	9264,3417 litre	85,762 %	1538,0246 litre	O
260	CM	115	CM	183 LEVEL CM	9216,3082 litre	85,317 %	1586,0581 litre	O
260	CM	115	CM	182 LEVEL CM	9167,8934 litre	84,869 %	1634,4729 litre	O
260	CM	115	CM	181 LEVEL CM	9119,1058 litre	84,418 %	1683,2605 litre	O
260	CM	115	CM	180 LEVEL CM	9069,9537 litre	83,963 %	1732,4126 litre	O
260	CM	115	CM	179 LEVEL CM	9020,4454 litre	83,504 %	1781,9209 litre	O

260	CM 115	CM	178 LEVEL CM	8970,5887 litre	83,043 %	1831,7776 litre	O
260	CM 115	CM	177 LEVEL CM	8920,3915 litre	82,578 %	1881,9748 litre	O
260	CM 115	CM	176 LEVEL CM	8869,8615 litre	82,110 %	1932,5048 litre	O
260	CM 115	CM	175 LEVEL CM	8819,0060 litre	81,640 %	1983,3603 litre	O
260	CM 115	CM	174 LEVEL CM	8767,8325 litre	81,166 %	2034,5338 litre	O
260	CM 115	CM	173 LEVEL CM	8716,3482 litre	80,689 %	2086,0181 litre	O
260	CM 115	CM	172 LEVEL CM	8664,5602 litre	80,210 %	2137,8061 litre	O
260	CM 115	CM	171 LEVEL CM	8612,4754 litre	79,728 %	2189,8909 litre	O
260	CM 115	CM	170 LEVEL CM	8560,1007 litre	79,243 %	2242,2656 litre	O
260	CM 115	CM	169 LEVEL CM	8507,4428 litre	78,755 %	2294,9235 litre	O
260	CM 115	CM	168 LEVEL CM	8454,5083 litre	78,265 %	2347,8580 litre	O
260	CM 115	CM	167 LEVEL CM	8401,3038 litre	77,773 %	2401,0625 litre	O
260	CM 115	CM	166 LEVEL CM	8347,8356 litre	77,278 %	2454,5307 litre	O
260	CM 115	CM	165 LEVEL CM	8294,1102 litre	76,780 %	2508,2561 litre	O
260	CM 115	CM	164 LEVEL CM	8240,1336 litre	76,281 %	2562,2327 litre	O
260	CM 115	CM	163 LEVEL CM	8185,9122 litre	75,779 %	2616,4541 litre	O
260	CM 115	CM	162 LEVEL CM	8131,4519 litre	75,275 %	2670,9144 litre	O
260	CM 115	CM	161 LEVEL CM	8076,7588 litre	74,768 %	2725,6075 litre	O
260	CM 115	CM	160 LEVEL CM	8021,8387 litre	74,260 %	2780,5276 litre	O
260	CM 115	CM	159 LEVEL CM	7966,6974 litre	73,750 %	2835,6689 litre	O
260	CM 115	CM	158 LEVEL CM	7911,3409 litre	73,237 %	2891,0254 litre	O
260	CM 115	CM	157 LEVEL CM	7855,7747 litre	72,723 %	2946,5916 litre	O
260	CM 115	CM	156 LEVEL CM	7800,0044 litre	72,206 %	3002,3619 litre	O
260	CM 115	CM	155 LEVEL CM	7744,0358 litre	71,688 %	3058,3305 litre	O
260	CM 115	CM	154 LEVEL CM	7687,8742 litre	71,168 %	3114,4921 litre	O
260	CM 115	CM	153 LEVEL CM	7631,5252 litre	70,647 %	3170,8411 litre	O
260	CM 115	CM	152 LEVEL CM	7574,9941 litre	70,123 %	3227,3722 litre	O
260	CM 115	CM	151 LEVEL CM	7518,2863 litre	69,599 %	3284,0800 litre	O
260	CM 115	CM	150 LEVEL CM	7461,4071 litre	69,072 %	3340,9592 litre	O
260	CM 115	CM	149 LEVEL CM	7404,3617 litre	68,544 %	3398,0046 litre	O
260	CM 115	CM	148 LEVEL CM	7347,1554 litre	68,014 %	3455,2109 litre	O
260	CM 115	CM	147 LEVEL CM	7289,7934 litre	67,483 %	3512,5729 litre	O
260	CM 115	CM	146 LEVEL CM	7232,2807 litre	66,951 %	3570,0856 litre	O
260	CM 115	CM	145 LEVEL CM	7174,6224 litre	66,417 %	3627,7439 litre	O
260	CM 115	CM	144 LEVEL CM	7116,8236 litre	65,882 %	3685,5427 litre	O
260	CM 115	CM	143 LEVEL CM	7058,8893 litre	65,346 %	3743,4770 litre	O
260	CM 115	CM	142 LEVEL CM	7000,8245 litre	64,808 %	3801,5418 litre	O
260	CM 115	CM	141 LEVEL CM	6942,6340 litre	64,270 %	3859,7323 litre	O
260	CM 115	CM	140 LEVEL CM	6884,3229 litre	63,730 %	3918,0434 litre	O
260	CM 115	CM	139 LEVEL CM	6825,8959 litre	63,189 %	3976,4704 litre	O
260	CM 115	CM	138 LEVEL CM	6767,3580 litre	62,647 %	4035,0083 litre	O
260	CM 115	CM	137 LEVEL CM	6708,7140 litre	62,104 %	4093,6523 litre	O
260	CM 115	CM	136 LEVEL CM	6649,9685 litre	61,560 %	4152,3978 litre	O
260	CM 115	CM	135 LEVEL CM	6591,1265 litre	61,016 %	4211,2398 litre	O
260	CM 115	CM	134 LEVEL CM	6532,1927 litre	60,470 %	4270,1736 litre	O
260	CM 115	CM	133 LEVEL CM	6473,1717 litre	59,924 %	4329,1946 litre	O
260	CM 115	CM	132 LEVEL CM	6414,0684 litre	59,377 %	4388,2979 litre	O
260	CM 115	CM	131 LEVEL CM	6354,8873 litre	58,829 %	4447,4790 litre	O
260	CM 115	CM	130 LEVEL CM	6295,6332 litre	58,280 %	4506,7331 litre	O
260	CM 115	CM	129 LEVEL CM	6236,3106 litre	57,731 %	4566,0557 litre	O
260	CM 115	CM	128 LEVEL CM	6176,9243 litre	57,181 %	4625,4420 litre	O
260	CM 115	CM	127 LEVEL CM	6117,4788 litre	56,631 %	4684,8875 litre	O
260	CM 115	CM	126 LEVEL CM	6057,9787 litre	56,080 %	4744,3876 litre	O

260	CM 115	CM	125 LEVEL CM	5998,4287 litre	55,529 %	4803,9376 litre	O
260	CM 115	CM	124 LEVEL CM	5938,8333 litre	54,977 %	4863,5330 litre	O
260	CM 115	CM	123 LEVEL CM	5879,1970 litre	54,425 %	4923,1693 litre	O
260	CM 115	CM	122 LEVEL CM	5819,5245 litre	53,873 %	4982,8418 litre	O
260	CM 115	CM	121 LEVEL CM	5759,8203 litre	53,320 %	5042,5460 litre	O
260	CM 115	CM	120 LEVEL CM	5700,0889 litre	52,767 %	5102,2774 litre	O
260	CM 115	CM	119 LEVEL CM	5640,3349 litre	52,214 %	5162,0314 litre	O
260	CM 115	CM	118 LEVEL CM	5580,5628 litre	51,661 %	5221,8035 litre	O
260	CM 115	CM	117 LEVEL CM	5520,7771 litre	51,107 %	5281,5892 litre	O
260	CM 115	CM	116 LEVEL CM	5460,9824 litre	50,554 %	5341,3839 litre	O
260	CM 115	CM	115 LEVEL CM	5401,1832 litre	50,000 %	5401,1831 litre	O
260	CM 115	CM	114 LEVEL CM	5341,3839 litre	49,446 %	5460,9824 litre	O
260	CM 115	CM	113 LEVEL CM	5281,5892 litre	48,893 %	5520,7771 litre	O
260	CM 115	CM	112 LEVEL CM	5221,8035 litre	48,339 %	5580,5628 litre	O
260	CM 115	CM	111 LEVEL CM	5162,0314 litre	47,786 %	5640,3349 litre	O
260	CM 115	CM	110 LEVEL CM	5102,2774 litre	47,233 %	5700,0889 litre	O
260	CM 115	CM	109 LEVEL CM	5042,5460 litre	46,680 %	5759,8203 litre	O
260	CM 115	CM	108 LEVEL CM	4982,8418 litre	46,127 %	5819,5245 litre	O
260	CM 115	CM	107 LEVEL CM	4923,1693 litre	45,575 %	5879,1970 litre	O
260	CM 115	CM	106 LEVEL CM	4863,5331 litre	45,023 %	5938,8332 litre	O
260	CM 115	CM	105 LEVEL CM	4803,9376 litre	44,471 %	5998,4287 litre	O
260	CM 115	CM	104 LEVEL CM	4744,3876 litre	43,920 %	6057,9787 litre	O
260	CM 115	CM	103 LEVEL CM	4684,8876 litre	43,369 %	6117,4787 litre	O
260	CM 115	CM	102 LEVEL CM	4625,4421 litre	42,819 %	6176,9242 litre	O
260	CM 115	CM	101 LEVEL CM	4566,0557 litre	42,269 %	6236,3106 litre	O
260	CM 115	CM	100 LEVEL CM	4506,7332 litre	41,720 %	6295,6331 litre	O
260	CM 115	CM	99 LEVEL CM	4447,4790 litre	41,171 %	6354,8873 litre	O
260	CM 115	CM	98 LEVEL CM	4388,2980 litre	40,623 %	6414,0683 litre	O
260	CM 115	CM	97 LEVEL CM	4329,1946 litre	40,076 %	6473,1717 litre	O
260	CM 115	CM	96 LEVEL CM	4270,1736 litre	39,530 %	6532,1927 litre	O
260	CM 115	CM	95 LEVEL CM	4211,2398 litre	38,984 %	6591,1265 litre	O
260	CM 115	CM	94 LEVEL CM	4152,3978 litre	38,440 %	6649,9685 litre	O
260	CM 115	CM	93 LEVEL CM	4093,6524 litre	37,896 %	6708,7139 litre	O
260	CM 115	CM	92 LEVEL CM	4035,0083 litre	37,353 %	6767,3580 litre	O
260	CM 115	CM	91 LEVEL CM	3976,4704 litre	36,811 %	6825,8959 litre	O
260	CM 115	CM	90 LEVEL CM	3918,0434 litre	36,270 %	6884,3229 litre	O
260	CM 115	CM	89 LEVEL CM	3859,7323 litre	35,730 %	6942,6340 litre	O
260	CM 115	CM	88 LEVEL CM	3801,5419 litre	35,192 %	7000,8244 litre	O
260	CM 115	CM	87 LEVEL CM	3743,4770 litre	34,654 %	7058,8893 litre	O
260	CM 115	CM	86 LEVEL CM	3685,5427 litre	34,118 %	7116,8236 litre	O
260	CM 115	CM	85 LEVEL CM	3627,7439 litre	33,583 %	7174,6224 litre	O
260	CM 115	CM	84 LEVEL CM	3570,0857 litre	33,049 %	7232,2806 litre	O
260	CM 115	CM	83 LEVEL CM	3512,5730 litre	32,517 %	7289,7933 litre	O
260	CM 115	CM	82 LEVEL CM	3455,2109 litre	31,986 %	7347,1554 litre	O
260	CM 115	CM	81 LEVEL CM	3398,0046 litre	31,456 %	7404,3617 litre	O
260	CM 115	CM	80 LEVEL CM	3340,9593 litre	30,928 %	7461,4070 litre	O
260	CM 115	CM	79 LEVEL CM	3284,0801 litre	30,401 %	7518,2862 litre	O
260	CM 115	CM	78 LEVEL CM	3227,3723 litre	29,877 %	7574,9940 litre	O
260	CM 115	CM	77 LEVEL CM	3170,8412 litre	29,353 %	7631,5251 litre	O
260	CM 115	CM	76 LEVEL CM	3114,4921 litre	28,832 %	7687,8742 litre	O
260	CM 115	CM	75 LEVEL CM	3058,3306 litre	28,312 %	7744,0357 litre	O
260	CM 115	CM	74 LEVEL CM	3002,3619 litre	27,794 %	7800,0044 litre	O
260	CM 115	CM	73 LEVEL CM	2946,5917 litre	27,277 %	7855,7746 litre	O

260	CM	115	CM	72 LEVEL CM	2891,0255 litre	26,763 %	7911,3408 litre	O
260	CM	115	CM	71 LEVEL CM	2835,6689 litre	26,250 %	7966,6974 litre	O
260	CM	115	CM	70 LEVEL CM	2780,5277 litre	25,740 %	8021,8386 litre	O
260	CM	115	CM	69 LEVEL CM	2725,6076 litre	25,232 %	8076,7587 litre	O
260	CM	115	CM	68 LEVEL CM	2670,9144 litre	24,725 %	8131,4519 litre	O
260	CM	115	CM	67 LEVEL CM	2616,4541 litre	24,221 %	8185,9122 litre	O
260	CM	115	CM	66 LEVEL CM	2562,2327 litre	23,719 %	8240,1336 litre	O
260	CM	115	CM	65 LEVEL CM	2508,2562 litre	23,220 %	8294,1101 litre	O
260	CM	115	CM	64 LEVEL CM	2454,5307 litre	22,722 %	8347,8356 litre	O
260	CM	115	CM	63 LEVEL CM	2401,0626 litre	22,227 %	8401,3037 litre	O
260	CM	115	CM	62 LEVEL CM	2347,8580 litre	21,735 %	8454,5083 litre	O
260	CM	115	CM	61 LEVEL CM	2294,9236 litre	21,245 %	8507,4427 litre	O
260	CM	115	CM	60 LEVEL CM	2242,2657 litre	20,757 %	8560,1006 litre	O
260	CM	115	CM	59 LEVEL CM	2189,8909 litre	20,272 %	8612,4754 litre	O
260	CM	115	CM	58 LEVEL CM	2137,8061 litre	19,790 %	8664,5602 litre	O
260	CM	115	CM	57 LEVEL CM	2086,0181 litre	19,311 %	8716,3482 litre	O
260	CM	115	CM	56 LEVEL CM	2034,5338 litre	18,834 %	8767,8325 litre	O
260	CM	115	CM	55 LEVEL CM	1983,3603 litre	18,360 %	8819,0060 litre	O
260	CM	115	CM	54 LEVEL CM	1932,5049 litre	17,890 %	8869,8614 litre	O
260	CM	115	CM	53 LEVEL CM	1881,9748 litre	17,422 %	8920,3915 litre	O
260	CM	115	CM	52 LEVEL CM	1831,7776 litre	16,957 %	8970,5887 litre	O
260	CM	115	CM	51 LEVEL CM	1781,9209 litre	16,496 %	9020,4454 litre	O
260	CM	115	CM	50 LEVEL CM	1732,4126 litre	16,037 %	9069,9537 litre	O
260	CM	115	CM	49 LEVEL CM	1683,2606 litre	15,582 %	9119,1057 litre	O
260	CM	115	CM	48 LEVEL CM	1634,4730 litre	15,131 %	9167,8933 litre	O
260	CM	115	CM	47 LEVEL CM	1586,0581 litre	14,683 %	9216,3082 litre	O
260	CM	115	CM	46 LEVEL CM	1538,0246 litre	14,238 %	9264,3417 litre	O
260	CM	115	CM	45 LEVEL CM	1490,3811 litre	13,797 %	9311,9852 litre	O
260	CM	115	CM	44 LEVEL CM	1443,1365 litre	13,359 %	9359,2298 litre	O
260	CM	115	CM	43 LEVEL CM	1396,3001 litre	12,926 %	9406,0662 litre	O
260	CM	115	CM	42 LEVEL CM	1349,8812 litre	12,496 %	9452,4851 litre	O
260	CM	115	CM	41 LEVEL CM	1303,8896 litre	12,070 %	9498,4767 litre	O
260	CM	115	CM	40 LEVEL CM	1258,3350 litre	11,649 %	9544,0313 litre	O
260	CM	115	CM	39 LEVEL CM	1213,2279 litre	11,231 %	9589,1384 litre	O
260	CM	115	CM	38 LEVEL CM	1168,5787 litre	10,818 %	9633,7876 litre	O
260	CM	115	CM	37 LEVEL CM	1124,3983 litre	10,409 %	9677,9680 litre	O
260	CM	115	CM	36 LEVEL CM	1080,6979 litre	10,004 %	9721,6684 litre	O
260	CM	115	CM	35 LEVEL CM	1037,4891 litre	9,604 %	9764,8772 litre	O
260	CM	115	CM	34 LEVEL CM	994,7839 litre	9,209 %	9807,5824 litre	O
260	CM	115	CM	33 LEVEL CM	952,5946 litre	8,818 %	9849,7717 litre	O
260	CM	115	CM	32 LEVEL CM	910,9343 litre	8,433 %	9891,4320 litre	O
260	CM	115	CM	31 LEVEL CM	869,8162 litre	8,052 %	9932,5501 litre	O
260	CM	115	CM	30 LEVEL CM	829,2543 litre	7,677 %	9973,1120 litre	O
260	CM	115	CM	29 LEVEL CM	789,2631 litre	7,306 %	10013,1032 litre	O
260	CM	115	CM	28 LEVEL CM	749,8577 litre	6,942 %	10052,5086 litre	O
260	CM	115	CM	27 LEVEL CM	711,0539 litre	6,582 %	10091,3124 litre	O
260	CM	115	CM	26 LEVEL CM	672,8682 litre	6,229 %	10129,4981 litre	O
260	CM	115	CM	25 LEVEL CM	635,3181 litre	5,881 %	10167,0482 litre	O
260	CM	115	CM	24 LEVEL CM	598,4218 litre	5,540 %	10203,9445 litre	O
260	CM	115	CM	23 LEVEL CM	562,1986 litre	5,204 %	10240,1677 litre	O
260	CM	115	CM	22 LEVEL CM	526,6688 litre	4,875 %	10275,6975 litre	O
260	CM	115	CM	21 LEVEL CM	491,8540 litre	4,553 %	10310,5123 litre	O
260	CM	115	CM	20 LEVEL CM	457,7771 litre	4,238 %	10344,5892 litre	O

260	CM	115	CM	19 LEVEL CM	424,4627 litre	3,929 %	10377,9036 litre	O
260	CM	115	CM	18 LEVEL CM	391,9369 litre	3,628 %	10410,4294 litre	O
260	CM	115	CM	17 LEVEL CM	360,2277 litre	3,335 %	10442,1386 litre	O
260	CM	115	CM	16 LEVEL CM	329,3656 litre	3,049 %	10473,0007 litre	O
260	CM	115	CM	15 LEVEL CM	299,3836 litre	2,771 %	10502,9827 litre	O
260	CM	115	CM	14 LEVEL CM	270,3175 litre	2,502 %	10532,0488 litre	O
260	CM	115	CM	13 LEVEL CM	242,2069 litre	2,242 %	10560,1594 litre	O
260	CM	115	CM	12 LEVEL CM	215,0952 litre	1,991 %	10587,2711 litre	O
260	CM	115	CM	11 LEVEL CM	189,0313 litre	1,750 %	10613,3350 litre	O
260	CM	115	CM	10 LEVEL CM	164,0698 litre	1,519 %	10638,2965 litre	O
260	CM	115	CM	9 LEVEL CM	140,2732 litre	1,299 %	10662,0931 litre	O
260	CM	115	CM	8 LEVEL CM	117,7136 litre	1,090 %	10684,6527 litre	O
260	CM	115	CM	7 LEVEL CM	96,4756 litre	0,893 %	10705,8907 litre	O
260	CM	115	CM	6 LEVEL CM	76,6610 litre	0,710 %	10725,7053 litre	O
260	CM	115	CM	5 LEVEL CM	58,3953 litre	0,541 %	10743,9710 litre	O
260	CM	115	CM	4 LEVEL CM	41,8396 litre	0,387 %	10760,5267 litre	O
260	CM	115	CM	3 LEVEL CM	27,2114 litre	0,252 %	10775,1549 litre	O
260	CM	115	CM	2 LEVEL CM	14,8315 litre	0,137 %	10787,5348 litre	O
260	CM	115	CM	1 LEVEL CM	5,2506 litre	0,049 %	10797,1157 litre	O
260	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	10802,3663 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
260	CM	110	CM 220 LEVEL CM	9883,4505 litre	100,000 %	0,0000 litre	O
260	CM	110	CM 219 LEVEL CM	9878,3156 litre	99,948 %	5,1349 litre	O
260	CM	110	CM 218 LEVEL CM	9868,9467 litre	99,853 %	14,5038 litre	O
260	CM	110	CM 217 LEVEL CM	9856,8420 litre	99,731 %	26,6085 litre	O
260	CM	110	CM 216 LEVEL CM	9842,5404 litre	99,586 %	40,9101 litre	O
260	CM	110	CM 215 LEVEL CM	9826,3559 litre	99,422 %	57,0946 litre	O
260	CM	110	CM 214 LEVEL CM	9808,5017 litre	99,242 %	74,9488 litre	O
260	CM	110	CM 213 LEVEL CM	9789,1354 litre	99,046 %	94,3151 litre	O
260	CM	110	CM 212 LEVEL CM	9768,3802 litre	98,836 %	115,0703 litre	O
260	CM	110	CM 211 LEVEL CM	9746,3357 litre	98,613 %	137,1148 litre	O
260	CM	110	CM 210 LEVEL CM	9723,0850 litre	98,377 %	160,3655 litre	O
260	CM	110	CM 209 LEVEL CM	9698,6988 litre	98,131 %	184,7517 litre	O
260	CM	110	CM 208 LEVEL CM	9673,2383 litre	97,873 %	210,2122 litre	O
260	CM	110	CM 207 LEVEL CM	9646,7572 litre	97,605 %	236,6933 litre	O
260	CM	110	CM 206 LEVEL CM	9619,3035 litre	97,327 %	264,1470 litre	O
260	CM	110	CM 205 LEVEL CM	9590,9198 litre	97,040 %	292,5307 litre	O
260	CM	110	CM 204 LEVEL CM	9561,6450 litre	96,744 %	321,8055 litre	O
260	CM	110	CM 203 LEVEL CM	9531,5144 litre	96,439 %	351,9361 litre	O
260	CM	110	CM 202 LEVEL CM	9500,5603 litre	96,126 %	382,8902 litre	O
260	CM	110	CM 201 LEVEL CM	9468,8127 litre	95,805 %	414,6378 litre	O
260	CM	110	CM 200 LEVEL CM	9436,2992 litre	95,476 %	447,1513 litre	O
260	CM	110	CM 199 LEVEL CM	9403,0456 litre	95,139 %	480,4049 litre	O
260	CM	110	CM 198 LEVEL CM	9369,0760 litre	94,796 %	514,3745 litre	O
260	CM	110	CM 197 LEVEL CM	9334,4129 litre	94,445 %	549,0376 litre	O
260	CM	110	CM 196 LEVEL CM	9299,0777 litre	94,087 %	584,3728 litre	O
260	CM	110	CM 195 LEVEL CM	9263,0903 litre	93,723 %	620,3602 litre	O
260	CM	110	CM 194 LEVEL CM	9226,4698 litre	93,353 %	656,9807 litre	O
260	CM	110	CM 193 LEVEL CM	9189,2342 litre	92,976 %	694,2163 litre	O
260	CM	110	CM 192 LEVEL CM	9151,4006 litre	92,593 %	732,0499 litre	O
260	CM	110	CM 191 LEVEL CM	9112,9854 litre	92,204 %	770,4651 litre	O
260	CM	110	CM 190 LEVEL CM	9074,0043 litre	91,810 %	809,4462 litre	O
260	CM	110	CM 189 LEVEL CM	9034,4720 litre	91,410 %	848,9785 litre	O
260	CM	110	CM 188 LEVEL CM	8994,4031 litre	91,005 %	889,0474 litre	O
260	CM	110	CM 187 LEVEL CM	8953,8111 litre	90,594 %	929,6394 litre	O
260	CM	110	CM 186 LEVEL CM	8912,7095 litre	90,178 %	970,7410 litre	O
260	CM	110	CM 185 LEVEL CM	8871,1108 litre	89,757 %	1012,3397 litre	O
260	CM	110	CM 184 LEVEL CM	8829,0274 litre	89,331 %	1054,4231 litre	O
260	CM	110	CM 183 LEVEL CM	8786,4712 litre	88,901 %	1096,9793 litre	O
260	CM	110	CM 182 LEVEL CM	8743,4536 litre	88,466 %	1139,9969 litre	O
260	CM	110	CM 181 LEVEL CM	8699,9859 litre	88,026 %	1183,4646 litre	O
260	CM	110	CM 180 LEVEL CM	8656,0786 litre	87,582 %	1227,3719 litre	O
260	CM	110	CM 179 LEVEL CM	8611,7424 litre	87,133 %	1271,7081 litre	O
260	CM	110	CM 178 LEVEL CM	8566,9873 litre	86,680 %	1316,4632 litre	O
260	CM	110	CM 177 LEVEL CM	8521,8232 litre	86,223 %	1361,6273 litre	O
260	CM	110	CM 176 LEVEL CM	8476,2597 litre	85,762 %	1407,1908 litre	O
260	CM	110	CM 175 LEVEL CM	8430,3063 litre	85,297 %	1453,1442 litre	O
260	CM	110	CM 174 LEVEL CM	8383,9719 litre	84,828 %	1499,4786 litre	O
260	CM	110	CM 173 LEVEL CM	8337,2655 litre	84,356 %	1546,1850 litre	O
260	CM	110	CM 172 LEVEL CM	8290,1958 litre	83,880 %	1593,2547 litre	O
260	CM	110	CM 171 LEVEL CM	8242,7713 litre	83,400 %	1640,6792 litre	O
260	CM	110	CM 170 LEVEL CM	8195,0002 litre	82,916 %	1688,4503 litre	O
260	CM	110	CM 169 LEVEL CM	8146,8907 litre	82,430 %	1736,5598 litre	O

260	CM 110	CM	168 LEVEL CM	8098,4507 litre	81,940 %	1784,9998 litre	O
260	CM 110	CM	167 LEVEL CM	8049,6880 litre	81,446 %	1833,7625 litre	O
260	CM 110	CM	166 LEVEL CM	8000,6103 litre	80,950 %	1882,8402 litre	O
260	CM 110	CM	165 LEVEL CM	7951,2250 litre	80,450 %	1932,2255 litre	O
260	CM 110	CM	164 LEVEL CM	7901,5394 litre	79,947 %	1981,9111 litre	O
260	CM 110	CM	163 LEVEL CM	7851,5608 litre	79,441 %	2031,8897 litre	O
260	CM 110	CM	162 LEVEL CM	7801,2963 litre	78,933 %	2082,1542 litre	O
260	CM 110	CM	161 LEVEL CM	7750,7528 litre	78,422 %	2132,6977 litre	O
260	CM 110	CM	160 LEVEL CM	7699,9373 litre	77,907 %	2183,5132 litre	O
260	CM 110	CM	159 LEVEL CM	7648,8563 litre	77,391 %	2234,5942 litre	O
260	CM 110	CM	158 LEVEL CM	7597,5166 litre	76,871 %	2285,9339 litre	O
260	CM 110	CM	157 LEVEL CM	7545,9247 litre	76,349 %	2337,5258 litre	O
260	CM 110	CM	156 LEVEL CM	7494,0871 litre	75,825 %	2389,3634 litre	O
260	CM 110	CM	155 LEVEL CM	7442,0101 litre	75,298 %	2441,4404 litre	O
260	CM 110	CM	154 LEVEL CM	7389,6999 litre	74,768 %	2493,7506 litre	O
260	CM 110	CM	153 LEVEL CM	7337,1628 litre	74,237 %	2546,2877 litre	O
260	CM 110	CM	152 LEVEL CM	7284,4048 litre	73,703 %	2599,0457 litre	O
260	CM 110	CM	151 LEVEL CM	7231,4320 litre	73,167 %	2652,0185 litre	O
260	CM 110	CM	150 LEVEL CM	7178,2503 litre	72,629 %	2705,2002 litre	O
260	CM 110	CM	149 LEVEL CM	7124,8657 litre	72,089 %	2758,5848 litre	O
260	CM 110	CM	148 LEVEL CM	7071,2838 litre	71,547 %	2812,1667 litre	O
260	CM 110	CM	147 LEVEL CM	7017,5106 litre	71,003 %	2865,9399 litre	O
260	CM 110	CM	146 LEVEL CM	6963,5515 litre	70,457 %	2919,8990 litre	O
260	CM 110	CM	145 LEVEL CM	6909,4124 litre	69,909 %	2974,0381 litre	O
260	CM 110	CM	144 LEVEL CM	6855,0988 litre	69,359 %	3028,3517 litre	O
260	CM 110	CM	143 LEVEL CM	6800,6162 litre	68,808 %	3082,8343 litre	O
260	CM 110	CM	142 LEVEL CM	6745,9700 litre	68,255 %	3137,4805 litre	O
260	CM 110	CM	141 LEVEL CM	6691,1657 litre	67,701 %	3192,2848 litre	O
260	CM 110	CM	140 LEVEL CM	6636,2086 litre	67,145 %	3247,2419 litre	O
260	CM 110	CM	139 LEVEL CM	6581,1042 litre	66,587 %	3302,3463 litre	O
260	CM 110	CM	138 LEVEL CM	6525,8576 litre	66,028 %	3357,5929 litre	O
260	CM 110	CM	137 LEVEL CM	6470,4742 litre	65,468 %	3412,9763 litre	O
260	CM 110	CM	136 LEVEL CM	6414,9591 litre	64,906 %	3468,4914 litre	O
260	CM 110	CM	135 LEVEL CM	6359,3175 litre	64,343 %	3524,1330 litre	O
260	CM 110	CM	134 LEVEL CM	6303,5545 litre	63,779 %	3579,8960 litre	O
260	CM 110	CM	133 LEVEL CM	6247,6753 litre	63,214 %	3635,7752 litre	O
260	CM 110	CM	132 LEVEL CM	6191,6848 litre	62,647 %	3691,7657 litre	O
260	CM 110	CM	131 LEVEL CM	6135,5883 litre	62,079 %	3747,8622 litre	O
260	CM 110	CM	130 LEVEL CM	6079,3906 litre	61,511 %	3804,0599 litre	O
260	CM 110	CM	129 LEVEL CM	6023,0967 litre	60,941 %	3860,3538 litre	O
260	CM 110	CM	128 LEVEL CM	5966,7117 litre	60,371 %	3916,7388 litre	O
260	CM 110	CM	127 LEVEL CM	5910,2404 litre	59,799 %	3973,2101 litre	O
260	CM 110	CM	126 LEVEL CM	5853,6878 litre	59,227 %	4029,7627 litre	O
260	CM 110	CM	125 LEVEL CM	5797,0587 litre	58,654 %	4086,3918 litre	O
260	CM 110	CM	124 LEVEL CM	5740,3580 litre	58,081 %	4143,0925 litre	O
260	CM 110	CM	123 LEVEL CM	5683,5906 litre	57,506 %	4199,8599 litre	O
260	CM 110	CM	122 LEVEL CM	5626,7613 litre	56,931 %	4256,6892 litre	O
260	CM 110	CM	121 LEVEL CM	5569,8750 litre	56,356 %	4313,5755 litre	O
260	CM 110	CM	120 LEVEL CM	5512,9364 litre	55,779 %	4370,5141 litre	O
260	CM 110	CM	119 LEVEL CM	5455,9503 litre	55,203 %	4427,5002 litre	O
260	CM 110	CM	118 LEVEL CM	5398,9215 litre	54,626 %	4484,5290 litre	O
260	CM 110	CM	117 LEVEL CM	5341,8548 litre	54,048 %	4541,5957 litre	O
260	CM 110	CM	116 LEVEL CM	5284,7550 litre	53,471 %	4598,6955 litre	O

260	CM 110	CM	115 LEVEL CM	5227,6267 litre	52,893 %	4655,8238 litre	O
260	CM 110	CM	114 LEVEL CM	5170,4748 litre	52,314 %	4712,9757 litre	O
260	CM 110	CM	113 LEVEL CM	5113,3040 litre	51,736 %	4770,1465 litre	O
260	CM 110	CM	112 LEVEL CM	5056,1189 litre	51,157 %	4827,3316 litre	O
260	CM 110	CM	111 LEVEL CM	4998,9245 litre	50,579 %	4884,5260 litre	O
260	CM 110	CM	110 LEVEL CM	4941,7252 litre	50,000 %	4941,7253 litre	O
260	CM 110	CM	109 LEVEL CM	4884,5260 litre	49,421 %	4998,9245 litre	O
260	CM 110	CM	108 LEVEL CM	4827,3315 litre	48,843 %	5056,1190 litre	O
260	CM 110	CM	107 LEVEL CM	4770,1465 litre	48,264 %	5113,3040 litre	O
260	CM 110	CM	106 LEVEL CM	4712,9757 litre	47,686 %	5170,4748 litre	O
260	CM 110	CM	105 LEVEL CM	4655,8238 litre	47,107 %	5227,6267 litre	O
260	CM 110	CM	104 LEVEL CM	4598,6955 litre	46,529 %	5284,7550 litre	O
260	CM 110	CM	103 LEVEL CM	4541,5957 litre	45,952 %	5341,8548 litre	O
260	CM 110	CM	102 LEVEL CM	4484,5290 litre	45,374 %	5398,9215 litre	O
260	CM 110	CM	101 LEVEL CM	4427,5002 litre	44,797 %	5455,9503 litre	O
260	CM 110	CM	100 LEVEL CM	4370,5141 litre	44,221 %	5512,9364 litre	O
260	CM 110	CM	99 LEVEL CM	4313,5755 litre	43,644 %	5569,8750 litre	O
260	CM 110	CM	98 LEVEL CM	4256,6891 litre	43,069 %	5626,7614 litre	O
260	CM 110	CM	97 LEVEL CM	4199,8599 litre	42,494 %	5683,5906 litre	O
260	CM 110	CM	96 LEVEL CM	4143,0925 litre	41,919 %	5740,3580 litre	O
260	CM 110	CM	95 LEVEL CM	4086,3918 litre	41,346 %	5797,0587 litre	O
260	CM 110	CM	94 LEVEL CM	4029,7627 litre	40,773 %	5853,6878 litre	O
260	CM 110	CM	93 LEVEL CM	3973,2101 litre	40,201 %	5910,2404 litre	O
260	CM 110	CM	92 LEVEL CM	3916,7388 litre	39,629 %	5966,7117 litre	O
260	CM 110	CM	91 LEVEL CM	3860,3538 litre	39,059 %	6023,0967 litre	O
260	CM 110	CM	90 LEVEL CM	3804,0599 litre	38,489 %	6079,3906 litre	O
260	CM 110	CM	89 LEVEL CM	3747,8622 litre	37,921 %	6135,5883 litre	O
260	CM 110	CM	88 LEVEL CM	3691,7656 litre	37,353 %	6191,6849 litre	O
260	CM 110	CM	87 LEVEL CM	3635,7752 litre	36,786 %	6247,6753 litre	O
260	CM 110	CM	86 LEVEL CM	3579,8960 litre	36,221 %	6303,5545 litre	O
260	CM 110	CM	85 LEVEL CM	3524,1330 litre	35,657 %	6359,3175 litre	O
260	CM 110	CM	84 LEVEL CM	3468,4914 litre	35,094 %	6414,9591 litre	O
260	CM 110	CM	83 LEVEL CM	3412,9763 litre	34,532 %	6470,4742 litre	O
260	CM 110	CM	82 LEVEL CM	3357,5929 litre	33,972 %	6525,8576 litre	O
260	CM 110	CM	81 LEVEL CM	3302,3463 litre	33,413 %	6581,1042 litre	O
260	CM 110	CM	80 LEVEL CM	3247,2419 litre	32,855 %	6636,2086 litre	O
260	CM 110	CM	79 LEVEL CM	3192,2848 litre	32,299 %	6691,1657 litre	O
260	CM 110	CM	78 LEVEL CM	3137,4805 litre	31,745 %	6745,9700 litre	O
260	CM 110	CM	77 LEVEL CM	3082,8343 litre	31,192 %	6800,6162 litre	O
260	CM 110	CM	76 LEVEL CM	3028,3517 litre	30,641 %	6855,0988 litre	O
260	CM 110	CM	75 LEVEL CM	2974,0381 litre	30,091 %	6909,4124 litre	O
260	CM 110	CM	74 LEVEL CM	2919,8989 litre	29,543 %	6963,5516 litre	O
260	CM 110	CM	73 LEVEL CM	2865,9399 litre	28,997 %	7017,5106 litre	O
260	CM 110	CM	72 LEVEL CM	2812,1667 litre	28,453 %	7071,2838 litre	O
260	CM 110	CM	71 LEVEL CM	2758,5848 litre	27,911 %	7124,8657 litre	O
260	CM 110	CM	70 LEVEL CM	2705,2002 litre	27,371 %	7178,2503 litre	O
260	CM 110	CM	69 LEVEL CM	2652,0185 litre	26,833 %	7231,4320 litre	O
260	CM 110	CM	68 LEVEL CM	2599,0457 litre	26,297 %	7284,4048 litre	O
260	CM 110	CM	67 LEVEL CM	2546,2877 litre	25,763 %	7337,1628 litre	O
260	CM 110	CM	66 LEVEL CM	2493,7506 litre	25,232 %	7389,6999 litre	O
260	CM 110	CM	65 LEVEL CM	2441,4404 litre	24,702 %	7442,0101 litre	O
260	CM 110	CM	64 LEVEL CM	2389,3634 litre	24,175 %	7494,0871 litre	O
260	CM 110	CM	63 LEVEL CM	2337,5258 litre	23,651 %	7545,9247 litre	O

260	CM 110	CM	62 LEVEL CM	2285,9339 litre	23,129 %	7597,5166 litre	O
260	CM 110	CM	61 LEVEL CM	2234,5942 litre	22,609 %	7648,8563 litre	O
260	CM 110	CM	60 LEVEL CM	2183,5132 litre	22,093 %	7699,9373 litre	O
260	CM 110	CM	59 LEVEL CM	2132,6977 litre	21,578 %	7750,7528 litre	O
260	CM 110	CM	58 LEVEL CM	2082,1542 litre	21,067 %	7801,2963 litre	O
260	CM 110	CM	57 LEVEL CM	2031,8897 litre	20,559 %	7851,5608 litre	O
260	CM 110	CM	56 LEVEL CM	1981,9111 litre	20,053 %	7901,5394 litre	O
260	CM 110	CM	55 LEVEL CM	1932,2255 litre	19,550 %	7951,2250 litre	O
260	CM 110	CM	54 LEVEL CM	1882,8402 litre	19,050 %	8000,6103 litre	O
260	CM 110	CM	53 LEVEL CM	1833,7625 litre	18,554 %	8049,6880 litre	O
260	CM 110	CM	52 LEVEL CM	1784,9998 litre	18,060 %	8098,4507 litre	O
260	CM 110	CM	51 LEVEL CM	1736,5598 litre	17,570 %	8146,8907 litre	O
260	CM 110	CM	50 LEVEL CM	1688,4503 litre	17,084 %	8195,0002 litre	O
260	CM 110	CM	49 LEVEL CM	1640,6792 litre	16,600 %	8242,7713 litre	O
260	CM 110	CM	48 LEVEL CM	1593,2547 litre	16,120 %	8290,1958 litre	O
260	CM 110	CM	47 LEVEL CM	1546,1850 litre	15,644 %	8337,2655 litre	O
260	CM 110	CM	46 LEVEL CM	1499,4786 litre	15,172 %	8383,9719 litre	O
260	CM 110	CM	45 LEVEL CM	1453,1442 litre	14,703 %	8430,3063 litre	O
260	CM 110	CM	44 LEVEL CM	1407,1908 litre	14,238 %	8476,2597 litre	O
260	CM 110	CM	43 LEVEL CM	1361,6273 litre	13,777 %	8521,8232 litre	O
260	CM 110	CM	42 LEVEL CM	1316,4632 litre	13,320 %	8566,9873 litre	O
260	CM 110	CM	41 LEVEL CM	1271,7081 litre	12,867 %	8611,7424 litre	O
260	CM 110	CM	40 LEVEL CM	1227,3719 litre	12,418 %	8656,0786 litre	O
260	CM 110	CM	39 LEVEL CM	1183,4646 litre	11,974 %	8699,9859 litre	O
260	CM 110	CM	38 LEVEL CM	1139,9968 litre	11,534 %	8743,4537 litre	O
260	CM 110	CM	37 LEVEL CM	1096,9793 litre	11,099 %	8786,4712 litre	O
260	CM 110	CM	36 LEVEL CM	1054,4231 litre	10,669 %	8829,0274 litre	O
260	CM 110	CM	35 LEVEL CM	1012,3397 litre	10,243 %	8871,1108 litre	O
260	CM 110	CM	34 LEVEL CM	970,7410 litre	9,822 %	8912,7095 litre	O
260	CM 110	CM	33 LEVEL CM	929,6394 litre	9,406 %	8953,8111 litre	O
260	CM 110	CM	32 LEVEL CM	889,0474 litre	8,995 %	8994,4031 litre	O
260	CM 110	CM	31 LEVEL CM	848,9785 litre	8,590 %	9034,4720 litre	O
260	CM 110	CM	30 LEVEL CM	809,4462 litre	8,190 %	9074,0043 litre	O
260	CM 110	CM	29 LEVEL CM	770,4651 litre	7,796 %	9112,9854 litre	O
260	CM 110	CM	28 LEVEL CM	732,0499 litre	7,407 %	9151,4006 litre	O
260	CM 110	CM	27 LEVEL CM	694,2163 litre	7,024 %	9189,2342 litre	O
260	CM 110	CM	26 LEVEL CM	656,9807 litre	6,647 %	9226,4698 litre	O
260	CM 110	CM	25 LEVEL CM	620,3602 litre	6,277 %	9263,0903 litre	O
260	CM 110	CM	24 LEVEL CM	584,3728 litre	5,913 %	9299,0777 litre	O
260	CM 110	CM	23 LEVEL CM	549,0376 litre	5,555 %	9334,4129 litre	O
260	CM 110	CM	22 LEVEL CM	514,3745 litre	5,204 %	9369,0760 litre	O
260	CM 110	CM	21 LEVEL CM	480,4049 litre	4,861 %	9403,0456 litre	O
260	CM 110	CM	20 LEVEL CM	447,1513 litre	4,524 %	9436,2992 litre	O
260	CM 110	CM	19 LEVEL CM	414,6378 litre	4,195 %	9468,8127 litre	O
260	CM 110	CM	18 LEVEL CM	382,8902 litre	3,874 %	9500,5603 litre	O
260	CM 110	CM	17 LEVEL CM	351,9361 litre	3,561 %	9531,5144 litre	O
260	CM 110	CM	16 LEVEL CM	321,8055 litre	3,256 %	9561,6450 litre	O
260	CM 110	CM	15 LEVEL CM	292,5307 litre	2,960 %	9590,9198 litre	O
260	CM 110	CM	14 LEVEL CM	264,1470 litre	2,673 %	9619,3035 litre	O
260	CM 110	CM	13 LEVEL CM	236,6932 litre	2,395 %	9646,7573 litre	O
260	CM 110	CM	12 LEVEL CM	210,2122 litre	2,127 %	9673,2383 litre	O
260	CM 110	CM	11 LEVEL CM	184,7517 litre	1,869 %	9698,6988 litre	O
260	CM 110	CM	10 LEVEL CM	160,3655 litre	1,623 %	9723,0850 litre	O

260_110

-2681-

260	CM	110	CM	9 LEVEL CM	137,1147 litre	1,387 %	9746,3358 litre	O
260	CM	110	CM	8 LEVEL CM	115,0703 litre	1,164 %	9768,3802 litre	O
260	CM	110	CM	7 LEVEL CM	94,3150 litre	0,954 %	9789,1355 litre	O
260	CM	110	CM	6 LEVEL CM	74,9488 litre	0,758 %	9808,5017 litre	O
260	CM	110	CM	5 LEVEL CM	57,0946 litre	0,578 %	9826,3559 litre	O
260	CM	110	CM	4 LEVEL CM	40,9101 litre	0,414 %	9842,5404 litre	O
260	CM	110	CM	3 LEVEL CM	26,6085 litre	0,269 %	9856,8420 litre	O
260	CM	110	CM	2 LEVEL CM	14,5038 litre	0,147 %	9868,9467 litre	O
260	CM	110	CM	1 LEVEL CM	5,1349 litre	0,052 %	9878,3156 litre	O
260	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	9883,4505 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
260	CM 105	CM 210 LEVEL CM	9005,3753 litre	100,000 %	0,0000 litre	O
260	CM 105	CM 209 LEVEL CM	9000,3588 litre	99,944 %	5,0165 litre	O
260	CM 105	CM 208 LEVEL CM	8991,2069 litre	99,843 %	14,1684 litre	O
260	CM 105	CM 207 LEVEL CM	8979,3837 litre	99,711 %	25,9916 litre	O
260	CM 105	CM 206 LEVEL CM	8965,4164 litre	99,556 %	39,9589 litre	O
260	CM 105	CM 205 LEVEL CM	8949,6118 litre	99,381 %	55,7635 litre	O
260	CM 105	CM 204 LEVEL CM	8932,1788 litre	99,187 %	73,1965 litre	O
260	CM 105	CM 203 LEVEL CM	8913,2715 litre	98,977 %	92,1038 litre	O
260	CM 105	CM 202 LEVEL CM	8893,0106 litre	98,752 %	112,3647 litre	O
260	CM 105	CM 201 LEVEL CM	8871,4936 litre	98,513 %	133,8817 litre	O
260	CM 105	CM 200 LEVEL CM	8848,8018 litre	98,261 %	156,5735 litre	O
260	CM 105	CM 199 LEVEL CM	8825,0048 litre	97,997 %	180,3705 litre	O
260	CM 105	CM 198 LEVEL CM	8800,1623 litre	97,721 %	205,2130 litre	O
260	CM 105	CM 197 LEVEL CM	8774,3273 litre	97,434 %	231,0480 litre	O
260	CM 105	CM 196 LEVEL CM	8747,5465 litre	97,137 %	257,8288 litre	O
260	CM 105	CM 195 LEVEL CM	8719,8620 litre	96,830 %	285,5133 litre	O
260	CM 105	CM 194 LEVEL CM	8691,3120 litre	96,512 %	314,0633 litre	O
260	CM 105	CM 193 LEVEL CM	8661,9310 litre	96,186 %	343,4443 litre	O
260	CM 105	CM 192 LEVEL CM	8631,7509 litre	95,851 %	373,6244 litre	O
260	CM 105	CM 191 LEVEL CM	8600,8012 litre	95,507 %	404,5741 litre	O
260	CM 105	CM 190 LEVEL CM	8569,1089 litre	95,155 %	436,2664 litre	O
260	CM 105	CM 189 LEVEL CM	8536,6994 litre	94,796 %	468,6759 litre	O
260	CM 105	CM 188 LEVEL CM	8503,5965 litre	94,428 %	501,7788 litre	O
260	CM 105	CM 187 LEVEL CM	8469,8224 litre	94,053 %	535,5529 litre	O
260	CM 105	CM 186 LEVEL CM	8435,3980 litre	93,671 %	569,9773 litre	O
260	CM 105	CM 185 LEVEL CM	8400,3431 litre	93,281 %	605,0322 litre	O
260	CM 105	CM 184 LEVEL CM	8364,6764 litre	92,885 %	640,6989 litre	O
260	CM 105	CM 183 LEVEL CM	8328,4158 litre	92,483 %	676,9595 litre	O
260	CM 105	CM 182 LEVEL CM	8291,5780 litre	92,074 %	713,7973 litre	O
260	CM 105	CM 181 LEVEL CM	8254,1793 litre	91,658 %	751,1960 litre	O
260	CM 105	CM 180 LEVEL CM	8216,2350 litre	91,237 %	789,1403 litre	O
260	CM 105	CM 179 LEVEL CM	8177,7600 litre	90,810 %	827,6153 litre	O
260	CM 105	CM 178 LEVEL CM	8138,7684 litre	90,377 %	866,6069 litre	O
260	CM 105	CM 177 LEVEL CM	8099,2737 litre	89,938 %	906,1016 litre	O
260	CM 105	CM 176 LEVEL CM	8059,2892 litre	89,494 %	946,0861 litre	O
260	CM 105	CM 175 LEVEL CM	8018,8273 litre	89,045 %	986,5480 litre	O
260	CM 105	CM 174 LEVEL CM	7977,9003 litre	88,590 %	1027,4750 litre	O
260	CM 105	CM 173 LEVEL CM	7936,5199 litre	88,131 %	1068,8554 litre	O
260	CM 105	CM 172 LEVEL CM	7894,6975 litre	87,667 %	1110,6778 litre	O
260	CM 105	CM 171 LEVEL CM	7852,4442 litre	87,197 %	1152,9311 litre	O
260	CM 105	CM 170 LEVEL CM	7809,7705 litre	86,723 %	1195,6048 litre	O
260	CM 105	CM 169 LEVEL CM	7766,6870 litre	86,245 %	1238,6883 litre	O
260	CM 105	CM 168 LEVEL CM	7723,2036 litre	85,762 %	1282,1717 litre	O
260	CM 105	CM 167 LEVEL CM	7679,3302 litre	85,275 %	1326,0451 litre	O
260	CM 105	CM 166 LEVEL CM	7635,0763 litre	84,784 %	1370,2990 litre	O
260	CM 105	CM 165 LEVEL CM	7590,4513 litre	84,288 %	1414,9240 litre	O
260	CM 105	CM 164 LEVEL CM	7545,4641 litre	83,788 %	1459,9112 litre	O
260	CM 105	CM 163 LEVEL CM	7500,1237 litre	83,285 %	1505,2516 litre	O
260	CM 105	CM 162 LEVEL CM	7454,4388 litre	82,778 %	1550,9365 litre	O
260	CM 105	CM 161 LEVEL CM	7408,4176 litre	82,267 %	1596,9577 litre	O
260	CM 105	CM 160 LEVEL CM	7362,0686 litre	81,752 %	1643,3067 litre	O
260	CM 105	CM 159 LEVEL CM	7315,3999 litre	81,234 %	1689,9754 litre	O

260	CM	105	CM	158 LEVEL CM	7268,4193 litre	80,712 %	1736,9560 litre	O
260	CM	105	CM	157 LEVEL CM	7221,1346 litre	80,187 %	1784,2407 litre	O
260	CM	105	CM	156 LEVEL CM	7173,5535 litre	79,659 %	1831,8218 litre	O
260	CM	105	CM	155 LEVEL CM	7125,6834 litre	79,127 %	1879,6919 litre	O
260	CM	105	CM	154 LEVEL CM	7077,5318 litre	78,592 %	1927,8435 litre	O
260	CM	105	CM	153 LEVEL CM	7029,1057 litre	78,055 %	1976,2696 litre	O
260	CM	105	CM	152 LEVEL CM	6980,4124 litre	77,514 %	2024,9629 litre	O
260	CM	105	CM	151 LEVEL CM	6931,4587 litre	76,970 %	2073,9166 litre	O
260	CM	105	CM	150 LEVEL CM	6882,2516 litre	76,424 %	2123,1237 litre	O
260	CM	105	CM	149 LEVEL CM	6832,7979 litre	75,875 %	2172,5774 litre	O
260	CM	105	CM	148 LEVEL CM	6783,1041 litre	75,323 %	2222,2712 litre	O
260	CM	105	CM	147 LEVEL CM	6733,1770 litre	74,768 %	2272,1983 litre	O
260	CM	105	CM	146 LEVEL CM	6683,0228 litre	74,211 %	2322,3525 litre	O
260	CM	105	CM	145 LEVEL CM	6632,6481 litre	73,652 %	2372,7272 litre	O
260	CM	105	CM	144 LEVEL CM	6582,0592 litre	73,090 %	2423,3161 litre	O
260	CM	105	CM	143 LEVEL CM	6531,2622 litre	72,526 %	2474,1131 litre	O
260	CM	105	CM	142 LEVEL CM	6480,2633 litre	71,960 %	2525,1120 litre	O
260	CM	105	CM	141 LEVEL CM	6429,0687 litre	71,391 %	2576,3066 litre	O
260	CM	105	CM	140 LEVEL CM	6377,6842 litre	70,821 %	2627,6911 litre	O
260	CM	105	CM	139 LEVEL CM	6326,1159 litre	70,248 %	2679,2594 litre	O
260	CM	105	CM	138 LEVEL CM	6274,3696 litre	69,674 %	2731,0057 litre	O
260	CM	105	CM	137 LEVEL CM	6222,4512 litre	69,097 %	2782,9241 litre	O
260	CM	105	CM	136 LEVEL CM	6170,3663 litre	68,519 %	2835,0090 litre	O
260	CM	105	CM	135 LEVEL CM	6118,1208 litre	67,939 %	2887,2545 litre	O
260	CM	105	CM	134 LEVEL CM	6065,7202 litre	67,357 %	2939,6551 litre	O
260	CM	105	CM	133 LEVEL CM	6013,1702 litre	66,773 %	2992,2051 litre	O
260	CM	105	CM	132 LEVEL CM	5960,4763 litre	66,188 %	3044,8990 litre	O
260	CM	105	CM	131 LEVEL CM	5907,6441 litre	65,601 %	3097,7312 litre	O
260	CM	105	CM	130 LEVEL CM	5854,6789 litre	65,013 %	3150,6964 litre	O
260	CM	105	CM	129 LEVEL CM	5801,5863 litre	64,424 %	3203,7890 litre	O
260	CM	105	CM	128 LEVEL CM	5748,3715 litre	63,833 %	3257,0038 litre	O
260	CM	105	CM	127 LEVEL CM	5695,0400 litre	63,240 %	3310,3353 litre	O
260	CM	105	CM	126 LEVEL CM	5641,5971 litre	62,647 %	3363,7782 litre	O
260	CM	105	CM	125 LEVEL CM	5588,0481 litre	62,052 %	3417,3272 litre	O
260	CM	105	CM	124 LEVEL CM	5534,3981 litre	61,457 %	3470,9772 litre	O
260	CM	105	CM	123 LEVEL CM	5480,6525 litre	60,860 %	3524,7228 litre	O
260	CM	105	CM	122 LEVEL CM	5426,8164 litre	60,262 %	3578,5589 litre	O
260	CM	105	CM	121 LEVEL CM	5372,8950 litre	59,663 %	3632,4803 litre	O
260	CM	105	CM	120 LEVEL CM	5318,8934 litre	59,064 %	3686,4819 litre	O
260	CM	105	CM	119 LEVEL CM	5264,8167 litre	58,463 %	3740,5586 litre	O
260	CM	105	CM	118 LEVEL CM	5210,6701 litre	57,862 %	3794,7052 litre	O
260	CM	105	CM	117 LEVEL CM	5156,4586 litre	57,260 %	3848,9167 litre	O
260	CM	105	CM	116 LEVEL CM	5102,1873 litre	56,657 %	3903,1880 litre	O
260	CM	105	CM	115 LEVEL CM	5047,8611 litre	56,054 %	3957,5142 litre	O
260	CM	105	CM	114 LEVEL CM	4993,4853 litre	55,450 %	4011,8900 litre	O
260	CM	105	CM	113 LEVEL CM	4939,0647 litre	54,846 %	4066,3106 litre	O
260	CM	105	CM	112 LEVEL CM	4884,6044 litre	54,241 %	4120,7709 litre	O
260	CM	105	CM	111 LEVEL CM	4830,1093 litre	53,636 %	4175,2660 litre	O
260	CM	105	CM	110 LEVEL CM	4775,5845 litre	53,030 %	4229,7908 litre	O
260	CM	105	CM	109 LEVEL CM	4721,0348 litre	52,425 %	4284,3405 litre	O
260	CM	105	CM	108 LEVEL CM	4666,4654 litre	51,819 %	4338,9099 litre	O
260	CM	105	CM	107 LEVEL CM	4611,8811 litre	51,213 %	4393,4942 litre	O
260	CM	105	CM	106 LEVEL CM	4557,2868 litre	50,606 %	4448,0885 litre	O

260	CM	105	CM	105 LEVEL CM	4502,6877 litre	50,000 %	4502,6876 litre	O
260	CM	105	CM	104 LEVEL CM	4448,0885 litre	49,394 %	4557,2868 litre	O
260	CM	105	CM	103 LEVEL CM	4393,4943 litre	48,787 %	4611,8810 litre	O
260	CM	105	CM	102 LEVEL CM	4338,9100 litre	48,181 %	4666,4653 litre	O
260	CM	105	CM	101 LEVEL CM	4284,3405 litre	47,575 %	4721,0348 litre	O
260	CM	105	CM	100 LEVEL CM	4229,7909 litre	46,970 %	4775,5844 litre	O
260	CM	105	CM	99 LEVEL CM	4175,2660 litre	46,364 %	4830,1093 litre	O
260	CM	105	CM	98 LEVEL CM	4120,7710 litre	45,759 %	4884,6043 litre	O
260	CM	105	CM	97 LEVEL CM	4066,3106 litre	45,154 %	4939,0647 litre	O
260	CM	105	CM	96 LEVEL CM	4011,8900 litre	44,550 %	4993,4853 litre	O
260	CM	105	CM	95 LEVEL CM	3957,5142 litre	43,946 %	5047,8611 litre	O
260	CM	105	CM	94 LEVEL CM	3903,1881 litre	43,343 %	5102,1872 litre	O
260	CM	105	CM	93 LEVEL CM	3848,9168 litre	42,740 %	5156,4585 litre	O
260	CM	105	CM	92 LEVEL CM	3794,7053 litre	42,138 %	5210,6700 litre	O
260	CM	105	CM	91 LEVEL CM	3740,5586 litre	41,537 %	5264,8167 litre	O
260	CM	105	CM	90 LEVEL CM	3686,4820 litre	40,936 %	5318,8933 litre	O
260	CM	105	CM	89 LEVEL CM	3632,4804 litre	40,337 %	5372,8949 litre	O
260	CM	105	CM	88 LEVEL CM	3578,5589 litre	39,738 %	5426,8164 litre	O
260	CM	105	CM	87 LEVEL CM	3524,7228 litre	39,140 %	5480,6525 litre	O
260	CM	105	CM	86 LEVEL CM	3470,9772 litre	38,543 %	5534,3981 litre	O
260	CM	105	CM	85 LEVEL CM	3417,3273 litre	37,948 %	5588,0480 litre	O
260	CM	105	CM	84 LEVEL CM	3363,7782 litre	37,353 %	5641,5971 litre	O
260	CM	105	CM	83 LEVEL CM	3310,3353 litre	36,760 %	5695,0400 litre	O
260	CM	105	CM	82 LEVEL CM	3257,0038 litre	36,167 %	5748,3715 litre	O
260	CM	105	CM	81 LEVEL CM	3203,7891 litre	35,576 %	5801,5862 litre	O
260	CM	105	CM	80 LEVEL CM	3150,6964 litre	34,987 %	5854,6789 litre	O
260	CM	105	CM	79 LEVEL CM	3097,7313 litre	34,399 %	5907,6440 litre	O
260	CM	105	CM	78 LEVEL CM	3044,8990 litre	33,812 %	5960,4763 litre	O
260	CM	105	CM	77 LEVEL CM	2992,2051 litre	33,227 %	6013,1702 litre	O
260	CM	105	CM	76 LEVEL CM	2939,6551 litre	32,643 %	6065,7202 litre	O
260	CM	105	CM	75 LEVEL CM	2887,2546 litre	32,061 %	6118,1207 litre	O
260	CM	105	CM	74 LEVEL CM	2835,0090 litre	31,481 %	6170,3663 litre	O
260	CM	105	CM	73 LEVEL CM	2782,9242 litre	30,903 %	6222,4511 litre	O
260	CM	105	CM	72 LEVEL CM	2731,0057 litre	30,326 %	6274,3696 litre	O
260	CM	105	CM	71 LEVEL CM	2679,2594 litre	29,752 %	6326,1159 litre	O
260	CM	105	CM	70 LEVEL CM	2627,6911 litre	29,179 %	6377,6842 litre	O
260	CM	105	CM	69 LEVEL CM	2576,3067 litre	28,609 %	6429,0686 litre	O
260	CM	105	CM	68 LEVEL CM	2525,1120 litre	28,040 %	6480,2633 litre	O
260	CM	105	CM	67 LEVEL CM	2474,1131 litre	27,474 %	6531,2622 litre	O
260	CM	105	CM	66 LEVEL CM	2423,3162 litre	26,910 %	6582,0591 litre	O
260	CM	105	CM	65 LEVEL CM	2372,7272 litre	26,348 %	6632,6481 litre	O
260	CM	105	CM	64 LEVEL CM	2322,3525 litre	25,789 %	6683,0228 litre	O
260	CM	105	CM	63 LEVEL CM	2272,1984 litre	25,232 %	6733,1769 litre	O
260	CM	105	CM	62 LEVEL CM	2222,2712 litre	24,677 %	6783,1041 litre	O
260	CM	105	CM	61 LEVEL CM	2172,5774 litre	24,125 %	6832,7979 litre	O
260	CM	105	CM	60 LEVEL CM	2123,1237 litre	23,576 %	6882,2516 litre	O
260	CM	105	CM	59 LEVEL CM	2073,9166 litre	23,030 %	6931,4587 litre	O
260	CM	105	CM	58 LEVEL CM	2024,9630 litre	22,486 %	6980,4123 litre	O
260	CM	105	CM	57 LEVEL CM	1976,2696 litre	21,945 %	7029,1057 litre	O
260	CM	105	CM	56 LEVEL CM	1927,8436 litre	21,408 %	7077,5317 litre	O
260	CM	105	CM	55 LEVEL CM	1879,6919 litre	20,873 %	7125,6834 litre	O
260	CM	105	CM	54 LEVEL CM	1831,8218 litre	20,341 %	7173,5535 litre	O
260	CM	105	CM	53 LEVEL CM	1784,2407 litre	19,813 %	7221,1346 litre	O

260	CM	105	CM	52 LEVEL CM	1736,9561 litre	19,288 %	7268,4192 litre	O
260	CM	105	CM	51 LEVEL CM	1689,9755 litre	18,766 %	7315,3998 litre	O
260	CM	105	CM	50 LEVEL CM	1643,3067 litre	18,248 %	7362,0686 litre	O
260	CM	105	CM	49 LEVEL CM	1596,9577 litre	17,733 %	7408,4176 litre	O
260	CM	105	CM	48 LEVEL CM	1550,9366 litre	17,222 %	7454,4387 litre	O
260	CM	105	CM	47 LEVEL CM	1505,2516 litre	16,715 %	7500,1237 litre	O
260	CM	105	CM	46 LEVEL CM	1459,9112 litre	16,212 %	7545,4641 litre	O
260	CM	105	CM	45 LEVEL CM	1414,9241 litre	15,712 %	7590,4512 litre	O
260	CM	105	CM	44 LEVEL CM	1370,2990 litre	15,216 %	7635,0763 litre	O
260	CM	105	CM	43 LEVEL CM	1326,0451 litre	14,725 %	7679,3302 litre	O
260	CM	105	CM	42 LEVEL CM	1282,1717 litre	14,238 %	7723,2036 litre	O
260	CM	105	CM	41 LEVEL CM	1238,6884 litre	13,755 %	7766,6869 litre	O
260	CM	105	CM	40 LEVEL CM	1195,6048 litre	13,277 %	7809,7705 litre	O
260	CM	105	CM	39 LEVEL CM	1152,9312 litre	12,803 %	7852,4441 litre	O
260	CM	105	CM	38 LEVEL CM	1110,6778 litre	12,333 %	7894,6975 litre	O
260	CM	105	CM	37 LEVEL CM	1068,8554 litre	11,869 %	7936,5199 litre	O
260	CM	105	CM	36 LEVEL CM	1027,4751 litre	11,410 %	7977,9002 litre	O
260	CM	105	CM	35 LEVEL CM	986,5480 litre	10,955 %	8018,8273 litre	O
260	CM	105	CM	34 LEVEL CM	946,0862 litre	10,506 %	8059,2891 litre	O
260	CM	105	CM	33 LEVEL CM	906,1016 litre	10,062 %	8099,2737 litre	O
260	CM	105	CM	32 LEVEL CM	866,6070 litre	9,623 %	8138,7683 litre	O
260	CM	105	CM	31 LEVEL CM	827,6153 litre	9,190 %	8177,7600 litre	O
260	CM	105	CM	30 LEVEL CM	789,1403 litre	8,763 %	8216,2350 litre	O
260	CM	105	CM	29 LEVEL CM	751,1961 litre	8,342 %	8254,1792 litre	O
260	CM	105	CM	28 LEVEL CM	713,7973 litre	7,926 %	8291,5780 litre	O
260	CM	105	CM	27 LEVEL CM	676,9596 litre	7,517 %	8328,4157 litre	O
260	CM	105	CM	26 LEVEL CM	640,6989 litre	7,115 %	8364,6764 litre	O
260	CM	105	CM	25 LEVEL CM	605,0322 litre	6,719 %	8400,3431 litre	O
260	CM	105	CM	24 LEVEL CM	569,9773 litre	6,329 %	8435,3980 litre	O
260	CM	105	CM	23 LEVEL CM	535,5530 litre	5,947 %	8469,8223 litre	O
260	CM	105	CM	22 LEVEL CM	501,7788 litre	5,572 %	8503,5965 litre	O
260	CM	105	CM	21 LEVEL CM	468,6759 litre	5,204 %	8536,6994 litre	O
260	CM	105	CM	20 LEVEL CM	436,2665 litre	4,845 %	8569,1088 litre	O
260	CM	105	CM	19 LEVEL CM	404,5742 litre	4,493 %	8600,8011 litre	O
260	CM	105	CM	18 LEVEL CM	373,6244 litre	4,149 %	8631,7509 litre	O
260	CM	105	CM	17 LEVEL CM	343,4443 litre	3,814 %	8661,9310 litre	O
260	CM	105	CM	16 LEVEL CM	314,0634 litre	3,488 %	8691,3119 litre	O
260	CM	105	CM	15 LEVEL CM	285,5133 litre	3,170 %	8719,8620 litre	O
260	CM	105	CM	14 LEVEL CM	257,8288 litre	2,863 %	8747,5465 litre	O
260	CM	105	CM	13 LEVEL CM	231,0481 litre	2,566 %	8774,3272 litre	O
260	CM	105	CM	12 LEVEL CM	205,2130 litre	2,279 %	8800,1623 litre	O
260	CM	105	CM	11 LEVEL CM	180,3706 litre	2,003 %	8825,0047 litre	O
260	CM	105	CM	10 LEVEL CM	156,5735 litre	1,739 %	8848,8018 litre	O
260	CM	105	CM	9 LEVEL CM	133,8818 litre	1,487 %	8871,4935 litre	O
260	CM	105	CM	8 LEVEL CM	112,3648 litre	1,248 %	8893,0105 litre	O
260	CM	105	CM	7 LEVEL CM	92,1038 litre	1,023 %	8913,2715 litre	O
260	CM	105	CM	6 LEVEL CM	73,1966 litre	0,813 %	8932,1787 litre	O
260	CM	105	CM	5 LEVEL CM	55,7635 litre	0,619 %	8949,6118 litre	O
260	CM	105	CM	4 LEVEL CM	39,9590 litre	0,444 %	8965,4163 litre	O
260	CM	105	CM	3 LEVEL CM	25,9916 litre	0,289 %	8979,3837 litre	O
260	CM	105	CM	2 LEVEL CM	14,1684 litre	0,157 %	8991,2069 litre	O
260	CM	105	CM	1 LEVEL CM	5,0165 litre	0,056 %	9000,3588 litre	O
260	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	9005,3753 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
260	CM 100	CM 200 LEVEL CM	8168,1409 litre	100,000 %	0,0000 litre	O
260	CM 100	CM 199 LEVEL CM	8163,2457 litre	99,940 %	4,8952 litre	O
260	CM 100	CM 198 LEVEL CM	8154,3159 litre	99,831 %	13,8250 litre	O
260	CM 100	CM 197 LEVEL CM	8142,7812 litre	99,690 %	25,3597 litre	O
260	CM 100	CM 196 LEVEL CM	8129,1562 litre	99,523 %	38,9847 litre	O
260	CM 100	CM 195 LEVEL CM	8113,7410 litre	99,334 %	54,3999 litre	O
260	CM 100	CM 194 LEVEL CM	8096,7396 litre	99,126 %	71,4013 litre	O
260	CM 100	CM 193 LEVEL CM	8078,3028 litre	98,900 %	89,8381 litre	O
260	CM 100	CM 192 LEVEL CM	8058,5484 litre	98,658 %	109,5925 litre	O
260	CM 100	CM 191 LEVEL CM	8037,5721 litre	98,401 %	130,5688 litre	O
260	CM 100	CM 190 LEVEL CM	8015,4535 litre	98,131 %	152,6874 litre	O
260	CM 100	CM 189 LEVEL CM	7992,2605 litre	97,847 %	175,8804 litre	O
260	CM 100	CM 188 LEVEL CM	7968,0520 litre	97,550 %	200,0889 litre	O
260	CM 100	CM 187 LEVEL CM	7942,8795 litre	97,242 %	225,2614 litre	O
260	CM 100	CM 186 LEVEL CM	7916,7891 litre	96,923 %	251,3518 litre	O
260	CM 100	CM 185 LEVEL CM	7889,8220 litre	96,593 %	278,3189 litre	O
260	CM 100	CM 184 LEVEL CM	7862,0155 litre	96,252 %	306,1254 litre	O
260	CM 100	CM 183 LEVEL CM	7833,4038 litre	95,902 %	334,7371 litre	O
260	CM 100	CM 182 LEVEL CM	7804,0181 litre	95,542 %	364,1228 litre	O
260	CM 100	CM 181 LEVEL CM	7773,8873 litre	95,173 %	394,2536 litre	O
260	CM 100	CM 180 LEVEL CM	7743,0380 litre	94,796 %	425,1029 litre	O
260	CM 100	CM 179 LEVEL CM	7711,4953 litre	94,409 %	456,6456 litre	O
260	CM 100	CM 178 LEVEL CM	7679,2824 litre	94,015 %	488,8585 litre	O
260	CM 100	CM 177 LEVEL CM	7646,4213 litre	93,613 %	521,7196 litre	O
260	CM 100	CM 176 LEVEL CM	7612,9325 litre	93,203 %	555,2084 litre	O
260	CM 100	CM 175 LEVEL CM	7578,8356 litre	92,785 %	589,3053 litre	O
260	CM 100	CM 174 LEVEL CM	7544,1490 litre	92,361 %	623,9919 litre	O
260	CM 100	CM 173 LEVEL CM	7508,8902 litre	91,929 %	659,2507 litre	O
260	CM 100	CM 172 LEVEL CM	7473,0759 litre	91,491 %	695,0650 litre	O
260	CM 100	CM 171 LEVEL CM	7436,7221 litre	91,045 %	731,4188 litre	O
260	CM 100	CM 170 LEVEL CM	7399,8439 litre	90,594 %	768,2970 litre	O
260	CM 100	CM 169 LEVEL CM	7362,4560 litre	90,136 %	805,6849 litre	O
260	CM 100	CM 168 LEVEL CM	7324,5723 litre	89,672 %	843,5686 litre	O
260	CM 100	CM 167 LEVEL CM	7286,2063 litre	89,203 %	881,9346 litre	O
260	CM 100	CM 166 LEVEL CM	7247,3710 litre	88,727 %	920,7699 litre	O
260	CM 100	CM 165 LEVEL CM	7208,0788 litre	88,246 %	960,0621 litre	O
260	CM 100	CM 164 LEVEL CM	7168,3418 litre	87,760 %	999,7991 litre	O
260	CM 100	CM 163 LEVEL CM	7128,1716 litre	87,268 %	1039,9693 litre	O
260	CM 100	CM 162 LEVEL CM	7087,5796 litre	86,771 %	1080,5613 litre	O
260	CM 100	CM 161 LEVEL CM	7046,5766 litre	86,269 %	1121,5643 litre	O
260	CM 100	CM 160 LEVEL CM	7005,1733 litre	85,762 %	1162,9676 litre	O
260	CM 100	CM 159 LEVEL CM	6963,3800 litre	85,250 %	1204,7609 litre	O
260	CM 100	CM 158 LEVEL CM	6921,2067 litre	84,734 %	1246,9342 litre	O
260	CM 100	CM 157 LEVEL CM	6878,6631 litre	84,213 %	1289,4778 litre	O
260	CM 100	CM 156 LEVEL CM	6835,7588 litre	83,688 %	1332,3821 litre	O
260	CM 100	CM 155 LEVEL CM	6792,5029 litre	83,158 %	1375,6380 litre	O
260	CM 100	CM 154 LEVEL CM	6748,9046 litre	82,625 %	1419,2363 litre	O
260	CM 100	CM 153 LEVEL CM	6704,9727 litre	82,087 %	1463,1682 litre	O
260	CM 100	CM 152 LEVEL CM	6660,7157 litre	81,545 %	1507,4252 litre	O
260	CM 100	CM 151 LEVEL CM	6616,1422 litre	80,999 %	1551,9987 litre	O
260	CM 100	CM 150 LEVEL CM	6571,2603 litre	80,450 %	1596,8806 litre	O
260	CM 100	CM 149 LEVEL CM	6526,0782 litre	79,897 %	1642,0627 litre	O

260	CM	100	CM	148 LEVEL CM	6480,6038 litre	79,340 %	1687,5371 litre	O
260	CM	100	CM	147 LEVEL CM	6434,8448 litre	78,780 %	1733,2961 litre	O
260	CM	100	CM	146 LEVEL CM	6388,8090 litre	78,216 %	1779,3319 litre	O
260	CM	100	CM	145 LEVEL CM	6342,5037 litre	77,649 %	1825,6372 litre	O
260	CM	100	CM	144 LEVEL CM	6295,9365 litre	77,079 %	1872,2044 litre	O
260	CM	100	CM	143 LEVEL CM	6249,1144 litre	76,506 %	1919,0265 litre	O
260	CM	100	CM	142 LEVEL CM	6202,0446 litre	75,930 %	1966,0963 litre	O
260	CM	100	CM	141 LEVEL CM	6154,7342 litre	75,350 %	2013,4067 litre	O
260	CM	100	CM	140 LEVEL CM	6107,1900 litre	74,768 %	2060,9509 litre	O
260	CM	100	CM	139 LEVEL CM	6059,4189 litre	74,184 %	2108,7220 litre	O
260	CM	100	CM	138 LEVEL CM	6011,4275 litre	73,596 %	2156,7134 litre	O
260	CM	100	CM	137 LEVEL CM	5963,2225 litre	73,006 %	2204,9184 litre	O
260	CM	100	CM	136 LEVEL CM	5914,8103 litre	72,413 %	2253,3306 litre	O
260	CM	100	CM	135 LEVEL CM	5866,1975 litre	71,818 %	2301,9434 litre	O
260	CM	100	CM	134 LEVEL CM	5817,3905 litre	71,220 %	2350,7504 litre	O
260	CM	100	CM	133 LEVEL CM	5768,3954 litre	70,621 %	2399,7455 litre	O
260	CM	100	CM	132 LEVEL CM	5719,2185 litre	70,019 %	2448,9224 litre	O
260	CM	100	CM	131 LEVEL CM	5669,8660 litre	69,414 %	2498,2749 litre	O
260	CM	100	CM	130 LEVEL CM	5620,3439 litre	68,808 %	2547,7970 litre	O
260	CM	100	CM	129 LEVEL CM	5570,6583 litre	68,200 %	2597,4826 litre	O
260	CM	100	CM	128 LEVEL CM	5520,8151 litre	67,590 %	2647,3258 litre	O
260	CM	100	CM	127 LEVEL CM	5470,8203 litre	66,978 %	2697,3206 litre	O
260	CM	100	CM	126 LEVEL CM	5420,6796 litre	66,364 %	2747,4613 litre	O
260	CM	100	CM	125 LEVEL CM	5370,3989 litre	65,748 %	2797,7420 litre	O
260	CM	100	CM	124 LEVEL CM	5319,9839 litre	65,131 %	2848,1570 litre	O
260	CM	100	CM	123 LEVEL CM	5269,4404 litre	64,512 %	2898,7005 litre	O
260	CM	100	CM	122 LEVEL CM	5218,7740 litre	63,892 %	2949,3669 litre	O
260	CM	100	CM	121 LEVEL CM	5167,9903 litre	63,270 %	3000,1506 litre	O
260	CM	100	CM	120 LEVEL CM	5117,0949 litre	62,647 %	3051,0460 litre	O
260	CM	100	CM	119 LEVEL CM	5066,0934 litre	62,023 %	3102,0475 litre	O
260	CM	100	CM	118 LEVEL CM	5014,9912 litre	61,397 %	3153,1497 litre	O
260	CM	100	CM	117 LEVEL CM	4963,7939 litre	60,770 %	3204,3470 litre	O
260	CM	100	CM	116 LEVEL CM	4912,5068 litre	60,142 %	3255,6341 litre	O
260	CM	100	CM	115 LEVEL CM	4861,1355 litre	59,513 %	3307,0054 litre	O
260	CM	100	CM	114 LEVEL CM	4809,6853 litre	58,883 %	3358,4556 litre	O
260	CM	100	CM	113 LEVEL CM	4758,1615 litre	58,253 %	3409,9794 litre	O
260	CM	100	CM	112 LEVEL CM	4706,5696 litre	57,621 %	3461,5713 litre	O
260	CM	100	CM	111 LEVEL CM	4654,9148 litre	56,989 %	3513,2261 litre	O
260	CM	100	CM	110 LEVEL CM	4603,2025 litre	56,356 %	3564,9384 litre	O
260	CM	100	CM	109 LEVEL CM	4551,4379 litre	55,722 %	3616,7030 litre	O
260	CM	100	CM	108 LEVEL CM	4499,6263 litre	55,088 %	3668,5146 litre	O
260	CM	100	CM	107 LEVEL CM	4447,7730 litre	54,453 %	3720,3679 litre	O
260	CM	100	CM	106 LEVEL CM	4395,8831 litre	53,817 %	3772,2578 litre	O
260	CM	100	CM	105 LEVEL CM	4343,9621 litre	53,182 %	3824,1788 litre	O
260	CM	100	CM	104 LEVEL CM	4292,0150 litre	52,546 %	3876,1259 litre	O
260	CM	100	CM	103 LEVEL CM	4240,0470 litre	51,910 %	3928,0939 litre	O
260	CM	100	CM	102 LEVEL CM	4188,0635 litre	51,273 %	3980,0774 litre	O
260	CM	100	CM	101 LEVEL CM	4136,0696 litre	50,637 %	4032,0713 litre	O
260	CM	100	CM	100 LEVEL CM	4084,0704 litre	50,000 %	4084,0705 litre	O
260	CM	100	CM	99 LEVEL CM	4032,0713 litre	49,363 %	4136,0696 litre	O
260	CM	100	CM	98 LEVEL CM	3980,0774 litre	48,727 %	4188,0635 litre	O
260	CM	100	CM	97 LEVEL CM	3928,0939 litre	48,090 %	4240,0470 litre	O
260	CM	100	CM	96 LEVEL CM	3876,1259 litre	47,454 %	4292,0150 litre	O

260	CM	100	CM	95 LEVEL CM	3824,1788 litre	46,818 %	4343,9621 litre	O
260	CM	100	CM	94 LEVEL CM	3772,2578 litre	46,183 %	4395,8831 litre	O
260	CM	100	CM	93 LEVEL CM	3720,3679 litre	45,547 %	4447,7730 litre	O
260	CM	100	CM	92 LEVEL CM	3668,5146 litre	44,912 %	4499,6263 litre	O
260	CM	100	CM	91 LEVEL CM	3616,7030 litre	44,278 %	4551,4379 litre	O
260	CM	100	CM	90 LEVEL CM	3564,9384 litre	43,644 %	4603,2025 litre	O
260	CM	100	CM	89 LEVEL CM	3513,2261 litre	43,011 %	4654,9148 litre	O
260	CM	100	CM	88 LEVEL CM	3461,5713 litre	42,379 %	4706,5696 litre	O
260	CM	100	CM	87 LEVEL CM	3409,9794 litre	41,747 %	4758,1615 litre	O
260	CM	100	CM	86 LEVEL CM	3358,4556 litre	41,117 %	4809,6853 litre	O
260	CM	100	CM	85 LEVEL CM	3307,0054 litre	40,487 %	4861,1355 litre	O
260	CM	100	CM	84 LEVEL CM	3255,6341 litre	39,858 %	4912,5068 litre	O
260	CM	100	CM	83 LEVEL CM	3204,3470 litre	39,230 %	4963,7939 litre	O
260	CM	100	CM	82 LEVEL CM	3153,1497 litre	38,603 %	5014,9912 litre	O
260	CM	100	CM	81 LEVEL CM	3102,0475 litre	37,977 %	5066,0934 litre	O
260	CM	100	CM	80 LEVEL CM	3051,0460 litre	37,353 %	5117,0949 litre	O
260	CM	100	CM	79 LEVEL CM	3000,1506 litre	36,730 %	5167,9903 litre	O
260	CM	100	CM	78 LEVEL CM	2949,3669 litre	36,108 %	5218,7740 litre	O
260	CM	100	CM	77 LEVEL CM	2898,7005 litre	35,488 %	5269,4404 litre	O
260	CM	100	CM	76 LEVEL CM	2848,1570 litre	34,869 %	5319,9839 litre	O
260	CM	100	CM	75 LEVEL CM	2797,7420 litre	34,252 %	5370,3989 litre	O
260	CM	100	CM	74 LEVEL CM	2747,4613 litre	33,636 %	5420,6796 litre	O
260	CM	100	CM	73 LEVEL CM	2697,3206 litre	33,022 %	5470,8203 litre	O
260	CM	100	CM	72 LEVEL CM	2647,3258 litre	32,410 %	5520,8151 litre	O
260	CM	100	CM	71 LEVEL CM	2597,4826 litre	31,800 %	5570,6583 litre	O
260	CM	100	CM	70 LEVEL CM	2547,7970 litre	31,192 %	5620,3439 litre	O
260	CM	100	CM	69 LEVEL CM	2498,2749 litre	30,586 %	5669,8660 litre	O
260	CM	100	CM	68 LEVEL CM	2448,9224 litre	29,981 %	5719,2185 litre	O
260	CM	100	CM	67 LEVEL CM	2399,7455 litre	29,379 %	5768,3954 litre	O
260	CM	100	CM	66 LEVEL CM	2350,7504 litre	28,780 %	5817,3905 litre	O
260	CM	100	CM	65 LEVEL CM	2301,9434 litre	28,182 %	5866,1975 litre	O
260	CM	100	CM	64 LEVEL CM	2253,3306 litre	27,587 %	5914,8103 litre	O
260	CM	100	CM	63 LEVEL CM	2204,9184 litre	26,994 %	5963,2225 litre	O
260	CM	100	CM	62 LEVEL CM	2156,7134 litre	26,404 %	6011,4275 litre	O
260	CM	100	CM	61 LEVEL CM	2108,7220 litre	25,816 %	6059,4189 litre	O
260	CM	100	CM	60 LEVEL CM	2060,9509 litre	25,232 %	6107,1900 litre	O
260	CM	100	CM	59 LEVEL CM	2013,4067 litre	24,650 %	6154,7342 litre	O
260	CM	100	CM	58 LEVEL CM	1966,0963 litre	24,070 %	6202,0446 litre	O
260	CM	100	CM	57 LEVEL CM	1919,0265 litre	23,494 %	6249,1144 litre	O
260	CM	100	CM	56 LEVEL CM	1872,2044 litre	22,921 %	6295,9365 litre	O
260	CM	100	CM	55 LEVEL CM	1825,6372 litre	22,351 %	6342,5037 litre	O
260	CM	100	CM	54 LEVEL CM	1779,3319 litre	21,784 %	6388,8090 litre	O
260	CM	100	CM	53 LEVEL CM	1733,2961 litre	21,220 %	6434,8448 litre	O
260	CM	100	CM	52 LEVEL CM	1687,5371 litre	20,660 %	6480,6038 litre	O
260	CM	100	CM	51 LEVEL CM	1642,0627 litre	20,103 %	6526,0782 litre	O
260	CM	100	CM	50 LEVEL CM	1596,8806 litre	19,550 %	6571,2603 litre	O
260	CM	100	CM	49 LEVEL CM	1551,9987 litre	19,001 %	6616,1422 litre	O
260	CM	100	CM	48 LEVEL CM	1507,4252 litre	18,455 %	6660,7157 litre	O
260	CM	100	CM	47 LEVEL CM	1463,1682 litre	17,913 %	6704,9727 litre	O
260	CM	100	CM	46 LEVEL CM	1419,2363 litre	17,375 %	6748,9046 litre	O
260	CM	100	CM	45 LEVEL CM	1375,6380 litre	16,842 %	6792,5029 litre	O
260	CM	100	CM	44 LEVEL CM	1332,3821 litre	16,312 %	6835,7588 litre	O
260	CM	100	CM	43 LEVEL CM	1289,4778 litre	15,787 %	6878,6631 litre	O

260	CM	100	CM	42 LEVEL CM	1246,9342 litre	15,266 %	6921,2067 litre	O
260	CM	100	CM	41 LEVEL CM	1204,7609 litre	14,750 %	6963,3800 litre	O
260	CM	100	CM	40 LEVEL CM	1162,9676 litre	14,238 %	7005,1733 litre	O
260	CM	100	CM	39 LEVEL CM	1121,5643 litre	13,731 %	7046,5766 litre	O
260	CM	100	CM	38 LEVEL CM	1080,5613 litre	13,229 %	7087,5796 litre	O
260	CM	100	CM	37 LEVEL CM	1039,9693 litre	12,732 %	7128,1716 litre	O
260	CM	100	CM	36 LEVEL CM	999,7991 litre	12,240 %	7168,3418 litre	O
260	CM	100	CM	35 LEVEL CM	960,0621 litre	11,754 %	7208,0788 litre	O
260	CM	100	CM	34 LEVEL CM	920,7699 litre	11,273 %	7247,3710 litre	O
260	CM	100	CM	33 LEVEL CM	881,9346 litre	10,797 %	7286,2063 litre	O
260	CM	100	CM	32 LEVEL CM	843,5686 litre	10,328 %	7324,5723 litre	O
260	CM	100	CM	31 LEVEL CM	805,6849 litre	9,864 %	7362,4560 litre	O
260	CM	100	CM	30 LEVEL CM	768,2970 litre	9,406 %	7399,8439 litre	O
260	CM	100	CM	29 LEVEL CM	731,4188 litre	8,955 %	7436,7221 litre	O
260	CM	100	CM	28 LEVEL CM	695,0650 litre	8,509 %	7473,0759 litre	O
260	CM	100	CM	27 LEVEL CM	659,2507 litre	8,071 %	7508,8902 litre	O
260	CM	100	CM	26 LEVEL CM	623,9919 litre	7,639 %	7544,1490 litre	O
260	CM	100	CM	25 LEVEL CM	589,3053 litre	7,215 %	7578,8356 litre	O
260	CM	100	CM	24 LEVEL CM	555,2084 litre	6,797 %	7612,9325 litre	O
260	CM	100	CM	23 LEVEL CM	521,7196 litre	6,387 %	7646,4213 litre	O
260	CM	100	CM	22 LEVEL CM	488,8585 litre	5,985 %	7679,2824 litre	O
260	CM	100	CM	21 LEVEL CM	456,6456 litre	5,591 %	7711,4953 litre	O
260	CM	100	CM	20 LEVEL CM	425,1029 litre	5,204 %	7743,0380 litre	O
260	CM	100	CM	19 LEVEL CM	394,2536 litre	4,827 %	7773,8873 litre	O
260	CM	100	CM	18 LEVEL CM	364,1228 litre	4,458 %	7804,0181 litre	O
260	CM	100	CM	17 LEVEL CM	334,7371 litre	4,098 %	7833,4038 litre	O
260	CM	100	CM	16 LEVEL CM	306,1254 litre	3,748 %	7862,0155 litre	O
260	CM	100	CM	15 LEVEL CM	278,3189 litre	3,407 %	7889,8220 litre	O
260	CM	100	CM	14 LEVEL CM	251,3518 litre	3,077 %	7916,7891 litre	O
260	CM	100	CM	13 LEVEL CM	225,2614 litre	2,758 %	7942,8795 litre	O
260	CM	100	CM	12 LEVEL CM	200,0889 litre	2,450 %	7968,0520 litre	O
260	CM	100	CM	11 LEVEL CM	175,8804 litre	2,153 %	7992,2605 litre	O
260	CM	100	CM	10 LEVEL CM	152,6874 litre	1,869 %	8015,4535 litre	O
260	CM	100	CM	9 LEVEL CM	130,5688 litre	1,599 %	8037,5721 litre	O
260	CM	100	CM	8 LEVEL CM	109,5925 litre	1,342 %	8058,5484 litre	O
260	CM	100	CM	7 LEVEL CM	89,8381 litre	1,100 %	8078,3028 litre	O
260	CM	100	CM	6 LEVEL CM	71,4013 litre	0,874 %	8096,7396 litre	O
260	CM	100	CM	5 LEVEL CM	54,3999 litre	0,666 %	8113,7410 litre	O
260	CM	100	CM	4 LEVEL CM	38,9847 litre	0,477 %	8129,1562 litre	O
260	CM	100	CM	3 LEVEL CM	25,3597 litre	0,310 %	8142,7812 litre	O
260	CM	100	CM	2 LEVEL CM	13,8250 litre	0,169 %	8154,3159 litre	O
260	CM	100	CM	1 LEVEL CM	4,8952 litre	0,060 %	8163,2457 litre	O
260	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	8168,1409 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
260	CM	95	CM	190 LEVEL CM	7371,7472 litre	100,000 %	0,0000 litre	O
260	CM	95	CM	189 LEVEL CM	7366,9762 litre	99,935 %	4,7710 litre	O
260	CM	95	CM	188 LEVEL CM	7358,2744 litre	99,817 %	13,4728 litre	O
260	CM	95	CM	187 LEVEL CM	7347,0354 litre	99,665 %	24,7118 litre	O
260	CM	95	CM	186 LEVEL CM	7333,7618 litre	99,485 %	37,9854 litre	O
260	CM	95	CM	185 LEVEL CM	7318,7460 litre	99,281 %	53,0012 litre	O
260	CM	95	CM	184 LEVEL CM	7302,1874 litre	99,056 %	69,5598 litre	O
260	CM	95	CM	183 LEVEL CM	7284,2333 litre	98,813 %	87,5139 litre	O
260	CM	95	CM	182 LEVEL CM	7264,9989 litre	98,552 %	106,7483 litre	O
260	CM	95	CM	181 LEVEL CM	7244,5777 litre	98,275 %	127,1695 litre	O
260	CM	95	CM	180 LEVEL CM	7223,0475 litre	97,983 %	148,6997 litre	O
260	CM	95	CM	179 LEVEL CM	7200,4747 litre	97,677 %	171,2725 litre	O
260	CM	95	CM	178 LEVEL CM	7176,9171 litre	97,357 %	194,8301 litre	O
260	CM	95	CM	177 LEVEL CM	7152,4251 litre	97,025 %	219,3221 litre	O
260	CM	95	CM	176 LEVEL CM	7127,0438 litre	96,681 %	244,7034 litre	O
260	CM	95	CM	175 LEVEL CM	7100,8136 litre	96,325 %	270,9336 litre	O
260	CM	95	CM	174 LEVEL CM	7073,7713 litre	95,958 %	297,9759 litre	O
260	CM	95	CM	173 LEVEL CM	7045,9501 litre	95,580 %	325,7971 litre	O
260	CM	95	CM	172 LEVEL CM	7017,3808 litre	95,193 %	354,3664 litre	O
260	CM	95	CM	171 LEVEL CM	6988,0918 litre	94,796 %	383,6554 litre	O
260	CM	95	CM	170 LEVEL CM	6958,1093 litre	94,389 %	413,6379 litre	O
260	CM	95	CM	169 LEVEL CM	6927,4578 litre	93,973 %	444,2894 litre	O
260	CM	95	CM	168 LEVEL CM	6896,1603 litre	93,549 %	475,5869 litre	O
260	CM	95	CM	167 LEVEL CM	6864,2382 litre	93,115 %	507,5090 litre	O
260	CM	95	CM	166 LEVEL CM	6831,7120 litre	92,674 %	540,0352 litre	O
260	CM	95	CM	165 LEVEL CM	6798,6008 litre	92,225 %	573,1464 litre	O
260	CM	95	CM	164 LEVEL CM	6764,9227 litre	91,768 %	606,8245 litre	O
260	CM	95	CM	163 LEVEL CM	6730,6951 litre	91,304 %	641,0521 litre	O
260	CM	95	CM	162 LEVEL CM	6695,9344 litre	90,832 %	675,8128 litre	O
260	CM	95	CM	161 LEVEL CM	6660,6564 litre	90,354 %	711,0908 litre	O
260	CM	95	CM	160 LEVEL CM	6624,8761 litre	89,868 %	746,8711 litre	O
260	CM	95	CM	159 LEVEL CM	6588,6078 litre	89,376 %	783,1394 litre	O
260	CM	95	CM	158 LEVEL CM	6551,8655 litre	88,878 %	819,8817 litre	O
260	CM	95	CM	157 LEVEL CM	6514,6624 litre	88,373 %	857,0848 litre	O
260	CM	95	CM	156 LEVEL CM	6477,0113 litre	87,863 %	894,7359 litre	O
260	CM	95	CM	155 LEVEL CM	6438,9247 litre	87,346 %	932,8225 litre	O
260	CM	95	CM	154 LEVEL CM	6400,4145 litre	86,824 %	971,3327 litre	O
260	CM	95	CM	153 LEVEL CM	6361,4921 litre	86,296 %	1010,2551 litre	O
260	CM	95	CM	152 LEVEL CM	6322,1689 litre	85,762 %	1049,5783 litre	O
260	CM	95	CM	151 LEVEL CM	6282,4557 litre	85,223 %	1089,2915 litre	O
260	CM	95	CM	150 LEVEL CM	6242,3630 litre	84,680 %	1129,3842 litre	O
260	CM	95	CM	149 LEVEL CM	6201,9010 litre	84,131 %	1169,8462 litre	O
260	CM	95	CM	148 LEVEL CM	6161,0798 litre	83,577 %	1210,6674 litre	O
260	CM	95	CM	147 LEVEL CM	6119,9089 litre	83,018 %	1251,8383 litre	O
260	CM	95	CM	146 LEVEL CM	6078,3980 litre	82,455 %	1293,3492 litre	O
260	CM	95	CM	145 LEVEL CM	6036,5561 litre	81,888 %	1335,1911 litre	O
260	CM	95	CM	144 LEVEL CM	5994,3924 litre	81,316 %	1377,3548 litre	O
260	CM	95	CM	143 LEVEL CM	5951,9155 litre	80,740 %	1419,8317 litre	O
260	CM	95	CM	142 LEVEL CM	5909,1342 litre	80,159 %	1462,6130 litre	O
260	CM	95	CM	141 LEVEL CM	5866,0569 litre	79,575 %	1505,6903 litre	O
260	CM	95	CM	140 LEVEL CM	5822,6917 litre	78,987 %	1549,0555 litre	O
260	CM	95	CM	139 LEVEL CM	5779,0469 litre	78,395 %	1592,7003 litre	O

260	CM 95	CM	138 LEVEL CM	5735,1303 litre	77,799 %	1636,6169 litre	O
260	CM 95	CM	137 LEVEL CM	5690,9498 litre	77,199 %	1680,7974 litre	O
260	CM 95	CM	136 LEVEL CM	5646,5129 litre	76,597 %	1725,2343 litre	O
260	CM 95	CM	135 LEVEL CM	5601,8272 litre	75,990 %	1769,9200 litre	O
260	CM 95	CM	134 LEVEL CM	5556,9002 litre	75,381 %	1814,8470 litre	O
260	CM 95	CM	133 LEVEL CM	5511,7390 litre	74,768 %	1860,0082 litre	O
260	CM 95	CM	132 LEVEL CM	5466,3508 litre	74,153 %	1905,3964 litre	O
260	CM 95	CM	131 LEVEL CM	5420,7428 litre	73,534 %	1951,0044 litre	O
260	CM 95	CM	130 LEVEL CM	5374,9218 litre	72,912 %	1996,8254 litre	O
260	CM 95	CM	129 LEVEL CM	5328,8947 litre	72,288 %	2042,8525 litre	O
260	CM 95	CM	128 LEVEL CM	5282,6684 litre	71,661 %	2089,0788 litre	O
260	CM 95	CM	127 LEVEL CM	5236,2494 litre	71,031 %	2135,4978 litre	O
260	CM 95	CM	126 LEVEL CM	5189,6443 litre	70,399 %	2182,1029 litre	O
260	CM 95	CM	125 LEVEL CM	5142,8598 litre	69,764 %	2228,8874 litre	O
260	CM 95	CM	124 LEVEL CM	5095,9021 litre	69,127 %	2275,8451 litre	O
260	CM 95	CM	123 LEVEL CM	5048,7778 litre	68,488 %	2322,9694 litre	O
260	CM 95	CM	122 LEVEL CM	5001,4931 litre	67,847 %	2370,2541 litre	O
260	CM 95	CM	121 LEVEL CM	4954,0542 litre	67,203 %	2417,6930 litre	O
260	CM 95	CM	120 LEVEL CM	4906,4673 litre	66,558 %	2465,2799 litre	O
260	CM 95	CM	119 LEVEL CM	4858,7386 litre	65,910 %	2513,0086 litre	O
260	CM 95	CM	118 LEVEL CM	4810,8742 litre	65,261 %	2560,8730 litre	O
260	CM 95	CM	117 LEVEL CM	4762,8799 litre	64,610 %	2608,8673 litre	O
260	CM 95	CM	116 LEVEL CM	4714,7619 litre	63,957 %	2656,9853 litre	O
260	CM 95	CM	115 LEVEL CM	4666,5260 litre	63,303 %	2705,2212 litre	O
260	CM 95	CM	114 LEVEL CM	4618,1782 litre	62,647 %	2753,5690 litre	O
260	CM 95	CM	113 LEVEL CM	4569,7241 litre	61,990 %	2802,0231 litre	O
260	CM 95	CM	112 LEVEL CM	4521,1698 litre	61,331 %	2850,5774 litre	O
260	CM 95	CM	111 LEVEL CM	4472,5208 litre	60,671 %	2899,2264 litre	O
260	CM 95	CM	110 LEVEL CM	4423,7830 litre	60,010 %	2947,9642 litre	O
260	CM 95	CM	109 LEVEL CM	4374,9621 litre	59,348 %	2996,7851 litre	O
260	CM 95	CM	108 LEVEL CM	4326,0636 litre	58,684 %	3045,6836 litre	O
260	CM 95	CM	107 LEVEL CM	4277,0934 litre	58,020 %	3094,6538 litre	O
260	CM 95	CM	106 LEVEL CM	4228,0569 litre	57,355 %	3143,6903 litre	O
260	CM 95	CM	105 LEVEL CM	4178,9598 litre	56,689 %	3192,7874 litre	O
260	CM 95	CM	104 LEVEL CM	4129,8076 litre	56,022 %	3241,9396 litre	O
260	CM 95	CM	103 LEVEL CM	4080,6060 litre	55,355 %	3291,1412 litre	O
260	CM 95	CM	102 LEVEL CM	4031,3604 litre	54,687 %	3340,3868 litre	O
260	CM 95	CM	101 LEVEL CM	3982,0764 litre	54,018 %	3389,6708 litre	O
260	CM 95	CM	100 LEVEL CM	3932,7595 litre	53,349 %	3438,9877 litre	O
260	CM 95	CM	99 LEVEL CM	3883,4152 litre	52,680 %	3488,3320 litre	O
260	CM 95	CM	98 LEVEL CM	3834,0489 litre	52,010 %	3537,6983 litre	O
260	CM 95	CM	97 LEVEL CM	3784,6663 litre	51,340 %	3587,0809 litre	O
260	CM 95	CM	96 LEVEL CM	3735,2727 litre	50,670 %	3636,4745 litre	O
260	CM 95	CM	95 LEVEL CM	3685,8736 litre	50,000 %	3685,8736 litre	O
260	CM 95	CM	94 LEVEL CM	3636,4745 litre	49,330 %	3735,2727 litre	O
260	CM 95	CM	93 LEVEL CM	3587,0809 litre	48,660 %	3784,6663 litre	O
260	CM 95	CM	92 LEVEL CM	3537,6982 litre	47,990 %	3834,0490 litre	O
260	CM 95	CM	91 LEVEL CM	3488,3320 litre	47,320 %	3883,4152 litre	O
260	CM 95	CM	90 LEVEL CM	3438,9877 litre	46,651 %	3932,7595 litre	O
260	CM 95	CM	89 LEVEL CM	3389,6708 litre	45,982 %	3982,0764 litre	O
260	CM 95	CM	88 LEVEL CM	3340,3867 litre	45,313 %	4031,3605 litre	O
260	CM 95	CM	87 LEVEL CM	3291,1412 litre	44,645 %	4080,6060 litre	O
260	CM 95	CM	86 LEVEL CM	3241,9395 litre	43,978 %	4129,8077 litre	O

260	CM	95	CM	85 LEVEL CM	3192,7874 litre	43,311 %	4178,9598 litre	O
260	CM	95	CM	84 LEVEL CM	3143,6903 litre	42,645 %	4228,0569 litre	O
260	CM	95	CM	83 LEVEL CM	3094,6538 litre	41,980 %	4277,0934 litre	O
260	CM	95	CM	82 LEVEL CM	3045,6835 litre	41,316 %	4326,0637 litre	O
260	CM	95	CM	81 LEVEL CM	2996,7851 litre	40,652 %	4374,9621 litre	O
260	CM	95	CM	80 LEVEL CM	2947,9641 litre	39,990 %	4423,7831 litre	O
260	CM	95	CM	79 LEVEL CM	2899,2263 litre	39,329 %	4472,5209 litre	O
260	CM	95	CM	78 LEVEL CM	2850,5774 litre	38,669 %	4521,1698 litre	O
260	CM	95	CM	77 LEVEL CM	2802,0230 litre	38,010 %	4569,7242 litre	O
260	CM	95	CM	76 LEVEL CM	2753,5690 litre	37,353 %	4618,1782 litre	O
260	CM	95	CM	75 LEVEL CM	2705,2211 litre	36,697 %	4666,5261 litre	O
260	CM	95	CM	74 LEVEL CM	2656,9852 litre	36,043 %	4714,7620 litre	O
260	CM	95	CM	73 LEVEL CM	2608,8672 litre	35,390 %	4762,8800 litre	O
260	CM	95	CM	72 LEVEL CM	2560,8730 litre	34,739 %	4810,8742 litre	O
260	CM	95	CM	71 LEVEL CM	2513,0085 litre	34,090 %	4858,7387 litre	O
260	CM	95	CM	70 LEVEL CM	2465,2798 litre	33,442 %	4906,4674 litre	O
260	CM	95	CM	69 LEVEL CM	2417,6930 litre	32,797 %	4954,0542 litre	O
260	CM	95	CM	68 LEVEL CM	2370,2541 litre	32,153 %	5001,4931 litre	O
260	CM	95	CM	67 LEVEL CM	2322,9694 litre	31,512 %	5048,7778 litre	O
260	CM	95	CM	66 LEVEL CM	2275,8450 litre	30,873 %	5095,9022 litre	O
260	CM	95	CM	65 LEVEL CM	2228,8874 litre	30,236 %	5142,8598 litre	O
260	CM	95	CM	64 LEVEL CM	2182,1028 litre	29,601 %	5189,6444 litre	O
260	CM	95	CM	63 LEVEL CM	2135,4978 litre	28,969 %	5236,2494 litre	O
260	CM	95	CM	62 LEVEL CM	2089,0788 litre	28,339 %	5282,6684 litre	O
260	CM	95	CM	61 LEVEL CM	2042,8524 litre	27,712 %	5328,8948 litre	O
260	CM	95	CM	60 LEVEL CM	1996,8254 litre	27,088 %	5374,9218 litre	O
260	CM	95	CM	59 LEVEL CM	1951,0044 litre	26,466 %	5420,7428 litre	O
260	CM	95	CM	58 LEVEL CM	1905,3963 litre	25,847 %	5466,3509 litre	O
260	CM	95	CM	57 LEVEL CM	1860,0082 litre	25,232 %	5511,7390 litre	O
260	CM	95	CM	56 LEVEL CM	1814,8470 litre	24,619 %	5556,9002 litre	O
260	CM	95	CM	55 LEVEL CM	1769,9199 litre	24,010 %	5601,8273 litre	O
260	CM	95	CM	54 LEVEL CM	1725,2343 litre	23,403 %	5646,5129 litre	O
260	CM	95	CM	53 LEVEL CM	1680,7974 litre	22,801 %	5690,9498 litre	O
260	CM	95	CM	52 LEVEL CM	1636,6168 litre	22,201 %	5735,1304 litre	O
260	CM	95	CM	51 LEVEL CM	1592,7002 litre	21,605 %	5779,0470 litre	O
260	CM	95	CM	50 LEVEL CM	1549,0554 litre	21,013 %	5822,6918 litre	O
260	CM	95	CM	49 LEVEL CM	1505,6903 litre	20,425 %	5866,0569 litre	O
260	CM	95	CM	48 LEVEL CM	1462,6129 litre	19,841 %	5909,1343 litre	O
260	CM	95	CM	47 LEVEL CM	1419,8316 litre	19,260 %	5951,9156 litre	O
260	CM	95	CM	46 LEVEL CM	1377,3548 litre	18,684 %	5994,3924 litre	O
260	CM	95	CM	45 LEVEL CM	1335,1910 litre	18,112 %	6036,5562 litre	O
260	CM	95	CM	44 LEVEL CM	1293,3492 litre	17,545 %	6078,3980 litre	O
260	CM	95	CM	43 LEVEL CM	1251,8382 litre	16,982 %	6119,9090 litre	O
260	CM	95	CM	42 LEVEL CM	1210,6674 litre	16,423 %	6161,0798 litre	O
260	CM	95	CM	41 LEVEL CM	1169,8461 litre	15,869 %	6201,9011 litre	O
260	CM	95	CM	40 LEVEL CM	1129,3842 litre	15,320 %	6242,3630 litre	O
260	CM	95	CM	39 LEVEL CM	1089,2915 litre	14,777 %	6282,4557 litre	O
260	CM	95	CM	38 LEVEL CM	1049,5782 litre	14,238 %	6322,1690 litre	O
260	CM	95	CM	37 LEVEL CM	1010,2550 litre	13,704 %	6361,4922 litre	O
260	CM	95	CM	36 LEVEL CM	971,3327 litre	13,176 %	6400,4145 litre	O
260	CM	95	CM	35 LEVEL CM	932,8225 litre	12,654 %	6438,9247 litre	O
260	CM	95	CM	34 LEVEL CM	894,7358 litre	12,137 %	6477,0114 litre	O
260	CM	95	CM	33 LEVEL CM	857,0848 litre	11,627 %	6514,6624 litre	O

260	CM	95	CM	32 LEVEL CM	819,8817 litre	11,122 %	6551,8655 litre	O
260	CM	95	CM	31 LEVEL CM	783,1394 litre	10,624 %	6588,6078 litre	O
260	CM	95	CM	30 LEVEL CM	746,8711 litre	10,132 %	6624,8761 litre	O
260	CM	95	CM	29 LEVEL CM	711,0908 litre	9,646 %	6660,6564 litre	O
260	CM	95	CM	28 LEVEL CM	675,8127 litre	9,168 %	6695,9345 litre	O
260	CM	95	CM	27 LEVEL CM	641,0521 litre	8,696 %	6730,6951 litre	O
260	CM	95	CM	26 LEVEL CM	606,8245 litre	8,232 %	6764,9227 litre	O
260	CM	95	CM	25 LEVEL CM	573,1464 litre	7,775 %	6798,6008 litre	O
260	CM	95	CM	24 LEVEL CM	540,0351 litre	7,326 %	6831,7121 litre	O
260	CM	95	CM	23 LEVEL CM	507,5089 litre	6,885 %	6864,2383 litre	O
260	CM	95	CM	22 LEVEL CM	475,5869 litre	6,451 %	6896,1603 litre	O
260	CM	95	CM	21 LEVEL CM	444,2894 litre	6,027 %	6927,4578 litre	O
260	CM	95	CM	20 LEVEL CM	413,6379 litre	5,611 %	6958,1093 litre	O
260	CM	95	CM	19 LEVEL CM	383,6554 litre	5,204 %	6988,0918 litre	O
260	CM	95	CM	18 LEVEL CM	354,3663 litre	4,807 %	7017,3809 litre	O
260	CM	95	CM	17 LEVEL CM	325,7971 litre	4,420 %	7045,9501 litre	O
260	CM	95	CM	16 LEVEL CM	297,9759 litre	4,042 %	7073,7713 litre	O
260	CM	95	CM	15 LEVEL CM	270,9335 litre	3,675 %	7100,8137 litre	O
260	CM	95	CM	14 LEVEL CM	244,7034 litre	3,319 %	7127,0438 litre	O
260	CM	95	CM	13 LEVEL CM	219,3221 litre	2,975 %	7152,4251 litre	O
260	CM	95	CM	12 LEVEL CM	194,8301 litre	2,643 %	7176,9171 litre	O
260	CM	95	CM	11 LEVEL CM	171,2724 litre	2,323 %	7200,4748 litre	O
260	CM	95	CM	10 LEVEL CM	148,6997 litre	2,017 %	7223,0475 litre	O
260	CM	95	CM	9 LEVEL CM	127,1695 litre	1,725 %	7244,5777 litre	O
260	CM	95	CM	8 LEVEL CM	106,7482 litre	1,448 %	7264,9990 litre	O
260	CM	95	CM	7 LEVEL CM	87,5138 litre	1,187 %	7284,2334 litre	O
260	CM	95	CM	6 LEVEL CM	69,5598 litre	0,944 %	7302,1874 litre	O
260	CM	95	CM	5 LEVEL CM	53,0011 litre	0,719 %	7318,7461 litre	O
260	CM	95	CM	4 LEVEL CM	37,9854 litre	0,515 %	7333,7618 litre	O
260	CM	95	CM	3 LEVEL CM	24,7117 litre	0,335 %	7347,0355 litre	O
260	CM	95	CM	2 LEVEL CM	13,4728 litre	0,183 %	7358,2744 litre	O
260	CM	95	CM	1 LEVEL CM	4,7709 litre	0,065 %	7366,9763 litre	O
260	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	7371,7472 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
260	CM	90	CM	180 LEVEL CM	6616,1941 litre	100,000 %	0,0000 litre	O
260	CM	90	CM	179 LEVEL CM	6611,5509 litre	99,930 %	4,6432 litre	O
260	CM	90	CM	178 LEVEL CM	6603,0830 litre	99,802 %	13,1111 litre	O
260	CM	90	CM	177 LEVEL CM	6592,1479 litre	99,637 %	24,0462 litre	O
260	CM	90	CM	176 LEVEL CM	6579,2350 litre	99,441 %	36,9591 litre	O
260	CM	90	CM	175 LEVEL CM	6564,6296 litre	99,221 %	51,5645 litre	O
260	CM	90	CM	174 LEVEL CM	6548,5260 litre	98,977 %	67,6681 litre	O
260	CM	90	CM	173 LEVEL CM	6531,0680 litre	98,713 %	85,1261 litre	O
260	CM	90	CM	172 LEVEL CM	6512,3681 litre	98,431 %	103,8260 litre	O
260	CM	90	CM	171 LEVEL CM	6492,5174 litre	98,131 %	123,6767 litre	O
260	CM	90	CM	170 LEVEL CM	6471,5921 litre	97,814 %	144,6020 litre	O
260	CM	90	CM	169 LEVEL CM	6449,6571 litre	97,483 %	166,5370 litre	O
260	CM	90	CM	168 LEVEL CM	6426,7689 litre	97,137 %	189,4252 litre	O
260	CM	90	CM	167 LEVEL CM	6402,9768 litre	96,777 %	213,2173 litre	O
260	CM	90	CM	166 LEVEL CM	6378,3250 litre	96,405 %	237,8691 litre	O
260	CM	90	CM	165 LEVEL CM	6352,8531 litre	96,020 %	263,3410 litre	O
260	CM	90	CM	164 LEVEL CM	6326,5971 litre	95,623 %	289,5970 litre	O
260	CM	90	CM	163 LEVEL CM	6299,5896 litre	95,215 %	316,6045 litre	O
260	CM	90	CM	162 LEVEL CM	6271,8608 litre	94,796 %	344,3333 litre	O
260	CM	90	CM	161 LEVEL CM	6243,4385 litre	94,366 %	372,7556 litre	O
260	CM	90	CM	160 LEVEL CM	6214,3485 litre	93,926 %	401,8456 litre	O
260	CM	90	CM	159 LEVEL CM	6184,6150 litre	93,477 %	431,5791 litre	O
260	CM	90	CM	158 LEVEL CM	6154,2604 litre	93,018 %	461,9337 litre	O
260	CM	90	CM	157 LEVEL CM	6123,3059 litre	92,550 %	492,8882 litre	O
260	CM	90	CM	156 LEVEL CM	6091,7716 litre	92,074 %	524,4225 litre	O
260	CM	90	CM	155 LEVEL CM	6059,6763 litre	91,589 %	556,5178 litre	O
260	CM	90	CM	154 LEVEL CM	6027,0379 litre	91,095 %	589,1562 litre	O
260	CM	90	CM	153 LEVEL CM	5993,8736 litre	90,594 %	622,3205 litre	O
260	CM	90	CM	152 LEVEL CM	5960,1994 litre	90,085 %	655,9947 litre	O
260	CM	90	CM	151 LEVEL CM	5926,0311 litre	89,569 %	690,1630 litre	O
260	CM	90	CM	150 LEVEL CM	5891,3833 litre	89,045 %	724,8108 litre	O
260	CM	90	CM	149 LEVEL CM	5856,2704 litre	88,514 %	759,9237 litre	O
260	CM	90	CM	148 LEVEL CM	5820,7060 litre	87,977 %	795,4881 litre	O
260	CM	90	CM	147 LEVEL CM	5784,7034 litre	87,432 %	831,4907 litre	O
260	CM	90	CM	146 LEVEL CM	5748,2751 litre	86,882 %	867,9190 litre	O
260	CM	90	CM	145 LEVEL CM	5711,4335 litre	86,325 %	904,7606 litre	O
260	CM	90	CM	144 LEVEL CM	5674,1904 litre	85,762 %	942,0037 litre	O
260	CM	90	CM	143 LEVEL CM	5636,5573 litre	85,193 %	979,6368 litre	O
260	CM	90	CM	142 LEVEL CM	5598,5452 litre	84,619 %	1017,6489 litre	O
260	CM	90	CM	141 LEVEL CM	5560,1650 litre	84,039 %	1056,0291 litre	O
260	CM	90	CM	140 LEVEL CM	5521,4272 litre	83,453 %	1094,7669 litre	O
260	CM	90	CM	139 LEVEL CM	5482,3419 litre	82,862 %	1133,8522 litre	O
260	CM	90	CM	138 LEVEL CM	5442,9191 litre	82,267 %	1173,2750 litre	O
260	CM	90	CM	137 LEVEL CM	5403,1684 litre	81,666 %	1213,0257 litre	O
260	CM	90	CM	136 LEVEL CM	5363,0992 litre	81,060 %	1253,0949 litre	O
260	CM	90	CM	135 LEVEL CM	5322,7208 litre	80,450 %	1293,4733 litre	O
260	CM	90	CM	134 LEVEL CM	5282,0422 litre	79,835 %	1334,1519 litre	O
260	CM	90	CM	133 LEVEL CM	5241,0721 litre	79,216 %	1375,1220 litre	O
260	CM	90	CM	132 LEVEL CM	5199,8193 litre	78,592 %	1416,3748 litre	O
260	CM	90	CM	131 LEVEL CM	5158,2920 litre	77,965 %	1457,9021 litre	O
260	CM	90	CM	130 LEVEL CM	5116,4986 litre	77,333 %	1499,6955 litre	O
260	CM	90	CM	129 LEVEL CM	5074,4472 litre	76,697 %	1541,7469 litre	O

260	CM	90	CM	128 LEVEL CM	5032,1457 litre	76,058 %	1584,0484 litre	O
260	CM	90	CM	127 LEVEL CM	4989,6021 litre	75,415 %	1626,5920 litre	O
260	CM	90	CM	126 LEVEL CM	4946,8239 litre	74,768 %	1669,3702 litre	O
260	CM	90	CM	125 LEVEL CM	4903,8188 litre	74,118 %	1712,3753 litre	O
260	CM	90	CM	124 LEVEL CM	4860,5941 litre	73,465 %	1755,6000 litre	O
260	CM	90	CM	123 LEVEL CM	4817,1573 litre	72,809 %	1799,0368 litre	O
260	CM	90	CM	122 LEVEL CM	4773,5155 litre	72,149 %	1842,6786 litre	O
260	CM	90	CM	121 LEVEL CM	4729,6759 litre	71,486 %	1886,5182 litre	O
260	CM	90	CM	120 LEVEL CM	4685,6455 litre	70,821 %	1930,5486 litre	O
260	CM	90	CM	119 LEVEL CM	4641,4313 litre	70,153 %	1974,7628 litre	O
260	CM	90	CM	118 LEVEL CM	4597,0401 litre	69,482 %	2019,1540 litre	O
260	CM	90	CM	117 LEVEL CM	4552,4786 litre	68,808 %	2063,7155 litre	O
260	CM	90	CM	116 LEVEL CM	4507,7536 litre	68,132 %	2108,4405 litre	O
260	CM	90	CM	115 LEVEL CM	4462,8716 litre	67,454 %	2153,3225 litre	O
260	CM	90	CM	114 LEVEL CM	4417,8393 litre	66,773 %	2198,3548 litre	O
260	CM	90	CM	113 LEVEL CM	4372,6632 litre	66,090 %	2243,5309 litre	O
260	CM	90	CM	112 LEVEL CM	4327,3495 litre	65,405 %	2288,8446 litre	O
260	CM	90	CM	111 LEVEL CM	4281,9048 litre	64,719 %	2334,2893 litre	O
260	CM	90	CM	110 LEVEL CM	4236,3353 litre	64,030 %	2379,8588 litre	O
260	CM	90	CM	109 LEVEL CM	4190,6472 litre	63,339 %	2425,5469 litre	O
260	CM	90	CM	108 LEVEL CM	4144,8469 litre	62,647 %	2471,3472 litre	O
260	CM	90	CM	107 LEVEL CM	4098,9404 litre	61,953 %	2517,2537 litre	O
260	CM	90	CM	106 LEVEL CM	4052,9339 litre	61,258 %	2563,2602 litre	O
260	CM	90	CM	105 LEVEL CM	4006,8334 litre	60,561 %	2609,3607 litre	O
260	CM	90	CM	104 LEVEL CM	3960,6450 litre	59,863 %	2655,5491 litre	O
260	CM	90	CM	103 LEVEL CM	3914,3748 litre	59,164 %	2701,8193 litre	O
260	CM	90	CM	102 LEVEL CM	3868,0286 litre	58,463 %	2748,1655 litre	O
260	CM	90	CM	101 LEVEL CM	3821,6125 litre	57,761 %	2794,5816 litre	O
260	CM	90	CM	100 LEVEL CM	3775,1323 litre	57,059 %	2841,0618 litre	O
260	CM	90	CM	99 LEVEL CM	3728,5940 litre	56,356 %	2887,6001 litre	O
260	CM	90	CM	98 LEVEL CM	3682,0034 litre	55,651 %	2934,1907 litre	O
260	CM	90	CM	97 LEVEL CM	3635,3665 litre	54,946 %	2980,8276 litre	O
260	CM	90	CM	96 LEVEL CM	3588,6889 litre	54,241 %	3027,5052 litre	O
260	CM	90	CM	95 LEVEL CM	3541,9766 litre	53,535 %	3074,2175 litre	O
260	CM	90	CM	94 LEVEL CM	3495,2354 litre	52,828 %	3120,9587 litre	O
260	CM	90	CM	93 LEVEL CM	3448,4711 litre	52,122 %	3167,7230 litre	O
260	CM	90	CM	92 LEVEL CM	3401,6894 litre	51,415 %	3214,5047 litre	O
260	CM	90	CM	91 LEVEL CM	3354,8961 litre	50,707 %	3261,2980 litre	O
260	CM	90	CM	90 LEVEL CM	3308,0971 litre	50,000 %	3308,0970 litre	O
260	CM	90	CM	89 LEVEL CM	3261,2980 litre	49,293 %	3354,8961 litre	O
260	CM	90	CM	88 LEVEL CM	3214,5048 litre	48,585 %	3401,6893 litre	O
260	CM	90	CM	87 LEVEL CM	3167,7231 litre	47,878 %	3448,4710 litre	O
260	CM	90	CM	86 LEVEL CM	3120,9587 litre	47,172 %	3495,2354 litre	O
260	CM	90	CM	85 LEVEL CM	3074,2175 litre	46,465 %	3541,9766 litre	O
260	CM	90	CM	84 LEVEL CM	3027,5052 litre	45,759 %	3588,6889 litre	O
260	CM	90	CM	83 LEVEL CM	2980,8277 litre	45,054 %	3635,3664 litre	O
260	CM	90	CM	82 LEVEL CM	2934,1907 litre	44,349 %	3682,0034 litre	O
260	CM	90	CM	81 LEVEL CM	2887,6001 litre	43,644 %	3728,5940 litre	O
260	CM	90	CM	80 LEVEL CM	2841,0618 litre	42,941 %	3775,1323 litre	O
260	CM	90	CM	79 LEVEL CM	2794,5817 litre	42,239 %	3821,6124 litre	O
260	CM	90	CM	78 LEVEL CM	2748,1655 litre	41,537 %	3868,0286 litre	O
260	CM	90	CM	77 LEVEL CM	2701,8194 litre	40,836 %	3914,3747 litre	O
260	CM	90	CM	76 LEVEL CM	2655,5491 litre	40,137 %	3960,6450 litre	O

260	CM	90	CM	75 LEVEL CM	2609,3607 litre	39,439 %	4006,8334 litre	O
260	CM	90	CM	74 LEVEL CM	2563,2603 litre	38,742 %	4052,9338 litre	O
260	CM	90	CM	73 LEVEL CM	2517,2537 litre	38,047 %	4098,9404 litre	O
260	CM	90	CM	72 LEVEL CM	2471,3473 litre	37,353 %	4144,8468 litre	O
260	CM	90	CM	71 LEVEL CM	2425,5469 litre	36,661 %	4190,6472 litre	O
260	CM	90	CM	70 LEVEL CM	2379,8589 litre	35,970 %	4236,3352 litre	O
260	CM	90	CM	69 LEVEL CM	2334,2893 litre	35,281 %	4281,9048 litre	O
260	CM	90	CM	68 LEVEL CM	2288,8446 litre	34,595 %	4327,3495 litre	O
260	CM	90	CM	67 LEVEL CM	2243,5310 litre	33,910 %	4372,6631 litre	O
260	CM	90	CM	66 LEVEL CM	2198,3548 litre	33,227 %	4417,8393 litre	O
260	CM	90	CM	65 LEVEL CM	2153,3225 litre	32,546 %	4462,8716 litre	O
260	CM	90	CM	64 LEVEL CM	2108,4406 litre	31,868 %	4507,7535 litre	O
260	CM	90	CM	63 LEVEL CM	2063,7155 litre	31,192 %	4552,4786 litre	O
260	CM	90	CM	62 LEVEL CM	2019,1541 litre	30,518 %	4597,0400 litre	O
260	CM	90	CM	61 LEVEL CM	1974,7628 litre	29,847 %	4641,4313 litre	O
260	CM	90	CM	60 LEVEL CM	1930,5486 litre	29,179 %	4685,6455 litre	O
260	CM	90	CM	59 LEVEL CM	1886,5182 litre	28,514 %	4729,6759 litre	O
260	CM	90	CM	58 LEVEL CM	1842,6786 litre	27,851 %	4773,5155 litre	O
260	CM	90	CM	57 LEVEL CM	1799,0368 litre	27,191 %	4817,1573 litre	O
260	CM	90	CM	56 LEVEL CM	1755,6000 litre	26,535 %	4860,5941 litre	O
260	CM	90	CM	55 LEVEL CM	1712,3754 litre	25,882 %	4903,8187 litre	O
260	CM	90	CM	54 LEVEL CM	1669,3702 litre	25,232 %	4946,8239 litre	O
260	CM	90	CM	53 LEVEL CM	1626,5921 litre	24,585 %	4989,6020 litre	O
260	CM	90	CM	52 LEVEL CM	1584,0484 litre	23,942 %	5032,1457 litre	O
260	CM	90	CM	51 LEVEL CM	1541,7470 litre	23,303 %	5074,4471 litre	O
260	CM	90	CM	50 LEVEL CM	1499,6956 litre	22,667 %	5116,4985 litre	O
260	CM	90	CM	49 LEVEL CM	1457,9022 litre	22,035 %	5158,2919 litre	O
260	CM	90	CM	48 LEVEL CM	1416,3749 litre	21,408 %	5199,8192 litre	O
260	CM	90	CM	47 LEVEL CM	1375,1220 litre	20,784 %	5241,0721 litre	O
260	CM	90	CM	46 LEVEL CM	1334,1519 litre	20,165 %	5282,0422 litre	O
260	CM	90	CM	45 LEVEL CM	1293,4733 litre	19,550 %	5322,7208 litre	O
260	CM	90	CM	44 LEVEL CM	1253,0949 litre	18,940 %	5363,0992 litre	O
260	CM	90	CM	43 LEVEL CM	1213,0258 litre	18,334 %	5403,1683 litre	O
260	CM	90	CM	42 LEVEL CM	1173,2750 litre	17,733 %	5442,9191 litre	O
260	CM	90	CM	41 LEVEL CM	1133,8522 litre	17,138 %	5482,3419 litre	O
260	CM	90	CM	40 LEVEL CM	1094,7669 litre	16,547 %	5521,4272 litre	O
260	CM	90	CM	39 LEVEL CM	1056,0291 litre	15,961 %	5560,1650 litre	O
260	CM	90	CM	38 LEVEL CM	1017,6489 litre	15,381 %	5598,5452 litre	O
260	CM	90	CM	37 LEVEL CM	979,6369 litre	14,807 %	5636,5572 litre	O
260	CM	90	CM	36 LEVEL CM	942,0037 litre	14,238 %	5674,1904 litre	O
260	CM	90	CM	35 LEVEL CM	904,7606 litre	13,675 %	5711,4335 litre	O
260	CM	90	CM	34 LEVEL CM	867,9190 litre	13,118 %	5748,2751 litre	O
260	CM	90	CM	33 LEVEL CM	831,4908 litre	12,568 %	5784,7033 litre	O
260	CM	90	CM	32 LEVEL CM	795,4881 litre	12,023 %	5820,7060 litre	O
260	CM	90	CM	31 LEVEL CM	759,9237 litre	11,486 %	5856,2704 litre	O
260	CM	90	CM	30 LEVEL CM	724,8108 litre	10,955 %	5891,3833 litre	O
260	CM	90	CM	29 LEVEL CM	690,1630 litre	10,431 %	5926,0311 litre	O
260	CM	90	CM	28 LEVEL CM	655,9947 litre	9,915 %	5960,1994 litre	O
260	CM	90	CM	27 LEVEL CM	622,3206 litre	9,406 %	5993,8735 litre	O
260	CM	90	CM	26 LEVEL CM	589,1562 litre	8,905 %	6027,0379 litre	O
260	CM	90	CM	25 LEVEL CM	556,5178 litre	8,411 %	6059,6763 litre	O
260	CM	90	CM	24 LEVEL CM	524,4225 litre	7,926 %	6091,7716 litre	O
260	CM	90	CM	23 LEVEL CM	492,8882 litre	7,450 %	6123,3059 litre	O

260	CM	90	CM	22 LEVEL CM	461,9338 litre	6,982 %	6154,2603 litre	O
260	CM	90	CM	21 LEVEL CM	431,5791 litre	6,523 %	6184,6150 litre	O
260	CM	90	CM	20 LEVEL CM	401,8456 litre	6,074 %	6214,3485 litre	O
260	CM	90	CM	19 LEVEL CM	372,7556 litre	5,634 %	6243,4385 litre	O
260	CM	90	CM	18 LEVEL CM	344,3333 litre	5,204 %	6271,8608 litre	O
260	CM	90	CM	17 LEVEL CM	316,6045 litre	4,785 %	6299,5896 litre	O
260	CM	90	CM	16 LEVEL CM	289,5971 litre	4,377 %	6326,5970 litre	O
260	CM	90	CM	15 LEVEL CM	263,3410 litre	3,980 %	6352,8531 litre	O
260	CM	90	CM	14 LEVEL CM	237,8691 litre	3,595 %	6378,3250 litre	O
260	CM	90	CM	13 LEVEL CM	213,2173 litre	3,223 %	6402,9768 litre	O
260	CM	90	CM	12 LEVEL CM	189,4253 litre	2,863 %	6426,7688 litre	O
260	CM	90	CM	11 LEVEL CM	166,5370 litre	2,517 %	6449,6571 litre	O
260	CM	90	CM	10 LEVEL CM	144,6020 litre	2,186 %	6471,5921 litre	O
260	CM	90	CM	9 LEVEL CM	123,6768 litre	1,869 %	6492,5173 litre	O
260	CM	90	CM	8 LEVEL CM	103,8261 litre	1,569 %	6512,3680 litre	O
260	CM	90	CM	7 LEVEL CM	85,1261 litre	1,287 %	6531,0680 litre	O
260	CM	90	CM	6 LEVEL CM	67,6681 litre	1,023 %	6548,5260 litre	O
260	CM	90	CM	5 LEVEL CM	51,5645 litre	0,779 %	6564,6296 litre	O
260	CM	90	CM	4 LEVEL CM	36,9591 litre	0,559 %	6579,2350 litre	O
260	CM	90	CM	3 LEVEL CM	24,0462 litre	0,363 %	6592,1479 litre	O
260	CM	90	CM	2 LEVEL CM	13,1111 litre	0,198 %	6603,0830 litre	O
260	CM	90	CM	1 LEVEL CM	4,6433 litre	0,070 %	6611,5508 litre	O
260	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	6616,1941 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
260	CM 85	CM 170 LEVEL CM	5901,4818 litre	100,000 %	0,0000 litre	O
260	CM 85	CM 169 LEVEL CM	5896,9698 litre	99,924 %	4,5120 litre	O
260	CM 85	CM 168 LEVEL CM	5888,7426 litre	99,784 %	12,7392 litre	O
260	CM 85	CM 167 LEVEL CM	5878,1200 litre	99,604 %	23,3618 litre	O
260	CM 85	CM 166 LEVEL CM	5865,5783 litre	99,392 %	35,9035 litre	O
260	CM 85	CM 165 LEVEL CM	5851,3951 litre	99,151 %	50,0867 litre	O
260	CM 85	CM 164 LEVEL CM	5835,7598 litre	98,886 %	65,7220 litre	O
260	CM 85	CM 163 LEVEL CM	5818,8124 litre	98,599 %	82,6694 litre	O
260	CM 85	CM 162 LEVEL CM	5800,6626 litre	98,292 %	100,8192 litre	O
260	CM 85	CM 161 LEVEL CM	5781,3993 litre	97,965 %	120,0825 litre	O
260	CM 85	CM 160 LEVEL CM	5761,0970 litre	97,621 %	140,3848 litre	O
260	CM 85	CM 159 LEVEL CM	5739,8189 litre	97,261 %	161,6629 litre	O
260	CM 85	CM 158 LEVEL CM	5717,6202 litre	96,884 %	183,8616 litre	O
260	CM 85	CM 157 LEVEL CM	5694,5493 litre	96,494 %	206,9325 litre	O
260	CM 85	CM 156 LEVEL CM	5670,6493 litre	96,089 %	230,8325 litre	O
260	CM 85	CM 155 LEVEL CM	5645,9590 litre	95,670 %	255,5228 litre	O
260	CM 85	CM 154 LEVEL CM	5620,5135 litre	95,239 %	280,9683 litre	O
260	CM 85	CM 153 LEVEL CM	5594,3450 litre	94,796 %	307,1368 litre	O
260	CM 85	CM 152 LEVEL CM	5567,4829 litre	94,340 %	333,9989 litre	O
260	CM 85	CM 151 LEVEL CM	5539,9547 litre	93,874 %	361,5271 litre	O
260	CM 85	CM 150 LEVEL CM	5511,7855 litre	93,397 %	389,6963 litre	O
260	CM 85	CM 149 LEVEL CM	5482,9991 litre	92,909 %	418,4827 litre	O
260	CM 85	CM 148 LEVEL CM	5453,6177 litre	92,411 %	447,8641 litre	O
260	CM 85	CM 147 LEVEL CM	5423,6621 litre	91,903 %	477,8197 litre	O
260	CM 85	CM 146 LEVEL CM	5393,1519 litre	91,386 %	508,3299 litre	O
260	CM 85	CM 145 LEVEL CM	5362,1057 litre	90,860 %	539,3761 litre	O
260	CM 85	CM 144 LEVEL CM	5330,5413 litre	90,325 %	570,9405 litre	O
260	CM 85	CM 143 LEVEL CM	5298,4754 litre	89,782 %	603,0064 litre	O
260	CM 85	CM 142 LEVEL CM	5265,9241 litre	89,231 %	635,5577 litre	O
260	CM 85	CM 141 LEVEL CM	5232,9027 litre	88,671 %	668,5791 litre	O
260	CM 85	CM 140 LEVEL CM	5199,4258 litre	88,104 %	702,0560 litre	O
260	CM 85	CM 139 LEVEL CM	5165,5076 litre	87,529 %	735,9742 litre	O
260	CM 85	CM 138 LEVEL CM	5131,1615 litre	86,947 %	770,3203 litre	O
260	CM 85	CM 137 LEVEL CM	5096,4007 litre	86,358 %	805,0811 litre	O
260	CM 85	CM 136 LEVEL CM	5061,2377 litre	85,762 %	840,2441 litre	O
260	CM 85	CM 135 LEVEL CM	5025,6847 litre	85,160 %	875,7971 litre	O
260	CM 85	CM 134 LEVEL CM	4989,7534 litre	84,551 %	911,7284 litre	O
260	CM 85	CM 133 LEVEL CM	4953,4552 litre	83,936 %	948,0266 litre	O
260	CM 85	CM 132 LEVEL CM	4916,8012 litre	83,315 %	984,6806 litre	O
260	CM 85	CM 131 LEVEL CM	4879,8021 litre	82,688 %	1021,6797 litre	O
260	CM 85	CM 130 LEVEL CM	4842,4683 litre	82,055 %	1059,0135 litre	O
260	CM 85	CM 129 LEVEL CM	4804,8099 litre	81,417 %	1096,6719 litre	O
260	CM 85	CM 128 LEVEL CM	4766,8370 litre	80,774 %	1134,6448 litre	O
260	CM 85	CM 127 LEVEL CM	4728,5591 litre	80,125 %	1172,9227 litre	O
260	CM 85	CM 126 LEVEL CM	4689,9856 litre	79,471 %	1211,4962 litre	O
260	CM 85	CM 125 LEVEL CM	4651,1257 litre	78,813 %	1250,3561 litre	O
260	CM 85	CM 124 LEVEL CM	4611,9885 litre	78,150 %	1289,4933 litre	O
260	CM 85	CM 123 LEVEL CM	4572,5828 litre	77,482 %	1328,8990 litre	O
260	CM 85	CM 122 LEVEL CM	4532,9172 litre	76,810 %	1368,5646 litre	O
260	CM 85	CM 121 LEVEL CM	4493,0001 litre	76,133 %	1408,4817 litre	O
260	CM 85	CM 120 LEVEL CM	4452,8399 litre	75,453 %	1448,6419 litre	O
260	CM 85	CM 119 LEVEL CM	4412,4448 litre	74,768 %	1489,0370 litre	O

260	CM	85	CM	118 LEVEL CM	4371,8226 litre	74,080 %	1529,6592 litre	O
260	CM	85	CM	117 LEVEL CM	4330,9814 litre	73,388 %	1570,5004 litre	O
260	CM	85	CM	116 LEVEL CM	4289,9289 litre	72,692 %	1611,5529 litre	O
260	CM	85	CM	115 LEVEL CM	4248,6727 litre	71,993 %	1652,8091 litre	O
260	CM	85	CM	114 LEVEL CM	4207,2204 litre	71,291 %	1694,2614 litre	O
260	CM	85	CM	113 LEVEL CM	4165,5792 litre	70,585 %	1735,9026 litre	O
260	CM	85	CM	112 LEVEL CM	4123,7567 litre	69,877 %	1777,7251 litre	O
260	CM	85	CM	111 LEVEL CM	4081,7600 litre	69,165 %	1819,7218 litre	O
260	CM	85	CM	110 LEVEL CM	4039,5961 litre	68,451 %	1861,8857 litre	O
260	CM	85	CM	109 LEVEL CM	3997,2723 litre	67,733 %	1904,2095 litre	O
260	CM	85	CM	108 LEVEL CM	3954,7954 litre	67,014 %	1946,6864 litre	O
260	CM	85	CM	107 LEVEL CM	3912,1723 litre	66,291 %	1989,3095 litre	O
260	CM	85	CM	106 LEVEL CM	3869,4099 litre	65,567 %	2032,0719 litre	O
260	CM	85	CM	105 LEVEL CM	3826,5149 litre	64,840 %	2074,9669 litre	O
260	CM	85	CM	104 LEVEL CM	3783,4940 litre	64,111 %	2117,9878 litre	O
260	CM	85	CM	103 LEVEL CM	3740,3539 litre	63,380 %	2161,1279 litre	O
260	CM	85	CM	102 LEVEL CM	3697,1011 litre	62,647 %	2204,3807 litre	O
260	CM	85	CM	101 LEVEL CM	3653,7421 litre	61,912 %	2247,7397 litre	O
260	CM	85	CM	100 LEVEL CM	3610,2835 litre	61,176 %	2291,1983 litre	O
260	CM	85	CM	99 LEVEL CM	3566,7316 litre	60,438 %	2334,7502 litre	O
260	CM	85	CM	98 LEVEL CM	3523,0929 litre	59,698 %	2378,3889 litre	O
260	CM	85	CM	97 LEVEL CM	3479,3737 litre	58,958 %	2422,1081 litre	O
260	CM	85	CM	96 LEVEL CM	3435,5804 litre	58,216 %	2465,9014 litre	O
260	CM	85	CM	95 LEVEL CM	3391,7192 litre	57,472 %	2509,7626 litre	O
260	CM	85	CM	94 LEVEL CM	3347,7964 litre	56,728 %	2553,6854 litre	O
260	CM	85	CM	93 LEVEL CM	3303,8182 litre	55,983 %	2597,6636 litre	O
260	CM	85	CM	92 LEVEL CM	3259,7908 litre	55,237 %	2641,6910 litre	O
260	CM	85	CM	91 LEVEL CM	3215,7205 litre	54,490 %	2685,7613 litre	O
260	CM	85	CM	90 LEVEL CM	3171,6134 litre	53,743 %	2729,8684 litre	O
260	CM	85	CM	89 LEVEL CM	3127,4756 litre	52,995 %	2774,0062 litre	O
260	CM	85	CM	88 LEVEL CM	3083,3134 litre	52,246 %	2818,1684 litre	O
260	CM	85	CM	87 LEVEL CM	3039,1327 litre	51,498 %	2862,3491 litre	O
260	CM	85	CM	86 LEVEL CM	2994,9399 litre	50,749 %	2906,5419 litre	O
260	CM	85	CM	85 LEVEL CM	2950,7409 litre	50,000 %	2950,7409 litre	O
260	CM	85	CM	84 LEVEL CM	2906,5419 litre	49,251 %	2994,9399 litre	O
260	CM	85	CM	83 LEVEL CM	2862,3491 litre	48,502 %	3039,1327 litre	O
260	CM	85	CM	82 LEVEL CM	2818,1684 litre	47,754 %	3083,3134 litre	O
260	CM	85	CM	81 LEVEL CM	2774,0062 litre	47,005 %	3127,4756 litre	O
260	CM	85	CM	80 LEVEL CM	2729,8684 litre	46,257 %	3171,6134 litre	O
260	CM	85	CM	79 LEVEL CM	2685,7613 litre	45,510 %	3215,7205 litre	O
260	CM	85	CM	78 LEVEL CM	2641,6910 litre	44,763 %	3259,7908 litre	O
260	CM	85	CM	77 LEVEL CM	2597,6636 litre	44,017 %	3303,8182 litre	O
260	CM	85	CM	76 LEVEL CM	2553,6854 litre	43,272 %	3347,7964 litre	O
260	CM	85	CM	75 LEVEL CM	2509,7626 litre	42,528 %	3391,7192 litre	O
260	CM	85	CM	74 LEVEL CM	2465,9014 litre	41,784 %	3435,5804 litre	O
260	CM	85	CM	73 LEVEL CM	2422,1081 litre	41,042 %	3479,3737 litre	O
260	CM	85	CM	72 LEVEL CM	2378,3889 litre	40,302 %	3523,0929 litre	O
260	CM	85	CM	71 LEVEL CM	2334,7502 litre	39,562 %	3566,7316 litre	O
260	CM	85	CM	70 LEVEL CM	2291,1983 litre	38,824 %	3610,2835 litre	O
260	CM	85	CM	69 LEVEL CM	2247,7397 litre	38,088 %	3653,7421 litre	O
260	CM	85	CM	68 LEVEL CM	2204,3807 litre	37,353 %	3697,1011 litre	O
260	CM	85	CM	67 LEVEL CM	2161,1279 litre	36,620 %	3740,3539 litre	O
260	CM	85	CM	66 LEVEL CM	2117,9878 litre	35,889 %	3783,4940 litre	O

260	CM	85	CM	65 LEVEL CM	2074,9669 litre	35,160 %	3826,5149 litre	O
260	CM	85	CM	64 LEVEL CM	2032,0719 litre	34,433 %	3869,4099 litre	O
260	CM	85	CM	63 LEVEL CM	1989,3095 litre	33,709 %	3912,1723 litre	O
260	CM	85	CM	62 LEVEL CM	1946,6864 litre	32,986 %	3954,7954 litre	O
260	CM	85	CM	61 LEVEL CM	1904,2095 litre	32,267 %	3997,2723 litre	O
260	CM	85	CM	60 LEVEL CM	1861,8857 litre	31,549 %	4039,5961 litre	O
260	CM	85	CM	59 LEVEL CM	1819,7218 litre	30,835 %	4081,7600 litre	O
260	CM	85	CM	58 LEVEL CM	1777,7251 litre	30,123 %	4123,7567 litre	O
260	CM	85	CM	57 LEVEL CM	1735,9026 litre	29,415 %	4165,5792 litre	O
260	CM	85	CM	56 LEVEL CM	1694,2614 litre	28,709 %	4207,2204 litre	O
260	CM	85	CM	55 LEVEL CM	1652,8091 litre	28,007 %	4248,6727 litre	O
260	CM	85	CM	54 LEVEL CM	1611,5529 litre	27,308 %	4289,9289 litre	O
260	CM	85	CM	53 LEVEL CM	1570,5004 litre	26,612 %	4330,9814 litre	O
260	CM	85	CM	52 LEVEL CM	1529,6592 litre	25,920 %	4371,8226 litre	O
260	CM	85	CM	51 LEVEL CM	1489,0370 litre	25,232 %	4412,4448 litre	O
260	CM	85	CM	50 LEVEL CM	1448,6419 litre	24,547 %	4452,8399 litre	O
260	CM	85	CM	49 LEVEL CM	1408,4817 litre	23,867 %	4493,0001 litre	O
260	CM	85	CM	48 LEVEL CM	1368,5646 litre	23,190 %	4532,9172 litre	O
260	CM	85	CM	47 LEVEL CM	1328,8990 litre	22,518 %	4572,5828 litre	O
260	CM	85	CM	46 LEVEL CM	1289,4933 litre	21,850 %	4611,9885 litre	O
260	CM	85	CM	45 LEVEL CM	1250,3561 litre	21,187 %	4651,1257 litre	O
260	CM	85	CM	44 LEVEL CM	1211,4962 litre	20,529 %	4689,9856 litre	O
260	CM	85	CM	43 LEVEL CM	1172,9227 litre	19,875 %	4728,5591 litre	O
260	CM	85	CM	42 LEVEL CM	1134,6448 litre	19,226 %	4766,8370 litre	O
260	CM	85	CM	41 LEVEL CM	1096,6719 litre	18,583 %	4804,8099 litre	O
260	CM	85	CM	40 LEVEL CM	1059,0135 litre	17,945 %	4842,4683 litre	O
260	CM	85	CM	39 LEVEL CM	1021,6797 litre	17,312 %	4879,8021 litre	O
260	CM	85	CM	38 LEVEL CM	984,6806 litre	16,685 %	4916,8012 litre	O
260	CM	85	CM	37 LEVEL CM	948,0266 litre	16,064 %	4953,4552 litre	O
260	CM	85	CM	36 LEVEL CM	911,7284 litre	15,449 %	4989,7534 litre	O
260	CM	85	CM	35 LEVEL CM	875,7971 litre	14,840 %	5025,6847 litre	O
260	CM	85	CM	34 LEVEL CM	840,2441 litre	14,238 %	5061,2377 litre	O
260	CM	85	CM	33 LEVEL CM	805,0811 litre	13,642 %	5096,4007 litre	O
260	CM	85	CM	32 LEVEL CM	770,3203 litre	13,053 %	5131,1615 litre	O
260	CM	85	CM	31 LEVEL CM	735,9742 litre	12,471 %	5165,5076 litre	O
260	CM	85	CM	30 LEVEL CM	702,0560 litre	11,896 %	5199,4258 litre	O
260	CM	85	CM	29 LEVEL CM	668,5791 litre	11,329 %	5232,9027 litre	O
260	CM	85	CM	28 LEVEL CM	635,5577 litre	10,769 %	5265,9241 litre	O
260	CM	85	CM	27 LEVEL CM	603,0064 litre	10,218 %	5298,4754 litre	O
260	CM	85	CM	26 LEVEL CM	570,9405 litre	9,675 %	5330,5413 litre	O
260	CM	85	CM	25 LEVEL CM	539,3761 litre	9,140 %	5362,1057 litre	O
260	CM	85	CM	24 LEVEL CM	508,3299 litre	8,614 %	5393,1519 litre	O
260	CM	85	CM	23 LEVEL CM	477,8197 litre	8,097 %	5423,6621 litre	O
260	CM	85	CM	22 LEVEL CM	447,8641 litre	7,589 %	5453,6177 litre	O
260	CM	85	CM	21 LEVEL CM	418,4827 litre	7,091 %	5482,9991 litre	O
260	CM	85	CM	20 LEVEL CM	389,6963 litre	6,603 %	5511,7855 litre	O
260	CM	85	CM	19 LEVEL CM	361,5271 litre	6,126 %	5539,9547 litre	O
260	CM	85	CM	18 LEVEL CM	333,9989 litre	5,660 %	5567,4829 litre	O
260	CM	85	CM	17 LEVEL CM	307,1368 litre	5,204 %	5594,3450 litre	O
260	CM	85	CM	16 LEVEL CM	280,9683 litre	4,761 %	5620,5135 litre	O
260	CM	85	CM	15 LEVEL CM	255,5228 litre	4,330 %	5645,9590 litre	O
260	CM	85	CM	14 LEVEL CM	230,8325 litre	3,911 %	5670,6493 litre	O
260	CM	85	CM	13 LEVEL CM	206,9325 litre	3,506 %	5694,5493 litre	O

260	CM	85	CM	12 LEVEL CM	183,8616 litre	3,116 %	5717,6202 litre	O
260	CM	85	CM	11 LEVEL CM	161,6629 litre	2,739 %	5739,8189 litre	O
260	CM	85	CM	10 LEVEL CM	140,3848 litre	2,379 %	5761,0970 litre	O
260	CM	85	CM	9 LEVEL CM	120,0825 litre	2,035 %	5781,3993 litre	O
260	CM	85	CM	8 LEVEL CM	100,8192 litre	1,708 %	5800,6626 litre	O
260	CM	85	CM	7 LEVEL CM	82,6694 litre	1,401 %	5818,8124 litre	O
260	CM	85	CM	6 LEVEL CM	65,7220 litre	1,114 %	5835,7598 litre	O
260	CM	85	CM	5 LEVEL CM	50,0867 litre	0,849 %	5851,3951 litre	O
260	CM	85	CM	4 LEVEL CM	35,9035 litre	0,608 %	5865,5783 litre	O
260	CM	85	CM	3 LEVEL CM	23,3618 litre	0,396 %	5878,1200 litre	O
260	CM	85	CM	2 LEVEL CM	12,7392 litre	0,216 %	5888,7426 litre	O
260	CM	85	CM	1 LEVEL CM	4,5120 litre	0,076 %	5896,9698 litre	O
260	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	5901,4818 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
260	CM	80	CM	160 LEVEL CM	5227,6102 litre	100,000 %	0,0000 litre	O
260	CM	80	CM	159 LEVEL CM	5223,2334 litre	99,916 %	4,3768 litre	O
260	CM	80	CM	158 LEVEL CM	5215,2541 litre	99,764 %	12,3561 litre	O
260	CM	80	CM	157 LEVEL CM	5204,9535 litre	99,567 %	22,6567 litre	O
260	CM	80	CM	156 LEVEL CM	5192,7943 litre	99,334 %	34,8159 litre	O
260	CM	80	CM	155 LEVEL CM	5179,0463 litre	99,071 %	48,5639 litre	O
260	CM	80	CM	154 LEVEL CM	5163,8937 litre	98,781 %	63,7165 litre	O
260	CM	80	CM	153 LEVEL CM	5147,4728 litre	98,467 %	80,1374 litre	O
260	CM	80	CM	152 LEVEL CM	5129,8903 litre	98,131 %	97,7199 litre	O
260	CM	80	CM	151 LEVEL CM	5111,2329 litre	97,774 %	116,3773 litre	O
260	CM	80	CM	150 LEVEL CM	5091,5733 litre	97,398 %	136,0369 litre	O
260	CM	80	CM	149 LEVEL CM	5070,9730 litre	97,004 %	156,6372 litre	O
260	CM	80	CM	148 LEVEL CM	5049,4861 litre	96,593 %	178,1241 litre	O
260	CM	80	CM	147 LEVEL CM	5027,1596 litre	96,166 %	200,4506 litre	O
260	CM	80	CM	146 LEVEL CM	5004,0358 litre	95,723 %	223,5744 litre	O
260	CM	80	CM	145 LEVEL CM	4980,1525 litre	95,266 %	247,4577 litre	O
260	CM	80	CM	144 LEVEL CM	4955,5443 litre	94,796 %	272,0659 litre	O
260	CM	80	CM	143 LEVEL CM	4930,2426 litre	94,312 %	297,3676 litre	O
260	CM	80	CM	142 LEVEL CM	4904,2762 litre	93,815 %	323,3340 litre	O
260	CM	80	CM	141 LEVEL CM	4877,6720 litre	93,306 %	349,9382 litre	O
260	CM	80	CM	140 LEVEL CM	4850,4548 litre	92,785 %	377,1554 litre	O
260	CM	80	CM	139 LEVEL CM	4822,6479 litre	92,253 %	404,9623 litre	O
260	CM	80	CM	138 LEVEL CM	4794,2730 litre	91,711 %	433,3372 litre	O
260	CM	80	CM	137 LEVEL CM	4765,3506 litre	91,157 %	462,2596 litre	O
260	CM	80	CM	136 LEVEL CM	4735,9001 litre	90,594 %	491,7101 litre	O
260	CM	80	CM	135 LEVEL CM	4705,9398 litre	90,021 %	521,6704 litre	O
260	CM	80	CM	134 LEVEL CM	4675,4872 litre	89,438 %	552,1230 litre	O
260	CM	80	CM	133 LEVEL CM	4644,5588 litre	88,847 %	583,0514 litre	O
260	CM	80	CM	132 LEVEL CM	4613,1704 litre	88,246 %	614,4398 litre	O
260	CM	80	CM	131 LEVEL CM	4581,3372 litre	87,637 %	646,2730 litre	O
260	CM	80	CM	130 LEVEL CM	4549,0737 litre	87,020 %	678,5365 litre	O
260	CM	80	CM	129 LEVEL CM	4516,3938 litre	86,395 %	711,2164 litre	O
260	CM	80	CM	128 LEVEL CM	4483,3109 litre	85,762 %	744,2993 litre	O
260	CM	80	CM	127 LEVEL CM	4449,8380 litre	85,122 %	777,7722 litre	O
260	CM	80	CM	126 LEVEL CM	4415,9876 litre	84,474 %	811,6226 litre	O
260	CM	80	CM	125 LEVEL CM	4381,7716 litre	83,820 %	845,8386 litre	O
260	CM	80	CM	124 LEVEL CM	4347,2019 litre	83,158 %	880,4083 litre	O
260	CM	80	CM	123 LEVEL CM	4312,2896 litre	82,491 %	915,3206 litre	O
260	CM	80	CM	122 LEVEL CM	4277,0459 litre	81,816 %	950,5643 litre	O
260	CM	80	CM	121 LEVEL CM	4241,4815 litre	81,136 %	986,1287 litre	O
260	CM	80	CM	120 LEVEL CM	4205,6066 litre	80,450 %	1022,0036 litre	O
260	CM	80	CM	119 LEVEL CM	4169,4315 litre	79,758 %	1058,1787 litre	O
260	CM	80	CM	118 LEVEL CM	4132,9660 litre	79,060 %	1094,6442 litre	O
260	CM	80	CM	117 LEVEL CM	4096,2198 litre	78,357 %	1131,3904 litre	O
260	CM	80	CM	116 LEVEL CM	4059,2024 litre	77,649 %	1168,4078 litre	O
260	CM	80	CM	115 LEVEL CM	4021,9229 litre	76,936 %	1205,6873 litre	O
260	CM	80	CM	114 LEVEL CM	3984,3904 litre	76,218 %	1243,2198 litre	O
260	CM	80	CM	113 LEVEL CM	3946,6137 litre	75,496 %	1280,9965 litre	O
260	CM	80	CM	112 LEVEL CM	3908,6016 litre	74,768 %	1319,0086 litre	O
260	CM	80	CM	111 LEVEL CM	3870,3625 litre	74,037 %	1357,2477 litre	O
260	CM	80	CM	110 LEVEL CM	3831,9048 litre	73,301 %	1395,7054 litre	O
260	CM	80	CM	109 LEVEL CM	3793,2367 litre	72,562 %	1434,3735 litre	O

260	CM	80	CM	108 LEVEL CM	3754,3664 litre	71,818 %	1473,2438 litre	O
260	CM	80	CM	107 LEVEL CM	3715,3018 litre	71,071 %	1512,3084 litre	O
260	CM	80	CM	106 LEVEL CM	3676,0507 litre	70,320 %	1551,5595 litre	O
260	CM	80	CM	105 LEVEL CM	3636,6210 litre	69,566 %	1590,9892 litre	O
260	CM	80	CM	104 LEVEL CM	3597,0201 litre	68,808 %	1630,5901 litre	O
260	CM	80	CM	103 LEVEL CM	3557,2557 litre	68,047 %	1670,3545 litre	O
260	CM	80	CM	102 LEVEL CM	3517,3352 litre	67,284 %	1710,2750 litre	O
260	CM	80	CM	101 LEVEL CM	3477,2660 litre	66,517 %	1750,3442 litre	O
260	CM	80	CM	100 LEVEL CM	3437,0553 litre	65,748 %	1790,5549 litre	O
260	CM	80	CM	99 LEVEL CM	3396,7103 litre	64,976 %	1830,8999 litre	O
260	CM	80	CM	98 LEVEL CM	3356,2382 litre	64,202 %	1871,3720 litre	O
260	CM	80	CM	97 LEVEL CM	3315,6460 litre	63,426 %	1911,9642 litre	O
260	CM	80	CM	96 LEVEL CM	3274,9407 litre	62,647 %	1952,6695 litre	O
260	CM	80	CM	95 LEVEL CM	3234,1293 litre	61,866 %	1993,4809 litre	O
260	CM	80	CM	94 LEVEL CM	3193,2186 litre	61,084 %	2034,3916 litre	O
260	CM	80	CM	93 LEVEL CM	3152,2155 litre	60,299 %	2075,3947 litre	O
260	CM	80	CM	92 LEVEL CM	3111,1267 litre	59,513 %	2116,4835 litre	O
260	CM	80	CM	91 LEVEL CM	3069,9591 litre	58,726 %	2157,6511 litre	O
260	CM	80	CM	90 LEVEL CM	3028,7192 litre	57,937 %	2198,8910 litre	O
260	CM	80	CM	89 LEVEL CM	2987,4138 litre	57,147 %	2240,1964 litre	O
260	CM	80	CM	88 LEVEL CM	2946,0496 litre	56,356 %	2281,5606 litre	O
260	CM	80	CM	87 LEVEL CM	2904,6331 litre	55,563 %	2322,9771 litre	O
260	CM	80	CM	86 LEVEL CM	2863,1709 litre	54,770 %	2364,4393 litre	O
260	CM	80	CM	85 LEVEL CM	2821,6696 litre	53,976 %	2405,9406 litre	O
260	CM	80	CM	84 LEVEL CM	2780,1357 litre	53,182 %	2447,4745 litre	O
260	CM	80	CM	83 LEVEL CM	2738,5758 litre	52,387 %	2489,0344 litre	O
260	CM	80	CM	82 LEVEL CM	2696,9964 litre	51,591 %	2530,6138 litre	O
260	CM	80	CM	81 LEVEL CM	2655,4040 litre	50,796 %	2572,2062 litre	O
260	CM	80	CM	80 LEVEL CM	2613,8051 litre	50,000 %	2613,8051 litre	O
260	CM	80	CM	79 LEVEL CM	2572,2062 litre	49,204 %	2655,4040 litre	O
260	CM	80	CM	78 LEVEL CM	2530,6138 litre	48,409 %	2696,9964 litre	O
260	CM	80	CM	77 LEVEL CM	2489,0343 litre	47,613 %	2738,5759 litre	O
260	CM	80	CM	76 LEVEL CM	2447,4744 litre	46,818 %	2780,1358 litre	O
260	CM	80	CM	75 LEVEL CM	2405,9406 litre	46,024 %	2821,6696 litre	O
260	CM	80	CM	74 LEVEL CM	2364,4393 litre	45,230 %	2863,1709 litre	O
260	CM	80	CM	73 LEVEL CM	2322,9771 litre	44,437 %	2904,6331 litre	O
260	CM	80	CM	72 LEVEL CM	2281,5606 litre	43,644 %	2946,0496 litre	O
260	CM	80	CM	71 LEVEL CM	2240,1963 litre	42,853 %	2987,4139 litre	O
260	CM	80	CM	70 LEVEL CM	2198,8910 litre	42,063 %	3028,7192 litre	O
260	CM	80	CM	69 LEVEL CM	2157,6511 litre	41,274 %	3069,9591 litre	O
260	CM	80	CM	68 LEVEL CM	2116,4835 litre	40,487 %	3111,1267 litre	O
260	CM	80	CM	67 LEVEL CM	2075,3947 litre	39,701 %	3152,2155 litre	O
260	CM	80	CM	66 LEVEL CM	2034,3916 litre	38,916 %	3193,2186 litre	O
260	CM	80	CM	65 LEVEL CM	1993,4809 litre	38,134 %	3234,1293 litre	O
260	CM	80	CM	64 LEVEL CM	1952,6694 litre	37,353 %	3274,9408 litre	O
260	CM	80	CM	63 LEVEL CM	1911,9642 litre	36,574 %	3315,6460 litre	O
260	CM	80	CM	62 LEVEL CM	1871,3720 litre	35,798 %	3356,2382 litre	O
260	CM	80	CM	61 LEVEL CM	1830,8998 litre	35,024 %	3396,7104 litre	O
260	CM	80	CM	60 LEVEL CM	1790,5549 litre	34,252 %	3437,0553 litre	O
260	CM	80	CM	59 LEVEL CM	1750,3442 litre	33,483 %	3477,2660 litre	O
260	CM	80	CM	58 LEVEL CM	1710,2749 litre	32,716 %	3517,3353 litre	O
260	CM	80	CM	57 LEVEL CM	1670,3545 litre	31,953 %	3557,2557 litre	O
260	CM	80	CM	56 LEVEL CM	1630,5901 litre	31,192 %	3597,0201 litre	O

260	CM	80	CM	55 LEVEL CM	1590,9892 litre	30,434 %	3636,6210 litre	O
260	CM	80	CM	54 LEVEL CM	1551,5594 litre	29,680 %	3676,0508 litre	O
260	CM	80	CM	53 LEVEL CM	1512,3084 litre	28,929 %	3715,3018 litre	O
260	CM	80	CM	52 LEVEL CM	1473,2437 litre	28,182 %	3754,3665 litre	O
260	CM	80	CM	51 LEVEL CM	1434,3734 litre	27,438 %	3793,2368 litre	O
260	CM	80	CM	50 LEVEL CM	1395,7054 litre	26,699 %	3831,9048 litre	O
260	CM	80	CM	49 LEVEL CM	1357,2477 litre	25,963 %	3870,3625 litre	O
260	CM	80	CM	48 LEVEL CM	1319,0086 litre	25,232 %	3908,6016 litre	O
260	CM	80	CM	47 LEVEL CM	1280,9964 litre	24,504 %	3946,6138 litre	O
260	CM	80	CM	46 LEVEL CM	1243,2198 litre	23,782 %	3984,3904 litre	O
260	CM	80	CM	45 LEVEL CM	1205,6873 litre	23,064 %	4021,9229 litre	O
260	CM	80	CM	44 LEVEL CM	1168,4078 litre	22,351 %	4059,2024 litre	O
260	CM	80	CM	43 LEVEL CM	1131,3903 litre	21,643 %	4096,2199 litre	O
260	CM	80	CM	42 LEVEL CM	1094,6442 litre	20,940 %	4132,9660 litre	O
260	CM	80	CM	41 LEVEL CM	1058,1787 litre	20,242 %	4169,4315 litre	O
260	CM	80	CM	40 LEVEL CM	1022,0036 litre	19,550 %	4205,6066 litre	O
260	CM	80	CM	39 LEVEL CM	986,1287 litre	18,864 %	4241,4815 litre	O
260	CM	80	CM	38 LEVEL CM	950,5642 litre	18,184 %	4277,0460 litre	O
260	CM	80	CM	37 LEVEL CM	915,3205 litre	17,509 %	4312,2897 litre	O
260	CM	80	CM	36 LEVEL CM	880,4083 litre	16,842 %	4347,2019 litre	O
260	CM	80	CM	35 LEVEL CM	845,8386 litre	16,180 %	4381,7716 litre	O
260	CM	80	CM	34 LEVEL CM	811,6226 litre	15,526 %	4415,9876 litre	O
260	CM	80	CM	33 LEVEL CM	777,7721 litre	14,878 %	4449,8381 litre	O
260	CM	80	CM	32 LEVEL CM	744,2992 litre	14,238 %	4483,3110 litre	O
260	CM	80	CM	31 LEVEL CM	711,2164 litre	13,605 %	4516,3938 litre	O
260	CM	80	CM	30 LEVEL CM	678,5365 litre	12,980 %	4549,0737 litre	O
260	CM	80	CM	29 LEVEL CM	646,2730 litre	12,363 %	4581,3372 litre	O
260	CM	80	CM	28 LEVEL CM	614,4397 litre	11,754 %	4613,1705 litre	O
260	CM	80	CM	27 LEVEL CM	583,0514 litre	11,153 %	4644,5588 litre	O
260	CM	80	CM	26 LEVEL CM	552,1230 litre	10,562 %	4675,4872 litre	O
260	CM	80	CM	25 LEVEL CM	521,6703 litre	9,979 %	4705,9399 litre	O
260	CM	80	CM	24 LEVEL CM	491,7101 litre	9,406 %	4735,9001 litre	O
260	CM	80	CM	23 LEVEL CM	462,2596 litre	8,843 %	4765,3506 litre	O
260	CM	80	CM	22 LEVEL CM	433,3372 litre	8,289 %	4794,2730 litre	O
260	CM	80	CM	21 LEVEL CM	404,9623 litre	7,747 %	4822,6479 litre	O
260	CM	80	CM	20 LEVEL CM	377,1554 litre	7,215 %	4850,4548 litre	O
260	CM	80	CM	19 LEVEL CM	349,9382 litre	6,694 %	4877,6720 litre	O
260	CM	80	CM	18 LEVEL CM	323,3340 litre	6,185 %	4904,2762 litre	O
260	CM	80	CM	17 LEVEL CM	297,3676 litre	5,688 %	4930,2426 litre	O
260	CM	80	CM	16 LEVEL CM	272,0658 litre	5,204 %	4955,5444 litre	O
260	CM	80	CM	15 LEVEL CM	247,4576 litre	4,734 %	4980,1526 litre	O
260	CM	80	CM	14 LEVEL CM	223,5744 litre	4,277 %	5004,0358 litre	O
260	CM	80	CM	13 LEVEL CM	200,4506 litre	3,834 %	5027,1596 litre	O
260	CM	80	CM	12 LEVEL CM	178,1241 litre	3,407 %	5049,4861 litre	O
260	CM	80	CM	11 LEVEL CM	156,6371 litre	2,996 %	5070,9731 litre	O
260	CM	80	CM	10 LEVEL CM	136,0369 litre	2,602 %	5091,5733 litre	O
260	CM	80	CM	9 LEVEL CM	116,3772 litre	2,226 %	5111,2330 litre	O
260	CM	80	CM	8 LEVEL CM	97,7199 litre	1,869 %	5129,8903 litre	O
260	CM	80	CM	7 LEVEL CM	80,1374 litre	1,533 %	5147,4728 litre	O
260	CM	80	CM	6 LEVEL CM	63,7165 litre	1,219 %	5163,8937 litre	O
260	CM	80	CM	5 LEVEL CM	48,5639 litre	0,929 %	5179,0463 litre	O
260	CM	80	CM	4 LEVEL CM	34,8159 litre	0,666 %	5192,7943 litre	O
260	CM	80	CM	3 LEVEL CM	22,6567 litre	0,433 %	5204,9535 litre	O

260_80

-2705-

260	CM 80	CM	2 LEVEL CM	12,3561 litre	0,236 %	5215,2541 litre	O
260	CM 80	CM	1 LEVEL CM	4,3768 litre	0,084 %	5223,2334 litre	O
260	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	5227,6102 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
260	CM	75	CM	150 LEVEL CM	4594,5793 litre	100,000 %	0,0000 litre	O
260	CM	75	CM	149 LEVEL CM	4590,3420 litre	99,908 %	4,2373 litre	O
260	CM	75	CM	148 LEVEL CM	4582,6185 litre	99,740 %	11,9608 litre	O
260	CM	75	CM	147 LEVEL CM	4572,6504 litre	99,523 %	21,9289 litre	O
260	CM	75	CM	146 LEVEL CM	4560,8860 litre	99,267 %	33,6933 litre	O
260	CM	75	CM	145 LEVEL CM	4547,5875 litre	98,977 %	46,9918 litre	O
260	CM	75	CM	144 LEVEL CM	4532,9335 litre	98,658 %	61,6458 litre	O
260	CM	75	CM	143 LEVEL CM	4517,0565 litre	98,313 %	77,5228 litre	O
260	CM	75	CM	142 LEVEL CM	4500,0603 litre	97,943 %	94,5190 litre	O
260	CM	75	CM	141 LEVEL CM	4482,0292 litre	97,550 %	112,5501 litre	O
260	CM	75	CM	140 LEVEL CM	4463,0339 litre	97,137 %	131,5454 litre	O
260	CM	75	CM	139 LEVEL CM	4443,1346 litre	96,704 %	151,4447 litre	O
260	CM	75	CM	138 LEVEL CM	4422,3837 litre	96,252 %	172,1956 litre	O
260	CM	75	CM	137 LEVEL CM	4400,8274 litre	95,783 %	193,7519 litre	O
260	CM	75	CM	136 LEVEL CM	4378,5067 litre	95,297 %	216,0726 litre	O
260	CM	75	CM	135 LEVEL CM	4355,4589 litre	94,796 %	239,1204 litre	O
260	CM	75	CM	134 LEVEL CM	4331,7175 litre	94,279 %	262,8618 litre	O
260	CM	75	CM	133 LEVEL CM	4307,3132 litre	93,748 %	287,2661 litre	O
260	CM	75	CM	132 LEVEL CM	4282,2746 litre	93,203 %	312,3047 litre	O
260	CM	75	CM	131 LEVEL CM	4256,6277 litre	92,645 %	337,9516 litre	O
260	CM	75	CM	130 LEVEL CM	4230,3969 litre	92,074 %	364,1824 litre	O
260	CM	75	CM	129 LEVEL CM	4203,6052 litre	91,491 %	390,9741 litre	O
260	CM	75	CM	128 LEVEL CM	4176,2739 litre	90,896 %	418,3054 litre	O
260	CM	75	CM	127 LEVEL CM	4148,4231 litre	90,290 %	446,1562 litre	O
260	CM	75	CM	126 LEVEL CM	4120,0719 litre	89,672 %	474,5074 litre	O
260	CM	75	CM	125 LEVEL CM	4091,2384 litre	89,045 %	503,3409 litre	O
260	CM	75	CM	124 LEVEL CM	4061,9397 litre	88,407 %	532,6396 litre	O
260	CM	75	CM	123 LEVEL CM	4032,1923 litre	87,760 %	562,3870 litre	O
260	CM	75	CM	122 LEVEL CM	4002,0116 litre	87,103 %	592,5677 litre	O
260	CM	75	CM	121 LEVEL CM	3971,4127 litre	86,437 %	623,1666 litre	O
260	CM	75	CM	120 LEVEL CM	3940,4100 litre	85,762 %	654,1693 litre	O
260	CM	75	CM	119 LEVEL CM	3909,0172 litre	85,079 %	685,5621 litre	O
260	CM	75	CM	118 LEVEL CM	3877,2477 litre	84,387 %	717,3316 litre	O
260	CM	75	CM	117 LEVEL CM	3845,1143 litre	83,688 %	749,4650 litre	O
260	CM	75	CM	116 LEVEL CM	3812,6294 litre	82,981 %	781,9499 litre	O
260	CM	75	CM	115 LEVEL CM	3779,8049 litre	82,267 %	814,7744 litre	O
260	CM	75	CM	114 LEVEL CM	3746,6526 litre	81,545 %	847,9267 litre	O
260	CM	75	CM	113 LEVEL CM	3713,1837 litre	80,817 %	881,3956 litre	O
260	CM	75	CM	112 LEVEL CM	3679,4091 litre	80,082 %	915,1702 litre	O
260	CM	75	CM	111 LEVEL CM	3645,3396 litre	79,340 %	949,2397 litre	O
260	CM	75	CM	110 LEVEL CM	3610,9856 litre	78,592 %	983,5937 litre	O
260	CM	75	CM	109 LEVEL CM	3576,3572 litre	77,839 %	1018,2221 litre	O
260	CM	75	CM	108 LEVEL CM	3541,4643 litre	77,079 %	1053,1150 litre	O
260	CM	75	CM	107 LEVEL CM	3506,3165 litre	76,314 %	1088,2628 litre	O
260	CM	75	CM	106 LEVEL CM	3470,9235 litre	75,544 %	1123,6558 litre	O
260	CM	75	CM	105 LEVEL CM	3435,2944 litre	74,768 %	1159,2849 litre	O
260	CM	75	CM	104 LEVEL CM	3399,4383 litre	73,988 %	1195,1410 litre	O
260	CM	75	CM	103 LEVEL CM	3363,3642 litre	73,203 %	1231,2151 litre	O
260	CM	75	CM	102 LEVEL CM	3327,0808 litre	72,413 %	1267,4985 litre	O
260	CM	75	CM	101 LEVEL CM	3290,5968 litre	71,619 %	1303,9825 litre	O
260	CM	75	CM	100 LEVEL CM	3253,9205 litre	70,821 %	1340,6588 litre	O
260	CM	75	CM	99 LEVEL CM	3217,0604 litre	70,019 %	1377,5189 litre	O

260	CM	75	CM	98 LEVEL CM	3180,0247 litre	69,213 %	1414,5546 litre	O
260	CM	75	CM	97 LEVEL CM	3142,8214 litre	68,403 %	1451,7579 litre	O
260	CM	75	CM	96 LEVEL CM	3105,4585 litre	67,590 %	1489,1208 litre	O
260	CM	75	CM	95 LEVEL CM	3067,9440 litre	66,773 %	1526,6353 litre	O
260	CM	75	CM	94 LEVEL CM	3030,2856 litre	65,953 %	1564,2937 litre	O
260	CM	75	CM	93 LEVEL CM	2992,4910 litre	65,131 %	1602,0883 litre	O
260	CM	75	CM	92 LEVEL CM	2954,5678 litre	64,306 %	1640,0115 litre	O
260	CM	75	CM	91 LEVEL CM	2916,5236 litre	63,477 %	1678,0557 litre	O
260	CM	75	CM	90 LEVEL CM	2878,3659 litre	62,647 %	1716,2134 litre	O
260	CM	75	CM	89 LEVEL CM	2840,1020 litre	61,814 %	1754,4773 litre	O
260	CM	75	CM	88 LEVEL CM	2801,7393 litre	60,979 %	1792,8400 litre	O
260	CM	75	CM	87 LEVEL CM	2763,2851 litre	60,142 %	1831,2942 litre	O
260	CM	75	CM	86 LEVEL CM	2724,7466 litre	59,304 %	1869,8327 litre	O
260	CM	75	CM	85 LEVEL CM	2686,1310 litre	58,463 %	1908,4483 litre	O
260	CM	75	CM	84 LEVEL CM	2647,4454 litre	57,621 %	1947,1339 litre	O
260	CM	75	CM	83 LEVEL CM	2608,6970 litre	56,778 %	1985,8823 litre	O
260	CM	75	CM	82 LEVEL CM	2569,8928 litre	55,933 %	2024,6865 litre	O
260	CM	75	CM	81 LEVEL CM	2531,0398 litre	55,088 %	2063,5395 litre	O
260	CM	75	CM	80 LEVEL CM	2492,1451 litre	54,241 %	2102,4342 litre	O
260	CM	75	CM	79 LEVEL CM	2453,2156 litre	53,394 %	2141,3637 litre	O
260	CM	75	CM	78 LEVEL CM	2414,2584 litre	52,546 %	2180,3209 litre	O
260	CM	75	CM	77 LEVEL CM	2375,2804 litre	51,697 %	2219,2989 litre	O
260	CM	75	CM	76 LEVEL CM	2336,2885 litre	50,849 %	2258,2908 litre	O
260	CM	75	CM	75 LEVEL CM	2297,2896 litre	50,000 %	2297,2897 litre	O
260	CM	75	CM	74 LEVEL CM	2258,2908 litre	49,151 %	2336,2885 litre	O
260	CM	75	CM	73 LEVEL CM	2219,2989 litre	48,303 %	2375,2804 litre	O
260	CM	75	CM	72 LEVEL CM	2180,3208 litre	47,454 %	2414,2585 litre	O
260	CM	75	CM	71 LEVEL CM	2141,3636 litre	46,606 %	2453,2157 litre	O
260	CM	75	CM	70 LEVEL CM	2102,4342 litre	45,759 %	2492,1451 litre	O
260	CM	75	CM	69 LEVEL CM	2063,5395 litre	44,912 %	2531,0398 litre	O
260	CM	75	CM	68 LEVEL CM	2024,6865 litre	44,067 %	2569,8928 litre	O
260	CM	75	CM	67 LEVEL CM	1985,8823 litre	43,222 %	2608,6970 litre	O
260	CM	75	CM	66 LEVEL CM	1947,1339 litre	42,379 %	2647,4454 litre	O
260	CM	75	CM	65 LEVEL CM	1908,4483 litre	41,537 %	2686,1310 litre	O
260	CM	75	CM	64 LEVEL CM	1869,8327 litre	40,696 %	2724,7466 litre	O
260	CM	75	CM	63 LEVEL CM	1831,2942 litre	39,858 %	2763,2851 litre	O
260	CM	75	CM	62 LEVEL CM	1792,8399 litre	39,021 %	2801,7394 litre	O
260	CM	75	CM	61 LEVEL CM	1754,4773 litre	38,186 %	2840,1020 litre	O
260	CM	75	CM	60 LEVEL CM	1716,2134 litre	37,353 %	2878,3659 litre	O
260	CM	75	CM	59 LEVEL CM	1678,0556 litre	36,523 %	2916,5237 litre	O
260	CM	75	CM	58 LEVEL CM	1640,0114 litre	35,694 %	2954,5679 litre	O
260	CM	75	CM	57 LEVEL CM	1602,0883 litre	34,869 %	2992,4910 litre	O
260	CM	75	CM	56 LEVEL CM	1564,2937 litre	34,047 %	3030,2856 litre	O
260	CM	75	CM	55 LEVEL CM	1526,6353 litre	33,227 %	3067,9440 litre	O
260	CM	75	CM	54 LEVEL CM	1489,1207 litre	32,410 %	3105,4586 litre	O
260	CM	75	CM	53 LEVEL CM	1451,7579 litre	31,597 %	3142,8214 litre	O
260	CM	75	CM	52 LEVEL CM	1414,5546 litre	30,787 %	3180,0247 litre	O
260	CM	75	CM	51 LEVEL CM	1377,5188 litre	29,981 %	3217,0605 litre	O
260	CM	75	CM	50 LEVEL CM	1340,6587 litre	29,179 %	3253,9206 litre	O
260	CM	75	CM	49 LEVEL CM	1303,9825 litre	28,381 %	3290,5968 litre	O
260	CM	75	CM	48 LEVEL CM	1267,4984 litre	27,587 %	3327,0809 litre	O
260	CM	75	CM	47 LEVEL CM	1231,2151 litre	26,797 %	3363,3642 litre	O
260	CM	75	CM	46 LEVEL CM	1195,1410 litre	26,012 %	3399,4383 litre	O

260	CM	75	CM	45 LEVEL CM	1159,2849 litre	25,232 %	3435,2944 litre	O
260	CM	75	CM	44 LEVEL CM	1123,6558 litre	24,456 %	3470,9235 litre	O
260	CM	75	CM	43 LEVEL CM	1088,2627 litre	23,686 %	3506,3166 litre	O
260	CM	75	CM	42 LEVEL CM	1053,1150 litre	22,921 %	3541,4643 litre	O
260	CM	75	CM	41 LEVEL CM	1018,2221 litre	22,161 %	3576,3572 litre	O
260	CM	75	CM	40 LEVEL CM	983,5937 litre	21,408 %	3610,9856 litre	O
260	CM	75	CM	39 LEVEL CM	949,2396 litre	20,660 %	3645,3397 litre	O
260	CM	75	CM	38 LEVEL CM	915,1701 litre	19,918 %	3679,4092 litre	O
260	CM	75	CM	37 LEVEL CM	881,3956 litre	19,183 %	3713,1837 litre	O
260	CM	75	CM	36 LEVEL CM	847,9267 litre	18,455 %	3746,6526 litre	O
260	CM	75	CM	35 LEVEL CM	814,7743 litre	17,733 %	3779,8050 litre	O
260	CM	75	CM	34 LEVEL CM	781,9499 litre	17,019 %	3812,6294 litre	O
260	CM	75	CM	33 LEVEL CM	749,4650 litre	16,312 %	3845,1143 litre	O
260	CM	75	CM	32 LEVEL CM	717,3315 litre	15,613 %	3877,2478 litre	O
260	CM	75	CM	31 LEVEL CM	685,5620 litre	14,921 %	3909,0173 litre	O
260	CM	75	CM	30 LEVEL CM	654,1693 litre	14,238 %	3940,4100 litre	O
260	CM	75	CM	29 LEVEL CM	623,1665 litre	13,563 %	3971,4128 litre	O
260	CM	75	CM	28 LEVEL CM	592,5677 litre	12,897 %	4002,0116 litre	O
260	CM	75	CM	27 LEVEL CM	562,3870 litre	12,240 %	4032,1923 litre	O
260	CM	75	CM	26 LEVEL CM	532,6395 litre	11,593 %	4061,9398 litre	O
260	CM	75	CM	25 LEVEL CM	503,3408 litre	10,955 %	4091,2385 litre	O
260	CM	75	CM	24 LEVEL CM	474,5073 litre	10,328 %	4120,0720 litre	O
260	CM	75	CM	23 LEVEL CM	446,1562 litre	9,710 %	4148,4231 litre	O
260	CM	75	CM	22 LEVEL CM	418,3054 litre	9,104 %	4176,2739 litre	O
260	CM	75	CM	21 LEVEL CM	390,9740 litre	8,509 %	4203,6053 litre	O
260	CM	75	CM	20 LEVEL CM	364,1823 litre	7,926 %	4230,3970 litre	O
260	CM	75	CM	19 LEVEL CM	337,9516 litre	7,355 %	4256,6277 litre	O
260	CM	75	CM	18 LEVEL CM	312,3047 litre	6,797 %	4282,2746 litre	O
260	CM	75	CM	17 LEVEL CM	287,2660 litre	6,252 %	4307,3133 litre	O
260	CM	75	CM	16 LEVEL CM	262,8618 litre	5,721 %	4331,7175 litre	O
260	CM	75	CM	15 LEVEL CM	239,1204 litre	5,204 %	4355,4589 litre	O
260	CM	75	CM	14 LEVEL CM	216,0725 litre	4,703 %	4378,5068 litre	O
260	CM	75	CM	13 LEVEL CM	193,7519 litre	4,217 %	4400,8274 litre	O
260	CM	75	CM	12 LEVEL CM	172,1955 litre	3,748 %	4422,3838 litre	O
260	CM	75	CM	11 LEVEL CM	151,4446 litre	3,296 %	4443,1347 litre	O
260	CM	75	CM	10 LEVEL CM	131,5453 litre	2,863 %	4463,0340 litre	O
260	CM	75	CM	9 LEVEL CM	112,5500 litre	2,450 %	4482,0293 litre	O
260	CM	75	CM	8 LEVEL CM	94,5190 litre	2,057 %	4500,0603 litre	O
260	CM	75	CM	7 LEVEL CM	77,5228 litre	1,687 %	4517,0565 litre	O
260	CM	75	CM	6 LEVEL CM	61,6458 litre	1,342 %	4532,9335 litre	O
260	CM	75	CM	5 LEVEL CM	46,9917 litre	1,023 %	4547,5876 litre	O
260	CM	75	CM	4 LEVEL CM	33,6932 litre	0,733 %	4560,8861 litre	O
260	CM	75	CM	3 LEVEL CM	21,9289 litre	0,477 %	4572,6504 litre	O
260	CM	75	CM	2 LEVEL CM	11,9607 litre	0,260 %	4582,6186 litre	O
260	CM	75	CM	1 LEVEL CM	4,2373 litre	0,092 %	4590,3420 litre	O
260	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	4594,5793 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
260	CM 70	CM 140 LEVEL CM	4002,3890 litre	100,000 %	0,0000 litre O
260	CM 70	CM 139 LEVEL CM	3998,2960 litre	99,898 %	4,0930 litre O
260	CM 70	CM 138 LEVEL CM	3990,8372 litre	99,711 %	11,5518 litre O
260	CM 70	CM 137 LEVEL CM	3981,2129 litre	99,471 %	21,1761 litre O
260	CM 70	CM 136 LEVEL CM	3969,8572 litre	99,187 %	32,5318 litre O
260	CM 70	CM 135 LEVEL CM	3957,0239 litre	98,867 %	45,3651 litre O
260	CM 70	CM 134 LEVEL CM	3942,8860 litre	98,513 %	59,5030 litre O
260	CM 70	CM 133 LEVEL CM	3927,5722 litre	98,131 %	74,8168 litre O
260	CM 70	CM 132 LEVEL CM	3911,1833 litre	97,721 %	91,2057 litre O
260	CM 70	CM 131 LEVEL CM	3893,8011 litre	97,287 %	108,5879 litre O
260	CM 70	CM 130 LEVEL CM	3875,4942 litre	96,830 %	126,8948 litre O
260	CM 70	CM 129 LEVEL CM	3856,3215 litre	96,350 %	146,0675 litre O
260	CM 70	CM 128 LEVEL CM	3836,3338 litre	95,851 %	166,0552 litre O
260	CM 70	CM 127 LEVEL CM	3815,5761 litre	95,332 %	186,8129 litre O
260	CM 70	CM 126 LEVEL CM	3794,0886 litre	94,796 %	208,3004 litre O
260	CM 70	CM 125 LEVEL CM	3771,9076 litre	94,241 %	230,4814 litre O
260	CM 70	CM 124 LEVEL CM	3749,0658 litre	93,671 %	253,3232 litre O
260	CM 70	CM 123 LEVEL CM	3725,5934 litre	93,084 %	276,7956 litre O
260	CM 70	CM 122 LEVEL CM	3701,5181 litre	92,483 %	300,8709 litre O
260	CM 70	CM 121 LEVEL CM	3676,8657 litre	91,867 %	325,5233 litre O
260	CM 70	CM 120 LEVEL CM	3651,6600 litre	91,237 %	350,7290 litre O
260	CM 70	CM 119 LEVEL CM	3625,9235 litre	90,594 %	376,4655 litre O
260	CM 70	CM 118 LEVEL CM	3599,6772 litre	89,938 %	402,7118 litre O
260	CM 70	CM 117 LEVEL CM	3572,9409 litre	89,270 %	429,4481 litre O
260	CM 70	CM 116 LEVEL CM	3545,7335 litre	88,590 %	456,6555 litre O
260	CM 70	CM 115 LEVEL CM	3518,0726 litre	87,899 %	484,3164 litre O
260	CM 70	CM 114 LEVEL CM	3489,9752 litre	87,197 %	512,4138 litre O
260	CM 70	CM 113 LEVEL CM	3461,4575 litre	86,485 %	540,9315 litre O
260	CM 70	CM 112 LEVEL CM	3432,5349 litre	85,762 %	569,8541 litre O
260	CM 70	CM 111 LEVEL CM	3403,2223 litre	85,030 %	599,1667 litre O
260	CM 70	CM 110 LEVEL CM	3373,5339 litre	84,288 %	628,8551 litre O
260	CM 70	CM 109 LEVEL CM	3343,4834 litre	83,537 %	658,9056 litre O
260	CM 70	CM 108 LEVEL CM	3313,0839 litre	82,778 %	689,3051 litre O
260	CM 70	CM 107 LEVEL CM	3282,3483 litre	82,010 %	720,0407 litre O
260	CM 70	CM 106 LEVEL CM	3251,2888 litre	81,234 %	751,1002 litre O
260	CM 70	CM 105 LEVEL CM	3219,9175 litre	80,450 %	782,4715 litre O
260	CM 70	CM 104 LEVEL CM	3188,2460 litre	79,659 %	814,1430 litre O
260	CM 70	CM 103 LEVEL CM	3156,2855 litre	78,860 %	846,1035 litre O
260	CM 70	CM 102 LEVEL CM	3124,0470 litre	78,055 %	878,3420 litre O
260	CM 70	CM 101 LEVEL CM	3091,5412 litre	77,242 %	910,8478 litre O
260	CM 70	CM 100 LEVEL CM	3058,7785 litre	76,424 %	943,6105 litre O
260	CM 70	CM 99 LEVEL CM	3025,7692 litre	75,599 %	976,6198 litre O
260	CM 70	CM 98 LEVEL CM	2992,5231 litre	74,768 %	1009,8659 litre O
260	CM 70	CM 97 LEVEL CM	2959,0501 litre	73,932 %	1043,3389 litre O
260	CM 70	CM 96 LEVEL CM	2925,3596 litre	73,090 %	1077,0294 litre O
260	CM 70	CM 95 LEVEL CM	2891,4612 litre	72,243 %	1110,9278 litre O
260	CM 70	CM 94 LEVEL CM	2857,3639 litre	71,391 %	1145,0251 litre O
260	CM 70	CM 93 LEVEL CM	2823,0767 litre	70,535 %	1179,3123 litre O
260	CM 70	CM 92 LEVEL CM	2788,6087 litre	69,674 %	1213,7803 litre O
260	CM 70	CM 91 LEVEL CM	2753,9685 litre	68,808 %	1248,4205 litre O
260	CM 70	CM 90 LEVEL CM	2719,1648 litre	67,939 %	1283,2242 litre O
260	CM 70	CM 89 LEVEL CM	2684,2060 litre	67,065 %	1318,1830 litre O

260	CM	70	CM	88 LEVEL CM	2649,1006 litre	66,188 %	1353,2884 litre	O
260	CM	70	CM	87 LEVEL CM	2613,8568 litre	65,307 %	1388,5322 litre	O
260	CM	70	CM	86 LEVEL CM	2578,4828 litre	64,424 %	1423,9062 litre	O
260	CM	70	CM	85 LEVEL CM	2542,9867 litre	63,537 %	1459,4023 litre	O
260	CM	70	CM	84 LEVEL CM	2507,3765 litre	62,647 %	1495,0125 litre	O
260	CM	70	CM	83 LEVEL CM	2471,6602 litre	61,755 %	1530,7288 litre	O
260	CM	70	CM	82 LEVEL CM	2435,8456 litre	60,860 %	1566,5434 litre	O
260	CM	70	CM	81 LEVEL CM	2399,9405 litre	59,963 %	1602,4485 litre	O
260	CM	70	CM	80 LEVEL CM	2363,9526 litre	59,064 %	1638,4364 litre	O
260	CM	70	CM	79 LEVEL CM	2327,8897 litre	58,163 %	1674,4993 litre	O
260	CM	70	CM	78 LEVEL CM	2291,7594 litre	57,260 %	1710,6296 litre	O
260	CM	70	CM	77 LEVEL CM	2255,5692 litre	56,356 %	1746,8198 litre	O
260	CM	70	CM	76 LEVEL CM	2219,3268 litre	55,450 %	1783,0622 litre	O
260	CM	70	CM	75 LEVEL CM	2183,0396 litre	54,543 %	1819,3494 litre	O
260	CM	70	CM	74 LEVEL CM	2146,7152 litre	53,636 %	1855,6738 litre	O
260	CM	70	CM	73 LEVEL CM	2110,3611 litre	52,728 %	1892,0279 litre	O
260	CM	70	CM	72 LEVEL CM	2073,9846 litre	51,819 %	1928,4044 litre	O
260	CM	70	CM	71 LEVEL CM	2037,5933 litre	50,909 %	1964,7957 litre	O
260	CM	70	CM	70 LEVEL CM	2001,1945 litre	50,000 %	2001,1945 litre	O
260	CM	70	CM	69 LEVEL CM	1964,7958 litre	49,091 %	2037,5932 litre	O
260	CM	70	CM	68 LEVEL CM	1928,4044 litre	48,181 %	2073,9846 litre	O
260	CM	70	CM	67 LEVEL CM	1892,0280 litre	47,272 %	2110,3610 litre	O
260	CM	70	CM	66 LEVEL CM	1855,6738 litre	46,364 %	2146,7152 litre	O
260	CM	70	CM	65 LEVEL CM	1819,3494 litre	45,457 %	2183,0396 litre	O
260	CM	70	CM	64 LEVEL CM	1783,0622 litre	44,550 %	2219,3268 litre	O
260	CM	70	CM	63 LEVEL CM	1746,8198 litre	43,644 %	2255,5692 litre	O
260	CM	70	CM	62 LEVEL CM	1710,6297 litre	42,740 %	2291,7593 litre	O
260	CM	70	CM	61 LEVEL CM	1674,4993 litre	41,837 %	2327,8897 litre	O
260	CM	70	CM	60 LEVEL CM	1638,4364 litre	40,936 %	2363,9526 litre	O
260	CM	70	CM	59 LEVEL CM	1602,4486 litre	40,037 %	2399,9404 litre	O
260	CM	70	CM	58 LEVEL CM	1566,5435 litre	39,140 %	2435,8455 litre	O
260	CM	70	CM	57 LEVEL CM	1530,7289 litre	38,245 %	2471,6601 litre	O
260	CM	70	CM	56 LEVEL CM	1495,0125 litre	37,353 %	2507,3765 litre	O
260	CM	70	CM	55 LEVEL CM	1459,4024 litre	36,463 %	2542,9866 litre	O
260	CM	70	CM	54 LEVEL CM	1423,9063 litre	35,576 %	2578,4827 litre	O
260	CM	70	CM	53 LEVEL CM	1388,5323 litre	34,693 %	2613,8567 litre	O
260	CM	70	CM	52 LEVEL CM	1353,2885 litre	33,812 %	2649,1005 litre	O
260	CM	70	CM	51 LEVEL CM	1318,1830 litre	32,935 %	2684,2060 litre	O
260	CM	70	CM	50 LEVEL CM	1283,2242 litre	32,061 %	2719,1648 litre	O
260	CM	70	CM	49 LEVEL CM	1248,4205 litre	31,192 %	2753,9685 litre	O
260	CM	70	CM	48 LEVEL CM	1213,7803 litre	30,326 %	2788,6087 litre	O
260	CM	70	CM	47 LEVEL CM	1179,3123 litre	29,465 %	2823,0767 litre	O
260	CM	70	CM	46 LEVEL CM	1145,0252 litre	28,609 %	2857,3638 litre	O
260	CM	70	CM	45 LEVEL CM	1110,9279 litre	27,757 %	2891,4611 litre	O
260	CM	70	CM	44 LEVEL CM	1077,0294 litre	26,910 %	2925,3596 litre	O
260	CM	70	CM	43 LEVEL CM	1043,3390 litre	26,068 %	2959,0500 litre	O
260	CM	70	CM	42 LEVEL CM	1009,8659 litre	25,232 %	2992,5231 litre	O
260	CM	70	CM	41 LEVEL CM	976,6199 litre	24,401 %	3025,7691 litre	O
260	CM	70	CM	40 LEVEL CM	943,6105 litre	23,576 %	3058,7785 litre	O
260	CM	70	CM	39 LEVEL CM	910,8479 litre	22,758 %	3091,5411 litre	O
260	CM	70	CM	38 LEVEL CM	878,3421 litre	21,945 %	3124,0469 litre	O
260	CM	70	CM	37 LEVEL CM	846,1036 litre	21,140 %	3156,2854 litre	O
260	CM	70	CM	36 LEVEL CM	814,1430 litre	20,341 %	3188,2460 litre	O

260	CM	70	CM	35 LEVEL CM	782,4715 litre	19,550 %	3219,9175 litre	O
260	CM	70	CM	34 LEVEL CM	751,1002 litre	18,766 %	3251,2888 litre	O
260	CM	70	CM	33 LEVEL CM	720,0408 litre	17,990 %	3282,3482 litre	O
260	CM	70	CM	32 LEVEL CM	689,3051 litre	17,222 %	3313,0839 litre	O
260	CM	70	CM	31 LEVEL CM	658,9057 litre	16,463 %	3343,4833 litre	O
260	CM	70	CM	30 LEVEL CM	628,8551 litre	15,712 %	3373,5339 litre	O
260	CM	70	CM	29 LEVEL CM	599,1667 litre	14,970 %	3403,2223 litre	O
260	CM	70	CM	28 LEVEL CM	569,8541 litre	14,238 %	3432,5349 litre	O
260	CM	70	CM	27 LEVEL CM	540,9316 litre	13,515 %	3461,4574 litre	O
260	CM	70	CM	26 LEVEL CM	512,4139 litre	12,803 %	3489,9751 litre	O
260	CM	70	CM	25 LEVEL CM	484,3165 litre	12,101 %	3518,0725 litre	O
260	CM	70	CM	24 LEVEL CM	456,6556 litre	11,410 %	3545,7334 litre	O
260	CM	70	CM	23 LEVEL CM	429,4481 litre	10,730 %	3572,9409 litre	O
260	CM	70	CM	22 LEVEL CM	402,7118 litre	10,062 %	3599,6772 litre	O
260	CM	70	CM	21 LEVEL CM	376,4655 litre	9,406 %	3625,9235 litre	O
260	CM	70	CM	20 LEVEL CM	350,7290 litre	8,763 %	3651,6600 litre	O
260	CM	70	CM	19 LEVEL CM	325,5234 litre	8,133 %	3676,8656 litre	O
260	CM	70	CM	18 LEVEL CM	300,8709 litre	7,517 %	3701,5181 litre	O
260	CM	70	CM	17 LEVEL CM	276,7957 litre	6,916 %	3725,5933 litre	O
260	CM	70	CM	16 LEVEL CM	253,3233 litre	6,329 %	3749,0657 litre	O
260	CM	70	CM	15 LEVEL CM	230,4815 litre	5,759 %	3771,9075 litre	O
260	CM	70	CM	14 LEVEL CM	208,3004 litre	5,204 %	3794,0886 litre	O
260	CM	70	CM	13 LEVEL CM	186,8130 litre	4,668 %	3815,5760 litre	O
260	CM	70	CM	12 LEVEL CM	166,0553 litre	4,149 %	3836,3337 litre	O
260	CM	70	CM	11 LEVEL CM	146,0676 litre	3,650 %	3856,3214 litre	O
260	CM	70	CM	10 LEVEL CM	126,8948 litre	3,170 %	3875,4942 litre	O
260	CM	70	CM	9 LEVEL CM	108,5880 litre	2,713 %	3893,8010 litre	O
260	CM	70	CM	8 LEVEL CM	91,2058 litre	2,279 %	3911,1832 litre	O
260	CM	70	CM	7 LEVEL CM	74,8168 litre	1,869 %	3927,5722 litre	O
260	CM	70	CM	6 LEVEL CM	59,5030 litre	1,487 %	3942,8860 litre	O
260	CM	70	CM	5 LEVEL CM	45,3652 litre	1,133 %	3957,0238 litre	O
260	CM	70	CM	4 LEVEL CM	32,5318 litre	0,813 %	3969,8572 litre	O
260	CM	70	CM	3 LEVEL CM	21,1761 litre	0,529 %	3981,2129 litre	O
260	CM	70	CM	2 LEVEL CM	11,5518 litre	0,289 %	3990,8372 litre	O
260	CM	70	CM	1 LEVEL CM	4,0930 litre	0,102 %	3998,2960 litre	O
260	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	4002,3890 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
260	CM	65	CM	130 LEVEL CM	3451,0395 litre	100,000 %	0,0000 litre	O
260	CM	65	CM	129 LEVEL CM	3447,0961 litre	99,886 %	3,9434 litre	O
260	CM	65	CM	128 LEVEL CM	3439,9116 litre	99,678 %	11,1279 litre	O
260	CM	65	CM	127 LEVEL CM	3430,6440 litre	99,409 %	20,3955 litre	O
260	CM	65	CM	126 LEVEL CM	3419,7122 litre	99,092 %	31,3273 litre	O
260	CM	65	CM	125 LEVEL CM	3407,3615 litre	98,734 %	43,6780 litre	O
260	CM	65	CM	124 LEVEL CM	3393,7594 litre	98,340 %	57,2801 litre	O
260	CM	65	CM	123 LEVEL CM	3379,0303 litre	97,913 %	72,0092 litre	O
260	CM	65	CM	122 LEVEL CM	3363,2720 litre	97,457 %	87,7675 litre	O
260	CM	65	CM	121 LEVEL CM	3346,5638 litre	96,973 %	104,4757 litre	O
260	CM	65	CM	120 LEVEL CM	3328,9724 litre	96,463 %	122,0671 litre	O
260	CM	65	CM	119 LEVEL CM	3310,5548 litre	95,929 %	140,4847 litre	O
260	CM	65	CM	118 LEVEL CM	3291,3606 litre	95,373 %	159,6789 litre	O
260	CM	65	CM	117 LEVEL CM	3271,4336 litre	94,796 %	179,6059 litre	O
260	CM	65	CM	116 LEVEL CM	3250,8129 litre	94,198 %	200,2266 litre	O
260	CM	65	CM	115 LEVEL CM	3229,5339 litre	93,581 %	221,5056 litre	O
260	CM	65	CM	114 LEVEL CM	3207,6287 litre	92,947 %	243,4108 litre	O
260	CM	65	CM	113 LEVEL CM	3185,1267 litre	92,295 %	265,9128 litre	O
260	CM	65	CM	112 LEVEL CM	3162,0550 litre	91,626 %	288,9845 litre	O
260	CM	65	CM	111 LEVEL CM	3138,4389 litre	90,942 %	312,6006 litre	O
260	CM	65	CM	110 LEVEL CM	3114,3018 litre	90,242 %	336,7377 litre	O
260	CM	65	CM	109 LEVEL CM	3089,6657 litre	89,529 %	361,3738 litre	O
260	CM	65	CM	108 LEVEL CM	3064,5512 litre	88,801 %	386,4883 litre	O
260	CM	65	CM	107 LEVEL CM	3038,9780 litre	88,060 %	412,0615 litre	O
260	CM	65	CM	106 LEVEL CM	3012,9644 litre	87,306 %	438,0751 litre	O
260	CM	65	CM	105 LEVEL CM	2986,5281 litre	86,540 %	464,5114 litre	O
260	CM	65	CM	104 LEVEL CM	2959,6857 litre	85,762 %	491,3538 litre	O
260	CM	65	CM	103 LEVEL CM	2932,4533 litre	84,973 %	518,5862 litre	O
260	CM	65	CM	102 LEVEL CM	2904,8461 litre	84,173 %	546,1934 litre	O
260	CM	65	CM	101 LEVEL CM	2876,8789 litre	83,363 %	574,1606 litre	O
260	CM	65	CM	100 LEVEL CM	2848,5657 litre	82,542 %	602,4738 litre	O
260	CM	65	CM	99 LEVEL CM	2819,9202 litre	81,712 %	631,1193 litre	O
260	CM	65	CM	98 LEVEL CM	2790,9555 litre	80,873 %	660,0840 litre	O
260	CM	65	CM	97 LEVEL CM	2761,6844 litre	80,025 %	689,3551 litre	O
260	CM	65	CM	96 LEVEL CM	2732,1191 litre	79,168 %	718,9204 litre	O
260	CM	65	CM	95 LEVEL CM	2702,2716 litre	78,303 %	748,7679 litre	O
260	CM	65	CM	94 LEVEL CM	2672,1536 litre	77,430 %	778,8859 litre	O
260	CM	65	CM	93 LEVEL CM	2641,7763 litre	76,550 %	809,2632 litre	O
260	CM	65	CM	92 LEVEL CM	2611,1508 litre	75,663 %	839,8887 litre	O
260	CM	65	CM	91 LEVEL CM	2580,2878 litre	74,768 %	870,7517 litre	O
260	CM	65	CM	90 LEVEL CM	2549,1978 litre	73,868 %	901,8417 litre	O
260	CM	65	CM	89 LEVEL CM	2517,8912 litre	72,960 %	933,1483 litre	O
260	CM	65	CM	88 LEVEL CM	2486,3779 litre	72,047 %	964,6616 litre	O
260	CM	65	CM	87 LEVEL CM	2454,6679 litre	71,128 %	996,3716 litre	O
260	CM	65	CM	86 LEVEL CM	2422,7708 litre	70,204 %	1028,2687 litre	O
260	CM	65	CM	85 LEVEL CM	2390,6962 litre	69,275 %	1060,3433 litre	O
260	CM	65	CM	84 LEVEL CM	2358,4535 litre	68,340 %	1092,5860 litre	O
260	CM	65	CM	83 LEVEL CM	2326,0518 litre	67,401 %	1124,9877 litre	O
260	CM	65	CM	82 LEVEL CM	2293,5002 litre	66,458 %	1157,5393 litre	O
260	CM	65	CM	81 LEVEL CM	2260,8077 litre	65,511 %	1190,2318 litre	O
260	CM	65	CM	80 LEVEL CM	2227,9831 litre	64,560 %	1223,0564 litre	O
260	CM	65	CM	79 LEVEL CM	2195,0352 litre	63,605 %	1256,0043 litre	O

260	CM	65	CM	78 LEVEL CM	2161,9726 litre	62,647 %	1289,0669 litre	O
260	CM	65	CM	77 LEVEL CM	2128,8038 litre	61,686 %	1322,2357 litre	O
260	CM	65	CM	76 LEVEL CM	2095,5374 litre	60,722 %	1355,5021 litre	O
260	CM	65	CM	75 LEVEL CM	2062,1817 litre	59,755 %	1388,8578 litre	O
260	CM	65	CM	74 LEVEL CM	2028,7450 litre	58,786 %	1422,2945 litre	O
260	CM	65	CM	73 LEVEL CM	1995,2355 litre	57,815 %	1455,8040 litre	O
260	CM	65	CM	72 LEVEL CM	1961,6616 litre	56,843 %	1489,3779 litre	O
260	CM	65	CM	71 LEVEL CM	1928,0314 litre	55,868 %	1523,0081 litre	O
260	CM	65	CM	70 LEVEL CM	1894,3530 litre	54,892 %	1556,6865 litre	O
260	CM	65	CM	69 LEVEL CM	1860,6344 litre	53,915 %	1590,4051 litre	O
260	CM	65	CM	68 LEVEL CM	1826,8838 litre	52,937 %	1624,1557 litre	O
260	CM	65	CM	67 LEVEL CM	1793,1091 litre	51,959 %	1657,9304 litre	O
260	CM	65	CM	66 LEVEL CM	1759,3184 litre	50,979 %	1691,7211 litre	O
260	CM	65	CM	65 LEVEL CM	1725,5198 litre	50,000 %	1725,5197 litre	O
260	CM	65	CM	64 LEVEL CM	1691,7211 litre	49,021 %	1759,3184 litre	O
260	CM	65	CM	63 LEVEL CM	1657,9304 litre	48,041 %	1793,1091 litre	O
260	CM	65	CM	62 LEVEL CM	1624,1558 litre	47,063 %	1826,8837 litre	O
260	CM	65	CM	61 LEVEL CM	1590,4051 litre	46,085 %	1860,6344 litre	O
260	CM	65	CM	60 LEVEL CM	1556,6866 litre	45,108 %	1894,3529 litre	O
260	CM	65	CM	59 LEVEL CM	1523,0081 litre	44,132 %	1928,0314 litre	O
260	CM	65	CM	58 LEVEL CM	1489,3779 litre	43,157 %	1961,6616 litre	O
260	CM	65	CM	57 LEVEL CM	1455,8040 litre	42,185 %	1995,2355 litre	O
260	CM	65	CM	56 LEVEL CM	1422,2946 litre	41,214 %	2028,7449 litre	O
260	CM	65	CM	55 LEVEL CM	1388,8579 litre	40,245 %	2062,1816 litre	O
260	CM	65	CM	54 LEVEL CM	1355,5021 litre	39,278 %	2095,5374 litre	O
260	CM	65	CM	53 LEVEL CM	1322,2357 litre	38,314 %	2128,8038 litre	O
260	CM	65	CM	52 LEVEL CM	1289,0669 litre	37,353 %	2161,9726 litre	O
260	CM	65	CM	51 LEVEL CM	1256,0043 litre	36,395 %	2195,0352 litre	O
260	CM	65	CM	50 LEVEL CM	1223,0564 litre	35,440 %	2227,9831 litre	O
260	CM	65	CM	49 LEVEL CM	1190,2318 litre	34,489 %	2260,8077 litre	O
260	CM	65	CM	48 LEVEL CM	1157,5393 litre	33,542 %	2293,5002 litre	O
260	CM	65	CM	47 LEVEL CM	1124,9878 litre	32,599 %	2326,0517 litre	O
260	CM	65	CM	46 LEVEL CM	1092,5860 litre	31,660 %	2358,4535 litre	O
260	CM	65	CM	45 LEVEL CM	1060,3433 litre	30,725 %	2390,6962 litre	O
260	CM	65	CM	44 LEVEL CM	1028,2687 litre	29,796 %	2422,7708 litre	O
260	CM	65	CM	43 LEVEL CM	996,3716 litre	28,872 %	2454,6679 litre	O
260	CM	65	CM	42 LEVEL CM	964,6616 litre	27,953 %	2486,3779 litre	O
260	CM	65	CM	41 LEVEL CM	933,1484 litre	27,040 %	2517,8911 litre	O
260	CM	65	CM	40 LEVEL CM	901,8417 litre	26,132 %	2549,1978 litre	O
260	CM	65	CM	39 LEVEL CM	870,7518 litre	25,232 %	2580,2877 litre	O
260	CM	65	CM	38 LEVEL CM	839,8888 litre	24,337 %	2611,1507 litre	O
260	CM	65	CM	37 LEVEL CM	809,2632 litre	23,450 %	2641,7763 litre	O
260	CM	65	CM	36 LEVEL CM	778,8860 litre	22,570 %	2672,1535 litre	O
260	CM	65	CM	35 LEVEL CM	748,7679 litre	21,697 %	2702,2716 litre	O
260	CM	65	CM	34 LEVEL CM	718,9204 litre	20,832 %	2732,1191 litre	O
260	CM	65	CM	33 LEVEL CM	689,3552 litre	19,975 %	2761,6843 litre	O
260	CM	65	CM	32 LEVEL CM	660,0840 litre	19,127 %	2790,9555 litre	O
260	CM	65	CM	31 LEVEL CM	631,1193 litre	18,288 %	2819,9202 litre	O
260	CM	65	CM	30 LEVEL CM	602,4738 litre	17,458 %	2848,5657 litre	O
260	CM	65	CM	29 LEVEL CM	574,1606 litre	16,637 %	2876,8789 litre	O
260	CM	65	CM	28 LEVEL CM	546,1934 litre	15,827 %	2904,8461 litre	O
260	CM	65	CM	27 LEVEL CM	518,5862 litre	15,027 %	2932,4533 litre	O
260	CM	65	CM	26 LEVEL CM	491,3538 litre	14,238 %	2959,6857 litre	O

260	CM	65	CM	25 LEVEL CM	464,5114 litre	13,460 %	2986,5281 litre	O
260	CM	65	CM	24 LEVEL CM	438,0751 litre	12,694 %	3012,9644 litre	O
260	CM	65	CM	23 LEVEL CM	412,0615 litre	11,940 %	3038,9780 litre	O
260	CM	65	CM	22 LEVEL CM	386,4883 litre	11,199 %	3064,5512 litre	O
260	CM	65	CM	21 LEVEL CM	361,3739 litre	10,471 %	3089,6656 litre	O
260	CM	65	CM	20 LEVEL CM	336,7377 litre	9,758 %	3114,3018 litre	O
260	CM	65	CM	19 LEVEL CM	312,6006 litre	9,058 %	3138,4389 litre	O
260	CM	65	CM	18 LEVEL CM	288,9845 litre	8,374 %	3162,0550 litre	O
260	CM	65	CM	17 LEVEL CM	265,9128 litre	7,705 %	3185,1267 litre	O
260	CM	65	CM	16 LEVEL CM	243,4108 litre	7,053 %	3207,6287 litre	O
260	CM	65	CM	15 LEVEL CM	221,5056 litre	6,419 %	3229,5339 litre	O
260	CM	65	CM	14 LEVEL CM	200,2266 litre	5,802 %	3250,8129 litre	O
260	CM	65	CM	13 LEVEL CM	179,6060 litre	5,204 %	3271,4335 litre	O
260	CM	65	CM	12 LEVEL CM	159,6790 litre	4,627 %	3291,3605 litre	O
260	CM	65	CM	11 LEVEL CM	140,4848 litre	4,071 %	3310,5547 litre	O
260	CM	65	CM	10 LEVEL CM	122,0671 litre	3,537 %	3328,9724 litre	O
260	CM	65	CM	9 LEVEL CM	104,4758 litre	3,027 %	3346,5637 litre	O
260	CM	65	CM	8 LEVEL CM	87,7676 litre	2,543 %	3363,2719 litre	O
260	CM	65	CM	7 LEVEL CM	72,0092 litre	2,087 %	3379,0303 litre	O
260	CM	65	CM	6 LEVEL CM	57,2801 litre	1,660 %	3393,7594 litre	O
260	CM	65	CM	5 LEVEL CM	43,6780 litre	1,266 %	3407,3615 litre	O
260	CM	65	CM	4 LEVEL CM	31,3274 litre	0,908 %	3419,7121 litre	O
260	CM	65	CM	3 LEVEL CM	20,3956 litre	0,591 %	3430,6439 litre	O
260	CM	65	CM	2 LEVEL CM	11,1279 litre	0,322 %	3439,9116 litre	O
260	CM	65	CM	1 LEVEL CM	3,9435 litre	0,114 %	3447,0960 litre	O
260	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	3451,0395 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
260	CM	60	CM 120 LEVEL CM	2940,5307 litre	100,000 %	0,0000 litre	O
260	CM	60	CM 119 LEVEL CM	2936,7427 litre	99,871 %	3,7880 litre	O
260	CM	60	CM 118 LEVEL CM	2929,8435 litre	99,637 %	10,6872 litre	O
260	CM	60	CM 117 LEVEL CM	2920,9468 litre	99,334 %	19,5839 litre	O
260	CM	60	CM 116 LEVEL CM	2910,4560 litre	98,977 %	30,0747 litre	O
260	CM	60	CM 115 LEVEL CM	2898,6076 litre	98,574 %	41,9231 litre	O
260	CM	60	CM 114 LEVEL CM	2885,5633 litre	98,131 %	54,9674 litre	O
260	CM	60	CM 113 LEVEL CM	2871,4432 litre	97,651 %	69,0875 litre	O
260	CM	60	CM 112 LEVEL CM	2856,3417 litre	97,137 %	84,1890 litre	O
260	CM	60	CM 111 LEVEL CM	2840,3359 litre	96,593 %	100,1948 litre	O
260	CM	60	CM 110 LEVEL CM	2823,4903 litre	96,020 %	117,0404 litre	O
260	CM	60	CM 109 LEVEL CM	2805,8601 litre	95,420 %	134,6706 litre	O
260	CM	60	CM 108 LEVEL CM	2787,4937 litre	94,796 %	153,0370 litre	O
260	CM	60	CM 107 LEVEL CM	2768,4335 litre	94,147 %	172,0972 litre	O
260	CM	60	CM 106 LEVEL CM	2748,7178 litre	93,477 %	191,8129 litre	O
260	CM	60	CM 105 LEVEL CM	2728,3808 litre	92,785 %	212,1499 litre	O
260	CM	60	CM 104 LEVEL CM	2707,4540 litre	92,074 %	233,0767 litre	O
260	CM	60	CM 103 LEVEL CM	2685,9662 litre	91,343 %	254,5645 litre	O
260	CM	60	CM 102 LEVEL CM	2663,9438 litre	90,594 %	276,5869 litre	O
260	CM	60	CM 101 LEVEL CM	2641,4116 litre	89,828 %	299,1191 litre	O
260	CM	60	CM 100 LEVEL CM	2618,3926 litre	89,045 %	322,1381 litre	O
260	CM	60	CM 99 LEVEL CM	2594,9084 litre	88,246 %	345,6223 litre	O
260	CM	60	CM 98 LEVEL CM	2570,9793 litre	87,432 %	369,5514 litre	O
260	CM	60	CM 97 LEVEL CM	2546,6245 litre	86,604 %	393,9062 litre	O
260	CM	60	CM 96 LEVEL CM	2521,8624 litre	85,762 %	418,6683 litre	O
260	CM	60	CM 95 LEVEL CM	2496,7102 litre	84,907 %	443,8205 litre	O
260	CM	60	CM 94 LEVEL CM	2471,1845 litre	84,039 %	469,3462 litre	O
260	CM	60	CM 93 LEVEL CM	2445,3011 litre	83,158 %	495,2296 litre	O
260	CM	60	CM 92 LEVEL CM	2419,0751 litre	82,267 %	521,4556 litre	O
260	CM	60	CM 91 LEVEL CM	2392,5213 litre	81,364 %	548,0094 litre	O
260	CM	60	CM 90 LEVEL CM	2365,6537 litre	80,450 %	574,8770 litre	O
260	CM	60	CM 89 LEVEL CM	2338,4858 litre	79,526 %	602,0449 litre	O
260	CM	60	CM 88 LEVEL CM	2311,0308 litre	78,592 %	629,4999 litre	O
260	CM	60	CM 87 LEVEL CM	2283,3013 litre	77,649 %	657,2294 litre	O
260	CM	60	CM 86 LEVEL CM	2255,3099 litre	76,697 %	685,2208 litre	O
260	CM	60	CM 85 LEVEL CM	2227,0683 litre	75,737 %	713,4624 litre	O
260	CM	60	CM 84 LEVEL CM	2198,5884 litre	74,768 %	741,9423 litre	O
260	CM	60	CM 83 LEVEL CM	2169,8815 litre	73,792 %	770,6492 litre	O
260	CM	60	CM 82 LEVEL CM	2140,9588 litre	72,809 %	799,5719 litre	O
260	CM	60	CM 81 LEVEL CM	2111,8311 litre	71,818 %	828,6996 litre	O
260	CM	60	CM 80 LEVEL CM	2082,5091 litre	70,821 %	858,0216 litre	O
260	CM	60	CM 79 LEVEL CM	2053,0033 litre	69,817 %	887,5274 litre	O
260	CM	60	CM 78 LEVEL CM	2023,3238 litre	68,808 %	917,2069 litre	O
260	CM	60	CM 77 LEVEL CM	1993,4808 litre	67,793 %	947,0499 litre	O
260	CM	60	CM 76 LEVEL CM	1963,4841 litre	66,773 %	977,0466 litre	O
260	CM	60	CM 75 LEVEL CM	1933,3436 litre	65,748 %	1007,1871 litre	O
260	CM	60	CM 74 LEVEL CM	1903,0688 litre	64,719 %	1037,4619 litre	O
260	CM	60	CM 73 LEVEL CM	1872,6692 litre	63,685 %	1067,8615 litre	O
260	CM	60	CM 72 LEVEL CM	1842,1542 litre	62,647 %	1098,3765 litre	O
260	CM	60	CM 71 LEVEL CM	1811,5330 litre	61,606 %	1128,9977 litre	O
260	CM	60	CM 70 LEVEL CM	1780,8148 litre	60,561 %	1159,7159 litre	O
260	CM	60	CM 69 LEVEL CM	1750,0088 litre	59,513 %	1190,5219 litre	O

260	CM	60	CM	68 LEVEL CM	1719,1238 litre	58,463 %	1221,4069 litre	O
260	CM	60	CM	67 LEVEL CM	1688,1689 litre	57,410 %	1252,3618 litre	O
260	CM	60	CM	66 LEVEL CM	1657,1529 litre	56,356 %	1283,3778 litre	O
260	CM	60	CM	65 LEVEL CM	1626,0846 litre	55,299 %	1314,4461 litre	O
260	CM	60	CM	64 LEVEL CM	1594,9729 litre	54,241 %	1345,5578 litre	O
260	CM	60	CM	63 LEVEL CM	1563,8263 litre	53,182 %	1376,7044 litre	O
260	CM	60	CM	62 LEVEL CM	1532,6538 litre	52,122 %	1407,8769 litre	O
260	CM	60	CM	61 LEVEL CM	1501,4639 litre	51,061 %	1439,0668 litre	O
260	CM	60	CM	60 LEVEL CM	1470,2654 litre	50,000 %	1470,2653 litre	O
260	CM	60	CM	59 LEVEL CM	1439,0668 litre	48,939 %	1501,4639 litre	O
260	CM	60	CM	58 LEVEL CM	1407,8769 litre	47,878 %	1532,6538 litre	O
260	CM	60	CM	57 LEVEL CM	1376,7044 litre	46,818 %	1563,8263 litre	O
260	CM	60	CM	56 LEVEL CM	1345,5579 litre	45,759 %	1594,9728 litre	O
260	CM	60	CM	55 LEVEL CM	1314,4461 litre	44,701 %	1626,0846 litre	O
260	CM	60	CM	54 LEVEL CM	1283,3778 litre	43,644 %	1657,1529 litre	O
260	CM	60	CM	53 LEVEL CM	1252,3618 litre	42,590 %	1688,1689 litre	O
260	CM	60	CM	52 LEVEL CM	1221,4069 litre	41,537 %	1719,1238 litre	O
260	CM	60	CM	51 LEVEL CM	1190,5219 litre	40,487 %	1750,0088 litre	O
260	CM	60	CM	50 LEVEL CM	1159,7159 litre	39,439 %	1780,8148 litre	O
260	CM	60	CM	49 LEVEL CM	1128,9977 litre	38,394 %	1811,5330 litre	O
260	CM	60	CM	48 LEVEL CM	1098,3766 litre	37,353 %	1842,1541 litre	O
260	CM	60	CM	47 LEVEL CM	1067,8615 litre	36,315 %	1872,6692 litre	O
260	CM	60	CM	46 LEVEL CM	1037,4619 litre	35,281 %	1903,0688 litre	O
260	CM	60	CM	45 LEVEL CM	1007,1871 litre	34,252 %	1933,3436 litre	O
260	CM	60	CM	44 LEVEL CM	977,0466 litre	33,227 %	1963,4841 litre	O
260	CM	60	CM	43 LEVEL CM	947,0499 litre	32,207 %	1993,4808 litre	O
260	CM	60	CM	42 LEVEL CM	917,2069 litre	31,192 %	2023,3238 litre	O
260	CM	60	CM	41 LEVEL CM	887,5274 litre	30,183 %	2053,0033 litre	O
260	CM	60	CM	40 LEVEL CM	858,0216 litre	29,179 %	2082,5091 litre	O
260	CM	60	CM	39 LEVEL CM	828,6996 litre	28,182 %	2111,8311 litre	O
260	CM	60	CM	38 LEVEL CM	799,5719 litre	27,191 %	2140,9588 litre	O
260	CM	60	CM	37 LEVEL CM	770,6492 litre	26,208 %	2169,8815 litre	O
260	CM	60	CM	36 LEVEL CM	741,9423 litre	25,232 %	2198,5884 litre	O
260	CM	60	CM	35 LEVEL CM	713,4624 litre	24,263 %	2227,0683 litre	O
260	CM	60	CM	34 LEVEL CM	685,2209 litre	23,303 %	2255,3098 litre	O
260	CM	60	CM	33 LEVEL CM	657,2294 litre	22,351 %	2283,3013 litre	O
260	CM	60	CM	32 LEVEL CM	629,4999 litre	21,408 %	2311,0308 litre	O
260	CM	60	CM	31 LEVEL CM	602,0449 litre	20,474 %	2338,4858 litre	O
260	CM	60	CM	30 LEVEL CM	574,8770 litre	19,550 %	2365,6537 litre	O
260	CM	60	CM	29 LEVEL CM	548,0094 litre	18,636 %	2392,5213 litre	O
260	CM	60	CM	28 LEVEL CM	521,4556 litre	17,733 %	2419,0751 litre	O
260	CM	60	CM	27 LEVEL CM	495,2297 litre	16,842 %	2445,3010 litre	O
260	CM	60	CM	26 LEVEL CM	469,3463 litre	15,961 %	2471,1844 litre	O
260	CM	60	CM	25 LEVEL CM	443,8205 litre	15,093 %	2496,7102 litre	O
260	CM	60	CM	24 LEVEL CM	418,6683 litre	14,238 %	2521,8624 litre	O
260	CM	60	CM	23 LEVEL CM	393,9062 litre	13,396 %	2546,6245 litre	O
260	CM	60	CM	22 LEVEL CM	369,5514 litre	12,568 %	2570,9793 litre	O
260	CM	60	CM	21 LEVEL CM	345,6224 litre	11,754 %	2594,9083 litre	O
260	CM	60	CM	20 LEVEL CM	322,1381 litre	10,955 %	2618,3926 litre	O
260	CM	60	CM	19 LEVEL CM	299,1191 litre	10,172 %	2641,4116 litre	O
260	CM	60	CM	18 LEVEL CM	276,5869 litre	9,406 %	2663,9438 litre	O
260	CM	60	CM	17 LEVEL CM	254,5645 litre	8,657 %	2685,9662 litre	O
260	CM	60	CM	16 LEVEL CM	233,0767 litre	7,926 %	2707,4540 litre	O

260	CM	60	CM	15 LEVEL CM	212,1499 litre	7,215 %	2728,3808 litre	O
260	CM	60	CM	14 LEVEL CM	191,8130 litre	6,523 %	2748,7177 litre	O
260	CM	60	CM	13 LEVEL CM	172,0972 litre	5,853 %	2768,4335 litre	O
260	CM	60	CM	12 LEVEL CM	153,0370 litre	5,204 %	2787,4937 litre	O
260	CM	60	CM	11 LEVEL CM	134,6706 litre	4,580 %	2805,8601 litre	O
260	CM	60	CM	10 LEVEL CM	117,0404 litre	3,980 %	2823,4903 litre	O
260	CM	60	CM	9 LEVEL CM	100,1948 litre	3,407 %	2840,3359 litre	O
260	CM	60	CM	8 LEVEL CM	84,1890 litre	2,863 %	2856,3417 litre	O
260	CM	60	CM	7 LEVEL CM	69,0876 litre	2,349 %	2871,4431 litre	O
260	CM	60	CM	6 LEVEL CM	54,9674 litre	1,869 %	2885,5633 litre	O
260	CM	60	CM	5 LEVEL CM	41,9231 litre	1,426 %	2898,6076 litre	O
260	CM	60	CM	4 LEVEL CM	30,0747 litre	1,023 %	2910,4560 litre	O
260	CM	60	CM	3 LEVEL CM	19,5840 litre	0,666 %	2920,9467 litre	O
260	CM	60	CM	2 LEVEL CM	10,6872 litre	0,363 %	2929,8435 litre	O
260	CM	60	CM	1 LEVEL CM	3,7880 litre	0,129 %	2936,7427 litre	O
260	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2940,5307 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
260	CM	55	CM 110 LEVEL CM	2470,8626 litre	100,000 %	0,0000 litre	O
260	CM	55	CM 109 LEVEL CM	2467,2367 litre	99,853 %	3,6259 litre	O
260	CM	55	CM 108 LEVEL CM	2460,6351 litre	99,586 %	10,2275 litre	O
260	CM	55	CM 107 LEVEL CM	2452,1254 litre	99,242 %	18,7372 litre	O
260	CM	55	CM 106 LEVEL CM	2442,0951 litre	98,836 %	28,7675 litre	O
260	CM	55	CM 105 LEVEL CM	2430,7713 litre	98,377 %	40,0913 litre	O
260	CM	55	CM 104 LEVEL CM	2418,3096 litre	97,873 %	52,5530 litre	O
260	CM	55	CM 103 LEVEL CM	2404,8259 litre	97,327 %	66,0367 litre	O
260	CM	55	CM 102 LEVEL CM	2390,4112 litre	96,744 %	80,4514 litre	O
260	CM	55	CM 101 LEVEL CM	2375,1401 litre	96,126 %	95,7225 litre	O
260	CM	55	CM 100 LEVEL CM	2359,0748 litre	95,476 %	111,7878 litre	O
260	CM	55	CM 99 LEVEL CM	2342,2690 litre	94,796 %	128,5936 litre	O
260	CM	55	CM 98 LEVEL CM	2324,7694 litre	94,087 %	146,0932 litre	O
260	CM	55	CM 97 LEVEL CM	2306,6174 litre	93,353 %	164,2452 litre	O
260	CM	55	CM 96 LEVEL CM	2287,8502 litre	92,593 %	183,0124 litre	O
260	CM	55	CM 95 LEVEL CM	2268,5011 litre	91,810 %	202,3615 litre	O
260	CM	55	CM 94 LEVEL CM	2248,6008 litre	91,005 %	222,2618 litre	O
260	CM	55	CM 93 LEVEL CM	2228,1774 litre	90,178 %	242,6852 litre	O
260	CM	55	CM 92 LEVEL CM	2207,2569 litre	89,331 %	263,6057 litre	O
260	CM	55	CM 91 LEVEL CM	2185,8634 litre	88,466 %	284,9992 litre	O
260	CM	55	CM 90 LEVEL CM	2164,0197 litre	87,582 %	306,8429 litre	O
260	CM	55	CM 89 LEVEL CM	2141,7468 litre	86,680 %	329,1158 litre	O
260	CM	55	CM 88 LEVEL CM	2119,0649 litre	85,762 %	351,7977 litre	O
260	CM	55	CM 87 LEVEL CM	2095,9930 litre	84,828 %	374,8696 litre	O
260	CM	55	CM 86 LEVEL CM	2072,5490 litre	83,880 %	398,3136 litre	O
260	CM	55	CM 85 LEVEL CM	2048,7500 litre	82,916 %	422,1126 litre	O
260	CM	55	CM 84 LEVEL CM	2024,6127 litre	81,940 %	446,2499 litre	O
260	CM	55	CM 83 LEVEL CM	2000,1526 litre	80,950 %	470,7100 litre	O
260	CM	55	CM 82 LEVEL CM	1975,3848 litre	79,947 %	495,4778 litre	O
260	CM	55	CM 81 LEVEL CM	1950,3241 litre	78,933 %	520,5385 litre	O
260	CM	55	CM 80 LEVEL CM	1924,9843 litre	77,907 %	545,8783 litre	O
260	CM	55	CM 79 LEVEL CM	1899,3792 litre	76,871 %	571,4834 litre	O
260	CM	55	CM 78 LEVEL CM	1873,5218 litre	75,825 %	597,3408 litre	O
260	CM	55	CM 77 LEVEL CM	1847,4250 litre	74,768 %	623,4376 litre	O
260	CM	55	CM 76 LEVEL CM	1821,1012 litre	73,703 %	649,7614 litre	O
260	CM	55	CM 75 LEVEL CM	1794,5626 litre	72,629 %	676,3000 litre	O
260	CM	55	CM 74 LEVEL CM	1767,8210 litre	71,547 %	703,0416 litre	O
260	CM	55	CM 73 LEVEL CM	1740,8879 litre	70,457 %	729,9747 litre	O
260	CM	55	CM 72 LEVEL CM	1713,7747 litre	69,359 %	757,0879 litre	O
260	CM	55	CM 71 LEVEL CM	1686,4925 litre	68,255 %	784,3701 litre	O
260	CM	55	CM 70 LEVEL CM	1659,0522 litre	67,145 %	811,8104 litre	O
260	CM	55	CM 69 LEVEL CM	1631,4644 litre	66,028 %	839,3982 litre	O
260	CM	55	CM 68 LEVEL CM	1603,7398 litre	64,906 %	867,1228 litre	O
260	CM	55	CM 67 LEVEL CM	1575,8886 litre	63,779 %	894,9740 litre	O
260	CM	55	CM 66 LEVEL CM	1547,9212 litre	62,647 %	922,9414 litre	O
260	CM	55	CM 65 LEVEL CM	1519,8476 litre	61,511 %	951,0150 litre	O
260	CM	55	CM 64 LEVEL CM	1491,6779 litre	60,371 %	979,1847 litre	O
260	CM	55	CM 63 LEVEL CM	1463,4219 litre	59,227 %	1007,4407 litre	O
260	CM	55	CM 62 LEVEL CM	1435,0895 litre	58,081 %	1035,7731 litre	O
260	CM	55	CM 61 LEVEL CM	1406,6903 litre	56,931 %	1064,1723 litre	O
260	CM	55	CM 60 LEVEL CM	1378,2341 litre	55,779 %	1092,6285 litre	O
260	CM	55	CM 59 LEVEL CM	1349,7304 litre	54,626 %	1121,1322 litre	O

260	CM 55	CM	58 LEVEL CM	1321,1887 litre	53,471 %	1149,6739 litre	O
260	CM 55	CM	57 LEVEL CM	1292,6187 litre	52,314 %	1178,2439 litre	O
260	CM 55	CM	56 LEVEL CM	1264,0297 litre	51,157 %	1206,8329 litre	O
260	CM 55	CM	55 LEVEL CM	1235,4313 litre	50,000 %	1235,4313 litre	O
260	CM 55	CM	54 LEVEL CM	1206,8329 litre	48,843 %	1264,0297 litre	O
260	CM 55	CM	53 LEVEL CM	1178,2439 litre	47,686 %	1292,6187 litre	O
260	CM 55	CM	52 LEVEL CM	1149,6739 litre	46,529 %	1321,1887 litre	O
260	CM 55	CM	51 LEVEL CM	1121,1322 litre	45,374 %	1349,7304 litre	O
260	CM 55	CM	50 LEVEL CM	1092,6285 litre	44,221 %	1378,2341 litre	O
260	CM 55	CM	49 LEVEL CM	1064,1723 litre	43,069 %	1406,6903 litre	O
260	CM 55	CM	48 LEVEL CM	1035,7731 litre	41,919 %	1435,0895 litre	O
260	CM 55	CM	47 LEVEL CM	1007,4407 litre	40,773 %	1463,4219 litre	O
260	CM 55	CM	46 LEVEL CM	979,1847 litre	39,629 %	1491,6779 litre	O
260	CM 55	CM	45 LEVEL CM	951,0150 litre	38,489 %	1519,8476 litre	O
260	CM 55	CM	44 LEVEL CM	922,9414 litre	37,353 %	1547,9212 litre	O
260	CM 55	CM	43 LEVEL CM	894,9740 litre	36,221 %	1575,8886 litre	O
260	CM 55	CM	42 LEVEL CM	867,1229 litre	35,094 %	1603,7397 litre	O
260	CM 55	CM	41 LEVEL CM	839,3982 litre	33,972 %	1631,4644 litre	O
260	CM 55	CM	40 LEVEL CM	811,8105 litre	32,855 %	1659,0521 litre	O
260	CM 55	CM	39 LEVEL CM	784,3701 litre	31,745 %	1686,4925 litre	O
260	CM 55	CM	38 LEVEL CM	757,0879 litre	30,641 %	1713,7747 litre	O
260	CM 55	CM	37 LEVEL CM	729,9747 litre	29,543 %	1740,8879 litre	O
260	CM 55	CM	36 LEVEL CM	703,0417 litre	28,453 %	1767,8209 litre	O
260	CM 55	CM	35 LEVEL CM	676,3000 litre	27,371 %	1794,5626 litre	O
260	CM 55	CM	34 LEVEL CM	649,7614 litre	26,297 %	1821,1012 litre	O
260	CM 55	CM	33 LEVEL CM	623,4376 litre	25,232 %	1847,4250 litre	O
260	CM 55	CM	32 LEVEL CM	597,3408 litre	24,175 %	1873,5218 litre	O
260	CM 55	CM	31 LEVEL CM	571,4835 litre	23,129 %	1899,3791 litre	O
260	CM 55	CM	30 LEVEL CM	545,8783 litre	22,093 %	1924,9843 litre	O
260	CM 55	CM	29 LEVEL CM	520,5385 litre	21,067 %	1950,3241 litre	O
260	CM 55	CM	28 LEVEL CM	495,4778 litre	20,053 %	1975,3848 litre	O
260	CM 55	CM	27 LEVEL CM	470,7101 litre	19,050 %	2000,1525 litre	O
260	CM 55	CM	26 LEVEL CM	446,2499 litre	18,060 %	2024,6127 litre	O
260	CM 55	CM	25 LEVEL CM	422,1126 litre	17,084 %	2048,7500 litre	O
260	CM 55	CM	24 LEVEL CM	398,3137 litre	16,120 %	2072,5489 litre	O
260	CM 55	CM	23 LEVEL CM	374,8696 litre	15,172 %	2095,9930 litre	O
260	CM 55	CM	22 LEVEL CM	351,7977 litre	14,238 %	2119,0649 litre	O
260	CM 55	CM	21 LEVEL CM	329,1158 litre	13,320 %	2141,7468 litre	O
260	CM 55	CM	20 LEVEL CM	306,8430 litre	12,418 %	2164,0196 litre	O
260	CM 55	CM	19 LEVEL CM	284,9992 litre	11,534 %	2185,8634 litre	O
260	CM 55	CM	18 LEVEL CM	263,6058 litre	10,669 %	2207,2568 litre	O
260	CM 55	CM	17 LEVEL CM	242,6853 litre	9,822 %	2228,1773 litre	O
260	CM 55	CM	16 LEVEL CM	222,2619 litre	8,995 %	2248,6007 litre	O
260	CM 55	CM	15 LEVEL CM	202,3616 litre	8,190 %	2268,5010 litre	O
260	CM 55	CM	14 LEVEL CM	183,0125 litre	7,407 %	2287,8501 litre	O
260	CM 55	CM	13 LEVEL CM	164,2452 litre	6,647 %	2306,6174 litre	O
260	CM 55	CM	12 LEVEL CM	146,0932 litre	5,913 %	2324,7694 litre	O
260	CM 55	CM	11 LEVEL CM	128,5936 litre	5,204 %	2342,2690 litre	O
260	CM 55	CM	10 LEVEL CM	111,7878 litre	4,524 %	2359,0748 litre	O
260	CM 55	CM	9 LEVEL CM	95,7225 litre	3,874 %	2375,1401 litre	O
260	CM 55	CM	8 LEVEL CM	80,4514 litre	3,256 %	2390,4112 litre	O
260	CM 55	CM	7 LEVEL CM	66,0368 litre	2,673 %	2404,8258 litre	O
260	CM 55	CM	6 LEVEL CM	52,5531 litre	2,127 %	2418,3095 litre	O

260_55

-2720-

260	CM 55	CM	5 LEVEL CM	40,0914 litre	1,623 %	2430,7712 litre	O
260	CM 55	CM	4 LEVEL CM	28,7676 litre	1,164 %	2442,0950 litre	O
260	CM 55	CM	3 LEVEL CM	18,7372 litre	0,758 %	2452,1254 litre	O
260	CM 55	CM	2 LEVEL CM	10,2275 litre	0,414 %	2460,6351 litre	O
260	CM 55	CM	1 LEVEL CM	3,6259 litre	0,147 %	2467,2367 litre	O
260	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2470,8626 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
260	CM	50	CM	100 LEVEL CM	2042,0352 litre	100,000 %	0,0000 litre	O
260	CM	50	CM	99 LEVEL CM	2038,5790 litre	99,831 %	3,4562 litre	O
260	CM	50	CM	98 LEVEL CM	2032,2891 litre	99,523 %	9,7461 litre	O
260	CM	50	CM	97 LEVEL CM	2024,1849 litre	99,126 %	17,8503 litre	O
260	CM	50	CM	96 LEVEL CM	2014,6371 litre	98,658 %	27,3981 litre	O
260	CM	50	CM	95 LEVEL CM	2003,8634 litre	98,131 %	38,1718 litre	O
260	CM	50	CM	94 LEVEL CM	1992,0130 litre	97,550 %	50,0222 litre	O
260	CM	50	CM	93 LEVEL CM	1979,1973 litre	96,923 %	62,8379 litre	O
260	CM	50	CM	92 LEVEL CM	1965,5039 litre	96,252 %	76,5313 litre	O
260	CM	50	CM	91 LEVEL CM	1951,0045 litre	95,542 %	91,0307 litre	O
260	CM	50	CM	90 LEVEL CM	1935,7595 litre	94,796 %	106,2757 litre	O
260	CM	50	CM	89 LEVEL CM	1919,8206 litre	94,015 %	122,2146 litre	O
260	CM	50	CM	88 LEVEL CM	1903,2331 litre	93,203 %	138,8021 litre	O
260	CM	50	CM	87 LEVEL CM	1886,0372 litre	92,361 %	155,9980 litre	O
260	CM	50	CM	86 LEVEL CM	1868,2690 litre	91,491 %	173,7662 litre	O
260	CM	50	CM	85 LEVEL CM	1849,9610 litre	90,594 %	192,0742 litre	O
260	CM	50	CM	84 LEVEL CM	1831,1431 litre	89,672 %	210,8921 litre	O
260	CM	50	CM	83 LEVEL CM	1811,8427 litre	88,727 %	230,1925 litre	O
260	CM	50	CM	82 LEVEL CM	1792,0854 litre	87,760 %	249,9498 litre	O
260	CM	50	CM	81 LEVEL CM	1771,8949 litre	86,771 %	270,1403 litre	O
260	CM	50	CM	80 LEVEL CM	1751,2933 litre	85,762 %	290,7419 litre	O
260	CM	50	CM	79 LEVEL CM	1730,3017 litre	84,734 %	311,7335 litre	O
260	CM	50	CM	78 LEVEL CM	1708,9397 litre	83,688 %	333,0955 litre	O
260	CM	50	CM	77 LEVEL CM	1687,2262 litre	82,625 %	354,8090 litre	O
260	CM	50	CM	76 LEVEL CM	1665,1789 litre	81,545 %	376,8563 litre	O
260	CM	50	CM	75 LEVEL CM	1642,8151 litre	80,450 %	399,2201 litre	O
260	CM	50	CM	74 LEVEL CM	1620,1509 litre	79,340 %	421,8843 litre	O
260	CM	50	CM	73 LEVEL CM	1597,2022 litre	78,216 %	444,8330 litre	O
260	CM	50	CM	72 LEVEL CM	1573,9841 litre	77,079 %	468,0511 litre	O
260	CM	50	CM	71 LEVEL CM	1550,5112 litre	75,930 %	491,5240 litre	O
260	CM	50	CM	70 LEVEL CM	1526,7975 litre	74,768 %	515,2377 litre	O
260	CM	50	CM	69 LEVEL CM	1502,8569 litre	73,596 %	539,1783 litre	O
260	CM	50	CM	68 LEVEL CM	1478,7026 litre	72,413 %	563,3326 litre	O
260	CM	50	CM	67 LEVEL CM	1454,3476 litre	71,220 %	587,6876 litre	O
260	CM	50	CM	66 LEVEL CM	1429,8046 litre	70,019 %	612,2306 litre	O
260	CM	50	CM	65 LEVEL CM	1405,0860 litre	68,808 %	636,9492 litre	O
260	CM	50	CM	64 LEVEL CM	1380,2038 litre	67,590 %	661,8314 litre	O
260	CM	50	CM	63 LEVEL CM	1355,1699 litre	66,364 %	686,8653 litre	O
260	CM	50	CM	62 LEVEL CM	1329,9960 litre	65,131 %	712,0392 litre	O
260	CM	50	CM	61 LEVEL CM	1304,6935 litre	63,892 %	737,3417 litre	O
260	CM	50	CM	60 LEVEL CM	1279,2737 litre	62,647 %	762,7615 litre	O
260	CM	50	CM	59 LEVEL CM	1253,7478 litre	61,397 %	788,2874 litre	O
260	CM	50	CM	58 LEVEL CM	1228,1267 litre	60,142 %	813,9085 litre	O
260	CM	50	CM	57 LEVEL CM	1202,4213 litre	58,883 %	839,6139 litre	O
260	CM	50	CM	56 LEVEL CM	1176,6424 litre	57,621 %	865,3928 litre	O
260	CM	50	CM	55 LEVEL CM	1150,8006 litre	56,356 %	891,2346 litre	O
260	CM	50	CM	54 LEVEL CM	1124,9066 litre	55,088 %	917,1286 litre	O
260	CM	50	CM	53 LEVEL CM	1098,9708 litre	53,817 %	943,0644 litre	O
260	CM	50	CM	52 LEVEL CM	1073,0037 litre	52,546 %	969,0315 litre	O
260	CM	50	CM	51 LEVEL CM	1047,0159 litre	51,273 %	995,0193 litre	O
260	CM	50	CM	50 LEVEL CM	1021,0176 litre	50,000 %	1021,0176 litre	O
260	CM	50	CM	49 LEVEL CM	995,0193 litre	48,727 %	1047,0159 litre	O

260	CM	50	CM	48 LEVEL CM	969,0315 litre	47,454 %	1073,0037 litre	O
260	CM	50	CM	47 LEVEL CM	943,0644 litre	46,183 %	1098,9708 litre	O
260	CM	50	CM	46 LEVEL CM	917,1287 litre	44,912 %	1124,9065 litre	O
260	CM	50	CM	45 LEVEL CM	891,2346 litre	43,644 %	1150,8006 litre	O
260	CM	50	CM	44 LEVEL CM	865,3928 litre	42,379 %	1176,6424 litre	O
260	CM	50	CM	43 LEVEL CM	839,6139 litre	41,117 %	1202,4213 litre	O
260	CM	50	CM	42 LEVEL CM	813,9085 litre	39,858 %	1228,1267 litre	O
260	CM	50	CM	41 LEVEL CM	788,2874 litre	38,603 %	1253,7478 litre	O
260	CM	50	CM	40 LEVEL CM	762,7615 litre	37,353 %	1279,2737 litre	O
260	CM	50	CM	39 LEVEL CM	737,3417 litre	36,108 %	1304,6935 litre	O
260	CM	50	CM	38 LEVEL CM	712,0392 litre	34,869 %	1329,9960 litre	O
260	CM	50	CM	37 LEVEL CM	686,8653 litre	33,636 %	1355,1699 litre	O
260	CM	50	CM	36 LEVEL CM	661,8314 litre	32,410 %	1380,2038 litre	O
260	CM	50	CM	35 LEVEL CM	636,9492 litre	31,192 %	1405,0860 litre	O
260	CM	50	CM	34 LEVEL CM	612,2306 litre	29,981 %	1429,8046 litre	O
260	CM	50	CM	33 LEVEL CM	587,6876 litre	28,780 %	1454,3476 litre	O
260	CM	50	CM	32 LEVEL CM	563,3326 litre	27,587 %	1478,7026 litre	O
260	CM	50	CM	31 LEVEL CM	539,1784 litre	26,404 %	1502,8568 litre	O
260	CM	50	CM	30 LEVEL CM	515,2377 litre	25,232 %	1526,7975 litre	O
260	CM	50	CM	29 LEVEL CM	491,5241 litre	24,070 %	1550,5111 litre	O
260	CM	50	CM	28 LEVEL CM	468,0511 litre	22,921 %	1573,9841 litre	O
260	CM	50	CM	27 LEVEL CM	444,8330 litre	21,784 %	1597,2022 litre	O
260	CM	50	CM	26 LEVEL CM	421,8843 litre	20,660 %	1620,1509 litre	O
260	CM	50	CM	25 LEVEL CM	399,2202 litre	19,550 %	1642,8150 litre	O
260	CM	50	CM	24 LEVEL CM	376,8563 litre	18,455 %	1665,1789 litre	O
260	CM	50	CM	23 LEVEL CM	354,8091 litre	17,375 %	1687,2261 litre	O
260	CM	50	CM	22 LEVEL CM	333,0955 litre	16,312 %	1708,9397 litre	O
260	CM	50	CM	21 LEVEL CM	311,7336 litre	15,266 %	1730,3016 litre	O
260	CM	50	CM	20 LEVEL CM	290,7419 litre	14,238 %	1751,2933 litre	O
260	CM	50	CM	19 LEVEL CM	270,1403 litre	13,229 %	1771,8949 litre	O
260	CM	50	CM	18 LEVEL CM	249,9498 litre	12,240 %	1792,0854 litre	O
260	CM	50	CM	17 LEVEL CM	230,1925 litre	11,273 %	1811,8427 litre	O
260	CM	50	CM	16 LEVEL CM	210,8921 litre	10,328 %	1831,1431 litre	O
260	CM	50	CM	15 LEVEL CM	192,0742 litre	9,406 %	1849,9610 litre	O
260	CM	50	CM	14 LEVEL CM	173,7662 litre	8,509 %	1868,2690 litre	O
260	CM	50	CM	13 LEVEL CM	155,9980 litre	7,639 %	1886,0372 litre	O
260	CM	50	CM	12 LEVEL CM	138,8021 litre	6,797 %	1903,2331 litre	O
260	CM	50	CM	11 LEVEL CM	122,2146 litre	5,985 %	1919,8206 litre	O
260	CM	50	CM	10 LEVEL CM	106,2757 litre	5,204 %	1935,7595 litre	O
260	CM	50	CM	9 LEVEL CM	91,0307 litre	4,458 %	1951,0045 litre	O
260	CM	50	CM	8 LEVEL CM	76,5313 litre	3,748 %	1965,5039 litre	O
260	CM	50	CM	7 LEVEL CM	62,8380 litre	3,077 %	1979,1972 litre	O
260	CM	50	CM	6 LEVEL CM	50,0222 litre	2,450 %	1992,0130 litre	O
260	CM	50	CM	5 LEVEL CM	38,1718 litre	1,869 %	2003,8634 litre	O
260	CM	50	CM	4 LEVEL CM	27,3981 litre	1,342 %	2014,6371 litre	O
260	CM	50	CM	3 LEVEL CM	17,8503 litre	0,874 %	2024,1849 litre	O
260	CM	50	CM	2 LEVEL CM	9,7462 litre	0,477 %	2032,2890 litre	O
260	CM	50	CM	1 LEVEL CM	3,4562 litre	0,169 %	2038,5790 litre	O
260	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	2042,0352 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM	125	CM 250 LEVEL CM	12271,8463 litre	100,000 %	0,0000 litre	O
250	CM	125	CM 249 LEVEL CM	12266,5822 litre	99,957 %	5,2641 litre	O
250	CM	125	CM 248 LEVEL CM	12256,9750 litre	99,879 %	14,8713 litre	O
250	CM	125	CM 247 LEVEL CM	12244,5590 litre	99,778 %	27,2873 litre	O
250	CM	125	CM 246 LEVEL CM	12229,8856 litre	99,658 %	41,9607 litre	O
250	CM	125	CM 245 LEVEL CM	12213,2756 litre	99,523 %	58,5707 litre	O
250	CM	125	CM 244 LEVEL CM	12194,9468 litre	99,373 %	76,8995 litre	O
250	CM	125	CM 243 LEVEL CM	12175,0600 litre	99,211 %	96,7863 litre	O
250	CM	125	CM 242 LEVEL CM	12153,7408 litre	99,038 %	118,1055 litre	O
250	CM	125	CM 241 LEVEL CM	12131,0907 litre	98,853 %	140,7556 litre	O
250	CM	125	CM 240 LEVEL CM	12107,1941 litre	98,658 %	164,6522 litre	O
250	CM	125	CM 239 LEVEL CM	12082,1231 litre	98,454 %	189,7232 litre	O
250	CM	125	CM 238 LEVEL CM	12055,9397 litre	98,241 %	215,9066 litre	O
250	CM	125	CM 237 LEVEL CM	12028,6986 litre	98,019 %	243,1477 litre	O
250	CM	125	CM 236 LEVEL CM	12000,4482 litre	97,788 %	271,3981 litre	O
250	CM	125	CM 235 LEVEL CM	11971,2319 litre	97,550 %	300,6144 litre	O
250	CM	125	CM 234 LEVEL CM	11941,0890 litre	97,305 %	330,7573 litre	O
250	CM	125	CM 233 LEVEL CM	11910,0551 litre	97,052 %	361,7912 litre	O
250	CM	125	CM 232 LEVEL CM	11878,1629 litre	96,792 %	393,6834 litre	O
250	CM	125	CM 231 LEVEL CM	11845,4427 litre	96,525 %	426,4036 litre	O
250	CM	125	CM 230 LEVEL CM	11811,9224 litre	96,252 %	459,9239 litre	O
250	CM	125	CM 229 LEVEL CM	11777,6278 litre	95,973 %	494,2185 litre	O
250	CM	125	CM 228 LEVEL CM	11742,5832 litre	95,687 %	529,2631 litre	O
250	CM	125	CM 227 LEVEL CM	11706,8114 litre	95,396 %	565,0349 litre	O
250	CM	125	CM 226 LEVEL CM	11670,3336 litre	95,098 %	601,5127 litre	O
250	CM	125	CM 225 LEVEL CM	11633,1701 litre	94,796 %	638,6762 litre	O
250	CM	125	CM 224 LEVEL CM	11595,3398 litre	94,487 %	676,5065 litre	O
250	CM	125	CM 223 LEVEL CM	11556,8608 litre	94,174 %	714,9855 litre	O
250	CM	125	CM 222 LEVEL CM	11517,7503 litre	93,855 %	754,0960 litre	O
250	CM	125	CM 221 LEVEL CM	11478,0245 litre	93,531 %	793,8218 litre	O
250	CM	125	CM 220 LEVEL CM	11437,6991 litre	93,203 %	834,1472 litre	O
250	CM	125	CM 219 LEVEL CM	11396,7890 litre	92,869 %	875,0573 litre	O
250	CM	125	CM 218 LEVEL CM	11355,3084 litre	92,531 %	916,5379 litre	O
250	CM	125	CM 217 LEVEL CM	11313,2710 litre	92,189 %	958,5753 litre	O
250	CM	125	CM 216 LEVEL CM	11270,6900 litre	91,842 %	1001,1563 litre	O
250	CM	125	CM 215 LEVEL CM	11227,5780 litre	91,491 %	1044,2683 litre	O
250	CM	125	CM 214 LEVEL CM	11183,9472 litre	91,135 %	1087,8991 litre	O
250	CM	125	CM 213 LEVEL CM	11139,8094 litre	90,775 %	1132,0369 litre	O
250	CM	125	CM 212 LEVEL CM	11095,1760 litre	90,412 %	1176,6703 litre	O
250	CM	125	CM 211 LEVEL CM	11050,0578 litre	90,044 %	1221,7885 litre	O
250	CM	125	CM 210 LEVEL CM	11004,4656 litre	89,672 %	1267,3807 litre	O
250	CM	125	CM 209 LEVEL CM	10958,4097 litre	89,297 %	1313,4366 litre	O
250	CM	125	CM 208 LEVEL CM	10911,9000 litre	88,918 %	1359,9463 litre	O
250	CM	125	CM 207 LEVEL CM	10864,9463 litre	88,536 %	1406,9000 litre	O
250	CM	125	CM 206 LEVEL CM	10817,5580 litre	88,149 %	1454,2883 litre	O
250	CM	125	CM 205 LEVEL CM	10769,7443 litre	87,760 %	1502,1020 litre	O
250	CM	125	CM 204 LEVEL CM	10721,5141 litre	87,367 %	1550,3322 litre	O
250	CM	125	CM 203 LEVEL CM	10672,8761 litre	86,970 %	1598,9702 litre	O
250	CM	125	CM 202 LEVEL CM	10623,8388 litre	86,571 %	1648,0075 litre	O
250	CM	125	CM 201 LEVEL CM	10574,4105 litre	86,168 %	1697,4358 litre	O
250	CM	125	CM 200 LEVEL CM	10524,5994 litre	85,762 %	1747,2469 litre	O
250	CM	125	CM 199 LEVEL CM	10474,4132 litre	85,353 %	1797,4331 litre	O

250	CM	125	CM	198 LEVEL CM	10423,8597 litre	84,941 %	1847,9866 litre	O
250	CM	125	CM	197 LEVEL CM	10372,9464 litre	84,526 %	1898,8999 litre	O
250	CM	125	CM	196 LEVEL CM	10321,6809 litre	84,109 %	1950,1654 litre	O
250	CM	125	CM	195 LEVEL CM	10270,0703 litre	83,688 %	2001,7760 litre	O
250	CM	125	CM	194 LEVEL CM	10218,1217 litre	83,265 %	2053,7246 litre	O
250	CM	125	CM	193 LEVEL CM	10165,8420 litre	82,839 %	2106,0043 litre	O
250	CM	125	CM	192 LEVEL CM	10113,2383 litre	82,410 %	2158,6080 litre	O
250	CM	125	CM	191 LEVEL CM	10060,3170 litre	81,979 %	2211,5293 litre	O
250	CM	125	CM	190 LEVEL CM	10007,0849 litre	81,545 %	2264,7614 litre	O
250	CM	125	CM	189 LEVEL CM	9953,5484 litre	81,109 %	2318,2979 litre	O
250	CM	125	CM	188 LEVEL CM	9899,7138 litre	80,670 %	2372,1325 litre	O
250	CM	125	CM	187 LEVEL CM	9845,5875 litre	80,229 %	2426,2588 litre	O
250	CM	125	CM	186 LEVEL CM	9791,1755 litre	79,786 %	2480,6708 litre	O
250	CM	125	CM	185 LEVEL CM	9736,4840 litre	79,340 %	2535,3623 litre	O
250	CM	125	CM	184 LEVEL CM	9681,5190 litre	78,892 %	2590,3273 litre	O
250	CM	125	CM	183 LEVEL CM	9626,2862 litre	78,442 %	2645,5601 litre	O
250	CM	125	CM	182 LEVEL CM	9570,7915 litre	77,990 %	2701,0548 litre	O
250	CM	125	CM	181 LEVEL CM	9515,0406 litre	77,536 %	2756,8057 litre	O
250	CM	125	CM	180 LEVEL CM	9459,0391 litre	77,079 %	2812,8072 litre	O
250	CM	125	CM	179 LEVEL CM	9402,7927 litre	76,621 %	2869,0536 litre	O
250	CM	125	CM	178 LEVEL CM	9346,3068 litre	76,161 %	2925,5395 litre	O
250	CM	125	CM	177 LEVEL CM	9289,5867 litre	75,698 %	2982,2596 litre	O
250	CM	125	CM	176 LEVEL CM	9232,6380 litre	75,234 %	3039,2083 litre	O
250	CM	125	CM	175 LEVEL CM	9175,4657 litre	74,768 %	3096,3806 litre	O
250	CM	125	CM	174 LEVEL CM	9118,0753 litre	74,301 %	3153,7710 litre	O
250	CM	125	CM	173 LEVEL CM	9060,4718 litre	73,831 %	3211,3745 litre	O
250	CM	125	CM	172 LEVEL CM	9002,6604 litre	73,360 %	3269,1859 litre	O
250	CM	125	CM	171 LEVEL CM	8944,6460 litre	72,888 %	3327,2003 litre	O
250	CM	125	CM	170 LEVEL CM	8886,4338 litre	72,413 %	3385,4125 litre	O
250	CM	125	CM	169 LEVEL CM	8828,0286 litre	71,937 %	3443,8177 litre	O
250	CM	125	CM	168 LEVEL CM	8769,4354 litre	71,460 %	3502,4109 litre	O
250	CM	125	CM	167 LEVEL CM	8710,6590 litre	70,981 %	3561,1873 litre	O
250	CM	125	CM	166 LEVEL CM	8651,7043 litre	70,500 %	3620,1420 litre	O
250	CM	125	CM	165 LEVEL CM	8592,5759 litre	70,019 %	3679,2704 litre	O
250	CM	125	CM	164 LEVEL CM	8533,2786 litre	69,535 %	3738,5677 litre	O
250	CM	125	CM	163 LEVEL CM	8473,8172 litre	69,051 %	3798,0291 litre	O
250	CM	125	CM	162 LEVEL CM	8414,1962 litre	68,565 %	3857,6501 litre	O
250	CM	125	CM	161 LEVEL CM	8354,4202 litre	68,078 %	3917,4261 litre	O
250	CM	125	CM	160 LEVEL CM	8294,4939 litre	67,590 %	3977,3524 litre	O
250	CM	125	CM	159 LEVEL CM	8234,4217 litre	67,100 %	4037,4246 litre	O
250	CM	125	CM	158 LEVEL CM	8174,2082 litre	66,609 %	4097,6381 litre	O
250	CM	125	CM	157 LEVEL CM	8113,8579 litre	66,118 %	4157,9884 litre	O
250	CM	125	CM	156 LEVEL CM	8053,3751 litre	65,625 %	4218,4712 litre	O
250	CM	125	CM	155 LEVEL CM	7992,7643 litre	65,131 %	4279,0820 litre	O
250	CM	125	CM	154 LEVEL CM	7932,0300 litre	64,636 %	4339,8163 litre	O
250	CM	125	CM	153 LEVEL CM	7871,1763 litre	64,140 %	4400,6700 litre	O
250	CM	125	CM	152 LEVEL CM	7810,2078 litre	63,643 %	4461,6385 litre	O
250	CM	125	CM	151 LEVEL CM	7749,1286 litre	63,146 %	4522,7177 litre	O
250	CM	125	CM	150 LEVEL CM	7687,9431 litre	62,647 %	4583,9032 litre	O
250	CM	125	CM	149 LEVEL CM	7626,6555 litre	62,148 %	4645,1908 litre	O
250	CM	125	CM	148 LEVEL CM	7565,2701 litre	61,647 %	4706,5762 litre	O
250	CM	125	CM	147 LEVEL CM	7503,7911 litre	61,146 %	4768,0552 litre	O
250	CM	125	CM	146 LEVEL CM	7442,2227 litre	60,645 %	4829,6236 litre	O

250	CM	125	CM	145 LEVEL CM	7380,5691 litre	60,142 %	4891,2772 litre	O
250	CM	125	CM	144 LEVEL CM	7318,8345 litre	59,639 %	4953,0118 litre	O
250	CM	125	CM	143 LEVEL CM	7257,0230 litre	59,136 %	5014,8233 litre	O
250	CM	125	CM	142 LEVEL CM	7195,1387 litre	58,631 %	5076,7076 litre	O
250	CM	125	CM	141 LEVEL CM	7133,1857 litre	58,126 %	5138,6606 litre	O
250	CM	125	CM	140 LEVEL CM	7071,1683 litre	57,621 %	5200,6780 litre	O
250	CM	125	CM	139 LEVEL CM	7009,0904 litre	57,115 %	5262,7559 litre	O
250	CM	125	CM	138 LEVEL CM	6946,9561 litre	56,609 %	5324,8902 litre	O
250	CM	125	CM	137 LEVEL CM	6884,7696 litre	56,102 %	5387,0767 litre	O
250	CM	125	CM	136 LEVEL CM	6822,5348 litre	55,595 %	5449,3115 litre	O
250	CM	125	CM	135 LEVEL CM	6760,2558 litre	55,088 %	5511,5905 litre	O
250	CM	125	CM	134 LEVEL CM	6697,9368 litre	54,580 %	5573,9095 litre	O
250	CM	125	CM	133 LEVEL CM	6635,5816 litre	54,072 %	5636,2647 litre	O
250	CM	125	CM	132 LEVEL CM	6573,1944 litre	53,563 %	5698,6519 litre	O
250	CM	125	CM	131 LEVEL CM	6510,7791 litre	53,055 %	5761,0672 litre	O
250	CM	125	CM	130 LEVEL CM	6448,3398 litre	52,546 %	5823,5065 litre	O
250	CM	125	CM	129 LEVEL CM	6385,8805 litre	52,037 %	5885,9658 litre	O
250	CM	125	CM	128 LEVEL CM	6323,4051 litre	51,528 %	5948,4412 litre	O
250	CM	125	CM	127 LEVEL CM	6260,9178 litre	51,019 %	6010,9285 litre	O
250	CM	125	CM	126 LEVEL CM	6198,4225 litre	50,509 %	6073,4238 litre	O
250	CM	125	CM	125 LEVEL CM	6135,9232 litre	50,000 %	6135,9231 litre	O
250	CM	125	CM	124 LEVEL CM	6073,4238 litre	49,491 %	6198,4225 litre	O
250	CM	125	CM	123 LEVEL CM	6010,9285 litre	48,981 %	6260,9178 litre	O
250	CM	125	CM	122 LEVEL CM	5948,4412 litre	48,472 %	6323,4051 litre	O
250	CM	125	CM	121 LEVEL CM	5885,9658 litre	47,963 %	6385,8805 litre	O
250	CM	125	CM	120 LEVEL CM	5823,5065 litre	47,454 %	6448,3398 litre	O
250	CM	125	CM	119 LEVEL CM	5761,0672 litre	46,945 %	6510,7791 litre	O
250	CM	125	CM	118 LEVEL CM	5698,6519 litre	46,437 %	6573,1944 litre	O
250	CM	125	CM	117 LEVEL CM	5636,2647 litre	45,928 %	6635,5816 litre	O
250	CM	125	CM	116 LEVEL CM	5573,9095 litre	45,420 %	6697,9368 litre	O
250	CM	125	CM	115 LEVEL CM	5511,5905 litre	44,912 %	6760,2558 litre	O
250	CM	125	CM	114 LEVEL CM	5449,3115 litre	44,405 %	6822,5348 litre	O
250	CM	125	CM	113 LEVEL CM	5387,0767 litre	43,898 %	6884,7696 litre	O
250	CM	125	CM	112 LEVEL CM	5324,8902 litre	43,391 %	6946,9561 litre	O
250	CM	125	CM	111 LEVEL CM	5262,7559 litre	42,885 %	7009,0904 litre	O
250	CM	125	CM	110 LEVEL CM	5200,6780 litre	42,379 %	7071,1683 litre	O
250	CM	125	CM	109 LEVEL CM	5138,6606 litre	41,874 %	7133,1857 litre	O
250	CM	125	CM	108 LEVEL CM	5076,7076 litre	41,369 %	7195,1387 litre	O
250	CM	125	CM	107 LEVEL CM	5014,8233 litre	40,864 %	7257,0230 litre	O
250	CM	125	CM	106 LEVEL CM	4953,0118 litre	40,361 %	7318,8345 litre	O
250	CM	125	CM	105 LEVEL CM	4891,2772 litre	39,858 %	7380,5691 litre	O
250	CM	125	CM	104 LEVEL CM	4829,6236 litre	39,355 %	7442,2227 litre	O
250	CM	125	CM	103 LEVEL CM	4768,0552 litre	38,854 %	7503,7911 litre	O
250	CM	125	CM	102 LEVEL CM	4706,5762 litre	38,353 %	7565,2701 litre	O
250	CM	125	CM	101 LEVEL CM	4645,1908 litre	37,852 %	7626,6555 litre	O
250	CM	125	CM	100 LEVEL CM	4583,9032 litre	37,353 %	7687,9431 litre	O
250	CM	125	CM	99 LEVEL CM	4522,7177 litre	36,854 %	7749,1286 litre	O
250	CM	125	CM	98 LEVEL CM	4461,6386 litre	36,357 %	7810,2077 litre	O
250	CM	125	CM	97 LEVEL CM	4400,6700 litre	35,860 %	7871,1763 litre	O
250	CM	125	CM	96 LEVEL CM	4339,8163 litre	35,364 %	7932,0300 litre	O
250	CM	125	CM	95 LEVEL CM	4279,0820 litre	34,869 %	7992,7643 litre	O
250	CM	125	CM	94 LEVEL CM	4218,4712 litre	34,375 %	8053,3751 litre	O
250	CM	125	CM	93 LEVEL CM	4157,9884 litre	33,882 %	8113,8579 litre	O

250	CM	125	CM	92 LEVEL CM	4097,6381 litre	33,391 %	8174,2082 litre	O
250	CM	125	CM	91 LEVEL CM	4037,4246 litre	32,900 %	8234,4217 litre	O
250	CM	125	CM	90 LEVEL CM	3977,3524 litre	32,410 %	8294,4939 litre	O
250	CM	125	CM	89 LEVEL CM	3917,4261 litre	31,922 %	8354,4202 litre	O
250	CM	125	CM	88 LEVEL CM	3857,6501 litre	31,435 %	8414,1962 litre	O
250	CM	125	CM	87 LEVEL CM	3798,0291 litre	30,949 %	8473,8172 litre	O
250	CM	125	CM	86 LEVEL CM	3738,5677 litre	30,465 %	8533,2786 litre	O
250	CM	125	CM	85 LEVEL CM	3679,2704 litre	29,981 %	8592,5759 litre	O
250	CM	125	CM	84 LEVEL CM	3620,1420 litre	29,500 %	8651,7043 litre	O
250	CM	125	CM	83 LEVEL CM	3561,1873 litre	29,019 %	8710,6590 litre	O
250	CM	125	CM	82 LEVEL CM	3502,4109 litre	28,540 %	8769,4354 litre	O
250	CM	125	CM	81 LEVEL CM	3443,8177 litre	28,063 %	8828,0286 litre	O
250	CM	125	CM	80 LEVEL CM	3385,4125 litre	27,587 %	8886,4338 litre	O
250	CM	125	CM	79 LEVEL CM	3327,2003 litre	27,112 %	8944,6460 litre	O
250	CM	125	CM	78 LEVEL CM	3269,1860 litre	26,640 %	9002,6603 litre	O
250	CM	125	CM	77 LEVEL CM	3211,3745 litre	26,169 %	9060,4718 litre	O
250	CM	125	CM	76 LEVEL CM	3153,7710 litre	25,699 %	9118,0753 litre	O
250	CM	125	CM	75 LEVEL CM	3096,3806 litre	25,232 %	9175,4657 litre	O
250	CM	125	CM	74 LEVEL CM	3039,2083 litre	24,766 %	9232,6380 litre	O
250	CM	125	CM	73 LEVEL CM	2982,2596 litre	24,302 %	9289,5867 litre	O
250	CM	125	CM	72 LEVEL CM	2925,5395 litre	23,839 %	9346,3068 litre	O
250	CM	125	CM	71 LEVEL CM	2869,0536 litre	23,379 %	9402,7927 litre	O
250	CM	125	CM	70 LEVEL CM	2812,8072 litre	22,921 %	9459,0391 litre	O
250	CM	125	CM	69 LEVEL CM	2756,8057 litre	22,464 %	9515,0406 litre	O
250	CM	125	CM	68 LEVEL CM	2701,0548 litre	22,010 %	9570,7915 litre	O
250	CM	125	CM	67 LEVEL CM	2645,5601 litre	21,558 %	9626,2862 litre	O
250	CM	125	CM	66 LEVEL CM	2590,3274 litre	21,108 %	9681,5189 litre	O
250	CM	125	CM	65 LEVEL CM	2535,3623 litre	20,660 %	9736,4840 litre	O
250	CM	125	CM	64 LEVEL CM	2480,6708 litre	20,214 %	9791,1755 litre	O
250	CM	125	CM	63 LEVEL CM	2426,2588 litre	19,771 %	9845,5875 litre	O
250	CM	125	CM	62 LEVEL CM	2372,1325 litre	19,330 %	9899,7138 litre	O
250	CM	125	CM	61 LEVEL CM	2318,2979 litre	18,891 %	9953,5484 litre	O
250	CM	125	CM	60 LEVEL CM	2264,7614 litre	18,455 %	10007,0849 litre	O
250	CM	125	CM	59 LEVEL CM	2211,5293 litre	18,021 %	10060,3170 litre	O
250	CM	125	CM	58 LEVEL CM	2158,6080 litre	17,590 %	10113,2383 litre	O
250	CM	125	CM	57 LEVEL CM	2106,0043 litre	17,161 %	10165,8420 litre	O
250	CM	125	CM	56 LEVEL CM	2053,7246 litre	16,735 %	10218,1217 litre	O
250	CM	125	CM	55 LEVEL CM	2001,7760 litre	16,312 %	10270,0703 litre	O
250	CM	125	CM	54 LEVEL CM	1950,1654 litre	15,891 %	10321,6809 litre	O
250	CM	125	CM	53 LEVEL CM	1898,8999 litre	15,474 %	10372,9464 litre	O
250	CM	125	CM	52 LEVEL CM	1847,9866 litre	15,059 %	10423,8597 litre	O
250	CM	125	CM	51 LEVEL CM	1797,4332 litre	14,647 %	10474,4131 litre	O
250	CM	125	CM	50 LEVEL CM	1747,2469 litre	14,238 %	10524,5994 litre	O
250	CM	125	CM	49 LEVEL CM	1697,4358 litre	13,832 %	10574,4105 litre	O
250	CM	125	CM	48 LEVEL CM	1648,0075 litre	13,429 %	10623,8388 litre	O
250	CM	125	CM	47 LEVEL CM	1598,9702 litre	13,030 %	10672,8761 litre	O
250	CM	125	CM	46 LEVEL CM	1550,3322 litre	12,633 %	10721,5141 litre	O
250	CM	125	CM	45 LEVEL CM	1502,1020 litre	12,240 %	10769,7443 litre	O
250	CM	125	CM	44 LEVEL CM	1454,2883 litre	11,851 %	10817,5580 litre	O
250	CM	125	CM	43 LEVEL CM	1406,9000 litre	11,464 %	10864,9463 litre	O
250	CM	125	CM	42 LEVEL CM	1359,9463 litre	11,082 %	10911,9000 litre	O
250	CM	125	CM	41 LEVEL CM	1313,4366 litre	10,703 %	10958,4097 litre	O
250	CM	125	CM	40 LEVEL CM	1267,3807 litre	10,328 %	11004,4656 litre	O

250	CM	125	CM	39 LEVEL CM	1221,7885 litre	9,956 %	11050,0578 litre	O
250	CM	125	CM	38 LEVEL CM	1176,6703 litre	9,588 %	11095,1760 litre	O
250	CM	125	CM	37 LEVEL CM	1132,0369 litre	9,225 %	11139,8094 litre	O
250	CM	125	CM	36 LEVEL CM	1087,8991 litre	8,865 %	11183,9472 litre	O
250	CM	125	CM	35 LEVEL CM	1044,2683 litre	8,509 %	11227,5780 litre	O
250	CM	125	CM	34 LEVEL CM	1001,1563 litre	8,158 %	11270,6900 litre	O
250	CM	125	CM	33 LEVEL CM	958,5753 litre	7,811 %	11313,2710 litre	O
250	CM	125	CM	32 LEVEL CM	916,5379 litre	7,469 %	11355,3084 litre	O
250	CM	125	CM	31 LEVEL CM	875,0573 litre	7,131 %	11396,7890 litre	O
250	CM	125	CM	30 LEVEL CM	834,1472 litre	6,797 %	11437,6991 litre	O
250	CM	125	CM	29 LEVEL CM	793,8218 litre	6,469 %	11478,0245 litre	O
250	CM	125	CM	28 LEVEL CM	754,0960 litre	6,145 %	11517,7503 litre	O
250	CM	125	CM	27 LEVEL CM	714,9855 litre	5,826 %	11556,8608 litre	O
250	CM	125	CM	26 LEVEL CM	676,5065 litre	5,513 %	11595,3398 litre	O
250	CM	125	CM	25 LEVEL CM	638,6762 litre	5,204 %	11633,1701 litre	O
250	CM	125	CM	24 LEVEL CM	601,5127 litre	4,902 %	11670,3336 litre	O
250	CM	125	CM	23 LEVEL CM	565,0349 litre	4,604 %	11706,8114 litre	O
250	CM	125	CM	22 LEVEL CM	529,2631 litre	4,313 %	11742,5832 litre	O
250	CM	125	CM	21 LEVEL CM	494,2185 litre	4,027 %	11777,6278 litre	O
250	CM	125	CM	20 LEVEL CM	459,9239 litre	3,748 %	11811,9224 litre	O
250	CM	125	CM	19 LEVEL CM	426,4036 litre	3,475 %	11845,4427 litre	O
250	CM	125	CM	18 LEVEL CM	393,6834 litre	3,208 %	11878,1629 litre	O
250	CM	125	CM	17 LEVEL CM	361,7913 litre	2,948 %	11910,0550 litre	O
250	CM	125	CM	16 LEVEL CM	330,7574 litre	2,695 %	11941,0889 litre	O
250	CM	125	CM	15 LEVEL CM	300,6144 litre	2,450 %	11971,2319 litre	O
250	CM	125	CM	14 LEVEL CM	271,3981 litre	2,212 %	12000,4482 litre	O
250	CM	125	CM	13 LEVEL CM	243,1477 litre	1,981 %	12028,6986 litre	O
250	CM	125	CM	12 LEVEL CM	215,9066 litre	1,759 %	12055,9397 litre	O
250	CM	125	CM	11 LEVEL CM	189,7232 litre	1,546 %	12082,1231 litre	O
250	CM	125	CM	10 LEVEL CM	164,6522 litre	1,342 %	12107,1941 litre	O
250	CM	125	CM	9 LEVEL CM	140,7556 litre	1,147 %	12131,0907 litre	O
250	CM	125	CM	8 LEVEL CM	118,1055 litre	0,962 %	12153,7408 litre	O
250	CM	125	CM	7 LEVEL CM	96,7863 litre	0,789 %	12175,0600 litre	O
250	CM	125	CM	6 LEVEL CM	76,8995 litre	0,627 %	12194,9468 litre	O
250	CM	125	CM	5 LEVEL CM	58,5707 litre	0,477 %	12213,2756 litre	O
250	CM	125	CM	4 LEVEL CM	41,9607 litre	0,342 %	12229,8856 litre	O
250	CM	125	CM	3 LEVEL CM	27,2873 litre	0,222 %	12244,5590 litre	O
250	CM	125	CM	2 LEVEL CM	14,8713 litre	0,121 %	12256,9750 litre	O
250	CM	125	CM	1 LEVEL CM	5,2641 litre	0,043 %	12266,5822 litre	O
250	CM	125	CM	0 LEVEL CM	0,0000 litre	0,000 %	12271,8463 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM 120	CM 240 LEVEL CM	11309,7336 litre	100,000 %	0,0000 litre	O
250	CM 120	CM 239 LEVEL CM	11304,5760 litre	99,954 %	5,1576 litre	O
250	CM 120	CM 238 LEVEL CM	11295,1642 litre	99,871 %	14,5694 litre	O
250	CM 120	CM 237 LEVEL CM	11283,0016 litre	99,764 %	26,7320 litre	O
250	CM 120	CM 236 LEVEL CM	11268,6289 litre	99,637 %	41,1047 litre	O
250	CM 120	CM 235 LEVEL CM	11252,3607 litre	99,493 %	57,3729 litre	O
250	CM 120	CM 234 LEVEL CM	11234,4107 litre	99,334 %	75,3229 litre	O
250	CM 120	CM 233 LEVEL CM	11214,9366 litre	99,162 %	94,7970 litre	O
250	CM 120	CM 232 LEVEL CM	11194,0616 litre	98,977 %	115,6720 litre	O
250	CM 120	CM 231 LEVEL CM	11171,8854 litre	98,781 %	137,8482 litre	O
250	CM 120	CM 230 LEVEL CM	11148,4909 litre	98,574 %	161,2427 litre	O
250	CM 120	CM 229 LEVEL CM	11123,9489 litre	98,357 %	185,7847 litre	O
250	CM 120	CM 228 LEVEL CM	11098,3203 litre	98,131 %	211,4133 litre	O
250	CM 120	CM 227 LEVEL CM	11071,6589 litre	97,895 %	238,0747 litre	O
250	CM 120	CM 226 LEVEL CM	11044,0122 litre	97,651 %	265,7214 litre	O
250	CM 120	CM 225 LEVEL CM	11015,4229 litre	97,398 %	294,3107 litre	O
250	CM 120	CM 224 LEVEL CM	10985,9297 litre	97,137 %	323,8039 litre	O
250	CM 120	CM 223 LEVEL CM	10955,5676 litre	96,868 %	354,1660 litre	O
250	CM 120	CM 222 LEVEL CM	10924,3689 litre	96,593 %	385,3647 litre	O
250	CM 120	CM 221 LEVEL CM	10892,3632 litre	96,310 %	417,3704 litre	O
250	CM 120	CM 220 LEVEL CM	10859,5780 litre	96,020 %	450,1556 litre	O
250	CM 120	CM 219 LEVEL CM	10826,0389 litre	95,723 %	483,6947 litre	O
250	CM 120	CM 218 LEVEL CM	10791,7698 litre	95,420 %	517,9638 litre	O
250	CM 120	CM 217 LEVEL CM	10756,7930 litre	95,111 %	552,9406 litre	O
250	CM 120	CM 216 LEVEL CM	10721,1296 litre	94,796 %	588,6040 litre	O
250	CM 120	CM 215 LEVEL CM	10684,7994 litre	94,474 %	624,9342 litre	O
250	CM 120	CM 214 LEVEL CM	10647,8213 litre	94,147 %	661,9123 litre	O
250	CM 120	CM 213 LEVEL CM	10610,2130 litre	93,815 %	699,5206 litre	O
250	CM 120	CM 212 LEVEL CM	10571,9914 litre	93,477 %	737,7422 litre	O
250	CM 120	CM 211 LEVEL CM	10533,1728 litre	93,134 %	776,5608 litre	O
250	CM 120	CM 210 LEVEL CM	10493,7724 litre	92,785 %	815,9612 litre	O
250	CM 120	CM 209 LEVEL CM	10453,8050 litre	92,432 %	855,9286 litre	O
250	CM 120	CM 208 LEVEL CM	10413,2848 litre	92,074 %	896,4488 litre	O
250	CM 120	CM 207 LEVEL CM	10372,2251 litre	91,711 %	937,5085 litre	O
250	CM 120	CM 206 LEVEL CM	10330,6392 litre	91,343 %	979,0944 litre	O
250	CM 120	CM 205 LEVEL CM	10288,5393 litre	90,971 %	1021,1943 litre	O
250	CM 120	CM 204 LEVEL CM	10245,9377 litre	90,594 %	1063,7959 litre	O
250	CM 120	CM 203 LEVEL CM	10202,8460 litre	90,213 %	1106,8876 litre	O
250	CM 120	CM 202 LEVEL CM	10159,2754 litre	89,828 %	1150,4582 litre	O
250	CM 120	CM 201 LEVEL CM	10115,2368 litre	89,438 %	1194,4968 litre	O
250	CM 120	CM 200 LEVEL CM	10070,7407 litre	89,045 %	1238,9929 litre	O
250	CM 120	CM 199 LEVEL CM	10025,7974 litre	88,648 %	1283,9362 litre	O
250	CM 120	CM 198 LEVEL CM	9980,4168 litre	88,246 %	1329,3168 litre	O
250	CM 120	CM 197 LEVEL CM	9934,6085 litre	87,841 %	1375,1251 litre	O
250	CM 120	CM 196 LEVEL CM	9888,3818 litre	87,432 %	1421,3518 litre	O
250	CM 120	CM 195 LEVEL CM	9841,7460 litre	87,020 %	1467,9876 litre	O
250	CM 120	CM 194 LEVEL CM	9794,7098 litre	86,604 %	1515,0238 litre	O
250	CM 120	CM 193 LEVEL CM	9747,2819 litre	86,185 %	1562,4517 litre	O
250	CM 120	CM 192 LEVEL CM	9699,4708 litre	85,762 %	1610,2628 litre	O
250	CM 120	CM 191 LEVEL CM	9651,2846 litre	85,336 %	1658,4490 litre	O
250	CM 120	CM 190 LEVEL CM	9602,7315 litre	84,907 %	1707,0021 litre	O
250	CM 120	CM 189 LEVEL CM	9553,8193 litre	84,474 %	1755,9143 litre	O

250	CM	120	CM	188 LEVEL CM	9504,5556 litre	84,039 %	1805,1780 litre	O
250	CM	120	CM	187 LEVEL CM	9454,9481 litre	83,600 %	1854,7855 litre	O
250	CM	120	CM	186 LEVEL CM	9405,0040 litre	83,158 %	1904,7296 litre	O
250	CM	120	CM	185 LEVEL CM	9354,7307 litre	82,714 %	1955,0029 litre	O
250	CM	120	CM	184 LEVEL CM	9304,1352 litre	82,267 %	2005,5984 litre	O
250	CM	120	CM	183 LEVEL CM	9253,2244 litre	81,816 %	2056,5092 litre	O
250	CM	120	CM	182 LEVEL CM	9202,0052 litre	81,364 %	2107,7284 litre	O
250	CM	120	CM	181 LEVEL CM	9150,4842 litre	80,908 %	2159,2494 litre	O
250	CM	120	CM	180 LEVEL CM	9098,6681 litre	80,450 %	2211,0655 litre	O
250	CM	120	CM	179 LEVEL CM	9046,5633 litre	79,989 %	2263,1703 litre	O
250	CM	120	CM	178 LEVEL CM	8994,1762 litre	79,526 %	2315,5574 litre	O
250	CM	120	CM	177 LEVEL CM	8941,5130 litre	79,060 %	2368,2206 litre	O
250	CM	120	CM	176 LEVEL CM	8888,5799 litre	78,592 %	2421,1537 litre	O
250	CM	120	CM	175 LEVEL CM	8835,3830 litre	78,122 %	2474,3506 litre	O
250	CM	120	CM	174 LEVEL CM	8781,9283 litre	77,649 %	2527,8053 litre	O
250	CM	120	CM	173 LEVEL CM	8728,2215 litre	77,174 %	2581,5121 litre	O
250	CM	120	CM	172 LEVEL CM	8674,2687 litre	76,697 %	2635,4649 litre	O
250	CM	120	CM	171 LEVEL CM	8620,0754 litre	76,218 %	2689,6582 litre	O
250	CM	120	CM	170 LEVEL CM	8565,6473 litre	75,737 %	2744,0863 litre	O
250	CM	120	CM	169 LEVEL CM	8510,9901 litre	75,254 %	2798,7435 litre	O
250	CM	120	CM	168 LEVEL CM	8456,1092 litre	74,768 %	2853,6244 litre	O
250	CM	120	CM	167 LEVEL CM	8401,0101 litre	74,281 %	2908,7235 litre	O
250	CM	120	CM	166 LEVEL CM	8345,6981 litre	73,792 %	2964,0355 litre	O
250	CM	120	CM	165 LEVEL CM	8290,1787 litre	73,301 %	3019,5549 litre	O
250	CM	120	CM	164 LEVEL CM	8234,4569 litre	72,809 %	3075,2767 litre	O
250	CM	120	CM	163 LEVEL CM	8178,5381 litre	72,314 %	3131,1955 litre	O
250	CM	120	CM	162 LEVEL CM	8122,4274 litre	71,818 %	3187,3062 litre	O
250	CM	120	CM	161 LEVEL CM	8066,1298 litre	71,320 %	3243,6038 litre	O
250	CM	120	CM	160 LEVEL CM	8009,6505 litre	70,821 %	3300,0831 litre	O
250	CM	120	CM	159 LEVEL CM	7952,9944 litre	70,320 %	3356,7392 litre	O
250	CM	120	CM	158 LEVEL CM	7896,1665 litre	69,817 %	3413,5671 litre	O
250	CM	120	CM	157 LEVEL CM	7839,1716 litre	69,313 %	3470,5620 litre	O
250	CM	120	CM	156 LEVEL CM	7782,0147 litre	68,808 %	3527,7189 litre	O
250	CM	120	CM	155 LEVEL CM	7724,7005 litre	68,301 %	3585,0331 litre	O
250	CM	120	CM	154 LEVEL CM	7667,2339 litre	67,793 %	3642,4997 litre	O
250	CM	120	CM	153 LEVEL CM	7609,6195 litre	67,284 %	3700,1141 litre	O
250	CM	120	CM	152 LEVEL CM	7551,8621 litre	66,773 %	3757,8715 litre	O
250	CM	120	CM	151 LEVEL CM	7493,9664 litre	66,261 %	3815,7672 litre	O
250	CM	120	CM	150 LEVEL CM	7435,9369 litre	65,748 %	3873,7967 litre	O
250	CM	120	CM	149 LEVEL CM	7377,7784 litre	65,234 %	3931,9552 litre	O
250	CM	120	CM	148 LEVEL CM	7319,4953 litre	64,719 %	3990,2383 litre	O
250	CM	120	CM	147 LEVEL CM	7261,0923 litre	64,202 %	4048,6413 litre	O
250	CM	120	CM	146 LEVEL CM	7202,5738 litre	63,685 %	4107,1598 litre	O
250	CM	120	CM	145 LEVEL CM	7143,9443 litre	63,166 %	4165,7893 litre	O
250	CM	120	CM	144 LEVEL CM	7085,2083 litre	62,647 %	4224,5253 litre	O
250	CM	120	CM	143 LEVEL CM	7026,3703 litre	62,127 %	4283,3633 litre	O
250	CM	120	CM	142 LEVEL CM	6967,4346 litre	61,606 %	4342,2990 litre	O
250	CM	120	CM	141 LEVEL CM	6908,4057 litre	61,084 %	4401,3279 litre	O
250	CM	120	CM	140 LEVEL CM	6849,2878 litre	60,561 %	4460,4458 litre	O
250	CM	120	CM	139 LEVEL CM	6790,0855 litre	60,038 %	4519,6481 litre	O
250	CM	120	CM	138 LEVEL CM	6730,8030 litre	59,513 %	4578,9306 litre	O
250	CM	120	CM	137 LEVEL CM	6671,4446 litre	58,989 %	4638,2890 litre	O
250	CM	120	CM	136 LEVEL CM	6612,0147 litre	58,463 %	4697,7189 litre	O

250	CM	120	CM	135 LEVEL CM	6552,5175 litre	57,937 %	4757,2161 litre	O
250	CM	120	CM	134 LEVEL CM	6492,9573 litre	57,410 %	4816,7763 litre	O
250	CM	120	CM	133 LEVEL CM	6433,3384 litre	56,883 %	4876,3952 litre	O
250	CM	120	CM	132 LEVEL CM	6373,6650 litre	56,356 %	4936,0686 litre	O
250	CM	120	CM	131 LEVEL CM	6313,9413 litre	55,827 %	4995,7923 litre	O
250	CM	120	CM	130 LEVEL CM	6254,1716 litre	55,299 %	5055,5620 litre	O
250	CM	120	CM	129 LEVEL CM	6194,3601 litre	54,770 %	5115,3735 litre	O
250	CM	120	CM	128 LEVEL CM	6134,5110 litre	54,241 %	5175,2226 litre	O
250	CM	120	CM	127 LEVEL CM	6074,6285 litre	53,712 %	5235,1051 litre	O
250	CM	120	CM	126 LEVEL CM	6014,7167 litre	53,182 %	5295,0169 litre	O
250	CM	120	CM	125 LEVEL CM	5954,7799 litre	52,652 %	5354,9537 litre	O
250	CM	120	CM	124 LEVEL CM	5894,8223 litre	52,122 %	5414,9113 litre	O
250	CM	120	CM	123 LEVEL CM	5834,8480 litre	51,591 %	5474,8856 litre	O
250	CM	120	CM	122 LEVEL CM	5774,8612 litre	51,061 %	5534,8724 litre	O
250	CM	120	CM	121 LEVEL CM	5714,8661 litre	50,531 %	5594,8675 litre	O
250	CM	120	CM	120 LEVEL CM	5654,8668 litre	50,000 %	5654,8668 litre	O
250	CM	120	CM	119 LEVEL CM	5594,8675 litre	49,469 %	5714,8661 litre	O
250	CM	120	CM	118 LEVEL CM	5534,8723 litre	48,939 %	5774,8613 litre	O
250	CM	120	CM	117 LEVEL CM	5474,8855 litre	48,409 %	5834,8481 litre	O
250	CM	120	CM	116 LEVEL CM	5414,9112 litre	47,878 %	5894,8224 litre	O
250	CM	120	CM	115 LEVEL CM	5354,9536 litre	47,348 %	5954,7800 litre	O
250	CM	120	CM	114 LEVEL CM	5295,0168 litre	46,818 %	6014,7168 litre	O
250	CM	120	CM	113 LEVEL CM	5235,1051 litre	46,288 %	6074,6285 litre	O
250	CM	120	CM	112 LEVEL CM	5175,2226 litre	45,759 %	6134,5110 litre	O
250	CM	120	CM	111 LEVEL CM	5115,3735 litre	45,230 %	6194,3601 litre	O
250	CM	120	CM	110 LEVEL CM	5055,5619 litre	44,701 %	6254,1717 litre	O
250	CM	120	CM	109 LEVEL CM	4995,7923 litre	44,173 %	6313,9413 litre	O
250	CM	120	CM	108 LEVEL CM	4936,0686 litre	43,644 %	6373,6650 litre	O
250	CM	120	CM	107 LEVEL CM	4876,3952 litre	43,117 %	6433,3384 litre	O
250	CM	120	CM	106 LEVEL CM	4816,7762 litre	42,590 %	6492,9574 litre	O
250	CM	120	CM	105 LEVEL CM	4757,2161 litre	42,063 %	6552,5175 litre	O
250	CM	120	CM	104 LEVEL CM	4697,7189 litre	41,537 %	6612,0147 litre	O
250	CM	120	CM	103 LEVEL CM	4638,2889 litre	41,011 %	6671,4447 litre	O
250	CM	120	CM	102 LEVEL CM	4578,9306 litre	40,487 %	6730,8030 litre	O
250	CM	120	CM	101 LEVEL CM	4519,6480 litre	39,962 %	6790,0856 litre	O
250	CM	120	CM	100 LEVEL CM	4460,4457 litre	39,439 %	6849,2879 litre	O
250	CM	120	CM	99 LEVEL CM	4401,3279 litre	38,916 %	6908,4057 litre	O
250	CM	120	CM	98 LEVEL CM	4342,2990 litre	38,394 %	6967,4346 litre	O
250	CM	120	CM	97 LEVEL CM	4283,3633 litre	37,873 %	7026,3703 litre	O
250	CM	120	CM	96 LEVEL CM	4224,5252 litre	37,353 %	7085,2084 litre	O
250	CM	120	CM	95 LEVEL CM	4165,7892 litre	36,834 %	7143,9444 litre	O
250	CM	120	CM	94 LEVEL CM	4107,1598 litre	36,315 %	7202,5738 litre	O
250	CM	120	CM	93 LEVEL CM	4048,6412 litre	35,798 %	7261,0924 litre	O
250	CM	120	CM	92 LEVEL CM	3990,2382 litre	35,281 %	7319,4954 litre	O
250	CM	120	CM	91 LEVEL CM	3931,9551 litre	34,766 %	7377,7785 litre	O
250	CM	120	CM	90 LEVEL CM	3873,7966 litre	34,252 %	7435,9370 litre	O
250	CM	120	CM	89 LEVEL CM	3815,7672 litre	33,739 %	7493,9664 litre	O
250	CM	120	CM	88 LEVEL CM	3757,8714 litre	33,227 %	7551,8622 litre	O
250	CM	120	CM	87 LEVEL CM	3700,1141 litre	32,716 %	7609,6195 litre	O
250	CM	120	CM	86 LEVEL CM	3642,4997 litre	32,207 %	7667,2339 litre	O
250	CM	120	CM	85 LEVEL CM	3585,0331 litre	31,699 %	7724,7005 litre	O
250	CM	120	CM	84 LEVEL CM	3527,7189 litre	31,192 %	7782,0147 litre	O
250	CM	120	CM	83 LEVEL CM	3470,5620 litre	30,687 %	7839,1716 litre	O

250	CM	120	CM	82 LEVEL CM	3413,5671 litre	30,183 %	7896,1665 litre	O
250	CM	120	CM	81 LEVEL CM	3356,7392 litre	29,680 %	7952,9944 litre	O
250	CM	120	CM	80 LEVEL CM	3300,0831 litre	29,179 %	8009,6505 litre	O
250	CM	120	CM	79 LEVEL CM	3243,6037 litre	28,680 %	8066,1299 litre	O
250	CM	120	CM	78 LEVEL CM	3187,3062 litre	28,182 %	8122,4274 litre	O
250	CM	120	CM	77 LEVEL CM	3131,1955 litre	27,686 %	8178,5381 litre	O
250	CM	120	CM	76 LEVEL CM	3075,2766 litre	27,191 %	8234,4570 litre	O
250	CM	120	CM	75 LEVEL CM	3019,5549 litre	26,699 %	8290,1787 litre	O
250	CM	120	CM	74 LEVEL CM	2964,0354 litre	26,208 %	8345,6982 litre	O
250	CM	120	CM	73 LEVEL CM	2908,7234 litre	25,719 %	8401,0102 litre	O
250	CM	120	CM	72 LEVEL CM	2853,6243 litre	25,232 %	8456,1093 litre	O
250	CM	120	CM	71 LEVEL CM	2798,7434 litre	24,746 %	8510,9902 litre	O
250	CM	120	CM	70 LEVEL CM	2744,0862 litre	24,263 %	8565,6474 litre	O
250	CM	120	CM	69 LEVEL CM	2689,6582 litre	23,782 %	8620,0754 litre	O
250	CM	120	CM	68 LEVEL CM	2635,4649 litre	23,303 %	8674,2687 litre	O
250	CM	120	CM	67 LEVEL CM	2581,5120 litre	22,826 %	8728,2216 litre	O
250	CM	120	CM	66 LEVEL CM	2527,8053 litre	22,351 %	8781,9283 litre	O
250	CM	120	CM	65 LEVEL CM	2474,3505 litre	21,878 %	8835,3831 litre	O
250	CM	120	CM	64 LEVEL CM	2421,1536 litre	21,408 %	8888,5800 litre	O
250	CM	120	CM	63 LEVEL CM	2368,2206 litre	20,940 %	8941,5130 litre	O
250	CM	120	CM	62 LEVEL CM	2315,5574 litre	20,474 %	8994,1762 litre	O
250	CM	120	CM	61 LEVEL CM	2263,1703 litre	20,011 %	9046,5633 litre	O
250	CM	120	CM	60 LEVEL CM	2211,0655 litre	19,550 %	9098,6681 litre	O
250	CM	120	CM	59 LEVEL CM	2159,2493 litre	19,092 %	9150,4843 litre	O
250	CM	120	CM	58 LEVEL CM	2107,7284 litre	18,636 %	9202,0052 litre	O
250	CM	120	CM	57 LEVEL CM	2056,5092 litre	18,184 %	9253,2244 litre	O
250	CM	120	CM	56 LEVEL CM	2005,5984 litre	17,733 %	9304,1352 litre	O
250	CM	120	CM	55 LEVEL CM	1955,0028 litre	17,286 %	9354,7308 litre	O
250	CM	120	CM	54 LEVEL CM	1904,7295 litre	16,842 %	9405,0041 litre	O
250	CM	120	CM	53 LEVEL CM	1854,7855 litre	16,400 %	9454,9481 litre	O
250	CM	120	CM	52 LEVEL CM	1805,1779 litre	15,961 %	9504,5557 litre	O
250	CM	120	CM	51 LEVEL CM	1755,9143 litre	15,526 %	9553,8193 litre	O
250	CM	120	CM	50 LEVEL CM	1707,0021 litre	15,093 %	9602,7315 litre	O
250	CM	120	CM	49 LEVEL CM	1658,4489 litre	14,664 %	9651,2847 litre	O
250	CM	120	CM	48 LEVEL CM	1610,2628 litre	14,238 %	9699,4708 litre	O
250	CM	120	CM	47 LEVEL CM	1562,4516 litre	13,815 %	9747,2820 litre	O
250	CM	120	CM	46 LEVEL CM	1515,0238 litre	13,396 %	9794,7098 litre	O
250	CM	120	CM	45 LEVEL CM	1467,9876 litre	12,980 %	9841,7460 litre	O
250	CM	120	CM	44 LEVEL CM	1421,3517 litre	12,568 %	9888,3819 litre	O
250	CM	120	CM	43 LEVEL CM	1375,1251 litre	12,159 %	9934,6085 litre	O
250	CM	120	CM	42 LEVEL CM	1329,3168 litre	11,754 %	9980,4168 litre	O
250	CM	120	CM	41 LEVEL CM	1283,9361 litre	11,352 %	10025,7975 litre	O
250	CM	120	CM	40 LEVEL CM	1238,9928 litre	10,955 %	10070,7408 litre	O
250	CM	120	CM	39 LEVEL CM	1194,4968 litre	10,562 %	10115,2368 litre	O
250	CM	120	CM	38 LEVEL CM	1150,4582 litre	10,172 %	10159,2754 litre	O
250	CM	120	CM	37 LEVEL CM	1106,8876 litre	9,787 %	10202,8460 litre	O
250	CM	120	CM	36 LEVEL CM	1063,7958 litre	9,406 %	10245,9378 litre	O
250	CM	120	CM	35 LEVEL CM	1021,1942 litre	9,029 %	10288,5394 litre	O
250	CM	120	CM	34 LEVEL CM	979,0944 litre	8,657 %	10330,6392 litre	O
250	CM	120	CM	33 LEVEL CM	937,5084 litre	8,289 %	10372,2252 litre	O
250	CM	120	CM	32 LEVEL CM	896,4488 litre	7,926 %	10413,2848 litre	O
250	CM	120	CM	31 LEVEL CM	855,9285 litre	7,568 %	10453,8051 litre	O
250	CM	120	CM	30 LEVEL CM	815,9612 litre	7,215 %	10493,7724 litre	O

250	CM	120	CM	29 LEVEL CM	776,5608 litre	6,866 %	10533,1728 litre	O
250	CM	120	CM	28 LEVEL CM	737,7421 litre	6,523 %	10571,9915 litre	O
250	CM	120	CM	27 LEVEL CM	699,5206 litre	6,185 %	10610,2130 litre	O
250	CM	120	CM	26 LEVEL CM	661,9123 litre	5,853 %	10647,8213 litre	O
250	CM	120	CM	25 LEVEL CM	624,9342 litre	5,526 %	10684,7994 litre	O
250	CM	120	CM	24 LEVEL CM	588,6040 litre	5,204 %	10721,1296 litre	O
250	CM	120	CM	23 LEVEL CM	552,9406 litre	4,889 %	10756,7930 litre	O
250	CM	120	CM	22 LEVEL CM	517,9638 litre	4,580 %	10791,7698 litre	O
250	CM	120	CM	21 LEVEL CM	483,6947 litre	4,277 %	10826,0389 litre	O
250	CM	120	CM	20 LEVEL CM	450,1556 litre	3,980 %	10859,5780 litre	O
250	CM	120	CM	19 LEVEL CM	417,3704 litre	3,690 %	10892,3632 litre	O
250	CM	120	CM	18 LEVEL CM	385,3647 litre	3,407 %	10924,3689 litre	O
250	CM	120	CM	17 LEVEL CM	354,1660 litre	3,132 %	10955,5676 litre	O
250	CM	120	CM	16 LEVEL CM	323,8039 litre	2,863 %	10985,9297 litre	O
250	CM	120	CM	15 LEVEL CM	294,3106 litre	2,602 %	11015,4230 litre	O
250	CM	120	CM	14 LEVEL CM	265,7214 litre	2,349 %	11044,0122 litre	O
250	CM	120	CM	13 LEVEL CM	238,0747 litre	2,105 %	11071,6589 litre	O
250	CM	120	CM	12 LEVEL CM	211,4133 litre	1,869 %	11098,3203 litre	O
250	CM	120	CM	11 LEVEL CM	185,7847 litre	1,643 %	11123,9489 litre	O
250	CM	120	CM	10 LEVEL CM	161,2426 litre	1,426 %	11148,4910 litre	O
250	CM	120	CM	9 LEVEL CM	137,8482 litre	1,219 %	11171,8854 litre	O
250	CM	120	CM	8 LEVEL CM	115,6720 litre	1,023 %	11194,0616 litre	O
250	CM	120	CM	7 LEVEL CM	94,7970 litre	0,838 %	11214,9366 litre	O
250	CM	120	CM	6 LEVEL CM	75,3229 litre	0,666 %	11234,4107 litre	O
250	CM	120	CM	5 LEVEL CM	57,3728 litre	0,507 %	11252,3608 litre	O
250	CM	120	CM	4 LEVEL CM	41,1046 litre	0,363 %	11268,6290 litre	O
250	CM	120	CM	3 LEVEL CM	26,7320 litre	0,236 %	11283,0016 litre	O
250	CM	120	CM	2 LEVEL CM	14,5694 litre	0,129 %	11295,1642 litre	O
250	CM	120	CM	1 LEVEL CM	5,1575 litre	0,046 %	11304,5761 litre	O
250	CM	120	CM	0 LEVEL CM	0,0000 litre	0,000 %	11309,7336 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
250	CM	115	CM	230 LEVEL CM	10386,8907 litre	100,000 %	0,0000 litre	O
250	CM	115	CM	229 LEVEL CM	10381,8421 litre	99,951 %	5,0486 litre	O
250	CM	115	CM	228 LEVEL CM	10372,6297 litre	99,863 %	14,2610 litre	O
250	CM	115	CM	227 LEVEL CM	10360,7259 litre	99,748 %	26,1648 litre	O
250	CM	115	CM	226 LEVEL CM	10346,6604 litre	99,613 %	40,2303 litre	O
250	CM	115	CM	225 LEVEL CM	10330,7413 litre	99,459 %	56,1494 litre	O
250	CM	115	CM	224 LEVEL CM	10313,1782 litre	99,290 %	73,7125 litre	O
250	CM	115	CM	223 LEVEL CM	10294,1257 litre	99,107 %	92,7650 litre	O
250	CM	115	CM	222 LEVEL CM	10273,7046 litre	98,910 %	113,1861 litre	O
250	CM	115	CM	221 LEVEL CM	10252,0126 litre	98,701 %	134,8781 litre	O
250	CM	115	CM	220 LEVEL CM	10229,1313 litre	98,481 %	157,7594 litre	O
250	CM	115	CM	219 LEVEL CM	10205,1299 litre	98,250 %	181,7608 litre	O
250	CM	115	CM	218 LEVEL CM	10180,0684 litre	98,009 %	206,8223 litre	O
250	CM	115	CM	217 LEVEL CM	10153,9995 litre	97,758 %	232,8912 litre	O
250	CM	115	CM	216 LEVEL CM	10126,9700 litre	97,498 %	259,9207 litre	O
250	CM	115	CM	215 LEVEL CM	10099,0219 litre	97,229 %	287,8688 litre	O
250	CM	115	CM	214 LEVEL CM	10070,1930 litre	96,951 %	316,6977 litre	O
250	CM	115	CM	213 LEVEL CM	10040,5179 litre	96,665 %	346,3728 litre	O
250	CM	115	CM	212 LEVEL CM	10010,0284 litre	96,372 %	376,8623 litre	O
250	CM	115	CM	211 LEVEL CM	9978,7535 litre	96,071 %	408,1372 litre	O
250	CM	115	CM	210 LEVEL CM	9946,7204 litre	95,762 %	440,1703 litre	O
250	CM	115	CM	209 LEVEL CM	9913,9542 litre	95,447 %	472,9365 litre	O
250	CM	115	CM	208 LEVEL CM	9880,4784 litre	95,125 %	506,4123 litre	O
250	CM	115	CM	207 LEVEL CM	9846,3152 litre	94,796 %	540,5755 litre	O
250	CM	115	CM	206 LEVEL CM	9811,4851 litre	94,460 %	575,4056 litre	O
250	CM	115	CM	205 LEVEL CM	9776,0079 litre	94,119 %	610,8828 litre	O
250	CM	115	CM	204 LEVEL CM	9739,9020 litre	93,771 %	646,9887 litre	O
250	CM	115	CM	203 LEVEL CM	9703,1851 litre	93,418 %	683,7056 litre	O
250	CM	115	CM	202 LEVEL CM	9665,8737 litre	93,058 %	721,0170 litre	O
250	CM	115	CM	201 LEVEL CM	9627,9839 litre	92,694 %	758,9068 litre	O
250	CM	115	CM	200 LEVEL CM	9589,5308 litre	92,323 %	797,3599 litre	O
250	CM	115	CM	199 LEVEL CM	9550,5289 litre	91,948 %	836,3618 litre	O
250	CM	115	CM	198 LEVEL CM	9510,9923 litre	91,567 %	875,8984 litre	O
250	CM	115	CM	197 LEVEL CM	9470,9343 litre	91,182 %	915,9564 litre	O
250	CM	115	CM	196 LEVEL CM	9430,3678 litre	90,791 %	956,5229 litre	O
250	CM	115	CM	195 LEVEL CM	9389,3050 litre	90,396 %	997,5857 litre	O
250	CM	115	CM	194 LEVEL CM	9347,7581 litre	89,996 %	1039,1326 litre	O
250	CM	115	CM	193 LEVEL CM	9305,7385 litre	89,591 %	1081,1522 litre	O
250	CM	115	CM	192 LEVEL CM	9263,2573 litre	89,182 %	1123,6334 litre	O
250	CM	115	CM	191 LEVEL CM	9220,3254 litre	88,769 %	1166,5653 litre	O
250	CM	115	CM	190 LEVEL CM	9176,9532 litre	88,351 %	1209,9375 litre	O
250	CM	115	CM	189 LEVEL CM	9133,1508 litre	87,930 %	1253,7399 litre	O
250	CM	115	CM	188 LEVEL CM	9088,9280 litre	87,504 %	1297,9627 litre	O
250	CM	115	CM	187 LEVEL CM	9044,2945 litre	87,074 %	1342,5962 litre	O
250	CM	115	CM	186 LEVEL CM	8999,2594 litre	86,641 %	1387,6313 litre	O
250	CM	115	CM	185 LEVEL CM	8953,8320 litre	86,203 %	1433,0587 litre	O
250	CM	115	CM	184 LEVEL CM	8908,0209 litre	85,762 %	1478,8698 litre	O
250	CM	115	CM	183 LEVEL CM	8861,8348 litre	85,317 %	1525,0559 litre	O
250	CM	115	CM	182 LEVEL CM	8815,2821 litre	84,869 %	1571,6086 litre	O
250	CM	115	CM	181 LEVEL CM	8768,3709 litre	84,418 %	1618,5198 litre	O
250	CM	115	CM	180 LEVEL CM	8721,1094 litre	83,963 %	1665,7813 litre	O
250	CM	115	CM	179 LEVEL CM	8673,5052 litre	83,504 %	1713,3855 litre	O

250	CM 115	CM	178 LEVEL CM	8625,5661 litre	83,043 %	1761,3246 litre	O
250	CM 115	CM	177 LEVEL CM	8577,2996 litre	82,578 %	1809,5911 litre	O
250	CM 115	CM	176 LEVEL CM	8528,7129 litre	82,110 %	1858,1778 litre	O
250	CM 115	CM	175 LEVEL CM	8479,8135 litre	81,640 %	1907,0772 litre	O
250	CM 115	CM	174 LEVEL CM	8430,6082 litre	81,166 %	1956,2825 litre	O
250	CM 115	CM	173 LEVEL CM	8381,1041 litre	80,689 %	2005,7866 litre	O
250	CM 115	CM	172 LEVEL CM	8331,3079 litre	80,210 %	2055,5828 litre	O
250	CM 115	CM	171 LEVEL CM	8281,2263 litre	79,728 %	2105,6644 litre	O
250	CM 115	CM	170 LEVEL CM	8230,8660 litre	79,243 %	2156,0247 litre	O
250	CM 115	CM	169 LEVEL CM	8180,2334 litre	78,755 %	2206,6573 litre	O
250	CM 115	CM	168 LEVEL CM	8129,3349 litre	78,265 %	2257,5558 litre	O
250	CM 115	CM	167 LEVEL CM	8078,1767 litre	77,773 %	2308,7140 litre	O
250	CM 115	CM	166 LEVEL CM	8026,7650 litre	77,278 %	2360,1257 litre	O
250	CM 115	CM	165 LEVEL CM	7975,1059 litre	76,780 %	2411,7848 litre	O
250	CM 115	CM	164 LEVEL CM	7923,2054 litre	76,281 %	2463,6853 litre	O
250	CM 115	CM	163 LEVEL CM	7871,0694 litre	75,779 %	2515,8213 litre	O
250	CM 115	CM	162 LEVEL CM	7818,7038 litre	75,275 %	2568,1869 litre	O
250	CM 115	CM	161 LEVEL CM	7766,1142 litre	74,768 %	2620,7765 litre	O
250	CM 115	CM	160 LEVEL CM	7713,3064 litre	74,260 %	2673,5843 litre	O
250	CM 115	CM	159 LEVEL CM	7660,2860 litre	73,750 %	2726,6047 litre	O
250	CM 115	CM	158 LEVEL CM	7607,0585 litre	73,237 %	2779,8322 litre	O
250	CM 115	CM	157 LEVEL CM	7553,6295 litre	72,723 %	2833,2612 litre	O
250	CM 115	CM	156 LEVEL CM	7500,0043 litre	72,206 %	2886,8864 litre	O
250	CM 115	CM	155 LEVEL CM	7446,1883 litre	71,688 %	2940,7024 litre	O
250	CM 115	CM	154 LEVEL CM	7392,1867 litre	71,168 %	2994,7040 litre	O
250	CM 115	CM	153 LEVEL CM	7338,0050 litre	70,647 %	3048,8857 litre	O
250	CM 115	CM	152 LEVEL CM	7283,6482 litre	70,123 %	3103,2425 litre	O
250	CM 115	CM	151 LEVEL CM	7229,1214 litre	69,599 %	3157,7693 litre	O
250	CM 115	CM	150 LEVEL CM	7174,4299 litre	69,072 %	3212,4608 litre	O
250	CM 115	CM	149 LEVEL CM	7119,5786 litre	68,544 %	3267,3121 litre	O
250	CM 115	CM	148 LEVEL CM	7064,5725 litre	68,014 %	3322,3182 litre	O
250	CM 115	CM	147 LEVEL CM	7009,4167 litre	67,483 %	3377,4740 litre	O
250	CM 115	CM	146 LEVEL CM	6954,1160 litre	66,951 %	3432,7747 litre	O
250	CM 115	CM	145 LEVEL CM	6898,6754 litre	66,417 %	3488,2153 litre	O
250	CM 115	CM	144 LEVEL CM	6843,0996 litre	65,882 %	3543,7911 litre	O
250	CM 115	CM	143 LEVEL CM	6787,3936 litre	65,346 %	3599,4971 litre	O
250	CM 115	CM	142 LEVEL CM	6731,5620 litre	64,808 %	3655,3287 litre	O
250	CM 115	CM	141 LEVEL CM	6675,6096 litre	64,270 %	3711,2811 litre	O
250	CM 115	CM	140 LEVEL CM	6619,5412 litre	63,730 %	3767,3495 litre	O
250	CM 115	CM	139 LEVEL CM	6563,3615 litre	63,189 %	3823,5292 litre	O
250	CM 115	CM	138 LEVEL CM	6507,0750 litre	62,647 %	3879,8157 litre	O
250	CM 115	CM	137 LEVEL CM	6450,6865 litre	62,104 %	3936,2042 litre	O
250	CM 115	CM	136 LEVEL CM	6394,2005 litre	61,560 %	3992,6902 litre	O
250	CM 115	CM	135 LEVEL CM	6337,6217 litre	61,016 %	4049,2690 litre	O
250	CM 115	CM	134 LEVEL CM	6280,9545 litre	60,470 %	4105,9362 litre	O
250	CM 115	CM	133 LEVEL CM	6224,2036 litre	59,924 %	4162,6871 litre	O
250	CM 115	CM	132 LEVEL CM	6167,3734 litre	59,377 %	4219,5173 litre	O
250	CM 115	CM	131 LEVEL CM	6110,4686 litre	58,829 %	4276,4221 litre	O
250	CM 115	CM	130 LEVEL CM	6053,4934 litre	58,280 %	4333,3973 litre	O
250	CM 115	CM	129 LEVEL CM	5996,4525 litre	57,731 %	4390,4382 litre	O
250	CM 115	CM	128 LEVEL CM	5939,3503 litre	57,181 %	4447,5404 litre	O
250	CM 115	CM	127 LEVEL CM	5882,1911 litre	56,631 %	4504,6996 litre	O
250	CM 115	CM	126 LEVEL CM	5824,9795 litre	56,080 %	4561,9112 litre	O

250	CM 115	CM	125 LEVEL CM	5767,7199 litre	55,529 %	4619,1708 litre	O
250	CM 115	CM	124 LEVEL CM	5710,4166 litre	54,977 %	4676,4741 litre	O
250	CM 115	CM	123 LEVEL CM	5653,0741 litre	54,425 %	4733,8166 litre	O
250	CM 115	CM	122 LEVEL CM	5595,6967 litre	53,873 %	4791,1940 litre	O
250	CM 115	CM	121 LEVEL CM	5538,2888 litre	53,320 %	4848,6019 litre	O
250	CM 115	CM	120 LEVEL CM	5480,8548 litre	52,767 %	4906,0359 litre	O
250	CM 115	CM	119 LEVEL CM	5423,3990 litre	52,214 %	4963,4917 litre	O
250	CM 115	CM	118 LEVEL CM	5365,9258 litre	51,661 %	5020,9649 litre	O
250	CM 115	CM	117 LEVEL CM	5308,4396 litre	51,107 %	5078,4511 litre	O
250	CM 115	CM	116 LEVEL CM	5250,9446 litre	50,554 %	5135,9461 litre	O
250	CM 115	CM	115 LEVEL CM	5193,4454 litre	50,000 %	5193,4453 litre	O
250	CM 115	CM	114 LEVEL CM	5135,9461 litre	49,446 %	5250,9446 litre	O
250	CM 115	CM	113 LEVEL CM	5078,4512 litre	48,893 %	5308,4395 litre	O
250	CM 115	CM	112 LEVEL CM	5020,9649 litre	48,339 %	5365,9258 litre	O
250	CM 115	CM	111 LEVEL CM	4963,4917 litre	47,786 %	5423,3990 litre	O
250	CM 115	CM	110 LEVEL CM	4906,0360 litre	47,233 %	5480,8547 litre	O
250	CM 115	CM	109 LEVEL CM	4848,6019 litre	46,680 %	5538,2888 litre	O
250	CM 115	CM	108 LEVEL CM	4791,1940 litre	46,127 %	5595,6967 litre	O
250	CM 115	CM	107 LEVEL CM	4733,8166 litre	45,575 %	5653,0741 litre	O
250	CM 115	CM	106 LEVEL CM	4676,4741 litre	45,023 %	5710,4166 litre	O
250	CM 115	CM	105 LEVEL CM	4619,1708 litre	44,471 %	5767,7199 litre	O
250	CM 115	CM	104 LEVEL CM	4561,9112 litre	43,920 %	5824,9795 litre	O
250	CM 115	CM	103 LEVEL CM	4504,6996 litre	43,369 %	5882,1911 litre	O
250	CM 115	CM	102 LEVEL CM	4447,5405 litre	42,819 %	5939,3502 litre	O
250	CM 115	CM	101 LEVEL CM	4390,4382 litre	42,269 %	5996,4525 litre	O
250	CM 115	CM	100 LEVEL CM	4333,3973 litre	41,720 %	6053,4934 litre	O
250	CM 115	CM	99 LEVEL CM	4276,4221 litre	41,171 %	6110,4686 litre	O
250	CM 115	CM	98 LEVEL CM	4219,5173 litre	40,623 %	6167,3734 litre	O
250	CM 115	CM	97 LEVEL CM	4162,6871 litre	40,076 %	6224,2036 litre	O
250	CM 115	CM	96 LEVEL CM	4105,9362 litre	39,530 %	6280,9545 litre	O
250	CM 115	CM	95 LEVEL CM	4049,2690 litre	38,984 %	6337,6217 litre	O
250	CM 115	CM	94 LEVEL CM	3992,6902 litre	38,440 %	6394,2005 litre	O
250	CM 115	CM	93 LEVEL CM	3936,2042 litre	37,896 %	6450,6865 litre	O
250	CM 115	CM	92 LEVEL CM	3879,8157 litre	37,353 %	6507,0750 litre	O
250	CM 115	CM	91 LEVEL CM	3823,5292 litre	36,811 %	6563,3615 litre	O
250	CM 115	CM	90 LEVEL CM	3767,3495 litre	36,270 %	6619,5412 litre	O
250	CM 115	CM	89 LEVEL CM	3711,2811 litre	35,730 %	6675,6096 litre	O
250	CM 115	CM	88 LEVEL CM	3655,3287 litre	35,192 %	6731,5620 litre	O
250	CM 115	CM	87 LEVEL CM	3599,4971 litre	34,654 %	6787,3936 litre	O
250	CM 115	CM	86 LEVEL CM	3543,7911 litre	34,118 %	6843,0996 litre	O
250	CM 115	CM	85 LEVEL CM	3488,2153 litre	33,583 %	6898,6754 litre	O
250	CM 115	CM	84 LEVEL CM	3432,7747 litre	33,049 %	6954,1160 litre	O
250	CM 115	CM	83 LEVEL CM	3377,4740 litre	32,517 %	7009,4167 litre	O
250	CM 115	CM	82 LEVEL CM	3322,3182 litre	31,986 %	7064,5725 litre	O
250	CM 115	CM	81 LEVEL CM	3267,3121 litre	31,456 %	7119,5786 litre	O
250	CM 115	CM	80 LEVEL CM	3212,4608 litre	30,928 %	7174,4299 litre	O
250	CM 115	CM	79 LEVEL CM	3157,7693 litre	30,401 %	7229,1214 litre	O
250	CM 115	CM	78 LEVEL CM	3103,2426 litre	29,877 %	7283,6481 litre	O
250	CM 115	CM	77 LEVEL CM	3048,8857 litre	29,353 %	7338,0050 litre	O
250	CM 115	CM	76 LEVEL CM	2994,7040 litre	28,832 %	7392,1867 litre	O
250	CM 115	CM	75 LEVEL CM	2940,7025 litre	28,312 %	7446,1882 litre	O
250	CM 115	CM	74 LEVEL CM	2886,8864 litre	27,794 %	7500,0043 litre	O
250	CM 115	CM	73 LEVEL CM	2833,2612 litre	27,277 %	7553,6295 litre	O

250	CM 115	CM	72 LEVEL CM	2779,8322 litre	26,763 %	7607,0585 litre	O
250	CM 115	CM	71 LEVEL CM	2726,6047 litre	26,250 %	7660,2860 litre	O
250	CM 115	CM	70 LEVEL CM	2673,5843 litre	25,740 %	7713,3064 litre	O
250	CM 115	CM	69 LEVEL CM	2620,7765 litre	25,232 %	7766,1142 litre	O
250	CM 115	CM	68 LEVEL CM	2568,1869 litre	24,725 %	7818,7038 litre	O
250	CM 115	CM	67 LEVEL CM	2515,8213 litre	24,221 %	7871,0694 litre	O
250	CM 115	CM	66 LEVEL CM	2463,6853 litre	23,719 %	7923,2054 litre	O
250	CM 115	CM	65 LEVEL CM	2411,7848 litre	23,220 %	7975,1059 litre	O
250	CM 115	CM	64 LEVEL CM	2360,1257 litre	22,722 %	8026,7650 litre	O
250	CM 115	CM	63 LEVEL CM	2308,7140 litre	22,227 %	8078,1767 litre	O
250	CM 115	CM	62 LEVEL CM	2257,5558 litre	21,735 %	8129,3349 litre	O
250	CM 115	CM	61 LEVEL CM	2206,6573 litre	21,245 %	8180,2334 litre	O
250	CM 115	CM	60 LEVEL CM	2156,0247 litre	20,757 %	8230,8660 litre	O
250	CM 115	CM	59 LEVEL CM	2105,6644 litre	20,272 %	8281,2263 litre	O
250	CM 115	CM	58 LEVEL CM	2055,5828 litre	19,790 %	8331,3079 litre	O
250	CM 115	CM	57 LEVEL CM	2005,7867 litre	19,311 %	8381,1040 litre	O
250	CM 115	CM	56 LEVEL CM	1956,2825 litre	18,834 %	8430,6082 litre	O
250	CM 115	CM	55 LEVEL CM	1907,0772 litre	18,360 %	8479,8135 litre	O
250	CM 115	CM	54 LEVEL CM	1858,1778 litre	17,890 %	8528,7129 litre	O
250	CM 115	CM	53 LEVEL CM	1809,5912 litre	17,422 %	8577,2995 litre	O
250	CM 115	CM	52 LEVEL CM	1761,3246 litre	16,957 %	8625,5661 litre	O
250	CM 115	CM	51 LEVEL CM	1713,3855 litre	16,496 %	8673,5052 litre	O
250	CM 115	CM	50 LEVEL CM	1665,7814 litre	16,037 %	8721,1093 litre	O
250	CM 115	CM	49 LEVEL CM	1618,5198 litre	15,582 %	8768,3709 litre	O
250	CM 115	CM	48 LEVEL CM	1571,6086 litre	15,131 %	8815,2821 litre	O
250	CM 115	CM	47 LEVEL CM	1525,0559 litre	14,683 %	8861,8348 litre	O
250	CM 115	CM	46 LEVEL CM	1478,8698 litre	14,238 %	8908,0209 litre	O
250	CM 115	CM	45 LEVEL CM	1433,0587 litre	13,797 %	8953,8320 litre	O
250	CM 115	CM	44 LEVEL CM	1387,6313 litre	13,359 %	8999,2594 litre	O
250	CM 115	CM	43 LEVEL CM	1342,5963 litre	12,926 %	9044,2944 litre	O
250	CM 115	CM	42 LEVEL CM	1297,9627 litre	12,496 %	9088,9280 litre	O
250	CM 115	CM	41 LEVEL CM	1253,7400 litre	12,070 %	9133,1507 litre	O
250	CM 115	CM	40 LEVEL CM	1209,9375 litre	11,649 %	9176,9532 litre	O
250	CM 115	CM	39 LEVEL CM	1166,5653 litre	11,231 %	9220,3254 litre	O
250	CM 115	CM	38 LEVEL CM	1123,6334 litre	10,818 %	9263,2573 litre	O
250	CM 115	CM	37 LEVEL CM	1081,1522 litre	10,409 %	9305,7385 litre	O
250	CM 115	CM	36 LEVEL CM	1039,1326 litre	10,004 %	9347,7581 litre	O
250	CM 115	CM	35 LEVEL CM	997,5857 litre	9,604 %	9389,3050 litre	O
250	CM 115	CM	34 LEVEL CM	956,5229 litre	9,209 %	9430,3678 litre	O
250	CM 115	CM	33 LEVEL CM	915,9564 litre	8,818 %	9470,9343 litre	O
250	CM 115	CM	32 LEVEL CM	875,8984 litre	8,433 %	9510,9923 litre	O
250	CM 115	CM	31 LEVEL CM	836,3618 litre	8,052 %	9550,5289 litre	O
250	CM 115	CM	30 LEVEL CM	797,3599 litre	7,677 %	9589,5308 litre	O
250	CM 115	CM	29 LEVEL CM	758,9068 litre	7,306 %	9627,9839 litre	O
250	CM 115	CM	28 LEVEL CM	721,0170 litre	6,942 %	9665,8737 litre	O
250	CM 115	CM	27 LEVEL CM	683,7056 litre	6,582 %	9703,1851 litre	O
250	CM 115	CM	26 LEVEL CM	646,9887 litre	6,229 %	9739,9020 litre	O
250	CM 115	CM	25 LEVEL CM	610,8828 litre	5,881 %	9776,0079 litre	O
250	CM 115	CM	24 LEVEL CM	575,4056 litre	5,540 %	9811,4851 litre	O
250	CM 115	CM	23 LEVEL CM	540,5755 litre	5,204 %	9846,3152 litre	O
250	CM 115	CM	22 LEVEL CM	506,4123 litre	4,875 %	9880,4784 litre	O
250	CM 115	CM	21 LEVEL CM	472,9365 litre	4,553 %	9913,9542 litre	O
250	CM 115	CM	20 LEVEL CM	440,1703 litre	4,238 %	9946,7204 litre	O

250	CM	115	CM	19 LEVEL CM	408,1372 litre	3,929 %	9978,7535 litre	O
250	CM	115	CM	18 LEVEL CM	376,8624 litre	3,628 %	10010,0283 litre	O
250	CM	115	CM	17 LEVEL CM	346,3728 litre	3,335 %	10040,5179 litre	O
250	CM	115	CM	16 LEVEL CM	316,6977 litre	3,049 %	10070,1930 litre	O
250	CM	115	CM	15 LEVEL CM	287,8688 litre	2,771 %	10099,0219 litre	O
250	CM	115	CM	14 LEVEL CM	259,9207 litre	2,502 %	10126,9700 litre	O
250	CM	115	CM	13 LEVEL CM	232,8912 litre	2,242 %	10153,9995 litre	O
250	CM	115	CM	12 LEVEL CM	206,8223 litre	1,991 %	10180,0684 litre	O
250	CM	115	CM	11 LEVEL CM	181,7609 litre	1,750 %	10205,1298 litre	O
250	CM	115	CM	10 LEVEL CM	157,7594 litre	1,519 %	10229,1313 litre	O
250	CM	115	CM	9 LEVEL CM	134,8781 litre	1,299 %	10252,0126 litre	O
250	CM	115	CM	8 LEVEL CM	113,1861 litre	1,090 %	10273,7046 litre	O
250	CM	115	CM	7 LEVEL CM	92,7650 litre	0,893 %	10294,1257 litre	O
250	CM	115	CM	6 LEVEL CM	73,7125 litre	0,710 %	10313,1782 litre	O
250	CM	115	CM	5 LEVEL CM	56,1494 litre	0,541 %	10330,7413 litre	O
250	CM	115	CM	4 LEVEL CM	40,2303 litre	0,387 %	10346,6604 litre	O
250	CM	115	CM	3 LEVEL CM	26,1648 litre	0,252 %	10360,7259 litre	O
250	CM	115	CM	2 LEVEL CM	14,2610 litre	0,137 %	10372,6297 litre	O
250	CM	115	CM	1 LEVEL CM	5,0487 litre	0,049 %	10381,8420 litre	O
250	CM	115	CM	0 LEVEL CM	0,0000 litre	0,000 %	10386,8907 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM	110	CM 220 LEVEL CM	9503,3178 litre	100,000 %	0,0000 litre	O
250	CM	110	CM 219 LEVEL CM	9498,3804 litre	99,948 %	4,9374 litre	O
250	CM	110	CM 218 LEVEL CM	9489,3719 litre	99,853 %	13,9459 litre	O
250	CM	110	CM 217 LEVEL CM	9477,7327 litre	99,731 %	25,5851 litre	O
250	CM	110	CM 216 LEVEL CM	9463,9812 litre	99,586 %	39,3366 litre	O
250	CM	110	CM 215 LEVEL CM	9448,4191 litre	99,422 %	54,8987 litre	O
250	CM	110	CM 214 LEVEL CM	9431,2516 litre	99,242 %	72,0662 litre	O
250	CM	110	CM 213 LEVEL CM	9412,6302 litre	99,046 %	90,6876 litre	O
250	CM	110	CM 212 LEVEL CM	9392,6733 litre	98,836 %	110,6445 litre	O
250	CM	110	CM 211 LEVEL CM	9371,4767 litre	98,613 %	131,8411 litre	O
250	CM	110	CM 210 LEVEL CM	9349,1202 litre	98,377 %	154,1976 litre	O
250	CM	110	CM 209 LEVEL CM	9325,6719 litre	98,131 %	177,6459 litre	O
250	CM	110	CM 208 LEVEL CM	9301,1906 litre	97,873 %	202,1272 litre	O
250	CM	110	CM 207 LEVEL CM	9275,7281 litre	97,605 %	227,5897 litre	O
250	CM	110	CM 206 LEVEL CM	9249,3303 litre	97,327 %	253,9875 litre	O
250	CM	110	CM 205 LEVEL CM	9222,0383 litre	97,040 %	281,2795 litre	O
250	CM	110	CM 204 LEVEL CM	9193,8894 litre	96,744 %	309,4284 litre	O
250	CM	110	CM 203 LEVEL CM	9164,9177 litre	96,439 %	338,4001 litre	O
250	CM	110	CM 202 LEVEL CM	9135,1541 litre	96,126 %	368,1637 litre	O
250	CM	110	CM 201 LEVEL CM	9104,6276 litre	95,805 %	398,6902 litre	O
250	CM	110	CM 200 LEVEL CM	9073,3646 litre	95,476 %	429,9532 litre	O
250	CM	110	CM 199 LEVEL CM	9041,3900 litre	95,139 %	461,9278 litre	O
250	CM	110	CM 198 LEVEL CM	9008,7269 litre	94,796 %	494,5909 litre	O
250	CM	110	CM 197 LEVEL CM	8975,3970 litre	94,445 %	527,9208 litre	O
250	CM	110	CM 196 LEVEL CM	8941,4208 litre	94,087 %	561,8970 litre	O
250	CM	110	CM 195 LEVEL CM	8906,8176 litre	93,723 %	596,5002 litre	O
250	CM	110	CM 194 LEVEL CM	8871,6056 litre	93,353 %	631,7122 litre	O
250	CM	110	CM 193 LEVEL CM	8835,8021 litre	92,976 %	667,5157 litre	O
250	CM	110	CM 192 LEVEL CM	8799,4237 litre	92,593 %	703,8941 litre	O
250	CM	110	CM 191 LEVEL CM	8762,4860 litre	92,204 %	740,8318 litre	O
250	CM	110	CM 190 LEVEL CM	8725,0041 litre	91,810 %	778,3137 litre	O
250	CM	110	CM 189 LEVEL CM	8686,9923 litre	91,410 %	816,3255 litre	O
250	CM	110	CM 188 LEVEL CM	8648,4645 litre	91,005 %	854,8533 litre	O
250	CM	110	CM 187 LEVEL CM	8609,4338 litre	90,594 %	893,8840 litre	O
250	CM	110	CM 186 LEVEL CM	8569,9129 litre	90,178 %	933,4049 litre	O
250	CM	110	CM 185 LEVEL CM	8529,9142 litre	89,757 %	973,4036 litre	O
250	CM	110	CM 184 LEVEL CM	8489,4494 litre	89,331 %	1013,8684 litre	O
250	CM	110	CM 183 LEVEL CM	8448,5300 litre	88,901 %	1054,7878 litre	O
250	CM	110	CM 182 LEVEL CM	8407,1670 litre	88,466 %	1096,1508 litre	O
250	CM	110	CM 181 LEVEL CM	8365,3710 litre	88,026 %	1137,9468 litre	O
250	CM	110	CM 180 LEVEL CM	8323,1525 litre	87,582 %	1180,1653 litre	O
250	CM	110	CM 179 LEVEL CM	8280,5215 litre	87,133 %	1222,7963 litre	O
250	CM	110	CM 178 LEVEL CM	8237,4878 litre	86,680 %	1265,8300 litre	O
250	CM	110	CM 177 LEVEL CM	8194,0608 litre	86,223 %	1309,2570 litre	O
250	CM	110	CM 176 LEVEL CM	8150,2497 litre	85,762 %	1353,0681 litre	O
250	CM	110	CM 175 LEVEL CM	8106,0637 litre	85,297 %	1397,2541 litre	O
250	CM	110	CM 174 LEVEL CM	8061,5114 litre	84,828 %	1441,8064 litre	O
250	CM	110	CM 173 LEVEL CM	8016,6015 litre	84,356 %	1486,7163 litre	O
250	CM	110	CM 172 LEVEL CM	7971,3421 litre	83,880 %	1531,9757 litre	O
250	CM	110	CM 171 LEVEL CM	7925,7416 litre	83,400 %	1577,5762 litre	O
250	CM	110	CM 170 LEVEL CM	7879,8079 litre	82,916 %	1623,5099 litre	O
250	CM	110	CM 169 LEVEL CM	7833,5487 litre	82,430 %	1669,7691 litre	O

250	CM 110	CM	168 LEVEL CM	7786,9718 litre	81,940 %	1716,3460 litre	O
250	CM 110	CM	167 LEVEL CM	7740,0846 litre	81,446 %	1763,2332 litre	O
250	CM 110	CM	166 LEVEL CM	7692,8945 litre	80,950 %	1810,4233 litre	O
250	CM 110	CM	165 LEVEL CM	7645,4086 litre	80,450 %	1857,9092 litre	O
250	CM 110	CM	164 LEVEL CM	7597,6340 litre	79,947 %	1905,6838 litre	O
250	CM 110	CM	163 LEVEL CM	7549,5777 litre	79,441 %	1953,7401 litre	O
250	CM 110	CM	162 LEVEL CM	7501,2465 litre	78,933 %	2002,0713 litre	O
250	CM 110	CM	161 LEVEL CM	7452,6470 litre	78,422 %	2050,6708 litre	O
250	CM 110	CM	160 LEVEL CM	7403,7858 litre	77,907 %	2099,5320 litre	O
250	CM 110	CM	159 LEVEL CM	7354,6695 litre	77,391 %	2148,6483 litre	O
250	CM 110	CM	158 LEVEL CM	7305,3044 litre	76,871 %	2198,0134 litre	O
250	CM 110	CM	157 LEVEL CM	7255,6968 litre	76,349 %	2247,6210 litre	O
250	CM 110	CM	156 LEVEL CM	7205,8530 litre	75,825 %	2297,4648 litre	O
250	CM 110	CM	155 LEVEL CM	7155,7789 litre	75,298 %	2347,5389 litre	O
250	CM 110	CM	154 LEVEL CM	7105,4807 litre	74,768 %	2397,8371 litre	O
250	CM 110	CM	153 LEVEL CM	7054,9642 litre	74,237 %	2448,3536 litre	O
250	CM 110	CM	152 LEVEL CM	7004,2354 litre	73,703 %	2499,0824 litre	O
250	CM 110	CM	151 LEVEL CM	6953,3000 litre	73,167 %	2550,0178 litre	O
250	CM 110	CM	150 LEVEL CM	6902,1638 litre	72,629 %	2601,1540 litre	O
250	CM 110	CM	149 LEVEL CM	6850,8324 litre	72,089 %	2652,4854 litre	O
250	CM 110	CM	148 LEVEL CM	6799,3114 litre	71,547 %	2704,0064 litre	O
250	CM 110	CM	147 LEVEL CM	6747,6063 litre	71,003 %	2755,7115 litre	O
250	CM 110	CM	146 LEVEL CM	6695,7226 litre	70,457 %	2807,5952 litre	O
250	CM 110	CM	145 LEVEL CM	6643,6658 litre	69,909 %	2859,6520 litre	O
250	CM 110	CM	144 LEVEL CM	6591,4412 litre	69,359 %	2911,8766 litre	O
250	CM 110	CM	143 LEVEL CM	6539,0540 litre	68,808 %	2964,2638 litre	O
250	CM 110	CM	142 LEVEL CM	6486,5096 litre	68,255 %	3016,8082 litre	O
250	CM 110	CM	141 LEVEL CM	6433,8131 litre	67,701 %	3069,5047 litre	O
250	CM 110	CM	140 LEVEL CM	6380,9698 litre	67,145 %	3122,3480 litre	O
250	CM 110	CM	139 LEVEL CM	6327,9848 litre	66,587 %	3175,3330 litre	O
250	CM 110	CM	138 LEVEL CM	6274,8631 litre	66,028 %	3228,4547 litre	O
250	CM 110	CM	137 LEVEL CM	6221,6098 litre	65,468 %	3281,7080 litre	O
250	CM 110	CM	136 LEVEL CM	6168,2299 litre	64,906 %	3335,0879 litre	O
250	CM 110	CM	135 LEVEL CM	6114,7283 litre	64,343 %	3388,5895 litre	O
250	CM 110	CM	134 LEVEL CM	6061,1101 litre	63,779 %	3442,2077 litre	O
250	CM 110	CM	133 LEVEL CM	6007,3801 litre	63,214 %	3495,9377 litre	O
250	CM 110	CM	132 LEVEL CM	5953,5431 litre	62,647 %	3549,7747 litre	O
250	CM 110	CM	131 LEVEL CM	5899,6041 litre	62,079 %	3603,7137 litre	O
250	CM 110	CM	130 LEVEL CM	5845,5679 litre	61,511 %	3657,7499 litre	O
250	CM 110	CM	129 LEVEL CM	5791,4392 litre	60,941 %	3711,8786 litre	O
250	CM 110	CM	128 LEVEL CM	5737,2228 litre	60,371 %	3766,0950 litre	O
250	CM 110	CM	127 LEVEL CM	5682,9235 litre	59,799 %	3820,3943 litre	O
250	CM 110	CM	126 LEVEL CM	5628,5459 litre	59,227 %	3874,7719 litre	O
250	CM 110	CM	125 LEVEL CM	5574,0949 litre	58,654 %	3929,2229 litre	O
250	CM 110	CM	124 LEVEL CM	5519,5750 litre	58,081 %	3983,7428 litre	O
250	CM 110	CM	123 LEVEL CM	5464,9910 litre	57,506 %	4038,3268 litre	O
250	CM 110	CM	122 LEVEL CM	5410,3475 litre	56,931 %	4092,9703 litre	O
250	CM 110	CM	121 LEVEL CM	5355,6490 litre	56,356 %	4147,6688 litre	O
250	CM 110	CM	120 LEVEL CM	5300,9004 litre	55,779 %	4202,4174 litre	O
250	CM 110	CM	119 LEVEL CM	5246,1061 litre	55,203 %	4257,2117 litre	O
250	CM 110	CM	118 LEVEL CM	5191,2707 litre	54,626 %	4312,0471 litre	O
250	CM 110	CM	117 LEVEL CM	5136,3989 litre	54,048 %	4366,9189 litre	O
250	CM 110	CM	116 LEVEL CM	5081,4952 litre	53,471 %	4421,8226 litre	O

250	CM 110	CM	115 LEVEL CM	5026,5642 litre	52,893 %	4476,7536 litre	O
250	CM 110	CM	114 LEVEL CM	4971,6104 litre	52,314 %	4531,7074 litre	O
250	CM 110	CM	113 LEVEL CM	4916,6384 litre	51,736 %	4586,6794 litre	O
250	CM 110	CM	112 LEVEL CM	4861,6528 litre	51,157 %	4641,6650 litre	O
250	CM 110	CM	111 LEVEL CM	4806,6581 litre	50,579 %	4696,6597 litre	O
250	CM 110	CM	110 LEVEL CM	4751,6589 litre	50,000 %	4751,6589 litre	O
250	CM 110	CM	109 LEVEL CM	4696,6596 litre	49,421 %	4806,6582 litre	O
250	CM 110	CM	108 LEVEL CM	4641,6649 litre	48,843 %	4861,6529 litre	O
250	CM 110	CM	107 LEVEL CM	4586,6793 litre	48,264 %	4916,6385 litre	O
250	CM 110	CM	106 LEVEL CM	4531,7074 litre	47,686 %	4971,6104 litre	O
250	CM 110	CM	105 LEVEL CM	4476,7536 litre	47,107 %	5026,5642 litre	O
250	CM 110	CM	104 LEVEL CM	4421,8226 litre	46,529 %	5081,4952 litre	O
250	CM 110	CM	103 LEVEL CM	4366,9189 litre	45,952 %	5136,3989 litre	O
250	CM 110	CM	102 LEVEL CM	4312,0471 litre	45,374 %	5191,2707 litre	O
250	CM 110	CM	101 LEVEL CM	4257,2117 litre	44,797 %	5246,1061 litre	O
250	CM 110	CM	100 LEVEL CM	4202,4174 litre	44,221 %	5300,9004 litre	O
250	CM 110	CM	99 LEVEL CM	4147,6687 litre	43,644 %	5355,6491 litre	O
250	CM 110	CM	98 LEVEL CM	4092,9703 litre	43,069 %	5410,3475 litre	O
250	CM 110	CM	97 LEVEL CM	4038,3268 litre	42,494 %	5464,9910 litre	O
250	CM 110	CM	96 LEVEL CM	3983,7428 litre	41,919 %	5519,5750 litre	O
250	CM 110	CM	95 LEVEL CM	3929,2229 litre	41,346 %	5574,0949 litre	O
250	CM 110	CM	94 LEVEL CM	3874,7718 litre	40,773 %	5628,5460 litre	O
250	CM 110	CM	93 LEVEL CM	3820,3943 litre	40,201 %	5682,9235 litre	O
250	CM 110	CM	92 LEVEL CM	3766,0950 litre	39,629 %	5737,2228 litre	O
250	CM 110	CM	91 LEVEL CM	3711,8786 litre	39,059 %	5791,4392 litre	O
250	CM 110	CM	90 LEVEL CM	3657,7499 litre	38,489 %	5845,5679 litre	O
250	CM 110	CM	89 LEVEL CM	3603,7137 litre	37,921 %	5899,6041 litre	O
250	CM 110	CM	88 LEVEL CM	3549,7747 litre	37,353 %	5953,5431 litre	O
250	CM 110	CM	87 LEVEL CM	3495,9377 litre	36,786 %	6007,3801 litre	O
250	CM 110	CM	86 LEVEL CM	3442,2077 litre	36,221 %	6061,1101 litre	O
250	CM 110	CM	85 LEVEL CM	3388,5895 litre	35,657 %	6114,7283 litre	O
250	CM 110	CM	84 LEVEL CM	3335,0879 litre	35,094 %	6168,2299 litre	O
250	CM 110	CM	83 LEVEL CM	3281,7080 litre	34,532 %	6221,6098 litre	O
250	CM 110	CM	82 LEVEL CM	3228,4547 litre	33,972 %	6274,8631 litre	O
250	CM 110	CM	81 LEVEL CM	3175,3330 litre	33,413 %	6327,9848 litre	O
250	CM 110	CM	80 LEVEL CM	3122,3479 litre	32,855 %	6380,9699 litre	O
250	CM 110	CM	79 LEVEL CM	3069,5046 litre	32,299 %	6433,8132 litre	O
250	CM 110	CM	78 LEVEL CM	3016,8082 litre	31,745 %	6486,5096 litre	O
250	CM 110	CM	77 LEVEL CM	2964,2638 litre	31,192 %	6539,0540 litre	O
250	CM 110	CM	76 LEVEL CM	2911,8766 litre	30,641 %	6591,4412 litre	O
250	CM 110	CM	75 LEVEL CM	2859,6520 litre	30,091 %	6643,6658 litre	O
250	CM 110	CM	74 LEVEL CM	2807,5951 litre	29,543 %	6695,7227 litre	O
250	CM 110	CM	73 LEVEL CM	2755,7115 litre	28,997 %	6747,6063 litre	O
250	CM 110	CM	72 LEVEL CM	2704,0064 litre	28,453 %	6799,3114 litre	O
250	CM 110	CM	71 LEVEL CM	2652,4854 litre	27,911 %	6850,8324 litre	O
250	CM 110	CM	70 LEVEL CM	2601,1540 litre	27,371 %	6902,1638 litre	O
250	CM 110	CM	69 LEVEL CM	2550,0178 litre	26,833 %	6953,3000 litre	O
250	CM 110	CM	68 LEVEL CM	2499,0824 litre	26,297 %	7004,2354 litre	O
250	CM 110	CM	67 LEVEL CM	2448,3536 litre	25,763 %	7054,9642 litre	O
250	CM 110	CM	66 LEVEL CM	2397,8371 litre	25,232 %	7105,4807 litre	O
250	CM 110	CM	65 LEVEL CM	2347,5389 litre	24,702 %	7155,7789 litre	O
250	CM 110	CM	64 LEVEL CM	2297,4648 litre	24,175 %	7205,8530 litre	O
250	CM 110	CM	63 LEVEL CM	2247,6209 litre	23,651 %	7255,6969 litre	O

250	CM 110	CM	62 LEVEL CM	2198,0133 litre	23,129 %	7305,3045 litre	O
250	CM 110	CM	61 LEVEL CM	2148,6483 litre	22,609 %	7354,6695 litre	O
250	CM 110	CM	60 LEVEL CM	2099,5320 litre	22,093 %	7403,7858 litre	O
250	CM 110	CM	59 LEVEL CM	2050,6708 litre	21,578 %	7452,6470 litre	O
250	CM 110	CM	58 LEVEL CM	2002,0713 litre	21,067 %	7501,2465 litre	O
250	CM 110	CM	57 LEVEL CM	1953,7401 litre	20,559 %	7549,5777 litre	O
250	CM 110	CM	56 LEVEL CM	1905,6837 litre	20,053 %	7597,6341 litre	O
250	CM 110	CM	55 LEVEL CM	1857,9092 litre	19,550 %	7645,4086 litre	O
250	CM 110	CM	54 LEVEL CM	1810,4233 litre	19,050 %	7692,8945 litre	O
250	CM 110	CM	53 LEVEL CM	1763,2331 litre	18,554 %	7740,0847 litre	O
250	CM 110	CM	52 LEVEL CM	1716,3459 litre	18,060 %	7786,9719 litre	O
250	CM 110	CM	51 LEVEL CM	1669,7690 litre	17,570 %	7833,5488 litre	O
250	CM 110	CM	50 LEVEL CM	1623,5099 litre	17,084 %	7879,8079 litre	O
250	CM 110	CM	49 LEVEL CM	1577,5762 litre	16,600 %	7925,7416 litre	O
250	CM 110	CM	48 LEVEL CM	1531,9757 litre	16,120 %	7971,3421 litre	O
250	CM 110	CM	47 LEVEL CM	1486,7163 litre	15,644 %	8016,6015 litre	O
250	CM 110	CM	46 LEVEL CM	1441,8063 litre	15,172 %	8061,5115 litre	O
250	CM 110	CM	45 LEVEL CM	1397,2541 litre	14,703 %	8106,0637 litre	O
250	CM 110	CM	44 LEVEL CM	1353,0680 litre	14,238 %	8150,2498 litre	O
250	CM 110	CM	43 LEVEL CM	1309,2570 litre	13,777 %	8194,0608 litre	O
250	CM 110	CM	42 LEVEL CM	1265,8300 litre	13,320 %	8237,4878 litre	O
250	CM 110	CM	41 LEVEL CM	1222,7963 litre	12,867 %	8280,5215 litre	O
250	CM 110	CM	40 LEVEL CM	1180,1653 litre	12,418 %	8323,1525 litre	O
250	CM 110	CM	39 LEVEL CM	1137,9468 litre	11,974 %	8365,3710 litre	O
250	CM 110	CM	38 LEVEL CM	1096,1508 litre	11,534 %	8407,1670 litre	O
250	CM 110	CM	37 LEVEL CM	1054,7878 litre	11,099 %	8448,5300 litre	O
250	CM 110	CM	36 LEVEL CM	1013,8683 litre	10,669 %	8489,4495 litre	O
250	CM 110	CM	35 LEVEL CM	973,4036 litre	10,243 %	8529,9142 litre	O
250	CM 110	CM	34 LEVEL CM	933,4048 litre	9,822 %	8569,9130 litre	O
250	CM 110	CM	33 LEVEL CM	893,8840 litre	9,406 %	8609,4338 litre	O
250	CM 110	CM	32 LEVEL CM	854,8533 litre	8,995 %	8648,4645 litre	O
250	CM 110	CM	31 LEVEL CM	816,3254 litre	8,590 %	8686,9924 litre	O
250	CM 110	CM	30 LEVEL CM	778,3137 litre	8,190 %	8725,0041 litre	O
250	CM 110	CM	29 LEVEL CM	740,8318 litre	7,796 %	8762,4860 litre	O
250	CM 110	CM	28 LEVEL CM	703,8941 litre	7,407 %	8799,4237 litre	O
250	CM 110	CM	27 LEVEL CM	667,5157 litre	7,024 %	8835,8021 litre	O
250	CM 110	CM	26 LEVEL CM	631,7122 litre	6,647 %	8871,6056 litre	O
250	CM 110	CM	25 LEVEL CM	596,5002 litre	6,277 %	8906,8176 litre	O
250	CM 110	CM	24 LEVEL CM	561,8969 litre	5,913 %	8941,4209 litre	O
250	CM 110	CM	23 LEVEL CM	527,9207 litre	5,555 %	8975,3971 litre	O
250	CM 110	CM	22 LEVEL CM	494,5909 litre	5,204 %	9008,7269 litre	O
250	CM 110	CM	21 LEVEL CM	461,9277 litre	4,861 %	9041,3901 litre	O
250	CM 110	CM	20 LEVEL CM	429,9531 litre	4,524 %	9073,3647 litre	O
250	CM 110	CM	19 LEVEL CM	398,6902 litre	4,195 %	9104,6276 litre	O
250	CM 110	CM	18 LEVEL CM	368,1636 litre	3,874 %	9135,1542 litre	O
250	CM 110	CM	17 LEVEL CM	338,4001 litre	3,561 %	9164,9177 litre	O
250	CM 110	CM	16 LEVEL CM	309,4284 litre	3,256 %	9193,8894 litre	O
250	CM 110	CM	15 LEVEL CM	281,2795 litre	2,960 %	9222,0383 litre	O
250	CM 110	CM	14 LEVEL CM	253,9875 litre	2,673 %	9249,3303 litre	O
250	CM 110	CM	13 LEVEL CM	227,5897 litre	2,395 %	9275,7281 litre	O
250	CM 110	CM	12 LEVEL CM	202,1271 litre	2,127 %	9301,1907 litre	O
250	CM 110	CM	11 LEVEL CM	177,6459 litre	1,869 %	9325,6719 litre	O
250	CM 110	CM	10 LEVEL CM	154,1976 litre	1,623 %	9349,1202 litre	O

250	CM	110	CM	9 LEVEL CM	131,8411 litre	1,387 %	9371,4767 litre	O
250	CM	110	CM	8 LEVEL CM	110,6445 litre	1,164 %	9392,6733 litre	O
250	CM	110	CM	7 LEVEL CM	90,6875 litre	0,954 %	9412,6303 litre	O
250	CM	110	CM	6 LEVEL CM	72,0662 litre	0,758 %	9431,2516 litre	O
250	CM	110	CM	5 LEVEL CM	54,8986 litre	0,578 %	9448,4192 litre	O
250	CM	110	CM	4 LEVEL CM	39,3366 litre	0,414 %	9463,9812 litre	O
250	CM	110	CM	3 LEVEL CM	25,5851 litre	0,269 %	9477,7327 litre	O
250	CM	110	CM	2 LEVEL CM	13,9459 litre	0,147 %	9489,3719 litre	O
250	CM	110	CM	1 LEVEL CM	4,9374 litre	0,052 %	9498,3804 litre	O
250	CM	110	CM	0 LEVEL CM	0,0000 litre	0,000 %	9503,3178 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM 105	CM 210 LEVEL CM	8659,0148 litre	100,000 %	0,0000 litre	O
250	CM 105	CM 209 LEVEL CM	8654,1912 litre	99,944 %	4,8236 litre	O
250	CM 105	CM 208 LEVEL CM	8645,3913 litre	99,843 %	13,6235 litre	O
250	CM 105	CM 207 LEVEL CM	8634,0228 litre	99,711 %	24,9920 litre	O
250	CM 105	CM 206 LEVEL CM	8620,5927 litre	99,556 %	38,4221 litre	O
250	CM 105	CM 205 LEVEL CM	8605,3960 litre	99,381 %	53,6188 litre	O
250	CM 105	CM 204 LEVEL CM	8588,6334 litre	99,187 %	70,3814 litre	O
250	CM 105	CM 203 LEVEL CM	8570,4534 litre	98,977 %	88,5614 litre	O
250	CM 105	CM 202 LEVEL CM	8550,9717 litre	98,752 %	108,0431 litre	O
250	CM 105	CM 201 LEVEL CM	8530,2823 litre	98,513 %	128,7325 litre	O
250	CM 105	CM 200 LEVEL CM	8508,4633 litre	98,261 %	150,5515 litre	O
250	CM 105	CM 199 LEVEL CM	8485,5815 litre	97,997 %	173,4333 litre	O
250	CM 105	CM 198 LEVEL CM	8461,6945 litre	97,721 %	197,3203 litre	O
250	CM 105	CM 197 LEVEL CM	8436,8531 litre	97,434 %	222,1617 litre	O
250	CM 105	CM 196 LEVEL CM	8411,1024 litre	97,137 %	247,9124 litre	O
250	CM 105	CM 195 LEVEL CM	8384,4827 litre	96,830 %	274,5321 litre	O
250	CM 105	CM 194 LEVEL CM	8357,0308 litre	96,512 %	301,9840 litre	O
250	CM 105	CM 193 LEVEL CM	8328,7798 litre	96,186 %	330,2350 litre	O
250	CM 105	CM 192 LEVEL CM	8299,7605 litre	95,851 %	359,2543 litre	O
250	CM 105	CM 191 LEVEL CM	8270,0011 litre	95,507 %	389,0137 litre	O
250	CM 105	CM 190 LEVEL CM	8239,5278 litre	95,155 %	419,4870 litre	O
250	CM 105	CM 189 LEVEL CM	8208,3648 litre	94,796 %	450,6500 litre	O
250	CM 105	CM 188 LEVEL CM	8176,5351 litre	94,428 %	482,4797 litre	O
250	CM 105	CM 187 LEVEL CM	8144,0600 litre	94,053 %	514,9548 litre	O
250	CM 105	CM 186 LEVEL CM	8110,9596 litre	93,671 %	548,0552 litre	O
250	CM 105	CM 185 LEVEL CM	8077,2530 litre	93,281 %	581,7618 litre	O
250	CM 105	CM 184 LEVEL CM	8042,9581 litre	92,885 %	616,0567 litre	O
250	CM 105	CM 183 LEVEL CM	8008,0921 litre	92,483 %	650,9227 litre	O
250	CM 105	CM 182 LEVEL CM	7972,6711 litre	92,074 %	686,3437 litre	O
250	CM 105	CM 181 LEVEL CM	7936,7108 litre	91,658 %	722,3040 litre	O
250	CM 105	CM 180 LEVEL CM	7900,2260 litre	91,237 %	758,7888 litre	O
250	CM 105	CM 179 LEVEL CM	7863,2308 litre	90,810 %	795,7840 litre	O
250	CM 105	CM 178 LEVEL CM	7825,7388 litre	90,377 %	833,2760 litre	O
250	CM 105	CM 177 LEVEL CM	7787,7632 litre	89,938 %	871,2516 litre	O
250	CM 105	CM 176 LEVEL CM	7749,3165 litre	89,494 %	909,6983 litre	O
250	CM 105	CM 175 LEVEL CM	7710,4109 litre	89,045 %	948,6039 litre	O
250	CM 105	CM 174 LEVEL CM	7671,0580 litre	88,590 %	987,9568 litre	O
250	CM 105	CM 173 LEVEL CM	7631,2691 litre	88,131 %	1027,7457 litre	O
250	CM 105	CM 172 LEVEL CM	7591,0553 litre	87,667 %	1067,9595 litre	O
250	CM 105	CM 171 LEVEL CM	7550,4271 litre	87,197 %	1108,5877 litre	O
250	CM 105	CM 170 LEVEL CM	7509,3947 litre	86,723 %	1149,6201 litre	O
250	CM 105	CM 169 LEVEL CM	7467,9682 litre	86,245 %	1191,0466 litre	O
250	CM 105	CM 168 LEVEL CM	7426,1573 litre	85,762 %	1232,8575 litre	O
250	CM 105	CM 167 LEVEL CM	7383,9713 litre	85,275 %	1275,0435 litre	O
250	CM 105	CM 166 LEVEL CM	7341,4195 litre	84,784 %	1317,5953 litre	O
250	CM 105	CM 165 LEVEL CM	7298,5108 litre	84,288 %	1360,5040 litre	O
250	CM 105	CM 164 LEVEL CM	7255,2540 litre	83,788 %	1403,7608 litre	O
250	CM 105	CM 163 LEVEL CM	7211,6574 litre	83,285 %	1447,3574 litre	O
250	CM 105	CM 162 LEVEL CM	7167,7296 litre	82,778 %	1491,2852 litre	O
250	CM 105	CM 161 LEVEL CM	7123,4785 litre	82,267 %	1535,5363 litre	O
250	CM 105	CM 160 LEVEL CM	7078,9122 litre	81,752 %	1580,1026 litre	O
250	CM 105	CM 159 LEVEL CM	7034,0383 litre	81,234 %	1624,9765 litre	O

250	CM	105	CM	158 LEVEL CM	6988,8647 litre	80,712 %	1670,1501 litre	O
250	CM	105	CM	157 LEVEL CM	6943,3987 litre	80,187 %	1715,6161 litre	O
250	CM	105	CM	156 LEVEL CM	6897,6476 litre	79,659 %	1761,3672 litre	O
250	CM	105	CM	155 LEVEL CM	6851,6187 litre	79,127 %	1807,3961 litre	O
250	CM	105	CM	154 LEVEL CM	6805,3190 litre	78,592 %	1853,6958 litre	O
250	CM	105	CM	153 LEVEL CM	6758,7555 litre	78,055 %	1900,2593 litre	O
250	CM	105	CM	152 LEVEL CM	6711,9350 litre	77,514 %	1947,0798 litre	O
250	CM	105	CM	151 LEVEL CM	6664,8642 litre	76,970 %	1994,1506 litre	O
250	CM	105	CM	150 LEVEL CM	6617,5497 litre	76,424 %	2041,4651 litre	O
250	CM	105	CM	149 LEVEL CM	6569,9980 litre	75,875 %	2089,0168 litre	O
250	CM	105	CM	148 LEVEL CM	6522,2155 litre	75,323 %	2136,7993 litre	O
250	CM	105	CM	147 LEVEL CM	6474,2086 litre	74,768 %	2184,8062 litre	O
250	CM	105	CM	146 LEVEL CM	6425,9835 litre	74,211 %	2233,0313 litre	O
250	CM	105	CM	145 LEVEL CM	6377,5463 litre	73,652 %	2281,4685 litre	O
250	CM	105	CM	144 LEVEL CM	6328,9031 litre	73,090 %	2330,1117 litre	O
250	CM	105	CM	143 LEVEL CM	6280,0598 litre	72,526 %	2378,9550 litre	O
250	CM	105	CM	142 LEVEL CM	6231,0224 litre	71,960 %	2427,9924 litre	O
250	CM	105	CM	141 LEVEL CM	6181,7968 litre	71,391 %	2477,2180 litre	O
250	CM	105	CM	140 LEVEL CM	6132,3887 litre	70,821 %	2526,6261 litre	O
250	CM	105	CM	139 LEVEL CM	6082,8037 litre	70,248 %	2576,2111 litre	O
250	CM	105	CM	138 LEVEL CM	6033,0477 litre	69,674 %	2625,9671 litre	O
250	CM	105	CM	137 LEVEL CM	5983,1261 litre	69,097 %	2675,8887 litre	O
250	CM	105	CM	136 LEVEL CM	5933,0445 litre	68,519 %	2725,9703 litre	O
250	CM	105	CM	135 LEVEL CM	5882,8084 litre	67,939 %	2776,2064 litre	O
250	CM	105	CM	134 LEVEL CM	5832,4233 litre	67,357 %	2826,5915 litre	O
250	CM	105	CM	133 LEVEL CM	5781,8944 litre	66,773 %	2877,1204 litre	O
250	CM	105	CM	132 LEVEL CM	5731,2272 litre	66,188 %	2927,7876 litre	O
250	CM	105	CM	131 LEVEL CM	5680,4270 litre	65,601 %	2978,5878 litre	O
250	CM	105	CM	130 LEVEL CM	5629,4989 litre	65,013 %	3029,5159 litre	O
250	CM	105	CM	129 LEVEL CM	5578,4483 litre	64,424 %	3080,5665 litre	O
250	CM	105	CM	128 LEVEL CM	5527,2803 litre	63,833 %	3131,7345 litre	O
250	CM	105	CM	127 LEVEL CM	5476,0000 litre	63,240 %	3183,0148 litre	O
250	CM	105	CM	126 LEVEL CM	5424,6126 litre	62,647 %	3234,4022 litre	O
250	CM	105	CM	125 LEVEL CM	5373,1232 litre	62,052 %	3285,8916 litre	O
250	CM	105	CM	124 LEVEL CM	5321,5367 litre	61,457 %	3337,4781 litre	O
250	CM	105	CM	123 LEVEL CM	5269,8582 litre	60,860 %	3389,1566 litre	O
250	CM	105	CM	122 LEVEL CM	5218,0927 litre	60,262 %	3440,9221 litre	O
250	CM	105	CM	121 LEVEL CM	5166,2452 litre	59,663 %	3492,7696 litre	O
250	CM	105	CM	120 LEVEL CM	5114,3205 litre	59,064 %	3544,6943 litre	O
250	CM	105	CM	119 LEVEL CM	5062,3238 litre	58,463 %	3596,6910 litre	O
250	CM	105	CM	118 LEVEL CM	5010,2597 litre	57,862 %	3648,7551 litre	O
250	CM	105	CM	117 LEVEL CM	4958,1332 litre	57,260 %	3700,8816 litre	O
250	CM	105	CM	116 LEVEL CM	4905,9493 litre	56,657 %	3753,0655 litre	O
250	CM	105	CM	115 LEVEL CM	4853,7126 litre	56,054 %	3805,3022 litre	O
250	CM	105	CM	114 LEVEL CM	4801,4282 litre	55,450 %	3857,5866 litre	O
250	CM	105	CM	113 LEVEL CM	4749,1007 litre	54,846 %	3909,9141 litre	O
250	CM	105	CM	112 LEVEL CM	4696,7350 litre	54,241 %	3962,2798 litre	O
250	CM	105	CM	111 LEVEL CM	4644,3359 litre	53,636 %	4014,6789 litre	O
250	CM	105	CM	110 LEVEL CM	4591,9081 litre	53,030 %	4067,1067 litre	O
250	CM	105	CM	109 LEVEL CM	4539,4566 litre	52,425 %	4119,5582 litre	O
250	CM	105	CM	108 LEVEL CM	4486,9859 litre	51,819 %	4172,0289 litre	O
250	CM	105	CM	107 LEVEL CM	4434,5010 litre	51,213 %	4224,5138 litre	O
250	CM	105	CM	106 LEVEL CM	4382,0066 litre	50,606 %	4277,0082 litre	O

250	CM	105	CM	105 LEVEL CM	4329,5074 litre	50,000 %	4329,5074 litre	O
250	CM	105	CM	104 LEVEL CM	4277,0082 litre	49,394 %	4382,0066 litre	O
250	CM	105	CM	103 LEVEL CM	4224,5137 litre	48,787 %	4434,5011 litre	O
250	CM	105	CM	102 LEVEL CM	4172,0288 litre	48,181 %	4486,9860 litre	O
250	CM	105	CM	101 LEVEL CM	4119,5582 litre	47,575 %	4539,4566 litre	O
250	CM	105	CM	100 LEVEL CM	4067,1066 litre	46,970 %	4591,9082 litre	O
250	CM	105	CM	99 LEVEL CM	4014,6789 litre	46,364 %	4644,3359 litre	O
250	CM	105	CM	98 LEVEL CM	3962,2798 litre	45,759 %	4696,7350 litre	O
250	CM	105	CM	97 LEVEL CM	3909,9141 litre	45,154 %	4749,1007 litre	O
250	CM	105	CM	96 LEVEL CM	3857,5866 litre	44,550 %	4801,4282 litre	O
250	CM	105	CM	95 LEVEL CM	3805,3021 litre	43,946 %	4853,7127 litre	O
250	CM	105	CM	94 LEVEL CM	3753,0655 litre	43,343 %	4905,9493 litre	O
250	CM	105	CM	93 LEVEL CM	3700,8815 litre	42,740 %	4958,1333 litre	O
250	CM	105	CM	92 LEVEL CM	3648,7551 litre	42,138 %	5010,2597 litre	O
250	CM	105	CM	91 LEVEL CM	3596,6910 litre	41,537 %	5062,3238 litre	O
250	CM	105	CM	90 LEVEL CM	3544,6942 litre	40,936 %	5114,3206 litre	O
250	CM	105	CM	89 LEVEL CM	3492,7696 litre	40,337 %	5166,2452 litre	O
250	CM	105	CM	88 LEVEL CM	3440,9221 litre	39,738 %	5218,0927 litre	O
250	CM	105	CM	87 LEVEL CM	3389,1566 litre	39,140 %	5269,8582 litre	O
250	CM	105	CM	86 LEVEL CM	3337,4781 litre	38,543 %	5321,5367 litre	O
250	CM	105	CM	85 LEVEL CM	3285,8916 litre	37,948 %	5373,1232 litre	O
250	CM	105	CM	84 LEVEL CM	3234,4021 litre	37,353 %	5424,6127 litre	O
250	CM	105	CM	83 LEVEL CM	3183,0147 litre	36,760 %	5476,0001 litre	O
250	CM	105	CM	82 LEVEL CM	3131,7344 litre	36,167 %	5527,2804 litre	O
250	CM	105	CM	81 LEVEL CM	3080,5664 litre	35,576 %	5578,4484 litre	O
250	CM	105	CM	80 LEVEL CM	3029,5158 litre	34,987 %	5629,4990 litre	O
250	CM	105	CM	79 LEVEL CM	2978,5878 litre	34,399 %	5680,4270 litre	O
250	CM	105	CM	78 LEVEL CM	2927,7875 litre	33,812 %	5731,2273 litre	O
250	CM	105	CM	77 LEVEL CM	2877,1203 litre	33,227 %	5781,8945 litre	O
250	CM	105	CM	76 LEVEL CM	2826,5915 litre	32,643 %	5832,4233 litre	O
250	CM	105	CM	75 LEVEL CM	2776,2063 litre	32,061 %	5882,8085 litre	O
250	CM	105	CM	74 LEVEL CM	2725,9702 litre	31,481 %	5933,0446 litre	O
250	CM	105	CM	73 LEVEL CM	2675,8886 litre	30,903 %	5983,1262 litre	O
250	CM	105	CM	72 LEVEL CM	2625,9671 litre	30,326 %	6033,0477 litre	O
250	CM	105	CM	71 LEVEL CM	2576,2110 litre	29,752 %	6082,8038 litre	O
250	CM	105	CM	70 LEVEL CM	2526,6261 litre	29,179 %	6132,3887 litre	O
250	CM	105	CM	69 LEVEL CM	2477,2180 litre	28,609 %	6181,7968 litre	O
250	CM	105	CM	68 LEVEL CM	2427,9923 litre	28,040 %	6231,0225 litre	O
250	CM	105	CM	67 LEVEL CM	2378,9549 litre	27,474 %	6280,0599 litre	O
250	CM	105	CM	66 LEVEL CM	2330,1117 litre	26,910 %	6328,9031 litre	O
250	CM	105	CM	65 LEVEL CM	2281,4685 litre	26,348 %	6377,5463 litre	O
250	CM	105	CM	64 LEVEL CM	2233,0313 litre	25,789 %	6425,9835 litre	O
250	CM	105	CM	63 LEVEL CM	2184,8061 litre	25,232 %	6474,2087 litre	O
250	CM	105	CM	62 LEVEL CM	2136,7992 litre	24,677 %	6522,2156 litre	O
250	CM	105	CM	61 LEVEL CM	2089,0168 litre	24,125 %	6569,9980 litre	O
250	CM	105	CM	60 LEVEL CM	2041,4651 litre	23,576 %	6617,5497 litre	O
250	CM	105	CM	59 LEVEL CM	1994,1506 litre	23,030 %	6664,8642 litre	O
250	CM	105	CM	58 LEVEL CM	1947,0798 litre	22,486 %	6711,9350 litre	O
250	CM	105	CM	57 LEVEL CM	1900,2593 litre	21,945 %	6758,7555 litre	O
250	CM	105	CM	56 LEVEL CM	1853,6957 litre	21,408 %	6805,3191 litre	O
250	CM	105	CM	55 LEVEL CM	1807,3961 litre	20,873 %	6851,6187 litre	O
250	CM	105	CM	54 LEVEL CM	1761,3672 litre	20,341 %	6897,6476 litre	O
250	CM	105	CM	53 LEVEL CM	1715,6161 litre	19,813 %	6943,3987 litre	O

250	CM	105	CM	52 LEVEL CM	1670,1501 litre	19,288 %	6988,8647 litre	O
250	CM	105	CM	51 LEVEL CM	1624,9764 litre	18,766 %	7034,0384 litre	O
250	CM	105	CM	50 LEVEL CM	1580,1026 litre	18,248 %	7078,9122 litre	O
250	CM	105	CM	49 LEVEL CM	1535,5363 litre	17,733 %	7123,4785 litre	O
250	CM	105	CM	48 LEVEL CM	1491,2852 litre	17,222 %	7167,7296 litre	O
250	CM	105	CM	47 LEVEL CM	1447,3573 litre	16,715 %	7211,6575 litre	O
250	CM	105	CM	46 LEVEL CM	1403,7608 litre	16,212 %	7255,2540 litre	O
250	CM	105	CM	45 LEVEL CM	1360,5039 litre	15,712 %	7298,5109 litre	O
250	CM	105	CM	44 LEVEL CM	1317,5952 litre	15,216 %	7341,4196 litre	O
250	CM	105	CM	43 LEVEL CM	1275,0434 litre	14,725 %	7383,9714 litre	O
250	CM	105	CM	42 LEVEL CM	1232,8574 litre	14,238 %	7426,1574 litre	O
250	CM	105	CM	41 LEVEL CM	1191,0465 litre	13,755 %	7467,9683 litre	O
250	CM	105	CM	40 LEVEL CM	1149,6200 litre	13,277 %	7509,3948 litre	O
250	CM	105	CM	39 LEVEL CM	1108,5877 litre	12,803 %	7550,4271 litre	O
250	CM	105	CM	38 LEVEL CM	1067,9594 litre	12,333 %	7591,0554 litre	O
250	CM	105	CM	37 LEVEL CM	1027,7456 litre	11,869 %	7631,2692 litre	O
250	CM	105	CM	36 LEVEL CM	987,9568 litre	11,410 %	7671,0580 litre	O
250	CM	105	CM	35 LEVEL CM	948,6039 litre	10,955 %	7710,4109 litre	O
250	CM	105	CM	34 LEVEL CM	909,6982 litre	10,506 %	7749,3166 litre	O
250	CM	105	CM	33 LEVEL CM	871,2515 litre	10,062 %	7787,7633 litre	O
250	CM	105	CM	32 LEVEL CM	833,2759 litre	9,623 %	7825,7389 litre	O
250	CM	105	CM	31 LEVEL CM	795,7840 litre	9,190 %	7863,2308 litre	O
250	CM	105	CM	30 LEVEL CM	758,7888 litre	8,763 %	7900,2260 litre	O
250	CM	105	CM	29 LEVEL CM	722,3039 litre	8,342 %	7936,7109 litre	O
250	CM	105	CM	28 LEVEL CM	686,3436 litre	7,926 %	7972,6712 litre	O
250	CM	105	CM	27 LEVEL CM	650,9227 litre	7,517 %	8008,0921 litre	O
250	CM	105	CM	26 LEVEL CM	616,0566 litre	7,115 %	8042,9582 litre	O
250	CM	105	CM	25 LEVEL CM	581,7618 litre	6,719 %	8077,2530 litre	O
250	CM	105	CM	24 LEVEL CM	548,0551 litre	6,329 %	8110,9597 litre	O
250	CM	105	CM	23 LEVEL CM	514,9548 litre	5,947 %	8144,0600 litre	O
250	CM	105	CM	22 LEVEL CM	482,4796 litre	5,572 %	8176,5352 litre	O
250	CM	105	CM	21 LEVEL CM	450,6499 litre	5,204 %	8208,3649 litre	O
250	CM	105	CM	20 LEVEL CM	419,4870 litre	4,845 %	8239,5278 litre	O
250	CM	105	CM	19 LEVEL CM	389,0136 litre	4,493 %	8270,0012 litre	O
250	CM	105	CM	18 LEVEL CM	359,2542 litre	4,149 %	8299,7606 litre	O
250	CM	105	CM	17 LEVEL CM	330,2349 litre	3,814 %	8328,7799 litre	O
250	CM	105	CM	16 LEVEL CM	301,9840 litre	3,488 %	8357,0308 litre	O
250	CM	105	CM	15 LEVEL CM	274,5320 litre	3,170 %	8384,4828 litre	O
250	CM	105	CM	14 LEVEL CM	247,9123 litre	2,863 %	8411,1025 litre	O
250	CM	105	CM	13 LEVEL CM	222,1616 litre	2,566 %	8436,8532 litre	O
250	CM	105	CM	12 LEVEL CM	197,3202 litre	2,279 %	8461,6946 litre	O
250	CM	105	CM	11 LEVEL CM	173,4333 litre	2,003 %	8485,5815 litre	O
250	CM	105	CM	10 LEVEL CM	150,5514 litre	1,739 %	8508,4634 litre	O
250	CM	105	CM	9 LEVEL CM	128,7325 litre	1,487 %	8530,2823 litre	O
250	CM	105	CM	8 LEVEL CM	108,0430 litre	1,248 %	8550,9718 litre	O
250	CM	105	CM	7 LEVEL CM	88,5613 litre	1,023 %	8570,4535 litre	O
250	CM	105	CM	6 LEVEL CM	70,3813 litre	0,813 %	8588,6335 litre	O
250	CM	105	CM	5 LEVEL CM	53,6188 litre	0,619 %	8605,3960 litre	O
250	CM	105	CM	4 LEVEL CM	38,4221 litre	0,444 %	8620,5927 litre	O
250	CM	105	CM	3 LEVEL CM	24,9920 litre	0,289 %	8634,0228 litre	O
250	CM	105	CM	2 LEVEL CM	13,6235 litre	0,157 %	8645,3913 litre	O
250	CM	105	CM	1 LEVEL CM	4,8236 litre	0,056 %	8654,1912 litre	O
250	CM	105	CM	0 LEVEL CM	0,0000 litre	0,000 %	8659,0148 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM 100	CM 200 LEVEL CM	7853,9816 litre	100,000 %	0,0000 litre	O
250	CM 100	CM 199 LEVEL CM	7849,2747 litre	99,940 %	4,7069 litre	O
250	CM 100	CM 198 LEVEL CM	7840,6884 litre	99,831 %	13,2932 litre	O
250	CM 100	CM 197 LEVEL CM	7829,5973 litre	99,690 %	24,3843 litre	O
250	CM 100	CM 196 LEVEL CM	7816,4964 litre	99,523 %	37,4852 litre	O
250	CM 100	CM 195 LEVEL CM	7801,6741 litre	99,334 %	52,3075 litre	O
250	CM 100	CM 194 LEVEL CM	7785,3265 litre	99,126 %	68,6551 litre	O
250	CM 100	CM 193 LEVEL CM	7767,5988 litre	98,900 %	86,3828 litre	O
250	CM 100	CM 192 LEVEL CM	7748,6043 litre	98,658 %	105,3773 litre	O
250	CM 100	CM 191 LEVEL CM	7728,4347 litre	98,401 %	125,5469 litre	O
250	CM 100	CM 190 LEVEL CM	7707,1669 litre	98,131 %	146,8147 litre	O
250	CM 100	CM 189 LEVEL CM	7684,8659 litre	97,847 %	169,1157 litre	O
250	CM 100	CM 188 LEVEL CM	7661,5884 litre	97,550 %	192,3932 litre	O
250	CM 100	CM 187 LEVEL CM	7637,3841 litre	97,242 %	216,5975 litre	O
250	CM 100	CM 186 LEVEL CM	7612,2972 litre	96,923 %	241,6844 litre	O
250	CM 100	CM 185 LEVEL CM	7586,3673 litre	96,593 %	267,6143 litre	O
250	CM 100	CM 184 LEVEL CM	7559,6303 litre	96,252 %	294,3513 litre	O
250	CM 100	CM 183 LEVEL CM	7532,1191 litre	95,902 %	321,8625 litre	O
250	CM 100	CM 182 LEVEL CM	7503,8636 litre	95,542 %	350,1180 litre	O
250	CM 100	CM 181 LEVEL CM	7474,8916 litre	95,173 %	379,0900 litre	O
250	CM 100	CM 180 LEVEL CM	7445,2289 litre	94,796 %	408,7527 litre	O
250	CM 100	CM 179 LEVEL CM	7414,8993 litre	94,409 %	439,0823 litre	O
250	CM 100	CM 178 LEVEL CM	7383,9254 litre	94,015 %	470,0562 litre	O
250	CM 100	CM 177 LEVEL CM	7352,3282 litre	93,613 %	501,6534 litre	O
250	CM 100	CM 176 LEVEL CM	7320,1274 litre	93,203 %	533,8542 litre	O
250	CM 100	CM 175 LEVEL CM	7287,3419 litre	92,785 %	566,6397 litre	O
250	CM 100	CM 174 LEVEL CM	7253,9894 litre	92,361 %	599,9922 litre	O
250	CM 100	CM 173 LEVEL CM	7220,0867 litre	91,929 %	633,8949 litre	O
250	CM 100	CM 172 LEVEL CM	7185,6499 litre	91,491 %	668,3317 litre	O
250	CM 100	CM 171 LEVEL CM	7150,6943 litre	91,045 %	703,2873 litre	O
250	CM 100	CM 170 LEVEL CM	7115,2345 litre	90,594 %	738,7471 litre	O
250	CM 100	CM 169 LEVEL CM	7079,2846 litre	90,136 %	774,6970 litre	O
250	CM 100	CM 168 LEVEL CM	7042,8580 litre	89,672 %	811,1236 litre	O
250	CM 100	CM 167 LEVEL CM	7005,9676 litre	89,203 %	848,0140 litre	O
250	CM 100	CM 166 LEVEL CM	6968,6260 litre	88,727 %	885,3556 litre	O
250	CM 100	CM 165 LEVEL CM	6930,8450 litre	88,246 %	923,1366 litre	O
250	CM 100	CM 164 LEVEL CM	6892,6363 litre	87,760 %	961,3453 litre	O
250	CM 100	CM 163 LEVEL CM	6854,0112 litre	87,268 %	999,9704 litre	O
250	CM 100	CM 162 LEVEL CM	6814,9804 litre	86,771 %	1039,0012 litre	O
250	CM 100	CM 161 LEVEL CM	6775,5544 litre	86,269 %	1078,4272 litre	O
250	CM 100	CM 160 LEVEL CM	6735,7436 litre	85,762 %	1118,2380 litre	O
250	CM 100	CM 159 LEVEL CM	6695,5577 litre	85,250 %	1158,4239 litre	O
250	CM 100	CM 158 LEVEL CM	6655,0064 litre	84,734 %	1198,9752 litre	O
250	CM 100	CM 157 LEVEL CM	6614,0991 litre	84,213 %	1239,8825 litre	O
250	CM 100	CM 156 LEVEL CM	6572,8450 litre	83,688 %	1281,1366 litre	O
250	CM 100	CM 155 LEVEL CM	6531,2528 litre	83,158 %	1322,7288 litre	O
250	CM 100	CM 154 LEVEL CM	6489,3314 litre	82,625 %	1364,6502 litre	O
250	CM 100	CM 153 LEVEL CM	6447,0891 litre	82,087 %	1406,8925 litre	O
250	CM 100	CM 152 LEVEL CM	6404,5343 litre	81,545 %	1449,4473 litre	O
250	CM 100	CM 151 LEVEL CM	6361,6752 litre	80,999 %	1492,3064 litre	O
250	CM 100	CM 150 LEVEL CM	6318,5195 litre	80,450 %	1535,4621 litre	O
250	CM 100	CM 149 LEVEL CM	6275,0752 litre	79,897 %	1578,9064 litre	O

250	CM	100	CM	148 LEVEL CM	6231,3498 litre	79,340 %	1622,6318 litre	O
250	CM	100	CM	147 LEVEL CM	6187,3508 litre	78,780 %	1666,6308 litre	O
250	CM	100	CM	146 LEVEL CM	6143,0856 litre	78,216 %	1710,8960 litre	O
250	CM	100	CM	145 LEVEL CM	6098,5613 litre	77,649 %	1755,4203 litre	O
250	CM	100	CM	144 LEVEL CM	6053,7851 litre	77,079 %	1800,1965 litre	O
250	CM	100	CM	143 LEVEL CM	6008,7638 litre	76,506 %	1845,2178 litre	O
250	CM	100	CM	142 LEVEL CM	5963,5044 litre	75,930 %	1890,4772 litre	O
250	CM	100	CM	141 LEVEL CM	5918,0136 litre	75,350 %	1935,9680 litre	O
250	CM	100	CM	140 LEVEL CM	5872,2981 litre	74,768 %	1981,6835 litre	O
250	CM	100	CM	139 LEVEL CM	5826,3643 litre	74,184 %	2027,6173 litre	O
250	CM	100	CM	138 LEVEL CM	5780,2187 litre	73,596 %	2073,7629 litre	O
250	CM	100	CM	137 LEVEL CM	5733,8677 litre	73,006 %	2120,1139 litre	O
250	CM	100	CM	136 LEVEL CM	5687,3176 litre	72,413 %	2166,6640 litre	O
250	CM	100	CM	135 LEVEL CM	5640,5746 litre	71,818 %	2213,4070 litre	O
250	CM	100	CM	134 LEVEL CM	5593,6447 litre	71,220 %	2260,3369 litre	O
250	CM	100	CM	133 LEVEL CM	5546,5340 litre	70,621 %	2307,4476 litre	O
250	CM	100	CM	132 LEVEL CM	5499,2486 litre	70,019 %	2354,7330 litre	O
250	CM	100	CM	131 LEVEL CM	5451,7942 litre	69,414 %	2402,1874 litre	O
250	CM	100	CM	130 LEVEL CM	5404,1769 litre	68,808 %	2449,8047 litre	O
250	CM	100	CM	129 LEVEL CM	5356,4022 litre	68,200 %	2497,5794 litre	O
250	CM	100	CM	128 LEVEL CM	5308,4761 litre	67,590 %	2545,5055 litre	O
250	CM	100	CM	127 LEVEL CM	5260,4041 litre	66,978 %	2593,5775 litre	O
250	CM	100	CM	126 LEVEL CM	5212,1919 litre	66,364 %	2641,7897 litre	O
250	CM	100	CM	125 LEVEL CM	5163,8451 litre	65,748 %	2690,1365 litre	O
250	CM	100	CM	124 LEVEL CM	5115,3692 litre	65,131 %	2738,6124 litre	O
250	CM	100	CM	123 LEVEL CM	5066,7696 litre	64,512 %	2787,2120 litre	O
250	CM	100	CM	122 LEVEL CM	5018,0519 litre	63,892 %	2835,9297 litre	O
250	CM	100	CM	121 LEVEL CM	4969,2214 litre	63,270 %	2884,7602 litre	O
250	CM	100	CM	120 LEVEL CM	4920,2836 litre	62,647 %	2933,6980 litre	O
250	CM	100	CM	119 LEVEL CM	4871,2436 litre	62,023 %	2982,7380 litre	O
250	CM	100	CM	118 LEVEL CM	4822,1069 litre	61,397 %	3031,8747 litre	O
250	CM	100	CM	117 LEVEL CM	4772,8787 litre	60,770 %	3081,1029 litre	O
250	CM	100	CM	116 LEVEL CM	4723,5643 litre	60,142 %	3130,4173 litre	O
250	CM	100	CM	115 LEVEL CM	4674,1687 litre	59,513 %	3179,8129 litre	O
250	CM	100	CM	114 LEVEL CM	4624,6974 litre	58,883 %	3229,2842 litre	O
250	CM	100	CM	113 LEVEL CM	4575,1553 litre	58,253 %	3278,8263 litre	O
250	CM	100	CM	112 LEVEL CM	4525,5477 litre	57,621 %	3328,4339 litre	O
250	CM	100	CM	111 LEVEL CM	4475,8796 litre	56,989 %	3378,1020 litre	O
250	CM	100	CM	110 LEVEL CM	4426,1562 litre	56,356 %	3427,8254 litre	O
250	CM	100	CM	109 LEVEL CM	4376,3826 litre	55,722 %	3477,5990 litre	O
250	CM	100	CM	108 LEVEL CM	4326,5637 litre	55,088 %	3527,4179 litre	O
250	CM	100	CM	107 LEVEL CM	4276,7048 litre	54,453 %	3577,2768 litre	O
250	CM	100	CM	106 LEVEL CM	4226,8107 litre	53,817 %	3627,1709 litre	O
250	CM	100	CM	105 LEVEL CM	4176,8866 litre	53,182 %	3677,0950 litre	O
250	CM	100	CM	104 LEVEL CM	4126,9375 litre	52,546 %	3727,0441 litre	O
250	CM	100	CM	103 LEVEL CM	4076,9683 litre	51,910 %	3777,0133 litre	O
250	CM	100	CM	102 LEVEL CM	4026,9841 litre	51,273 %	3826,9975 litre	O
250	CM	100	CM	101 LEVEL CM	3976,9900 litre	50,637 %	3876,9916 litre	O
250	CM	100	CM	100 LEVEL CM	3926,9908 litre	50,000 %	3926,9908 litre	O
250	CM	100	CM	99 LEVEL CM	3876,9917 litre	49,363 %	3976,9899 litre	O
250	CM	100	CM	98 LEVEL CM	3826,9975 litre	48,727 %	4026,9841 litre	O
250	CM	100	CM	97 LEVEL CM	3777,0133 litre	48,090 %	4076,9683 litre	O
250	CM	100	CM	96 LEVEL CM	3727,0442 litre	47,454 %	4126,9374 litre	O

250	CM	100	CM	95 LEVEL CM	3677,0950 litre	46,818 %	4176,8866 litre	O
250	CM	100	CM	94 LEVEL CM	3627,1709 litre	46,183 %	4226,8107 litre	O
250	CM	100	CM	93 LEVEL CM	3577,2769 litre	45,547 %	4276,7047 litre	O
250	CM	100	CM	92 LEVEL CM	3527,4179 litre	44,912 %	4326,5637 litre	O
250	CM	100	CM	91 LEVEL CM	3477,5991 litre	44,278 %	4376,3825 litre	O
250	CM	100	CM	90 LEVEL CM	3427,8254 litre	43,644 %	4426,1562 litre	O
250	CM	100	CM	89 LEVEL CM	3378,1020 litre	43,011 %	4475,8796 litre	O
250	CM	100	CM	88 LEVEL CM	3328,4339 litre	42,379 %	4525,5477 litre	O
250	CM	100	CM	87 LEVEL CM	3278,8263 litre	41,747 %	4575,1553 litre	O
250	CM	100	CM	86 LEVEL CM	3229,2843 litre	41,117 %	4624,6973 litre	O
250	CM	100	CM	85 LEVEL CM	3179,8129 litre	40,487 %	4674,1687 litre	O
250	CM	100	CM	84 LEVEL CM	3130,4174 litre	39,858 %	4723,5642 litre	O
250	CM	100	CM	83 LEVEL CM	3081,1029 litre	39,230 %	4772,8787 litre	O
250	CM	100	CM	82 LEVEL CM	3031,8747 litre	38,603 %	4822,1069 litre	O
250	CM	100	CM	81 LEVEL CM	2982,7380 litre	37,977 %	4871,2436 litre	O
250	CM	100	CM	80 LEVEL CM	2933,6981 litre	37,353 %	4920,2835 litre	O
250	CM	100	CM	79 LEVEL CM	2884,7602 litre	36,730 %	4969,2214 litre	O
250	CM	100	CM	78 LEVEL CM	2835,9297 litre	36,108 %	5018,0519 litre	O
250	CM	100	CM	77 LEVEL CM	2787,2120 litre	35,488 %	5066,7696 litre	O
250	CM	100	CM	76 LEVEL CM	2738,6125 litre	34,869 %	5115,3691 litre	O
250	CM	100	CM	75 LEVEL CM	2690,1365 litre	34,252 %	5163,8451 litre	O
250	CM	100	CM	74 LEVEL CM	2641,7897 litre	33,636 %	5212,1919 litre	O
250	CM	100	CM	73 LEVEL CM	2593,5775 litre	33,022 %	5260,4041 litre	O
250	CM	100	CM	72 LEVEL CM	2545,5055 litre	32,410 %	5308,4761 litre	O
250	CM	100	CM	71 LEVEL CM	2497,5794 litre	31,800 %	5356,4022 litre	O
250	CM	100	CM	70 LEVEL CM	2449,8048 litre	31,192 %	5404,1768 litre	O
250	CM	100	CM	69 LEVEL CM	2402,1874 litre	30,586 %	5451,7942 litre	O
250	CM	100	CM	68 LEVEL CM	2354,7331 litre	29,981 %	5499,2485 litre	O
250	CM	100	CM	67 LEVEL CM	2307,4476 litre	29,379 %	5546,5340 litre	O
250	CM	100	CM	66 LEVEL CM	2260,3370 litre	28,780 %	5593,6446 litre	O
250	CM	100	CM	65 LEVEL CM	2213,4071 litre	28,182 %	5640,5745 litre	O
250	CM	100	CM	64 LEVEL CM	2166,6640 litre	27,587 %	5687,3176 litre	O
250	CM	100	CM	63 LEVEL CM	2120,1139 litre	26,994 %	5733,8677 litre	O
250	CM	100	CM	62 LEVEL CM	2073,7629 litre	26,404 %	5780,2187 litre	O
250	CM	100	CM	61 LEVEL CM	2027,6174 litre	25,816 %	5826,3642 litre	O
250	CM	100	CM	60 LEVEL CM	1981,6836 litre	25,232 %	5872,2980 litre	O
250	CM	100	CM	59 LEVEL CM	1935,9680 litre	24,650 %	5918,0136 litre	O
250	CM	100	CM	58 LEVEL CM	1890,4772 litre	24,070 %	5963,5044 litre	O
250	CM	100	CM	57 LEVEL CM	1845,2178 litre	23,494 %	6008,7638 litre	O
250	CM	100	CM	56 LEVEL CM	1800,1966 litre	22,921 %	6053,7850 litre	O
250	CM	100	CM	55 LEVEL CM	1755,4203 litre	22,351 %	6098,5613 litre	O
250	CM	100	CM	54 LEVEL CM	1710,8961 litre	21,784 %	6143,0855 litre	O
250	CM	100	CM	53 LEVEL CM	1666,6308 litre	21,220 %	6187,3508 litre	O
250	CM	100	CM	52 LEVEL CM	1622,6319 litre	20,660 %	6231,3497 litre	O
250	CM	100	CM	51 LEVEL CM	1578,9065 litre	20,103 %	6275,0751 litre	O
250	CM	100	CM	50 LEVEL CM	1535,4621 litre	19,550 %	6318,5195 litre	O
250	CM	100	CM	49 LEVEL CM	1492,3065 litre	19,001 %	6361,6751 litre	O
250	CM	100	CM	48 LEVEL CM	1449,4473 litre	18,455 %	6404,5343 litre	O
250	CM	100	CM	47 LEVEL CM	1406,8925 litre	17,913 %	6447,0891 litre	O
250	CM	100	CM	46 LEVEL CM	1364,6503 litre	17,375 %	6489,3313 litre	O
250	CM	100	CM	45 LEVEL CM	1322,7288 litre	16,842 %	6531,2528 litre	O
250	CM	100	CM	44 LEVEL CM	1281,1367 litre	16,312 %	6572,8449 litre	O
250	CM	100	CM	43 LEVEL CM	1239,8825 litre	15,787 %	6614,0991 litre	O

250	CM	100	CM	42 LEVEL CM	1198,9752 litre	15,266 %	6655,0064 litre	O
250	CM	100	CM	41 LEVEL CM	1158,4239 litre	14,750 %	6695,5577 litre	O
250	CM	100	CM	40 LEVEL CM	1118,2380 litre	14,238 %	6735,7436 litre	O
250	CM	100	CM	39 LEVEL CM	1078,4272 litre	13,731 %	6775,5544 litre	O
250	CM	100	CM	38 LEVEL CM	1039,0013 litre	13,229 %	6814,9803 litre	O
250	CM	100	CM	37 LEVEL CM	999,9705 litre	12,732 %	6854,0111 litre	O
250	CM	100	CM	36 LEVEL CM	961,3453 litre	12,240 %	6892,6363 litre	O
250	CM	100	CM	35 LEVEL CM	923,1366 litre	11,754 %	6930,8450 litre	O
250	CM	100	CM	34 LEVEL CM	885,3557 litre	11,273 %	6968,6259 litre	O
250	CM	100	CM	33 LEVEL CM	848,0140 litre	10,797 %	7005,9676 litre	O
250	CM	100	CM	32 LEVEL CM	811,1236 litre	10,328 %	7042,8580 litre	O
250	CM	100	CM	31 LEVEL CM	774,6970 litre	9,864 %	7079,2846 litre	O
250	CM	100	CM	30 LEVEL CM	738,7471 litre	9,406 %	7115,2345 litre	O
250	CM	100	CM	29 LEVEL CM	703,2873 litre	8,955 %	7150,6943 litre	O
250	CM	100	CM	28 LEVEL CM	668,3317 litre	8,509 %	7185,6499 litre	O
250	CM	100	CM	27 LEVEL CM	633,8949 litre	8,071 %	7220,0867 litre	O
250	CM	100	CM	26 LEVEL CM	599,9922 litre	7,639 %	7253,9894 litre	O
250	CM	100	CM	25 LEVEL CM	566,6397 litre	7,215 %	7287,3419 litre	O
250	CM	100	CM	24 LEVEL CM	533,8542 litre	6,797 %	7320,1274 litre	O
250	CM	100	CM	23 LEVEL CM	501,6535 litre	6,387 %	7352,3281 litre	O
250	CM	100	CM	22 LEVEL CM	470,0562 litre	5,985 %	7383,9254 litre	O
250	CM	100	CM	21 LEVEL CM	439,0823 litre	5,591 %	7414,8993 litre	O
250	CM	100	CM	20 LEVEL CM	408,7528 litre	5,204 %	7445,2288 litre	O
250	CM	100	CM	19 LEVEL CM	379,0900 litre	4,827 %	7474,8916 litre	O
250	CM	100	CM	18 LEVEL CM	350,1181 litre	4,458 %	7503,8635 litre	O
250	CM	100	CM	17 LEVEL CM	321,8626 litre	4,098 %	7532,1190 litre	O
250	CM	100	CM	16 LEVEL CM	294,3513 litre	3,748 %	7559,6303 litre	O
250	CM	100	CM	15 LEVEL CM	267,6144 litre	3,407 %	7586,3672 litre	O
250	CM	100	CM	14 LEVEL CM	241,6845 litre	3,077 %	7612,2971 litre	O
250	CM	100	CM	13 LEVEL CM	216,5975 litre	2,758 %	7637,3841 litre	O
250	CM	100	CM	12 LEVEL CM	192,3932 litre	2,450 %	7661,5884 litre	O
250	CM	100	CM	11 LEVEL CM	169,1157 litre	2,153 %	7684,8659 litre	O
250	CM	100	CM	10 LEVEL CM	146,8148 litre	1,869 %	7707,1668 litre	O
250	CM	100	CM	9 LEVEL CM	125,5469 litre	1,599 %	7728,4347 litre	O
250	CM	100	CM	8 LEVEL CM	105,3774 litre	1,342 %	7748,6042 litre	O
250	CM	100	CM	7 LEVEL CM	86,3828 litre	1,100 %	7767,5988 litre	O
250	CM	100	CM	6 LEVEL CM	68,6551 litre	0,874 %	7785,3265 litre	O
250	CM	100	CM	5 LEVEL CM	52,3076 litre	0,666 %	7801,6740 litre	O
250	CM	100	CM	4 LEVEL CM	37,4853 litre	0,477 %	7816,4963 litre	O
250	CM	100	CM	3 LEVEL CM	24,3844 litre	0,310 %	7829,5972 litre	O
250	CM	100	CM	2 LEVEL CM	13,2933 litre	0,169 %	7840,6883 litre	O
250	CM	100	CM	1 LEVEL CM	4,7070 litre	0,060 %	7849,2746 litre	O
250	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	7853,9816 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
250	CM	95	CM	190 LEVEL CM	7088,2184 litre	100,000 %	0,0000 litre	O
250	CM	95	CM	189 LEVEL CM	7083,6310 litre	99,935 %	4,5874 litre	O
250	CM	95	CM	188 LEVEL CM	7075,2638 litre	99,817 %	12,9546 litre	O
250	CM	95	CM	187 LEVEL CM	7064,4572 litre	99,665 %	23,7612 litre	O
250	CM	95	CM	186 LEVEL CM	7051,6940 litre	99,485 %	36,5244 litre	O
250	CM	95	CM	185 LEVEL CM	7037,2558 litre	99,281 %	50,9626 litre	O
250	CM	95	CM	184 LEVEL CM	7021,3340 litre	99,056 %	66,8844 litre	O
250	CM	95	CM	183 LEVEL CM	7004,0705 litre	98,813 %	84,1479 litre	O
250	CM	95	CM	182 LEVEL CM	6985,5759 litre	98,552 %	102,6425 litre	O
250	CM	95	CM	181 LEVEL CM	6965,9401 litre	98,275 %	122,2783 litre	O
250	CM	95	CM	180 LEVEL CM	6945,2380 litre	97,983 %	142,9804 litre	O
250	CM	95	CM	179 LEVEL CM	6923,5334 litre	97,677 %	164,6850 litre	O
250	CM	95	CM	178 LEVEL CM	6900,8818 litre	97,357 %	187,3366 litre	O
250	CM	95	CM	177 LEVEL CM	6877,3318 litre	97,025 %	210,8866 litre	O
250	CM	95	CM	176 LEVEL CM	6852,9267 litre	96,681 %	235,2917 litre	O
250	CM	95	CM	175 LEVEL CM	6827,7054 litre	96,325 %	260,5130 litre	O
250	CM	95	CM	174 LEVEL CM	6801,7031 litre	95,958 %	286,5153 litre	O
250	CM	95	CM	173 LEVEL CM	6774,9520 litre	95,580 %	313,2664 litre	O
250	CM	95	CM	172 LEVEL CM	6747,4816 litre	95,193 %	340,7368 litre	O
250	CM	95	CM	171 LEVEL CM	6719,3190 litre	94,796 %	368,8994 litre	O
250	CM	95	CM	170 LEVEL CM	6690,4897 litre	94,389 %	397,7287 litre	O
250	CM	95	CM	169 LEVEL CM	6661,0171 litre	93,973 %	427,2013 litre	O
250	CM	95	CM	168 LEVEL CM	6630,9233 litre	93,549 %	457,2951 litre	O
250	CM	95	CM	167 LEVEL CM	6600,2291 litre	93,115 %	487,9893 litre	O
250	CM	95	CM	166 LEVEL CM	6568,9539 litre	92,674 %	519,2645 litre	O
250	CM	95	CM	165 LEVEL CM	6537,1161 litre	92,225 %	551,1023 litre	O
250	CM	95	CM	164 LEVEL CM	6504,7334 litre	91,768 %	583,4850 litre	O
250	CM	95	CM	163 LEVEL CM	6471,8222 litre	91,304 %	616,3962 litre	O
250	CM	95	CM	162 LEVEL CM	6438,3985 litre	90,832 %	649,8199 litre	O
250	CM	95	CM	161 LEVEL CM	6404,4773 litre	90,354 %	683,7411 litre	O
250	CM	95	CM	160 LEVEL CM	6370,0731 litre	89,868 %	718,1453 litre	O
250	CM	95	CM	159 LEVEL CM	6335,1998 litre	89,376 %	753,0186 litre	O
250	CM	95	CM	158 LEVEL CM	6299,8706 litre	88,878 %	788,3478 litre	O
250	CM	95	CM	157 LEVEL CM	6264,0984 litre	88,373 %	824,1200 litre	O
250	CM	95	CM	156 LEVEL CM	6227,8955 litre	87,863 %	860,3229 litre	O
250	CM	95	CM	155 LEVEL CM	6191,2738 litre	87,346 %	896,9446 litre	O
250	CM	95	CM	154 LEVEL CM	6154,2447 litre	86,824 %	933,9737 litre	O
250	CM	95	CM	153 LEVEL CM	6116,8194 litre	86,296 %	971,3990 litre	O
250	CM	95	CM	152 LEVEL CM	6079,0086 litre	85,762 %	1009,2098 litre	O
250	CM	95	CM	151 LEVEL CM	6040,8228 litre	85,223 %	1047,3956 litre	O
250	CM	95	CM	150 LEVEL CM	6002,2721 litre	84,680 %	1085,9463 litre	O
250	CM	95	CM	149 LEVEL CM	5963,3664 litre	84,131 %	1124,8520 litre	O
250	CM	95	CM	148 LEVEL CM	5924,1152 litre	83,577 %	1164,1032 litre	O
250	CM	95	CM	147 LEVEL CM	5884,5278 litre	83,018 %	1203,6906 litre	O
250	CM	95	CM	146 LEVEL CM	5844,6134 litre	82,455 %	1243,6050 litre	O
250	CM	95	CM	145 LEVEL CM	5804,3809 litre	81,888 %	1283,8375 litre	O
250	CM	95	CM	144 LEVEL CM	5763,8388 litre	81,316 %	1324,3796 litre	O
250	CM	95	CM	143 LEVEL CM	5722,9957 litre	80,740 %	1365,2227 litre	O
250	CM	95	CM	142 LEVEL CM	5681,8598 litre	80,159 %	1406,3586 litre	O
250	CM	95	CM	141 LEVEL CM	5640,4393 litre	79,575 %	1447,7791 litre	O
250	CM	95	CM	140 LEVEL CM	5598,7421 litre	78,987 %	1489,4763 litre	O
250	CM	95	CM	139 LEVEL CM	5556,7759 litre	78,395 %	1531,4425 litre	O

250	CM	95	CM	138 LEVEL CM	5514,5484 litre	77,799 %	1573,6700 litre	O
250	CM	95	CM	137 LEVEL CM	5472,0671 litre	77,199 %	1616,1513 litre	O
250	CM	95	CM	136 LEVEL CM	5429,3393 litre	76,597 %	1658,8791 litre	O
250	CM	95	CM	135 LEVEL CM	5386,3723 litre	75,990 %	1701,8461 litre	O
250	CM	95	CM	134 LEVEL CM	5343,1732 litre	75,381 %	1745,0452 litre	O
250	CM	95	CM	133 LEVEL CM	5299,7490 litre	74,768 %	1788,4694 litre	O
250	CM	95	CM	132 LEVEL CM	5256,1066 litre	74,153 %	1832,1118 litre	O
250	CM	95	CM	131 LEVEL CM	5212,2527 litre	73,534 %	1875,9657 litre	O
250	CM	95	CM	130 LEVEL CM	5168,1940 litre	72,912 %	1920,0244 litre	O
250	CM	95	CM	129 LEVEL CM	5123,9373 litre	72,288 %	1964,2811 litre	O
250	CM	95	CM	128 LEVEL CM	5079,4888 litre	71,661 %	2008,7296 litre	O
250	CM	95	CM	127 LEVEL CM	5034,8552 litre	71,031 %	2053,3632 litre	O
250	CM	95	CM	126 LEVEL CM	4990,0426 litre	70,399 %	2098,1758 litre	O
250	CM	95	CM	125 LEVEL CM	4945,0575 litre	69,764 %	2143,1609 litre	O
250	CM	95	CM	124 LEVEL CM	4899,9059 litre	69,127 %	2188,3125 litre	O
250	CM	95	CM	123 LEVEL CM	4854,5940 litre	68,488 %	2233,6244 litre	O
250	CM	95	CM	122 LEVEL CM	4809,1279 litre	67,847 %	2279,0905 litre	O
250	CM	95	CM	121 LEVEL CM	4763,5136 litre	67,203 %	2324,7048 litre	O
250	CM	95	CM	120 LEVEL CM	4717,7571 litre	66,558 %	2370,4613 litre	O
250	CM	95	CM	119 LEVEL CM	4671,8641 litre	65,910 %	2416,3543 litre	O
250	CM	95	CM	118 LEVEL CM	4625,8405 litre	65,261 %	2462,3779 litre	O
250	CM	95	CM	117 LEVEL CM	4579,6922 litre	64,610 %	2508,5262 litre	O
250	CM	95	CM	116 LEVEL CM	4533,4249 litre	63,957 %	2554,7935 litre	O
250	CM	95	CM	115 LEVEL CM	4487,0443 litre	63,303 %	2601,1741 litre	O
250	CM	95	CM	114 LEVEL CM	4440,5559 litre	62,647 %	2647,6625 litre	O
250	CM	95	CM	113 LEVEL CM	4393,9655 litre	61,990 %	2694,2529 litre	O
250	CM	95	CM	112 LEVEL CM	4347,2786 litre	61,331 %	2740,9398 litre	O
250	CM	95	CM	111 LEVEL CM	4300,5008 litre	60,671 %	2787,7176 litre	O
250	CM	95	CM	110 LEVEL CM	4253,6375 litre	60,010 %	2834,5809 litre	O
250	CM	95	CM	109 LEVEL CM	4206,6943 litre	59,348 %	2881,5241 litre	O
250	CM	95	CM	108 LEVEL CM	4159,6766 litre	58,684 %	2928,5418 litre	O
250	CM	95	CM	107 LEVEL CM	4112,5898 litre	58,020 %	2975,6286 litre	O
250	CM	95	CM	106 LEVEL CM	4065,4393 litre	57,355 %	3022,7791 litre	O
250	CM	95	CM	105 LEVEL CM	4018,2306 litre	56,689 %	3069,9878 litre	O
250	CM	95	CM	104 LEVEL CM	3970,9689 litre	56,022 %	3117,2495 litre	O
250	CM	95	CM	103 LEVEL CM	3923,6596 litre	55,355 %	3164,5588 litre	O
250	CM	95	CM	102 LEVEL CM	3876,3081 litre	54,687 %	3211,9103 litre	O
250	CM	95	CM	101 LEVEL CM	3828,9196 litre	54,018 %	3259,2988 litre	O
250	CM	95	CM	100 LEVEL CM	3781,4995 litre	53,349 %	3306,7189 litre	O
250	CM	95	CM	99 LEVEL CM	3734,0531 litre	52,680 %	3354,1653 litre	O
250	CM	95	CM	98 LEVEL CM	3686,5855 litre	52,010 %	3401,6329 litre	O
250	CM	95	CM	97 LEVEL CM	3639,1022 litre	51,340 %	3449,1162 litre	O
250	CM	95	CM	96 LEVEL CM	3591,6083 litre	50,670 %	3496,6101 litre	O
250	CM	95	CM	95 LEVEL CM	3544,1092 litre	50,000 %	3544,1092 litre	O
250	CM	95	CM	94 LEVEL CM	3496,6101 litre	49,330 %	3591,6083 litre	O
250	CM	95	CM	93 LEVEL CM	3449,1162 litre	48,660 %	3639,1022 litre	O
250	CM	95	CM	92 LEVEL CM	3401,6329 litre	47,990 %	3686,5855 litre	O
250	CM	95	CM	91 LEVEL CM	3354,1654 litre	47,320 %	3734,0530 litre	O
250	CM	95	CM	90 LEVEL CM	3306,7189 litre	46,651 %	3781,4995 litre	O
250	CM	95	CM	89 LEVEL CM	3259,2988 litre	45,982 %	3828,9196 litre	O
250	CM	95	CM	88 LEVEL CM	3211,9103 litre	45,313 %	3876,3081 litre	O
250	CM	95	CM	87 LEVEL CM	3164,5588 litre	44,645 %	3923,6596 litre	O
250	CM	95	CM	86 LEVEL CM	3117,2495 litre	43,978 %	3970,9689 litre	O

250	CM	95	CM	85 LEVEL CM	3069,9879 litre	43,311 %	4018,2305 litre	O
250	CM	95	CM	84 LEVEL CM	3022,7791 litre	42,645 %	4065,4393 litre	O
250	CM	95	CM	83 LEVEL CM	2975,6287 litre	41,980 %	4112,5897 litre	O
250	CM	95	CM	82 LEVEL CM	2928,5419 litre	41,316 %	4159,6765 litre	O
250	CM	95	CM	81 LEVEL CM	2881,5241 litre	40,652 %	4206,6943 litre	O
250	CM	95	CM	80 LEVEL CM	2834,5809 litre	39,990 %	4253,6375 litre	O
250	CM	95	CM	79 LEVEL CM	2787,7176 litre	39,329 %	4300,5008 litre	O
250	CM	95	CM	78 LEVEL CM	2740,9398 litre	38,669 %	4347,2786 litre	O
250	CM	95	CM	77 LEVEL CM	2694,2529 litre	38,010 %	4393,9655 litre	O
250	CM	95	CM	76 LEVEL CM	2647,6625 litre	37,353 %	4440,5559 litre	O
250	CM	95	CM	75 LEVEL CM	2601,1742 litre	36,697 %	4487,0442 litre	O
250	CM	95	CM	74 LEVEL CM	2554,7935 litre	36,043 %	4533,4249 litre	O
250	CM	95	CM	73 LEVEL CM	2508,5262 litre	35,390 %	4579,6922 litre	O
250	CM	95	CM	72 LEVEL CM	2462,3779 litre	34,739 %	4625,8405 litre	O
250	CM	95	CM	71 LEVEL CM	2416,3543 litre	34,090 %	4671,8641 litre	O
250	CM	95	CM	70 LEVEL CM	2370,4614 litre	33,442 %	4717,7570 litre	O
250	CM	95	CM	69 LEVEL CM	2324,7048 litre	32,797 %	4763,5136 litre	O
250	CM	95	CM	68 LEVEL CM	2279,0905 litre	32,153 %	4809,1279 litre	O
250	CM	95	CM	67 LEVEL CM	2233,6244 litre	31,512 %	4854,5940 litre	O
250	CM	95	CM	66 LEVEL CM	2188,3125 litre	30,873 %	4899,9059 litre	O
250	CM	95	CM	65 LEVEL CM	2143,1610 litre	30,236 %	4945,0574 litre	O
250	CM	95	CM	64 LEVEL CM	2098,1758 litre	29,601 %	4990,0426 litre	O
250	CM	95	CM	63 LEVEL CM	2053,3633 litre	28,969 %	5034,8551 litre	O
250	CM	95	CM	62 LEVEL CM	2008,7296 litre	28,339 %	5079,4888 litre	O
250	CM	95	CM	61 LEVEL CM	1964,2812 litre	27,712 %	5123,9372 litre	O
250	CM	95	CM	60 LEVEL CM	1920,0244 litre	27,088 %	5168,1940 litre	O
250	CM	95	CM	59 LEVEL CM	1875,9657 litre	26,466 %	5212,2527 litre	O
250	CM	95	CM	58 LEVEL CM	1832,1119 litre	25,847 %	5256,1065 litre	O
250	CM	95	CM	57 LEVEL CM	1788,4694 litre	25,232 %	5299,7490 litre	O
250	CM	95	CM	56 LEVEL CM	1745,0452 litre	24,619 %	5343,1732 litre	O
250	CM	95	CM	55 LEVEL CM	1701,8461 litre	24,010 %	5386,3723 litre	O
250	CM	95	CM	54 LEVEL CM	1658,8791 litre	23,403 %	5429,3393 litre	O
250	CM	95	CM	53 LEVEL CM	1616,1513 litre	22,801 %	5472,0671 litre	O
250	CM	95	CM	52 LEVEL CM	1573,6700 litre	22,201 %	5514,5484 litre	O
250	CM	95	CM	51 LEVEL CM	1531,4425 litre	21,605 %	5556,7759 litre	O
250	CM	95	CM	50 LEVEL CM	1489,4764 litre	21,013 %	5598,7420 litre	O
250	CM	95	CM	49 LEVEL CM	1447,7791 litre	20,425 %	5640,4393 litre	O
250	CM	95	CM	48 LEVEL CM	1406,3586 litre	19,841 %	5681,8598 litre	O
250	CM	95	CM	47 LEVEL CM	1365,2227 litre	19,260 %	5722,9957 litre	O
250	CM	95	CM	46 LEVEL CM	1324,3796 litre	18,684 %	5763,8388 litre	O
250	CM	95	CM	45 LEVEL CM	1283,8375 litre	18,112 %	5804,3809 litre	O
250	CM	95	CM	44 LEVEL CM	1243,6050 litre	17,545 %	5844,6134 litre	O
250	CM	95	CM	43 LEVEL CM	1203,6906 litre	16,982 %	5884,5278 litre	O
250	CM	95	CM	42 LEVEL CM	1164,1033 litre	16,423 %	5924,1151 litre	O
250	CM	95	CM	41 LEVEL CM	1124,8521 litre	15,869 %	5963,3663 litre	O
250	CM	95	CM	40 LEVEL CM	1085,9463 litre	15,320 %	6002,2721 litre	O
250	CM	95	CM	39 LEVEL CM	1047,3956 litre	14,777 %	6040,8228 litre	O
250	CM	95	CM	38 LEVEL CM	1009,2098 litre	14,238 %	6079,0086 litre	O
250	CM	95	CM	37 LEVEL CM	971,3991 litre	13,704 %	6116,8193 litre	O
250	CM	95	CM	36 LEVEL CM	933,9738 litre	13,176 %	6154,2446 litre	O
250	CM	95	CM	35 LEVEL CM	896,9447 litre	12,654 %	6191,2737 litre	O
250	CM	95	CM	34 LEVEL CM	860,3229 litre	12,137 %	6227,8955 litre	O
250	CM	95	CM	33 LEVEL CM	824,1200 litre	11,627 %	6264,0984 litre	O

250	CM	95	CM	32 LEVEL CM	788,3478 litre	11,122 %	6299,8706 litre	O
250	CM	95	CM	31 LEVEL CM	753,0186 litre	10,624 %	6335,1998 litre	O
250	CM	95	CM	30 LEVEL CM	718,1453 litre	10,132 %	6370,0731 litre	O
250	CM	95	CM	29 LEVEL CM	683,7411 litre	9,646 %	6404,4773 litre	O
250	CM	95	CM	28 LEVEL CM	649,8199 litre	9,168 %	6438,3985 litre	O
250	CM	95	CM	27 LEVEL CM	616,3962 litre	8,696 %	6471,8222 litre	O
250	CM	95	CM	26 LEVEL CM	583,4851 litre	8,232 %	6504,7333 litre	O
250	CM	95	CM	25 LEVEL CM	551,1023 litre	7,775 %	6537,1161 litre	O
250	CM	95	CM	24 LEVEL CM	519,2646 litre	7,326 %	6568,9538 litre	O
250	CM	95	CM	23 LEVEL CM	487,9893 litre	6,885 %	6600,2291 litre	O
250	CM	95	CM	22 LEVEL CM	457,2951 litre	6,451 %	6630,9233 litre	O
250	CM	95	CM	21 LEVEL CM	427,2013 litre	6,027 %	6661,0171 litre	O
250	CM	95	CM	20 LEVEL CM	397,7287 litre	5,611 %	6690,4897 litre	O
250	CM	95	CM	19 LEVEL CM	368,8994 litre	5,204 %	6719,3190 litre	O
250	CM	95	CM	18 LEVEL CM	340,7368 litre	4,807 %	6747,4816 litre	O
250	CM	95	CM	17 LEVEL CM	313,2664 litre	4,420 %	6774,9520 litre	O
250	CM	95	CM	16 LEVEL CM	286,5153 litre	4,042 %	6801,7031 litre	O
250	CM	95	CM	15 LEVEL CM	260,5130 litre	3,675 %	6827,7054 litre	O
250	CM	95	CM	14 LEVEL CM	235,2917 litre	3,319 %	6852,9267 litre	O
250	CM	95	CM	13 LEVEL CM	210,8866 litre	2,975 %	6877,3318 litre	O
250	CM	95	CM	12 LEVEL CM	187,3366 litre	2,643 %	6900,8818 litre	O
250	CM	95	CM	11 LEVEL CM	164,6850 litre	2,323 %	6923,5334 litre	O
250	CM	95	CM	10 LEVEL CM	142,9805 litre	2,017 %	6945,2379 litre	O
250	CM	95	CM	9 LEVEL CM	122,2783 litre	1,725 %	6965,9401 litre	O
250	CM	95	CM	8 LEVEL CM	102,6425 litre	1,448 %	6985,5759 litre	O
250	CM	95	CM	7 LEVEL CM	84,1479 litre	1,187 %	7004,0705 litre	O
250	CM	95	CM	6 LEVEL CM	66,8844 litre	0,944 %	7021,3340 litre	O
250	CM	95	CM	5 LEVEL CM	50,9626 litre	0,719 %	7037,2558 litre	O
250	CM	95	CM	4 LEVEL CM	36,5244 litre	0,515 %	7051,6940 litre	O
250	CM	95	CM	3 LEVEL CM	23,7613 litre	0,335 %	7064,4571 litre	O
250	CM	95	CM	2 LEVEL CM	12,9546 litre	0,183 %	7075,2638 litre	O
250	CM	95	CM	1 LEVEL CM	4,5874 litre	0,065 %	7083,6310 litre	O
250	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	7088,2184 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
250	CM	90	CM	180 LEVEL CM	6361,7251 litre	100,000 %	0,0000 litre	O
250	CM	90	CM	179 LEVEL CM	6357,2604 litre	99,930 %	4,4647 litre	O
250	CM	90	CM	178 LEVEL CM	6349,1183 litre	99,802 %	12,6068 litre	O
250	CM	90	CM	177 LEVEL CM	6338,6038 litre	99,637 %	23,1213 litre	O
250	CM	90	CM	176 LEVEL CM	6326,1875 litre	99,441 %	35,5376 litre	O
250	CM	90	CM	175 LEVEL CM	6312,1439 litre	99,221 %	49,5812 litre	O
250	CM	90	CM	174 LEVEL CM	6296,6596 litre	98,977 %	65,0655 litre	O
250	CM	90	CM	173 LEVEL CM	6279,8731 litre	98,713 %	81,8520 litre	O
250	CM	90	CM	172 LEVEL CM	6261,8924 litre	98,431 %	99,8327 litre	O
250	CM	90	CM	171 LEVEL CM	6242,8052 litre	98,131 %	118,9199 litre	O
250	CM	90	CM	170 LEVEL CM	6222,6847 litre	97,814 %	139,0404 litre	O
250	CM	90	CM	169 LEVEL CM	6201,5934 litre	97,483 %	160,1317 litre	O
250	CM	90	CM	168 LEVEL CM	6179,5854 litre	97,137 %	182,1397 litre	O
250	CM	90	CM	167 LEVEL CM	6156,7084 litre	96,777 %	205,0167 litre	O
250	CM	90	CM	166 LEVEL CM	6133,0048 litre	96,405 %	228,7203 litre	O
250	CM	90	CM	165 LEVEL CM	6108,5126 litre	96,020 %	253,2125 litre	O
250	CM	90	CM	164 LEVEL CM	6083,2664 litre	95,623 %	278,4587 litre	O
250	CM	90	CM	163 LEVEL CM	6057,2977 litre	95,215 %	304,4274 litre	O
250	CM	90	CM	162 LEVEL CM	6030,6354 litre	94,796 %	331,0897 litre	O
250	CM	90	CM	161 LEVEL CM	6003,3063 litre	94,366 %	358,4188 litre	O
250	CM	90	CM	160 LEVEL CM	5975,3351 litre	93,926 %	386,3900 litre	O
250	CM	90	CM	159 LEVEL CM	5946,7452 litre	93,477 %	414,9799 litre	O
250	CM	90	CM	158 LEVEL CM	5917,5581 litre	93,018 %	444,1670 litre	O
250	CM	90	CM	157 LEVEL CM	5887,7942 litre	92,550 %	473,9309 litre	O
250	CM	90	CM	156 LEVEL CM	5857,4727 litre	92,074 %	504,2524 litre	O
250	CM	90	CM	155 LEVEL CM	5826,6118 litre	91,589 %	535,1133 litre	O
250	CM	90	CM	154 LEVEL CM	5795,2288 litre	91,095 %	566,4963 litre	O
250	CM	90	CM	153 LEVEL CM	5763,3400 litre	90,594 %	598,3851 litre	O
250	CM	90	CM	152 LEVEL CM	5730,9610 litre	90,085 %	630,7641 litre	O
250	CM	90	CM	151 LEVEL CM	5698,1068 litre	89,569 %	663,6183 litre	O
250	CM	90	CM	150 LEVEL CM	5664,7917 litre	89,045 %	696,9334 litre	O
250	CM	90	CM	149 LEVEL CM	5631,0292 litre	88,514 %	730,6959 litre	O
250	CM	90	CM	148 LEVEL CM	5596,8327 litre	87,977 %	764,8924 litre	O
250	CM	90	CM	147 LEVEL CM	5562,2148 litre	87,432 %	799,5103 litre	O
250	CM	90	CM	146 LEVEL CM	5527,1876 litre	86,882 %	834,5375 litre	O
250	CM	90	CM	145 LEVEL CM	5491,7630 litre	86,325 %	869,9621 litre	O
250	CM	90	CM	144 LEVEL CM	5455,9523 litre	85,762 %	905,7728 litre	O
250	CM	90	CM	143 LEVEL CM	5419,7666 litre	85,193 %	941,9585 litre	O
250	CM	90	CM	142 LEVEL CM	5383,2166 litre	84,619 %	978,5085 litre	O
250	CM	90	CM	141 LEVEL CM	5346,3125 litre	84,039 %	1015,4126 litre	O
250	CM	90	CM	140 LEVEL CM	5309,0646 litre	83,453 %	1052,6605 litre	O
250	CM	90	CM	139 LEVEL CM	5271,4826 litre	82,862 %	1090,2425 litre	O
250	CM	90	CM	138 LEVEL CM	5233,5760 litre	82,267 %	1128,1491 litre	O
250	CM	90	CM	137 LEVEL CM	5195,3542 litre	81,666 %	1166,3709 litre	O
250	CM	90	CM	136 LEVEL CM	5156,8262 litre	81,060 %	1204,8989 litre	O
250	CM	90	CM	135 LEVEL CM	5118,0008 litre	80,450 %	1243,7243 litre	O
250	CM	90	CM	134 LEVEL CM	5078,8867 litre	79,835 %	1282,8384 litre	O
250	CM	90	CM	133 LEVEL CM	5039,4924 litre	79,216 %	1322,2327 litre	O
250	CM	90	CM	132 LEVEL CM	4999,8262 litre	78,592 %	1361,8989 litre	O
250	CM	90	CM	131 LEVEL CM	4959,8961 litre	77,965 %	1401,8290 litre	O
250	CM	90	CM	130 LEVEL CM	4919,7102 litre	77,333 %	1442,0149 litre	O
250	CM	90	CM	129 LEVEL CM	4879,2761 litre	76,697 %	1482,4490 litre	O

250	CM	90	CM	128 LEVEL CM	4838,6017 litre	76,058 %	1523,1234 litre	O
250	CM	90	CM	127 LEVEL CM	4797,6943 litre	75,415 %	1564,0308 litre	O
250	CM	90	CM	126 LEVEL CM	4756,5614 litre	74,768 %	1605,1637 litre	O
250	CM	90	CM	125 LEVEL CM	4715,2103 litre	74,118 %	1646,5148 litre	O
250	CM	90	CM	124 LEVEL CM	4673,6482 litre	73,465 %	1688,0769 litre	O
250	CM	90	CM	123 LEVEL CM	4631,8820 litre	72,809 %	1729,8431 litre	O
250	CM	90	CM	122 LEVEL CM	4589,9188 litre	72,149 %	1771,8063 litre	O
250	CM	90	CM	121 LEVEL CM	4547,7653 litre	71,486 %	1813,9598 litre	O
250	CM	90	CM	120 LEVEL CM	4505,4284 litre	70,821 %	1856,2967 litre	O
250	CM	90	CM	119 LEVEL CM	4462,9147 litre	70,153 %	1898,8104 litre	O
250	CM	90	CM	118 LEVEL CM	4420,2308 litre	69,482 %	1941,4943 litre	O
250	CM	90	CM	117 LEVEL CM	4377,3833 litre	68,808 %	1984,3418 litre	O
250	CM	90	CM	116 LEVEL CM	4334,3784 litre	68,132 %	2027,3467 litre	O
250	CM	90	CM	115 LEVEL CM	4291,2227 litre	67,454 %	2070,5024 litre	O
250	CM	90	CM	114 LEVEL CM	4247,9224 litre	66,773 %	2113,8027 litre	O
250	CM	90	CM	113 LEVEL CM	4204,4838 litre	66,090 %	2157,2413 litre	O
250	CM	90	CM	112 LEVEL CM	4160,9130 litre	65,405 %	2200,8121 litre	O
250	CM	90	CM	111 LEVEL CM	4117,2161 litre	64,719 %	2244,5090 litre	O
250	CM	90	CM	110 LEVEL CM	4073,3993 litre	64,030 %	2288,3258 litre	O
250	CM	90	CM	109 LEVEL CM	4029,4685 litre	63,339 %	2332,2566 litre	O
250	CM	90	CM	108 LEVEL CM	3985,4297 litre	62,647 %	2376,2954 litre	O
250	CM	90	CM	107 LEVEL CM	3941,2888 litre	61,953 %	2420,4363 litre	O
250	CM	90	CM	106 LEVEL CM	3897,0518 litre	61,258 %	2464,6733 litre	O
250	CM	90	CM	105 LEVEL CM	3852,7244 litre	60,561 %	2509,0007 litre	O
250	CM	90	CM	104 LEVEL CM	3808,3125 litre	59,863 %	2553,4126 litre	O
250	CM	90	CM	103 LEVEL CM	3763,8219 litre	59,164 %	2597,9032 litre	O
250	CM	90	CM	102 LEVEL CM	3719,2583 litre	58,463 %	2642,4668 litre	O
250	CM	90	CM	101 LEVEL CM	3674,6274 litre	57,761 %	2687,0977 litre	O
250	CM	90	CM	100 LEVEL CM	3629,9349 litre	57,059 %	2731,7902 litre	O
250	CM	90	CM	99 LEVEL CM	3585,1865 litre	56,356 %	2776,5386 litre	O
250	CM	90	CM	98 LEVEL CM	3540,3879 litre	55,651 %	2821,3372 litre	O
250	CM	90	CM	97 LEVEL CM	3495,5447 litre	54,946 %	2866,1804 litre	O
250	CM	90	CM	96 LEVEL CM	3450,6624 litre	54,241 %	2911,0627 litre	O
250	CM	90	CM	95 LEVEL CM	3405,7468 litre	53,535 %	2955,9783 litre	O
250	CM	90	CM	94 LEVEL CM	3360,8033 litre	52,828 %	3000,9218 litre	O
250	CM	90	CM	93 LEVEL CM	3315,8376 litre	52,122 %	3045,8875 litre	O
250	CM	90	CM	92 LEVEL CM	3270,8552 litre	51,415 %	3090,8699 litre	O
250	CM	90	CM	91 LEVEL CM	3225,8616 litre	50,707 %	3135,8635 litre	O
250	CM	90	CM	90 LEVEL CM	3180,8626 litre	50,000 %	3180,8625 litre	O
250	CM	90	CM	89 LEVEL CM	3135,8635 litre	49,293 %	3225,8616 litre	O
250	CM	90	CM	88 LEVEL CM	3090,8700 litre	48,585 %	3270,8551 litre	O
250	CM	90	CM	87 LEVEL CM	3045,8876 litre	47,878 %	3315,8375 litre	O
250	CM	90	CM	86 LEVEL CM	3000,9218 litre	47,172 %	3360,8033 litre	O
250	CM	90	CM	85 LEVEL CM	2955,9784 litre	46,465 %	3405,7467 litre	O
250	CM	90	CM	84 LEVEL CM	2911,0627 litre	45,759 %	3450,6624 litre	O
250	CM	90	CM	83 LEVEL CM	2866,1804 litre	45,054 %	3495,5447 litre	O
250	CM	90	CM	82 LEVEL CM	2821,3372 litre	44,349 %	3540,3879 litre	O
250	CM	90	CM	81 LEVEL CM	2776,5386 litre	43,644 %	3585,1865 litre	O
250	CM	90	CM	80 LEVEL CM	2731,7902 litre	42,941 %	3629,9349 litre	O
250	CM	90	CM	79 LEVEL CM	2687,0977 litre	42,239 %	3674,6274 litre	O
250	CM	90	CM	78 LEVEL CM	2642,4669 litre	41,537 %	3719,2582 litre	O
250	CM	90	CM	77 LEVEL CM	2597,9032 litre	40,836 %	3763,8219 litre	O
250	CM	90	CM	76 LEVEL CM	2553,4126 litre	40,137 %	3808,3125 litre	O

250	CM	90	CM	75 LEVEL CM	2509,0007 litre	39,439 %	3852,7244 litre	O
250	CM	90	CM	74 LEVEL CM	2464,6733 litre	38,742 %	3897,0518 litre	O
250	CM	90	CM	73 LEVEL CM	2420,4363 litre	38,047 %	3941,2888 litre	O
250	CM	90	CM	72 LEVEL CM	2376,2954 litre	37,353 %	3985,4297 litre	O
250	CM	90	CM	71 LEVEL CM	2332,2566 litre	36,661 %	4029,4685 litre	O
250	CM	90	CM	70 LEVEL CM	2288,3258 litre	35,970 %	4073,3993 litre	O
250	CM	90	CM	69 LEVEL CM	2244,5090 litre	35,281 %	4117,2161 litre	O
250	CM	90	CM	68 LEVEL CM	2200,8121 litre	34,595 %	4160,9130 litre	O
250	CM	90	CM	67 LEVEL CM	2157,2413 litre	33,910 %	4204,4838 litre	O
250	CM	90	CM	66 LEVEL CM	2113,8027 litre	33,227 %	4247,9224 litre	O
250	CM	90	CM	65 LEVEL CM	2070,5024 litre	32,546 %	4291,2227 litre	O
250	CM	90	CM	64 LEVEL CM	2027,3467 litre	31,868 %	4334,3784 litre	O
250	CM	90	CM	63 LEVEL CM	1984,3419 litre	31,192 %	4377,3832 litre	O
250	CM	90	CM	62 LEVEL CM	1941,4943 litre	30,518 %	4420,2308 litre	O
250	CM	90	CM	61 LEVEL CM	1898,8104 litre	29,847 %	4462,9147 litre	O
250	CM	90	CM	60 LEVEL CM	1856,2967 litre	29,179 %	4505,4284 litre	O
250	CM	90	CM	59 LEVEL CM	1813,9598 litre	28,514 %	4547,7653 litre	O
250	CM	90	CM	58 LEVEL CM	1771,8064 litre	27,851 %	4589,9187 litre	O
250	CM	90	CM	57 LEVEL CM	1729,8431 litre	27,191 %	4631,8820 litre	O
250	CM	90	CM	56 LEVEL CM	1688,0769 litre	26,535 %	4673,6482 litre	O
250	CM	90	CM	55 LEVEL CM	1646,5148 litre	25,882 %	4715,2103 litre	O
250	CM	90	CM	54 LEVEL CM	1605,1637 litre	25,232 %	4756,5614 litre	O
250	CM	90	CM	53 LEVEL CM	1564,0308 litre	24,585 %	4797,6943 litre	O
250	CM	90	CM	52 LEVEL CM	1523,1235 litre	23,942 %	4838,6016 litre	O
250	CM	90	CM	51 LEVEL CM	1482,4490 litre	23,303 %	4879,2761 litre	O
250	CM	90	CM	50 LEVEL CM	1442,0150 litre	22,667 %	4919,7101 litre	O
250	CM	90	CM	49 LEVEL CM	1401,8290 litre	22,035 %	4959,8961 litre	O
250	CM	90	CM	48 LEVEL CM	1361,8989 litre	21,408 %	4999,8262 litre	O
250	CM	90	CM	47 LEVEL CM	1322,2327 litre	20,784 %	5039,4924 litre	O
250	CM	90	CM	46 LEVEL CM	1282,8384 litre	20,165 %	5078,8867 litre	O
250	CM	90	CM	45 LEVEL CM	1243,7243 litre	19,550 %	5118,0008 litre	O
250	CM	90	CM	44 LEVEL CM	1204,8989 litre	18,940 %	5156,8262 litre	O
250	CM	90	CM	43 LEVEL CM	1166,3709 litre	18,334 %	5195,3542 litre	O
250	CM	90	CM	42 LEVEL CM	1128,1491 litre	17,733 %	5233,5760 litre	O
250	CM	90	CM	41 LEVEL CM	1090,2425 litre	17,138 %	5271,4826 litre	O
250	CM	90	CM	40 LEVEL CM	1052,6605 litre	16,547 %	5309,0646 litre	O
250	CM	90	CM	39 LEVEL CM	1015,4126 litre	15,961 %	5346,3125 litre	O
250	CM	90	CM	38 LEVEL CM	978,5086 litre	15,381 %	5383,2165 litre	O
250	CM	90	CM	37 LEVEL CM	941,9585 litre	14,807 %	5419,7666 litre	O
250	CM	90	CM	36 LEVEL CM	905,7728 litre	14,238 %	5455,9523 litre	O
250	CM	90	CM	35 LEVEL CM	869,9621 litre	13,675 %	5491,7630 litre	O
250	CM	90	CM	34 LEVEL CM	834,5375 litre	13,118 %	5527,1876 litre	O
250	CM	90	CM	33 LEVEL CM	799,5103 litre	12,568 %	5562,2148 litre	O
250	CM	90	CM	32 LEVEL CM	764,8924 litre	12,023 %	5596,8327 litre	O
250	CM	90	CM	31 LEVEL CM	730,6959 litre	11,486 %	5631,0292 litre	O
250	CM	90	CM	30 LEVEL CM	696,9335 litre	10,955 %	5664,7916 litre	O
250	CM	90	CM	29 LEVEL CM	663,6183 litre	10,431 %	5698,1068 litre	O
250	CM	90	CM	28 LEVEL CM	630,7641 litre	9,915 %	5730,9610 litre	O
250	CM	90	CM	27 LEVEL CM	598,3852 litre	9,406 %	5763,3399 litre	O
250	CM	90	CM	26 LEVEL CM	566,4963 litre	8,905 %	5795,2288 litre	O
250	CM	90	CM	25 LEVEL CM	535,1133 litre	8,411 %	5826,6118 litre	O
250	CM	90	CM	24 LEVEL CM	504,2524 litre	7,926 %	5857,4727 litre	O
250	CM	90	CM	23 LEVEL CM	473,9310 litre	7,450 %	5887,7941 litre	O

250	CM	90	CM	22 LEVEL CM	444,1671 litre	6,982 %	5917,5580 litre	O
250	CM	90	CM	21 LEVEL CM	414,9800 litre	6,523 %	5946,7451 litre	O
250	CM	90	CM	20 LEVEL CM	386,3900 litre	6,074 %	5975,3351 litre	O
250	CM	90	CM	19 LEVEL CM	358,4189 litre	5,634 %	6003,3062 litre	O
250	CM	90	CM	18 LEVEL CM	331,0897 litre	5,204 %	6030,6354 litre	O
250	CM	90	CM	17 LEVEL CM	304,4274 litre	4,785 %	6057,2977 litre	O
250	CM	90	CM	16 LEVEL CM	278,4587 litre	4,377 %	6083,2664 litre	O
250	CM	90	CM	15 LEVEL CM	253,2125 litre	3,980 %	6108,5126 litre	O
250	CM	90	CM	14 LEVEL CM	228,7203 litre	3,595 %	6133,0048 litre	O
250	CM	90	CM	13 LEVEL CM	205,0167 litre	3,223 %	6156,7084 litre	O
250	CM	90	CM	12 LEVEL CM	182,1397 litre	2,863 %	6179,5854 litre	O
250	CM	90	CM	11 LEVEL CM	160,1317 litre	2,517 %	6201,5934 litre	O
250	CM	90	CM	10 LEVEL CM	139,0404 litre	2,186 %	6222,6847 litre	O
250	CM	90	CM	9 LEVEL CM	118,9200 litre	1,869 %	6242,8051 litre	O
250	CM	90	CM	8 LEVEL CM	99,8327 litre	1,569 %	6261,8924 litre	O
250	CM	90	CM	7 LEVEL CM	81,8520 litre	1,287 %	6279,8731 litre	O
250	CM	90	CM	6 LEVEL CM	65,0655 litre	1,023 %	6296,6596 litre	O
250	CM	90	CM	5 LEVEL CM	49,5812 litre	0,779 %	6312,1439 litre	O
250	CM	90	CM	4 LEVEL CM	35,5376 litre	0,559 %	6326,1875 litre	O
250	CM	90	CM	3 LEVEL CM	23,1214 litre	0,363 %	6338,6037 litre	O
250	CM	90	CM	2 LEVEL CM	12,6069 litre	0,198 %	6349,1182 litre	O
250	CM	90	CM	1 LEVEL CM	4,4647 litre	0,070 %	6357,2604 litre	O
250	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	6361,7251 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM 85	CM 170 LEVEL CM	5674,5017 litre	100,000 %	0,0000 litre	O
250	CM 85	CM 169 LEVEL CM	5670,1633 litre	99,924 %	4,3384 litre	O
250	CM 85	CM 168 LEVEL CM	5662,2525 litre	99,784 %	12,2492 litre	O
250	CM 85	CM 167 LEVEL CM	5652,0385 litre	99,604 %	22,4632 litre	O
250	CM 85	CM 166 LEVEL CM	5639,9791 litre	99,392 %	34,5226 litre	O
250	CM 85	CM 165 LEVEL CM	5626,3415 litre	99,151 %	48,1602 litre	O
250	CM 85	CM 164 LEVEL CM	5611,3075 litre	98,886 %	63,1942 litre	O
250	CM 85	CM 163 LEVEL CM	5595,0119 litre	98,599 %	79,4898 litre	O
250	CM 85	CM 162 LEVEL CM	5577,5602 litre	98,292 %	96,9415 litre	O
250	CM 85	CM 161 LEVEL CM	5559,0378 litre	97,965 %	115,4639 litre	O
250	CM 85	CM 160 LEVEL CM	5539,5163 litre	97,621 %	134,9854 litre	O
250	CM 85	CM 159 LEVEL CM	5519,0567 litre	97,261 %	155,4450 litre	O
250	CM 85	CM 158 LEVEL CM	5497,7117 litre	96,884 %	176,7900 litre	O
250	CM 85	CM 157 LEVEL CM	5475,5282 litre	96,494 %	198,9735 litre	O
250	CM 85	CM 156 LEVEL CM	5452,5474 litre	96,089 %	221,9543 litre	O
250	CM 85	CM 155 LEVEL CM	5428,8067 litre	95,670 %	245,6950 litre	O
250	CM 85	CM 154 LEVEL CM	5404,3399 litre	95,239 %	270,1618 litre	O
250	CM 85	CM 153 LEVEL CM	5379,1779 litre	94,796 %	295,3238 litre	O
250	CM 85	CM 152 LEVEL CM	5353,3490 litre	94,340 %	321,1527 litre	O
250	CM 85	CM 151 LEVEL CM	5326,8795 litre	93,874 %	347,6222 litre	O
250	CM 85	CM 150 LEVEL CM	5299,7938 litre	93,397 %	374,7079 litre	O
250	CM 85	CM 149 LEVEL CM	5272,1146 litre	92,909 %	402,3871 litre	O
250	CM 85	CM 148 LEVEL CM	5243,8632 litre	92,411 %	430,6385 litre	O
250	CM 85	CM 147 LEVEL CM	5215,0597 litre	91,903 %	459,4420 litre	O
250	CM 85	CM 146 LEVEL CM	5185,7229 litre	91,386 %	488,7788 litre	O
250	CM 85	CM 145 LEVEL CM	5155,8709 litre	90,860 %	518,6308 litre	O
250	CM 85	CM 144 LEVEL CM	5125,5205 litre	90,325 %	548,9812 litre	O
250	CM 85	CM 143 LEVEL CM	5094,6879 litre	89,782 %	579,8138 litre	O
250	CM 85	CM 142 LEVEL CM	5063,3886 litre	89,231 %	611,1131 litre	O
250	CM 85	CM 141 LEVEL CM	5031,6372 litre	88,671 %	642,8645 litre	O
250	CM 85	CM 140 LEVEL CM	4999,4479 litre	88,104 %	675,0538 litre	O
250	CM 85	CM 139 LEVEL CM	4966,8342 litre	87,529 %	707,6675 litre	O
250	CM 85	CM 138 LEVEL CM	4933,8092 litre	86,947 %	740,6925 litre	O
250	CM 85	CM 137 LEVEL CM	4900,3853 litre	86,358 %	774,1164 litre	O
250	CM 85	CM 136 LEVEL CM	4866,5747 litre	85,762 %	807,9270 litre	O
250	CM 85	CM 135 LEVEL CM	4832,3891 litre	85,160 %	842,1126 litre	O
250	CM 85	CM 134 LEVEL CM	4797,8398 litre	84,551 %	876,6619 litre	O
250	CM 85	CM 133 LEVEL CM	4762,9377 litre	83,936 %	911,5640 litre	O
250	CM 85	CM 132 LEVEL CM	4727,6935 litre	83,315 %	946,8082 litre	O
250	CM 85	CM 131 LEVEL CM	4692,1174 litre	82,688 %	982,3843 litre	O
250	CM 85	CM 130 LEVEL CM	4656,2195 litre	82,055 %	1018,2822 litre	O
250	CM 85	CM 129 LEVEL CM	4620,0096 litre	81,417 %	1054,4921 litre	O
250	CM 85	CM 128 LEVEL CM	4583,4971 litre	80,774 %	1091,0046 litre	O
250	CM 85	CM 127 LEVEL CM	4546,6914 litre	80,125 %	1127,8103 litre	O
250	CM 85	CM 126 LEVEL CM	4509,6015 litre	79,471 %	1164,9002 litre	O
250	CM 85	CM 125 LEVEL CM	4472,2363 litre	78,813 %	1202,2654 litre	O
250	CM 85	CM 124 LEVEL CM	4434,6044 litre	78,150 %	1239,8973 litre	O
250	CM 85	CM 123 LEVEL CM	4396,7143 litre	77,482 %	1277,7874 litre	O
250	CM 85	CM 122 LEVEL CM	4358,5742 litre	76,810 %	1315,9275 litre	O
250	CM 85	CM 121 LEVEL CM	4320,1924 litre	76,133 %	1354,3093 litre	O
250	CM 85	CM 120 LEVEL CM	4281,5769 litre	75,453 %	1392,9248 litre	O
250	CM 85	CM 119 LEVEL CM	4242,7354 litre	74,768 %	1431,7663 litre	O

250	CM 85	CM	118 LEVEL CM	4203,6756 litre	74,080 %	1470,8261 litre	O
250	CM 85	CM	117 LEVEL CM	4164,4052 litre	73,388 %	1510,0965 litre	O
250	CM 85	CM	116 LEVEL CM	4124,9317 litre	72,692 %	1549,5700 litre	O
250	CM 85	CM	115 LEVEL CM	4085,2622 litre	71,993 %	1589,2395 litre	O
250	CM 85	CM	114 LEVEL CM	4045,4042 litre	71,291 %	1629,0975 litre	O
250	CM 85	CM	113 LEVEL CM	4005,3647 litre	70,585 %	1669,1370 litre	O
250	CM 85	CM	112 LEVEL CM	3965,1507 litre	69,877 %	1709,3510 litre	O
250	CM 85	CM	111 LEVEL CM	3924,7692 litre	69,165 %	1749,7325 litre	O
250	CM 85	CM	110 LEVEL CM	3884,2271 litre	68,451 %	1790,2746 litre	O
250	CM 85	CM	109 LEVEL CM	3843,5310 litre	67,733 %	1830,9707 litre	O
250	CM 85	CM	108 LEVEL CM	3802,6879 litre	67,014 %	1871,8138 litre	O
250	CM 85	CM	107 LEVEL CM	3761,7042 litre	66,291 %	1912,7975 litre	O
250	CM 85	CM	106 LEVEL CM	3720,5865 litre	65,567 %	1953,9152 litre	O
250	CM 85	CM	105 LEVEL CM	3679,3413 litre	64,840 %	1995,1604 litre	O
250	CM 85	CM	104 LEVEL CM	3637,9750 litre	64,111 %	2036,5267 litre	O
250	CM 85	CM	103 LEVEL CM	3596,4941 litre	63,380 %	2078,0076 litre	O
250	CM 85	CM	102 LEVEL CM	3554,9049 litre	62,647 %	2119,5968 litre	O
250	CM 85	CM	101 LEVEL CM	3513,2136 litre	61,912 %	2161,2881 litre	O
250	CM 85	CM	100 LEVEL CM	3471,4264 litre	61,176 %	2203,0753 litre	O
250	CM 85	CM	99 LEVEL CM	3429,5496 litre	60,438 %	2244,9521 litre	O
250	CM 85	CM	98 LEVEL CM	3387,5893 litre	59,698 %	2286,9124 litre	O
250	CM 85	CM	97 LEVEL CM	3345,5516 litre	58,958 %	2328,9501 litre	O
250	CM 85	CM	96 LEVEL CM	3303,4427 litre	58,216 %	2371,0590 litre	O
250	CM 85	CM	95 LEVEL CM	3261,2684 litre	57,472 %	2413,2333 litre	O
250	CM 85	CM	94 LEVEL CM	3219,0350 litre	56,728 %	2455,4667 litre	O
250	CM 85	CM	93 LEVEL CM	3176,7482 litre	55,983 %	2497,7535 litre	O
250	CM 85	CM	92 LEVEL CM	3134,4142 litre	55,237 %	2540,0875 litre	O
250	CM 85	CM	91 LEVEL CM	3092,0389 litre	54,490 %	2582,4628 litre	O
250	CM 85	CM	90 LEVEL CM	3049,6283 litre	53,743 %	2624,8734 litre	O
250	CM 85	CM	89 LEVEL CM	3007,1881 litre	52,995 %	2667,3136 litre	O
250	CM 85	CM	88 LEVEL CM	2964,7244 litre	52,246 %	2709,7773 litre	O
250	CM 85	CM	87 LEVEL CM	2922,2430 litre	51,498 %	2752,2587 litre	O
250	CM 85	CM	86 LEVEL CM	2879,7499 litre	50,749 %	2794,7518 litre	O
250	CM 85	CM	85 LEVEL CM	2837,2509 litre	50,000 %	2837,2508 litre	O
250	CM 85	CM	84 LEVEL CM	2794,7518 litre	49,251 %	2879,7499 litre	O
250	CM 85	CM	83 LEVEL CM	2752,2587 litre	48,502 %	2922,2430 litre	O
250	CM 85	CM	82 LEVEL CM	2709,7773 litre	47,754 %	2964,7244 litre	O
250	CM 85	CM	81 LEVEL CM	2667,3136 litre	47,005 %	3007,1881 litre	O
250	CM 85	CM	80 LEVEL CM	2624,8735 litre	46,257 %	3049,6282 litre	O
250	CM 85	CM	79 LEVEL CM	2582,4628 litre	45,510 %	3092,0389 litre	O
250	CM 85	CM	78 LEVEL CM	2540,0875 litre	44,763 %	3134,4142 litre	O
250	CM 85	CM	77 LEVEL CM	2497,7535 litre	44,017 %	3176,7482 litre	O
250	CM 85	CM	76 LEVEL CM	2455,4668 litre	43,272 %	3219,0349 litre	O
250	CM 85	CM	75 LEVEL CM	2413,2333 litre	42,528 %	3261,2684 litre	O
250	CM 85	CM	74 LEVEL CM	2371,0591 litre	41,784 %	3303,4426 litre	O
250	CM 85	CM	73 LEVEL CM	2328,9501 litre	41,042 %	3345,5516 litre	O
250	CM 85	CM	72 LEVEL CM	2286,9124 litre	40,302 %	3387,5893 litre	O
250	CM 85	CM	71 LEVEL CM	2244,9521 litre	39,562 %	3429,5496 litre	O
250	CM 85	CM	70 LEVEL CM	2203,0753 litre	38,824 %	3471,4264 litre	O
250	CM 85	CM	69 LEVEL CM	2161,2882 litre	38,088 %	3513,2135 litre	O
250	CM 85	CM	68 LEVEL CM	2119,5969 litre	37,353 %	3554,9048 litre	O
250	CM 85	CM	67 LEVEL CM	2078,0076 litre	36,620 %	3596,4941 litre	O
250	CM 85	CM	66 LEVEL CM	2036,5267 litre	35,889 %	3637,9750 litre	O

250	CM	85	CM	65 LEVEL CM	1995,1605 litre	35,160 %	3679,3412 litre	O
250	CM	85	CM	64 LEVEL CM	1953,9153 litre	34,433 %	3720,5864 litre	O
250	CM	85	CM	63 LEVEL CM	1912,7976 litre	33,709 %	3761,7041 litre	O
250	CM	85	CM	62 LEVEL CM	1871,8139 litre	32,986 %	3802,6878 litre	O
250	CM	85	CM	61 LEVEL CM	1830,9707 litre	32,267 %	3843,5310 litre	O
250	CM	85	CM	60 LEVEL CM	1790,2747 litre	31,549 %	3884,2270 litre	O
250	CM	85	CM	59 LEVEL CM	1749,7325 litre	30,835 %	3924,7692 litre	O
250	CM	85	CM	58 LEVEL CM	1709,3511 litre	30,123 %	3965,1506 litre	O
250	CM	85	CM	57 LEVEL CM	1669,1371 litre	29,415 %	4005,3646 litre	O
250	CM	85	CM	56 LEVEL CM	1629,0975 litre	28,709 %	4045,4042 litre	O
250	CM	85	CM	55 LEVEL CM	1589,2395 litre	28,007 %	4085,2622 litre	O
250	CM	85	CM	54 LEVEL CM	1549,5701 litre	27,308 %	4124,9316 litre	O
250	CM	85	CM	53 LEVEL CM	1510,0965 litre	26,612 %	4164,4052 litre	O
250	CM	85	CM	52 LEVEL CM	1470,8261 litre	25,920 %	4203,6756 litre	O
250	CM	85	CM	51 LEVEL CM	1431,7664 litre	25,232 %	4242,7353 litre	O
250	CM	85	CM	50 LEVEL CM	1392,9249 litre	24,547 %	4281,5768 litre	O
250	CM	85	CM	49 LEVEL CM	1354,3093 litre	23,867 %	4320,1924 litre	O
250	CM	85	CM	48 LEVEL CM	1315,9275 litre	23,190 %	4358,5742 litre	O
250	CM	85	CM	47 LEVEL CM	1277,7875 litre	22,518 %	4396,7142 litre	O
250	CM	85	CM	46 LEVEL CM	1239,8974 litre	21,850 %	4434,6043 litre	O
250	CM	85	CM	45 LEVEL CM	1202,2654 litre	21,187 %	4472,2363 litre	O
250	CM	85	CM	44 LEVEL CM	1164,9002 litre	20,529 %	4509,6015 litre	O
250	CM	85	CM	43 LEVEL CM	1127,8103 litre	19,875 %	4546,6914 litre	O
250	CM	85	CM	42 LEVEL CM	1091,0046 litre	19,226 %	4583,4971 litre	O
250	CM	85	CM	41 LEVEL CM	1054,4922 litre	18,583 %	4620,0095 litre	O
250	CM	85	CM	40 LEVEL CM	1018,2822 litre	17,945 %	4656,2195 litre	O
250	CM	85	CM	39 LEVEL CM	982,3844 litre	17,312 %	4692,1173 litre	O
250	CM	85	CM	38 LEVEL CM	946,8083 litre	16,685 %	4727,6934 litre	O
250	CM	85	CM	37 LEVEL CM	911,5640 litre	16,064 %	4762,9377 litre	O
250	CM	85	CM	36 LEVEL CM	876,6619 litre	15,449 %	4797,8398 litre	O
250	CM	85	CM	35 LEVEL CM	842,1126 litre	14,840 %	4832,3891 litre	O
250	CM	85	CM	34 LEVEL CM	807,9270 litre	14,238 %	4866,5747 litre	O
250	CM	85	CM	33 LEVEL CM	774,1164 litre	13,642 %	4900,3853 litre	O
250	CM	85	CM	32 LEVEL CM	740,6926 litre	13,053 %	4933,8091 litre	O
250	CM	85	CM	31 LEVEL CM	707,6675 litre	12,471 %	4966,8342 litre	O
250	CM	85	CM	30 LEVEL CM	675,0539 litre	11,896 %	4999,4478 litre	O
250	CM	85	CM	29 LEVEL CM	642,8645 litre	11,329 %	5031,6372 litre	O
250	CM	85	CM	28 LEVEL CM	611,1132 litre	10,769 %	5063,3885 litre	O
250	CM	85	CM	27 LEVEL CM	579,8138 litre	10,218 %	5094,6879 litre	O
250	CM	85	CM	26 LEVEL CM	548,9812 litre	9,675 %	5125,5205 litre	O
250	CM	85	CM	25 LEVEL CM	518,6308 litre	9,140 %	5155,8709 litre	O
250	CM	85	CM	24 LEVEL CM	488,7788 litre	8,614 %	5185,7229 litre	O
250	CM	85	CM	23 LEVEL CM	459,4421 litre	8,097 %	5215,0596 litre	O
250	CM	85	CM	22 LEVEL CM	430,6385 litre	7,589 %	5243,8632 litre	O
250	CM	85	CM	21 LEVEL CM	402,3872 litre	7,091 %	5272,1145 litre	O
250	CM	85	CM	20 LEVEL CM	374,7080 litre	6,603 %	5299,7937 litre	O
250	CM	85	CM	19 LEVEL CM	347,6222 litre	6,126 %	5326,8795 litre	O
250	CM	85	CM	18 LEVEL CM	321,1528 litre	5,660 %	5353,3489 litre	O
250	CM	85	CM	17 LEVEL CM	295,3239 litre	5,204 %	5379,1778 litre	O
250	CM	85	CM	16 LEVEL CM	270,1618 litre	4,761 %	5404,3399 litre	O
250	CM	85	CM	15 LEVEL CM	245,6950 litre	4,330 %	5428,8067 litre	O
250	CM	85	CM	14 LEVEL CM	221,9543 litre	3,911 %	5452,5474 litre	O
250	CM	85	CM	13 LEVEL CM	198,9736 litre	3,506 %	5475,5281 litre	O

250	CM	85	CM	12 LEVEL CM	176,7900 litre	3,116 %	5497,7117 litre	O
250	CM	85	CM	11 LEVEL CM	155,4451 litre	2,739 %	5519,0566 litre	O
250	CM	85	CM	10 LEVEL CM	134,9854 litre	2,379 %	5539,5163 litre	O
250	CM	85	CM	9 LEVEL CM	115,4639 litre	2,035 %	5559,0378 litre	O
250	CM	85	CM	8 LEVEL CM	96,9416 litre	1,708 %	5577,5601 litre	O
250	CM	85	CM	7 LEVEL CM	79,4898 litre	1,401 %	5595,0119 litre	O
250	CM	85	CM	6 LEVEL CM	63,1942 litre	1,114 %	5611,3075 litre	O
250	CM	85	CM	5 LEVEL CM	48,1602 litre	0,849 %	5626,3415 litre	O
250	CM	85	CM	4 LEVEL CM	34,5226 litre	0,608 %	5639,9791 litre	O
250	CM	85	CM	3 LEVEL CM	22,4632 litre	0,396 %	5652,0385 litre	O
250	CM	85	CM	2 LEVEL CM	12,2492 litre	0,216 %	5662,2525 litre	O
250	CM	85	CM	1 LEVEL CM	4,3385 litre	0,076 %	5670,1632 litre	O
250	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	5674,5017 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
250	CM	80	CM	160 LEVEL CM	5026,5482 litre	100,000 %	0,0000 litre	O
250	CM	80	CM	159 LEVEL CM	5022,3398 litre	99,916 %	4,2084 litre	O
250	CM	80	CM	158 LEVEL CM	5014,6674 litre	99,764 %	11,8808 litre	O
250	CM	80	CM	157 LEVEL CM	5004,7630 litre	99,567 %	21,7852 litre	O
250	CM	80	CM	156 LEVEL CM	4993,0714 litre	99,334 %	33,4768 litre	O
250	CM	80	CM	155 LEVEL CM	4979,8522 litre	99,071 %	46,6960 litre	O
250	CM	80	CM	154 LEVEL CM	4965,2824 litre	98,781 %	61,2658 litre	O
250	CM	80	CM	153 LEVEL CM	4949,4930 litre	98,467 %	77,0552 litre	O
250	CM	80	CM	152 LEVEL CM	4932,5868 litre	98,131 %	93,9614 litre	O
250	CM	80	CM	151 LEVEL CM	4914,6471 litre	97,774 %	111,9011 litre	O
250	CM	80	CM	150 LEVEL CM	4895,7435 litre	97,398 %	130,8047 litre	O
250	CM	80	CM	149 LEVEL CM	4875,9356 litre	97,004 %	150,6126 litre	O
250	CM	80	CM	148 LEVEL CM	4855,2750 litre	96,593 %	171,2732 litre	O
250	CM	80	CM	147 LEVEL CM	4833,8073 litre	96,166 %	192,7409 litre	O
250	CM	80	CM	146 LEVEL CM	4811,5728 litre	95,723 %	214,9754 litre	O
250	CM	80	CM	145 LEVEL CM	4788,6082 litre	95,266 %	237,9400 litre	O
250	CM	80	CM	144 LEVEL CM	4764,9465 litre	94,796 %	261,6017 litre	O
250	CM	80	CM	143 LEVEL CM	4740,6179 litre	94,312 %	285,9303 litre	O
250	CM	80	CM	142 LEVEL CM	4715,6502 litre	93,815 %	310,8980 litre	O
250	CM	80	CM	141 LEVEL CM	4690,0692 litre	93,306 %	336,4790 litre	O
250	CM	80	CM	140 LEVEL CM	4663,8988 litre	92,785 %	362,6494 litre	O
250	CM	80	CM	139 LEVEL CM	4637,1614 litre	92,253 %	389,3868 litre	O
250	CM	80	CM	138 LEVEL CM	4609,8778 litre	91,711 %	416,6704 litre	O
250	CM	80	CM	137 LEVEL CM	4582,0679 litre	91,157 %	444,4803 litre	O
250	CM	80	CM	136 LEVEL CM	4553,7501 litre	90,594 %	472,7981 litre	O
250	CM	80	CM	135 LEVEL CM	4524,9422 litre	90,021 %	501,6060 litre	O
250	CM	80	CM	134 LEVEL CM	4495,6608 litre	89,438 %	530,8874 litre	O
250	CM	80	CM	133 LEVEL CM	4465,9219 litre	88,847 %	560,6263 litre	O
250	CM	80	CM	132 LEVEL CM	4435,7408 litre	88,246 %	590,8074 litre	O
250	CM	80	CM	131 LEVEL CM	4405,1319 litre	87,637 %	621,4163 litre	O
250	CM	80	CM	130 LEVEL CM	4374,1093 litre	87,020 %	652,4389 litre	O
250	CM	80	CM	129 LEVEL CM	4342,6863 litre	86,395 %	683,8619 litre	O
250	CM	80	CM	128 LEVEL CM	4310,8759 litre	85,762 %	715,6723 litre	O
250	CM	80	CM	127 LEVEL CM	4278,6904 litre	85,122 %	747,8578 litre	O
250	CM	80	CM	126 LEVEL CM	4246,1419 litre	84,474 %	780,4063 litre	O
250	CM	80	CM	125 LEVEL CM	4213,2419 litre	83,820 %	813,3063 litre	O
250	CM	80	CM	124 LEVEL CM	4180,0018 litre	83,158 %	846,5464 litre	O
250	CM	80	CM	123 LEVEL CM	4146,4324 litre	82,491 %	880,1158 litre	O
250	CM	80	CM	122 LEVEL CM	4112,5442 litre	81,816 %	914,0040 litre	O
250	CM	80	CM	121 LEVEL CM	4078,3476 litre	81,136 %	948,2006 litre	O
250	CM	80	CM	120 LEVEL CM	4043,8525 litre	80,450 %	982,6957 litre	O
250	CM	80	CM	119 LEVEL CM	4009,0687 litre	79,758 %	1017,4795 litre	O
250	CM	80	CM	118 LEVEL CM	3974,0058 litre	79,060 %	1052,5424 litre	O
250	CM	80	CM	117 LEVEL CM	3938,6729 litre	78,357 %	1087,8753 litre	O
250	CM	80	CM	116 LEVEL CM	3903,0792 litre	77,649 %	1123,4690 litre	O
250	CM	80	CM	115 LEVEL CM	3867,2336 litre	76,936 %	1159,3146 litre	O
250	CM	80	CM	114 LEVEL CM	3831,1446 litre	76,218 %	1195,4036 litre	O
250	CM	80	CM	113 LEVEL CM	3794,8209 litre	75,496 %	1231,7273 litre	O
250	CM	80	CM	112 LEVEL CM	3758,2708 litre	74,768 %	1268,2774 litre	O
250	CM	80	CM	111 LEVEL CM	3721,5024 litre	74,037 %	1305,0458 litre	O
250	CM	80	CM	110 LEVEL CM	3684,5238 litre	73,301 %	1342,0244 litre	O
250	CM	80	CM	109 LEVEL CM	3647,3430 litre	72,562 %	1379,2052 litre	O

250	CM	80	CM	108 LEVEL CM	3609,9677 litre	71,818 %	1416,5805 litre	O
250	CM	80	CM	107 LEVEL CM	3572,4056 litre	71,071 %	1454,1426 litre	O
250	CM	80	CM	106 LEVEL CM	3534,6642 litre	70,320 %	1491,8840 litre	O
250	CM	80	CM	105 LEVEL CM	3496,7509 litre	69,566 %	1529,7973 litre	O
250	CM	80	CM	104 LEVEL CM	3458,6732 litre	68,808 %	1567,8750 litre	O
250	CM	80	CM	103 LEVEL CM	3420,4382 litre	68,047 %	1606,1100 litre	O
250	CM	80	CM	102 LEVEL CM	3382,0531 litre	67,284 %	1644,4951 litre	O
250	CM	80	CM	101 LEVEL CM	3343,5250 litre	66,517 %	1683,0232 litre	O
250	CM	80	CM	100 LEVEL CM	3304,8609 litre	65,748 %	1721,6873 litre	O
250	CM	80	CM	99 LEVEL CM	3266,0676 litre	64,976 %	1760,4806 litre	O
250	CM	80	CM	98 LEVEL CM	3227,1521 litre	64,202 %	1799,3961 litre	O
250	CM	80	CM	97 LEVEL CM	3188,1212 litre	63,426 %	1838,4270 litre	O
250	CM	80	CM	96 LEVEL CM	3148,9815 litre	62,647 %	1877,5667 litre	O
250	CM	80	CM	95 LEVEL CM	3109,7397 litre	61,866 %	1916,8085 litre	O
250	CM	80	CM	94 LEVEL CM	3070,4025 litre	61,084 %	1956,1457 litre	O
250	CM	80	CM	93 LEVEL CM	3030,9764 litre	60,299 %	1995,5718 litre	O
250	CM	80	CM	92 LEVEL CM	2991,4680 litre	59,513 %	2035,0802 litre	O
250	CM	80	CM	91 LEVEL CM	2951,8837 litre	58,726 %	2074,6645 litre	O
250	CM	80	CM	90 LEVEL CM	2912,2300 litre	57,937 %	2114,3182 litre	O
250	CM	80	CM	89 LEVEL CM	2872,5133 litre	57,147 %	2154,0349 litre	O
250	CM	80	CM	88 LEVEL CM	2832,7400 litre	56,356 %	2193,8082 litre	O
250	CM	80	CM	87 LEVEL CM	2792,9164 litre	55,563 %	2233,6318 litre	O
250	CM	80	CM	86 LEVEL CM	2753,0489 litre	54,770 %	2273,4993 litre	O
250	CM	80	CM	85 LEVEL CM	2713,1438 litre	53,976 %	2313,4044 litre	O
250	CM	80	CM	84 LEVEL CM	2673,2074 litre	53,182 %	2353,3408 litre	O
250	CM	80	CM	83 LEVEL CM	2633,2460 litre	52,387 %	2393,3022 litre	O
250	CM	80	CM	82 LEVEL CM	2593,2658 litre	51,591 %	2433,2824 litre	O
250	CM	80	CM	81 LEVEL CM	2553,2731 litre	50,796 %	2473,2751 litre	O
250	CM	80	CM	80 LEVEL CM	2513,2741 litre	50,000 %	2513,2741 litre	O
250	CM	80	CM	79 LEVEL CM	2473,2752 litre	49,204 %	2553,2730 litre	O
250	CM	80	CM	78 LEVEL CM	2433,2825 litre	48,409 %	2593,2657 litre	O
250	CM	80	CM	77 LEVEL CM	2393,3023 litre	47,613 %	2633,2459 litre	O
250	CM	80	CM	76 LEVEL CM	2353,3408 litre	46,818 %	2673,2074 litre	O
250	CM	80	CM	75 LEVEL CM	2313,4044 litre	46,024 %	2713,1438 litre	O
250	CM	80	CM	74 LEVEL CM	2273,4993 litre	45,230 %	2753,0489 litre	O
250	CM	80	CM	73 LEVEL CM	2233,6318 litre	44,437 %	2792,9164 litre	O
250	CM	80	CM	72 LEVEL CM	2193,8083 litre	43,644 %	2832,7399 litre	O
250	CM	80	CM	71 LEVEL CM	2154,0349 litre	42,853 %	2872,5133 litre	O
250	CM	80	CM	70 LEVEL CM	2114,3182 litre	42,063 %	2912,2300 litre	O
250	CM	80	CM	69 LEVEL CM	2074,6645 litre	41,274 %	2951,8837 litre	O
250	CM	80	CM	68 LEVEL CM	2035,0802 litre	40,487 %	2991,4680 litre	O
250	CM	80	CM	67 LEVEL CM	1995,5718 litre	39,701 %	3030,9764 litre	O
250	CM	80	CM	66 LEVEL CM	1956,1457 litre	38,916 %	3070,4025 litre	O
250	CM	80	CM	65 LEVEL CM	1916,8085 litre	38,134 %	3109,7397 litre	O
250	CM	80	CM	64 LEVEL CM	1877,5668 litre	37,353 %	3148,9814 litre	O
250	CM	80	CM	63 LEVEL CM	1838,4271 litre	36,574 %	3188,1211 litre	O
250	CM	80	CM	62 LEVEL CM	1799,3961 litre	35,798 %	3227,1521 litre	O
250	CM	80	CM	61 LEVEL CM	1760,4806 litre	35,024 %	3266,0676 litre	O
250	CM	80	CM	60 LEVEL CM	1721,6874 litre	34,252 %	3304,8608 litre	O
250	CM	80	CM	59 LEVEL CM	1683,0232 litre	33,483 %	3343,5250 litre	O
250	CM	80	CM	58 LEVEL CM	1644,4951 litre	32,716 %	3382,0531 litre	O
250	CM	80	CM	57 LEVEL CM	1606,1101 litre	31,953 %	3420,4381 litre	O
250	CM	80	CM	56 LEVEL CM	1567,8751 litre	31,192 %	3458,6731 litre	O

250	CM	80	CM	55 LEVEL CM	1529,7973 litre	30,434 %	3496,7509 litre	O
250	CM	80	CM	54 LEVEL CM	1491,8841 litre	29,680 %	3534,6641 litre	O
250	CM	80	CM	53 LEVEL CM	1454,1427 litre	28,929 %	3572,4055 litre	O
250	CM	80	CM	52 LEVEL CM	1416,5805 litre	28,182 %	3609,9677 litre	O
250	CM	80	CM	51 LEVEL CM	1379,2052 litre	27,438 %	3647,3430 litre	O
250	CM	80	CM	50 LEVEL CM	1342,0244 litre	26,699 %	3684,5238 litre	O
250	CM	80	CM	49 LEVEL CM	1305,0458 litre	25,963 %	3721,5024 litre	O
250	CM	80	CM	48 LEVEL CM	1268,2775 litre	25,232 %	3758,2707 litre	O
250	CM	80	CM	47 LEVEL CM	1231,7273 litre	24,504 %	3794,8209 litre	O
250	CM	80	CM	46 LEVEL CM	1195,4036 litre	23,782 %	3831,1446 litre	O
250	CM	80	CM	45 LEVEL CM	1159,3147 litre	23,064 %	3867,2335 litre	O
250	CM	80	CM	44 LEVEL CM	1123,4690 litre	22,351 %	3903,0792 litre	O
250	CM	80	CM	43 LEVEL CM	1087,8753 litre	21,643 %	3938,6729 litre	O
250	CM	80	CM	42 LEVEL CM	1052,5425 litre	20,940 %	3974,0057 litre	O
250	CM	80	CM	41 LEVEL CM	1017,4795 litre	20,242 %	4009,0687 litre	O
250	CM	80	CM	40 LEVEL CM	982,6958 litre	19,550 %	4043,8524 litre	O
250	CM	80	CM	39 LEVEL CM	948,2007 litre	18,864 %	4078,3475 litre	O
250	CM	80	CM	38 LEVEL CM	914,0041 litre	18,184 %	4112,5441 litre	O
250	CM	80	CM	37 LEVEL CM	880,1159 litre	17,509 %	4146,4323 litre	O
250	CM	80	CM	36 LEVEL CM	846,5464 litre	16,842 %	4180,0018 litre	O
250	CM	80	CM	35 LEVEL CM	813,3063 litre	16,180 %	4213,2419 litre	O
250	CM	80	CM	34 LEVEL CM	780,4064 litre	15,526 %	4246,1418 litre	O
250	CM	80	CM	33 LEVEL CM	747,8578 litre	14,878 %	4278,6904 litre	O
250	CM	80	CM	32 LEVEL CM	715,6723 litre	14,238 %	4310,8759 litre	O
250	CM	80	CM	31 LEVEL CM	683,8619 litre	13,605 %	4342,6863 litre	O
250	CM	80	CM	30 LEVEL CM	652,4389 litre	12,980 %	4374,1093 litre	O
250	CM	80	CM	29 LEVEL CM	621,4163 litre	12,363 %	4405,1319 litre	O
250	CM	80	CM	28 LEVEL CM	590,8074 litre	11,754 %	4435,7408 litre	O
250	CM	80	CM	27 LEVEL CM	560,6263 litre	11,153 %	4465,9219 litre	O
250	CM	80	CM	26 LEVEL CM	530,8875 litre	10,562 %	4495,6607 litre	O
250	CM	80	CM	25 LEVEL CM	501,6061 litre	9,979 %	4524,9421 litre	O
250	CM	80	CM	24 LEVEL CM	472,7981 litre	9,406 %	4553,7501 litre	O
250	CM	80	CM	23 LEVEL CM	444,4804 litre	8,843 %	4582,0678 litre	O
250	CM	80	CM	22 LEVEL CM	416,6704 litre	8,289 %	4609,8778 litre	O
250	CM	80	CM	21 LEVEL CM	389,3868 litre	7,747 %	4637,1614 litre	O
250	CM	80	CM	20 LEVEL CM	362,6494 litre	7,215 %	4663,8988 litre	O
250	CM	80	CM	19 LEVEL CM	336,4790 litre	6,694 %	4690,0692 litre	O
250	CM	80	CM	18 LEVEL CM	310,8980 litre	6,185 %	4715,6502 litre	O
250	CM	80	CM	17 LEVEL CM	285,9304 litre	5,688 %	4740,6178 litre	O
250	CM	80	CM	16 LEVEL CM	261,6018 litre	5,204 %	4764,9464 litre	O
250	CM	80	CM	15 LEVEL CM	237,9400 litre	4,734 %	4788,6082 litre	O
250	CM	80	CM	14 LEVEL CM	214,9754 litre	4,277 %	4811,5728 litre	O
250	CM	80	CM	13 LEVEL CM	192,7410 litre	3,834 %	4833,8072 litre	O
250	CM	80	CM	12 LEVEL CM	171,2732 litre	3,407 %	4855,2750 litre	O
250	CM	80	CM	11 LEVEL CM	150,6126 litre	2,996 %	4875,9356 litre	O
250	CM	80	CM	10 LEVEL CM	130,8047 litre	2,602 %	4895,7435 litre	O
250	CM	80	CM	9 LEVEL CM	111,9012 litre	2,226 %	4914,6470 litre	O
250	CM	80	CM	8 LEVEL CM	93,9615 litre	1,869 %	4932,5867 litre	O
250	CM	80	CM	7 LEVEL CM	77,0552 litre	1,533 %	4949,4930 litre	O
250	CM	80	CM	6 LEVEL CM	61,2659 litre	1,219 %	4965,2823 litre	O
250	CM	80	CM	5 LEVEL CM	46,6960 litre	0,929 %	4979,8522 litre	O
250	CM	80	CM	4 LEVEL CM	33,4768 litre	0,666 %	4993,0714 litre	O
250	CM	80	CM	3 LEVEL CM	21,7852 litre	0,433 %	5004,7630 litre	O

250_80

-2766-

250	CM 80	CM	2 LEVEL CM	11,8809 litre	0,236 %	5014,6673 litre	O
250	CM 80	CM	1 LEVEL CM	4,2085 litre	0,084 %	5022,3397 litre	O
250	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	5026,5482 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
250	CM	75	CM	150 LEVEL CM	4417,8647 litre	100,000 %	0,0000 litre	O
250	CM	75	CM	149 LEVEL CM	4413,7904 litre	99,908 %	4,0743 litre	O
250	CM	75	CM	148 LEVEL CM	4406,3640 litre	99,740 %	11,5007 litre	O
250	CM	75	CM	147 LEVEL CM	4396,7792 litre	99,523 %	21,0855 litre	O
250	CM	75	CM	146 LEVEL CM	4385,4673 litre	99,267 %	32,3974 litre	O
250	CM	75	CM	145 LEVEL CM	4372,6803 litre	98,977 %	45,1844 litre	O
250	CM	75	CM	144 LEVEL CM	4358,5899 litre	98,658 %	59,2748 litre	O
250	CM	75	CM	143 LEVEL CM	4343,3235 litre	98,313 %	74,5412 litre	O
250	CM	75	CM	142 LEVEL CM	4326,9810 litre	97,943 %	90,8837 litre	O
250	CM	75	CM	141 LEVEL CM	4309,6435 litre	97,550 %	108,2212 litre	O
250	CM	75	CM	140 LEVEL CM	4291,3788 litre	97,137 %	126,4859 litre	O
250	CM	75	CM	139 LEVEL CM	4272,2448 litre	96,704 %	145,6199 litre	O
250	CM	75	CM	138 LEVEL CM	4252,2920 litre	96,252 %	165,5727 litre	O
250	CM	75	CM	137 LEVEL CM	4231,5648 litre	95,783 %	186,2999 litre	O
250	CM	75	CM	136 LEVEL CM	4210,1026 litre	95,297 %	207,7621 litre	O
250	CM	75	CM	135 LEVEL CM	4187,9412 litre	94,796 %	229,9235 litre	O
250	CM	75	CM	134 LEVEL CM	4165,1129 litre	94,279 %	252,7518 litre	O
250	CM	75	CM	133 LEVEL CM	4141,6473 litre	93,748 %	276,2174 litre	O
250	CM	75	CM	132 LEVEL CM	4117,5717 litre	93,203 %	300,2930 litre	O
250	CM	75	CM	131 LEVEL CM	4092,9112 litre	92,645 %	324,9535 litre	O
250	CM	75	CM	130 LEVEL CM	4067,6894 litre	92,074 %	350,1753 litre	O
250	CM	75	CM	129 LEVEL CM	4041,9281 litre	91,491 %	375,9366 litre	O
250	CM	75	CM	128 LEVEL CM	4015,6480 litre	90,896 %	402,2167 litre	O
250	CM	75	CM	127 LEVEL CM	3988,8684 litre	90,290 %	428,9963 litre	O
250	CM	75	CM	126 LEVEL CM	3961,6076 litre	89,672 %	456,2571 litre	O
250	CM	75	CM	125 LEVEL CM	3933,8831 litre	89,045 %	483,9816 litre	O
250	CM	75	CM	124 LEVEL CM	3905,7113 litre	88,407 %	512,1534 litre	O
250	CM	75	CM	123 LEVEL CM	3877,1079 litre	87,760 %	540,7568 litre	O
250	CM	75	CM	122 LEVEL CM	3848,0881 litre	87,103 %	569,7766 litre	O
250	CM	75	CM	121 LEVEL CM	3818,6661 litre	86,437 %	599,1986 litre	O
250	CM	75	CM	120 LEVEL CM	3788,8558 litre	85,762 %	629,0089 litre	O
250	CM	75	CM	119 LEVEL CM	3758,6704 litre	85,079 %	659,1943 litre	O
250	CM	75	CM	118 LEVEL CM	3728,1228 litre	84,387 %	689,7419 litre	O
250	CM	75	CM	117 LEVEL CM	3697,2253 litre	83,688 %	720,6394 litre	O
250	CM	75	CM	116 LEVEL CM	3665,9898 litre	82,981 %	751,8749 litre	O
250	CM	75	CM	115 LEVEL CM	3634,4278 litre	82,267 %	783,4369 litre	O
250	CM	75	CM	114 LEVEL CM	3602,5506 litre	81,545 %	815,3141 litre	O
250	CM	75	CM	113 LEVEL CM	3570,3689 litre	80,817 %	847,4958 litre	O
250	CM	75	CM	112 LEVEL CM	3537,8934 litre	80,082 %	879,9713 litre	O
250	CM	75	CM	111 LEVEL CM	3505,1343 litre	79,340 %	912,7304 litre	O
250	CM	75	CM	110 LEVEL CM	3472,1015 litre	78,592 %	945,7632 litre	O
250	CM	75	CM	109 LEVEL CM	3438,8050 litre	77,839 %	979,0597 litre	O
250	CM	75	CM	108 LEVEL CM	3405,2541 litre	77,079 %	1012,6106 litre	O
250	CM	75	CM	107 LEVEL CM	3371,4582 litre	76,314 %	1046,4065 litre	O
250	CM	75	CM	106 LEVEL CM	3337,4264 litre	75,544 %	1080,4383 litre	O
250	CM	75	CM	105 LEVEL CM	3303,1677 litre	74,768 %	1114,6970 litre	O
250	CM	75	CM	104 LEVEL CM	3268,6907 litre	73,988 %	1149,1740 litre	O
250	CM	75	CM	103 LEVEL CM	3234,0040 litre	73,203 %	1183,8607 litre	O
250	CM	75	CM	102 LEVEL CM	3199,1162 litre	72,413 %	1218,7485 litre	O
250	CM	75	CM	101 LEVEL CM	3164,0353 litre	71,619 %	1253,8294 litre	O
250	CM	75	CM	100 LEVEL CM	3128,7697 litre	70,821 %	1289,0950 litre	O
250	CM	75	CM	99 LEVEL CM	3093,3273 litre	70,019 %	1324,5374 litre	O

250	CM	75	CM	98 LEVEL CM	3057,7160 litre	69,213 %	1360,1487 litre	O
250	CM	75	CM	97 LEVEL CM	3021,9436 litre	68,403 %	1395,9211 litre	O
250	CM	75	CM	96 LEVEL CM	2986,0178 litre	67,590 %	1431,8469 litre	O
250	CM	75	CM	95 LEVEL CM	2949,9461 litre	66,773 %	1467,9186 litre	O
250	CM	75	CM	94 LEVEL CM	2913,7361 litre	65,953 %	1504,1286 litre	O
250	CM	75	CM	93 LEVEL CM	2877,3952 litre	65,131 %	1540,4695 litre	O
250	CM	75	CM	92 LEVEL CM	2840,9306 litre	64,306 %	1576,9341 litre	O
250	CM	75	CM	91 LEVEL CM	2804,3496 litre	63,477 %	1613,5151 litre	O
250	CM	75	CM	90 LEVEL CM	2767,6595 litre	62,647 %	1650,2052 litre	O
250	CM	75	CM	89 LEVEL CM	2730,8673 litre	61,814 %	1686,9974 litre	O
250	CM	75	CM	88 LEVEL CM	2693,9801 litre	60,979 %	1723,8846 litre	O
250	CM	75	CM	87 LEVEL CM	2657,0049 litre	60,142 %	1760,8598 litre	O
250	CM	75	CM	86 LEVEL CM	2619,9486 litre	59,304 %	1797,9161 litre	O
250	CM	75	CM	85 LEVEL CM	2582,8182 litre	58,463 %	1835,0465 litre	O
250	CM	75	CM	84 LEVEL CM	2545,6206 litre	57,621 %	1872,2441 litre	O
250	CM	75	CM	83 LEVEL CM	2508,3625 litre	56,778 %	1909,5022 litre	O
250	CM	75	CM	82 LEVEL CM	2471,0507 litre	55,933 %	1946,8140 litre	O
250	CM	75	CM	81 LEVEL CM	2433,6921 litre	55,088 %	1984,1726 litre	O
250	CM	75	CM	80 LEVEL CM	2396,2934 litre	54,241 %	2021,5713 litre	O
250	CM	75	CM	79 LEVEL CM	2358,8612 litre	53,394 %	2059,0035 litre	O
250	CM	75	CM	78 LEVEL CM	2321,4023 litre	52,546 %	2096,4624 litre	O
250	CM	75	CM	77 LEVEL CM	2283,9234 litre	51,697 %	2133,9413 litre	O
250	CM	75	CM	76 LEVEL CM	2246,4312 litre	50,849 %	2171,4335 litre	O
250	CM	75	CM	75 LEVEL CM	2208,9323 litre	50,000 %	2208,9324 litre	O
250	CM	75	CM	74 LEVEL CM	2171,4334 litre	49,151 %	2246,4313 litre	O
250	CM	75	CM	73 LEVEL CM	2133,9412 litre	48,303 %	2283,9235 litre	O
250	CM	75	CM	72 LEVEL CM	2096,4623 litre	47,454 %	2321,4024 litre	O
250	CM	75	CM	71 LEVEL CM	2059,0035 litre	46,606 %	2358,8612 litre	O
250	CM	75	CM	70 LEVEL CM	2021,5713 litre	45,759 %	2396,2934 litre	O
250	CM	75	CM	69 LEVEL CM	1984,1726 litre	44,912 %	2433,6921 litre	O
250	CM	75	CM	68 LEVEL CM	1946,8139 litre	44,067 %	2471,0508 litre	O
250	CM	75	CM	67 LEVEL CM	1909,5022 litre	43,222 %	2508,3625 litre	O
250	CM	75	CM	66 LEVEL CM	1872,2441 litre	42,379 %	2545,6206 litre	O
250	CM	75	CM	65 LEVEL CM	1835,0464 litre	41,537 %	2582,8183 litre	O
250	CM	75	CM	64 LEVEL CM	1797,9160 litre	40,696 %	2619,9487 litre	O
250	CM	75	CM	63 LEVEL CM	1760,8598 litre	39,858 %	2657,0049 litre	O
250	CM	75	CM	62 LEVEL CM	1723,8846 litre	39,021 %	2693,9801 litre	O
250	CM	75	CM	61 LEVEL CM	1686,9974 litre	38,186 %	2730,8673 litre	O
250	CM	75	CM	60 LEVEL CM	1650,2052 litre	37,353 %	2767,6595 litre	O
250	CM	75	CM	59 LEVEL CM	1613,5150 litre	36,523 %	2804,3497 litre	O
250	CM	75	CM	58 LEVEL CM	1576,9341 litre	35,694 %	2840,9306 litre	O
250	CM	75	CM	57 LEVEL CM	1540,4695 litre	34,869 %	2877,3952 litre	O
250	CM	75	CM	56 LEVEL CM	1504,1285 litre	34,047 %	2913,7362 litre	O
250	CM	75	CM	55 LEVEL CM	1467,9185 litre	33,227 %	2949,9462 litre	O
250	CM	75	CM	54 LEVEL CM	1431,8469 litre	32,410 %	2986,0178 litre	O
250	CM	75	CM	53 LEVEL CM	1395,9210 litre	31,597 %	3021,9437 litre	O
250	CM	75	CM	52 LEVEL CM	1360,1486 litre	30,787 %	3057,7161 litre	O
250	CM	75	CM	51 LEVEL CM	1324,5373 litre	29,981 %	3093,3274 litre	O
250	CM	75	CM	50 LEVEL CM	1289,0949 litre	29,179 %	3128,7698 litre	O
250	CM	75	CM	49 LEVEL CM	1253,8293 litre	28,381 %	3164,0354 litre	O
250	CM	75	CM	48 LEVEL CM	1218,7485 litre	27,587 %	3199,1162 litre	O
250	CM	75	CM	47 LEVEL CM	1183,8606 litre	26,797 %	3234,0041 litre	O
250	CM	75	CM	46 LEVEL CM	1149,1740 litre	26,012 %	3268,6907 litre	O

250	CM	75	CM	45 LEVEL CM	1114,6970 litre	25,232 %	3303,1677 litre	O
250	CM	75	CM	44 LEVEL CM	1080,4382 litre	24,456 %	3337,4265 litre	O
250	CM	75	CM	43 LEVEL CM	1046,4065 litre	23,686 %	3371,4582 litre	O
250	CM	75	CM	42 LEVEL CM	1012,6106 litre	22,921 %	3405,2541 litre	O
250	CM	75	CM	41 LEVEL CM	979,0597 litre	22,161 %	3438,8050 litre	O
250	CM	75	CM	40 LEVEL CM	945,7631 litre	21,408 %	3472,1016 litre	O
250	CM	75	CM	39 LEVEL CM	912,7304 litre	20,660 %	3505,1343 litre	O
250	CM	75	CM	38 LEVEL CM	879,9713 litre	19,918 %	3537,8934 litre	O
250	CM	75	CM	37 LEVEL CM	847,4958 litre	19,183 %	3570,3689 litre	O
250	CM	75	CM	36 LEVEL CM	815,3141 litre	18,455 %	3602,5506 litre	O
250	CM	75	CM	35 LEVEL CM	783,4369 litre	17,733 %	3634,4278 litre	O
250	CM	75	CM	34 LEVEL CM	751,8749 litre	17,019 %	3665,9898 litre	O
250	CM	75	CM	33 LEVEL CM	720,6394 litre	16,312 %	3697,2253 litre	O
250	CM	75	CM	32 LEVEL CM	689,7419 litre	15,613 %	3728,1228 litre	O
250	CM	75	CM	31 LEVEL CM	659,1943 litre	14,921 %	3758,6704 litre	O
250	CM	75	CM	30 LEVEL CM	629,0089 litre	14,238 %	3788,8558 litre	O
250	CM	75	CM	29 LEVEL CM	599,1986 litre	13,563 %	3818,6661 litre	O
250	CM	75	CM	28 LEVEL CM	569,7766 litre	12,897 %	3848,0881 litre	O
250	CM	75	CM	27 LEVEL CM	540,7567 litre	12,240 %	3877,1080 litre	O
250	CM	75	CM	26 LEVEL CM	512,1534 litre	11,593 %	3905,7113 litre	O
250	CM	75	CM	25 LEVEL CM	483,9816 litre	10,955 %	3933,8831 litre	O
250	CM	75	CM	24 LEVEL CM	456,2570 litre	10,328 %	3961,6077 litre	O
250	CM	75	CM	23 LEVEL CM	428,9963 litre	9,710 %	3988,8684 litre	O
250	CM	75	CM	22 LEVEL CM	402,2167 litre	9,104 %	4015,6480 litre	O
250	CM	75	CM	21 LEVEL CM	375,9366 litre	8,509 %	4041,9281 litre	O
250	CM	75	CM	20 LEVEL CM	350,1753 litre	7,926 %	4067,6894 litre	O
250	CM	75	CM	19 LEVEL CM	324,9535 litre	7,355 %	4092,9112 litre	O
250	CM	75	CM	18 LEVEL CM	300,2930 litre	6,797 %	4117,5717 litre	O
250	CM	75	CM	17 LEVEL CM	276,2173 litre	6,252 %	4141,6474 litre	O
250	CM	75	CM	16 LEVEL CM	252,7517 litre	5,721 %	4165,1130 litre	O
250	CM	75	CM	15 LEVEL CM	229,9234 litre	5,204 %	4187,9413 litre	O
250	CM	75	CM	14 LEVEL CM	207,7620 litre	4,703 %	4210,1027 litre	O
250	CM	75	CM	13 LEVEL CM	186,2999 litre	4,217 %	4231,5648 litre	O
250	CM	75	CM	12 LEVEL CM	165,5726 litre	3,748 %	4252,2921 litre	O
250	CM	75	CM	11 LEVEL CM	145,6198 litre	3,296 %	4272,2449 litre	O
250	CM	75	CM	10 LEVEL CM	126,4859 litre	2,863 %	4291,3788 litre	O
250	CM	75	CM	9 LEVEL CM	108,2212 litre	2,450 %	4309,6435 litre	O
250	CM	75	CM	8 LEVEL CM	90,8836 litre	2,057 %	4326,9811 litre	O
250	CM	75	CM	7 LEVEL CM	74,5411 litre	1,687 %	4343,3236 litre	O
250	CM	75	CM	6 LEVEL CM	59,2748 litre	1,342 %	4358,5899 litre	O
250	CM	75	CM	5 LEVEL CM	45,1844 litre	1,023 %	4372,6803 litre	O
250	CM	75	CM	4 LEVEL CM	32,3973 litre	0,733 %	4385,4674 litre	O
250	CM	75	CM	3 LEVEL CM	21,0855 litre	0,477 %	4396,7792 litre	O
250	CM	75	CM	2 LEVEL CM	11,5007 litre	0,260 %	4406,3640 litre	O
250	CM	75	CM	1 LEVEL CM	4,0743 litre	0,092 %	4413,7904 litre	O
250	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	4417,8647 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM 70	CM 140 LEVEL CM	3848,4510 litre	100,000 %	0,0000 litre	O
250	CM 70	CM 139 LEVEL CM	3844,5154 litre	99,898 %	3,9356 litre	O
250	CM 70	CM 138 LEVEL CM	3837,3435 litre	99,711 %	11,1075 litre	O
250	CM 70	CM 137 LEVEL CM	3828,0894 litre	99,471 %	20,3616 litre	O
250	CM 70	CM 136 LEVEL CM	3817,1704 litre	99,187 %	31,2806 litre	O
250	CM 70	CM 135 LEVEL CM	3804,8307 litre	98,867 %	43,6203 litre	O
250	CM 70	CM 134 LEVEL CM	3791,2366 litre	98,513 %	57,2144 litre	O
250	CM 70	CM 133 LEVEL CM	3776,5118 litre	98,131 %	71,9392 litre	O
250	CM 70	CM 132 LEVEL CM	3760,7531 litre	97,721 %	87,6979 litre	O
250	CM 70	CM 131 LEVEL CM	3744,0395 litre	97,287 %	104,4115 litre	O
250	CM 70	CM 130 LEVEL CM	3726,4368 litre	96,830 %	122,0142 litre	O
250	CM 70	CM 129 LEVEL CM	3708,0014 litre	96,350 %	140,4496 litre	O
250	CM 70	CM 128 LEVEL CM	3688,7825 litre	95,851 %	159,6685 litre	O
250	CM 70	CM 127 LEVEL CM	3668,8232 litre	95,332 %	179,6278 litre	O
250	CM 70	CM 126 LEVEL CM	3648,1621 litre	94,796 %	200,2889 litre	O
250	CM 70	CM 125 LEVEL CM	3626,8342 litre	94,241 %	221,6168 litre	O
250	CM 70	CM 124 LEVEL CM	3604,8709 litre	93,671 %	243,5801 litre	O
250	CM 70	CM 123 LEVEL CM	3582,3013 litre	93,084 %	266,1497 litre	O
250	CM 70	CM 122 LEVEL CM	3559,1520 litre	92,483 %	289,2990 litre	O
250	CM 70	CM 121 LEVEL CM	3535,4478 litre	91,867 %	313,0032 litre	O
250	CM 70	CM 120 LEVEL CM	3511,2116 litre	91,237 %	337,2394 litre	O
250	CM 70	CM 119 LEVEL CM	3486,4649 litre	90,594 %	361,9861 litre	O
250	CM 70	CM 118 LEVEL CM	3461,2281 litre	89,938 %	387,2229 litre	O
250	CM 70	CM 117 LEVEL CM	3435,5201 litre	89,270 %	412,9309 litre	O
250	CM 70	CM 116 LEVEL CM	3409,3591 litre	88,590 %	439,0919 litre	O
250	CM 70	CM 115 LEVEL CM	3382,7621 litre	87,899 %	465,6889 litre	O
250	CM 70	CM 114 LEVEL CM	3355,7454 litre	87,197 %	492,7056 litre	O
250	CM 70	CM 113 LEVEL CM	3328,3245 litre	86,485 %	520,1265 litre	O
250	CM 70	CM 112 LEVEL CM	3300,5144 litre	85,762 %	547,9366 litre	O
250	CM 70	CM 111 LEVEL CM	3272,3292 litre	85,030 %	576,1218 litre	O
250	CM 70	CM 110 LEVEL CM	3243,7826 litre	84,288 %	604,6684 litre	O
250	CM 70	CM 109 LEVEL CM	3214,8878 litre	83,537 %	633,5632 litre	O
250	CM 70	CM 108 LEVEL CM	3185,6576 litre	82,778 %	662,7934 litre	O
250	CM 70	CM 107 LEVEL CM	3156,1041 litre	82,010 %	692,3469 litre	O
250	CM 70	CM 106 LEVEL CM	3126,2393 litre	81,234 %	722,2117 litre	O
250	CM 70	CM 105 LEVEL CM	3096,0746 litre	80,450 %	752,3764 litre	O
250	CM 70	CM 104 LEVEL CM	3065,6212 litre	79,659 %	782,8298 litre	O
250	CM 70	CM 103 LEVEL CM	3034,8899 litre	78,860 %	813,5611 litre	O
250	CM 70	CM 102 LEVEL CM	3003,8913 litre	78,055 %	844,5597 litre	O
250	CM 70	CM 101 LEVEL CM	2972,6357 litre	77,242 %	875,8153 litre	O
250	CM 70	CM 100 LEVEL CM	2941,1332 litre	76,424 %	907,3178 litre	O
250	CM 70	CM 99 LEVEL CM	2909,3934 litre	75,599 %	939,0576 litre	O
250	CM 70	CM 98 LEVEL CM	2877,4261 litre	74,768 %	971,0249 litre	O
250	CM 70	CM 97 LEVEL CM	2845,2405 litre	73,932 %	1003,2105 litre	O
250	CM 70	CM 96 LEVEL CM	2812,8458 litre	73,090 %	1035,6052 litre	O
250	CM 70	CM 95 LEVEL CM	2780,2511 litre	72,243 %	1068,1999 litre	O
250	CM 70	CM 94 LEVEL CM	2747,4652 litre	71,391 %	1100,9858 litre	O
250	CM 70	CM 93 LEVEL CM	2714,4969 litre	70,535 %	1133,9541 litre	O
250	CM 70	CM 92 LEVEL CM	2681,3545 litre	69,674 %	1167,0965 litre	O
250	CM 70	CM 91 LEVEL CM	2648,0467 litre	68,808 %	1200,4043 litre	O
250	CM 70	CM 90 LEVEL CM	2614,5815 litre	67,939 %	1233,8695 litre	O
250	CM 70	CM 89 LEVEL CM	2580,9673 litre	67,065 %	1267,4837 litre	O

250	CM	70	CM	88 LEVEL CM	2547,2121 litre	66,188 %	1301,2389 litre	O
250	CM	70	CM	87 LEVEL CM	2513,3238 litre	65,307 %	1335,1272 litre	O
250	CM	70	CM	86 LEVEL CM	2479,3104 litre	64,424 %	1369,1406 litre	O
250	CM	70	CM	85 LEVEL CM	2445,1795 litre	63,537 %	1403,2715 litre	O
250	CM	70	CM	84 LEVEL CM	2410,9389 litre	62,647 %	1437,5121 litre	O
250	CM	70	CM	83 LEVEL CM	2376,5963 litre	61,755 %	1471,8547 litre	O
250	CM	70	CM	82 LEVEL CM	2342,1592 litre	60,860 %	1506,2918 litre	O
250	CM	70	CM	81 LEVEL CM	2307,6351 litre	59,963 %	1540,8159 litre	O
250	CM	70	CM	80 LEVEL CM	2273,0314 litre	59,064 %	1575,4196 litre	O
250	CM	70	CM	79 LEVEL CM	2238,3555 litre	58,163 %	1610,0955 litre	O
250	CM	70	CM	78 LEVEL CM	2203,6148 litre	57,260 %	1644,8362 litre	O
250	CM	70	CM	77 LEVEL CM	2168,8166 litre	56,356 %	1679,6344 litre	O
250	CM	70	CM	76 LEVEL CM	2133,9681 litre	55,450 %	1714,4829 litre	O
250	CM	70	CM	75 LEVEL CM	2099,0766 litre	54,543 %	1749,3744 litre	O
250	CM	70	CM	74 LEVEL CM	2064,1493 litre	53,636 %	1784,3017 litre	O
250	CM	70	CM	73 LEVEL CM	2029,1933 litre	52,728 %	1819,2577 litre	O
250	CM	70	CM	72 LEVEL CM	1994,2160 litre	51,819 %	1854,2350 litre	O
250	CM	70	CM	71 LEVEL CM	1959,2243 litre	50,909 %	1889,2267 litre	O
250	CM	70	CM	70 LEVEL CM	1924,2255 litre	50,000 %	1924,2255 litre	O
250	CM	70	CM	69 LEVEL CM	1889,2267 litre	49,091 %	1959,2243 litre	O
250	CM	70	CM	68 LEVEL CM	1854,2350 litre	48,181 %	1994,2160 litre	O
250	CM	70	CM	67 LEVEL CM	1819,2577 litre	47,272 %	2029,1933 litre	O
250	CM	70	CM	66 LEVEL CM	1784,3017 litre	46,364 %	2064,1493 litre	O
250	CM	70	CM	65 LEVEL CM	1749,3744 litre	45,457 %	2099,0766 litre	O
250	CM	70	CM	64 LEVEL CM	1714,4829 litre	44,550 %	2133,9681 litre	O
250	CM	70	CM	63 LEVEL CM	1679,6344 litre	43,644 %	2168,8166 litre	O
250	CM	70	CM	62 LEVEL CM	1644,8362 litre	42,740 %	2203,6148 litre	O
250	CM	70	CM	61 LEVEL CM	1610,0955 litre	41,837 %	2238,3555 litre	O
250	CM	70	CM	60 LEVEL CM	1575,4196 litre	40,936 %	2273,0314 litre	O
250	CM	70	CM	59 LEVEL CM	1540,8159 litre	40,037 %	2307,6351 litre	O
250	CM	70	CM	58 LEVEL CM	1506,2918 litre	39,140 %	2342,1592 litre	O
250	CM	70	CM	57 LEVEL CM	1471,8547 litre	38,245 %	2376,5963 litre	O
250	CM	70	CM	56 LEVEL CM	1437,5121 litre	37,353 %	2410,9389 litre	O
250	CM	70	CM	55 LEVEL CM	1403,2715 litre	36,463 %	2445,1795 litre	O
250	CM	70	CM	54 LEVEL CM	1369,1406 litre	35,576 %	2479,3104 litre	O
250	CM	70	CM	53 LEVEL CM	1335,1272 litre	34,693 %	2513,3238 litre	O
250	CM	70	CM	52 LEVEL CM	1301,2389 litre	33,812 %	2547,2121 litre	O
250	CM	70	CM	51 LEVEL CM	1267,4837 litre	32,935 %	2580,9673 litre	O
250	CM	70	CM	50 LEVEL CM	1233,8695 litre	32,061 %	2614,5815 litre	O
250	CM	70	CM	49 LEVEL CM	1200,4043 litre	31,192 %	2648,0467 litre	O
250	CM	70	CM	48 LEVEL CM	1167,0965 litre	30,326 %	2681,3545 litre	O
250	CM	70	CM	47 LEVEL CM	1133,9541 litre	29,465 %	2714,4969 litre	O
250	CM	70	CM	46 LEVEL CM	1100,9858 litre	28,609 %	2747,4652 litre	O
250	CM	70	CM	45 LEVEL CM	1068,1999 litre	27,757 %	2780,2511 litre	O
250	CM	70	CM	44 LEVEL CM	1035,6052 litre	26,910 %	2812,8458 litre	O
250	CM	70	CM	43 LEVEL CM	1003,2105 litre	26,068 %	2845,2405 litre	O
250	CM	70	CM	42 LEVEL CM	971,0249 litre	25,232 %	2877,4261 litre	O
250	CM	70	CM	41 LEVEL CM	939,0576 litre	24,401 %	2909,3934 litre	O
250	CM	70	CM	40 LEVEL CM	907,3178 litre	23,576 %	2941,1332 litre	O
250	CM	70	CM	39 LEVEL CM	875,8153 litre	22,758 %	2972,6357 litre	O
250	CM	70	CM	38 LEVEL CM	844,5597 litre	21,945 %	3003,8913 litre	O
250	CM	70	CM	37 LEVEL CM	813,5611 litre	21,140 %	3034,8899 litre	O
250	CM	70	CM	36 LEVEL CM	782,8298 litre	20,341 %	3065,6212 litre	O

250	CM	70	CM	35 LEVEL CM	752,3764 litre	19,550 %	3096,0746 litre	O
250	CM	70	CM	34 LEVEL CM	722,2117 litre	18,766 %	3126,2393 litre	O
250	CM	70	CM	33 LEVEL CM	692,3469 litre	17,990 %	3156,1041 litre	O
250	CM	70	CM	32 LEVEL CM	662,7934 litre	17,222 %	3185,6576 litre	O
250	CM	70	CM	31 LEVEL CM	633,5632 litre	16,463 %	3214,8878 litre	O
250	CM	70	CM	30 LEVEL CM	604,6684 litre	15,712 %	3243,7826 litre	O
250	CM	70	CM	29 LEVEL CM	576,1218 litre	14,970 %	3272,3292 litre	O
250	CM	70	CM	28 LEVEL CM	547,9366 litre	14,238 %	3300,5144 litre	O
250	CM	70	CM	27 LEVEL CM	520,1265 litre	13,515 %	3328,3245 litre	O
250	CM	70	CM	26 LEVEL CM	492,7056 litre	12,803 %	3355,7454 litre	O
250	CM	70	CM	25 LEVEL CM	465,6889 litre	12,101 %	3382,7621 litre	O
250	CM	70	CM	24 LEVEL CM	439,0919 litre	11,410 %	3409,3591 litre	O
250	CM	70	CM	23 LEVEL CM	412,9309 litre	10,730 %	3435,5201 litre	O
250	CM	70	CM	22 LEVEL CM	387,2229 litre	10,062 %	3461,2281 litre	O
250	CM	70	CM	21 LEVEL CM	361,9861 litre	9,406 %	3486,4649 litre	O
250	CM	70	CM	20 LEVEL CM	337,2394 litre	8,763 %	3511,2116 litre	O
250	CM	70	CM	19 LEVEL CM	313,0032 litre	8,133 %	3535,4478 litre	O
250	CM	70	CM	18 LEVEL CM	289,2990 litre	7,517 %	3559,1520 litre	O
250	CM	70	CM	17 LEVEL CM	266,1497 litre	6,916 %	3582,3013 litre	O
250	CM	70	CM	16 LEVEL CM	243,5801 litre	6,329 %	3604,8709 litre	O
250	CM	70	CM	15 LEVEL CM	221,6168 litre	5,759 %	3626,8342 litre	O
250	CM	70	CM	14 LEVEL CM	200,2889 litre	5,204 %	3648,1621 litre	O
250	CM	70	CM	13 LEVEL CM	179,6278 litre	4,668 %	3668,8232 litre	O
250	CM	70	CM	12 LEVEL CM	159,6685 litre	4,149 %	3688,7825 litre	O
250	CM	70	CM	11 LEVEL CM	140,4496 litre	3,650 %	3708,0014 litre	O
250	CM	70	CM	10 LEVEL CM	122,0142 litre	3,170 %	3726,4368 litre	O
250	CM	70	CM	9 LEVEL CM	104,4115 litre	2,713 %	3744,0395 litre	O
250	CM	70	CM	8 LEVEL CM	87,6979 litre	2,279 %	3760,7531 litre	O
250	CM	70	CM	7 LEVEL CM	71,9392 litre	1,869 %	3776,5118 litre	O
250	CM	70	CM	6 LEVEL CM	57,2144 litre	1,487 %	3791,2366 litre	O
250	CM	70	CM	5 LEVEL CM	43,6203 litre	1,133 %	3804,8307 litre	O
250	CM	70	CM	4 LEVEL CM	31,2806 litre	0,813 %	3817,1704 litre	O
250	CM	70	CM	3 LEVEL CM	20,3616 litre	0,529 %	3828,0894 litre	O
250	CM	70	CM	2 LEVEL CM	11,1075 litre	0,289 %	3837,3435 litre	O
250	CM	70	CM	1 LEVEL CM	3,9356 litre	0,102 %	3844,5154 litre	O
250	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	3848,4510 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
250	CM 65	CM 130 LEVEL CM	3318,3072 litre	100,000 %	0,0000 litre O
250	CM 65	CM 129 LEVEL CM	3314,5154 litre	99,886 %	3,7918 litre O
250	CM 65	CM 128 LEVEL CM	3307,6073 litre	99,678 %	10,6999 litre O
250	CM 65	CM 127 LEVEL CM	3298,6961 litre	99,409 %	19,6111 litre O
250	CM 65	CM 126 LEVEL CM	3288,1848 litre	99,092 %	30,1224 litre O
250	CM 65	CM 125 LEVEL CM	3276,3091 litre	98,734 %	41,9981 litre O
250	CM 65	CM 124 LEVEL CM	3263,2302 litre	98,340 %	55,0770 litre O
250	CM 65	CM 123 LEVEL CM	3249,0676 litre	97,913 %	69,2396 litre O
250	CM 65	CM 122 LEVEL CM	3233,9153 litre	97,457 %	84,3919 litre O
250	CM 65	CM 121 LEVEL CM	3217,8498 litre	96,973 %	100,4574 litre O
250	CM 65	CM 120 LEVEL CM	3200,9350 litre	96,463 %	117,3722 litre O
250	CM 65	CM 119 LEVEL CM	3183,2257 litre	95,929 %	135,0815 litre O
250	CM 65	CM 118 LEVEL CM	3164,7698 litre	95,373 %	153,5374 litre O
250	CM 65	CM 117 LEVEL CM	3145,6092 litre	94,796 %	172,6980 litre O
250	CM 65	CM 116 LEVEL CM	3125,7816 litre	94,198 %	192,5256 litre O
250	CM 65	CM 115 LEVEL CM	3105,3211 litre	93,581 %	212,9861 litre O
250	CM 65	CM 114 LEVEL CM	3084,2584 litre	92,947 %	234,0488 litre O
250	CM 65	CM 113 LEVEL CM	3062,6218 litre	92,295 %	255,6854 litre O
250	CM 65	CM 112 LEVEL CM	3040,4375 litre	91,626 %	277,8697 litre O
250	CM 65	CM 111 LEVEL CM	3017,7297 litre	90,942 %	300,5775 litre O
250	CM 65	CM 110 LEVEL CM	2994,5209 litre	90,242 %	323,7863 litre O
250	CM 65	CM 109 LEVEL CM	2970,8324 litre	89,529 %	347,4748 litre O
250	CM 65	CM 108 LEVEL CM	2946,6839 litre	88,801 %	371,6233 litre O
250	CM 65	CM 107 LEVEL CM	2922,0942 litre	88,060 %	396,2130 litre O
250	CM 65	CM 106 LEVEL CM	2897,0812 litre	87,306 %	421,2260 litre O
250	CM 65	CM 105 LEVEL CM	2871,6616 litre	86,540 %	446,6456 litre O
250	CM 65	CM 104 LEVEL CM	2845,8517 litre	85,762 %	472,4555 litre O
250	CM 65	CM 103 LEVEL CM	2819,6666 litre	84,973 %	498,6406 litre O
250	CM 65	CM 102 LEVEL CM	2793,1213 litre	84,173 %	525,1859 litre O
250	CM 65	CM 101 LEVEL CM	2766,2297 litre	83,363 %	552,0775 litre O
250	CM 65	CM 100 LEVEL CM	2739,0055 litre	82,542 %	579,3017 litre O
250	CM 65	CM 99 LEVEL CM	2711,4617 litre	81,712 %	606,8455 litre O
250	CM 65	CM 98 LEVEL CM	2683,6111 litre	80,873 %	634,6961 litre O
250	CM 65	CM 97 LEVEL CM	2655,4657 litre	80,025 %	662,8415 litre O
250	CM 65	CM 96 LEVEL CM	2627,0376 litre	79,168 %	691,2696 litre O
250	CM 65	CM 95 LEVEL CM	2598,3381 litre	78,303 %	719,9691 litre O
250	CM 65	CM 94 LEVEL CM	2569,3784 litre	77,430 %	748,9288 litre O
250	CM 65	CM 93 LEVEL CM	2540,1695 litre	76,550 %	778,1377 litre O
250	CM 65	CM 92 LEVEL CM	2510,7219 litre	75,663 %	807,5853 litre O
250	CM 65	CM 91 LEVEL CM	2481,0459 litre	74,768 %	837,2613 litre O
250	CM 65	CM 90 LEVEL CM	2451,1517 litre	73,868 %	867,1555 litre O
250	CM 65	CM 89 LEVEL CM	2421,0492 litre	72,960 %	897,2580 litre O
250	CM 65	CM 88 LEVEL CM	2390,7480 litre	72,047 %	927,5592 litre O
250	CM 65	CM 87 LEVEL CM	2360,2576 litre	71,128 %	958,0496 litre O
250	CM 65	CM 86 LEVEL CM	2329,5873 litre	70,204 %	988,7199 litre O
250	CM 65	CM 85 LEVEL CM	2298,7464 litre	69,275 %	1019,5608 litre O
250	CM 65	CM 84 LEVEL CM	2267,7437 litre	68,340 %	1050,5635 litre O
250	CM 65	CM 83 LEVEL CM	2236,5882 litre	67,401 %	1081,7190 litre O
250	CM 65	CM 82 LEVEL CM	2205,2886 litre	66,458 %	1113,0186 litre O
250	CM 65	CM 81 LEVEL CM	2173,8535 litre	65,511 %	1144,4537 litre O
250	CM 65	CM 80 LEVEL CM	2142,2915 litre	64,560 %	1176,0157 litre O
250	CM 65	CM 79 LEVEL CM	2110,6108 litre	63,605 %	1207,6964 litre O

250	CM	65	CM	78 LEVEL CM	2078,8198 litre	62,647 %	1239,4874 litre	O
250	CM	65	CM	77 LEVEL CM	2046,9268 litre	61,686 %	1271,3804 litre	O
250	CM	65	CM	76 LEVEL CM	2014,9398 litre	60,722 %	1303,3674 litre	O
250	CM	65	CM	75 LEVEL CM	1982,8670 litre	59,755 %	1335,4402 litre	O
250	CM	65	CM	74 LEVEL CM	1950,7163 litre	58,786 %	1367,5909 litre	O
250	CM	65	CM	73 LEVEL CM	1918,4957 litre	57,815 %	1399,8115 litre	O
250	CM	65	CM	72 LEVEL CM	1886,2131 litre	56,843 %	1432,0941 litre	O
250	CM	65	CM	71 LEVEL CM	1853,8763 litre	55,868 %	1464,4309 litre	O
250	CM	65	CM	70 LEVEL CM	1821,4932 litre	54,892 %	1496,8140 litre	O
250	CM	65	CM	69 LEVEL CM	1789,0715 litre	53,915 %	1529,2357 litre	O
250	CM	65	CM	68 LEVEL CM	1756,6190 litre	52,937 %	1561,6882 litre	O
250	CM	65	CM	67 LEVEL CM	1724,1434 litre	51,959 %	1594,1638 litre	O
250	CM	65	CM	66 LEVEL CM	1691,6523 litre	50,979 %	1626,6549 litre	O
250	CM	65	CM	65 LEVEL CM	1659,1536 litre	50,000 %	1659,1536 litre	O
250	CM	65	CM	64 LEVEL CM	1626,6549 litre	49,021 %	1691,6523 litre	O
250	CM	65	CM	63 LEVEL CM	1594,1639 litre	48,041 %	1724,1433 litre	O
250	CM	65	CM	62 LEVEL CM	1561,6882 litre	47,063 %	1756,6190 litre	O
250	CM	65	CM	61 LEVEL CM	1529,2357 litre	46,085 %	1789,0715 litre	O
250	CM	65	CM	60 LEVEL CM	1496,8140 litre	45,108 %	1821,4932 litre	O
250	CM	65	CM	59 LEVEL CM	1464,4309 litre	44,132 %	1853,8763 litre	O
250	CM	65	CM	58 LEVEL CM	1432,0941 litre	43,157 %	1886,2131 litre	O
250	CM	65	CM	57 LEVEL CM	1399,8115 litre	42,185 %	1918,4957 litre	O
250	CM	65	CM	56 LEVEL CM	1367,5909 litre	41,214 %	1950,7163 litre	O
250	CM	65	CM	55 LEVEL CM	1335,4403 litre	40,245 %	1982,8669 litre	O
250	CM	65	CM	54 LEVEL CM	1303,3674 litre	39,278 %	2014,9398 litre	O
250	CM	65	CM	53 LEVEL CM	1271,3805 litre	38,314 %	2046,9267 litre	O
250	CM	65	CM	52 LEVEL CM	1239,4874 litre	37,353 %	2078,8198 litre	O
250	CM	65	CM	51 LEVEL CM	1207,6965 litre	36,395 %	2110,6107 litre	O
250	CM	65	CM	50 LEVEL CM	1176,0158 litre	35,440 %	2142,2914 litre	O
250	CM	65	CM	49 LEVEL CM	1144,4537 litre	34,489 %	2173,8535 litre	O
250	CM	65	CM	48 LEVEL CM	1113,0186 litre	33,542 %	2205,2886 litre	O
250	CM	65	CM	47 LEVEL CM	1081,7190 litre	32,599 %	2236,5882 litre	O
250	CM	65	CM	46 LEVEL CM	1050,5635 litre	31,660 %	2267,7437 litre	O
250	CM	65	CM	45 LEVEL CM	1019,5608 litre	30,725 %	2298,7464 litre	O
250	CM	65	CM	44 LEVEL CM	988,7199 litre	29,796 %	2329,5873 litre	O
250	CM	65	CM	43 LEVEL CM	958,0496 litre	28,872 %	2360,2576 litre	O
250	CM	65	CM	42 LEVEL CM	927,5593 litre	27,953 %	2390,7479 litre	O
250	CM	65	CM	41 LEVEL CM	897,2580 litre	27,040 %	2421,0492 litre	O
250	CM	65	CM	40 LEVEL CM	867,1555 litre	26,132 %	2451,1517 litre	O
250	CM	65	CM	39 LEVEL CM	837,2613 litre	25,232 %	2481,0459 litre	O
250	CM	65	CM	38 LEVEL CM	807,5853 litre	24,337 %	2510,7219 litre	O
250	CM	65	CM	37 LEVEL CM	778,1377 litre	23,450 %	2540,1695 litre	O
250	CM	65	CM	36 LEVEL CM	748,9288 litre	22,570 %	2569,3784 litre	O
250	CM	65	CM	35 LEVEL CM	719,9691 litre	21,697 %	2598,3381 litre	O
250	CM	65	CM	34 LEVEL CM	691,2697 litre	20,832 %	2627,0375 litre	O
250	CM	65	CM	33 LEVEL CM	662,8415 litre	19,975 %	2655,4657 litre	O
250	CM	65	CM	32 LEVEL CM	634,6962 litre	19,127 %	2683,6110 litre	O
250	CM	65	CM	31 LEVEL CM	606,8455 litre	18,288 %	2711,4617 litre	O
250	CM	65	CM	30 LEVEL CM	579,3018 litre	17,458 %	2739,0054 litre	O
250	CM	65	CM	29 LEVEL CM	552,0775 litre	16,637 %	2766,2297 litre	O
250	CM	65	CM	28 LEVEL CM	525,1860 litre	15,827 %	2793,1212 litre	O
250	CM	65	CM	27 LEVEL CM	498,6406 litre	15,027 %	2819,6666 litre	O
250	CM	65	CM	26 LEVEL CM	472,4556 litre	14,238 %	2845,8516 litre	O

250	CM	65	CM	25 LEVEL CM	446,6456 litre	13,460 %	2871,6616 litre	O
250	CM	65	CM	24 LEVEL CM	421,2261 litre	12,694 %	2897,0811 litre	O
250	CM	65	CM	23 LEVEL CM	396,2130 litre	11,940 %	2922,0942 litre	O
250	CM	65	CM	22 LEVEL CM	371,6234 litre	11,199 %	2946,6838 litre	O
250	CM	65	CM	21 LEVEL CM	347,4749 litre	10,471 %	2970,8323 litre	O
250	CM	65	CM	20 LEVEL CM	323,7863 litre	9,758 %	2994,5209 litre	O
250	CM	65	CM	19 LEVEL CM	300,5775 litre	9,058 %	3017,7297 litre	O
250	CM	65	CM	18 LEVEL CM	277,8697 litre	8,374 %	3040,4375 litre	O
250	CM	65	CM	17 LEVEL CM	255,6854 litre	7,705 %	3062,6218 litre	O
250	CM	65	CM	16 LEVEL CM	234,0489 litre	7,053 %	3084,2583 litre	O
250	CM	65	CM	15 LEVEL CM	212,9862 litre	6,419 %	3105,3210 litre	O
250	CM	65	CM	14 LEVEL CM	192,5256 litre	5,802 %	3125,7816 litre	O
250	CM	65	CM	13 LEVEL CM	172,6980 litre	5,204 %	3145,6092 litre	O
250	CM	65	CM	12 LEVEL CM	153,5375 litre	4,627 %	3164,7697 litre	O
250	CM	65	CM	11 LEVEL CM	135,0815 litre	4,071 %	3183,2257 litre	O
250	CM	65	CM	10 LEVEL CM	117,3723 litre	3,537 %	3200,9349 litre	O
250	CM	65	CM	9 LEVEL CM	100,4575 litre	3,027 %	3217,8497 litre	O
250	CM	65	CM	8 LEVEL CM	84,3919 litre	2,543 %	3233,9153 litre	O
250	CM	65	CM	7 LEVEL CM	69,2396 litre	2,087 %	3249,0676 litre	O
250	CM	65	CM	6 LEVEL CM	55,0771 litre	1,660 %	3263,2301 litre	O
250	CM	65	CM	5 LEVEL CM	41,9981 litre	1,266 %	3276,3091 litre	O
250	CM	65	CM	4 LEVEL CM	30,1225 litre	0,908 %	3288,1847 litre	O
250	CM	65	CM	3 LEVEL CM	19,6111 litre	0,591 %	3298,6961 litre	O
250	CM	65	CM	2 LEVEL CM	10,6999 litre	0,322 %	3307,6073 litre	O
250	CM	65	CM	1 LEVEL CM	3,7918 litre	0,114 %	3314,5154 litre	O
250	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	3318,3072 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM	60	CM 120 LEVEL CM	2827,4334 litre	100,000 %	0,0000 litre	O
250	CM	60	CM 119 LEVEL CM	2823,7910 litre	99,871 %	3,6424 litre	O
250	CM	60	CM 118 LEVEL CM	2817,1572 litre	99,637 %	10,2762 litre	O
250	CM	60	CM 117 LEVEL CM	2808,6027 litre	99,334 %	18,8307 litre	O
250	CM	60	CM 116 LEVEL CM	2798,5154 litre	98,977 %	28,9180 litre	O
250	CM	60	CM 115 LEVEL CM	2787,1227 litre	98,574 %	40,3107 litre	O
250	CM	60	CM 114 LEVEL CM	2774,5801 litre	98,131 %	52,8533 litre	O
250	CM	60	CM 113 LEVEL CM	2761,0030 litre	97,651 %	66,4304 litre	O
250	CM	60	CM 112 LEVEL CM	2746,4824 litre	97,137 %	80,9510 litre	O
250	CM	60	CM 111 LEVEL CM	2731,0922 litre	96,593 %	96,3412 litre	O
250	CM	60	CM 110 LEVEL CM	2714,8945 litre	96,020 %	112,5389 litre	O
250	CM	60	CM 109 LEVEL CM	2697,9424 litre	95,420 %	129,4910 litre	O
250	CM	60	CM 108 LEVEL CM	2680,2824 litre	94,796 %	147,1510 litre	O
250	CM	60	CM 107 LEVEL CM	2661,9553 litre	94,147 %	165,4781 litre	O
250	CM	60	CM 106 LEVEL CM	2642,9979 litre	93,477 %	184,4355 litre	O
250	CM	60	CM 105 LEVEL CM	2623,4431 litre	92,785 %	203,9903 litre	O
250	CM	60	CM 104 LEVEL CM	2603,3212 litre	92,074 %	224,1122 litre	O
250	CM	60	CM 103 LEVEL CM	2582,6598 litre	91,343 %	244,7736 litre	O
250	CM	60	CM 102 LEVEL CM	2561,4844 litre	90,594 %	265,9490 litre	O
250	CM	60	CM 101 LEVEL CM	2539,8188 litre	89,828 %	287,6146 litre	O
250	CM	60	CM 100 LEVEL CM	2517,6852 litre	89,045 %	309,7482 litre	O
250	CM	60	CM 99 LEVEL CM	2495,1042 litre	88,246 %	332,3292 litre	O
250	CM	60	CM 98 LEVEL CM	2472,0955 litre	87,432 %	355,3379 litre	O
250	CM	60	CM 97 LEVEL CM	2448,6774 litre	86,604 %	378,7560 litre	O
250	CM	60	CM 96 LEVEL CM	2424,8677 litre	85,762 %	402,5657 litre	O
250	CM	60	CM 95 LEVEL CM	2400,6829 litre	84,907 %	426,7505 litre	O
250	CM	60	CM 94 LEVEL CM	2376,1389 litre	84,039 %	451,2945 litre	O
250	CM	60	CM 93 LEVEL CM	2351,2510 litre	83,158 %	476,1824 litre	O
250	CM	60	CM 92 LEVEL CM	2326,0338 litre	82,267 %	501,3996 litre	O
250	CM	60	CM 91 LEVEL CM	2300,5013 litre	81,364 %	526,9321 litre	O
250	CM	60	CM 90 LEVEL CM	2274,6670 litre	80,450 %	552,7664 litre	O
250	CM	60	CM 89 LEVEL CM	2248,5440 litre	79,526 %	578,8894 litre	O
250	CM	60	CM 88 LEVEL CM	2222,1450 litre	78,592 %	605,2884 litre	O
250	CM	60	CM 87 LEVEL CM	2195,4821 litre	77,649 %	631,9513 litre	O
250	CM	60	CM 86 LEVEL CM	2168,5672 litre	76,697 %	658,8662 litre	O
250	CM	60	CM 85 LEVEL CM	2141,4118 litre	75,737 %	686,0216 litre	O
250	CM	60	CM 84 LEVEL CM	2114,0273 litre	74,768 %	713,4061 litre	O
250	CM	60	CM 83 LEVEL CM	2086,4245 litre	73,792 %	741,0089 litre	O
250	CM	60	CM 82 LEVEL CM	2058,6142 litre	72,809 %	768,8192 litre	O
250	CM	60	CM 81 LEVEL CM	2030,6068 litre	71,818 %	796,8266 litre	O
250	CM	60	CM 80 LEVEL CM	2002,4126 litre	70,821 %	825,0208 litre	O
250	CM	60	CM 79 LEVEL CM	1974,0416 litre	69,817 %	853,3918 litre	O
250	CM	60	CM 78 LEVEL CM	1945,5037 litre	68,808 %	881,9297 litre	O
250	CM	60	CM 77 LEVEL CM	1916,8085 litre	67,793 %	910,6249 litre	O
250	CM	60	CM 76 LEVEL CM	1887,9655 litre	66,773 %	939,4679 litre	O
250	CM	60	CM 75 LEVEL CM	1858,9842 litre	65,748 %	968,4492 litre	O
250	CM	60	CM 74 LEVEL CM	1829,8738 litre	64,719 %	997,5596 litre	O
250	CM	60	CM 73 LEVEL CM	1800,6434 litre	63,685 %	1026,7900 litre	O
250	CM	60	CM 72 LEVEL CM	1771,3021 litre	62,647 %	1056,1313 litre	O
250	CM	60	CM 71 LEVEL CM	1741,8586 litre	61,606 %	1085,5748 litre	O
250	CM	60	CM 70 LEVEL CM	1712,3220 litre	60,561 %	1115,1114 litre	O
250	CM	60	CM 69 LEVEL CM	1682,7007 litre	59,513 %	1144,7327 litre	O

250	CM	60	CM	68 LEVEL CM	1653,0037 litre	58,463 %	1174,4297 litre	O
250	CM	60	CM	67 LEVEL CM	1623,2393 litre	57,410 %	1204,1941 litre	O
250	CM	60	CM	66 LEVEL CM	1593,4162 litre	56,356 %	1234,0172 litre	O
250	CM	60	CM	65 LEVEL CM	1563,5429 litre	55,299 %	1263,8905 litre	O
250	CM	60	CM	64 LEVEL CM	1533,6277 litre	54,241 %	1293,8057 litre	O
250	CM	60	CM	63 LEVEL CM	1503,6792 litre	53,182 %	1323,7542 litre	O
250	CM	60	CM	62 LEVEL CM	1473,7056 litre	52,122 %	1353,7278 litre	O
250	CM	60	CM	61 LEVEL CM	1443,7153 litre	51,061 %	1383,7181 litre	O
250	CM	60	CM	60 LEVEL CM	1413,7167 litre	50,000 %	1413,7167 litre	O
250	CM	60	CM	59 LEVEL CM	1383,7181 litre	48,939 %	1443,7153 litre	O
250	CM	60	CM	58 LEVEL CM	1353,7278 litre	47,878 %	1473,7056 litre	O
250	CM	60	CM	57 LEVEL CM	1323,7542 litre	46,818 %	1503,6792 litre	O
250	CM	60	CM	56 LEVEL CM	1293,8056 litre	45,759 %	1533,6278 litre	O
250	CM	60	CM	55 LEVEL CM	1263,8905 litre	44,701 %	1563,5429 litre	O
250	CM	60	CM	54 LEVEL CM	1234,0171 litre	43,644 %	1593,4163 litre	O
250	CM	60	CM	53 LEVEL CM	1204,1941 litre	42,590 %	1623,2393 litre	O
250	CM	60	CM	52 LEVEL CM	1174,4297 litre	41,537 %	1653,0037 litre	O
250	CM	60	CM	51 LEVEL CM	1144,7326 litre	40,487 %	1682,7008 litre	O
250	CM	60	CM	50 LEVEL CM	1115,1114 litre	39,439 %	1712,3220 litre	O
250	CM	60	CM	49 LEVEL CM	1085,5747 litre	38,394 %	1741,8587 litre	O
250	CM	60	CM	48 LEVEL CM	1056,1313 litre	37,353 %	1771,3021 litre	O
250	CM	60	CM	47 LEVEL CM	1026,7899 litre	36,315 %	1800,6435 litre	O
250	CM	60	CM	46 LEVEL CM	997,5596 litre	35,281 %	1829,8738 litre	O
250	CM	60	CM	45 LEVEL CM	968,4492 litre	34,252 %	1858,9842 litre	O
250	CM	60	CM	44 LEVEL CM	939,4679 litre	33,227 %	1887,9655 litre	O
250	CM	60	CM	43 LEVEL CM	910,6249 litre	32,207 %	1916,8085 litre	O
250	CM	60	CM	42 LEVEL CM	881,9297 litre	31,192 %	1945,5037 litre	O
250	CM	60	CM	41 LEVEL CM	853,3918 litre	30,183 %	1974,0416 litre	O
250	CM	60	CM	40 LEVEL CM	825,0208 litre	29,179 %	2002,4126 litre	O
250	CM	60	CM	39 LEVEL CM	796,8265 litre	28,182 %	2030,6069 litre	O
250	CM	60	CM	38 LEVEL CM	768,8192 litre	27,191 %	2058,6142 litre	O
250	CM	60	CM	37 LEVEL CM	741,0089 litre	26,208 %	2086,4245 litre	O
250	CM	60	CM	36 LEVEL CM	713,4061 litre	25,232 %	2114,0273 litre	O
250	CM	60	CM	35 LEVEL CM	686,0216 litre	24,263 %	2141,4118 litre	O
250	CM	60	CM	34 LEVEL CM	658,8662 litre	23,303 %	2168,5672 litre	O
250	CM	60	CM	33 LEVEL CM	631,9513 litre	22,351 %	2195,4821 litre	O
250	CM	60	CM	32 LEVEL CM	605,2884 litre	21,408 %	2222,1450 litre	O
250	CM	60	CM	31 LEVEL CM	578,8893 litre	20,474 %	2248,5441 litre	O
250	CM	60	CM	30 LEVEL CM	552,7664 litre	19,550 %	2274,6670 litre	O
250	CM	60	CM	29 LEVEL CM	526,9321 litre	18,636 %	2300,5013 litre	O
250	CM	60	CM	28 LEVEL CM	501,3996 litre	17,733 %	2326,0338 litre	O
250	CM	60	CM	27 LEVEL CM	476,1824 litre	16,842 %	2351,2510 litre	O
250	CM	60	CM	26 LEVEL CM	451,2945 litre	15,961 %	2376,1389 litre	O
250	CM	60	CM	25 LEVEL CM	426,7505 litre	15,093 %	2400,6829 litre	O
250	CM	60	CM	24 LEVEL CM	402,5657 litre	14,238 %	2424,8677 litre	O
250	CM	60	CM	23 LEVEL CM	378,7559 litre	13,396 %	2448,6775 litre	O
250	CM	60	CM	22 LEVEL CM	355,3379 litre	12,568 %	2472,0955 litre	O
250	CM	60	CM	21 LEVEL CM	332,3292 litre	11,754 %	2495,1042 litre	O
250	CM	60	CM	20 LEVEL CM	309,7482 litre	10,955 %	2517,6852 litre	O
250	CM	60	CM	19 LEVEL CM	287,6145 litre	10,172 %	2539,8189 litre	O
250	CM	60	CM	18 LEVEL CM	265,9490 litre	9,406 %	2561,4844 litre	O
250	CM	60	CM	17 LEVEL CM	244,7736 litre	8,657 %	2582,6598 litre	O
250	CM	60	CM	16 LEVEL CM	224,1122 litre	7,926 %	2603,3212 litre	O

250	CM	60	CM	15 LEVEL CM	203,9903 litre	7,215 %	2623,4431 litre	O
250	CM	60	CM	14 LEVEL CM	184,4355 litre	6,523 %	2642,9979 litre	O
250	CM	60	CM	13 LEVEL CM	165,4781 litre	5,853 %	2661,9553 litre	O
250	CM	60	CM	12 LEVEL CM	147,1510 litre	5,204 %	2680,2824 litre	O
250	CM	60	CM	11 LEVEL CM	129,4909 litre	4,580 %	2697,9425 litre	O
250	CM	60	CM	10 LEVEL CM	112,5389 litre	3,980 %	2714,8945 litre	O
250	CM	60	CM	9 LEVEL CM	96,3412 litre	3,407 %	2731,0922 litre	O
250	CM	60	CM	8 LEVEL CM	80,9510 litre	2,863 %	2746,4824 litre	O
250	CM	60	CM	7 LEVEL CM	66,4303 litre	2,349 %	2761,0031 litre	O
250	CM	60	CM	6 LEVEL CM	52,8533 litre	1,869 %	2774,5801 litre	O
250	CM	60	CM	5 LEVEL CM	40,3107 litre	1,426 %	2787,1227 litre	O
250	CM	60	CM	4 LEVEL CM	28,9180 litre	1,023 %	2798,5154 litre	O
250	CM	60	CM	3 LEVEL CM	18,8307 litre	0,666 %	2808,6027 litre	O
250	CM	60	CM	2 LEVEL CM	10,2762 litre	0,363 %	2817,1572 litre	O
250	CM	60	CM	1 LEVEL CM	3,6423 litre	0,129 %	2823,7911 litre	O
250	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2827,4334 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
250	CM	55	CM 110 LEVEL CM	2375,8294 litre	100,000 %	0,0000 litre	O
250	CM	55	CM 109 LEVEL CM	2372,3430 litre	99,853 %	3,4864 litre	O
250	CM	55	CM 108 LEVEL CM	2365,9953 litre	99,586 %	9,8341 litre	O
250	CM	55	CM 107 LEVEL CM	2357,8129 litre	99,242 %	18,0165 litre	O
250	CM	55	CM 106 LEVEL CM	2348,1683 litre	98,836 %	27,6611 litre	O
250	CM	55	CM 105 LEVEL CM	2337,2801 litre	98,377 %	38,5493 litre	O
250	CM	55	CM 104 LEVEL CM	2325,2977 litre	97,873 %	50,5317 litre	O
250	CM	55	CM 103 LEVEL CM	2312,3326 litre	97,327 %	63,4968 litre	O
250	CM	55	CM 102 LEVEL CM	2298,4724 litre	96,744 %	77,3570 litre	O
250	CM	55	CM 101 LEVEL CM	2283,7885 litre	96,126 %	92,0409 litre	O
250	CM	55	CM 100 LEVEL CM	2268,3412 litre	95,476 %	107,4882 litre	O
250	CM	55	CM 99 LEVEL CM	2252,1817 litre	94,796 %	123,6477 litre	O
250	CM	55	CM 98 LEVEL CM	2235,3552 litre	94,087 %	140,4742 litre	O
250	CM	55	CM 97 LEVEL CM	2217,9014 litre	93,353 %	157,9280 litre	O
250	CM	55	CM 96 LEVEL CM	2199,8559 litre	92,593 %	175,9735 litre	O
250	CM	55	CM 95 LEVEL CM	2181,2510 litre	91,810 %	194,5784 litre	O
250	CM	55	CM 94 LEVEL CM	2162,1161 litre	91,005 %	213,7133 litre	O
250	CM	55	CM 93 LEVEL CM	2142,4782 litre	90,178 %	233,3512 litre	O
250	CM	55	CM 92 LEVEL CM	2122,3624 litre	89,331 %	253,4670 litre	O
250	CM	55	CM 91 LEVEL CM	2101,7917 litre	88,466 %	274,0377 litre	O
250	CM	55	CM 90 LEVEL CM	2080,7881 litre	87,582 %	295,0413 litre	O
250	CM	55	CM 89 LEVEL CM	2059,3719 litre	86,680 %	316,4575 litre	O
250	CM	55	CM 88 LEVEL CM	2037,5624 litre	85,762 %	338,2670 litre	O
250	CM	55	CM 87 LEVEL CM	2015,3779 litre	84,828 %	360,4515 litre	O
250	CM	55	CM 86 LEVEL CM	1992,8355 litre	83,880 %	382,9939 litre	O
250	CM	55	CM 85 LEVEL CM	1969,9520 litre	82,916 %	405,8774 litre	O
250	CM	55	CM 84 LEVEL CM	1946,7430 litre	81,940 %	429,0864 litre	O
250	CM	55	CM 83 LEVEL CM	1923,2236 litre	80,950 %	452,6058 litre	O
250	CM	55	CM 82 LEVEL CM	1899,4085 litre	79,947 %	476,4209 litre	O
250	CM	55	CM 81 LEVEL CM	1875,3116 litre	78,933 %	500,5178 litre	O
250	CM	55	CM 80 LEVEL CM	1850,9465 litre	77,907 %	524,8829 litre	O
250	CM	55	CM 79 LEVEL CM	1826,3261 litre	76,871 %	549,5033 litre	O
250	CM	55	CM 78 LEVEL CM	1801,4632 litre	75,825 %	574,3662 litre	O
250	CM	55	CM 77 LEVEL CM	1776,3702 litre	74,768 %	599,4592 litre	O
250	CM	55	CM 76 LEVEL CM	1751,0588 litre	73,703 %	624,7706 litre	O
250	CM	55	CM 75 LEVEL CM	1725,5409 litre	72,629 %	650,2885 litre	O
250	CM	55	CM 74 LEVEL CM	1699,8278 litre	71,547 %	676,0016 litre	O
250	CM	55	CM 73 LEVEL CM	1673,9307 litre	70,457 %	701,8987 litre	O
250	CM	55	CM 72 LEVEL CM	1647,8603 litre	69,359 %	727,9691 litre	O
250	CM	55	CM 71 LEVEL CM	1621,6274 litre	68,255 %	754,2020 litre	O
250	CM	55	CM 70 LEVEL CM	1595,2425 litre	67,145 %	780,5869 litre	O
250	CM	55	CM 69 LEVEL CM	1568,7158 litre	66,028 %	807,1136 litre	O
250	CM	55	CM 68 LEVEL CM	1542,0575 litre	64,906 %	833,7719 litre	O
250	CM	55	CM 67 LEVEL CM	1515,2775 litre	63,779 %	860,5519 litre	O
250	CM	55	CM 66 LEVEL CM	1488,3858 litre	62,647 %	887,4436 litre	O
250	CM	55	CM 65 LEVEL CM	1461,3920 litre	61,511 %	914,4374 litre	O
250	CM	55	CM 64 LEVEL CM	1434,3057 litre	60,371 %	941,5237 litre	O
250	CM	55	CM 63 LEVEL CM	1407,1365 litre	59,227 %	968,6929 litre	O
250	CM	55	CM 62 LEVEL CM	1379,8938 litre	58,081 %	995,9356 litre	O
250	CM	55	CM 61 LEVEL CM	1352,5869 litre	56,931 %	1023,2425 litre	O
250	CM	55	CM 60 LEVEL CM	1325,2251 litre	55,779 %	1050,6043 litre	O
250	CM	55	CM 59 LEVEL CM	1297,8177 litre	54,626 %	1078,0117 litre	O

250	CM	55	CM	58 LEVEL CM	1270,3738 litre	53,471 %	1105,4556 litre	O
250	CM	55	CM	57 LEVEL CM	1242,9026 litre	52,314 %	1132,9268 litre	O
250	CM	55	CM	56 LEVEL CM	1215,4132 litre	51,157 %	1160,4162 litre	O
250	CM	55	CM	55 LEVEL CM	1187,9147 litre	50,000 %	1187,9147 litre	O
250	CM	55	CM	54 LEVEL CM	1160,4162 litre	48,843 %	1215,4132 litre	O
250	CM	55	CM	53 LEVEL CM	1132,9268 litre	47,686 %	1242,9026 litre	O
250	CM	55	CM	52 LEVEL CM	1105,4556 litre	46,529 %	1270,3738 litre	O
250	CM	55	CM	51 LEVEL CM	1078,0118 litre	45,374 %	1297,8176 litre	O
250	CM	55	CM	50 LEVEL CM	1050,6044 litre	44,221 %	1325,2250 litre	O
250	CM	55	CM	49 LEVEL CM	1023,2426 litre	43,069 %	1352,5868 litre	O
250	CM	55	CM	48 LEVEL CM	995,9357 litre	41,919 %	1379,8937 litre	O
250	CM	55	CM	47 LEVEL CM	968,6930 litre	40,773 %	1407,1364 litre	O
250	CM	55	CM	46 LEVEL CM	941,5237 litre	39,629 %	1434,3057 litre	O
250	CM	55	CM	45 LEVEL CM	914,4375 litre	38,489 %	1461,3919 litre	O
250	CM	55	CM	44 LEVEL CM	887,4437 litre	37,353 %	1488,3857 litre	O
250	CM	55	CM	43 LEVEL CM	860,5519 litre	36,221 %	1515,2775 litre	O
250	CM	55	CM	42 LEVEL CM	833,7720 litre	35,094 %	1542,0574 litre	O
250	CM	55	CM	41 LEVEL CM	807,1137 litre	33,972 %	1568,7157 litre	O
250	CM	55	CM	40 LEVEL CM	780,5870 litre	32,855 %	1595,2424 litre	O
250	CM	55	CM	39 LEVEL CM	754,2020 litre	31,745 %	1621,6274 litre	O
250	CM	55	CM	38 LEVEL CM	727,9692 litre	30,641 %	1647,8602 litre	O
250	CM	55	CM	37 LEVEL CM	701,8988 litre	29,543 %	1673,9306 litre	O
250	CM	55	CM	36 LEVEL CM	676,0016 litre	28,453 %	1699,8278 litre	O
250	CM	55	CM	35 LEVEL CM	650,2885 litre	27,371 %	1725,5409 litre	O
250	CM	55	CM	34 LEVEL CM	624,7706 litre	26,297 %	1751,0588 litre	O
250	CM	55	CM	33 LEVEL CM	599,4593 litre	25,232 %	1776,3701 litre	O
250	CM	55	CM	32 LEVEL CM	574,3662 litre	24,175 %	1801,4632 litre	O
250	CM	55	CM	31 LEVEL CM	549,5033 litre	23,129 %	1826,3261 litre	O
250	CM	55	CM	30 LEVEL CM	524,8830 litre	22,093 %	1850,9464 litre	O
250	CM	55	CM	29 LEVEL CM	500,5178 litre	21,067 %	1875,3116 litre	O
250	CM	55	CM	28 LEVEL CM	476,4209 litre	20,053 %	1899,4085 litre	O
250	CM	55	CM	27 LEVEL CM	452,6058 litre	19,050 %	1923,2236 litre	O
250	CM	55	CM	26 LEVEL CM	429,0865 litre	18,060 %	1946,7429 litre	O
250	CM	55	CM	25 LEVEL CM	405,8775 litre	17,084 %	1969,9519 litre	O
250	CM	55	CM	24 LEVEL CM	382,9939 litre	16,120 %	1992,8355 litre	O
250	CM	55	CM	23 LEVEL CM	360,4516 litre	15,172 %	2015,3778 litre	O
250	CM	55	CM	22 LEVEL CM	338,2670 litre	14,238 %	2037,5624 litre	O
250	CM	55	CM	21 LEVEL CM	316,4575 litre	13,320 %	2059,3719 litre	O
250	CM	55	CM	20 LEVEL CM	295,0413 litre	12,418 %	2080,7881 litre	O
250	CM	55	CM	19 LEVEL CM	274,0377 litre	11,534 %	2101,7917 litre	O
250	CM	55	CM	18 LEVEL CM	253,4671 litre	10,669 %	2122,3623 litre	O
250	CM	55	CM	17 LEVEL CM	233,3512 litre	9,822 %	2142,4782 litre	O
250	CM	55	CM	16 LEVEL CM	213,7133 litre	8,995 %	2162,1161 litre	O
250	CM	55	CM	15 LEVEL CM	194,5784 litre	8,190 %	2181,2510 litre	O
250	CM	55	CM	14 LEVEL CM	175,9735 litre	7,407 %	2199,8559 litre	O
250	CM	55	CM	13 LEVEL CM	157,9281 litre	6,647 %	2217,9013 litre	O
250	CM	55	CM	12 LEVEL CM	140,4742 litre	5,913 %	2235,3552 litre	O
250	CM	55	CM	11 LEVEL CM	123,6477 litre	5,204 %	2252,1817 litre	O
250	CM	55	CM	10 LEVEL CM	107,4883 litre	4,524 %	2268,3411 litre	O
250	CM	55	CM	9 LEVEL CM	92,0409 litre	3,874 %	2283,7885 litre	O
250	CM	55	CM	8 LEVEL CM	77,3571 litre	3,256 %	2298,4723 litre	O
250	CM	55	CM	7 LEVEL CM	63,4969 litre	2,673 %	2312,3325 litre	O
250	CM	55	CM	6 LEVEL CM	50,5318 litre	2,127 %	2325,2976 litre	O

250_55

-2781-

250	CM	55	CM	5 LEVEL CM	38,5494 litre	1,623 %	2337,2800 litre	O
250	CM	55	CM	4 LEVEL CM	27,6611 litre	1,164 %	2348,1683 litre	O
250	CM	55	CM	3 LEVEL CM	18,0165 litre	0,758 %	2357,8129 litre	O
250	CM	55	CM	2 LEVEL CM	9,8342 litre	0,414 %	2365,9952 litre	O
250	CM	55	CM	1 LEVEL CM	3,4865 litre	0,147 %	2372,3429 litre	O
250	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2375,8294 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
250	CM	50	CM	100 LEVEL CM	1963,4954 litre	100,000 %	0,0000 litre	O
250	CM	50	CM	99 LEVEL CM	1960,1721 litre	99,831 %	3,3233 litre	O
250	CM	50	CM	98 LEVEL CM	1954,1241 litre	99,523 %	9,3713 litre	O
250	CM	50	CM	97 LEVEL CM	1946,3316 litre	99,126 %	17,1638 litre	O
250	CM	50	CM	96 LEVEL CM	1937,1511 litre	98,658 %	26,3443 litre	O
250	CM	50	CM	95 LEVEL CM	1926,7917 litre	98,131 %	36,7037 litre	O
250	CM	50	CM	94 LEVEL CM	1915,3971 litre	97,550 %	48,0983 litre	O
250	CM	50	CM	93 LEVEL CM	1903,0743 litre	96,923 %	60,4211 litre	O
250	CM	50	CM	92 LEVEL CM	1889,9076 litre	96,252 %	73,5878 litre	O
250	CM	50	CM	91 LEVEL CM	1875,9659 litre	95,542 %	87,5295 litre	O
250	CM	50	CM	90 LEVEL CM	1861,3072 litre	94,796 %	102,1882 litre	O
250	CM	50	CM	89 LEVEL CM	1845,9814 litre	94,015 %	117,5140 litre	O
250	CM	50	CM	88 LEVEL CM	1830,0319 litre	93,203 %	133,4635 litre	O
250	CM	50	CM	87 LEVEL CM	1813,4974 litre	92,361 %	149,9980 litre	O
250	CM	50	CM	86 LEVEL CM	1796,4125 litre	91,491 %	167,0829 litre	O
250	CM	50	CM	85 LEVEL CM	1778,8086 litre	90,594 %	184,6868 litre	O
250	CM	50	CM	84 LEVEL CM	1760,7145 litre	89,672 %	202,7809 litre	O
250	CM	50	CM	83 LEVEL CM	1742,1565 litre	88,727 %	221,3389 litre	O
250	CM	50	CM	82 LEVEL CM	1723,1591 litre	87,760 %	240,3363 litre	O
250	CM	50	CM	81 LEVEL CM	1703,7451 litre	86,771 %	259,7503 litre	O
250	CM	50	CM	80 LEVEL CM	1683,9359 litre	85,762 %	279,5595 litre	O
250	CM	50	CM	79 LEVEL CM	1663,7516 litre	84,734 %	299,7438 litre	O
250	CM	50	CM	78 LEVEL CM	1643,2112 litre	83,688 %	320,2842 litre	O
250	CM	50	CM	77 LEVEL CM	1622,3328 litre	82,625 %	341,1626 litre	O
250	CM	50	CM	76 LEVEL CM	1601,1336 litre	81,545 %	362,3618 litre	O
250	CM	50	CM	75 LEVEL CM	1579,6299 litre	80,450 %	383,8655 litre	O
250	CM	50	CM	74 LEVEL CM	1557,8374 litre	79,340 %	405,6580 litre	O
250	CM	50	CM	73 LEVEL CM	1535,7714 litre	78,216 %	427,7240 litre	O
250	CM	50	CM	72 LEVEL CM	1513,4463 litre	77,079 %	450,0491 litre	O
250	CM	50	CM	71 LEVEL CM	1490,8761 litre	75,930 %	472,6193 litre	O
250	CM	50	CM	70 LEVEL CM	1468,0745 litre	74,768 %	495,4209 litre	O
250	CM	50	CM	69 LEVEL CM	1445,0547 litre	73,596 %	518,4407 litre	O
250	CM	50	CM	68 LEVEL CM	1421,8294 litre	72,413 %	541,6660 litre	O
250	CM	50	CM	67 LEVEL CM	1398,4112 litre	71,220 %	565,0842 litre	O
250	CM	50	CM	66 LEVEL CM	1374,8121 litre	70,019 %	588,6833 litre	O
250	CM	50	CM	65 LEVEL CM	1351,0442 litre	68,808 %	612,4512 litre	O
250	CM	50	CM	64 LEVEL CM	1327,1190 litre	67,590 %	636,3764 litre	O
250	CM	50	CM	63 LEVEL CM	1303,0480 litre	66,364 %	660,4474 litre	O
250	CM	50	CM	62 LEVEL CM	1278,8423 litre	65,131 %	684,6531 litre	O
250	CM	50	CM	61 LEVEL CM	1254,5130 litre	63,892 %	708,9824 litre	O
250	CM	50	CM	60 LEVEL CM	1230,0709 litre	62,647 %	733,4245 litre	O
250	CM	50	CM	59 LEVEL CM	1205,5267 litre	61,397 %	757,9687 litre	O
250	CM	50	CM	58 LEVEL CM	1180,8911 litre	60,142 %	782,6043 litre	O
250	CM	50	CM	57 LEVEL CM	1156,1743 litre	58,883 %	807,3211 litre	O
250	CM	50	CM	56 LEVEL CM	1131,3869 litre	57,621 %	832,1085 litre	O
250	CM	50	CM	55 LEVEL CM	1106,5391 litre	56,356 %	856,9563 litre	O
250	CM	50	CM	54 LEVEL CM	1081,6409 litre	55,088 %	881,8545 litre	O
250	CM	50	CM	53 LEVEL CM	1056,7027 litre	53,817 %	906,7927 litre	O
250	CM	50	CM	52 LEVEL CM	1031,7344 litre	52,546 %	931,7610 litre	O
250	CM	50	CM	51 LEVEL CM	1006,7460 litre	51,273 %	956,7494 litre	O
250	CM	50	CM	50 LEVEL CM	981,7477 litre	50,000 %	981,7477 litre	O
250	CM	50	CM	49 LEVEL CM	956,7494 litre	48,727 %	1006,7460 litre	O

250	CM	50	CM	48 LEVEL CM	931,7610 litre	47,454 %	1031,7344 litre	O
250	CM	50	CM	47 LEVEL CM	906,7927 litre	46,183 %	1056,7027 litre	O
250	CM	50	CM	46 LEVEL CM	881,8545 litre	44,912 %	1081,6409 litre	O
250	CM	50	CM	45 LEVEL CM	856,9564 litre	43,644 %	1106,5390 litre	O
250	CM	50	CM	44 LEVEL CM	832,1085 litre	42,379 %	1131,3869 litre	O
250	CM	50	CM	43 LEVEL CM	807,3211 litre	41,117 %	1156,1743 litre	O
250	CM	50	CM	42 LEVEL CM	782,6043 litre	39,858 %	1180,8911 litre	O
250	CM	50	CM	41 LEVEL CM	757,9687 litre	38,603 %	1205,5267 litre	O
250	CM	50	CM	40 LEVEL CM	733,4245 litre	37,353 %	1230,0709 litre	O
250	CM	50	CM	39 LEVEL CM	708,9824 litre	36,108 %	1254,5130 litre	O
250	CM	50	CM	38 LEVEL CM	684,6531 litre	34,869 %	1278,8423 litre	O
250	CM	50	CM	37 LEVEL CM	660,4474 litre	33,636 %	1303,0480 litre	O
250	CM	50	CM	36 LEVEL CM	636,3764 litre	32,410 %	1327,1190 litre	O
250	CM	50	CM	35 LEVEL CM	612,4512 litre	31,192 %	1351,0442 litre	O
250	CM	50	CM	34 LEVEL CM	588,6833 litre	29,981 %	1374,8121 litre	O
250	CM	50	CM	33 LEVEL CM	565,0842 litre	28,780 %	1398,4112 litre	O
250	CM	50	CM	32 LEVEL CM	541,6660 litre	27,587 %	1421,8294 litre	O
250	CM	50	CM	31 LEVEL CM	518,4407 litre	26,404 %	1445,0547 litre	O
250	CM	50	CM	30 LEVEL CM	495,4209 litre	25,232 %	1468,0745 litre	O
250	CM	50	CM	29 LEVEL CM	472,6193 litre	24,070 %	1490,8761 litre	O
250	CM	50	CM	28 LEVEL CM	450,0491 litre	22,921 %	1513,4463 litre	O
250	CM	50	CM	27 LEVEL CM	427,7240 litre	21,784 %	1535,7714 litre	O
250	CM	50	CM	26 LEVEL CM	405,6580 litre	20,660 %	1557,8374 litre	O
250	CM	50	CM	25 LEVEL CM	383,8655 litre	19,550 %	1579,6299 litre	O
250	CM	50	CM	24 LEVEL CM	362,3618 litre	18,455 %	1601,1336 litre	O
250	CM	50	CM	23 LEVEL CM	341,1626 litre	17,375 %	1622,3328 litre	O
250	CM	50	CM	22 LEVEL CM	320,2842 litre	16,312 %	1643,2112 litre	O
250	CM	50	CM	21 LEVEL CM	299,7438 litre	15,266 %	1663,7516 litre	O
250	CM	50	CM	20 LEVEL CM	279,5595 litre	14,238 %	1683,9359 litre	O
250	CM	50	CM	19 LEVEL CM	259,7503 litre	13,229 %	1703,7451 litre	O
250	CM	50	CM	18 LEVEL CM	240,3363 litre	12,240 %	1723,1591 litre	O
250	CM	50	CM	17 LEVEL CM	221,3389 litre	11,273 %	1742,1565 litre	O
250	CM	50	CM	16 LEVEL CM	202,7809 litre	10,328 %	1760,7145 litre	O
250	CM	50	CM	15 LEVEL CM	184,6868 litre	9,406 %	1778,8086 litre	O
250	CM	50	CM	14 LEVEL CM	167,0829 litre	8,509 %	1796,4125 litre	O
250	CM	50	CM	13 LEVEL CM	149,9981 litre	7,639 %	1813,4973 litre	O
250	CM	50	CM	12 LEVEL CM	133,4635 litre	6,797 %	1830,0319 litre	O
250	CM	50	CM	11 LEVEL CM	117,5141 litre	5,985 %	1845,9813 litre	O
250	CM	50	CM	10 LEVEL CM	102,1882 litre	5,204 %	1861,3072 litre	O
250	CM	50	CM	9 LEVEL CM	87,5295 litre	4,458 %	1875,9659 litre	O
250	CM	50	CM	8 LEVEL CM	73,5878 litre	3,748 %	1889,9076 litre	O
250	CM	50	CM	7 LEVEL CM	60,4211 litre	3,077 %	1903,0743 litre	O
250	CM	50	CM	6 LEVEL CM	48,0983 litre	2,450 %	1915,3971 litre	O
250	CM	50	CM	5 LEVEL CM	36,7037 litre	1,869 %	1926,7917 litre	O
250	CM	50	CM	4 LEVEL CM	26,3443 litre	1,342 %	1937,1511 litre	O
250	CM	50	CM	3 LEVEL CM	17,1638 litre	0,874 %	1946,3316 litre	O
250	CM	50	CM	2 LEVEL CM	9,3713 litre	0,477 %	1954,1241 litre	O
250	CM	50	CM	1 LEVEL CM	3,3233 litre	0,169 %	1960,1721 litre	O
250	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1963,4954 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
240	CM 100	CM 200 LEVEL CM	7539,8224 litre	100,000 %	0,0000 litre	O
240	CM 100	CM 199 LEVEL CM	7535,3037 litre	99,940 %	4,5187 litre	O
240	CM 100	CM 198 LEVEL CM	7527,0608 litre	99,831 %	12,7616 litre	O
240	CM 100	CM 197 LEVEL CM	7516,4134 litre	99,690 %	23,4090 litre	O
240	CM 100	CM 196 LEVEL CM	7503,8365 litre	99,523 %	35,9859 litre	O
240	CM 100	CM 195 LEVEL CM	7489,6071 litre	99,334 %	50,2153 litre	O
240	CM 100	CM 194 LEVEL CM	7473,9135 litre	99,126 %	65,9089 litre	O
240	CM 100	CM 193 LEVEL CM	7456,8949 litre	98,900 %	82,9275 litre	O
240	CM 100	CM 192 LEVEL CM	7438,6601 litre	98,658 %	101,1623 litre	O
240	CM 100	CM 191 LEVEL CM	7419,2973 litre	98,401 %	120,5251 litre	O
240	CM 100	CM 190 LEVEL CM	7398,8802 litre	98,131 %	140,9422 litre	O
240	CM 100	CM 189 LEVEL CM	7377,4713 litre	97,847 %	162,3511 litre	O
240	CM 100	CM 188 LEVEL CM	7355,1249 litre	97,550 %	184,6975 litre	O
240	CM 100	CM 187 LEVEL CM	7331,8887 litre	97,242 %	207,9337 litre	O
240	CM 100	CM 186 LEVEL CM	7307,8053 litre	96,923 %	232,0171 litre	O
240	CM 100	CM 185 LEVEL CM	7282,9126 litre	96,593 %	256,9098 litre	O
240	CM 100	CM 184 LEVEL CM	7257,2451 litre	96,252 %	282,5773 litre	O
240	CM 100	CM 183 LEVEL CM	7230,8343 litre	95,902 %	308,9881 litre	O
240	CM 100	CM 182 LEVEL CM	7203,7090 litre	95,542 %	336,1134 litre	O
240	CM 100	CM 181 LEVEL CM	7175,8959 litre	95,173 %	363,9265 litre	O
240	CM 100	CM 180 LEVEL CM	7147,4197 litre	94,796 %	392,4027 litre	O
240	CM 100	CM 179 LEVEL CM	7118,3034 litre	94,409 %	421,5190 litre	O
240	CM 100	CM 178 LEVEL CM	7088,5684 litre	94,015 %	451,2540 litre	O
240	CM 100	CM 177 LEVEL CM	7058,2350 litre	93,613 %	481,5874 litre	O
240	CM 100	CM 176 LEVEL CM	7027,3223 litre	93,203 %	512,5001 litre	O
240	CM 100	CM 175 LEVEL CM	6995,8483 litre	92,785 %	543,9741 litre	O
240	CM 100	CM 174 LEVEL CM	6963,8298 litre	92,361 %	575,9926 litre	O
240	CM 100	CM 173 LEVEL CM	6931,2833 litre	91,929 %	608,5391 litre	O
240	CM 100	CM 172 LEVEL CM	6898,2239 litre	91,491 %	641,5985 litre	O
240	CM 100	CM 171 LEVEL CM	6864,6665 litre	91,045 %	675,1559 litre	O
240	CM 100	CM 170 LEVEL CM	6830,6252 litre	90,594 %	709,1972 litre	O
240	CM 100	CM 169 LEVEL CM	6796,1132 litre	90,136 %	743,7092 litre	O
240	CM 100	CM 168 LEVEL CM	6761,1437 litre	89,672 %	778,6787 litre	O
240	CM 100	CM 167 LEVEL CM	6725,7289 litre	89,203 %	814,0935 litre	O
240	CM 100	CM 166 LEVEL CM	6689,8809 litre	88,727 %	849,9415 litre	O
240	CM 100	CM 165 LEVEL CM	6653,6112 litre	88,246 %	886,2112 litre	O
240	CM 100	CM 164 LEVEL CM	6616,9309 litre	87,760 %	922,8915 litre	O
240	CM 100	CM 163 LEVEL CM	6579,8507 litre	87,268 %	959,9717 litre	O
240	CM 100	CM 162 LEVEL CM	6542,3812 litre	86,771 %	997,4412 litre	O
240	CM 100	CM 161 LEVEL CM	6504,5323 litre	86,269 %	1035,2901 litre	O
240	CM 100	CM 160 LEVEL CM	6466,3138 litre	85,762 %	1073,5086 litre	O
240	CM 100	CM 159 LEVEL CM	6427,7354 litre	85,250 %	1112,0870 litre	O
240	CM 100	CM 158 LEVEL CM	6388,8062 litre	84,734 %	1151,0162 litre	O
240	CM 100	CM 157 LEVEL CM	6349,5352 litre	84,213 %	1190,2872 litre	O
240	CM 100	CM 156 LEVEL CM	6309,9312 litre	83,688 %	1229,8912 litre	O
240	CM 100	CM 155 LEVEL CM	6270,0027 litre	83,158 %	1269,8197 litre	O
240	CM 100	CM 154 LEVEL CM	6229,7581 litre	82,625 %	1310,0643 litre	O
240	CM 100	CM 153 LEVEL CM	6189,2055 litre	82,087 %	1350,6169 litre	O
240	CM 100	CM 152 LEVEL CM	6148,3530 litre	81,545 %	1391,4694 litre	O
240	CM 100	CM 151 LEVEL CM	6107,2081 litre	80,999 %	1432,6143 litre	O
240	CM 100	CM 150 LEVEL CM	6065,7787 litre	80,450 %	1474,0437 litre	O
240	CM 100	CM 149 LEVEL CM	6024,0722 litre	79,897 %	1515,7502 litre	O

240	CM	100	CM	148 LEVEL CM	5982,0958 litre	79,340 %	1557,7266 litre	O
240	CM	100	CM	147 LEVEL CM	5939,8568 litre	78,780 %	1599,9656 litre	O
240	CM	100	CM	146 LEVEL CM	5897,3621 litre	78,216 %	1642,4603 litre	O
240	CM	100	CM	145 LEVEL CM	5854,6188 litre	77,649 %	1685,2036 litre	O
240	CM	100	CM	144 LEVEL CM	5811,6336 litre	77,079 %	1728,1888 litre	O
240	CM	100	CM	143 LEVEL CM	5768,4133 litre	76,506 %	1771,4091 litre	O
240	CM	100	CM	142 LEVEL CM	5724,9642 litre	75,930 %	1814,8582 litre	O
240	CM	100	CM	141 LEVEL CM	5681,2931 litre	75,350 %	1858,5293 litre	O
240	CM	100	CM	140 LEVEL CM	5637,4061 litre	74,768 %	1902,4163 litre	O
240	CM	100	CM	139 LEVEL CM	5593,3097 litre	74,184 %	1946,5127 litre	O
240	CM	100	CM	138 LEVEL CM	5549,0100 litre	73,596 %	1990,8124 litre	O
240	CM	100	CM	137 LEVEL CM	5504,5130 litre	73,006 %	2035,3094 litre	O
240	CM	100	CM	136 LEVEL CM	5459,8249 litre	72,413 %	2079,9975 litre	O
240	CM	100	CM	135 LEVEL CM	5414,9516 litre	71,818 %	2124,8708 litre	O
240	CM	100	CM	134 LEVEL CM	5369,8989 litre	71,220 %	2169,9235 litre	O
240	CM	100	CM	133 LEVEL CM	5324,6727 litre	70,621 %	2215,1497 litre	O
240	CM	100	CM	132 LEVEL CM	5279,2786 litre	70,019 %	2260,5438 litre	O
240	CM	100	CM	131 LEVEL CM	5233,7225 litre	69,414 %	2306,0999 litre	O
240	CM	100	CM	130 LEVEL CM	5188,0098 litre	68,808 %	2351,8126 litre	O
240	CM	100	CM	129 LEVEL CM	5142,1461 litre	68,200 %	2397,6763 litre	O
240	CM	100	CM	128 LEVEL CM	5096,1370 litre	67,590 %	2443,6854 litre	O
240	CM	100	CM	127 LEVEL CM	5049,9879 litre	66,978 %	2489,8345 litre	O
240	CM	100	CM	126 LEVEL CM	5003,7042 litre	66,364 %	2536,1182 litre	O
240	CM	100	CM	125 LEVEL CM	4957,2913 litre	65,748 %	2582,5311 litre	O
240	CM	100	CM	124 LEVEL CM	4910,7544 litre	65,131 %	2629,0680 litre	O
240	CM	100	CM	123 LEVEL CM	4864,0989 litre	64,512 %	2675,7235 litre	O
240	CM	100	CM	122 LEVEL CM	4817,3298 litre	63,892 %	2722,4926 litre	O
240	CM	100	CM	121 LEVEL CM	4770,4526 litre	63,270 %	2769,3698 litre	O
240	CM	100	CM	120 LEVEL CM	4723,4722 litre	62,647 %	2816,3502 litre	O
240	CM	100	CM	119 LEVEL CM	4676,3939 litre	62,023 %	2863,4285 litre	O
240	CM	100	CM	118 LEVEL CM	4629,2226 litre	61,397 %	2910,5998 litre	O
240	CM	100	CM	117 LEVEL CM	4581,9636 litre	60,770 %	2957,8588 litre	O
240	CM	100	CM	116 LEVEL CM	4534,6217 litre	60,142 %	3005,2007 litre	O
240	CM	100	CM	115 LEVEL CM	4487,2020 litre	59,513 %	3052,6204 litre	O
240	CM	100	CM	114 LEVEL CM	4439,7095 litre	58,883 %	3100,1129 litre	O
240	CM	100	CM	113 LEVEL CM	4392,1491 litre	58,253 %	3147,6733 litre	O
240	CM	100	CM	112 LEVEL CM	4344,5258 litre	57,621 %	3195,2966 litre	O
240	CM	100	CM	111 LEVEL CM	4296,8444 litre	56,989 %	3242,9780 litre	O
240	CM	100	CM	110 LEVEL CM	4249,1100 litre	56,356 %	3290,7124 litre	O
240	CM	100	CM	109 LEVEL CM	4201,3273 litre	55,722 %	3338,4951 litre	O
240	CM	100	CM	108 LEVEL CM	4153,5012 litre	55,088 %	3386,3212 litre	O
240	CM	100	CM	107 LEVEL CM	4105,6366 litre	54,453 %	3434,1858 litre	O
240	CM	100	CM	106 LEVEL CM	4057,7383 litre	53,817 %	3482,0841 litre	O
240	CM	100	CM	105 LEVEL CM	4009,8111 litre	53,182 %	3530,0113 litre	O
240	CM	100	CM	104 LEVEL CM	3961,8600 litre	52,546 %	3577,9624 litre	O
240	CM	100	CM	103 LEVEL CM	3913,8896 litre	51,910 %	3625,9328 litre	O
240	CM	100	CM	102 LEVEL CM	3865,9048 litre	51,273 %	3673,9176 litre	O
240	CM	100	CM	101 LEVEL CM	3817,9104 litre	50,637 %	3721,9120 litre	O
240	CM	100	CM	100 LEVEL CM	3769,9112 litre	50,000 %	3769,9112 litre	O
240	CM	100	CM	99 LEVEL CM	3721,9120 litre	49,363 %	3817,9104 litre	O
240	CM	100	CM	98 LEVEL CM	3673,9176 litre	48,727 %	3865,9048 litre	O
240	CM	100	CM	97 LEVEL CM	3625,9328 litre	48,090 %	3913,8896 litre	O
240	CM	100	CM	96 LEVEL CM	3577,9624 litre	47,454 %	3961,8600 litre	O

240	CM	100	CM	95 LEVEL CM	3530,0112 litre	46,818 %	4009,8112 litre	O
240	CM	100	CM	94 LEVEL CM	3482,0841 litre	46,183 %	4057,7383 litre	O
240	CM	100	CM	93 LEVEL CM	3434,1858 litre	45,547 %	4105,6366 litre	O
240	CM	100	CM	92 LEVEL CM	3386,3212 litre	44,912 %	4153,5012 litre	O
240	CM	100	CM	91 LEVEL CM	3338,4951 litre	44,278 %	4201,3273 litre	O
240	CM	100	CM	90 LEVEL CM	3290,7124 litre	43,644 %	4249,1100 litre	O
240	CM	100	CM	89 LEVEL CM	3242,9779 litre	43,011 %	4296,8445 litre	O
240	CM	100	CM	88 LEVEL CM	3195,2966 litre	42,379 %	4344,5258 litre	O
240	CM	100	CM	87 LEVEL CM	3147,6733 litre	41,747 %	4392,1491 litre	O
240	CM	100	CM	86 LEVEL CM	3100,1129 litre	41,117 %	4439,7095 litre	O
240	CM	100	CM	85 LEVEL CM	3052,6204 litre	40,487 %	4487,2020 litre	O
240	CM	100	CM	84 LEVEL CM	3005,2007 litre	39,858 %	4534,6217 litre	O
240	CM	100	CM	83 LEVEL CM	2957,8588 litre	39,230 %	4581,9636 litre	O
240	CM	100	CM	82 LEVEL CM	2910,5997 litre	38,603 %	4629,2227 litre	O
240	CM	100	CM	81 LEVEL CM	2863,4285 litre	37,977 %	4676,3939 litre	O
240	CM	100	CM	80 LEVEL CM	2816,3501 litre	37,353 %	4723,4723 litre	O
240	CM	100	CM	79 LEVEL CM	2769,3698 litre	36,730 %	4770,4526 litre	O
240	CM	100	CM	78 LEVEL CM	2722,4925 litre	36,108 %	4817,3299 litre	O
240	CM	100	CM	77 LEVEL CM	2675,7235 litre	35,488 %	4864,0989 litre	O
240	CM	100	CM	76 LEVEL CM	2629,0680 litre	34,869 %	4910,7544 litre	O
240	CM	100	CM	75 LEVEL CM	2582,5311 litre	34,252 %	4957,2913 litre	O
240	CM	100	CM	74 LEVEL CM	2536,1181 litre	33,636 %	5003,7043 litre	O
240	CM	100	CM	73 LEVEL CM	2489,8344 litre	33,022 %	5049,9880 litre	O
240	CM	100	CM	72 LEVEL CM	2443,6853 litre	32,410 %	5096,1371 litre	O
240	CM	100	CM	71 LEVEL CM	2397,6762 litre	31,800 %	5142,1462 litre	O
240	CM	100	CM	70 LEVEL CM	2351,8126 litre	31,192 %	5188,0098 litre	O
240	CM	100	CM	69 LEVEL CM	2306,0999 litre	30,586 %	5233,7225 litre	O
240	CM	100	CM	68 LEVEL CM	2260,5437 litre	29,981 %	5279,2787 litre	O
240	CM	100	CM	67 LEVEL CM	2215,1497 litre	29,379 %	5324,6727 litre	O
240	CM	100	CM	66 LEVEL CM	2169,9235 litre	28,780 %	5369,8989 litre	O
240	CM	100	CM	65 LEVEL CM	2124,8708 litre	28,182 %	5414,9516 litre	O
240	CM	100	CM	64 LEVEL CM	2079,9975 litre	27,587 %	5459,8249 litre	O
240	CM	100	CM	63 LEVEL CM	2035,3093 litre	26,994 %	5504,5131 litre	O
240	CM	100	CM	62 LEVEL CM	1990,8124 litre	26,404 %	5549,0100 litre	O
240	CM	100	CM	61 LEVEL CM	1946,5127 litre	25,816 %	5593,3097 litre	O
240	CM	100	CM	60 LEVEL CM	1902,4162 litre	25,232 %	5637,4062 litre	O
240	CM	100	CM	59 LEVEL CM	1858,5293 litre	24,650 %	5681,2931 litre	O
240	CM	100	CM	58 LEVEL CM	1814,8581 litre	24,070 %	5724,9643 litre	O
240	CM	100	CM	57 LEVEL CM	1771,4091 litre	23,494 %	5768,4133 litre	O
240	CM	100	CM	56 LEVEL CM	1728,1887 litre	22,921 %	5811,6337 litre	O
240	CM	100	CM	55 LEVEL CM	1685,2035 litre	22,351 %	5854,6189 litre	O
240	CM	100	CM	54 LEVEL CM	1642,4602 litre	21,784 %	5897,3622 litre	O
240	CM	100	CM	53 LEVEL CM	1599,9656 litre	21,220 %	5939,8568 litre	O
240	CM	100	CM	52 LEVEL CM	1557,7266 litre	20,660 %	5982,0958 litre	O
240	CM	100	CM	51 LEVEL CM	1515,7502 litre	20,103 %	6024,0722 litre	O
240	CM	100	CM	50 LEVEL CM	1474,0436 litre	19,550 %	6065,7788 litre	O
240	CM	100	CM	49 LEVEL CM	1432,6142 litre	19,001 %	6107,2082 litre	O
240	CM	100	CM	48 LEVEL CM	1391,4694 litre	18,455 %	6148,3530 litre	O
240	CM	100	CM	47 LEVEL CM	1350,6168 litre	17,913 %	6189,2056 litre	O
240	CM	100	CM	46 LEVEL CM	1310,0643 litre	17,375 %	6229,7581 litre	O
240	CM	100	CM	45 LEVEL CM	1269,8197 litre	16,842 %	6270,0027 litre	O
240	CM	100	CM	44 LEVEL CM	1229,8912 litre	16,312 %	6309,9312 litre	O
240	CM	100	CM	43 LEVEL CM	1190,2872 litre	15,787 %	6349,5352 litre	O

240	CM	100	CM	42 LEVEL CM	1151,0162 litre	15,266 %	6388,8062 litre	O
240	CM	100	CM	41 LEVEL CM	1112,0870 litre	14,750 %	6427,7354 litre	O
240	CM	100	CM	40 LEVEL CM	1073,5085 litre	14,238 %	6466,3139 litre	O
240	CM	100	CM	39 LEVEL CM	1035,2901 litre	13,731 %	6504,5323 litre	O
240	CM	100	CM	38 LEVEL CM	997,4412 litre	13,229 %	6542,3812 litre	O
240	CM	100	CM	37 LEVEL CM	959,9716 litre	12,732 %	6579,8508 litre	O
240	CM	100	CM	36 LEVEL CM	922,8915 litre	12,240 %	6616,9309 litre	O
240	CM	100	CM	35 LEVEL CM	886,2112 litre	11,754 %	6653,6112 litre	O
240	CM	100	CM	34 LEVEL CM	849,9414 litre	11,273 %	6689,8810 litre	O
240	CM	100	CM	33 LEVEL CM	814,0934 litre	10,797 %	6725,7290 litre	O
240	CM	100	CM	32 LEVEL CM	778,6787 litre	10,328 %	6761,1437 litre	O
240	CM	100	CM	31 LEVEL CM	743,7091 litre	9,864 %	6796,1133 litre	O
240	CM	100	CM	30 LEVEL CM	709,1972 litre	9,406 %	6830,6252 litre	O
240	CM	100	CM	29 LEVEL CM	675,1558 litre	8,955 %	6864,6666 litre	O
240	CM	100	CM	28 LEVEL CM	641,5984 litre	8,509 %	6898,2240 litre	O
240	CM	100	CM	27 LEVEL CM	608,5391 litre	8,071 %	6931,2833 litre	O
240	CM	100	CM	26 LEVEL CM	575,9925 litre	7,639 %	6963,8299 litre	O
240	CM	100	CM	25 LEVEL CM	543,9741 litre	7,215 %	6995,8483 litre	O
240	CM	100	CM	24 LEVEL CM	512,5000 litre	6,797 %	7027,3224 litre	O
240	CM	100	CM	23 LEVEL CM	481,5873 litre	6,387 %	7058,2351 litre	O
240	CM	100	CM	22 LEVEL CM	451,2540 litre	5,985 %	7088,5684 litre	O
240	CM	100	CM	21 LEVEL CM	421,5190 litre	5,591 %	7118,3034 litre	O
240	CM	100	CM	20 LEVEL CM	392,4027 litre	5,204 %	7147,4197 litre	O
240	CM	100	CM	19 LEVEL CM	363,9264 litre	4,827 %	7175,8960 litre	O
240	CM	100	CM	18 LEVEL CM	336,1133 litre	4,458 %	7203,7091 litre	O
240	CM	100	CM	17 LEVEL CM	308,9881 litre	4,098 %	7230,8343 litre	O
240	CM	100	CM	16 LEVEL CM	282,5773 litre	3,748 %	7257,2451 litre	O
240	CM	100	CM	15 LEVEL CM	256,9098 litre	3,407 %	7282,9126 litre	O
240	CM	100	CM	14 LEVEL CM	232,0171 litre	3,077 %	7307,8053 litre	O
240	CM	100	CM	13 LEVEL CM	207,9336 litre	2,758 %	7331,8888 litre	O
240	CM	100	CM	12 LEVEL CM	184,6975 litre	2,450 %	7355,1249 litre	O
240	CM	100	CM	11 LEVEL CM	162,3511 litre	2,153 %	7377,4713 litre	O
240	CM	100	CM	10 LEVEL CM	140,9422 litre	1,869 %	7398,8802 litre	O
240	CM	100	CM	9 LEVEL CM	120,5250 litre	1,599 %	7419,2974 litre	O
240	CM	100	CM	8 LEVEL CM	101,1623 litre	1,342 %	7438,6601 litre	O
240	CM	100	CM	7 LEVEL CM	82,9275 litre	1,100 %	7456,8949 litre	O
240	CM	100	CM	6 LEVEL CM	65,9089 litre	0,874 %	7473,9135 litre	O
240	CM	100	CM	5 LEVEL CM	50,2153 litre	0,666 %	7489,6071 litre	O
240	CM	100	CM	4 LEVEL CM	35,9859 litre	0,477 %	7503,8365 litre	O
240	CM	100	CM	3 LEVEL CM	23,4090 litre	0,310 %	7516,4134 litre	O
240	CM	100	CM	2 LEVEL CM	12,7615 litre	0,169 %	7527,0609 litre	O
240	CM	100	CM	1 LEVEL CM	4,5187 litre	0,060 %	7535,3037 litre	O
240	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	7539,8224 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
240	CM	95	CM	190 LEVEL CM	6804,6897 litre	100,000 %	0,0000 litre	O
240	CM	95	CM	189 LEVEL CM	6800,2858 litre	99,935 %	4,4039 litre	O
240	CM	95	CM	188 LEVEL CM	6792,2533 litre	99,817 %	12,4364 litre	O
240	CM	95	CM	187 LEVEL CM	6781,8789 litre	99,665 %	22,8108 litre	O
240	CM	95	CM	186 LEVEL CM	6769,6262 litre	99,485 %	35,0635 litre	O
240	CM	95	CM	185 LEVEL CM	6755,7656 litre	99,281 %	48,9241 litre	O
240	CM	95	CM	184 LEVEL CM	6740,4807 litre	99,056 %	64,2090 litre	O
240	CM	95	CM	183 LEVEL CM	6723,9077 litre	98,813 %	80,7820 litre	O
240	CM	95	CM	182 LEVEL CM	6706,1529 litre	98,552 %	98,5368 litre	O
240	CM	95	CM	181 LEVEL CM	6687,3025 litre	98,275 %	117,3872 litre	O
240	CM	95	CM	180 LEVEL CM	6667,4284 litre	97,983 %	137,2613 litre	O
240	CM	95	CM	179 LEVEL CM	6646,5921 litre	97,677 %	158,0976 litre	O
240	CM	95	CM	178 LEVEL CM	6624,8465 litre	97,357 %	179,8432 litre	O
240	CM	95	CM	177 LEVEL CM	6602,2385 litre	97,025 %	202,4512 litre	O
240	CM	95	CM	176 LEVEL CM	6578,8096 litre	96,681 %	225,8801 litre	O
240	CM	95	CM	175 LEVEL CM	6554,5972 litre	96,325 %	250,0925 litre	O
240	CM	95	CM	174 LEVEL CM	6529,6350 litre	95,958 %	275,0547 litre	O
240	CM	95	CM	173 LEVEL CM	6503,9539 litre	95,580 %	300,7358 litre	O
240	CM	95	CM	172 LEVEL CM	6477,5823 litre	95,193 %	327,1074 litre	O
240	CM	95	CM	171 LEVEL CM	6450,5463 litre	94,796 %	354,1434 litre	O
240	CM	95	CM	170 LEVEL CM	6422,8701 litre	94,389 %	381,8196 litre	O
240	CM	95	CM	169 LEVEL CM	6394,5764 litre	93,973 %	410,1133 litre	O
240	CM	95	CM	168 LEVEL CM	6365,6864 litre	93,549 %	439,0033 litre	O
240	CM	95	CM	167 LEVEL CM	6336,2199 litre	93,115 %	468,4698 litre	O
240	CM	95	CM	166 LEVEL CM	6306,1957 litre	92,674 %	498,4940 litre	O
240	CM	95	CM	165 LEVEL CM	6275,6315 litre	92,225 %	529,0582 litre	O
240	CM	95	CM	164 LEVEL CM	6244,5440 litre	91,768 %	560,1457 litre	O
240	CM	95	CM	163 LEVEL CM	6212,9493 litre	91,304 %	591,7404 litre	O
240	CM	95	CM	162 LEVEL CM	6180,8626 litre	90,832 %	623,8271 litre	O
240	CM	95	CM	161 LEVEL CM	6148,2982 litre	90,354 %	656,3915 litre	O
240	CM	95	CM	160 LEVEL CM	6115,2702 litre	89,868 %	689,4195 litre	O
240	CM	95	CM	159 LEVEL CM	6081,7918 litre	89,376 %	722,8979 litre	O
240	CM	95	CM	158 LEVEL CM	6047,8758 litre	88,878 %	756,8139 litre	O
240	CM	95	CM	157 LEVEL CM	6013,5345 litre	88,373 %	791,1552 litre	O
240	CM	95	CM	156 LEVEL CM	5978,7797 litre	87,863 %	825,9100 litre	O
240	CM	95	CM	155 LEVEL CM	5943,6228 litre	87,346 %	861,0669 litre	O
240	CM	95	CM	154 LEVEL CM	5908,0749 litre	86,824 %	896,6148 litre	O
240	CM	95	CM	153 LEVEL CM	5872,1466 litre	86,296 %	932,5431 litre	O
240	CM	95	CM	152 LEVEL CM	5835,8482 litre	85,762 %	968,8415 litre	O
240	CM	95	CM	151 LEVEL CM	5799,1899 litre	85,223 %	1005,4998 litre	O
240	CM	95	CM	150 LEVEL CM	5762,1812 litre	84,680 %	1042,5085 litre	O
240	CM	95	CM	149 LEVEL CM	5724,8317 litre	84,131 %	1079,8580 litre	O
240	CM	95	CM	148 LEVEL CM	5687,1505 litre	83,577 %	1117,5392 litre	O
240	CM	95	CM	147 LEVEL CM	5649,1467 litre	83,018 %	1155,5430 litre	O
240	CM	95	CM	146 LEVEL CM	5610,8289 litre	82,455 %	1193,8608 litre	O
240	CM	95	CM	145 LEVEL CM	5572,2056 litre	81,888 %	1232,4841 litre	O
240	CM	95	CM	144 LEVEL CM	5533,2853 litre	81,316 %	1271,4044 litre	O
240	CM	95	CM	143 LEVEL CM	5494,0759 litre	80,740 %	1310,6138 litre	O
240	CM	95	CM	142 LEVEL CM	5454,5854 litre	80,159 %	1350,1043 litre	O
240	CM	95	CM	141 LEVEL CM	5414,8217 litre	79,575 %	1389,8680 litre	O
240	CM	95	CM	140 LEVEL CM	5374,7924 litre	78,987 %	1429,8973 litre	O
240	CM	95	CM	139 LEVEL CM	5334,5048 litre	78,395 %	1470,1849 litre	O

240	CM 95	CM	138 LEVEL CM	5293,9664 litre	77,799 %	1510,7233 litre	O
240	CM 95	CM	137 LEVEL CM	5253,1844 litre	77,199 %	1551,5053 litre	O
240	CM 95	CM	136 LEVEL CM	5212,1657 litre	76,597 %	1592,5240 litre	O
240	CM 95	CM	135 LEVEL CM	5170,9174 litre	75,990 %	1633,7723 litre	O
240	CM 95	CM	134 LEVEL CM	5129,4463 litre	75,381 %	1675,2434 litre	O
240	CM 95	CM	133 LEVEL CM	5087,7590 litre	74,768 %	1716,9307 litre	O
240	CM 95	CM	132 LEVEL CM	5045,8623 litre	74,153 %	1758,8274 litre	O
240	CM 95	CM	131 LEVEL CM	5003,7626 litre	73,534 %	1800,9271 litre	O
240	CM 95	CM	130 LEVEL CM	4961,4663 litre	72,912 %	1843,2234 litre	O
240	CM 95	CM	129 LEVEL CM	4918,9798 litre	72,288 %	1885,7099 litre	O
240	CM 95	CM	128 LEVEL CM	4876,3093 litre	71,661 %	1928,3804 litre	O
240	CM 95	CM	127 LEVEL CM	4833,4609 litre	71,031 %	1971,2288 litre	O
240	CM 95	CM	126 LEVEL CM	4790,4409 litre	70,399 %	2014,2488 litre	O
240	CM 95	CM	125 LEVEL CM	4747,2552 litre	69,764 %	2057,4345 litre	O
240	CM 95	CM	124 LEVEL CM	4703,9096 litre	69,127 %	2100,7801 litre	O
240	CM 95	CM	123 LEVEL CM	4660,4103 litre	68,488 %	2144,2794 litre	O
240	CM 95	CM	122 LEVEL CM	4616,7628 litre	67,847 %	2187,9269 litre	O
240	CM 95	CM	121 LEVEL CM	4572,9731 litre	67,203 %	2231,7166 litre	O
240	CM 95	CM	120 LEVEL CM	4529,0468 litre	66,558 %	2275,6429 litre	O
240	CM 95	CM	119 LEVEL CM	4484,9895 litre	65,910 %	2319,7002 litre	O
240	CM 95	CM	118 LEVEL CM	4440,8069 litre	65,261 %	2363,8828 litre	O
240	CM 95	CM	117 LEVEL CM	4396,5046 litre	64,610 %	2408,1851 litre	O
240	CM 95	CM	116 LEVEL CM	4352,0879 litre	63,957 %	2452,6018 litre	O
240	CM 95	CM	115 LEVEL CM	4307,5625 litre	63,303 %	2497,1272 litre	O
240	CM 95	CM	114 LEVEL CM	4262,9337 litre	62,647 %	2541,7560 litre	O
240	CM 95	CM	113 LEVEL CM	4218,2069 litre	61,990 %	2586,4828 litre	O
240	CM 95	CM	112 LEVEL CM	4173,3875 litre	61,331 %	2631,3022 litre	O
240	CM 95	CM	111 LEVEL CM	4128,4808 litre	60,671 %	2676,2089 litre	O
240	CM 95	CM	110 LEVEL CM	4083,4920 litre	60,010 %	2721,1977 litre	O
240	CM 95	CM	109 LEVEL CM	4038,4265 litre	59,348 %	2766,2632 litre	O
240	CM 95	CM	108 LEVEL CM	3993,2895 litre	58,684 %	2811,4002 litre	O
240	CM 95	CM	107 LEVEL CM	3948,0862 litre	58,020 %	2856,6035 litre	O
240	CM 95	CM	106 LEVEL CM	3902,8217 litre	57,355 %	2901,8680 litre	O
240	CM 95	CM	105 LEVEL CM	3857,5013 litre	56,689 %	2947,1884 litre	O
240	CM 95	CM	104 LEVEL CM	3812,1301 litre	56,022 %	2992,5596 litre	O
240	CM 95	CM	103 LEVEL CM	3766,7132 litre	55,355 %	3037,9765 litre	O
240	CM 95	CM	102 LEVEL CM	3721,2558 litre	54,687 %	3083,4339 litre	O
240	CM 95	CM	101 LEVEL CM	3675,7628 litre	54,018 %	3128,9269 litre	O
240	CM 95	CM	100 LEVEL CM	3630,2395 litre	53,349 %	3174,4502 litre	O
240	CM 95	CM	99 LEVEL CM	3584,6909 litre	52,680 %	3219,9988 litre	O
240	CM 95	CM	98 LEVEL CM	3539,1221 litre	52,010 %	3265,5676 litre	O
240	CM 95	CM	97 LEVEL CM	3493,5381 litre	51,340 %	3311,1516 litre	O
240	CM 95	CM	96 LEVEL CM	3447,9440 litre	50,670 %	3356,7457 litre	O
240	CM 95	CM	95 LEVEL CM	3402,3448 litre	50,000 %	3402,3449 litre	O
240	CM 95	CM	94 LEVEL CM	3356,7457 litre	49,330 %	3447,9440 litre	O
240	CM 95	CM	93 LEVEL CM	3311,1516 litre	48,660 %	3493,5381 litre	O
240	CM 95	CM	92 LEVEL CM	3265,5676 litre	47,990 %	3539,1221 litre	O
240	CM 95	CM	91 LEVEL CM	3219,9988 litre	47,320 %	3584,6909 litre	O
240	CM 95	CM	90 LEVEL CM	3174,4502 litre	46,651 %	3630,2395 litre	O
240	CM 95	CM	89 LEVEL CM	3128,9268 litre	45,982 %	3675,7629 litre	O
240	CM 95	CM	88 LEVEL CM	3083,4339 litre	45,313 %	3721,2558 litre	O
240	CM 95	CM	87 LEVEL CM	3037,9765 litre	44,645 %	3766,7132 litre	O
240	CM 95	CM	86 LEVEL CM	2992,5596 litre	43,978 %	3812,1301 litre	O

240	CM 95	CM	85 LEVEL CM	2947,1884 litre	43,311 %	3857,5013 litre	O
240	CM 95	CM	84 LEVEL CM	2901,8680 litre	42,645 %	3902,8217 litre	O
240	CM 95	CM	83 LEVEL CM	2856,6035 litre	41,980 %	3948,0862 litre	O
240	CM 95	CM	82 LEVEL CM	2811,4002 litre	41,316 %	3993,2895 litre	O
240	CM 95	CM	81 LEVEL CM	2766,2632 litre	40,652 %	4038,4265 litre	O
240	CM 95	CM	80 LEVEL CM	2721,1977 litre	39,990 %	4083,4920 litre	O
240	CM 95	CM	79 LEVEL CM	2676,2089 litre	39,329 %	4128,4808 litre	O
240	CM 95	CM	78 LEVEL CM	2631,3022 litre	38,669 %	4173,3875 litre	O
240	CM 95	CM	77 LEVEL CM	2586,4828 litre	38,010 %	4218,2069 litre	O
240	CM 95	CM	76 LEVEL CM	2541,7560 litre	37,353 %	4262,9337 litre	O
240	CM 95	CM	75 LEVEL CM	2497,1272 litre	36,697 %	4307,5625 litre	O
240	CM 95	CM	74 LEVEL CM	2452,6018 litre	36,043 %	4352,0879 litre	O
240	CM 95	CM	73 LEVEL CM	2408,1851 litre	35,390 %	4396,5046 litre	O
240	CM 95	CM	72 LEVEL CM	2363,8828 litre	34,739 %	4440,8069 litre	O
240	CM 95	CM	71 LEVEL CM	2319,7002 litre	34,090 %	4484,9895 litre	O
240	CM 95	CM	70 LEVEL CM	2275,6429 litre	33,442 %	4529,0468 litre	O
240	CM 95	CM	69 LEVEL CM	2231,7166 litre	32,797 %	4572,9731 litre	O
240	CM 95	CM	68 LEVEL CM	2187,9269 litre	32,153 %	4616,7628 litre	O
240	CM 95	CM	67 LEVEL CM	2144,2794 litre	31,512 %	4660,4103 litre	O
240	CM 95	CM	66 LEVEL CM	2100,7800 litre	30,873 %	4703,9097 litre	O
240	CM 95	CM	65 LEVEL CM	2057,4345 litre	30,236 %	4747,2552 litre	O
240	CM 95	CM	64 LEVEL CM	2014,2488 litre	29,601 %	4790,4409 litre	O
240	CM 95	CM	63 LEVEL CM	1971,2287 litre	28,969 %	4833,4610 litre	O
240	CM 95	CM	62 LEVEL CM	1928,3804 litre	28,339 %	4876,3093 litre	O
240	CM 95	CM	61 LEVEL CM	1885,7099 litre	27,712 %	4918,9798 litre	O
240	CM 95	CM	60 LEVEL CM	1843,2234 litre	27,088 %	4961,4663 litre	O
240	CM 95	CM	59 LEVEL CM	1800,9271 litre	26,466 %	5003,7626 litre	O
240	CM 95	CM	58 LEVEL CM	1758,8274 litre	25,847 %	5045,8623 litre	O
240	CM 95	CM	57 LEVEL CM	1716,9306 litre	25,232 %	5087,7591 litre	O
240	CM 95	CM	56 LEVEL CM	1675,2434 litre	24,619 %	5129,4463 litre	O
240	CM 95	CM	55 LEVEL CM	1633,7723 litre	24,010 %	5170,9174 litre	O
240	CM 95	CM	54 LEVEL CM	1592,5239 litre	23,403 %	5212,1658 litre	O
240	CM 95	CM	53 LEVEL CM	1551,5053 litre	22,801 %	5253,1844 litre	O
240	CM 95	CM	52 LEVEL CM	1510,7232 litre	22,201 %	5293,9665 litre	O
240	CM 95	CM	51 LEVEL CM	1470,1848 litre	21,605 %	5334,5049 litre	O
240	CM 95	CM	50 LEVEL CM	1429,8973 litre	21,013 %	5374,7924 litre	O
240	CM 95	CM	49 LEVEL CM	1389,8679 litre	20,425 %	5414,8218 litre	O
240	CM 95	CM	48 LEVEL CM	1350,1042 litre	19,841 %	5454,5855 litre	O
240	CM 95	CM	47 LEVEL CM	1310,6138 litre	19,260 %	5494,0759 litre	O
240	CM 95	CM	46 LEVEL CM	1271,4044 litre	18,684 %	5533,2853 litre	O
240	CM 95	CM	45 LEVEL CM	1232,4840 litre	18,112 %	5572,2057 litre	O
240	CM 95	CM	44 LEVEL CM	1193,8608 litre	17,545 %	5610,8289 litre	O
240	CM 95	CM	43 LEVEL CM	1155,5430 litre	16,982 %	5649,1467 litre	O
240	CM 95	CM	42 LEVEL CM	1117,5391 litre	16,423 %	5687,1506 litre	O
240	CM 95	CM	41 LEVEL CM	1079,8580 litre	15,869 %	5724,8317 litre	O
240	CM 95	CM	40 LEVEL CM	1042,5085 litre	15,320 %	5762,1812 litre	O
240	CM 95	CM	39 LEVEL CM	1005,4998 litre	14,777 %	5799,1899 litre	O
240	CM 95	CM	38 LEVEL CM	968,8414 litre	14,238 %	5835,8483 litre	O
240	CM 95	CM	37 LEVEL CM	932,5431 litre	13,704 %	5872,1466 litre	O
240	CM 95	CM	36 LEVEL CM	896,6148 litre	13,176 %	5908,0749 litre	O
240	CM 95	CM	35 LEVEL CM	861,0669 litre	12,654 %	5943,6228 litre	O
240	CM 95	CM	34 LEVEL CM	825,9100 litre	12,137 %	5978,7797 litre	O
240	CM 95	CM	33 LEVEL CM	791,1552 litre	11,627 %	6013,5345 litre	O

240	CM	95	CM	32 LEVEL CM	756,8139 litre	11,122 %	6047,8758 litre	O
240	CM	95	CM	31 LEVEL CM	722,8979 litre	10,624 %	6081,7918 litre	O
240	CM	95	CM	30 LEVEL CM	689,4195 litre	10,132 %	6115,2702 litre	O
240	CM	95	CM	29 LEVEL CM	656,3915 litre	9,646 %	6148,2982 litre	O
240	CM	95	CM	28 LEVEL CM	623,8271 litre	9,168 %	6180,8626 litre	O
240	CM	95	CM	27 LEVEL CM	591,7404 litre	8,696 %	6212,9493 litre	O
240	CM	95	CM	26 LEVEL CM	560,1456 litre	8,232 %	6244,5441 litre	O
240	CM	95	CM	25 LEVEL CM	529,0582 litre	7,775 %	6275,6315 litre	O
240	CM	95	CM	24 LEVEL CM	498,4940 litre	7,326 %	6306,1957 litre	O
240	CM	95	CM	23 LEVEL CM	468,4698 litre	6,885 %	6336,2199 litre	O
240	CM	95	CM	22 LEVEL CM	439,0033 litre	6,451 %	6365,6864 litre	O
240	CM	95	CM	21 LEVEL CM	410,1133 litre	6,027 %	6394,5764 litre	O
240	CM	95	CM	20 LEVEL CM	381,8196 litre	5,611 %	6422,8701 litre	O
240	CM	95	CM	19 LEVEL CM	354,1434 litre	5,204 %	6450,5463 litre	O
240	CM	95	CM	18 LEVEL CM	327,1074 litre	4,807 %	6477,5823 litre	O
240	CM	95	CM	17 LEVEL CM	300,7357 litre	4,420 %	6503,9540 litre	O
240	CM	95	CM	16 LEVEL CM	275,0547 litre	4,042 %	6529,6350 litre	O
240	CM	95	CM	15 LEVEL CM	250,0925 litre	3,675 %	6554,5972 litre	O
240	CM	95	CM	14 LEVEL CM	225,8801 litre	3,319 %	6578,8096 litre	O
240	CM	95	CM	13 LEVEL CM	202,4512 litre	2,975 %	6602,2385 litre	O
240	CM	95	CM	12 LEVEL CM	179,8432 litre	2,643 %	6624,8465 litre	O
240	CM	95	CM	11 LEVEL CM	158,0976 litre	2,323 %	6646,5921 litre	O
240	CM	95	CM	10 LEVEL CM	137,2612 litre	2,017 %	6667,4285 litre	O
240	CM	95	CM	9 LEVEL CM	117,3872 litre	1,725 %	6687,3025 litre	O
240	CM	95	CM	8 LEVEL CM	98,5368 litre	1,448 %	6706,1529 litre	O
240	CM	95	CM	7 LEVEL CM	80,7820 litre	1,187 %	6723,9077 litre	O
240	CM	95	CM	6 LEVEL CM	64,2090 litre	0,944 %	6740,4807 litre	O
240	CM	95	CM	5 LEVEL CM	48,9241 litre	0,719 %	6755,7656 litre	O
240	CM	95	CM	4 LEVEL CM	35,0635 litre	0,515 %	6769,6262 litre	O
240	CM	95	CM	3 LEVEL CM	22,8108 litre	0,335 %	6781,8789 litre	O
240	CM	95	CM	2 LEVEL CM	12,4364 litre	0,183 %	6792,2533 litre	O
240	CM	95	CM	1 LEVEL CM	4,4039 litre	0,065 %	6800,2858 litre	O
240	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	6804,6897 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
240	CM	90	CM	180 LEVEL CM	6107,2561 litre	100,000 %	0,0000 litre	O
240	CM	90	CM	179 LEVEL CM	6102,9700 litre	99,930 %	4,2861 litre	O
240	CM	90	CM	178 LEVEL CM	6095,1535 litre	99,802 %	12,1026 litre	O
240	CM	90	CM	177 LEVEL CM	6085,0596 litre	99,637 %	22,1965 litre	O
240	CM	90	CM	176 LEVEL CM	6073,1400 litre	99,441 %	34,1161 litre	O
240	CM	90	CM	175 LEVEL CM	6059,6581 litre	99,221 %	47,5980 litre	O
240	CM	90	CM	174 LEVEL CM	6044,7933 litre	98,977 %	62,4628 litre	O
240	CM	90	CM	173 LEVEL CM	6028,6782 litre	98,713 %	78,5779 litre	O
240	CM	90	CM	172 LEVEL CM	6011,4167 litre	98,431 %	95,8394 litre	O
240	CM	90	CM	171 LEVEL CM	5993,0930 litre	98,131 %	114,1631 litre	O
240	CM	90	CM	170 LEVEL CM	5973,7773 litre	97,814 %	133,4788 litre	O
240	CM	90	CM	169 LEVEL CM	5953,5297 litre	97,483 %	153,7264 litre	O
240	CM	90	CM	168 LEVEL CM	5932,4020 litre	97,137 %	174,8541 litre	O
240	CM	90	CM	167 LEVEL CM	5910,4401 litre	96,777 %	196,8160 litre	O
240	CM	90	CM	166 LEVEL CM	5887,6846 litre	96,405 %	219,5715 litre	O
240	CM	90	CM	165 LEVEL CM	5864,1721 litre	96,020 %	243,0840 litre	O
240	CM	90	CM	164 LEVEL CM	5839,9358 litre	95,623 %	267,3203 litre	O
240	CM	90	CM	163 LEVEL CM	5815,0058 litre	95,215 %	292,2503 litre	O
240	CM	90	CM	162 LEVEL CM	5789,4100 litre	94,796 %	317,8461 litre	O
240	CM	90	CM	161 LEVEL CM	5763,1740 litre	94,366 %	344,0821 litre	O
240	CM	90	CM	160 LEVEL CM	5736,3217 litre	93,926 %	370,9344 litre	O
240	CM	90	CM	159 LEVEL CM	5708,8754 litre	93,477 %	398,3807 litre	O
240	CM	90	CM	158 LEVEL CM	5680,8557 litre	93,018 %	426,4004 litre	O
240	CM	90	CM	157 LEVEL CM	5652,2824 litre	92,550 %	454,9737 litre	O
240	CM	90	CM	156 LEVEL CM	5623,1738 litre	92,074 %	484,0823 litre	O
240	CM	90	CM	155 LEVEL CM	5593,5473 litre	91,589 %	513,7088 litre	O
240	CM	90	CM	154 LEVEL CM	5563,4196 litre	91,095 %	543,8365 litre	O
240	CM	90	CM	153 LEVEL CM	5532,8064 litre	90,594 %	574,4497 litre	O
240	CM	90	CM	152 LEVEL CM	5501,7226 litre	90,085 %	605,5335 litre	O
240	CM	90	CM	151 LEVEL CM	5470,1825 litre	89,569 %	637,0736 litre	O
240	CM	90	CM	150 LEVEL CM	5438,2000 litre	89,045 %	669,0561 litre	O
240	CM	90	CM	149 LEVEL CM	5405,7881 litre	88,514 %	701,4680 litre	O
240	CM	90	CM	148 LEVEL CM	5372,9594 litre	87,977 %	734,2967 litre	O
240	CM	90	CM	147 LEVEL CM	5339,7262 litre	87,432 %	767,5299 litre	O
240	CM	90	CM	146 LEVEL CM	5306,1001 litre	86,882 %	801,1560 litre	O
240	CM	90	CM	145 LEVEL CM	5272,0925 litre	86,325 %	835,1636 litre	O
240	CM	90	CM	144 LEVEL CM	5237,7142 litre	85,762 %	869,5419 litre	O
240	CM	90	CM	143 LEVEL CM	5202,9759 litre	85,193 %	904,2802 litre	O
240	CM	90	CM	142 LEVEL CM	5167,8879 litre	84,619 %	939,3682 litre	O
240	CM	90	CM	141 LEVEL CM	5132,4600 litre	84,039 %	974,7961 litre	O
240	CM	90	CM	140 LEVEL CM	5096,7020 litre	83,453 %	1010,5541 litre	O
240	CM	90	CM	139 LEVEL CM	5060,6233 litre	82,862 %	1046,6328 litre	O
240	CM	90	CM	138 LEVEL CM	5024,2330 litre	82,267 %	1083,0231 litre	O
240	CM	90	CM	137 LEVEL CM	4987,5400 litre	81,666 %	1119,7161 litre	O
240	CM	90	CM	136 LEVEL CM	4950,5531 litre	81,060 %	1156,7030 litre	O
240	CM	90	CM	135 LEVEL CM	4913,2808 litre	80,450 %	1193,9753 litre	O
240	CM	90	CM	134 LEVEL CM	4875,7313 litre	79,835 %	1231,5248 litre	O
240	CM	90	CM	133 LEVEL CM	4837,9127 litre	79,216 %	1269,3434 litre	O
240	CM	90	CM	132 LEVEL CM	4799,8332 litre	78,592 %	1307,4229 litre	O
240	CM	90	CM	131 LEVEL CM	4761,5003 litre	77,965 %	1345,7558 litre	O
240	CM	90	CM	130 LEVEL CM	4722,9218 litre	77,333 %	1384,3343 litre	O
240	CM	90	CM	129 LEVEL CM	4684,1051 litre	76,697 %	1423,1510 litre	O

240	CM	90	CM	128 LEVEL CM	4645,0576 litre	76,058 %	1462,1985 litre	O
240	CM	90	CM	127 LEVEL CM	4605,7865 litre	75,415 %	1501,4696 litre	O
240	CM	90	CM	126 LEVEL CM	4566,2990 litre	74,768 %	1540,9571 litre	O
240	CM	90	CM	125 LEVEL CM	4526,6019 litre	74,118 %	1580,6542 litre	O
240	CM	90	CM	124 LEVEL CM	4486,7023 litre	73,465 %	1620,5538 litre	O
240	CM	90	CM	123 LEVEL CM	4446,6067 litre	72,809 %	1660,6494 litre	O
240	CM	90	CM	122 LEVEL CM	4406,3220 litre	72,149 %	1700,9341 litre	O
240	CM	90	CM	121 LEVEL CM	4365,8547 litre	71,486 %	1741,4014 litre	O
240	CM	90	CM	120 LEVEL CM	4325,2113 litre	70,821 %	1782,0448 litre	O
240	CM	90	CM	119 LEVEL CM	4284,3981 litre	70,153 %	1822,8580 litre	O
240	CM	90	CM	118 LEVEL CM	4243,4216 litre	69,482 %	1863,8345 litre	O
240	CM	90	CM	117 LEVEL CM	4202,2879 litre	68,808 %	1904,9682 litre	O
240	CM	90	CM	116 LEVEL CM	4161,0033 litre	68,132 %	1946,2528 litre	O
240	CM	90	CM	115 LEVEL CM	4119,5738 litre	67,454 %	1987,6823 litre	O
240	CM	90	CM	114 LEVEL CM	4078,0055 litre	66,773 %	2029,2506 litre	O
240	CM	90	CM	113 LEVEL CM	4036,3044 litre	66,090 %	2070,9517 litre	O
240	CM	90	CM	112 LEVEL CM	3994,4765 litre	65,405 %	2112,7796 litre	O
240	CM	90	CM	111 LEVEL CM	3952,5275 litre	64,719 %	2154,7286 litre	O
240	CM	90	CM	110 LEVEL CM	3910,4633 litre	64,030 %	2196,7928 litre	O
240	CM	90	CM	109 LEVEL CM	3868,2897 litre	63,339 %	2238,9664 litre	O
240	CM	90	CM	108 LEVEL CM	3826,0125 litre	62,647 %	2281,2436 litre	O
240	CM	90	CM	107 LEVEL CM	3783,6373 litre	61,953 %	2323,6188 litre	O
240	CM	90	CM	106 LEVEL CM	3741,1697 litre	61,258 %	2366,0864 litre	O
240	CM	90	CM	105 LEVEL CM	3698,6154 litre	60,561 %	2408,6407 litre	O
240	CM	90	CM	104 LEVEL CM	3655,9800 litre	59,863 %	2451,2761 litre	O
240	CM	90	CM	103 LEVEL CM	3613,2690 litre	59,164 %	2493,9871 litre	O
240	CM	90	CM	102 LEVEL CM	3570,4879 litre	58,463 %	2536,7682 litre	O
240	CM	90	CM	101 LEVEL CM	3527,6423 litre	57,761 %	2579,6138 litre	O
240	CM	90	CM	100 LEVEL CM	3484,7375 litre	57,059 %	2622,5186 litre	O
240	CM	90	CM	99 LEVEL CM	3441,7791 litre	56,356 %	2665,4770 litre	O
240	CM	90	CM	98 LEVEL CM	3398,7724 litre	55,651 %	2708,4837 litre	O
240	CM	90	CM	97 LEVEL CM	3355,7229 litre	54,946 %	2751,5332 litre	O
240	CM	90	CM	96 LEVEL CM	3312,6359 litre	54,241 %	2794,6202 litre	O
240	CM	90	CM	95 LEVEL CM	3269,5169 litre	53,535 %	2837,7392 litre	O
240	CM	90	CM	94 LEVEL CM	3226,3712 litre	52,828 %	2880,8849 litre	O
240	CM	90	CM	93 LEVEL CM	3183,2041 litre	52,122 %	2924,0520 litre	O
240	CM	90	CM	92 LEVEL CM	3140,0209 litre	51,415 %	2967,2352 litre	O
240	CM	90	CM	91 LEVEL CM	3096,8272 litre	50,707 %	3010,4289 litre	O
240	CM	90	CM	90 LEVEL CM	3053,6281 litre	50,000 %	3053,6280 litre	O
240	CM	90	CM	89 LEVEL CM	3010,4289 litre	49,293 %	3096,8272 litre	O
240	CM	90	CM	88 LEVEL CM	2967,2352 litre	48,585 %	3140,0209 litre	O
240	CM	90	CM	87 LEVEL CM	2924,0521 litre	47,878 %	3183,2040 litre	O
240	CM	90	CM	86 LEVEL CM	2880,8850 litre	47,172 %	3226,3711 litre	O
240	CM	90	CM	85 LEVEL CM	2837,7392 litre	46,465 %	3269,5169 litre	O
240	CM	90	CM	84 LEVEL CM	2794,6202 litre	45,759 %	3312,6359 litre	O
240	CM	90	CM	83 LEVEL CM	2751,5332 litre	45,054 %	3355,7229 litre	O
240	CM	90	CM	82 LEVEL CM	2708,4837 litre	44,349 %	3398,7724 litre	O
240	CM	90	CM	81 LEVEL CM	2665,4770 litre	43,644 %	3441,7791 litre	O
240	CM	90	CM	80 LEVEL CM	2622,5186 litre	42,941 %	3484,7375 litre	O
240	CM	90	CM	79 LEVEL CM	2579,6138 litre	42,239 %	3527,6423 litre	O
240	CM	90	CM	78 LEVEL CM	2536,7682 litre	41,537 %	3570,4879 litre	O
240	CM	90	CM	77 LEVEL CM	2493,9871 litre	40,836 %	3613,2690 litre	O
240	CM	90	CM	76 LEVEL CM	2451,2761 litre	40,137 %	3655,9800 litre	O

240	CM	90	CM	75 LEVEL CM	2408,6407 litre	39,439 %	3698,6154 litre	O
240	CM	90	CM	74 LEVEL CM	2366,0864 litre	38,742 %	3741,1697 litre	O
240	CM	90	CM	73 LEVEL CM	2323,6188 litre	38,047 %	3783,6373 litre	O
240	CM	90	CM	72 LEVEL CM	2281,2436 litre	37,353 %	3826,0125 litre	O
240	CM	90	CM	71 LEVEL CM	2238,9664 litre	36,661 %	3868,2897 litre	O
240	CM	90	CM	70 LEVEL CM	2196,7928 litre	35,970 %	3910,4633 litre	O
240	CM	90	CM	69 LEVEL CM	2154,7286 litre	35,281 %	3952,5275 litre	O
240	CM	90	CM	68 LEVEL CM	2112,7796 litre	34,595 %	3994,4765 litre	O
240	CM	90	CM	67 LEVEL CM	2070,9517 litre	33,910 %	4036,3044 litre	O
240	CM	90	CM	66 LEVEL CM	2029,2506 litre	33,227 %	4078,0055 litre	O
240	CM	90	CM	65 LEVEL CM	1987,6823 litre	32,546 %	4119,5738 litre	O
240	CM	90	CM	64 LEVEL CM	1946,2528 litre	31,868 %	4161,0033 litre	O
240	CM	90	CM	63 LEVEL CM	1904,9682 litre	31,192 %	4202,2879 litre	O
240	CM	90	CM	62 LEVEL CM	1863,8345 litre	30,518 %	4243,4216 litre	O
240	CM	90	CM	61 LEVEL CM	1822,8580 litre	29,847 %	4284,3981 litre	O
240	CM	90	CM	60 LEVEL CM	1782,0448 litre	29,179 %	4325,2113 litre	O
240	CM	90	CM	59 LEVEL CM	1741,4014 litre	28,514 %	4365,8547 litre	O
240	CM	90	CM	58 LEVEL CM	1700,9341 litre	27,851 %	4406,3220 litre	O
240	CM	90	CM	57 LEVEL CM	1660,6494 litre	27,191 %	4446,6067 litre	O
240	CM	90	CM	56 LEVEL CM	1620,5539 litre	26,535 %	4486,7022 litre	O
240	CM	90	CM	55 LEVEL CM	1580,6542 litre	25,882 %	4526,6019 litre	O
240	CM	90	CM	54 LEVEL CM	1540,9571 litre	25,232 %	4566,2990 litre	O
240	CM	90	CM	53 LEVEL CM	1501,4696 litre	24,585 %	4605,7865 litre	O
240	CM	90	CM	52 LEVEL CM	1462,1985 litre	23,942 %	4645,0576 litre	O
240	CM	90	CM	51 LEVEL CM	1423,1510 litre	23,303 %	4684,1051 litre	O
240	CM	90	CM	50 LEVEL CM	1384,3344 litre	22,667 %	4722,9217 litre	O
240	CM	90	CM	49 LEVEL CM	1345,7558 litre	22,035 %	4761,5003 litre	O
240	CM	90	CM	48 LEVEL CM	1307,4230 litre	21,408 %	4799,8331 litre	O
240	CM	90	CM	47 LEVEL CM	1269,3434 litre	20,784 %	4837,9127 litre	O
240	CM	90	CM	46 LEVEL CM	1231,5248 litre	20,165 %	4875,7313 litre	O
240	CM	90	CM	45 LEVEL CM	1193,9753 litre	19,550 %	4913,2808 litre	O
240	CM	90	CM	44 LEVEL CM	1156,7030 litre	18,940 %	4950,5531 litre	O
240	CM	90	CM	43 LEVEL CM	1119,7161 litre	18,334 %	4987,5400 litre	O
240	CM	90	CM	42 LEVEL CM	1083,0231 litre	17,733 %	5024,2330 litre	O
240	CM	90	CM	41 LEVEL CM	1046,6328 litre	17,138 %	5060,6233 litre	O
240	CM	90	CM	40 LEVEL CM	1010,5541 litre	16,547 %	5096,7020 litre	O
240	CM	90	CM	39 LEVEL CM	974,7961 litre	15,961 %	5132,4600 litre	O
240	CM	90	CM	38 LEVEL CM	939,3682 litre	15,381 %	5167,8879 litre	O
240	CM	90	CM	37 LEVEL CM	904,2802 litre	14,807 %	5202,9759 litre	O
240	CM	90	CM	36 LEVEL CM	869,5419 litre	14,238 %	5237,7142 litre	O
240	CM	90	CM	35 LEVEL CM	835,1637 litre	13,675 %	5272,0924 litre	O
240	CM	90	CM	34 LEVEL CM	801,1560 litre	13,118 %	5306,1001 litre	O
240	CM	90	CM	33 LEVEL CM	767,5299 litre	12,568 %	5339,7262 litre	O
240	CM	90	CM	32 LEVEL CM	734,2967 litre	12,023 %	5372,9594 litre	O
240	CM	90	CM	31 LEVEL CM	701,4680 litre	11,486 %	5405,7881 litre	O
240	CM	90	CM	30 LEVEL CM	669,0561 litre	10,955 %	5438,2000 litre	O
240	CM	90	CM	29 LEVEL CM	637,0736 litre	10,431 %	5470,1825 litre	O
240	CM	90	CM	28 LEVEL CM	605,5336 litre	9,915 %	5501,7225 litre	O
240	CM	90	CM	27 LEVEL CM	574,4497 litre	9,406 %	5532,8064 litre	O
240	CM	90	CM	26 LEVEL CM	543,8365 litre	8,905 %	5563,4196 litre	O
240	CM	90	CM	25 LEVEL CM	513,7088 litre	8,411 %	5593,5473 litre	O
240	CM	90	CM	24 LEVEL CM	484,0823 litre	7,926 %	5623,1738 litre	O
240	CM	90	CM	23 LEVEL CM	454,9737 litre	7,450 %	5652,2824 litre	O

240	CM	90	CM	22 LEVEL CM	426,4004 litre	6,982 %	5680,8557 litre	O
240	CM	90	CM	21 LEVEL CM	398,3808 litre	6,523 %	5708,8753 litre	O
240	CM	90	CM	20 LEVEL CM	370,9344 litre	6,074 %	5736,3217 litre	O
240	CM	90	CM	19 LEVEL CM	344,0821 litre	5,634 %	5763,1740 litre	O
240	CM	90	CM	18 LEVEL CM	317,8462 litre	5,204 %	5789,4099 litre	O
240	CM	90	CM	17 LEVEL CM	292,2503 litre	4,785 %	5815,0058 litre	O
240	CM	90	CM	16 LEVEL CM	267,3204 litre	4,377 %	5839,9357 litre	O
240	CM	90	CM	15 LEVEL CM	243,0840 litre	3,980 %	5864,1721 litre	O
240	CM	90	CM	14 LEVEL CM	219,5715 litre	3,595 %	5887,6846 litre	O
240	CM	90	CM	13 LEVEL CM	196,8160 litre	3,223 %	5910,4401 litre	O
240	CM	90	CM	12 LEVEL CM	174,8541 litre	2,863 %	5932,4020 litre	O
240	CM	90	CM	11 LEVEL CM	153,7265 litre	2,517 %	5953,5296 litre	O
240	CM	90	CM	10 LEVEL CM	133,4788 litre	2,186 %	5973,7773 litre	O
240	CM	90	CM	9 LEVEL CM	114,1632 litre	1,869 %	5993,0929 litre	O
240	CM	90	CM	8 LEVEL CM	95,8394 litre	1,569 %	6011,4167 litre	O
240	CM	90	CM	7 LEVEL CM	78,5779 litre	1,287 %	6028,6782 litre	O
240	CM	90	CM	6 LEVEL CM	62,4629 litre	1,023 %	6044,7932 litre	O
240	CM	90	CM	5 LEVEL CM	47,5980 litre	0,779 %	6059,6581 litre	O
240	CM	90	CM	4 LEVEL CM	34,1161 litre	0,559 %	6073,1400 litre	O
240	CM	90	CM	3 LEVEL CM	22,1965 litre	0,363 %	6085,0596 litre	O
240	CM	90	CM	2 LEVEL CM	12,1026 litre	0,198 %	6095,1535 litre	O
240	CM	90	CM	1 LEVEL CM	4,2861 litre	0,070 %	6102,9700 litre	O
240	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	6107,2561 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
240	CM 85	CM 170 LEVEL CM	5447,5217 litre	100,000 %	0,0000 litre	O
240	CM 85	CM 169 LEVEL CM	5443,3567 litre	99,924 %	4,1650 litre	O
240	CM 85	CM 168 LEVEL CM	5435,7624 litre	99,784 %	11,7593 litre	O
240	CM 85	CM 167 LEVEL CM	5425,9569 litre	99,604 %	21,5648 litre	O
240	CM 85	CM 166 LEVEL CM	5414,3800 litre	99,392 %	33,1417 litre	O
240	CM 85	CM 165 LEVEL CM	5401,2878 litre	99,151 %	46,2339 litre	O
240	CM 85	CM 164 LEVEL CM	5386,8552 litre	98,886 %	60,6665 litre	O
240	CM 85	CM 163 LEVEL CM	5371,2114 litre	98,599 %	76,3103 litre	O
240	CM 85	CM 162 LEVEL CM	5354,4578 litre	98,292 %	93,0639 litre	O
240	CM 85	CM 161 LEVEL CM	5336,6763 litre	97,965 %	110,8454 litre	O
240	CM 85	CM 160 LEVEL CM	5317,9357 litre	97,621 %	129,5860 litre	O
240	CM 85	CM 159 LEVEL CM	5298,2944 litre	97,261 %	149,2273 litre	O
240	CM 85	CM 158 LEVEL CM	5277,8033 litre	96,884 %	169,7184 litre	O
240	CM 85	CM 157 LEVEL CM	5256,5070 litre	96,494 %	191,0147 litre	O
240	CM 85	CM 156 LEVEL CM	5234,4455 litre	96,089 %	213,0762 litre	O
240	CM 85	CM 155 LEVEL CM	5211,6544 litre	95,670 %	235,8673 litre	O
240	CM 85	CM 154 LEVEL CM	5188,1663 litre	95,239 %	259,3554 litre	O
240	CM 85	CM 153 LEVEL CM	5164,0107 litre	94,796 %	283,5110 litre	O
240	CM 85	CM 152 LEVEL CM	5139,2150 litre	94,340 %	308,3067 litre	O
240	CM 85	CM 151 LEVEL CM	5113,8043 litre	93,874 %	333,7174 litre	O
240	CM 85	CM 150 LEVEL CM	5087,8020 litre	93,397 %	359,7197 litre	O
240	CM 85	CM 149 LEVEL CM	5061,2300 litre	92,909 %	386,2917 litre	O
240	CM 85	CM 148 LEVEL CM	5034,1087 litre	92,411 %	413,4130 litre	O
240	CM 85	CM 147 LEVEL CM	5006,4573 litre	91,903 %	441,0644 litre	O
240	CM 85	CM 146 LEVEL CM	4978,2940 litre	91,386 %	469,2277 litre	O
240	CM 85	CM 145 LEVEL CM	4949,6360 litre	90,860 %	497,8857 litre	O
240	CM 85	CM 144 LEVEL CM	4920,4997 litre	90,325 %	527,0220 litre	O
240	CM 85	CM 143 LEVEL CM	4890,9004 litre	89,782 %	556,6213 litre	O
240	CM 85	CM 142 LEVEL CM	4860,8530 litre	89,231 %	586,6687 litre	O
240	CM 85	CM 141 LEVEL CM	4830,3717 litre	88,671 %	617,1500 litre	O
240	CM 85	CM 140 LEVEL CM	4799,4700 litre	88,104 %	648,0517 litre	O
240	CM 85	CM 139 LEVEL CM	4768,1608 litre	87,529 %	679,3609 litre	O
240	CM 85	CM 138 LEVEL CM	4736,4568 litre	86,947 %	711,0649 litre	O
240	CM 85	CM 137 LEVEL CM	4704,3699 litre	86,358 %	743,1518 litre	O
240	CM 85	CM 136 LEVEL CM	4671,9118 litre	85,762 %	775,6099 litre	O
240	CM 85	CM 135 LEVEL CM	4639,0936 litre	85,160 %	808,4281 litre	O
240	CM 85	CM 134 LEVEL CM	4605,9262 litre	84,551 %	841,5955 litre	O
240	CM 85	CM 133 LEVEL CM	4572,4202 litre	83,936 %	875,1015 litre	O
240	CM 85	CM 132 LEVEL CM	4538,5857 litre	83,315 %	908,9360 litre	O
240	CM 85	CM 131 LEVEL CM	4504,4327 litre	82,688 %	943,0890 litre	O
240	CM 85	CM 130 LEVEL CM	4469,9707 litre	82,055 %	977,5510 litre	O
240	CM 85	CM 129 LEVEL CM	4435,2092 litre	81,417 %	1012,3125 litre	O
240	CM 85	CM 128 LEVEL CM	4400,1572 litre	80,774 %	1047,3645 litre	O
240	CM 85	CM 127 LEVEL CM	4364,8238 litre	80,125 %	1082,6979 litre	O
240	CM 85	CM 126 LEVEL CM	4329,2175 litre	79,471 %	1118,3042 litre	O
240	CM 85	CM 125 LEVEL CM	4293,3468 litre	78,813 %	1154,1749 litre	O
240	CM 85	CM 124 LEVEL CM	4257,2202 litre	78,150 %	1190,3015 litre	O
240	CM 85	CM 123 LEVEL CM	4220,8457 litre	77,482 %	1226,6760 litre	O
240	CM 85	CM 122 LEVEL CM	4184,2313 litre	76,810 %	1263,2904 litre	O
240	CM 85	CM 121 LEVEL CM	4147,3847 litre	76,133 %	1300,1370 litre	O
240	CM 85	CM 120 LEVEL CM	4110,3138 litre	75,453 %	1337,2079 litre	O
240	CM 85	CM 119 LEVEL CM	4073,0259 litre	74,768 %	1374,4958 litre	O

240	CM 85	CM	118 LEVEL CM	4035,5286 litre	74,080 %	1411,9931 litre	O
240	CM 85	CM	117 LEVEL CM	3997,8290 litre	73,388 %	1449,6927 litre	O
240	CM 85	CM	116 LEVEL CM	3959,9344 litre	72,692 %	1487,5873 litre	O
240	CM 85	CM	115 LEVEL CM	3921,8517 litre	71,993 %	1525,6700 litre	O
240	CM 85	CM	114 LEVEL CM	3883,5880 litre	71,291 %	1563,9337 litre	O
240	CM 85	CM	113 LEVEL CM	3845,1501 litre	70,585 %	1602,3716 litre	O
240	CM 85	CM	112 LEVEL CM	3806,5446 litre	69,877 %	1640,9771 litre	O
240	CM 85	CM	111 LEVEL CM	3767,7784 litre	69,165 %	1679,7433 litre	O
240	CM 85	CM	110 LEVEL CM	3728,8580 litre	68,451 %	1718,6637 litre	O
240	CM 85	CM	109 LEVEL CM	3689,7898 litre	67,733 %	1757,7319 litre	O
240	CM 85	CM	108 LEVEL CM	3650,5804 litre	67,014 %	1796,9413 litre	O
240	CM 85	CM	107 LEVEL CM	3611,2360 litre	66,291 %	1836,2857 litre	O
240	CM 85	CM	106 LEVEL CM	3571,7630 litre	65,567 %	1875,7587 litre	O
240	CM 85	CM	105 LEVEL CM	3532,1676 litre	64,840 %	1915,3541 litre	O
240	CM 85	CM	104 LEVEL CM	3492,4560 litre	64,111 %	1955,0657 litre	O
240	CM 85	CM	103 LEVEL CM	3452,6344 litre	63,380 %	1994,8873 litre	O
240	CM 85	CM	102 LEVEL CM	3412,7087 litre	62,647 %	2034,8130 litre	O
240	CM 85	CM	101 LEVEL CM	3372,6850 litre	61,912 %	2074,8367 litre	O
240	CM 85	CM	100 LEVEL CM	3332,5694 litre	61,176 %	2114,9523 litre	O
240	CM 85	CM	99 LEVEL CM	3292,3676 litre	60,438 %	2155,1541 litre	O
240	CM 85	CM	98 LEVEL CM	3252,0857 litre	59,698 %	2195,4360 litre	O
240	CM 85	CM	97 LEVEL CM	3211,7296 litre	58,958 %	2235,7921 litre	O
240	CM 85	CM	96 LEVEL CM	3171,3050 litre	58,216 %	2276,2167 litre	O
240	CM 85	CM	95 LEVEL CM	3130,8177 litre	57,472 %	2316,7040 litre	O
240	CM 85	CM	94 LEVEL CM	3090,2736 litre	56,728 %	2357,2481 litre	O
240	CM 85	CM	93 LEVEL CM	3049,6783 litre	55,983 %	2397,8434 litre	O
240	CM 85	CM	92 LEVEL CM	3009,0377 litre	55,237 %	2438,4840 litre	O
240	CM 85	CM	91 LEVEL CM	2968,3574 litre	54,490 %	2479,1643 litre	O
240	CM 85	CM	90 LEVEL CM	2927,6431 litre	53,743 %	2519,8786 litre	O
240	CM 85	CM	89 LEVEL CM	2886,9006 litre	52,995 %	2560,6211 litre	O
240	CM 85	CM	88 LEVEL CM	2846,1354 litre	52,246 %	2601,3863 litre	O
240	CM 85	CM	87 LEVEL CM	2805,3533 litre	51,498 %	2642,1684 litre	O
240	CM 85	CM	86 LEVEL CM	2764,5599 litre	50,749 %	2682,9618 litre	O
240	CM 85	CM	85 LEVEL CM	2723,7608 litre	50,000 %	2723,7609 litre	O
240	CM 85	CM	84 LEVEL CM	2682,9618 litre	49,251 %	2764,5599 litre	O
240	CM 85	CM	83 LEVEL CM	2642,1684 litre	48,502 %	2805,3533 litre	O
240	CM 85	CM	82 LEVEL CM	2601,3862 litre	47,754 %	2846,1355 litre	O
240	CM 85	CM	81 LEVEL CM	2560,6211 litre	47,005 %	2886,9006 litre	O
240	CM 85	CM	80 LEVEL CM	2519,8785 litre	46,257 %	2927,6432 litre	O
240	CM 85	CM	79 LEVEL CM	2479,1643 litre	45,510 %	2968,3574 litre	O
240	CM 85	CM	78 LEVEL CM	2438,4840 litre	44,763 %	3009,0377 litre	O
240	CM 85	CM	77 LEVEL CM	2397,8434 litre	44,017 %	3049,6783 litre	O
240	CM 85	CM	76 LEVEL CM	2357,2481 litre	43,272 %	3090,2736 litre	O
240	CM 85	CM	75 LEVEL CM	2316,7040 litre	42,528 %	3130,8177 litre	O
240	CM 85	CM	74 LEVEL CM	2276,2167 litre	41,784 %	3171,3050 litre	O
240	CM 85	CM	73 LEVEL CM	2235,7921 litre	41,042 %	3211,7296 litre	O
240	CM 85	CM	72 LEVEL CM	2195,4359 litre	40,302 %	3252,0858 litre	O
240	CM 85	CM	71 LEVEL CM	2155,1540 litre	39,562 %	3292,3677 litre	O
240	CM 85	CM	70 LEVEL CM	2114,9523 litre	38,824 %	3332,5694 litre	O
240	CM 85	CM	69 LEVEL CM	2074,8366 litre	38,088 %	3372,6851 litre	O
240	CM 85	CM	68 LEVEL CM	2034,8130 litre	37,353 %	3412,7087 litre	O
240	CM 85	CM	67 LEVEL CM	1994,8873 litre	36,620 %	3452,6344 litre	O
240	CM 85	CM	66 LEVEL CM	1955,0656 litre	35,889 %	3492,4561 litre	O

240	CM	85	CM	65 LEVEL CM	1915,3540 litre	35,160 %	3532,1677 litre	O
240	CM	85	CM	64 LEVEL CM	1875,7587 litre	34,433 %	3571,7630 litre	O
240	CM	85	CM	63 LEVEL CM	1836,2857 litre	33,709 %	3611,2360 litre	O
240	CM	85	CM	62 LEVEL CM	1796,9413 litre	32,986 %	3650,5804 litre	O
240	CM	85	CM	61 LEVEL CM	1757,7319 litre	32,267 %	3689,7898 litre	O
240	CM	85	CM	60 LEVEL CM	1718,6637 litre	31,549 %	3728,8580 litre	O
240	CM	85	CM	59 LEVEL CM	1679,7432 litre	30,835 %	3767,7785 litre	O
240	CM	85	CM	58 LEVEL CM	1640,9770 litre	30,123 %	3806,5447 litre	O
240	CM	85	CM	57 LEVEL CM	1602,3716 litre	29,415 %	3845,1501 litre	O
240	CM	85	CM	56 LEVEL CM	1563,9336 litre	28,709 %	3883,5881 litre	O
240	CM	85	CM	55 LEVEL CM	1525,6699 litre	28,007 %	3921,8518 litre	O
240	CM	85	CM	54 LEVEL CM	1487,5873 litre	27,308 %	3959,9344 litre	O
240	CM	85	CM	53 LEVEL CM	1449,6926 litre	26,612 %	3997,8291 litre	O
240	CM	85	CM	52 LEVEL CM	1411,9931 litre	25,920 %	4035,5286 litre	O
240	CM	85	CM	51 LEVEL CM	1374,4957 litre	25,232 %	4073,0260 litre	O
240	CM	85	CM	50 LEVEL CM	1337,2079 litre	24,547 %	4110,3138 litre	O
240	CM	85	CM	49 LEVEL CM	1300,1369 litre	23,867 %	4147,3848 litre	O
240	CM	85	CM	48 LEVEL CM	1263,2904 litre	23,190 %	4184,2313 litre	O
240	CM	85	CM	47 LEVEL CM	1226,6760 litre	22,518 %	4220,8457 litre	O
240	CM	85	CM	46 LEVEL CM	1190,3015 litre	21,850 %	4257,2202 litre	O
240	CM	85	CM	45 LEVEL CM	1154,1748 litre	21,187 %	4293,3469 litre	O
240	CM	85	CM	44 LEVEL CM	1118,3042 litre	20,529 %	4329,2175 litre	O
240	CM	85	CM	43 LEVEL CM	1082,6979 litre	19,875 %	4364,8238 litre	O
240	CM	85	CM	42 LEVEL CM	1047,3644 litre	19,226 %	4400,1573 litre	O
240	CM	85	CM	41 LEVEL CM	1012,3125 litre	18,583 %	4435,2092 litre	O
240	CM	85	CM	40 LEVEL CM	977,5509 litre	17,945 %	4469,9708 litre	O
240	CM	85	CM	39 LEVEL CM	943,0890 litre	17,312 %	4504,4327 litre	O
240	CM	85	CM	38 LEVEL CM	908,9359 litre	16,685 %	4538,5858 litre	O
240	CM	85	CM	37 LEVEL CM	875,1015 litre	16,064 %	4572,4202 litre	O
240	CM	85	CM	36 LEVEL CM	841,5954 litre	15,449 %	4605,9263 litre	O
240	CM	85	CM	35 LEVEL CM	808,4281 litre	14,840 %	4639,0936 litre	O
240	CM	85	CM	34 LEVEL CM	775,6099 litre	14,238 %	4671,9118 litre	O
240	CM	85	CM	33 LEVEL CM	743,1518 litre	13,642 %	4704,3699 litre	O
240	CM	85	CM	32 LEVEL CM	711,0649 litre	13,053 %	4736,4568 litre	O
240	CM	85	CM	31 LEVEL CM	679,3608 litre	12,471 %	4768,1609 litre	O
240	CM	85	CM	30 LEVEL CM	648,0517 litre	11,896 %	4799,4700 litre	O
240	CM	85	CM	29 LEVEL CM	617,1500 litre	11,329 %	4830,3717 litre	O
240	CM	85	CM	28 LEVEL CM	586,6686 litre	10,769 %	4860,8531 litre	O
240	CM	85	CM	27 LEVEL CM	556,6213 litre	10,218 %	4890,9004 litre	O
240	CM	85	CM	26 LEVEL CM	527,0220 litre	9,675 %	4920,4997 litre	O
240	CM	85	CM	25 LEVEL CM	497,8856 litre	9,140 %	4949,6361 litre	O
240	CM	85	CM	24 LEVEL CM	469,2276 litre	8,614 %	4978,2941 litre	O
240	CM	85	CM	23 LEVEL CM	441,0644 litre	8,097 %	5006,4573 litre	O
240	CM	85	CM	22 LEVEL CM	413,4130 litre	7,589 %	5034,1087 litre	O
240	CM	85	CM	21 LEVEL CM	386,2917 litre	7,091 %	5061,2300 litre	O
240	CM	85	CM	20 LEVEL CM	359,7196 litre	6,603 %	5087,8021 litre	O
240	CM	85	CM	19 LEVEL CM	333,7174 litre	6,126 %	5113,8043 litre	O
240	CM	85	CM	18 LEVEL CM	308,3066 litre	5,660 %	5139,2151 litre	O
240	CM	85	CM	17 LEVEL CM	283,5109 litre	5,204 %	5164,0108 litre	O
240	CM	85	CM	16 LEVEL CM	259,3554 litre	4,761 %	5188,1663 litre	O
240	CM	85	CM	15 LEVEL CM	235,8672 litre	4,330 %	5211,6545 litre	O
240	CM	85	CM	14 LEVEL CM	213,0762 litre	3,911 %	5234,4455 litre	O
240	CM	85	CM	13 LEVEL CM	191,0146 litre	3,506 %	5256,5071 litre	O

240	CM	85	CM	12 LEVEL CM	169,7184 litre	3,116 %	5277,8033 litre	O
240	CM	85	CM	11 LEVEL CM	149,2273 litre	2,739 %	5298,2944 litre	O
240	CM	85	CM	10 LEVEL CM	129,5860 litre	2,379 %	5317,9357 litre	O
240	CM	85	CM	9 LEVEL CM	110,8454 litre	2,035 %	5336,6763 litre	O
240	CM	85	CM	8 LEVEL CM	93,0639 litre	1,708 %	5354,4578 litre	O
240	CM	85	CM	7 LEVEL CM	76,3102 litre	1,401 %	5371,2115 litre	O
240	CM	85	CM	6 LEVEL CM	60,6665 litre	1,114 %	5386,8552 litre	O
240	CM	85	CM	5 LEVEL CM	46,2338 litre	0,849 %	5401,2879 litre	O
240	CM	85	CM	4 LEVEL CM	33,1417 litre	0,608 %	5414,3800 litre	O
240	CM	85	CM	3 LEVEL CM	21,5647 litre	0,396 %	5425,9570 litre	O
240	CM	85	CM	2 LEVEL CM	11,7593 litre	0,216 %	5435,7624 litre	O
240	CM	85	CM	1 LEVEL CM	4,1649 litre	0,076 %	5443,3568 litre	O
240	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	5447,5217 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
240	CM	80	CM 160 LEVEL CM	4825,4863 litre	100,000 %	0,0000 litre	O
240	CM	80	CM 159 LEVEL CM	4821,4462 litre	99,916 %	4,0401 litre	O
240	CM	80	CM 158 LEVEL CM	4814,0807 litre	99,764 %	11,4056 litre	O
240	CM	80	CM 157 LEVEL CM	4804,5725 litre	99,567 %	20,9138 litre	O
240	CM	80	CM 156 LEVEL CM	4793,3486 litre	99,334 %	32,1377 litre	O
240	CM	80	CM 155 LEVEL CM	4780,6581 litre	99,071 %	44,8282 litre	O
240	CM	80	CM 154 LEVEL CM	4766,6711 litre	98,781 %	58,8152 litre	O
240	CM	80	CM 153 LEVEL CM	4751,5133 litre	98,467 %	73,9730 litre	O
240	CM	80	CM 152 LEVEL CM	4735,2833 litre	98,131 %	90,2030 litre	O
240	CM	80	CM 151 LEVEL CM	4718,0612 litre	97,774 %	107,4251 litre	O
240	CM	80	CM 150 LEVEL CM	4699,9138 litre	97,398 %	125,5725 litre	O
240	CM	80	CM 149 LEVEL CM	4680,8982 litre	97,004 %	144,5881 litre	O
240	CM	80	CM 148 LEVEL CM	4661,0640 litre	96,593 %	164,4223 litre	O
240	CM	80	CM 147 LEVEL CM	4640,4550 litre	96,166 %	185,0313 litre	O
240	CM	80	CM 146 LEVEL CM	4619,1099 litre	95,723 %	206,3764 litre	O
240	CM	80	CM 145 LEVEL CM	4597,0639 litre	95,266 %	228,4224 litre	O
240	CM	80	CM 144 LEVEL CM	4574,3486 litre	94,796 %	251,1377 litre	O
240	CM	80	CM 143 LEVEL CM	4550,9931 litre	94,312 %	274,4932 litre	O
240	CM	80	CM 142 LEVEL CM	4527,0242 litre	93,815 %	298,4621 litre	O
240	CM	80	CM 141 LEVEL CM	4502,4665 litre	93,306 %	323,0198 litre	O
240	CM	80	CM 140 LEVEL CM	4477,3429 litre	92,785 %	348,1434 litre	O
240	CM	80	CM 139 LEVEL CM	4451,6749 litre	92,253 %	373,8114 litre	O
240	CM	80	CM 138 LEVEL CM	4425,4827 litre	91,711 %	400,0036 litre	O
240	CM	80	CM 137 LEVEL CM	4398,7852 litre	91,157 %	426,7011 litre	O
240	CM	80	CM 136 LEVEL CM	4371,6001 litre	90,594 %	453,8862 litre	O
240	CM	80	CM 135 LEVEL CM	4343,9445 litre	90,021 %	481,5418 litre	O
240	CM	80	CM 134 LEVEL CM	4315,8344 litre	89,438 %	509,6519 litre	O
240	CM	80	CM 133 LEVEL CM	4287,2851 litre	88,847 %	538,2012 litre	O
240	CM	80	CM 132 LEVEL CM	4258,3112 litre	88,246 %	567,1751 litre	O
240	CM	80	CM 131 LEVEL CM	4228,9267 litre	87,637 %	596,5596 litre	O
240	CM	80	CM 130 LEVEL CM	4199,1450 litre	87,020 %	626,3413 litre	O
240	CM	80	CM 129 LEVEL CM	4168,9789 litre	86,395 %	656,5074 litre	O
240	CM	80	CM 128 LEVEL CM	4138,4409 litre	85,762 %	687,0454 litre	O
240	CM	80	CM 127 LEVEL CM	4107,5428 litre	85,122 %	717,9435 litre	O
240	CM	80	CM 126 LEVEL CM	4076,2962 litre	84,474 %	749,1901 litre	O
240	CM	80	CM 125 LEVEL CM	4044,7123 litre	83,820 %	780,7740 litre	O
240	CM	80	CM 124 LEVEL CM	4012,8017 litre	83,158 %	812,6846 litre	O
240	CM	80	CM 123 LEVEL CM	3980,5751 litre	82,491 %	844,9112 litre	O
240	CM	80	CM 122 LEVEL CM	3948,0424 litre	81,816 %	877,4439 litre	O
240	CM	80	CM 121 LEVEL CM	3915,2136 litre	81,136 %	910,2727 litre	O
240	CM	80	CM 120 LEVEL CM	3882,0984 litre	80,450 %	943,3879 litre	O
240	CM	80	CM 119 LEVEL CM	3848,7060 litre	79,758 %	976,7803 litre	O
240	CM	80	CM 118 LEVEL CM	3815,0455 litre	79,060 %	1010,4408 litre	O
240	CM	80	CM 117 LEVEL CM	3781,1260 litre	78,357 %	1044,3603 litre	O
240	CM	80	CM 116 LEVEL CM	3746,9561 litre	77,649 %	1078,5302 litre	O
240	CM	80	CM 115 LEVEL CM	3712,5442 litre	76,936 %	1112,9421 litre	O
240	CM	80	CM 114 LEVEL CM	3677,8988 litre	76,218 %	1147,5875 litre	O
240	CM	80	CM 113 LEVEL CM	3643,0281 litre	75,496 %	1182,4582 litre	O
240	CM	80	CM 112 LEVEL CM	3607,9399 litre	74,768 %	1217,5464 litre	O
240	CM	80	CM 111 LEVEL CM	3572,6423 litre	74,037 %	1252,8440 litre	O
240	CM	80	CM 110 LEVEL CM	3537,1429 litre	73,301 %	1288,3434 litre	O
240	CM	80	CM 109 LEVEL CM	3501,4493 litre	72,562 %	1324,0370 litre	O

240	CM	80	CM	108 LEVEL CM	3465,5690 litre	71,818 %	1359,9173 litre	O
240	CM	80	CM	107 LEVEL CM	3429,5094 litre	71,071 %	1395,9769 litre	O
240	CM	80	CM	106 LEVEL CM	3393,2776 litre	70,320 %	1432,2087 litre	O
240	CM	80	CM	105 LEVEL CM	3356,8809 litre	69,566 %	1468,6054 litre	O
240	CM	80	CM	104 LEVEL CM	3320,3263 litre	68,808 %	1505,1600 litre	O
240	CM	80	CM	103 LEVEL CM	3283,6207 litre	68,047 %	1541,8656 litre	O
240	CM	80	CM	102 LEVEL CM	3246,7710 litre	67,284 %	1578,7153 litre	O
240	CM	80	CM	101 LEVEL CM	3209,7840 litre	66,517 %	1615,7023 litre	O
240	CM	80	CM	100 LEVEL CM	3172,6664 litre	65,748 %	1652,8199 litre	O
240	CM	80	CM	99 LEVEL CM	3135,4249 litre	64,976 %	1690,0614 litre	O
240	CM	80	CM	98 LEVEL CM	3098,0661 litre	64,202 %	1727,4202 litre	O
240	CM	80	CM	97 LEVEL CM	3060,5963 litre	63,426 %	1764,8900 litre	O
240	CM	80	CM	96 LEVEL CM	3023,0222 litre	62,647 %	1802,4641 litre	O
240	CM	80	CM	95 LEVEL CM	2985,3501 litre	61,866 %	1840,1362 litre	O
240	CM	80	CM	94 LEVEL CM	2947,5864 litre	61,084 %	1877,8999 litre	O
240	CM	80	CM	93 LEVEL CM	2909,7374 litre	60,299 %	1915,7489 litre	O
240	CM	80	CM	92 LEVEL CM	2871,8093 litre	59,513 %	1953,6770 litre	O
240	CM	80	CM	91 LEVEL CM	2833,8084 litre	58,726 %	1991,6779 litre	O
240	CM	80	CM	90 LEVEL CM	2795,7408 litre	57,937 %	2029,7455 litre	O
240	CM	80	CM	89 LEVEL CM	2757,6128 litre	57,147 %	2067,8735 litre	O
240	CM	80	CM	88 LEVEL CM	2719,4304 litre	56,356 %	2106,0559 litre	O
240	CM	80	CM	87 LEVEL CM	2681,1998 litre	55,563 %	2144,2865 litre	O
240	CM	80	CM	86 LEVEL CM	2642,9270 litre	54,770 %	2182,5593 litre	O
240	CM	80	CM	85 LEVEL CM	2604,6181 litre	53,976 %	2220,8682 litre	O
240	CM	80	CM	84 LEVEL CM	2566,2791 litre	53,182 %	2259,2072 litre	O
240	CM	80	CM	83 LEVEL CM	2527,9162 litre	52,387 %	2297,5701 litre	O
240	CM	80	CM	82 LEVEL CM	2489,5352 litre	51,591 %	2335,9511 litre	O
240	CM	80	CM	81 LEVEL CM	2451,1422 litre	50,796 %	2374,3441 litre	O
240	CM	80	CM	80 LEVEL CM	2412,7432 litre	50,000 %	2412,7431 litre	O
240	CM	80	CM	79 LEVEL CM	2374,3442 litre	49,204 %	2451,1421 litre	O
240	CM	80	CM	78 LEVEL CM	2335,9512 litre	48,409 %	2489,5351 litre	O
240	CM	80	CM	77 LEVEL CM	2297,5702 litre	47,613 %	2527,9161 litre	O
240	CM	80	CM	76 LEVEL CM	2259,2072 litre	46,818 %	2566,2791 litre	O
240	CM	80	CM	75 LEVEL CM	2220,8682 litre	46,024 %	2604,6181 litre	O
240	CM	80	CM	74 LEVEL CM	2182,5593 litre	45,230 %	2642,9270 litre	O
240	CM	80	CM	73 LEVEL CM	2144,2866 litre	44,437 %	2681,1997 litre	O
240	CM	80	CM	72 LEVEL CM	2106,0559 litre	43,644 %	2719,4304 litre	O
240	CM	80	CM	71 LEVEL CM	2067,8735 litre	42,853 %	2757,6128 litre	O
240	CM	80	CM	70 LEVEL CM	2029,7455 litre	42,063 %	2795,7408 litre	O
240	CM	80	CM	69 LEVEL CM	1991,6780 litre	41,274 %	2833,8083 litre	O
240	CM	80	CM	68 LEVEL CM	1953,6770 litre	40,487 %	2871,8093 litre	O
240	CM	80	CM	67 LEVEL CM	1915,7489 litre	39,701 %	2909,7374 litre	O
240	CM	80	CM	66 LEVEL CM	1877,8999 litre	38,916 %	2947,5864 litre	O
240	CM	80	CM	65 LEVEL CM	1840,1362 litre	38,134 %	2985,3501 litre	O
240	CM	80	CM	64 LEVEL CM	1802,4641 litre	37,353 %	3023,0222 litre	O
240	CM	80	CM	63 LEVEL CM	1764,8900 litre	36,574 %	3060,5963 litre	O
240	CM	80	CM	62 LEVEL CM	1727,4203 litre	35,798 %	3098,0660 litre	O
240	CM	80	CM	61 LEVEL CM	1690,0614 litre	35,024 %	3135,4249 litre	O
240	CM	80	CM	60 LEVEL CM	1652,8199 litre	34,252 %	3172,6664 litre	O
240	CM	80	CM	59 LEVEL CM	1615,7023 litre	33,483 %	3209,7840 litre	O
240	CM	80	CM	58 LEVEL CM	1578,7153 litre	32,716 %	3246,7710 litre	O
240	CM	80	CM	57 LEVEL CM	1541,8657 litre	31,953 %	3283,6206 litre	O
240	CM	80	CM	56 LEVEL CM	1505,1601 litre	31,192 %	3320,3262 litre	O

240	CM	80	CM	55 LEVEL CM	1468,6054 litre	30,434 %	3356,8809 litre	O
240	CM	80	CM	54 LEVEL CM	1432,2087 litre	29,680 %	3393,2776 litre	O
240	CM	80	CM	53 LEVEL CM	1395,9770 litre	28,929 %	3429,5093 litre	O
240	CM	80	CM	52 LEVEL CM	1359,9173 litre	28,182 %	3465,5690 litre	O
240	CM	80	CM	51 LEVEL CM	1324,0370 litre	27,438 %	3501,4493 litre	O
240	CM	80	CM	50 LEVEL CM	1288,3434 litre	26,699 %	3537,1429 litre	O
240	CM	80	CM	49 LEVEL CM	1252,8440 litre	25,963 %	3572,6423 litre	O
240	CM	80	CM	48 LEVEL CM	1217,5464 litre	25,232 %	3607,9399 litre	O
240	CM	80	CM	47 LEVEL CM	1182,4582 litre	24,504 %	3643,0281 litre	O
240	CM	80	CM	46 LEVEL CM	1147,5875 litre	23,782 %	3677,8988 litre	O
240	CM	80	CM	45 LEVEL CM	1112,9421 litre	23,064 %	3712,5442 litre	O
240	CM	80	CM	44 LEVEL CM	1078,5303 litre	22,351 %	3746,9560 litre	O
240	CM	80	CM	43 LEVEL CM	1044,3603 litre	21,643 %	3781,1260 litre	O
240	CM	80	CM	42 LEVEL CM	1010,4408 litre	20,940 %	3815,0455 litre	O
240	CM	80	CM	41 LEVEL CM	976,7803 litre	20,242 %	3848,7060 litre	O
240	CM	80	CM	40 LEVEL CM	943,3879 litre	19,550 %	3882,0984 litre	O
240	CM	80	CM	39 LEVEL CM	910,2727 litre	18,864 %	3915,2136 litre	O
240	CM	80	CM	38 LEVEL CM	877,4439 litre	18,184 %	3948,0424 litre	O
240	CM	80	CM	37 LEVEL CM	844,9113 litre	17,509 %	3980,5750 litre	O
240	CM	80	CM	36 LEVEL CM	812,6846 litre	16,842 %	4012,8017 litre	O
240	CM	80	CM	35 LEVEL CM	780,7740 litre	16,180 %	4044,7123 litre	O
240	CM	80	CM	34 LEVEL CM	749,1901 litre	15,526 %	4076,2962 litre	O
240	CM	80	CM	33 LEVEL CM	717,9435 litre	14,878 %	4107,5428 litre	O
240	CM	80	CM	32 LEVEL CM	687,0455 litre	14,238 %	4138,4408 litre	O
240	CM	80	CM	31 LEVEL CM	656,5074 litre	13,605 %	4168,9789 litre	O
240	CM	80	CM	30 LEVEL CM	626,3414 litre	12,980 %	4199,1449 litre	O
240	CM	80	CM	29 LEVEL CM	596,5596 litre	12,363 %	4228,9267 litre	O
240	CM	80	CM	28 LEVEL CM	567,1752 litre	11,754 %	4258,3111 litre	O
240	CM	80	CM	27 LEVEL CM	538,2013 litre	11,153 %	4287,2850 litre	O
240	CM	80	CM	26 LEVEL CM	509,6520 litre	10,562 %	4315,8343 litre	O
240	CM	80	CM	25 LEVEL CM	481,5418 litre	9,979 %	4343,9445 litre	O
240	CM	80	CM	24 LEVEL CM	453,8862 litre	9,406 %	4371,6001 litre	O
240	CM	80	CM	23 LEVEL CM	426,7012 litre	8,843 %	4398,7851 litre	O
240	CM	80	CM	22 LEVEL CM	400,0036 litre	8,289 %	4425,4827 litre	O
240	CM	80	CM	21 LEVEL CM	373,8114 litre	7,747 %	4451,6749 litre	O
240	CM	80	CM	20 LEVEL CM	348,1434 litre	7,215 %	4477,3429 litre	O
240	CM	80	CM	19 LEVEL CM	323,0199 litre	6,694 %	4502,4664 litre	O
240	CM	80	CM	18 LEVEL CM	298,4621 litre	6,185 %	4527,0242 litre	O
240	CM	80	CM	17 LEVEL CM	274,4932 litre	5,688 %	4550,9931 litre	O
240	CM	80	CM	16 LEVEL CM	251,1377 litre	5,204 %	4574,3486 litre	O
240	CM	80	CM	15 LEVEL CM	228,4224 litre	4,734 %	4597,0639 litre	O
240	CM	80	CM	14 LEVEL CM	206,3764 litre	4,277 %	4619,1099 litre	O
240	CM	80	CM	13 LEVEL CM	185,0313 litre	3,834 %	4640,4550 litre	O
240	CM	80	CM	12 LEVEL CM	164,4223 litre	3,407 %	4661,0640 litre	O
240	CM	80	CM	11 LEVEL CM	144,5881 litre	2,996 %	4680,8982 litre	O
240	CM	80	CM	10 LEVEL CM	125,5725 litre	2,602 %	4699,9138 litre	O
240	CM	80	CM	9 LEVEL CM	107,4251 litre	2,226 %	4718,0612 litre	O
240	CM	80	CM	8 LEVEL CM	90,2030 litre	1,869 %	4735,2833 litre	O
240	CM	80	CM	7 LEVEL CM	73,9730 litre	1,533 %	4751,5133 litre	O
240	CM	80	CM	6 LEVEL CM	58,8152 litre	1,219 %	4766,6711 litre	O
240	CM	80	CM	5 LEVEL CM	44,8282 litre	0,929 %	4780,6581 litre	O
240	CM	80	CM	4 LEVEL CM	32,1378 litre	0,666 %	4793,3485 litre	O
240	CM	80	CM	3 LEVEL CM	20,9138 litre	0,433 %	4804,5725 litre	O

240_80

-2803-

240	CM 80	CM	2 LEVEL CM	11,4056 litre	0,236 %	4814,0807 litre	O
240	CM 80	CM	1 LEVEL CM	4,0401 litre	0,084 %	4821,4462 litre	O
240	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	4825,4863 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
240	CM	75	CM	150 LEVEL CM	4241,1501 litre	100,000 %	0,0000 litre	O
240	CM	75	CM	149 LEVEL CM	4237,2387 litre	99,908 %	3,9114 litre	O
240	CM	75	CM	148 LEVEL CM	4230,1094 litre	99,740 %	11,0407 litre	O
240	CM	75	CM	147 LEVEL CM	4220,9080 litre	99,523 %	20,2421 litre	O
240	CM	75	CM	146 LEVEL CM	4210,0486 litre	99,267 %	31,1015 litre	O
240	CM	75	CM	145 LEVEL CM	4197,7731 litre	98,977 %	43,3770 litre	O
240	CM	75	CM	144 LEVEL CM	4184,2463 litre	98,658 %	56,9038 litre	O
240	CM	75	CM	143 LEVEL CM	4169,5906 litre	98,313 %	71,5595 litre	O
240	CM	75	CM	142 LEVEL CM	4153,9018 litre	97,943 %	87,2483 litre	O
240	CM	75	CM	141 LEVEL CM	4137,2577 litre	97,550 %	103,8924 litre	O
240	CM	75	CM	140 LEVEL CM	4119,7236 litre	97,137 %	121,4265 litre	O
240	CM	75	CM	139 LEVEL CM	4101,3550 litre	96,704 %	139,7951 litre	O
240	CM	75	CM	138 LEVEL CM	4082,2004 litre	96,252 %	158,9497 litre	O
240	CM	75	CM	137 LEVEL CM	4062,3022 litre	95,783 %	178,8479 litre	O
240	CM	75	CM	136 LEVEL CM	4041,6985 litre	95,297 %	199,4516 litre	O
240	CM	75	CM	135 LEVEL CM	4020,4236 litre	94,796 %	220,7265 litre	O
240	CM	75	CM	134 LEVEL CM	3998,5084 litre	94,279 %	242,6417 litre	O
240	CM	75	CM	133 LEVEL CM	3975,9814 litre	93,748 %	265,1687 litre	O
240	CM	75	CM	132 LEVEL CM	3952,8688 litre	93,203 %	288,2813 litre	O
240	CM	75	CM	131 LEVEL CM	3929,1948 litre	92,645 %	311,9553 litre	O
240	CM	75	CM	130 LEVEL CM	3904,9818 litre	92,074 %	336,1683 litre	O
240	CM	75	CM	129 LEVEL CM	3880,2510 litre	91,491 %	360,8991 litre	O
240	CM	75	CM	128 LEVEL CM	3855,0220 litre	90,896 %	386,1281 litre	O
240	CM	75	CM	127 LEVEL CM	3829,3136 litre	90,290 %	411,8365 litre	O
240	CM	75	CM	126 LEVEL CM	3803,1433 litre	89,672 %	438,0068 litre	O
240	CM	75	CM	125 LEVEL CM	3776,5278 litre	89,045 %	464,6223 litre	O
240	CM	75	CM	124 LEVEL CM	3749,4828 litre	88,407 %	491,6673 litre	O
240	CM	75	CM	123 LEVEL CM	3722,0236 litre	87,760 %	519,1265 litre	O
240	CM	75	CM	122 LEVEL CM	3694,1645 litre	87,103 %	546,9856 litre	O
240	CM	75	CM	121 LEVEL CM	3665,9194 litre	86,437 %	575,2307 litre	O
240	CM	75	CM	120 LEVEL CM	3637,3015 litre	85,762 %	603,8486 litre	O
240	CM	75	CM	119 LEVEL CM	3608,3236 litre	85,079 %	632,8265 litre	O
240	CM	75	CM	118 LEVEL CM	3578,9979 litre	84,387 %	662,1522 litre	O
240	CM	75	CM	117 LEVEL CM	3549,3363 litre	83,688 %	691,8138 litre	O
240	CM	75	CM	116 LEVEL CM	3519,3502 litre	82,981 %	721,7999 litre	O
240	CM	75	CM	115 LEVEL CM	3489,0507 litre	82,267 %	752,0994 litre	O
240	CM	75	CM	114 LEVEL CM	3458,4485 litre	81,545 %	782,7016 litre	O
240	CM	75	CM	113 LEVEL CM	3427,5541 litre	80,817 %	813,5960 litre	O
240	CM	75	CM	112 LEVEL CM	3396,3776 litre	80,082 %	844,7725 litre	O
240	CM	75	CM	111 LEVEL CM	3364,9289 litre	79,340 %	876,2212 litre	O
240	CM	75	CM	110 LEVEL CM	3333,2175 litre	78,592 %	907,9326 litre	O
240	CM	75	CM	109 LEVEL CM	3301,2528 litre	77,839 %	939,8973 litre	O
240	CM	75	CM	108 LEVEL CM	3269,0439 litre	77,079 %	972,1062 litre	O
240	CM	75	CM	107 LEVEL CM	3236,5999 litre	76,314 %	1004,5502 litre	O
240	CM	75	CM	106 LEVEL CM	3203,9294 litre	75,544 %	1037,2207 litre	O
240	CM	75	CM	105 LEVEL CM	3171,0410 litre	74,768 %	1070,1091 litre	O
240	CM	75	CM	104 LEVEL CM	3137,9430 litre	73,988 %	1103,2071 litre	O
240	CM	75	CM	103 LEVEL CM	3104,6439 litre	73,203 %	1136,5062 litre	O
240	CM	75	CM	102 LEVEL CM	3071,1515 litre	72,413 %	1169,9986 litre	O
240	CM	75	CM	101 LEVEL CM	3037,4739 litre	71,619 %	1203,6762 litre	O
240	CM	75	CM	100 LEVEL CM	3003,6189 litre	70,821 %	1237,5312 litre	O
240	CM	75	CM	99 LEVEL CM	2969,5942 litre	70,019 %	1271,5559 litre	O

240	CM	75	CM	98 LEVEL CM	2935,4074 litre	69,213 %	1305,7427 litre	O
240	CM	75	CM	97 LEVEL CM	2901,0659 litre	68,403 %	1340,0842 litre	O
240	CM	75	CM	96 LEVEL CM	2866,5771 litre	67,590 %	1374,5730 litre	O
240	CM	75	CM	95 LEVEL CM	2831,9483 litre	66,773 %	1409,2018 litre	O
240	CM	75	CM	94 LEVEL CM	2797,1867 litre	65,953 %	1443,9634 litre	O
240	CM	75	CM	93 LEVEL CM	2762,2994 litre	65,131 %	1478,8507 litre	O
240	CM	75	CM	92 LEVEL CM	2727,2934 litre	64,306 %	1513,8567 litre	O
240	CM	75	CM	91 LEVEL CM	2692,1757 litre	63,477 %	1548,9744 litre	O
240	CM	75	CM	90 LEVEL CM	2656,9531 litre	62,647 %	1584,1970 litre	O
240	CM	75	CM	89 LEVEL CM	2621,6326 litre	61,814 %	1619,5175 litre	O
240	CM	75	CM	88 LEVEL CM	2586,2209 litre	60,979 %	1654,9292 litre	O
240	CM	75	CM	87 LEVEL CM	2550,7247 litre	60,142 %	1690,4254 litre	O
240	CM	75	CM	86 LEVEL CM	2515,1507 litre	59,304 %	1725,9994 litre	O
240	CM	75	CM	85 LEVEL CM	2479,5055 litre	58,463 %	1761,6446 litre	O
240	CM	75	CM	84 LEVEL CM	2443,7958 litre	57,621 %	1797,3543 litre	O
240	CM	75	CM	83 LEVEL CM	2408,0280 litre	56,778 %	1833,1221 litre	O
240	CM	75	CM	82 LEVEL CM	2372,2087 litre	55,933 %	1868,9414 litre	O
240	CM	75	CM	81 LEVEL CM	2336,3444 litre	55,088 %	1904,8057 litre	O
240	CM	75	CM	80 LEVEL CM	2300,4416 litre	54,241 %	1940,7085 litre	O
240	CM	75	CM	79 LEVEL CM	2264,5067 litre	53,394 %	1976,6434 litre	O
240	CM	75	CM	78 LEVEL CM	2228,5462 litre	52,546 %	2012,6039 litre	O
240	CM	75	CM	77 LEVEL CM	2192,5665 litre	51,697 %	2048,5836 litre	O
240	CM	75	CM	76 LEVEL CM	2156,5740 litre	50,849 %	2084,5761 litre	O
240	CM	75	CM	75 LEVEL CM	2120,5750 litre	50,000 %	2120,5751 litre	O
240	CM	75	CM	74 LEVEL CM	2084,5761 litre	49,151 %	2156,5740 litre	O
240	CM	75	CM	73 LEVEL CM	2048,5836 litre	48,303 %	2192,5665 litre	O
240	CM	75	CM	72 LEVEL CM	2012,6038 litre	47,454 %	2228,5463 litre	O
240	CM	75	CM	71 LEVEL CM	1976,6433 litre	46,606 %	2264,5068 litre	O
240	CM	75	CM	70 LEVEL CM	1940,7085 litre	45,759 %	2300,4416 litre	O
240	CM	75	CM	69 LEVEL CM	1904,8057 litre	44,912 %	2336,3444 litre	O
240	CM	75	CM	68 LEVEL CM	1868,9414 litre	44,067 %	2372,2087 litre	O
240	CM	75	CM	67 LEVEL CM	1833,1221 litre	43,222 %	2408,0280 litre	O
240	CM	75	CM	66 LEVEL CM	1797,3543 litre	42,379 %	2443,7958 litre	O
240	CM	75	CM	65 LEVEL CM	1761,6446 litre	41,537 %	2479,5055 litre	O
240	CM	75	CM	64 LEVEL CM	1725,9994 litre	40,696 %	2515,1507 litre	O
240	CM	75	CM	63 LEVEL CM	1690,4254 litre	39,858 %	2550,7247 litre	O
240	CM	75	CM	62 LEVEL CM	1654,9292 litre	39,021 %	2586,2209 litre	O
240	CM	75	CM	61 LEVEL CM	1619,5175 litre	38,186 %	2621,6326 litre	O
240	CM	75	CM	60 LEVEL CM	1584,1970 litre	37,353 %	2656,9531 litre	O
240	CM	75	CM	59 LEVEL CM	1548,9744 litre	36,523 %	2692,1757 litre	O
240	CM	75	CM	58 LEVEL CM	1513,8567 litre	35,694 %	2727,2934 litre	O
240	CM	75	CM	57 LEVEL CM	1478,8507 litre	34,869 %	2762,2994 litre	O
240	CM	75	CM	56 LEVEL CM	1443,9634 litre	34,047 %	2797,1867 litre	O
240	CM	75	CM	55 LEVEL CM	1409,2018 litre	33,227 %	2831,9483 litre	O
240	CM	75	CM	54 LEVEL CM	1374,5730 litre	32,410 %	2866,5771 litre	O
240	CM	75	CM	53 LEVEL CM	1340,0842 litre	31,597 %	2901,0659 litre	O
240	CM	75	CM	52 LEVEL CM	1305,7427 litre	30,787 %	2935,4074 litre	O
240	CM	75	CM	51 LEVEL CM	1271,5559 litre	29,981 %	2969,5942 litre	O
240	CM	75	CM	50 LEVEL CM	1237,5311 litre	29,179 %	3003,6190 litre	O
240	CM	75	CM	49 LEVEL CM	1203,6761 litre	28,381 %	3037,4740 litre	O
240	CM	75	CM	48 LEVEL CM	1169,9986 litre	27,587 %	3071,1515 litre	O
240	CM	75	CM	47 LEVEL CM	1136,5062 litre	26,797 %	3104,6439 litre	O
240	CM	75	CM	46 LEVEL CM	1103,2070 litre	26,012 %	3137,9431 litre	O

240	CM	75	CM	45 LEVEL CM	1070,1091 litre	25,232 %	3171,0410 litre	O
240	CM	75	CM	44 LEVEL CM	1037,2207 litre	24,456 %	3203,9294 litre	O
240	CM	75	CM	43 LEVEL CM	1004,5502 litre	23,686 %	3236,5999 litre	O
240	CM	75	CM	42 LEVEL CM	972,1062 litre	22,921 %	3269,0439 litre	O
240	CM	75	CM	41 LEVEL CM	939,8973 litre	22,161 %	3301,2528 litre	O
240	CM	75	CM	40 LEVEL CM	907,9326 litre	21,408 %	3333,2175 litre	O
240	CM	75	CM	39 LEVEL CM	876,2212 litre	20,660 %	3364,9289 litre	O
240	CM	75	CM	38 LEVEL CM	844,7724 litre	19,918 %	3396,3777 litre	O
240	CM	75	CM	37 LEVEL CM	813,5959 litre	19,183 %	3427,5542 litre	O
240	CM	75	CM	36 LEVEL CM	782,7015 litre	18,455 %	3458,4486 litre	O
240	CM	75	CM	35 LEVEL CM	752,0994 litre	17,733 %	3489,0507 litre	O
240	CM	75	CM	34 LEVEL CM	721,7999 litre	17,019 %	3519,3502 litre	O
240	CM	75	CM	33 LEVEL CM	691,8138 litre	16,312 %	3549,3363 litre	O
240	CM	75	CM	32 LEVEL CM	662,1522 litre	15,613 %	3578,9979 litre	O
240	CM	75	CM	31 LEVEL CM	632,8265 litre	14,921 %	3608,3236 litre	O
240	CM	75	CM	30 LEVEL CM	603,8485 litre	14,238 %	3637,3016 litre	O
240	CM	75	CM	29 LEVEL CM	575,2306 litre	13,563 %	3665,9195 litre	O
240	CM	75	CM	28 LEVEL CM	546,9855 litre	12,897 %	3694,1646 litre	O
240	CM	75	CM	27 LEVEL CM	519,1265 litre	12,240 %	3722,0236 litre	O
240	CM	75	CM	26 LEVEL CM	491,6672 litre	11,593 %	3749,4829 litre	O
240	CM	75	CM	25 LEVEL CM	464,6223 litre	10,955 %	3776,5278 litre	O
240	CM	75	CM	24 LEVEL CM	438,0068 litre	10,328 %	3803,1433 litre	O
240	CM	75	CM	23 LEVEL CM	411,8365 litre	9,710 %	3829,3136 litre	O
240	CM	75	CM	22 LEVEL CM	386,1280 litre	9,104 %	3855,0221 litre	O
240	CM	75	CM	21 LEVEL CM	360,8991 litre	8,509 %	3880,2510 litre	O
240	CM	75	CM	20 LEVEL CM	336,1683 litre	7,926 %	3904,9818 litre	O
240	CM	75	CM	19 LEVEL CM	311,9553 litre	7,355 %	3929,1948 litre	O
240	CM	75	CM	18 LEVEL CM	288,2813 litre	6,797 %	3952,8688 litre	O
240	CM	75	CM	17 LEVEL CM	265,1686 litre	6,252 %	3975,9815 litre	O
240	CM	75	CM	16 LEVEL CM	242,6417 litre	5,721 %	3998,5084 litre	O
240	CM	75	CM	15 LEVEL CM	220,7265 litre	5,204 %	4020,4236 litre	O
240	CM	75	CM	14 LEVEL CM	199,4515 litre	4,703 %	4041,6986 litre	O
240	CM	75	CM	13 LEVEL CM	178,8479 litre	4,217 %	4062,3022 litre	O
240	CM	75	CM	12 LEVEL CM	158,9497 litre	3,748 %	4082,2004 litre	O
240	CM	75	CM	11 LEVEL CM	139,7950 litre	3,296 %	4101,3551 litre	O
240	CM	75	CM	10 LEVEL CM	121,4265 litre	2,863 %	4119,7236 litre	O
240	CM	75	CM	9 LEVEL CM	103,8923 litre	2,450 %	4137,2578 litre	O
240	CM	75	CM	8 LEVEL CM	87,2483 litre	2,057 %	4153,9018 litre	O
240	CM	75	CM	7 LEVEL CM	71,5595 litre	1,687 %	4169,5906 litre	O
240	CM	75	CM	6 LEVEL CM	56,9038 litre	1,342 %	4184,2463 litre	O
240	CM	75	CM	5 LEVEL CM	43,3770 litre	1,023 %	4197,7731 litre	O
240	CM	75	CM	4 LEVEL CM	31,1014 litre	0,733 %	4210,0487 litre	O
240	CM	75	CM	3 LEVEL CM	20,2420 litre	0,477 %	4220,9081 litre	O
240	CM	75	CM	2 LEVEL CM	11,0407 litre	0,260 %	4230,1094 litre	O
240	CM	75	CM	1 LEVEL CM	3,9113 litre	0,092 %	4237,2388 litre	O
240	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	4241,1501 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
240	CM 70	CM 140 LEVEL CM	3694,5130 litre	100,000 %	0,0000 litre	O
240	CM 70	CM 139 LEVEL CM	3690,7348 litre	99,898 %	3,7782 litre	O
240	CM 70	CM 138 LEVEL CM	3683,8497 litre	99,711 %	10,6633 litre	O
240	CM 70	CM 137 LEVEL CM	3674,9658 litre	99,471 %	19,5472 litre	O
240	CM 70	CM 136 LEVEL CM	3664,4836 litre	99,187 %	30,0294 litre	O
240	CM 70	CM 135 LEVEL CM	3652,6374 litre	98,867 %	41,8756 litre	O
240	CM 70	CM 134 LEVEL CM	3639,5871 litre	98,513 %	54,9259 litre	O
240	CM 70	CM 133 LEVEL CM	3625,4513 litre	98,131 %	69,0617 litre	O
240	CM 70	CM 132 LEVEL CM	3610,3230 litre	97,721 %	84,1900 litre	O
240	CM 70	CM 131 LEVEL CM	3594,2779 litre	97,287 %	100,2351 litre	O
240	CM 70	CM 130 LEVEL CM	3577,3793 litre	96,830 %	117,1337 litre	O
240	CM 70	CM 129 LEVEL CM	3559,6814 litre	96,350 %	134,8316 litre	O
240	CM 70	CM 128 LEVEL CM	3541,2312 litre	95,851 %	153,2818 litre	O
240	CM 70	CM 127 LEVEL CM	3522,0702 litre	95,332 %	172,4428 litre	O
240	CM 70	CM 126 LEVEL CM	3502,2357 litre	94,796 %	192,2773 litre	O
240	CM 70	CM 125 LEVEL CM	3481,7608 litre	94,241 %	212,7522 litre	O
240	CM 70	CM 124 LEVEL CM	3460,6761 litre	93,671 %	233,8369 litre	O
240	CM 70	CM 123 LEVEL CM	3439,0093 litre	93,084 %	255,5037 litre	O
240	CM 70	CM 122 LEVEL CM	3416,7859 litre	92,483 %	277,7271 litre	O
240	CM 70	CM 121 LEVEL CM	3394,0299 litre	91,867 %	300,4831 litre	O
240	CM 70	CM 120 LEVEL CM	3370,7631 litre	91,237 %	323,7499 litre	O
240	CM 70	CM 119 LEVEL CM	3347,0063 litre	90,594 %	347,5067 litre	O
240	CM 70	CM 118 LEVEL CM	3322,7790 litre	89,938 %	371,7340 litre	O
240	CM 70	CM 117 LEVEL CM	3298,0993 litre	89,270 %	396,4137 litre	O
240	CM 70	CM 116 LEVEL CM	3272,9847 litre	88,590 %	421,5283 litre	O
240	CM 70	CM 115 LEVEL CM	3247,4516 litre	87,899 %	447,0614 litre	O
240	CM 70	CM 114 LEVEL CM	3221,5156 litre	87,197 %	472,9974 litre	O
240	CM 70	CM 113 LEVEL CM	3195,1915 litre	86,485 %	499,3215 litre	O
240	CM 70	CM 112 LEVEL CM	3168,4938 litre	85,762 %	526,0192 litre	O
240	CM 70	CM 111 LEVEL CM	3141,4360 litre	85,030 %	553,0770 litre	O
240	CM 70	CM 110 LEVEL CM	3114,0313 litre	84,288 %	580,4817 litre	O
240	CM 70	CM 109 LEVEL CM	3086,2923 litre	83,537 %	608,2207 litre	O
240	CM 70	CM 108 LEVEL CM	3058,2313 litre	82,778 %	636,2817 litre	O
240	CM 70	CM 107 LEVEL CM	3029,8599 litre	82,010 %	664,6531 litre	O
240	CM 70	CM 106 LEVEL CM	3001,1897 litre	81,234 %	693,3233 litre	O
240	CM 70	CM 105 LEVEL CM	2972,2316 litre	80,450 %	722,2814 litre	O
240	CM 70	CM 104 LEVEL CM	2942,9963 litre	79,659 %	751,5167 litre	O
240	CM 70	CM 103 LEVEL CM	2913,4943 litre	78,860 %	781,0187 litre	O
240	CM 70	CM 102 LEVEL CM	2883,7357 litre	78,055 %	810,7773 litre	O
240	CM 70	CM 101 LEVEL CM	2853,7303 litre	77,242 %	840,7827 litre	O
240	CM 70	CM 100 LEVEL CM	2823,4879 litre	76,424 %	871,0251 litre	O
240	CM 70	CM 99 LEVEL CM	2793,0177 litre	75,599 %	901,4953 litre	O
240	CM 70	CM 98 LEVEL CM	2762,3290 litre	74,768 %	932,1840 litre	O
240	CM 70	CM 97 LEVEL CM	2731,4308 litre	73,932 %	963,0822 litre	O
240	CM 70	CM 96 LEVEL CM	2700,3320 litre	73,090 %	994,1810 litre	O
240	CM 70	CM 95 LEVEL CM	2669,0411 litre	72,243 %	1025,4719 litre	O
240	CM 70	CM 94 LEVEL CM	2637,5666 litre	71,391 %	1056,9464 litre	O
240	CM 70	CM 93 LEVEL CM	2605,9170 litre	70,535 %	1088,5960 litre	O
240	CM 70	CM 92 LEVEL CM	2574,1004 litre	69,674 %	1120,4126 litre	O
240	CM 70	CM 91 LEVEL CM	2542,1248 litre	68,808 %	1152,3882 litre	O
240	CM 70	CM 90 LEVEL CM	2509,9983 litre	67,939 %	1184,5147 litre	O
240	CM 70	CM 89 LEVEL CM	2477,7286 litre	67,065 %	1216,7844 litre	O

240	CM	70	CM	88 LEVEL CM	2445,3236 litre	66,188 %	1249,1894 litre	O
240	CM	70	CM	87 LEVEL CM	2412,7909 litre	65,307 %	1281,7221 litre	O
240	CM	70	CM	86 LEVEL CM	2380,1380 litre	64,424 %	1314,3750 litre	O
240	CM	70	CM	85 LEVEL CM	2347,3723 litre	63,537 %	1347,1407 litre	O
240	CM	70	CM	84 LEVEL CM	2314,5014 litre	62,647 %	1380,0116 litre	O
240	CM	70	CM	83 LEVEL CM	2281,5325 litre	61,755 %	1412,9805 litre	O
240	CM	70	CM	82 LEVEL CM	2248,4728 litre	60,860 %	1446,0402 litre	O
240	CM	70	CM	81 LEVEL CM	2215,3297 litre	59,963 %	1479,1833 litre	O
240	CM	70	CM	80 LEVEL CM	2182,1101 litre	59,064 %	1512,4029 litre	O
240	CM	70	CM	79 LEVEL CM	2148,8213 litre	58,163 %	1545,6917 litre	O
240	CM	70	CM	78 LEVEL CM	2115,4702 litre	57,260 %	1579,0428 litre	O
240	CM	70	CM	77 LEVEL CM	2082,0639 litre	56,356 %	1612,4491 litre	O
240	CM	70	CM	76 LEVEL CM	2048,6094 litre	55,450 %	1645,9036 litre	O
240	CM	70	CM	75 LEVEL CM	2015,1135 litre	54,543 %	1679,3995 litre	O
240	CM	70	CM	74 LEVEL CM	1981,5833 litre	53,636 %	1712,9297 litre	O
240	CM	70	CM	73 LEVEL CM	1948,0256 litre	52,728 %	1746,4874 litre	O
240	CM	70	CM	72 LEVEL CM	1914,4473 litre	51,819 %	1780,0657 litre	O
240	CM	70	CM	71 LEVEL CM	1880,8553 litre	50,909 %	1813,6577 litre	O
240	CM	70	CM	70 LEVEL CM	1847,2565 litre	50,000 %	1847,2565 litre	O
240	CM	70	CM	69 LEVEL CM	1813,6576 litre	49,091 %	1880,8554 litre	O
240	CM	70	CM	68 LEVEL CM	1780,0656 litre	48,181 %	1914,4474 litre	O
240	CM	70	CM	67 LEVEL CM	1746,4873 litre	47,272 %	1948,0257 litre	O
240	CM	70	CM	66 LEVEL CM	1712,9297 litre	46,364 %	1981,5833 litre	O
240	CM	70	CM	65 LEVEL CM	1679,3994 litre	45,457 %	2015,1136 litre	O
240	CM	70	CM	64 LEVEL CM	1645,9036 litre	44,550 %	2048,6094 litre	O
240	CM	70	CM	63 LEVEL CM	1612,4491 litre	43,644 %	2082,0639 litre	O
240	CM	70	CM	62 LEVEL CM	1579,0428 litre	42,740 %	2115,4702 litre	O
240	CM	70	CM	61 LEVEL CM	1545,6917 litre	41,837 %	2148,8213 litre	O
240	CM	70	CM	60 LEVEL CM	1512,4029 litre	40,936 %	2182,1101 litre	O
240	CM	70	CM	59 LEVEL CM	1479,1833 litre	40,037 %	2215,3297 litre	O
240	CM	70	CM	58 LEVEL CM	1446,0401 litre	39,140 %	2248,4729 litre	O
240	CM	70	CM	57 LEVEL CM	1412,9805 litre	38,245 %	2281,5325 litre	O
240	CM	70	CM	56 LEVEL CM	1380,0116 litre	37,353 %	2314,5014 litre	O
240	CM	70	CM	55 LEVEL CM	1347,1406 litre	36,463 %	2347,3724 litre	O
240	CM	70	CM	54 LEVEL CM	1314,3750 litre	35,576 %	2380,1380 litre	O
240	CM	70	CM	53 LEVEL CM	1281,7221 litre	34,693 %	2412,7909 litre	O
240	CM	70	CM	52 LEVEL CM	1249,1893 litre	33,812 %	2445,3237 litre	O
240	CM	70	CM	51 LEVEL CM	1216,7843 litre	32,935 %	2477,7287 litre	O
240	CM	70	CM	50 LEVEL CM	1184,5147 litre	32,061 %	2509,9983 litre	O
240	CM	70	CM	49 LEVEL CM	1152,3882 litre	31,192 %	2542,1248 litre	O
240	CM	70	CM	48 LEVEL CM	1120,4126 litre	30,326 %	2574,1004 litre	O
240	CM	70	CM	47 LEVEL CM	1088,5960 litre	29,465 %	2605,9170 litre	O
240	CM	70	CM	46 LEVEL CM	1056,9463 litre	28,609 %	2637,5667 litre	O
240	CM	70	CM	45 LEVEL CM	1025,4719 litre	27,757 %	2669,0411 litre	O
240	CM	70	CM	44 LEVEL CM	994,1810 litre	26,910 %	2700,3320 litre	O
240	CM	70	CM	43 LEVEL CM	963,0821 litre	26,068 %	2731,4309 litre	O
240	CM	70	CM	42 LEVEL CM	932,1839 litre	25,232 %	2762,3291 litre	O
240	CM	70	CM	41 LEVEL CM	901,4953 litre	24,401 %	2793,0177 litre	O
240	CM	70	CM	40 LEVEL CM	871,0251 litre	23,576 %	2823,4879 litre	O
240	CM	70	CM	39 LEVEL CM	840,7826 litre	22,758 %	2853,7304 litre	O
240	CM	70	CM	38 LEVEL CM	810,7773 litre	21,945 %	2883,7357 litre	O
240	CM	70	CM	37 LEVEL CM	781,0187 litre	21,140 %	2913,4943 litre	O
240	CM	70	CM	36 LEVEL CM	751,5167 litre	20,341 %	2942,9963 litre	O

240	CM	70	CM	35 LEVEL CM	722,2814 litre	19,550 %	2972,2316 litre	O
240	CM	70	CM	34 LEVEL CM	693,3233 litre	18,766 %	3001,1897 litre	O
240	CM	70	CM	33 LEVEL CM	664,6530 litre	17,990 %	3029,8600 litre	O
240	CM	70	CM	32 LEVEL CM	636,2817 litre	17,222 %	3058,2313 litre	O
240	CM	70	CM	31 LEVEL CM	608,2206 litre	16,463 %	3086,2924 litre	O
240	CM	70	CM	30 LEVEL CM	580,4817 litre	15,712 %	3114,0313 litre	O
240	CM	70	CM	29 LEVEL CM	553,0770 litre	14,970 %	3141,4360 litre	O
240	CM	70	CM	28 LEVEL CM	526,0192 litre	14,238 %	3168,4938 litre	O
240	CM	70	CM	27 LEVEL CM	499,3214 litre	13,515 %	3195,1916 litre	O
240	CM	70	CM	26 LEVEL CM	472,9974 litre	12,803 %	3221,5156 litre	O
240	CM	70	CM	25 LEVEL CM	447,0614 litre	12,101 %	3247,4516 litre	O
240	CM	70	CM	24 LEVEL CM	421,5282 litre	11,410 %	3272,9848 litre	O
240	CM	70	CM	23 LEVEL CM	396,4136 litre	10,730 %	3298,0994 litre	O
240	CM	70	CM	22 LEVEL CM	371,7340 litre	10,062 %	3322,7790 litre	O
240	CM	70	CM	21 LEVEL CM	347,5066 litre	9,406 %	3347,0064 litre	O
240	CM	70	CM	20 LEVEL CM	323,7499 litre	8,763 %	3370,7631 litre	O
240	CM	70	CM	19 LEVEL CM	300,4831 litre	8,133 %	3394,0299 litre	O
240	CM	70	CM	18 LEVEL CM	277,7270 litre	7,517 %	3416,7860 litre	O
240	CM	70	CM	17 LEVEL CM	255,5037 litre	6,916 %	3439,0093 litre	O
240	CM	70	CM	16 LEVEL CM	233,8369 litre	6,329 %	3460,6761 litre	O
240	CM	70	CM	15 LEVEL CM	212,7521 litre	5,759 %	3481,7609 litre	O
240	CM	70	CM	14 LEVEL CM	192,2773 litre	5,204 %	3502,2357 litre	O
240	CM	70	CM	13 LEVEL CM	172,4427 litre	4,668 %	3522,0703 litre	O
240	CM	70	CM	12 LEVEL CM	153,2818 litre	4,149 %	3541,2312 litre	O
240	CM	70	CM	11 LEVEL CM	134,8316 litre	3,650 %	3559,6814 litre	O
240	CM	70	CM	10 LEVEL CM	117,1337 litre	3,170 %	3577,3793 litre	O
240	CM	70	CM	9 LEVEL CM	100,2351 litre	2,713 %	3594,2779 litre	O
240	CM	70	CM	8 LEVEL CM	84,1900 litre	2,279 %	3610,3230 litre	O
240	CM	70	CM	7 LEVEL CM	69,0617 litre	1,869 %	3625,4513 litre	O
240	CM	70	CM	6 LEVEL CM	54,9259 litre	1,487 %	3639,5871 litre	O
240	CM	70	CM	5 LEVEL CM	41,8755 litre	1,133 %	3652,6375 litre	O
240	CM	70	CM	4 LEVEL CM	30,0294 litre	0,813 %	3664,4836 litre	O
240	CM	70	CM	3 LEVEL CM	19,5472 litre	0,529 %	3674,9658 litre	O
240	CM	70	CM	2 LEVEL CM	10,6632 litre	0,289 %	3683,8498 litre	O
240	CM	70	CM	1 LEVEL CM	3,7782 litre	0,102 %	3690,7348 litre	O
240	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	3694,5130 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
240	CM 65	CM 130 LEVEL CM	3185,5750 litre	100,000 %	0,0000 litre	O
240	CM 65	CM 129 LEVEL CM	3181,9348 litre	99,886 %	3,6402 litre	O
240	CM 65	CM 128 LEVEL CM	3175,3030 litre	99,678 %	10,2720 litre	O
240	CM 65	CM 127 LEVEL CM	3166,7483 litre	99,409 %	18,8267 litre	O
240	CM 65	CM 126 LEVEL CM	3156,6574 litre	99,092 %	28,9176 litre	O
240	CM 65	CM 125 LEVEL CM	3145,2568 litre	98,734 %	40,3182 litre	O
240	CM 65	CM 124 LEVEL CM	3132,7010 litre	98,340 %	52,8740 litre	O
240	CM 65	CM 123 LEVEL CM	3119,1049 litre	97,913 %	66,4701 litre	O
240	CM 65	CM 122 LEVEL CM	3104,5587 litre	97,457 %	81,0163 litre	O
240	CM 65	CM 121 LEVEL CM	3089,1358 litre	96,973 %	96,4392 litre	O
240	CM 65	CM 120 LEVEL CM	3072,8976 litre	96,463 %	112,6774 litre	O
240	CM 65	CM 119 LEVEL CM	3055,8967 litre	95,929 %	129,6783 litre	O
240	CM 65	CM 118 LEVEL CM	3038,1790 litre	95,373 %	147,3960 litre	O
240	CM 65	CM 117 LEVEL CM	3019,7848 litre	94,796 %	165,7902 litre	O
240	CM 65	CM 116 LEVEL CM	3000,7504 litre	94,198 %	184,8246 litre	O
240	CM 65	CM 115 LEVEL CM	2981,1082 litre	93,581 %	204,4668 litre	O
240	CM 65	CM 114 LEVEL CM	2960,8880 litre	92,947 %	224,6870 litre	O
240	CM 65	CM 113 LEVEL CM	2940,1169 litre	92,295 %	245,4581 litre	O
240	CM 65	CM 112 LEVEL CM	2918,8200 litre	91,626 %	266,7550 litre	O
240	CM 65	CM 111 LEVEL CM	2897,0205 litre	90,942 %	288,5545 litre	O
240	CM 65	CM 110 LEVEL CM	2874,7401 litre	90,242 %	310,8349 litre	O
240	CM 65	CM 109 LEVEL CM	2851,9991 litre	89,529 %	333,5759 litre	O
240	CM 65	CM 108 LEVEL CM	2828,8165 litre	88,801 %	356,7585 litre	O
240	CM 65	CM 107 LEVEL CM	2805,2105 litre	88,060 %	380,3645 litre	O
240	CM 65	CM 106 LEVEL CM	2781,1979 litre	87,306 %	404,3771 litre	O
240	CM 65	CM 105 LEVEL CM	2756,7952 litre	86,540 %	428,7798 litre	O
240	CM 65	CM 104 LEVEL CM	2732,0176 litre	85,762 %	453,5574 litre	O
240	CM 65	CM 103 LEVEL CM	2706,8800 litre	84,973 %	478,6950 litre	O
240	CM 65	CM 102 LEVEL CM	2681,3964 litre	84,173 %	504,1786 litre	O
240	CM 65	CM 101 LEVEL CM	2655,5805 litre	83,363 %	529,9945 litre	O
240	CM 65	CM 100 LEVEL CM	2629,4453 litre	82,542 %	556,1297 litre	O
240	CM 65	CM 99 LEVEL CM	2603,0033 litre	81,712 %	582,5717 litre	O
240	CM 65	CM 98 LEVEL CM	2576,2666 litre	80,873 %	609,3084 litre	O
240	CM 65	CM 97 LEVEL CM	2549,2471 litre	80,025 %	636,3279 litre	O
240	CM 65	CM 96 LEVEL CM	2521,9561 litre	79,168 %	663,6189 litre	O
240	CM 65	CM 95 LEVEL CM	2494,4046 litre	78,303 %	691,1704 litre	O
240	CM 65	CM 94 LEVEL CM	2466,6033 litre	77,430 %	718,9717 litre	O
240	CM 65	CM 93 LEVEL CM	2438,5627 litre	76,550 %	747,0123 litre	O
240	CM 65	CM 92 LEVEL CM	2410,2930 litre	75,663 %	775,2820 litre	O
240	CM 65	CM 91 LEVEL CM	2381,8041 litre	74,768 %	803,7709 litre	O
240	CM 65	CM 90 LEVEL CM	2353,1057 litre	73,868 %	832,4693 litre	O
240	CM 65	CM 89 LEVEL CM	2324,2072 litre	72,960 %	861,3678 litre	O
240	CM 65	CM 88 LEVEL CM	2295,1181 litre	72,047 %	890,4569 litre	O
240	CM 65	CM 87 LEVEL CM	2265,8473 litre	71,128 %	919,7277 litre	O
240	CM 65	CM 86 LEVEL CM	2236,4039 litre	70,204 %	949,1711 litre	O
240	CM 65	CM 85 LEVEL CM	2206,7965 litre	69,275 %	978,7785 litre	O
240	CM 65	CM 84 LEVEL CM	2177,0340 litre	68,340 %	1008,5410 litre	O
240	CM 65	CM 83 LEVEL CM	2147,1247 litre	67,401 %	1038,4503 litre	O
240	CM 65	CM 82 LEVEL CM	2117,0771 litre	66,458 %	1068,4979 litre	O
240	CM 65	CM 81 LEVEL CM	2086,8994 litre	65,511 %	1098,6756 litre	O
240	CM 65	CM 80 LEVEL CM	2056,5998 litre	64,560 %	1128,9752 litre	O
240	CM 65	CM 79 LEVEL CM	2026,1863 litre	63,605 %	1159,3887 litre	O

240	CM	65	CM	78 LEVEL CM	1995,6670 litre	62,647 %	1189,9080 litre	O
240	CM	65	CM	77 LEVEL CM	1965,0497 litre	61,686 %	1220,5253 litre	O
240	CM	65	CM	76 LEVEL CM	1934,3422 litre	60,722 %	1251,2328 litre	O
240	CM	65	CM	75 LEVEL CM	1903,5523 litre	59,755 %	1282,0227 litre	O
240	CM	65	CM	74 LEVEL CM	1872,6876 litre	58,786 %	1312,8874 litre	O
240	CM	65	CM	73 LEVEL CM	1841,7559 litre	57,815 %	1343,8191 litre	O
240	CM	65	CM	72 LEVEL CM	1810,7646 litre	56,843 %	1374,8104 litre	O
240	CM	65	CM	71 LEVEL CM	1779,7213 litre	55,868 %	1405,8537 litre	O
240	CM	65	CM	70 LEVEL CM	1748,6335 litre	54,892 %	1436,9415 litre	O
240	CM	65	CM	69 LEVEL CM	1717,5087 litre	53,915 %	1468,0663 litre	O
240	CM	65	CM	68 LEVEL CM	1686,3542 litre	52,937 %	1499,2208 litre	O
240	CM	65	CM	67 LEVEL CM	1655,1776 litre	51,959 %	1530,3974 litre	O
240	CM	65	CM	66 LEVEL CM	1623,9862 litre	50,979 %	1561,5888 litre	O
240	CM	65	CM	65 LEVEL CM	1592,7875 litre	50,000 %	1592,7875 litre	O
240	CM	65	CM	64 LEVEL CM	1561,5887 litre	49,021 %	1623,9863 litre	O
240	CM	65	CM	63 LEVEL CM	1530,3973 litre	48,041 %	1655,1777 litre	O
240	CM	65	CM	62 LEVEL CM	1499,2207 litre	47,063 %	1686,3543 litre	O
240	CM	65	CM	61 LEVEL CM	1468,0663 litre	46,085 %	1717,5087 litre	O
240	CM	65	CM	60 LEVEL CM	1436,9415 litre	45,108 %	1748,6335 litre	O
240	CM	65	CM	59 LEVEL CM	1405,8537 litre	44,132 %	1779,7213 litre	O
240	CM	65	CM	58 LEVEL CM	1374,8104 litre	43,157 %	1810,7646 litre	O
240	CM	65	CM	57 LEVEL CM	1343,8191 litre	42,185 %	1841,7559 litre	O
240	CM	65	CM	56 LEVEL CM	1312,8873 litre	41,214 %	1872,6877 litre	O
240	CM	65	CM	55 LEVEL CM	1282,0227 litre	40,245 %	1903,5523 litre	O
240	CM	65	CM	54 LEVEL CM	1251,2327 litre	39,278 %	1934,3423 litre	O
240	CM	65	CM	53 LEVEL CM	1220,5253 litre	38,314 %	1965,0497 litre	O
240	CM	65	CM	52 LEVEL CM	1189,9079 litre	37,353 %	1995,6671 litre	O
240	CM	65	CM	51 LEVEL CM	1159,3886 litre	36,395 %	2026,1864 litre	O
240	CM	65	CM	50 LEVEL CM	1128,9752 litre	35,440 %	2056,5998 litre	O
240	CM	65	CM	49 LEVEL CM	1098,6755 litre	34,489 %	2086,8995 litre	O
240	CM	65	CM	48 LEVEL CM	1068,4979 litre	33,542 %	2117,0771 litre	O
240	CM	65	CM	47 LEVEL CM	1038,4502 litre	32,599 %	2147,1248 litre	O
240	CM	65	CM	46 LEVEL CM	1008,5410 litre	31,660 %	2177,0340 litre	O
240	CM	65	CM	45 LEVEL CM	978,7784 litre	30,725 %	2206,7966 litre	O
240	CM	65	CM	44 LEVEL CM	949,1711 litre	29,796 %	2236,4039 litre	O
240	CM	65	CM	43 LEVEL CM	919,7277 litre	28,872 %	2265,8473 litre	O
240	CM	65	CM	42 LEVEL CM	890,4569 litre	27,953 %	2295,1181 litre	O
240	CM	65	CM	41 LEVEL CM	861,3677 litre	27,040 %	2324,2073 litre	O
240	CM	65	CM	40 LEVEL CM	832,4693 litre	26,132 %	2353,1057 litre	O
240	CM	65	CM	39 LEVEL CM	803,7709 litre	25,232 %	2381,8041 litre	O
240	CM	65	CM	38 LEVEL CM	775,2819 litre	24,337 %	2410,2931 litre	O
240	CM	65	CM	37 LEVEL CM	747,0122 litre	23,450 %	2438,5628 litre	O
240	CM	65	CM	36 LEVEL CM	718,9716 litre	22,570 %	2466,6034 litre	O
240	CM	65	CM	35 LEVEL CM	691,1704 litre	21,697 %	2494,4046 litre	O
240	CM	65	CM	34 LEVEL CM	663,6189 litre	20,832 %	2521,9561 litre	O
240	CM	65	CM	33 LEVEL CM	636,3278 litre	19,975 %	2549,2472 litre	O
240	CM	65	CM	32 LEVEL CM	609,3083 litre	19,127 %	2576,2667 litre	O
240	CM	65	CM	31 LEVEL CM	582,5717 litre	18,288 %	2603,0033 litre	O
240	CM	65	CM	30 LEVEL CM	556,1297 litre	17,458 %	2629,4453 litre	O
240	CM	65	CM	29 LEVEL CM	529,9944 litre	16,637 %	2655,5806 litre	O
240	CM	65	CM	28 LEVEL CM	504,1785 litre	15,827 %	2681,3965 litre	O
240	CM	65	CM	27 LEVEL CM	478,6950 litre	15,027 %	2706,8800 litre	O
240	CM	65	CM	26 LEVEL CM	453,5574 litre	14,238 %	2732,0176 litre	O

240	CM	65	CM	25 LEVEL CM	428,7798 litre	13,460 %	2756,7952 litre	O
240	CM	65	CM	24 LEVEL CM	404,3770 litre	12,694 %	2781,1980 litre	O
240	CM	65	CM	23 LEVEL CM	380,3645 litre	11,940 %	2805,2105 litre	O
240	CM	65	CM	22 LEVEL CM	356,7584 litre	11,199 %	2828,8166 litre	O
240	CM	65	CM	21 LEVEL CM	333,5759 litre	10,471 %	2851,9991 litre	O
240	CM	65	CM	20 LEVEL CM	310,8348 litre	9,758 %	2874,7402 litre	O
240	CM	65	CM	19 LEVEL CM	288,5544 litre	9,058 %	2897,0206 litre	O
240	CM	65	CM	18 LEVEL CM	266,7549 litre	8,374 %	2918,8201 litre	O
240	CM	65	CM	17 LEVEL CM	245,4580 litre	7,705 %	2940,1170 litre	O
240	CM	65	CM	16 LEVEL CM	224,6869 litre	7,053 %	2960,8881 litre	O
240	CM	65	CM	15 LEVEL CM	204,4667 litre	6,419 %	2981,1083 litre	O
240	CM	65	CM	14 LEVEL CM	184,8246 litre	5,802 %	3000,7504 litre	O
240	CM	65	CM	13 LEVEL CM	165,7901 litre	5,204 %	3019,7849 litre	O
240	CM	65	CM	12 LEVEL CM	147,3960 litre	4,627 %	3038,1790 litre	O
240	CM	65	CM	11 LEVEL CM	129,6782 litre	4,071 %	3055,8968 litre	O
240	CM	65	CM	10 LEVEL CM	112,6774 litre	3,537 %	3072,8976 litre	O
240	CM	65	CM	9 LEVEL CM	96,4392 litre	3,027 %	3089,1358 litre	O
240	CM	65	CM	8 LEVEL CM	81,0162 litre	2,543 %	3104,5588 litre	O
240	CM	65	CM	7 LEVEL CM	66,4700 litre	2,087 %	3119,1050 litre	O
240	CM	65	CM	6 LEVEL CM	52,8740 litre	1,660 %	3132,7010 litre	O
240	CM	65	CM	5 LEVEL CM	40,3182 litre	1,266 %	3145,2568 litre	O
240	CM	65	CM	4 LEVEL CM	28,9176 litre	0,908 %	3156,6574 litre	O
240	CM	65	CM	3 LEVEL CM	18,8267 litre	0,591 %	3166,7483 litre	O
240	CM	65	CM	2 LEVEL CM	10,2719 litre	0,322 %	3175,3031 litre	O
240	CM	65	CM	1 LEVEL CM	3,6401 litre	0,114 %	3181,9349 litre	O
240	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	3185,5750 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
240	CM	60	CM 120 LEVEL CM	2714,3361 litre	100,000 %	0,0000 litre	O
240	CM	60	CM 119 LEVEL CM	2710,8394 litre	99,871 %	3,4967 litre	O
240	CM	60	CM 118 LEVEL CM	2704,4709 litre	99,637 %	9,8652 litre	O
240	CM	60	CM 117 LEVEL CM	2696,2586 litre	99,334 %	18,0775 litre	O
240	CM	60	CM 116 LEVEL CM	2686,5748 litre	98,977 %	27,7613 litre	O
240	CM	60	CM 115 LEVEL CM	2675,6378 litre	98,574 %	38,6983 litre	O
240	CM	60	CM 114 LEVEL CM	2663,5969 litre	98,131 %	50,7392 litre	O
240	CM	60	CM 113 LEVEL CM	2650,5629 litre	97,651 %	63,7732 litre	O
240	CM	60	CM 112 LEVEL CM	2636,6231 litre	97,137 %	77,7130 litre	O
240	CM	60	CM 111 LEVEL CM	2621,8485 litre	96,593 %	92,4876 litre	O
240	CM	60	CM 110 LEVEL CM	2606,2987 litre	96,020 %	108,0374 litre	O
240	CM	60	CM 109 LEVEL CM	2590,0247 litre	95,420 %	124,3114 litre	O
240	CM	60	CM 108 LEVEL CM	2573,0711 litre	94,796 %	141,2650 litre	O
240	CM	60	CM 107 LEVEL CM	2555,4771 litre	94,147 %	158,8590 litre	O
240	CM	60	CM 106 LEVEL CM	2537,2779 litre	93,477 %	177,0582 litre	O
240	CM	60	CM 105 LEVEL CM	2518,5054 litre	92,785 %	195,8307 litre	O
240	CM	60	CM 104 LEVEL CM	2499,1883 litre	92,074 %	215,1478 litre	O
240	CM	60	CM 103 LEVEL CM	2479,3534 litre	91,343 %	234,9827 litre	O
240	CM	60	CM 102 LEVEL CM	2459,0251 litre	90,594 %	255,3110 litre	O
240	CM	60	CM 101 LEVEL CM	2438,2261 litre	89,828 %	276,1100 litre	O
240	CM	60	CM 100 LEVEL CM	2416,9778 litre	89,045 %	297,3583 litre	O
240	CM	60	CM 99 LEVEL CM	2395,3000 litre	88,246 %	319,0361 litre	O
240	CM	60	CM 98 LEVEL CM	2373,2116 litre	87,432 %	341,1245 litre	O
240	CM	60	CM 97 LEVEL CM	2350,7303 litre	86,604 %	363,6058 litre	O
240	CM	60	CM 96 LEVEL CM	2327,8730 litre	85,762 %	386,4631 litre	O
240	CM	60	CM 95 LEVEL CM	2304,6556 litre	84,907 %	409,6805 litre	O
240	CM	60	CM 94 LEVEL CM	2281,0933 litre	84,039 %	433,2428 litre	O
240	CM	60	CM 93 LEVEL CM	2257,2010 litre	83,158 %	457,1351 litre	O
240	CM	60	CM 92 LEVEL CM	2232,9924 litre	82,267 %	481,3437 litre	O
240	CM	60	CM 91 LEVEL CM	2208,4812 litre	81,364 %	505,8549 litre	O
240	CM	60	CM 90 LEVEL CM	2183,6803 litre	80,450 %	530,6558 litre	O
240	CM	60	CM 89 LEVEL CM	2158,6023 litre	79,526 %	555,7338 litre	O
240	CM	60	CM 88 LEVEL CM	2133,2592 litre	78,592 %	581,0769 litre	O
240	CM	60	CM 87 LEVEL CM	2107,6628 litre	77,649 %	606,6733 litre	O
240	CM	60	CM 86 LEVEL CM	2081,8245 litre	76,697 %	632,5116 litre	O
240	CM	60	CM 85 LEVEL CM	2055,7554 litre	75,737 %	658,5807 litre	O
240	CM	60	CM 84 LEVEL CM	2029,4662 litre	74,768 %	684,8699 litre	O
240	CM	60	CM 83 LEVEL CM	2002,9676 litre	73,792 %	711,3685 litre	O
240	CM	60	CM 82 LEVEL CM	1976,2697 litre	72,809 %	738,0664 litre	O
240	CM	60	CM 81 LEVEL CM	1949,3826 litre	71,818 %	764,9535 litre	O
240	CM	60	CM 80 LEVEL CM	1922,3161 litre	70,821 %	792,0200 litre	O
240	CM	60	CM 79 LEVEL CM	1895,0800 litre	69,817 %	819,2561 litre	O
240	CM	60	CM 78 LEVEL CM	1867,6835 litre	68,808 %	846,6526 litre	O
240	CM	60	CM 77 LEVEL CM	1840,1361 litre	67,793 %	874,2000 litre	O
240	CM	60	CM 76 LEVEL CM	1812,4469 litre	66,773 %	901,8892 litre	O
240	CM	60	CM 75 LEVEL CM	1784,6249 litre	65,748 %	929,7112 litre	O
240	CM	60	CM 74 LEVEL CM	1756,6789 litre	64,719 %	957,6572 litre	O
240	CM	60	CM 73 LEVEL CM	1728,6177 litre	63,685 %	985,7184 litre	O
240	CM	60	CM 72 LEVEL CM	1700,4500 litre	62,647 %	1013,8861 litre	O
240	CM	60	CM 71 LEVEL CM	1672,1843 litre	61,606 %	1042,1518 litre	O
240	CM	60	CM 70 LEVEL CM	1643,8291 litre	60,561 %	1070,5070 litre	O
240	CM	60	CM 69 LEVEL CM	1615,3927 litre	59,513 %	1098,9434 litre	O

240	CM	60	CM	68 LEVEL CM	1586,8835 litre	58,463 %	1127,4526 litre	O
240	CM	60	CM	67 LEVEL CM	1558,3098 litre	57,410 %	1156,0263 litre	O
240	CM	60	CM	66 LEVEL CM	1529,6796 litre	56,356 %	1184,6565 litre	O
240	CM	60	CM	65 LEVEL CM	1501,0012 litre	55,299 %	1213,3349 litre	O
240	CM	60	CM	64 LEVEL CM	1472,2826 litre	54,241 %	1242,0535 litre	O
240	CM	60	CM	63 LEVEL CM	1443,5320 litre	53,182 %	1270,8041 litre	O
240	CM	60	CM	62 LEVEL CM	1414,7574 litre	52,122 %	1299,5787 litre	O
240	CM	60	CM	61 LEVEL CM	1385,9667 litre	51,061 %	1328,3694 litre	O
240	CM	60	CM	60 LEVEL CM	1357,1680 litre	50,000 %	1357,1681 litre	O
240	CM	60	CM	59 LEVEL CM	1328,3694 litre	48,939 %	1385,9667 litre	O
240	CM	60	CM	58 LEVEL CM	1299,5787 litre	47,878 %	1414,7574 litre	O
240	CM	60	CM	57 LEVEL CM	1270,8040 litre	46,818 %	1443,5321 litre	O
240	CM	60	CM	56 LEVEL CM	1242,0534 litre	45,759 %	1472,2827 litre	O
240	CM	60	CM	55 LEVEL CM	1213,3349 litre	44,701 %	1501,0012 litre	O
240	CM	60	CM	54 LEVEL CM	1184,6565 litre	43,644 %	1529,6796 litre	O
240	CM	60	CM	53 LEVEL CM	1156,0263 litre	42,590 %	1558,3098 litre	O
240	CM	60	CM	52 LEVEL CM	1127,4525 litre	41,537 %	1586,8836 litre	O
240	CM	60	CM	51 LEVEL CM	1098,9433 litre	40,487 %	1615,3928 litre	O
240	CM	60	CM	50 LEVEL CM	1070,5070 litre	39,439 %	1643,8291 litre	O
240	CM	60	CM	49 LEVEL CM	1042,1517 litre	38,394 %	1672,1844 litre	O
240	CM	60	CM	48 LEVEL CM	1013,8861 litre	37,353 %	1700,4500 litre	O
240	CM	60	CM	47 LEVEL CM	985,7183 litre	36,315 %	1728,6178 litre	O
240	CM	60	CM	46 LEVEL CM	957,6572 litre	35,281 %	1756,6789 litre	O
240	CM	60	CM	45 LEVEL CM	929,7112 litre	34,252 %	1784,6249 litre	O
240	CM	60	CM	44 LEVEL CM	901,8891 litre	33,227 %	1812,4470 litre	O
240	CM	60	CM	43 LEVEL CM	874,1999 litre	32,207 %	1840,1362 litre	O
240	CM	60	CM	42 LEVEL CM	846,6525 litre	31,192 %	1867,6836 litre	O
240	CM	60	CM	41 LEVEL CM	819,2561 litre	30,183 %	1895,0800 litre	O
240	CM	60	CM	40 LEVEL CM	792,0199 litre	29,179 %	1922,3162 litre	O
240	CM	60	CM	39 LEVEL CM	764,9535 litre	28,182 %	1949,3826 litre	O
240	CM	60	CM	38 LEVEL CM	738,0664 litre	27,191 %	1976,2697 litre	O
240	CM	60	CM	37 LEVEL CM	711,3685 litre	26,208 %	2002,9676 litre	O
240	CM	60	CM	36 LEVEL CM	684,8698 litre	25,232 %	2029,4663 litre	O
240	CM	60	CM	35 LEVEL CM	658,5807 litre	24,263 %	2055,7554 litre	O
240	CM	60	CM	34 LEVEL CM	632,5116 litre	23,303 %	2081,8245 litre	O
240	CM	60	CM	33 LEVEL CM	606,6733 litre	22,351 %	2107,6628 litre	O
240	CM	60	CM	32 LEVEL CM	581,0769 litre	21,408 %	2133,2592 litre	O
240	CM	60	CM	31 LEVEL CM	555,7338 litre	20,474 %	2158,6023 litre	O
240	CM	60	CM	30 LEVEL CM	530,6557 litre	19,550 %	2183,6804 litre	O
240	CM	60	CM	29 LEVEL CM	505,8548 litre	18,636 %	2208,4813 litre	O
240	CM	60	CM	28 LEVEL CM	481,3436 litre	17,733 %	2232,9925 litre	O
240	CM	60	CM	27 LEVEL CM	457,1351 litre	16,842 %	2257,2010 litre	O
240	CM	60	CM	26 LEVEL CM	433,2427 litre	15,961 %	2281,0934 litre	O
240	CM	60	CM	25 LEVEL CM	409,6805 litre	15,093 %	2304,6556 litre	O
240	CM	60	CM	24 LEVEL CM	386,4631 litre	14,238 %	2327,8730 litre	O
240	CM	60	CM	23 LEVEL CM	363,6057 litre	13,396 %	2350,7304 litre	O
240	CM	60	CM	22 LEVEL CM	341,1244 litre	12,568 %	2373,2117 litre	O
240	CM	60	CM	21 LEVEL CM	319,0360 litre	11,754 %	2395,3001 litre	O
240	CM	60	CM	20 LEVEL CM	297,3583 litre	10,955 %	2416,9778 litre	O
240	CM	60	CM	19 LEVEL CM	276,1100 litre	10,172 %	2438,2261 litre	O
240	CM	60	CM	18 LEVEL CM	255,3110 litre	9,406 %	2459,0251 litre	O
240	CM	60	CM	17 LEVEL CM	234,9827 litre	8,657 %	2479,3534 litre	O
240	CM	60	CM	16 LEVEL CM	215,1477 litre	7,926 %	2499,1884 litre	O

240	CM	60	CM	15 LEVEL CM	195,8307 litre	7,215 %	2518,5054 litre	O
240	CM	60	CM	14 LEVEL CM	177,0581 litre	6,523 %	2537,2780 litre	O
240	CM	60	CM	13 LEVEL CM	158,8589 litre	5,853 %	2555,4772 litre	O
240	CM	60	CM	12 LEVEL CM	141,2650 litre	5,204 %	2573,0711 litre	O
240	CM	60	CM	11 LEVEL CM	124,3113 litre	4,580 %	2590,0248 litre	O
240	CM	60	CM	10 LEVEL CM	108,0373 litre	3,980 %	2606,2988 litre	O
240	CM	60	CM	9 LEVEL CM	92,4875 litre	3,407 %	2621,8486 litre	O
240	CM	60	CM	8 LEVEL CM	77,7129 litre	2,863 %	2636,6232 litre	O
240	CM	60	CM	7 LEVEL CM	63,7731 litre	2,349 %	2650,5630 litre	O
240	CM	60	CM	6 LEVEL CM	50,7392 litre	1,869 %	2663,5969 litre	O
240	CM	60	CM	5 LEVEL CM	38,6982 litre	1,426 %	2675,6379 litre	O
240	CM	60	CM	4 LEVEL CM	27,7613 litre	1,023 %	2686,5748 litre	O
240	CM	60	CM	3 LEVEL CM	18,0775 litre	0,666 %	2696,2586 litre	O
240	CM	60	CM	2 LEVEL CM	9,8651 litre	0,363 %	2704,4710 litre	O
240	CM	60	CM	1 LEVEL CM	3,4966 litre	0,129 %	2710,8395 litre	O
240	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2714,3361 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
240	CM	55	CM 110 LEVEL CM	2280,7963 litre	100,000 %	0,0000 litre	O
240	CM	55	CM 109 LEVEL CM	2277,4492 litre	99,853 %	3,3471 litre	O
240	CM	55	CM 108 LEVEL CM	2271,3555 litre	99,586 %	9,4408 litre	O
240	CM	55	CM 107 LEVEL CM	2263,5004 litre	99,242 %	17,2959 litre	O
240	CM	55	CM 106 LEVEL CM	2254,2416 litre	98,836 %	26,5547 litre	O
240	CM	55	CM 105 LEVEL CM	2243,7889 litre	98,377 %	37,0074 litre	O
240	CM	55	CM 104 LEVEL CM	2232,2858 litre	97,873 %	48,5105 litre	O
240	CM	55	CM 103 LEVEL CM	2219,8393 litre	97,327 %	60,9570 litre	O
240	CM	55	CM 102 LEVEL CM	2206,5335 litre	96,744 %	74,2628 litre	O
240	CM	55	CM 101 LEVEL CM	2192,4370 litre	96,126 %	88,3593 litre	O
240	CM	55	CM 100 LEVEL CM	2177,6075 litre	95,476 %	103,1888 litre	O
240	CM	55	CM 99 LEVEL CM	2162,0945 litre	94,796 %	118,7018 litre	O
240	CM	55	CM 98 LEVEL CM	2145,9410 litre	94,087 %	134,8553 litre	O
240	CM	55	CM 97 LEVEL CM	2129,1853 litre	93,353 %	151,6110 litre	O
240	CM	55	CM 96 LEVEL CM	2111,8617 litre	92,593 %	168,9346 litre	O
240	CM	55	CM 95 LEVEL CM	2094,0010 litre	91,810 %	186,7953 litre	O
240	CM	55	CM 94 LEVEL CM	2075,6315 litre	91,005 %	205,1648 litre	O
240	CM	55	CM 93 LEVEL CM	2056,7791 litre	90,178 %	224,0172 litre	O
240	CM	55	CM 92 LEVEL CM	2037,4679 litre	89,331 %	243,3284 litre	O
240	CM	55	CM 91 LEVEL CM	2017,7201 litre	88,466 %	263,0762 litre	O
240	CM	55	CM 90 LEVEL CM	1997,5566 litre	87,582 %	283,2397 litre	O
240	CM	55	CM 89 LEVEL CM	1976,9971 litre	86,680 %	303,7992 litre	O
240	CM	55	CM 88 LEVEL CM	1956,0599 litre	85,762 %	324,7364 litre	O
240	CM	55	CM 87 LEVEL CM	1934,7627 litre	84,828 %	346,0336 litre	O
240	CM	55	CM 86 LEVEL CM	1913,1221 litre	83,880 %	367,6742 litre	O
240	CM	55	CM 85 LEVEL CM	1891,1539 litre	82,916 %	389,6424 litre	O
240	CM	55	CM 84 LEVEL CM	1868,8732 litre	81,940 %	411,9231 litre	O
240	CM	55	CM 83 LEVEL CM	1846,2947 litre	80,950 %	434,5016 litre	O
240	CM	55	CM 82 LEVEL CM	1823,4322 litre	79,947 %	457,3641 litre	O
240	CM	55	CM 81 LEVEL CM	1800,2991 litre	78,933 %	480,4972 litre	O
240	CM	55	CM 80 LEVEL CM	1776,9086 litre	77,907 %	503,8877 litre	O
240	CM	55	CM 79 LEVEL CM	1753,2731 litre	76,871 %	527,5232 litre	O
240	CM	55	CM 78 LEVEL CM	1729,4047 litre	75,825 %	551,3916 litre	O
240	CM	55	CM 77 LEVEL CM	1705,3154 litre	74,768 %	575,4809 litre	O
240	CM	55	CM 76 LEVEL CM	1681,0165 litre	73,703 %	599,7798 litre	O
240	CM	55	CM 75 LEVEL CM	1656,5193 litre	72,629 %	624,2770 litre	O
240	CM	55	CM 74 LEVEL CM	1631,8347 litre	71,547 %	648,9616 litre	O
240	CM	55	CM 73 LEVEL CM	1606,9734 litre	70,457 %	673,8229 litre	O
240	CM	55	CM 72 LEVEL CM	1581,9459 litre	69,359 %	698,8504 litre	O
240	CM	55	CM 71 LEVEL CM	1556,7623 litre	68,255 %	724,0340 litre	O
240	CM	55	CM 70 LEVEL CM	1531,4328 litre	67,145 %	749,3635 litre	O
240	CM	55	CM 69 LEVEL CM	1505,9671 litre	66,028 %	774,8292 litre	O
240	CM	55	CM 68 LEVEL CM	1480,3752 litre	64,906 %	800,4211 litre	O
240	CM	55	CM 67 LEVEL CM	1454,6664 litre	63,779 %	826,1299 litre	O
240	CM	55	CM 66 LEVEL CM	1428,8503 litre	62,647 %	851,9460 litre	O
240	CM	55	CM 65 LEVEL CM	1402,9363 litre	61,511 %	877,8600 litre	O
240	CM	55	CM 64 LEVEL CM	1376,9335 litre	60,371 %	903,8628 litre	O
240	CM	55	CM 63 LEVEL CM	1350,8510 litre	59,227 %	929,9453 litre	O
240	CM	55	CM 62 LEVEL CM	1324,6980 litre	58,081 %	956,0983 litre	O
240	CM	55	CM 61 LEVEL CM	1298,4834 litre	56,931 %	982,3129 litre	O
240	CM	55	CM 60 LEVEL CM	1272,2161 litre	55,779 %	1008,5802 litre	O
240	CM	55	CM 59 LEVEL CM	1245,9050 litre	54,626 %	1034,8913 litre	O

240	CM	55	CM	58 LEVEL CM	1219,5588 litre	53,471 %	1061,2375 litre	O
240	CM	55	CM	57 LEVEL CM	1193,1865 litre	52,314 %	1087,6098 litre	O
240	CM	55	CM	56 LEVEL CM	1166,7967 litre	51,157 %	1113,9996 litre	O
240	CM	55	CM	55 LEVEL CM	1140,3981 litre	50,000 %	1140,3982 litre	O
240	CM	55	CM	54 LEVEL CM	1113,9996 litre	48,843 %	1166,7967 litre	O
240	CM	55	CM	53 LEVEL CM	1087,6098 litre	47,686 %	1193,1865 litre	O
240	CM	55	CM	52 LEVEL CM	1061,2374 litre	46,529 %	1219,5589 litre	O
240	CM	55	CM	51 LEVEL CM	1034,8913 litre	45,374 %	1245,9050 litre	O
240	CM	55	CM	50 LEVEL CM	1008,5802 litre	44,221 %	1272,2161 litre	O
240	CM	55	CM	49 LEVEL CM	982,3129 litre	43,069 %	1298,4834 litre	O
240	CM	55	CM	48 LEVEL CM	956,0983 litre	41,919 %	1324,6980 litre	O
240	CM	55	CM	47 LEVEL CM	929,9452 litre	40,773 %	1350,8511 litre	O
240	CM	55	CM	46 LEVEL CM	903,8628 litre	39,629 %	1376,9335 litre	O
240	CM	55	CM	45 LEVEL CM	877,8600 litre	38,489 %	1402,9363 litre	O
240	CM	55	CM	44 LEVEL CM	851,9459 litre	37,353 %	1428,8504 litre	O
240	CM	55	CM	43 LEVEL CM	826,1298 litre	36,221 %	1454,6665 litre	O
240	CM	55	CM	42 LEVEL CM	800,4211 litre	35,094 %	1480,3752 litre	O
240	CM	55	CM	41 LEVEL CM	774,8291 litre	33,972 %	1505,9672 litre	O
240	CM	55	CM	40 LEVEL CM	749,3635 litre	32,855 %	1531,4328 litre	O
240	CM	55	CM	39 LEVEL CM	724,0340 litre	31,745 %	1556,7623 litre	O
240	CM	55	CM	38 LEVEL CM	698,8504 litre	30,641 %	1581,9459 litre	O
240	CM	55	CM	37 LEVEL CM	673,8228 litre	29,543 %	1606,9735 litre	O
240	CM	55	CM	36 LEVEL CM	648,9615 litre	28,453 %	1631,8348 litre	O
240	CM	55	CM	35 LEVEL CM	624,2770 litre	27,371 %	1656,5193 litre	O
240	CM	55	CM	34 LEVEL CM	599,7798 litre	26,297 %	1681,0165 litre	O
240	CM	55	CM	33 LEVEL CM	575,4809 litre	25,232 %	1705,3154 litre	O
240	CM	55	CM	32 LEVEL CM	551,3916 litre	24,175 %	1729,4047 litre	O
240	CM	55	CM	31 LEVEL CM	527,5232 litre	23,129 %	1753,2731 litre	O
240	CM	55	CM	30 LEVEL CM	503,8877 litre	22,093 %	1776,9086 litre	O
240	CM	55	CM	29 LEVEL CM	480,4971 litre	21,067 %	1800,2992 litre	O
240	CM	55	CM	28 LEVEL CM	457,3641 litre	20,053 %	1823,4322 litre	O
240	CM	55	CM	27 LEVEL CM	434,5016 litre	19,050 %	1846,2947 litre	O
240	CM	55	CM	26 LEVEL CM	411,9230 litre	18,060 %	1868,8733 litre	O
240	CM	55	CM	25 LEVEL CM	389,6424 litre	17,084 %	1891,1539 litre	O
240	CM	55	CM	24 LEVEL CM	367,6742 litre	16,120 %	1913,1221 litre	O
240	CM	55	CM	23 LEVEL CM	346,0335 litre	15,172 %	1934,7628 litre	O
240	CM	55	CM	22 LEVEL CM	324,7363 litre	14,238 %	1956,0600 litre	O
240	CM	55	CM	21 LEVEL CM	303,7992 litre	13,320 %	1976,9971 litre	O
240	CM	55	CM	20 LEVEL CM	283,2397 litre	12,418 %	1997,5566 litre	O
240	CM	55	CM	19 LEVEL CM	263,0762 litre	11,534 %	2017,7201 litre	O
240	CM	55	CM	18 LEVEL CM	243,3284 litre	10,669 %	2037,4679 litre	O
240	CM	55	CM	17 LEVEL CM	224,0172 litre	9,822 %	2056,7791 litre	O
240	CM	55	CM	16 LEVEL CM	205,1648 litre	8,995 %	2075,6315 litre	O
240	CM	55	CM	15 LEVEL CM	186,7953 litre	8,190 %	2094,0010 litre	O
240	CM	55	CM	14 LEVEL CM	168,9346 litre	7,407 %	2111,8617 litre	O
240	CM	55	CM	13 LEVEL CM	151,6109 litre	6,647 %	2129,1854 litre	O
240	CM	55	CM	12 LEVEL CM	134,8553 litre	5,913 %	2145,9410 litre	O
240	CM	55	CM	11 LEVEL CM	118,7018 litre	5,204 %	2162,0945 litre	O
240	CM	55	CM	10 LEVEL CM	103,1888 litre	4,524 %	2177,6075 litre	O
240	CM	55	CM	9 LEVEL CM	88,3593 litre	3,874 %	2192,4370 litre	O
240	CM	55	CM	8 LEVEL CM	74,2628 litre	3,256 %	2206,5335 litre	O
240	CM	55	CM	7 LEVEL CM	60,9570 litre	2,673 %	2219,8393 litre	O
240	CM	55	CM	6 LEVEL CM	48,5105 litre	2,127 %	2232,2858 litre	O

240	CM	55	CM	5 LEVEL CM	37,0074 litre	1,623 %	2243,7889 litre	O
240	CM	55	CM	4 LEVEL CM	26,5547 litre	1,164 %	2254,2416 litre	O
240	CM	55	CM	3 LEVEL CM	17,2959 litre	0,758 %	2263,5004 litre	O
240	CM	55	CM	2 LEVEL CM	9,4408 litre	0,414 %	2271,3555 litre	O
240	CM	55	CM	1 LEVEL CM	3,3470 litre	0,147 %	2277,4493 litre	O
240	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2280,7963 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
240	CM	50	CM	100 LEVEL CM	1884,9556 litre	100,000 %	0,0000 litre	O
240	CM	50	CM	99 LEVEL CM	1881,7652 litre	99,831 %	3,1904 litre	O
240	CM	50	CM	98 LEVEL CM	1875,9591 litre	99,523 %	8,9965 litre	O
240	CM	50	CM	97 LEVEL CM	1868,4784 litre	99,126 %	16,4772 litre	O
240	CM	50	CM	96 LEVEL CM	1859,6650 litre	98,658 %	25,2906 litre	O
240	CM	50	CM	95 LEVEL CM	1849,7200 litre	98,131 %	35,2356 litre	O
240	CM	50	CM	94 LEVEL CM	1838,7812 litre	97,550 %	46,1744 litre	O
240	CM	50	CM	93 LEVEL CM	1826,9513 litre	96,923 %	58,0043 litre	O
240	CM	50	CM	92 LEVEL CM	1814,3113 litre	96,252 %	70,6443 litre	O
240	CM	50	CM	91 LEVEL CM	1800,9273 litre	95,542 %	84,0283 litre	O
240	CM	50	CM	90 LEVEL CM	1786,8549 litre	94,796 %	98,1007 litre	O
240	CM	50	CM	89 LEVEL CM	1772,1421 litre	94,015 %	112,8135 litre	O
240	CM	50	CM	88 LEVEL CM	1756,8306 litre	93,203 %	128,1250 litre	O
240	CM	50	CM	87 LEVEL CM	1740,9575 litre	92,361 %	143,9981 litre	O
240	CM	50	CM	86 LEVEL CM	1724,5560 litre	91,491 %	160,3996 litre	O
240	CM	50	CM	85 LEVEL CM	1707,6563 litre	90,594 %	177,2993 litre	O
240	CM	50	CM	84 LEVEL CM	1690,2859 litre	89,672 %	194,6697 litre	O
240	CM	50	CM	83 LEVEL CM	1672,4702 litre	88,727 %	212,4854 litre	O
240	CM	50	CM	82 LEVEL CM	1654,2327 litre	87,760 %	230,7229 litre	O
240	CM	50	CM	81 LEVEL CM	1635,5953 litre	86,771 %	249,3603 litre	O
240	CM	50	CM	80 LEVEL CM	1616,5785 litre	85,762 %	268,3771 litre	O
240	CM	50	CM	79 LEVEL CM	1597,2015 litre	84,734 %	287,7541 litre	O
240	CM	50	CM	78 LEVEL CM	1577,4828 litre	83,688 %	307,4728 litre	O
240	CM	50	CM	77 LEVEL CM	1557,4395 litre	82,625 %	327,5161 litre	O
240	CM	50	CM	76 LEVEL CM	1537,0882 litre	81,545 %	347,8674 litre	O
240	CM	50	CM	75 LEVEL CM	1516,4447 litre	80,450 %	368,5109 litre	O
240	CM	50	CM	74 LEVEL CM	1495,5239 litre	79,340 %	389,4317 litre	O
240	CM	50	CM	73 LEVEL CM	1474,3405 litre	78,216 %	410,6151 litre	O
240	CM	50	CM	72 LEVEL CM	1452,9084 litre	77,079 %	432,0472 litre	O
240	CM	50	CM	71 LEVEL CM	1431,2411 litre	75,930 %	453,7145 litre	O
240	CM	50	CM	70 LEVEL CM	1409,3515 litre	74,768 %	475,6041 litre	O
240	CM	50	CM	69 LEVEL CM	1387,2525 litre	73,596 %	497,7031 litre	O
240	CM	50	CM	68 LEVEL CM	1364,9562 litre	72,413 %	519,9994 litre	O
240	CM	50	CM	67 LEVEL CM	1342,4747 litre	71,220 %	542,4809 litre	O
240	CM	50	CM	66 LEVEL CM	1319,8197 litre	70,019 %	565,1359 litre	O
240	CM	50	CM	65 LEVEL CM	1297,0024 litre	68,808 %	587,9532 litre	O
240	CM	50	CM	64 LEVEL CM	1274,0343 litre	67,590 %	610,9213 litre	O
240	CM	50	CM	63 LEVEL CM	1250,9261 litre	66,364 %	634,0295 litre	O
240	CM	50	CM	62 LEVEL CM	1227,6886 litre	65,131 %	657,2670 litre	O
240	CM	50	CM	61 LEVEL CM	1204,3325 litre	63,892 %	680,6231 litre	O
240	CM	50	CM	60 LEVEL CM	1180,8681 litre	62,647 %	704,0875 litre	O
240	CM	50	CM	59 LEVEL CM	1157,3057 litre	61,397 %	727,6499 litre	O
240	CM	50	CM	58 LEVEL CM	1133,6554 litre	60,142 %	751,3002 litre	O
240	CM	50	CM	57 LEVEL CM	1109,9274 litre	58,883 %	775,0282 litre	O
240	CM	50	CM	56 LEVEL CM	1086,1314 litre	57,621 %	798,8242 litre	O
240	CM	50	CM	55 LEVEL CM	1062,2775 litre	56,356 %	822,6781 litre	O
240	CM	50	CM	54 LEVEL CM	1038,3753 litre	55,088 %	846,5803 litre	O
240	CM	50	CM	53 LEVEL CM	1014,4346 litre	53,817 %	870,5210 litre	O
240	CM	50	CM	52 LEVEL CM	990,4650 litre	52,546 %	894,4906 litre	O
240	CM	50	CM	51 LEVEL CM	966,4762 litre	51,273 %	918,4794 litre	O
240	CM	50	CM	50 LEVEL CM	942,4778 litre	50,000 %	942,4778 litre	O
240	CM	50	CM	49 LEVEL CM	918,4794 litre	48,727 %	966,4762 litre	O

240	CM	50	CM	48 LEVEL CM	894,4906 litre	47,454 %	990,4650 litre	O
240	CM	50	CM	47 LEVEL CM	870,5210 litre	46,183 %	1014,4346 litre	O
240	CM	50	CM	46 LEVEL CM	846,5803 litre	44,912 %	1038,3753 litre	O
240	CM	50	CM	45 LEVEL CM	822,6781 litre	43,644 %	1062,2775 litre	O
240	CM	50	CM	44 LEVEL CM	798,8241 litre	42,379 %	1086,1315 litre	O
240	CM	50	CM	43 LEVEL CM	775,0282 litre	41,117 %	1109,9274 litre	O
240	CM	50	CM	42 LEVEL CM	751,3002 litre	39,858 %	1133,6554 litre	O
240	CM	50	CM	41 LEVEL CM	727,6499 litre	38,603 %	1157,3057 litre	O
240	CM	50	CM	40 LEVEL CM	704,0875 litre	37,353 %	1180,8681 litre	O
240	CM	50	CM	39 LEVEL CM	680,6231 litre	36,108 %	1204,3325 litre	O
240	CM	50	CM	38 LEVEL CM	657,2670 litre	34,869 %	1227,6886 litre	O
240	CM	50	CM	37 LEVEL CM	634,0295 litre	33,636 %	1250,9261 litre	O
240	CM	50	CM	36 LEVEL CM	610,9213 litre	32,410 %	1274,0343 litre	O
240	CM	50	CM	35 LEVEL CM	587,9531 litre	31,192 %	1297,0025 litre	O
240	CM	50	CM	34 LEVEL CM	565,1359 litre	29,981 %	1319,8197 litre	O
240	CM	50	CM	33 LEVEL CM	542,4809 litre	28,780 %	1342,4747 litre	O
240	CM	50	CM	32 LEVEL CM	519,9994 litre	27,587 %	1364,9562 litre	O
240	CM	50	CM	31 LEVEL CM	497,7031 litre	26,404 %	1387,2525 litre	O
240	CM	50	CM	30 LEVEL CM	475,6041 litre	25,232 %	1409,3515 litre	O
240	CM	50	CM	29 LEVEL CM	453,7145 litre	24,070 %	1431,2411 litre	O
240	CM	50	CM	28 LEVEL CM	432,0472 litre	22,921 %	1452,9084 litre	O
240	CM	50	CM	27 LEVEL CM	410,6151 litre	21,784 %	1474,3405 litre	O
240	CM	50	CM	26 LEVEL CM	389,4316 litre	20,660 %	1495,5240 litre	O
240	CM	50	CM	25 LEVEL CM	368,5109 litre	19,550 %	1516,4447 litre	O
240	CM	50	CM	24 LEVEL CM	347,8674 litre	18,455 %	1537,0882 litre	O
240	CM	50	CM	23 LEVEL CM	327,5161 litre	17,375 %	1557,4395 litre	O
240	CM	50	CM	22 LEVEL CM	307,4728 litre	16,312 %	1577,4828 litre	O
240	CM	50	CM	21 LEVEL CM	287,7540 litre	15,266 %	1597,2016 litre	O
240	CM	50	CM	20 LEVEL CM	268,3771 litre	14,238 %	1616,5785 litre	O
240	CM	50	CM	19 LEVEL CM	249,3603 litre	13,229 %	1635,5953 litre	O
240	CM	50	CM	18 LEVEL CM	230,7229 litre	12,240 %	1654,2327 litre	O
240	CM	50	CM	17 LEVEL CM	212,4854 litre	11,273 %	1672,4702 litre	O
240	CM	50	CM	16 LEVEL CM	194,6697 litre	10,328 %	1690,2859 litre	O
240	CM	50	CM	15 LEVEL CM	177,2993 litre	9,406 %	1707,6563 litre	O
240	CM	50	CM	14 LEVEL CM	160,3996 litre	8,509 %	1724,5560 litre	O
240	CM	50	CM	13 LEVEL CM	143,9981 litre	7,639 %	1740,9575 litre	O
240	CM	50	CM	12 LEVEL CM	128,1250 litre	6,797 %	1756,8306 litre	O
240	CM	50	CM	11 LEVEL CM	112,8135 litre	5,985 %	1772,1421 litre	O
240	CM	50	CM	10 LEVEL CM	98,1007 litre	5,204 %	1786,8549 litre	O
240	CM	50	CM	9 LEVEL CM	84,0283 litre	4,458 %	1800,9273 litre	O
240	CM	50	CM	8 LEVEL CM	70,6443 litre	3,748 %	1814,3113 litre	O
240	CM	50	CM	7 LEVEL CM	58,0043 litre	3,077 %	1826,9513 litre	O
240	CM	50	CM	6 LEVEL CM	46,1744 litre	2,450 %	1838,7812 litre	O
240	CM	50	CM	5 LEVEL CM	35,2355 litre	1,869 %	1849,7201 litre	O
240	CM	50	CM	4 LEVEL CM	25,2906 litre	1,342 %	1859,6650 litre	O
240	CM	50	CM	3 LEVEL CM	16,4772 litre	0,874 %	1868,4784 litre	O
240	CM	50	CM	2 LEVEL CM	8,9965 litre	0,477 %	1875,9591 litre	O
240	CM	50	CM	1 LEVEL CM	3,1904 litre	0,169 %	1881,7652 litre	O
240	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1884,9556 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
230	CM 100	CM 200 LEVEL CM	7225,6631 litre	100,000 %	0,0000 litre	O
230	CM 100	CM 199 LEVEL CM	7221,3327 litre	99,940 %	4,3304 litre	O
230	CM 100	CM 198 LEVEL CM	7213,4333 litre	99,831 %	12,2298 litre	O
230	CM 100	CM 197 LEVEL CM	7203,2295 litre	99,690 %	22,4336 litre	O
230	CM 100	CM 196 LEVEL CM	7191,1767 litre	99,523 %	34,4864 litre	O
230	CM 100	CM 195 LEVEL CM	7177,5401 litre	99,334 %	48,1230 litre	O
230	CM 100	CM 194 LEVEL CM	7162,5004 litre	99,126 %	63,1627 litre	O
230	CM 100	CM 193 LEVEL CM	7146,1909 litre	98,900 %	79,4722 litre	O
230	CM 100	CM 192 LEVEL CM	7128,7159 litre	98,658 %	96,9472 litre	O
230	CM 100	CM 191 LEVEL CM	7110,1600 litre	98,401 %	115,5031 litre	O
230	CM 100	CM 190 LEVEL CM	7090,5935 litre	98,131 %	135,0696 litre	O
230	CM 100	CM 189 LEVEL CM	7070,0766 litre	97,847 %	155,5865 litre	O
230	CM 100	CM 188 LEVEL CM	7048,6613 litre	97,550 %	177,0018 litre	O
230	CM 100	CM 187 LEVEL CM	7026,3934 litre	97,242 %	199,2697 litre	O
230	CM 100	CM 186 LEVEL CM	7003,3134 litre	96,923 %	222,3497 litre	O
230	CM 100	CM 185 LEVEL CM	6979,4579 litre	96,593 %	246,2052 litre	O
230	CM 100	CM 184 LEVEL CM	6954,8599 litre	96,252 %	270,8032 litre	O
230	CM 100	CM 183 LEVEL CM	6929,5495 litre	95,902 %	296,1136 litre	O
230	CM 100	CM 182 LEVEL CM	6903,5545 litre	95,542 %	322,1086 litre	O
230	CM 100	CM 181 LEVEL CM	6876,9003 litre	95,173 %	348,7628 litre	O
230	CM 100	CM 180 LEVEL CM	6849,6106 litre	94,796 %	376,0525 litre	O
230	CM 100	CM 179 LEVEL CM	6821,7074 litre	94,409 %	403,9557 litre	O
230	CM 100	CM 178 LEVEL CM	6793,2114 litre	94,015 %	432,4517 litre	O
230	CM 100	CM 177 LEVEL CM	6764,1419 litre	93,613 %	461,5212 litre	O
230	CM 100	CM 176 LEVEL CM	6734,5172 litre	93,203 %	491,1459 litre	O
230	CM 100	CM 175 LEVEL CM	6704,3546 litre	92,785 %	521,3085 litre	O
230	CM 100	CM 174 LEVEL CM	6673,6703 litre	92,361 %	551,9928 litre	O
230	CM 100	CM 173 LEVEL CM	6642,4798 litre	91,929 %	583,1833 litre	O
230	CM 100	CM 172 LEVEL CM	6610,7979 litre	91,491 %	614,8652 litre	O
230	CM 100	CM 171 LEVEL CM	6578,6388 litre	91,045 %	647,0243 litre	O
230	CM 100	CM 170 LEVEL CM	6546,0158 litre	90,594 %	679,6473 litre	O
230	CM 100	CM 169 LEVEL CM	6512,9418 litre	90,136 %	712,7213 litre	O
230	CM 100	CM 168 LEVEL CM	6479,4294 litre	89,672 %	746,2337 litre	O
230	CM 100	CM 167 LEVEL CM	6445,4902 litre	89,203 %	780,1729 litre	O
230	CM 100	CM 166 LEVEL CM	6411,1359 litre	88,727 %	814,5272 litre	O
230	CM 100	CM 165 LEVEL CM	6376,3774 litre	88,246 %	849,2857 litre	O
230	CM 100	CM 164 LEVEL CM	6341,2254 litre	87,760 %	884,4377 litre	O
230	CM 100	CM 163 LEVEL CM	6305,6903 litre	87,268 %	919,9728 litre	O
230	CM 100	CM 162 LEVEL CM	6269,7819 litre	86,771 %	955,8812 litre	O
230	CM 100	CM 161 LEVEL CM	6233,5101 litre	86,269 %	992,1530 litre	O
230	CM 100	CM 160 LEVEL CM	6196,8841 litre	85,762 %	1028,7790 litre	O
230	CM 100	CM 159 LEVEL CM	6159,9131 litre	85,250 %	1065,7500 litre	O
230	CM 100	CM 158 LEVEL CM	6122,6059 litre	84,734 %	1103,0572 litre	O
230	CM 100	CM 157 LEVEL CM	6084,9712 litre	84,213 %	1140,6919 litre	O
230	CM 100	CM 156 LEVEL CM	6047,0174 litre	83,688 %	1178,6457 litre	O
230	CM 100	CM 155 LEVEL CM	6008,7526 litre	83,158 %	1216,9105 litre	O
230	CM 100	CM 154 LEVEL CM	5970,1849 litre	82,625 %	1255,4782 litre	O
230	CM 100	CM 153 LEVEL CM	5931,3220 litre	82,087 %	1294,3411 litre	O
230	CM 100	CM 152 LEVEL CM	5892,1716 litre	81,545 %	1333,4915 litre	O
230	CM 100	CM 151 LEVEL CM	5852,7411 litre	80,999 %	1372,9220 litre	O
230	CM 100	CM 150 LEVEL CM	5813,0379 litre	80,450 %	1412,6252 litre	O
230	CM 100	CM 149 LEVEL CM	5773,0692 litre	79,897 %	1452,5939 litre	O

230	CM	100	CM	148 LEVEL CM	5732,8418 litre	79,340 %	1492,8213 litre	O
230	CM	100	CM	147 LEVEL CM	5692,3627 litre	78,780 %	1533,3004 litre	O
230	CM	100	CM	146 LEVEL CM	5651,6387 litre	78,216 %	1574,0244 litre	O
230	CM	100	CM	145 LEVEL CM	5610,6764 litre	77,649 %	1614,9867 litre	O
230	CM	100	CM	144 LEVEL CM	5569,4822 litre	77,079 %	1656,1809 litre	O
230	CM	100	CM	143 LEVEL CM	5528,0627 litre	76,506 %	1697,6004 litre	O
230	CM	100	CM	142 LEVEL CM	5486,4241 litre	75,930 %	1739,2390 litre	O
230	CM	100	CM	141 LEVEL CM	5444,5725 litre	75,350 %	1781,0906 litre	O
230	CM	100	CM	140 LEVEL CM	5402,5142 litre	74,768 %	1823,1489 litre	O
230	CM	100	CM	139 LEVEL CM	5360,2551 litre	74,184 %	1865,4080 litre	O
230	CM	100	CM	138 LEVEL CM	5317,8012 litre	73,596 %	1907,8619 litre	O
230	CM	100	CM	137 LEVEL CM	5275,1583 litre	73,006 %	1950,5048 litre	O
230	CM	100	CM	136 LEVEL CM	5232,3322 litre	72,413 %	1993,3309 litre	O
230	CM	100	CM	135 LEVEL CM	5189,3286 litre	71,818 %	2036,3345 litre	O
230	CM	100	CM	134 LEVEL CM	5146,1531 litre	71,220 %	2079,5100 litre	O
230	CM	100	CM	133 LEVEL CM	5102,8113 litre	70,621 %	2122,8518 litre	O
230	CM	100	CM	132 LEVEL CM	5059,3087 litre	70,019 %	2166,3544 litre	O
230	CM	100	CM	131 LEVEL CM	5015,6507 litre	69,414 %	2210,0124 litre	O
230	CM	100	CM	130 LEVEL CM	4971,8427 litre	68,808 %	2253,8204 litre	O
230	CM	100	CM	129 LEVEL CM	4927,8901 litre	68,200 %	2297,7730 litre	O
230	CM	100	CM	128 LEVEL CM	4883,7980 litre	67,590 %	2341,8651 litre	O
230	CM	100	CM	127 LEVEL CM	4839,5718 litre	66,978 %	2386,0913 litre	O
230	CM	100	CM	126 LEVEL CM	4795,2166 litre	66,364 %	2430,4465 litre	O
230	CM	100	CM	125 LEVEL CM	4750,7375 litre	65,748 %	2474,9256 litre	O
230	CM	100	CM	124 LEVEL CM	4706,1396 litre	65,131 %	2519,5235 litre	O
230	CM	100	CM	123 LEVEL CM	4661,4281 litre	64,512 %	2564,2350 litre	O
230	CM	100	CM	122 LEVEL CM	4616,6078 litre	63,892 %	2609,0553 litre	O
230	CM	100	CM	121 LEVEL CM	4571,6837 litre	63,270 %	2653,9794 litre	O
230	CM	100	CM	120 LEVEL CM	4526,6609 litre	62,647 %	2699,0022 litre	O
230	CM	100	CM	119 LEVEL CM	4481,5441 litre	62,023 %	2744,1190 litre	O
230	CM	100	CM	118 LEVEL CM	4436,3384 litre	61,397 %	2789,3247 litre	O
230	CM	100	CM	117 LEVEL CM	4391,0484 litre	60,770 %	2834,6147 litre	O
230	CM	100	CM	116 LEVEL CM	4345,6791 litre	60,142 %	2879,9840 litre	O
230	CM	100	CM	115 LEVEL CM	4300,2352 litre	59,513 %	2925,4279 litre	O
230	CM	100	CM	114 LEVEL CM	4254,7216 litre	58,883 %	2970,9415 litre	O
230	CM	100	CM	113 LEVEL CM	4209,1429 litre	58,253 %	3016,5202 litre	O
230	CM	100	CM	112 LEVEL CM	4163,5039 litre	57,621 %	3062,1592 litre	O
230	CM	100	CM	111 LEVEL CM	4117,8093 litre	56,989 %	3107,8538 litre	O
230	CM	100	CM	110 LEVEL CM	4072,0637 litre	56,356 %	3153,5994 litre	O
230	CM	100	CM	109 LEVEL CM	4026,2720 litre	55,722 %	3199,3911 litre	O
230	CM	100	CM	108 LEVEL CM	3980,4386 litre	55,088 %	3245,2245 litre	O
230	CM	100	CM	107 LEVEL CM	3934,5684 litre	54,453 %	3291,0947 litre	O
230	CM	100	CM	106 LEVEL CM	3888,6659 litre	53,817 %	3336,9972 litre	O
230	CM	100	CM	105 LEVEL CM	3842,7357 litre	53,182 %	3382,9274 litre	O
230	CM	100	CM	104 LEVEL CM	3796,7825 litre	52,546 %	3428,8806 litre	O
230	CM	100	CM	103 LEVEL CM	3750,8108 litre	51,910 %	3474,8523 litre	O
230	CM	100	CM	102 LEVEL CM	3704,8254 litre	51,273 %	3520,8377 litre	O
230	CM	100	CM	101 LEVEL CM	3658,8308 litre	50,637 %	3566,8323 litre	O
230	CM	100	CM	100 LEVEL CM	3612,8316 litre	50,000 %	3612,8315 litre	O
230	CM	100	CM	99 LEVEL CM	3566,8323 litre	49,363 %	3658,8308 litre	O
230	CM	100	CM	98 LEVEL CM	3520,8377 litre	48,727 %	3704,8254 litre	O
230	CM	100	CM	97 LEVEL CM	3474,8523 litre	48,090 %	3750,8108 litre	O
230	CM	100	CM	96 LEVEL CM	3428,8806 litre	47,454 %	3796,7825 litre	O

230	CM	100	CM	95 LEVEL CM	3382,9274 litre	46,818 %	3842,7357 litre	O
230	CM	100	CM	94 LEVEL CM	3336,9972 litre	46,183 %	3888,6659 litre	O
230	CM	100	CM	93 LEVEL CM	3291,0947 litre	45,547 %	3934,5684 litre	O
230	CM	100	CM	92 LEVEL CM	3245,2245 litre	44,912 %	3980,4386 litre	O
230	CM	100	CM	91 LEVEL CM	3199,3911 litre	44,278 %	4026,2720 litre	O
230	CM	100	CM	90 LEVEL CM	3153,5994 litre	43,644 %	4072,0637 litre	O
230	CM	100	CM	89 LEVEL CM	3107,8538 litre	43,011 %	4117,8093 litre	O
230	CM	100	CM	88 LEVEL CM	3062,1592 litre	42,379 %	4163,5039 litre	O
230	CM	100	CM	87 LEVEL CM	3016,5202 litre	41,747 %	4209,1429 litre	O
230	CM	100	CM	86 LEVEL CM	2970,9415 litre	41,117 %	4254,7216 litre	O
230	CM	100	CM	85 LEVEL CM	2925,4279 litre	40,487 %	4300,2352 litre	O
230	CM	100	CM	84 LEVEL CM	2879,9840 litre	39,858 %	4345,6791 litre	O
230	CM	100	CM	83 LEVEL CM	2834,6147 litre	39,230 %	4391,0484 litre	O
230	CM	100	CM	82 LEVEL CM	2789,3247 litre	38,603 %	4436,3384 litre	O
230	CM	100	CM	81 LEVEL CM	2744,1190 litre	37,977 %	4481,5441 litre	O
230	CM	100	CM	80 LEVEL CM	2699,0022 litre	37,353 %	4526,6609 litre	O
230	CM	100	CM	79 LEVEL CM	2653,9794 litre	36,730 %	4571,6837 litre	O
230	CM	100	CM	78 LEVEL CM	2609,0553 litre	36,108 %	4616,6078 litre	O
230	CM	100	CM	77 LEVEL CM	2564,2350 litre	35,488 %	4661,4281 litre	O
230	CM	100	CM	76 LEVEL CM	2519,5235 litre	34,869 %	4706,1396 litre	O
230	CM	100	CM	75 LEVEL CM	2474,9256 litre	34,252 %	4750,7375 litre	O
230	CM	100	CM	74 LEVEL CM	2430,4465 litre	33,636 %	4795,2166 litre	O
230	CM	100	CM	73 LEVEL CM	2386,0913 litre	33,022 %	4839,5718 litre	O
230	CM	100	CM	72 LEVEL CM	2341,8651 litre	32,410 %	4883,7980 litre	O
230	CM	100	CM	71 LEVEL CM	2297,7731 litre	31,800 %	4927,8900 litre	O
230	CM	100	CM	70 LEVEL CM	2253,8204 litre	31,192 %	4971,8427 litre	O
230	CM	100	CM	69 LEVEL CM	2210,0124 litre	30,586 %	5015,6507 litre	O
230	CM	100	CM	68 LEVEL CM	2166,3544 litre	29,981 %	5059,3087 litre	O
230	CM	100	CM	67 LEVEL CM	2122,8518 litre	29,379 %	5102,8113 litre	O
230	CM	100	CM	66 LEVEL CM	2079,5100 litre	28,780 %	5146,1531 litre	O
230	CM	100	CM	65 LEVEL CM	2036,3345 litre	28,182 %	5189,3286 litre	O
230	CM	100	CM	64 LEVEL CM	1993,3309 litre	27,587 %	5232,3322 litre	O
230	CM	100	CM	63 LEVEL CM	1950,5048 litre	26,994 %	5275,1583 litre	O
230	CM	100	CM	62 LEVEL CM	1907,8619 litre	26,404 %	5317,8012 litre	O
230	CM	100	CM	61 LEVEL CM	1865,4080 litre	25,816 %	5360,2551 litre	O
230	CM	100	CM	60 LEVEL CM	1823,1489 litre	25,232 %	5402,5142 litre	O
230	CM	100	CM	59 LEVEL CM	1781,0906 litre	24,650 %	5444,5725 litre	O
230	CM	100	CM	58 LEVEL CM	1739,2390 litre	24,070 %	5486,4241 litre	O
230	CM	100	CM	57 LEVEL CM	1697,6004 litre	23,494 %	5528,0627 litre	O
230	CM	100	CM	56 LEVEL CM	1656,1809 litre	22,921 %	5569,4822 litre	O
230	CM	100	CM	55 LEVEL CM	1614,9867 litre	22,351 %	5610,6764 litre	O
230	CM	100	CM	54 LEVEL CM	1574,0244 litre	21,784 %	5651,6387 litre	O
230	CM	100	CM	53 LEVEL CM	1533,3004 litre	21,220 %	5692,3627 litre	O
230	CM	100	CM	52 LEVEL CM	1492,8213 litre	20,660 %	5732,8418 litre	O
230	CM	100	CM	51 LEVEL CM	1452,5939 litre	20,103 %	5773,0692 litre	O
230	CM	100	CM	50 LEVEL CM	1412,6252 litre	19,550 %	5813,0379 litre	O
230	CM	100	CM	49 LEVEL CM	1372,9220 litre	19,001 %	5852,7411 litre	O
230	CM	100	CM	48 LEVEL CM	1333,4915 litre	18,455 %	5892,1716 litre	O
230	CM	100	CM	47 LEVEL CM	1294,3411 litre	17,913 %	5931,3220 litre	O
230	CM	100	CM	46 LEVEL CM	1255,4782 litre	17,375 %	5970,1849 litre	O
230	CM	100	CM	45 LEVEL CM	1216,9105 litre	16,842 %	6008,7526 litre	O
230	CM	100	CM	44 LEVEL CM	1178,6457 litre	16,312 %	6047,0174 litre	O
230	CM	100	CM	43 LEVEL CM	1140,6919 litre	15,787 %	6084,9712 litre	O

230	CM	100	CM	42 LEVEL CM	1103,0572 litre	15,266 %	6122,6059 litre	O
230	CM	100	CM	41 LEVEL CM	1065,7500 litre	14,750 %	6159,9131 litre	O
230	CM	100	CM	40 LEVEL CM	1028,7790 litre	14,238 %	6196,8841 litre	O
230	CM	100	CM	39 LEVEL CM	992,1530 litre	13,731 %	6233,5101 litre	O
230	CM	100	CM	38 LEVEL CM	955,8812 litre	13,229 %	6269,7819 litre	O
230	CM	100	CM	37 LEVEL CM	919,9728 litre	12,732 %	6305,6903 litre	O
230	CM	100	CM	36 LEVEL CM	884,4377 litre	12,240 %	6341,2254 litre	O
230	CM	100	CM	35 LEVEL CM	849,2857 litre	11,754 %	6376,3774 litre	O
230	CM	100	CM	34 LEVEL CM	814,5272 litre	11,273 %	6411,1359 litre	O
230	CM	100	CM	33 LEVEL CM	780,1729 litre	10,797 %	6445,4902 litre	O
230	CM	100	CM	32 LEVEL CM	746,2338 litre	10,328 %	6479,4293 litre	O
230	CM	100	CM	31 LEVEL CM	712,7213 litre	9,864 %	6512,9418 litre	O
230	CM	100	CM	30 LEVEL CM	679,6473 litre	9,406 %	6546,0158 litre	O
230	CM	100	CM	29 LEVEL CM	647,0243 litre	8,955 %	6578,6388 litre	O
230	CM	100	CM	28 LEVEL CM	614,8652 litre	8,509 %	6610,7979 litre	O
230	CM	100	CM	27 LEVEL CM	583,1833 litre	8,071 %	6642,4798 litre	O
230	CM	100	CM	26 LEVEL CM	551,9928 litre	7,639 %	6673,6703 litre	O
230	CM	100	CM	25 LEVEL CM	521,3085 litre	7,215 %	6704,3546 litre	O
230	CM	100	CM	24 LEVEL CM	491,1459 litre	6,797 %	6734,5172 litre	O
230	CM	100	CM	23 LEVEL CM	461,5212 litre	6,387 %	6764,1419 litre	O
230	CM	100	CM	22 LEVEL CM	432,4517 litre	5,985 %	6793,2114 litre	O
230	CM	100	CM	21 LEVEL CM	403,9557 litre	5,591 %	6821,7074 litre	O
230	CM	100	CM	20 LEVEL CM	376,0526 litre	5,204 %	6849,6105 litre	O
230	CM	100	CM	19 LEVEL CM	348,7628 litre	4,827 %	6876,9003 litre	O
230	CM	100	CM	18 LEVEL CM	322,1086 litre	4,458 %	6903,5545 litre	O
230	CM	100	CM	17 LEVEL CM	296,1136 litre	4,098 %	6929,5495 litre	O
230	CM	100	CM	16 LEVEL CM	270,8032 litre	3,748 %	6954,8599 litre	O
230	CM	100	CM	15 LEVEL CM	246,2052 litre	3,407 %	6979,4579 litre	O
230	CM	100	CM	14 LEVEL CM	222,3497 litre	3,077 %	7003,3134 litre	O
230	CM	100	CM	13 LEVEL CM	199,2697 litre	2,758 %	7026,3934 litre	O
230	CM	100	CM	12 LEVEL CM	177,0018 litre	2,450 %	7048,6613 litre	O
230	CM	100	CM	11 LEVEL CM	155,5865 litre	2,153 %	7070,0766 litre	O
230	CM	100	CM	10 LEVEL CM	135,0696 litre	1,869 %	7090,5935 litre	O
230	CM	100	CM	9 LEVEL CM	115,5031 litre	1,599 %	7110,1600 litre	O
230	CM	100	CM	8 LEVEL CM	96,9472 litre	1,342 %	7128,7159 litre	O
230	CM	100	CM	7 LEVEL CM	79,4722 litre	1,100 %	7146,1909 litre	O
230	CM	100	CM	6 LEVEL CM	63,1627 litre	0,874 %	7162,5004 litre	O
230	CM	100	CM	5 LEVEL CM	48,1230 litre	0,666 %	7177,5401 litre	O
230	CM	100	CM	4 LEVEL CM	34,4865 litre	0,477 %	7191,1766 litre	O
230	CM	100	CM	3 LEVEL CM	22,4336 litre	0,310 %	7203,2295 litre	O
230	CM	100	CM	2 LEVEL CM	12,2298 litre	0,169 %	7213,4333 litre	O
230	CM	100	CM	1 LEVEL CM	4,3304 litre	0,060 %	7221,3327 litre	O
230	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	7225,6631 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
230	CM	95	CM	190 LEVEL CM	6521,1610 litre	100,000 %	0,0000 litre	O
230	CM	95	CM	189 LEVEL CM	6516,9405 litre	99,935 %	4,2205 litre	O
230	CM	95	CM	188 LEVEL CM	6509,2427 litre	99,817 %	11,9183 litre	O
230	CM	95	CM	187 LEVEL CM	6499,3006 litre	99,665 %	21,8604 litre	O
230	CM	95	CM	186 LEVEL CM	6487,5585 litre	99,485 %	33,6025 litre	O
230	CM	95	CM	185 LEVEL CM	6474,2753 litre	99,281 %	46,8857 litre	O
230	CM	95	CM	184 LEVEL CM	6459,6273 litre	99,056 %	61,5337 litre	O
230	CM	95	CM	183 LEVEL CM	6443,7449 litre	98,813 %	77,4161 litre	O
230	CM	95	CM	182 LEVEL CM	6426,7298 litre	98,552 %	94,4312 litre	O
230	CM	95	CM	181 LEVEL CM	6408,6649 litre	98,275 %	112,4961 litre	O
230	CM	95	CM	180 LEVEL CM	6389,6189 litre	97,983 %	131,5421 litre	O
230	CM	95	CM	179 LEVEL CM	6369,6507 litre	97,677 %	151,5103 litre	O
230	CM	95	CM	178 LEVEL CM	6348,8112 litre	97,357 %	172,3498 litre	O
230	CM	95	CM	177 LEVEL CM	6327,1452 litre	97,025 %	194,0158 litre	O
230	CM	95	CM	176 LEVEL CM	6304,6926 litre	96,681 %	216,4684 litre	O
230	CM	95	CM	175 LEVEL CM	6281,4890 litre	96,325 %	239,6720 litre	O
230	CM	95	CM	174 LEVEL CM	6257,5669 litre	95,958 %	263,5941 litre	O
230	CM	95	CM	173 LEVEL CM	6232,9559 litre	95,580 %	288,2051 litre	O
230	CM	95	CM	172 LEVEL CM	6207,6831 litre	95,193 %	313,4779 litre	O
230	CM	95	CM	171 LEVEL CM	6181,7735 litre	94,796 %	339,3875 litre	O
230	CM	95	CM	170 LEVEL CM	6155,2505 litre	94,389 %	365,9105 litre	O
230	CM	95	CM	169 LEVEL CM	6128,1357 litre	93,973 %	393,0253 litre	O
230	CM	95	CM	168 LEVEL CM	6100,4495 litre	93,549 %	420,7115 litre	O
230	CM	95	CM	167 LEVEL CM	6072,2108 litre	93,115 %	448,9502 litre	O
230	CM	95	CM	166 LEVEL CM	6043,4375 litre	92,674 %	477,7235 litre	O
230	CM	95	CM	165 LEVEL CM	6014,1468 litre	92,225 %	507,0142 litre	O
230	CM	95	CM	164 LEVEL CM	5984,3547 litre	91,768 %	536,8063 litre	O
230	CM	95	CM	163 LEVEL CM	5954,0764 litre	91,304 %	567,0846 litre	O
230	CM	95	CM	162 LEVEL CM	5923,3266 litre	90,832 %	597,8344 litre	O
230	CM	95	CM	161 LEVEL CM	5892,1191 litre	90,354 %	629,0419 litre	O
230	CM	95	CM	160 LEVEL CM	5860,4673 litre	89,868 %	660,6937 litre	O
230	CM	95	CM	159 LEVEL CM	5828,3838 litre	89,376 %	692,7772 litre	O
230	CM	95	CM	158 LEVEL CM	5795,8810 litre	88,878 %	725,2800 litre	O
230	CM	95	CM	157 LEVEL CM	5762,9706 litre	88,373 %	758,1904 litre	O
230	CM	95	CM	156 LEVEL CM	5729,6639 litre	87,863 %	791,4971 litre	O
230	CM	95	CM	155 LEVEL CM	5695,9719 litre	87,346 %	825,1891 litre	O
230	CM	95	CM	154 LEVEL CM	5661,9051 litre	86,824 %	859,2559 litre	O
230	CM	95	CM	153 LEVEL CM	5627,4738 litre	86,296 %	893,6872 litre	O
230	CM	95	CM	152 LEVEL CM	5592,6879 litre	85,762 %	928,4731 litre	O
230	CM	95	CM	151 LEVEL CM	5557,5570 litre	85,223 %	963,6040 litre	O
230	CM	95	CM	150 LEVEL CM	5522,0903 litre	84,680 %	999,0707 litre	O
230	CM	95	CM	149 LEVEL CM	5486,2971 litre	84,131 %	1034,8639 litre	O
230	CM	95	CM	148 LEVEL CM	5450,1859 litre	83,577 %	1070,9751 litre	O
230	CM	95	CM	147 LEVEL CM	5413,7656 litre	83,018 %	1107,3954 litre	O
230	CM	95	CM	146 LEVEL CM	5377,0444 litre	82,455 %	1144,1166 litre	O
230	CM	95	CM	145 LEVEL CM	5340,0304 litre	81,888 %	1181,1306 litre	O
230	CM	95	CM	144 LEVEL CM	5302,7317 litre	81,316 %	1218,4293 litre	O
230	CM	95	CM	143 LEVEL CM	5265,1561 litre	80,740 %	1256,0049 litre	O
230	CM	95	CM	142 LEVEL CM	5227,3111 litre	80,159 %	1293,8499 litre	O
230	CM	95	CM	141 LEVEL CM	5189,2042 litre	79,575 %	1331,9568 litre	O
230	CM	95	CM	140 LEVEL CM	5150,8427 litre	78,987 %	1370,3183 litre	O
230	CM	95	CM	139 LEVEL CM	5112,2338 litre	78,395 %	1408,9272 litre	O

230	CM 95	CM	138 LEVEL CM	5073,3845 litre	77,799 %	1447,7765 litre	O
230	CM 95	CM	137 LEVEL CM	5034,3017 litre	77,199 %	1486,8593 litre	O
230	CM 95	CM	136 LEVEL CM	4994,9922 litre	76,597 %	1526,1688 litre	O
230	CM 95	CM	135 LEVEL CM	4955,4625 litre	75,990 %	1565,6985 litre	O
230	CM 95	CM	134 LEVEL CM	4915,7194 litre	75,381 %	1605,4416 litre	O
230	CM 95	CM	133 LEVEL CM	4875,7691 litre	74,768 %	1645,3919 litre	O
230	CM 95	CM	132 LEVEL CM	4835,6180 litre	74,153 %	1685,5430 litre	O
230	CM 95	CM	131 LEVEL CM	4795,2725 litre	73,534 %	1725,8885 litre	O
230	CM 95	CM	130 LEVEL CM	4754,7385 litre	72,912 %	1766,4225 litre	O
230	CM 95	CM	129 LEVEL CM	4714,0223 litre	72,288 %	1807,1387 litre	O
230	CM 95	CM	128 LEVEL CM	4673,1297 litre	71,661 %	1848,0313 litre	O
230	CM 95	CM	127 LEVEL CM	4632,0667 litre	71,031 %	1889,0943 litre	O
230	CM 95	CM	126 LEVEL CM	4590,8392 litre	70,399 %	1930,3218 litre	O
230	CM 95	CM	125 LEVEL CM	4549,4529 litre	69,764 %	1971,7081 litre	O
230	CM 95	CM	124 LEVEL CM	4507,9134 litre	69,127 %	2013,2476 litre	O
230	CM 95	CM	123 LEVEL CM	4466,2265 litre	68,488 %	2054,9345 litre	O
230	CM 95	CM	122 LEVEL CM	4424,3977 litre	67,847 %	2096,7633 litre	O
230	CM 95	CM	121 LEVEL CM	4382,4325 litre	67,203 %	2138,7285 litre	O
230	CM 95	CM	120 LEVEL CM	4340,3365 litre	66,558 %	2180,8245 litre	O
230	CM 95	CM	119 LEVEL CM	4298,1149 litre	65,910 %	2223,0461 litre	O
230	CM 95	CM	118 LEVEL CM	4255,7733 litre	65,261 %	2265,3877 litre	O
230	CM 95	CM	117 LEVEL CM	4213,3169 litre	64,610 %	2307,8441 litre	O
230	CM 95	CM	116 LEVEL CM	4170,7509 litre	63,957 %	2350,4101 litre	O
230	CM 95	CM	115 LEVEL CM	4128,0807 litre	63,303 %	2393,0803 litre	O
230	CM 95	CM	114 LEVEL CM	4085,3114 litre	62,647 %	2435,8496 litre	O
230	CM 95	CM	113 LEVEL CM	4042,4483 litre	61,990 %	2478,7127 litre	O
230	CM 95	CM	112 LEVEL CM	3999,4963 litre	61,331 %	2521,6647 litre	O
230	CM 95	CM	111 LEVEL CM	3956,4607 litre	60,671 %	2564,7003 litre	O
230	CM 95	CM	110 LEVEL CM	3913,3465 litre	60,010 %	2607,8145 litre	O
230	CM 95	CM	109 LEVEL CM	3870,1587 litre	59,348 %	2651,0023 litre	O
230	CM 95	CM	108 LEVEL CM	3826,9024 litre	58,684 %	2694,2586 litre	O
230	CM 95	CM	107 LEVEL CM	3783,5826 litre	58,020 %	2737,5784 litre	O
230	CM 95	CM	106 LEVEL CM	3740,2042 litre	57,355 %	2780,9568 litre	O
230	CM 95	CM	105 LEVEL CM	3696,7721 litre	56,689 %	2824,3889 litre	O
230	CM 95	CM	104 LEVEL CM	3653,2914 litre	56,022 %	2867,8696 litre	O
230	CM 95	CM	103 LEVEL CM	3609,7668 litre	55,355 %	2911,3942 litre	O
230	CM 95	CM	102 LEVEL CM	3566,2034 litre	54,687 %	2954,9576 litre	O
230	CM 95	CM	101 LEVEL CM	3522,6061 litre	54,018 %	2998,5549 litre	O
230	CM 95	CM	100 LEVEL CM	3478,9796 litre	53,349 %	3042,1814 litre	O
230	CM 95	CM	99 LEVEL CM	3435,3288 litre	52,680 %	3085,8322 litre	O
230	CM 95	CM	98 LEVEL CM	3391,6587 litre	52,010 %	3129,5023 litre	O
230	CM 95	CM	97 LEVEL CM	3347,9740 litre	51,340 %	3173,1870 litre	O
230	CM 95	CM	96 LEVEL CM	3304,2797 litre	50,670 %	3216,8813 litre	O
230	CM 95	CM	95 LEVEL CM	3260,5805 litre	50,000 %	3260,5805 litre	O
230	CM 95	CM	94 LEVEL CM	3216,8813 litre	49,330 %	3304,2797 litre	O
230	CM 95	CM	93 LEVEL CM	3173,1869 litre	48,660 %	3347,9741 litre	O
230	CM 95	CM	92 LEVEL CM	3129,5023 litre	47,990 %	3391,6587 litre	O
230	CM 95	CM	91 LEVEL CM	3085,8321 litre	47,320 %	3435,3289 litre	O
230	CM 95	CM	90 LEVEL CM	3042,1814 litre	46,651 %	3478,9796 litre	O
230	CM 95	CM	89 LEVEL CM	2998,5549 litre	45,982 %	3522,6061 litre	O
230	CM 95	CM	88 LEVEL CM	2954,9575 litre	45,313 %	3566,2035 litre	O
230	CM 95	CM	87 LEVEL CM	2911,3941 litre	44,645 %	3609,7669 litre	O
230	CM 95	CM	86 LEVEL CM	2867,8696 litre	43,978 %	3653,2914 litre	O

230	CM	95	CM	85 LEVEL CM	2824,3888 litre	43,311 %	3696,7722 litre	O
230	CM	95	CM	84 LEVEL CM	2780,9568 litre	42,645 %	3740,2042 litre	O
230	CM	95	CM	83 LEVEL CM	2737,5784 litre	41,980 %	3783,5826 litre	O
230	CM	95	CM	82 LEVEL CM	2694,2585 litre	41,316 %	3826,9025 litre	O
230	CM	95	CM	81 LEVEL CM	2651,0022 litre	40,652 %	3870,1588 litre	O
230	CM	95	CM	80 LEVEL CM	2607,8144 litre	39,990 %	3913,3466 litre	O
230	CM	95	CM	79 LEVEL CM	2564,7002 litre	39,329 %	3956,4608 litre	O
230	CM	95	CM	78 LEVEL CM	2521,6646 litre	38,669 %	3999,4964 litre	O
230	CM	95	CM	77 LEVEL CM	2478,7127 litre	38,010 %	4042,4483 litre	O
230	CM	95	CM	76 LEVEL CM	2435,8495 litre	37,353 %	4085,3115 litre	O
230	CM	95	CM	75 LEVEL CM	2393,0802 litre	36,697 %	4128,0808 litre	O
230	CM	95	CM	74 LEVEL CM	2350,4100 litre	36,043 %	4170,7510 litre	O
230	CM	95	CM	73 LEVEL CM	2307,8441 litre	35,390 %	4213,3169 litre	O
230	CM	95	CM	72 LEVEL CM	2265,3876 litre	34,739 %	4255,7734 litre	O
230	CM	95	CM	71 LEVEL CM	2223,0460 litre	34,090 %	4298,1150 litre	O
230	CM	95	CM	70 LEVEL CM	2180,8245 litre	33,442 %	4340,3365 litre	O
230	CM	95	CM	69 LEVEL CM	2138,7284 litre	32,797 %	4382,4326 litre	O
230	CM	95	CM	68 LEVEL CM	2096,7632 litre	32,153 %	4424,3978 litre	O
230	CM	95	CM	67 LEVEL CM	2054,9344 litre	31,512 %	4466,2266 litre	O
230	CM	95	CM	66 LEVEL CM	2013,2475 litre	30,873 %	4507,9135 litre	O
230	CM	95	CM	65 LEVEL CM	1971,7081 litre	30,236 %	4549,4529 litre	O
230	CM	95	CM	64 LEVEL CM	1930,3217 litre	29,601 %	4590,8393 litre	O
230	CM	95	CM	63 LEVEL CM	1889,0942 litre	28,969 %	4632,0668 litre	O
230	CM	95	CM	62 LEVEL CM	1848,0312 litre	28,339 %	4673,1298 litre	O
230	CM	95	CM	61 LEVEL CM	1807,1387 litre	27,712 %	4714,0223 litre	O
230	CM	95	CM	60 LEVEL CM	1766,4224 litre	27,088 %	4754,7386 litre	O
230	CM	95	CM	59 LEVEL CM	1725,8885 litre	26,466 %	4795,2725 litre	O
230	CM	95	CM	58 LEVEL CM	1685,5429 litre	25,847 %	4835,6181 litre	O
230	CM	95	CM	57 LEVEL CM	1645,3919 litre	25,232 %	4875,7691 litre	O
230	CM	95	CM	56 LEVEL CM	1605,4416 litre	24,619 %	4915,7194 litre	O
230	CM	95	CM	55 LEVEL CM	1565,6984 litre	24,010 %	4955,4626 litre	O
230	CM	95	CM	54 LEVEL CM	1526,1688 litre	23,403 %	4994,9922 litre	O
230	CM	95	CM	53 LEVEL CM	1486,8592 litre	22,801 %	5034,3018 litre	O
230	CM	95	CM	52 LEVEL CM	1447,7764 litre	22,201 %	5073,3846 litre	O
230	CM	95	CM	51 LEVEL CM	1408,9271 litre	21,605 %	5112,2339 litre	O
230	CM	95	CM	50 LEVEL CM	1370,3183 litre	21,013 %	5150,8427 litre	O
230	CM	95	CM	49 LEVEL CM	1331,9568 litre	20,425 %	5189,2042 litre	O
230	CM	95	CM	48 LEVEL CM	1293,8499 litre	19,841 %	5227,3111 litre	O
230	CM	95	CM	47 LEVEL CM	1256,0049 litre	19,260 %	5265,1561 litre	O
230	CM	95	CM	46 LEVEL CM	1218,4292 litre	18,684 %	5302,7318 litre	O
230	CM	95	CM	45 LEVEL CM	1181,1305 litre	18,112 %	5340,0305 litre	O
230	CM	95	CM	44 LEVEL CM	1144,1166 litre	17,545 %	5377,0444 litre	O
230	CM	95	CM	43 LEVEL CM	1107,3954 litre	16,982 %	5413,7656 litre	O
230	CM	95	CM	42 LEVEL CM	1070,9750 litre	16,423 %	5450,1860 litre	O
230	CM	95	CM	41 LEVEL CM	1034,8639 litre	15,869 %	5486,2971 litre	O
230	CM	95	CM	40 LEVEL CM	999,0706 litre	15,320 %	5522,0904 litre	O
230	CM	95	CM	39 LEVEL CM	963,6040 litre	14,777 %	5557,5570 litre	O
230	CM	95	CM	38 LEVEL CM	928,4730 litre	14,238 %	5592,6880 litre	O
230	CM	95	CM	37 LEVEL CM	893,6871 litre	13,704 %	5627,4739 litre	O
230	CM	95	CM	36 LEVEL CM	859,2559 litre	13,176 %	5661,9051 litre	O
230	CM	95	CM	35 LEVEL CM	825,1891 litre	12,654 %	5695,9719 litre	O
230	CM	95	CM	34 LEVEL CM	791,4971 litre	12,137 %	5729,6639 litre	O
230	CM	95	CM	33 LEVEL CM	758,1904 litre	11,627 %	5762,9706 litre	O

230	CM	95	CM	32 LEVEL CM	725,2800 litre	11,122 %	5795,8810 litre	O
230	CM	95	CM	31 LEVEL CM	692,7771 litre	10,624 %	5828,3839 litre	O
230	CM	95	CM	30 LEVEL CM	660,6937 litre	10,132 %	5860,4673 litre	O
230	CM	95	CM	29 LEVEL CM	629,0418 litre	9,646 %	5892,1192 litre	O
230	CM	95	CM	28 LEVEL CM	597,8343 litre	9,168 %	5923,3267 litre	O
230	CM	95	CM	27 LEVEL CM	567,0845 litre	8,696 %	5954,0765 litre	O
230	CM	95	CM	26 LEVEL CM	536,8062 litre	8,232 %	5984,3548 litre	O
230	CM	95	CM	25 LEVEL CM	507,0141 litre	7,775 %	6014,1469 litre	O
230	CM	95	CM	24 LEVEL CM	477,7234 litre	7,326 %	6043,4376 litre	O
230	CM	95	CM	23 LEVEL CM	448,9502 litre	6,885 %	6072,2108 litre	O
230	CM	95	CM	22 LEVEL CM	420,7115 litre	6,451 %	6100,4495 litre	O
230	CM	95	CM	21 LEVEL CM	393,0252 litre	6,027 %	6128,1358 litre	O
230	CM	95	CM	20 LEVEL CM	365,9104 litre	5,611 %	6155,2506 litre	O
230	CM	95	CM	19 LEVEL CM	339,3874 litre	5,204 %	6181,7736 litre	O
230	CM	95	CM	18 LEVEL CM	313,4779 litre	4,807 %	6207,6831 litre	O
230	CM	95	CM	17 LEVEL CM	288,2051 litre	4,420 %	6232,9559 litre	O
230	CM	95	CM	16 LEVEL CM	263,5941 litre	4,042 %	6257,5669 litre	O
230	CM	95	CM	15 LEVEL CM	239,6720 litre	3,675 %	6281,4890 litre	O
230	CM	95	CM	14 LEVEL CM	216,4684 litre	3,319 %	6304,6926 litre	O
230	CM	95	CM	13 LEVEL CM	194,0157 litre	2,975 %	6327,1453 litre	O
230	CM	95	CM	12 LEVEL CM	172,3497 litre	2,643 %	6348,8113 litre	O
230	CM	95	CM	11 LEVEL CM	151,5102 litre	2,323 %	6369,6508 litre	O
230	CM	95	CM	10 LEVEL CM	131,5420 litre	2,017 %	6389,6190 litre	O
230	CM	95	CM	9 LEVEL CM	112,4961 litre	1,725 %	6408,6649 litre	O
230	CM	95	CM	8 LEVEL CM	94,4311 litre	1,448 %	6426,7299 litre	O
230	CM	95	CM	7 LEVEL CM	77,4161 litre	1,187 %	6443,7449 litre	O
230	CM	95	CM	6 LEVEL CM	61,5336 litre	0,944 %	6459,6274 litre	O
230	CM	95	CM	5 LEVEL CM	46,8856 litre	0,719 %	6474,2754 litre	O
230	CM	95	CM	4 LEVEL CM	33,6025 litre	0,515 %	6487,5585 litre	O
230	CM	95	CM	3 LEVEL CM	21,8604 litre	0,335 %	6499,3006 litre	O
230	CM	95	CM	2 LEVEL CM	11,9182 litre	0,183 %	6509,2428 litre	O
230	CM	95	CM	1 LEVEL CM	4,2204 litre	0,065 %	6516,9406 litre	O
230	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	6521,1610 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
230	CM 90	CM 180 LEVEL CM	5852,7871 litre	100,000 %	0,0000 litre	O
230	CM 90	CM 179 LEVEL CM	5848,6796 litre	99,930 %	4,1075 litre	O
230	CM 90	CM 178 LEVEL CM	5841,1888 litre	99,802 %	11,5983 litre	O
230	CM 90	CM 177 LEVEL CM	5831,5155 litre	99,637 %	21,2716 litre	O
230	CM 90	CM 176 LEVEL CM	5820,0925 litre	99,441 %	32,6946 litre	O
230	CM 90	CM 175 LEVEL CM	5807,1724 litre	99,221 %	45,6147 litre	O
230	CM 90	CM 174 LEVEL CM	5792,9269 litre	98,977 %	59,8602 litre	O
230	CM 90	CM 173 LEVEL CM	5777,4833 litre	98,713 %	75,3038 litre	O
230	CM 90	CM 172 LEVEL CM	5760,9410 litre	98,431 %	91,8461 litre	O
230	CM 90	CM 171 LEVEL CM	5743,3807 litre	98,131 %	109,4064 litre	O
230	CM 90	CM 170 LEVEL CM	5724,8699 litre	97,814 %	127,9172 litre	O
230	CM 90	CM 169 LEVEL CM	5705,4659 litre	97,483 %	147,3212 litre	O
230	CM 90	CM 168 LEVEL CM	5685,2186 litre	97,137 %	167,5685 litre	O
230	CM 90	CM 167 LEVEL CM	5664,1718 litre	96,777 %	188,6153 litre	O
230	CM 90	CM 166 LEVEL CM	5642,3644 litre	96,405 %	210,4227 litre	O
230	CM 90	CM 165 LEVEL CM	5619,8316 litre	96,020 %	232,9555 litre	O
230	CM 90	CM 164 LEVEL CM	5596,6051 litre	95,623 %	256,1820 litre	O
230	CM 90	CM 163 LEVEL CM	5572,7139 litre	95,215 %	280,0732 litre	O
230	CM 90	CM 162 LEVEL CM	5548,1845 litre	94,796 %	304,6026 litre	O
230	CM 90	CM 161 LEVEL CM	5523,0418 litre	94,366 %	329,7453 litre	O
230	CM 90	CM 160 LEVEL CM	5497,3083 litre	93,926 %	355,4788 litre	O
230	CM 90	CM 159 LEVEL CM	5471,0056 litre	93,477 %	381,7815 litre	O
230	CM 90	CM 158 LEVEL CM	5444,1534 litre	93,018 %	408,6337 litre	O
230	CM 90	CM 157 LEVEL CM	5416,7706 litre	92,550 %	436,0165 litre	O
230	CM 90	CM 156 LEVEL CM	5388,8749 litre	92,074 %	463,9122 litre	O
230	CM 90	CM 155 LEVEL CM	5360,4829 litre	91,589 %	492,3042 litre	O
230	CM 90	CM 154 LEVEL CM	5331,6105 litre	91,095 %	521,1766 litre	O
230	CM 90	CM 153 LEVEL CM	5302,2728 litre	90,594 %	550,5143 litre	O
230	CM 90	CM 152 LEVEL CM	5272,4841 litre	90,085 %	580,3030 litre	O
230	CM 90	CM 151 LEVEL CM	5242,2583 litre	89,569 %	610,5288 litre	O
230	CM 90	CM 150 LEVEL CM	5211,6083 litre	89,045 %	641,1788 litre	O
230	CM 90	CM 149 LEVEL CM	5180,5469 litre	88,514 %	672,2402 litre	O
230	CM 90	CM 148 LEVEL CM	5149,0861 litre	87,977 %	703,7010 litre	O
230	CM 90	CM 147 LEVEL CM	5117,2376 litre	87,432 %	735,5495 litre	O
230	CM 90	CM 146 LEVEL CM	5085,0126 litre	86,882 %	767,7745 litre	O
230	CM 90	CM 145 LEVEL CM	5052,4219 litre	86,325 %	800,3652 litre	O
230	CM 90	CM 144 LEVEL CM	5019,4761 litre	85,762 %	833,3110 litre	O
230	CM 90	CM 143 LEVEL CM	4986,1853 litre	85,193 %	866,6018 litre	O
230	CM 90	CM 142 LEVEL CM	4952,5592 litre	84,619 %	900,2279 litre	O
230	CM 90	CM 141 LEVEL CM	4918,6075 litre	84,039 %	934,1796 litre	O
230	CM 90	CM 140 LEVEL CM	4884,3395 litre	83,453 %	968,4476 litre	O
230	CM 90	CM 139 LEVEL CM	4849,7640 litre	82,862 %	1003,0231 litre	O
230	CM 90	CM 138 LEVEL CM	4814,8900 litre	82,267 %	1037,8971 litre	O
230	CM 90	CM 137 LEVEL CM	4779,7259 litre	81,666 %	1073,0612 litre	O
230	CM 90	CM 136 LEVEL CM	4744,2801 litre	81,060 %	1108,5070 litre	O
230	CM 90	CM 135 LEVEL CM	4708,5607 litre	80,450 %	1144,2264 litre	O
230	CM 90	CM 134 LEVEL CM	4672,5758 litre	79,835 %	1180,2113 litre	O
230	CM 90	CM 133 LEVEL CM	4636,3331 litre	79,216 %	1216,4540 litre	O
230	CM 90	CM 132 LEVEL CM	4599,8401 litre	78,592 %	1252,9470 litre	O
230	CM 90	CM 131 LEVEL CM	4563,1044 litre	77,965 %	1289,6827 litre	O
230	CM 90	CM 130 LEVEL CM	4526,1334 litre	77,333 %	1326,6537 litre	O
230	CM 90	CM 129 LEVEL CM	4488,9340 litre	76,697 %	1363,8531 litre	O

230	CM	90	CM	128 LEVEL CM	4451,5135 litre	76,058 %	1401,2736 litre	O
230	CM	90	CM	127 LEVEL CM	4413,8788 litre	75,415 %	1438,9083 litre	O
230	CM	90	CM	126 LEVEL CM	4376,0365 litre	74,768 %	1476,7506 litre	O
230	CM	90	CM	125 LEVEL CM	4337,9935 litre	74,118 %	1514,7936 litre	O
230	CM	90	CM	124 LEVEL CM	4299,7563 litre	73,465 %	1553,0308 litre	O
230	CM	90	CM	123 LEVEL CM	4261,3315 litre	72,809 %	1591,4556 litre	O
230	CM	90	CM	122 LEVEL CM	4222,7253 litre	72,149 %	1630,0618 litre	O
230	CM	90	CM	121 LEVEL CM	4183,9441 litre	71,486 %	1668,8430 litre	O
230	CM	90	CM	120 LEVEL CM	4144,9941 litre	70,821 %	1707,7930 litre	O
230	CM	90	CM	119 LEVEL CM	4105,8815 litre	70,153 %	1746,9056 litre	O
230	CM	90	CM	118 LEVEL CM	4066,6124 litre	69,482 %	1786,1747 litre	O
230	CM	90	CM	117 LEVEL CM	4027,1926 litre	68,808 %	1825,5945 litre	O
230	CM	90	CM	116 LEVEL CM	3987,6282 litre	68,132 %	1865,1589 litre	O
230	CM	90	CM	115 LEVEL CM	3947,9249 litre	67,454 %	1904,8622 litre	O
230	CM	90	CM	114 LEVEL CM	3908,0886 litre	66,773 %	1944,6985 litre	O
230	CM	90	CM	113 LEVEL CM	3868,1251 litre	66,090 %	1984,6620 litre	O
230	CM	90	CM	112 LEVEL CM	3828,0400 litre	65,405 %	2024,7471 litre	O
230	CM	90	CM	111 LEVEL CM	3787,8388 litre	64,719 %	2064,9483 litre	O
230	CM	90	CM	110 LEVEL CM	3747,5273 litre	64,030 %	2105,2598 litre	O
230	CM	90	CM	109 LEVEL CM	3707,1110 litre	63,339 %	2145,6761 litre	O
230	CM	90	CM	108 LEVEL CM	3666,5953 litre	62,647 %	2186,1918 litre	O
230	CM	90	CM	107 LEVEL CM	3625,9857 litre	61,953 %	2226,8014 litre	O
230	CM	90	CM	106 LEVEL CM	3585,2876 litre	61,258 %	2267,4995 litre	O
230	CM	90	CM	105 LEVEL CM	3544,5065 litre	60,561 %	2308,2806 litre	O
230	CM	90	CM	104 LEVEL CM	3503,6475 litre	59,863 %	2349,1396 litre	O
230	CM	90	CM	103 LEVEL CM	3462,7161 litre	59,164 %	2390,0710 litre	O
230	CM	90	CM	102 LEVEL CM	3421,7176 litre	58,463 %	2431,0695 litre	O
230	CM	90	CM	101 LEVEL CM	3380,6572 litre	57,761 %	2472,1299 litre	O
230	CM	90	CM	100 LEVEL CM	3339,5401 litre	57,059 %	2513,2470 litre	O
230	CM	90	CM	99 LEVEL CM	3298,3716 litre	56,356 %	2554,4155 litre	O
230	CM	90	CM	98 LEVEL CM	3257,1569 litre	55,651 %	2595,6302 litre	O
230	CM	90	CM	97 LEVEL CM	3215,9011 litre	54,946 %	2636,8860 litre	O
230	CM	90	CM	96 LEVEL CM	3174,6094 litre	54,241 %	2678,1777 litre	O
230	CM	90	CM	95 LEVEL CM	3133,2870 litre	53,535 %	2719,5001 litre	O
230	CM	90	CM	94 LEVEL CM	3091,9390 litre	52,828 %	2760,8481 litre	O
230	CM	90	CM	93 LEVEL CM	3050,5706 litre	52,122 %	2802,2165 litre	O
230	CM	90	CM	92 LEVEL CM	3009,1867 litre	51,415 %	2843,6004 litre	O
230	CM	90	CM	91 LEVEL CM	2967,7927 litre	50,707 %	2884,9944 litre	O
230	CM	90	CM	90 LEVEL CM	2926,3936 litre	50,000 %	2926,3935 litre	O
230	CM	90	CM	89 LEVEL CM	2884,9944 litre	49,293 %	2967,7927 litre	O
230	CM	90	CM	88 LEVEL CM	2843,6004 litre	48,585 %	3009,1867 litre	O
230	CM	90	CM	87 LEVEL CM	2802,2166 litre	47,878 %	3050,5705 litre	O
230	CM	90	CM	86 LEVEL CM	2760,8481 litre	47,172 %	3091,9390 litre	O
230	CM	90	CM	85 LEVEL CM	2719,5001 litre	46,465 %	3133,2870 litre	O
230	CM	90	CM	84 LEVEL CM	2678,1777 litre	45,759 %	3174,6094 litre	O
230	CM	90	CM	83 LEVEL CM	2636,8860 litre	45,054 %	3215,9011 litre	O
230	CM	90	CM	82 LEVEL CM	2595,6302 litre	44,349 %	3257,1569 litre	O
230	CM	90	CM	81 LEVEL CM	2554,4155 litre	43,644 %	3298,3716 litre	O
230	CM	90	CM	80 LEVEL CM	2513,2470 litre	42,941 %	3339,5401 litre	O
230	CM	90	CM	79 LEVEL CM	2472,1299 litre	42,239 %	3380,6572 litre	O
230	CM	90	CM	78 LEVEL CM	2431,0695 litre	41,537 %	3421,7176 litre	O
230	CM	90	CM	77 LEVEL CM	2390,0710 litre	40,836 %	3462,7161 litre	O
230	CM	90	CM	76 LEVEL CM	2349,1396 litre	40,137 %	3503,6475 litre	O

230	CM	90	CM	75 LEVEL CM	2308,2807 litre	39,439 %	3544,5064 litre	O
230	CM	90	CM	74 LEVEL CM	2267,4995 litre	38,742 %	3585,2876 litre	O
230	CM	90	CM	73 LEVEL CM	2226,8014 litre	38,047 %	3625,9857 litre	O
230	CM	90	CM	72 LEVEL CM	2186,1918 litre	37,353 %	3666,5953 litre	O
230	CM	90	CM	71 LEVEL CM	2145,6761 litre	36,661 %	3707,1110 litre	O
230	CM	90	CM	70 LEVEL CM	2105,2598 litre	35,970 %	3747,5273 litre	O
230	CM	90	CM	69 LEVEL CM	2064,9483 litre	35,281 %	3787,8388 litre	O
230	CM	90	CM	68 LEVEL CM	2024,7472 litre	34,595 %	3828,0399 litre	O
230	CM	90	CM	67 LEVEL CM	1984,6620 litre	33,910 %	3868,1251 litre	O
230	CM	90	CM	66 LEVEL CM	1944,6985 litre	33,227 %	3908,0886 litre	O
230	CM	90	CM	65 LEVEL CM	1904,8622 litre	32,546 %	3947,9249 litre	O
230	CM	90	CM	64 LEVEL CM	1865,1590 litre	31,868 %	3987,6281 litre	O
230	CM	90	CM	63 LEVEL CM	1825,5945 litre	31,192 %	4027,1926 litre	O
230	CM	90	CM	62 LEVEL CM	1786,1748 litre	30,518 %	4066,6123 litre	O
230	CM	90	CM	61 LEVEL CM	1746,9056 litre	29,847 %	4105,8815 litre	O
230	CM	90	CM	60 LEVEL CM	1707,7930 litre	29,179 %	4144,9941 litre	O
230	CM	90	CM	59 LEVEL CM	1668,8430 litre	28,514 %	4183,9441 litre	O
230	CM	90	CM	58 LEVEL CM	1630,0618 litre	27,851 %	4222,7253 litre	O
230	CM	90	CM	57 LEVEL CM	1591,4557 litre	27,191 %	4261,3314 litre	O
230	CM	90	CM	56 LEVEL CM	1553,0308 litre	26,535 %	4299,7563 litre	O
230	CM	90	CM	55 LEVEL CM	1514,7936 litre	25,882 %	4337,9935 litre	O
230	CM	90	CM	54 LEVEL CM	1476,7506 litre	25,232 %	4376,0365 litre	O
230	CM	90	CM	53 LEVEL CM	1438,9084 litre	24,585 %	4413,8787 litre	O
230	CM	90	CM	52 LEVEL CM	1401,2736 litre	23,942 %	4451,5135 litre	O
230	CM	90	CM	51 LEVEL CM	1363,8531 litre	23,303 %	4488,9340 litre	O
230	CM	90	CM	50 LEVEL CM	1326,6538 litre	22,667 %	4526,1333 litre	O
230	CM	90	CM	49 LEVEL CM	1289,6827 litre	22,035 %	4563,1044 litre	O
230	CM	90	CM	48 LEVEL CM	1252,9470 litre	21,408 %	4599,8401 litre	O
230	CM	90	CM	47 LEVEL CM	1216,4541 litre	20,784 %	4636,3330 litre	O
230	CM	90	CM	46 LEVEL CM	1180,2113 litre	20,165 %	4672,5758 litre	O
230	CM	90	CM	45 LEVEL CM	1144,2264 litre	19,550 %	4708,5607 litre	O
230	CM	90	CM	44 LEVEL CM	1108,5070 litre	18,940 %	4744,2801 litre	O
230	CM	90	CM	43 LEVEL CM	1073,0612 litre	18,334 %	4779,7259 litre	O
230	CM	90	CM	42 LEVEL CM	1037,8972 litre	17,733 %	4814,8899 litre	O
230	CM	90	CM	41 LEVEL CM	1003,0231 litre	17,138 %	4849,7640 litre	O
230	CM	90	CM	40 LEVEL CM	968,4477 litre	16,547 %	4884,3394 litre	O
230	CM	90	CM	39 LEVEL CM	934,1796 litre	15,961 %	4918,6075 litre	O
230	CM	90	CM	38 LEVEL CM	900,2279 litre	15,381 %	4952,5592 litre	O
230	CM	90	CM	37 LEVEL CM	866,6018 litre	14,807 %	4986,1853 litre	O
230	CM	90	CM	36 LEVEL CM	833,3110 litre	14,238 %	5019,4761 litre	O
230	CM	90	CM	35 LEVEL CM	800,3652 litre	13,675 %	5052,4219 litre	O
230	CM	90	CM	34 LEVEL CM	767,7745 litre	13,118 %	5085,0126 litre	O
230	CM	90	CM	33 LEVEL CM	735,5495 litre	12,568 %	5117,2376 litre	O
230	CM	90	CM	32 LEVEL CM	703,7010 litre	12,023 %	5149,0861 litre	O
230	CM	90	CM	31 LEVEL CM	672,2402 litre	11,486 %	5180,5469 litre	O
230	CM	90	CM	30 LEVEL CM	641,1788 litre	10,955 %	5211,6083 litre	O
230	CM	90	CM	29 LEVEL CM	610,5288 litre	10,431 %	5242,2583 litre	O
230	CM	90	CM	28 LEVEL CM	580,3030 litre	9,915 %	5272,4841 litre	O
230	CM	90	CM	27 LEVEL CM	550,5143 litre	9,406 %	5302,2728 litre	O
230	CM	90	CM	26 LEVEL CM	521,1766 litre	8,905 %	5331,6105 litre	O
230	CM	90	CM	25 LEVEL CM	492,3042 litre	8,411 %	5360,4829 litre	O
230	CM	90	CM	24 LEVEL CM	463,9122 litre	7,926 %	5388,8749 litre	O
230	CM	90	CM	23 LEVEL CM	436,0165 litre	7,450 %	5416,7706 litre	O

230	CM	90	CM	22 LEVEL CM	408,6337 litre	6,982 %	5444,1534 litre	O
230	CM	90	CM	21 LEVEL CM	381,7816 litre	6,523 %	5471,0055 litre	O
230	CM	90	CM	20 LEVEL CM	355,4788 litre	6,074 %	5497,3083 litre	O
230	CM	90	CM	19 LEVEL CM	329,7454 litre	5,634 %	5523,0417 litre	O
230	CM	90	CM	18 LEVEL CM	304,6026 litre	5,204 %	5548,1845 litre	O
230	CM	90	CM	17 LEVEL CM	280,0733 litre	4,785 %	5572,7138 litre	O
230	CM	90	CM	16 LEVEL CM	256,1820 litre	4,377 %	5596,6051 litre	O
230	CM	90	CM	15 LEVEL CM	232,9555 litre	3,980 %	5619,8316 litre	O
230	CM	90	CM	14 LEVEL CM	210,4227 litre	3,595 %	5642,3644 litre	O
230	CM	90	CM	13 LEVEL CM	188,6153 litre	3,223 %	5664,1718 litre	O
230	CM	90	CM	12 LEVEL CM	167,5685 litre	2,863 %	5685,2186 litre	O
230	CM	90	CM	11 LEVEL CM	147,3212 litre	2,517 %	5705,4659 litre	O
230	CM	90	CM	10 LEVEL CM	127,9172 litre	2,186 %	5724,8699 litre	O
230	CM	90	CM	9 LEVEL CM	109,4064 litre	1,869 %	5743,3807 litre	O
230	CM	90	CM	8 LEVEL CM	91,8461 litre	1,569 %	5760,9410 litre	O
230	CM	90	CM	7 LEVEL CM	75,3038 litre	1,287 %	5777,4833 litre	O
230	CM	90	CM	6 LEVEL CM	59,8602 litre	1,023 %	5792,9269 litre	O
230	CM	90	CM	5 LEVEL CM	45,6147 litre	0,779 %	5807,1724 litre	O
230	CM	90	CM	4 LEVEL CM	32,6946 litre	0,559 %	5820,0925 litre	O
230	CM	90	CM	3 LEVEL CM	21,2717 litre	0,363 %	5831,5154 litre	O
230	CM	90	CM	2 LEVEL CM	11,5983 litre	0,198 %	5841,1888 litre	O
230	CM	90	CM	1 LEVEL CM	4,1075 litre	0,070 %	5848,6796 litre	O
230	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	5852,7871 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
230	CM 85	CM 170 LEVEL CM	5220,5416 litre	100,000 %	0,0000 litre O
230	CM 85	CM 169 LEVEL CM	5216,5502 litre	99,924 %	3,9914 litre O
230	CM 85	CM 168 LEVEL CM	5209,2723 litre	99,784 %	11,2693 litre O
230	CM 85	CM 167 LEVEL CM	5199,8754 litre	99,604 %	20,6662 litre O
230	CM 85	CM 166 LEVEL CM	5188,7808 litre	99,392 %	31,7608 litre O
230	CM 85	CM 165 LEVEL CM	5176,2342 litre	99,151 %	44,3074 litre O
230	CM 85	CM 164 LEVEL CM	5162,4029 litre	98,886 %	58,1387 litre O
230	CM 85	CM 163 LEVEL CM	5147,4110 litre	98,599 %	73,1306 litre O
230	CM 85	CM 162 LEVEL CM	5131,3554 litre	98,292 %	89,1862 litre O
230	CM 85	CM 161 LEVEL CM	5114,3148 litre	97,965 %	106,2268 litre O
230	CM 85	CM 160 LEVEL CM	5096,3550 litre	97,621 %	124,1866 litre O
230	CM 85	CM 159 LEVEL CM	5077,5321 litre	97,261 %	143,0095 litre O
230	CM 85	CM 158 LEVEL CM	5057,8948 litre	96,884 %	162,6468 litre O
230	CM 85	CM 157 LEVEL CM	5037,4859 litre	96,494 %	183,0557 litre O
230	CM 85	CM 156 LEVEL CM	5016,3436 litre	96,089 %	204,1980 litre O
230	CM 85	CM 155 LEVEL CM	4994,5022 litre	95,670 %	226,0394 litre O
230	CM 85	CM 154 LEVEL CM	4971,9927 litre	95,239 %	248,5489 litre O
230	CM 85	CM 153 LEVEL CM	4948,8436 litre	94,796 %	271,6980 litre O
230	CM 85	CM 152 LEVEL CM	4925,0811 litre	94,340 %	295,4605 litre O
230	CM 85	CM 151 LEVEL CM	4900,7291 litre	93,874 %	319,8125 litre O
230	CM 85	CM 150 LEVEL CM	4875,8103 litre	93,397 %	344,7313 litre O
230	CM 85	CM 149 LEVEL CM	4850,3454 litre	92,909 %	370,1962 litre O
230	CM 85	CM 148 LEVEL CM	4824,3541 litre	92,411 %	396,1875 litre O
230	CM 85	CM 147 LEVEL CM	4797,8549 litre	91,903 %	422,6867 litre O
230	CM 85	CM 146 LEVEL CM	4770,8651 litre	91,386 %	449,6765 litre O
230	CM 85	CM 145 LEVEL CM	4743,4012 litre	90,860 %	477,1404 litre O
230	CM 85	CM 144 LEVEL CM	4715,4788 litre	90,325 %	505,0628 litre O
230	CM 85	CM 143 LEVEL CM	4687,1129 litre	89,782 %	533,4287 litre O
230	CM 85	CM 142 LEVEL CM	4658,3175 litre	89,231 %	562,2241 litre O
230	CM 85	CM 141 LEVEL CM	4629,1062 litre	88,671 %	591,4354 litre O
230	CM 85	CM 140 LEVEL CM	4599,4920 litre	88,104 %	621,0496 litre O
230	CM 85	CM 139 LEVEL CM	4569,4875 litre	87,529 %	651,0541 litre O
230	CM 85	CM 138 LEVEL CM	4539,1044 litre	86,947 %	681,4372 litre O
230	CM 85	CM 137 LEVEL CM	4508,3545 litre	86,358 %	712,1871 litre O
230	CM 85	CM 136 LEVEL CM	4477,2488 litre	85,762 %	743,2928 litre O
230	CM 85	CM 135 LEVEL CM	4445,7980 litre	85,160 %	774,7436 litre O
230	CM 85	CM 134 LEVEL CM	4414,0126 litre	84,551 %	806,5290 litre O
230	CM 85	CM 133 LEVEL CM	4381,9027 litre	83,936 %	838,6389 litre O
230	CM 85	CM 132 LEVEL CM	4349,4780 litre	83,315 %	871,0636 litre O
230	CM 85	CM 131 LEVEL CM	4316,7480 litre	82,688 %	903,7936 litre O
230	CM 85	CM 130 LEVEL CM	4283,7219 litre	82,055 %	936,8197 litre O
230	CM 85	CM 129 LEVEL CM	4250,4088 litre	81,417 %	970,1328 litre O
230	CM 85	CM 128 LEVEL CM	4216,8173 litre	80,774 %	1003,7243 litre O
230	CM 85	CM 127 LEVEL CM	4182,9561 litre	80,125 %	1037,5855 litre O
230	CM 85	CM 126 LEVEL CM	4148,8334 litre	79,471 %	1071,7082 litre O
230	CM 85	CM 125 LEVEL CM	4114,4574 litre	78,813 %	1106,0842 litre O
230	CM 85	CM 124 LEVEL CM	4079,8360 litre	78,150 %	1140,7056 litre O
230	CM 85	CM 123 LEVEL CM	4044,9771 litre	77,482 %	1175,5645 litre O
230	CM 85	CM 122 LEVEL CM	4009,8883 litre	76,810 %	1210,6533 litre O
230	CM 85	CM 121 LEVEL CM	3974,5770 litre	76,133 %	1245,9646 litre O
230	CM 85	CM 120 LEVEL CM	3939,0507 litre	75,453 %	1281,4909 litre O
230	CM 85	CM 119 LEVEL CM	3903,3165 litre	74,768 %	1317,2251 litre O

230	CM 85	CM	118 LEVEL CM	3867,3816 litre	74,080 %	1353,1600 litre	O
230	CM 85	CM	117 LEVEL CM	3831,2528 litre	73,388 %	1389,2888 litre	O
230	CM 85	CM	116 LEVEL CM	3794,9371 litre	72,692 %	1425,6045 litre	O
230	CM 85	CM	115 LEVEL CM	3758,4413 litre	71,993 %	1462,1003 litre	O
230	CM 85	CM	114 LEVEL CM	3721,7719 litre	71,291 %	1498,7697 litre	O
230	CM 85	CM	113 LEVEL CM	3684,9355 litre	70,585 %	1535,6061 litre	O
230	CM 85	CM	112 LEVEL CM	3647,9386 litre	69,877 %	1572,6030 litre	O
230	CM 85	CM	111 LEVEL CM	3610,7877 litre	69,165 %	1609,7539 litre	O
230	CM 85	CM	110 LEVEL CM	3573,4889 litre	68,451 %	1647,0527 litre	O
230	CM 85	CM	109 LEVEL CM	3536,0486 litre	67,733 %	1684,4930 litre	O
230	CM 85	CM	108 LEVEL CM	3498,4728 litre	67,014 %	1722,0688 litre	O
230	CM 85	CM	107 LEVEL CM	3460,7678 litre	66,291 %	1759,7738 litre	O
230	CM 85	CM	106 LEVEL CM	3422,9395 litre	65,567 %	1797,6021 litre	O
230	CM 85	CM	105 LEVEL CM	3384,9940 litre	64,840 %	1835,5476 litre	O
230	CM 85	CM	104 LEVEL CM	3346,9370 litre	64,111 %	1873,6046 litre	O
230	CM 85	CM	103 LEVEL CM	3308,7746 litre	63,380 %	1911,7670 litre	O
230	CM 85	CM	102 LEVEL CM	3270,5125 litre	62,647 %	1950,0291 litre	O
230	CM 85	CM	101 LEVEL CM	3232,1565 litre	61,912 %	1988,3851 litre	O
230	CM 85	CM	100 LEVEL CM	3193,7123 litre	61,176 %	2026,8293 litre	O
230	CM 85	CM	99 LEVEL CM	3155,1856 litre	60,438 %	2065,3560 litre	O
230	CM 85	CM	98 LEVEL CM	3116,5822 litre	59,698 %	2103,9594 litre	O
230	CM 85	CM	97 LEVEL CM	3077,9075 litre	58,958 %	2142,6341 litre	O
230	CM 85	CM	96 LEVEL CM	3039,1673 litre	58,216 %	2181,3743 litre	O
230	CM 85	CM	95 LEVEL CM	3000,3670 litre	57,472 %	2220,1746 litre	O
230	CM 85	CM	94 LEVEL CM	2961,5122 litre	56,728 %	2259,0294 litre	O
230	CM 85	CM	93 LEVEL CM	2922,6084 litre	55,983 %	2297,9332 litre	O
230	CM 85	CM	92 LEVEL CM	2883,6611 litre	55,237 %	2336,8805 litre	O
230	CM 85	CM	91 LEVEL CM	2844,6758 litre	54,490 %	2375,8658 litre	O
230	CM 85	CM	90 LEVEL CM	2805,6580 litre	53,743 %	2414,8836 litre	O
230	CM 85	CM	89 LEVEL CM	2766,6131 litre	52,995 %	2453,9285 litre	O
230	CM 85	CM	88 LEVEL CM	2727,5464 litre	52,246 %	2492,9952 litre	O
230	CM 85	CM	87 LEVEL CM	2688,4636 litre	51,498 %	2532,0780 litre	O
230	CM 85	CM	86 LEVEL CM	2649,3699 litre	50,749 %	2571,1717 litre	O
230	CM 85	CM	85 LEVEL CM	2610,2708 litre	50,000 %	2610,2708 litre	O
230	CM 85	CM	84 LEVEL CM	2571,1717 litre	49,251 %	2649,3699 litre	O
230	CM 85	CM	83 LEVEL CM	2532,0780 litre	48,502 %	2688,4636 litre	O
230	CM 85	CM	82 LEVEL CM	2492,9952 litre	47,754 %	2727,5464 litre	O
230	CM 85	CM	81 LEVEL CM	2453,9285 litre	47,005 %	2766,6131 litre	O
230	CM 85	CM	80 LEVEL CM	2414,8836 litre	46,257 %	2805,6580 litre	O
230	CM 85	CM	79 LEVEL CM	2375,8658 litre	45,510 %	2844,6758 litre	O
230	CM 85	CM	78 LEVEL CM	2336,8805 litre	44,763 %	2883,6611 litre	O
230	CM 85	CM	77 LEVEL CM	2297,9332 litre	44,017 %	2922,6084 litre	O
230	CM 85	CM	76 LEVEL CM	2259,0294 litre	43,272 %	2961,5122 litre	O
230	CM 85	CM	75 LEVEL CM	2220,1746 litre	42,528 %	3000,3670 litre	O
230	CM 85	CM	74 LEVEL CM	2181,3743 litre	41,784 %	3039,1673 litre	O
230	CM 85	CM	73 LEVEL CM	2142,6341 litre	41,042 %	3077,9075 litre	O
230	CM 85	CM	72 LEVEL CM	2103,9594 litre	40,302 %	3116,5822 litre	O
230	CM 85	CM	71 LEVEL CM	2065,3559 litre	39,562 %	3155,1857 litre	O
230	CM 85	CM	70 LEVEL CM	2026,8293 litre	38,824 %	3193,7123 litre	O
230	CM 85	CM	69 LEVEL CM	1988,3851 litre	38,088 %	3232,1565 litre	O
230	CM 85	CM	68 LEVEL CM	1950,0291 litre	37,353 %	3270,5125 litre	O
230	CM 85	CM	67 LEVEL CM	1911,7670 litre	36,620 %	3308,7746 litre	O
230	CM 85	CM	66 LEVEL CM	1873,6046 litre	35,889 %	3346,9370 litre	O

230	CM	85	CM	65 LEVEL CM	1835,5476 litre	35,160 %	3384,9940 litre	O
230	CM	85	CM	64 LEVEL CM	1797,6021 litre	34,433 %	3422,9395 litre	O
230	CM	85	CM	63 LEVEL CM	1759,7738 litre	33,709 %	3460,7678 litre	O
230	CM	85	CM	62 LEVEL CM	1722,0687 litre	32,986 %	3498,4729 litre	O
230	CM	85	CM	61 LEVEL CM	1684,4930 litre	32,267 %	3536,0486 litre	O
230	CM	85	CM	60 LEVEL CM	1647,0527 litre	31,549 %	3573,4889 litre	O
230	CM	85	CM	59 LEVEL CM	1609,7539 litre	30,835 %	3610,7877 litre	O
230	CM	85	CM	58 LEVEL CM	1572,6030 litre	30,123 %	3647,9386 litre	O
230	CM	85	CM	57 LEVEL CM	1535,6061 litre	29,415 %	3684,9355 litre	O
230	CM	85	CM	56 LEVEL CM	1498,7697 litre	28,709 %	3721,7719 litre	O
230	CM	85	CM	55 LEVEL CM	1462,1003 litre	28,007 %	3758,4413 litre	O
230	CM	85	CM	54 LEVEL CM	1425,6045 litre	27,308 %	3794,9371 litre	O
230	CM	85	CM	53 LEVEL CM	1389,2888 litre	26,612 %	3831,2528 litre	O
230	CM	85	CM	52 LEVEL CM	1353,1600 litre	25,920 %	3867,3816 litre	O
230	CM	85	CM	51 LEVEL CM	1317,2251 litre	25,232 %	3903,3165 litre	O
230	CM	85	CM	50 LEVEL CM	1281,4909 litre	24,547 %	3939,0507 litre	O
230	CM	85	CM	49 LEVEL CM	1245,9646 litre	23,867 %	3974,5770 litre	O
230	CM	85	CM	48 LEVEL CM	1210,6533 litre	23,190 %	4009,8883 litre	O
230	CM	85	CM	47 LEVEL CM	1175,5645 litre	22,518 %	4044,9771 litre	O
230	CM	85	CM	46 LEVEL CM	1140,7056 litre	21,850 %	4079,8360 litre	O
230	CM	85	CM	45 LEVEL CM	1106,0842 litre	21,187 %	4114,4574 litre	O
230	CM	85	CM	44 LEVEL CM	1071,7082 litre	20,529 %	4148,8334 litre	O
230	CM	85	CM	43 LEVEL CM	1037,5855 litre	19,875 %	4182,9561 litre	O
230	CM	85	CM	42 LEVEL CM	1003,7242 litre	19,226 %	4216,8174 litre	O
230	CM	85	CM	41 LEVEL CM	970,1328 litre	18,583 %	4250,4088 litre	O
230	CM	85	CM	40 LEVEL CM	936,8197 litre	17,945 %	4283,7219 litre	O
230	CM	85	CM	39 LEVEL CM	903,7936 litre	17,312 %	4316,7480 litre	O
230	CM	85	CM	38 LEVEL CM	871,0636 litre	16,685 %	4349,4780 litre	O
230	CM	85	CM	37 LEVEL CM	838,6389 litre	16,064 %	4381,9027 litre	O
230	CM	85	CM	36 LEVEL CM	806,5290 litre	15,449 %	4414,0126 litre	O
230	CM	85	CM	35 LEVEL CM	774,7436 litre	14,840 %	4445,7980 litre	O
230	CM	85	CM	34 LEVEL CM	743,2928 litre	14,238 %	4477,2488 litre	O
230	CM	85	CM	33 LEVEL CM	712,1871 litre	13,642 %	4508,3545 litre	O
230	CM	85	CM	32 LEVEL CM	681,4372 litre	13,053 %	4539,1044 litre	O
230	CM	85	CM	31 LEVEL CM	651,0541 litre	12,471 %	4569,4875 litre	O
230	CM	85	CM	30 LEVEL CM	621,0495 litre	11,896 %	4599,4921 litre	O
230	CM	85	CM	29 LEVEL CM	591,4354 litre	11,329 %	4629,1062 litre	O
230	CM	85	CM	28 LEVEL CM	562,2241 litre	10,769 %	4658,3175 litre	O
230	CM	85	CM	27 LEVEL CM	533,4287 litre	10,218 %	4687,1129 litre	O
230	CM	85	CM	26 LEVEL CM	505,0627 litre	9,675 %	4715,4789 litre	O
230	CM	85	CM	25 LEVEL CM	477,1404 litre	9,140 %	4743,4012 litre	O
230	CM	85	CM	24 LEVEL CM	449,6765 litre	8,614 %	4770,8651 litre	O
230	CM	85	CM	23 LEVEL CM	422,6867 litre	8,097 %	4797,8549 litre	O
230	CM	85	CM	22 LEVEL CM	396,1875 litre	7,589 %	4824,3541 litre	O
230	CM	85	CM	21 LEVEL CM	370,1962 litre	7,091 %	4850,3454 litre	O
230	CM	85	CM	20 LEVEL CM	344,7313 litre	6,603 %	4875,8103 litre	O
230	CM	85	CM	19 LEVEL CM	319,8125 litre	6,126 %	4900,7291 litre	O
230	CM	85	CM	18 LEVEL CM	295,4605 litre	5,660 %	4925,0811 litre	O
230	CM	85	CM	17 LEVEL CM	271,6980 litre	5,204 %	4948,8436 litre	O
230	CM	85	CM	16 LEVEL CM	248,5489 litre	4,761 %	4971,9927 litre	O
230	CM	85	CM	15 LEVEL CM	226,0394 litre	4,330 %	4994,5022 litre	O
230	CM	85	CM	14 LEVEL CM	204,1980 litre	3,911 %	5016,3436 litre	O
230	CM	85	CM	13 LEVEL CM	183,0557 litre	3,506 %	5037,4859 litre	O

230	CM	85	CM	12 LEVEL CM	162,6468 litre	3,116 %	5057,8948 litre	O
230	CM	85	CM	11 LEVEL CM	143,0095 litre	2,739 %	5077,5321 litre	O
230	CM	85	CM	10 LEVEL CM	124,1866 litre	2,379 %	5096,3550 litre	O
230	CM	85	CM	9 LEVEL CM	106,2268 litre	2,035 %	5114,3148 litre	O
230	CM	85	CM	8 LEVEL CM	89,1862 litre	1,708 %	5131,3554 litre	O
230	CM	85	CM	7 LEVEL CM	73,1306 litre	1,401 %	5147,4110 litre	O
230	CM	85	CM	6 LEVEL CM	58,1387 litre	1,114 %	5162,4029 litre	O
230	CM	85	CM	5 LEVEL CM	44,3074 litre	0,849 %	5176,2342 litre	O
230	CM	85	CM	4 LEVEL CM	31,7608 litre	0,608 %	5188,7808 litre	O
230	CM	85	CM	3 LEVEL CM	20,6662 litre	0,396 %	5199,8754 litre	O
230	CM	85	CM	2 LEVEL CM	11,2693 litre	0,216 %	5209,2723 litre	O
230	CM	85	CM	1 LEVEL CM	3,9914 litre	0,076 %	5216,5502 litre	O
230	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	5220,5416 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
230	CM	80	CM 160 LEVEL CM	4624,4244 litre	100,000 %	0,0000 litre	O
230	CM	80	CM 159 LEVEL CM	4620,5526 litre	99,916 %	3,8718 litre	O
230	CM	80	CM 158 LEVEL CM	4613,4940 litre	99,764 %	10,9304 litre	O
230	CM	80	CM 157 LEVEL CM	4604,3820 litre	99,567 %	20,0424 litre	O
230	CM	80	CM 156 LEVEL CM	4593,6257 litre	99,334 %	30,7987 litre	O
230	CM	80	CM 155 LEVEL CM	4581,4641 litre	99,071 %	42,9603 litre	O
230	CM	80	CM 154 LEVEL CM	4568,0598 litre	98,781 %	56,3646 litre	O
230	CM	80	CM 153 LEVEL CM	4553,5336 litre	98,467 %	70,8908 litre	O
230	CM	80	CM 152 LEVEL CM	4537,9799 litre	98,131 %	86,4445 litre	O
230	CM	80	CM 151 LEVEL CM	4521,4753 litre	97,774 %	102,9491 litre	O
230	CM	80	CM 150 LEVEL CM	4504,0840 litre	97,398 %	120,3404 litre	O
230	CM	80	CM 149 LEVEL CM	4485,8608 litre	97,004 %	138,5636 litre	O
230	CM	80	CM 148 LEVEL CM	4466,8530 litre	96,593 %	157,5714 litre	O
230	CM	80	CM 147 LEVEL CM	4447,1027 litre	96,166 %	177,3217 litre	O
230	CM	80	CM 146 LEVEL CM	4426,6470 litre	95,723 %	197,7774 litre	O
230	CM	80	CM 145 LEVEL CM	4405,5196 litre	95,266 %	218,9048 litre	O
230	CM	80	CM 144 LEVEL CM	4383,7508 litre	94,796 %	240,6736 litre	O
230	CM	80	CM 143 LEVEL CM	4361,3684 litre	94,312 %	263,0560 litre	O
230	CM	80	CM 142 LEVEL CM	4338,3982 litre	93,815 %	286,0262 litre	O
230	CM	80	CM 141 LEVEL CM	4314,8637 litre	93,306 %	309,5607 litre	O
230	CM	80	CM 140 LEVEL CM	4290,7869 litre	92,785 %	333,6375 litre	O
230	CM	80	CM 139 LEVEL CM	4266,1885 litre	92,253 %	358,2359 litre	O
230	CM	80	CM 138 LEVEL CM	4241,0876 litre	91,711 %	383,3368 litre	O
230	CM	80	CM 137 LEVEL CM	4215,5024 litre	91,157 %	408,9220 litre	O
230	CM	80	CM 136 LEVEL CM	4189,4501 litre	90,594 %	434,9743 litre	O
230	CM	80	CM 135 LEVEL CM	4162,9468 litre	90,021 %	461,4776 litre	O
230	CM	80	CM 134 LEVEL CM	4136,0079 litre	89,438 %	488,4165 litre	O
230	CM	80	CM 133 LEVEL CM	4108,6482 litre	88,847 %	515,7762 litre	O
230	CM	80	CM 132 LEVEL CM	4080,8815 litre	88,246 %	543,5429 litre	O
230	CM	80	CM 131 LEVEL CM	4052,7214 litre	87,637 %	571,7030 litre	O
230	CM	80	CM 130 LEVEL CM	4024,1806 litre	87,020 %	600,2438 litre	O
230	CM	80	CM 129 LEVEL CM	3995,2714 litre	86,395 %	629,1530 litre	O
230	CM	80	CM 128 LEVEL CM	3966,0058 litre	85,762 %	658,4186 litre	O
230	CM	80	CM 127 LEVEL CM	3936,3952 litre	85,122 %	688,0292 litre	O
230	CM	80	CM 126 LEVEL CM	3906,4505 litre	84,474 %	717,9739 litre	O
230	CM	80	CM 125 LEVEL CM	3876,1826 litre	83,820 %	748,2418 litre	O
230	CM	80	CM 124 LEVEL CM	3845,6017 litre	83,158 %	778,8227 litre	O
230	CM	80	CM 123 LEVEL CM	3814,7178 litre	82,491 %	809,7066 litre	O
230	CM	80	CM 122 LEVEL CM	3783,5406 litre	81,816 %	840,8838 litre	O
230	CM	80	CM 121 LEVEL CM	3752,0797 litre	81,136 %	872,3447 litre	O
230	CM	80	CM 120 LEVEL CM	3720,3443 litre	80,450 %	904,0801 litre	O
230	CM	80	CM 119 LEVEL CM	3688,3432 litre	79,758 %	936,0812 litre	O
230	CM	80	CM 118 LEVEL CM	3656,0853 litre	79,060 %	968,3391 litre	O
230	CM	80	CM 117 LEVEL CM	3623,5791 litre	78,357 %	1000,8453 litre	O
230	CM	80	CM 116 LEVEL CM	3590,8329 litre	77,649 %	1033,5915 litre	O
230	CM	80	CM 115 LEVEL CM	3557,8549 litre	76,936 %	1066,5695 litre	O
230	CM	80	CM 114 LEVEL CM	3524,6530 litre	76,218 %	1099,7714 litre	O
230	CM	80	CM 113 LEVEL CM	3491,2352 litre	75,496 %	1133,1892 litre	O
230	CM	80	CM 112 LEVEL CM	3457,6091 litre	74,768 %	1166,8153 litre	O
230	CM	80	CM 111 LEVEL CM	3423,7822 litre	74,037 %	1200,6422 litre	O
230	CM	80	CM 110 LEVEL CM	3389,7619 litre	73,301 %	1234,6625 litre	O
230	CM	80	CM 109 LEVEL CM	3355,5556 litre	72,562 %	1268,8688 litre	O

230	CM	80	CM	108 LEVEL CM	3321,1703 litre	71,818 %	1303,2541 litre	O
230	CM	80	CM	107 LEVEL CM	3286,6131 litre	71,071 %	1337,8113 litre	O
230	CM	80	CM	106 LEVEL CM	3251,8910 litre	70,320 %	1372,5334 litre	O
230	CM	80	CM	105 LEVEL CM	3217,0109 litre	69,566 %	1407,4135 litre	O
230	CM	80	CM	104 LEVEL CM	3181,9793 litre	68,808 %	1442,4451 litre	O
230	CM	80	CM	103 LEVEL CM	3146,8031 litre	68,047 %	1477,6213 litre	O
230	CM	80	CM	102 LEVEL CM	3111,4889 litre	67,284 %	1512,9355 litre	O
230	CM	80	CM	101 LEVEL CM	3076,0430 litre	66,517 %	1548,3814 litre	O
230	CM	80	CM	100 LEVEL CM	3040,4720 litre	65,748 %	1583,9524 litre	O
230	CM	80	CM	99 LEVEL CM	3004,7822 litre	64,976 %	1619,6422 litre	O
230	CM	80	CM	98 LEVEL CM	2968,9800 litre	64,202 %	1655,4444 litre	O
230	CM	80	CM	97 LEVEL CM	2933,0715 litre	63,426 %	1691,3529 litre	O
230	CM	80	CM	96 LEVEL CM	2897,0630 litre	62,647 %	1727,3614 litre	O
230	CM	80	CM	95 LEVEL CM	2860,9605 litre	61,866 %	1763,4639 litre	O
230	CM	80	CM	94 LEVEL CM	2824,7703 litre	61,084 %	1799,6541 litre	O
230	CM	80	CM	93 LEVEL CM	2788,4983 litre	60,299 %	1835,9261 litre	O
230	CM	80	CM	92 LEVEL CM	2752,1506 litre	59,513 %	1872,2738 litre	O
230	CM	80	CM	91 LEVEL CM	2715,7330 litre	58,726 %	1908,6914 litre	O
230	CM	80	CM	90 LEVEL CM	2679,2516 litre	57,937 %	1945,1728 litre	O
230	CM	80	CM	89 LEVEL CM	2642,7122 litre	57,147 %	1981,7122 litre	O
230	CM	80	CM	88 LEVEL CM	2606,1208 litre	56,356 %	2018,3036 litre	O
230	CM	80	CM	87 LEVEL CM	2569,4831 litre	55,563 %	2054,9413 litre	O
230	CM	80	CM	86 LEVEL CM	2532,8050 litre	54,770 %	2091,6194 litre	O
230	CM	80	CM	85 LEVEL CM	2496,0923 litre	53,976 %	2128,3321 litre	O
230	CM	80	CM	84 LEVEL CM	2459,3508 litre	53,182 %	2165,0736 litre	O
230	CM	80	CM	83 LEVEL CM	2422,5863 litre	52,387 %	2201,8381 litre	O
230	CM	80	CM	82 LEVEL CM	2385,8045 litre	51,591 %	2238,6199 litre	O
230	CM	80	CM	81 LEVEL CM	2349,0112 litre	50,796 %	2275,4132 litre	O
230	CM	80	CM	80 LEVEL CM	2312,2122 litre	50,000 %	2312,2122 litre	O
230	CM	80	CM	79 LEVEL CM	2275,4132 litre	49,204 %	2349,0112 litre	O
230	CM	80	CM	78 LEVEL CM	2238,6199 litre	48,409 %	2385,8045 litre	O
230	CM	80	CM	77 LEVEL CM	2201,8381 litre	47,613 %	2422,5863 litre	O
230	CM	80	CM	76 LEVEL CM	2165,0735 litre	46,818 %	2459,3509 litre	O
230	CM	80	CM	75 LEVEL CM	2128,3321 litre	46,024 %	2496,0923 litre	O
230	CM	80	CM	74 LEVEL CM	2091,6194 litre	45,230 %	2532,8050 litre	O
230	CM	80	CM	73 LEVEL CM	2054,9413 litre	44,437 %	2569,4831 litre	O
230	CM	80	CM	72 LEVEL CM	2018,3036 litre	43,644 %	2606,1208 litre	O
230	CM	80	CM	71 LEVEL CM	1981,7122 litre	42,853 %	2642,7122 litre	O
230	CM	80	CM	70 LEVEL CM	1945,1728 litre	42,063 %	2679,2516 litre	O
230	CM	80	CM	69 LEVEL CM	1908,6914 litre	41,274 %	2715,7330 litre	O
230	CM	80	CM	68 LEVEL CM	1872,2738 litre	40,487 %	2752,1506 litre	O
230	CM	80	CM	67 LEVEL CM	1835,9261 litre	39,701 %	2788,4983 litre	O
230	CM	80	CM	66 LEVEL CM	1799,6541 litre	38,916 %	2824,7703 litre	O
230	CM	80	CM	65 LEVEL CM	1763,4638 litre	38,134 %	2860,9606 litre	O
230	CM	80	CM	64 LEVEL CM	1727,3614 litre	37,353 %	2897,0630 litre	O
230	CM	80	CM	63 LEVEL CM	1691,3529 litre	36,574 %	2933,0715 litre	O
230	CM	80	CM	62 LEVEL CM	1655,4444 litre	35,798 %	2968,9800 litre	O
230	CM	80	CM	61 LEVEL CM	1619,6422 litre	35,024 %	3004,7822 litre	O
230	CM	80	CM	60 LEVEL CM	1583,9524 litre	34,252 %	3040,4720 litre	O
230	CM	80	CM	59 LEVEL CM	1548,3814 litre	33,483 %	3076,0430 litre	O
230	CM	80	CM	58 LEVEL CM	1512,9355 litre	32,716 %	3111,4889 litre	O
230	CM	80	CM	57 LEVEL CM	1477,6212 litre	31,953 %	3146,8032 litre	O
230	CM	80	CM	56 LEVEL CM	1442,4451 litre	31,192 %	3181,9793 litre	O

230	CM	80	CM	55 LEVEL CM	1407,4135 litre	30,434 %	3217,0109 litre	O
230	CM	80	CM	54 LEVEL CM	1372,5333 litre	29,680 %	3251,8911 litre	O
230	CM	80	CM	53 LEVEL CM	1337,8112 litre	28,929 %	3286,6132 litre	O
230	CM	80	CM	52 LEVEL CM	1303,2541 litre	28,182 %	3321,1703 litre	O
230	CM	80	CM	51 LEVEL CM	1268,8688 litre	27,438 %	3355,5556 litre	O
230	CM	80	CM	50 LEVEL CM	1234,6624 litre	26,699 %	3389,7620 litre	O
230	CM	80	CM	49 LEVEL CM	1200,6422 litre	25,963 %	3423,7822 litre	O
230	CM	80	CM	48 LEVEL CM	1166,8153 litre	25,232 %	3457,6091 litre	O
230	CM	80	CM	47 LEVEL CM	1133,1892 litre	24,504 %	3491,2352 litre	O
230	CM	80	CM	46 LEVEL CM	1099,7713 litre	23,782 %	3524,6531 litre	O
230	CM	80	CM	45 LEVEL CM	1066,5695 litre	23,064 %	3557,8549 litre	O
230	CM	80	CM	44 LEVEL CM	1033,5915 litre	22,351 %	3590,8329 litre	O
230	CM	80	CM	43 LEVEL CM	1000,8453 litre	21,643 %	3623,5791 litre	O
230	CM	80	CM	42 LEVEL CM	968,3391 litre	20,940 %	3656,0853 litre	O
230	CM	80	CM	41 LEVEL CM	936,0812 litre	20,242 %	3688,3432 litre	O
230	CM	80	CM	40 LEVEL CM	904,0801 litre	19,550 %	3720,3443 litre	O
230	CM	80	CM	39 LEVEL CM	872,3446 litre	18,864 %	3752,0798 litre	O
230	CM	80	CM	38 LEVEL CM	840,8837 litre	18,184 %	3783,5407 litre	O
230	CM	80	CM	37 LEVEL CM	809,7066 litre	17,509 %	3814,7178 litre	O
230	CM	80	CM	36 LEVEL CM	778,8227 litre	16,842 %	3845,6017 litre	O
230	CM	80	CM	35 LEVEL CM	748,2418 litre	16,180 %	3876,1826 litre	O
230	CM	80	CM	34 LEVEL CM	717,9738 litre	15,526 %	3906,4506 litre	O
230	CM	80	CM	33 LEVEL CM	688,0292 litre	14,878 %	3936,3952 litre	O
230	CM	80	CM	32 LEVEL CM	658,4186 litre	14,238 %	3966,0058 litre	O
230	CM	80	CM	31 LEVEL CM	629,1529 litre	13,605 %	3995,2715 litre	O
230	CM	80	CM	30 LEVEL CM	600,2438 litre	12,980 %	4024,1806 litre	O
230	CM	80	CM	29 LEVEL CM	571,7030 litre	12,363 %	4052,7214 litre	O
230	CM	80	CM	28 LEVEL CM	543,5429 litre	11,754 %	4080,8815 litre	O
230	CM	80	CM	27 LEVEL CM	515,7762 litre	11,153 %	4108,6482 litre	O
230	CM	80	CM	26 LEVEL CM	488,4165 litre	10,562 %	4136,0079 litre	O
230	CM	80	CM	25 LEVEL CM	461,4776 litre	9,979 %	4162,9468 litre	O
230	CM	80	CM	24 LEVEL CM	434,9743 litre	9,406 %	4189,4501 litre	O
230	CM	80	CM	23 LEVEL CM	408,9219 litre	8,843 %	4215,5025 litre	O
230	CM	80	CM	22 LEVEL CM	383,3368 litre	8,289 %	4241,0876 litre	O
230	CM	80	CM	21 LEVEL CM	358,2359 litre	7,747 %	4266,1885 litre	O
230	CM	80	CM	20 LEVEL CM	333,6375 litre	7,215 %	4290,7869 litre	O
230	CM	80	CM	19 LEVEL CM	309,5607 litre	6,694 %	4314,8637 litre	O
230	CM	80	CM	18 LEVEL CM	286,0262 litre	6,185 %	4338,3982 litre	O
230	CM	80	CM	17 LEVEL CM	263,0560 litre	5,688 %	4361,3684 litre	O
230	CM	80	CM	16 LEVEL CM	240,6736 litre	5,204 %	4383,7508 litre	O
230	CM	80	CM	15 LEVEL CM	218,9048 litre	4,734 %	4405,5196 litre	O
230	CM	80	CM	14 LEVEL CM	197,7774 litre	4,277 %	4426,6470 litre	O
230	CM	80	CM	13 LEVEL CM	177,3217 litre	3,834 %	4447,1027 litre	O
230	CM	80	CM	12 LEVEL CM	157,5713 litre	3,407 %	4466,8531 litre	O
230	CM	80	CM	11 LEVEL CM	138,5636 litre	2,996 %	4485,8608 litre	O
230	CM	80	CM	10 LEVEL CM	120,3404 litre	2,602 %	4504,0840 litre	O
230	CM	80	CM	9 LEVEL CM	102,9491 litre	2,226 %	4521,4753 litre	O
230	CM	80	CM	8 LEVEL CM	86,4445 litre	1,869 %	4537,9799 litre	O
230	CM	80	CM	7 LEVEL CM	70,8908 litre	1,533 %	4553,5336 litre	O
230	CM	80	CM	6 LEVEL CM	56,3646 litre	1,219 %	4568,0598 litre	O
230	CM	80	CM	5 LEVEL CM	42,9603 litre	0,929 %	4581,4641 litre	O
230	CM	80	CM	4 LEVEL CM	30,7987 litre	0,666 %	4593,6257 litre	O
230	CM	80	CM	3 LEVEL CM	20,0424 litre	0,433 %	4604,3820 litre	O

230_80

-2840-

230	CM 80	CM	2 LEVEL CM	10,9304 litre	0,236 %	4613,4940 litre	O
230	CM 80	CM	1 LEVEL CM	3,8718 litre	0,084 %	4620,5526 litre	O
230	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	4624,4244 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
230	CM 75	CM 150 LEVEL CM	4064,4355 litre	100,000 %	0,0000 litre	O
230	CM 75	CM 149 LEVEL CM	4060,6871 litre	99,908 %	3,7484 litre	O
230	CM 75	CM 148 LEVEL CM	4053,8548 litre	99,740 %	10,5807 litre	O
230	CM 75	CM 147 LEVEL CM	4045,0369 litre	99,523 %	19,3986 litre	O
230	CM 75	CM 146 LEVEL CM	4034,6300 litre	99,267 %	29,8055 litre	O
230	CM 75	CM 145 LEVEL CM	4022,8659 litre	98,977 %	41,5696 litre	O
230	CM 75	CM 144 LEVEL CM	4009,9027 litre	98,658 %	54,5328 litre	O
230	CM 75	CM 143 LEVEL CM	3995,8577 litre	98,313 %	68,5778 litre	O
230	CM 75	CM 142 LEVEL CM	3980,8225 litre	97,943 %	83,6130 litre	O
230	CM 75	CM 141 LEVEL CM	3964,8720 litre	97,550 %	99,5635 litre	O
230	CM 75	CM 140 LEVEL CM	3948,0685 litre	97,137 %	116,3670 litre	O
230	CM 75	CM 139 LEVEL CM	3930,4653 litre	96,704 %	133,9702 litre	O
230	CM 75	CM 138 LEVEL CM	3912,1087 litre	96,252 %	152,3268 litre	O
230	CM 75	CM 137 LEVEL CM	3893,0396 litre	95,783 %	171,3959 litre	O
230	CM 75	CM 136 LEVEL CM	3873,2944 litre	95,297 %	191,1411 litre	O
230	CM 75	CM 135 LEVEL CM	3852,9059 litre	94,796 %	211,5296 litre	O
230	CM 75	CM 134 LEVEL CM	3831,9039 litre	94,279 %	232,5316 litre	O
230	CM 75	CM 133 LEVEL CM	3810,3155 litre	93,748 %	254,1200 litre	O
230	CM 75	CM 132 LEVEL CM	3788,1660 litre	93,203 %	276,2695 litre	O
230	CM 75	CM 131 LEVEL CM	3765,4783 litre	92,645 %	298,9572 litre	O
230	CM 75	CM 130 LEVEL CM	3742,2742 litre	92,074 %	322,1613 litre	O
230	CM 75	CM 129 LEVEL CM	3718,5738 litre	91,491 %	345,8617 litre	O
230	CM 75	CM 128 LEVEL CM	3694,3961 litre	90,896 %	370,0394 litre	O
230	CM 75	CM 127 LEVEL CM	3669,7589 litre	90,290 %	394,6766 litre	O
230	CM 75	CM 126 LEVEL CM	3644,6790 litre	89,672 %	419,7565 litre	O
230	CM 75	CM 125 LEVEL CM	3619,1724 litre	89,045 %	445,2631 litre	O
230	CM 75	CM 124 LEVEL CM	3593,2544 litre	88,407 %	471,1811 litre	O
230	CM 75	CM 123 LEVEL CM	3566,9393 litre	87,760 %	497,4962 litre	O
230	CM 75	CM 122 LEVEL CM	3540,2410 litre	87,103 %	524,1945 litre	O
230	CM 75	CM 121 LEVEL CM	3513,1728 litre	86,437 %	551,2627 litre	O
230	CM 75	CM 120 LEVEL CM	3485,7473 litre	85,762 %	578,6882 litre	O
230	CM 75	CM 119 LEVEL CM	3457,9768 litre	85,079 %	606,4587 litre	O
230	CM 75	CM 118 LEVEL CM	3429,8730 litre	84,387 %	634,5625 litre	O
230	CM 75	CM 117 LEVEL CM	3401,4473 litre	83,688 %	662,9882 litre	O
230	CM 75	CM 116 LEVEL CM	3372,7106 litre	82,981 %	691,7249 litre	O
230	CM 75	CM 115 LEVEL CM	3343,6736 litre	82,267 %	720,7619 litre	O
230	CM 75	CM 114 LEVEL CM	3314,3465 litre	81,545 %	750,0890 litre	O
230	CM 75	CM 113 LEVEL CM	3284,7394 litre	80,817 %	779,6961 litre	O
230	CM 75	CM 112 LEVEL CM	3254,8619 litre	80,082 %	809,5736 litre	O
230	CM 75	CM 111 LEVEL CM	3224,7235 litre	79,340 %	839,7120 litre	O
230	CM 75	CM 110 LEVEL CM	3194,3334 litre	78,592 %	870,1021 litre	O
230	CM 75	CM 109 LEVEL CM	3163,7006 litre	77,839 %	900,7349 litre	O
230	CM 75	CM 108 LEVEL CM	3132,8338 litre	77,079 %	931,6017 litre	O
230	CM 75	CM 107 LEVEL CM	3101,7415 litre	76,314 %	962,6940 litre	O
230	CM 75	CM 106 LEVEL CM	3070,4323 litre	75,544 %	994,0032 litre	O
230	CM 75	CM 105 LEVEL CM	3038,9143 litre	74,768 %	1025,5212 litre	O
230	CM 75	CM 104 LEVEL CM	3007,1954 litre	73,988 %	1057,2401 litre	O
230	CM 75	CM 103 LEVEL CM	2975,2837 litre	73,203 %	1089,1518 litre	O
230	CM 75	CM 102 LEVEL CM	2943,1869 litre	72,413 %	1121,2486 litre	O
230	CM 75	CM 101 LEVEL CM	2910,9125 litre	71,619 %	1153,5230 litre	O
230	CM 75	CM 100 LEVEL CM	2878,4681 litre	70,821 %	1185,9674 litre	O
230	CM 75	CM 99 LEVEL CM	2845,8611 litre	70,019 %	1218,5744 litre	O

230	CM	75	CM	98 LEVEL CM	2813,0987 litre	69,213 %	1251,3368 litre	O
230	CM	75	CM	97 LEVEL CM	2780,1881 litre	68,403 %	1284,2474 litre	O
230	CM	75	CM	96 LEVEL CM	2747,1364 litre	67,590 %	1317,2991 litre	O
230	CM	75	CM	95 LEVEL CM	2713,9504 litre	66,773 %	1350,4851 litre	O
230	CM	75	CM	94 LEVEL CM	2680,6372 litre	65,953 %	1383,7983 litre	O
230	CM	75	CM	93 LEVEL CM	2647,2035 litre	65,131 %	1417,2320 litre	O
230	CM	75	CM	92 LEVEL CM	2613,6561 litre	64,306 %	1450,7794 litre	O
230	CM	75	CM	91 LEVEL CM	2580,0017 litre	63,477 %	1484,4338 litre	O
230	CM	75	CM	90 LEVEL CM	2546,2467 litre	62,647 %	1518,1888 litre	O
230	CM	75	CM	89 LEVEL CM	2512,3979 litre	61,814 %	1552,0376 litre	O
230	CM	75	CM	88 LEVEL CM	2478,4617 litre	60,979 %	1585,9738 litre	O
230	CM	75	CM	87 LEVEL CM	2444,4445 litre	60,142 %	1619,9910 litre	O
230	CM	75	CM	86 LEVEL CM	2410,3527 litre	59,304 %	1654,0828 litre	O
230	CM	75	CM	85 LEVEL CM	2376,1928 litre	58,463 %	1688,2427 litre	O
230	CM	75	CM	84 LEVEL CM	2341,9709 litre	57,621 %	1722,4646 litre	O
230	CM	75	CM	83 LEVEL CM	2307,6935 litre	56,778 %	1756,7420 litre	O
230	CM	75	CM	82 LEVEL CM	2273,3667 litre	55,933 %	1791,0688 litre	O
230	CM	75	CM	81 LEVEL CM	2238,9967 litre	55,088 %	1825,4388 litre	O
230	CM	75	CM	80 LEVEL CM	2204,5899 litre	54,241 %	1859,8456 litre	O
230	CM	75	CM	79 LEVEL CM	2170,1523 litre	53,394 %	1894,2832 litre	O
230	CM	75	CM	78 LEVEL CM	2135,6901 litre	52,546 %	1928,7454 litre	O
230	CM	75	CM	77 LEVEL CM	2101,2096 litre	51,697 %	1963,2259 litre	O
230	CM	75	CM	76 LEVEL CM	2066,7167 litre	50,849 %	1997,7188 litre	O
230	CM	75	CM	75 LEVEL CM	2032,2177 litre	50,000 %	2032,2178 litre	O
230	CM	75	CM	74 LEVEL CM	1997,7188 litre	49,151 %	2066,7167 litre	O
230	CM	75	CM	73 LEVEL CM	1963,2259 litre	48,303 %	2101,2096 litre	O
230	CM	75	CM	72 LEVEL CM	1928,7454 litre	47,454 %	2135,6901 litre	O
230	CM	75	CM	71 LEVEL CM	1894,2832 litre	46,606 %	2170,1523 litre	O
230	CM	75	CM	70 LEVEL CM	1859,8456 litre	45,759 %	2204,5899 litre	O
230	CM	75	CM	69 LEVEL CM	1825,4388 litre	44,912 %	2238,9967 litre	O
230	CM	75	CM	68 LEVEL CM	1791,0688 litre	44,067 %	2273,3667 litre	O
230	CM	75	CM	67 LEVEL CM	1756,7420 litre	43,222 %	2307,6935 litre	O
230	CM	75	CM	66 LEVEL CM	1722,4646 litre	42,379 %	2341,9709 litre	O
230	CM	75	CM	65 LEVEL CM	1688,2427 litre	41,537 %	2376,1928 litre	O
230	CM	75	CM	64 LEVEL CM	1654,0827 litre	40,696 %	2410,3528 litre	O
230	CM	75	CM	63 LEVEL CM	1619,9910 litre	39,858 %	2444,4445 litre	O
230	CM	75	CM	62 LEVEL CM	1585,9738 litre	39,021 %	2478,4617 litre	O
230	CM	75	CM	61 LEVEL CM	1552,0376 litre	38,186 %	2512,3979 litre	O
230	CM	75	CM	60 LEVEL CM	1518,1887 litre	37,353 %	2546,2468 litre	O
230	CM	75	CM	59 LEVEL CM	1484,4338 litre	36,523 %	2580,0017 litre	O
230	CM	75	CM	58 LEVEL CM	1450,7794 litre	35,694 %	2613,6561 litre	O
230	CM	75	CM	57 LEVEL CM	1417,2319 litre	34,869 %	2647,2036 litre	O
230	CM	75	CM	56 LEVEL CM	1383,7983 litre	34,047 %	2680,6372 litre	O
230	CM	75	CM	55 LEVEL CM	1350,4851 litre	33,227 %	2713,9504 litre	O
230	CM	75	CM	54 LEVEL CM	1317,2991 litre	32,410 %	2747,1364 litre	O
230	CM	75	CM	53 LEVEL CM	1284,2474 litre	31,597 %	2780,1881 litre	O
230	CM	75	CM	52 LEVEL CM	1251,3368 litre	30,787 %	2813,0987 litre	O
230	CM	75	CM	51 LEVEL CM	1218,5744 litre	29,981 %	2845,8611 litre	O
230	CM	75	CM	50 LEVEL CM	1185,9673 litre	29,179 %	2878,4682 litre	O
230	CM	75	CM	49 LEVEL CM	1153,5230 litre	28,381 %	2910,9125 litre	O
230	CM	75	CM	48 LEVEL CM	1121,2486 litre	27,587 %	2943,1869 litre	O
230	CM	75	CM	47 LEVEL CM	1089,1518 litre	26,797 %	2975,2837 litre	O
230	CM	75	CM	46 LEVEL CM	1057,2401 litre	26,012 %	3007,1954 litre	O

230	CM	75	CM	45 LEVEL CM	1025,5212 litre	25,232 %	3038,9143 litre	O
230	CM	75	CM	44 LEVEL CM	994,0032 litre	24,456 %	3070,4323 litre	O
230	CM	75	CM	43 LEVEL CM	962,6939 litre	23,686 %	3101,7416 litre	O
230	CM	75	CM	42 LEVEL CM	931,6017 litre	22,921 %	3132,8338 litre	O
230	CM	75	CM	41 LEVEL CM	900,7349 litre	22,161 %	3163,7006 litre	O
230	CM	75	CM	40 LEVEL CM	870,1021 litre	21,408 %	3194,3334 litre	O
230	CM	75	CM	39 LEVEL CM	839,7120 litre	20,660 %	3224,7235 litre	O
230	CM	75	CM	38 LEVEL CM	809,5736 litre	19,918 %	3254,8619 litre	O
230	CM	75	CM	37 LEVEL CM	779,6961 litre	19,183 %	3284,7394 litre	O
230	CM	75	CM	36 LEVEL CM	750,0890 litre	18,455 %	3314,3465 litre	O
230	CM	75	CM	35 LEVEL CM	720,7619 litre	17,733 %	3343,6736 litre	O
230	CM	75	CM	34 LEVEL CM	691,7249 litre	17,019 %	3372,7106 litre	O
230	CM	75	CM	33 LEVEL CM	662,9882 litre	16,312 %	3401,4473 litre	O
230	CM	75	CM	32 LEVEL CM	634,5625 litre	15,613 %	3429,8730 litre	O
230	CM	75	CM	31 LEVEL CM	606,4587 litre	14,921 %	3457,9768 litre	O
230	CM	75	CM	30 LEVEL CM	578,6882 litre	14,238 %	3485,7473 litre	O
230	CM	75	CM	29 LEVEL CM	551,2627 litre	13,563 %	3513,1728 litre	O
230	CM	75	CM	28 LEVEL CM	524,1945 litre	12,897 %	3540,2410 litre	O
230	CM	75	CM	27 LEVEL CM	497,4962 litre	12,240 %	3566,9393 litre	O
230	CM	75	CM	26 LEVEL CM	471,1811 litre	11,593 %	3593,2544 litre	O
230	CM	75	CM	25 LEVEL CM	445,2630 litre	10,955 %	3619,1725 litre	O
230	CM	75	CM	24 LEVEL CM	419,7565 litre	10,328 %	3644,6790 litre	O
230	CM	75	CM	23 LEVEL CM	394,6766 litre	9,710 %	3669,7589 litre	O
230	CM	75	CM	22 LEVEL CM	370,0394 litre	9,104 %	3694,3961 litre	O
230	CM	75	CM	21 LEVEL CM	345,8617 litre	8,509 %	3718,5738 litre	O
230	CM	75	CM	20 LEVEL CM	322,1613 litre	7,926 %	3742,2742 litre	O
230	CM	75	CM	19 LEVEL CM	298,9572 litre	7,355 %	3765,4783 litre	O
230	CM	75	CM	18 LEVEL CM	276,2695 litre	6,797 %	3788,1660 litre	O
230	CM	75	CM	17 LEVEL CM	254,1199 litre	6,252 %	3810,3156 litre	O
230	CM	75	CM	16 LEVEL CM	232,5316 litre	5,721 %	3831,9039 litre	O
230	CM	75	CM	15 LEVEL CM	211,5296 litre	5,204 %	3852,9059 litre	O
230	CM	75	CM	14 LEVEL CM	191,1411 litre	4,703 %	3873,2944 litre	O
230	CM	75	CM	13 LEVEL CM	171,3959 litre	4,217 %	3893,0396 litre	O
230	CM	75	CM	12 LEVEL CM	152,3268 litre	3,748 %	3912,1087 litre	O
230	CM	75	CM	11 LEVEL CM	133,9702 litre	3,296 %	3930,4653 litre	O
230	CM	75	CM	10 LEVEL CM	116,3670 litre	2,863 %	3948,0685 litre	O
230	CM	75	CM	9 LEVEL CM	99,5635 litre	2,450 %	3964,8720 litre	O
230	CM	75	CM	8 LEVEL CM	83,6130 litre	2,057 %	3980,8225 litre	O
230	CM	75	CM	7 LEVEL CM	68,5778 litre	1,687 %	3995,8577 litre	O
230	CM	75	CM	6 LEVEL CM	54,5328 litre	1,342 %	4009,9027 litre	O
230	CM	75	CM	5 LEVEL CM	41,5696 litre	1,023 %	4022,8659 litre	O
230	CM	75	CM	4 LEVEL CM	29,8055 litre	0,733 %	4034,6300 litre	O
230	CM	75	CM	3 LEVEL CM	19,3986 litre	0,477 %	4045,0369 litre	O
230	CM	75	CM	2 LEVEL CM	10,5807 litre	0,260 %	4053,8548 litre	O
230	CM	75	CM	1 LEVEL CM	3,7484 litre	0,092 %	4060,6871 litre	O
230	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	4064,4355 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
230	CM 70	CM 140 LEVEL CM	3540,5749 litre	100,000 %	0,0000 litre O
230	CM 70	CM 139 LEVEL CM	3536,9542 litre	99,898 %	3,6207 litre O
230	CM 70	CM 138 LEVEL CM	3530,3560 litre	99,711 %	10,2189 litre O
230	CM 70	CM 137 LEVEL CM	3521,8422 litre	99,471 %	18,7327 litre O
230	CM 70	CM 136 LEVEL CM	3511,7968 litre	99,187 %	28,7781 litre O
230	CM 70	CM 135 LEVEL CM	3500,4442 litre	98,867 %	40,1307 litre O
230	CM 70	CM 134 LEVEL CM	3487,9376 litre	98,513 %	52,6373 litre O
230	CM 70	CM 133 LEVEL CM	3474,3908 litre	98,131 %	66,1841 litre O
230	CM 70	CM 132 LEVEL CM	3459,8929 litre	97,721 %	80,6820 litre O
230	CM 70	CM 131 LEVEL CM	3444,5163 litre	97,287 %	96,0586 litre O
230	CM 70	CM 130 LEVEL CM	3428,3218 litre	96,830 %	112,2531 litre O
230	CM 70	CM 129 LEVEL CM	3411,3613 litre	96,350 %	129,2136 litre O
230	CM 70	CM 128 LEVEL CM	3393,6799 litre	95,851 %	146,8950 litre O
230	CM 70	CM 127 LEVEL CM	3375,3173 litre	95,332 %	165,2576 litre O
230	CM 70	CM 126 LEVEL CM	3356,3092 litre	94,796 %	184,2657 litre O
230	CM 70	CM 125 LEVEL CM	3336,6875 litre	94,241 %	203,8874 litre O
230	CM 70	CM 124 LEVEL CM	3316,4813 litre	93,671 %	224,0936 litre O
230	CM 70	CM 123 LEVEL CM	3295,7172 litre	93,084 %	244,8577 litre O
230	CM 70	CM 122 LEVEL CM	3274,4199 litre	92,483 %	266,1550 litre O
230	CM 70	CM 121 LEVEL CM	3252,6119 litre	91,867 %	287,9630 litre O
230	CM 70	CM 120 LEVEL CM	3230,3146 litre	91,237 %	310,2603 litre O
230	CM 70	CM 119 LEVEL CM	3207,5477 litre	90,594 %	333,0272 litre O
230	CM 70	CM 118 LEVEL CM	3184,3298 litre	89,938 %	356,2451 litre O
230	CM 70	CM 117 LEVEL CM	3160,6785 litre	89,270 %	379,8964 litre O
230	CM 70	CM 116 LEVEL CM	3136,6104 litre	88,590 %	403,9645 litre O
230	CM 70	CM 115 LEVEL CM	3112,1411 litre	87,899 %	428,4338 litre O
230	CM 70	CM 114 LEVEL CM	3087,2857 litre	87,197 %	453,2892 litre O
230	CM 70	CM 113 LEVEL CM	3062,0585 litre	86,485 %	478,5164 litre O
230	CM 70	CM 112 LEVEL CM	3036,4732 litre	85,762 %	504,1017 litre O
230	CM 70	CM 111 LEVEL CM	3010,5428 litre	85,030 %	530,0321 litre O
230	CM 70	CM 110 LEVEL CM	2984,2800 litre	84,288 %	556,2949 litre O
230	CM 70	CM 109 LEVEL CM	2957,6968 litre	83,537 %	582,8781 litre O
230	CM 70	CM 108 LEVEL CM	2930,8050 litre	82,778 %	609,7699 litre O
230	CM 70	CM 107 LEVEL CM	2903,6158 litre	82,010 %	636,9591 litre O
230	CM 70	CM 106 LEVEL CM	2876,1401 litre	81,234 %	664,4348 litre O
230	CM 70	CM 105 LEVEL CM	2848,3886 litre	80,450 %	692,1863 litre O
230	CM 70	CM 104 LEVEL CM	2820,3715 litre	79,659 %	720,2034 litre O
230	CM 70	CM 103 LEVEL CM	2792,0987 litre	78,860 %	748,4762 litre O
230	CM 70	CM 102 LEVEL CM	2763,5800 litre	78,055 %	776,9949 litre O
230	CM 70	CM 101 LEVEL CM	2734,8249 litre	77,242 %	805,7500 litre O
230	CM 70	CM 100 LEVEL CM	2705,8425 litre	76,424 %	834,7324 litre O
230	CM 70	CM 99 LEVEL CM	2676,6419 litre	75,599 %	863,9330 litre O
230	CM 70	CM 98 LEVEL CM	2647,2320 litre	74,768 %	893,3429 litre O
230	CM 70	CM 97 LEVEL CM	2617,6212 litre	73,932 %	922,9537 litre O
230	CM 70	CM 96 LEVEL CM	2587,8181 litre	73,090 %	952,7568 litre O
230	CM 70	CM 95 LEVEL CM	2557,8310 litre	72,243 %	982,7439 litre O
230	CM 70	CM 94 LEVEL CM	2527,6680 litre	71,391 %	1012,9069 litre O
230	CM 70	CM 93 LEVEL CM	2497,3371 litre	70,535 %	1043,2378 litre O
230	CM 70	CM 92 LEVEL CM	2466,8462 litre	69,674 %	1073,7287 litre O
230	CM 70	CM 91 LEVEL CM	2436,2029 litre	68,808 %	1104,3720 litre O
230	CM 70	CM 90 LEVEL CM	2405,4150 litre	67,939 %	1135,1599 litre O
230	CM 70	CM 89 LEVEL CM	2374,4899 litre	67,065 %	1166,0850 litre O

230	CM	70	CM	88 LEVEL CM	2343,4351 litre	66,188 %	1197,1398 litre	O
230	CM	70	CM	87 LEVEL CM	2312,2579 litre	65,307 %	1228,3170 litre	O
230	CM	70	CM	86 LEVEL CM	2280,9655 litre	64,424 %	1259,6094 litre	O
230	CM	70	CM	85 LEVEL CM	2249,5651 litre	63,537 %	1291,0098 litre	O
230	CM	70	CM	84 LEVEL CM	2218,0638 litre	62,647 %	1322,5111 litre	O
230	CM	70	CM	83 LEVEL CM	2186,4686 litre	61,755 %	1354,1063 litre	O
230	CM	70	CM	82 LEVEL CM	2154,7865 litre	60,860 %	1385,7884 litre	O
230	CM	70	CM	81 LEVEL CM	2123,0243 litre	59,963 %	1417,5506 litre	O
230	CM	70	CM	80 LEVEL CM	2091,1888 litre	59,064 %	1449,3861 litre	O
230	CM	70	CM	79 LEVEL CM	2059,2870 litre	58,163 %	1481,2879 litre	O
230	CM	70	CM	78 LEVEL CM	2027,3256 litre	57,260 %	1513,2493 litre	O
230	CM	70	CM	77 LEVEL CM	1995,3112 litre	56,356 %	1545,2637 litre	O
230	CM	70	CM	76 LEVEL CM	1963,2506 litre	55,450 %	1577,3243 litre	O
230	CM	70	CM	75 LEVEL CM	1931,1505 litre	54,543 %	1609,4244 litre	O
230	CM	70	CM	74 LEVEL CM	1899,0173 litre	53,636 %	1641,5576 litre	O
230	CM	70	CM	73 LEVEL CM	1866,8579 litre	52,728 %	1673,7170 litre	O
230	CM	70	CM	72 LEVEL CM	1834,6787 litre	51,819 %	1705,8962 litre	O
230	CM	70	CM	71 LEVEL CM	1802,4864 litre	50,909 %	1738,0885 litre	O
230	CM	70	CM	70 LEVEL CM	1770,2875 litre	50,000 %	1770,2874 litre	O
230	CM	70	CM	69 LEVEL CM	1738,0886 litre	49,091 %	1802,4863 litre	O
230	CM	70	CM	68 LEVEL CM	1705,8962 litre	48,181 %	1834,6787 litre	O
230	CM	70	CM	67 LEVEL CM	1673,7170 litre	47,272 %	1866,8579 litre	O
230	CM	70	CM	66 LEVEL CM	1641,5576 litre	46,364 %	1899,0173 litre	O
230	CM	70	CM	65 LEVEL CM	1609,4245 litre	45,457 %	1931,1504 litre	O
230	CM	70	CM	64 LEVEL CM	1577,3243 litre	44,550 %	1963,2506 litre	O
230	CM	70	CM	63 LEVEL CM	1545,2637 litre	43,644 %	1995,3112 litre	O
230	CM	70	CM	62 LEVEL CM	1513,2493 litre	42,740 %	2027,3256 litre	O
230	CM	70	CM	61 LEVEL CM	1481,2879 litre	41,837 %	2059,2870 litre	O
230	CM	70	CM	60 LEVEL CM	1449,3861 litre	40,936 %	2091,1888 litre	O
230	CM	70	CM	59 LEVEL CM	1417,5507 litre	40,037 %	2123,0242 litre	O
230	CM	70	CM	58 LEVEL CM	1385,7885 litre	39,140 %	2154,7864 litre	O
230	CM	70	CM	57 LEVEL CM	1354,1063 litre	38,245 %	2186,4686 litre	O
230	CM	70	CM	56 LEVEL CM	1322,5111 litre	37,353 %	2218,0638 litre	O
230	CM	70	CM	55 LEVEL CM	1291,0098 litre	36,463 %	2249,5651 litre	O
230	CM	70	CM	54 LEVEL CM	1259,6094 litre	35,576 %	2280,9655 litre	O
230	CM	70	CM	53 LEVEL CM	1228,3170 litre	34,693 %	2312,2579 litre	O
230	CM	70	CM	52 LEVEL CM	1197,1398 litre	33,812 %	2343,4351 litre	O
230	CM	70	CM	51 LEVEL CM	1166,0850 litre	32,935 %	2374,4899 litre	O
230	CM	70	CM	50 LEVEL CM	1135,1599 litre	32,061 %	2405,4150 litre	O
230	CM	70	CM	49 LEVEL CM	1104,3720 litre	31,192 %	2436,2029 litre	O
230	CM	70	CM	48 LEVEL CM	1073,7288 litre	30,326 %	2466,8461 litre	O
230	CM	70	CM	47 LEVEL CM	1043,2378 litre	29,465 %	2497,3371 litre	O
230	CM	70	CM	46 LEVEL CM	1012,9069 litre	28,609 %	2527,6680 litre	O
230	CM	70	CM	45 LEVEL CM	982,7439 litre	27,757 %	2557,8310 litre	O
230	CM	70	CM	44 LEVEL CM	952,7568 litre	26,910 %	2587,8181 litre	O
230	CM	70	CM	43 LEVEL CM	922,9537 litre	26,068 %	2617,6212 litre	O
230	CM	70	CM	42 LEVEL CM	893,3430 litre	25,232 %	2647,2319 litre	O
230	CM	70	CM	41 LEVEL CM	863,9330 litre	24,401 %	2676,6419 litre	O
230	CM	70	CM	40 LEVEL CM	834,7324 litre	23,576 %	2705,8425 litre	O
230	CM	70	CM	39 LEVEL CM	805,7500 litre	22,758 %	2734,8249 litre	O
230	CM	70	CM	38 LEVEL CM	776,9949 litre	21,945 %	2763,5800 litre	O
230	CM	70	CM	37 LEVEL CM	748,4762 litre	21,140 %	2792,0987 litre	O
230	CM	70	CM	36 LEVEL CM	720,2035 litre	20,341 %	2820,3714 litre	O

230	CM	70	CM	35 LEVEL CM	692,1863 litre	19,550 %	2848,3886 litre	O
230	CM	70	CM	34 LEVEL CM	664,4348 litre	18,766 %	2876,1401 litre	O
230	CM	70	CM	33 LEVEL CM	636,9591 litre	17,990 %	2903,6158 litre	O
230	CM	70	CM	32 LEVEL CM	609,7699 litre	17,222 %	2930,8050 litre	O
230	CM	70	CM	31 LEVEL CM	582,8781 litre	16,463 %	2957,6968 litre	O
230	CM	70	CM	30 LEVEL CM	556,2949 litre	15,712 %	2984,2800 litre	O
230	CM	70	CM	29 LEVEL CM	530,0321 litre	14,970 %	3010,5428 litre	O
230	CM	70	CM	28 LEVEL CM	504,1017 litre	14,238 %	3036,4732 litre	O
230	CM	70	CM	27 LEVEL CM	478,5164 litre	13,515 %	3062,0585 litre	O
230	CM	70	CM	26 LEVEL CM	453,2892 litre	12,803 %	3087,2857 litre	O
230	CM	70	CM	25 LEVEL CM	428,4338 litre	12,101 %	3112,1411 litre	O
230	CM	70	CM	24 LEVEL CM	403,9646 litre	11,410 %	3136,6103 litre	O
230	CM	70	CM	23 LEVEL CM	379,8964 litre	10,730 %	3160,6785 litre	O
230	CM	70	CM	22 LEVEL CM	356,2451 litre	10,062 %	3184,3298 litre	O
230	CM	70	CM	21 LEVEL CM	333,0272 litre	9,406 %	3207,5477 litre	O
230	CM	70	CM	20 LEVEL CM	310,2603 litre	8,763 %	3230,3146 litre	O
230	CM	70	CM	19 LEVEL CM	287,9630 litre	8,133 %	3252,6119 litre	O
230	CM	70	CM	18 LEVEL CM	266,1551 litre	7,517 %	3274,4198 litre	O
230	CM	70	CM	17 LEVEL CM	244,8577 litre	6,916 %	3295,7172 litre	O
230	CM	70	CM	16 LEVEL CM	224,0937 litre	6,329 %	3316,4812 litre	O
230	CM	70	CM	15 LEVEL CM	203,8875 litre	5,759 %	3336,6874 litre	O
230	CM	70	CM	14 LEVEL CM	184,2657 litre	5,204 %	3356,3092 litre	O
230	CM	70	CM	13 LEVEL CM	165,2576 litre	4,668 %	3375,3173 litre	O
230	CM	70	CM	12 LEVEL CM	146,8951 litre	4,149 %	3393,6798 litre	O
230	CM	70	CM	11 LEVEL CM	129,2136 litre	3,650 %	3411,3613 litre	O
230	CM	70	CM	10 LEVEL CM	112,2531 litre	3,170 %	3428,3218 litre	O
230	CM	70	CM	9 LEVEL CM	96,0586 litre	2,713 %	3444,5163 litre	O
230	CM	70	CM	8 LEVEL CM	80,6820 litre	2,279 %	3459,8929 litre	O
230	CM	70	CM	7 LEVEL CM	66,1841 litre	1,869 %	3474,3908 litre	O
230	CM	70	CM	6 LEVEL CM	52,6373 litre	1,487 %	3487,9376 litre	O
230	CM	70	CM	5 LEVEL CM	40,1307 litre	1,133 %	3500,4442 litre	O
230	CM	70	CM	4 LEVEL CM	28,7781 litre	0,813 %	3511,7968 litre	O
230	CM	70	CM	3 LEVEL CM	18,7327 litre	0,529 %	3521,8422 litre	O
230	CM	70	CM	2 LEVEL CM	10,2189 litre	0,289 %	3530,3560 litre	O
230	CM	70	CM	1 LEVEL CM	3,6207 litre	0,102 %	3536,9542 litre	O
230	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	3540,5749 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
230	CM 65	CM 130 LEVEL CM	3052,8427 litre	100,000 %	0,0000 litre	O
230	CM 65	CM 129 LEVEL CM	3049,3542 litre	99,886 %	3,4885 litre	O
230	CM 65	CM 128 LEVEL CM	3042,9987 litre	99,678 %	9,8440 litre	O
230	CM 65	CM 127 LEVEL CM	3034,8004 litre	99,409 %	18,0423 litre	O
230	CM 65	CM 126 LEVEL CM	3025,1300 litre	99,092 %	27,7127 litre	O
230	CM 65	CM 125 LEVEL CM	3014,2044 litre	98,734 %	38,6383 litre	O
230	CM 65	CM 124 LEVEL CM	3002,1718 litre	98,340 %	50,6709 litre	O
230	CM 65	CM 123 LEVEL CM	2989,1422 litre	97,913 %	63,7005 litre	O
230	CM 65	CM 122 LEVEL CM	2975,2021 litre	97,457 %	77,6406 litre	O
230	CM 65	CM 121 LEVEL CM	2960,4218 litre	96,973 %	92,4209 litre	O
230	CM 65	CM 120 LEVEL CM	2944,8602 litre	96,463 %	107,9825 litre	O
230	CM 65	CM 119 LEVEL CM	2928,5677 litre	95,929 %	124,2750 litre	O
230	CM 65	CM 118 LEVEL CM	2911,5882 litre	95,373 %	141,2545 litre	O
230	CM 65	CM 117 LEVEL CM	2893,9605 litre	94,796 %	158,8822 litre	O
230	CM 65	CM 116 LEVEL CM	2875,7191 litre	94,198 %	177,1236 litre	O
230	CM 65	CM 115 LEVEL CM	2856,8954 litre	93,581 %	195,9473 litre	O
230	CM 65	CM 114 LEVEL CM	2837,5177 litre	92,947 %	215,3250 litre	O
230	CM 65	CM 113 LEVEL CM	2817,6121 litre	92,295 %	235,2306 litre	O
230	CM 65	CM 112 LEVEL CM	2797,2025 litre	91,626 %	255,6402 litre	O
230	CM 65	CM 111 LEVEL CM	2776,3113 litre	90,942 %	276,5314 litre	O
230	CM 65	CM 110 LEVEL CM	2754,9593 litre	90,242 %	297,8834 litre	O
230	CM 65	CM 109 LEVEL CM	2733,1658 litre	89,529 %	319,6769 litre	O
230	CM 65	CM 108 LEVEL CM	2710,9492 litre	88,801 %	341,8935 litre	O
230	CM 65	CM 107 LEVEL CM	2688,3267 litre	88,060 %	364,5160 litre	O
230	CM 65	CM 106 LEVEL CM	2665,3147 litre	87,306 %	387,5280 litre	O
230	CM 65	CM 105 LEVEL CM	2641,9287 litre	86,540 %	410,9140 litre	O
230	CM 65	CM 104 LEVEL CM	2618,1835 litre	85,762 %	434,6592 litre	O
230	CM 65	CM 103 LEVEL CM	2594,0933 litre	84,973 %	458,7494 litre	O
230	CM 65	CM 102 LEVEL CM	2569,6716 litre	84,173 %	483,1711 litre	O
230	CM 65	CM 101 LEVEL CM	2544,9313 litre	83,363 %	507,9114 litre	O
230	CM 65	CM 100 LEVEL CM	2519,8850 litre	82,542 %	532,9577 litre	O
230	CM 65	CM 99 LEVEL CM	2494,5448 litre	81,712 %	558,2979 litre	O
230	CM 65	CM 98 LEVEL CM	2468,9222 litre	80,873 %	583,9205 litre	O
230	CM 65	CM 97 LEVEL CM	2443,0285 litre	80,025 %	609,8142 litre	O
230	CM 65	CM 96 LEVEL CM	2416,8746 litre	79,168 %	635,9681 litre	O
230	CM 65	CM 95 LEVEL CM	2390,4710 litre	78,303 %	662,3717 litre	O
230	CM 65	CM 94 LEVEL CM	2363,8282 litre	77,430 %	689,0145 litre	O
230	CM 65	CM 93 LEVEL CM	2336,9559 litre	76,550 %	715,8868 litre	O
230	CM 65	CM 92 LEVEL CM	2309,8641 litre	75,663 %	742,9786 litre	O
230	CM 65	CM 91 LEVEL CM	2282,5623 litre	74,768 %	770,2804 litre	O
230	CM 65	CM 90 LEVEL CM	2255,0596 litre	73,868 %	797,7831 litre	O
230	CM 65	CM 89 LEVEL CM	2227,3653 litre	72,960 %	825,4774 litre	O
230	CM 65	CM 88 LEVEL CM	2199,4881 litre	72,047 %	853,3546 litre	O
230	CM 65	CM 87 LEVEL CM	2171,4370 litre	71,128 %	881,4057 litre	O
230	CM 65	CM 86 LEVEL CM	2143,2204 litre	70,204 %	909,6223 litre	O
230	CM 65	CM 85 LEVEL CM	2114,8467 litre	69,275 %	937,9960 litre	O
230	CM 65	CM 84 LEVEL CM	2086,3242 litre	68,340 %	966,5185 litre	O
230	CM 65	CM 83 LEVEL CM	2057,6612 litre	67,401 %	995,1815 litre	O
230	CM 65	CM 82 LEVEL CM	2028,8656 litre	66,458 %	1023,9771 litre	O
230	CM 65	CM 81 LEVEL CM	1999,9453 litre	65,511 %	1052,8974 litre	O
230	CM 65	CM 80 LEVEL CM	1970,9081 litre	64,560 %	1081,9346 litre	O
230	CM 65	CM 79 LEVEL CM	1941,7619 litre	63,605 %	1111,0808 litre	O

230	CM	65	CM	78 LEVEL CM	1912,5142 litre	62,647 %	1140,3285 litre	O
230	CM	65	CM	77 LEVEL CM	1883,1726 litre	61,686 %	1169,6701 litre	O
230	CM	65	CM	76 LEVEL CM	1853,7446 litre	60,722 %	1199,0981 litre	O
230	CM	65	CM	75 LEVEL CM	1824,2376 litre	59,755 %	1228,6051 litre	O
230	CM	65	CM	74 LEVEL CM	1794,6590 litre	58,786 %	1258,1837 litre	O
230	CM	65	CM	73 LEVEL CM	1765,0161 litre	57,815 %	1287,8266 litre	O
230	CM	65	CM	72 LEVEL CM	1735,3161 litre	56,843 %	1317,5266 litre	O
230	CM	65	CM	71 LEVEL CM	1705,5662 litre	55,868 %	1347,2765 litre	O
230	CM	65	CM	70 LEVEL CM	1675,7738 litre	54,892 %	1377,0689 litre	O
230	CM	65	CM	69 LEVEL CM	1645,9458 litre	53,915 %	1406,8969 litre	O
230	CM	65	CM	68 LEVEL CM	1616,0895 litre	52,937 %	1436,7532 litre	O
230	CM	65	CM	67 LEVEL CM	1586,2119 litre	51,959 %	1466,6308 litre	O
230	CM	65	CM	66 LEVEL CM	1556,3202 litre	50,979 %	1496,5225 litre	O
230	CM	65	CM	65 LEVEL CM	1526,4213 litre	50,000 %	1526,4214 litre	O
230	CM	65	CM	64 LEVEL CM	1496,5225 litre	49,021 %	1556,3202 litre	O
230	CM	65	CM	63 LEVEL CM	1466,6308 litre	48,041 %	1586,2119 litre	O
230	CM	65	CM	62 LEVEL CM	1436,7532 litre	47,063 %	1616,0895 litre	O
230	CM	65	CM	61 LEVEL CM	1406,8969 litre	46,085 %	1645,9458 litre	O
230	CM	65	CM	60 LEVEL CM	1377,0689 litre	45,108 %	1675,7738 litre	O
230	CM	65	CM	59 LEVEL CM	1347,2764 litre	44,132 %	1705,5663 litre	O
230	CM	65	CM	58 LEVEL CM	1317,5266 litre	43,157 %	1735,3161 litre	O
230	CM	65	CM	57 LEVEL CM	1287,8266 litre	42,185 %	1765,0161 litre	O
230	CM	65	CM	56 LEVEL CM	1258,1837 litre	41,214 %	1794,6590 litre	O
230	CM	65	CM	55 LEVEL CM	1228,6050 litre	40,245 %	1824,2377 litre	O
230	CM	65	CM	54 LEVEL CM	1199,0980 litre	39,278 %	1853,7447 litre	O
230	CM	65	CM	53 LEVEL CM	1169,6700 litre	38,314 %	1883,1727 litre	O
230	CM	65	CM	52 LEVEL CM	1140,3284 litre	37,353 %	1912,5143 litre	O
230	CM	65	CM	51 LEVEL CM	1111,0807 litre	36,395 %	1941,7620 litre	O
230	CM	65	CM	50 LEVEL CM	1081,9345 litre	35,440 %	1970,9082 litre	O
230	CM	65	CM	49 LEVEL CM	1052,8974 litre	34,489 %	1999,9453 litre	O
230	CM	65	CM	48 LEVEL CM	1023,9771 litre	33,542 %	2028,8656 litre	O
230	CM	65	CM	47 LEVEL CM	995,1815 litre	32,599 %	2057,6612 litre	O
230	CM	65	CM	46 LEVEL CM	966,5184 litre	31,660 %	2086,3243 litre	O
230	CM	65	CM	45 LEVEL CM	937,9960 litre	30,725 %	2114,8467 litre	O
230	CM	65	CM	44 LEVEL CM	909,6223 litre	29,796 %	2143,2204 litre	O
230	CM	65	CM	43 LEVEL CM	881,4057 litre	28,872 %	2171,4370 litre	O
230	CM	65	CM	42 LEVEL CM	853,3545 litre	27,953 %	2199,4882 litre	O
230	CM	65	CM	41 LEVEL CM	825,4774 litre	27,040 %	2227,3653 litre	O
230	CM	65	CM	40 LEVEL CM	797,7831 litre	26,132 %	2255,0596 litre	O
230	CM	65	CM	39 LEVEL CM	770,2804 litre	25,232 %	2282,5623 litre	O
230	CM	65	CM	38 LEVEL CM	742,9785 litre	24,337 %	2309,8642 litre	O
230	CM	65	CM	37 LEVEL CM	715,8867 litre	23,450 %	2336,9560 litre	O
230	CM	65	CM	36 LEVEL CM	689,0145 litre	22,570 %	2363,8282 litre	O
230	CM	65	CM	35 LEVEL CM	662,3716 litre	21,697 %	2390,4711 litre	O
230	CM	65	CM	34 LEVEL CM	635,9681 litre	20,832 %	2416,8746 litre	O
230	CM	65	CM	33 LEVEL CM	609,8142 litre	19,975 %	2443,0285 litre	O
230	CM	65	CM	32 LEVEL CM	583,9205 litre	19,127 %	2468,9222 litre	O
230	CM	65	CM	31 LEVEL CM	558,2979 litre	18,288 %	2494,5448 litre	O
230	CM	65	CM	30 LEVEL CM	532,9576 litre	17,458 %	2519,8851 litre	O
230	CM	65	CM	29 LEVEL CM	507,9113 litre	16,637 %	2544,9314 litre	O
230	CM	65	CM	28 LEVEL CM	483,1711 litre	15,827 %	2569,6716 litre	O
230	CM	65	CM	27 LEVEL CM	458,7493 litre	15,027 %	2594,0934 litre	O
230	CM	65	CM	26 LEVEL CM	434,6591 litre	14,238 %	2618,1836 litre	O

230	CM	65	CM	25 LEVEL CM	410,9140 litre	13,460 %	2641,9287 litre	O
230	CM	65	CM	24 LEVEL CM	387,5280 litre	12,694 %	2665,3147 litre	O
230	CM	65	CM	23 LEVEL CM	364,5160 litre	11,940 %	2688,3267 litre	O
230	CM	65	CM	22 LEVEL CM	341,8935 litre	11,199 %	2710,9492 litre	O
230	CM	65	CM	21 LEVEL CM	319,6769 litre	10,471 %	2733,1658 litre	O
230	CM	65	CM	20 LEVEL CM	297,8834 litre	9,758 %	2754,9593 litre	O
230	CM	65	CM	19 LEVEL CM	276,5313 litre	9,058 %	2776,3114 litre	O
230	CM	65	CM	18 LEVEL CM	255,6401 litre	8,374 %	2797,2026 litre	O
230	CM	65	CM	17 LEVEL CM	235,2306 litre	7,705 %	2817,6121 litre	O
230	CM	65	CM	16 LEVEL CM	215,3250 litre	7,053 %	2837,5177 litre	O
230	CM	65	CM	15 LEVEL CM	195,9473 litre	6,419 %	2856,8954 litre	O
230	CM	65	CM	14 LEVEL CM	177,1235 litre	5,802 %	2875,7192 litre	O
230	CM	65	CM	13 LEVEL CM	158,8822 litre	5,204 %	2893,9605 litre	O
230	CM	65	CM	12 LEVEL CM	141,2545 litre	4,627 %	2911,5882 litre	O
230	CM	65	CM	11 LEVEL CM	124,2750 litre	4,071 %	2928,5677 litre	O
230	CM	65	CM	10 LEVEL CM	107,9825 litre	3,537 %	2944,8602 litre	O
230	CM	65	CM	9 LEVEL CM	92,4209 litre	3,027 %	2960,4218 litre	O
230	CM	65	CM	8 LEVEL CM	77,6405 litre	2,543 %	2975,2022 litre	O
230	CM	65	CM	7 LEVEL CM	63,7004 litre	2,087 %	2989,1423 litre	O
230	CM	65	CM	6 LEVEL CM	50,6709 litre	1,660 %	3002,1718 litre	O
230	CM	65	CM	5 LEVEL CM	38,6383 litre	1,266 %	3014,2044 litre	O
230	CM	65	CM	4 LEVEL CM	27,7127 litre	0,908 %	3025,1300 litre	O
230	CM	65	CM	3 LEVEL CM	18,0422 litre	0,591 %	3034,8005 litre	O
230	CM	65	CM	2 LEVEL CM	9,8439 litre	0,322 %	3042,9988 litre	O
230	CM	65	CM	1 LEVEL CM	3,4885 litre	0,114 %	3049,3542 litre	O
230	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	3052,8427 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
230	CM	60	CM 120 LEVEL CM	2601,2387 litre	100,000 %	0,0000 litre	O
230	CM	60	CM 119 LEVEL CM	2597,8878 litre	99,871 %	3,3509 litre	O
230	CM	60	CM 118 LEVEL CM	2591,7846 litre	99,637 %	9,4541 litre	O
230	CM	60	CM 117 LEVEL CM	2583,9145 litre	99,334 %	17,3242 litre	O
230	CM	60	CM 116 LEVEL CM	2574,6342 litre	98,977 %	26,6045 litre	O
230	CM	60	CM 115 LEVEL CM	2564,1529 litre	98,574 %	37,0858 litre	O
230	CM	60	CM 114 LEVEL CM	2552,6137 litre	98,131 %	48,6250 litre	O
230	CM	60	CM 113 LEVEL CM	2540,1228 litre	97,651 %	61,1159 litre	O
230	CM	60	CM 112 LEVEL CM	2526,7638 litre	97,137 %	74,4749 litre	O
230	CM	60	CM 111 LEVEL CM	2512,6048 litre	96,593 %	88,6339 litre	O
230	CM	60	CM 110 LEVEL CM	2497,7029 litre	96,020 %	103,5358 litre	O
230	CM	60	CM 109 LEVEL CM	2482,1070 litre	95,420 %	119,1317 litre	O
230	CM	60	CM 108 LEVEL CM	2465,8598 litre	94,796 %	135,3789 litre	O
230	CM	60	CM 107 LEVEL CM	2448,9989 litre	94,147 %	152,2398 litre	O
230	CM	60	CM 106 LEVEL CM	2431,5580 litre	93,477 %	169,6807 litre	O
230	CM	60	CM 105 LEVEL CM	2413,5677 litre	92,785 %	187,6710 litre	O
230	CM	60	CM 104 LEVEL CM	2395,0555 litre	92,074 %	206,1832 litre	O
230	CM	60	CM 103 LEVEL CM	2376,0470 litre	91,343 %	225,1917 litre	O
230	CM	60	CM 102 LEVEL CM	2356,5657 litre	90,594 %	244,6730 litre	O
230	CM	60	CM 101 LEVEL CM	2336,6333 litre	89,828 %	264,6054 litre	O
230	CM	60	CM 100 LEVEL CM	2316,2704 litre	89,045 %	284,9683 litre	O
230	CM	60	CM 99 LEVEL CM	2295,4959 litre	88,246 %	305,7428 litre	O
230	CM	60	CM 98 LEVEL CM	2274,3278 litre	87,432 %	326,9109 litre	O
230	CM	60	CM 97 LEVEL CM	2252,7833 litre	86,604 %	348,4554 litre	O
230	CM	60	CM 96 LEVEL CM	2230,8783 litre	85,762 %	370,3604 litre	O
230	CM	60	CM 95 LEVEL CM	2208,6282 litre	84,907 %	392,6105 litre	O
230	CM	60	CM 94 LEVEL CM	2186,0478 litre	84,039 %	415,1909 litre	O
230	CM	60	CM 93 LEVEL CM	2163,1509 litre	83,158 %	438,0878 litre	O
230	CM	60	CM 92 LEVEL CM	2139,9511 litre	82,267 %	461,2876 litre	O
230	CM	60	CM 91 LEVEL CM	2116,4612 litre	81,364 %	484,7775 litre	O
230	CM	60	CM 90 LEVEL CM	2092,6937 litre	80,450 %	508,5450 litre	O
230	CM	60	CM 89 LEVEL CM	2068,6605 litre	79,526 %	532,5782 litre	O
230	CM	60	CM 88 LEVEL CM	2044,3734 litre	78,592 %	556,8653 litre	O
230	CM	60	CM 87 LEVEL CM	2019,8435 litre	77,649 %	581,3952 litre	O
230	CM	60	CM 86 LEVEL CM	1995,0818 litre	76,697 %	606,1569 litre	O
230	CM	60	CM 85 LEVEL CM	1970,0989 litre	75,737 %	631,1398 litre	O
230	CM	60	CM 84 LEVEL CM	1944,9051 litre	74,768 %	656,3336 litre	O
230	CM	60	CM 83 LEVEL CM	1919,5106 litre	73,792 %	681,7281 litre	O
230	CM	60	CM 82 LEVEL CM	1893,9251 litre	72,809 %	707,3136 litre	O
230	CM	60	CM 81 LEVEL CM	1868,1583 litre	71,818 %	733,0804 litre	O
230	CM	60	CM 80 LEVEL CM	1842,2196 litre	70,821 %	759,0191 litre	O
230	CM	60	CM 79 LEVEL CM	1816,1183 litre	69,817 %	785,1204 litre	O
230	CM	60	CM 78 LEVEL CM	1789,8634 litre	68,808 %	811,3753 litre	O
230	CM	60	CM 77 LEVEL CM	1763,4638 litre	67,793 %	837,7749 litre	O
230	CM	60	CM 76 LEVEL CM	1736,9283 litre	66,773 %	864,3104 litre	O
230	CM	60	CM 75 LEVEL CM	1710,2655 litre	65,748 %	890,9732 litre	O
230	CM	60	CM 74 LEVEL CM	1683,4839 litre	64,719 %	917,7548 litre	O
230	CM	60	CM 73 LEVEL CM	1656,5920 litre	63,685 %	944,6467 litre	O
230	CM	60	CM 72 LEVEL CM	1629,5979 litre	62,647 %	971,6408 litre	O
230	CM	60	CM 71 LEVEL CM	1602,5100 litre	61,606 %	998,7287 litre	O
230	CM	60	CM 70 LEVEL CM	1575,3362 litre	60,561 %	1025,9025 litre	O
230	CM	60	CM 69 LEVEL CM	1548,0847 litre	59,513 %	1053,1540 litre	O

230	CM	60	CM	68 LEVEL CM	1520,7634 litre	58,463 %	1080,4753 litre	O
230	CM	60	CM	67 LEVEL CM	1493,3802 litre	57,410 %	1107,8585 litre	O
230	CM	60	CM	66 LEVEL CM	1465,9429 litre	56,356 %	1135,2958 litre	O
230	CM	60	CM	65 LEVEL CM	1438,4595 litre	55,299 %	1162,7792 litre	O
230	CM	60	CM	64 LEVEL CM	1410,9375 litre	54,241 %	1190,3012 litre	O
230	CM	60	CM	63 LEVEL CM	1383,3848 litre	53,182 %	1217,8539 litre	O
230	CM	60	CM	62 LEVEL CM	1355,8091 litre	52,122 %	1245,4296 litre	O
230	CM	60	CM	61 LEVEL CM	1328,2181 litre	51,061 %	1273,0206 litre	O
230	CM	60	CM	60 LEVEL CM	1300,6194 litre	50,000 %	1300,6193 litre	O
230	CM	60	CM	59 LEVEL CM	1273,0206 litre	48,939 %	1328,2181 litre	O
230	CM	60	CM	58 LEVEL CM	1245,4296 litre	47,878 %	1355,8091 litre	O
230	CM	60	CM	57 LEVEL CM	1217,8539 litre	46,818 %	1383,3848 litre	O
230	CM	60	CM	56 LEVEL CM	1190,3012 litre	45,759 %	1410,9375 litre	O
230	CM	60	CM	55 LEVEL CM	1162,7792 litre	44,701 %	1438,4595 litre	O
230	CM	60	CM	54 LEVEL CM	1135,2958 litre	43,644 %	1465,9429 litre	O
230	CM	60	CM	53 LEVEL CM	1107,8585 litre	42,590 %	1493,3802 litre	O
230	CM	60	CM	52 LEVEL CM	1080,4753 litre	41,537 %	1520,7634 litre	O
230	CM	60	CM	51 LEVEL CM	1053,1540 litre	40,487 %	1548,0847 litre	O
230	CM	60	CM	50 LEVEL CM	1025,9025 litre	39,439 %	1575,3362 litre	O
230	CM	60	CM	49 LEVEL CM	998,7288 litre	38,394 %	1602,5099 litre	O
230	CM	60	CM	48 LEVEL CM	971,6408 litre	37,353 %	1629,5979 litre	O
230	CM	60	CM	47 LEVEL CM	944,6467 litre	36,315 %	1656,5920 litre	O
230	CM	60	CM	46 LEVEL CM	917,7548 litre	35,281 %	1683,4839 litre	O
230	CM	60	CM	45 LEVEL CM	890,9732 litre	34,252 %	1710,2655 litre	O
230	CM	60	CM	44 LEVEL CM	864,3104 litre	33,227 %	1736,9283 litre	O
230	CM	60	CM	43 LEVEL CM	837,7749 litre	32,207 %	1763,4638 litre	O
230	CM	60	CM	42 LEVEL CM	811,3753 litre	31,192 %	1789,8634 litre	O
230	CM	60	CM	41 LEVEL CM	785,1204 litre	30,183 %	1816,1183 litre	O
230	CM	60	CM	40 LEVEL CM	759,0191 litre	29,179 %	1842,2196 litre	O
230	CM	60	CM	39 LEVEL CM	733,0804 litre	28,182 %	1868,1583 litre	O
230	CM	60	CM	38 LEVEL CM	707,3136 litre	27,191 %	1893,9251 litre	O
230	CM	60	CM	37 LEVEL CM	681,7281 litre	26,208 %	1919,5106 litre	O
230	CM	60	CM	36 LEVEL CM	656,3336 litre	25,232 %	1944,9051 litre	O
230	CM	60	CM	35 LEVEL CM	631,1398 litre	24,263 %	1970,0989 litre	O
230	CM	60	CM	34 LEVEL CM	606,1569 litre	23,303 %	1995,0818 litre	O
230	CM	60	CM	33 LEVEL CM	581,3952 litre	22,351 %	2019,8435 litre	O
230	CM	60	CM	32 LEVEL CM	556,8653 litre	21,408 %	2044,3734 litre	O
230	CM	60	CM	31 LEVEL CM	532,5782 litre	20,474 %	2068,6605 litre	O
230	CM	60	CM	30 LEVEL CM	508,5451 litre	19,550 %	2092,6936 litre	O
230	CM	60	CM	29 LEVEL CM	484,7775 litre	18,636 %	2116,4612 litre	O
230	CM	60	CM	28 LEVEL CM	461,2876 litre	17,733 %	2139,9511 litre	O
230	CM	60	CM	27 LEVEL CM	438,0878 litre	16,842 %	2163,1509 litre	O
230	CM	60	CM	26 LEVEL CM	415,1909 litre	15,961 %	2186,0478 litre	O
230	CM	60	CM	25 LEVEL CM	392,6105 litre	15,093 %	2208,6282 litre	O
230	CM	60	CM	24 LEVEL CM	370,3604 litre	14,238 %	2230,8783 litre	O
230	CM	60	CM	23 LEVEL CM	348,4555 litre	13,396 %	2252,7832 litre	O
230	CM	60	CM	22 LEVEL CM	326,9109 litre	12,568 %	2274,3278 litre	O
230	CM	60	CM	21 LEVEL CM	305,7429 litre	11,754 %	2295,4958 litre	O
230	CM	60	CM	20 LEVEL CM	284,9684 litre	10,955 %	2316,2703 litre	O
230	CM	60	CM	19 LEVEL CM	264,6054 litre	10,172 %	2336,6333 litre	O
230	CM	60	CM	18 LEVEL CM	244,6730 litre	9,406 %	2356,5657 litre	O
230	CM	60	CM	17 LEVEL CM	225,1917 litre	8,657 %	2376,0470 litre	O
230	CM	60	CM	16 LEVEL CM	206,1832 litre	7,926 %	2395,0555 litre	O

230	CM	60	CM	15 LEVEL CM	187,6711 litre	7,215 %	2413,5676 litre	O
230	CM	60	CM	14 LEVEL CM	169,6807 litre	6,523 %	2431,5580 litre	O
230	CM	60	CM	13 LEVEL CM	152,2398 litre	5,853 %	2448,9989 litre	O
230	CM	60	CM	12 LEVEL CM	135,3789 litre	5,204 %	2465,8598 litre	O
230	CM	60	CM	11 LEVEL CM	119,1317 litre	4,580 %	2482,1070 litre	O
230	CM	60	CM	10 LEVEL CM	103,5358 litre	3,980 %	2497,7029 litre	O
230	CM	60	CM	9 LEVEL CM	88,6339 litre	3,407 %	2512,6048 litre	O
230	CM	60	CM	8 LEVEL CM	74,4749 litre	2,863 %	2526,7638 litre	O
230	CM	60	CM	7 LEVEL CM	61,1159 litre	2,349 %	2540,1228 litre	O
230	CM	60	CM	6 LEVEL CM	48,6251 litre	1,869 %	2552,6136 litre	O
230	CM	60	CM	5 LEVEL CM	37,0858 litre	1,426 %	2564,1529 litre	O
230	CM	60	CM	4 LEVEL CM	26,6046 litre	1,023 %	2574,6341 litre	O
230	CM	60	CM	3 LEVEL CM	17,3243 litre	0,666 %	2583,9144 litre	O
230	CM	60	CM	2 LEVEL CM	9,4541 litre	0,363 %	2591,7846 litre	O
230	CM	60	CM	1 LEVEL CM	3,3510 litre	0,129 %	2597,8877 litre	O
230	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2601,2387 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
230	CM 55	CM 110 LEVEL CM	2185,7631 litre	100,000 %	0,0000 litre O
230	CM 55	CM 109 LEVEL CM	2182,5555 litre	99,853 %	3,2076 litre O
230	CM 55	CM 108 LEVEL CM	2176,7157 litre	99,586 %	9,0474 litre O
230	CM 55	CM 107 LEVEL CM	2169,1879 litre	99,242 %	16,5752 litre O
230	CM 55	CM 106 LEVEL CM	2160,3149 litre	98,836 %	25,4482 litre O
230	CM 55	CM 105 LEVEL CM	2150,2976 litre	98,377 %	35,4655 litre O
230	CM 55	CM 104 LEVEL CM	2139,2738 litre	97,873 %	46,4893 litre O
230	CM 55	CM 103 LEVEL CM	2127,3460 litre	97,327 %	58,4171 litre O
230	CM 55	CM 102 LEVEL CM	2114,5946 litre	96,744 %	71,1685 litre O
230	CM 55	CM 101 LEVEL CM	2101,0855 litre	96,126 %	84,6776 litre O
230	CM 55	CM 100 LEVEL CM	2086,8739 litre	95,476 %	98,8892 litre O
230	CM 55	CM 99 LEVEL CM	2072,0072 litre	94,796 %	113,7559 litre O
230	CM 55	CM 98 LEVEL CM	2056,5268 litre	94,087 %	129,2363 litre O
230	CM 55	CM 97 LEVEL CM	2040,4693 litre	93,353 %	145,2938 litre O
230	CM 55	CM 96 LEVEL CM	2023,8674 litre	92,593 %	161,8957 litre O
230	CM 55	CM 95 LEVEL CM	2006,7509 litre	91,810 %	179,0122 litre O
230	CM 55	CM 94 LEVEL CM	1989,1468 litre	91,005 %	196,6163 litre O
230	CM 55	CM 93 LEVEL CM	1971,0800 litre	90,178 %	214,6831 litre O
230	CM 55	CM 92 LEVEL CM	1952,5734 litre	89,331 %	233,1897 litre O
230	CM 55	CM 91 LEVEL CM	1933,6484 litre	88,466 %	252,1147 litre O
230	CM 55	CM 90 LEVEL CM	1914,3251 litre	87,582 %	271,4380 litre O
230	CM 55	CM 89 LEVEL CM	1894,6222 litre	86,680 %	291,1409 litre O
230	CM 55	CM 88 LEVEL CM	1874,5574 litre	85,762 %	311,2057 litre O
230	CM 55	CM 87 LEVEL CM	1854,1476 litre	84,828 %	331,6155 litre O
230	CM 55	CM 86 LEVEL CM	1833,4087 litre	83,880 %	352,3544 litre O
230	CM 55	CM 85 LEVEL CM	1812,3558 litre	82,916 %	373,4073 litre O
230	CM 55	CM 84 LEVEL CM	1791,0035 litre	81,940 %	394,7596 litre O
230	CM 55	CM 83 LEVEL CM	1769,3657 litre	80,950 %	416,3974 litre O
230	CM 55	CM 82 LEVEL CM	1747,4558 litre	79,947 %	438,3073 litre O
230	CM 55	CM 81 LEVEL CM	1725,2867 litre	78,933 %	460,4764 litre O
230	CM 55	CM 80 LEVEL CM	1702,8707 litre	77,907 %	482,8924 litre O
230	CM 55	CM 79 LEVEL CM	1680,2200 litre	76,871 %	505,5431 litre O
230	CM 55	CM 78 LEVEL CM	1657,3462 litre	75,825 %	528,4169 litre O
230	CM 55	CM 77 LEVEL CM	1634,2606 litre	74,768 %	551,5025 litre O
230	CM 55	CM 76 LEVEL CM	1610,9741 litre	73,703 %	574,7890 litre O
230	CM 55	CM 75 LEVEL CM	1587,4977 litre	72,629 %	598,2654 litre O
230	CM 55	CM 74 LEVEL CM	1563,8416 litre	71,547 %	621,9215 litre O
230	CM 55	CM 73 LEVEL CM	1540,0162 litre	70,457 %	645,7469 litre O
230	CM 55	CM 72 LEVEL CM	1516,0315 litre	69,359 %	669,7316 litre O
230	CM 55	CM 71 LEVEL CM	1491,8972 litre	68,255 %	693,8659 litre O
230	CM 55	CM 70 LEVEL CM	1467,6231 litre	67,145 %	718,1400 litre O
230	CM 55	CM 69 LEVEL CM	1443,2185 litre	66,028 %	742,5446 litre O
230	CM 55	CM 68 LEVEL CM	1418,6929 litre	64,906 %	767,0702 litre O
230	CM 55	CM 67 LEVEL CM	1394,0553 litre	63,779 %	791,7078 litre O
230	CM 55	CM 66 LEVEL CM	1369,3149 litre	62,647 %	816,4482 litre O
230	CM 55	CM 65 LEVEL CM	1344,4806 litre	61,511 %	841,2825 litre O
230	CM 55	CM 64 LEVEL CM	1319,5612 litre	60,371 %	866,2019 litre O
230	CM 55	CM 63 LEVEL CM	1294,5656 litre	59,227 %	891,1975 litre O
230	CM 55	CM 62 LEVEL CM	1269,5023 litre	58,081 %	916,2608 litre O
230	CM 55	CM 61 LEVEL CM	1244,3799 litre	56,931 %	941,3832 litre O
230	CM 55	CM 60 LEVEL CM	1219,2071 litre	55,779 %	966,5560 litre O
230	CM 55	CM 59 LEVEL CM	1193,9923 litre	54,626 %	991,7708 litre O

230	CM 55	CM	58 LEVEL CM	1168,7439 litre	53,471 %	1017,0192 litre	O
230	CM 55	CM	57 LEVEL CM	1143,4704 litre	52,314 %	1042,2927 litre	O
230	CM 55	CM	56 LEVEL CM	1118,1802 litre	51,157 %	1067,5829 litre	O
230	CM 55	CM	55 LEVEL CM	1092,8815 litre	50,000 %	1092,8816 litre	O
230	CM 55	CM	54 LEVEL CM	1067,5829 litre	48,843 %	1118,1802 litre	O
230	CM 55	CM	53 LEVEL CM	1042,2927 litre	47,686 %	1143,4704 litre	O
230	CM 55	CM	52 LEVEL CM	1017,0192 litre	46,529 %	1168,7439 litre	O
230	CM 55	CM	51 LEVEL CM	991,7708 litre	45,374 %	1193,9923 litre	O
230	CM 55	CM	50 LEVEL CM	966,5560 litre	44,221 %	1219,2071 litre	O
230	CM 55	CM	49 LEVEL CM	941,3832 litre	43,069 %	1244,3799 litre	O
230	CM 55	CM	48 LEVEL CM	916,2608 litre	41,919 %	1269,5023 litre	O
230	CM 55	CM	47 LEVEL CM	891,1975 litre	40,773 %	1294,5656 litre	O
230	CM 55	CM	46 LEVEL CM	866,2018 litre	39,629 %	1319,5613 litre	O
230	CM 55	CM	45 LEVEL CM	841,2825 litre	38,489 %	1344,4806 litre	O
230	CM 55	CM	44 LEVEL CM	816,4482 litre	37,353 %	1369,3149 litre	O
230	CM 55	CM	43 LEVEL CM	791,7078 litre	36,221 %	1394,0553 litre	O
230	CM 55	CM	42 LEVEL CM	767,0702 litre	35,094 %	1418,6929 litre	O
230	CM 55	CM	41 LEVEL CM	742,5446 litre	33,972 %	1443,2185 litre	O
230	CM 55	CM	40 LEVEL CM	718,1400 litre	32,855 %	1467,6231 litre	O
230	CM 55	CM	39 LEVEL CM	693,8659 litre	31,745 %	1491,8972 litre	O
230	CM 55	CM	38 LEVEL CM	669,7316 litre	30,641 %	1516,0315 litre	O
230	CM 55	CM	37 LEVEL CM	645,7469 litre	29,543 %	1540,0162 litre	O
230	CM 55	CM	36 LEVEL CM	621,9215 litre	28,453 %	1563,8416 litre	O
230	CM 55	CM	35 LEVEL CM	598,2654 litre	27,371 %	1587,4977 litre	O
230	CM 55	CM	34 LEVEL CM	574,7889 litre	26,297 %	1610,9742 litre	O
230	CM 55	CM	33 LEVEL CM	551,5025 litre	25,232 %	1634,2606 litre	O
230	CM 55	CM	32 LEVEL CM	528,4169 litre	24,175 %	1657,3462 litre	O
230	CM 55	CM	31 LEVEL CM	505,5431 litre	23,129 %	1680,2200 litre	O
230	CM 55	CM	30 LEVEL CM	482,8924 litre	22,093 %	1702,8707 litre	O
230	CM 55	CM	29 LEVEL CM	460,4764 litre	21,067 %	1725,2867 litre	O
230	CM 55	CM	28 LEVEL CM	438,3073 litre	20,053 %	1747,4558 litre	O
230	CM 55	CM	27 LEVEL CM	416,3974 litre	19,050 %	1769,3657 litre	O
230	CM 55	CM	26 LEVEL CM	394,7596 litre	18,060 %	1791,0035 litre	O
230	CM 55	CM	25 LEVEL CM	373,4073 litre	17,084 %	1812,3558 litre	O
230	CM 55	CM	24 LEVEL CM	352,3544 litre	16,120 %	1833,4087 litre	O
230	CM 55	CM	23 LEVEL CM	331,6155 litre	15,172 %	1854,1476 litre	O
230	CM 55	CM	22 LEVEL CM	311,2056 litre	14,238 %	1874,5575 litre	O
230	CM 55	CM	21 LEVEL CM	291,1409 litre	13,320 %	1894,6222 litre	O
230	CM 55	CM	20 LEVEL CM	271,4380 litre	12,418 %	1914,3251 litre	O
230	CM 55	CM	19 LEVEL CM	252,1147 litre	11,534 %	1933,6484 litre	O
230	CM 55	CM	18 LEVEL CM	233,1897 litre	10,669 %	1952,5734 litre	O
230	CM 55	CM	17 LEVEL CM	214,6831 litre	9,822 %	1971,0800 litre	O
230	CM 55	CM	16 LEVEL CM	196,6163 litre	8,995 %	1989,1468 litre	O
230	CM 55	CM	15 LEVEL CM	179,0121 litre	8,190 %	2006,7510 litre	O
230	CM 55	CM	14 LEVEL CM	161,8956 litre	7,407 %	2023,8675 litre	O
230	CM 55	CM	13 LEVEL CM	145,2938 litre	6,647 %	2040,4693 litre	O
230	CM 55	CM	12 LEVEL CM	129,2363 litre	5,913 %	2056,5268 litre	O
230	CM 55	CM	11 LEVEL CM	113,7559 litre	5,204 %	2072,0072 litre	O
230	CM 55	CM	10 LEVEL CM	98,8892 litre	4,524 %	2086,8739 litre	O
230	CM 55	CM	9 LEVEL CM	84,6776 litre	3,874 %	2101,0855 litre	O
230	CM 55	CM	8 LEVEL CM	71,1685 litre	3,256 %	2114,5946 litre	O
230	CM 55	CM	7 LEVEL CM	58,4171 litre	2,673 %	2127,3460 litre	O
230	CM 55	CM	6 LEVEL CM	46,4892 litre	2,127 %	2139,2739 litre	O

230	CM 55	CM	5 LEVEL CM	35,4654 litre	1,623 %	2150,2977 litre	O
230	CM 55	CM	4 LEVEL CM	25,4482 litre	1,164 %	2160,3149 litre	O
230	CM 55	CM	3 LEVEL CM	16,5752 litre	0,758 %	2169,1879 litre	O
230	CM 55	CM	2 LEVEL CM	9,0474 litre	0,414 %	2176,7157 litre	O
230	CM 55	CM	1 LEVEL CM	3,2076 litre	0,147 %	2182,5555 litre	O
230	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2185,7631 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
230	CM	50	CM	100 LEVEL CM	1806,4158 litre	100,000 %	0,0000 litre	O
230	CM	50	CM	99 LEVEL CM	1803,3583 litre	99,831 %	3,0575 litre	O
230	CM	50	CM	98 LEVEL CM	1797,7942 litre	99,523 %	8,6216 litre	O
230	CM	50	CM	97 LEVEL CM	1790,6251 litre	99,126 %	15,7907 litre	O
230	CM	50	CM	96 LEVEL CM	1782,1790 litre	98,658 %	24,2368 litre	O
230	CM	50	CM	95 LEVEL CM	1772,6484 litre	98,131 %	33,7674 litre	O
230	CM	50	CM	94 LEVEL CM	1762,1653 litre	97,550 %	44,2505 litre	O
230	CM	50	CM	93 LEVEL CM	1750,8283 litre	96,923 %	55,5875 litre	O
230	CM	50	CM	92 LEVEL CM	1738,7150 litre	96,252 %	67,7008 litre	O
230	CM	50	CM	91 LEVEL CM	1725,8886 litre	95,542 %	80,5272 litre	O
230	CM	50	CM	90 LEVEL CM	1712,4026 litre	94,796 %	94,0132 litre	O
230	CM	50	CM	89 LEVEL CM	1698,3028 litre	94,015 %	108,1130 litre	O
230	CM	50	CM	88 LEVEL CM	1683,6293 litre	93,203 %	122,7865 litre	O
230	CM	50	CM	87 LEVEL CM	1668,4176 litre	92,361 %	137,9982 litre	O
230	CM	50	CM	86 LEVEL CM	1652,6995 litre	91,491 %	153,7163 litre	O
230	CM	50	CM	85 LEVEL CM	1636,5039 litre	90,594 %	169,9119 litre	O
230	CM	50	CM	84 LEVEL CM	1619,8573 litre	89,672 %	186,5585 litre	O
230	CM	50	CM	83 LEVEL CM	1602,7840 litre	88,727 %	203,6318 litre	O
230	CM	50	CM	82 LEVEL CM	1585,3064 litre	87,760 %	221,1094 litre	O
230	CM	50	CM	81 LEVEL CM	1567,4455 litre	86,771 %	238,9703 litre	O
230	CM	50	CM	80 LEVEL CM	1549,2210 litre	85,762 %	257,1948 litre	O
230	CM	50	CM	79 LEVEL CM	1530,6515 litre	84,734 %	275,7643 litre	O
230	CM	50	CM	78 LEVEL CM	1511,7543 litre	83,688 %	294,6615 litre	O
230	CM	50	CM	77 LEVEL CM	1492,5462 litre	82,625 %	313,8696 litre	O
230	CM	50	CM	76 LEVEL CM	1473,0429 litre	81,545 %	333,3729 litre	O
230	CM	50	CM	75 LEVEL CM	1453,2595 litre	80,450 %	353,1563 litre	O
230	CM	50	CM	74 LEVEL CM	1433,2105 litre	79,340 %	373,2053 litre	O
230	CM	50	CM	73 LEVEL CM	1412,9097 litre	78,216 %	393,5061 litre	O
230	CM	50	CM	72 LEVEL CM	1392,3706 litre	77,079 %	414,0452 litre	O
230	CM	50	CM	71 LEVEL CM	1371,6060 litre	75,930 %	434,8098 litre	O
230	CM	50	CM	70 LEVEL CM	1350,6286 litre	74,768 %	455,7872 litre	O
230	CM	50	CM	69 LEVEL CM	1329,4503 litre	73,596 %	476,9655 litre	O
230	CM	50	CM	68 LEVEL CM	1308,0831 litre	72,413 %	498,3327 litre	O
230	CM	50	CM	67 LEVEL CM	1286,5383 litre	71,220 %	519,8775 litre	O
230	CM	50	CM	66 LEVEL CM	1264,8272 litre	70,019 %	541,5886 litre	O
230	CM	50	CM	65 LEVEL CM	1242,9607 litre	68,808 %	563,4551 litre	O
230	CM	50	CM	64 LEVEL CM	1220,9495 litre	67,590 %	585,4663 litre	O
230	CM	50	CM	63 LEVEL CM	1198,8041 litre	66,364 %	607,6117 litre	O
230	CM	50	CM	62 LEVEL CM	1176,5349 litre	65,131 %	629,8809 litre	O
230	CM	50	CM	61 LEVEL CM	1154,1519 litre	63,892 %	652,2639 litre	O
230	CM	50	CM	60 LEVEL CM	1131,6652 litre	62,647 %	674,7506 litre	O
230	CM	50	CM	59 LEVEL CM	1109,0846 litre	61,397 %	697,3312 litre	O
230	CM	50	CM	58 LEVEL CM	1086,4198 litre	60,142 %	719,9960 litre	O
230	CM	50	CM	57 LEVEL CM	1063,6804 litre	58,883 %	742,7354 litre	O
230	CM	50	CM	56 LEVEL CM	1040,8760 litre	57,621 %	765,5398 litre	O
230	CM	50	CM	55 LEVEL CM	1018,0159 litre	56,356 %	788,3999 litre	O
230	CM	50	CM	54 LEVEL CM	995,1097 litre	55,088 %	811,3061 litre	O
230	CM	50	CM	53 LEVEL CM	972,1665 litre	53,817 %	834,2493 litre	O
230	CM	50	CM	52 LEVEL CM	949,1956 litre	52,546 %	857,2202 litre	O
230	CM	50	CM	51 LEVEL CM	926,2064 litre	51,273 %	880,2094 litre	O
230	CM	50	CM	50 LEVEL CM	903,2079 litre	50,000 %	903,2079 litre	O
230	CM	50	CM	49 LEVEL CM	880,2094 litre	48,727 %	926,2064 litre	O

230	CM	50	CM	48 LEVEL CM	857,2202 litre	47,454 %	949,1956 litre	O
230	CM	50	CM	47 LEVEL CM	834,2493 litre	46,183 %	972,1665 litre	O
230	CM	50	CM	46 LEVEL CM	811,3061 litre	44,912 %	995,1097 litre	O
230	CM	50	CM	45 LEVEL CM	788,3998 litre	43,644 %	1018,0160 litre	O
230	CM	50	CM	44 LEVEL CM	765,5398 litre	42,379 %	1040,8760 litre	O
230	CM	50	CM	43 LEVEL CM	742,7354 litre	41,117 %	1063,6804 litre	O
230	CM	50	CM	42 LEVEL CM	719,9960 litre	39,858 %	1086,4198 litre	O
230	CM	50	CM	41 LEVEL CM	697,3312 litre	38,603 %	1109,0846 litre	O
230	CM	50	CM	40 LEVEL CM	674,7506 litre	37,353 %	1131,6652 litre	O
230	CM	50	CM	39 LEVEL CM	652,2638 litre	36,108 %	1154,1520 litre	O
230	CM	50	CM	38 LEVEL CM	629,8809 litre	34,869 %	1176,5349 litre	O
230	CM	50	CM	37 LEVEL CM	607,6116 litre	33,636 %	1198,8042 litre	O
230	CM	50	CM	36 LEVEL CM	585,4663 litre	32,410 %	1220,9495 litre	O
230	CM	50	CM	35 LEVEL CM	563,4551 litre	31,192 %	1242,9607 litre	O
230	CM	50	CM	34 LEVEL CM	541,5886 litre	29,981 %	1264,8272 litre	O
230	CM	50	CM	33 LEVEL CM	519,8775 litre	28,780 %	1286,5383 litre	O
230	CM	50	CM	32 LEVEL CM	498,3327 litre	27,587 %	1308,0831 litre	O
230	CM	50	CM	31 LEVEL CM	476,9655 litre	26,404 %	1329,4503 litre	O
230	CM	50	CM	30 LEVEL CM	455,7872 litre	25,232 %	1350,6286 litre	O
230	CM	50	CM	29 LEVEL CM	434,8098 litre	24,070 %	1371,6060 litre	O
230	CM	50	CM	28 LEVEL CM	414,0452 litre	22,921 %	1392,3706 litre	O
230	CM	50	CM	27 LEVEL CM	393,5061 litre	21,784 %	1412,9097 litre	O
230	CM	50	CM	26 LEVEL CM	373,2053 litre	20,660 %	1433,2105 litre	O
230	CM	50	CM	25 LEVEL CM	353,1563 litre	19,550 %	1453,2595 litre	O
230	CM	50	CM	24 LEVEL CM	333,3729 litre	18,455 %	1473,0429 litre	O
230	CM	50	CM	23 LEVEL CM	313,8696 litre	17,375 %	1492,5462 litre	O
230	CM	50	CM	22 LEVEL CM	294,6614 litre	16,312 %	1511,7544 litre	O
230	CM	50	CM	21 LEVEL CM	275,7643 litre	15,266 %	1530,6515 litre	O
230	CM	50	CM	20 LEVEL CM	257,1948 litre	14,238 %	1549,2210 litre	O
230	CM	50	CM	19 LEVEL CM	238,9703 litre	13,229 %	1567,4455 litre	O
230	CM	50	CM	18 LEVEL CM	221,1094 litre	12,240 %	1585,3064 litre	O
230	CM	50	CM	17 LEVEL CM	203,6318 litre	11,273 %	1602,7840 litre	O
230	CM	50	CM	16 LEVEL CM	186,5584 litre	10,328 %	1619,8574 litre	O
230	CM	50	CM	15 LEVEL CM	169,9118 litre	9,406 %	1636,5040 litre	O
230	CM	50	CM	14 LEVEL CM	153,7163 litre	8,509 %	1652,6995 litre	O
230	CM	50	CM	13 LEVEL CM	137,9982 litre	7,639 %	1668,4176 litre	O
230	CM	50	CM	12 LEVEL CM	122,7865 litre	6,797 %	1683,6293 litre	O
230	CM	50	CM	11 LEVEL CM	108,1129 litre	5,985 %	1698,3029 litre	O
230	CM	50	CM	10 LEVEL CM	94,0131 litre	5,204 %	1712,4027 litre	O
230	CM	50	CM	9 LEVEL CM	80,5272 litre	4,458 %	1725,8886 litre	O
230	CM	50	CM	8 LEVEL CM	67,7008 litre	3,748 %	1738,7150 litre	O
230	CM	50	CM	7 LEVEL CM	55,5874 litre	3,077 %	1750,8284 litre	O
230	CM	50	CM	6 LEVEL CM	44,2504 litre	2,450 %	1762,1654 litre	O
230	CM	50	CM	5 LEVEL CM	33,7674 litre	1,869 %	1772,6484 litre	O
230	CM	50	CM	4 LEVEL CM	24,2368 litre	1,342 %	1782,1790 litre	O
230	CM	50	CM	3 LEVEL CM	15,7907 litre	0,874 %	1790,6251 litre	O
230	CM	50	CM	2 LEVEL CM	8,6216 litre	0,477 %	1797,7942 litre	O
230	CM	50	CM	1 LEVEL CM	3,0575 litre	0,169 %	1803,3583 litre	O
230	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1806,4158 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
220	CM 100	CM 200 LEVEL CM	6911,5038 litre	100,000 %	0,0000 litre O
220	CM 100	CM 199 LEVEL CM	6907,3617 litre	99,940 %	4,1421 litre O
220	CM 100	CM 198 LEVEL CM	6899,8058 litre	99,831 %	11,6980 litre O
220	CM 100	CM 197 LEVEL CM	6890,0456 litre	99,690 %	21,4582 litre O
220	CM 100	CM 196 LEVEL CM	6878,5168 litre	99,523 %	32,9870 litre O
220	CM 100	CM 195 LEVEL CM	6865,4732 litre	99,334 %	46,0306 litre O
220	CM 100	CM 194 LEVEL CM	6851,0873 litre	99,126 %	60,4165 litre O
220	CM 100	CM 193 LEVEL CM	6835,4870 litre	98,900 %	76,0168 litre O
220	CM 100	CM 192 LEVEL CM	6818,7717 litre	98,658 %	92,7321 litre O
220	CM 100	CM 191 LEVEL CM	6801,0226 litre	98,401 %	110,4812 litre O
220	CM 100	CM 190 LEVEL CM	6782,3068 litre	98,131 %	129,1970 litre O
220	CM 100	CM 189 LEVEL CM	6762,6820 litre	97,847 %	148,8218 litre O
220	CM 100	CM 188 LEVEL CM	6742,1978 litre	97,550 %	169,3060 litre O
220	CM 100	CM 187 LEVEL CM	6720,8980 litre	97,242 %	190,6058 litre O
220	CM 100	CM 186 LEVEL CM	6698,8215 litre	96,923 %	212,6823 litre O
220	CM 100	CM 185 LEVEL CM	6676,0032 litre	96,593 %	235,5006 litre O
220	CM 100	CM 184 LEVEL CM	6652,4747 litre	96,252 %	259,0291 litre O
220	CM 100	CM 183 LEVEL CM	6628,2648 litre	95,902 %	283,2390 litre O
220	CM 100	CM 182 LEVEL CM	6603,4000 litre	95,542 %	308,1038 litre O
220	CM 100	CM 181 LEVEL CM	6577,9046 litre	95,173 %	333,5992 litre O
220	CM 100	CM 180 LEVEL CM	6551,8014 litre	94,796 %	359,7024 litre O
220	CM 100	CM 179 LEVEL CM	6525,1114 litre	94,409 %	386,3924 litre O
220	CM 100	CM 178 LEVEL CM	6497,8544 litre	94,015 %	413,6494 litre O
220	CM 100	CM 177 LEVEL CM	6470,0488 litre	93,613 %	441,4550 litre O
220	CM 100	CM 176 LEVEL CM	6441,7121 litre	93,203 %	469,7917 litre O
220	CM 100	CM 175 LEVEL CM	6412,8609 litre	92,785 %	498,6429 litre O
220	CM 100	CM 174 LEVEL CM	6383,5107 litre	92,361 %	527,9931 litre O
220	CM 100	CM 173 LEVEL CM	6353,6763 litre	91,929 %	557,8275 litre O
220	CM 100	CM 172 LEVEL CM	6323,3719 litre	91,491 %	588,1319 litre O
220	CM 100	CM 171 LEVEL CM	6292,6110 litre	91,045 %	618,8928 litre O
220	CM 100	CM 170 LEVEL CM	6261,4064 litre	90,594 %	650,0974 litre O
220	CM 100	CM 169 LEVEL CM	6229,7705 litre	90,136 %	681,7333 litre O
220	CM 100	CM 168 LEVEL CM	6197,7150 litre	89,672 %	713,7888 litre O
220	CM 100	CM 167 LEVEL CM	6165,2515 litre	89,203 %	746,2523 litre O
220	CM 100	CM 166 LEVEL CM	6132,3908 litre	88,727 %	779,1130 litre O
220	CM 100	CM 165 LEVEL CM	6099,1436 litre	88,246 %	812,3602 litre O
220	CM 100	CM 164 LEVEL CM	6065,5200 litre	87,760 %	845,9838 litre O
220	CM 100	CM 163 LEVEL CM	6031,5298 litre	87,268 %	879,9740 litre O
220	CM 100	CM 162 LEVEL CM	5997,1827 litre	86,771 %	914,3211 litre O
220	CM 100	CM 161 LEVEL CM	5962,4879 litre	86,269 %	949,0159 litre O
220	CM 100	CM 160 LEVEL CM	5927,4544 litre	85,762 %	984,0494 litre O
220	CM 100	CM 159 LEVEL CM	5892,0908 litre	85,250 %	1019,4130 litre O
220	CM 100	CM 158 LEVEL CM	5856,4057 litre	84,734 %	1055,0981 litre O
220	CM 100	CM 157 LEVEL CM	5820,4072 litre	84,213 %	1091,0966 litre O
220	CM 100	CM 156 LEVEL CM	5784,1036 litre	83,688 %	1127,4002 litre O
220	CM 100	CM 155 LEVEL CM	5747,5025 litre	83,158 %	1164,0013 litre O
220	CM 100	CM 154 LEVEL CM	5710,6116 litre	82,625 %	1200,8922 litre O
220	CM 100	CM 153 LEVEL CM	5673,4384 litre	82,087 %	1238,0654 litre O
220	CM 100	CM 152 LEVEL CM	5635,9902 litre	81,545 %	1275,5136 litre O
220	CM 100	CM 151 LEVEL CM	5598,2741 litre	80,999 %	1313,2297 litre O
220	CM 100	CM 150 LEVEL CM	5560,2972 litre	80,450 %	1351,2066 litre O
220	CM 100	CM 149 LEVEL CM	5522,0662 litre	79,897 %	1389,4376 litre O

220	CM	100	CM	148 LEVEL CM	5483,5878 litre	79,340 %	1427,9160 litre	O
220	CM	100	CM	147 LEVEL CM	5444,8687 litre	78,780 %	1466,6351 litre	O
220	CM	100	CM	146 LEVEL CM	5405,9153 litre	78,216 %	1505,5885 litre	O
220	CM	100	CM	145 LEVEL CM	5366,7339 litre	77,649 %	1544,7699 litre	O
220	CM	100	CM	144 LEVEL CM	5327,3308 litre	77,079 %	1584,1730 litre	O
220	CM	100	CM	143 LEVEL CM	5287,7122 litre	76,506 %	1623,7916 litre	O
220	CM	100	CM	142 LEVEL CM	5247,8839 litre	75,930 %	1663,6199 litre	O
220	CM	100	CM	141 LEVEL CM	5207,8520 litre	75,350 %	1703,6518 litre	O
220	CM	100	CM	140 LEVEL CM	5167,6223 litre	74,768 %	1743,8815 litre	O
220	CM	100	CM	139 LEVEL CM	5127,2006 litre	74,184 %	1784,3032 litre	O
220	CM	100	CM	138 LEVEL CM	5086,5925 litre	73,596 %	1824,9113 litre	O
220	CM	100	CM	137 LEVEL CM	5045,8036 litre	73,006 %	1865,7002 litre	O
220	CM	100	CM	136 LEVEL CM	5004,8395 litre	72,413 %	1906,6643 litre	O
220	CM	100	CM	135 LEVEL CM	4963,7056 litre	71,818 %	1947,7982 litre	O
220	CM	100	CM	134 LEVEL CM	4922,4073 litre	71,220 %	1989,0965 litre	O
220	CM	100	CM	133 LEVEL CM	4880,9499 litre	70,621 %	2030,5539 litre	O
220	CM	100	CM	132 LEVEL CM	4839,3387 litre	70,019 %	2072,1651 litre	O
220	CM	100	CM	131 LEVEL CM	4797,5789 litre	69,414 %	2113,9249 litre	O
220	CM	100	CM	130 LEVEL CM	4755,6756 litre	68,808 %	2155,8282 litre	O
220	CM	100	CM	129 LEVEL CM	4713,6340 litre	68,200 %	2197,8698 litre	O
220	CM	100	CM	128 LEVEL CM	4671,4590 litre	67,590 %	2240,0448 litre	O
220	CM	100	CM	127 LEVEL CM	4629,1556 litre	66,978 %	2282,3482 litre	O
220	CM	100	CM	126 LEVEL CM	4586,7289 litre	66,364 %	2324,7749 litre	O
220	CM	100	CM	125 LEVEL CM	4544,1837 litre	65,748 %	2367,3201 litre	O
220	CM	100	CM	124 LEVEL CM	4501,5249 litre	65,131 %	2409,9789 litre	O
220	CM	100	CM	123 LEVEL CM	4458,7573 litre	64,512 %	2452,7465 litre	O
220	CM	100	CM	122 LEVEL CM	4415,8857 litre	63,892 %	2495,6181 litre	O
220	CM	100	CM	121 LEVEL CM	4372,9149 litre	63,270 %	2538,5889 litre	O
220	CM	100	CM	120 LEVEL CM	4329,8495 litre	62,647 %	2581,6543 litre	O
220	CM	100	CM	119 LEVEL CM	4286,6944 litre	62,023 %	2624,8094 litre	O
220	CM	100	CM	118 LEVEL CM	4243,4541 litre	61,397 %	2668,0497 litre	O
220	CM	100	CM	117 LEVEL CM	4200,1333 litre	60,770 %	2711,3705 litre	O
220	CM	100	CM	116 LEVEL CM	4156,7365 litre	60,142 %	2754,7673 litre	O
220	CM	100	CM	115 LEVEL CM	4113,2685 litre	59,513 %	2798,2353 litre	O
220	CM	100	CM	114 LEVEL CM	4069,7337 litre	58,883 %	2841,7701 litre	O
220	CM	100	CM	113 LEVEL CM	4026,1367 litre	58,253 %	2885,3671 litre	O
220	CM	100	CM	112 LEVEL CM	3982,4820 litre	57,621 %	2929,0218 litre	O
220	CM	100	CM	111 LEVEL CM	3938,7741 litre	56,989 %	2972,7297 litre	O
220	CM	100	CM	110 LEVEL CM	3895,0175 litre	56,356 %	3016,4863 litre	O
220	CM	100	CM	109 LEVEL CM	3851,2167 litre	55,722 %	3060,2871 litre	O
220	CM	100	CM	108 LEVEL CM	3807,3761 litre	55,088 %	3104,1277 litre	O
220	CM	100	CM	107 LEVEL CM	3763,5002 litre	54,453 %	3148,0036 litre	O
220	CM	100	CM	106 LEVEL CM	3719,5934 litre	53,817 %	3191,9104 litre	O
220	CM	100	CM	105 LEVEL CM	3675,6602 litre	53,182 %	3235,8436 litre	O
220	CM	100	CM	104 LEVEL CM	3631,7050 litre	52,546 %	3279,7988 litre	O
220	CM	100	CM	103 LEVEL CM	3587,7321 litre	51,910 %	3323,7717 litre	O
220	CM	100	CM	102 LEVEL CM	3543,7461 litre	51,273 %	3367,7577 litre	O
220	CM	100	CM	101 LEVEL CM	3499,7512 litre	50,637 %	3411,7526 litre	O
220	CM	100	CM	100 LEVEL CM	3455,7519 litre	50,000 %	3455,7519 litre	O
220	CM	100	CM	99 LEVEL CM	3411,7527 litre	49,363 %	3499,7511 litre	O
220	CM	100	CM	98 LEVEL CM	3367,7578 litre	48,727 %	3543,7460 litre	O
220	CM	100	CM	97 LEVEL CM	3323,7717 litre	48,090 %	3587,7321 litre	O
220	CM	100	CM	96 LEVEL CM	3279,7989 litre	47,454 %	3631,7049 litre	O

220	CM	100	CM	95 LEVEL CM	3235,8436 litre	46,818 %	3675,6602 litre	O
220	CM	100	CM	94 LEVEL CM	3191,9104 litre	46,183 %	3719,5934 litre	O
220	CM	100	CM	93 LEVEL CM	3148,0036 litre	45,547 %	3763,5002 litre	O
220	CM	100	CM	92 LEVEL CM	3104,1277 litre	44,912 %	3807,3761 litre	O
220	CM	100	CM	91 LEVEL CM	3060,2872 litre	44,278 %	3851,2166 litre	O
220	CM	100	CM	90 LEVEL CM	3016,4864 litre	43,644 %	3895,0174 litre	O
220	CM	100	CM	89 LEVEL CM	2972,7298 litre	43,011 %	3938,7740 litre	O
220	CM	100	CM	88 LEVEL CM	2929,0219 litre	42,379 %	3982,4819 litre	O
220	CM	100	CM	87 LEVEL CM	2885,3672 litre	41,747 %	4026,1366 litre	O
220	CM	100	CM	86 LEVEL CM	2841,7701 litre	41,117 %	4069,7337 litre	O
220	CM	100	CM	85 LEVEL CM	2798,2353 litre	40,487 %	4113,2685 litre	O
220	CM	100	CM	84 LEVEL CM	2754,7673 litre	39,858 %	4156,7365 litre	O
220	CM	100	CM	83 LEVEL CM	2711,3706 litre	39,230 %	4200,1332 litre	O
220	CM	100	CM	82 LEVEL CM	2668,0497 litre	38,603 %	4243,4541 litre	O
220	CM	100	CM	81 LEVEL CM	2624,8094 litre	37,977 %	4286,6944 litre	O
220	CM	100	CM	80 LEVEL CM	2581,6543 litre	37,353 %	4329,8495 litre	O
220	CM	100	CM	79 LEVEL CM	2538,5890 litre	36,730 %	4372,9148 litre	O
220	CM	100	CM	78 LEVEL CM	2495,6181 litre	36,108 %	4415,8857 litre	O
220	CM	100	CM	77 LEVEL CM	2452,7466 litre	35,488 %	4458,7572 litre	O
220	CM	100	CM	76 LEVEL CM	2409,9790 litre	34,869 %	4501,5248 litre	O
220	CM	100	CM	75 LEVEL CM	2367,3201 litre	34,252 %	4544,1837 litre	O
220	CM	100	CM	74 LEVEL CM	2324,7749 litre	33,636 %	4586,7289 litre	O
220	CM	100	CM	73 LEVEL CM	2282,3482 litre	33,022 %	4629,1556 litre	O
220	CM	100	CM	72 LEVEL CM	2240,0449 litre	32,410 %	4671,4589 litre	O
220	CM	100	CM	71 LEVEL CM	2197,8699 litre	31,800 %	4713,6339 litre	O
220	CM	100	CM	70 LEVEL CM	2155,8282 litre	31,192 %	4755,6756 litre	O
220	CM	100	CM	69 LEVEL CM	2113,9249 litre	30,586 %	4797,5789 litre	O
220	CM	100	CM	68 LEVEL CM	2072,1651 litre	29,981 %	4839,3387 litre	O
220	CM	100	CM	67 LEVEL CM	2030,5539 litre	29,379 %	4880,9499 litre	O
220	CM	100	CM	66 LEVEL CM	1989,0965 litre	28,780 %	4922,4073 litre	O
220	CM	100	CM	65 LEVEL CM	1947,7982 litre	28,182 %	4963,7056 litre	O
220	CM	100	CM	64 LEVEL CM	1906,6643 litre	27,587 %	5004,8395 litre	O
220	CM	100	CM	63 LEVEL CM	1865,7002 litre	26,994 %	5045,8036 litre	O
220	CM	100	CM	62 LEVEL CM	1824,9114 litre	26,404 %	5086,5924 litre	O
220	CM	100	CM	61 LEVEL CM	1784,3033 litre	25,816 %	5127,2005 litre	O
220	CM	100	CM	60 LEVEL CM	1743,8815 litre	25,232 %	5167,6223 litre	O
220	CM	100	CM	59 LEVEL CM	1703,6518 litre	24,650 %	5207,8520 litre	O
220	CM	100	CM	58 LEVEL CM	1663,6199 litre	24,070 %	5247,8839 litre	O
220	CM	100	CM	57 LEVEL CM	1623,7917 litre	23,494 %	5287,7121 litre	O
220	CM	100	CM	56 LEVEL CM	1584,1730 litre	22,921 %	5327,3308 litre	O
220	CM	100	CM	55 LEVEL CM	1544,7699 litre	22,351 %	5366,7339 litre	O
220	CM	100	CM	54 LEVEL CM	1505,5885 litre	21,784 %	5405,9153 litre	O
220	CM	100	CM	53 LEVEL CM	1466,6351 litre	21,220 %	5444,8687 litre	O
220	CM	100	CM	52 LEVEL CM	1427,9160 litre	20,660 %	5483,5878 litre	O
220	CM	100	CM	51 LEVEL CM	1389,4377 litre	20,103 %	5522,0661 litre	O
220	CM	100	CM	50 LEVEL CM	1351,2067 litre	19,550 %	5560,2971 litre	O
220	CM	100	CM	49 LEVEL CM	1313,2297 litre	19,001 %	5598,2741 litre	O
220	CM	100	CM	48 LEVEL CM	1275,5136 litre	18,455 %	5635,9902 litre	O
220	CM	100	CM	47 LEVEL CM	1238,0654 litre	17,913 %	5673,4384 litre	O
220	CM	100	CM	46 LEVEL CM	1200,8922 litre	17,375 %	5710,6116 litre	O
220	CM	100	CM	45 LEVEL CM	1164,0014 litre	16,842 %	5747,5024 litre	O
220	CM	100	CM	44 LEVEL CM	1127,4003 litre	16,312 %	5784,1035 litre	O
220	CM	100	CM	43 LEVEL CM	1091,0966 litre	15,787 %	5820,4072 litre	O

220	CM	100	CM	42 LEVEL CM	1055,0982 litre	15,266 %	5856,4056 litre	O
220	CM	100	CM	41 LEVEL CM	1019,4131 litre	14,750 %	5892,0907 litre	O
220	CM	100	CM	40 LEVEL CM	984,0495 litre	14,238 %	5927,4543 litre	O
220	CM	100	CM	39 LEVEL CM	949,0159 litre	13,731 %	5962,4879 litre	O
220	CM	100	CM	38 LEVEL CM	914,3211 litre	13,229 %	5997,1827 litre	O
220	CM	100	CM	37 LEVEL CM	879,9740 litre	12,732 %	6031,5298 litre	O
220	CM	100	CM	36 LEVEL CM	845,9839 litre	12,240 %	6065,5199 litre	O
220	CM	100	CM	35 LEVEL CM	812,3602 litre	11,754 %	6099,1436 litre	O
220	CM	100	CM	34 LEVEL CM	779,1130 litre	11,273 %	6132,3908 litre	O
220	CM	100	CM	33 LEVEL CM	746,2523 litre	10,797 %	6165,2515 litre	O
220	CM	100	CM	32 LEVEL CM	713,7888 litre	10,328 %	6197,7150 litre	O
220	CM	100	CM	31 LEVEL CM	681,7334 litre	9,864 %	6229,7704 litre	O
220	CM	100	CM	30 LEVEL CM	650,0974 litre	9,406 %	6261,4064 litre	O
220	CM	100	CM	29 LEVEL CM	618,8928 litre	8,955 %	6292,6110 litre	O
220	CM	100	CM	28 LEVEL CM	588,1319 litre	8,509 %	6323,3719 litre	O
220	CM	100	CM	27 LEVEL CM	557,8275 litre	8,071 %	6353,6763 litre	O
220	CM	100	CM	26 LEVEL CM	527,9931 litre	7,639 %	6383,5107 litre	O
220	CM	100	CM	25 LEVEL CM	498,6429 litre	7,215 %	6412,8609 litre	O
220	CM	100	CM	24 LEVEL CM	469,7917 litre	6,797 %	6441,7121 litre	O
220	CM	100	CM	23 LEVEL CM	441,4550 litre	6,387 %	6470,0488 litre	O
220	CM	100	CM	22 LEVEL CM	413,6495 litre	5,985 %	6497,8543 litre	O
220	CM	100	CM	21 LEVEL CM	386,3924 litre	5,591 %	6525,1114 litre	O
220	CM	100	CM	20 LEVEL CM	359,7024 litre	5,204 %	6551,8014 litre	O
220	CM	100	CM	19 LEVEL CM	333,5992 litre	4,827 %	6577,9046 litre	O
220	CM	100	CM	18 LEVEL CM	308,1039 litre	4,458 %	6603,3999 litre	O
220	CM	100	CM	17 LEVEL CM	283,2391 litre	4,098 %	6628,2647 litre	O
220	CM	100	CM	16 LEVEL CM	259,0292 litre	3,748 %	6652,4746 litre	O
220	CM	100	CM	15 LEVEL CM	235,5006 litre	3,407 %	6676,0032 litre	O
220	CM	100	CM	14 LEVEL CM	212,6823 litre	3,077 %	6698,8215 litre	O
220	CM	100	CM	13 LEVEL CM	190,6058 litre	2,758 %	6720,8980 litre	O
220	CM	100	CM	12 LEVEL CM	169,3060 litre	2,450 %	6742,1978 litre	O
220	CM	100	CM	11 LEVEL CM	148,8218 litre	2,153 %	6762,6820 litre	O
220	CM	100	CM	10 LEVEL CM	129,1970 litre	1,869 %	6782,3068 litre	O
220	CM	100	CM	9 LEVEL CM	110,4813 litre	1,599 %	6801,0225 litre	O
220	CM	100	CM	8 LEVEL CM	92,7321 litre	1,342 %	6818,7717 litre	O
220	CM	100	CM	7 LEVEL CM	76,0169 litre	1,100 %	6835,4869 litre	O
220	CM	100	CM	6 LEVEL CM	60,4165 litre	0,874 %	6851,0873 litre	O
220	CM	100	CM	5 LEVEL CM	46,0307 litre	0,666 %	6865,4731 litre	O
220	CM	100	CM	4 LEVEL CM	32,9870 litre	0,477 %	6878,5168 litre	O
220	CM	100	CM	3 LEVEL CM	21,4582 litre	0,310 %	6890,0456 litre	O
220	CM	100	CM	2 LEVEL CM	11,6981 litre	0,169 %	6899,8057 litre	O
220	CM	100	CM	1 LEVEL CM	4,1421 litre	0,060 %	6907,3617 litre	O
220	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	6911,5038 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
220	CM	95	CM	190 LEVEL CM	6237,6322 litre	100,000 %	0,0000 litre	O
220	CM	95	CM	189 LEVEL CM	6233,5953 litre	99,935 %	4,0369 litre	O
220	CM	95	CM	188 LEVEL CM	6226,2322 litre	99,817 %	11,4000 litre	O
220	CM	95	CM	187 LEVEL CM	6216,7223 litre	99,665 %	20,9099 litre	O
220	CM	95	CM	186 LEVEL CM	6205,4907 litre	99,485 %	32,1415 litre	O
220	CM	95	CM	185 LEVEL CM	6192,7851 litre	99,281 %	44,8471 litre	O
220	CM	95	CM	184 LEVEL CM	6178,7740 litre	99,056 %	58,8582 litre	O
220	CM	95	CM	183 LEVEL CM	6163,5820 litre	98,813 %	74,0502 litre	O
220	CM	95	CM	182 LEVEL CM	6147,3068 litre	98,552 %	90,3254 litre	O
220	CM	95	CM	181 LEVEL CM	6130,0273 litre	98,275 %	107,6049 litre	O
220	CM	95	CM	180 LEVEL CM	6111,8094 litre	97,983 %	125,8228 litre	O
220	CM	95	CM	179 LEVEL CM	6092,7094 litre	97,677 %	144,9228 litre	O
220	CM	95	CM	178 LEVEL CM	6072,7760 litre	97,357 %	164,8562 litre	O
220	CM	95	CM	177 LEVEL CM	6052,0520 litre	97,025 %	185,5802 litre	O
220	CM	95	CM	176 LEVEL CM	6030,5755 litre	96,681 %	207,0567 litre	O
220	CM	95	CM	175 LEVEL CM	6008,3808 litre	96,325 %	229,2514 litre	O
220	CM	95	CM	174 LEVEL CM	5985,4988 litre	95,958 %	252,1334 litre	O
220	CM	95	CM	173 LEVEL CM	5961,9578 litre	95,580 %	275,6744 litre	O
220	CM	95	CM	172 LEVEL CM	5937,7838 litre	95,193 %	299,8484 litre	O
220	CM	95	CM	171 LEVEL CM	5913,0008 litre	94,796 %	324,6314 litre	O
220	CM	95	CM	170 LEVEL CM	5887,6309 litre	94,389 %	350,0013 litre	O
220	CM	95	CM	169 LEVEL CM	5861,6951 litre	93,973 %	375,9371 litre	O
220	CM	95	CM	168 LEVEL CM	5835,2125 litre	93,549 %	402,4197 litre	O
220	CM	95	CM	167 LEVEL CM	5808,2016 litre	93,115 %	429,4306 litre	O
220	CM	95	CM	166 LEVEL CM	5780,6794 litre	92,674 %	456,9528 litre	O
220	CM	95	CM	165 LEVEL CM	5752,6622 litre	92,225 %	484,9700 litre	O
220	CM	95	CM	164 LEVEL CM	5724,1654 litre	91,768 %	513,4668 litre	O
220	CM	95	CM	163 LEVEL CM	5695,2036 litre	91,304 %	542,4286 litre	O
220	CM	95	CM	162 LEVEL CM	5665,7907 litre	90,832 %	571,8415 litre	O
220	CM	95	CM	161 LEVEL CM	5635,9400 litre	90,354 %	601,6922 litre	O
220	CM	95	CM	160 LEVEL CM	5605,6644 litre	89,868 %	631,9678 litre	O
220	CM	95	CM	159 LEVEL CM	5574,9758 litre	89,376 %	662,6564 litre	O
220	CM	95	CM	158 LEVEL CM	5543,8862 litre	88,878 %	693,7460 litre	O
220	CM	95	CM	157 LEVEL CM	5512,4066 litre	88,373 %	725,2256 litre	O
220	CM	95	CM	156 LEVEL CM	5480,5480 litre	87,863 %	757,0842 litre	O
220	CM	95	CM	155 LEVEL CM	5448,3209 litre	87,346 %	789,3113 litre	O
220	CM	95	CM	154 LEVEL CM	5415,7353 litre	86,824 %	821,8969 litre	O
220	CM	95	CM	153 LEVEL CM	5382,8010 litre	86,296 %	854,8312 litre	O
220	CM	95	CM	152 LEVEL CM	5349,5276 litre	85,762 %	888,1046 litre	O
220	CM	95	CM	151 LEVEL CM	5315,9241 litre	85,223 %	921,7081 litre	O
220	CM	95	CM	150 LEVEL CM	5281,9994 litre	84,680 %	955,6328 litre	O
220	CM	95	CM	149 LEVEL CM	5247,7624 litre	84,131 %	989,8698 litre	O
220	CM	95	CM	148 LEVEL CM	5213,2213 litre	83,577 %	1024,4109 litre	O
220	CM	95	CM	147 LEVEL CM	5178,3845 litre	83,018 %	1059,2477 litre	O
220	CM	95	CM	146 LEVEL CM	5143,2598 litre	82,455 %	1094,3724 litre	O
220	CM	95	CM	145 LEVEL CM	5107,8552 litre	81,888 %	1129,7770 litre	O
220	CM	95	CM	144 LEVEL CM	5072,1782 litre	81,316 %	1165,4540 litre	O
220	CM	95	CM	143 LEVEL CM	5036,2362 litre	80,740 %	1201,3960 litre	O
220	CM	95	CM	142 LEVEL CM	5000,0367 litre	80,159 %	1237,5955 litre	O
220	CM	95	CM	141 LEVEL CM	4963,5866 litre	79,575 %	1274,0456 litre	O
220	CM	95	CM	140 LEVEL CM	4926,8930 litre	78,987 %	1310,7392 litre	O
220	CM	95	CM	139 LEVEL CM	4889,9628 litre	78,395 %	1347,6694 litre	O

220	CM 95	CM	138 LEVEL CM	4852,8026 litre	77,799 %	1384,8296 litre	O
220	CM 95	CM	137 LEVEL CM	4815,4190 litre	77,199 %	1422,2132 litre	O
220	CM 95	CM	136 LEVEL CM	4777,8186 litre	76,597 %	1459,8136 litre	O
220	CM 95	CM	135 LEVEL CM	4740,0076 litre	75,990 %	1497,6246 litre	O
220	CM 95	CM	134 LEVEL CM	4701,9924 litre	75,381 %	1535,6398 litre	O
220	CM 95	CM	133 LEVEL CM	4663,7791 litre	74,768 %	1573,8531 litre	O
220	CM 95	CM	132 LEVEL CM	4625,3738 litre	74,153 %	1612,2584 litre	O
220	CM 95	CM	131 LEVEL CM	4586,7824 litre	73,534 %	1650,8498 litre	O
220	CM 95	CM	130 LEVEL CM	4548,0108 litre	72,912 %	1689,6214 litre	O
220	CM 95	CM	129 LEVEL CM	4509,0648 litre	72,288 %	1728,5674 litre	O
220	CM 95	CM	128 LEVEL CM	4469,9502 litre	71,661 %	1767,6820 litre	O
220	CM 95	CM	127 LEVEL CM	4430,6725 litre	71,031 %	1806,9597 litre	O
220	CM 95	CM	126 LEVEL CM	4391,2375 litre	70,399 %	1846,3947 litre	O
220	CM 95	CM	125 LEVEL CM	4351,6506 litre	69,764 %	1885,9816 litre	O
220	CM 95	CM	124 LEVEL CM	4311,9172 litre	69,127 %	1925,7150 litre	O
220	CM 95	CM	123 LEVEL CM	4272,0427 litre	68,488 %	1965,5895 litre	O
220	CM 95	CM	122 LEVEL CM	4232,0326 litre	67,847 %	2005,5996 litre	O
220	CM 95	CM	121 LEVEL CM	4191,8920 litre	67,203 %	2045,7402 litre	O
220	CM 95	CM	120 LEVEL CM	4151,6262 litre	66,558 %	2086,0060 litre	O
220	CM 95	CM	119 LEVEL CM	4111,2404 litre	65,910 %	2126,3918 litre	O
220	CM 95	CM	118 LEVEL CM	4070,7397 litre	65,261 %	2166,8925 litre	O
220	CM 95	CM	117 LEVEL CM	4030,1292 litre	64,610 %	2207,5030 litre	O
220	CM 95	CM	116 LEVEL CM	3989,4139 litre	63,957 %	2248,2183 litre	O
220	CM 95	CM	115 LEVEL CM	3948,5989 litre	63,303 %	2289,0333 litre	O
220	CM 95	CM	114 LEVEL CM	3907,6892 litre	62,647 %	2329,9430 litre	O
220	CM 95	CM	113 LEVEL CM	3866,6897 litre	61,990 %	2370,9425 litre	O
220	CM 95	CM	112 LEVEL CM	3825,6052 litre	61,331 %	2412,0270 litre	O
220	CM 95	CM	111 LEVEL CM	3784,4407 litre	60,671 %	2453,1915 litre	O
220	CM 95	CM	110 LEVEL CM	3743,2010 litre	60,010 %	2494,4312 litre	O
220	CM 95	CM	109 LEVEL CM	3701,8910 litre	59,348 %	2535,7412 litre	O
220	CM 95	CM	108 LEVEL CM	3660,5154 litre	58,684 %	2577,1168 litre	O
220	CM 95	CM	107 LEVEL CM	3619,0790 litre	58,020 %	2618,5532 litre	O
220	CM 95	CM	106 LEVEL CM	3577,5866 litre	57,355 %	2660,0456 litre	O
220	CM 95	CM	105 LEVEL CM	3536,0429 litre	56,689 %	2701,5893 litre	O
220	CM 95	CM	104 LEVEL CM	3494,4526 litre	56,022 %	2743,1796 litre	O
220	CM 95	CM	103 LEVEL CM	3452,8205 litre	55,355 %	2784,8117 litre	O
220	CM 95	CM	102 LEVEL CM	3411,1511 litre	54,687 %	2826,4811 litre	O
220	CM 95	CM	101 LEVEL CM	3369,4493 litre	54,018 %	2868,1829 litre	O
220	CM 95	CM	100 LEVEL CM	3327,7196 litre	53,349 %	2909,9126 litre	O
220	CM 95	CM	99 LEVEL CM	3285,9667 litre	52,680 %	2951,6655 litre	O
220	CM 95	CM	98 LEVEL CM	3244,1953 litre	52,010 %	2993,4369 litre	O
220	CM 95	CM	97 LEVEL CM	3202,4099 litre	51,340 %	3035,2223 litre	O
220	CM 95	CM	96 LEVEL CM	3160,6153 litre	50,670 %	3077,0169 litre	O
220	CM 95	CM	95 LEVEL CM	3118,8161 litre	50,000 %	3118,8161 litre	O
220	CM 95	CM	94 LEVEL CM	3077,0169 litre	49,330 %	3160,6153 litre	O
220	CM 95	CM	93 LEVEL CM	3035,2223 litre	48,660 %	3202,4099 litre	O
220	CM 95	CM	92 LEVEL CM	2993,4370 litre	47,990 %	3244,1952 litre	O
220	CM 95	CM	91 LEVEL CM	2951,6655 litre	47,320 %	3285,9667 litre	O
220	CM 95	CM	90 LEVEL CM	2909,9126 litre	46,651 %	3327,7196 litre	O
220	CM 95	CM	89 LEVEL CM	2868,1829 litre	45,982 %	3369,4493 litre	O
220	CM 95	CM	88 LEVEL CM	2826,4811 litre	45,313 %	3411,1511 litre	O
220	CM 95	CM	87 LEVEL CM	2784,8118 litre	44,645 %	3452,8204 litre	O
220	CM 95	CM	86 LEVEL CM	2743,1796 litre	43,978 %	3494,4526 litre	O

220	CM 95	CM	85 LEVEL CM	2701,5893 litre	43,311 %	3536,0429 litre	O
220	CM 95	CM	84 LEVEL CM	2660,0456 litre	42,645 %	3577,5866 litre	O
220	CM 95	CM	83 LEVEL CM	2618,5532 litre	41,980 %	3619,0790 litre	O
220	CM 95	CM	82 LEVEL CM	2577,1168 litre	41,316 %	3660,5154 litre	O
220	CM 95	CM	81 LEVEL CM	2535,7412 litre	40,652 %	3701,8910 litre	O
220	CM 95	CM	80 LEVEL CM	2494,4312 litre	39,990 %	3743,2010 litre	O
220	CM 95	CM	79 LEVEL CM	2453,1915 litre	39,329 %	3784,4407 litre	O
220	CM 95	CM	78 LEVEL CM	2412,0270 litre	38,669 %	3825,6052 litre	O
220	CM 95	CM	77 LEVEL CM	2370,9426 litre	38,010 %	3866,6896 litre	O
220	CM 95	CM	76 LEVEL CM	2329,9430 litre	37,353 %	3907,6892 litre	O
220	CM 95	CM	75 LEVEL CM	2289,0333 litre	36,697 %	3948,5989 litre	O
220	CM 95	CM	74 LEVEL CM	2248,2183 litre	36,043 %	3989,4139 litre	O
220	CM 95	CM	73 LEVEL CM	2207,5030 litre	35,390 %	4030,1292 litre	O
220	CM 95	CM	72 LEVEL CM	2166,8925 litre	34,739 %	4070,7397 litre	O
220	CM 95	CM	71 LEVEL CM	2126,3918 litre	34,090 %	4111,2404 litre	O
220	CM 95	CM	70 LEVEL CM	2086,0060 litre	33,442 %	4151,6262 litre	O
220	CM 95	CM	69 LEVEL CM	2045,7402 litre	32,797 %	4191,8920 litre	O
220	CM 95	CM	68 LEVEL CM	2005,5996 litre	32,153 %	4232,0326 litre	O
220	CM 95	CM	67 LEVEL CM	1965,5895 litre	31,512 %	4272,0427 litre	O
220	CM 95	CM	66 LEVEL CM	1925,7150 litre	30,873 %	4311,9172 litre	O
220	CM 95	CM	65 LEVEL CM	1885,9817 litre	30,236 %	4351,6505 litre	O
220	CM 95	CM	64 LEVEL CM	1846,3947 litre	29,601 %	4391,2375 litre	O
220	CM 95	CM	63 LEVEL CM	1806,9597 litre	28,969 %	4430,6725 litre	O
220	CM 95	CM	62 LEVEL CM	1767,6821 litre	28,339 %	4469,9501 litre	O
220	CM 95	CM	61 LEVEL CM	1728,5674 litre	27,712 %	4509,0648 litre	O
220	CM 95	CM	60 LEVEL CM	1689,6215 litre	27,088 %	4548,0107 litre	O
220	CM 95	CM	59 LEVEL CM	1650,8499 litre	26,466 %	4586,7823 litre	O
220	CM 95	CM	58 LEVEL CM	1612,2584 litre	25,847 %	4625,3738 litre	O
220	CM 95	CM	57 LEVEL CM	1573,8531 litre	25,232 %	4663,7791 litre	O
220	CM 95	CM	56 LEVEL CM	1535,6398 litre	24,619 %	4701,9924 litre	O
220	CM 95	CM	55 LEVEL CM	1497,6246 litre	24,010 %	4740,0076 litre	O
220	CM 95	CM	54 LEVEL CM	1459,8136 litre	23,403 %	4777,8186 litre	O
220	CM 95	CM	53 LEVEL CM	1422,2132 litre	22,801 %	4815,4190 litre	O
220	CM 95	CM	52 LEVEL CM	1384,8296 litre	22,201 %	4852,8026 litre	O
220	CM 95	CM	51 LEVEL CM	1347,6694 litre	21,605 %	4889,9628 litre	O
220	CM 95	CM	50 LEVEL CM	1310,7392 litre	21,013 %	4926,8930 litre	O
220	CM 95	CM	49 LEVEL CM	1274,0456 litre	20,425 %	4963,5866 litre	O
220	CM 95	CM	48 LEVEL CM	1237,5956 litre	19,841 %	5000,0366 litre	O
220	CM 95	CM	47 LEVEL CM	1201,3960 litre	19,260 %	5036,2362 litre	O
220	CM 95	CM	46 LEVEL CM	1165,4541 litre	18,684 %	5072,1781 litre	O
220	CM 95	CM	45 LEVEL CM	1129,7770 litre	18,112 %	5107,8552 litre	O
220	CM 95	CM	44 LEVEL CM	1094,3724 litre	17,545 %	5143,2598 litre	O
220	CM 95	CM	43 LEVEL CM	1059,2477 litre	16,982 %	5178,3845 litre	O
220	CM 95	CM	42 LEVEL CM	1024,4109 litre	16,423 %	5213,2213 litre	O
220	CM 95	CM	41 LEVEL CM	989,8698 litre	15,869 %	5247,7624 litre	O
220	CM 95	CM	40 LEVEL CM	955,6328 litre	15,320 %	5281,9994 litre	O
220	CM 95	CM	39 LEVEL CM	921,7082 litre	14,777 %	5315,9240 litre	O
220	CM 95	CM	38 LEVEL CM	888,1047 litre	14,238 %	5349,5275 litre	O
220	CM 95	CM	37 LEVEL CM	854,8312 litre	13,704 %	5382,8010 litre	O
220	CM 95	CM	36 LEVEL CM	821,8969 litre	13,176 %	5415,7353 litre	O
220	CM 95	CM	35 LEVEL CM	789,3113 litre	12,654 %	5448,3209 litre	O
220	CM 95	CM	34 LEVEL CM	757,0842 litre	12,137 %	5480,5480 litre	O
220	CM 95	CM	33 LEVEL CM	725,2256 litre	11,627 %	5512,4066 litre	O

220	CM	95	CM	32 LEVEL CM	693,7461 litre	11,122 %	5543,8861 litre	O
220	CM	95	CM	31 LEVEL CM	662,6564 litre	10,624 %	5574,9758 litre	O
220	CM	95	CM	30 LEVEL CM	631,9679 litre	10,132 %	5605,6643 litre	O
220	CM	95	CM	29 LEVEL CM	601,6922 litre	9,646 %	5635,9400 litre	O
220	CM	95	CM	28 LEVEL CM	571,8415 litre	9,168 %	5665,7907 litre	O
220	CM	95	CM	27 LEVEL CM	542,4287 litre	8,696 %	5695,2035 litre	O
220	CM	95	CM	26 LEVEL CM	513,4668 litre	8,232 %	5724,1654 litre	O
220	CM	95	CM	25 LEVEL CM	484,9700 litre	7,775 %	5752,6622 litre	O
220	CM	95	CM	24 LEVEL CM	456,9528 litre	7,326 %	5780,6794 litre	O
220	CM	95	CM	23 LEVEL CM	429,4306 litre	6,885 %	5808,2016 litre	O
220	CM	95	CM	22 LEVEL CM	402,4197 litre	6,451 %	5835,2125 litre	O
220	CM	95	CM	21 LEVEL CM	375,9371 litre	6,027 %	5861,6951 litre	O
220	CM	95	CM	20 LEVEL CM	350,0013 litre	5,611 %	5887,6309 litre	O
220	CM	95	CM	19 LEVEL CM	324,6315 litre	5,204 %	5913,0007 litre	O
220	CM	95	CM	18 LEVEL CM	299,8484 litre	4,807 %	5937,7838 litre	O
220	CM	95	CM	17 LEVEL CM	275,6744 litre	4,420 %	5961,9578 litre	O
220	CM	95	CM	16 LEVEL CM	252,1335 litre	4,042 %	5985,4987 litre	O
220	CM	95	CM	15 LEVEL CM	229,2515 litre	3,675 %	6008,3807 litre	O
220	CM	95	CM	14 LEVEL CM	207,0567 litre	3,319 %	6030,5755 litre	O
220	CM	95	CM	13 LEVEL CM	185,5802 litre	2,975 %	6052,0520 litre	O
220	CM	95	CM	12 LEVEL CM	164,8562 litre	2,643 %	6072,7760 litre	O
220	CM	95	CM	11 LEVEL CM	144,9228 litre	2,323 %	6092,7094 litre	O
220	CM	95	CM	10 LEVEL CM	125,8228 litre	2,017 %	6111,8094 litre	O
220	CM	95	CM	9 LEVEL CM	107,6049 litre	1,725 %	6130,0273 litre	O
220	CM	95	CM	8 LEVEL CM	90,3254 litre	1,448 %	6147,3068 litre	O
220	CM	95	CM	7 LEVEL CM	74,0502 litre	1,187 %	6163,5820 litre	O
220	CM	95	CM	6 LEVEL CM	58,8583 litre	0,944 %	6178,7739 litre	O
220	CM	95	CM	5 LEVEL CM	44,8471 litre	0,719 %	6192,7851 litre	O
220	CM	95	CM	4 LEVEL CM	32,1415 litre	0,515 %	6205,4907 litre	O
220	CM	95	CM	3 LEVEL CM	20,9099 litre	0,335 %	6216,7223 litre	O
220	CM	95	CM	2 LEVEL CM	11,4001 litre	0,183 %	6226,2321 litre	O
220	CM	95	CM	1 LEVEL CM	4,0369 litre	0,065 %	6233,5953 litre	O
220	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	6237,6322 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
220	CM	90	CM	180 LEVEL CM	5598,3181 litre	100,000 %	0,0000 litre	O
220	CM	90	CM	179 LEVEL CM	5594,3892 litre	99,930 %	3,9289 litre	O
220	CM	90	CM	178 LEVEL CM	5587,2241 litre	99,802 %	11,0940 litre	O
220	CM	90	CM	177 LEVEL CM	5577,9713 litre	99,637 %	20,3468 litre	O
220	CM	90	CM	176 LEVEL CM	5567,0450 litre	99,441 %	31,2731 litre	O
220	CM	90	CM	175 LEVEL CM	5554,6866 litre	99,221 %	43,6315 litre	O
220	CM	90	CM	174 LEVEL CM	5541,0605 litre	98,977 %	57,2576 litre	O
220	CM	90	CM	173 LEVEL CM	5526,2883 litre	98,713 %	72,0298 litre	O
220	CM	90	CM	172 LEVEL CM	5510,4653 litre	98,431 %	87,8528 litre	O
220	CM	90	CM	171 LEVEL CM	5493,6685 litre	98,131 %	104,6496 litre	O
220	CM	90	CM	170 LEVEL CM	5475,9625 litre	97,814 %	122,3556 litre	O
220	CM	90	CM	169 LEVEL CM	5457,4022 litre	97,483 %	140,9159 litre	O
220	CM	90	CM	168 LEVEL CM	5438,0352 litre	97,137 %	160,2829 litre	O
220	CM	90	CM	167 LEVEL CM	5417,9034 litre	96,777 %	180,4147 litre	O
220	CM	90	CM	166 LEVEL CM	5397,0442 litre	96,405 %	201,2739 litre	O
220	CM	90	CM	165 LEVEL CM	5375,4911 litre	96,020 %	222,8270 litre	O
220	CM	90	CM	164 LEVEL CM	5353,2744 litre	95,623 %	245,0437 litre	O
220	CM	90	CM	163 LEVEL CM	5330,4220 litre	95,215 %	267,8961 litre	O
220	CM	90	CM	162 LEVEL CM	5306,9591 litre	94,796 %	291,3590 litre	O
220	CM	90	CM	161 LEVEL CM	5282,9095 litre	94,366 %	315,4086 litre	O
220	CM	90	CM	160 LEVEL CM	5258,2949 litre	93,926 %	340,0232 litre	O
220	CM	90	CM	159 LEVEL CM	5233,1358 litre	93,477 %	365,1823 litre	O
220	CM	90	CM	158 LEVEL CM	5207,4511 litre	93,018 %	390,8670 litre	O
220	CM	90	CM	157 LEVEL CM	5181,2589 litre	92,550 %	417,0592 litre	O
220	CM	90	CM	156 LEVEL CM	5154,5760 litre	92,074 %	443,7421 litre	O
220	CM	90	CM	155 LEVEL CM	5127,4184 litre	91,589 %	470,8997 litre	O
220	CM	90	CM	154 LEVEL CM	5099,8013 litre	91,095 %	498,5168 litre	O
220	CM	90	CM	153 LEVEL CM	5071,7392 litre	90,594 %	526,5789 litre	O
220	CM	90	CM	152 LEVEL CM	5043,2457 litre	90,085 %	555,0724 litre	O
220	CM	90	CM	151 LEVEL CM	5014,3340 litre	89,569 %	583,9841 litre	O
220	CM	90	CM	150 LEVEL CM	4985,0167 litre	89,045 %	613,3014 litre	O
220	CM	90	CM	149 LEVEL CM	4955,3057 litre	88,514 %	643,0124 litre	O
220	CM	90	CM	148 LEVEL CM	4925,2128 litre	87,977 %	673,1053 litre	O
220	CM	90	CM	147 LEVEL CM	4894,7490 litre	87,432 %	703,5691 litre	O
220	CM	90	CM	146 LEVEL CM	4863,9251 litre	86,882 %	734,3930 litre	O
220	CM	90	CM	145 LEVEL CM	4832,7514 litre	86,325 %	765,5667 litre	O
220	CM	90	CM	144 LEVEL CM	4801,2380 litre	85,762 %	797,0801 litre	O
220	CM	90	CM	143 LEVEL CM	4769,3946 litre	85,193 %	828,9235 litre	O
220	CM	90	CM	142 LEVEL CM	4737,2306 litre	84,619 %	861,0875 litre	O
220	CM	90	CM	141 LEVEL CM	4704,7550 litre	84,039 %	893,5631 litre	O
220	CM	90	CM	140 LEVEL CM	4671,9769 litre	83,453 %	926,3412 litre	O
220	CM	90	CM	139 LEVEL CM	4638,9047 litre	82,862 %	959,4134 litre	O
220	CM	90	CM	138 LEVEL CM	4605,5469 litre	82,267 %	992,7712 litre	O
220	CM	90	CM	137 LEVEL CM	4571,9117 litre	81,666 %	1026,4064 litre	O
220	CM	90	CM	136 LEVEL CM	4538,0070 litre	81,060 %	1060,3111 litre	O
220	CM	90	CM	135 LEVEL CM	4503,8407 litre	80,450 %	1094,4774 litre	O
220	CM	90	CM	134 LEVEL CM	4469,4203 litre	79,835 %	1128,8978 litre	O
220	CM	90	CM	133 LEVEL CM	4434,7534 litre	79,216 %	1163,5647 litre	O
220	CM	90	CM	132 LEVEL CM	4399,8471 litre	78,592 %	1198,4710 litre	O
220	CM	90	CM	131 LEVEL CM	4364,7086 litre	77,965 %	1233,6095 litre	O
220	CM	90	CM	130 LEVEL CM	4329,3449 litre	77,333 %	1268,9732 litre	O
220	CM	90	CM	129 LEVEL CM	4293,7630 litre	76,697 %	1304,5551 litre	O

220	CM	90	CM	128 LEVEL CM	4257,9695 litre	76,058 %	1340,3486 litre	O
220	CM	90	CM	127 LEVEL CM	4221,9710 litre	75,415 %	1376,3471 litre	O
220	CM	90	CM	126 LEVEL CM	4185,7741 litre	74,768 %	1412,5440 litre	O
220	CM	90	CM	125 LEVEL CM	4149,3851 litre	74,118 %	1448,9330 litre	O
220	CM	90	CM	124 LEVEL CM	4112,8104 litre	73,465 %	1485,5077 litre	O
220	CM	90	CM	123 LEVEL CM	4076,0562 litre	72,809 %	1522,2619 litre	O
220	CM	90	CM	122 LEVEL CM	4039,1285 litre	72,149 %	1559,1896 litre	O
220	CM	90	CM	121 LEVEL CM	4002,0335 litre	71,486 %	1596,2846 litre	O
220	CM	90	CM	120 LEVEL CM	3964,7770 litre	70,821 %	1633,5411 litre	O
220	CM	90	CM	119 LEVEL CM	3927,3649 litre	70,153 %	1670,9532 litre	O
220	CM	90	CM	118 LEVEL CM	3889,8031 litre	69,482 %	1708,5150 litre	O
220	CM	90	CM	117 LEVEL CM	3852,0973 litre	68,808 %	1746,2208 litre	O
220	CM	90	CM	116 LEVEL CM	3814,2530 litre	68,132 %	1784,0651 litre	O
220	CM	90	CM	115 LEVEL CM	3776,2760 litre	67,454 %	1822,0421 litre	O
220	CM	90	CM	114 LEVEL CM	3738,1717 litre	66,773 %	1860,1464 litre	O
220	CM	90	CM	113 LEVEL CM	3699,9457 litre	66,090 %	1898,3724 litre	O
220	CM	90	CM	112 LEVEL CM	3661,6034 litre	65,405 %	1936,7147 litre	O
220	CM	90	CM	111 LEVEL CM	3623,1502 litre	64,719 %	1975,1679 litre	O
220	CM	90	CM	110 LEVEL CM	3584,5914 litre	64,030 %	2013,7267 litre	O
220	CM	90	CM	109 LEVEL CM	3545,9323 litre	63,339 %	2052,3858 litre	O
220	CM	90	CM	108 LEVEL CM	3507,1781 litre	62,647 %	2091,1400 litre	O
220	CM	90	CM	107 LEVEL CM	3468,3342 litre	61,953 %	2129,9839 litre	O
220	CM	90	CM	106 LEVEL CM	3429,4056 litre	61,258 %	2168,9125 litre	O
220	CM	90	CM	105 LEVEL CM	3390,3975 litre	60,561 %	2207,9206 litre	O
220	CM	90	CM	104 LEVEL CM	3351,3150 litre	59,863 %	2247,0031 litre	O
220	CM	90	CM	103 LEVEL CM	3312,1633 litre	59,164 %	2286,1548 litre	O
220	CM	90	CM	102 LEVEL CM	3272,9473 litre	58,463 %	2325,3708 litre	O
220	CM	90	CM	101 LEVEL CM	3233,6721 litre	57,761 %	2364,6460 litre	O
220	CM	90	CM	100 LEVEL CM	3194,3427 litre	57,059 %	2403,9754 litre	O
220	CM	90	CM	99 LEVEL CM	3154,9642 litre	56,356 %	2443,3539 litre	O
220	CM	90	CM	98 LEVEL CM	3115,5414 litre	55,651 %	2482,7767 litre	O
220	CM	90	CM	97 LEVEL CM	3076,0793 litre	54,946 %	2522,2388 litre	O
220	CM	90	CM	96 LEVEL CM	3036,5829 litre	54,241 %	2561,7352 litre	O
220	CM	90	CM	95 LEVEL CM	2997,0572 litre	53,535 %	2601,2609 litre	O
220	CM	90	CM	94 LEVEL CM	2957,5069 litre	52,828 %	2640,8112 litre	O
220	CM	90	CM	93 LEVEL CM	2917,9371 litre	52,122 %	2680,3810 litre	O
220	CM	90	CM	92 LEVEL CM	2878,3525 litre	51,415 %	2719,9656 litre	O
220	CM	90	CM	91 LEVEL CM	2838,7582 litre	50,707 %	2759,5599 litre	O
220	CM	90	CM	90 LEVEL CM	2799,1591 litre	50,000 %	2799,1590 litre	O
220	CM	90	CM	89 LEVEL CM	2759,5599 litre	49,293 %	2838,7582 litre	O
220	CM	90	CM	88 LEVEL CM	2719,9656 litre	48,585 %	2878,3525 litre	O
220	CM	90	CM	87 LEVEL CM	2680,3811 litre	47,878 %	2917,9370 litre	O
220	CM	90	CM	86 LEVEL CM	2640,8112 litre	47,172 %	2957,5069 litre	O
220	CM	90	CM	85 LEVEL CM	2601,2610 litre	46,465 %	2997,0571 litre	O
220	CM	90	CM	84 LEVEL CM	2561,7352 litre	45,759 %	3036,5829 litre	O
220	CM	90	CM	83 LEVEL CM	2522,2388 litre	45,054 %	3076,0793 litre	O
220	CM	90	CM	82 LEVEL CM	2482,7767 litre	44,349 %	3115,5414 litre	O
220	CM	90	CM	81 LEVEL CM	2443,3539 litre	43,644 %	3154,9642 litre	O
220	CM	90	CM	80 LEVEL CM	2403,9754 litre	42,941 %	3194,3427 litre	O
220	CM	90	CM	79 LEVEL CM	2364,6460 litre	42,239 %	3233,6721 litre	O
220	CM	90	CM	78 LEVEL CM	2325,3708 litre	41,537 %	3272,9473 litre	O
220	CM	90	CM	77 LEVEL CM	2286,1548 litre	40,836 %	3312,1633 litre	O
220	CM	90	CM	76 LEVEL CM	2247,0031 litre	40,137 %	3351,3150 litre	O

220	CM	90	CM	75 LEVEL CM	2207,9206 litre	39,439 %	3390,3975 litre	O
220	CM	90	CM	74 LEVEL CM	2168,9125 litre	38,742 %	3429,4056 litre	O
220	CM	90	CM	73 LEVEL CM	2129,9839 litre	38,047 %	3468,3342 litre	O
220	CM	90	CM	72 LEVEL CM	2091,1400 litre	37,353 %	3507,1781 litre	O
220	CM	90	CM	71 LEVEL CM	2052,3858 litre	36,661 %	3545,9323 litre	O
220	CM	90	CM	70 LEVEL CM	2013,7267 litre	35,970 %	3584,5914 litre	O
220	CM	90	CM	69 LEVEL CM	1975,1679 litre	35,281 %	3623,1502 litre	O
220	CM	90	CM	68 LEVEL CM	1936,7147 litre	34,595 %	3661,6034 litre	O
220	CM	90	CM	67 LEVEL CM	1898,3724 litre	33,910 %	3699,9457 litre	O
220	CM	90	CM	66 LEVEL CM	1860,1464 litre	33,227 %	3738,1717 litre	O
220	CM	90	CM	65 LEVEL CM	1822,0421 litre	32,546 %	3776,2760 litre	O
220	CM	90	CM	64 LEVEL CM	1784,0651 litre	31,868 %	3814,2530 litre	O
220	CM	90	CM	63 LEVEL CM	1746,2208 litre	31,192 %	3852,0973 litre	O
220	CM	90	CM	62 LEVEL CM	1708,5150 litre	30,518 %	3889,8031 litre	O
220	CM	90	CM	61 LEVEL CM	1670,9532 litre	29,847 %	3927,3649 litre	O
220	CM	90	CM	60 LEVEL CM	1633,5411 litre	29,179 %	3964,7770 litre	O
220	CM	90	CM	59 LEVEL CM	1596,2846 litre	28,514 %	4002,0335 litre	O
220	CM	90	CM	58 LEVEL CM	1559,1896 litre	27,851 %	4039,1285 litre	O
220	CM	90	CM	57 LEVEL CM	1522,2619 litre	27,191 %	4076,0562 litre	O
220	CM	90	CM	56 LEVEL CM	1485,5077 litre	26,535 %	4112,8104 litre	O
220	CM	90	CM	55 LEVEL CM	1448,9330 litre	25,882 %	4149,3851 litre	O
220	CM	90	CM	54 LEVEL CM	1412,5440 litre	25,232 %	4185,7741 litre	O
220	CM	90	CM	53 LEVEL CM	1376,3471 litre	24,585 %	4221,9710 litre	O
220	CM	90	CM	52 LEVEL CM	1340,3486 litre	23,942 %	4257,9695 litre	O
220	CM	90	CM	51 LEVEL CM	1304,5551 litre	23,303 %	4293,7630 litre	O
220	CM	90	CM	50 LEVEL CM	1268,9732 litre	22,667 %	4329,3449 litre	O
220	CM	90	CM	49 LEVEL CM	1233,6095 litre	22,035 %	4364,7086 litre	O
220	CM	90	CM	48 LEVEL CM	1198,4710 litre	21,408 %	4399,8471 litre	O
220	CM	90	CM	47 LEVEL CM	1163,5648 litre	20,784 %	4434,7533 litre	O
220	CM	90	CM	46 LEVEL CM	1128,8978 litre	20,165 %	4469,4203 litre	O
220	CM	90	CM	45 LEVEL CM	1094,4774 litre	19,550 %	4503,8407 litre	O
220	CM	90	CM	44 LEVEL CM	1060,3111 litre	18,940 %	4538,0070 litre	O
220	CM	90	CM	43 LEVEL CM	1026,4064 litre	18,334 %	4571,9117 litre	O
220	CM	90	CM	42 LEVEL CM	992,7712 litre	17,733 %	4605,5469 litre	O
220	CM	90	CM	41 LEVEL CM	959,4134 litre	17,138 %	4638,9047 litre	O
220	CM	90	CM	40 LEVEL CM	926,3412 litre	16,547 %	4671,9769 litre	O
220	CM	90	CM	39 LEVEL CM	893,5631 litre	15,961 %	4704,7550 litre	O
220	CM	90	CM	38 LEVEL CM	861,0875 litre	15,381 %	4737,2306 litre	O
220	CM	90	CM	37 LEVEL CM	828,9235 litre	14,807 %	4769,3946 litre	O
220	CM	90	CM	36 LEVEL CM	797,0801 litre	14,238 %	4801,2380 litre	O
220	CM	90	CM	35 LEVEL CM	765,5667 litre	13,675 %	4832,7514 litre	O
220	CM	90	CM	34 LEVEL CM	734,3930 litre	13,118 %	4863,9251 litre	O
220	CM	90	CM	33 LEVEL CM	703,5691 litre	12,568 %	4894,7490 litre	O
220	CM	90	CM	32 LEVEL CM	673,1053 litre	12,023 %	4925,2128 litre	O
220	CM	90	CM	31 LEVEL CM	643,0124 litre	11,486 %	4955,3057 litre	O
220	CM	90	CM	30 LEVEL CM	613,3015 litre	10,955 %	4985,0166 litre	O
220	CM	90	CM	29 LEVEL CM	583,9841 litre	10,431 %	5014,3340 litre	O
220	CM	90	CM	28 LEVEL CM	555,0724 litre	9,915 %	5043,2457 litre	O
220	CM	90	CM	27 LEVEL CM	526,5789 litre	9,406 %	5071,7392 litre	O
220	CM	90	CM	26 LEVEL CM	498,5168 litre	8,905 %	5099,8013 litre	O
220	CM	90	CM	25 LEVEL CM	470,8997 litre	8,411 %	5127,4184 litre	O
220	CM	90	CM	24 LEVEL CM	443,7422 litre	7,926 %	5154,5759 litre	O
220	CM	90	CM	23 LEVEL CM	417,0593 litre	7,450 %	5181,2588 litre	O

220	CM	90	CM	22 LEVEL CM	390,8670 litre	6,982 %	5207,4511 litre	O
220	CM	90	CM	21 LEVEL CM	365,1824 litre	6,523 %	5233,1357 litre	O
220	CM	90	CM	20 LEVEL CM	340,0232 litre	6,074 %	5258,2949 litre	O
220	CM	90	CM	19 LEVEL CM	315,4086 litre	5,634 %	5282,9095 litre	O
220	CM	90	CM	18 LEVEL CM	291,3590 litre	5,204 %	5306,9591 litre	O
220	CM	90	CM	17 LEVEL CM	267,8962 litre	4,785 %	5330,4219 litre	O
220	CM	90	CM	16 LEVEL CM	245,0437 litre	4,377 %	5353,2744 litre	O
220	CM	90	CM	15 LEVEL CM	222,8270 litre	3,980 %	5375,4911 litre	O
220	CM	90	CM	14 LEVEL CM	201,2739 litre	3,595 %	5397,0442 litre	O
220	CM	90	CM	13 LEVEL CM	180,4147 litre	3,223 %	5417,9034 litre	O
220	CM	90	CM	12 LEVEL CM	160,2829 litre	2,863 %	5438,0352 litre	O
220	CM	90	CM	11 LEVEL CM	140,9159 litre	2,517 %	5457,4022 litre	O
220	CM	90	CM	10 LEVEL CM	122,3556 litre	2,186 %	5475,9625 litre	O
220	CM	90	CM	9 LEVEL CM	104,6496 litre	1,869 %	5493,6685 litre	O
220	CM	90	CM	8 LEVEL CM	87,8528 litre	1,569 %	5510,4653 litre	O
220	CM	90	CM	7 LEVEL CM	72,0298 litre	1,287 %	5526,2883 litre	O
220	CM	90	CM	6 LEVEL CM	57,2576 litre	1,023 %	5541,0605 litre	O
220	CM	90	CM	5 LEVEL CM	43,6315 litre	0,779 %	5554,6866 litre	O
220	CM	90	CM	4 LEVEL CM	31,2731 litre	0,559 %	5567,0450 litre	O
220	CM	90	CM	3 LEVEL CM	20,3468 litre	0,363 %	5577,9713 litre	O
220	CM	90	CM	2 LEVEL CM	11,0940 litre	0,198 %	5587,2241 litre	O
220	CM	90	CM	1 LEVEL CM	3,9289 litre	0,070 %	5594,3892 litre	O
220	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	5598,3181 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
220	CM 85	CM 170 LEVEL CM	4993,5615 litre	100,000 %	0,0000 litre	O
220	CM 85	CM 169 LEVEL CM	4989,7437 litre	99,924 %	3,8178 litre	O
220	CM 85	CM 168 LEVEL CM	4982,7822 litre	99,784 %	10,7793 litre	O
220	CM 85	CM 167 LEVEL CM	4973,7939 litre	99,604 %	19,7676 litre	O
220	CM 85	CM 166 LEVEL CM	4963,1816 litre	99,392 %	30,3799 litre	O
220	CM 85	CM 165 LEVEL CM	4951,1805 litre	99,151 %	42,3810 litre	O
220	CM 85	CM 164 LEVEL CM	4937,9506 litre	98,886 %	55,6109 litre	O
220	CM 85	CM 163 LEVEL CM	4923,6105 litre	98,599 %	69,9510 litre	O
220	CM 85	CM 162 LEVEL CM	4908,2529 litre	98,292 %	85,3086 litre	O
220	CM 85	CM 161 LEVEL CM	4891,9533 litre	97,965 %	101,6082 litre	O
220	CM 85	CM 160 LEVEL CM	4874,7744 litre	97,621 %	118,7871 litre	O
220	CM 85	CM 159 LEVEL CM	4856,7699 litre	97,261 %	136,7916 litre	O
220	CM 85	CM 158 LEVEL CM	4837,9863 litre	96,884 %	155,5752 litre	O
220	CM 85	CM 157 LEVEL CM	4818,4648 litre	96,494 %	175,0967 litre	O
220	CM 85	CM 156 LEVEL CM	4798,2417 litre	96,089 %	195,3198 litre	O
220	CM 85	CM 155 LEVEL CM	4777,3499 litre	95,670 %	216,2116 litre	O
220	CM 85	CM 154 LEVEL CM	4755,8191 litre	95,239 %	237,7424 litre	O
220	CM 85	CM 153 LEVEL CM	4733,6765 litre	94,796 %	259,8850 litre	O
220	CM 85	CM 152 LEVEL CM	4710,9471 litre	94,340 %	282,6144 litre	O
220	CM 85	CM 151 LEVEL CM	4687,6539 litre	93,874 %	305,9076 litre	O
220	CM 85	CM 150 LEVEL CM	4663,8185 litre	93,397 %	329,7430 litre	O
220	CM 85	CM 149 LEVEL CM	4639,4608 litre	92,909 %	354,1007 litre	O
220	CM 85	CM 148 LEVEL CM	4614,5996 litre	92,411 %	378,9619 litre	O
220	CM 85	CM 147 LEVEL CM	4589,2525 litre	91,903 %	404,3090 litre	O
220	CM 85	CM 146 LEVEL CM	4563,4362 litre	91,386 %	430,1253 litre	O
220	CM 85	CM 145 LEVEL CM	4537,1664 litre	90,860 %	456,3951 litre	O
220	CM 85	CM 144 LEVEL CM	4510,4580 litre	90,325 %	483,1035 litre	O
220	CM 85	CM 143 LEVEL CM	4483,3254 litre	89,782 %	510,2361 litre	O
220	CM 85	CM 142 LEVEL CM	4455,7819 litre	89,231 %	537,7796 litre	O
220	CM 85	CM 141 LEVEL CM	4427,8407 litre	88,671 %	565,7208 litre	O
220	CM 85	CM 140 LEVEL CM	4399,5141 litre	88,104 %	594,0474 litre	O
220	CM 85	CM 139 LEVEL CM	4370,8141 litre	87,529 %	622,7474 litre	O
220	CM 85	CM 138 LEVEL CM	4341,7521 litre	86,947 %	651,8094 litre	O
220	CM 85	CM 137 LEVEL CM	4312,3391 litre	86,358 %	681,2224 litre	O
220	CM 85	CM 136 LEVEL CM	4282,5858 litre	85,762 %	710,9757 litre	O
220	CM 85	CM 135 LEVEL CM	4252,5024 litre	85,160 %	741,0591 litre	O
220	CM 85	CM 134 LEVEL CM	4222,0990 litre	84,551 %	771,4625 litre	O
220	CM 85	CM 133 LEVEL CM	4191,3852 litre	83,936 %	802,1763 litre	O
220	CM 85	CM 132 LEVEL CM	4160,3702 litre	83,315 %	833,1913 litre	O
220	CM 85	CM 131 LEVEL CM	4129,0633 litre	82,688 %	864,4982 litre	O
220	CM 85	CM 130 LEVEL CM	4097,4732 litre	82,055 %	896,0883 litre	O
220	CM 85	CM 129 LEVEL CM	4065,6084 litre	81,417 %	927,9531 litre	O
220	CM 85	CM 128 LEVEL CM	4033,4775 litre	80,774 %	960,0840 litre	O
220	CM 85	CM 127 LEVEL CM	4001,0884 litre	80,125 %	992,4731 litre	O
220	CM 85	CM 126 LEVEL CM	3968,4493 litre	79,471 %	1025,1122 litre	O
220	CM 85	CM 125 LEVEL CM	3935,5679 litre	78,813 %	1057,9936 litre	O
220	CM 85	CM 124 LEVEL CM	3902,4518 litre	78,150 %	1091,1097 litre	O
220	CM 85	CM 123 LEVEL CM	3869,1085 litre	77,482 %	1124,4530 litre	O
220	CM 85	CM 122 LEVEL CM	3835,5453 litre	76,810 %	1158,0162 litre	O
220	CM 85	CM 121 LEVEL CM	3801,7693 litre	76,133 %	1191,7922 litre	O
220	CM 85	CM 120 LEVEL CM	3767,7876 litre	75,453 %	1225,7739 litre	O
220	CM 85	CM 119 LEVEL CM	3733,6071 litre	74,768 %	1259,9544 litre	O

220	CM 85	CM	118 LEVEL CM	3699,2345 litre	74,080 %	1294,3270 litre	O
220	CM 85	CM	117 LEVEL CM	3664,6766 litre	73,388 %	1328,8849 litre	O
220	CM 85	CM	116 LEVEL CM	3629,9399 litre	72,692 %	1363,6216 litre	O
220	CM 85	CM	115 LEVEL CM	3595,0308 litre	71,993 %	1398,5307 litre	O
220	CM 85	CM	114 LEVEL CM	3559,9557 litre	71,291 %	1433,6058 litre	O
220	CM 85	CM	113 LEVEL CM	3524,7209 litre	70,585 %	1468,8406 litre	O
220	CM 85	CM	112 LEVEL CM	3489,3326 litre	69,877 %	1504,2289 litre	O
220	CM 85	CM	111 LEVEL CM	3453,7969 litre	69,165 %	1539,7646 litre	O
220	CM 85	CM	110 LEVEL CM	3418,1198 litre	68,451 %	1575,4417 litre	O
220	CM 85	CM	109 LEVEL CM	3382,3073 litre	67,733 %	1611,2542 litre	O
220	CM 85	CM	108 LEVEL CM	3346,3653 litre	67,014 %	1647,1962 litre	O
220	CM 85	CM	107 LEVEL CM	3310,2997 litre	66,291 %	1683,2618 litre	O
220	CM 85	CM	106 LEVEL CM	3274,1161 litre	65,567 %	1719,4454 litre	O
220	CM 85	CM	105 LEVEL CM	3237,8203 litre	64,840 %	1755,7412 litre	O
220	CM 85	CM	104 LEVEL CM	3201,4180 litre	64,111 %	1792,1435 litre	O
220	CM 85	CM	103 LEVEL CM	3164,9148 litre	63,380 %	1828,6467 litre	O
220	CM 85	CM	102 LEVEL CM	3128,3163 litre	62,647 %	1865,2452 litre	O
220	CM 85	CM	101 LEVEL CM	3091,6279 litre	61,912 %	1901,9336 litre	O
220	CM 85	CM	100 LEVEL CM	3054,8552 litre	61,176 %	1938,7063 litre	O
220	CM 85	CM	99 LEVEL CM	3018,0037 litre	60,438 %	1975,5578 litre	O
220	CM 85	CM	98 LEVEL CM	2981,0786 litre	59,698 %	2012,4829 litre	O
220	CM 85	CM	97 LEVEL CM	2944,0854 litre	58,958 %	2049,4761 litre	O
220	CM 85	CM	96 LEVEL CM	2907,0295 litre	58,216 %	2086,5320 litre	O
220	CM 85	CM	95 LEVEL CM	2869,9162 litre	57,472 %	2123,6453 litre	O
220	CM 85	CM	94 LEVEL CM	2832,7508 litre	56,728 %	2160,8107 litre	O
220	CM 85	CM	93 LEVEL CM	2795,5384 litre	55,983 %	2198,0231 litre	O
220	CM 85	CM	92 LEVEL CM	2758,2845 litre	55,237 %	2235,2770 litre	O
220	CM 85	CM	91 LEVEL CM	2720,9943 litre	54,490 %	2272,5672 litre	O
220	CM 85	CM	90 LEVEL CM	2683,6729 litre	53,743 %	2309,8886 litre	O
220	CM 85	CM	89 LEVEL CM	2646,3255 litre	52,995 %	2347,2360 litre	O
220	CM 85	CM	88 LEVEL CM	2608,9575 litre	52,246 %	2384,6040 litre	O
220	CM 85	CM	87 LEVEL CM	2571,5739 litre	51,498 %	2421,9876 litre	O
220	CM 85	CM	86 LEVEL CM	2534,1799 litre	50,749 %	2459,3816 litre	O
220	CM 85	CM	85 LEVEL CM	2496,7808 litre	50,000 %	2496,7807 litre	O
220	CM 85	CM	84 LEVEL CM	2459,3816 litre	49,251 %	2534,1799 litre	O
220	CM 85	CM	83 LEVEL CM	2421,9877 litre	48,502 %	2571,5738 litre	O
220	CM 85	CM	82 LEVEL CM	2384,6041 litre	47,754 %	2608,9574 litre	O
220	CM 85	CM	81 LEVEL CM	2347,2360 litre	47,005 %	2646,3255 litre	O
220	CM 85	CM	80 LEVEL CM	2309,8887 litre	46,257 %	2683,6728 litre	O
220	CM 85	CM	79 LEVEL CM	2272,5673 litre	45,510 %	2720,9942 litre	O
220	CM 85	CM	78 LEVEL CM	2235,2770 litre	44,763 %	2758,2845 litre	O
220	CM 85	CM	77 LEVEL CM	2198,0231 litre	44,017 %	2795,5384 litre	O
220	CM 85	CM	76 LEVEL CM	2160,8108 litre	43,272 %	2832,7507 litre	O
220	CM 85	CM	75 LEVEL CM	2123,6453 litre	42,528 %	2869,9162 litre	O
220	CM 85	CM	74 LEVEL CM	2086,5320 litre	41,784 %	2907,0295 litre	O
220	CM 85	CM	73 LEVEL CM	2049,4761 litre	41,042 %	2944,0854 litre	O
220	CM 85	CM	72 LEVEL CM	2012,4829 litre	40,302 %	2981,0786 litre	O
220	CM 85	CM	71 LEVEL CM	1975,5579 litre	39,562 %	3018,0036 litre	O
220	CM 85	CM	70 LEVEL CM	1938,7063 litre	38,824 %	3054,8552 litre	O
220	CM 85	CM	69 LEVEL CM	1901,9336 litre	38,088 %	3091,6279 litre	O
220	CM 85	CM	68 LEVEL CM	1865,2452 litre	37,353 %	3128,3163 litre	O
220	CM 85	CM	67 LEVEL CM	1828,6467 litre	36,620 %	3164,9148 litre	O
220	CM 85	CM	66 LEVEL CM	1792,1435 litre	35,889 %	3201,4180 litre	O

220	CM	85	CM	65 LEVEL CM	1755,7412 litre	35,160 %	3237,8203 litre	O
220	CM	85	CM	64 LEVEL CM	1719,4454 litre	34,433 %	3274,1161 litre	O
220	CM	85	CM	63 LEVEL CM	1683,2619 litre	33,709 %	3310,2996 litre	O
220	CM	85	CM	62 LEVEL CM	1647,1962 litre	32,986 %	3346,3653 litre	O
220	CM	85	CM	61 LEVEL CM	1611,2542 litre	32,267 %	3382,3073 litre	O
220	CM	85	CM	60 LEVEL CM	1575,4417 litre	31,549 %	3418,1198 litre	O
220	CM	85	CM	59 LEVEL CM	1539,7646 litre	30,835 %	3453,7969 litre	O
220	CM	85	CM	58 LEVEL CM	1504,2289 litre	30,123 %	3489,3326 litre	O
220	CM	85	CM	57 LEVEL CM	1468,8406 litre	29,415 %	3524,7209 litre	O
220	CM	85	CM	56 LEVEL CM	1433,6058 litre	28,709 %	3559,9557 litre	O
220	CM	85	CM	55 LEVEL CM	1398,5308 litre	28,007 %	3595,0307 litre	O
220	CM	85	CM	54 LEVEL CM	1363,6217 litre	27,308 %	3629,9398 litre	O
220	CM	85	CM	53 LEVEL CM	1328,8849 litre	26,612 %	3664,6766 litre	O
220	CM	85	CM	52 LEVEL CM	1294,3270 litre	25,920 %	3699,2345 litre	O
220	CM	85	CM	51 LEVEL CM	1259,9544 litre	25,232 %	3733,6071 litre	O
220	CM	85	CM	50 LEVEL CM	1225,7739 litre	24,547 %	3767,7876 litre	O
220	CM	85	CM	49 LEVEL CM	1191,7922 litre	23,867 %	3801,7693 litre	O
220	CM	85	CM	48 LEVEL CM	1158,0162 litre	23,190 %	3835,5453 litre	O
220	CM	85	CM	47 LEVEL CM	1124,4530 litre	22,518 %	3869,1085 litre	O
220	CM	85	CM	46 LEVEL CM	1091,1097 litre	21,850 %	3902,4518 litre	O
220	CM	85	CM	45 LEVEL CM	1057,9936 litre	21,187 %	3935,5679 litre	O
220	CM	85	CM	44 LEVEL CM	1025,1122 litre	20,529 %	3968,4493 litre	O
220	CM	85	CM	43 LEVEL CM	992,4731 litre	19,875 %	4001,0884 litre	O
220	CM	85	CM	42 LEVEL CM	960,0841 litre	19,226 %	4033,4774 litre	O
220	CM	85	CM	41 LEVEL CM	927,9531 litre	18,583 %	4065,6084 litre	O
220	CM	85	CM	40 LEVEL CM	896,0884 litre	17,945 %	4097,4731 litre	O
220	CM	85	CM	39 LEVEL CM	864,4982 litre	17,312 %	4129,0633 litre	O
220	CM	85	CM	38 LEVEL CM	833,1913 litre	16,685 %	4160,3702 litre	O
220	CM	85	CM	37 LEVEL CM	802,1763 litre	16,064 %	4191,3852 litre	O
220	CM	85	CM	36 LEVEL CM	771,4625 litre	15,449 %	4222,0990 litre	O
220	CM	85	CM	35 LEVEL CM	741,0591 litre	14,840 %	4252,5024 litre	O
220	CM	85	CM	34 LEVEL CM	710,9757 litre	14,238 %	4282,5858 litre	O
220	CM	85	CM	33 LEVEL CM	681,2224 litre	13,642 %	4312,3391 litre	O
220	CM	85	CM	32 LEVEL CM	651,8095 litre	13,053 %	4341,7520 litre	O
220	CM	85	CM	31 LEVEL CM	622,7474 litre	12,471 %	4370,8141 litre	O
220	CM	85	CM	30 LEVEL CM	594,0474 litre	11,896 %	4399,5141 litre	O
220	CM	85	CM	29 LEVEL CM	565,7208 litre	11,329 %	4427,8407 litre	O
220	CM	85	CM	28 LEVEL CM	537,7796 litre	10,769 %	4455,7819 litre	O
220	CM	85	CM	27 LEVEL CM	510,2362 litre	10,218 %	4483,3253 litre	O
220	CM	85	CM	26 LEVEL CM	483,1035 litre	9,675 %	4510,4580 litre	O
220	CM	85	CM	25 LEVEL CM	456,3951 litre	9,140 %	4537,1664 litre	O
220	CM	85	CM	24 LEVEL CM	430,1253 litre	8,614 %	4563,4362 litre	O
220	CM	85	CM	23 LEVEL CM	404,3090 litre	8,097 %	4589,2525 litre	O
220	CM	85	CM	22 LEVEL CM	378,9619 litre	7,589 %	4614,5996 litre	O
220	CM	85	CM	21 LEVEL CM	354,1007 litre	7,091 %	4639,4608 litre	O
220	CM	85	CM	20 LEVEL CM	329,7430 litre	6,603 %	4663,8185 litre	O
220	CM	85	CM	19 LEVEL CM	305,9076 litre	6,126 %	4687,6539 litre	O
220	CM	85	CM	18 LEVEL CM	282,6144 litre	5,660 %	4710,9471 litre	O
220	CM	85	CM	17 LEVEL CM	259,8850 litre	5,204 %	4733,6765 litre	O
220	CM	85	CM	16 LEVEL CM	237,7424 litre	4,761 %	4755,8191 litre	O
220	CM	85	CM	15 LEVEL CM	216,2116 litre	4,330 %	4777,3499 litre	O
220	CM	85	CM	14 LEVEL CM	195,3198 litre	3,911 %	4798,2417 litre	O
220	CM	85	CM	13 LEVEL CM	175,0967 litre	3,506 %	4818,4648 litre	O

220	CM	85	CM	12 LEVEL CM	155,5752 litre	3,116 %	4837,9863 litre	O
220	CM	85	CM	11 LEVEL CM	136,7917 litre	2,739 %	4856,7698 litre	O
220	CM	85	CM	10 LEVEL CM	118,7872 litre	2,379 %	4874,7743 litre	O
220	CM	85	CM	9 LEVEL CM	101,6083 litre	2,035 %	4891,9532 litre	O
220	CM	85	CM	8 LEVEL CM	85,3086 litre	1,708 %	4908,2529 litre	O
220	CM	85	CM	7 LEVEL CM	69,9510 litre	1,401 %	4923,6105 litre	O
220	CM	85	CM	6 LEVEL CM	55,6109 litre	1,114 %	4937,9506 litre	O
220	CM	85	CM	5 LEVEL CM	42,3810 litre	0,849 %	4951,1805 litre	O
220	CM	85	CM	4 LEVEL CM	30,3799 litre	0,608 %	4963,1816 litre	O
220	CM	85	CM	3 LEVEL CM	19,7677 litre	0,396 %	4973,7938 litre	O
220	CM	85	CM	2 LEVEL CM	10,7793 litre	0,216 %	4982,7822 litre	O
220	CM	85	CM	1 LEVEL CM	3,8178 litre	0,076 %	4989,7437 litre	O
220	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	4993,5615 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
220	CM 80	CM 160 LEVEL CM	4423,3625 litre	100,000 %	0,0000 litre	O
220	CM 80	CM 159 LEVEL CM	4419,6590 litre	99,916 %	3,7035 litre	O
220	CM 80	CM 158 LEVEL CM	4412,9073 litre	99,764 %	10,4552 litre	O
220	CM 80	CM 157 LEVEL CM	4404,1914 litre	99,567 %	19,1711 litre	O
220	CM 80	CM 156 LEVEL CM	4393,9028 litre	99,334 %	29,4597 litre	O
220	CM 80	CM 155 LEVEL CM	4382,2700 litre	99,071 %	41,0925 litre	O
220	CM 80	CM 154 LEVEL CM	4369,4485 litre	98,781 %	53,9140 litre	O
220	CM 80	CM 153 LEVEL CM	4355,5539 litre	98,467 %	67,8086 litre	O
220	CM 80	CM 152 LEVEL CM	4340,6764 litre	98,131 %	82,6861 litre	O
220	CM 80	CM 151 LEVEL CM	4324,8894 litre	97,774 %	98,4731 litre	O
220	CM 80	CM 150 LEVEL CM	4308,2543 litre	97,398 %	115,1082 litre	O
220	CM 80	CM 149 LEVEL CM	4290,8233 litre	97,004 %	132,5392 litre	O
220	CM 80	CM 148 LEVEL CM	4272,6420 litre	96,593 %	150,7205 litre	O
220	CM 80	CM 147 LEVEL CM	4253,7504 litre	96,166 %	169,6121 litre	O
220	CM 80	CM 146 LEVEL CM	4234,1841 litre	95,723 %	189,1784 litre	O
220	CM 80	CM 145 LEVEL CM	4213,9752 litre	95,266 %	209,3873 litre	O
220	CM 80	CM 144 LEVEL CM	4193,1529 litre	94,796 %	230,2096 litre	O
220	CM 80	CM 143 LEVEL CM	4171,7437 litre	94,312 %	251,6188 litre	O
220	CM 80	CM 142 LEVEL CM	4149,7722 litre	93,815 %	273,5903 litre	O
220	CM 80	CM 141 LEVEL CM	4127,2609 litre	93,306 %	296,1016 litre	O
220	CM 80	CM 140 LEVEL CM	4104,2310 litre	92,785 %	319,1315 litre	O
220	CM 80	CM 139 LEVEL CM	4080,7020 litre	92,253 %	342,6605 litre	O
220	CM 80	CM 138 LEVEL CM	4056,6925 litre	91,711 %	366,6700 litre	O
220	CM 80	CM 137 LEVEL CM	4032,2197 litre	91,157 %	391,1428 litre	O
220	CM 80	CM 136 LEVEL CM	4007,3001 litre	90,594 %	416,0624 litre	O
220	CM 80	CM 135 LEVEL CM	3981,9491 litre	90,021 %	441,4134 litre	O
220	CM 80	CM 134 LEVEL CM	3956,1815 litre	89,438 %	467,1810 litre	O
220	CM 80	CM 133 LEVEL CM	3930,0113 litre	88,847 %	493,3512 litre	O
220	CM 80	CM 132 LEVEL CM	3903,4519 litre	88,246 %	519,9106 litre	O
220	CM 80	CM 131 LEVEL CM	3876,5161 litre	87,637 %	546,8464 litre	O
220	CM 80	CM 130 LEVEL CM	3849,2162 litre	87,020 %	574,1463 litre	O
220	CM 80	CM 129 LEVEL CM	3821,5640 litre	86,395 %	601,7985 litre	O
220	CM 80	CM 128 LEVEL CM	3793,5708 litre	85,762 %	629,7917 litre	O
220	CM 80	CM 127 LEVEL CM	3765,2476 litre	85,122 %	658,1149 litre	O
220	CM 80	CM 126 LEVEL CM	3736,6049 litre	84,474 %	686,7576 litre	O
220	CM 80	CM 125 LEVEL CM	3707,6529 litre	83,820 %	715,7096 litre	O
220	CM 80	CM 124 LEVEL CM	3678,4016 litre	83,158 %	744,9609 litre	O
220	CM 80	CM 123 LEVEL CM	3648,8605 litre	82,491 %	774,5020 litre	O
220	CM 80	CM 122 LEVEL CM	3619,0389 litre	81,816 %	804,3236 litre	O
220	CM 80	CM 121 LEVEL CM	3588,9458 litre	81,136 %	834,4167 litre	O
220	CM 80	CM 120 LEVEL CM	3558,5902 litre	80,450 %	864,7723 litre	O
220	CM 80	CM 119 LEVEL CM	3527,9805 litre	79,758 %	895,3820 litre	O
220	CM 80	CM 118 LEVEL CM	3497,1251 litre	79,060 %	926,2374 litre	O
220	CM 80	CM 117 LEVEL CM	3466,0322 litre	78,357 %	957,3303 litre	O
220	CM 80	CM 116 LEVEL CM	3434,7097 litre	77,649 %	988,6528 litre	O
220	CM 80	CM 115 LEVEL CM	3403,1655 litre	76,936 %	1020,1970 litre	O
220	CM 80	CM 114 LEVEL CM	3371,4073 litre	76,218 %	1051,9552 litre	O
220	CM 80	CM 113 LEVEL CM	3339,4424 litre	75,496 %	1083,9201 litre	O
220	CM 80	CM 112 LEVEL CM	3307,2783 litre	74,768 %	1116,0842 litre	O
220	CM 80	CM 111 LEVEL CM	3274,9221 litre	74,037 %	1148,4404 litre	O
220	CM 80	CM 110 LEVEL CM	3242,3810 litre	73,301 %	1180,9815 litre	O
220	CM 80	CM 109 LEVEL CM	3209,6619 litre	72,562 %	1213,7006 litre	O

220	CM	80	CM	108 LEVEL CM	3176,7716 litre	71,818 %	1246,5909 litre	O
220	CM	80	CM	107 LEVEL CM	3143,7169 litre	71,071 %	1279,6456 litre	O
220	CM	80	CM	106 LEVEL CM	3110,5045 litre	70,320 %	1312,8580 litre	O
220	CM	80	CM	105 LEVEL CM	3077,1408 litre	69,566 %	1346,2217 litre	O
220	CM	80	CM	104 LEVEL CM	3043,6324 litre	68,808 %	1379,7301 litre	O
220	CM	80	CM	103 LEVEL CM	3009,9856 litre	68,047 %	1413,3769 litre	O
220	CM	80	CM	102 LEVEL CM	2976,2067 litre	67,284 %	1447,1558 litre	O
220	CM	80	CM	101 LEVEL CM	2942,3020 litre	66,517 %	1481,0605 litre	O
220	CM	80	CM	100 LEVEL CM	2908,2776 litre	65,748 %	1515,0849 litre	O
220	CM	80	CM	99 LEVEL CM	2874,1395 litre	64,976 %	1549,2230 litre	O
220	CM	80	CM	98 LEVEL CM	2839,8939 litre	64,202 %	1583,4686 litre	O
220	CM	80	CM	97 LEVEL CM	2805,5466 litre	63,426 %	1617,8159 litre	O
220	CM	80	CM	96 LEVEL CM	2771,1037 litre	62,647 %	1652,2588 litre	O
220	CM	80	CM	95 LEVEL CM	2736,5710 litre	61,866 %	1686,7915 litre	O
220	CM	80	CM	94 LEVEL CM	2701,9542 litre	61,084 %	1721,4083 litre	O
220	CM	80	CM	93 LEVEL CM	2667,2593 litre	60,299 %	1756,1032 litre	O
220	CM	80	CM	92 LEVEL CM	2632,4918 litre	59,513 %	1790,8707 litre	O
220	CM	80	CM	91 LEVEL CM	2597,6577 litre	58,726 %	1825,7048 litre	O
220	CM	80	CM	90 LEVEL CM	2562,7624 litre	57,937 %	1860,6001 litre	O
220	CM	80	CM	89 LEVEL CM	2527,8117 litre	57,147 %	1895,5508 litre	O
220	CM	80	CM	88 LEVEL CM	2492,8112 litre	56,356 %	1930,5513 litre	O
220	CM	80	CM	87 LEVEL CM	2457,7664 litre	55,563 %	1965,5961 litre	O
220	CM	80	CM	86 LEVEL CM	2422,6831 litre	54,770 %	2000,6794 litre	O
220	CM	80	CM	85 LEVEL CM	2387,5666 litre	53,976 %	2035,7959 litre	O
220	CM	80	CM	84 LEVEL CM	2352,4225 litre	53,182 %	2070,9400 litre	O
220	CM	80	CM	83 LEVEL CM	2317,2565 litre	52,387 %	2106,1060 litre	O
220	CM	80	CM	82 LEVEL CM	2282,0739 litre	51,591 %	2141,2886 litre	O
220	CM	80	CM	81 LEVEL CM	2246,8803 litre	50,796 %	2176,4822 litre	O
220	CM	80	CM	80 LEVEL CM	2211,6812 litre	50,000 %	2211,6813 litre	O
220	CM	80	CM	79 LEVEL CM	2176,4821 litre	49,204 %	2246,8804 litre	O
220	CM	80	CM	78 LEVEL CM	2141,2886 litre	48,409 %	2282,0739 litre	O
220	CM	80	CM	77 LEVEL CM	2106,1060 litre	47,613 %	2317,2565 litre	O
220	CM	80	CM	76 LEVEL CM	2070,9399 litre	46,818 %	2352,4226 litre	O
220	CM	80	CM	75 LEVEL CM	2035,7959 litre	46,024 %	2387,5666 litre	O
220	CM	80	CM	74 LEVEL CM	2000,6794 litre	45,230 %	2422,6831 litre	O
220	CM	80	CM	73 LEVEL CM	1965,5960 litre	44,437 %	2457,7665 litre	O
220	CM	80	CM	72 LEVEL CM	1930,5513 litre	43,644 %	2492,8112 litre	O
220	CM	80	CM	71 LEVEL CM	1895,5508 litre	42,853 %	2527,8117 litre	O
220	CM	80	CM	70 LEVEL CM	1860,6001 litre	42,063 %	2562,7624 litre	O
220	CM	80	CM	69 LEVEL CM	1825,7048 litre	41,274 %	2597,6577 litre	O
220	CM	80	CM	68 LEVEL CM	1790,8706 litre	40,487 %	2632,4919 litre	O
220	CM	80	CM	67 LEVEL CM	1756,1032 litre	39,701 %	2667,2593 litre	O
220	CM	80	CM	66 LEVEL CM	1721,4082 litre	38,916 %	2701,9543 litre	O
220	CM	80	CM	65 LEVEL CM	1686,7915 litre	38,134 %	2736,5710 litre	O
220	CM	80	CM	64 LEVEL CM	1652,2588 litre	37,353 %	2771,1037 litre	O
220	CM	80	CM	63 LEVEL CM	1617,8158 litre	36,574 %	2805,5467 litre	O
220	CM	80	CM	62 LEVEL CM	1583,4686 litre	35,798 %	2839,8939 litre	O
220	CM	80	CM	61 LEVEL CM	1549,2229 litre	35,024 %	2874,1396 litre	O
220	CM	80	CM	60 LEVEL CM	1515,0849 litre	34,252 %	2908,2776 litre	O
220	CM	80	CM	59 LEVEL CM	1481,0605 litre	33,483 %	2942,3020 litre	O
220	CM	80	CM	58 LEVEL CM	1447,1557 litre	32,716 %	2976,2068 litre	O
220	CM	80	CM	57 LEVEL CM	1413,3768 litre	31,953 %	3009,9857 litre	O
220	CM	80	CM	56 LEVEL CM	1379,7301 litre	31,192 %	3043,6324 litre	O

220	CM	80	CM	55 LEVEL CM	1346,2216 litre	30,434 %	3077,1409 litre	O
220	CM	80	CM	54 LEVEL CM	1312,8580 litre	29,680 %	3110,5045 litre	O
220	CM	80	CM	53 LEVEL CM	1279,6455 litre	28,929 %	3143,7170 litre	O
220	CM	80	CM	52 LEVEL CM	1246,5909 litre	28,182 %	3176,7716 litre	O
220	CM	80	CM	51 LEVEL CM	1213,7006 litre	27,438 %	3209,6619 litre	O
220	CM	80	CM	50 LEVEL CM	1180,9815 litre	26,699 %	3242,3810 litre	O
220	CM	80	CM	49 LEVEL CM	1148,4403 litre	25,963 %	3274,9222 litre	O
220	CM	80	CM	48 LEVEL CM	1116,0842 litre	25,232 %	3307,2783 litre	O
220	CM	80	CM	47 LEVEL CM	1083,9201 litre	24,504 %	3339,4424 litre	O
220	CM	80	CM	46 LEVEL CM	1051,9552 litre	23,782 %	3371,4073 litre	O
220	CM	80	CM	45 LEVEL CM	1020,1969 litre	23,064 %	3403,1656 litre	O
220	CM	80	CM	44 LEVEL CM	988,6527 litre	22,351 %	3434,7098 litre	O
220	CM	80	CM	43 LEVEL CM	957,3303 litre	21,643 %	3466,0322 litre	O
220	CM	80	CM	42 LEVEL CM	926,2374 litre	20,940 %	3497,1251 litre	O
220	CM	80	CM	41 LEVEL CM	895,3820 litre	20,242 %	3527,9805 litre	O
220	CM	80	CM	40 LEVEL CM	864,7723 litre	19,550 %	3558,5902 litre	O
220	CM	80	CM	39 LEVEL CM	834,4166 litre	18,864 %	3588,9459 litre	O
220	CM	80	CM	38 LEVEL CM	804,3236 litre	18,184 %	3619,0389 litre	O
220	CM	80	CM	37 LEVEL CM	774,5020 litre	17,509 %	3648,8605 litre	O
220	CM	80	CM	36 LEVEL CM	744,9609 litre	16,842 %	3678,4016 litre	O
220	CM	80	CM	35 LEVEL CM	715,7095 litre	16,180 %	3707,6530 litre	O
220	CM	80	CM	34 LEVEL CM	686,7576 litre	15,526 %	3736,6049 litre	O
220	CM	80	CM	33 LEVEL CM	658,1149 litre	14,878 %	3765,2476 litre	O
220	CM	80	CM	32 LEVEL CM	629,7917 litre	14,238 %	3793,5708 litre	O
220	CM	80	CM	31 LEVEL CM	601,7985 litre	13,605 %	3821,5640 litre	O
220	CM	80	CM	30 LEVEL CM	574,1462 litre	12,980 %	3849,2163 litre	O
220	CM	80	CM	29 LEVEL CM	546,8463 litre	12,363 %	3876,5162 litre	O
220	CM	80	CM	28 LEVEL CM	519,9106 litre	11,754 %	3903,4519 litre	O
220	CM	80	CM	27 LEVEL CM	493,3512 litre	11,153 %	3930,0113 litre	O
220	CM	80	CM	26 LEVEL CM	467,1810 litre	10,562 %	3956,1815 litre	O
220	CM	80	CM	25 LEVEL CM	441,4134 litre	9,979 %	3981,9491 litre	O
220	CM	80	CM	24 LEVEL CM	416,0624 litre	9,406 %	4007,3001 litre	O
220	CM	80	CM	23 LEVEL CM	391,1427 litre	8,843 %	4032,2198 litre	O
220	CM	80	CM	22 LEVEL CM	366,6700 litre	8,289 %	4056,6925 litre	O
220	CM	80	CM	21 LEVEL CM	342,6604 litre	7,747 %	4080,7021 litre	O
220	CM	80	CM	20 LEVEL CM	319,1315 litre	7,215 %	4104,2310 litre	O
220	CM	80	CM	19 LEVEL CM	296,1015 litre	6,694 %	4127,2610 litre	O
220	CM	80	CM	18 LEVEL CM	273,5903 litre	6,185 %	4149,7722 litre	O
220	CM	80	CM	17 LEVEL CM	251,6187 litre	5,688 %	4171,7438 litre	O
220	CM	80	CM	16 LEVEL CM	230,2096 litre	5,204 %	4193,1529 litre	O
220	CM	80	CM	15 LEVEL CM	209,3872 litre	4,734 %	4213,9753 litre	O
220	CM	80	CM	14 LEVEL CM	189,1784 litre	4,277 %	4234,1841 litre	O
220	CM	80	CM	13 LEVEL CM	169,6121 litre	3,834 %	4253,7504 litre	O
220	CM	80	CM	12 LEVEL CM	150,7204 litre	3,407 %	4272,6421 litre	O
220	CM	80	CM	11 LEVEL CM	132,5391 litre	2,996 %	4290,8234 litre	O
220	CM	80	CM	10 LEVEL CM	115,1082 litre	2,602 %	4308,2543 litre	O
220	CM	80	CM	9 LEVEL CM	98,4730 litre	2,226 %	4324,8895 litre	O
220	CM	80	CM	8 LEVEL CM	82,6861 litre	1,869 %	4340,6764 litre	O
220	CM	80	CM	7 LEVEL CM	67,8086 litre	1,533 %	4355,5539 litre	O
220	CM	80	CM	6 LEVEL CM	53,9140 litre	1,219 %	4369,4485 litre	O
220	CM	80	CM	5 LEVEL CM	41,0925 litre	0,929 %	4382,2700 litre	O
220	CM	80	CM	4 LEVEL CM	29,4596 litre	0,666 %	4393,9029 litre	O
220	CM	80	CM	3 LEVEL CM	19,1710 litre	0,433 %	4404,1915 litre	O

220_80

-2877-

220	CM 80	CM	2 LEVEL CM	10,4552 litre	0,236 %	4412,9073 litre	O
220	CM 80	CM	1 LEVEL CM	3,7034 litre	0,084 %	4419,6591 litre	O
220	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	4423,3625 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
220	CM	75	CM 150 LEVEL CM	3887,7209 litre	100,000 %	0,0000 litre	O
220	CM	75	CM 149 LEVEL CM	3884,1355 litre	99,908 %	3,5854 litre	O
220	CM	75	CM 148 LEVEL CM	3877,6003 litre	99,740 %	10,1206 litre	O
220	CM	75	CM 147 LEVEL CM	3869,1657 litre	99,523 %	18,5552 litre	O
220	CM	75	CM 146 LEVEL CM	3859,2113 litre	99,267 %	28,5096 litre	O
220	CM	75	CM 145 LEVEL CM	3847,9587 litre	98,977 %	39,7622 litre	O
220	CM	75	CM 144 LEVEL CM	3835,5591 litre	98,658 %	52,1618 litre	O
220	CM	75	CM 143 LEVEL CM	3822,1247 litre	98,313 %	65,5962 litre	O
220	CM	75	CM 142 LEVEL CM	3807,7433 litre	97,943 %	79,9776 litre	O
220	CM	75	CM 141 LEVEL CM	3792,4863 litre	97,550 %	95,2346 litre	O
220	CM	75	CM 140 LEVEL CM	3776,4133 litre	97,137 %	111,3076 litre	O
220	CM	75	CM 139 LEVEL CM	3759,5755 litre	96,704 %	128,1454 litre	O
220	CM	75	CM 138 LEVEL CM	3742,0170 litre	96,252 %	145,7039 litre	O
220	CM	75	CM 137 LEVEL CM	3723,7770 litre	95,783 %	163,9439 litre	O
220	CM	75	CM 136 LEVEL CM	3704,8903 litre	95,297 %	182,8306 litre	O
220	CM	75	CM 135 LEVEL CM	3685,3883 litre	94,796 %	202,3326 litre	O
220	CM	75	CM 134 LEVEL CM	3665,2994 litre	94,279 %	222,4215 litre	O
220	CM	75	CM 133 LEVEL CM	3644,6497 litre	93,748 %	243,0712 litre	O
220	CM	75	CM 132 LEVEL CM	3623,4631 litre	93,203 %	264,2578 litre	O
220	CM	75	CM 131 LEVEL CM	3601,7619 litre	92,645 %	285,9590 litre	O
220	CM	75	CM 130 LEVEL CM	3579,5666 litre	92,074 %	308,1543 litre	O
220	CM	75	CM 129 LEVEL CM	3556,8967 litre	91,491 %	330,8242 litre	O
220	CM	75	CM 128 LEVEL CM	3533,7702 litre	90,896 %	353,9507 litre	O
220	CM	75	CM 127 LEVEL CM	3510,2042 litre	90,290 %	377,5167 litre	O
220	CM	75	CM 126 LEVEL CM	3486,2147 litre	89,672 %	401,5062 litre	O
220	CM	75	CM 125 LEVEL CM	3461,8171 litre	89,045 %	425,9038 litre	O
220	CM	75	CM 124 LEVEL CM	3437,0259 litre	88,407 %	450,6950 litre	O
220	CM	75	CM 123 LEVEL CM	3411,8550 litre	87,760 %	475,8659 litre	O
220	CM	75	CM 122 LEVEL CM	3386,3175 litre	87,103 %	501,4034 litre	O
220	CM	75	CM 121 LEVEL CM	3360,4261 litre	86,437 %	527,2948 litre	O
220	CM	75	CM 120 LEVEL CM	3334,1931 litre	85,762 %	553,5278 litre	O
220	CM	75	CM 119 LEVEL CM	3307,6300 litre	85,079 %	580,0909 litre	O
220	CM	75	CM 118 LEVEL CM	3280,7481 litre	84,387 %	606,9728 litre	O
220	CM	75	CM 117 LEVEL CM	3253,5583 litre	83,688 %	634,1626 litre	O
220	CM	75	CM 116 LEVEL CM	3226,0710 litre	82,981 %	661,6499 litre	O
220	CM	75	CM 115 LEVEL CM	3198,2965 litre	82,267 %	689,4244 litre	O
220	CM	75	CM 114 LEVEL CM	3170,2445 litre	81,545 %	717,4764 litre	O
220	CM	75	CM 113 LEVEL CM	3141,9246 litre	80,817 %	745,7963 litre	O
220	CM	75	CM 112 LEVEL CM	3113,3462 litre	80,082 %	774,3747 litre	O
220	CM	75	CM 111 LEVEL CM	3084,5181 litre	79,340 %	803,2028 litre	O
220	CM	75	CM 110 LEVEL CM	3055,4493 litre	78,592 %	832,2716 litre	O
220	CM	75	CM 109 LEVEL CM	3026,1484 litre	77,839 %	861,5725 litre	O
220	CM	75	CM 108 LEVEL CM	2996,6236 litre	77,079 %	891,0973 litre	O
220	CM	75	CM 107 LEVEL CM	2966,8832 litre	76,314 %	920,8377 litre	O
220	CM	75	CM 106 LEVEL CM	2936,9353 litre	75,544 %	950,7856 litre	O
220	CM	75	CM 105 LEVEL CM	2906,7875 litre	74,768 %	980,9334 litre	O
220	CM	75	CM 104 LEVEL CM	2876,4478 litre	73,988 %	1011,2731 litre	O
220	CM	75	CM 103 LEVEL CM	2845,9235 litre	73,203 %	1041,7974 litre	O
220	CM	75	CM 102 LEVEL CM	2815,2222 litre	72,413 %	1072,4987 litre	O
220	CM	75	CM 101 LEVEL CM	2784,3511 litre	71,619 %	1103,3698 litre	O
220	CM	75	CM 100 LEVEL CM	2753,3174 litre	70,821 %	1134,4035 litre	O
220	CM	75	CM 99 LEVEL CM	2722,1280 litre	70,019 %	1165,5929 litre	O

220	CM	75	CM	98 LEVEL CM	2690,7901 litre	69,213 %	1196,9308 litre	O
220	CM	75	CM	97 LEVEL CM	2659,3104 litre	68,403 %	1228,4105 litre	O
220	CM	75	CM	96 LEVEL CM	2627,6957 litre	67,590 %	1260,0252 litre	O
220	CM	75	CM	95 LEVEL CM	2595,9526 litre	66,773 %	1291,7683 litre	O
220	CM	75	CM	94 LEVEL CM	2564,0878 litre	65,953 %	1323,6331 litre	O
220	CM	75	CM	93 LEVEL CM	2532,1077 litre	65,131 %	1355,6132 litre	O
220	CM	75	CM	92 LEVEL CM	2500,0189 litre	64,306 %	1387,7020 litre	O
220	CM	75	CM	91 LEVEL CM	2467,8277 litre	63,477 %	1419,8932 litre	O
220	CM	75	CM	90 LEVEL CM	2435,5404 litre	62,647 %	1452,1805 litre	O
220	CM	75	CM	89 LEVEL CM	2403,1632 litre	61,814 %	1484,5577 litre	O
220	CM	75	CM	88 LEVEL CM	2370,7025 litre	60,979 %	1517,0184 litre	O
220	CM	75	CM	87 LEVEL CM	2338,1643 litre	60,142 %	1549,5566 litre	O
220	CM	75	CM	86 LEVEL CM	2305,5548 litre	59,304 %	1582,1661 litre	O
220	CM	75	CM	85 LEVEL CM	2272,8801 litre	58,463 %	1614,8408 litre	O
220	CM	75	CM	84 LEVEL CM	2240,1461 litre	57,621 %	1647,5748 litre	O
220	CM	75	CM	83 LEVEL CM	2207,3590 litre	56,778 %	1680,3619 litre	O
220	CM	75	CM	82 LEVEL CM	2174,5246 litre	55,933 %	1713,1963 litre	O
220	CM	75	CM	81 LEVEL CM	2141,6491 litre	55,088 %	1746,0718 litre	O
220	CM	75	CM	80 LEVEL CM	2108,7382 litre	54,241 %	1778,9827 litre	O
220	CM	75	CM	79 LEVEL CM	2075,7978 litre	53,394 %	1811,9231 litre	O
220	CM	75	CM	78 LEVEL CM	2042,8340 litre	52,546 %	1844,8869 litre	O
220	CM	75	CM	77 LEVEL CM	2009,8526 litre	51,697 %	1877,8683 litre	O
220	CM	75	CM	76 LEVEL CM	1976,8595 litre	50,849 %	1910,8614 litre	O
220	CM	75	CM	75 LEVEL CM	1943,8605 litre	50,000 %	1943,8604 litre	O
220	CM	75	CM	74 LEVEL CM	1910,8614 litre	49,151 %	1976,8595 litre	O
220	CM	75	CM	73 LEVEL CM	1877,8683 litre	48,303 %	2009,8526 litre	O
220	CM	75	CM	72 LEVEL CM	1844,8869 litre	47,454 %	2042,8340 litre	O
220	CM	75	CM	71 LEVEL CM	1811,9231 litre	46,606 %	2075,7978 litre	O
220	CM	75	CM	70 LEVEL CM	1778,9828 litre	45,759 %	2108,7381 litre	O
220	CM	75	CM	69 LEVEL CM	1746,0719 litre	44,912 %	2141,6490 litre	O
220	CM	75	CM	68 LEVEL CM	1713,1963 litre	44,067 %	2174,5246 litre	O
220	CM	75	CM	67 LEVEL CM	1680,3619 litre	43,222 %	2207,3590 litre	O
220	CM	75	CM	66 LEVEL CM	1647,5748 litre	42,379 %	2240,1461 litre	O
220	CM	75	CM	65 LEVEL CM	1614,8409 litre	41,537 %	2272,8800 litre	O
220	CM	75	CM	64 LEVEL CM	1582,1661 litre	40,696 %	2305,5548 litre	O
220	CM	75	CM	63 LEVEL CM	1549,5566 litre	39,858 %	2338,1643 litre	O
220	CM	75	CM	62 LEVEL CM	1517,0184 litre	39,021 %	2370,7025 litre	O
220	CM	75	CM	61 LEVEL CM	1484,5577 litre	38,186 %	2403,1632 litre	O
220	CM	75	CM	60 LEVEL CM	1452,1805 litre	37,353 %	2435,5404 litre	O
220	CM	75	CM	59 LEVEL CM	1419,8932 litre	36,523 %	2467,8277 litre	O
220	CM	75	CM	58 LEVEL CM	1387,7020 litre	35,694 %	2500,0189 litre	O
220	CM	75	CM	57 LEVEL CM	1355,6132 litre	34,869 %	2532,1077 litre	O
220	CM	75	CM	56 LEVEL CM	1323,6331 litre	34,047 %	2564,0878 litre	O
220	CM	75	CM	55 LEVEL CM	1291,7683 litre	33,227 %	2595,9526 litre	O
220	CM	75	CM	54 LEVEL CM	1260,0252 litre	32,410 %	2627,6957 litre	O
220	CM	75	CM	53 LEVEL CM	1228,4105 litre	31,597 %	2659,3104 litre	O
220	CM	75	CM	52 LEVEL CM	1196,9308 litre	30,787 %	2690,7901 litre	O
220	CM	75	CM	51 LEVEL CM	1165,5929 litre	29,981 %	2722,1280 litre	O
220	CM	75	CM	50 LEVEL CM	1134,4035 litre	29,179 %	2753,3174 litre	O
220	CM	75	CM	49 LEVEL CM	1103,3698 litre	28,381 %	2784,3511 litre	O
220	CM	75	CM	48 LEVEL CM	1072,4987 litre	27,587 %	2815,2222 litre	O
220	CM	75	CM	47 LEVEL CM	1041,7974 litre	26,797 %	2845,9235 litre	O
220	CM	75	CM	46 LEVEL CM	1011,2731 litre	26,012 %	2876,4478 litre	O

220	CM	75	CM	45 LEVEL CM	980,9334 litre	25,232 %	2906,7875 litre	O
220	CM	75	CM	44 LEVEL CM	950,7857 litre	24,456 %	2936,9352 litre	O
220	CM	75	CM	43 LEVEL CM	920,8377 litre	23,686 %	2966,8832 litre	O
220	CM	75	CM	42 LEVEL CM	891,0973 litre	22,921 %	2996,6236 litre	O
220	CM	75	CM	41 LEVEL CM	861,5725 litre	22,161 %	3026,1484 litre	O
220	CM	75	CM	40 LEVEL CM	832,2716 litre	21,408 %	3055,4493 litre	O
220	CM	75	CM	39 LEVEL CM	803,2028 litre	20,660 %	3084,5181 litre	O
220	CM	75	CM	38 LEVEL CM	774,3747 litre	19,918 %	3113,3462 litre	O
220	CM	75	CM	37 LEVEL CM	745,7963 litre	19,183 %	3141,9246 litre	O
220	CM	75	CM	36 LEVEL CM	717,4764 litre	18,455 %	3170,2445 litre	O
220	CM	75	CM	35 LEVEL CM	689,4244 litre	17,733 %	3198,2965 litre	O
220	CM	75	CM	34 LEVEL CM	661,6499 litre	17,019 %	3226,0710 litre	O
220	CM	75	CM	33 LEVEL CM	634,1627 litre	16,312 %	3253,5582 litre	O
220	CM	75	CM	32 LEVEL CM	606,9728 litre	15,613 %	3280,7481 litre	O
220	CM	75	CM	31 LEVEL CM	580,0909 litre	14,921 %	3307,6300 litre	O
220	CM	75	CM	30 LEVEL CM	553,5278 litre	14,238 %	3334,1931 litre	O
220	CM	75	CM	29 LEVEL CM	527,2948 litre	13,563 %	3360,4261 litre	O
220	CM	75	CM	28 LEVEL CM	501,4034 litre	12,897 %	3386,3175 litre	O
220	CM	75	CM	27 LEVEL CM	475,8659 litre	12,240 %	3411,8550 litre	O
220	CM	75	CM	26 LEVEL CM	450,6950 litre	11,593 %	3437,0259 litre	O
220	CM	75	CM	25 LEVEL CM	425,9038 litre	10,955 %	3461,8171 litre	O
220	CM	75	CM	24 LEVEL CM	401,5062 litre	10,328 %	3486,2147 litre	O
220	CM	75	CM	23 LEVEL CM	377,5167 litre	9,710 %	3510,2042 litre	O
220	CM	75	CM	22 LEVEL CM	353,9507 litre	9,104 %	3533,7702 litre	O
220	CM	75	CM	21 LEVEL CM	330,8242 litre	8,509 %	3556,8967 litre	O
220	CM	75	CM	20 LEVEL CM	308,1543 litre	7,926 %	3579,5666 litre	O
220	CM	75	CM	19 LEVEL CM	285,9590 litre	7,355 %	3601,7619 litre	O
220	CM	75	CM	18 LEVEL CM	264,2578 litre	6,797 %	3623,4631 litre	O
220	CM	75	CM	17 LEVEL CM	243,0713 litre	6,252 %	3644,6496 litre	O
220	CM	75	CM	16 LEVEL CM	222,4215 litre	5,721 %	3665,2994 litre	O
220	CM	75	CM	15 LEVEL CM	202,3326 litre	5,204 %	3685,3883 litre	O
220	CM	75	CM	14 LEVEL CM	182,8306 litre	4,703 %	3704,8903 litre	O
220	CM	75	CM	13 LEVEL CM	163,9439 litre	4,217 %	3723,7770 litre	O
220	CM	75	CM	12 LEVEL CM	145,7039 litre	3,748 %	3742,0170 litre	O
220	CM	75	CM	11 LEVEL CM	128,1454 litre	3,296 %	3759,5755 litre	O
220	CM	75	CM	10 LEVEL CM	111,3076 litre	2,863 %	3776,4133 litre	O
220	CM	75	CM	9 LEVEL CM	95,2346 litre	2,450 %	3792,4863 litre	O
220	CM	75	CM	8 LEVEL CM	79,9776 litre	2,057 %	3807,7433 litre	O
220	CM	75	CM	7 LEVEL CM	65,5962 litre	1,687 %	3822,1247 litre	O
220	CM	75	CM	6 LEVEL CM	52,1618 litre	1,342 %	3835,5591 litre	O
220	CM	75	CM	5 LEVEL CM	39,7622 litre	1,023 %	3847,9587 litre	O
220	CM	75	CM	4 LEVEL CM	28,5096 litre	0,733 %	3859,2113 litre	O
220	CM	75	CM	3 LEVEL CM	18,5552 litre	0,477 %	3869,1657 litre	O
220	CM	75	CM	2 LEVEL CM	10,1206 litre	0,260 %	3877,6003 litre	O
220	CM	75	CM	1 LEVEL CM	3,5854 litre	0,092 %	3884,1355 litre	O
220	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	3887,7209 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
220	CM 70	CM 140 LEVEL CM	3386,6369 litre	100,000 %	0,0000 litre	O
220	CM 70	CM 139 LEVEL CM	3383,1736 litre	99,898 %	3,4633 litre	O
220	CM 70	CM 138 LEVEL CM	3376,8622 litre	99,711 %	9,7747 litre	O
220	CM 70	CM 137 LEVEL CM	3368,7186 litre	99,471 %	17,9183 litre	O
220	CM 70	CM 136 LEVEL CM	3359,1100 litre	99,187 %	27,5269 litre	O
220	CM 70	CM 135 LEVEL CM	3348,2510 litre	98,867 %	38,3859 litre	O
220	CM 70	CM 134 LEVEL CM	3336,2882 litre	98,513 %	50,3487 litre	O
220	CM 70	CM 133 LEVEL CM	3323,3304 litre	98,131 %	63,3065 litre	O
220	CM 70	CM 132 LEVEL CM	3309,4628 litre	97,721 %	77,1741 litre	O
220	CM 70	CM 131 LEVEL CM	3294,7547 litre	97,287 %	91,8822 litre	O
220	CM 70	CM 130 LEVEL CM	3279,2644 litre	96,830 %	107,3725 litre	O
220	CM 70	CM 129 LEVEL CM	3263,0412 litre	96,350 %	123,5957 litre	O
220	CM 70	CM 128 LEVEL CM	3246,1286 litre	95,851 %	140,5083 litre	O
220	CM 70	CM 127 LEVEL CM	3228,5644 litre	95,332 %	158,0725 litre	O
220	CM 70	CM 126 LEVEL CM	3210,3827 litre	94,796 %	176,2542 litre	O
220	CM 70	CM 125 LEVEL CM	3191,6141 litre	94,241 %	195,0228 litre	O
220	CM 70	CM 124 LEVEL CM	3172,2864 litre	93,671 %	214,3505 litre	O
220	CM 70	CM 123 LEVEL CM	3152,4252 litre	93,084 %	234,2117 litre	O
220	CM 70	CM 122 LEVEL CM	3132,0538 litre	92,483 %	254,5831 litre	O
220	CM 70	CM 121 LEVEL CM	3111,1940 litre	91,867 %	275,4429 litre	O
220	CM 70	CM 120 LEVEL CM	3089,8662 litre	91,237 %	296,7707 litre	O
220	CM 70	CM 119 LEVEL CM	3068,0891 litre	90,594 %	318,5478 litre	O
220	CM 70	CM 118 LEVEL CM	3045,8807 litre	89,938 %	340,7562 litre	O
220	CM 70	CM 117 LEVEL CM	3023,2577 litre	89,270 %	363,3792 litre	O
220	CM 70	CM 116 LEVEL CM	3000,2360 litre	88,590 %	386,4009 litre	O
220	CM 70	CM 115 LEVEL CM	2976,8306 litre	87,899 %	409,8063 litre	O
220	CM 70	CM 114 LEVEL CM	2953,0559 litre	87,197 %	433,5810 litre	O
220	CM 70	CM 113 LEVEL CM	2928,9256 litre	86,485 %	457,7113 litre	O
220	CM 70	CM 112 LEVEL CM	2904,4526 litre	85,762 %	482,1843 litre	O
220	CM 70	CM 111 LEVEL CM	2879,6497 litre	85,030 %	506,9872 litre	O
220	CM 70	CM 110 LEVEL CM	2854,5287 litre	84,288 %	532,1082 litre	O
220	CM 70	CM 109 LEVEL CM	2829,1013 litre	83,537 %	557,5356 litre	O
220	CM 70	CM 108 LEVEL CM	2803,3787 litre	82,778 %	583,2582 litre	O
220	CM 70	CM 107 LEVEL CM	2777,3716 litre	82,010 %	609,2653 litre	O
220	CM 70	CM 106 LEVEL CM	2751,0906 litre	81,234 %	635,5463 litre	O
220	CM 70	CM 105 LEVEL CM	2724,5456 litre	80,450 %	662,0913 litre	O
220	CM 70	CM 104 LEVEL CM	2697,7466 litre	79,659 %	688,8903 litre	O
220	CM 70	CM 103 LEVEL CM	2670,7031 litre	78,860 %	715,9338 litre	O
220	CM 70	CM 102 LEVEL CM	2643,4244 litre	78,055 %	743,2125 litre	O
220	CM 70	CM 101 LEVEL CM	2615,9195 litre	77,242 %	770,7174 litre	O
220	CM 70	CM 100 LEVEL CM	2588,1972 litre	76,424 %	798,4397 litre	O
220	CM 70	CM 99 LEVEL CM	2560,2662 litre	75,599 %	826,3707 litre	O
220	CM 70	CM 98 LEVEL CM	2532,1349 litre	74,768 %	854,5020 litre	O
220	CM 70	CM 97 LEVEL CM	2503,8116 litre	73,932 %	882,8253 litre	O
220	CM 70	CM 96 LEVEL CM	2475,3043 litre	73,090 %	911,3326 litre	O
220	CM 70	CM 95 LEVEL CM	2446,6210 litre	72,243 %	940,0159 litre	O
220	CM 70	CM 94 LEVEL CM	2417,7694 litre	71,391 %	968,8675 litre	O
220	CM 70	CM 93 LEVEL CM	2388,7572 litre	70,535 %	997,8797 litre	O
220	CM 70	CM 92 LEVEL CM	2359,5920 litre	69,674 %	1027,0449 litre	O
220	CM 70	CM 91 LEVEL CM	2330,2811 litre	68,808 %	1056,3558 litre	O
220	CM 70	CM 90 LEVEL CM	2300,8317 litre	67,939 %	1085,8052 litre	O
220	CM 70	CM 89 LEVEL CM	2271,2512 litre	67,065 %	1115,3857 litre	O

220	CM	70	CM	88 LEVEL CM	2241,5466 litre	66,188 %	1145,0903 litre	O
220	CM	70	CM	87 LEVEL CM	2211,7250 litre	65,307 %	1174,9119 litre	O
220	CM	70	CM	86 LEVEL CM	2181,7931 litre	64,424 %	1204,8438 litre	O
220	CM	70	CM	85 LEVEL CM	2151,7580 litre	63,537 %	1234,8789 litre	O
220	CM	70	CM	84 LEVEL CM	2121,6263 litre	62,647 %	1265,0106 litre	O
220	CM	70	CM	83 LEVEL CM	2091,4048 litre	61,755 %	1295,2321 litre	O
220	CM	70	CM	82 LEVEL CM	2061,1001 litre	60,860 %	1325,5368 litre	O
220	CM	70	CM	81 LEVEL CM	2030,7188 litre	59,963 %	1355,9181 litre	O
220	CM	70	CM	80 LEVEL CM	2000,2676 litre	59,064 %	1386,3693 litre	O
220	CM	70	CM	79 LEVEL CM	1969,7528 litre	58,163 %	1416,8841 litre	O
220	CM	70	CM	78 LEVEL CM	1939,1810 litre	57,260 %	1447,4559 litre	O
220	CM	70	CM	77 LEVEL CM	1908,5586 litre	56,356 %	1478,0783 litre	O
220	CM	70	CM	76 LEVEL CM	1877,8919 litre	55,450 %	1508,7450 litre	O
220	CM	70	CM	75 LEVEL CM	1847,1874 litre	54,543 %	1539,4495 litre	O
220	CM	70	CM	74 LEVEL CM	1816,4514 litre	53,636 %	1570,1855 litre	O
220	CM	70	CM	73 LEVEL CM	1785,6901 litre	52,728 %	1600,9468 litre	O
220	CM	70	CM	72 LEVEL CM	1754,9101 litre	51,819 %	1631,7268 litre	O
220	CM	70	CM	71 LEVEL CM	1724,1174 litre	50,909 %	1662,5195 litre	O
220	CM	70	CM	70 LEVEL CM	1693,3184 litre	50,000 %	1693,3185 litre	O
220	CM	70	CM	69 LEVEL CM	1662,5195 litre	49,091 %	1724,1174 litre	O
220	CM	70	CM	68 LEVEL CM	1631,7268 litre	48,181 %	1754,9101 litre	O
220	CM	70	CM	67 LEVEL CM	1600,9467 litre	47,272 %	1785,6902 litre	O
220	CM	70	CM	66 LEVEL CM	1570,1855 litre	46,364 %	1816,4514 litre	O
220	CM	70	CM	65 LEVEL CM	1539,4495 litre	45,457 %	1847,1874 litre	O
220	CM	70	CM	64 LEVEL CM	1508,7450 litre	44,550 %	1877,8919 litre	O
220	CM	70	CM	63 LEVEL CM	1478,0783 litre	43,644 %	1908,5586 litre	O
220	CM	70	CM	62 LEVEL CM	1447,4559 litre	42,740 %	1939,1810 litre	O
220	CM	70	CM	61 LEVEL CM	1416,8841 litre	41,837 %	1969,7528 litre	O
220	CM	70	CM	60 LEVEL CM	1386,3693 litre	40,936 %	2000,2676 litre	O
220	CM	70	CM	59 LEVEL CM	1355,9180 litre	40,037 %	2030,7189 litre	O
220	CM	70	CM	58 LEVEL CM	1325,5368 litre	39,140 %	2061,1001 litre	O
220	CM	70	CM	57 LEVEL CM	1295,2321 litre	38,245 %	2091,4048 litre	O
220	CM	70	CM	56 LEVEL CM	1265,0106 litre	37,353 %	2121,6263 litre	O
220	CM	70	CM	55 LEVEL CM	1234,8789 litre	36,463 %	2151,7580 litre	O
220	CM	70	CM	54 LEVEL CM	1204,8438 litre	35,576 %	2181,7931 litre	O
220	CM	70	CM	53 LEVEL CM	1174,9119 litre	34,693 %	2211,7250 litre	O
220	CM	70	CM	52 LEVEL CM	1145,0902 litre	33,812 %	2241,5467 litre	O
220	CM	70	CM	51 LEVEL CM	1115,3856 litre	32,935 %	2271,2513 litre	O
220	CM	70	CM	50 LEVEL CM	1085,8051 litre	32,061 %	2300,8318 litre	O
220	CM	70	CM	49 LEVEL CM	1056,3558 litre	31,192 %	2330,2811 litre	O
220	CM	70	CM	48 LEVEL CM	1027,0449 litre	30,326 %	2359,5920 litre	O
220	CM	70	CM	47 LEVEL CM	997,8796 litre	29,465 %	2388,7573 litre	O
220	CM	70	CM	46 LEVEL CM	968,8675 litre	28,609 %	2417,7694 litre	O
220	CM	70	CM	45 LEVEL CM	940,0159 litre	27,757 %	2446,6210 litre	O
220	CM	70	CM	44 LEVEL CM	911,3326 litre	26,910 %	2475,3043 litre	O
220	CM	70	CM	43 LEVEL CM	882,8253 litre	26,068 %	2503,8116 litre	O
220	CM	70	CM	42 LEVEL CM	854,5020 litre	25,232 %	2532,1349 litre	O
220	CM	70	CM	41 LEVEL CM	826,3707 litre	24,401 %	2560,2662 litre	O
220	CM	70	CM	40 LEVEL CM	798,4397 litre	23,576 %	2588,1972 litre	O
220	CM	70	CM	39 LEVEL CM	770,7174 litre	22,758 %	2615,9195 litre	O
220	CM	70	CM	38 LEVEL CM	743,2125 litre	21,945 %	2643,4244 litre	O
220	CM	70	CM	37 LEVEL CM	715,9338 litre	21,140 %	2670,7031 litre	O
220	CM	70	CM	36 LEVEL CM	688,8903 litre	20,341 %	2697,7466 litre	O

220	CM	70	CM	35 LEVEL CM	662,0913 litre	19,550 %	2724,5456 litre	O
220	CM	70	CM	34 LEVEL CM	635,5463 litre	18,766 %	2751,0906 litre	O
220	CM	70	CM	33 LEVEL CM	609,2653 litre	17,990 %	2777,3716 litre	O
220	CM	70	CM	32 LEVEL CM	583,2582 litre	17,222 %	2803,3787 litre	O
220	CM	70	CM	31 LEVEL CM	557,5356 litre	16,463 %	2829,1013 litre	O
220	CM	70	CM	30 LEVEL CM	532,1082 litre	15,712 %	2854,5287 litre	O
220	CM	70	CM	29 LEVEL CM	506,9872 litre	14,970 %	2879,6497 litre	O
220	CM	70	CM	28 LEVEL CM	482,1842 litre	14,238 %	2904,4527 litre	O
220	CM	70	CM	27 LEVEL CM	457,7113 litre	13,515 %	2928,9256 litre	O
220	CM	70	CM	26 LEVEL CM	433,5810 litre	12,803 %	2953,0559 litre	O
220	CM	70	CM	25 LEVEL CM	409,8063 litre	12,101 %	2976,8306 litre	O
220	CM	70	CM	24 LEVEL CM	386,4009 litre	11,410 %	3000,2360 litre	O
220	CM	70	CM	23 LEVEL CM	363,3792 litre	10,730 %	3023,2577 litre	O
220	CM	70	CM	22 LEVEL CM	340,7562 litre	10,062 %	3045,8807 litre	O
220	CM	70	CM	21 LEVEL CM	318,5477 litre	9,406 %	3068,0892 litre	O
220	CM	70	CM	20 LEVEL CM	296,7707 litre	8,763 %	3089,8662 litre	O
220	CM	70	CM	19 LEVEL CM	275,4428 litre	8,133 %	3111,1941 litre	O
220	CM	70	CM	18 LEVEL CM	254,5831 litre	7,517 %	3132,0538 litre	O
220	CM	70	CM	17 LEVEL CM	234,2117 litre	6,916 %	3152,4252 litre	O
220	CM	70	CM	16 LEVEL CM	214,3505 litre	6,329 %	3172,2864 litre	O
220	CM	70	CM	15 LEVEL CM	195,0228 litre	5,759 %	3191,6141 litre	O
220	CM	70	CM	14 LEVEL CM	176,2542 litre	5,204 %	3210,3827 litre	O
220	CM	70	CM	13 LEVEL CM	158,0725 litre	4,668 %	3228,5644 litre	O
220	CM	70	CM	12 LEVEL CM	140,5083 litre	4,149 %	3246,1286 litre	O
220	CM	70	CM	11 LEVEL CM	123,5956 litre	3,650 %	3263,0413 litre	O
220	CM	70	CM	10 LEVEL CM	107,3725 litre	3,170 %	3279,2644 litre	O
220	CM	70	CM	9 LEVEL CM	91,8821 litre	2,713 %	3294,7548 litre	O
220	CM	70	CM	8 LEVEL CM	77,1741 litre	2,279 %	3309,4628 litre	O
220	CM	70	CM	7 LEVEL CM	63,3065 litre	1,869 %	3323,3304 litre	O
220	CM	70	CM	6 LEVEL CM	50,3487 litre	1,487 %	3336,2882 litre	O
220	CM	70	CM	5 LEVEL CM	38,3859 litre	1,133 %	3348,2510 litre	O
220	CM	70	CM	4 LEVEL CM	27,5269 litre	0,813 %	3359,1100 litre	O
220	CM	70	CM	3 LEVEL CM	17,9182 litre	0,529 %	3368,7187 litre	O
220	CM	70	CM	2 LEVEL CM	9,7746 litre	0,289 %	3376,8623 litre	O
220	CM	70	CM	1 LEVEL CM	3,4633 litre	0,102 %	3383,1736 litre	O
220	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	3386,6369 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
220	CM 65	CM 130 LEVEL CM	2920,1104 litre	100,000 %	0,0000 litre O
220	CM 65	CM 129 LEVEL CM	2916,7736 litre	99,886 %	3,3368 litre O
220	CM 65	CM 128 LEVEL CM	2910,6944 litre	99,678 %	9,4160 litre O
220	CM 65	CM 127 LEVEL CM	2902,8526 litre	99,409 %	17,2578 litre O
220	CM 65	CM 126 LEVEL CM	2893,6026 litre	99,092 %	26,5078 litre O
220	CM 65	CM 125 LEVEL CM	2883,1520 litre	98,734 %	36,9584 litre O
220	CM 65	CM 124 LEVEL CM	2871,6426 litre	98,340 %	48,4678 litre O
220	CM 65	CM 123 LEVEL CM	2859,1795 litre	97,913 %	60,9309 litre O
220	CM 65	CM 122 LEVEL CM	2845,8455 litre	97,457 %	74,2649 litre O
220	CM 65	CM 121 LEVEL CM	2831,7078 litre	96,973 %	88,4026 litre O
220	CM 65	CM 120 LEVEL CM	2816,8228 litre	96,463 %	103,2876 litre O
220	CM 65	CM 119 LEVEL CM	2801,2387 litre	95,929 %	118,8717 litre O
220	CM 65	CM 118 LEVEL CM	2784,9974 litre	95,373 %	135,1130 litre O
220	CM 65	CM 117 LEVEL CM	2768,1361 litre	94,796 %	151,9743 litre O
220	CM 65	CM 116 LEVEL CM	2750,6879 litre	94,198 %	169,4225 litre O
220	CM 65	CM 115 LEVEL CM	2732,6825 litre	93,581 %	187,4279 litre O
220	CM 65	CM 114 LEVEL CM	2714,1474 litre	92,947 %	205,9630 litre O
220	CM 65	CM 113 LEVEL CM	2695,1072 litre	92,295 %	225,0032 litre O
220	CM 65	CM 112 LEVEL CM	2675,5850 litre	91,626 %	244,5254 litre O
220	CM 65	CM 111 LEVEL CM	2655,6021 litre	90,942 %	264,5083 litre O
220	CM 65	CM 110 LEVEL CM	2635,1784 litre	90,242 %	284,9320 litre O
220	CM 65	CM 109 LEVEL CM	2614,3325 litre	89,529 %	305,7779 litre O
220	CM 65	CM 108 LEVEL CM	2593,0818 litre	88,801 %	327,0286 litre O
220	CM 65	CM 107 LEVEL CM	2571,4429 litre	88,060 %	348,6675 litre O
220	CM 65	CM 106 LEVEL CM	2549,4314 litre	87,306 %	370,6790 litre O
220	CM 65	CM 105 LEVEL CM	2527,0622 litre	86,540 %	393,0482 litre O
220	CM 65	CM 104 LEVEL CM	2504,3495 litre	85,762 %	415,7609 litre O
220	CM 65	CM 103 LEVEL CM	2481,3066 litre	84,973 %	438,8038 litre O
220	CM 65	CM 102 LEVEL CM	2457,9467 litre	84,173 %	462,1637 litre O
220	CM 65	CM 101 LEVEL CM	2434,2821 litre	83,363 %	485,8283 litre O
220	CM 65	CM 100 LEVEL CM	2410,3248 litre	82,542 %	509,7856 litre O
220	CM 65	CM 99 LEVEL CM	2386,0863 litre	81,712 %	534,0241 litre O
220	CM 65	CM 98 LEVEL CM	2361,5777 litre	80,873 %	558,5327 litre O
220	CM 65	CM 97 LEVEL CM	2336,8099 litre	80,025 %	583,3005 litre O
220	CM 65	CM 96 LEVEL CM	2311,7931 litre	79,168 %	608,3173 litre O
220	CM 65	CM 95 LEVEL CM	2286,5375 litre	78,303 %	633,5729 litre O
220	CM 65	CM 94 LEVEL CM	2261,0530 litre	77,430 %	659,0574 litre O
220	CM 65	CM 93 LEVEL CM	2235,3492 litre	76,550 %	684,7612 litre O
220	CM 65	CM 92 LEVEL CM	2209,4353 litre	75,663 %	710,6751 litre O
220	CM 65	CM 91 LEVEL CM	2183,3204 litre	74,768 %	736,7900 litre O
220	CM 65	CM 90 LEVEL CM	2157,0135 litre	73,868 %	763,0969 litre O
220	CM 65	CM 89 LEVEL CM	2130,5233 litre	72,960 %	789,5871 litre O
220	CM 65	CM 88 LEVEL CM	2103,8582 litre	72,047 %	816,2522 litre O
220	CM 65	CM 87 LEVEL CM	2077,0267 litre	71,128 %	843,0837 litre O
220	CM 65	CM 86 LEVEL CM	2050,0369 litre	70,204 %	870,0735 litre O
220	CM 65	CM 85 LEVEL CM	2022,8968 litre	69,275 %	897,2136 litre O
220	CM 65	CM 84 LEVEL CM	1995,6145 litre	68,340 %	924,4959 litre O
220	CM 65	CM 83 LEVEL CM	1968,1977 litre	67,401 %	951,9127 litre O
220	CM 65	CM 82 LEVEL CM	1940,6540 litre	66,458 %	979,4564 litre O
220	CM 65	CM 81 LEVEL CM	1912,9911 litre	65,511 %	1007,1193 litre O
220	CM 65	CM 80 LEVEL CM	1885,2165 litre	64,560 %	1034,8939 litre O
220	CM 65	CM 79 LEVEL CM	1857,3375 litre	63,605 %	1062,7729 litre O

220	CM	65	CM	78 LEVEL CM	1829,3614 litre	62,647 %	1090,7490 litre	O
220	CM	65	CM	77 LEVEL CM	1801,2956 litre	61,686 %	1118,8148 litre	O
220	CM	65	CM	76 LEVEL CM	1773,1470 litre	60,722 %	1146,9634 litre	O
220	CM	65	CM	75 LEVEL CM	1744,9229 litre	59,755 %	1175,1875 litre	O
220	CM	65	CM	74 LEVEL CM	1716,6303 litre	58,786 %	1203,4801 litre	O
220	CM	65	CM	73 LEVEL CM	1688,2762 litre	57,815 %	1231,8342 litre	O
220	CM	65	CM	72 LEVEL CM	1659,8675 litre	56,843 %	1260,2429 litre	O
220	CM	65	CM	71 LEVEL CM	1631,4112 litre	55,868 %	1288,6992 litre	O
220	CM	65	CM	70 LEVEL CM	1602,9140 litre	54,892 %	1317,1964 litre	O
220	CM	65	CM	69 LEVEL CM	1574,3829 litre	53,915 %	1345,7275 litre	O
220	CM	65	CM	68 LEVEL CM	1545,8247 litre	52,937 %	1374,2857 litre	O
220	CM	65	CM	67 LEVEL CM	1517,2462 litre	51,959 %	1402,8642 litre	O
220	CM	65	CM	66 LEVEL CM	1488,6541 litre	50,979 %	1431,4563 litre	O
220	CM	65	CM	65 LEVEL CM	1460,0552 litre	50,000 %	1460,0552 litre	O
220	CM	65	CM	64 LEVEL CM	1431,4563 litre	49,021 %	1488,6541 litre	O
220	CM	65	CM	63 LEVEL CM	1402,8642 litre	48,041 %	1517,2462 litre	O
220	CM	65	CM	62 LEVEL CM	1374,2857 litre	47,063 %	1545,8247 litre	O
220	CM	65	CM	61 LEVEL CM	1345,7274 litre	46,085 %	1574,3830 litre	O
220	CM	65	CM	60 LEVEL CM	1317,1963 litre	45,108 %	1602,9141 litre	O
220	CM	65	CM	59 LEVEL CM	1288,6992 litre	44,132 %	1631,4112 litre	O
220	CM	65	CM	58 LEVEL CM	1260,2428 litre	43,157 %	1659,8676 litre	O
220	CM	65	CM	57 LEVEL CM	1231,8341 litre	42,185 %	1688,2763 litre	O
220	CM	65	CM	56 LEVEL CM	1203,4800 litre	41,214 %	1716,6304 litre	O
220	CM	65	CM	55 LEVEL CM	1175,1874 litre	40,245 %	1744,9230 litre	O
220	CM	65	CM	54 LEVEL CM	1146,9633 litre	39,278 %	1773,1471 litre	O
220	CM	65	CM	53 LEVEL CM	1118,8148 litre	38,314 %	1801,2956 litre	O
220	CM	65	CM	52 LEVEL CM	1090,7489 litre	37,353 %	1829,3615 litre	O
220	CM	65	CM	51 LEVEL CM	1062,7729 litre	36,395 %	1857,3375 litre	O
220	CM	65	CM	50 LEVEL CM	1034,8939 litre	35,440 %	1885,2165 litre	O
220	CM	65	CM	49 LEVEL CM	1007,1193 litre	34,489 %	1912,9911 litre	O
220	CM	65	CM	48 LEVEL CM	979,4564 litre	33,542 %	1940,6540 litre	O
220	CM	65	CM	47 LEVEL CM	951,9127 litre	32,599 %	1968,1977 litre	O
220	CM	65	CM	46 LEVEL CM	924,4959 litre	31,660 %	1995,6145 litre	O
220	CM	65	CM	45 LEVEL CM	897,2135 litre	30,725 %	2022,8969 litre	O
220	CM	65	CM	44 LEVEL CM	870,0735 litre	29,796 %	2050,0369 litre	O
220	CM	65	CM	43 LEVEL CM	843,0837 litre	28,872 %	2077,0267 litre	O
220	CM	65	CM	42 LEVEL CM	816,2521 litre	27,953 %	2103,8583 litre	O
220	CM	65	CM	41 LEVEL CM	789,5871 litre	27,040 %	2130,5233 litre	O
220	CM	65	CM	40 LEVEL CM	763,0968 litre	26,132 %	2157,0136 litre	O
220	CM	65	CM	39 LEVEL CM	736,7899 litre	25,232 %	2183,3205 litre	O
220	CM	65	CM	38 LEVEL CM	710,6751 litre	24,337 %	2209,4353 litre	O
220	CM	65	CM	37 LEVEL CM	684,7612 litre	23,450 %	2235,3492 litre	O
220	CM	65	CM	36 LEVEL CM	659,0573 litre	22,570 %	2261,0531 litre	O
220	CM	65	CM	35 LEVEL CM	633,5729 litre	21,697 %	2286,5375 litre	O
220	CM	65	CM	34 LEVEL CM	608,3173 litre	20,832 %	2311,7931 litre	O
220	CM	65	CM	33 LEVEL CM	583,3005 litre	19,975 %	2336,8099 litre	O
220	CM	65	CM	32 LEVEL CM	558,5326 litre	19,127 %	2361,5778 litre	O
220	CM	65	CM	31 LEVEL CM	534,0240 litre	18,288 %	2386,0864 litre	O
220	CM	65	CM	30 LEVEL CM	509,7855 litre	17,458 %	2410,3249 litre	O
220	CM	65	CM	29 LEVEL CM	485,8282 litre	16,637 %	2434,2822 litre	O
220	CM	65	CM	28 LEVEL CM	462,1636 litre	15,827 %	2457,9468 litre	O
220	CM	65	CM	27 LEVEL CM	438,8037 litre	15,027 %	2481,3067 litre	O
220	CM	65	CM	26 LEVEL CM	415,7609 litre	14,238 %	2504,3495 litre	O

220	CM	65	CM	25 LEVEL CM	393,0481 litre	13,460 %	2527,0623 litre	O
220	CM	65	CM	24 LEVEL CM	370,6789 litre	12,694 %	2549,4315 litre	O
220	CM	65	CM	23 LEVEL CM	348,6675 litre	11,940 %	2571,4429 litre	O
220	CM	65	CM	22 LEVEL CM	327,0286 litre	11,199 %	2593,0818 litre	O
220	CM	65	CM	21 LEVEL CM	305,7779 litre	10,471 %	2614,3325 litre	O
220	CM	65	CM	20 LEVEL CM	284,9319 litre	9,758 %	2635,1785 litre	O
220	CM	65	CM	19 LEVEL CM	264,5082 litre	9,058 %	2655,6022 litre	O
220	CM	65	CM	18 LEVEL CM	244,5254 litre	8,374 %	2675,5850 litre	O
220	CM	65	CM	17 LEVEL CM	225,0032 litre	7,705 %	2695,1072 litre	O
220	CM	65	CM	16 LEVEL CM	205,9630 litre	7,053 %	2714,1474 litre	O
220	CM	65	CM	15 LEVEL CM	187,4278 litre	6,419 %	2732,6826 litre	O
220	CM	65	CM	14 LEVEL CM	169,4225 litre	5,802 %	2750,6879 litre	O
220	CM	65	CM	13 LEVEL CM	151,9743 litre	5,204 %	2768,1361 litre	O
220	CM	65	CM	12 LEVEL CM	135,1130 litre	4,627 %	2784,9974 litre	O
220	CM	65	CM	11 LEVEL CM	118,8717 litre	4,071 %	2801,2387 litre	O
220	CM	65	CM	10 LEVEL CM	103,2876 litre	3,537 %	2816,8228 litre	O
220	CM	65	CM	9 LEVEL CM	88,4026 litre	3,027 %	2831,7078 litre	O
220	CM	65	CM	8 LEVEL CM	74,2649 litre	2,543 %	2845,8455 litre	O
220	CM	65	CM	7 LEVEL CM	60,9309 litre	2,087 %	2859,1795 litre	O
220	CM	65	CM	6 LEVEL CM	48,4678 litre	1,660 %	2871,6426 litre	O
220	CM	65	CM	5 LEVEL CM	36,9583 litre	1,266 %	2883,1521 litre	O
220	CM	65	CM	4 LEVEL CM	26,5078 litre	0,908 %	2893,6026 litre	O
220	CM	65	CM	3 LEVEL CM	17,2578 litre	0,591 %	2902,8526 litre	O
220	CM	65	CM	2 LEVEL CM	9,4159 litre	0,322 %	2910,6945 litre	O
220	CM	65	CM	1 LEVEL CM	3,3368 litre	0,114 %	2916,7736 litre	O
220	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	2920,1104 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
220	CM	60	CM 120 LEVEL CM	2488,1414 litre	100,000 %	0,0000 litre	O
220	CM	60	CM 119 LEVEL CM	2484,9361 litre	99,871 %	3,2053 litre	O
220	CM	60	CM 118 LEVEL CM	2479,0984 litre	99,637 %	9,0430 litre	O
220	CM	60	CM 117 LEVEL CM	2471,5703 litre	99,334 %	16,5711 litre	O
220	CM	60	CM 116 LEVEL CM	2462,6936 litre	98,977 %	25,4478 litre	O
220	CM	60	CM 115 LEVEL CM	2452,6680 litre	98,574 %	35,4734 litre	O
220	CM	60	CM 114 LEVEL CM	2441,6305 litre	98,131 %	46,5109 litre	O
220	CM	60	CM 113 LEVEL CM	2429,6827 litre	97,651 %	58,4587 litre	O
220	CM	60	CM 112 LEVEL CM	2416,9045 litre	97,137 %	71,2369 litre	O
220	CM	60	CM 111 LEVEL CM	2403,3611 litre	96,593 %	84,7803 litre	O
220	CM	60	CM 110 LEVEL CM	2389,1072 litre	96,020 %	99,0342 litre	O
220	CM	60	CM 109 LEVEL CM	2374,1893 litre	95,420 %	113,9521 litre	O
220	CM	60	CM 108 LEVEL CM	2358,6485 litre	94,796 %	129,4929 litre	O
220	CM	60	CM 107 LEVEL CM	2342,5207 litre	94,147 %	145,6207 litre	O
220	CM	60	CM 106 LEVEL CM	2325,8381 litre	93,477 %	162,3033 litre	O
220	CM	60	CM 105 LEVEL CM	2308,6299 litre	92,785 %	179,5115 litre	O
220	CM	60	CM 104 LEVEL CM	2290,9226 litre	92,074 %	197,2188 litre	O
220	CM	60	CM 103 LEVEL CM	2272,7406 litre	91,343 %	215,4008 litre	O
220	CM	60	CM 102 LEVEL CM	2254,1063 litre	90,594 %	234,0351 litre	O
220	CM	60	CM 101 LEVEL CM	2235,0406 litre	89,828 %	253,1008 litre	O
220	CM	60	CM 100 LEVEL CM	2215,5630 litre	89,045 %	272,5784 litre	O
220	CM	60	CM 99 LEVEL CM	2195,6917 litre	88,246 %	292,4497 litre	O
220	CM	60	CM 98 LEVEL CM	2175,4440 litre	87,432 %	312,6974 litre	O
220	CM	60	CM 97 LEVEL CM	2154,8362 litre	86,604 %	333,3052 litre	O
220	CM	60	CM 96 LEVEL CM	2133,8836 litre	85,762 %	354,2578 litre	O
220	CM	60	CM 95 LEVEL CM	2112,6009 litre	84,907 %	375,5405 litre	O
220	CM	60	CM 94 LEVEL CM	2091,0022 litre	84,039 %	397,1392 litre	O
220	CM	60	CM 93 LEVEL CM	2069,1009 litre	83,158 %	419,0405 litre	O
220	CM	60	CM 92 LEVEL CM	2046,9097 litre	82,267 %	441,2317 litre	O
220	CM	60	CM 91 LEVEL CM	2024,4411 litre	81,364 %	463,7003 litre	O
220	CM	60	CM 90 LEVEL CM	2001,7070 litre	80,450 %	486,4344 litre	O
220	CM	60	CM 89 LEVEL CM	1978,7188 litre	79,526 %	509,4226 litre	O
220	CM	60	CM 88 LEVEL CM	1955,4876 litre	78,592 %	532,6538 litre	O
220	CM	60	CM 87 LEVEL CM	1932,0242 litre	77,649 %	556,1172 litre	O
220	CM	60	CM 86 LEVEL CM	1908,3391 litre	76,697 %	579,8023 litre	O
220	CM	60	CM 85 LEVEL CM	1884,4424 litre	75,737 %	603,6990 litre	O
220	CM	60	CM 84 LEVEL CM	1860,3440 litre	74,768 %	627,7974 litre	O
220	CM	60	CM 83 LEVEL CM	1836,0536 litre	73,792 %	652,0878 litre	O
220	CM	60	CM 82 LEVEL CM	1811,5805 litre	72,809 %	676,5609 litre	O
220	CM	60	CM 81 LEVEL CM	1786,9340 litre	71,818 %	701,2074 litre	O
220	CM	60	CM 80 LEVEL CM	1762,1231 litre	70,821 %	726,0183 litre	O
220	CM	60	CM 79 LEVEL CM	1737,1566 litre	69,817 %	750,9848 litre	O
220	CM	60	CM 78 LEVEL CM	1712,0432 litre	68,808 %	776,0982 litre	O
220	CM	60	CM 77 LEVEL CM	1686,7914 litre	67,793 %	801,3500 litre	O
220	CM	60	CM 76 LEVEL CM	1661,4097 litre	66,773 %	826,7317 litre	O
220	CM	60	CM 75 LEVEL CM	1635,9061 litre	65,748 %	852,2353 litre	O
220	CM	60	CM 74 LEVEL CM	1610,2890 litre	64,719 %	877,8524 litre	O
220	CM	60	CM 73 LEVEL CM	1584,5662 litre	63,685 %	903,5752 litre	O
220	CM	60	CM 72 LEVEL CM	1558,7458 litre	62,647 %	929,3956 litre	O
220	CM	60	CM 71 LEVEL CM	1532,8356 litre	61,606 %	955,3058 litre	O
220	CM	60	CM 70 LEVEL CM	1506,8433 litre	60,561 %	981,2981 litre	O
220	CM	60	CM 69 LEVEL CM	1480,7767 litre	59,513 %	1007,3647 litre	O

220	CM	60	CM	68 LEVEL CM	1454,6432 litre	58,463 %	1033,4982 litre	O
220	CM	60	CM	67 LEVEL CM	1428,4506 litre	57,410 %	1059,6908 litre	O
220	CM	60	CM	66 LEVEL CM	1402,2063 litre	56,356 %	1085,9351 litre	O
220	CM	60	CM	65 LEVEL CM	1375,9178 litre	55,299 %	1112,2236 litre	O
220	CM	60	CM	64 LEVEL CM	1349,5924 litre	54,241 %	1138,5490 litre	O
220	CM	60	CM	63 LEVEL CM	1323,2377 litre	53,182 %	1164,9037 litre	O
220	CM	60	CM	62 LEVEL CM	1296,8609 litre	52,122 %	1191,2805 litre	O
220	CM	60	CM	61 LEVEL CM	1270,4695 litre	51,061 %	1217,6719 litre	O
220	CM	60	CM	60 LEVEL CM	1244,0707 litre	50,000 %	1244,0707 litre	O
220	CM	60	CM	59 LEVEL CM	1217,6719 litre	48,939 %	1270,4695 litre	O
220	CM	60	CM	58 LEVEL CM	1191,2805 litre	47,878 %	1296,8609 litre	O
220	CM	60	CM	57 LEVEL CM	1164,9037 litre	46,818 %	1323,2377 litre	O
220	CM	60	CM	56 LEVEL CM	1138,5490 litre	45,759 %	1349,5924 litre	O
220	CM	60	CM	55 LEVEL CM	1112,2236 litre	44,701 %	1375,9178 litre	O
220	CM	60	CM	54 LEVEL CM	1085,9351 litre	43,644 %	1402,2063 litre	O
220	CM	60	CM	53 LEVEL CM	1059,6908 litre	42,590 %	1428,4506 litre	O
220	CM	60	CM	52 LEVEL CM	1033,4981 litre	41,537 %	1454,6433 litre	O
220	CM	60	CM	51 LEVEL CM	1007,3647 litre	40,487 %	1480,7767 litre	O
220	CM	60	CM	50 LEVEL CM	981,2981 litre	39,439 %	1506,8433 litre	O
220	CM	60	CM	49 LEVEL CM	955,3058 litre	38,394 %	1532,8356 litre	O
220	CM	60	CM	48 LEVEL CM	929,3955 litre	37,353 %	1558,7459 litre	O
220	CM	60	CM	47 LEVEL CM	903,5751 litre	36,315 %	1584,5663 litre	O
220	CM	60	CM	46 LEVEL CM	877,8524 litre	35,281 %	1610,2890 litre	O
220	CM	60	CM	45 LEVEL CM	852,2353 litre	34,252 %	1635,9061 litre	O
220	CM	60	CM	44 LEVEL CM	826,7317 litre	33,227 %	1661,4097 litre	O
220	CM	60	CM	43 LEVEL CM	801,3499 litre	32,207 %	1686,7915 litre	O
220	CM	60	CM	42 LEVEL CM	776,0982 litre	31,192 %	1712,0432 litre	O
220	CM	60	CM	41 LEVEL CM	750,9848 litre	30,183 %	1737,1566 litre	O
220	CM	60	CM	40 LEVEL CM	726,0183 litre	29,179 %	1762,1231 litre	O
220	CM	60	CM	39 LEVEL CM	701,2074 litre	28,182 %	1786,9340 litre	O
220	CM	60	CM	38 LEVEL CM	676,5609 litre	27,191 %	1811,5805 litre	O
220	CM	60	CM	37 LEVEL CM	652,0878 litre	26,208 %	1836,0536 litre	O
220	CM	60	CM	36 LEVEL CM	627,7974 litre	25,232 %	1860,3440 litre	O
220	CM	60	CM	35 LEVEL CM	603,6990 litre	24,263 %	1884,4424 litre	O
220	CM	60	CM	34 LEVEL CM	579,8023 litre	23,303 %	1908,3391 litre	O
220	CM	60	CM	33 LEVEL CM	556,1172 litre	22,351 %	1932,0242 litre	O
220	CM	60	CM	32 LEVEL CM	532,6538 litre	21,408 %	1955,4876 litre	O
220	CM	60	CM	31 LEVEL CM	509,4226 litre	20,474 %	1978,7188 litre	O
220	CM	60	CM	30 LEVEL CM	486,4344 litre	19,550 %	2001,7070 litre	O
220	CM	60	CM	29 LEVEL CM	463,7002 litre	18,636 %	2024,4412 litre	O
220	CM	60	CM	28 LEVEL CM	441,2316 litre	17,733 %	2046,9098 litre	O
220	CM	60	CM	27 LEVEL CM	419,0405 litre	16,842 %	2069,1009 litre	O
220	CM	60	CM	26 LEVEL CM	397,1391 litre	15,961 %	2091,0023 litre	O
220	CM	60	CM	25 LEVEL CM	375,5405 litre	15,093 %	2112,6009 litre	O
220	CM	60	CM	24 LEVEL CM	354,2578 litre	14,238 %	2133,8836 litre	O
220	CM	60	CM	23 LEVEL CM	333,3052 litre	13,396 %	2154,8362 litre	O
220	CM	60	CM	22 LEVEL CM	312,6974 litre	12,568 %	2175,4440 litre	O
220	CM	60	CM	21 LEVEL CM	292,4497 litre	11,754 %	2195,6917 litre	O
220	CM	60	CM	20 LEVEL CM	272,5784 litre	10,955 %	2215,5630 litre	O
220	CM	60	CM	19 LEVEL CM	253,1008 litre	10,172 %	2235,0406 litre	O
220	CM	60	CM	18 LEVEL CM	234,0351 litre	9,406 %	2254,1063 litre	O
220	CM	60	CM	17 LEVEL CM	215,4008 litre	8,657 %	2272,7406 litre	O
220	CM	60	CM	16 LEVEL CM	197,2187 litre	7,926 %	2290,9227 litre	O

220	CM	60	CM	15 LEVEL CM	179,5115 litre	7,215 %	2308,6299 litre	O
220	CM	60	CM	14 LEVEL CM	162,3033 litre	6,523 %	2325,8381 litre	O
220	CM	60	CM	13 LEVEL CM	145,6207 litre	5,853 %	2342,5207 litre	O
220	CM	60	CM	12 LEVEL CM	129,4929 litre	5,204 %	2358,6485 litre	O
220	CM	60	CM	11 LEVEL CM	113,9520 litre	4,580 %	2374,1894 litre	O
220	CM	60	CM	10 LEVEL CM	99,0342 litre	3,980 %	2389,1072 litre	O
220	CM	60	CM	9 LEVEL CM	84,7802 litre	3,407 %	2403,3612 litre	O
220	CM	60	CM	8 LEVEL CM	71,2369 litre	2,863 %	2416,9045 litre	O
220	CM	60	CM	7 LEVEL CM	58,4587 litre	2,349 %	2429,6827 litre	O
220	CM	60	CM	6 LEVEL CM	46,5109 litre	1,869 %	2441,6305 litre	O
220	CM	60	CM	5 LEVEL CM	35,4734 litre	1,426 %	2452,6680 litre	O
220	CM	60	CM	4 LEVEL CM	25,4478 litre	1,023 %	2462,6936 litre	O
220	CM	60	CM	3 LEVEL CM	16,5710 litre	0,666 %	2471,5704 litre	O
220	CM	60	CM	2 LEVEL CM	9,0430 litre	0,363 %	2479,0984 litre	O
220	CM	60	CM	1 LEVEL CM	3,2053 litre	0,129 %	2484,9361 litre	O
220	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2488,1414 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
220	CM	55	CM	110 LEVEL CM	2090,7299 litre	100,000 %	0,0000 litre	O
220	CM	55	CM	109 LEVEL CM	2087,6618 litre	99,853 %	3,0681 litre	O
220	CM	55	CM	108 LEVEL CM	2082,0759 litre	99,586 %	8,6540 litre	O
220	CM	55	CM	107 LEVEL CM	2074,8754 litre	99,242 %	15,8545 litre	O
220	CM	55	CM	106 LEVEL CM	2066,3881 litre	98,836 %	24,3418 litre	O
220	CM	55	CM	105 LEVEL CM	2056,8064 litre	98,377 %	33,9235 litre	O
220	CM	55	CM	104 LEVEL CM	2046,2619 litre	97,873 %	44,4680 litre	O
220	CM	55	CM	103 LEVEL CM	2034,8527 litre	97,327 %	55,8772 litre	O
220	CM	55	CM	102 LEVEL CM	2022,6557 litre	96,744 %	68,0742 litre	O
220	CM	55	CM	101 LEVEL CM	2009,7339 litre	96,126 %	80,9960 litre	O
220	CM	55	CM	100 LEVEL CM	1996,1402 litre	95,476 %	94,5897 litre	O
220	CM	55	CM	99 LEVEL CM	1981,9199 litre	94,796 %	108,8100 litre	O
220	CM	55	CM	98 LEVEL CM	1967,1126 litre	94,087 %	123,6173 litre	O
220	CM	55	CM	97 LEVEL CM	1951,7532 litre	93,353 %	138,9767 litre	O
220	CM	55	CM	96 LEVEL CM	1935,8732 litre	92,593 %	154,8567 litre	O
220	CM	55	CM	95 LEVEL CM	1919,5009 litre	91,810 %	171,2290 litre	O
220	CM	55	CM	94 LEVEL CM	1902,6622 litre	91,005 %	188,0677 litre	O
220	CM	55	CM	93 LEVEL CM	1885,3808 litre	90,178 %	205,3491 litre	O
220	CM	55	CM	92 LEVEL CM	1867,6789 litre	89,331 %	223,0510 litre	O
220	CM	55	CM	91 LEVEL CM	1849,5767 litre	88,466 %	241,1532 litre	O
220	CM	55	CM	90 LEVEL CM	1831,0936 litre	87,582 %	259,6363 litre	O
220	CM	55	CM	89 LEVEL CM	1812,2473 litre	86,680 %	278,4826 litre	O
220	CM	55	CM	88 LEVEL CM	1793,0549 litre	85,762 %	297,6750 litre	O
220	CM	55	CM	87 LEVEL CM	1773,5325 litre	84,828 %	317,1974 litre	O
220	CM	55	CM	86 LEVEL CM	1753,6953 litre	83,880 %	337,0346 litre	O
220	CM	55	CM	85 LEVEL CM	1733,5577 litre	82,916 %	357,1722 litre	O
220	CM	55	CM	84 LEVEL CM	1713,1338 litre	81,940 %	377,5961 litre	O
220	CM	55	CM	83 LEVEL CM	1692,4368 litre	80,950 %	398,2931 litre	O
220	CM	55	CM	82 LEVEL CM	1671,4795 litre	79,947 %	419,2504 litre	O
220	CM	55	CM	81 LEVEL CM	1650,2742 litre	78,933 %	440,4557 litre	O
220	CM	55	CM	80 LEVEL CM	1628,8329 litre	77,907 %	461,8970 litre	O
220	CM	55	CM	79 LEVEL CM	1607,1670 litre	76,871 %	483,5629 litre	O
220	CM	55	CM	78 LEVEL CM	1585,2877 litre	75,825 %	505,4422 litre	O
220	CM	55	CM	77 LEVEL CM	1563,2057 litre	74,768 %	527,5242 litre	O
220	CM	55	CM	76 LEVEL CM	1540,9318 litre	73,703 %	549,7981 litre	O
220	CM	55	CM	75 LEVEL CM	1518,4760 litre	72,629 %	572,2539 litre	O
220	CM	55	CM	74 LEVEL CM	1495,8485 litre	71,547 %	594,8814 litre	O
220	CM	55	CM	73 LEVEL CM	1473,0590 litre	70,457 %	617,6709 litre	O
220	CM	55	CM	72 LEVEL CM	1450,1171 litre	69,359 %	640,6128 litre	O
220	CM	55	CM	71 LEVEL CM	1427,0321 litre	68,255 %	663,6978 litre	O
220	CM	55	CM	70 LEVEL CM	1403,8134 litre	67,145 %	686,9165 litre	O
220	CM	55	CM	69 LEVEL CM	1380,4699 litre	66,028 %	710,2600 litre	O
220	CM	55	CM	68 LEVEL CM	1357,0106 litre	64,906 %	733,7193 litre	O
220	CM	55	CM	67 LEVEL CM	1333,4442 litre	63,779 %	757,2857 litre	O
220	CM	55	CM	66 LEVEL CM	1309,7795 litre	62,647 %	780,9504 litre	O
220	CM	55	CM	65 LEVEL CM	1286,0249 litre	61,511 %	804,7050 litre	O
220	CM	55	CM	64 LEVEL CM	1262,1890 litre	60,371 %	828,5409 litre	O
220	CM	55	CM	63 LEVEL CM	1238,2801 litre	59,227 %	852,4498 litre	O
220	CM	55	CM	62 LEVEL CM	1214,3065 litre	58,081 %	876,4234 litre	O
220	CM	55	CM	61 LEVEL CM	1190,2764 litre	56,931 %	900,4535 litre	O
220	CM	55	CM	60 LEVEL CM	1166,1981 litre	55,779 %	924,5318 litre	O
220	CM	55	CM	59 LEVEL CM	1142,0796 litre	54,626 %	948,6503 litre	O

220	CM	55	CM	58 LEVEL CM	1117,9289 litre	53,471 %	972,8010 litre	O
220	CM	55	CM	57 LEVEL CM	1093,7543 litre	52,314 %	996,9756 litre	O
220	CM	55	CM	56 LEVEL CM	1069,5636 litre	51,157 %	1021,1663 litre	O
220	CM	55	CM	55 LEVEL CM	1045,3650 litre	50,000 %	1045,3649 litre	O
220	CM	55	CM	54 LEVEL CM	1021,1663 litre	48,843 %	1069,5636 litre	O
220	CM	55	CM	53 LEVEL CM	996,9756 litre	47,686 %	1093,7543 litre	O
220	CM	55	CM	52 LEVEL CM	972,8010 litre	46,529 %	1117,9289 litre	O
220	CM	55	CM	51 LEVEL CM	948,6504 litre	45,374 %	1142,0795 litre	O
220	CM	55	CM	50 LEVEL CM	924,5318 litre	44,221 %	1166,1981 litre	O
220	CM	55	CM	49 LEVEL CM	900,4535 litre	43,069 %	1190,2764 litre	O
220	CM	55	CM	48 LEVEL CM	876,4234 litre	41,919 %	1214,3065 litre	O
220	CM	55	CM	47 LEVEL CM	852,4498 litre	40,773 %	1238,2801 litre	O
220	CM	55	CM	46 LEVEL CM	828,5409 litre	39,629 %	1262,1890 litre	O
220	CM	55	CM	45 LEVEL CM	804,7050 litre	38,489 %	1286,0249 litre	O
220	CM	55	CM	44 LEVEL CM	780,9504 litre	37,353 %	1309,7795 litre	O
220	CM	55	CM	43 LEVEL CM	757,2857 litre	36,221 %	1333,4442 litre	O
220	CM	55	CM	42 LEVEL CM	733,7193 litre	35,094 %	1357,0106 litre	O
220	CM	55	CM	41 LEVEL CM	710,2600 litre	33,972 %	1380,4699 litre	O
220	CM	55	CM	40 LEVEL CM	686,9165 litre	32,855 %	1403,8134 litre	O
220	CM	55	CM	39 LEVEL CM	663,6978 litre	31,745 %	1427,0321 litre	O
220	CM	55	CM	38 LEVEL CM	640,6129 litre	30,641 %	1450,1170 litre	O
220	CM	55	CM	37 LEVEL CM	617,6709 litre	29,543 %	1473,0590 litre	O
220	CM	55	CM	36 LEVEL CM	594,8814 litre	28,453 %	1495,8485 litre	O
220	CM	55	CM	35 LEVEL CM	572,2539 litre	27,371 %	1518,4760 litre	O
220	CM	55	CM	34 LEVEL CM	549,7981 litre	26,297 %	1540,9318 litre	O
220	CM	55	CM	33 LEVEL CM	527,5242 litre	25,232 %	1563,2057 litre	O
220	CM	55	CM	32 LEVEL CM	505,4423 litre	24,175 %	1585,2876 litre	O
220	CM	55	CM	31 LEVEL CM	483,5629 litre	23,129 %	1607,1670 litre	O
220	CM	55	CM	30 LEVEL CM	461,8970 litre	22,093 %	1628,8329 litre	O
220	CM	55	CM	29 LEVEL CM	440,4557 litre	21,067 %	1650,2742 litre	O
220	CM	55	CM	28 LEVEL CM	419,2504 litre	20,053 %	1671,4795 litre	O
220	CM	55	CM	27 LEVEL CM	398,2931 litre	19,050 %	1692,4368 litre	O
220	CM	55	CM	26 LEVEL CM	377,5961 litre	18,060 %	1713,1338 litre	O
220	CM	55	CM	25 LEVEL CM	357,1722 litre	17,084 %	1733,5577 litre	O
220	CM	55	CM	24 LEVEL CM	337,0346 litre	16,120 %	1753,6953 litre	O
220	CM	55	CM	23 LEVEL CM	317,1974 litre	15,172 %	1773,5325 litre	O
220	CM	55	CM	22 LEVEL CM	297,6750 litre	14,238 %	1793,0549 litre	O
220	CM	55	CM	21 LEVEL CM	278,4826 litre	13,320 %	1812,2473 litre	O
220	CM	55	CM	20 LEVEL CM	259,6364 litre	12,418 %	1831,0935 litre	O
220	CM	55	CM	19 LEVEL CM	241,1532 litre	11,534 %	1849,5767 litre	O
220	CM	55	CM	18 LEVEL CM	223,0510 litre	10,669 %	1867,6789 litre	O
220	CM	55	CM	17 LEVEL CM	205,3491 litre	9,822 %	1885,3808 litre	O
220	CM	55	CM	16 LEVEL CM	188,0677 litre	8,995 %	1902,6622 litre	O
220	CM	55	CM	15 LEVEL CM	171,2290 litre	8,190 %	1919,5009 litre	O
220	CM	55	CM	14 LEVEL CM	154,8567 litre	7,407 %	1935,8732 litre	O
220	CM	55	CM	13 LEVEL CM	138,9767 litre	6,647 %	1951,7532 litre	O
220	CM	55	CM	12 LEVEL CM	123,6173 litre	5,913 %	1967,1126 litre	O
220	CM	55	CM	11 LEVEL CM	108,8100 litre	5,204 %	1981,9199 litre	O
220	CM	55	CM	10 LEVEL CM	94,5897 litre	4,524 %	1996,1402 litre	O
220	CM	55	CM	9 LEVEL CM	80,9960 litre	3,874 %	2009,7339 litre	O
220	CM	55	CM	8 LEVEL CM	68,0742 litre	3,256 %	2022,6557 litre	O
220	CM	55	CM	7 LEVEL CM	55,8773 litre	2,673 %	2034,8526 litre	O
220	CM	55	CM	6 LEVEL CM	44,4680 litre	2,127 %	2046,2619 litre	O

220	CM	55	CM	5 LEVEL CM	33,9235 litre	1,623 %	2056,8064 litre	O
220	CM	55	CM	4 LEVEL CM	24,3418 litre	1,164 %	2066,3881 litre	O
220	CM	55	CM	3 LEVEL CM	15,8546 litre	0,758 %	2074,8753 litre	O
220	CM	55	CM	2 LEVEL CM	8,6541 litre	0,414 %	2082,0758 litre	O
220	CM	55	CM	1 LEVEL CM	3,0681 litre	0,147 %	2087,6618 litre	O
220	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	2090,7299 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
220	CM	50	CM	100 LEVEL CM	1727,8760 litre	100,000 %	0,0000 litre	O
220	CM	50	CM	99 LEVEL CM	1724,9514 litre	99,831 %	2,9246 litre	O
220	CM	50	CM	98 LEVEL CM	1719,6292 litre	99,523 %	8,2468 litre	O
220	CM	50	CM	97 LEVEL CM	1712,7718 litre	99,126 %	15,1042 litre	O
220	CM	50	CM	96 LEVEL CM	1704,6929 litre	98,658 %	23,1831 litre	O
220	CM	50	CM	95 LEVEL CM	1695,5767 litre	98,131 %	32,2993 litre	O
220	CM	50	CM	94 LEVEL CM	1685,5495 litre	97,550 %	42,3265 litre	O
220	CM	50	CM	93 LEVEL CM	1674,7054 litre	96,923 %	53,1706 litre	O
220	CM	50	CM	92 LEVEL CM	1663,1187 litre	96,252 %	64,7573 litre	O
220	CM	50	CM	91 LEVEL CM	1650,8500 litre	95,542 %	77,0260 litre	O
220	CM	50	CM	90 LEVEL CM	1637,9503 litre	94,796 %	89,9257 litre	O
220	CM	50	CM	89 LEVEL CM	1624,4636 litre	94,015 %	103,4124 litre	O
220	CM	50	CM	88 LEVEL CM	1610,4280 litre	93,203 %	117,4480 litre	O
220	CM	50	CM	87 LEVEL CM	1595,8777 litre	92,361 %	131,9983 litre	O
220	CM	50	CM	86 LEVEL CM	1580,8430 litre	91,491 %	147,0330 litre	O
220	CM	50	CM	85 LEVEL CM	1565,3516 litre	90,594 %	162,5244 litre	O
220	CM	50	CM	84 LEVEL CM	1549,4288 litre	89,672 %	178,4472 litre	O
220	CM	50	CM	83 LEVEL CM	1533,0977 litre	88,727 %	194,7783 litre	O
220	CM	50	CM	82 LEVEL CM	1516,3800 litre	87,760 %	211,4960 litre	O
220	CM	50	CM	81 LEVEL CM	1499,2957 litre	86,771 %	228,5803 litre	O
220	CM	50	CM	80 LEVEL CM	1481,8636 litre	85,762 %	246,0124 litre	O
220	CM	50	CM	79 LEVEL CM	1464,1014 litre	84,734 %	263,7746 litre	O
220	CM	50	CM	78 LEVEL CM	1446,0259 litre	83,688 %	281,8501 litre	O
220	CM	50	CM	77 LEVEL CM	1427,6529 litre	82,625 %	300,2231 litre	O
220	CM	50	CM	76 LEVEL CM	1408,9976 litre	81,545 %	318,8784 litre	O
220	CM	50	CM	75 LEVEL CM	1390,0743 litre	80,450 %	337,8017 litre	O
220	CM	50	CM	74 LEVEL CM	1370,8970 litre	79,340 %	356,9790 litre	O
220	CM	50	CM	73 LEVEL CM	1351,4788 litre	78,216 %	376,3972 litre	O
220	CM	50	CM	72 LEVEL CM	1331,8327 litre	77,079 %	396,0433 litre	O
220	CM	50	CM	71 LEVEL CM	1311,9710 litre	75,930 %	415,9050 litre	O
220	CM	50	CM	70 LEVEL CM	1291,9056 litre	74,768 %	435,9704 litre	O
220	CM	50	CM	69 LEVEL CM	1271,6481 litre	73,596 %	456,2279 litre	O
220	CM	50	CM	68 LEVEL CM	1251,2099 litre	72,413 %	476,6661 litre	O
220	CM	50	CM	67 LEVEL CM	1230,6018 litre	71,220 %	497,2742 litre	O
220	CM	50	CM	66 LEVEL CM	1209,8347 litre	70,019 %	518,0413 litre	O
220	CM	50	CM	65 LEVEL CM	1188,9189 litre	68,808 %	538,9571 litre	O
220	CM	50	CM	64 LEVEL CM	1167,8647 litre	67,590 %	560,0113 litre	O
220	CM	50	CM	63 LEVEL CM	1146,6822 litre	66,364 %	581,1938 litre	O
220	CM	50	CM	62 LEVEL CM	1125,3812 litre	65,131 %	602,4948 litre	O
220	CM	50	CM	61 LEVEL CM	1103,9714 litre	63,892 %	623,9046 litre	O
220	CM	50	CM	60 LEVEL CM	1082,4624 litre	62,647 %	645,4136 litre	O
220	CM	50	CM	59 LEVEL CM	1060,8635 litre	61,397 %	667,0125 litre	O
220	CM	50	CM	58 LEVEL CM	1039,1841 litre	60,142 %	688,6919 litre	O
220	CM	50	CM	57 LEVEL CM	1017,4334 litre	58,883 %	710,4426 litre	O
220	CM	50	CM	56 LEVEL CM	995,6205 litre	57,621 %	732,2555 litre	O
220	CM	50	CM	55 LEVEL CM	973,7544 litre	56,356 %	754,1216 litre	O
220	CM	50	CM	54 LEVEL CM	951,8440 litre	55,088 %	776,0320 litre	O
220	CM	50	CM	53 LEVEL CM	929,8984 litre	53,817 %	797,9776 litre	O
220	CM	50	CM	52 LEVEL CM	907,9262 litre	52,546 %	819,9498 litre	O
220	CM	50	CM	51 LEVEL CM	885,9365 litre	51,273 %	841,9395 litre	O
220	CM	50	CM	50 LEVEL CM	863,9380 litre	50,000 %	863,9380 litre	O
220	CM	50	CM	49 LEVEL CM	841,9394 litre	48,727 %	885,9366 litre	O

220	CM	50	CM	48 LEVEL CM	819,9497 litre	47,454 %	907,9263 litre	O
220	CM	50	CM	47 LEVEL CM	797,9776 litre	46,183 %	929,8984 litre	O
220	CM	50	CM	46 LEVEL CM	776,0319 litre	44,912 %	951,8441 litre	O
220	CM	50	CM	45 LEVEL CM	754,1216 litre	43,644 %	973,7544 litre	O
220	CM	50	CM	44 LEVEL CM	732,2555 litre	42,379 %	995,6205 litre	O
220	CM	50	CM	43 LEVEL CM	710,4425 litre	41,117 %	1017,4335 litre	O
220	CM	50	CM	42 LEVEL CM	688,6918 litre	39,858 %	1039,1842 litre	O
220	CM	50	CM	41 LEVEL CM	667,0124 litre	38,603 %	1060,8636 litre	O
220	CM	50	CM	40 LEVEL CM	645,4136 litre	37,353 %	1082,4624 litre	O
220	CM	50	CM	39 LEVEL CM	623,9045 litre	36,108 %	1103,9715 litre	O
220	CM	50	CM	38 LEVEL CM	602,4947 litre	34,869 %	1125,3813 litre	O
220	CM	50	CM	37 LEVEL CM	581,1937 litre	33,636 %	1146,6823 litre	O
220	CM	50	CM	36 LEVEL CM	560,0112 litre	32,410 %	1167,8648 litre	O
220	CM	50	CM	35 LEVEL CM	538,9571 litre	31,192 %	1188,9189 litre	O
220	CM	50	CM	34 LEVEL CM	518,0413 litre	29,981 %	1209,8347 litre	O
220	CM	50	CM	33 LEVEL CM	497,2741 litre	28,780 %	1230,6019 litre	O
220	CM	50	CM	32 LEVEL CM	476,6661 litre	27,587 %	1251,2099 litre	O
220	CM	50	CM	31 LEVEL CM	456,2278 litre	26,404 %	1271,6482 litre	O
220	CM	50	CM	30 LEVEL CM	435,9704 litre	25,232 %	1291,9056 litre	O
220	CM	50	CM	29 LEVEL CM	415,9050 litre	24,070 %	1311,9710 litre	O
220	CM	50	CM	28 LEVEL CM	396,0432 litre	22,921 %	1331,8328 litre	O
220	CM	50	CM	27 LEVEL CM	376,3971 litre	21,784 %	1351,4789 litre	O
220	CM	50	CM	26 LEVEL CM	356,9790 litre	20,660 %	1370,8970 litre	O
220	CM	50	CM	25 LEVEL CM	337,8017 litre	19,550 %	1390,0743 litre	O
220	CM	50	CM	24 LEVEL CM	318,8784 litre	18,455 %	1408,9976 litre	O
220	CM	50	CM	23 LEVEL CM	300,2231 litre	17,375 %	1427,6529 litre	O
220	CM	50	CM	22 LEVEL CM	281,8501 litre	16,312 %	1446,0259 litre	O
220	CM	50	CM	21 LEVEL CM	263,7745 litre	15,266 %	1464,1015 litre	O
220	CM	50	CM	20 LEVEL CM	246,0124 litre	14,238 %	1481,8636 litre	O
220	CM	50	CM	19 LEVEL CM	228,5803 litre	13,229 %	1499,2957 litre	O
220	CM	50	CM	18 LEVEL CM	211,4960 litre	12,240 %	1516,3800 litre	O
220	CM	50	CM	17 LEVEL CM	194,7782 litre	11,273 %	1533,0978 litre	O
220	CM	50	CM	16 LEVEL CM	178,4472 litre	10,328 %	1549,4288 litre	O
220	CM	50	CM	15 LEVEL CM	162,5244 litre	9,406 %	1565,3516 litre	O
220	CM	50	CM	14 LEVEL CM	147,0330 litre	8,509 %	1580,8430 litre	O
220	CM	50	CM	13 LEVEL CM	131,9983 litre	7,639 %	1595,8777 litre	O
220	CM	50	CM	12 LEVEL CM	117,4479 litre	6,797 %	1610,4281 litre	O
220	CM	50	CM	11 LEVEL CM	103,4124 litre	5,985 %	1624,4636 litre	O
220	CM	50	CM	10 LEVEL CM	89,9256 litre	5,204 %	1637,9504 litre	O
220	CM	50	CM	9 LEVEL CM	77,0260 litre	4,458 %	1650,8500 litre	O
220	CM	50	CM	8 LEVEL CM	64,7573 litre	3,748 %	1663,1187 litre	O
220	CM	50	CM	7 LEVEL CM	53,1706 litre	3,077 %	1674,7054 litre	O
220	CM	50	CM	6 LEVEL CM	42,3265 litre	2,450 %	1685,5495 litre	O
220	CM	50	CM	5 LEVEL CM	32,2992 litre	1,869 %	1695,5768 litre	O
220	CM	50	CM	4 LEVEL CM	23,1830 litre	1,342 %	1704,6930 litre	O
220	CM	50	CM	3 LEVEL CM	15,1041 litre	0,874 %	1712,7719 litre	O
220	CM	50	CM	2 LEVEL CM	8,2468 litre	0,477 %	1719,6292 litre	O
220	CM	50	CM	1 LEVEL CM	2,9245 litre	0,169 %	1724,9515 litre	O
220	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1727,8760 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
210	CM 100	CM 200 LEVEL CM	6597,3446 litre	100,000 %	0,0000 litre O
210	CM 100	CM 199 LEVEL CM	6593,3907 litre	99,940 %	3,9539 litre O
210	CM 100	CM 198 LEVEL CM	6586,1782 litre	99,831 %	11,1664 litre O
210	CM 100	CM 197 LEVEL CM	6576,8617 litre	99,690 %	20,4829 litre O
210	CM 100	CM 196 LEVEL CM	6565,8569 litre	99,523 %	31,4877 litre O
210	CM 100	CM 195 LEVEL CM	6553,4062 litre	99,334 %	43,9384 litre O
210	CM 100	CM 194 LEVEL CM	6539,6743 litre	99,126 %	57,6703 litre O
210	CM 100	CM 193 LEVEL CM	6524,7830 litre	98,900 %	72,5616 litre O
210	CM 100	CM 192 LEVEL CM	6508,8276 litre	98,658 %	88,5170 litre O
210	CM 100	CM 191 LEVEL CM	6491,8852 litre	98,401 %	105,4594 litre O
210	CM 100	CM 190 LEVEL CM	6474,0202 litre	98,131 %	123,3244 litre O
210	CM 100	CM 189 LEVEL CM	6455,2874 litre	97,847 %	142,0572 litre O
210	CM 100	CM 188 LEVEL CM	6435,7343 litre	97,550 %	161,6103 litre O
210	CM 100	CM 187 LEVEL CM	6415,4027 litre	97,242 %	181,9419 litre O
210	CM 100	CM 186 LEVEL CM	6394,3296 litre	96,923 %	203,0150 litre O
210	CM 100	CM 185 LEVEL CM	6372,5485 litre	96,593 %	224,7961 litre O
210	CM 100	CM 184 LEVEL CM	6350,0895 litre	96,252 %	247,2551 litre O
210	CM 100	CM 183 LEVEL CM	6326,9800 litre	95,902 %	270,3646 litre O
210	CM 100	CM 182 LEVEL CM	6303,2454 litre	95,542 %	294,0992 litre O
210	CM 100	CM 181 LEVEL CM	6278,9089 litre	95,173 %	318,4357 litre O
210	CM 100	CM 180 LEVEL CM	6253,9922 litre	94,796 %	343,3524 litre O
210	CM 100	CM 179 LEVEL CM	6228,5154 litre	94,409 %	368,8292 litre O
210	CM 100	CM 178 LEVEL CM	6202,4973 litre	94,015 %	394,8473 litre O
210	CM 100	CM 177 LEVEL CM	6175,9557 litre	93,613 %	421,3889 litre O
210	CM 100	CM 176 LEVEL CM	6148,9071 litre	93,203 %	448,4375 litre O
210	CM 100	CM 175 LEVEL CM	6121,3672 litre	92,785 %	475,9774 litre O
210	CM 100	CM 174 LEVEL CM	6093,3511 litre	92,361 %	503,9935 litre O
210	CM 100	CM 173 LEVEL CM	6064,8729 litre	91,929 %	532,4717 litre O
210	CM 100	CM 172 LEVEL CM	6035,9459 litre	91,491 %	561,3987 litre O
210	CM 100	CM 171 LEVEL CM	6006,5832 litre	91,045 %	590,7614 litre O
210	CM 100	CM 170 LEVEL CM	5976,7970 litre	90,594 %	620,5476 litre O
210	CM 100	CM 169 LEVEL CM	5946,5991 litre	90,136 %	650,7455 litre O
210	CM 100	CM 168 LEVEL CM	5916,0007 litre	89,672 %	681,3439 litre O
210	CM 100	CM 167 LEVEL CM	5885,0128 litre	89,203 %	712,3318 litre O
210	CM 100	CM 166 LEVEL CM	5853,6458 litre	88,727 %	743,6988 litre O
210	CM 100	CM 165 LEVEL CM	5821,9098 litre	88,246 %	775,4348 litre O
210	CM 100	CM 164 LEVEL CM	5789,8145 litre	87,760 %	807,5301 litre O
210	CM 100	CM 163 LEVEL CM	5757,3694 litre	87,268 %	839,9752 litre O
210	CM 100	CM 162 LEVEL CM	5724,5835 litre	86,771 %	872,7611 litre O
210	CM 100	CM 161 LEVEL CM	5691,4657 litre	86,269 %	905,8789 litre O
210	CM 100	CM 160 LEVEL CM	5658,0246 litre	85,762 %	939,3200 litre O
210	CM 100	CM 159 LEVEL CM	5624,2685 litre	85,250 %	973,0761 litre O
210	CM 100	CM 158 LEVEL CM	5590,2054 litre	84,734 %	1007,1392 litre O
210	CM 100	CM 157 LEVEL CM	5555,8433 litre	84,213 %	1041,5013 litre O
210	CM 100	CM 156 LEVEL CM	5521,1898 litre	83,688 %	1076,1548 litre O
210	CM 100	CM 155 LEVEL CM	5486,2524 litre	83,158 %	1111,0922 litre O
210	CM 100	CM 154 LEVEL CM	5451,0383 litre	82,625 %	1146,3063 litre O
210	CM 100	CM 153 LEVEL CM	5415,5548 litre	82,087 %	1181,7898 litre O
210	CM 100	CM 152 LEVEL CM	5379,8088 litre	81,545 %	1217,5358 litre O
210	CM 100	CM 151 LEVEL CM	5343,8071 litre	80,999 %	1253,5375 litre O
210	CM 100	CM 150 LEVEL CM	5307,5564 litre	80,450 %	1289,7882 litre O
210	CM 100	CM 149 LEVEL CM	5271,0632 litre	79,897 %	1326,2814 litre O

210	CM	100	CM	148 LEVEL CM	5234,3338 litre	79,340 %	1363,0108 litre	O
210	CM	100	CM	147 LEVEL CM	5197,3747 litre	78,780 %	1399,9699 litre	O
210	CM	100	CM	146 LEVEL CM	5160,1919 litre	78,216 %	1437,1527 litre	O
210	CM	100	CM	145 LEVEL CM	5122,7915 litre	77,649 %	1474,5531 litre	O
210	CM	100	CM	144 LEVEL CM	5085,1794 litre	77,079 %	1512,1652 litre	O
210	CM	100	CM	143 LEVEL CM	5047,3616 litre	76,506 %	1549,9830 litre	O
210	CM	100	CM	142 LEVEL CM	5009,3437 litre	75,930 %	1588,0009 litre	O
210	CM	100	CM	141 LEVEL CM	4971,1315 litre	75,350 %	1626,2131 litre	O
210	CM	100	CM	140 LEVEL CM	4932,7304 litre	74,768 %	1664,6142 litre	O
210	CM	100	CM	139 LEVEL CM	4894,1460 litre	74,184 %	1703,1986 litre	O
210	CM	100	CM	138 LEVEL CM	4855,3837 litre	73,596 %	1741,9609 litre	O
210	CM	100	CM	137 LEVEL CM	4816,4489 litre	73,006 %	1780,8957 litre	O
210	CM	100	CM	136 LEVEL CM	4777,3468 litre	72,413 %	1819,9978 litre	O
210	CM	100	CM	135 LEVEL CM	4738,0826 litre	71,818 %	1859,2620 litre	O
210	CM	100	CM	134 LEVEL CM	4698,6615 litre	71,220 %	1898,6831 litre	O
210	CM	100	CM	133 LEVEL CM	4659,0886 litre	70,621 %	1938,2560 litre	O
210	CM	100	CM	132 LEVEL CM	4619,3688 litre	70,019 %	1977,9758 litre	O
210	CM	100	CM	131 LEVEL CM	4579,5072 litre	69,414 %	2017,8374 litre	O
210	CM	100	CM	130 LEVEL CM	4539,5086 litre	68,808 %	2057,8360 litre	O
210	CM	100	CM	129 LEVEL CM	4499,3779 litre	68,200 %	2097,9667 litre	O
210	CM	100	CM	128 LEVEL CM	4459,1199 litre	67,590 %	2138,2247 litre	O
210	CM	100	CM	127 LEVEL CM	4418,7395 litre	66,978 %	2178,6051 litre	O
210	CM	100	CM	126 LEVEL CM	4378,2412 litre	66,364 %	2219,1034 litre	O
210	CM	100	CM	125 LEVEL CM	4337,6299 litre	65,748 %	2259,7147 litre	O
210	CM	100	CM	124 LEVEL CM	4296,9101 litre	65,131 %	2300,4345 litre	O
210	CM	100	CM	123 LEVEL CM	4256,0865 litre	64,512 %	2341,2581 litre	O
210	CM	100	CM	122 LEVEL CM	4215,1636 litre	63,892 %	2382,1810 litre	O
210	CM	100	CM	121 LEVEL CM	4174,1460 litre	63,270 %	2423,1986 litre	O
210	CM	100	CM	120 LEVEL CM	4133,0382 litre	62,647 %	2464,3064 litre	O
210	CM	100	CM	119 LEVEL CM	4091,8446 litre	62,023 %	2505,5000 litre	O
210	CM	100	CM	118 LEVEL CM	4050,5698 litre	61,397 %	2546,7748 litre	O
210	CM	100	CM	117 LEVEL CM	4009,2181 litre	60,770 %	2588,1265 litre	O
210	CM	100	CM	116 LEVEL CM	3967,7940 litre	60,142 %	2629,5506 litre	O
210	CM	100	CM	115 LEVEL CM	3926,3017 litre	59,513 %	2671,0429 litre	O
210	CM	100	CM	114 LEVEL CM	3884,7458 litre	58,883 %	2712,5988 litre	O
210	CM	100	CM	113 LEVEL CM	3843,1305 litre	58,253 %	2754,2141 litre	O
210	CM	100	CM	112 LEVEL CM	3801,4601 litre	57,621 %	2795,8845 litre	O
210	CM	100	CM	111 LEVEL CM	3759,7389 litre	56,989 %	2837,6057 litre	O
210	CM	100	CM	110 LEVEL CM	3717,9712 litre	56,356 %	2879,3734 litre	O
210	CM	100	CM	109 LEVEL CM	3676,1614 litre	55,722 %	2921,1832 litre	O
210	CM	100	CM	108 LEVEL CM	3634,3135 litre	55,088 %	2963,0311 litre	O
210	CM	100	CM	107 LEVEL CM	3592,4320 litre	54,453 %	3004,9126 litre	O
210	CM	100	CM	106 LEVEL CM	3550,5210 litre	53,817 %	3046,8236 litre	O
210	CM	100	CM	105 LEVEL CM	3508,5848 litre	53,182 %	3088,7598 litre	O
210	CM	100	CM	104 LEVEL CM	3466,6275 litre	52,546 %	3130,7171 litre	O
210	CM	100	CM	103 LEVEL CM	3424,6534 litre	51,910 %	3172,6912 litre	O
210	CM	100	CM	102 LEVEL CM	3382,6667 litre	51,273 %	3214,6779 litre	O
210	CM	100	CM	101 LEVEL CM	3340,6716 litre	50,637 %	3256,6730 litre	O
210	CM	100	CM	100 LEVEL CM	3298,6723 litre	50,000 %	3298,6723 litre	O
210	CM	100	CM	99 LEVEL CM	3256,6730 litre	49,363 %	3340,6716 litre	O
210	CM	100	CM	98 LEVEL CM	3214,6779 litre	48,727 %	3382,6667 litre	O
210	CM	100	CM	97 LEVEL CM	3172,6912 litre	48,090 %	3424,6534 litre	O
210	CM	100	CM	96 LEVEL CM	3130,7171 litre	47,454 %	3466,6275 litre	O

210	CM	100	CM	95 LEVEL CM	3088,7598 litre	46,818 %	3508,5848 litre	O
210	CM	100	CM	94 LEVEL CM	3046,8236 litre	46,183 %	3550,5210 litre	O
210	CM	100	CM	93 LEVEL CM	3004,9126 litre	45,547 %	3592,4320 litre	O
210	CM	100	CM	92 LEVEL CM	2963,0310 litre	44,912 %	3634,3136 litre	O
210	CM	100	CM	91 LEVEL CM	2921,1832 litre	44,278 %	3676,1614 litre	O
210	CM	100	CM	90 LEVEL CM	2879,3733 litre	43,644 %	3717,9713 litre	O
210	CM	100	CM	89 LEVEL CM	2837,6057 litre	43,011 %	3759,7389 litre	O
210	CM	100	CM	88 LEVEL CM	2795,8845 litre	42,379 %	3801,4601 litre	O
210	CM	100	CM	87 LEVEL CM	2754,2141 litre	41,747 %	3843,1305 litre	O
210	CM	100	CM	86 LEVEL CM	2712,5988 litre	41,117 %	3884,7458 litre	O
210	CM	100	CM	85 LEVEL CM	2671,0428 litre	40,487 %	3926,3018 litre	O
210	CM	100	CM	84 LEVEL CM	2629,5506 litre	39,858 %	3967,7940 litre	O
210	CM	100	CM	83 LEVEL CM	2588,1265 litre	39,230 %	4009,2181 litre	O
210	CM	100	CM	82 LEVEL CM	2546,7748 litre	38,603 %	4050,5698 litre	O
210	CM	100	CM	81 LEVEL CM	2505,4999 litre	37,977 %	4091,8447 litre	O
210	CM	100	CM	80 LEVEL CM	2464,3064 litre	37,353 %	4133,0382 litre	O
210	CM	100	CM	79 LEVEL CM	2423,1986 litre	36,730 %	4174,1460 litre	O
210	CM	100	CM	78 LEVEL CM	2382,1810 litre	36,108 %	4215,1636 litre	O
210	CM	100	CM	77 LEVEL CM	2341,2581 litre	35,488 %	4256,0865 litre	O
210	CM	100	CM	76 LEVEL CM	2300,4345 litre	34,869 %	4296,9101 litre	O
210	CM	100	CM	75 LEVEL CM	2259,7147 litre	34,252 %	4337,6299 litre	O
210	CM	100	CM	74 LEVEL CM	2219,1034 litre	33,636 %	4378,2412 litre	O
210	CM	100	CM	73 LEVEL CM	2178,6051 litre	33,022 %	4418,7395 litre	O
210	CM	100	CM	72 LEVEL CM	2138,2247 litre	32,410 %	4459,1199 litre	O
210	CM	100	CM	71 LEVEL CM	2097,9667 litre	31,800 %	4499,3779 litre	O
210	CM	100	CM	70 LEVEL CM	2057,8360 litre	31,192 %	4539,5086 litre	O
210	CM	100	CM	69 LEVEL CM	2017,8374 litre	30,586 %	4579,5072 litre	O
210	CM	100	CM	68 LEVEL CM	1977,9758 litre	29,981 %	4619,3688 litre	O
210	CM	100	CM	67 LEVEL CM	1938,2560 litre	29,379 %	4659,0886 litre	O
210	CM	100	CM	66 LEVEL CM	1898,6830 litre	28,780 %	4698,6616 litre	O
210	CM	100	CM	65 LEVEL CM	1859,2619 litre	28,182 %	4738,0827 litre	O
210	CM	100	CM	64 LEVEL CM	1819,9978 litre	27,587 %	4777,3468 litre	O
210	CM	100	CM	63 LEVEL CM	1780,8957 litre	26,994 %	4816,4489 litre	O
210	CM	100	CM	62 LEVEL CM	1741,9608 litre	26,404 %	4855,3838 litre	O
210	CM	100	CM	61 LEVEL CM	1703,1986 litre	25,816 %	4894,1460 litre	O
210	CM	100	CM	60 LEVEL CM	1664,6142 litre	25,232 %	4932,7304 litre	O
210	CM	100	CM	59 LEVEL CM	1626,2131 litre	24,650 %	4971,1315 litre	O
210	CM	100	CM	58 LEVEL CM	1588,0009 litre	24,070 %	5009,3437 litre	O
210	CM	100	CM	57 LEVEL CM	1549,9830 litre	23,494 %	5047,3616 litre	O
210	CM	100	CM	56 LEVEL CM	1512,1651 litre	22,921 %	5085,1795 litre	O
210	CM	100	CM	55 LEVEL CM	1474,5531 litre	22,351 %	5122,7915 litre	O
210	CM	100	CM	54 LEVEL CM	1437,1527 litre	21,784 %	5160,1919 litre	O
210	CM	100	CM	53 LEVEL CM	1399,9699 litre	21,220 %	5197,3747 litre	O
210	CM	100	CM	52 LEVEL CM	1363,0108 litre	20,660 %	5234,3338 litre	O
210	CM	100	CM	51 LEVEL CM	1326,2814 litre	20,103 %	5271,0632 litre	O
210	CM	100	CM	50 LEVEL CM	1289,7882 litre	19,550 %	5307,5564 litre	O
210	CM	100	CM	49 LEVEL CM	1253,5374 litre	19,001 %	5343,8072 litre	O
210	CM	100	CM	48 LEVEL CM	1217,5357 litre	18,455 %	5379,8089 litre	O
210	CM	100	CM	47 LEVEL CM	1181,7897 litre	17,913 %	5415,5549 litre	O
210	CM	100	CM	46 LEVEL CM	1146,3062 litre	17,375 %	5451,0384 litre	O
210	CM	100	CM	45 LEVEL CM	1111,0922 litre	16,842 %	5486,2524 litre	O
210	CM	100	CM	44 LEVEL CM	1076,1548 litre	16,312 %	5521,1898 litre	O
210	CM	100	CM	43 LEVEL CM	1041,5013 litre	15,787 %	5555,8433 litre	O

210	CM	100	CM	42 LEVEL CM	1007,1392 litre	15,266 %	5590,2054 litre	O
210	CM	100	CM	41 LEVEL CM	973,0761 litre	14,750 %	5624,2685 litre	O
210	CM	100	CM	40 LEVEL CM	939,3200 litre	14,238 %	5658,0246 litre	O
210	CM	100	CM	39 LEVEL CM	905,8788 litre	13,731 %	5691,4658 litre	O
210	CM	100	CM	38 LEVEL CM	872,7611 litre	13,229 %	5724,5835 litre	O
210	CM	100	CM	37 LEVEL CM	839,9752 litre	12,732 %	5757,3694 litre	O
210	CM	100	CM	36 LEVEL CM	807,5301 litre	12,240 %	5789,8145 litre	O
210	CM	100	CM	35 LEVEL CM	775,4348 litre	11,754 %	5821,9098 litre	O
210	CM	100	CM	34 LEVEL CM	743,6988 litre	11,273 %	5853,6458 litre	O
210	CM	100	CM	33 LEVEL CM	712,3318 litre	10,797 %	5885,0128 litre	O
210	CM	100	CM	32 LEVEL CM	681,3439 litre	10,328 %	5916,0007 litre	O
210	CM	100	CM	31 LEVEL CM	650,7455 litre	9,864 %	5946,5991 litre	O
210	CM	100	CM	30 LEVEL CM	620,5476 litre	9,406 %	5976,7970 litre	O
210	CM	100	CM	29 LEVEL CM	590,7613 litre	8,955 %	6006,5833 litre	O
210	CM	100	CM	28 LEVEL CM	561,3986 litre	8,509 %	6035,9460 litre	O
210	CM	100	CM	27 LEVEL CM	532,4717 litre	8,071 %	6064,8729 litre	O
210	CM	100	CM	26 LEVEL CM	503,9935 litre	7,639 %	6093,3511 litre	O
210	CM	100	CM	25 LEVEL CM	475,9773 litre	7,215 %	6121,3673 litre	O
210	CM	100	CM	24 LEVEL CM	448,4375 litre	6,797 %	6148,9071 litre	O
210	CM	100	CM	23 LEVEL CM	421,3889 litre	6,387 %	6175,9557 litre	O
210	CM	100	CM	22 LEVEL CM	394,8472 litre	5,985 %	6202,4974 litre	O
210	CM	100	CM	21 LEVEL CM	368,8291 litre	5,591 %	6228,5155 litre	O
210	CM	100	CM	20 LEVEL CM	343,3523 litre	5,204 %	6253,9923 litre	O
210	CM	100	CM	19 LEVEL CM	318,4356 litre	4,827 %	6278,9090 litre	O
210	CM	100	CM	18 LEVEL CM	294,0992 litre	4,458 %	6303,2454 litre	O
210	CM	100	CM	17 LEVEL CM	270,3646 litre	4,098 %	6326,9800 litre	O
210	CM	100	CM	16 LEVEL CM	247,2551 litre	3,748 %	6350,0895 litre	O
210	CM	100	CM	15 LEVEL CM	224,7961 litre	3,407 %	6372,5485 litre	O
210	CM	100	CM	14 LEVEL CM	203,0150 litre	3,077 %	6394,3296 litre	O
210	CM	100	CM	13 LEVEL CM	181,9419 litre	2,758 %	6415,4027 litre	O
210	CM	100	CM	12 LEVEL CM	161,6103 litre	2,450 %	6435,7343 litre	O
210	CM	100	CM	11 LEVEL CM	142,0572 litre	2,153 %	6455,2874 litre	O
210	CM	100	CM	10 LEVEL CM	123,3244 litre	1,869 %	6474,0202 litre	O
210	CM	100	CM	9 LEVEL CM	105,4594 litre	1,599 %	6491,8852 litre	O
210	CM	100	CM	8 LEVEL CM	88,5170 litre	1,342 %	6508,8276 litre	O
210	CM	100	CM	7 LEVEL CM	72,5616 litre	1,100 %	6524,7830 litre	O
210	CM	100	CM	6 LEVEL CM	57,6703 litre	0,874 %	6539,6743 litre	O
210	CM	100	CM	5 LEVEL CM	43,9384 litre	0,666 %	6553,4062 litre	O
210	CM	100	CM	4 LEVEL CM	31,4876 litre	0,477 %	6565,8570 litre	O
210	CM	100	CM	3 LEVEL CM	20,4829 litre	0,310 %	6576,8617 litre	O
210	CM	100	CM	2 LEVEL CM	11,1663 litre	0,169 %	6586,1783 litre	O
210	CM	100	CM	1 LEVEL CM	3,9539 litre	0,060 %	6593,3907 litre	O
210	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	6597,3446 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
210	CM	95	CM	190 LEVEL CM	5954,1035 litre	100,000 %	0,0000 litre	O
210	CM	95	CM	189 LEVEL CM	5950,2500 litre	99,935 %	3,8535 litre	O
210	CM	95	CM	188 LEVEL CM	5943,2216 litre	99,817 %	10,8819 litre	O
210	CM	95	CM	187 LEVEL CM	5934,1440 litre	99,665 %	19,9595 litre	O
210	CM	95	CM	186 LEVEL CM	5923,4230 litre	99,485 %	30,6805 litre	O
210	CM	95	CM	185 LEVEL CM	5911,2949 litre	99,281 %	42,8086 litre	O
210	CM	95	CM	184 LEVEL CM	5897,9206 litre	99,056 %	56,1829 litre	O
210	CM	95	CM	183 LEVEL CM	5883,4192 litre	98,813 %	70,6843 litre	O
210	CM	95	CM	182 LEVEL CM	5867,8838 litre	98,552 %	86,2197 litre	O
210	CM	95	CM	181 LEVEL CM	5851,3897 litre	98,275 %	102,7138 litre	O
210	CM	95	CM	180 LEVEL CM	5833,9999 litre	97,983 %	120,1036 litre	O
210	CM	95	CM	179 LEVEL CM	5815,7681 litre	97,677 %	138,3354 litre	O
210	CM	95	CM	178 LEVEL CM	5796,7407 litre	97,357 %	157,3628 litre	O
210	CM	95	CM	177 LEVEL CM	5776,9587 litre	97,025 %	177,1448 litre	O
210	CM	95	CM	176 LEVEL CM	5756,4584 litre	96,681 %	197,6451 litre	O
210	CM	95	CM	175 LEVEL CM	5735,2725 litre	96,325 %	218,8310 litre	O
210	CM	95	CM	174 LEVEL CM	5713,4306 litre	95,958 %	240,6729 litre	O
210	CM	95	CM	173 LEVEL CM	5690,9597 litre	95,580 %	263,1438 litre	O
210	CM	95	CM	172 LEVEL CM	5667,8845 litre	95,193 %	286,2190 litre	O
210	CM	95	CM	171 LEVEL CM	5644,2280 litre	94,796 %	309,8755 litre	O
210	CM	95	CM	170 LEVEL CM	5620,0114 litre	94,389 %	334,0921 litre	O
210	CM	95	CM	169 LEVEL CM	5595,2544 litre	93,973 %	358,8491 litre	O
210	CM	95	CM	168 LEVEL CM	5569,9756 litre	93,549 %	384,1279 litre	O
210	CM	95	CM	167 LEVEL CM	5544,1924 litre	93,115 %	409,9111 litre	O
210	CM	95	CM	166 LEVEL CM	5517,9212 litre	92,674 %	436,1823 litre	O
210	CM	95	CM	165 LEVEL CM	5491,1775 litre	92,225 %	462,9260 litre	O
210	CM	95	CM	164 LEVEL CM	5463,9760 litre	91,768 %	490,1275 litre	O
210	CM	95	CM	163 LEVEL CM	5436,3307 litre	91,304 %	517,7728 litre	O
210	CM	95	CM	162 LEVEL CM	5408,2547 litre	90,832 %	545,8488 litre	O
210	CM	95	CM	161 LEVEL CM	5379,7609 litre	90,354 %	574,3426 litre	O
210	CM	95	CM	160 LEVEL CM	5350,8614 litre	89,868 %	603,2421 litre	O
210	CM	95	CM	159 LEVEL CM	5321,5678 litre	89,376 %	632,5357 litre	O
210	CM	95	CM	158 LEVEL CM	5291,8913 litre	88,878 %	662,2122 litre	O
210	CM	95	CM	157 LEVEL CM	5261,8427 litre	88,373 %	692,2608 litre	O
210	CM	95	CM	156 LEVEL CM	5231,4322 litre	87,863 %	722,6713 litre	O
210	CM	95	CM	155 LEVEL CM	5200,6700 litre	87,346 %	753,4335 litre	O
210	CM	95	CM	154 LEVEL CM	5169,5655 litre	86,824 %	784,5380 litre	O
210	CM	95	CM	153 LEVEL CM	5138,1283 litre	86,296 %	815,9752 litre	O
210	CM	95	CM	152 LEVEL CM	5106,3672 litre	85,762 %	847,7363 litre	O
210	CM	95	CM	151 LEVEL CM	5074,2911 litre	85,223 %	879,8124 litre	O
210	CM	95	CM	150 LEVEL CM	5041,9086 litre	84,680 %	912,1949 litre	O
210	CM	95	CM	149 LEVEL CM	5009,2277 litre	84,131 %	944,8758 litre	O
210	CM	95	CM	148 LEVEL CM	4976,2567 litre	83,577 %	977,8468 litre	O
210	CM	95	CM	147 LEVEL CM	4943,0034 litre	83,018 %	1011,1001 litre	O
210	CM	95	CM	146 LEVEL CM	4909,4753 litre	82,455 %	1044,6282 litre	O
210	CM	95	CM	145 LEVEL CM	4875,6799 litre	81,888 %	1078,4236 litre	O
210	CM	95	CM	144 LEVEL CM	4841,6246 litre	81,316 %	1112,4789 litre	O
210	CM	95	CM	143 LEVEL CM	4807,3164 litre	80,740 %	1146,7871 litre	O
210	CM	95	CM	142 LEVEL CM	4772,7623 litre	80,159 %	1181,3412 litre	O
210	CM	95	CM	141 LEVEL CM	4737,9690 litre	79,575 %	1216,1345 litre	O
210	CM	95	CM	140 LEVEL CM	4702,9433 litre	78,987 %	1251,1602 litre	O
210	CM	95	CM	139 LEVEL CM	4667,6917 litre	78,395 %	1286,4118 litre	O

210	CM 95	CM	138 LEVEL CM	4632,2206 litre	77,799 %	1321,8829 litre	O
210	CM 95	CM	137 LEVEL CM	4596,5363 litre	77,199 %	1357,5672 litre	O
210	CM 95	CM	136 LEVEL CM	4560,6450 litre	76,597 %	1393,4585 litre	O
210	CM 95	CM	135 LEVEL CM	4524,5528 litre	75,990 %	1429,5507 litre	O
210	CM 95	CM	134 LEVEL CM	4488,2655 litre	75,381 %	1465,8380 litre	O
210	CM 95	CM	133 LEVEL CM	4451,7892 litre	74,768 %	1502,3143 litre	O
210	CM 95	CM	132 LEVEL CM	4415,1295 litre	74,153 %	1538,9740 litre	O
210	CM 95	CM	131 LEVEL CM	4378,2923 litre	73,534 %	1575,8112 litre	O
210	CM 95	CM	130 LEVEL CM	4341,2830 litre	72,912 %	1612,8205 litre	O
210	CM 95	CM	129 LEVEL CM	4304,1073 litre	72,288 %	1649,9962 litre	O
210	CM 95	CM	128 LEVEL CM	4266,7706 litre	71,661 %	1687,3329 litre	O
210	CM 95	CM	127 LEVEL CM	4229,2783 litre	71,031 %	1724,8252 litre	O
210	CM 95	CM	126 LEVEL CM	4191,6358 litre	70,399 %	1762,4677 litre	O
210	CM 95	CM	125 LEVEL CM	4153,8483 litre	69,764 %	1800,2552 litre	O
210	CM 95	CM	124 LEVEL CM	4115,9209 litre	69,127 %	1838,1826 litre	O
210	CM 95	CM	123 LEVEL CM	4077,8590 litre	68,488 %	1876,2445 litre	O
210	CM 95	CM	122 LEVEL CM	4039,6675 litre	67,847 %	1914,4360 litre	O
210	CM 95	CM	121 LEVEL CM	4001,3515 litre	67,203 %	1952,7520 litre	O
210	CM 95	CM	120 LEVEL CM	3962,9159 litre	66,558 %	1991,1876 litre	O
210	CM 95	CM	119 LEVEL CM	3924,3658 litre	65,910 %	2029,7377 litre	O
210	CM 95	CM	118 LEVEL CM	3885,7061 litre	65,261 %	2068,3974 litre	O
210	CM 95	CM	117 LEVEL CM	3846,9415 litre	64,610 %	2107,1620 litre	O
210	CM 95	CM	116 LEVEL CM	3808,0769 litre	63,957 %	2146,0266 litre	O
210	CM 95	CM	115 LEVEL CM	3769,1172 litre	63,303 %	2184,9863 litre	O
210	CM 95	CM	114 LEVEL CM	3730,0670 litre	62,647 %	2224,0365 litre	O
210	CM 95	CM	113 LEVEL CM	3690,9310 litre	61,990 %	2263,1725 litre	O
210	CM 95	CM	112 LEVEL CM	3651,7140 litre	61,331 %	2302,3895 litre	O
210	CM 95	CM	111 LEVEL CM	3612,4207 litre	60,671 %	2341,6828 litre	O
210	CM 95	CM	110 LEVEL CM	3573,0555 litre	60,010 %	2381,0480 litre	O
210	CM 95	CM	109 LEVEL CM	3533,6232 litre	59,348 %	2420,4803 litre	O
210	CM 95	CM	108 LEVEL CM	3494,1283 litre	58,684 %	2459,9752 litre	O
210	CM 95	CM	107 LEVEL CM	3454,5754 litre	58,020 %	2499,5281 litre	O
210	CM 95	CM	106 LEVEL CM	3414,9690 litre	57,355 %	2539,1345 litre	O
210	CM 95	CM	105 LEVEL CM	3375,3137 litre	56,689 %	2578,7898 litre	O
210	CM 95	CM	104 LEVEL CM	3335,6139 litre	56,022 %	2618,4896 litre	O
210	CM 95	CM	103 LEVEL CM	3295,8741 litre	55,355 %	2658,2294 litre	O
210	CM 95	CM	102 LEVEL CM	3256,0988 litre	54,687 %	2698,0047 litre	O
210	CM 95	CM	101 LEVEL CM	3216,2925 litre	54,018 %	2737,8110 litre	O
210	CM 95	CM	100 LEVEL CM	3176,4596 litre	53,349 %	2777,6439 litre	O
210	CM 95	CM	99 LEVEL CM	3136,6046 litre	52,680 %	2817,4989 litre	O
210	CM 95	CM	98 LEVEL CM	3096,7318 litre	52,010 %	2857,3717 litre	O
210	CM 95	CM	97 LEVEL CM	3056,8458 litre	51,340 %	2897,2577 litre	O
210	CM 95	CM	96 LEVEL CM	3016,9510 litre	50,670 %	2937,1525 litre	O
210	CM 95	CM	95 LEVEL CM	2977,0517 litre	50,000 %	2977,0518 litre	O
210	CM 95	CM	94 LEVEL CM	2937,1525 litre	49,330 %	3016,9510 litre	O
210	CM 95	CM	93 LEVEL CM	2897,2576 litre	48,660 %	3056,8459 litre	O
210	CM 95	CM	92 LEVEL CM	2857,3716 litre	47,990 %	3096,7319 litre	O
210	CM 95	CM	91 LEVEL CM	2817,4989 litre	47,320 %	3136,6046 litre	O
210	CM 95	CM	90 LEVEL CM	2777,6439 litre	46,651 %	3176,4596 litre	O
210	CM 95	CM	89 LEVEL CM	2737,8110 litre	45,982 %	3216,2925 litre	O
210	CM 95	CM	88 LEVEL CM	2698,0047 litre	45,313 %	3256,0988 litre	O
210	CM 95	CM	87 LEVEL CM	2658,2294 litre	44,645 %	3295,8741 litre	O
210	CM 95	CM	86 LEVEL CM	2618,4896 litre	43,978 %	3335,6139 litre	O

210	CM	95	CM	85 LEVEL CM	2578,7898 litre	43,311 %	3375,3137 litre	O
210	CM	95	CM	84 LEVEL CM	2539,1345 litre	42,645 %	3414,9690 litre	O
210	CM	95	CM	83 LEVEL CM	2499,5281 litre	41,980 %	3454,5754 litre	O
210	CM	95	CM	82 LEVEL CM	2459,9752 litre	41,316 %	3494,1283 litre	O
210	CM	95	CM	81 LEVEL CM	2420,4803 litre	40,652 %	3533,6232 litre	O
210	CM	95	CM	80 LEVEL CM	2381,0480 litre	39,990 %	3573,0555 litre	O
210	CM	95	CM	79 LEVEL CM	2341,6828 litre	39,329 %	3612,4207 litre	O
210	CM	95	CM	78 LEVEL CM	2302,3894 litre	38,669 %	3651,7141 litre	O
210	CM	95	CM	77 LEVEL CM	2263,1724 litre	38,010 %	3690,9311 litre	O
210	CM	95	CM	76 LEVEL CM	2224,0365 litre	37,353 %	3730,0670 litre	O
210	CM	95	CM	75 LEVEL CM	2184,9863 litre	36,697 %	3769,1172 litre	O
210	CM	95	CM	74 LEVEL CM	2146,0265 litre	36,043 %	3808,0770 litre	O
210	CM	95	CM	73 LEVEL CM	2107,1620 litre	35,390 %	3846,9415 litre	O
210	CM	95	CM	72 LEVEL CM	2068,3974 litre	34,739 %	3885,7061 litre	O
210	CM	95	CM	71 LEVEL CM	2029,7377 litre	34,090 %	3924,3658 litre	O
210	CM	95	CM	70 LEVEL CM	1991,1876 litre	33,442 %	3962,9159 litre	O
210	CM	95	CM	69 LEVEL CM	1952,7520 litre	32,797 %	4001,3515 litre	O
210	CM	95	CM	68 LEVEL CM	1914,4360 litre	32,153 %	4039,6675 litre	O
210	CM	95	CM	67 LEVEL CM	1876,2445 litre	31,512 %	4077,8590 litre	O
210	CM	95	CM	66 LEVEL CM	1838,1825 litre	30,873 %	4115,9210 litre	O
210	CM	95	CM	65 LEVEL CM	1800,2552 litre	30,236 %	4153,8483 litre	O
210	CM	95	CM	64 LEVEL CM	1762,4677 litre	29,601 %	4191,6358 litre	O
210	CM	95	CM	63 LEVEL CM	1724,8251 litre	28,969 %	4229,2784 litre	O
210	CM	95	CM	62 LEVEL CM	1687,3329 litre	28,339 %	4266,7706 litre	O
210	CM	95	CM	61 LEVEL CM	1649,9962 litre	27,712 %	4304,1073 litre	O
210	CM	95	CM	60 LEVEL CM	1612,8205 litre	27,088 %	4341,2830 litre	O
210	CM	95	CM	59 LEVEL CM	1575,8112 litre	26,466 %	4378,2923 litre	O
210	CM	95	CM	58 LEVEL CM	1538,9740 litre	25,847 %	4415,1295 litre	O
210	CM	95	CM	57 LEVEL CM	1502,3143 litre	25,232 %	4451,7892 litre	O
210	CM	95	CM	56 LEVEL CM	1465,8380 litre	24,619 %	4488,2655 litre	O
210	CM	95	CM	55 LEVEL CM	1429,5507 litre	24,010 %	4524,5528 litre	O
210	CM	95	CM	54 LEVEL CM	1393,4585 litre	23,403 %	4560,6450 litre	O
210	CM	95	CM	53 LEVEL CM	1357,5671 litre	22,801 %	4596,5364 litre	O
210	CM	95	CM	52 LEVEL CM	1321,8828 litre	22,201 %	4632,2207 litre	O
210	CM	95	CM	51 LEVEL CM	1286,4117 litre	21,605 %	4667,6918 litre	O
210	CM	95	CM	50 LEVEL CM	1251,1601 litre	21,013 %	4702,9434 litre	O
210	CM	95	CM	49 LEVEL CM	1216,1345 litre	20,425 %	4737,9690 litre	O
210	CM	95	CM	48 LEVEL CM	1181,3412 litre	19,841 %	4772,7623 litre	O
210	CM	95	CM	47 LEVEL CM	1146,7871 litre	19,260 %	4807,3164 litre	O
210	CM	95	CM	46 LEVEL CM	1112,4789 litre	18,684 %	4841,6246 litre	O
210	CM	95	CM	45 LEVEL CM	1078,4235 litre	18,112 %	4875,6800 litre	O
210	CM	95	CM	44 LEVEL CM	1044,6282 litre	17,545 %	4909,4753 litre	O
210	CM	95	CM	43 LEVEL CM	1011,1001 litre	16,982 %	4943,0034 litre	O
210	CM	95	CM	42 LEVEL CM	977,8467 litre	16,423 %	4976,2568 litre	O
210	CM	95	CM	41 LEVEL CM	944,8757 litre	15,869 %	5009,2278 litre	O
210	CM	95	CM	40 LEVEL CM	912,1949 litre	15,320 %	5041,9086 litre	O
210	CM	95	CM	39 LEVEL CM	879,8123 litre	14,777 %	5074,2912 litre	O
210	CM	95	CM	38 LEVEL CM	847,7363 litre	14,238 %	5106,3672 litre	O
210	CM	95	CM	37 LEVEL CM	815,9752 litre	13,704 %	5138,1283 litre	O
210	CM	95	CM	36 LEVEL CM	784,5380 litre	13,176 %	5169,5655 litre	O
210	CM	95	CM	35 LEVEL CM	753,4335 litre	12,654 %	5200,6700 litre	O
210	CM	95	CM	34 LEVEL CM	722,6712 litre	12,137 %	5231,4323 litre	O
210	CM	95	CM	33 LEVEL CM	692,2608 litre	11,627 %	5261,8427 litre	O

210	CM	95	CM	32 LEVEL CM	662,2121 litre	11,122 %	5291,8914 litre	O
210	CM	95	CM	31 LEVEL CM	632,5356 litre	10,624 %	5321,5679 litre	O
210	CM	95	CM	30 LEVEL CM	603,2420 litre	10,132 %	5350,8615 litre	O
210	CM	95	CM	29 LEVEL CM	574,3425 litre	9,646 %	5379,7610 litre	O
210	CM	95	CM	28 LEVEL CM	545,8487 litre	9,168 %	5408,2548 litre	O
210	CM	95	CM	27 LEVEL CM	517,7728 litre	8,696 %	5436,3307 litre	O
210	CM	95	CM	26 LEVEL CM	490,1274 litre	8,232 %	5463,9761 litre	O
210	CM	95	CM	25 LEVEL CM	462,9259 litre	7,775 %	5491,1776 litre	O
210	CM	95	CM	24 LEVEL CM	436,1822 litre	7,326 %	5517,9213 litre	O
210	CM	95	CM	23 LEVEL CM	409,9111 litre	6,885 %	5544,1924 litre	O
210	CM	95	CM	22 LEVEL CM	384,1279 litre	6,451 %	5569,9756 litre	O
210	CM	95	CM	21 LEVEL CM	358,8491 litre	6,027 %	5595,2544 litre	O
210	CM	95	CM	20 LEVEL CM	334,0921 litre	5,611 %	5620,0114 litre	O
210	CM	95	CM	19 LEVEL CM	309,8755 litre	5,204 %	5644,2280 litre	O
210	CM	95	CM	18 LEVEL CM	286,2189 litre	4,807 %	5667,8846 litre	O
210	CM	95	CM	17 LEVEL CM	263,1438 litre	4,420 %	5690,9597 litre	O
210	CM	95	CM	16 LEVEL CM	240,6728 litre	4,042 %	5713,4307 litre	O
210	CM	95	CM	15 LEVEL CM	218,8309 litre	3,675 %	5735,2726 litre	O
210	CM	95	CM	14 LEVEL CM	197,6451 litre	3,319 %	5756,4584 litre	O
210	CM	95	CM	13 LEVEL CM	177,1448 litre	2,975 %	5776,9587 litre	O
210	CM	95	CM	12 LEVEL CM	157,3628 litre	2,643 %	5796,7407 litre	O
210	CM	95	CM	11 LEVEL CM	138,3354 litre	2,323 %	5815,7681 litre	O
210	CM	95	CM	10 LEVEL CM	120,1036 litre	2,017 %	5833,9999 litre	O
210	CM	95	CM	9 LEVEL CM	102,7138 litre	1,725 %	5851,3897 litre	O
210	CM	95	CM	8 LEVEL CM	86,2197 litre	1,448 %	5867,8838 litre	O
210	CM	95	CM	7 LEVEL CM	70,6843 litre	1,187 %	5883,4192 litre	O
210	CM	95	CM	6 LEVEL CM	56,1829 litre	0,944 %	5897,9206 litre	O
210	CM	95	CM	5 LEVEL CM	42,8086 litre	0,719 %	5911,2949 litre	O
210	CM	95	CM	4 LEVEL CM	30,6805 litre	0,515 %	5923,4230 litre	O
210	CM	95	CM	3 LEVEL CM	19,9595 litre	0,335 %	5934,1440 litre	O
210	CM	95	CM	2 LEVEL CM	10,8819 litre	0,183 %	5943,2216 litre	O
210	CM	95	CM	1 LEVEL CM	3,8534 litre	0,065 %	5950,2501 litre	O
210	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	5954,1035 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
210	CM	90	CM	180 LEVEL CM	5343,8491 litre	100,000 %	0,0000 litre	O
210	CM	90	CM	179 LEVEL CM	5340,0988 litre	99,930 %	3,7503 litre	O
210	CM	90	CM	178 LEVEL CM	5333,2593 litre	99,802 %	10,5898 litre	O
210	CM	90	CM	177 LEVEL CM	5324,4272 litre	99,637 %	19,4219 litre	O
210	CM	90	CM	176 LEVEL CM	5313,9975 litre	99,441 %	29,8516 litre	O
210	CM	90	CM	175 LEVEL CM	5302,2009 litre	99,221 %	41,6482 litre	O
210	CM	90	CM	174 LEVEL CM	5289,1941 litre	98,977 %	54,6550 litre	O
210	CM	90	CM	173 LEVEL CM	5275,0934 litre	98,713 %	68,7557 litre	O
210	CM	90	CM	172 LEVEL CM	5259,9896 litre	98,431 %	83,8595 litre	O
210	CM	90	CM	171 LEVEL CM	5243,9563 litre	98,131 %	99,8928 litre	O
210	CM	90	CM	170 LEVEL CM	5227,0551 litre	97,814 %	116,7940 litre	O
210	CM	90	CM	169 LEVEL CM	5209,3385 litre	97,483 %	134,5106 litre	O
210	CM	90	CM	168 LEVEL CM	5190,8518 litre	97,137 %	152,9973 litre	O
210	CM	90	CM	167 LEVEL CM	5171,6351 litre	96,777 %	172,2140 litre	O
210	CM	90	CM	166 LEVEL CM	5151,7240 litre	96,405 %	192,1251 litre	O
210	CM	90	CM	165 LEVEL CM	5131,1506 litre	96,020 %	212,6985 litre	O
210	CM	90	CM	164 LEVEL CM	5109,9438 litre	95,623 %	233,9053 litre	O
210	CM	90	CM	163 LEVEL CM	5088,1300 litre	95,215 %	255,7191 litre	O
210	CM	90	CM	162 LEVEL CM	5065,7337 litre	94,796 %	278,1154 litre	O
210	CM	90	CM	161 LEVEL CM	5042,7773 litre	94,366 %	301,0718 litre	O
210	CM	90	CM	160 LEVEL CM	5019,2815 litre	93,926 %	324,5676 litre	O
210	CM	90	CM	159 LEVEL CM	4995,2659 litre	93,477 %	348,5832 litre	O
210	CM	90	CM	158 LEVEL CM	4970,7488 litre	93,018 %	373,1003 litre	O
210	CM	90	CM	157 LEVEL CM	4945,7471 litre	92,550 %	398,1020 litre	O
210	CM	90	CM	156 LEVEL CM	4920,2771 litre	92,074 %	423,5720 litre	O
210	CM	90	CM	155 LEVEL CM	4894,3539 litre	91,589 %	449,4952 litre	O
210	CM	90	CM	154 LEVEL CM	4867,9922 litre	91,095 %	475,8569 litre	O
210	CM	90	CM	153 LEVEL CM	4841,2056 litre	90,594 %	502,6435 litre	O
210	CM	90	CM	152 LEVEL CM	4814,0072 litre	90,085 %	529,8419 litre	O
210	CM	90	CM	151 LEVEL CM	4786,4097 litre	89,569 %	557,4394 litre	O
210	CM	90	CM	150 LEVEL CM	4758,4250 litre	89,045 %	585,4241 litre	O
210	CM	90	CM	149 LEVEL CM	4730,0646 litre	88,514 %	613,7845 litre	O
210	CM	90	CM	148 LEVEL CM	4701,3395 litre	87,977 %	642,5096 litre	O
210	CM	90	CM	147 LEVEL CM	4672,2604 litre	87,432 %	671,5887 litre	O
210	CM	90	CM	146 LEVEL CM	4642,8376 litre	86,882 %	701,0115 litre	O
210	CM	90	CM	145 LEVEL CM	4613,0809 litre	86,325 %	730,7682 litre	O
210	CM	90	CM	144 LEVEL CM	4582,9999 litre	85,762 %	760,8492 litre	O
210	CM	90	CM	143 LEVEL CM	4552,6039 litre	85,193 %	791,2452 litre	O
210	CM	90	CM	142 LEVEL CM	4521,9019 litre	84,619 %	821,9472 litre	O
210	CM	90	CM	141 LEVEL CM	4490,9025 litre	84,039 %	852,9466 litre	O
210	CM	90	CM	140 LEVEL CM	4459,6143 litre	83,453 %	884,2348 litre	O
210	CM	90	CM	139 LEVEL CM	4428,0454 litre	82,862 %	915,8037 litre	O
210	CM	90	CM	138 LEVEL CM	4396,2039 litre	82,267 %	947,6452 litre	O
210	CM	90	CM	137 LEVEL CM	4364,0975 litre	81,666 %	979,7516 litre	O
210	CM	90	CM	136 LEVEL CM	4331,7340 litre	81,060 %	1012,1151 litre	O
210	CM	90	CM	135 LEVEL CM	4299,1207 litre	80,450 %	1044,7284 litre	O
210	CM	90	CM	134 LEVEL CM	4266,2649 litre	79,835 %	1077,5842 litre	O
210	CM	90	CM	133 LEVEL CM	4233,1737 litre	79,216 %	1110,6754 litre	O
210	CM	90	CM	132 LEVEL CM	4199,8540 litre	78,592 %	1143,9951 litre	O
210	CM	90	CM	131 LEVEL CM	4166,3127 litre	77,965 %	1177,5364 litre	O
210	CM	90	CM	130 LEVEL CM	4132,5565 litre	77,333 %	1211,2926 litre	O
210	CM	90	CM	129 LEVEL CM	4098,5919 litre	76,697 %	1245,2572 litre	O

210	CM	90	CM	128 LEVEL CM	4064,4254 litre	76,058 %	1279,4237 litre	O
210	CM	90	CM	127 LEVEL CM	4030,0632 litre	75,415 %	1313,7859 litre	O
210	CM	90	CM	126 LEVEL CM	3995,5116 litre	74,768 %	1348,3375 litre	O
210	CM	90	CM	125 LEVEL CM	3960,7767 litre	74,118 %	1383,0724 litre	O
210	CM	90	CM	124 LEVEL CM	3925,8645 litre	73,465 %	1417,9846 litre	O
210	CM	90	CM	123 LEVEL CM	3890,7809 litre	72,809 %	1453,0682 litre	O
210	CM	90	CM	122 LEVEL CM	3855,5318 litre	72,149 %	1488,3173 litre	O
210	CM	90	CM	121 LEVEL CM	3820,1229 litre	71,486 %	1523,7262 litre	O
210	CM	90	CM	120 LEVEL CM	3784,5599 litre	70,821 %	1559,2892 litre	O
210	CM	90	CM	119 LEVEL CM	3748,8484 litre	70,153 %	1595,0007 litre	O
210	CM	90	CM	118 LEVEL CM	3712,9939 litre	69,482 %	1630,8552 litre	O
210	CM	90	CM	117 LEVEL CM	3677,0019 litre	68,808 %	1666,8472 litre	O
210	CM	90	CM	116 LEVEL CM	3640,8779 litre	68,132 %	1702,9712 litre	O
210	CM	90	CM	115 LEVEL CM	3604,6271 litre	67,454 %	1739,2220 litre	O
210	CM	90	CM	114 LEVEL CM	3568,2548 litre	66,773 %	1775,5943 litre	O
210	CM	90	CM	113 LEVEL CM	3531,7664 litre	66,090 %	1812,0827 litre	O
210	CM	90	CM	112 LEVEL CM	3495,1669 litre	65,405 %	1848,6822 litre	O
210	CM	90	CM	111 LEVEL CM	3458,4616 litre	64,719 %	1885,3875 litre	O
210	CM	90	CM	110 LEVEL CM	3421,6554 litre	64,030 %	1922,1937 litre	O
210	CM	90	CM	109 LEVEL CM	3384,7535 litre	63,339 %	1959,0956 litre	O
210	CM	90	CM	108 LEVEL CM	3347,7609 litre	62,647 %	1996,0882 litre	O
210	CM	90	CM	107 LEVEL CM	3310,6826 litre	61,953 %	2033,1665 litre	O
210	CM	90	CM	106 LEVEL CM	3273,5235 litre	61,258 %	2070,3256 litre	O
210	CM	90	CM	105 LEVEL CM	3236,2885 litre	60,561 %	2107,5606 litre	O
210	CM	90	CM	104 LEVEL CM	3198,9825 litre	59,863 %	2144,8666 litre	O
210	CM	90	CM	103 LEVEL CM	3161,6104 litre	59,164 %	2182,2387 litre	O
210	CM	90	CM	102 LEVEL CM	3124,1769 litre	58,463 %	2219,6722 litre	O
210	CM	90	CM	101 LEVEL CM	3086,6870 litre	57,761 %	2257,1621 litre	O
210	CM	90	CM	100 LEVEL CM	3049,1453 litre	57,059 %	2294,7038 litre	O
210	CM	90	CM	99 LEVEL CM	3011,5567 litre	56,356 %	2332,2924 litre	O
210	CM	90	CM	98 LEVEL CM	2973,9259 litre	55,651 %	2369,9232 litre	O
210	CM	90	CM	97 LEVEL CM	2936,2575 litre	54,946 %	2407,5916 litre	O
210	CM	90	CM	96 LEVEL CM	2898,5564 litre	54,241 %	2445,2927 litre	O
210	CM	90	CM	95 LEVEL CM	2860,8273 litre	53,535 %	2483,0218 litre	O
210	CM	90	CM	94 LEVEL CM	2823,0748 litre	52,828 %	2520,7743 litre	O
210	CM	90	CM	93 LEVEL CM	2785,3035 litre	52,122 %	2558,5456 litre	O
210	CM	90	CM	92 LEVEL CM	2747,5183 litre	51,415 %	2596,3308 litre	O
210	CM	90	CM	91 LEVEL CM	2709,7238 litre	50,707 %	2634,1253 litre	O
210	CM	90	CM	90 LEVEL CM	2671,9246 litre	50,000 %	2671,9245 litre	O
210	CM	90	CM	89 LEVEL CM	2634,1253 litre	49,293 %	2709,7238 litre	O
210	CM	90	CM	88 LEVEL CM	2596,3308 litre	48,585 %	2747,5183 litre	O
210	CM	90	CM	87 LEVEL CM	2558,5456 litre	47,878 %	2785,3035 litre	O
210	CM	90	CM	86 LEVEL CM	2520,7743 litre	47,172 %	2823,0748 litre	O
210	CM	90	CM	85 LEVEL CM	2483,0218 litre	46,465 %	2860,8273 litre	O
210	CM	90	CM	84 LEVEL CM	2445,2927 litre	45,759 %	2898,5564 litre	O
210	CM	90	CM	83 LEVEL CM	2407,5916 litre	45,054 %	2936,2575 litre	O
210	CM	90	CM	82 LEVEL CM	2369,9232 litre	44,349 %	2973,9259 litre	O
210	CM	90	CM	81 LEVEL CM	2332,2924 litre	43,644 %	3011,5567 litre	O
210	CM	90	CM	80 LEVEL CM	2294,7038 litre	42,941 %	3049,1453 litre	O
210	CM	90	CM	79 LEVEL CM	2257,1621 litre	42,239 %	3086,6870 litre	O
210	CM	90	CM	78 LEVEL CM	2219,6722 litre	41,537 %	3124,1769 litre	O
210	CM	90	CM	77 LEVEL CM	2182,2387 litre	40,836 %	3161,6104 litre	O
210	CM	90	CM	76 LEVEL CM	2144,8666 litre	40,137 %	3198,9825 litre	O

210	CM	90	CM	75 LEVEL CM	2107,5606 litre	39,439 %	3236,2885 litre	O
210	CM	90	CM	74 LEVEL CM	2070,3256 litre	38,742 %	3273,5235 litre	O
210	CM	90	CM	73 LEVEL CM	2033,1665 litre	38,047 %	3310,6826 litre	O
210	CM	90	CM	72 LEVEL CM	1996,0882 litre	37,353 %	3347,7609 litre	O
210	CM	90	CM	71 LEVEL CM	1959,0956 litre	36,661 %	3384,7535 litre	O
210	CM	90	CM	70 LEVEL CM	1922,1937 litre	35,970 %	3421,6554 litre	O
210	CM	90	CM	69 LEVEL CM	1885,3876 litre	35,281 %	3458,4615 litre	O
210	CM	90	CM	68 LEVEL CM	1848,6822 litre	34,595 %	3495,1669 litre	O
210	CM	90	CM	67 LEVEL CM	1812,0827 litre	33,910 %	3531,7664 litre	O
210	CM	90	CM	66 LEVEL CM	1775,5943 litre	33,227 %	3568,2548 litre	O
210	CM	90	CM	65 LEVEL CM	1739,2220 litre	32,546 %	3604,6271 litre	O
210	CM	90	CM	64 LEVEL CM	1702,9712 litre	31,868 %	3640,8779 litre	O
210	CM	90	CM	63 LEVEL CM	1666,8472 litre	31,192 %	3677,0019 litre	O
210	CM	90	CM	62 LEVEL CM	1630,8552 litre	30,518 %	3712,9939 litre	O
210	CM	90	CM	61 LEVEL CM	1595,0007 litre	29,847 %	3748,8484 litre	O
210	CM	90	CM	60 LEVEL CM	1559,2892 litre	29,179 %	3784,5599 litre	O
210	CM	90	CM	59 LEVEL CM	1523,7262 litre	28,514 %	3820,1229 litre	O
210	CM	90	CM	58 LEVEL CM	1488,3173 litre	27,851 %	3855,5318 litre	O
210	CM	90	CM	57 LEVEL CM	1453,0682 litre	27,191 %	3890,7809 litre	O
210	CM	90	CM	56 LEVEL CM	1417,9846 litre	26,535 %	3925,8645 litre	O
210	CM	90	CM	55 LEVEL CM	1383,0724 litre	25,882 %	3960,7767 litre	O
210	CM	90	CM	54 LEVEL CM	1348,3375 litre	25,232 %	3995,5116 litre	O
210	CM	90	CM	53 LEVEL CM	1313,7859 litre	24,585 %	4030,0632 litre	O
210	CM	90	CM	52 LEVEL CM	1279,4237 litre	23,942 %	4064,4254 litre	O
210	CM	90	CM	51 LEVEL CM	1245,2572 litre	23,303 %	4098,5919 litre	O
210	CM	90	CM	50 LEVEL CM	1211,2926 litre	22,667 %	4132,5565 litre	O
210	CM	90	CM	49 LEVEL CM	1177,5364 litre	22,035 %	4166,3127 litre	O
210	CM	90	CM	48 LEVEL CM	1143,9951 litre	21,408 %	4199,8540 litre	O
210	CM	90	CM	47 LEVEL CM	1110,6754 litre	20,784 %	4233,1737 litre	O
210	CM	90	CM	46 LEVEL CM	1077,5842 litre	20,165 %	4266,2649 litre	O
210	CM	90	CM	45 LEVEL CM	1044,7284 litre	19,550 %	4299,1207 litre	O
210	CM	90	CM	44 LEVEL CM	1012,1151 litre	18,940 %	4331,7340 litre	O
210	CM	90	CM	43 LEVEL CM	979,7516 litre	18,334 %	4364,0975 litre	O
210	CM	90	CM	42 LEVEL CM	947,6452 litre	17,733 %	4396,2039 litre	O
210	CM	90	CM	41 LEVEL CM	915,8037 litre	17,138 %	4428,0454 litre	O
210	CM	90	CM	40 LEVEL CM	884,2348 litre	16,547 %	4459,6143 litre	O
210	CM	90	CM	39 LEVEL CM	852,9466 litre	15,961 %	4490,9025 litre	O
210	CM	90	CM	38 LEVEL CM	821,9472 litre	15,381 %	4521,9019 litre	O
210	CM	90	CM	37 LEVEL CM	791,2452 litre	14,807 %	4552,6039 litre	O
210	CM	90	CM	36 LEVEL CM	760,8492 litre	14,238 %	4582,9999 litre	O
210	CM	90	CM	35 LEVEL CM	730,7682 litre	13,675 %	4613,0809 litre	O
210	CM	90	CM	34 LEVEL CM	701,0115 litre	13,118 %	4642,8376 litre	O
210	CM	90	CM	33 LEVEL CM	671,5887 litre	12,568 %	4672,2604 litre	O
210	CM	90	CM	32 LEVEL CM	642,5096 litre	12,023 %	4701,3395 litre	O
210	CM	90	CM	31 LEVEL CM	613,7845 litre	11,486 %	4730,0646 litre	O
210	CM	90	CM	30 LEVEL CM	585,4241 litre	10,955 %	4758,4250 litre	O
210	CM	90	CM	29 LEVEL CM	557,4394 litre	10,431 %	4786,4097 litre	O
210	CM	90	CM	28 LEVEL CM	529,8419 litre	9,915 %	4814,0072 litre	O
210	CM	90	CM	27 LEVEL CM	502,6435 litre	9,406 %	4841,2056 litre	O
210	CM	90	CM	26 LEVEL CM	475,8569 litre	8,905 %	4867,9922 litre	O
210	CM	90	CM	25 LEVEL CM	449,4952 litre	8,411 %	4894,3539 litre	O
210	CM	90	CM	24 LEVEL CM	423,5721 litre	7,926 %	4920,2770 litre	O
210	CM	90	CM	23 LEVEL CM	398,1020 litre	7,450 %	4945,7471 litre	O

210	CM	90	CM	22 LEVEL CM	373,1003 litre	6,982 %	4970,7488 litre	O
210	CM	90	CM	21 LEVEL CM	348,5832 litre	6,523 %	4995,2659 litre	O
210	CM	90	CM	20 LEVEL CM	324,5676 litre	6,074 %	5019,2815 litre	O
210	CM	90	CM	19 LEVEL CM	301,0719 litre	5,634 %	5042,7772 litre	O
210	CM	90	CM	18 LEVEL CM	278,1154 litre	5,204 %	5065,7337 litre	O
210	CM	90	CM	17 LEVEL CM	255,7191 litre	4,785 %	5088,1300 litre	O
210	CM	90	CM	16 LEVEL CM	233,9053 litre	4,377 %	5109,9438 litre	O
210	CM	90	CM	15 LEVEL CM	212,6985 litre	3,980 %	5131,1506 litre	O
210	CM	90	CM	14 LEVEL CM	192,1251 litre	3,595 %	5151,7240 litre	O
210	CM	90	CM	13 LEVEL CM	172,2140 litre	3,223 %	5171,6351 litre	O
210	CM	90	CM	12 LEVEL CM	152,9973 litre	2,863 %	5190,8518 litre	O
210	CM	90	CM	11 LEVEL CM	134,5106 litre	2,517 %	5209,3385 litre	O
210	CM	90	CM	10 LEVEL CM	116,7940 litre	2,186 %	5227,0551 litre	O
210	CM	90	CM	9 LEVEL CM	99,8928 litre	1,869 %	5243,9563 litre	O
210	CM	90	CM	8 LEVEL CM	83,8595 litre	1,569 %	5259,9896 litre	O
210	CM	90	CM	7 LEVEL CM	68,7557 litre	1,287 %	5275,0934 litre	O
210	CM	90	CM	6 LEVEL CM	54,6550 litre	1,023 %	5289,1941 litre	O
210	CM	90	CM	5 LEVEL CM	41,6482 litre	0,779 %	5302,2009 litre	O
210	CM	90	CM	4 LEVEL CM	29,8516 litre	0,559 %	5313,9975 litre	O
210	CM	90	CM	3 LEVEL CM	19,4219 litre	0,363 %	5324,4272 litre	O
210	CM	90	CM	2 LEVEL CM	10,5898 litre	0,198 %	5333,2593 litre	O
210	CM	90	CM	1 LEVEL CM	3,7503 litre	0,070 %	5340,0988 litre	O
210	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	5343,8491 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
210	CM 85	CM 170 LEVEL CM	4766,5815 litre	100,000 %	0,0000 litre	O
210	CM 85	CM 169 LEVEL CM	4762,9371 litre	99,924 %	3,6444 litre	O
210	CM 85	CM 168 LEVEL CM	4756,2921 litre	99,784 %	10,2894 litre	O
210	CM 85	CM 167 LEVEL CM	4747,7123 litre	99,604 %	18,8692 litre	O
210	CM 85	CM 166 LEVEL CM	4737,5825 litre	99,392 %	28,9990 litre	O
210	CM 85	CM 165 LEVEL CM	4726,1269 litre	99,151 %	40,4546 litre	O
210	CM 85	CM 164 LEVEL CM	4713,4983 litre	98,886 %	53,0832 litre	O
210	CM 85	CM 163 LEVEL CM	4699,8100 litre	98,599 %	66,7715 litre	O
210	CM 85	CM 162 LEVEL CM	4685,1505 litre	98,292 %	81,4310 litre	O
210	CM 85	CM 161 LEVEL CM	4669,5918 litre	97,965 %	96,9897 litre	O
210	CM 85	CM 160 LEVEL CM	4653,1937 litre	97,621 %	113,3878 litre	O
210	CM 85	CM 159 LEVEL CM	4636,0076 litre	97,261 %	130,5739 litre	O
210	CM 85	CM 158 LEVEL CM	4618,0779 litre	96,884 %	148,5036 litre	O
210	CM 85	CM 157 LEVEL CM	4599,4437 litre	96,494 %	167,1378 litre	O
210	CM 85	CM 156 LEVEL CM	4580,1398 litre	96,089 %	186,4417 litre	O
210	CM 85	CM 155 LEVEL CM	4560,1976 litre	95,670 %	206,3839 litre	O
210	CM 85	CM 154 LEVEL CM	4539,6455 litre	95,239 %	226,9360 litre	O
210	CM 85	CM 153 LEVEL CM	4518,5094 litre	94,796 %	248,0721 litre	O
210	CM 85	CM 152 LEVEL CM	4496,8131 litre	94,340 %	269,7684 litre	O
210	CM 85	CM 151 LEVEL CM	4474,5788 litre	93,874 %	292,0027 litre	O
210	CM 85	CM 150 LEVEL CM	4451,8268 litre	93,397 %	314,7547 litre	O
210	CM 85	CM 149 LEVEL CM	4428,5762 litre	92,909 %	338,0053 litre	O
210	CM 85	CM 148 LEVEL CM	4404,8451 litre	92,411 %	361,7364 litre	O
210	CM 85	CM 147 LEVEL CM	4380,6501 litre	91,903 %	385,9314 litre	O
210	CM 85	CM 146 LEVEL CM	4356,0073 litre	91,386 %	410,5742 litre	O
210	CM 85	CM 145 LEVEL CM	4330,9315 litre	90,860 %	435,6500 litre	O
210	CM 85	CM 144 LEVEL CM	4305,4372 litre	90,325 %	461,1443 litre	O
210	CM 85	CM 143 LEVEL CM	4279,5378 litre	89,782 %	487,0437 litre	O
210	CM 85	CM 142 LEVEL CM	4253,2464 litre	89,231 %	513,3351 litre	O
210	CM 85	CM 141 LEVEL CM	4226,5752 litre	88,671 %	540,0063 litre	O
210	CM 85	CM 140 LEVEL CM	4199,5362 litre	88,104 %	567,0453 litre	O
210	CM 85	CM 139 LEVEL CM	4172,1407 litre	87,529 %	594,4408 litre	O
210	CM 85	CM 138 LEVEL CM	4144,3997 litre	86,947 %	622,1818 litre	O
210	CM 85	CM 137 LEVEL CM	4116,3237 litre	86,358 %	650,2578 litre	O
210	CM 85	CM 136 LEVEL CM	4087,9228 litre	85,762 %	678,6587 litre	O
210	CM 85	CM 135 LEVEL CM	4059,2069 litre	85,160 %	707,3746 litre	O
210	CM 85	CM 134 LEVEL CM	4030,1854 litre	84,551 %	736,3961 litre	O
210	CM 85	CM 133 LEVEL CM	4000,8677 litre	83,936 %	765,7138 litre	O
210	CM 85	CM 132 LEVEL CM	3971,2625 litre	83,315 %	795,3190 litre	O
210	CM 85	CM 131 LEVEL CM	3941,3786 litre	82,688 %	825,2029 litre	O
210	CM 85	CM 130 LEVEL CM	3911,2244 litre	82,055 %	855,3571 litre	O
210	CM 85	CM 129 LEVEL CM	3880,8080 litre	81,417 %	885,7735 litre	O
210	CM 85	CM 128 LEVEL CM	3850,1376 litre	80,774 %	916,4439 litre	O
210	CM 85	CM 127 LEVEL CM	3819,2208 litre	80,125 %	947,3607 litre	O
210	CM 85	CM 126 LEVEL CM	3788,0653 litre	79,471 %	978,5162 litre	O
210	CM 85	CM 125 LEVEL CM	3756,6785 litre	78,813 %	1009,9030 litre	O
210	CM 85	CM 124 LEVEL CM	3725,0677 litre	78,150 %	1041,5138 litre	O
210	CM 85	CM 123 LEVEL CM	3693,2400 litre	77,482 %	1073,3415 litre	O
210	CM 85	CM 122 LEVEL CM	3661,2023 litre	76,810 %	1105,3792 litre	O
210	CM 85	CM 121 LEVEL CM	3628,9616 litre	76,133 %	1137,6199 litre	O
210	CM 85	CM 120 LEVEL CM	3596,5246 litre	75,453 %	1170,0569 litre	O
210	CM 85	CM 119 LEVEL CM	3563,8977 litre	74,768 %	1202,6838 litre	O

210	CM 85	CM	118 LEVEL CM	3531,0875 litre	74,080 %	1235,4940 litre	O
210	CM 85	CM	117 LEVEL CM	3498,1004 litre	73,388 %	1268,4811 litre	O
210	CM 85	CM	116 LEVEL CM	3464,9426 litre	72,692 %	1301,6389 litre	O
210	CM 85	CM	115 LEVEL CM	3431,6203 litre	71,993 %	1334,9612 litre	O
210	CM 85	CM	114 LEVEL CM	3398,1395 litre	71,291 %	1368,4420 litre	O
210	CM 85	CM	113 LEVEL CM	3364,5063 litre	70,585 %	1402,0752 litre	O
210	CM 85	CM	112 LEVEL CM	3330,7266 litre	69,877 %	1435,8549 litre	O
210	CM 85	CM	111 LEVEL CM	3296,8061 litre	69,165 %	1469,7754 litre	O
210	CM 85	CM	110 LEVEL CM	3262,7507 litre	68,451 %	1503,8308 litre	O
210	CM 85	CM	109 LEVEL CM	3228,5661 litre	67,733 %	1538,0154 litre	O
210	CM 85	CM	108 LEVEL CM	3194,2578 litre	67,014 %	1572,3237 litre	O
210	CM 85	CM	107 LEVEL CM	3159,8315 litre	66,291 %	1606,7500 litre	O
210	CM 85	CM	106 LEVEL CM	3125,2926 litre	65,567 %	1641,2889 litre	O
210	CM 85	CM	105 LEVEL CM	3090,6467 litre	64,840 %	1675,9348 litre	O
210	CM 85	CM	104 LEVEL CM	3055,8990 litre	64,111 %	1710,6825 litre	O
210	CM 85	CM	103 LEVEL CM	3021,0551 litre	63,380 %	1745,5264 litre	O
210	CM 85	CM	102 LEVEL CM	2986,1201 litre	62,647 %	1780,4614 litre	O
210	CM 85	CM	101 LEVEL CM	2951,0994 litre	61,912 %	1815,4821 litre	O
210	CM 85	CM	100 LEVEL CM	2915,9982 litre	61,176 %	1850,5833 litre	O
210	CM 85	CM	99 LEVEL CM	2880,8217 litre	60,438 %	1885,7598 litre	O
210	CM 85	CM	98 LEVEL CM	2845,5750 litre	59,698 %	1921,0065 litre	O
210	CM 85	CM	97 LEVEL CM	2810,2634 litre	58,958 %	1956,3181 litre	O
210	CM 85	CM	96 LEVEL CM	2774,8918 litre	58,216 %	1991,6897 litre	O
210	CM 85	CM	95 LEVEL CM	2739,4655 litre	57,472 %	2027,1160 litre	O
210	CM 85	CM	94 LEVEL CM	2703,9894 litre	56,728 %	2062,5921 litre	O
210	CM 85	CM	93 LEVEL CM	2668,4685 litre	55,983 %	2098,1130 litre	O
210	CM 85	CM	92 LEVEL CM	2632,9080 litre	55,237 %	2133,6735 litre	O
210	CM 85	CM	91 LEVEL CM	2597,3127 litre	54,490 %	2169,2688 litre	O
210	CM 85	CM	90 LEVEL CM	2561,6877 litre	53,743 %	2204,8938 litre	O
210	CM 85	CM	89 LEVEL CM	2526,0380 litre	52,995 %	2240,5435 litre	O
210	CM 85	CM	88 LEVEL CM	2490,3685 litre	52,246 %	2276,2130 litre	O
210	CM 85	CM	87 LEVEL CM	2454,6841 litre	51,498 %	2311,8974 litre	O
210	CM 85	CM	86 LEVEL CM	2418,9899 litre	50,749 %	2347,5916 litre	O
210	CM 85	CM	85 LEVEL CM	2383,2907 litre	50,000 %	2383,2908 litre	O
210	CM 85	CM	84 LEVEL CM	2347,5916 litre	49,251 %	2418,9899 litre	O
210	CM 85	CM	83 LEVEL CM	2311,8973 litre	48,502 %	2454,6842 litre	O
210	CM 85	CM	82 LEVEL CM	2276,2130 litre	47,754 %	2490,3685 litre	O
210	CM 85	CM	81 LEVEL CM	2240,5435 litre	47,005 %	2526,0380 litre	O
210	CM 85	CM	80 LEVEL CM	2204,8937 litre	46,257 %	2561,6878 litre	O
210	CM 85	CM	79 LEVEL CM	2169,2687 litre	45,510 %	2597,3128 litre	O
210	CM 85	CM	78 LEVEL CM	2133,6735 litre	44,763 %	2632,9080 litre	O
210	CM 85	CM	77 LEVEL CM	2098,1129 litre	44,017 %	2668,4686 litre	O
210	CM 85	CM	76 LEVEL CM	2062,5921 litre	43,272 %	2703,9894 litre	O
210	CM 85	CM	75 LEVEL CM	2027,1160 litre	42,528 %	2739,4655 litre	O
210	CM 85	CM	74 LEVEL CM	1991,6896 litre	41,784 %	2774,8919 litre	O
210	CM 85	CM	73 LEVEL CM	1956,3181 litre	41,042 %	2810,2634 litre	O
210	CM 85	CM	72 LEVEL CM	1921,0064 litre	40,302 %	2845,5751 litre	O
210	CM 85	CM	71 LEVEL CM	1885,7598 litre	39,562 %	2880,8217 litre	O
210	CM 85	CM	70 LEVEL CM	1850,5833 litre	38,824 %	2915,9982 litre	O
210	CM 85	CM	69 LEVEL CM	1815,4821 litre	38,088 %	2951,0994 litre	O
210	CM 85	CM	68 LEVEL CM	1780,4614 litre	37,353 %	2986,1201 litre	O
210	CM 85	CM	67 LEVEL CM	1745,5264 litre	36,620 %	3021,0551 litre	O
210	CM 85	CM	66 LEVEL CM	1710,6824 litre	35,889 %	3055,8991 litre	O

210	CM	85	CM	65 LEVEL CM	1675,9348 litre	35,160 %	3090,6467 litre	O
210	CM	85	CM	64 LEVEL CM	1641,2888 litre	34,433 %	3125,2927 litre	O
210	CM	85	CM	63 LEVEL CM	1606,7500 litre	33,709 %	3159,8315 litre	O
210	CM	85	CM	62 LEVEL CM	1572,3236 litre	32,986 %	3194,2579 litre	O
210	CM	85	CM	61 LEVEL CM	1538,0154 litre	32,267 %	3228,5661 litre	O
210	CM	85	CM	60 LEVEL CM	1503,8307 litre	31,549 %	3262,7508 litre	O
210	CM	85	CM	59 LEVEL CM	1469,7753 litre	30,835 %	3296,8062 litre	O
210	CM	85	CM	58 LEVEL CM	1435,8549 litre	30,123 %	3330,7266 litre	O
210	CM	85	CM	57 LEVEL CM	1402,0751 litre	29,415 %	3364,5064 litre	O
210	CM	85	CM	56 LEVEL CM	1368,4419 litre	28,709 %	3398,1396 litre	O
210	CM	85	CM	55 LEVEL CM	1334,9612 litre	28,007 %	3431,6203 litre	O
210	CM	85	CM	54 LEVEL CM	1301,6389 litre	27,308 %	3464,9426 litre	O
210	CM	85	CM	53 LEVEL CM	1268,4811 litre	26,612 %	3498,1004 litre	O
210	CM	85	CM	52 LEVEL CM	1235,4939 litre	25,920 %	3531,0876 litre	O
210	CM	85	CM	51 LEVEL CM	1202,6838 litre	25,232 %	3563,8977 litre	O
210	CM	85	CM	50 LEVEL CM	1170,0569 litre	24,547 %	3596,5246 litre	O
210	CM	85	CM	49 LEVEL CM	1137,6198 litre	23,867 %	3628,9617 litre	O
210	CM	85	CM	48 LEVEL CM	1105,3791 litre	23,190 %	3661,2024 litre	O
210	CM	85	CM	47 LEVEL CM	1073,3415 litre	22,518 %	3693,2400 litre	O
210	CM	85	CM	46 LEVEL CM	1041,5138 litre	21,850 %	3725,0677 litre	O
210	CM	85	CM	45 LEVEL CM	1009,9030 litre	21,187 %	3756,6785 litre	O
210	CM	85	CM	44 LEVEL CM	978,5162 litre	20,529 %	3788,0653 litre	O
210	CM	85	CM	43 LEVEL CM	947,3607 litre	19,875 %	3819,2208 litre	O
210	CM	85	CM	42 LEVEL CM	916,4439 litre	19,226 %	3850,1376 litre	O
210	CM	85	CM	41 LEVEL CM	885,7734 litre	18,583 %	3880,8081 litre	O
210	CM	85	CM	40 LEVEL CM	855,3571 litre	17,945 %	3911,2244 litre	O
210	CM	85	CM	39 LEVEL CM	825,2029 litre	17,312 %	3941,3786 litre	O
210	CM	85	CM	38 LEVEL CM	795,3189 litre	16,685 %	3971,2626 litre	O
210	CM	85	CM	37 LEVEL CM	765,7138 litre	16,064 %	4000,8677 litre	O
210	CM	85	CM	36 LEVEL CM	736,3960 litre	15,449 %	4030,1855 litre	O
210	CM	85	CM	35 LEVEL CM	707,3746 litre	14,840 %	4059,2069 litre	O
210	CM	85	CM	34 LEVEL CM	678,6587 litre	14,238 %	4087,9228 litre	O
210	CM	85	CM	33 LEVEL CM	650,2578 litre	13,642 %	4116,3237 litre	O
210	CM	85	CM	32 LEVEL CM	622,1818 litre	13,053 %	4144,3997 litre	O
210	CM	85	CM	31 LEVEL CM	594,4407 litre	12,471 %	4172,1408 litre	O
210	CM	85	CM	30 LEVEL CM	567,0452 litre	11,896 %	4199,5363 litre	O
210	CM	85	CM	29 LEVEL CM	540,0062 litre	11,329 %	4226,5753 litre	O
210	CM	85	CM	28 LEVEL CM	513,3351 litre	10,769 %	4253,2464 litre	O
210	CM	85	CM	27 LEVEL CM	487,0436 litre	10,218 %	4279,5379 litre	O
210	CM	85	CM	26 LEVEL CM	461,1442 litre	9,675 %	4305,4373 litre	O
210	CM	85	CM	25 LEVEL CM	435,6499 litre	9,140 %	4330,9316 litre	O
210	CM	85	CM	24 LEVEL CM	410,5742 litre	8,614 %	4356,0073 litre	O
210	CM	85	CM	23 LEVEL CM	385,9313 litre	8,097 %	4380,6502 litre	O
210	CM	85	CM	22 LEVEL CM	361,7364 litre	7,589 %	4404,8451 litre	O
210	CM	85	CM	21 LEVEL CM	338,0052 litre	7,091 %	4428,5763 litre	O
210	CM	85	CM	20 LEVEL CM	314,7547 litre	6,603 %	4451,8268 litre	O
210	CM	85	CM	19 LEVEL CM	292,0027 litre	6,126 %	4474,5788 litre	O
210	CM	85	CM	18 LEVEL CM	269,7683 litre	5,660 %	4496,8132 litre	O
210	CM	85	CM	17 LEVEL CM	248,0721 litre	5,204 %	4518,5094 litre	O
210	CM	85	CM	16 LEVEL CM	226,9359 litre	4,761 %	4539,6456 litre	O
210	CM	85	CM	15 LEVEL CM	206,3838 litre	4,330 %	4560,1977 litre	O
210	CM	85	CM	14 LEVEL CM	186,4416 litre	3,911 %	4580,1399 litre	O
210	CM	85	CM	13 LEVEL CM	167,1378 litre	3,506 %	4599,4437 litre	O

210	CM	85	CM	12 LEVEL CM	148,5036 litre	3,116 %	4618,0779 litre	O
210	CM	85	CM	11 LEVEL CM	130,5739 litre	2,739 %	4636,0076 litre	O
210	CM	85	CM	10 LEVEL CM	113,3878 litre	2,379 %	4653,1937 litre	O
210	CM	85	CM	9 LEVEL CM	96,9897 litre	2,035 %	4669,5918 litre	O
210	CM	85	CM	8 LEVEL CM	81,4309 litre	1,708 %	4685,1506 litre	O
210	CM	85	CM	7 LEVEL CM	66,7714 litre	1,401 %	4699,8101 litre	O
210	CM	85	CM	6 LEVEL CM	53,0832 litre	1,114 %	4713,4983 litre	O
210	CM	85	CM	5 LEVEL CM	40,4546 litre	0,849 %	4726,1269 litre	O
210	CM	85	CM	4 LEVEL CM	28,9990 litre	0,608 %	4737,5825 litre	O
210	CM	85	CM	3 LEVEL CM	18,8691 litre	0,396 %	4747,7124 litre	O
210	CM	85	CM	2 LEVEL CM	10,2894 litre	0,216 %	4756,2921 litre	O
210	CM	85	CM	1 LEVEL CM	3,6443 litre	0,076 %	4762,9372 litre	O
210	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	4766,5815 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
210	CM 80	CM 160 LEVEL CM	4222,3005 litre	100,000 %	0,0000 litre O
210	CM 80	CM 159 LEVEL CM	4218,7654 litre	99,916 %	3,5351 litre O
210	CM 80	CM 158 LEVEL CM	4212,3206 litre	99,764 %	9,9799 litre O
210	CM 80	CM 157 LEVEL CM	4204,0009 litre	99,567 %	18,2996 litre O
210	CM 80	CM 156 LEVEL CM	4194,1800 litre	99,334 %	28,1205 litre O
210	CM 80	CM 155 LEVEL CM	4183,0759 litre	99,071 %	39,2246 litre O
210	CM 80	CM 154 LEVEL CM	4170,8372 litre	98,781 %	51,4633 litre O
210	CM 80	CM 153 LEVEL CM	4157,5741 litre	98,467 %	64,7264 litre O
210	CM 80	CM 152 LEVEL CM	4143,3729 litre	98,131 %	78,9276 litre O
210	CM 80	CM 151 LEVEL CM	4128,3035 litre	97,774 %	93,9970 litre O
210	CM 80	CM 150 LEVEL CM	4112,4246 litre	97,398 %	109,8759 litre O
210	CM 80	CM 149 LEVEL CM	4095,7859 litre	97,004 %	126,5146 litre O
210	CM 80	CM 148 LEVEL CM	4078,4310 litre	96,593 %	143,8695 litre O
210	CM 80	CM 147 LEVEL CM	4060,3981 litre	96,166 %	161,9024 litre O
210	CM 80	CM 146 LEVEL CM	4041,7212 litre	95,723 %	180,5793 litre O
210	CM 80	CM 145 LEVEL CM	4022,4309 litre	95,266 %	199,8696 litre O
210	CM 80	CM 144 LEVEL CM	4002,5550 litre	94,796 %	219,7455 litre O
210	CM 80	CM 143 LEVEL CM	3982,1190 litre	94,312 %	240,1815 litre O
210	CM 80	CM 142 LEVEL CM	3961,1462 litre	93,815 %	261,1543 litre O
210	CM 80	CM 141 LEVEL CM	3939,6581 litre	93,306 %	282,6424 litre O
210	CM 80	CM 140 LEVEL CM	3917,6750 litre	92,785 %	304,6255 litre O
210	CM 80	CM 139 LEVEL CM	3895,2156 litre	92,253 %	327,0849 litre O
210	CM 80	CM 138 LEVEL CM	3872,2974 litre	91,711 %	350,0031 litre O
210	CM 80	CM 137 LEVEL CM	3848,9370 litre	91,157 %	373,3635 litre O
210	CM 80	CM 136 LEVEL CM	3825,1501 litre	90,594 %	397,1504 litre O
210	CM 80	CM 135 LEVEL CM	3800,9514 litre	90,021 %	421,3491 litre O
210	CM 80	CM 134 LEVEL CM	3776,3551 litre	89,438 %	445,9454 litre O
210	CM 80	CM 133 LEVEL CM	3751,3744 litre	88,847 %	470,9261 litre O
210	CM 80	CM 132 LEVEL CM	3726,0223 litre	88,246 %	496,2782 litre O
210	CM 80	CM 131 LEVEL CM	3700,3108 litre	87,637 %	521,9897 litre O
210	CM 80	CM 130 LEVEL CM	3674,2518 litre	87,020 %	548,0487 litre O
210	CM 80	CM 129 LEVEL CM	3647,8565 litre	86,395 %	574,4440 litre O
210	CM 80	CM 128 LEVEL CM	3621,1358 litre	85,762 %	601,1647 litre O
210	CM 80	CM 127 LEVEL CM	3594,0999 litre	85,122 %	628,2006 litre O
210	CM 80	CM 126 LEVEL CM	3566,7592 litre	84,474 %	655,5413 litre O
210	CM 80	CM 125 LEVEL CM	3539,1232 litre	83,820 %	683,1773 litre O
210	CM 80	CM 124 LEVEL CM	3511,2015 litre	83,158 %	711,0990 litre O
210	CM 80	CM 123 LEVEL CM	3483,0032 litre	82,491 %	739,2973 litre O
210	CM 80	CM 122 LEVEL CM	3454,5371 litre	81,816 %	767,7634 litre O
210	CM 80	CM 121 LEVEL CM	3425,8119 litre	81,136 %	796,4886 litre O
210	CM 80	CM 120 LEVEL CM	3396,8361 litre	80,450 %	825,4644 litre O
210	CM 80	CM 119 LEVEL CM	3367,6177 litre	79,758 %	854,6828 litre O
210	CM 80	CM 118 LEVEL CM	3338,1649 litre	79,060 %	884,1356 litre O
210	CM 80	CM 117 LEVEL CM	3308,4853 litre	78,357 %	913,8152 litre O
210	CM 80	CM 116 LEVEL CM	3278,5865 litre	77,649 %	943,7140 litre O
210	CM 80	CM 115 LEVEL CM	3248,4762 litre	76,936 %	973,8243 litre O
210	CM 80	CM 114 LEVEL CM	3218,1615 litre	76,218 %	1004,1390 litre O
210	CM 80	CM 113 LEVEL CM	3187,6496 litre	75,496 %	1034,6509 litre O
210	CM 80	CM 112 LEVEL CM	3156,9474 litre	74,768 %	1065,3531 litre O
210	CM 80	CM 111 LEVEL CM	3126,0620 litre	74,037 %	1096,2385 litre O
210	CM 80	CM 110 LEVEL CM	3095,0000 litre	73,301 %	1127,3005 litre O
210	CM 80	CM 109 LEVEL CM	3063,7681 litre	72,562 %	1158,5324 litre O

210	CM	80	CM	108 LEVEL CM	3032,3729 litre	71,818 %	1189,9276 litre	O
210	CM	80	CM	107 LEVEL CM	3000,8207 litre	71,071 %	1221,4798 litre	O
210	CM	80	CM	106 LEVEL CM	2969,1179 litre	70,320 %	1253,1826 litre	O
210	CM	80	CM	105 LEVEL CM	2937,2708 litre	69,566 %	1285,0297 litre	O
210	CM	80	CM	104 LEVEL CM	2905,2855 litre	68,808 %	1317,0150 litre	O
210	CM	80	CM	103 LEVEL CM	2873,1681 litre	68,047 %	1349,1324 litre	O
210	CM	80	CM	102 LEVEL CM	2840,9246 litre	67,284 %	1381,3759 litre	O
210	CM	80	CM	101 LEVEL CM	2808,5610 litre	66,517 %	1413,7395 litre	O
210	CM	80	CM	100 LEVEL CM	2776,0831 litre	65,748 %	1446,2174 litre	O
210	CM	80	CM	99 LEVEL CM	2743,4968 litre	64,976 %	1478,8037 litre	O
210	CM	80	CM	98 LEVEL CM	2710,8078 litre	64,202 %	1511,4927 litre	O
210	CM	80	CM	97 LEVEL CM	2678,0218 litre	63,426 %	1544,2787 litre	O
210	CM	80	CM	96 LEVEL CM	2645,1444 litre	62,647 %	1577,1561 litre	O
210	CM	80	CM	95 LEVEL CM	2612,1814 litre	61,866 %	1610,1191 litre	O
210	CM	80	CM	94 LEVEL CM	2579,1381 litre	61,084 %	1643,1624 litre	O
210	CM	80	CM	93 LEVEL CM	2546,0202 litre	60,299 %	1676,2803 litre	O
210	CM	80	CM	92 LEVEL CM	2512,8331 litre	59,513 %	1709,4674 litre	O
210	CM	80	CM	91 LEVEL CM	2479,5823 litre	58,726 %	1742,7182 litre	O
210	CM	80	CM	90 LEVEL CM	2446,2732 litre	57,937 %	1776,0273 litre	O
210	CM	80	CM	89 LEVEL CM	2412,9112 litre	57,147 %	1809,3893 litre	O
210	CM	80	CM	88 LEVEL CM	2379,5016 litre	56,356 %	1842,7989 litre	O
210	CM	80	CM	87 LEVEL CM	2346,0498 litre	55,563 %	1876,2507 litre	O
210	CM	80	CM	86 LEVEL CM	2312,5611 litre	54,770 %	1909,7394 litre	O
210	CM	80	CM	85 LEVEL CM	2279,0408 litre	53,976 %	1943,2597 litre	O
210	CM	80	CM	84 LEVEL CM	2245,4942 litre	53,182 %	1976,8063 litre	O
210	CM	80	CM	83 LEVEL CM	2211,9266 litre	52,387 %	2010,3739 litre	O
210	CM	80	CM	82 LEVEL CM	2178,3433 litre	51,591 %	2043,9572 litre	O
210	CM	80	CM	81 LEVEL CM	2144,7494 litre	50,796 %	2077,5511 litre	O
210	CM	80	CM	80 LEVEL CM	2111,1503 litre	50,000 %	2111,1502 litre	O
210	CM	80	CM	79 LEVEL CM	2077,5511 litre	49,204 %	2144,7494 litre	O
210	CM	80	CM	78 LEVEL CM	2043,9573 litre	48,409 %	2178,3432 litre	O
210	CM	80	CM	77 LEVEL CM	2010,3739 litre	47,613 %	2211,9266 litre	O
210	CM	80	CM	76 LEVEL CM	1976,8063 litre	46,818 %	2245,4942 litre	O
210	CM	80	CM	75 LEVEL CM	1943,2597 litre	46,024 %	2279,0408 litre	O
210	CM	80	CM	74 LEVEL CM	1909,7394 litre	45,230 %	2312,5611 litre	O
210	CM	80	CM	73 LEVEL CM	1876,2507 litre	44,437 %	2346,0498 litre	O
210	CM	80	CM	72 LEVEL CM	1842,7989 litre	43,644 %	2379,5016 litre	O
210	CM	80	CM	71 LEVEL CM	1809,3894 litre	42,853 %	2412,9111 litre	O
210	CM	80	CM	70 LEVEL CM	1776,0273 litre	42,063 %	2446,2732 litre	O
210	CM	80	CM	69 LEVEL CM	1742,7182 litre	41,274 %	2479,5823 litre	O
210	CM	80	CM	68 LEVEL CM	1709,4674 litre	40,487 %	2512,8331 litre	O
210	CM	80	CM	67 LEVEL CM	1676,2803 litre	39,701 %	2546,0202 litre	O
210	CM	80	CM	66 LEVEL CM	1643,1624 litre	38,916 %	2579,1381 litre	O
210	CM	80	CM	65 LEVEL CM	1610,1192 litre	38,134 %	2612,1813 litre	O
210	CM	80	CM	64 LEVEL CM	1577,1561 litre	37,353 %	2645,1444 litre	O
210	CM	80	CM	63 LEVEL CM	1544,2787 litre	36,574 %	2678,0218 litre	O
210	CM	80	CM	62 LEVEL CM	1511,4927 litre	35,798 %	2710,8078 litre	O
210	CM	80	CM	61 LEVEL CM	1478,8037 litre	35,024 %	2743,4968 litre	O
210	CM	80	CM	60 LEVEL CM	1446,2174 litre	34,252 %	2776,0831 litre	O
210	CM	80	CM	59 LEVEL CM	1413,7395 litre	33,483 %	2808,5610 litre	O
210	CM	80	CM	58 LEVEL CM	1381,3759 litre	32,716 %	2840,9246 litre	O
210	CM	80	CM	57 LEVEL CM	1349,1324 litre	31,953 %	2873,1681 litre	O
210	CM	80	CM	56 LEVEL CM	1317,0151 litre	31,192 %	2905,2854 litre	O

210	CM	80	CM	55 LEVEL CM	1285,0297 litre	30,434 %	2937,2708 litre	O
210	CM	80	CM	54 LEVEL CM	1253,1826 litre	29,680 %	2969,1179 litre	O
210	CM	80	CM	53 LEVEL CM	1221,4798 litre	28,929 %	3000,8207 litre	O
210	CM	80	CM	52 LEVEL CM	1189,9276 litre	28,182 %	3032,3729 litre	O
210	CM	80	CM	51 LEVEL CM	1158,5324 litre	27,438 %	3063,7681 litre	O
210	CM	80	CM	50 LEVEL CM	1127,3005 litre	26,699 %	3095,0000 litre	O
210	CM	80	CM	49 LEVEL CM	1096,2385 litre	25,963 %	3126,0620 litre	O
210	CM	80	CM	48 LEVEL CM	1065,3531 litre	25,232 %	3156,9474 litre	O
210	CM	80	CM	47 LEVEL CM	1034,6510 litre	24,504 %	3187,6495 litre	O
210	CM	80	CM	46 LEVEL CM	1004,1390 litre	23,782 %	3218,1615 litre	O
210	CM	80	CM	45 LEVEL CM	973,8243 litre	23,064 %	3248,4762 litre	O
210	CM	80	CM	44 LEVEL CM	943,7140 litre	22,351 %	3278,5865 litre	O
210	CM	80	CM	43 LEVEL CM	913,8153 litre	21,643 %	3308,4852 litre	O
210	CM	80	CM	42 LEVEL CM	884,1357 litre	20,940 %	3338,1648 litre	O
210	CM	80	CM	41 LEVEL CM	854,6828 litre	20,242 %	3367,6177 litre	O
210	CM	80	CM	40 LEVEL CM	825,4644 litre	19,550 %	3396,8361 litre	O
210	CM	80	CM	39 LEVEL CM	796,4886 litre	18,864 %	3425,8119 litre	O
210	CM	80	CM	38 LEVEL CM	767,7634 litre	18,184 %	3454,5371 litre	O
210	CM	80	CM	37 LEVEL CM	739,2974 litre	17,509 %	3483,0031 litre	O
210	CM	80	CM	36 LEVEL CM	711,0990 litre	16,842 %	3511,2015 litre	O
210	CM	80	CM	35 LEVEL CM	683,1773 litre	16,180 %	3539,1232 litre	O
210	CM	80	CM	34 LEVEL CM	655,5413 litre	15,526 %	3566,7592 litre	O
210	CM	80	CM	33 LEVEL CM	628,2006 litre	14,878 %	3594,0999 litre	O
210	CM	80	CM	32 LEVEL CM	601,1648 litre	14,238 %	3621,1357 litre	O
210	CM	80	CM	31 LEVEL CM	574,4440 litre	13,605 %	3647,8565 litre	O
210	CM	80	CM	30 LEVEL CM	548,0487 litre	12,980 %	3674,2518 litre	O
210	CM	80	CM	29 LEVEL CM	521,9897 litre	12,363 %	3700,3108 litre	O
210	CM	80	CM	28 LEVEL CM	496,2783 litre	11,754 %	3726,0222 litre	O
210	CM	80	CM	27 LEVEL CM	470,9261 litre	11,153 %	3751,3744 litre	O
210	CM	80	CM	26 LEVEL CM	445,9455 litre	10,562 %	3776,3550 litre	O
210	CM	80	CM	25 LEVEL CM	421,3491 litre	9,979 %	3800,9514 litre	O
210	CM	80	CM	24 LEVEL CM	397,1504 litre	9,406 %	3825,1501 litre	O
210	CM	80	CM	23 LEVEL CM	373,3635 litre	8,843 %	3848,9370 litre	O
210	CM	80	CM	22 LEVEL CM	350,0031 litre	8,289 %	3872,2974 litre	O
210	CM	80	CM	21 LEVEL CM	327,0850 litre	7,747 %	3895,2155 litre	O
210	CM	80	CM	20 LEVEL CM	304,6255 litre	7,215 %	3917,6750 litre	O
210	CM	80	CM	19 LEVEL CM	282,6424 litre	6,694 %	3939,6581 litre	O
210	CM	80	CM	18 LEVEL CM	261,1544 litre	6,185 %	3961,1461 litre	O
210	CM	80	CM	17 LEVEL CM	240,1815 litre	5,688 %	3982,1190 litre	O
210	CM	80	CM	16 LEVEL CM	219,7455 litre	5,204 %	4002,5550 litre	O
210	CM	80	CM	15 LEVEL CM	199,8696 litre	4,734 %	4022,4309 litre	O
210	CM	80	CM	14 LEVEL CM	180,5793 litre	4,277 %	4041,7212 litre	O
210	CM	80	CM	13 LEVEL CM	161,9024 litre	3,834 %	4060,3981 litre	O
210	CM	80	CM	12 LEVEL CM	143,8695 litre	3,407 %	4078,4310 litre	O
210	CM	80	CM	11 LEVEL CM	126,5146 litre	2,996 %	4095,7859 litre	O
210	CM	80	CM	10 LEVEL CM	109,8760 litre	2,602 %	4112,4245 litre	O
210	CM	80	CM	9 LEVEL CM	93,9970 litre	2,226 %	4128,3035 litre	O
210	CM	80	CM	8 LEVEL CM	78,9276 litre	1,869 %	4143,3729 litre	O
210	CM	80	CM	7 LEVEL CM	64,7264 litre	1,533 %	4157,5741 litre	O
210	CM	80	CM	6 LEVEL CM	51,4633 litre	1,219 %	4170,8372 litre	O
210	CM	80	CM	5 LEVEL CM	39,2247 litre	0,929 %	4183,0758 litre	O
210	CM	80	CM	4 LEVEL CM	28,1205 litre	0,666 %	4194,1800 litre	O
210	CM	80	CM	3 LEVEL CM	18,2996 litre	0,433 %	4204,0009 litre	O

210_80

-2914-

210	CM 80	CM	2 LEVEL CM	9,9799 litre	0,236 %	4212,3206 litre	O
210	CM 80	CM	1 LEVEL CM	3,5351 litre	0,084 %	4218,7654 litre	O
210	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	4222,3005 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
210	CM 75	CM 150 LEVEL CM	3711,0063 litre	100,000 %	0,0000 litre	O
210	CM 75	CM 149 LEVEL CM	3707,5839 litre	99,908 %	3,4224 litre	O
210	CM 75	CM 148 LEVEL CM	3701,3457 litre	99,740 %	9,6606 litre	O
210	CM 75	CM 147 LEVEL CM	3693,2945 litre	99,523 %	17,7118 litre	O
210	CM 75	CM 146 LEVEL CM	3683,7926 litre	99,267 %	27,2137 litre	O
210	CM 75	CM 145 LEVEL CM	3673,0515 litre	98,977 %	37,9548 litre	O
210	CM 75	CM 144 LEVEL CM	3661,2155 litre	98,658 %	49,7908 litre	O
210	CM 75	CM 143 LEVEL CM	3648,3918 litre	98,313 %	62,6145 litre	O
210	CM 75	CM 142 LEVEL CM	3634,6641 litre	97,943 %	76,3422 litre	O
210	CM 75	CM 141 LEVEL CM	3620,1005 litre	97,550 %	90,9058 litre	O
210	CM 75	CM 140 LEVEL CM	3604,7582 litre	97,137 %	106,2481 litre	O
210	CM 75	CM 139 LEVEL CM	3588,6857 litre	96,704 %	122,3206 litre	O
210	CM 75	CM 138 LEVEL CM	3571,9253 litre	96,252 %	139,0810 litre	O
210	CM 75	CM 137 LEVEL CM	3554,5144 litre	95,783 %	156,4919 litre	O
210	CM 75	CM 136 LEVEL CM	3536,4862 litre	95,297 %	174,5201 litre	O
210	CM 75	CM 135 LEVEL CM	3517,8706 litre	94,796 %	193,1357 litre	O
210	CM 75	CM 134 LEVEL CM	3498,6949 litre	94,279 %	212,3114 litre	O
210	CM 75	CM 133 LEVEL CM	3478,9838 litre	93,748 %	232,0225 litre	O
210	CM 75	CM 132 LEVEL CM	3458,7602 litre	93,203 %	252,2461 litre	O
210	CM 75	CM 131 LEVEL CM	3438,0454 litre	92,645 %	272,9609 litre	O
210	CM 75	CM 130 LEVEL CM	3416,8591 litre	92,074 %	294,1472 litre	O
210	CM 75	CM 129 LEVEL CM	3395,2196 litre	91,491 %	315,7867 litre	O
210	CM 75	CM 128 LEVEL CM	3373,1443 litre	90,896 %	337,8620 litre	O
210	CM 75	CM 127 LEVEL CM	3350,6494 litre	90,290 %	360,3569 litre	O
210	CM 75	CM 126 LEVEL CM	3327,7504 litre	89,672 %	383,2559 litre	O
210	CM 75	CM 125 LEVEL CM	3304,4618 litre	89,045 %	406,5445 litre	O
210	CM 75	CM 124 LEVEL CM	3280,7975 litre	88,407 %	430,2088 litre	O
210	CM 75	CM 123 LEVEL CM	3256,7707 litre	87,760 %	454,2356 litre	O
210	CM 75	CM 122 LEVEL CM	3232,3940 litre	87,103 %	478,6123 litre	O
210	CM 75	CM 121 LEVEL CM	3207,6795 litre	86,437 %	503,3268 litre	O
210	CM 75	CM 120 LEVEL CM	3182,6388 litre	85,762 %	528,3675 litre	O
210	CM 75	CM 119 LEVEL CM	3157,2832 litre	85,079 %	553,7231 litre	O
210	CM 75	CM 118 LEVEL CM	3131,6232 litre	84,387 %	579,3831 litre	O
210	CM 75	CM 117 LEVEL CM	3105,6692 litre	83,688 %	605,3371 litre	O
210	CM 75	CM 116 LEVEL CM	3079,4314 litre	82,981 %	631,5749 litre	O
210	CM 75	CM 115 LEVEL CM	3052,9194 litre	82,267 %	658,0869 litre	O
210	CM 75	CM 114 LEVEL CM	3026,1425 litre	81,545 %	684,8638 litre	O
210	CM 75	CM 113 LEVEL CM	2999,1099 litre	80,817 %	711,8964 litre	O
210	CM 75	CM 112 LEVEL CM	2971,8304 litre	80,082 %	739,1759 litre	O
210	CM 75	CM 111 LEVEL CM	2944,3128 litre	79,340 %	766,6935 litre	O
210	CM 75	CM 110 LEVEL CM	2916,5653 litre	78,592 %	794,4410 litre	O
210	CM 75	CM 109 LEVEL CM	2888,5962 litre	77,839 %	822,4101 litre	O
210	CM 75	CM 108 LEVEL CM	2860,4134 litre	77,079 %	850,5929 litre	O
210	CM 75	CM 107 LEVEL CM	2832,0249 litre	76,314 %	878,9814 litre	O
210	CM 75	CM 106 LEVEL CM	2803,4382 litre	75,544 %	907,5681 litre	O
210	CM 75	CM 105 LEVEL CM	2774,6608 litre	74,768 %	936,3455 litre	O
210	CM 75	CM 104 LEVEL CM	2745,7002 litre	73,988 %	965,3061 litre	O
210	CM 75	CM 103 LEVEL CM	2716,5634 litre	73,203 %	994,4429 litre	O
210	CM 75	CM 102 LEVEL CM	2687,2576 litre	72,413 %	1023,7487 litre	O
210	CM 75	CM 101 LEVEL CM	2657,7897 litre	71,619 %	1053,2166 litre	O
210	CM 75	CM 100 LEVEL CM	2628,1666 litre	70,821 %	1082,8397 litre	O
210	CM 75	CM 99 LEVEL CM	2598,3949 litre	70,019 %	1112,6114 litre	O

210	CM	75	CM	98 LEVEL CM	2568,4815 litre	69,213 %	1142,5248 litre	O
210	CM	75	CM	97 LEVEL CM	2538,4326 litre	68,403 %	1172,5737 litre	O
210	CM	75	CM	96 LEVEL CM	2508,2550 litre	67,590 %	1202,7513 litre	O
210	CM	75	CM	95 LEVEL CM	2477,9548 litre	66,773 %	1233,0515 litre	O
210	CM	75	CM	94 LEVEL CM	2447,5383 litre	65,953 %	1263,4680 litre	O
210	CM	75	CM	93 LEVEL CM	2417,0119 litre	65,131 %	1293,9944 litre	O
210	CM	75	CM	92 LEVEL CM	2386,3817 litre	64,306 %	1324,6246 litre	O
210	CM	75	CM	91 LEVEL CM	2355,6537 litre	63,477 %	1355,3526 litre	O
210	CM	75	CM	90 LEVEL CM	2324,8340 litre	62,647 %	1386,1723 litre	O
210	CM	75	CM	89 LEVEL CM	2293,9285 litre	61,814 %	1417,0778 litre	O
210	CM	75	CM	88 LEVEL CM	2262,9433 litre	60,979 %	1448,0630 litre	O
210	CM	75	CM	87 LEVEL CM	2231,8841 litre	60,142 %	1479,1222 litre	O
210	CM	75	CM	86 LEVEL CM	2200,7569 litre	59,304 %	1510,2494 litre	O
210	CM	75	CM	85 LEVEL CM	2169,5673 litre	58,463 %	1541,4390 litre	O
210	CM	75	CM	84 LEVEL CM	2138,3213 litre	57,621 %	1572,6850 litre	O
210	CM	75	CM	83 LEVEL CM	2107,0245 litre	56,778 %	1603,9818 litre	O
210	CM	75	CM	82 LEVEL CM	2075,6826 litre	55,933 %	1635,3237 litre	O
210	CM	75	CM	81 LEVEL CM	2044,3014 litre	55,088 %	1666,7049 litre	O
210	CM	75	CM	80 LEVEL CM	2012,8864 litre	54,241 %	1698,1199 litre	O
210	CM	75	CM	79 LEVEL CM	1981,4434 litre	53,394 %	1729,5629 litre	O
210	CM	75	CM	78 LEVEL CM	1949,9780 litre	52,546 %	1761,0283 litre	O
210	CM	75	CM	77 LEVEL CM	1918,4957 litre	51,697 %	1792,5106 litre	O
210	CM	75	CM	76 LEVEL CM	1887,0022 litre	50,849 %	1824,0041 litre	O
210	CM	75	CM	75 LEVEL CM	1855,5032 litre	50,000 %	1855,5031 litre	O
210	CM	75	CM	74 LEVEL CM	1824,0041 litre	49,151 %	1887,0022 litre	O
210	CM	75	CM	73 LEVEL CM	1792,5106 litre	48,303 %	1918,4957 litre	O
210	CM	75	CM	72 LEVEL CM	1761,0284 litre	47,454 %	1949,9779 litre	O
210	CM	75	CM	71 LEVEL CM	1729,5629 litre	46,606 %	1981,4434 litre	O
210	CM	75	CM	70 LEVEL CM	1698,1199 litre	45,759 %	2012,8864 litre	O
210	CM	75	CM	69 LEVEL CM	1666,7050 litre	44,912 %	2044,3013 litre	O
210	CM	75	CM	68 LEVEL CM	1635,3237 litre	44,067 %	2075,6826 litre	O
210	CM	75	CM	67 LEVEL CM	1603,9818 litre	43,222 %	2107,0245 litre	O
210	CM	75	CM	66 LEVEL CM	1572,6850 litre	42,379 %	2138,3213 litre	O
210	CM	75	CM	65 LEVEL CM	1541,4390 litre	41,537 %	2169,5673 litre	O
210	CM	75	CM	64 LEVEL CM	1510,2495 litre	40,696 %	2200,7568 litre	O
210	CM	75	CM	63 LEVEL CM	1479,1222 litre	39,858 %	2231,8841 litre	O
210	CM	75	CM	62 LEVEL CM	1448,0630 litre	39,021 %	2262,9433 litre	O
210	CM	75	CM	61 LEVEL CM	1417,0778 litre	38,186 %	2293,9285 litre	O
210	CM	75	CM	60 LEVEL CM	1386,1723 litre	37,353 %	2324,8340 litre	O
210	CM	75	CM	59 LEVEL CM	1355,3526 litre	36,523 %	2355,6537 litre	O
210	CM	75	CM	58 LEVEL CM	1324,6246 litre	35,694 %	2386,3817 litre	O
210	CM	75	CM	57 LEVEL CM	1293,9944 litre	34,869 %	2417,0119 litre	O
210	CM	75	CM	56 LEVEL CM	1263,4680 litre	34,047 %	2447,5383 litre	O
210	CM	75	CM	55 LEVEL CM	1233,0516 litre	33,227 %	2477,9547 litre	O
210	CM	75	CM	54 LEVEL CM	1202,7514 litre	32,410 %	2508,2549 litre	O
210	CM	75	CM	53 LEVEL CM	1172,5737 litre	31,597 %	2538,4326 litre	O
210	CM	75	CM	52 LEVEL CM	1142,5249 litre	30,787 %	2568,4814 litre	O
210	CM	75	CM	51 LEVEL CM	1112,6114 litre	29,981 %	2598,3949 litre	O
210	CM	75	CM	50 LEVEL CM	1082,8398 litre	29,179 %	2628,1665 litre	O
210	CM	75	CM	49 LEVEL CM	1053,2166 litre	28,381 %	2657,7897 litre	O
210	CM	75	CM	48 LEVEL CM	1023,7487 litre	27,587 %	2687,2576 litre	O
210	CM	75	CM	47 LEVEL CM	994,4429 litre	26,797 %	2716,5634 litre	O
210	CM	75	CM	46 LEVEL CM	965,3062 litre	26,012 %	2745,7001 litre	O

210	CM	75	CM	45 LEVEL CM	936,3455 litre	25,232 %	2774,6608 litre	O
210	CM	75	CM	44 LEVEL CM	907,5681 litre	24,456 %	2803,4382 litre	O
210	CM	75	CM	43 LEVEL CM	878,9814 litre	23,686 %	2832,0249 litre	O
210	CM	75	CM	42 LEVEL CM	850,5929 litre	22,921 %	2860,4134 litre	O
210	CM	75	CM	41 LEVEL CM	822,4101 litre	22,161 %	2888,5962 litre	O
210	CM	75	CM	40 LEVEL CM	794,4410 litre	21,408 %	2916,5653 litre	O
210	CM	75	CM	39 LEVEL CM	766,6935 litre	20,660 %	2944,3128 litre	O
210	CM	75	CM	38 LEVEL CM	739,1759 litre	19,918 %	2971,8304 litre	O
210	CM	75	CM	37 LEVEL CM	711,8964 litre	19,183 %	2999,1099 litre	O
210	CM	75	CM	36 LEVEL CM	684,8639 litre	18,455 %	3026,1424 litre	O
210	CM	75	CM	35 LEVEL CM	658,0870 litre	17,733 %	3052,9193 litre	O
210	CM	75	CM	34 LEVEL CM	631,5749 litre	17,019 %	3079,4314 litre	O
210	CM	75	CM	33 LEVEL CM	605,3371 litre	16,312 %	3105,6692 litre	O
210	CM	75	CM	32 LEVEL CM	579,3832 litre	15,613 %	3131,6231 litre	O
210	CM	75	CM	31 LEVEL CM	553,7232 litre	14,921 %	3157,2831 litre	O
210	CM	75	CM	30 LEVEL CM	528,3675 litre	14,238 %	3182,6388 litre	O
210	CM	75	CM	29 LEVEL CM	503,3268 litre	13,563 %	3207,6795 litre	O
210	CM	75	CM	28 LEVEL CM	478,6123 litre	12,897 %	3232,3940 litre	O
210	CM	75	CM	27 LEVEL CM	454,2357 litre	12,240 %	3256,7706 litre	O
210	CM	75	CM	26 LEVEL CM	430,2088 litre	11,593 %	3280,7975 litre	O
210	CM	75	CM	25 LEVEL CM	406,5445 litre	10,955 %	3304,4618 litre	O
210	CM	75	CM	24 LEVEL CM	383,2559 litre	10,328 %	3327,7504 litre	O
210	CM	75	CM	23 LEVEL CM	360,3569 litre	9,710 %	3350,6494 litre	O
210	CM	75	CM	22 LEVEL CM	337,8620 litre	9,104 %	3373,1443 litre	O
210	CM	75	CM	21 LEVEL CM	315,7867 litre	8,509 %	3395,2196 litre	O
210	CM	75	CM	20 LEVEL CM	294,1473 litre	7,926 %	3416,8590 litre	O
210	CM	75	CM	19 LEVEL CM	272,9609 litre	7,355 %	3438,0454 litre	O
210	CM	75	CM	18 LEVEL CM	252,2461 litre	6,797 %	3458,7602 litre	O
210	CM	75	CM	17 LEVEL CM	232,0226 litre	6,252 %	3478,9837 litre	O
210	CM	75	CM	16 LEVEL CM	212,3115 litre	5,721 %	3498,6948 litre	O
210	CM	75	CM	15 LEVEL CM	193,1357 litre	5,204 %	3517,8706 litre	O
210	CM	75	CM	14 LEVEL CM	174,5201 litre	4,703 %	3536,4862 litre	O
210	CM	75	CM	13 LEVEL CM	156,4919 litre	4,217 %	3554,5144 litre	O
210	CM	75	CM	12 LEVEL CM	139,0810 litre	3,748 %	3571,9253 litre	O
210	CM	75	CM	11 LEVEL CM	122,3207 litre	3,296 %	3588,6856 litre	O
210	CM	75	CM	10 LEVEL CM	106,2481 litre	2,863 %	3604,7582 litre	O
210	CM	75	CM	9 LEVEL CM	90,9058 litre	2,450 %	3620,1005 litre	O
210	CM	75	CM	8 LEVEL CM	76,3423 litre	2,057 %	3634,6640 litre	O
210	CM	75	CM	7 LEVEL CM	62,6146 litre	1,687 %	3648,3917 litre	O
210	CM	75	CM	6 LEVEL CM	49,7908 litre	1,342 %	3661,2155 litre	O
210	CM	75	CM	5 LEVEL CM	37,9549 litre	1,023 %	3673,0514 litre	O
210	CM	75	CM	4 LEVEL CM	27,2138 litre	0,733 %	3683,7925 litre	O
210	CM	75	CM	3 LEVEL CM	17,7118 litre	0,477 %	3693,2945 litre	O
210	CM	75	CM	2 LEVEL CM	9,6606 litre	0,260 %	3701,3457 litre	O
210	CM	75	CM	1 LEVEL CM	3,4224 litre	0,092 %	3707,5839 litre	O
210	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	3711,0063 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
210	CM 70	CM 140 LEVEL CM	3232,6988 litre	100,000 %	0,0000 litre O
210	CM 70	CM 139 LEVEL CM	3229,3929 litre	99,898 %	3,3059 litre O
210	CM 70	CM 138 LEVEL CM	3223,3685 litre	99,711 %	9,3303 litre O
210	CM 70	CM 137 LEVEL CM	3215,5951 litre	99,471 %	17,1037 litre O
210	CM 70	CM 136 LEVEL CM	3206,4232 litre	99,187 %	26,2756 litre O
210	CM 70	CM 135 LEVEL CM	3196,0578 litre	98,867 %	36,6410 litre O
210	CM 70	CM 134 LEVEL CM	3184,6387 litre	98,513 %	48,0601 litre O
210	CM 70	CM 133 LEVEL CM	3172,2699 litre	98,131 %	60,4289 litre O
210	CM 70	CM 132 LEVEL CM	3159,0326 litre	97,721 %	73,6662 litre O
210	CM 70	CM 131 LEVEL CM	3144,9932 litre	97,287 %	87,7056 litre O
210	CM 70	CM 130 LEVEL CM	3130,2069 litre	96,830 %	102,4919 litre O
210	CM 70	CM 129 LEVEL CM	3114,7212 litre	96,350 %	117,9776 litre O
210	CM 70	CM 128 LEVEL CM	3098,5773 litre	95,851 %	134,1215 litre O
210	CM 70	CM 127 LEVEL CM	3081,8115 litre	95,332 %	150,8873 litre O
210	CM 70	CM 126 LEVEL CM	3064,4562 litre	94,796 %	168,2426 litre O
210	CM 70	CM 125 LEVEL CM	3046,5407 litre	94,241 %	186,1581 litre O
210	CM 70	CM 124 LEVEL CM	3028,0916 litre	93,671 %	204,6072 litre O
210	CM 70	CM 123 LEVEL CM	3009,1331 litre	93,084 %	223,5657 litre O
210	CM 70	CM 122 LEVEL CM	2989,6877 litre	92,483 %	243,0111 litre O
210	CM 70	CM 121 LEVEL CM	2969,7761 litre	91,867 %	262,9227 litre O
210	CM 70	CM 120 LEVEL CM	2949,4177 litre	91,237 %	283,2811 litre O
210	CM 70	CM 119 LEVEL CM	2928,6305 litre	90,594 %	304,0683 litre O
210	CM 70	CM 118 LEVEL CM	2907,4316 litre	89,938 %	325,2672 litre O
210	CM 70	CM 117 LEVEL CM	2885,8369 litre	89,270 %	346,8619 litre O
210	CM 70	CM 116 LEVEL CM	2863,8616 litre	88,590 %	368,8372 litre O
210	CM 70	CM 115 LEVEL CM	2841,5201 litre	87,899 %	391,1787 litre O
210	CM 70	CM 114 LEVEL CM	2818,8261 litre	87,197 %	413,8727 litre O
210	CM 70	CM 113 LEVEL CM	2795,7926 litre	86,485 %	436,9062 litre O
210	CM 70	CM 112 LEVEL CM	2772,4321 litre	85,762 %	460,2667 litre O
210	CM 70	CM 111 LEVEL CM	2748,7565 litre	85,030 %	483,9423 litre O
210	CM 70	CM 110 LEVEL CM	2724,7774 litre	84,288 %	507,9214 litre O
210	CM 70	CM 109 LEVEL CM	2700,5058 litre	83,537 %	532,1930 litre O
210	CM 70	CM 108 LEVEL CM	2675,9524 litre	82,778 %	556,7464 litre O
210	CM 70	CM 107 LEVEL CM	2651,1275 litre	82,010 %	581,5713 litre O
210	CM 70	CM 106 LEVEL CM	2626,0410 litre	81,234 %	606,6578 litre O
210	CM 70	CM 105 LEVEL CM	2600,7026 litre	80,450 %	631,9962 litre O
210	CM 70	CM 104 LEVEL CM	2575,1218 litre	79,659 %	657,5770 litre O
210	CM 70	CM 103 LEVEL CM	2549,3075 litre	78,860 %	683,3913 litre O
210	CM 70	CM 102 LEVEL CM	2523,2687 litre	78,055 %	709,4301 litre O
210	CM 70	CM 101 LEVEL CM	2497,0140 litre	77,242 %	735,6848 litre O
210	CM 70	CM 100 LEVEL CM	2470,5519 litre	76,424 %	762,1469 litre O
210	CM 70	CM 99 LEVEL CM	2443,8905 litre	75,599 %	788,8083 litre O
210	CM 70	CM 98 LEVEL CM	2417,0379 litre	74,768 %	815,6609 litre O
210	CM 70	CM 97 LEVEL CM	2390,0020 litre	73,932 %	842,6968 litre O
210	CM 70	CM 96 LEVEL CM	2362,7905 litre	73,090 %	869,9083 litre O
210	CM 70	CM 95 LEVEL CM	2335,4109 litre	72,243 %	897,2879 litre O
210	CM 70	CM 94 LEVEL CM	2307,8708 litre	71,391 %	924,8280 litre O
210	CM 70	CM 93 LEVEL CM	2280,1774 litre	70,535 %	952,5214 litre O
210	CM 70	CM 92 LEVEL CM	2252,3378 litre	69,674 %	980,3610 litre O
210	CM 70	CM 91 LEVEL CM	2224,3592 litre	68,808 %	1008,3396 litre O
210	CM 70	CM 90 LEVEL CM	2196,2485 litre	67,939 %	1036,4503 litre O
210	CM 70	CM 89 LEVEL CM	2168,0126 litre	67,065 %	1064,6862 litre O

210	CM	70	CM	88 LEVEL CM	2139,6582 litre	66,188 %	1093,0406 litre	O
210	CM	70	CM	87 LEVEL CM	2111,1920 litre	65,307 %	1121,5068 litre	O
210	CM	70	CM	86 LEVEL CM	2082,6207 litre	64,424 %	1150,0781 litre	O
210	CM	70	CM	85 LEVEL CM	2053,9508 litre	63,537 %	1178,7480 litre	O
210	CM	70	CM	84 LEVEL CM	2025,1887 litre	62,647 %	1207,5101 litre	O
210	CM	70	CM	83 LEVEL CM	1996,3409 litre	61,755 %	1236,3579 litre	O
210	CM	70	CM	82 LEVEL CM	1967,4137 litre	60,860 %	1265,2851 litre	O
210	CM	70	CM	81 LEVEL CM	1938,4134 litre	59,963 %	1294,2854 litre	O
210	CM	70	CM	80 LEVEL CM	1909,3463 litre	59,064 %	1323,3525 litre	O
210	CM	70	CM	79 LEVEL CM	1880,2186 litre	58,163 %	1352,4802 litre	O
210	CM	70	CM	78 LEVEL CM	1851,0364 litre	57,260 %	1381,6624 litre	O
210	CM	70	CM	77 LEVEL CM	1821,8059 litre	56,356 %	1410,8929 litre	O
210	CM	70	CM	76 LEVEL CM	1792,5332 litre	55,450 %	1440,1656 litre	O
210	CM	70	CM	75 LEVEL CM	1763,2243 litre	54,543 %	1469,4745 litre	O
210	CM	70	CM	74 LEVEL CM	1733,8854 litre	53,636 %	1498,8134 litre	O
210	CM	70	CM	73 LEVEL CM	1704,5224 litre	52,728 %	1528,1764 litre	O
210	CM	70	CM	72 LEVEL CM	1675,1414 litre	51,819 %	1557,5574 litre	O
210	CM	70	CM	71 LEVEL CM	1645,7484 litre	50,909 %	1586,9504 litre	O
210	CM	70	CM	70 LEVEL CM	1616,3494 litre	50,000 %	1616,3494 litre	O
210	CM	70	CM	69 LEVEL CM	1586,9504 litre	49,091 %	1645,7484 litre	O
210	CM	70	CM	68 LEVEL CM	1557,5574 litre	48,181 %	1675,1414 litre	O
210	CM	70	CM	67 LEVEL CM	1528,1764 litre	47,272 %	1704,5224 litre	O
210	CM	70	CM	66 LEVEL CM	1498,8135 litre	46,364 %	1733,8853 litre	O
210	CM	70	CM	65 LEVEL CM	1469,4745 litre	45,457 %	1763,2243 litre	O
210	CM	70	CM	64 LEVEL CM	1440,1657 litre	44,550 %	1792,5331 litre	O
210	CM	70	CM	63 LEVEL CM	1410,8929 litre	43,644 %	1821,8059 litre	O
210	CM	70	CM	62 LEVEL CM	1381,6624 litre	42,740 %	1851,0364 litre	O
210	CM	70	CM	61 LEVEL CM	1352,4802 litre	41,837 %	1880,2186 litre	O
210	CM	70	CM	60 LEVEL CM	1323,3525 litre	40,936 %	1909,3463 litre	O
210	CM	70	CM	59 LEVEL CM	1294,2854 litre	40,037 %	1938,4134 litre	O
210	CM	70	CM	58 LEVEL CM	1265,2851 litre	39,140 %	1967,4137 litre	O
210	CM	70	CM	57 LEVEL CM	1236,3579 litre	38,245 %	1996,3409 litre	O
210	CM	70	CM	56 LEVEL CM	1207,5101 litre	37,353 %	2025,1887 litre	O
210	CM	70	CM	55 LEVEL CM	1178,7481 litre	36,463 %	2053,9507 litre	O
210	CM	70	CM	54 LEVEL CM	1150,0781 litre	35,576 %	2082,6207 litre	O
210	CM	70	CM	53 LEVEL CM	1121,5068 litre	34,693 %	2111,1920 litre	O
210	CM	70	CM	52 LEVEL CM	1093,0407 litre	33,812 %	2139,6581 litre	O
210	CM	70	CM	51 LEVEL CM	1064,6863 litre	32,935 %	2168,0125 litre	O
210	CM	70	CM	50 LEVEL CM	1036,4504 litre	32,061 %	2196,2484 litre	O
210	CM	70	CM	49 LEVEL CM	1008,3396 litre	31,192 %	2224,3592 litre	O
210	CM	70	CM	48 LEVEL CM	980,3610 litre	30,326 %	2252,3378 litre	O
210	CM	70	CM	47 LEVEL CM	952,5215 litre	29,465 %	2280,1773 litre	O
210	CM	70	CM	46 LEVEL CM	924,8280 litre	28,609 %	2307,8708 litre	O
210	CM	70	CM	45 LEVEL CM	897,2879 litre	27,757 %	2335,4109 litre	O
210	CM	70	CM	44 LEVEL CM	869,9084 litre	26,910 %	2362,7904 litre	O
210	CM	70	CM	43 LEVEL CM	842,6969 litre	26,068 %	2390,0019 litre	O
210	CM	70	CM	42 LEVEL CM	815,6610 litre	25,232 %	2417,0378 litre	O
210	CM	70	CM	41 LEVEL CM	788,8084 litre	24,401 %	2443,8904 litre	O
210	CM	70	CM	40 LEVEL CM	762,1470 litre	23,576 %	2470,5518 litre	O
210	CM	70	CM	39 LEVEL CM	735,6848 litre	22,758 %	2497,0140 litre	O
210	CM	70	CM	38 LEVEL CM	709,4301 litre	21,945 %	2523,2687 litre	O
210	CM	70	CM	37 LEVEL CM	683,3913 litre	21,140 %	2549,3075 litre	O
210	CM	70	CM	36 LEVEL CM	657,5771 litre	20,341 %	2575,1217 litre	O

210	CM	70	CM	35 LEVEL CM	631,9962 litre	19,550 %	2600,7026 litre	O
210	CM	70	CM	34 LEVEL CM	606,6579 litre	18,766 %	2626,0409 litre	O
210	CM	70	CM	33 LEVEL CM	581,5714 litre	17,990 %	2651,1274 litre	O
210	CM	70	CM	32 LEVEL CM	556,7465 litre	17,222 %	2675,9523 litre	O
210	CM	70	CM	31 LEVEL CM	532,1931 litre	16,463 %	2700,5057 litre	O
210	CM	70	CM	30 LEVEL CM	507,9215 litre	15,712 %	2724,7773 litre	O
210	CM	70	CM	29 LEVEL CM	483,9423 litre	14,970 %	2748,7565 litre	O
210	CM	70	CM	28 LEVEL CM	460,2668 litre	14,238 %	2772,4320 litre	O
210	CM	70	CM	27 LEVEL CM	436,9063 litre	13,515 %	2795,7925 litre	O
210	CM	70	CM	26 LEVEL CM	413,8727 litre	12,803 %	2818,8261 litre	O
210	CM	70	CM	25 LEVEL CM	391,1787 litre	12,101 %	2841,5201 litre	O
210	CM	70	CM	24 LEVEL CM	368,8372 litre	11,410 %	2863,8616 litre	O
210	CM	70	CM	23 LEVEL CM	346,8619 litre	10,730 %	2885,8369 litre	O
210	CM	70	CM	22 LEVEL CM	325,2672 litre	10,062 %	2907,4316 litre	O
210	CM	70	CM	21 LEVEL CM	304,0683 litre	9,406 %	2928,6305 litre	O
210	CM	70	CM	20 LEVEL CM	283,2811 litre	8,763 %	2949,4177 litre	O
210	CM	70	CM	19 LEVEL CM	262,9227 litre	8,133 %	2969,7761 litre	O
210	CM	70	CM	18 LEVEL CM	243,0111 litre	7,517 %	2989,6877 litre	O
210	CM	70	CM	17 LEVEL CM	223,5657 litre	6,916 %	3009,1331 litre	O
210	CM	70	CM	16 LEVEL CM	204,6073 litre	6,329 %	3028,0915 litre	O
210	CM	70	CM	15 LEVEL CM	186,1581 litre	5,759 %	3046,5407 litre	O
210	CM	70	CM	14 LEVEL CM	168,2426 litre	5,204 %	3064,4562 litre	O
210	CM	70	CM	13 LEVEL CM	150,8874 litre	4,668 %	3081,8114 litre	O
210	CM	70	CM	12 LEVEL CM	134,1216 litre	4,149 %	3098,5772 litre	O
210	CM	70	CM	11 LEVEL CM	117,9777 litre	3,650 %	3114,7211 litre	O
210	CM	70	CM	10 LEVEL CM	102,4920 litre	3,170 %	3130,2068 litre	O
210	CM	70	CM	9 LEVEL CM	87,7057 litre	2,713 %	3144,9931 litre	O
210	CM	70	CM	8 LEVEL CM	73,6662 litre	2,279 %	3159,0326 litre	O
210	CM	70	CM	7 LEVEL CM	60,4290 litre	1,869 %	3172,2698 litre	O
210	CM	70	CM	6 LEVEL CM	48,0601 litre	1,487 %	3184,6387 litre	O
210	CM	70	CM	5 LEVEL CM	36,6411 litre	1,133 %	3196,0577 litre	O
210	CM	70	CM	4 LEVEL CM	26,2757 litre	0,813 %	3206,4231 litre	O
210	CM	70	CM	3 LEVEL CM	17,1038 litre	0,529 %	3215,5950 litre	O
210	CM	70	CM	2 LEVEL CM	9,3303 litre	0,289 %	3223,3685 litre	O
210	CM	70	CM	1 LEVEL CM	3,3059 litre	0,102 %	3229,3929 litre	O
210	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	3232,6988 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
210	CM	65	CM 130 LEVEL CM	2787,3781 litre	100,000 %	0,0000 litre	O
210	CM	65	CM 129 LEVEL CM	2784,1930 litre	99,886 %	3,1851 litre	O
210	CM	65	CM 128 LEVEL CM	2778,3901 litre	99,678 %	8,9880 litre	O
210	CM	65	CM 127 LEVEL CM	2770,9047 litre	99,409 %	16,4734 litre	O
210	CM	65	CM 126 LEVEL CM	2762,0752 litre	99,092 %	25,3029 litre	O
210	CM	65	CM 125 LEVEL CM	2752,0997 litre	98,734 %	35,2784 litre	O
210	CM	65	CM 124 LEVEL CM	2741,1133 litre	98,340 %	46,2648 litre	O
210	CM	65	CM 123 LEVEL CM	2729,2168 litre	97,913 %	58,1613 litre	O
210	CM	65	CM 122 LEVEL CM	2716,4889 litre	97,457 %	70,8892 litre	O
210	CM	65	CM 121 LEVEL CM	2702,9938 litre	96,973 %	84,3843 litre	O
210	CM	65	CM 120 LEVEL CM	2688,7854 litre	96,463 %	98,5927 litre	O
210	CM	65	CM 119 LEVEL CM	2673,9096 litre	95,929 %	113,4685 litre	O
210	CM	65	CM 118 LEVEL CM	2658,4066 litre	95,373 %	128,9715 litre	O
210	CM	65	CM 117 LEVEL CM	2642,3117 litre	94,796 %	145,0664 litre	O
210	CM	65	CM 116 LEVEL CM	2625,6566 litre	94,198 %	161,7215 litre	O
210	CM	65	CM 115 LEVEL CM	2608,4697 litre	93,581 %	178,9084 litre	O
210	CM	65	CM 114 LEVEL CM	2590,7770 litre	92,947 %	196,6011 litre	O
210	CM	65	CM 113 LEVEL CM	2572,6023 litre	92,295 %	214,7758 litre	O
210	CM	65	CM 112 LEVEL CM	2553,9675 litre	91,626 %	233,4106 litre	O
210	CM	65	CM 111 LEVEL CM	2534,8930 litre	90,942 %	252,4851 litre	O
210	CM	65	CM 110 LEVEL CM	2515,3976 litre	90,242 %	271,9805 litre	O
210	CM	65	CM 109 LEVEL CM	2495,4992 litre	89,529 %	291,8789 litre	O
210	CM	65	CM 108 LEVEL CM	2475,2145 litre	88,801 %	312,1636 litre	O
210	CM	65	CM 107 LEVEL CM	2454,5592 litre	88,060 %	332,8189 litre	O
210	CM	65	CM 106 LEVEL CM	2433,5482 litre	87,306 %	353,8299 litre	O
210	CM	65	CM 105 LEVEL CM	2412,1958 litre	86,540 %	375,1823 litre	O
210	CM	65	CM 104 LEVEL CM	2390,5154 litre	85,762 %	396,8627 litre	O
210	CM	65	CM 103 LEVEL CM	2368,5200 litre	84,973 %	418,8581 litre	O
210	CM	65	CM 102 LEVEL CM	2346,2219 litre	84,173 %	441,1562 litre	O
210	CM	65	CM 101 LEVEL CM	2323,6329 litre	83,363 %	463,7452 litre	O
210	CM	65	CM 100 LEVEL CM	2300,7646 litre	82,542 %	486,6135 litre	O
210	CM	65	CM 99 LEVEL CM	2277,6279 litre	81,712 %	509,7502 litre	O
210	CM	65	CM 98 LEVEL CM	2254,2333 litre	80,873 %	533,1448 litre	O
210	CM	65	CM 97 LEVEL CM	2230,5912 litre	80,025 %	556,7869 litre	O
210	CM	65	CM 96 LEVEL CM	2206,7116 litre	79,168 %	580,6665 litre	O
210	CM	65	CM 95 LEVEL CM	2182,6040 litre	78,303 %	604,7741 litre	O
210	CM	65	CM 94 LEVEL CM	2158,2779 litre	77,430 %	629,1002 litre	O
210	CM	65	CM 93 LEVEL CM	2133,7424 litre	76,550 %	653,6357 litre	O
210	CM	65	CM 92 LEVEL CM	2109,0064 litre	75,663 %	678,3717 litre	O
210	CM	65	CM 91 LEVEL CM	2084,0786 litre	74,768 %	703,2995 litre	O
210	CM	65	CM 90 LEVEL CM	2058,9675 litre	73,868 %	728,4106 litre	O
210	CM	65	CM 89 LEVEL CM	2033,6813 litre	72,960 %	753,6968 litre	O
210	CM	65	CM 88 LEVEL CM	2008,2283 litre	72,047 %	779,1498 litre	O
210	CM	65	CM 87 LEVEL CM	1982,6164 litre	71,128 %	804,7617 litre	O
210	CM	65	CM 86 LEVEL CM	1956,8534 litre	70,204 %	830,5247 litre	O
210	CM	65	CM 85 LEVEL CM	1930,9470 litre	69,275 %	856,4311 litre	O
210	CM	65	CM 84 LEVEL CM	1904,9047 litre	68,340 %	882,4734 litre	O
210	CM	65	CM 83 LEVEL CM	1878,7341 litre	67,401 %	908,6440 litre	O
210	CM	65	CM 82 LEVEL CM	1852,4425 litre	66,458 %	934,9356 litre	O
210	CM	65	CM 81 LEVEL CM	1826,0370 litre	65,511 %	961,3411 litre	O
210	CM	65	CM 80 LEVEL CM	1799,5248 litre	64,560 %	987,8533 litre	O
210	CM	65	CM 79 LEVEL CM	1772,9131 litre	63,605 %	1014,4650 litre	O

210	CM	65	CM	78 LEVEL CM	1746,2086 litre	62,647 %	1041,1695 litre	O
210	CM	65	CM	77 LEVEL CM	1719,4185 litre	61,686 %	1067,9596 litre	O
210	CM	65	CM	76 LEVEL CM	1692,5494 litre	60,722 %	1094,8287 litre	O
210	CM	65	CM	75 LEVEL CM	1665,6083 litre	59,755 %	1121,7698 litre	O
210	CM	65	CM	74 LEVEL CM	1638,6017 litre	58,786 %	1148,7764 litre	O
210	CM	65	CM	73 LEVEL CM	1611,5364 litre	57,815 %	1175,8417 litre	O
210	CM	65	CM	72 LEVEL CM	1584,4190 litre	56,843 %	1202,9591 litre	O
210	CM	65	CM	71 LEVEL CM	1557,2561 litre	55,868 %	1230,1220 litre	O
210	CM	65	CM	70 LEVEL CM	1530,0543 litre	54,892 %	1257,3238 litre	O
210	CM	65	CM	69 LEVEL CM	1502,8201 litre	53,915 %	1284,5580 litre	O
210	CM	65	CM	68 LEVEL CM	1475,5600 litre	52,937 %	1311,8181 litre	O
210	CM	65	CM	67 LEVEL CM	1448,2804 litre	51,959 %	1339,0977 litre	O
210	CM	65	CM	66 LEVEL CM	1420,9880 litre	50,979 %	1366,3901 litre	O
210	CM	65	CM	65 LEVEL CM	1393,6890 litre	50,000 %	1393,6891 litre	O
210	CM	65	CM	64 LEVEL CM	1366,3901 litre	49,021 %	1420,9880 litre	O
210	CM	65	CM	63 LEVEL CM	1339,0977 litre	48,041 %	1448,2804 litre	O
210	CM	65	CM	62 LEVEL CM	1311,8181 litre	47,063 %	1475,5600 litre	O
210	CM	65	CM	61 LEVEL CM	1284,5580 litre	46,085 %	1502,8201 litre	O
210	CM	65	CM	60 LEVEL CM	1257,3238 litre	45,108 %	1530,0543 litre	O
210	CM	65	CM	59 LEVEL CM	1230,1220 litre	44,132 %	1557,2561 litre	O
210	CM	65	CM	58 LEVEL CM	1202,9591 litre	43,157 %	1584,4190 litre	O
210	CM	65	CM	57 LEVEL CM	1175,8417 litre	42,185 %	1611,5364 litre	O
210	CM	65	CM	56 LEVEL CM	1148,7764 litre	41,214 %	1638,6017 litre	O
210	CM	65	CM	55 LEVEL CM	1121,7698 litre	40,245 %	1665,6083 litre	O
210	CM	65	CM	54 LEVEL CM	1094,8286 litre	39,278 %	1692,5495 litre	O
210	CM	65	CM	53 LEVEL CM	1067,9596 litre	38,314 %	1719,4185 litre	O
210	CM	65	CM	52 LEVEL CM	1041,1694 litre	37,353 %	1746,2087 litre	O
210	CM	65	CM	51 LEVEL CM	1014,4650 litre	36,395 %	1772,9131 litre	O
210	CM	65	CM	50 LEVEL CM	987,8533 litre	35,440 %	1799,5248 litre	O
210	CM	65	CM	49 LEVEL CM	961,3411 litre	34,489 %	1826,0370 litre	O
210	CM	65	CM	48 LEVEL CM	934,9356 litre	33,542 %	1852,4425 litre	O
210	CM	65	CM	47 LEVEL CM	908,6440 litre	32,599 %	1878,7341 litre	O
210	CM	65	CM	46 LEVEL CM	882,4733 litre	31,660 %	1904,9048 litre	O
210	CM	65	CM	45 LEVEL CM	856,4311 litre	30,725 %	1930,9470 litre	O
210	CM	65	CM	44 LEVEL CM	830,5247 litre	29,796 %	1956,8534 litre	O
210	CM	65	CM	43 LEVEL CM	804,7617 litre	28,872 %	1982,6164 litre	O
210	CM	65	CM	42 LEVEL CM	779,1498 litre	27,953 %	2008,2283 litre	O
210	CM	65	CM	41 LEVEL CM	753,6968 litre	27,040 %	2033,6813 litre	O
210	CM	65	CM	40 LEVEL CM	728,4106 litre	26,132 %	2058,9675 litre	O
210	CM	65	CM	39 LEVEL CM	703,2995 litre	25,232 %	2084,0786 litre	O
210	CM	65	CM	38 LEVEL CM	678,3717 litre	24,337 %	2109,0064 litre	O
210	CM	65	CM	37 LEVEL CM	653,6357 litre	23,450 %	2133,7424 litre	O
210	CM	65	CM	36 LEVEL CM	629,1002 litre	22,570 %	2158,2779 litre	O
210	CM	65	CM	35 LEVEL CM	604,7741 litre	21,697 %	2182,6040 litre	O
210	CM	65	CM	34 LEVEL CM	580,6665 litre	20,832 %	2206,7116 litre	O
210	CM	65	CM	33 LEVEL CM	556,7869 litre	19,975 %	2230,5912 litre	O
210	CM	65	CM	32 LEVEL CM	533,1448 litre	19,127 %	2254,2333 litre	O
210	CM	65	CM	31 LEVEL CM	509,7502 litre	18,288 %	2277,6279 litre	O
210	CM	65	CM	30 LEVEL CM	486,6135 litre	17,458 %	2300,7646 litre	O
210	CM	65	CM	29 LEVEL CM	463,7451 litre	16,637 %	2323,6330 litre	O
210	CM	65	CM	28 LEVEL CM	441,1562 litre	15,827 %	2346,2219 litre	O
210	CM	65	CM	27 LEVEL CM	418,8581 litre	15,027 %	2368,5200 litre	O
210	CM	65	CM	26 LEVEL CM	396,8627 litre	14,238 %	2390,5154 litre	O

210	CM	65	CM	25 LEVEL CM	375,1823 litre	13,460 %	2412,1958 litre	O
210	CM	65	CM	24 LEVEL CM	353,8299 litre	12,694 %	2433,5482 litre	O
210	CM	65	CM	23 LEVEL CM	332,8189 litre	11,940 %	2454,5592 litre	O
210	CM	65	CM	22 LEVEL CM	312,1636 litre	11,199 %	2475,2145 litre	O
210	CM	65	CM	21 LEVEL CM	291,8789 litre	10,471 %	2495,4992 litre	O
210	CM	65	CM	20 LEVEL CM	271,9805 litre	9,758 %	2515,3976 litre	O
210	CM	65	CM	19 LEVEL CM	252,4851 litre	9,058 %	2534,8930 litre	O
210	CM	65	CM	18 LEVEL CM	233,4106 litre	8,374 %	2553,9675 litre	O
210	CM	65	CM	17 LEVEL CM	214,7758 litre	7,705 %	2572,6023 litre	O
210	CM	65	CM	16 LEVEL CM	196,6011 litre	7,053 %	2590,7770 litre	O
210	CM	65	CM	15 LEVEL CM	178,9084 litre	6,419 %	2608,4697 litre	O
210	CM	65	CM	14 LEVEL CM	161,7215 litre	5,802 %	2625,6566 litre	O
210	CM	65	CM	13 LEVEL CM	145,0664 litre	5,204 %	2642,3117 litre	O
210	CM	65	CM	12 LEVEL CM	128,9715 litre	4,627 %	2658,4066 litre	O
210	CM	65	CM	11 LEVEL CM	113,4685 litre	4,071 %	2673,9096 litre	O
210	CM	65	CM	10 LEVEL CM	98,5927 litre	3,537 %	2688,7854 litre	O
210	CM	65	CM	9 LEVEL CM	84,3843 litre	3,027 %	2702,9938 litre	O
210	CM	65	CM	8 LEVEL CM	70,8892 litre	2,543 %	2716,4889 litre	O
210	CM	65	CM	7 LEVEL CM	58,1613 litre	2,087 %	2729,2168 litre	O
210	CM	65	CM	6 LEVEL CM	46,2647 litre	1,660 %	2741,1134 litre	O
210	CM	65	CM	5 LEVEL CM	35,2784 litre	1,266 %	2752,0997 litre	O
210	CM	65	CM	4 LEVEL CM	25,3029 litre	0,908 %	2762,0752 litre	O
210	CM	65	CM	3 LEVEL CM	16,4733 litre	0,591 %	2770,9048 litre	O
210	CM	65	CM	2 LEVEL CM	8,9879 litre	0,322 %	2778,3902 litre	O
210	CM	65	CM	1 LEVEL CM	3,1851 litre	0,114 %	2784,1930 litre	O
210	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	2787,3781 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
210	CM	60	CM 120 LEVEL CM	2375,0440 litre	100,000 %	0,0000 litre	O
210	CM	60	CM 119 LEVEL CM	2371,9845 litre	99,871 %	3,0595 litre	O
210	CM	60	CM 118 LEVEL CM	2366,4121 litre	99,637 %	8,6319 litre	O
210	CM	60	CM 117 LEVEL CM	2359,2262 litre	99,334 %	15,8178 litre	O
210	CM	60	CM 116 LEVEL CM	2350,7529 litre	98,977 %	24,2911 litre	O
210	CM	60	CM 115 LEVEL CM	2341,1831 litre	98,574 %	33,8609 litre	O
210	CM	60	CM 114 LEVEL CM	2330,6473 litre	98,131 %	44,3967 litre	O
210	CM	60	CM 113 LEVEL CM	2319,2426 litre	97,651 %	55,8014 litre	O
210	CM	60	CM 112 LEVEL CM	2307,0452 litre	97,137 %	67,9988 litre	O
210	CM	60	CM 111 LEVEL CM	2294,1175 litre	96,593 %	80,9265 litre	O
210	CM	60	CM 110 LEVEL CM	2280,5114 litre	96,020 %	94,5326 litre	O
210	CM	60	CM 109 LEVEL CM	2266,2717 litre	95,420 %	108,7723 litre	O
210	CM	60	CM 108 LEVEL CM	2251,4372 litre	94,796 %	123,6068 litre	O
210	CM	60	CM 107 LEVEL CM	2236,0425 litre	94,147 %	139,0015 litre	O
210	CM	60	CM 106 LEVEL CM	2220,1182 litre	93,477 %	154,9258 litre	O
210	CM	60	CM 105 LEVEL CM	2203,6922 litre	92,785 %	171,3518 litre	O
210	CM	60	CM 104 LEVEL CM	2186,7898 litre	92,074 %	188,2542 litre	O
210	CM	60	CM 103 LEVEL CM	2169,4342 litre	91,343 %	205,6098 litre	O
210	CM	60	CM 102 LEVEL CM	2151,6469 litre	90,594 %	223,3971 litre	O
210	CM	60	CM 101 LEVEL CM	2133,4478 litre	89,828 %	241,5962 litre	O
210	CM	60	CM 100 LEVEL CM	2114,8556 litre	89,045 %	260,1884 litre	O
210	CM	60	CM 99 LEVEL CM	2095,8875 litre	88,246 %	279,1565 litre	O
210	CM	60	CM 98 LEVEL CM	2076,5602 litre	87,432 %	298,4838 litre	O
210	CM	60	CM 97 LEVEL CM	2056,8891 litre	86,604 %	318,1549 litre	O
210	CM	60	CM 96 LEVEL CM	2036,8889 litre	85,762 %	338,1551 litre	O
210	CM	60	CM 95 LEVEL CM	2016,5736 litre	84,907 %	358,4704 litre	O
210	CM	60	CM 94 LEVEL CM	1995,9567 litre	84,039 %	379,0873 litre	O
210	CM	60	CM 93 LEVEL CM	1975,0509 litre	83,158 %	399,9931 litre	O
210	CM	60	CM 92 LEVEL CM	1953,8684 litre	82,267 %	421,1756 litre	O
210	CM	60	CM 91 LEVEL CM	1932,4211 litre	81,364 %	442,6229 litre	O
210	CM	60	CM 90 LEVEL CM	1910,7203 litre	80,450 %	464,3237 litre	O
210	CM	60	CM 89 LEVEL CM	1888,7770 litre	79,526 %	486,2670 litre	O
210	CM	60	CM 88 LEVEL CM	1866,6018 litre	78,592 %	508,4422 litre	O
210	CM	60	CM 87 LEVEL CM	1844,2049 litre	77,649 %	530,8391 litre	O
210	CM	60	CM 86 LEVEL CM	1821,5964 litre	76,697 %	553,4476 litre	O
210	CM	60	CM 85 LEVEL CM	1798,7859 litre	75,737 %	576,2581 litre	O
210	CM	60	CM 84 LEVEL CM	1775,7829 litre	74,768 %	599,2611 litre	O
210	CM	60	CM 83 LEVEL CM	1752,5966 litre	73,792 %	622,4474 litre	O
210	CM	60	CM 82 LEVEL CM	1729,2360 litre	72,809 %	645,8080 litre	O
210	CM	60	CM 81 LEVEL CM	1705,7097 litre	71,818 %	669,3343 litre	O
210	CM	60	CM 80 LEVEL CM	1682,0266 litre	70,821 %	693,0174 litre	O
210	CM	60	CM 79 LEVEL CM	1658,1950 litre	69,817 %	716,8490 litre	O
210	CM	60	CM 78 LEVEL CM	1634,2231 litre	68,808 %	740,8209 litre	O
210	CM	60	CM 77 LEVEL CM	1610,1191 litre	67,793 %	764,9249 litre	O
210	CM	60	CM 76 LEVEL CM	1585,8910 litre	66,773 %	789,1530 litre	O
210	CM	60	CM 75 LEVEL CM	1561,5468 litre	65,748 %	813,4972 litre	O
210	CM	60	CM 74 LEVEL CM	1537,0940 litre	64,719 %	837,9500 litre	O
210	CM	60	CM 73 LEVEL CM	1512,5405 litre	63,685 %	862,5035 litre	O
210	CM	60	CM 72 LEVEL CM	1487,8938 litre	62,647 %	887,1502 litre	O
210	CM	60	CM 71 LEVEL CM	1463,1613 litre	61,606 %	911,8827 litre	O
210	CM	60	CM 70 LEVEL CM	1438,3504 litre	60,561 %	936,6936 litre	O
210	CM	60	CM 69 LEVEL CM	1413,4686 litre	59,513 %	961,5754 litre	O

210	CM	60	CM	68 LEVEL CM	1388,5231 litre	58,463 %	986,5209 litre	O
210	CM	60	CM	67 LEVEL CM	1363,5210 litre	57,410 %	1011,5230 litre	O
210	CM	60	CM	66 LEVEL CM	1338,4696 litre	56,356 %	1036,5744 litre	O
210	CM	60	CM	65 LEVEL CM	1313,3760 litre	55,299 %	1061,6680 litre	O
210	CM	60	CM	64 LEVEL CM	1288,2473 litre	54,241 %	1086,7967 litre	O
210	CM	60	CM	63 LEVEL CM	1263,0905 litre	53,182 %	1111,9535 litre	O
210	CM	60	CM	62 LEVEL CM	1237,9127 litre	52,122 %	1137,1313 litre	O
210	CM	60	CM	61 LEVEL CM	1212,7209 litre	51,061 %	1162,3231 litre	O
210	CM	60	CM	60 LEVEL CM	1187,5220 litre	50,000 %	1187,5220 litre	O
210	CM	60	CM	59 LEVEL CM	1162,3232 litre	48,939 %	1212,7208 litre	O
210	CM	60	CM	58 LEVEL CM	1137,1314 litre	47,878 %	1237,9126 litre	O
210	CM	60	CM	57 LEVEL CM	1111,9535 litre	46,818 %	1263,0905 litre	O
210	CM	60	CM	56 LEVEL CM	1086,7967 litre	45,759 %	1288,2473 litre	O
210	CM	60	CM	55 LEVEL CM	1061,6680 litre	44,701 %	1313,3760 litre	O
210	CM	60	CM	54 LEVEL CM	1036,5744 litre	43,644 %	1338,4696 litre	O
210	CM	60	CM	53 LEVEL CM	1011,5230 litre	42,590 %	1363,5210 litre	O
210	CM	60	CM	52 LEVEL CM	986,5210 litre	41,537 %	1388,5230 litre	O
210	CM	60	CM	51 LEVEL CM	961,5754 litre	40,487 %	1413,4686 litre	O
210	CM	60	CM	50 LEVEL CM	936,6936 litre	39,439 %	1438,3504 litre	O
210	CM	60	CM	49 LEVEL CM	911,8828 litre	38,394 %	1463,1612 litre	O
210	CM	60	CM	48 LEVEL CM	887,1503 litre	37,353 %	1487,8937 litre	O
210	CM	60	CM	47 LEVEL CM	862,5035 litre	36,315 %	1512,5405 litre	O
210	CM	60	CM	46 LEVEL CM	837,9500 litre	35,281 %	1537,0940 litre	O
210	CM	60	CM	45 LEVEL CM	813,4973 litre	34,252 %	1561,5467 litre	O
210	CM	60	CM	44 LEVEL CM	789,1530 litre	33,227 %	1585,8910 litre	O
210	CM	60	CM	43 LEVEL CM	764,9249 litre	32,207 %	1610,1191 litre	O
210	CM	60	CM	42 LEVEL CM	740,8210 litre	31,192 %	1634,2230 litre	O
210	CM	60	CM	41 LEVEL CM	716,8491 litre	30,183 %	1658,1949 litre	O
210	CM	60	CM	40 LEVEL CM	693,0174 litre	29,179 %	1682,0266 litre	O
210	CM	60	CM	39 LEVEL CM	669,3343 litre	28,182 %	1705,7097 litre	O
210	CM	60	CM	38 LEVEL CM	645,8081 litre	27,191 %	1729,2359 litre	O
210	CM	60	CM	37 LEVEL CM	622,4474 litre	26,208 %	1752,5966 litre	O
210	CM	60	CM	36 LEVEL CM	599,2611 litre	25,232 %	1775,7829 litre	O
210	CM	60	CM	35 LEVEL CM	576,2581 litre	24,263 %	1798,7859 litre	O
210	CM	60	CM	34 LEVEL CM	553,4476 litre	23,303 %	1821,5964 litre	O
210	CM	60	CM	33 LEVEL CM	530,8391 litre	22,351 %	1844,2049 litre	O
210	CM	60	CM	32 LEVEL CM	508,4423 litre	21,408 %	1866,6017 litre	O
210	CM	60	CM	31 LEVEL CM	486,2670 litre	20,474 %	1888,7770 litre	O
210	CM	60	CM	30 LEVEL CM	464,3237 litre	19,550 %	1910,7203 litre	O
210	CM	60	CM	29 LEVEL CM	442,6230 litre	18,636 %	1932,4210 litre	O
210	CM	60	CM	28 LEVEL CM	421,1757 litre	17,733 %	1953,8683 litre	O
210	CM	60	CM	27 LEVEL CM	399,9932 litre	16,842 %	1975,0508 litre	O
210	CM	60	CM	26 LEVEL CM	379,0874 litre	15,961 %	1995,9566 litre	O
210	CM	60	CM	25 LEVEL CM	358,4704 litre	15,093 %	2016,5736 litre	O
210	CM	60	CM	24 LEVEL CM	338,1552 litre	14,238 %	2036,8888 litre	O
210	CM	60	CM	23 LEVEL CM	318,1550 litre	13,396 %	2056,8890 litre	O
210	CM	60	CM	22 LEVEL CM	298,4839 litre	12,568 %	2076,5601 litre	O
210	CM	60	CM	21 LEVEL CM	279,1565 litre	11,754 %	2095,8875 litre	O
210	CM	60	CM	20 LEVEL CM	260,1885 litre	10,955 %	2114,8555 litre	O
210	CM	60	CM	19 LEVEL CM	241,5962 litre	10,172 %	2133,4478 litre	O
210	CM	60	CM	18 LEVEL CM	223,3971 litre	9,406 %	2151,6469 litre	O
210	CM	60	CM	17 LEVEL CM	205,6098 litre	8,657 %	2169,4342 litre	O
210	CM	60	CM	16 LEVEL CM	188,2542 litre	7,926 %	2186,7898 litre	O

210	CM	60	CM	15 LEVEL CM	171,3518 litre	7,215 %	2203,6922 litre	O
210	CM	60	CM	14 LEVEL CM	154,9258 litre	6,523 %	2220,1182 litre	O
210	CM	60	CM	13 LEVEL CM	139,0016 litre	5,853 %	2236,0424 litre	O
210	CM	60	CM	12 LEVEL CM	123,6068 litre	5,204 %	2251,4372 litre	O
210	CM	60	CM	11 LEVEL CM	108,7724 litre	4,580 %	2266,2716 litre	O
210	CM	60	CM	10 LEVEL CM	94,5327 litre	3,980 %	2280,5113 litre	O
210	CM	60	CM	9 LEVEL CM	80,9266 litre	3,407 %	2294,1174 litre	O
210	CM	60	CM	8 LEVEL CM	67,9988 litre	2,863 %	2307,0452 litre	O
210	CM	60	CM	7 LEVEL CM	55,8015 litre	2,349 %	2319,2425 litre	O
210	CM	60	CM	6 LEVEL CM	44,3968 litre	1,869 %	2330,6472 litre	O
210	CM	60	CM	5 LEVEL CM	33,8610 litre	1,426 %	2341,1830 litre	O
210	CM	60	CM	4 LEVEL CM	24,2911 litre	1,023 %	2350,7529 litre	O
210	CM	60	CM	3 LEVEL CM	15,8178 litre	0,666 %	2359,2262 litre	O
210	CM	60	CM	2 LEVEL CM	8,6320 litre	0,363 %	2366,4120 litre	O
210	CM	60	CM	1 LEVEL CM	3,0596 litre	0,129 %	2371,9844 litre	O
210	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2375,0440 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
210	CM	55	CM 110 LEVEL CM	1995,6967 litre	100,000 %	0,0000 litre	O
210	CM	55	CM 109 LEVEL CM	1992,7681 litre	99,853 %	2,9286 litre	O
210	CM	55	CM 108 LEVEL CM	1987,4360 litre	99,586 %	8,2607 litre	O
210	CM	55	CM 107 LEVEL CM	1980,5628 litre	99,242 %	15,1339 litre	O
210	CM	55	CM 106 LEVEL CM	1972,4614 litre	98,836 %	23,2353 litre	O
210	CM	55	CM 105 LEVEL CM	1963,3152 litre	98,377 %	32,3815 litre	O
210	CM	55	CM 104 LEVEL CM	1953,2500 litre	97,873 %	42,4467 litre	O
210	CM	55	CM 103 LEVEL CM	1942,3594 litre	97,327 %	53,3373 litre	O
210	CM	55	CM 102 LEVEL CM	1930,7168 litre	96,744 %	64,9799 litre	O
210	CM	55	CM 101 LEVEL CM	1918,3824 litre	96,126 %	77,3143 litre	O
210	CM	55	CM 100 LEVEL CM	1905,4066 litre	95,476 %	90,2901 litre	O
210	CM	55	CM 99 LEVEL CM	1891,8327 litre	94,796 %	103,8640 litre	O
210	CM	55	CM 98 LEVEL CM	1877,6984 litre	94,087 %	117,9983 litre	O
210	CM	55	CM 97 LEVEL CM	1863,0372 litre	93,353 %	132,6595 litre	O
210	CM	55	CM 96 LEVEL CM	1847,8790 litre	92,593 %	147,8177 litre	O
210	CM	55	CM 95 LEVEL CM	1832,2509 litre	91,810 %	163,4458 litre	O
210	CM	55	CM 94 LEVEL CM	1816,1775 litre	91,005 %	179,5192 litre	O
210	CM	55	CM 93 LEVEL CM	1799,6817 litre	90,178 %	196,0150 litre	O
210	CM	55	CM 92 LEVEL CM	1782,7844 litre	89,331 %	212,9123 litre	O
210	CM	55	CM 91 LEVEL CM	1765,5051 litre	88,466 %	230,1916 litre	O
210	CM	55	CM 90 LEVEL CM	1747,8620 litre	87,582 %	247,8347 litre	O
210	CM	55	CM 89 LEVEL CM	1729,8724 litre	86,680 %	265,8243 litre	O
210	CM	55	CM 88 LEVEL CM	1711,5524 litre	85,762 %	284,1443 litre	O
210	CM	55	CM 87 LEVEL CM	1692,9174 litre	84,828 %	302,7793 litre	O
210	CM	55	CM 86 LEVEL CM	1673,9818 litre	83,880 %	321,7149 litre	O
210	CM	55	CM 85 LEVEL CM	1654,7597 litre	82,916 %	340,9370 litre	O
210	CM	55	CM 84 LEVEL CM	1635,2641 litre	81,940 %	360,4326 litre	O
210	CM	55	CM 83 LEVEL CM	1615,5078 litre	80,950 %	380,1889 litre	O
210	CM	55	CM 82 LEVEL CM	1595,5031 litre	79,947 %	400,1936 litre	O
210	CM	55	CM 81 LEVEL CM	1575,2618 litre	78,933 %	420,4349 litre	O
210	CM	55	CM 80 LEVEL CM	1554,7950 litre	77,907 %	440,9017 litre	O
210	CM	55	CM 79 LEVEL CM	1534,1139 litre	76,871 %	461,5828 litre	O
210	CM	55	CM 78 LEVEL CM	1513,2291 litre	75,825 %	482,4676 litre	O
210	CM	55	CM 77 LEVEL CM	1492,1509 litre	74,768 %	503,5458 litre	O
210	CM	55	CM 76 LEVEL CM	1470,8894 litre	73,703 %	524,8073 litre	O
210	CM	55	CM 75 LEVEL CM	1449,4544 litre	72,629 %	546,2423 litre	O
210	CM	55	CM 74 LEVEL CM	1427,8554 litre	71,547 %	567,8413 litre	O
210	CM	55	CM 73 LEVEL CM	1406,1018 litre	70,457 %	589,5949 litre	O
210	CM	55	CM 72 LEVEL CM	1384,2026 litre	69,359 %	611,4941 litre	O
210	CM	55	CM 71 LEVEL CM	1362,1670 litre	68,255 %	633,5297 litre	O
210	CM	55	CM 70 LEVEL CM	1340,0037 litre	67,145 %	655,6930 litre	O
210	CM	55	CM 69 LEVEL CM	1317,7212 litre	66,028 %	677,9755 litre	O
210	CM	55	CM 68 LEVEL CM	1295,3283 litre	64,906 %	700,3684 litre	O
210	CM	55	CM 67 LEVEL CM	1272,8331 litre	63,779 %	722,8636 litre	O
210	CM	55	CM 66 LEVEL CM	1250,2441 litre	62,647 %	745,4526 litre	O
210	CM	55	CM 65 LEVEL CM	1227,5693 litre	61,511 %	768,1274 litre	O
210	CM	55	CM 64 LEVEL CM	1204,8168 litre	60,371 %	790,8799 litre	O
210	CM	55	CM 63 LEVEL CM	1181,9946 litre	59,227 %	813,7021 litre	O
210	CM	55	CM 62 LEVEL CM	1159,1108 litre	58,081 %	836,5859 litre	O
210	CM	55	CM 61 LEVEL CM	1136,1730 litre	56,931 %	859,5237 litre	O
210	CM	55	CM 60 LEVEL CM	1113,1891 litre	55,779 %	882,5076 litre	O
210	CM	55	CM 59 LEVEL CM	1090,1668 litre	54,626 %	905,5299 litre	O

210	CM	55	CM	58 LEVEL CM	1067,1140 litre	53,471 %	928,5827 litre	O
210	CM	55	CM	57 LEVEL CM	1044,0382 litre	52,314 %	951,6585 litre	O
210	CM	55	CM	56 LEVEL CM	1020,9471 litre	51,157 %	974,7496 litre	O
210	CM	55	CM	55 LEVEL CM	997,8484 litre	50,000 %	997,8483 litre	O
210	CM	55	CM	54 LEVEL CM	974,7496 litre	48,843 %	1020,9471 litre	O
210	CM	55	CM	53 LEVEL CM	951,6586 litre	47,686 %	1044,0381 litre	O
210	CM	55	CM	52 LEVEL CM	928,5827 litre	46,529 %	1067,1140 litre	O
210	CM	55	CM	51 LEVEL CM	905,5299 litre	45,374 %	1090,1668 litre	O
210	CM	55	CM	50 LEVEL CM	882,5077 litre	44,221 %	1113,1890 litre	O
210	CM	55	CM	49 LEVEL CM	859,5238 litre	43,069 %	1136,1729 litre	O
210	CM	55	CM	48 LEVEL CM	836,5860 litre	41,919 %	1159,1107 litre	O
210	CM	55	CM	47 LEVEL CM	813,7021 litre	40,773 %	1181,9946 litre	O
210	CM	55	CM	46 LEVEL CM	790,8799 litre	39,629 %	1204,8168 litre	O
210	CM	55	CM	45 LEVEL CM	768,1275 litre	38,489 %	1227,5692 litre	O
210	CM	55	CM	44 LEVEL CM	745,4527 litre	37,353 %	1250,2440 litre	O
210	CM	55	CM	43 LEVEL CM	722,8636 litre	36,221 %	1272,8331 litre	O
210	CM	55	CM	42 LEVEL CM	700,3685 litre	35,094 %	1295,3282 litre	O
210	CM	55	CM	41 LEVEL CM	677,9755 litre	33,972 %	1317,7212 litre	O
210	CM	55	CM	40 LEVEL CM	655,6931 litre	32,855 %	1340,0036 litre	O
210	CM	55	CM	39 LEVEL CM	633,5297 litre	31,745 %	1362,1670 litre	O
210	CM	55	CM	38 LEVEL CM	611,4941 litre	30,641 %	1384,2026 litre	O
210	CM	55	CM	37 LEVEL CM	589,5950 litre	29,543 %	1406,1017 litre	O
210	CM	55	CM	36 LEVEL CM	567,8413 litre	28,453 %	1427,8554 litre	O
210	CM	55	CM	35 LEVEL CM	546,2423 litre	27,371 %	1449,4544 litre	O
210	CM	55	CM	34 LEVEL CM	524,8073 litre	26,297 %	1470,8894 litre	O
210	CM	55	CM	33 LEVEL CM	503,5458 litre	25,232 %	1492,1509 litre	O
210	CM	55	CM	32 LEVEL CM	482,4676 litre	24,175 %	1513,2291 litre	O
210	CM	55	CM	31 LEVEL CM	461,5828 litre	23,129 %	1534,1139 litre	O
210	CM	55	CM	30 LEVEL CM	440,9017 litre	22,093 %	1554,7950 litre	O
210	CM	55	CM	29 LEVEL CM	420,4350 litre	21,067 %	1575,2617 litre	O
210	CM	55	CM	28 LEVEL CM	400,1936 litre	20,053 %	1595,5031 litre	O
210	CM	55	CM	27 LEVEL CM	380,1889 litre	19,050 %	1615,5078 litre	O
210	CM	55	CM	26 LEVEL CM	360,4326 litre	18,060 %	1635,2641 litre	O
210	CM	55	CM	25 LEVEL CM	340,9371 litre	17,084 %	1654,7596 litre	O
210	CM	55	CM	24 LEVEL CM	321,7149 litre	16,120 %	1673,9818 litre	O
210	CM	55	CM	23 LEVEL CM	302,7793 litre	15,172 %	1692,9174 litre	O
210	CM	55	CM	22 LEVEL CM	284,1443 litre	14,238 %	1711,5524 litre	O
210	CM	55	CM	21 LEVEL CM	265,8243 litre	13,320 %	1729,8724 litre	O
210	CM	55	CM	20 LEVEL CM	247,8347 litre	12,418 %	1747,8620 litre	O
210	CM	55	CM	19 LEVEL CM	230,1917 litre	11,534 %	1765,5050 litre	O
210	CM	55	CM	18 LEVEL CM	212,9124 litre	10,669 %	1782,7843 litre	O
210	CM	55	CM	17 LEVEL CM	196,0150 litre	9,822 %	1799,6817 litre	O
210	CM	55	CM	16 LEVEL CM	179,5192 litre	8,995 %	1816,1775 litre	O
210	CM	55	CM	15 LEVEL CM	163,4459 litre	8,190 %	1832,2508 litre	O
210	CM	55	CM	14 LEVEL CM	147,8178 litre	7,407 %	1847,8789 litre	O
210	CM	55	CM	13 LEVEL CM	132,6596 litre	6,647 %	1863,0371 litre	O
210	CM	55	CM	12 LEVEL CM	117,9984 litre	5,913 %	1877,6983 litre	O
210	CM	55	CM	11 LEVEL CM	103,8641 litre	5,204 %	1891,8326 litre	O
210	CM	55	CM	10 LEVEL CM	90,2902 litre	4,524 %	1905,4065 litre	O
210	CM	55	CM	9 LEVEL CM	77,3144 litre	3,874 %	1918,3823 litre	O
210	CM	55	CM	8 LEVEL CM	64,9800 litre	3,256 %	1930,7167 litre	O
210	CM	55	CM	7 LEVEL CM	53,3374 litre	2,673 %	1942,3593 litre	O
210	CM	55	CM	6 LEVEL CM	42,4467 litre	2,127 %	1953,2500 litre	O

210	CM 55	CM	5 LEVEL CM	32,3815 litre	1,623 %	1963,3152 litre	O
210	CM 55	CM	4 LEVEL CM	23,2353 litre	1,164 %	1972,4614 litre	O
210	CM 55	CM	3 LEVEL CM	15,1339 litre	0,758 %	1980,5628 litre	O
210	CM 55	CM	2 LEVEL CM	8,2607 litre	0,414 %	1987,4360 litre	O
210	CM 55	CM	1 LEVEL CM	2,9286 litre	0,147 %	1992,7681 litre	O
210	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	1995,6967 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
210	CM	50	CM	100 LEVEL CM	1649,3361 litre	100,000 %	0,0000 litre	O
210	CM	50	CM	99 LEVEL CM	1646,5446 litre	99,831 %	2,7915 litre	O
210	CM	50	CM	98 LEVEL CM	1641,4642 litre	99,523 %	7,8719 litre	O
210	CM	50	CM	97 LEVEL CM	1634,9186 litre	99,126 %	14,4175 litre	O
210	CM	50	CM	96 LEVEL CM	1627,2069 litre	98,658 %	22,1292 litre	O
210	CM	50	CM	95 LEVEL CM	1618,5050 litre	98,131 %	30,8311 litre	O
210	CM	50	CM	94 LEVEL CM	1608,9336 litre	97,550 %	40,4025 litre	O
210	CM	50	CM	93 LEVEL CM	1598,5824 litre	96,923 %	50,7537 litre	O
210	CM	50	CM	92 LEVEL CM	1587,5224 litre	96,252 %	61,8137 litre	O
210	CM	50	CM	91 LEVEL CM	1575,8114 litre	95,542 %	73,5247 litre	O
210	CM	50	CM	90 LEVEL CM	1563,4981 litre	94,796 %	85,8380 litre	O
210	CM	50	CM	89 LEVEL CM	1550,6243 litre	94,015 %	98,7118 litre	O
210	CM	50	CM	88 LEVEL CM	1537,2268 litre	93,203 %	112,1093 litre	O
210	CM	50	CM	87 LEVEL CM	1523,3378 litre	92,361 %	125,9983 litre	O
210	CM	50	CM	86 LEVEL CM	1508,9865 litre	91,491 %	140,3496 litre	O
210	CM	50	CM	85 LEVEL CM	1494,1993 litre	90,594 %	155,1368 litre	O
210	CM	50	CM	84 LEVEL CM	1479,0002 litre	89,672 %	170,3359 litre	O
210	CM	50	CM	83 LEVEL CM	1463,4115 litre	88,727 %	185,9246 litre	O
210	CM	50	CM	82 LEVEL CM	1447,4536 litre	87,760 %	201,8825 litre	O
210	CM	50	CM	81 LEVEL CM	1431,1459 litre	86,771 %	218,1902 litre	O
210	CM	50	CM	80 LEVEL CM	1414,5062 litre	85,762 %	234,8299 litre	O
210	CM	50	CM	79 LEVEL CM	1397,5514 litre	84,734 %	251,7847 litre	O
210	CM	50	CM	78 LEVEL CM	1380,2974 litre	83,688 %	269,0387 litre	O
210	CM	50	CM	77 LEVEL CM	1362,7596 litre	82,625 %	286,5765 litre	O
210	CM	50	CM	76 LEVEL CM	1344,9522 litre	81,545 %	304,3839 litre	O
210	CM	50	CM	75 LEVEL CM	1326,8891 litre	80,450 %	322,4470 litre	O
210	CM	50	CM	74 LEVEL CM	1308,5835 litre	79,340 %	340,7526 litre	O
210	CM	50	CM	73 LEVEL CM	1290,0480 litre	78,216 %	359,2881 litre	O
210	CM	50	CM	72 LEVEL CM	1271,2949 litre	77,079 %	378,0412 litre	O
210	CM	50	CM	71 LEVEL CM	1252,3359 litre	75,930 %	397,0002 litre	O
210	CM	50	CM	70 LEVEL CM	1233,1826 litre	74,768 %	416,1535 litre	O
210	CM	50	CM	69 LEVEL CM	1213,8459 litre	73,596 %	435,4902 litre	O
210	CM	50	CM	68 LEVEL CM	1194,3367 litre	72,413 %	454,9994 litre	O
210	CM	50	CM	67 LEVEL CM	1174,6654 litre	71,220 %	474,6707 litre	O
210	CM	50	CM	66 LEVEL CM	1154,8422 litre	70,019 %	494,4939 litre	O
210	CM	50	CM	65 LEVEL CM	1134,8771 litre	68,808 %	514,4590 litre	O
210	CM	50	CM	64 LEVEL CM	1114,7800 litre	67,590 %	534,5561 litre	O
210	CM	50	CM	63 LEVEL CM	1094,5603 litre	66,364 %	554,7758 litre	O
210	CM	50	CM	62 LEVEL CM	1074,2275 litre	65,131 %	575,1086 litre	O
210	CM	50	CM	61 LEVEL CM	1053,7909 litre	63,892 %	595,5452 litre	O
210	CM	50	CM	60 LEVEL CM	1033,2595 litre	62,647 %	616,0766 litre	O
210	CM	50	CM	59 LEVEL CM	1012,6425 litre	61,397 %	636,6936 litre	O
210	CM	50	CM	58 LEVEL CM	991,9485 litre	60,142 %	657,3876 litre	O
210	CM	50	CM	57 LEVEL CM	971,1864 litre	58,883 %	678,1497 litre	O
210	CM	50	CM	56 LEVEL CM	950,3650 litre	57,621 %	698,9711 litre	O
210	CM	50	CM	55 LEVEL CM	929,4928 litre	56,356 %	719,8433 litre	O
210	CM	50	CM	54 LEVEL CM	908,5784 litre	55,088 %	740,7577 litre	O
210	CM	50	CM	53 LEVEL CM	887,6303 litre	53,817 %	761,7058 litre	O
210	CM	50	CM	52 LEVEL CM	866,6569 litre	52,546 %	782,6792 litre	O
210	CM	50	CM	51 LEVEL CM	845,6667 litre	51,273 %	803,6694 litre	O
210	CM	50	CM	50 LEVEL CM	824,6681 litre	50,000 %	824,6680 litre	O
210	CM	50	CM	49 LEVEL CM	803,6695 litre	48,727 %	845,6666 litre	O

210	CM	50	CM	48 LEVEL CM	782,6793 litre	47,454 %	866,6568 litre	O
210	CM	50	CM	47 LEVEL CM	761,7059 litre	46,183 %	887,6302 litre	O
210	CM	50	CM	46 LEVEL CM	740,7578 litre	44,912 %	908,5783 litre	O
210	CM	50	CM	45 LEVEL CM	719,8433 litre	43,644 %	929,4928 litre	O
210	CM	50	CM	44 LEVEL CM	698,9711 litre	42,379 %	950,3650 litre	O
210	CM	50	CM	43 LEVEL CM	678,1497 litre	41,117 %	971,1864 litre	O
210	CM	50	CM	42 LEVEL CM	657,3876 litre	39,858 %	991,9485 litre	O
210	CM	50	CM	41 LEVEL CM	636,6937 litre	38,603 %	1012,6424 litre	O
210	CM	50	CM	40 LEVEL CM	616,0766 litre	37,353 %	1033,2595 litre	O
210	CM	50	CM	39 LEVEL CM	595,5452 litre	36,108 %	1053,7909 litre	O
210	CM	50	CM	38 LEVEL CM	575,1086 litre	34,869 %	1074,2275 litre	O
210	CM	50	CM	37 LEVEL CM	554,7758 litre	33,636 %	1094,5603 litre	O
210	CM	50	CM	36 LEVEL CM	534,5562 litre	32,410 %	1114,7799 litre	O
210	CM	50	CM	35 LEVEL CM	514,4590 litre	31,192 %	1134,8771 litre	O
210	CM	50	CM	34 LEVEL CM	494,4939 litre	29,981 %	1154,8422 litre	O
210	CM	50	CM	33 LEVEL CM	474,6708 litre	28,780 %	1174,6653 litre	O
210	CM	50	CM	32 LEVEL CM	454,9994 litre	27,587 %	1194,3367 litre	O
210	CM	50	CM	31 LEVEL CM	435,4902 litre	26,404 %	1213,8459 litre	O
210	CM	50	CM	30 LEVEL CM	416,1535 litre	25,232 %	1233,1826 litre	O
210	CM	50	CM	29 LEVEL CM	397,0002 litre	24,070 %	1252,3359 litre	O
210	CM	50	CM	28 LEVEL CM	378,0413 litre	22,921 %	1271,2948 litre	O
210	CM	50	CM	27 LEVEL CM	359,2882 litre	21,784 %	1290,0479 litre	O
210	CM	50	CM	26 LEVEL CM	340,7527 litre	20,660 %	1308,5834 litre	O
210	CM	50	CM	25 LEVEL CM	322,4470 litre	19,550 %	1326,8891 litre	O
210	CM	50	CM	24 LEVEL CM	304,3839 litre	18,455 %	1344,9522 litre	O
210	CM	50	CM	23 LEVEL CM	286,5766 litre	17,375 %	1362,7595 litre	O
210	CM	50	CM	22 LEVEL CM	269,0387 litre	16,312 %	1380,2974 litre	O
210	CM	50	CM	21 LEVEL CM	251,7848 litre	15,266 %	1397,5513 litre	O
210	CM	50	CM	20 LEVEL CM	234,8300 litre	14,238 %	1414,5061 litre	O
210	CM	50	CM	19 LEVEL CM	218,1903 litre	13,229 %	1431,1458 litre	O
210	CM	50	CM	18 LEVEL CM	201,8825 litre	12,240 %	1447,4536 litre	O
210	CM	50	CM	17 LEVEL CM	185,9247 litre	11,273 %	1463,4114 litre	O
210	CM	50	CM	16 LEVEL CM	170,3360 litre	10,328 %	1479,0001 litre	O
210	CM	50	CM	15 LEVEL CM	155,1369 litre	9,406 %	1494,1992 litre	O
210	CM	50	CM	14 LEVEL CM	140,3497 litre	8,509 %	1508,9864 litre	O
210	CM	50	CM	13 LEVEL CM	125,9984 litre	7,639 %	1523,3377 litre	O
210	CM	50	CM	12 LEVEL CM	112,1094 litre	6,797 %	1537,2267 litre	O
210	CM	50	CM	11 LEVEL CM	98,7118 litre	5,985 %	1550,6243 litre	O
210	CM	50	CM	10 LEVEL CM	85,8381 litre	5,204 %	1563,4980 litre	O
210	CM	50	CM	9 LEVEL CM	73,5248 litre	4,458 %	1575,8113 litre	O
210	CM	50	CM	8 LEVEL CM	61,8138 litre	3,748 %	1587,5223 litre	O
210	CM	50	CM	7 LEVEL CM	50,7537 litre	3,077 %	1598,5824 litre	O
210	CM	50	CM	6 LEVEL CM	40,4026 litre	2,450 %	1608,9335 litre	O
210	CM	50	CM	5 LEVEL CM	30,8311 litre	1,869 %	1618,5050 litre	O
210	CM	50	CM	4 LEVEL CM	22,1292 litre	1,342 %	1627,2069 litre	O
210	CM	50	CM	3 LEVEL CM	14,4176 litre	0,874 %	1634,9185 litre	O
210	CM	50	CM	2 LEVEL CM	7,8719 litre	0,477 %	1641,4642 litre	O
210	CM	50	CM	1 LEVEL CM	2,7916 litre	0,169 %	1646,5445 litre	O
210	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1649,3361 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM	100	CM 200 LEVEL CM	6283,1853 litre	100,000 %	0,0000 litre	O
200	CM	100	CM 199,5 LEVEL CM	6281,8530 litre	99,979 %	1,3323 litre	O
200	CM	100	CM 199 LEVEL CM	6279,4197 litre	99,940 %	3,7656 litre	O
200	CM	100	CM 198,5 LEVEL CM	6276,2727 litre	99,890 %	6,9126 litre	O
200	CM	100	CM 198 LEVEL CM	6272,5507 litre	99,831 %	10,6346 litre	O
200	CM	100	CM 197,5 LEVEL CM	6268,3342 litre	99,764 %	14,8511 litre	O
200	CM	100	CM 197 LEVEL CM	6263,6778 litre	99,690 %	19,5075 litre	O
200	CM	100	CM 196,5 LEVEL CM	6258,6217 litre	99,609 %	24,5636 litre	O
200	CM	100	CM 196 LEVEL CM	6253,1971 litre	99,523 %	29,9882 litre	O
200	CM	100	CM 195,5 LEVEL CM	6247,4293 litre	99,431 %	35,7560 litre	O
200	CM	100	CM 195 LEVEL CM	6241,3393 litre	99,334 %	41,8460 litre	O
200	CM	100	CM 194,5 LEVEL CM	6234,9448 litre	99,232 %	48,2405 litre	O
200	CM	100	CM 194 LEVEL CM	6228,2612 litre	99,126 %	54,9241 litre	O
200	CM	100	CM 193,5 LEVEL CM	6221,3020 litre	99,015 %	61,8833 litre	O
200	CM	100	CM 193 LEVEL CM	6214,0790 litre	98,900 %	69,1063 litre	O
200	CM	100	CM 192,5 LEVEL CM	6206,6030 litre	98,781 %	76,5823 litre	O
200	CM	100	CM 192 LEVEL CM	6198,8834 litre	98,658 %	84,3019 litre	O
200	CM	100	CM 191,5 LEVEL CM	6190,9290 litre	98,532 %	92,2563 litre	O
200	CM	100	CM 191 LEVEL CM	6182,7478 litre	98,401 %	100,4375 litre	O
200	CM	100	CM 190,5 LEVEL CM	6174,3470 litre	98,268 %	108,8383 litre	O
200	CM	100	CM 190 LEVEL CM	6165,7335 litre	98,131 %	117,4518 litre	O
200	CM	100	CM 189,5 LEVEL CM	6156,9134 litre	97,990 %	126,2719 litre	O
200	CM	100	CM 189 LEVEL CM	6147,8927 litre	97,847 %	135,2926 litre	O
200	CM	100	CM 188,5 LEVEL CM	6138,6768 litre	97,700 %	144,5085 litre	O
200	CM	100	CM 188 LEVEL CM	6129,2707 litre	97,550 %	153,9146 litre	O
200	CM	100	CM 187,5 LEVEL CM	6119,6794 litre	97,398 %	163,5059 litre	O
200	CM	100	CM 187 LEVEL CM	6109,9073 litre	97,242 %	173,2780 litre	O
200	CM	100	CM 186,5 LEVEL CM	6099,9587 litre	97,084 %	183,2266 litre	O
200	CM	100	CM 186 LEVEL CM	6089,8377 litre	96,923 %	193,3476 litre	O
200	CM	100	CM 185,5 LEVEL CM	6079,5482 litre	96,759 %	203,6371 litre	O
200	CM	100	CM 185 LEVEL CM	6069,0938 litre	96,593 %	214,0915 litre	O
200	CM	100	CM 184,5 LEVEL CM	6058,4780 litre	96,424 %	224,7073 litre	O
200	CM	100	CM 184 LEVEL CM	6047,7042 litre	96,252 %	235,4811 litre	O
200	CM	100	CM 183,5 LEVEL CM	6036,7756 litre	96,078 %	246,4097 litre	O
200	CM	100	CM 183 LEVEL CM	6025,6953 litre	95,902 %	257,4900 litre	O
200	CM	100	CM 182,5 LEVEL CM	6014,4661 litre	95,723 %	268,7192 litre	O
200	CM	100	CM 182 LEVEL CM	6003,0909 litre	95,542 %	280,0944 litre	O
200	CM	100	CM 181,5 LEVEL CM	5991,5724 litre	95,359 %	291,6129 litre	O
200	CM	100	CM 181 LEVEL CM	5979,9133 litre	95,173 %	303,2720 litre	O
200	CM	100	CM 180,5 LEVEL CM	5968,1160 litre	94,986 %	315,0693 litre	O
200	CM	100	CM 180 LEVEL CM	5956,1831 litre	94,796 %	327,0022 litre	O
200	CM	100	CM 179,5 LEVEL CM	5944,1168 litre	94,604 %	339,0685 litre	O
200	CM	100	CM 179 LEVEL CM	5931,9195 litre	94,409 %	351,2658 litre	O
200	CM	100	CM 178,5 LEVEL CM	5919,5933 litre	94,213 %	363,5920 litre	O
200	CM	100	CM 178 LEVEL CM	5907,1403 litre	94,015 %	376,0450 litre	O
200	CM	100	CM 177,5 LEVEL CM	5894,5628 litre	93,815 %	388,6225 litre	O
200	CM	100	CM 177 LEVEL CM	5881,8625 litre	93,613 %	401,3228 litre	O
200	CM	100	CM 176,5 LEVEL CM	5869,0416 litre	93,409 %	414,1437 litre	O
200	CM	100	CM 176 LEVEL CM	5856,1020 litre	93,203 %	427,0833 litre	O
200	CM	100	CM 175,5 LEVEL CM	5843,0453 litre	92,995 %	440,1400 litre	O
200	CM	100	CM 175 LEVEL CM	5829,8736 litre	92,785 %	453,3117 litre	O
200	CM	100	CM 174,5 LEVEL CM	5816,5884 litre	92,574 %	466,5969 litre	O

200	CM	100	CM	174 LEVEL CM	5803,1915 litre	92,361 %	479,9938 litre	O
200	CM	100	CM	173,5 LEVEL CM	5789,6847 litre	92,146 %	493,5006 litre	O
200	CM	100	CM	173 LEVEL CM	5776,0694 litre	91,929 %	507,1159 litre	O
200	CM	100	CM	172,5 LEVEL CM	5762,3473 litre	91,711 %	520,8380 litre	O
200	CM	100	CM	172 LEVEL CM	5748,5199 litre	91,491 %	534,6654 litre	O
200	CM	100	CM	171,5 LEVEL CM	5734,5888 litre	91,269 %	548,5965 litre	O
200	CM	100	CM	171 LEVEL CM	5720,5555 litre	91,045 %	562,6298 litre	O
200	CM	100	CM	170,5 LEVEL CM	5706,4212 litre	90,821 %	576,7641 litre	O
200	CM	100	CM	170 LEVEL CM	5692,1876 litre	90,594 %	590,9977 litre	O
200	CM	100	CM	169,5 LEVEL CM	5677,8560 litre	90,366 %	605,3293 litre	O
200	CM	100	CM	169 LEVEL CM	5663,4277 litre	90,136 %	619,7576 litre	O
200	CM	100	CM	168,5 LEVEL CM	5648,9041 litre	89,905 %	634,2812 litre	O
200	CM	100	CM	168 LEVEL CM	5634,2864 litre	89,672 %	648,8989 litre	O
200	CM	100	CM	167,5 LEVEL CM	5619,5760 litre	89,438 %	663,6093 litre	O
200	CM	100	CM	167 LEVEL CM	5604,7741 litre	89,203 %	678,4112 litre	O
200	CM	100	CM	166,5 LEVEL CM	5589,8820 litre	88,966 %	693,3033 litre	O
200	CM	100	CM	166 LEVEL CM	5574,9008 litre	88,727 %	708,2845 litre	O
200	CM	100	CM	165,5 LEVEL CM	5559,8317 litre	88,487 %	723,3536 litre	O
200	CM	100	CM	165 LEVEL CM	5544,6760 litre	88,246 %	738,5093 litre	O
200	CM	100	CM	164,5 LEVEL CM	5529,4347 litre	88,004 %	753,7506 litre	O
200	CM	100	CM	164 LEVEL CM	5514,1091 litre	87,760 %	769,0762 litre	O
200	CM	100	CM	163,5 LEVEL CM	5498,7001 litre	87,515 %	784,4852 litre	O
200	CM	100	CM	163 LEVEL CM	5483,2089 litre	87,268 %	799,9764 litre	O
200	CM	100	CM	162,5 LEVEL CM	5467,6367 litre	87,020 %	815,5486 litre	O
200	CM	100	CM	162 LEVEL CM	5451,9843 litre	86,771 %	831,2010 litre	O
200	CM	100	CM	161,5 LEVEL CM	5436,2529 litre	86,521 %	846,9324 litre	O
200	CM	100	CM	161 LEVEL CM	5420,4436 litre	86,269 %	862,7417 litre	O
200	CM	100	CM	160,5 LEVEL CM	5404,5572 litre	86,016 %	878,6281 litre	O
200	CM	100	CM	160 LEVEL CM	5388,5949 litre	85,762 %	894,5904 litre	O
200	CM	100	CM	159,5 LEVEL CM	5372,5575 litre	85,507 %	910,6278 litre	O
200	CM	100	CM	159 LEVEL CM	5356,4462 litre	85,250 %	926,7391 litre	O
200	CM	100	CM	158,5 LEVEL CM	5340,2617 litre	84,993 %	942,9236 litre	O
200	CM	100	CM	158 LEVEL CM	5324,0051 litre	84,734 %	959,1802 litre	O
200	CM	100	CM	157,5 LEVEL CM	5307,6774 litre	84,474 %	975,5079 litre	O
200	CM	100	CM	157 LEVEL CM	5291,2793 litre	84,213 %	991,9060 litre	O
200	CM	100	CM	156,5 LEVEL CM	5274,8119 litre	83,951 %	1008,3734 litre	O
200	CM	100	CM	156 LEVEL CM	5258,2760 litre	83,688 %	1024,9093 litre	O
200	CM	100	CM	155,5 LEVEL CM	5241,6725 litre	83,424 %	1041,5128 litre	O
200	CM	100	CM	155 LEVEL CM	5225,0022 litre	83,158 %	1058,1831 litre	O
200	CM	100	CM	154,5 LEVEL CM	5208,2662 litre	82,892 %	1074,9191 litre	O
200	CM	100	CM	154 LEVEL CM	5191,4651 litre	82,625 %	1091,7202 litre	O
200	CM	100	CM	153,5 LEVEL CM	5174,5998 litre	82,356 %	1108,5855 litre	O
200	CM	100	CM	153 LEVEL CM	5157,6713 litre	82,087 %	1125,5140 litre	O
200	CM	100	CM	152,5 LEVEL CM	5140,6802 litre	81,816 %	1142,5051 litre	O
200	CM	100	CM	152 LEVEL CM	5123,6275 litre	81,545 %	1159,5578 litre	O
200	CM	100	CM	151,5 LEVEL CM	5106,5138 litre	81,273 %	1176,6715 litre	O
200	CM	100	CM	151 LEVEL CM	5089,3401 litre	80,999 %	1193,8452 litre	O
200	CM	100	CM	150,5 LEVEL CM	5072,1071 litre	80,725 %	1211,0782 litre	O
200	CM	100	CM	150 LEVEL CM	5054,8156 litre	80,450 %	1228,3697 litre	O
200	CM	100	CM	149,5 LEVEL CM	5037,4664 litre	80,174 %	1245,7189 litre	O
200	CM	100	CM	149 LEVEL CM	5020,0601 litre	79,897 %	1263,1252 litre	O
200	CM	100	CM	148,5 LEVEL CM	5002,5977 litre	79,619 %	1280,5876 litre	O
200	CM	100	CM	148 LEVEL CM	4985,0798 litre	79,340 %	1298,1055 litre	O

200	CM	100	CM	147,5 LEVEL CM	4967,5072 litre	79,060 %	1315,6781 litre	O
200	CM	100	CM	147 LEVEL CM	4949,8806 litre	78,780 %	1333,3047 litre	O
200	CM	100	CM	146,5 LEVEL CM	4932,2008 litre	78,498 %	1350,9845 litre	O
200	CM	100	CM	146 LEVEL CM	4914,4685 litre	78,216 %	1368,7168 litre	O
200	CM	100	CM	145,5 LEVEL CM	4896,6843 litre	77,933 %	1386,5010 litre	O
200	CM	100	CM	145 LEVEL CM	4878,8490 litre	77,649 %	1404,3363 litre	O
200	CM	100	CM	144,5 LEVEL CM	4860,9634 litre	77,365 %	1422,2219 litre	O
200	CM	100	CM	144 LEVEL CM	4843,0280 litre	77,079 %	1440,1573 litre	O
200	CM	100	CM	143,5 LEVEL CM	4825,0437 litre	76,793 %	1458,1416 litre	O
200	CM	100	CM	143 LEVEL CM	4807,0111 litre	76,506 %	1476,1742 litre	O
200	CM	100	CM	142,5 LEVEL CM	4788,9308 litre	76,218 %	1494,2545 litre	O
200	CM	100	CM	142 LEVEL CM	4770,8035 litre	75,930 %	1512,3818 litre	O
200	CM	100	CM	141,5 LEVEL CM	4752,6300 litre	75,640 %	1530,5553 litre	O
200	CM	100	CM	141 LEVEL CM	4734,4109 litre	75,350 %	1548,7744 litre	O
200	CM	100	CM	140,5 LEVEL CM	4716,1468 litre	75,060 %	1567,0385 litre	O
200	CM	100	CM	140 LEVEL CM	4697,8385 litre	74,768 %	1585,3468 litre	O
200	CM	100	CM	139,5 LEVEL CM	4679,4864 litre	74,476 %	1603,6989 litre	O
200	CM	100	CM	139 LEVEL CM	4661,0914 litre	74,184 %	1622,0939 litre	O
200	CM	100	CM	138,5 LEVEL CM	4642,6541 litre	73,890 %	1640,5312 litre	O
200	CM	100	CM	138 LEVEL CM	4624,1750 litre	73,596 %	1659,0103 litre	O
200	CM	100	CM	137,5 LEVEL CM	4605,6548 litre	73,301 %	1677,5305 litre	O
200	CM	100	CM	137 LEVEL CM	4587,0942 litre	73,006 %	1696,0911 litre	O
200	CM	100	CM	136,5 LEVEL CM	4568,4937 litre	72,710 %	1714,6916 litre	O
200	CM	100	CM	136 LEVEL CM	4549,8541 litre	72,413 %	1733,3312 litre	O
200	CM	100	CM	135,5 LEVEL CM	4531,1759 litre	72,116 %	1752,0094 litre	O
200	CM	100	CM	135 LEVEL CM	4512,4597 litre	71,818 %	1770,7256 litre	O
200	CM	100	CM	134,5 LEVEL CM	4493,7061 litre	71,520 %	1789,4792 litre	O
200	CM	100	CM	134 LEVEL CM	4474,9157 litre	71,220 %	1808,2696 litre	O
200	CM	100	CM	133,5 LEVEL CM	4456,0893 litre	70,921 %	1827,0960 litre	O
200	CM	100	CM	133 LEVEL CM	4437,2272 litre	70,621 %	1845,9581 litre	O
200	CM	100	CM	132,5 LEVEL CM	4418,3302 litre	70,320 %	1864,8551 litre	O
200	CM	100	CM	132 LEVEL CM	4399,3989 litre	70,019 %	1883,7864 litre	O
200	CM	100	CM	131,5 LEVEL CM	4380,4337 litre	69,717 %	1902,7516 litre	O
200	CM	100	CM	131 LEVEL CM	4361,4354 litre	69,414 %	1921,7499 litre	O
200	CM	100	CM	130,5 LEVEL CM	4342,4044 litre	69,112 %	1940,7809 litre	O
200	CM	100	CM	130 LEVEL CM	4323,3415 litre	68,808 %	1959,8438 litre	O
200	CM	100	CM	129,5 LEVEL CM	4304,2471 litre	68,504 %	1978,9382 litre	O
200	CM	100	CM	129 LEVEL CM	4285,1218 litre	68,200 %	1998,0635 litre	O
200	CM	100	CM	128,5 LEVEL CM	4265,9662 litre	67,895 %	2017,2191 litre	O
200	CM	100	CM	128 LEVEL CM	4246,7809 litre	67,590 %	2036,4044 litre	O
200	CM	100	CM	127,5 LEVEL CM	4227,5664 litre	67,284 %	2055,6189 litre	O
200	CM	100	CM	127 LEVEL CM	4208,3233 litre	66,978 %	2074,8620 litre	O
200	CM	100	CM	126,5 LEVEL CM	4189,0522 litre	66,671 %	2094,1331 litre	O
200	CM	100	CM	126 LEVEL CM	4169,7535 litre	66,364 %	2113,4318 litre	O
200	CM	100	CM	125,5 LEVEL CM	4150,4280 litre	66,056 %	2132,7573 litre	O
200	CM	100	CM	125 LEVEL CM	4131,0761 litre	65,748 %	2152,1092 litre	O
200	CM	100	CM	124,5 LEVEL CM	4111,6983 litre	65,440 %	2171,4870 litre	O
200	CM	100	CM	124 LEVEL CM	4092,2953 litre	65,131 %	2190,8900 litre	O
200	CM	100	CM	123,5 LEVEL CM	4072,8676 litre	64,822 %	2210,3177 litre	O
200	CM	100	CM	123 LEVEL CM	4053,4157 litre	64,512 %	2229,7696 litre	O
200	CM	100	CM	122,5 LEVEL CM	4033,9402 litre	64,202 %	2249,2451 litre	O
200	CM	100	CM	122 LEVEL CM	4014,4415 litre	63,892 %	2268,7438 litre	O
200	CM	100	CM	121,5 LEVEL CM	3994,9204 litre	63,581 %	2288,2649 litre	O

200	CM	100	CM	121 LEVEL CM	3975,3772 litre	63,270 %	2307,8081 litre	O
200	CM	100	CM	120,5 LEVEL CM	3955,8125 litre	62,959 %	2327,3728 litre	O
200	CM	100	CM	120 LEVEL CM	3936,2269 litre	62,647 %	2346,9584 litre	O
200	CM	100	CM	119,5 LEVEL CM	3916,6208 litre	62,335 %	2366,5645 litre	O
200	CM	100	CM	119 LEVEL CM	3896,9949 litre	62,023 %	2386,1904 litre	O
200	CM	100	CM	118,5 LEVEL CM	3877,3496 litre	61,710 %	2405,8357 litre	O
200	CM	100	CM	118 LEVEL CM	3857,6855 litre	61,397 %	2425,4998 litre	O
200	CM	100	CM	117,5 LEVEL CM	3838,0031 litre	61,084 %	2445,1822 litre	O
200	CM	100	CM	117 LEVEL CM	3818,3030 litre	60,770 %	2464,8823 litre	O
200	CM	100	CM	116,5 LEVEL CM	3798,5856 litre	60,456 %	2484,5997 litre	O
200	CM	100	CM	116 LEVEL CM	3778,8514 litre	60,142 %	2504,3339 litre	O
200	CM	100	CM	115,5 LEVEL CM	3759,1010 litre	59,828 %	2524,0843 litre	O
200	CM	100	CM	115 LEVEL CM	3739,3350 litre	59,513 %	2543,8503 litre	O
200	CM	100	CM	114,5 LEVEL CM	3719,5538 litre	59,199 %	2563,6315 litre	O
200	CM	100	CM	114 LEVEL CM	3699,7579 litre	58,883 %	2583,4274 litre	O
200	CM	100	CM	113,5 LEVEL CM	3679,9479 litre	58,568 %	2603,2374 litre	O
200	CM	100	CM	113 LEVEL CM	3660,1243 litre	58,253 %	2623,0610 litre	O
200	CM	100	CM	112,5 LEVEL CM	3640,2875 litre	57,937 %	2642,8978 litre	O
200	CM	100	CM	112 LEVEL CM	3620,4382 litre	57,621 %	2662,7471 litre	O
200	CM	100	CM	111,5 LEVEL CM	3600,5767 litre	57,305 %	2682,6086 litre	O
200	CM	100	CM	111 LEVEL CM	3580,7037 litre	56,989 %	2702,4816 litre	O
200	CM	100	CM	110,5 LEVEL CM	3560,8196 litre	56,672 %	2722,3657 litre	O
200	CM	100	CM	110 LEVEL CM	3540,9250 litre	56,356 %	2742,2603 litre	O
200	CM	100	CM	109,5 LEVEL CM	3521,0203 litre	56,039 %	2762,1650 litre	O
200	CM	100	CM	109 LEVEL CM	3501,1061 litre	55,722 %	2782,0792 litre	O
200	CM	100	CM	108,5 LEVEL CM	3481,1828 litre	55,405 %	2802,0025 litre	O
200	CM	100	CM	108 LEVEL CM	3461,2510 litre	55,088 %	2821,9343 litre	O
200	CM	100	CM	107,5 LEVEL CM	3441,3112 litre	54,770 %	2841,8741 litre	O
200	CM	100	CM	107 LEVEL CM	3421,3638 litre	54,453 %	2861,8215 litre	O
200	CM	100	CM	106,5 LEVEL CM	3401,4095 litre	54,135 %	2881,7758 litre	O
200	CM	100	CM	106 LEVEL CM	3381,4486 litre	53,817 %	2901,7367 litre	O
200	CM	100	CM	105,5 LEVEL CM	3361,4817 litre	53,500 %	2921,7036 litre	O
200	CM	100	CM	105 LEVEL CM	3341,5093 litre	53,182 %	2941,6760 litre	O
200	CM	100	CM	104,5 LEVEL CM	3321,5319 litre	52,864 %	2961,6534 litre	O
200	CM	100	CM	104 LEVEL CM	3301,5500 litre	52,546 %	2981,6353 litre	O
200	CM	100	CM	103,5 LEVEL CM	3281,5641 litre	52,228 %	3001,6212 litre	O
200	CM	100	CM	103 LEVEL CM	3261,5747 litre	51,910 %	3021,6106 litre	O
200	CM	100	CM	102,5 LEVEL CM	3241,5822 litre	51,591 %	3041,6031 litre	O
200	CM	100	CM	102 LEVEL CM	3221,5873 litre	51,273 %	3061,5980 litre	O
200	CM	100	CM	101,5 LEVEL CM	3201,5904 litre	50,955 %	3081,5949 litre	O
200	CM	100	CM	101 LEVEL CM	3181,5920 litre	50,637 %	3101,5933 litre	O
200	CM	100	CM	100,5 LEVEL CM	3161,5926 litre	50,318 %	3121,5927 litre	O
200	CM	100	CM	100 LEVEL CM	3141,5927 litre	50,000 %	3141,5926 litre	O
200	CM	100	CM	99,5 LEVEL CM	3121,5927 litre	49,682 %	3161,5926 litre	O
200	CM	100	CM	99 LEVEL CM	3101,5933 litre	49,363 %	3181,5920 litre	O
200	CM	100	CM	98,5 LEVEL CM	3081,5949 litre	49,045 %	3201,5904 litre	O
200	CM	100	CM	98 LEVEL CM	3061,5980 litre	48,727 %	3221,5873 litre	O
200	CM	100	CM	97,5 LEVEL CM	3041,6031 litre	48,409 %	3241,5822 litre	O
200	CM	100	CM	97 LEVEL CM	3021,6107 litre	48,090 %	3261,5746 litre	O
200	CM	100	CM	96,5 LEVEL CM	3001,6212 litre	47,772 %	3281,5641 litre	O
200	CM	100	CM	96 LEVEL CM	2981,6353 litre	47,454 %	3301,5500 litre	O
200	CM	100	CM	95,5 LEVEL CM	2961,6534 litre	47,136 %	3321,5319 litre	O
200	CM	100	CM	95 LEVEL CM	2941,6760 litre	46,818 %	3341,5093 litre	O

200	CM	100	CM	94,5 LEVEL CM	2921,7036 litre	46,500 %	3361,4817 litre	O
200	CM	100	CM	94 LEVEL CM	2901,7367 litre	46,183 %	3381,4486 litre	O
200	CM	100	CM	93,5 LEVEL CM	2881,7759 litre	45,865 %	3401,4094 litre	O
200	CM	100	CM	93 LEVEL CM	2861,8215 litre	45,547 %	3421,3638 litre	O
200	CM	100	CM	92,5 LEVEL CM	2841,8741 litre	45,230 %	3441,3112 litre	O
200	CM	100	CM	92 LEVEL CM	2821,9343 litre	44,912 %	3461,2510 litre	O
200	CM	100	CM	91,5 LEVEL CM	2802,0025 litre	44,595 %	3481,1828 litre	O
200	CM	100	CM	91 LEVEL CM	2782,0792 litre	44,278 %	3501,1061 litre	O
200	CM	100	CM	90,5 LEVEL CM	2762,1650 litre	43,961 %	3521,0203 litre	O
200	CM	100	CM	90 LEVEL CM	2742,2603 litre	43,644 %	3540,9250 litre	O
200	CM	100	CM	89,5 LEVEL CM	2722,3657 litre	43,328 %	3560,8196 litre	O
200	CM	100	CM	89 LEVEL CM	2702,4816 litre	43,011 %	3580,7037 litre	O
200	CM	100	CM	88,5 LEVEL CM	2682,6086 litre	42,695 %	3600,5767 litre	O
200	CM	100	CM	88 LEVEL CM	2662,7472 litre	42,379 %	3620,4381 litre	O
200	CM	100	CM	87,5 LEVEL CM	2642,8978 litre	42,063 %	3640,2875 litre	O
200	CM	100	CM	87 LEVEL CM	2623,0611 litre	41,747 %	3660,1242 litre	O
200	CM	100	CM	86,5 LEVEL CM	2603,2374 litre	41,432 %	3679,9479 litre	O
200	CM	100	CM	86 LEVEL CM	2583,4274 litre	41,117 %	3699,7579 litre	O
200	CM	100	CM	85,5 LEVEL CM	2563,6315 litre	40,801 %	3719,5538 litre	O
200	CM	100	CM	85 LEVEL CM	2543,8503 litre	40,487 %	3739,3350 litre	O
200	CM	100	CM	84,5 LEVEL CM	2524,0843 litre	40,172 %	3759,1010 litre	O
200	CM	100	CM	84 LEVEL CM	2504,3339 litre	39,858 %	3778,8514 litre	O
200	CM	100	CM	83,5 LEVEL CM	2484,5998 litre	39,544 %	3798,5855 litre	O
200	CM	100	CM	83 LEVEL CM	2464,8823 litre	39,230 %	3818,3030 litre	O
200	CM	100	CM	82,5 LEVEL CM	2445,1822 litre	38,916 %	3838,0031 litre	O
200	CM	100	CM	82 LEVEL CM	2425,4998 litre	38,603 %	3857,6855 litre	O
200	CM	100	CM	81,5 LEVEL CM	2405,8357 litre	38,290 %	3877,3496 litre	O
200	CM	100	CM	81 LEVEL CM	2386,1904 litre	37,977 %	3896,9949 litre	O
200	CM	100	CM	80,5 LEVEL CM	2366,5645 litre	37,665 %	3916,6208 litre	O
200	CM	100	CM	80 LEVEL CM	2346,9585 litre	37,353 %	3936,2268 litre	O
200	CM	100	CM	79,5 LEVEL CM	2327,3728 litre	37,041 %	3955,8125 litre	O
200	CM	100	CM	79 LEVEL CM	2307,8082 litre	36,730 %	3975,3771 litre	O
200	CM	100	CM	78,5 LEVEL CM	2288,2650 litre	36,419 %	3994,9203 litre	O
200	CM	100	CM	78 LEVEL CM	2268,7438 litre	36,108 %	4014,4415 litre	O
200	CM	100	CM	77,5 LEVEL CM	2249,2451 litre	35,798 %	4033,9402 litre	O
200	CM	100	CM	77 LEVEL CM	2229,7696 litre	35,488 %	4053,4157 litre	O
200	CM	100	CM	76,5 LEVEL CM	2210,3177 litre	35,178 %	4072,8676 litre	O
200	CM	100	CM	76 LEVEL CM	2190,8900 litre	34,869 %	4092,2953 litre	O
200	CM	100	CM	75,5 LEVEL CM	2171,4870 litre	34,560 %	4111,6983 litre	O
200	CM	100	CM	75 LEVEL CM	2152,1092 litre	34,252 %	4131,0761 litre	O
200	CM	100	CM	74,5 LEVEL CM	2132,7573 litre	33,944 %	4150,4280 litre	O
200	CM	100	CM	74 LEVEL CM	2113,4318 litre	33,636 %	4169,7535 litre	O
200	CM	100	CM	73,5 LEVEL CM	2094,1332 litre	33,329 %	4189,0521 litre	O
200	CM	100	CM	73 LEVEL CM	2074,8620 litre	33,022 %	4208,3233 litre	O
200	CM	100	CM	72,5 LEVEL CM	2055,6189 litre	32,716 %	4227,5664 litre	O
200	CM	100	CM	72 LEVEL CM	2036,4044 litre	32,410 %	4246,7809 litre	O
200	CM	100	CM	71,5 LEVEL CM	2017,2191 litre	32,105 %	4265,9662 litre	O
200	CM	100	CM	71 LEVEL CM	1998,0635 litre	31,800 %	4285,1218 litre	O
200	CM	100	CM	70,5 LEVEL CM	1978,9382 litre	31,496 %	4304,2471 litre	O
200	CM	100	CM	70 LEVEL CM	1959,8438 litre	31,192 %	4323,3415 litre	O
200	CM	100	CM	69,5 LEVEL CM	1940,7809 litre	30,888 %	4342,4044 litre	O
200	CM	100	CM	69 LEVEL CM	1921,7499 litre	30,586 %	4361,4354 litre	O
200	CM	100	CM	68,5 LEVEL CM	1902,7516 litre	30,283 %	4380,4337 litre	O

200	CM	100	CM	68 LEVEL CM	1883,7865 litre	29,981 %	4399,3988 litre	O
200	CM	100	CM	67,5 LEVEL CM	1864,8551 litre	29,680 %	4418,3302 litre	O
200	CM	100	CM	67 LEVEL CM	1845,9581 litre	29,379 %	4437,2272 litre	O
200	CM	100	CM	66,5 LEVEL CM	1827,0960 litre	29,079 %	4456,0893 litre	O
200	CM	100	CM	66 LEVEL CM	1808,2696 litre	28,780 %	4474,9157 litre	O
200	CM	100	CM	65,5 LEVEL CM	1789,4792 litre	28,480 %	4493,7061 litre	O
200	CM	100	CM	65 LEVEL CM	1770,7257 litre	28,182 %	4512,4596 litre	O
200	CM	100	CM	64,5 LEVEL CM	1752,0094 litre	27,884 %	4531,1759 litre	O
200	CM	100	CM	64 LEVEL CM	1733,3312 litre	27,587 %	4549,8541 litre	O
200	CM	100	CM	63,5 LEVEL CM	1714,6916 litre	27,290 %	4568,4937 litre	O
200	CM	100	CM	63 LEVEL CM	1696,0911 litre	26,994 %	4587,0942 litre	O
200	CM	100	CM	62,5 LEVEL CM	1677,5305 litre	26,699 %	4605,6548 litre	O
200	CM	100	CM	62 LEVEL CM	1659,0103 litre	26,404 %	4624,1750 litre	O
200	CM	100	CM	61,5 LEVEL CM	1640,5312 litre	26,110 %	4642,6541 litre	O
200	CM	100	CM	61 LEVEL CM	1622,0939 litre	25,816 %	4661,0914 litre	O
200	CM	100	CM	60,5 LEVEL CM	1603,6989 litre	25,524 %	4679,4864 litre	O
200	CM	100	CM	60 LEVEL CM	1585,3469 litre	25,232 %	4697,8384 litre	O
200	CM	100	CM	59,5 LEVEL CM	1567,0385 litre	24,940 %	4716,1468 litre	O
200	CM	100	CM	59 LEVEL CM	1548,7744 litre	24,650 %	4734,4109 litre	O
200	CM	100	CM	58,5 LEVEL CM	1530,5553 litre	24,360 %	4752,6300 litre	O
200	CM	100	CM	58 LEVEL CM	1512,3818 litre	24,070 %	4770,8035 litre	O
200	CM	100	CM	57,5 LEVEL CM	1494,2545 litre	23,782 %	4788,9308 litre	O
200	CM	100	CM	57 LEVEL CM	1476,1743 litre	23,494 %	4807,0110 litre	O
200	CM	100	CM	56,5 LEVEL CM	1458,1416 litre	23,207 %	4825,0437 litre	O
200	CM	100	CM	56 LEVEL CM	1440,1573 litre	22,921 %	4843,0280 litre	O
200	CM	100	CM	55,5 LEVEL CM	1422,2219 litre	22,635 %	4860,9634 litre	O
200	CM	100	CM	55 LEVEL CM	1404,3363 litre	22,351 %	4878,8490 litre	O
200	CM	100	CM	54,5 LEVEL CM	1386,5010 litre	22,067 %	4896,6843 litre	O
200	CM	100	CM	54 LEVEL CM	1368,7169 litre	21,784 %	4914,4684 litre	O
200	CM	100	CM	53,5 LEVEL CM	1350,9845 litre	21,502 %	4932,2008 litre	O
200	CM	100	CM	53 LEVEL CM	1333,3047 litre	21,220 %	4949,8806 litre	O
200	CM	100	CM	52,5 LEVEL CM	1315,6781 litre	20,940 %	4967,5072 litre	O
200	CM	100	CM	52 LEVEL CM	1298,1055 litre	20,660 %	4985,0798 litre	O
200	CM	100	CM	51,5 LEVEL CM	1280,5876 litre	20,381 %	5002,5977 litre	O
200	CM	100	CM	51 LEVEL CM	1263,1252 litre	20,103 %	5020,0601 litre	O
200	CM	100	CM	50,5 LEVEL CM	1245,7189 litre	19,826 %	5037,4664 litre	O
200	CM	100	CM	50 LEVEL CM	1228,3697 litre	19,550 %	5054,8156 litre	O
200	CM	100	CM	49,5 LEVEL CM	1211,0782 litre	19,275 %	5072,1071 litre	O
200	CM	100	CM	49 LEVEL CM	1193,8452 litre	19,001 %	5089,3401 litre	O
200	CM	100	CM	48,5 LEVEL CM	1176,6715 litre	18,727 %	5106,5138 litre	O
200	CM	100	CM	48 LEVEL CM	1159,5578 litre	18,455 %	5123,6275 litre	O
200	CM	100	CM	47,5 LEVEL CM	1142,5051 litre	18,184 %	5140,6802 litre	O
200	CM	100	CM	47 LEVEL CM	1125,5140 litre	17,913 %	5157,6713 litre	O
200	CM	100	CM	46,5 LEVEL CM	1108,5855 litre	17,644 %	5174,5998 litre	O
200	CM	100	CM	46 LEVEL CM	1091,7202 litre	17,375 %	5191,4651 litre	O
200	CM	100	CM	45,5 LEVEL CM	1074,9191 litre	17,108 %	5208,2662 litre	O
200	CM	100	CM	45 LEVEL CM	1058,1831 litre	16,842 %	5225,0022 litre	O
200	CM	100	CM	44,5 LEVEL CM	1041,5128 litre	16,576 %	5241,6725 litre	O
200	CM	100	CM	44 LEVEL CM	1024,9093 litre	16,312 %	5258,2760 litre	O
200	CM	100	CM	43,5 LEVEL CM	1008,3734 litre	16,049 %	5274,8119 litre	O
200	CM	100	CM	43 LEVEL CM	991,9060 litre	15,787 %	5291,2793 litre	O
200	CM	100	CM	42,5 LEVEL CM	975,5079 litre	15,526 %	5307,6774 litre	O
200	CM	100	CM	42 LEVEL CM	959,1802 litre	15,266 %	5324,0051 litre	O

200	CM	100	CM	41,5 LEVEL CM	942,9236 litre	15,007 %	5340,2617 litre	O
200	CM	100	CM	41 LEVEL CM	926,7391 litre	14,750 %	5356,4462 litre	O
200	CM	100	CM	40,5 LEVEL CM	910,6278 litre	14,493 %	5372,5575 litre	O
200	CM	100	CM	40 LEVEL CM	894,5904 litre	14,238 %	5388,5949 litre	O
200	CM	100	CM	39,5 LEVEL CM	878,6281 litre	13,984 %	5404,5572 litre	O
200	CM	100	CM	39 LEVEL CM	862,7417 litre	13,731 %	5420,4436 litre	O
200	CM	100	CM	38,5 LEVEL CM	846,9324 litre	13,479 %	5436,2529 litre	O
200	CM	100	CM	38 LEVEL CM	831,2010 litre	13,229 %	5451,9843 litre	O
200	CM	100	CM	37,5 LEVEL CM	815,5487 litre	12,980 %	5467,6366 litre	O
200	CM	100	CM	37 LEVEL CM	799,9764 litre	12,732 %	5483,2089 litre	O
200	CM	100	CM	36,5 LEVEL CM	784,4852 litre	12,485 %	5498,7001 litre	O
200	CM	100	CM	36 LEVEL CM	769,0762 litre	12,240 %	5514,1091 litre	O
200	CM	100	CM	35,5 LEVEL CM	753,7506 litre	11,996 %	5529,4347 litre	O
200	CM	100	CM	35 LEVEL CM	738,5093 litre	11,754 %	5544,6760 litre	O
200	CM	100	CM	34,5 LEVEL CM	723,3536 litre	11,513 %	5559,8317 litre	O
200	CM	100	CM	34 LEVEL CM	708,2845 litre	11,273 %	5574,9008 litre	O
200	CM	100	CM	33,5 LEVEL CM	693,3034 litre	11,034 %	5589,8819 litre	O
200	CM	100	CM	33 LEVEL CM	678,4112 litre	10,797 %	5604,7741 litre	O
200	CM	100	CM	32,5 LEVEL CM	663,6093 litre	10,562 %	5619,5760 litre	O
200	CM	100	CM	32 LEVEL CM	648,8989 litre	10,328 %	5634,2864 litre	O
200	CM	100	CM	31,5 LEVEL CM	634,2813 litre	10,095 %	5648,9040 litre	O
200	CM	100	CM	31 LEVEL CM	619,7576 litre	9,864 %	5663,4277 litre	O
200	CM	100	CM	30,5 LEVEL CM	605,3293 litre	9,634 %	5677,8560 litre	O
200	CM	100	CM	30 LEVEL CM	590,9977 litre	9,406 %	5692,1876 litre	O
200	CM	100	CM	29,5 LEVEL CM	576,7641 litre	9,179 %	5706,4212 litre	O
200	CM	100	CM	29 LEVEL CM	562,6299 litre	8,955 %	5720,5554 litre	O
200	CM	100	CM	28,5 LEVEL CM	548,5965 litre	8,731 %	5734,5888 litre	O
200	CM	100	CM	28 LEVEL CM	534,6654 litre	8,509 %	5748,5199 litre	O
200	CM	100	CM	27,5 LEVEL CM	520,8380 litre	8,289 %	5762,3473 litre	O
200	CM	100	CM	27 LEVEL CM	507,1159 litre	8,071 %	5776,0694 litre	O
200	CM	100	CM	26,5 LEVEL CM	493,5006 litre	7,854 %	5789,6847 litre	O
200	CM	100	CM	26 LEVEL CM	479,9938 litre	7,639 %	5803,1915 litre	O
200	CM	100	CM	25,5 LEVEL CM	466,5969 litre	7,426 %	5816,5884 litre	O
200	CM	100	CM	25 LEVEL CM	453,3118 litre	7,215 %	5829,8735 litre	O
200	CM	100	CM	24,5 LEVEL CM	440,1400 litre	7,005 %	5843,0453 litre	O
200	CM	100	CM	24 LEVEL CM	427,0834 litre	6,797 %	5856,1019 litre	O
200	CM	100	CM	23,5 LEVEL CM	414,1437 litre	6,591 %	5869,0416 litre	O
200	CM	100	CM	23 LEVEL CM	401,3228 litre	6,387 %	5881,8625 litre	O
200	CM	100	CM	22,5 LEVEL CM	388,6226 litre	6,185 %	5894,5627 litre	O
200	CM	100	CM	22 LEVEL CM	376,0450 litre	5,985 %	5907,1403 litre	O
200	CM	100	CM	21,5 LEVEL CM	363,5921 litre	5,787 %	5919,5932 litre	O
200	CM	100	CM	21 LEVEL CM	351,2658 litre	5,591 %	5931,9195 litre	O
200	CM	100	CM	20,5 LEVEL CM	339,0685 litre	5,396 %	5944,1168 litre	O
200	CM	100	CM	20 LEVEL CM	327,0022 litre	5,204 %	5956,1831 litre	O
200	CM	100	CM	19,5 LEVEL CM	315,0693 litre	5,014 %	5968,1160 litre	O
200	CM	100	CM	19 LEVEL CM	303,2720 litre	4,827 %	5979,9133 litre	O
200	CM	100	CM	18,5 LEVEL CM	291,6129 litre	4,641 %	5991,5724 litre	O
200	CM	100	CM	18 LEVEL CM	280,0944 litre	4,458 %	6003,0909 litre	O
200	CM	100	CM	17,5 LEVEL CM	268,7193 litre	4,277 %	6014,4660 litre	O
200	CM	100	CM	17 LEVEL CM	257,4901 litre	4,098 %	6025,6952 litre	O
200	CM	100	CM	16,5 LEVEL CM	246,4097 litre	3,922 %	6036,7756 litre	O
200	CM	100	CM	16 LEVEL CM	235,4811 litre	3,748 %	6047,7042 litre	O
200	CM	100	CM	15,5 LEVEL CM	224,7073 litre	3,576 %	6058,4780 litre	O

200	CM	100	CM	15 LEVEL CM	214,0915 litre	3,407 %	6069,0938 litre	O
200	CM	100	CM	14,5 LEVEL CM	203,6371 litre	3,241 %	6079,5482 litre	O
200	CM	100	CM	14 LEVEL CM	193,3476 litre	3,077 %	6089,8377 litre	O
200	CM	100	CM	13,5 LEVEL CM	183,2266 litre	2,916 %	6099,9587 litre	O
200	CM	100	CM	13 LEVEL CM	173,2780 litre	2,758 %	6109,9073 litre	O
200	CM	100	CM	12,5 LEVEL CM	163,5059 litre	2,602 %	6119,6794 litre	O
200	CM	100	CM	12 LEVEL CM	153,9146 litre	2,450 %	6129,2707 litre	O
200	CM	100	CM	11,5 LEVEL CM	144,5085 litre	2,300 %	6138,6768 litre	O
200	CM	100	CM	11 LEVEL CM	135,2926 litre	2,153 %	6147,8927 litre	O
200	CM	100	CM	10,5 LEVEL CM	126,2719 litre	2,010 %	6156,9134 litre	O
200	CM	100	CM	10 LEVEL CM	117,4518 litre	1,869 %	6165,7335 litre	O
200	CM	100	CM	9,5 LEVEL CM	108,8383 litre	1,732 %	6174,3470 litre	O
200	CM	100	CM	9 LEVEL CM	100,4375 litre	1,599 %	6182,7478 litre	O
200	CM	100	CM	8,5 LEVEL CM	92,2563 litre	1,468 %	6190,9290 litre	O
200	CM	100	CM	8 LEVEL CM	84,3019 litre	1,342 %	6198,8834 litre	O
200	CM	100	CM	7,5 LEVEL CM	76,5823 litre	1,219 %	6206,6030 litre	O
200	CM	100	CM	7 LEVEL CM	69,1063 litre	1,100 %	6214,0790 litre	O
200	CM	100	CM	6,5 LEVEL CM	61,8833 litre	0,985 %	6221,3020 litre	O
200	CM	100	CM	6 LEVEL CM	54,9241 litre	0,874 %	6228,2612 litre	O
200	CM	100	CM	5,5 LEVEL CM	48,2405 litre	0,768 %	6234,9448 litre	O
200	CM	100	CM	5 LEVEL CM	41,8460 litre	0,666 %	6241,3393 litre	O
200	CM	100	CM	4,5 LEVEL CM	35,7560 litre	0,569 %	6247,4293 litre	O
200	CM	100	CM	4 LEVEL CM	29,9882 litre	0,477 %	6253,1971 litre	O
200	CM	100	CM	3,5 LEVEL CM	24,5636 litre	0,391 %	6258,6217 litre	O
200	CM	100	CM	3 LEVEL CM	19,5075 litre	0,310 %	6263,6778 litre	O
200	CM	100	CM	2,5 LEVEL CM	14,8511 litre	0,236 %	6268,3342 litre	O
200	CM	100	CM	2 LEVEL CM	10,6346 litre	0,169 %	6272,5507 litre	O
200	CM	100	CM	1,5 LEVEL CM	6,9126 litre	0,110 %	6276,2727 litre	O
200	CM	100	CM	1 LEVEL CM	3,7656 litre	0,060 %	6279,4197 litre	O
200	CM	100	CM	0,5 LEVEL CM	1,3323 litre	0,021 %	6281,8530 litre	O
200	CM	100	CM	0 LEVEL CM	0,0000 litre	0,000 %	6283,1853 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM	95	CM 190 LEVEL CM	5670,5747 litre	100,000 %	0,0000 litre	O
200	CM	95	CM 189,5 LEVEL CM	5669,2762 litre	99,977 %	1,2985 litre	O
200	CM	95	CM 189 LEVEL CM	5666,9048 litre	99,935 %	3,6699 litre	O
200	CM	95	CM 188,5 LEVEL CM	5663,8380 litre	99,881 %	6,7367 litre	O
200	CM	95	CM 188 LEVEL CM	5660,2111 litre	99,817 %	10,3636 litre	O
200	CM	95	CM 187,5 LEVEL CM	5656,1026 litre	99,745 %	14,4721 litre	O
200	CM	95	CM 187 LEVEL CM	5651,5657 litre	99,665 %	19,0090 litre	O
200	CM	95	CM 186,5 LEVEL CM	5646,6398 litre	99,578 %	23,9349 litre	O
200	CM	95	CM 186 LEVEL CM	5641,3552 litre	99,485 %	29,2195 litre	O
200	CM	95	CM 185,5 LEVEL CM	5635,7367 litre	99,386 %	34,8380 litre	O
200	CM	95	CM 185 LEVEL CM	5629,8046 litre	99,281 %	40,7701 litre	O
200	CM	95	CM 184,5 LEVEL CM	5623,5765 litre	99,171 %	46,9982 litre	O
200	CM	95	CM 184 LEVEL CM	5617,0672 litre	99,056 %	53,5075 litre	O
200	CM	95	CM 183,5 LEVEL CM	5610,2900 litre	98,937 %	60,2847 litre	O
200	CM	95	CM 183 LEVEL CM	5603,2564 litre	98,813 %	67,3183 litre	O
200	CM	95	CM 182,5 LEVEL CM	5595,9769 litre	98,684 %	74,5978 litre	O
200	CM	95	CM 182 LEVEL CM	5588,4607 litre	98,552 %	82,1140 litre	O
200	CM	95	CM 181,5 LEVEL CM	5580,7165 litre	98,415 %	89,8582 litre	O
200	CM	95	CM 181 LEVEL CM	5572,7521 litre	98,275 %	97,8226 litre	O
200	CM	95	CM 180,5 LEVEL CM	5564,5745 litre	98,131 %	106,0002 litre	O
200	CM	95	CM 180 LEVEL CM	5556,1904 litre	97,983 %	114,3843 litre	O
200	CM	95	CM 179,5 LEVEL CM	5547,6059 litre	97,831 %	122,9688 litre	O
200	CM	95	CM 179 LEVEL CM	5538,8267 litre	97,677 %	131,7480 litre	O
200	CM	95	CM 178,5 LEVEL CM	5529,8582 litre	97,518 %	140,7165 litre	O
200	CM	95	CM 178 LEVEL CM	5520,7054 litre	97,357 %	149,8693 litre	O
200	CM	95	CM 177,5 LEVEL CM	5511,3730 litre	97,192 %	159,2017 litre	O
200	CM	95	CM 177 LEVEL CM	5501,8654 litre	97,025 %	168,7093 litre	O
200	CM	95	CM 176,5 LEVEL CM	5492,1869 litre	96,854 %	178,3878 litre	O
200	CM	95	CM 176 LEVEL CM	5482,3414 litre	96,681 %	188,2333 litre	O
200	CM	95	CM 175,5 LEVEL CM	5472,3326 litre	96,504 %	198,2421 litre	O
200	CM	95	CM 175 LEVEL CM	5462,1643 litre	96,325 %	208,4104 litre	O
200	CM	95	CM 174,5 LEVEL CM	5451,8399 litre	96,143 %	218,7348 litre	O
200	CM	95	CM 174 LEVEL CM	5441,3625 litre	95,958 %	229,2122 litre	O
200	CM	95	CM 173,5 LEVEL CM	5430,7354 litre	95,770 %	239,8393 litre	O
200	CM	95	CM 173 LEVEL CM	5419,9616 litre	95,580 %	250,6131 litre	O
200	CM	95	CM 172,5 LEVEL CM	5409,0440 litre	95,388 %	261,5307 litre	O
200	CM	95	CM 172 LEVEL CM	5397,9853 litre	95,193 %	272,5894 litre	O
200	CM	95	CM 171,5 LEVEL CM	5386,7882 litre	94,995 %	283,7865 litre	O
200	CM	95	CM 171 LEVEL CM	5375,4552 litre	94,796 %	295,1195 litre	O
200	CM	95	CM 170,5 LEVEL CM	5363,9890 litre	94,593 %	306,5857 litre	O
200	CM	95	CM 170 LEVEL CM	5352,3918 litre	94,389 %	318,1829 litre	O
200	CM	95	CM 169,5 LEVEL CM	5340,6659 litre	94,182 %	329,9088 litre	O
200	CM	95	CM 169 LEVEL CM	5328,8137 litre	93,973 %	341,7610 litre	O
200	CM	95	CM 168,5 LEVEL CM	5316,8372 litre	93,762 %	353,7375 litre	O
200	CM	95	CM 168 LEVEL CM	5304,7387 litre	93,549 %	365,8360 litre	O
200	CM	95	CM 167,5 LEVEL CM	5292,5200 litre	93,333 %	378,0547 litre	O
200	CM	95	CM 167 LEVEL CM	5280,1833 litre	93,115 %	390,3914 litre	O
200	CM	95	CM 166,5 LEVEL CM	5267,7303 litre	92,896 %	402,8444 litre	O
200	CM	95	CM 166 LEVEL CM	5255,1631 litre	92,674 %	415,4116 litre	O
200	CM	95	CM 165,5 LEVEL CM	5242,4834 litre	92,451 %	428,0913 litre	O
200	CM	95	CM 165 LEVEL CM	5229,6929 litre	92,225 %	440,8818 litre	O
200	CM	95	CM 164,5 LEVEL CM	5216,7935 litre	91,998 %	453,7812 litre	O

200	CM 95	CM	164 LEVEL CM	5203,7867 litre	91,768 %	466,7880 litre	O
200	CM 95	CM	163,5 LEVEL CM	5190,6743 litre	91,537 %	479,9004 litre	O
200	CM 95	CM	163 LEVEL CM	5177,4578 litre	91,304 %	493,1169 litre	O
200	CM 95	CM	162,5 LEVEL CM	5164,1388 litre	91,069 %	506,4359 litre	O
200	CM 95	CM	162 LEVEL CM	5150,7188 litre	90,832 %	519,8559 litre	O
200	CM 95	CM	161,5 LEVEL CM	5137,1993 litre	90,594 %	533,3754 litre	O
200	CM 95	CM	161 LEVEL CM	5123,5818 litre	90,354 %	546,9929 litre	O
200	CM 95	CM	160,5 LEVEL CM	5109,8678 litre	90,112 %	560,7069 litre	O
200	CM 95	CM	160 LEVEL CM	5096,0585 litre	89,868 %	574,5162 litre	O
200	CM 95	CM	159,5 LEVEL CM	5082,1554 litre	89,623 %	588,4193 litre	O
200	CM 95	CM	159 LEVEL CM	5068,1598 litre	89,376 %	602,4149 litre	O
200	CM 95	CM	158,5 LEVEL CM	5054,0731 litre	89,128 %	616,5016 litre	O
200	CM 95	CM	158 LEVEL CM	5039,8965 litre	88,878 %	630,6782 litre	O
200	CM 95	CM	157,5 LEVEL CM	5025,6313 litre	88,626 %	644,9434 litre	O
200	CM 95	CM	157 LEVEL CM	5011,2787 litre	88,373 %	659,2960 litre	O
200	CM 95	CM	156,5 LEVEL CM	4996,8400 litre	88,119 %	673,7347 litre	O
200	CM 95	CM	156 LEVEL CM	4982,3164 litre	87,863 %	688,2583 litre	O
200	CM 95	CM	155,5 LEVEL CM	4967,7090 litre	87,605 %	702,8657 litre	O
200	CM 95	CM	155 LEVEL CM	4953,0190 litre	87,346 %	717,5557 litre	O
200	CM 95	CM	154,5 LEVEL CM	4938,2475 litre	87,085 %	732,3272 litre	O
200	CM 95	CM	154 LEVEL CM	4923,3957 litre	86,824 %	747,1790 litre	O
200	CM 95	CM	153,5 LEVEL CM	4908,4647 litre	86,560 %	762,1100 litre	O
200	CM 95	CM	153 LEVEL CM	4893,4555 litre	86,296 %	777,1192 litre	O
200	CM 95	CM	152,5 LEVEL CM	4878,3692 litre	86,030 %	792,2055 litre	O
200	CM 95	CM	152 LEVEL CM	4863,2069 litre	85,762 %	807,3678 litre	O
200	CM 95	CM	151,5 LEVEL CM	4847,9695 litre	85,493 %	822,6052 litre	O
200	CM 95	CM	151 LEVEL CM	4832,6582 litre	85,223 %	837,9165 litre	O
200	CM 95	CM	150,5 LEVEL CM	4817,2739 litre	84,952 %	853,3008 litre	O
200	CM 95	CM	150 LEVEL CM	4801,8177 litre	84,680 %	868,7570 litre	O
200	CM 95	CM	149,5 LEVEL CM	4786,2904 litre	84,406 %	884,2843 litre	O
200	CM 95	CM	149 LEVEL CM	4770,6931 litre	84,131 %	899,8816 litre	O
200	CM 95	CM	148,5 LEVEL CM	4755,0267 litre	83,854 %	915,5480 litre	O
200	CM 95	CM	148 LEVEL CM	4739,2921 litre	83,577 %	931,2826 litre	O
200	CM 95	CM	147,5 LEVEL CM	4723,4903 litre	83,298 %	947,0844 litre	O
200	CM 95	CM	147 LEVEL CM	4707,6223 litre	83,018 %	962,9524 litre	O
200	CM 95	CM	146,5 LEVEL CM	4691,6888 litre	82,737 %	978,8859 litre	O
200	CM 95	CM	146 LEVEL CM	4675,6907 litre	82,455 %	994,8840 litre	O
200	CM 95	CM	145,5 LEVEL CM	4659,6291 litre	82,172 %	1010,9456 litre	O
200	CM 95	CM	145 LEVEL CM	4643,5047 litre	81,888 %	1027,0700 litre	O
200	CM 95	CM	144,5 LEVEL CM	4627,3184 litre	81,602 %	1043,2563 litre	O
200	CM 95	CM	144 LEVEL CM	4611,0711 litre	81,316 %	1059,5036 litre	O
200	CM 95	CM	143,5 LEVEL CM	4594,7635 litre	81,028 %	1075,8112 litre	O
200	CM 95	CM	143 LEVEL CM	4578,3966 litre	80,740 %	1092,1781 litre	O
200	CM 95	CM	142,5 LEVEL CM	4561,9711 litre	80,450 %	1108,6036 litre	O
200	CM 95	CM	142 LEVEL CM	4545,4879 litre	80,159 %	1125,0868 litre	O
200	CM 95	CM	141,5 LEVEL CM	4528,9477 litre	79,868 %	1141,6270 litre	O
200	CM 95	CM	141 LEVEL CM	4512,3514 litre	79,575 %	1158,2233 litre	O
200	CM 95	CM	140,5 LEVEL CM	4495,6998 litre	79,281 %	1174,8749 litre	O
200	CM 95	CM	140 LEVEL CM	4478,9937 litre	78,987 %	1191,5810 litre	O
200	CM 95	CM	139,5 LEVEL CM	4462,2337 litre	78,691 %	1208,3410 litre	O
200	CM 95	CM	139 LEVEL CM	4445,4207 litre	78,395 %	1225,1540 litre	O
200	CM 95	CM	138,5 LEVEL CM	4428,5555 litre	78,097 %	1242,0192 litre	O
200	CM 95	CM	138 LEVEL CM	4411,6387 litre	77,799 %	1258,9360 litre	O

200	CM 95	CM	137,5 LEVEL CM	4394,6712 litre	77,500 %	1275,9035 litre	O
200	CM 95	CM	137 LEVEL CM	4377,6537 litre	77,199 %	1292,9210 litre	O
200	CM 95	CM	136,5 LEVEL CM	4360,5868 litre	76,898 %	1309,9879 litre	O
200	CM 95	CM	136 LEVEL CM	4343,4715 litre	76,597 %	1327,1032 litre	O
200	CM 95	CM	135,5 LEVEL CM	4326,3082 litre	76,294 %	1344,2665 litre	O
200	CM 95	CM	135 LEVEL CM	4309,0979 litre	75,990 %	1361,4768 litre	O
200	CM 95	CM	134,5 LEVEL CM	4291,8411 litre	75,686 %	1378,7336 litre	O
200	CM 95	CM	134 LEVEL CM	4274,5386 litre	75,381 %	1396,0361 litre	O
200	CM 95	CM	133,5 LEVEL CM	4257,1911 litre	75,075 %	1413,3836 litre	O
200	CM 95	CM	133 LEVEL CM	4239,7992 litre	74,768 %	1430,7755 litre	O
200	CM 95	CM	132,5 LEVEL CM	4222,3637 litre	74,461 %	1448,2110 litre	O
200	CM 95	CM	132 LEVEL CM	4204,8853 litre	74,153 %	1465,6894 litre	O
200	CM 95	CM	131,5 LEVEL CM	4187,3645 litre	73,844 %	1483,2102 litre	O
200	CM 95	CM	131 LEVEL CM	4169,8021 litre	73,534 %	1500,7726 litre	O
200	CM 95	CM	130,5 LEVEL CM	4152,1988 litre	73,224 %	1518,3759 litre	O
200	CM 95	CM	130 LEVEL CM	4134,5552 litre	72,912 %	1536,0195 litre	O
200	CM 95	CM	129,5 LEVEL CM	4116,8720 litre	72,601 %	1553,7027 litre	O
200	CM 95	CM	129 LEVEL CM	4099,1498 litre	72,288 %	1571,4249 litre	O
200	CM 95	CM	128,5 LEVEL CM	4081,3893 litre	71,975 %	1589,1854 litre	O
200	CM 95	CM	128 LEVEL CM	4063,5911 litre	71,661 %	1606,9836 litre	O
200	CM 95	CM	127,5 LEVEL CM	4045,7558 litre	71,346 %	1624,8189 litre	O
200	CM 95	CM	127 LEVEL CM	4027,8841 litre	71,031 %	1642,6906 litre	O
200	CM 95	CM	126,5 LEVEL CM	4009,9767 litre	70,716 %	1660,5980 litre	O
200	CM 95	CM	126 LEVEL CM	3992,0341 litre	70,399 %	1678,5406 litre	O
200	CM 95	CM	125,5 LEVEL CM	3974,0570 litre	70,082 %	1696,5177 litre	O
200	CM 95	CM	125 LEVEL CM	3956,0460 litre	69,764 %	1714,5287 litre	O
200	CM 95	CM	124,5 LEVEL CM	3938,0017 litre	69,446 %	1732,5730 litre	O
200	CM 95	CM	124 LEVEL CM	3919,9247 litre	69,127 %	1750,6500 litre	O
200	CM 95	CM	123,5 LEVEL CM	3901,8157 litre	68,808 %	1768,7590 litre	O
200	CM 95	CM	123 LEVEL CM	3883,6752 litre	68,488 %	1786,8995 litre	O
200	CM 95	CM	122,5 LEVEL CM	3865,5039 litre	68,168 %	1805,0708 litre	O
200	CM 95	CM	122 LEVEL CM	3847,3024 litre	67,847 %	1823,2723 litre	O
200	CM 95	CM	121,5 LEVEL CM	3829,0712 litre	67,525 %	1841,5035 litre	O
200	CM 95	CM	121 LEVEL CM	3810,8109 litre	67,203 %	1859,7638 litre	O
200	CM 95	CM	120,5 LEVEL CM	3792,5222 litre	66,881 %	1878,0525 litre	O
200	CM 95	CM	120 LEVEL CM	3774,2056 litre	66,558 %	1896,3691 litre	O
200	CM 95	CM	119,5 LEVEL CM	3755,8618 litre	66,234 %	1914,7129 litre	O
200	CM 95	CM	119 LEVEL CM	3737,4913 litre	65,910 %	1933,0834 litre	O
200	CM 95	CM	118,5 LEVEL CM	3719,0946 litre	65,586 %	1951,4801 litre	O
200	CM 95	CM	118 LEVEL CM	3700,6724 litre	65,261 %	1969,9023 litre	O
200	CM 95	CM	117,5 LEVEL CM	3682,2253 litre	64,936 %	1988,3494 litre	O
200	CM 95	CM	117 LEVEL CM	3663,7538 litre	64,610 %	2006,8209 litre	O
200	CM 95	CM	116,5 LEVEL CM	3645,2585 litre	64,284 %	2025,3162 litre	O
200	CM 95	CM	116 LEVEL CM	3626,7399 litre	63,957 %	2043,8348 litre	O
200	CM 95	CM	115,5 LEVEL CM	3608,1987 litre	63,630 %	2062,3760 litre	O
200	CM 95	CM	115 LEVEL CM	3589,6354 litre	63,303 %	2080,9393 litre	O
200	CM 95	CM	114,5 LEVEL CM	3571,0506 litre	62,975 %	2099,5241 litre	O
200	CM 95	CM	114 LEVEL CM	3552,4447 litre	62,647 %	2118,1300 litre	O
200	CM 95	CM	113,5 LEVEL CM	3533,8185 litre	62,319 %	2136,7562 litre	O
200	CM 95	CM	113 LEVEL CM	3515,1724 litre	61,990 %	2155,4023 litre	O
200	CM 95	CM	112,5 LEVEL CM	3496,5070 litre	61,661 %	2174,0677 litre	O
200	CM 95	CM	112 LEVEL CM	3477,8229 litre	61,331 %	2192,7518 litre	O
200	CM 95	CM	111,5 LEVEL CM	3459,1206 litre	61,001 %	2211,4541 litre	O

200	CM 95	CM	111 LEVEL CM	3440,4006 litre	60,671 %	2230,1741 litre	O
200	CM 95	CM	110,5 LEVEL CM	3421,6636 litre	60,341 %	2248,9111 litre	O
200	CM 95	CM	110 LEVEL CM	3402,9100 litre	60,010 %	2267,6647 litre	O
200	CM 95	CM	109,5 LEVEL CM	3384,1404 litre	59,679 %	2286,4343 litre	O
200	CM 95	CM	109 LEVEL CM	3365,3554 litre	59,348 %	2305,2193 litre	O
200	CM 95	CM	108,5 LEVEL CM	3346,5555 litre	59,016 %	2324,0192 litre	O
200	CM 95	CM	108 LEVEL CM	3327,7413 litre	58,684 %	2342,8334 litre	O
200	CM 95	CM	107,5 LEVEL CM	3308,9132 litre	58,352 %	2361,6615 litre	O
200	CM 95	CM	107 LEVEL CM	3290,0718 litre	58,020 %	2380,5029 litre	O
200	CM 95	CM	106,5 LEVEL CM	3271,2177 litre	57,688 %	2399,3570 litre	O
200	CM 95	CM	106 LEVEL CM	3252,3514 litre	57,355 %	2418,2233 litre	O
200	CM 95	CM	105,5 LEVEL CM	3233,4735 litre	57,022 %	2437,1012 litre	O
200	CM 95	CM	105 LEVEL CM	3214,5844 litre	56,689 %	2455,9903 litre	O
200	CM 95	CM	104,5 LEVEL CM	3195,6848 litre	56,356 %	2474,8899 litre	O
200	CM 95	CM	104 LEVEL CM	3176,7751 litre	56,022 %	2493,7996 litre	O
200	CM 95	CM	103,5 LEVEL CM	3157,8559 litre	55,688 %	2512,7188 litre	O
200	CM 95	CM	103 LEVEL CM	3138,9277 litre	55,355 %	2531,6470 litre	O
200	CM 95	CM	102,5 LEVEL CM	3119,9910 litre	55,021 %	2550,5837 litre	O
200	CM 95	CM	102 LEVEL CM	3101,0465 litre	54,687 %	2569,5282 litre	O
200	CM 95	CM	101,5 LEVEL CM	3082,0945 litre	54,352 %	2588,4802 litre	O
200	CM 95	CM	101 LEVEL CM	3063,1357 litre	54,018 %	2607,4390 litre	O
200	CM 95	CM	100,5 LEVEL CM	3044,1706 litre	53,684 %	2626,4041 litre	O
200	CM 95	CM	100 LEVEL CM	3025,1996 litre	53,349 %	2645,3751 litre	O
200	CM 95	CM	99,5 LEVEL CM	3006,2234 litre	53,014 %	2664,3513 litre	O
200	CM 95	CM	99 LEVEL CM	2987,2424 litre	52,680 %	2683,3323 litre	O
200	CM 95	CM	98,5 LEVEL CM	2968,2573 litre	52,345 %	2702,3174 litre	O
200	CM 95	CM	98 LEVEL CM	2949,2684 litre	52,010 %	2721,3063 litre	O
200	CM 95	CM	97,5 LEVEL CM	2930,2764 litre	51,675 %	2740,2983 litre	O
200	CM 95	CM	97 LEVEL CM	2911,2818 litre	51,340 %	2759,2929 litre	O
200	CM 95	CM	96,5 LEVEL CM	2892,2850 litre	51,005 %	2778,2897 litre	O
200	CM 95	CM	96 LEVEL CM	2873,2867 litre	50,670 %	2797,2880 litre	O
200	CM 95	CM	95,5 LEVEL CM	2854,2873 litre	50,335 %	2816,2874 litre	O
200	CM 95	CM	95 LEVEL CM	2835,2874 litre	50,000 %	2835,2873 litre	O
200	CM 95	CM	94,5 LEVEL CM	2816,2875 litre	49,665 %	2854,2872 litre	O
200	CM 95	CM	94 LEVEL CM	2797,2881 litre	49,330 %	2873,2866 litre	O
200	CM 95	CM	93,5 LEVEL CM	2778,2897 litre	48,995 %	2892,2850 litre	O
200	CM 95	CM	93 LEVEL CM	2759,2930 litre	48,660 %	2911,2817 litre	O
200	CM 95	CM	92,5 LEVEL CM	2740,2983 litre	48,325 %	2930,2764 litre	O
200	CM 95	CM	92 LEVEL CM	2721,3063 litre	47,990 %	2949,2684 litre	O
200	CM 95	CM	91,5 LEVEL CM	2702,3175 litre	47,655 %	2968,2572 litre	O
200	CM 95	CM	91 LEVEL CM	2683,3323 litre	47,320 %	2987,2424 litre	O
200	CM 95	CM	90,5 LEVEL CM	2664,3513 litre	46,986 %	3006,2234 litre	O
200	CM 95	CM	90 LEVEL CM	2645,3751 litre	46,651 %	3025,1996 litre	O
200	CM 95	CM	89,5 LEVEL CM	2626,4042 litre	46,316 %	3044,1705 litre	O
200	CM 95	CM	89 LEVEL CM	2607,4390 litre	45,982 %	3063,1357 litre	O
200	CM 95	CM	88,5 LEVEL CM	2588,4802 litre	45,648 %	3082,0945 litre	O
200	CM 95	CM	88 LEVEL CM	2569,5283 litre	45,313 %	3101,0464 litre	O
200	CM 95	CM	87,5 LEVEL CM	2550,5837 litre	44,979 %	3119,9910 litre	O
200	CM 95	CM	87 LEVEL CM	2531,6471 litre	44,645 %	3138,9276 litre	O
200	CM 95	CM	86,5 LEVEL CM	2512,7189 litre	44,312 %	3157,8558 litre	O
200	CM 95	CM	86 LEVEL CM	2493,7996 litre	43,978 %	3176,7751 litre	O
200	CM 95	CM	85,5 LEVEL CM	2474,8899 litre	43,644 %	3195,6848 litre	O
200	CM 95	CM	85 LEVEL CM	2455,9903 litre	43,311 %	3214,5844 litre	O

200	CM	95	CM	84,5 LEVEL CM	2437,1012 litre	42,978 %	3233,4735 litre	O
200	CM	95	CM	84 LEVEL CM	2418,2233 litre	42,645 %	3252,3514 litre	O
200	CM	95	CM	83,5 LEVEL CM	2399,3570 litre	42,312 %	3271,2177 litre	O
200	CM	95	CM	83 LEVEL CM	2380,5029 litre	41,980 %	3290,0718 litre	O
200	CM	95	CM	82,5 LEVEL CM	2361,6616 litre	41,648 %	3308,9131 litre	O
200	CM	95	CM	82 LEVEL CM	2342,8335 litre	41,316 %	3327,7412 litre	O
200	CM	95	CM	81,5 LEVEL CM	2324,0192 litre	40,984 %	3346,5555 litre	O
200	CM	95	CM	81 LEVEL CM	2305,2193 litre	40,652 %	3365,3554 litre	O
200	CM	95	CM	80,5 LEVEL CM	2286,4343 litre	40,321 %	3384,1404 litre	O
200	CM	95	CM	80 LEVEL CM	2267,6647 litre	39,990 %	3402,9100 litre	O
200	CM	95	CM	79,5 LEVEL CM	2248,9112 litre	39,659 %	3421,6635 litre	O
200	CM	95	CM	79 LEVEL CM	2230,1741 litre	39,329 %	3440,4006 litre	O
200	CM	95	CM	78,5 LEVEL CM	2211,4542 litre	38,999 %	3459,1205 litre	O
200	CM	95	CM	78 LEVEL CM	2192,7518 litre	38,669 %	3477,8229 litre	O
200	CM	95	CM	77,5 LEVEL CM	2174,0677 litre	38,339 %	3496,5070 litre	O
200	CM	95	CM	77 LEVEL CM	2155,4023 litre	38,010 %	3515,1724 litre	O
200	CM	95	CM	76,5 LEVEL CM	2136,7562 litre	37,681 %	3533,8185 litre	O
200	CM	95	CM	76 LEVEL CM	2118,1300 litre	37,353 %	3552,4447 litre	O
200	CM	95	CM	75,5 LEVEL CM	2099,5242 litre	37,025 %	3571,0505 litre	O
200	CM	95	CM	75 LEVEL CM	2080,9393 litre	36,697 %	3589,6354 litre	O
200	CM	95	CM	74,5 LEVEL CM	2062,3760 litre	36,370 %	3608,1987 litre	O
200	CM	95	CM	74 LEVEL CM	2043,8348 litre	36,043 %	3626,7399 litre	O
200	CM	95	CM	73,5 LEVEL CM	2025,3163 litre	35,716 %	3645,2584 litre	O
200	CM	95	CM	73 LEVEL CM	2006,8209 litre	35,390 %	3663,7538 litre	O
200	CM	95	CM	72,5 LEVEL CM	1988,3494 litre	35,064 %	3682,2253 litre	O
200	CM	95	CM	72 LEVEL CM	1969,9023 litre	34,739 %	3700,6724 litre	O
200	CM	95	CM	71,5 LEVEL CM	1951,4801 litre	34,414 %	3719,0946 litre	O
200	CM	95	CM	71 LEVEL CM	1933,0835 litre	34,090 %	3737,4912 litre	O
200	CM	95	CM	70,5 LEVEL CM	1914,7129 litre	33,766 %	3755,8618 litre	O
200	CM	95	CM	70 LEVEL CM	1896,3691 litre	33,442 %	3774,2056 litre	O
200	CM	95	CM	69,5 LEVEL CM	1878,0525 litre	33,119 %	3792,5222 litre	O
200	CM	95	CM	69 LEVEL CM	1859,7638 litre	32,797 %	3810,8109 litre	O
200	CM	95	CM	68,5 LEVEL CM	1841,5036 litre	32,475 %	3829,0711 litre	O
200	CM	95	CM	68 LEVEL CM	1823,2724 litre	32,153 %	3847,3023 litre	O
200	CM	95	CM	67,5 LEVEL CM	1805,0708 litre	31,832 %	3865,5039 litre	O
200	CM	95	CM	67 LEVEL CM	1786,8995 litre	31,512 %	3883,6752 litre	O
200	CM	95	CM	66,5 LEVEL CM	1768,7591 litre	31,192 %	3901,8156 litre	O
200	CM	95	CM	66 LEVEL CM	1750,6500 litre	30,873 %	3919,9247 litre	O
200	CM	95	CM	65,5 LEVEL CM	1732,5731 litre	30,554 %	3938,0016 litre	O
200	CM	95	CM	65 LEVEL CM	1714,5288 litre	30,236 %	3956,0459 litre	O
200	CM	95	CM	64,5 LEVEL CM	1696,5178 litre	29,918 %	3974,0569 litre	O
200	CM	95	CM	64 LEVEL CM	1678,5407 litre	29,601 %	3992,0340 litre	O
200	CM	95	CM	63,5 LEVEL CM	1660,5981 litre	29,284 %	4009,9766 litre	O
200	CM	95	CM	63 LEVEL CM	1642,6906 litre	28,969 %	4027,8841 litre	O
200	CM	95	CM	62,5 LEVEL CM	1624,8189 litre	28,654 %	4045,7558 litre	O
200	CM	95	CM	62 LEVEL CM	1606,9837 litre	28,339 %	4063,5910 litre	O
200	CM	95	CM	61,5 LEVEL CM	1589,1855 litre	28,025 %	4081,3892 litre	O
200	CM	95	CM	61 LEVEL CM	1571,4249 litre	27,712 %	4099,1498 litre	O
200	CM	95	CM	60,5 LEVEL CM	1553,7027 litre	27,399 %	4116,8720 litre	O
200	CM	95	CM	60 LEVEL CM	1536,0195 litre	27,088 %	4134,5552 litre	O
200	CM	95	CM	59,5 LEVEL CM	1518,3759 litre	26,776 %	4152,1988 litre	O
200	CM	95	CM	59 LEVEL CM	1500,7726 litre	26,466 %	4169,8021 litre	O
200	CM	95	CM	58,5 LEVEL CM	1483,2102 litre	26,156 %	4187,3645 litre	O

200	CM	95	CM	58 LEVEL CM	1465,6895 litre	25,847 %	4204,8852 litre	O
200	CM	95	CM	57,5 LEVEL CM	1448,2110 litre	25,539 %	4222,3637 litre	O
200	CM	95	CM	57 LEVEL CM	1430,7755 litre	25,232 %	4239,7992 litre	O
200	CM	95	CM	56,5 LEVEL CM	1413,3837 litre	24,925 %	4257,1910 litre	O
200	CM	95	CM	56 LEVEL CM	1396,0362 litre	24,619 %	4274,5385 litre	O
200	CM	95	CM	55,5 LEVEL CM	1378,7337 litre	24,314 %	4291,8410 litre	O
200	CM	95	CM	55 LEVEL CM	1361,4769 litre	24,010 %	4309,0978 litre	O
200	CM	95	CM	54,5 LEVEL CM	1344,2665 litre	23,706 %	4326,3082 litre	O
200	CM	95	CM	54 LEVEL CM	1327,1033 litre	23,403 %	4343,4714 litre	O
200	CM	95	CM	53,5 LEVEL CM	1309,9879 litre	23,102 %	4360,5868 litre	O
200	CM	95	CM	53 LEVEL CM	1292,9211 litre	22,801 %	4377,6536 litre	O
200	CM	95	CM	52,5 LEVEL CM	1275,9035 litre	22,500 %	4394,6712 litre	O
200	CM	95	CM	52 LEVEL CM	1258,9360 litre	22,201 %	4411,6387 litre	O
200	CM	95	CM	51,5 LEVEL CM	1242,0193 litre	21,903 %	4428,5554 litre	O
200	CM	95	CM	51 LEVEL CM	1225,1540 litre	21,605 %	4445,4207 litre	O
200	CM	95	CM	50,5 LEVEL CM	1208,3411 litre	21,309 %	4462,2336 litre	O
200	CM	95	CM	50 LEVEL CM	1191,5811 litre	21,013 %	4478,9936 litre	O
200	CM	95	CM	49,5 LEVEL CM	1174,8749 litre	20,719 %	4495,6998 litre	O
200	CM	95	CM	49 LEVEL CM	1158,2233 litre	20,425 %	4512,3514 litre	O
200	CM	95	CM	48,5 LEVEL CM	1141,6270 litre	20,132 %	4528,9477 litre	O
200	CM	95	CM	48 LEVEL CM	1125,0869 litre	19,841 %	4545,4878 litre	O
200	CM	95	CM	47,5 LEVEL CM	1108,6037 litre	19,550 %	4561,9710 litre	O
200	CM	95	CM	47 LEVEL CM	1092,1782 litre	19,260 %	4578,3965 litre	O
200	CM	95	CM	46,5 LEVEL CM	1075,8112 litre	18,972 %	4594,7635 litre	O
200	CM	95	CM	46 LEVEL CM	1059,5037 litre	18,684 %	4611,0710 litre	O
200	CM	95	CM	45,5 LEVEL CM	1043,2563 litre	18,398 %	4627,3184 litre	O
200	CM	95	CM	45 LEVEL CM	1027,0700 litre	18,112 %	4643,5047 litre	O
200	CM	95	CM	44,5 LEVEL CM	1010,9456 litre	17,828 %	4659,6291 litre	O
200	CM	95	CM	44 LEVEL CM	994,8840 litre	17,545 %	4675,6907 litre	O
200	CM	95	CM	43,5 LEVEL CM	978,8860 litre	17,263 %	4691,6887 litre	O
200	CM	95	CM	43 LEVEL CM	962,9525 litre	16,982 %	4707,6222 litre	O
200	CM	95	CM	42,5 LEVEL CM	947,0844 litre	16,702 %	4723,4903 litre	O
200	CM	95	CM	42 LEVEL CM	931,2826 litre	16,423 %	4739,2921 litre	O
200	CM	95	CM	41,5 LEVEL CM	915,5481 litre	16,146 %	4755,0266 litre	O
200	CM	95	CM	41 LEVEL CM	899,8817 litre	15,869 %	4770,6930 litre	O
200	CM	95	CM	40,5 LEVEL CM	884,2843 litre	15,594 %	4786,2904 litre	O
200	CM	95	CM	40 LEVEL CM	868,7571 litre	15,320 %	4801,8176 litre	O
200	CM	95	CM	39,5 LEVEL CM	853,3008 litre	15,048 %	4817,2739 litre	O
200	CM	95	CM	39 LEVEL CM	837,9165 litre	14,777 %	4832,6582 litre	O
200	CM	95	CM	38,5 LEVEL CM	822,6052 litre	14,507 %	4847,9695 litre	O
200	CM	95	CM	38 LEVEL CM	807,3679 litre	14,238 %	4863,2068 litre	O
200	CM	95	CM	37,5 LEVEL CM	792,2055 litre	13,970 %	4878,3692 litre	O
200	CM	95	CM	37 LEVEL CM	777,1192 litre	13,704 %	4893,4555 litre	O
200	CM	95	CM	36,5 LEVEL CM	762,1100 litre	13,440 %	4908,4647 litre	O
200	CM	95	CM	36 LEVEL CM	747,1790 litre	13,176 %	4923,3957 litre	O
200	CM	95	CM	35,5 LEVEL CM	732,3272 litre	12,915 %	4938,2475 litre	O
200	CM	95	CM	35 LEVEL CM	717,5557 litre	12,654 %	4953,0190 litre	O
200	CM	95	CM	34,5 LEVEL CM	702,8657 litre	12,395 %	4967,7090 litre	O
200	CM	95	CM	34 LEVEL CM	688,2583 litre	12,137 %	4982,3164 litre	O
200	CM	95	CM	33,5 LEVEL CM	673,7347 litre	11,881 %	4996,8400 litre	O
200	CM	95	CM	33 LEVEL CM	659,2960 litre	11,627 %	5011,2787 litre	O
200	CM	95	CM	32,5 LEVEL CM	644,9434 litre	11,374 %	5025,6313 litre	O
200	CM	95	CM	32 LEVEL CM	630,6782 litre	11,122 %	5039,8965 litre	O

200	CM 95	CM	31,5 LEVEL CM	616,5016 litre	10,872 %	5054,0731 litre	O
200	CM 95	CM	31 LEVEL CM	602,4149 litre	10,624 %	5068,1598 litre	O
200	CM 95	CM	30,5 LEVEL CM	588,4193 litre	10,377 %	5082,1554 litre	O
200	CM 95	CM	30 LEVEL CM	574,5162 litre	10,132 %	5096,0585 litre	O
200	CM 95	CM	29,5 LEVEL CM	560,7070 litre	9,888 %	5109,8677 litre	O
200	CM 95	CM	29 LEVEL CM	546,9929 litre	9,646 %	5123,5818 litre	O
200	CM 95	CM	28,5 LEVEL CM	533,3754 litre	9,406 %	5137,1993 litre	O
200	CM 95	CM	28 LEVEL CM	519,8559 litre	9,168 %	5150,7188 litre	O
200	CM 95	CM	27,5 LEVEL CM	506,4360 litre	8,931 %	5164,1387 litre	O
200	CM 95	CM	27 LEVEL CM	493,1170 litre	8,696 %	5177,4577 litre	O
200	CM 95	CM	26,5 LEVEL CM	479,9005 litre	8,463 %	5190,6742 litre	O
200	CM 95	CM	26 LEVEL CM	466,7880 litre	8,232 %	5203,7867 litre	O
200	CM 95	CM	25,5 LEVEL CM	453,7813 litre	8,002 %	5216,7934 litre	O
200	CM 95	CM	25 LEVEL CM	440,8818 litre	7,775 %	5229,6929 litre	O
200	CM 95	CM	24,5 LEVEL CM	428,0914 litre	7,549 %	5242,4833 litre	O
200	CM 95	CM	24 LEVEL CM	415,4117 litre	7,326 %	5255,1630 litre	O
200	CM 95	CM	23,5 LEVEL CM	402,8444 litre	7,104 %	5267,7303 litre	O
200	CM 95	CM	23 LEVEL CM	390,3915 litre	6,885 %	5280,1832 litre	O
200	CM 95	CM	22,5 LEVEL CM	378,0547 litre	6,667 %	5292,5200 litre	O
200	CM 95	CM	22 LEVEL CM	365,8361 litre	6,451 %	5304,7386 litre	O
200	CM 95	CM	21,5 LEVEL CM	353,7375 litre	6,238 %	5316,8372 litre	O
200	CM 95	CM	21 LEVEL CM	341,7610 litre	6,027 %	5328,8137 litre	O
200	CM 95	CM	20,5 LEVEL CM	329,9088 litre	5,818 %	5340,6659 litre	O
200	CM 95	CM	20 LEVEL CM	318,1830 litre	5,611 %	5352,3917 litre	O
200	CM 95	CM	19,5 LEVEL CM	306,5858 litre	5,407 %	5363,9889 litre	O
200	CM 95	CM	19 LEVEL CM	295,1195 litre	5,204 %	5375,4552 litre	O
200	CM 95	CM	18,5 LEVEL CM	283,7866 litre	5,005 %	5386,7881 litre	O
200	CM 95	CM	18 LEVEL CM	272,5895 litre	4,807 %	5397,9852 litre	O
200	CM 95	CM	17,5 LEVEL CM	261,5308 litre	4,612 %	5409,0439 litre	O
200	CM 95	CM	17 LEVEL CM	250,6131 litre	4,420 %	5419,9616 litre	O
200	CM 95	CM	16,5 LEVEL CM	239,8393 litre	4,230 %	5430,7354 litre	O
200	CM 95	CM	16 LEVEL CM	229,2122 litre	4,042 %	5441,3625 litre	O
200	CM 95	CM	15,5 LEVEL CM	218,7349 litre	3,857 %	5451,8398 litre	O
200	CM 95	CM	15 LEVEL CM	208,4104 litre	3,675 %	5462,1643 litre	O
200	CM 95	CM	14,5 LEVEL CM	198,2421 litre	3,496 %	5472,3326 litre	O
200	CM 95	CM	14 LEVEL CM	188,2334 litre	3,319 %	5482,3413 litre	O
200	CM 95	CM	13,5 LEVEL CM	178,3879 litre	3,146 %	5492,1868 litre	O
200	CM 95	CM	13 LEVEL CM	168,7093 litre	2,975 %	5501,8654 litre	O
200	CM 95	CM	12,5 LEVEL CM	159,2017 litre	2,808 %	5511,3730 litre	O
200	CM 95	CM	12 LEVEL CM	149,8693 litre	2,643 %	5520,7054 litre	O
200	CM 95	CM	11,5 LEVEL CM	140,7165 litre	2,482 %	5529,8582 litre	O
200	CM 95	CM	11 LEVEL CM	131,7480 litre	2,323 %	5538,8267 litre	O
200	CM 95	CM	10,5 LEVEL CM	122,9689 litre	2,169 %	5547,6058 litre	O
200	CM 95	CM	10 LEVEL CM	114,3844 litre	2,017 %	5556,1903 litre	O
200	CM 95	CM	9,5 LEVEL CM	106,0003 litre	1,869 %	5564,5744 litre	O
200	CM 95	CM	9 LEVEL CM	97,8227 litre	1,725 %	5572,7520 litre	O
200	CM 95	CM	8,5 LEVEL CM	89,8582 litre	1,585 %	5580,7165 litre	O
200	CM 95	CM	8 LEVEL CM	82,1140 litre	1,448 %	5588,4607 litre	O
200	CM 95	CM	7,5 LEVEL CM	74,5979 litre	1,316 %	5595,9768 litre	O
200	CM 95	CM	7 LEVEL CM	67,3183 litre	1,187 %	5603,2564 litre	O
200	CM 95	CM	6,5 LEVEL CM	60,2847 litre	1,063 %	5610,2900 litre	O
200	CM 95	CM	6 LEVEL CM	53,5075 litre	0,944 %	5617,0672 litre	O
200	CM 95	CM	5,5 LEVEL CM	46,9983 litre	0,829 %	5623,5764 litre	O

200	CM	95	CM	5 LEVEL CM	40,7701 litre	0,719 %	5629,8046 litre	O
200	CM	95	CM	4,5 LEVEL CM	34,8381 litre	0,614 %	5635,7366 litre	O
200	CM	95	CM	4 LEVEL CM	29,2195 litre	0,515 %	5641,3552 litre	O
200	CM	95	CM	3,5 LEVEL CM	23,9350 litre	0,422 %	5646,6397 litre	O
200	CM	95	CM	3 LEVEL CM	19,0090 litre	0,335 %	5651,5657 litre	O
200	CM	95	CM	2,5 LEVEL CM	14,4722 litre	0,255 %	5656,1025 litre	O
200	CM	95	CM	2 LEVEL CM	10,3637 litre	0,183 %	5660,2110 litre	O
200	CM	95	CM	1,5 LEVEL CM	6,7368 litre	0,119 %	5663,8379 litre	O
200	CM	95	CM	1 LEVEL CM	3,6699 litre	0,065 %	5666,9048 litre	O
200	CM	95	CM	0,5 LEVEL CM	1,2985 litre	0,023 %	5669,2762 litre	O
200	CM	95	CM	0 LEVEL CM	0,0000 litre	0,000 %	5670,5747 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM	90	CM 180 LEVEL CM	5089,3801 litre	100,000 %	0,0000 litre	O
200	CM	90	CM 179,5 LEVEL CM	5088,1162 litre	99,975 %	1,2639 litre	O
200	CM	90	CM 179 LEVEL CM	5085,8084 litre	99,930 %	3,5717 litre	O
200	CM	90	CM 178,5 LEVEL CM	5082,8239 litre	99,871 %	6,5562 litre	O
200	CM	90	CM 178 LEVEL CM	5079,2946 litre	99,802 %	10,0855 litre	O
200	CM	90	CM 177,5 LEVEL CM	5075,2970 litre	99,723 %	14,0831 litre	O
200	CM	90	CM 177 LEVEL CM	5070,8830 litre	99,637 %	18,4971 litre	O
200	CM	90	CM 176,5 LEVEL CM	5066,0908 litre	99,542 %	23,2893 litre	O
200	CM	90	CM 176 LEVEL CM	5060,9500 litre	99,441 %	28,4301 litre	O
200	CM	90	CM 175,5 LEVEL CM	5055,4848 litre	99,334 %	33,8953 litre	O
200	CM	90	CM 175 LEVEL CM	5049,7151 litre	99,221 %	39,6650 litre	O
200	CM	90	CM 174,5 LEVEL CM	5043,6579 litre	99,102 %	45,7222 litre	O
200	CM	90	CM 174 LEVEL CM	5037,3277 litre	98,977 %	52,0524 litre	O
200	CM	90	CM 173,5 LEVEL CM	5030,7375 litre	98,848 %	58,6426 litre	O
200	CM	90	CM 173 LEVEL CM	5023,8985 litre	98,713 %	65,4816 litre	O
200	CM	90	CM 172,5 LEVEL CM	5016,8209 litre	98,574 %	72,5592 litre	O
200	CM	90	CM 172 LEVEL CM	5009,5139 litre	98,431 %	79,8662 litre	O
200	CM	90	CM 171,5 LEVEL CM	5001,9858 litre	98,283 %	87,3943 litre	O
200	CM	90	CM 171 LEVEL CM	4994,2441 litre	98,131 %	95,1360 litre	O
200	CM	90	CM 170,5 LEVEL CM	4986,2960 litre	97,975 %	103,0841 litre	O
200	CM	90	CM 170 LEVEL CM	4978,1478 litre	97,814 %	111,2323 litre	O
200	CM	90	CM 169,5 LEVEL CM	4969,8055 litre	97,651 %	119,5746 litre	O
200	CM	90	CM 169 LEVEL CM	4961,2747 litre	97,483 %	128,1054 litre	O
200	CM	90	CM 168,5 LEVEL CM	4952,5607 litre	97,312 %	136,8194 litre	O
200	CM	90	CM 168 LEVEL CM	4943,6684 litre	97,137 %	145,7117 litre	O
200	CM	90	CM 167,5 LEVEL CM	4934,6022 litre	96,959 %	154,7779 litre	O
200	CM	90	CM 167 LEVEL CM	4925,3668 litre	96,777 %	164,0133 litre	O
200	CM	90	CM 166,5 LEVEL CM	4915,9660 litre	96,593 %	173,4141 litre	O
200	CM	90	CM 166 LEVEL CM	4906,4038 litre	96,405 %	182,9763 litre	O
200	CM	90	CM 165,5 LEVEL CM	4896,6840 litre	96,214 %	192,6961 litre	O
200	CM	90	CM 165 LEVEL CM	4886,8101 litre	96,020 %	202,5700 litre	O
200	CM	90	CM 164,5 LEVEL CM	4876,7854 litre	95,823 %	212,5947 litre	O
200	CM	90	CM 164 LEVEL CM	4866,6131 litre	95,623 %	222,7670 litre	O
200	CM	90	CM 163,5 LEVEL CM	4856,2964 litre	95,420 %	233,0837 litre	O
200	CM	90	CM 163 LEVEL CM	4845,8381 litre	95,215 %	243,5420 litre	O
200	CM	90	CM 162,5 LEVEL CM	4835,2412 litre	95,006 %	254,1389 litre	O
200	CM	90	CM 162 LEVEL CM	4824,5083 litre	94,796 %	264,8718 litre	O
200	CM	90	CM 161,5 LEVEL CM	4813,6421 litre	94,582 %	275,7380 litre	O
200	CM	90	CM 161 LEVEL CM	4802,6450 litre	94,366 %	286,7351 litre	O
200	CM	90	CM 160,5 LEVEL CM	4791,5196 litre	94,147 %	297,8605 litre	O
200	CM	90	CM 160 LEVEL CM	4780,2681 litre	93,926 %	309,1120 litre	O
200	CM	90	CM 159,5 LEVEL CM	4768,8929 litre	93,703 %	320,4872 litre	O
200	CM	90	CM 159 LEVEL CM	4757,3961 litre	93,477 %	331,9840 litre	O
200	CM	90	CM 158,5 LEVEL CM	4745,7800 litre	93,249 %	343,6001 litre	O
200	CM	90	CM 158 LEVEL CM	4734,0464 litre	93,018 %	355,3337 litre	O
200	CM	90	CM 157,5 LEVEL CM	4722,1976 litre	92,785 %	367,1825 litre	O
200	CM	90	CM 157 LEVEL CM	4710,2353 litre	92,550 %	379,1448 litre	O
200	CM	90	CM 156,5 LEVEL CM	4698,1616 litre	92,313 %	391,2185 litre	O
200	CM	90	CM 156 LEVEL CM	4685,9781 litre	92,074 %	403,4020 litre	O
200	CM	90	CM 155,5 LEVEL CM	4673,6869 litre	91,832 %	415,6932 litre	O
200	CM	90	CM 155 LEVEL CM	4661,2894 litre	91,589 %	428,0907 litre	O
200	CM	90	CM 154,5 LEVEL CM	4648,7876 litre	91,343 %	440,5925 litre	O

200	CM	90	CM	154 LEVEL CM	4636,1830 litre	91,095 %	453,1971 litre	O
200	CM	90	CM	153,5 LEVEL CM	4623,4773 litre	90,846 %	465,9028 litre	O
200	CM	90	CM	153 LEVEL CM	4610,6720 litre	90,594 %	478,7081 litre	O
200	CM	90	CM	152,5 LEVEL CM	4597,7686 litre	90,340 %	491,6115 litre	O
200	CM	90	CM	152 LEVEL CM	4584,7688 litre	90,085 %	504,6113 litre	O
200	CM	90	CM	151,5 LEVEL CM	4571,6739 litre	89,828 %	517,7062 litre	O
200	CM	90	CM	151 LEVEL CM	4558,4854 litre	89,569 %	530,8947 litre	O
200	CM	90	CM	150,5 LEVEL CM	4545,2048 litre	89,308 %	544,1753 litre	O
200	CM	90	CM	150 LEVEL CM	4531,8333 litre	89,045 %	557,5468 litre	O
200	CM	90	CM	149,5 LEVEL CM	4518,3724 litre	88,780 %	571,0077 litre	O
200	CM	90	CM	149 LEVEL CM	4504,8234 litre	88,514 %	584,5567 litre	O
200	CM	90	CM	148,5 LEVEL CM	4491,1876 litre	88,246 %	598,1925 litre	O
200	CM	90	CM	148 LEVEL CM	4477,4662 litre	87,977 %	611,9139 litre	O
200	CM	90	CM	147,5 LEVEL CM	4463,6605 litre	87,705 %	625,7196 litre	O
200	CM	90	CM	147 LEVEL CM	4449,7718 litre	87,432 %	639,6083 litre	O
200	CM	90	CM	146,5 LEVEL CM	4435,8013 litre	87,158 %	653,5788 litre	O
200	CM	90	CM	146 LEVEL CM	4421,7501 litre	86,882 %	667,6300 litre	O
200	CM	90	CM	145,5 LEVEL CM	4407,6194 litre	86,604 %	681,7607 litre	O
200	CM	90	CM	145 LEVEL CM	4393,4104 litre	86,325 %	695,9697 litre	O
200	CM	90	CM	144,5 LEVEL CM	4379,1242 litre	86,044 %	710,2559 litre	O
200	CM	90	CM	144 LEVEL CM	4364,7618 litre	85,762 %	724,6183 litre	O
200	CM	90	CM	143,5 LEVEL CM	4350,3245 litre	85,478 %	739,0556 litre	O
200	CM	90	CM	143 LEVEL CM	4335,8133 litre	85,193 %	753,5668 litre	O
200	CM	90	CM	142,5 LEVEL CM	4321,2292 litre	84,907 %	768,1509 litre	O
200	CM	90	CM	142 LEVEL CM	4306,5732 litre	84,619 %	782,8069 litre	O
200	CM	90	CM	141,5 LEVEL CM	4291,8465 litre	84,329 %	797,5336 litre	O
200	CM	90	CM	141 LEVEL CM	4277,0500 litre	84,039 %	812,3301 litre	O
200	CM	90	CM	140,5 LEVEL CM	4262,1848 litre	83,747 %	827,1953 litre	O
200	CM	90	CM	140 LEVEL CM	4247,2517 litre	83,453 %	842,1284 litre	O
200	CM	90	CM	139,5 LEVEL CM	4232,2518 litre	83,158 %	857,1283 litre	O
200	CM	90	CM	139 LEVEL CM	4217,1861 litre	82,862 %	872,1940 litre	O
200	CM	90	CM	138,5 LEVEL CM	4202,0554 litre	82,565 %	887,3247 litre	O
200	CM	90	CM	138 LEVEL CM	4186,8608 litre	82,267 %	902,5193 litre	O
200	CM	90	CM	137,5 LEVEL CM	4171,6032 litre	81,967 %	917,7769 litre	O
200	CM	90	CM	137 LEVEL CM	4156,2834 litre	81,666 %	933,0967 litre	O
200	CM	90	CM	136,5 LEVEL CM	4140,9023 litre	81,364 %	948,4778 litre	O
200	CM	90	CM	136 LEVEL CM	4125,4609 litre	81,060 %	963,9192 litre	O
200	CM	90	CM	135,5 LEVEL CM	4109,9601 litre	80,756 %	979,4200 litre	O
200	CM	90	CM	135 LEVEL CM	4094,4006 litre	80,450 %	994,9795 litre	O
200	CM	90	CM	134,5 LEVEL CM	4078,7835 litre	80,143 %	1010,5966 litre	O
200	CM	90	CM	134 LEVEL CM	4063,1094 litre	79,835 %	1026,2707 litre	O
200	CM	90	CM	133,5 LEVEL CM	4047,3793 litre	79,526 %	1042,0008 litre	O
200	CM	90	CM	133 LEVEL CM	4031,5940 litre	79,216 %	1057,7861 litre	O
200	CM	90	CM	132,5 LEVEL CM	4015,7542 litre	78,905 %	1073,6259 litre	O
200	CM	90	CM	132 LEVEL CM	3999,8610 litre	78,592 %	1089,5191 litre	O
200	CM	90	CM	131,5 LEVEL CM	3983,9149 litre	78,279 %	1105,4652 litre	O
200	CM	90	CM	131 LEVEL CM	3967,9169 litre	77,965 %	1121,4632 litre	O
200	CM	90	CM	130,5 LEVEL CM	3951,8677 litre	77,649 %	1137,5124 litre	O
200	CM	90	CM	130 LEVEL CM	3935,7681 litre	77,333 %	1153,6120 litre	O
200	CM	90	CM	129,5 LEVEL CM	3919,6189 litre	77,016 %	1169,7612 litre	O
200	CM	90	CM	129 LEVEL CM	3903,4209 litre	76,697 %	1185,9592 litre	O
200	CM	90	CM	128,5 LEVEL CM	3887,1748 litre	76,378 %	1202,2053 litre	O
200	CM	90	CM	128 LEVEL CM	3870,8813 litre	76,058 %	1218,4988 litre	O

200	CM 90	CM	127,5 LEVEL CM	3854,5413 litre	75,737 %	1234,8388 litre	O
200	CM 90	CM	127 LEVEL CM	3838,1554 litre	75,415 %	1251,2247 litre	O
200	CM 90	CM	126,5 LEVEL CM	3821,7245 litre	75,092 %	1267,6556 litre	O
200	CM 90	CM	126 LEVEL CM	3805,2492 litre	74,768 %	1284,1309 litre	O
200	CM 90	CM	125,5 LEVEL CM	3788,7302 litre	74,444 %	1300,6499 litre	O
200	CM 90	CM	125 LEVEL CM	3772,1683 litre	74,118 %	1317,2118 litre	O
200	CM 90	CM	124,5 LEVEL CM	3755,5642 litre	73,792 %	1333,8159 litre	O
200	CM 90	CM	124 LEVEL CM	3738,9185 litre	73,465 %	1350,4616 litre	O
200	CM 90	CM	123,5 LEVEL CM	3722,2321 litre	73,137 %	1367,1480 litre	O
200	CM 90	CM	123 LEVEL CM	3705,5056 litre	72,809 %	1383,8745 litre	O
200	CM 90	CM	122,5 LEVEL CM	3688,7397 litre	72,479 %	1400,6404 litre	O
200	CM 90	CM	122 LEVEL CM	3671,9350 litre	72,149 %	1417,4451 litre	O
200	CM 90	CM	121,5 LEVEL CM	3655,0923 litre	71,818 %	1434,2878 litre	O
200	CM 90	CM	121 LEVEL CM	3638,2123 litre	71,486 %	1451,1678 litre	O
200	CM 90	CM	120,5 LEVEL CM	3621,2955 litre	71,154 %	1468,0846 litre	O
200	CM 90	CM	120 LEVEL CM	3604,3427 litre	70,821 %	1485,0374 litre	O
200	CM 90	CM	119,5 LEVEL CM	3587,3546 litre	70,487 %	1502,0255 litre	O
200	CM 90	CM	119 LEVEL CM	3570,3318 litre	70,153 %	1519,0483 litre	O
200	CM 90	CM	118,5 LEVEL CM	3553,2749 litre	69,817 %	1536,1052 litre	O
200	CM 90	CM	118 LEVEL CM	3536,1847 litre	69,482 %	1553,1954 litre	O
200	CM 90	CM	117,5 LEVEL CM	3519,0617 litre	69,145 %	1570,3184 litre	O
200	CM 90	CM	117 LEVEL CM	3501,9066 litre	68,808 %	1587,4735 litre	O
200	CM 90	CM	116,5 LEVEL CM	3484,7201 litre	68,470 %	1604,6600 litre	O
200	CM 90	CM	116 LEVEL CM	3467,5027 litre	68,132 %	1621,8774 litre	O
200	CM 90	CM	115,5 LEVEL CM	3450,2552 litre	67,793 %	1639,1249 litre	O
200	CM 90	CM	115 LEVEL CM	3432,9782 litre	67,454 %	1656,4019 litre	O
200	CM 90	CM	114,5 LEVEL CM	3415,6722 litre	67,114 %	1673,7079 litre	O
200	CM 90	CM	114 LEVEL CM	3398,3379 litre	66,773 %	1691,0422 litre	O
200	CM 90	CM	113,5 LEVEL CM	3380,9760 litre	66,432 %	1708,4041 litre	O
200	CM 90	CM	113 LEVEL CM	3363,5870 litre	66,090 %	1725,7931 litre	O
200	CM 90	CM	112,5 LEVEL CM	3346,1716 litre	65,748 %	1743,2085 litre	O
200	CM 90	CM	112 LEVEL CM	3328,7304 litre	65,405 %	1760,6497 litre	O
200	CM 90	CM	111,5 LEVEL CM	3311,2640 litre	65,062 %	1778,1161 litre	O
200	CM 90	CM	111 LEVEL CM	3293,7729 litre	64,719 %	1795,6072 litre	O
200	CM 90	CM	110,5 LEVEL CM	3276,2579 litre	64,374 %	1813,1222 litre	O
200	CM 90	CM	110 LEVEL CM	3258,7194 litre	64,030 %	1830,6607 litre	O
200	CM 90	CM	109,5 LEVEL CM	3241,1582 litre	63,685 %	1848,2219 litre	O
200	CM 90	CM	109 LEVEL CM	3223,5748 litre	63,339 %	1865,8053 litre	O
200	CM 90	CM	108,5 LEVEL CM	3205,9698 litre	62,993 %	1883,4103 litre	O
200	CM 90	CM	108 LEVEL CM	3188,3438 litre	62,647 %	1901,0363 litre	O
200	CM 90	CM	107,5 LEVEL CM	3170,6973 litre	62,300 %	1918,6828 litre	O
200	CM 90	CM	107 LEVEL CM	3153,0311 litre	61,953 %	1936,3490 litre	O
200	CM 90	CM	106,5 LEVEL CM	3135,3456 litre	61,606 %	1954,0345 litre	O
200	CM 90	CM	106 LEVEL CM	3117,6414 litre	61,258 %	1971,7387 litre	O
200	CM 90	CM	105,5 LEVEL CM	3099,9192 litre	60,910 %	1989,4609 litre	O
200	CM 90	CM	105 LEVEL CM	3082,1795 litre	60,561 %	2007,2006 litre	O
200	CM 90	CM	104,5 LEVEL CM	3064,4229 litre	60,212 %	2024,9572 litre	O
200	CM 90	CM	104 LEVEL CM	3046,6500 litre	59,863 %	2042,7301 litre	O
200	CM 90	CM	103,5 LEVEL CM	3028,8613 litre	59,513 %	2060,5188 litre	O
200	CM 90	CM	103 LEVEL CM	3011,0575 litre	59,164 %	2078,3226 litre	O
200	CM 90	CM	102,5 LEVEL CM	2993,2391 litre	58,813 %	2096,1410 litre	O
200	CM 90	CM	102 LEVEL CM	2975,4066 litre	58,463 %	2113,9735 litre	O
200	CM 90	CM	101,5 LEVEL CM	2957,5607 litre	58,112 %	2131,8194 litre	O

200	CM 90	CM	101 LEVEL CM	2939,7019 litre	57,761 %	2149,6782 litre	O
200	CM 90	CM	100,5 LEVEL CM	2921,8308 litre	57,410 %	2167,5493 litre	O
200	CM 90	CM	100 LEVEL CM	2903,9479 litre	57,059 %	2185,4322 litre	O
200	CM 90	CM	99,5 LEVEL CM	2886,0539 litre	56,707 %	2203,3262 litre	O
200	CM 90	CM	99 LEVEL CM	2868,1492 litre	56,356 %	2221,2309 litre	O
200	CM 90	CM	98,5 LEVEL CM	2850,2345 litre	56,004 %	2239,1456 litre	O
200	CM 90	CM	98 LEVEL CM	2832,3103 litre	55,651 %	2257,0698 litre	O
200	CM 90	CM	97,5 LEVEL CM	2814,3772 litre	55,299 %	2275,0029 litre	O
200	CM 90	CM	97 LEVEL CM	2796,4357 litre	54,946 %	2292,9444 litre	O
200	CM 90	CM	96,5 LEVEL CM	2778,4865 litre	54,594 %	2310,8936 litre	O
200	CM 90	CM	96 LEVEL CM	2760,5299 litre	54,241 %	2328,8502 litre	O
200	CM 90	CM	95,5 LEVEL CM	2742,5667 litre	53,888 %	2346,8134 litre	O
200	CM 90	CM	95 LEVEL CM	2724,5974 litre	53,535 %	2364,7827 litre	O
200	CM 90	CM	94,5 LEVEL CM	2706,6225 litre	53,182 %	2382,7576 litre	O
200	CM 90	CM	94 LEVEL CM	2688,6426 litre	52,828 %	2400,7375 litre	O
200	CM 90	CM	93,5 LEVEL CM	2670,6583 litre	52,475 %	2418,7218 litre	O
200	CM 90	CM	93 LEVEL CM	2652,6700 litre	52,122 %	2436,7101 litre	O
200	CM 90	CM	92,5 LEVEL CM	2634,6785 litre	51,768 %	2454,7016 litre	O
200	CM 90	CM	92 LEVEL CM	2616,6841 litre	51,415 %	2472,6960 litre	O
200	CM 90	CM	91,5 LEVEL CM	2598,6875 litre	51,061 %	2490,6926 litre	O
200	CM 90	CM	91 LEVEL CM	2580,6893 litre	50,707 %	2508,6908 litre	O
200	CM 90	CM	90,5 LEVEL CM	2562,6900 litre	50,354 %	2526,6901 litre	O
200	CM 90	CM	90 LEVEL CM	2544,6900 litre	50,000 %	2544,6901 litre	O
200	CM 90	CM	89,5 LEVEL CM	2526,6901 litre	49,646 %	2562,6900 litre	O
200	CM 90	CM	89 LEVEL CM	2508,6908 litre	49,293 %	2580,6893 litre	O
200	CM 90	CM	88,5 LEVEL CM	2490,6925 litre	48,939 %	2598,6876 litre	O
200	CM 90	CM	88 LEVEL CM	2472,6960 litre	48,585 %	2616,6841 litre	O
200	CM 90	CM	87,5 LEVEL CM	2454,7016 litre	48,232 %	2634,6785 litre	O
200	CM 90	CM	87 LEVEL CM	2436,7101 litre	47,878 %	2652,6700 litre	O
200	CM 90	CM	86,5 LEVEL CM	2418,7218 litre	47,525 %	2670,6583 litre	O
200	CM 90	CM	86 LEVEL CM	2400,7375 litre	47,172 %	2688,6426 litre	O
200	CM 90	CM	85,5 LEVEL CM	2382,7576 litre	46,818 %	2706,6225 litre	O
200	CM 90	CM	85 LEVEL CM	2364,7827 litre	46,465 %	2724,5974 litre	O
200	CM 90	CM	84,5 LEVEL CM	2346,8134 litre	46,112 %	2742,5667 litre	O
200	CM 90	CM	84 LEVEL CM	2328,8502 litre	45,759 %	2760,5299 litre	O
200	CM 90	CM	83,5 LEVEL CM	2310,8936 litre	45,406 %	2778,4865 litre	O
200	CM 90	CM	83 LEVEL CM	2292,9444 litre	45,054 %	2796,4357 litre	O
200	CM 90	CM	82,5 LEVEL CM	2275,0029 litre	44,701 %	2814,3772 litre	O
200	CM 90	CM	82 LEVEL CM	2257,0698 litre	44,349 %	2832,3103 litre	O
200	CM 90	CM	81,5 LEVEL CM	2239,1456 litre	43,996 %	2850,2345 litre	O
200	CM 90	CM	81 LEVEL CM	2221,2309 litre	43,644 %	2868,1492 litre	O
200	CM 90	CM	80,5 LEVEL CM	2203,3262 litre	43,293 %	2886,0539 litre	O
200	CM 90	CM	80 LEVEL CM	2185,4322 litre	42,941 %	2903,9479 litre	O
200	CM 90	CM	79,5 LEVEL CM	2167,5493 litre	42,590 %	2921,8308 litre	O
200	CM 90	CM	79 LEVEL CM	2149,6782 litre	42,239 %	2939,7019 litre	O
200	CM 90	CM	78,5 LEVEL CM	2131,8194 litre	41,888 %	2957,5607 litre	O
200	CM 90	CM	78 LEVEL CM	2113,9735 litre	41,537 %	2975,4066 litre	O
200	CM 90	CM	77,5 LEVEL CM	2096,1410 litre	41,187 %	2993,2391 litre	O
200	CM 90	CM	77 LEVEL CM	2078,3226 litre	40,836 %	3011,0575 litre	O
200	CM 90	CM	76,5 LEVEL CM	2060,5188 litre	40,487 %	3028,8613 litre	O
200	CM 90	CM	76 LEVEL CM	2042,7301 litre	40,137 %	3046,6500 litre	O
200	CM 90	CM	75,5 LEVEL CM	2024,9572 litre	39,788 %	3064,4229 litre	O
200	CM 90	CM	75 LEVEL CM	2007,2006 litre	39,439 %	3082,1795 litre	O

200	CM	90	CM	74,5 LEVEL CM	1989,4609 litre	39,090 %	3099,9192 litre	O
200	CM	90	CM	74 LEVEL CM	1971,7387 litre	38,742 %	3117,6414 litre	O
200	CM	90	CM	73,5 LEVEL CM	1954,0345 litre	38,394 %	3135,3456 litre	O
200	CM	90	CM	73 LEVEL CM	1936,3490 litre	38,047 %	3153,0311 litre	O
200	CM	90	CM	72,5 LEVEL CM	1918,6828 litre	37,700 %	3170,6973 litre	O
200	CM	90	CM	72 LEVEL CM	1901,0363 litre	37,353 %	3188,3438 litre	O
200	CM	90	CM	71,5 LEVEL CM	1883,4103 litre	37,007 %	3205,9698 litre	O
200	CM	90	CM	71 LEVEL CM	1865,8053 litre	36,661 %	3223,5748 litre	O
200	CM	90	CM	70,5 LEVEL CM	1848,2219 litre	36,315 %	3241,1582 litre	O
200	CM	90	CM	70 LEVEL CM	1830,6607 litre	35,970 %	3258,7194 litre	O
200	CM	90	CM	69,5 LEVEL CM	1813,1222 litre	35,626 %	3276,2579 litre	O
200	CM	90	CM	69 LEVEL CM	1795,6072 litre	35,281 %	3293,7729 litre	O
200	CM	90	CM	68,5 LEVEL CM	1778,1161 litre	34,938 %	3311,2640 litre	O
200	CM	90	CM	68 LEVEL CM	1760,6497 litre	34,595 %	3328,7304 litre	O
200	CM	90	CM	67,5 LEVEL CM	1743,2085 litre	34,252 %	3346,1716 litre	O
200	CM	90	CM	67 LEVEL CM	1725,7931 litre	33,910 %	3363,5870 litre	O
200	CM	90	CM	66,5 LEVEL CM	1708,4041 litre	33,568 %	3380,9760 litre	O
200	CM	90	CM	66 LEVEL CM	1691,0422 litre	33,227 %	3398,3379 litre	O
200	CM	90	CM	65,5 LEVEL CM	1673,7079 litre	32,886 %	3415,6722 litre	O
200	CM	90	CM	65 LEVEL CM	1656,4019 litre	32,546 %	3432,9782 litre	O
200	CM	90	CM	64,5 LEVEL CM	1639,1249 litre	32,207 %	3450,2552 litre	O
200	CM	90	CM	64 LEVEL CM	1621,8774 litre	31,868 %	3467,5027 litre	O
200	CM	90	CM	63,5 LEVEL CM	1604,6600 litre	31,530 %	3484,7201 litre	O
200	CM	90	CM	63 LEVEL CM	1587,4735 litre	31,192 %	3501,9066 litre	O
200	CM	90	CM	62,5 LEVEL CM	1570,3184 litre	30,855 %	3519,0617 litre	O
200	CM	90	CM	62 LEVEL CM	1553,1954 litre	30,518 %	3536,1847 litre	O
200	CM	90	CM	61,5 LEVEL CM	1536,1052 litre	30,183 %	3553,2749 litre	O
200	CM	90	CM	61 LEVEL CM	1519,0483 litre	29,847 %	3570,3318 litre	O
200	CM	90	CM	60,5 LEVEL CM	1502,0255 litre	29,513 %	3587,3546 litre	O
200	CM	90	CM	60 LEVEL CM	1485,0374 litre	29,179 %	3604,3427 litre	O
200	CM	90	CM	59,5 LEVEL CM	1468,0846 litre	28,846 %	3621,2955 litre	O
200	CM	90	CM	59 LEVEL CM	1451,1678 litre	28,514 %	3638,2123 litre	O
200	CM	90	CM	58,5 LEVEL CM	1434,2878 litre	28,182 %	3655,0923 litre	O
200	CM	90	CM	58 LEVEL CM	1417,4451 litre	27,851 %	3671,9350 litre	O
200	CM	90	CM	57,5 LEVEL CM	1400,6404 litre	27,521 %	3688,7397 litre	O
200	CM	90	CM	57 LEVEL CM	1383,8745 litre	27,191 %	3705,5056 litre	O
200	CM	90	CM	56,5 LEVEL CM	1367,1480 litre	26,863 %	3722,2321 litre	O
200	CM	90	CM	56 LEVEL CM	1350,4615 litre	26,535 %	3738,9186 litre	O
200	CM	90	CM	55,5 LEVEL CM	1333,8159 litre	26,208 %	3755,5642 litre	O
200	CM	90	CM	55 LEVEL CM	1317,2118 litre	25,882 %	3772,1683 litre	O
200	CM	90	CM	54,5 LEVEL CM	1300,6499 litre	25,556 %	3788,7302 litre	O
200	CM	90	CM	54 LEVEL CM	1284,1309 litre	25,232 %	3805,2492 litre	O
200	CM	90	CM	53,5 LEVEL CM	1267,6556 litre	24,908 %	3821,7245 litre	O
200	CM	90	CM	53 LEVEL CM	1251,2247 litre	24,585 %	3838,1554 litre	O
200	CM	90	CM	52,5 LEVEL CM	1234,8388 litre	24,263 %	3854,5413 litre	O
200	CM	90	CM	52 LEVEL CM	1218,4988 litre	23,942 %	3870,8813 litre	O
200	CM	90	CM	51,5 LEVEL CM	1202,2053 litre	23,622 %	3887,1748 litre	O
200	CM	90	CM	51 LEVEL CM	1185,9592 litre	23,303 %	3903,4209 litre	O
200	CM	90	CM	50,5 LEVEL CM	1169,7612 litre	22,984 %	3919,6189 litre	O
200	CM	90	CM	50 LEVEL CM	1153,6120 litre	22,667 %	3935,7681 litre	O
200	CM	90	CM	49,5 LEVEL CM	1137,5124 litre	22,351 %	3951,8677 litre	O
200	CM	90	CM	49 LEVEL CM	1121,4632 litre	22,035 %	3967,9169 litre	O
200	CM	90	CM	48,5 LEVEL CM	1105,4652 litre	21,721 %	3983,9149 litre	O

200	CM	90	CM	48 LEVEL CM	1089,5191 litre	21,408 %	3999,8610 litre	O
200	CM	90	CM	47,5 LEVEL CM	1073,6259 litre	21,095 %	4015,7542 litre	O
200	CM	90	CM	47 LEVEL CM	1057,7861 litre	20,784 %	4031,5940 litre	O
200	CM	90	CM	46,5 LEVEL CM	1042,0008 litre	20,474 %	4047,3793 litre	O
200	CM	90	CM	46 LEVEL CM	1026,2707 litre	20,165 %	4063,1094 litre	O
200	CM	90	CM	45,5 LEVEL CM	1010,5966 litre	19,857 %	4078,7835 litre	O
200	CM	90	CM	45 LEVEL CM	994,9795 litre	19,550 %	4094,4006 litre	O
200	CM	90	CM	44,5 LEVEL CM	979,4200 litre	19,244 %	4109,9601 litre	O
200	CM	90	CM	44 LEVEL CM	963,9192 litre	18,940 %	4125,4609 litre	O
200	CM	90	CM	43,5 LEVEL CM	948,4778 litre	18,636 %	4140,9023 litre	O
200	CM	90	CM	43 LEVEL CM	933,0967 litre	18,334 %	4156,2834 litre	O
200	CM	90	CM	42,5 LEVEL CM	917,7769 litre	18,033 %	4171,6032 litre	O
200	CM	90	CM	42 LEVEL CM	902,5193 litre	17,733 %	4186,8608 litre	O
200	CM	90	CM	41,5 LEVEL CM	887,3247 litre	17,435 %	4202,0554 litre	O
200	CM	90	CM	41 LEVEL CM	872,1940 litre	17,138 %	4217,1861 litre	O
200	CM	90	CM	40,5 LEVEL CM	857,1283 litre	16,842 %	4232,2518 litre	O
200	CM	90	CM	40 LEVEL CM	842,1284 litre	16,547 %	4247,2517 litre	O
200	CM	90	CM	39,5 LEVEL CM	827,1953 litre	16,253 %	4262,1848 litre	O
200	CM	90	CM	39 LEVEL CM	812,3301 litre	15,961 %	4277,0500 litre	O
200	CM	90	CM	38,5 LEVEL CM	797,5336 litre	15,671 %	4291,8465 litre	O
200	CM	90	CM	38 LEVEL CM	782,8069 litre	15,381 %	4306,5732 litre	O
200	CM	90	CM	37,5 LEVEL CM	768,1509 litre	15,093 %	4321,2292 litre	O
200	CM	90	CM	37 LEVEL CM	753,5668 litre	14,807 %	4335,8133 litre	O
200	CM	90	CM	36,5 LEVEL CM	739,0556 litre	14,522 %	4350,3245 litre	O
200	CM	90	CM	36 LEVEL CM	724,6183 litre	14,238 %	4364,7618 litre	O
200	CM	90	CM	35,5 LEVEL CM	710,2559 litre	13,956 %	4379,1242 litre	O
200	CM	90	CM	35 LEVEL CM	695,9697 litre	13,675 %	4393,4104 litre	O
200	CM	90	CM	34,5 LEVEL CM	681,7607 litre	13,396 %	4407,6194 litre	O
200	CM	90	CM	34 LEVEL CM	667,6300 litre	13,118 %	4421,7501 litre	O
200	CM	90	CM	33,5 LEVEL CM	653,5788 litre	12,842 %	4435,8013 litre	O
200	CM	90	CM	33 LEVEL CM	639,6083 litre	12,568 %	4449,7718 litre	O
200	CM	90	CM	32,5 LEVEL CM	625,7196 litre	12,295 %	4463,6605 litre	O
200	CM	90	CM	32 LEVEL CM	611,9139 litre	12,023 %	4477,4662 litre	O
200	CM	90	CM	31,5 LEVEL CM	598,1925 litre	11,754 %	4491,1876 litre	O
200	CM	90	CM	31 LEVEL CM	584,5567 litre	11,486 %	4504,8234 litre	O
200	CM	90	CM	30,5 LEVEL CM	571,0077 litre	11,220 %	4518,3724 litre	O
200	CM	90	CM	30 LEVEL CM	557,5468 litre	10,955 %	4531,8333 litre	O
200	CM	90	CM	29,5 LEVEL CM	544,1753 litre	10,692 %	4545,2048 litre	O
200	CM	90	CM	29 LEVEL CM	530,8947 litre	10,431 %	4558,4854 litre	O
200	CM	90	CM	28,5 LEVEL CM	517,7062 litre	10,172 %	4571,6739 litre	O
200	CM	90	CM	28 LEVEL CM	504,6113 litre	9,915 %	4584,7688 litre	O
200	CM	90	CM	27,5 LEVEL CM	491,6114 litre	9,660 %	4597,7687 litre	O
200	CM	90	CM	27 LEVEL CM	478,7081 litre	9,406 %	4610,6720 litre	O
200	CM	90	CM	26,5 LEVEL CM	465,9028 litre	9,154 %	4623,4773 litre	O
200	CM	90	CM	26 LEVEL CM	453,1971 litre	8,905 %	4636,1830 litre	O
200	CM	90	CM	25,5 LEVEL CM	440,5925 litre	8,657 %	4648,7876 litre	O
200	CM	90	CM	25 LEVEL CM	428,0907 litre	8,411 %	4661,2894 litre	O
200	CM	90	CM	24,5 LEVEL CM	415,6932 litre	8,168 %	4673,6869 litre	O
200	CM	90	CM	24 LEVEL CM	403,4020 litre	7,926 %	4685,9781 litre	O
200	CM	90	CM	23,5 LEVEL CM	391,2185 litre	7,687 %	4698,1616 litre	O
200	CM	90	CM	23 LEVEL CM	379,1448 litre	7,450 %	4710,2353 litre	O
200	CM	90	CM	22,5 LEVEL CM	367,1825 litre	7,215 %	4722,1976 litre	O
200	CM	90	CM	22 LEVEL CM	355,3337 litre	6,982 %	4734,0464 litre	O

200	CM	90	CM	21,5 LEVEL CM	343,6001 litre	6,751 %	4745,7800 litre	O
200	CM	90	CM	21 LEVEL CM	331,9840 litre	6,523 %	4757,3961 litre	O
200	CM	90	CM	20,5 LEVEL CM	320,4872 litre	6,297 %	4768,8929 litre	O
200	CM	90	CM	20 LEVEL CM	309,1120 litre	6,074 %	4780,2681 litre	O
200	CM	90	CM	19,5 LEVEL CM	297,8605 litre	5,853 %	4791,5196 litre	O
200	CM	90	CM	19 LEVEL CM	286,7351 litre	5,634 %	4802,6450 litre	O
200	CM	90	CM	18,5 LEVEL CM	275,7380 litre	5,418 %	4813,6421 litre	O
200	CM	90	CM	18 LEVEL CM	264,8718 litre	5,204 %	4824,5083 litre	O
200	CM	90	CM	17,5 LEVEL CM	254,1389 litre	4,994 %	4835,2412 litre	O
200	CM	90	CM	17 LEVEL CM	243,5420 litre	4,785 %	4845,8381 litre	O
200	CM	90	CM	16,5 LEVEL CM	233,0837 litre	4,580 %	4856,2964 litre	O
200	CM	90	CM	16 LEVEL CM	222,7670 litre	4,377 %	4866,6131 litre	O
200	CM	90	CM	15,5 LEVEL CM	212,5947 litre	4,177 %	4876,7854 litre	O
200	CM	90	CM	15 LEVEL CM	202,5700 litre	3,980 %	4886,8101 litre	O
200	CM	90	CM	14,5 LEVEL CM	192,6961 litre	3,786 %	4896,6840 litre	O
200	CM	90	CM	14 LEVEL CM	182,9763 litre	3,595 %	4906,4038 litre	O
200	CM	90	CM	13,5 LEVEL CM	173,4141 litre	3,407 %	4915,9660 litre	O
200	CM	90	CM	13 LEVEL CM	164,0133 litre	3,223 %	4925,3668 litre	O
200	CM	90	CM	12,5 LEVEL CM	154,7779 litre	3,041 %	4934,6022 litre	O
200	CM	90	CM	12 LEVEL CM	145,7117 litre	2,863 %	4943,6684 litre	O
200	CM	90	CM	11,5 LEVEL CM	136,8194 litre	2,688 %	4952,5607 litre	O
200	CM	90	CM	11 LEVEL CM	128,1054 litre	2,517 %	4961,2747 litre	O
200	CM	90	CM	10,5 LEVEL CM	119,5746 litre	2,349 %	4969,8055 litre	O
200	CM	90	CM	10 LEVEL CM	111,2323 litre	2,186 %	4978,1478 litre	O
200	CM	90	CM	9,5 LEVEL CM	103,0841 litre	2,025 %	4986,2960 litre	O
200	CM	90	CM	9 LEVEL CM	95,1360 litre	1,869 %	4994,2441 litre	O
200	CM	90	CM	8,5 LEVEL CM	87,3943 litre	1,717 %	5001,9858 litre	O
200	CM	90	CM	8 LEVEL CM	79,8662 litre	1,569 %	5009,5139 litre	O
200	CM	90	CM	7,5 LEVEL CM	72,5592 litre	1,426 %	5016,8209 litre	O
200	CM	90	CM	7 LEVEL CM	65,4816 litre	1,287 %	5023,8985 litre	O
200	CM	90	CM	6,5 LEVEL CM	58,6426 litre	1,152 %	5030,7375 litre	O
200	CM	90	CM	6 LEVEL CM	52,0524 litre	1,023 %	5037,3277 litre	O
200	CM	90	CM	5,5 LEVEL CM	45,7222 litre	0,898 %	5043,6579 litre	O
200	CM	90	CM	5 LEVEL CM	39,6650 litre	0,779 %	5049,7151 litre	O
200	CM	90	CM	4,5 LEVEL CM	33,8953 litre	0,666 %	5055,4848 litre	O
200	CM	90	CM	4 LEVEL CM	28,4301 litre	0,559 %	5060,9500 litre	O
200	CM	90	CM	3,5 LEVEL CM	23,2893 litre	0,458 %	5066,0908 litre	O
200	CM	90	CM	3 LEVEL CM	18,4971 litre	0,363 %	5070,8830 litre	O
200	CM	90	CM	2,5 LEVEL CM	14,0831 litre	0,277 %	5075,2970 litre	O
200	CM	90	CM	2 LEVEL CM	10,0855 litre	0,198 %	5079,2946 litre	O
200	CM	90	CM	1,5 LEVEL CM	6,5562 litre	0,129 %	5082,8239 litre	O
200	CM	90	CM	1 LEVEL CM	3,5717 litre	0,070 %	5085,8084 litre	O
200	CM	90	CM	0,5 LEVEL CM	1,2639 litre	0,025 %	5088,1162 litre	O
200	CM	90	CM	0 LEVEL CM	0,0000 litre	0,000 %	5089,3801 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM	85	CM 170 LEVEL CM	4539,6014 litre	100,000 %	0,0000 litre	O
200	CM	85	CM 169,5 LEVEL CM	4538,3732 litre	99,973 %	1,2282 litre	O
200	CM	85	CM 169 LEVEL CM	4536,1306 litre	99,924 %	3,4708 litre	O
200	CM	85	CM 168,5 LEVEL CM	4533,2308 litre	99,860 %	6,3706 litre	O
200	CM	85	CM 168 LEVEL CM	4529,8020 litre	99,784 %	9,7994 litre	O
200	CM	85	CM 167,5 LEVEL CM	4525,9185 litre	99,699 %	13,6829 litre	O
200	CM	85	CM 167 LEVEL CM	4521,6308 litre	99,604 %	17,9706 litre	O
200	CM	85	CM 166,5 LEVEL CM	4516,9761 litre	99,502 %	22,6253 litre	O
200	CM	85	CM 166 LEVEL CM	4511,9833 litre	99,392 %	27,6181 litre	O
200	CM	85	CM 165,5 LEVEL CM	4506,6759 litre	99,275 %	32,9255 litre	O
200	CM	85	CM 165 LEVEL CM	4501,0732 litre	99,151 %	38,5282 litre	O
200	CM	85	CM 164,5 LEVEL CM	4495,1918 litre	99,022 %	44,4096 litre	O
200	CM	85	CM 164 LEVEL CM	4489,0460 litre	98,886 %	50,5554 litre	O
200	CM	85	CM 163,5 LEVEL CM	4482,6482 litre	98,745 %	56,9532 litre	O
200	CM	85	CM 163 LEVEL CM	4476,0095 litre	98,599 %	63,5919 litre	O
200	CM	85	CM 162,5 LEVEL CM	4469,1399 litre	98,448 %	70,4615 litre	O
200	CM	85	CM 162 LEVEL CM	4462,0481 litre	98,292 %	77,5533 litre	O
200	CM	85	CM 161,5 LEVEL CM	4454,7424 litre	98,131 %	84,8590 litre	O
200	CM	85	CM 161 LEVEL CM	4447,2302 litre	97,965 %	92,3712 litre	O
200	CM	85	CM 160,5 LEVEL CM	4439,5183 litre	97,795 %	100,0831 litre	O
200	CM	85	CM 160 LEVEL CM	4431,6130 litre	97,621 %	107,9884 litre	O
200	CM	85	CM 159,5 LEVEL CM	4423,5202 litre	97,443 %	116,0812 litre	O
200	CM	85	CM 159 LEVEL CM	4415,2453 litre	97,261 %	124,3561 litre	O
200	CM	85	CM 158,5 LEVEL CM	4406,7935 litre	97,074 %	132,8079 litre	O
200	CM	85	CM 158 LEVEL CM	4398,1694 litre	96,884 %	141,4320 litre	O
200	CM	85	CM 157,5 LEVEL CM	4389,3777 litre	96,691 %	150,2237 litre	O
200	CM	85	CM 157 LEVEL CM	4380,4225 litre	96,494 %	159,1789 litre	O
200	CM	85	CM 156,5 LEVEL CM	4371,3080 litre	96,293 %	168,2934 litre	O
200	CM	85	CM 156 LEVEL CM	4362,0379 litre	96,089 %	177,5635 litre	O
200	CM	85	CM 155,5 LEVEL CM	4352,6159 litre	95,881 %	186,9855 litre	O
200	CM	85	CM 155 LEVEL CM	4343,0454 litre	95,670 %	196,5560 litre	O
200	CM	85	CM 154,5 LEVEL CM	4333,3297 litre	95,456 %	206,2717 litre	O
200	CM	85	CM 154 LEVEL CM	4323,4719 litre	95,239 %	216,1295 litre	O
200	CM	85	CM 153,5 LEVEL CM	4313,4752 litre	95,019 %	226,1262 litre	O
200	CM	85	CM 153 LEVEL CM	4303,3423 litre	94,796 %	236,2591 litre	O
200	CM	85	CM 152,5 LEVEL CM	4293,0761 litre	94,569 %	246,5253 litre	O
200	CM	85	CM 152 LEVEL CM	4282,6792 litre	94,340 %	256,9222 litre	O
200	CM	85	CM 151,5 LEVEL CM	4272,1542 litre	94,109 %	267,4472 litre	O
200	CM	85	CM 151 LEVEL CM	4261,5036 litre	93,874 %	278,0978 litre	O
200	CM	85	CM 150,5 LEVEL CM	4250,7298 litre	93,637 %	288,8716 litre	O
200	CM	85	CM 150 LEVEL CM	4239,8350 litre	93,397 %	299,7664 litre	O
200	CM	85	CM 149,5 LEVEL CM	4228,8216 litre	93,154 %	310,7798 litre	O
200	CM	85	CM 149 LEVEL CM	4217,6916 litre	92,909 %	321,9098 litre	O
200	CM	85	CM 148,5 LEVEL CM	4206,4473 litre	92,661 %	333,1541 litre	O
200	CM	85	CM 148 LEVEL CM	4195,0905 litre	92,411 %	344,5109 litre	O
200	CM	85	CM 147,5 LEVEL CM	4183,6234 litre	92,158 %	355,9780 litre	O
200	CM	85	CM 147 LEVEL CM	4172,0477 litre	91,903 %	367,5537 litre	O
200	CM	85	CM 146,5 LEVEL CM	4160,3655 litre	91,646 %	379,2359 litre	O
200	CM	85	CM 146 LEVEL CM	4148,5784 litre	91,386 %	391,0230 litre	O
200	CM	85	CM 145,5 LEVEL CM	4136,6882 litre	91,124 %	402,9132 litre	O
200	CM	85	CM 145 LEVEL CM	4124,6967 litre	90,860 %	414,9047 litre	O
200	CM	85	CM 144,5 LEVEL CM	4112,6056 litre	90,594 %	426,9958 litre	O

200	CM 85	CM	144 LEVEL CM	4100,4164 litre	90,325 %	439,1850 litre	O
200	CM 85	CM	143,5 LEVEL CM	4088,1308 litre	90,055 %	451,4706 litre	O
200	CM 85	CM	143 LEVEL CM	4075,7503 litre	89,782 %	463,8511 litre	O
200	CM 85	CM	142,5 LEVEL CM	4063,2765 litre	89,507 %	476,3249 litre	O
200	CM 85	CM	142 LEVEL CM	4050,7108 litre	89,231 %	488,8906 litre	O
200	CM 85	CM	141,5 LEVEL CM	4038,0548 litre	88,952 %	501,5466 litre	O
200	CM 85	CM	141 LEVEL CM	4025,3097 litre	88,671 %	514,2917 litre	O
200	CM 85	CM	140,5 LEVEL CM	4012,4771 litre	88,388 %	527,1243 litre	O
200	CM 85	CM	140 LEVEL CM	3999,5583 litre	88,104 %	540,0431 litre	O
200	CM 85	CM	139,5 LEVEL CM	3986,5546 litre	87,817 %	553,0468 litre	O
200	CM 85	CM	139 LEVEL CM	3973,4674 litre	87,529 %	566,1340 litre	O
200	CM 85	CM	138,5 LEVEL CM	3960,2978 litre	87,239 %	579,3036 litre	O
200	CM 85	CM	138 LEVEL CM	3947,0473 litre	86,947 %	592,5541 litre	O
200	CM 85	CM	137,5 LEVEL CM	3933,7171 litre	86,653 %	605,8843 litre	O
200	CM 85	CM	137 LEVEL CM	3920,3082 litre	86,358 %	619,2932 litre	O
200	CM 85	CM	136,5 LEVEL CM	3906,8221 litre	86,061 %	632,7793 litre	O
200	CM 85	CM	136 LEVEL CM	3893,2598 litre	85,762 %	646,3416 litre	O
200	CM 85	CM	135,5 LEVEL CM	3879,6225 litre	85,462 %	659,9789 litre	O
200	CM 85	CM	135 LEVEL CM	3865,9113 litre	85,160 %	673,6901 litre	O
200	CM 85	CM	134,5 LEVEL CM	3852,1274 litre	84,856 %	687,4740 litre	O
200	CM 85	CM	134 LEVEL CM	3838,2719 litre	84,551 %	701,3295 litre	O
200	CM 85	CM	133,5 LEVEL CM	3824,3458 litre	84,244 %	715,2556 litre	O
200	CM 85	CM	133 LEVEL CM	3810,3502 litre	83,936 %	729,2512 litre	O
200	CM 85	CM	132,5 LEVEL CM	3796,2862 litre	83,626 %	743,3152 litre	O
200	CM 85	CM	132 LEVEL CM	3782,1548 litre	83,315 %	757,4466 litre	O
200	CM 85	CM	131,5 LEVEL CM	3767,9570 litre	83,002 %	771,6444 litre	O
200	CM 85	CM	131 LEVEL CM	3753,6939 litre	82,688 %	785,9075 litre	O
200	CM 85	CM	130,5 LEVEL CM	3739,3664 litre	82,372 %	800,2350 litre	O
200	CM 85	CM	130 LEVEL CM	3724,9756 litre	82,055 %	814,6258 litre	O
200	CM 85	CM	129,5 LEVEL CM	3710,5223 litre	81,737 %	829,0791 litre	O
200	CM 85	CM	129 LEVEL CM	3696,0077 litre	81,417 %	843,5937 litre	O
200	CM 85	CM	128,5 LEVEL CM	3681,4325 litre	81,096 %	858,1689 litre	O
200	CM 85	CM	128 LEVEL CM	3666,7977 litre	80,774 %	872,8037 litre	O
200	CM 85	CM	127,5 LEVEL CM	3652,1043 litre	80,450 %	887,4971 litre	O
200	CM 85	CM	127 LEVEL CM	3637,3531 litre	80,125 %	902,2483 litre	O
200	CM 85	CM	126,5 LEVEL CM	3622,5451 litre	79,799 %	917,0563 litre	O
200	CM 85	CM	126 LEVEL CM	3607,6812 litre	79,471 %	931,9202 litre	O
200	CM 85	CM	125,5 LEVEL CM	3592,7622 litre	79,143 %	946,8392 litre	O
200	CM 85	CM	125 LEVEL CM	3577,7890 litre	78,813 %	961,8124 litre	O
200	CM 85	CM	124,5 LEVEL CM	3562,7625 litre	78,482 %	976,8389 litre	O
200	CM 85	CM	124 LEVEL CM	3547,6835 litre	78,150 %	991,9179 litre	O
200	CM 85	CM	123,5 LEVEL CM	3532,5529 litre	77,816 %	1007,0485 litre	O
200	CM 85	CM	123 LEVEL CM	3517,3714 litre	77,482 %	1022,2300 litre	O
200	CM 85	CM	122,5 LEVEL CM	3502,1400 litre	77,146 %	1037,4614 litre	O
200	CM 85	CM	122 LEVEL CM	3486,8594 litre	76,810 %	1052,7420 litre	O
200	CM 85	CM	121,5 LEVEL CM	3471,5304 litre	76,472 %	1068,0710 litre	O
200	CM 85	CM	121 LEVEL CM	3456,1539 litre	76,133 %	1083,4475 litre	O
200	CM 85	CM	120,5 LEVEL CM	3440,7307 litre	75,794 %	1098,8707 litre	O
200	CM 85	CM	120 LEVEL CM	3425,2615 litre	75,453 %	1114,3399 litre	O
200	CM 85	CM	119,5 LEVEL CM	3409,7471 litre	75,111 %	1129,8543 litre	O
200	CM 85	CM	119 LEVEL CM	3394,1883 litre	74,768 %	1145,4131 litre	O
200	CM 85	CM	118,5 LEVEL CM	3378,5858 litre	74,425 %	1161,0156 litre	O
200	CM 85	CM	118 LEVEL CM	3362,9405 litre	74,080 %	1176,6609 litre	O

200	CM 85	CM	117,5 LEVEL CM	3347,2530 litre	73,735 %	1192,3484 litre	O
200	CM 85	CM	117 LEVEL CM	3331,5242 litre	73,388 %	1208,0772 litre	O
200	CM 85	CM	116,5 LEVEL CM	3315,7547 litre	73,041 %	1223,8467 litre	O
200	CM 85	CM	116 LEVEL CM	3299,9453 litre	72,692 %	1239,6561 litre	O
200	CM 85	CM	115,5 LEVEL CM	3284,0968 litre	72,343 %	1255,5046 litre	O
200	CM 85	CM	115 LEVEL CM	3268,2098 litre	71,993 %	1271,3916 litre	O
200	CM 85	CM	114,5 LEVEL CM	3252,2851 litre	71,643 %	1287,3163 litre	O
200	CM 85	CM	114 LEVEL CM	3236,3233 litre	71,291 %	1303,2781 litre	O
200	CM 85	CM	113,5 LEVEL CM	3220,3253 litre	70,939 %	1319,2761 litre	O
200	CM 85	CM	113 LEVEL CM	3204,2917 litre	70,585 %	1335,3097 litre	O
200	CM 85	CM	112,5 LEVEL CM	3188,2232 litre	70,231 %	1351,3782 litre	O
200	CM 85	CM	112 LEVEL CM	3172,1205 litre	69,877 %	1367,4809 litre	O
200	CM 85	CM	111,5 LEVEL CM	3155,9844 litre	69,521 %	1383,6170 litre	O
200	CM 85	CM	111 LEVEL CM	3139,8154 litre	69,165 %	1399,7860 litre	O
200	CM 85	CM	110,5 LEVEL CM	3123,6142 litre	68,808 %	1415,9872 litre	O
200	CM 85	CM	110 LEVEL CM	3107,3816 litre	68,451 %	1432,2198 litre	O
200	CM 85	CM	109,5 LEVEL CM	3091,1183 litre	68,092 %	1448,4831 litre	O
200	CM 85	CM	109 LEVEL CM	3074,8248 litre	67,733 %	1464,7766 litre	O
200	CM 85	CM	108,5 LEVEL CM	3058,5020 litre	67,374 %	1481,0994 litre	O
200	CM 85	CM	108 LEVEL CM	3042,1503 litre	67,014 %	1497,4511 litre	O
200	CM 85	CM	107,5 LEVEL CM	3025,7705 litre	66,653 %	1513,8309 litre	O
200	CM 85	CM	107 LEVEL CM	3009,3633 litre	66,291 %	1530,2381 litre	O
200	CM 85	CM	106,5 LEVEL CM	2992,9293 litre	65,929 %	1546,6721 litre	O
200	CM 85	CM	106 LEVEL CM	2976,4692 litre	65,567 %	1563,1322 litre	O
200	CM 85	CM	105,5 LEVEL CM	2959,9835 litre	65,204 %	1579,6179 litre	O
200	CM 85	CM	105 LEVEL CM	2943,4730 litre	64,840 %	1596,1284 litre	O
200	CM 85	CM	104,5 LEVEL CM	2926,9383 litre	64,476 %	1612,6631 litre	O
200	CM 85	CM	104 LEVEL CM	2910,3800 litre	64,111 %	1629,2214 litre	O
200	CM 85	CM	103,5 LEVEL CM	2893,7988 litre	63,746 %	1645,8026 litre	O
200	CM 85	CM	103 LEVEL CM	2877,1953 litre	63,380 %	1662,4061 litre	O
200	CM 85	CM	102,5 LEVEL CM	2860,5701 litre	63,014 %	1679,0313 litre	O
200	CM 85	CM	102 LEVEL CM	2843,9239 litre	62,647 %	1695,6775 litre	O
200	CM 85	CM	101,5 LEVEL CM	2827,2573 litre	62,280 %	1712,3441 litre	O
200	CM 85	CM	101 LEVEL CM	2810,5708 litre	61,912 %	1729,0306 litre	O
200	CM 85	CM	100,5 LEVEL CM	2793,8653 litre	61,544 %	1745,7361 litre	O
200	CM 85	CM	100 LEVEL CM	2777,1411 litre	61,176 %	1762,4603 litre	O
200	CM 85	CM	99,5 LEVEL CM	2760,3991 litre	60,807 %	1779,2023 litre	O
200	CM 85	CM	99 LEVEL CM	2743,6397 litre	60,438 %	1795,9617 litre	O
200	CM 85	CM	98,5 LEVEL CM	2726,8636 litre	60,068 %	1812,7378 litre	O
200	CM 85	CM	98 LEVEL CM	2710,0715 litre	59,698 %	1829,5299 litre	O
200	CM 85	CM	97,5 LEVEL CM	2693,2638 litre	59,328 %	1846,3376 litre	O
200	CM 85	CM	97 LEVEL CM	2676,4413 litre	58,958 %	1863,1601 litre	O
200	CM 85	CM	96,5 LEVEL CM	2659,6046 litre	58,587 %	1879,9968 litre	O
200	CM 85	CM	96 LEVEL CM	2642,7541 litre	58,216 %	1896,8473 litre	O
200	CM 85	CM	95,5 LEVEL CM	2625,8907 litre	57,844 %	1913,7107 litre	O
200	CM 85	CM	95 LEVEL CM	2609,0147 litre	57,472 %	1930,5867 litre	O
200	CM 85	CM	94,5 LEVEL CM	2592,1270 litre	57,100 %	1947,4744 litre	O
200	CM 85	CM	94 LEVEL CM	2575,2280 litre	56,728 %	1964,3734 litre	O
200	CM 85	CM	93,5 LEVEL CM	2558,3183 litre	56,356 %	1981,2831 litre	O
200	CM 85	CM	93 LEVEL CM	2541,3986 litre	55,983 %	1998,2028 litre	O
200	CM 85	CM	92,5 LEVEL CM	2524,4694 litre	55,610 %	2015,1320 litre	O
200	CM 85	CM	92 LEVEL CM	2507,5314 litre	55,237 %	2032,0700 litre	O
200	CM 85	CM	91,5 LEVEL CM	2490,5851 litre	54,864 %	2049,0163 litre	O

200	CM	85	CM	91 LEVEL CM	2473,6312 litre	54,490 %	2065,9702 litre	O
200	CM	85	CM	90,5 LEVEL CM	2456,6701 litre	54,116 %	2082,9313 litre	O
200	CM	85	CM	90 LEVEL CM	2439,7026 litre	53,743 %	2099,8988 litre	O
200	CM	85	CM	89,5 LEVEL CM	2422,7292 litre	53,369 %	2116,8722 litre	O
200	CM	85	CM	89 LEVEL CM	2405,7505 litre	52,995 %	2133,8509 litre	O
200	CM	85	CM	88,5 LEVEL CM	2388,7671 litre	52,621 %	2150,8343 litre	O
200	CM	85	CM	88 LEVEL CM	2371,7795 litre	52,246 %	2167,8219 litre	O
200	CM	85	CM	87,5 LEVEL CM	2354,7884 litre	51,872 %	2184,8130 litre	O
200	CM	85	CM	87 LEVEL CM	2337,7944 litre	51,498 %	2201,8070 litre	O
200	CM	85	CM	86,5 LEVEL CM	2320,7980 litre	51,123 %	2218,8034 litre	O
200	CM	85	CM	86 LEVEL CM	2303,7999 litre	50,749 %	2235,8015 litre	O
200	CM	85	CM	85,5 LEVEL CM	2286,8006 litre	50,374 %	2252,8008 litre	O
200	CM	85	CM	85 LEVEL CM	2269,8007 litre	50,000 %	2269,8007 litre	O
200	CM	85	CM	84,5 LEVEL CM	2252,8008 litre	49,626 %	2286,8006 litre	O
200	CM	85	CM	84 LEVEL CM	2235,8015 litre	49,251 %	2303,7999 litre	O
200	CM	85	CM	83,5 LEVEL CM	2218,8033 litre	48,877 %	2320,7981 litre	O
200	CM	85	CM	83 LEVEL CM	2201,8070 litre	48,502 %	2337,7944 litre	O
200	CM	85	CM	82,5 LEVEL CM	2184,8129 litre	48,128 %	2354,7885 litre	O
200	CM	85	CM	82 LEVEL CM	2167,8219 litre	47,754 %	2371,7795 litre	O
200	CM	85	CM	81,5 LEVEL CM	2150,8343 litre	47,379 %	2388,7671 litre	O
200	CM	85	CM	81 LEVEL CM	2133,8509 litre	47,005 %	2405,7505 litre	O
200	CM	85	CM	80,5 LEVEL CM	2116,8722 litre	46,631 %	2422,7292 litre	O
200	CM	85	CM	80 LEVEL CM	2099,8988 litre	46,257 %	2439,7026 litre	O
200	CM	85	CM	79,5 LEVEL CM	2082,9313 litre	45,884 %	2456,6701 litre	O
200	CM	85	CM	79 LEVEL CM	2065,9702 litre	45,510 %	2473,6312 litre	O
200	CM	85	CM	78,5 LEVEL CM	2049,0163 litre	45,136 %	2490,5851 litre	O
200	CM	85	CM	78 LEVEL CM	2032,0700 litre	44,763 %	2507,5314 litre	O
200	CM	85	CM	77,5 LEVEL CM	2015,1320 litre	44,390 %	2524,4694 litre	O
200	CM	85	CM	77 LEVEL CM	1998,2028 litre	44,017 %	2541,3986 litre	O
200	CM	85	CM	76,5 LEVEL CM	1981,2831 litre	43,644 %	2558,3183 litre	O
200	CM	85	CM	76 LEVEL CM	1964,3734 litre	43,272 %	2575,2280 litre	O
200	CM	85	CM	75,5 LEVEL CM	1947,4744 litre	42,900 %	2592,1270 litre	O
200	CM	85	CM	75 LEVEL CM	1930,5866 litre	42,528 %	2609,0148 litre	O
200	CM	85	CM	74,5 LEVEL CM	1913,7107 litre	42,156 %	2625,8907 litre	O
200	CM	85	CM	74 LEVEL CM	1896,8473 litre	41,784 %	2642,7541 litre	O
200	CM	85	CM	73,5 LEVEL CM	1879,9968 litre	41,413 %	2659,6046 litre	O
200	CM	85	CM	73 LEVEL CM	1863,1601 litre	41,042 %	2676,4413 litre	O
200	CM	85	CM	72,5 LEVEL CM	1846,3376 litre	40,672 %	2693,2638 litre	O
200	CM	85	CM	72 LEVEL CM	1829,5299 litre	40,302 %	2710,0715 litre	O
200	CM	85	CM	71,5 LEVEL CM	1812,7378 litre	39,932 %	2726,8636 litre	O
200	CM	85	CM	71 LEVEL CM	1795,9617 litre	39,562 %	2743,6397 litre	O
200	CM	85	CM	70,5 LEVEL CM	1779,2023 litre	39,193 %	2760,3991 litre	O
200	CM	85	CM	70 LEVEL CM	1762,4603 litre	38,824 %	2777,1411 litre	O
200	CM	85	CM	69,5 LEVEL CM	1745,7361 litre	38,456 %	2793,8653 litre	O
200	CM	85	CM	69 LEVEL CM	1729,0305 litre	38,088 %	2810,5709 litre	O
200	CM	85	CM	68,5 LEVEL CM	1712,3441 litre	37,720 %	2827,2573 litre	O
200	CM	85	CM	68 LEVEL CM	1695,6775 litre	37,353 %	2843,9239 litre	O
200	CM	85	CM	67,5 LEVEL CM	1679,0313 litre	36,986 %	2860,5701 litre	O
200	CM	85	CM	67 LEVEL CM	1662,4061 litre	36,620 %	2877,1953 litre	O
200	CM	85	CM	66,5 LEVEL CM	1645,8026 litre	36,254 %	2893,7988 litre	O
200	CM	85	CM	66 LEVEL CM	1629,2214 litre	35,889 %	2910,3800 litre	O
200	CM	85	CM	65,5 LEVEL CM	1612,6631 litre	35,524 %	2926,9383 litre	O
200	CM	85	CM	65 LEVEL CM	1596,1284 litre	35,160 %	2943,4730 litre	O

200	CM	85	CM	64,5 LEVEL CM	1579,6179 litre	34,796 %	2959,9835 litre	O
200	CM	85	CM	64 LEVEL CM	1563,1322 litre	34,433 %	2976,4692 litre	O
200	CM	85	CM	63,5 LEVEL CM	1546,6721 litre	34,071 %	2992,9293 litre	O
200	CM	85	CM	63 LEVEL CM	1530,2381 litre	33,709 %	3009,3633 litre	O
200	CM	85	CM	62,5 LEVEL CM	1513,8308 litre	33,347 %	3025,7706 litre	O
200	CM	85	CM	62 LEVEL CM	1497,4511 litre	32,986 %	3042,1503 litre	O
200	CM	85	CM	61,5 LEVEL CM	1481,0994 litre	32,626 %	3058,5020 litre	O
200	CM	85	CM	61 LEVEL CM	1464,7765 litre	32,267 %	3074,8249 litre	O
200	CM	85	CM	60,5 LEVEL CM	1448,4831 litre	31,908 %	3091,1183 litre	O
200	CM	85	CM	60 LEVEL CM	1432,2197 litre	31,549 %	3107,3817 litre	O
200	CM	85	CM	59,5 LEVEL CM	1415,9872 litre	31,192 %	3123,6142 litre	O
200	CM	85	CM	59 LEVEL CM	1399,7860 litre	30,835 %	3139,8154 litre	O
200	CM	85	CM	58,5 LEVEL CM	1383,6170 litre	30,479 %	3155,9844 litre	O
200	CM	85	CM	58 LEVEL CM	1367,4808 litre	30,123 %	3172,1206 litre	O
200	CM	85	CM	57,5 LEVEL CM	1351,3782 litre	29,769 %	3188,2232 litre	O
200	CM	85	CM	57 LEVEL CM	1335,3097 litre	29,415 %	3204,2917 litre	O
200	CM	85	CM	56,5 LEVEL CM	1319,2761 litre	29,061 %	3220,3253 litre	O
200	CM	85	CM	56 LEVEL CM	1303,2780 litre	28,709 %	3236,3234 litre	O
200	CM	85	CM	55,5 LEVEL CM	1287,3163 litre	28,357 %	3252,2851 litre	O
200	CM	85	CM	55 LEVEL CM	1271,3916 litre	28,007 %	3268,2098 litre	O
200	CM	85	CM	54,5 LEVEL CM	1255,5046 litre	27,657 %	3284,0968 litre	O
200	CM	85	CM	54 LEVEL CM	1239,6561 litre	27,308 %	3299,9453 litre	O
200	CM	85	CM	53,5 LEVEL CM	1223,8467 litre	26,959 %	3315,7547 litre	O
200	CM	85	CM	53 LEVEL CM	1208,0772 litre	26,612 %	3331,5242 litre	O
200	CM	85	CM	52,5 LEVEL CM	1192,3484 litre	26,265 %	3347,2530 litre	O
200	CM	85	CM	52 LEVEL CM	1176,6609 litre	25,920 %	3362,9405 litre	O
200	CM	85	CM	51,5 LEVEL CM	1161,0156 litre	25,575 %	3378,5858 litre	O
200	CM	85	CM	51 LEVEL CM	1145,4131 litre	25,232 %	3394,1883 litre	O
200	CM	85	CM	50,5 LEVEL CM	1129,8543 litre	24,889 %	3409,7471 litre	O
200	CM	85	CM	50 LEVEL CM	1114,3399 litre	24,547 %	3425,2615 litre	O
200	CM	85	CM	49,5 LEVEL CM	1098,8707 litre	24,206 %	3440,7307 litre	O
200	CM	85	CM	49 LEVEL CM	1083,4474 litre	23,867 %	3456,1540 litre	O
200	CM	85	CM	48,5 LEVEL CM	1068,0709 litre	23,528 %	3471,5305 litre	O
200	CM	85	CM	48 LEVEL CM	1052,7420 litre	23,190 %	3486,8594 litre	O
200	CM	85	CM	47,5 LEVEL CM	1037,4614 litre	22,854 %	3502,1400 litre	O
200	CM	85	CM	47 LEVEL CM	1022,2300 litre	22,518 %	3517,3714 litre	O
200	CM	85	CM	46,5 LEVEL CM	1007,0485 litre	22,184 %	3532,5529 litre	O
200	CM	85	CM	46 LEVEL CM	991,9179 litre	21,850 %	3547,6835 litre	O
200	CM	85	CM	45,5 LEVEL CM	976,8389 litre	21,518 %	3562,7625 litre	O
200	CM	85	CM	45 LEVEL CM	961,8124 litre	21,187 %	3577,7890 litre	O
200	CM	85	CM	44,5 LEVEL CM	946,8392 litre	20,857 %	3592,7622 litre	O
200	CM	85	CM	44 LEVEL CM	931,9202 litre	20,529 %	3607,6812 litre	O
200	CM	85	CM	43,5 LEVEL CM	917,0562 litre	20,201 %	3622,5452 litre	O
200	CM	85	CM	43 LEVEL CM	902,2483 litre	19,875 %	3637,3531 litre	O
200	CM	85	CM	42,5 LEVEL CM	887,4971 litre	19,550 %	3652,1043 litre	O
200	CM	85	CM	42 LEVEL CM	872,8037 litre	19,226 %	3666,7977 litre	O
200	CM	85	CM	41,5 LEVEL CM	858,1689 litre	18,904 %	3681,4325 litre	O
200	CM	85	CM	41 LEVEL CM	843,5937 litre	18,583 %	3696,0077 litre	O
200	CM	85	CM	40,5 LEVEL CM	829,0790 litre	18,263 %	3710,5224 litre	O
200	CM	85	CM	40 LEVEL CM	814,6258 litre	17,945 %	3724,9756 litre	O
200	CM	85	CM	39,5 LEVEL CM	800,2349 litre	17,628 %	3739,3665 litre	O
200	CM	85	CM	39 LEVEL CM	785,9075 litre	17,312 %	3753,6939 litre	O
200	CM	85	CM	38,5 LEVEL CM	771,6444 litre	16,998 %	3767,9570 litre	O

200	CM	85	CM	38 LEVEL CM	757,4466 litre	16,685 %	3782,1548 litre	O
200	CM	85	CM	37,5 LEVEL CM	743,3152 litre	16,374 %	3796,2862 litre	O
200	CM	85	CM	37 LEVEL CM	729,2512 litre	16,064 %	3810,3502 litre	O
200	CM	85	CM	36,5 LEVEL CM	715,2556 litre	15,756 %	3824,3458 litre	O
200	CM	85	CM	36 LEVEL CM	701,3295 litre	15,449 %	3838,2719 litre	O
200	CM	85	CM	35,5 LEVEL CM	687,4740 litre	15,144 %	3852,1274 litre	O
200	CM	85	CM	35 LEVEL CM	673,6901 litre	14,840 %	3865,9113 litre	O
200	CM	85	CM	34,5 LEVEL CM	659,9789 litre	14,538 %	3879,6225 litre	O
200	CM	85	CM	34 LEVEL CM	646,3416 litre	14,238 %	3893,2598 litre	O
200	CM	85	CM	33,5 LEVEL CM	632,7793 litre	13,939 %	3906,8221 litre	O
200	CM	85	CM	33 LEVEL CM	619,2931 litre	13,642 %	3920,3083 litre	O
200	CM	85	CM	32,5 LEVEL CM	605,8843 litre	13,347 %	3933,7171 litre	O
200	CM	85	CM	32 LEVEL CM	592,5541 litre	13,053 %	3947,0473 litre	O
200	CM	85	CM	31,5 LEVEL CM	579,3035 litre	12,761 %	3960,2979 litre	O
200	CM	85	CM	31 LEVEL CM	566,1340 litre	12,471 %	3973,4674 litre	O
200	CM	85	CM	30,5 LEVEL CM	553,0468 litre	12,183 %	3986,5546 litre	O
200	CM	85	CM	30 LEVEL CM	540,0431 litre	11,896 %	3999,5583 litre	O
200	CM	85	CM	29,5 LEVEL CM	527,1243 litre	11,612 %	4012,4771 litre	O
200	CM	85	CM	29 LEVEL CM	514,2916 litre	11,329 %	4025,3098 litre	O
200	CM	85	CM	28,5 LEVEL CM	501,5466 litre	11,048 %	4038,0548 litre	O
200	CM	85	CM	28 LEVEL CM	488,8905 litre	10,769 %	4050,7109 litre	O
200	CM	85	CM	27,5 LEVEL CM	476,3249 litre	10,493 %	4063,2765 litre	O
200	CM	85	CM	27 LEVEL CM	463,8511 litre	10,218 %	4075,7503 litre	O
200	CM	85	CM	26,5 LEVEL CM	451,4706 litre	9,945 %	4088,1308 litre	O
200	CM	85	CM	26 LEVEL CM	439,1850 litre	9,675 %	4100,4164 litre	O
200	CM	85	CM	25,5 LEVEL CM	426,9958 litre	9,406 %	4112,6056 litre	O
200	CM	85	CM	25 LEVEL CM	414,9047 litre	9,140 %	4124,6967 litre	O
200	CM	85	CM	24,5 LEVEL CM	402,9132 litre	8,876 %	4136,6882 litre	O
200	CM	85	CM	24 LEVEL CM	391,0230 litre	8,614 %	4148,5784 litre	O
200	CM	85	CM	23,5 LEVEL CM	379,2359 litre	8,354 %	4160,3655 litre	O
200	CM	85	CM	23 LEVEL CM	367,5536 litre	8,097 %	4172,0478 litre	O
200	CM	85	CM	22,5 LEVEL CM	355,9780 litre	7,842 %	4183,6234 litre	O
200	CM	85	CM	22 LEVEL CM	344,5108 litre	7,589 %	4195,0906 litre	O
200	CM	85	CM	21,5 LEVEL CM	333,1541 litre	7,339 %	4206,4473 litre	O
200	CM	85	CM	21 LEVEL CM	321,9097 litre	7,091 %	4217,6917 litre	O
200	CM	85	CM	20,5 LEVEL CM	310,7798 litre	6,846 %	4228,8216 litre	O
200	CM	85	CM	20 LEVEL CM	299,7664 litre	6,603 %	4239,8350 litre	O
200	CM	85	CM	19,5 LEVEL CM	288,8716 litre	6,363 %	4250,7298 litre	O
200	CM	85	CM	19 LEVEL CM	278,0978 litre	6,126 %	4261,5036 litre	O
200	CM	85	CM	18,5 LEVEL CM	267,4472 litre	5,891 %	4272,1542 litre	O
200	CM	85	CM	18 LEVEL CM	256,9222 litre	5,660 %	4282,6792 litre	O
200	CM	85	CM	17,5 LEVEL CM	246,5253 litre	5,431 %	4293,0761 litre	O
200	CM	85	CM	17 LEVEL CM	236,2591 litre	5,204 %	4303,3423 litre	O
200	CM	85	CM	16,5 LEVEL CM	226,1262 litre	4,981 %	4313,4752 litre	O
200	CM	85	CM	16 LEVEL CM	216,1295 litre	4,761 %	4323,4719 litre	O
200	CM	85	CM	15,5 LEVEL CM	206,2717 litre	4,544 %	4333,3297 litre	O
200	CM	85	CM	15 LEVEL CM	196,5560 litre	4,330 %	4343,0454 litre	O
200	CM	85	CM	14,5 LEVEL CM	186,9855 litre	4,119 %	4352,6159 litre	O
200	CM	85	CM	14 LEVEL CM	177,5635 litre	3,911 %	4362,0379 litre	O
200	CM	85	CM	13,5 LEVEL CM	168,2934 litre	3,707 %	4371,3080 litre	O
200	CM	85	CM	13 LEVEL CM	159,1788 litre	3,506 %	4380,4226 litre	O
200	CM	85	CM	12,5 LEVEL CM	150,2237 litre	3,309 %	4389,3777 litre	O
200	CM	85	CM	12 LEVEL CM	141,4320 litre	3,116 %	4398,1694 litre	O

200	CM	85	CM	11,5 LEVEL CM	132,8079 litre	2,926 %	4406,7935 litre	O
200	CM	85	CM	11 LEVEL CM	124,3561 litre	2,739 %	4415,2453 litre	O
200	CM	85	CM	10,5 LEVEL CM	116,0812 litre	2,557 %	4423,5202 litre	O
200	CM	85	CM	10 LEVEL CM	107,9883 litre	2,379 %	4431,6131 litre	O
200	CM	85	CM	9,5 LEVEL CM	100,0830 litre	2,205 %	4439,5184 litre	O
200	CM	85	CM	9 LEVEL CM	92,3711 litre	2,035 %	4447,2303 litre	O
200	CM	85	CM	8,5 LEVEL CM	84,8589 litre	1,869 %	4454,7425 litre	O
200	CM	85	CM	8 LEVEL CM	77,5533 litre	1,708 %	4462,0481 litre	O
200	CM	85	CM	7,5 LEVEL CM	70,4615 litre	1,552 %	4469,1399 litre	O
200	CM	85	CM	7 LEVEL CM	63,5918 litre	1,401 %	4476,0096 litre	O
200	CM	85	CM	6,5 LEVEL CM	56,9532 litre	1,255 %	4482,6482 litre	O
200	CM	85	CM	6 LEVEL CM	50,5554 litre	1,114 %	4489,0460 litre	O
200	CM	85	CM	5,5 LEVEL CM	44,4096 litre	0,978 %	4495,1918 litre	O
200	CM	85	CM	5 LEVEL CM	38,5282 litre	0,849 %	4501,0732 litre	O
200	CM	85	CM	4,5 LEVEL CM	32,9255 litre	0,725 %	4506,6759 litre	O
200	CM	85	CM	4 LEVEL CM	27,6181 litre	0,608 %	4511,9833 litre	O
200	CM	85	CM	3,5 LEVEL CM	22,6253 litre	0,498 %	4516,9761 litre	O
200	CM	85	CM	3 LEVEL CM	17,9706 litre	0,396 %	4521,6308 litre	O
200	CM	85	CM	2,5 LEVEL CM	13,6829 litre	0,301 %	4525,9185 litre	O
200	CM	85	CM	2 LEVEL CM	9,7994 litre	0,216 %	4529,8020 litre	O
200	CM	85	CM	1,5 LEVEL CM	6,3706 litre	0,140 %	4533,2308 litre	O
200	CM	85	CM	1 LEVEL CM	3,4708 litre	0,076 %	4536,1306 litre	O
200	CM	85	CM	0,5 LEVEL CM	1,2282 litre	0,027 %	4538,3732 litre	O
200	CM	85	CM	0 LEVEL CM	0,0000 litre	0,000 %	4539,6014 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM 80	CM 160 LEVEL CM	4021,2386 litre	100,000 %	0,0000 litre	O
200	CM 80	CM 159,5 LEVEL CM	4020,0471 litre	99,970 %	1,1915 litre	O
200	CM 80	CM 159 LEVEL CM	4017,8718 litre	99,916 %	3,3668 litre	O
200	CM 80	CM 158,5 LEVEL CM	4015,0593 litre	99,846 %	6,1793 litre	O
200	CM 80	CM 158 LEVEL CM	4011,7339 litre	99,764 %	9,5047 litre	O
200	CM 80	CM 157,5 LEVEL CM	4007,9679 litre	99,670 %	13,2707 litre	O
200	CM 80	CM 157 LEVEL CM	4003,8104 litre	99,567 %	17,4282 litre	O
200	CM 80	CM 156,5 LEVEL CM	3999,2974 litre	99,454 %	21,9412 litre	O
200	CM 80	CM 156 LEVEL CM	3994,4571 litre	99,334 %	26,7815 litre	O
200	CM 80	CM 155,5 LEVEL CM	3989,3123 litre	99,206 %	31,9263 litre	O
200	CM 80	CM 155 LEVEL CM	3983,8818 litre	99,071 %	37,3568 litre	O
200	CM 80	CM 154,5 LEVEL CM	3978,1817 litre	98,929 %	43,0569 litre	O
200	CM 80	CM 154 LEVEL CM	3972,2259 litre	98,781 %	49,0127 litre	O
200	CM 80	CM 153,5 LEVEL CM	3966,0266 litre	98,627 %	55,2120 litre	O
200	CM 80	CM 153 LEVEL CM	3959,5944 litre	98,467 %	61,6442 litre	O
200	CM 80	CM 152,5 LEVEL CM	3952,9392 litre	98,302 %	68,2994 litre	O
200	CM 80	CM 152 LEVEL CM	3946,0694 litre	98,131 %	75,1692 litre	O
200	CM 80	CM 151,5 LEVEL CM	3938,9932 litre	97,955 %	82,2454 litre	O
200	CM 80	CM 151 LEVEL CM	3931,7177 litre	97,774 %	89,5209 litre	O
200	CM 80	CM 150,5 LEVEL CM	3924,2495 litre	97,588 %	96,9891 litre	O
200	CM 80	CM 150 LEVEL CM	3916,5948 litre	97,398 %	104,6438 litre	O
200	CM 80	CM 149,5 LEVEL CM	3908,7594 litre	97,203 %	112,4792 litre	O
200	CM 80	CM 149 LEVEL CM	3900,7485 litre	97,004 %	120,4901 litre	O
200	CM 80	CM 148,5 LEVEL CM	3892,5672 litre	96,800 %	128,6714 litre	O
200	CM 80	CM 148 LEVEL CM	3884,2200 litre	96,593 %	137,0186 litre	O
200	CM 80	CM 147,5 LEVEL CM	3875,7115 litre	96,381 %	145,5271 litre	O
200	CM 80	CM 147 LEVEL CM	3867,0458 litre	96,166 %	154,1928 litre	O
200	CM 80	CM 146,5 LEVEL CM	3858,2268 litre	95,946 %	163,0118 litre	O
200	CM 80	CM 146 LEVEL CM	3849,2583 litre	95,723 %	171,9803 litre	O
200	CM 80	CM 145,5 LEVEL CM	3840,1437 litre	95,497 %	181,0949 litre	O
200	CM 80	CM 145 LEVEL CM	3830,8866 litre	95,266 %	190,3520 litre	O
200	CM 80	CM 144,5 LEVEL CM	3821,4900 litre	95,033 %	199,7486 litre	O
200	CM 80	CM 144 LEVEL CM	3811,9572 litre	94,796 %	209,2814 litre	O
200	CM 80	CM 143,5 LEVEL CM	3802,2910 litre	94,555 %	218,9476 litre	O
200	CM 80	CM 143 LEVEL CM	3792,4943 litre	94,312 %	228,7443 litre	O
200	CM 80	CM 142,5 LEVEL CM	3782,5698 litre	94,065 %	238,6688 litre	O
200	CM 80	CM 142 LEVEL CM	3772,5202 litre	93,815 %	248,7184 litre	O
200	CM 80	CM 141,5 LEVEL CM	3762,3479 litre	93,562 %	258,8907 litre	O
200	CM 80	CM 141 LEVEL CM	3752,0554 litre	93,306 %	269,1832 litre	O
200	CM 80	CM 140,5 LEVEL CM	3741,6450 litre	93,047 %	279,5936 litre	O
200	CM 80	CM 140 LEVEL CM	3731,1191 litre	92,785 %	290,1195 litre	O
200	CM 80	CM 139,5 LEVEL CM	3720,4797 litre	92,521 %	300,7589 litre	O
200	CM 80	CM 139 LEVEL CM	3709,7291 litre	92,253 %	311,5095 litre	O
200	CM 80	CM 138,5 LEVEL CM	3698,8693 litre	91,983 %	322,3693 litre	O
200	CM 80	CM 138 LEVEL CM	3687,9023 litre	91,711 %	333,3363 litre	O
200	CM 80	CM 137,5 LEVEL CM	3676,8300 litre	91,435 %	344,4086 litre	O
200	CM 80	CM 137 LEVEL CM	3665,6543 litre	91,157 %	355,5843 litre	O
200	CM 80	CM 136,5 LEVEL CM	3654,3771 litre	90,877 %	366,8615 litre	O
200	CM 80	CM 136 LEVEL CM	3643,0001 litre	90,594 %	378,2385 litre	O
200	CM 80	CM 135,5 LEVEL CM	3631,5251 litre	90,309 %	389,7135 litre	O
200	CM 80	CM 135 LEVEL CM	3619,9537 litre	90,021 %	401,2849 litre	O
200	CM 80	CM 134,5 LEVEL CM	3608,2877 litre	89,731 %	412,9509 litre	O

200	CM 80	CM	134 LEVEL CM	3596,5286 litre	89,438 %	424,7100 litre	O
200	CM 80	CM	133,5 LEVEL CM	3584,6781 litre	89,144 %	436,5605 litre	O
200	CM 80	CM	133 LEVEL CM	3572,7375 litre	88,847 %	448,5011 litre	O
200	CM 80	CM	132,5 LEVEL CM	3560,7086 litre	88,548 %	460,5300 litre	O
200	CM 80	CM	132 LEVEL CM	3548,5926 litre	88,246 %	472,6460 litre	O
200	CM 80	CM	131,5 LEVEL CM	3536,3912 litre	87,943 %	484,8474 litre	O
200	CM 80	CM	131 LEVEL CM	3524,1056 litre	87,637 %	497,1330 litre	O
200	CM 80	CM	130,5 LEVEL CM	3511,7372 litre	87,330 %	509,5014 litre	O
200	CM 80	CM	130 LEVEL CM	3499,2875 litre	87,020 %	521,9511 litre	O
200	CM 80	CM	129,5 LEVEL CM	3486,7577 litre	86,709 %	534,4809 litre	O
200	CM 80	CM	129 LEVEL CM	3474,1491 litre	86,395 %	547,0895 litre	O
200	CM 80	CM	128,5 LEVEL CM	3461,4630 litre	86,080 %	559,7756 litre	O
200	CM 80	CM	128 LEVEL CM	3448,7007 litre	85,762 %	572,5379 litre	O
200	CM 80	CM	127,5 LEVEL CM	3435,8634 litre	85,443 %	585,3752 litre	O
200	CM 80	CM	127 LEVEL CM	3422,9523 litre	85,122 %	598,2863 litre	O
200	CM 80	CM	126,5 LEVEL CM	3409,9686 litre	84,799 %	611,2700 litre	O
200	CM 80	CM	126 LEVEL CM	3396,9135 litre	84,474 %	624,3251 litre	O
200	CM 80	CM	125,5 LEVEL CM	3383,7881 litre	84,148 %	637,4505 litre	O
200	CM 80	CM	125 LEVEL CM	3370,5936 litre	83,820 %	650,6450 litre	O
200	CM 80	CM	124,5 LEVEL CM	3357,3310 litre	83,490 %	663,9076 litre	O
200	CM 80	CM	124 LEVEL CM	3344,0014 litre	83,158 %	677,2372 litre	O
200	CM 80	CM	123,5 LEVEL CM	3330,6061 litre	82,825 %	690,6325 litre	O
200	CM 80	CM	123 LEVEL CM	3317,1459 litre	82,491 %	704,0927 litre	O
200	CM 80	CM	122,5 LEVEL CM	3303,6220 litre	82,154 %	717,6166 litre	O
200	CM 80	CM	122 LEVEL CM	3290,0353 litre	81,816 %	731,2033 litre	O
200	CM 80	CM	121,5 LEVEL CM	3276,3870 litre	81,477 %	744,8516 litre	O
200	CM 80	CM	121 LEVEL CM	3262,6780 litre	81,136 %	758,5606 litre	O
200	CM 80	CM	120,5 LEVEL CM	3248,9094 litre	80,794 %	772,3292 litre	O
200	CM 80	CM	120 LEVEL CM	3235,0820 litre	80,450 %	786,1566 litre	O
200	CM 80	CM	119,5 LEVEL CM	3221,1969 litre	80,105 %	800,0417 litre	O
200	CM 80	CM	119 LEVEL CM	3207,2550 litre	79,758 %	813,9836 litre	O
200	CM 80	CM	118,5 LEVEL CM	3193,2573 litre	79,410 %	827,9813 litre	O
200	CM 80	CM	118 LEVEL CM	3179,2046 litre	79,060 %	842,0340 litre	O
200	CM 80	CM	117,5 LEVEL CM	3165,0980 litre	78,710 %	856,1406 litre	O
200	CM 80	CM	117 LEVEL CM	3150,9383 litre	78,357 %	870,3003 litre	O
200	CM 80	CM	116,5 LEVEL CM	3136,7265 litre	78,004 %	884,5121 litre	O
200	CM 80	CM	116 LEVEL CM	3122,4634 litre	77,649 %	898,7752 litre	O
200	CM 80	CM	115,5 LEVEL CM	3108,1499 litre	77,293 %	913,0887 litre	O
200	CM 80	CM	115 LEVEL CM	3093,7868 litre	76,936 %	927,4518 litre	O
200	CM 80	CM	114,5 LEVEL CM	3079,3752 litre	76,578 %	941,8634 litre	O
200	CM 80	CM	114 LEVEL CM	3064,9157 litre	76,218 %	956,3229 litre	O
200	CM 80	CM	113,5 LEVEL CM	3050,4093 litre	75,857 %	970,8293 litre	O
200	CM 80	CM	113 LEVEL CM	3035,8567 litre	75,496 %	985,3819 litre	O
200	CM 80	CM	112,5 LEVEL CM	3021,2589 litre	75,133 %	999,9797 litre	O
200	CM 80	CM	112 LEVEL CM	3006,6166 litre	74,768 %	1014,6220 litre	O
200	CM 80	CM	111,5 LEVEL CM	2991,9307 litre	74,403 %	1029,3079 litre	O
200	CM 80	CM	111 LEVEL CM	2977,2019 litre	74,037 %	1044,0367 litre	O
200	CM 80	CM	110,5 LEVEL CM	2962,4311 litre	73,670 %	1058,8075 litre	O
200	CM 80	CM	110 LEVEL CM	2947,6191 litre	73,301 %	1073,6195 litre	O
200	CM 80	CM	109,5 LEVEL CM	2932,7666 litre	72,932 %	1088,4720 litre	O
200	CM 80	CM	109 LEVEL CM	2917,8744 litre	72,562 %	1103,3642 litre	O
200	CM 80	CM	108,5 LEVEL CM	2902,9434 litre	72,190 %	1118,2952 litre	O
200	CM 80	CM	108 LEVEL CM	2887,9742 litre	71,818 %	1133,2644 litre	O

200	CM	80	CM	107,5 LEVEL CM	2872,9676 litre	71,445 %	1148,2710 litre	O
200	CM	80	CM	107 LEVEL CM	2857,9245 litre	71,071 %	1163,3141 litre	O
200	CM	80	CM	106,5 LEVEL CM	2842,8455 litre	70,696 %	1178,3931 litre	O
200	CM	80	CM	106 LEVEL CM	2827,7313 litre	70,320 %	1193,5073 litre	O
200	CM	80	CM	105,5 LEVEL CM	2812,5829 litre	69,943 %	1208,6557 litre	O
200	CM	80	CM	105 LEVEL CM	2797,4007 litre	69,566 %	1223,8379 litre	O
200	CM	80	CM	104,5 LEVEL CM	2782,1857 litre	69,187 %	1239,0529 litre	O
200	CM	80	CM	104 LEVEL CM	2766,9385 litre	68,808 %	1254,3001 litre	O
200	CM	80	CM	103,5 LEVEL CM	2751,6599 litre	68,428 %	1269,5787 litre	O
200	CM	80	CM	103 LEVEL CM	2736,3506 litre	68,047 %	1284,8880 litre	O
200	CM	80	CM	102,5 LEVEL CM	2721,0112 litre	67,666 %	1300,2274 litre	O
200	CM	80	CM	102 LEVEL CM	2705,6425 litre	67,284 %	1315,5961 litre	O
200	CM	80	CM	101,5 LEVEL CM	2690,2452 litre	66,901 %	1330,9934 litre	O
200	CM	80	CM	101 LEVEL CM	2674,8200 litre	66,517 %	1346,4186 litre	O
200	CM	80	CM	100,5 LEVEL CM	2659,3676 litre	66,133 %	1361,8710 litre	O
200	CM	80	CM	100 LEVEL CM	2643,8887 litre	65,748 %	1377,3499 litre	O
200	CM	80	CM	99,5 LEVEL CM	2628,3840 litre	65,363 %	1392,8546 litre	O
200	CM	80	CM	99 LEVEL CM	2612,8541 litre	64,976 %	1408,3845 litre	O
200	CM	80	CM	98,5 LEVEL CM	2597,2998 litre	64,590 %	1423,9388 litre	O
200	CM	80	CM	98 LEVEL CM	2581,7217 litre	64,202 %	1439,5169 litre	O
200	CM	80	CM	97,5 LEVEL CM	2566,1205 litre	63,814 %	1455,1181 litre	O
200	CM	80	CM	97 LEVEL CM	2550,4969 litre	63,426 %	1470,7417 litre	O
200	CM	80	CM	96,5 LEVEL CM	2534,8516 litre	63,037 %	1486,3870 litre	O
200	CM	80	CM	96 LEVEL CM	2519,1852 litre	62,647 %	1502,0534 litre	O
200	CM	80	CM	95,5 LEVEL CM	2503,4984 litre	62,257 %	1517,7402 litre	O
200	CM	80	CM	95 LEVEL CM	2487,7918 litre	61,866 %	1533,4468 litre	O
200	CM	80	CM	94,5 LEVEL CM	2472,0661 litre	61,475 %	1549,1725 litre	O
200	CM	80	CM	94 LEVEL CM	2456,3220 litre	61,084 %	1564,9166 litre	O
200	CM	80	CM	93,5 LEVEL CM	2440,5601 litre	60,692 %	1580,6785 litre	O
200	CM	80	CM	93 LEVEL CM	2424,7811 litre	60,299 %	1596,4575 litre	O
200	CM	80	CM	92,5 LEVEL CM	2408,9857 litre	59,907 %	1612,2529 litre	O
200	CM	80	CM	92 LEVEL CM	2393,1744 litre	59,513 %	1628,0642 litre	O
200	CM	80	CM	91,5 LEVEL CM	2377,3479 litre	59,120 %	1643,8907 litre	O
200	CM	80	CM	91 LEVEL CM	2361,5070 litre	58,726 %	1659,7316 litre	O
200	CM	80	CM	90,5 LEVEL CM	2345,6521 litre	58,332 %	1675,5865 litre	O
200	CM	80	CM	90 LEVEL CM	2329,7840 litre	57,937 %	1691,4546 litre	O
200	CM	80	CM	89,5 LEVEL CM	2313,9033 litre	57,542 %	1707,3353 litre	O
200	CM	80	CM	89 LEVEL CM	2298,0106 litre	57,147 %	1723,2280 litre	O
200	CM	80	CM	88,5 LEVEL CM	2282,1067 litre	56,751 %	1739,1319 litre	O
200	CM	80	CM	88 LEVEL CM	2266,1920 litre	56,356 %	1755,0466 litre	O
200	CM	80	CM	87,5 LEVEL CM	2250,2673 litre	55,960 %	1770,9713 litre	O
200	CM	80	CM	87 LEVEL CM	2234,3331 litre	55,563 %	1786,9055 litre	O
200	CM	80	CM	86,5 LEVEL CM	2218,3902 litre	55,167 %	1802,8484 litre	O
200	CM	80	CM	86 LEVEL CM	2202,4391 litre	54,770 %	1818,7995 litre	O
200	CM	80	CM	85,5 LEVEL CM	2186,4806 litre	54,373 %	1834,7580 litre	O
200	CM	80	CM	85 LEVEL CM	2170,5151 litre	53,976 %	1850,7235 litre	O
200	CM	80	CM	84,5 LEVEL CM	2154,5433 litre	53,579 %	1866,6953 litre	O
200	CM	80	CM	84 LEVEL CM	2138,5659 litre	53,182 %	1882,6727 litre	O
200	CM	80	CM	83,5 LEVEL CM	2122,5836 litre	52,784 %	1898,6550 litre	O
200	CM	80	CM	83 LEVEL CM	2106,5968 litre	52,387 %	1914,6418 litre	O
200	CM	80	CM	82,5 LEVEL CM	2090,6063 litre	51,989 %	1930,6323 litre	O
200	CM	80	CM	82 LEVEL CM	2074,6126 litre	51,591 %	1946,6260 litre	O
200	CM	80	CM	81,5 LEVEL CM	2058,6165 litre	51,194 %	1962,6221 litre	O

200	CM	80	CM	81 LEVEL CM	2042,6185 litre	50,796 %	1978,6201 litre	O
200	CM	80	CM	80,5 LEVEL CM	2026,6192 litre	50,398 %	1994,6194 litre	O
200	CM	80	CM	80 LEVEL CM	2010,6193 litre	50,000 %	2010,6193 litre	O
200	CM	80	CM	79,5 LEVEL CM	1994,6194 litre	49,602 %	2026,6192 litre	O
200	CM	80	CM	79 LEVEL CM	1978,6201 litre	49,204 %	2042,6185 litre	O
200	CM	80	CM	78,5 LEVEL CM	1962,6221 litre	48,806 %	2058,6165 litre	O
200	CM	80	CM	78 LEVEL CM	1946,6260 litre	48,409 %	2074,6126 litre	O
200	CM	80	CM	77,5 LEVEL CM	1930,6323 litre	48,011 %	2090,6063 litre	O
200	CM	80	CM	77 LEVEL CM	1914,6418 litre	47,613 %	2106,5968 litre	O
200	CM	80	CM	76,5 LEVEL CM	1898,6550 litre	47,216 %	2122,5836 litre	O
200	CM	80	CM	76 LEVEL CM	1882,6727 litre	46,818 %	2138,5659 litre	O
200	CM	80	CM	75,5 LEVEL CM	1866,6953 litre	46,421 %	2154,5433 litre	O
200	CM	80	CM	75 LEVEL CM	1850,7235 litre	46,024 %	2170,5151 litre	O
200	CM	80	CM	74,5 LEVEL CM	1834,7580 litre	45,627 %	2186,4806 litre	O
200	CM	80	CM	74 LEVEL CM	1818,7995 litre	45,230 %	2202,4391 litre	O
200	CM	80	CM	73,5 LEVEL CM	1802,8484 litre	44,833 %	2218,3902 litre	O
200	CM	80	CM	73 LEVEL CM	1786,9055 litre	44,437 %	2234,3331 litre	O
200	CM	80	CM	72,5 LEVEL CM	1770,9713 litre	44,040 %	2250,2673 litre	O
200	CM	80	CM	72 LEVEL CM	1755,0466 litre	43,644 %	2266,1920 litre	O
200	CM	80	CM	71,5 LEVEL CM	1739,1319 litre	43,249 %	2282,1067 litre	O
200	CM	80	CM	71 LEVEL CM	1723,2280 litre	42,853 %	2298,0106 litre	O
200	CM	80	CM	70,5 LEVEL CM	1707,3353 litre	42,458 %	2313,9033 litre	O
200	CM	80	CM	70 LEVEL CM	1691,4546 litre	42,063 %	2329,7840 litre	O
200	CM	80	CM	69,5 LEVEL CM	1675,5865 litre	41,668 %	2345,6521 litre	O
200	CM	80	CM	69 LEVEL CM	1659,7316 litre	41,274 %	2361,5070 litre	O
200	CM	80	CM	68,5 LEVEL CM	1643,8907 litre	40,880 %	2377,3479 litre	O
200	CM	80	CM	68 LEVEL CM	1628,0642 litre	40,487 %	2393,1744 litre	O
200	CM	80	CM	67,5 LEVEL CM	1612,2529 litre	40,093 %	2408,9857 litre	O
200	CM	80	CM	67 LEVEL CM	1596,4575 litre	39,701 %	2424,7811 litre	O
200	CM	80	CM	66,5 LEVEL CM	1580,6785 litre	39,308 %	2440,5601 litre	O
200	CM	80	CM	66 LEVEL CM	1564,9166 litre	38,916 %	2456,3220 litre	O
200	CM	80	CM	65,5 LEVEL CM	1549,1725 litre	38,525 %	2472,0661 litre	O
200	CM	80	CM	65 LEVEL CM	1533,4468 litre	38,134 %	2487,7918 litre	O
200	CM	80	CM	64,5 LEVEL CM	1517,7402 litre	37,743 %	2503,4984 litre	O
200	CM	80	CM	64 LEVEL CM	1502,0534 litre	37,353 %	2519,1852 litre	O
200	CM	80	CM	63,5 LEVEL CM	1486,3870 litre	36,963 %	2534,8516 litre	O
200	CM	80	CM	63 LEVEL CM	1470,7417 litre	36,574 %	2550,4969 litre	O
200	CM	80	CM	62,5 LEVEL CM	1455,1181 litre	36,186 %	2566,1205 litre	O
200	CM	80	CM	62 LEVEL CM	1439,5169 litre	35,798 %	2581,7217 litre	O
200	CM	80	CM	61,5 LEVEL CM	1423,9388 litre	35,410 %	2597,2998 litre	O
200	CM	80	CM	61 LEVEL CM	1408,3845 litre	35,024 %	2612,8541 litre	O
200	CM	80	CM	60,5 LEVEL CM	1392,8546 litre	34,637 %	2628,3840 litre	O
200	CM	80	CM	60 LEVEL CM	1377,3499 litre	34,252 %	2643,8887 litre	O
200	CM	80	CM	59,5 LEVEL CM	1361,8710 litre	33,867 %	2659,3676 litre	O
200	CM	80	CM	59 LEVEL CM	1346,4186 litre	33,483 %	2674,8200 litre	O
200	CM	80	CM	58,5 LEVEL CM	1330,9934 litre	33,099 %	2690,2452 litre	O
200	CM	80	CM	58 LEVEL CM	1315,5961 litre	32,716 %	2705,6425 litre	O
200	CM	80	CM	57,5 LEVEL CM	1300,2274 litre	32,334 %	2721,0112 litre	O
200	CM	80	CM	57 LEVEL CM	1284,8880 litre	31,953 %	2736,3506 litre	O
200	CM	80	CM	56,5 LEVEL CM	1269,5787 litre	31,572 %	2751,6599 litre	O
200	CM	80	CM	56 LEVEL CM	1254,3000 litre	31,192 %	2766,9386 litre	O
200	CM	80	CM	55,5 LEVEL CM	1239,0529 litre	30,813 %	2782,1857 litre	O
200	CM	80	CM	55 LEVEL CM	1223,8379 litre	30,434 %	2797,4007 litre	O

200	CM	80	CM	54,5 LEVEL CM	1208,6557 litre	30,057 %	2812,5829 litre	O
200	CM	80	CM	54 LEVEL CM	1193,5073 litre	29,680 %	2827,7313 litre	O
200	CM	80	CM	53,5 LEVEL CM	1178,3931 litre	29,304 %	2842,8455 litre	O
200	CM	80	CM	53 LEVEL CM	1163,3141 litre	28,929 %	2857,9245 litre	O
200	CM	80	CM	52,5 LEVEL CM	1148,2710 litre	28,555 %	2872,9676 litre	O
200	CM	80	CM	52 LEVEL CM	1133,2644 litre	28,182 %	2887,9742 litre	O
200	CM	80	CM	51,5 LEVEL CM	1118,2952 litre	27,810 %	2902,9434 litre	O
200	CM	80	CM	51 LEVEL CM	1103,3642 litre	27,438 %	2917,8744 litre	O
200	CM	80	CM	50,5 LEVEL CM	1088,4720 litre	27,068 %	2932,7666 litre	O
200	CM	80	CM	50 LEVEL CM	1073,6195 litre	26,699 %	2947,6191 litre	O
200	CM	80	CM	49,5 LEVEL CM	1058,8075 litre	26,330 %	2962,4311 litre	O
200	CM	80	CM	49 LEVEL CM	1044,0367 litre	25,963 %	2977,2019 litre	O
200	CM	80	CM	48,5 LEVEL CM	1029,3079 litre	25,597 %	2991,9307 litre	O
200	CM	80	CM	48 LEVEL CM	1014,6220 litre	25,232 %	3006,6166 litre	O
200	CM	80	CM	47,5 LEVEL CM	999,9797 litre	24,867 %	3021,2589 litre	O
200	CM	80	CM	47 LEVEL CM	985,3819 litre	24,504 %	3035,8567 litre	O
200	CM	80	CM	46,5 LEVEL CM	970,8293 litre	24,143 %	3050,4093 litre	O
200	CM	80	CM	46 LEVEL CM	956,3229 litre	23,782 %	3064,9157 litre	O
200	CM	80	CM	45,5 LEVEL CM	941,8634 litre	23,422 %	3079,3752 litre	O
200	CM	80	CM	45 LEVEL CM	927,4517 litre	23,064 %	3093,7869 litre	O
200	CM	80	CM	44,5 LEVEL CM	913,0887 litre	22,707 %	3108,1499 litre	O
200	CM	80	CM	44 LEVEL CM	898,7752 litre	22,351 %	3122,4634 litre	O
200	CM	80	CM	43,5 LEVEL CM	884,5121 litre	21,996 %	3136,7265 litre	O
200	CM	80	CM	43 LEVEL CM	870,3003 litre	21,643 %	3150,9383 litre	O
200	CM	80	CM	42,5 LEVEL CM	856,1406 litre	21,290 %	3165,0980 litre	O
200	CM	80	CM	42 LEVEL CM	842,0340 litre	20,940 %	3179,2046 litre	O
200	CM	80	CM	41,5 LEVEL CM	827,9813 litre	20,590 %	3193,2573 litre	O
200	CM	80	CM	41 LEVEL CM	813,9836 litre	20,242 %	3207,2550 litre	O
200	CM	80	CM	40,5 LEVEL CM	800,0417 litre	19,895 %	3221,1969 litre	O
200	CM	80	CM	40 LEVEL CM	786,1566 litre	19,550 %	3235,0820 litre	O
200	CM	80	CM	39,5 LEVEL CM	772,3292 litre	19,206 %	3248,9094 litre	O
200	CM	80	CM	39 LEVEL CM	758,5606 litre	18,864 %	3262,6780 litre	O
200	CM	80	CM	38,5 LEVEL CM	744,8516 litre	18,523 %	3276,3870 litre	O
200	CM	80	CM	38 LEVEL CM	731,2033 litre	18,184 %	3290,0353 litre	O
200	CM	80	CM	37,5 LEVEL CM	717,6166 litre	17,846 %	3303,6220 litre	O
200	CM	80	CM	37 LEVEL CM	704,0927 litre	17,509 %	3317,1459 litre	O
200	CM	80	CM	36,5 LEVEL CM	690,6325 litre	17,175 %	3330,6061 litre	O
200	CM	80	CM	36 LEVEL CM	677,2372 litre	16,842 %	3344,0014 litre	O
200	CM	80	CM	35,5 LEVEL CM	663,9076 litre	16,510 %	3357,3310 litre	O
200	CM	80	CM	35 LEVEL CM	650,6450 litre	16,180 %	3370,5936 litre	O
200	CM	80	CM	34,5 LEVEL CM	637,4505 litre	15,852 %	3383,7881 litre	O
200	CM	80	CM	34 LEVEL CM	624,3251 litre	15,526 %	3396,9135 litre	O
200	CM	80	CM	33,5 LEVEL CM	611,2700 litre	15,201 %	3409,9686 litre	O
200	CM	80	CM	33 LEVEL CM	598,2863 litre	14,878 %	3422,9523 litre	O
200	CM	80	CM	32,5 LEVEL CM	585,3752 litre	14,557 %	3435,8634 litre	O
200	CM	80	CM	32 LEVEL CM	572,5379 litre	14,238 %	3448,7007 litre	O
200	CM	80	CM	31,5 LEVEL CM	559,7756 litre	13,920 %	3461,4630 litre	O
200	CM	80	CM	31 LEVEL CM	547,0895 litre	13,605 %	3474,1491 litre	O
200	CM	80	CM	30,5 LEVEL CM	534,4809 litre	13,291 %	3486,7577 litre	O
200	CM	80	CM	30 LEVEL CM	521,9511 litre	12,980 %	3499,2875 litre	O
200	CM	80	CM	29,5 LEVEL CM	509,5014 litre	12,670 %	3511,7372 litre	O
200	CM	80	CM	29 LEVEL CM	497,1330 litre	12,363 %	3524,1056 litre	O
200	CM	80	CM	28,5 LEVEL CM	484,8474 litre	12,057 %	3536,3912 litre	O

200	CM	80	CM	28 LEVEL CM	472,6460 litre	11,754 %	3548,5926 litre	O
200	CM	80	CM	27,5 LEVEL CM	460,5300 litre	11,452 %	3560,7086 litre	O
200	CM	80	CM	27 LEVEL CM	448,5011 litre	11,153 %	3572,7375 litre	O
200	CM	80	CM	26,5 LEVEL CM	436,5605 litre	10,856 %	3584,6781 litre	O
200	CM	80	CM	26 LEVEL CM	424,7100 litre	10,562 %	3596,5286 litre	O
200	CM	80	CM	25,5 LEVEL CM	412,9509 litre	10,269 %	3608,2877 litre	O
200	CM	80	CM	25 LEVEL CM	401,2849 litre	9,979 %	3619,9537 litre	O
200	CM	80	CM	24,5 LEVEL CM	389,7135 litre	9,691 %	3631,5251 litre	O
200	CM	80	CM	24 LEVEL CM	378,2385 litre	9,406 %	3643,0001 litre	O
200	CM	80	CM	23,5 LEVEL CM	366,8615 litre	9,123 %	3654,3771 litre	O
200	CM	80	CM	23 LEVEL CM	355,5843 litre	8,843 %	3665,6543 litre	O
200	CM	80	CM	22,5 LEVEL CM	344,4086 litre	8,565 %	3676,8300 litre	O
200	CM	80	CM	22 LEVEL CM	333,3363 litre	8,289 %	3687,9023 litre	O
200	CM	80	CM	21,5 LEVEL CM	322,3693 litre	8,017 %	3698,8693 litre	O
200	CM	80	CM	21 LEVEL CM	311,5095 litre	7,747 %	3709,7291 litre	O
200	CM	80	CM	20,5 LEVEL CM	300,7589 litre	7,479 %	3720,4797 litre	O
200	CM	80	CM	20 LEVEL CM	290,1195 litre	7,215 %	3731,1191 litre	O
200	CM	80	CM	19,5 LEVEL CM	279,5936 litre	6,953 %	3741,6450 litre	O
200	CM	80	CM	19 LEVEL CM	269,1832 litre	6,694 %	3752,0554 litre	O
200	CM	80	CM	18,5 LEVEL CM	258,8907 litre	6,438 %	3762,3479 litre	O
200	CM	80	CM	18 LEVEL CM	248,7184 litre	6,185 %	3772,5202 litre	O
200	CM	80	CM	17,5 LEVEL CM	238,6688 litre	5,935 %	3782,5698 litre	O
200	CM	80	CM	17 LEVEL CM	228,7443 litre	5,688 %	3792,4943 litre	O
200	CM	80	CM	16,5 LEVEL CM	218,9476 litre	5,445 %	3802,2910 litre	O
200	CM	80	CM	16 LEVEL CM	209,2814 litre	5,204 %	3811,9572 litre	O
200	CM	80	CM	15,5 LEVEL CM	199,7486 litre	4,967 %	3821,4900 litre	O
200	CM	80	CM	15 LEVEL CM	190,3520 litre	4,734 %	3830,8866 litre	O
200	CM	80	CM	14,5 LEVEL CM	181,0949 litre	4,503 %	3840,1437 litre	O
200	CM	80	CM	14 LEVEL CM	171,9803 litre	4,277 %	3849,2583 litre	O
200	CM	80	CM	13,5 LEVEL CM	163,0118 litre	4,054 %	3858,2268 litre	O
200	CM	80	CM	13 LEVEL CM	154,1928 litre	3,834 %	3867,0458 litre	O
200	CM	80	CM	12,5 LEVEL CM	145,5271 litre	3,619 %	3875,7115 litre	O
200	CM	80	CM	12 LEVEL CM	137,0186 litre	3,407 %	3884,2200 litre	O
200	CM	80	CM	11,5 LEVEL CM	128,6714 litre	3,200 %	3892,5672 litre	O
200	CM	80	CM	11 LEVEL CM	120,4901 litre	2,996 %	3900,7485 litre	O
200	CM	80	CM	10,5 LEVEL CM	112,4792 litre	2,797 %	3908,7594 litre	O
200	CM	80	CM	10 LEVEL CM	104,6438 litre	2,602 %	3916,5948 litre	O
200	CM	80	CM	9,5 LEVEL CM	96,9891 litre	2,412 %	3924,2495 litre	O
200	CM	80	CM	9 LEVEL CM	89,5209 litre	2,226 %	3931,7177 litre	O
200	CM	80	CM	8,5 LEVEL CM	82,2454 litre	2,045 %	3938,9932 litre	O
200	CM	80	CM	8 LEVEL CM	75,1692 litre	1,869 %	3946,0694 litre	O
200	CM	80	CM	7,5 LEVEL CM	68,2994 litre	1,698 %	3952,9392 litre	O
200	CM	80	CM	7 LEVEL CM	61,6442 litre	1,533 %	3959,5944 litre	O
200	CM	80	CM	6,5 LEVEL CM	55,2120 litre	1,373 %	3966,0266 litre	O
200	CM	80	CM	6 LEVEL CM	49,0127 litre	1,219 %	3972,2259 litre	O
200	CM	80	CM	5,5 LEVEL CM	43,0569 litre	1,071 %	3978,1817 litre	O
200	CM	80	CM	5 LEVEL CM	37,3568 litre	0,929 %	3983,8818 litre	O
200	CM	80	CM	4,5 LEVEL CM	31,9263 litre	0,794 %	3989,3123 litre	O
200	CM	80	CM	4 LEVEL CM	26,7815 litre	0,666 %	3994,4571 litre	O
200	CM	80	CM	3,5 LEVEL CM	21,9412 litre	0,546 %	3999,2974 litre	O
200	CM	80	CM	3 LEVEL CM	17,4282 litre	0,433 %	4003,8104 litre	O
200	CM	80	CM	2,5 LEVEL CM	13,2707 litre	0,330 %	4007,9679 litre	O
200	CM	80	CM	2 LEVEL CM	9,5047 litre	0,236 %	4011,7339 litre	O

200_80

~~-2968-~~

200	CM 80	CM	1,5 LEVEL CM	6,1793 litre	0,154 %	4015,0593 litre	O
200	CM 80	CM	1 LEVEL CM	3,3668 litre	0,084 %	4017,8718 litre	O
200	CM 80	CM	0,5 LEVEL CM	1,1915 litre	0,030 %	4020,0471 litre	O
200	CM 80	CM	0 LEVEL CM	0,0000 litre	0,000 %	4021,2386 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM	75	CM 150 LEVEL CM	3534,2917 litre	100,000 %	0,0000 litre	O
200	CM	75	CM 149,5 LEVEL CM	3533,1382 litre	99,967 %	1,1535 litre	O
200	CM	75	CM 149 LEVEL CM	3531,0323 litre	99,908 %	3,2594 litre	O
200	CM	75	CM 148,5 LEVEL CM	3528,3098 litre	99,831 %	5,9819 litre	O
200	CM	75	CM 148 LEVEL CM	3525,0912 litre	99,740 %	9,2005 litre	O
200	CM	75	CM 147,5 LEVEL CM	3521,4465 litre	99,637 %	12,8452 litre	O
200	CM	75	CM 147 LEVEL CM	3517,4234 litre	99,523 %	16,8683 litre	O
200	CM	75	CM 146,5 LEVEL CM	3513,0567 litre	99,399 %	21,2350 litre	O
200	CM	75	CM 146 LEVEL CM	3508,3739 litre	99,267 %	25,9178 litre	O
200	CM	75	CM 145,5 LEVEL CM	3503,3969 litre	99,126 %	30,8948 litre	O
200	CM	75	CM 145 LEVEL CM	3498,1442 litre	98,977 %	36,1475 litre	O
200	CM	75	CM 144,5 LEVEL CM	3492,6314 litre	98,821 %	41,6603 litre	O
200	CM	75	CM 144 LEVEL CM	3486,8719 litre	98,658 %	47,4198 litre	O
200	CM	75	CM 143,5 LEVEL CM	3480,8776 litre	98,489 %	53,4141 litre	O
200	CM	75	CM 143 LEVEL CM	3474,6588 litre	98,313 %	59,6329 litre	O
200	CM	75	CM 142,5 LEVEL CM	3468,2251 litre	98,131 %	66,0666 litre	O
200	CM	75	CM 142 LEVEL CM	3461,5848 litre	97,943 %	72,7069 litre	O
200	CM	75	CM 141,5 LEVEL CM	3454,7457 litre	97,749 %	79,5460 litre	O
200	CM	75	CM 141 LEVEL CM	3447,7148 litre	97,550 %	86,5769 litre	O
200	CM	75	CM 140,5 LEVEL CM	3440,4986 litre	97,346 %	93,7931 litre	O
200	CM	75	CM 140 LEVEL CM	3433,1030 litre	97,137 %	101,1887 litre	O
200	CM	75	CM 139,5 LEVEL CM	3425,5337 litre	96,923 %	108,7580 litre	O
200	CM	75	CM 139 LEVEL CM	3417,7959 litre	96,704 %	116,4958 litre	O
200	CM	75	CM 138,5 LEVEL CM	3409,8943 litre	96,480 %	124,3974 litre	O
200	CM	75	CM 138 LEVEL CM	3401,8336 litre	96,252 %	132,4581 litre	O
200	CM	75	CM 137,5 LEVEL CM	3393,6181 litre	96,020 %	140,6736 litre	O
200	CM	75	CM 137 LEVEL CM	3385,2518 litre	95,783 %	149,0399 litre	O
200	CM	75	CM 136,5 LEVEL CM	3376,7386 litre	95,542 %	157,5531 litre	O
200	CM	75	CM 136 LEVEL CM	3368,0821 litre	95,297 %	166,2096 litre	O
200	CM	75	CM 135,5 LEVEL CM	3359,2858 litre	95,048 %	175,0059 litre	O
200	CM	75	CM 135 LEVEL CM	3350,3530 litre	94,796 %	183,9387 litre	O
200	CM	75	CM 134,5 LEVEL CM	3341,2868 litre	94,539 %	193,0049 litre	O
200	CM	75	CM 134 LEVEL CM	3332,0903 litre	94,279 %	202,2014 litre	O
200	CM	75	CM 133,5 LEVEL CM	3322,7664 litre	94,015 %	211,5253 litre	O
200	CM	75	CM 133 LEVEL CM	3313,3179 litre	93,748 %	220,9738 litre	O
200	CM	75	CM 132,5 LEVEL CM	3303,7473 litre	93,477 %	230,5444 litre	O
200	CM	75	CM 132 LEVEL CM	3294,0573 litre	93,203 %	240,2344 litre	O
200	CM	75	CM 131,5 LEVEL CM	3284,2504 litre	92,925 %	250,0413 litre	O
200	CM	75	CM 131 LEVEL CM	3274,3290 litre	92,645 %	259,9627 litre	O
200	CM	75	CM 130,5 LEVEL CM	3264,2952 litre	92,361 %	269,9965 litre	O
200	CM	75	CM 130 LEVEL CM	3254,1515 litre	92,074 %	280,1402 litre	O
200	CM	75	CM 129,5 LEVEL CM	3243,8999 litre	91,784 %	290,3918 litre	O
200	CM	75	CM 129 LEVEL CM	3233,5425 litre	91,491 %	300,7492 litre	O
200	CM	75	CM 128,5 LEVEL CM	3223,0813 litre	91,195 %	311,2104 litre	O
200	CM	75	CM 128 LEVEL CM	3212,5184 litre	90,896 %	321,7733 litre	O
200	CM	75	CM 127,5 LEVEL CM	3201,8555 litre	90,594 %	332,4362 litre	O
200	CM	75	CM 127 LEVEL CM	3191,0947 litre	90,290 %	343,1970 litre	O
200	CM	75	CM 126,5 LEVEL CM	3180,2376 litre	89,982 %	354,0541 litre	O
200	CM	75	CM 126 LEVEL CM	3169,2861 litre	89,672 %	365,0056 litre	O
200	CM	75	CM 125,5 LEVEL CM	3158,2418 litre	89,360 %	376,0499 litre	O
200	CM	75	CM 125 LEVEL CM	3147,1065 litre	89,045 %	387,1852 litre	O
200	CM	75	CM 124,5 LEVEL CM	3135,8817 litre	88,727 %	398,4100 litre	O

200	CM 75	CM	124 LEVEL CM	3124,5690 litre	88,407 %	409,7227 litre	O
200	CM 75	CM	123,5 LEVEL CM	3113,1701 litre	88,085 %	421,1216 litre	O
200	CM 75	CM	123 LEVEL CM	3101,6864 litre	87,760 %	432,6053 litre	O
200	CM 75	CM	122,5 LEVEL CM	3090,1193 litre	87,432 %	444,1724 litre	O
200	CM 75	CM	122 LEVEL CM	3078,4705 litre	87,103 %	455,8212 litre	O
200	CM 75	CM	121,5 LEVEL CM	3066,7412 litre	86,771 %	467,5505 litre	O
200	CM 75	CM	121 LEVEL CM	3054,9329 litre	86,437 %	479,3588 litre	O
200	CM 75	CM	120,5 LEVEL CM	3043,0469 litre	86,101 %	491,2448 litre	O
200	CM 75	CM	120 LEVEL CM	3031,0846 litre	85,762 %	503,2071 litre	O
200	CM 75	CM	119,5 LEVEL CM	3019,0473 litre	85,422 %	515,2444 litre	O
200	CM 75	CM	119 LEVEL CM	3006,9363 litre	85,079 %	527,3554 litre	O
200	CM 75	CM	118,5 LEVEL CM	2994,7529 litre	84,734 %	539,5388 litre	O
200	CM 75	CM	118 LEVEL CM	2982,4983 litre	84,387 %	551,7934 litre	O
200	CM 75	CM	117,5 LEVEL CM	2970,1736 litre	84,039 %	564,1181 litre	O
200	CM 75	CM	117 LEVEL CM	2957,7802 litre	83,688 %	576,5115 litre	O
200	CM 75	CM	116,5 LEVEL CM	2945,3192 litre	83,335 %	588,9725 litre	O
200	CM 75	CM	116 LEVEL CM	2932,7918 litre	82,981 %	601,4999 litre	O
200	CM 75	CM	115,5 LEVEL CM	2920,1991 litre	82,625 %	614,0926 litre	O
200	CM 75	CM	115 LEVEL CM	2907,5422 litre	82,267 %	626,7495 litre	O
200	CM 75	CM	114,5 LEVEL CM	2894,8223 litre	81,907 %	639,4694 litre	O
200	CM 75	CM	114 LEVEL CM	2882,0404 litre	81,545 %	652,2513 litre	O
200	CM 75	CM	113,5 LEVEL CM	2869,1977 litre	81,182 %	665,0940 litre	O
200	CM 75	CM	113 LEVEL CM	2856,2951 litre	80,817 %	677,9966 litre	O
200	CM 75	CM	112,5 LEVEL CM	2843,3338 litre	80,450 %	690,9579 litre	O
200	CM 75	CM	112 LEVEL CM	2830,3147 litre	80,082 %	703,9770 litre	O
200	CM 75	CM	111,5 LEVEL CM	2817,2389 litre	79,712 %	717,0528 litre	O
200	CM 75	CM	111 LEVEL CM	2804,1074 litre	79,340 %	730,1843 litre	O
200	CM 75	CM	110,5 LEVEL CM	2790,9212 litre	78,967 %	743,3705 litre	O
200	CM 75	CM	110 LEVEL CM	2777,6812 litre	78,592 %	756,6105 litre	O
200	CM 75	CM	109,5 LEVEL CM	2764,3885 litre	78,216 %	769,9032 litre	O
200	CM 75	CM	109 LEVEL CM	2751,0440 litre	77,839 %	783,2477 litre	O
200	CM 75	CM	108,5 LEVEL CM	2737,6486 litre	77,460 %	796,6431 litre	O
200	CM 75	CM	108 LEVEL CM	2724,2033 litre	77,079 %	810,0884 litre	O
200	CM 75	CM	107,5 LEVEL CM	2710,7090 litre	76,697 %	823,5827 litre	O
200	CM 75	CM	107 LEVEL CM	2697,1666 litre	76,314 %	837,1251 litre	O
200	CM 75	CM	106,5 LEVEL CM	2683,5770 litre	75,930 %	850,7147 litre	O
200	CM 75	CM	106 LEVEL CM	2669,9411 litre	75,544 %	864,3506 litre	O
200	CM 75	CM	105,5 LEVEL CM	2656,2599 litre	75,157 %	878,0318 litre	O
200	CM 75	CM	105 LEVEL CM	2642,5341 litre	74,768 %	891,7576 litre	O
200	CM 75	CM	104,5 LEVEL CM	2628,7647 litre	74,379 %	905,5270 litre	O
200	CM 75	CM	104 LEVEL CM	2614,9525 litre	73,988 %	919,3392 litre	O
200	CM 75	CM	103,5 LEVEL CM	2601,0984 litre	73,596 %	933,1933 litre	O
200	CM 75	CM	103 LEVEL CM	2587,2032 litre	73,203 %	947,0885 litre	O
200	CM 75	CM	102,5 LEVEL CM	2573,2678 litre	72,809 %	961,0239 litre	O
200	CM 75	CM	102 LEVEL CM	2559,2929 litre	72,413 %	974,9988 litre	O
200	CM 75	CM	101,5 LEVEL CM	2545,2795 litre	72,017 %	989,0122 litre	O
200	CM 75	CM	101 LEVEL CM	2531,2283 litre	71,619 %	1003,0634 litre	O
200	CM 75	CM	100,5 LEVEL CM	2517,1401 litre	71,220 %	1017,1516 litre	O
200	CM 75	CM	100 LEVEL CM	2503,0158 litre	70,821 %	1031,2759 litre	O
200	CM 75	CM	99,5 LEVEL CM	2488,8561 litre	70,420 %	1045,4356 litre	O
200	CM 75	CM	99 LEVEL CM	2474,6619 litre	70,019 %	1059,6298 litre	O
200	CM 75	CM	98,5 LEVEL CM	2460,4338 litre	69,616 %	1073,8579 litre	O
200	CM 75	CM	98 LEVEL CM	2446,1728 litre	69,213 %	1088,1189 litre	O

200	CM	75	CM	97,5 LEVEL CM	2431,8796 litre	68,808 %	1102,4121 litre	O
200	CM	75	CM	97 LEVEL CM	2417,5549 litre	68,403 %	1116,7368 litre	O
200	CM	75	CM	96,5 LEVEL CM	2403,1995 litre	67,997 %	1131,0922 litre	O
200	CM	75	CM	96 LEVEL CM	2388,8142 litre	67,590 %	1145,4775 litre	O
200	CM	75	CM	95,5 LEVEL CM	2374,3998 litre	67,182 %	1159,8919 litre	O
200	CM	75	CM	95 LEVEL CM	2359,9569 litre	66,773 %	1174,3348 litre	O
200	CM	75	CM	94,5 LEVEL CM	2345,4864 litre	66,364 %	1188,8053 litre	O
200	CM	75	CM	94 LEVEL CM	2330,9889 litre	65,953 %	1203,3028 litre	O
200	CM	75	CM	93,5 LEVEL CM	2316,4652 litre	65,543 %	1217,8265 litre	O
200	CM	75	CM	93 LEVEL CM	2301,9161 litre	65,131 %	1232,3756 litre	O
200	CM	75	CM	92,5 LEVEL CM	2287,3423 litre	64,719 %	1246,9494 litre	O
200	CM	75	CM	92 LEVEL CM	2272,7445 litre	64,306 %	1261,5472 litre	O
200	CM	75	CM	91,5 LEVEL CM	2258,1234 litre	63,892 %	1276,1683 litre	O
200	CM	75	CM	91 LEVEL CM	2243,4797 litre	63,477 %	1290,8120 litre	O
200	CM	75	CM	90,5 LEVEL CM	2228,8142 litre	63,063 %	1305,4775 litre	O
200	CM	75	CM	90 LEVEL CM	2214,1276 litre	62,647 %	1320,1641 litre	O
200	CM	75	CM	89,5 LEVEL CM	2199,4206 litre	62,231 %	1334,8711 litre	O
200	CM	75	CM	89 LEVEL CM	2184,6938 litre	61,814 %	1349,5979 litre	O
200	CM	75	CM	88,5 LEVEL CM	2169,9481 litre	61,397 %	1364,3436 litre	O
200	CM	75	CM	88 LEVEL CM	2155,1841 litre	60,979 %	1379,1076 litre	O
200	CM	75	CM	87,5 LEVEL CM	2140,4024 litre	60,561 %	1393,8893 litre	O
200	CM	75	CM	87 LEVEL CM	2125,6039 litre	60,142 %	1408,6878 litre	O
200	CM	75	CM	86,5 LEVEL CM	2110,7892 litre	59,723 %	1423,5025 litre	O
200	CM	75	CM	86 LEVEL CM	2095,9589 litre	59,304 %	1438,3328 litre	O
200	CM	75	CM	85,5 LEVEL CM	2081,1138 litre	58,883 %	1453,1779 litre	O
200	CM	75	CM	85 LEVEL CM	2066,2546 litre	58,463 %	1468,0371 litre	O
200	CM	75	CM	84,5 LEVEL CM	2051,3819 litre	58,042 %	1482,9098 litre	O
200	CM	75	CM	84 LEVEL CM	2036,4965 litre	57,621 %	1497,7952 litre	O
200	CM	75	CM	83,5 LEVEL CM	2021,5989 litre	57,200 %	1512,6928 litre	O
200	CM	75	CM	83 LEVEL CM	2006,6900 litre	56,778 %	1527,6017 litre	O
200	CM	75	CM	82,5 LEVEL CM	1991,7703 litre	56,356 %	1542,5214 litre	O
200	CM	75	CM	82 LEVEL CM	1976,8406 litre	55,933 %	1557,4511 litre	O
200	CM	75	CM	81,5 LEVEL CM	1961,9015 litre	55,510 %	1572,3902 litre	O
200	CM	75	CM	81 LEVEL CM	1946,9537 litre	55,088 %	1587,3380 litre	O
200	CM	75	CM	80,5 LEVEL CM	1931,9979 litre	54,664 %	1602,2938 litre	O
200	CM	75	CM	80 LEVEL CM	1917,0347 litre	54,241 %	1617,2570 litre	O
200	CM	75	CM	79,5 LEVEL CM	1902,0648 litre	53,817 %	1632,2269 litre	O
200	CM	75	CM	79 LEVEL CM	1887,0890 litre	53,394 %	1647,2027 litre	O
200	CM	75	CM	78,5 LEVEL CM	1872,1077 litre	52,970 %	1662,1840 litre	O
200	CM	75	CM	78 LEVEL CM	1857,1219 litre	52,546 %	1677,1698 litre	O
200	CM	75	CM	77,5 LEVEL CM	1842,1320 litre	52,122 %	1692,1597 litre	O
200	CM	75	CM	77 LEVEL CM	1827,1388 litre	51,697 %	1707,1529 litre	O
200	CM	75	CM	76,5 LEVEL CM	1812,1429 litre	51,273 %	1722,1488 litre	O
200	CM	75	CM	76 LEVEL CM	1797,1450 litre	50,849 %	1737,1467 litre	O
200	CM	75	CM	75,5 LEVEL CM	1782,1458 litre	50,424 %	1752,1459 litre	O
200	CM	75	CM	75 LEVEL CM	1767,1459 litre	50,000 %	1767,1458 litre	O
200	CM	75	CM	74,5 LEVEL CM	1752,1460 litre	49,576 %	1782,1457 litre	O
200	CM	75	CM	74 LEVEL CM	1737,1468 litre	49,151 %	1797,1449 litre	O
200	CM	75	CM	73,5 LEVEL CM	1722,1489 litre	48,727 %	1812,1428 litre	O
200	CM	75	CM	73 LEVEL CM	1707,1530 litre	48,303 %	1827,1387 litre	O
200	CM	75	CM	72,5 LEVEL CM	1692,1598 litre	47,878 %	1842,1319 litre	O
200	CM	75	CM	72 LEVEL CM	1677,1699 litre	47,454 %	1857,1218 litre	O
200	CM	75	CM	71,5 LEVEL CM	1662,1840 litre	47,030 %	1872,1077 litre	O

200	CM	75	CM	71 LEVEL CM	1647,2028 litre	46,606 %	1887,0889 litre	O
200	CM	75	CM	70,5 LEVEL CM	1632,2269 litre	46,183 %	1902,0648 litre	O
200	CM	75	CM	70 LEVEL CM	1617,2571 litre	45,759 %	1917,0346 litre	O
200	CM	75	CM	69,5 LEVEL CM	1602,2939 litre	45,336 %	1931,9978 litre	O
200	CM	75	CM	69 LEVEL CM	1587,3381 litre	44,912 %	1946,9536 litre	O
200	CM	75	CM	68,5 LEVEL CM	1572,3903 litre	44,490 %	1961,9014 litre	O
200	CM	75	CM	68 LEVEL CM	1557,4512 litre	44,067 %	1976,8405 litre	O
200	CM	75	CM	67,5 LEVEL CM	1542,5214 litre	43,644 %	1991,7703 litre	O
200	CM	75	CM	67 LEVEL CM	1527,6018 litre	43,222 %	2006,6899 litre	O
200	CM	75	CM	66,5 LEVEL CM	1512,6928 litre	42,800 %	2021,5989 litre	O
200	CM	75	CM	66 LEVEL CM	1497,7953 litre	42,379 %	2036,4964 litre	O
200	CM	75	CM	65,5 LEVEL CM	1482,9098 litre	41,958 %	2051,3819 litre	O
200	CM	75	CM	65 LEVEL CM	1468,0371 litre	41,537 %	2066,2546 litre	O
200	CM	75	CM	64,5 LEVEL CM	1453,1779 litre	41,117 %	2081,1138 litre	O
200	CM	75	CM	64 LEVEL CM	1438,3328 litre	40,696 %	2095,9589 litre	O
200	CM	75	CM	63,5 LEVEL CM	1423,5026 litre	40,277 %	2110,7891 litre	O
200	CM	75	CM	63 LEVEL CM	1408,6878 litre	39,858 %	2125,6039 litre	O
200	CM	75	CM	62,5 LEVEL CM	1393,8893 litre	39,439 %	2140,4024 litre	O
200	CM	75	CM	62 LEVEL CM	1379,1077 litre	39,021 %	2155,1840 litre	O
200	CM	75	CM	61,5 LEVEL CM	1364,3436 litre	38,603 %	2169,9481 litre	O
200	CM	75	CM	61 LEVEL CM	1349,5979 litre	38,186 %	2184,6938 litre	O
200	CM	75	CM	60,5 LEVEL CM	1334,8712 litre	37,769 %	2199,4205 litre	O
200	CM	75	CM	60 LEVEL CM	1320,1641 litre	37,353 %	2214,1276 litre	O
200	CM	75	CM	59,5 LEVEL CM	1305,4775 litre	36,937 %	2228,8142 litre	O
200	CM	75	CM	59 LEVEL CM	1290,8120 litre	36,523 %	2243,4797 litre	O
200	CM	75	CM	58,5 LEVEL CM	1276,1684 litre	36,108 %	2258,1233 litre	O
200	CM	75	CM	58 LEVEL CM	1261,5473 litre	35,694 %	2272,7444 litre	O
200	CM	75	CM	57,5 LEVEL CM	1246,9494 litre	35,281 %	2287,3423 litre	O
200	CM	75	CM	57 LEVEL CM	1232,3756 litre	34,869 %	2301,9161 litre	O
200	CM	75	CM	56,5 LEVEL CM	1217,8265 litre	34,457 %	2316,4652 litre	O
200	CM	75	CM	56 LEVEL CM	1203,3028 litre	34,047 %	2330,9889 litre	O
200	CM	75	CM	55,5 LEVEL CM	1188,8054 litre	33,636 %	2345,4863 litre	O
200	CM	75	CM	55 LEVEL CM	1174,3348 litre	33,227 %	2359,9569 litre	O
200	CM	75	CM	54,5 LEVEL CM	1159,8920 litre	32,818 %	2374,3997 litre	O
200	CM	75	CM	54 LEVEL CM	1145,4775 litre	32,410 %	2388,8142 litre	O
200	CM	75	CM	53,5 LEVEL CM	1131,0922 litre	32,003 %	2403,1995 litre	O
200	CM	75	CM	53 LEVEL CM	1116,7368 litre	31,597 %	2417,5549 litre	O
200	CM	75	CM	52,5 LEVEL CM	1102,4122 litre	31,192 %	2431,8795 litre	O
200	CM	75	CM	52 LEVEL CM	1088,1189 litre	30,787 %	2446,1728 litre	O
200	CM	75	CM	51,5 LEVEL CM	1073,8579 litre	30,384 %	2460,4338 litre	O
200	CM	75	CM	51 LEVEL CM	1059,6299 litre	29,981 %	2474,6618 litre	O
200	CM	75	CM	50,5 LEVEL CM	1045,4356 litre	29,580 %	2488,8561 litre	O
200	CM	75	CM	50 LEVEL CM	1031,2760 litre	29,179 %	2503,0157 litre	O
200	CM	75	CM	49,5 LEVEL CM	1017,1516 litre	28,780 %	2517,1401 litre	O
200	CM	75	CM	49 LEVEL CM	1003,0635 litre	28,381 %	2531,2282 litre	O
200	CM	75	CM	48,5 LEVEL CM	989,0122 litre	27,983 %	2545,2795 litre	O
200	CM	75	CM	48 LEVEL CM	974,9988 litre	27,587 %	2559,2929 litre	O
200	CM	75	CM	47,5 LEVEL CM	961,0240 litre	27,191 %	2573,2677 litre	O
200	CM	75	CM	47 LEVEL CM	947,0885 litre	26,797 %	2587,2032 litre	O
200	CM	75	CM	46,5 LEVEL CM	933,1933 litre	26,404 %	2601,0984 litre	O
200	CM	75	CM	46 LEVEL CM	919,3392 litre	26,012 %	2614,9525 litre	O
200	CM	75	CM	45,5 LEVEL CM	905,5270 litre	25,621 %	2628,7647 litre	O
200	CM	75	CM	45 LEVEL CM	891,7576 litre	25,232 %	2642,5341 litre	O

200	CM	75	CM	44,5 LEVEL CM	878,0318 litre	24,843 %	2656,2599 litre	O
200	CM	75	CM	44 LEVEL CM	864,3506 litre	24,456 %	2669,9411 litre	O
200	CM	75	CM	43,5 LEVEL CM	850,7147 litre	24,070 %	2683,5770 litre	O
200	CM	75	CM	43 LEVEL CM	837,1252 litre	23,686 %	2697,1665 litre	O
200	CM	75	CM	42,5 LEVEL CM	823,5828 litre	23,303 %	2710,7089 litre	O
200	CM	75	CM	42 LEVEL CM	810,0885 litre	22,921 %	2724,2032 litre	O
200	CM	75	CM	41,5 LEVEL CM	796,6431 litre	22,540 %	2737,6486 litre	O
200	CM	75	CM	41 LEVEL CM	783,2478 litre	22,161 %	2751,0439 litre	O
200	CM	75	CM	40,5 LEVEL CM	769,9032 litre	21,784 %	2764,3885 litre	O
200	CM	75	CM	40 LEVEL CM	756,6105 litre	21,408 %	2777,6812 litre	O
200	CM	75	CM	39,5 LEVEL CM	743,3706 litre	21,033 %	2790,9211 litre	O
200	CM	75	CM	39 LEVEL CM	730,1843 litre	20,660 %	2804,1074 litre	O
200	CM	75	CM	38,5 LEVEL CM	717,0528 litre	20,288 %	2817,2389 litre	O
200	CM	75	CM	38 LEVEL CM	703,9770 litre	19,918 %	2830,3147 litre	O
200	CM	75	CM	37,5 LEVEL CM	690,9580 litre	19,550 %	2843,3337 litre	O
200	CM	75	CM	37 LEVEL CM	677,9966 litre	19,183 %	2856,2951 litre	O
200	CM	75	CM	36,5 LEVEL CM	665,0940 litre	18,818 %	2869,1977 litre	O
200	CM	75	CM	36 LEVEL CM	652,2513 litre	18,455 %	2882,0404 litre	O
200	CM	75	CM	35,5 LEVEL CM	639,4694 litre	18,093 %	2894,8223 litre	O
200	CM	75	CM	35 LEVEL CM	626,7495 litre	17,733 %	2907,5422 litre	O
200	CM	75	CM	34,5 LEVEL CM	614,0926 litre	17,375 %	2920,1991 litre	O
200	CM	75	CM	34 LEVEL CM	601,4999 litre	17,019 %	2932,7918 litre	O
200	CM	75	CM	33,5 LEVEL CM	588,9725 litre	16,665 %	2945,3192 litre	O
200	CM	75	CM	33 LEVEL CM	576,5115 litre	16,312 %	2957,7802 litre	O
200	CM	75	CM	32,5 LEVEL CM	564,1181 litre	15,961 %	2970,1736 litre	O
200	CM	75	CM	32 LEVEL CM	551,7935 litre	15,613 %	2982,4982 litre	O
200	CM	75	CM	31,5 LEVEL CM	539,5388 litre	15,266 %	2994,7529 litre	O
200	CM	75	CM	31 LEVEL CM	527,3554 litre	14,921 %	3006,9363 litre	O
200	CM	75	CM	30,5 LEVEL CM	515,2444 litre	14,578 %	3019,0473 litre	O
200	CM	75	CM	30 LEVEL CM	503,2071 litre	14,238 %	3031,0846 litre	O
200	CM	75	CM	29,5 LEVEL CM	491,2448 litre	13,899 %	3043,0469 litre	O
200	CM	75	CM	29 LEVEL CM	479,3589 litre	13,563 %	3054,9328 litre	O
200	CM	75	CM	28,5 LEVEL CM	467,5506 litre	13,229 %	3066,7411 litre	O
200	CM	75	CM	28 LEVEL CM	455,8213 litre	12,897 %	3078,4704 litre	O
200	CM	75	CM	27,5 LEVEL CM	444,1724 litre	12,568 %	3090,1193 litre	O
200	CM	75	CM	27 LEVEL CM	432,6054 litre	12,240 %	3101,6863 litre	O
200	CM	75	CM	26,5 LEVEL CM	421,1217 litre	11,915 %	3113,1700 litre	O
200	CM	75	CM	26 LEVEL CM	409,7227 litre	11,593 %	3124,5690 litre	O
200	CM	75	CM	25,5 LEVEL CM	398,4101 litre	11,273 %	3135,8816 litre	O
200	CM	75	CM	25 LEVEL CM	387,1853 litre	10,955 %	3147,1064 litre	O
200	CM	75	CM	24,5 LEVEL CM	376,0499 litre	10,640 %	3158,2418 litre	O
200	CM	75	CM	24 LEVEL CM	365,0056 litre	10,328 %	3169,2861 litre	O
200	CM	75	CM	23,5 LEVEL CM	354,0541 litre	10,018 %	3180,2376 litre	O
200	CM	75	CM	23 LEVEL CM	343,1970 litre	9,710 %	3191,0947 litre	O
200	CM	75	CM	22,5 LEVEL CM	332,4362 litre	9,406 %	3201,8555 litre	O
200	CM	75	CM	22 LEVEL CM	321,7734 litre	9,104 %	3212,5183 litre	O
200	CM	75	CM	21,5 LEVEL CM	311,2104 litre	8,805 %	3223,0813 litre	O
200	CM	75	CM	21 LEVEL CM	300,7493 litre	8,509 %	3233,5424 litre	O
200	CM	75	CM	20,5 LEVEL CM	290,3919 litre	8,216 %	3243,8998 litre	O
200	CM	75	CM	20 LEVEL CM	280,1402 litre	7,926 %	3254,1515 litre	O
200	CM	75	CM	19,5 LEVEL CM	269,9965 litre	7,639 %	3264,2952 litre	O
200	CM	75	CM	19 LEVEL CM	259,9628 litre	7,355 %	3274,3289 litre	O
200	CM	75	CM	18,5 LEVEL CM	250,0413 litre	7,075 %	3284,2504 litre	O

200	CM	75	CM	18 LEVEL CM	240,2344 litre	6,797 %	3294,0573 litre	O
200	CM	75	CM	17,5 LEVEL CM	230,5444 litre	6,523 %	3303,7473 litre	O
200	CM	75	CM	17 LEVEL CM	220,9739 litre	6,252 %	3313,3178 litre	O
200	CM	75	CM	16,5 LEVEL CM	211,5253 litre	5,985 %	3322,7664 litre	O
200	CM	75	CM	16 LEVEL CM	202,2014 litre	5,721 %	3332,0903 litre	O
200	CM	75	CM	15,5 LEVEL CM	193,0049 litre	5,461 %	3341,2868 litre	O
200	CM	75	CM	15 LEVEL CM	183,9387 litre	5,204 %	3350,3530 litre	O
200	CM	75	CM	14,5 LEVEL CM	175,0059 litre	4,952 %	3359,2858 litre	O
200	CM	75	CM	14 LEVEL CM	166,2096 litre	4,703 %	3368,0821 litre	O
200	CM	75	CM	13,5 LEVEL CM	157,5531 litre	4,458 %	3376,7386 litre	O
200	CM	75	CM	13 LEVEL CM	149,0399 litre	4,217 %	3385,2518 litre	O
200	CM	75	CM	12,5 LEVEL CM	140,6736 litre	3,980 %	3393,6181 litre	O
200	CM	75	CM	12 LEVEL CM	132,4581 litre	3,748 %	3401,8336 litre	O
200	CM	75	CM	11,5 LEVEL CM	124,3974 litre	3,520 %	3409,8943 litre	O
200	CM	75	CM	11 LEVEL CM	116,4959 litre	3,296 %	3417,7958 litre	O
200	CM	75	CM	10,5 LEVEL CM	108,7580 litre	3,077 %	3425,5337 litre	O
200	CM	75	CM	10 LEVEL CM	101,1887 litre	2,863 %	3433,1030 litre	O
200	CM	75	CM	9,5 LEVEL CM	93,7932 litre	2,654 %	3440,4985 litre	O
200	CM	75	CM	9 LEVEL CM	86,5769 litre	2,450 %	3447,7148 litre	O
200	CM	75	CM	8,5 LEVEL CM	79,5460 litre	2,251 %	3454,7457 litre	O
200	CM	75	CM	8 LEVEL CM	72,7069 litre	2,057 %	3461,5848 litre	O
200	CM	75	CM	7,5 LEVEL CM	66,0666 litre	1,869 %	3468,2251 litre	O
200	CM	75	CM	7 LEVEL CM	59,6329 litre	1,687 %	3474,6588 litre	O
200	CM	75	CM	6,5 LEVEL CM	53,4142 litre	1,511 %	3480,8775 litre	O
200	CM	75	CM	6 LEVEL CM	47,4198 litre	1,342 %	3486,8719 litre	O
200	CM	75	CM	5,5 LEVEL CM	41,6603 litre	1,179 %	3492,6314 litre	O
200	CM	75	CM	5 LEVEL CM	36,1475 litre	1,023 %	3498,1442 litre	O
200	CM	75	CM	4,5 LEVEL CM	30,8948 litre	0,874 %	3503,3969 litre	O
200	CM	75	CM	4 LEVEL CM	25,9179 litre	0,733 %	3508,3738 litre	O
200	CM	75	CM	3,5 LEVEL CM	21,2350 litre	0,601 %	3513,0567 litre	O
200	CM	75	CM	3 LEVEL CM	16,8684 litre	0,477 %	3517,4233 litre	O
200	CM	75	CM	2,5 LEVEL CM	12,8452 litre	0,363 %	3521,4465 litre	O
200	CM	75	CM	2 LEVEL CM	9,2006 litre	0,260 %	3525,0911 litre	O
200	CM	75	CM	1,5 LEVEL CM	5,9820 litre	0,169 %	3528,3097 litre	O
200	CM	75	CM	1 LEVEL CM	3,2594 litre	0,092 %	3531,0323 litre	O
200	CM	75	CM	0,5 LEVEL CM	1,1535 litre	0,033 %	3533,1382 litre	O
200	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	3534,2917 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
200	CM 70	CM 140 LEVEL CM	3078,7608 litre	100,000 %	0,0000 litre O
200	CM 70	CM 139,5 LEVEL CM	3077,6464 litre	99,964 %	1,1144 litre O
200	CM 70	CM 139 LEVEL CM	3075,6123 litre	99,898 %	3,1485 litre O
200	CM 70	CM 138,5 LEVEL CM	3072,9829 litre	99,812 %	5,7779 litre O
200	CM 70	CM 138 LEVEL CM	3069,8748 litre	99,711 %	8,8860 litre O
200	CM 70	CM 137,5 LEVEL CM	3066,3556 litre	99,597 %	12,4052 litre O
200	CM 70	CM 137 LEVEL CM	3062,4715 litre	99,471 %	16,2893 litre O
200	CM 70	CM 136,5 LEVEL CM	3058,2562 litre	99,334 %	20,5046 litre O
200	CM 70	CM 136 LEVEL CM	3053,7363 litre	99,187 %	25,0245 litre O
200	CM 70	CM 135,5 LEVEL CM	3048,9332 litre	99,031 %	29,8276 litre O
200	CM 70	CM 135 LEVEL CM	3043,8645 litre	98,867 %	34,8963 litre O
200	CM 70	CM 134,5 LEVEL CM	3038,5455 litre	98,694 %	40,2153 litre O
200	CM 70	CM 134 LEVEL CM	3032,9893 litre	98,513 %	45,7715 litre O
200	CM 70	CM 133,5 LEVEL CM	3027,2072 litre	98,326 %	51,5536 litre O
200	CM 70	CM 133 LEVEL CM	3021,2094 litre	98,131 %	57,5514 litre O
200	CM 70	CM 132,5 LEVEL CM	3015,0051 litre	97,929 %	63,7557 litre O
200	CM 70	CM 132 LEVEL CM	3008,6025 litre	97,721 %	70,1583 litre O
200	CM 70	CM 131,5 LEVEL CM	3002,0090 litre	97,507 %	76,7518 litre O
200	CM 70	CM 131 LEVEL CM	2995,2316 litre	97,287 %	83,5292 litre O
200	CM 70	CM 130,5 LEVEL CM	2988,2764 litre	97,061 %	90,4844 litre O
200	CM 70	CM 130 LEVEL CM	2981,1494 litre	96,830 %	97,6114 litre O
200	CM 70	CM 129,5 LEVEL CM	2973,8560 litre	96,593 %	104,9048 litre O
200	CM 70	CM 129 LEVEL CM	2966,4011 litre	96,350 %	112,3597 litre O
200	CM 70	CM 128,5 LEVEL CM	2958,7896 litre	96,103 %	119,9712 litre O
200	CM 70	CM 128 LEVEL CM	2951,0260 litre	95,851 %	127,7348 litre O
200	CM 70	CM 127,5 LEVEL CM	2943,1143 litre	95,594 %	135,6465 litre O
200	CM 70	CM 127 LEVEL CM	2935,0585 litre	95,332 %	143,7023 litre O
200	CM 70	CM 126,5 LEVEL CM	2926,8625 litre	95,066 %	151,8983 litre O
200	CM 70	CM 126 LEVEL CM	2918,5297 litre	94,796 %	160,2311 litre O
200	CM 70	CM 125,5 LEVEL CM	2910,0636 litre	94,521 %	168,6972 litre O
200	CM 70	CM 125 LEVEL CM	2901,4674 litre	94,241 %	177,2934 litre O
200	CM 70	CM 124,5 LEVEL CM	2892,7441 litre	93,958 %	186,0167 litre O
200	CM 70	CM 124 LEVEL CM	2883,8968 litre	93,671 %	194,8640 litre O
200	CM 70	CM 123,5 LEVEL CM	2874,9282 litre	93,379 %	203,8326 litre O
200	CM 70	CM 123 LEVEL CM	2865,8411 litre	93,084 %	212,9197 litre O
200	CM 70	CM 122,5 LEVEL CM	2856,6380 litre	92,785 %	222,1228 litre O
200	CM 70	CM 122 LEVEL CM	2847,3216 litre	92,483 %	231,4392 litre O
200	CM 70	CM 121,5 LEVEL CM	2837,8942 litre	92,177 %	240,8666 litre O
200	CM 70	CM 121 LEVEL CM	2828,3582 litre	91,867 %	250,4026 litre O
200	CM 70	CM 120,5 LEVEL CM	2818,7158 litre	91,554 %	260,0450 litre O
200	CM 70	CM 120 LEVEL CM	2808,9692 litre	91,237 %	269,7916 litre O
200	CM 70	CM 119,5 LEVEL CM	2799,1206 litre	90,917 %	279,6402 litre O
200	CM 70	CM 119 LEVEL CM	2789,1719 litre	90,594 %	289,5889 litre O
200	CM 70	CM 118,5 LEVEL CM	2779,1253 litre	90,268 %	299,6355 litre O
200	CM 70	CM 118 LEVEL CM	2768,9825 litre	89,938 %	309,7783 litre O
200	CM 70	CM 117,5 LEVEL CM	2758,7455 litre	89,606 %	320,0153 litre O
200	CM 70	CM 117 LEVEL CM	2748,4161 litre	89,270 %	330,3447 litre O
200	CM 70	CM 116,5 LEVEL CM	2737,9961 litre	88,932 %	340,7647 litre O
200	CM 70	CM 116 LEVEL CM	2727,4873 litre	88,590 %	351,2735 litre O
200	CM 70	CM 115,5 LEVEL CM	2716,8912 litre	88,246 %	361,8696 litre O
200	CM 70	CM 115 LEVEL CM	2706,2097 litre	87,899 %	372,5511 litre O
200	CM 70	CM 114,5 LEVEL CM	2695,4442 litre	87,550 %	383,3166 litre O

200	CM 70	CM	114 LEVEL CM	2684,5963 litre	87,197 %	394,1645 litre	O
200	CM 70	CM	113,5 LEVEL CM	2673,6676 litre	86,842 %	405,0932 litre	O
200	CM 70	CM	113 LEVEL CM	2662,6596 litre	86,485 %	416,1012 litre	O
200	CM 70	CM	112,5 LEVEL CM	2651,5738 litre	86,125 %	427,1870 litre	O
200	CM 70	CM	112 LEVEL CM	2640,4115 litre	85,762 %	438,3493 litre	O
200	CM 70	CM	111,5 LEVEL CM	2629,1742 litre	85,397 %	449,5866 litre	O
200	CM 70	CM	111 LEVEL CM	2617,8633 litre	85,030 %	460,8975 litre	O
200	CM 70	CM	110,5 LEVEL CM	2606,4802 litre	84,660 %	472,2806 litre	O
200	CM 70	CM	110 LEVEL CM	2595,0261 litre	84,288 %	483,7347 litre	O
200	CM 70	CM	109,5 LEVEL CM	2583,5024 litre	83,914 %	495,2584 litre	O
200	CM 70	CM	109 LEVEL CM	2571,9103 litre	83,537 %	506,8505 litre	O
200	CM 70	CM	108,5 LEVEL CM	2560,2511 litre	83,158 %	518,5097 litre	O
200	CM 70	CM	108 LEVEL CM	2548,5261 litre	82,778 %	530,2347 litre	O
200	CM 70	CM	107,5 LEVEL CM	2536,7364 litre	82,395 %	542,0244 litre	O
200	CM 70	CM	107 LEVEL CM	2524,8833 litre	82,010 %	553,8775 litre	O
200	CM 70	CM	106,5 LEVEL CM	2512,9679 litre	81,623 %	565,7929 litre	O
200	CM 70	CM	106 LEVEL CM	2500,9914 litre	81,234 %	577,7694 litre	O
200	CM 70	CM	105,5 LEVEL CM	2488,9550 litre	80,843 %	589,8058 litre	O
200	CM 70	CM	105 LEVEL CM	2476,8596 litre	80,450 %	601,9012 litre	O
200	CM 70	CM	104,5 LEVEL CM	2464,7066 litre	80,055 %	614,0542 litre	O
200	CM 70	CM	104 LEVEL CM	2452,4969 litre	79,659 %	626,2639 litre	O
200	CM 70	CM	103,5 LEVEL CM	2440,2317 litre	79,260 %	638,5291 litre	O
200	CM 70	CM	103 LEVEL CM	2427,9119 litre	78,860 %	650,8489 litre	O
200	CM 70	CM	102,5 LEVEL CM	2415,5387 litre	78,458 %	663,2221 litre	O
200	CM 70	CM	102 LEVEL CM	2403,1131 litre	78,055 %	675,6477 litre	O
200	CM 70	CM	101,5 LEVEL CM	2390,6360 litre	77,649 %	688,1248 litre	O
200	CM 70	CM	101 LEVEL CM	2378,1086 litre	77,242 %	700,6522 litre	O
200	CM 70	CM	100,5 LEVEL CM	2365,5318 litre	76,834 %	713,2290 litre	O
200	CM 70	CM	100 LEVEL CM	2352,9065 litre	76,424 %	725,8543 litre	O
200	CM 70	CM	99,5 LEVEL CM	2340,2339 litre	76,012 %	738,5269 litre	O
200	CM 70	CM	99 LEVEL CM	2327,5147 litre	75,599 %	751,2461 litre	O
200	CM 70	CM	98,5 LEVEL CM	2314,7501 litre	75,184 %	764,0107 litre	O
200	CM 70	CM	98 LEVEL CM	2301,9408 litre	74,768 %	776,8200 litre	O
200	CM 70	CM	97,5 LEVEL CM	2289,0880 litre	74,351 %	789,6728 litre	O
200	CM 70	CM	97 LEVEL CM	2276,1924 litre	73,932 %	802,5684 litre	O
200	CM 70	CM	96,5 LEVEL CM	2263,2550 litre	73,512 %	815,5058 litre	O
200	CM 70	CM	96 LEVEL CM	2250,2766 litre	73,090 %	828,4842 litre	O
200	CM 70	CM	95,5 LEVEL CM	2237,2583 litre	72,667 %	841,5025 litre	O
200	CM 70	CM	95 LEVEL CM	2224,2009 litre	72,243 %	854,5599 litre	O
200	CM 70	CM	94,5 LEVEL CM	2211,1052 litre	71,818 %	867,6556 litre	O
200	CM 70	CM	94 LEVEL CM	2197,9722 litre	71,391 %	880,7886 litre	O
200	CM 70	CM	93,5 LEVEL CM	2184,8027 litre	70,964 %	893,9581 litre	O
200	CM 70	CM	93 LEVEL CM	2171,5975 litre	70,535 %	907,1633 litre	O
200	CM 70	CM	92,5 LEVEL CM	2158,3575 litre	70,105 %	920,4033 litre	O
200	CM 70	CM	92 LEVEL CM	2145,0836 litre	69,674 %	933,6772 litre	O
200	CM 70	CM	91,5 LEVEL CM	2131,7766 litre	69,241 %	946,9842 litre	O
200	CM 70	CM	91 LEVEL CM	2118,4373 litre	68,808 %	960,3235 litre	O
200	CM 70	CM	90,5 LEVEL CM	2105,0666 litre	68,374 %	973,6942 litre	O
200	CM 70	CM	90 LEVEL CM	2091,6652 litre	67,939 %	987,0956 litre	O
200	CM 70	CM	89,5 LEVEL CM	2078,2340 litre	67,502 %	1000,5268 litre	O
200	CM 70	CM	89 LEVEL CM	2064,7739 litre	67,065 %	1013,9869 litre	O
200	CM 70	CM	88,5 LEVEL CM	2051,2855 litre	66,627 %	1027,4753 litre	O
200	CM 70	CM	88 LEVEL CM	2037,7697 litre	66,188 %	1040,9911 litre	O

200	CM	70	CM	87,5 LEVEL CM	2024,2273 litre	65,748 %	1054,5335 litre	O
200	CM	70	CM	87 LEVEL CM	2010,6591 litre	65,307 %	1068,1017 litre	O
200	CM	70	CM	86,5 LEVEL CM	1997,0658 litre	64,866 %	1081,6950 litre	O
200	CM	70	CM	86 LEVEL CM	1983,4483 litre	64,424 %	1095,3125 litre	O
200	CM	70	CM	85,5 LEVEL CM	1969,8073 litre	63,981 %	1108,9535 litre	O
200	CM	70	CM	85 LEVEL CM	1956,1436 litre	63,537 %	1122,6172 litre	O
200	CM	70	CM	84,5 LEVEL CM	1942,4580 litre	63,092 %	1136,3028 litre	O
200	CM	70	CM	84 LEVEL CM	1928,7512 litre	62,647 %	1150,0096 litre	O
200	CM	70	CM	83,5 LEVEL CM	1915,0239 litre	62,201 %	1163,7369 litre	O
200	CM	70	CM	83 LEVEL CM	1901,2771 litre	61,755 %	1177,4837 litre	O
200	CM	70	CM	82,5 LEVEL CM	1887,5113 litre	61,308 %	1191,2495 litre	O
200	CM	70	CM	82 LEVEL CM	1873,7274 litre	60,860 %	1205,0334 litre	O
200	CM	70	CM	81,5 LEVEL CM	1859,9260 litre	60,412 %	1218,8348 litre	O
200	CM	70	CM	81 LEVEL CM	1846,1080 litre	59,963 %	1232,6528 litre	O
200	CM	70	CM	80,5 LEVEL CM	1832,2741 litre	59,513 %	1246,4867 litre	O
200	CM	70	CM	80 LEVEL CM	1818,4251 litre	59,064 %	1260,3357 litre	O
200	CM	70	CM	79,5 LEVEL CM	1804,5616 litre	58,613 %	1274,1992 litre	O
200	CM	70	CM	79 LEVEL CM	1790,6844 litre	58,163 %	1288,0764 litre	O
200	CM	70	CM	78,5 LEVEL CM	1776,7942 litre	57,711 %	1301,9666 litre	O
200	CM	70	CM	78 LEVEL CM	1762,8918 litre	57,260 %	1315,8690 litre	O
200	CM	70	CM	77,5 LEVEL CM	1748,9779 litre	56,808 %	1329,7829 litre	O
200	CM	70	CM	77 LEVEL CM	1735,0532 litre	56,356 %	1343,7076 litre	O
200	CM	70	CM	76,5 LEVEL CM	1721,1185 litre	55,903 %	1357,6423 litre	O
200	CM	70	CM	76 LEVEL CM	1707,1745 litre	55,450 %	1371,5863 litre	O
200	CM	70	CM	75,5 LEVEL CM	1693,2218 litre	54,997 %	1385,5390 litre	O
200	CM	70	CM	75 LEVEL CM	1679,2613 litre	54,543 %	1399,4995 litre	O
200	CM	70	CM	74,5 LEVEL CM	1665,2936 litre	54,090 %	1413,4672 litre	O
200	CM	70	CM	74 LEVEL CM	1651,3194 litre	53,636 %	1427,4414 litre	O
200	CM	70	CM	73,5 LEVEL CM	1637,3396 litre	53,182 %	1441,4212 litre	O
200	CM	70	CM	73 LEVEL CM	1623,3547 litre	52,728 %	1455,4061 litre	O
200	CM	70	CM	72,5 LEVEL CM	1609,3655 litre	52,273 %	1469,3953 litre	O
200	CM	70	CM	72 LEVEL CM	1595,3728 litre	51,819 %	1483,3880 litre	O
200	CM	70	CM	71,5 LEVEL CM	1581,3772 litre	51,364 %	1497,3836 litre	O
200	CM	70	CM	71 LEVEL CM	1567,3794 litre	50,909 %	1511,3814 litre	O
200	CM	70	CM	70,5 LEVEL CM	1553,3803 litre	50,455 %	1525,3805 litre	O
200	CM	70	CM	70 LEVEL CM	1539,3804 litre	50,000 %	1539,3804 litre	O
200	CM	70	CM	69,5 LEVEL CM	1525,3805 litre	49,545 %	1553,3803 litre	O
200	CM	70	CM	69 LEVEL CM	1511,3814 litre	49,091 %	1567,3794 litre	O
200	CM	70	CM	68,5 LEVEL CM	1497,3836 litre	48,636 %	1581,3772 litre	O
200	CM	70	CM	68 LEVEL CM	1483,3880 litre	48,181 %	1595,3728 litre	O
200	CM	70	CM	67,5 LEVEL CM	1469,3953 litre	47,727 %	1609,3655 litre	O
200	CM	70	CM	67 LEVEL CM	1455,4061 litre	47,272 %	1623,3547 litre	O
200	CM	70	CM	66,5 LEVEL CM	1441,4212 litre	46,818 %	1637,3396 litre	O
200	CM	70	CM	66 LEVEL CM	1427,4414 litre	46,364 %	1651,3194 litre	O
200	CM	70	CM	65,5 LEVEL CM	1413,4672 litre	45,910 %	1665,2936 litre	O
200	CM	70	CM	65 LEVEL CM	1399,4995 litre	45,457 %	1679,2613 litre	O
200	CM	70	CM	64,5 LEVEL CM	1385,5390 litre	45,003 %	1693,2218 litre	O
200	CM	70	CM	64 LEVEL CM	1371,5863 litre	44,550 %	1707,1745 litre	O
200	CM	70	CM	63,5 LEVEL CM	1357,6423 litre	44,097 %	1721,1185 litre	O
200	CM	70	CM	63 LEVEL CM	1343,7076 litre	43,644 %	1735,0532 litre	O
200	CM	70	CM	62,5 LEVEL CM	1329,7829 litre	43,192 %	1748,9779 litre	O
200	CM	70	CM	62 LEVEL CM	1315,8690 litre	42,740 %	1762,8918 litre	O
200	CM	70	CM	61,5 LEVEL CM	1301,9666 litre	42,289 %	1776,7942 litre	O

200	CM	70	CM	61 LEVEL CM	1288,0764 litre	41,837 %	1790,6844 litre	O
200	CM	70	CM	60,5 LEVEL CM	1274,1992 litre	41,387 %	1804,5616 litre	O
200	CM	70	CM	60 LEVEL CM	1260,3357 litre	40,936 %	1818,4251 litre	O
200	CM	70	CM	59,5 LEVEL CM	1246,4867 litre	40,487 %	1832,2741 litre	O
200	CM	70	CM	59 LEVEL CM	1232,6528 litre	40,037 %	1846,1080 litre	O
200	CM	70	CM	58,5 LEVEL CM	1218,8348 litre	39,588 %	1859,9260 litre	O
200	CM	70	CM	58 LEVEL CM	1205,0334 litre	39,140 %	1873,7274 litre	O
200	CM	70	CM	57,5 LEVEL CM	1191,2495 litre	38,692 %	1887,5113 litre	O
200	CM	70	CM	57 LEVEL CM	1177,4837 litre	38,245 %	1901,2771 litre	O
200	CM	70	CM	56,5 LEVEL CM	1163,7369 litre	37,799 %	1915,0239 litre	O
200	CM	70	CM	56 LEVEL CM	1150,0096 litre	37,353 %	1928,7512 litre	O
200	CM	70	CM	55,5 LEVEL CM	1136,3028 litre	36,908 %	1942,4580 litre	O
200	CM	70	CM	55 LEVEL CM	1122,6172 litre	36,463 %	1956,1436 litre	O
200	CM	70	CM	54,5 LEVEL CM	1108,9535 litre	36,019 %	1969,8073 litre	O
200	CM	70	CM	54 LEVEL CM	1095,3125 litre	35,576 %	1983,4483 litre	O
200	CM	70	CM	53,5 LEVEL CM	1081,6950 litre	35,134 %	1997,0658 litre	O
200	CM	70	CM	53 LEVEL CM	1068,1017 litre	34,693 %	2010,6591 litre	O
200	CM	70	CM	52,5 LEVEL CM	1054,5335 litre	34,252 %	2024,2273 litre	O
200	CM	70	CM	52 LEVEL CM	1040,9911 litre	33,812 %	2037,7697 litre	O
200	CM	70	CM	51,5 LEVEL CM	1027,4753 litre	33,373 %	2051,2855 litre	O
200	CM	70	CM	51 LEVEL CM	1013,9869 litre	32,935 %	2064,7739 litre	O
200	CM	70	CM	50,5 LEVEL CM	1000,5268 litre	32,498 %	2078,2340 litre	O
200	CM	70	CM	50 LEVEL CM	987,0956 litre	32,061 %	2091,6652 litre	O
200	CM	70	CM	49,5 LEVEL CM	973,6942 litre	31,626 %	2105,0666 litre	O
200	CM	70	CM	49 LEVEL CM	960,3235 litre	31,192 %	2118,4373 litre	O
200	CM	70	CM	48,5 LEVEL CM	946,9842 litre	30,759 %	2131,7766 litre	O
200	CM	70	CM	48 LEVEL CM	933,6772 litre	30,326 %	2145,0836 litre	O
200	CM	70	CM	47,5 LEVEL CM	920,4033 litre	29,895 %	2158,3575 litre	O
200	CM	70	CM	47 LEVEL CM	907,1633 litre	29,465 %	2171,5975 litre	O
200	CM	70	CM	46,5 LEVEL CM	893,9581 litre	29,036 %	2184,8027 litre	O
200	CM	70	CM	46 LEVEL CM	880,7886 litre	28,609 %	2197,9722 litre	O
200	CM	70	CM	45,5 LEVEL CM	867,6556 litre	28,182 %	2211,1052 litre	O
200	CM	70	CM	45 LEVEL CM	854,5599 litre	27,757 %	2224,2009 litre	O
200	CM	70	CM	44,5 LEVEL CM	841,5025 litre	27,333 %	2237,2583 litre	O
200	CM	70	CM	44 LEVEL CM	828,4842 litre	26,910 %	2250,2766 litre	O
200	CM	70	CM	43,5 LEVEL CM	815,5058 litre	26,488 %	2263,2550 litre	O
200	CM	70	CM	43 LEVEL CM	802,5684 litre	26,068 %	2276,1924 litre	O
200	CM	70	CM	42,5 LEVEL CM	789,6728 litre	25,649 %	2289,0880 litre	O
200	CM	70	CM	42 LEVEL CM	776,8200 litre	25,232 %	2301,9408 litre	O
200	CM	70	CM	41,5 LEVEL CM	764,0107 litre	24,816 %	2314,7501 litre	O
200	CM	70	CM	41 LEVEL CM	751,2461 litre	24,401 %	2327,5147 litre	O
200	CM	70	CM	40,5 LEVEL CM	738,5269 litre	23,988 %	2340,2339 litre	O
200	CM	70	CM	40 LEVEL CM	725,8543 litre	23,576 %	2352,9065 litre	O
200	CM	70	CM	39,5 LEVEL CM	713,2290 litre	23,166 %	2365,5318 litre	O
200	CM	70	CM	39 LEVEL CM	700,6522 litre	22,758 %	2378,1086 litre	O
200	CM	70	CM	38,5 LEVEL CM	688,1248 litre	22,351 %	2390,6360 litre	O
200	CM	70	CM	38 LEVEL CM	675,6477 litre	21,945 %	2403,1131 litre	O
200	CM	70	CM	37,5 LEVEL CM	663,2221 litre	21,542 %	2415,5387 litre	O
200	CM	70	CM	37 LEVEL CM	650,8489 litre	21,140 %	2427,9119 litre	O
200	CM	70	CM	36,5 LEVEL CM	638,5291 litre	20,740 %	2440,2317 litre	O
200	CM	70	CM	36 LEVEL CM	626,2639 litre	20,341 %	2452,4969 litre	O
200	CM	70	CM	35,5 LEVEL CM	614,0542 litre	19,945 %	2464,7066 litre	O
200	CM	70	CM	35 LEVEL CM	601,9012 litre	19,550 %	2476,8596 litre	O

200	CM	70	CM	34,5 LEVEL CM	589,8058 litre	19,157 %	2488,9550 litre	O
200	CM	70	CM	34 LEVEL CM	577,7694 litre	18,766 %	2500,9914 litre	O
200	CM	70	CM	33,5 LEVEL CM	565,7929 litre	18,377 %	2512,9679 litre	O
200	CM	70	CM	33 LEVEL CM	553,8775 litre	17,990 %	2524,8833 litre	O
200	CM	70	CM	32,5 LEVEL CM	542,0244 litre	17,605 %	2536,7364 litre	O
200	CM	70	CM	32 LEVEL CM	530,2347 litre	17,222 %	2548,5261 litre	O
200	CM	70	CM	31,5 LEVEL CM	518,5097 litre	16,842 %	2560,2511 litre	O
200	CM	70	CM	31 LEVEL CM	506,8505 litre	16,463 %	2571,9103 litre	O
200	CM	70	CM	30,5 LEVEL CM	495,2584 litre	16,086 %	2583,5024 litre	O
200	CM	70	CM	30 LEVEL CM	483,7347 litre	15,712 %	2595,0261 litre	O
200	CM	70	CM	29,5 LEVEL CM	472,2806 litre	15,340 %	2606,4802 litre	O
200	CM	70	CM	29 LEVEL CM	460,8975 litre	14,970 %	2617,8633 litre	O
200	CM	70	CM	28,5 LEVEL CM	449,5866 litre	14,603 %	2629,1742 litre	O
200	CM	70	CM	28 LEVEL CM	438,3493 litre	14,238 %	2640,4115 litre	O
200	CM	70	CM	27,5 LEVEL CM	427,1870 litre	13,875 %	2651,5738 litre	O
200	CM	70	CM	27 LEVEL CM	416,1012 litre	13,515 %	2662,6596 litre	O
200	CM	70	CM	26,5 LEVEL CM	405,0932 litre	13,158 %	2673,6676 litre	O
200	CM	70	CM	26 LEVEL CM	394,1645 litre	12,803 %	2684,5963 litre	O
200	CM	70	CM	25,5 LEVEL CM	383,3166 litre	12,450 %	2695,4442 litre	O
200	CM	70	CM	25 LEVEL CM	372,5511 litre	12,101 %	2706,2097 litre	O
200	CM	70	CM	24,5 LEVEL CM	361,8696 litre	11,754 %	2716,8912 litre	O
200	CM	70	CM	24 LEVEL CM	351,2735 litre	11,410 %	2727,4873 litre	O
200	CM	70	CM	23,5 LEVEL CM	340,7647 litre	11,068 %	2737,9961 litre	O
200	CM	70	CM	23 LEVEL CM	330,3447 litre	10,730 %	2748,4161 litre	O
200	CM	70	CM	22,5 LEVEL CM	320,0153 litre	10,394 %	2758,7455 litre	O
200	CM	70	CM	22 LEVEL CM	309,7783 litre	10,062 %	2768,9825 litre	O
200	CM	70	CM	21,5 LEVEL CM	299,6355 litre	9,732 %	2779,1253 litre	O
200	CM	70	CM	21 LEVEL CM	289,5889 litre	9,406 %	2789,1719 litre	O
200	CM	70	CM	20,5 LEVEL CM	279,6402 litre	9,083 %	2799,1206 litre	O
200	CM	70	CM	20 LEVEL CM	269,7916 litre	8,763 %	2808,9692 litre	O
200	CM	70	CM	19,5 LEVEL CM	260,0450 litre	8,446 %	2818,7158 litre	O
200	CM	70	CM	19 LEVEL CM	250,4026 litre	8,133 %	2828,3582 litre	O
200	CM	70	CM	18,5 LEVEL CM	240,8666 litre	7,823 %	2837,8942 litre	O
200	CM	70	CM	18 LEVEL CM	231,4392 litre	7,517 %	2847,3216 litre	O
200	CM	70	CM	17,5 LEVEL CM	222,1228 litre	7,215 %	2856,6380 litre	O
200	CM	70	CM	17 LEVEL CM	212,9197 litre	6,916 %	2865,8411 litre	O
200	CM	70	CM	16,5 LEVEL CM	203,8326 litre	6,621 %	2874,9282 litre	O
200	CM	70	CM	16 LEVEL CM	194,8640 litre	6,329 %	2883,8968 litre	O
200	CM	70	CM	15,5 LEVEL CM	186,0167 litre	6,042 %	2892,7441 litre	O
200	CM	70	CM	15 LEVEL CM	177,2934 litre	5,759 %	2901,4674 litre	O
200	CM	70	CM	14,5 LEVEL CM	168,6972 litre	5,479 %	2910,0636 litre	O
200	CM	70	CM	14 LEVEL CM	160,2311 litre	5,204 %	2918,5297 litre	O
200	CM	70	CM	13,5 LEVEL CM	151,8983 litre	4,934 %	2926,8625 litre	O
200	CM	70	CM	13 LEVEL CM	143,7023 litre	4,668 %	2935,0585 litre	O
200	CM	70	CM	12,5 LEVEL CM	135,6465 litre	4,406 %	2943,1143 litre	O
200	CM	70	CM	12 LEVEL CM	127,7348 litre	4,149 %	2951,0260 litre	O
200	CM	70	CM	11,5 LEVEL CM	119,9712 litre	3,897 %	2958,7896 litre	O
200	CM	70	CM	11 LEVEL CM	112,3597 litre	3,650 %	2966,4011 litre	O
200	CM	70	CM	10,5 LEVEL CM	104,9048 litre	3,407 %	2973,8560 litre	O
200	CM	70	CM	10 LEVEL CM	97,6114 litre	3,170 %	2981,1494 litre	O
200	CM	70	CM	9,5 LEVEL CM	90,4844 litre	2,939 %	2988,2764 litre	O
200	CM	70	CM	9 LEVEL CM	83,5292 litre	2,713 %	2995,2316 litre	O
200	CM	70	CM	8,5 LEVEL CM	76,7518 litre	2,493 %	3002,0090 litre	O

200_70

-2980-

200	CM	70	CM	8 LEVEL CM	70,1583 litre	2,279 %	3008,6025 litre	O
200	CM	70	CM	7,5 LEVEL CM	63,7557 litre	2,071 %	3015,0051 litre	O
200	CM	70	CM	7 LEVEL CM	57,5514 litre	1,869 %	3021,2094 litre	O
200	CM	70	CM	6,5 LEVEL CM	51,5536 litre	1,674 %	3027,2072 litre	O
200	CM	70	CM	6 LEVEL CM	45,7715 litre	1,487 %	3032,9893 litre	O
200	CM	70	CM	5,5 LEVEL CM	40,2153 litre	1,306 %	3038,5455 litre	O
200	CM	70	CM	5 LEVEL CM	34,8963 litre	1,133 %	3043,8645 litre	O
200	CM	70	CM	4,5 LEVEL CM	29,8276 litre	0,969 %	3048,9332 litre	O
200	CM	70	CM	4 LEVEL CM	25,0245 litre	0,813 %	3053,7363 litre	O
200	CM	70	CM	3,5 LEVEL CM	20,5046 litre	0,666 %	3058,2562 litre	O
200	CM	70	CM	3 LEVEL CM	16,2893 litre	0,529 %	3062,4715 litre	O
200	CM	70	CM	2,5 LEVEL CM	12,4052 litre	0,403 %	3066,3556 litre	O
200	CM	70	CM	2 LEVEL CM	8,8860 litre	0,289 %	3069,8748 litre	O
200	CM	70	CM	1,5 LEVEL CM	5,7779 litre	0,188 %	3072,9829 litre	O
200	CM	70	CM	1 LEVEL CM	3,1485 litre	0,102 %	3075,6123 litre	O
200	CM	70	CM	0,5 LEVEL CM	1,1144 litre	0,036 %	3077,6464 litre	O
200	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	3078,7608 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
200	CM 65	CM 130 LEVEL CM	2654,6458 litre	100,000 %	0,0000 litre O
200	CM 65	CM 129,5 LEVEL CM	2653,5721 litre	99,960 %	1,0737 litre O
200	CM 65	CM 129 LEVEL CM	2651,6124 litre	99,886 %	3,0334 litre O
200	CM 65	CM 128,5 LEVEL CM	2649,0795 litre	99,790 %	5,5663 litre O
200	CM 65	CM 128 LEVEL CM	2646,0859 litre	99,678 %	8,5599 litre O
200	CM 65	CM 127,5 LEVEL CM	2642,6969 litre	99,550 %	11,9489 litre O
200	CM 65	CM 127 LEVEL CM	2638,9569 litre	99,409 %	15,6889 litre O
200	CM 65	CM 126,5 LEVEL CM	2634,8987 litre	99,256 %	19,7471 litre O
200	CM 65	CM 126 LEVEL CM	2630,5478 litre	99,092 %	24,0980 litre O
200	CM 65	CM 125,5 LEVEL CM	2625,9250 litre	98,918 %	28,7208 litre O
200	CM 65	CM 125 LEVEL CM	2621,0473 litre	98,734 %	33,5985 litre O
200	CM 65	CM 124,5 LEVEL CM	2615,9295 litre	98,542 %	38,7163 litre O
200	CM 65	CM 124 LEVEL CM	2610,5841 litre	98,340 %	44,0617 litre O
200	CM 65	CM 123,5 LEVEL CM	2605,0224 litre	98,131 %	49,6234 litre O
200	CM 65	CM 123 LEVEL CM	2599,2541 litre	97,913 %	55,3917 litre O
200	CM 65	CM 122,5 LEVEL CM	2593,2881 litre	97,689 %	61,3577 litre O
200	CM 65	CM 122 LEVEL CM	2587,1323 litre	97,457 %	67,5135 litre O
200	CM 65	CM 121,5 LEVEL CM	2580,7940 litre	97,218 %	73,8518 litre O
200	CM 65	CM 121 LEVEL CM	2574,2798 litre	96,973 %	80,3660 litre O
200	CM 65	CM 120,5 LEVEL CM	2567,5959 litre	96,721 %	87,0499 litre O
200	CM 65	CM 120 LEVEL CM	2560,7480 litre	96,463 %	93,8978 litre O
200	CM 65	CM 119,5 LEVEL CM	2553,7412 litre	96,199 %	100,9046 litre O
200	CM 65	CM 119 LEVEL CM	2546,5806 litre	95,929 %	108,0652 litre O
200	CM 65	CM 118,5 LEVEL CM	2539,2707 litre	95,654 %	115,3751 litre O
200	CM 65	CM 118 LEVEL CM	2531,8158 litre	95,373 %	122,8300 litre O
200	CM 65	CM 117,5 LEVEL CM	2524,2201 litre	95,087 %	130,4257 litre O
200	CM 65	CM 117 LEVEL CM	2516,4874 litre	94,796 %	138,1584 litre O
200	CM 65	CM 116,5 LEVEL CM	2508,6213 litre	94,499 %	146,0245 litre O
200	CM 65	CM 116 LEVEL CM	2500,6253 litre	94,198 %	154,0205 litre O
200	CM 65	CM 115,5 LEVEL CM	2492,5028 litre	93,892 %	162,1430 litre O
200	CM 65	CM 115 LEVEL CM	2484,2569 litre	93,581 %	170,3889 litre O
200	CM 65	CM 114,5 LEVEL CM	2475,8905 litre	93,266 %	178,7553 litre O
200	CM 65	CM 114 LEVEL CM	2467,4067 litre	92,947 %	187,2391 litre O
200	CM 65	CM 113,5 LEVEL CM	2458,8081 litre	92,623 %	195,8377 litre O
200	CM 65	CM 113 LEVEL CM	2450,0974 litre	92,295 %	204,5484 litre O
200	CM 65	CM 112,5 LEVEL CM	2441,2773 litre	91,962 %	213,3685 litre O
200	CM 65	CM 112 LEVEL CM	2432,3500 litre	91,626 %	222,2958 litre O
200	CM 65	CM 111,5 LEVEL CM	2423,3181 litre	91,286 %	231,3277 litre O
200	CM 65	CM 111 LEVEL CM	2414,1838 litre	90,942 %	240,4620 litre O
200	CM 65	CM 110,5 LEVEL CM	2404,9493 litre	90,594 %	249,6965 litre O
200	CM 65	CM 110 LEVEL CM	2395,6168 litre	90,242 %	259,0290 litre O
200	CM 65	CM 109,5 LEVEL CM	2386,1883 litre	89,887 %	268,4575 litre O
200	CM 65	CM 109 LEVEL CM	2376,6659 litre	89,529 %	277,9799 litre O
200	CM 65	CM 108,5 LEVEL CM	2367,0515 litre	89,166 %	287,5943 litre O
200	CM 65	CM 108 LEVEL CM	2357,3471 litre	88,801 %	297,2987 litre O
200	CM 65	CM 107,5 LEVEL CM	2347,5545 litre	88,432 %	307,0913 litre O
200	CM 65	CM 107 LEVEL CM	2337,6754 litre	88,060 %	316,9704 litre O
200	CM 65	CM 106,5 LEVEL CM	2327,7116 litre	87,684 %	326,9342 litre O
200	CM 65	CM 106 LEVEL CM	2317,6649 litre	87,306 %	336,9809 litre O
200	CM 65	CM 105,5 LEVEL CM	2307,5370 litre	86,924 %	347,1088 litre O
200	CM 65	CM 105 LEVEL CM	2297,3293 litre	86,540 %	357,3165 litre O
200	CM 65	CM 104,5 LEVEL CM	2287,0436 litre	86,152 %	367,6022 litre O

200	CM	65	CM	104 LEVEL CM	2276,6813 litre	85,762 %	377,9645 litre	O
200	CM	65	CM	103,5 LEVEL CM	2266,2441 litre	85,369 %	388,4017 litre	O
200	CM	65	CM	103 LEVEL CM	2255,7333 litre	84,973 %	398,9125 litre	O
200	CM	65	CM	102,5 LEVEL CM	2245,1505 litre	84,574 %	409,4953 litre	O
200	CM	65	CM	102 LEVEL CM	2234,4970 litre	84,173 %	420,1488 litre	O
200	CM	65	CM	101,5 LEVEL CM	2223,7743 litre	83,769 %	430,8715 litre	O
200	CM	65	CM	101 LEVEL CM	2212,9838 litre	83,363 %	441,6620 litre	O
200	CM	65	CM	100,5 LEVEL CM	2202,1267 litre	82,954 %	452,5191 litre	O
200	CM	65	CM	100 LEVEL CM	2191,2044 litre	82,542 %	463,4414 litre	O
200	CM	65	CM	99,5 LEVEL CM	2180,2182 litre	82,128 %	474,4276 litre	O
200	CM	65	CM	99 LEVEL CM	2169,1694 litre	81,712 %	485,4764 litre	O
200	CM	65	CM	98,5 LEVEL CM	2158,0592 litre	81,294 %	496,5866 litre	O
200	CM	65	CM	98 LEVEL CM	2146,8889 litre	80,873 %	507,7569 litre	O
200	CM	65	CM	97,5 LEVEL CM	2135,6596 litre	80,450 %	518,9862 litre	O
200	CM	65	CM	97 LEVEL CM	2124,3726 litre	80,025 %	530,2732 litre	O
200	CM	65	CM	96,5 LEVEL CM	2113,0290 litre	79,597 %	541,6168 litre	O
200	CM	65	CM	96 LEVEL CM	2101,6301 litre	79,168 %	553,0157 litre	O
200	CM	65	CM	95,5 LEVEL CM	2090,1768 litre	78,737 %	564,4690 litre	O
200	CM	65	CM	95 LEVEL CM	2078,6705 litre	78,303 %	575,9753 litre	O
200	CM	65	CM	94,5 LEVEL CM	2067,1121 litre	77,868 %	587,5337 litre	O
200	CM	65	CM	94 LEVEL CM	2055,5028 litre	77,430 %	599,1430 litre	O
200	CM	65	CM	93,5 LEVEL CM	2043,8436 litre	76,991 %	610,8022 litre	O
200	CM	65	CM	93 LEVEL CM	2032,1356 litre	76,550 %	622,5102 litre	O
200	CM	65	CM	92,5 LEVEL CM	2020,3799 litre	76,107 %	634,2659 litre	O
200	CM	65	CM	92 LEVEL CM	2008,5775 litre	75,663 %	646,0683 litre	O
200	CM	65	CM	91,5 LEVEL CM	1996,7295 litre	75,216 %	657,9163 litre	O
200	CM	65	CM	91 LEVEL CM	1984,8367 litre	74,768 %	669,8091 litre	O
200	CM	65	CM	90,5 LEVEL CM	1972,9004 litre	74,319 %	681,7454 litre	O
200	CM	65	CM	90 LEVEL CM	1960,9214 litre	73,868 %	693,7244 litre	O
200	CM	65	CM	89,5 LEVEL CM	1948,9007 litre	73,415 %	705,7451 litre	O
200	CM	65	CM	89 LEVEL CM	1936,8394 litre	72,960 %	717,8064 litre	O
200	CM	65	CM	88,5 LEVEL CM	1924,7383 litre	72,505 %	729,9075 litre	O
200	CM	65	CM	88 LEVEL CM	1912,5984 litre	72,047 %	742,0474 litre	O
200	CM	65	CM	87,5 LEVEL CM	1900,4207 litre	71,588 %	754,2251 litre	O
200	CM	65	CM	87 LEVEL CM	1888,2061 litre	71,128 %	766,4397 litre	O
200	CM	65	CM	86,5 LEVEL CM	1875,9555 litre	70,667 %	778,6903 litre	O
200	CM	65	CM	86 LEVEL CM	1863,6699 litre	70,204 %	790,9759 litre	O
200	CM	65	CM	85,5 LEVEL CM	1851,3501 litre	69,740 %	803,2957 litre	O
200	CM	65	CM	85 LEVEL CM	1838,9971 litre	69,275 %	815,6487 litre	O
200	CM	65	CM	84,5 LEVEL CM	1826,6118 litre	68,808 %	828,0340 litre	O
200	CM	65	CM	84 LEVEL CM	1814,1950 litre	68,340 %	840,4508 litre	O
200	CM	65	CM	83,5 LEVEL CM	1801,7476 litre	67,871 %	852,8982 litre	O
200	CM	65	CM	83 LEVEL CM	1789,2706 litre	67,401 %	865,3752 litre	O
200	CM	65	CM	82,5 LEVEL CM	1776,7647 litre	66,930 %	877,8811 litre	O
200	CM	65	CM	82 LEVEL CM	1764,2309 litre	66,458 %	890,4149 litre	O
200	CM	65	CM	81,5 LEVEL CM	1751,6700 litre	65,985 %	902,9758 litre	O
200	CM	65	CM	81 LEVEL CM	1739,0828 litre	65,511 %	915,5630 litre	O
200	CM	65	CM	80,5 LEVEL CM	1726,4703 litre	65,036 %	928,1755 litre	O
200	CM	65	CM	80 LEVEL CM	1713,8332 litre	64,560 %	940,8126 litre	O
200	CM	65	CM	79,5 LEVEL CM	1701,1723 litre	64,083 %	953,4735 litre	O
200	CM	65	CM	79 LEVEL CM	1688,4886 litre	63,605 %	966,1572 litre	O
200	CM	65	CM	78,5 LEVEL CM	1675,7828 litre	63,126 %	978,8630 litre	O
200	CM	65	CM	78 LEVEL CM	1663,0558 litre	62,647 %	991,5900 litre	O

200	CM	65	CM	77,5 LEVEL CM	1650,3084 litre	62,167 %	1004,3374 litre	O
200	CM	65	CM	77 LEVEL CM	1637,5414 litre	61,686 %	1017,1044 litre	O
200	CM	65	CM	76,5 LEVEL CM	1624,7556 litre	61,204 %	1029,8902 litre	O
200	CM	65	CM	76 LEVEL CM	1611,9518 litre	60,722 %	1042,6940 litre	O
200	CM	65	CM	75,5 LEVEL CM	1599,1309 litre	60,239 %	1055,5149 litre	O
200	CM	65	CM	75 LEVEL CM	1586,2936 litre	59,755 %	1068,3522 litre	O
200	CM	65	CM	74,5 LEVEL CM	1573,4407 litre	59,271 %	1081,2051 litre	O
200	CM	65	CM	74 LEVEL CM	1560,5730 litre	58,786 %	1094,0728 litre	O
200	CM	65	CM	73,5 LEVEL CM	1547,6914 litre	58,301 %	1106,9544 litre	O
200	CM	65	CM	73 LEVEL CM	1534,7966 litre	57,815 %	1119,8492 litre	O
200	CM	65	CM	72,5 LEVEL CM	1521,8893 litre	57,329 %	1132,7565 litre	O
200	CM	65	CM	72 LEVEL CM	1508,9705 litre	56,843 %	1145,6753 litre	O
200	CM	65	CM	71,5 LEVEL CM	1496,0408 litre	56,356 %	1158,6050 litre	O
200	CM	65	CM	71 LEVEL CM	1483,1011 litre	55,868 %	1171,5447 litre	O
200	CM	65	CM	70,5 LEVEL CM	1470,1521 litre	55,380 %	1184,4937 litre	O
200	CM	65	CM	70 LEVEL CM	1457,1946 litre	54,892 %	1197,4512 litre	O
200	CM	65	CM	69,5 LEVEL CM	1444,2294 litre	54,404 %	1210,4164 litre	O
200	CM	65	CM	69 LEVEL CM	1431,2572 litre	53,915 %	1223,3886 litre	O
200	CM	65	CM	68,5 LEVEL CM	1418,2789 litre	53,426 %	1236,3669 litre	O
200	CM	65	CM	68 LEVEL CM	1405,2952 litre	52,937 %	1249,3506 litre	O
200	CM	65	CM	67,5 LEVEL CM	1392,3069 litre	52,448 %	1262,3389 litre	O
200	CM	65	CM	67 LEVEL CM	1379,3147 litre	51,959 %	1275,3311 litre	O
200	CM	65	CM	66,5 LEVEL CM	1366,3194 litre	51,469 %	1288,3264 litre	O
200	CM	65	CM	66 LEVEL CM	1353,3219 litre	50,979 %	1301,3239 litre	O
200	CM	65	CM	65,5 LEVEL CM	1340,3228 litre	50,490 %	1314,3230 litre	O
200	CM	65	CM	65 LEVEL CM	1327,3229 litre	50,000 %	1327,3229 litre	O
200	CM	65	CM	64,5 LEVEL CM	1314,3230 litre	49,510 %	1340,3228 litre	O
200	CM	65	CM	64 LEVEL CM	1301,3239 litre	49,021 %	1353,3219 litre	O
200	CM	65	CM	63,5 LEVEL CM	1288,3264 litre	48,531 %	1366,3194 litre	O
200	CM	65	CM	63 LEVEL CM	1275,3311 litre	48,041 %	1379,3147 litre	O
200	CM	65	CM	62,5 LEVEL CM	1262,3389 litre	47,552 %	1392,3069 litre	O
200	CM	65	CM	62 LEVEL CM	1249,3506 litre	47,063 %	1405,2952 litre	O
200	CM	65	CM	61,5 LEVEL CM	1236,3669 litre	46,574 %	1418,2789 litre	O
200	CM	65	CM	61 LEVEL CM	1223,3886 litre	46,085 %	1431,2572 litre	O
200	CM	65	CM	60,5 LEVEL CM	1210,4164 litre	45,596 %	1444,2294 litre	O
200	CM	65	CM	60 LEVEL CM	1197,4512 litre	45,108 %	1457,1946 litre	O
200	CM	65	CM	59,5 LEVEL CM	1184,4937 litre	44,620 %	1470,1521 litre	O
200	CM	65	CM	59 LEVEL CM	1171,5447 litre	44,132 %	1483,1011 litre	O
200	CM	65	CM	58,5 LEVEL CM	1158,6050 litre	43,644 %	1496,0408 litre	O
200	CM	65	CM	58 LEVEL CM	1145,6753 litre	43,157 %	1508,9705 litre	O
200	CM	65	CM	57,5 LEVEL CM	1132,7565 litre	42,671 %	1521,8893 litre	O
200	CM	65	CM	57 LEVEL CM	1119,8492 litre	42,185 %	1534,7966 litre	O
200	CM	65	CM	56,5 LEVEL CM	1106,9544 litre	41,699 %	1547,6914 litre	O
200	CM	65	CM	56 LEVEL CM	1094,0728 litre	41,214 %	1560,5730 litre	O
200	CM	65	CM	55,5 LEVEL CM	1081,2051 litre	40,729 %	1573,4407 litre	O
200	CM	65	CM	55 LEVEL CM	1068,3522 litre	40,245 %	1586,2936 litre	O
200	CM	65	CM	54,5 LEVEL CM	1055,5149 litre	39,761 %	1599,1309 litre	O
200	CM	65	CM	54 LEVEL CM	1042,6939 litre	39,278 %	1611,9519 litre	O
200	CM	65	CM	53,5 LEVEL CM	1029,8902 litre	38,796 %	1624,7556 litre	O
200	CM	65	CM	53 LEVEL CM	1017,1044 litre	38,314 %	1637,5414 litre	O
200	CM	65	CM	52,5 LEVEL CM	1004,3374 litre	37,833 %	1650,3084 litre	O
200	CM	65	CM	52 LEVEL CM	991,5899 litre	37,353 %	1663,0559 litre	O
200	CM	65	CM	51,5 LEVEL CM	978,8629 litre	36,874 %	1675,7829 litre	O

200	CM	65	CM	51 LEVEL CM	966,1572 litre	36,395 %	1688,4886 litre	O
200	CM	65	CM	50,5 LEVEL CM	953,4735 litre	35,917 %	1701,1723 litre	O
200	CM	65	CM	50 LEVEL CM	940,8126 litre	35,440 %	1713,8332 litre	O
200	CM	65	CM	49,5 LEVEL CM	928,1755 litre	34,964 %	1726,4703 litre	O
200	CM	65	CM	49 LEVEL CM	915,5630 litre	34,489 %	1739,0828 litre	O
200	CM	65	CM	48,5 LEVEL CM	902,9758 litre	34,015 %	1751,6700 litre	O
200	CM	65	CM	48 LEVEL CM	890,4149 litre	33,542 %	1764,2309 litre	O
200	CM	65	CM	47,5 LEVEL CM	877,8811 litre	33,070 %	1776,7647 litre	O
200	CM	65	CM	47 LEVEL CM	865,3752 litre	32,599 %	1789,2706 litre	O
200	CM	65	CM	46,5 LEVEL CM	852,8982 litre	32,129 %	1801,7476 litre	O
200	CM	65	CM	46 LEVEL CM	840,4508 litre	31,660 %	1814,1950 litre	O
200	CM	65	CM	45,5 LEVEL CM	828,0340 litre	31,192 %	1826,6118 litre	O
200	CM	65	CM	45 LEVEL CM	815,6487 litre	30,725 %	1838,9971 litre	O
200	CM	65	CM	44,5 LEVEL CM	803,2957 litre	30,260 %	1851,3501 litre	O
200	CM	65	CM	44 LEVEL CM	790,9759 litre	29,796 %	1863,6699 litre	O
200	CM	65	CM	43,5 LEVEL CM	778,6903 litre	29,333 %	1875,9555 litre	O
200	CM	65	CM	43 LEVEL CM	766,4397 litre	28,872 %	1888,2061 litre	O
200	CM	65	CM	42,5 LEVEL CM	754,2251 litre	28,412 %	1900,4207 litre	O
200	CM	65	CM	42 LEVEL CM	742,0474 litre	27,953 %	1912,5984 litre	O
200	CM	65	CM	41,5 LEVEL CM	729,9075 litre	27,495 %	1924,7383 litre	O
200	CM	65	CM	41 LEVEL CM	717,8064 litre	27,040 %	1936,8394 litre	O
200	CM	65	CM	40,5 LEVEL CM	705,7451 litre	26,585 %	1948,9007 litre	O
200	CM	65	CM	40 LEVEL CM	693,7244 litre	26,132 %	1960,9214 litre	O
200	CM	65	CM	39,5 LEVEL CM	681,7454 litre	25,681 %	1972,9004 litre	O
200	CM	65	CM	39 LEVEL CM	669,8090 litre	25,232 %	1984,8368 litre	O
200	CM	65	CM	38,5 LEVEL CM	657,9163 litre	24,784 %	1996,7295 litre	O
200	CM	65	CM	38 LEVEL CM	646,0683 litre	24,337 %	2008,5775 litre	O
200	CM	65	CM	37,5 LEVEL CM	634,2659 litre	23,893 %	2020,3799 litre	O
200	CM	65	CM	37 LEVEL CM	622,5102 litre	23,450 %	2032,1356 litre	O
200	CM	65	CM	36,5 LEVEL CM	610,8022 litre	23,009 %	2043,8436 litre	O
200	CM	65	CM	36 LEVEL CM	599,1430 litre	22,570 %	2055,5028 litre	O
200	CM	65	CM	35,5 LEVEL CM	587,5337 litre	22,132 %	2067,1121 litre	O
200	CM	65	CM	35 LEVEL CM	575,9753 litre	21,697 %	2078,6705 litre	O
200	CM	65	CM	34,5 LEVEL CM	564,4690 litre	21,263 %	2090,1768 litre	O
200	CM	65	CM	34 LEVEL CM	553,0157 litre	20,832 %	2101,6301 litre	O
200	CM	65	CM	33,5 LEVEL CM	541,6168 litre	20,403 %	2113,0290 litre	O
200	CM	65	CM	33 LEVEL CM	530,2732 litre	19,975 %	2124,3726 litre	O
200	CM	65	CM	32,5 LEVEL CM	518,9862 litre	19,550 %	2135,6596 litre	O
200	CM	65	CM	32 LEVEL CM	507,7569 litre	19,127 %	2146,8889 litre	O
200	CM	65	CM	31,5 LEVEL CM	496,5866 litre	18,706 %	2158,0592 litre	O
200	CM	65	CM	31 LEVEL CM	485,4764 litre	18,288 %	2169,1694 litre	O
200	CM	65	CM	30,5 LEVEL CM	474,4276 litre	17,872 %	2180,2182 litre	O
200	CM	65	CM	30 LEVEL CM	463,4414 litre	17,458 %	2191,2044 litre	O
200	CM	65	CM	29,5 LEVEL CM	452,5191 litre	17,046 %	2202,1267 litre	O
200	CM	65	CM	29 LEVEL CM	441,6620 litre	16,637 %	2212,9838 litre	O
200	CM	65	CM	28,5 LEVEL CM	430,8715 litre	16,231 %	2223,7743 litre	O
200	CM	65	CM	28 LEVEL CM	420,1488 litre	15,827 %	2234,4970 litre	O
200	CM	65	CM	27,5 LEVEL CM	409,4953 litre	15,426 %	2245,1505 litre	O
200	CM	65	CM	27 LEVEL CM	398,9125 litre	15,027 %	2255,7333 litre	O
200	CM	65	CM	26,5 LEVEL CM	388,4017 litre	14,631 %	2266,2441 litre	O
200	CM	65	CM	26 LEVEL CM	377,9645 litre	14,238 %	2276,6813 litre	O
200	CM	65	CM	25,5 LEVEL CM	367,6022 litre	13,848 %	2287,0436 litre	O
200	CM	65	CM	25 LEVEL CM	357,3165 litre	13,460 %	2297,3293 litre	O

200	CM	65	CM	24,5 LEVEL CM	347,1088 litre	13,076 %	2307,5370 litre	O
200	CM	65	CM	24 LEVEL CM	336,9808 litre	12,694 %	2317,6650 litre	O
200	CM	65	CM	23,5 LEVEL CM	326,9341 litre	12,316 %	2327,7117 litre	O
200	CM	65	CM	23 LEVEL CM	316,9704 litre	11,940 %	2337,6754 litre	O
200	CM	65	CM	22,5 LEVEL CM	307,0913 litre	11,568 %	2347,5545 litre	O
200	CM	65	CM	22 LEVEL CM	297,2987 litre	11,199 %	2357,3471 litre	O
200	CM	65	CM	21,5 LEVEL CM	287,5943 litre	10,834 %	2367,0515 litre	O
200	CM	65	CM	21 LEVEL CM	277,9799 litre	10,471 %	2376,6659 litre	O
200	CM	65	CM	20,5 LEVEL CM	268,4575 litre	10,113 %	2386,1883 litre	O
200	CM	65	CM	20 LEVEL CM	259,0290 litre	9,758 %	2395,6168 litre	O
200	CM	65	CM	19,5 LEVEL CM	249,6965 litre	9,406 %	2404,9493 litre	O
200	CM	65	CM	19 LEVEL CM	240,4620 litre	9,058 %	2414,1838 litre	O
200	CM	65	CM	18,5 LEVEL CM	231,3277 litre	8,714 %	2423,3181 litre	O
200	CM	65	CM	18 LEVEL CM	222,2958 litre	8,374 %	2432,3500 litre	O
200	CM	65	CM	17,5 LEVEL CM	213,3685 litre	8,038 %	2441,2773 litre	O
200	CM	65	CM	17 LEVEL CM	204,5483 litre	7,705 %	2450,0975 litre	O
200	CM	65	CM	16,5 LEVEL CM	195,8377 litre	7,377 %	2458,8081 litre	O
200	CM	65	CM	16 LEVEL CM	187,2391 litre	7,053 %	2467,4067 litre	O
200	CM	65	CM	15,5 LEVEL CM	178,7553 litre	6,734 %	2475,8905 litre	O
200	CM	65	CM	15 LEVEL CM	170,3889 litre	6,419 %	2484,2569 litre	O
200	CM	65	CM	14,5 LEVEL CM	162,1430 litre	6,108 %	2492,5028 litre	O
200	CM	65	CM	14 LEVEL CM	154,0205 litre	5,802 %	2500,6253 litre	O
200	CM	65	CM	13,5 LEVEL CM	146,0245 litre	5,501 %	2508,6213 litre	O
200	CM	65	CM	13 LEVEL CM	138,1584 litre	5,204 %	2516,4874 litre	O
200	CM	65	CM	12,5 LEVEL CM	130,4257 litre	4,913 %	2524,2201 litre	O
200	CM	65	CM	12 LEVEL CM	122,8300 litre	4,627 %	2531,8158 litre	O
200	CM	65	CM	11,5 LEVEL CM	115,3751 litre	4,346 %	2539,2707 litre	O
200	CM	65	CM	11 LEVEL CM	108,0652 litre	4,071 %	2546,5806 litre	O
200	CM	65	CM	10,5 LEVEL CM	100,9046 litre	3,801 %	2553,7412 litre	O
200	CM	65	CM	10 LEVEL CM	93,8978 litre	3,537 %	2560,7480 litre	O
200	CM	65	CM	9,5 LEVEL CM	87,0499 litre	3,279 %	2567,5959 litre	O
200	CM	65	CM	9 LEVEL CM	80,3660 litre	3,027 %	2574,2798 litre	O
200	CM	65	CM	8,5 LEVEL CM	73,8518 litre	2,782 %	2580,7940 litre	O
200	CM	65	CM	8 LEVEL CM	67,5135 litre	2,543 %	2587,1323 litre	O
200	CM	65	CM	7,5 LEVEL CM	61,3577 litre	2,311 %	2593,2881 litre	O
200	CM	65	CM	7 LEVEL CM	55,3917 litre	2,087 %	2599,2541 litre	O
200	CM	65	CM	6,5 LEVEL CM	49,6234 litre	1,869 %	2605,0224 litre	O
200	CM	65	CM	6 LEVEL CM	44,0617 litre	1,660 %	2610,5841 litre	O
200	CM	65	CM	5,5 LEVEL CM	38,7163 litre	1,458 %	2615,9295 litre	O
200	CM	65	CM	5 LEVEL CM	33,5985 litre	1,266 %	2621,0473 litre	O
200	CM	65	CM	4,5 LEVEL CM	28,7208 litre	1,082 %	2625,9250 litre	O
200	CM	65	CM	4 LEVEL CM	24,0980 litre	0,908 %	2630,5478 litre	O
200	CM	65	CM	3,5 LEVEL CM	19,7471 litre	0,744 %	2634,8987 litre	O
200	CM	65	CM	3 LEVEL CM	15,6889 litre	0,591 %	2638,9569 litre	O
200	CM	65	CM	2,5 LEVEL CM	11,9489 litre	0,450 %	2642,6969 litre	O
200	CM	65	CM	2 LEVEL CM	8,5599 litre	0,322 %	2646,0859 litre	O
200	CM	65	CM	1,5 LEVEL CM	5,5663 litre	0,210 %	2649,0795 litre	O
200	CM	65	CM	1 LEVEL CM	3,0334 litre	0,114 %	2651,6124 litre	O
200	CM	65	CM	0,5 LEVEL CM	1,0737 litre	0,040 %	2653,5721 litre	O
200	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	2654,6458 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM	60	CM 120 LEVEL CM	2261,9467 litre	100,000 %	0,0000 litre	O
200	CM	60	CM 119,5 LEVEL CM	2260,9152 litre	99,954 %	1,0315 litre	O
200	CM	60	CM 119 LEVEL CM	2259,0328 litre	99,871 %	2,9139 litre	O
200	CM	60	CM 118,5 LEVEL CM	2256,6003 litre	99,764 %	5,3464 litre	O
200	CM	60	CM 118 LEVEL CM	2253,7258 litre	99,637 %	8,2209 litre	O
200	CM	60	CM 117,5 LEVEL CM	2250,4721 litre	99,493 %	11,4746 litre	O
200	CM	60	CM 117 LEVEL CM	2246,8821 litre	99,334 %	15,0646 litre	O
200	CM	60	CM 116,5 LEVEL CM	2242,9873 litre	99,162 %	18,9594 litre	O
200	CM	60	CM 116 LEVEL CM	2238,8123 litre	98,977 %	23,1344 litre	O
200	CM	60	CM 115,5 LEVEL CM	2234,3771 litre	98,781 %	27,5696 litre	O
200	CM	60	CM 115 LEVEL CM	2229,6982 litre	98,574 %	32,2485 litre	O
200	CM	60	CM 114,5 LEVEL CM	2224,7898 litre	98,357 %	37,1569 litre	O
200	CM	60	CM 114 LEVEL CM	2219,6641 litre	98,131 %	42,2826 litre	O
200	CM	60	CM 113,5 LEVEL CM	2214,3318 litre	97,895 %	47,6149 litre	O
200	CM	60	CM 113 LEVEL CM	2208,8024 litre	97,651 %	53,1443 litre	O
200	CM	60	CM 112,5 LEVEL CM	2203,0846 litre	97,398 %	58,8621 litre	O
200	CM	60	CM 112 LEVEL CM	2197,1859 litre	97,137 %	64,7608 litre	O
200	CM	60	CM 111,5 LEVEL CM	2191,1135 litre	96,868 %	70,8332 litre	O
200	CM	60	CM 111 LEVEL CM	2184,8738 litre	96,593 %	77,0729 litre	O
200	CM	60	CM 110,5 LEVEL CM	2178,4726 litre	96,310 %	83,4741 litre	O
200	CM	60	CM 110 LEVEL CM	2171,9156 litre	96,020 %	90,0311 litre	O
200	CM	60	CM 109,5 LEVEL CM	2165,2078 litre	95,723 %	96,7389 litre	O
200	CM	60	CM 109 LEVEL CM	2158,3540 litre	95,420 %	103,5927 litre	O
200	CM	60	CM 108,5 LEVEL CM	2151,3586 litre	95,111 %	110,5881 litre	O
200	CM	60	CM 108 LEVEL CM	2144,2259 litre	94,796 %	117,7208 litre	O
200	CM	60	CM 107,5 LEVEL CM	2136,9599 litre	94,474 %	124,9868 litre	O
200	CM	60	CM 107 LEVEL CM	2129,5643 litre	94,147 %	132,3824 litre	O
200	CM	60	CM 106,5 LEVEL CM	2122,0426 litre	93,815 %	139,9041 litre	O
200	CM	60	CM 106 LEVEL CM	2114,3983 litre	93,477 %	147,5484 litre	O
200	CM	60	CM 105,5 LEVEL CM	2106,6346 litre	93,134 %	155,3121 litre	O
200	CM	60	CM 105 LEVEL CM	2098,7545 litre	92,785 %	163,1922 litre	O
200	CM	60	CM 104,5 LEVEL CM	2090,7610 litre	92,432 %	171,1857 litre	O
200	CM	60	CM 104 LEVEL CM	2082,6570 litre	92,074 %	179,2897 litre	O
200	CM	60	CM 103,5 LEVEL CM	2074,4450 litre	91,711 %	187,5017 litre	O
200	CM	60	CM 103 LEVEL CM	2066,1278 litre	91,343 %	195,8189 litre	O
200	CM	60	CM 102,5 LEVEL CM	2057,7079 litre	90,971 %	204,2388 litre	O
200	CM	60	CM 102 LEVEL CM	2049,1875 litre	90,594 %	212,7592 litre	O
200	CM	60	CM 101,5 LEVEL CM	2040,5692 litre	90,213 %	221,3775 litre	O
200	CM	60	CM 101 LEVEL CM	2031,8551 litre	89,828 %	230,0916 litre	O
200	CM	60	CM 100,5 LEVEL CM	2023,0474 litre	89,438 %	238,8993 litre	O
200	CM	60	CM 100 LEVEL CM	2014,1481 litre	89,045 %	247,7986 litre	O
200	CM	60	CM 99,5 LEVEL CM	2005,1595 litre	88,648 %	256,7872 litre	O
200	CM	60	CM 99 LEVEL CM	1996,0834 litre	88,246 %	265,8633 litre	O
200	CM	60	CM 98,5 LEVEL CM	1986,9217 litre	87,841 %	275,0250 litre	O
200	CM	60	CM 98 LEVEL CM	1977,6764 litre	87,432 %	284,2703 litre	O
200	CM	60	CM 97,5 LEVEL CM	1968,3492 litre	87,020 %	293,5975 litre	O
200	CM	60	CM 97 LEVEL CM	1958,9420 litre	86,604 %	303,0047 litre	O
200	CM	60	CM 96,5 LEVEL CM	1949,4564 litre	86,185 %	312,4903 litre	O
200	CM	60	CM 96 LEVEL CM	1939,8942 litre	85,762 %	322,0525 litre	O
200	CM	60	CM 95,5 LEVEL CM	1930,2569 litre	85,336 %	331,6898 litre	O
200	CM	60	CM 95 LEVEL CM	1920,5463 litre	84,907 %	341,4004 litre	O
200	CM	60	CM 94,5 LEVEL CM	1910,7639 litre	84,474 %	351,1828 litre	O

200	CM	60	CM	94 LEVEL CM	1900,9111 litre	84,039 %	361,0356 litre	O
200	CM	60	CM	93,5 LEVEL CM	1890,9896 litre	83,600 %	370,9571 litre	O
200	CM	60	CM	93 LEVEL CM	1881,0008 litre	83,158 %	380,9459 litre	O
200	CM	60	CM	92,5 LEVEL CM	1870,9461 litre	82,714 %	391,0006 litre	O
200	CM	60	CM	92 LEVEL CM	1860,8270 litre	82,267 %	401,1197 litre	O
200	CM	60	CM	91,5 LEVEL CM	1850,6449 litre	81,816 %	411,3018 litre	O
200	CM	60	CM	91 LEVEL CM	1840,4010 litre	81,364 %	421,5457 litre	O
200	CM	60	CM	90,5 LEVEL CM	1830,0968 litre	80,908 %	431,8499 litre	O
200	CM	60	CM	90 LEVEL CM	1819,7336 litre	80,450 %	442,2131 litre	O
200	CM	60	CM	89,5 LEVEL CM	1809,3127 litre	79,989 %	452,6340 litre	O
200	CM	60	CM	89 LEVEL CM	1798,8352 litre	79,526 %	463,1115 litre	O
200	CM	60	CM	88,5 LEVEL CM	1788,3026 litre	79,060 %	473,6441 litre	O
200	CM	60	CM	88 LEVEL CM	1777,7160 litre	78,592 %	484,2307 litre	O
200	CM	60	CM	87,5 LEVEL CM	1767,0766 litre	78,122 %	494,8701 litre	O
200	CM	60	CM	87 LEVEL CM	1756,3857 litre	77,649 %	505,5610 litre	O
200	CM	60	CM	86,5 LEVEL CM	1745,6443 litre	77,174 %	516,3024 litre	O
200	CM	60	CM	86 LEVEL CM	1734,8537 litre	76,697 %	527,0930 litre	O
200	CM	60	CM	85,5 LEVEL CM	1724,0151 litre	76,218 %	537,9316 litre	O
200	CM	60	CM	85 LEVEL CM	1713,1295 litre	75,737 %	548,8172 litre	O
200	CM	60	CM	84,5 LEVEL CM	1702,1980 litre	75,254 %	559,7487 litre	O
200	CM	60	CM	84 LEVEL CM	1691,2218 litre	74,768 %	570,7249 litre	O
200	CM	60	CM	83,5 LEVEL CM	1680,2020 litre	74,281 %	581,7447 litre	O
200	CM	60	CM	83 LEVEL CM	1669,1396 litre	73,792 %	592,8071 litre	O
200	CM	60	CM	82,5 LEVEL CM	1658,0357 litre	73,301 %	603,9110 litre	O
200	CM	60	CM	82 LEVEL CM	1646,8914 litre	72,809 %	615,0553 litre	O
200	CM	60	CM	81,5 LEVEL CM	1635,7076 litre	72,314 %	626,2391 litre	O
200	CM	60	CM	81 LEVEL CM	1624,4855 litre	71,818 %	637,4612 litre	O
200	CM	60	CM	80,5 LEVEL CM	1613,2260 litre	71,320 %	648,7207 litre	O
200	CM	60	CM	80 LEVEL CM	1601,9301 litre	70,821 %	660,0166 litre	O
200	CM	60	CM	79,5 LEVEL CM	1590,5989 litre	70,320 %	671,3478 litre	O
200	CM	60	CM	79 LEVEL CM	1579,2333 litre	69,817 %	682,7134 litre	O
200	CM	60	CM	78,5 LEVEL CM	1567,8343 litre	69,313 %	694,1124 litre	O
200	CM	60	CM	78 LEVEL CM	1556,4029 litre	68,808 %	705,5438 litre	O
200	CM	60	CM	77,5 LEVEL CM	1544,9401 litre	68,301 %	717,0066 litre	O
200	CM	60	CM	77 LEVEL CM	1533,4468 litre	67,793 %	728,4999 litre	O
200	CM	60	CM	76,5 LEVEL CM	1521,9239 litre	67,284 %	740,0228 litre	O
200	CM	60	CM	76 LEVEL CM	1510,3724 litre	66,773 %	751,5743 litre	O
200	CM	60	CM	75,5 LEVEL CM	1498,7933 litre	66,261 %	763,1534 litre	O
200	CM	60	CM	75 LEVEL CM	1487,1874 litre	65,748 %	774,7593 litre	O
200	CM	60	CM	74,5 LEVEL CM	1475,5557 litre	65,234 %	786,3910 litre	O
200	CM	60	CM	74 LEVEL CM	1463,8991 litre	64,719 %	798,0476 litre	O
200	CM	60	CM	73,5 LEVEL CM	1452,2185 litre	64,202 %	809,7282 litre	O
200	CM	60	CM	73 LEVEL CM	1440,5148 litre	63,685 %	821,4319 litre	O
200	CM	60	CM	72,5 LEVEL CM	1428,7889 litre	63,166 %	833,1578 litre	O
200	CM	60	CM	72 LEVEL CM	1417,0417 litre	62,647 %	844,9050 litre	O
200	CM	60	CM	71,5 LEVEL CM	1405,2741 litre	62,127 %	856,6726 litre	O
200	CM	60	CM	71 LEVEL CM	1393,4869 litre	61,606 %	868,4598 litre	O
200	CM	60	CM	70,5 LEVEL CM	1381,6811 litre	61,084 %	880,2656 litre	O
200	CM	60	CM	70 LEVEL CM	1369,8576 litre	60,561 %	892,0891 litre	O
200	CM	60	CM	69,5 LEVEL CM	1358,0171 litre	60,038 %	903,9296 litre	O
200	CM	60	CM	69 LEVEL CM	1346,1606 litre	59,513 %	915,7861 litre	O
200	CM	60	CM	68,5 LEVEL CM	1334,2889 litre	58,989 %	927,6578 litre	O
200	CM	60	CM	68 LEVEL CM	1322,4029 litre	58,463 %	939,5438 litre	O

200	CM	60	CM	67,5 LEVEL CM	1310,5035 litre	57,937 %	951,4432 litre	O
200	CM	60	CM	67 LEVEL CM	1298,5915 litre	57,410 %	963,3552 litre	O
200	CM	60	CM	66,5 LEVEL CM	1286,6677 litre	56,883 %	975,2790 litre	O
200	CM	60	CM	66 LEVEL CM	1274,7330 litre	56,356 %	987,2137 litre	O
200	CM	60	CM	65,5 LEVEL CM	1262,7883 litre	55,827 %	999,1584 litre	O
200	CM	60	CM	65 LEVEL CM	1250,8343 litre	55,299 %	1011,1124 litre	O
200	CM	60	CM	64,5 LEVEL CM	1238,8720 litre	54,770 %	1023,0747 litre	O
200	CM	60	CM	64 LEVEL CM	1226,9022 litre	54,241 %	1035,0445 litre	O
200	CM	60	CM	63,5 LEVEL CM	1214,9257 litre	53,712 %	1047,0210 litre	O
200	CM	60	CM	63 LEVEL CM	1202,9433 litre	53,182 %	1059,0034 litre	O
200	CM	60	CM	62,5 LEVEL CM	1190,9560 litre	52,652 %	1070,9907 litre	O
200	CM	60	CM	62 LEVEL CM	1178,9645 litre	52,122 %	1082,9822 litre	O
200	CM	60	CM	61,5 LEVEL CM	1166,9696 litre	51,591 %	1094,9771 litre	O
200	CM	60	CM	61 LEVEL CM	1154,9722 litre	51,061 %	1106,9745 litre	O
200	CM	60	CM	60,5 LEVEL CM	1142,9732 litre	50,531 %	1118,9735 litre	O
200	CM	60	CM	60 LEVEL CM	1130,9734 litre	50,000 %	1130,9733 litre	O
200	CM	60	CM	59,5 LEVEL CM	1118,9735 litre	49,469 %	1142,9732 litre	O
200	CM	60	CM	59 LEVEL CM	1106,9745 litre	48,939 %	1154,9722 litre	O
200	CM	60	CM	58,5 LEVEL CM	1094,9771 litre	48,409 %	1166,9696 litre	O
200	CM	60	CM	58 LEVEL CM	1082,9822 litre	47,878 %	1178,9645 litre	O
200	CM	60	CM	57,5 LEVEL CM	1070,9907 litre	47,348 %	1190,9560 litre	O
200	CM	60	CM	57 LEVEL CM	1059,0034 litre	46,818 %	1202,9433 litre	O
200	CM	60	CM	56,5 LEVEL CM	1047,0210 litre	46,288 %	1214,9257 litre	O
200	CM	60	CM	56 LEVEL CM	1035,0445 litre	45,759 %	1226,9022 litre	O
200	CM	60	CM	55,5 LEVEL CM	1023,0747 litre	45,230 %	1238,8720 litre	O
200	CM	60	CM	55 LEVEL CM	1011,1124 litre	44,701 %	1250,8343 litre	O
200	CM	60	CM	54,5 LEVEL CM	999,1585 litre	44,173 %	1262,7882 litre	O
200	CM	60	CM	54 LEVEL CM	987,2137 litre	43,644 %	1274,7330 litre	O
200	CM	60	CM	53,5 LEVEL CM	975,2790 litre	43,117 %	1286,6677 litre	O
200	CM	60	CM	53 LEVEL CM	963,3552 litre	42,590 %	1298,5915 litre	O
200	CM	60	CM	52,5 LEVEL CM	951,4432 litre	42,063 %	1310,5035 litre	O
200	CM	60	CM	52 LEVEL CM	939,5438 litre	41,537 %	1322,4029 litre	O
200	CM	60	CM	51,5 LEVEL CM	927,6578 litre	41,011 %	1334,2889 litre	O
200	CM	60	CM	51 LEVEL CM	915,7861 litre	40,487 %	1346,1606 litre	O
200	CM	60	CM	50,5 LEVEL CM	903,9296 litre	39,962 %	1358,0171 litre	O
200	CM	60	CM	50 LEVEL CM	892,0891 litre	39,439 %	1369,8576 litre	O
200	CM	60	CM	49,5 LEVEL CM	880,2656 litre	38,916 %	1381,6811 litre	O
200	CM	60	CM	49 LEVEL CM	868,4598 litre	38,394 %	1393,4869 litre	O
200	CM	60	CM	48,5 LEVEL CM	856,6727 litre	37,873 %	1405,2740 litre	O
200	CM	60	CM	48 LEVEL CM	844,9050 litre	37,353 %	1417,0417 litre	O
200	CM	60	CM	47,5 LEVEL CM	833,1578 litre	36,834 %	1428,7889 litre	O
200	CM	60	CM	47 LEVEL CM	821,4320 litre	36,315 %	1440,5147 litre	O
200	CM	60	CM	46,5 LEVEL CM	809,7282 litre	35,798 %	1452,2185 litre	O
200	CM	60	CM	46 LEVEL CM	798,0476 litre	35,281 %	1463,8991 litre	O
200	CM	60	CM	45,5 LEVEL CM	786,3910 litre	34,766 %	1475,5557 litre	O
200	CM	60	CM	45 LEVEL CM	774,7593 litre	34,252 %	1487,1874 litre	O
200	CM	60	CM	44,5 LEVEL CM	763,1534 litre	33,739 %	1498,7933 litre	O
200	CM	60	CM	44 LEVEL CM	751,5743 litre	33,227 %	1510,3724 litre	O
200	CM	60	CM	43,5 LEVEL CM	740,0228 litre	32,716 %	1521,9239 litre	O
200	CM	60	CM	43 LEVEL CM	728,4999 litre	32,207 %	1533,4468 litre	O
200	CM	60	CM	42,5 LEVEL CM	717,0066 litre	31,699 %	1544,9401 litre	O
200	CM	60	CM	42 LEVEL CM	705,5438 litre	31,192 %	1556,4029 litre	O
200	CM	60	CM	41,5 LEVEL CM	694,1124 litre	30,687 %	1567,8343 litre	O

200	CM	60	CM	41 LEVEL CM	682,7134 litre	30,183 %	1579,2333 litre	O
200	CM	60	CM	40,5 LEVEL CM	671,3478 litre	29,680 %	1590,5989 litre	O
200	CM	60	CM	40 LEVEL CM	660,0166 litre	29,179 %	1601,9301 litre	O
200	CM	60	CM	39,5 LEVEL CM	648,7207 litre	28,680 %	1613,2260 litre	O
200	CM	60	CM	39 LEVEL CM	637,4612 litre	28,182 %	1624,4855 litre	O
200	CM	60	CM	38,5 LEVEL CM	626,2391 litre	27,686 %	1635,7076 litre	O
200	CM	60	CM	38 LEVEL CM	615,0553 litre	27,191 %	1646,8914 litre	O
200	CM	60	CM	37,5 LEVEL CM	603,9110 litre	26,699 %	1658,0357 litre	O
200	CM	60	CM	37 LEVEL CM	592,8071 litre	26,208 %	1669,1396 litre	O
200	CM	60	CM	36,5 LEVEL CM	581,7447 litre	25,719 %	1680,2020 litre	O
200	CM	60	CM	36 LEVEL CM	570,7249 litre	25,232 %	1691,2218 litre	O
200	CM	60	CM	35,5 LEVEL CM	559,7487 litre	24,746 %	1702,1980 litre	O
200	CM	60	CM	35 LEVEL CM	548,8172 litre	24,263 %	1713,1295 litre	O
200	CM	60	CM	34,5 LEVEL CM	537,9316 litre	23,782 %	1724,0151 litre	O
200	CM	60	CM	34 LEVEL CM	527,0930 litre	23,303 %	1734,8537 litre	O
200	CM	60	CM	33,5 LEVEL CM	516,3024 litre	22,826 %	1745,6443 litre	O
200	CM	60	CM	33 LEVEL CM	505,5611 litre	22,351 %	1756,3856 litre	O
200	CM	60	CM	32,5 LEVEL CM	494,8701 litre	21,878 %	1767,0766 litre	O
200	CM	60	CM	32 LEVEL CM	484,2307 litre	21,408 %	1777,7160 litre	O
200	CM	60	CM	31,5 LEVEL CM	473,6441 litre	20,940 %	1788,3026 litre	O
200	CM	60	CM	31 LEVEL CM	463,1115 litre	20,474 %	1798,8352 litre	O
200	CM	60	CM	30,5 LEVEL CM	452,6341 litre	20,011 %	1809,3126 litre	O
200	CM	60	CM	30 LEVEL CM	442,2131 litre	19,550 %	1819,7336 litre	O
200	CM	60	CM	29,5 LEVEL CM	431,8499 litre	19,092 %	1830,0968 litre	O
200	CM	60	CM	29 LEVEL CM	421,5457 litre	18,636 %	1840,4010 litre	O
200	CM	60	CM	28,5 LEVEL CM	411,3018 litre	18,184 %	1850,6449 litre	O
200	CM	60	CM	28 LEVEL CM	401,1197 litre	17,733 %	1860,8270 litre	O
200	CM	60	CM	27,5 LEVEL CM	391,0006 litre	17,286 %	1870,9461 litre	O
200	CM	60	CM	27 LEVEL CM	380,9459 litre	16,842 %	1881,0008 litre	O
200	CM	60	CM	26,5 LEVEL CM	370,9571 litre	16,400 %	1890,9896 litre	O
200	CM	60	CM	26 LEVEL CM	361,0356 litre	15,961 %	1900,9111 litre	O
200	CM	60	CM	25,5 LEVEL CM	351,1829 litre	15,526 %	1910,7638 litre	O
200	CM	60	CM	25 LEVEL CM	341,4004 litre	15,093 %	1920,5463 litre	O
200	CM	60	CM	24,5 LEVEL CM	331,6898 litre	14,664 %	1930,2569 litre	O
200	CM	60	CM	24 LEVEL CM	322,0526 litre	14,238 %	1939,8941 litre	O
200	CM	60	CM	23,5 LEVEL CM	312,4903 litre	13,815 %	1949,4564 litre	O
200	CM	60	CM	23 LEVEL CM	303,0048 litre	13,396 %	1958,9419 litre	O
200	CM	60	CM	22,5 LEVEL CM	293,5975 litre	12,980 %	1968,3492 litre	O
200	CM	60	CM	22 LEVEL CM	284,2703 litre	12,568 %	1977,6764 litre	O
200	CM	60	CM	21,5 LEVEL CM	275,0250 litre	12,159 %	1986,9217 litre	O
200	CM	60	CM	21 LEVEL CM	265,8634 litre	11,754 %	1996,0833 litre	O
200	CM	60	CM	20,5 LEVEL CM	256,7872 litre	11,352 %	2005,1595 litre	O
200	CM	60	CM	20 LEVEL CM	247,7986 litre	10,955 %	2014,1481 litre	O
200	CM	60	CM	19,5 LEVEL CM	238,8994 litre	10,562 %	2023,0473 litre	O
200	CM	60	CM	19 LEVEL CM	230,0916 litre	10,172 %	2031,8551 litre	O
200	CM	60	CM	18,5 LEVEL CM	221,3775 litre	9,787 %	2040,5692 litre	O
200	CM	60	CM	18 LEVEL CM	212,7592 litre	9,406 %	2049,1875 litre	O
200	CM	60	CM	17,5 LEVEL CM	204,2388 litre	9,029 %	2057,7079 litre	O
200	CM	60	CM	17 LEVEL CM	195,8189 litre	8,657 %	2066,1278 litre	O
200	CM	60	CM	16,5 LEVEL CM	187,5017 litre	8,289 %	2074,4450 litre	O
200	CM	60	CM	16 LEVEL CM	179,2898 litre	7,926 %	2082,6569 litre	O
200	CM	60	CM	15,5 LEVEL CM	171,1857 litre	7,568 %	2090,7610 litre	O
200	CM	60	CM	15 LEVEL CM	163,1922 litre	7,215 %	2098,7545 litre	O

200	CM	60	CM	14,5 LEVEL CM	155,3122 litre	6,866 %	2106,6345 litre	O
200	CM	60	CM	14 LEVEL CM	147,5484 litre	6,523 %	2114,3983 litre	O
200	CM	60	CM	13,5 LEVEL CM	139,9041 litre	6,185 %	2122,0426 litre	O
200	CM	60	CM	13 LEVEL CM	132,3825 litre	5,853 %	2129,5642 litre	O
200	CM	60	CM	12,5 LEVEL CM	124,9868 litre	5,526 %	2136,9599 litre	O
200	CM	60	CM	12 LEVEL CM	117,7208 litre	5,204 %	2144,2259 litre	O
200	CM	60	CM	11,5 LEVEL CM	110,5881 litre	4,889 %	2151,3586 litre	O
200	CM	60	CM	11 LEVEL CM	103,5928 litre	4,580 %	2158,3539 litre	O
200	CM	60	CM	10,5 LEVEL CM	96,7389 litre	4,277 %	2165,2078 litre	O
200	CM	60	CM	10 LEVEL CM	90,0311 litre	3,980 %	2171,9156 litre	O
200	CM	60	CM	9,5 LEVEL CM	83,4741 litre	3,690 %	2178,4726 litre	O
200	CM	60	CM	9 LEVEL CM	77,0729 litre	3,407 %	2184,8738 litre	O
200	CM	60	CM	8,5 LEVEL CM	70,8332 litre	3,132 %	2191,1135 litre	O
200	CM	60	CM	8 LEVEL CM	64,7608 litre	2,863 %	2197,1859 litre	O
200	CM	60	CM	7,5 LEVEL CM	58,8621 litre	2,602 %	2203,0846 litre	O
200	CM	60	CM	7 LEVEL CM	53,1443 litre	2,349 %	2208,8024 litre	O
200	CM	60	CM	6,5 LEVEL CM	47,6149 litre	2,105 %	2214,3318 litre	O
200	CM	60	CM	6 LEVEL CM	42,2827 litre	1,869 %	2219,6640 litre	O
200	CM	60	CM	5,5 LEVEL CM	37,1569 litre	1,643 %	2224,7898 litre	O
200	CM	60	CM	5 LEVEL CM	32,2485 litre	1,426 %	2229,6982 litre	O
200	CM	60	CM	4,5 LEVEL CM	27,5696 litre	1,219 %	2234,3771 litre	O
200	CM	60	CM	4 LEVEL CM	23,1344 litre	1,023 %	2238,8123 litre	O
200	CM	60	CM	3,5 LEVEL CM	18,9594 litre	0,838 %	2242,9873 litre	O
200	CM	60	CM	3 LEVEL CM	15,0646 litre	0,666 %	2246,8821 litre	O
200	CM	60	CM	2,5 LEVEL CM	11,4746 litre	0,507 %	2250,4721 litre	O
200	CM	60	CM	2 LEVEL CM	8,2209 litre	0,363 %	2253,7258 litre	O
200	CM	60	CM	1,5 LEVEL CM	5,3464 litre	0,236 %	2256,6003 litre	O
200	CM	60	CM	1 LEVEL CM	2,9139 litre	0,129 %	2259,0328 litre	O
200	CM	60	CM	0,5 LEVEL CM	1,0315 litre	0,046 %	2260,9152 litre	O
200	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2261,9467 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM	55	CM 110 LEVEL CM	1900,6636 litre	100,000 %	0,0000 litre	O
200	CM	55	CM 109,5 LEVEL CM	1899,6761 litre	99,948 %	0,9875 litre	O
200	CM	55	CM 109 LEVEL CM	1897,8744 litre	99,853 %	2,7892 litre	O
200	CM	55	CM 108,5 LEVEL CM	1895,5465 litre	99,731 %	5,1171 litre	O
200	CM	55	CM 108 LEVEL CM	1892,7962 litre	99,586 %	7,8674 litre	O
200	CM	55	CM 107,5 LEVEL CM	1889,6838 litre	99,422 %	10,9798 litre	O
200	CM	55	CM 107 LEVEL CM	1886,2503 litre	99,242 %	14,4133 litre	O
200	CM	55	CM 106,5 LEVEL CM	1882,5260 litre	99,046 %	18,1376 litre	O
200	CM	55	CM 106 LEVEL CM	1878,5347 litre	98,836 %	22,1289 litre	O
200	CM	55	CM 105,5 LEVEL CM	1874,2953 litre	98,613 %	26,3683 litre	O
200	CM	55	CM 105 LEVEL CM	1869,8240 litre	98,377 %	30,8396 litre	O
200	CM	55	CM 104,5 LEVEL CM	1865,1344 litre	98,131 %	35,5292 litre	O
200	CM	55	CM 104 LEVEL CM	1860,2381 litre	97,873 %	40,4255 litre	O
200	CM	55	CM 103,5 LEVEL CM	1855,1456 litre	97,605 %	45,5180 litre	O
200	CM	55	CM 103 LEVEL CM	1849,8661 litre	97,327 %	50,7975 litre	O
200	CM	55	CM 102,5 LEVEL CM	1844,4077 litre	97,040 %	56,2559 litre	O
200	CM	55	CM 102 LEVEL CM	1838,7779 litre	96,744 %	61,8857 litre	O
200	CM	55	CM 101,5 LEVEL CM	1832,9835 litre	96,439 %	67,6801 litre	O
200	CM	55	CM 101 LEVEL CM	1827,0308 litre	96,126 %	73,6328 litre	O
200	CM	55	CM 100,5 LEVEL CM	1820,9255 litre	95,805 %	79,7381 litre	O
200	CM	55	CM 100 LEVEL CM	1814,6729 litre	95,476 %	85,9907 litre	O
200	CM	55	CM 99,5 LEVEL CM	1808,2780 litre	95,139 %	92,3856 litre	O
200	CM	55	CM 99 LEVEL CM	1801,7454 litre	94,796 %	98,9182 litre	O
200	CM	55	CM 98,5 LEVEL CM	1795,0794 litre	94,445 %	105,5842 litre	O
200	CM	55	CM 98 LEVEL CM	1788,2842 litre	94,087 %	112,3794 litre	O
200	CM	55	CM 97,5 LEVEL CM	1781,3635 litre	93,723 %	119,3001 litre	O
200	CM	55	CM 97 LEVEL CM	1774,3211 litre	93,353 %	126,3425 litre	O
200	CM	55	CM 96,5 LEVEL CM	1767,1604 litre	92,976 %	133,5032 litre	O
200	CM	55	CM 96 LEVEL CM	1759,8847 litre	92,593 %	140,7789 litre	O
200	CM	55	CM 95,5 LEVEL CM	1752,4972 litre	92,204 %	148,1664 litre	O
200	CM	55	CM 95 LEVEL CM	1745,0008 litre	91,810 %	155,6628 litre	O
200	CM	55	CM 94,5 LEVEL CM	1737,3985 litre	91,410 %	163,2651 litre	O
200	CM	55	CM 94 LEVEL CM	1729,6929 litre	91,005 %	170,9707 litre	O
200	CM	55	CM 93,5 LEVEL CM	1721,8868 litre	90,594 %	178,7768 litre	O
200	CM	55	CM 93 LEVEL CM	1713,9826 litre	90,178 %	186,6810 litre	O
200	CM	55	CM 92,5 LEVEL CM	1705,9828 litre	89,757 %	194,6808 litre	O
200	CM	55	CM 92 LEVEL CM	1697,8899 litre	89,331 %	202,7737 litre	O
200	CM	55	CM 91,5 LEVEL CM	1689,7060 litre	88,901 %	210,9576 litre	O
200	CM	55	CM 91 LEVEL CM	1681,4334 litre	88,466 %	219,2302 litre	O
200	CM	55	CM 90,5 LEVEL CM	1673,0742 litre	88,026 %	227,5894 litre	O
200	CM	55	CM 90 LEVEL CM	1664,6305 litre	87,582 %	236,0331 litre	O
200	CM	55	CM 89,5 LEVEL CM	1656,1043 litre	87,133 %	244,5593 litre	O
200	CM	55	CM 89 LEVEL CM	1647,4976 litre	86,680 %	253,1660 litre	O
200	CM	55	CM 88,5 LEVEL CM	1638,8122 litre	86,223 %	261,8514 litre	O
200	CM	55	CM 88 LEVEL CM	1630,0499 litre	85,762 %	270,6137 litre	O
200	CM	55	CM 87,5 LEVEL CM	1621,2127 litre	85,297 %	279,4509 litre	O
200	CM	55	CM 87 LEVEL CM	1612,3023 litre	84,828 %	288,3613 litre	O
200	CM	55	CM 86,5 LEVEL CM	1603,3203 litre	84,356 %	297,3433 litre	O
200	CM	55	CM 86 LEVEL CM	1594,2684 litre	83,880 %	306,3952 litre	O
200	CM	55	CM 85,5 LEVEL CM	1585,1483 litre	83,400 %	315,5153 litre	O
200	CM	55	CM 85 LEVEL CM	1575,9616 litre	82,916 %	324,7020 litre	O
200	CM	55	CM 84,5 LEVEL CM	1566,7097 litre	82,430 %	333,9539 litre	O

200	CM 55	CM	84 LEVEL CM	1557,3944 litre	81,940 %	343,2692 litre	O
200	CM 55	CM	83,5 LEVEL CM	1548,0169 litre	81,446 %	352,6467 litre	O
200	CM 55	CM	83 LEVEL CM	1538,5789 litre	80,950 %	362,0847 litre	O
200	CM 55	CM	82,5 LEVEL CM	1529,0817 litre	80,450 %	371,5819 litre	O
200	CM 55	CM	82 LEVEL CM	1519,5268 litre	79,947 %	381,1368 litre	O
200	CM 55	CM	81,5 LEVEL CM	1509,9155 litre	79,441 %	390,7481 litre	O
200	CM 55	CM	81 LEVEL CM	1500,2493 litre	78,933 %	400,4143 litre	O
200	CM 55	CM	80,5 LEVEL CM	1490,5294 litre	78,422 %	410,1342 litre	O
200	CM 55	CM	80 LEVEL CM	1480,7572 litre	77,907 %	419,9064 litre	O
200	CM 55	CM	79,5 LEVEL CM	1470,9339 litre	77,391 %	429,7297 litre	O
200	CM 55	CM	79 LEVEL CM	1461,0609 litre	76,871 %	439,6027 litre	O
200	CM 55	CM	78,5 LEVEL CM	1451,1394 litre	76,349 %	449,5242 litre	O
200	CM 55	CM	78 LEVEL CM	1441,1706 litre	75,825 %	459,4930 litre	O
200	CM 55	CM	77,5 LEVEL CM	1431,1558 litre	75,298 %	469,5078 litre	O
200	CM 55	CM	77 LEVEL CM	1421,0961 litre	74,768 %	479,5675 litre	O
200	CM 55	CM	76,5 LEVEL CM	1410,9928 litre	74,237 %	489,6708 litre	O
200	CM 55	CM	76 LEVEL CM	1400,8471 litre	73,703 %	499,8165 litre	O
200	CM 55	CM	75,5 LEVEL CM	1390,6600 litre	73,167 %	510,0036 litre	O
200	CM 55	CM	75 LEVEL CM	1380,4328 litre	72,629 %	520,2308 litre	O
200	CM 55	CM	74,5 LEVEL CM	1370,1665 litre	72,089 %	530,4971 litre	O
200	CM 55	CM	74 LEVEL CM	1359,8623 litre	71,547 %	540,8013 litre	O
200	CM 55	CM	73,5 LEVEL CM	1349,5213 litre	71,003 %	551,1423 litre	O
200	CM 55	CM	73 LEVEL CM	1339,1445 litre	70,457 %	561,5191 litre	O
200	CM 55	CM	72,5 LEVEL CM	1328,7332 litre	69,909 %	571,9304 litre	O
200	CM 55	CM	72 LEVEL CM	1318,2882 litre	69,359 %	582,3754 litre	O
200	CM 55	CM	71,5 LEVEL CM	1307,8108 litre	68,808 %	592,8528 litre	O
200	CM 55	CM	71 LEVEL CM	1297,3019 litre	68,255 %	603,3617 litre	O
200	CM 55	CM	70,5 LEVEL CM	1286,7626 litre	67,701 %	613,9010 litre	O
200	CM 55	CM	70 LEVEL CM	1276,1940 litre	67,145 %	624,4696 litre	O
200	CM 55	CM	69,5 LEVEL CM	1265,5970 litre	66,587 %	635,0666 litre	O
200	CM 55	CM	69 LEVEL CM	1254,9726 litre	66,028 %	645,6910 litre	O
200	CM 55	CM	68,5 LEVEL CM	1244,3220 litre	65,468 %	656,3416 litre	O
200	CM 55	CM	68 LEVEL CM	1233,6460 litre	64,906 %	667,0176 litre	O
200	CM 55	CM	67,5 LEVEL CM	1222,9457 litre	64,343 %	677,7179 litre	O
200	CM 55	CM	67 LEVEL CM	1212,2220 litre	63,779 %	688,4416 litre	O
200	CM 55	CM	66,5 LEVEL CM	1201,4760 litre	63,214 %	699,1876 litre	O
200	CM 55	CM	66 LEVEL CM	1190,7086 litre	62,647 %	709,9550 litre	O
200	CM 55	CM	65,5 LEVEL CM	1179,9208 litre	62,079 %	720,7428 litre	O
200	CM 55	CM	65 LEVEL CM	1169,1136 litre	61,511 %	731,5500 litre	O
200	CM 55	CM	64,5 LEVEL CM	1158,2878 litre	60,941 %	742,3758 litre	O
200	CM 55	CM	64 LEVEL CM	1147,4446 litre	60,371 %	753,2190 litre	O
200	CM 55	CM	63,5 LEVEL CM	1136,5847 litre	59,799 %	764,0789 litre	O
200	CM 55	CM	63 LEVEL CM	1125,7092 litre	59,227 %	774,9544 litre	O
200	CM 55	CM	62,5 LEVEL CM	1114,8190 litre	58,654 %	785,8446 litre	O
200	CM 55	CM	62 LEVEL CM	1103,9150 litre	58,081 %	796,7486 litre	O
200	CM 55	CM	61,5 LEVEL CM	1092,9982 litre	57,506 %	807,6654 litre	O
200	CM 55	CM	61 LEVEL CM	1082,0695 litre	56,931 %	818,5941 litre	O
200	CM 55	CM	60,5 LEVEL CM	1071,1298 litre	56,356 %	829,5338 litre	O
200	CM 55	CM	60 LEVEL CM	1060,1801 litre	55,779 %	840,4835 litre	O
200	CM 55	CM	59,5 LEVEL CM	1049,2212 litre	55,203 %	851,4424 litre	O
200	CM 55	CM	59 LEVEL CM	1038,2541 litre	54,626 %	862,4095 litre	O
200	CM 55	CM	58,5 LEVEL CM	1027,2798 litre	54,048 %	873,3838 litre	O
200	CM 55	CM	58 LEVEL CM	1016,2990 litre	53,471 %	884,3646 litre	O

200	CM 55	CM	57,5 LEVEL CM	1005,3128 litre	52,893 %	895,3508 litre	O
200	CM 55	CM	57 LEVEL CM	994,3221 litre	52,314 %	906,3415 litre	O
200	CM 55	CM	56,5 LEVEL CM	983,3277 litre	51,736 %	917,3359 litre	O
200	CM 55	CM	56 LEVEL CM	972,3306 litre	51,157 %	928,3330 litre	O
200	CM 55	CM	55,5 LEVEL CM	961,3316 litre	50,579 %	939,3320 litre	O
200	CM 55	CM	55 LEVEL CM	950,3318 litre	50,000 %	950,3318 litre	O
200	CM 55	CM	54,5 LEVEL CM	939,3319 litre	49,421 %	961,3317 litre	O
200	CM 55	CM	54 LEVEL CM	928,3330 litre	48,843 %	972,3306 litre	O
200	CM 55	CM	53,5 LEVEL CM	917,3359 litre	48,264 %	983,3277 litre	O
200	CM 55	CM	53 LEVEL CM	906,3415 litre	47,686 %	994,3221 litre	O
200	CM 55	CM	52,5 LEVEL CM	895,3507 litre	47,107 %	1005,3129 litre	O
200	CM 55	CM	52 LEVEL CM	884,3645 litre	46,529 %	1016,2991 litre	O
200	CM 55	CM	51,5 LEVEL CM	873,3838 litre	45,952 %	1027,2798 litre	O
200	CM 55	CM	51 LEVEL CM	862,4094 litre	45,374 %	1038,2542 litre	O
200	CM 55	CM	50,5 LEVEL CM	851,4423 litre	44,797 %	1049,2213 litre	O
200	CM 55	CM	50 LEVEL CM	840,4835 litre	44,221 %	1060,1801 litre	O
200	CM 55	CM	49,5 LEVEL CM	829,5337 litre	43,644 %	1071,1299 litre	O
200	CM 55	CM	49 LEVEL CM	818,5941 litre	43,069 %	1082,0695 litre	O
200	CM 55	CM	48,5 LEVEL CM	807,6654 litre	42,494 %	1092,9982 litre	O
200	CM 55	CM	48 LEVEL CM	796,7486 litre	41,919 %	1103,9150 litre	O
200	CM 55	CM	47,5 LEVEL CM	785,8446 litre	41,346 %	1114,8190 litre	O
200	CM 55	CM	47 LEVEL CM	774,9544 litre	40,773 %	1125,7092 litre	O
200	CM 55	CM	46,5 LEVEL CM	764,0789 litre	40,201 %	1136,5847 litre	O
200	CM 55	CM	46 LEVEL CM	753,2190 litre	39,629 %	1147,4446 litre	O
200	CM 55	CM	45,5 LEVEL CM	742,3757 litre	39,059 %	1158,2879 litre	O
200	CM 55	CM	45 LEVEL CM	731,5500 litre	38,489 %	1169,1136 litre	O
200	CM 55	CM	44,5 LEVEL CM	720,7427 litre	37,921 %	1179,9209 litre	O
200	CM 55	CM	44 LEVEL CM	709,9549 litre	37,353 %	1190,7087 litre	O
200	CM 55	CM	43,5 LEVEL CM	699,1875 litre	36,786 %	1201,4761 litre	O
200	CM 55	CM	43 LEVEL CM	688,4415 litre	36,221 %	1212,2221 litre	O
200	CM 55	CM	42,5 LEVEL CM	677,7179 litre	35,657 %	1222,9457 litre	O
200	CM 55	CM	42 LEVEL CM	667,0176 litre	35,094 %	1233,6460 litre	O
200	CM 55	CM	41,5 LEVEL CM	656,3416 litre	34,532 %	1244,3220 litre	O
200	CM 55	CM	41 LEVEL CM	645,6909 litre	33,972 %	1254,9727 litre	O
200	CM 55	CM	40,5 LEVEL CM	635,0666 litre	33,413 %	1265,5970 litre	O
200	CM 55	CM	40 LEVEL CM	624,4696 litre	32,855 %	1276,1940 litre	O
200	CM 55	CM	39,5 LEVEL CM	613,9009 litre	32,299 %	1286,7627 litre	O
200	CM 55	CM	39 LEVEL CM	603,3616 litre	31,745 %	1297,3020 litre	O
200	CM 55	CM	38,5 LEVEL CM	592,8528 litre	31,192 %	1307,8108 litre	O
200	CM 55	CM	38 LEVEL CM	582,3753 litre	30,641 %	1318,2883 litre	O
200	CM 55	CM	37,5 LEVEL CM	571,9304 litre	30,091 %	1328,7332 litre	O
200	CM 55	CM	37 LEVEL CM	561,5190 litre	29,543 %	1339,1446 litre	O
200	CM 55	CM	36,5 LEVEL CM	551,1423 litre	28,997 %	1349,5213 litre	O
200	CM 55	CM	36 LEVEL CM	540,8013 litre	28,453 %	1359,8623 litre	O
200	CM 55	CM	35,5 LEVEL CM	530,4971 litre	27,911 %	1370,1665 litre	O
200	CM 55	CM	35 LEVEL CM	520,2308 litre	27,371 %	1380,4328 litre	O
200	CM 55	CM	34,5 LEVEL CM	510,0036 litre	26,833 %	1390,6600 litre	O
200	CM 55	CM	34 LEVEL CM	499,8165 litre	26,297 %	1400,8471 litre	O
200	CM 55	CM	33,5 LEVEL CM	489,6707 litre	25,763 %	1410,9929 litre	O
200	CM 55	CM	33 LEVEL CM	479,5674 litre	25,232 %	1421,0962 litre	O
200	CM 55	CM	32,5 LEVEL CM	469,5078 litre	24,702 %	1431,1558 litre	O
200	CM 55	CM	32 LEVEL CM	459,4930 litre	24,175 %	1441,1706 litre	O
200	CM 55	CM	31,5 LEVEL CM	449,5242 litre	23,651 %	1451,1394 litre	O

200	CM 55	CM	31 LEVEL CM	439,6027 litre	23,129 %	1461,0609 litre	O
200	CM 55	CM	30,5 LEVEL CM	429,7297 litre	22,609 %	1470,9339 litre	O
200	CM 55	CM	30 LEVEL CM	419,9064 litre	22,093 %	1480,7572 litre	O
200	CM 55	CM	29,5 LEVEL CM	410,1342 litre	21,578 %	1490,5294 litre	O
200	CM 55	CM	29 LEVEL CM	400,4143 litre	21,067 %	1500,2493 litre	O
200	CM 55	CM	28,5 LEVEL CM	390,7480 litre	20,559 %	1509,9156 litre	O
200	CM 55	CM	28 LEVEL CM	381,1367 litre	20,053 %	1519,5269 litre	O
200	CM 55	CM	27,5 LEVEL CM	371,5818 litre	19,550 %	1529,0818 litre	O
200	CM 55	CM	27 LEVEL CM	362,0847 litre	19,050 %	1538,5789 litre	O
200	CM 55	CM	26,5 LEVEL CM	352,6466 litre	18,554 %	1548,0170 litre	O
200	CM 55	CM	26 LEVEL CM	343,2692 litre	18,060 %	1557,3944 litre	O
200	CM 55	CM	25,5 LEVEL CM	333,9538 litre	17,570 %	1566,7098 litre	O
200	CM 55	CM	25 LEVEL CM	324,7020 litre	17,084 %	1575,9616 litre	O
200	CM 55	CM	24,5 LEVEL CM	315,5152 litre	16,600 %	1585,1484 litre	O
200	CM 55	CM	24 LEVEL CM	306,3951 litre	16,120 %	1594,2685 litre	O
200	CM 55	CM	23,5 LEVEL CM	297,3433 litre	15,644 %	1603,3203 litre	O
200	CM 55	CM	23 LEVEL CM	288,3613 litre	15,172 %	1612,3023 litre	O
200	CM 55	CM	22,5 LEVEL CM	279,4508 litre	14,703 %	1621,2128 litre	O
200	CM 55	CM	22 LEVEL CM	270,6136 litre	14,238 %	1630,0500 litre	O
200	CM 55	CM	21,5 LEVEL CM	261,8514 litre	13,777 %	1638,8122 litre	O
200	CM 55	CM	21 LEVEL CM	253,1660 litre	13,320 %	1647,4976 litre	O
200	CM 55	CM	20,5 LEVEL CM	244,5593 litre	12,867 %	1656,1043 litre	O
200	CM 55	CM	20 LEVEL CM	236,0331 litre	12,418 %	1664,6305 litre	O
200	CM 55	CM	19,5 LEVEL CM	227,5894 litre	11,974 %	1673,0742 litre	O
200	CM 55	CM	19 LEVEL CM	219,2302 litre	11,534 %	1681,4334 litre	O
200	CM 55	CM	18,5 LEVEL CM	210,9576 litre	11,099 %	1689,7060 litre	O
200	CM 55	CM	18 LEVEL CM	202,7737 litre	10,669 %	1697,8899 litre	O
200	CM 55	CM	17,5 LEVEL CM	194,6807 litre	10,243 %	1705,9829 litre	O
200	CM 55	CM	17 LEVEL CM	186,6810 litre	9,822 %	1713,9826 litre	O
200	CM 55	CM	16,5 LEVEL CM	178,7768 litre	9,406 %	1721,8868 litre	O
200	CM 55	CM	16 LEVEL CM	170,9707 litre	8,995 %	1729,6929 litre	O
200	CM 55	CM	15,5 LEVEL CM	163,2651 litre	8,590 %	1737,3985 litre	O
200	CM 55	CM	15 LEVEL CM	155,6627 litre	8,190 %	1745,0009 litre	O
200	CM 55	CM	14,5 LEVEL CM	148,1664 litre	7,796 %	1752,4972 litre	O
200	CM 55	CM	14 LEVEL CM	140,7788 litre	7,407 %	1759,8848 litre	O
200	CM 55	CM	13,5 LEVEL CM	133,5031 litre	7,024 %	1767,1605 litre	O
200	CM 55	CM	13 LEVEL CM	126,3424 litre	6,647 %	1774,3212 litre	O
200	CM 55	CM	12,5 LEVEL CM	119,3000 litre	6,277 %	1781,3636 litre	O
200	CM 55	CM	12 LEVEL CM	112,3794 litre	5,913 %	1788,2842 litre	O
200	CM 55	CM	11,5 LEVEL CM	105,5841 litre	5,555 %	1795,0795 litre	O
200	CM 55	CM	11 LEVEL CM	98,9182 litre	5,204 %	1801,7454 litre	O
200	CM 55	CM	10,5 LEVEL CM	92,3855 litre	4,861 %	1808,2781 litre	O
200	CM 55	CM	10 LEVEL CM	85,9906 litre	4,524 %	1814,6730 litre	O
200	CM 55	CM	9,5 LEVEL CM	79,7380 litre	4,195 %	1820,9256 litre	O
200	CM 55	CM	9 LEVEL CM	73,6327 litre	3,874 %	1827,0309 litre	O
200	CM 55	CM	8,5 LEVEL CM	67,6800 litre	3,561 %	1832,9836 litre	O
200	CM 55	CM	8 LEVEL CM	61,8857 litre	3,256 %	1838,7779 litre	O
200	CM 55	CM	7,5 LEVEL CM	56,2559 litre	2,960 %	1844,4077 litre	O
200	CM 55	CM	7 LEVEL CM	50,7975 litre	2,673 %	1849,8661 litre	O
200	CM 55	CM	6,5 LEVEL CM	45,5179 litre	2,395 %	1855,1457 litre	O
200	CM 55	CM	6 LEVEL CM	40,4254 litre	2,127 %	1860,2382 litre	O
200	CM 55	CM	5,5 LEVEL CM	35,5292 litre	1,869 %	1865,1344 litre	O
200	CM 55	CM	5 LEVEL CM	30,8395 litre	1,623 %	1869,8241 litre	O

200	CM	55	CM	4,5 LEVEL CM	26,3682 litre	1,387 %	1874,2954 litre	O
200	CM	55	CM	4 LEVEL CM	22,1289 litre	1,164 %	1878,5347 litre	O
200	CM	55	CM	3,5 LEVEL CM	18,1375 litre	0,954 %	1882,5261 litre	O
200	CM	55	CM	3 LEVEL CM	14,4132 litre	0,758 %	1886,2504 litre	O
200	CM	55	CM	2,5 LEVEL CM	10,9797 litre	0,578 %	1889,6839 litre	O
200	CM	55	CM	2 LEVEL CM	7,8673 litre	0,414 %	1892,7963 litre	O
200	CM	55	CM	1,5 LEVEL CM	5,1170 litre	0,269 %	1895,5466 litre	O
200	CM	55	CM	1 LEVEL CM	2,7892 litre	0,147 %	1897,8744 litre	O
200	CM	55	CM	0,5 LEVEL CM	0,9875 litre	0,052 %	1899,6761 litre	O
200	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	1900,6636 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
200	CM	50	CM	100 LEVEL CM	1570,7963 litre	100,000 %	0,0000 litre	O
200	CM	50	CM	99,5 LEVEL CM	1569,8549 litre	99,940 %	0,9414 litre	O
200	CM	50	CM	99 LEVEL CM	1568,1377 litre	99,831 %	2,6586 litre	O
200	CM	50	CM	98,5 LEVEL CM	1565,9195 litre	99,690 %	4,8768 litre	O
200	CM	50	CM	98 LEVEL CM	1563,2993 litre	99,523 %	7,4970 litre	O
200	CM	50	CM	97,5 LEVEL CM	1560,3348 litre	99,334 %	10,4615 litre	O
200	CM	50	CM	97 LEVEL CM	1557,0653 litre	99,126 %	13,7310 litre	O
200	CM	50	CM	96,5 LEVEL CM	1553,5198 litre	98,900 %	17,2765 litre	O
200	CM	50	CM	96 LEVEL CM	1549,7209 litre	98,658 %	21,0754 litre	O
200	CM	50	CM	95,5 LEVEL CM	1545,6869 litre	98,401 %	25,1094 litre	O
200	CM	50	CM	95 LEVEL CM	1541,4334 litre	98,131 %	29,3629 litre	O
200	CM	50	CM	94,5 LEVEL CM	1536,9732 litre	97,847 %	33,8231 litre	O
200	CM	50	CM	94 LEVEL CM	1532,3177 litre	97,550 %	38,4786 litre	O
200	CM	50	CM	93,5 LEVEL CM	1527,4768 litre	97,242 %	43,3195 litre	O
200	CM	50	CM	93 LEVEL CM	1522,4594 litre	96,923 %	48,3369 litre	O
200	CM	50	CM	92,5 LEVEL CM	1517,2735 litre	96,593 %	53,5228 litre	O
200	CM	50	CM	92 LEVEL CM	1511,9261 litre	96,252 %	58,8702 litre	O
200	CM	50	CM	91,5 LEVEL CM	1506,4238 litre	95,902 %	64,3725 litre	O
200	CM	50	CM	91 LEVEL CM	1500,7727 litre	95,542 %	70,0236 litre	O
200	CM	50	CM	90,5 LEVEL CM	1494,9783 litre	95,173 %	75,8180 litre	O
200	CM	50	CM	90 LEVEL CM	1489,0458 litre	94,796 %	81,7505 litre	O
200	CM	50	CM	89,5 LEVEL CM	1482,9799 litre	94,409 %	87,8164 litre	O
200	CM	50	CM	89 LEVEL CM	1476,7851 litre	94,015 %	94,0112 litre	O
200	CM	50	CM	88,5 LEVEL CM	1470,4656 litre	93,613 %	100,3307 litre	O
200	CM	50	CM	88 LEVEL CM	1464,0255 litre	93,203 %	106,7708 litre	O
200	CM	50	CM	87,5 LEVEL CM	1457,4684 litre	92,785 %	113,3279 litre	O
200	CM	50	CM	87 LEVEL CM	1450,7979 litre	92,361 %	119,9984 litre	O
200	CM	50	CM	86,5 LEVEL CM	1444,0173 litre	91,929 %	126,7790 litre	O
200	CM	50	CM	86 LEVEL CM	1437,1300 litre	91,491 %	133,6663 litre	O
200	CM	50	CM	85,5 LEVEL CM	1430,1389 litre	91,045 %	140,6574 litre	O
200	CM	50	CM	85 LEVEL CM	1423,0469 litre	90,594 %	147,7494 litre	O
200	CM	50	CM	84,5 LEVEL CM	1415,8569 litre	90,136 %	154,9394 litre	O
200	CM	50	CM	84 LEVEL CM	1408,5716 litre	89,672 %	162,2247 litre	O
200	CM	50	CM	83,5 LEVEL CM	1401,1935 litre	89,203 %	169,6028 litre	O
200	CM	50	CM	83 LEVEL CM	1393,7252 litre	88,727 %	177,0711 litre	O
200	CM	50	CM	82,5 LEVEL CM	1386,1690 litre	88,246 %	184,6273 litre	O
200	CM	50	CM	82 LEVEL CM	1378,5273 litre	87,760 %	192,2690 litre	O
200	CM	50	CM	81,5 LEVEL CM	1370,8022 litre	87,268 %	199,9941 litre	O
200	CM	50	CM	81 LEVEL CM	1362,9961 litre	86,771 %	207,8002 litre	O
200	CM	50	CM	80,5 LEVEL CM	1355,1109 litre	86,269 %	215,6854 litre	O
200	CM	50	CM	80 LEVEL CM	1347,1487 litre	85,762 %	223,6476 litre	O
200	CM	50	CM	79,5 LEVEL CM	1339,1115 litre	85,250 %	231,6848 litre	O
200	CM	50	CM	79 LEVEL CM	1331,0013 litre	84,734 %	239,7950 litre	O
200	CM	50	CM	78,5 LEVEL CM	1322,8198 litre	84,213 %	247,9765 litre	O
200	CM	50	CM	78 LEVEL CM	1314,5690 litre	83,688 %	256,2273 litre	O
200	CM	50	CM	77,5 LEVEL CM	1306,2506 litre	83,158 %	264,5457 litre	O
200	CM	50	CM	77 LEVEL CM	1297,8663 litre	82,625 %	272,9300 litre	O
200	CM	50	CM	76,5 LEVEL CM	1289,4178 litre	82,087 %	281,3785 litre	O
200	CM	50	CM	76 LEVEL CM	1280,9069 litre	81,545 %	289,8894 litre	O
200	CM	50	CM	75,5 LEVEL CM	1272,3350 litre	80,999 %	298,4613 litre	O
200	CM	50	CM	75 LEVEL CM	1263,7039 litre	80,450 %	307,0924 litre	O
200	CM	50	CM	74,5 LEVEL CM	1255,0150 litre	79,897 %	315,7813 litre	O

200	CM	50	CM	74 LEVEL CM	1246,2700 litre	79,340 %	324,5263 litre	O
200	CM	50	CM	73,5 LEVEL CM	1237,4702 litre	78,780 %	333,3261 litre	O
200	CM	50	CM	73 LEVEL CM	1228,6171 litre	78,216 %	342,1792 litre	O
200	CM	50	CM	72,5 LEVEL CM	1219,7123 litre	77,649 %	351,0840 litre	O
200	CM	50	CM	72 LEVEL CM	1210,7570 litre	77,079 %	360,0393 litre	O
200	CM	50	CM	71,5 LEVEL CM	1201,7528 litre	76,506 %	369,0435 litre	O
200	CM	50	CM	71 LEVEL CM	1192,7009 litre	75,930 %	378,0954 litre	O
200	CM	50	CM	70,5 LEVEL CM	1183,6027 litre	75,350 %	387,1936 litre	O
200	CM	50	CM	70 LEVEL CM	1174,4596 litre	74,768 %	396,3367 litre	O
200	CM	50	CM	69,5 LEVEL CM	1165,2729 litre	74,184 %	405,5234 litre	O
200	CM	50	CM	69 LEVEL CM	1156,0437 litre	73,596 %	414,7526 litre	O
200	CM	50	CM	68,5 LEVEL CM	1146,7735 litre	73,006 %	424,0228 litre	O
200	CM	50	CM	68 LEVEL CM	1137,4635 litre	72,413 %	433,3328 litre	O
200	CM	50	CM	67,5 LEVEL CM	1128,1149 litre	71,818 %	442,6814 litre	O
200	CM	50	CM	67 LEVEL CM	1118,7289 litre	71,220 %	452,0674 litre	O
200	CM	50	CM	66,5 LEVEL CM	1109,3068 litre	70,621 %	461,4895 litre	O
200	CM	50	CM	66 LEVEL CM	1099,8497 litre	70,019 %	470,9466 litre	O
200	CM	50	CM	65,5 LEVEL CM	1090,3588 litre	69,414 %	480,4375 litre	O
200	CM	50	CM	65 LEVEL CM	1080,8354 litre	68,808 %	489,9609 litre	O
200	CM	50	CM	64,5 LEVEL CM	1071,2804 litre	68,200 %	499,5159 litre	O
200	CM	50	CM	64 LEVEL CM	1061,6952 litre	67,590 %	509,1011 litre	O
200	CM	50	CM	63,5 LEVEL CM	1052,0808 litre	66,978 %	518,7155 litre	O
200	CM	50	CM	63 LEVEL CM	1042,4384 litre	66,364 %	528,3579 litre	O
200	CM	50	CM	62,5 LEVEL CM	1032,7690 litre	65,748 %	538,0273 litre	O
200	CM	50	CM	62 LEVEL CM	1023,0738 litre	65,131 %	547,7225 litre	O
200	CM	50	CM	61,5 LEVEL CM	1013,3539 litre	64,512 %	557,4424 litre	O
200	CM	50	CM	61 LEVEL CM	1003,6104 litre	63,892 %	567,1859 litre	O
200	CM	50	CM	60,5 LEVEL CM	993,8443 litre	63,270 %	576,9520 litre	O
200	CM	50	CM	60 LEVEL CM	984,0567 litre	62,647 %	586,7396 litre	O
200	CM	50	CM	59,5 LEVEL CM	974,2487 litre	62,023 %	596,5476 litre	O
200	CM	50	CM	59 LEVEL CM	964,4214 litre	61,397 %	606,3749 litre	O
200	CM	50	CM	58,5 LEVEL CM	954,5757 litre	60,770 %	616,2206 litre	O
200	CM	50	CM	58 LEVEL CM	944,7129 litre	60,142 %	626,0834 litre	O
200	CM	50	CM	57,5 LEVEL CM	934,8337 litre	59,513 %	635,9626 litre	O
200	CM	50	CM	57 LEVEL CM	924,9395 litre	58,883 %	645,8568 litre	O
200	CM	50	CM	56,5 LEVEL CM	915,0311 litre	58,253 %	655,7652 litre	O
200	CM	50	CM	56 LEVEL CM	905,1095 litre	57,621 %	665,6868 litre	O
200	CM	50	CM	55,5 LEVEL CM	895,1759 litre	56,989 %	675,6204 litre	O
200	CM	50	CM	55 LEVEL CM	885,2312 litre	56,356 %	685,5651 litre	O
200	CM	50	CM	54,5 LEVEL CM	875,2765 litre	55,722 %	695,5198 litre	O
200	CM	50	CM	54 LEVEL CM	865,3127 litre	55,088 %	705,4836 litre	O
200	CM	50	CM	53,5 LEVEL CM	855,3410 litre	54,453 %	715,4553 litre	O
200	CM	50	CM	53 LEVEL CM	845,3621 litre	53,817 %	725,4342 litre	O
200	CM	50	CM	52,5 LEVEL CM	835,3773 litre	53,182 %	735,4190 litre	O
200	CM	50	CM	52 LEVEL CM	825,3875 litre	52,546 %	745,4088 litre	O
200	CM	50	CM	51,5 LEVEL CM	815,3937 litre	51,910 %	755,4026 litre	O
200	CM	50	CM	51 LEVEL CM	805,3968 litre	51,273 %	765,3995 litre	O
200	CM	50	CM	50,5 LEVEL CM	795,3980 litre	50,637 %	775,3983 litre	O
200	CM	50	CM	50 LEVEL CM	785,3982 litre	50,000 %	785,3981 litre	O
200	CM	50	CM	49,5 LEVEL CM	775,3983 litre	49,363 %	795,3980 litre	O
200	CM	50	CM	49 LEVEL CM	765,3995 litre	48,727 %	805,3968 litre	O
200	CM	50	CM	48,5 LEVEL CM	755,4027 litre	48,090 %	815,3936 litre	O
200	CM	50	CM	48 LEVEL CM	745,4088 litre	47,454 %	825,3875 litre	O

200	CM	50	CM	47,5 LEVEL CM	735,4190 litre	46,818 %	835,3773 litre	O
200	CM	50	CM	47 LEVEL CM	725,4342 litre	46,183 %	845,3621 litre	O
200	CM	50	CM	46,5 LEVEL CM	715,4554 litre	45,547 %	855,3409 litre	O
200	CM	50	CM	46 LEVEL CM	705,4836 litre	44,912 %	865,3127 litre	O
200	CM	50	CM	45,5 LEVEL CM	695,5198 litre	44,278 %	875,2765 litre	O
200	CM	50	CM	45 LEVEL CM	685,5651 litre	43,644 %	885,2312 litre	O
200	CM	50	CM	44,5 LEVEL CM	675,6204 litre	43,011 %	895,1759 litre	O
200	CM	50	CM	44 LEVEL CM	665,6868 litre	42,379 %	905,1095 litre	O
200	CM	50	CM	43,5 LEVEL CM	655,7653 litre	41,747 %	915,0310 litre	O
200	CM	50	CM	43 LEVEL CM	645,8569 litre	41,117 %	924,9394 litre	O
200	CM	50	CM	42,5 LEVEL CM	635,9626 litre	40,487 %	934,8337 litre	O
200	CM	50	CM	42 LEVEL CM	626,0835 litre	39,858 %	944,7128 litre	O
200	CM	50	CM	41,5 LEVEL CM	616,2206 litre	39,230 %	954,5757 litre	O
200	CM	50	CM	41 LEVEL CM	606,3749 litre	38,603 %	964,4214 litre	O
200	CM	50	CM	40,5 LEVEL CM	596,5476 litre	37,977 %	974,2487 litre	O
200	CM	50	CM	40 LEVEL CM	586,7396 litre	37,353 %	984,0567 litre	O
200	CM	50	CM	39,5 LEVEL CM	576,9520 litre	36,730 %	993,8443 litre	O
200	CM	50	CM	39 LEVEL CM	567,1859 litre	36,108 %	1003,6104 litre	O
200	CM	50	CM	38,5 LEVEL CM	557,4424 litre	35,488 %	1013,3539 litre	O
200	CM	50	CM	38 LEVEL CM	547,7225 litre	34,869 %	1023,0738 litre	O
200	CM	50	CM	37,5 LEVEL CM	538,0273 litre	34,252 %	1032,7690 litre	O
200	CM	50	CM	37 LEVEL CM	528,3579 litre	33,636 %	1042,4384 litre	O
200	CM	50	CM	36,5 LEVEL CM	518,7155 litre	33,022 %	1052,0808 litre	O
200	CM	50	CM	36 LEVEL CM	509,1011 litre	32,410 %	1061,6952 litre	O
200	CM	50	CM	35,5 LEVEL CM	499,5159 litre	31,800 %	1071,2804 litre	O
200	CM	50	CM	35 LEVEL CM	489,9610 litre	31,192 %	1080,8353 litre	O
200	CM	50	CM	34,5 LEVEL CM	480,4375 litre	30,586 %	1090,3588 litre	O
200	CM	50	CM	34 LEVEL CM	470,9466 litre	29,981 %	1099,8497 litre	O
200	CM	50	CM	33,5 LEVEL CM	461,4895 litre	29,379 %	1109,3068 litre	O
200	CM	50	CM	33 LEVEL CM	452,0674 litre	28,780 %	1118,7289 litre	O
200	CM	50	CM	32,5 LEVEL CM	442,6814 litre	28,182 %	1128,1149 litre	O
200	CM	50	CM	32 LEVEL CM	433,3328 litre	27,587 %	1137,4635 litre	O
200	CM	50	CM	31,5 LEVEL CM	424,0228 litre	26,994 %	1146,7735 litre	O
200	CM	50	CM	31 LEVEL CM	414,7526 litre	26,404 %	1156,0437 litre	O
200	CM	50	CM	30,5 LEVEL CM	405,5235 litre	25,816 %	1165,2728 litre	O
200	CM	50	CM	30 LEVEL CM	396,3367 litre	25,232 %	1174,4596 litre	O
200	CM	50	CM	29,5 LEVEL CM	387,1936 litre	24,650 %	1183,6027 litre	O
200	CM	50	CM	29 LEVEL CM	378,0954 litre	24,070 %	1192,7009 litre	O
200	CM	50	CM	28,5 LEVEL CM	369,0436 litre	23,494 %	1201,7527 litre	O
200	CM	50	CM	28 LEVEL CM	360,0393 litre	22,921 %	1210,7570 litre	O
200	CM	50	CM	27,5 LEVEL CM	351,0841 litre	22,351 %	1219,7122 litre	O
200	CM	50	CM	27 LEVEL CM	342,1792 litre	21,784 %	1228,6171 litre	O
200	CM	50	CM	26,5 LEVEL CM	333,3262 litre	21,220 %	1237,4701 litre	O
200	CM	50	CM	26 LEVEL CM	324,5264 litre	20,660 %	1246,2699 litre	O
200	CM	50	CM	25,5 LEVEL CM	315,7813 litre	20,103 %	1255,0150 litre	O
200	CM	50	CM	25 LEVEL CM	307,0924 litre	19,550 %	1263,7039 litre	O
200	CM	50	CM	24,5 LEVEL CM	298,4613 litre	19,001 %	1272,3350 litre	O
200	CM	50	CM	24 LEVEL CM	289,8895 litre	18,455 %	1280,9068 litre	O
200	CM	50	CM	23,5 LEVEL CM	281,3785 litre	17,913 %	1289,4178 litre	O
200	CM	50	CM	23 LEVEL CM	272,9301 litre	17,375 %	1297,8662 litre	O
200	CM	50	CM	22,5 LEVEL CM	264,5458 litre	16,842 %	1306,2505 litre	O
200	CM	50	CM	22 LEVEL CM	256,2273 litre	16,312 %	1314,5690 litre	O
200	CM	50	CM	21,5 LEVEL CM	247,9765 litre	15,787 %	1322,8198 litre	O

200	CM	50	CM	21 LEVEL CM	239,7950 litre	15,266 %	1331,0013 litre	O
200	CM	50	CM	20,5 LEVEL CM	231,6848 litre	14,750 %	1339,1115 litre	O
200	CM	50	CM	20 LEVEL CM	223,6476 litre	14,238 %	1347,1487 litre	O
200	CM	50	CM	19,5 LEVEL CM	215,6854 litre	13,731 %	1355,1109 litre	O
200	CM	50	CM	19 LEVEL CM	207,8003 litre	13,229 %	1362,9960 litre	O
200	CM	50	CM	18,5 LEVEL CM	199,9941 litre	12,732 %	1370,8022 litre	O
200	CM	50	CM	18 LEVEL CM	192,2691 litre	12,240 %	1378,5272 litre	O
200	CM	50	CM	17,5 LEVEL CM	184,6273 litre	11,754 %	1386,1690 litre	O
200	CM	50	CM	17 LEVEL CM	177,0711 litre	11,273 %	1393,7252 litre	O
200	CM	50	CM	16,5 LEVEL CM	169,6028 litre	10,797 %	1401,1935 litre	O
200	CM	50	CM	16 LEVEL CM	162,2247 litre	10,328 %	1408,5716 litre	O
200	CM	50	CM	15,5 LEVEL CM	154,9394 litre	9,864 %	1415,8569 litre	O
200	CM	50	CM	15 LEVEL CM	147,7494 litre	9,406 %	1423,0469 litre	O
200	CM	50	CM	14,5 LEVEL CM	140,6575 litre	8,955 %	1430,1388 litre	O
200	CM	50	CM	14 LEVEL CM	133,6663 litre	8,509 %	1437,1300 litre	O
200	CM	50	CM	13,5 LEVEL CM	126,7790 litre	8,071 %	1444,0173 litre	O
200	CM	50	CM	13 LEVEL CM	119,9984 litre	7,639 %	1450,7979 litre	O
200	CM	50	CM	12,5 LEVEL CM	113,3279 litre	7,215 %	1457,4684 litre	O
200	CM	50	CM	12 LEVEL CM	106,7708 litre	6,797 %	1464,0255 litre	O
200	CM	50	CM	11,5 LEVEL CM	100,3307 litre	6,387 %	1470,4656 litre	O
200	CM	50	CM	11 LEVEL CM	94,0112 litre	5,985 %	1476,7851 litre	O
200	CM	50	CM	10,5 LEVEL CM	87,8165 litre	5,591 %	1482,9798 litre	O
200	CM	50	CM	10 LEVEL CM	81,7506 litre	5,204 %	1489,0457 litre	O
200	CM	50	CM	9,5 LEVEL CM	75,8180 litre	4,827 %	1494,9783 litre	O
200	CM	50	CM	9 LEVEL CM	70,0236 litre	4,458 %	1500,7727 litre	O
200	CM	50	CM	8,5 LEVEL CM	64,3725 litre	4,098 %	1506,4238 litre	O
200	CM	50	CM	8 LEVEL CM	58,8703 litre	3,748 %	1511,9260 litre	O
200	CM	50	CM	7,5 LEVEL CM	53,5229 litre	3,407 %	1517,2734 litre	O
200	CM	50	CM	7 LEVEL CM	48,3369 litre	3,077 %	1522,4594 litre	O
200	CM	50	CM	6,5 LEVEL CM	43,3195 litre	2,758 %	1527,4768 litre	O
200	CM	50	CM	6 LEVEL CM	38,4786 litre	2,450 %	1532,3177 litre	O
200	CM	50	CM	5,5 LEVEL CM	33,8231 litre	2,153 %	1536,9732 litre	O
200	CM	50	CM	5 LEVEL CM	29,3630 litre	1,869 %	1541,4333 litre	O
200	CM	50	CM	4,5 LEVEL CM	25,1094 litre	1,599 %	1545,6869 litre	O
200	CM	50	CM	4 LEVEL CM	21,0755 litre	1,342 %	1549,7208 litre	O
200	CM	50	CM	3,5 LEVEL CM	17,2766 litre	1,100 %	1553,5197 litre	O
200	CM	50	CM	3 LEVEL CM	13,7310 litre	0,874 %	1557,0653 litre	O
200	CM	50	CM	2,5 LEVEL CM	10,4615 litre	0,666 %	1560,3348 litre	O
200	CM	50	CM	2 LEVEL CM	7,4971 litre	0,477 %	1563,2992 litre	O
200	CM	50	CM	1,5 LEVEL CM	4,8769 litre	0,310 %	1565,9194 litre	O
200	CM	50	CM	1 LEVEL CM	2,6587 litre	0,169 %	1568,1376 litre	O
200	CM	50	CM	0,5 LEVEL CM	0,9414 litre	0,060 %	1569,8549 litre	O
200	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1570,7963 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM 45	CM 90 LEVEL CM	1272,3450 litre	100,000 %	0,0000 litre	O
200	CM 45	CM 89,5 LEVEL CM	1271,4521 litre	99,930 %	0,8929 litre	O
200	CM 45	CM 89 LEVEL CM	1269,8237 litre	99,802 %	2,5213 litre	O
200	CM 45	CM 88,5 LEVEL CM	1267,7208 litre	99,637 %	4,6242 litre	O
200	CM 45	CM 88 LEVEL CM	1265,2375 litre	99,441 %	7,1075 litre	O
200	CM 45	CM 87,5 LEVEL CM	1262,4288 litre	99,221 %	9,9162 litre	O
200	CM 45	CM 87 LEVEL CM	1259,3319 litre	98,977 %	13,0131 litre	O
200	CM 45	CM 86,5 LEVEL CM	1255,9746 litre	98,713 %	16,3704 litre	O
200	CM 45	CM 86 LEVEL CM	1252,3785 litre	98,431 %	19,9665 litre	O
200	CM 45	CM 85,5 LEVEL CM	1248,5610 litre	98,131 %	23,7840 litre	O
200	CM 45	CM 85 LEVEL CM	1244,5369 litre	97,814 %	27,8081 litre	O
200	CM 45	CM 84,5 LEVEL CM	1240,3187 litre	97,483 %	32,0263 litre	O
200	CM 45	CM 84 LEVEL CM	1235,9171 litre	97,137 %	36,4279 litre	O
200	CM 45	CM 83,5 LEVEL CM	1231,3417 litre	96,777 %	41,0033 litre	O
200	CM 45	CM 83 LEVEL CM	1226,6010 litre	96,405 %	45,7440 litre	O
200	CM 45	CM 82,5 LEVEL CM	1221,7025 litre	96,020 %	50,6425 litre	O
200	CM 45	CM 82 LEVEL CM	1216,6533 litre	95,623 %	55,6917 litre	O
200	CM 45	CM 81,5 LEVEL CM	1211,4595 litre	95,215 %	60,8855 litre	O
200	CM 45	CM 81 LEVEL CM	1206,1271 litre	94,796 %	66,2179 litre	O
200	CM 45	CM 80,5 LEVEL CM	1200,6613 litre	94,366 %	71,6837 litre	O
200	CM 45	CM 80 LEVEL CM	1195,0670 litre	93,926 %	77,2780 litre	O
200	CM 45	CM 79,5 LEVEL CM	1189,3490 litre	93,477 %	82,9960 litre	O
200	CM 45	CM 79 LEVEL CM	1183,5116 litre	93,018 %	88,8334 litre	O
200	CM 45	CM 78,5 LEVEL CM	1177,5588 litre	92,550 %	94,7862 litre	O
200	CM 45	CM 78 LEVEL CM	1171,4945 litre	92,074 %	100,8505 litre	O
200	CM 45	CM 77,5 LEVEL CM	1165,3224 litre	91,589 %	107,0226 litre	O
200	CM 45	CM 77 LEVEL CM	1159,0458 litre	91,095 %	113,2992 litre	O
200	CM 45	CM 76,5 LEVEL CM	1152,6680 litre	90,594 %	119,6770 litre	O
200	CM 45	CM 76 LEVEL CM	1146,1922 litre	90,085 %	126,1528 litre	O
200	CM 45	CM 75,5 LEVEL CM	1139,6214 litre	89,569 %	132,7236 litre	O
200	CM 45	CM 75 LEVEL CM	1132,9583 litre	89,045 %	139,3867 litre	O
200	CM 45	CM 74,5 LEVEL CM	1126,2058 litre	88,514 %	146,1392 litre	O
200	CM 45	CM 74 LEVEL CM	1119,3665 litre	87,977 %	152,9785 litre	O
200	CM 45	CM 73,5 LEVEL CM	1112,4430 litre	87,432 %	159,9020 litre	O
200	CM 45	CM 73 LEVEL CM	1105,4375 litre	86,882 %	166,9075 litre	O
200	CM 45	CM 72,5 LEVEL CM	1098,3526 litre	86,325 %	173,9924 litre	O
200	CM 45	CM 72 LEVEL CM	1091,1905 litre	85,762 %	181,1545 litre	O
200	CM 45	CM 71,5 LEVEL CM	1083,9533 litre	85,193 %	188,3917 litre	O
200	CM 45	CM 71 LEVEL CM	1076,6433 litre	84,619 %	195,7017 litre	O
200	CM 45	CM 70,5 LEVEL CM	1069,2625 litre	84,039 %	203,0825 litre	O
200	CM 45	CM 70 LEVEL CM	1061,8129 litre	83,453 %	210,5321 litre	O
200	CM 45	CM 69,5 LEVEL CM	1054,2965 litre	82,862 %	218,0485 litre	O
200	CM 45	CM 69 LEVEL CM	1046,7152 litre	82,267 %	225,6298 litre	O
200	CM 45	CM 68,5 LEVEL CM	1039,0708 litre	81,666 %	233,2742 litre	O
200	CM 45	CM 68 LEVEL CM	1031,3652 litre	81,060 %	240,9798 litre	O
200	CM 45	CM 67,5 LEVEL CM	1023,6002 litre	80,450 %	248,7448 litre	O
200	CM 45	CM 67 LEVEL CM	1015,7773 litre	79,835 %	256,5677 litre	O
200	CM 45	CM 66,5 LEVEL CM	1007,8985 litre	79,216 %	264,4465 litre	O
200	CM 45	CM 66 LEVEL CM	999,9652 litre	78,592 %	272,3798 litre	O
200	CM 45	CM 65,5 LEVEL CM	991,9792 litre	77,965 %	280,3658 litre	O
200	CM 45	CM 65 LEVEL CM	983,9420 litre	77,333 %	288,4030 litre	O
200	CM 45	CM 64,5 LEVEL CM	975,8552 litre	76,697 %	296,4898 litre	O

200	CM	45	CM	64 LEVEL CM	967,7203 litre	76,058 %	304,6247 litre	O
200	CM	45	CM	63,5 LEVEL CM	959,5389 litre	75,415 %	312,8061 litre	O
200	CM	45	CM	63 LEVEL CM	951,3123 litre	74,768 %	321,0327 litre	O
200	CM	45	CM	62,5 LEVEL CM	943,0421 litre	74,118 %	329,3029 litre	O
200	CM	45	CM	62 LEVEL CM	934,7296 litre	73,465 %	337,6154 litre	O
200	CM	45	CM	61,5 LEVEL CM	926,3764 litre	72,809 %	345,9686 litre	O
200	CM	45	CM	61 LEVEL CM	917,9838 litre	72,149 %	354,3612 litre	O
200	CM	45	CM	60,5 LEVEL CM	909,5531 litre	71,486 %	362,7919 litre	O
200	CM	45	CM	60 LEVEL CM	901,0857 litre	70,821 %	371,2593 litre	O
200	CM	45	CM	59,5 LEVEL CM	892,5829 litre	70,153 %	379,7621 litre	O
200	CM	45	CM	59 LEVEL CM	884,0462 litre	69,482 %	388,2988 litre	O
200	CM	45	CM	58,5 LEVEL CM	875,4767 litre	68,808 %	396,8683 litre	O
200	CM	45	CM	58 LEVEL CM	866,8757 litre	68,132 %	405,4693 litre	O
200	CM	45	CM	57,5 LEVEL CM	858,2445 litre	67,454 %	414,1005 litre	O
200	CM	45	CM	57 LEVEL CM	849,5845 litre	66,773 %	422,7605 litre	O
200	CM	45	CM	56,5 LEVEL CM	840,8968 litre	66,090 %	431,4482 litre	O
200	CM	45	CM	56 LEVEL CM	832,1826 litre	65,405 %	440,1624 litre	O
200	CM	45	CM	55,5 LEVEL CM	823,4432 litre	64,719 %	448,9018 litre	O
200	CM	45	CM	55 LEVEL CM	814,6799 litre	64,030 %	457,6651 litre	O
200	CM	45	CM	54,5 LEVEL CM	805,8937 litre	63,339 %	466,4513 litre	O
200	CM	45	CM	54 LEVEL CM	797,0859 litre	62,647 %	475,2591 litre	O
200	CM	45	CM	53,5 LEVEL CM	788,2578 litre	61,953 %	484,0872 litre	O
200	CM	45	CM	53 LEVEL CM	779,4104 litre	61,258 %	492,9346 litre	O
200	CM	45	CM	52,5 LEVEL CM	770,5449 litre	60,561 %	501,8001 litre	O
200	CM	45	CM	52 LEVEL CM	761,6625 litre	59,863 %	510,6825 litre	O
200	CM	45	CM	51,5 LEVEL CM	752,7644 litre	59,164 %	519,5806 litre	O
200	CM	45	CM	51 LEVEL CM	743,8517 litre	58,463 %	528,4933 litre	O
200	CM	45	CM	50,5 LEVEL CM	734,9255 litre	57,761 %	537,4195 litre	O
200	CM	45	CM	50 LEVEL CM	725,9870 litre	57,059 %	546,3580 litre	O
200	CM	45	CM	49,5 LEVEL CM	717,0373 litre	56,356 %	555,3077 litre	O
200	CM	45	CM	49 LEVEL CM	708,0776 litre	55,651 %	564,2674 litre	O
200	CM	45	CM	48,5 LEVEL CM	699,1089 litre	54,946 %	573,2361 litre	O
200	CM	45	CM	48 LEVEL CM	690,1325 litre	54,241 %	582,2125 litre	O
200	CM	45	CM	47,5 LEVEL CM	681,1494 litre	53,535 %	591,1956 litre	O
200	CM	45	CM	47 LEVEL CM	672,1607 litre	52,828 %	600,1843 litre	O
200	CM	45	CM	46,5 LEVEL CM	663,1675 litre	52,122 %	609,1775 litre	O
200	CM	45	CM	46 LEVEL CM	654,1710 litre	51,415 %	618,1740 litre	O
200	CM	45	CM	45,5 LEVEL CM	645,1723 litre	50,707 %	627,1727 litre	O
200	CM	45	CM	45 LEVEL CM	636,1725 litre	50,000 %	636,1725 litre	O
200	CM	45	CM	44,5 LEVEL CM	627,1727 litre	49,293 %	645,1723 litre	O
200	CM	45	CM	44 LEVEL CM	618,1740 litre	48,585 %	654,1710 litre	O
200	CM	45	CM	43,5 LEVEL CM	609,1775 litre	47,878 %	663,1675 litre	O
200	CM	45	CM	43 LEVEL CM	600,1844 litre	47,172 %	672,1606 litre	O
200	CM	45	CM	42,5 LEVEL CM	591,1957 litre	46,465 %	681,1493 litre	O
200	CM	45	CM	42 LEVEL CM	582,2125 litre	45,759 %	690,1325 litre	O
200	CM	45	CM	41,5 LEVEL CM	573,2361 litre	45,054 %	699,1089 litre	O
200	CM	45	CM	41 LEVEL CM	564,2674 litre	44,349 %	708,0776 litre	O
200	CM	45	CM	40,5 LEVEL CM	555,3077 litre	43,644 %	717,0373 litre	O
200	CM	45	CM	40 LEVEL CM	546,3580 litre	42,941 %	725,9870 litre	O
200	CM	45	CM	39,5 LEVEL CM	537,4195 litre	42,239 %	734,9255 litre	O
200	CM	45	CM	39 LEVEL CM	528,4934 litre	41,537 %	743,8516 litre	O
200	CM	45	CM	38,5 LEVEL CM	519,5806 litre	40,836 %	752,7644 litre	O
200	CM	45	CM	38 LEVEL CM	510,6825 litre	40,137 %	761,6625 litre	O

200	CM	45	CM	37,5 LEVEL CM	501,8001 litre	39,439 %	770,5449 litre	O
200	CM	45	CM	37 LEVEL CM	492,9347 litre	38,742 %	779,4103 litre	O
200	CM	45	CM	36,5 LEVEL CM	484,0873 litre	38,047 %	788,2577 litre	O
200	CM	45	CM	36 LEVEL CM	475,2591 litre	37,353 %	797,0859 litre	O
200	CM	45	CM	35,5 LEVEL CM	466,4513 litre	36,661 %	805,8937 litre	O
200	CM	45	CM	35 LEVEL CM	457,6652 litre	35,970 %	814,6798 litre	O
200	CM	45	CM	34,5 LEVEL CM	448,9018 litre	35,281 %	823,4432 litre	O
200	CM	45	CM	34 LEVEL CM	440,1624 litre	34,595 %	832,1826 litre	O
200	CM	45	CM	33,5 LEVEL CM	431,4483 litre	33,910 %	840,8967 litre	O
200	CM	45	CM	33 LEVEL CM	422,7605 litre	33,227 %	849,5845 litre	O
200	CM	45	CM	32,5 LEVEL CM	414,1005 litre	32,546 %	858,2445 litre	O
200	CM	45	CM	32 LEVEL CM	405,4693 litre	31,868 %	866,8757 litre	O
200	CM	45	CM	31,5 LEVEL CM	396,8684 litre	31,192 %	875,4766 litre	O
200	CM	45	CM	31 LEVEL CM	388,2989 litre	30,518 %	884,0461 litre	O
200	CM	45	CM	30,5 LEVEL CM	379,7621 litre	29,847 %	892,5829 litre	O
200	CM	45	CM	30 LEVEL CM	371,2593 litre	29,179 %	901,0857 litre	O
200	CM	45	CM	29,5 LEVEL CM	362,7920 litre	28,514 %	909,5530 litre	O
200	CM	45	CM	29 LEVEL CM	354,3613 litre	27,851 %	917,9837 litre	O
200	CM	45	CM	28,5 LEVEL CM	345,9686 litre	27,191 %	926,3764 litre	O
200	CM	45	CM	28 LEVEL CM	337,6154 litre	26,535 %	934,7296 litre	O
200	CM	45	CM	27,5 LEVEL CM	329,3030 litre	25,882 %	943,0420 litre	O
200	CM	45	CM	27 LEVEL CM	321,0327 litre	25,232 %	951,3123 litre	O
200	CM	45	CM	26,5 LEVEL CM	312,8062 litre	24,585 %	959,5388 litre	O
200	CM	45	CM	26 LEVEL CM	304,6247 litre	23,942 %	967,7203 litre	O
200	CM	45	CM	25,5 LEVEL CM	296,4898 litre	23,303 %	975,8552 litre	O
200	CM	45	CM	25 LEVEL CM	288,4030 litre	22,667 %	983,9420 litre	O
200	CM	45	CM	24,5 LEVEL CM	280,3658 litre	22,035 %	991,9792 litre	O
200	CM	45	CM	24 LEVEL CM	272,3798 litre	21,408 %	999,9652 litre	O
200	CM	45	CM	23,5 LEVEL CM	264,4465 litre	20,784 %	1007,8985 litre	O
200	CM	45	CM	23 LEVEL CM	256,5677 litre	20,165 %	1015,7773 litre	O
200	CM	45	CM	22,5 LEVEL CM	248,7449 litre	19,550 %	1023,6001 litre	O
200	CM	45	CM	22 LEVEL CM	240,9798 litre	18,940 %	1031,3652 litre	O
200	CM	45	CM	21,5 LEVEL CM	233,2742 litre	18,334 %	1039,0708 litre	O
200	CM	45	CM	21 LEVEL CM	225,6298 litre	17,733 %	1046,7152 litre	O
200	CM	45	CM	20,5 LEVEL CM	218,0485 litre	17,138 %	1054,2965 litre	O
200	CM	45	CM	20 LEVEL CM	210,5321 litre	16,547 %	1061,8129 litre	O
200	CM	45	CM	19,5 LEVEL CM	203,0825 litre	15,961 %	1069,2625 litre	O
200	CM	45	CM	19 LEVEL CM	195,7017 litre	15,381 %	1076,6433 litre	O
200	CM	45	CM	18,5 LEVEL CM	188,3917 litre	14,807 %	1083,9533 litre	O
200	CM	45	CM	18 LEVEL CM	181,1546 litre	14,238 %	1091,1904 litre	O
200	CM	45	CM	17,5 LEVEL CM	173,9924 litre	13,675 %	1098,3526 litre	O
200	CM	45	CM	17 LEVEL CM	166,9075 litre	13,118 %	1105,4375 litre	O
200	CM	45	CM	16,5 LEVEL CM	159,9021 litre	12,568 %	1112,4429 litre	O
200	CM	45	CM	16 LEVEL CM	152,9785 litre	12,023 %	1119,3665 litre	O
200	CM	45	CM	15,5 LEVEL CM	146,1392 litre	11,486 %	1126,2058 litre	O
200	CM	45	CM	15 LEVEL CM	139,3867 litre	10,955 %	1132,9583 litre	O
200	CM	45	CM	14,5 LEVEL CM	132,7237 litre	10,431 %	1139,6213 litre	O
200	CM	45	CM	14 LEVEL CM	126,1528 litre	9,915 %	1146,1922 litre	O
200	CM	45	CM	13,5 LEVEL CM	119,6770 litre	9,406 %	1152,6680 litre	O
200	CM	45	CM	13 LEVEL CM	113,2993 litre	8,905 %	1159,0457 litre	O
200	CM	45	CM	12,5 LEVEL CM	107,0227 litre	8,411 %	1165,3223 litre	O
200	CM	45	CM	12 LEVEL CM	100,8505 litre	7,926 %	1171,4945 litre	O
200	CM	45	CM	11,5 LEVEL CM	94,7862 litre	7,450 %	1177,5588 litre	O

200	CM 45	CM	11 LEVEL CM	88,8334 litre	6,982 %	1183,5116 litre	O
200	CM 45	CM	10,5 LEVEL CM	82,9960 litre	6,523 %	1189,3490 litre	O
200	CM 45	CM	10 LEVEL CM	77,2780 litre	6,074 %	1195,0670 litre	O
200	CM 45	CM	9,5 LEVEL CM	71,6838 litre	5,634 %	1200,6612 litre	O
200	CM 45	CM	9 LEVEL CM	66,2179 litre	5,204 %	1206,1271 litre	O
200	CM 45	CM	8,5 LEVEL CM	60,8855 litre	4,785 %	1211,4595 litre	O
200	CM 45	CM	8 LEVEL CM	55,6917 litre	4,377 %	1216,6533 litre	O
200	CM 45	CM	7,5 LEVEL CM	50,6425 litre	3,980 %	1221,7025 litre	O
200	CM 45	CM	7 LEVEL CM	45,7441 litre	3,595 %	1226,6009 litre	O
200	CM 45	CM	6,5 LEVEL CM	41,0033 litre	3,223 %	1231,3417 litre	O
200	CM 45	CM	6 LEVEL CM	36,4279 litre	2,863 %	1235,9171 litre	O
200	CM 45	CM	5,5 LEVEL CM	32,0263 litre	2,517 %	1240,3187 litre	O
200	CM 45	CM	5 LEVEL CM	27,8081 litre	2,186 %	1244,5369 litre	O
200	CM 45	CM	4,5 LEVEL CM	23,7840 litre	1,869 %	1248,5610 litre	O
200	CM 45	CM	4 LEVEL CM	19,9665 litre	1,569 %	1252,3785 litre	O
200	CM 45	CM	3,5 LEVEL CM	16,3704 litre	1,287 %	1255,9746 litre	O
200	CM 45	CM	3 LEVEL CM	13,0131 litre	1,023 %	1259,3319 litre	O
200	CM 45	CM	2,5 LEVEL CM	9,9162 litre	0,779 %	1262,4288 litre	O
200	CM 45	CM	2 LEVEL CM	7,1075 litre	0,559 %	1265,2375 litre	O
200	CM 45	CM	1,5 LEVEL CM	4,6243 litre	0,363 %	1267,7207 litre	O
200	CM 45	CM	1 LEVEL CM	2,5214 litre	0,198 %	1269,8236 litre	O
200	CM 45	CM	0,5 LEVEL CM	0,8929 litre	0,070 %	1271,4521 litre	O
200	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	1272,3450 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM 40	CM 80 LEVEL CM	1005,3096 litre	100,000 %	0,0000 litre	O
200	CM 40	CM 79,5 LEVEL CM	1004,4680 litre	99,916 %	0,8416 litre	O
200	CM 40	CM 79 LEVEL CM	1002,9335 litre	99,764 %	2,3761 litre	O
200	CM 40	CM 78,5 LEVEL CM	1000,9526 litre	99,567 %	4,3570 litre	O
200	CM 40	CM 78 LEVEL CM	998,6143 litre	99,334 %	6,6953 litre	O
200	CM 40	CM 77,5 LEVEL CM	995,9704 litre	99,071 %	9,3392 litre	O
200	CM 40	CM 77 LEVEL CM	993,0565 litre	98,781 %	12,2531 litre	O
200	CM 40	CM 76,5 LEVEL CM	989,8986 litre	98,467 %	15,4110 litre	O
200	CM 40	CM 76 LEVEL CM	986,5174 litre	98,131 %	18,7922 litre	O
200	CM 40	CM 75,5 LEVEL CM	982,9294 litre	97,774 %	22,3802 litre	O
200	CM 40	CM 75 LEVEL CM	979,1487 litre	97,398 %	26,1609 litre	O
200	CM 40	CM 74,5 LEVEL CM	975,1871 litre	97,004 %	30,1225 litre	O
200	CM 40	CM 74 LEVEL CM	971,0550 litre	96,593 %	34,2546 litre	O
200	CM 40	CM 73,5 LEVEL CM	966,7615 litre	96,166 %	38,5481 litre	O
200	CM 40	CM 73 LEVEL CM	962,3146 litre	95,723 %	42,9950 litre	O
200	CM 40	CM 72,5 LEVEL CM	957,7216 litre	95,266 %	47,5880 litre	O
200	CM 40	CM 72 LEVEL CM	952,9893 litre	94,796 %	52,3203 litre	O
200	CM 40	CM 71,5 LEVEL CM	948,1236 litre	94,312 %	57,1860 litre	O
200	CM 40	CM 71 LEVEL CM	943,1300 litre	93,815 %	62,1796 litre	O
200	CM 40	CM 70,5 LEVEL CM	938,0138 litre	93,306 %	67,2958 litre	O
200	CM 40	CM 70 LEVEL CM	932,7798 litre	92,785 %	72,5298 litre	O
200	CM 40	CM 69,5 LEVEL CM	927,4323 litre	92,253 %	77,8773 litre	O
200	CM 40	CM 69 LEVEL CM	921,9756 litre	91,711 %	83,3340 litre	O
200	CM 40	CM 68,5 LEVEL CM	916,4136 litre	91,157 %	88,8960 litre	O
200	CM 40	CM 68 LEVEL CM	910,7500 litre	90,594 %	94,5596 litre	O
200	CM 40	CM 67,5 LEVEL CM	904,9884 litre	90,021 %	100,3212 litre	O
200	CM 40	CM 67 LEVEL CM	899,1322 litre	89,438 %	106,1774 litre	O
200	CM 40	CM 66,5 LEVEL CM	893,1844 litre	88,847 %	112,1252 litre	O
200	CM 40	CM 66 LEVEL CM	887,1482 litre	88,246 %	118,1614 litre	O
200	CM 40	CM 65,5 LEVEL CM	881,0264 litre	87,637 %	124,2832 litre	O
200	CM 40	CM 65 LEVEL CM	874,8219 litre	87,020 %	130,4877 litre	O
200	CM 40	CM 64,5 LEVEL CM	868,5373 litre	86,395 %	136,7723 litre	O
200	CM 40	CM 64 LEVEL CM	862,1752 litre	85,762 %	143,1344 litre	O
200	CM 40	CM 63,5 LEVEL CM	855,7381 litre	85,122 %	149,5715 litre	O
200	CM 40	CM 63 LEVEL CM	849,2284 litre	84,474 %	156,0812 litre	O
200	CM 40	CM 62,5 LEVEL CM	842,6484 litre	83,820 %	162,6612 litre	O
200	CM 40	CM 62 LEVEL CM	836,0004 litre	83,158 %	169,3092 litre	O
200	CM 40	CM 61,5 LEVEL CM	829,2865 litre	82,491 %	176,0231 litre	O
200	CM 40	CM 61 LEVEL CM	822,5088 litre	81,816 %	182,8008 litre	O
200	CM 40	CM 60,5 LEVEL CM	815,6695 litre	81,136 %	189,6401 litre	O
200	CM 40	CM 60 LEVEL CM	808,7705 litre	80,450 %	196,5391 litre	O
200	CM 40	CM 59,5 LEVEL CM	801,8137 litre	79,758 %	203,4959 litre	O
200	CM 40	CM 59 LEVEL CM	794,8012 litre	79,060 %	210,5084 litre	O
200	CM 40	CM 58,5 LEVEL CM	787,7346 litre	78,357 %	217,5750 litre	O
200	CM 40	CM 58 LEVEL CM	780,6158 litre	77,649 %	224,6938 litre	O
200	CM 40	CM 57,5 LEVEL CM	773,4467 litre	76,936 %	231,8629 litre	O
200	CM 40	CM 57 LEVEL CM	766,2289 litre	76,218 %	239,0807 litre	O
200	CM 40	CM 56,5 LEVEL CM	758,9642 litre	75,496 %	246,3454 litre	O
200	CM 40	CM 56 LEVEL CM	751,6542 litre	74,768 %	253,6554 litre	O
200	CM 40	CM 55,5 LEVEL CM	744,3005 litre	74,037 %	261,0091 litre	O
200	CM 40	CM 55 LEVEL CM	736,9048 litre	73,301 %	268,4048 litre	O
200	CM 40	CM 54,5 LEVEL CM	729,4686 litre	72,562 %	275,8410 litre	O

200	CM	40	CM	54 LEVEL CM	721,9935 litre	71,818 %	283,3161 litre	O
200	CM	40	CM	53,5 LEVEL CM	714,4811 litre	71,071 %	290,8285 litre	O
200	CM	40	CM	53 LEVEL CM	706,9328 litre	70,320 %	298,3768 litre	O
200	CM	40	CM	52,5 LEVEL CM	699,3502 litre	69,566 %	305,9594 litre	O
200	CM	40	CM	52 LEVEL CM	691,7346 litre	68,808 %	313,5750 litre	O
200	CM	40	CM	51,5 LEVEL CM	684,0876 litre	68,047 %	321,2220 litre	O
200	CM	40	CM	51 LEVEL CM	676,4106 litre	67,284 %	328,8990 litre	O
200	CM	40	CM	50,5 LEVEL CM	668,7050 litre	66,517 %	336,6046 litre	O
200	CM	40	CM	50 LEVEL CM	660,9722 litre	65,748 %	344,3374 litre	O
200	CM	40	CM	49,5 LEVEL CM	653,2135 litre	64,976 %	352,0961 litre	O
200	CM	40	CM	49 LEVEL CM	645,4304 litre	64,202 %	359,8792 litre	O
200	CM	40	CM	48,5 LEVEL CM	637,6242 litre	63,426 %	367,6854 litre	O
200	CM	40	CM	48 LEVEL CM	629,7963 litre	62,647 %	375,5133 litre	O
200	CM	40	CM	47,5 LEVEL CM	621,9479 litre	61,866 %	383,3617 litre	O
200	CM	40	CM	47 LEVEL CM	614,0805 litre	61,084 %	391,2291 litre	O
200	CM	40	CM	46,5 LEVEL CM	606,1953 litre	60,299 %	399,1143 litre	O
200	CM	40	CM	46 LEVEL CM	598,2936 litre	59,513 %	407,0160 litre	O
200	CM	40	CM	45,5 LEVEL CM	590,3767 litre	58,726 %	414,9329 litre	O
200	CM	40	CM	45 LEVEL CM	582,4460 litre	57,937 %	422,8636 litre	O
200	CM	40	CM	44,5 LEVEL CM	574,5027 litre	57,147 %	430,8069 litre	O
200	CM	40	CM	44 LEVEL CM	566,5480 litre	56,356 %	438,7616 litre	O
200	CM	40	CM	43,5 LEVEL CM	558,5833 litre	55,563 %	446,7263 litre	O
200	CM	40	CM	43 LEVEL CM	550,6098 litre	54,770 %	454,6998 litre	O
200	CM	40	CM	42,5 LEVEL CM	542,6288 litre	53,976 %	462,6808 litre	O
200	CM	40	CM	42 LEVEL CM	534,6415 litre	53,182 %	470,6681 litre	O
200	CM	40	CM	41,5 LEVEL CM	526,6492 litre	52,387 %	478,6604 litre	O
200	CM	40	CM	41 LEVEL CM	518,6532 litre	51,591 %	486,6564 litre	O
200	CM	40	CM	40,5 LEVEL CM	510,6546 litre	50,796 %	494,6550 litre	O
200	CM	40	CM	40 LEVEL CM	502,6548 litre	50,000 %	502,6548 litre	O
200	CM	40	CM	39,5 LEVEL CM	494,6550 litre	49,204 %	510,6546 litre	O
200	CM	40	CM	39 LEVEL CM	486,6565 litre	48,409 %	518,6531 litre	O
200	CM	40	CM	38,5 LEVEL CM	478,6605 litre	47,613 %	526,6491 litre	O
200	CM	40	CM	38 LEVEL CM	470,6682 litre	46,818 %	534,6414 litre	O
200	CM	40	CM	37,5 LEVEL CM	462,6809 litre	46,024 %	542,6287 litre	O
200	CM	40	CM	37 LEVEL CM	454,6999 litre	45,230 %	550,6097 litre	O
200	CM	40	CM	36,5 LEVEL CM	446,7264 litre	44,437 %	558,5832 litre	O
200	CM	40	CM	36 LEVEL CM	438,7617 litre	43,644 %	566,5479 litre	O
200	CM	40	CM	35,5 LEVEL CM	430,8070 litre	42,853 %	574,5026 litre	O
200	CM	40	CM	35 LEVEL CM	422,8636 litre	42,063 %	582,4460 litre	O
200	CM	40	CM	34,5 LEVEL CM	414,9329 litre	41,274 %	590,3767 litre	O
200	CM	40	CM	34 LEVEL CM	407,0160 litre	40,487 %	598,2936 litre	O
200	CM	40	CM	33,5 LEVEL CM	399,1144 litre	39,701 %	606,1952 litre	O
200	CM	40	CM	33 LEVEL CM	391,2291 litre	38,916 %	614,0805 litre	O
200	CM	40	CM	32,5 LEVEL CM	383,3617 litre	38,134 %	621,9479 litre	O
200	CM	40	CM	32 LEVEL CM	375,5134 litre	37,353 %	629,7962 litre	O
200	CM	40	CM	31,5 LEVEL CM	367,6854 litre	36,574 %	637,6242 litre	O
200	CM	40	CM	31 LEVEL CM	359,8792 litre	35,798 %	645,4304 litre	O
200	CM	40	CM	30,5 LEVEL CM	352,0961 litre	35,024 %	653,2135 litre	O
200	CM	40	CM	30 LEVEL CM	344,3375 litre	34,252 %	660,9721 litre	O
200	CM	40	CM	29,5 LEVEL CM	336,6046 litre	33,483 %	668,7050 litre	O
200	CM	40	CM	29 LEVEL CM	328,8990 litre	32,716 %	676,4106 litre	O
200	CM	40	CM	28,5 LEVEL CM	321,2220 litre	31,953 %	684,0876 litre	O
200	CM	40	CM	28 LEVEL CM	313,5750 litre	31,192 %	691,7346 litre	O

200	CM	40	CM	27,5 LEVEL CM	305,9595 litre	30,434 %	699,3501 litre	O
200	CM	40	CM	27 LEVEL CM	298,3768 litre	29,680 %	706,9328 litre	O
200	CM	40	CM	26,5 LEVEL CM	290,8285 litre	28,929 %	714,4811 litre	O
200	CM	40	CM	26 LEVEL CM	283,3161 litre	28,182 %	721,9935 litre	O
200	CM	40	CM	25,5 LEVEL CM	275,8410 litre	27,438 %	729,4686 litre	O
200	CM	40	CM	25 LEVEL CM	268,4049 litre	26,699 %	736,9047 litre	O
200	CM	40	CM	24,5 LEVEL CM	261,0092 litre	25,963 %	744,3004 litre	O
200	CM	40	CM	24 LEVEL CM	253,6555 litre	25,232 %	751,6541 litre	O
200	CM	40	CM	23,5 LEVEL CM	246,3455 litre	24,504 %	758,9641 litre	O
200	CM	40	CM	23 LEVEL CM	239,0807 litre	23,782 %	766,2289 litre	O
200	CM	40	CM	22,5 LEVEL CM	231,8629 litre	23,064 %	773,4467 litre	O
200	CM	40	CM	22 LEVEL CM	224,6938 litre	22,351 %	780,6158 litre	O
200	CM	40	CM	21,5 LEVEL CM	217,5751 litre	21,643 %	787,7345 litre	O
200	CM	40	CM	21 LEVEL CM	210,5085 litre	20,940 %	794,8011 litre	O
200	CM	40	CM	20,5 LEVEL CM	203,4959 litre	20,242 %	801,8137 litre	O
200	CM	40	CM	20 LEVEL CM	196,5392 litre	19,550 %	808,7704 litre	O
200	CM	40	CM	19,5 LEVEL CM	189,6401 litre	18,864 %	815,6695 litre	O
200	CM	40	CM	19 LEVEL CM	182,8008 litre	18,184 %	822,5088 litre	O
200	CM	40	CM	18,5 LEVEL CM	176,0232 litre	17,509 %	829,2864 litre	O
200	CM	40	CM	18 LEVEL CM	169,3093 litre	16,842 %	836,0003 litre	O
200	CM	40	CM	17,5 LEVEL CM	162,6613 litre	16,180 %	842,6483 litre	O
200	CM	40	CM	17 LEVEL CM	156,0813 litre	15,526 %	849,2283 litre	O
200	CM	40	CM	16,5 LEVEL CM	149,5716 litre	14,878 %	855,7380 litre	O
200	CM	40	CM	16 LEVEL CM	143,1345 litre	14,238 %	862,1751 litre	O
200	CM	40	CM	15,5 LEVEL CM	136,7724 litre	13,605 %	868,5372 litre	O
200	CM	40	CM	15 LEVEL CM	130,4878 litre	12,980 %	874,8218 litre	O
200	CM	40	CM	14,5 LEVEL CM	124,2833 litre	12,363 %	881,0263 litre	O
200	CM	40	CM	14 LEVEL CM	118,1615 litre	11,754 %	887,1481 litre	O
200	CM	40	CM	13,5 LEVEL CM	112,1253 litre	11,153 %	893,1843 litre	O
200	CM	40	CM	13 LEVEL CM	106,1775 litre	10,562 %	899,1321 litre	O
200	CM	40	CM	12,5 LEVEL CM	100,3212 litre	9,979 %	904,9884 litre	O
200	CM	40	CM	12 LEVEL CM	94,5596 litre	9,406 %	910,7500 litre	O
200	CM	40	CM	11,5 LEVEL CM	88,8961 litre	8,843 %	916,4135 litre	O
200	CM	40	CM	11 LEVEL CM	83,3341 litre	8,289 %	921,9755 litre	O
200	CM	40	CM	10,5 LEVEL CM	77,8774 litre	7,747 %	927,4322 litre	O
200	CM	40	CM	10 LEVEL CM	72,5299 litre	7,215 %	932,7797 litre	O
200	CM	40	CM	9,5 LEVEL CM	67,2958 litre	6,694 %	938,0138 litre	O
200	CM	40	CM	9 LEVEL CM	62,1796 litre	6,185 %	943,1300 litre	O
200	CM	40	CM	8,5 LEVEL CM	57,1861 litre	5,688 %	948,1235 litre	O
200	CM	40	CM	8 LEVEL CM	52,3204 litre	5,204 %	952,9892 litre	O
200	CM	40	CM	7,5 LEVEL CM	47,5880 litre	4,734 %	957,7216 litre	O
200	CM	40	CM	7 LEVEL CM	42,9951 litre	4,277 %	962,3145 litre	O
200	CM	40	CM	6,5 LEVEL CM	38,5482 litre	3,834 %	966,7614 litre	O
200	CM	40	CM	6 LEVEL CM	34,2546 litre	3,407 %	971,0550 litre	O
200	CM	40	CM	5,5 LEVEL CM	30,1225 litre	2,996 %	975,1871 litre	O
200	CM	40	CM	5 LEVEL CM	26,1609 litre	2,602 %	979,1487 litre	O
200	CM	40	CM	4,5 LEVEL CM	22,3802 litre	2,226 %	982,9294 litre	O
200	CM	40	CM	4 LEVEL CM	18,7923 litre	1,869 %	986,5173 litre	O
200	CM	40	CM	3,5 LEVEL CM	15,4110 litre	1,533 %	989,8986 litre	O
200	CM	40	CM	3 LEVEL CM	12,2532 litre	1,219 %	993,0564 litre	O
200	CM	40	CM	2,5 LEVEL CM	9,3392 litre	0,929 %	995,9704 litre	O
200	CM	40	CM	2 LEVEL CM	6,6954 litre	0,666 %	998,6142 litre	O
200	CM	40	CM	1,5 LEVEL CM	4,3570 litre	0,433 %	1000,9526 litre	O

200_40

-3007-

200	CM 40	CM	1 LEVEL CM	2,3762 litre	0,236 %	1002,9334 litre	O
200	CM 40	CM	0,5 LEVEL CM	0,8417 litre	0,084 %	1004,4679 litre	O
200	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	1005,3096 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
200	CM	35	CM	70 LEVEL CM	769,6902 litre	100,000 %	0,0000 litre	O
200	CM	35	CM	69,5 LEVEL CM	768,9031 litre	99,898 %	0,7871 litre	O
200	CM	35	CM	69 LEVEL CM	767,4687 litre	99,711 %	2,2215 litre	O
200	CM	35	CM	68,5 LEVEL CM	765,6179 litre	99,471 %	4,0723 litre	O
200	CM	35	CM	68 LEVEL CM	763,4341 litre	99,187 %	6,2561 litre	O
200	CM	35	CM	67,5 LEVEL CM	760,9661 litre	98,867 %	8,7241 litre	O
200	CM	35	CM	67 LEVEL CM	758,2473 litre	98,513 %	11,4429 litre	O
200	CM	35	CM	66,5 LEVEL CM	755,3024 litre	98,131 %	14,3878 litre	O
200	CM	35	CM	66 LEVEL CM	752,1506 litre	97,721 %	17,5396 litre	O
200	CM	35	CM	65,5 LEVEL CM	748,8079 litre	97,287 %	20,8823 litre	O
200	CM	35	CM	65 LEVEL CM	745,2874 litre	96,830 %	24,4028 litre	O
200	CM	35	CM	64,5 LEVEL CM	741,6003 litre	96,350 %	28,0899 litre	O
200	CM	35	CM	64 LEVEL CM	737,7565 litre	95,851 %	31,9337 litre	O
200	CM	35	CM	63,5 LEVEL CM	733,7646 litre	95,332 %	35,9256 litre	O
200	CM	35	CM	63 LEVEL CM	729,6324 litre	94,796 %	40,0578 litre	O
200	CM	35	CM	62,5 LEVEL CM	725,3668 litre	94,241 %	44,3234 litre	O
200	CM	35	CM	62 LEVEL CM	720,9742 litre	93,671 %	48,7160 litre	O
200	CM	35	CM	61,5 LEVEL CM	716,4603 litre	93,084 %	53,2299 litre	O
200	CM	35	CM	61 LEVEL CM	711,8304 litre	92,483 %	57,8598 litre	O
200	CM	35	CM	60,5 LEVEL CM	707,0896 litre	91,867 %	62,6006 litre	O
200	CM	35	CM	60 LEVEL CM	702,2423 litre	91,237 %	67,4479 litre	O
200	CM	35	CM	59,5 LEVEL CM	697,2930 litre	90,594 %	72,3972 litre	O
200	CM	35	CM	59 LEVEL CM	692,2456 litre	89,938 %	77,4446 litre	O
200	CM	35	CM	58,5 LEVEL CM	687,1040 litre	89,270 %	82,5862 litre	O
200	CM	35	CM	58 LEVEL CM	681,8718 litre	88,590 %	87,8184 litre	O
200	CM	35	CM	57,5 LEVEL CM	676,5524 litre	87,899 %	93,1378 litre	O
200	CM	35	CM	57 LEVEL CM	671,1491 litre	87,197 %	98,5411 litre	O
200	CM	35	CM	56,5 LEVEL CM	665,6649 litre	86,485 %	104,0253 litre	O
200	CM	35	CM	56 LEVEL CM	660,1029 litre	85,762 %	109,5873 litre	O
200	CM	35	CM	55,5 LEVEL CM	654,4658 litre	85,030 %	115,2244 litre	O
200	CM	35	CM	55 LEVEL CM	648,7565 litre	84,288 %	120,9337 litre	O
200	CM	35	CM	54,5 LEVEL CM	642,9776 litre	83,537 %	126,7126 litre	O
200	CM	35	CM	54 LEVEL CM	637,1315 litre	82,778 %	132,5587 litre	O
200	CM	35	CM	53,5 LEVEL CM	631,2208 litre	82,010 %	138,4694 litre	O
200	CM	35	CM	53 LEVEL CM	625,2479 litre	81,234 %	144,4423 litre	O
200	CM	35	CM	52,5 LEVEL CM	619,2149 litre	80,450 %	150,4753 litre	O
200	CM	35	CM	52 LEVEL CM	613,1242 litre	79,659 %	156,5660 litre	O
200	CM	35	CM	51,5 LEVEL CM	606,9780 litre	78,860 %	162,7122 litre	O
200	CM	35	CM	51 LEVEL CM	600,7783 litre	78,055 %	168,9119 litre	O
200	CM	35	CM	50,5 LEVEL CM	594,5271 litre	77,242 %	175,1631 litre	O
200	CM	35	CM	50 LEVEL CM	588,2266 litre	76,424 %	181,4636 litre	O
200	CM	35	CM	49,5 LEVEL CM	581,8787 litre	75,599 %	187,8115 litre	O
200	CM	35	CM	49 LEVEL CM	575,4852 litre	74,768 %	194,2050 litre	O
200	CM	35	CM	48,5 LEVEL CM	569,0481 litre	73,932 %	200,6421 litre	O
200	CM	35	CM	48 LEVEL CM	562,5692 litre	73,090 %	207,1210 litre	O
200	CM	35	CM	47,5 LEVEL CM	556,0502 litre	72,243 %	213,6400 litre	O
200	CM	35	CM	47 LEVEL CM	549,4930 litre	71,391 %	220,1972 litre	O
200	CM	35	CM	46,5 LEVEL CM	542,8994 litre	70,535 %	226,7908 litre	O
200	CM	35	CM	46 LEVEL CM	536,2709 litre	69,674 %	233,4193 litre	O
200	CM	35	CM	45,5 LEVEL CM	529,6093 litre	68,808 %	240,0809 litre	O
200	CM	35	CM	45 LEVEL CM	522,9163 litre	67,939 %	246,7739 litre	O
200	CM	35	CM	44,5 LEVEL CM	516,1935 litre	67,065 %	253,4967 litre	O

200	CM	35	CM	44 LEVEL CM	509,4424 litre	66,188 %	260,2478 litre	O
200	CM	35	CM	43,5 LEVEL CM	502,6648 litre	65,307 %	267,0254 litre	O
200	CM	35	CM	43 LEVEL CM	495,8621 litre	64,424 %	273,8281 litre	O
200	CM	35	CM	42,5 LEVEL CM	489,0359 litre	63,537 %	280,6543 litre	O
200	CM	35	CM	42 LEVEL CM	482,1878 litre	62,647 %	287,5024 litre	O
200	CM	35	CM	41,5 LEVEL CM	475,3193 litre	61,755 %	294,3709 litre	O
200	CM	35	CM	41 LEVEL CM	468,4318 litre	60,860 %	301,2584 litre	O
200	CM	35	CM	40,5 LEVEL CM	461,5270 litre	59,963 %	308,1632 litre	O
200	CM	35	CM	40 LEVEL CM	454,6063 litre	59,064 %	315,0839 litre	O
200	CM	35	CM	39,5 LEVEL CM	447,6711 litre	58,163 %	322,0191 litre	O
200	CM	35	CM	39 LEVEL CM	440,7230 litre	57,260 %	328,9672 litre	O
200	CM	35	CM	38,5 LEVEL CM	433,7633 litre	56,356 %	335,9269 litre	O
200	CM	35	CM	38 LEVEL CM	426,7936 litre	55,450 %	342,8966 litre	O
200	CM	35	CM	37,5 LEVEL CM	419,8153 litre	54,543 %	349,8749 litre	O
200	CM	35	CM	37 LEVEL CM	412,8299 litre	53,636 %	356,8603 litre	O
200	CM	35	CM	36,5 LEVEL CM	405,8387 litre	52,728 %	363,8515 litre	O
200	CM	35	CM	36 LEVEL CM	398,8432 litre	51,819 %	370,8470 litre	O
200	CM	35	CM	35,5 LEVEL CM	391,8449 litre	50,909 %	377,8453 litre	O
200	CM	35	CM	35 LEVEL CM	384,8451 litre	50,000 %	384,8451 litre	O
200	CM	35	CM	34,5 LEVEL CM	377,8453 litre	49,091 %	391,8449 litre	O
200	CM	35	CM	34 LEVEL CM	370,8470 litre	48,181 %	398,8432 litre	O
200	CM	35	CM	33,5 LEVEL CM	363,8515 litre	47,272 %	405,8387 litre	O
200	CM	35	CM	33 LEVEL CM	356,8603 litre	46,364 %	412,8299 litre	O
200	CM	35	CM	32,5 LEVEL CM	349,8749 litre	45,457 %	419,8153 litre	O
200	CM	35	CM	32 LEVEL CM	342,8966 litre	44,550 %	426,7936 litre	O
200	CM	35	CM	31,5 LEVEL CM	335,9269 litre	43,644 %	433,7633 litre	O
200	CM	35	CM	31 LEVEL CM	328,9672 litre	42,740 %	440,7230 litre	O
200	CM	35	CM	30,5 LEVEL CM	322,0191 litre	41,837 %	447,6711 litre	O
200	CM	35	CM	30 LEVEL CM	315,0839 litre	40,936 %	454,6063 litre	O
200	CM	35	CM	29,5 LEVEL CM	308,1632 litre	40,037 %	461,5270 litre	O
200	CM	35	CM	29 LEVEL CM	301,2584 litre	39,140 %	468,4318 litre	O
200	CM	35	CM	28,5 LEVEL CM	294,3709 litre	38,245 %	475,3193 litre	O
200	CM	35	CM	28 LEVEL CM	287,5024 litre	37,353 %	482,1878 litre	O
200	CM	35	CM	27,5 LEVEL CM	280,6543 litre	36,463 %	489,0359 litre	O
200	CM	35	CM	27 LEVEL CM	273,8281 litre	35,576 %	495,8621 litre	O
200	CM	35	CM	26,5 LEVEL CM	267,0254 litre	34,693 %	502,6648 litre	O
200	CM	35	CM	26 LEVEL CM	260,2478 litre	33,812 %	509,4424 litre	O
200	CM	35	CM	25,5 LEVEL CM	253,4967 litre	32,935 %	516,1935 litre	O
200	CM	35	CM	25 LEVEL CM	246,7739 litre	32,061 %	522,9163 litre	O
200	CM	35	CM	24,5 LEVEL CM	240,0809 litre	31,192 %	529,6093 litre	O
200	CM	35	CM	24 LEVEL CM	233,4193 litre	30,326 %	536,2709 litre	O
200	CM	35	CM	23,5 LEVEL CM	226,7908 litre	29,465 %	542,8994 litre	O
200	CM	35	CM	23 LEVEL CM	220,1972 litre	28,609 %	549,4930 litre	O
200	CM	35	CM	22,5 LEVEL CM	213,6400 litre	27,757 %	556,0502 litre	O
200	CM	35	CM	22 LEVEL CM	207,1210 litre	26,910 %	562,5692 litre	O
200	CM	35	CM	21,5 LEVEL CM	200,6421 litre	26,068 %	569,0481 litre	O
200	CM	35	CM	21 LEVEL CM	194,2050 litre	25,232 %	575,4852 litre	O
200	CM	35	CM	20,5 LEVEL CM	187,8115 litre	24,401 %	581,8787 litre	O
200	CM	35	CM	20 LEVEL CM	181,4636 litre	23,576 %	588,2266 litre	O
200	CM	35	CM	19,5 LEVEL CM	175,1631 litre	22,758 %	594,5271 litre	O
200	CM	35	CM	19 LEVEL CM	168,9119 litre	21,945 %	600,7783 litre	O
200	CM	35	CM	18,5 LEVEL CM	162,7122 litre	21,140 %	606,9780 litre	O
200	CM	35	CM	18 LEVEL CM	156,5660 litre	20,341 %	613,1242 litre	O

200	CM	35	CM	17,5 LEVEL CM	150,4753 litre	19,550 %	619,2149 litre	O
200	CM	35	CM	17 LEVEL CM	144,4423 litre	18,766 %	625,2479 litre	O
200	CM	35	CM	16,5 LEVEL CM	138,4694 litre	17,990 %	631,2208 litre	O
200	CM	35	CM	16 LEVEL CM	132,5587 litre	17,222 %	637,1315 litre	O
200	CM	35	CM	15,5 LEVEL CM	126,7126 litre	16,463 %	642,9776 litre	O
200	CM	35	CM	15 LEVEL CM	120,9337 litre	15,712 %	648,7565 litre	O
200	CM	35	CM	14,5 LEVEL CM	115,2244 litre	14,970 %	654,4658 litre	O
200	CM	35	CM	14 LEVEL CM	109,5873 litre	14,238 %	660,1029 litre	O
200	CM	35	CM	13,5 LEVEL CM	104,0253 litre	13,515 %	665,6649 litre	O
200	CM	35	CM	13 LEVEL CM	98,5411 litre	12,803 %	671,1491 litre	O
200	CM	35	CM	12,5 LEVEL CM	93,1378 litre	12,101 %	676,5524 litre	O
200	CM	35	CM	12 LEVEL CM	87,8184 litre	11,410 %	681,8718 litre	O
200	CM	35	CM	11,5 LEVEL CM	82,5862 litre	10,730 %	687,1040 litre	O
200	CM	35	CM	11 LEVEL CM	77,4446 litre	10,062 %	692,2456 litre	O
200	CM	35	CM	10,5 LEVEL CM	72,3972 litre	9,406 %	697,2930 litre	O
200	CM	35	CM	10 LEVEL CM	67,4479 litre	8,763 %	702,2423 litre	O
200	CM	35	CM	9,5 LEVEL CM	62,6006 litre	8,133 %	707,0896 litre	O
200	CM	35	CM	9 LEVEL CM	57,8598 litre	7,517 %	711,8304 litre	O
200	CM	35	CM	8,5 LEVEL CM	53,2299 litre	6,916 %	716,4603 litre	O
200	CM	35	CM	8 LEVEL CM	48,7160 litre	6,329 %	720,9742 litre	O
200	CM	35	CM	7,5 LEVEL CM	44,3234 litre	5,759 %	725,3668 litre	O
200	CM	35	CM	7 LEVEL CM	40,0578 litre	5,204 %	729,6324 litre	O
200	CM	35	CM	6,5 LEVEL CM	35,9256 litre	4,668 %	733,7646 litre	O
200	CM	35	CM	6 LEVEL CM	31,9337 litre	4,149 %	737,7565 litre	O
200	CM	35	CM	5,5 LEVEL CM	28,0899 litre	3,650 %	741,6003 litre	O
200	CM	35	CM	5 LEVEL CM	24,4028 litre	3,170 %	745,2874 litre	O
200	CM	35	CM	4,5 LEVEL CM	20,8823 litre	2,713 %	748,8079 litre	O
200	CM	35	CM	4 LEVEL CM	17,5396 litre	2,279 %	752,1506 litre	O
200	CM	35	CM	3,5 LEVEL CM	14,3878 litre	1,869 %	755,3024 litre	O
200	CM	35	CM	3 LEVEL CM	11,4429 litre	1,487 %	758,2473 litre	O
200	CM	35	CM	2,5 LEVEL CM	8,7241 litre	1,133 %	760,9661 litre	O
200	CM	35	CM	2 LEVEL CM	6,2561 litre	0,813 %	763,4341 litre	O
200	CM	35	CM	1,5 LEVEL CM	4,0723 litre	0,529 %	765,6179 litre	O
200	CM	35	CM	1 LEVEL CM	2,2215 litre	0,289 %	767,4687 litre	O
200	CM	35	CM	0,5 LEVEL CM	0,7871 litre	0,102 %	768,9031 litre	O
200	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	769,6902 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
200	CM	30	CM 60 LEVEL CM	565,4867 litre	100,000 %	0,0000 litre	O
200	CM	30	CM 59,5 LEVEL CM	564,7582 litre	99,871 %	0,7285 litre	O
200	CM	30	CM 59 LEVEL CM	563,4314 litre	99,637 %	2,0553 litre	O
200	CM	30	CM 58,5 LEVEL CM	561,7205 litre	99,334 %	3,7662 litre	O
200	CM	30	CM 58 LEVEL CM	559,7031 litre	98,977 %	5,7836 litre	O
200	CM	30	CM 57,5 LEVEL CM	557,4245 litre	98,574 %	8,0622 litre	O
200	CM	30	CM 57 LEVEL CM	554,9160 litre	98,131 %	10,5707 litre	O
200	CM	30	CM 56,5 LEVEL CM	552,2006 litre	97,651 %	13,2861 litre	O
200	CM	30	CM 56 LEVEL CM	549,2965 litre	97,137 %	16,1902 litre	O
200	CM	30	CM 55,5 LEVEL CM	546,2184 litre	96,593 %	19,2683 litre	O
200	CM	30	CM 55 LEVEL CM	542,9789 litre	96,020 %	22,5078 litre	O
200	CM	30	CM 54,5 LEVEL CM	539,5885 litre	95,420 %	25,8982 litre	O
200	CM	30	CM 54 LEVEL CM	536,0565 litre	94,796 %	29,4302 litre	O
200	CM	30	CM 53,5 LEVEL CM	532,3911 litre	94,147 %	33,0956 litre	O
200	CM	30	CM 53 LEVEL CM	528,5996 litre	93,477 %	36,8871 litre	O
200	CM	30	CM 52,5 LEVEL CM	524,6886 litre	92,785 %	40,7981 litre	O
200	CM	30	CM 52 LEVEL CM	520,6642 litre	92,074 %	44,8225 litre	O
200	CM	30	CM 51,5 LEVEL CM	516,5320 litre	91,343 %	48,9547 litre	O
200	CM	30	CM 51 LEVEL CM	512,2969 litre	90,594 %	53,1898 litre	O
200	CM	30	CM 50,5 LEVEL CM	507,9638 litre	89,828 %	57,5229 litre	O
200	CM	30	CM 50 LEVEL CM	503,5370 litre	89,045 %	61,9497 litre	O
200	CM	30	CM 49,5 LEVEL CM	499,0208 litre	88,246 %	66,4659 litre	O
200	CM	30	CM 49 LEVEL CM	494,4191 litre	87,432 %	71,0676 litre	O
200	CM	30	CM 48,5 LEVEL CM	489,7355 litre	86,604 %	75,7512 litre	O
200	CM	30	CM 48 LEVEL CM	484,9735 litre	85,762 %	80,5132 litre	O
200	CM	30	CM 47,5 LEVEL CM	480,1366 litre	84,907 %	85,3501 litre	O
200	CM	30	CM 47 LEVEL CM	475,2278 litre	84,039 %	90,2589 litre	O
200	CM	30	CM 46,5 LEVEL CM	470,2502 litre	83,158 %	95,2365 litre	O
200	CM	30	CM 46 LEVEL CM	465,2068 litre	82,267 %	100,2799 litre	O
200	CM	30	CM 45,5 LEVEL CM	460,1003 litre	81,364 %	105,3864 litre	O
200	CM	30	CM 45 LEVEL CM	454,9334 litre	80,450 %	110,5533 litre	O
200	CM	30	CM 44,5 LEVEL CM	449,7088 litre	79,526 %	115,7779 litre	O
200	CM	30	CM 44 LEVEL CM	444,4290 litre	78,592 %	121,0577 litre	O
200	CM	30	CM 43,5 LEVEL CM	439,0964 litre	77,649 %	126,3903 litre	O
200	CM	30	CM 43 LEVEL CM	433,7134 litre	76,697 %	131,7733 litre	O
200	CM	30	CM 42,5 LEVEL CM	428,2824 litre	75,737 %	137,2043 litre	O
200	CM	30	CM 42 LEVEL CM	422,8055 litre	74,768 %	142,6812 litre	O
200	CM	30	CM 41,5 LEVEL CM	417,2849 litre	73,792 %	148,2018 litre	O
200	CM	30	CM 41 LEVEL CM	411,7228 litre	72,809 %	153,7639 litre	O
200	CM	30	CM 40,5 LEVEL CM	406,1214 litre	71,818 %	159,3653 litre	O
200	CM	30	CM 40 LEVEL CM	400,4825 litre	70,821 %	165,0042 litre	O
200	CM	30	CM 39,5 LEVEL CM	394,8083 litre	69,817 %	170,6784 litre	O
200	CM	30	CM 39 LEVEL CM	389,1007 litre	68,808 %	176,3860 litre	O
200	CM	30	CM 38,5 LEVEL CM	383,3617 litre	67,793 %	182,1250 litre	O
200	CM	30	CM 38 LEVEL CM	377,5931 litre	66,773 %	187,8936 litre	O
200	CM	30	CM 37,5 LEVEL CM	371,7968 litre	65,748 %	193,6899 litre	O
200	CM	30	CM 37 LEVEL CM	365,9748 litre	64,719 %	199,5119 litre	O
200	CM	30	CM 36,5 LEVEL CM	360,1287 litre	63,685 %	205,3580 litre	O
200	CM	30	CM 36 LEVEL CM	354,2604 litre	62,647 %	211,2263 litre	O
200	CM	30	CM 35,5 LEVEL CM	348,3717 litre	61,606 %	217,1150 litre	O
200	CM	30	CM 35 LEVEL CM	342,4644 litre	60,561 %	223,0223 litre	O
200	CM	30	CM 34,5 LEVEL CM	336,5401 litre	59,513 %	228,9466 litre	O

200	CM	30	CM	34 LEVEL CM	330,6007 litre	58,463 %	234,8860 litre	O
200	CM	30	CM	33,5 LEVEL CM	324,6479 litre	57,410 %	240,8388 litre	O
200	CM	30	CM	33 LEVEL CM	318,6832 litre	56,356 %	246,8035 litre	O
200	CM	30	CM	32,5 LEVEL CM	312,7086 litre	55,299 %	252,7781 litre	O
200	CM	30	CM	32 LEVEL CM	306,7255 litre	54,241 %	258,7612 litre	O
200	CM	30	CM	31,5 LEVEL CM	300,7358 litre	53,182 %	264,7509 litre	O
200	CM	30	CM	31 LEVEL CM	294,7411 litre	52,122 %	270,7456 litre	O
200	CM	30	CM	30,5 LEVEL CM	288,7431 litre	51,061 %	276,7436 litre	O
200	CM	30	CM	30 LEVEL CM	282,7433 litre	50,000 %	282,7434 litre	O
200	CM	30	CM	29,5 LEVEL CM	276,7436 litre	48,939 %	288,7431 litre	O
200	CM	30	CM	29 LEVEL CM	270,7456 litre	47,878 %	294,7411 litre	O
200	CM	30	CM	28,5 LEVEL CM	264,7508 litre	46,818 %	300,7359 litre	O
200	CM	30	CM	28 LEVEL CM	258,7611 litre	45,759 %	306,7256 litre	O
200	CM	30	CM	27,5 LEVEL CM	252,7781 litre	44,701 %	312,7086 litre	O
200	CM	30	CM	27 LEVEL CM	246,8034 litre	43,644 %	318,6833 litre	O
200	CM	30	CM	26,5 LEVEL CM	240,8388 litre	42,590 %	324,6479 litre	O
200	CM	30	CM	26 LEVEL CM	234,8859 litre	41,537 %	330,6008 litre	O
200	CM	30	CM	25,5 LEVEL CM	228,9465 litre	40,487 %	336,5402 litre	O
200	CM	30	CM	25 LEVEL CM	223,0223 litre	39,439 %	342,4644 litre	O
200	CM	30	CM	24,5 LEVEL CM	217,1149 litre	38,394 %	348,3718 litre	O
200	CM	30	CM	24 LEVEL CM	211,2263 litre	37,353 %	354,2604 litre	O
200	CM	30	CM	23,5 LEVEL CM	205,3580 litre	36,315 %	360,1287 litre	O
200	CM	30	CM	23 LEVEL CM	199,5119 litre	35,281 %	366,9748 litre	O
200	CM	30	CM	22,5 LEVEL CM	193,6898 litre	34,252 %	373,7969 litre	O
200	CM	30	CM	22 LEVEL CM	187,8936 litre	33,227 %	377,5931 litre	O
200	CM	30	CM	21,5 LEVEL CM	182,1250 litre	32,207 %	383,3617 litre	O
200	CM	30	CM	21 LEVEL CM	176,3859 litre	31,192 %	389,1008 litre	O
200	CM	30	CM	20,5 LEVEL CM	170,6784 litre	30,183 %	394,8083 litre	O
200	CM	30	CM	20 LEVEL CM	165,0042 litre	29,179 %	400,4825 litre	O
200	CM	30	CM	19,5 LEVEL CM	159,3653 litre	28,182 %	406,1214 litre	O
200	CM	30	CM	19 LEVEL CM	153,7638 litre	27,191 %	411,7229 litre	O
200	CM	30	CM	18,5 LEVEL CM	148,2018 litre	26,208 %	417,2849 litre	O
200	CM	30	CM	18 LEVEL CM	142,6812 litre	25,232 %	422,8055 litre	O
200	CM	30	CM	17,5 LEVEL CM	137,2043 litre	24,263 %	428,2824 litre	O
200	CM	30	CM	17 LEVEL CM	131,7732 litre	23,303 %	433,7135 litre	O
200	CM	30	CM	16,5 LEVEL CM	126,3903 litre	22,351 %	439,0964 litre	O
200	CM	30	CM	16 LEVEL CM	121,0577 litre	21,408 %	444,4290 litre	O
200	CM	30	CM	15,5 LEVEL CM	115,7779 litre	20,474 %	449,7088 litre	O
200	CM	30	CM	15 LEVEL CM	110,5533 litre	19,550 %	454,9334 litre	O
200	CM	30	CM	14,5 LEVEL CM	105,3864 litre	18,636 %	460,1003 litre	O
200	CM	30	CM	14 LEVEL CM	100,2799 litre	17,733 %	465,2068 litre	O
200	CM	30	CM	13,5 LEVEL CM	95,2365 litre	16,842 %	470,2502 litre	O
200	CM	30	CM	13 LEVEL CM	90,2589 litre	15,961 %	475,2278 litre	O
200	CM	30	CM	12,5 LEVEL CM	85,3501 litre	15,093 %	480,1366 litre	O
200	CM	30	CM	12 LEVEL CM	80,5131 litre	14,238 %	484,9736 litre	O
200	CM	30	CM	11,5 LEVEL CM	75,7512 litre	13,396 %	489,7355 litre	O
200	CM	30	CM	11 LEVEL CM	71,0676 litre	12,568 %	494,4191 litre	O
200	CM	30	CM	10,5 LEVEL CM	66,4658 litre	11,754 %	499,0209 litre	O
200	CM	30	CM	10 LEVEL CM	61,9496 litre	10,955 %	503,5371 litre	O
200	CM	30	CM	9,5 LEVEL CM	57,5229 litre	10,172 %	507,9638 litre	O
200	CM	30	CM	9 LEVEL CM	53,1898 litre	9,406 %	512,2969 litre	O
200	CM	30	CM	8,5 LEVEL CM	48,9547 litre	8,657 %	516,5320 litre	O
200	CM	30	CM	8 LEVEL CM	44,8224 litre	7,926 %	520,6643 litre	O

200	CM	30	CM	7,5 LEVEL CM	40,7981 litre	7,215 %	524,6886 litre	O
200	CM	30	CM	7 LEVEL CM	36,8871 litre	6,523 %	528,5996 litre	O
200	CM	30	CM	6,5 LEVEL CM	33,0956 litre	5,853 %	532,3911 litre	O
200	CM	30	CM	6 LEVEL CM	29,4302 litre	5,204 %	536,0565 litre	O
200	CM	30	CM	5,5 LEVEL CM	25,8982 litre	4,580 %	539,5885 litre	O
200	CM	30	CM	5 LEVEL CM	22,5078 litre	3,980 %	542,9789 litre	O
200	CM	30	CM	4,5 LEVEL CM	19,2682 litre	3,407 %	546,2185 litre	O
200	CM	30	CM	4 LEVEL CM	16,1902 litre	2,863 %	549,2965 litre	O
200	CM	30	CM	3,5 LEVEL CM	13,2861 litre	2,349 %	552,2006 litre	O
200	CM	30	CM	3 LEVEL CM	10,5707 litre	1,869 %	554,9160 litre	O
200	CM	30	CM	2,5 LEVEL CM	8,0621 litre	1,426 %	557,4246 litre	O
200	CM	30	CM	2 LEVEL CM	5,7836 litre	1,023 %	559,7031 litre	O
200	CM	30	CM	1,5 LEVEL CM	3,7661 litre	0,666 %	561,7206 litre	O
200	CM	30	CM	1 LEVEL CM	2,0552 litre	0,363 %	563,4315 litre	O
200	CM	30	CM	0,5 LEVEL CM	0,7285 litre	0,129 %	564,7582 litre	O
200	CM	30	CM	0 LEVEL CM	0,0000 litre	0,000 %	565,4867 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
190	CM	75	CM 150 LEVEL CM	3357,5771 litre	100,000 %	0,0000 litre	O
190	CM	75	CM 149,5 LEVEL CM	3356,4813 litre	99,967 %	1,0958 litre	O
190	CM	75	CM 149 LEVEL CM	3354,4807 litre	99,908 %	3,0964 litre	O
190	CM	75	CM 148,5 LEVEL CM	3351,8943 litre	99,831 %	5,6828 litre	O
190	CM	75	CM 148 LEVEL CM	3348,8366 litre	99,740 %	8,7405 litre	O
190	CM	75	CM 147,5 LEVEL CM	3345,3742 litre	99,637 %	12,2029 litre	O
190	CM	75	CM 147 LEVEL CM	3341,5522 litre	99,523 %	16,0249 litre	O
190	CM	75	CM 146,5 LEVEL CM	3337,4039 litre	99,399 %	20,1732 litre	O
190	CM	75	CM 146 LEVEL CM	3332,9552 litre	99,267 %	24,6219 litre	O
190	CM	75	CM 145,5 LEVEL CM	3328,2271 litre	99,126 %	29,3500 litre	O
190	CM	75	CM 145 LEVEL CM	3323,2370 litre	98,977 %	34,3401 litre	O
190	CM	75	CM 144,5 LEVEL CM	3317,9998 litre	98,821 %	39,5773 litre	O
190	CM	75	CM 144 LEVEL CM	3312,5283 litre	98,658 %	45,0488 litre	O
190	CM	75	CM 143,5 LEVEL CM	3306,8337 litre	98,489 %	50,7434 litre	O
190	CM	75	CM 143 LEVEL CM	3300,9259 litre	98,313 %	56,6512 litre	O
190	CM	75	CM 142,5 LEVEL CM	3294,8138 litre	98,131 %	62,7633 litre	O
190	CM	75	CM 142 LEVEL CM	3288,5056 litre	97,943 %	69,0715 litre	O
190	CM	75	CM 141,5 LEVEL CM	3282,0084 litre	97,749 %	75,5687 litre	O
190	CM	75	CM 141 LEVEL CM	3275,3291 litre	97,550 %	82,2480 litre	O
190	CM	75	CM 140,5 LEVEL CM	3268,4736 litre	97,346 %	89,1035 litre	O
190	CM	75	CM 140 LEVEL CM	3261,4479 litre	97,137 %	96,1292 litre	O
190	CM	75	CM 139,5 LEVEL CM	3254,2570 litre	96,923 %	103,3201 litre	O
190	CM	75	CM 139 LEVEL CM	3246,9061 litre	96,704 %	110,6710 litre	O
190	CM	75	CM 138,5 LEVEL CM	3239,3996 litre	96,480 %	118,1775 litre	O
190	CM	75	CM 138 LEVEL CM	3231,7420 litre	96,252 %	125,8351 litre	O
190	CM	75	CM 137,5 LEVEL CM	3223,9372 litre	96,020 %	133,6399 litre	O
190	CM	75	CM 137 LEVEL CM	3215,9892 litre	95,783 %	141,5879 litre	O
190	CM	75	CM 136,5 LEVEL CM	3207,9017 litre	95,542 %	149,6754 litre	O
190	CM	75	CM 136 LEVEL CM	3199,6780 litre	95,297 %	157,8991 litre	O
190	CM	75	CM 135,5 LEVEL CM	3191,3215 litre	95,048 %	166,2556 litre	O
190	CM	75	CM 135 LEVEL CM	3182,8353 litre	94,796 %	174,7418 litre	O
190	CM	75	CM 134,5 LEVEL CM	3174,2225 litre	94,539 %	183,3546 litre	O
190	CM	75	CM 134 LEVEL CM	3165,4858 litre	94,279 %	192,0913 litre	O
190	CM	75	CM 133,5 LEVEL CM	3156,6281 litre	94,015 %	200,9490 litre	O
190	CM	75	CM 133 LEVEL CM	3147,6520 litre	93,748 %	209,9251 litre	O
190	CM	75	CM 132,5 LEVEL CM	3138,5600 litre	93,477 %	219,0171 litre	O
190	CM	75	CM 132 LEVEL CM	3129,3545 litre	93,203 %	228,2226 litre	O
190	CM	75	CM 131,5 LEVEL CM	3120,0379 litre	92,925 %	237,5392 litre	O
190	CM	75	CM 131 LEVEL CM	3110,6125 litre	92,645 %	246,9646 litre	O
190	CM	75	CM 130,5 LEVEL CM	3101,0805 litre	92,361 %	256,4966 litre	O
190	CM	75	CM 130 LEVEL CM	3091,4439 litre	92,074 %	266,1332 litre	O
190	CM	75	CM 129,5 LEVEL CM	3081,7049 litre	91,784 %	275,8722 litre	O
190	CM	75	CM 129 LEVEL CM	3071,8653 litre	91,491 %	285,7118 litre	O
190	CM	75	CM 128,5 LEVEL CM	3061,9272 litre	91,195 %	295,6499 litre	O
190	CM	75	CM 128 LEVEL CM	3051,8924 litre	90,896 %	305,6847 litre	O
190	CM	75	CM 127,5 LEVEL CM	3041,7628 litre	90,594 %	315,8143 litre	O
190	CM	75	CM 127 LEVEL CM	3031,5400 litre	90,290 %	326,0371 litre	O
190	CM	75	CM 126,5 LEVEL CM	3021,2257 litre	89,982 %	336,3514 litre	O
190	CM	75	CM 126 LEVEL CM	3010,8218 litre	89,672 %	346,7553 litre	O
190	CM	75	CM 125,5 LEVEL CM	3000,3297 litre	89,360 %	357,2474 litre	O
190	CM	75	CM 125 LEVEL CM	2989,7512 litre	89,045 %	367,8259 litre	O
190	CM	75	CM 124,5 LEVEL CM	2979,0876 litre	88,727 %	378,4895 litre	O

190	CM 75	CM	124 LEVEL CM	2968,3406 litre	88,407 %	389,2365 litre	O
190	CM 75	CM	123,5 LEVEL CM	2957,5116 litre	88,085 %	400,0655 litre	O
190	CM 75	CM	123 LEVEL CM	2946,6020 litre	87,760 %	410,9751 litre	O
190	CM 75	CM	122,5 LEVEL CM	2935,6134 litre	87,432 %	421,9637 litre	O
190	CM 75	CM	122 LEVEL CM	2924,5469 litre	87,103 %	433,0302 litre	O
190	CM 75	CM	121,5 LEVEL CM	2913,4041 litre	86,771 %	444,1730 litre	O
190	CM 75	CM	121 LEVEL CM	2902,1862 litre	86,437 %	455,3909 litre	O
190	CM 75	CM	120,5 LEVEL CM	2890,8946 litre	86,101 %	466,6825 litre	O
190	CM 75	CM	120 LEVEL CM	2879,5304 litre	85,762 %	478,0467 litre	O
190	CM 75	CM	119,5 LEVEL CM	2868,0950 litre	85,422 %	489,4821 litre	O
190	CM 75	CM	119 LEVEL CM	2856,5895 litre	85,079 %	500,9876 litre	O
190	CM 75	CM	118,5 LEVEL CM	2845,0152 litre	84,734 %	512,5619 litre	O
190	CM 75	CM	118 LEVEL CM	2833,3733 litre	84,387 %	524,2038 litre	O
190	CM 75	CM	117,5 LEVEL CM	2821,6650 litre	84,039 %	535,9121 litre	O
190	CM 75	CM	117 LEVEL CM	2809,8912 litre	83,688 %	547,6859 litre	O
190	CM 75	CM	116,5 LEVEL CM	2798,0533 litre	83,335 %	559,5238 litre	O
190	CM 75	CM	116 LEVEL CM	2786,1522 litre	82,981 %	571,4249 litre	O
190	CM 75	CM	115,5 LEVEL CM	2774,1892 litre	82,625 %	583,3879 litre	O
190	CM 75	CM	115 LEVEL CM	2762,1651 litre	82,267 %	595,4120 litre	O
190	CM 75	CM	114,5 LEVEL CM	2750,0812 litre	81,907 %	607,4959 litre	O
190	CM 75	CM	114 LEVEL CM	2737,9384 litre	81,545 %	619,6387 litre	O
190	CM 75	CM	113,5 LEVEL CM	2725,7378 litre	81,182 %	631,8393 litre	O
190	CM 75	CM	113 LEVEL CM	2713,4804 litre	80,817 %	644,0967 litre	O
190	CM 75	CM	112,5 LEVEL CM	2701,1671 litre	80,450 %	656,4100 litre	O
190	CM 75	CM	112 LEVEL CM	2688,7990 litre	80,082 %	668,7781 litre	O
190	CM 75	CM	111,5 LEVEL CM	2676,3770 litre	79,712 %	681,2001 litre	O
190	CM 75	CM	111 LEVEL CM	2663,9020 litre	79,340 %	693,6751 litre	O
190	CM 75	CM	110,5 LEVEL CM	2651,3751 litre	78,967 %	706,2020 litre	O
190	CM 75	CM	110 LEVEL CM	2638,7972 litre	78,592 %	718,7799 litre	O
190	CM 75	CM	109,5 LEVEL CM	2626,1691 litre	78,216 %	731,4080 litre	O
190	CM 75	CM	109 LEVEL CM	2613,4918 litre	77,839 %	744,0853 litre	O
190	CM 75	CM	108,5 LEVEL CM	2600,7662 litre	77,460 %	756,8109 litre	O
190	CM 75	CM	108 LEVEL CM	2587,9931 litre	77,079 %	769,5840 litre	O
190	CM 75	CM	107,5 LEVEL CM	2575,1735 litre	76,697 %	782,4036 litre	O
190	CM 75	CM	107 LEVEL CM	2562,3082 litre	76,314 %	795,2689 litre	O
190	CM 75	CM	106,5 LEVEL CM	2549,3981 litre	75,930 %	808,1790 litre	O
190	CM 75	CM	106 LEVEL CM	2536,4441 litre	75,544 %	821,1330 litre	O
190	CM 75	CM	105,5 LEVEL CM	2523,4469 litre	75,157 %	834,1302 litre	O
190	CM 75	CM	105 LEVEL CM	2510,4074 litre	74,768 %	847,1697 litre	O
190	CM 75	CM	104,5 LEVEL CM	2497,3265 litre	74,379 %	860,2506 litre	O
190	CM 75	CM	104 LEVEL CM	2484,2049 litre	73,988 %	873,3722 litre	O
190	CM 75	CM	103,5 LEVEL CM	2471,0435 litre	73,596 %	886,5336 litre	O
190	CM 75	CM	103 LEVEL CM	2457,8431 litre	73,203 %	899,7340 litre	O
190	CM 75	CM	102,5 LEVEL CM	2444,6044 litre	72,809 %	912,9727 litre	O
190	CM 75	CM	102 LEVEL CM	2431,3283 litre	72,413 %	926,2488 litre	O
190	CM 75	CM	101,5 LEVEL CM	2418,0155 litre	72,017 %	939,5616 litre	O
190	CM 75	CM	101 LEVEL CM	2404,6669 litre	71,619 %	952,9102 litre	O
190	CM 75	CM	100,5 LEVEL CM	2391,2831 litre	71,220 %	966,2940 litre	O
190	CM 75	CM	100 LEVEL CM	2377,8650 litre	70,821 %	979,7121 litre	O
190	CM 75	CM	99,5 LEVEL CM	2364,4133 litre	70,420 %	993,1638 litre	O
190	CM 75	CM	99 LEVEL CM	2350,9288 litre	70,019 %	1006,6483 litre	O
190	CM 75	CM	98,5 LEVEL CM	2337,4121 litre	69,616 %	1020,1650 litre	O
190	CM 75	CM	98 LEVEL CM	2323,8642 litre	69,213 %	1033,7129 litre	O

190	CM	75	CM	97,5 LEVEL CM	2310,2856 litre	68,808 %	1047,2915 litre	O
190	CM	75	CM	97 LEVEL CM	2296,6772 litre	68,403 %	1060,8999 litre	O
190	CM	75	CM	96,5 LEVEL CM	2283,0396 litre	67,997 %	1074,5375 litre	O
190	CM	75	CM	96 LEVEL CM	2269,3735 litre	67,590 %	1088,2036 litre	O
190	CM	75	CM	95,5 LEVEL CM	2255,6798 litre	67,182 %	1101,8973 litre	O
190	CM	75	CM	95 LEVEL CM	2241,9591 litre	66,773 %	1115,6180 litre	O
190	CM	75	CM	94,5 LEVEL CM	2228,2120 litre	66,364 %	1129,3651 litre	O
190	CM	75	CM	94 LEVEL CM	2214,4395 litre	65,953 %	1143,1376 litre	O
190	CM	75	CM	93,5 LEVEL CM	2200,6420 litre	65,543 %	1156,9351 litre	O
190	CM	75	CM	93 LEVEL CM	2186,8203 litre	65,131 %	1170,7568 litre	O
190	CM	75	CM	92,5 LEVEL CM	2172,9752 litre	64,719 %	1184,6019 litre	O
190	CM	75	CM	92 LEVEL CM	2159,1072 litre	64,306 %	1198,4699 litre	O
190	CM	75	CM	91,5 LEVEL CM	2145,2172 litre	63,892 %	1212,3599 litre	O
190	CM	75	CM	91 LEVEL CM	2131,3057 litre	63,477 %	1226,2714 litre	O
190	CM	75	CM	90,5 LEVEL CM	2117,3735 litre	63,063 %	1240,2036 litre	O
190	CM	75	CM	90 LEVEL CM	2103,4212 litre	62,647 %	1254,1559 litre	O
190	CM	75	CM	89,5 LEVEL CM	2089,4495 litre	62,231 %	1268,1276 litre	O
190	CM	75	CM	89 LEVEL CM	2075,4592 litre	61,814 %	1282,1179 litre	O
190	CM	75	CM	88,5 LEVEL CM	2061,4507 litre	61,397 %	1296,1264 litre	O
190	CM	75	CM	88 LEVEL CM	2047,4249 litre	60,979 %	1310,1522 litre	O
190	CM	75	CM	87,5 LEVEL CM	2033,3823 litre	60,561 %	1324,1948 litre	O
190	CM	75	CM	87 LEVEL CM	2019,3237 litre	60,142 %	1338,2534 litre	O
190	CM	75	CM	86,5 LEVEL CM	2005,2497 litre	59,723 %	1352,3274 litre	O
190	CM	75	CM	86 LEVEL CM	1991,1610 litre	59,304 %	1366,4161 litre	O
190	CM	75	CM	85,5 LEVEL CM	1977,0581 litre	58,883 %	1380,5190 litre	O
190	CM	75	CM	85 LEVEL CM	1962,9419 litre	58,463 %	1394,6352 litre	O
190	CM	75	CM	84,5 LEVEL CM	1948,8128 litre	58,042 %	1408,7643 litre	O
190	CM	75	CM	84 LEVEL CM	1934,6716 litre	57,621 %	1422,9055 litre	O
190	CM	75	CM	83,5 LEVEL CM	1920,5190 litre	57,200 %	1437,0581 litre	O
190	CM	75	CM	83 LEVEL CM	1906,3555 litre	56,778 %	1451,2216 litre	O
190	CM	75	CM	82,5 LEVEL CM	1892,1818 litre	56,356 %	1465,3953 litre	O
190	CM	75	CM	82 LEVEL CM	1877,9986 litre	55,933 %	1479,5785 litre	O
190	CM	75	CM	81,5 LEVEL CM	1863,8064 litre	55,510 %	1493,7707 litre	O
190	CM	75	CM	81 LEVEL CM	1849,6060 litre	55,088 %	1507,9711 litre	O
190	CM	75	CM	80,5 LEVEL CM	1835,3980 litre	54,664 %	1522,1791 litre	O
190	CM	75	CM	80 LEVEL CM	1821,1829 litre	54,241 %	1536,3942 litre	O
190	CM	75	CM	79,5 LEVEL CM	1806,9616 litre	53,817 %	1550,6155 litre	O
190	CM	75	CM	79 LEVEL CM	1792,7345 litre	53,394 %	1564,8426 litre	O
190	CM	75	CM	78,5 LEVEL CM	1778,5024 litre	52,970 %	1579,0747 litre	O
190	CM	75	CM	78 LEVEL CM	1764,2658 litre	52,546 %	1593,3113 litre	O
190	CM	75	CM	77,5 LEVEL CM	1750,0254 litre	52,122 %	1607,5517 litre	O
190	CM	75	CM	77 LEVEL CM	1735,7818 litre	51,697 %	1621,7953 litre	O
190	CM	75	CM	76,5 LEVEL CM	1721,5357 litre	51,273 %	1636,0414 litre	O
190	CM	75	CM	76 LEVEL CM	1707,2877 litre	50,849 %	1650,2894 litre	O
190	CM	75	CM	75,5 LEVEL CM	1693,0385 litre	50,424 %	1664,5386 litre	O
190	CM	75	CM	75 LEVEL CM	1678,7886 litre	50,000 %	1678,7885 litre	O
190	CM	75	CM	74,5 LEVEL CM	1664,5387 litre	49,576 %	1693,0384 litre	O
190	CM	75	CM	74 LEVEL CM	1650,2894 litre	49,151 %	1707,2877 litre	O
190	CM	75	CM	73,5 LEVEL CM	1636,0414 litre	48,727 %	1721,5357 litre	O
190	CM	75	CM	73 LEVEL CM	1621,7953 litre	48,303 %	1735,7818 litre	O
190	CM	75	CM	72,5 LEVEL CM	1607,5518 litre	47,878 %	1750,0253 litre	O
190	CM	75	CM	72 LEVEL CM	1593,3114 litre	47,454 %	1764,2657 litre	O
190	CM	75	CM	71,5 LEVEL CM	1579,0748 litre	47,030 %	1778,5023 litre	O

190	CM	75	CM	71 LEVEL CM	1564,8426 litre	46,606 %	1792,7345 litre	O
190	CM	75	CM	70,5 LEVEL CM	1550,6156 litre	46,183 %	1806,9615 litre	O
190	CM	75	CM	70 LEVEL CM	1536,3942 litre	45,759 %	1821,1829 litre	O
190	CM	75	CM	69,5 LEVEL CM	1522,1792 litre	45,336 %	1835,3979 litre	O
190	CM	75	CM	69 LEVEL CM	1507,9711 litre	44,912 %	1849,6060 litre	O
190	CM	75	CM	68,5 LEVEL CM	1493,7707 litre	44,490 %	1863,8064 litre	O
190	CM	75	CM	68 LEVEL CM	1479,5786 litre	44,067 %	1877,9985 litre	O
190	CM	75	CM	67,5 LEVEL CM	1465,3954 litre	43,644 %	1892,1817 litre	O
190	CM	75	CM	67 LEVEL CM	1451,2217 litre	43,222 %	1906,3554 litre	O
190	CM	75	CM	66,5 LEVEL CM	1437,0582 litre	42,800 %	1920,5189 litre	O
190	CM	75	CM	66 LEVEL CM	1422,9055 litre	42,379 %	1934,6716 litre	O
190	CM	75	CM	65,5 LEVEL CM	1408,7643 litre	41,958 %	1948,8128 litre	O
190	CM	75	CM	65 LEVEL CM	1394,6353 litre	41,537 %	1962,9418 litre	O
190	CM	75	CM	64,5 LEVEL CM	1380,5190 litre	41,117 %	1977,0581 litre	O
190	CM	75	CM	64 LEVEL CM	1366,4162 litre	40,696 %	1991,1609 litre	O
190	CM	75	CM	63,5 LEVEL CM	1352,3274 litre	40,277 %	2005,2497 litre	O
190	CM	75	CM	63 LEVEL CM	1338,2534 litre	39,858 %	2019,3237 litre	O
190	CM	75	CM	62,5 LEVEL CM	1324,1948 litre	39,439 %	2033,3823 litre	O
190	CM	75	CM	62 LEVEL CM	1310,1523 litre	39,021 %	2047,4248 litre	O
190	CM	75	CM	61,5 LEVEL CM	1296,1264 litre	38,603 %	2061,4507 litre	O
190	CM	75	CM	61 LEVEL CM	1282,1180 litre	38,186 %	2075,4591 litre	O
190	CM	75	CM	60,5 LEVEL CM	1268,1276 litre	37,769 %	2089,4495 litre	O
190	CM	75	CM	60 LEVEL CM	1254,1559 litre	37,353 %	2103,4212 litre	O
190	CM	75	CM	59,5 LEVEL CM	1240,2036 litre	36,937 %	2117,3735 litre	O
190	CM	75	CM	59 LEVEL CM	1226,2714 litre	36,523 %	2131,3057 litre	O
190	CM	75	CM	58,5 LEVEL CM	1212,3600 litre	36,108 %	2145,2171 litre	O
190	CM	75	CM	58 LEVEL CM	1198,4699 litre	35,694 %	2159,1072 litre	O
190	CM	75	CM	57,5 LEVEL CM	1184,6020 litre	35,281 %	2172,9751 litre	O
190	CM	75	CM	57 LEVEL CM	1170,7568 litre	34,869 %	2186,8203 litre	O
190	CM	75	CM	56,5 LEVEL CM	1156,9352 litre	34,457 %	2200,6419 litre	O
190	CM	75	CM	56 LEVEL CM	1143,1377 litre	34,047 %	2214,4394 litre	O
190	CM	75	CM	55,5 LEVEL CM	1129,3651 litre	33,636 %	2228,2120 litre	O
190	CM	75	CM	55 LEVEL CM	1115,6181 litre	33,227 %	2241,9590 litre	O
190	CM	75	CM	54,5 LEVEL CM	1101,8974 litre	32,818 %	2255,6797 litre	O
190	CM	75	CM	54 LEVEL CM	1088,2036 litre	32,410 %	2269,3735 litre	O
190	CM	75	CM	53,5 LEVEL CM	1074,5376 litre	32,003 %	2283,0395 litre	O
190	CM	75	CM	53 LEVEL CM	1060,9000 litre	31,597 %	2296,6771 litre	O
190	CM	75	CM	52,5 LEVEL CM	1047,2915 litre	31,192 %	2310,2856 litre	O
190	CM	75	CM	52 LEVEL CM	1033,7130 litre	30,787 %	2323,8641 litre	O
190	CM	75	CM	51,5 LEVEL CM	1020,1650 litre	30,384 %	2337,4121 litre	O
190	CM	75	CM	51 LEVEL CM	1006,6484 litre	29,981 %	2350,9287 litre	O
190	CM	75	CM	50,5 LEVEL CM	993,1639 litre	29,580 %	2364,4132 litre	O
190	CM	75	CM	50 LEVEL CM	979,7122 litre	29,179 %	2377,8649 litre	O
190	CM	75	CM	49,5 LEVEL CM	966,2940 litre	28,780 %	2391,2831 litre	O
190	CM	75	CM	49 LEVEL CM	952,9103 litre	28,381 %	2404,6668 litre	O
190	CM	75	CM	48,5 LEVEL CM	939,5616 litre	27,983 %	2418,0155 litre	O
190	CM	75	CM	48 LEVEL CM	926,2489 litre	27,587 %	2431,3282 litre	O
190	CM	75	CM	47,5 LEVEL CM	912,9728 litre	27,191 %	2444,6043 litre	O
190	CM	75	CM	47 LEVEL CM	899,7341 litre	26,797 %	2457,8430 litre	O
190	CM	75	CM	46,5 LEVEL CM	886,5336 litre	26,404 %	2471,0435 litre	O
190	CM	75	CM	46 LEVEL CM	873,3722 litre	26,012 %	2484,2049 litre	O
190	CM	75	CM	45,5 LEVEL CM	860,2507 litre	25,621 %	2497,3264 litre	O
190	CM	75	CM	45 LEVEL CM	847,1697 litre	25,232 %	2510,4074 litre	O

190	CM	75	CM	44,5 LEVEL CM	834,1303 litre	24,843 %	2523,4468 litre	O
190	CM	75	CM	44 LEVEL CM	821,1331 litre	24,456 %	2536,4440 litre	O
190	CM	75	CM	43,5 LEVEL CM	808,1790 litre	24,070 %	2549,3981 litre	O
190	CM	75	CM	43 LEVEL CM	795,2689 litre	23,686 %	2562,3082 litre	O
190	CM	75	CM	42,5 LEVEL CM	782,4036 litre	23,303 %	2575,1735 litre	O
190	CM	75	CM	42 LEVEL CM	769,5840 litre	22,921 %	2587,9931 litre	O
190	CM	75	CM	41,5 LEVEL CM	756,8110 litre	22,540 %	2600,7661 litre	O
190	CM	75	CM	41 LEVEL CM	744,0854 litre	22,161 %	2613,4917 litre	O
190	CM	75	CM	40,5 LEVEL CM	731,4081 litre	21,784 %	2626,1690 litre	O
190	CM	75	CM	40 LEVEL CM	718,7800 litre	21,408 %	2638,7971 litre	O
190	CM	75	CM	39,5 LEVEL CM	706,2020 litre	21,033 %	2651,3751 litre	O
190	CM	75	CM	39 LEVEL CM	693,6751 litre	20,660 %	2663,9020 litre	O
190	CM	75	CM	38,5 LEVEL CM	681,2002 litre	20,288 %	2676,3769 litre	O
190	CM	75	CM	38 LEVEL CM	668,7782 litre	19,918 %	2688,7989 litre	O
190	CM	75	CM	37,5 LEVEL CM	656,4101 litre	19,550 %	2701,1670 litre	O
190	CM	75	CM	37 LEVEL CM	644,0968 litre	19,183 %	2713,4803 litre	O
190	CM	75	CM	36,5 LEVEL CM	631,8393 litre	18,818 %	2725,7378 litre	O
190	CM	75	CM	36 LEVEL CM	619,6387 litre	18,455 %	2737,9384 litre	O
190	CM	75	CM	35,5 LEVEL CM	607,4959 litre	18,093 %	2750,0812 litre	O
190	CM	75	CM	35 LEVEL CM	595,4120 litre	17,733 %	2762,1651 litre	O
190	CM	75	CM	34,5 LEVEL CM	583,3880 litre	17,375 %	2774,1891 litre	O
190	CM	75	CM	34 LEVEL CM	571,4249 litre	17,019 %	2786,1522 litre	O
190	CM	75	CM	33,5 LEVEL CM	559,5239 litre	16,665 %	2798,0532 litre	O
190	CM	75	CM	33 LEVEL CM	547,6859 litre	16,312 %	2809,8912 litre	O
190	CM	75	CM	32,5 LEVEL CM	535,9122 litre	15,961 %	2821,6649 litre	O
190	CM	75	CM	32 LEVEL CM	524,2038 litre	15,613 %	2833,3733 litre	O
190	CM	75	CM	31,5 LEVEL CM	512,5619 litre	15,266 %	2845,0152 litre	O
190	CM	75	CM	31 LEVEL CM	500,9876 litre	14,921 %	2856,5895 litre	O
190	CM	75	CM	30,5 LEVEL CM	489,4822 litre	14,578 %	2868,0949 litre	O
190	CM	75	CM	30 LEVEL CM	478,0468 litre	14,238 %	2879,5303 litre	O
190	CM	75	CM	29,5 LEVEL CM	466,6826 litre	13,899 %	2890,8945 litre	O
190	CM	75	CM	29 LEVEL CM	455,3909 litre	13,563 %	2902,1862 litre	O
190	CM	75	CM	28,5 LEVEL CM	444,1730 litre	13,229 %	2913,4041 litre	O
190	CM	75	CM	28 LEVEL CM	433,0302 litre	12,897 %	2924,5469 litre	O
190	CM	75	CM	27,5 LEVEL CM	421,9638 litre	12,568 %	2935,6133 litre	O
190	CM	75	CM	27 LEVEL CM	410,9751 litre	12,240 %	2946,6020 litre	O
190	CM	75	CM	26,5 LEVEL CM	400,0656 litre	11,915 %	2957,5115 litre	O
190	CM	75	CM	26 LEVEL CM	389,2366 litre	11,593 %	2968,3405 litre	O
190	CM	75	CM	25,5 LEVEL CM	378,4896 litre	11,273 %	2979,0875 litre	O
190	CM	75	CM	25 LEVEL CM	367,8260 litre	10,955 %	2989,7511 litre	O
190	CM	75	CM	24,5 LEVEL CM	357,2474 litre	10,640 %	3000,3297 litre	O
190	CM	75	CM	24 LEVEL CM	346,7554 litre	10,328 %	3010,8217 litre	O
190	CM	75	CM	23,5 LEVEL CM	336,3514 litre	10,018 %	3021,2257 litre	O
190	CM	75	CM	23 LEVEL CM	326,0372 litre	9,710 %	3031,5399 litre	O
190	CM	75	CM	22,5 LEVEL CM	315,8144 litre	9,406 %	3041,7627 litre	O
190	CM	75	CM	22 LEVEL CM	305,6847 litre	9,104 %	3051,8924 litre	O
190	CM	75	CM	21,5 LEVEL CM	295,6499 litre	8,805 %	3061,9272 litre	O
190	CM	75	CM	21 LEVEL CM	285,7118 litre	8,509 %	3071,8653 litre	O
190	CM	75	CM	20,5 LEVEL CM	275,8723 litre	8,216 %	3081,7048 litre	O
190	CM	75	CM	20 LEVEL CM	266,1332 litre	7,926 %	3091,4439 litre	O
190	CM	75	CM	19,5 LEVEL CM	256,4967 litre	7,639 %	3101,0804 litre	O
190	CM	75	CM	19 LEVEL CM	246,9646 litre	7,355 %	3110,6125 litre	O
190	CM	75	CM	18,5 LEVEL CM	237,5392 litre	7,075 %	3120,0379 litre	O

190	CM	75	CM	18 LEVEL CM	228,2227 litre	6,797 %	3129,3544 litre	O
190	CM	75	CM	17,5 LEVEL CM	219,0172 litre	6,523 %	3138,5599 litre	O
190	CM	75	CM	17 LEVEL CM	209,9252 litre	6,252 %	3147,6519 litre	O
190	CM	75	CM	16,5 LEVEL CM	200,9490 litre	5,985 %	3156,6281 litre	O
190	CM	75	CM	16 LEVEL CM	192,0913 litre	5,721 %	3165,4858 litre	O
190	CM	75	CM	15,5 LEVEL CM	183,3547 litre	5,461 %	3174,2224 litre	O
190	CM	75	CM	15 LEVEL CM	174,7418 litre	5,204 %	3182,8353 litre	O
190	CM	75	CM	14,5 LEVEL CM	166,2556 litre	4,952 %	3191,3215 litre	O
190	CM	75	CM	14 LEVEL CM	157,8991 litre	4,703 %	3199,6780 litre	O
190	CM	75	CM	13,5 LEVEL CM	149,6755 litre	4,458 %	3207,9016 litre	O
190	CM	75	CM	13 LEVEL CM	141,5879 litre	4,217 %	3215,9892 litre	O
190	CM	75	CM	12,5 LEVEL CM	133,6399 litre	3,980 %	3223,9372 litre	O
190	CM	75	CM	12 LEVEL CM	125,8352 litre	3,748 %	3231,7419 litre	O
190	CM	75	CM	11,5 LEVEL CM	118,1775 litre	3,520 %	3239,3996 litre	O
190	CM	75	CM	11 LEVEL CM	110,6711 litre	3,296 %	3246,9060 litre	O
190	CM	75	CM	10,5 LEVEL CM	103,3201 litre	3,077 %	3254,2570 litre	O
190	CM	75	CM	10 LEVEL CM	96,1293 litre	2,863 %	3261,4478 litre	O
190	CM	75	CM	9,5 LEVEL CM	89,1035 litre	2,654 %	3268,4736 litre	O
190	CM	75	CM	9 LEVEL CM	82,2481 litre	2,450 %	3275,3290 litre	O
190	CM	75	CM	8,5 LEVEL CM	75,5687 litre	2,251 %	3282,0084 litre	O
190	CM	75	CM	8 LEVEL CM	69,0716 litre	2,057 %	3288,5055 litre	O
190	CM	75	CM	7,5 LEVEL CM	62,7633 litre	1,869 %	3294,8138 litre	O
190	CM	75	CM	7 LEVEL CM	56,6513 litre	1,687 %	3300,9258 litre	O
190	CM	75	CM	6,5 LEVEL CM	50,7435 litre	1,511 %	3306,8336 litre	O
190	CM	75	CM	6 LEVEL CM	45,0488 litre	1,342 %	3312,5283 litre	O
190	CM	75	CM	5,5 LEVEL CM	39,5773 litre	1,179 %	3317,9998 litre	O
190	CM	75	CM	5 LEVEL CM	34,3401 litre	1,023 %	3323,2370 litre	O
190	CM	75	CM	4,5 LEVEL CM	29,3501 litre	0,874 %	3328,2270 litre	O
190	CM	75	CM	4 LEVEL CM	24,6220 litre	0,733 %	3332,9551 litre	O
190	CM	75	CM	3,5 LEVEL CM	20,1733 litre	0,601 %	3337,4038 litre	O
190	CM	75	CM	3 LEVEL CM	16,0250 litre	0,477 %	3341,5521 litre	O
190	CM	75	CM	2,5 LEVEL CM	12,2029 litre	0,363 %	3345,3742 litre	O
190	CM	75	CM	2 LEVEL CM	8,7405 litre	0,260 %	3348,8366 litre	O
190	CM	75	CM	1,5 LEVEL CM	5,6829 litre	0,169 %	3351,8942 litre	O
190	CM	75	CM	1 LEVEL CM	3,0965 litre	0,092 %	3354,4806 litre	O
190	CM	75	CM	0,5 LEVEL CM	1,0959 litre	0,033 %	3356,4812 litre	O
190	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	3357,5771 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
190	CM 70	CM 140 LEVEL CM	2924,8228 litre	100,000 %	0,0000 litre	O
190	CM 70	CM 139,5 LEVEL CM	2923,7641 litre	99,964 %	1,0587 litre	O
190	CM 70	CM 139 LEVEL CM	2921,8317 litre	99,898 %	2,9911 litre	O
190	CM 70	CM 138,5 LEVEL CM	2919,3338 litre	99,812 %	5,4890 litre	O
190	CM 70	CM 138 LEVEL CM	2916,3810 litre	99,711 %	8,4418 litre	O
190	CM 70	CM 137,5 LEVEL CM	2913,0379 litre	99,597 %	11,7849 litre	O
190	CM 70	CM 137 LEVEL CM	2909,3479 litre	99,471 %	15,4749 litre	O
190	CM 70	CM 136,5 LEVEL CM	2905,3434 litre	99,334 %	19,4794 litre	O
190	CM 70	CM 136 LEVEL CM	2901,0495 litre	99,187 %	23,7733 litre	O
190	CM 70	CM 135,5 LEVEL CM	2896,4865 litre	99,031 %	28,3363 litre	O
190	CM 70	CM 135 LEVEL CM	2891,6713 litre	98,867 %	33,1515 litre	O
190	CM 70	CM 134,5 LEVEL CM	2886,6183 litre	98,694 %	38,2045 litre	O
190	CM 70	CM 134 LEVEL CM	2881,3398 litre	98,513 %	43,4830 litre	O
190	CM 70	CM 133,5 LEVEL CM	2875,8468 litre	98,326 %	48,9760 litre	O
190	CM 70	CM 133 LEVEL CM	2870,1489 litre	98,131 %	54,6739 litre	O
190	CM 70	CM 132,5 LEVEL CM	2864,2549 litre	97,929 %	60,5679 litre	O
190	CM 70	CM 132 LEVEL CM	2858,1724 litre	97,721 %	66,6504 litre	O
190	CM 70	CM 131,5 LEVEL CM	2851,9086 litre	97,507 %	72,9142 litre	O
190	CM 70	CM 131 LEVEL CM	2845,4700 litre	97,287 %	79,3528 litre	O
190	CM 70	CM 130,5 LEVEL CM	2838,8626 litre	97,061 %	85,9602 litre	O
190	CM 70	CM 130 LEVEL CM	2832,0919 litre	96,830 %	92,7309 litre	O
190	CM 70	CM 129,5 LEVEL CM	2825,1632 litre	96,593 %	99,6596 litre	O
190	CM 70	CM 129 LEVEL CM	2818,0811 litre	96,350 %	106,7417 litre	O
190	CM 70	CM 128,5 LEVEL CM	2810,8502 litre	96,103 %	113,9726 litre	O
190	CM 70	CM 128 LEVEL CM	2803,4747 litre	95,851 %	121,3481 litre	O
190	CM 70	CM 127,5 LEVEL CM	2795,9586 litre	95,594 %	128,8642 litre	O
190	CM 70	CM 127 LEVEL CM	2788,3056 litre	95,332 %	136,5172 litre	O
190	CM 70	CM 126,5 LEVEL CM	2780,5194 litre	95,066 %	144,3034 litre	O
190	CM 70	CM 126 LEVEL CM	2772,6032 litre	94,796 %	152,2196 litre	O
190	CM 70	CM 125,5 LEVEL CM	2764,5604 litre	94,521 %	160,2624 litre	O
190	CM 70	CM 125 LEVEL CM	2756,3940 litre	94,241 %	168,4288 litre	O
190	CM 70	CM 124,5 LEVEL CM	2748,1069 litre	93,958 %	176,7159 litre	O
190	CM 70	CM 124 LEVEL CM	2739,7019 litre	93,671 %	185,1209 litre	O
190	CM 70	CM 123,5 LEVEL CM	2731,1818 litre	93,379 %	193,6410 litre	O
190	CM 70	CM 123 LEVEL CM	2722,5490 litre	93,084 %	202,2738 litre	O
190	CM 70	CM 122,5 LEVEL CM	2713,8061 litre	92,785 %	211,0167 litre	O
190	CM 70	CM 122 LEVEL CM	2704,9555 litre	92,483 %	219,8673 litre	O
190	CM 70	CM 121,5 LEVEL CM	2695,9995 litre	92,177 %	228,8233 litre	O
190	CM 70	CM 121 LEVEL CM	2686,9403 litre	91,867 %	237,8825 litre	O
190	CM 70	CM 120,5 LEVEL CM	2677,7800 litre	91,554 %	247,0428 litre	O
190	CM 70	CM 120 LEVEL CM	2668,5208 litre	91,237 %	256,3020 litre	O
190	CM 70	CM 119,5 LEVEL CM	2659,1646 litre	90,917 %	265,6582 litre	O
190	CM 70	CM 119 LEVEL CM	2649,7133 litre	90,594 %	275,1095 litre	O
190	CM 70	CM 118,5 LEVEL CM	2640,1690 litre	90,268 %	284,6538 litre	O
190	CM 70	CM 118 LEVEL CM	2630,5334 litre	89,938 %	294,2894 litre	O
190	CM 70	CM 117,5 LEVEL CM	2620,8082 litre	89,606 %	304,0146 litre	O
190	CM 70	CM 117 LEVEL CM	2610,9953 litre	89,270 %	313,8275 litre	O
190	CM 70	CM 116,5 LEVEL CM	2601,0963 litre	88,932 %	323,7265 litre	O
190	CM 70	CM 116 LEVEL CM	2591,1129 litre	88,590 %	333,7099 litre	O
190	CM 70	CM 115,5 LEVEL CM	2581,0467 litre	88,246 %	343,7761 litre	O
190	CM 70	CM 115 LEVEL CM	2570,8992 litre	87,899 %	353,9236 litre	O
190	CM 70	CM 114,5 LEVEL CM	2560,6719 litre	87,550 %	364,1509 litre	O

190	CM 70	CM	114 LEVEL CM	2550,3665 litre	87,197 %	374,4563 litre	O
190	CM 70	CM	113,5 LEVEL CM	2539,9842 litre	86,842 %	384,8386 litre	O
190	CM 70	CM	113 LEVEL CM	2529,5266 litre	86,485 %	395,2962 litre	O
190	CM 70	CM	112,5 LEVEL CM	2518,9951 litre	86,125 %	405,8277 litre	O
190	CM 70	CM	112 LEVEL CM	2508,3909 litre	85,762 %	416,4319 litre	O
190	CM 70	CM	111,5 LEVEL CM	2497,7155 litre	85,397 %	427,1073 litre	O
190	CM 70	CM	111 LEVEL CM	2486,9702 litre	85,030 %	437,8526 litre	O
190	CM 70	CM	110,5 LEVEL CM	2476,1562 litre	84,660 %	448,6666 litre	O
190	CM 70	CM	110 LEVEL CM	2465,2748 litre	84,288 %	459,5480 litre	O
190	CM 70	CM	109,5 LEVEL CM	2454,3272 litre	83,914 %	470,4956 litre	O
190	CM 70	CM	109 LEVEL CM	2443,3148 litre	83,537 %	481,5080 litre	O
190	CM 70	CM	108,5 LEVEL CM	2432,2385 litre	83,158 %	492,5843 litre	O
190	CM 70	CM	108 LEVEL CM	2421,0998 litre	82,778 %	503,7230 litre	O
190	CM 70	CM	107,5 LEVEL CM	2409,8996 litre	82,395 %	514,9232 litre	O
190	CM 70	CM	107 LEVEL CM	2398,6391 litre	82,010 %	526,1837 litre	O
190	CM 70	CM	106,5 LEVEL CM	2387,3195 litre	81,623 %	537,5033 litre	O
190	CM 70	CM	106 LEVEL CM	2375,9418 litre	81,234 %	548,8810 litre	O
190	CM 70	CM	105,5 LEVEL CM	2364,5072 litre	80,843 %	560,3156 litre	O
190	CM 70	CM	105 LEVEL CM	2353,0167 litre	80,450 %	571,8061 litre	O
190	CM 70	CM	104,5 LEVEL CM	2341,4713 litre	80,055 %	583,3515 litre	O
190	CM 70	CM	104 LEVEL CM	2329,8721 litre	79,659 %	594,9507 litre	O
190	CM 70	CM	103,5 LEVEL CM	2318,2201 litre	79,260 %	606,6027 litre	O
190	CM 70	CM	103 LEVEL CM	2306,5163 litre	78,860 %	618,3065 litre	O
190	CM 70	CM	102,5 LEVEL CM	2294,7618 litre	78,458 %	630,0610 litre	O
190	CM 70	CM	102 LEVEL CM	2282,9574 litre	78,055 %	641,8654 litre	O
190	CM 70	CM	101,5 LEVEL CM	2271,1042 litre	77,649 %	653,7186 litre	O
190	CM 70	CM	101 LEVEL CM	2259,2032 litre	77,242 %	665,6196 litre	O
190	CM 70	CM	100,5 LEVEL CM	2247,2552 litre	76,834 %	677,5676 litre	O
190	CM 70	CM	100 LEVEL CM	2235,2612 litre	76,424 %	689,5616 litre	O
190	CM 70	CM	99,5 LEVEL CM	2223,2222 litre	76,012 %	701,6006 litre	O
190	CM 70	CM	99 LEVEL CM	2211,1390 litre	75,599 %	713,6838 litre	O
190	CM 70	CM	98,5 LEVEL CM	2199,0126 litre	75,184 %	725,8102 litre	O
190	CM 70	CM	98 LEVEL CM	2186,8438 litre	74,768 %	737,9790 litre	O
190	CM 70	CM	97,5 LEVEL CM	2174,6336 litre	74,351 %	750,1892 litre	O
190	CM 70	CM	97 LEVEL CM	2162,3827 litre	73,932 %	762,4401 litre	O
190	CM 70	CM	96,5 LEVEL CM	2150,0922 litre	73,512 %	774,7306 litre	O
190	CM 70	CM	96 LEVEL CM	2137,7628 litre	73,090 %	787,0600 litre	O
190	CM 70	CM	95,5 LEVEL CM	2125,3954 litre	72,667 %	799,4274 litre	O
190	CM 70	CM	95 LEVEL CM	2112,9909 litre	72,243 %	811,8319 litre	O
190	CM 70	CM	94,5 LEVEL CM	2100,5500 litre	71,818 %	824,2728 litre	O
190	CM 70	CM	94 LEVEL CM	2088,0736 litre	71,391 %	836,7492 litre	O
190	CM 70	CM	93,5 LEVEL CM	2075,5625 litre	70,964 %	849,2603 litre	O
190	CM 70	CM	93 LEVEL CM	2063,0176 litre	70,535 %	861,8052 litre	O
190	CM 70	CM	92,5 LEVEL CM	2050,4397 litre	70,105 %	874,3831 litre	O
190	CM 70	CM	92 LEVEL CM	2037,8294 litre	69,674 %	886,9934 litre	O
190	CM 70	CM	91,5 LEVEL CM	2025,1878 litre	69,241 %	899,6350 litre	O
190	CM 70	CM	91 LEVEL CM	2012,5155 litre	68,808 %	912,3073 litre	O
190	CM 70	CM	90,5 LEVEL CM	1999,8133 litre	68,374 %	925,0095 litre	O
190	CM 70	CM	90 LEVEL CM	1987,0820 litre	67,939 %	937,7408 litre	O
190	CM 70	CM	89,5 LEVEL CM	1974,3223 litre	67,502 %	950,5005 litre	O
190	CM 70	CM	89 LEVEL CM	1961,5352 litre	67,065 %	963,2876 litre	O
190	CM 70	CM	88,5 LEVEL CM	1948,7212 litre	66,627 %	976,1016 litre	O
190	CM 70	CM	88 LEVEL CM	1935,8812 litre	66,188 %	988,9416 litre	O

190	CM	70	CM	87,5 LEVEL CM	1923,0159 litre	65,748 %	1001,8069 litre	O
190	CM	70	CM	87 LEVEL CM	1910,1261 litre	65,307 %	1014,6967 litre	O
190	CM	70	CM	86,5 LEVEL CM	1897,2125 litre	64,866 %	1027,6103 litre	O
190	CM	70	CM	86 LEVEL CM	1884,2759 litre	64,424 %	1040,5469 litre	O
190	CM	70	CM	85,5 LEVEL CM	1871,3169 litre	63,981 %	1053,5059 litre	O
190	CM	70	CM	85 LEVEL CM	1858,3364 litre	63,537 %	1066,4864 litre	O
190	CM	70	CM	84,5 LEVEL CM	1845,3351 litre	63,092 %	1079,4877 litre	O
190	CM	70	CM	84 LEVEL CM	1832,3136 litre	62,647 %	1092,5092 litre	O
190	CM	70	CM	83,5 LEVEL CM	1819,2727 litre	62,201 %	1105,5501 litre	O
190	CM	70	CM	83 LEVEL CM	1806,2132 litre	61,755 %	1118,6096 litre	O
190	CM	70	CM	82,5 LEVEL CM	1793,1357 litre	61,307 %	1131,6871 litre	O
190	CM	70	CM	82 LEVEL CM	1780,0410 litre	60,860 %	1144,7818 litre	O
190	CM	70	CM	81,5 LEVEL CM	1766,9297 litre	60,412 %	1157,8931 litre	O
190	CM	70	CM	81 LEVEL CM	1753,8026 litre	59,963 %	1171,0202 litre	O
190	CM	70	CM	80,5 LEVEL CM	1740,6604 litre	59,513 %	1184,1624 litre	O
190	CM	70	CM	80 LEVEL CM	1727,5038 litre	59,064 %	1197,3190 litre	O
190	CM	70	CM	79,5 LEVEL CM	1714,3335 litre	58,613 %	1210,4893 litre	O
190	CM	70	CM	79 LEVEL CM	1701,1502 litre	58,163 %	1223,6726 litre	O
190	CM	70	CM	78,5 LEVEL CM	1687,9545 litre	57,711 %	1236,8683 litre	O
190	CM	70	CM	78 LEVEL CM	1674,7472 litre	57,260 %	1250,0756 litre	O
190	CM	70	CM	77,5 LEVEL CM	1661,5290 litre	56,808 %	1263,2938 litre	O
190	CM	70	CM	77 LEVEL CM	1648,3006 litre	56,356 %	1276,5222 litre	O
190	CM	70	CM	76,5 LEVEL CM	1635,0626 litre	55,903 %	1289,7602 litre	O
190	CM	70	CM	76 LEVEL CM	1621,8157 litre	55,450 %	1303,0071 litre	O
190	CM	70	CM	75,5 LEVEL CM	1608,5607 litre	54,997 %	1316,2621 litre	O
190	CM	70	CM	75 LEVEL CM	1595,2982 litre	54,543 %	1329,5246 litre	O
190	CM	70	CM	74,5 LEVEL CM	1582,0289 litre	54,090 %	1342,7939 litre	O
190	CM	70	CM	74 LEVEL CM	1568,7534 litre	53,636 %	1356,0694 litre	O
190	CM	70	CM	73,5 LEVEL CM	1555,4726 litre	53,182 %	1369,3502 litre	O
190	CM	70	CM	73 LEVEL CM	1542,1869 litre	52,728 %	1382,6359 litre	O
190	CM	70	CM	72,5 LEVEL CM	1528,8972 litre	52,273 %	1395,9256 litre	O
190	CM	70	CM	72 LEVEL CM	1515,6041 litre	51,819 %	1409,2187 litre	O
190	CM	70	CM	71,5 LEVEL CM	1502,3083 litre	51,364 %	1422,5145 litre	O
190	CM	70	CM	71 LEVEL CM	1489,0105 litre	50,909 %	1435,8123 litre	O
190	CM	70	CM	70,5 LEVEL CM	1475,7113 litre	50,455 %	1449,1115 litre	O
190	CM	70	CM	70 LEVEL CM	1462,4114 litre	50,000 %	1462,4114 litre	O
190	CM	70	CM	69,5 LEVEL CM	1449,1115 litre	49,545 %	1475,7113 litre	O
190	CM	70	CM	69 LEVEL CM	1435,8123 litre	49,091 %	1489,0105 litre	O
190	CM	70	CM	68,5 LEVEL CM	1422,5144 litre	48,636 %	1502,3084 litre	O
190	CM	70	CM	68 LEVEL CM	1409,2186 litre	48,181 %	1515,6042 litre	O
190	CM	70	CM	67,5 LEVEL CM	1395,9255 litre	47,727 %	1528,8973 litre	O
190	CM	70	CM	67 LEVEL CM	1382,6358 litre	47,272 %	1542,1870 litre	O
190	CM	70	CM	66,5 LEVEL CM	1369,3502 litre	46,818 %	1555,4726 litre	O
190	CM	70	CM	66 LEVEL CM	1356,0693 litre	46,364 %	1568,7535 litre	O
190	CM	70	CM	65,5 LEVEL CM	1342,7939 litre	45,910 %	1582,0289 litre	O
190	CM	70	CM	65 LEVEL CM	1329,5246 litre	45,457 %	1595,2982 litre	O
190	CM	70	CM	64,5 LEVEL CM	1316,2620 litre	45,003 %	1608,5608 litre	O
190	CM	70	CM	64 LEVEL CM	1303,0070 litre	44,550 %	1621,8158 litre	O
190	CM	70	CM	63,5 LEVEL CM	1289,7602 litre	44,097 %	1635,0626 litre	O
190	CM	70	CM	63 LEVEL CM	1276,5222 litre	43,644 %	1648,3006 litre	O
190	CM	70	CM	62,5 LEVEL CM	1263,2937 litre	43,192 %	1661,5291 litre	O
190	CM	70	CM	62 LEVEL CM	1250,0755 litre	42,740 %	1674,7473 litre	O
190	CM	70	CM	61,5 LEVEL CM	1236,8683 litre	42,289 %	1687,9545 litre	O

190	CM	70	CM	61 LEVEL CM	1223,6726 litre	41,837 %	1701,1502 litre	O
190	CM	70	CM	60,5 LEVEL CM	1210,4893 litre	41,387 %	1714,3335 litre	O
190	CM	70	CM	60 LEVEL CM	1197,3189 litre	40,936 %	1727,5039 litre	O
190	CM	70	CM	59,5 LEVEL CM	1184,1623 litre	40,487 %	1740,6605 litre	O
190	CM	70	CM	59 LEVEL CM	1171,0201 litre	40,037 %	1753,8027 litre	O
190	CM	70	CM	58,5 LEVEL CM	1157,8930 litre	39,588 %	1766,9298 litre	O
190	CM	70	CM	58 LEVEL CM	1144,7818 litre	39,140 %	1780,0410 litre	O
190	CM	70	CM	57,5 LEVEL CM	1131,6870 litre	38,692 %	1793,1358 litre	O
190	CM	70	CM	57 LEVEL CM	1118,6096 litre	38,245 %	1806,2132 litre	O
190	CM	70	CM	56,5 LEVEL CM	1105,5500 litre	37,799 %	1819,2728 litre	O
190	CM	70	CM	56 LEVEL CM	1092,5092 litre	37,353 %	1832,3136 litre	O
190	CM	70	CM	55,5 LEVEL CM	1079,4877 litre	36,908 %	1845,3351 litre	O
190	CM	70	CM	55 LEVEL CM	1066,4863 litre	36,463 %	1858,3365 litre	O
190	CM	70	CM	54,5 LEVEL CM	1053,5058 litre	36,019 %	1871,3170 litre	O
190	CM	70	CM	54 LEVEL CM	1040,5469 litre	35,576 %	1884,2759 litre	O
190	CM	70	CM	53,5 LEVEL CM	1027,6102 litre	35,134 %	1897,2126 litre	O
190	CM	70	CM	53 LEVEL CM	1014,6967 litre	34,693 %	1910,1261 litre	O
190	CM	70	CM	52,5 LEVEL CM	1001,8068 litre	34,252 %	1923,0160 litre	O
190	CM	70	CM	52 LEVEL CM	988,9416 litre	33,812 %	1935,8812 litre	O
190	CM	70	CM	51,5 LEVEL CM	976,1016 litre	33,373 %	1948,7212 litre	O
190	CM	70	CM	51 LEVEL CM	963,2876 litre	32,935 %	1961,5352 litre	O
190	CM	70	CM	50,5 LEVEL CM	950,5004 litre	32,498 %	1974,3224 litre	O
190	CM	70	CM	50 LEVEL CM	937,7408 litre	32,061 %	1987,0820 litre	O
190	CM	70	CM	49,5 LEVEL CM	925,0095 litre	31,626 %	1999,8133 litre	O
190	CM	70	CM	49 LEVEL CM	912,3073 litre	31,192 %	2012,5155 litre	O
190	CM	70	CM	48,5 LEVEL CM	899,6350 litre	30,759 %	2025,1878 litre	O
190	CM	70	CM	48 LEVEL CM	886,9933 litre	30,326 %	2037,8295 litre	O
190	CM	70	CM	47,5 LEVEL CM	874,3831 litre	29,895 %	2050,4397 litre	O
190	CM	70	CM	47 LEVEL CM	861,8051 litre	29,465 %	2063,0177 litre	O
190	CM	70	CM	46,5 LEVEL CM	849,2602 litre	29,036 %	2075,5626 litre	O
190	CM	70	CM	46 LEVEL CM	836,7492 litre	28,609 %	2088,0736 litre	O
190	CM	70	CM	45,5 LEVEL CM	824,2728 litre	28,182 %	2100,5500 litre	O
190	CM	70	CM	45 LEVEL CM	811,8319 litre	27,757 %	2112,9909 litre	O
190	CM	70	CM	44,5 LEVEL CM	799,4273 litre	27,333 %	2125,3955 litre	O
190	CM	70	CM	44 LEVEL CM	787,0599 litre	26,910 %	2137,7629 litre	O
190	CM	70	CM	43,5 LEVEL CM	774,7306 litre	26,488 %	2150,0922 litre	O
190	CM	70	CM	43 LEVEL CM	762,4400 litre	26,068 %	2162,3828 litre	O
190	CM	70	CM	42,5 LEVEL CM	750,1892 litre	25,649 %	2174,6336 litre	O
190	CM	70	CM	42 LEVEL CM	737,9790 litre	25,232 %	2186,8438 litre	O
190	CM	70	CM	41,5 LEVEL CM	725,8102 litre	24,816 %	2199,0126 litre	O
190	CM	70	CM	41 LEVEL CM	713,6838 litre	24,401 %	2211,1390 litre	O
190	CM	70	CM	40,5 LEVEL CM	701,6006 litre	23,988 %	2223,2222 litre	O
190	CM	70	CM	40 LEVEL CM	689,5615 litre	23,576 %	2235,2613 litre	O
190	CM	70	CM	39,5 LEVEL CM	677,5676 litre	23,166 %	2247,2552 litre	O
190	CM	70	CM	39 LEVEL CM	665,6196 litre	22,758 %	2259,2032 litre	O
190	CM	70	CM	38,5 LEVEL CM	653,7185 litre	22,351 %	2271,1043 litre	O
190	CM	70	CM	38 LEVEL CM	641,8654 litre	21,945 %	2282,9574 litre	O
190	CM	70	CM	37,5 LEVEL CM	630,0610 litre	21,542 %	2294,7618 litre	O
190	CM	70	CM	37 LEVEL CM	618,3064 litre	21,140 %	2306,5164 litre	O
190	CM	70	CM	36,5 LEVEL CM	606,6027 litre	20,740 %	2318,2201 litre	O
190	CM	70	CM	36 LEVEL CM	594,9507 litre	20,341 %	2329,8721 litre	O
190	CM	70	CM	35,5 LEVEL CM	583,3515 litre	19,945 %	2341,4713 litre	O
190	CM	70	CM	35 LEVEL CM	571,8061 litre	19,550 %	2353,0167 litre	O

190	CM	70	CM	34,5 LEVEL CM	560,3156 litre	19,157 %	2364,5072 litre	O
190	CM	70	CM	34 LEVEL CM	548,8809 litre	18,766 %	2375,9419 litre	O
190	CM	70	CM	33,5 LEVEL CM	537,5033 litre	18,377 %	2387,3195 litre	O
190	CM	70	CM	33 LEVEL CM	526,1836 litre	17,990 %	2398,6392 litre	O
190	CM	70	CM	32,5 LEVEL CM	514,9232 litre	17,605 %	2409,8996 litre	O
190	CM	70	CM	32 LEVEL CM	503,7230 litre	17,222 %	2421,0998 litre	O
190	CM	70	CM	31,5 LEVEL CM	492,5842 litre	16,842 %	2432,2386 litre	O
190	CM	70	CM	31 LEVEL CM	481,5080 litre	16,463 %	2443,3148 litre	O
190	CM	70	CM	30,5 LEVEL CM	470,4955 litre	16,086 %	2454,3273 litre	O
190	CM	70	CM	30 LEVEL CM	459,5480 litre	15,712 %	2465,2748 litre	O
190	CM	70	CM	29,5 LEVEL CM	448,6666 litre	15,340 %	2476,1562 litre	O
190	CM	70	CM	29 LEVEL CM	437,8526 litre	14,970 %	2486,9702 litre	O
190	CM	70	CM	28,5 LEVEL CM	427,1073 litre	14,603 %	2497,7155 litre	O
190	CM	70	CM	28 LEVEL CM	416,4318 litre	14,238 %	2508,3910 litre	O
190	CM	70	CM	27,5 LEVEL CM	405,8277 litre	13,875 %	2518,9951 litre	O
190	CM	70	CM	27 LEVEL CM	395,2961 litre	13,515 %	2529,5267 litre	O
190	CM	70	CM	26,5 LEVEL CM	384,8385 litre	13,158 %	2539,9843 litre	O
190	CM	70	CM	26 LEVEL CM	374,4563 litre	12,803 %	2550,3665 litre	O
190	CM	70	CM	25,5 LEVEL CM	364,1508 litre	12,450 %	2560,6720 litre	O
190	CM	70	CM	25 LEVEL CM	353,9236 litre	12,101 %	2570,8992 litre	O
190	CM	70	CM	24,5 LEVEL CM	343,7761 litre	11,754 %	2581,0467 litre	O
190	CM	70	CM	24 LEVEL CM	333,7098 litre	11,410 %	2591,1130 litre	O
190	CM	70	CM	23,5 LEVEL CM	323,7264 litre	11,068 %	2601,0964 litre	O
190	CM	70	CM	23 LEVEL CM	313,8275 litre	10,730 %	2610,9953 litre	O
190	CM	70	CM	22,5 LEVEL CM	304,0145 litre	10,394 %	2620,8083 litre	O
190	CM	70	CM	22 LEVEL CM	294,2894 litre	10,062 %	2630,5334 litre	O
190	CM	70	CM	21,5 LEVEL CM	284,6538 litre	9,732 %	2640,1690 litre	O
190	CM	70	CM	21 LEVEL CM	275,1094 litre	9,406 %	2649,7134 litre	O
190	CM	70	CM	20,5 LEVEL CM	265,6582 litre	9,083 %	2659,1646 litre	O
190	CM	70	CM	20 LEVEL CM	256,3020 litre	8,763 %	2668,5208 litre	O
190	CM	70	CM	19,5 LEVEL CM	247,0427 litre	8,446 %	2677,7801 litre	O
190	CM	70	CM	19 LEVEL CM	237,8825 litre	8,133 %	2686,9403 litre	O
190	CM	70	CM	18,5 LEVEL CM	228,8232 litre	7,823 %	2695,9996 litre	O
190	CM	70	CM	18 LEVEL CM	219,8672 litre	7,517 %	2704,9556 litre	O
190	CM	70	CM	17,5 LEVEL CM	211,0166 litre	7,215 %	2713,8062 litre	O
190	CM	70	CM	17 LEVEL CM	202,2738 litre	6,916 %	2722,5490 litre	O
190	CM	70	CM	16,5 LEVEL CM	193,6410 litre	6,621 %	2731,1818 litre	O
190	CM	70	CM	16 LEVEL CM	185,1208 litre	6,329 %	2739,7020 litre	O
190	CM	70	CM	15,5 LEVEL CM	176,7159 litre	6,042 %	2748,1069 litre	O
190	CM	70	CM	15 LEVEL CM	168,4288 litre	5,759 %	2756,3940 litre	O
190	CM	70	CM	14,5 LEVEL CM	160,2623 litre	5,479 %	2764,5605 litre	O
190	CM	70	CM	14 LEVEL CM	152,2195 litre	5,204 %	2772,6033 litre	O
190	CM	70	CM	13,5 LEVEL CM	144,3034 litre	4,934 %	2780,5194 litre	O
190	CM	70	CM	13 LEVEL CM	136,5172 litre	4,668 %	2788,3056 litre	O
190	CM	70	CM	12,5 LEVEL CM	128,8642 litre	4,406 %	2795,9586 litre	O
190	CM	70	CM	12 LEVEL CM	121,3481 litre	4,149 %	2803,4747 litre	O
190	CM	70	CM	11,5 LEVEL CM	113,9726 litre	3,897 %	2810,8502 litre	O
190	CM	70	CM	11 LEVEL CM	106,7417 litre	3,650 %	2818,0811 litre	O
190	CM	70	CM	10,5 LEVEL CM	99,6596 litre	3,407 %	2825,1632 litre	O
190	CM	70	CM	10 LEVEL CM	92,7308 litre	3,170 %	2832,0920 litre	O
190	CM	70	CM	9,5 LEVEL CM	85,9602 litre	2,939 %	2838,8626 litre	O
190	CM	70	CM	9 LEVEL CM	79,3528 litre	2,713 %	2845,4700 litre	O
190	CM	70	CM	8,5 LEVEL CM	72,9142 litre	2,493 %	2851,9086 litre	O

190	CM	70	CM	8 LEVEL CM	66,6504 litre	2,279 %	2858,1724 litre	O
190	CM	70	CM	7,5 LEVEL CM	60,5679 litre	2,071 %	2864,2549 litre	O
190	CM	70	CM	7 LEVEL CM	54,6738 litre	1,869 %	2870,1490 litre	O
190	CM	70	CM	6,5 LEVEL CM	48,9760 litre	1,674 %	2875,8468 litre	O
190	CM	70	CM	6 LEVEL CM	43,4830 litre	1,487 %	2881,3398 litre	O
190	CM	70	CM	5,5 LEVEL CM	38,2045 litre	1,306 %	2886,6183 litre	O
190	CM	70	CM	5 LEVEL CM	33,1515 litre	1,133 %	2891,6713 litre	O
190	CM	70	CM	4,5 LEVEL CM	28,3363 litre	0,969 %	2896,4865 litre	O
190	CM	70	CM	4 LEVEL CM	23,7732 litre	0,813 %	2901,0496 litre	O
190	CM	70	CM	3,5 LEVEL CM	19,4793 litre	0,666 %	2905,3435 litre	O
190	CM	70	CM	3 LEVEL CM	15,4749 litre	0,529 %	2909,3479 litre	O
190	CM	70	CM	2,5 LEVEL CM	11,7849 litre	0,403 %	2913,0379 litre	O
190	CM	70	CM	2 LEVEL CM	8,4417 litre	0,289 %	2916,3811 litre	O
190	CM	70	CM	1,5 LEVEL CM	5,4890 litre	0,188 %	2919,3338 litre	O
190	CM	70	CM	1 LEVEL CM	2,9910 litre	0,102 %	2921,8318 litre	O
190	CM	70	CM	0,5 LEVEL CM	1,0586 litre	0,036 %	2923,7642 litre	O
190	CM	70	CM	0 LEVEL CM	0,0000 litre	0,000 %	2924,8228 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
190	CM	65	CM 130 LEVEL CM	2521,9135 litre	100,000 %	0,0000 litre	O
190	CM	65	CM 129,5 LEVEL CM	2520,8935 litre	99,960 %	1,0200 litre	O
190	CM	65	CM 129 LEVEL CM	2519,0317 litre	99,886 %	2,8818 litre	O
190	CM	65	CM 128,5 LEVEL CM	2516,6255 litre	99,790 %	5,2880 litre	O
190	CM	65	CM 128 LEVEL CM	2513,7816 litre	99,678 %	8,1319 litre	O
190	CM	65	CM 127,5 LEVEL CM	2510,5620 litre	99,550 %	11,3515 litre	O
190	CM	65	CM 127 LEVEL CM	2507,0090 litre	99,409 %	14,9045 litre	O
190	CM	65	CM 126,5 LEVEL CM	2503,1538 litre	99,256 %	18,7597 litre	O
190	CM	65	CM 126 LEVEL CM	2499,0204 litre	99,092 %	22,8931 litre	O
190	CM	65	CM 125,5 LEVEL CM	2494,6287 litre	98,918 %	27,2848 litre	O
190	CM	65	CM 125 LEVEL CM	2489,9949 litre	98,734 %	31,9186 litre	O
190	CM	65	CM 124,5 LEVEL CM	2485,1330 litre	98,542 %	36,7805 litre	O
190	CM	65	CM 124 LEVEL CM	2480,0549 litre	98,340 %	41,8586 litre	O
190	CM	65	CM 123,5 LEVEL CM	2474,7713 litre	98,131 %	47,1422 litre	O
190	CM	65	CM 123 LEVEL CM	2469,2914 litre	97,913 %	52,6221 litre	O
190	CM	65	CM 122,5 LEVEL CM	2463,6237 litre	97,689 %	58,2898 litre	O
190	CM	65	CM 122 LEVEL CM	2457,7757 litre	97,457 %	64,1378 litre	O
190	CM	65	CM 121,5 LEVEL CM	2451,7543 litre	97,218 %	70,1592 litre	O
190	CM	65	CM 121 LEVEL CM	2445,5658 litre	96,973 %	76,3477 litre	O
190	CM	65	CM 120,5 LEVEL CM	2439,2161 litre	96,721 %	82,6974 litre	O
190	CM	65	CM 120 LEVEL CM	2432,7106 litre	96,463 %	89,2029 litre	O
190	CM	65	CM 119,5 LEVEL CM	2426,0542 litre	96,199 %	95,8593 litre	O
190	CM	65	CM 119 LEVEL CM	2419,2516 litre	95,929 %	102,6619 litre	O
190	CM	65	CM 118,5 LEVEL CM	2412,3071 litre	95,654 %	109,6064 litre	O
190	CM	65	CM 118 LEVEL CM	2405,2250 litre	95,373 %	116,6885 litre	O
190	CM	65	CM 117,5 LEVEL CM	2398,0091 litre	95,087 %	123,9044 litre	O
190	CM	65	CM 117 LEVEL CM	2390,6630 litre	94,796 %	131,2505 litre	O
190	CM	65	CM 116,5 LEVEL CM	2383,1902 litre	94,499 %	138,7233 litre	O
190	CM	65	CM 116 LEVEL CM	2375,5941 litre	94,198 %	146,3194 litre	O
190	CM	65	CM 115,5 LEVEL CM	2367,8777 litre	93,892 %	154,0358 litre	O
190	CM	65	CM 115 LEVEL CM	2360,0440 litre	93,581 %	161,8695 litre	O
190	CM	65	CM 114,5 LEVEL CM	2352,0960 litre	93,266 %	169,8175 litre	O
190	CM	65	CM 114 LEVEL CM	2344,0364 litre	92,947 %	177,8771 litre	O
190	CM	65	CM 113,5 LEVEL CM	2335,8677 litre	92,623 %	186,0458 litre	O
190	CM	65	CM 113 LEVEL CM	2327,5926 litre	92,295 %	194,3209 litre	O
190	CM	65	CM 112,5 LEVEL CM	2319,2134 litre	91,962 %	202,7001 litre	O
190	CM	65	CM 112 LEVEL CM	2310,7325 litre	91,626 %	211,1810 litre	O
190	CM	65	CM 111,5 LEVEL CM	2302,1522 litre	91,286 %	219,7613 litre	O
190	CM	65	CM 111 LEVEL CM	2293,4746 litre	90,942 %	228,4389 litre	O
190	CM	65	CM 110,5 LEVEL CM	2284,7018 litre	90,594 %	237,2117 litre	O
190	CM	65	CM 110 LEVEL CM	2275,8359 litre	90,242 %	246,0776 litre	O
190	CM	65	CM 109,5 LEVEL CM	2266,8789 litre	89,887 %	255,0346 litre	O
190	CM	65	CM 109 LEVEL CM	2257,8326 litre	89,529 %	264,0809 litre	O
190	CM	65	CM 108,5 LEVEL CM	2248,6990 litre	89,166 %	273,2145 litre	O
190	CM	65	CM 108 LEVEL CM	2239,4797 litre	88,801 %	282,4338 litre	O
190	CM	65	CM 107,5 LEVEL CM	2230,1767 litre	88,432 %	291,7368 litre	O
190	CM	65	CM 107 LEVEL CM	2220,7916 litre	88,060 %	301,1219 litre	O
190	CM	65	CM 106,5 LEVEL CM	2211,3261 litre	87,684 %	310,5874 litre	O
190	CM	65	CM 106 LEVEL CM	2201,7817 litre	87,306 %	320,1318 litre	O
190	CM	65	CM 105,5 LEVEL CM	2192,1601 litre	86,924 %	329,7534 litre	O
190	CM	65	CM 105 LEVEL CM	2182,4628 litre	86,540 %	339,4507 litre	O
190	CM	65	CM 104,5 LEVEL CM	2172,6914 litre	86,152 %	349,2221 litre	O

190	CM 65	CM	104 LEVEL CM	2162,8473 litre	85,762 %	359,0662 litre	O
190	CM 65	CM	103,5 LEVEL CM	2152,9319 litre	85,369 %	368,9816 litre	O
190	CM 65	CM	103 LEVEL CM	2142,9466 litre	84,973 %	378,9669 litre	O
190	CM 65	CM	102,5 LEVEL CM	2132,8930 litre	84,574 %	389,0205 litre	O
190	CM 65	CM	102 LEVEL CM	2122,7722 litre	84,173 %	399,1413 litre	O
190	CM 65	CM	101,5 LEVEL CM	2112,5856 litre	83,769 %	409,3279 litre	O
190	CM 65	CM	101 LEVEL CM	2102,3346 litre	83,363 %	419,5789 litre	O
190	CM 65	CM	100,5 LEVEL CM	2092,0203 litre	82,954 %	429,8932 litre	O
190	CM 65	CM	100 LEVEL CM	2081,6442 litre	82,542 %	440,2693 litre	O
190	CM 65	CM	99,5 LEVEL CM	2071,2073 litre	82,128 %	450,7062 litre	O
190	CM 65	CM	99 LEVEL CM	2060,7109 litre	81,712 %	461,2026 litre	O
190	CM 65	CM	98,5 LEVEL CM	2050,1562 litre	81,294 %	471,7573 litre	O
190	CM 65	CM	98 LEVEL CM	2039,5444 litre	80,873 %	482,3691 litre	O
190	CM 65	CM	97,5 LEVEL CM	2028,8766 litre	80,450 %	493,0369 litre	O
190	CM 65	CM	97 LEVEL CM	2018,1540 litre	80,025 %	503,7595 litre	O
190	CM 65	CM	96,5 LEVEL CM	2007,3776 litre	79,597 %	514,5359 litre	O
190	CM 65	CM	96 LEVEL CM	1996,5486 litre	79,168 %	525,3649 litre	O
190	CM 65	CM	95,5 LEVEL CM	1985,6680 litre	78,737 %	536,2455 litre	O
190	CM 65	CM	95 LEVEL CM	1974,7369 litre	78,303 %	547,1766 litre	O
190	CM 65	CM	94,5 LEVEL CM	1963,7565 litre	77,868 %	558,1570 litre	O
190	CM 65	CM	94 LEVEL CM	1952,7276 litre	77,430 %	569,1859 litre	O
190	CM 65	CM	93,5 LEVEL CM	1941,6514 litre	76,991 %	580,2621 litre	O
190	CM 65	CM	93 LEVEL CM	1930,5288 litre	76,550 %	591,3847 litre	O
190	CM 65	CM	92,5 LEVEL CM	1919,3609 litre	76,107 %	602,5526 litre	O
190	CM 65	CM	92 LEVEL CM	1908,1486 litre	75,663 %	613,7649 litre	O
190	CM 65	CM	91,5 LEVEL CM	1896,8930 litre	75,216 %	625,0205 litre	O
190	CM 65	CM	91 LEVEL CM	1885,5949 litre	74,768 %	636,3186 litre	O
190	CM 65	CM	90,5 LEVEL CM	1874,2554 litre	74,319 %	647,6581 litre	O
190	CM 65	CM	90 LEVEL CM	1862,8753 litre	73,868 %	659,0382 litre	O
190	CM 65	CM	89,5 LEVEL CM	1851,4557 litre	73,415 %	670,4578 litre	O
190	CM 65	CM	89 LEVEL CM	1839,9974 litre	72,960 %	681,9161 litre	O
190	CM 65	CM	88,5 LEVEL CM	1828,5013 litre	72,505 %	693,4122 litre	O
190	CM 65	CM	88 LEVEL CM	1816,9685 litre	72,047 %	704,9450 litre	O
190	CM 65	CM	87,5 LEVEL CM	1805,3996 litre	71,588 %	716,5139 litre	O
190	CM 65	CM	87 LEVEL CM	1793,7958 litre	71,128 %	728,1177 litre	O
190	CM 65	CM	86,5 LEVEL CM	1782,1577 litre	70,667 %	739,7558 litre	O
190	CM 65	CM	86 LEVEL CM	1770,4864 litre	70,204 %	751,4271 litre	O
190	CM 65	CM	85,5 LEVEL CM	1758,7826 litre	69,740 %	763,1309 litre	O
190	CM 65	CM	85 LEVEL CM	1747,0473 litre	69,275 %	774,8662 litre	O
190	CM 65	CM	84,5 LEVEL CM	1735,2812 litre	68,808 %	786,6323 litre	O
190	CM 65	CM	84 LEVEL CM	1723,4852 litre	68,340 %	798,4283 litre	O
190	CM 65	CM	83,5 LEVEL CM	1711,6603 litre	67,871 %	810,2532 litre	O
190	CM 65	CM	83 LEVEL CM	1699,8071 litre	67,401 %	822,1064 litre	O
190	CM 65	CM	82,5 LEVEL CM	1687,9265 litre	66,930 %	833,9870 litre	O
190	CM 65	CM	82 LEVEL CM	1676,0194 litre	66,458 %	845,8941 litre	O
190	CM 65	CM	81,5 LEVEL CM	1664,0865 litre	65,985 %	857,8270 litre	O
190	CM 65	CM	81 LEVEL CM	1652,1287 litre	65,511 %	869,7848 litre	O
190	CM 65	CM	80,5 LEVEL CM	1640,1468 litre	65,036 %	881,7667 litre	O
190	CM 65	CM	80 LEVEL CM	1628,1415 litre	64,560 %	893,7720 litre	O
190	CM 65	CM	79,5 LEVEL CM	1616,1137 litre	64,083 %	905,7998 litre	O
190	CM 65	CM	79 LEVEL CM	1604,0642 litre	63,605 %	917,8493 litre	O
190	CM 65	CM	78,5 LEVEL CM	1591,9937 litre	63,126 %	929,9198 litre	O
190	CM 65	CM	78 LEVEL CM	1579,9031 litre	62,647 %	942,0104 litre	O

190	CM	65	CM	77,5 LEVEL CM	1567,7930 litre	62,167 %	954,1205 litre	O
190	CM	65	CM	77 LEVEL CM	1555,6643 litre	61,686 %	966,2492 litre	O
190	CM	65	CM	76,5 LEVEL CM	1543,5178 litre	61,204 %	978,3957 litre	O
190	CM	65	CM	76 LEVEL CM	1531,3543 litre	60,722 %	990,5592 litre	O
190	CM	65	CM	75,5 LEVEL CM	1519,1744 litre	60,239 %	1002,7391 litre	O
190	CM	65	CM	75 LEVEL CM	1506,9789 litre	59,755 %	1014,9346 litre	O
190	CM	65	CM	74,5 LEVEL CM	1494,7687 litre	59,271 %	1027,1448 litre	O
190	CM	65	CM	74 LEVEL CM	1482,5444 litre	58,786 %	1039,3691 litre	O
190	CM	65	CM	73,5 LEVEL CM	1470,3068 litre	58,301 %	1051,6067 litre	O
190	CM	65	CM	73 LEVEL CM	1458,0567 litre	57,815 %	1063,8568 litre	O
190	CM	65	CM	72,5 LEVEL CM	1445,7949 litre	57,329 %	1076,1186 litre	O
190	CM	65	CM	72 LEVEL CM	1433,5220 litre	56,843 %	1088,3915 litre	O
190	CM	65	CM	71,5 LEVEL CM	1421,2388 litre	56,356 %	1100,6747 litre	O
190	CM	65	CM	71 LEVEL CM	1408,9460 litre	55,868 %	1112,9675 litre	O
190	CM	65	CM	70,5 LEVEL CM	1396,6445 litre	55,380 %	1125,2690 litre	O
190	CM	65	CM	70 LEVEL CM	1384,3348 litre	54,892 %	1137,5787 litre	O
190	CM	65	CM	69,5 LEVEL CM	1372,0179 litre	54,404 %	1149,8956 litre	O
190	CM	65	CM	69 LEVEL CM	1359,6944 litre	53,915 %	1162,2191 litre	O
190	CM	65	CM	68,5 LEVEL CM	1347,3650 litre	53,426 %	1174,5485 litre	O
190	CM	65	CM	68 LEVEL CM	1335,0304 litre	52,937 %	1186,8831 litre	O
190	CM	65	CM	67,5 LEVEL CM	1322,6915 litre	52,448 %	1199,2220 litre	O
190	CM	65	CM	67 LEVEL CM	1310,3490 litre	51,959 %	1211,5645 litre	O
190	CM	65	CM	66,5 LEVEL CM	1298,0035 litre	51,469 %	1223,9100 litre	O
190	CM	65	CM	66 LEVEL CM	1285,6558 litre	50,979 %	1236,2577 litre	O
190	CM	65	CM	65,5 LEVEL CM	1273,3066 litre	50,490 %	1248,6069 litre	O
190	CM	65	CM	65 LEVEL CM	1260,9568 litre	50,000 %	1260,9567 litre	O
190	CM	65	CM	64,5 LEVEL CM	1248,6069 litre	49,510 %	1273,3066 litre	O
190	CM	65	CM	64 LEVEL CM	1236,2577 litre	49,021 %	1285,6558 litre	O
190	CM	65	CM	63,5 LEVEL CM	1223,9100 litre	48,531 %	1298,0035 litre	O
190	CM	65	CM	63 LEVEL CM	1211,5645 litre	48,041 %	1310,3490 litre	O
190	CM	65	CM	62,5 LEVEL CM	1199,2220 litre	47,552 %	1322,6915 litre	O
190	CM	65	CM	62 LEVEL CM	1186,8831 litre	47,063 %	1335,0304 litre	O
190	CM	65	CM	61,5 LEVEL CM	1174,5485 litre	46,574 %	1347,3650 litre	O
190	CM	65	CM	61 LEVEL CM	1162,2191 litre	46,085 %	1359,6944 litre	O
190	CM	65	CM	60,5 LEVEL CM	1149,8956 litre	45,596 %	1372,0179 litre	O
190	CM	65	CM	60 LEVEL CM	1137,5787 litre	45,108 %	1384,3348 litre	O
190	CM	65	CM	59,5 LEVEL CM	1125,2690 litre	44,620 %	1396,6445 litre	O
190	CM	65	CM	59 LEVEL CM	1112,9675 litre	44,132 %	1408,9460 litre	O
190	CM	65	CM	58,5 LEVEL CM	1100,6747 litre	43,644 %	1421,2388 litre	O
190	CM	65	CM	58 LEVEL CM	1088,3915 litre	43,157 %	1433,5220 litre	O
190	CM	65	CM	57,5 LEVEL CM	1076,1186 litre	42,671 %	1445,7949 litre	O
190	CM	65	CM	57 LEVEL CM	1063,8568 litre	42,185 %	1458,0567 litre	O
190	CM	65	CM	56,5 LEVEL CM	1051,6067 litre	41,699 %	1470,3068 litre	O
190	CM	65	CM	56 LEVEL CM	1039,3691 litre	41,214 %	1482,5444 litre	O
190	CM	65	CM	55,5 LEVEL CM	1027,1448 litre	40,729 %	1494,7687 litre	O
190	CM	65	CM	55 LEVEL CM	1014,9346 litre	40,245 %	1506,9789 litre	O
190	CM	65	CM	54,5 LEVEL CM	1002,7392 litre	39,761 %	1519,1743 litre	O
190	CM	65	CM	54 LEVEL CM	990,5593 litre	39,278 %	1531,3542 litre	O
190	CM	65	CM	53,5 LEVEL CM	978,3957 litre	38,796 %	1543,5178 litre	O
190	CM	65	CM	53 LEVEL CM	966,2492 litre	38,314 %	1555,6643 litre	O
190	CM	65	CM	52,5 LEVEL CM	954,1205 litre	37,833 %	1567,7930 litre	O
190	CM	65	CM	52 LEVEL CM	942,0104 litre	37,353 %	1579,9031 litre	O
190	CM	65	CM	51,5 LEVEL CM	929,9198 litre	36,874 %	1591,9937 litre	O

190	CM	65	CM	51 LEVEL CM	917,8493 litre	36,395 %	1604,0642 litre	O
190	CM	65	CM	50,5 LEVEL CM	905,7998 litre	35,917 %	1616,1137 litre	O
190	CM	65	CM	50 LEVEL CM	893,7720 litre	35,440 %	1628,1415 litre	O
190	CM	65	CM	49,5 LEVEL CM	881,7667 litre	34,964 %	1640,1468 litre	O
190	CM	65	CM	49 LEVEL CM	869,7848 litre	34,489 %	1652,1287 litre	O
190	CM	65	CM	48,5 LEVEL CM	857,8270 litre	34,015 %	1664,0865 litre	O
190	CM	65	CM	48 LEVEL CM	845,8941 litre	33,542 %	1676,0194 litre	O
190	CM	65	CM	47,5 LEVEL CM	833,9870 litre	33,070 %	1687,9265 litre	O
190	CM	65	CM	47 LEVEL CM	822,1064 litre	32,599 %	1699,8071 litre	O
190	CM	65	CM	46,5 LEVEL CM	810,2532 litre	32,129 %	1711,6603 litre	O
190	CM	65	CM	46 LEVEL CM	798,4283 litre	31,660 %	1723,4852 litre	O
190	CM	65	CM	45,5 LEVEL CM	786,6323 litre	31,192 %	1735,2812 litre	O
190	CM	65	CM	45 LEVEL CM	774,8662 litre	30,725 %	1747,0473 litre	O
190	CM	65	CM	44,5 LEVEL CM	763,1309 litre	30,260 %	1758,7826 litre	O
190	CM	65	CM	44 LEVEL CM	751,4271 litre	29,796 %	1770,4864 litre	O
190	CM	65	CM	43,5 LEVEL CM	739,7558 litre	29,333 %	1782,1577 litre	O
190	CM	65	CM	43 LEVEL CM	728,1177 litre	28,872 %	1793,7958 litre	O
190	CM	65	CM	42,5 LEVEL CM	716,5139 litre	28,412 %	1805,3996 litre	O
190	CM	65	CM	42 LEVEL CM	704,9450 litre	27,953 %	1816,9685 litre	O
190	CM	65	CM	41,5 LEVEL CM	693,4122 litre	27,495 %	1828,5013 litre	O
190	CM	65	CM	41 LEVEL CM	681,9161 litre	27,040 %	1839,9974 litre	O
190	CM	65	CM	40,5 LEVEL CM	670,4578 litre	26,585 %	1851,4557 litre	O
190	CM	65	CM	40 LEVEL CM	659,0382 litre	26,132 %	1862,8753 litre	O
190	CM	65	CM	39,5 LEVEL CM	647,6581 litre	25,681 %	1874,2554 litre	O
190	CM	65	CM	39 LEVEL CM	636,3186 litre	25,232 %	1885,5949 litre	O
190	CM	65	CM	38,5 LEVEL CM	625,0205 litre	24,784 %	1896,8930 litre	O
190	CM	65	CM	38 LEVEL CM	613,7649 litre	24,337 %	1908,1486 litre	O
190	CM	65	CM	37,5 LEVEL CM	602,5526 litre	23,893 %	1919,3609 litre	O
190	CM	65	CM	37 LEVEL CM	591,3847 litre	23,450 %	1930,5288 litre	O
190	CM	65	CM	36,5 LEVEL CM	580,2621 litre	23,009 %	1941,6514 litre	O
190	CM	65	CM	36 LEVEL CM	569,1859 litre	22,570 %	1952,7276 litre	O
190	CM	65	CM	35,5 LEVEL CM	558,1570 litre	22,132 %	1963,7565 litre	O
190	CM	65	CM	35 LEVEL CM	547,1766 litre	21,697 %	1974,7369 litre	O
190	CM	65	CM	34,5 LEVEL CM	536,2455 litre	21,263 %	1985,6680 litre	O
190	CM	65	CM	34 LEVEL CM	525,3649 litre	20,832 %	1996,5486 litre	O
190	CM	65	CM	33,5 LEVEL CM	514,5359 litre	20,403 %	2007,3776 litre	O
190	CM	65	CM	33 LEVEL CM	503,7595 litre	19,975 %	2018,1540 litre	O
190	CM	65	CM	32,5 LEVEL CM	493,0369 litre	19,550 %	2028,8766 litre	O
190	CM	65	CM	32 LEVEL CM	482,3691 litre	19,127 %	2039,5444 litre	O
190	CM	65	CM	31,5 LEVEL CM	471,7573 litre	18,706 %	2050,1562 litre	O
190	CM	65	CM	31 LEVEL CM	461,2026 litre	18,288 %	2060,7109 litre	O
190	CM	65	CM	30,5 LEVEL CM	450,7062 litre	17,872 %	2071,2073 litre	O
190	CM	65	CM	30 LEVEL CM	440,2693 litre	17,458 %	2081,6442 litre	O
190	CM	65	CM	29,5 LEVEL CM	429,8932 litre	17,046 %	2092,0203 litre	O
190	CM	65	CM	29 LEVEL CM	419,5789 litre	16,637 %	2102,3346 litre	O
190	CM	65	CM	28,5 LEVEL CM	409,3279 litre	16,231 %	2112,5856 litre	O
190	CM	65	CM	28 LEVEL CM	399,1413 litre	15,827 %	2122,7722 litre	O
190	CM	65	CM	27,5 LEVEL CM	389,0205 litre	15,426 %	2132,8930 litre	O
190	CM	65	CM	27 LEVEL CM	378,9669 litre	15,027 %	2142,9466 litre	O
190	CM	65	CM	26,5 LEVEL CM	368,9816 litre	14,631 %	2152,9319 litre	O
190	CM	65	CM	26 LEVEL CM	359,0662 litre	14,238 %	2162,8473 litre	O
190	CM	65	CM	25,5 LEVEL CM	349,2221 litre	13,848 %	2172,6914 litre	O
190	CM	65	CM	25 LEVEL CM	339,4507 litre	13,460 %	2182,4628 litre	O

190	CM	65	CM	24,5 LEVEL CM	329,7534 litre	13,076 %	2192,1601 litre	O
190	CM	65	CM	24 LEVEL CM	320,1318 litre	12,694 %	2201,7817 litre	O
190	CM	65	CM	23,5 LEVEL CM	310,5874 litre	12,316 %	2211,3261 litre	O
190	CM	65	CM	23 LEVEL CM	301,1219 litre	11,940 %	2220,7916 litre	O
190	CM	65	CM	22,5 LEVEL CM	291,7368 litre	11,568 %	2230,1767 litre	O
190	CM	65	CM	22 LEVEL CM	282,4338 litre	11,199 %	2239,4797 litre	O
190	CM	65	CM	21,5 LEVEL CM	273,2145 litre	10,834 %	2248,6990 litre	O
190	CM	65	CM	21 LEVEL CM	264,0809 litre	10,471 %	2257,8326 litre	O
190	CM	65	CM	20,5 LEVEL CM	255,0346 litre	10,113 %	2266,8789 litre	O
190	CM	65	CM	20 LEVEL CM	246,0776 litre	9,758 %	2275,8359 litre	O
190	CM	65	CM	19,5 LEVEL CM	237,2117 litre	9,406 %	2284,7018 litre	O
190	CM	65	CM	19 LEVEL CM	228,4389 litre	9,058 %	2293,4746 litre	O
190	CM	65	CM	18,5 LEVEL CM	219,7613 litre	8,714 %	2302,1522 litre	O
190	CM	65	CM	18 LEVEL CM	211,1810 litre	8,374 %	2310,7325 litre	O
190	CM	65	CM	17,5 LEVEL CM	202,7001 litre	8,038 %	2319,2134 litre	O
190	CM	65	CM	17 LEVEL CM	194,3209 litre	7,705 %	2327,5926 litre	O
190	CM	65	CM	16,5 LEVEL CM	186,0458 litre	7,377 %	2335,8677 litre	O
190	CM	65	CM	16 LEVEL CM	177,8771 litre	7,053 %	2344,0364 litre	O
190	CM	65	CM	15,5 LEVEL CM	169,8175 litre	6,734 %	2352,0960 litre	O
190	CM	65	CM	15 LEVEL CM	161,8695 litre	6,419 %	2360,0440 litre	O
190	CM	65	CM	14,5 LEVEL CM	154,0358 litre	6,108 %	2367,8777 litre	O
190	CM	65	CM	14 LEVEL CM	146,3194 litre	5,802 %	2375,5941 litre	O
190	CM	65	CM	13,5 LEVEL CM	138,7233 litre	5,501 %	2383,1902 litre	O
190	CM	65	CM	13 LEVEL CM	131,2505 litre	5,204 %	2390,6630 litre	O
190	CM	65	CM	12,5 LEVEL CM	123,9044 litre	4,913 %	2398,0091 litre	O
190	CM	65	CM	12 LEVEL CM	116,6885 litre	4,627 %	2405,2250 litre	O
190	CM	65	CM	11,5 LEVEL CM	109,6064 litre	4,346 %	2412,3071 litre	O
190	CM	65	CM	11 LEVEL CM	102,6619 litre	4,071 %	2419,2516 litre	O
190	CM	65	CM	10,5 LEVEL CM	95,8593 litre	3,801 %	2426,0542 litre	O
190	CM	65	CM	10 LEVEL CM	89,2029 litre	3,537 %	2432,7106 litre	O
190	CM	65	CM	9,5 LEVEL CM	82,6974 litre	3,279 %	2439,2161 litre	O
190	CM	65	CM	9 LEVEL CM	76,3477 litre	3,027 %	2445,5658 litre	O
190	CM	65	CM	8,5 LEVEL CM	70,1592 litre	2,782 %	2451,7543 litre	O
190	CM	65	CM	8 LEVEL CM	64,1378 litre	2,543 %	2457,7757 litre	O
190	CM	65	CM	7,5 LEVEL CM	58,2898 litre	2,311 %	2463,6237 litre	O
190	CM	65	CM	7 LEVEL CM	52,6221 litre	2,087 %	2469,2914 litre	O
190	CM	65	CM	6,5 LEVEL CM	47,1422 litre	1,869 %	2474,7713 litre	O
190	CM	65	CM	6 LEVEL CM	41,8586 litre	1,660 %	2480,0549 litre	O
190	CM	65	CM	5,5 LEVEL CM	36,7805 litre	1,458 %	2485,1330 litre	O
190	CM	65	CM	5 LEVEL CM	31,9186 litre	1,266 %	2489,9949 litre	O
190	CM	65	CM	4,5 LEVEL CM	27,2848 litre	1,082 %	2494,6287 litre	O
190	CM	65	CM	4 LEVEL CM	22,8931 litre	0,908 %	2499,0204 litre	O
190	CM	65	CM	3,5 LEVEL CM	18,7597 litre	0,744 %	2503,1538 litre	O
190	CM	65	CM	3 LEVEL CM	14,9045 litre	0,591 %	2507,0090 litre	O
190	CM	65	CM	2,5 LEVEL CM	11,3515 litre	0,450 %	2510,5620 litre	O
190	CM	65	CM	2 LEVEL CM	8,1319 litre	0,322 %	2513,7816 litre	O
190	CM	65	CM	1,5 LEVEL CM	5,2880 litre	0,210 %	2516,6255 litre	O
190	CM	65	CM	1 LEVEL CM	2,8818 litre	0,114 %	2519,0317 litre	O
190	CM	65	CM	0,5 LEVEL CM	1,0200 litre	0,040 %	2520,8935 litre	O
190	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	2521,9135 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
190	CM	60	CM 120 LEVEL CM	2148,8494 litre	100,000 %	0,0000 litre	O
190	CM	60	CM 119,5 LEVEL CM	2147,8694 litre	99,954 %	0,9800 litre	O
190	CM	60	CM 119 LEVEL CM	2146,0812 litre	99,871 %	2,7682 litre	O
190	CM	60	CM 118,5 LEVEL CM	2143,7703 litre	99,764 %	5,0791 litre	O
190	CM	60	CM 118 LEVEL CM	2141,0395 litre	99,637 %	7,8099 litre	O
190	CM	60	CM 117,5 LEVEL CM	2137,9485 litre	99,493 %	10,9009 litre	O
190	CM	60	CM 117 LEVEL CM	2134,5380 litre	99,334 %	14,3114 litre	O
190	CM	60	CM 116,5 LEVEL CM	2130,8380 litre	99,162 %	18,0114 litre	O
190	CM	60	CM 116 LEVEL CM	2126,8717 litre	98,977 %	21,9777 litre	O
190	CM	60	CM 115,5 LEVEL CM	2122,6582 litre	98,781 %	26,1912 litre	O
190	CM	60	CM 115 LEVEL CM	2118,2133 litre	98,574 %	30,6361 litre	O
190	CM	60	CM 114,5 LEVEL CM	2113,5503 litre	98,357 %	35,2991 litre	O
190	CM	60	CM 114 LEVEL CM	2108,6809 litre	98,131 %	40,1685 litre	O
190	CM	60	CM 113,5 LEVEL CM	2103,6152 litre	97,895 %	45,2342 litre	O
190	CM	60	CM 113 LEVEL CM	2098,3623 litre	97,651 %	50,4871 litre	O
190	CM	60	CM 112,5 LEVEL CM	2092,9304 litre	97,398 %	55,9190 litre	O
190	CM	60	CM 112 LEVEL CM	2087,3266 litre	97,137 %	61,5228 litre	O
190	CM	60	CM 111,5 LEVEL CM	2081,5578 litre	96,868 %	67,2916 litre	O
190	CM	60	CM 111 LEVEL CM	2075,6301 litre	96,593 %	73,2193 litre	O
190	CM	60	CM 110,5 LEVEL CM	2069,5490 litre	96,310 %	79,3004 litre	O
190	CM	60	CM 110 LEVEL CM	2063,3198 litre	96,020 %	85,5296 litre	O
190	CM	60	CM 109,5 LEVEL CM	2056,9474 litre	95,723 %	91,9020 litre	O
190	CM	60	CM 109 LEVEL CM	2050,4363 litre	95,420 %	98,4131 litre	O
190	CM	60	CM 108,5 LEVEL CM	2043,7907 litre	95,111 %	105,0587 litre	O
190	CM	60	CM 108 LEVEL CM	2037,0146 litre	94,796 %	111,8348 litre	O
190	CM	60	CM 107,5 LEVEL CM	2030,1119 litre	94,474 %	118,7375 litre	O
190	CM	60	CM 107 LEVEL CM	2023,0860 litre	94,147 %	125,7634 litre	O
190	CM	60	CM 106,5 LEVEL CM	2015,9405 litre	93,815 %	132,9089 litre	O
190	CM	60	CM 106 LEVEL CM	2008,6784 litre	93,477 %	140,1710 litre	O
190	CM	60	CM 105,5 LEVEL CM	2001,3028 litre	93,134 %	147,5466 litre	O
190	CM	60	CM 105 LEVEL CM	1993,8168 litre	92,785 %	155,0326 litre	O
190	CM	60	CM 104,5 LEVEL CM	1986,2230 litre	92,432 %	162,6264 litre	O
190	CM	60	CM 104 LEVEL CM	1978,5241 litre	92,074 %	170,3253 litre	O
190	CM	60	CM 103,5 LEVEL CM	1970,7228 litre	91,711 %	178,1266 litre	O
190	CM	60	CM 103 LEVEL CM	1962,8214 litre	91,343 %	186,0280 litre	O
190	CM	60	CM 102,5 LEVEL CM	1954,8225 litre	90,971 %	194,0269 litre	O
190	CM	60	CM 102 LEVEL CM	1946,7282 litre	90,594 %	202,1212 litre	O
190	CM	60	CM 101,5 LEVEL CM	1938,5407 litre	90,213 %	210,3087 litre	O
190	CM	60	CM 101 LEVEL CM	1930,2623 litre	89,828 %	218,5871 litre	O
190	CM	60	CM 100,5 LEVEL CM	1921,8950 litre	89,438 %	226,9544 litre	O
190	CM	60	CM 100 LEVEL CM	1913,4407 litre	89,045 %	235,4087 litre	O
190	CM	60	CM 99,5 LEVEL CM	1904,9015 litre	88,648 %	243,9479 litre	O
190	CM	60	CM 99 LEVEL CM	1896,2792 litre	88,246 %	252,5702 litre	O
190	CM	60	CM 98,5 LEVEL CM	1887,5756 litre	87,841 %	261,2738 litre	O
190	CM	60	CM 98 LEVEL CM	1878,7925 litre	87,432 %	270,0569 litre	O
190	CM	60	CM 97,5 LEVEL CM	1869,9317 litre	87,020 %	278,9177 litre	O
190	CM	60	CM 97 LEVEL CM	1860,9949 litre	86,604 %	287,8545 litre	O
190	CM	60	CM 96,5 LEVEL CM	1851,9836 litre	86,185 %	296,8658 litre	O
190	CM	60	CM 96 LEVEL CM	1842,8994 litre	85,762 %	305,9500 litre	O
190	CM	60	CM 95,5 LEVEL CM	1833,7441 litre	85,336 %	315,1053 litre	O
190	CM	60	CM 95 LEVEL CM	1824,5190 litre	84,907 %	324,3304 litre	O
190	CM	60	CM 94,5 LEVEL CM	1815,2257 litre	84,474 %	333,6237 litre	O

190	CM	60	CM	94 LEVEL CM	1805,8656 litre	84,039 %	342,9838 litre	O
190	CM	60	CM	93,5 LEVEL CM	1796,4401 litre	83,600 %	352,4093 litre	O
190	CM	60	CM	93 LEVEL CM	1786,9508 litre	83,158 %	361,8986 litre	O
190	CM	60	CM	92,5 LEVEL CM	1777,3988 litre	82,714 %	371,4506 litre	O
190	CM	60	CM	92 LEVEL CM	1767,7857 litre	82,267 %	381,0637 litre	O
190	CM	60	CM	91,5 LEVEL CM	1758,1126 litre	81,816 %	390,7368 litre	O
190	CM	60	CM	91 LEVEL CM	1748,3810 litre	81,364 %	400,4684 litre	O
190	CM	60	CM	90,5 LEVEL CM	1738,5920 litre	80,908 %	410,2574 litre	O
190	CM	60	CM	90 LEVEL CM	1728,7469 litre	80,450 %	420,1025 litre	O
190	CM	60	CM	89,5 LEVEL CM	1718,8470 litre	79,989 %	430,0024 litre	O
190	CM	60	CM	89 LEVEL CM	1708,8935 litre	79,526 %	439,9559 litre	O
190	CM	60	CM	88,5 LEVEL CM	1698,8875 litre	79,060 %	449,9619 litre	O
190	CM	60	CM	88 LEVEL CM	1688,8302 litre	78,592 %	460,0192 litre	O
190	CM	60	CM	87,5 LEVEL CM	1678,7228 litre	78,122 %	470,1266 litre	O
190	CM	60	CM	87 LEVEL CM	1668,5664 litre	77,649 %	480,2830 litre	O
190	CM	60	CM	86,5 LEVEL CM	1658,3621 litre	77,174 %	490,4873 litre	O
190	CM	60	CM	86 LEVEL CM	1648,1110 litre	76,697 %	500,7384 litre	O
190	CM	60	CM	85,5 LEVEL CM	1637,8143 litre	76,218 %	511,0351 litre	O
190	CM	60	CM	85 LEVEL CM	1627,4730 litre	75,737 %	521,3764 litre	O
190	CM	60	CM	84,5 LEVEL CM	1617,0881 litre	75,254 %	531,7613 litre	O
190	CM	60	CM	84 LEVEL CM	1606,6608 litre	74,768 %	542,1886 litre	O
190	CM	60	CM	83,5 LEVEL CM	1596,1919 litre	74,281 %	552,6575 litre	O
190	CM	60	CM	83 LEVEL CM	1585,6826 litre	73,792 %	563,1668 litre	O
190	CM	60	CM	82,5 LEVEL CM	1575,1339 litre	73,301 %	573,7155 litre	O
190	CM	60	CM	82 LEVEL CM	1564,5468 litre	72,809 %	584,3026 litre	O
190	CM	60	CM	81,5 LEVEL CM	1553,9222 litre	72,314 %	594,9272 litre	O
190	CM	60	CM	81 LEVEL CM	1543,2612 litre	71,818 %	605,5882 litre	O
190	CM	60	CM	80,5 LEVEL CM	1532,5647 litre	71,320 %	616,2847 litre	O
190	CM	60	CM	80 LEVEL CM	1521,8336 litre	70,821 %	627,0158 litre	O
190	CM	60	CM	79,5 LEVEL CM	1511,0689 litre	70,320 %	637,7805 litre	O
190	CM	60	CM	79 LEVEL CM	1500,2716 litre	69,817 %	648,5778 litre	O
190	CM	60	CM	78,5 LEVEL CM	1489,4426 litre	69,313 %	659,4068 litre	O
190	CM	60	CM	78 LEVEL CM	1478,5828 litre	68,808 %	670,2666 litre	O
190	CM	60	CM	77,5 LEVEL CM	1467,6931 litre	68,301 %	681,1563 litre	O
190	CM	60	CM	77 LEVEL CM	1456,7744 litre	67,793 %	692,0750 litre	O
190	CM	60	CM	76,5 LEVEL CM	1445,8277 litre	67,284 %	703,0217 litre	O
190	CM	60	CM	76 LEVEL CM	1434,8538 litre	66,773 %	713,9956 litre	O
190	CM	60	CM	75,5 LEVEL CM	1423,8536 litre	66,261 %	724,9958 litre	O
190	CM	60	CM	75 LEVEL CM	1412,8280 litre	65,748 %	736,0214 litre	O
190	CM	60	CM	74,5 LEVEL CM	1401,7779 litre	65,234 %	747,0715 litre	O
190	CM	60	CM	74 LEVEL CM	1390,7041 litre	64,719 %	758,1453 litre	O
190	CM	60	CM	73,5 LEVEL CM	1379,6075 litre	64,202 %	769,2419 litre	O
190	CM	60	CM	73 LEVEL CM	1368,4890 litre	63,685 %	780,3604 litre	O
190	CM	60	CM	72,5 LEVEL CM	1357,3494 litre	63,166 %	791,5000 litre	O
190	CM	60	CM	72 LEVEL CM	1346,1896 litre	62,647 %	802,6598 litre	O
190	CM	60	CM	71,5 LEVEL CM	1335,0104 litre	62,127 %	813,8390 litre	O
190	CM	60	CM	71 LEVEL CM	1323,8126 litre	61,606 %	825,0368 litre	O
190	CM	60	CM	70,5 LEVEL CM	1312,5971 litre	61,084 %	836,2523 litre	O
190	CM	60	CM	70 LEVEL CM	1301,3647 litre	60,561 %	847,4847 litre	O
190	CM	60	CM	69,5 LEVEL CM	1290,1162 litre	60,038 %	858,7332 litre	O
190	CM	60	CM	69 LEVEL CM	1278,8526 litre	59,513 %	869,9968 litre	O
190	CM	60	CM	68,5 LEVEL CM	1267,5745 litre	58,989 %	881,2749 litre	O
190	CM	60	CM	68 LEVEL CM	1256,2828 litre	58,463 %	892,5666 litre	O

190	CM	60	CM	67,5 LEVEL CM	1244,9783 litre	57,937 %	903,8711 litre	O
190	CM	60	CM	67 LEVEL CM	1233,6619 litre	57,410 %	915,1875 litre	O
190	CM	60	CM	66,5 LEVEL CM	1222,3343 litre	56,883 %	926,5151 litre	O
190	CM	60	CM	66 LEVEL CM	1210,9963 litre	56,356 %	937,8531 litre	O
190	CM	60	CM	65,5 LEVEL CM	1199,6488 litre	55,827 %	949,2006 litre	O
190	CM	60	CM	65 LEVEL CM	1188,2926 litre	55,299 %	960,5568 litre	O
190	CM	60	CM	64,5 LEVEL CM	1176,9284 litre	54,770 %	971,9210 litre	O
190	CM	60	CM	64 LEVEL CM	1165,5571 litre	54,241 %	983,2923 litre	O
190	CM	60	CM	63,5 LEVEL CM	1154,1794 litre	53,712 %	994,6700 litre	O
190	CM	60	CM	63 LEVEL CM	1142,7962 litre	53,182 %	1006,0532 litre	O
190	CM	60	CM	62,5 LEVEL CM	1131,4082 litre	52,652 %	1017,4412 litre	O
190	CM	60	CM	62 LEVEL CM	1120,0162 litre	52,122 %	1028,8332 litre	O
190	CM	60	CM	61,5 LEVEL CM	1108,6211 litre	51,591 %	1040,2283 litre	O
190	CM	60	CM	61 LEVEL CM	1097,2236 litre	51,061 %	1051,6258 litre	O
190	CM	60	CM	60,5 LEVEL CM	1085,8246 litre	50,531 %	1063,0248 litre	O
190	CM	60	CM	60 LEVEL CM	1074,4247 litre	50,000 %	1074,4247 litre	O
190	CM	60	CM	59,5 LEVEL CM	1063,0248 litre	49,469 %	1085,8246 litre	O
190	CM	60	CM	59 LEVEL CM	1051,6257 litre	48,939 %	1097,2237 litre	O
190	CM	60	CM	58,5 LEVEL CM	1040,2283 litre	48,409 %	1108,6211 litre	O
190	CM	60	CM	58 LEVEL CM	1028,8331 litre	47,878 %	1120,0163 litre	O
190	CM	60	CM	57,5 LEVEL CM	1017,4412 litre	47,348 %	1131,4082 litre	O
190	CM	60	CM	57 LEVEL CM	1006,0532 litre	46,818 %	1142,7962 litre	O
190	CM	60	CM	56,5 LEVEL CM	994,6700 litre	46,288 %	1154,1794 litre	O
190	CM	60	CM	56 LEVEL CM	983,2923 litre	45,759 %	1165,5571 litre	O
190	CM	60	CM	55,5 LEVEL CM	971,9210 litre	45,230 %	1176,9284 litre	O
190	CM	60	CM	55 LEVEL CM	960,5568 litre	44,701 %	1188,2926 litre	O
190	CM	60	CM	54,5 LEVEL CM	949,2005 litre	44,173 %	1199,6489 litre	O
190	CM	60	CM	54 LEVEL CM	937,8530 litre	43,644 %	1210,9964 litre	O
190	CM	60	CM	53,5 LEVEL CM	926,5151 litre	43,117 %	1222,3343 litre	O
190	CM	60	CM	53 LEVEL CM	915,1875 litre	42,590 %	1233,6619 litre	O
190	CM	60	CM	52,5 LEVEL CM	903,8710 litre	42,063 %	1244,9784 litre	O
190	CM	60	CM	52 LEVEL CM	892,5666 litre	41,537 %	1256,2828 litre	O
190	CM	60	CM	51,5 LEVEL CM	881,2749 litre	41,011 %	1267,5745 litre	O
190	CM	60	CM	51 LEVEL CM	869,9968 litre	40,487 %	1278,8526 litre	O
190	CM	60	CM	50,5 LEVEL CM	858,7331 litre	39,962 %	1290,1163 litre	O
190	CM	60	CM	50 LEVEL CM	847,4847 litre	39,439 %	1301,3647 litre	O
190	CM	60	CM	49,5 LEVEL CM	836,2523 litre	38,916 %	1312,5971 litre	O
190	CM	60	CM	49 LEVEL CM	825,0368 litre	38,394 %	1323,8126 litre	O
190	CM	60	CM	48,5 LEVEL CM	813,8390 litre	37,873 %	1335,0104 litre	O
190	CM	60	CM	48 LEVEL CM	802,6598 litre	37,353 %	1346,1896 litre	O
190	CM	60	CM	47,5 LEVEL CM	791,5000 litre	36,834 %	1357,3494 litre	O
190	CM	60	CM	47 LEVEL CM	780,3604 litre	36,315 %	1368,4890 litre	O
190	CM	60	CM	46,5 LEVEL CM	769,2418 litre	35,798 %	1379,6076 litre	O
190	CM	60	CM	46 LEVEL CM	758,1453 litre	35,281 %	1390,7041 litre	O
190	CM	60	CM	45,5 LEVEL CM	747,0715 litre	34,766 %	1401,7779 litre	O
190	CM	60	CM	45 LEVEL CM	736,0214 litre	34,252 %	1412,8280 litre	O
190	CM	60	CM	44,5 LEVEL CM	724,9958 litre	33,739 %	1423,8536 litre	O
190	CM	60	CM	44 LEVEL CM	713,9956 litre	33,227 %	1434,8538 litre	O
190	CM	60	CM	43,5 LEVEL CM	703,0217 litre	32,716 %	1445,8277 litre	O
190	CM	60	CM	43 LEVEL CM	692,0749 litre	32,207 %	1456,7745 litre	O
190	CM	60	CM	42,5 LEVEL CM	681,1563 litre	31,699 %	1467,6931 litre	O
190	CM	60	CM	42 LEVEL CM	670,2666 litre	31,192 %	1478,5828 litre	O
190	CM	60	CM	41,5 LEVEL CM	659,4068 litre	30,687 %	1489,4426 litre	O

190	CM	60	CM	41 LEVEL CM	648,5777 litre	30,183 %	1500,2717 litre	O
190	CM	60	CM	40,5 LEVEL CM	637,7804 litre	29,680 %	1511,0690 litre	O
190	CM	60	CM	40 LEVEL CM	627,0158 litre	29,179 %	1521,8336 litre	O
190	CM	60	CM	39,5 LEVEL CM	616,2847 litre	28,680 %	1532,5647 litre	O
190	CM	60	CM	39 LEVEL CM	605,5882 litre	28,182 %	1543,2612 litre	O
190	CM	60	CM	38,5 LEVEL CM	594,9271 litre	27,686 %	1553,9223 litre	O
190	CM	60	CM	38 LEVEL CM	584,3026 litre	27,191 %	1564,5468 litre	O
190	CM	60	CM	37,5 LEVEL CM	573,7154 litre	26,699 %	1575,1340 litre	O
190	CM	60	CM	37 LEVEL CM	563,1667 litre	26,208 %	1585,6827 litre	O
190	CM	60	CM	36,5 LEVEL CM	552,6575 litre	25,719 %	1596,1919 litre	O
190	CM	60	CM	36 LEVEL CM	542,1886 litre	25,232 %	1606,6608 litre	O
190	CM	60	CM	35,5 LEVEL CM	531,7613 litre	24,746 %	1617,0881 litre	O
190	CM	60	CM	35 LEVEL CM	521,3764 litre	24,263 %	1627,4730 litre	O
190	CM	60	CM	34,5 LEVEL CM	511,0351 litre	23,782 %	1637,8143 litre	O
190	CM	60	CM	34 LEVEL CM	500,7383 litre	23,303 %	1648,1111 litre	O
190	CM	60	CM	33,5 LEVEL CM	490,4873 litre	22,826 %	1658,3621 litre	O
190	CM	60	CM	33 LEVEL CM	480,2830 litre	22,351 %	1668,5664 litre	O
190	CM	60	CM	32,5 LEVEL CM	470,1266 litre	21,878 %	1678,7228 litre	O
190	CM	60	CM	32 LEVEL CM	460,0192 litre	21,408 %	1688,8302 litre	O
190	CM	60	CM	31,5 LEVEL CM	449,9619 litre	20,940 %	1698,8875 litre	O
190	CM	60	CM	31 LEVEL CM	439,9559 litre	20,474 %	1708,8935 litre	O
190	CM	60	CM	30,5 LEVEL CM	430,0023 litre	20,011 %	1718,8471 litre	O
190	CM	60	CM	30 LEVEL CM	420,1024 litre	19,550 %	1728,7470 litre	O
190	CM	60	CM	29,5 LEVEL CM	410,2574 litre	19,092 %	1738,5920 litre	O
190	CM	60	CM	29 LEVEL CM	400,4684 litre	18,636 %	1748,3810 litre	O
190	CM	60	CM	28,5 LEVEL CM	390,7367 litre	18,184 %	1758,1127 litre	O
190	CM	60	CM	28 LEVEL CM	381,0637 litre	17,733 %	1767,7857 litre	O
190	CM	60	CM	27,5 LEVEL CM	371,4505 litre	17,286 %	1777,3989 litre	O
190	CM	60	CM	27 LEVEL CM	361,8986 litre	16,842 %	1786,9508 litre	O
190	CM	60	CM	26,5 LEVEL CM	352,4092 litre	16,400 %	1796,4402 litre	O
190	CM	60	CM	26 LEVEL CM	342,9838 litre	15,961 %	1805,8656 litre	O
190	CM	60	CM	25,5 LEVEL CM	333,6237 litre	15,526 %	1815,2257 litre	O
190	CM	60	CM	25 LEVEL CM	324,3304 litre	15,093 %	1824,5190 litre	O
190	CM	60	CM	24,5 LEVEL CM	315,1053 litre	14,664 %	1833,7441 litre	O
190	CM	60	CM	24 LEVEL CM	305,9499 litre	14,238 %	1842,8995 litre	O
190	CM	60	CM	23,5 LEVEL CM	296,8658 litre	13,815 %	1851,9836 litre	O
190	CM	60	CM	23 LEVEL CM	287,8545 litre	13,396 %	1860,9949 litre	O
190	CM	60	CM	22,5 LEVEL CM	278,9176 litre	12,980 %	1869,9318 litre	O
190	CM	60	CM	22 LEVEL CM	270,0568 litre	12,568 %	1878,7926 litre	O
190	CM	60	CM	21,5 LEVEL CM	261,2738 litre	12,159 %	1887,5756 litre	O
190	CM	60	CM	21 LEVEL CM	252,5702 litre	11,754 %	1896,2792 litre	O
190	CM	60	CM	20,5 LEVEL CM	243,9479 litre	11,352 %	1904,9015 litre	O
190	CM	60	CM	20 LEVEL CM	235,4086 litre	10,955 %	1913,4408 litre	O
190	CM	60	CM	19,5 LEVEL CM	226,9544 litre	10,562 %	1921,8950 litre	O
190	CM	60	CM	19 LEVEL CM	218,5871 litre	10,172 %	1930,2623 litre	O
190	CM	60	CM	18,5 LEVEL CM	210,3086 litre	9,787 %	1938,5408 litre	O
190	CM	60	CM	18 LEVEL CM	202,1212 litre	9,406 %	1946,7282 litre	O
190	CM	60	CM	17,5 LEVEL CM	194,0269 litre	9,029 %	1954,8225 litre	O
190	CM	60	CM	17 LEVEL CM	186,0279 litre	8,657 %	1962,8215 litre	O
190	CM	60	CM	16,5 LEVEL CM	178,1266 litre	8,289 %	1970,7228 litre	O
190	CM	60	CM	16 LEVEL CM	170,3253 litre	7,926 %	1978,5241 litre	O
190	CM	60	CM	15,5 LEVEL CM	162,6264 litre	7,568 %	1986,2230 litre	O
190	CM	60	CM	15 LEVEL CM	155,0326 litre	7,215 %	1993,8168 litre	O

190	CM	60	CM	14,5 LEVEL CM	147,5465 litre	6,866 %	2001,3029 litre	O
190	CM	60	CM	14 LEVEL CM	140,1710 litre	6,523 %	2008,6784 litre	O
190	CM	60	CM	13,5 LEVEL CM	132,9089 litre	6,185 %	2015,9405 litre	O
190	CM	60	CM	13 LEVEL CM	125,7633 litre	5,853 %	2023,0861 litre	O
190	CM	60	CM	12,5 LEVEL CM	118,7375 litre	5,526 %	2030,1119 litre	O
190	CM	60	CM	12 LEVEL CM	111,8348 litre	5,204 %	2037,0146 litre	O
190	CM	60	CM	11,5 LEVEL CM	105,0587 litre	4,889 %	2043,7907 litre	O
190	CM	60	CM	11 LEVEL CM	98,4131 litre	4,580 %	2050,4363 litre	O
190	CM	60	CM	10,5 LEVEL CM	91,9020 litre	4,277 %	2056,9474 litre	O
190	CM	60	CM	10 LEVEL CM	85,5296 litre	3,980 %	2063,3198 litre	O
190	CM	60	CM	9,5 LEVEL CM	79,3004 litre	3,690 %	2069,5490 litre	O
190	CM	60	CM	9 LEVEL CM	73,2193 litre	3,407 %	2075,6301 litre	O
190	CM	60	CM	8,5 LEVEL CM	67,2915 litre	3,132 %	2081,5579 litre	O
190	CM	60	CM	8 LEVEL CM	61,5227 litre	2,863 %	2087,3267 litre	O
190	CM	60	CM	7,5 LEVEL CM	55,9190 litre	2,602 %	2092,9304 litre	O
190	CM	60	CM	7 LEVEL CM	50,4871 litre	2,349 %	2098,3623 litre	O
190	CM	60	CM	6,5 LEVEL CM	45,2342 litre	2,105 %	2103,6152 litre	O
190	CM	60	CM	6 LEVEL CM	40,1685 litre	1,869 %	2108,6809 litre	O
190	CM	60	CM	5,5 LEVEL CM	35,2991 litre	1,643 %	2113,5503 litre	O
190	CM	60	CM	5 LEVEL CM	30,6361 litre	1,426 %	2118,2133 litre	O
190	CM	60	CM	4,5 LEVEL CM	26,1912 litre	1,219 %	2122,6582 litre	O
190	CM	60	CM	4 LEVEL CM	21,9777 litre	1,023 %	2126,8717 litre	O
190	CM	60	CM	3,5 LEVEL CM	18,0114 litre	0,838 %	2130,8380 litre	O
190	CM	60	CM	3 LEVEL CM	14,3113 litre	0,666 %	2134,5381 litre	O
190	CM	60	CM	2,5 LEVEL CM	10,9008 litre	0,507 %	2137,9486 litre	O
190	CM	60	CM	2 LEVEL CM	7,8099 litre	0,363 %	2141,0395 litre	O
190	CM	60	CM	1,5 LEVEL CM	5,0791 litre	0,236 %	2143,7703 litre	O
190	CM	60	CM	1 LEVEL CM	2,7682 litre	0,129 %	2146,0812 litre	O
190	CM	60	CM	0,5 LEVEL CM	0,9799 litre	0,046 %	2147,8695 litre	O
190	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2148,8494 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
190	CM	55	CM 110 LEVEL CM	1805,6304 litre	100,000 %	0,0000 litre	O
190	CM	55	CM 109,5 LEVEL CM	1804,6923 litre	99,948 %	0,9381 litre	O
190	CM	55	CM 109 LEVEL CM	1802,9807 litre	99,853 %	2,6497 litre	O
190	CM	55	CM 108,5 LEVEL CM	1800,7692 litre	99,731 %	4,8612 litre	O
190	CM	55	CM 108 LEVEL CM	1798,1564 litre	99,586 %	7,4740 litre	O
190	CM	55	CM 107,5 LEVEL CM	1795,1996 litre	99,422 %	10,4308 litre	O
190	CM	55	CM 107 LEVEL CM	1791,9378 litre	99,242 %	13,6926 litre	O
190	CM	55	CM 106,5 LEVEL CM	1788,3997 litre	99,046 %	17,2307 litre	O
190	CM	55	CM 106 LEVEL CM	1784,6079 litre	98,836 %	21,0225 litre	O
190	CM	55	CM 105,5 LEVEL CM	1780,5806 litre	98,613 %	25,0498 litre	O
190	CM	55	CM 105 LEVEL CM	1776,3328 litre	98,377 %	29,2976 litre	O
190	CM	55	CM 104,5 LEVEL CM	1771,8777 litre	98,131 %	33,7527 litre	O
190	CM	55	CM 104 LEVEL CM	1767,2262 litre	97,873 %	38,4042 litre	O
190	CM	55	CM 103,5 LEVEL CM	1762,3883 litre	97,605 %	43,2421 litre	O
190	CM	55	CM 103 LEVEL CM	1757,3727 litre	97,327 %	48,2577 litre	O
190	CM	55	CM 102,5 LEVEL CM	1752,1873 litre	97,040 %	53,4431 litre	O
190	CM	55	CM 102 LEVEL CM	1746,8390 litre	96,744 %	58,7914 litre	O
190	CM	55	CM 101,5 LEVEL CM	1741,3344 litre	96,439 %	64,2960 litre	O
190	CM	55	CM 101 LEVEL CM	1735,6793 litre	96,126 %	69,9511 litre	O
190	CM	55	CM 100,5 LEVEL CM	1729,8792 litre	95,805 %	75,7512 litre	O
190	CM	55	CM 100 LEVEL CM	1723,9393 litre	95,476 %	81,6911 litre	O
190	CM	55	CM 99,5 LEVEL CM	1717,8641 litre	95,139 %	87,7663 litre	O
190	CM	55	CM 99 LEVEL CM	1711,6581 litre	94,796 %	93,9723 litre	O
190	CM	55	CM 98,5 LEVEL CM	1705,3254 litre	94,445 %	100,3050 litre	O
190	CM	55	CM 98 LEVEL CM	1698,8700 litre	94,087 %	106,7604 litre	O
190	CM	55	CM 97,5 LEVEL CM	1692,2953 litre	93,723 %	113,3351 litre	O
190	CM	55	CM 97 LEVEL CM	1685,6051 litre	93,353 %	120,0253 litre	O
190	CM	55	CM 96,5 LEVEL CM	1678,8024 litre	92,976 %	126,8280 litre	O
190	CM	55	CM 96 LEVEL CM	1671,8905 litre	92,593 %	133,7399 litre	O
190	CM	55	CM 95,5 LEVEL CM	1664,8723 litre	92,204 %	140,7581 litre	O
190	CM	55	CM 95 LEVEL CM	1657,7508 litre	91,810 %	147,8796 litre	O
190	CM	55	CM 94,5 LEVEL CM	1650,5285 litre	91,410 %	155,1019 litre	O
190	CM	55	CM 94 LEVEL CM	1643,2083 litre	91,005 %	162,4221 litre	O
190	CM	55	CM 93,5 LEVEL CM	1635,7924 litre	90,594 %	169,8380 litre	O
190	CM	55	CM 93 LEVEL CM	1628,2835 litre	90,178 %	177,3469 litre	O
190	CM	55	CM 92,5 LEVEL CM	1620,6837 litre	89,757 %	184,9467 litre	O
190	CM	55	CM 92 LEVEL CM	1612,9954 litre	89,331 %	192,6350 litre	O
190	CM	55	CM 91,5 LEVEL CM	1605,2207 litre	88,901 %	200,4097 litre	O
190	CM	55	CM 91 LEVEL CM	1597,3617 litre	88,466 %	208,2687 litre	O
190	CM	55	CM 90,5 LEVEL CM	1589,4205 litre	88,026 %	216,2099 litre	O
190	CM	55	CM 90 LEVEL CM	1581,3990 litre	87,582 %	224,2314 litre	O
190	CM	55	CM 89,5 LEVEL CM	1573,2991 litre	87,133 %	232,3313 litre	O
190	CM	55	CM 89 LEVEL CM	1565,1227 litre	86,680 %	240,5077 litre	O
190	CM	55	CM 88,5 LEVEL CM	1556,8715 litre	86,223 %	248,7589 litre	O
190	CM	55	CM 88 LEVEL CM	1548,5475 litre	85,762 %	257,0829 litre	O
190	CM	55	CM 87,5 LEVEL CM	1540,1521 litre	85,297 %	265,4783 litre	O
190	CM	55	CM 87 LEVEL CM	1531,6872 litre	84,828 %	273,9432 litre	O
190	CM	55	CM 86,5 LEVEL CM	1523,1543 litre	84,356 %	282,4761 litre	O
190	CM	55	CM 86 LEVEL CM	1514,5550 litre	83,880 %	291,0754 litre	O
190	CM	55	CM 85,5 LEVEL CM	1505,8909 litre	83,400 %	299,7395 litre	O
190	CM	55	CM 85 LEVEL CM	1497,1635 litre	82,916 %	308,4669 litre	O
190	CM	55	CM 84,5 LEVEL CM	1488,3743 litre	82,430 %	317,2561 litre	O

190	CM 55	CM	84 LEVEL CM	1479,5246 litre	81,940 %	326,1058 litre	O
190	CM 55	CM	83,5 LEVEL CM	1470,6161 litre	81,446 %	335,0143 litre	O
190	CM 55	CM	83 LEVEL CM	1461,6500 litre	80,950 %	343,9804 litre	O
190	CM 55	CM	82,5 LEVEL CM	1452,6276 litre	80,450 %	353,0028 litre	O
190	CM 55	CM	82 LEVEL CM	1443,5505 litre	79,947 %	362,0799 litre	O
190	CM 55	CM	81,5 LEVEL CM	1434,4198 litre	79,441 %	371,2106 litre	O
190	CM 55	CM	81 LEVEL CM	1425,2368 litre	78,933 %	380,3936 litre	O
190	CM 55	CM	80,5 LEVEL CM	1416,0029 litre	78,422 %	389,6275 litre	O
190	CM 55	CM	80 LEVEL CM	1406,7193 litre	77,907 %	398,9111 litre	O
190	CM 55	CM	79,5 LEVEL CM	1397,3872 litre	77,391 %	408,2432 litre	O
190	CM 55	CM	79 LEVEL CM	1388,0078 litre	76,871 %	417,6226 litre	O
190	CM 55	CM	78,5 LEVEL CM	1378,5824 litre	76,349 %	427,0480 litre	O
190	CM 55	CM	78 LEVEL CM	1369,1121 litre	75,825 %	436,5183 litre	O
190	CM 55	CM	77,5 LEVEL CM	1359,5980 litre	75,298 %	446,0324 litre	O
190	CM 55	CM	77 LEVEL CM	1350,0413 litre	74,768 %	455,5891 litre	O
190	CM 55	CM	76,5 LEVEL CM	1340,4432 litre	74,237 %	465,1872 litre	O
190	CM 55	CM	76 LEVEL CM	1330,8047 litre	73,703 %	474,8257 litre	O
190	CM 55	CM	75,5 LEVEL CM	1321,1270 litre	73,167 %	484,5034 litre	O
190	CM 55	CM	75 LEVEL CM	1311,4111 litre	72,629 %	494,2193 litre	O
190	CM 55	CM	74,5 LEVEL CM	1301,6582 litre	72,089 %	503,9722 litre	O
190	CM 55	CM	74 LEVEL CM	1291,8692 litre	71,547 %	513,7612 litre	O
190	CM 55	CM	73,5 LEVEL CM	1282,0452 litre	71,003 %	523,5852 litre	O
190	CM 55	CM	73 LEVEL CM	1272,1873 litre	70,457 %	533,4431 litre	O
190	CM 55	CM	72,5 LEVEL CM	1262,2965 litre	69,909 %	543,3339 litre	O
190	CM 55	CM	72 LEVEL CM	1252,3738 litre	69,359 %	553,2566 litre	O
190	CM 55	CM	71,5 LEVEL CM	1242,4203 litre	68,808 %	563,2101 litre	O
190	CM 55	CM	71 LEVEL CM	1232,4368 litre	68,255 %	573,1936 litre	O
190	CM 55	CM	70,5 LEVEL CM	1222,4245 litre	67,701 %	583,2059 litre	O
190	CM 55	CM	70 LEVEL CM	1212,3843 litre	67,145 %	593,2461 litre	O
190	CM 55	CM	69,5 LEVEL CM	1202,3171 litre	66,587 %	603,3133 litre	O
190	CM 55	CM	69 LEVEL CM	1192,2240 litre	66,028 %	613,4064 litre	O
190	CM 55	CM	68,5 LEVEL CM	1182,1059 litre	65,468 %	623,5245 litre	O
190	CM 55	CM	68 LEVEL CM	1171,9637 litre	64,906 %	633,6667 litre	O
190	CM 55	CM	67,5 LEVEL CM	1161,7984 litre	64,343 %	643,8320 litre	O
190	CM 55	CM	67 LEVEL CM	1151,6109 litre	63,779 %	654,0195 litre	O
190	CM 55	CM	66,5 LEVEL CM	1141,4022 litre	63,214 %	664,2282 litre	O
190	CM 55	CM	66 LEVEL CM	1131,1732 litre	62,647 %	674,4572 litre	O
190	CM 55	CM	65,5 LEVEL CM	1120,9248 litre	62,079 %	684,7056 litre	O
190	CM 55	CM	65 LEVEL CM	1110,6579 litre	61,511 %	694,9725 litre	O
190	CM 55	CM	64,5 LEVEL CM	1100,3734 litre	60,941 %	705,2570 litre	O
190	CM 55	CM	64 LEVEL CM	1090,0723 litre	60,371 %	715,5581 litre	O
190	CM 55	CM	63,5 LEVEL CM	1079,7555 litre	59,799 %	725,8749 litre	O
190	CM 55	CM	63 LEVEL CM	1069,4237 litre	59,227 %	736,2067 litre	O
190	CM 55	CM	62,5 LEVEL CM	1059,0780 litre	58,654 %	746,5524 litre	O
190	CM 55	CM	62 LEVEL CM	1048,7193 litre	58,081 %	756,9111 litre	O
190	CM 55	CM	61,5 LEVEL CM	1038,3483 litre	57,506 %	767,2821 litre	O
190	CM 55	CM	61 LEVEL CM	1027,9660 litre	56,931 %	777,6644 litre	O
190	CM 55	CM	60,5 LEVEL CM	1017,5733 litre	56,356 %	788,0571 litre	O
190	CM 55	CM	60 LEVEL CM	1007,1711 litre	55,779 %	798,4593 litre	O
190	CM 55	CM	59,5 LEVEL CM	996,7602 litre	55,203 %	808,8702 litre	O
190	CM 55	CM	59 LEVEL CM	986,3414 litre	54,626 %	819,2890 litre	O
190	CM 55	CM	58,5 LEVEL CM	975,9158 litre	54,048 %	829,7146 litre	O
190	CM 55	CM	58 LEVEL CM	965,4841 litre	53,471 %	840,1463 litre	O

190	CM	55	CM	57,5 LEVEL CM	955,0472 litre	52,893 %	850,5832 litre	O
190	CM	55	CM	57 LEVEL CM	944,6060 litre	52,314 %	861,0244 litre	O
190	CM	55	CM	56,5 LEVEL CM	934,1613 litre	51,736 %	871,4691 litre	O
190	CM	55	CM	56 LEVEL CM	923,7140 litre	51,157 %	881,9164 litre	O
190	CM	55	CM	55,5 LEVEL CM	913,2650 litre	50,579 %	892,3654 litre	O
190	CM	55	CM	55 LEVEL CM	902,8152 litre	50,000 %	902,8152 litre	O
190	CM	55	CM	54,5 LEVEL CM	892,3653 litre	49,421 %	913,2651 litre	O
190	CM	55	CM	54 LEVEL CM	881,9163 litre	48,843 %	923,7141 litre	O
190	CM	55	CM	53,5 LEVEL CM	871,4691 litre	48,264 %	934,1613 litre	O
190	CM	55	CM	53 LEVEL CM	861,0244 litre	47,686 %	944,6060 litre	O
190	CM	55	CM	52,5 LEVEL CM	850,5832 litre	47,107 %	955,0472 litre	O
190	CM	55	CM	52 LEVEL CM	840,1463 litre	46,529 %	965,4841 litre	O
190	CM	55	CM	51,5 LEVEL CM	829,7146 litre	45,952 %	975,9158 litre	O
190	CM	55	CM	51 LEVEL CM	819,2889 litre	45,374 %	986,3415 litre	O
190	CM	55	CM	50,5 LEVEL CM	808,8702 litre	44,797 %	996,7602 litre	O
190	CM	55	CM	50 LEVEL CM	798,4593 litre	44,221 %	1007,1711 litre	O
190	CM	55	CM	49,5 LEVEL CM	788,0571 litre	43,644 %	1017,5733 litre	O
190	CM	55	CM	49 LEVEL CM	777,6644 litre	43,069 %	1027,9660 litre	O
190	CM	55	CM	48,5 LEVEL CM	767,2821 litre	42,494 %	1038,3483 litre	O
190	CM	55	CM	48 LEVEL CM	756,9111 litre	41,919 %	1048,7193 litre	O
190	CM	55	CM	47,5 LEVEL CM	746,5523 litre	41,346 %	1059,0781 litre	O
190	CM	55	CM	47 LEVEL CM	736,2066 litre	40,773 %	1069,4238 litre	O
190	CM	55	CM	46,5 LEVEL CM	725,8749 litre	40,201 %	1079,7555 litre	O
190	CM	55	CM	46 LEVEL CM	715,5580 litre	39,629 %	1090,0724 litre	O
190	CM	55	CM	45,5 LEVEL CM	705,2569 litre	39,059 %	1100,3735 litre	O
190	CM	55	CM	45 LEVEL CM	694,9725 litre	38,489 %	1110,6579 litre	O
190	CM	55	CM	44,5 LEVEL CM	684,7056 litre	37,921 %	1120,9248 litre	O
190	CM	55	CM	44 LEVEL CM	674,4572 litre	37,353 %	1131,1732 litre	O
190	CM	55	CM	43,5 LEVEL CM	664,2282 litre	36,786 %	1141,4022 litre	O
190	CM	55	CM	43 LEVEL CM	654,0195 litre	36,221 %	1151,6109 litre	O
190	CM	55	CM	42,5 LEVEL CM	643,8320 litre	35,657 %	1161,7984 litre	O
190	CM	55	CM	42 LEVEL CM	633,6667 litre	35,094 %	1171,9637 litre	O
190	CM	55	CM	41,5 LEVEL CM	623,5245 litre	34,532 %	1182,1059 litre	O
190	CM	55	CM	41 LEVEL CM	613,4064 litre	33,972 %	1192,2240 litre	O
190	CM	55	CM	40,5 LEVEL CM	603,3133 litre	33,413 %	1202,3171 litre	O
190	CM	55	CM	40 LEVEL CM	593,2461 litre	32,855 %	1212,3843 litre	O
190	CM	55	CM	39,5 LEVEL CM	583,2059 litre	32,299 %	1222,4245 litre	O
190	CM	55	CM	39 LEVEL CM	573,1936 litre	31,745 %	1232,4368 litre	O
190	CM	55	CM	38,5 LEVEL CM	563,2101 litre	31,192 %	1242,4203 litre	O
190	CM	55	CM	38 LEVEL CM	553,2566 litre	30,641 %	1252,3738 litre	O
190	CM	55	CM	37,5 LEVEL CM	543,3339 litre	30,091 %	1262,2965 litre	O
190	CM	55	CM	37 LEVEL CM	533,4431 litre	29,543 %	1272,1873 litre	O
190	CM	55	CM	36,5 LEVEL CM	523,5852 litre	28,997 %	1282,0452 litre	O
190	CM	55	CM	36 LEVEL CM	513,7612 litre	28,453 %	1291,8692 litre	O
190	CM	55	CM	35,5 LEVEL CM	503,9722 litre	27,911 %	1301,6582 litre	O
190	CM	55	CM	35 LEVEL CM	494,2193 litre	27,371 %	1311,4111 litre	O
190	CM	55	CM	34,5 LEVEL CM	484,5034 litre	26,833 %	1321,1270 litre	O
190	CM	55	CM	34 LEVEL CM	474,8257 litre	26,297 %	1330,8047 litre	O
190	CM	55	CM	33,5 LEVEL CM	465,1872 litre	25,763 %	1340,4432 litre	O
190	CM	55	CM	33 LEVEL CM	455,5891 litre	25,232 %	1350,0413 litre	O
190	CM	55	CM	32,5 LEVEL CM	446,0324 litre	24,702 %	1359,5980 litre	O
190	CM	55	CM	32 LEVEL CM	436,5183 litre	24,175 %	1369,1121 litre	O
190	CM	55	CM	31,5 LEVEL CM	427,0480 litre	23,651 %	1378,5824 litre	O

190	CM	55	CM	31 LEVEL CM	417,6225 litre	23,129 %	1388,0079 litre	O
190	CM	55	CM	30,5 LEVEL CM	408,2432 litre	22,609 %	1397,3872 litre	O
190	CM	55	CM	30 LEVEL CM	398,9111 litre	22,093 %	1406,7193 litre	O
190	CM	55	CM	29,5 LEVEL CM	389,6275 litre	21,578 %	1416,0029 litre	O
190	CM	55	CM	29 LEVEL CM	380,3936 litre	21,067 %	1425,2368 litre	O
190	CM	55	CM	28,5 LEVEL CM	371,2106 litre	20,559 %	1434,4198 litre	O
190	CM	55	CM	28 LEVEL CM	362,0799 litre	20,053 %	1443,5505 litre	O
190	CM	55	CM	27,5 LEVEL CM	353,0027 litre	19,550 %	1452,6277 litre	O
190	CM	55	CM	27 LEVEL CM	343,9804 litre	19,050 %	1461,6500 litre	O
190	CM	55	CM	26,5 LEVEL CM	335,0143 litre	18,554 %	1470,6161 litre	O
190	CM	55	CM	26 LEVEL CM	326,1057 litre	18,060 %	1479,5247 litre	O
190	CM	55	CM	25,5 LEVEL CM	317,2561 litre	17,570 %	1488,3743 litre	O
190	CM	55	CM	25 LEVEL CM	308,4669 litre	17,084 %	1497,1635 litre	O
190	CM	55	CM	24,5 LEVEL CM	299,7395 litre	16,600 %	1505,8909 litre	O
190	CM	55	CM	24 LEVEL CM	291,0754 litre	16,120 %	1514,5550 litre	O
190	CM	55	CM	23,5 LEVEL CM	282,4761 litre	15,644 %	1523,1543 litre	O
190	CM	55	CM	23 LEVEL CM	273,9432 litre	15,172 %	1531,6872 litre	O
190	CM	55	CM	22,5 LEVEL CM	265,4783 litre	14,703 %	1540,1521 litre	O
190	CM	55	CM	22 LEVEL CM	257,0829 litre	14,238 %	1548,5475 litre	O
190	CM	55	CM	21,5 LEVEL CM	248,7588 litre	13,777 %	1556,8716 litre	O
190	CM	55	CM	21 LEVEL CM	240,5077 litre	13,320 %	1565,1227 litre	O
190	CM	55	CM	20,5 LEVEL CM	232,3313 litre	12,867 %	1573,2991 litre	O
190	CM	55	CM	20 LEVEL CM	224,2314 litre	12,418 %	1581,3990 litre	O
190	CM	55	CM	19,5 LEVEL CM	216,2099 litre	11,974 %	1589,4205 litre	O
190	CM	55	CM	19 LEVEL CM	208,2687 litre	11,534 %	1597,3617 litre	O
190	CM	55	CM	18,5 LEVEL CM	200,4097 litre	11,099 %	1605,2207 litre	O
190	CM	55	CM	18 LEVEL CM	192,6350 litre	10,669 %	1612,9954 litre	O
190	CM	55	CM	17,5 LEVEL CM	184,9467 litre	10,243 %	1620,6837 litre	O
190	CM	55	CM	17 LEVEL CM	177,3469 litre	9,822 %	1628,2835 litre	O
190	CM	55	CM	16,5 LEVEL CM	169,8380 litre	9,406 %	1635,7924 litre	O
190	CM	55	CM	16 LEVEL CM	162,4221 litre	8,995 %	1643,2083 litre	O
190	CM	55	CM	15,5 LEVEL CM	155,1018 litre	8,590 %	1650,5286 litre	O
190	CM	55	CM	15 LEVEL CM	147,8796 litre	8,190 %	1657,7508 litre	O
190	CM	55	CM	14,5 LEVEL CM	140,7580 litre	7,796 %	1664,8724 litre	O
190	CM	55	CM	14 LEVEL CM	133,7399 litre	7,407 %	1671,8905 litre	O
190	CM	55	CM	13,5 LEVEL CM	126,8280 litre	7,024 %	1678,8024 litre	O
190	CM	55	CM	13 LEVEL CM	120,0253 litre	6,647 %	1685,6051 litre	O
190	CM	55	CM	12,5 LEVEL CM	113,3350 litre	6,277 %	1692,2954 litre	O
190	CM	55	CM	12 LEVEL CM	106,7604 litre	5,913 %	1698,8700 litre	O
190	CM	55	CM	11,5 LEVEL CM	100,3049 litre	5,555 %	1705,3255 litre	O
190	CM	55	CM	11 LEVEL CM	93,9723 litre	5,204 %	1711,6581 litre	O
190	CM	55	CM	10,5 LEVEL CM	87,7663 litre	4,861 %	1717,8641 litre	O
190	CM	55	CM	10 LEVEL CM	81,6911 litre	4,524 %	1723,9393 litre	O
190	CM	55	CM	9,5 LEVEL CM	75,7511 litre	4,195 %	1729,8793 litre	O
190	CM	55	CM	9 LEVEL CM	69,9511 litre	3,874 %	1735,6793 litre	O
190	CM	55	CM	8,5 LEVEL CM	64,2960 litre	3,561 %	1741,3344 litre	O
190	CM	55	CM	8 LEVEL CM	58,7914 litre	3,256 %	1746,8390 litre	O
190	CM	55	CM	7,5 LEVEL CM	53,4431 litre	2,960 %	1752,1873 litre	O
190	CM	55	CM	7 LEVEL CM	48,2576 litre	2,673 %	1757,3728 litre	O
190	CM	55	CM	6,5 LEVEL CM	43,2420 litre	2,395 %	1762,3884 litre	O
190	CM	55	CM	6 LEVEL CM	38,4042 litre	2,127 %	1767,2262 litre	O
190	CM	55	CM	5,5 LEVEL CM	33,7527 litre	1,869 %	1771,8777 litre	O
190	CM	55	CM	5 LEVEL CM	29,2975 litre	1,623 %	1776,3329 litre	O

190	CM	55	CM	4,5 LEVEL CM	25,0498 litre	1,387 %	1780,5806 litre	O
190	CM	55	CM	4 LEVEL CM	21,0224 litre	1,164 %	1784,6080 litre	O
190	CM	55	CM	3,5 LEVEL CM	17,2306 litre	0,954 %	1788,3998 litre	O
190	CM	55	CM	3 LEVEL CM	13,6926 litre	0,758 %	1791,9378 litre	O
190	CM	55	CM	2,5 LEVEL CM	10,4307 litre	0,578 %	1795,1997 litre	O
190	CM	55	CM	2 LEVEL CM	7,4740 litre	0,414 %	1798,1564 litre	O
190	CM	55	CM	1,5 LEVEL CM	4,8612 litre	0,269 %	1800,7692 litre	O
190	CM	55	CM	1 LEVEL CM	2,6497 litre	0,147 %	1802,9807 litre	O
190	CM	55	CM	0,5 LEVEL CM	0,9381 litre	0,052 %	1804,6923 litre	O
190	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	1805,6304 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
190	CM	50	CM	100 LEVEL CM	1492,2565 litre	100,000 %	0,0000 litre	O
190	CM	50	CM	99,5 LEVEL CM	1491,3622 litre	99,940 %	0,8943 litre	O
190	CM	50	CM	99 LEVEL CM	1489,7308 litre	99,831 %	2,5257 litre	O
190	CM	50	CM	98,5 LEVEL CM	1487,6235 litre	99,690 %	4,6330 litre	O
190	CM	50	CM	98 LEVEL CM	1485,1343 litre	99,523 %	7,1222 litre	O
190	CM	50	CM	97,5 LEVEL CM	1482,3181 litre	99,334 %	9,9384 litre	O
190	CM	50	CM	97 LEVEL CM	1479,2120 litre	99,126 %	13,0445 litre	O
190	CM	50	CM	96,5 LEVEL CM	1475,8438 litre	98,900 %	16,4127 litre	O
190	CM	50	CM	96 LEVEL CM	1472,2348 litre	98,658 %	20,0217 litre	O
190	CM	50	CM	95,5 LEVEL CM	1468,4026 litre	98,401 %	23,8539 litre	O
190	CM	50	CM	95 LEVEL CM	1464,3617 litre	98,131 %	27,8948 litre	O
190	CM	50	CM	94,5 LEVEL CM	1460,1245 litre	97,847 %	32,1320 litre	O
190	CM	50	CM	94 LEVEL CM	1455,7018 litre	97,550 %	36,5547 litre	O
190	CM	50	CM	93,5 LEVEL CM	1451,1030 litre	97,242 %	41,1535 litre	O
190	CM	50	CM	93 LEVEL CM	1446,3365 litre	96,923 %	45,9200 litre	O
190	CM	50	CM	92,5 LEVEL CM	1441,4098 litre	96,593 %	50,8467 litre	O
190	CM	50	CM	92 LEVEL CM	1436,3298 litre	96,252 %	55,9267 litre	O
190	CM	50	CM	91,5 LEVEL CM	1431,1026 litre	95,902 %	61,1539 litre	O
190	CM	50	CM	91 LEVEL CM	1425,7341 litre	95,542 %	66,5224 litre	O
190	CM	50	CM	90,5 LEVEL CM	1420,2294 litre	95,173 %	72,0271 litre	O
190	CM	50	CM	90 LEVEL CM	1414,5935 litre	94,796 %	77,6630 litre	O
190	CM	50	CM	89,5 LEVEL CM	1408,8309 litre	94,409 %	83,4256 litre	O
190	CM	50	CM	89 LEVEL CM	1402,9458 litre	94,015 %	89,3107 litre	O
190	CM	50	CM	88,5 LEVEL CM	1396,9424 litre	93,613 %	95,3141 litre	O
190	CM	50	CM	88 LEVEL CM	1390,8242 litre	93,203 %	101,4323 litre	O
190	CM	50	CM	87,5 LEVEL CM	1384,5950 litre	92,785 %	107,6615 litre	O
190	CM	50	CM	87 LEVEL CM	1378,2580 litre	92,361 %	113,9985 litre	O
190	CM	50	CM	86,5 LEVEL CM	1371,8165 litre	91,929 %	120,4400 litre	O
190	CM	50	CM	86 LEVEL CM	1365,2735 litre	91,491 %	126,9830 litre	O
190	CM	50	CM	85,5 LEVEL CM	1358,6319 litre	91,045 %	133,6246 litre	O
190	CM	50	CM	85 LEVEL CM	1351,8946 litre	90,594 %	140,3619 litre	O
190	CM	50	CM	84,5 LEVEL CM	1345,0641 litre	90,136 %	147,1924 litre	O
190	CM	50	CM	84 LEVEL CM	1338,1430 litre	89,672 %	154,1135 litre	O
190	CM	50	CM	83,5 LEVEL CM	1331,1338 litre	89,203 %	161,1227 litre	O
190	CM	50	CM	83 LEVEL CM	1324,0389 litre	88,727 %	168,2176 litre	O
190	CM	50	CM	82,5 LEVEL CM	1316,8605 litre	88,246 %	175,3960 litre	O
190	CM	50	CM	82 LEVEL CM	1309,6009 litre	87,760 %	182,6556 litre	O
190	CM	50	CM	81,5 LEVEL CM	1302,2621 litre	87,268 %	189,9944 litre	O
190	CM	50	CM	81 LEVEL CM	1294,8463 litre	86,771 %	197,4102 litre	O
190	CM	50	CM	80,5 LEVEL CM	1287,3553 litre	86,269 %	204,9012 litre	O
190	CM	50	CM	80 LEVEL CM	1279,7913 litre	85,762 %	212,4652 litre	O
190	CM	50	CM	79,5 LEVEL CM	1272,1560 litre	85,250 %	220,1005 litre	O
190	CM	50	CM	79 LEVEL CM	1264,4512 litre	84,734 %	227,8053 litre	O
190	CM	50	CM	78,5 LEVEL CM	1256,6788 litre	84,213 %	235,5777 litre	O
190	CM	50	CM	78 LEVEL CM	1248,8405 litre	83,688 %	243,4160 litre	O
190	CM	50	CM	77,5 LEVEL CM	1240,9380 litre	83,158 %	251,3185 litre	O
190	CM	50	CM	77 LEVEL CM	1232,9730 litre	82,625 %	259,2835 litre	O
190	CM	50	CM	76,5 LEVEL CM	1224,9469 litre	82,087 %	267,3096 litre	O
190	CM	50	CM	76 LEVEL CM	1216,8615 litre	81,545 %	275,3950 litre	O
190	CM	50	CM	75,5 LEVEL CM	1208,7183 litre	80,999 %	283,5382 litre	O
190	CM	50	CM	75 LEVEL CM	1200,5187 litre	80,450 %	291,7378 litre	O
190	CM	50	CM	74,5 LEVEL CM	1192,2643 litre	79,897 %	299,9922 litre	O

190	CM	50	CM	74 LEVEL CM	1183,9565 litre	79,340 %	308,3000 litre	O
190	CM	50	CM	73,5 LEVEL CM	1175,5967 litre	78,780 %	316,6598 litre	O
190	CM	50	CM	73 LEVEL CM	1167,1863 litre	78,216 %	325,0702 litre	O
190	CM	50	CM	72,5 LEVEL CM	1158,7266 litre	77,649 %	333,5299 litre	O
190	CM	50	CM	72 LEVEL CM	1150,2192 litre	77,079 %	342,0373 litre	O
190	CM	50	CM	71,5 LEVEL CM	1141,6651 litre	76,506 %	350,5914 litre	O
190	CM	50	CM	71 LEVEL CM	1133,0658 litre	75,930 %	359,1907 litre	O
190	CM	50	CM	70,5 LEVEL CM	1124,4226 litre	75,350 %	367,8339 litre	O
190	CM	50	CM	70 LEVEL CM	1115,7366 litre	74,768 %	376,5199 litre	O
190	CM	50	CM	69,5 LEVEL CM	1107,0092 litre	74,184 %	385,2473 litre	O
190	CM	50	CM	69 LEVEL CM	1098,2416 litre	73,596 %	394,0149 litre	O
190	CM	50	CM	68,5 LEVEL CM	1089,4349 litre	73,006 %	402,8216 litre	O
190	CM	50	CM	68 LEVEL CM	1080,5903 litre	72,413 %	411,6662 litre	O
190	CM	50	CM	67,5 LEVEL CM	1071,7092 litre	71,818 %	420,5473 litre	O
190	CM	50	CM	67 LEVEL CM	1062,7925 litre	71,220 %	429,4640 litre	O
190	CM	50	CM	66,5 LEVEL CM	1053,8415 litre	70,621 %	438,4150 litre	O
190	CM	50	CM	66 LEVEL CM	1044,8572 litre	70,019 %	447,3993 litre	O
190	CM	50	CM	65,5 LEVEL CM	1035,8409 litre	69,414 %	456,4156 litre	O
190	CM	50	CM	65 LEVEL CM	1026,7936 litre	68,808 %	465,4629 litre	O
190	CM	50	CM	64,5 LEVEL CM	1017,7164 litre	68,200 %	474,5401 litre	O
190	CM	50	CM	64 LEVEL CM	1008,6105 litre	67,590 %	483,6460 litre	O
190	CM	50	CM	63,5 LEVEL CM	999,4768 litre	66,978 %	492,7797 litre	O
190	CM	50	CM	63 LEVEL CM	990,3165 litre	66,364 %	501,9400 litre	O
190	CM	50	CM	62,5 LEVEL CM	981,1306 litre	65,748 %	511,1259 litre	O
190	CM	50	CM	62 LEVEL CM	971,9201 litre	65,131 %	520,3364 litre	O
190	CM	50	CM	61,5 LEVEL CM	962,6862 litre	64,512 %	529,5703 litre	O
190	CM	50	CM	61 LEVEL CM	953,4299 litre	63,892 %	538,8266 litre	O
190	CM	50	CM	60,5 LEVEL CM	944,1521 litre	63,270 %	548,1044 litre	O
190	CM	50	CM	60 LEVEL CM	934,8539 litre	62,647 %	557,4026 litre	O
190	CM	50	CM	59,5 LEVEL CM	925,5363 litre	62,023 %	566,7202 litre	O
190	CM	50	CM	59 LEVEL CM	916,2003 litre	61,397 %	576,0562 litre	O
190	CM	50	CM	58,5 LEVEL CM	906,8470 litre	60,770 %	585,4095 litre	O
190	CM	50	CM	58 LEVEL CM	897,4772 litre	60,142 %	594,7793 litre	O
190	CM	50	CM	57,5 LEVEL CM	888,0921 litre	59,513 %	604,1644 litre	O
190	CM	50	CM	57 LEVEL CM	878,6925 litre	58,883 %	613,5640 litre	O
190	CM	50	CM	56,5 LEVEL CM	869,2795 litre	58,253 %	622,9770 litre	O
190	CM	50	CM	56 LEVEL CM	859,8541 litre	57,621 %	632,4024 litre	O
190	CM	50	CM	55,5 LEVEL CM	850,4171 litre	56,989 %	641,8394 litre	O
190	CM	50	CM	55 LEVEL CM	840,9697 litre	56,356 %	651,2868 litre	O
190	CM	50	CM	54,5 LEVEL CM	831,5127 litre	55,722 %	660,7438 litre	O
190	CM	50	CM	54 LEVEL CM	822,0471 litre	55,088 %	670,2094 litre	O
190	CM	50	CM	53,5 LEVEL CM	812,5739 litre	54,453 %	679,6826 litre	O
190	CM	50	CM	53 LEVEL CM	803,0940 litre	53,817 %	689,1625 litre	O
190	CM	50	CM	52,5 LEVEL CM	793,6085 litre	53,182 %	698,6480 litre	O
190	CM	50	CM	52 LEVEL CM	784,1181 litre	52,546 %	708,1384 litre	O
190	CM	50	CM	51,5 LEVEL CM	774,6240 litre	51,910 %	717,6325 litre	O
190	CM	50	CM	51 LEVEL CM	765,1270 litre	51,273 %	727,1295 litre	O
190	CM	50	CM	50,5 LEVEL CM	755,6281 litre	50,637 %	736,6284 litre	O
190	CM	50	CM	50 LEVEL CM	746,1283 litre	50,000 %	746,1282 litre	O
190	CM	50	CM	49,5 LEVEL CM	736,6284 litre	49,363 %	755,6281 litre	O
190	CM	50	CM	49 LEVEL CM	727,1295 litre	48,727 %	765,1270 litre	O
190	CM	50	CM	48,5 LEVEL CM	717,6325 litre	48,090 %	774,6240 litre	O
190	CM	50	CM	48 LEVEL CM	708,1384 litre	47,454 %	784,1181 litre	O

190	CM	50	CM	47,5 LEVEL CM	698,6481 litre	46,818 %	793,6084 litre	O
190	CM	50	CM	47 LEVEL CM	689,1625 litre	46,183 %	803,0940 litre	O
190	CM	50	CM	46,5 LEVEL CM	679,6826 litre	45,547 %	812,5739 litre	O
190	CM	50	CM	46 LEVEL CM	670,2094 litre	44,912 %	822,0471 litre	O
190	CM	50	CM	45,5 LEVEL CM	660,7438 litre	44,278 %	831,5127 litre	O
190	CM	50	CM	45 LEVEL CM	651,2868 litre	43,644 %	840,9697 litre	O
190	CM	50	CM	44,5 LEVEL CM	641,8394 litre	43,011 %	850,4171 litre	O
190	CM	50	CM	44 LEVEL CM	632,4024 litre	42,379 %	859,8541 litre	O
190	CM	50	CM	43,5 LEVEL CM	622,9770 litre	41,747 %	869,2795 litre	O
190	CM	50	CM	43 LEVEL CM	613,5640 litre	41,117 %	878,6925 litre	O
190	CM	50	CM	42,5 LEVEL CM	604,1644 litre	40,487 %	888,0921 litre	O
190	CM	50	CM	42 LEVEL CM	594,7793 litre	39,858 %	897,4772 litre	O
190	CM	50	CM	41,5 LEVEL CM	585,4096 litre	39,230 %	906,8469 litre	O
190	CM	50	CM	41 LEVEL CM	576,0562 litre	38,603 %	916,2003 litre	O
190	CM	50	CM	40,5 LEVEL CM	566,7202 litre	37,977 %	925,5363 litre	O
190	CM	50	CM	40 LEVEL CM	557,4026 litre	37,353 %	934,8539 litre	O
190	CM	50	CM	39,5 LEVEL CM	548,1044 litre	36,730 %	944,1521 litre	O
190	CM	50	CM	39 LEVEL CM	538,8266 litre	36,108 %	953,4299 litre	O
190	CM	50	CM	38,5 LEVEL CM	529,5703 litre	35,488 %	962,6862 litre	O
190	CM	50	CM	38 LEVEL CM	520,3364 litre	34,869 %	971,9201 litre	O
190	CM	50	CM	37,5 LEVEL CM	511,1259 litre	34,252 %	981,1306 litre	O
190	CM	50	CM	37 LEVEL CM	501,9400 litre	33,636 %	990,3165 litre	O
190	CM	50	CM	36,5 LEVEL CM	492,7797 litre	33,022 %	999,4768 litre	O
190	CM	50	CM	36 LEVEL CM	483,6461 litre	32,410 %	1008,6104 litre	O
190	CM	50	CM	35,5 LEVEL CM	474,5401 litre	31,800 %	1017,7164 litre	O
190	CM	50	CM	35 LEVEL CM	465,4629 litre	31,192 %	1026,7936 litre	O
190	CM	50	CM	34,5 LEVEL CM	456,4156 litre	30,586 %	1035,8409 litre	O
190	CM	50	CM	34 LEVEL CM	447,3993 litre	29,981 %	1044,8572 litre	O
190	CM	50	CM	33,5 LEVEL CM	438,4150 litre	29,379 %	1053,8415 litre	O
190	CM	50	CM	33 LEVEL CM	429,4640 litre	28,780 %	1062,7925 litre	O
190	CM	50	CM	32,5 LEVEL CM	420,5473 litre	28,182 %	1071,7092 litre	O
190	CM	50	CM	32 LEVEL CM	411,6662 litre	27,587 %	1080,5903 litre	O
190	CM	50	CM	31,5 LEVEL CM	402,8216 litre	26,994 %	1089,4349 litre	O
190	CM	50	CM	31 LEVEL CM	394,0150 litre	26,404 %	1098,2415 litre	O
190	CM	50	CM	30,5 LEVEL CM	385,2473 litre	25,816 %	1107,0092 litre	O
190	CM	50	CM	30 LEVEL CM	376,5199 litre	25,232 %	1115,7366 litre	O
190	CM	50	CM	29,5 LEVEL CM	367,8339 litre	24,650 %	1124,4226 litre	O
190	CM	50	CM	29 LEVEL CM	359,1907 litre	24,070 %	1133,0658 litre	O
190	CM	50	CM	28,5 LEVEL CM	350,5914 litre	23,494 %	1141,6651 litre	O
190	CM	50	CM	28 LEVEL CM	342,0374 litre	22,921 %	1150,2191 litre	O
190	CM	50	CM	27,5 LEVEL CM	333,5299 litre	22,351 %	1158,7266 litre	O
190	CM	50	CM	27 LEVEL CM	325,0703 litre	21,784 %	1167,1862 litre	O
190	CM	50	CM	26,5 LEVEL CM	316,6599 litre	21,220 %	1175,5966 litre	O
190	CM	50	CM	26 LEVEL CM	308,3001 litre	20,660 %	1183,9564 litre	O
190	CM	50	CM	25,5 LEVEL CM	299,9922 litre	20,103 %	1192,2643 litre	O
190	CM	50	CM	25 LEVEL CM	291,7378 litre	19,550 %	1200,5187 litre	O
190	CM	50	CM	24,5 LEVEL CM	283,5382 litre	19,001 %	1208,7183 litre	O
190	CM	50	CM	24 LEVEL CM	275,3950 litre	18,455 %	1216,8615 litre	O
190	CM	50	CM	23,5 LEVEL CM	267,3096 litre	17,913 %	1224,9469 litre	O
190	CM	50	CM	23 LEVEL CM	259,2836 litre	17,375 %	1232,9729 litre	O
190	CM	50	CM	22,5 LEVEL CM	251,3185 litre	16,842 %	1240,9380 litre	O
190	CM	50	CM	22 LEVEL CM	243,4160 litre	16,312 %	1248,8405 litre	O
190	CM	50	CM	21,5 LEVEL CM	235,5777 litre	15,787 %	1256,6788 litre	O

190	CM	50	CM	21 LEVEL CM	227,8053 litre	15,266 %	1264,4512 litre	O
190	CM	50	CM	20,5 LEVEL CM	220,1005 litre	14,750 %	1272,1560 litre	O
190	CM	50	CM	20 LEVEL CM	212,4652 litre	14,238 %	1279,7913 litre	O
190	CM	50	CM	19,5 LEVEL CM	204,9012 litre	13,731 %	1287,3553 litre	O
190	CM	50	CM	19 LEVEL CM	197,4102 litre	13,229 %	1294,8463 litre	O
190	CM	50	CM	18,5 LEVEL CM	189,9944 litre	12,732 %	1302,2621 litre	O
190	CM	50	CM	18 LEVEL CM	182,6556 litre	12,240 %	1309,6009 litre	O
190	CM	50	CM	17,5 LEVEL CM	175,3960 litre	11,754 %	1316,8605 litre	O
190	CM	50	CM	17 LEVEL CM	168,2176 litre	11,273 %	1324,0389 litre	O
190	CM	50	CM	16,5 LEVEL CM	161,1227 litre	10,797 %	1331,1338 litre	O
190	CM	50	CM	16 LEVEL CM	154,1135 litre	10,328 %	1338,1430 litre	O
190	CM	50	CM	15,5 LEVEL CM	147,1924 litre	9,864 %	1345,0641 litre	O
190	CM	50	CM	15 LEVEL CM	140,3619 litre	9,406 %	1351,8946 litre	O
190	CM	50	CM	14,5 LEVEL CM	133,6246 litre	8,955 %	1358,6319 litre	O
190	CM	50	CM	14 LEVEL CM	126,9830 litre	8,509 %	1365,2735 litre	O
190	CM	50	CM	13,5 LEVEL CM	120,4400 litre	8,071 %	1371,8165 litre	O
190	CM	50	CM	13 LEVEL CM	113,9985 litre	7,639 %	1378,2580 litre	O
190	CM	50	CM	12,5 LEVEL CM	107,6615 litre	7,215 %	1384,5950 litre	O
190	CM	50	CM	12 LEVEL CM	101,4323 litre	6,797 %	1390,8242 litre	O
190	CM	50	CM	11,5 LEVEL CM	95,3142 litre	6,387 %	1396,9423 litre	O
190	CM	50	CM	11 LEVEL CM	89,3107 litre	5,985 %	1402,9458 litre	O
190	CM	50	CM	10,5 LEVEL CM	83,4256 litre	5,591 %	1408,8309 litre	O
190	CM	50	CM	10 LEVEL CM	77,6630 litre	5,204 %	1414,5935 litre	O
190	CM	50	CM	9,5 LEVEL CM	72,0271 litre	4,827 %	1420,2294 litre	O
190	CM	50	CM	9 LEVEL CM	66,5224 litre	4,458 %	1425,7341 litre	O
190	CM	50	CM	8,5 LEVEL CM	61,1539 litre	4,098 %	1431,1026 litre	O
190	CM	50	CM	8 LEVEL CM	55,9268 litre	3,748 %	1436,3297 litre	O
190	CM	50	CM	7,5 LEVEL CM	50,8467 litre	3,407 %	1441,4098 litre	O
190	CM	50	CM	7 LEVEL CM	45,9200 litre	3,077 %	1446,3365 litre	O
190	CM	50	CM	6,5 LEVEL CM	41,1535 litre	2,758 %	1451,1030 litre	O
190	CM	50	CM	6 LEVEL CM	36,5547 litre	2,450 %	1455,7018 litre	O
190	CM	50	CM	5,5 LEVEL CM	32,1320 litre	2,153 %	1460,1245 litre	O
190	CM	50	CM	5 LEVEL CM	27,8948 litre	1,869 %	1464,3617 litre	O
190	CM	50	CM	4,5 LEVEL CM	23,8539 litre	1,599 %	1468,4026 litre	O
190	CM	50	CM	4 LEVEL CM	20,0217 litre	1,342 %	1472,2348 litre	O
190	CM	50	CM	3,5 LEVEL CM	16,4127 litre	1,100 %	1475,8438 litre	O
190	CM	50	CM	3 LEVEL CM	13,0445 litre	0,874 %	1479,2120 litre	O
190	CM	50	CM	2,5 LEVEL CM	9,9384 litre	0,666 %	1482,3181 litre	O
190	CM	50	CM	2 LEVEL CM	7,1222 litre	0,477 %	1485,1343 litre	O
190	CM	50	CM	1,5 LEVEL CM	4,6330 litre	0,310 %	1487,6235 litre	O
190	CM	50	CM	1 LEVEL CM	2,5257 litre	0,169 %	1489,7308 litre	O
190	CM	50	CM	0,5 LEVEL CM	0,8943 litre	0,060 %	1491,3622 litre	O
190	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1492,2565 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
190	CM 45	CM 90 LEVEL CM	1208,7278 litre	100,000 %	0,0000 litre O
190	CM 45	CM 89,5 LEVEL CM	1207,8795 litre	99,930 %	0,8483 litre O
190	CM 45	CM 89 LEVEL CM	1206,3325 litre	99,802 %	2,3953 litre O
190	CM 45	CM 88,5 LEVEL CM	1204,3347 litre	99,637 %	4,3931 litre O
190	CM 45	CM 88 LEVEL CM	1201,9756 litre	99,441 %	6,7522 litre O
190	CM 45	CM 87,5 LEVEL CM	1199,3073 litre	99,221 %	9,4205 litre O
190	CM 45	CM 87 LEVEL CM	1196,3653 litre	98,977 %	12,3625 litre O
190	CM 45	CM 86,5 LEVEL CM	1193,1759 litre	98,713 %	15,5519 litre O
190	CM 45	CM 86 LEVEL CM	1189,7596 litre	98,431 %	18,9682 litre O
190	CM 45	CM 85,5 LEVEL CM	1186,1330 litre	98,131 %	22,5948 litre O
190	CM 45	CM 85 LEVEL CM	1182,3101 litre	97,814 %	26,4177 litre O
190	CM 45	CM 84,5 LEVEL CM	1178,3027 litre	97,483 %	30,4251 litre O
190	CM 45	CM 84 LEVEL CM	1174,1212 litre	97,137 %	34,6066 litre O
190	CM 45	CM 83,5 LEVEL CM	1169,7746 litre	96,777 %	38,9532 litre O
190	CM 45	CM 83 LEVEL CM	1165,2709 litre	96,405 %	43,4569 litre O
190	CM 45	CM 82,5 LEVEL CM	1160,6174 litre	96,020 %	48,1104 litre O
190	CM 45	CM 82 LEVEL CM	1155,8206 litre	95,623 %	52,9072 litre O
190	CM 45	CM 81,5 LEVEL CM	1150,8866 litre	95,215 %	57,8412 litre O
190	CM 45	CM 81 LEVEL CM	1145,8207 litre	94,796 %	62,9071 litre O
190	CM 45	CM 80,5 LEVEL CM	1140,6282 litre	94,366 %	68,0996 litre O
190	CM 45	CM 80 LEVEL CM	1135,3137 litre	93,926 %	73,4141 litre O
190	CM 45	CM 79,5 LEVEL CM	1129,8816 litre	93,477 %	78,8462 litre O
190	CM 45	CM 79 LEVEL CM	1124,3360 litre	93,018 %	84,3918 litre O
190	CM 45	CM 78,5 LEVEL CM	1118,6809 litre	92,550 %	90,0469 litre O
190	CM 45	CM 78 LEVEL CM	1112,9198 litre	92,074 %	95,8080 litre O
190	CM 45	CM 77,5 LEVEL CM	1107,0562 litre	91,589 %	101,6716 litre O
190	CM 45	CM 77 LEVEL CM	1101,0935 litre	91,095 %	107,6343 litre O
190	CM 45	CM 76,5 LEVEL CM	1095,0346 litre	90,594 %	113,6932 litre O
190	CM 45	CM 76 LEVEL CM	1088,8826 litre	90,085 %	119,8452 litre O
190	CM 45	CM 75,5 LEVEL CM	1082,6403 litre	89,569 %	126,0875 litre O
190	CM 45	CM 75 LEVEL CM	1076,3104 litre	89,045 %	132,4174 litre O
190	CM 45	CM 74,5 LEVEL CM	1069,8956 litre	88,514 %	138,8322 litre O
190	CM 45	CM 74 LEVEL CM	1063,3982 litre	87,977 %	145,3296 litre O
190	CM 45	CM 73,5 LEVEL CM	1056,8208 litre	87,432 %	151,9070 litre O
190	CM 45	CM 73 LEVEL CM	1050,1656 litre	86,882 %	158,5622 litre O
190	CM 45	CM 72,5 LEVEL CM	1043,4350 litre	86,325 %	165,2928 litre O
190	CM 45	CM 72 LEVEL CM	1036,6309 litre	85,762 %	172,0969 litre O
190	CM 45	CM 71,5 LEVEL CM	1029,7557 litre	85,193 %	178,9721 litre O
190	CM 45	CM 71 LEVEL CM	1022,8111 litre	84,619 %	185,9167 litre O
190	CM 45	CM 70,5 LEVEL CM	1015,7994 litre	84,039 %	192,9284 litre O
190	CM 45	CM 70 LEVEL CM	1008,7223 litre	83,453 %	200,0055 litre O
190	CM 45	CM 69,5 LEVEL CM	1001,5817 litre	82,862 %	207,1461 litre O
190	CM 45	CM 69 LEVEL CM	994,3794 litre	82,267 %	214,3484 litre O
190	CM 45	CM 68,5 LEVEL CM	987,1173 litre	81,666 %	221,6105 litre O
190	CM 45	CM 68 LEVEL CM	979,7970 litre	81,060 %	228,9308 litre O
190	CM 45	CM 67,5 LEVEL CM	972,4202 litre	80,450 %	236,3076 litre O
190	CM 45	CM 67 LEVEL CM	964,9885 litre	79,835 %	243,7393 litre O
190	CM 45	CM 66,5 LEVEL CM	957,5036 litre	79,216 %	251,2242 litre O
190	CM 45	CM 66 LEVEL CM	949,9670 litre	78,592 %	258,7608 litre O
190	CM 45	CM 65,5 LEVEL CM	942,3803 litre	77,965 %	266,3475 litre O
190	CM 45	CM 65 LEVEL CM	934,7449 litre	77,333 %	273,9829 litre O
190	CM 45	CM 64,5 LEVEL CM	927,0625 litre	76,697 %	281,6653 litre O

190	CM	45	CM	64 LEVEL CM	919,3343 litre	76,058 %	289,3935 litre	O
190	CM	45	CM	63,5 LEVEL CM	911,5619 litre	75,415 %	297,1659 litre	O
190	CM	45	CM	63 LEVEL CM	903,7467 litre	74,768 %	304,9811 litre	O
190	CM	45	CM	62,5 LEVEL CM	895,8900 litre	74,118 %	312,8378 litre	O
190	CM	45	CM	62 LEVEL CM	887,9932 litre	73,465 %	320,7346 litre	O
190	CM	45	CM	61,5 LEVEL CM	880,0576 litre	72,809 %	328,6702 litre	O
190	CM	45	CM	61 LEVEL CM	872,0846 litre	72,149 %	336,6432 litre	O
190	CM	45	CM	60,5 LEVEL CM	864,0754 litre	71,486 %	344,6524 litre	O
190	CM	45	CM	60 LEVEL CM	856,0314 litre	70,821 %	352,6964 litre	O
190	CM	45	CM	59,5 LEVEL CM	847,9538 litre	70,153 %	360,7740 litre	O
190	CM	45	CM	59 LEVEL CM	839,8439 litre	69,482 %	368,8839 litre	O
190	CM	45	CM	58,5 LEVEL CM	831,7028 litre	68,808 %	377,0250 litre	O
190	CM	45	CM	58 LEVEL CM	823,5319 litre	68,132 %	385,1959 litre	O
190	CM	45	CM	57,5 LEVEL CM	815,3323 litre	67,454 %	393,3955 litre	O
190	CM	45	CM	57 LEVEL CM	807,1053 litre	66,773 %	401,6225 litre	O
190	CM	45	CM	56,5 LEVEL CM	798,8519 litre	66,090 %	409,8759 litre	O
190	CM	45	CM	56 LEVEL CM	790,5735 litre	65,405 %	418,1543 litre	O
190	CM	45	CM	55,5 LEVEL CM	782,2711 litre	64,719 %	426,4567 litre	O
190	CM	45	CM	55 LEVEL CM	773,9459 litre	64,030 %	434,7819 litre	O
190	CM	45	CM	54,5 LEVEL CM	765,5990 litre	63,339 %	443,1288 litre	O
190	CM	45	CM	54 LEVEL CM	757,2316 litre	62,647 %	451,4962 litre	O
190	CM	45	CM	53,5 LEVEL CM	748,8449 litre	61,953 %	459,8829 litre	O
190	CM	45	CM	53 LEVEL CM	740,4398 litre	61,258 %	468,2880 litre	O
190	CM	45	CM	52,5 LEVEL CM	732,0176 litre	60,561 %	476,7102 litre	O
190	CM	45	CM	52 LEVEL CM	723,5794 litre	59,863 %	485,1484 litre	O
190	CM	45	CM	51,5 LEVEL CM	715,1262 litre	59,164 %	493,6016 litre	O
190	CM	45	CM	51 LEVEL CM	706,6591 litre	58,463 %	502,0687 litre	O
190	CM	45	CM	50,5 LEVEL CM	698,1792 litre	57,761 %	510,5486 litre	O
190	CM	45	CM	50 LEVEL CM	689,6876 litre	57,059 %	519,0402 litre	O
190	CM	45	CM	49,5 LEVEL CM	681,1854 litre	56,356 %	527,5424 litre	O
190	CM	45	CM	49 LEVEL CM	672,6737 litre	55,651 %	536,0541 litre	O
190	CM	45	CM	48,5 LEVEL CM	664,1535 litre	54,946 %	544,5743 litre	O
190	CM	45	CM	48 LEVEL CM	655,6259 litre	54,241 %	553,1019 litre	O
190	CM	45	CM	47,5 LEVEL CM	647,0919 litre	53,535 %	561,6359 litre	O
190	CM	45	CM	47 LEVEL CM	638,5526 litre	52,828 %	570,1752 litre	O
190	CM	45	CM	46,5 LEVEL CM	630,0091 litre	52,122 %	578,7187 litre	O
190	CM	45	CM	46 LEVEL CM	621,4625 litre	51,415 %	587,2653 litre	O
190	CM	45	CM	45,5 LEVEL CM	612,9137 litre	50,707 %	595,8141 litre	O
190	CM	45	CM	45 LEVEL CM	604,3639 litre	50,000 %	604,3639 litre	O
190	CM	45	CM	44,5 LEVEL CM	595,8141 litre	49,293 %	612,9137 litre	O
190	CM	45	CM	44 LEVEL CM	587,2653 litre	48,585 %	621,4625 litre	O
190	CM	45	CM	43,5 LEVEL CM	578,7186 litre	47,878 %	630,0092 litre	O
190	CM	45	CM	43 LEVEL CM	570,1751 litre	47,172 %	638,5527 litre	O
190	CM	45	CM	42,5 LEVEL CM	561,6359 litre	46,465 %	647,0919 litre	O
190	CM	45	CM	42 LEVEL CM	553,1019 litre	45,759 %	655,6259 litre	O
190	CM	45	CM	41,5 LEVEL CM	544,5743 litre	45,054 %	664,1535 litre	O
190	CM	45	CM	41 LEVEL CM	536,0541 litre	44,349 %	672,6737 litre	O
190	CM	45	CM	40,5 LEVEL CM	527,5423 litre	43,644 %	681,1855 litre	O
190	CM	45	CM	40 LEVEL CM	519,0401 litre	42,941 %	689,6877 litre	O
190	CM	45	CM	39,5 LEVEL CM	510,5486 litre	42,239 %	698,1792 litre	O
190	CM	45	CM	39 LEVEL CM	502,0687 litre	41,537 %	706,6591 litre	O
190	CM	45	CM	38,5 LEVEL CM	493,6016 litre	40,836 %	715,1262 litre	O
190	CM	45	CM	38 LEVEL CM	485,1484 litre	40,137 %	723,5794 litre	O

190	CM	45	CM	37,5 LEVEL CM	476,7101 litre	39,439 %	732,0177 litre	O
190	CM	45	CM	37 LEVEL CM	468,2879 litre	38,742 %	740,4399 litre	O
190	CM	45	CM	36,5 LEVEL CM	459,8829 litre	38,047 %	748,8449 litre	O
190	CM	45	CM	36 LEVEL CM	451,4961 litre	37,353 %	757,2317 litre	O
190	CM	45	CM	35,5 LEVEL CM	443,1288 litre	36,661 %	765,5990 litre	O
190	CM	45	CM	35 LEVEL CM	434,7819 litre	35,970 %	773,9459 litre	O
190	CM	45	CM	34,5 LEVEL CM	426,4567 litre	35,281 %	782,2711 litre	O
190	CM	45	CM	34 LEVEL CM	418,1543 litre	34,595 %	790,5735 litre	O
190	CM	45	CM	33,5 LEVEL CM	409,8759 litre	33,910 %	798,8519 litre	O
190	CM	45	CM	33 LEVEL CM	401,6225 litre	33,227 %	807,1053 litre	O
190	CM	45	CM	32,5 LEVEL CM	393,3955 litre	32,546 %	815,3323 litre	O
190	CM	45	CM	32 LEVEL CM	385,1959 litre	31,868 %	823,5319 litre	O
190	CM	45	CM	31,5 LEVEL CM	377,0250 litre	31,192 %	831,7028 litre	O
190	CM	45	CM	31 LEVEL CM	368,8839 litre	30,518 %	839,8439 litre	O
190	CM	45	CM	30,5 LEVEL CM	360,7740 litre	29,847 %	847,9538 litre	O
190	CM	45	CM	30 LEVEL CM	352,6964 litre	29,179 %	856,0314 litre	O
190	CM	45	CM	29,5 LEVEL CM	344,6524 litre	28,514 %	864,0754 litre	O
190	CM	45	CM	29 LEVEL CM	336,6432 litre	27,851 %	872,0846 litre	O
190	CM	45	CM	28,5 LEVEL CM	328,6702 litre	27,191 %	880,0576 litre	O
190	CM	45	CM	28 LEVEL CM	320,7346 litre	26,535 %	887,9932 litre	O
190	CM	45	CM	27,5 LEVEL CM	312,8378 litre	25,882 %	895,8900 litre	O
190	CM	45	CM	27 LEVEL CM	304,9811 litre	25,232 %	903,7467 litre	O
190	CM	45	CM	26,5 LEVEL CM	297,1659 litre	24,585 %	911,5619 litre	O
190	CM	45	CM	26 LEVEL CM	289,3935 litre	23,942 %	919,3343 litre	O
190	CM	45	CM	25,5 LEVEL CM	281,6653 litre	23,303 %	927,0625 litre	O
190	CM	45	CM	25 LEVEL CM	273,9828 litre	22,667 %	934,7450 litre	O
190	CM	45	CM	24,5 LEVEL CM	266,3475 litre	22,035 %	942,3803 litre	O
190	CM	45	CM	24 LEVEL CM	258,7608 litre	21,408 %	949,9670 litre	O
190	CM	45	CM	23,5 LEVEL CM	251,2242 litre	20,784 %	957,5036 litre	O
190	CM	45	CM	23 LEVEL CM	243,7393 litre	20,165 %	964,9885 litre	O
190	CM	45	CM	22,5 LEVEL CM	236,3076 litre	19,550 %	972,4202 litre	O
190	CM	45	CM	22 LEVEL CM	228,9308 litre	18,940 %	979,7970 litre	O
190	CM	45	CM	21,5 LEVEL CM	221,6105 litre	18,334 %	987,1173 litre	O
190	CM	45	CM	21 LEVEL CM	214,3483 litre	17,733 %	994,3795 litre	O
190	CM	45	CM	20,5 LEVEL CM	207,1461 litre	17,138 %	1001,5817 litre	O
190	CM	45	CM	20 LEVEL CM	200,0055 litre	16,547 %	1008,7223 litre	O
190	CM	45	CM	19,5 LEVEL CM	192,9284 litre	15,961 %	1015,7994 litre	O
190	CM	45	CM	19 LEVEL CM	185,9166 litre	15,381 %	1022,8112 litre	O
190	CM	45	CM	18,5 LEVEL CM	178,9721 litre	14,807 %	1029,7557 litre	O
190	CM	45	CM	18 LEVEL CM	172,0968 litre	14,238 %	1036,6310 litre	O
190	CM	45	CM	17,5 LEVEL CM	165,2928 litre	13,675 %	1043,4350 litre	O
190	CM	45	CM	17 LEVEL CM	158,5621 litre	13,118 %	1050,1657 litre	O
190	CM	45	CM	16,5 LEVEL CM	151,9070 litre	12,568 %	1056,8208 litre	O
190	CM	45	CM	16 LEVEL CM	145,3296 litre	12,023 %	1063,3982 litre	O
190	CM	45	CM	15,5 LEVEL CM	138,8322 litre	11,486 %	1069,8956 litre	O
190	CM	45	CM	15 LEVEL CM	132,4174 litre	10,955 %	1076,3104 litre	O
190	CM	45	CM	14,5 LEVEL CM	126,0875 litre	10,431 %	1082,6403 litre	O
190	CM	45	CM	14 LEVEL CM	119,8452 litre	9,915 %	1088,8826 litre	O
190	CM	45	CM	13,5 LEVEL CM	113,6932 litre	9,406 %	1095,0346 litre	O
190	CM	45	CM	13 LEVEL CM	107,6343 litre	8,905 %	1101,0935 litre	O
190	CM	45	CM	12,5 LEVEL CM	101,6715 litre	8,411 %	1107,0563 litre	O
190	CM	45	CM	12 LEVEL CM	95,8080 litre	7,926 %	1112,9198 litre	O
190	CM	45	CM	11,5 LEVEL CM	90,0469 litre	7,450 %	1118,6809 litre	O

190	CM 45	CM	11 LEVEL CM	84,3917 litre	6,982 %	1124,3361 litre	O
190	CM 45	CM	10,5 LEVEL CM	78,8462 litre	6,523 %	1129,8816 litre	O
190	CM 45	CM	10 LEVEL CM	73,4141 litre	6,074 %	1135,3137 litre	O
190	CM 45	CM	9,5 LEVEL CM	68,0996 litre	5,634 %	1140,6282 litre	O
190	CM 45	CM	9 LEVEL CM	62,9071 litre	5,204 %	1145,8207 litre	O
190	CM 45	CM	8,5 LEVEL CM	57,8412 litre	4,785 %	1150,8866 litre	O
190	CM 45	CM	8 LEVEL CM	52,9072 litre	4,377 %	1155,8206 litre	O
190	CM 45	CM	7,5 LEVEL CM	48,1104 litre	3,980 %	1160,6174 litre	O
190	CM 45	CM	7 LEVEL CM	43,4569 litre	3,595 %	1165,2709 litre	O
190	CM 45	CM	6,5 LEVEL CM	38,9532 litre	3,223 %	1169,7746 litre	O
190	CM 45	CM	6 LEVEL CM	34,6065 litre	2,863 %	1174,1213 litre	O
190	CM 45	CM	5,5 LEVEL CM	30,4250 litre	2,517 %	1178,3028 litre	O
190	CM 45	CM	5 LEVEL CM	26,4177 litre	2,186 %	1182,3101 litre	O
190	CM 45	CM	4,5 LEVEL CM	22,5948 litre	1,869 %	1186,1330 litre	O
190	CM 45	CM	4 LEVEL CM	18,9682 litre	1,569 %	1189,7596 litre	O
190	CM 45	CM	3,5 LEVEL CM	15,5519 litre	1,287 %	1193,1759 litre	O
190	CM 45	CM	3 LEVEL CM	12,3624 litre	1,023 %	1196,3654 litre	O
190	CM 45	CM	2,5 LEVEL CM	9,4204 litre	0,779 %	1199,3074 litre	O
190	CM 45	CM	2 LEVEL CM	6,7521 litre	0,559 %	1201,9757 litre	O
190	CM 45	CM	1,5 LEVEL CM	4,3931 litre	0,363 %	1204,3347 litre	O
190	CM 45	CM	1 LEVEL CM	2,3953 litre	0,198 %	1206,3325 litre	O
190	CM 45	CM	0,5 LEVEL CM	0,8483 litre	0,070 %	1207,8795 litre	O
190	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	1208,7278 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
190	CM 40	CM 80 LEVEL CM	955,0442 litre	100,000 %	0,0000 litre	O
190	CM 40	CM 79,5 LEVEL CM	954,2446 litre	99,916 %	0,7996 litre	O
190	CM 40	CM 79 LEVEL CM	952,7868 litre	99,764 %	2,2574 litre	O
190	CM 40	CM 78,5 LEVEL CM	950,9050 litre	99,567 %	4,1392 litre	O
190	CM 40	CM 78 LEVEL CM	948,6836 litre	99,334 %	6,3606 litre	O
190	CM 40	CM 77,5 LEVEL CM	946,1719 litre	99,071 %	8,8723 litre	O
190	CM 40	CM 77 LEVEL CM	943,4037 litre	98,781 %	11,6405 litre	O
190	CM 40	CM 76,5 LEVEL CM	940,4037 litre	98,467 %	14,6405 litre	O
190	CM 40	CM 76 LEVEL CM	937,1915 litre	98,131 %	17,8527 litre	O
190	CM 40	CM 75,5 LEVEL CM	933,7829 litre	97,774 %	21,2613 litre	O
190	CM 40	CM 75 LEVEL CM	930,1913 litre	97,398 %	24,8529 litre	O
190	CM 40	CM 74,5 LEVEL CM	926,4278 litre	97,004 %	28,6164 litre	O
190	CM 40	CM 74 LEVEL CM	922,5023 litre	96,593 %	32,5419 litre	O
190	CM 40	CM 73,5 LEVEL CM	918,4234 litre	96,166 %	36,6208 litre	O
190	CM 40	CM 73 LEVEL CM	914,1988 litre	95,723 %	40,8454 litre	O
190	CM 40	CM 72,5 LEVEL CM	909,8356 litre	95,266 %	45,2086 litre	O
190	CM 40	CM 72 LEVEL CM	905,3398 litre	94,796 %	49,7044 litre	O
190	CM 40	CM 71,5 LEVEL CM	900,7174 litre	94,312 %	54,3268 litre	O
190	CM 40	CM 71 LEVEL CM	895,9735 litre	93,815 %	59,0707 litre	O
190	CM 40	CM 70,5 LEVEL CM	891,1132 litre	93,306 %	63,9310 litre	O
190	CM 40	CM 70 LEVEL CM	886,1408 litre	92,785 %	68,9034 litre	O
190	CM 40	CM 69,5 LEVEL CM	881,0607 litre	92,253 %	73,9835 litre	O
190	CM 40	CM 69 LEVEL CM	875,8768 litre	91,711 %	79,1674 litre	O
190	CM 40	CM 68,5 LEVEL CM	870,5929 litre	91,157 %	84,4513 litre	O
190	CM 40	CM 68 LEVEL CM	865,2125 litre	90,594 %	89,8317 litre	O
190	CM 40	CM 67,5 LEVEL CM	859,7390 litre	90,021 %	95,3052 litre	O
190	CM 40	CM 67 LEVEL CM	854,1756 litre	89,438 %	100,8686 litre	O
190	CM 40	CM 66,5 LEVEL CM	848,5252 litre	88,847 %	106,5190 litre	O
190	CM 40	CM 66 LEVEL CM	842,7908 litre	88,246 %	112,2534 litre	O
190	CM 40	CM 65,5 LEVEL CM	836,9751 litre	87,637 %	118,0691 litre	O
190	CM 40	CM 65 LEVEL CM	831,0808 litre	87,020 %	123,9634 litre	O
190	CM 40	CM 64,5 LEVEL CM	825,1104 litre	86,395 %	129,9338 litre	O
190	CM 40	CM 64 LEVEL CM	819,0664 litre	85,762 %	135,9778 litre	O
190	CM 40	CM 63,5 LEVEL CM	812,9512 litre	85,122 %	142,0930 litre	O
190	CM 40	CM 63 LEVEL CM	806,7670 litre	84,474 %	148,2772 litre	O
190	CM 40	CM 62,5 LEVEL CM	800,5160 litre	83,820 %	154,5282 litre	O
190	CM 40	CM 62 LEVEL CM	794,2003 litre	83,158 %	160,8439 litre	O
190	CM 40	CM 61,5 LEVEL CM	787,8221 litre	82,491 %	167,2221 litre	O
190	CM 40	CM 61 LEVEL CM	781,3834 litre	81,816 %	173,6608 litre	O
190	CM 40	CM 60,5 LEVEL CM	774,8860 litre	81,136 %	180,1582 litre	O
190	CM 40	CM 60 LEVEL CM	768,3320 litre	80,450 %	186,7122 litre	O
190	CM 40	CM 59,5 LEVEL CM	761,7231 litre	79,758 %	193,3211 litre	O
190	CM 40	CM 59 LEVEL CM	755,0611 litre	79,060 %	199,9831 litre	O
190	CM 40	CM 58,5 LEVEL CM	748,3479 litre	78,357 %	206,6963 litre	O
190	CM 40	CM 58 LEVEL CM	741,5851 litre	77,649 %	213,4591 litre	O
190	CM 40	CM 57,5 LEVEL CM	734,7744 litre	76,936 %	220,2698 litre	O
190	CM 40	CM 57 LEVEL CM	727,9175 litre	76,218 %	227,1267 litre	O
190	CM 40	CM 56,5 LEVEL CM	721,0160 litre	75,496 %	234,0282 litre	O
190	CM 40	CM 56 LEVEL CM	714,0714 litre	74,768 %	240,9728 litre	O
190	CM 40	CM 55,5 LEVEL CM	707,0855 litre	74,037 %	247,9587 litre	O
190	CM 40	CM 55 LEVEL CM	700,0595 litre	73,301 %	254,9847 litre	O
190	CM 40	CM 54,5 LEVEL CM	692,9952 litre	72,562 %	262,0490 litre	O

190	CM 40	CM	54 LEVEL CM	685,8939 litre	71,818 %	269,1503 litre	O
190	CM 40	CM	53,5 LEVEL CM	678,7571 litre	71,071 %	276,2871 litre	O
190	CM 40	CM	53 LEVEL CM	671,5862 litre	70,320 %	283,4580 litre	O
190	CM 40	CM	52,5 LEVEL CM	664,3827 litre	69,566 %	290,6615 litre	O
190	CM 40	CM	52 LEVEL CM	657,1479 litre	68,808 %	297,8963 litre	O
190	CM 40	CM	51,5 LEVEL CM	649,8833 litre	68,047 %	305,1609 litre	O
190	CM 40	CM	51 LEVEL CM	642,5901 litre	67,284 %	312,4541 litre	O
190	CM 40	CM	50,5 LEVEL CM	635,2697 litre	66,517 %	319,7745 litre	O
190	CM 40	CM	50 LEVEL CM	627,9236 litre	65,748 %	327,1206 litre	O
190	CM 40	CM	49,5 LEVEL CM	620,5528 litre	64,976 %	334,4914 litre	O
190	CM 40	CM	49 LEVEL CM	613,1589 litre	64,202 %	341,8853 litre	O
190	CM 40	CM	48,5 LEVEL CM	605,7430 litre	63,426 %	349,3012 litre	O
190	CM 40	CM	48 LEVEL CM	598,3065 litre	62,647 %	356,7377 litre	O
190	CM 40	CM	47,5 LEVEL CM	590,8505 litre	61,866 %	364,1937 litre	O
190	CM 40	CM	47 LEVEL CM	583,3765 litre	61,084 %	371,6677 litre	O
190	CM 40	CM	46,5 LEVEL CM	575,8855 litre	60,299 %	379,1587 litre	O
190	CM 40	CM	46 LEVEL CM	568,3789 litre	59,513 %	386,6653 litre	O
190	CM 40	CM	45,5 LEVEL CM	560,8579 litre	58,726 %	394,1863 litre	O
190	CM 40	CM	45 LEVEL CM	553,3237 litre	57,937 %	401,7205 litre	O
190	CM 40	CM	44,5 LEVEL CM	545,7775 litre	57,147 %	409,2667 litre	O
190	CM 40	CM	44 LEVEL CM	538,2206 litre	56,356 %	416,8236 litre	O
190	CM 40	CM	43,5 LEVEL CM	530,6541 litre	55,563 %	424,3901 litre	O
190	CM 40	CM	43 LEVEL CM	523,0793 litre	54,770 %	431,9649 litre	O
190	CM 40	CM	42,5 LEVEL CM	515,4973 litre	53,976 %	439,5469 litre	O
190	CM 40	CM	42 LEVEL CM	507,9094 litre	53,182 %	447,1348 litre	O
190	CM 40	CM	41,5 LEVEL CM	500,3167 litre	52,387 %	454,7275 litre	O
190	CM 40	CM	41 LEVEL CM	492,7205 litre	51,591 %	462,3237 litre	O
190	CM 40	CM	40,5 LEVEL CM	485,1219 litre	50,796 %	469,9223 litre	O
190	CM 40	CM	40 LEVEL CM	477,5221 litre	50,000 %	477,5221 litre	O
190	CM 40	CM	39,5 LEVEL CM	469,9223 litre	49,204 %	485,1219 litre	O
190	CM 40	CM	39 LEVEL CM	462,3237 litre	48,409 %	492,7205 litre	O
190	CM 40	CM	38,5 LEVEL CM	454,7274 litre	47,613 %	500,3168 litre	O
190	CM 40	CM	38 LEVEL CM	447,1348 litre	46,818 %	507,9094 litre	O
190	CM 40	CM	37,5 LEVEL CM	439,5468 litre	46,024 %	515,4974 litre	O
190	CM 40	CM	37 LEVEL CM	431,9649 litre	45,230 %	523,0793 litre	O
190	CM 40	CM	36,5 LEVEL CM	424,3900 litre	44,437 %	530,6542 litre	O
190	CM 40	CM	36 LEVEL CM	416,8236 litre	43,644 %	538,2206 litre	O
190	CM 40	CM	35,5 LEVEL CM	409,2666 litre	42,853 %	545,7776 litre	O
190	CM 40	CM	35 LEVEL CM	401,7205 litre	42,063 %	553,3237 litre	O
190	CM 40	CM	34,5 LEVEL CM	394,1863 litre	41,274 %	560,8579 litre	O
190	CM 40	CM	34 LEVEL CM	386,6652 litre	40,487 %	568,3790 litre	O
190	CM 40	CM	33,5 LEVEL CM	379,1586 litre	39,701 %	575,8856 litre	O
190	CM 40	CM	33 LEVEL CM	371,6677 litre	38,916 %	583,3765 litre	O
190	CM 40	CM	32,5 LEVEL CM	364,1936 litre	38,134 %	590,8506 litre	O
190	CM 40	CM	32 LEVEL CM	356,7377 litre	37,353 %	598,3065 litre	O
190	CM 40	CM	31,5 LEVEL CM	349,3011 litre	36,574 %	605,7431 litre	O
190	CM 40	CM	31 LEVEL CM	341,8853 litre	35,798 %	613,1589 litre	O
190	CM 40	CM	30,5 LEVEL CM	334,4913 litre	35,024 %	620,5529 litre	O
190	CM 40	CM	30 LEVEL CM	327,1206 litre	34,252 %	627,9236 litre	O
190	CM 40	CM	29,5 LEVEL CM	319,7744 litre	33,483 %	635,2698 litre	O
190	CM 40	CM	29 LEVEL CM	312,4541 litre	32,716 %	642,5901 litre	O
190	CM 40	CM	28,5 LEVEL CM	305,1609 litre	31,953 %	649,8833 litre	O
190	CM 40	CM	28 LEVEL CM	297,8963 litre	31,192 %	657,1479 litre	O

190	CM	40	CM	27,5 LEVEL CM	290,6615 litre	30,434 %	664,3827 litre	O
190	CM	40	CM	27 LEVEL CM	283,4580 litre	29,680 %	671,5862 litre	O
190	CM	40	CM	26,5 LEVEL CM	276,2871 litre	28,929 %	678,7571 litre	O
190	CM	40	CM	26 LEVEL CM	269,1503 litre	28,182 %	685,8939 litre	O
190	CM	40	CM	25,5 LEVEL CM	262,0490 litre	27,438 %	692,9952 litre	O
190	CM	40	CM	25 LEVEL CM	254,9846 litre	26,699 %	700,0596 litre	O
190	CM	40	CM	24,5 LEVEL CM	247,9587 litre	25,963 %	707,0855 litre	O
190	CM	40	CM	24 LEVEL CM	240,9727 litre	25,232 %	714,0715 litre	O
190	CM	40	CM	23,5 LEVEL CM	234,0282 litre	24,504 %	721,0160 litre	O
190	CM	40	CM	23 LEVEL CM	227,1267 litre	23,782 %	727,9175 litre	O
190	CM	40	CM	22,5 LEVEL CM	220,2698 litre	23,064 %	734,7744 litre	O
190	CM	40	CM	22 LEVEL CM	213,4591 litre	22,351 %	741,5851 litre	O
190	CM	40	CM	21,5 LEVEL CM	206,6963 litre	21,643 %	748,3479 litre	O
190	CM	40	CM	21 LEVEL CM	199,9831 litre	20,940 %	755,0611 litre	O
190	CM	40	CM	20,5 LEVEL CM	193,3211 litre	20,242 %	761,7231 litre	O
190	CM	40	CM	20 LEVEL CM	186,7122 litre	19,550 %	768,3320 litre	O
190	CM	40	CM	19,5 LEVEL CM	180,1581 litre	18,864 %	774,8861 litre	O
190	CM	40	CM	19 LEVEL CM	173,6608 litre	18,184 %	781,3834 litre	O
190	CM	40	CM	18,5 LEVEL CM	167,2220 litre	17,509 %	787,8222 litre	O
190	CM	40	CM	18 LEVEL CM	160,8438 litre	16,842 %	794,2004 litre	O
190	CM	40	CM	17,5 LEVEL CM	154,5282 litre	16,180 %	800,5160 litre	O
190	CM	40	CM	17 LEVEL CM	148,2772 litre	15,526 %	806,7670 litre	O
190	CM	40	CM	16,5 LEVEL CM	142,0930 litre	14,878 %	812,9512 litre	O
190	CM	40	CM	16 LEVEL CM	135,9777 litre	14,238 %	819,0665 litre	O
190	CM	40	CM	15,5 LEVEL CM	129,9338 litre	13,605 %	825,1104 litre	O
190	CM	40	CM	15 LEVEL CM	123,9634 litre	12,980 %	831,0808 litre	O
190	CM	40	CM	14,5 LEVEL CM	118,0691 litre	12,363 %	836,9751 litre	O
190	CM	40	CM	14 LEVEL CM	112,2534 litre	11,754 %	842,7908 litre	O
190	CM	40	CM	13,5 LEVEL CM	106,5190 litre	11,153 %	848,5252 litre	O
190	CM	40	CM	13 LEVEL CM	100,8686 litre	10,562 %	854,1756 litre	O
190	CM	40	CM	12,5 LEVEL CM	95,3052 litre	9,979 %	859,7390 litre	O
190	CM	40	CM	12 LEVEL CM	89,8316 litre	9,406 %	865,2126 litre	O
190	CM	40	CM	11,5 LEVEL CM	84,4513 litre	8,843 %	870,5929 litre	O
190	CM	40	CM	11 LEVEL CM	79,1674 litre	8,289 %	875,8768 litre	O
190	CM	40	CM	10,5 LEVEL CM	73,9835 litre	7,747 %	881,0607 litre	O
190	CM	40	CM	10 LEVEL CM	68,9034 litre	7,215 %	886,1408 litre	O
190	CM	40	CM	9,5 LEVEL CM	63,9310 litre	6,694 %	891,1132 litre	O
190	CM	40	CM	9 LEVEL CM	59,0706 litre	6,185 %	895,9736 litre	O
190	CM	40	CM	8,5 LEVEL CM	54,3268 litre	5,688 %	900,7174 litre	O
190	CM	40	CM	8 LEVEL CM	49,7043 litre	5,204 %	905,3399 litre	O
190	CM	40	CM	7,5 LEVEL CM	45,2086 litre	4,734 %	909,8356 litre	O
190	CM	40	CM	7 LEVEL CM	40,8453 litre	4,277 %	914,1989 litre	O
190	CM	40	CM	6,5 LEVEL CM	36,6208 litre	3,834 %	918,4234 litre	O
190	CM	40	CM	6 LEVEL CM	32,5419 litre	3,407 %	922,5023 litre	O
190	CM	40	CM	5,5 LEVEL CM	28,6164 litre	2,996 %	926,4278 litre	O
190	CM	40	CM	5 LEVEL CM	24,8529 litre	2,602 %	930,1913 litre	O
190	CM	40	CM	4,5 LEVEL CM	21,2612 litre	2,226 %	933,7830 litre	O
190	CM	40	CM	4 LEVEL CM	17,8527 litre	1,869 %	937,1915 litre	O
190	CM	40	CM	3,5 LEVEL CM	14,6405 litre	1,533 %	940,4037 litre	O
190	CM	40	CM	3 LEVEL CM	11,6405 litre	1,219 %	943,4037 litre	O
190	CM	40	CM	2,5 LEVEL CM	8,8722 litre	0,929 %	946,1720 litre	O
190	CM	40	CM	2 LEVEL CM	6,3606 litre	0,666 %	948,6836 litre	O
190	CM	40	CM	1,5 LEVEL CM	4,1392 litre	0,433 %	950,9050 litre	O

190	CM 40	CM	1 LEVEL CM	2,2574 litre	0,236 %	952,7868 litre	0
190	CM 40	CM	0,5 LEVEL CM	0,7996 litre	0,084 %	954,2446 litre	0
190	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	955,0442 litre	0

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
190	CM	35	CM 70 LEVEL CM	731,2057 litre	100,000 %	0,0000 litre	O
190	CM	35	CM 69,5 LEVEL CM	730,4579 litre	99,898 %	0,7478 litre	O
190	CM	35	CM 69 LEVEL CM	729,0953 litre	99,711 %	2,1104 litre	O
190	CM	35	CM 68,5 LEVEL CM	727,3370 litre	99,471 %	3,8687 litre	O
190	CM	35	CM 68 LEVEL CM	725,2624 litre	99,187 %	5,9433 litre	O
190	CM	35	CM 67,5 LEVEL CM	722,9178 litre	98,867 %	8,2879 litre	O
190	CM	35	CM 67 LEVEL CM	720,3349 litre	98,513 %	10,8708 litre	O
190	CM	35	CM 66,5 LEVEL CM	717,5372 litre	98,131 %	13,6685 litre	O
190	CM	35	CM 66 LEVEL CM	714,5431 litre	97,721 %	16,6626 litre	O
190	CM	35	CM 65,5 LEVEL CM	711,3675 litre	97,287 %	19,8382 litre	O
190	CM	35	CM 65 LEVEL CM	708,0230 litre	96,830 %	23,1827 litre	O
190	CM	35	CM 64,5 LEVEL CM	704,5203 litre	96,350 %	26,6854 litre	O
190	CM	35	CM 64 LEVEL CM	700,8687 litre	95,851 %	30,3370 litre	O
190	CM	35	CM 63,5 LEVEL CM	697,0764 litre	95,332 %	34,1293 litre	O
190	CM	35	CM 63 LEVEL CM	693,1508 litre	94,796 %	38,0549 litre	O
190	CM	35	CM 62,5 LEVEL CM	689,0985 litre	94,241 %	42,1072 litre	O
190	CM	35	CM 62 LEVEL CM	684,9255 litre	93,671 %	46,2802 litre	O
190	CM	35	CM 61,5 LEVEL CM	680,6373 litre	93,084 %	50,5684 litre	O
190	CM	35	CM 61 LEVEL CM	676,2389 litre	92,483 %	54,9668 litre	O
190	CM	35	CM 60,5 LEVEL CM	671,7351 litre	91,867 %	59,4706 litre	O
190	CM	35	CM 60 LEVEL CM	667,1302 litre	91,237 %	64,0755 litre	O
190	CM	35	CM 59,5 LEVEL CM	662,4283 litre	90,594 %	68,7774 litre	O
190	CM	35	CM 59 LEVEL CM	657,6333 litre	89,938 %	73,5724 litre	O
190	CM	35	CM 58,5 LEVEL CM	652,7488 litre	89,270 %	78,4569 litre	O
190	CM	35	CM 58 LEVEL CM	647,7782 litre	88,590 %	83,4275 litre	O
190	CM	35	CM 57,5 LEVEL CM	642,7248 litre	87,899 %	88,4809 litre	O
190	CM	35	CM 57 LEVEL CM	637,5916 litre	87,197 %	93,6141 litre	O
190	CM	35	CM 56,5 LEVEL CM	632,3817 litre	86,485 %	98,8240 litre	O
190	CM	35	CM 56 LEVEL CM	627,0977 litre	85,762 %	104,1080 litre	O
190	CM	35	CM 55,5 LEVEL CM	621,7425 litre	85,030 %	109,4632 litre	O
190	CM	35	CM 55 LEVEL CM	616,3187 litre	84,288 %	114,8870 litre	O
190	CM	35	CM 54,5 LEVEL CM	610,8287 litre	83,537 %	120,3770 litre	O
190	CM	35	CM 54 LEVEL CM	605,2749 litre	82,778 %	125,9308 litre	O
190	CM	35	CM 53,5 LEVEL CM	599,6598 litre	82,010 %	131,5459 litre	O
190	CM	35	CM 53 LEVEL CM	593,9855 litre	81,234 %	137,2202 litre	O
190	CM	35	CM 52,5 LEVEL CM	588,2542 litre	80,450 %	142,9515 litre	O
190	CM	35	CM 52 LEVEL CM	582,4680 litre	79,659 %	148,7377 litre	O
190	CM	35	CM 51,5 LEVEL CM	576,6291 litre	78,860 %	154,5766 litre	O
190	CM	35	CM 51 LEVEL CM	570,7394 litre	78,055 %	160,4663 litre	O
190	CM	35	CM 50,5 LEVEL CM	564,8008 litre	77,242 %	166,4049 litre	O
190	CM	35	CM 50 LEVEL CM	558,8153 litre	76,424 %	172,3904 litre	O
190	CM	35	CM 49,5 LEVEL CM	552,7848 litre	75,599 %	178,4209 litre	O
190	CM	35	CM 49 LEVEL CM	546,7110 litre	74,768 %	184,4947 litre	O
190	CM	35	CM 48,5 LEVEL CM	540,5957 litre	73,932 %	190,6100 litre	O
190	CM	35	CM 48 LEVEL CM	534,4407 litre	73,090 %	196,7650 litre	O
190	CM	35	CM 47,5 LEVEL CM	528,2477 litre	72,243 %	202,9580 litre	O
190	CM	35	CM 47 LEVEL CM	522,0184 litre	71,391 %	209,1873 litre	O
190	CM	35	CM 46,5 LEVEL CM	515,7544 litre	70,535 %	215,4513 litre	O
190	CM	35	CM 46 LEVEL CM	509,4574 litre	69,674 %	221,7483 litre	O
190	CM	35	CM 45,5 LEVEL CM	503,1289 litre	68,808 %	228,0768 litre	O
190	CM	35	CM 45 LEVEL CM	496,7705 litre	67,939 %	234,4352 litre	O
190	CM	35	CM 44,5 LEVEL CM	490,3838 litre	67,065 %	240,8219 litre	O

190	CM	35	CM	44 LEVEL CM	483,9703 litre	66,188 %	247,2354 litre	O
190	CM	35	CM	43,5 LEVEL CM	477,5315 litre	65,307 %	253,6742 litre	O
190	CM	35	CM	43 LEVEL CM	471,0690 litre	64,424 %	260,1367 litre	O
190	CM	35	CM	42,5 LEVEL CM	464,5841 litre	63,537 %	266,6216 litre	O
190	CM	35	CM	42 LEVEL CM	458,0784 litre	62,647 %	273,1273 litre	O
190	CM	35	CM	41,5 LEVEL CM	451,5533 litre	61,755 %	279,6524 litre	O
190	CM	35	CM	41 LEVEL CM	445,0102 litre	60,860 %	286,1955 litre	O
190	CM	35	CM	40,5 LEVEL CM	438,4507 litre	59,963 %	292,7550 litre	O
190	CM	35	CM	40 LEVEL CM	431,8760 litre	59,064 %	299,3297 litre	O
190	CM	35	CM	39,5 LEVEL CM	425,2875 litre	58,163 %	305,9182 litre	O
190	CM	35	CM	39 LEVEL CM	418,6868 litre	57,260 %	312,5189 litre	O
190	CM	35	CM	38,5 LEVEL CM	412,0751 litre	56,356 %	319,1306 litre	O
190	CM	35	CM	38 LEVEL CM	405,4539 litre	55,450 %	325,7518 litre	O
190	CM	35	CM	37,5 LEVEL CM	398,8245 litre	54,543 %	332,3812 litre	O
190	CM	35	CM	37 LEVEL CM	392,1884 litre	53,636 %	339,0173 litre	O
190	CM	35	CM	36,5 LEVEL CM	385,5467 litre	52,728 %	345,6590 litre	O
190	CM	35	CM	36 LEVEL CM	378,9010 litre	51,819 %	352,3047 litre	O
190	CM	35	CM	35,5 LEVEL CM	372,2526 litre	50,909 %	358,9531 litre	O
190	CM	35	CM	35 LEVEL CM	365,6028 litre	50,000 %	365,6029 litre	O
190	CM	35	CM	34,5 LEVEL CM	358,9531 litre	49,091 %	372,2526 litre	O
190	CM	35	CM	34 LEVEL CM	352,3047 litre	48,181 %	378,9010 litre	O
190	CM	35	CM	33,5 LEVEL CM	345,6590 litre	47,272 %	385,5467 litre	O
190	CM	35	CM	33 LEVEL CM	339,0173 litre	46,364 %	392,1884 litre	O
190	CM	35	CM	32,5 LEVEL CM	332,3811 litre	45,457 %	398,8246 litre	O
190	CM	35	CM	32 LEVEL CM	325,7518 litre	44,550 %	405,4539 litre	O
190	CM	35	CM	31,5 LEVEL CM	319,1305 litre	43,644 %	412,0752 litre	O
190	CM	35	CM	31 LEVEL CM	312,5189 litre	42,740 %	418,6868 litre	O
190	CM	35	CM	30,5 LEVEL CM	305,9181 litre	41,837 %	425,2876 litre	O
190	CM	35	CM	30 LEVEL CM	299,3297 litre	40,936 %	431,8760 litre	O
190	CM	35	CM	29,5 LEVEL CM	292,7550 litre	40,037 %	438,4507 litre	O
190	CM	35	CM	29 LEVEL CM	286,1954 litre	39,140 %	445,0103 litre	O
190	CM	35	CM	28,5 LEVEL CM	279,6524 litre	38,245 %	451,5533 litre	O
190	CM	35	CM	28 LEVEL CM	273,1273 litre	37,353 %	458,0784 litre	O
190	CM	35	CM	27,5 LEVEL CM	266,6216 litre	36,463 %	464,5841 litre	O
190	CM	35	CM	27 LEVEL CM	260,1367 litre	35,576 %	471,0690 litre	O
190	CM	35	CM	26,5 LEVEL CM	253,6742 litre	34,693 %	477,5315 litre	O
190	CM	35	CM	26 LEVEL CM	247,2354 litre	33,812 %	483,9703 litre	O
190	CM	35	CM	25,5 LEVEL CM	240,8219 litre	32,935 %	490,3838 litre	O
190	CM	35	CM	25 LEVEL CM	234,4352 litre	32,061 %	496,7705 litre	O
190	CM	35	CM	24,5 LEVEL CM	228,0768 litre	31,192 %	503,1289 litre	O
190	CM	35	CM	24 LEVEL CM	221,7483 litre	30,326 %	509,4574 litre	O
190	CM	35	CM	23,5 LEVEL CM	215,4513 litre	29,465 %	515,7544 litre	O
190	CM	35	CM	23 LEVEL CM	209,1873 litre	28,609 %	522,0184 litre	O
190	CM	35	CM	22,5 LEVEL CM	202,9580 litre	27,757 %	528,2477 litre	O
190	CM	35	CM	22 LEVEL CM	196,7650 litre	26,910 %	534,4407 litre	O
190	CM	35	CM	21,5 LEVEL CM	190,6100 litre	26,068 %	540,5957 litre	O
190	CM	35	CM	21 LEVEL CM	184,4947 litre	25,232 %	546,7110 litre	O
190	CM	35	CM	20,5 LEVEL CM	178,4209 litre	24,401 %	552,7848 litre	O
190	CM	35	CM	20 LEVEL CM	172,3904 litre	23,576 %	558,8153 litre	O
190	CM	35	CM	19,5 LEVEL CM	166,4049 litre	22,758 %	564,8008 litre	O
190	CM	35	CM	19 LEVEL CM	160,4663 litre	21,945 %	570,7394 litre	O
190	CM	35	CM	18,5 LEVEL CM	154,5766 litre	21,140 %	576,6291 litre	O
190	CM	35	CM	18 LEVEL CM	148,7377 litre	20,341 %	582,4680 litre	O

190	CM	35	CM	17,5 LEVEL CM	142,9515 litre	19,550 %	588,2542 litre	O
190	CM	35	CM	17 LEVEL CM	137,2202 litre	18,766 %	593,9855 litre	O
190	CM	35	CM	16,5 LEVEL CM	131,5459 litre	17,990 %	599,6598 litre	O
190	CM	35	CM	16 LEVEL CM	125,9307 litre	17,222 %	605,2750 litre	O
190	CM	35	CM	15,5 LEVEL CM	120,3770 litre	16,463 %	610,8287 litre	O
190	CM	35	CM	15 LEVEL CM	114,8870 litre	15,712 %	616,3187 litre	O
190	CM	35	CM	14,5 LEVEL CM	109,4631 litre	14,970 %	621,7426 litre	O
190	CM	35	CM	14 LEVEL CM	104,1080 litre	14,238 %	627,0977 litre	O
190	CM	35	CM	13,5 LEVEL CM	98,8240 litre	13,515 %	632,3817 litre	O
190	CM	35	CM	13 LEVEL CM	93,6141 litre	12,803 %	637,5916 litre	O
190	CM	35	CM	12,5 LEVEL CM	88,4809 litre	12,101 %	642,7248 litre	O
190	CM	35	CM	12 LEVEL CM	83,4275 litre	11,410 %	647,7782 litre	O
190	CM	35	CM	11,5 LEVEL CM	78,4569 litre	10,730 %	652,7488 litre	O
190	CM	35	CM	11 LEVEL CM	73,5724 litre	10,062 %	657,6333 litre	O
190	CM	35	CM	10,5 LEVEL CM	68,7774 litre	9,406 %	662,4283 litre	O
190	CM	35	CM	10 LEVEL CM	64,0755 litre	8,763 %	667,1302 litre	O
190	CM	35	CM	9,5 LEVEL CM	59,4706 litre	8,133 %	671,7351 litre	O
190	CM	35	CM	9 LEVEL CM	54,9668 litre	7,517 %	676,2389 litre	O
190	CM	35	CM	8,5 LEVEL CM	50,5684 litre	6,916 %	680,6373 litre	O
190	CM	35	CM	8 LEVEL CM	46,2802 litre	6,329 %	684,9255 litre	O
190	CM	35	CM	7,5 LEVEL CM	42,1072 litre	5,759 %	689,0985 litre	O
190	CM	35	CM	7 LEVEL CM	38,0549 litre	5,204 %	693,1508 litre	O
190	CM	35	CM	6,5 LEVEL CM	34,1293 litre	4,668 %	697,0764 litre	O
190	CM	35	CM	6 LEVEL CM	30,3370 litre	4,149 %	700,8687 litre	O
190	CM	35	CM	5,5 LEVEL CM	26,6854 litre	3,650 %	704,5203 litre	O
190	CM	35	CM	5 LEVEL CM	23,1827 litre	3,170 %	708,0230 litre	O
190	CM	35	CM	4,5 LEVEL CM	19,8382 litre	2,713 %	711,3675 litre	O
190	CM	35	CM	4 LEVEL CM	16,6626 litre	2,279 %	714,5431 litre	O
190	CM	35	CM	3,5 LEVEL CM	13,6685 litre	1,869 %	717,5372 litre	O
190	CM	35	CM	3 LEVEL CM	10,8707 litre	1,487 %	720,3350 litre	O
190	CM	35	CM	2,5 LEVEL CM	8,2879 litre	1,133 %	722,9178 litre	O
190	CM	35	CM	2 LEVEL CM	5,9433 litre	0,813 %	725,2624 litre	O
190	CM	35	CM	1,5 LEVEL CM	3,8687 litre	0,529 %	727,3370 litre	O
190	CM	35	CM	1 LEVEL CM	2,1104 litre	0,289 %	729,0953 litre	O
190	CM	35	CM	0,5 LEVEL CM	0,7478 litre	0,102 %	730,4579 litre	O
190	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	731,2057 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
190	CM 30	CM 60	LEVEL CM 537,2123 litre	100,000 %	0,0000 litre	O
190	CM 30	CM 59,5	LEVEL CM 536,5203 litre	99,871 %	0,6920 litre	O
190	CM 30	CM 59	LEVEL CM 535,2599 litre	99,637 %	1,9524 litre	O
190	CM 30	CM 58,5	LEVEL CM 533,6345 litre	99,334 %	3,5778 litre	O
190	CM 30	CM 58	LEVEL CM 531,7179 litre	98,977 %	5,4944 litre	O
190	CM 30	CM 57,5	LEVEL CM 529,5533 litre	98,574 %	7,6590 litre	O
190	CM 30	CM 57	LEVEL CM 527,1702 litre	98,131 %	10,0421 litre	O
190	CM 30	CM 56,5	LEVEL CM 524,5906 litre	97,651 %	12,6217 litre	O
190	CM 30	CM 56	LEVEL CM 521,8317 litre	97,137 %	15,3806 litre	O
190	CM 30	CM 55,5	LEVEL CM 518,9075 litre	96,593 %	18,3048 litre	O
190	CM 30	CM 55	LEVEL CM 515,8300 litre	96,020 %	21,3823 litre	O
190	CM 30	CM 54,5	LEVEL CM 512,6091 litre	95,420 %	24,6032 litre	O
190	CM 30	CM 54	LEVEL CM 509,2537 litre	94,796 %	27,9586 litre	O
190	CM 30	CM 53,5	LEVEL CM 505,7715 litre	94,147 %	31,4408 litre	O
190	CM 30	CM 53	LEVEL CM 502,1696 litre	93,477 %	35,0427 litre	O
190	CM 30	CM 52,5	LEVEL CM 498,4542 litre	92,785 %	38,7581 litre	O
190	CM 30	CM 52	LEVEL CM 494,6310 litre	92,074 %	42,5813 litre	O
190	CM 30	CM 51,5	LEVEL CM 490,7054 litre	91,343 %	46,5069 litre	O
190	CM 30	CM 51	LEVEL CM 486,6820 litre	90,594 %	50,5303 litre	O
190	CM 30	CM 50,5	LEVEL CM 482,5656 litre	89,828 %	54,6467 litre	O
190	CM 30	CM 50	LEVEL CM 478,3602 litre	89,045 %	58,8521 litre	O
190	CM 30	CM 49,5	LEVEL CM 474,0698 litre	88,246 %	63,1425 litre	O
190	CM 30	CM 49	LEVEL CM 469,6981 litre	87,432 %	67,5142 litre	O
190	CM 30	CM 48,5	LEVEL CM 465,2487 litre	86,604 %	71,9636 litre	O
190	CM 30	CM 48	LEVEL CM 460,7249 litre	85,762 %	76,4874 litre	O
190	CM 30	CM 47,5	LEVEL CM 456,1297 litre	84,907 %	81,0826 litre	O
190	CM 30	CM 47	LEVEL CM 451,4664 litre	84,039 %	85,7459 litre	O
190	CM 30	CM 46,5	LEVEL CM 446,7377 litre	83,159 %	90,4746 litre	O
190	CM 30	CM 46	LEVEL CM 441,9464 litre	82,267 %	95,2659 litre	O
190	CM 30	CM 45,5	LEVEL CM 437,0952 litre	81,364 %	100,1171 litre	O
190	CM 30	CM 45	LEVEL CM 432,1867 litre	80,450 %	105,0256 litre	O
190	CM 30	CM 44,5	LEVEL CM 427,2234 litre	79,526 %	109,9889 litre	O
190	CM 30	CM 44	LEVEL CM 422,2075 litre	78,592 %	115,0048 litre	O
190	CM 30	CM 43,5	LEVEL CM 417,1416 litre	77,649 %	120,0707 litre	O
190	CM 30	CM 43	LEVEL CM 412,0278 litre	76,697 %	125,1845 litre	O
190	CM 30	CM 42,5	LEVEL CM 406,8682 litre	75,737 %	130,3441 litre	O
190	CM 30	CM 42	LEVEL CM 401,6652 litre	74,768 %	135,5471 litre	O
190	CM 30	CM 41,5	LEVEL CM 396,4207 litre	73,792 %	140,7916 litre	O
190	CM 30	CM 41	LEVEL CM 391,1367 litre	72,809 %	146,0756 litre	O
190	CM 30	CM 40,5	LEVEL CM 385,8153 litre	71,818 %	151,3970 litre	O
190	CM 30	CM 40	LEVEL CM 380,4584 litre	70,821 %	156,7539 litre	O
190	CM 30	CM 39,5	LEVEL CM 375,0679 litre	69,817 %	162,1444 litre	O
190	CM 30	CM 39	LEVEL CM 369,6457 litre	68,808 %	167,5666 litre	O
190	CM 30	CM 38,5	LEVEL CM 364,1936 litre	67,793 %	173,0187 litre	O
190	CM 30	CM 38	LEVEL CM 358,7135 litre	66,773 %	178,4988 litre	O
190	CM 30	CM 37,5	LEVEL CM 353,2070 litre	65,748 %	184,0053 litre	O
190	CM 30	CM 37	LEVEL CM 347,6760 litre	64,719 %	189,5363 litre	O
190	CM 30	CM 36,5	LEVEL CM 342,1223 litre	63,685 %	195,0900 litre	O
190	CM 30	CM 36	LEVEL CM 336,5474 litre	62,647 %	200,6649 litre	O
190	CM 30	CM 35,5	LEVEL CM 330,9531 litre	61,606 %	206,2592 litre	O
190	CM 30	CM 35	LEVEL CM 325,3412 litre	60,561 %	211,8711 litre	O
190	CM 30	CM 34,5	LEVEL CM 319,7131 litre	59,513 %	217,4992 litre	O

190	CM	30	CM	34 LEVEL CM	314,0707 litre	58,463 %	223,1416 litre	O
190	CM	30	CM	33,5 LEVEL CM	308,4155 litre	57,410 %	228,7968 litre	O
190	CM	30	CM	33 LEVEL CM	302,7491 litre	56,356 %	234,4632 litre	O
190	CM	30	CM	32,5 LEVEL CM	297,0732 litre	55,299 %	240,1391 litre	O
190	CM	30	CM	32 LEVEL CM	291,3893 litre	54,241 %	245,8230 litre	O
190	CM	30	CM	31,5 LEVEL CM	285,6990 litre	53,182 %	251,5133 litre	O
190	CM	30	CM	31 LEVEL CM	280,0041 litre	52,122 %	257,2082 litre	O
190	CM	30	CM	30,5 LEVEL CM	274,3059 litre	51,061 %	262,9064 litre	O
190	CM	30	CM	30 LEVEL CM	268,6062 litre	50,000 %	268,6061 litre	O
190	CM	30	CM	29,5 LEVEL CM	262,9064 litre	48,939 %	274,3059 litre	O
190	CM	30	CM	29 LEVEL CM	257,2083 litre	47,878 %	280,0040 litre	O
190	CM	30	CM	28,5 LEVEL CM	251,5133 litre	46,818 %	285,6990 litre	O
190	CM	30	CM	28 LEVEL CM	245,8231 litre	45,759 %	291,3892 litre	O
190	CM	30	CM	27,5 LEVEL CM	240,1392 litre	44,701 %	297,0731 litre	O
190	CM	30	CM	27 LEVEL CM	234,4633 litre	43,644 %	302,7490 litre	O
190	CM	30	CM	26,5 LEVEL CM	228,7969 litre	42,590 %	308,4154 litre	O
190	CM	30	CM	26 LEVEL CM	223,1416 litre	41,537 %	314,0707 litre	O
190	CM	30	CM	25,5 LEVEL CM	217,4992 litre	40,487 %	319,7131 litre	O
190	CM	30	CM	25 LEVEL CM	211,8712 litre	39,439 %	325,3411 litre	O
190	CM	30	CM	24,5 LEVEL CM	206,2592 litre	38,394 %	330,9531 litre	O
190	CM	30	CM	24 LEVEL CM	200,6649 litre	37,353 %	336,5474 litre	O
190	CM	30	CM	23,5 LEVEL CM	195,0901 litre	36,315 %	342,1222 litre	O
190	CM	30	CM	23 LEVEL CM	189,5363 litre	35,281 %	347,6760 litre	O
190	CM	30	CM	22,5 LEVEL CM	184,0053 litre	34,252 %	353,2070 litre	O
190	CM	30	CM	22 LEVEL CM	178,4989 litre	33,227 %	358,7134 litre	O
190	CM	30	CM	21,5 LEVEL CM	173,0187 litre	32,207 %	364,1936 litre	O
190	CM	30	CM	21 LEVEL CM	167,5666 litre	31,192 %	369,6457 litre	O
190	CM	30	CM	20,5 LEVEL CM	162,1444 litre	30,183 %	375,0679 litre	O
190	CM	30	CM	20 LEVEL CM	156,7539 litre	29,179 %	380,4584 litre	O
190	CM	30	CM	19,5 LEVEL CM	151,3970 litre	28,182 %	385,8153 litre	O
190	CM	30	CM	19 LEVEL CM	146,0756 litre	27,191 %	391,1367 litre	O
190	CM	30	CM	18,5 LEVEL CM	140,7917 litre	26,208 %	396,4206 litre	O
190	CM	30	CM	18 LEVEL CM	135,5472 litre	25,232 %	401,6651 litre	O
190	CM	30	CM	17,5 LEVEL CM	130,3441 litre	24,263 %	406,8682 litre	O
190	CM	30	CM	17 LEVEL CM	125,1846 litre	23,303 %	412,0277 litre	O
190	CM	30	CM	16,5 LEVEL CM	120,0708 litre	22,351 %	417,1415 litre	O
190	CM	30	CM	16 LEVEL CM	115,0048 litre	21,408 %	422,2075 litre	O
190	CM	30	CM	15,5 LEVEL CM	109,9890 litre	20,474 %	427,2233 litre	O
190	CM	30	CM	15 LEVEL CM	105,0256 litre	19,550 %	432,1867 litre	O
190	CM	30	CM	14,5 LEVEL CM	100,1171 litre	18,636 %	437,0952 litre	O
190	CM	30	CM	14 LEVEL CM	95,2659 litre	17,733 %	441,9464 litre	O
190	CM	30	CM	13,5 LEVEL CM	90,4747 litre	16,842 %	446,7376 litre	O
190	CM	30	CM	13 LEVEL CM	85,7460 litre	15,961 %	451,4663 litre	O
190	CM	30	CM	12,5 LEVEL CM	81,0826 litre	15,093 %	456,1297 litre	O
190	CM	30	CM	12 LEVEL CM	76,4875 litre	14,238 %	460,7248 litre	O
190	CM	30	CM	11,5 LEVEL CM	71,9636 litre	13,396 %	465,2487 litre	O
190	CM	30	CM	11 LEVEL CM	67,5142 litre	12,568 %	469,6981 litre	O
190	CM	30	CM	10,5 LEVEL CM	63,1425 litre	11,754 %	474,0698 litre	O
190	CM	30	CM	10 LEVEL CM	58,8522 litre	10,955 %	478,3601 litre	O
190	CM	30	CM	9,5 LEVEL CM	54,6468 litre	10,172 %	482,5655 litre	O
190	CM	30	CM	9 LEVEL CM	50,5303 litre	9,406 %	486,6820 litre	O
190	CM	30	CM	8,5 LEVEL CM	46,5070 litre	8,657 %	490,7053 litre	O
190	CM	30	CM	8 LEVEL CM	42,5813 litre	7,926 %	494,6310 litre	O

190	CM	30	CM	7,5 LEVEL CM	38,7582 litre	7,215 %	498,4541 litre	O
190	CM	30	CM	7 LEVEL CM	35,0428 litre	6,523 %	502,1695 litre	O
190	CM	30	CM	6,5 LEVEL CM	31,4408 litre	5,853 %	505,7715 litre	O
190	CM	30	CM	6 LEVEL CM	27,9587 litre	5,204 %	509,2536 litre	O
190	CM	30	CM	5,5 LEVEL CM	24,6033 litre	4,580 %	512,6090 litre	O
190	CM	30	CM	5 LEVEL CM	21,3824 litre	3,980 %	515,8299 litre	O
190	CM	30	CM	4,5 LEVEL CM	18,3048 litre	3,407 %	518,9075 litre	O
190	CM	30	CM	4 LEVEL CM	15,3807 litre	2,863 %	521,8316 litre	O
190	CM	30	CM	3,5 LEVEL CM	12,6218 litre	2,349 %	524,5905 litre	O
190	CM	30	CM	3 LEVEL CM	10,0421 litre	1,869 %	527,1702 litre	O
190	CM	30	CM	2,5 LEVEL CM	7,6590 litre	1,426 %	529,5533 litre	O
190	CM	30	CM	2 LEVEL CM	5,4944 litre	1,023 %	531,7179 litre	O
190	CM	30	CM	1,5 LEVEL CM	3,5778 litre	0,666 %	533,6345 litre	O
190	CM	30	CM	1 LEVEL CM	1,9525 litre	0,363 %	535,2598 litre	O
190	CM	30	CM	0,5 LEVEL CM	0,6920 litre	0,129 %	536,5203 litre	O
190	CM	30	CM	0 LEVEL CM	0,0000 litre	0,000 %	537,2123 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
180	CM	75	CM 150 LEVEL CM	3180,8626 litre	100,000 %	0,0000 litre	O
180	CM	75	CM 149,5 LEVEL CM	3179,8244 litre	99,967 %	1,0382 litre	O
180	CM	75	CM 149 LEVEL CM	3177,9291 litre	99,908 %	2,9335 litre	O
180	CM	75	CM 148,5 LEVEL CM	3175,4788 litre	99,831 %	5,3838 litre	O
180	CM	75	CM 148 LEVEL CM	3172,5821 litre	99,740 %	8,2805 litre	O
180	CM	75	CM 147,5 LEVEL CM	3169,3019 litre	99,637 %	11,5607 litre	O
180	CM	75	CM 147 LEVEL CM	3165,6810 litre	99,523 %	15,1816 litre	O
180	CM	75	CM 146,5 LEVEL CM	3161,7510 litre	99,399 %	19,1116 litre	O
180	CM	75	CM 146 LEVEL CM	3157,5365 litre	99,267 %	23,3261 litre	O
180	CM	75	CM 145,5 LEVEL CM	3153,0572 litre	99,126 %	27,8054 litre	O
180	CM	75	CM 145 LEVEL CM	3148,3298 litre	98,977 %	32,5328 litre	O
180	CM	75	CM 144,5 LEVEL CM	3143,3683 litre	98,821 %	37,4943 litre	O
180	CM	75	CM 144 LEVEL CM	3138,1847 litre	98,658 %	42,6779 litre	O
180	CM	75	CM 143,5 LEVEL CM	3132,7898 litre	98,489 %	48,0728 litre	O
180	CM	75	CM 143 LEVEL CM	3127,1929 litre	98,313 %	53,6697 litre	O
180	CM	75	CM 142,5 LEVEL CM	3121,4026 litre	98,131 %	59,4600 litre	O
180	CM	75	CM 142 LEVEL CM	3115,4263 litre	97,943 %	65,4363 litre	O
180	CM	75	CM 141,5 LEVEL CM	3109,2711 litre	97,749 %	71,5915 litre	O
180	CM	75	CM 141 LEVEL CM	3102,9433 litre	97,550 %	77,9193 litre	O
180	CM	75	CM 140,5 LEVEL CM	3096,4487 litre	97,346 %	84,4139 litre	O
180	CM	75	CM 140 LEVEL CM	3089,7927 litre	97,137 %	91,0699 litre	O
180	CM	75	CM 139,5 LEVEL CM	3082,9804 litre	96,923 %	97,8822 litre	O
180	CM	75	CM 139 LEVEL CM	3076,0163 litre	96,704 %	104,8463 litre	O
180	CM	75	CM 138,5 LEVEL CM	3068,9049 litre	96,480 %	111,9577 litre	O
180	CM	75	CM 138 LEVEL CM	3061,6503 litre	96,252 %	119,2123 litre	O
180	CM	75	CM 137,5 LEVEL CM	3054,2563 litre	96,020 %	126,6063 litre	O
180	CM	75	CM 137 LEVEL CM	3046,7266 litre	95,783 %	134,1360 litre	O
180	CM	75	CM 136,5 LEVEL CM	3039,0648 litre	95,542 %	141,7978 litre	O
180	CM	75	CM 136 LEVEL CM	3031,2739 litre	95,297 %	149,5887 litre	O
180	CM	75	CM 135,5 LEVEL CM	3023,3572 litre	95,048 %	157,5054 litre	O
180	CM	75	CM 135 LEVEL CM	3015,3177 litre	94,796 %	165,5449 litre	O
180	CM	75	CM 134,5 LEVEL CM	3007,1581 litre	94,539 %	173,7045 litre	O
180	CM	75	CM 134 LEVEL CM	2998,8813 litre	94,279 %	181,9813 litre	O
180	CM	75	CM 133,5 LEVEL CM	2990,4898 litre	94,015 %	190,3728 litre	O
180	CM	75	CM 133 LEVEL CM	2981,9861 litre	93,748 %	198,8765 litre	O
180	CM	75	CM 132,5 LEVEL CM	2973,3726 litre	93,477 %	207,4900 litre	O
180	CM	75	CM 132 LEVEL CM	2964,6516 litre	93,203 %	216,2110 litre	O
180	CM	75	CM 131,5 LEVEL CM	2955,8254 litre	92,925 %	225,0372 litre	O
180	CM	75	CM 131 LEVEL CM	2946,8961 litre	92,645 %	233,9665 litre	O
180	CM	75	CM 130,5 LEVEL CM	2937,8657 litre	92,361 %	242,9969 litre	O
180	CM	75	CM 130 LEVEL CM	2928,7363 litre	92,074 %	252,1263 litre	O
180	CM	75	CM 129,5 LEVEL CM	2919,5099 litre	91,784 %	261,3527 litre	O
180	CM	75	CM 129 LEVEL CM	2910,1882 litre	91,491 %	270,6744 litre	O
180	CM	75	CM 128,5 LEVEL CM	2900,7732 litre	91,195 %	280,0894 litre	O
180	CM	75	CM 128 LEVEL CM	2891,2665 litre	90,896 %	289,5961 litre	O
180	CM	75	CM 127,5 LEVEL CM	2881,6700 litre	90,594 %	299,1926 litre	O
180	CM	75	CM 127 LEVEL CM	2871,9852 litre	90,290 %	308,8774 litre	O
180	CM	75	CM 126,5 LEVEL CM	2862,2139 litre	89,982 %	318,6487 litre	O
180	CM	75	CM 126 LEVEL CM	2852,3575 litre	89,672 %	328,5051 litre	O
180	CM	75	CM 125,5 LEVEL CM	2842,4176 litre	89,360 %	338,4450 litre	O
180	CM	75	CM 125 LEVEL CM	2832,3958 litre	89,045 %	348,4668 litre	O
180	CM	75	CM 124,5 LEVEL CM	2822,2935 litre	88,727 %	358,5691 litre	O

180	CM 75	CM	124 LEVEL CM	2812,1121 litre	88,407 %	368,7505 litre	O
180	CM 75	CM	123,5 LEVEL CM	2801,8531 litre	88,085 %	379,0095 litre	O
180	CM 75	CM	123 LEVEL CM	2791,5177 litre	87,760 %	389,3449 litre	O
180	CM 75	CM	122,5 LEVEL CM	2781,1074 litre	87,432 %	399,7552 litre	O
180	CM 75	CM	122 LEVEL CM	2770,6234 litre	87,103 %	410,2392 litre	O
180	CM 75	CM	121,5 LEVEL CM	2760,0671 litre	86,771 %	420,7955 litre	O
180	CM 75	CM	121 LEVEL CM	2749,4396 litre	86,437 %	431,4230 litre	O
180	CM 75	CM	120,5 LEVEL CM	2738,7422 litre	86,101 %	442,1204 litre	O
180	CM 75	CM	120 LEVEL CM	2727,9762 litre	85,762 %	452,8864 litre	O
180	CM 75	CM	119,5 LEVEL CM	2717,1426 litre	85,422 %	463,7200 litre	O
180	CM 75	CM	119 LEVEL CM	2706,2427 litre	85,079 %	474,6199 litre	O
180	CM 75	CM	118,5 LEVEL CM	2695,2776 litre	84,734 %	485,5850 litre	O
180	CM 75	CM	118 LEVEL CM	2684,2484 litre	84,387 %	496,6142 litre	O
180	CM 75	CM	117,5 LEVEL CM	2673,1563 litre	84,039 %	507,7063 litre	O
180	CM 75	CM	117 LEVEL CM	2662,0022 litre	83,688 %	518,8604 litre	O
180	CM 75	CM	116,5 LEVEL CM	2650,7873 litre	83,335 %	530,0753 litre	O
180	CM 75	CM	116 LEVEL CM	2639,5126 litre	82,981 %	541,3500 litre	O
180	CM 75	CM	115,5 LEVEL CM	2628,1792 litre	82,625 %	552,6834 litre	O
180	CM 75	CM	115 LEVEL CM	2616,7880 litre	82,267 %	564,0746 litre	O
180	CM 75	CM	114,5 LEVEL CM	2605,3401 litre	81,907 %	575,5225 litre	O
180	CM 75	CM	114 LEVEL CM	2593,8364 litre	81,545 %	587,0262 litre	O
180	CM 75	CM	113,5 LEVEL CM	2582,2779 litre	81,182 %	598,5847 litre	O
180	CM 75	CM	113 LEVEL CM	2570,6656 litre	80,817 %	610,1970 litre	O
180	CM 75	CM	112,5 LEVEL CM	2559,0004 litre	80,450 %	621,8622 litre	O
180	CM 75	CM	112 LEVEL CM	2547,2832 litre	80,082 %	633,5794 litre	O
180	CM 75	CM	111,5 LEVEL CM	2535,5150 litre	79,712 %	645,3476 litre	O
180	CM 75	CM	111 LEVEL CM	2523,6967 litre	79,340 %	657,1659 litre	O
180	CM 75	CM	110,5 LEVEL CM	2511,8291 litre	78,967 %	669,0335 litre	O
180	CM 75	CM	110 LEVEL CM	2499,9131 litre	78,592 %	680,9495 litre	O
180	CM 75	CM	109,5 LEVEL CM	2487,9497 litre	78,216 %	692,9129 litre	O
180	CM 75	CM	109 LEVEL CM	2475,9396 litre	77,839 %	704,9230 litre	O
180	CM 75	CM	108,5 LEVEL CM	2463,8837 litre	77,460 %	716,9789 litre	O
180	CM 75	CM	108 LEVEL CM	2451,7829 litre	77,079 %	729,0797 litre	O
180	CM 75	CM	107,5 LEVEL CM	2439,6381 litre	76,697 %	741,2245 litre	O
180	CM 75	CM	107 LEVEL CM	2427,4499 litre	76,314 %	753,4127 litre	O
180	CM 75	CM	106,5 LEVEL CM	2415,2193 litre	75,930 %	765,6433 litre	O
180	CM 75	CM	106 LEVEL CM	2402,9470 litre	75,544 %	777,9156 litre	O
180	CM 75	CM	105,5 LEVEL CM	2390,6339 litre	75,157 %	790,2287 litre	O
180	CM 75	CM	105 LEVEL CM	2378,2807 litre	74,768 %	802,5819 litre	O
180	CM 75	CM	104,5 LEVEL CM	2365,8883 litre	74,379 %	814,9743 litre	O
180	CM 75	CM	104 LEVEL CM	2353,4573 litre	73,988 %	827,4053 litre	O
180	CM 75	CM	103,5 LEVEL CM	2340,9886 litre	73,596 %	839,8740 litre	O
180	CM 75	CM	103 LEVEL CM	2328,4829 litre	73,203 %	852,3797 litre	O
180	CM 75	CM	102,5 LEVEL CM	2315,9410 litre	72,809 %	864,9216 litre	O
180	CM 75	CM	102 LEVEL CM	2303,3636 litre	72,413 %	877,4990 litre	O
180	CM 75	CM	101,5 LEVEL CM	2290,7515 litre	72,017 %	890,1111 litre	O
180	CM 75	CM	101 LEVEL CM	2278,1054 litre	71,619 %	902,7572 litre	O
180	CM 75	CM	100,5 LEVEL CM	2265,4261 litre	71,220 %	915,4365 litre	O
180	CM 75	CM	100 LEVEL CM	2252,7142 litre	70,821 %	928,1484 litre	O
180	CM 75	CM	99,5 LEVEL CM	2239,9705 litre	70,420 %	940,8921 litre	O
180	CM 75	CM	99 LEVEL CM	2227,1957 litre	70,019 %	953,6669 litre	O
180	CM 75	CM	98,5 LEVEL CM	2214,3905 litre	69,616 %	966,4721 litre	O
180	CM 75	CM	98 LEVEL CM	2201,5555 litre	69,213 %	979,3071 litre	O

180	CM	75	CM	97,5 LEVEL CM	2188,6916 litre	68,808 %	992,1710 litre	O
180	CM	75	CM	97 LEVEL CM	2175,7994 litre	68,403 %	1005,0632 litre	O
180	CM	75	CM	96,5 LEVEL CM	2162,8796 litre	67,997 %	1017,9830 litre	O
180	CM	75	CM	96 LEVEL CM	2149,9328 litre	67,590 %	1030,9298 litre	O
180	CM	75	CM	95,5 LEVEL CM	2136,9598 litre	67,182 %	1043,9028 litre	O
180	CM	75	CM	95 LEVEL CM	2123,9612 litre	66,773 %	1056,9014 litre	O
180	CM	75	CM	94,5 LEVEL CM	2110,9377 litre	66,364 %	1069,9249 litre	O
180	CM	75	CM	94 LEVEL CM	2097,8900 litre	65,953 %	1082,9726 litre	O
180	CM	75	CM	93,5 LEVEL CM	2084,8187 litre	65,543 %	1096,0439 litre	O
180	CM	75	CM	93 LEVEL CM	2071,7245 litre	65,131 %	1109,1381 litre	O
180	CM	75	CM	92,5 LEVEL CM	2058,6081 litre	64,719 %	1122,2545 litre	O
180	CM	75	CM	92 LEVEL CM	2045,4700 litre	64,306 %	1135,3926 litre	O
180	CM	75	CM	91,5 LEVEL CM	2032,3110 litre	63,892 %	1148,5516 litre	O
180	CM	75	CM	91 LEVEL CM	2019,1317 litre	63,477 %	1161,7309 litre	O
180	CM	75	CM	90,5 LEVEL CM	2005,9328 litre	63,063 %	1174,9298 litre	O
180	CM	75	CM	90 LEVEL CM	1992,7148 litre	62,647 %	1188,1478 litre	O
180	CM	75	CM	89,5 LEVEL CM	1979,4785 litre	62,231 %	1201,3841 litre	O
180	CM	75	CM	89 LEVEL CM	1966,2245 litre	61,814 %	1214,6381 litre	O
180	CM	75	CM	88,5 LEVEL CM	1952,9533 litre	61,397 %	1227,9093 litre	O
180	CM	75	CM	88 LEVEL CM	1939,6657 litre	60,979 %	1241,1969 litre	O
180	CM	75	CM	87,5 LEVEL CM	1926,3622 litre	60,561 %	1254,5004 litre	O
180	CM	75	CM	87 LEVEL CM	1913,0435 litre	60,142 %	1267,8191 litre	O
180	CM	75	CM	86,5 LEVEL CM	1899,7103 litre	59,723 %	1281,1523 litre	O
180	CM	75	CM	86 LEVEL CM	1886,3630 litre	59,304 %	1294,4996 litre	O
180	CM	75	CM	85,5 LEVEL CM	1873,0024 litre	58,883 %	1307,8602 litre	O
180	CM	75	CM	85 LEVEL CM	1859,6291 litre	58,463 %	1321,2335 litre	O
180	CM	75	CM	84,5 LEVEL CM	1846,2437 litre	58,042 %	1334,6189 litre	O
180	CM	75	CM	84 LEVEL CM	1832,8468 litre	57,621 %	1348,0158 litre	O
180	CM	75	CM	83,5 LEVEL CM	1819,4390 litre	57,200 %	1361,4236 litre	O
180	CM	75	CM	83 LEVEL CM	1806,0210 litre	56,778 %	1374,8416 litre	O
180	CM	75	CM	82,5 LEVEL CM	1792,5933 litre	56,356 %	1388,2693 litre	O
180	CM	75	CM	82 LEVEL CM	1779,1565 litre	55,933 %	1401,7061 litre	O
180	CM	75	CM	81,5 LEVEL CM	1765,7113 litre	55,510 %	1415,1513 litre	O
180	CM	75	CM	81 LEVEL CM	1752,2583 litre	55,088 %	1428,6043 litre	O
180	CM	75	CM	80,5 LEVEL CM	1738,7981 litre	54,664 %	1442,0645 litre	O
180	CM	75	CM	80 LEVEL CM	1725,3312 litre	54,241 %	1455,5314 litre	O
180	CM	75	CM	79,5 LEVEL CM	1711,8583 litre	53,817 %	1469,0043 litre	O
180	CM	75	CM	79 LEVEL CM	1698,3801 litre	53,394 %	1482,4825 litre	O
180	CM	75	CM	78,5 LEVEL CM	1684,8970 litre	52,970 %	1495,9656 litre	O
180	CM	75	CM	78 LEVEL CM	1671,4097 litre	52,546 %	1509,4529 litre	O
180	CM	75	CM	77,5 LEVEL CM	1657,9188 litre	52,122 %	1522,9438 litre	O
180	CM	75	CM	77 LEVEL CM	1644,4249 litre	51,697 %	1536,4377 litre	O
180	CM	75	CM	76,5 LEVEL CM	1630,9286 litre	51,273 %	1549,9340 litre	O
180	CM	75	CM	76 LEVEL CM	1617,4305 litre	50,849 %	1563,4321 litre	O
180	CM	75	CM	75,5 LEVEL CM	1603,9312 litre	50,424 %	1576,9314 litre	O
180	CM	75	CM	75 LEVEL CM	1590,4313 litre	50,000 %	1590,4313 litre	O
180	CM	75	CM	74,5 LEVEL CM	1576,9314 litre	49,576 %	1603,9312 litre	O
180	CM	75	CM	74 LEVEL CM	1563,4321 litre	49,151 %	1617,4305 litre	O
180	CM	75	CM	73,5 LEVEL CM	1549,9340 litre	48,727 %	1630,9286 litre	O
180	CM	75	CM	73 LEVEL CM	1536,4377 litre	48,303 %	1644,4249 litre	O
180	CM	75	CM	72,5 LEVEL CM	1522,9438 litre	47,878 %	1657,9188 litre	O
180	CM	75	CM	72 LEVEL CM	1509,4529 litre	47,454 %	1671,4097 litre	O
180	CM	75	CM	71,5 LEVEL CM	1495,9656 litre	47,030 %	1684,8970 litre	O

180	CM	75	CM	71 LEVEL CM	1482,4825 litre	46,606 %	1698,3801 litre	O
180	CM	75	CM	70,5 LEVEL CM	1469,0042 litre	46,183 %	1711,8584 litre	O
180	CM	75	CM	70 LEVEL CM	1455,5313 litre	45,759 %	1725,3313 litre	O
180	CM	75	CM	69,5 LEVEL CM	1442,0645 litre	45,336 %	1738,7981 litre	O
180	CM	75	CM	69 LEVEL CM	1428,6042 litre	44,912 %	1752,2584 litre	O
180	CM	75	CM	68,5 LEVEL CM	1415,1512 litre	44,490 %	1765,7114 litre	O
180	CM	75	CM	68 LEVEL CM	1401,7060 litre	44,067 %	1779,1566 litre	O
180	CM	75	CM	67,5 LEVEL CM	1388,2693 litre	43,644 %	1792,5933 litre	O
180	CM	75	CM	67 LEVEL CM	1374,8416 litre	43,222 %	1806,0210 litre	O
180	CM	75	CM	66,5 LEVEL CM	1361,4235 litre	42,800 %	1819,4391 litre	O
180	CM	75	CM	66 LEVEL CM	1348,0157 litre	42,379 %	1832,8469 litre	O
180	CM	75	CM	65,5 LEVEL CM	1334,6188 litre	41,958 %	1846,2438 litre	O
180	CM	75	CM	65 LEVEL CM	1321,2334 litre	41,537 %	1859,6292 litre	O
180	CM	75	CM	64,5 LEVEL CM	1307,8601 litre	41,117 %	1873,0025 litre	O
180	CM	75	CM	64 LEVEL CM	1294,4995 litre	40,696 %	1886,3631 litre	O
180	CM	75	CM	63,5 LEVEL CM	1281,1523 litre	40,277 %	1899,7103 litre	O
180	CM	75	CM	63 LEVEL CM	1267,8190 litre	39,858 %	1913,0436 litre	O
180	CM	75	CM	62,5 LEVEL CM	1254,5004 litre	39,439 %	1926,3622 litre	O
180	CM	75	CM	62 LEVEL CM	1241,1969 litre	39,021 %	1939,6657 litre	O
180	CM	75	CM	61,5 LEVEL CM	1227,9093 litre	38,603 %	1952,9533 litre	O
180	CM	75	CM	61 LEVEL CM	1214,6381 litre	38,186 %	1966,2245 litre	O
180	CM	75	CM	60,5 LEVEL CM	1201,3840 litre	37,769 %	1979,4786 litre	O
180	CM	75	CM	60 LEVEL CM	1188,1477 litre	37,353 %	1992,7149 litre	O
180	CM	75	CM	59,5 LEVEL CM	1174,9298 litre	36,937 %	2005,9328 litre	O
180	CM	75	CM	59 LEVEL CM	1161,7308 litre	36,523 %	2019,1318 litre	O
180	CM	75	CM	58,5 LEVEL CM	1148,5515 litre	36,108 %	2032,3111 litre	O
180	CM	75	CM	58 LEVEL CM	1135,3925 litre	35,694 %	2045,4701 litre	O
180	CM	75	CM	57,5 LEVEL CM	1122,2545 litre	35,281 %	2058,6081 litre	O
180	CM	75	CM	57 LEVEL CM	1109,1380 litre	34,869 %	2071,7246 litre	O
180	CM	75	CM	56,5 LEVEL CM	1096,0438 litre	34,457 %	2084,8188 litre	O
180	CM	75	CM	56 LEVEL CM	1082,9726 litre	34,047 %	2097,8900 litre	O
180	CM	75	CM	55,5 LEVEL CM	1069,9248 litre	33,636 %	2110,9378 litre	O
180	CM	75	CM	55 LEVEL CM	1056,9013 litre	33,227 %	2123,9613 litre	O
180	CM	75	CM	54,5 LEVEL CM	1043,9028 litre	32,818 %	2136,9598 litre	O
180	CM	75	CM	54 LEVEL CM	1030,9297 litre	32,410 %	2149,9329 litre	O
180	CM	75	CM	53,5 LEVEL CM	1017,9830 litre	32,003 %	2162,8796 litre	O
180	CM	75	CM	53 LEVEL CM	1005,0632 litre	31,597 %	2175,7994 litre	O
180	CM	75	CM	52,5 LEVEL CM	992,1709 litre	31,192 %	2188,6917 litre	O
180	CM	75	CM	52 LEVEL CM	979,3070 litre	30,787 %	2201,5556 litre	O
180	CM	75	CM	51,5 LEVEL CM	966,4721 litre	30,384 %	2214,3905 litre	O
180	CM	75	CM	51 LEVEL CM	953,6669 litre	29,981 %	2227,1957 litre	O
180	CM	75	CM	50,5 LEVEL CM	940,8921 litre	29,580 %	2239,9705 litre	O
180	CM	75	CM	50 LEVEL CM	928,1484 litre	29,179 %	2252,7142 litre	O
180	CM	75	CM	49,5 LEVEL CM	915,4365 litre	28,780 %	2265,4261 litre	O
180	CM	75	CM	49 LEVEL CM	902,7571 litre	28,381 %	2278,1055 litre	O
180	CM	75	CM	48,5 LEVEL CM	890,1110 litre	27,983 %	2290,7516 litre	O
180	CM	75	CM	48 LEVEL CM	877,4989 litre	27,587 %	2303,3637 litre	O
180	CM	75	CM	47,5 LEVEL CM	864,9216 litre	27,191 %	2315,9410 litre	O
180	CM	75	CM	47 LEVEL CM	852,3797 litre	26,797 %	2328,4829 litre	O
180	CM	75	CM	46,5 LEVEL CM	839,8740 litre	26,404 %	2340,9886 litre	O
180	CM	75	CM	46 LEVEL CM	827,4053 litre	26,012 %	2353,4573 litre	O
180	CM	75	CM	45,5 LEVEL CM	814,9743 litre	25,621 %	2365,8883 litre	O
180	CM	75	CM	45 LEVEL CM	802,5818 litre	25,232 %	2378,2808 litre	O

180	CM	75	CM	44,5 LEVEL CM	790,2287 litre	24,843 %	2390,6339 litre	O
180	CM	75	CM	44 LEVEL CM	777,9155 litre	24,456 %	2402,9471 litre	O
180	CM	75	CM	43,5 LEVEL CM	765,6433 litre	24,070 %	2415,2193 litre	O
180	CM	75	CM	43 LEVEL CM	753,4127 litre	23,686 %	2427,4499 litre	O
180	CM	75	CM	42,5 LEVEL CM	741,2245 litre	23,303 %	2439,6381 litre	O
180	CM	75	CM	42 LEVEL CM	729,0796 litre	22,921 %	2451,7830 litre	O
180	CM	75	CM	41,5 LEVEL CM	716,9788 litre	22,540 %	2463,8838 litre	O
180	CM	75	CM	41 LEVEL CM	704,9230 litre	22,161 %	2475,9396 litre	O
180	CM	75	CM	40,5 LEVEL CM	692,9129 litre	21,784 %	2487,9497 litre	O
180	CM	75	CM	40 LEVEL CM	680,9495 litre	21,408 %	2499,9131 litre	O
180	CM	75	CM	39,5 LEVEL CM	669,0335 litre	21,033 %	2511,8291 litre	O
180	CM	75	CM	39 LEVEL CM	657,1659 litre	20,660 %	2523,6967 litre	O
180	CM	75	CM	38,5 LEVEL CM	645,3475 litre	20,288 %	2535,5151 litre	O
180	CM	75	CM	38 LEVEL CM	633,5793 litre	19,918 %	2547,2833 litre	O
180	CM	75	CM	37,5 LEVEL CM	621,8622 litre	19,550 %	2559,0004 litre	O
180	CM	75	CM	37 LEVEL CM	610,1970 litre	19,183 %	2570,6656 litre	O
180	CM	75	CM	36,5 LEVEL CM	598,5846 litre	18,818 %	2582,2780 litre	O
180	CM	75	CM	36 LEVEL CM	587,0262 litre	18,455 %	2593,8364 litre	O
180	CM	75	CM	35,5 LEVEL CM	575,5225 litre	18,093 %	2605,3401 litre	O
180	CM	75	CM	35 LEVEL CM	564,0745 litre	17,733 %	2616,7881 litre	O
180	CM	75	CM	34,5 LEVEL CM	552,6834 litre	17,375 %	2628,1792 litre	O
180	CM	75	CM	34 LEVEL CM	541,3499 litre	17,019 %	2639,5127 litre	O
180	CM	75	CM	33,5 LEVEL CM	530,0752 litre	16,665 %	2650,7874 litre	O
180	CM	75	CM	33 LEVEL CM	518,8604 litre	16,312 %	2662,0022 litre	O
180	CM	75	CM	32,5 LEVEL CM	507,7063 litre	15,961 %	2673,1563 litre	O
180	CM	75	CM	32 LEVEL CM	496,6141 litre	15,613 %	2684,2485 litre	O
180	CM	75	CM	31,5 LEVEL CM	485,5850 litre	15,266 %	2695,2776 litre	O
180	CM	75	CM	31 LEVEL CM	474,6199 litre	14,921 %	2706,2427 litre	O
180	CM	75	CM	30,5 LEVEL CM	463,7200 litre	14,578 %	2717,1426 litre	O
180	CM	75	CM	30 LEVEL CM	452,8864 litre	14,238 %	2727,9762 litre	O
180	CM	75	CM	29,5 LEVEL CM	442,1204 litre	13,899 %	2738,7422 litre	O
180	CM	75	CM	29 LEVEL CM	431,4230 litre	13,563 %	2749,4396 litre	O
180	CM	75	CM	28,5 LEVEL CM	420,7955 litre	13,229 %	2760,0671 litre	O
180	CM	75	CM	28 LEVEL CM	410,2392 litre	12,897 %	2770,6234 litre	O
180	CM	75	CM	27,5 LEVEL CM	399,7552 litre	12,568 %	2781,1074 litre	O
180	CM	75	CM	27 LEVEL CM	389,3448 litre	12,240 %	2791,5178 litre	O
180	CM	75	CM	26,5 LEVEL CM	379,0095 litre	11,915 %	2801,8531 litre	O
180	CM	75	CM	26 LEVEL CM	368,7504 litre	11,593 %	2812,1122 litre	O
180	CM	75	CM	25,5 LEVEL CM	358,5690 litre	11,273 %	2822,2936 litre	O
180	CM	75	CM	25 LEVEL CM	348,4667 litre	10,955 %	2832,3959 litre	O
180	CM	75	CM	24,5 LEVEL CM	338,4449 litre	10,640 %	2842,4177 litre	O
180	CM	75	CM	24 LEVEL CM	328,5051 litre	10,328 %	2852,3575 litre	O
180	CM	75	CM	23,5 LEVEL CM	318,6487 litre	10,018 %	2862,2139 litre	O
180	CM	75	CM	23 LEVEL CM	308,8773 litre	9,710 %	2871,9853 litre	O
180	CM	75	CM	22,5 LEVEL CM	299,1926 litre	9,406 %	2881,6700 litre	O
180	CM	75	CM	22 LEVEL CM	289,5960 litre	9,104 %	2891,2666 litre	O
180	CM	75	CM	21,5 LEVEL CM	280,0894 litre	8,805 %	2900,7732 litre	O
180	CM	75	CM	21 LEVEL CM	270,6743 litre	8,509 %	2910,1883 litre	O
180	CM	75	CM	20,5 LEVEL CM	261,3527 litre	8,216 %	2919,5099 litre	O
180	CM	75	CM	20 LEVEL CM	252,1262 litre	7,926 %	2928,7364 litre	O
180	CM	75	CM	19,5 LEVEL CM	242,9968 litre	7,639 %	2937,8658 litre	O
180	CM	75	CM	19 LEVEL CM	233,9665 litre	7,355 %	2946,8961 litre	O
180	CM	75	CM	18,5 LEVEL CM	225,0372 litre	7,075 %	2955,8254 litre	O

180	CM	75	CM	18 LEVEL CM	216,2109 litre	6,797 %	2964,6517 litre	O
180	CM	75	CM	17,5 LEVEL CM	207,4900 litre	6,523 %	2973,3726 litre	O
180	CM	75	CM	17 LEVEL CM	198,8765 litre	6,252 %	2981,9861 litre	O
180	CM	75	CM	16,5 LEVEL CM	190,3728 litre	5,985 %	2990,4898 litre	O
180	CM	75	CM	16 LEVEL CM	181,9812 litre	5,721 %	2998,8814 litre	O
180	CM	75	CM	15,5 LEVEL CM	173,7044 litre	5,461 %	3007,1582 litre	O
180	CM	75	CM	15 LEVEL CM	165,5449 litre	5,204 %	3015,3177 litre	O
180	CM	75	CM	14,5 LEVEL CM	157,5053 litre	4,952 %	3023,3573 litre	O
180	CM	75	CM	14 LEVEL CM	149,5887 litre	4,703 %	3031,2739 litre	O
180	CM	75	CM	13,5 LEVEL CM	141,7978 litre	4,458 %	3039,0648 litre	O
180	CM	75	CM	13 LEVEL CM	134,1359 litre	4,217 %	3046,7267 litre	O
180	CM	75	CM	12,5 LEVEL CM	126,6063 litre	3,980 %	3054,2563 litre	O
180	CM	75	CM	12 LEVEL CM	119,2123 litre	3,748 %	3061,6503 litre	O
180	CM	75	CM	11,5 LEVEL CM	111,9577 litre	3,520 %	3068,9049 litre	O
180	CM	75	CM	11 LEVEL CM	104,8463 litre	3,296 %	3076,0163 litre	O
180	CM	75	CM	10,5 LEVEL CM	97,8822 litre	3,077 %	3082,9804 litre	O
180	CM	75	CM	10 LEVEL CM	91,0698 litre	2,863 %	3089,7928 litre	O
180	CM	75	CM	9,5 LEVEL CM	84,4139 litre	2,654 %	3096,4487 litre	O
180	CM	75	CM	9 LEVEL CM	77,9193 litre	2,450 %	3102,9433 litre	O
180	CM	75	CM	8,5 LEVEL CM	71,5914 litre	2,251 %	3109,2712 litre	O
180	CM	75	CM	8 LEVEL CM	65,4362 litre	2,057 %	3115,4264 litre	O
180	CM	75	CM	7,5 LEVEL CM	59,4600 litre	1,869 %	3121,4026 litre	O
180	CM	75	CM	7 LEVEL CM	53,6696 litre	1,687 %	3127,1930 litre	O
180	CM	75	CM	6,5 LEVEL CM	48,0728 litre	1,511 %	3132,7898 litre	O
180	CM	75	CM	6 LEVEL CM	42,6778 litre	1,342 %	3138,1848 litre	O
180	CM	75	CM	5,5 LEVEL CM	37,4943 litre	1,179 %	3143,3683 litre	O
180	CM	75	CM	5 LEVEL CM	32,5327 litre	1,023 %	3148,3299 litre	O
180	CM	75	CM	4,5 LEVEL CM	27,8053 litre	0,874 %	3153,0573 litre	O
180	CM	75	CM	4 LEVEL CM	23,3261 litre	0,733 %	3157,5365 litre	O
180	CM	75	CM	3,5 LEVEL CM	19,1115 litre	0,601 %	3161,7511 litre	O
180	CM	75	CM	3 LEVEL CM	15,1815 litre	0,477 %	3165,6811 litre	O
180	CM	75	CM	2,5 LEVEL CM	11,5607 litre	0,363 %	3169,3019 litre	O
180	CM	75	CM	2 LEVEL CM	8,2805 litre	0,260 %	3172,5821 litre	O
180	CM	75	CM	1,5 LEVEL CM	5,3838 litre	0,169 %	3175,4788 litre	O
180	CM	75	CM	1 LEVEL CM	2,9335 litre	0,092 %	3177,9291 litre	O
180	CM	75	CM	0,5 LEVEL CM	1,0382 litre	0,033 %	3179,8244 litre	O
180	CM	75	CM	0 LEVEL CM	0,0000 litre	0,000 %	3180,8626 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
180	CM 70	CM 140 LEVEL CM	2770,8847 litre	100,000 %	0,0000 litre	O
180	CM 70	CM 139,5 LEVEL CM	2769,8818 litre	99,964 %	1,0029 litre	O
180	CM 70	CM 139 LEVEL CM	2768,0511 litre	99,898 %	2,8336 litre	O
180	CM 70	CM 138,5 LEVEL CM	2765,6846 litre	99,812 %	5,2001 litre	O
180	CM 70	CM 138 LEVEL CM	2762,8873 litre	99,711 %	7,9974 litre	O
180	CM 70	CM 137,5 LEVEL CM	2759,7201 litre	99,597 %	11,1646 litre	O
180	CM 70	CM 137 LEVEL CM	2756,2243 litre	99,471 %	14,6604 litre	O
180	CM 70	CM 136,5 LEVEL CM	2752,4306 litre	99,334 %	18,4541 litre	O
180	CM 70	CM 136 LEVEL CM	2748,3627 litre	99,187 %	22,5220 litre	O
180	CM 70	CM 135,5 LEVEL CM	2744,0399 litre	99,031 %	26,8448 litre	O
180	CM 70	CM 135 LEVEL CM	2739,4781 litre	98,867 %	31,4066 litre	O
180	CM 70	CM 134,5 LEVEL CM	2734,6910 litre	98,694 %	36,1937 litre	O
180	CM 70	CM 134 LEVEL CM	2729,6903 litre	98,513 %	41,1944 litre	O
180	CM 70	CM 133,5 LEVEL CM	2724,4864 litre	98,326 %	46,3983 litre	O
180	CM 70	CM 133 LEVEL CM	2719,0885 litre	98,131 %	51,7962 litre	O
180	CM 70	CM 132,5 LEVEL CM	2713,5046 litre	97,929 %	57,3801 litre	O
180	CM 70	CM 132 LEVEL CM	2707,7423 litre	97,721 %	63,1424 litre	O
180	CM 70	CM 131,5 LEVEL CM	2701,8081 litre	97,507 %	69,0766 litre	O
180	CM 70	CM 131 LEVEL CM	2695,7084 litre	97,287 %	75,1763 litre	O
180	CM 70	CM 130,5 LEVEL CM	2689,4488 litre	97,061 %	81,4359 litre	O
180	CM 70	CM 130 LEVEL CM	2683,0345 litre	96,830 %	87,8502 litre	O
180	CM 70	CM 129,5 LEVEL CM	2676,4704 litre	96,593 %	94,4143 litre	O
180	CM 70	CM 129 LEVEL CM	2669,7610 litre	96,350 %	101,1237 litre	O
180	CM 70	CM 128,5 LEVEL CM	2662,9107 litre	96,103 %	107,9740 litre	O
180	CM 70	CM 128 LEVEL CM	2655,9234 litre	95,851 %	114,9613 litre	O
180	CM 70	CM 127,5 LEVEL CM	2648,8028 litre	95,594 %	122,0819 litre	O
180	CM 70	CM 127 LEVEL CM	2641,5527 litre	95,332 %	129,3320 litre	O
180	CM 70	CM 126,5 LEVEL CM	2634,1762 litre	95,066 %	136,7085 litre	O
180	CM 70	CM 126 LEVEL CM	2626,6767 litre	94,796 %	144,2080 litre	O
180	CM 70	CM 125,5 LEVEL CM	2619,0572 litre	94,521 %	151,8275 litre	O
180	CM 70	CM 125 LEVEL CM	2611,3206 litre	94,241 %	159,5641 litre	O
180	CM 70	CM 124,5 LEVEL CM	2603,4697 litre	93,958 %	167,4150 litre	O
180	CM 70	CM 124 LEVEL CM	2595,5071 litre	93,671 %	175,3776 litre	O
180	CM 70	CM 123,5 LEVEL CM	2587,4354 litre	93,379 %	183,4493 litre	O
180	CM 70	CM 123 LEVEL CM	2579,2570 litre	93,084 %	191,6277 litre	O
180	CM 70	CM 122,5 LEVEL CM	2570,9742 litre	92,785 %	199,9105 litre	O
180	CM 70	CM 122 LEVEL CM	2562,5895 litre	92,483 %	208,2952 litre	O
180	CM 70	CM 121,5 LEVEL CM	2554,1048 litre	92,177 %	216,7799 litre	O
180	CM 70	CM 121 LEVEL CM	2545,5224 litre	91,867 %	225,3623 litre	O
180	CM 70	CM 120,5 LEVEL CM	2536,8442 litre	91,554 %	234,0405 litre	O
180	CM 70	CM 120 LEVEL CM	2528,0723 litre	91,237 %	242,8124 litre	O
180	CM 70	CM 119,5 LEVEL CM	2519,2085 litre	90,917 %	251,6762 litre	O
180	CM 70	CM 119 LEVEL CM	2510,2547 litre	90,594 %	260,6300 litre	O
180	CM 70	CM 118,5 LEVEL CM	2501,2127 litre	90,268 %	269,6720 litre	O
180	CM 70	CM 118 LEVEL CM	2492,0842 litre	89,938 %	278,8005 litre	O
180	CM 70	CM 117,5 LEVEL CM	2482,8709 litre	89,606 %	288,0138 litre	O
180	CM 70	CM 117 LEVEL CM	2473,5745 litre	89,270 %	297,3102 litre	O
180	CM 70	CM 116,5 LEVEL CM	2464,1965 litre	88,932 %	306,6882 litre	O
180	CM 70	CM 116 LEVEL CM	2454,7385 litre	88,590 %	316,1462 litre	O
180	CM 70	CM 115,5 LEVEL CM	2445,2021 litre	88,246 %	325,6826 litre	O
180	CM 70	CM 115 LEVEL CM	2435,5887 litre	87,899 %	335,2960 litre	O
180	CM 70	CM 114,5 LEVEL CM	2425,8997 litre	87,550 %	344,9850 litre	O

180	CM 70	CM	114 LEVEL CM	2416,1367 litre	87,197 %	354,7480 litre	O
180	CM 70	CM	113,5 LEVEL CM	2406,3009 litre	86,842 %	364,5838 litre	O
180	CM 70	CM	113 LEVEL CM	2396,3936 litre	86,485 %	374,4911 litre	O
180	CM 70	CM	112,5 LEVEL CM	2386,4164 litre	86,125 %	384,4683 litre	O
180	CM 70	CM	112 LEVEL CM	2376,3703 litre	85,762 %	394,5144 litre	O
180	CM 70	CM	111,5 LEVEL CM	2366,2568 litre	85,397 %	404,6279 litre	O
180	CM 70	CM	111 LEVEL CM	2356,0770 litre	85,030 %	414,8077 litre	O
180	CM 70	CM	110,5 LEVEL CM	2345,8322 litre	84,660 %	425,0525 litre	O
180	CM 70	CM	110 LEVEL CM	2335,5235 litre	84,288 %	435,3612 litre	O
180	CM 70	CM	109,5 LEVEL CM	2325,1521 litre	83,914 %	445,7326 litre	O
180	CM 70	CM	109 LEVEL CM	2314,7192 litre	83,537 %	456,1655 litre	O
180	CM 70	CM	108,5 LEVEL CM	2304,2260 litre	83,158 %	466,6587 litre	O
180	CM 70	CM	108 LEVEL CM	2293,6735 litre	82,778 %	477,2112 litre	O
180	CM 70	CM	107,5 LEVEL CM	2283,0628 litre	82,395 %	487,8219 litre	O
180	CM 70	CM	107 LEVEL CM	2272,3950 litre	82,010 %	498,4897 litre	O
180	CM 70	CM	106,5 LEVEL CM	2261,6711 litre	81,623 %	509,2136 litre	O
180	CM 70	CM	106 LEVEL CM	2250,8923 litre	81,234 %	519,9924 litre	O
180	CM 70	CM	105,5 LEVEL CM	2240,0595 litre	80,843 %	530,8252 litre	O
180	CM 70	CM	105 LEVEL CM	2229,1737 litre	80,450 %	541,7110 litre	O
180	CM 70	CM	104,5 LEVEL CM	2218,2359 litre	80,055 %	552,6488 litre	O
180	CM 70	CM	104 LEVEL CM	2207,2472 litre	79,659 %	563,6375 litre	O
180	CM 70	CM	103,5 LEVEL CM	2196,2085 litre	79,260 %	574,6762 litre	O
180	CM 70	CM	103 LEVEL CM	2185,1207 litre	78,860 %	585,7640 litre	O
180	CM 70	CM	102,5 LEVEL CM	2173,9848 litre	78,458 %	596,8999 litre	O
180	CM 70	CM	102 LEVEL CM	2162,8018 litre	78,055 %	608,0829 litre	O
180	CM 70	CM	101,5 LEVEL CM	2151,5724 litre	77,649 %	619,3123 litre	O
180	CM 70	CM	101 LEVEL CM	2140,2977 litre	77,242 %	630,5870 litre	O
180	CM 70	CM	100,5 LEVEL CM	2128,9786 litre	76,834 %	641,9061 litre	O
180	CM 70	CM	100 LEVEL CM	2117,6159 litre	76,424 %	653,2688 litre	O
180	CM 70	CM	99,5 LEVEL CM	2106,2105 litre	76,012 %	664,6742 litre	O
180	CM 70	CM	99 LEVEL CM	2094,7633 litre	75,599 %	676,1214 litre	O
180	CM 70	CM	98,5 LEVEL CM	2083,2751 litre	75,184 %	687,6096 litre	O
180	CM 70	CM	98 LEVEL CM	2071,7468 litre	74,768 %	699,1379 litre	O
180	CM 70	CM	97,5 LEVEL CM	2060,1792 litre	74,351 %	710,7055 litre	O
180	CM 70	CM	97 LEVEL CM	2048,5731 litre	73,932 %	722,3116 litre	O
180	CM 70	CM	96,5 LEVEL CM	2036,9295 litre	73,512 %	733,9552 litre	O
180	CM 70	CM	96 LEVEL CM	2025,2490 litre	73,090 %	745,6357 litre	O
180	CM 70	CM	95,5 LEVEL CM	2013,5325 litre	72,667 %	757,3522 litre	O
180	CM 70	CM	95 LEVEL CM	2001,7808 litre	72,243 %	769,1039 litre	O
180	CM 70	CM	94,5 LEVEL CM	1989,9947 litre	71,818 %	780,8900 litre	O
180	CM 70	CM	94 LEVEL CM	1978,1750 litre	71,391 %	792,7097 litre	O
180	CM 70	CM	93,5 LEVEL CM	1966,3224 litre	70,964 %	804,5623 litre	O
180	CM 70	CM	93 LEVEL CM	1954,4377 litre	70,535 %	816,4470 litre	O
180	CM 70	CM	92,5 LEVEL CM	1942,5218 litre	70,105 %	828,3629 litre	O
180	CM 70	CM	92 LEVEL CM	1930,5753 litre	69,674 %	840,3094 litre	O
180	CM 70	CM	91,5 LEVEL CM	1918,5990 litre	69,241 %	852,2857 litre	O
180	CM 70	CM	91 LEVEL CM	1906,5936 litre	68,808 %	864,2911 litre	O
180	CM 70	CM	90,5 LEVEL CM	1894,5599 litre	68,374 %	876,3248 litre	O
180	CM 70	CM	90 LEVEL CM	1882,4987 litre	67,939 %	888,3860 litre	O
180	CM 70	CM	89,5 LEVEL CM	1870,4106 litre	67,502 %	900,4741 litre	O
180	CM 70	CM	89 LEVEL CM	1858,2965 litre	67,065 %	912,5882 litre	O
180	CM 70	CM	88,5 LEVEL CM	1846,1569 litre	66,627 %	924,7278 litre	O
180	CM 70	CM	88 LEVEL CM	1833,9927 litre	66,188 %	936,8920 litre	O

180	CM	70	CM	87,5 LEVEL CM	1821,8046 litre	65,748 %	949,0801 litre	O
180	CM	70	CM	87 LEVEL CM	1809,5932 litre	65,307 %	961,2915 litre	O
180	CM	70	CM	86,5 LEVEL CM	1797,3592 litre	64,866 %	973,5255 litre	O
180	CM	70	CM	86 LEVEL CM	1785,1035 litre	64,424 %	985,7812 litre	O
180	CM	70	CM	85,5 LEVEL CM	1772,8266 litre	63,981 %	998,0581 litre	O
180	CM	70	CM	85 LEVEL CM	1760,5292 litre	63,537 %	1010,3555 litre	O
180	CM	70	CM	84,5 LEVEL CM	1748,2122 litre	63,092 %	1022,6725 litre	O
180	CM	70	CM	84 LEVEL CM	1735,8760 litre	62,647 %	1035,0087 litre	O
180	CM	70	CM	83,5 LEVEL CM	1723,5215 litre	62,201 %	1047,3632 litre	O
180	CM	70	CM	83 LEVEL CM	1711,1494 litre	61,755 %	1059,7353 litre	O
180	CM	70	CM	82,5 LEVEL CM	1698,7602 litre	61,308 %	1072,1245 litre	O
180	CM	70	CM	82 LEVEL CM	1686,3546 litre	60,860 %	1084,5301 litre	O
180	CM	70	CM	81,5 LEVEL CM	1673,9334 litre	60,412 %	1096,9513 litre	O
180	CM	70	CM	81 LEVEL CM	1661,4972 litre	59,963 %	1109,3875 litre	O
180	CM	70	CM	80,5 LEVEL CM	1649,0467 litre	59,513 %	1121,8380 litre	O
180	CM	70	CM	80 LEVEL CM	1636,5826 litre	59,064 %	1134,3021 litre	O
180	CM	70	CM	79,5 LEVEL CM	1624,1054 litre	58,613 %	1146,7793 litre	O
180	CM	70	CM	79 LEVEL CM	1611,6159 litre	58,163 %	1159,2688 litre	O
180	CM	70	CM	78,5 LEVEL CM	1599,1148 litre	57,711 %	1171,7699 litre	O
180	CM	70	CM	78 LEVEL CM	1586,6026 litre	57,260 %	1184,2821 litre	O
180	CM	70	CM	77,5 LEVEL CM	1574,0801 litre	56,808 %	1196,8046 litre	O
180	CM	70	CM	77 LEVEL CM	1561,5479 litre	56,356 %	1209,3368 litre	O
180	CM	70	CM	76,5 LEVEL CM	1549,0067 litre	55,903 %	1221,8780 litre	O
180	CM	70	CM	76 LEVEL CM	1536,4570 litre	55,450 %	1234,4277 litre	O
180	CM	70	CM	75,5 LEVEL CM	1523,8996 litre	54,997 %	1246,9851 litre	O
180	CM	70	CM	75 LEVEL CM	1511,3351 litre	54,543 %	1259,5496 litre	O
180	CM	70	CM	74,5 LEVEL CM	1498,7642 litre	54,090 %	1272,1205 litre	O
180	CM	70	CM	74 LEVEL CM	1486,1875 litre	53,636 %	1284,6972 litre	O
180	CM	70	CM	73,5 LEVEL CM	1473,6056 litre	53,182 %	1297,2791 litre	O
180	CM	70	CM	73 LEVEL CM	1461,0192 litre	52,728 %	1309,8655 litre	O
180	CM	70	CM	72,5 LEVEL CM	1448,4290 litre	52,273 %	1322,4557 litre	O
180	CM	70	CM	72 LEVEL CM	1435,8355 litre	51,819 %	1335,0492 litre	O
180	CM	70	CM	71,5 LEVEL CM	1423,2395 litre	51,364 %	1347,6452 litre	O
180	CM	70	CM	71 LEVEL CM	1410,6415 litre	50,909 %	1360,2432 litre	O
180	CM	70	CM	70,5 LEVEL CM	1398,0423 litre	50,455 %	1372,8424 litre	O
180	CM	70	CM	70 LEVEL CM	1385,4424 litre	50,000 %	1385,4423 litre	O
180	CM	70	CM	69,5 LEVEL CM	1372,8425 litre	49,545 %	1398,0422 litre	O
180	CM	70	CM	69 LEVEL CM	1360,2432 litre	49,091 %	1410,6415 litre	O
180	CM	70	CM	68,5 LEVEL CM	1347,6453 litre	48,636 %	1423,2394 litre	O
180	CM	70	CM	68 LEVEL CM	1335,0492 litre	48,181 %	1435,8355 litre	O
180	CM	70	CM	67,5 LEVEL CM	1322,4558 litre	47,727 %	1448,4289 litre	O
180	CM	70	CM	67 LEVEL CM	1309,8655 litre	47,272 %	1461,0192 litre	O
180	CM	70	CM	66,5 LEVEL CM	1297,2791 litre	46,818 %	1473,6056 litre	O
180	CM	70	CM	66 LEVEL CM	1284,6972 litre	46,364 %	1486,1875 litre	O
180	CM	70	CM	65,5 LEVEL CM	1272,1205 litre	45,910 %	1498,7642 litre	O
180	CM	70	CM	65 LEVEL CM	1259,5496 litre	45,457 %	1511,3351 litre	O
180	CM	70	CM	64,5 LEVEL CM	1246,9851 litre	45,003 %	1523,8996 litre	O
180	CM	70	CM	64 LEVEL CM	1234,4277 litre	44,550 %	1536,4570 litre	O
180	CM	70	CM	63,5 LEVEL CM	1221,8781 litre	44,097 %	1549,0066 litre	O
180	CM	70	CM	63 LEVEL CM	1209,3368 litre	43,644 %	1561,5479 litre	O
180	CM	70	CM	62,5 LEVEL CM	1196,8046 litre	43,192 %	1574,0801 litre	O
180	CM	70	CM	62 LEVEL CM	1184,2821 litre	42,740 %	1586,6026 litre	O
180	CM	70	CM	61,5 LEVEL CM	1171,7699 litre	42,289 %	1599,1148 litre	O

180	CM	70	CM	61 LEVEL CM	1159,2688 litre	41,837 %	1611,6159 litre	O
180	CM	70	CM	60,5 LEVEL CM	1146,7793 litre	41,387 %	1624,1054 litre	O
180	CM	70	CM	60 LEVEL CM	1134,3021 litre	40,936 %	1636,5826 litre	O
180	CM	70	CM	59,5 LEVEL CM	1121,8380 litre	40,487 %	1649,0467 litre	O
180	CM	70	CM	59 LEVEL CM	1109,3875 litre	40,037 %	1661,4972 litre	O
180	CM	70	CM	58,5 LEVEL CM	1096,9513 litre	39,588 %	1673,9334 litre	O
180	CM	70	CM	58 LEVEL CM	1084,5301 litre	39,140 %	1686,3546 litre	O
180	CM	70	CM	57,5 LEVEL CM	1072,1246 litre	38,693 %	1698,7601 litre	O
180	CM	70	CM	57 LEVEL CM	1059,7354 litre	38,245 %	1711,1493 litre	O
180	CM	70	CM	56,5 LEVEL CM	1047,3632 litre	37,799 %	1723,5215 litre	O
180	CM	70	CM	56 LEVEL CM	1035,0087 litre	37,353 %	1735,8760 litre	O
180	CM	70	CM	55,5 LEVEL CM	1022,6725 litre	36,908 %	1748,2122 litre	O
180	CM	70	CM	55 LEVEL CM	1010,3555 litre	36,463 %	1760,5292 litre	O
180	CM	70	CM	54,5 LEVEL CM	998,0581 litre	36,019 %	1772,8266 litre	O
180	CM	70	CM	54 LEVEL CM	985,7813 litre	35,576 %	1785,1034 litre	O
180	CM	70	CM	53,5 LEVEL CM	973,5255 litre	35,134 %	1797,3592 litre	O
180	CM	70	CM	53 LEVEL CM	961,2916 litre	34,693 %	1809,5931 litre	O
180	CM	70	CM	52,5 LEVEL CM	949,0802 litre	34,252 %	1821,8045 litre	O
180	CM	70	CM	52 LEVEL CM	936,8920 litre	33,812 %	1833,9927 litre	O
180	CM	70	CM	51,5 LEVEL CM	924,7278 litre	33,373 %	1846,1569 litre	O
180	CM	70	CM	51 LEVEL CM	912,5882 litre	32,935 %	1858,2965 litre	O
180	CM	70	CM	50,5 LEVEL CM	900,4741 litre	32,498 %	1870,4106 litre	O
180	CM	70	CM	50 LEVEL CM	888,3860 litre	32,061 %	1882,4987 litre	O
180	CM	70	CM	49,5 LEVEL CM	876,3248 litre	31,626 %	1894,5599 litre	O
180	CM	70	CM	49 LEVEL CM	864,2911 litre	31,192 %	1906,5936 litre	O
180	CM	70	CM	48,5 LEVEL CM	852,2858 litre	30,759 %	1918,5989 litre	O
180	CM	70	CM	48 LEVEL CM	840,3095 litre	30,326 %	1930,5752 litre	O
180	CM	70	CM	47,5 LEVEL CM	828,3629 litre	29,895 %	1942,5218 litre	O
180	CM	70	CM	47 LEVEL CM	816,4470 litre	29,465 %	1954,4377 litre	O
180	CM	70	CM	46,5 LEVEL CM	804,5623 litre	29,036 %	1966,3224 litre	O
180	CM	70	CM	46 LEVEL CM	792,7097 litre	28,609 %	1978,1750 litre	O
180	CM	70	CM	45,5 LEVEL CM	780,8900 litre	28,182 %	1989,9947 litre	O
180	CM	70	CM	45 LEVEL CM	769,1039 litre	27,757 %	2001,7808 litre	O
180	CM	70	CM	44,5 LEVEL CM	757,3522 litre	27,333 %	2013,5325 litre	O
180	CM	70	CM	44 LEVEL CM	745,6357 litre	26,910 %	2025,2490 litre	O
180	CM	70	CM	43,5 LEVEL CM	733,9553 litre	26,488 %	2036,9294 litre	O
180	CM	70	CM	43 LEVEL CM	722,3116 litre	26,068 %	2048,5731 litre	O
180	CM	70	CM	42,5 LEVEL CM	710,7056 litre	25,649 %	2060,1791 litre	O
180	CM	70	CM	42 LEVEL CM	699,1380 litre	25,232 %	2071,7467 litre	O
180	CM	70	CM	41,5 LEVEL CM	687,6096 litre	24,816 %	2083,2751 litre	O
180	CM	70	CM	41 LEVEL CM	676,1215 litre	24,401 %	2094,7632 litre	O
180	CM	70	CM	40,5 LEVEL CM	664,6742 litre	23,988 %	2106,2105 litre	O
180	CM	70	CM	40 LEVEL CM	653,2688 litre	23,576 %	2117,6159 litre	O
180	CM	70	CM	39,5 LEVEL CM	641,9061 litre	23,166 %	2128,9786 litre	O
180	CM	70	CM	39 LEVEL CM	630,5870 litre	22,758 %	2140,2977 litre	O
180	CM	70	CM	38,5 LEVEL CM	619,3123 litre	22,351 %	2151,5724 litre	O
180	CM	70	CM	38 LEVEL CM	608,0830 litre	21,945 %	2162,8017 litre	O
180	CM	70	CM	37,5 LEVEL CM	596,8999 litre	21,542 %	2173,9848 litre	O
180	CM	70	CM	37 LEVEL CM	585,7640 litre	21,140 %	2185,1207 litre	O
180	CM	70	CM	36,5 LEVEL CM	574,6762 litre	20,740 %	2196,2085 litre	O
180	CM	70	CM	36 LEVEL CM	563,6375 litre	20,341 %	2207,2472 litre	O
180	CM	70	CM	35,5 LEVEL CM	552,6488 litre	19,945 %	2218,2359 litre	O
180	CM	70	CM	35 LEVEL CM	541,7110 litre	19,550 %	2229,1737 litre	O

180	CM	70	CM	34,5 LEVEL CM	530,8253 litre	19,157 %	2240,0594 litre	O
180	CM	70	CM	34 LEVEL CM	519,9924 litre	18,766 %	2250,8923 litre	O
180	CM	70	CM	33,5 LEVEL CM	509,2136 litre	18,377 %	2261,6711 litre	O
180	CM	70	CM	33 LEVEL CM	498,4898 litre	17,990 %	2272,3949 litre	O
180	CM	70	CM	32,5 LEVEL CM	487,8220 litre	17,605 %	2283,0627 litre	O
180	CM	70	CM	32 LEVEL CM	477,2113 litre	17,222 %	2293,6734 litre	O
180	CM	70	CM	31,5 LEVEL CM	466,6587 litre	16,842 %	2304,2260 litre	O
180	CM	70	CM	31 LEVEL CM	456,1655 litre	16,463 %	2314,7192 litre	O
180	CM	70	CM	30,5 LEVEL CM	445,7326 litre	16,086 %	2325,1521 litre	O
180	CM	70	CM	30 LEVEL CM	435,3612 litre	15,712 %	2335,5235 litre	O
180	CM	70	CM	29,5 LEVEL CM	425,0526 litre	15,340 %	2345,8321 litre	O
180	CM	70	CM	29 LEVEL CM	414,8077 litre	14,970 %	2356,0770 litre	O
180	CM	70	CM	28,5 LEVEL CM	404,6279 litre	14,603 %	2366,2568 litre	O
180	CM	70	CM	28 LEVEL CM	394,5144 litre	14,238 %	2376,3703 litre	O
180	CM	70	CM	27,5 LEVEL CM	384,4683 litre	13,875 %	2386,4164 litre	O
180	CM	70	CM	27 LEVEL CM	374,4911 litre	13,515 %	2396,3936 litre	O
180	CM	70	CM	26,5 LEVEL CM	364,5839 litre	13,158 %	2406,3008 litre	O
180	CM	70	CM	26 LEVEL CM	354,7481 litre	12,803 %	2416,1366 litre	O
180	CM	70	CM	25,5 LEVEL CM	344,9850 litre	12,450 %	2425,8997 litre	O
180	CM	70	CM	25 LEVEL CM	335,2960 litre	12,101 %	2435,5887 litre	O
180	CM	70	CM	24,5 LEVEL CM	325,6826 litre	11,754 %	2445,2021 litre	O
180	CM	70	CM	24 LEVEL CM	316,1462 litre	11,410 %	2454,7385 litre	O
180	CM	70	CM	23,5 LEVEL CM	306,6882 litre	11,068 %	2464,1965 litre	O
180	CM	70	CM	23 LEVEL CM	297,3102 litre	10,730 %	2473,5745 litre	O
180	CM	70	CM	22,5 LEVEL CM	288,0138 litre	10,394 %	2482,8709 litre	O
180	CM	70	CM	22 LEVEL CM	278,8005 litre	10,062 %	2492,0842 litre	O
180	CM	70	CM	21,5 LEVEL CM	269,6720 litre	9,732 %	2501,2127 litre	O
180	CM	70	CM	21 LEVEL CM	260,6300 litre	9,406 %	2510,2547 litre	O
180	CM	70	CM	20,5 LEVEL CM	251,6762 litre	9,083 %	2519,2085 litre	O
180	CM	70	CM	20 LEVEL CM	242,8124 litre	8,763 %	2528,0723 litre	O
180	CM	70	CM	19,5 LEVEL CM	234,0405 litre	8,446 %	2536,8442 litre	O
180	CM	70	CM	19 LEVEL CM	225,3623 litre	8,133 %	2545,5224 litre	O
180	CM	70	CM	18,5 LEVEL CM	216,7799 litre	7,823 %	2554,1048 litre	O
180	CM	70	CM	18 LEVEL CM	208,2953 litre	7,517 %	2562,5894 litre	O
180	CM	70	CM	17,5 LEVEL CM	199,9105 litre	7,215 %	2570,9742 litre	O
180	CM	70	CM	17 LEVEL CM	191,6278 litre	6,916 %	2579,2569 litre	O
180	CM	70	CM	16,5 LEVEL CM	183,4494 litre	6,621 %	2587,4353 litre	O
180	CM	70	CM	16 LEVEL CM	175,3776 litre	6,329 %	2595,5071 litre	O
180	CM	70	CM	15,5 LEVEL CM	167,4150 litre	6,042 %	2603,4697 litre	O
180	CM	70	CM	15 LEVEL CM	159,5641 litre	5,759 %	2611,3206 litre	O
180	CM	70	CM	14,5 LEVEL CM	151,8275 litre	5,479 %	2619,0572 litre	O
180	CM	70	CM	14 LEVEL CM	144,2080 litre	5,204 %	2626,6767 litre	O
180	CM	70	CM	13,5 LEVEL CM	136,7085 litre	4,934 %	2634,1762 litre	O
180	CM	70	CM	13 LEVEL CM	129,3320 litre	4,668 %	2641,5527 litre	O
180	CM	70	CM	12,5 LEVEL CM	122,0819 litre	4,406 %	2648,8028 litre	O
180	CM	70	CM	12 LEVEL CM	114,9614 litre	4,149 %	2655,9233 litre	O
180	CM	70	CM	11,5 LEVEL CM	107,9740 litre	3,897 %	2662,9107 litre	O
180	CM	70	CM	11 LEVEL CM	101,1237 litre	3,650 %	2669,7610 litre	O
180	CM	70	CM	10,5 LEVEL CM	94,4144 litre	3,407 %	2676,4703 litre	O
180	CM	70	CM	10 LEVEL CM	87,8502 litre	3,170 %	2683,0345 litre	O
180	CM	70	CM	9,5 LEVEL CM	81,4359 litre	2,939 %	2689,4488 litre	O
180	CM	70	CM	9 LEVEL CM	75,1763 litre	2,713 %	2695,7084 litre	O
180	CM	70	CM	8,5 LEVEL CM	69,0766 litre	2,493 %	2701,8081 litre	O

180	CM 70	CM	8 LEVEL CM	63,1425 litre	2,279 %	2707,7422 litre	O
180	CM 70	CM	7,5 LEVEL CM	57,3801 litre	2,071 %	2713,5046 litre	O
180	CM 70	CM	7 LEVEL CM	51,7962 litre	1,869 %	2719,0885 litre	O
180	CM 70	CM	6,5 LEVEL CM	46,3983 litre	1,674 %	2724,4864 litre	O
180	CM 70	CM	6 LEVEL CM	41,1944 litre	1,487 %	2729,6903 litre	O
180	CM 70	CM	5,5 LEVEL CM	36,1937 litre	1,306 %	2734,6910 litre	O
180	CM 70	CM	5 LEVEL CM	31,4066 litre	1,133 %	2739,4781 litre	O
180	CM 70	CM	4,5 LEVEL CM	26,8449 litre	0,969 %	2744,0398 litre	O
180	CM 70	CM	4 LEVEL CM	22,5220 litre	0,813 %	2748,3627 litre	O
180	CM 70	CM	3,5 LEVEL CM	18,4541 litre	0,666 %	2752,4306 litre	O
180	CM 70	CM	3 LEVEL CM	14,6604 litre	0,529 %	2756,2243 litre	O
180	CM 70	CM	2,5 LEVEL CM	11,1646 litre	0,403 %	2759,7201 litre	O
180	CM 70	CM	2 LEVEL CM	7,9974 litre	0,289 %	2762,8873 litre	O
180	CM 70	CM	1,5 LEVEL CM	5,2001 litre	0,188 %	2765,6846 litre	O
180	CM 70	CM	1 LEVEL CM	2,8336 litre	0,102 %	2768,0511 litre	O
180	CM 70	CM	0,5 LEVEL CM	1,0029 litre	0,036 %	2769,8818 litre	O
180	CM 70	CM	0 LEVEL CM	0,0000 litre	0,000 %	2770,8847 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
180	CM	65	CM 130 LEVEL CM	2389,1812 litre	100,000 %	0,0000 litre	O
180	CM	65	CM 129,5 LEVEL CM	2388,2149 litre	99,960 %	0,9663 litre	O
180	CM	65	CM 129 LEVEL CM	2386,4511 litre	99,886 %	2,7301 litre	O
180	CM	65	CM 128,5 LEVEL CM	2384,1715 litre	99,790 %	5,0097 litre	O
180	CM	65	CM 128 LEVEL CM	2381,4773 litre	99,678 %	7,7039 litre	O
180	CM	65	CM 127,5 LEVEL CM	2378,4272 litre	99,550 %	10,7540 litre	O
180	CM	65	CM 127 LEVEL CM	2375,0612 litre	99,409 %	14,1200 litre	O
180	CM	65	CM 126,5 LEVEL CM	2371,4088 litre	99,256 %	17,7724 litre	O
180	CM	65	CM 126 LEVEL CM	2367,4930 litre	99,092 %	21,6882 litre	O
180	CM	65	CM 125,5 LEVEL CM	2363,3325 litre	98,918 %	25,8487 litre	O
180	CM	65	CM 125 LEVEL CM	2358,9426 litre	98,734 %	30,2386 litre	O
180	CM	65	CM 124,5 LEVEL CM	2354,3365 litre	98,542 %	34,8447 litre	O
180	CM	65	CM 124 LEVEL CM	2349,5257 litre	98,340 %	39,6555 litre	O
180	CM	65	CM 123,5 LEVEL CM	2344,5202 litre	98,131 %	44,6610 litre	O
180	CM	65	CM 123 LEVEL CM	2339,3287 litre	97,913 %	49,8525 litre	O
180	CM	65	CM 122,5 LEVEL CM	2333,9593 litre	97,689 %	55,2219 litre	O
180	CM	65	CM 122 LEVEL CM	2328,4190 litre	97,457 %	60,7622 litre	O
180	CM	65	CM 121,5 LEVEL CM	2322,7146 litre	97,218 %	66,4666 litre	O
180	CM	65	CM 121 LEVEL CM	2316,8518 litre	96,973 %	72,3294 litre	O
180	CM	65	CM 120,5 LEVEL CM	2310,8363 litre	96,721 %	78,3449 litre	O
180	CM	65	CM 120 LEVEL CM	2304,6732 litre	96,463 %	84,5080 litre	O
180	CM	65	CM 119,5 LEVEL CM	2298,3671 litre	96,199 %	90,8141 litre	O
180	CM	65	CM 119 LEVEL CM	2291,9225 litre	95,929 %	97,2587 litre	O
180	CM	65	CM 118,5 LEVEL CM	2285,3436 litre	95,654 %	103,8376 litre	O
180	CM	65	CM 118 LEVEL CM	2278,6342 litre	95,373 %	110,5470 litre	O
180	CM	65	CM 117,5 LEVEL CM	2271,7981 litre	95,087 %	117,3831 litre	O
180	CM	65	CM 117 LEVEL CM	2264,8386 litre	94,796 %	124,3426 litre	O
180	CM	65	CM 116,5 LEVEL CM	2257,7591 litre	94,499 %	131,4221 litre	O
180	CM	65	CM 116 LEVEL CM	2250,5628 litre	94,198 %	138,6184 litre	O
180	CM	65	CM 115,5 LEVEL CM	2243,2525 litre	93,892 %	145,9287 litre	O
180	CM	65	CM 115 LEVEL CM	2235,8312 litre	93,581 %	153,3500 litre	O
180	CM	65	CM 114,5 LEVEL CM	2228,3015 litre	93,266 %	160,8797 litre	O
180	CM	65	CM 114 LEVEL CM	2220,6660 litre	92,947 %	168,5152 litre	O
180	CM	65	CM 113,5 LEVEL CM	2212,9273 litre	92,623 %	176,2539 litre	O
180	CM	65	CM 113 LEVEL CM	2205,0877 litre	92,295 %	184,0935 litre	O
180	CM	65	CM 112,5 LEVEL CM	2197,1495 litre	91,962 %	192,0317 litre	O
180	CM	65	CM 112 LEVEL CM	2189,1150 litre	91,626 %	200,0662 litre	O
180	CM	65	CM 111,5 LEVEL CM	2180,9863 litre	91,286 %	208,1949 litre	O
180	CM	65	CM 111 LEVEL CM	2172,7654 litre	90,942 %	216,4158 litre	O
180	CM	65	CM 110,5 LEVEL CM	2164,4543 litre	90,594 %	224,7269 litre	O
180	CM	65	CM 110 LEVEL CM	2156,0551 litre	90,242 %	233,1261 litre	O
180	CM	65	CM 109,5 LEVEL CM	2147,5695 litre	89,887 %	241,6117 litre	O
180	CM	65	CM 109 LEVEL CM	2138,9993 litre	89,529 %	250,1819 litre	O
180	CM	65	CM 108,5 LEVEL CM	2130,3464 litre	89,166 %	258,8348 litre	O
180	CM	65	CM 108 LEVEL CM	2121,6124 litre	88,801 %	267,5688 litre	O
180	CM	65	CM 107,5 LEVEL CM	2112,7990 litre	88,432 %	276,3822 litre	O
180	CM	65	CM 107 LEVEL CM	2103,9078 litre	88,060 %	285,2734 litre	O
180	CM	65	CM 106,5 LEVEL CM	2094,9405 litre	87,684 %	294,2407 litre	O
180	CM	65	CM 106 LEVEL CM	2085,8985 litre	87,306 %	303,2827 litre	O
180	CM	65	CM 105,5 LEVEL CM	2076,7833 litre	86,924 %	312,3979 litre	O
180	CM	65	CM 105 LEVEL CM	2067,5964 litre	86,540 %	321,5848 litre	O
180	CM	65	CM 104,5 LEVEL CM	2058,3392 litre	86,152 %	330,8420 litre	O

180	CM	65	CM	104 LEVEL CM	2049,0132 litre	85,762 %	340,1680 litre	O
180	CM	65	CM	103,5 LEVEL CM	2039,6197 litre	85,369 %	349,5615 litre	O
180	CM	65	CM	103 LEVEL CM	2030,1600 litre	84,973 %	359,0212 litre	O
180	CM	65	CM	102,5 LEVEL CM	2020,6354 litre	84,574 %	368,5458 litre	O
180	CM	65	CM	102 LEVEL CM	2011,0473 litre	84,173 %	378,1339 litre	O
180	CM	65	CM	101,5 LEVEL CM	2001,3969 litre	83,769 %	387,7843 litre	O
180	CM	65	CM	101 LEVEL CM	1991,6854 litre	83,363 %	397,4958 litre	O
180	CM	65	CM	100,5 LEVEL CM	1981,9140 litre	82,954 %	407,2672 litre	O
180	CM	65	CM	100 LEVEL CM	1972,0840 litre	82,542 %	417,0972 litre	O
180	CM	65	CM	99,5 LEVEL CM	1962,1964 litre	82,128 %	426,9848 litre	O
180	CM	65	CM	99 LEVEL CM	1952,2524 litre	81,712 %	436,9288 litre	O
180	CM	65	CM	98,5 LEVEL CM	1942,2533 litre	81,294 %	446,9279 litre	O
180	CM	65	CM	98 LEVEL CM	1932,2000 litre	80,873 %	456,9812 litre	O
180	CM	65	CM	97,5 LEVEL CM	1922,0936 litre	80,450 %	467,0876 litre	O
180	CM	65	CM	97 LEVEL CM	1911,9353 litre	80,025 %	477,2459 litre	O
180	CM	65	CM	96,5 LEVEL CM	1901,7261 litre	79,597 %	487,4551 litre	O
180	CM	65	CM	96 LEVEL CM	1891,4671 litre	79,168 %	497,7141 litre	O
180	CM	65	CM	95,5 LEVEL CM	1881,1592 litre	78,737 %	508,0220 litre	O
180	CM	65	CM	95 LEVEL CM	1870,8034 litre	78,303 %	518,3778 litre	O
180	CM	65	CM	94,5 LEVEL CM	1860,4009 litre	77,868 %	528,7803 litre	O
180	CM	65	CM	94 LEVEL CM	1849,9525 litre	77,430 %	539,2287 litre	O
180	CM	65	CM	93,5 LEVEL CM	1839,4592 litre	76,991 %	549,7220 litre	O
180	CM	65	CM	93 LEVEL CM	1828,9220 litre	76,550 %	560,2592 litre	O
180	CM	65	CM	92,5 LEVEL CM	1818,3419 litre	76,107 %	570,8393 litre	O
180	CM	65	CM	92 LEVEL CM	1807,7198 litre	75,663 %	581,4614 litre	O
180	CM	65	CM	91,5 LEVEL CM	1797,0565 litre	75,216 %	592,1247 litre	O
180	CM	65	CM	91 LEVEL CM	1786,3531 litre	74,768 %	602,8281 litre	O
180	CM	65	CM	90,5 LEVEL CM	1775,6104 litre	74,319 %	613,5708 litre	O
180	CM	65	CM	90 LEVEL CM	1764,8293 litre	73,868 %	624,3519 litre	O
180	CM	65	CM	89,5 LEVEL CM	1754,0106 litre	73,415 %	635,1706 litre	O
180	CM	65	CM	89 LEVEL CM	1743,1554 litre	72,960 %	646,0258 litre	O
180	CM	65	CM	88,5 LEVEL CM	1732,2644 litre	72,505 %	656,9168 litre	O
180	CM	65	CM	88 LEVEL CM	1721,3385 litre	72,047 %	667,8427 litre	O
180	CM	65	CM	87,5 LEVEL CM	1710,3786 litre	71,588 %	678,8026 litre	O
180	CM	65	CM	87 LEVEL CM	1699,3855 litre	71,128 %	689,7957 litre	O
180	CM	65	CM	86,5 LEVEL CM	1688,3600 litre	70,667 %	700,8212 litre	O
180	CM	65	CM	86 LEVEL CM	1677,3029 litre	70,204 %	711,8783 litre	O
180	CM	65	CM	85,5 LEVEL CM	1666,2151 litre	69,740 %	722,9661 litre	O
180	CM	65	CM	85 LEVEL CM	1655,0974 litre	69,275 %	734,0838 litre	O
180	CM	65	CM	84,5 LEVEL CM	1643,9506 litre	68,808 %	745,2306 litre	O
180	CM	65	CM	84 LEVEL CM	1632,7755 litre	68,340 %	756,4057 litre	O
180	CM	65	CM	83,5 LEVEL CM	1621,5729 litre	67,871 %	767,6083 litre	O
180	CM	65	CM	83 LEVEL CM	1610,3435 litre	67,401 %	778,8377 litre	O
180	CM	65	CM	82,5 LEVEL CM	1599,0883 litre	66,930 %	790,0929 litre	O
180	CM	65	CM	82 LEVEL CM	1587,8078 litre	66,458 %	801,3734 litre	O
180	CM	65	CM	81,5 LEVEL CM	1576,5030 litre	65,985 %	812,6782 litre	O
180	CM	65	CM	81 LEVEL CM	1565,1746 litre	65,511 %	824,0066 litre	O
180	CM	65	CM	80,5 LEVEL CM	1553,8233 litre	65,036 %	835,3579 litre	O
180	CM	65	CM	80 LEVEL CM	1542,4498 litre	64,560 %	846,7314 litre	O
180	CM	65	CM	79,5 LEVEL CM	1531,0551 litre	64,083 %	858,1261 litre	O
180	CM	65	CM	79 LEVEL CM	1519,6398 litre	63,605 %	869,5414 litre	O
180	CM	65	CM	78,5 LEVEL CM	1508,2046 litre	63,126 %	880,9766 litre	O
180	CM	65	CM	78 LEVEL CM	1496,7503 litre	62,647 %	892,4309 litre	O

180	CM	65	CM	77,5 LEVEL CM	1485,2776 litre	62,167 %	903,9036 litre	O
180	CM	65	CM	77 LEVEL CM	1473,7873 litre	61,686 %	915,3939 litre	O
180	CM	65	CM	76,5 LEVEL CM	1462,2801 litre	61,204 %	926,9011 litre	O
180	CM	65	CM	76 LEVEL CM	1450,7567 litre	60,722 %	938,4245 litre	O
180	CM	65	CM	75,5 LEVEL CM	1439,2178 litre	60,239 %	949,9634 litre	O
180	CM	65	CM	75 LEVEL CM	1427,6642 litre	59,755 %	961,5170 litre	O
180	CM	65	CM	74,5 LEVEL CM	1416,0966 litre	59,271 %	973,0846 litre	O
180	CM	65	CM	74 LEVEL CM	1404,5157 litre	58,786 %	984,6655 litre	O
180	CM	65	CM	73,5 LEVEL CM	1392,9223 litre	58,301 %	996,2589 litre	O
180	CM	65	CM	73 LEVEL CM	1381,3169 litre	57,815 %	1007,8643 litre	O
180	CM	65	CM	72,5 LEVEL CM	1369,7004 litre	57,329 %	1019,4808 litre	O
180	CM	65	CM	72 LEVEL CM	1358,0734 litre	56,843 %	1031,1078 litre	O
180	CM	65	CM	71,5 LEVEL CM	1346,4367 litre	56,356 %	1042,7445 litre	O
180	CM	65	CM	71 LEVEL CM	1334,7910 litre	55,868 %	1054,3902 litre	O
180	CM	65	CM	70,5 LEVEL CM	1323,1369 litre	55,380 %	1066,0443 litre	O
180	CM	65	CM	70 LEVEL CM	1311,4751 litre	54,892 %	1077,7061 litre	O
180	CM	65	CM	69,5 LEVEL CM	1299,8064 litre	54,404 %	1089,3748 litre	O
180	CM	65	CM	69 LEVEL CM	1288,1315 litre	53,915 %	1101,0497 litre	O
180	CM	65	CM	68,5 LEVEL CM	1276,4510 litre	53,426 %	1112,7302 litre	O
180	CM	65	CM	68 LEVEL CM	1264,7657 litre	52,937 %	1124,4155 litre	O
180	CM	65	CM	67,5 LEVEL CM	1253,0762 litre	52,448 %	1136,1050 litre	O
180	CM	65	CM	67 LEVEL CM	1241,3832 litre	51,959 %	1147,7980 litre	O
180	CM	65	CM	66,5 LEVEL CM	1229,6875 litre	51,469 %	1159,4937 litre	O
180	CM	65	CM	66 LEVEL CM	1217,9897 litre	50,979 %	1171,1915 litre	O
180	CM	65	CM	65,5 LEVEL CM	1206,2905 litre	50,490 %	1182,8907 litre	O
180	CM	65	CM	65 LEVEL CM	1194,5906 litre	50,000 %	1194,5906 litre	O
180	CM	65	CM	64,5 LEVEL CM	1182,8907 litre	49,510 %	1206,2905 litre	O
180	CM	65	CM	64 LEVEL CM	1171,1915 litre	49,021 %	1217,9897 litre	O
180	CM	65	CM	63,5 LEVEL CM	1159,4937 litre	48,531 %	1229,6875 litre	O
180	CM	65	CM	63 LEVEL CM	1147,7980 litre	48,041 %	1241,3832 litre	O
180	CM	65	CM	62,5 LEVEL CM	1136,1050 litre	47,552 %	1253,0762 litre	O
180	CM	65	CM	62 LEVEL CM	1124,4155 litre	47,063 %	1264,7657 litre	O
180	CM	65	CM	61,5 LEVEL CM	1112,7302 litre	46,574 %	1276,4510 litre	O
180	CM	65	CM	61 LEVEL CM	1101,0497 litre	46,085 %	1288,1315 litre	O
180	CM	65	CM	60,5 LEVEL CM	1089,3748 litre	45,596 %	1299,8064 litre	O
180	CM	65	CM	60 LEVEL CM	1077,7061 litre	45,108 %	1311,4751 litre	O
180	CM	65	CM	59,5 LEVEL CM	1066,0443 litre	44,620 %	1323,1369 litre	O
180	CM	65	CM	59 LEVEL CM	1054,3902 litre	44,132 %	1334,7910 litre	O
180	CM	65	CM	58,5 LEVEL CM	1042,7445 litre	43,644 %	1346,4367 litre	O
180	CM	65	CM	58 LEVEL CM	1031,1078 litre	43,157 %	1358,0734 litre	O
180	CM	65	CM	57,5 LEVEL CM	1019,4808 litre	42,671 %	1369,7004 litre	O
180	CM	65	CM	57 LEVEL CM	1007,8643 litre	42,185 %	1381,3169 litre	O
180	CM	65	CM	56,5 LEVEL CM	996,2590 litre	41,699 %	1392,9222 litre	O
180	CM	65	CM	56 LEVEL CM	984,6655 litre	41,214 %	1404,5157 litre	O
180	CM	65	CM	55,5 LEVEL CM	973,0846 litre	40,729 %	1416,0966 litre	O
180	CM	65	CM	55 LEVEL CM	961,5170 litre	40,245 %	1427,6642 litre	O
180	CM	65	CM	54,5 LEVEL CM	949,9634 litre	39,761 %	1439,2178 litre	O
180	CM	65	CM	54 LEVEL CM	938,4246 litre	39,278 %	1450,7566 litre	O
180	CM	65	CM	53,5 LEVEL CM	926,9012 litre	38,796 %	1462,2800 litre	O
180	CM	65	CM	53 LEVEL CM	915,3939 litre	38,314 %	1473,7873 litre	O
180	CM	65	CM	52,5 LEVEL CM	903,9036 litre	37,833 %	1485,2776 litre	O
180	CM	65	CM	52 LEVEL CM	892,4310 litre	37,353 %	1496,7502 litre	O
180	CM	65	CM	51,5 LEVEL CM	880,9766 litre	36,874 %	1508,2046 litre	O

180	CM	65	CM	51 LEVEL CM	869,5415 litre	36,395 %	1519,6397 litre	O
180	CM	65	CM	50,5 LEVEL CM	858,1261 litre	35,917 %	1531,0551 litre	O
180	CM	65	CM	50 LEVEL CM	846,7314 litre	35,440 %	1542,4498 litre	O
180	CM	65	CM	49,5 LEVEL CM	835,3580 litre	34,964 %	1553,8232 litre	O
180	CM	65	CM	49 LEVEL CM	824,0067 litre	34,489 %	1565,1745 litre	O
180	CM	65	CM	48,5 LEVEL CM	812,6782 litre	34,015 %	1576,5030 litre	O
180	CM	65	CM	48 LEVEL CM	801,3734 litre	33,542 %	1587,8078 litre	O
180	CM	65	CM	47,5 LEVEL CM	790,0930 litre	33,070 %	1599,0882 litre	O
180	CM	65	CM	47 LEVEL CM	778,8377 litre	32,599 %	1610,3435 litre	O
180	CM	65	CM	46,5 LEVEL CM	767,6083 litre	32,129 %	1621,5729 litre	O
180	CM	65	CM	46 LEVEL CM	756,4057 litre	31,660 %	1632,7755 litre	O
180	CM	65	CM	45,5 LEVEL CM	745,2306 litre	31,192 %	1643,9506 litre	O
180	CM	65	CM	45 LEVEL CM	734,0838 litre	30,725 %	1655,0974 litre	O
180	CM	65	CM	44,5 LEVEL CM	722,9661 litre	30,260 %	1666,2151 litre	O
180	CM	65	CM	44 LEVEL CM	711,8783 litre	29,796 %	1677,3029 litre	O
180	CM	65	CM	43,5 LEVEL CM	700,8213 litre	29,333 %	1688,3599 litre	O
180	CM	65	CM	43 LEVEL CM	689,7957 litre	28,872 %	1699,3855 litre	O
180	CM	65	CM	42,5 LEVEL CM	678,8026 litre	28,412 %	1710,3786 litre	O
180	CM	65	CM	42 LEVEL CM	667,8427 litre	27,953 %	1721,3385 litre	O
180	CM	65	CM	41,5 LEVEL CM	656,9168 litre	27,495 %	1732,2644 litre	O
180	CM	65	CM	41 LEVEL CM	646,0258 litre	27,040 %	1743,1554 litre	O
180	CM	65	CM	40,5 LEVEL CM	635,1706 litre	26,585 %	1754,0106 litre	O
180	CM	65	CM	40 LEVEL CM	624,3520 litre	26,132 %	1764,8292 litre	O
180	CM	65	CM	39,5 LEVEL CM	613,5709 litre	25,681 %	1775,6103 litre	O
180	CM	65	CM	39 LEVEL CM	602,8281 litre	25,232 %	1786,3531 litre	O
180	CM	65	CM	38,5 LEVEL CM	592,1247 litre	24,784 %	1797,0565 litre	O
180	CM	65	CM	38 LEVEL CM	581,4614 litre	24,337 %	1807,7198 litre	O
180	CM	65	CM	37,5 LEVEL CM	570,8393 litre	23,893 %	1818,3419 litre	O
180	CM	65	CM	37 LEVEL CM	560,2592 litre	23,450 %	1828,9220 litre	O
180	CM	65	CM	36,5 LEVEL CM	549,7220 litre	23,009 %	1839,4592 litre	O
180	CM	65	CM	36 LEVEL CM	539,2287 litre	22,570 %	1849,9525 litre	O
180	CM	65	CM	35,5 LEVEL CM	528,7803 litre	22,132 %	1860,4009 litre	O
180	CM	65	CM	35 LEVEL CM	518,3778 litre	21,697 %	1870,8034 litre	O
180	CM	65	CM	34,5 LEVEL CM	508,0221 litre	21,263 %	1881,1591 litre	O
180	CM	65	CM	34 LEVEL CM	497,7142 litre	20,832 %	1891,4670 litre	O
180	CM	65	CM	33,5 LEVEL CM	487,4551 litre	20,403 %	1901,7261 litre	O
180	CM	65	CM	33 LEVEL CM	477,2459 litre	19,975 %	1911,9353 litre	O
180	CM	65	CM	32,5 LEVEL CM	467,0876 litre	19,550 %	1922,0936 litre	O
180	CM	65	CM	32 LEVEL CM	456,9812 litre	19,127 %	1932,2000 litre	O
180	CM	65	CM	31,5 LEVEL CM	446,9279 litre	18,706 %	1942,2533 litre	O
180	CM	65	CM	31 LEVEL CM	436,9288 litre	18,288 %	1952,2524 litre	O
180	CM	65	CM	30,5 LEVEL CM	426,9848 litre	17,872 %	1962,1964 litre	O
180	CM	65	CM	30 LEVEL CM	417,0973 litre	17,458 %	1972,0839 litre	O
180	CM	65	CM	29,5 LEVEL CM	407,2672 litre	17,046 %	1981,9140 litre	O
180	CM	65	CM	29 LEVEL CM	397,4958 litre	16,637 %	1991,6854 litre	O
180	CM	65	CM	28,5 LEVEL CM	387,7843 litre	16,231 %	2001,3969 litre	O
180	CM	65	CM	28 LEVEL CM	378,1339 litre	15,827 %	2011,0473 litre	O
180	CM	65	CM	27,5 LEVEL CM	368,5458 litre	15,426 %	2020,6354 litre	O
180	CM	65	CM	27 LEVEL CM	359,0212 litre	15,027 %	2030,1600 litre	O
180	CM	65	CM	26,5 LEVEL CM	349,5615 litre	14,631 %	2039,6197 litre	O
180	CM	65	CM	26 LEVEL CM	340,1680 litre	14,238 %	2049,0132 litre	O
180	CM	65	CM	25,5 LEVEL CM	330,8420 litre	13,848 %	2058,3392 litre	O
180	CM	65	CM	25 LEVEL CM	321,5848 litre	13,460 %	2067,5964 litre	O

180	CM	65	CM	24,5 LEVEL CM	312,3979 litre	13,076 %	2076,7833 litre	O
180	CM	65	CM	24 LEVEL CM	303,2828 litre	12,694 %	2085,8984 litre	O
180	CM	65	CM	23,5 LEVEL CM	294,2407 litre	12,316 %	2094,9405 litre	O
180	CM	65	CM	23 LEVEL CM	285,2734 litre	11,940 %	2103,9078 litre	O
180	CM	65	CM	22,5 LEVEL CM	276,3822 litre	11,568 %	2112,7990 litre	O
180	CM	65	CM	22 LEVEL CM	267,5688 litre	11,199 %	2121,6124 litre	O
180	CM	65	CM	21,5 LEVEL CM	258,8348 litre	10,834 %	2130,3464 litre	O
180	CM	65	CM	21 LEVEL CM	250,1819 litre	10,471 %	2138,9993 litre	O
180	CM	65	CM	20,5 LEVEL CM	241,6118 litre	10,113 %	2147,5694 litre	O
180	CM	65	CM	20 LEVEL CM	233,1261 litre	9,758 %	2156,0551 litre	O
180	CM	65	CM	19,5 LEVEL CM	224,7269 litre	9,406 %	2164,4543 litre	O
180	CM	65	CM	19 LEVEL CM	216,4158 litre	9,058 %	2172,7654 litre	O
180	CM	65	CM	18,5 LEVEL CM	208,1949 litre	8,714 %	2180,9863 litre	O
180	CM	65	CM	18 LEVEL CM	200,0662 litre	8,374 %	2189,1150 litre	O
180	CM	65	CM	17,5 LEVEL CM	192,0317 litre	8,038 %	2197,1495 litre	O
180	CM	65	CM	17 LEVEL CM	184,0935 litre	7,705 %	2205,0877 litre	O
180	CM	65	CM	16,5 LEVEL CM	176,2539 litre	7,377 %	2212,9273 litre	O
180	CM	65	CM	16 LEVEL CM	168,5152 litre	7,053 %	2220,6660 litre	O
180	CM	65	CM	15,5 LEVEL CM	160,8797 litre	6,734 %	2228,3015 litre	O
180	CM	65	CM	15 LEVEL CM	153,3500 litre	6,419 %	2235,8312 litre	O
180	CM	65	CM	14,5 LEVEL CM	145,9287 litre	6,108 %	2243,2525 litre	O
180	CM	65	CM	14 LEVEL CM	138,6184 litre	5,802 %	2250,5628 litre	O
180	CM	65	CM	13,5 LEVEL CM	131,4221 litre	5,501 %	2257,7591 litre	O
180	CM	65	CM	13 LEVEL CM	124,3426 litre	5,204 %	2264,8386 litre	O
180	CM	65	CM	12,5 LEVEL CM	117,3831 litre	4,913 %	2271,7981 litre	O
180	CM	65	CM	12 LEVEL CM	110,5470 litre	4,627 %	2278,6342 litre	O
180	CM	65	CM	11,5 LEVEL CM	103,8376 litre	4,346 %	2285,3436 litre	O
180	CM	65	CM	11 LEVEL CM	97,2587 litre	4,071 %	2291,9225 litre	O
180	CM	65	CM	10,5 LEVEL CM	90,8141 litre	3,801 %	2298,3671 litre	O
180	CM	65	CM	10 LEVEL CM	84,5080 litre	3,537 %	2304,6732 litre	O
180	CM	65	CM	9,5 LEVEL CM	78,3449 litre	3,279 %	2310,8363 litre	O
180	CM	65	CM	9 LEVEL CM	72,3294 litre	3,027 %	2316,8518 litre	O
180	CM	65	CM	8,5 LEVEL CM	66,4666 litre	2,782 %	2322,7146 litre	O
180	CM	65	CM	8 LEVEL CM	60,7622 litre	2,543 %	2328,4190 litre	O
180	CM	65	CM	7,5 LEVEL CM	55,2219 litre	2,311 %	2333,9593 litre	O
180	CM	65	CM	7 LEVEL CM	49,8525 litre	2,087 %	2339,3287 litre	O
180	CM	65	CM	6,5 LEVEL CM	44,6611 litre	1,869 %	2344,5201 litre	O
180	CM	65	CM	6 LEVEL CM	39,6555 litre	1,660 %	2349,5257 litre	O
180	CM	65	CM	5,5 LEVEL CM	34,8447 litre	1,458 %	2354,3365 litre	O
180	CM	65	CM	5 LEVEL CM	30,2386 litre	1,266 %	2358,9426 litre	O
180	CM	65	CM	4,5 LEVEL CM	25,8488 litre	1,082 %	2363,3324 litre	O
180	CM	65	CM	4 LEVEL CM	21,6882 litre	0,908 %	2367,4930 litre	O
180	CM	65	CM	3,5 LEVEL CM	17,7724 litre	0,744 %	2371,4088 litre	O
180	CM	65	CM	3 LEVEL CM	14,1200 litre	0,591 %	2375,0612 litre	O
180	CM	65	CM	2,5 LEVEL CM	10,7540 litre	0,450 %	2378,4272 litre	O
180	CM	65	CM	2 LEVEL CM	7,7039 litre	0,322 %	2381,4773 litre	O
180	CM	65	CM	1,5 LEVEL CM	5,0097 litre	0,210 %	2384,1715 litre	O
180	CM	65	CM	1 LEVEL CM	2,7301 litre	0,114 %	2386,4511 litre	O
180	CM	65	CM	0,5 LEVEL CM	0,9664 litre	0,040 %	2388,2148 litre	O
180	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	2389,1812 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
180	CM	60	CM 120 LEVEL CM	2035,7520 litre	100,000 %	0,0000 litre	O
180	CM	60	CM 119,5 LEVEL CM	2034,8237 litre	99,954 %	0,9283 litre	O
180	CM	60	CM 119 LEVEL CM	2033,1296 litre	99,871 %	2,6224 litre	O
180	CM	60	CM 118,5 LEVEL CM	2030,9403 litre	99,764 %	4,8117 litre	O
180	CM	60	CM 118 LEVEL CM	2028,3532 litre	99,637 %	7,3988 litre	O
180	CM	60	CM 117,5 LEVEL CM	2025,4249 litre	99,493 %	10,3271 litre	O
180	CM	60	CM 117 LEVEL CM	2022,1939 litre	99,334 %	13,5581 litre	O
180	CM	60	CM 116,5 LEVEL CM	2018,6886 litre	99,162 %	17,0634 litre	O
180	CM	60	CM 116 LEVEL CM	2014,9311 litre	98,977 %	20,8209 litre	O
180	CM	60	CM 115,5 LEVEL CM	2010,9394 litre	98,781 %	24,8126 litre	O
180	CM	60	CM 115 LEVEL CM	2006,7284 litre	98,574 %	29,0236 litre	O
180	CM	60	CM 114,5 LEVEL CM	2002,3108 litre	98,357 %	33,4412 litre	O
180	CM	60	CM 114 LEVEL CM	1997,6977 litre	98,131 %	38,0543 litre	O
180	CM	60	CM 113,5 LEVEL CM	1992,8986 litre	97,895 %	42,8534 litre	O
180	CM	60	CM 113 LEVEL CM	1987,9222 litre	97,651 %	47,8298 litre	O
180	CM	60	CM 112,5 LEVEL CM	1982,7761 litre	97,398 %	52,9759 litre	O
180	CM	60	CM 112 LEVEL CM	1977,4673 litre	97,137 %	58,2847 litre	O
180	CM	60	CM 111,5 LEVEL CM	1972,0022 litre	96,868 %	63,7498 litre	O
180	CM	60	CM 111 LEVEL CM	1966,3864 litre	96,593 %	69,3656 litre	O
180	CM	60	CM 110,5 LEVEL CM	1960,6254 litre	96,310 %	75,1266 litre	O
180	CM	60	CM 110 LEVEL CM	1954,7240 litre	96,020 %	81,0280 litre	O
180	CM	60	CM 109,5 LEVEL CM	1948,6870 litre	95,723 %	87,0650 litre	O
180	CM	60	CM 109 LEVEL CM	1942,5186 litre	95,420 %	93,2334 litre	O
180	CM	60	CM 108,5 LEVEL CM	1936,2227 litre	95,111 %	99,5293 litre	O
180	CM	60	CM 108 LEVEL CM	1929,8033 litre	94,796 %	105,9487 litre	O
180	CM	60	CM 107,5 LEVEL CM	1923,2639 litre	94,474 %	112,4881 litre	O
180	CM	60	CM 107 LEVEL CM	1916,6078 litre	94,147 %	119,1442 litre	O
180	CM	60	CM 106,5 LEVEL CM	1909,8383 litre	93,815 %	125,9137 litre	O
180	CM	60	CM 106 LEVEL CM	1902,9585 litre	93,477 %	132,7935 litre	O
180	CM	60	CM 105,5 LEVEL CM	1895,9711 litre	93,134 %	139,7809 litre	O
180	CM	60	CM 105 LEVEL CM	1888,8790 litre	92,785 %	146,8730 litre	O
180	CM	60	CM 104,5 LEVEL CM	1881,6849 litre	92,432 %	154,0671 litre	O
180	CM	60	CM 104 LEVEL CM	1874,3913 litre	92,074 %	161,3607 litre	O
180	CM	60	CM 103,5 LEVEL CM	1867,0005 litre	91,711 %	168,7515 litre	O
180	CM	60	CM 103 LEVEL CM	1859,5150 litre	91,343 %	176,2370 litre	O
180	CM	60	CM 102,5 LEVEL CM	1851,9371 litre	90,971 %	183,8149 litre	O
180	CM	60	CM 102 LEVEL CM	1844,2688 litre	90,594 %	191,4832 litre	O
180	CM	60	CM 101,5 LEVEL CM	1836,5123 litre	90,213 %	199,2397 litre	O
180	CM	60	CM 101 LEVEL CM	1828,6696 litre	89,828 %	207,0824 litre	O
180	CM	60	CM 100,5 LEVEL CM	1820,7426 litre	89,438 %	215,0094 litre	O
180	CM	60	CM 100 LEVEL CM	1812,7333 litre	89,045 %	223,0187 litre	O
180	CM	60	CM 99,5 LEVEL CM	1804,6435 litre	88,648 %	231,1085 litre	O
180	CM	60	CM 99 LEVEL CM	1796,4750 litre	88,246 %	239,2770 litre	O
180	CM	60	CM 98,5 LEVEL CM	1788,2295 litre	87,841 %	247,5225 litre	O
180	CM	60	CM 98 LEVEL CM	1779,9087 litre	87,432 %	255,8433 litre	O
180	CM	60	CM 97,5 LEVEL CM	1771,5143 litre	87,020 %	264,2377 litre	O
180	CM	60	CM 97 LEVEL CM	1763,0478 litre	86,604 %	272,7042 litre	O
180	CM	60	CM 96,5 LEVEL CM	1754,5107 litre	86,185 %	281,2413 litre	O
180	CM	60	CM 96 LEVEL CM	1745,9047 litre	85,762 %	289,8473 litre	O
180	CM	60	CM 95,5 LEVEL CM	1737,2312 litre	85,336 %	298,5208 litre	O
180	CM	60	CM 95 LEVEL CM	1728,4917 litre	84,907 %	307,2603 litre	O
180	CM	60	CM 94,5 LEVEL CM	1719,6875 litre	84,474 %	316,0645 litre	O

180	CM	60	CM	94 LEVEL CM	1710,8200 litre	84,039 %	324,9320 litre	O
180	CM	60	CM	93,5 LEVEL CM	1701,8907 litre	83,600 %	333,8613 litre	O
180	CM	60	CM	93 LEVEL CM	1692,9007 litre	83,158 %	342,8513 litre	O
180	CM	60	CM	92,5 LEVEL CM	1683,8515 litre	82,714 %	351,9005 litre	O
180	CM	60	CM	92 LEVEL CM	1674,7443 litre	82,267 %	361,0077 litre	O
180	CM	60	CM	91,5 LEVEL CM	1665,5804 litre	81,816 %	370,1716 litre	O
180	CM	60	CM	91 LEVEL CM	1656,3609 litre	81,364 %	379,3911 litre	O
180	CM	60	CM	90,5 LEVEL CM	1647,0872 litre	80,908 %	388,6648 litre	O
180	CM	60	CM	90 LEVEL CM	1637,7603 litre	80,450 %	397,9917 litre	O
180	CM	60	CM	89,5 LEVEL CM	1628,3814 litre	79,989 %	407,3706 litre	O
180	CM	60	CM	89 LEVEL CM	1618,9517 litre	79,526 %	416,8003 litre	O
180	CM	60	CM	88,5 LEVEL CM	1609,4723 litre	79,060 %	426,2797 litre	O
180	CM	60	CM	88 LEVEL CM	1599,9444 litre	78,592 %	435,8076 litre	O
180	CM	60	CM	87,5 LEVEL CM	1590,3689 litre	78,122 %	445,3831 litre	O
180	CM	60	CM	87 LEVEL CM	1580,7471 litre	77,649 %	455,0049 litre	O
180	CM	60	CM	86,5 LEVEL CM	1571,0799 litre	77,174 %	464,6721 litre	O
180	CM	60	CM	86 LEVEL CM	1561,3684 litre	76,697 %	474,3836 litre	O
180	CM	60	CM	85,5 LEVEL CM	1551,6136 litre	76,218 %	484,1384 litre	O
180	CM	60	CM	85 LEVEL CM	1541,8165 litre	75,737 %	493,9355 litre	O
180	CM	60	CM	84,5 LEVEL CM	1531,9782 litre	75,254 %	503,7738 litre	O
180	CM	60	CM	84 LEVEL CM	1522,0997 litre	74,768 %	513,6523 litre	O
180	CM	60	CM	83,5 LEVEL CM	1512,1818 litre	74,281 %	523,5702 litre	O
180	CM	60	CM	83 LEVEL CM	1502,2257 litre	73,792 %	533,5263 litre	O
180	CM	60	CM	82,5 LEVEL CM	1492,2322 litre	73,301 %	543,5198 litre	O
180	CM	60	CM	82 LEVEL CM	1482,2022 litre	72,809 %	553,5498 litre	O
180	CM	60	CM	81,5 LEVEL CM	1472,1369 litre	72,314 %	563,6151 litre	O
180	CM	60	CM	81 LEVEL CM	1462,0369 litre	71,818 %	573,7151 litre	O
180	CM	60	CM	80,5 LEVEL CM	1451,9034 litre	71,320 %	583,8486 litre	O
180	CM	60	CM	80 LEVEL CM	1441,7371 litre	70,821 %	594,0149 litre	O
180	CM	60	CM	79,5 LEVEL CM	1431,5390 litre	70,320 %	604,2130 litre	O
180	CM	60	CM	79 LEVEL CM	1421,3100 litre	69,817 %	614,4420 litre	O
180	CM	60	CM	78,5 LEVEL CM	1411,0509 litre	69,313 %	624,7011 litre	O
180	CM	60	CM	78 LEVEL CM	1400,7626 litre	68,808 %	634,9894 litre	O
180	CM	60	CM	77,5 LEVEL CM	1390,4461 litre	68,301 %	645,3059 litre	O
180	CM	60	CM	77 LEVEL CM	1380,1021 litre	67,793 %	655,6499 litre	O
180	CM	60	CM	76,5 LEVEL CM	1369,7315 litre	67,284 %	666,0205 litre	O
180	CM	60	CM	76 LEVEL CM	1359,3352 litre	66,773 %	676,4168 litre	O
180	CM	60	CM	75,5 LEVEL CM	1348,9139 litre	66,261 %	686,8381 litre	O
180	CM	60	CM	75 LEVEL CM	1338,4687 litre	65,748 %	697,2833 litre	O
180	CM	60	CM	74,5 LEVEL CM	1328,0001 litre	65,234 %	707,7519 litre	O
180	CM	60	CM	74 LEVEL CM	1317,5092 litre	64,719 %	718,2428 litre	O
180	CM	60	CM	73,5 LEVEL CM	1306,9966 litre	64,202 %	728,7554 litre	O
180	CM	60	CM	73 LEVEL CM	1296,4633 litre	63,685 %	739,2887 litre	O
180	CM	60	CM	72,5 LEVEL CM	1285,9100 litre	63,166 %	749,8420 litre	O
180	CM	60	CM	72 LEVEL CM	1275,3375 litre	62,647 %	760,4145 litre	O
180	CM	60	CM	71,5 LEVEL CM	1264,7467 litre	62,127 %	771,0053 litre	O
180	CM	60	CM	71 LEVEL CM	1254,1382 litre	61,606 %	781,6138 litre	O
180	CM	60	CM	70,5 LEVEL CM	1243,5130 litre	61,084 %	792,2390 litre	O
180	CM	60	CM	70 LEVEL CM	1232,8718 litre	60,561 %	802,8802 litre	O
180	CM	60	CM	69,5 LEVEL CM	1222,2154 litre	60,038 %	813,5366 litre	O
180	CM	60	CM	69 LEVEL CM	1211,5445 litre	59,513 %	824,2075 litre	O
180	CM	60	CM	68,5 LEVEL CM	1200,8600 litre	58,989 %	834,8920 litre	O
180	CM	60	CM	68 LEVEL CM	1190,1626 litre	58,463 %	845,5894 litre	O

180	CM	60	CM	67,5 LEVEL CM	1179,4532 litre	57,937 %	856,2988 litre	O
180	CM	60	CM	67 LEVEL CM	1168,7323 litre	57,410 %	867,0197 litre	O
180	CM	60	CM	66,5 LEVEL CM	1158,0009 litre	56,883 %	877,7511 litre	O
180	CM	60	CM	66 LEVEL CM	1147,2597 litre	56,356 %	888,4923 litre	O
180	CM	60	CM	65,5 LEVEL CM	1136,5094 litre	55,827 %	899,2426 litre	O
180	CM	60	CM	65 LEVEL CM	1125,7509 litre	55,299 %	910,0011 litre	O
180	CM	60	CM	64,5 LEVEL CM	1114,9848 litre	54,770 %	920,7672 litre	O
180	CM	60	CM	64 LEVEL CM	1104,2120 litre	54,241 %	931,5400 litre	O
180	CM	60	CM	63,5 LEVEL CM	1093,4331 litre	53,712 %	942,3189 litre	O
180	CM	60	CM	63 LEVEL CM	1082,6490 litre	53,182 %	953,1030 litre	O
180	CM	60	CM	62,5 LEVEL CM	1071,8604 litre	52,652 %	963,8916 litre	O
180	CM	60	CM	62 LEVEL CM	1061,0680 litre	52,122 %	974,6840 litre	O
180	CM	60	CM	61,5 LEVEL CM	1050,2726 litre	51,591 %	985,4794 litre	O
180	CM	60	CM	61 LEVEL CM	1039,4750 litre	51,061 %	996,2770 litre	O
180	CM	60	CM	60,5 LEVEL CM	1028,6759 litre	50,531 %	1007,0761 litre	O
180	CM	60	CM	60 LEVEL CM	1017,8760 litre	50,000 %	1017,8760 litre	O
180	CM	60	CM	59,5 LEVEL CM	1007,0761 litre	49,469 %	1028,6759 litre	O
180	CM	60	CM	59 LEVEL CM	996,2770 litre	48,939 %	1039,4750 litre	O
180	CM	60	CM	58,5 LEVEL CM	985,4794 litre	48,409 %	1050,2726 litre	O
180	CM	60	CM	58 LEVEL CM	974,6840 litre	47,878 %	1061,0680 litre	O
180	CM	60	CM	57,5 LEVEL CM	963,8916 litre	47,348 %	1071,8604 litre	O
180	CM	60	CM	57 LEVEL CM	953,1030 litre	46,818 %	1082,6490 litre	O
180	CM	60	CM	56,5 LEVEL CM	942,3189 litre	46,288 %	1093,4331 litre	O
180	CM	60	CM	56 LEVEL CM	931,5401 litre	45,759 %	1104,2119 litre	O
180	CM	60	CM	55,5 LEVEL CM	920,7672 litre	45,230 %	1114,9848 litre	O
180	CM	60	CM	55 LEVEL CM	910,0012 litre	44,701 %	1125,7508 litre	O
180	CM	60	CM	54,5 LEVEL CM	899,2426 litre	44,173 %	1136,5094 litre	O
180	CM	60	CM	54 LEVEL CM	888,4923 litre	43,644 %	1147,2597 litre	O
180	CM	60	CM	53,5 LEVEL CM	877,7511 litre	43,117 %	1158,0009 litre	O
180	CM	60	CM	53 LEVEL CM	867,0197 litre	42,590 %	1168,7323 litre	O
180	CM	60	CM	52,5 LEVEL CM	856,2989 litre	42,063 %	1179,4531 litre	O
180	CM	60	CM	52 LEVEL CM	845,5894 litre	41,537 %	1190,1626 litre	O
180	CM	60	CM	51,5 LEVEL CM	834,8920 litre	41,011 %	1200,8600 litre	O
180	CM	60	CM	51 LEVEL CM	824,2075 litre	40,487 %	1211,5445 litre	O
180	CM	60	CM	50,5 LEVEL CM	813,5366 litre	39,962 %	1222,2154 litre	O
180	CM	60	CM	50 LEVEL CM	802,8802 litre	39,439 %	1232,8718 litre	O
180	CM	60	CM	49,5 LEVEL CM	792,2390 litre	38,916 %	1243,5130 litre	O
180	CM	60	CM	49 LEVEL CM	781,6138 litre	38,394 %	1254,1382 litre	O
180	CM	60	CM	48,5 LEVEL CM	771,0054 litre	37,873 %	1264,7466 litre	O
180	CM	60	CM	48 LEVEL CM	760,4145 litre	37,353 %	1275,3375 litre	O
180	CM	60	CM	47,5 LEVEL CM	749,8421 litre	36,834 %	1285,9099 litre	O
180	CM	60	CM	47 LEVEL CM	739,2888 litre	36,315 %	1296,4632 litre	O
180	CM	60	CM	46,5 LEVEL CM	728,7554 litre	35,798 %	1306,9966 litre	O
180	CM	60	CM	46 LEVEL CM	718,2429 litre	35,281 %	1317,5091 litre	O
180	CM	60	CM	45,5 LEVEL CM	707,7519 litre	34,766 %	1328,0001 litre	O
180	CM	60	CM	45 LEVEL CM	697,2834 litre	34,252 %	1338,4686 litre	O
180	CM	60	CM	44,5 LEVEL CM	686,8381 litre	33,739 %	1348,9139 litre	O
180	CM	60	CM	44 LEVEL CM	676,4169 litre	33,227 %	1359,3351 litre	O
180	CM	60	CM	43,5 LEVEL CM	666,0205 litre	32,716 %	1369,7315 litre	O
180	CM	60	CM	43 LEVEL CM	655,6499 litre	32,207 %	1380,1021 litre	O
180	CM	60	CM	42,5 LEVEL CM	645,3060 litre	31,699 %	1390,4460 litre	O
180	CM	60	CM	42 LEVEL CM	634,9894 litre	31,192 %	1400,7626 litre	O
180	CM	60	CM	41,5 LEVEL CM	624,7012 litre	30,687 %	1411,0508 litre	O

180	CM	60	CM	41 LEVEL CM	614,4421 litre	30,183 %	1421,3099 litre	O
180	CM	60	CM	40,5 LEVEL CM	604,2130 litre	29,680 %	1431,5390 litre	O
180	CM	60	CM	40 LEVEL CM	594,0149 litre	29,179 %	1441,7371 litre	O
180	CM	60	CM	39,5 LEVEL CM	583,8487 litre	28,680 %	1451,9033 litre	O
180	CM	60	CM	39 LEVEL CM	573,7151 litre	28,182 %	1462,0369 litre	O
180	CM	60	CM	38,5 LEVEL CM	563,6152 litre	27,686 %	1472,1368 litre	O
180	CM	60	CM	38 LEVEL CM	553,5498 litre	27,191 %	1482,2022 litre	O
180	CM	60	CM	37,5 LEVEL CM	543,5199 litre	26,699 %	1492,2321 litre	O
180	CM	60	CM	37 LEVEL CM	533,5264 litre	26,208 %	1502,2256 litre	O
180	CM	60	CM	36,5 LEVEL CM	523,5702 litre	25,719 %	1512,1818 litre	O
180	CM	60	CM	36 LEVEL CM	513,6524 litre	25,232 %	1522,0996 litre	O
180	CM	60	CM	35,5 LEVEL CM	503,7738 litre	24,746 %	1531,9782 litre	O
180	CM	60	CM	35 LEVEL CM	493,9355 litre	24,263 %	1541,8165 litre	O
180	CM	60	CM	34,5 LEVEL CM	484,1385 litre	23,782 %	1551,6135 litre	O
180	CM	60	CM	34 LEVEL CM	474,3837 litre	23,303 %	1561,3683 litre	O
180	CM	60	CM	33,5 LEVEL CM	464,6722 litre	22,826 %	1571,0798 litre	O
180	CM	60	CM	33 LEVEL CM	455,0050 litre	22,351 %	1580,7470 litre	O
180	CM	60	CM	32,5 LEVEL CM	445,3831 litre	21,878 %	1590,3689 litre	O
180	CM	60	CM	32 LEVEL CM	435,8077 litre	21,408 %	1599,9443 litre	O
180	CM	60	CM	31,5 LEVEL CM	426,2797 litre	20,940 %	1609,4723 litre	O
180	CM	60	CM	31 LEVEL CM	416,8003 litre	20,474 %	1618,9517 litre	O
180	CM	60	CM	30,5 LEVEL CM	407,3706 litre	20,011 %	1628,3814 litre	O
180	CM	60	CM	30 LEVEL CM	397,9918 litre	19,550 %	1637,7602 litre	O
180	CM	60	CM	29,5 LEVEL CM	388,6649 litre	19,092 %	1647,0871 litre	O
180	CM	60	CM	29 LEVEL CM	379,3911 litre	18,636 %	1656,3609 litre	O
180	CM	60	CM	28,5 LEVEL CM	370,1716 litre	18,184 %	1665,5804 litre	O
180	CM	60	CM	28 LEVEL CM	361,0077 litre	17,733 %	1674,7443 litre	O
180	CM	60	CM	27,5 LEVEL CM	351,9005 litre	17,286 %	1683,8515 litre	O
180	CM	60	CM	27 LEVEL CM	342,8513 litre	16,842 %	1692,9007 litre	O
180	CM	60	CM	26,5 LEVEL CM	333,8614 litre	16,400 %	1701,8906 litre	O
180	CM	60	CM	26 LEVEL CM	324,9320 litre	15,961 %	1710,8200 litre	O
180	CM	60	CM	25,5 LEVEL CM	316,0646 litre	15,526 %	1719,6874 litre	O
180	CM	60	CM	25 LEVEL CM	307,2604 litre	15,093 %	1728,4916 litre	O
180	CM	60	CM	24,5 LEVEL CM	298,5208 litre	14,664 %	1737,2312 litre	O
180	CM	60	CM	24 LEVEL CM	289,8473 litre	14,238 %	1745,9047 litre	O
180	CM	60	CM	23,5 LEVEL CM	281,2413 litre	13,815 %	1754,5107 litre	O
180	CM	60	CM	23 LEVEL CM	272,7043 litre	13,396 %	1763,0477 litre	O
180	CM	60	CM	22,5 LEVEL CM	264,2378 litre	12,980 %	1771,5142 litre	O
180	CM	60	CM	22 LEVEL CM	255,8433 litre	12,568 %	1779,9087 litre	O
180	CM	60	CM	21,5 LEVEL CM	247,5225 litre	12,159 %	1788,2295 litre	O
180	CM	60	CM	21 LEVEL CM	239,2770 litre	11,754 %	1796,4750 litre	O
180	CM	60	CM	20,5 LEVEL CM	231,1085 litre	11,352 %	1804,6435 litre	O
180	CM	60	CM	20 LEVEL CM	223,0187 litre	10,955 %	1812,7333 litre	O
180	CM	60	CM	19,5 LEVEL CM	215,0094 litre	10,562 %	1820,7426 litre	O
180	CM	60	CM	19 LEVEL CM	207,0825 litre	10,172 %	1828,6695 litre	O
180	CM	60	CM	18,5 LEVEL CM	199,2398 litre	9,787 %	1836,5122 litre	O
180	CM	60	CM	18 LEVEL CM	191,4832 litre	9,406 %	1844,2688 litre	O
180	CM	60	CM	17,5 LEVEL CM	183,8150 litre	9,029 %	1851,9370 litre	O
180	CM	60	CM	17 LEVEL CM	176,2370 litre	8,657 %	1859,5150 litre	O
180	CM	60	CM	16,5 LEVEL CM	168,7515 litre	8,289 %	1867,0005 litre	O
180	CM	60	CM	16 LEVEL CM	161,3608 litre	7,926 %	1874,3912 litre	O
180	CM	60	CM	15,5 LEVEL CM	154,0671 litre	7,568 %	1881,6849 litre	O
180	CM	60	CM	15 LEVEL CM	146,8730 litre	7,215 %	1888,8790 litre	O

180	CM	60	CM	14,5 LEVEL CM	139,7809 litre	6,866 %	1895,9711 litre	O
180	CM	60	CM	14 LEVEL CM	132,7936 litre	6,523 %	1902,9584 litre	O
180	CM	60	CM	13,5 LEVEL CM	125,9137 litre	6,185 %	1909,8383 litre	O
180	CM	60	CM	13 LEVEL CM	119,1442 litre	5,853 %	1916,6078 litre	O
180	CM	60	CM	12,5 LEVEL CM	112,4881 litre	5,526 %	1923,2639 litre	O
180	CM	60	CM	12 LEVEL CM	105,9487 litre	5,204 %	1929,8033 litre	O
180	CM	60	CM	11,5 LEVEL CM	99,5293 litre	4,889 %	1936,2227 litre	O
180	CM	60	CM	11 LEVEL CM	93,2335 litre	4,580 %	1942,5185 litre	O
180	CM	60	CM	10,5 LEVEL CM	87,0650 litre	4,277 %	1948,6870 litre	O
180	CM	60	CM	10 LEVEL CM	81,0280 litre	3,980 %	1954,7240 litre	O
180	CM	60	CM	9,5 LEVEL CM	75,1267 litre	3,690 %	1960,6253 litre	O
180	CM	60	CM	9 LEVEL CM	69,3656 litre	3,407 %	1966,3864 litre	O
180	CM	60	CM	8,5 LEVEL CM	63,7499 litre	3,132 %	1972,0021 litre	O
180	CM	60	CM	8 LEVEL CM	58,2847 litre	2,863 %	1977,4673 litre	O
180	CM	60	CM	7,5 LEVEL CM	52,9759 litre	2,602 %	1982,7761 litre	O
180	CM	60	CM	7 LEVEL CM	47,8298 litre	2,349 %	1987,9222 litre	O
180	CM	60	CM	6,5 LEVEL CM	42,8534 litre	2,105 %	1992,8986 litre	O
180	CM	60	CM	6 LEVEL CM	38,0544 litre	1,869 %	1997,6976 litre	O
180	CM	60	CM	5,5 LEVEL CM	33,4412 litre	1,643 %	2002,3108 litre	O
180	CM	60	CM	5 LEVEL CM	29,0237 litre	1,426 %	2006,7283 litre	O
180	CM	60	CM	4,5 LEVEL CM	24,8127 litre	1,219 %	2010,9393 litre	O
180	CM	60	CM	4 LEVEL CM	20,8210 litre	1,023 %	2014,9310 litre	O
180	CM	60	CM	3,5 LEVEL CM	17,0635 litre	0,838 %	2018,6885 litre	O
180	CM	60	CM	3 LEVEL CM	13,5581 litre	0,666 %	2022,1939 litre	O
180	CM	60	CM	2,5 LEVEL CM	10,3271 litre	0,507 %	2025,4249 litre	O
180	CM	60	CM	2 LEVEL CM	7,3988 litre	0,363 %	2028,3532 litre	O
180	CM	60	CM	1,5 LEVEL CM	4,8118 litre	0,236 %	2030,9402 litre	O
180	CM	60	CM	1 LEVEL CM	2,6225 litre	0,129 %	2033,1295 litre	O
180	CM	60	CM	0,5 LEVEL CM	0,9284 litre	0,046 %	2034,8236 litre	O
180	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	2035,7520 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
180	CM	55	CM 110 LEVEL CM	1710,5972 litre	100,000 %	0,0000 litre	O
180	CM	55	CM 109,5 LEVEL CM	1709,7085 litre	99,948 %	0,8887 litre	O
180	CM	55	CM 109 LEVEL CM	1708,0869 litre	99,853 %	2,5103 litre	O
180	CM	55	CM 108,5 LEVEL CM	1705,9919 litre	99,731 %	4,6053 litre	O
180	CM	55	CM 108 LEVEL CM	1703,5166 litre	99,586 %	7,0806 litre	O
180	CM	55	CM 107,5 LEVEL CM	1700,7154 litre	99,422 %	9,8818 litre	O
180	CM	55	CM 107 LEVEL CM	1697,6253 litre	99,242 %	12,9719 litre	O
180	CM	55	CM 106,5 LEVEL CM	1694,2734 litre	99,046 %	16,3238 litre	O
180	CM	55	CM 106 LEVEL CM	1690,6812 litre	98,836 %	19,9160 litre	O
180	CM	55	CM 105,5 LEVEL CM	1686,8658 litre	98,613 %	23,7314 litre	O
180	CM	55	CM 105 LEVEL CM	1682,8416 litre	98,377 %	27,7556 litre	O
180	CM	55	CM 104,5 LEVEL CM	1678,6209 litre	98,131 %	31,9763 litre	O
180	CM	55	CM 104 LEVEL CM	1674,2143 litre	97,873 %	36,3829 litre	O
180	CM	55	CM 103,5 LEVEL CM	1669,6311 litre	97,605 %	40,9661 litre	O
180	CM	55	CM 103 LEVEL CM	1664,8794 litre	97,327 %	45,7178 litre	O
180	CM	55	CM 102,5 LEVEL CM	1659,9669 litre	97,040 %	50,6303 litre	O
180	CM	55	CM 102 LEVEL CM	1654,9001 litre	96,744 %	55,6971 litre	O
180	CM	55	CM 101,5 LEVEL CM	1649,6852 litre	96,439 %	60,9120 litre	O
180	CM	55	CM 101 LEVEL CM	1644,3277 litre	96,126 %	66,2695 litre	O
180	CM	55	CM 100,5 LEVEL CM	1638,8330 litre	95,805 %	71,7642 litre	O
180	CM	55	CM 100 LEVEL CM	1633,2056 litre	95,476 %	77,3916 litre	O
180	CM	55	CM 99,5 LEVEL CM	1627,4502 litre	95,139 %	83,1470 litre	O
180	CM	55	CM 99 LEVEL CM	1621,5708 litre	94,796 %	89,0264 litre	O
180	CM	55	CM 98,5 LEVEL CM	1615,5715 litre	94,445 %	95,0257 litre	O
180	CM	55	CM 98 LEVEL CM	1609,4558 litre	94,087 %	101,1414 litre	O
180	CM	55	CM 97,5 LEVEL CM	1603,2272 litre	93,723 %	107,3700 litre	O
180	CM	55	CM 97 LEVEL CM	1596,8890 litre	93,353 %	113,7082 litre	O
180	CM	55	CM 96,5 LEVEL CM	1590,4444 litre	92,976 %	120,1528 litre	O
180	CM	55	CM 96 LEVEL CM	1583,8963 litre	92,593 %	126,7009 litre	O
180	CM	55	CM 95,5 LEVEL CM	1577,2475 litre	92,204 %	133,3497 litre	O
180	CM	55	CM 95 LEVEL CM	1570,5007 litre	91,810 %	140,0965 litre	O
180	CM	55	CM 94,5 LEVEL CM	1563,6586 litre	91,410 %	146,9386 litre	O
180	CM	55	CM 94 LEVEL CM	1556,7236 litre	91,005 %	153,8736 litre	O
180	CM	55	CM 93,5 LEVEL CM	1549,6981 litre	90,594 %	160,8991 litre	O
180	CM	55	CM 93 LEVEL CM	1542,5843 litre	90,178 %	168,0129 litre	O
180	CM	55	CM 92,5 LEVEL CM	1535,3846 litre	89,757 %	175,2126 litre	O
180	CM	55	CM 92 LEVEL CM	1528,1009 litre	89,331 %	182,4963 litre	O
180	CM	55	CM 91,5 LEVEL CM	1520,7354 litre	88,901 %	189,8618 litre	O
180	CM	55	CM 91 LEVEL CM	1513,2901 litre	88,466 %	197,3071 litre	O
180	CM	55	CM 90,5 LEVEL CM	1505,7668 litre	88,026 %	204,8304 litre	O
180	CM	55	CM 90 LEVEL CM	1498,1675 litre	87,582 %	212,4297 litre	O
180	CM	55	CM 89,5 LEVEL CM	1490,4939 litre	87,133 %	220,1033 litre	O
180	CM	55	CM 89 LEVEL CM	1482,7478 litre	86,680 %	227,8494 litre	O
180	CM	55	CM 88,5 LEVEL CM	1474,9309 litre	86,223 %	235,6663 litre	O
180	CM	55	CM 88 LEVEL CM	1467,0450 litre	85,762 %	243,5522 litre	O
180	CM	55	CM 87,5 LEVEL CM	1459,0915 litre	85,297 %	251,5057 litre	O
180	CM	55	CM 87 LEVEL CM	1451,0721 litre	84,828 %	259,5251 litre	O
180	CM	55	CM 86,5 LEVEL CM	1442,9883 litre	84,356 %	267,6089 litre	O
180	CM	55	CM 86 LEVEL CM	1434,8416 litre	83,880 %	275,7556 litre	O
180	CM	55	CM 85,5 LEVEL CM	1426,6335 litre	83,400 %	283,9637 litre	O
180	CM	55	CM 85 LEVEL CM	1418,3654 litre	82,916 %	292,2318 litre	O
180	CM	55	CM 84,5 LEVEL CM	1410,0388 litre	82,430 %	300,5584 litre	O

180	CM	55	CM	84 LEVEL CM	1401,6549 litre	81,940 %	308,9423 litre	O
180	CM	55	CM	83,5 LEVEL CM	1393,2152 litre	81,446 %	317,3820 litre	O
180	CM	55	CM	83 LEVEL CM	1384,7210 litre	80,950 %	325,8762 litre	O
180	CM	55	CM	82,5 LEVEL CM	1376,1735 litre	80,450 %	334,4237 litre	O
180	CM	55	CM	82 LEVEL CM	1367,5741 litre	79,947 %	343,0231 litre	O
180	CM	55	CM	81,5 LEVEL CM	1358,9240 litre	79,441 %	351,6732 litre	O
180	CM	55	CM	81 LEVEL CM	1350,2244 litre	78,933 %	360,3728 litre	O
180	CM	55	CM	80,5 LEVEL CM	1341,4765 litre	78,422 %	369,1207 litre	O
180	CM	55	CM	80 LEVEL CM	1332,6814 litre	77,907 %	377,9158 litre	O
180	CM	55	CM	79,5 LEVEL CM	1323,8405 litre	77,391 %	386,7567 litre	O
180	CM	55	CM	79 LEVEL CM	1314,9548 litre	76,871 %	395,6424 litre	O
180	CM	55	CM	78,5 LEVEL CM	1306,0254 litre	76,349 %	404,5718 litre	O
180	CM	55	CM	78 LEVEL CM	1297,0535 litre	75,825 %	413,5437 litre	O
180	CM	55	CM	77,5 LEVEL CM	1288,0402 litre	75,298 %	422,5570 litre	O
180	CM	55	CM	77 LEVEL CM	1278,9865 litre	74,768 %	431,6107 litre	O
180	CM	55	CM	76,5 LEVEL CM	1269,8936 litre	74,237 %	440,7036 litre	O
180	CM	55	CM	76 LEVEL CM	1260,7624 litre	73,703 %	449,8348 litre	O
180	CM	55	CM	75,5 LEVEL CM	1251,5940 litre	73,167 %	459,0032 litre	O
180	CM	55	CM	75 LEVEL CM	1242,3895 litre	72,629 %	468,2077 litre	O
180	CM	55	CM	74,5 LEVEL CM	1233,1498 litre	72,089 %	477,4474 litre	O
180	CM	55	CM	74 LEVEL CM	1223,8760 litre	71,547 %	486,7212 litre	O
180	CM	55	CM	73,5 LEVEL CM	1214,5691 litre	71,003 %	496,0281 litre	O
180	CM	55	CM	73 LEVEL CM	1205,2301 litre	70,457 %	505,3671 litre	O
180	CM	55	CM	72,5 LEVEL CM	1195,8598 litre	69,909 %	514,7374 litre	O
180	CM	55	CM	72 LEVEL CM	1186,4594 litre	69,359 %	524,1378 litre	O
180	CM	55	CM	71,5 LEVEL CM	1177,0297 litre	68,808 %	533,5675 litre	O
180	CM	55	CM	71 LEVEL CM	1167,5717 litre	68,255 %	543,0255 litre	O
180	CM	55	CM	70,5 LEVEL CM	1158,0864 litre	67,701 %	552,5108 litre	O
180	CM	55	CM	70 LEVEL CM	1148,5746 litre	67,145 %	562,0226 litre	O
180	CM	55	CM	69,5 LEVEL CM	1139,0373 litre	66,587 %	571,5599 litre	O
180	CM	55	CM	69 LEVEL CM	1129,4754 litre	66,028 %	581,1218 litre	O
180	CM	55	CM	68,5 LEVEL CM	1119,8898 litre	65,468 %	590,7074 litre	O
180	CM	55	CM	68 LEVEL CM	1110,2814 litre	64,906 %	600,3158 litre	O
180	CM	55	CM	67,5 LEVEL CM	1100,6511 litre	64,343 %	609,9461 litre	O
180	CM	55	CM	67 LEVEL CM	1090,9998 litre	63,779 %	619,5974 litre	O
180	CM	55	CM	66,5 LEVEL CM	1081,3284 litre	63,214 %	629,2688 litre	O
180	CM	55	CM	66 LEVEL CM	1071,6378 litre	62,647 %	638,9594 litre	O
180	CM	55	CM	65,5 LEVEL CM	1061,9287 litre	62,079 %	648,6685 litre	O
180	CM	55	CM	65 LEVEL CM	1052,2022 litre	61,511 %	658,3950 litre	O
180	CM	55	CM	64,5 LEVEL CM	1042,4591 litre	60,941 %	668,1381 litre	O
180	CM	55	CM	64 LEVEL CM	1032,7001 litre	60,371 %	677,8971 litre	O
180	CM	55	CM	63,5 LEVEL CM	1022,9262 litre	59,799 %	687,6710 litre	O
180	CM	55	CM	63 LEVEL CM	1013,1383 litre	59,227 %	697,4589 litre	O
180	CM	55	CM	62,5 LEVEL CM	1003,3371 litre	58,654 %	707,2601 litre	O
180	CM	55	CM	62 LEVEL CM	993,5235 litre	58,081 %	717,0737 litre	O
180	CM	55	CM	61,5 LEVEL CM	983,6984 litre	57,506 %	726,8988 litre	O
180	CM	55	CM	61 LEVEL CM	973,8625 litre	56,931 %	736,7347 litre	O
180	CM	55	CM	60,5 LEVEL CM	964,0168 litre	56,356 %	746,5804 litre	O
180	CM	55	CM	60 LEVEL CM	954,1621 litre	55,779 %	756,4351 litre	O
180	CM	55	CM	59,5 LEVEL CM	944,2991 litre	55,203 %	766,2981 litre	O
180	CM	55	CM	59 LEVEL CM	934,4287 litre	54,626 %	776,1685 litre	O
180	CM	55	CM	58,5 LEVEL CM	924,5518 litre	54,048 %	786,0454 litre	O
180	CM	55	CM	58 LEVEL CM	914,6691 litre	53,471 %	795,9281 litre	O

180	CM	55	CM	57,5 LEVEL CM	904,7815 litre	52,893 %	805,8157 litre	O
180	CM	55	CM	57 LEVEL CM	894,8899 litre	52,314 %	815,7073 litre	O
180	CM	55	CM	56,5 LEVEL CM	884,9949 litre	51,736 %	825,6023 litre	O
180	CM	55	CM	56 LEVEL CM	875,0975 litre	51,157 %	835,4997 litre	O
180	CM	55	CM	55,5 LEVEL CM	865,1985 litre	50,579 %	845,3987 litre	O
180	CM	55	CM	55 LEVEL CM	855,2986 litre	50,000 %	855,2986 litre	O
180	CM	55	CM	54,5 LEVEL CM	845,3987 litre	49,421 %	865,1985 litre	O
180	CM	55	CM	54 LEVEL CM	835,4997 litre	48,843 %	875,0975 litre	O
180	CM	55	CM	53,5 LEVEL CM	825,6023 litre	48,264 %	884,9949 litre	O
180	CM	55	CM	53 LEVEL CM	815,7073 litre	47,686 %	894,8899 litre	O
180	CM	55	CM	52,5 LEVEL CM	805,8157 litre	47,107 %	904,7815 litre	O
180	CM	55	CM	52 LEVEL CM	795,9281 litre	46,529 %	914,6691 litre	O
180	CM	55	CM	51,5 LEVEL CM	786,0454 litre	45,952 %	924,5518 litre	O
180	CM	55	CM	51 LEVEL CM	776,1685 litre	45,374 %	934,4287 litre	O
180	CM	55	CM	50,5 LEVEL CM	766,2981 litre	44,797 %	944,2991 litre	O
180	CM	55	CM	50 LEVEL CM	756,4351 litre	44,221 %	954,1621 litre	O
180	CM	55	CM	49,5 LEVEL CM	746,5804 litre	43,644 %	964,0168 litre	O
180	CM	55	CM	49 LEVEL CM	736,7347 litre	43,069 %	973,8625 litre	O
180	CM	55	CM	48,5 LEVEL CM	726,8988 litre	42,494 %	983,6984 litre	O
180	CM	55	CM	48 LEVEL CM	717,0737 litre	41,919 %	993,5235 litre	O
180	CM	55	CM	47,5 LEVEL CM	707,2601 litre	41,346 %	1003,3371 litre	O
180	CM	55	CM	47 LEVEL CM	697,4589 litre	40,773 %	1013,1383 litre	O
180	CM	55	CM	46,5 LEVEL CM	687,6710 litre	40,201 %	1022,9262 litre	O
180	CM	55	CM	46 LEVEL CM	677,8971 litre	39,629 %	1032,7001 litre	O
180	CM	55	CM	45,5 LEVEL CM	668,1381 litre	39,059 %	1042,4591 litre	O
180	CM	55	CM	45 LEVEL CM	658,3950 litre	38,489 %	1052,2022 litre	O
180	CM	55	CM	44,5 LEVEL CM	648,6685 litre	37,921 %	1061,9287 litre	O
180	CM	55	CM	44 LEVEL CM	638,9594 litre	37,353 %	1071,6378 litre	O
180	CM	55	CM	43,5 LEVEL CM	629,2688 litre	36,786 %	1081,3284 litre	O
180	CM	55	CM	43 LEVEL CM	619,5974 litre	36,221 %	1090,9998 litre	O
180	CM	55	CM	42,5 LEVEL CM	609,9461 litre	35,657 %	1100,6511 litre	O
180	CM	55	CM	42 LEVEL CM	600,3158 litre	35,094 %	1110,2814 litre	O
180	CM	55	CM	41,5 LEVEL CM	590,7074 litre	34,532 %	1119,8898 litre	O
180	CM	55	CM	41 LEVEL CM	581,1218 litre	33,972 %	1129,4754 litre	O
180	CM	55	CM	40,5 LEVEL CM	571,5599 litre	33,413 %	1139,0373 litre	O
180	CM	55	CM	40 LEVEL CM	562,0226 litre	32,855 %	1148,5746 litre	O
180	CM	55	CM	39,5 LEVEL CM	552,5108 litre	32,299 %	1158,0864 litre	O
180	CM	55	CM	39 LEVEL CM	543,0255 litre	31,745 %	1167,5717 litre	O
180	CM	55	CM	38,5 LEVEL CM	533,5675 litre	31,192 %	1177,0297 litre	O
180	CM	55	CM	38 LEVEL CM	524,1378 litre	30,641 %	1186,4594 litre	O
180	CM	55	CM	37,5 LEVEL CM	514,7374 litre	30,091 %	1195,8598 litre	O
180	CM	55	CM	37 LEVEL CM	505,3671 litre	29,543 %	1205,2301 litre	O
180	CM	55	CM	36,5 LEVEL CM	496,0281 litre	28,997 %	1214,5691 litre	O
180	CM	55	CM	36 LEVEL CM	486,7212 litre	28,453 %	1223,8760 litre	O
180	CM	55	CM	35,5 LEVEL CM	477,4474 litre	27,911 %	1233,1498 litre	O
180	CM	55	CM	35 LEVEL CM	468,2077 litre	27,371 %	1242,3895 litre	O
180	CM	55	CM	34,5 LEVEL CM	459,0032 litre	26,833 %	1251,5940 litre	O
180	CM	55	CM	34 LEVEL CM	449,8348 litre	26,297 %	1260,7624 litre	O
180	CM	55	CM	33,5 LEVEL CM	440,7036 litre	25,763 %	1269,8936 litre	O
180	CM	55	CM	33 LEVEL CM	431,6107 litre	25,232 %	1278,9865 litre	O
180	CM	55	CM	32,5 LEVEL CM	422,5570 litre	24,702 %	1288,0402 litre	O
180	CM	55	CM	32 LEVEL CM	413,5437 litre	24,175 %	1297,0535 litre	O
180	CM	55	CM	31,5 LEVEL CM	404,5718 litre	23,651 %	1306,0254 litre	O

180	CM 55	CM	31 LEVEL CM	395,6424 litre	23,129 %	1314,9548 litre	O
180	CM 55	CM	30,5 LEVEL CM	386,7567 litre	22,609 %	1323,8405 litre	O
180	CM 55	CM	30 LEVEL CM	377,9158 litre	22,093 %	1332,6814 litre	O
180	CM 55	CM	29,5 LEVEL CM	369,1207 litre	21,578 %	1341,4765 litre	O
180	CM 55	CM	29 LEVEL CM	360,3728 litre	21,067 %	1350,2244 litre	O
180	CM 55	CM	28,5 LEVEL CM	351,6732 litre	20,559 %	1358,9240 litre	O
180	CM 55	CM	28 LEVEL CM	343,0231 litre	20,053 %	1367,5741 litre	O
180	CM 55	CM	27,5 LEVEL CM	334,4237 litre	19,550 %	1376,1735 litre	O
180	CM 55	CM	27 LEVEL CM	325,8762 litre	19,050 %	1384,7210 litre	O
180	CM 55	CM	26,5 LEVEL CM	317,3820 litre	18,554 %	1393,2152 litre	O
180	CM 55	CM	26 LEVEL CM	308,9423 litre	18,060 %	1401,6549 litre	O
180	CM 55	CM	25,5 LEVEL CM	300,5584 litre	17,570 %	1410,0388 litre	O
180	CM 55	CM	25 LEVEL CM	292,2318 litre	17,084 %	1418,3654 litre	O
180	CM 55	CM	24,5 LEVEL CM	283,9637 litre	16,600 %	1426,6335 litre	O
180	CM 55	CM	24 LEVEL CM	275,7556 litre	16,120 %	1434,8416 litre	O
180	CM 55	CM	23,5 LEVEL CM	267,6089 litre	15,644 %	1442,9883 litre	O
180	CM 55	CM	23 LEVEL CM	259,5251 litre	15,172 %	1451,0721 litre	O
180	CM 55	CM	22,5 LEVEL CM	251,5057 litre	14,703 %	1459,0915 litre	O
180	CM 55	CM	22 LEVEL CM	243,5522 litre	14,238 %	1467,0450 litre	O
180	CM 55	CM	21,5 LEVEL CM	235,6663 litre	13,777 %	1474,9309 litre	O
180	CM 55	CM	21 LEVEL CM	227,8494 litre	13,320 %	1482,7478 litre	O
180	CM 55	CM	20,5 LEVEL CM	220,1033 litre	12,867 %	1490,4939 litre	O
180	CM 55	CM	20 LEVEL CM	212,4297 litre	12,418 %	1498,1675 litre	O
180	CM 55	CM	19,5 LEVEL CM	204,8304 litre	11,974 %	1505,7668 litre	O
180	CM 55	CM	19 LEVEL CM	197,3071 litre	11,534 %	1513,2901 litre	O
180	CM 55	CM	18,5 LEVEL CM	189,8618 litre	11,099 %	1520,7354 litre	O
180	CM 55	CM	18 LEVEL CM	182,4963 litre	10,669 %	1528,1009 litre	O
180	CM 55	CM	17,5 LEVEL CM	175,2126 litre	10,243 %	1535,3846 litre	O
180	CM 55	CM	17 LEVEL CM	168,0129 litre	9,822 %	1542,5843 litre	O
180	CM 55	CM	16,5 LEVEL CM	160,8991 litre	9,406 %	1549,6981 litre	O
180	CM 55	CM	16 LEVEL CM	153,8736 litre	8,995 %	1556,7236 litre	O
180	CM 55	CM	15,5 LEVEL CM	146,9386 litre	8,590 %	1563,6586 litre	O
180	CM 55	CM	15 LEVEL CM	140,0965 litre	8,190 %	1570,5007 litre	O
180	CM 55	CM	14,5 LEVEL CM	133,3497 litre	7,796 %	1577,2475 litre	O
180	CM 55	CM	14 LEVEL CM	126,7009 litre	7,407 %	1583,8963 litre	O
180	CM 55	CM	13,5 LEVEL CM	120,1528 litre	7,024 %	1590,4444 litre	O
180	CM 55	CM	13 LEVEL CM	113,7082 litre	6,647 %	1596,8890 litre	O
180	CM 55	CM	12,5 LEVEL CM	107,3700 litre	6,277 %	1603,2272 litre	O
180	CM 55	CM	12 LEVEL CM	101,1414 litre	5,913 %	1609,4558 litre	O
180	CM 55	CM	11,5 LEVEL CM	95,0257 litre	5,555 %	1615,5715 litre	O
180	CM 55	CM	11 LEVEL CM	89,0264 litre	5,204 %	1621,5708 litre	O
180	CM 55	CM	10,5 LEVEL CM	83,1470 litre	4,861 %	1627,4502 litre	O
180	CM 55	CM	10 LEVEL CM	77,3916 litre	4,524 %	1633,2056 litre	O
180	CM 55	CM	9,5 LEVEL CM	71,7642 litre	4,195 %	1638,8330 litre	O
180	CM 55	CM	9 LEVEL CM	66,2695 litre	3,874 %	1644,3277 litre	O
180	CM 55	CM	8,5 LEVEL CM	60,9120 litre	3,561 %	1649,6852 litre	O
180	CM 55	CM	8 LEVEL CM	55,6971 litre	3,256 %	1654,9001 litre	O
180	CM 55	CM	7,5 LEVEL CM	50,6303 litre	2,960 %	1659,9669 litre	O
180	CM 55	CM	7 LEVEL CM	45,7178 litre	2,673 %	1664,8794 litre	O
180	CM 55	CM	6,5 LEVEL CM	40,9661 litre	2,395 %	1669,6311 litre	O
180	CM 55	CM	6 LEVEL CM	36,3829 litre	2,127 %	1674,2143 litre	O
180	CM 55	CM	5,5 LEVEL CM	31,9763 litre	1,869 %	1678,6209 litre	O
180	CM 55	CM	5 LEVEL CM	27,7556 litre	1,623 %	1682,8416 litre	O

180	CM	55	CM	4,5 LEVEL CM	23,7314 litre	1,387 %	1686,8658 litre	O
180	CM	55	CM	4 LEVEL CM	19,9160 litre	1,164 %	1690,6812 litre	O
180	CM	55	CM	3,5 LEVEL CM	16,3238 litre	0,954 %	1694,2734 litre	O
180	CM	55	CM	3 LEVEL CM	12,9719 litre	0,758 %	1697,6253 litre	O
180	CM	55	CM	2,5 LEVEL CM	9,8818 litre	0,578 %	1700,7154 litre	O
180	CM	55	CM	2 LEVEL CM	7,0806 litre	0,414 %	1703,5166 litre	O
180	CM	55	CM	1,5 LEVEL CM	4,6053 litre	0,269 %	1705,9919 litre	O
180	CM	55	CM	1 LEVEL CM	2,5103 litre	0,147 %	1708,0869 litre	O
180	CM	55	CM	0,5 LEVEL CM	0,8887 litre	0,052 %	1709,7085 litre	O
180	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	1710,5972 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
180	CM	50	CM	100 LEVEL CM	1413,7167 litre	100,000 %	0,0000 litre	O
180	CM	50	CM	99,5 LEVEL CM	1412,8694 litre	99,940 %	0,8473 litre	O
180	CM	50	CM	99 LEVEL CM	1411,3239 litre	99,831 %	2,3928 litre	O
180	CM	50	CM	98,5 LEVEL CM	1409,3275 litre	99,690 %	4,3892 litre	O
180	CM	50	CM	98 LEVEL CM	1406,9693 litre	99,523 %	6,7474 litre	O
180	CM	50	CM	97,5 LEVEL CM	1404,3013 litre	99,334 %	9,4154 litre	O
180	CM	50	CM	97 LEVEL CM	1401,3588 litre	99,126 %	12,3579 litre	O
180	CM	50	CM	96,5 LEVEL CM	1398,1678 litre	98,900 %	15,5489 litre	O
180	CM	50	CM	96 LEVEL CM	1394,7488 litre	98,658 %	18,9679 litre	O
180	CM	50	CM	95,5 LEVEL CM	1391,1183 litre	98,401 %	22,5984 litre	O
180	CM	50	CM	95 LEVEL CM	1387,2900 litre	98,131 %	26,4267 litre	O
180	CM	50	CM	94,5 LEVEL CM	1383,2759 litre	97,847 %	30,4408 litre	O
180	CM	50	CM	94 LEVEL CM	1379,0859 litre	97,550 %	34,6308 litre	O
180	CM	50	CM	93,5 LEVEL CM	1374,7291 litre	97,242 %	38,9876 litre	O
180	CM	50	CM	93 LEVEL CM	1370,2135 litre	96,923 %	43,5032 litre	O
180	CM	50	CM	92,5 LEVEL CM	1365,5461 litre	96,593 %	48,1706 litre	O
180	CM	50	CM	92 LEVEL CM	1360,7335 litre	96,252 %	52,9832 litre	O
180	CM	50	CM	91,5 LEVEL CM	1355,7814 litre	95,902 %	57,9353 litre	O
180	CM	50	CM	91 LEVEL CM	1350,6954 litre	95,542 %	63,0213 litre	O
180	CM	50	CM	90,5 LEVEL CM	1345,4805 litre	95,173 %	68,2362 litre	O
180	CM	50	CM	90 LEVEL CM	1340,1412 litre	94,796 %	73,5755 litre	O
180	CM	50	CM	89,5 LEVEL CM	1334,6819 litre	94,409 %	79,0348 litre	O
180	CM	50	CM	89 LEVEL CM	1329,1066 litre	94,015 %	84,6101 litre	O
180	CM	50	CM	88,5 LEVEL CM	1323,4191 litre	93,613 %	90,2976 litre	O
180	CM	50	CM	88 LEVEL CM	1317,6229 litre	93,203 %	96,0938 litre	O
180	CM	50	CM	87,5 LEVEL CM	1311,7215 litre	92,785 %	101,9952 litre	O
180	CM	50	CM	87 LEVEL CM	1305,7181 litre	92,361 %	107,9986 litre	O
180	CM	50	CM	86,5 LEVEL CM	1299,6156 litre	91,929 %	114,1011 litre	O
180	CM	50	CM	86 LEVEL CM	1293,4170 litre	91,491 %	120,2997 litre	O
180	CM	50	CM	85,5 LEVEL CM	1287,1250 litre	91,045 %	126,5917 litre	O
180	CM	50	CM	85 LEVEL CM	1280,7422 litre	90,594 %	132,9745 litre	O
180	CM	50	CM	84,5 LEVEL CM	1274,2712 litre	90,136 %	139,4455 litre	O
180	CM	50	CM	84 LEVEL CM	1267,7144 litre	89,672 %	146,0023 litre	O
180	CM	50	CM	83,5 LEVEL CM	1261,0742 litre	89,203 %	152,6425 litre	O
180	CM	50	CM	83 LEVEL CM	1254,3527 litre	88,727 %	159,3640 litre	O
180	CM	50	CM	82,5 LEVEL CM	1247,5521 litre	88,246 %	166,1646 litre	O
180	CM	50	CM	82 LEVEL CM	1240,6745 litre	87,760 %	173,0422 litre	O
180	CM	50	CM	81,5 LEVEL CM	1233,7220 litre	87,268 %	179,9947 litre	O
180	CM	50	CM	81 LEVEL CM	1226,6965 litre	86,771 %	187,0202 litre	O
180	CM	50	CM	80,5 LEVEL CM	1219,5998 litre	86,269 %	194,1169 litre	O
180	CM	50	CM	80 LEVEL CM	1212,4338 litre	85,762 %	201,2829 litre	O
180	CM	50	CM	79,5 LEVEL CM	1205,2004 litre	85,250 %	208,5163 litre	O
180	CM	50	CM	79 LEVEL CM	1197,9012 litre	84,734 %	215,8155 litre	O
180	CM	50	CM	78,5 LEVEL CM	1190,5378 litre	84,213 %	223,1789 litre	O
180	CM	50	CM	78 LEVEL CM	1183,1121 litre	83,688 %	230,6046 litre	O
180	CM	50	CM	77,5 LEVEL CM	1175,6255 litre	83,158 %	238,0912 litre	O
180	CM	50	CM	77 LEVEL CM	1168,0796 litre	82,625 %	245,6371 litre	O
180	CM	50	CM	76,5 LEVEL CM	1160,4760 litre	82,087 %	253,2407 litre	O
180	CM	50	CM	76 LEVEL CM	1152,8162 litre	81,545 %	260,9005 litre	O
180	CM	50	CM	75,5 LEVEL CM	1145,1015 litre	80,999 %	268,6152 litre	O
180	CM	50	CM	75 LEVEL CM	1137,3335 litre	80,450 %	276,3832 litre	O
180	CM	50	CM	74,5 LEVEL CM	1129,5135 litre	79,897 %	284,2032 litre	O

180	CM	50	CM	74 LEVEL CM	1121,6430 litre	79,340 %	292,0737 litre	O
180	CM	50	CM	73,5 LEVEL CM	1113,7231 litre	78,780 %	299,9936 litre	O
180	CM	50	CM	73 LEVEL CM	1105,7554 litre	78,216 %	307,9613 litre	O
180	CM	50	CM	72,5 LEVEL CM	1097,7410 litre	77,649 %	315,9757 litre	O
180	CM	50	CM	72 LEVEL CM	1089,6813 litre	77,079 %	324,0354 litre	O
180	CM	50	CM	71,5 LEVEL CM	1081,5775 litre	76,506 %	332,1392 litre	O
180	CM	50	CM	71 LEVEL CM	1073,4308 litre	75,930 %	340,2859 litre	O
180	CM	50	CM	70,5 LEVEL CM	1065,2425 litre	75,350 %	348,4742 litre	O
180	CM	50	CM	70 LEVEL CM	1057,0137 litre	74,768 %	356,7030 litre	O
180	CM	50	CM	69,5 LEVEL CM	1048,7456 litre	74,184 %	364,9711 litre	O
180	CM	50	CM	69 LEVEL CM	1040,4394 litre	73,596 %	373,2773 litre	O
180	CM	50	CM	68,5 LEVEL CM	1032,0962 litre	73,006 %	381,6205 litre	O
180	CM	50	CM	68 LEVEL CM	1023,7172 litre	72,413 %	389,9995 litre	O
180	CM	50	CM	67,5 LEVEL CM	1015,3034 litre	71,818 %	398,4133 litre	O
180	CM	50	CM	67 LEVEL CM	1006,8560 litre	71,220 %	406,8607 litre	O
180	CM	50	CM	66,5 LEVEL CM	998,3761 litre	70,621 %	415,3406 litre	O
180	CM	50	CM	66 LEVEL CM	989,8647 litre	70,019 %	423,8520 litre	O
180	CM	50	CM	65,5 LEVEL CM	981,3230 litre	69,414 %	432,3937 litre	O
180	CM	50	CM	65 LEVEL CM	972,7518 litre	68,808 %	440,9649 litre	O
180	CM	50	CM	64,5 LEVEL CM	964,1524 litre	68,200 %	449,5643 litre	O
180	CM	50	CM	64 LEVEL CM	955,5257 litre	67,590 %	458,1910 litre	O
180	CM	50	CM	63,5 LEVEL CM	946,8727 litre	66,978 %	466,8440 litre	O
180	CM	50	CM	63 LEVEL CM	938,1945 litre	66,364 %	475,5222 litre	O
180	CM	50	CM	62,5 LEVEL CM	929,4921 litre	65,748 %	484,2246 litre	O
180	CM	50	CM	62 LEVEL CM	920,7665 litre	65,131 %	492,9502 litre	O
180	CM	50	CM	61,5 LEVEL CM	912,0185 litre	64,512 %	501,6982 litre	O
180	CM	50	CM	61 LEVEL CM	903,2493 litre	63,892 %	510,4674 litre	O
180	CM	50	CM	60,5 LEVEL CM	894,4599 litre	63,270 %	519,2568 litre	O
180	CM	50	CM	60 LEVEL CM	885,6510 litre	62,647 %	528,0657 litre	O
180	CM	50	CM	59,5 LEVEL CM	876,8239 litre	62,023 %	536,8928 litre	O
180	CM	50	CM	59 LEVEL CM	867,9792 litre	61,397 %	545,7375 litre	O
180	CM	50	CM	58,5 LEVEL CM	859,1182 litre	60,770 %	554,5985 litre	O
180	CM	50	CM	58 LEVEL CM	850,2416 litre	60,142 %	563,4751 litre	O
180	CM	50	CM	57,5 LEVEL CM	841,3504 litre	59,513 %	572,3663 litre	O
180	CM	50	CM	57 LEVEL CM	832,4455 litre	58,883 %	581,2712 litre	O
180	CM	50	CM	56,5 LEVEL CM	823,5280 litre	58,253 %	590,1887 litre	O
180	CM	50	CM	56 LEVEL CM	814,5986 litre	57,621 %	599,1181 litre	O
180	CM	50	CM	55,5 LEVEL CM	805,6583 litre	56,989 %	608,0584 litre	O
180	CM	50	CM	55 LEVEL CM	796,7081 litre	56,356 %	617,0086 litre	O
180	CM	50	CM	54,5 LEVEL CM	787,7489 litre	55,722 %	625,9678 litre	O
180	CM	50	CM	54 LEVEL CM	778,7815 litre	55,088 %	634,9352 litre	O
180	CM	50	CM	53,5 LEVEL CM	769,8069 litre	54,453 %	643,9098 litre	O
180	CM	50	CM	53 LEVEL CM	760,8259 litre	53,817 %	652,8908 litre	O
180	CM	50	CM	52,5 LEVEL CM	751,8396 litre	53,182 %	661,8771 litre	O
180	CM	50	CM	52 LEVEL CM	742,8487 litre	52,546 %	670,8680 litre	O
180	CM	50	CM	51,5 LEVEL CM	733,8543 litre	51,910 %	679,8624 litre	O
180	CM	50	CM	51 LEVEL CM	724,8571 litre	51,273 %	688,8596 litre	O
180	CM	50	CM	50,5 LEVEL CM	715,8582 litre	50,637 %	697,8585 litre	O
180	CM	50	CM	50 LEVEL CM	706,8583 litre	50,000 %	706,8584 litre	O
180	CM	50	CM	49,5 LEVEL CM	697,8585 litre	49,363 %	715,8582 litre	O
180	CM	50	CM	49 LEVEL CM	688,8595 litre	48,727 %	724,8572 litre	O
180	CM	50	CM	48,5 LEVEL CM	679,8624 litre	48,090 %	733,8543 litre	O
180	CM	50	CM	48 LEVEL CM	670,8679 litre	47,454 %	742,8488 litre	O

180	CM	50	CM	47,5 LEVEL CM	661,8771 litre	46,818 %	751,8396 litre	O
180	CM	50	CM	47 LEVEL CM	652,8908 litre	46,183 %	760,8259 litre	O
180	CM	50	CM	46,5 LEVEL CM	643,9098 litre	45,547 %	769,8069 litre	O
180	CM	50	CM	46 LEVEL CM	634,9352 litre	44,912 %	778,7815 litre	O
180	CM	50	CM	45,5 LEVEL CM	625,9678 litre	44,278 %	787,7489 litre	O
180	CM	50	CM	45 LEVEL CM	617,0086 litre	43,644 %	796,7081 litre	O
180	CM	50	CM	44,5 LEVEL CM	608,0584 litre	43,011 %	805,6583 litre	O
180	CM	50	CM	44 LEVEL CM	599,1181 litre	42,379 %	814,5986 litre	O
180	CM	50	CM	43,5 LEVEL CM	590,1887 litre	41,747 %	823,5280 litre	O
180	CM	50	CM	43 LEVEL CM	581,2712 litre	41,117 %	832,4455 litre	O
180	CM	50	CM	42,5 LEVEL CM	572,3663 litre	40,487 %	841,3504 litre	O
180	CM	50	CM	42 LEVEL CM	563,4751 litre	39,858 %	850,2416 litre	O
180	CM	50	CM	41,5 LEVEL CM	554,5985 litre	39,230 %	859,1182 litre	O
180	CM	50	CM	41 LEVEL CM	545,7374 litre	38,603 %	867,9793 litre	O
180	CM	50	CM	40,5 LEVEL CM	536,8928 litre	37,977 %	876,8239 litre	O
180	CM	50	CM	40 LEVEL CM	528,0657 litre	37,353 %	885,6510 litre	O
180	CM	50	CM	39,5 LEVEL CM	519,2568 litre	36,730 %	894,4599 litre	O
180	CM	50	CM	39 LEVEL CM	510,4673 litre	36,108 %	903,2494 litre	O
180	CM	50	CM	38,5 LEVEL CM	501,6982 litre	35,488 %	912,0185 litre	O
180	CM	50	CM	38 LEVEL CM	492,9502 litre	34,869 %	920,7665 litre	O
180	CM	50	CM	37,5 LEVEL CM	484,2246 litre	34,252 %	929,4921 litre	O
180	CM	50	CM	37 LEVEL CM	475,5221 litre	33,636 %	938,1946 litre	O
180	CM	50	CM	36,5 LEVEL CM	466,8440 litre	33,022 %	946,8727 litre	O
180	CM	50	CM	36 LEVEL CM	458,1910 litre	32,410 %	955,5257 litre	O
180	CM	50	CM	35,5 LEVEL CM	449,5643 litre	31,800 %	964,1524 litre	O
180	CM	50	CM	35 LEVEL CM	440,9649 litre	31,192 %	972,7518 litre	O
180	CM	50	CM	34,5 LEVEL CM	432,3937 litre	30,586 %	981,3230 litre	O
180	CM	50	CM	34 LEVEL CM	423,8520 litre	29,981 %	989,8647 litre	O
180	CM	50	CM	33,5 LEVEL CM	415,3406 litre	29,379 %	998,3761 litre	O
180	CM	50	CM	33 LEVEL CM	406,8607 litre	28,780 %	1006,8560 litre	O
180	CM	50	CM	32,5 LEVEL CM	398,4133 litre	28,182 %	1015,3034 litre	O
180	CM	50	CM	32 LEVEL CM	389,9995 litre	27,587 %	1023,7172 litre	O
180	CM	50	CM	31,5 LEVEL CM	381,6205 litre	26,994 %	1032,0962 litre	O
180	CM	50	CM	31 LEVEL CM	373,2773 litre	26,404 %	1040,4394 litre	O
180	CM	50	CM	30,5 LEVEL CM	364,9711 litre	25,816 %	1048,7456 litre	O
180	CM	50	CM	30 LEVEL CM	356,7030 litre	25,232 %	1057,0137 litre	O
180	CM	50	CM	29,5 LEVEL CM	348,4742 litre	24,650 %	1065,2425 litre	O
180	CM	50	CM	29 LEVEL CM	340,2859 litre	24,070 %	1073,4308 litre	O
180	CM	50	CM	28,5 LEVEL CM	332,1392 litre	23,494 %	1081,5775 litre	O
180	CM	50	CM	28 LEVEL CM	324,0354 litre	22,921 %	1089,6813 litre	O
180	CM	50	CM	27,5 LEVEL CM	315,9757 litre	22,351 %	1097,7410 litre	O
180	CM	50	CM	27 LEVEL CM	307,9613 litre	21,784 %	1105,7554 litre	O
180	CM	50	CM	26,5 LEVEL CM	299,9936 litre	21,220 %	1113,7231 litre	O
180	CM	50	CM	26 LEVEL CM	292,0737 litre	20,660 %	1121,6430 litre	O
180	CM	50	CM	25,5 LEVEL CM	284,2032 litre	20,103 %	1129,5135 litre	O
180	CM	50	CM	25 LEVEL CM	276,3832 litre	19,550 %	1137,3335 litre	O
180	CM	50	CM	24,5 LEVEL CM	268,6152 litre	19,001 %	1145,1015 litre	O
180	CM	50	CM	24 LEVEL CM	260,9005 litre	18,455 %	1152,8162 litre	O
180	CM	50	CM	23,5 LEVEL CM	253,2407 litre	17,913 %	1160,4760 litre	O
180	CM	50	CM	23 LEVEL CM	245,6370 litre	17,375 %	1168,0797 litre	O
180	CM	50	CM	22,5 LEVEL CM	238,0912 litre	16,842 %	1175,6255 litre	O
180	CM	50	CM	22 LEVEL CM	230,6046 litre	16,312 %	1183,1121 litre	O
180	CM	50	CM	21,5 LEVEL CM	223,1788 litre	15,787 %	1190,5379 litre	O

180	CM	50	CM	21 LEVEL CM	215,8155 litre	15,266 %	1197,9012 litre	O
180	CM	50	CM	20,5 LEVEL CM	208,5163 litre	14,750 %	1205,2004 litre	O
180	CM	50	CM	20 LEVEL CM	201,2828 litre	14,238 %	1212,4339 litre	O
180	CM	50	CM	19,5 LEVEL CM	194,1169 litre	13,731 %	1219,5998 litre	O
180	CM	50	CM	19 LEVEL CM	187,0202 litre	13,229 %	1226,6965 litre	O
180	CM	50	CM	18,5 LEVEL CM	179,9947 litre	12,732 %	1233,7220 litre	O
180	CM	50	CM	18 LEVEL CM	173,0422 litre	12,240 %	1240,6745 litre	O
180	CM	50	CM	17,5 LEVEL CM	166,1646 litre	11,754 %	1247,5521 litre	O
180	CM	50	CM	17 LEVEL CM	159,3640 litre	11,273 %	1254,3527 litre	O
180	CM	50	CM	16,5 LEVEL CM	152,6425 litre	10,797 %	1261,0742 litre	O
180	CM	50	CM	16 LEVEL CM	146,0023 litre	10,328 %	1267,7144 litre	O
180	CM	50	CM	15,5 LEVEL CM	139,4455 litre	9,864 %	1274,2712 litre	O
180	CM	50	CM	15 LEVEL CM	132,9745 litre	9,406 %	1280,7422 litre	O
180	CM	50	CM	14,5 LEVEL CM	126,5917 litre	8,955 %	1287,1250 litre	O
180	CM	50	CM	14 LEVEL CM	120,2997 litre	8,509 %	1293,4170 litre	O
180	CM	50	CM	13,5 LEVEL CM	114,1011 litre	8,071 %	1299,6156 litre	O
180	CM	50	CM	13 LEVEL CM	107,9986 litre	7,639 %	1305,7181 litre	O
180	CM	50	CM	12,5 LEVEL CM	101,9951 litre	7,215 %	1311,7216 litre	O
180	CM	50	CM	12 LEVEL CM	96,0938 litre	6,797 %	1317,6229 litre	O
180	CM	50	CM	11,5 LEVEL CM	90,2976 litre	6,387 %	1323,4191 litre	O
180	CM	50	CM	11 LEVEL CM	84,6101 litre	5,985 %	1329,1066 litre	O
180	CM	50	CM	10,5 LEVEL CM	79,0348 litre	5,591 %	1334,6819 litre	O
180	CM	50	CM	10 LEVEL CM	73,5755 litre	5,204 %	1340,1412 litre	O
180	CM	50	CM	9,5 LEVEL CM	68,2362 litre	4,827 %	1345,4805 litre	O
180	CM	50	CM	9 LEVEL CM	63,0212 litre	4,458 %	1350,6955 litre	O
180	CM	50	CM	8,5 LEVEL CM	57,9353 litre	4,098 %	1355,7814 litre	O
180	CM	50	CM	8 LEVEL CM	52,9832 litre	3,748 %	1360,7335 litre	O
180	CM	50	CM	7,5 LEVEL CM	48,1706 litre	3,407 %	1365,5461 litre	O
180	CM	50	CM	7 LEVEL CM	43,5032 litre	3,077 %	1370,2135 litre	O
180	CM	50	CM	6,5 LEVEL CM	38,9876 litre	2,758 %	1374,7291 litre	O
180	CM	50	CM	6 LEVEL CM	34,6308 litre	2,450 %	1379,0859 litre	O
180	CM	50	CM	5,5 LEVEL CM	30,4408 litre	2,153 %	1383,2759 litre	O
180	CM	50	CM	5 LEVEL CM	26,4267 litre	1,869 %	1387,2900 litre	O
180	CM	50	CM	4,5 LEVEL CM	22,5984 litre	1,599 %	1391,1183 litre	O
180	CM	50	CM	4 LEVEL CM	18,9679 litre	1,342 %	1394,7488 litre	O
180	CM	50	CM	3,5 LEVEL CM	15,5489 litre	1,100 %	1398,1678 litre	O
180	CM	50	CM	3 LEVEL CM	12,3579 litre	0,874 %	1401,3588 litre	O
180	CM	50	CM	2,5 LEVEL CM	9,4154 litre	0,666 %	1404,3013 litre	O
180	CM	50	CM	2 LEVEL CM	6,7473 litre	0,477 %	1406,9694 litre	O
180	CM	50	CM	1,5 LEVEL CM	4,3892 litre	0,310 %	1409,3275 litre	O
180	CM	50	CM	1 LEVEL CM	2,3928 litre	0,169 %	1411,3239 litre	O
180	CM	50	CM	0,5 LEVEL CM	0,8473 litre	0,060 %	1412,8694 litre	O
180	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1413,7167 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
180	CM	45	CM	90 LEVEL CM	1145,1105 litre	100,000 %	0,0000 litre	O
180	CM	45	CM	89,5 LEVEL CM	1144,3069 litre	99,930 %	0,8036 litre	O
180	CM	45	CM	89 LEVEL CM	1142,8413 litre	99,802 %	2,2692 litre	O
180	CM	45	CM	88,5 LEVEL CM	1140,9487 litre	99,637 %	4,1618 litre	O
180	CM	45	CM	88 LEVEL CM	1138,7138 litre	99,441 %	6,3967 litre	O
180	CM	45	CM	87,5 LEVEL CM	1136,1859 litre	99,221 %	8,9246 litre	O
180	CM	45	CM	87 LEVEL CM	1133,3987 litre	98,977 %	11,7118 litre	O
180	CM	45	CM	86,5 LEVEL CM	1130,3772 litre	98,713 %	14,7333 litre	O
180	CM	45	CM	86 LEVEL CM	1127,1406 litre	98,431 %	17,9699 litre	O
180	CM	45	CM	85,5 LEVEL CM	1123,7049 litre	98,131 %	21,4056 litre	O
180	CM	45	CM	85 LEVEL CM	1120,0832 litre	97,814 %	25,0273 litre	O
180	CM	45	CM	84,5 LEVEL CM	1116,2868 litre	97,483 %	28,8237 litre	O
180	CM	45	CM	84 LEVEL CM	1112,3254 litre	97,137 %	32,7851 litre	O
180	CM	45	CM	83,5 LEVEL CM	1108,2075 litre	96,777 %	36,9030 litre	O
180	CM	45	CM	83 LEVEL CM	1103,9409 litre	96,405 %	41,1696 litre	O
180	CM	45	CM	82,5 LEVEL CM	1099,5323 litre	96,020 %	45,5782 litre	O
180	CM	45	CM	82 LEVEL CM	1094,9880 litre	95,623 %	50,1225 litre	O
180	CM	45	CM	81,5 LEVEL CM	1090,3136 litre	95,215 %	54,7969 litre	O
180	CM	45	CM	81 LEVEL CM	1085,5144 litre	94,796 %	59,5961 litre	O
180	CM	45	CM	80,5 LEVEL CM	1080,5951 litre	94,366 %	64,5154 litre	O
180	CM	45	CM	80 LEVEL CM	1075,5603 litre	93,926 %	69,5502 litre	O
180	CM	45	CM	79,5 LEVEL CM	1070,4141 litre	93,477 %	74,6964 litre	O
180	CM	45	CM	79 LEVEL CM	1065,1604 litre	93,018 %	79,9501 litre	O
180	CM	45	CM	78,5 LEVEL CM	1059,8029 litre	92,550 %	85,3076 litre	O
180	CM	45	CM	78 LEVEL CM	1054,3451 litre	92,074 %	90,7654 litre	O
180	CM	45	CM	77,5 LEVEL CM	1048,7901 litre	91,589 %	96,3204 litre	O
180	CM	45	CM	77 LEVEL CM	1043,1412 litre	91,095 %	101,9693 litre	O
180	CM	45	CM	76,5 LEVEL CM	1037,4012 litre	90,594 %	107,7093 litre	O
180	CM	45	CM	76 LEVEL CM	1031,5730 litre	90,085 %	113,5375 litre	O
180	CM	45	CM	75,5 LEVEL CM	1025,6592 litre	89,569 %	119,4513 litre	O
180	CM	45	CM	75 LEVEL CM	1019,6625 litre	89,045 %	125,4480 litre	O
180	CM	45	CM	74,5 LEVEL CM	1013,5853 litre	88,514 %	131,5252 litre	O
180	CM	45	CM	74 LEVEL CM	1007,4299 litre	87,977 %	137,6806 litre	O
180	CM	45	CM	73,5 LEVEL CM	1001,1987 litre	87,432 %	143,9118 litre	O
180	CM	45	CM	73 LEVEL CM	994,8938 litre	86,882 %	150,2167 litre	O
180	CM	45	CM	72,5 LEVEL CM	988,5173 litre	86,325 %	156,5932 litre	O
180	CM	45	CM	72 LEVEL CM	982,0714 litre	85,762 %	163,0391 litre	O
180	CM	45	CM	71,5 LEVEL CM	975,5580 litre	85,193 %	169,5525 litre	O
180	CM	45	CM	71 LEVEL CM	968,9790 litre	84,619 %	176,1315 litre	O
180	CM	45	CM	70,5 LEVEL CM	962,3363 litre	84,039 %	182,7742 litre	O
180	CM	45	CM	70 LEVEL CM	955,6316 litre	83,453 %	189,4789 litre	O
180	CM	45	CM	69,5 LEVEL CM	948,8669 litre	82,862 %	196,2436 litre	O
180	CM	45	CM	69 LEVEL CM	942,0437 litre	82,267 %	203,0668 litre	O
180	CM	45	CM	68,5 LEVEL CM	935,1638 litre	81,666 %	209,9467 litre	O
180	CM	45	CM	68 LEVEL CM	928,2287 litre	81,060 %	216,8818 litre	O
180	CM	45	CM	67,5 LEVEL CM	921,2401 litre	80,450 %	223,8704 litre	O
180	CM	45	CM	67 LEVEL CM	914,1996 litre	79,835 %	230,9109 litre	O
180	CM	45	CM	66,5 LEVEL CM	907,1086 litre	79,216 %	238,0019 litre	O
180	CM	45	CM	66 LEVEL CM	899,9687 litre	78,592 %	245,1418 litre	O
180	CM	45	CM	65,5 LEVEL CM	892,7813 litre	77,965 %	252,3292 litre	O
180	CM	45	CM	65 LEVEL CM	885,5478 litre	77,333 %	259,5627 litre	O
180	CM	45	CM	64,5 LEVEL CM	878,2697 litre	76,697 %	266,8408 litre	O

180	CM 45	CM	64 LEVEL CM	870,9483 litre	76,058 %	274,1622 litre	O
180	CM 45	CM	63,5 LEVEL CM	863,5850 litre	75,415 %	281,5255 litre	O
180	CM 45	CM	63 LEVEL CM	856,1811 litre	74,768 %	288,9294 litre	O
180	CM 45	CM	62,5 LEVEL CM	848,7379 litre	74,118 %	296,3726 litre	O
180	CM 45	CM	62 LEVEL CM	841,2567 litre	73,465 %	303,8538 litre	O
180	CM 45	CM	61,5 LEVEL CM	833,7388 litre	72,809 %	311,3717 litre	O
180	CM 45	CM	61 LEVEL CM	826,1854 litre	72,149 %	318,9251 litre	O
180	CM 45	CM	60,5 LEVEL CM	818,5978 litre	71,486 %	326,5127 litre	O
180	CM 45	CM	60 LEVEL CM	810,9771 litre	70,821 %	334,1334 litre	O
180	CM 45	CM	59,5 LEVEL CM	803,3246 litre	70,153 %	341,7859 litre	O
180	CM 45	CM	59 LEVEL CM	795,6415 litre	69,482 %	349,4690 litre	O
180	CM 45	CM	58,5 LEVEL CM	787,9290 litre	68,808 %	357,1815 litre	O
180	CM 45	CM	58 LEVEL CM	780,1881 litre	68,132 %	364,9224 litre	O
180	CM 45	CM	57,5 LEVEL CM	772,4201 litre	67,454 %	372,6904 litre	O
180	CM 45	CM	57 LEVEL CM	764,6260 litre	66,773 %	380,4845 litre	O
180	CM 45	CM	56,5 LEVEL CM	756,8071 litre	66,090 %	388,3034 litre	O
180	CM 45	CM	56 LEVEL CM	748,9643 litre	65,405 %	396,1462 litre	O
180	CM 45	CM	55,5 LEVEL CM	741,0989 litre	64,719 %	404,0116 litre	O
180	CM 45	CM	55 LEVEL CM	733,2119 litre	64,030 %	411,8986 litre	O
180	CM 45	CM	54,5 LEVEL CM	725,3043 litre	63,339 %	419,8062 litre	O
180	CM 45	CM	54 LEVEL CM	717,3773 litre	62,647 %	427,7332 litre	O
180	CM 45	CM	53,5 LEVEL CM	709,4320 litre	61,953 %	435,6785 litre	O
180	CM 45	CM	53 LEVEL CM	701,4693 litre	61,258 %	443,6412 litre	O
180	CM 45	CM	52,5 LEVEL CM	693,4904 litre	60,561 %	451,6201 litre	O
180	CM 45	CM	52 LEVEL CM	685,4963 litre	59,863 %	459,6142 litre	O
180	CM 45	CM	51,5 LEVEL CM	677,4879 litre	59,164 %	467,6226 litre	O
180	CM 45	CM	51 LEVEL CM	669,4665 litre	58,463 %	475,6440 litre	O
180	CM 45	CM	50,5 LEVEL CM	661,4329 litre	57,761 %	483,6776 litre	O
180	CM 45	CM	50 LEVEL CM	653,3883 litre	57,059 %	491,7222 litre	O
180	CM 45	CM	49,5 LEVEL CM	645,3336 litre	56,356 %	499,7769 litre	O
180	CM 45	CM	49 LEVEL CM	637,2698 litre	55,651 %	507,8407 litre	O
180	CM 45	CM	48,5 LEVEL CM	629,1980 litre	54,946 %	515,9125 litre	O
180	CM 45	CM	48 LEVEL CM	621,1192 litre	54,241 %	523,9913 litre	O
180	CM 45	CM	47,5 LEVEL CM	613,0344 litre	53,535 %	532,0761 litre	O
180	CM 45	CM	47 LEVEL CM	604,9446 litre	52,828 %	540,1659 litre	O
180	CM 45	CM	46,5 LEVEL CM	596,8508 litre	52,122 %	548,2597 litre	O
180	CM 45	CM	46 LEVEL CM	588,7539 litre	51,415 %	556,3566 litre	O
180	CM 45	CM	45,5 LEVEL CM	580,6551 litre	50,707 %	564,4554 litre	O
180	CM 45	CM	45 LEVEL CM	572,5553 litre	50,000 %	572,5552 litre	O
180	CM 45	CM	44,5 LEVEL CM	564,4554 litre	49,293 %	580,6551 litre	O
180	CM 45	CM	44 LEVEL CM	556,3566 litre	48,585 %	588,7539 litre	O
180	CM 45	CM	43,5 LEVEL CM	548,2598 litre	47,878 %	596,8507 litre	O
180	CM 45	CM	43 LEVEL CM	540,1659 litre	47,172 %	604,9446 litre	O
180	CM 45	CM	42,5 LEVEL CM	532,0761 litre	46,465 %	613,0344 litre	O
180	CM 45	CM	42 LEVEL CM	523,9913 litre	45,759 %	621,1192 litre	O
180	CM 45	CM	41,5 LEVEL CM	515,9125 litre	45,054 %	629,1980 litre	O
180	CM 45	CM	41 LEVEL CM	507,8407 litre	44,349 %	637,2698 litre	O
180	CM 45	CM	40,5 LEVEL CM	499,7769 litre	43,644 %	645,3336 litre	O
180	CM 45	CM	40 LEVEL CM	491,7222 litre	42,941 %	653,3883 litre	O
180	CM 45	CM	39,5 LEVEL CM	483,6776 litre	42,239 %	661,4329 litre	O
180	CM 45	CM	39 LEVEL CM	475,6440 litre	41,537 %	669,4665 litre	O
180	CM 45	CM	38,5 LEVEL CM	467,6226 litre	40,836 %	677,4879 litre	O
180	CM 45	CM	38 LEVEL CM	459,6143 litre	40,137 %	685,4962 litre	O

180	CM	45	CM	37,5 LEVEL CM	451,6201 litre	39,439 %	693,4904 litre	O
180	CM	45	CM	37 LEVEL CM	443,6412 litre	38,742 %	701,4693 litre	O
180	CM	45	CM	36,5 LEVEL CM	435,6785 litre	38,047 %	709,4320 litre	O
180	CM	45	CM	36 LEVEL CM	427,7332 litre	37,353 %	717,3773 litre	O
180	CM	45	CM	35,5 LEVEL CM	419,8062 litre	36,661 %	725,3043 litre	O
180	CM	45	CM	35 LEVEL CM	411,8986 litre	35,970 %	733,2119 litre	O
180	CM	45	CM	34,5 LEVEL CM	404,0116 litre	35,281 %	741,0989 litre	O
180	CM	45	CM	34 LEVEL CM	396,1462 litre	34,595 %	748,9643 litre	O
180	CM	45	CM	33,5 LEVEL CM	388,3034 litre	33,910 %	756,8071 litre	O
180	CM	45	CM	33 LEVEL CM	380,4845 litre	33,227 %	764,6260 litre	O
180	CM	45	CM	32,5 LEVEL CM	372,6904 litre	32,546 %	772,4201 litre	O
180	CM	45	CM	32 LEVEL CM	364,9224 litre	31,868 %	780,1881 litre	O
180	CM	45	CM	31,5 LEVEL CM	357,1815 litre	31,192 %	787,9290 litre	O
180	CM	45	CM	31 LEVEL CM	349,4690 litre	30,518 %	795,6415 litre	O
180	CM	45	CM	30,5 LEVEL CM	341,7859 litre	29,847 %	803,3246 litre	O
180	CM	45	CM	30 LEVEL CM	334,1334 litre	29,179 %	810,9771 litre	O
180	CM	45	CM	29,5 LEVEL CM	326,5128 litre	28,514 %	818,5977 litre	O
180	CM	45	CM	29 LEVEL CM	318,9251 litre	27,851 %	826,1854 litre	O
180	CM	45	CM	28,5 LEVEL CM	311,3718 litre	27,191 %	833,7387 litre	O
180	CM	45	CM	28 LEVEL CM	303,8538 litre	26,535 %	841,2567 litre	O
180	CM	45	CM	27,5 LEVEL CM	296,3727 litre	25,882 %	848,7378 litre	O
180	CM	45	CM	27 LEVEL CM	288,9295 litre	25,232 %	856,1810 litre	O
180	CM	45	CM	26,5 LEVEL CM	281,5255 litre	24,585 %	863,5850 litre	O
180	CM	45	CM	26 LEVEL CM	274,1622 litre	23,942 %	870,9483 litre	O
180	CM	45	CM	25,5 LEVEL CM	266,8408 litre	23,303 %	878,2697 litre	O
180	CM	45	CM	25 LEVEL CM	259,5627 litre	22,667 %	885,5478 litre	O
180	CM	45	CM	24,5 LEVEL CM	252,3292 litre	22,035 %	892,7813 litre	O
180	CM	45	CM	24 LEVEL CM	245,1418 litre	21,408 %	899,9687 litre	O
180	CM	45	CM	23,5 LEVEL CM	238,0019 litre	20,784 %	907,1086 litre	O
180	CM	45	CM	23 LEVEL CM	230,9109 litre	20,165 %	914,1996 litre	O
180	CM	45	CM	22,5 LEVEL CM	223,8704 litre	19,550 %	921,2401 litre	O
180	CM	45	CM	22 LEVEL CM	216,8818 litre	18,940 %	928,2287 litre	O
180	CM	45	CM	21,5 LEVEL CM	209,9468 litre	18,334 %	935,1637 litre	O
180	CM	45	CM	21 LEVEL CM	203,0668 litre	17,733 %	942,0437 litre	O
180	CM	45	CM	20,5 LEVEL CM	196,2437 litre	17,138 %	948,8668 litre	O
180	CM	45	CM	20 LEVEL CM	189,4789 litre	16,547 %	955,6316 litre	O
180	CM	45	CM	19,5 LEVEL CM	182,7743 litre	15,961 %	962,3362 litre	O
180	CM	45	CM	19 LEVEL CM	176,1315 litre	15,381 %	968,9790 litre	O
180	CM	45	CM	18,5 LEVEL CM	169,5525 litre	14,807 %	975,5580 litre	O
180	CM	45	CM	18 LEVEL CM	163,0391 litre	14,238 %	982,0714 litre	O
180	CM	45	CM	17,5 LEVEL CM	156,5932 litre	13,675 %	988,5173 litre	O
180	CM	45	CM	17 LEVEL CM	150,2168 litre	13,118 %	994,8937 litre	O
180	CM	45	CM	16,5 LEVEL CM	143,9119 litre	12,568 %	1001,1986 litre	O
180	CM	45	CM	16 LEVEL CM	137,6806 litre	12,023 %	1007,4299 litre	O
180	CM	45	CM	15,5 LEVEL CM	131,5253 litre	11,486 %	1013,5852 litre	O
180	CM	45	CM	15 LEVEL CM	125,4480 litre	10,955 %	1019,6625 litre	O
180	CM	45	CM	14,5 LEVEL CM	119,4513 litre	10,431 %	1025,6592 litre	O
180	CM	45	CM	14 LEVEL CM	113,5375 litre	9,915 %	1031,5730 litre	O
180	CM	45	CM	13,5 LEVEL CM	107,7093 litre	9,406 %	1037,4012 litre	O
180	CM	45	CM	13 LEVEL CM	101,9693 litre	8,905 %	1043,1412 litre	O
180	CM	45	CM	12,5 LEVEL CM	96,3204 litre	8,411 %	1048,7901 litre	O
180	CM	45	CM	12 LEVEL CM	90,7654 litre	7,926 %	1054,3451 litre	O
180	CM	45	CM	11,5 LEVEL CM	85,3076 litre	7,450 %	1059,8029 litre	O

180	CM	45	CM	11 LEVEL CM	79,9501 litre	6,982 %	1065,1604 litre	O
180	CM	45	CM	10,5 LEVEL CM	74,6964 litre	6,523 %	1070,4141 litre	O
180	CM	45	CM	10 LEVEL CM	69,5502 litre	6,074 %	1075,5603 litre	O
180	CM	45	CM	9,5 LEVEL CM	64,5154 litre	5,634 %	1080,5951 litre	O
180	CM	45	CM	9 LEVEL CM	59,5962 litre	5,204 %	1085,5143 litre	O
180	CM	45	CM	8,5 LEVEL CM	54,7969 litre	4,785 %	1090,3136 litre	O
180	CM	45	CM	8 LEVEL CM	50,1226 litre	4,377 %	1094,9879 litre	O
180	CM	45	CM	7,5 LEVEL CM	45,5783 litre	3,980 %	1099,5322 litre	O
180	CM	45	CM	7 LEVEL CM	41,1697 litre	3,595 %	1103,9408 litre	O
180	CM	45	CM	6,5 LEVEL CM	36,9030 litre	3,223 %	1108,2075 litre	O
180	CM	45	CM	6 LEVEL CM	32,7851 litre	2,863 %	1112,3254 litre	O
180	CM	45	CM	5,5 LEVEL CM	28,8237 litre	2,517 %	1116,2868 litre	O
180	CM	45	CM	5 LEVEL CM	25,0273 litre	2,186 %	1120,0832 litre	O
180	CM	45	CM	4,5 LEVEL CM	21,4056 litre	1,869 %	1123,7049 litre	O
180	CM	45	CM	4 LEVEL CM	17,9699 litre	1,569 %	1127,1406 litre	O
180	CM	45	CM	3,5 LEVEL CM	14,7334 litre	1,287 %	1130,3771 litre	O
180	CM	45	CM	3 LEVEL CM	11,7118 litre	1,023 %	1133,3987 litre	O
180	CM	45	CM	2,5 LEVEL CM	8,9246 litre	0,779 %	1136,1859 litre	O
180	CM	45	CM	2 LEVEL CM	6,3968 litre	0,559 %	1138,7137 litre	O
180	CM	45	CM	1,5 LEVEL CM	4,1618 litre	0,363 %	1140,9487 litre	O
180	CM	45	CM	1 LEVEL CM	2,2692 litre	0,198 %	1142,8413 litre	O
180	CM	45	CM	0,5 LEVEL CM	0,8036 litre	0,070 %	1144,3069 litre	O
180	CM	45	CM	0 LEVEL CM	0,0000 litre	0,000 %	1145,1105 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
180	CM 40	CM 80 LEVEL CM	904,7787 litre	100,000 %	0,0000 litre	O
180	CM 40	CM 79,5 LEVEL CM	904,0212 litre	99,916 %	0,7575 litre	O
180	CM 40	CM 79 LEVEL CM	902,6401 litre	99,764 %	2,1386 litre	O
180	CM 40	CM 78,5 LEVEL CM	900,8573 litre	99,567 %	3,9214 litre	O
180	CM 40	CM 78 LEVEL CM	898,7529 litre	99,334 %	6,0258 litre	O
180	CM 40	CM 77,5 LEVEL CM	896,3734 litre	99,071 %	8,4053 litre	O
180	CM 40	CM 77 LEVEL CM	893,7508 litre	98,781 %	11,0279 litre	O
180	CM 40	CM 76,5 LEVEL CM	890,9087 litre	98,467 %	13,8700 litre	O
180	CM 40	CM 76 LEVEL CM	887,8656 litre	98,131 %	16,9131 litre	O
180	CM 40	CM 75,5 LEVEL CM	884,6365 litre	97,774 %	20,1422 litre	O
180	CM 40	CM 75 LEVEL CM	881,2338 litre	97,398 %	23,5449 litre	O
180	CM 40	CM 74,5 LEVEL CM	877,6684 litre	97,004 %	27,1103 litre	O
180	CM 40	CM 74 LEVEL CM	873,9495 litre	96,593 %	30,8292 litre	O
180	CM 40	CM 73,5 LEVEL CM	870,0853 litre	96,166 %	34,6934 litre	O
180	CM 40	CM 73 LEVEL CM	866,0831 litre	95,723 %	38,6956 litre	O
180	CM 40	CM 72,5 LEVEL CM	861,9495 litre	95,266 %	42,8292 litre	O
180	CM 40	CM 72 LEVEL CM	857,6904 litre	94,796 %	47,0883 litre	O
180	CM 40	CM 71,5 LEVEL CM	853,3112 litre	94,312 %	51,4675 litre	O
180	CM 40	CM 71 LEVEL CM	848,8170 litre	93,815 %	55,9617 litre	O
180	CM 40	CM 70,5 LEVEL CM	844,2125 litre	93,306 %	60,5662 litre	O
180	CM 40	CM 70 LEVEL CM	839,5018 litre	92,785 %	65,2769 litre	O
180	CM 40	CM 69,5 LEVEL CM	834,6891 litre	92,253 %	70,0896 litre	O
180	CM 40	CM 69 LEVEL CM	829,7780 litre	91,711 %	75,0007 litre	O
180	CM 40	CM 68,5 LEVEL CM	824,7722 litre	91,157 %	80,0065 litre	O
180	CM 40	CM 68 LEVEL CM	819,6750 litre	90,594 %	85,1037 litre	O
180	CM 40	CM 67,5 LEVEL CM	814,4896 litre	90,021 %	90,2891 litre	O
180	CM 40	CM 67 LEVEL CM	809,2189 litre	89,438 %	95,5598 litre	O
180	CM 40	CM 66,5 LEVEL CM	803,8659 litre	88,847 %	100,9128 litre	O
180	CM 40	CM 66 LEVEL CM	798,4333 litre	88,246 %	106,3454 litre	O
180	CM 40	CM 65,5 LEVEL CM	792,9237 litre	87,637 %	111,8550 litre	O
180	CM 40	CM 65 LEVEL CM	787,3397 litre	87,020 %	117,4390 litre	O
180	CM 40	CM 64,5 LEVEL CM	781,6835 litre	86,395 %	123,0952 litre	O
180	CM 40	CM 64 LEVEL CM	775,9577 litre	85,762 %	128,8210 litre	O
180	CM 40	CM 63,5 LEVEL CM	770,1643 litre	85,122 %	134,6144 litre	O
180	CM 40	CM 63 LEVEL CM	764,3055 litre	84,474 %	140,4732 litre	O
180	CM 40	CM 62,5 LEVEL CM	758,3836 litre	83,820 %	146,3951 litre	O
180	CM 40	CM 62 LEVEL CM	752,4003 litre	83,158 %	152,3784 litre	O
180	CM 40	CM 61,5 LEVEL CM	746,3578 litre	82,491 %	158,4209 litre	O
180	CM 40	CM 61 LEVEL CM	740,2580 litre	81,816 %	164,5207 litre	O
180	CM 40	CM 60,5 LEVEL CM	734,1026 litre	81,136 %	170,6761 litre	O
180	CM 40	CM 60 LEVEL CM	727,8934 litre	80,450 %	176,8853 litre	O
180	CM 40	CM 59,5 LEVEL CM	721,6324 litre	79,758 %	183,1463 litre	O
180	CM 40	CM 59 LEVEL CM	715,3210 litre	79,060 %	189,4577 litre	O
180	CM 40	CM 58,5 LEVEL CM	708,9611 litre	78,357 %	195,8176 litre	O
180	CM 40	CM 58 LEVEL CM	702,5543 litre	77,649 %	202,2244 litre	O
180	CM 40	CM 57,5 LEVEL CM	696,1020 litre	76,936 %	208,6767 litre	O
180	CM 40	CM 57 LEVEL CM	689,6060 litre	76,218 %	215,1727 litre	O
180	CM 40	CM 56,5 LEVEL CM	683,0678 litre	75,496 %	221,7109 litre	O
180	CM 40	CM 56 LEVEL CM	676,4887 litre	74,768 %	228,2900 litre	O
180	CM 40	CM 55,5 LEVEL CM	669,8704 litre	74,037 %	234,9083 litre	O
180	CM 40	CM 55 LEVEL CM	663,2143 litre	73,301 %	241,5644 litre	O
180	CM 40	CM 54,5 LEVEL CM	656,5217 litre	72,562 %	248,2570 litre	O

180	CM 40	CM	54 LEVEL CM	649,7942 litre	71,818 %	254,9845 litre	O
180	CM 40	CM	53,5 LEVEL CM	643,0330 litre	71,071 %	261,7457 litre	O
180	CM 40	CM	53 LEVEL CM	636,2396 litre	70,320 %	268,5391 litre	O
180	CM 40	CM	52,5 LEVEL CM	629,4152 litre	69,566 %	275,3635 litre	O
180	CM 40	CM	52 LEVEL CM	622,5612 litre	68,808 %	282,2175 litre	O
180	CM 40	CM	51,5 LEVEL CM	615,6789 litre	68,047 %	289,0998 litre	O
180	CM 40	CM	51 LEVEL CM	608,7696 litre	67,284 %	296,0091 litre	O
180	CM 40	CM	50,5 LEVEL CM	601,8345 litre	66,517 %	302,9442 litre	O
180	CM 40	CM	50 LEVEL CM	594,8750 litre	65,748 %	309,9037 litre	O
180	CM 40	CM	49,5 LEVEL CM	587,8922 litre	64,976 %	316,8865 litre	O
180	CM 40	CM	49 LEVEL CM	580,8874 litre	64,202 %	323,8913 litre	O
180	CM 40	CM	48,5 LEVEL CM	573,8618 litre	63,426 %	330,9169 litre	O
180	CM 40	CM	48 LEVEL CM	566,8167 litre	62,647 %	337,9620 litre	O
180	CM 40	CM	47,5 LEVEL CM	559,7531 litre	61,866 %	345,0256 litre	O
180	CM 40	CM	47 LEVEL CM	552,6725 litre	61,084 %	352,1062 litre	O
180	CM 40	CM	46,5 LEVEL CM	545,5758 litre	60,299 %	359,2029 litre	O
180	CM 40	CM	46 LEVEL CM	538,4642 litre	59,513 %	366,3145 litre	O
180	CM 40	CM	45,5 LEVEL CM	531,3391 litre	58,726 %	373,4396 litre	O
180	CM 40	CM	45 LEVEL CM	524,2014 litre	57,937 %	380,5773 litre	O
180	CM 40	CM	44,5 LEVEL CM	517,0524 litre	57,147 %	387,7263 litre	O
180	CM 40	CM	44 LEVEL CM	509,8932 litre	56,356 %	394,8855 litre	O
180	CM 40	CM	43,5 LEVEL CM	502,7250 litre	55,563 %	402,0537 litre	O
180	CM 40	CM	43 LEVEL CM	495,5488 litre	54,770 %	409,2299 litre	O
180	CM 40	CM	42,5 LEVEL CM	488,3659 litre	53,976 %	416,4128 litre	O
180	CM 40	CM	42 LEVEL CM	481,1773 litre	53,182 %	423,6014 litre	O
180	CM 40	CM	41,5 LEVEL CM	473,9843 litre	52,387 %	430,7944 litre	O
180	CM 40	CM	41 LEVEL CM	466,7878 litre	51,591 %	437,9909 litre	O
180	CM 40	CM	40,5 LEVEL CM	459,5892 litre	50,796 %	445,1895 litre	O
180	CM 40	CM	40 LEVEL CM	452,3893 litre	50,000 %	452,3894 litre	O
180	CM 40	CM	39,5 LEVEL CM	445,1895 litre	49,204 %	459,5892 litre	O
180	CM 40	CM	39 LEVEL CM	437,9908 litre	48,409 %	466,7879 litre	O
180	CM 40	CM	38,5 LEVEL CM	430,7944 litre	47,613 %	473,9843 litre	O
180	CM 40	CM	38 LEVEL CM	423,6013 litre	46,818 %	481,1774 litre	O
180	CM 40	CM	37,5 LEVEL CM	416,4128 litre	46,024 %	488,3659 litre	O
180	CM 40	CM	37 LEVEL CM	409,2299 litre	45,230 %	495,5488 litre	O
180	CM 40	CM	36,5 LEVEL CM	402,0537 litre	44,437 %	502,7250 litre	O
180	CM 40	CM	36 LEVEL CM	394,8855 litre	43,644 %	509,8932 litre	O
180	CM 40	CM	35,5 LEVEL CM	387,7263 litre	42,853 %	517,0524 litre	O
180	CM 40	CM	35 LEVEL CM	380,5773 litre	42,063 %	524,2014 litre	O
180	CM 40	CM	34,5 LEVEL CM	373,4396 litre	41,274 %	531,3391 litre	O
180	CM 40	CM	34 LEVEL CM	366,3144 litre	40,487 %	538,4643 litre	O
180	CM 40	CM	33,5 LEVEL CM	359,2029 litre	39,701 %	545,5758 litre	O
180	CM 40	CM	33 LEVEL CM	352,1062 litre	38,916 %	552,6725 litre	O
180	CM 40	CM	32,5 LEVEL CM	345,0255 litre	38,134 %	559,7532 litre	O
180	CM 40	CM	32 LEVEL CM	337,9620 litre	37,353 %	566,8167 litre	O
180	CM 40	CM	31,5 LEVEL CM	330,9169 litre	36,574 %	573,8618 litre	O
180	CM 40	CM	31 LEVEL CM	323,8913 litre	35,798 %	580,8874 litre	O
180	CM 40	CM	30,5 LEVEL CM	316,8865 litre	35,024 %	587,8922 litre	O
180	CM 40	CM	30 LEVEL CM	309,9037 litre	34,252 %	594,8750 litre	O
180	CM 40	CM	29,5 LEVEL CM	302,9442 litre	33,483 %	601,8345 litre	O
180	CM 40	CM	29 LEVEL CM	296,0091 litre	32,716 %	608,7696 litre	O
180	CM 40	CM	28,5 LEVEL CM	289,0998 litre	31,953 %	615,6789 litre	O
180	CM 40	CM	28 LEVEL CM	282,2175 litre	31,192 %	622,5612 litre	O

180	CM	40	CM	27,5 LEVEL CM	275,3635 litre	30,434 %	629,4152 litre	O
180	CM	40	CM	27 LEVEL CM	268,5391 litre	29,680 %	636,2396 litre	O
180	CM	40	CM	26,5 LEVEL CM	261,7457 litre	28,929 %	643,0330 litre	O
180	CM	40	CM	26 LEVEL CM	254,9845 litre	28,182 %	649,7942 litre	O
180	CM	40	CM	25,5 LEVEL CM	248,2569 litre	27,438 %	656,5218 litre	O
180	CM	40	CM	25 LEVEL CM	241,5644 litre	26,699 %	663,2143 litre	O
180	CM	40	CM	24,5 LEVEL CM	234,9083 litre	25,963 %	669,8704 litre	O
180	CM	40	CM	24 LEVEL CM	228,2899 litre	25,232 %	676,4888 litre	O
180	CM	40	CM	23,5 LEVEL CM	221,7109 litre	24,504 %	683,0678 litre	O
180	CM	40	CM	23 LEVEL CM	215,1727 litre	23,782 %	689,6060 litre	O
180	CM	40	CM	22,5 LEVEL CM	208,6766 litre	23,064 %	696,1021 litre	O
180	CM	40	CM	22 LEVEL CM	202,2244 litre	22,351 %	702,5543 litre	O
180	CM	40	CM	21,5 LEVEL CM	195,8176 litre	21,643 %	708,9611 litre	O
180	CM	40	CM	21 LEVEL CM	189,4576 litre	20,940 %	715,3211 litre	O
180	CM	40	CM	20,5 LEVEL CM	183,1463 litre	20,242 %	721,6324 litre	O
180	CM	40	CM	20 LEVEL CM	176,8852 litre	19,550 %	727,8935 litre	O
180	CM	40	CM	19,5 LEVEL CM	170,6761 litre	18,864 %	734,1026 litre	O
180	CM	40	CM	19 LEVEL CM	164,5207 litre	18,184 %	740,2580 litre	O
180	CM	40	CM	18,5 LEVEL CM	158,4209 litre	17,509 %	746,3578 litre	O
180	CM	40	CM	18 LEVEL CM	152,3784 litre	16,842 %	752,4003 litre	O
180	CM	40	CM	17,5 LEVEL CM	146,3951 litre	16,180 %	758,3836 litre	O
180	CM	40	CM	17 LEVEL CM	140,4731 litre	15,526 %	764,3056 litre	O
180	CM	40	CM	16,5 LEVEL CM	134,6144 litre	14,878 %	770,1643 litre	O
180	CM	40	CM	16 LEVEL CM	128,8210 litre	14,238 %	775,9577 litre	O
180	CM	40	CM	15,5 LEVEL CM	123,0951 litre	13,605 %	781,6836 litre	O
180	CM	40	CM	15 LEVEL CM	117,4390 litre	12,980 %	787,3397 litre	O
180	CM	40	CM	14,5 LEVEL CM	111,8549 litre	12,363 %	792,9238 litre	O
180	CM	40	CM	14 LEVEL CM	106,3453 litre	11,754 %	798,4334 litre	O
180	CM	40	CM	13,5 LEVEL CM	100,9127 litre	11,153 %	803,8660 litre	O
180	CM	40	CM	13 LEVEL CM	95,5597 litre	10,562 %	809,2190 litre	O
180	CM	40	CM	12,5 LEVEL CM	90,2891 litre	9,979 %	814,4896 litre	O
180	CM	40	CM	12 LEVEL CM	85,1037 litre	9,406 %	819,6750 litre	O
180	CM	40	CM	11,5 LEVEL CM	80,0065 litre	8,843 %	824,7722 litre	O
180	CM	40	CM	11 LEVEL CM	75,0007 litre	8,289 %	829,7780 litre	O
180	CM	40	CM	10,5 LEVEL CM	70,0896 litre	7,747 %	834,6891 litre	O
180	CM	40	CM	10 LEVEL CM	65,2769 litre	7,215 %	839,5018 litre	O
180	CM	40	CM	9,5 LEVEL CM	60,5662 litre	6,694 %	844,2125 litre	O
180	CM	40	CM	9 LEVEL CM	55,9616 litre	6,185 %	848,8171 litre	O
180	CM	40	CM	8,5 LEVEL CM	51,4675 litre	5,688 %	853,3112 litre	O
180	CM	40	CM	8 LEVEL CM	47,0883 litre	5,204 %	857,6904 litre	O
180	CM	40	CM	7,5 LEVEL CM	42,8292 litre	4,734 %	861,9495 litre	O
180	CM	40	CM	7 LEVEL CM	38,6956 litre	4,277 %	866,0831 litre	O
180	CM	40	CM	6,5 LEVEL CM	34,6934 litre	3,834 %	870,0853 litre	O
180	CM	40	CM	6 LEVEL CM	30,8292 litre	3,407 %	873,9495 litre	O
180	CM	40	CM	5,5 LEVEL CM	27,1103 litre	2,996 %	877,6684 litre	O
180	CM	40	CM	5 LEVEL CM	23,5449 litre	2,602 %	881,2338 litre	O
180	CM	40	CM	4,5 LEVEL CM	20,1422 litre	2,226 %	884,6365 litre	O
180	CM	40	CM	4 LEVEL CM	16,9131 litre	1,869 %	887,8656 litre	O
180	CM	40	CM	3,5 LEVEL CM	13,8699 litre	1,533 %	890,9088 litre	O
180	CM	40	CM	3 LEVEL CM	11,0279 litre	1,219 %	893,7508 litre	O
180	CM	40	CM	2,5 LEVEL CM	8,4053 litre	0,929 %	896,3734 litre	O
180	CM	40	CM	2 LEVEL CM	6,0258 litre	0,666 %	898,7529 litre	O
180	CM	40	CM	1,5 LEVEL CM	3,9213 litre	0,433 %	900,8574 litre	O

180_40

-3097-

180	CM 40	CM	1 LEVEL CM	2,1386 litre	0,236 %	902,6401 litre	O
180	CM 40	CM	0,5 LEVEL CM	0,7575 litre	0,084 %	904,0212 litre	O
180	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	904,7787 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
180	CM	35	CM	70 LEVEL CM	692,7212 litre	100,000 %	0,0000 litre	O
180	CM	35	CM	69,5 LEVEL CM	692,0128 litre	99,898 %	0,7084 litre	O
180	CM	35	CM	69 LEVEL CM	690,7218 litre	99,711 %	1,9994 litre	O
180	CM	35	CM	68,5 LEVEL CM	689,0561 litre	99,471 %	3,6651 litre	O
180	CM	35	CM	68 LEVEL CM	687,0907 litre	99,187 %	5,6305 litre	O
180	CM	35	CM	67,5 LEVEL CM	684,8695 litre	98,867 %	7,8517 litre	O
180	CM	35	CM	67 LEVEL CM	682,4226 litre	98,513 %	10,2986 litre	O
180	CM	35	CM	66,5 LEVEL CM	679,7721 litre	98,131 %	12,9491 litre	O
180	CM	35	CM	66 LEVEL CM	676,9356 litre	97,721 %	15,7856 litre	O
180	CM	35	CM	65,5 LEVEL CM	673,9271 litre	97,287 %	18,7941 litre	O
180	CM	35	CM	65 LEVEL CM	670,7586 litre	96,830 %	21,9626 litre	O
180	CM	35	CM	64,5 LEVEL CM	667,4403 litre	96,350 %	25,2809 litre	O
180	CM	35	CM	64 LEVEL CM	663,9808 litre	95,851 %	28,7404 litre	O
180	CM	35	CM	63,5 LEVEL CM	660,3882 litre	95,332 %	32,3330 litre	O
180	CM	35	CM	63 LEVEL CM	656,6692 litre	94,796 %	36,0520 litre	O
180	CM	35	CM	62,5 LEVEL CM	652,8302 litre	94,241 %	39,8910 litre	O
180	CM	35	CM	62 LEVEL CM	648,8768 litre	93,671 %	43,8444 litre	O
180	CM	35	CM	61,5 LEVEL CM	644,8142 litre	93,084 %	47,9070 litre	O
180	CM	35	CM	61 LEVEL CM	640,6474 litre	92,483 %	52,0738 litre	O
180	CM	35	CM	60,5 LEVEL CM	636,3806 litre	91,867 %	56,3406 litre	O
180	CM	35	CM	60 LEVEL CM	632,0181 litre	91,237 %	60,7031 litre	O
180	CM	35	CM	59,5 LEVEL CM	627,5637 litre	90,594 %	65,1575 litre	O
180	CM	35	CM	59 LEVEL CM	623,0211 litre	89,938 %	69,7001 litre	O
180	CM	35	CM	58,5 LEVEL CM	618,3936 litre	89,270 %	74,3276 litre	O
180	CM	35	CM	58 LEVEL CM	613,6846 litre	88,590 %	79,0366 litre	O
180	CM	35	CM	57,5 LEVEL CM	608,8972 litre	87,899 %	83,8240 litre	O
180	CM	35	CM	57 LEVEL CM	604,0342 litre	87,197 %	88,6870 litre	O
180	CM	35	CM	56,5 LEVEL CM	599,0984 litre	86,485 %	93,6228 litre	O
180	CM	35	CM	56 LEVEL CM	594,0926 litre	85,762 %	98,6286 litre	O
180	CM	35	CM	55,5 LEVEL CM	589,0192 litre	85,030 %	103,7020 litre	O
180	CM	35	CM	55 LEVEL CM	583,8809 litre	84,288 %	108,8403 litre	O
180	CM	35	CM	54,5 LEVEL CM	578,6798 litre	83,537 %	114,0414 litre	O
180	CM	35	CM	54 LEVEL CM	573,4184 litre	82,778 %	119,3028 litre	O
180	CM	35	CM	53,5 LEVEL CM	568,0987 litre	82,010 %	124,6225 litre	O
180	CM	35	CM	53 LEVEL CM	562,7231 litre	81,234 %	129,9981 litre	O
180	CM	35	CM	52,5 LEVEL CM	557,2934 litre	80,450 %	135,4278 litre	O
180	CM	35	CM	52 LEVEL CM	551,8118 litre	79,659 %	140,9094 litre	O
180	CM	35	CM	51,5 LEVEL CM	546,2802 litre	78,860 %	146,4410 litre	O
180	CM	35	CM	51 LEVEL CM	540,7004 litre	78,055 %	152,0208 litre	O
180	CM	35	CM	50,5 LEVEL CM	535,0744 litre	77,242 %	157,6468 litre	O
180	CM	35	CM	50 LEVEL CM	529,4040 litre	76,424 %	163,3172 litre	O
180	CM	35	CM	49,5 LEVEL CM	523,6908 litre	75,599 %	169,0304 litre	O
180	CM	35	CM	49 LEVEL CM	517,9367 litre	74,768 %	174,7845 litre	O
180	CM	35	CM	48,5 LEVEL CM	512,1433 litre	73,932 %	180,5779 litre	O
180	CM	35	CM	48 LEVEL CM	506,3122 litre	73,090 %	186,4090 litre	O
180	CM	35	CM	47,5 LEVEL CM	500,4452 litre	72,243 %	192,2760 litre	O
180	CM	35	CM	47 LEVEL CM	494,5437 litre	71,391 %	198,1775 litre	O
180	CM	35	CM	46,5 LEVEL CM	488,6094 litre	70,535 %	204,1118 litre	O
180	CM	35	CM	46 LEVEL CM	482,6438 litre	69,674 %	210,0774 litre	O
180	CM	35	CM	45,5 LEVEL CM	476,6484 litre	68,808 %	216,0728 litre	O
180	CM	35	CM	45 LEVEL CM	470,6247 litre	67,939 %	222,0965 litre	O
180	CM	35	CM	44,5 LEVEL CM	464,5741 litre	67,065 %	228,1471 litre	O

180	CM	35	CM	44 LEVEL CM	458,4982 litre	66,188 %	234,2230 litre	O
180	CM	35	CM	43,5 LEVEL CM	452,3983 litre	65,307 %	240,3229 litre	O
180	CM	35	CM	43 LEVEL CM	446,2759 litre	64,424 %	246,4453 litre	O
180	CM	35	CM	42,5 LEVEL CM	440,1323 litre	63,537 %	252,5889 litre	O
180	CM	35	CM	42 LEVEL CM	433,9690 litre	62,647 %	258,7522 litre	O
180	CM	35	CM	41,5 LEVEL CM	427,7873 litre	61,755 %	264,9339 litre	O
180	CM	35	CM	41 LEVEL CM	421,5887 litre	60,860 %	271,1325 litre	O
180	CM	35	CM	40,5 LEVEL CM	415,3743 litre	59,963 %	277,3469 litre	O
180	CM	35	CM	40 LEVEL CM	409,1456 litre	59,064 %	283,5756 litre	O
180	CM	35	CM	39,5 LEVEL CM	402,9040 litre	58,163 %	289,8172 litre	O
180	CM	35	CM	39 LEVEL CM	396,6507 litre	57,260 %	296,0705 litre	O
180	CM	35	CM	38,5 LEVEL CM	390,3870 litre	56,356 %	302,3342 litre	O
180	CM	35	CM	38 LEVEL CM	384,1143 litre	55,450 %	308,6069 litre	O
180	CM	35	CM	37,5 LEVEL CM	377,8338 litre	54,543 %	314,8874 litre	O
180	CM	35	CM	37 LEVEL CM	371,5469 litre	53,636 %	321,1743 litre	O
180	CM	35	CM	36,5 LEVEL CM	365,2548 litre	52,728 %	327,4664 litre	O
180	CM	35	CM	36 LEVEL CM	358,9589 litre	51,819 %	333,7623 litre	O
180	CM	35	CM	35,5 LEVEL CM	352,6604 litre	50,909 %	340,0608 litre	O
180	CM	35	CM	35 LEVEL CM	346,3606 litre	50,000 %	346,3606 litre	O
180	CM	35	CM	34,5 LEVEL CM	340,0608 litre	49,091 %	352,6604 litre	O
180	CM	35	CM	34 LEVEL CM	333,7623 litre	48,181 %	358,9589 litre	O
180	CM	35	CM	33,5 LEVEL CM	327,4664 litre	47,272 %	365,2548 litre	O
180	CM	35	CM	33 LEVEL CM	321,1743 litre	46,364 %	371,5469 litre	O
180	CM	35	CM	32,5 LEVEL CM	314,8874 litre	45,457 %	377,8338 litre	O
180	CM	35	CM	32 LEVEL CM	308,6069 litre	44,550 %	384,1143 litre	O
180	CM	35	CM	31,5 LEVEL CM	302,3342 litre	43,644 %	390,3870 litre	O
180	CM	35	CM	31 LEVEL CM	296,0705 litre	42,740 %	396,6507 litre	O
180	CM	35	CM	30,5 LEVEL CM	289,8172 litre	41,837 %	402,9040 litre	O
180	CM	35	CM	30 LEVEL CM	283,5755 litre	40,936 %	409,1457 litre	O
180	CM	35	CM	29,5 LEVEL CM	277,3469 litre	40,037 %	415,3743 litre	O
180	CM	35	CM	29 LEVEL CM	271,1325 litre	39,140 %	421,5887 litre	O
180	CM	35	CM	28,5 LEVEL CM	264,9338 litre	38,245 %	427,7874 litre	O
180	CM	35	CM	28 LEVEL CM	258,7522 litre	37,353 %	433,9690 litre	O
180	CM	35	CM	27,5 LEVEL CM	252,5889 litre	36,463 %	440,1323 litre	O
180	CM	35	CM	27 LEVEL CM	246,4453 litre	35,576 %	446,2759 litre	O
180	CM	35	CM	26,5 LEVEL CM	240,3229 litre	34,693 %	452,3983 litre	O
180	CM	35	CM	26 LEVEL CM	234,2230 litre	33,812 %	458,4982 litre	O
180	CM	35	CM	25,5 LEVEL CM	228,1471 litre	32,935 %	464,5741 litre	O
180	CM	35	CM	25 LEVEL CM	222,0965 litre	32,061 %	470,6247 litre	O
180	CM	35	CM	24,5 LEVEL CM	216,0728 litre	31,192 %	476,6484 litre	O
180	CM	35	CM	24 LEVEL CM	210,0774 litre	30,326 %	482,6438 litre	O
180	CM	35	CM	23,5 LEVEL CM	204,1117 litre	29,465 %	488,6095 litre	O
180	CM	35	CM	23 LEVEL CM	198,1774 litre	28,609 %	494,5438 litre	O
180	CM	35	CM	22,5 LEVEL CM	192,2760 litre	27,757 %	500,4452 litre	O
180	CM	35	CM	22 LEVEL CM	186,4089 litre	26,910 %	506,3123 litre	O
180	CM	35	CM	21,5 LEVEL CM	180,5779 litre	26,068 %	512,1433 litre	O
180	CM	35	CM	21 LEVEL CM	174,7845 litre	25,232 %	517,9367 litre	O
180	CM	35	CM	20,5 LEVEL CM	169,0304 litre	24,401 %	523,6908 litre	O
180	CM	35	CM	20 LEVEL CM	163,3172 litre	23,576 %	529,4040 litre	O
180	CM	35	CM	19,5 LEVEL CM	157,6467 litre	22,758 %	535,0745 litre	O
180	CM	35	CM	19 LEVEL CM	152,0207 litre	21,945 %	540,7005 litre	O
180	CM	35	CM	18,5 LEVEL CM	146,4410 litre	21,140 %	546,2802 litre	O
180	CM	35	CM	18 LEVEL CM	140,9094 litre	20,341 %	551,8118 litre	O

180	CM	35	CM	17,5 LEVEL CM	135,4278 litre	19,550 %	557,2934 litre	O
180	CM	35	CM	17 LEVEL CM	129,9981 litre	18,766 %	562,7231 litre	O
180	CM	35	CM	16,5 LEVEL CM	124,6224 litre	17,990 %	568,0988 litre	O
180	CM	35	CM	16 LEVEL CM	119,3028 litre	17,222 %	573,4184 litre	O
180	CM	35	CM	15,5 LEVEL CM	114,0414 litre	16,463 %	578,6798 litre	O
180	CM	35	CM	15 LEVEL CM	108,8403 litre	15,712 %	583,8809 litre	O
180	CM	35	CM	14,5 LEVEL CM	103,7019 litre	14,970 %	589,0193 litre	O
180	CM	35	CM	14 LEVEL CM	98,6286 litre	14,238 %	594,0926 litre	O
180	CM	35	CM	13,5 LEVEL CM	93,6228 litre	13,515 %	599,0984 litre	O
180	CM	35	CM	13 LEVEL CM	88,6870 litre	12,803 %	604,0342 litre	O
180	CM	35	CM	12,5 LEVEL CM	83,8240 litre	12,101 %	608,8972 litre	O
180	CM	35	CM	12 LEVEL CM	79,0365 litre	11,410 %	613,6847 litre	O
180	CM	35	CM	11,5 LEVEL CM	74,3276 litre	10,730 %	618,3936 litre	O
180	CM	35	CM	11 LEVEL CM	69,7001 litre	10,062 %	623,0211 litre	O
180	CM	35	CM	10,5 LEVEL CM	65,1575 litre	9,406 %	627,5637 litre	O
180	CM	35	CM	10 LEVEL CM	60,7031 litre	8,763 %	632,0181 litre	O
180	CM	35	CM	9,5 LEVEL CM	56,3406 litre	8,133 %	636,3806 litre	O
180	CM	35	CM	9 LEVEL CM	52,0738 litre	7,517 %	640,6474 litre	O
180	CM	35	CM	8,5 LEVEL CM	47,9069 litre	6,916 %	644,8143 litre	O
180	CM	35	CM	8 LEVEL CM	43,8444 litre	6,329 %	648,8768 litre	O
180	CM	35	CM	7,5 LEVEL CM	39,8910 litre	5,759 %	652,8302 litre	O
180	CM	35	CM	7 LEVEL CM	36,0520 litre	5,204 %	656,6692 litre	O
180	CM	35	CM	6,5 LEVEL CM	32,3330 litre	4,668 %	660,3882 litre	O
180	CM	35	CM	6 LEVEL CM	28,7403 litre	4,149 %	663,9809 litre	O
180	CM	35	CM	5,5 LEVEL CM	25,2809 litre	3,650 %	667,4403 litre	O
180	CM	35	CM	5 LEVEL CM	21,9626 litre	3,170 %	670,7586 litre	O
180	CM	35	CM	4,5 LEVEL CM	18,7941 litre	2,713 %	673,9271 litre	O
180	CM	35	CM	4 LEVEL CM	15,7856 litre	2,279 %	676,9356 litre	O
180	CM	35	CM	3,5 LEVEL CM	12,9491 litre	1,869 %	679,7721 litre	O
180	CM	35	CM	3 LEVEL CM	10,2986 litre	1,487 %	682,4226 litre	O
180	CM	35	CM	2,5 LEVEL CM	7,8517 litre	1,133 %	684,8695 litre	O
180	CM	35	CM	2 LEVEL CM	5,6305 litre	0,813 %	687,0907 litre	O
180	CM	35	CM	1,5 LEVEL CM	3,6651 litre	0,529 %	689,0561 litre	O
180	CM	35	CM	1 LEVEL CM	1,9994 litre	0,289 %	690,7218 litre	O
180	CM	35	CM	0,5 LEVEL CM	0,7084 litre	0,102 %	692,0128 litre	O
180	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	692,7212 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
180	CM	30	CM 60 LEVEL CM	508,9380 litre	100,000 %	0,0000 litre	O
180	CM	30	CM 59,5 LEVEL CM	508,2824 litre	99,871 %	0,6556 litre	O
180	CM	30	CM 59 LEVEL CM	507,0883 litre	99,637 %	1,8497 litre	O
180	CM	30	CM 58,5 LEVEL CM	505,5485 litre	99,334 %	3,3895 litre	O
180	CM	30	CM 58 LEVEL CM	503,7328 litre	98,977 %	5,2052 litre	O
180	CM	30	CM 57,5 LEVEL CM	501,6821 litre	98,574 %	7,2559 litre	O
180	CM	30	CM 57 LEVEL CM	499,4244 litre	98,131 %	9,5136 litre	O
180	CM	30	CM 56,5 LEVEL CM	496,9805 litre	97,651 %	11,9575 litre	O
180	CM	30	CM 56 LEVEL CM	494,3668 litre	97,137 %	14,5712 litre	O
180	CM	30	CM 55,5 LEVEL CM	491,5966 litre	96,593 %	17,3414 litre	O
180	CM	30	CM 55 LEVEL CM	488,6810 litre	96,020 %	20,2570 litre	O
180	CM	30	CM 54,5 LEVEL CM	485,6296 litre	95,420 %	23,3084 litre	O
180	CM	30	CM 54 LEVEL CM	482,4508 litre	94,796 %	26,4872 litre	O
180	CM	30	CM 53,5 LEVEL CM	479,1520 litre	94,147 %	29,7860 litre	O
180	CM	30	CM 53 LEVEL CM	475,7396 litre	93,477 %	33,1984 litre	O
180	CM	30	CM 52,5 LEVEL CM	472,2198 litre	92,785 %	36,7182 litre	O
180	CM	30	CM 52 LEVEL CM	468,5978 litre	92,074 %	40,3402 litre	O
180	CM	30	CM 51,5 LEVEL CM	464,8788 litre	91,343 %	44,0592 litre	O
180	CM	30	CM 51 LEVEL CM	461,0672 litre	90,594 %	47,8708 litre	O
180	CM	30	CM 50,5 LEVEL CM	457,1674 litre	89,828 %	51,7706 litre	O
180	CM	30	CM 50 LEVEL CM	453,1833 litre	89,045 %	55,7547 litre	O
180	CM	30	CM 49,5 LEVEL CM	449,1188 litre	88,246 %	59,8192 litre	O
180	CM	30	CM 49 LEVEL CM	444,9772 litre	87,432 %	63,9608 litre	O
180	CM	30	CM 48,5 LEVEL CM	440,7619 litre	86,604 %	68,1761 litre	O
180	CM	30	CM 48 LEVEL CM	436,4762 litre	85,762 %	72,4618 litre	O
180	CM	30	CM 47,5 LEVEL CM	432,1229 litre	84,907 %	76,8151 litre	O
180	CM	30	CM 47 LEVEL CM	427,7050 litre	84,039 %	81,2330 litre	O
180	CM	30	CM 46,5 LEVEL CM	423,2252 litre	83,158 %	85,7128 litre	O
180	CM	30	CM 46 LEVEL CM	418,6861 litre	82,267 %	90,2519 litre	O
180	CM	30	CM 45,5 LEVEL CM	414,0902 litre	81,364 %	94,8478 litre	O
180	CM	30	CM 45 LEVEL CM	409,4401 litre	80,450 %	99,4979 litre	O
180	CM	30	CM 44,5 LEVEL CM	404,7379 litre	79,526 %	104,2001 litre	O
180	CM	30	CM 44 LEVEL CM	399,9861 litre	78,592 %	108,9519 litre	O
180	CM	30	CM 43,5 LEVEL CM	395,1868 litre	77,649 %	113,7512 litre	O
180	CM	30	CM 43 LEVEL CM	390,3421 litre	76,697 %	118,5959 litre	O
180	CM	30	CM 42,5 LEVEL CM	385,4541 litre	75,737 %	123,4839 litre	O
180	CM	30	CM 42 LEVEL CM	380,5249 litre	74,768 %	128,4131 litre	O
180	CM	30	CM 41,5 LEVEL CM	375,5564 litre	73,792 %	133,3816 litre	O
180	CM	30	CM 41 LEVEL CM	370,5506 litre	72,809 %	138,3874 litre	O
180	CM	30	CM 40,5 LEVEL CM	365,5092 litre	71,818 %	143,4288 litre	O
180	CM	30	CM 40 LEVEL CM	360,4343 litre	70,821 %	148,5037 litre	O
180	CM	30	CM 39,5 LEVEL CM	355,3275 litre	69,817 %	153,6105 litre	O
180	CM	30	CM 39 LEVEL CM	350,1907 litre	68,808 %	158,7473 litre	O
180	CM	30	CM 38,5 LEVEL CM	345,0255 litre	67,793 %	163,9125 litre	O
180	CM	30	CM 38 LEVEL CM	339,8338 litre	66,773 %	169,1042 litre	O
180	CM	30	CM 37,5 LEVEL CM	334,6172 litre	65,748 %	174,3208 litre	O
180	CM	30	CM 37 LEVEL CM	329,3773 litre	64,719 %	179,5607 litre	O
180	CM	30	CM 36,5 LEVEL CM	324,1158 litre	63,685 %	184,8222 litre	O
180	CM	30	CM 36 LEVEL CM	318,8344 litre	62,647 %	190,1036 litre	O
180	CM	30	CM 35,5 LEVEL CM	313,5346 litre	61,606 %	195,4034 litre	O
180	CM	30	CM 35 LEVEL CM	308,2180 litre	60,561 %	200,7200 litre	O
180	CM	30	CM 34,5 LEVEL CM	302,8861 litre	59,513 %	206,0519 litre	O

180	CM	30	CM	34 LEVEL CM	297,5407 litre	58,463 %	211,3973 litre	O
180	CM	30	CM	33,5 LEVEL CM	292,1831 litre	57,410 %	216,7549 litre	O
180	CM	30	CM	33 LEVEL CM	286,8149 litre	56,356 %	222,1231 litre	O
180	CM	30	CM	32,5 LEVEL CM	281,4377 litre	55,299 %	227,5003 litre	O
180	CM	30	CM	32 LEVEL CM	276,0530 litre	54,241 %	232,8850 litre	O
180	CM	30	CM	31,5 LEVEL CM	270,6623 litre	53,182 %	238,2757 litre	O
180	CM	30	CM	31 LEVEL CM	265,2670 litre	52,122 %	243,6710 litre	O
180	CM	30	CM	30,5 LEVEL CM	259,8688 litre	51,061 %	249,0692 litre	O
180	CM	30	CM	30 LEVEL CM	254,4690 litre	50,000 %	254,4690 litre	O
180	CM	30	CM	29,5 LEVEL CM	249,0693 litre	48,939 %	259,8687 litre	O
180	CM	30	CM	29 LEVEL CM	243,6710 litre	47,878 %	265,2670 litre	O
180	CM	30	CM	28,5 LEVEL CM	238,2758 litre	46,818 %	270,6622 litre	O
180	CM	30	CM	28 LEVEL CM	232,8850 litre	45,759 %	276,0530 litre	O
180	CM	30	CM	27,5 LEVEL CM	227,5003 litre	44,701 %	281,4377 litre	O
180	CM	30	CM	27 LEVEL CM	222,1231 litre	43,644 %	286,8149 litre	O
180	CM	30	CM	26,5 LEVEL CM	216,7549 litre	42,590 %	292,1831 litre	O
180	CM	30	CM	26 LEVEL CM	211,3973 litre	41,537 %	297,5407 litre	O
180	CM	30	CM	25,5 LEVEL CM	206,0519 litre	40,487 %	302,8861 litre	O
180	CM	30	CM	25 LEVEL CM	200,7201 litre	39,439 %	308,2179 litre	O
180	CM	30	CM	24,5 LEVEL CM	195,4035 litre	38,394 %	313,5345 litre	O
180	CM	30	CM	24 LEVEL CM	190,1036 litre	37,353 %	318,8344 litre	O
180	CM	30	CM	23,5 LEVEL CM	184,8222 litre	36,315 %	324,1158 litre	O
180	CM	30	CM	23 LEVEL CM	179,5607 litre	35,281 %	329,3773 litre	O
180	CM	30	CM	22,5 LEVEL CM	174,3208 litre	34,252 %	334,6172 litre	O
180	CM	30	CM	22 LEVEL CM	169,1042 litre	33,227 %	339,8338 litre	O
180	CM	30	CM	21,5 LEVEL CM	163,9125 litre	32,207 %	345,0255 litre	O
180	CM	30	CM	21 LEVEL CM	158,7473 litre	31,192 %	350,1907 litre	O
180	CM	30	CM	20,5 LEVEL CM	153,6105 litre	30,183 %	355,3275 litre	O
180	CM	30	CM	20 LEVEL CM	148,5037 litre	29,179 %	360,4343 litre	O
180	CM	30	CM	19,5 LEVEL CM	143,4288 litre	28,182 %	365,5092 litre	O
180	CM	30	CM	19 LEVEL CM	138,3874 litre	27,191 %	370,5506 litre	O
180	CM	30	CM	18,5 LEVEL CM	133,3816 litre	26,208 %	375,5564 litre	O
180	CM	30	CM	18 LEVEL CM	128,4131 litre	25,232 %	380,5249 litre	O
180	CM	30	CM	17,5 LEVEL CM	123,4839 litre	24,263 %	385,4541 litre	O
180	CM	30	CM	17 LEVEL CM	118,5959 litre	23,303 %	390,3421 litre	O
180	CM	30	CM	16,5 LEVEL CM	113,7512 litre	22,351 %	395,1868 litre	O
180	CM	30	CM	16 LEVEL CM	108,9519 litre	21,408 %	399,9861 litre	O
180	CM	30	CM	15,5 LEVEL CM	104,2001 litre	20,474 %	404,7379 litre	O
180	CM	30	CM	15 LEVEL CM	99,4979 litre	19,550 %	409,4401 litre	O
180	CM	30	CM	14,5 LEVEL CM	94,8478 litre	18,636 %	414,0902 litre	O
180	CM	30	CM	14 LEVEL CM	90,2519 litre	17,733 %	418,6861 litre	O
180	CM	30	CM	13,5 LEVEL CM	85,7128 litre	16,842 %	423,2252 litre	O
180	CM	30	CM	13 LEVEL CM	81,2330 litre	15,961 %	427,7050 litre	O
180	CM	30	CM	12,5 LEVEL CM	76,8151 litre	15,093 %	432,1229 litre	O
180	CM	30	CM	12 LEVEL CM	72,4618 litre	14,238 %	436,4762 litre	O
180	CM	30	CM	11,5 LEVEL CM	68,1761 litre	13,396 %	440,7619 litre	O
180	CM	30	CM	11 LEVEL CM	63,9608 litre	12,568 %	444,9772 litre	O
180	CM	30	CM	10,5 LEVEL CM	59,8193 litre	11,754 %	449,1187 litre	O
180	CM	30	CM	10 LEVEL CM	55,7547 litre	10,955 %	453,1833 litre	O
180	CM	30	CM	9,5 LEVEL CM	51,7706 litre	10,172 %	457,1674 litre	O
180	CM	30	CM	9 LEVEL CM	47,8708 litre	9,406 %	461,0672 litre	O
180	CM	30	CM	8,5 LEVEL CM	44,0592 litre	8,657 %	464,8788 litre	O
180	CM	30	CM	8 LEVEL CM	40,3402 litre	7,926 %	468,5978 litre	O

180	CM 30	CM	7,5 LEVEL CM	36,7183 litre	7,215 %	472,2197 litre	O
180	CM 30	CM	7 LEVEL CM	33,1984 litre	6,523 %	475,7396 litre	O
180	CM 30	CM	6,5 LEVEL CM	29,7861 litre	5,853 %	479,1519 litre	O
180	CM 30	CM	6 LEVEL CM	26,4872 litre	5,204 %	482,4508 litre	O
180	CM 30	CM	5,5 LEVEL CM	23,3084 litre	4,580 %	485,6296 litre	O
180	CM 30	CM	5 LEVEL CM	20,2570 litre	3,980 %	488,6810 litre	O
180	CM 30	CM	4,5 LEVEL CM	17,3414 litre	3,407 %	491,5966 litre	O
180	CM 30	CM	4 LEVEL CM	14,5712 litre	2,863 %	494,3668 litre	O
180	CM 30	CM	3,5 LEVEL CM	11,9575 litre	2,349 %	496,9805 litre	O
180	CM 30	CM	3 LEVEL CM	9,5136 litre	1,869 %	499,4244 litre	O
180	CM 30	CM	2,5 LEVEL CM	7,2559 litre	1,426 %	501,6821 litre	O
180	CM 30	CM	2 LEVEL CM	5,2052 litre	1,023 %	503,7328 litre	O
180	CM 30	CM	1,5 LEVEL CM	3,3895 litre	0,666 %	505,5485 litre	O
180	CM 30	CM	1 LEVEL CM	1,8497 litre	0,363 %	507,0883 litre	O
180	CM 30	CM	0,5 LEVEL CM	0,6556 litre	0,129 %	508,2824 litre	O
180	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	508,9380 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
170	CM 70	CM 140 LEVEL CM	2616,9467 litre	100,000 %	0,0000 litre	O
170	CM 70	CM 139,5 LEVEL CM	2615,9995 litre	99,964 %	0,9472 litre	O
170	CM 70	CM 139 LEVEL CM	2614,2705 litre	99,898 %	2,6762 litre	O
170	CM 70	CM 138,5 LEVEL CM	2612,0355 litre	99,812 %	4,9112 litre	O
170	CM 70	CM 138 LEVEL CM	2609,3936 litre	99,711 %	7,5531 litre	O
170	CM 70	CM 137,5 LEVEL CM	2606,4023 litre	99,597 %	10,5444 litre	O
170	CM 70	CM 137 LEVEL CM	2603,1008 litre	99,471 %	13,8459 litre	O
170	CM 70	CM 136,5 LEVEL CM	2599,5178 litre	99,334 %	17,4289 litre	O
170	CM 70	CM 136 LEVEL CM	2595,6759 litre	99,187 %	21,2708 litre	O
170	CM 70	CM 135,5 LEVEL CM	2591,5932 litre	99,031 %	25,3535 litre	O
170	CM 70	CM 135 LEVEL CM	2587,2848 litre	98,867 %	29,6619 litre	O
170	CM 70	CM 134,5 LEVEL CM	2582,7637 litre	98,694 %	34,1830 litre	O
170	CM 70	CM 134 LEVEL CM	2578,0409 litre	98,513 %	38,9058 litre	O
170	CM 70	CM 133,5 LEVEL CM	2573,1261 litre	98,326 %	43,8206 litre	O
170	CM 70	CM 133 LEVEL CM	2568,0280 litre	98,131 %	48,9187 litre	O
170	CM 70	CM 132,5 LEVEL CM	2562,7544 litre	97,929 %	54,1923 litre	O
170	CM 70	CM 132 LEVEL CM	2557,3121 litre	97,721 %	59,6346 litre	O
170	CM 70	CM 131,5 LEVEL CM	2551,7077 litre	97,507 %	65,2390 litre	O
170	CM 70	CM 131 LEVEL CM	2545,9468 litre	97,287 %	70,9999 litre	O
170	CM 70	CM 130,5 LEVEL CM	2540,0350 litre	97,061 %	76,9117 litre	O
170	CM 70	CM 130 LEVEL CM	2533,9770 litre	96,830 %	82,9697 litre	O
170	CM 70	CM 129,5 LEVEL CM	2527,7776 litre	96,593 %	89,1691 litre	O
170	CM 70	CM 129 LEVEL CM	2521,4410 litre	96,350 %	95,5057 litre	O
170	CM 70	CM 128,5 LEVEL CM	2514,9712 litre	96,103 %	101,9755 litre	O
170	CM 70	CM 128 LEVEL CM	2508,3721 litre	95,851 %	108,5746 litre	O
170	CM 70	CM 127,5 LEVEL CM	2501,6471 litre	95,594 %	115,2996 litre	O
170	CM 70	CM 127 LEVEL CM	2494,7997 litre	95,332 %	122,1470 litre	O
170	CM 70	CM 126,5 LEVEL CM	2487,8331 litre	95,066 %	129,1136 litre	O
170	CM 70	CM 126 LEVEL CM	2480,7503 litre	94,796 %	136,1964 litre	O
170	CM 70	CM 125,5 LEVEL CM	2473,5541 litre	94,521 %	143,3926 litre	O
170	CM 70	CM 125 LEVEL CM	2466,2473 litre	94,241 %	150,6994 litre	O
170	CM 70	CM 124,5 LEVEL CM	2458,8325 litre	93,958 %	158,1142 litre	O
170	CM 70	CM 124 LEVEL CM	2451,3122 litre	93,671 %	165,6345 litre	O
170	CM 70	CM 123,5 LEVEL CM	2443,6889 litre	93,379 %	173,2578 litre	O
170	CM 70	CM 123 LEVEL CM	2435,9649 litre	93,084 %	180,9818 litre	O
170	CM 70	CM 122,5 LEVEL CM	2428,1423 litre	92,785 %	188,8044 litre	O
170	CM 70	CM 122 LEVEL CM	2420,2234 litre	92,483 %	196,7233 litre	O
170	CM 70	CM 121,5 LEVEL CM	2412,2101 litre	92,177 %	204,7366 litre	O
170	CM 70	CM 121 LEVEL CM	2404,1045 litre	91,867 %	212,8422 litre	O
170	CM 70	CM 120,5 LEVEL CM	2395,9084 litre	91,554 %	221,0383 litre	O
170	CM 70	CM 120 LEVEL CM	2387,6239 litre	91,237 %	229,3228 litre	O
170	CM 70	CM 119,5 LEVEL CM	2379,2525 litre	90,917 %	237,6942 litre	O
170	CM 70	CM 119 LEVEL CM	2370,7961 litre	90,594 %	246,1506 litre	O
170	CM 70	CM 118,5 LEVEL CM	2362,2565 litre	90,268 %	254,6902 litre	O
170	CM 70	CM 118 LEVEL CM	2353,6351 litre	89,938 %	263,3116 litre	O
170	CM 70	CM 117,5 LEVEL CM	2344,9337 litre	89,606 %	272,0130 litre	O
170	CM 70	CM 117 LEVEL CM	2336,1537 litre	89,270 %	280,7930 litre	O
170	CM 70	CM 116,5 LEVEL CM	2327,2967 litre	88,932 %	289,6500 litre	O
170	CM 70	CM 116 LEVEL CM	2318,3642 litre	88,590 %	298,5825 litre	O
170	CM 70	CM 115,5 LEVEL CM	2309,3576 litre	88,246 %	307,5891 litre	O
170	CM 70	CM 115 LEVEL CM	2300,2782 litre	87,899 %	316,6685 litre	O
170	CM 70	CM 114,5 LEVEL CM	2291,1275 litre	87,550 %	325,8192 litre	O

170	CM 70	CM	114 LEVEL CM	2281,9069 litre	87,197 %	335,0398 litre	O
170	CM 70	CM	113,5 LEVEL CM	2272,6175 litre	86,842 %	344,3292 litre	O
170	CM 70	CM	113 LEVEL CM	2263,2607 litre	86,485 %	353,6860 litre	O
170	CM 70	CM	112,5 LEVEL CM	2253,8377 litre	86,125 %	363,1090 litre	O
170	CM 70	CM	112 LEVEL CM	2244,3498 litre	85,762 %	372,5969 litre	O
170	CM 70	CM	111,5 LEVEL CM	2234,7981 litre	85,397 %	382,1486 litre	O
170	CM 70	CM	111 LEVEL CM	2225,1838 litre	85,030 %	391,7629 litre	O
170	CM 70	CM	110,5 LEVEL CM	2215,5081 litre	84,660 %	401,4386 litre	O
170	CM 70	CM	110 LEVEL CM	2205,7722 litre	84,288 %	411,1745 litre	O
170	CM 70	CM	109,5 LEVEL CM	2195,9770 litre	83,914 %	420,9697 litre	O
170	CM 70	CM	109 LEVEL CM	2186,1237 litre	83,537 %	430,8230 litre	O
170	CM 70	CM	108,5 LEVEL CM	2176,2134 litre	83,158 %	440,7333 litre	O
170	CM 70	CM	108 LEVEL CM	2166,2472 litre	82,778 %	450,6995 litre	O
170	CM 70	CM	107,5 LEVEL CM	2156,2259 litre	82,395 %	460,7208 litre	O
170	CM 70	CM	107 LEVEL CM	2146,1508 litre	82,010 %	470,7959 litre	O
170	CM 70	CM	106,5 LEVEL CM	2136,0227 litre	81,623 %	480,9240 litre	O
170	CM 70	CM	106 LEVEL CM	2125,8427 litre	81,234 %	491,1040 litre	O
170	CM 70	CM	105,5 LEVEL CM	2115,6117 litre	80,843 %	501,3350 litre	O
170	CM 70	CM	105 LEVEL CM	2105,3307 litre	80,450 %	511,6160 litre	O
170	CM 70	CM	104,5 LEVEL CM	2095,0006 litre	80,055 %	521,9461 litre	O
170	CM 70	CM	104 LEVEL CM	2084,6224 litre	79,659 %	532,3243 litre	O
170	CM 70	CM	103,5 LEVEL CM	2074,1969 litre	79,260 %	542,7498 litre	O
170	CM 70	CM	103 LEVEL CM	2063,7251 litre	78,860 %	553,2216 litre	O
170	CM 70	CM	102,5 LEVEL CM	2053,2079 litre	78,458 %	563,7388 litre	O
170	CM 70	CM	102 LEVEL CM	2042,6461 litre	78,055 %	574,3006 litre	O
170	CM 70	CM	101,5 LEVEL CM	2032,0406 litre	77,649 %	584,9061 litre	O
170	CM 70	CM	101 LEVEL CM	2021,3923 litre	77,242 %	595,5544 litre	O
170	CM 70	CM	100,5 LEVEL CM	2010,7020 litre	76,834 %	606,2447 litre	O
170	CM 70	CM	100 LEVEL CM	1999,9706 litre	76,424 %	616,9761 litre	O
170	CM 70	CM	99,5 LEVEL CM	1989,1988 litre	76,012 %	627,7479 litre	O
170	CM 70	CM	99 LEVEL CM	1978,3875 litre	75,599 %	638,5592 litre	O
170	CM 70	CM	98,5 LEVEL CM	1967,5376 litre	75,184 %	649,4091 litre	O
170	CM 70	CM	98 LEVEL CM	1956,6497 litre	74,768 %	660,2970 litre	O
170	CM 70	CM	97,5 LEVEL CM	1945,7248 litre	74,351 %	671,2219 litre	O
170	CM 70	CM	97 LEVEL CM	1934,7635 litre	73,932 %	682,1832 litre	O
170	CM 70	CM	96,5 LEVEL CM	1923,7667 litre	73,512 %	693,1800 litre	O
170	CM 70	CM	96 LEVEL CM	1912,7351 litre	73,090 %	704,2116 litre	O
170	CM 70	CM	95,5 LEVEL CM	1901,6696 litre	72,667 %	715,2771 litre	O
170	CM 70	CM	95 LEVEL CM	1890,5708 litre	72,243 %	726,3759 litre	O
170	CM 70	CM	94,5 LEVEL CM	1879,4394 litre	71,818 %	737,5073 litre	O
170	CM 70	CM	94 LEVEL CM	1868,2764 litre	71,391 %	748,6703 litre	O
170	CM 70	CM	93,5 LEVEL CM	1857,0823 litre	70,964 %	759,8644 litre	O
170	CM 70	CM	93 LEVEL CM	1845,8579 litre	70,535 %	771,0888 litre	O
170	CM 70	CM	92,5 LEVEL CM	1834,6039 litre	70,105 %	782,3428 litre	O
170	CM 70	CM	92 LEVEL CM	1823,3211 litre	69,674 %	793,6256 litre	O
170	CM 70	CM	91,5 LEVEL CM	1812,0101 litre	69,241 %	804,9366 litre	O
170	CM 70	CM	91 LEVEL CM	1800,6717 litre	68,808 %	816,2750 litre	O
170	CM 70	CM	90,5 LEVEL CM	1789,3066 litre	68,374 %	827,6401 litre	O
170	CM 70	CM	90 LEVEL CM	1777,9154 litre	67,939 %	839,0313 litre	O
170	CM 70	CM	89,5 LEVEL CM	1766,4989 litre	67,502 %	850,4478 litre	O
170	CM 70	CM	89 LEVEL CM	1755,0578 litre	67,065 %	861,8889 litre	O
170	CM 70	CM	88,5 LEVEL CM	1743,5927 litre	66,627 %	873,3540 litre	O
170	CM 70	CM	88 LEVEL CM	1732,1042 litre	66,188 %	884,8425 litre	O

170	CM	70	CM	87,5 LEVEL CM	1720,5932 litre	65,748 %	896,3535 litre	O
170	CM	70	CM	87 LEVEL CM	1709,0602 litre	65,307 %	907,8865 litre	O
170	CM	70	CM	86,5 LEVEL CM	1697,5059 litre	64,866 %	919,4408 litre	O
170	CM	70	CM	86 LEVEL CM	1685,9310 litre	64,424 %	931,0157 litre	O
170	CM	70	CM	85,5 LEVEL CM	1674,3362 litre	63,981 %	942,6105 litre	O
170	CM	70	CM	85 LEVEL CM	1662,7221 litre	63,537 %	954,2246 litre	O
170	CM	70	CM	84,5 LEVEL CM	1651,0893 litre	63,092 %	965,8574 litre	O
170	CM	70	CM	84 LEVEL CM	1639,4385 litre	62,647 %	977,5082 litre	O
170	CM	70	CM	83,5 LEVEL CM	1627,7703 litre	62,201 %	989,1764 litre	O
170	CM	70	CM	83 LEVEL CM	1616,0855 litre	61,755 %	1000,8612 litre	O
170	CM	70	CM	82,5 LEVEL CM	1604,3846 litre	61,307 %	1012,5621 litre	O
170	CM	70	CM	82 LEVEL CM	1592,6683 litre	60,860 %	1024,2784 litre	O
170	CM	70	CM	81,5 LEVEL CM	1580,9371 litre	60,412 %	1036,0096 litre	O
170	CM	70	CM	81 LEVEL CM	1569,1918 litre	59,963 %	1047,7549 litre	O
170	CM	70	CM	80,5 LEVEL CM	1557,4330 litre	59,513 %	1059,5137 litre	O
170	CM	70	CM	80 LEVEL CM	1545,6613 litre	59,064 %	1071,2854 litre	O
170	CM	70	CM	79,5 LEVEL CM	1533,8773 litre	58,613 %	1083,0694 litre	O
170	CM	70	CM	79 LEVEL CM	1522,0817 litre	58,163 %	1094,8650 litre	O
170	CM	70	CM	78,5 LEVEL CM	1510,2751 litre	57,711 %	1106,6716 litre	O
170	CM	70	CM	78 LEVEL CM	1498,4580 litre	57,260 %	1118,4887 litre	O
170	CM	70	CM	77,5 LEVEL CM	1486,6312 litre	56,808 %	1130,3155 litre	O
170	CM	70	CM	77 LEVEL CM	1474,7953 litre	56,356 %	1142,1514 litre	O
170	CM	70	CM	76,5 LEVEL CM	1462,9507 litre	55,903 %	1153,9960 litre	O
170	CM	70	CM	76 LEVEL CM	1451,0983 litre	55,450 %	1165,8484 litre	O
170	CM	70	CM	75,5 LEVEL CM	1439,2385 litre	54,997 %	1177,7082 litre	O
170	CM	70	CM	75 LEVEL CM	1427,3721 litre	54,543 %	1189,5746 litre	O
170	CM	70	CM	74,5 LEVEL CM	1415,4995 litre	54,090 %	1201,4472 litre	O
170	CM	70	CM	74 LEVEL CM	1403,6215 litre	53,636 %	1213,3252 litre	O
170	CM	70	CM	73,5 LEVEL CM	1391,7386 litre	53,182 %	1225,2081 litre	O
170	CM	70	CM	73 LEVEL CM	1379,8515 litre	52,728 %	1237,0952 litre	O
170	CM	70	CM	72,5 LEVEL CM	1367,9607 litre	52,273 %	1248,9860 litre	O
170	CM	70	CM	72 LEVEL CM	1356,0669 litre	51,819 %	1260,8798 litre	O
170	CM	70	CM	71,5 LEVEL CM	1344,1706 litre	51,364 %	1272,7761 litre	O
170	CM	70	CM	71 LEVEL CM	1332,2725 litre	50,909 %	1284,6742 litre	O
170	CM	70	CM	70,5 LEVEL CM	1320,3732 litre	50,455 %	1296,5735 litre	O
170	CM	70	CM	70 LEVEL CM	1308,4733 litre	50,000 %	1308,4734 litre	O
170	CM	70	CM	69,5 LEVEL CM	1296,5734 litre	49,545 %	1320,3733 litre	O
170	CM	70	CM	69 LEVEL CM	1284,6741 litre	49,091 %	1332,2726 litre	O
170	CM	70	CM	68,5 LEVEL CM	1272,7761 litre	48,636 %	1344,1706 litre	O
170	CM	70	CM	68 LEVEL CM	1260,8798 litre	48,181 %	1356,0669 litre	O
170	CM	70	CM	67,5 LEVEL CM	1248,9860 litre	47,727 %	1367,9607 litre	O
170	CM	70	CM	67 LEVEL CM	1237,0952 litre	47,272 %	1379,8515 litre	O
170	CM	70	CM	66,5 LEVEL CM	1225,2081 litre	46,818 %	1391,7386 litre	O
170	CM	70	CM	66 LEVEL CM	1213,3252 litre	46,364 %	1403,6215 litre	O
170	CM	70	CM	65,5 LEVEL CM	1201,4472 litre	45,910 %	1415,4995 litre	O
170	CM	70	CM	65 LEVEL CM	1189,5746 litre	45,457 %	1427,3721 litre	O
170	CM	70	CM	64,5 LEVEL CM	1177,7081 litre	45,003 %	1439,2386 litre	O
170	CM	70	CM	64 LEVEL CM	1165,8484 litre	44,550 %	1451,0983 litre	O
170	CM	70	CM	63,5 LEVEL CM	1153,9959 litre	44,097 %	1462,9508 litre	O
170	CM	70	CM	63 LEVEL CM	1142,1514 litre	43,644 %	1474,7953 litre	O
170	CM	70	CM	62,5 LEVEL CM	1130,3154 litre	43,192 %	1486,6313 litre	O
170	CM	70	CM	62 LEVEL CM	1118,4886 litre	42,740 %	1498,4581 litre	O
170	CM	70	CM	61,5 LEVEL CM	1106,6716 litre	42,289 %	1510,2751 litre	O

170	CM	70	CM	61 LEVEL CM	1094,8650 litre	41,837 %	1522,0817 litre	O
170	CM	70	CM	60,5 LEVEL CM	1083,0693 litre	41,387 %	1533,8774 litre	O
170	CM	70	CM	60 LEVEL CM	1071,2854 litre	40,936 %	1545,6613 litre	O
170	CM	70	CM	59,5 LEVEL CM	1059,5137 litre	40,487 %	1557,4330 litre	O
170	CM	70	CM	59 LEVEL CM	1047,7548 litre	40,037 %	1569,1919 litre	O
170	CM	70	CM	58,5 LEVEL CM	1036,0096 litre	39,588 %	1580,9371 litre	O
170	CM	70	CM	58 LEVEL CM	1024,2784 litre	39,140 %	1592,6683 litre	O
170	CM	70	CM	57,5 LEVEL CM	1012,5621 litre	38,692 %	1604,3846 litre	O
170	CM	70	CM	57 LEVEL CM	1000,8612 litre	38,245 %	1616,0855 litre	O
170	CM	70	CM	56,5 LEVEL CM	989,1763 litre	37,799 %	1627,7704 litre	O
170	CM	70	CM	56 LEVEL CM	977,5082 litre	37,353 %	1639,4385 litre	O
170	CM	70	CM	55,5 LEVEL CM	965,8574 litre	36,908 %	1651,0893 litre	O
170	CM	70	CM	55 LEVEL CM	954,2246 litre	36,463 %	1662,7221 litre	O
170	CM	70	CM	54,5 LEVEL CM	942,6105 litre	36,019 %	1674,3362 litre	O
170	CM	70	CM	54 LEVEL CM	931,0156 litre	35,576 %	1685,9311 litre	O
170	CM	70	CM	53,5 LEVEL CM	919,4407 litre	35,134 %	1697,5060 litre	O
170	CM	70	CM	53 LEVEL CM	907,8865 litre	34,693 %	1709,0602 litre	O
170	CM	70	CM	52,5 LEVEL CM	896,3535 litre	34,252 %	1720,5932 litre	O
170	CM	70	CM	52 LEVEL CM	884,8425 litre	33,812 %	1732,1042 litre	O
170	CM	70	CM	51,5 LEVEL CM	873,3540 litre	33,373 %	1743,5927 litre	O
170	CM	70	CM	51 LEVEL CM	861,8889 litre	32,935 %	1755,0578 litre	O
170	CM	70	CM	50,5 LEVEL CM	850,4477 litre	32,498 %	1766,4990 litre	O
170	CM	70	CM	50 LEVEL CM	839,0312 litre	32,061 %	1777,9155 litre	O
170	CM	70	CM	49,5 LEVEL CM	827,6401 litre	31,626 %	1789,3066 litre	O
170	CM	70	CM	49 LEVEL CM	816,2750 litre	31,192 %	1800,6717 litre	O
170	CM	70	CM	48,5 LEVEL CM	804,9366 litre	30,759 %	1812,0101 litre	O
170	CM	70	CM	48 LEVEL CM	793,6256 litre	30,326 %	1823,3211 litre	O
170	CM	70	CM	47,5 LEVEL CM	782,3428 litre	29,895 %	1834,6039 litre	O
170	CM	70	CM	47 LEVEL CM	771,0888 litre	29,465 %	1845,8579 litre	O
170	CM	70	CM	46,5 LEVEL CM	759,8644 litre	29,036 %	1857,0823 litre	O
170	CM	70	CM	46 LEVEL CM	748,6703 litre	28,609 %	1868,2764 litre	O
170	CM	70	CM	45,5 LEVEL CM	737,5072 litre	28,182 %	1879,4395 litre	O
170	CM	70	CM	45 LEVEL CM	726,3759 litre	27,757 %	1890,5708 litre	O
170	CM	70	CM	44,5 LEVEL CM	715,2771 litre	27,333 %	1901,6696 litre	O
170	CM	70	CM	44 LEVEL CM	704,2115 litre	26,910 %	1912,7352 litre	O
170	CM	70	CM	43,5 LEVEL CM	693,1800 litre	26,488 %	1923,7667 litre	O
170	CM	70	CM	43 LEVEL CM	682,1832 litre	26,068 %	1934,7635 litre	O
170	CM	70	CM	42,5 LEVEL CM	671,2219 litre	25,649 %	1945,7248 litre	O
170	CM	70	CM	42 LEVEL CM	660,2970 litre	25,232 %	1956,6497 litre	O
170	CM	70	CM	41,5 LEVEL CM	649,4091 litre	24,816 %	1967,5376 litre	O
170	CM	70	CM	41 LEVEL CM	638,5592 litre	24,401 %	1978,3875 litre	O
170	CM	70	CM	40,5 LEVEL CM	627,7479 litre	23,988 %	1989,1988 litre	O
170	CM	70	CM	40 LEVEL CM	616,9761 litre	23,576 %	1999,9706 litre	O
170	CM	70	CM	39,5 LEVEL CM	606,2447 litre	23,166 %	2010,7020 litre	O
170	CM	70	CM	39 LEVEL CM	595,5544 litre	22,758 %	2021,3923 litre	O
170	CM	70	CM	38,5 LEVEL CM	584,9061 litre	22,351 %	2032,0406 litre	O
170	CM	70	CM	38 LEVEL CM	574,3006 litre	21,945 %	2042,6461 litre	O
170	CM	70	CM	37,5 LEVEL CM	563,7388 litre	21,542 %	2053,2079 litre	O
170	CM	70	CM	37 LEVEL CM	553,2216 litre	21,140 %	2063,7251 litre	O
170	CM	70	CM	36,5 LEVEL CM	542,7498 litre	20,740 %	2074,1969 litre	O
170	CM	70	CM	36 LEVEL CM	532,3243 litre	20,341 %	2084,6224 litre	O
170	CM	70	CM	35,5 LEVEL CM	521,9461 litre	19,945 %	2095,0006 litre	O
170	CM	70	CM	35 LEVEL CM	511,6160 litre	19,550 %	2105,3307 litre	O

170	CM	70	CM	34,5 LEVEL CM	501,3350 litre	19,157 %	2115,6117 litre	O
170	CM	70	CM	34 LEVEL CM	491,1040 litre	18,766 %	2125,8427 litre	O
170	CM	70	CM	33,5 LEVEL CM	480,9240 litre	18,377 %	2136,0227 litre	O
170	CM	70	CM	33 LEVEL CM	470,7959 litre	17,990 %	2146,1508 litre	O
170	CM	70	CM	32,5 LEVEL CM	460,7207 litre	17,605 %	2156,2260 litre	O
170	CM	70	CM	32 LEVEL CM	450,6995 litre	17,222 %	2166,2472 litre	O
170	CM	70	CM	31,5 LEVEL CM	440,7332 litre	16,842 %	2176,2135 litre	O
170	CM	70	CM	31 LEVEL CM	430,8229 litre	16,463 %	2186,1238 litre	O
170	CM	70	CM	30,5 LEVEL CM	420,9697 litre	16,086 %	2195,9770 litre	O
170	CM	70	CM	30 LEVEL CM	411,1745 litre	15,712 %	2205,7722 litre	O
170	CM	70	CM	29,5 LEVEL CM	401,4385 litre	15,340 %	2215,5082 litre	O
170	CM	70	CM	29 LEVEL CM	391,7629 litre	14,970 %	2225,1838 litre	O
170	CM	70	CM	28,5 LEVEL CM	382,1486 litre	14,603 %	2234,7981 litre	O
170	CM	70	CM	28 LEVEL CM	372,5969 litre	14,238 %	2244,3498 litre	O
170	CM	70	CM	27,5 LEVEL CM	363,1090 litre	13,875 %	2253,8377 litre	O
170	CM	70	CM	27 LEVEL CM	353,6860 litre	13,515 %	2263,2607 litre	O
170	CM	70	CM	26,5 LEVEL CM	344,3292 litre	13,158 %	2272,6175 litre	O
170	CM	70	CM	26 LEVEL CM	335,0398 litre	12,803 %	2281,9069 litre	O
170	CM	70	CM	25,5 LEVEL CM	325,8191 litre	12,450 %	2291,1276 litre	O
170	CM	70	CM	25 LEVEL CM	316,6685 litre	12,101 %	2300,2782 litre	O
170	CM	70	CM	24,5 LEVEL CM	307,5891 litre	11,754 %	2309,3576 litre	O
170	CM	70	CM	24 LEVEL CM	298,5825 litre	11,410 %	2318,3642 litre	O
170	CM	70	CM	23,5 LEVEL CM	289,6500 litre	11,068 %	2327,2967 litre	O
170	CM	70	CM	23 LEVEL CM	280,7930 litre	10,730 %	2336,1537 litre	O
170	CM	70	CM	22,5 LEVEL CM	272,0130 litre	10,394 %	2344,9337 litre	O
170	CM	70	CM	22 LEVEL CM	263,3116 litre	10,062 %	2353,6351 litre	O
170	CM	70	CM	21,5 LEVEL CM	254,6902 litre	9,732 %	2362,2565 litre	O
170	CM	70	CM	21 LEVEL CM	246,1505 litre	9,406 %	2370,7962 litre	O
170	CM	70	CM	20,5 LEVEL CM	237,6942 litre	9,083 %	2379,2525 litre	O
170	CM	70	CM	20 LEVEL CM	229,3228 litre	8,763 %	2387,6239 litre	O
170	CM	70	CM	19,5 LEVEL CM	221,0382 litre	8,446 %	2395,9085 litre	O
170	CM	70	CM	19 LEVEL CM	212,8422 litre	8,133 %	2404,1045 litre	O
170	CM	70	CM	18,5 LEVEL CM	204,7366 litre	7,823 %	2412,2101 litre	O
170	CM	70	CM	18 LEVEL CM	196,7233 litre	7,517 %	2420,2234 litre	O
170	CM	70	CM	17,5 LEVEL CM	188,8043 litre	7,215 %	2428,1424 litre	O
170	CM	70	CM	17 LEVEL CM	180,9818 litre	6,916 %	2435,9649 litre	O
170	CM	70	CM	16,5 LEVEL CM	173,2577 litre	6,621 %	2443,6890 litre	O
170	CM	70	CM	16 LEVEL CM	165,6344 litre	6,329 %	2451,3123 litre	O
170	CM	70	CM	15,5 LEVEL CM	158,1142 litre	6,042 %	2458,8325 litre	O
170	CM	70	CM	15 LEVEL CM	150,6994 litre	5,759 %	2466,2473 litre	O
170	CM	70	CM	14,5 LEVEL CM	143,3926 litre	5,479 %	2473,5541 litre	O
170	CM	70	CM	14 LEVEL CM	136,1964 litre	5,204 %	2480,7503 litre	O
170	CM	70	CM	13,5 LEVEL CM	129,1136 litre	4,934 %	2487,8331 litre	O
170	CM	70	CM	13 LEVEL CM	122,1469 litre	4,668 %	2494,7998 litre	O
170	CM	70	CM	12,5 LEVEL CM	115,2995 litre	4,406 %	2501,6472 litre	O
170	CM	70	CM	12 LEVEL CM	108,5746 litre	4,149 %	2508,3721 litre	O
170	CM	70	CM	11,5 LEVEL CM	101,9755 litre	3,897 %	2514,9712 litre	O
170	CM	70	CM	11 LEVEL CM	95,5057 litre	3,650 %	2521,4410 litre	O
170	CM	70	CM	10,5 LEVEL CM	89,1691 litre	3,407 %	2527,7776 litre	O
170	CM	70	CM	10 LEVEL CM	82,9697 litre	3,170 %	2533,9770 litre	O
170	CM	70	CM	9,5 LEVEL CM	76,9117 litre	2,939 %	2540,0350 litre	O
170	CM	70	CM	9 LEVEL CM	70,9998 litre	2,713 %	2545,9469 litre	O
170	CM	70	CM	8,5 LEVEL CM	65,2390 litre	2,493 %	2551,7077 litre	O

170	CM 70	CM	8 LEVEL CM	59,6346 litre	2,279 %	2557,3121 litre	O
170	CM 70	CM	7,5 LEVEL CM	54,1923 litre	2,071 %	2562,7544 litre	O
170	CM 70	CM	7 LEVEL CM	48,9187 litre	1,869 %	2568,0280 litre	O
170	CM 70	CM	6,5 LEVEL CM	43,8206 litre	1,674 %	2573,1261 litre	O
170	CM 70	CM	6 LEVEL CM	38,9058 litre	1,487 %	2578,0409 litre	O
170	CM 70	CM	5,5 LEVEL CM	34,1830 litre	1,306 %	2582,7637 litre	O
170	CM 70	CM	5 LEVEL CM	29,6618 litre	1,133 %	2587,2849 litre	O
170	CM 70	CM	4,5 LEVEL CM	25,3535 litre	0,969 %	2591,5932 litre	O
170	CM 70	CM	4 LEVEL CM	21,2708 litre	0,813 %	2595,6759 litre	O
170	CM 70	CM	3,5 LEVEL CM	17,4289 litre	0,666 %	2599,5178 litre	O
170	CM 70	CM	3 LEVEL CM	13,8459 litre	0,529 %	2603,1008 litre	O
170	CM 70	CM	2,5 LEVEL CM	10,5444 litre	0,403 %	2606,4023 litre	O
170	CM 70	CM	2 LEVEL CM	7,5531 litre	0,289 %	2609,3936 litre	O
170	CM 70	CM	1,5 LEVEL CM	4,9112 litre	0,188 %	2612,0355 litre	O
170	CM 70	CM	1 LEVEL CM	2,6762 litre	0,102 %	2614,2705 litre	O
170	CM 70	CM	0,5 LEVEL CM	0,9472 litre	0,036 %	2615,9995 litre	O
170	CM 70	CM	0 LEVEL CM	0,0000 litre	0,000 %	2616,9467 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
170	CM 65	CM 130 LEVEL CM	2256,4489 litre	100,000 %	0,0000 litre	O
170	CM 65	CM 129,5 LEVEL CM	2255,5363 litre	99,960 %	0,9126 litre	O
170	CM 65	CM 129 LEVEL CM	2253,8705 litre	99,886 %	2,5784 litre	O
170	CM 65	CM 128,5 LEVEL CM	2251,7176 litre	99,790 %	4,7313 litre	O
170	CM 65	CM 128 LEVEL CM	2249,1730 litre	99,678 %	7,2759 litre	O
170	CM 65	CM 127,5 LEVEL CM	2246,2923 litre	99,550 %	10,1566 litre	O
170	CM 65	CM 127 LEVEL CM	2243,1134 litre	99,409 %	13,3355 litre	O
170	CM 65	CM 126,5 LEVEL CM	2239,6639 litre	99,256 %	16,7850 litre	O
170	CM 65	CM 126 LEVEL CM	2235,9657 litre	99,092 %	20,4832 litre	O
170	CM 65	CM 125,5 LEVEL CM	2232,0362 litre	98,918 %	24,4127 litre	O
170	CM 65	CM 125 LEVEL CM	2227,8902 litre	98,734 %	28,5587 litre	O
170	CM 65	CM 124,5 LEVEL CM	2223,5401 litre	98,542 %	32,9088 litre	O
170	CM 65	CM 124 LEVEL CM	2218,9965 litre	98,340 %	37,4524 litre	O
170	CM 65	CM 123,5 LEVEL CM	2214,2690 litre	98,131 %	42,1799 litre	O
170	CM 65	CM 123 LEVEL CM	2209,3660 litre	97,913 %	47,0829 litre	O
170	CM 65	CM 122,5 LEVEL CM	2204,2949 litre	97,689 %	52,1540 litre	O
170	CM 65	CM 122 LEVEL CM	2199,0624 litre	97,457 %	57,3865 litre	O
170	CM 65	CM 121,5 LEVEL CM	2193,6749 litre	97,218 %	62,7740 litre	O
170	CM 65	CM 121 LEVEL CM	2188,1379 litre	96,973 %	68,3110 litre	O
170	CM 65	CM 120,5 LEVEL CM	2182,4566 litre	96,721 %	73,9923 litre	O
170	CM 65	CM 120 LEVEL CM	2176,6358 litre	96,463 %	79,8131 litre	O
170	CM 65	CM 119,5 LEVEL CM	2170,6800 litre	96,199 %	85,7689 litre	O
170	CM 65	CM 119 LEVEL CM	2164,5935 litre	95,929 %	91,8554 litre	O
170	CM 65	CM 118,5 LEVEL CM	2158,3801 litre	95,654 %	98,0688 litre	O
170	CM 65	CM 118 LEVEL CM	2152,0434 litre	95,373 %	104,4055 litre	O
170	CM 65	CM 117,5 LEVEL CM	2145,5871 litre	95,087 %	110,8618 litre	O
170	CM 65	CM 117 LEVEL CM	2139,0143 litre	94,796 %	117,4346 litre	O
170	CM 65	CM 116,5 LEVEL CM	2132,3281 litre	94,499 %	124,1208 litre	O
170	CM 65	CM 116 LEVEL CM	2125,5315 litre	94,198 %	130,9174 litre	O
170	CM 65	CM 115,5 LEVEL CM	2118,6274 litre	93,892 %	137,8215 litre	O
170	CM 65	CM 115 LEVEL CM	2111,6183 litre	93,581 %	144,8306 litre	O
170	CM 65	CM 114,5 LEVEL CM	2104,5070 litre	93,266 %	151,9419 litre	O
170	CM 65	CM 114 LEVEL CM	2097,2957 litre	92,947 %	159,1532 litre	O
170	CM 65	CM 113,5 LEVEL CM	2089,9869 litre	92,623 %	166,4620 litre	O
170	CM 65	CM 113 LEVEL CM	2082,5828 litre	92,295 %	173,8661 litre	O
170	CM 65	CM 112,5 LEVEL CM	2075,0857 litre	91,962 %	181,3632 litre	O
170	CM 65	CM 112 LEVEL CM	2067,4975 litre	91,626 %	188,9514 litre	O
170	CM 65	CM 111,5 LEVEL CM	2059,8204 litre	91,286 %	196,6285 litre	O
170	CM 65	CM 111 LEVEL CM	2052,0562 litre	90,942 %	204,3927 litre	O
170	CM 65	CM 110,5 LEVEL CM	2044,2069 litre	90,594 %	212,2420 litre	O
170	CM 65	CM 110 LEVEL CM	2036,2742 litre	90,242 %	220,1747 litre	O
170	CM 65	CM 109,5 LEVEL CM	2028,2600 litre	89,887 %	228,1889 litre	O
170	CM 65	CM 109 LEVEL CM	2020,1660 litre	89,529 %	236,2829 litre	O
170	CM 65	CM 108,5 LEVEL CM	2011,9938 litre	89,166 %	244,4551 litre	O
170	CM 65	CM 108 LEVEL CM	2003,7450 litre	88,801 %	252,7039 litre	O
170	CM 65	CM 107,5 LEVEL CM	1995,4213 litre	88,432 %	261,0276 litre	O
170	CM 65	CM 107 LEVEL CM	1987,0241 litre	88,060 %	269,4248 litre	O
170	CM 65	CM 106,5 LEVEL CM	1978,5549 litre	87,684 %	277,8940 litre	O
170	CM 65	CM 106 LEVEL CM	1970,0152 litre	87,306 %	286,4337 litre	O
170	CM 65	CM 105,5 LEVEL CM	1961,4064 litre	86,924 %	295,0425 litre	O
170	CM 65	CM 105 LEVEL CM	1952,7299 litre	86,540 %	303,7190 litre	O
170	CM 65	CM 104,5 LEVEL CM	1943,9870 litre	86,152 %	312,4619 litre	O

170	CM	65	CM	104 LEVEL CM	1935,1791 litre	85,762 %	321,2698 litre	O
170	CM	65	CM	103,5 LEVEL CM	1926,3075 litre	85,369 %	330,1414 litre	O
170	CM	65	CM	103 LEVEL CM	1917,3733 litre	84,973 %	339,0756 litre	O
170	CM	65	CM	102,5 LEVEL CM	1908,3779 litre	84,574 %	348,0710 litre	O
170	CM	65	CM	102 LEVEL CM	1899,3225 litre	84,173 %	357,1264 litre	O
170	CM	65	CM	101,5 LEVEL CM	1890,2082 litre	83,769 %	366,2407 litre	O
170	CM	65	CM	101 LEVEL CM	1881,0362 litre	83,363 %	375,4127 litre	O
170	CM	65	CM	100,5 LEVEL CM	1871,8077 litre	82,954 %	384,6412 litre	O
170	CM	65	CM	100 LEVEL CM	1862,5237 litre	82,542 %	393,9252 litre	O
170	CM	65	CM	99,5 LEVEL CM	1853,1855 litre	82,128 %	403,2634 litre	O
170	CM	65	CM	99 LEVEL CM	1843,7940 litre	81,712 %	412,6549 litre	O
170	CM	65	CM	98,5 LEVEL CM	1834,3503 litre	81,294 %	422,0986 litre	O
170	CM	65	CM	98 LEVEL CM	1824,8555 litre	80,873 %	431,5934 litre	O
170	CM	65	CM	97,5 LEVEL CM	1815,3107 litre	80,450 %	441,1382 litre	O
170	CM	65	CM	97 LEVEL CM	1805,7167 litre	80,025 %	450,7322 litre	O
170	CM	65	CM	96,5 LEVEL CM	1796,0747 litre	79,597 %	460,3742 litre	O
170	CM	65	CM	96 LEVEL CM	1786,3856 litre	79,168 %	470,0633 litre	O
170	CM	65	CM	95,5 LEVEL CM	1776,6503 litre	78,737 %	479,7986 litre	O
170	CM	65	CM	95 LEVEL CM	1766,8699 litre	78,303 %	489,5790 litre	O
170	CM	65	CM	94,5 LEVEL CM	1757,0453 litre	77,868 %	499,4036 litre	O
170	CM	65	CM	94 LEVEL CM	1747,1773 litre	77,430 %	509,2716 litre	O
170	CM	65	CM	93,5 LEVEL CM	1737,2670 litre	76,991 %	519,1819 litre	O
170	CM	65	CM	93 LEVEL CM	1727,3153 litre	76,550 %	529,1336 litre	O
170	CM	65	CM	92,5 LEVEL CM	1717,3229 litre	76,107 %	539,1260 litre	O
170	CM	65	CM	92 LEVEL CM	1707,2909 litre	75,663 %	549,1580 litre	O
170	CM	65	CM	91,5 LEVEL CM	1697,2200 litre	75,216 %	559,2289 litre	O
170	CM	65	CM	91 LEVEL CM	1687,1112 litre	74,768 %	569,3377 litre	O
170	CM	65	CM	90,5 LEVEL CM	1676,9653 litre	74,319 %	579,4836 litre	O
170	CM	65	CM	90 LEVEL CM	1666,7832 litre	73,868 %	589,6657 litre	O
170	CM	65	CM	89,5 LEVEL CM	1656,5656 litre	73,415 %	599,8833 litre	O
170	CM	65	CM	89 LEVEL CM	1646,3135 litre	72,960 %	610,1354 litre	O
170	CM	65	CM	88,5 LEVEL CM	1636,0275 litre	72,505 %	620,4214 litre	O
170	CM	65	CM	88 LEVEL CM	1625,7086 litre	72,047 %	630,7403 litre	O
170	CM	65	CM	87,5 LEVEL CM	1615,3576 litre	71,588 %	641,0913 litre	O
170	CM	65	CM	87 LEVEL CM	1604,9752 litre	71,128 %	651,4737 litre	O
170	CM	65	CM	86,5 LEVEL CM	1594,5622 litre	70,667 %	661,8867 litre	O
170	CM	65	CM	86 LEVEL CM	1584,1194 litre	70,204 %	672,3295 litre	O
170	CM	65	CM	85,5 LEVEL CM	1573,6476 litre	69,740 %	682,8013 litre	O
170	CM	65	CM	85 LEVEL CM	1563,1475 litre	69,275 %	693,3014 litre	O
170	CM	65	CM	84,5 LEVEL CM	1552,6200 litre	68,808 %	703,8289 litre	O
170	CM	65	CM	84 LEVEL CM	1542,0657 litre	68,340 %	714,3832 litre	O
170	CM	65	CM	83,5 LEVEL CM	1531,4855 litre	67,871 %	724,9634 litre	O
170	CM	65	CM	83 LEVEL CM	1520,8800 litre	67,401 %	735,5689 litre	O
170	CM	65	CM	82,5 LEVEL CM	1510,2500 litre	66,930 %	746,1989 litre	O
170	CM	65	CM	82 LEVEL CM	1499,5963 litre	66,458 %	756,8526 litre	O
170	CM	65	CM	81,5 LEVEL CM	1488,9195 litre	65,985 %	767,5294 litre	O
170	CM	65	CM	81 LEVEL CM	1478,2204 litre	65,511 %	778,2285 litre	O
170	CM	65	CM	80,5 LEVEL CM	1467,4997 litre	65,036 %	788,9492 litre	O
170	CM	65	CM	80 LEVEL CM	1456,7582 litre	64,560 %	799,6907 litre	O
170	CM	65	CM	79,5 LEVEL CM	1445,9965 litre	64,083 %	810,4524 litre	O
170	CM	65	CM	79 LEVEL CM	1435,2153 litre	63,605 %	821,2336 litre	O
170	CM	65	CM	78,5 LEVEL CM	1424,4154 litre	63,126 %	832,0335 litre	O
170	CM	65	CM	78 LEVEL CM	1413,5975 litre	62,647 %	842,8514 litre	O

170	CM	65	CM	77,5 LEVEL CM	1402,7622 litre	62,167 %	853,6867 litre	O
170	CM	65	CM	77 LEVEL CM	1391,9102 litre	61,686 %	864,5387 litre	O
170	CM	65	CM	76,5 LEVEL CM	1381,0423 litre	61,204 %	875,4066 litre	O
170	CM	65	CM	76 LEVEL CM	1370,1591 litre	60,722 %	886,2898 litre	O
170	CM	65	CM	75,5 LEVEL CM	1359,2613 litre	60,239 %	897,1876 litre	O
170	CM	65	CM	75 LEVEL CM	1348,3495 litre	59,755 %	908,0994 litre	O
170	CM	65	CM	74,5 LEVEL CM	1337,4246 litre	59,271 %	919,0243 litre	O
170	CM	65	CM	74 LEVEL CM	1326,4871 litre	58,786 %	929,9618 litre	O
170	CM	65	CM	73,5 LEVEL CM	1315,5377 litre	58,301 %	940,9112 litre	O
170	CM	65	CM	73 LEVEL CM	1304,5771 litre	57,815 %	951,8718 litre	O
170	CM	65	CM	72,5 LEVEL CM	1293,6059 litre	57,329 %	962,8430 litre	O
170	CM	65	CM	72 LEVEL CM	1282,6249 litre	56,843 %	973,8240 litre	O
170	CM	65	CM	71,5 LEVEL CM	1271,6347 litre	56,356 %	984,8142 litre	O
170	CM	65	CM	71 LEVEL CM	1260,6359 litre	55,868 %	995,8130 litre	O
170	CM	65	CM	70,5 LEVEL CM	1249,6293 litre	55,380 %	1006,8196 litre	O
170	CM	65	CM	70 LEVEL CM	1238,6154 litre	54,892 %	1017,8335 litre	O
170	CM	65	CM	69,5 LEVEL CM	1227,5950 litre	54,404 %	1028,8539 litre	O
170	CM	65	CM	69 LEVEL CM	1216,5686 litre	53,915 %	1039,8803 litre	O
170	CM	65	CM	68,5 LEVEL CM	1205,5371 litre	53,426 %	1050,9118 litre	O
170	CM	65	CM	68 LEVEL CM	1194,5009 litre	52,937 %	1061,9480 litre	O
170	CM	65	CM	67,5 LEVEL CM	1183,4608 litre	52,448 %	1072,9881 litre	O
170	CM	65	CM	67 LEVEL CM	1172,4175 litre	51,959 %	1084,0314 litre	O
170	CM	65	CM	66,5 LEVEL CM	1161,3715 litre	51,469 %	1095,0774 litre	O
170	CM	65	CM	66 LEVEL CM	1150,3236 litre	50,979 %	1106,1253 litre	O
170	CM	65	CM	65,5 LEVEL CM	1139,2744 litre	50,490 %	1117,1745 litre	O
170	CM	65	CM	65 LEVEL CM	1128,2245 litre	50,000 %	1128,2244 litre	O
170	CM	65	CM	64,5 LEVEL CM	1117,1746 litre	49,510 %	1139,2743 litre	O
170	CM	65	CM	64 LEVEL CM	1106,1253 litre	49,021 %	1150,3236 litre	O
170	CM	65	CM	63,5 LEVEL CM	1095,0774 litre	48,531 %	1161,3715 litre	O
170	CM	65	CM	63 LEVEL CM	1084,0314 litre	48,041 %	1172,4175 litre	O
170	CM	65	CM	62,5 LEVEL CM	1072,9881 litre	47,552 %	1183,4608 litre	O
170	CM	65	CM	62 LEVEL CM	1061,9480 litre	47,063 %	1194,5009 litre	O
170	CM	65	CM	61,5 LEVEL CM	1050,9119 litre	46,574 %	1205,5370 litre	O
170	CM	65	CM	61 LEVEL CM	1039,8803 litre	46,085 %	1216,5686 litre	O
170	CM	65	CM	60,5 LEVEL CM	1028,8540 litre	45,596 %	1227,5949 litre	O
170	CM	65	CM	60 LEVEL CM	1017,8335 litre	45,108 %	1238,6154 litre	O
170	CM	65	CM	59,5 LEVEL CM	1006,8197 litre	44,620 %	1249,6292 litre	O
170	CM	65	CM	59 LEVEL CM	995,8130 litre	44,132 %	1260,6359 litre	O
170	CM	65	CM	58,5 LEVEL CM	984,8142 litre	43,644 %	1271,6347 litre	O
170	CM	65	CM	58 LEVEL CM	973,8240 litre	43,157 %	1282,6249 litre	O
170	CM	65	CM	57,5 LEVEL CM	962,8430 litre	42,671 %	1293,6059 litre	O
170	CM	65	CM	57 LEVEL CM	951,8718 litre	42,185 %	1304,5771 litre	O
170	CM	65	CM	56,5 LEVEL CM	940,9112 litre	41,699 %	1315,5377 litre	O
170	CM	65	CM	56 LEVEL CM	929,9618 litre	41,214 %	1326,4871 litre	O
170	CM	65	CM	55,5 LEVEL CM	919,0243 litre	40,729 %	1337,4246 litre	O
170	CM	65	CM	55 LEVEL CM	908,0994 litre	40,245 %	1348,3495 litre	O
170	CM	65	CM	54,5 LEVEL CM	897,1877 litre	39,761 %	1359,2612 litre	O
170	CM	65	CM	54 LEVEL CM	886,2899 litre	39,278 %	1370,1590 litre	O
170	CM	65	CM	53,5 LEVEL CM	875,4066 litre	38,796 %	1381,0423 litre	O
170	CM	65	CM	53 LEVEL CM	864,5387 litre	38,314 %	1391,9102 litre	O
170	CM	65	CM	52,5 LEVEL CM	853,6868 litre	37,833 %	1402,7621 litre	O
170	CM	65	CM	52 LEVEL CM	842,8515 litre	37,353 %	1413,5974 litre	O
170	CM	65	CM	51,5 LEVEL CM	832,0335 litre	36,874 %	1424,4154 litre	O

170	CM	65	CM	51 LEVEL CM	821,2336 litre	36,395 %	1435,2153 litre	O
170	CM	65	CM	50,5 LEVEL CM	810,4524 litre	35,917 %	1445,9965 litre	O
170	CM	65	CM	50 LEVEL CM	799,6907 litre	35,440 %	1456,7582 litre	O
170	CM	65	CM	49,5 LEVEL CM	788,9492 litre	34,964 %	1467,4997 litre	O
170	CM	65	CM	49 LEVEL CM	778,2285 litre	34,489 %	1478,2204 litre	O
170	CM	65	CM	48,5 LEVEL CM	767,5294 litre	34,015 %	1488,9195 litre	O
170	CM	65	CM	48 LEVEL CM	756,8526 litre	33,542 %	1499,5963 litre	O
170	CM	65	CM	47,5 LEVEL CM	746,1989 litre	33,070 %	1510,2500 litre	O
170	CM	65	CM	47 LEVEL CM	735,5689 litre	32,599 %	1520,8800 litre	O
170	CM	65	CM	46,5 LEVEL CM	724,9634 litre	32,129 %	1531,4855 litre	O
170	CM	65	CM	46 LEVEL CM	714,3832 litre	31,660 %	1542,0657 litre	O
170	CM	65	CM	45,5 LEVEL CM	703,8289 litre	31,192 %	1552,6200 litre	O
170	CM	65	CM	45 LEVEL CM	693,3014 litre	30,725 %	1563,1475 litre	O
170	CM	65	CM	44,5 LEVEL CM	682,8013 litre	30,260 %	1573,6476 litre	O
170	CM	65	CM	44 LEVEL CM	672,3295 litre	29,796 %	1584,1194 litre	O
170	CM	65	CM	43,5 LEVEL CM	661,8867 litre	29,333 %	1594,5622 litre	O
170	CM	65	CM	43 LEVEL CM	651,4738 litre	28,872 %	1604,9751 litre	O
170	CM	65	CM	42,5 LEVEL CM	641,0913 litre	28,412 %	1615,3576 litre	O
170	CM	65	CM	42 LEVEL CM	630,7403 litre	27,953 %	1625,7086 litre	O
170	CM	65	CM	41,5 LEVEL CM	620,4214 litre	27,495 %	1636,0275 litre	O
170	CM	65	CM	41 LEVEL CM	610,1355 litre	27,040 %	1646,3134 litre	O
170	CM	65	CM	40,5 LEVEL CM	599,8833 litre	26,585 %	1656,5656 litre	O
170	CM	65	CM	40 LEVEL CM	589,6657 litre	26,132 %	1666,7832 litre	O
170	CM	65	CM	39,5 LEVEL CM	579,4836 litre	25,681 %	1676,9653 litre	O
170	CM	65	CM	39 LEVEL CM	569,3377 litre	25,232 %	1687,1112 litre	O
170	CM	65	CM	38,5 LEVEL CM	559,2289 litre	24,784 %	1697,2200 litre	O
170	CM	65	CM	38 LEVEL CM	549,1580 litre	24,337 %	1707,2909 litre	O
170	CM	65	CM	37,5 LEVEL CM	539,1260 litre	23,893 %	1717,3229 litre	O
170	CM	65	CM	37 LEVEL CM	529,1337 litre	23,450 %	1727,3152 litre	O
170	CM	65	CM	36,5 LEVEL CM	519,1819 litre	23,009 %	1737,2670 litre	O
170	CM	65	CM	36 LEVEL CM	509,2716 litre	22,570 %	1747,1773 litre	O
170	CM	65	CM	35,5 LEVEL CM	499,4037 litre	22,132 %	1757,0452 litre	O
170	CM	65	CM	35 LEVEL CM	489,5790 litre	21,697 %	1766,8699 litre	O
170	CM	65	CM	34,5 LEVEL CM	479,7986 litre	21,263 %	1776,6503 litre	O
170	CM	65	CM	34 LEVEL CM	470,0634 litre	20,832 %	1786,3855 litre	O
170	CM	65	CM	33,5 LEVEL CM	460,3742 litre	20,403 %	1796,0747 litre	O
170	CM	65	CM	33 LEVEL CM	450,7322 litre	19,975 %	1805,7167 litre	O
170	CM	65	CM	32,5 LEVEL CM	441,1383 litre	19,550 %	1815,3106 litre	O
170	CM	65	CM	32 LEVEL CM	431,5934 litre	19,127 %	1824,8555 litre	O
170	CM	65	CM	31,5 LEVEL CM	422,0986 litre	18,706 %	1834,3503 litre	O
170	CM	65	CM	31 LEVEL CM	412,6549 litre	18,288 %	1843,7940 litre	O
170	CM	65	CM	30,5 LEVEL CM	403,2635 litre	17,872 %	1853,1854 litre	O
170	CM	65	CM	30 LEVEL CM	393,9252 litre	17,458 %	1862,5237 litre	O
170	CM	65	CM	29,5 LEVEL CM	384,6412 litre	17,046 %	1871,8077 litre	O
170	CM	65	CM	29 LEVEL CM	375,4127 litre	16,637 %	1881,0362 litre	O
170	CM	65	CM	28,5 LEVEL CM	366,2407 litre	16,231 %	1890,2082 litre	O
170	CM	65	CM	28 LEVEL CM	357,1265 litre	15,827 %	1899,3224 litre	O
170	CM	65	CM	27,5 LEVEL CM	348,0710 litre	15,426 %	1908,3779 litre	O
170	CM	65	CM	27 LEVEL CM	339,0756 litre	15,027 %	1917,3733 litre	O
170	CM	65	CM	26,5 LEVEL CM	330,1415 litre	14,631 %	1926,3074 litre	O
170	CM	65	CM	26 LEVEL CM	321,2698 litre	14,238 %	1935,1791 litre	O
170	CM	65	CM	25,5 LEVEL CM	312,4619 litre	13,848 %	1943,9870 litre	O
170	CM	65	CM	25 LEVEL CM	303,7190 litre	13,460 %	1952,7299 litre	O

170	CM	65	CM	24,5 LEVEL CM	295,0425 litre	13,076 %	1961,4064 litre	O
170	CM	65	CM	24 LEVEL CM	286,4337 litre	12,694 %	1970,0152 litre	O
170	CM	65	CM	23,5 LEVEL CM	277,8940 litre	12,316 %	1978,5549 litre	O
170	CM	65	CM	23 LEVEL CM	269,4248 litre	11,940 %	1987,0241 litre	O
170	CM	65	CM	22,5 LEVEL CM	261,0276 litre	11,568 %	1995,4213 litre	O
170	CM	65	CM	22 LEVEL CM	252,7039 litre	11,199 %	2003,7450 litre	O
170	CM	65	CM	21,5 LEVEL CM	244,4551 litre	10,834 %	2011,9938 litre	O
170	CM	65	CM	21 LEVEL CM	236,2829 litre	10,471 %	2020,1660 litre	O
170	CM	65	CM	20,5 LEVEL CM	228,1889 litre	10,113 %	2028,2600 litre	O
170	CM	65	CM	20 LEVEL CM	220,1747 litre	9,758 %	2036,2742 litre	O
170	CM	65	CM	19,5 LEVEL CM	212,2420 litre	9,406 %	2044,2069 litre	O
170	CM	65	CM	19 LEVEL CM	204,3927 litre	9,058 %	2052,0562 litre	O
170	CM	65	CM	18,5 LEVEL CM	196,6286 litre	8,714 %	2059,8203 litre	O
170	CM	65	CM	18 LEVEL CM	188,9514 litre	8,374 %	2067,4975 litre	O
170	CM	65	CM	17,5 LEVEL CM	181,3633 litre	8,038 %	2075,0856 litre	O
170	CM	65	CM	17 LEVEL CM	173,8661 litre	7,705 %	2082,5828 litre	O
170	CM	65	CM	16,5 LEVEL CM	166,4620 litre	7,377 %	2089,9869 litre	O
170	CM	65	CM	16 LEVEL CM	159,1532 litre	7,053 %	2097,2957 litre	O
170	CM	65	CM	15,5 LEVEL CM	151,9420 litre	6,734 %	2104,5069 litre	O
170	CM	65	CM	15 LEVEL CM	144,8306 litre	6,419 %	2111,6183 litre	O
170	CM	65	CM	14,5 LEVEL CM	137,8215 litre	6,108 %	2118,6274 litre	O
170	CM	65	CM	14 LEVEL CM	130,9174 litre	5,802 %	2125,5315 litre	O
170	CM	65	CM	13,5 LEVEL CM	124,1208 litre	5,501 %	2132,3281 litre	O
170	CM	65	CM	13 LEVEL CM	117,4347 litre	5,204 %	2139,0142 litre	O
170	CM	65	CM	12,5 LEVEL CM	110,8618 litre	4,913 %	2145,5871 litre	O
170	CM	65	CM	12 LEVEL CM	104,4055 litre	4,627 %	2152,0434 litre	O
170	CM	65	CM	11,5 LEVEL CM	98,0688 litre	4,346 %	2158,3801 litre	O
170	CM	65	CM	11 LEVEL CM	91,8554 litre	4,071 %	2164,5935 litre	O
170	CM	65	CM	10,5 LEVEL CM	85,7689 litre	3,801 %	2170,6800 litre	O
170	CM	65	CM	10 LEVEL CM	79,8131 litre	3,537 %	2176,6358 litre	O
170	CM	65	CM	9,5 LEVEL CM	73,9924 litre	3,279 %	2182,4565 litre	O
170	CM	65	CM	9 LEVEL CM	68,3111 litre	3,027 %	2188,1378 litre	O
170	CM	65	CM	8,5 LEVEL CM	62,7740 litre	2,782 %	2193,6749 litre	O
170	CM	65	CM	8 LEVEL CM	57,3865 litre	2,543 %	2199,0624 litre	O
170	CM	65	CM	7,5 LEVEL CM	52,1541 litre	2,311 %	2204,2948 litre	O
170	CM	65	CM	7 LEVEL CM	47,0829 litre	2,087 %	2209,3660 litre	O
170	CM	65	CM	6,5 LEVEL CM	42,1799 litre	1,869 %	2214,2690 litre	O
170	CM	65	CM	6 LEVEL CM	37,4524 litre	1,660 %	2218,9965 litre	O
170	CM	65	CM	5,5 LEVEL CM	32,9089 litre	1,458 %	2223,5400 litre	O
170	CM	65	CM	5 LEVEL CM	28,5587 litre	1,266 %	2227,8902 litre	O
170	CM	65	CM	4,5 LEVEL CM	24,4127 litre	1,082 %	2232,0362 litre	O
170	CM	65	CM	4 LEVEL CM	20,4833 litre	0,908 %	2235,9656 litre	O
170	CM	65	CM	3,5 LEVEL CM	16,7850 litre	0,744 %	2239,6639 litre	O
170	CM	65	CM	3 LEVEL CM	13,3356 litre	0,591 %	2243,1133 litre	O
170	CM	65	CM	2,5 LEVEL CM	10,1566 litre	0,450 %	2246,2923 litre	O
170	CM	65	CM	2 LEVEL CM	7,2759 litre	0,322 %	2249,1730 litre	O
170	CM	65	CM	1,5 LEVEL CM	4,7314 litre	0,210 %	2251,7175 litre	O
170	CM	65	CM	1 LEVEL CM	2,5784 litre	0,114 %	2253,8705 litre	O
170	CM	65	CM	0,5 LEVEL CM	0,9127 litre	0,040 %	2255,5362 litre	O
170	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	2256,4489 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
170	CM	60	CM 120 LEVEL CM	1922,6547 litre	100,000 %	0,0000 litre	O
170	CM	60	CM 119,5 LEVEL CM	1921,7779 litre	99,954 %	0,8768 litre	O
170	CM	60	CM 119 LEVEL CM	1920,1779 litre	99,871 %	2,4768 litre	O
170	CM	60	CM 118,5 LEVEL CM	1918,1103 litre	99,764 %	4,5444 litre	O
170	CM	60	CM 118 LEVEL CM	1915,6669 litre	99,637 %	6,9878 litre	O
170	CM	60	CM 117,5 LEVEL CM	1912,9013 litre	99,493 %	9,7534 litre	O
170	CM	60	CM 117 LEVEL CM	1909,8498 litre	99,334 %	12,8049 litre	O
170	CM	60	CM 116,5 LEVEL CM	1906,5392 litre	99,162 %	16,1155 litre	O
170	CM	60	CM 116 LEVEL CM	1902,9905 litre	98,977 %	19,6642 litre	O
170	CM	60	CM 115,5 LEVEL CM	1899,2205 litre	98,781 %	23,4342 litre	O
170	CM	60	CM 115 LEVEL CM	1895,2435 litre	98,574 %	27,4112 litre	O
170	CM	60	CM 114,5 LEVEL CM	1891,0713 litre	98,357 %	31,5834 litre	O
170	CM	60	CM 114 LEVEL CM	1886,7144 litre	98,131 %	35,9403 litre	O
170	CM	60	CM 113,5 LEVEL CM	1882,1820 litre	97,895 %	40,4727 litre	O
170	CM	60	CM 113 LEVEL CM	1877,4821 litre	97,651 %	45,1726 litre	O
170	CM	60	CM 112,5 LEVEL CM	1872,6219 litre	97,398 %	50,0328 litre	O
170	CM	60	CM 112 LEVEL CM	1867,6080 litre	97,137 %	55,0467 litre	O
170	CM	60	CM 111,5 LEVEL CM	1862,4465 litre	96,868 %	60,2082 litre	O
170	CM	60	CM 111 LEVEL CM	1857,1427 litre	96,593 %	65,5120 litre	O
170	CM	60	CM 110,5 LEVEL CM	1851,7017 litre	96,310 %	70,9530 litre	O
170	CM	60	CM 110 LEVEL CM	1846,1283 litre	96,020 %	76,5264 litre	O
170	CM	60	CM 109,5 LEVEL CM	1840,4266 litre	95,723 %	82,2281 litre	O
170	CM	60	CM 109 LEVEL CM	1834,6009 litre	95,420 %	88,0538 litre	O
170	CM	60	CM 108,5 LEVEL CM	1828,6548 litre	95,111 %	93,9999 litre	O
170	CM	60	CM 108 LEVEL CM	1822,5920 litre	94,796 %	100,0627 litre	O
170	CM	60	CM 107,5 LEVEL CM	1816,4159 litre	94,474 %	106,2388 litre	O
170	CM	60	CM 107 LEVEL CM	1810,1296 litre	94,147 %	112,5251 litre	O
170	CM	60	CM 106,5 LEVEL CM	1803,7362 litre	93,815 %	118,9185 litre	O
170	CM	60	CM 106 LEVEL CM	1797,2385 litre	93,477 %	125,4162 litre	O
170	CM	60	CM 105,5 LEVEL CM	1790,6394 litre	93,134 %	132,0153 litre	O
170	CM	60	CM 105 LEVEL CM	1783,9413 litre	92,785 %	138,7134 litre	O
170	CM	60	CM 104,5 LEVEL CM	1777,1469 litre	92,432 %	145,5078 litre	O
170	CM	60	CM 104 LEVEL CM	1770,2584 litre	92,074 %	152,3963 litre	O
170	CM	60	CM 103,5 LEVEL CM	1763,2783 litre	91,711 %	159,3764 litre	O
170	CM	60	CM 103 LEVEL CM	1756,2087 litre	91,343 %	166,4460 litre	O
170	CM	60	CM 102,5 LEVEL CM	1749,0517 litre	90,971 %	173,6030 litre	O
170	CM	60	CM 102 LEVEL CM	1741,8094 litre	90,594 %	180,8453 litre	O
170	CM	60	CM 101,5 LEVEL CM	1734,4838 litre	90,213 %	188,1709 litre	O
170	CM	60	CM 101 LEVEL CM	1727,0768 litre	89,828 %	195,5779 litre	O
170	CM	60	CM 100,5 LEVEL CM	1719,5903 litre	89,438 %	203,0644 litre	O
170	CM	60	CM 100 LEVEL CM	1712,0259 litre	89,045 %	210,6288 litre	O
170	CM	60	CM 99,5 LEVEL CM	1704,3856 litre	88,648 %	218,2691 litre	O
170	CM	60	CM 99 LEVEL CM	1696,6709 litre	88,246 %	225,9838 litre	O
170	CM	60	CM 98,5 LEVEL CM	1688,8834 litre	87,841 %	233,7713 litre	O
170	CM	60	CM 98 LEVEL CM	1681,0249 litre	87,432 %	241,6298 litre	O
170	CM	60	CM 97,5 LEVEL CM	1673,0968 litre	87,020 %	249,5579 litre	O
170	CM	60	CM 97 LEVEL CM	1665,1007 litre	86,604 %	257,5540 litre	O
170	CM	60	CM 96,5 LEVEL CM	1657,0379 litre	86,185 %	265,6168 litre	O
170	CM	60	CM 96 LEVEL CM	1648,9100 litre	85,762 %	273,7447 litre	O
170	CM	60	CM 95,5 LEVEL CM	1640,7184 litre	85,336 %	281,9363 litre	O
170	CM	60	CM 95 LEVEL CM	1632,4644 litre	84,907 %	290,1903 litre	O
170	CM	60	CM 94,5 LEVEL CM	1624,1493 litre	84,474 %	298,5054 litre	O

170	CM	60	CM	94 LEVEL CM	1615,7745 litre	84,039 %	306,8802 litre	O
170	CM	60	CM	93,5 LEVEL CM	1607,3412 litre	83,600 %	315,3135 litre	O
170	CM	60	CM	93 LEVEL CM	1598,8507 litre	83,158 %	323,8040 litre	O
170	CM	60	CM	92,5 LEVEL CM	1590,3042 litre	82,714 %	332,3505 litre	O
170	CM	60	CM	92 LEVEL CM	1581,7030 litre	82,267 %	340,9517 litre	O
170	CM	60	CM	91,5 LEVEL CM	1573,0481 litre	81,816 %	349,6066 litre	O
170	CM	60	CM	91 LEVEL CM	1564,3409 litre	81,364 %	358,3138 litre	O
170	CM	60	CM	90,5 LEVEL CM	1555,5823 litre	80,908 %	367,0724 litre	O
170	CM	60	CM	90 LEVEL CM	1546,7736 litre	80,450 %	375,8811 litre	O
170	CM	60	CM	89,5 LEVEL CM	1537,9158 litre	79,989 %	384,7389 litre	O
170	CM	60	CM	89 LEVEL CM	1529,0100 litre	79,526 %	393,6447 litre	O
170	CM	60	CM	88,5 LEVEL CM	1520,0572 litre	79,060 %	402,5975 litre	O
170	CM	60	CM	88 LEVEL CM	1511,0586 litre	78,592 %	411,5961 litre	O
170	CM	60	CM	87,5 LEVEL CM	1502,0151 litre	78,122 %	420,6396 litre	O
170	CM	60	CM	87 LEVEL CM	1492,9278 litre	77,649 %	429,7269 litre	O
170	CM	60	CM	86,5 LEVEL CM	1483,7977 litre	77,174 %	438,8570 litre	O
170	CM	60	CM	86 LEVEL CM	1474,6257 litre	76,697 %	448,0290 litre	O
170	CM	60	CM	85,5 LEVEL CM	1465,4128 litre	76,218 %	457,2419 litre	O
170	CM	60	CM	85 LEVEL CM	1456,1600 litre	75,737 %	466,4947 litre	O
170	CM	60	CM	84,5 LEVEL CM	1446,8683 litre	75,254 %	475,7864 litre	O
170	CM	60	CM	84 LEVEL CM	1437,5386 litre	74,768 %	485,1161 litre	O
170	CM	60	CM	83,5 LEVEL CM	1428,1717 litre	74,281 %	494,4830 litre	O
170	CM	60	CM	83 LEVEL CM	1418,7687 litre	73,792 %	503,8860 litre	O
170	CM	60	CM	82,5 LEVEL CM	1409,3304 litre	73,301 %	513,3243 litre	O
170	CM	60	CM	82 LEVEL CM	1399,8577 litre	72,809 %	522,7970 litre	O
170	CM	60	CM	81,5 LEVEL CM	1390,3515 litre	72,314 %	532,3032 litre	O
170	CM	60	CM	81 LEVEL CM	1380,8127 litre	71,818 %	541,8420 litre	O
170	CM	60	CM	80,5 LEVEL CM	1371,2421 litre	71,320 %	551,4126 litre	O
170	CM	60	CM	80 LEVEL CM	1361,6406 litre	70,821 %	561,0141 litre	O
170	CM	60	CM	79,5 LEVEL CM	1352,0090 litre	70,320 %	570,6457 litre	O
170	CM	60	CM	79 LEVEL CM	1342,3483 litre	69,817 %	580,3064 litre	O
170	CM	60	CM	78,5 LEVEL CM	1332,6592 litre	69,313 %	589,9955 litre	O
170	CM	60	CM	78 LEVEL CM	1322,9425 litre	68,808 %	599,7122 litre	O
170	CM	60	CM	77,5 LEVEL CM	1313,1991 litre	68,301 %	609,4556 litre	O
170	CM	60	CM	77 LEVEL CM	1303,4298 litre	67,793 %	619,2249 litre	O
170	CM	60	CM	76,5 LEVEL CM	1293,6353 litre	67,284 %	629,0194 litre	O
170	CM	60	CM	76 LEVEL CM	1283,8166 litre	66,773 %	638,8381 litre	O
170	CM	60	CM	75,5 LEVEL CM	1273,9743 litre	66,261 %	648,6804 litre	O
170	CM	60	CM	75 LEVEL CM	1264,1093 litre	65,748 %	658,5454 litre	O
170	CM	60	CM	74,5 LEVEL CM	1254,2223 litre	65,234 %	668,4324 litre	O
170	CM	60	CM	74 LEVEL CM	1244,3142 litre	64,719 %	678,3405 litre	O
170	CM	60	CM	73,5 LEVEL CM	1234,3857 litre	64,202 %	688,2690 litre	O
170	CM	60	CM	73 LEVEL CM	1224,4375 litre	63,685 %	698,2172 litre	O
170	CM	60	CM	72,5 LEVEL CM	1214,4705 litre	63,166 %	708,1842 litre	O
170	CM	60	CM	72 LEVEL CM	1204,4854 litre	62,647 %	718,1693 litre	O
170	CM	60	CM	71,5 LEVEL CM	1194,4829 litre	62,127 %	728,1718 litre	O
170	CM	60	CM	71 LEVEL CM	1184,4639 litre	61,606 %	738,1908 litre	O
170	CM	60	CM	70,5 LEVEL CM	1174,4290 litre	61,084 %	748,2257 litre	O
170	CM	60	CM	70 LEVEL CM	1164,3789 litre	60,561 %	758,2758 litre	O
170	CM	60	CM	69,5 LEVEL CM	1154,3145 litre	60,038 %	768,3402 litre	O
170	CM	60	CM	69 LEVEL CM	1144,2365 litre	59,513 %	778,4182 litre	O
170	CM	60	CM	68,5 LEVEL CM	1134,1456 litre	58,989 %	788,5091 litre	O
170	CM	60	CM	68 LEVEL CM	1124,0425 litre	58,463 %	798,6122 litre	O

170	CM	60	CM	67,5 LEVEL CM	1113,9280 litre	57,937 %	808,7267 litre	O
170	CM	60	CM	67 LEVEL CM	1103,8027 litre	57,410 %	818,8520 litre	O
170	CM	60	CM	66,5 LEVEL CM	1093,6675 litre	56,883 %	828,9872 litre	O
170	CM	60	CM	66 LEVEL CM	1083,5230 litre	56,356 %	839,1317 litre	O
170	CM	60	CM	65,5 LEVEL CM	1073,3700 litre	55,827 %	849,2847 litre	O
170	CM	60	CM	65 LEVEL CM	1063,2092 litre	55,299 %	859,4455 litre	O
170	CM	60	CM	64,5 LEVEL CM	1053,0412 litre	54,770 %	869,6135 litre	O
170	CM	60	CM	64 LEVEL CM	1042,8669 litre	54,241 %	879,7878 litre	O
170	CM	60	CM	63,5 LEVEL CM	1032,6868 litre	53,712 %	889,9679 litre	O
170	CM	60	CM	63 LEVEL CM	1022,5018 litre	53,182 %	900,1529 litre	O
170	CM	60	CM	62,5 LEVEL CM	1012,3126 litre	52,652 %	910,3421 litre	O
170	CM	60	CM	62 LEVEL CM	1002,1198 litre	52,122 %	920,5349 litre	O
170	CM	60	CM	61,5 LEVEL CM	991,9242 litre	51,591 %	930,7305 litre	O
170	CM	60	CM	61 LEVEL CM	981,7264 litre	51,061 %	940,9283 litre	O
170	CM	60	CM	60,5 LEVEL CM	971,5272 litre	50,531 %	951,1275 litre	O
170	CM	60	CM	60 LEVEL CM	961,3274 litre	50,000 %	961,3273 litre	O
170	CM	60	CM	59,5 LEVEL CM	951,1275 litre	49,469 %	971,5272 litre	O
170	CM	60	CM	59 LEVEL CM	940,9283 litre	48,939 %	981,7264 litre	O
170	CM	60	CM	58,5 LEVEL CM	930,7305 litre	48,409 %	991,9242 litre	O
170	CM	60	CM	58 LEVEL CM	920,5349 litre	47,878 %	1002,1198 litre	O
170	CM	60	CM	57,5 LEVEL CM	910,3421 litre	47,348 %	1012,3126 litre	O
170	CM	60	CM	57 LEVEL CM	900,1529 litre	46,818 %	1022,5018 litre	O
170	CM	60	CM	56,5 LEVEL CM	889,9679 litre	46,288 %	1032,6868 litre	O
170	CM	60	CM	56 LEVEL CM	879,7878 litre	45,759 %	1042,8669 litre	O
170	CM	60	CM	55,5 LEVEL CM	869,6135 litre	45,230 %	1053,0412 litre	O
170	CM	60	CM	55 LEVEL CM	859,4455 litre	44,701 %	1063,2092 litre	O
170	CM	60	CM	54,5 LEVEL CM	849,2847 litre	44,173 %	1073,3700 litre	O
170	CM	60	CM	54 LEVEL CM	839,1317 litre	43,644 %	1083,5230 litre	O
170	CM	60	CM	53,5 LEVEL CM	828,9872 litre	43,117 %	1093,6675 litre	O
170	CM	60	CM	53 LEVEL CM	818,8520 litre	42,590 %	1103,8027 litre	O
170	CM	60	CM	52,5 LEVEL CM	808,7267 litre	42,063 %	1113,9280 litre	O
170	CM	60	CM	52 LEVEL CM	798,6122 litre	41,537 %	1124,0425 litre	O
170	CM	60	CM	51,5 LEVEL CM	788,5091 litre	41,011 %	1134,1456 litre	O
170	CM	60	CM	51 LEVEL CM	778,4182 litre	40,487 %	1144,2365 litre	O
170	CM	60	CM	50,5 LEVEL CM	768,3402 litre	39,962 %	1154,3145 litre	O
170	CM	60	CM	50 LEVEL CM	758,2758 litre	39,439 %	1164,3789 litre	O
170	CM	60	CM	49,5 LEVEL CM	748,2257 litre	38,916 %	1174,4290 litre	O
170	CM	60	CM	49 LEVEL CM	738,1908 litre	38,394 %	1184,4639 litre	O
170	CM	60	CM	48,5 LEVEL CM	728,1718 litre	37,873 %	1194,4829 litre	O
170	CM	60	CM	48 LEVEL CM	718,1693 litre	37,353 %	1204,4854 litre	O
170	CM	60	CM	47,5 LEVEL CM	708,1842 litre	36,834 %	1214,4705 litre	O
170	CM	60	CM	47 LEVEL CM	698,2172 litre	36,315 %	1224,4375 litre	O
170	CM	60	CM	46,5 LEVEL CM	688,2690 litre	35,798 %	1234,3857 litre	O
170	CM	60	CM	46 LEVEL CM	678,3405 litre	35,281 %	1244,3142 litre	O
170	CM	60	CM	45,5 LEVEL CM	668,4324 litre	34,766 %	1254,2223 litre	O
170	CM	60	CM	45 LEVEL CM	658,5454 litre	34,252 %	1264,1093 litre	O
170	CM	60	CM	44,5 LEVEL CM	648,6804 litre	33,739 %	1273,9743 litre	O
170	CM	60	CM	44 LEVEL CM	638,8381 litre	33,227 %	1283,8166 litre	O
170	CM	60	CM	43,5 LEVEL CM	629,0194 litre	32,716 %	1293,6353 litre	O
170	CM	60	CM	43 LEVEL CM	619,2249 litre	32,207 %	1303,4298 litre	O
170	CM	60	CM	42,5 LEVEL CM	609,4556 litre	31,699 %	1313,1991 litre	O
170	CM	60	CM	42 LEVEL CM	599,7122 litre	31,192 %	1322,9425 litre	O
170	CM	60	CM	41,5 LEVEL CM	589,9955 litre	30,687 %	1332,6592 litre	O

170	CM	60	CM	41 LEVEL CM	580,3064 litre	30,183 %	1342,3483 litre	O
170	CM	60	CM	40,5 LEVEL CM	570,6457 litre	29,680 %	1352,0090 litre	O
170	CM	60	CM	40 LEVEL CM	561,0141 litre	29,179 %	1361,6406 litre	O
170	CM	60	CM	39,5 LEVEL CM	551,4126 litre	28,680 %	1371,2421 litre	O
170	CM	60	CM	39 LEVEL CM	541,8421 litre	28,182 %	1380,8126 litre	O
170	CM	60	CM	38,5 LEVEL CM	532,3032 litre	27,686 %	1390,3515 litre	O
170	CM	60	CM	38 LEVEL CM	522,7970 litre	27,191 %	1399,8577 litre	O
170	CM	60	CM	37,5 LEVEL CM	513,3243 litre	26,699 %	1409,3304 litre	O
170	CM	60	CM	37 LEVEL CM	503,8860 litre	26,208 %	1418,7687 litre	O
170	CM	60	CM	36,5 LEVEL CM	494,4830 litre	25,719 %	1428,1717 litre	O
170	CM	60	CM	36 LEVEL CM	485,1161 litre	25,232 %	1437,5386 litre	O
170	CM	60	CM	35,5 LEVEL CM	475,7864 litre	24,746 %	1446,8683 litre	O
170	CM	60	CM	35 LEVEL CM	466,4947 litre	24,263 %	1456,1600 litre	O
170	CM	60	CM	34,5 LEVEL CM	457,2419 litre	23,782 %	1465,4128 litre	O
170	CM	60	CM	34 LEVEL CM	448,0290 litre	23,303 %	1474,6257 litre	O
170	CM	60	CM	33,5 LEVEL CM	438,8570 litre	22,826 %	1483,7977 litre	O
170	CM	60	CM	33 LEVEL CM	429,7269 litre	22,351 %	1492,9278 litre	O
170	CM	60	CM	32,5 LEVEL CM	420,6396 litre	21,878 %	1502,0151 litre	O
170	CM	60	CM	32 LEVEL CM	411,5961 litre	21,408 %	1511,0586 litre	O
170	CM	60	CM	31,5 LEVEL CM	402,5975 litre	20,940 %	1520,0572 litre	O
170	CM	60	CM	31 LEVEL CM	393,6448 litre	20,474 %	1529,0099 litre	O
170	CM	60	CM	30,5 LEVEL CM	384,7389 litre	20,011 %	1537,9158 litre	O
170	CM	60	CM	30 LEVEL CM	375,8811 litre	19,550 %	1546,7736 litre	O
170	CM	60	CM	29,5 LEVEL CM	367,0724 litre	19,092 %	1555,5823 litre	O
170	CM	60	CM	29 LEVEL CM	358,3138 litre	18,636 %	1564,3409 litre	O
170	CM	60	CM	28,5 LEVEL CM	349,6066 litre	18,184 %	1573,0481 litre	O
170	CM	60	CM	28 LEVEL CM	340,9517 litre	17,733 %	1581,7030 litre	O
170	CM	60	CM	27,5 LEVEL CM	332,3505 litre	17,286 %	1590,3042 litre	O
170	CM	60	CM	27 LEVEL CM	323,8040 litre	16,842 %	1598,8507 litre	O
170	CM	60	CM	26,5 LEVEL CM	315,3135 litre	16,400 %	1607,3412 litre	O
170	CM	60	CM	26 LEVEL CM	306,8802 litre	15,961 %	1615,7745 litre	O
170	CM	60	CM	25,5 LEVEL CM	298,5054 litre	15,526 %	1624,1493 litre	O
170	CM	60	CM	25 LEVEL CM	290,1903 litre	15,093 %	1632,4644 litre	O
170	CM	60	CM	24,5 LEVEL CM	281,9363 litre	14,664 %	1640,7184 litre	O
170	CM	60	CM	24 LEVEL CM	273,7447 litre	14,238 %	1648,9100 litre	O
170	CM	60	CM	23,5 LEVEL CM	265,6168 litre	13,815 %	1657,0379 litre	O
170	CM	60	CM	23 LEVEL CM	257,5540 litre	13,396 %	1665,1007 litre	O
170	CM	60	CM	22,5 LEVEL CM	249,5579 litre	12,980 %	1673,0968 litre	O
170	CM	60	CM	22 LEVEL CM	241,6298 litre	12,568 %	1681,0249 litre	O
170	CM	60	CM	21,5 LEVEL CM	233,7713 litre	12,159 %	1688,8834 litre	O
170	CM	60	CM	21 LEVEL CM	225,9838 litre	11,754 %	1696,6709 litre	O
170	CM	60	CM	20,5 LEVEL CM	218,2691 litre	11,352 %	1704,3856 litre	O
170	CM	60	CM	20 LEVEL CM	210,6288 litre	10,955 %	1712,0259 litre	O
170	CM	60	CM	19,5 LEVEL CM	203,0645 litre	10,562 %	1719,5902 litre	O
170	CM	60	CM	19 LEVEL CM	195,5779 litre	10,172 %	1727,0768 litre	O
170	CM	60	CM	18,5 LEVEL CM	188,1709 litre	9,787 %	1734,4838 litre	O
170	CM	60	CM	18 LEVEL CM	180,8453 litre	9,406 %	1741,8094 litre	O
170	CM	60	CM	17,5 LEVEL CM	173,6030 litre	9,029 %	1749,0517 litre	O
170	CM	60	CM	17 LEVEL CM	166,4460 litre	8,657 %	1756,2087 litre	O
170	CM	60	CM	16,5 LEVEL CM	159,3764 litre	8,289 %	1763,2783 litre	O
170	CM	60	CM	16 LEVEL CM	152,3963 litre	7,926 %	1770,2584 litre	O
170	CM	60	CM	15,5 LEVEL CM	145,5078 litre	7,568 %	1777,1469 litre	O
170	CM	60	CM	15 LEVEL CM	138,7134 litre	7,215 %	1783,9413 litre	O

170	CM	60	CM	14,5 LEVEL CM	132,0153 litre	6,866 %	1790,6394 litre	O
170	CM	60	CM	14 LEVEL CM	125,4162 litre	6,523 %	1797,2385 litre	O
170	CM	60	CM	13,5 LEVEL CM	118,9185 litre	6,185 %	1803,7362 litre	O
170	CM	60	CM	13 LEVEL CM	112,5251 litre	5,853 %	1810,1296 litre	O
170	CM	60	CM	12,5 LEVEL CM	106,2388 litre	5,526 %	1816,4159 litre	O
170	CM	60	CM	12 LEVEL CM	100,0627 litre	5,204 %	1822,5920 litre	O
170	CM	60	CM	11,5 LEVEL CM	93,9999 litre	4,889 %	1828,6548 litre	O
170	CM	60	CM	11 LEVEL CM	88,0538 litre	4,580 %	1834,6009 litre	O
170	CM	60	CM	10,5 LEVEL CM	82,2281 litre	4,277 %	1840,4266 litre	O
170	CM	60	CM	10 LEVEL CM	76,5264 litre	3,980 %	1846,1283 litre	O
170	CM	60	CM	9,5 LEVEL CM	70,9530 litre	3,690 %	1851,7017 litre	O
170	CM	60	CM	9 LEVEL CM	65,5120 litre	3,407 %	1857,1427 litre	O
170	CM	60	CM	8,5 LEVEL CM	60,2082 litre	3,132 %	1862,4465 litre	O
170	CM	60	CM	8 LEVEL CM	55,0467 litre	2,863 %	1867,6080 litre	O
170	CM	60	CM	7,5 LEVEL CM	50,0328 litre	2,602 %	1872,6219 litre	O
170	CM	60	CM	7 LEVEL CM	45,1726 litre	2,349 %	1877,4821 litre	O
170	CM	60	CM	6,5 LEVEL CM	40,4727 litre	2,105 %	1882,1820 litre	O
170	CM	60	CM	6 LEVEL CM	35,9403 litre	1,869 %	1886,7144 litre	O
170	CM	60	CM	5,5 LEVEL CM	31,5834 litre	1,643 %	1891,0713 litre	O
170	CM	60	CM	5 LEVEL CM	27,4112 litre	1,426 %	1895,2435 litre	O
170	CM	60	CM	4,5 LEVEL CM	23,4342 litre	1,219 %	1899,2205 litre	O
170	CM	60	CM	4 LEVEL CM	19,6642 litre	1,023 %	1902,9905 litre	O
170	CM	60	CM	3,5 LEVEL CM	16,1155 litre	0,838 %	1906,5392 litre	O
170	CM	60	CM	3 LEVEL CM	12,8049 litre	0,666 %	1909,8498 litre	O
170	CM	60	CM	2,5 LEVEL CM	9,7534 litre	0,507 %	1912,9013 litre	O
170	CM	60	CM	2 LEVEL CM	6,9878 litre	0,363 %	1915,6669 litre	O
170	CM	60	CM	1,5 LEVEL CM	4,5444 litre	0,236 %	1918,1103 litre	O
170	CM	60	CM	1 LEVEL CM	2,4768 litre	0,129 %	1920,1779 litre	O
170	CM	60	CM	0,5 LEVEL CM	0,8768 litre	0,046 %	1921,7779 litre	O
170	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	1922,6547 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
170	CM	55	CM 110 LEVEL CM	1615,5640 litre	100,000 %	0,0000 litre	O
170	CM	55	CM 109,5 LEVEL CM	1614,7247 litre	99,948 %	0,8393 litre	O
170	CM	55	CM 109 LEVEL CM	1613,1932 litre	99,853 %	2,3708 litre	O
170	CM	55	CM 108,5 LEVEL CM	1611,2146 litre	99,731 %	4,3494 litre	O
170	CM	55	CM 108 LEVEL CM	1608,8768 litre	99,586 %	6,6872 litre	O
170	CM	55	CM 107,5 LEVEL CM	1606,2313 litre	99,422 %	9,3327 litre	O
170	CM	55	CM 107 LEVEL CM	1603,3128 litre	99,242 %	12,2512 litre	O
170	CM	55	CM 106,5 LEVEL CM	1600,1471 litre	99,046 %	15,4169 litre	O
170	CM	55	CM 106 LEVEL CM	1596,7545 litre	98,836 %	18,8095 litre	O
170	CM	55	CM 105,5 LEVEL CM	1593,1510 litre	98,613 %	22,4130 litre	O
170	CM	55	CM 105 LEVEL CM	1589,3504 litre	98,377 %	26,2136 litre	O
170	CM	55	CM 104,5 LEVEL CM	1585,3642 litre	98,131 %	30,1998 litre	O
170	CM	55	CM 104 LEVEL CM	1581,2024 litre	97,873 %	34,3616 litre	O
170	CM	55	CM 103,5 LEVEL CM	1576,8738 litre	97,605 %	38,6902 litre	O
170	CM	55	CM 103 LEVEL CM	1572,3861 litre	97,327 %	43,1779 litre	O
170	CM	55	CM 102,5 LEVEL CM	1567,7465 litre	97,040 %	47,8175 litre	O
170	CM	55	CM 102 LEVEL CM	1562,9612 litre	96,744 %	52,6028 litre	O
170	CM	55	CM 101,5 LEVEL CM	1558,0360 litre	96,439 %	57,5280 litre	O
170	CM	55	CM 101 LEVEL CM	1552,9762 litre	96,126 %	62,5878 litre	O
170	CM	55	CM 100,5 LEVEL CM	1547,7867 litre	95,805 %	67,7773 litre	O
170	CM	55	CM 100 LEVEL CM	1542,4720 litre	95,476 %	73,0920 litre	O
170	CM	55	CM 99,5 LEVEL CM	1537,0363 litre	95,139 %	78,5277 litre	O
170	CM	55	CM 99 LEVEL CM	1531,4836 litre	94,796 %	84,0804 litre	O
170	CM	55	CM 98,5 LEVEL CM	1525,8175 litre	94,445 %	89,7465 litre	O
170	CM	55	CM 98 LEVEL CM	1520,0415 litre	94,087 %	95,5225 litre	O
170	CM	55	CM 97,5 LEVEL CM	1514,1590 litre	93,723 %	101,4050 litre	O
170	CM	55	CM 97 LEVEL CM	1508,1729 litre	93,353 %	107,3911 litre	O
170	CM	55	CM 96,5 LEVEL CM	1502,0864 litre	92,976 %	113,4776 litre	O
170	CM	55	CM 96 LEVEL CM	1495,9020 litre	92,593 %	119,6620 litre	O
170	CM	55	CM 95,5 LEVEL CM	1489,6226 litre	92,204 %	125,9414 litre	O
170	CM	55	CM 95 LEVEL CM	1483,2507 litre	91,810 %	132,3133 litre	O
170	CM	55	CM 94,5 LEVEL CM	1476,7887 litre	91,410 %	138,7753 litre	O
170	CM	55	CM 94 LEVEL CM	1470,2390 litre	91,005 %	145,3250 litre	O
170	CM	55	CM 93,5 LEVEL CM	1463,6037 litre	90,594 %	151,9603 litre	O
170	CM	55	CM 93 LEVEL CM	1456,8852 litre	90,178 %	158,6788 litre	O
170	CM	55	CM 92,5 LEVEL CM	1450,0854 litre	89,757 %	165,4786 litre	O
170	CM	55	CM 92 LEVEL CM	1443,2064 litre	89,331 %	172,3576 litre	O
170	CM	55	CM 91,5 LEVEL CM	1436,2501 litre	88,901 %	179,3139 litre	O
170	CM	55	CM 91 LEVEL CM	1429,2184 litre	88,466 %	186,3456 litre	O
170	CM	55	CM 90,5 LEVEL CM	1422,1131 litre	88,026 %	193,4509 litre	O
170	CM	55	CM 90 LEVEL CM	1414,9359 litre	87,582 %	200,6281 litre	O
170	CM	55	CM 89,5 LEVEL CM	1407,6887 litre	87,133 %	207,8753 litre	O
170	CM	55	CM 89 LEVEL CM	1400,3729 litre	86,680 %	215,1911 litre	O
170	CM	55	CM 88,5 LEVEL CM	1392,9903 litre	86,223 %	222,5737 litre	O
170	CM	55	CM 88 LEVEL CM	1385,5425 litre	85,762 %	230,0215 litre	O
170	CM	55	CM 87,5 LEVEL CM	1378,0308 litre	85,297 %	237,5332 litre	O
170	CM	55	CM 87 LEVEL CM	1370,4569 litre	84,828 %	245,1071 litre	O
170	CM	55	CM 86,5 LEVEL CM	1362,8222 litre	84,356 %	252,7418 litre	O
170	CM	55	CM 86 LEVEL CM	1355,1282 litre	83,880 %	260,4358 litre	O
170	CM	55	CM 85,5 LEVEL CM	1347,3761 litre	83,400 %	268,1879 litre	O
170	CM	55	CM 85 LEVEL CM	1339,5673 litre	82,916 %	275,9967 litre	O
170	CM	55	CM 84,5 LEVEL CM	1331,7033 litre	82,430 %	283,8607 litre	O

170	CM 55	CM	84 LEVEL CM	1323,7852 litre	81,940 %	291,7788 litre	O
170	CM 55	CM	83,5 LEVEL CM	1315,8144 litre	81,446 %	299,7496 litre	O
170	CM 55	CM	83 LEVEL CM	1307,7921 litre	80,950 %	307,7719 litre	O
170	CM 55	CM	82,5 LEVEL CM	1299,7195 litre	80,450 %	315,8445 litre	O
170	CM 55	CM	82 LEVEL CM	1291,5978 litre	79,947 %	323,9662 litre	O
170	CM 55	CM	81,5 LEVEL CM	1283,4282 litre	79,441 %	332,1358 litre	O
170	CM 55	CM	81 LEVEL CM	1275,2119 litre	78,933 %	340,3521 litre	O
170	CM 55	CM	80,5 LEVEL CM	1266,9500 litre	78,422 %	348,6140 litre	O
170	CM 55	CM	80 LEVEL CM	1258,6436 litre	77,907 %	356,9204 litre	O
170	CM 55	CM	79,5 LEVEL CM	1250,2938 litre	77,391 %	365,2702 litre	O
170	CM 55	CM	79 LEVEL CM	1241,9018 litre	76,871 %	373,6622 litre	O
170	CM 55	CM	78,5 LEVEL CM	1233,4685 litre	76,349 %	382,0955 litre	O
170	CM 55	CM	78 LEVEL CM	1224,9950 litre	75,825 %	390,5690 litre	O
170	CM 55	CM	77,5 LEVEL CM	1216,4824 litre	75,298 %	399,0816 litre	O
170	CM 55	CM	77 LEVEL CM	1207,9317 litre	74,768 %	407,6323 litre	O
170	CM 55	CM	76,5 LEVEL CM	1199,3439 litre	74,237 %	416,2201 litre	O
170	CM 55	CM	76 LEVEL CM	1190,7200 litre	73,703 %	424,8440 litre	O
170	CM 55	CM	75,5 LEVEL CM	1182,0610 litre	73,167 %	433,5030 litre	O
170	CM 55	CM	75 LEVEL CM	1173,3678 litre	72,629 %	442,1962 litre	O
170	CM 55	CM	74,5 LEVEL CM	1164,6415 litre	72,089 %	450,9225 litre	O
170	CM 55	CM	74 LEVEL CM	1155,8829 litre	71,547 %	459,6811 litre	O
170	CM 55	CM	73,5 LEVEL CM	1147,0931 litre	71,003 %	468,4709 litre	O
170	CM 55	CM	73 LEVEL CM	1138,2728 litre	70,457 %	477,2912 litre	O
170	CM 55	CM	72,5 LEVEL CM	1129,4232 litre	69,909 %	486,1408 litre	O
170	CM 55	CM	72 LEVEL CM	1120,5450 litre	69,359 %	495,0190 litre	O
170	CM 55	CM	71,5 LEVEL CM	1111,6392 litre	68,808 %	503,9248 litre	O
170	CM 55	CM	71 LEVEL CM	1102,7066 litre	68,255 %	512,8574 litre	O
170	CM 55	CM	70,5 LEVEL CM	1093,7482 litre	67,701 %	521,8158 litre	O
170	CM 55	CM	70 LEVEL CM	1084,7649 litre	67,145 %	530,7991 litre	O
170	CM 55	CM	69,5 LEVEL CM	1075,7574 litre	66,587 %	539,8066 litre	O
170	CM 55	CM	69 LEVEL CM	1066,7267 litre	66,028 %	548,8373 litre	O
170	CM 55	CM	68,5 LEVEL CM	1057,6737 litre	65,468 %	557,8903 litre	O
170	CM 55	CM	68 LEVEL CM	1048,5991 litre	64,906 %	566,9649 litre	O
170	CM 55	CM	67,5 LEVEL CM	1039,5038 litre	64,343 %	576,0602 litre	O
170	CM 55	CM	67 LEVEL CM	1030,3887 litre	63,779 %	585,1753 litre	O
170	CM 55	CM	66,5 LEVEL CM	1021,2546 litre	63,214 %	594,3094 litre	O
170	CM 55	CM	66 LEVEL CM	1012,1023 litre	62,647 %	603,4617 litre	O
170	CM 55	CM	65,5 LEVEL CM	1002,9327 litre	62,079 %	612,6313 litre	O
170	CM 55	CM	65 LEVEL CM	993,7465 litre	61,511 %	621,8175 litre	O
170	CM 55	CM	64,5 LEVEL CM	984,5447 litre	60,941 %	631,0193 litre	O
170	CM 55	CM	64 LEVEL CM	975,3279 litre	60,371 %	640,2361 litre	O
170	CM 55	CM	63,5 LEVEL CM	966,0970 litre	59,799 %	649,4670 litre	O
170	CM 55	CM	63 LEVEL CM	956,8528 litre	59,227 %	658,7112 litre	O
170	CM 55	CM	62,5 LEVEL CM	947,5961 litre	58,654 %	667,9679 litre	O
170	CM 55	CM	62 LEVEL CM	938,3278 litre	58,081 %	677,2362 litre	O
170	CM 55	CM	61,5 LEVEL CM	929,0485 litre	57,506 %	686,5155 litre	O
170	CM 55	CM	61 LEVEL CM	919,7591 litre	56,931 %	695,8049 litre	O
170	CM 55	CM	60,5 LEVEL CM	910,4603 litre	56,356 %	705,1037 litre	O
170	CM 55	CM	60 LEVEL CM	901,1531 litre	55,779 %	714,4109 litre	O
170	CM 55	CM	59,5 LEVEL CM	891,8380 litre	55,203 %	723,7260 litre	O
170	CM 55	CM	59 LEVEL CM	882,5160 litre	54,626 %	733,0480 litre	O
170	CM 55	CM	58,5 LEVEL CM	873,1878 litre	54,048 %	742,3762 litre	O
170	CM 55	CM	58 LEVEL CM	863,8542 litre	53,471 %	751,7098 litre	O

170	CM 55	CM	57,5 LEVEL CM	854,5159 litre	52,893 %	761,0481 litre	O
170	CM 55	CM	57 LEVEL CM	845,1738 litre	52,314 %	770,3902 litre	O
170	CM 55	CM	56,5 LEVEL CM	835,8285 litre	51,736 %	779,7355 litre	O
170	CM 55	CM	56 LEVEL CM	826,4810 litre	51,157 %	789,0830 litre	O
170	CM 55	CM	55,5 LEVEL CM	817,1319 litre	50,579 %	798,4321 litre	O
170	CM 55	CM	55 LEVEL CM	807,7820 litre	50,000 %	807,7820 litre	O
170	CM 55	CM	54,5 LEVEL CM	798,4321 litre	49,421 %	817,1319 litre	O
170	CM 55	CM	54 LEVEL CM	789,0830 litre	48,843 %	826,4810 litre	O
170	CM 55	CM	53,5 LEVEL CM	779,7355 litre	48,264 %	835,8285 litre	O
170	CM 55	CM	53 LEVEL CM	770,3903 litre	47,686 %	845,1737 litre	O
170	CM 55	CM	52,5 LEVEL CM	761,0481 litre	47,107 %	854,5159 litre	O
170	CM 55	CM	52 LEVEL CM	751,7098 litre	46,529 %	863,8542 litre	O
170	CM 55	CM	51,5 LEVEL CM	742,3762 litre	45,952 %	873,1878 litre	O
170	CM 55	CM	51 LEVEL CM	733,0480 litre	45,374 %	882,5160 litre	O
170	CM 55	CM	50,5 LEVEL CM	723,7260 litre	44,797 %	891,8380 litre	O
170	CM 55	CM	50 LEVEL CM	714,4110 litre	44,221 %	901,1530 litre	O
170	CM 55	CM	49,5 LEVEL CM	705,1037 litre	43,644 %	910,4603 litre	O
170	CM 55	CM	49 LEVEL CM	695,8050 litre	43,069 %	919,7590 litre	O
170	CM 55	CM	48,5 LEVEL CM	686,5156 litre	42,494 %	929,0484 litre	O
170	CM 55	CM	48 LEVEL CM	677,2363 litre	41,919 %	938,3277 litre	O
170	CM 55	CM	47,5 LEVEL CM	667,9679 litre	41,346 %	947,5961 litre	O
170	CM 55	CM	47 LEVEL CM	658,7112 litre	40,773 %	956,8528 litre	O
170	CM 55	CM	46,5 LEVEL CM	649,4670 litre	40,201 %	966,0970 litre	O
170	CM 55	CM	46 LEVEL CM	640,2361 litre	39,629 %	975,3279 litre	O
170	CM 55	CM	45,5 LEVEL CM	631,0194 litre	39,059 %	984,5446 litre	O
170	CM 55	CM	45 LEVEL CM	621,8175 litre	38,489 %	993,7465 litre	O
170	CM 55	CM	44,5 LEVEL CM	612,6313 litre	37,921 %	1002,9327 litre	O
170	CM 55	CM	44 LEVEL CM	603,4617 litre	37,353 %	1012,1023 litre	O
170	CM 55	CM	43,5 LEVEL CM	594,3094 litre	36,786 %	1021,2546 litre	O
170	CM 55	CM	43 LEVEL CM	585,1753 litre	36,221 %	1030,3887 litre	O
170	CM 55	CM	42,5 LEVEL CM	576,0602 litre	35,657 %	1039,5038 litre	O
170	CM 55	CM	42 LEVEL CM	566,9649 litre	35,094 %	1048,5991 litre	O
170	CM 55	CM	41,5 LEVEL CM	557,8904 litre	34,532 %	1057,6736 litre	O
170	CM 55	CM	41 LEVEL CM	548,8373 litre	33,972 %	1066,7267 litre	O
170	CM 55	CM	40,5 LEVEL CM	539,8066 litre	33,413 %	1075,7574 litre	O
170	CM 55	CM	40 LEVEL CM	530,7991 litre	32,855 %	1084,7649 litre	O
170	CM 55	CM	39,5 LEVEL CM	521,8158 litre	32,299 %	1093,7482 litre	O
170	CM 55	CM	39 LEVEL CM	512,8574 litre	31,745 %	1102,7066 litre	O
170	CM 55	CM	38,5 LEVEL CM	503,9248 litre	31,192 %	1111,6392 litre	O
170	CM 55	CM	38 LEVEL CM	495,0190 litre	30,641 %	1120,5450 litre	O
170	CM 55	CM	37,5 LEVEL CM	486,1408 litre	30,091 %	1129,4232 litre	O
170	CM 55	CM	37 LEVEL CM	477,2912 litre	29,543 %	1138,2728 litre	O
170	CM 55	CM	36,5 LEVEL CM	468,4710 litre	28,997 %	1147,0930 litre	O
170	CM 55	CM	36 LEVEL CM	459,6811 litre	28,453 %	1155,8829 litre	O
170	CM 55	CM	35,5 LEVEL CM	450,9225 litre	27,911 %	1164,6415 litre	O
170	CM 55	CM	35 LEVEL CM	442,1962 litre	27,371 %	1173,3678 litre	O
170	CM 55	CM	34,5 LEVEL CM	433,5030 litre	26,833 %	1182,0610 litre	O
170	CM 55	CM	34 LEVEL CM	424,8440 litre	26,297 %	1190,7200 litre	O
170	CM 55	CM	33,5 LEVEL CM	416,2201 litre	25,763 %	1199,3439 litre	O
170	CM 55	CM	33 LEVEL CM	407,6323 litre	25,232 %	1207,9317 litre	O
170	CM 55	CM	32,5 LEVEL CM	399,0816 litre	24,702 %	1216,4824 litre	O
170	CM 55	CM	32 LEVEL CM	390,5690 litre	24,175 %	1224,9950 litre	O
170	CM 55	CM	31,5 LEVEL CM	382,0956 litre	23,651 %	1233,4684 litre	O

170	CM 55	CM	31 LEVEL CM	373,6623 litre	23,129 %	1241,9017 litre	O
170	CM 55	CM	30,5 LEVEL CM	365,2702 litre	22,609 %	1250,2938 litre	O
170	CM 55	CM	30 LEVEL CM	356,9204 litre	22,093 %	1258,6436 litre	O
170	CM 55	CM	29,5 LEVEL CM	348,6140 litre	21,578 %	1266,9500 litre	O
170	CM 55	CM	29 LEVEL CM	340,3521 litre	21,067 %	1275,2119 litre	O
170	CM 55	CM	28,5 LEVEL CM	332,1358 litre	20,559 %	1283,4282 litre	O
170	CM 55	CM	28 LEVEL CM	323,9662 litre	20,053 %	1291,5978 litre	O
170	CM 55	CM	27,5 LEVEL CM	315,8446 litre	19,550 %	1299,7194 litre	O
170	CM 55	CM	27 LEVEL CM	307,7720 litre	19,050 %	1307,7920 litre	O
170	CM 55	CM	26,5 LEVEL CM	299,7496 litre	18,554 %	1315,8144 litre	O
170	CM 55	CM	26 LEVEL CM	291,7788 litre	18,060 %	1323,7852 litre	O
170	CM 55	CM	25,5 LEVEL CM	283,8607 litre	17,570 %	1331,7033 litre	O
170	CM 55	CM	25 LEVEL CM	275,9967 litre	17,084 %	1339,5673 litre	O
170	CM 55	CM	24,5 LEVEL CM	268,1879 litre	16,600 %	1347,3761 litre	O
170	CM 55	CM	24 LEVEL CM	260,4359 litre	16,120 %	1355,1281 litre	O
170	CM 55	CM	23,5 LEVEL CM	252,7418 litre	15,644 %	1362,8222 litre	O
170	CM 55	CM	23 LEVEL CM	245,1071 litre	15,172 %	1370,4569 litre	O
170	CM 55	CM	22,5 LEVEL CM	237,5332 litre	14,703 %	1378,0308 litre	O
170	CM 55	CM	22 LEVEL CM	230,0216 litre	14,238 %	1385,5424 litre	O
170	CM 55	CM	21,5 LEVEL CM	222,5737 litre	13,777 %	1392,9903 litre	O
170	CM 55	CM	21 LEVEL CM	215,1911 litre	13,320 %	1400,3729 litre	O
170	CM 55	CM	20,5 LEVEL CM	207,8754 litre	12,867 %	1407,6886 litre	O
170	CM 55	CM	20 LEVEL CM	200,6281 litre	12,418 %	1414,9359 litre	O
170	CM 55	CM	19,5 LEVEL CM	193,4510 litre	11,974 %	1422,1130 litre	O
170	CM 55	CM	19 LEVEL CM	186,3456 litre	11,534 %	1429,2184 litre	O
170	CM 55	CM	18,5 LEVEL CM	179,3139 litre	11,099 %	1436,2501 litre	O
170	CM 55	CM	18 LEVEL CM	172,3576 litre	10,669 %	1443,2064 litre	O
170	CM 55	CM	17,5 LEVEL CM	165,4786 litre	10,243 %	1450,0854 litre	O
170	CM 55	CM	17 LEVEL CM	158,6788 litre	9,822 %	1456,8852 litre	O
170	CM 55	CM	16,5 LEVEL CM	151,9603 litre	9,406 %	1463,6037 litre	O
170	CM 55	CM	16 LEVEL CM	145,3251 litre	8,995 %	1470,2389 litre	O
170	CM 55	CM	15,5 LEVEL CM	138,7753 litre	8,590 %	1476,7887 litre	O
170	CM 55	CM	15 LEVEL CM	132,3133 litre	8,190 %	1483,2507 litre	O
170	CM 55	CM	14,5 LEVEL CM	125,9414 litre	7,796 %	1489,6226 litre	O
170	CM 55	CM	14 LEVEL CM	119,6620 litre	7,407 %	1495,9020 litre	O
170	CM 55	CM	13,5 LEVEL CM	113,4777 litre	7,024 %	1502,0863 litre	O
170	CM 55	CM	13 LEVEL CM	107,3911 litre	6,647 %	1508,1729 litre	O
170	CM 55	CM	12,5 LEVEL CM	101,4050 litre	6,277 %	1514,1590 litre	O
170	CM 55	CM	12 LEVEL CM	95,5225 litre	5,913 %	1520,0415 litre	O
170	CM 55	CM	11,5 LEVEL CM	89,7465 litre	5,555 %	1525,8175 litre	O
170	CM 55	CM	11 LEVEL CM	84,0804 litre	5,204 %	1531,4836 litre	O
170	CM 55	CM	10,5 LEVEL CM	78,5277 litre	4,861 %	1537,0363 litre	O
170	CM 55	CM	10 LEVEL CM	73,0920 litre	4,524 %	1542,4720 litre	O
170	CM 55	CM	9,5 LEVEL CM	67,7773 litre	4,195 %	1547,7867 litre	O
170	CM 55	CM	9 LEVEL CM	62,5878 litre	3,874 %	1552,9762 litre	O
170	CM 55	CM	8,5 LEVEL CM	57,5280 litre	3,561 %	1558,0360 litre	O
170	CM 55	CM	8 LEVEL CM	52,6028 litre	3,256 %	1562,9612 litre	O
170	CM 55	CM	7,5 LEVEL CM	47,8175 litre	2,960 %	1567,7465 litre	O
170	CM 55	CM	7 LEVEL CM	43,1779 litre	2,673 %	1572,3861 litre	O
170	CM 55	CM	6,5 LEVEL CM	38,6902 litre	2,395 %	1576,8738 litre	O
170	CM 55	CM	6 LEVEL CM	34,3616 litre	2,127 %	1581,2024 litre	O
170	CM 55	CM	5,5 LEVEL CM	30,1998 litre	1,869 %	1585,3642 litre	O
170	CM 55	CM	5 LEVEL CM	26,2136 litre	1,623 %	1589,3504 litre	O

170	CM 55	CM	4,5 LEVEL CM	22,4130 litre	1,387 %	1593,1510 litre	O
170	CM 55	CM	4 LEVEL CM	18,8096 litre	1,164 %	1596,7544 litre	O
170	CM 55	CM	3,5 LEVEL CM	15,4169 litre	0,954 %	1600,1471 litre	O
170	CM 55	CM	3 LEVEL CM	12,2512 litre	0,758 %	1603,3128 litre	O
170	CM 55	CM	2,5 LEVEL CM	9,3328 litre	0,578 %	1606,2312 litre	O
170	CM 55	CM	2 LEVEL CM	6,6872 litre	0,414 %	1608,8768 litre	O
170	CM 55	CM	1,5 LEVEL CM	4,3495 litre	0,269 %	1611,2145 litre	O
170	CM 55	CM	1 LEVEL CM	2,3708 litre	0,147 %	1613,1932 litre	O
170	CM 55	CM	0,5 LEVEL CM	0,8394 litre	0,052 %	1614,7246 litre	O
170	CM 55	CM	0 LEVEL CM	0,0000 litre	0,000 %	1615,5640 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
170	CM	50	CM	100 LEVEL CM	1335,1769 litre	100,000 %	0,0000 litre	O
170	CM	50	CM	99,5 LEVEL CM	1334,3767 litre	99,940 %	0,8002 litre	O
170	CM	50	CM	99 LEVEL CM	1332,9170 litre	99,831 %	2,2599 litre	O
170	CM	50	CM	98,5 LEVEL CM	1331,0315 litre	99,690 %	4,1454 litre	O
170	CM	50	CM	98 LEVEL CM	1328,8044 litre	99,523 %	6,3725 litre	O
170	CM	50	CM	97,5 LEVEL CM	1326,2846 litre	99,334 %	8,8923 litre	O
170	CM	50	CM	97 LEVEL CM	1323,5055 litre	99,126 %	11,6714 litre	O
170	CM	50	CM	96,5 LEVEL CM	1320,4918 litre	98,900 %	14,6851 litre	O
170	CM	50	CM	96 LEVEL CM	1317,2627 litre	98,658 %	17,9142 litre	O
170	CM	50	CM	95,5 LEVEL CM	1313,8339 litre	98,401 %	21,3430 litre	O
170	CM	50	CM	95 LEVEL CM	1310,2184 litre	98,131 %	24,9585 litre	O
170	CM	50	CM	94,5 LEVEL CM	1306,4272 litre	97,847 %	28,7497 litre	O
170	CM	50	CM	94 LEVEL CM	1302,4700 litre	97,550 %	32,7069 litre	O
170	CM	50	CM	93,5 LEVEL CM	1298,3553 litre	97,242 %	36,8216 litre	O
170	CM	50	CM	93 LEVEL CM	1294,0905 litre	96,923 %	41,0864 litre	O
170	CM	50	CM	92,5 LEVEL CM	1289,6824 litre	96,593 %	45,4945 litre	O
170	CM	50	CM	92 LEVEL CM	1285,1372 litre	96,252 %	50,0397 litre	O
170	CM	50	CM	91,5 LEVEL CM	1280,4602 litre	95,902 %	54,7167 litre	O
170	CM	50	CM	91 LEVEL CM	1275,6568 litre	95,542 %	59,5201 litre	O
170	CM	50	CM	90,5 LEVEL CM	1270,7316 litre	95,173 %	64,4453 litre	O
170	CM	50	CM	90 LEVEL CM	1265,6889 litre	94,796 %	69,4880 litre	O
170	CM	50	CM	89,5 LEVEL CM	1260,5329 litre	94,409 %	74,6440 litre	O
170	CM	50	CM	89 LEVEL CM	1255,2673 litre	94,015 %	79,9096 litre	O
170	CM	50	CM	88,5 LEVEL CM	1249,8958 litre	93,613 %	85,2811 litre	O
170	CM	50	CM	88 LEVEL CM	1244,4217 litre	93,203 %	90,7552 litre	O
170	CM	50	CM	87,5 LEVEL CM	1238,8481 litre	92,785 %	96,3288 litre	O
170	CM	50	CM	87 LEVEL CM	1233,1782 litre	92,361 %	101,9987 litre	O
170	CM	50	CM	86,5 LEVEL CM	1227,4147 litre	91,929 %	107,7622 litre	O
170	CM	50	CM	86 LEVEL CM	1221,5605 litre	91,491 %	113,6164 litre	O
170	CM	50	CM	85,5 LEVEL CM	1215,6180 litre	91,045 %	119,5589 litre	O
170	CM	50	CM	85 LEVEL CM	1209,5899 litre	90,594 %	125,5870 litre	O
170	CM	50	CM	84,5 LEVEL CM	1203,4784 litre	90,136 %	131,6985 litre	O
170	CM	50	CM	84 LEVEL CM	1197,2859 litre	89,672 %	137,8910 litre	O
170	CM	50	CM	83,5 LEVEL CM	1191,0145 litre	89,203 %	144,1624 litre	O
170	CM	50	CM	83 LEVEL CM	1184,6664 litre	88,727 %	150,5105 litre	O
170	CM	50	CM	82,5 LEVEL CM	1178,2436 litre	88,246 %	156,9333 litre	O
170	CM	50	CM	82 LEVEL CM	1171,7482 litre	87,760 %	163,4287 litre	O
170	CM	50	CM	81,5 LEVEL CM	1165,1819 litre	87,268 %	169,9950 litre	O
170	CM	50	CM	81 LEVEL CM	1158,5467 litre	86,771 %	176,6302 litre	O
170	CM	50	CM	80,5 LEVEL CM	1151,8443 litre	86,269 %	183,3326 litre	O
170	CM	50	CM	80 LEVEL CM	1145,0764 litre	85,762 %	190,1005 litre	O
170	CM	50	CM	79,5 LEVEL CM	1138,2448 litre	85,250 %	196,9321 litre	O
170	CM	50	CM	79 LEVEL CM	1131,3511 litre	84,734 %	203,8258 litre	O
170	CM	50	CM	78,5 LEVEL CM	1124,3969 litre	84,213 %	210,7800 litre	O
170	CM	50	CM	78 LEVEL CM	1117,3836 litre	83,688 %	217,7933 litre	O
170	CM	50	CM	77,5 LEVEL CM	1110,3130 litre	83,158 %	224,8639 litre	O
170	CM	50	CM	77 LEVEL CM	1103,1863 litre	82,625 %	231,9906 litre	O
170	CM	50	CM	76,5 LEVEL CM	1096,0051 litre	82,087 %	239,1718 litre	O
170	CM	50	CM	76 LEVEL CM	1088,7708 litre	81,545 %	246,4061 litre	O
170	CM	50	CM	75,5 LEVEL CM	1081,4848 litre	80,999 %	253,6921 litre	O
170	CM	50	CM	75 LEVEL CM	1074,1483 litre	80,450 %	261,0286 litre	O
170	CM	50	CM	74,5 LEVEL CM	1066,7628 litre	79,897 %	268,4141 litre	O

170	CM 50	CM	74 LEVEL CM	1059,3295 litre	79,340 %	275,8474 litre	O
170	CM 50	CM	73,5 LEVEL CM	1051,8496 litre	78,780 %	283,3273 litre	O
170	CM 50	CM	73 LEVEL CM	1044,3245 litre	78,216 %	290,8524 litre	O
170	CM 50	CM	72,5 LEVEL CM	1036,7554 litre	77,649 %	298,4215 litre	O
170	CM 50	CM	72 LEVEL CM	1029,1435 litre	77,079 %	306,0334 litre	O
170	CM 50	CM	71,5 LEVEL CM	1021,4898 litre	76,506 %	313,6871 litre	O
170	CM 50	CM	71 LEVEL CM	1013,7958 litre	75,930 %	321,3811 litre	O
170	CM 50	CM	70,5 LEVEL CM	1006,0623 litre	75,350 %	329,1146 litre	O
170	CM 50	CM	70 LEVEL CM	998,2907 litre	74,768 %	336,8862 litre	O
170	CM 50	CM	69,5 LEVEL CM	990,4819 litre	74,184 %	344,6950 litre	O
170	CM 50	CM	69 LEVEL CM	982,6372 litre	73,596 %	352,5397 litre	O
170	CM 50	CM	68,5 LEVEL CM	974,7575 litre	73,006 %	360,4194 litre	O
170	CM 50	CM	68 LEVEL CM	966,8440 litre	72,413 %	368,3329 litre	O
170	CM 50	CM	67,5 LEVEL CM	958,8977 litre	71,818 %	376,2792 litre	O
170	CM 50	CM	67 LEVEL CM	950,9196 litre	71,220 %	384,2573 litre	O
170	CM 50	CM	66,5 LEVEL CM	942,9108 litre	70,621 %	392,2661 litre	O
170	CM 50	CM	66 LEVEL CM	934,8723 litre	70,019 %	400,3046 litre	O
170	CM 50	CM	65,5 LEVEL CM	926,8050 litre	69,414 %	408,3719 litre	O
170	CM 50	CM	65 LEVEL CM	918,7101 litre	68,808 %	416,4668 litre	O
170	CM 50	CM	64,5 LEVEL CM	910,5884 litre	68,200 %	424,5885 litre	O
170	CM 50	CM	64 LEVEL CM	902,4409 litre	67,590 %	432,7360 litre	O
170	CM 50	CM	63,5 LEVEL CM	894,2687 litre	66,978 %	440,9082 litre	O
170	CM 50	CM	63 LEVEL CM	886,0726 litre	66,364 %	449,1043 litre	O
170	CM 50	CM	62,5 LEVEL CM	877,8537 litre	65,748 %	457,3232 litre	O
170	CM 50	CM	62 LEVEL CM	869,6128 litre	65,131 %	465,5641 litre	O
170	CM 50	CM	61,5 LEVEL CM	861,3508 litre	64,512 %	473,8261 litre	O
170	CM 50	CM	61 LEVEL CM	853,0688 litre	63,892 %	482,1081 litre	O
170	CM 50	CM	60,5 LEVEL CM	844,7676 litre	63,270 %	490,4093 litre	O
170	CM 50	CM	60 LEVEL CM	836,4482 litre	62,647 %	498,7287 litre	O
170	CM 50	CM	59,5 LEVEL CM	828,1114 litre	62,023 %	507,0655 litre	O
170	CM 50	CM	59 LEVEL CM	819,7582 litre	61,397 %	515,4187 litre	O
170	CM 50	CM	58,5 LEVEL CM	811,3894 litre	60,770 %	523,7875 litre	O
170	CM 50	CM	58 LEVEL CM	803,0059 litre	60,142 %	532,1710 litre	O
170	CM 50	CM	57,5 LEVEL CM	794,6087 litre	59,513 %	540,5682 litre	O
170	CM 50	CM	57 LEVEL CM	786,1986 litre	58,883 %	548,9783 litre	O
170	CM 50	CM	56,5 LEVEL CM	777,7764 litre	58,253 %	557,4005 litre	O
170	CM 50	CM	56 LEVEL CM	769,3431 litre	57,621 %	565,8338 litre	O
170	CM 50	CM	55,5 LEVEL CM	760,8995 litre	56,989 %	574,2774 litre	O
170	CM 50	CM	55 LEVEL CM	752,4466 litre	56,356 %	582,7303 litre	O
170	CM 50	CM	54,5 LEVEL CM	743,9850 litre	55,722 %	591,1919 litre	O
170	CM 50	CM	54 LEVEL CM	735,5158 litre	55,088 %	599,6611 litre	O
170	CM 50	CM	53,5 LEVEL CM	727,0398 litre	54,453 %	608,1371 litre	O
170	CM 50	CM	53 LEVEL CM	718,5578 litre	53,817 %	616,6191 litre	O
170	CM 50	CM	52,5 LEVEL CM	710,0707 litre	53,182 %	625,1062 litre	O
170	CM 50	CM	52 LEVEL CM	701,5794 litre	52,546 %	633,5975 litre	O
170	CM 50	CM	51,5 LEVEL CM	693,0846 litre	51,910 %	642,0923 litre	O
170	CM 50	CM	51 LEVEL CM	684,5873 litre	51,273 %	650,5896 litre	O
170	CM 50	CM	50,5 LEVEL CM	676,0883 litre	50,637 %	659,0886 litre	O
170	CM 50	CM	50 LEVEL CM	667,5884 litre	50,000 %	667,5885 litre	O
170	CM 50	CM	49,5 LEVEL CM	659,0886 litre	49,363 %	676,0883 litre	O
170	CM 50	CM	49 LEVEL CM	650,5896 litre	48,727 %	684,5873 litre	O
170	CM 50	CM	48,5 LEVEL CM	642,0923 litre	48,090 %	693,0846 litre	O
170	CM 50	CM	48 LEVEL CM	633,5975 litre	47,454 %	701,5794 litre	O

170	CM	50	CM	47,5 LEVEL CM	625,1062 litre	46,818 %	710,0707 litre	O
170	CM	50	CM	47 LEVEL CM	616,6191 litre	46,183 %	718,5578 litre	O
170	CM	50	CM	46,5 LEVEL CM	608,1371 litre	45,547 %	727,0398 litre	O
170	CM	50	CM	46 LEVEL CM	599,6610 litre	44,912 %	735,5159 litre	O
170	CM	50	CM	45,5 LEVEL CM	591,1918 litre	44,278 %	743,9851 litre	O
170	CM	50	CM	45 LEVEL CM	582,7303 litre	43,644 %	752,4466 litre	O
170	CM	50	CM	44,5 LEVEL CM	574,2773 litre	43,011 %	760,8996 litre	O
170	CM	50	CM	44 LEVEL CM	565,8338 litre	42,379 %	769,3431 litre	O
170	CM	50	CM	43,5 LEVEL CM	557,4005 litre	41,747 %	777,7764 litre	O
170	CM	50	CM	43 LEVEL CM	548,9783 litre	41,117 %	786,1986 litre	O
170	CM	50	CM	42,5 LEVEL CM	540,5682 litre	40,487 %	794,6087 litre	O
170	CM	50	CM	42 LEVEL CM	532,1710 litre	39,858 %	803,0059 litre	O
170	CM	50	CM	41,5 LEVEL CM	523,7875 litre	39,230 %	811,3894 litre	O
170	CM	50	CM	41 LEVEL CM	515,4187 litre	38,603 %	819,7582 litre	O
170	CM	50	CM	40,5 LEVEL CM	507,0655 litre	37,977 %	828,1114 litre	O
170	CM	50	CM	40 LEVEL CM	498,7287 litre	37,353 %	836,4482 litre	O
170	CM	50	CM	39,5 LEVEL CM	490,4092 litre	36,730 %	844,7677 litre	O
170	CM	50	CM	39 LEVEL CM	482,1081 litre	36,108 %	853,0688 litre	O
170	CM	50	CM	38,5 LEVEL CM	473,8260 litre	35,488 %	861,3509 litre	O
170	CM	50	CM	38 LEVEL CM	465,5641 litre	34,869 %	869,6128 litre	O
170	CM	50	CM	37,5 LEVEL CM	457,3232 litre	34,252 %	877,8537 litre	O
170	CM	50	CM	37 LEVEL CM	449,1043 litre	33,636 %	886,0726 litre	O
170	CM	50	CM	36,5 LEVEL CM	440,9082 litre	33,022 %	894,2687 litre	O
170	CM	50	CM	36 LEVEL CM	432,7359 litre	32,410 %	902,4410 litre	O
170	CM	50	CM	35,5 LEVEL CM	424,5885 litre	31,800 %	910,5884 litre	O
170	CM	50	CM	35 LEVEL CM	416,4668 litre	31,192 %	918,7101 litre	O
170	CM	50	CM	34,5 LEVEL CM	408,3719 litre	30,586 %	926,8050 litre	O
170	CM	50	CM	34 LEVEL CM	400,3046 litre	29,981 %	934,8723 litre	O
170	CM	50	CM	33,5 LEVEL CM	392,2661 litre	29,379 %	942,9108 litre	O
170	CM	50	CM	33 LEVEL CM	384,2573 litre	28,780 %	950,9196 litre	O
170	CM	50	CM	32,5 LEVEL CM	376,2792 litre	28,182 %	958,8977 litre	O
170	CM	50	CM	32 LEVEL CM	368,3329 litre	27,587 %	966,8440 litre	O
170	CM	50	CM	31,5 LEVEL CM	360,4194 litre	26,994 %	974,7575 litre	O
170	CM	50	CM	31 LEVEL CM	352,5397 litre	26,404 %	982,6372 litre	O
170	CM	50	CM	30,5 LEVEL CM	344,6949 litre	25,816 %	990,4820 litre	O
170	CM	50	CM	30 LEVEL CM	336,8862 litre	25,232 %	998,2907 litre	O
170	CM	50	CM	29,5 LEVEL CM	329,1146 litre	24,650 %	1006,0623 litre	O
170	CM	50	CM	29 LEVEL CM	321,3811 litre	24,070 %	1013,7958 litre	O
170	CM	50	CM	28,5 LEVEL CM	313,6870 litre	23,494 %	1021,4899 litre	O
170	CM	50	CM	28 LEVEL CM	306,0334 litre	22,921 %	1029,1435 litre	O
170	CM	50	CM	27,5 LEVEL CM	298,4215 litre	22,351 %	1036,7554 litre	O
170	CM	50	CM	27 LEVEL CM	290,8523 litre	21,784 %	1044,3246 litre	O
170	CM	50	CM	26,5 LEVEL CM	283,3272 litre	21,220 %	1051,8497 litre	O
170	CM	50	CM	26 LEVEL CM	275,8474 litre	20,660 %	1059,3295 litre	O
170	CM	50	CM	25,5 LEVEL CM	268,4141 litre	20,103 %	1066,7628 litre	O
170	CM	50	CM	25 LEVEL CM	261,0286 litre	19,550 %	1074,1483 litre	O
170	CM	50	CM	24,5 LEVEL CM	253,6921 litre	19,001 %	1081,4848 litre	O
170	CM	50	CM	24 LEVEL CM	246,4060 litre	18,455 %	1088,7709 litre	O
170	CM	50	CM	23,5 LEVEL CM	239,1717 litre	17,913 %	1096,0052 litre	O
170	CM	50	CM	23 LEVEL CM	231,9905 litre	17,375 %	1103,1864 litre	O
170	CM	50	CM	22,5 LEVEL CM	224,8639 litre	16,842 %	1110,3130 litre	O
170	CM	50	CM	22 LEVEL CM	217,7932 litre	16,312 %	1117,3837 litre	O
170	CM	50	CM	21,5 LEVEL CM	210,7800 litre	15,787 %	1124,3969 litre	O

170	CM	50	CM	21 LEVEL CM	203,8258 litre	15,266 %	1131,3511 litre	O
170	CM	50	CM	20,5 LEVEL CM	196,9321 litre	14,750 %	1138,2448 litre	O
170	CM	50	CM	20 LEVEL CM	190,1005 litre	14,238 %	1145,0764 litre	O
170	CM	50	CM	19,5 LEVEL CM	183,3326 litre	13,731 %	1151,8443 litre	O
170	CM	50	CM	19 LEVEL CM	176,6302 litre	13,229 %	1158,5467 litre	O
170	CM	50	CM	18,5 LEVEL CM	169,9950 litre	12,732 %	1165,1819 litre	O
170	CM	50	CM	18 LEVEL CM	163,4287 litre	12,240 %	1171,7482 litre	O
170	CM	50	CM	17,5 LEVEL CM	156,9332 litre	11,754 %	1178,2437 litre	O
170	CM	50	CM	17 LEVEL CM	150,5105 litre	11,273 %	1184,6664 litre	O
170	CM	50	CM	16,5 LEVEL CM	144,1624 litre	10,797 %	1191,0145 litre	O
170	CM	50	CM	16 LEVEL CM	137,8910 litre	10,328 %	1197,2859 litre	O
170	CM	50	CM	15,5 LEVEL CM	131,6985 litre	9,864 %	1203,4784 litre	O
170	CM	50	CM	15 LEVEL CM	125,5870 litre	9,406 %	1209,5899 litre	O
170	CM	50	CM	14,5 LEVEL CM	119,5588 litre	8,955 %	1215,6181 litre	O
170	CM	50	CM	14 LEVEL CM	113,6164 litre	8,509 %	1221,5605 litre	O
170	CM	50	CM	13,5 LEVEL CM	107,7621 litre	8,071 %	1227,4148 litre	O
170	CM	50	CM	13 LEVEL CM	101,9987 litre	7,639 %	1233,1782 litre	O
170	CM	50	CM	12,5 LEVEL CM	96,3287 litre	7,215 %	1238,8482 litre	O
170	CM	50	CM	12 LEVEL CM	90,7552 litre	6,797 %	1244,4217 litre	O
170	CM	50	CM	11,5 LEVEL CM	85,2811 litre	6,387 %	1249,8958 litre	O
170	CM	50	CM	11 LEVEL CM	79,9096 litre	5,985 %	1255,2673 litre	O
170	CM	50	CM	10,5 LEVEL CM	74,6440 litre	5,591 %	1260,5329 litre	O
170	CM	50	CM	10 LEVEL CM	69,4880 litre	5,204 %	1265,6889 litre	O
170	CM	50	CM	9,5 LEVEL CM	64,4453 litre	4,827 %	1270,7316 litre	O
170	CM	50	CM	9 LEVEL CM	59,5201 litre	4,458 %	1275,6568 litre	O
170	CM	50	CM	8,5 LEVEL CM	54,7166 litre	4,098 %	1280,4603 litre	O
170	CM	50	CM	8 LEVEL CM	50,0397 litre	3,748 %	1285,1372 litre	O
170	CM	50	CM	7,5 LEVEL CM	45,4944 litre	3,407 %	1289,6825 litre	O
170	CM	50	CM	7 LEVEL CM	41,0864 litre	3,077 %	1294,0905 litre	O
170	CM	50	CM	6,5 LEVEL CM	36,8216 litre	2,758 %	1298,3553 litre	O
170	CM	50	CM	6 LEVEL CM	32,7068 litre	2,450 %	1302,4701 litre	O
170	CM	50	CM	5,5 LEVEL CM	28,7497 litre	2,153 %	1306,4272 litre	O
170	CM	50	CM	5 LEVEL CM	24,9585 litre	1,869 %	1310,2184 litre	O
170	CM	50	CM	4,5 LEVEL CM	21,3430 litre	1,599 %	1313,8339 litre	O
170	CM	50	CM	4 LEVEL CM	17,9142 litre	1,342 %	1317,2627 litre	O
170	CM	50	CM	3,5 LEVEL CM	14,6851 litre	1,100 %	1320,4918 litre	O
170	CM	50	CM	3 LEVEL CM	11,6714 litre	0,874 %	1323,5055 litre	O
170	CM	50	CM	2,5 LEVEL CM	8,8923 litre	0,666 %	1326,2846 litre	O
170	CM	50	CM	2 LEVEL CM	6,3725 litre	0,477 %	1328,8044 litre	O
170	CM	50	CM	1,5 LEVEL CM	4,1453 litre	0,310 %	1331,0316 litre	O
170	CM	50	CM	1 LEVEL CM	2,2599 litre	0,169 %	1332,9170 litre	O
170	CM	50	CM	0,5 LEVEL CM	0,8002 litre	0,060 %	1334,3767 litre	O
170	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1335,1769 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
170	CM	45	CM 90 LEVEL CM	1081,4933 litre	100,000 %	0,0000 litre	O
170	CM	45	CM 89,5 LEVEL CM	1080,7343 litre	99,930 %	0,7590 litre	O
170	CM	45	CM 89 LEVEL CM	1079,3501 litre	99,802 %	2,1432 litre	O
170	CM	45	CM 88,5 LEVEL CM	1077,5626 litre	99,637 %	3,9307 litre	O
170	CM	45	CM 88 LEVEL CM	1075,4519 litre	99,441 %	6,0414 litre	O
170	CM	45	CM 87,5 LEVEL CM	1073,0645 litre	99,221 %	8,4288 litre	O
170	CM	45	CM 87 LEVEL CM	1070,4321 litre	98,977 %	11,0612 litre	O
170	CM	45	CM 86,5 LEVEL CM	1067,5784 litre	98,713 %	13,9149 litre	O
170	CM	45	CM 86 LEVEL CM	1064,5217 litre	98,431 %	16,9716 litre	O
170	CM	45	CM 85,5 LEVEL CM	1061,2769 litre	98,131 %	20,2164 litre	O
170	CM	45	CM 85 LEVEL CM	1057,8564 litre	97,814 %	23,6369 litre	O
170	CM	45	CM 84,5 LEVEL CM	1054,2709 litre	97,483 %	27,2224 litre	O
170	CM	45	CM 84 LEVEL CM	1050,5295 litre	97,137 %	30,9638 litre	O
170	CM	45	CM 83,5 LEVEL CM	1046,6404 litre	96,777 %	34,8529 litre	O
170	CM	45	CM 83 LEVEL CM	1042,6108 litre	96,405 %	38,8825 litre	O
170	CM	45	CM 82,5 LEVEL CM	1038,4471 litre	96,020 %	43,0462 litre	O
170	CM	45	CM 82 LEVEL CM	1034,1553 litre	95,623 %	47,3380 litre	O
170	CM	45	CM 81,5 LEVEL CM	1029,7406 litre	95,215 %	51,7527 litre	O
170	CM	45	CM 81 LEVEL CM	1025,2080 litre	94,796 %	56,2853 litre	O
170	CM	45	CM 80,5 LEVEL CM	1020,5621 litre	94,366 %	60,9312 litre	O
170	CM	45	CM 80 LEVEL CM	1015,8070 litre	93,926 %	65,6863 litre	O
170	CM	45	CM 79,5 LEVEL CM	1010,9467 litre	93,477 %	70,5466 litre	O
170	CM	45	CM 79 LEVEL CM	1005,9849 litre	93,018 %	75,5084 litre	O
170	CM	45	CM 78,5 LEVEL CM	1000,9250 litre	92,550 %	80,5683 litre	O
170	CM	45	CM 78 LEVEL CM	995,7704 litre	92,074 %	85,7229 litre	O
170	CM	45	CM 77,5 LEVEL CM	990,5240 litre	91,589 %	90,9693 litre	O
170	CM	45	CM 77 LEVEL CM	985,1889 litre	91,095 %	96,3044 litre	O
170	CM	45	CM 76,5 LEVEL CM	979,7678 litre	90,594 %	101,7255 litre	O
170	CM	45	CM 76 LEVEL CM	974,2634 litre	90,085 %	107,2299 litre	O
170	CM	45	CM 75,5 LEVEL CM	968,6782 litre	89,569 %	112,8151 litre	O
170	CM	45	CM 75 LEVEL CM	963,0146 litre	89,045 %	118,4787 litre	O
170	CM	45	CM 74,5 LEVEL CM	957,2750 litre	88,514 %	124,2183 litre	O
170	CM	45	CM 74 LEVEL CM	951,4616 litre	87,977 %	130,0317 litre	O
170	CM	45	CM 73,5 LEVEL CM	945,5765 litre	87,432 %	135,9168 litre	O
170	CM	45	CM 73 LEVEL CM	939,6219 litre	86,882 %	141,8714 litre	O
170	CM	45	CM 72,5 LEVEL CM	933,5997 litre	86,325 %	147,8936 litre	O
170	CM	45	CM 72 LEVEL CM	927,5119 litre	85,762 %	153,9814 litre	O
170	CM	45	CM 71,5 LEVEL CM	921,3603 litre	85,193 %	160,1330 litre	O
170	CM	45	CM 71 LEVEL CM	915,1468 litre	84,619 %	166,3465 litre	O
170	CM	45	CM 70,5 LEVEL CM	908,8731 litre	84,039 %	172,6202 litre	O
170	CM	45	CM 70 LEVEL CM	902,5410 litre	83,453 %	178,9523 litre	O
170	CM	45	CM 69,5 LEVEL CM	896,1520 litre	82,862 %	185,3413 litre	O
170	CM	45	CM 69 LEVEL CM	889,7079 litre	82,267 %	191,7854 litre	O
170	CM	45	CM 68,5 LEVEL CM	883,2102 litre	81,666 %	198,2831 litre	O
170	CM	45	CM 68 LEVEL CM	876,6604 litre	81,060 %	204,8329 litre	O
170	CM	45	CM 67,5 LEVEL CM	870,0601 litre	80,450 %	211,4332 litre	O
170	CM	45	CM 67 LEVEL CM	863,4107 litre	79,835 %	218,0826 litre	O
170	CM	45	CM 66,5 LEVEL CM	856,7137 litre	79,216 %	224,7796 litre	O
170	CM	45	CM 66 LEVEL CM	849,9705 litre	78,592 %	231,5228 litre	O
170	CM	45	CM 65,5 LEVEL CM	843,1823 litre	77,965 %	238,3110 litre	O
170	CM	45	CM 65 LEVEL CM	836,3507 litre	77,333 %	245,1426 litre	O
170	CM	45	CM 64,5 LEVEL CM	829,4769 litre	76,697 %	252,0164 litre	O

170	CM 45	CM	64 LEVEL CM	822,5623 litre	76,058 %	258,9310 litre	O
170	CM 45	CM	63,5 LEVEL CM	815,6080 litre	75,415 %	265,8853 litre	O
170	CM 45	CM	63 LEVEL CM	808,6154 litre	74,768 %	272,8779 litre	O
170	CM 45	CM	62,5 LEVEL CM	801,5858 litre	74,118 %	279,9075 litre	O
170	CM 45	CM	62 LEVEL CM	794,5202 litre	73,465 %	286,9731 litre	O
170	CM 45	CM	61,5 LEVEL CM	787,4199 litre	72,809 %	294,0734 litre	O
170	CM 45	CM	61 LEVEL CM	780,2862 litre	72,149 %	301,2071 litre	O
170	CM 45	CM	60,5 LEVEL CM	773,1201 litre	71,486 %	308,3732 litre	O
170	CM 45	CM	60 LEVEL CM	765,9228 litre	70,821 %	315,5705 litre	O
170	CM 45	CM	59,5 LEVEL CM	758,6955 litre	70,153 %	322,7978 litre	O
170	CM 45	CM	59 LEVEL CM	751,4392 litre	69,482 %	330,0541 litre	O
170	CM 45	CM	58,5 LEVEL CM	744,1552 litre	68,808 %	337,3381 litre	O
170	CM 45	CM	58 LEVEL CM	736,8443 litre	68,132 %	344,6490 litre	O
170	CM 45	CM	57,5 LEVEL CM	729,5079 litre	67,454 %	351,9854 litre	O
170	CM 45	CM	57 LEVEL CM	722,1468 litre	66,773 %	359,3465 litre	O
170	CM 45	CM	56,5 LEVEL CM	714,7622 litre	66,090 %	366,7311 litre	O
170	CM 45	CM	56 LEVEL CM	707,3552 litre	65,405 %	374,1381 litre	O
170	CM 45	CM	55,5 LEVEL CM	699,9267 litre	64,719 %	381,5666 litre	O
170	CM 45	CM	55 LEVEL CM	692,4779 litre	64,030 %	389,0154 litre	O
170	CM 45	CM	54,5 LEVEL CM	685,0096 litre	63,339 %	396,4837 litre	O
170	CM 45	CM	54 LEVEL CM	677,5230 litre	62,647 %	403,9703 litre	O
170	CM 45	CM	53,5 LEVEL CM	670,0191 litre	61,953 %	411,4742 litre	O
170	CM 45	CM	53 LEVEL CM	662,4988 litre	61,258 %	418,9945 litre	O
170	CM 45	CM	52,5 LEVEL CM	654,9631 litre	60,561 %	426,5302 litre	O
170	CM 45	CM	52 LEVEL CM	647,4131 litre	59,863 %	434,0802 litre	O
170	CM 45	CM	51,5 LEVEL CM	639,8497 litre	59,164 %	441,6436 litre	O
170	CM 45	CM	51 LEVEL CM	632,2739 litre	58,463 %	449,2194 litre	O
170	CM 45	CM	50,5 LEVEL CM	624,6867 litre	57,761 %	456,8066 litre	O
170	CM 45	CM	50 LEVEL CM	617,0889 litre	57,059 %	464,4044 litre	O
170	CM 45	CM	49,5 LEVEL CM	609,4817 litre	56,356 %	472,0116 litre	O
170	CM 45	CM	49 LEVEL CM	601,8659 litre	55,651 %	479,6274 litre	O
170	CM 45	CM	48,5 LEVEL CM	594,2426 litre	54,946 %	487,2507 litre	O
170	CM 45	CM	48 LEVEL CM	586,6126 litre	54,241 %	494,8807 litre	O
170	CM 45	CM	47,5 LEVEL CM	578,9770 litre	53,535 %	502,5163 litre	O
170	CM 45	CM	47 LEVEL CM	571,3366 litre	52,828 %	510,1567 litre	O
170	CM 45	CM	46,5 LEVEL CM	563,6924 litre	52,122 %	517,8009 litre	O
170	CM 45	CM	46 LEVEL CM	556,0454 litre	51,415 %	525,4479 litre	O
170	CM 45	CM	45,5 LEVEL CM	548,3965 litre	50,707 %	533,0968 litre	O
170	CM 45	CM	45 LEVEL CM	540,7466 litre	50,000 %	540,7467 litre	O
170	CM 45	CM	44,5 LEVEL CM	533,0968 litre	49,293 %	548,3965 litre	O
170	CM 45	CM	44 LEVEL CM	525,4479 litre	48,585 %	556,0454 litre	O
170	CM 45	CM	43,5 LEVEL CM	517,8009 litre	47,878 %	563,6924 litre	O
170	CM 45	CM	43 LEVEL CM	510,1567 litre	47,172 %	571,3366 litre	O
170	CM 45	CM	42,5 LEVEL CM	502,5163 litre	46,465 %	578,9770 litre	O
170	CM 45	CM	42 LEVEL CM	494,8807 litre	45,759 %	586,6126 litre	O
170	CM 45	CM	41,5 LEVEL CM	487,2507 litre	45,054 %	594,2426 litre	O
170	CM 45	CM	41 LEVEL CM	479,6273 litre	44,349 %	601,8660 litre	O
170	CM 45	CM	40,5 LEVEL CM	472,0116 litre	43,644 %	609,4817 litre	O
170	CM 45	CM	40 LEVEL CM	464,4043 litre	42,941 %	617,0890 litre	O
170	CM 45	CM	39,5 LEVEL CM	456,8066 litre	42,239 %	624,6867 litre	O
170	CM 45	CM	39 LEVEL CM	449,2194 litre	41,537 %	632,2739 litre	O
170	CM 45	CM	38,5 LEVEL CM	441,6436 litre	40,836 %	639,8497 litre	O
170	CM 45	CM	38 LEVEL CM	434,0801 litre	40,137 %	647,4132 litre	O

170	CM	45	CM	37,5 LEVEL CM	426,5301 litre	39,439 %	654,9632 litre	O
170	CM	45	CM	37 LEVEL CM	418,9945 litre	38,742 %	662,4988 litre	O
170	CM	45	CM	36,5 LEVEL CM	411,4742 litre	38,047 %	670,0191 litre	O
170	CM	45	CM	36 LEVEL CM	403,9702 litre	37,353 %	677,5231 litre	O
170	CM	45	CM	35,5 LEVEL CM	396,4836 litre	36,661 %	685,0097 litre	O
170	CM	45	CM	35 LEVEL CM	389,0154 litre	35,970 %	692,4779 litre	O
170	CM	45	CM	34,5 LEVEL CM	381,5665 litre	35,281 %	699,9268 litre	O
170	CM	45	CM	34 LEVEL CM	374,1381 litre	34,595 %	707,3552 litre	O
170	CM	45	CM	33,5 LEVEL CM	366,7310 litre	33,910 %	714,7623 litre	O
170	CM	45	CM	33 LEVEL CM	359,3465 litre	33,227 %	722,1468 litre	O
170	CM	45	CM	32,5 LEVEL CM	351,9854 litre	32,546 %	729,5079 litre	O
170	CM	45	CM	32 LEVEL CM	344,6489 litre	31,868 %	736,8444 litre	O
170	CM	45	CM	31,5 LEVEL CM	337,3381 litre	31,192 %	744,1552 litre	O
170	CM	45	CM	31 LEVEL CM	330,0540 litre	30,518 %	751,4393 litre	O
170	CM	45	CM	30,5 LEVEL CM	322,7978 litre	29,847 %	758,6955 litre	O
170	CM	45	CM	30 LEVEL CM	315,5704 litre	29,179 %	765,9229 litre	O
170	CM	45	CM	29,5 LEVEL CM	308,3732 litre	28,514 %	773,1201 litre	O
170	CM	45	CM	29 LEVEL CM	301,2071 litre	27,851 %	780,2862 litre	O
170	CM	45	CM	28,5 LEVEL CM	294,0733 litre	27,191 %	787,4200 litre	O
170	CM	45	CM	28 LEVEL CM	286,9731 litre	26,535 %	794,5202 litre	O
170	CM	45	CM	27,5 LEVEL CM	279,9075 litre	25,882 %	801,5858 litre	O
170	CM	45	CM	27 LEVEL CM	272,8778 litre	25,232 %	808,6155 litre	O
170	CM	45	CM	26,5 LEVEL CM	265,8852 litre	24,585 %	815,6081 litre	O
170	CM	45	CM	26 LEVEL CM	258,9310 litre	23,942 %	822,5623 litre	O
170	CM	45	CM	25,5 LEVEL CM	252,0163 litre	23,303 %	829,4770 litre	O
170	CM	45	CM	25 LEVEL CM	245,1425 litre	22,667 %	836,3508 litre	O
170	CM	45	CM	24,5 LEVEL CM	238,3109 litre	22,035 %	843,1824 litre	O
170	CM	45	CM	24 LEVEL CM	231,5228 litre	21,408 %	849,9705 litre	O
170	CM	45	CM	23,5 LEVEL CM	224,7796 litre	20,784 %	856,7137 litre	O
170	CM	45	CM	23 LEVEL CM	218,0825 litre	20,165 %	863,4108 litre	O
170	CM	45	CM	22,5 LEVEL CM	211,4331 litre	19,550 %	870,0602 litre	O
170	CM	45	CM	22 LEVEL CM	204,8328 litre	18,940 %	876,6605 litre	O
170	CM	45	CM	21,5 LEVEL CM	198,2831 litre	18,334 %	883,2102 litre	O
170	CM	45	CM	21 LEVEL CM	191,7853 litre	17,733 %	889,7080 litre	O
170	CM	45	CM	20,5 LEVEL CM	185,3412 litre	17,138 %	896,1521 litre	O
170	CM	45	CM	20 LEVEL CM	178,9523 litre	16,547 %	902,5410 litre	O
170	CM	45	CM	19,5 LEVEL CM	172,6201 litre	15,961 %	908,8732 litre	O
170	CM	45	CM	19 LEVEL CM	166,3465 litre	15,381 %	915,1468 litre	O
170	CM	45	CM	18,5 LEVEL CM	160,1329 litre	14,807 %	921,3604 litre	O
170	CM	45	CM	18 LEVEL CM	153,9814 litre	14,238 %	927,5119 litre	O
170	CM	45	CM	17,5 LEVEL CM	147,8936 litre	13,675 %	933,5997 litre	O
170	CM	45	CM	17 LEVEL CM	141,8714 litre	13,118 %	939,6219 litre	O
170	CM	45	CM	16,5 LEVEL CM	135,9168 litre	12,568 %	945,5765 litre	O
170	CM	45	CM	16 LEVEL CM	130,0317 litre	12,023 %	951,4616 litre	O
170	CM	45	CM	15,5 LEVEL CM	124,2183 litre	11,486 %	957,2750 litre	O
170	CM	45	CM	15 LEVEL CM	118,4787 litre	10,955 %	963,0146 litre	O
170	CM	45	CM	14,5 LEVEL CM	112,8151 litre	10,431 %	968,6782 litre	O
170	CM	45	CM	14 LEVEL CM	107,2299 litre	9,915 %	974,2634 litre	O
170	CM	45	CM	13,5 LEVEL CM	101,7255 litre	9,406 %	979,7678 litre	O
170	CM	45	CM	13 LEVEL CM	96,3044 litre	8,905 %	985,1889 litre	O
170	CM	45	CM	12,5 LEVEL CM	90,9693 litre	8,411 %	990,5240 litre	O
170	CM	45	CM	12 LEVEL CM	85,7229 litre	7,926 %	995,7704 litre	O
170	CM	45	CM	11,5 LEVEL CM	80,5683 litre	7,450 %	1000,9250 litre	O

170	CM 45	CM	11 LEVEL CM	75,5084 litre	6,982 %	1005,9849 litre	O
170	CM 45	CM	10,5 LEVEL CM	70,5466 litre	6,523 %	1010,9467 litre	O
170	CM 45	CM	10 LEVEL CM	65,6863 litre	6,074 %	1015,8070 litre	O
170	CM 45	CM	9,5 LEVEL CM	60,9312 litre	5,634 %	1020,5621 litre	O
170	CM 45	CM	9 LEVEL CM	56,2853 litre	5,204 %	1025,2080 litre	O
170	CM 45	CM	8,5 LEVEL CM	51,7527 litre	4,785 %	1029,7406 litre	O
170	CM 45	CM	8 LEVEL CM	47,3380 litre	4,377 %	1034,1553 litre	O
170	CM 45	CM	7,5 LEVEL CM	43,0461 litre	3,980 %	1038,4472 litre	O
170	CM 45	CM	7 LEVEL CM	38,8825 litre	3,595 %	1042,6108 litre	O
170	CM 45	CM	6,5 LEVEL CM	34,8528 litre	3,223 %	1046,6405 litre	O
170	CM 45	CM	6 LEVEL CM	30,9637 litre	2,863 %	1050,5296 litre	O
170	CM 45	CM	5,5 LEVEL CM	27,2224 litre	2,517 %	1054,2709 litre	O
170	CM 45	CM	5 LEVEL CM	23,6369 litre	2,186 %	1057,8564 litre	O
170	CM 45	CM	4,5 LEVEL CM	20,2164 litre	1,869 %	1061,2769 litre	O
170	CM 45	CM	4 LEVEL CM	16,9716 litre	1,569 %	1064,5217 litre	O
170	CM 45	CM	3,5 LEVEL CM	13,9148 litre	1,287 %	1067,5785 litre	O
170	CM 45	CM	3 LEVEL CM	11,0611 litre	1,023 %	1070,4322 litre	O
170	CM 45	CM	2,5 LEVEL CM	8,4288 litre	0,779 %	1073,0645 litre	O
170	CM 45	CM	2 LEVEL CM	6,0414 litre	0,559 %	1075,4519 litre	O
170	CM 45	CM	1,5 LEVEL CM	3,9306 litre	0,363 %	1077,5627 litre	O
170	CM 45	CM	1 LEVEL CM	2,1432 litre	0,198 %	1079,3501 litre	O
170	CM 45	CM	0,5 LEVEL CM	0,7590 litre	0,070 %	1080,7343 litre	O
170	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	1081,4933 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
170	CM 40	CM 80 LEVEL CM	854,5132 litre	100,000 %	0,0000 litre	O
170	CM 40	CM 79,5 LEVEL CM	853,7978 litre	99,916 %	0,7154 litre	O
170	CM 40	CM 79 LEVEL CM	852,4935 litre	99,764 %	2,0197 litre	O
170	CM 40	CM 78,5 LEVEL CM	850,8097 litre	99,567 %	3,7035 litre	O
170	CM 40	CM 78 LEVEL CM	848,8221 litre	99,334 %	5,6911 litre	O
170	CM 40	CM 77,5 LEVEL CM	846,5749 litre	99,071 %	7,9383 litre	O
170	CM 40	CM 77 LEVEL CM	844,0980 litre	98,781 %	10,4152 litre	O
170	CM 40	CM 76,5 LEVEL CM	841,4138 litre	98,467 %	13,0994 litre	O
170	CM 40	CM 76 LEVEL CM	838,5398 litre	98,131 %	15,9734 litre	O
170	CM 40	CM 75,5 LEVEL CM	835,4900 litre	97,774 %	19,0232 litre	O
170	CM 40	CM 75 LEVEL CM	832,2764 litre	97,398 %	22,2368 litre	O
170	CM 40	CM 74,5 LEVEL CM	828,9091 litre	97,004 %	25,6041 litre	O
170	CM 40	CM 74 LEVEL CM	825,3968 litre	96,593 %	29,1164 litre	O
170	CM 40	CM 73,5 LEVEL CM	821,7472 litre	96,166 %	32,7660 litre	O
170	CM 40	CM 73 LEVEL CM	817,9674 litre	95,723 %	36,5458 litre	O
170	CM 40	CM 72,5 LEVEL CM	814,0634 litre	95,266 %	40,4498 litre	O
170	CM 40	CM 72 LEVEL CM	810,0409 litre	94,796 %	44,4723 litre	O
170	CM 40	CM 71,5 LEVEL CM	805,9050 litre	94,312 %	48,6082 litre	O
170	CM 40	CM 71 LEVEL CM	801,6605 litre	93,815 %	52,8527 litre	O
170	CM 40	CM 70,5 LEVEL CM	797,3118 litre	93,306 %	57,2014 litre	O
170	CM 40	CM 70 LEVEL CM	792,8628 litre	92,785 %	61,6504 litre	O
170	CM 40	CM 69,5 LEVEL CM	788,3174 litre	92,253 %	66,1958 litre	O
170	CM 40	CM 69 LEVEL CM	783,6792 litre	91,711 %	70,8340 litre	O
170	CM 40	CM 68,5 LEVEL CM	778,9515 litre	91,157 %	75,5617 litre	O
170	CM 40	CM 68 LEVEL CM	774,1375 litre	90,594 %	80,3757 litre	O
170	CM 40	CM 67,5 LEVEL CM	769,2402 litre	90,021 %	85,2730 litre	O
170	CM 40	CM 67 LEVEL CM	764,2623 litre	89,438 %	90,2509 litre	O
170	CM 40	CM 66,5 LEVEL CM	759,2067 litre	88,847 %	95,3065 litre	O
170	CM 40	CM 66 LEVEL CM	754,0759 litre	88,246 %	100,4373 litre	O
170	CM 40	CM 65,5 LEVEL CM	748,8724 litre	87,637 %	105,6408 litre	O
170	CM 40	CM 65 LEVEL CM	743,5986 litre	87,020 %	110,9146 litre	O
170	CM 40	CM 64,5 LEVEL CM	738,2567 litre	86,395 %	116,2565 litre	O
170	CM 40	CM 64 LEVEL CM	732,8489 litre	85,762 %	121,6643 litre	O
170	CM 40	CM 63,5 LEVEL CM	727,3774 litre	85,122 %	127,1358 litre	O
170	CM 40	CM 63 LEVEL CM	721,8441 litre	84,474 %	132,6691 litre	O
170	CM 40	CM 62,5 LEVEL CM	716,2511 litre	83,820 %	138,2621 litre	O
170	CM 40	CM 62 LEVEL CM	710,6003 litre	83,158 %	143,9129 litre	O
170	CM 40	CM 61,5 LEVEL CM	704,8935 litre	82,491 %	149,6197 litre	O
170	CM 40	CM 61 LEVEL CM	699,1325 litre	81,816 %	155,3807 litre	O
170	CM 40	CM 60,5 LEVEL CM	693,3191 litre	81,136 %	161,1941 litre	O
170	CM 40	CM 60 LEVEL CM	687,4549 litre	80,450 %	167,0583 litre	O
170	CM 40	CM 59,5 LEVEL CM	681,5417 litre	79,758 %	172,9715 litre	O
170	CM 40	CM 59 LEVEL CM	675,5810 litre	79,060 %	178,9322 litre	O
170	CM 40	CM 58,5 LEVEL CM	669,5744 litre	78,357 %	184,9388 litre	O
170	CM 40	CM 58 LEVEL CM	663,5235 litre	77,649 %	190,9897 litre	O
170	CM 40	CM 57,5 LEVEL CM	657,4297 litre	76,936 %	197,0835 litre	O
170	CM 40	CM 57 LEVEL CM	651,2946 litre	76,218 %	203,2186 litre	O
170	CM 40	CM 56,5 LEVEL CM	645,1196 litre	75,496 %	209,3936 litre	O
170	CM 40	CM 56 LEVEL CM	638,9060 litre	74,768 %	215,6072 litre	O
170	CM 40	CM 55,5 LEVEL CM	632,6554 litre	74,037 %	221,8578 litre	O
170	CM 40	CM 55 LEVEL CM	626,3691 litre	73,301 %	228,1441 litre	O
170	CM 40	CM 54,5 LEVEL CM	620,0483 litre	72,562 %	234,4649 litre	O

170	CM 40	CM	54 LEVEL CM	613,6945 litre	71,818 %	240,8187 litre	O
170	CM 40	CM	53,5 LEVEL CM	607,3089 litre	71,071 %	247,2043 litre	O
170	CM 40	CM	53 LEVEL CM	600,8929 litre	70,320 %	253,6203 litre	O
170	CM 40	CM	52,5 LEVEL CM	594,4477 litre	69,566 %	260,0655 litre	O
170	CM 40	CM	52 LEVEL CM	587,9744 litre	68,808 %	266,5388 litre	O
170	CM 40	CM	51,5 LEVEL CM	581,4745 litre	68,047 %	273,0387 litre	O
170	CM 40	CM	51 LEVEL CM	574,9490 litre	67,284 %	279,5642 litre	O
170	CM 40	CM	50,5 LEVEL CM	568,3992 litre	66,517 %	286,1140 litre	O
170	CM 40	CM	50 LEVEL CM	561,8263 litre	65,748 %	292,6869 litre	O
170	CM 40	CM	49,5 LEVEL CM	555,2315 litre	64,976 %	299,2817 litre	O
170	CM 40	CM	49 LEVEL CM	548,6159 litre	64,202 %	305,8973 litre	O
170	CM 40	CM	48,5 LEVEL CM	541,9806 litre	63,426 %	312,5326 litre	O
170	CM 40	CM	48 LEVEL CM	535,3269 litre	62,647 %	319,1863 litre	O
170	CM 40	CM	47,5 LEVEL CM	528,6558 litre	61,866 %	325,8574 litre	O
170	CM 40	CM	47 LEVEL CM	521,9684 litre	61,084 %	332,5448 litre	O
170	CM 40	CM	46,5 LEVEL CM	515,2660 litre	60,299 %	339,2472 litre	O
170	CM 40	CM	46 LEVEL CM	508,5496 litre	59,513 %	345,9636 litre	O
170	CM 40	CM	45,5 LEVEL CM	501,8202 litre	58,726 %	352,6930 litre	O
170	CM 40	CM	45 LEVEL CM	495,0791 litre	57,937 %	359,4341 litre	O
170	CM 40	CM	44,5 LEVEL CM	488,3273 litre	57,147 %	366,1859 litre	O
170	CM 40	CM	44 LEVEL CM	481,5658 litre	56,356 %	372,9474 litre	O
170	CM 40	CM	43,5 LEVEL CM	474,7958 litre	55,563 %	379,7174 litre	O
170	CM 40	CM	43 LEVEL CM	468,0183 litre	54,770 %	386,4949 litre	O
170	CM 40	CM	42,5 LEVEL CM	461,2345 litre	53,976 %	393,2787 litre	O
170	CM 40	CM	42 LEVEL CM	454,4453 litre	53,182 %	400,0679 litre	O
170	CM 40	CM	41,5 LEVEL CM	447,6518 litre	52,387 %	406,8614 litre	O
170	CM 40	CM	41 LEVEL CM	440,8552 litre	51,591 %	413,6580 litre	O
170	CM 40	CM	40,5 LEVEL CM	434,0564 litre	50,796 %	420,4568 litre	O
170	CM 40	CM	40 LEVEL CM	427,2566 litre	50,000 %	427,2566 litre	O
170	CM 40	CM	39,5 LEVEL CM	420,4568 litre	49,204 %	434,0564 litre	O
170	CM 40	CM	39 LEVEL CM	413,6580 litre	48,409 %	440,8552 litre	O
170	CM 40	CM	38,5 LEVEL CM	406,8614 litre	47,613 %	447,6518 litre	O
170	CM 40	CM	38 LEVEL CM	400,0679 litre	46,818 %	454,4453 litre	O
170	CM 40	CM	37,5 LEVEL CM	393,2787 litre	46,024 %	461,2345 litre	O
170	CM 40	CM	37 LEVEL CM	386,4949 litre	45,230 %	468,0183 litre	O
170	CM 40	CM	36,5 LEVEL CM	379,7174 litre	44,437 %	474,7958 litre	O
170	CM 40	CM	36 LEVEL CM	372,9474 litre	43,644 %	481,5658 litre	O
170	CM 40	CM	35,5 LEVEL CM	366,1859 litre	42,853 %	488,3273 litre	O
170	CM 40	CM	35 LEVEL CM	359,4341 litre	42,063 %	495,0791 litre	O
170	CM 40	CM	34,5 LEVEL CM	352,6930 litre	41,274 %	501,8202 litre	O
170	CM 40	CM	34 LEVEL CM	345,9636 litre	40,487 %	508,5496 litre	O
170	CM 40	CM	33,5 LEVEL CM	339,2472 litre	39,701 %	515,2660 litre	O
170	CM 40	CM	33 LEVEL CM	332,5448 litre	38,916 %	521,9684 litre	O
170	CM 40	CM	32,5 LEVEL CM	325,8574 litre	38,134 %	528,6558 litre	O
170	CM 40	CM	32 LEVEL CM	319,1863 litre	37,353 %	535,3269 litre	O
170	CM 40	CM	31,5 LEVEL CM	312,5326 litre	36,574 %	541,9806 litre	O
170	CM 40	CM	31 LEVEL CM	305,8973 litre	35,798 %	548,6159 litre	O
170	CM 40	CM	30,5 LEVEL CM	299,2817 litre	35,024 %	555,2315 litre	O
170	CM 40	CM	30 LEVEL CM	292,6869 litre	34,252 %	561,8263 litre	O
170	CM 40	CM	29,5 LEVEL CM	286,1140 litre	33,483 %	568,3992 litre	O
170	CM 40	CM	29 LEVEL CM	279,5642 litre	32,716 %	574,9490 litre	O
170	CM 40	CM	28,5 LEVEL CM	273,0387 litre	31,953 %	581,4745 litre	O
170	CM 40	CM	28 LEVEL CM	266,5388 litre	31,192 %	587,9744 litre	O

170	CM	40	CM	27,5 LEVEL CM	260,0655 litre	30,434 %	594,4477 litre	O
170	CM	40	CM	27 LEVEL CM	253,6203 litre	29,680 %	600,8929 litre	O
170	CM	40	CM	26,5 LEVEL CM	247,2043 litre	28,929 %	607,3089 litre	O
170	CM	40	CM	26 LEVEL CM	240,8187 litre	28,182 %	613,6945 litre	O
170	CM	40	CM	25,5 LEVEL CM	234,4649 litre	27,438 %	620,0483 litre	O
170	CM	40	CM	25 LEVEL CM	228,1441 litre	26,699 %	626,3691 litre	O
170	CM	40	CM	24,5 LEVEL CM	221,8578 litre	25,963 %	632,6554 litre	O
170	CM	40	CM	24 LEVEL CM	215,6072 litre	25,232 %	638,9060 litre	O
170	CM	40	CM	23,5 LEVEL CM	209,3936 litre	24,504 %	645,1196 litre	O
170	CM	40	CM	23 LEVEL CM	203,2186 litre	23,782 %	651,2946 litre	O
170	CM	40	CM	22,5 LEVEL CM	197,0835 litre	23,064 %	657,4297 litre	O
170	CM	40	CM	22 LEVEL CM	190,9897 litre	22,351 %	663,5235 litre	O
170	CM	40	CM	21,5 LEVEL CM	184,9388 litre	21,643 %	669,5744 litre	O
170	CM	40	CM	21 LEVEL CM	178,9322 litre	20,940 %	675,5810 litre	O
170	CM	40	CM	20,5 LEVEL CM	172,9715 litre	20,242 %	681,5417 litre	O
170	CM	40	CM	20 LEVEL CM	167,0583 litre	19,550 %	687,4549 litre	O
170	CM	40	CM	19,5 LEVEL CM	161,1941 litre	18,864 %	693,3191 litre	O
170	CM	40	CM	19 LEVEL CM	155,3807 litre	18,184 %	699,1325 litre	O
170	CM	40	CM	18,5 LEVEL CM	149,6197 litre	17,509 %	704,8935 litre	O
170	CM	40	CM	18 LEVEL CM	143,9129 litre	16,842 %	710,6003 litre	O
170	CM	40	CM	17,5 LEVEL CM	138,2621 litre	16,180 %	716,2511 litre	O
170	CM	40	CM	17 LEVEL CM	132,6691 litre	15,526 %	721,8441 litre	O
170	CM	40	CM	16,5 LEVEL CM	127,1358 litre	14,878 %	727,3774 litre	O
170	CM	40	CM	16 LEVEL CM	121,6643 litre	14,238 %	732,8489 litre	O
170	CM	40	CM	15,5 LEVEL CM	116,2565 litre	13,605 %	738,2567 litre	O
170	CM	40	CM	15 LEVEL CM	110,9146 litre	12,980 %	743,5986 litre	O
170	CM	40	CM	14,5 LEVEL CM	105,6408 litre	12,363 %	748,8724 litre	O
170	CM	40	CM	14 LEVEL CM	100,4373 litre	11,754 %	754,0759 litre	O
170	CM	40	CM	13,5 LEVEL CM	95,3065 litre	11,153 %	759,2067 litre	O
170	CM	40	CM	13 LEVEL CM	90,2509 litre	10,562 %	764,2623 litre	O
170	CM	40	CM	12,5 LEVEL CM	85,2730 litre	9,979 %	769,2402 litre	O
170	CM	40	CM	12 LEVEL CM	80,3757 litre	9,406 %	774,1375 litre	O
170	CM	40	CM	11,5 LEVEL CM	75,5617 litre	8,843 %	778,9515 litre	O
170	CM	40	CM	11 LEVEL CM	70,8340 litre	8,289 %	783,6792 litre	O
170	CM	40	CM	10,5 LEVEL CM	66,1958 litre	7,747 %	788,3174 litre	O
170	CM	40	CM	10 LEVEL CM	61,6504 litre	7,215 %	792,8628 litre	O
170	CM	40	CM	9,5 LEVEL CM	57,2014 litre	6,694 %	797,3118 litre	O
170	CM	40	CM	9 LEVEL CM	52,8527 litre	6,185 %	801,6605 litre	O
170	CM	40	CM	8,5 LEVEL CM	48,6082 litre	5,688 %	805,9050 litre	O
170	CM	40	CM	8 LEVEL CM	44,4723 litre	5,204 %	810,0409 litre	O
170	CM	40	CM	7,5 LEVEL CM	40,4498 litre	4,734 %	814,0634 litre	O
170	CM	40	CM	7 LEVEL CM	36,5458 litre	4,277 %	817,9674 litre	O
170	CM	40	CM	6,5 LEVEL CM	32,7660 litre	3,834 %	821,7472 litre	O
170	CM	40	CM	6 LEVEL CM	29,1164 litre	3,407 %	825,3968 litre	O
170	CM	40	CM	5,5 LEVEL CM	25,6041 litre	2,996 %	828,9091 litre	O
170	CM	40	CM	5 LEVEL CM	22,2368 litre	2,602 %	832,2764 litre	O
170	CM	40	CM	4,5 LEVEL CM	19,0232 litre	2,226 %	835,4900 litre	O
170	CM	40	CM	4 LEVEL CM	15,9734 litre	1,869 %	838,5398 litre	O
170	CM	40	CM	3,5 LEVEL CM	13,0994 litre	1,533 %	841,4138 litre	O
170	CM	40	CM	3 LEVEL CM	10,4152 litre	1,219 %	844,0980 litre	O
170	CM	40	CM	2,5 LEVEL CM	7,9383 litre	0,929 %	846,5749 litre	O
170	CM	40	CM	2 LEVEL CM	5,6911 litre	0,666 %	848,8221 litre	O
170	CM	40	CM	1,5 LEVEL CM	3,7035 litre	0,433 %	850,8097 litre	O

170	CM 40	CM	1 LEVEL CM	2,0197 litre	0,236 %	852,4935 litre	0
170	CM 40	CM	0,5 LEVEL CM	0,7154 litre	0,084 %	853,7978 litre	0
170	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	854,5132 litre	0

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
170	CM	35	CM 70 LEVEL CM	654,2367 litre	100,000 %	0,0000 litre	O
170	CM	35	CM 69,5 LEVEL CM	653,5676 litre	99,898 %	0,6691 litre	O
170	CM	35	CM 69 LEVEL CM	652,3484 litre	99,711 %	1,8883 litre	O
170	CM	35	CM 68,5 LEVEL CM	650,7752 litre	99,471 %	3,4615 litre	O
170	CM	35	CM 68 LEVEL CM	648,9190 litre	99,187 %	5,3177 litre	O
170	CM	35	CM 67,5 LEVEL CM	646,8212 litre	98,867 %	7,4155 litre	O
170	CM	35	CM 67 LEVEL CM	644,5102 litre	98,513 %	9,7265 litre	O
170	CM	35	CM 66,5 LEVEL CM	642,0070 litre	98,131 %	12,2297 litre	O
170	CM	35	CM 66 LEVEL CM	639,3280 litre	97,721 %	14,9087 litre	O
170	CM	35	CM 65,5 LEVEL CM	636,4867 litre	97,287 %	17,7500 litre	O
170	CM	35	CM 65 LEVEL CM	633,4943 litre	96,830 %	20,7424 litre	O
170	CM	35	CM 64,5 LEVEL CM	630,3602 litre	96,350 %	23,8765 litre	O
170	CM	35	CM 64 LEVEL CM	627,0930 litre	95,851 %	27,1437 litre	O
170	CM	35	CM 63,5 LEVEL CM	623,6999 litre	95,332 %	30,5368 litre	O
170	CM	35	CM 63 LEVEL CM	620,1876 litre	94,796 %	34,0491 litre	O
170	CM	35	CM 62,5 LEVEL CM	616,5618 litre	94,241 %	37,6749 litre	O
170	CM	35	CM 62 LEVEL CM	612,8281 litre	93,671 %	41,4086 litre	O
170	CM	35	CM 61,5 LEVEL CM	608,9912 litre	93,084 %	45,2455 litre	O
170	CM	35	CM 61 LEVEL CM	605,0558 litre	92,483 %	49,1809 litre	O
170	CM	35	CM 60,5 LEVEL CM	601,0261 litre	91,867 %	53,2106 litre	O
170	CM	35	CM 60 LEVEL CM	596,9060 litre	91,237 %	57,3307 litre	O
170	CM	35	CM 59,5 LEVEL CM	592,6990 litre	90,594 %	61,5377 litre	O
170	CM	35	CM 59 LEVEL CM	588,4088 litre	89,938 %	65,8279 litre	O
170	CM	35	CM 58,5 LEVEL CM	584,0384 litre	89,270 %	70,1983 litre	O
170	CM	35	CM 58 LEVEL CM	579,5910 litre	88,590 %	74,6457 litre	O
170	CM	35	CM 57,5 LEVEL CM	575,0696 litre	87,899 %	79,1671 litre	O
170	CM	35	CM 57 LEVEL CM	570,4767 litre	87,197 %	83,7600 litre	O
170	CM	35	CM 56,5 LEVEL CM	565,8152 litre	86,485 %	88,4215 litre	O
170	CM	35	CM 56 LEVEL CM	561,0874 litre	85,762 %	93,1493 litre	O
170	CM	35	CM 55,5 LEVEL CM	556,2960 litre	85,030 %	97,9407 litre	O
170	CM	35	CM 55 LEVEL CM	551,4430 litre	84,288 %	102,7937 litre	O
170	CM	35	CM 54,5 LEVEL CM	546,5309 litre	83,537 %	107,7058 litre	O
170	CM	35	CM 54 LEVEL CM	541,5618 litre	82,778 %	112,6749 litre	O
170	CM	35	CM 53,5 LEVEL CM	536,5377 litre	82,010 %	117,6990 litre	O
170	CM	35	CM 53 LEVEL CM	531,4607 litre	81,234 %	122,7760 litre	O
170	CM	35	CM 52,5 LEVEL CM	526,3327 litre	80,450 %	127,9040 litre	O
170	CM	35	CM 52 LEVEL CM	521,1556 litre	79,659 %	133,0811 litre	O
170	CM	35	CM 51,5 LEVEL CM	515,9313 litre	78,860 %	138,3054 litre	O
170	CM	35	CM 51 LEVEL CM	510,6615 litre	78,055 %	143,5752 litre	O
170	CM	35	CM 50,5 LEVEL CM	505,3481 litre	77,242 %	148,8886 litre	O
170	CM	35	CM 50 LEVEL CM	499,9926 litre	76,424 %	154,2441 litre	O
170	CM	35	CM 49,5 LEVEL CM	494,5969 litre	75,599 %	159,6398 litre	O
170	CM	35	CM 49 LEVEL CM	489,1624 litre	74,768 %	165,0743 litre	O
170	CM	35	CM 48,5 LEVEL CM	483,6909 litre	73,932 %	170,5458 litre	O
170	CM	35	CM 48 LEVEL CM	478,1838 litre	73,090 %	176,0529 litre	O
170	CM	35	CM 47,5 LEVEL CM	472,6427 litre	72,243 %	181,5940 litre	O
170	CM	35	CM 47 LEVEL CM	467,0691 litre	71,391 %	187,1676 litre	O
170	CM	35	CM 46,5 LEVEL CM	461,4645 litre	70,535 %	192,7722 litre	O
170	CM	35	CM 46 LEVEL CM	455,8303 litre	69,674 %	198,4064 litre	O
170	CM	35	CM 45,5 LEVEL CM	450,1679 litre	68,808 %	204,0688 litre	O
170	CM	35	CM 45 LEVEL CM	444,4789 litre	67,939 %	209,7578 litre	O
170	CM	35	CM 44,5 LEVEL CM	438,7644 litre	67,065 %	215,4723 litre	O

170	CM	35	CM	44 LEVEL CM	433,0261 litre	66,188 %	221,2106 litre	O
170	CM	35	CM	43,5 LEVEL CM	427,2651 litre	65,307 %	226,9716 litre	O
170	CM	35	CM	43 LEVEL CM	421,4828 litre	64,424 %	232,7539 litre	O
170	CM	35	CM	42,5 LEVEL CM	415,6805 litre	63,537 %	238,5562 litre	O
170	CM	35	CM	42 LEVEL CM	409,8596 litre	62,647 %	244,3771 litre	O
170	CM	35	CM	41,5 LEVEL CM	404,0214 litre	61,755 %	250,2153 litre	O
170	CM	35	CM	41 LEVEL CM	398,1671 litre	60,860 %	256,0696 litre	O
170	CM	35	CM	40,5 LEVEL CM	392,2980 litre	59,963 %	261,9387 litre	O
170	CM	35	CM	40 LEVEL CM	386,4153 litre	59,064 %	267,8214 litre	O
170	CM	35	CM	39,5 LEVEL CM	380,5204 litre	58,163 %	273,7163 litre	O
170	CM	35	CM	39 LEVEL CM	374,6145 litre	57,260 %	279,6222 litre	O
170	CM	35	CM	38,5 LEVEL CM	368,6988 litre	56,356 %	285,5379 litre	O
170	CM	35	CM	38 LEVEL CM	362,7746 litre	55,450 %	291,4621 litre	O
170	CM	35	CM	37,5 LEVEL CM	356,8430 litre	54,543 %	297,3937 litre	O
170	CM	35	CM	37 LEVEL CM	350,9054 litre	53,636 %	303,3313 litre	O
170	CM	35	CM	36,5 LEVEL CM	344,9629 litre	52,728 %	309,2738 litre	O
170	CM	35	CM	36 LEVEL CM	339,0167 litre	51,819 %	315,2200 litre	O
170	CM	35	CM	35,5 LEVEL CM	333,0681 litre	50,909 %	321,1686 litre	O
170	CM	35	CM	35 LEVEL CM	327,1183 litre	50,000 %	327,1184 litre	O
170	CM	35	CM	34,5 LEVEL CM	321,1685 litre	49,091 %	333,0682 litre	O
170	CM	35	CM	34 LEVEL CM	315,2200 litre	48,181 %	339,0167 litre	O
170	CM	35	CM	33,5 LEVEL CM	309,2738 litre	47,272 %	344,9629 litre	O
170	CM	35	CM	33 LEVEL CM	303,3313 litre	46,364 %	350,9054 litre	O
170	CM	35	CM	32,5 LEVEL CM	297,3937 litre	45,457 %	356,8430 litre	O
170	CM	35	CM	32 LEVEL CM	291,4621 litre	44,550 %	362,7746 litre	O
170	CM	35	CM	31,5 LEVEL CM	285,5379 litre	43,644 %	368,6988 litre	O
170	CM	35	CM	31 LEVEL CM	279,6222 litre	42,740 %	374,6145 litre	O
170	CM	35	CM	30,5 LEVEL CM	273,7162 litre	41,837 %	380,5205 litre	O
170	CM	35	CM	30 LEVEL CM	267,8213 litre	40,936 %	386,4154 litre	O
170	CM	35	CM	29,5 LEVEL CM	261,9387 litre	40,037 %	392,2980 litre	O
170	CM	35	CM	29 LEVEL CM	256,0696 litre	39,140 %	398,1671 litre	O
170	CM	35	CM	28,5 LEVEL CM	250,2153 litre	38,245 %	404,0214 litre	O
170	CM	35	CM	28 LEVEL CM	244,3770 litre	37,353 %	409,8597 litre	O
170	CM	35	CM	27,5 LEVEL CM	238,5562 litre	36,463 %	415,6805 litre	O
170	CM	35	CM	27 LEVEL CM	232,7539 litre	35,576 %	421,4828 litre	O
170	CM	35	CM	26,5 LEVEL CM	226,9716 litre	34,693 %	427,2651 litre	O
170	CM	35	CM	26 LEVEL CM	221,2106 litre	33,812 %	433,0261 litre	O
170	CM	35	CM	25,5 LEVEL CM	215,4722 litre	32,935 %	438,7645 litre	O
170	CM	35	CM	25 LEVEL CM	209,7578 litre	32,061 %	444,4789 litre	O
170	CM	35	CM	24,5 LEVEL CM	204,0687 litre	31,192 %	450,1680 litre	O
170	CM	35	CM	24 LEVEL CM	198,4064 litre	30,326 %	455,8303 litre	O
170	CM	35	CM	23,5 LEVEL CM	192,7722 litre	29,465 %	461,4645 litre	O
170	CM	35	CM	23 LEVEL CM	187,1676 litre	28,609 %	467,0691 litre	O
170	CM	35	CM	22,5 LEVEL CM	181,5940 litre	27,757 %	472,6427 litre	O
170	CM	35	CM	22 LEVEL CM	176,0529 litre	26,910 %	478,1838 litre	O
170	CM	35	CM	21,5 LEVEL CM	170,5458 litre	26,068 %	483,6909 litre	O
170	CM	35	CM	21 LEVEL CM	165,0742 litre	25,232 %	489,1625 litre	O
170	CM	35	CM	20,5 LEVEL CM	159,6398 litre	24,401 %	494,5969 litre	O
170	CM	35	CM	20 LEVEL CM	154,2440 litre	23,576 %	499,9927 litre	O
170	CM	35	CM	19,5 LEVEL CM	148,8886 litre	22,758 %	505,3481 litre	O
170	CM	35	CM	19 LEVEL CM	143,5751 litre	21,945 %	510,6616 litre	O
170	CM	35	CM	18,5 LEVEL CM	138,3054 litre	21,140 %	515,9313 litre	O
170	CM	35	CM	18 LEVEL CM	133,0811 litre	20,341 %	521,1556 litre	O

170	CM	35	CM	17,5 LEVEL CM	127,9040 litre	19,550 %	526,3327 litre	O
170	CM	35	CM	17 LEVEL CM	122,7760 litre	18,766 %	531,4607 litre	O
170	CM	35	CM	16,5 LEVEL CM	117,6990 litre	17,990 %	536,5377 litre	O
170	CM	35	CM	16 LEVEL CM	112,6749 litre	17,222 %	541,5618 litre	O
170	CM	35	CM	15,5 LEVEL CM	107,7057 litre	16,463 %	546,5310 litre	O
170	CM	35	CM	15 LEVEL CM	102,7936 litre	15,712 %	551,4431 litre	O
170	CM	35	CM	14,5 LEVEL CM	97,9407 litre	14,970 %	556,2960 litre	O
170	CM	35	CM	14 LEVEL CM	93,1492 litre	14,238 %	561,0875 litre	O
170	CM	35	CM	13,5 LEVEL CM	88,4215 litre	13,515 %	565,8152 litre	O
170	CM	35	CM	13 LEVEL CM	83,7600 litre	12,803 %	570,4767 litre	O
170	CM	35	CM	12,5 LEVEL CM	79,1671 litre	12,101 %	575,0696 litre	O
170	CM	35	CM	12 LEVEL CM	74,6456 litre	11,410 %	579,5911 litre	O
170	CM	35	CM	11,5 LEVEL CM	70,1982 litre	10,730 %	584,0385 litre	O
170	CM	35	CM	11 LEVEL CM	65,8279 litre	10,062 %	588,4088 litre	O
170	CM	35	CM	10,5 LEVEL CM	61,5376 litre	9,406 %	592,6991 litre	O
170	CM	35	CM	10 LEVEL CM	57,3307 litre	8,763 %	596,9060 litre	O
170	CM	35	CM	9,5 LEVEL CM	53,2105 litre	8,133 %	601,0262 litre	O
170	CM	35	CM	9 LEVEL CM	49,1808 litre	7,517 %	605,0559 litre	O
170	CM	35	CM	8,5 LEVEL CM	45,2454 litre	6,916 %	608,9913 litre	O
170	CM	35	CM	8 LEVEL CM	41,4086 litre	6,329 %	612,8281 litre	O
170	CM	35	CM	7,5 LEVEL CM	37,6749 litre	5,759 %	616,5618 litre	O
170	CM	35	CM	7 LEVEL CM	34,0491 litre	5,204 %	620,1876 litre	O
170	CM	35	CM	6,5 LEVEL CM	30,5367 litre	4,668 %	623,7000 litre	O
170	CM	35	CM	6 LEVEL CM	27,1437 litre	4,149 %	627,0930 litre	O
170	CM	35	CM	5,5 LEVEL CM	23,8764 litre	3,650 %	630,3603 litre	O
170	CM	35	CM	5 LEVEL CM	20,7424 litre	3,170 %	633,4943 litre	O
170	CM	35	CM	4,5 LEVEL CM	17,7500 litre	2,713 %	636,4867 litre	O
170	CM	35	CM	4 LEVEL CM	14,9086 litre	2,279 %	639,3281 litre	O
170	CM	35	CM	3,5 LEVEL CM	12,2297 litre	1,869 %	642,0070 litre	O
170	CM	35	CM	3 LEVEL CM	9,7265 litre	1,487 %	644,5102 litre	O
170	CM	35	CM	2,5 LEVEL CM	7,4155 litre	1,133 %	646,8212 litre	O
170	CM	35	CM	2 LEVEL CM	5,3177 litre	0,813 %	648,9190 litre	O
170	CM	35	CM	1,5 LEVEL CM	3,4615 litre	0,529 %	650,7752 litre	O
170	CM	35	CM	1 LEVEL CM	1,8883 litre	0,289 %	652,3484 litre	O
170	CM	35	CM	0,5 LEVEL CM	0,6691 litre	0,102 %	653,5676 litre	O
170	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	654,2367 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
170	CM 30	CM 60 LEVEL CM	480,6637 litre	100,000 %	0,0000 litre	O
170	CM 30	CM 59,5 LEVEL CM	480,0445 litre	99,871 %	0,6192 litre	O
170	CM 30	CM 59 LEVEL CM	478,9167 litre	99,637 %	1,7470 litre	O
170	CM 30	CM 58,5 LEVEL CM	477,4625 litre	99,334 %	3,2012 litre	O
170	CM 30	CM 58 LEVEL CM	475,7476 litre	98,977 %	4,9161 litre	O
170	CM 30	CM 57,5 LEVEL CM	473,8109 litre	98,574 %	6,8528 litre	O
170	CM 30	CM 57 LEVEL CM	471,6786 litre	98,131 %	8,9851 litre	O
170	CM 30	CM 56,5 LEVEL CM	469,3705 litre	97,651 %	11,2932 litre	O
170	CM 30	CM 56 LEVEL CM	466,9020 litre	97,137 %	13,7617 litre	O
170	CM 30	CM 55,5 LEVEL CM	464,2857 litre	96,593 %	16,3780 litre	O
170	CM 30	CM 55 LEVEL CM	461,5321 litre	96,020 %	19,1316 litre	O
170	CM 30	CM 54,5 LEVEL CM	458,6502 litre	95,420 %	22,0135 litre	O
170	CM 30	CM 54 LEVEL CM	455,6480 litre	94,796 %	25,0157 litre	O
170	CM 30	CM 53,5 LEVEL CM	452,5324 litre	94,147 %	28,1313 litre	O
170	CM 30	CM 53 LEVEL CM	449,3096 litre	93,477 %	31,3541 litre	O
170	CM 30	CM 52,5 LEVEL CM	445,9853 litre	92,785 %	34,6784 litre	O
170	CM 30	CM 52 LEVEL CM	442,5646 litre	92,074 %	38,0991 litre	O
170	CM 30	CM 51,5 LEVEL CM	439,0522 litre	91,343 %	41,6115 litre	O
170	CM 30	CM 51 LEVEL CM	435,4524 litre	90,594 %	45,2113 litre	O
170	CM 30	CM 50,5 LEVEL CM	431,7692 litre	89,828 %	48,8945 litre	O
170	CM 30	CM 50 LEVEL CM	428,0065 litre	89,045 %	52,6572 litre	O
170	CM 30	CM 49,5 LEVEL CM	424,1677 litre	88,246 %	56,4960 litre	O
170	CM 30	CM 49 LEVEL CM	420,2562 litre	87,432 %	60,4075 litre	O
170	CM 30	CM 48,5 LEVEL CM	416,2752 litre	86,604 %	64,3885 litre	O
170	CM 30	CM 48 LEVEL CM	412,2275 litre	85,762 %	68,4362 litre	O
170	CM 30	CM 47,5 LEVEL CM	408,1161 litre	84,907 %	72,5476 litre	O
170	CM 30	CM 47 LEVEL CM	403,9436 litre	84,039 %	76,7201 litre	O
170	CM 30	CM 46,5 LEVEL CM	399,7127 litre	83,158 %	80,9510 litre	O
170	CM 30	CM 46 LEVEL CM	395,4257 litre	82,267 %	85,2380 litre	O
170	CM 30	CM 45,5 LEVEL CM	391,0852 litre	81,364 %	89,5785 litre	O
170	CM 30	CM 45 LEVEL CM	386,6934 litre	80,450 %	93,9703 litre	O
170	CM 30	CM 44,5 LEVEL CM	382,2525 litre	79,526 %	98,4112 litre	O
170	CM 30	CM 44 LEVEL CM	377,7646 litre	78,592 %	102,8991 litre	O
170	CM 30	CM 43,5 LEVEL CM	373,2320 litre	77,649 %	107,4317 litre	O
170	CM 30	CM 43 LEVEL CM	368,6564 litre	76,697 %	112,0073 litre	O
170	CM 30	CM 42,5 LEVEL CM	364,0400 litre	75,737 %	116,6237 litre	O
170	CM 30	CM 42 LEVEL CM	359,3846 litre	74,768 %	121,2791 litre	O
170	CM 30	CM 41,5 LEVEL CM	354,6922 litre	73,792 %	125,9715 litre	O
170	CM 30	CM 41 LEVEL CM	349,9644 litre	72,809 %	130,6993 litre	O
170	CM 30	CM 40,5 LEVEL CM	345,2032 litre	71,818 %	135,4605 litre	O
170	CM 30	CM 40 LEVEL CM	340,4101 litre	70,821 %	140,2536 litre	O
170	CM 30	CM 39,5 LEVEL CM	335,5871 litre	69,817 %	145,0766 litre	O
170	CM 30	CM 39 LEVEL CM	330,7356 litre	68,808 %	149,9281 litre	O
170	CM 30	CM 38,5 LEVEL CM	325,8574 litre	67,793 %	154,8063 litre	O
170	CM 30	CM 38 LEVEL CM	320,9541 litre	66,773 %	159,7096 litre	O
170	CM 30	CM 37,5 LEVEL CM	316,0273 litre	65,748 %	164,6364 litre	O
170	CM 30	CM 37 LEVEL CM	311,0786 litre	64,719 %	169,5851 litre	O
170	CM 30	CM 36,5 LEVEL CM	306,1094 litre	63,685 %	174,5543 litre	O
170	CM 30	CM 36 LEVEL CM	301,1214 litre	62,647 %	179,5423 litre	O
170	CM 30	CM 35,5 LEVEL CM	296,1160 litre	61,606 %	184,5477 litre	O
170	CM 30	CM 35 LEVEL CM	291,0947 litre	60,561 %	189,5690 litre	O
170	CM 30	CM 34,5 LEVEL CM	286,0591 litre	59,513 %	194,6046 litre	O

170	CM	30	CM	34 LEVEL CM	281,0106 litre	58,463 %	199,6531 litre	O
170	CM	30	CM	33,5 LEVEL CM	275,9507 litre	57,410 %	204,7130 litre	O
170	CM	30	CM	33 LEVEL CM	270,8808 litre	56,356 %	209,7829 litre	O
170	CM	30	CM	32,5 LEVEL CM	265,8023 litre	55,299 %	214,8614 litre	O
170	CM	30	CM	32 LEVEL CM	260,7167 litre	54,241 %	219,9470 litre	O
170	CM	30	CM	31,5 LEVEL CM	255,6255 litre	53,182 %	225,0382 litre	O
170	CM	30	CM	31 LEVEL CM	250,5299 litre	52,122 %	230,1338 litre	O
170	CM	30	CM	30,5 LEVEL CM	245,4316 litre	51,061 %	235,2321 litre	O
170	CM	30	CM	30 LEVEL CM	240,3318 litre	50,000 %	240,3319 litre	O
170	CM	30	CM	29,5 LEVEL CM	235,2321 litre	48,939 %	245,4316 litre	O
170	CM	30	CM	29 LEVEL CM	230,1337 litre	47,878 %	250,5300 litre	O
170	CM	30	CM	28,5 LEVEL CM	225,0382 litre	46,818 %	255,6255 litre	O
170	CM	30	CM	28 LEVEL CM	219,9470 litre	45,759 %	260,7167 litre	O
170	CM	30	CM	27,5 LEVEL CM	214,8614 litre	44,701 %	265,8023 litre	O
170	CM	30	CM	27 LEVEL CM	209,7829 litre	43,644 %	270,8808 litre	O
170	CM	30	CM	26,5 LEVEL CM	204,7130 litre	42,590 %	275,9507 litre	O
170	CM	30	CM	26 LEVEL CM	199,6531 litre	41,537 %	281,0106 litre	O
170	CM	30	CM	25,5 LEVEL CM	194,6045 litre	40,487 %	286,0592 litre	O
170	CM	30	CM	25 LEVEL CM	189,5689 litre	39,439 %	291,0948 litre	O
170	CM	30	CM	24,5 LEVEL CM	184,5477 litre	38,394 %	296,1160 litre	O
170	CM	30	CM	24 LEVEL CM	179,5423 litre	37,353 %	301,1214 litre	O
170	CM	30	CM	23,5 LEVEL CM	174,5543 litre	36,315 %	306,1094 litre	O
170	CM	30	CM	23 LEVEL CM	169,5851 litre	35,281 %	311,0786 litre	O
170	CM	30	CM	22,5 LEVEL CM	164,6364 litre	34,252 %	316,0273 litre	O
170	CM	30	CM	22 LEVEL CM	159,7095 litre	33,227 %	320,9542 litre	O
170	CM	30	CM	21,5 LEVEL CM	154,8062 litre	32,207 %	325,8575 litre	O
170	CM	30	CM	21 LEVEL CM	149,9281 litre	31,192 %	330,7356 litre	O
170	CM	30	CM	20,5 LEVEL CM	145,0766 litre	30,183 %	335,5871 litre	O
170	CM	30	CM	20 LEVEL CM	140,2535 litre	29,179 %	340,4102 litre	O
170	CM	30	CM	19,5 LEVEL CM	135,4605 litre	28,182 %	345,2032 litre	O
170	CM	30	CM	19 LEVEL CM	130,6993 litre	27,191 %	349,9644 litre	O
170	CM	30	CM	18,5 LEVEL CM	125,9715 litre	26,208 %	354,6922 litre	O
170	CM	30	CM	18 LEVEL CM	121,2790 litre	25,232 %	359,3847 litre	O
170	CM	30	CM	17,5 LEVEL CM	116,6237 litre	24,263 %	364,0400 litre	O
170	CM	30	CM	17 LEVEL CM	112,0073 litre	23,303 %	368,6564 litre	O
170	CM	30	CM	16,5 LEVEL CM	107,4317 litre	22,351 %	373,2320 litre	O
170	CM	30	CM	16 LEVEL CM	102,8990 litre	21,408 %	377,7647 litre	O
170	CM	30	CM	15,5 LEVEL CM	98,4112 litre	20,474 %	382,2525 litre	O
170	CM	30	CM	15 LEVEL CM	93,9703 litre	19,550 %	386,6934 litre	O
170	CM	30	CM	14,5 LEVEL CM	89,5785 litre	18,636 %	391,0852 litre	O
170	CM	30	CM	14 LEVEL CM	85,2379 litre	17,733 %	395,4258 litre	O
170	CM	30	CM	13,5 LEVEL CM	80,9510 litre	16,842 %	399,7127 litre	O
170	CM	30	CM	13 LEVEL CM	76,7201 litre	15,961 %	403,9436 litre	O
170	CM	30	CM	12,5 LEVEL CM	72,5476 litre	15,093 %	408,1161 litre	O
170	CM	30	CM	12 LEVEL CM	68,4362 litre	14,238 %	412,2275 litre	O
170	CM	30	CM	11,5 LEVEL CM	64,3885 litre	13,396 %	416,2752 litre	O
170	CM	30	CM	11 LEVEL CM	60,4074 litre	12,568 %	420,2563 litre	O
170	CM	30	CM	10,5 LEVEL CM	56,4960 litre	11,754 %	424,1677 litre	O
170	CM	30	CM	10 LEVEL CM	52,6572 litre	10,955 %	428,0065 litre	O
170	CM	30	CM	9,5 LEVEL CM	48,8945 litre	10,172 %	431,7692 litre	O
170	CM	30	CM	9 LEVEL CM	45,2113 litre	9,406 %	435,4524 litre	O
170	CM	30	CM	8,5 LEVEL CM	41,6115 litre	8,657 %	439,0522 litre	O
170	CM	30	CM	8 LEVEL CM	38,0991 litre	7,926 %	442,5646 litre	O

170	CM 30	CM	7,5 LEVEL CM	34,6783 litre	7,215 %	445,9854 litre	O
170	CM 30	CM	7 LEVEL CM	31,3540 litre	6,523 %	449,3097 litre	O
170	CM 30	CM	6,5 LEVEL CM	28,1313 litre	5,853 %	452,5324 litre	O
170	CM 30	CM	6 LEVEL CM	25,0157 litre	5,204 %	455,6480 litre	O
170	CM 30	CM	5,5 LEVEL CM	22,0135 litre	4,580 %	458,6502 litre	O
170	CM 30	CM	5 LEVEL CM	19,1316 litre	3,980 %	461,5321 litre	O
170	CM 30	CM	4,5 LEVEL CM	16,3780 litre	3,407 %	464,2857 litre	O
170	CM 30	CM	4 LEVEL CM	13,7617 litre	2,863 %	466,9020 litre	O
170	CM 30	CM	3,5 LEVEL CM	11,2932 litre	2,349 %	469,3705 litre	O
170	CM 30	CM	3 LEVEL CM	8,9851 litre	1,869 %	471,6786 litre	O
170	CM 30	CM	2,5 LEVEL CM	6,8528 litre	1,426 %	473,8109 litre	O
170	CM 30	CM	2 LEVEL CM	4,9161 litre	1,023 %	475,7476 litre	O
170	CM 30	CM	1,5 LEVEL CM	3,2012 litre	0,666 %	477,4625 litre	O
170	CM 30	CM	1 LEVEL CM	1,7469 litre	0,363 %	478,9168 litre	O
170	CM 30	CM	0,5 LEVEL CM	0,6192 litre	0,129 %	480,0445 litre	O
170	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	480,6637 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
170	CM	25	CM	50 LEVEL CM	333,7942 litre	100,000 %	0,0000 litre	O
170	CM	25	CM	49,5 LEVEL CM	333,2293 litre	99,831 %	0,5649 litre	O
170	CM	25	CM	49 LEVEL CM	332,2011 litre	99,523 %	1,5931 litre	O
170	CM	25	CM	48,5 LEVEL CM	330,8764 litre	99,126 %	2,9178 litre	O
170	CM	25	CM	48 LEVEL CM	329,3157 litre	98,658 %	4,4785 litre	O
170	CM	25	CM	47,5 LEVEL CM	327,5546 litre	98,131 %	6,2396 litre	O
170	CM	25	CM	47 LEVEL CM	325,6175 litre	97,550 %	8,1767 litre	O
170	CM	25	CM	46,5 LEVEL CM	323,5226 litre	96,923 %	10,2716 litre	O
170	CM	25	CM	46 LEVEL CM	321,2843 litre	96,252 %	12,5099 litre	O
170	CM	25	CM	45,5 LEVEL CM	318,9142 litre	95,542 %	14,8800 litre	O
170	CM	25	CM	45 LEVEL CM	316,4222 litre	94,796 %	17,3720 litre	O
170	CM	25	CM	44,5 LEVEL CM	313,8168 litre	94,015 %	19,9774 litre	O
170	CM	25	CM	44 LEVEL CM	311,1054 litre	93,203 %	22,6888 litre	O
170	CM	25	CM	43,5 LEVEL CM	308,2946 litre	92,361 %	25,4996 litre	O
170	CM	25	CM	43 LEVEL CM	305,3901 litre	91,491 %	28,4041 litre	O
170	CM	25	CM	42,5 LEVEL CM	302,3975 litre	90,594 %	31,3967 litre	O
170	CM	25	CM	42 LEVEL CM	299,3215 litre	89,672 %	34,4727 litre	O
170	CM	25	CM	41,5 LEVEL CM	296,1666 litre	88,727 %	37,6276 litre	O
170	CM	25	CM	41 LEVEL CM	292,9370 litre	87,760 %	40,8572 litre	O
170	CM	25	CM	40,5 LEVEL CM	289,6367 litre	86,771 %	44,1575 litre	O
170	CM	25	CM	40 LEVEL CM	286,2691 litre	85,762 %	47,5251 litre	O
170	CM	25	CM	39,5 LEVEL CM	282,8378 litre	84,734 %	50,9564 litre	O
170	CM	25	CM	39 LEVEL CM	279,3459 litre	83,688 %	54,4483 litre	O
170	CM	25	CM	38,5 LEVEL CM	275,7966 litre	82,625 %	57,9976 litre	O
170	CM	25	CM	38 LEVEL CM	272,1927 litre	81,545 %	61,6015 litre	O
170	CM	25	CM	37,5 LEVEL CM	268,5371 litre	80,450 %	65,2571 litre	O
170	CM	25	CM	37 LEVEL CM	264,8324 litre	79,340 %	68,9618 litre	O
170	CM	25	CM	36,5 LEVEL CM	261,0811 litre	78,216 %	72,7131 litre	O
170	CM	25	CM	36 LEVEL CM	257,2859 litre	77,079 %	76,5083 litre	O
170	CM	25	CM	35,5 LEVEL CM	253,4489 litre	75,930 %	80,3453 litre	O
170	CM	25	CM	35 LEVEL CM	249,5727 litre	74,768 %	84,2215 litre	O
170	CM	25	CM	34,5 LEVEL CM	245,6593 litre	73,596 %	88,1349 litre	O
170	CM	25	CM	34 LEVEL CM	241,7110 litre	72,413 %	92,0832 litre	O
170	CM	25	CM	33,5 LEVEL CM	237,7299 litre	71,221 %	96,0643 litre	O
170	CM	25	CM	33 LEVEL CM	233,7181 litre	70,019 %	100,0761 litre	O
170	CM	25	CM	32,5 LEVEL CM	229,6775 litre	68,808 %	104,1167 litre	O
170	CM	25	CM	32 LEVEL CM	225,6102 litre	67,590 %	108,1840 litre	O
170	CM	25	CM	31,5 LEVEL CM	221,5182 litre	66,364 %	112,2760 litre	O
170	CM	25	CM	31 LEVEL CM	217,4032 litre	65,131 %	116,3910 litre	O
170	CM	25	CM	30,5 LEVEL CM	213,2672 litre	63,892 %	120,5270 litre	O
170	CM	25	CM	30 LEVEL CM	209,1121 litre	62,647 %	124,6821 litre	O
170	CM	25	CM	29,5 LEVEL CM	204,9395 litre	61,397 %	128,8547 litre	O
170	CM	25	CM	29 LEVEL CM	200,7515 litre	60,142 %	133,0427 litre	O
170	CM	25	CM	28,5 LEVEL CM	196,5496 litre	58,883 %	137,2446 litre	O
170	CM	25	CM	28 LEVEL CM	192,3358 litre	57,621 %	141,4584 litre	O
170	CM	25	CM	27,5 LEVEL CM	188,1116 litre	56,356 %	145,6826 litre	O
170	CM	25	CM	27 LEVEL CM	183,8790 litre	55,088 %	149,9152 litre	O
170	CM	25	CM	26,5 LEVEL CM	179,6395 litre	53,817 %	154,1547 litre	O
170	CM	25	CM	26 LEVEL CM	175,3948 litre	52,546 %	158,3994 litre	O
170	CM	25	CM	25,5 LEVEL CM	171,1468 litre	51,273 %	162,6474 litre	O
170	CM	25	CM	25 LEVEL CM	166,8971 litre	50,000 %	166,8971 litre	O
170	CM	25	CM	24,5 LEVEL CM	162,6474 litre	48,727 %	171,1468 litre	O

170	CM	25	CM	24 LEVEL CM	158,3994 litre	47,454 %	175,3948 litre	O
170	CM	25	CM	23,5 LEVEL CM	154,1548 litre	46,183 %	179,6394 litre	O
170	CM	25	CM	23 LEVEL CM	149,9153 litre	44,912 %	183,8789 litre	O
170	CM	25	CM	22,5 LEVEL CM	145,6826 litre	43,644 %	188,1116 litre	O
170	CM	25	CM	22 LEVEL CM	141,4584 litre	42,379 %	192,3358 litre	O
170	CM	25	CM	21,5 LEVEL CM	137,2446 litre	41,117 %	196,5496 litre	O
170	CM	25	CM	21 LEVEL CM	133,0427 litre	39,858 %	200,7515 litre	O
170	CM	25	CM	20,5 LEVEL CM	128,8547 litre	38,603 %	204,9395 litre	O
170	CM	25	CM	20 LEVEL CM	124,6822 litre	37,353 %	209,1120 litre	O
170	CM	25	CM	19,5 LEVEL CM	120,5270 litre	36,108 %	213,2672 litre	O
170	CM	25	CM	19 LEVEL CM	116,3910 litre	34,869 %	217,4032 litre	O
170	CM	25	CM	18,5 LEVEL CM	112,2761 litre	33,636 %	221,5181 litre	O
170	CM	25	CM	18 LEVEL CM	108,1840 litre	32,410 %	225,6102 litre	O
170	CM	25	CM	17,5 LEVEL CM	104,1167 litre	31,192 %	229,6775 litre	O
170	CM	25	CM	17 LEVEL CM	100,0762 litre	29,981 %	233,7180 litre	O
170	CM	25	CM	16,5 LEVEL CM	96,0643 litre	28,780 %	237,7299 litre	O
170	CM	25	CM	16 LEVEL CM	92,0832 litre	27,587 %	241,7110 litre	O
170	CM	25	CM	15,5 LEVEL CM	88,1349 litre	26,404 %	245,6593 litre	O
170	CM	25	CM	15 LEVEL CM	84,2216 litre	25,232 %	249,5726 litre	O
170	CM	25	CM	14,5 LEVEL CM	80,3453 litre	24,070 %	253,4489 litre	O
170	CM	25	CM	14 LEVEL CM	76,5084 litre	22,921 %	257,2858 litre	O
170	CM	25	CM	13,5 LEVEL CM	72,7131 litre	21,784 %	261,0811 litre	O
170	CM	25	CM	13 LEVEL CM	68,9619 litre	20,660 %	264,8323 litre	O
170	CM	25	CM	12,5 LEVEL CM	65,2571 litre	19,550 %	268,5371 litre	O
170	CM	25	CM	12 LEVEL CM	61,6015 litre	18,455 %	272,1927 litre	O
170	CM	25	CM	11,5 LEVEL CM	57,9976 litre	17,375 %	275,7966 litre	O
170	CM	25	CM	11 LEVEL CM	54,4483 litre	16,312 %	279,3459 litre	O
170	CM	25	CM	10,5 LEVEL CM	50,9564 litre	15,266 %	282,8378 litre	O
170	CM	25	CM	10 LEVEL CM	47,5251 litre	14,238 %	286,2691 litre	O
170	CM	25	CM	9,5 LEVEL CM	44,1576 litre	13,229 %	289,6366 litre	O
170	CM	25	CM	9 LEVEL CM	40,8572 litre	12,240 %	292,9370 litre	O
170	CM	25	CM	8,5 LEVEL CM	37,6276 litre	11,273 %	296,1666 litre	O
170	CM	25	CM	8 LEVEL CM	34,4728 litre	10,328 %	299,3214 litre	O
170	CM	25	CM	7,5 LEVEL CM	31,3968 litre	9,406 %	302,3974 litre	O
170	CM	25	CM	7 LEVEL CM	28,4041 litre	8,509 %	305,3901 litre	O
170	CM	25	CM	6,5 LEVEL CM	25,4997 litre	7,639 %	308,2945 litre	O
170	CM	25	CM	6 LEVEL CM	22,6888 litre	6,797 %	311,1054 litre	O
170	CM	25	CM	5,5 LEVEL CM	19,9774 litre	5,985 %	313,8168 litre	O
170	CM	25	CM	5 LEVEL CM	17,3720 litre	5,204 %	316,4222 litre	O
170	CM	25	CM	4,5 LEVEL CM	14,8800 litre	4,458 %	318,9142 litre	O
170	CM	25	CM	4 LEVEL CM	12,5099 litre	3,748 %	321,2843 litre	O
170	CM	25	CM	3,5 LEVEL CM	10,2716 litre	3,077 %	323,5226 litre	O
170	CM	25	CM	3 LEVEL CM	8,1767 litre	2,450 %	325,6175 litre	O
170	CM	25	CM	2,5 LEVEL CM	6,2396 litre	1,869 %	327,5546 litre	O
170	CM	25	CM	2 LEVEL CM	4,4785 litre	1,342 %	329,3157 litre	O
170	CM	25	CM	1,5 LEVEL CM	2,9178 litre	0,874 %	330,8764 litre	O
170	CM	25	CM	1 LEVEL CM	1,5931 litre	0,477 %	332,2011 litre	O
170	CM	25	CM	0,5 LEVEL CM	0,5650 litre	0,169 %	333,2292 litre	O
170	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	333,7942 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
160	CM	65	CM 130 LEVEL CM	2123,7166 litre	100,000 %	0,0000 litre	O
160	CM	65	CM 129,5 LEVEL CM	2122,8577 litre	99,960 %	0,8589 litre	O
160	CM	65	CM 129 LEVEL CM	2121,2899 litre	99,886 %	2,4267 litre	O
160	CM	65	CM 128,5 LEVEL CM	2119,2636 litre	99,790 %	4,4530 litre	O
160	CM	65	CM 128 LEVEL CM	2116,8687 litre	99,678 %	6,8479 litre	O
160	CM	65	CM 127,5 LEVEL CM	2114,1575 litre	99,550 %	9,5591 litre	O
160	CM	65	CM 127 LEVEL CM	2111,1655 litre	99,409 %	12,5511 litre	O
160	CM	65	CM 126,5 LEVEL CM	2107,9190 litre	99,256 %	15,7976 litre	O
160	CM	65	CM 126 LEVEL CM	2104,4383 litre	99,092 %	19,2783 litre	O
160	CM	65	CM 125,5 LEVEL CM	2100,7400 litre	98,918 %	22,9766 litre	O
160	CM	65	CM 125 LEVEL CM	2096,8378 litre	98,734 %	26,8788 litre	O
160	CM	65	CM 124,5 LEVEL CM	2092,7436 litre	98,542 %	30,9730 litre	O
160	CM	65	CM 124 LEVEL CM	2088,4673 litre	98,340 %	35,2493 litre	O
160	CM	65	CM 123,5 LEVEL CM	2084,0179 litre	98,131 %	39,6987 litre	O
160	CM	65	CM 123 LEVEL CM	2079,4033 litre	97,913 %	44,3133 litre	O
160	CM	65	CM 122,5 LEVEL CM	2074,6305 litre	97,689 %	49,0861 litre	O
160	CM	65	CM 122 LEVEL CM	2069,7058 litre	97,457 %	54,0108 litre	O
160	CM	65	CM 121,5 LEVEL CM	2064,6352 litre	97,218 %	59,0814 litre	O
160	CM	65	CM 121 LEVEL CM	2059,4239 litre	96,973 %	64,2927 litre	O
160	CM	65	CM 120,5 LEVEL CM	2054,0768 litre	96,721 %	69,6398 litre	O
160	CM	65	CM 120 LEVEL CM	2048,5984 litre	96,463 %	75,1182 litre	O
160	CM	65	CM 119,5 LEVEL CM	2042,9930 litre	96,199 %	80,7236 litre	O
160	CM	65	CM 119 LEVEL CM	2037,2645 litre	95,929 %	86,4521 litre	O
160	CM	65	CM 118,5 LEVEL CM	2031,4165 litre	95,654 %	92,3001 litre	O
160	CM	65	CM 118 LEVEL CM	2025,4527 litre	95,373 %	98,2639 litre	O
160	CM	65	CM 117,5 LEVEL CM	2019,3761 litre	95,087 %	104,3405 litre	O
160	CM	65	CM 117 LEVEL CM	2013,1899 litre	94,796 %	110,5267 litre	O
160	CM	65	CM 116,5 LEVEL CM	2006,8970 litre	94,499 %	116,8196 litre	O
160	CM	65	CM 116 LEVEL CM	2000,5003 litre	94,198 %	123,2163 litre	O
160	CM	65	CM 115,5 LEVEL CM	1994,0022 litre	93,892 %	129,7144 litre	O
160	CM	65	CM 115 LEVEL CM	1987,4055 litre	93,581 %	136,3111 litre	O
160	CM	65	CM 114,5 LEVEL CM	1980,7124 litre	93,266 %	143,0042 litre	O
160	CM	65	CM 114 LEVEL CM	1973,9254 litre	92,947 %	149,7912 litre	O
160	CM	65	CM 113,5 LEVEL CM	1967,0465 litre	92,623 %	156,6701 litre	O
160	CM	65	CM 113 LEVEL CM	1960,0780 litre	92,295 %	163,6386 litre	O
160	CM	65	CM 112,5 LEVEL CM	1953,0218 litre	91,962 %	170,6948 litre	O
160	CM	65	CM 112 LEVEL CM	1945,8800 litre	91,626 %	177,8366 litre	O
160	CM	65	CM 111,5 LEVEL CM	1938,6545 litre	91,286 %	185,0621 litre	O
160	CM	65	CM 111 LEVEL CM	1931,3470 litre	90,942 %	192,3696 litre	O
160	CM	65	CM 110,5 LEVEL CM	1923,9594 litre	90,594 %	199,7572 litre	O
160	CM	65	CM 110 LEVEL CM	1916,4934 litre	90,242 %	207,2232 litre	O
160	CM	65	CM 109,5 LEVEL CM	1908,9506 litre	89,887 %	214,7660 litre	O
160	CM	65	CM 109 LEVEL CM	1901,3327 litre	89,529 %	222,3839 litre	O
160	CM	65	CM 108,5 LEVEL CM	1893,6412 litre	89,166 %	230,0754 litre	O
160	CM	65	CM 108 LEVEL CM	1885,8777 litre	88,801 %	237,8389 litre	O
160	CM	65	CM 107,5 LEVEL CM	1878,0436 litre	88,432 %	245,6730 litre	O
160	CM	65	CM 107 LEVEL CM	1870,1403 litre	88,060 %	253,5763 litre	O
160	CM	65	CM 106,5 LEVEL CM	1862,1693 litre	87,684 %	261,5473 litre	O
160	CM	65	CM 106 LEVEL CM	1854,1320 litre	87,306 %	269,5846 litre	O
160	CM	65	CM 105,5 LEVEL CM	1846,0296 litre	86,924 %	277,6870 litre	O
160	CM	65	CM 105 LEVEL CM	1837,8634 litre	86,540 %	285,8532 litre	O
160	CM	65	CM 104,5 LEVEL CM	1829,6349 litre	86,152 %	294,0817 litre	O

160	CM	65	CM	104 LEVEL CM	1821,3451 litre	85,762 %	302,3715 litre	O
160	CM	65	CM	103,5 LEVEL CM	1812,9953 litre	85,369 %	310,7213 litre	O
160	CM	65	CM	103 LEVEL CM	1804,5867 litre	84,973 %	319,1299 litre	O
160	CM	65	CM	102,5 LEVEL CM	1796,1204 litre	84,574 %	327,5962 litre	O
160	CM	65	CM	102 LEVEL CM	1787,5976 litre	84,173 %	336,1190 litre	O
160	CM	65	CM	101,5 LEVEL CM	1779,0195 litre	83,769 %	344,6971 litre	O
160	CM	65	CM	101 LEVEL CM	1770,3870 litre	83,363 %	353,3296 litre	O
160	CM	65	CM	100,5 LEVEL CM	1761,7013 litre	82,954 %	362,0153 litre	O
160	CM	65	CM	100 LEVEL CM	1752,9635 litre	82,542 %	370,7531 litre	O
160	CM	65	CM	99,5 LEVEL CM	1744,1746 litre	82,128 %	379,5420 litre	O
160	CM	65	CM	99 LEVEL CM	1735,3355 litre	81,712 %	388,3811 litre	O
160	CM	65	CM	98,5 LEVEL CM	1726,4474 litre	81,294 %	397,2692 litre	O
160	CM	65	CM	98 LEVEL CM	1717,5111 litre	80,873 %	406,2055 litre	O
160	CM	65	CM	97,5 LEVEL CM	1708,5277 litre	80,450 %	415,1889 litre	O
160	CM	65	CM	97 LEVEL CM	1699,4981 litre	80,025 %	424,2185 litre	O
160	CM	65	CM	96,5 LEVEL CM	1690,4232 litre	79,597 %	433,2934 litre	O
160	CM	65	CM	96 LEVEL CM	1681,3041 litre	79,168 %	442,4125 litre	O
160	CM	65	CM	95,5 LEVEL CM	1672,1415 litre	78,737 %	451,5751 litre	O
160	CM	65	CM	95 LEVEL CM	1662,9364 litre	78,303 %	460,7802 litre	O
160	CM	65	CM	94,5 LEVEL CM	1653,6897 litre	77,868 %	470,0269 litre	O
160	CM	65	CM	94 LEVEL CM	1644,4022 litre	77,430 %	479,3144 litre	O
160	CM	65	CM	93,5 LEVEL CM	1635,0749 litre	76,991 %	488,6417 litre	O
160	CM	65	CM	93 LEVEL CM	1625,7085 litre	76,550 %	498,0081 litre	O
160	CM	65	CM	92,5 LEVEL CM	1616,3039 litre	76,107 %	507,4127 litre	O
160	CM	65	CM	92 LEVEL CM	1606,8620 litre	75,663 %	516,8546 litre	O
160	CM	65	CM	91,5 LEVEL CM	1597,3836 litre	75,216 %	526,3330 litre	O
160	CM	65	CM	91 LEVEL CM	1587,8694 litre	74,768 %	535,8472 litre	O
160	CM	65	CM	90,5 LEVEL CM	1578,3203 litre	74,319 %	545,3963 litre	O
160	CM	65	CM	90 LEVEL CM	1568,7371 litre	73,868 %	554,9795 litre	O
160	CM	65	CM	89,5 LEVEL CM	1559,1206 litre	73,415 %	564,5960 litre	O
160	CM	65	CM	89 LEVEL CM	1549,4715 litre	72,960 %	574,2451 litre	O
160	CM	65	CM	88,5 LEVEL CM	1539,7906 litre	72,505 %	583,9260 litre	O
160	CM	65	CM	88 LEVEL CM	1530,0787 litre	72,047 %	593,6379 litre	O
160	CM	65	CM	87,5 LEVEL CM	1520,3365 litre	71,588 %	603,3801 litre	O
160	CM	65	CM	87 LEVEL CM	1510,5649 litre	71,128 %	613,1517 litre	O
160	CM	65	CM	86,5 LEVEL CM	1500,7644 litre	70,667 %	622,9522 litre	O
160	CM	65	CM	86 LEVEL CM	1490,9359 litre	70,204 %	632,7807 litre	O
160	CM	65	CM	85,5 LEVEL CM	1481,0801 litre	69,740 %	642,6365 litre	O
160	CM	65	CM	85 LEVEL CM	1471,1977 litre	69,275 %	652,5189 litre	O
160	CM	65	CM	84,5 LEVEL CM	1461,2894 litre	68,808 %	662,4272 litre	O
160	CM	65	CM	84 LEVEL CM	1451,3560 litre	68,340 %	672,3606 litre	O
160	CM	65	CM	83,5 LEVEL CM	1441,3981 litre	67,871 %	682,3185 litre	O
160	CM	65	CM	83 LEVEL CM	1431,4165 litre	67,401 %	692,3001 litre	O
160	CM	65	CM	82,5 LEVEL CM	1421,4118 litre	66,930 %	702,3048 litre	O
160	CM	65	CM	82 LEVEL CM	1411,3847 litre	66,458 %	712,3319 litre	O
160	CM	65	CM	81,5 LEVEL CM	1401,3360 litre	65,985 %	722,3806 litre	O
160	CM	65	CM	81 LEVEL CM	1391,2663 litre	65,511 %	732,4503 litre	O
160	CM	65	CM	80,5 LEVEL CM	1381,1762 litre	65,036 %	742,5404 litre	O
160	CM	65	CM	80 LEVEL CM	1371,0665 litre	64,560 %	752,6501 litre	O
160	CM	65	CM	79,5 LEVEL CM	1360,9379 litre	64,083 %	762,7787 litre	O
160	CM	65	CM	79 LEVEL CM	1350,7909 litre	63,605 %	772,9257 litre	O
160	CM	65	CM	78,5 LEVEL CM	1340,6263 litre	63,126 %	783,0903 litre	O
160	CM	65	CM	78 LEVEL CM	1330,4447 litre	62,647 %	793,2719 litre	O

160	CM	65	CM	77,5 LEVEL CM	1320,2467 litre	62,167 %	803,4699 litre	O
160	CM	65	CM	77 LEVEL CM	1310,0331 litre	61,686 %	813,6835 litre	O
160	CM	65	CM	76,5 LEVEL CM	1299,8045 litre	61,204 %	823,9121 litre	O
160	CM	65	CM	76 LEVEL CM	1289,5615 litre	60,722 %	834,1551 litre	O
160	CM	65	CM	75,5 LEVEL CM	1279,3047 litre	60,239 %	844,4119 litre	O
160	CM	65	CM	75 LEVEL CM	1269,0349 litre	59,755 %	854,6817 litre	O
160	CM	65	CM	74,5 LEVEL CM	1258,7526 litre	59,271 %	864,9640 litre	O
160	CM	65	CM	74 LEVEL CM	1248,4584 litre	58,786 %	875,2582 litre	O
160	CM	65	CM	73,5 LEVEL CM	1238,1531 litre	58,301 %	885,5635 litre	O
160	CM	65	CM	73 LEVEL CM	1227,8373 litre	57,815 %	895,8793 litre	O
160	CM	65	CM	72,5 LEVEL CM	1217,5115 litre	57,329 %	906,2051 litre	O
160	CM	65	CM	72 LEVEL CM	1207,1764 litre	56,843 %	916,5402 litre	O
160	CM	65	CM	71,5 LEVEL CM	1196,8326 litre	56,356 %	926,8840 litre	O
160	CM	65	CM	71 LEVEL CM	1186,4809 litre	55,868 %	937,2357 litre	O
160	CM	65	CM	70,5 LEVEL CM	1176,1217 litre	55,380 %	947,5949 litre	O
160	CM	65	CM	70 LEVEL CM	1165,7557 litre	54,892 %	957,9609 litre	O
160	CM	65	CM	69,5 LEVEL CM	1155,3835 litre	54,404 %	968,3331 litre	O
160	CM	65	CM	69 LEVEL CM	1145,0058 litre	53,915 %	978,7108 litre	O
160	CM	65	CM	68,5 LEVEL CM	1134,6231 litre	53,426 %	989,0935 litre	O
160	CM	65	CM	68 LEVEL CM	1124,2362 litre	52,937 %	999,4804 litre	O
160	CM	65	CM	67,5 LEVEL CM	1113,8455 litre	52,448 %	1009,8711 litre	O
160	CM	65	CM	67 LEVEL CM	1103,4518 litre	51,959 %	1020,2648 litre	O
160	CM	65	CM	66,5 LEVEL CM	1093,0555 litre	51,469 %	1030,6611 litre	O
160	CM	65	CM	66 LEVEL CM	1082,6575 litre	50,979 %	1041,0591 litre	O
160	CM	65	CM	65,5 LEVEL CM	1072,2582 litre	50,490 %	1051,4584 litre	O
160	CM	65	CM	65 LEVEL CM	1061,8583 litre	50,000 %	1061,8583 litre	O
160	CM	65	CM	64,5 LEVEL CM	1051,4584 litre	49,510 %	1072,2582 litre	O
160	CM	65	CM	64 LEVEL CM	1041,0591 litre	49,021 %	1082,6575 litre	O
160	CM	65	CM	63,5 LEVEL CM	1030,6611 litre	48,531 %	1093,0555 litre	O
160	CM	65	CM	63 LEVEL CM	1020,2649 litre	48,041 %	1103,4517 litre	O
160	CM	65	CM	62,5 LEVEL CM	1009,8711 litre	47,552 %	1113,8455 litre	O
160	CM	65	CM	62 LEVEL CM	999,4805 litre	47,063 %	1124,2361 litre	O
160	CM	65	CM	61,5 LEVEL CM	989,0935 litre	46,574 %	1134,6231 litre	O
160	CM	65	CM	61 LEVEL CM	978,7109 litre	46,085 %	1145,0057 litre	O
160	CM	65	CM	60,5 LEVEL CM	968,3331 litre	45,596 %	1155,3835 litre	O
160	CM	65	CM	60 LEVEL CM	957,9610 litre	45,108 %	1165,7556 litre	O
160	CM	65	CM	59,5 LEVEL CM	947,5950 litre	44,620 %	1176,1216 litre	O
160	CM	65	CM	59 LEVEL CM	937,2358 litre	44,132 %	1186,4808 litre	O
160	CM	65	CM	58,5 LEVEL CM	926,8840 litre	43,644 %	1196,8326 litre	O
160	CM	65	CM	58 LEVEL CM	916,5402 litre	43,157 %	1207,1764 litre	O
160	CM	65	CM	57,5 LEVEL CM	906,2052 litre	42,671 %	1217,5114 litre	O
160	CM	65	CM	57 LEVEL CM	895,8794 litre	42,185 %	1227,8372 litre	O
160	CM	65	CM	56,5 LEVEL CM	885,5635 litre	41,699 %	1238,1531 litre	O
160	CM	65	CM	56 LEVEL CM	875,2582 litre	41,214 %	1248,4584 litre	O
160	CM	65	CM	55,5 LEVEL CM	864,9641 litre	40,729 %	1258,7525 litre	O
160	CM	65	CM	55 LEVEL CM	854,6818 litre	40,245 %	1269,0348 litre	O
160	CM	65	CM	54,5 LEVEL CM	844,4119 litre	39,761 %	1279,3047 litre	O
160	CM	65	CM	54 LEVEL CM	834,1552 litre	39,278 %	1289,5614 litre	O
160	CM	65	CM	53,5 LEVEL CM	823,9121 litre	38,796 %	1299,8045 litre	O
160	CM	65	CM	53 LEVEL CM	813,6835 litre	38,314 %	1310,0331 litre	O
160	CM	65	CM	52,5 LEVEL CM	803,4699 litre	37,833 %	1320,2467 litre	O
160	CM	65	CM	52 LEVEL CM	793,2720 litre	37,353 %	1330,4446 litre	O
160	CM	65	CM	51,5 LEVEL CM	783,0904 litre	36,874 %	1340,6262 litre	O

160	CM	65	CM	51 LEVEL CM	772,9257 litre	36,395 %	1350,7909 litre	O
160	CM	65	CM	50,5 LEVEL CM	762,7788 litre	35,917 %	1360,9378 litre	O
160	CM	65	CM	50 LEVEL CM	752,6501 litre	35,440 %	1371,0665 litre	O
160	CM	65	CM	49,5 LEVEL CM	742,5404 litre	34,964 %	1381,1762 litre	O
160	CM	65	CM	49 LEVEL CM	732,4504 litre	34,489 %	1391,2662 litre	O
160	CM	65	CM	48,5 LEVEL CM	722,3806 litre	34,015 %	1401,3360 litre	O
160	CM	65	CM	48 LEVEL CM	712,3319 litre	33,542 %	1411,3847 litre	O
160	CM	65	CM	47,5 LEVEL CM	702,3048 litre	33,070 %	1421,4118 litre	O
160	CM	65	CM	47 LEVEL CM	692,3002 litre	32,599 %	1431,4164 litre	O
160	CM	65	CM	46,5 LEVEL CM	682,3185 litre	32,129 %	1441,3981 litre	O
160	CM	65	CM	46 LEVEL CM	672,3606 litre	31,660 %	1451,3560 litre	O
160	CM	65	CM	45,5 LEVEL CM	662,4272 litre	31,192 %	1461,2894 litre	O
160	CM	65	CM	45 LEVEL CM	652,5189 litre	30,725 %	1471,1977 litre	O
160	CM	65	CM	44,5 LEVEL CM	642,6365 litre	30,260 %	1481,0801 litre	O
160	CM	65	CM	44 LEVEL CM	632,7807 litre	29,796 %	1490,9359 litre	O
160	CM	65	CM	43,5 LEVEL CM	622,9522 litre	29,333 %	1500,7644 litre	O
160	CM	65	CM	43 LEVEL CM	613,1518 litre	28,872 %	1510,5648 litre	O
160	CM	65	CM	42,5 LEVEL CM	603,3801 litre	28,412 %	1520,3365 litre	O
160	CM	65	CM	42 LEVEL CM	593,6379 litre	27,953 %	1530,0787 litre	O
160	CM	65	CM	41,5 LEVEL CM	583,9260 litre	27,495 %	1539,7906 litre	O
160	CM	65	CM	41 LEVEL CM	574,2451 litre	27,040 %	1549,4715 litre	O
160	CM	65	CM	40,5 LEVEL CM	564,5961 litre	26,585 %	1559,1205 litre	O
160	CM	65	CM	40 LEVEL CM	554,9795 litre	26,132 %	1568,7371 litre	O
160	CM	65	CM	39,5 LEVEL CM	545,3963 litre	25,681 %	1578,3203 litre	O
160	CM	65	CM	39 LEVEL CM	535,8472 litre	25,232 %	1587,8694 litre	O
160	CM	65	CM	38,5 LEVEL CM	526,3331 litre	24,784 %	1597,3835 litre	O
160	CM	65	CM	38 LEVEL CM	516,8546 litre	24,337 %	1606,8620 litre	O
160	CM	65	CM	37,5 LEVEL CM	507,4127 litre	23,893 %	1616,3039 litre	O
160	CM	65	CM	37 LEVEL CM	498,0081 litre	23,450 %	1625,7085 litre	O
160	CM	65	CM	36,5 LEVEL CM	488,6418 litre	23,009 %	1635,0748 litre	O
160	CM	65	CM	36 LEVEL CM	479,3144 litre	22,570 %	1644,4022 litre	O
160	CM	65	CM	35,5 LEVEL CM	470,0270 litre	22,132 %	1653,6896 litre	O
160	CM	65	CM	35 LEVEL CM	460,7803 litre	21,697 %	1662,9363 litre	O
160	CM	65	CM	34,5 LEVEL CM	451,5752 litre	21,263 %	1672,1414 litre	O
160	CM	65	CM	34 LEVEL CM	442,4126 litre	20,832 %	1681,3040 litre	O
160	CM	65	CM	33,5 LEVEL CM	433,2934 litre	20,403 %	1690,4232 litre	O
160	CM	65	CM	33 LEVEL CM	424,2186 litre	19,975 %	1699,4980 litre	O
160	CM	65	CM	32,5 LEVEL CM	415,1890 litre	19,550 %	1708,5276 litre	O
160	CM	65	CM	32 LEVEL CM	406,2055 litre	19,127 %	1717,5111 litre	O
160	CM	65	CM	31,5 LEVEL CM	397,2693 litre	18,706 %	1726,4473 litre	O
160	CM	65	CM	31 LEVEL CM	388,3811 litre	18,288 %	1735,3355 litre	O
160	CM	65	CM	30,5 LEVEL CM	379,5421 litre	17,872 %	1744,1745 litre	O
160	CM	65	CM	30 LEVEL CM	370,7531 litre	17,458 %	1752,9635 litre	O
160	CM	65	CM	29,5 LEVEL CM	362,0153 litre	17,046 %	1761,7013 litre	O
160	CM	65	CM	29 LEVEL CM	353,3296 litre	16,637 %	1770,3870 litre	O
160	CM	65	CM	28,5 LEVEL CM	344,6972 litre	16,231 %	1779,0194 litre	O
160	CM	65	CM	28 LEVEL CM	336,1190 litre	15,827 %	1787,5976 litre	O
160	CM	65	CM	27,5 LEVEL CM	327,5962 litre	15,426 %	1796,1204 litre	O
160	CM	65	CM	27 LEVEL CM	319,1300 litre	15,027 %	1804,5866 litre	O
160	CM	65	CM	26,5 LEVEL CM	310,7214 litre	14,631 %	1812,9952 litre	O
160	CM	65	CM	26 LEVEL CM	302,3716 litre	14,238 %	1821,3450 litre	O
160	CM	65	CM	25,5 LEVEL CM	294,0818 litre	13,848 %	1829,6348 litre	O
160	CM	65	CM	25 LEVEL CM	285,8532 litre	13,460 %	1837,8634 litre	O

160	CM	65	CM	24,5 LEVEL CM	277,6871 litre	13,076 %	1846,0295 litre	O
160	CM	65	CM	24 LEVEL CM	269,5847 litre	12,694 %	1854,1319 litre	O
160	CM	65	CM	23,5 LEVEL CM	261,5473 litre	12,316 %	1862,1693 litre	O
160	CM	65	CM	23 LEVEL CM	253,5763 litre	11,940 %	1870,1403 litre	O
160	CM	65	CM	22,5 LEVEL CM	245,6731 litre	11,568 %	1878,0435 litre	O
160	CM	65	CM	22 LEVEL CM	237,8390 litre	11,199 %	1885,8776 litre	O
160	CM	65	CM	21,5 LEVEL CM	230,0754 litre	10,834 %	1893,6412 litre	O
160	CM	65	CM	21 LEVEL CM	222,3839 litre	10,471 %	1901,3327 litre	O
160	CM	65	CM	20,5 LEVEL CM	214,7660 litre	10,113 %	1908,9506 litre	O
160	CM	65	CM	20 LEVEL CM	207,2232 litre	9,758 %	1916,4934 litre	O
160	CM	65	CM	19,5 LEVEL CM	199,7572 litre	9,406 %	1923,9594 litre	O
160	CM	65	CM	19 LEVEL CM	192,3696 litre	9,058 %	1931,3470 litre	O
160	CM	65	CM	18,5 LEVEL CM	185,0622 litre	8,714 %	1938,6544 litre	O
160	CM	65	CM	18 LEVEL CM	177,8366 litre	8,374 %	1945,8800 litre	O
160	CM	65	CM	17,5 LEVEL CM	170,6948 litre	8,038 %	1953,0218 litre	O
160	CM	65	CM	17 LEVEL CM	163,6387 litre	7,705 %	1960,0779 litre	O
160	CM	65	CM	16,5 LEVEL CM	156,6701 litre	7,377 %	1967,0465 litre	O
160	CM	65	CM	16 LEVEL CM	149,7913 litre	7,053 %	1973,9253 litre	O
160	CM	65	CM	15,5 LEVEL CM	143,0042 litre	6,734 %	1980,7124 litre	O
160	CM	65	CM	15 LEVEL CM	136,3111 litre	6,419 %	1987,4055 litre	O
160	CM	65	CM	14,5 LEVEL CM	129,7144 litre	6,108 %	1994,0022 litre	O
160	CM	65	CM	14 LEVEL CM	123,2164 litre	5,802 %	2000,5002 litre	O
160	CM	65	CM	13,5 LEVEL CM	116,8196 litre	5,501 %	2006,8970 litre	O
160	CM	65	CM	13 LEVEL CM	110,5267 litre	5,204 %	2013,1899 litre	O
160	CM	65	CM	12,5 LEVEL CM	104,3406 litre	4,913 %	2019,3760 litre	O
160	CM	65	CM	12 LEVEL CM	98,2640 litre	4,627 %	2025,4526 litre	O
160	CM	65	CM	11,5 LEVEL CM	92,3001 litre	4,346 %	2031,4165 litre	O
160	CM	65	CM	11 LEVEL CM	86,4522 litre	4,071 %	2037,2644 litre	O
160	CM	65	CM	10,5 LEVEL CM	80,7236 litre	3,801 %	2042,9930 litre	O
160	CM	65	CM	10 LEVEL CM	75,1182 litre	3,537 %	2048,5984 litre	O
160	CM	65	CM	9,5 LEVEL CM	69,6399 litre	3,279 %	2054,0767 litre	O
160	CM	65	CM	9 LEVEL CM	64,2928 litre	3,027 %	2059,4238 litre	O
160	CM	65	CM	8,5 LEVEL CM	59,0814 litre	2,782 %	2064,6352 litre	O
160	CM	65	CM	8 LEVEL CM	54,0108 litre	2,543 %	2069,7058 litre	O
160	CM	65	CM	7,5 LEVEL CM	49,0862 litre	2,311 %	2074,6304 litre	O
160	CM	65	CM	7 LEVEL CM	44,3134 litre	2,087 %	2079,4032 litre	O
160	CM	65	CM	6,5 LEVEL CM	39,6987 litre	1,869 %	2084,0179 litre	O
160	CM	65	CM	6 LEVEL CM	35,2493 litre	1,660 %	2088,4673 litre	O
160	CM	65	CM	5,5 LEVEL CM	30,9731 litre	1,458 %	2092,7435 litre	O
160	CM	65	CM	5 LEVEL CM	26,8788 litre	1,266 %	2096,8378 litre	O
160	CM	65	CM	4,5 LEVEL CM	22,9767 litre	1,082 %	2100,7399 litre	O
160	CM	65	CM	4 LEVEL CM	19,2784 litre	0,908 %	2104,4382 litre	O
160	CM	65	CM	3,5 LEVEL CM	15,7977 litre	0,744 %	2107,9189 litre	O
160	CM	65	CM	3 LEVEL CM	12,5511 litre	0,591 %	2111,1655 litre	O
160	CM	65	CM	2,5 LEVEL CM	9,5591 litre	0,450 %	2114,1575 litre	O
160	CM	65	CM	2 LEVEL CM	6,8480 litre	0,322 %	2116,8686 litre	O
160	CM	65	CM	1,5 LEVEL CM	4,4531 litre	0,210 %	2119,2635 litre	O
160	CM	65	CM	1 LEVEL CM	2,4268 litre	0,114 %	2121,2898 litre	O
160	CM	65	CM	0,5 LEVEL CM	0,8590 litre	0,040 %	2122,8576 litre	O
160	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	2123,7166 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
160	CM	60	CM 120 LEVEL CM	1809,5574 litre	100,000 %	0,0000 litre	O
160	CM	60	CM 119,5 LEVEL CM	1808,7322 litre	99,954 %	0,8252 litre	O
160	CM	60	CM 119 LEVEL CM	1807,2263 litre	99,871 %	2,3311 litre	O
160	CM	60	CM 118,5 LEVEL CM	1805,2803 litre	99,764 %	4,2771 litre	O
160	CM	60	CM 118 LEVEL CM	1802,9806 litre	99,637 %	6,5768 litre	O
160	CM	60	CM 117,5 LEVEL CM	1800,3777 litre	99,493 %	9,1797 litre	O
160	CM	60	CM 117 LEVEL CM	1797,5057 litre	99,334 %	12,0517 litre	O
160	CM	60	CM 116,5 LEVEL CM	1794,3899 litre	99,162 %	15,1675 litre	O
160	CM	60	CM 116 LEVEL CM	1791,0499 litre	98,977 %	18,5075 litre	O
160	CM	60	CM 115,5 LEVEL CM	1787,5017 litre	98,781 %	22,0557 litre	O
160	CM	60	CM 115 LEVEL CM	1783,7585 litre	98,574 %	25,7989 litre	O
160	CM	60	CM 114,5 LEVEL CM	1779,8318 litre	98,357 %	29,7256 litre	O
160	CM	60	CM 114 LEVEL CM	1775,7312 litre	98,131 %	33,8262 litre	O
160	CM	60	CM 113,5 LEVEL CM	1771,4654 litre	97,895 %	38,0920 litre	O
160	CM	60	CM 113 LEVEL CM	1767,0419 litre	97,651 %	42,5155 litre	O
160	CM	60	CM 112,5 LEVEL CM	1762,4677 litre	97,398 %	47,0897 litre	O
160	CM	60	CM 112 LEVEL CM	1757,7487 litre	97,137 %	51,8087 litre	O
160	CM	60	CM 111,5 LEVEL CM	1752,8908 litre	96,868 %	56,6666 litre	O
160	CM	60	CM 111 LEVEL CM	1747,8990 litre	96,593 %	61,6584 litre	O
160	CM	60	CM 110,5 LEVEL CM	1742,7781 litre	96,310 %	66,7793 litre	O
160	CM	60	CM 110 LEVEL CM	1737,5325 litre	96,020 %	72,0249 litre	O
160	CM	60	CM 109,5 LEVEL CM	1732,1662 litre	95,723 %	77,3912 litre	O
160	CM	60	CM 109 LEVEL CM	1726,6832 litre	95,420 %	82,8742 litre	O
160	CM	60	CM 108,5 LEVEL CM	1721,0869 litre	95,111 %	88,4705 litre	O
160	CM	60	CM 108 LEVEL CM	1715,3807 litre	94,796 %	94,1767 litre	O
160	CM	60	CM 107,5 LEVEL CM	1709,5679 litre	94,474 %	99,9895 litre	O
160	CM	60	CM 107 LEVEL CM	1703,6514 litre	94,147 %	105,9060 litre	O
160	CM	60	CM 106,5 LEVEL CM	1697,6341 litre	93,815 %	111,9233 litre	O
160	CM	60	CM 106 LEVEL CM	1691,5186 litre	93,477 %	118,0388 litre	O
160	CM	60	CM 105,5 LEVEL CM	1685,3076 litre	93,134 %	124,2498 litre	O
160	CM	60	CM 105 LEVEL CM	1679,0036 litre	92,785 %	130,5538 litre	O
160	CM	60	CM 104,5 LEVEL CM	1672,6088 litre	92,432 %	136,9486 litre	O
160	CM	60	CM 104 LEVEL CM	1666,1256 litre	92,074 %	143,4318 litre	O
160	CM	60	CM 103,5 LEVEL CM	1659,5560 litre	91,711 %	150,0014 litre	O
160	CM	60	CM 103 LEVEL CM	1652,9023 litre	91,343 %	156,6551 litre	O
160	CM	60	CM 102,5 LEVEL CM	1646,1663 litre	90,971 %	163,3911 litre	O
160	CM	60	CM 102 LEVEL CM	1639,3500 litre	90,594 %	170,2074 litre	O
160	CM	60	CM 101,5 LEVEL CM	1632,4554 litre	90,213 %	177,1020 litre	O
160	CM	60	CM 101 LEVEL CM	1625,4841 litre	89,828 %	184,0733 litre	O
160	CM	60	CM 100,5 LEVEL CM	1618,4379 litre	89,438 %	191,1195 litre	O
160	CM	60	CM 100 LEVEL CM	1611,3185 litre	89,045 %	198,2389 litre	O
160	CM	60	CM 99,5 LEVEL CM	1604,1276 litre	88,648 %	205,4298 litre	O
160	CM	60	CM 99 LEVEL CM	1596,8667 litre	88,246 %	212,6907 litre	O
160	CM	60	CM 98,5 LEVEL CM	1589,5374 litre	87,841 %	220,0200 litre	O
160	CM	60	CM 98 LEVEL CM	1582,1411 litre	87,432 %	227,4163 litre	O
160	CM	60	CM 97,5 LEVEL CM	1574,6794 litre	87,020 %	234,8780 litre	O
160	CM	60	CM 97 LEVEL CM	1567,1536 litre	86,604 %	242,4038 litre	O
160	CM	60	CM 96,5 LEVEL CM	1559,5651 litre	86,185 %	249,9923 litre	O
160	CM	60	CM 96 LEVEL CM	1551,9153 litre	85,762 %	257,6421 litre	O
160	CM	60	CM 95,5 LEVEL CM	1544,2055 litre	85,336 %	265,3519 litre	O
160	CM	60	CM 95 LEVEL CM	1536,4370 litre	84,907 %	273,1204 litre	O
160	CM	60	CM 94,5 LEVEL CM	1528,6111 litre	84,474 %	280,9463 litre	O

160	CM	60	CM	94 LEVEL CM	1520,7289 litre	84,039 %	288,8285 litre	O
160	CM	60	CM	93,5 LEVEL CM	1512,7917 litre	83,600 %	296,7657 litre	O
160	CM	60	CM	93 LEVEL CM	1504,8006 litre	83,158 %	304,7568 litre	O
160	CM	60	CM	92,5 LEVEL CM	1496,7569 litre	82,714 %	312,8005 litre	O
160	CM	60	CM	92 LEVEL CM	1488,6616 litre	82,267 %	320,8958 litre	O
160	CM	60	CM	91,5 LEVEL CM	1480,5159 litre	81,816 %	329,0415 litre	O
160	CM	60	CM	91 LEVEL CM	1472,3208 litre	81,364 %	337,2366 litre	O
160	CM	60	CM	90,5 LEVEL CM	1464,0775 litre	80,908 %	345,4799 litre	O
160	CM	60	CM	90 LEVEL CM	1455,7869 litre	80,450 %	353,7705 litre	O
160	CM	60	CM	89,5 LEVEL CM	1447,4501 litre	79,989 %	362,1073 litre	O
160	CM	60	CM	89 LEVEL CM	1439,0682 litre	79,526 %	370,4892 litre	O
160	CM	60	CM	88,5 LEVEL CM	1430,6421 litre	79,060 %	378,9153 litre	O
160	CM	60	CM	88 LEVEL CM	1422,1728 litre	78,592 %	387,3846 litre	O
160	CM	60	CM	87,5 LEVEL CM	1413,6613 litre	78,122 %	395,8961 litre	O
160	CM	60	CM	87 LEVEL CM	1405,1085 litre	77,649 %	404,4489 litre	O
160	CM	60	CM	86,5 LEVEL CM	1396,5154 litre	77,174 %	413,0420 litre	O
160	CM	60	CM	86 LEVEL CM	1387,8830 litre	76,697 %	421,6744 litre	O
160	CM	60	CM	85,5 LEVEL CM	1379,2121 litre	76,218 %	430,3453 litre	O
160	CM	60	CM	85 LEVEL CM	1370,5036 litre	75,737 %	439,0538 litre	O
160	CM	60	CM	84,5 LEVEL CM	1361,7584 litre	75,254 %	447,7990 litre	O
160	CM	60	CM	84 LEVEL CM	1352,9775 litre	74,768 %	456,5799 litre	O
160	CM	60	CM	83,5 LEVEL CM	1344,1616 litre	74,281 %	465,3958 litre	O
160	CM	60	CM	83 LEVEL CM	1335,3117 litre	73,792 %	474,2457 litre	O
160	CM	60	CM	82,5 LEVEL CM	1326,4286 litre	73,301 %	483,1288 litre	O
160	CM	60	CM	82 LEVEL CM	1317,5131 litre	72,809 %	492,0443 litre	O
160	CM	60	CM	81,5 LEVEL CM	1308,5661 litre	72,314 %	500,9913 litre	O
160	CM	60	CM	81 LEVEL CM	1299,5884 litre	71,818 %	509,9690 litre	O
160	CM	60	CM	80,5 LEVEL CM	1290,5808 litre	71,320 %	518,9766 litre	O
160	CM	60	CM	80 LEVEL CM	1281,5441 litre	70,821 %	528,0133 litre	O
160	CM	60	CM	79,5 LEVEL CM	1272,4791 litre	70,320 %	537,0783 litre	O
160	CM	60	CM	79 LEVEL CM	1263,3866 litre	69,817 %	546,1708 litre	O
160	CM	60	CM	78,5 LEVEL CM	1254,2675 litre	69,313 %	555,2899 litre	O
160	CM	60	CM	78 LEVEL CM	1245,1223 litre	68,808 %	564,4351 litre	O
160	CM	60	CM	77,5 LEVEL CM	1235,9521 litre	68,301 %	573,6053 litre	O
160	CM	60	CM	77 LEVEL CM	1226,7574 litre	67,793 %	582,8000 litre	O
160	CM	60	CM	76,5 LEVEL CM	1217,5391 litre	67,284 %	592,0183 litre	O
160	CM	60	CM	76 LEVEL CM	1208,2979 litre	66,773 %	601,2595 litre	O
160	CM	60	CM	75,5 LEVEL CM	1199,0346 litre	66,261 %	610,5228 litre	O
160	CM	60	CM	75 LEVEL CM	1189,7499 litre	65,748 %	619,8075 litre	O
160	CM	60	CM	74,5 LEVEL CM	1180,4445 litre	65,234 %	629,1129 litre	O
160	CM	60	CM	74 LEVEL CM	1171,1193 litre	64,719 %	638,4381 litre	O
160	CM	60	CM	73,5 LEVEL CM	1161,7748 litre	64,202 %	647,7826 litre	O
160	CM	60	CM	73 LEVEL CM	1152,4118 litre	63,685 %	657,1456 litre	O
160	CM	60	CM	72,5 LEVEL CM	1143,0311 litre	63,166 %	666,5263 litre	O
160	CM	60	CM	72 LEVEL CM	1133,6333 litre	62,647 %	675,9241 litre	O
160	CM	60	CM	71,5 LEVEL CM	1124,2192 litre	62,127 %	685,3382 litre	O
160	CM	60	CM	71 LEVEL CM	1114,7895 litre	61,606 %	694,7679 litre	O
160	CM	60	CM	70,5 LEVEL CM	1105,3449 litre	61,084 %	704,2125 litre	O
160	CM	60	CM	70 LEVEL CM	1095,8861 litre	60,561 %	713,6713 litre	O
160	CM	60	CM	69,5 LEVEL CM	1086,4137 litre	60,038 %	723,1437 litre	O
160	CM	60	CM	69 LEVEL CM	1076,9285 litre	59,513 %	732,6289 litre	O
160	CM	60	CM	68,5 LEVEL CM	1067,4311 litre	58,989 %	742,1263 litre	O
160	CM	60	CM	68 LEVEL CM	1057,9224 litre	58,463 %	751,6350 litre	O

160	CM	60	CM	67,5 LEVEL CM	1048,4028 litre	57,937 %	761,1546 litre	O
160	CM	60	CM	67 LEVEL CM	1038,8732 litre	57,410 %	770,6842 litre	O
160	CM	60	CM	66,5 LEVEL CM	1029,3341 litre	56,883 %	780,2233 litre	O
160	CM	60	CM	66 LEVEL CM	1019,7864 litre	56,356 %	789,7710 litre	O
160	CM	60	CM	65,5 LEVEL CM	1010,2306 litre	55,827 %	799,3268 litre	O
160	CM	60	CM	65 LEVEL CM	1000,6675 litre	55,299 %	808,8899 litre	O
160	CM	60	CM	64,5 LEVEL CM	991,0976 litre	54,770 %	818,4598 litre	O
160	CM	60	CM	64 LEVEL CM	981,5218 litre	54,241 %	828,0356 litre	O
160	CM	60	CM	63,5 LEVEL CM	971,9406 litre	53,712 %	837,6168 litre	O
160	CM	60	CM	63 LEVEL CM	962,3547 litre	53,182 %	847,2027 litre	O
160	CM	60	CM	62,5 LEVEL CM	952,7648 litre	52,652 %	856,7926 litre	O
160	CM	60	CM	62 LEVEL CM	943,1716 litre	52,122 %	866,3858 litre	O
160	CM	60	CM	61,5 LEVEL CM	933,5757 litre	51,591 %	875,9817 litre	O
160	CM	60	CM	61 LEVEL CM	923,9778 litre	51,061 %	885,5796 litre	O
160	CM	60	CM	60,5 LEVEL CM	914,3786 litre	50,531 %	895,1788 litre	O
160	CM	60	CM	60 LEVEL CM	904,7787 litre	50,000 %	904,7787 litre	O
160	CM	60	CM	59,5 LEVEL CM	895,1788 litre	49,469 %	914,3786 litre	O
160	CM	60	CM	59 LEVEL CM	885,5796 litre	48,939 %	923,9778 litre	O
160	CM	60	CM	58,5 LEVEL CM	875,9817 litre	48,409 %	933,5757 litre	O
160	CM	60	CM	58 LEVEL CM	866,3858 litre	47,878 %	943,1716 litre	O
160	CM	60	CM	57,5 LEVEL CM	856,7926 litre	47,348 %	952,7648 litre	O
160	CM	60	CM	57 LEVEL CM	847,2027 litre	46,818 %	962,3547 litre	O
160	CM	60	CM	56,5 LEVEL CM	837,6168 litre	46,288 %	971,9406 litre	O
160	CM	60	CM	56 LEVEL CM	828,0356 litre	45,759 %	981,5218 litre	O
160	CM	60	CM	55,5 LEVEL CM	818,4598 litre	45,230 %	991,0976 litre	O
160	CM	60	CM	55 LEVEL CM	808,8899 litre	44,701 %	1000,6675 litre	O
160	CM	60	CM	54,5 LEVEL CM	799,3268 litre	44,173 %	1010,2306 litre	O
160	CM	60	CM	54 LEVEL CM	789,7710 litre	43,644 %	1019,7864 litre	O
160	CM	60	CM	53,5 LEVEL CM	780,2232 litre	43,117 %	1029,3342 litre	O
160	CM	60	CM	53 LEVEL CM	770,6842 litre	42,590 %	1038,8732 litre	O
160	CM	60	CM	52,5 LEVEL CM	761,1546 litre	42,063 %	1048,4028 litre	O
160	CM	60	CM	52 LEVEL CM	751,6350 litre	41,537 %	1057,9224 litre	O
160	CM	60	CM	51,5 LEVEL CM	742,1262 litre	41,011 %	1067,4312 litre	O
160	CM	60	CM	51 LEVEL CM	732,6289 litre	40,487 %	1076,9285 litre	O
160	CM	60	CM	50,5 LEVEL CM	723,1437 litre	39,962 %	1086,4137 litre	O
160	CM	60	CM	50 LEVEL CM	713,6713 litre	39,439 %	1095,8861 litre	O
160	CM	60	CM	49,5 LEVEL CM	704,2125 litre	38,916 %	1105,3449 litre	O
160	CM	60	CM	49 LEVEL CM	694,7678 litre	38,394 %	1114,7896 litre	O
160	CM	60	CM	48,5 LEVEL CM	685,3381 litre	37,873 %	1124,2193 litre	O
160	CM	60	CM	48 LEVEL CM	675,9240 litre	37,353 %	1133,6334 litre	O
160	CM	60	CM	47,5 LEVEL CM	666,5263 litre	36,834 %	1143,0311 litre	O
160	CM	60	CM	47 LEVEL CM	657,1456 litre	36,315 %	1152,4118 litre	O
160	CM	60	CM	46,5 LEVEL CM	647,7826 litre	35,798 %	1161,7748 litre	O
160	CM	60	CM	46 LEVEL CM	638,4381 litre	35,281 %	1171,1193 litre	O
160	CM	60	CM	45,5 LEVEL CM	629,1128 litre	34,766 %	1180,4446 litre	O
160	CM	60	CM	45 LEVEL CM	619,8075 litre	34,252 %	1189,7499 litre	O
160	CM	60	CM	44,5 LEVEL CM	610,5227 litre	33,739 %	1199,0347 litre	O
160	CM	60	CM	44 LEVEL CM	601,2594 litre	33,227 %	1208,2980 litre	O
160	CM	60	CM	43,5 LEVEL CM	592,0183 litre	32,716 %	1217,5391 litre	O
160	CM	60	CM	43 LEVEL CM	582,8000 litre	32,207 %	1226,7574 litre	O
160	CM	60	CM	42,5 LEVEL CM	573,6053 litre	31,699 %	1235,9521 litre	O
160	CM	60	CM	42 LEVEL CM	564,4350 litre	31,192 %	1245,1224 litre	O
160	CM	60	CM	41,5 LEVEL CM	555,2899 litre	30,687 %	1254,2675 litre	O

160	CM	60	CM	41 LEVEL CM	546,1707 litre	30,183 %	1263,3867 litre	O
160	CM	60	CM	40,5 LEVEL CM	537,0783 litre	29,680 %	1272,4791 litre	O
160	CM	60	CM	40 LEVEL CM	528,0133 litre	29,179 %	1281,5441 litre	O
160	CM	60	CM	39,5 LEVEL CM	518,9766 litre	28,680 %	1290,5808 litre	O
160	CM	60	CM	39 LEVEL CM	509,9690 litre	28,182 %	1299,5884 litre	O
160	CM	60	CM	38,5 LEVEL CM	500,9913 litre	27,686 %	1308,5661 litre	O
160	CM	60	CM	38 LEVEL CM	492,0443 litre	27,191 %	1317,5131 litre	O
160	CM	60	CM	37,5 LEVEL CM	483,1288 litre	26,699 %	1326,4286 litre	O
160	CM	60	CM	37 LEVEL CM	474,2457 litre	26,208 %	1335,3117 litre	O
160	CM	60	CM	36,5 LEVEL CM	465,3958 litre	25,719 %	1344,1616 litre	O
160	CM	60	CM	36 LEVEL CM	456,5799 litre	25,232 %	1352,9775 litre	O
160	CM	60	CM	35,5 LEVEL CM	447,7989 litre	24,746 %	1361,7585 litre	O
160	CM	60	CM	35 LEVEL CM	439,0538 litre	24,263 %	1370,5036 litre	O
160	CM	60	CM	34,5 LEVEL CM	430,3453 litre	23,782 %	1379,2121 litre	O
160	CM	60	CM	34 LEVEL CM	421,6744 litre	23,303 %	1387,8830 litre	O
160	CM	60	CM	33,5 LEVEL CM	413,0419 litre	22,826 %	1396,5155 litre	O
160	CM	60	CM	33 LEVEL CM	404,4488 litre	22,351 %	1405,1086 litre	O
160	CM	60	CM	32,5 LEVEL CM	395,8961 litre	21,878 %	1413,6613 litre	O
160	CM	60	CM	32 LEVEL CM	387,3846 litre	21,408 %	1422,1728 litre	O
160	CM	60	CM	31,5 LEVEL CM	378,9153 litre	20,940 %	1430,6421 litre	O
160	CM	60	CM	31 LEVEL CM	370,4892 litre	20,474 %	1439,0682 litre	O
160	CM	60	CM	30,5 LEVEL CM	362,1072 litre	20,011 %	1447,4502 litre	O
160	CM	60	CM	30 LEVEL CM	353,7705 litre	19,550 %	1455,7869 litre	O
160	CM	60	CM	29,5 LEVEL CM	345,4799 litre	19,092 %	1464,0775 litre	O
160	CM	60	CM	29 LEVEL CM	337,2365 litre	18,636 %	1472,3209 litre	O
160	CM	60	CM	28,5 LEVEL CM	329,0415 litre	18,184 %	1480,5159 litre	O
160	CM	60	CM	28 LEVEL CM	320,8957 litre	17,733 %	1488,6617 litre	O
160	CM	60	CM	27,5 LEVEL CM	312,8005 litre	17,286 %	1496,7569 litre	O
160	CM	60	CM	27 LEVEL CM	304,7567 litre	16,842 %	1504,8007 litre	O
160	CM	60	CM	26,5 LEVEL CM	296,7657 litre	16,400 %	1512,7917 litre	O
160	CM	60	CM	26 LEVEL CM	288,8285 litre	15,961 %	1520,7289 litre	O
160	CM	60	CM	25,5 LEVEL CM	280,9463 litre	15,526 %	1528,6111 litre	O
160	CM	60	CM	25 LEVEL CM	273,1203 litre	15,093 %	1536,4371 litre	O
160	CM	60	CM	24,5 LEVEL CM	265,3518 litre	14,664 %	1544,2056 litre	O
160	CM	60	CM	24 LEVEL CM	257,6420 litre	14,238 %	1551,9154 litre	O
160	CM	60	CM	23,5 LEVEL CM	249,9923 litre	13,815 %	1559,5651 litre	O
160	CM	60	CM	23 LEVEL CM	242,4038 litre	13,396 %	1567,1536 litre	O
160	CM	60	CM	22,5 LEVEL CM	234,8780 litre	12,980 %	1574,6794 litre	O
160	CM	60	CM	22 LEVEL CM	227,4163 litre	12,568 %	1582,1411 litre	O
160	CM	60	CM	21,5 LEVEL CM	220,0200 litre	12,159 %	1589,5374 litre	O
160	CM	60	CM	21 LEVEL CM	212,6907 litre	11,754 %	1596,8667 litre	O
160	CM	60	CM	20,5 LEVEL CM	205,4298 litre	11,352 %	1604,1276 litre	O
160	CM	60	CM	20 LEVEL CM	198,2389 litre	10,955 %	1611,3185 litre	O
160	CM	60	CM	19,5 LEVEL CM	191,1195 litre	10,562 %	1618,4379 litre	O
160	CM	60	CM	19 LEVEL CM	184,0733 litre	10,172 %	1625,4841 litre	O
160	CM	60	CM	18,5 LEVEL CM	177,1020 litre	9,787 %	1632,4554 litre	O
160	CM	60	CM	18 LEVEL CM	170,2073 litre	9,406 %	1639,3501 litre	O
160	CM	60	CM	17,5 LEVEL CM	163,3911 litre	9,029 %	1646,1663 litre	O
160	CM	60	CM	17 LEVEL CM	156,6551 litre	8,657 %	1652,9023 litre	O
160	CM	60	CM	16,5 LEVEL CM	150,0013 litre	8,289 %	1659,5561 litre	O
160	CM	60	CM	16 LEVEL CM	143,4318 litre	7,926 %	1666,1256 litre	O
160	CM	60	CM	15,5 LEVEL CM	136,9486 litre	7,568 %	1672,6088 litre	O
160	CM	60	CM	15 LEVEL CM	130,5538 litre	7,215 %	1679,0036 litre	O

160	CM	60	CM	14,5 LEVEL CM	124,2497 litre	6,866 %	1685,3077 litre	O
160	CM	60	CM	14 LEVEL CM	118,0387 litre	6,523 %	1691,5187 litre	O
160	CM	60	CM	13,5 LEVEL CM	111,9233 litre	6,185 %	1697,6341 litre	O
160	CM	60	CM	13 LEVEL CM	105,9060 litre	5,853 %	1703,6514 litre	O
160	CM	60	CM	12,5 LEVEL CM	99,9895 litre	5,526 %	1709,5679 litre	O
160	CM	60	CM	12 LEVEL CM	94,1766 litre	5,204 %	1715,3808 litre	O
160	CM	60	CM	11,5 LEVEL CM	88,4705 litre	4,889 %	1721,0869 litre	O
160	CM	60	CM	11 LEVEL CM	82,8742 litre	4,580 %	1726,6832 litre	O
160	CM	60	CM	10,5 LEVEL CM	77,3911 litre	4,277 %	1732,1663 litre	O
160	CM	60	CM	10 LEVEL CM	72,0249 litre	3,980 %	1737,5325 litre	O
160	CM	60	CM	9,5 LEVEL CM	66,7793 litre	3,690 %	1742,7781 litre	O
160	CM	60	CM	9 LEVEL CM	61,6584 litre	3,407 %	1747,8990 litre	O
160	CM	60	CM	8,5 LEVEL CM	56,6666 litre	3,132 %	1752,8908 litre	O
160	CM	60	CM	8 LEVEL CM	51,8086 litre	2,863 %	1757,7488 litre	O
160	CM	60	CM	7,5 LEVEL CM	47,0897 litre	2,602 %	1762,4677 litre	O
160	CM	60	CM	7 LEVEL CM	42,5154 litre	2,349 %	1767,0420 litre	O
160	CM	60	CM	6,5 LEVEL CM	38,0920 litre	2,105 %	1771,4654 litre	O
160	CM	60	CM	6 LEVEL CM	33,8261 litre	1,869 %	1775,7313 litre	O
160	CM	60	CM	5,5 LEVEL CM	29,7256 litre	1,643 %	1779,8318 litre	O
160	CM	60	CM	5 LEVEL CM	25,7988 litre	1,426 %	1783,7586 litre	O
160	CM	60	CM	4,5 LEVEL CM	22,0557 litre	1,219 %	1787,5017 litre	O
160	CM	60	CM	4 LEVEL CM	18,5075 litre	1,023 %	1791,0499 litre	O
160	CM	60	CM	3,5 LEVEL CM	15,1675 litre	0,838 %	1794,3899 litre	O
160	CM	60	CM	3 LEVEL CM	12,0517 litre	0,666 %	1797,5057 litre	O
160	CM	60	CM	2,5 LEVEL CM	9,1797 litre	0,507 %	1800,3777 litre	O
160	CM	60	CM	2 LEVEL CM	6,5767 litre	0,363 %	1802,9807 litre	O
160	CM	60	CM	1,5 LEVEL CM	4,2771 litre	0,236 %	1805,2803 litre	O
160	CM	60	CM	1 LEVEL CM	2,3311 litre	0,129 %	1807,2263 litre	O
160	CM	60	CM	0,5 LEVEL CM	0,8252 litre	0,046 %	1808,7322 litre	O
160	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	1809,5574 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
160	CM	55	CM 110 LEVEL CM	1520,5308 litre	100,000 %	0,0000 litre	O
160	CM	55	CM 109,5 LEVEL CM	1519,7409 litre	99,948 %	0,7899 litre	O
160	CM	55	CM 109 LEVEL CM	1518,2995 litre	99,853 %	2,2313 litre	O
160	CM	55	CM 108,5 LEVEL CM	1516,4372 litre	99,731 %	4,0936 litre	O
160	CM	55	CM 108 LEVEL CM	1514,2370 litre	99,586 %	6,2938 litre	O
160	CM	55	CM 107,5 LEVEL CM	1511,7471 litre	99,422 %	8,7837 litre	O
160	CM	55	CM 107 LEVEL CM	1509,0003 litre	99,242 %	11,5305 litre	O
160	CM	55	CM 106,5 LEVEL CM	1506,0208 litre	99,046 %	14,5100 litre	O
160	CM	55	CM 106 LEVEL CM	1502,8277 litre	98,836 %	17,7031 litre	O
160	CM	55	CM 105,5 LEVEL CM	1499,4363 litre	98,613 %	21,0945 litre	O
160	CM	55	CM 105 LEVEL CM	1495,8592 litre	98,377 %	24,6716 litre	O
160	CM	55	CM 104,5 LEVEL CM	1492,1075 litre	98,131 %	28,4233 litre	O
160	CM	55	CM 104 LEVEL CM	1488,1905 litre	97,873 %	32,3403 litre	O
160	CM	55	CM 103,5 LEVEL CM	1484,1165 litre	97,605 %	36,4143 litre	O
160	CM	55	CM 103 LEVEL CM	1479,8928 litre	97,327 %	40,6380 litre	O
160	CM	55	CM 102,5 LEVEL CM	1475,5261 litre	97,040 %	45,0047 litre	O
160	CM	55	CM 102 LEVEL CM	1471,0223 litre	96,744 %	49,5085 litre	O
160	CM	55	CM 101,5 LEVEL CM	1466,3868 litre	96,439 %	54,1440 litre	O
160	CM	55	CM 101 LEVEL CM	1461,6247 litre	96,126 %	58,9061 litre	O
160	CM	55	CM 100,5 LEVEL CM	1456,7404 litre	95,805 %	63,7904 litre	O
160	CM	55	CM 100 LEVEL CM	1451,7383 litre	95,476 %	68,7925 litre	O
160	CM	55	CM 99,5 LEVEL CM	1446,6224 litre	95,139 %	73,9084 litre	O
160	CM	55	CM 99 LEVEL CM	1441,3963 litre	94,796 %	79,1345 litre	O
160	CM	55	CM 98,5 LEVEL CM	1436,0635 litre	94,445 %	84,4673 litre	O
160	CM	55	CM 98 LEVEL CM	1430,6273 litre	94,087 %	89,9035 litre	O
160	CM	55	CM 97,5 LEVEL CM	1425,0908 litre	93,723 %	95,4400 litre	O
160	CM	55	CM 97 LEVEL CM	1419,4569 litre	93,353 %	101,0739 litre	O
160	CM	55	CM 96,5 LEVEL CM	1413,7283 litre	92,976 %	106,8025 litre	O
160	CM	55	CM 96 LEVEL CM	1407,9078 litre	92,593 %	112,6230 litre	O
160	CM	55	CM 95,5 LEVEL CM	1401,9978 litre	92,204 %	118,5330 litre	O
160	CM	55	CM 95 LEVEL CM	1396,0007 litre	91,810 %	124,5301 litre	O
160	CM	55	CM 94,5 LEVEL CM	1389,9188 litre	91,410 %	130,6120 litre	O
160	CM	55	CM 94 LEVEL CM	1383,7543 litre	91,005 %	136,7765 litre	O
160	CM	55	CM 93,5 LEVEL CM	1377,5094 litre	90,594 %	143,0214 litre	O
160	CM	55	CM 93 LEVEL CM	1371,1861 litre	90,178 %	149,3447 litre	O
160	CM	55	CM 92,5 LEVEL CM	1364,7863 litre	89,757 %	155,7445 litre	O
160	CM	55	CM 92 LEVEL CM	1358,3119 litre	89,331 %	162,2189 litre	O
160	CM	55	CM 91,5 LEVEL CM	1351,7648 litre	88,901 %	168,7660 litre	O
160	CM	55	CM 91 LEVEL CM	1345,1467 litre	88,466 %	175,3841 litre	O
160	CM	55	CM 90,5 LEVEL CM	1338,4594 litre	88,026 %	182,0714 litre	O
160	CM	55	CM 90 LEVEL CM	1331,7044 litre	87,582 %	188,8264 litre	O
160	CM	55	CM 89,5 LEVEL CM	1324,8834 litre	87,133 %	195,6474 litre	O
160	CM	55	CM 89 LEVEL CM	1317,9980 litre	86,680 %	202,5328 litre	O
160	CM	55	CM 88,5 LEVEL CM	1311,0497 litre	86,223 %	209,4811 litre	O
160	CM	55	CM 88 LEVEL CM	1304,0400 litre	85,762 %	216,4908 litre	O
160	CM	55	CM 87,5 LEVEL CM	1296,9702 litre	85,297 %	223,5606 litre	O
160	CM	55	CM 87 LEVEL CM	1289,8418 litre	84,828 %	230,6890 litre	O
160	CM	55	CM 86,5 LEVEL CM	1282,6562 litre	84,356 %	237,8746 litre	O
160	CM	55	CM 86 LEVEL CM	1275,4147 litre	83,880 %	245,1161 litre	O
160	CM	55	CM 85,5 LEVEL CM	1268,1187 litre	83,400 %	252,4121 litre	O
160	CM	55	CM 85 LEVEL CM	1260,7693 litre	82,916 %	259,7615 litre	O
160	CM	55	CM 84,5 LEVEL CM	1253,3678 litre	82,430 %	267,1630 litre	O

160	CM 55	CM	84 LEVEL CM	1245,9155 litre	81,940 %	274,6153 litre	O
160	CM 55	CM	83,5 LEVEL CM	1238,4135 litre	81,446 %	282,1173 litre	O
160	CM 55	CM	83 LEVEL CM	1230,8631 litre	80,950 %	289,6677 litre	O
160	CM 55	CM	82,5 LEVEL CM	1223,2654 litre	80,450 %	297,2654 litre	O
160	CM 55	CM	82 LEVEL CM	1215,6214 litre	79,947 %	304,9094 litre	O
160	CM 55	CM	81,5 LEVEL CM	1207,9324 litre	79,441 %	312,5984 litre	O
160	CM 55	CM	81 LEVEL CM	1200,1994 litre	78,933 %	320,3314 litre	O
160	CM 55	CM	80,5 LEVEL CM	1192,4235 litre	78,422 %	328,1073 litre	O
160	CM 55	CM	80 LEVEL CM	1184,6057 litre	77,907 %	335,9251 litre	O
160	CM 55	CM	79,5 LEVEL CM	1176,7471 litre	77,391 %	343,7837 litre	O
160	CM 55	CM	79 LEVEL CM	1168,8487 litre	76,871 %	351,6821 litre	O
160	CM 55	CM	78,5 LEVEL CM	1160,9115 litre	76,349 %	359,6193 litre	O
160	CM 55	CM	78 LEVEL CM	1152,9365 litre	75,825 %	367,5943 litre	O
160	CM 55	CM	77,5 LEVEL CM	1144,9246 litre	75,298 %	375,6062 litre	O
160	CM 55	CM	77 LEVEL CM	1136,8769 litre	74,768 %	383,6539 litre	O
160	CM 55	CM	76,5 LEVEL CM	1128,7943 litre	74,237 %	391,7365 litre	O
160	CM 55	CM	76 LEVEL CM	1120,6777 litre	73,703 %	399,8531 litre	O
160	CM 55	CM	75,5 LEVEL CM	1112,5280 litre	73,167 %	408,0028 litre	O
160	CM 55	CM	75 LEVEL CM	1104,3462 litre	72,629 %	416,1846 litre	O
160	CM 55	CM	74,5 LEVEL CM	1096,1332 litre	72,089 %	424,3976 litre	O
160	CM 55	CM	74 LEVEL CM	1087,8898 litre	71,547 %	432,6410 litre	O
160	CM 55	CM	73,5 LEVEL CM	1079,6170 litre	71,003 %	440,9138 litre	O
160	CM 55	CM	73 LEVEL CM	1071,3156 litre	70,457 %	449,2152 litre	O
160	CM 55	CM	72,5 LEVEL CM	1062,9865 litre	69,909 %	457,5443 litre	O
160	CM 55	CM	72 LEVEL CM	1054,6306 litre	69,359 %	465,9002 litre	O
160	CM 55	CM	71,5 LEVEL CM	1046,2486 litre	68,808 %	474,2822 litre	O
160	CM 55	CM	71 LEVEL CM	1037,8415 litre	68,255 %	482,6893 litre	O
160	CM 55	CM	70,5 LEVEL CM	1029,4101 litre	67,701 %	491,1207 litre	O
160	CM 55	CM	70 LEVEL CM	1020,9552 litre	67,145 %	499,5756 litre	O
160	CM 55	CM	69,5 LEVEL CM	1012,4776 litre	66,587 %	508,0532 litre	O
160	CM 55	CM	69 LEVEL CM	1003,9781 litre	66,028 %	516,5527 litre	O
160	CM 55	CM	68,5 LEVEL CM	995,4576 litre	65,468 %	525,0732 litre	O
160	CM 55	CM	68 LEVEL CM	986,9168 litre	64,906 %	533,6140 litre	O
160	CM 55	CM	67,5 LEVEL CM	978,3565 litre	64,343 %	542,1743 litre	O
160	CM 55	CM	67 LEVEL CM	969,7776 litre	63,779 %	550,7532 litre	O
160	CM 55	CM	66,5 LEVEL CM	961,1808 litre	63,214 %	559,3500 litre	O
160	CM 55	CM	66 LEVEL CM	952,5669 litre	62,647 %	567,9639 litre	O
160	CM 55	CM	65,5 LEVEL CM	943,9367 litre	62,079 %	576,5941 litre	O
160	CM 55	CM	65 LEVEL CM	935,2909 litre	61,511 %	585,2399 litre	O
160	CM 55	CM	64,5 LEVEL CM	926,6303 litre	60,941 %	593,9005 litre	O
160	CM 55	CM	64 LEVEL CM	917,9556 litre	60,371 %	602,5752 litre	O
160	CM 55	CM	63,5 LEVEL CM	909,2678 litre	59,799 %	611,2630 litre	O
160	CM 55	CM	63 LEVEL CM	900,5673 litre	59,227 %	619,9635 litre	O
160	CM 55	CM	62,5 LEVEL CM	891,8552 litre	58,654 %	628,6756 litre	O
160	CM 55	CM	62 LEVEL CM	883,1320 litre	58,081 %	637,3988 litre	O
160	CM 55	CM	61,5 LEVEL CM	874,3986 litre	57,506 %	646,1322 litre	O
160	CM 55	CM	61 LEVEL CM	865,6556 litre	56,931 %	654,8752 litre	O
160	CM 55	CM	60,5 LEVEL CM	856,9038 litre	56,356 %	663,6270 litre	O
160	CM 55	CM	60 LEVEL CM	848,1441 litre	55,779 %	672,3867 litre	O
160	CM 55	CM	59,5 LEVEL CM	839,3770 litre	55,203 %	681,1538 litre	O
160	CM 55	CM	59 LEVEL CM	830,6033 litre	54,626 %	689,9275 litre	O
160	CM 55	CM	58,5 LEVEL CM	821,8238 litre	54,048 %	698,7070 litre	O
160	CM 55	CM	58 LEVEL CM	813,0392 litre	53,471 %	707,4916 litre	O

160	CM 55	CM	57,5 LEVEL CM	804,2503 litre	52,893 %	716,2805 litre	O
160	CM 55	CM	57 LEVEL CM	795,4577 litre	52,314 %	725,0731 litre	O
160	CM 55	CM	56,5 LEVEL CM	786,6621 litre	51,736 %	733,8687 litre	O
160	CM 55	CM	56 LEVEL CM	777,8645 litre	51,157 %	742,6663 litre	O
160	CM 55	CM	55,5 LEVEL CM	769,0653 litre	50,579 %	751,4655 litre	O
160	CM 55	CM	55 LEVEL CM	760,2654 litre	50,000 %	760,2654 litre	O
160	CM 55	CM	54,5 LEVEL CM	751,4655 litre	49,421 %	769,0653 litre	O
160	CM 55	CM	54 LEVEL CM	742,6664 litre	48,843 %	777,8644 litre	O
160	CM 55	CM	53,5 LEVEL CM	733,8687 litre	48,264 %	786,6621 litre	O
160	CM 55	CM	53 LEVEL CM	725,0732 litre	47,686 %	795,4576 litre	O
160	CM 55	CM	52,5 LEVEL CM	716,2806 litre	47,107 %	804,2502 litre	O
160	CM 55	CM	52 LEVEL CM	707,4916 litre	46,529 %	813,0392 litre	O
160	CM 55	CM	51,5 LEVEL CM	698,7070 litre	45,952 %	821,8238 litre	O
160	CM 55	CM	51 LEVEL CM	689,9275 litre	45,374 %	830,6033 litre	O
160	CM 55	CM	50,5 LEVEL CM	681,1539 litre	44,797 %	839,3769 litre	O
160	CM 55	CM	50 LEVEL CM	672,3868 litre	44,221 %	848,1440 litre	O
160	CM 55	CM	49,5 LEVEL CM	663,6270 litre	43,644 %	856,9038 litre	O
160	CM 55	CM	49 LEVEL CM	654,8753 litre	43,069 %	865,6555 litre	O
160	CM 55	CM	48,5 LEVEL CM	646,1323 litre	42,494 %	874,3985 litre	O
160	CM 55	CM	48 LEVEL CM	637,3988 litre	41,919 %	883,1320 litre	O
160	CM 55	CM	47,5 LEVEL CM	628,6757 litre	41,346 %	891,8551 litre	O
160	CM 55	CM	47 LEVEL CM	619,9635 litre	40,773 %	900,5673 litre	O
160	CM 55	CM	46,5 LEVEL CM	611,2631 litre	40,201 %	909,2677 litre	O
160	CM 55	CM	46 LEVEL CM	602,5752 litre	39,629 %	917,9556 litre	O
160	CM 55	CM	45,5 LEVEL CM	593,9006 litre	39,059 %	926,6302 litre	O
160	CM 55	CM	45 LEVEL CM	585,2400 litre	38,489 %	935,2908 litre	O
160	CM 55	CM	44,5 LEVEL CM	576,5942 litre	37,921 %	943,9366 litre	O
160	CM 55	CM	44 LEVEL CM	567,9639 litre	37,353 %	952,5669 litre	O
160	CM 55	CM	43,5 LEVEL CM	559,3500 litre	36,786 %	961,1808 litre	O
160	CM 55	CM	43 LEVEL CM	550,7532 litre	36,221 %	969,7776 litre	O
160	CM 55	CM	42,5 LEVEL CM	542,1743 litre	35,657 %	978,3565 litre	O
160	CM 55	CM	42 LEVEL CM	533,6141 litre	35,094 %	986,9167 litre	O
160	CM 55	CM	41,5 LEVEL CM	525,0733 litre	34,532 %	995,4575 litre	O
160	CM 55	CM	41 LEVEL CM	516,5527 litre	33,972 %	1003,9781 litre	O
160	CM 55	CM	40,5 LEVEL CM	508,0533 litre	33,413 %	1012,4775 litre	O
160	CM 55	CM	40 LEVEL CM	499,5757 litre	32,855 %	1020,9551 litre	O
160	CM 55	CM	39,5 LEVEL CM	491,1207 litre	32,299 %	1029,4101 litre	O
160	CM 55	CM	39 LEVEL CM	482,6893 litre	31,745 %	1037,8415 litre	O
160	CM 55	CM	38,5 LEVEL CM	474,2822 litre	31,192 %	1046,2486 litre	O
160	CM 55	CM	38 LEVEL CM	465,9003 litre	30,641 %	1054,6305 litre	O
160	CM 55	CM	37,5 LEVEL CM	457,5443 litre	30,091 %	1062,9865 litre	O
160	CM 55	CM	37 LEVEL CM	449,2152 litre	29,543 %	1071,3156 litre	O
160	CM 55	CM	36,5 LEVEL CM	440,9138 litre	28,997 %	1079,6170 litre	O
160	CM 55	CM	36 LEVEL CM	432,6410 litre	28,453 %	1087,8898 litre	O
160	CM 55	CM	35,5 LEVEL CM	424,3977 litre	27,911 %	1096,1331 litre	O
160	CM 55	CM	35 LEVEL CM	416,1846 litre	27,371 %	1104,3462 litre	O
160	CM 55	CM	34,5 LEVEL CM	408,0028 litre	26,833 %	1112,5280 litre	O
160	CM 55	CM	34 LEVEL CM	399,8532 litre	26,297 %	1120,6776 litre	O
160	CM 55	CM	33,5 LEVEL CM	391,7366 litre	25,763 %	1128,7942 litre	O
160	CM 55	CM	33 LEVEL CM	383,6539 litre	25,232 %	1136,8769 litre	O
160	CM 55	CM	32,5 LEVEL CM	375,6062 litre	24,702 %	1144,9246 litre	O
160	CM 55	CM	32 LEVEL CM	367,5944 litre	24,175 %	1152,9364 litre	O
160	CM 55	CM	31,5 LEVEL CM	359,6193 litre	23,651 %	1160,9115 litre	O

160	CM 55	CM	31 LEVEL CM	351,6821 litre	23,129 %	1168,8487 litre	O
160	CM 55	CM	30,5 LEVEL CM	343,7837 litre	22,609 %	1176,7471 litre	O
160	CM 55	CM	30 LEVEL CM	335,9251 litre	22,093 %	1184,6057 litre	O
160	CM 55	CM	29,5 LEVEL CM	328,1073 litre	21,578 %	1192,4235 litre	O
160	CM 55	CM	29 LEVEL CM	320,3314 litre	21,067 %	1200,1994 litre	O
160	CM 55	CM	28,5 LEVEL CM	312,5984 litre	20,559 %	1207,9324 litre	O
160	CM 55	CM	28 LEVEL CM	304,9094 litre	20,053 %	1215,6214 litre	O
160	CM 55	CM	27,5 LEVEL CM	297,2655 litre	19,550 %	1223,2653 litre	O
160	CM 55	CM	27 LEVEL CM	289,6677 litre	19,050 %	1230,8631 litre	O
160	CM 55	CM	26,5 LEVEL CM	282,1173 litre	18,554 %	1238,4135 litre	O
160	CM 55	CM	26 LEVEL CM	274,6154 litre	18,060 %	1245,9154 litre	O
160	CM 55	CM	25,5 LEVEL CM	267,1630 litre	17,570 %	1253,3678 litre	O
160	CM 55	CM	25 LEVEL CM	259,7616 litre	17,084 %	1260,7692 litre	O
160	CM 55	CM	24,5 LEVEL CM	252,4122 litre	16,600 %	1268,1186 litre	O
160	CM 55	CM	24 LEVEL CM	245,1161 litre	16,120 %	1275,4147 litre	O
160	CM 55	CM	23,5 LEVEL CM	237,8746 litre	15,644 %	1282,6562 litre	O
160	CM 55	CM	23 LEVEL CM	230,6890 litre	15,172 %	1289,8418 litre	O
160	CM 55	CM	22,5 LEVEL CM	223,5607 litre	14,703 %	1296,9701 litre	O
160	CM 55	CM	22 LEVEL CM	216,4909 litre	14,238 %	1304,0399 litre	O
160	CM 55	CM	21,5 LEVEL CM	209,4811 litre	13,777 %	1311,0497 litre	O
160	CM 55	CM	21 LEVEL CM	202,5328 litre	13,320 %	1317,9980 litre	O
160	CM 55	CM	20,5 LEVEL CM	195,6474 litre	12,867 %	1324,8834 litre	O
160	CM 55	CM	20 LEVEL CM	188,8264 litre	12,418 %	1331,7044 litre	O
160	CM 55	CM	19,5 LEVEL CM	182,0715 litre	11,974 %	1338,4593 litre	O
160	CM 55	CM	19 LEVEL CM	175,3841 litre	11,534 %	1345,1467 litre	O
160	CM 55	CM	18,5 LEVEL CM	168,7660 litre	11,099 %	1351,7648 litre	O
160	CM 55	CM	18 LEVEL CM	162,2189 litre	10,669 %	1358,3119 litre	O
160	CM 55	CM	17,5 LEVEL CM	155,7446 litre	10,243 %	1364,7862 litre	O
160	CM 55	CM	17 LEVEL CM	149,3448 litre	9,822 %	1371,1860 litre	O
160	CM 55	CM	16,5 LEVEL CM	143,0214 litre	9,406 %	1377,5094 litre	O
160	CM 55	CM	16 LEVEL CM	136,7765 litre	8,995 %	1383,7543 litre	O
160	CM 55	CM	15,5 LEVEL CM	130,6121 litre	8,590 %	1389,9187 litre	O
160	CM 55	CM	15 LEVEL CM	124,5302 litre	8,190 %	1396,0006 litre	O
160	CM 55	CM	14,5 LEVEL CM	118,5331 litre	7,796 %	1401,9977 litre	O
160	CM 55	CM	14 LEVEL CM	112,6231 litre	7,407 %	1407,9077 litre	O
160	CM 55	CM	13,5 LEVEL CM	106,8025 litre	7,024 %	1413,7283 litre	O
160	CM 55	CM	13 LEVEL CM	101,0740 litre	6,647 %	1419,4568 litre	O
160	CM 55	CM	12,5 LEVEL CM	95,4400 litre	6,277 %	1425,0908 litre	O
160	CM 55	CM	12 LEVEL CM	89,9035 litre	5,913 %	1430,6273 litre	O
160	CM 55	CM	11,5 LEVEL CM	84,4673 litre	5,555 %	1436,0635 litre	O
160	CM 55	CM	11 LEVEL CM	79,1345 litre	5,204 %	1441,3963 litre	O
160	CM 55	CM	10,5 LEVEL CM	73,9084 litre	4,861 %	1446,6224 litre	O
160	CM 55	CM	10 LEVEL CM	68,7925 litre	4,524 %	1451,7383 litre	O
160	CM 55	CM	9,5 LEVEL CM	63,7904 litre	4,195 %	1456,7404 litre	O
160	CM 55	CM	9 LEVEL CM	58,9062 litre	3,874 %	1461,6246 litre	O
160	CM 55	CM	8,5 LEVEL CM	54,1440 litre	3,561 %	1466,3868 litre	O
160	CM 55	CM	8 LEVEL CM	49,5085 litre	3,256 %	1471,0223 litre	O
160	CM 55	CM	7,5 LEVEL CM	45,0047 litre	2,960 %	1475,5261 litre	O
160	CM 55	CM	7 LEVEL CM	40,6380 litre	2,673 %	1479,8928 litre	O
160	CM 55	CM	6,5 LEVEL CM	36,4143 litre	2,395 %	1484,1165 litre	O
160	CM 55	CM	6 LEVEL CM	32,3403 litre	2,127 %	1488,1905 litre	O
160	CM 55	CM	5,5 LEVEL CM	28,4233 litre	1,869 %	1492,1075 litre	O
160	CM 55	CM	5 LEVEL CM	24,6716 litre	1,623 %	1495,8592 litre	O

160	CM	55	CM	4,5 LEVEL CM	21,0946 litre	1,387 %	1499,4362 litre	O
160	CM	55	CM	4 LEVEL CM	17,7031 litre	1,164 %	1502,8277 litre	O
160	CM	55	CM	3,5 LEVEL CM	14,5100 litre	0,954 %	1506,0208 litre	O
160	CM	55	CM	3 LEVEL CM	11,5306 litre	0,758 %	1509,0002 litre	O
160	CM	55	CM	2,5 LEVEL CM	8,7838 litre	0,578 %	1511,7470 litre	O
160	CM	55	CM	2 LEVEL CM	6,2939 litre	0,414 %	1514,2369 litre	O
160	CM	55	CM	1,5 LEVEL CM	4,0936 litre	0,269 %	1516,4372 litre	O
160	CM	55	CM	1 LEVEL CM	2,2313 litre	0,147 %	1518,2995 litre	O
160	CM	55	CM	0,5 LEVEL CM	0,7900 litre	0,052 %	1519,7408 litre	O
160	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	1520,5308 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
160	CM	50	CM	100 LEVEL CM	1256,6371 litre	100,000 %	0,0000 litre	O
160	CM	50	CM	99,5 LEVEL CM	1255,8839 litre	99,940 %	0,7532 litre	O
160	CM	50	CM	99 LEVEL CM	1254,5101 litre	99,831 %	2,1270 litre	O
160	CM	50	CM	98,5 LEVEL CM	1252,7356 litre	99,690 %	3,9015 litre	O
160	CM	50	CM	98 LEVEL CM	1250,6394 litre	99,523 %	5,9977 litre	O
160	CM	50	CM	97,5 LEVEL CM	1248,2679 litre	99,334 %	8,3692 litre	O
160	CM	50	CM	97 LEVEL CM	1245,6522 litre	99,126 %	10,9849 litre	O
160	CM	50	CM	96,5 LEVEL CM	1242,8158 litre	98,900 %	13,8213 litre	O
160	CM	50	CM	96 LEVEL CM	1239,7767 litre	98,658 %	16,8604 litre	O
160	CM	50	CM	95,5 LEVEL CM	1236,5496 litre	98,401 %	20,0875 litre	O
160	CM	50	CM	95 LEVEL CM	1233,1467 litre	98,131 %	23,4904 litre	O
160	CM	50	CM	94,5 LEVEL CM	1229,5785 litre	97,847 %	27,0586 litre	O
160	CM	50	CM	94 LEVEL CM	1225,8541 litre	97,550 %	30,7830 litre	O
160	CM	50	CM	93,5 LEVEL CM	1221,9815 litre	97,242 %	34,6556 litre	O
160	CM	50	CM	93 LEVEL CM	1217,9675 litre	96,923 %	38,6696 litre	O
160	CM	50	CM	92,5 LEVEL CM	1213,8188 litre	96,593 %	42,8183 litre	O
160	CM	50	CM	92 LEVEL CM	1209,5408 litre	96,252 %	47,0963 litre	O
160	CM	50	CM	91,5 LEVEL CM	1205,1391 litre	95,902 %	51,4980 litre	O
160	CM	50	CM	91 LEVEL CM	1200,6182 litre	95,542 %	56,0189 litre	O
160	CM	50	CM	90,5 LEVEL CM	1195,9827 litre	95,173 %	60,6544 litre	O
160	CM	50	CM	90 LEVEL CM	1191,2366 litre	94,796 %	65,4005 litre	O
160	CM	50	CM	89,5 LEVEL CM	1186,3839 litre	94,409 %	70,2532 litre	O
160	CM	50	CM	89 LEVEL CM	1181,4281 litre	94,015 %	75,2090 litre	O
160	CM	50	CM	88,5 LEVEL CM	1176,3725 litre	93,613 %	80,2646 litre	O
160	CM	50	CM	88 LEVEL CM	1171,2204 litre	93,203 %	85,4167 litre	O
160	CM	50	CM	87,5 LEVEL CM	1165,9747 litre	92,785 %	90,6624 litre	O
160	CM	50	CM	87 LEVEL CM	1160,6383 litre	92,361 %	95,9988 litre	O
160	CM	50	CM	86,5 LEVEL CM	1155,2139 litre	91,929 %	101,4232 litre	O
160	CM	50	CM	86 LEVEL CM	1149,7040 litre	91,491 %	106,9331 litre	O
160	CM	50	CM	85,5 LEVEL CM	1144,1111 litre	91,045 %	112,5260 litre	O
160	CM	50	CM	85 LEVEL CM	1138,4375 litre	90,594 %	118,1996 litre	O
160	CM	50	CM	84,5 LEVEL CM	1132,6855 litre	90,136 %	123,9516 litre	O
160	CM	50	CM	84 LEVEL CM	1126,8573 litre	89,672 %	129,7798 litre	O
160	CM	50	CM	83,5 LEVEL CM	1120,9548 litre	89,203 %	135,6823 litre	O
160	CM	50	CM	83 LEVEL CM	1114,9802 litre	88,727 %	141,6569 litre	O
160	CM	50	CM	82,5 LEVEL CM	1108,9352 litre	88,246 %	147,7019 litre	O
160	CM	50	CM	82 LEVEL CM	1102,8218 litre	87,760 %	153,8153 litre	O
160	CM	50	CM	81,5 LEVEL CM	1096,6418 litre	87,268 %	159,9953 litre	O
160	CM	50	CM	81 LEVEL CM	1090,3969 litre	86,771 %	166,2402 litre	O
160	CM	50	CM	80,5 LEVEL CM	1084,0887 litre	86,269 %	172,5484 litre	O
160	CM	50	CM	80 LEVEL CM	1077,7190 litre	85,762 %	178,9181 litre	O
160	CM	50	CM	79,5 LEVEL CM	1071,2892 litre	85,250 %	185,3479 litre	O
160	CM	50	CM	79 LEVEL CM	1064,8010 litre	84,734 %	191,8361 litre	O
160	CM	50	CM	78,5 LEVEL CM	1058,2559 litre	84,213 %	198,3812 litre	O
160	CM	50	CM	78 LEVEL CM	1051,6552 litre	83,688 %	204,9819 litre	O
160	CM	50	CM	77,5 LEVEL CM	1045,0004 litre	83,158 %	211,6367 litre	O
160	CM	50	CM	77 LEVEL CM	1038,2930 litre	82,625 %	218,3441 litre	O
160	CM	50	CM	76,5 LEVEL CM	1031,5343 litre	82,087 %	225,1028 litre	O
160	CM	50	CM	76 LEVEL CM	1024,7255 litre	81,545 %	231,9116 litre	O
160	CM	50	CM	75,5 LEVEL CM	1017,8680 litre	80,999 %	238,7691 litre	O
160	CM	50	CM	75 LEVEL CM	1010,9631 litre	80,450 %	245,6740 litre	O
160	CM	50	CM	74,5 LEVEL CM	1004,0120 litre	79,897 %	252,6251 litre	O

160	CM	50	CM	74 LEVEL CM	997,0160 litre	79,340 %	259,6211 litre	O
160	CM	50	CM	73,5 LEVEL CM	989,9761 litre	78,780 %	266,6610 litre	O
160	CM	50	CM	73 LEVEL CM	982,8937 litre	78,216 %	273,7434 litre	O
160	CM	50	CM	72,5 LEVEL CM	975,7698 litre	77,649 %	280,8673 litre	O
160	CM	50	CM	72 LEVEL CM	968,6056 litre	77,079 %	288,0315 litre	O
160	CM	50	CM	71,5 LEVEL CM	961,4022 litre	76,506 %	295,2349 litre	O
160	CM	50	CM	71 LEVEL CM	954,1607 litre	75,930 %	302,4764 litre	O
160	CM	50	CM	70,5 LEVEL CM	946,8822 litre	75,350 %	309,7549 litre	O
160	CM	50	CM	70 LEVEL CM	939,5677 litre	74,768 %	317,0694 litre	O
160	CM	50	CM	69,5 LEVEL CM	932,2183 litre	74,184 %	324,4188 litre	O
160	CM	50	CM	69 LEVEL CM	924,8350 litre	73,596 %	331,8021 litre	O
160	CM	50	CM	68,5 LEVEL CM	917,4188 litre	73,006 %	339,2183 litre	O
160	CM	50	CM	68 LEVEL CM	909,9708 litre	72,413 %	346,6663 litre	O
160	CM	50	CM	67,5 LEVEL CM	902,4919 litre	71,818 %	354,1452 litre	O
160	CM	50	CM	67 LEVEL CM	894,9831 litre	71,220 %	361,6540 litre	O
160	CM	50	CM	66,5 LEVEL CM	887,4454 litre	70,621 %	369,1917 litre	O
160	CM	50	CM	66 LEVEL CM	879,8798 litre	70,019 %	376,7573 litre	O
160	CM	50	CM	65,5 LEVEL CM	872,2871 litre	69,414 %	384,3500 litre	O
160	CM	50	CM	65 LEVEL CM	864,6683 litre	68,808 %	391,9688 litre	O
160	CM	50	CM	64,5 LEVEL CM	857,0244 litre	68,200 %	399,6127 litre	O
160	CM	50	CM	64 LEVEL CM	849,3562 litre	67,590 %	407,2809 litre	O
160	CM	50	CM	63,5 LEVEL CM	841,6647 litre	66,978 %	414,9724 litre	O
160	CM	50	CM	63 LEVEL CM	833,9507 litre	66,364 %	422,6864 litre	O
160	CM	50	CM	62,5 LEVEL CM	826,2152 litre	65,748 %	430,4219 litre	O
160	CM	50	CM	62 LEVEL CM	818,4591 litre	65,131 %	438,1780 litre	O
160	CM	50	CM	61,5 LEVEL CM	810,6831 litre	64,512 %	445,9540 litre	O
160	CM	50	CM	61 LEVEL CM	802,8883 litre	63,892 %	453,7488 litre	O
160	CM	50	CM	60,5 LEVEL CM	795,0754 litre	63,270 %	461,5617 litre	O
160	CM	50	CM	60 LEVEL CM	787,2454 litre	62,647 %	469,3917 litre	O
160	CM	50	CM	59,5 LEVEL CM	779,3990 litre	62,023 %	477,2381 litre	O
160	CM	50	CM	59 LEVEL CM	771,5371 litre	61,397 %	485,1000 litre	O
160	CM	50	CM	58,5 LEVEL CM	763,6606 litre	60,770 %	492,9765 litre	O
160	CM	50	CM	58 LEVEL CM	755,7703 litre	60,142 %	500,8668 litre	O
160	CM	50	CM	57,5 LEVEL CM	747,8670 litre	59,513 %	508,7701 litre	O
160	CM	50	CM	57 LEVEL CM	739,9516 litre	58,883 %	516,6855 litre	O
160	CM	50	CM	56,5 LEVEL CM	732,0249 litre	58,253 %	524,6122 litre	O
160	CM	50	CM	56 LEVEL CM	724,0876 litre	57,621 %	532,5495 litre	O
160	CM	50	CM	55,5 LEVEL CM	716,1407 litre	56,989 %	540,4964 litre	O
160	CM	50	CM	55 LEVEL CM	708,1850 litre	56,356 %	548,4521 litre	O
160	CM	50	CM	54,5 LEVEL CM	700,2212 litre	55,722 %	556,4159 litre	O
160	CM	50	CM	54 LEVEL CM	692,2502 litre	55,088 %	564,3869 litre	O
160	CM	50	CM	53,5 LEVEL CM	684,2728 litre	54,453 %	572,3643 litre	O
160	CM	50	CM	53 LEVEL CM	676,2897 litre	53,817 %	580,3474 litre	O
160	CM	50	CM	52,5 LEVEL CM	668,3019 litre	53,182 %	588,3352 litre	O
160	CM	50	CM	52 LEVEL CM	660,3100 litre	52,546 %	596,3271 litre	O
160	CM	50	CM	51,5 LEVEL CM	652,3149 litre	51,910 %	604,3222 litre	O
160	CM	50	CM	51 LEVEL CM	644,3175 litre	51,273 %	612,3196 litre	O
160	CM	50	CM	50,5 LEVEL CM	636,3184 litre	50,637 %	620,3187 litre	O
160	CM	50	CM	50 LEVEL CM	628,3185 litre	50,000 %	628,3186 litre	O
160	CM	50	CM	49,5 LEVEL CM	620,3187 litre	49,363 %	636,3184 litre	O
160	CM	50	CM	49 LEVEL CM	612,3196 litre	48,727 %	644,3175 litre	O
160	CM	50	CM	48,5 LEVEL CM	604,3221 litre	48,090 %	652,3150 litre	O
160	CM	50	CM	48 LEVEL CM	596,3271 litre	47,454 %	660,3100 litre	O

160	CM	50	CM	47,5 LEVEL CM	588,3352 litre	46,818 %	668,3019 litre	O
160	CM	50	CM	47 LEVEL CM	580,3473 litre	46,183 %	676,2898 litre	O
160	CM	50	CM	46,5 LEVEL CM	572,3643 litre	45,547 %	684,2728 litre	O
160	CM	50	CM	46 LEVEL CM	564,3869 litre	44,912 %	692,2502 litre	O
160	CM	50	CM	45,5 LEVEL CM	556,4158 litre	44,278 %	700,2213 litre	O
160	CM	50	CM	45 LEVEL CM	548,4521 litre	43,644 %	708,1850 litre	O
160	CM	50	CM	44,5 LEVEL CM	540,4963 litre	43,011 %	716,1408 litre	O
160	CM	50	CM	44 LEVEL CM	532,5494 litre	42,379 %	724,0877 litre	O
160	CM	50	CM	43,5 LEVEL CM	524,6122 litre	41,747 %	732,0249 litre	O
160	CM	50	CM	43 LEVEL CM	516,6855 litre	41,117 %	739,9516 litre	O
160	CM	50	CM	42,5 LEVEL CM	508,7701 litre	40,487 %	747,8670 litre	O
160	CM	50	CM	42 LEVEL CM	500,8668 litre	39,858 %	755,7703 litre	O
160	CM	50	CM	41,5 LEVEL CM	492,9765 litre	39,230 %	763,6606 litre	O
160	CM	50	CM	41 LEVEL CM	485,1000 litre	38,603 %	771,5371 litre	O
160	CM	50	CM	40,5 LEVEL CM	477,2381 litre	37,977 %	779,3990 litre	O
160	CM	50	CM	40 LEVEL CM	469,3917 litre	37,353 %	787,2454 litre	O
160	CM	50	CM	39,5 LEVEL CM	461,5616 litre	36,730 %	795,0755 litre	O
160	CM	50	CM	39 LEVEL CM	453,7488 litre	36,108 %	802,8883 litre	O
160	CM	50	CM	38,5 LEVEL CM	445,9539 litre	35,488 %	810,6832 litre	O
160	CM	50	CM	38 LEVEL CM	438,1780 litre	34,869 %	818,4591 litre	O
160	CM	50	CM	37,5 LEVEL CM	430,4218 litre	34,252 %	826,2153 litre	O
160	CM	50	CM	37 LEVEL CM	422,6864 litre	33,636 %	833,9507 litre	O
160	CM	50	CM	36,5 LEVEL CM	414,9724 litre	33,022 %	841,6647 litre	O
160	CM	50	CM	36 LEVEL CM	407,2809 litre	32,410 %	849,3562 litre	O
160	CM	50	CM	35,5 LEVEL CM	399,6127 litre	31,800 %	857,0244 litre	O
160	CM	50	CM	35 LEVEL CM	391,9688 litre	31,192 %	864,6683 litre	O
160	CM	50	CM	34,5 LEVEL CM	384,3500 litre	30,586 %	872,2871 litre	O
160	CM	50	CM	34 LEVEL CM	376,7573 litre	29,981 %	879,8798 litre	O
160	CM	50	CM	33,5 LEVEL CM	369,1916 litre	29,379 %	887,4455 litre	O
160	CM	50	CM	33 LEVEL CM	361,6539 litre	28,780 %	894,9832 litre	O
160	CM	50	CM	32,5 LEVEL CM	354,1451 litre	28,182 %	902,4920 litre	O
160	CM	50	CM	32 LEVEL CM	346,6662 litre	27,587 %	909,9709 litre	O
160	CM	50	CM	31,5 LEVEL CM	339,2182 litre	26,994 %	917,4189 litre	O
160	CM	50	CM	31 LEVEL CM	331,8021 litre	26,404 %	924,8350 litre	O
160	CM	50	CM	30,5 LEVEL CM	324,4188 litre	25,816 %	932,2183 litre	O
160	CM	50	CM	30 LEVEL CM	317,0694 litre	25,232 %	939,5677 litre	O
160	CM	50	CM	29,5 LEVEL CM	309,7549 litre	24,650 %	946,8822 litre	O
160	CM	50	CM	29 LEVEL CM	302,4764 litre	24,070 %	954,1607 litre	O
160	CM	50	CM	28,5 LEVEL CM	295,2349 litre	23,494 %	961,4022 litre	O
160	CM	50	CM	28 LEVEL CM	288,0315 litre	22,921 %	968,6056 litre	O
160	CM	50	CM	27,5 LEVEL CM	280,8673 litre	22,351 %	975,7698 litre	O
160	CM	50	CM	27 LEVEL CM	273,7434 litre	21,784 %	982,8937 litre	O
160	CM	50	CM	26,5 LEVEL CM	266,6609 litre	21,220 %	989,9762 litre	O
160	CM	50	CM	26 LEVEL CM	259,6211 litre	20,660 %	997,0160 litre	O
160	CM	50	CM	25,5 LEVEL CM	252,6250 litre	20,103 %	1004,0121 litre	O
160	CM	50	CM	25 LEVEL CM	245,6739 litre	19,550 %	1010,9632 litre	O
160	CM	50	CM	24,5 LEVEL CM	238,7690 litre	19,001 %	1017,8681 litre	O
160	CM	50	CM	24 LEVEL CM	231,9116 litre	18,455 %	1024,7255 litre	O
160	CM	50	CM	23,5 LEVEL CM	225,1028 litre	17,913 %	1031,5343 litre	O
160	CM	50	CM	23 LEVEL CM	218,3440 litre	17,375 %	1038,2931 litre	O
160	CM	50	CM	22,5 LEVEL CM	211,6366 litre	16,842 %	1045,0005 litre	O
160	CM	50	CM	22 LEVEL CM	204,9819 litre	16,312 %	1051,6552 litre	O
160	CM	50	CM	21,5 LEVEL CM	198,3812 litre	15,787 %	1058,2559 litre	O

160	CM	50	CM	21 LEVEL CM	191,8360 litre	15,266 %	1064,8011 litre	O
160	CM	50	CM	20,5 LEVEL CM	185,3478 litre	14,750 %	1071,2893 litre	O
160	CM	50	CM	20 LEVEL CM	178,9181 litre	14,238 %	1077,7190 litre	O
160	CM	50	CM	19,5 LEVEL CM	172,5483 litre	13,731 %	1084,0888 litre	O
160	CM	50	CM	19 LEVEL CM	166,2402 litre	13,229 %	1090,3969 litre	O
160	CM	50	CM	18,5 LEVEL CM	159,9953 litre	12,732 %	1096,6418 litre	O
160	CM	50	CM	18 LEVEL CM	153,8152 litre	12,240 %	1102,8219 litre	O
160	CM	50	CM	17,5 LEVEL CM	147,7019 litre	11,754 %	1108,9352 litre	O
160	CM	50	CM	17 LEVEL CM	141,6569 litre	11,273 %	1114,9802 litre	O
160	CM	50	CM	16,5 LEVEL CM	135,6822 litre	10,797 %	1120,9549 litre	O
160	CM	50	CM	16 LEVEL CM	129,7798 litre	10,328 %	1126,8573 litre	O
160	CM	50	CM	15,5 LEVEL CM	123,9515 litre	9,864 %	1132,6856 litre	O
160	CM	50	CM	15 LEVEL CM	118,1995 litre	9,406 %	1138,4376 litre	O
160	CM	50	CM	14,5 LEVEL CM	112,5260 litre	8,955 %	1144,1111 litre	O
160	CM	50	CM	14 LEVEL CM	106,9331 litre	8,509 %	1149,7040 litre	O
160	CM	50	CM	13,5 LEVEL CM	101,4232 litre	8,071 %	1155,2139 litre	O
160	CM	50	CM	13 LEVEL CM	95,9988 litre	7,639 %	1160,6383 litre	O
160	CM	50	CM	12,5 LEVEL CM	90,6624 litre	7,215 %	1165,9747 litre	O
160	CM	50	CM	12 LEVEL CM	85,4167 litre	6,797 %	1171,2204 litre	O
160	CM	50	CM	11,5 LEVEL CM	80,2646 litre	6,387 %	1176,3725 litre	O
160	CM	50	CM	11 LEVEL CM	75,2090 litre	5,985 %	1181,4281 litre	O
160	CM	50	CM	10,5 LEVEL CM	70,2532 litre	5,591 %	1186,3839 litre	O
160	CM	50	CM	10 LEVEL CM	65,4004 litre	5,204 %	1191,2367 litre	O
160	CM	50	CM	9,5 LEVEL CM	60,6544 litre	4,827 %	1195,9827 litre	O
160	CM	50	CM	9 LEVEL CM	56,0189 litre	4,458 %	1200,6182 litre	O
160	CM	50	CM	8,5 LEVEL CM	51,4980 litre	4,098 %	1205,1391 litre	O
160	CM	50	CM	8 LEVEL CM	47,0962 litre	3,748 %	1209,5409 litre	O
160	CM	50	CM	7,5 LEVEL CM	42,8183 litre	3,407 %	1213,8188 litre	O
160	CM	50	CM	7 LEVEL CM	38,6695 litre	3,077 %	1217,9676 litre	O
160	CM	50	CM	6,5 LEVEL CM	34,6556 litre	2,758 %	1221,9815 litre	O
160	CM	50	CM	6 LEVEL CM	30,7829 litre	2,450 %	1225,8542 litre	O
160	CM	50	CM	5,5 LEVEL CM	27,0585 litre	2,153 %	1229,5786 litre	O
160	CM	50	CM	5 LEVEL CM	23,4904 litre	1,869 %	1233,1467 litre	O
160	CM	50	CM	4,5 LEVEL CM	20,0875 litre	1,599 %	1236,5496 litre	O
160	CM	50	CM	4 LEVEL CM	16,8604 litre	1,342 %	1239,7767 litre	O
160	CM	50	CM	3,5 LEVEL CM	13,8213 litre	1,100 %	1242,8158 litre	O
160	CM	50	CM	3 LEVEL CM	10,9848 litre	0,874 %	1245,6523 litre	O
160	CM	50	CM	2,5 LEVEL CM	8,3692 litre	0,666 %	1248,2679 litre	O
160	CM	50	CM	2 LEVEL CM	5,9976 litre	0,477 %	1250,6395 litre	O
160	CM	50	CM	1,5 LEVEL CM	3,9015 litre	0,310 %	1252,7356 litre	O
160	CM	50	CM	1 LEVEL CM	2,1269 litre	0,169 %	1254,5102 litre	O
160	CM	50	CM	0,5 LEVEL CM	0,7531 litre	0,060 %	1255,8840 litre	O
160	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1256,6371 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
160	CM	45	CM	90 LEVEL CM	1017,8760 litre	100,000 %	0,0000 litre	O
160	CM	45	CM	89,5 LEVEL CM	1017,1617 litre	99,930 %	0,7143 litre	O
160	CM	45	CM	89 LEVEL CM	1015,8589 litre	99,802 %	2,0171 litre	O
160	CM	45	CM	88,5 LEVEL CM	1014,1766 litre	99,637 %	3,6994 litre	O
160	CM	45	CM	88 LEVEL CM	1012,1900 litre	99,441 %	5,6860 litre	O
160	CM	45	CM	87,5 LEVEL CM	1009,9430 litre	99,221 %	7,9330 litre	O
160	CM	45	CM	87 LEVEL CM	1007,4655 litre	98,977 %	10,4105 litre	O
160	CM	45	CM	86,5 LEVEL CM	1004,7797 litre	98,713 %	13,0963 litre	O
160	CM	45	CM	86 LEVEL CM	1001,9028 litre	98,431 %	15,9732 litre	O
160	CM	45	CM	85,5 LEVEL CM	998,8488 litre	98,131 %	19,0272 litre	O
160	CM	45	CM	85 LEVEL CM	995,6296 litre	97,814 %	22,2464 litre	O
160	CM	45	CM	84,5 LEVEL CM	992,2549 litre	97,483 %	25,6211 litre	O
160	CM	45	CM	84 LEVEL CM	988,7337 litre	97,137 %	29,1423 litre	O
160	CM	45	CM	83,5 LEVEL CM	985,0734 litre	96,777 %	32,8026 litre	O
160	CM	45	CM	83 LEVEL CM	981,2808 litre	96,405 %	36,5952 litre	O
160	CM	45	CM	82,5 LEVEL CM	977,3620 litre	96,020 %	40,5140 litre	O
160	CM	45	CM	82 LEVEL CM	973,3226 litre	95,623 %	44,5534 litre	O
160	CM	45	CM	81,5 LEVEL CM	969,1676 litre	95,215 %	48,7084 litre	O
160	CM	45	CM	81 LEVEL CM	964,9017 litre	94,796 %	52,9743 litre	O
160	CM	45	CM	80,5 LEVEL CM	960,5290 litre	94,366 %	57,3470 litre	O
160	CM	45	CM	80 LEVEL CM	956,0536 litre	93,926 %	61,8224 litre	O
160	CM	45	CM	79,5 LEVEL CM	951,4792 litre	93,477 %	66,3968 litre	O
160	CM	45	CM	79 LEVEL CM	946,8093 litre	93,018 %	71,0667 litre	O
160	CM	45	CM	78,5 LEVEL CM	942,0471 litre	92,550 %	75,8289 litre	O
160	CM	45	CM	78 LEVEL CM	937,1956 litre	92,074 %	80,6804 litre	O
160	CM	45	CM	77,5 LEVEL CM	932,2579 litre	91,589 %	85,6181 litre	O
160	CM	45	CM	77 LEVEL CM	927,2366 litre	91,095 %	90,6394 litre	O
160	CM	45	CM	76,5 LEVEL CM	922,1344 litre	90,594 %	95,7416 litre	O
160	CM	45	CM	76 LEVEL CM	916,9538 litre	90,085 %	100,9222 litre	O
160	CM	45	CM	75,5 LEVEL CM	911,6971 litre	89,569 %	106,1789 litre	O
160	CM	45	CM	75 LEVEL CM	906,3667 litre	89,045 %	111,5093 litre	O
160	CM	45	CM	74,5 LEVEL CM	900,9647 litre	88,514 %	116,9113 litre	O
160	CM	45	CM	74 LEVEL CM	895,4932 litre	87,977 %	122,3828 litre	O
160	CM	45	CM	73,5 LEVEL CM	889,9544 litre	87,432 %	127,9216 litre	O
160	CM	45	CM	73 LEVEL CM	884,3500 litre	86,882 %	133,5260 litre	O
160	CM	45	CM	72,5 LEVEL CM	878,6821 litre	86,325 %	139,1939 litre	O
160	CM	45	CM	72 LEVEL CM	872,9524 litre	85,762 %	144,9236 litre	O
160	CM	45	CM	71,5 LEVEL CM	867,1627 litre	85,193 %	150,7133 litre	O
160	CM	45	CM	71 LEVEL CM	861,3146 litre	84,619 %	156,5614 litre	O
160	CM	45	CM	70,5 LEVEL CM	855,4100 litre	84,039 %	162,4660 litre	O
160	CM	45	CM	70 LEVEL CM	849,4503 litre	83,453 %	168,4257 litre	O
160	CM	45	CM	69,5 LEVEL CM	843,4372 litre	82,862 %	174,4388 litre	O
160	CM	45	CM	69 LEVEL CM	837,3722 litre	82,267 %	180,5038 litre	O
160	CM	45	CM	68,5 LEVEL CM	831,2567 litre	81,666 %	186,6193 litre	O
160	CM	45	CM	68 LEVEL CM	825,0922 litre	81,060 %	192,7838 litre	O
160	CM	45	CM	67,5 LEVEL CM	818,8801 litre	80,450 %	198,9959 litre	O
160	CM	45	CM	67 LEVEL CM	812,6219 litre	79,835 %	205,2541 litre	O
160	CM	45	CM	66,5 LEVEL CM	806,3188 litre	79,216 %	211,5572 litre	O
160	CM	45	CM	66 LEVEL CM	799,9722 litre	78,592 %	217,9038 litre	O
160	CM	45	CM	65,5 LEVEL CM	793,5834 litre	77,965 %	224,2926 litre	O
160	CM	45	CM	65 LEVEL CM	787,1536 litre	77,333 %	230,7224 litre	O
160	CM	45	CM	64,5 LEVEL CM	780,6842 litre	76,697 %	237,1918 litre	O

160	CM 45	CM	64 LEVEL CM	774,1763 litre	76,058 %	243,6997 litre	O
160	CM 45	CM	63,5 LEVEL CM	767,6311 litre	75,415 %	250,2449 litre	O
160	CM 45	CM	63 LEVEL CM	761,0498 litre	74,768 %	256,8262 litre	O
160	CM 45	CM	62,5 LEVEL CM	754,4337 litre	74,118 %	263,4423 litre	O
160	CM 45	CM	62 LEVEL CM	747,7837 litre	73,465 %	270,0923 litre	O
160	CM 45	CM	61,5 LEVEL CM	741,1011 litre	72,809 %	276,7749 litre	O
160	CM 45	CM	61 LEVEL CM	734,3870 litre	72,149 %	283,4890 litre	O
160	CM 45	CM	60,5 LEVEL CM	727,6425 litre	71,486 %	290,2335 litre	O
160	CM 45	CM	60 LEVEL CM	720,8685 litre	70,821 %	297,0075 litre	O
160	CM 45	CM	59,5 LEVEL CM	714,0664 litre	70,153 %	303,8096 litre	O
160	CM 45	CM	59 LEVEL CM	707,2369 litre	69,482 %	310,6391 litre	O
160	CM 45	CM	58,5 LEVEL CM	700,3813 litre	68,808 %	317,4947 litre	O
160	CM 45	CM	58 LEVEL CM	693,5005 litre	68,132 %	324,3755 litre	O
160	CM 45	CM	57,5 LEVEL CM	686,5956 litre	67,454 %	331,2804 litre	O
160	CM 45	CM	57 LEVEL CM	679,6676 litre	66,773 %	338,2084 litre	O
160	CM 45	CM	56,5 LEVEL CM	672,7174 litre	66,090 %	345,1586 litre	O
160	CM 45	CM	56 LEVEL CM	665,7461 litre	65,405 %	352,1299 litre	O
160	CM 45	CM	55,5 LEVEL CM	658,7546 litre	64,719 %	359,1214 litre	O
160	CM 45	CM	55 LEVEL CM	651,7439 litre	64,030 %	366,1321 litre	O
160	CM 45	CM	54,5 LEVEL CM	644,7150 litre	63,339 %	373,1610 litre	O
160	CM 45	CM	54 LEVEL CM	637,6688 litre	62,647 %	380,2072 litre	O
160	CM 45	CM	53,5 LEVEL CM	630,6062 litre	61,953 %	387,2698 litre	O
160	CM 45	CM	53 LEVEL CM	623,5283 litre	61,258 %	394,3477 litre	O
160	CM 45	CM	52,5 LEVEL CM	616,4359 litre	60,561 %	401,4401 litre	O
160	CM 45	CM	52 LEVEL CM	609,3300 litre	59,863 %	408,5460 litre	O
160	CM 45	CM	51,5 LEVEL CM	602,2115 litre	59,164 %	415,6645 litre	O
160	CM 45	CM	51 LEVEL CM	595,0813 litre	58,463 %	422,7947 litre	O
160	CM 45	CM	50,5 LEVEL CM	587,9404 litre	57,761 %	429,9356 litre	O
160	CM 45	CM	50 LEVEL CM	580,7896 litre	57,059 %	437,0864 litre	O
160	CM 45	CM	49,5 LEVEL CM	573,6298 litre	56,356 %	444,2462 litre	O
160	CM 45	CM	49 LEVEL CM	566,4621 litre	55,651 %	451,4139 litre	O
160	CM 45	CM	48,5 LEVEL CM	559,2871 litre	54,946 %	458,5889 litre	O
160	CM 45	CM	48 LEVEL CM	552,1060 litre	54,241 %	465,7700 litre	O
160	CM 45	CM	47,5 LEVEL CM	544,9195 litre	53,535 %	472,9565 litre	O
160	CM 45	CM	47 LEVEL CM	537,7285 litre	52,828 %	480,1475 litre	O
160	CM 45	CM	46,5 LEVEL CM	530,5340 litre	52,122 %	487,3420 litre	O
160	CM 45	CM	46 LEVEL CM	523,3368 litre	51,415 %	494,5392 litre	O
160	CM 45	CM	45,5 LEVEL CM	516,1379 litre	50,707 %	501,7381 litre	O
160	CM 45	CM	45 LEVEL CM	508,9380 litre	50,000 %	508,9380 litre	O
160	CM 45	CM	44,5 LEVEL CM	501,7382 litre	49,293 %	516,1378 litre	O
160	CM 45	CM	44 LEVEL CM	494,5392 litre	48,585 %	523,3368 litre	O
160	CM 45	CM	43,5 LEVEL CM	487,3420 litre	47,878 %	530,5340 litre	O
160	CM 45	CM	43 LEVEL CM	480,1475 litre	47,172 %	537,7285 litre	O
160	CM 45	CM	42,5 LEVEL CM	472,9565 litre	46,465 %	544,9195 litre	O
160	CM 45	CM	42 LEVEL CM	465,7700 litre	45,759 %	552,1060 litre	O
160	CM 45	CM	41,5 LEVEL CM	458,5889 litre	45,054 %	559,2871 litre	O
160	CM 45	CM	41 LEVEL CM	451,4140 litre	44,349 %	566,4620 litre	O
160	CM 45	CM	40,5 LEVEL CM	444,2462 litre	43,644 %	573,6298 litre	O
160	CM 45	CM	40 LEVEL CM	437,0864 litre	42,941 %	580,7896 litre	O
160	CM 45	CM	39,5 LEVEL CM	429,9356 litre	42,239 %	587,9404 litre	O
160	CM 45	CM	39 LEVEL CM	422,7947 litre	41,537 %	595,0813 litre	O
160	CM 45	CM	38,5 LEVEL CM	415,6645 litre	40,836 %	602,2115 litre	O
160	CM 45	CM	38 LEVEL CM	408,5460 litre	40,137 %	609,3300 litre	O

160	CM	45	CM	37,5 LEVEL CM	401,4401 litre	39,439 %	616,4359 litre	O
160	CM	45	CM	37 LEVEL CM	394,3477 litre	38,742 %	623,5283 litre	O
160	CM	45	CM	36,5 LEVEL CM	387,2698 litre	38,047 %	630,6062 litre	O
160	CM	45	CM	36 LEVEL CM	380,2073 litre	37,353 %	637,6687 litre	O
160	CM	45	CM	35,5 LEVEL CM	373,1611 litre	36,661 %	644,7149 litre	O
160	CM	45	CM	35 LEVEL CM	366,1321 litre	35,970 %	651,7439 litre	O
160	CM	45	CM	34,5 LEVEL CM	359,1214 litre	35,281 %	658,7546 litre	O
160	CM	45	CM	34 LEVEL CM	352,1299 litre	34,595 %	665,7461 litre	O
160	CM	45	CM	33,5 LEVEL CM	345,1586 litre	33,910 %	672,7174 litre	O
160	CM	45	CM	33 LEVEL CM	338,2084 litre	33,227 %	679,6676 litre	O
160	CM	45	CM	32,5 LEVEL CM	331,2804 litre	32,546 %	686,5956 litre	O
160	CM	45	CM	32 LEVEL CM	324,3755 litre	31,868 %	693,5005 litre	O
160	CM	45	CM	31,5 LEVEL CM	317,4947 litre	31,192 %	700,3813 litre	O
160	CM	45	CM	31 LEVEL CM	310,6391 litre	30,518 %	707,2369 litre	O
160	CM	45	CM	30,5 LEVEL CM	303,8097 litre	29,847 %	714,0663 litre	O
160	CM	45	CM	30 LEVEL CM	297,0075 litre	29,179 %	720,8685 litre	O
160	CM	45	CM	29,5 LEVEL CM	290,2336 litre	28,514 %	727,6424 litre	O
160	CM	45	CM	29 LEVEL CM	283,4890 litre	27,851 %	734,3870 litre	O
160	CM	45	CM	28,5 LEVEL CM	276,7749 litre	27,191 %	741,1011 litre	O
160	CM	45	CM	28 LEVEL CM	270,0923 litre	26,535 %	747,7837 litre	O
160	CM	45	CM	27,5 LEVEL CM	263,4424 litre	25,882 %	754,4336 litre	O
160	CM	45	CM	27 LEVEL CM	256,8262 litre	25,232 %	761,0498 litre	O
160	CM	45	CM	26,5 LEVEL CM	250,2449 litre	24,585 %	767,6311 litre	O
160	CM	45	CM	26 LEVEL CM	243,6998 litre	23,942 %	774,1762 litre	O
160	CM	45	CM	25,5 LEVEL CM	237,1918 litre	23,303 %	780,6842 litre	O
160	CM	45	CM	25 LEVEL CM	230,7224 litre	22,667 %	787,1536 litre	O
160	CM	45	CM	24,5 LEVEL CM	224,2926 litre	22,035 %	793,5834 litre	O
160	CM	45	CM	24 LEVEL CM	217,9038 litre	21,408 %	799,9722 litre	O
160	CM	45	CM	23,5 LEVEL CM	211,5572 litre	20,784 %	806,3188 litre	O
160	CM	45	CM	23 LEVEL CM	205,2541 litre	20,165 %	812,6219 litre	O
160	CM	45	CM	22,5 LEVEL CM	198,9959 litre	19,550 %	818,8801 litre	O
160	CM	45	CM	22 LEVEL CM	192,7838 litre	18,940 %	825,0922 litre	O
160	CM	45	CM	21,5 LEVEL CM	186,6193 litre	18,334 %	831,2567 litre	O
160	CM	45	CM	21 LEVEL CM	180,5039 litre	17,733 %	837,3721 litre	O
160	CM	45	CM	20,5 LEVEL CM	174,4388 litre	17,138 %	843,4372 litre	O
160	CM	45	CM	20 LEVEL CM	168,4257 litre	16,547 %	849,4503 litre	O
160	CM	45	CM	19,5 LEVEL CM	162,4660 litre	15,961 %	855,4100 litre	O
160	CM	45	CM	19 LEVEL CM	156,5614 litre	15,381 %	861,3146 litre	O
160	CM	45	CM	18,5 LEVEL CM	150,7134 litre	14,807 %	867,1626 litre	O
160	CM	45	CM	18 LEVEL CM	144,9237 litre	14,238 %	872,9523 litre	O
160	CM	45	CM	17,5 LEVEL CM	139,1939 litre	13,675 %	878,6821 litre	O
160	CM	45	CM	17 LEVEL CM	133,5260 litre	13,118 %	884,3500 litre	O
160	CM	45	CM	16,5 LEVEL CM	127,9217 litre	12,568 %	889,9543 litre	O
160	CM	45	CM	16 LEVEL CM	122,3828 litre	12,023 %	895,4932 litre	O
160	CM	45	CM	15,5 LEVEL CM	116,9113 litre	11,486 %	900,9647 litre	O
160	CM	45	CM	15 LEVEL CM	111,5094 litre	10,955 %	906,3666 litre	O
160	CM	45	CM	14,5 LEVEL CM	106,1789 litre	10,431 %	911,6971 litre	O
160	CM	45	CM	14 LEVEL CM	100,9223 litre	9,915 %	916,9537 litre	O
160	CM	45	CM	13,5 LEVEL CM	95,7416 litre	9,406 %	922,1344 litre	O
160	CM	45	CM	13 LEVEL CM	90,6394 litre	8,905 %	927,2366 litre	O
160	CM	45	CM	12,5 LEVEL CM	85,6181 litre	8,411 %	932,2579 litre	O
160	CM	45	CM	12 LEVEL CM	80,6804 litre	7,926 %	937,1956 litre	O
160	CM	45	CM	11,5 LEVEL CM	75,8290 litre	7,450 %	942,0470 litre	O

160	CM 45	CM	11 LEVEL CM	71,0667 litre	6,982 %	946,8093 litre	O
160	CM 45	CM	10,5 LEVEL CM	66,3968 litre	6,523 %	951,4792 litre	O
160	CM 45	CM	10 LEVEL CM	61,8224 litre	6,074 %	956,0536 litre	O
160	CM 45	CM	9,5 LEVEL CM	57,3470 litre	5,634 %	960,5290 litre	O
160	CM 45	CM	9 LEVEL CM	52,9744 litre	5,204 %	964,9016 litre	O
160	CM 45	CM	8,5 LEVEL CM	48,7084 litre	4,785 %	969,1676 litre	O
160	CM 45	CM	8 LEVEL CM	44,5534 litre	4,377 %	973,3226 litre	O
160	CM 45	CM	7,5 LEVEL CM	40,5140 litre	3,980 %	977,3620 litre	O
160	CM 45	CM	7 LEVEL CM	36,5953 litre	3,595 %	981,2807 litre	O
160	CM 45	CM	6,5 LEVEL CM	32,8027 litre	3,223 %	985,0733 litre	O
160	CM 45	CM	6 LEVEL CM	29,1423 litre	2,863 %	988,7337 litre	O
160	CM 45	CM	5,5 LEVEL CM	25,6211 litre	2,517 %	992,2549 litre	O
160	CM 45	CM	5 LEVEL CM	22,2465 litre	2,186 %	995,6295 litre	O
160	CM 45	CM	4,5 LEVEL CM	19,0272 litre	1,869 %	998,8488 litre	O
160	CM 45	CM	4 LEVEL CM	15,9732 litre	1,569 %	1001,9028 litre	O
160	CM 45	CM	3,5 LEVEL CM	13,0963 litre	1,287 %	1004,7797 litre	O
160	CM 45	CM	3 LEVEL CM	10,4105 litre	1,023 %	1007,4655 litre	O
160	CM 45	CM	2,5 LEVEL CM	7,9330 litre	0,779 %	1009,9430 litre	O
160	CM 45	CM	2 LEVEL CM	5,6860 litre	0,559 %	1012,1900 litre	O
160	CM 45	CM	1,5 LEVEL CM	3,6994 litre	0,363 %	1014,1766 litre	O
160	CM 45	CM	1 LEVEL CM	2,0171 litre	0,198 %	1015,8589 litre	O
160	CM 45	CM	0,5 LEVEL CM	0,7143 litre	0,070 %	1017,1617 litre	O
160	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	1017,8760 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
160	CM 40	CM 80 LEVEL CM	804,2477 litre	100,000 %	0,0000 litre	O
160	CM 40	CM 79,5 LEVEL CM	803,5744 litre	99,916 %	0,6733 litre	O
160	CM 40	CM 79 LEVEL CM	802,3468 litre	99,764 %	1,9009 litre	O
160	CM 40	CM 78,5 LEVEL CM	800,7621 litre	99,567 %	3,4856 litre	O
160	CM 40	CM 78 LEVEL CM	798,8914 litre	99,334 %	5,3563 litre	O
160	CM 40	CM 77,5 LEVEL CM	796,7764 litre	99,071 %	7,4713 litre	O
160	CM 40	CM 77 LEVEL CM	794,4452 litre	98,781 %	9,8025 litre	O
160	CM 40	CM 76,5 LEVEL CM	791,9189 litre	98,467 %	12,3288 litre	O
160	CM 40	CM 76 LEVEL CM	789,2139 litre	98,131 %	15,0338 litre	O
160	CM 40	CM 75,5 LEVEL CM	786,3435 litre	97,774 %	17,9042 litre	O
160	CM 40	CM 75 LEVEL CM	783,3190 litre	97,398 %	20,9287 litre	O
160	CM 40	CM 74,5 LEVEL CM	780,1497 litre	97,004 %	24,0980 litre	O
160	CM 40	CM 74 LEVEL CM	776,8440 litre	96,593 %	27,4037 litre	O
160	CM 40	CM 73,5 LEVEL CM	773,4092 litre	96,166 %	30,8385 litre	O
160	CM 40	CM 73 LEVEL CM	769,8517 litre	95,723 %	34,3960 litre	O
160	CM 40	CM 72,5 LEVEL CM	766,1773 litre	95,266 %	38,0704 litre	O
160	CM 40	CM 72 LEVEL CM	762,3914 litre	94,796 %	41,8563 litre	O
160	CM 40	CM 71,5 LEVEL CM	758,4989 litre	94,312 %	45,7488 litre	O
160	CM 40	CM 71 LEVEL CM	754,5040 litre	93,815 %	49,7437 litre	O
160	CM 40	CM 70,5 LEVEL CM	750,4111 litre	93,306 %	53,8366 litre	O
160	CM 40	CM 70 LEVEL CM	746,2238 litre	92,785 %	58,0239 litre	O
160	CM 40	CM 69,5 LEVEL CM	741,9458 litre	92,253 %	62,3019 litre	O
160	CM 40	CM 69 LEVEL CM	737,5805 litre	91,711 %	66,6672 litre	O
160	CM 40	CM 68,5 LEVEL CM	733,1309 litre	91,157 %	71,1168 litre	O
160	CM 40	CM 68 LEVEL CM	728,6000 litre	90,594 %	75,6477 litre	O
160	CM 40	CM 67,5 LEVEL CM	723,9907 litre	90,021 %	80,2570 litre	O
160	CM 40	CM 67 LEVEL CM	719,3057 litre	89,438 %	84,9420 litre	O
160	CM 40	CM 66,5 LEVEL CM	714,5475 litre	88,847 %	89,7002 litre	O
160	CM 40	CM 66 LEVEL CM	709,7185 litre	88,246 %	94,5292 litre	O
160	CM 40	CM 65,5 LEVEL CM	704,8211 litre	87,637 %	99,4266 litre	O
160	CM 40	CM 65 LEVEL CM	699,8575 litre	87,020 %	104,3902 litre	O
160	CM 40	CM 64,5 LEVEL CM	694,8298 litre	86,395 %	109,4179 litre	O
160	CM 40	CM 64 LEVEL CM	689,7401 litre	85,762 %	114,5076 litre	O
160	CM 40	CM 63,5 LEVEL CM	684,5905 litre	85,122 %	119,6572 litre	O
160	CM 40	CM 63 LEVEL CM	679,3827 litre	84,474 %	124,8650 litre	O
160	CM 40	CM 62,5 LEVEL CM	674,1187 litre	83,820 %	130,1290 litre	O
160	CM 40	CM 62 LEVEL CM	668,8003 litre	83,158 %	135,4474 litre	O
160	CM 40	CM 61,5 LEVEL CM	663,4292 litre	82,491 %	140,8185 litre	O
160	CM 40	CM 61 LEVEL CM	658,0071 litre	81,816 %	146,2406 litre	O
160	CM 40	CM 60,5 LEVEL CM	652,5356 litre	81,136 %	151,7121 litre	O
160	CM 40	CM 60 LEVEL CM	647,0164 litre	80,450 %	157,2313 litre	O
160	CM 40	CM 59,5 LEVEL CM	641,4510 litre	79,758 %	162,7967 litre	O
160	CM 40	CM 59 LEVEL CM	635,8409 litre	79,060 %	168,4068 litre	O
160	CM 40	CM 58,5 LEVEL CM	630,1877 litre	78,357 %	174,0600 litre	O
160	CM 40	CM 58 LEVEL CM	624,4927 litre	77,649 %	179,7550 litre	O
160	CM 40	CM 57,5 LEVEL CM	618,7574 litre	76,936 %	185,4903 litre	O
160	CM 40	CM 57 LEVEL CM	612,9831 litre	76,218 %	191,2646 litre	O
160	CM 40	CM 56,5 LEVEL CM	607,1713 litre	75,496 %	197,0764 litre	O
160	CM 40	CM 56 LEVEL CM	601,3233 litre	74,768 %	202,9244 litre	O
160	CM 40	CM 55,5 LEVEL CM	595,4404 litre	74,037 %	208,8073 litre	O
160	CM 40	CM 55 LEVEL CM	589,5238 litre	73,301 %	214,7239 litre	O
160	CM 40	CM 54,5 LEVEL CM	583,5749 litre	72,562 %	220,6728 litre	O

160	CM 40	CM	54 LEVEL CM	577,5948 litre	71,818 %	226,6529 litre	O
160	CM 40	CM	53,5 LEVEL CM	571,5849 litre	71,071 %	232,6628 litre	O
160	CM 40	CM	53 LEVEL CM	565,5463 litre	70,320 %	238,7014 litre	O
160	CM 40	CM	52,5 LEVEL CM	559,4801 litre	69,566 %	244,7676 litre	O
160	CM 40	CM	52 LEVEL CM	553,3877 litre	68,808 %	250,8600 litre	O
160	CM 40	CM	51,5 LEVEL CM	547,2701 litre	68,047 %	256,9776 litre	O
160	CM 40	CM	51 LEVEL CM	541,1285 litre	67,284 %	263,1192 litre	O
160	CM 40	CM	50,5 LEVEL CM	534,9640 litre	66,517 %	269,2837 litre	O
160	CM 40	CM	50 LEVEL CM	528,7777 litre	65,748 %	275,4700 litre	O
160	CM 40	CM	49,5 LEVEL CM	522,5708 litre	64,976 %	281,6769 litre	O
160	CM 40	CM	49 LEVEL CM	516,3443 litre	64,202 %	287,9034 litre	O
160	CM 40	CM	48,5 LEVEL CM	510,0994 litre	63,426 %	294,1483 litre	O
160	CM 40	CM	48 LEVEL CM	503,8370 litre	62,647 %	300,4107 litre	O
160	CM 40	CM	47,5 LEVEL CM	497,5584 litre	61,866 %	306,6893 litre	O
160	CM 40	CM	47 LEVEL CM	491,2644 litre	61,084 %	312,9833 litre	O
160	CM 40	CM	46,5 LEVEL CM	484,9562 litre	60,299 %	319,2915 litre	O
160	CM 40	CM	46 LEVEL CM	478,6349 litre	59,513 %	325,6128 litre	O
160	CM 40	CM	45,5 LEVEL CM	472,3014 litre	58,726 %	331,9463 litre	O
160	CM 40	CM	45 LEVEL CM	465,9568 litre	57,937 %	338,2909 litre	O
160	CM 40	CM	44,5 LEVEL CM	459,6021 litre	57,147 %	344,6456 litre	O
160	CM 40	CM	44 LEVEL CM	453,2384 litre	56,356 %	351,0093 litre	O
160	CM 40	CM	43,5 LEVEL CM	446,8666 litre	55,563 %	357,3811 litre	O
160	CM 40	CM	43 LEVEL CM	440,4878 litre	54,770 %	363,7599 litre	O
160	CM 40	CM	42,5 LEVEL CM	434,1030 litre	53,976 %	370,1447 litre	O
160	CM 40	CM	42 LEVEL CM	427,7132 litre	53,182 %	376,5345 litre	O
160	CM 40	CM	41,5 LEVEL CM	421,3194 litre	52,387 %	382,9283 litre	O
160	CM 40	CM	41 LEVEL CM	414,9225 litre	51,591 %	389,3252 litre	O
160	CM 40	CM	40,5 LEVEL CM	408,5237 litre	50,796 %	395,7240 litre	O
160	CM 40	CM	40 LEVEL CM	402,1239 litre	50,000 %	402,1238 litre	O
160	CM 40	CM	39,5 LEVEL CM	395,7240 litre	49,204 %	408,5237 litre	O
160	CM 40	CM	39 LEVEL CM	389,3252 litre	48,409 %	414,9225 litre	O
160	CM 40	CM	38,5 LEVEL CM	382,9284 litre	47,613 %	421,3193 litre	O
160	CM 40	CM	38 LEVEL CM	376,5345 litre	46,818 %	427,7132 litre	O
160	CM 40	CM	37,5 LEVEL CM	370,1447 litre	46,024 %	434,1030 litre	O
160	CM 40	CM	37 LEVEL CM	363,7599 litre	45,230 %	440,4878 litre	O
160	CM 40	CM	36,5 LEVEL CM	357,3811 litre	44,437 %	446,8666 litre	O
160	CM 40	CM	36 LEVEL CM	351,0093 litre	43,644 %	453,2384 litre	O
160	CM 40	CM	35,5 LEVEL CM	344,6456 litre	42,853 %	459,6021 litre	O
160	CM 40	CM	35 LEVEL CM	338,2909 litre	42,063 %	465,9568 litre	O
160	CM 40	CM	34,5 LEVEL CM	331,9463 litre	41,274 %	472,3014 litre	O
160	CM 40	CM	34 LEVEL CM	325,6128 litre	40,487 %	478,6349 litre	O
160	CM 40	CM	33,5 LEVEL CM	319,2915 litre	39,701 %	484,9562 litre	O
160	CM 40	CM	33 LEVEL CM	312,9833 litre	38,916 %	491,2644 litre	O
160	CM 40	CM	32,5 LEVEL CM	306,6894 litre	38,134 %	497,5583 litre	O
160	CM 40	CM	32 LEVEL CM	300,4107 litre	37,353 %	503,8370 litre	O
160	CM 40	CM	31,5 LEVEL CM	294,1483 litre	36,574 %	510,0994 litre	O
160	CM 40	CM	31 LEVEL CM	287,9034 litre	35,798 %	516,3443 litre	O
160	CM 40	CM	30,5 LEVEL CM	281,6769 litre	35,024 %	522,5708 litre	O
160	CM 40	CM	30 LEVEL CM	275,4700 litre	34,252 %	528,7777 litre	O
160	CM 40	CM	29,5 LEVEL CM	269,2837 litre	33,483 %	534,9640 litre	O
160	CM 40	CM	29 LEVEL CM	263,1192 litre	32,716 %	541,1285 litre	O
160	CM 40	CM	28,5 LEVEL CM	256,9776 litre	31,953 %	547,2701 litre	O
160	CM 40	CM	28 LEVEL CM	250,8600 litre	31,192 %	553,3877 litre	O

160	CM	40	CM	27,5 LEVEL CM	244,7676 litre	30,434 %	559,4801 litre	O
160	CM	40	CM	27 LEVEL CM	238,7015 litre	29,680 %	565,5462 litre	O
160	CM	40	CM	26,5 LEVEL CM	232,6628 litre	28,929 %	571,5849 litre	O
160	CM	40	CM	26 LEVEL CM	226,6529 litre	28,182 %	577,5948 litre	O
160	CM	40	CM	25,5 LEVEL CM	220,6728 litre	27,438 %	583,5749 litre	O
160	CM	40	CM	25 LEVEL CM	214,7239 litre	26,699 %	589,5238 litre	O
160	CM	40	CM	24,5 LEVEL CM	208,8073 litre	25,963 %	595,4404 litre	O
160	CM	40	CM	24 LEVEL CM	202,9244 litre	25,232 %	601,3233 litre	O
160	CM	40	CM	23,5 LEVEL CM	197,0764 litre	24,504 %	607,1713 litre	O
160	CM	40	CM	23 LEVEL CM	191,2646 litre	23,782 %	612,9831 litre	O
160	CM	40	CM	22,5 LEVEL CM	185,4903 litre	23,064 %	618,7574 litre	O
160	CM	40	CM	22 LEVEL CM	179,7550 litre	22,351 %	624,4927 litre	O
160	CM	40	CM	21,5 LEVEL CM	174,0601 litre	21,643 %	630,1876 litre	O
160	CM	40	CM	21 LEVEL CM	168,4068 litre	20,940 %	635,8409 litre	O
160	CM	40	CM	20,5 LEVEL CM	162,7967 litre	20,242 %	641,4510 litre	O
160	CM	40	CM	20 LEVEL CM	157,2313 litre	19,550 %	647,0164 litre	O
160	CM	40	CM	19,5 LEVEL CM	151,7121 litre	18,864 %	652,5356 litre	O
160	CM	40	CM	19 LEVEL CM	146,2407 litre	18,184 %	658,0070 litre	O
160	CM	40	CM	18,5 LEVEL CM	140,8185 litre	17,509 %	663,4292 litre	O
160	CM	40	CM	18 LEVEL CM	135,4474 litre	16,842 %	668,8003 litre	O
160	CM	40	CM	17,5 LEVEL CM	130,1290 litre	16,180 %	674,1187 litre	O
160	CM	40	CM	17 LEVEL CM	124,8650 litre	15,526 %	679,3827 litre	O
160	CM	40	CM	16,5 LEVEL CM	119,6573 litre	14,878 %	684,5904 litre	O
160	CM	40	CM	16 LEVEL CM	114,5076 litre	14,238 %	689,7401 litre	O
160	CM	40	CM	15,5 LEVEL CM	109,4179 litre	13,605 %	694,8298 litre	O
160	CM	40	CM	15 LEVEL CM	104,3902 litre	12,980 %	699,8575 litre	O
160	CM	40	CM	14,5 LEVEL CM	99,4266 litre	12,363 %	704,8211 litre	O
160	CM	40	CM	14 LEVEL CM	94,5292 litre	11,754 %	709,7185 litre	O
160	CM	40	CM	13,5 LEVEL CM	89,7002 litre	11,153 %	714,5475 litre	O
160	CM	40	CM	13 LEVEL CM	84,9420 litre	10,562 %	719,3057 litre	O
160	CM	40	CM	12,5 LEVEL CM	80,2570 litre	9,979 %	723,9907 litre	O
160	CM	40	CM	12 LEVEL CM	75,6477 litre	9,406 %	728,6000 litre	O
160	CM	40	CM	11,5 LEVEL CM	71,1169 litre	8,843 %	733,1308 litre	O
160	CM	40	CM	11 LEVEL CM	66,6673 litre	8,289 %	737,5804 litre	O
160	CM	40	CM	10,5 LEVEL CM	62,3019 litre	7,747 %	741,9458 litre	O
160	CM	40	CM	10 LEVEL CM	58,0239 litre	7,215 %	746,2238 litre	O
160	CM	40	CM	9,5 LEVEL CM	53,8366 litre	6,694 %	750,4111 litre	O
160	CM	40	CM	9 LEVEL CM	49,7437 litre	6,185 %	754,5040 litre	O
160	CM	40	CM	8,5 LEVEL CM	45,7489 litre	5,688 %	758,4988 litre	O
160	CM	40	CM	8 LEVEL CM	41,8563 litre	5,204 %	762,3914 litre	O
160	CM	40	CM	7,5 LEVEL CM	38,0704 litre	4,734 %	766,1773 litre	O
160	CM	40	CM	7 LEVEL CM	34,3961 litre	4,277 %	769,8516 litre	O
160	CM	40	CM	6,5 LEVEL CM	30,8386 litre	3,834 %	773,4091 litre	O
160	CM	40	CM	6 LEVEL CM	27,4037 litre	3,407 %	776,8440 litre	O
160	CM	40	CM	5,5 LEVEL CM	24,0980 litre	2,996 %	780,1497 litre	O
160	CM	40	CM	5 LEVEL CM	20,9288 litre	2,602 %	783,3189 litre	O
160	CM	40	CM	4,5 LEVEL CM	17,9042 litre	2,226 %	786,3435 litre	O
160	CM	40	CM	4 LEVEL CM	15,0338 litre	1,869 %	789,2139 litre	O
160	CM	40	CM	3,5 LEVEL CM	12,3288 litre	1,533 %	791,9189 litre	O
160	CM	40	CM	3 LEVEL CM	9,8025 litre	1,219 %	794,4452 litre	O
160	CM	40	CM	2,5 LEVEL CM	7,4714 litre	0,929 %	796,7763 litre	O
160	CM	40	CM	2 LEVEL CM	5,3563 litre	0,666 %	798,8914 litre	O
160	CM	40	CM	1,5 LEVEL CM	3,4856 litre	0,433 %	800,7621 litre	O

160_40

-3171-

160	CM 40	CM	1 LEVEL CM	1,9009 litre	0,236 %	802,3468 litre	O
160	CM 40	CM	0,5 LEVEL CM	0,6734 litre	0,084 %	803,5743 litre	O
160	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	804,2477 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
160	CM	35	CM	70 LEVEL CM	615,7522 litre	100,000 %	0,0000 litre	O
160	CM	35	CM	69,5 LEVEL CM	615,1225 litre	99,898 %	0,6297 litre	O
160	CM	35	CM	69 LEVEL CM	613,9750 litre	99,711 %	1,7772 litre	O
160	CM	35	CM	68,5 LEVEL CM	612,4943 litre	99,471 %	3,2579 litre	O
160	CM	35	CM	68 LEVEL CM	610,7473 litre	99,187 %	5,0049 litre	O
160	CM	35	CM	67,5 LEVEL CM	608,7729 litre	98,867 %	6,9793 litre	O
160	CM	35	CM	67 LEVEL CM	606,5979 litre	98,513 %	9,1543 litre	O
160	CM	35	CM	66,5 LEVEL CM	604,2419 litre	98,131 %	11,5103 litre	O
160	CM	35	CM	66 LEVEL CM	601,7205 litre	97,721 %	14,0317 litre	O
160	CM	35	CM	65,5 LEVEL CM	599,0463 litre	97,287 %	16,7059 litre	O
160	CM	35	CM	65 LEVEL CM	596,2299 litre	96,830 %	19,5223 litre	O
160	CM	35	CM	64,5 LEVEL CM	593,2802 litre	96,350 %	22,4720 litre	O
160	CM	35	CM	64 LEVEL CM	590,2052 litre	95,851 %	25,5470 litre	O
160	CM	35	CM	63,5 LEVEL CM	587,0117 litre	95,332 %	28,7405 litre	O
160	CM	35	CM	63 LEVEL CM	583,7059 litre	94,796 %	32,0463 litre	O
160	CM	35	CM	62,5 LEVEL CM	580,2935 litre	94,241 %	35,4587 litre	O
160	CM	35	CM	62 LEVEL CM	576,7794 litre	93,671 %	38,9728 litre	O
160	CM	35	CM	61,5 LEVEL CM	573,1682 litre	93,084 %	42,5840 litre	O
160	CM	35	CM	61 LEVEL CM	569,4643 litre	92,483 %	46,2879 litre	O
160	CM	35	CM	60,5 LEVEL CM	565,6716 litre	91,867 %	50,0806 litre	O
160	CM	35	CM	60 LEVEL CM	561,7938 litre	91,237 %	53,9584 litre	O
160	CM	35	CM	59,5 LEVEL CM	557,8344 litre	90,594 %	57,9178 litre	O
160	CM	35	CM	59 LEVEL CM	553,7965 litre	89,938 %	61,9557 litre	O
160	CM	35	CM	58,5 LEVEL CM	549,6832 litre	89,270 %	66,0690 litre	O
160	CM	35	CM	58 LEVEL CM	545,4975 litre	88,590 %	70,2547 litre	O
160	CM	35	CM	57,5 LEVEL CM	541,2419 litre	87,899 %	74,5103 litre	O
160	CM	35	CM	57 LEVEL CM	536,9193 litre	87,197 %	78,8329 litre	O
160	CM	35	CM	56,5 LEVEL CM	532,5319 litre	86,485 %	83,2203 litre	O
160	CM	35	CM	56 LEVEL CM	528,0823 litre	85,762 %	87,6699 litre	O
160	CM	35	CM	55,5 LEVEL CM	523,5727 litre	85,030 %	92,1795 litre	O
160	CM	35	CM	55 LEVEL CM	519,0052 litre	84,288 %	96,7470 litre	O
160	CM	35	CM	54,5 LEVEL CM	514,3821 litre	83,537 %	101,3701 litre	O
160	CM	35	CM	54 LEVEL CM	509,7052 litre	82,778 %	106,0470 litre	O
160	CM	35	CM	53,5 LEVEL CM	504,9767 litre	82,010 %	110,7755 litre	O
160	CM	35	CM	53 LEVEL CM	500,1983 litre	81,234 %	115,5539 litre	O
160	CM	35	CM	52,5 LEVEL CM	495,3719 litre	80,450 %	120,3803 litre	O
160	CM	35	CM	52 LEVEL CM	490,4994 litre	79,659 %	125,2528 litre	O
160	CM	35	CM	51,5 LEVEL CM	485,5824 litre	78,860 %	130,1698 litre	O
160	CM	35	CM	51 LEVEL CM	480,6226 litre	78,055 %	135,1296 litre	O
160	CM	35	CM	50,5 LEVEL CM	475,6217 litre	77,242 %	140,1305 litre	O
160	CM	35	CM	50 LEVEL CM	470,5813 litre	76,424 %	145,1709 litre	O
160	CM	35	CM	49,5 LEVEL CM	465,5029 litre	75,599 %	150,2493 litre	O
160	CM	35	CM	49 LEVEL CM	460,3882 litre	74,768 %	155,3640 litre	O
160	CM	35	CM	48,5 LEVEL CM	455,2385 litre	73,932 %	160,5137 litre	O
160	CM	35	CM	48 LEVEL CM	450,0553 litre	73,090 %	165,6969 litre	O
160	CM	35	CM	47,5 LEVEL CM	444,8402 litre	72,243 %	170,9120 litre	O
160	CM	35	CM	47 LEVEL CM	439,5944 litre	71,391 %	176,1578 litre	O
160	CM	35	CM	46,5 LEVEL CM	434,3195 litre	70,535 %	181,4327 litre	O
160	CM	35	CM	46 LEVEL CM	429,0167 litre	69,674 %	186,7355 litre	O
160	CM	35	CM	45,5 LEVEL CM	423,6875 litre	68,808 %	192,0647 litre	O
160	CM	35	CM	45 LEVEL CM	418,3330 litre	67,939 %	197,4192 litre	O
160	CM	35	CM	44,5 LEVEL CM	412,9548 litre	67,065 %	202,7974 litre	O

160	CM	35	CM	44 LEVEL CM	407,5539 litre	66,188 %	208,1983 litre	O
160	CM	35	CM	43,5 LEVEL CM	402,1318 litre	65,307 %	213,6204 litre	O
160	CM	35	CM	43 LEVEL CM	396,6897 litre	64,424 %	219,0625 litre	O
160	CM	35	CM	42,5 LEVEL CM	391,2287 litre	63,537 %	224,5235 litre	O
160	CM	35	CM	42 LEVEL CM	385,7502 litre	62,647 %	230,0020 litre	O
160	CM	35	CM	41,5 LEVEL CM	380,2554 litre	61,755 %	235,4968 litre	O
160	CM	35	CM	41 LEVEL CM	374,7455 litre	60,860 %	241,0067 litre	O
160	CM	35	CM	40,5 LEVEL CM	369,2216 litre	59,963 %	246,5306 litre	O
160	CM	35	CM	40 LEVEL CM	363,6850 litre	59,064 %	252,0672 litre	O
160	CM	35	CM	39,5 LEVEL CM	358,1369 litre	58,163 %	257,6153 litre	O
160	CM	35	CM	39 LEVEL CM	352,5784 litre	57,260 %	263,1738 litre	O
160	CM	35	CM	38,5 LEVEL CM	347,0106 litre	56,356 %	268,7416 litre	O
160	CM	35	CM	38 LEVEL CM	341,4349 litre	55,450 %	274,3173 litre	O
160	CM	35	CM	37,5 LEVEL CM	335,8523 litre	54,543 %	279,8999 litre	O
160	CM	35	CM	37 LEVEL CM	330,2639 litre	53,636 %	285,4883 litre	O
160	CM	35	CM	36,5 LEVEL CM	324,6709 litre	52,728 %	291,0813 litre	O
160	CM	35	CM	36 LEVEL CM	319,0746 litre	51,819 %	296,6776 litre	O
160	CM	35	CM	35,5 LEVEL CM	313,4759 litre	50,909 %	302,2763 litre	O
160	CM	35	CM	35 LEVEL CM	307,8761 litre	50,000 %	307,8761 litre	O
160	CM	35	CM	34,5 LEVEL CM	302,2763 litre	49,091 %	313,4759 litre	O
160	CM	35	CM	34 LEVEL CM	296,6776 litre	48,181 %	319,0746 litre	O
160	CM	35	CM	33,5 LEVEL CM	291,0812 litre	47,272 %	324,6710 litre	O
160	CM	35	CM	33 LEVEL CM	285,4883 litre	46,364 %	330,2639 litre	O
160	CM	35	CM	32,5 LEVEL CM	279,8999 litre	45,457 %	335,8523 litre	O
160	CM	35	CM	32 LEVEL CM	274,3173 litre	44,550 %	341,4349 litre	O
160	CM	35	CM	31,5 LEVEL CM	268,7415 litre	43,644 %	347,0107 litre	O
160	CM	35	CM	31 LEVEL CM	263,1738 litre	42,740 %	352,5784 litre	O
160	CM	35	CM	30,5 LEVEL CM	257,6153 litre	41,837 %	358,1369 litre	O
160	CM	35	CM	30 LEVEL CM	252,0671 litre	40,936 %	363,6851 litre	O
160	CM	35	CM	29,5 LEVEL CM	246,5306 litre	40,037 %	369,2216 litre	O
160	CM	35	CM	29 LEVEL CM	241,0067 litre	39,140 %	374,7455 litre	O
160	CM	35	CM	28,5 LEVEL CM	235,4967 litre	38,245 %	380,2555 litre	O
160	CM	35	CM	28 LEVEL CM	230,0019 litre	37,353 %	385,7503 litre	O
160	CM	35	CM	27,5 LEVEL CM	224,5234 litre	36,463 %	391,2288 litre	O
160	CM	35	CM	27 LEVEL CM	219,0625 litre	35,576 %	396,6897 litre	O
160	CM	35	CM	26,5 LEVEL CM	213,6203 litre	34,693 %	402,1319 litre	O
160	CM	35	CM	26 LEVEL CM	208,1982 litre	33,812 %	407,5540 litre	O
160	CM	35	CM	25,5 LEVEL CM	202,7974 litre	32,935 %	412,9548 litre	O
160	CM	35	CM	25 LEVEL CM	197,4191 litre	32,061 %	418,3331 litre	O
160	CM	35	CM	24,5 LEVEL CM	192,0647 litre	31,192 %	423,6875 litre	O
160	CM	35	CM	24 LEVEL CM	186,7354 litre	30,326 %	429,0168 litre	O
160	CM	35	CM	23,5 LEVEL CM	181,4327 litre	29,465 %	434,3195 litre	O
160	CM	35	CM	23 LEVEL CM	176,1577 litre	28,609 %	439,5945 litre	O
160	CM	35	CM	22,5 LEVEL CM	170,9120 litre	27,757 %	444,8402 litre	O
160	CM	35	CM	22 LEVEL CM	165,6968 litre	26,910 %	450,0554 litre	O
160	CM	35	CM	21,5 LEVEL CM	160,5137 litre	26,068 %	455,2385 litre	O
160	CM	35	CM	21 LEVEL CM	155,3640 litre	25,232 %	460,3882 litre	O
160	CM	35	CM	20,5 LEVEL CM	150,2492 litre	24,401 %	465,5030 litre	O
160	CM	35	CM	20 LEVEL CM	145,1709 litre	23,576 %	470,5813 litre	O
160	CM	35	CM	19,5 LEVEL CM	140,1304 litre	22,758 %	475,6218 litre	O
160	CM	35	CM	19 LEVEL CM	135,1295 litre	21,945 %	480,6227 litre	O
160	CM	35	CM	18,5 LEVEL CM	130,1698 litre	21,140 %	485,5824 litre	O
160	CM	35	CM	18 LEVEL CM	125,2528 litre	20,341 %	490,4994 litre	O

160	CM	35	CM	17,5 LEVEL CM	120,3802 litre	19,550 %	495,3720 litre	O
160	CM	35	CM	17 LEVEL CM	115,5539 litre	18,766 %	500,1983 litre	O
160	CM	35	CM	16,5 LEVEL CM	110,7755 litre	17,990 %	504,9767 litre	O
160	CM	35	CM	16 LEVEL CM	106,0469 litre	17,222 %	509,7053 litre	O
160	CM	35	CM	15,5 LEVEL CM	101,3701 litre	16,463 %	514,3821 litre	O
160	CM	35	CM	15 LEVEL CM	96,7469 litre	15,712 %	519,0053 litre	O
160	CM	35	CM	14,5 LEVEL CM	92,1795 litre	14,970 %	523,5727 litre	O
160	CM	35	CM	14 LEVEL CM	87,6699 litre	14,238 %	528,0823 litre	O
160	CM	35	CM	13,5 LEVEL CM	83,2202 litre	13,515 %	532,5320 litre	O
160	CM	35	CM	13 LEVEL CM	78,8329 litre	12,803 %	536,9193 litre	O
160	CM	35	CM	12,5 LEVEL CM	74,5102 litre	12,101 %	541,2420 litre	O
160	CM	35	CM	12 LEVEL CM	70,2547 litre	11,410 %	545,4975 litre	O
160	CM	35	CM	11,5 LEVEL CM	66,0689 litre	10,730 %	549,6833 litre	O
160	CM	35	CM	11 LEVEL CM	61,9557 litre	10,062 %	553,7965 litre	O
160	CM	35	CM	10,5 LEVEL CM	57,9178 litre	9,406 %	557,8344 litre	O
160	CM	35	CM	10 LEVEL CM	53,9583 litre	8,763 %	561,7939 litre	O
160	CM	35	CM	9,5 LEVEL CM	50,0805 litre	8,133 %	565,6717 litre	O
160	CM	35	CM	9 LEVEL CM	46,2878 litre	7,517 %	569,4644 litre	O
160	CM	35	CM	8,5 LEVEL CM	42,5839 litre	6,916 %	573,1683 litre	O
160	CM	35	CM	8 LEVEL CM	38,9728 litre	6,329 %	576,7794 litre	O
160	CM	35	CM	7,5 LEVEL CM	35,4587 litre	5,759 %	580,2935 litre	O
160	CM	35	CM	7 LEVEL CM	32,0462 litre	5,204 %	583,7060 litre	O
160	CM	35	CM	6,5 LEVEL CM	28,7405 litre	4,668 %	587,0117 litre	O
160	CM	35	CM	6 LEVEL CM	25,5470 litre	4,149 %	590,2052 litre	O
160	CM	35	CM	5,5 LEVEL CM	22,4719 litre	3,650 %	593,2803 litre	O
160	CM	35	CM	5 LEVEL CM	19,5223 litre	3,170 %	596,2299 litre	O
160	CM	35	CM	4,5 LEVEL CM	16,7058 litre	2,713 %	599,0464 litre	O
160	CM	35	CM	4 LEVEL CM	14,0317 litre	2,279 %	601,7205 litre	O
160	CM	35	CM	3,5 LEVEL CM	11,5103 litre	1,869 %	604,2419 litre	O
160	CM	35	CM	3 LEVEL CM	9,1543 litre	1,487 %	606,5979 litre	O
160	CM	35	CM	2,5 LEVEL CM	6,9793 litre	1,133 %	608,7729 litre	O
160	CM	35	CM	2 LEVEL CM	5,0049 litre	0,813 %	610,7473 litre	O
160	CM	35	CM	1,5 LEVEL CM	3,2579 litre	0,529 %	612,4943 litre	O
160	CM	35	CM	1 LEVEL CM	1,7772 litre	0,289 %	613,9750 litre	O
160	CM	35	CM	0,5 LEVEL CM	0,6297 litre	0,102 %	615,1225 litre	O
160	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	615,7522 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
160	CM 30	CM 60 LEVEL CM	452,3893 litre	100,000 %	0,0000 litre	O
160	CM 30	CM 59,5 LEVEL CM	451,8066 litre	99,871 %	0,5827 litre	O
160	CM 30	CM 59 LEVEL CM	450,7452 litre	99,637 %	1,6441 litre	O
160	CM 30	CM 58,5 LEVEL CM	449,3764 litre	99,334 %	3,0129 litre	O
160	CM 30	CM 58 LEVEL CM	447,7625 litre	98,977 %	4,6268 litre	O
160	CM 30	CM 57,5 LEVEL CM	445,9396 litre	98,574 %	6,4497 litre	O
160	CM 30	CM 57 LEVEL CM	443,9328 litre	98,131 %	8,4565 litre	O
160	CM 30	CM 56,5 LEVEL CM	441,7605 litre	97,651 %	10,6288 litre	O
160	CM 30	CM 56 LEVEL CM	439,4372 litre	97,137 %	12,9521 litre	O
160	CM 30	CM 55,5 LEVEL CM	436,9748 litre	96,593 %	15,4145 litre	O
160	CM 30	CM 55 LEVEL CM	434,3831 litre	96,020 %	18,0062 litre	O
160	CM 30	CM 54,5 LEVEL CM	431,6708 litre	95,420 %	20,7185 litre	O
160	CM 30	CM 54 LEVEL CM	428,8452 litre	94,796 %	23,5441 litre	O
160	CM 30	CM 53,5 LEVEL CM	425,9129 litre	94,147 %	26,4764 litre	O
160	CM 30	CM 53 LEVEL CM	422,8797 litre	93,477 %	29,5096 litre	O
160	CM 30	CM 52,5 LEVEL CM	419,7509 litre	92,785 %	32,6384 litre	O
160	CM 30	CM 52 LEVEL CM	416,5314 litre	92,074 %	35,8579 litre	O
160	CM 30	CM 51,5 LEVEL CM	413,2256 litre	91,343 %	39,1637 litre	O
160	CM 30	CM 51 LEVEL CM	409,8375 litre	90,594 %	42,5518 litre	O
160	CM 30	CM 50,5 LEVEL CM	406,3710 litre	89,828 %	46,0183 litre	O
160	CM 30	CM 50 LEVEL CM	402,8296 litre	89,045 %	49,5597 litre	O
160	CM 30	CM 49,5 LEVEL CM	399,2167 litre	88,246 %	53,1726 litre	O
160	CM 30	CM 49 LEVEL CM	395,5353 litre	87,432 %	56,8540 litre	O
160	CM 30	CM 48,5 LEVEL CM	391,7884 litre	86,604 %	60,6009 litre	O
160	CM 30	CM 48 LEVEL CM	387,9788 litre	85,762 %	64,4105 litre	O
160	CM 30	CM 47,5 LEVEL CM	384,1093 litre	84,907 %	68,2800 litre	O
160	CM 30	CM 47 LEVEL CM	380,1822 litre	84,039 %	72,2071 litre	O
160	CM 30	CM 46,5 LEVEL CM	376,2002 litre	83,159 %	76,1891 litre	O
160	CM 30	CM 46 LEVEL CM	372,1654 litre	82,267 %	80,2239 litre	O
160	CM 30	CM 45,5 LEVEL CM	368,0802 litre	81,364 %	84,3091 litre	O
160	CM 30	CM 45 LEVEL CM	363,9467 litre	80,450 %	88,4426 litre	O
160	CM 30	CM 44,5 LEVEL CM	359,7670 litre	79,526 %	92,6223 litre	O
160	CM 30	CM 44 LEVEL CM	355,5432 litre	78,592 %	96,8461 litre	O
160	CM 30	CM 43,5 LEVEL CM	351,2771 litre	77,649 %	101,1122 litre	O
160	CM 30	CM 43 LEVEL CM	346,9707 litre	76,697 %	105,4186 litre	O
160	CM 30	CM 42,5 LEVEL CM	342,6259 litre	75,737 %	109,7634 litre	O
160	CM 30	CM 42 LEVEL CM	338,2444 litre	74,768 %	114,1449 litre	O
160	CM 30	CM 41,5 LEVEL CM	333,8279 litre	73,792 %	118,5614 litre	O
160	CM 30	CM 41 LEVEL CM	329,3783 litre	72,809 %	123,0110 litre	O
160	CM 30	CM 40,5 LEVEL CM	324,8971 litre	71,818 %	127,4922 litre	O
160	CM 30	CM 40 LEVEL CM	320,3860 litre	70,821 %	132,0033 litre	O
160	CM 30	CM 39,5 LEVEL CM	315,8467 litre	69,817 %	136,5426 litre	O
160	CM 30	CM 39 LEVEL CM	311,2806 litre	68,808 %	141,1087 litre	O
160	CM 30	CM 38,5 LEVEL CM	306,6894 litre	67,793 %	145,6999 litre	O
160	CM 30	CM 38 LEVEL CM	302,0745 litre	66,773 %	150,3148 litre	O
160	CM 30	CM 37,5 LEVEL CM	297,4375 litre	65,748 %	154,9518 litre	O
160	CM 30	CM 37 LEVEL CM	292,7798 litre	64,719 %	159,6095 litre	O
160	CM 30	CM 36,5 LEVEL CM	288,1030 litre	63,685 %	164,2863 litre	O
160	CM 30	CM 36 LEVEL CM	283,4083 litre	62,647 %	168,9810 litre	O
160	CM 30	CM 35,5 LEVEL CM	278,6974 litre	61,606 %	173,6919 litre	O
160	CM 30	CM 35 LEVEL CM	273,9715 litre	60,561 %	178,4178 litre	O
160	CM 30	CM 34,5 LEVEL CM	269,2321 litre	59,513 %	183,1572 litre	O

160	CM	30	CM	34 LEVEL CM	264,4806 litre	58,463 %	187,9087 litre	O
160	CM	30	CM	33,5 LEVEL CM	259,7183 litre	57,410 %	192,6710 litre	O
160	CM	30	CM	33 LEVEL CM	254,9466 litre	56,356 %	197,4427 litre	O
160	CM	30	CM	32,5 LEVEL CM	250,1669 litre	55,299 %	202,2224 litre	O
160	CM	30	CM	32 LEVEL CM	245,3804 litre	54,241 %	207,0089 litre	O
160	CM	30	CM	31,5 LEVEL CM	240,5887 litre	53,182 %	211,8006 litre	O
160	CM	30	CM	31 LEVEL CM	235,7929 litre	52,122 %	216,5964 litre	O
160	CM	30	CM	30,5 LEVEL CM	230,9944 litre	51,061 %	221,3949 litre	O
160	CM	30	CM	30 LEVEL CM	226,1947 litre	50,000 %	226,1946 litre	O
160	CM	30	CM	29,5 LEVEL CM	221,3949 litre	48,939 %	230,9944 litre	O
160	CM	30	CM	29 LEVEL CM	216,5964 litre	47,878 %	235,7929 litre	O
160	CM	30	CM	28,5 LEVEL CM	211,8007 litre	46,818 %	240,5886 litre	O
160	CM	30	CM	28 LEVEL CM	207,0089 litre	45,759 %	245,3804 litre	O
160	CM	30	CM	27,5 LEVEL CM	202,2225 litre	44,701 %	250,1668 litre	O
160	CM	30	CM	27 LEVEL CM	197,4427 litre	43,644 %	254,9466 litre	O
160	CM	30	CM	26,5 LEVEL CM	192,6710 litre	42,590 %	259,7183 litre	O
160	CM	30	CM	26 LEVEL CM	187,9088 litre	41,537 %	264,4805 litre	O
160	CM	30	CM	25,5 LEVEL CM	183,1572 litre	40,487 %	269,2321 litre	O
160	CM	30	CM	25 LEVEL CM	178,4178 litre	39,439 %	273,9715 litre	O
160	CM	30	CM	24,5 LEVEL CM	173,6920 litre	38,394 %	278,6973 litre	O
160	CM	30	CM	24 LEVEL CM	168,9810 litre	37,353 %	283,4083 litre	O
160	CM	30	CM	23,5 LEVEL CM	164,2864 litre	36,315 %	288,1029 litre	O
160	CM	30	CM	23 LEVEL CM	159,6095 litre	35,281 %	292,7798 litre	O
160	CM	30	CM	22,5 LEVEL CM	154,9519 litre	34,252 %	297,4374 litre	O
160	CM	30	CM	22 LEVEL CM	150,3149 litre	33,227 %	302,0744 litre	O
160	CM	30	CM	21,5 LEVEL CM	145,7000 litre	32,207 %	306,6893 litre	O
160	CM	30	CM	21 LEVEL CM	141,1088 litre	31,192 %	311,2805 litre	O
160	CM	30	CM	20,5 LEVEL CM	136,5427 litre	30,183 %	315,8466 litre	O
160	CM	30	CM	20 LEVEL CM	132,0033 litre	29,179 %	320,3860 litre	O
160	CM	30	CM	19,5 LEVEL CM	127,4922 litre	28,182 %	324,8971 litre	O
160	CM	30	CM	19 LEVEL CM	123,0111 litre	27,191 %	329,3782 litre	O
160	CM	30	CM	18,5 LEVEL CM	118,5614 litre	26,208 %	333,8279 litre	O
160	CM	30	CM	18 LEVEL CM	114,1450 litre	25,232 %	338,2443 litre	O
160	CM	30	CM	17,5 LEVEL CM	109,7634 litre	24,263 %	342,6259 litre	O
160	CM	30	CM	17 LEVEL CM	105,4186 litre	23,303 %	346,9707 litre	O
160	CM	30	CM	16,5 LEVEL CM	101,1122 litre	22,351 %	351,2771 litre	O
160	CM	30	CM	16 LEVEL CM	96,8461 litre	21,408 %	355,5432 litre	O
160	CM	30	CM	15,5 LEVEL CM	92,6223 litre	20,474 %	359,7670 litre	O
160	CM	30	CM	15 LEVEL CM	88,4426 litre	19,550 %	363,9467 litre	O
160	CM	30	CM	14,5 LEVEL CM	84,3091 litre	18,636 %	368,0802 litre	O
160	CM	30	CM	14 LEVEL CM	80,2239 litre	17,733 %	372,1654 litre	O
160	CM	30	CM	13,5 LEVEL CM	76,1892 litre	16,842 %	376,2001 litre	O
160	CM	30	CM	13 LEVEL CM	72,2071 litre	15,961 %	380,1822 litre	O
160	CM	30	CM	12,5 LEVEL CM	68,2801 litre	15,093 %	384,1092 litre	O
160	CM	30	CM	12 LEVEL CM	64,4105 litre	14,238 %	387,9788 litre	O
160	CM	30	CM	11,5 LEVEL CM	60,6010 litre	13,396 %	391,7883 litre	O
160	CM	30	CM	11 LEVEL CM	56,8541 litre	12,568 %	395,5352 litre	O
160	CM	30	CM	10,5 LEVEL CM	53,1727 litre	11,754 %	399,2166 litre	O
160	CM	30	CM	10 LEVEL CM	49,5597 litre	10,955 %	402,8296 litre	O
160	CM	30	CM	9,5 LEVEL CM	46,0183 litre	10,172 %	406,3710 litre	O
160	CM	30	CM	9 LEVEL CM	42,5518 litre	9,406 %	409,8375 litre	O
160	CM	30	CM	8,5 LEVEL CM	39,1638 litre	8,657 %	413,2255 litre	O
160	CM	30	CM	8 LEVEL CM	35,8580 litre	7,926 %	416,5313 litre	O

160	CM 30	CM	7,5 LEVEL CM	32,6384 litre	7,215 %	419,7509 litre	O
160	CM 30	CM	7 LEVEL CM	29,5097 litre	6,523 %	422,8796 litre	O
160	CM 30	CM	6,5 LEVEL CM	26,4765 litre	5,853 %	425,9128 litre	O
160	CM 30	CM	6 LEVEL CM	23,5442 litre	5,204 %	428,8451 litre	O
160	CM 30	CM	5,5 LEVEL CM	20,7186 litre	4,580 %	431,6707 litre	O
160	CM 30	CM	5 LEVEL CM	18,0062 litre	3,980 %	434,3831 litre	O
160	CM 30	CM	4,5 LEVEL CM	15,4146 litre	3,407 %	436,9747 litre	O
160	CM 30	CM	4 LEVEL CM	12,9522 litre	2,863 %	439,4371 litre	O
160	CM 30	CM	3,5 LEVEL CM	10,6289 litre	2,349 %	441,7604 litre	O
160	CM 30	CM	3 LEVEL CM	8,4565 litre	1,869 %	443,9328 litre	O
160	CM 30	CM	2,5 LEVEL CM	6,4497 litre	1,426 %	445,9396 litre	O
160	CM 30	CM	2 LEVEL CM	4,6269 litre	1,023 %	447,7624 litre	O
160	CM 30	CM	1,5 LEVEL CM	3,0129 litre	0,666 %	449,3764 litre	O
160	CM 30	CM	1 LEVEL CM	1,6442 litre	0,363 %	450,7451 litre	O
160	CM 30	CM	0,5 LEVEL CM	0,5828 litre	0,129 %	451,8065 litre	O
160	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	452,3893 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
160	CM	25	CM	50 LEVEL CM	314,1593 litre	100,000 %	0,0000 litre	O
160	CM	25	CM	49,5 LEVEL CM	313,6275 litre	99,831 %	0,5318 litre	O
160	CM	25	CM	49 LEVEL CM	312,6599 litre	99,523 %	1,4994 litre	O
160	CM	25	CM	48,5 LEVEL CM	311,4131 litre	99,126 %	2,7462 litre	O
160	CM	25	CM	48 LEVEL CM	309,9442 litre	98,658 %	4,2151 litre	O
160	CM	25	CM	47,5 LEVEL CM	308,2867 litre	98,131 %	5,8726 litre	O
160	CM	25	CM	47 LEVEL CM	306,4635 litre	97,550 %	7,6958 litre	O
160	CM	25	CM	46,5 LEVEL CM	304,4919 litre	96,923 %	9,6674 litre	O
160	CM	25	CM	46 LEVEL CM	302,3852 litre	96,252 %	11,7741 litre	O
160	CM	25	CM	45,5 LEVEL CM	300,1545 litre	95,542 %	14,0048 litre	O
160	CM	25	CM	45 LEVEL CM	297,8092 litre	94,796 %	16,3501 litre	O
160	CM	25	CM	44,5 LEVEL CM	295,3570 litre	94,015 %	18,8023 litre	O
160	CM	25	CM	44 LEVEL CM	292,8051 litre	93,203 %	21,3542 litre	O
160	CM	25	CM	43,5 LEVEL CM	290,1596 litre	92,361 %	23,9997 litre	O
160	CM	25	CM	43 LEVEL CM	287,4260 litre	91,491 %	26,7333 litre	O
160	CM	25	CM	42,5 LEVEL CM	284,6094 litre	90,594 %	29,5499 litre	O
160	CM	25	CM	42 LEVEL CM	281,7143 litre	89,672 %	32,4450 litre	O
160	CM	25	CM	41,5 LEVEL CM	278,7450 litre	88,727 %	35,4143 litre	O
160	CM	25	CM	41 LEVEL CM	275,7055 litre	87,760 %	38,4538 litre	O
160	CM	25	CM	40,5 LEVEL CM	272,5992 litre	86,771 %	41,5601 litre	O
160	CM	25	CM	40 LEVEL CM	269,4297 litre	85,762 %	44,7296 litre	O
160	CM	25	CM	39,5 LEVEL CM	266,2003 litre	84,734 %	47,9590 litre	O
160	CM	25	CM	39 LEVEL CM	262,9138 litre	83,688 %	51,2455 litre	O
160	CM	25	CM	38,5 LEVEL CM	259,5733 litre	82,625 %	54,5860 litre	O
160	CM	25	CM	38 LEVEL CM	256,1814 litre	81,545 %	57,9779 litre	O
160	CM	25	CM	37,5 LEVEL CM	252,7408 litre	80,450 %	61,4185 litre	O
160	CM	25	CM	37 LEVEL CM	249,2540 litre	79,340 %	64,9053 litre	O
160	CM	25	CM	36,5 LEVEL CM	245,7234 litre	78,216 %	68,4359 litre	O
160	CM	25	CM	36 LEVEL CM	242,1514 litre	77,079 %	72,0079 litre	O
160	CM	25	CM	35,5 LEVEL CM	238,5402 litre	75,930 %	75,6191 litre	O
160	CM	25	CM	35 LEVEL CM	234,8919 litre	74,768 %	79,2674 litre	O
160	CM	25	CM	34,5 LEVEL CM	231,2087 litre	73,596 %	82,9506 litre	O
160	CM	25	CM	34 LEVEL CM	227,4927 litre	72,413 %	86,6666 litre	O
160	CM	25	CM	33,5 LEVEL CM	223,7458 litre	71,220 %	90,4135 litre	O
160	CM	25	CM	33 LEVEL CM	219,9699 litre	70,019 %	94,1894 litre	O
160	CM	25	CM	32,5 LEVEL CM	216,1671 litre	68,808 %	97,9922 litre	O
160	CM	25	CM	32 LEVEL CM	212,3390 litre	67,590 %	101,8203 litre	O
160	CM	25	CM	31,5 LEVEL CM	208,4877 litre	66,364 %	105,6716 litre	O
160	CM	25	CM	31 LEVEL CM	204,6148 litre	65,131 %	109,5445 litre	O
160	CM	25	CM	30,5 LEVEL CM	200,7221 litre	63,892 %	113,4372 litre	O
160	CM	25	CM	30 LEVEL CM	196,8113 litre	62,647 %	117,3480 litre	O
160	CM	25	CM	29,5 LEVEL CM	192,8843 litre	61,397 %	121,2750 litre	O
160	CM	25	CM	29 LEVEL CM	188,9426 litre	60,142 %	125,2167 litre	O
160	CM	25	CM	28,5 LEVEL CM	184,9879 litre	58,883 %	129,1714 litre	O
160	CM	25	CM	28 LEVEL CM	181,0219 litre	57,621 %	133,1374 litre	O
160	CM	25	CM	27,5 LEVEL CM	177,0462 litre	56,356 %	137,1131 litre	O
160	CM	25	CM	27 LEVEL CM	173,0625 litre	55,088 %	141,0968 litre	O
160	CM	25	CM	26,5 LEVEL CM	169,0724 litre	53,817 %	145,0869 litre	O
160	CM	25	CM	26 LEVEL CM	165,0775 litre	52,546 %	149,0818 litre	O
160	CM	25	CM	25,5 LEVEL CM	161,0794 litre	51,273 %	153,0799 litre	O
160	CM	25	CM	25 LEVEL CM	157,0796 litre	50,000 %	157,0797 litre	O
160	CM	25	CM	24,5 LEVEL CM	153,0799 litre	48,727 %	161,0794 litre	O

160	CM	25	CM	24 LEVEL CM	149,0818 litre	47,454 %	165,0775 litre	O
160	CM	25	CM	23,5 LEVEL CM	145,0868 litre	46,183 %	169,0725 litre	O
160	CM	25	CM	23 LEVEL CM	141,0967 litre	44,912 %	173,0626 litre	O
160	CM	25	CM	22,5 LEVEL CM	137,1130 litre	43,644 %	177,0463 litre	O
160	CM	25	CM	22 LEVEL CM	133,1374 litre	42,379 %	181,0219 litre	O
160	CM	25	CM	21,5 LEVEL CM	129,1714 litre	41,117 %	184,9879 litre	O
160	CM	25	CM	21 LEVEL CM	125,2167 litre	39,858 %	188,9426 litre	O
160	CM	25	CM	20,5 LEVEL CM	121,2750 litre	38,603 %	192,8843 litre	O
160	CM	25	CM	20 LEVEL CM	117,3479 litre	37,353 %	196,8114 litre	O
160	CM	25	CM	19,5 LEVEL CM	113,4372 litre	36,108 %	200,7221 litre	O
160	CM	25	CM	19 LEVEL CM	109,5445 litre	34,869 %	204,6148 litre	O
160	CM	25	CM	18,5 LEVEL CM	105,6716 litre	33,636 %	208,4877 litre	O
160	CM	25	CM	18 LEVEL CM	101,8202 litre	32,410 %	212,3391 litre	O
160	CM	25	CM	17,5 LEVEL CM	97,9922 litre	31,192 %	216,1671 litre	O
160	CM	25	CM	17 LEVEL CM	94,1893 litre	29,981 %	219,9700 litre	O
160	CM	25	CM	16,5 LEVEL CM	90,4135 litre	28,780 %	223,7458 litre	O
160	CM	25	CM	16 LEVEL CM	86,6666 litre	27,587 %	227,4927 litre	O
160	CM	25	CM	15,5 LEVEL CM	82,9505 litre	26,404 %	231,2088 litre	O
160	CM	25	CM	15 LEVEL CM	79,2673 litre	25,232 %	234,8920 litre	O
160	CM	25	CM	14,5 LEVEL CM	75,6191 litre	24,070 %	238,5402 litre	O
160	CM	25	CM	14 LEVEL CM	72,0079 litre	22,921 %	242,1514 litre	O
160	CM	25	CM	13,5 LEVEL CM	68,4358 litre	21,784 %	245,7235 litre	O
160	CM	25	CM	13 LEVEL CM	64,9053 litre	20,660 %	249,2540 litre	O
160	CM	25	CM	12,5 LEVEL CM	61,4185 litre	19,550 %	252,7408 litre	O
160	CM	25	CM	12 LEVEL CM	57,9779 litre	18,455 %	256,1814 litre	O
160	CM	25	CM	11,5 LEVEL CM	54,5860 litre	17,375 %	259,5733 litre	O
160	CM	25	CM	11 LEVEL CM	51,2455 litre	16,312 %	262,9138 litre	O
160	CM	25	CM	10,5 LEVEL CM	47,9590 litre	15,266 %	266,2003 litre	O
160	CM	25	CM	10 LEVEL CM	44,7295 litre	14,238 %	269,4298 litre	O
160	CM	25	CM	9,5 LEVEL CM	41,5601 litre	13,229 %	272,5992 litre	O
160	CM	25	CM	9 LEVEL CM	38,4538 litre	12,240 %	275,7055 litre	O
160	CM	25	CM	8,5 LEVEL CM	35,4142 litre	11,273 %	278,7451 litre	O
160	CM	25	CM	8 LEVEL CM	32,4449 litre	10,328 %	281,7144 litre	O
160	CM	25	CM	7,5 LEVEL CM	29,5499 litre	9,406 %	284,6094 litre	O
160	CM	25	CM	7 LEVEL CM	26,7333 litre	8,509 %	287,4260 litre	O
160	CM	25	CM	6,5 LEVEL CM	23,9997 litre	7,639 %	290,1596 litre	O
160	CM	25	CM	6 LEVEL CM	21,3542 litre	6,797 %	292,8051 litre	O
160	CM	25	CM	5,5 LEVEL CM	18,8022 litre	5,985 %	295,3571 litre	O
160	CM	25	CM	5 LEVEL CM	16,3501 litre	5,204 %	297,8092 litre	O
160	CM	25	CM	4,5 LEVEL CM	14,0047 litre	4,458 %	300,1546 litre	O
160	CM	25	CM	4 LEVEL CM	11,7741 litre	3,748 %	302,3852 litre	O
160	CM	25	CM	3,5 LEVEL CM	9,6674 litre	3,077 %	304,4919 litre	O
160	CM	25	CM	3 LEVEL CM	7,6957 litre	2,450 %	306,4636 litre	O
160	CM	25	CM	2,5 LEVEL CM	5,8726 litre	1,869 %	308,2867 litre	O
160	CM	25	CM	2 LEVEL CM	4,2151 litre	1,342 %	309,9442 litre	O
160	CM	25	CM	1,5 LEVEL CM	2,7462 litre	0,874 %	311,4131 litre	O
160	CM	25	CM	1 LEVEL CM	1,4994 litre	0,477 %	312,6599 litre	O
160	CM	25	CM	0,5 LEVEL CM	0,5317 litre	0,169 %	313,6276 litre	O
160	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	314,1593 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
150	CM	65	CM 130 LEVEL CM	1990,9843 litre	100,000 %	0,0000 litre	O
150	CM	65	CM 129,5 LEVEL CM	1990,1790 litre	99,960 %	0,8053 litre	O
150	CM	65	CM 129 LEVEL CM	1988,7093 litre	99,886 %	2,2750 litre	O
150	CM	65	CM 128,5 LEVEL CM	1986,8096 litre	99,790 %	4,1747 litre	O
150	CM	65	CM 128 LEVEL CM	1984,5644 litre	99,678 %	6,4199 litre	O
150	CM	65	CM 127,5 LEVEL CM	1982,0226 litre	99,550 %	8,9617 litre	O
150	CM	65	CM 127 LEVEL CM	1979,2177 litre	99,409 %	11,7666 litre	O
150	CM	65	CM 126,5 LEVEL CM	1976,1740 litre	99,256 %	14,8103 litre	O
150	CM	65	CM 126 LEVEL CM	1972,9109 litre	99,092 %	18,0734 litre	O
150	CM	65	CM 125,5 LEVEL CM	1969,4437 litre	98,918 %	21,5406 litre	O
150	CM	65	CM 125 LEVEL CM	1965,7855 litre	98,734 %	25,1988 litre	O
150	CM	65	CM 124,5 LEVEL CM	1961,9471 litre	98,542 %	29,0372 litre	O
150	CM	65	CM 124 LEVEL CM	1957,9381 litre	98,340 %	33,0462 litre	O
150	CM	65	CM 123,5 LEVEL CM	1953,7668 litre	98,131 %	37,2175 litre	O
150	CM	65	CM 123 LEVEL CM	1949,4406 litre	97,913 %	41,5437 litre	O
150	CM	65	CM 122,5 LEVEL CM	1944,9661 litre	97,689 %	46,0182 litre	O
150	CM	65	CM 122 LEVEL CM	1940,3492 litre	97,457 %	50,6351 litre	O
150	CM	65	CM 121,5 LEVEL CM	1935,5955 litre	97,218 %	55,3888 litre	O
150	CM	65	CM 121 LEVEL CM	1930,7099 litre	96,973 %	60,2744 litre	O
150	CM	65	CM 120,5 LEVEL CM	1925,6970 litre	96,721 %	65,2873 litre	O
150	CM	65	CM 120 LEVEL CM	1920,5610 litre	96,463 %	70,4233 litre	O
150	CM	65	CM 119,5 LEVEL CM	1915,3059 litre	96,199 %	75,6784 litre	O
150	CM	65	CM 119 LEVEL CM	1909,9354 litre	95,929 %	81,0489 litre	O
150	CM	65	CM 118,5 LEVEL CM	1904,4530 litre	95,654 %	86,5313 litre	O
150	CM	65	CM 118 LEVEL CM	1898,8619 litre	95,373 %	92,1224 litre	O
150	CM	65	CM 117,5 LEVEL CM	1893,1651 litre	95,087 %	97,8192 litre	O
150	CM	65	CM 117 LEVEL CM	1887,3655 litre	94,796 %	103,6188 litre	O
150	CM	65	CM 116,5 LEVEL CM	1881,4660 litre	94,499 %	109,5183 litre	O
150	CM	65	CM 116 LEVEL CM	1875,4690 litre	94,198 %	115,5153 litre	O
150	CM	65	CM 115,5 LEVEL CM	1869,3771 litre	93,892 %	121,6072 litre	O
150	CM	65	CM 115 LEVEL CM	1863,1926 litre	93,581 %	127,7917 litre	O
150	CM	65	CM 114,5 LEVEL CM	1856,9179 litre	93,266 %	134,0664 litre	O
150	CM	65	CM 114 LEVEL CM	1850,5550 litre	92,947 %	140,4293 litre	O
150	CM	65	CM 113,5 LEVEL CM	1844,1061 litre	92,623 %	146,8782 litre	O
150	CM	65	CM 113 LEVEL CM	1837,5731 litre	92,295 %	153,4112 litre	O
150	CM	65	CM 112,5 LEVEL CM	1830,9579 litre	91,962 %	160,0264 litre	O
150	CM	65	CM 112 LEVEL CM	1824,2625 litre	91,626 %	166,7218 litre	O
150	CM	65	CM 111,5 LEVEL CM	1817,4886 litre	91,286 %	173,4957 litre	O
150	CM	65	CM 111 LEVEL CM	1810,6378 litre	90,942 %	180,3465 litre	O
150	CM	65	CM 110,5 LEVEL CM	1803,7120 litre	90,594 %	187,2723 litre	O
150	CM	65	CM 110 LEVEL CM	1796,7126 litre	90,242 %	194,2717 litre	O
150	CM	65	CM 109,5 LEVEL CM	1789,6412 litre	89,887 %	201,3431 litre	O
150	CM	65	CM 109 LEVEL CM	1782,4994 litre	89,529 %	208,4849 litre	O
150	CM	65	CM 108,5 LEVEL CM	1775,2887 litre	89,166 %	215,6956 litre	O
150	CM	65	CM 108 LEVEL CM	1768,0103 litre	88,801 %	222,9740 litre	O
150	CM	65	CM 107,5 LEVEL CM	1760,6658 litre	88,432 %	230,3185 litre	O
150	CM	65	CM 107 LEVEL CM	1753,2565 litre	88,060 %	237,7278 litre	O
150	CM	65	CM 106,5 LEVEL CM	1745,7837 litre	87,684 %	245,2006 litre	O
150	CM	65	CM 106 LEVEL CM	1738,2487 litre	87,306 %	252,7356 litre	O
150	CM	65	CM 105,5 LEVEL CM	1730,6527 litre	86,924 %	260,3316 litre	O
150	CM	65	CM 105 LEVEL CM	1722,9970 litre	86,540 %	267,9873 litre	O
150	CM	65	CM 104,5 LEVEL CM	1715,2827 litre	86,152 %	275,7016 litre	O

150	CM	65	CM	104 LEVEL CM	1707,5110 litre	85,762 %	283,4733 litre	O
150	CM	65	CM	103,5 LEVEL CM	1699,6831 litre	85,369 %	291,3012 litre	O
150	CM	65	CM	103 LEVEL CM	1691,8000 litre	84,973 %	299,1843 litre	O
150	CM	65	CM	102,5 LEVEL CM	1683,8629 litre	84,574 %	307,1214 litre	O
150	CM	65	CM	102 LEVEL CM	1675,8728 litre	84,173 %	315,1115 litre	O
150	CM	65	CM	101,5 LEVEL CM	1667,8307 litre	83,769 %	323,1536 litre	O
150	CM	65	CM	101 LEVEL CM	1659,7378 litre	83,363 %	331,2465 litre	O
150	CM	65	CM	100,5 LEVEL CM	1651,5950 litre	82,954 %	339,3893 litre	O
150	CM	65	CM	100 LEVEL CM	1643,4033 litre	82,542 %	347,5810 litre	O
150	CM	65	CM	99,5 LEVEL CM	1635,1637 litre	82,128 %	355,8206 litre	O
150	CM	65	CM	99 LEVEL CM	1626,8770 litre	81,712 %	364,1073 litre	O
150	CM	65	CM	98,5 LEVEL CM	1618,5444 litre	81,294 %	372,4399 litre	O
150	CM	65	CM	98 LEVEL CM	1610,1666 litre	80,873 %	380,8177 litre	O
150	CM	65	CM	97,5 LEVEL CM	1601,7447 litre	80,450 %	389,2396 litre	O
150	CM	65	CM	97 LEVEL CM	1593,2794 litre	80,025 %	397,7049 litre	O
150	CM	65	CM	96,5 LEVEL CM	1584,7718 litre	79,597 %	406,2125 litre	O
150	CM	65	CM	96 LEVEL CM	1576,2225 litre	79,168 %	414,7618 litre	O
150	CM	65	CM	95,5 LEVEL CM	1567,6326 litre	78,737 %	423,3517 litre	O
150	CM	65	CM	95 LEVEL CM	1559,0029 litre	78,303 %	431,9814 litre	O
150	CM	65	CM	94,5 LEVEL CM	1550,3341 litre	77,868 %	440,6502 litre	O
150	CM	65	CM	94 LEVEL CM	1541,6271 litre	77,430 %	449,3572 litre	O
150	CM	65	CM	93,5 LEVEL CM	1532,8827 litre	76,991 %	458,1016 litre	O
150	CM	65	CM	93 LEVEL CM	1524,1017 litre	76,550 %	466,8826 litre	O
150	CM	65	CM	92,5 LEVEL CM	1515,2849 litre	76,107 %	475,6994 litre	O
150	CM	65	CM	92 LEVEL CM	1506,4331 litre	75,663 %	484,5512 litre	O
150	CM	65	CM	91,5 LEVEL CM	1497,5471 litre	75,216 %	493,4372 litre	O
150	CM	65	CM	91 LEVEL CM	1488,6276 litre	74,768 %	502,3567 litre	O
150	CM	65	CM	90,5 LEVEL CM	1479,6753 litre	74,319 %	511,3090 litre	O
150	CM	65	CM	90 LEVEL CM	1470,6910 litre	73,868 %	520,2933 litre	O
150	CM	65	CM	89,5 LEVEL CM	1461,6755 litre	73,415 %	529,3088 litre	O
150	CM	65	CM	89 LEVEL CM	1452,6295 litre	72,960 %	538,3548 litre	O
150	CM	65	CM	88,5 LEVEL CM	1443,5537 litre	72,505 %	547,4306 litre	O
150	CM	65	CM	88 LEVEL CM	1434,4488 litre	72,047 %	556,5355 litre	O
150	CM	65	CM	87,5 LEVEL CM	1425,3155 litre	71,588 %	565,6688 litre	O
150	CM	65	CM	87 LEVEL CM	1416,1546 litre	71,128 %	574,8297 litre	O
150	CM	65	CM	86,5 LEVEL CM	1406,9666 litre	70,667 %	584,0177 litre	O
150	CM	65	CM	86 LEVEL CM	1397,7524 litre	70,204 %	593,2319 litre	O
150	CM	65	CM	85,5 LEVEL CM	1388,5126 litre	69,740 %	602,4717 litre	O
150	CM	65	CM	85 LEVEL CM	1379,2478 litre	69,275 %	611,7365 litre	O
150	CM	65	CM	84,5 LEVEL CM	1369,9588 litre	68,808 %	621,0255 litre	O
150	CM	65	CM	84 LEVEL CM	1360,6462 litre	68,340 %	630,3381 litre	O
150	CM	65	CM	83,5 LEVEL CM	1351,3107 litre	67,871 %	639,6736 litre	O
150	CM	65	CM	83 LEVEL CM	1341,9529 litre	67,401 %	649,0314 litre	O
150	CM	65	CM	82,5 LEVEL CM	1332,5735 litre	66,930 %	658,4108 litre	O
150	CM	65	CM	82 LEVEL CM	1323,1732 litre	66,458 %	667,8111 litre	O
150	CM	65	CM	81,5 LEVEL CM	1313,7525 litre	65,985 %	677,2318 litre	O
150	CM	65	CM	81 LEVEL CM	1304,3121 litre	65,511 %	686,6722 litre	O
150	CM	65	CM	80,5 LEVEL CM	1294,8527 litre	65,036 %	696,1316 litre	O
150	CM	65	CM	80 LEVEL CM	1285,3749 litre	64,560 %	705,6094 litre	O
150	CM	65	CM	79,5 LEVEL CM	1275,8793 litre	64,083 %	715,1050 litre	O
150	CM	65	CM	79 LEVEL CM	1266,3665 litre	63,605 %	724,6178 litre	O
150	CM	65	CM	78,5 LEVEL CM	1256,8371 litre	63,126 %	734,1472 litre	O
150	CM	65	CM	78 LEVEL CM	1247,2919 litre	62,647 %	743,6924 litre	O

150	CM	65	CM	77,5 LEVEL CM	1237,7313 litre	62,167 %	753,2530 litre	O
150	CM	65	CM	77 LEVEL CM	1228,1561 litre	61,686 %	762,8282 litre	O
150	CM	65	CM	76,5 LEVEL CM	1218,5667 litre	61,204 %	772,4176 litre	O
150	CM	65	CM	76 LEVEL CM	1208,9639 litre	60,722 %	782,0204 litre	O
150	CM	65	CM	75,5 LEVEL CM	1199,3482 litre	60,239 %	791,6361 litre	O
150	CM	65	CM	75 LEVEL CM	1189,7202 litre	59,755 %	801,2641 litre	O
150	CM	65	CM	74,5 LEVEL CM	1180,0805 litre	59,271 %	810,9038 litre	O
150	CM	65	CM	74 LEVEL CM	1170,4298 litre	58,786 %	820,5545 litre	O
150	CM	65	CM	73,5 LEVEL CM	1160,7685 litre	58,301 %	830,2158 litre	O
150	CM	65	CM	73 LEVEL CM	1151,0974 litre	57,815 %	839,8869 litre	O
150	CM	65	CM	72,5 LEVEL CM	1141,4170 litre	57,329 %	849,5673 litre	O
150	CM	65	CM	72 LEVEL CM	1131,7279 litre	56,843 %	859,2564 litre	O
150	CM	65	CM	71,5 LEVEL CM	1122,0306 litre	56,356 %	868,9537 litre	O
150	CM	65	CM	71 LEVEL CM	1112,3258 litre	55,868 %	878,6585 litre	O
150	CM	65	CM	70,5 LEVEL CM	1102,6141 litre	55,380 %	888,3702 litre	O
150	CM	65	CM	70 LEVEL CM	1092,8959 litre	54,892 %	898,0884 litre	O
150	CM	65	CM	69,5 LEVEL CM	1083,1720 litre	54,404 %	907,8123 litre	O
150	CM	65	CM	69 LEVEL CM	1073,4429 litre	53,915 %	917,5414 litre	O
150	CM	65	CM	68,5 LEVEL CM	1063,7092 litre	53,426 %	927,2751 litre	O
150	CM	65	CM	68 LEVEL CM	1053,9714 litre	52,937 %	937,0129 litre	O
150	CM	65	CM	67,5 LEVEL CM	1044,2302 litre	52,448 %	946,7541 litre	O
150	CM	65	CM	67 LEVEL CM	1034,4860 litre	51,959 %	956,4983 litre	O
150	CM	65	CM	66,5 LEVEL CM	1024,7396 litre	51,469 %	966,2447 litre	O
150	CM	65	CM	66 LEVEL CM	1014,9914 litre	50,979 %	975,9929 litre	O
150	CM	65	CM	65,5 LEVEL CM	1005,2421 litre	50,490 %	985,7422 litre	O
150	CM	65	CM	65 LEVEL CM	995,4922 litre	50,000 %	995,4921 litre	O
150	CM	65	CM	64,5 LEVEL CM	985,7423 litre	49,510 %	1005,2420 litre	O
150	CM	65	CM	64 LEVEL CM	975,9929 litre	49,021 %	1014,9914 litre	O
150	CM	65	CM	63,5 LEVEL CM	966,2448 litre	48,531 %	1024,7395 litre	O
150	CM	65	CM	63 LEVEL CM	956,4983 litre	48,041 %	1034,4860 litre	O
150	CM	65	CM	62,5 LEVEL CM	946,7542 litre	47,552 %	1044,2301 litre	O
150	CM	65	CM	62 LEVEL CM	937,0129 litre	47,063 %	1053,9714 litre	O
150	CM	65	CM	61,5 LEVEL CM	927,2752 litre	46,574 %	1063,7091 litre	O
150	CM	65	CM	61 LEVEL CM	917,5414 litre	46,085 %	1073,4429 litre	O
150	CM	65	CM	60,5 LEVEL CM	907,8123 litre	45,596 %	1083,1720 litre	O
150	CM	65	CM	60 LEVEL CM	898,0884 litre	45,108 %	1092,8959 litre	O
150	CM	65	CM	59,5 LEVEL CM	888,3703 litre	44,620 %	1102,6140 litre	O
150	CM	65	CM	59 LEVEL CM	878,6585 litre	44,132 %	1112,3258 litre	O
150	CM	65	CM	58,5 LEVEL CM	868,9537 litre	43,644 %	1122,0306 litre	O
150	CM	65	CM	58 LEVEL CM	859,2565 litre	43,157 %	1131,7278 litre	O
150	CM	65	CM	57,5 LEVEL CM	849,5673 litre	42,671 %	1141,4170 litre	O
150	CM	65	CM	57 LEVEL CM	839,8869 litre	42,185 %	1151,0974 litre	O
150	CM	65	CM	56,5 LEVEL CM	830,2158 litre	41,699 %	1160,7685 litre	O
150	CM	65	CM	56 LEVEL CM	820,5546 litre	41,214 %	1170,4297 litre	O
150	CM	65	CM	55,5 LEVEL CM	810,9038 litre	40,729 %	1180,0805 litre	O
150	CM	65	CM	55 LEVEL CM	801,2642 litre	40,245 %	1189,7201 litre	O
150	CM	65	CM	54,5 LEVEL CM	791,6362 litre	39,761 %	1199,3481 litre	O
150	CM	65	CM	54 LEVEL CM	782,0205 litre	39,278 %	1208,9638 litre	O
150	CM	65	CM	53,5 LEVEL CM	772,4176 litre	38,796 %	1218,5667 litre	O
150	CM	65	CM	53 LEVEL CM	762,8283 litre	38,314 %	1228,1560 litre	O
150	CM	65	CM	52,5 LEVEL CM	753,2530 litre	37,833 %	1237,7313 litre	O
150	CM	65	CM	52 LEVEL CM	743,6925 litre	37,353 %	1247,2918 litre	O
150	CM	65	CM	51,5 LEVEL CM	734,1472 litre	36,874 %	1256,8371 litre	O

150	CM	65	CM	51 LEVEL CM	724,6179 litre	36,395 %	1266,3664 litre	O
150	CM	65	CM	50,5 LEVEL CM	715,1051 litre	35,917 %	1275,8792 litre	O
150	CM	65	CM	50 LEVEL CM	705,6095 litre	35,440 %	1285,3748 litre	O
150	CM	65	CM	49,5 LEVEL CM	696,1316 litre	34,964 %	1294,8527 litre	O
150	CM	65	CM	49 LEVEL CM	686,6722 litre	34,489 %	1304,3121 litre	O
150	CM	65	CM	48,5 LEVEL CM	677,2318 litre	34,015 %	1313,7525 litre	O
150	CM	65	CM	48 LEVEL CM	667,8112 litre	33,542 %	1323,1731 litre	O
150	CM	65	CM	47,5 LEVEL CM	658,4108 litre	33,070 %	1332,5735 litre	O
150	CM	65	CM	47 LEVEL CM	649,0314 litre	32,599 %	1341,9529 litre	O
150	CM	65	CM	46,5 LEVEL CM	639,6736 litre	32,129 %	1351,3107 litre	O
150	CM	65	CM	46 LEVEL CM	630,3381 litre	31,660 %	1360,6462 litre	O
150	CM	65	CM	45,5 LEVEL CM	621,0255 litre	31,192 %	1369,9588 litre	O
150	CM	65	CM	45 LEVEL CM	611,7365 litre	30,725 %	1379,2478 litre	O
150	CM	65	CM	44,5 LEVEL CM	602,4718 litre	30,260 %	1388,5125 litre	O
150	CM	65	CM	44 LEVEL CM	593,2319 litre	29,796 %	1397,7524 litre	O
150	CM	65	CM	43,5 LEVEL CM	584,0177 litre	29,333 %	1406,9666 litre	O
150	CM	65	CM	43 LEVEL CM	574,8298 litre	28,872 %	1416,1545 litre	O
150	CM	65	CM	42,5 LEVEL CM	565,6688 litre	28,412 %	1425,3155 litre	O
150	CM	65	CM	42 LEVEL CM	556,5356 litre	27,953 %	1434,4487 litre	O
150	CM	65	CM	41,5 LEVEL CM	547,4306 litre	27,495 %	1443,5537 litre	O
150	CM	65	CM	41 LEVEL CM	538,3548 litre	27,040 %	1452,6295 litre	O
150	CM	65	CM	40,5 LEVEL CM	529,3088 litre	26,585 %	1461,6755 litre	O
150	CM	65	CM	40 LEVEL CM	520,2933 litre	26,132 %	1470,6910 litre	O
150	CM	65	CM	39,5 LEVEL CM	511,3090 litre	25,681 %	1479,6753 litre	O
150	CM	65	CM	39 LEVEL CM	502,3568 litre	25,232 %	1488,6275 litre	O
150	CM	65	CM	38,5 LEVEL CM	493,4373 litre	24,784 %	1497,5470 litre	O
150	CM	65	CM	38 LEVEL CM	484,5512 litre	24,337 %	1506,4331 litre	O
150	CM	65	CM	37,5 LEVEL CM	475,6994 litre	23,893 %	1515,2849 litre	O
150	CM	65	CM	37 LEVEL CM	466,8826 litre	23,450 %	1524,1017 litre	O
150	CM	65	CM	36,5 LEVEL CM	458,1017 litre	23,009 %	1532,8826 litre	O
150	CM	65	CM	36 LEVEL CM	449,3573 litre	22,570 %	1541,6270 litre	O
150	CM	65	CM	35,5 LEVEL CM	440,6503 litre	22,132 %	1550,3340 litre	O
150	CM	65	CM	35 LEVEL CM	431,9815 litre	21,697 %	1559,0028 litre	O
150	CM	65	CM	34,5 LEVEL CM	423,3517 litre	21,263 %	1567,6326 litre	O
150	CM	65	CM	34 LEVEL CM	414,7618 litre	20,832 %	1576,2225 litre	O
150	CM	65	CM	33,5 LEVEL CM	406,2126 litre	20,403 %	1584,7717 litre	O
150	CM	65	CM	33 LEVEL CM	397,7049 litre	19,975 %	1593,2794 litre	O
150	CM	65	CM	32,5 LEVEL CM	389,2396 litre	19,550 %	1601,7447 litre	O
150	CM	65	CM	32 LEVEL CM	380,8177 litre	19,127 %	1610,1666 litre	O
150	CM	65	CM	31,5 LEVEL CM	372,4399 litre	18,706 %	1618,5444 litre	O
150	CM	65	CM	31 LEVEL CM	364,1073 litre	18,288 %	1626,8770 litre	O
150	CM	65	CM	30,5 LEVEL CM	355,8207 litre	17,872 %	1635,1636 litre	O
150	CM	65	CM	30 LEVEL CM	347,5811 litre	17,458 %	1643,4032 litre	O
150	CM	65	CM	29,5 LEVEL CM	339,3893 litre	17,046 %	1651,5950 litre	O
150	CM	65	CM	29 LEVEL CM	331,2465 litre	16,637 %	1659,7378 litre	O
150	CM	65	CM	28,5 LEVEL CM	323,1536 litre	16,231 %	1667,8307 litre	O
150	CM	65	CM	28 LEVEL CM	315,1116 litre	15,827 %	1675,8727 litre	O
150	CM	65	CM	27,5 LEVEL CM	307,1215 litre	15,426 %	1683,8628 litre	O
150	CM	65	CM	27 LEVEL CM	299,1844 litre	15,027 %	1691,7999 litre	O
150	CM	65	CM	26,5 LEVEL CM	291,3013 litre	14,631 %	1699,6830 litre	O
150	CM	65	CM	26 LEVEL CM	283,4733 litre	14,238 %	1707,5110 litre	O
150	CM	65	CM	25,5 LEVEL CM	275,7017 litre	13,848 %	1715,2826 litre	O
150	CM	65	CM	25 LEVEL CM	267,9874 litre	13,460 %	1722,9969 litre	O

150	CM	65	CM	24,5 LEVEL CM	260,3316 litre	13,076 %	1730,6527 litre	O
150	CM	65	CM	24 LEVEL CM	252,7356 litre	12,694 %	1738,2487 litre	O
150	CM	65	CM	23,5 LEVEL CM	245,2006 litre	12,316 %	1745,7837 litre	O
150	CM	65	CM	23 LEVEL CM	237,7278 litre	11,940 %	1753,2565 litre	O
150	CM	65	CM	22,5 LEVEL CM	230,3185 litre	11,568 %	1760,6658 litre	O
150	CM	65	CM	22 LEVEL CM	222,9740 litre	11,199 %	1768,0103 litre	O
150	CM	65	CM	21,5 LEVEL CM	215,6957 litre	10,834 %	1775,2886 litre	O
150	CM	65	CM	21 LEVEL CM	208,4849 litre	10,471 %	1782,4994 litre	O
150	CM	65	CM	20,5 LEVEL CM	201,3431 litre	10,113 %	1789,6412 litre	O
150	CM	65	CM	20 LEVEL CM	194,2718 litre	9,758 %	1796,7125 litre	O
150	CM	65	CM	19,5 LEVEL CM	187,2724 litre	9,406 %	1803,7119 litre	O
150	CM	65	CM	19 LEVEL CM	180,3465 litre	9,058 %	1810,6378 litre	O
150	CM	65	CM	18,5 LEVEL CM	173,4958 litre	8,714 %	1817,4885 litre	O
150	CM	65	CM	18 LEVEL CM	166,7218 litre	8,374 %	1824,2625 litre	O
150	CM	65	CM	17,5 LEVEL CM	160,0264 litre	8,038 %	1830,9579 litre	O
150	CM	65	CM	17 LEVEL CM	153,4113 litre	7,705 %	1837,5730 litre	O
150	CM	65	CM	16,5 LEVEL CM	146,8783 litre	7,377 %	1844,1060 litre	O
150	CM	65	CM	16 LEVEL CM	140,4293 litre	7,053 %	1850,5550 litre	O
150	CM	65	CM	15,5 LEVEL CM	134,0664 litre	6,734 %	1856,9179 litre	O
150	CM	65	CM	15 LEVEL CM	127,7917 litre	6,419 %	1863,1926 litre	O
150	CM	65	CM	14,5 LEVEL CM	121,6072 litre	6,108 %	1869,3771 litre	O
150	CM	65	CM	14 LEVEL CM	115,5154 litre	5,802 %	1875,4689 litre	O
150	CM	65	CM	13,5 LEVEL CM	109,5184 litre	5,501 %	1881,4659 litre	O
150	CM	65	CM	13 LEVEL CM	103,6188 litre	5,204 %	1887,3655 litre	O
150	CM	65	CM	12,5 LEVEL CM	97,8193 litre	4,913 %	1893,1650 litre	O
150	CM	65	CM	12 LEVEL CM	92,1225 litre	4,627 %	1898,8618 litre	O
150	CM	65	CM	11,5 LEVEL CM	86,5313 litre	4,346 %	1904,4530 litre	O
150	CM	65	CM	11 LEVEL CM	81,0489 litre	4,071 %	1909,9354 litre	O
150	CM	65	CM	10,5 LEVEL CM	75,6784 litre	3,801 %	1915,3059 litre	O
150	CM	65	CM	10 LEVEL CM	70,4234 litre	3,537 %	1920,5609 litre	O
150	CM	65	CM	9,5 LEVEL CM	65,2874 litre	3,279 %	1925,6969 litre	O
150	CM	65	CM	9 LEVEL CM	60,2745 litre	3,027 %	1930,7098 litre	O
150	CM	65	CM	8,5 LEVEL CM	55,3889 litre	2,782 %	1935,5954 litre	O
150	CM	65	CM	8 LEVEL CM	50,6351 litre	2,543 %	1940,3492 litre	O
150	CM	65	CM	7,5 LEVEL CM	46,0183 litre	2,311 %	1944,9660 litre	O
150	CM	65	CM	7 LEVEL CM	41,5438 litre	2,087 %	1949,4405 litre	O
150	CM	65	CM	6,5 LEVEL CM	37,2175 litre	1,869 %	1953,7668 litre	O
150	CM	65	CM	6 LEVEL CM	33,0462 litre	1,660 %	1957,9381 litre	O
150	CM	65	CM	5,5 LEVEL CM	29,0372 litre	1,458 %	1961,9471 litre	O
150	CM	65	CM	5 LEVEL CM	25,1989 litre	1,266 %	1965,7854 litre	O
150	CM	65	CM	4,5 LEVEL CM	21,5406 litre	1,082 %	1969,4437 litre	O
150	CM	65	CM	4 LEVEL CM	18,0735 litre	0,908 %	1972,9108 litre	O
150	CM	65	CM	3,5 LEVEL CM	14,8103 litre	0,744 %	1976,1740 litre	O
150	CM	65	CM	3 LEVEL CM	11,7667 litre	0,591 %	1979,2176 litre	O
150	CM	65	CM	2,5 LEVEL CM	8,9617 litre	0,450 %	1982,0226 litre	O
150	CM	65	CM	2 LEVEL CM	6,4200 litre	0,322 %	1984,5643 litre	O
150	CM	65	CM	1,5 LEVEL CM	4,1747 litre	0,210 %	1986,8096 litre	O
150	CM	65	CM	1 LEVEL CM	2,2751 litre	0,114 %	1988,7092 litre	O
150	CM	65	CM	0,5 LEVEL CM	0,8053 litre	0,040 %	1990,1790 litre	O
150	CM	65	CM	0 LEVEL CM	0,0000 litre	0,000 %	1990,9843 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
150	CM	60	CM 120 LEVEL CM	1696,4600 litre	100,000 %	0,0000 litre	O
150	CM	60	CM 119,5 LEVEL CM	1695,6864 litre	99,954 %	0,7736 litre	O
150	CM	60	CM 119 LEVEL CM	1694,2746 litre	99,871 %	2,1854 litre	O
150	CM	60	CM 118,5 LEVEL CM	1692,4502 litre	99,764 %	4,0098 litre	O
150	CM	60	CM 118 LEVEL CM	1690,2943 litre	99,637 %	6,1657 litre	O
150	CM	60	CM 117,5 LEVEL CM	1687,8541 litre	99,493 %	8,6059 litre	O
150	CM	60	CM 117 LEVEL CM	1685,1616 litre	99,334 %	11,2984 litre	O
150	CM	60	CM 116,5 LEVEL CM	1682,2405 litre	99,162 %	14,2195 litre	O
150	CM	60	CM 116 LEVEL CM	1679,1092 litre	98,977 %	17,3508 litre	O
150	CM	60	CM 115,5 LEVEL CM	1675,7828 litre	98,781 %	20,6772 litre	O
150	CM	60	CM 115 LEVEL CM	1672,2736 litre	98,574 %	24,1864 litre	O
150	CM	60	CM 114,5 LEVEL CM	1668,5923 litre	98,357 %	27,8677 litre	O
150	CM	60	CM 114 LEVEL CM	1664,7480 litre	98,131 %	31,7120 litre	O
150	CM	60	CM 113,5 LEVEL CM	1660,7488 litre	97,895 %	35,7112 litre	O
150	CM	60	CM 113 LEVEL CM	1656,6018 litre	97,651 %	39,8582 litre	O
150	CM	60	CM 112,5 LEVEL CM	1652,3134 litre	97,398 %	44,1466 litre	O
150	CM	60	CM 112 LEVEL CM	1647,8895 litre	97,137 %	48,5705 litre	O
150	CM	60	CM 111,5 LEVEL CM	1643,3351 litre	96,868 %	53,1249 litre	O
150	CM	60	CM 111 LEVEL CM	1638,6553 litre	96,593 %	57,8047 litre	O
150	CM	60	CM 110,5 LEVEL CM	1633,8545 litre	96,310 %	62,6055 litre	O
150	CM	60	CM 110 LEVEL CM	1628,9367 litre	96,020 %	67,5233 litre	O
150	CM	60	CM 109,5 LEVEL CM	1623,9058 litre	95,723 %	72,5542 litre	O
150	CM	60	CM 109 LEVEL CM	1618,7655 litre	95,420 %	77,6945 litre	O
150	CM	60	CM 108,5 LEVEL CM	1613,5189 litre	95,111 %	82,9411 litre	O
150	CM	60	CM 108 LEVEL CM	1608,1694 litre	94,796 %	88,2906 litre	O
150	CM	60	CM 107,5 LEVEL CM	1602,7199 litre	94,474 %	93,7401 litre	O
150	CM	60	CM 107 LEVEL CM	1597,1732 litre	94,147 %	99,2868 litre	O
150	CM	60	CM 106,5 LEVEL CM	1591,5319 litre	93,815 %	104,9281 litre	O
150	CM	60	CM 106 LEVEL CM	1585,7987 litre	93,477 %	110,6613 litre	O
150	CM	60	CM 105,5 LEVEL CM	1579,9759 litre	93,134 %	116,4841 litre	O
150	CM	60	CM 105 LEVEL CM	1574,0659 litre	92,785 %	122,3941 litre	O
150	CM	60	CM 104,5 LEVEL CM	1568,0708 litre	92,432 %	128,3892 litre	O
150	CM	60	CM 104 LEVEL CM	1561,9927 litre	92,074 %	134,4673 litre	O
150	CM	60	CM 103,5 LEVEL CM	1555,8338 litre	91,711 %	140,6262 litre	O
150	CM	60	CM 103 LEVEL CM	1549,5959 litre	91,343 %	146,8641 litre	O
150	CM	60	CM 102,5 LEVEL CM	1543,2809 litre	90,971 %	153,1791 litre	O
150	CM	60	CM 102 LEVEL CM	1536,8907 litre	90,594 %	159,5693 litre	O
150	CM	60	CM 101,5 LEVEL CM	1530,4269 litre	90,213 %	166,0331 litre	O
150	CM	60	CM 101 LEVEL CM	1523,8913 litre	89,828 %	172,5687 litre	O
150	CM	60	CM 100,5 LEVEL CM	1517,2855 litre	89,438 %	179,1745 litre	O
150	CM	60	CM 100 LEVEL CM	1510,6111 litre	89,045 %	185,8489 litre	O
150	CM	60	CM 99,5 LEVEL CM	1503,8696 litre	88,648 %	192,5904 litre	O
150	CM	60	CM 99 LEVEL CM	1497,0625 litre	88,246 %	199,3975 litre	O
150	CM	60	CM 98,5 LEVEL CM	1490,1913 litre	87,841 %	206,2687 litre	O
150	CM	60	CM 98 LEVEL CM	1483,2573 litre	87,432 %	213,2027 litre	O
150	CM	60	CM 97,5 LEVEL CM	1476,2619 litre	87,020 %	220,1981 litre	O
150	CM	60	CM 97 LEVEL CM	1469,2065 litre	86,604 %	227,2535 litre	O
150	CM	60	CM 96,5 LEVEL CM	1462,0923 litre	86,185 %	234,3677 litre	O
150	CM	60	CM 96 LEVEL CM	1454,9206 litre	85,762 %	241,5394 litre	O
150	CM	60	CM 95,5 LEVEL CM	1447,6927 litre	85,336 %	248,7673 litre	O
150	CM	60	CM 95 LEVEL CM	1440,4097 litre	84,907 %	256,0503 litre	O
150	CM	60	CM 94,5 LEVEL CM	1433,0729 litre	84,474 %	263,3871 litre	O

150	CM	60	CM	94 LEVEL CM	1425,6833 litre	84,039 %	270,7767 litre	O
150	CM	60	CM	93,5 LEVEL CM	1418,2422 litre	83,600 %	278,2178 litre	O
150	CM	60	CM	93 LEVEL CM	1410,7506 litre	83,158 %	285,7094 litre	O
150	CM	60	CM	92,5 LEVEL CM	1403,2096 litre	82,714 %	293,2504 litre	O
150	CM	60	CM	92 LEVEL CM	1395,6203 litre	82,267 %	300,8397 litre	O
150	CM	60	CM	91,5 LEVEL CM	1387,9837 litre	81,816 %	308,4763 litre	O
150	CM	60	CM	91 LEVEL CM	1380,3008 litre	81,364 %	316,1592 litre	O
150	CM	60	CM	90,5 LEVEL CM	1372,5726 litre	80,908 %	323,8874 litre	O
150	CM	60	CM	90 LEVEL CM	1364,8002 litre	80,450 %	331,6598 litre	O
150	CM	60	CM	89,5 LEVEL CM	1356,9845 litre	79,989 %	339,4755 litre	O
150	CM	60	CM	89 LEVEL CM	1349,1264 litre	79,526 %	347,3336 litre	O
150	CM	60	CM	88,5 LEVEL CM	1341,2270 litre	79,060 %	355,2330 litre	O
150	CM	60	CM	88 LEVEL CM	1333,2870 litre	78,592 %	363,1730 litre	O
150	CM	60	CM	87,5 LEVEL CM	1325,3075 litre	78,122 %	371,1525 litre	O
150	CM	60	CM	87 LEVEL CM	1317,2892 litre	77,649 %	379,1708 litre	O
150	CM	60	CM	86,5 LEVEL CM	1309,2332 litre	77,174 %	387,2268 litre	O
150	CM	60	CM	86 LEVEL CM	1301,1403 litre	76,697 %	395,3197 litre	O
150	CM	60	CM	85,5 LEVEL CM	1293,0113 litre	76,218 %	403,4487 litre	O
150	CM	60	CM	85 LEVEL CM	1284,8471 litre	75,737 %	411,6129 litre	O
150	CM	60	CM	84,5 LEVEL CM	1276,6485 litre	75,254 %	419,8115 litre	O
150	CM	60	CM	84 LEVEL CM	1268,4164 litre	74,768 %	428,0436 litre	O
150	CM	60	CM	83,5 LEVEL CM	1260,1515 litre	74,281 %	436,3085 litre	O
150	CM	60	CM	83 LEVEL CM	1251,8547 litre	73,792 %	444,6053 litre	O
150	CM	60	CM	82,5 LEVEL CM	1243,5268 litre	73,301 %	452,9332 litre	O
150	CM	60	CM	82 LEVEL CM	1235,1685 litre	72,809 %	461,2915 litre	O
150	CM	60	CM	81,5 LEVEL CM	1226,7807 litre	72,314 %	469,6793 litre	O
150	CM	60	CM	81 LEVEL CM	1218,3641 litre	71,818 %	478,0959 litre	O
150	CM	60	CM	80,5 LEVEL CM	1209,9195 litre	71,320 %	486,5405 litre	O
150	CM	60	CM	80 LEVEL CM	1201,4476 litre	70,821 %	495,0124 litre	O
150	CM	60	CM	79,5 LEVEL CM	1192,9492 litre	70,320 %	503,5108 litre	O
150	CM	60	CM	79 LEVEL CM	1184,4250 litre	69,817 %	512,0350 litre	O
150	CM	60	CM	78,5 LEVEL CM	1175,8757 litre	69,313 %	520,5843 litre	O
150	CM	60	CM	78 LEVEL CM	1167,3022 litre	68,808 %	529,1578 litre	O
150	CM	60	CM	77,5 LEVEL CM	1158,7051 litre	68,301 %	537,7549 litre	O
150	CM	60	CM	77 LEVEL CM	1150,0851 litre	67,793 %	546,3749 litre	O
150	CM	60	CM	76,5 LEVEL CM	1141,4429 litre	67,284 %	555,0171 litre	O
150	CM	60	CM	76 LEVEL CM	1132,7793 litre	66,773 %	563,6807 litre	O
150	CM	60	CM	75,5 LEVEL CM	1124,0950 litre	66,261 %	572,3650 litre	O
150	CM	60	CM	75 LEVEL CM	1115,3905 litre	65,748 %	581,0695 litre	O
150	CM	60	CM	74,5 LEVEL CM	1106,6668 litre	65,234 %	589,7932 litre	O
150	CM	60	CM	74 LEVEL CM	1097,9243 litre	64,719 %	598,5357 litre	O
150	CM	60	CM	73,5 LEVEL CM	1089,1638 litre	64,202 %	607,2962 litre	O
150	CM	60	CM	73 LEVEL CM	1080,3861 litre	63,685 %	616,0739 litre	O
150	CM	60	CM	72,5 LEVEL CM	1071,5916 litre	63,166 %	624,8684 litre	O
150	CM	60	CM	72 LEVEL CM	1062,7813 litre	62,647 %	633,6787 litre	O
150	CM	60	CM	71,5 LEVEL CM	1053,9555 litre	62,127 %	642,5045 litre	O
150	CM	60	CM	71 LEVEL CM	1045,1152 litre	61,606 %	651,3448 litre	O
150	CM	60	CM	70,5 LEVEL CM	1036,2608 litre	61,084 %	660,1992 litre	O
150	CM	60	CM	70 LEVEL CM	1027,3932 litre	60,561 %	669,0668 litre	O
150	CM	60	CM	69,5 LEVEL CM	1018,5128 litre	60,038 %	677,9472 litre	O
150	CM	60	CM	69 LEVEL CM	1009,6204 litre	59,513 %	686,8396 litre	O
150	CM	60	CM	68,5 LEVEL CM	1000,7167 litre	58,989 %	695,7433 litre	O
150	CM	60	CM	68 LEVEL CM	991,8022 litre	58,463 %	704,6578 litre	O

150	CM	60	CM	67,5 LEVEL CM	982,8776 litre	57,937 %	713,5824 litre	O
150	CM	60	CM	67 LEVEL CM	973,9436 litre	57,410 %	722,5164 litre	O
150	CM	60	CM	66,5 LEVEL CM	965,0008 litre	56,883 %	731,4592 litre	O
150	CM	60	CM	66 LEVEL CM	956,0497 litre	56,356 %	740,4103 litre	O
150	CM	60	CM	65,5 LEVEL CM	947,0912 litre	55,827 %	749,3688 litre	O
150	CM	60	CM	65 LEVEL CM	938,1257 litre	55,299 %	758,3343 litre	O
150	CM	60	CM	64,5 LEVEL CM	929,1540 litre	54,770 %	767,3060 litre	O
150	CM	60	CM	64 LEVEL CM	920,1766 litre	54,241 %	776,2834 litre	O
150	CM	60	CM	63,5 LEVEL CM	911,1943 litre	53,712 %	785,2657 litre	O
150	CM	60	CM	63 LEVEL CM	902,2075 litre	53,182 %	794,2525 litre	O
150	CM	60	CM	62,5 LEVEL CM	893,2170 litre	52,652 %	803,2430 litre	O
150	CM	60	CM	62 LEVEL CM	884,2233 litre	52,122 %	812,2367 litre	O
150	CM	60	CM	61,5 LEVEL CM	875,2272 litre	51,591 %	821,2328 litre	O
150	CM	60	CM	61 LEVEL CM	866,2292 litre	51,061 %	830,2308 litre	O
150	CM	60	CM	60,5 LEVEL CM	857,2299 litre	50,531 %	839,2301 litre	O
150	CM	60	CM	60 LEVEL CM	848,2300 litre	50,000 %	848,2300 litre	O
150	CM	60	CM	59,5 LEVEL CM	839,2301 litre	49,469 %	857,2299 litre	O
150	CM	60	CM	59 LEVEL CM	830,2308 litre	48,939 %	866,2292 litre	O
150	CM	60	CM	58,5 LEVEL CM	821,2328 litre	48,409 %	875,2272 litre	O
150	CM	60	CM	58 LEVEL CM	812,2367 litre	47,878 %	884,2233 litre	O
150	CM	60	CM	57,5 LEVEL CM	803,2430 litre	47,348 %	893,2170 litre	O
150	CM	60	CM	57 LEVEL CM	794,2525 litre	46,818 %	902,2075 litre	O
150	CM	60	CM	56,5 LEVEL CM	785,2658 litre	46,288 %	911,1942 litre	O
150	CM	60	CM	56 LEVEL CM	776,2834 litre	45,759 %	920,1766 litre	O
150	CM	60	CM	55,5 LEVEL CM	767,3060 litre	45,230 %	929,1540 litre	O
150	CM	60	CM	55 LEVEL CM	758,3343 litre	44,701 %	938,1257 litre	O
150	CM	60	CM	54,5 LEVEL CM	749,3688 litre	44,173 %	947,0912 litre	O
150	CM	60	CM	54 LEVEL CM	740,4103 litre	43,644 %	956,0497 litre	O
150	CM	60	CM	53,5 LEVEL CM	731,4593 litre	43,117 %	965,0007 litre	O
150	CM	60	CM	53 LEVEL CM	722,5164 litre	42,590 %	973,9436 litre	O
150	CM	60	CM	52,5 LEVEL CM	713,5824 litre	42,063 %	982,8776 litre	O
150	CM	60	CM	52 LEVEL CM	704,6578 litre	41,537 %	991,8022 litre	O
150	CM	60	CM	51,5 LEVEL CM	695,7433 litre	41,011 %	1000,7167 litre	O
150	CM	60	CM	51 LEVEL CM	686,8396 litre	40,487 %	1009,6204 litre	O
150	CM	60	CM	50,5 LEVEL CM	677,9472 litre	39,962 %	1018,5128 litre	O
150	CM	60	CM	50 LEVEL CM	669,0669 litre	39,439 %	1027,3931 litre	O
150	CM	60	CM	49,5 LEVEL CM	660,1992 litre	38,916 %	1036,2608 litre	O
150	CM	60	CM	49 LEVEL CM	651,3448 litre	38,394 %	1045,1152 litre	O
150	CM	60	CM	48,5 LEVEL CM	642,5045 litre	37,873 %	1053,9555 litre	O
150	CM	60	CM	48 LEVEL CM	633,6788 litre	37,353 %	1062,7812 litre	O
150	CM	60	CM	47,5 LEVEL CM	624,8684 litre	36,834 %	1071,5916 litre	O
150	CM	60	CM	47 LEVEL CM	616,0740 litre	36,315 %	1080,3860 litre	O
150	CM	60	CM	46,5 LEVEL CM	607,2962 litre	35,798 %	1089,1638 litre	O
150	CM	60	CM	46 LEVEL CM	598,5357 litre	35,281 %	1097,9243 litre	O
150	CM	60	CM	45,5 LEVEL CM	589,7933 litre	34,766 %	1106,6667 litre	O
150	CM	60	CM	45 LEVEL CM	581,0695 litre	34,252 %	1115,3905 litre	O
150	CM	60	CM	44,5 LEVEL CM	572,3651 litre	33,739 %	1124,0949 litre	O
150	CM	60	CM	44 LEVEL CM	563,6807 litre	33,227 %	1132,7793 litre	O
150	CM	60	CM	43,5 LEVEL CM	555,0171 litre	32,716 %	1141,4429 litre	O
150	CM	60	CM	43 LEVEL CM	546,3750 litre	32,207 %	1150,0850 litre	O
150	CM	60	CM	42,5 LEVEL CM	537,7550 litre	31,699 %	1158,7050 litre	O
150	CM	60	CM	42 LEVEL CM	529,1578 litre	31,192 %	1167,3022 litre	O
150	CM	60	CM	41,5 LEVEL CM	520,5843 litre	30,687 %	1175,8757 litre	O

150	CM	60	CM	41 LEVEL CM	512,0351 litre	30,183 %	1184,4249 litre	O
150	CM	60	CM	40,5 LEVEL CM	503,5109 litre	29,680 %	1192,9491 litre	O
150	CM	60	CM	40 LEVEL CM	495,0125 litre	29,179 %	1201,4475 litre	O
150	CM	60	CM	39,5 LEVEL CM	486,5406 litre	28,680 %	1209,9194 litre	O
150	CM	60	CM	39 LEVEL CM	478,0959 litre	28,182 %	1218,3641 litre	O
150	CM	60	CM	38,5 LEVEL CM	469,6793 litre	27,686 %	1226,7807 litre	O
150	CM	60	CM	38 LEVEL CM	461,2915 litre	27,191 %	1235,1685 litre	O
150	CM	60	CM	37,5 LEVEL CM	452,9332 litre	26,699 %	1243,5268 litre	O
150	CM	60	CM	37 LEVEL CM	444,6053 litre	26,208 %	1251,8547 litre	O
150	CM	60	CM	36,5 LEVEL CM	436,3085 litre	25,719 %	1260,1515 litre	O
150	CM	60	CM	36 LEVEL CM	428,0436 litre	25,232 %	1268,4164 litre	O
150	CM	60	CM	35,5 LEVEL CM	419,8115 litre	24,746 %	1276,6485 litre	O
150	CM	60	CM	35 LEVEL CM	411,6129 litre	24,263 %	1284,8471 litre	O
150	CM	60	CM	34,5 LEVEL CM	403,4487 litre	23,782 %	1293,0113 litre	O
150	CM	60	CM	34 LEVEL CM	395,3197 litre	23,303 %	1301,1403 litre	O
150	CM	60	CM	33,5 LEVEL CM	387,2268 litre	22,826 %	1309,2332 litre	O
150	CM	60	CM	33 LEVEL CM	379,1708 litre	22,351 %	1317,2892 litre	O
150	CM	60	CM	32,5 LEVEL CM	371,1526 litre	21,878 %	1325,3074 litre	O
150	CM	60	CM	32 LEVEL CM	363,1730 litre	21,408 %	1333,2870 litre	O
150	CM	60	CM	31,5 LEVEL CM	355,2331 litre	20,940 %	1341,2269 litre	O
150	CM	60	CM	31 LEVEL CM	347,3336 litre	20,474 %	1349,1264 litre	O
150	CM	60	CM	30,5 LEVEL CM	339,4755 litre	20,011 %	1356,9845 litre	O
150	CM	60	CM	30 LEVEL CM	331,6598 litre	19,550 %	1364,8002 litre	O
150	CM	60	CM	29,5 LEVEL CM	323,8874 litre	19,092 %	1372,5726 litre	O
150	CM	60	CM	29 LEVEL CM	316,1593 litre	18,636 %	1380,3007 litre	O
150	CM	60	CM	28,5 LEVEL CM	308,4764 litre	18,184 %	1387,9836 litre	O
150	CM	60	CM	28 LEVEL CM	300,8398 litre	17,733 %	1395,6202 litre	O
150	CM	60	CM	27,5 LEVEL CM	293,2504 litre	17,286 %	1403,2096 litre	O
150	CM	60	CM	27 LEVEL CM	285,7094 litre	16,842 %	1410,7506 litre	O
150	CM	60	CM	26,5 LEVEL CM	278,2178 litre	16,400 %	1418,2422 litre	O
150	CM	60	CM	26 LEVEL CM	270,7767 litre	15,961 %	1425,6833 litre	O
150	CM	60	CM	25,5 LEVEL CM	263,3871 litre	15,526 %	1433,0729 litre	O
150	CM	60	CM	25 LEVEL CM	256,0503 litre	15,093 %	1440,4097 litre	O
150	CM	60	CM	24,5 LEVEL CM	248,7673 litre	14,664 %	1447,6927 litre	O
150	CM	60	CM	24 LEVEL CM	241,5394 litre	14,238 %	1454,9206 litre	O
150	CM	60	CM	23,5 LEVEL CM	234,3677 litre	13,815 %	1462,0923 litre	O
150	CM	60	CM	23 LEVEL CM	227,2536 litre	13,396 %	1469,2064 litre	O
150	CM	60	CM	22,5 LEVEL CM	220,1981 litre	12,980 %	1476,2619 litre	O
150	CM	60	CM	22 LEVEL CM	213,2028 litre	12,568 %	1483,2572 litre	O
150	CM	60	CM	21,5 LEVEL CM	206,2688 litre	12,159 %	1490,1912 litre	O
150	CM	60	CM	21 LEVEL CM	199,3975 litre	11,754 %	1497,0625 litre	O
150	CM	60	CM	20,5 LEVEL CM	192,5904 litre	11,352 %	1503,8696 litre	O
150	CM	60	CM	20 LEVEL CM	185,8489 litre	10,955 %	1510,6111 litre	O
150	CM	60	CM	19,5 LEVEL CM	179,1745 litre	10,562 %	1517,2855 litre	O
150	CM	60	CM	19 LEVEL CM	172,5687 litre	10,172 %	1523,8913 litre	O
150	CM	60	CM	18,5 LEVEL CM	166,0331 litre	9,787 %	1530,4269 litre	O
150	CM	60	CM	18 LEVEL CM	159,5694 litre	9,406 %	1536,8906 litre	O
150	CM	60	CM	17,5 LEVEL CM	153,1791 litre	9,029 %	1543,2809 litre	O
150	CM	60	CM	17 LEVEL CM	146,8642 litre	8,657 %	1549,5958 litre	O
150	CM	60	CM	16,5 LEVEL CM	140,6263 litre	8,289 %	1555,8337 litre	O
150	CM	60	CM	16 LEVEL CM	134,4673 litre	7,926 %	1561,9927 litre	O
150	CM	60	CM	15,5 LEVEL CM	128,3893 litre	7,568 %	1568,0707 litre	O
150	CM	60	CM	15 LEVEL CM	122,3942 litre	7,215 %	1574,0658 litre	O

150	CM	60	CM	14,5 LEVEL CM	116,4841 litre	6,866 %	1579,9759 litre	O
150	CM	60	CM	14 LEVEL CM	110,6613 litre	6,523 %	1585,7987 litre	O
150	CM	60	CM	13,5 LEVEL CM	104,9281 litre	6,185 %	1591,5319 litre	O
150	CM	60	CM	13 LEVEL CM	99,2868 litre	5,853 %	1597,1732 litre	O
150	CM	60	CM	12,5 LEVEL CM	93,7401 litre	5,526 %	1602,7199 litre	O
150	CM	60	CM	12 LEVEL CM	88,2906 litre	5,204 %	1608,1694 litre	O
150	CM	60	CM	11,5 LEVEL CM	82,9411 litre	4,889 %	1613,5189 litre	O
150	CM	60	CM	11 LEVEL CM	77,6946 litre	4,580 %	1618,7654 litre	O
150	CM	60	CM	10,5 LEVEL CM	72,5542 litre	4,277 %	1623,9058 litre	O
150	CM	60	CM	10 LEVEL CM	67,5233 litre	3,980 %	1628,9367 litre	O
150	CM	60	CM	9,5 LEVEL CM	62,6056 litre	3,690 %	1633,8544 litre	O
150	CM	60	CM	9 LEVEL CM	57,8047 litre	3,407 %	1638,6553 litre	O
150	CM	60	CM	8,5 LEVEL CM	53,1249 litre	3,132 %	1643,3351 litre	O
150	CM	60	CM	8 LEVEL CM	48,5706 litre	2,863 %	1647,8894 litre	O
150	CM	60	CM	7,5 LEVEL CM	44,1466 litre	2,602 %	1652,3134 litre	O
150	CM	60	CM	7 LEVEL CM	39,8582 litre	2,349 %	1656,6018 litre	O
150	CM	60	CM	6,5 LEVEL CM	35,7112 litre	2,105 %	1660,7488 litre	O
150	CM	60	CM	6 LEVEL CM	31,7120 litre	1,869 %	1664,7480 litre	O
150	CM	60	CM	5,5 LEVEL CM	27,8677 litre	1,643 %	1668,5923 litre	O
150	CM	60	CM	5 LEVEL CM	24,1864 litre	1,426 %	1672,2736 litre	O
150	CM	60	CM	4,5 LEVEL CM	20,6772 litre	1,219 %	1675,7828 litre	O
150	CM	60	CM	4 LEVEL CM	17,3508 litre	1,023 %	1679,1092 litre	O
150	CM	60	CM	3,5 LEVEL CM	14,2195 litre	0,838 %	1682,2405 litre	O
150	CM	60	CM	3 LEVEL CM	11,2984 litre	0,666 %	1685,1616 litre	O
150	CM	60	CM	2,5 LEVEL CM	8,6059 litre	0,507 %	1687,8541 litre	O
150	CM	60	CM	2 LEVEL CM	6,1657 litre	0,363 %	1690,2943 litre	O
150	CM	60	CM	1,5 LEVEL CM	4,0098 litre	0,236 %	1692,4502 litre	O
150	CM	60	CM	1 LEVEL CM	2,1854 litre	0,129 %	1694,2746 litre	O
150	CM	60	CM	0,5 LEVEL CM	0,7736 litre	0,046 %	1695,6864 litre	O
150	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	1696,4600 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
150	CM	55	CM 110 LEVEL CM	1425,4977 litre	100,000 %	0,0000 litre	O
150	CM	55	CM 109,5 LEVEL CM	1424,7571 litre	99,948 %	0,7406 litre	O
150	CM	55	CM 109 LEVEL CM	1423,4058 litre	99,853 %	2,0919 litre	O
150	CM	55	CM 108,5 LEVEL CM	1421,6599 litre	99,731 %	3,8378 litre	O
150	CM	55	CM 108 LEVEL CM	1419,5972 litre	99,586 %	5,9005 litre	O
150	CM	55	CM 107,5 LEVEL CM	1417,2629 litre	99,422 %	8,2348 litre	O
150	CM	55	CM 107 LEVEL CM	1414,6877 litre	99,242 %	10,8100 litre	O
150	CM	55	CM 106,5 LEVEL CM	1411,8945 litre	99,046 %	13,6032 litre	O
150	CM	55	CM 106 LEVEL CM	1408,9010 litre	98,836 %	16,5967 litre	O
150	CM	55	CM 105,5 LEVEL CM	1405,7215 litre	98,613 %	19,7762 litre	O
150	CM	55	CM 105 LEVEL CM	1402,3680 litre	98,377 %	23,1297 litre	O
150	CM	55	CM 104,5 LEVEL CM	1398,8508 litre	98,131 %	26,6469 litre	O
150	CM	55	CM 104 LEVEL CM	1395,1786 litre	97,873 %	30,3191 litre	O
150	CM	55	CM 103,5 LEVEL CM	1391,3592 litre	97,605 %	34,1385 litre	O
150	CM	55	CM 103 LEVEL CM	1387,3995 litre	97,327 %	38,0982 litre	O
150	CM	55	CM 102,5 LEVEL CM	1383,3057 litre	97,040 %	42,1920 litre	O
150	CM	55	CM 102 LEVEL CM	1379,0834 litre	96,744 %	46,4143 litre	O
150	CM	55	CM 101,5 LEVEL CM	1374,7376 litre	96,439 %	50,7601 litre	O
150	CM	55	CM 101 LEVEL CM	1370,2731 litre	96,126 %	55,2246 litre	O
150	CM	55	CM 100,5 LEVEL CM	1365,6941 litre	95,805 %	59,8036 litre	O
150	CM	55	CM 100 LEVEL CM	1361,0047 litre	95,476 %	64,4930 litre	O
150	CM	55	CM 99,5 LEVEL CM	1356,2085 litre	95,139 %	69,2892 litre	O
150	CM	55	CM 99 LEVEL CM	1351,3090 litre	94,796 %	74,1887 litre	O
150	CM	55	CM 98,5 LEVEL CM	1346,3096 litre	94,445 %	79,1881 litre	O
150	CM	55	CM 98 LEVEL CM	1341,2131 litre	94,087 %	84,2846 litre	O
150	CM	55	CM 97,5 LEVEL CM	1336,0226 litre	93,723 %	89,4751 litre	O
150	CM	55	CM 97 LEVEL CM	1330,7408 litre	93,353 %	94,7569 litre	O
150	CM	55	CM 96,5 LEVEL CM	1325,3703 litre	92,976 %	100,1274 litre	O
150	CM	55	CM 96 LEVEL CM	1319,9135 litre	92,593 %	105,5842 litre	O
150	CM	55	CM 95,5 LEVEL CM	1314,3729 litre	92,204 %	111,1248 litre	O
150	CM	55	CM 95 LEVEL CM	1308,7506 litre	91,810 %	116,7471 litre	O
150	CM	55	CM 94,5 LEVEL CM	1303,0489 litre	91,410 %	122,4488 litre	O
150	CM	55	CM 94 LEVEL CM	1297,2697 litre	91,005 %	128,2280 litre	O
150	CM	55	CM 93,5 LEVEL CM	1291,4151 litre	90,594 %	134,0826 litre	O
150	CM	55	CM 93 LEVEL CM	1285,4869 litre	90,178 %	140,0108 litre	O
150	CM	55	CM 92,5 LEVEL CM	1279,4871 litre	89,757 %	146,0106 litre	O
150	CM	55	CM 92 LEVEL CM	1273,4174 litre	89,331 %	152,0803 litre	O
150	CM	55	CM 91,5 LEVEL CM	1267,2795 litre	88,901 %	158,2182 litre	O
150	CM	55	CM 91 LEVEL CM	1261,0750 litre	88,466 %	164,4227 litre	O
150	CM	55	CM 90,5 LEVEL CM	1254,8057 litre	88,026 %	170,6920 litre	O
150	CM	55	CM 90 LEVEL CM	1248,4729 litre	87,582 %	177,0248 litre	O
150	CM	55	CM 89,5 LEVEL CM	1242,0782 litre	87,133 %	183,4195 litre	O
150	CM	55	CM 89 LEVEL CM	1235,6232 litre	86,680 %	189,8745 litre	O
150	CM	55	CM 88,5 LEVEL CM	1229,1091 litre	86,223 %	196,3886 litre	O
150	CM	55	CM 88 LEVEL CM	1222,5375 litre	85,762 %	202,9602 litre	O
150	CM	55	CM 87,5 LEVEL CM	1215,9096 litre	85,297 %	209,5881 litre	O
150	CM	55	CM 87 LEVEL CM	1209,2267 litre	84,828 %	216,2710 litre	O
150	CM	55	CM 86,5 LEVEL CM	1202,4902 litre	84,356 %	223,0075 litre	O
150	CM	55	CM 86 LEVEL CM	1195,7013 litre	83,880 %	229,7964 litre	O
150	CM	55	CM 85,5 LEVEL CM	1188,8612 litre	83,400 %	236,6365 litre	O
150	CM	55	CM 85 LEVEL CM	1181,9712 litre	82,916 %	243,5265 litre	O
150	CM	55	CM 84,5 LEVEL CM	1175,0323 litre	82,430 %	250,4654 litre	O

150	CM	55	CM	84 LEVEL CM	1168,0458 litre	81,940 %	257,4519 litre	O
150	CM	55	CM	83,5 LEVEL CM	1161,0127 litre	81,446 %	264,4850 litre	O
150	CM	55	CM	83 LEVEL CM	1153,9342 litre	80,950 %	271,5635 litre	O
150	CM	55	CM	82,5 LEVEL CM	1146,8113 litre	80,450 %	278,6864 litre	O
150	CM	55	CM	82 LEVEL CM	1139,6451 litre	79,947 %	285,8526 litre	O
150	CM	55	CM	81,5 LEVEL CM	1132,4367 litre	79,441 %	293,0610 litre	O
150	CM	55	CM	81 LEVEL CM	1125,1870 litre	78,933 %	300,3107 litre	O
150	CM	55	CM	80,5 LEVEL CM	1117,8970 litre	78,422 %	307,6007 litre	O
150	CM	55	CM	80 LEVEL CM	1110,5679 litre	77,907 %	314,9298 litre	O
150	CM	55	CM	79,5 LEVEL CM	1103,2004 litre	77,391 %	322,2973 litre	O
150	CM	55	CM	79 LEVEL CM	1095,7957 litre	76,871 %	329,7020 litre	O
150	CM	55	CM	78,5 LEVEL CM	1088,3545 litre	76,349 %	337,1432 litre	O
150	CM	55	CM	78 LEVEL CM	1080,8779 litre	75,825 %	344,6198 litre	O
150	CM	55	CM	77,5 LEVEL CM	1073,3668 litre	75,298 %	352,1309 litre	O
150	CM	55	CM	77 LEVEL CM	1065,8221 litre	74,768 %	359,6756 litre	O
150	CM	55	CM	76,5 LEVEL CM	1058,2446 litre	74,237 %	367,2531 litre	O
150	CM	55	CM	76 LEVEL CM	1050,6353 litre	73,703 %	374,8624 litre	O
150	CM	55	CM	75,5 LEVEL CM	1042,9950 litre	73,167 %	382,5027 litre	O
150	CM	55	CM	75 LEVEL CM	1035,3246 litre	72,629 %	390,1731 litre	O
150	CM	55	CM	74,5 LEVEL CM	1027,6249 litre	72,089 %	397,8728 litre	O
150	CM	55	CM	74 LEVEL CM	1019,8967 litre	71,547 %	405,6010 litre	O
150	CM	55	CM	73,5 LEVEL CM	1012,1409 litre	71,003 %	413,3568 litre	O
150	CM	55	CM	73 LEVEL CM	1004,3584 litre	70,457 %	421,1393 litre	O
150	CM	55	CM	72,5 LEVEL CM	996,5499 litre	69,909 %	428,9478 litre	O
150	CM	55	CM	72 LEVEL CM	988,7162 litre	69,359 %	436,7815 litre	O
150	CM	55	CM	71,5 LEVEL CM	980,8581 litre	68,808 %	444,6396 litre	O
150	CM	55	CM	71 LEVEL CM	972,9764 litre	68,255 %	452,5213 litre	O
150	CM	55	CM	70,5 LEVEL CM	965,0720 litre	67,701 %	460,4257 litre	O
150	CM	55	CM	70 LEVEL CM	957,1455 litre	67,145 %	468,3522 litre	O
150	CM	55	CM	69,5 LEVEL CM	949,1977 litre	66,587 %	476,3000 litre	O
150	CM	55	CM	69 LEVEL CM	941,2295 litre	66,028 %	484,2682 litre	O
150	CM	55	CM	68,5 LEVEL CM	933,2415 litre	65,468 %	492,2562 litre	O
150	CM	55	CM	68 LEVEL CM	925,2345 litre	64,906 %	500,2632 litre	O
150	CM	55	CM	67,5 LEVEL CM	917,2092 litre	64,343 %	508,2885 litre	O
150	CM	55	CM	67 LEVEL CM	909,1665 litre	63,779 %	516,3312 litre	O
150	CM	55	CM	66,5 LEVEL CM	901,1070 litre	63,214 %	524,3907 litre	O
150	CM	55	CM	66 LEVEL CM	893,0315 litre	62,647 %	532,4662 litre	O
150	CM	55	CM	65,5 LEVEL CM	884,9406 litre	62,079 %	540,5571 litre	O
150	CM	55	CM	65 LEVEL CM	876,8352 litre	61,511 %	548,6625 litre	O
150	CM	55	CM	64,5 LEVEL CM	868,7159 litre	60,941 %	556,7818 litre	O
150	CM	55	CM	64 LEVEL CM	860,5834 litre	60,371 %	564,9143 litre	O
150	CM	55	CM	63,5 LEVEL CM	852,4385 litre	59,799 %	573,0592 litre	O
150	CM	55	CM	63 LEVEL CM	844,2819 litre	59,227 %	581,2158 litre	O
150	CM	55	CM	62,5 LEVEL CM	836,1142 litre	58,654 %	589,3835 litre	O
150	CM	55	CM	62 LEVEL CM	827,9363 litre	58,081 %	597,5614 litre	O
150	CM	55	CM	61,5 LEVEL CM	819,7486 litre	57,506 %	605,7491 litre	O
150	CM	55	CM	61 LEVEL CM	811,5521 litre	56,931 %	613,9456 litre	O
150	CM	55	CM	60,5 LEVEL CM	803,3474 litre	56,356 %	622,1503 litre	O
150	CM	55	CM	60 LEVEL CM	795,1351 litre	55,779 %	630,3626 litre	O
150	CM	55	CM	59,5 LEVEL CM	786,9159 litre	55,203 %	638,5818 litre	O
150	CM	55	CM	59 LEVEL CM	778,6906 litre	54,626 %	646,8071 litre	O
150	CM	55	CM	58,5 LEVEL CM	770,4598 litre	54,048 %	655,0379 litre	O
150	CM	55	CM	58 LEVEL CM	762,2243 litre	53,471 %	663,2734 litre	O

150	CM	55	CM	57,5 LEVEL CM	753,9846 litre	52,893 %	671,5131 litre	O
150	CM	55	CM	57 LEVEL CM	745,7416 litre	52,314 %	679,7561 litre	O
150	CM	55	CM	56,5 LEVEL CM	737,4958 litre	51,736 %	688,0019 litre	O
150	CM	55	CM	56 LEVEL CM	729,2479 litre	51,157 %	696,2498 litre	O
150	CM	55	CM	55,5 LEVEL CM	720,9987 litre	50,579 %	704,4990 litre	O
150	CM	55	CM	55 LEVEL CM	712,7488 litre	50,000 %	712,7489 litre	O
150	CM	55	CM	54,5 LEVEL CM	704,4989 litre	49,421 %	720,9988 litre	O
150	CM	55	CM	54 LEVEL CM	696,2497 litre	48,843 %	729,2480 litre	O
150	CM	55	CM	53,5 LEVEL CM	688,0019 litre	48,264 %	737,4958 litre	O
150	CM	55	CM	53 LEVEL CM	679,7561 litre	47,686 %	745,7416 litre	O
150	CM	55	CM	52,5 LEVEL CM	671,5130 litre	47,107 %	753,9847 litre	O
150	CM	55	CM	52 LEVEL CM	663,2734 litre	46,529 %	762,2243 litre	O
150	CM	55	CM	51,5 LEVEL CM	655,0378 litre	45,952 %	770,4599 litre	O
150	CM	55	CM	51 LEVEL CM	646,8071 litre	45,374 %	778,6906 litre	O
150	CM	55	CM	50,5 LEVEL CM	638,5818 litre	44,797 %	786,9159 litre	O
150	CM	55	CM	50 LEVEL CM	630,3626 litre	44,221 %	795,1351 litre	O
150	CM	55	CM	49,5 LEVEL CM	622,1503 litre	43,644 %	803,3474 litre	O
150	CM	55	CM	49 LEVEL CM	613,9455 litre	43,069 %	811,5522 litre	O
150	CM	55	CM	48,5 LEVEL CM	605,7490 litre	42,494 %	819,7487 litre	O
150	CM	55	CM	48 LEVEL CM	597,5614 litre	41,919 %	827,9363 litre	O
150	CM	55	CM	47,5 LEVEL CM	589,3834 litre	41,346 %	836,1143 litre	O
150	CM	55	CM	47 LEVEL CM	581,2158 litre	40,773 %	844,2819 litre	O
150	CM	55	CM	46,5 LEVEL CM	573,0591 litre	40,201 %	852,4386 litre	O
150	CM	55	CM	46 LEVEL CM	564,9142 litre	39,629 %	860,5835 litre	O
150	CM	55	CM	45,5 LEVEL CM	556,7818 litre	39,059 %	868,7159 litre	O
150	CM	55	CM	45 LEVEL CM	548,6625 litre	38,489 %	876,8352 litre	O
150	CM	55	CM	44,5 LEVEL CM	540,5570 litre	37,921 %	884,9407 litre	O
150	CM	55	CM	44 LEVEL CM	532,4662 litre	37,353 %	893,0315 litre	O
150	CM	55	CM	43,5 LEVEL CM	524,3907 litre	36,786 %	901,1070 litre	O
150	CM	55	CM	43 LEVEL CM	516,3312 litre	36,221 %	909,1665 litre	O
150	CM	55	CM	42,5 LEVEL CM	508,2884 litre	35,657 %	917,2093 litre	O
150	CM	55	CM	42 LEVEL CM	500,2632 litre	35,094 %	925,2345 litre	O
150	CM	55	CM	41,5 LEVEL CM	492,2562 litre	34,532 %	933,2415 litre	O
150	CM	55	CM	41 LEVEL CM	484,2682 litre	33,972 %	941,2295 litre	O
150	CM	55	CM	40,5 LEVEL CM	476,2999 litre	33,413 %	949,1978 litre	O
150	CM	55	CM	40 LEVEL CM	468,3522 litre	32,855 %	957,1455 litre	O
150	CM	55	CM	39,5 LEVEL CM	460,4257 litre	32,299 %	965,0720 litre	O
150	CM	55	CM	39 LEVEL CM	452,5212 litre	31,745 %	972,9765 litre	O
150	CM	55	CM	38,5 LEVEL CM	444,6396 litre	31,192 %	980,8581 litre	O
150	CM	55	CM	38 LEVEL CM	436,7815 litre	30,641 %	988,7162 litre	O
150	CM	55	CM	37,5 LEVEL CM	428,9478 litre	30,091 %	996,5499 litre	O
150	CM	55	CM	37 LEVEL CM	421,1393 litre	29,543 %	1004,3584 litre	O
150	CM	55	CM	36,5 LEVEL CM	413,3567 litre	28,997 %	1012,1410 litre	O
150	CM	55	CM	36 LEVEL CM	405,6010 litre	28,453 %	1019,8967 litre	O
150	CM	55	CM	35,5 LEVEL CM	397,8728 litre	27,911 %	1027,6249 litre	O
150	CM	55	CM	35 LEVEL CM	390,1731 litre	27,371 %	1035,3246 litre	O
150	CM	55	CM	34,5 LEVEL CM	382,5027 litre	26,833 %	1042,9950 litre	O
150	CM	55	CM	34 LEVEL CM	374,8624 litre	26,297 %	1050,6353 litre	O
150	CM	55	CM	33,5 LEVEL CM	367,2530 litre	25,763 %	1058,2447 litre	O
150	CM	55	CM	33 LEVEL CM	359,6756 litre	25,232 %	1065,8221 litre	O
150	CM	55	CM	32,5 LEVEL CM	352,1308 litre	24,702 %	1073,3669 litre	O
150	CM	55	CM	32 LEVEL CM	344,6197 litre	24,175 %	1080,8780 litre	O
150	CM	55	CM	31,5 LEVEL CM	337,1431 litre	23,651 %	1088,3546 litre	O

150	CM	55	CM	31 LEVEL CM	329,7020 litre	23,129 %	1095,7957 litre	O
150	CM	55	CM	30,5 LEVEL CM	322,2972 litre	22,609 %	1103,2005 litre	O
150	CM	55	CM	30 LEVEL CM	314,9298 litre	22,093 %	1110,5679 litre	O
150	CM	55	CM	29,5 LEVEL CM	307,6006 litre	21,578 %	1117,8971 litre	O
150	CM	55	CM	29 LEVEL CM	300,3107 litre	21,067 %	1125,1870 litre	O
150	CM	55	CM	28,5 LEVEL CM	293,0610 litre	20,559 %	1132,4367 litre	O
150	CM	55	CM	28 LEVEL CM	285,8526 litre	20,053 %	1139,6451 litre	O
150	CM	55	CM	27,5 LEVEL CM	278,6864 litre	19,550 %	1146,8113 litre	O
150	CM	55	CM	27 LEVEL CM	271,5635 litre	19,050 %	1153,9342 litre	O
150	CM	55	CM	26,5 LEVEL CM	264,4850 litre	18,554 %	1161,0127 litre	O
150	CM	55	CM	26 LEVEL CM	257,4519 litre	18,060 %	1168,0458 litre	O
150	CM	55	CM	25,5 LEVEL CM	250,4654 litre	17,570 %	1175,0323 litre	O
150	CM	55	CM	25 LEVEL CM	243,5265 litre	17,084 %	1181,9712 litre	O
150	CM	55	CM	24,5 LEVEL CM	236,6364 litre	16,600 %	1188,8613 litre	O
150	CM	55	CM	24 LEVEL CM	229,7963 litre	16,120 %	1195,7014 litre	O
150	CM	55	CM	23,5 LEVEL CM	223,0074 litre	15,644 %	1202,4903 litre	O
150	CM	55	CM	23 LEVEL CM	216,2710 litre	15,172 %	1209,2267 litre	O
150	CM	55	CM	22,5 LEVEL CM	209,5881 litre	14,703 %	1215,9096 litre	O
150	CM	55	CM	22 LEVEL CM	202,9602 litre	14,238 %	1222,5375 litre	O
150	CM	55	CM	21,5 LEVEL CM	196,3886 litre	13,777 %	1229,1091 litre	O
150	CM	55	CM	21 LEVEL CM	189,8745 litre	13,320 %	1235,6232 litre	O
150	CM	55	CM	20,5 LEVEL CM	183,4194 litre	12,867 %	1242,0783 litre	O
150	CM	55	CM	20 LEVEL CM	177,0248 litre	12,418 %	1248,4729 litre	O
150	CM	55	CM	19,5 LEVEL CM	170,6920 litre	11,974 %	1254,8057 litre	O
150	CM	55	CM	19 LEVEL CM	164,4226 litre	11,534 %	1261,0751 litre	O
150	CM	55	CM	18,5 LEVEL CM	158,2182 litre	11,099 %	1267,2795 litre	O
150	CM	55	CM	18 LEVEL CM	152,0803 litre	10,669 %	1273,4174 litre	O
150	CM	55	CM	17,5 LEVEL CM	146,0105 litre	10,243 %	1279,4872 litre	O
150	CM	55	CM	17 LEVEL CM	140,0107 litre	9,822 %	1285,4870 litre	O
150	CM	55	CM	16,5 LEVEL CM	134,0826 litre	9,406 %	1291,4151 litre	O
150	CM	55	CM	16 LEVEL CM	128,2280 litre	8,995 %	1297,2697 litre	O
150	CM	55	CM	15,5 LEVEL CM	122,4488 litre	8,590 %	1303,0489 litre	O
150	CM	55	CM	15 LEVEL CM	116,7471 litre	8,190 %	1308,7506 litre	O
150	CM	55	CM	14,5 LEVEL CM	111,1248 litre	7,796 %	1314,3729 litre	O
150	CM	55	CM	14 LEVEL CM	105,5841 litre	7,407 %	1319,9136 litre	O
150	CM	55	CM	13,5 LEVEL CM	100,1274 litre	7,024 %	1325,3703 litre	O
150	CM	55	CM	13 LEVEL CM	94,7568 litre	6,647 %	1330,7409 litre	O
150	CM	55	CM	12,5 LEVEL CM	89,4750 litre	6,277 %	1336,0227 litre	O
150	CM	55	CM	12 LEVEL CM	84,2845 litre	5,913 %	1341,2132 litre	O
150	CM	55	CM	11,5 LEVEL CM	79,1881 litre	5,555 %	1346,3096 litre	O
150	CM	55	CM	11 LEVEL CM	74,1886 litre	5,204 %	1351,3091 litre	O
150	CM	55	CM	10,5 LEVEL CM	69,2892 litre	4,861 %	1356,2085 litre	O
150	CM	55	CM	10 LEVEL CM	64,4930 litre	4,524 %	1361,0047 litre	O
150	CM	55	CM	9,5 LEVEL CM	59,8035 litre	4,195 %	1365,6942 litre	O
150	CM	55	CM	9 LEVEL CM	55,2245 litre	3,874 %	1370,2732 litre	O
150	CM	55	CM	8,5 LEVEL CM	50,7600 litre	3,561 %	1374,7377 litre	O
150	CM	55	CM	8 LEVEL CM	46,4143 litre	3,256 %	1379,0834 litre	O
150	CM	55	CM	7,5 LEVEL CM	42,1919 litre	2,960 %	1383,3058 litre	O
150	CM	55	CM	7 LEVEL CM	38,0981 litre	2,673 %	1387,3996 litre	O
150	CM	55	CM	6,5 LEVEL CM	34,1384 litre	2,395 %	1391,3593 litre	O
150	CM	55	CM	6 LEVEL CM	30,3191 litre	2,127 %	1395,1786 litre	O
150	CM	55	CM	5,5 LEVEL CM	26,6469 litre	1,869 %	1398,8508 litre	O
150	CM	55	CM	5 LEVEL CM	23,1296 litre	1,623 %	1402,3681 litre	O

150	CM	55	CM	4,5 LEVEL CM	19,7762 litre	1,387 %	1405,7215 litre	O
150	CM	55	CM	4 LEVEL CM	16,5967 litre	1,164 %	1408,9010 litre	O
150	CM	55	CM	3,5 LEVEL CM	13,6031 litre	0,954 %	1411,8946 litre	O
150	CM	55	CM	3 LEVEL CM	10,8099 litre	0,758 %	1414,6878 litre	O
150	CM	55	CM	2,5 LEVEL CM	8,2348 litre	0,578 %	1417,2629 litre	O
150	CM	55	CM	2 LEVEL CM	5,9005 litre	0,414 %	1419,5972 litre	O
150	CM	55	CM	1,5 LEVEL CM	3,8378 litre	0,269 %	1421,6599 litre	O
150	CM	55	CM	1 LEVEL CM	2,0919 litre	0,147 %	1423,4058 litre	O
150	CM	55	CM	0,5 LEVEL CM	0,7406 litre	0,052 %	1424,7571 litre	O
150	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	1425,4977 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
150	CM	50	CM	100 LEVEL CM	1178,0972 litre	100,000 %	0,0000 litre	O
150	CM	50	CM	99,5 LEVEL CM	1177,3912 litre	99,940 %	0,7060 litre	O
150	CM	50	CM	99 LEVEL CM	1176,1033 litre	99,831 %	1,9939 litre	O
150	CM	50	CM	98,5 LEVEL CM	1174,4396 litre	99,690 %	3,6576 litre	O
150	CM	50	CM	98 LEVEL CM	1172,4745 litre	99,523 %	5,6227 litre	O
150	CM	50	CM	97,5 LEVEL CM	1170,2511 litre	99,334 %	7,8461 litre	O
150	CM	50	CM	97 LEVEL CM	1167,7990 litre	99,126 %	10,2982 litre	O
150	CM	50	CM	96,5 LEVEL CM	1165,1398 litre	98,900 %	12,9574 litre	O
150	CM	50	CM	96 LEVEL CM	1162,2906 litre	98,658 %	15,8066 litre	O
150	CM	50	CM	95,5 LEVEL CM	1159,2652 litre	98,401 %	18,8320 litre	O
150	CM	50	CM	95 LEVEL CM	1156,0750 litre	98,131 %	22,0222 litre	O
150	CM	50	CM	94,5 LEVEL CM	1152,7299 litre	97,847 %	25,3673 litre	O
150	CM	50	CM	94 LEVEL CM	1149,2383 litre	97,550 %	28,8589 litre	O
150	CM	50	CM	93,5 LEVEL CM	1145,6076 litre	97,242 %	32,4896 litre	O
150	CM	50	CM	93 LEVEL CM	1141,8446 litre	96,923 %	36,2526 litre	O
150	CM	50	CM	92,5 LEVEL CM	1137,9551 litre	96,593 %	40,1421 litre	O
150	CM	50	CM	92 LEVEL CM	1133,9445 litre	96,252 %	44,1527 litre	O
150	CM	50	CM	91,5 LEVEL CM	1129,8179 litre	95,902 %	48,2793 litre	O
150	CM	50	CM	91 LEVEL CM	1125,5795 litre	95,542 %	52,5177 litre	O
150	CM	50	CM	90,5 LEVEL CM	1121,2337 litre	95,173 %	56,8635 litre	O
150	CM	50	CM	90 LEVEL CM	1116,7843 litre	94,796 %	61,3129 litre	O
150	CM	50	CM	89,5 LEVEL CM	1112,2349 litre	94,409 %	65,8623 litre	O
150	CM	50	CM	89 LEVEL CM	1107,5888 litre	94,015 %	70,5084 litre	O
150	CM	50	CM	88,5 LEVEL CM	1102,8492 litre	93,613 %	75,2480 litre	O
150	CM	50	CM	88 LEVEL CM	1098,0191 litre	93,203 %	80,0781 litre	O
150	CM	50	CM	87,5 LEVEL CM	1093,1013 litre	92,785 %	84,9959 litre	O
150	CM	50	CM	87 LEVEL CM	1088,0984 litre	92,361 %	89,9988 litre	O
150	CM	50	CM	86,5 LEVEL CM	1083,0130 litre	91,929 %	95,0842 litre	O
150	CM	50	CM	86 LEVEL CM	1077,8475 litre	91,491 %	100,2497 litre	O
150	CM	50	CM	85,5 LEVEL CM	1072,6041 litre	91,045 %	105,4931 litre	O
150	CM	50	CM	85 LEVEL CM	1067,2852 litre	90,594 %	110,8120 litre	O
150	CM	50	CM	84,5 LEVEL CM	1061,8927 litre	90,136 %	116,2045 litre	O
150	CM	50	CM	84 LEVEL CM	1056,4287 litre	89,672 %	121,6685 litre	O
150	CM	50	CM	83,5 LEVEL CM	1050,8951 litre	89,203 %	127,2021 litre	O
150	CM	50	CM	83 LEVEL CM	1045,2939 litre	88,727 %	132,8033 litre	O
150	CM	50	CM	82,5 LEVEL CM	1039,6267 litre	88,246 %	138,4705 litre	O
150	CM	50	CM	82 LEVEL CM	1033,8955 litre	87,760 %	144,2017 litre	O
150	CM	50	CM	81,5 LEVEL CM	1028,1017 litre	87,268 %	149,9955 litre	O
150	CM	50	CM	81 LEVEL CM	1022,2471 litre	86,771 %	155,8501 litre	O
150	CM	50	CM	80,5 LEVEL CM	1016,3332 litre	86,269 %	161,7640 litre	O
150	CM	50	CM	80 LEVEL CM	1010,3615 litre	85,762 %	167,7357 litre	O
150	CM	50	CM	79,5 LEVEL CM	1004,3337 litre	85,250 %	173,7635 litre	O
150	CM	50	CM	79 LEVEL CM	998,2510 litre	84,734 %	179,8462 litre	O
150	CM	50	CM	78,5 LEVEL CM	992,1149 litre	84,213 %	185,9823 litre	O
150	CM	50	CM	78 LEVEL CM	985,9267 litre	83,688 %	192,1705 litre	O
150	CM	50	CM	77,5 LEVEL CM	979,6879 litre	83,158 %	198,4093 litre	O
150	CM	50	CM	77 LEVEL CM	973,3997 litre	82,625 %	204,6975 litre	O
150	CM	50	CM	76,5 LEVEL CM	967,0634 litre	82,087 %	211,0338 litre	O
150	CM	50	CM	76 LEVEL CM	960,6801 litre	81,545 %	217,4171 litre	O
150	CM	50	CM	75,5 LEVEL CM	954,2513 litre	80,999 %	223,8459 litre	O
150	CM	50	CM	75 LEVEL CM	947,7779 litre	80,450 %	230,3193 litre	O
150	CM	50	CM	74,5 LEVEL CM	941,2613 litre	79,897 %	236,8359 litre	O

150	CM	50	CM	74 LEVEL CM	934,7025 litre	79,340 %	243,3947 litre	O
150	CM	50	CM	73,5 LEVEL CM	928,1026 litre	78,780 %	249,9946 litre	O
150	CM	50	CM	73 LEVEL CM	921,4628 litre	78,216 %	256,6344 litre	O
150	CM	50	CM	72,5 LEVEL CM	914,7842 litre	77,649 %	263,3130 litre	O
150	CM	50	CM	72 LEVEL CM	908,0678 litre	77,079 %	270,0294 litre	O
150	CM	50	CM	71,5 LEVEL CM	901,3146 litre	76,506 %	276,7826 litre	O
150	CM	50	CM	71 LEVEL CM	894,5257 litre	75,930 %	283,5715 litre	O
150	CM	50	CM	70,5 LEVEL CM	887,7020 litre	75,350 %	290,3952 litre	O
150	CM	50	CM	70 LEVEL CM	880,8447 litre	74,768 %	297,2525 litre	O
150	CM	50	CM	69,5 LEVEL CM	873,9546 litre	74,184 %	304,1426 litre	O
150	CM	50	CM	69 LEVEL CM	867,0328 litre	73,596 %	311,0644 litre	O
150	CM	50	CM	68,5 LEVEL CM	860,0802 litre	73,006 %	318,0170 litre	O
150	CM	50	CM	68 LEVEL CM	853,0976 litre	72,413 %	324,9996 litre	O
150	CM	50	CM	67,5 LEVEL CM	846,0862 litre	71,818 %	332,0110 litre	O
150	CM	50	CM	67 LEVEL CM	839,0467 litre	71,220 %	339,0505 litre	O
150	CM	50	CM	66,5 LEVEL CM	831,9801 litre	70,621 %	346,1171 litre	O
150	CM	50	CM	66 LEVEL CM	824,8873 litre	70,019 %	353,2099 litre	O
150	CM	50	CM	65,5 LEVEL CM	817,7691 litre	69,414 %	360,3281 litre	O
150	CM	50	CM	65 LEVEL CM	810,6265 litre	68,808 %	367,4707 litre	O
150	CM	50	CM	64,5 LEVEL CM	803,4603 litre	68,200 %	374,6369 litre	O
150	CM	50	CM	64 LEVEL CM	796,2714 litre	67,590 %	381,8258 litre	O
150	CM	50	CM	63,5 LEVEL CM	789,0606 litre	66,978 %	389,0366 litre	O
150	CM	50	CM	63 LEVEL CM	781,8288 litre	66,364 %	396,2684 litre	O
150	CM	50	CM	62,5 LEVEL CM	774,5768 litre	65,748 %	403,5204 litre	O
150	CM	50	CM	62 LEVEL CM	767,3054 litre	65,131 %	410,7918 litre	O
150	CM	50	CM	61,5 LEVEL CM	760,0154 litre	64,512 %	418,0818 litre	O
150	CM	50	CM	61 LEVEL CM	752,7078 litre	63,892 %	425,3894 litre	O
150	CM	50	CM	60,5 LEVEL CM	745,3832 litre	63,270 %	432,7140 litre	O
150	CM	50	CM	60 LEVEL CM	738,0425 litre	62,647 %	440,0547 litre	O
150	CM	50	CM	59,5 LEVEL CM	730,6865 litre	62,023 %	447,4107 litre	O
150	CM	50	CM	59 LEVEL CM	723,3160 litre	61,397 %	454,7812 litre	O
150	CM	50	CM	58,5 LEVEL CM	715,9318 litre	60,770 %	462,1654 litre	O
150	CM	50	CM	58 LEVEL CM	708,5346 litre	60,142 %	469,5626 litre	O
150	CM	50	CM	57,5 LEVEL CM	701,1253 litre	59,513 %	476,9719 litre	O
150	CM	50	CM	57 LEVEL CM	693,7046 litre	58,883 %	484,3926 litre	O
150	CM	50	CM	56,5 LEVEL CM	686,2733 litre	58,253 %	491,8239 litre	O
150	CM	50	CM	56 LEVEL CM	678,8322 litre	57,621 %	499,2650 litre	O
150	CM	50	CM	55,5 LEVEL CM	671,3819 litre	56,989 %	506,7153 litre	O
150	CM	50	CM	55 LEVEL CM	663,9234 litre	56,356 %	514,1738 litre	O
150	CM	50	CM	54,5 LEVEL CM	656,4574 litre	55,722 %	521,6398 litre	O
150	CM	50	CM	54 LEVEL CM	648,9846 litre	55,088 %	529,1126 litre	O
150	CM	50	CM	53,5 LEVEL CM	641,5057 litre	54,453 %	536,5915 litre	O
150	CM	50	CM	53 LEVEL CM	634,0216 litre	53,817 %	544,0756 litre	O
150	CM	50	CM	52,5 LEVEL CM	626,5330 litre	53,182 %	551,5642 litre	O
150	CM	50	CM	52 LEVEL CM	619,0406 litre	52,546 %	559,0566 litre	O
150	CM	50	CM	51,5 LEVEL CM	611,5452 litre	51,910 %	566,5520 litre	O
150	CM	50	CM	51 LEVEL CM	604,0476 litre	51,273 %	574,0496 litre	O
150	CM	50	CM	50,5 LEVEL CM	596,5485 litre	50,637 %	581,5487 litre	O
150	CM	50	CM	50 LEVEL CM	589,0486 litre	50,000 %	589,0486 litre	O
150	CM	50	CM	49,5 LEVEL CM	581,5487 litre	49,363 %	596,5485 litre	O
150	CM	50	CM	49 LEVEL CM	574,0496 litre	48,727 %	604,0476 litre	O
150	CM	50	CM	48,5 LEVEL CM	566,5520 litre	48,090 %	611,5452 litre	O
150	CM	50	CM	48 LEVEL CM	559,0566 litre	47,454 %	619,0406 litre	O

150	CM	50	CM	47,5 LEVEL CM	551,5643 litre	46,818 %	626,5329 litre	O
150	CM	50	CM	47 LEVEL CM	544,0756 litre	46,183 %	634,0216 litre	O
150	CM	50	CM	46,5 LEVEL CM	536,5915 litre	45,547 %	641,5057 litre	O
150	CM	50	CM	46 LEVEL CM	529,1127 litre	44,912 %	648,9845 litre	O
150	CM	50	CM	45,5 LEVEL CM	521,6399 litre	44,278 %	656,4573 litre	O
150	CM	50	CM	45 LEVEL CM	514,1738 litre	43,644 %	663,9234 litre	O
150	CM	50	CM	44,5 LEVEL CM	506,7153 litre	43,011 %	671,3819 litre	O
150	CM	50	CM	44 LEVEL CM	499,2651 litre	42,379 %	678,8321 litre	O
150	CM	50	CM	43,5 LEVEL CM	491,8239 litre	41,747 %	686,2733 litre	O
150	CM	50	CM	43 LEVEL CM	484,3926 litre	41,117 %	693,7046 litre	O
150	CM	50	CM	42,5 LEVEL CM	476,9719 litre	40,487 %	701,1253 litre	O
150	CM	50	CM	42 LEVEL CM	469,5626 litre	39,858 %	708,5346 litre	O
150	CM	50	CM	41,5 LEVEL CM	462,1654 litre	39,230 %	715,9318 litre	O
150	CM	50	CM	41 LEVEL CM	454,7812 litre	38,603 %	723,3160 litre	O
150	CM	50	CM	40,5 LEVEL CM	447,4107 litre	37,977 %	730,6865 litre	O
150	CM	50	CM	40 LEVEL CM	440,0547 litre	37,353 %	738,0425 litre	O
150	CM	50	CM	39,5 LEVEL CM	432,7140 litre	36,730 %	745,3832 litre	O
150	CM	50	CM	39 LEVEL CM	425,3895 litre	36,108 %	752,7077 litre	O
150	CM	50	CM	38,5 LEVEL CM	418,0818 litre	35,488 %	760,0154 litre	O
150	CM	50	CM	38 LEVEL CM	410,7919 litre	34,869 %	767,3053 litre	O
150	CM	50	CM	37,5 LEVEL CM	403,5205 litre	34,252 %	774,5767 litre	O
150	CM	50	CM	37 LEVEL CM	396,2685 litre	33,636 %	781,8287 litre	O
150	CM	50	CM	36,5 LEVEL CM	389,0366 litre	33,022 %	789,0606 litre	O
150	CM	50	CM	36 LEVEL CM	381,8258 litre	32,410 %	796,2714 litre	O
150	CM	50	CM	35,5 LEVEL CM	374,6369 litre	31,800 %	803,4603 litre	O
150	CM	50	CM	35 LEVEL CM	367,4707 litre	31,192 %	810,6265 litre	O
150	CM	50	CM	34,5 LEVEL CM	360,3281 litre	30,586 %	817,7691 litre	O
150	CM	50	CM	34 LEVEL CM	353,2100 litre	29,981 %	824,8872 litre	O
150	CM	50	CM	33,5 LEVEL CM	346,1171 litre	29,379 %	831,9801 litre	O
150	CM	50	CM	33 LEVEL CM	339,0505 litre	28,780 %	839,0467 litre	O
150	CM	50	CM	32,5 LEVEL CM	332,0111 litre	28,182 %	846,0861 litre	O
150	CM	50	CM	32 LEVEL CM	324,9996 litre	27,587 %	853,0976 litre	O
150	CM	50	CM	31,5 LEVEL CM	318,0171 litre	26,994 %	860,0801 litre	O
150	CM	50	CM	31 LEVEL CM	311,0644 litre	26,404 %	867,0328 litre	O
150	CM	50	CM	30,5 LEVEL CM	304,1426 litre	25,816 %	873,9546 litre	O
150	CM	50	CM	30 LEVEL CM	297,2525 litre	25,232 %	880,8447 litre	O
150	CM	50	CM	29,5 LEVEL CM	290,3952 litre	24,650 %	887,7020 litre	O
150	CM	50	CM	29 LEVEL CM	283,5716 litre	24,070 %	894,5256 litre	O
150	CM	50	CM	28,5 LEVEL CM	276,7827 litre	23,494 %	901,3145 litre	O
150	CM	50	CM	28 LEVEL CM	270,0295 litre	22,921 %	908,0677 litre	O
150	CM	50	CM	27,5 LEVEL CM	263,3131 litre	22,351 %	914,7841 litre	O
150	CM	50	CM	27 LEVEL CM	256,6344 litre	21,784 %	921,4628 litre	O
150	CM	50	CM	26,5 LEVEL CM	249,9946 litre	21,220 %	928,1026 litre	O
150	CM	50	CM	26 LEVEL CM	243,3948 litre	20,660 %	934,7024 litre	O
150	CM	50	CM	25,5 LEVEL CM	236,8360 litre	20,103 %	941,2612 litre	O
150	CM	50	CM	25 LEVEL CM	230,3193 litre	19,550 %	947,7779 litre	O
150	CM	50	CM	24,5 LEVEL CM	223,8460 litre	19,001 %	954,2512 litre	O
150	CM	50	CM	24 LEVEL CM	217,4171 litre	18,455 %	960,6801 litre	O
150	CM	50	CM	23,5 LEVEL CM	211,0339 litre	17,913 %	967,0633 litre	O
150	CM	50	CM	23 LEVEL CM	204,6975 litre	17,375 %	973,3997 litre	O
150	CM	50	CM	22,5 LEVEL CM	198,4093 litre	16,842 %	979,6879 litre	O
150	CM	50	CM	22 LEVEL CM	192,1705 litre	16,312 %	985,9267 litre	O
150	CM	50	CM	21,5 LEVEL CM	185,9824 litre	15,787 %	992,1148 litre	O

150	CM	50	CM	21 LEVEL CM	179,8463 litre	15,266 %	998,2509 litre	O
150	CM	50	CM	20,5 LEVEL CM	173,7636 litre	14,750 %	1004,3336 litre	O
150	CM	50	CM	20 LEVEL CM	167,7357 litre	14,238 %	1010,3615 litre	O
150	CM	50	CM	19,5 LEVEL CM	161,7641 litre	13,731 %	1016,3331 litre	O
150	CM	50	CM	19 LEVEL CM	155,8502 litre	13,229 %	1022,2470 litre	O
150	CM	50	CM	18,5 LEVEL CM	149,9956 litre	12,732 %	1028,1016 litre	O
150	CM	50	CM	18 LEVEL CM	144,2018 litre	12,240 %	1033,8954 litre	O
150	CM	50	CM	17,5 LEVEL CM	138,4705 litre	11,754 %	1039,6267 litre	O
150	CM	50	CM	17 LEVEL CM	132,8034 litre	11,273 %	1045,2938 litre	O
150	CM	50	CM	16,5 LEVEL CM	127,2021 litre	10,797 %	1050,8951 litre	O
150	CM	50	CM	16 LEVEL CM	121,6685 litre	10,328 %	1056,4287 litre	O
150	CM	50	CM	15,5 LEVEL CM	116,2046 litre	9,864 %	1061,8926 litre	O
150	CM	50	CM	15 LEVEL CM	110,8121 litre	9,406 %	1067,2851 litre	O
150	CM	50	CM	14,5 LEVEL CM	105,4931 litre	8,955 %	1072,6041 litre	O
150	CM	50	CM	14 LEVEL CM	100,2498 litre	8,509 %	1077,8474 litre	O
150	CM	50	CM	13,5 LEVEL CM	95,0842 litre	8,071 %	1083,0130 litre	O
150	CM	50	CM	13 LEVEL CM	89,9988 litre	7,639 %	1088,0984 litre	O
150	CM	50	CM	12,5 LEVEL CM	84,9960 litre	7,215 %	1093,1012 litre	O
150	CM	50	CM	12 LEVEL CM	80,0781 litre	6,797 %	1098,0191 litre	O
150	CM	50	CM	11,5 LEVEL CM	75,2480 litre	6,387 %	1102,8492 litre	O
150	CM	50	CM	11 LEVEL CM	70,5084 litre	5,985 %	1107,5888 litre	O
150	CM	50	CM	10,5 LEVEL CM	65,8623 litre	5,591 %	1112,2349 litre	O
150	CM	50	CM	10 LEVEL CM	61,3129 litre	5,204 %	1116,7843 litre	O
150	CM	50	CM	9,5 LEVEL CM	56,8635 litre	4,827 %	1121,2337 litre	O
150	CM	50	CM	9 LEVEL CM	52,5177 litre	4,458 %	1125,5795 litre	O
150	CM	50	CM	8,5 LEVEL CM	48,2794 litre	4,098 %	1129,8178 litre	O
150	CM	50	CM	8 LEVEL CM	44,1527 litre	3,748 %	1133,9445 litre	O
150	CM	50	CM	7,5 LEVEL CM	40,1422 litre	3,407 %	1137,9550 litre	O
150	CM	50	CM	7 LEVEL CM	36,2527 litre	3,077 %	1141,8445 litre	O
150	CM	50	CM	6,5 LEVEL CM	32,4896 litre	2,758 %	1145,6076 litre	O
150	CM	50	CM	6 LEVEL CM	28,8590 litre	2,450 %	1149,2382 litre	O
150	CM	50	CM	5,5 LEVEL CM	25,3674 litre	2,153 %	1152,7298 litre	O
150	CM	50	CM	5 LEVEL CM	22,0222 litre	1,869 %	1156,0750 litre	O
150	CM	50	CM	4,5 LEVEL CM	18,8320 litre	1,599 %	1159,2652 litre	O
150	CM	50	CM	4 LEVEL CM	15,8066 litre	1,342 %	1162,2906 litre	O
150	CM	50	CM	3,5 LEVEL CM	12,9574 litre	1,100 %	1165,1398 litre	O
150	CM	50	CM	3 LEVEL CM	10,2983 litre	0,874 %	1167,7989 litre	O
150	CM	50	CM	2,5 LEVEL CM	7,8461 litre	0,666 %	1170,2511 litre	O
150	CM	50	CM	2 LEVEL CM	5,6228 litre	0,477 %	1172,4744 litre	O
150	CM	50	CM	1,5 LEVEL CM	3,6577 litre	0,310 %	1174,4395 litre	O
150	CM	50	CM	1 LEVEL CM	1,9940 litre	0,169 %	1176,1032 litre	O
150	CM	50	CM	0,5 LEVEL CM	0,7060 litre	0,060 %	1177,3912 litre	O
150	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1178,0972 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
150	CM	45	CM 90 LEVEL CM	954,2588 litre	100,000 %	0,0000 litre	O
150	CM	45	CM 89,5 LEVEL CM	953,5891 litre	99,930 %	0,6697 litre	O
150	CM	45	CM 89 LEVEL CM	952,3677 litre	99,802 %	1,8911 litre	O
150	CM	45	CM 88,5 LEVEL CM	950,7906 litre	99,637 %	3,4682 litre	O
150	CM	45	CM 88 LEVEL CM	948,9281 litre	99,441 %	5,3307 litre	O
150	CM	45	CM 87,5 LEVEL CM	946,8216 litre	99,221 %	7,4372 litre	O
150	CM	45	CM 87 LEVEL CM	944,4989 litre	98,977 %	9,7599 litre	O
150	CM	45	CM 86,5 LEVEL CM	941,9810 litre	98,713 %	12,2778 litre	O
150	CM	45	CM 86 LEVEL CM	939,2839 litre	98,431 %	14,9749 litre	O
150	CM	45	CM 85,5 LEVEL CM	936,4208 litre	98,131 %	17,8380 litre	O
150	CM	45	CM 85 LEVEL CM	933,4027 litre	97,814 %	20,8561 litre	O
150	CM	45	CM 84,5 LEVEL CM	930,2390 litre	97,483 %	24,0198 litre	O
150	CM	45	CM 84 LEVEL CM	926,9378 litre	97,137 %	27,3210 litre	O
150	CM	45	CM 83,5 LEVEL CM	923,5063 litre	96,777 %	30,7525 litre	O
150	CM	45	CM 83 LEVEL CM	919,9507 litre	96,405 %	34,3081 litre	O
150	CM	45	CM 82,5 LEVEL CM	916,2769 litre	96,020 %	37,9819 litre	O
150	CM	45	CM 82 LEVEL CM	912,4900 litre	95,623 %	41,7688 litre	O
150	CM	45	CM 81,5 LEVEL CM	908,5947 litre	95,215 %	45,6641 litre	O
150	CM	45	CM 81 LEVEL CM	904,5953 litre	94,796 %	49,6635 litre	O
150	CM	45	CM 80,5 LEVEL CM	900,4959 litre	94,366 %	53,7629 litre	O
150	CM	45	CM 80 LEVEL CM	896,3003 litre	93,926 %	57,9585 litre	O
150	CM	45	CM 79,5 LEVEL CM	892,0118 litre	93,477 %	62,2470 litre	O
150	CM	45	CM 79 LEVEL CM	887,6337 litre	93,018 %	66,6251 litre	O
150	CM	45	CM 78,5 LEVEL CM	883,1691 litre	92,550 %	71,0897 litre	O
150	CM	45	CM 78 LEVEL CM	878,6209 litre	92,074 %	75,6379 litre	O
150	CM	45	CM 77,5 LEVEL CM	873,9918 litre	91,589 %	80,2670 litre	O
150	CM	45	CM 77 LEVEL CM	869,2843 litre	91,095 %	84,9745 litre	O
150	CM	45	CM 76,5 LEVEL CM	864,5010 litre	90,594 %	89,7578 litre	O
150	CM	45	CM 76 LEVEL CM	859,6442 litre	90,085 %	94,6146 litre	O
150	CM	45	CM 75,5 LEVEL CM	854,7160 litre	89,569 %	99,5428 litre	O
150	CM	45	CM 75 LEVEL CM	849,7187 litre	89,045 %	104,5401 litre	O
150	CM	45	CM 74,5 LEVEL CM	844,6544 litre	88,514 %	109,6044 litre	O
150	CM	45	CM 74 LEVEL CM	839,5249 litre	87,977 %	114,7339 litre	O
150	CM	45	CM 73,5 LEVEL CM	834,3322 litre	87,432 %	119,9266 litre	O
150	CM	45	CM 73 LEVEL CM	829,0781 litre	86,882 %	125,1807 litre	O
150	CM	45	CM 72,5 LEVEL CM	823,7644 litre	86,325 %	130,4944 litre	O
150	CM	45	CM 72 LEVEL CM	818,3928 litre	85,762 %	135,8660 litre	O
150	CM	45	CM 71,5 LEVEL CM	812,9650 litre	85,193 %	141,2938 litre	O
150	CM	45	CM 71 LEVEL CM	807,4825 litre	84,619 %	146,7763 litre	O
150	CM	45	CM 70,5 LEVEL CM	801,9469 litre	84,039 %	152,3119 litre	O
150	CM	45	CM 70 LEVEL CM	796,3597 litre	83,453 %	157,8991 litre	O
150	CM	45	CM 69,5 LEVEL CM	790,7224 litre	82,862 %	163,5364 litre	O
150	CM	45	CM 69 LEVEL CM	785,0364 litre	82,267 %	169,2224 litre	O
150	CM	45	CM 68,5 LEVEL CM	779,3031 litre	81,666 %	174,9557 litre	O
150	CM	45	CM 68 LEVEL CM	773,5239 litre	81,060 %	180,7349 litre	O
150	CM	45	CM 67,5 LEVEL CM	767,7001 litre	80,450 %	186,5587 litre	O
150	CM	45	CM 67 LEVEL CM	761,8330 litre	79,835 %	192,4258 litre	O
150	CM	45	CM 66,5 LEVEL CM	755,9239 litre	79,216 %	198,3349 litre	O
150	CM	45	CM 66 LEVEL CM	749,9739 litre	78,592 %	204,2849 litre	O
150	CM	45	CM 65,5 LEVEL CM	743,9844 litre	77,965 %	210,2744 litre	O
150	CM	45	CM 65 LEVEL CM	737,9565 litre	77,333 %	216,3023 litre	O
150	CM	45	CM 64,5 LEVEL CM	731,8914 litre	76,697 %	222,3674 litre	O

150	CM 45	CM	64 LEVEL CM	725,7902 litre	76,058 %	228,4686 litre	O
150	CM 45	CM	63,5 LEVEL CM	719,6541 litre	75,415 %	234,6047 litre	O
150	CM 45	CM	63 LEVEL CM	713,4842 litre	74,768 %	240,7746 litre	O
150	CM 45	CM	62,5 LEVEL CM	707,2816 litre	74,118 %	246,9772 litre	O
150	CM 45	CM	62 LEVEL CM	701,0472 litre	73,465 %	253,2116 litre	O
150	CM 45	CM	61,5 LEVEL CM	694,7823 litre	72,809 %	259,4765 litre	O
150	CM 45	CM	61 LEVEL CM	688,4878 litre	72,149 %	265,7710 litre	O
150	CM 45	CM	60,5 LEVEL CM	682,1648 litre	71,486 %	272,0940 litre	O
150	CM 45	CM	60 LEVEL CM	675,8143 litre	70,821 %	278,4445 litre	O
150	CM 45	CM	59,5 LEVEL CM	669,4372 litre	70,153 %	284,8216 litre	O
150	CM 45	CM	59 LEVEL CM	663,0346 litre	69,482 %	291,2242 litre	O
150	CM 45	CM	58,5 LEVEL CM	656,6075 litre	68,808 %	297,6513 litre	O
150	CM 45	CM	58 LEVEL CM	650,1568 litre	68,132 %	304,1020 litre	O
150	CM 45	CM	57,5 LEVEL CM	643,6834 litre	67,454 %	310,5754 litre	O
150	CM 45	CM	57 LEVEL CM	637,1884 litre	66,773 %	317,0704 litre	O
150	CM 45	CM	56,5 LEVEL CM	630,6726 litre	66,090 %	323,5862 litre	O
150	CM 45	CM	56 LEVEL CM	624,1369 litre	65,405 %	330,1219 litre	O
150	CM 45	CM	55,5 LEVEL CM	617,5824 litre	64,719 %	336,6764 litre	O
150	CM 45	CM	55 LEVEL CM	611,0099 litre	64,030 %	343,2489 litre	O
150	CM 45	CM	54,5 LEVEL CM	604,4203 litre	63,339 %	349,8385 litre	O
150	CM 45	CM	54 LEVEL CM	597,8145 litre	62,647 %	356,4443 litre	O
150	CM 45	CM	53,5 LEVEL CM	591,1933 litre	61,953 %	363,0655 litre	O
150	CM 45	CM	53 LEVEL CM	584,5578 litre	61,258 %	369,7010 litre	O
150	CM 45	CM	52,5 LEVEL CM	577,9087 litre	60,561 %	376,3501 litre	O
150	CM 45	CM	52 LEVEL CM	571,2469 litre	59,863 %	383,0119 litre	O
150	CM 45	CM	51,5 LEVEL CM	564,5733 litre	59,164 %	389,6855 litre	O
150	CM 45	CM	51 LEVEL CM	557,8887 litre	58,463 %	396,3701 litre	O
150	CM 45	CM	50,5 LEVEL CM	551,1941 litre	57,761 %	403,0647 litre	O
150	CM 45	CM	50 LEVEL CM	544,4902 litre	57,059 %	409,7686 litre	O
150	CM 45	CM	49,5 LEVEL CM	537,7780 litre	56,356 %	416,4808 litre	O
150	CM 45	CM	49 LEVEL CM	531,0582 litre	55,651 %	423,2006 litre	O
150	CM 45	CM	48,5 LEVEL CM	524,3317 litre	54,946 %	429,9271 litre	O
150	CM 45	CM	48 LEVEL CM	517,5994 litre	54,241 %	436,6594 litre	O
150	CM 45	CM	47,5 LEVEL CM	510,8620 litre	53,535 %	443,3968 litre	O
150	CM 45	CM	47 LEVEL CM	504,1205 litre	52,828 %	450,1383 litre	O
150	CM 45	CM	46,5 LEVEL CM	497,3756 litre	52,122 %	456,8832 litre	O
150	CM 45	CM	46 LEVEL CM	490,6283 litre	51,415 %	463,6305 litre	O
150	CM 45	CM	45,5 LEVEL CM	483,8792 litre	50,707 %	470,3796 litre	O
150	CM 45	CM	45 LEVEL CM	477,1294 litre	50,000 %	477,1294 litre	O
150	CM 45	CM	44,5 LEVEL CM	470,3795 litre	49,293 %	483,8793 litre	O
150	CM 45	CM	44 LEVEL CM	463,6305 litre	48,585 %	490,6283 litre	O
150	CM 45	CM	43,5 LEVEL CM	456,8831 litre	47,878 %	497,3757 litre	O
150	CM 45	CM	43 LEVEL CM	450,1383 litre	47,172 %	504,1205 litre	O
150	CM 45	CM	42,5 LEVEL CM	443,3968 litre	46,465 %	510,8620 litre	O
150	CM 45	CM	42 LEVEL CM	436,6594 litre	45,759 %	517,5994 litre	O
150	CM 45	CM	41,5 LEVEL CM	429,9271 litre	45,054 %	524,3317 litre	O
150	CM 45	CM	41 LEVEL CM	423,2006 litre	44,349 %	531,0582 litre	O
150	CM 45	CM	40,5 LEVEL CM	416,4808 litre	43,644 %	537,7780 litre	O
150	CM 45	CM	40 LEVEL CM	409,7685 litre	42,941 %	544,4903 litre	O
150	CM 45	CM	39,5 LEVEL CM	403,0647 litre	42,239 %	551,1941 litre	O
150	CM 45	CM	39 LEVEL CM	396,3700 litre	41,537 %	557,8888 litre	O
150	CM 45	CM	38,5 LEVEL CM	389,6855 litre	40,836 %	564,5733 litre	O
150	CM 45	CM	38 LEVEL CM	383,0119 litre	40,137 %	571,2469 litre	O

150	CM	45	CM	37,5 LEVEL CM	376,3501 litre	39,439 %	577,9087 litre	O
150	CM	45	CM	37 LEVEL CM	369,7010 litre	38,742 %	584,5578 litre	O
150	CM	45	CM	36,5 LEVEL CM	363,0654 litre	38,047 %	591,1934 litre	O
150	CM	45	CM	36 LEVEL CM	356,4443 litre	37,353 %	597,8145 litre	O
150	CM	45	CM	35,5 LEVEL CM	349,8385 litre	36,661 %	604,4203 litre	O
150	CM	45	CM	35 LEVEL CM	343,2489 litre	35,970 %	611,0099 litre	O
150	CM	45	CM	34,5 LEVEL CM	336,6763 litre	35,281 %	617,5825 litre	O
150	CM	45	CM	34 LEVEL CM	330,1218 litre	34,595 %	624,1370 litre	O
150	CM	45	CM	33,5 LEVEL CM	323,5862 litre	33,910 %	630,6726 litre	O
150	CM	45	CM	33 LEVEL CM	317,0704 litre	33,227 %	637,1884 litre	O
150	CM	45	CM	32,5 LEVEL CM	310,5754 litre	32,546 %	643,6834 litre	O
150	CM	45	CM	32 LEVEL CM	304,1020 litre	31,868 %	650,1568 litre	O
150	CM	45	CM	31,5 LEVEL CM	297,6513 litre	31,192 %	656,6075 litre	O
150	CM	45	CM	31 LEVEL CM	291,2241 litre	30,518 %	663,0347 litre	O
150	CM	45	CM	30,5 LEVEL CM	284,8216 litre	29,847 %	669,4372 litre	O
150	CM	45	CM	30 LEVEL CM	278,4445 litre	29,179 %	675,8143 litre	O
150	CM	45	CM	29,5 LEVEL CM	272,0940 litre	28,514 %	682,1648 litre	O
150	CM	45	CM	29 LEVEL CM	265,7710 litre	27,851 %	688,4878 litre	O
150	CM	45	CM	28,5 LEVEL CM	259,4765 litre	27,191 %	694,7823 litre	O
150	CM	45	CM	28 LEVEL CM	253,2115 litre	26,535 %	701,0473 litre	O
150	CM	45	CM	27,5 LEVEL CM	246,9772 litre	25,882 %	707,2816 litre	O
150	CM	45	CM	27 LEVEL CM	240,7746 litre	25,232 %	713,4842 litre	O
150	CM	45	CM	26,5 LEVEL CM	234,6046 litre	24,585 %	719,6542 litre	O
150	CM	45	CM	26 LEVEL CM	228,4685 litre	23,942 %	725,7903 litre	O
150	CM	45	CM	25,5 LEVEL CM	222,3673 litre	23,303 %	731,8915 litre	O
150	CM	45	CM	25 LEVEL CM	216,3022 litre	22,667 %	737,9566 litre	O
150	CM	45	CM	24,5 LEVEL CM	210,2743 litre	22,035 %	743,9845 litre	O
150	CM	45	CM	24 LEVEL CM	204,2848 litre	21,408 %	749,9740 litre	O
150	CM	45	CM	23,5 LEVEL CM	198,3349 litre	20,784 %	755,9239 litre	O
150	CM	45	CM	23 LEVEL CM	192,4258 litre	20,165 %	761,8330 litre	O
150	CM	45	CM	22,5 LEVEL CM	186,5586 litre	19,550 %	767,7002 litre	O
150	CM	45	CM	22 LEVEL CM	180,7348 litre	18,940 %	773,5240 litre	O
150	CM	45	CM	21,5 LEVEL CM	174,9556 litre	18,334 %	779,3032 litre	O
150	CM	45	CM	21 LEVEL CM	169,2224 litre	17,733 %	785,0364 litre	O
150	CM	45	CM	20,5 LEVEL CM	163,5364 litre	17,138 %	790,7224 litre	O
150	CM	45	CM	20 LEVEL CM	157,8991 litre	16,547 %	796,3597 litre	O
150	CM	45	CM	19,5 LEVEL CM	152,3119 litre	15,961 %	801,9469 litre	O
150	CM	45	CM	19 LEVEL CM	146,7763 litre	15,381 %	807,4825 litre	O
150	CM	45	CM	18,5 LEVEL CM	141,2938 litre	14,807 %	812,9650 litre	O
150	CM	45	CM	18 LEVEL CM	135,8659 litre	14,238 %	818,3929 litre	O
150	CM	45	CM	17,5 LEVEL CM	130,4943 litre	13,675 %	823,7645 litre	O
150	CM	45	CM	17 LEVEL CM	125,1806 litre	13,118 %	829,0782 litre	O
150	CM	45	CM	16,5 LEVEL CM	119,9266 litre	12,568 %	834,3322 litre	O
150	CM	45	CM	16 LEVEL CM	114,7339 litre	12,023 %	839,5249 litre	O
150	CM	45	CM	15,5 LEVEL CM	109,6044 litre	11,486 %	844,6544 litre	O
150	CM	45	CM	15 LEVEL CM	104,5400 litre	10,955 %	849,7188 litre	O
150	CM	45	CM	14,5 LEVEL CM	99,5427 litre	10,431 %	854,7161 litre	O
150	CM	45	CM	14 LEVEL CM	94,6146 litre	9,915 %	859,6442 litre	O
150	CM	45	CM	13,5 LEVEL CM	89,7578 litre	9,406 %	864,5010 litre	O
150	CM	45	CM	13 LEVEL CM	84,9745 litre	8,905 %	869,2843 litre	O
150	CM	45	CM	12,5 LEVEL CM	80,2670 litre	8,411 %	873,9918 litre	O
150	CM	45	CM	12 LEVEL CM	75,6379 litre	7,926 %	878,6209 litre	O
150	CM	45	CM	11,5 LEVEL CM	71,0896 litre	7,450 %	883,1692 litre	O

150	CM 45	CM	11 LEVEL CM	66,6251 litre	6,982 %	887,6337 litre	O
150	CM 45	CM	10,5 LEVEL CM	62,2470 litre	6,523 %	892,0118 litre	O
150	CM 45	CM	10 LEVEL CM	57,9585 litre	6,074 %	896,3003 litre	O
150	CM 45	CM	9,5 LEVEL CM	53,7628 litre	5,634 %	900,4960 litre	O
150	CM 45	CM	9 LEVEL CM	49,6635 litre	5,204 %	904,5953 litre	O
150	CM 45	CM	8,5 LEVEL CM	45,6641 litre	4,785 %	908,5947 litre	O
150	CM 45	CM	8 LEVEL CM	41,7688 litre	4,377 %	912,4900 litre	O
150	CM 45	CM	7,5 LEVEL CM	37,9819 litre	3,980 %	916,2769 litre	O
150	CM 45	CM	7 LEVEL CM	34,3080 litre	3,595 %	919,9508 litre	O
150	CM 45	CM	6,5 LEVEL CM	30,7525 litre	3,223 %	923,5063 litre	O
150	CM 45	CM	6 LEVEL CM	27,3210 litre	2,863 %	926,9378 litre	O
150	CM 45	CM	5,5 LEVEL CM	24,0198 litre	2,517 %	930,2390 litre	O
150	CM 45	CM	5 LEVEL CM	20,8561 litre	2,186 %	933,4027 litre	O
150	CM 45	CM	4,5 LEVEL CM	17,8380 litre	1,869 %	936,4208 litre	O
150	CM 45	CM	4 LEVEL CM	14,9749 litre	1,569 %	939,2839 litre	O
150	CM 45	CM	3,5 LEVEL CM	12,2778 litre	1,287 %	941,9810 litre	O
150	CM 45	CM	3 LEVEL CM	9,7598 litre	1,023 %	944,4990 litre	O
150	CM 45	CM	2,5 LEVEL CM	7,4372 litre	0,779 %	946,8216 litre	O
150	CM 45	CM	2 LEVEL CM	5,3306 litre	0,559 %	948,9282 litre	O
150	CM 45	CM	1,5 LEVEL CM	3,4682 litre	0,363 %	950,7906 litre	O
150	CM 45	CM	1 LEVEL CM	1,8910 litre	0,198 %	952,3678 litre	O
150	CM 45	CM	0,5 LEVEL CM	0,6697 litre	0,070 %	953,5891 litre	O
150	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	954,2588 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
150	CM 40	CM 80 LEVEL CM	753,9822 litre	100,000 %	0,0000 litre	O
150	CM 40	CM 79,5 LEVEL CM	753,3510 litre	99,916 %	0,6312 litre	O
150	CM 40	CM 79 LEVEL CM	752,2001 litre	99,764 %	1,7821 litre	O
150	CM 40	CM 78,5 LEVEL CM	750,7144 litre	99,567 %	3,2678 litre	O
150	CM 40	CM 78 LEVEL CM	748,9607 litre	99,334 %	5,0215 litre	O
150	CM 40	CM 77,5 LEVEL CM	746,9778 litre	99,071 %	7,0044 litre	O
150	CM 40	CM 77 LEVEL CM	744,7924 litre	98,781 %	9,1898 litre	O
150	CM 40	CM 76,5 LEVEL CM	742,4240 litre	98,467 %	11,5582 litre	O
150	CM 40	CM 76 LEVEL CM	739,8880 litre	98,131 %	14,0942 litre	O
150	CM 40	CM 75,5 LEVEL CM	737,1971 litre	97,774 %	16,7851 litre	O
150	CM 40	CM 75 LEVEL CM	734,3615 litre	97,398 %	19,6207 litre	O
150	CM 40	CM 74,5 LEVEL CM	731,3903 litre	97,004 %	22,5919 litre	O
150	CM 40	CM 74 LEVEL CM	728,2913 litre	96,593 %	25,6909 litre	O
150	CM 40	CM 73,5 LEVEL CM	725,0711 litre	96,166 %	28,9111 litre	O
150	CM 40	CM 73 LEVEL CM	721,7359 litre	95,723 %	32,2463 litre	O
150	CM 40	CM 72,5 LEVEL CM	718,2912 litre	95,266 %	35,6910 litre	O
150	CM 40	CM 72 LEVEL CM	714,7420 litre	94,796 %	39,2402 litre	O
150	CM 40	CM 71,5 LEVEL CM	711,0927 litre	94,312 %	42,8895 litre	O
150	CM 40	CM 71 LEVEL CM	707,3475 litre	93,815 %	46,6347 litre	O
150	CM 40	CM 70,5 LEVEL CM	703,5104 litre	93,306 %	50,4718 litre	O
150	CM 40	CM 70 LEVEL CM	699,5848 litre	92,785 %	54,3974 litre	O
150	CM 40	CM 69,5 LEVEL CM	695,5742 litre	92,253 %	58,4080 litre	O
150	CM 40	CM 69 LEVEL CM	691,4817 litre	91,711 %	62,5005 litre	O
150	CM 40	CM 68,5 LEVEL CM	687,3102 litre	91,157 %	66,6720 litre	O
150	CM 40	CM 68 LEVEL CM	683,0625 litre	90,594 %	70,9197 litre	O
150	CM 40	CM 67,5 LEVEL CM	678,7413 litre	90,021 %	75,2409 litre	O
150	CM 40	CM 67 LEVEL CM	674,3491 litre	89,438 %	79,6331 litre	O
150	CM 40	CM 66,5 LEVEL CM	669,8883 litre	88,847 %	84,0939 litre	O
150	CM 40	CM 66 LEVEL CM	665,3611 litre	88,246 %	88,6211 litre	O
150	CM 40	CM 65,5 LEVEL CM	660,7698 litre	87,637 %	93,2124 litre	O
150	CM 40	CM 65 LEVEL CM	656,1164 litre	87,020 %	97,8658 litre	O
150	CM 40	CM 64,5 LEVEL CM	651,4030 litre	86,395 %	102,5792 litre	O
150	CM 40	CM 64 LEVEL CM	646,6314 litre	85,762 %	107,3508 litre	O
150	CM 40	CM 63,5 LEVEL CM	641,8036 litre	85,122 %	112,1786 litre	O
150	CM 40	CM 63 LEVEL CM	636,9213 litre	84,474 %	117,0609 litre	O
150	CM 40	CM 62,5 LEVEL CM	631,9863 litre	83,820 %	121,9959 litre	O
150	CM 40	CM 62 LEVEL CM	627,0003 litre	83,158 %	126,9819 litre	O
150	CM 40	CM 61,5 LEVEL CM	621,9649 litre	82,491 %	132,0173 litre	O
150	CM 40	CM 61 LEVEL CM	616,8816 litre	81,816 %	137,1006 litre	O
150	CM 40	CM 60,5 LEVEL CM	611,7521 litre	81,136 %	142,2301 litre	O
150	CM 40	CM 60 LEVEL CM	606,5779 litre	80,450 %	147,4043 litre	O
150	CM 40	CM 59,5 LEVEL CM	601,3603 litre	79,758 %	152,6219 litre	O
150	CM 40	CM 59 LEVEL CM	596,1009 litre	79,060 %	157,8813 litre	O
150	CM 40	CM 58,5 LEVEL CM	590,8009 litre	78,357 %	163,1813 litre	O
150	CM 40	CM 58 LEVEL CM	585,4619 litre	77,649 %	168,5203 litre	O
150	CM 40	CM 57,5 LEVEL CM	580,0850 litre	76,936 %	173,8972 litre	O
150	CM 40	CM 57 LEVEL CM	574,6717 litre	76,218 %	179,3105 litre	O
150	CM 40	CM 56,5 LEVEL CM	569,2231 litre	75,496 %	184,7591 litre	O
150	CM 40	CM 56 LEVEL CM	563,7406 litre	74,768 %	190,2416 litre	O
150	CM 40	CM 55,5 LEVEL CM	558,2254 litre	74,037 %	195,7568 litre	O
150	CM 40	CM 55 LEVEL CM	552,6786 litre	73,301 %	201,3036 litre	O
150	CM 40	CM 54,5 LEVEL CM	547,1015 litre	72,562 %	206,8807 litre	O

150	CM 40	CM	54 LEVEL CM	541,4952 litre	71,818 %	212,4870 litre	O
150	CM 40	CM	53,5 LEVEL CM	535,8608 litre	71,071 %	218,1214 litre	O
150	CM 40	CM	53 LEVEL CM	530,1996 litre	70,320 %	223,7826 litre	O
150	CM 40	CM	52,5 LEVEL CM	524,5126 litre	69,566 %	229,4696 litre	O
150	CM 40	CM	52 LEVEL CM	518,8010 litre	68,808 %	235,1812 litre	O
150	CM 40	CM	51,5 LEVEL CM	513,0657 litre	68,047 %	240,9165 litre	O
150	CM 40	CM	51 LEVEL CM	507,3080 litre	67,284 %	246,6742 litre	O
150	CM 40	CM	50,5 LEVEL CM	501,5287 litre	66,517 %	252,4535 litre	O
150	CM 40	CM	50 LEVEL CM	495,7291 litre	65,748 %	258,2531 litre	O
150	CM 40	CM	49,5 LEVEL CM	489,9101 litre	64,976 %	264,0721 litre	O
150	CM 40	CM	49 LEVEL CM	484,0728 litre	64,202 %	269,9094 litre	O
150	CM 40	CM	48,5 LEVEL CM	478,2182 litre	63,426 %	275,7640 litre	O
150	CM 40	CM	48 LEVEL CM	472,3472 litre	62,647 %	281,6350 litre	O
150	CM 40	CM	47,5 LEVEL CM	466,4610 litre	61,866 %	287,5212 litre	O
150	CM 40	CM	47 LEVEL CM	460,5604 litre	61,084 %	293,4218 litre	O
150	CM 40	CM	46,5 LEVEL CM	454,6465 litre	60,299 %	299,3357 litre	O
150	CM 40	CM	46 LEVEL CM	448,7202 litre	59,513 %	305,2620 litre	O
150	CM 40	CM	45,5 LEVEL CM	442,7826 litre	58,726 %	311,1996 litre	O
150	CM 40	CM	45 LEVEL CM	436,8345 litre	57,937 %	317,1477 litre	O
150	CM 40	CM	44,5 LEVEL CM	430,8770 litre	57,147 %	323,1052 litre	O
150	CM 40	CM	44 LEVEL CM	424,9110 litre	56,356 %	329,0712 litre	O
150	CM 40	CM	43,5 LEVEL CM	418,9375 litre	55,563 %	335,0447 litre	O
150	CM 40	CM	43 LEVEL CM	412,9573 litre	54,770 %	341,0249 litre	O
150	CM 40	CM	42,5 LEVEL CM	406,9716 litre	53,976 %	347,0106 litre	O
150	CM 40	CM	42 LEVEL CM	400,9811 litre	53,182 %	353,0011 litre	O
150	CM 40	CM	41,5 LEVEL CM	394,9869 litre	52,387 %	358,9953 litre	O
150	CM 40	CM	41 LEVEL CM	388,9899 litre	51,591 %	364,9923 litre	O
150	CM 40	CM	40,5 LEVEL CM	382,9910 litre	50,796 %	370,9912 litre	O
150	CM 40	CM	40 LEVEL CM	376,9911 litre	50,000 %	376,9911 litre	O
150	CM 40	CM	39,5 LEVEL CM	370,9913 litre	49,204 %	382,9909 litre	O
150	CM 40	CM	39 LEVEL CM	364,9924 litre	48,409 %	388,9898 litre	O
150	CM 40	CM	38,5 LEVEL CM	358,9953 litre	47,613 %	394,9869 litre	O
150	CM 40	CM	38 LEVEL CM	353,0011 litre	46,818 %	400,9811 litre	O
150	CM 40	CM	37,5 LEVEL CM	347,0107 litre	46,024 %	406,9715 litre	O
150	CM 40	CM	37 LEVEL CM	341,0249 litre	45,230 %	412,9573 litre	O
150	CM 40	CM	36,5 LEVEL CM	335,0448 litre	44,437 %	418,9374 litre	O
150	CM 40	CM	36 LEVEL CM	329,0712 litre	43,644 %	424,9110 litre	O
150	CM 40	CM	35,5 LEVEL CM	323,1052 litre	42,853 %	430,8770 litre	O
150	CM 40	CM	35 LEVEL CM	317,1477 litre	42,063 %	436,8345 litre	O
150	CM 40	CM	34,5 LEVEL CM	311,1997 litre	41,274 %	442,7825 litre	O
150	CM 40	CM	34 LEVEL CM	305,2620 litre	40,487 %	448,7202 litre	O
150	CM 40	CM	33,5 LEVEL CM	299,3358 litre	39,701 %	454,6464 litre	O
150	CM 40	CM	33 LEVEL CM	293,4219 litre	38,916 %	460,5603 litre	O
150	CM 40	CM	32,5 LEVEL CM	287,5213 litre	38,134 %	466,4609 litre	O
150	CM 40	CM	32 LEVEL CM	281,6350 litre	37,353 %	472,3472 litre	O
150	CM 40	CM	31,5 LEVEL CM	275,7641 litre	36,574 %	478,2181 litre	O
150	CM 40	CM	31 LEVEL CM	269,9094 litre	35,798 %	484,0728 litre	O
150	CM 40	CM	30,5 LEVEL CM	264,0721 litre	35,024 %	489,9101 litre	O
150	CM 40	CM	30 LEVEL CM	258,2531 litre	34,252 %	495,7291 litre	O
150	CM 40	CM	29,5 LEVEL CM	252,4535 litre	33,483 %	501,5287 litre	O
150	CM 40	CM	29 LEVEL CM	246,6743 litre	32,716 %	507,3079 litre	O
150	CM 40	CM	28,5 LEVEL CM	240,9165 litre	31,953 %	513,0657 litre	O
150	CM 40	CM	28 LEVEL CM	235,1813 litre	31,192 %	518,8009 litre	O

150	CM	40	CM	27,5 LEVEL CM	229,4696 litre	30,434 %	524,5126 litre	O
150	CM	40	CM	27 LEVEL CM	223,7826 litre	29,680 %	530,1996 litre	O
150	CM	40	CM	26,5 LEVEL CM	218,1214 litre	28,929 %	535,8608 litre	O
150	CM	40	CM	26 LEVEL CM	212,4871 litre	28,182 %	541,4951 litre	O
150	CM	40	CM	25,5 LEVEL CM	206,8808 litre	27,438 %	547,1014 litre	O
150	CM	40	CM	25 LEVEL CM	201,3037 litre	26,699 %	552,6785 litre	O
150	CM	40	CM	24,5 LEVEL CM	195,7569 litre	25,963 %	558,2253 litre	O
150	CM	40	CM	24 LEVEL CM	190,2416 litre	25,232 %	563,7406 litre	O
150	CM	40	CM	23,5 LEVEL CM	184,7591 litre	24,504 %	569,2231 litre	O
150	CM	40	CM	23 LEVEL CM	179,3105 litre	23,782 %	574,6717 litre	O
150	CM	40	CM	22,5 LEVEL CM	173,8972 litre	23,064 %	580,0850 litre	O
150	CM	40	CM	22 LEVEL CM	168,5204 litre	22,351 %	585,4618 litre	O
150	CM	40	CM	21,5 LEVEL CM	163,1813 litre	21,643 %	590,8009 litre	O
150	CM	40	CM	21 LEVEL CM	157,8814 litre	20,940 %	596,1008 litre	O
150	CM	40	CM	20,5 LEVEL CM	152,6219 litre	20,242 %	601,3603 litre	O
150	CM	40	CM	20 LEVEL CM	147,4044 litre	19,550 %	606,5778 litre	O
150	CM	40	CM	19,5 LEVEL CM	142,2301 litre	18,864 %	611,7521 litre	O
150	CM	40	CM	19 LEVEL CM	137,1006 litre	18,184 %	616,8816 litre	O
150	CM	40	CM	18,5 LEVEL CM	132,0174 litre	17,509 %	621,9648 litre	O
150	CM	40	CM	18 LEVEL CM	126,9820 litre	16,842 %	627,0002 litre	O
150	CM	40	CM	17,5 LEVEL CM	121,9959 litre	16,180 %	631,9863 litre	O
150	CM	40	CM	17 LEVEL CM	117,0610 litre	15,526 %	636,9212 litre	O
150	CM	40	CM	16,5 LEVEL CM	112,1787 litre	14,878 %	641,8035 litre	O
150	CM	40	CM	16 LEVEL CM	107,3509 litre	14,238 %	646,6313 litre	O
150	CM	40	CM	15,5 LEVEL CM	102,5793 litre	13,605 %	651,4029 litre	O
150	CM	40	CM	15 LEVEL CM	97,8658 litre	12,980 %	656,1164 litre	O
150	CM	40	CM	14,5 LEVEL CM	93,2124 litre	12,363 %	660,7698 litre	O
150	CM	40	CM	14 LEVEL CM	88,6211 litre	11,754 %	665,3611 litre	O
150	CM	40	CM	13,5 LEVEL CM	84,0939 litre	11,153 %	669,8883 litre	O
150	CM	40	CM	13 LEVEL CM	79,6331 litre	10,562 %	674,3491 litre	O
150	CM	40	CM	12,5 LEVEL CM	75,2409 litre	9,979 %	678,7413 litre	O
150	CM	40	CM	12 LEVEL CM	70,9197 litre	9,406 %	683,0625 litre	O
150	CM	40	CM	11,5 LEVEL CM	66,6721 litre	8,843 %	687,3101 litre	O
150	CM	40	CM	11 LEVEL CM	62,5006 litre	8,289 %	691,4816 litre	O
150	CM	40	CM	10,5 LEVEL CM	58,4080 litre	7,747 %	695,5742 litre	O
150	CM	40	CM	10 LEVEL CM	54,3974 litre	7,215 %	699,5848 litre	O
150	CM	40	CM	9,5 LEVEL CM	50,4719 litre	6,694 %	703,5103 litre	O
150	CM	40	CM	9 LEVEL CM	46,6347 litre	6,185 %	707,3475 litre	O
150	CM	40	CM	8,5 LEVEL CM	42,8896 litre	5,688 %	711,0926 litre	O
150	CM	40	CM	8 LEVEL CM	39,2403 litre	5,204 %	714,7419 litre	O
150	CM	40	CM	7,5 LEVEL CM	35,6910 litre	4,734 %	718,2912 litre	O
150	CM	40	CM	7 LEVEL CM	32,2463 litre	4,277 %	721,7359 litre	O
150	CM	40	CM	6,5 LEVEL CM	28,9111 litre	3,834 %	725,0711 litre	O
150	CM	40	CM	6 LEVEL CM	25,6910 litre	3,407 %	728,2912 litre	O
150	CM	40	CM	5,5 LEVEL CM	22,5919 litre	2,996 %	731,3903 litre	O
150	CM	40	CM	5 LEVEL CM	19,6207 litre	2,602 %	734,3615 litre	O
150	CM	40	CM	4,5 LEVEL CM	16,7852 litre	2,226 %	737,1970 litre	O
150	CM	40	CM	4 LEVEL CM	14,0942 litre	1,869 %	739,8880 litre	O
150	CM	40	CM	3,5 LEVEL CM	11,5583 litre	1,533 %	742,4239 litre	O
150	CM	40	CM	3 LEVEL CM	9,1899 litre	1,219 %	744,7923 litre	O
150	CM	40	CM	2,5 LEVEL CM	7,0044 litre	0,929 %	746,9778 litre	O
150	CM	40	CM	2 LEVEL CM	5,0215 litre	0,666 %	748,9607 litre	O
150	CM	40	CM	1,5 LEVEL CM	3,2678 litre	0,433 %	750,7144 litre	O

150_40

-3206-

150	CM 40	CM	1 LEVEL CM	1,7821 litre	0,236 %	752,2001 litre	0
150	CM 40	CM	0,5 LEVEL CM	0,6313 litre	0,084 %	753,3509 litre	0
150	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	753,9822 litre	0

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
150	CM	35	CM	70 LEVEL CM	577,2677 litre	100,000 %	0,0000 litre	O
150	CM	35	CM	69,5 LEVEL CM	576,6773 litre	99,898 %	0,5904 litre	O
150	CM	35	CM	69 LEVEL CM	575,6015 litre	99,711 %	1,6662 litre	O
150	CM	35	CM	68,5 LEVEL CM	574,2134 litre	99,471 %	3,0543 litre	O
150	CM	35	CM	68 LEVEL CM	572,5756 litre	99,187 %	4,6921 litre	O
150	CM	35	CM	67,5 LEVEL CM	570,7246 litre	98,867 %	6,5431 litre	O
150	CM	35	CM	67 LEVEL CM	568,6855 litre	98,513 %	8,5822 litre	O
150	CM	35	CM	66,5 LEVEL CM	566,4768 litre	98,131 %	10,7909 litre	O
150	CM	35	CM	66 LEVEL CM	564,1130 litre	97,721 %	13,1547 litre	O
150	CM	35	CM	65,5 LEVEL CM	561,6059 litre	97,287 %	15,6618 litre	O
150	CM	35	CM	65 LEVEL CM	558,9655 litre	96,830 %	18,3022 litre	O
150	CM	35	CM	64,5 LEVEL CM	556,2002 litre	96,350 %	21,0675 litre	O
150	CM	35	CM	64 LEVEL CM	553,3174 litre	95,851 %	23,9503 litre	O
150	CM	35	CM	63,5 LEVEL CM	550,3235 litre	95,332 %	26,9442 litre	O
150	CM	35	CM	63 LEVEL CM	547,2243 litre	94,796 %	30,0434 litre	O
150	CM	35	CM	62,5 LEVEL CM	544,0251 litre	94,241 %	33,2426 litre	O
150	CM	35	CM	62 LEVEL CM	540,7306 litre	93,671 %	36,5371 litre	O
150	CM	35	CM	61,5 LEVEL CM	537,3452 litre	93,084 %	39,9225 litre	O
150	CM	35	CM	61 LEVEL CM	533,8728 litre	92,483 %	43,3949 litre	O
150	CM	35	CM	60,5 LEVEL CM	530,3172 litre	91,867 %	46,9505 litre	O
150	CM	35	CM	60 LEVEL CM	526,6817 litre	91,237 %	50,5860 litre	O
150	CM	35	CM	59,5 LEVEL CM	522,9697 litre	90,594 %	54,2980 litre	O
150	CM	35	CM	59 LEVEL CM	519,1842 litre	89,938 %	58,0835 litre	O
150	CM	35	CM	58,5 LEVEL CM	515,3280 litre	89,270 %	61,9397 litre	O
150	CM	35	CM	58 LEVEL CM	511,4039 litre	88,590 %	65,8638 litre	O
150	CM	35	CM	57,5 LEVEL CM	507,4143 litre	87,899 %	69,8534 litre	O
150	CM	35	CM	57 LEVEL CM	503,3618 litre	87,197 %	73,9059 litre	O
150	CM	35	CM	56,5 LEVEL CM	499,2487 litre	86,485 %	78,0190 litre	O
150	CM	35	CM	56 LEVEL CM	495,0772 litre	85,762 %	82,1905 litre	O
150	CM	35	CM	55,5 LEVEL CM	490,8494 litre	85,030 %	86,4183 litre	O
150	CM	35	CM	55 LEVEL CM	486,5674 litre	84,288 %	90,7003 litre	O
150	CM	35	CM	54,5 LEVEL CM	482,2332 litre	83,537 %	95,0345 litre	O
150	CM	35	CM	54 LEVEL CM	477,8486 litre	82,778 %	99,4191 litre	O
150	CM	35	CM	53,5 LEVEL CM	473,4156 litre	82,010 %	103,8521 litre	O
150	CM	35	CM	53 LEVEL CM	468,9359 litre	81,234 %	108,3318 litre	O
150	CM	35	CM	52,5 LEVEL CM	464,4112 litre	80,450 %	112,8565 litre	O
150	CM	35	CM	52 LEVEL CM	459,8432 litre	79,659 %	117,4245 litre	O
150	CM	35	CM	51,5 LEVEL CM	455,2335 litre	78,860 %	122,0342 litre	O
150	CM	35	CM	51 LEVEL CM	450,5837 litre	78,055 %	126,6840 litre	O
150	CM	35	CM	50,5 LEVEL CM	445,8954 litre	77,242 %	131,3723 litre	O
150	CM	35	CM	50 LEVEL CM	441,1700 litre	76,424 %	136,0977 litre	O
150	CM	35	CM	49,5 LEVEL CM	436,4090 litre	75,599 %	140,8587 litre	O
150	CM	35	CM	49 LEVEL CM	431,6139 litre	74,768 %	145,6538 litre	O
150	CM	35	CM	48,5 LEVEL CM	426,7861 litre	73,932 %	150,4816 litre	O
150	CM	35	CM	48 LEVEL CM	421,9269 litre	73,090 %	155,3408 litre	O
150	CM	35	CM	47,5 LEVEL CM	417,0377 litre	72,243 %	160,2300 litre	O
150	CM	35	CM	47 LEVEL CM	412,1198 litre	71,391 %	165,1479 litre	O
150	CM	35	CM	46,5 LEVEL CM	407,1745 litre	70,535 %	170,0932 litre	O
150	CM	35	CM	46 LEVEL CM	402,2032 litre	69,674 %	175,0645 litre	O
150	CM	35	CM	45,5 LEVEL CM	397,2070 litre	68,808 %	180,0607 litre	O
150	CM	35	CM	45 LEVEL CM	392,1872 litre	67,939 %	185,0805 litre	O
150	CM	35	CM	44,5 LEVEL CM	387,1451 litre	67,065 %	190,1226 litre	O

150	CM	35	CM	44 LEVEL CM	382,0818 litre	66,188 %	195,1859 litre	O
150	CM	35	CM	43,5 LEVEL CM	376,9986 litre	65,307 %	200,2691 litre	O
150	CM	35	CM	43 LEVEL CM	371,8966 litre	64,424 %	205,3711 litre	O
150	CM	35	CM	42,5 LEVEL CM	366,7769 litre	63,537 %	210,4908 litre	O
150	CM	35	CM	42 LEVEL CM	361,6408 litre	62,647 %	215,6269 litre	O
150	CM	35	CM	41,5 LEVEL CM	356,4894 litre	61,755 %	220,7783 litre	O
150	CM	35	CM	41 LEVEL CM	351,3239 litre	60,860 %	225,9438 litre	O
150	CM	35	CM	40,5 LEVEL CM	346,1453 litre	59,963 %	231,1224 litre	O
150	CM	35	CM	40 LEVEL CM	340,9547 litre	59,064 %	236,3130 litre	O
150	CM	35	CM	39,5 LEVEL CM	335,7533 litre	58,162 %	241,5144 litre	O
150	CM	35	CM	39 LEVEL CM	330,5422 litre	57,260 %	246,7255 litre	O
150	CM	35	CM	38,5 LEVEL CM	325,3225 litre	56,356 %	251,9452 litre	O
150	CM	35	CM	38 LEVEL CM	320,0952 litre	55,450 %	257,1725 litre	O
150	CM	35	CM	37,5 LEVEL CM	314,8615 litre	54,543 %	262,4062 litre	O
150	CM	35	CM	37 LEVEL CM	309,6224 litre	53,636 %	267,6453 litre	O
150	CM	35	CM	36,5 LEVEL CM	304,3790 litre	52,728 %	272,8887 litre	O
150	CM	35	CM	36 LEVEL CM	299,1324 litre	51,819 %	278,1353 litre	O
150	CM	35	CM	35,5 LEVEL CM	293,8836 litre	50,909 %	283,3841 litre	O
150	CM	35	CM	35 LEVEL CM	288,6338 litre	50,000 %	288,6339 litre	O
150	CM	35	CM	34,5 LEVEL CM	283,3840 litre	49,091 %	293,8837 litre	O
150	CM	35	CM	34 LEVEL CM	278,1353 litre	48,181 %	299,1324 litre	O
150	CM	35	CM	33,5 LEVEL CM	272,8886 litre	47,272 %	304,3791 litre	O
150	CM	35	CM	33 LEVEL CM	267,6453 litre	46,364 %	309,6224 litre	O
150	CM	35	CM	32,5 LEVEL CM	262,4062 litre	45,457 %	314,8615 litre	O
150	CM	35	CM	32 LEVEL CM	257,1724 litre	44,550 %	320,0953 litre	O
150	CM	35	CM	31,5 LEVEL CM	251,9452 litre	43,644 %	325,3225 litre	O
150	CM	35	CM	31 LEVEL CM	246,7254 litre	42,740 %	330,5423 litre	O
150	CM	35	CM	30,5 LEVEL CM	241,5143 litre	41,837 %	335,7534 litre	O
150	CM	35	CM	30 LEVEL CM	236,3129 litre	40,936 %	340,9548 litre	O
150	CM	35	CM	29,5 LEVEL CM	231,1224 litre	40,037 %	346,1453 litre	O
150	CM	35	CM	29 LEVEL CM	225,9438 litre	39,140 %	351,3239 litre	O
150	CM	35	CM	28,5 LEVEL CM	220,7782 litre	38,245 %	356,4895 litre	O
150	CM	35	CM	28 LEVEL CM	215,6268 litre	37,353 %	361,6409 litre	O
150	CM	35	CM	27,5 LEVEL CM	210,4907 litre	36,463 %	366,7770 litre	O
150	CM	35	CM	27 LEVEL CM	205,3711 litre	35,576 %	371,8966 litre	O
150	CM	35	CM	26,5 LEVEL CM	200,2691 litre	34,693 %	376,9986 litre	O
150	CM	35	CM	26 LEVEL CM	195,1858 litre	33,812 %	382,0819 litre	O
150	CM	35	CM	25,5 LEVEL CM	190,1226 litre	32,935 %	387,1451 litre	O
150	CM	35	CM	25 LEVEL CM	185,0804 litre	32,061 %	392,1873 litre	O
150	CM	35	CM	24,5 LEVEL CM	180,0607 litre	31,192 %	397,2070 litre	O
150	CM	35	CM	24 LEVEL CM	175,0645 litre	30,326 %	402,2032 litre	O
150	CM	35	CM	23,5 LEVEL CM	170,0931 litre	29,465 %	407,1746 litre	O
150	CM	35	CM	23 LEVEL CM	165,1479 litre	28,609 %	412,1198 litre	O
150	CM	35	CM	22,5 LEVEL CM	160,2300 litre	27,757 %	417,0377 litre	O
150	CM	35	CM	22 LEVEL CM	155,3408 litre	26,910 %	421,9269 litre	O
150	CM	35	CM	21,5 LEVEL CM	150,4816 litre	26,068 %	426,7861 litre	O
150	CM	35	CM	21 LEVEL CM	145,6537 litre	25,232 %	431,6140 litre	O
150	CM	35	CM	20,5 LEVEL CM	140,8586 litre	24,401 %	436,4091 litre	O
150	CM	35	CM	20 LEVEL CM	136,0977 litre	23,576 %	441,1700 litre	O
150	CM	35	CM	19,5 LEVEL CM	131,3723 litre	22,758 %	445,8954 litre	O
150	CM	35	CM	19 LEVEL CM	126,6840 litre	21,945 %	450,5837 litre	O
150	CM	35	CM	18,5 LEVEL CM	122,0342 litre	21,140 %	455,2335 litre	O
150	CM	35	CM	18 LEVEL CM	117,4245 litre	20,341 %	459,8432 litre	O

150	CM	35	CM	17,5 LEVEL CM	112,8565 litre	19,550 %	464,4112 litre	O
150	CM	35	CM	17 LEVEL CM	108,3318 litre	18,766 %	468,9359 litre	O
150	CM	35	CM	16,5 LEVEL CM	103,8520 litre	17,990 %	473,4157 litre	O
150	CM	35	CM	16 LEVEL CM	99,4190 litre	17,222 %	477,8487 litre	O
150	CM	35	CM	15,5 LEVEL CM	95,0345 litre	16,463 %	482,2332 litre	O
150	CM	35	CM	15 LEVEL CM	90,7003 litre	15,712 %	486,5674 litre	O
150	CM	35	CM	14,5 LEVEL CM	86,4183 litre	14,970 %	490,8494 litre	O
150	CM	35	CM	14 LEVEL CM	82,1905 litre	14,238 %	495,0772 litre	O
150	CM	35	CM	13,5 LEVEL CM	78,0190 litre	13,515 %	499,2487 litre	O
150	CM	35	CM	13 LEVEL CM	73,9058 litre	12,803 %	503,3619 litre	O
150	CM	35	CM	12,5 LEVEL CM	69,8533 litre	12,101 %	507,4144 litre	O
150	CM	35	CM	12 LEVEL CM	65,8638 litre	11,410 %	511,4039 litre	O
150	CM	35	CM	11,5 LEVEL CM	61,9396 litre	10,730 %	515,3281 litre	O
150	CM	35	CM	11 LEVEL CM	58,0834 litre	10,062 %	519,1843 litre	O
150	CM	35	CM	10,5 LEVEL CM	54,2979 litre	9,406 %	522,9698 litre	O
150	CM	35	CM	10 LEVEL CM	50,5859 litre	8,763 %	526,6818 litre	O
150	CM	35	CM	9,5 LEVEL CM	46,9505 litre	8,133 %	530,3172 litre	O
150	CM	35	CM	9 LEVEL CM	43,3948 litre	7,517 %	533,8729 litre	O
150	CM	35	CM	8,5 LEVEL CM	39,9225 litre	6,916 %	537,3452 litre	O
150	CM	35	CM	8 LEVEL CM	36,5370 litre	6,329 %	540,7307 litre	O
150	CM	35	CM	7,5 LEVEL CM	33,2425 litre	5,759 %	544,0252 litre	O
150	CM	35	CM	7 LEVEL CM	30,0433 litre	5,204 %	547,2244 litre	O
150	CM	35	CM	6,5 LEVEL CM	26,9442 litre	4,668 %	550,3235 litre	O
150	CM	35	CM	6 LEVEL CM	23,9503 litre	4,149 %	553,3174 litre	O
150	CM	35	CM	5,5 LEVEL CM	21,0674 litre	3,650 %	556,2003 litre	O
150	CM	35	CM	5 LEVEL CM	18,3021 litre	3,170 %	558,9656 litre	O
150	CM	35	CM	4,5 LEVEL CM	15,6617 litre	2,713 %	561,6060 litre	O
150	CM	35	CM	4 LEVEL CM	13,1547 litre	2,279 %	564,1130 litre	O
150	CM	35	CM	3,5 LEVEL CM	10,7909 litre	1,869 %	566,4768 litre	O
150	CM	35	CM	3 LEVEL CM	8,5822 litre	1,487 %	568,6855 litre	O
150	CM	35	CM	2,5 LEVEL CM	6,5431 litre	1,133 %	570,7246 litre	O
150	CM	35	CM	2 LEVEL CM	4,6921 litre	0,813 %	572,5756 litre	O
150	CM	35	CM	1,5 LEVEL CM	3,0542 litre	0,529 %	574,2135 litre	O
150	CM	35	CM	1 LEVEL CM	1,6661 litre	0,289 %	575,6016 litre	O
150	CM	35	CM	0,5 LEVEL CM	0,5903 litre	0,102 %	576,6774 litre	O
150	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	577,2677 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
150	CM 30	CM 60 LEVEL CM	424,1150 litre	100,000 %	0,0000 litre	O
150	CM 30	CM 59,5 LEVEL CM	423,5687 litre	99,871 %	0,5463 litre	O
150	CM 30	CM 59 LEVEL CM	422,5736 litre	99,637 %	1,5414 litre	O
150	CM 30	CM 58,5 LEVEL CM	421,2904 litre	99,334 %	2,8246 litre	O
150	CM 30	CM 58 LEVEL CM	419,7773 litre	98,977 %	4,3377 litre	O
150	CM 30	CM 57,5 LEVEL CM	418,0684 litre	98,574 %	6,0466 litre	O
150	CM 30	CM 57 LEVEL CM	416,1870 litre	98,131 %	7,9280 litre	O
150	CM 30	CM 56,5 LEVEL CM	414,1505 litre	97,651 %	9,9645 litre	O
150	CM 30	CM 56 LEVEL CM	411,9724 litre	97,137 %	12,1426 litre	O
150	CM 30	CM 55,5 LEVEL CM	409,6638 litre	96,593 %	14,4512 litre	O
150	CM 30	CM 55 LEVEL CM	407,2342 litre	96,020 %	16,8808 litre	O
150	CM 30	CM 54,5 LEVEL CM	404,6914 litre	95,420 %	19,4236 litre	O
150	CM 30	CM 54 LEVEL CM	402,0424 litre	94,796 %	22,0726 litre	O
150	CM 30	CM 53,5 LEVEL CM	399,2933 litre	94,147 %	24,8217 litre	O
150	CM 30	CM 53 LEVEL CM	396,4497 litre	93,477 %	27,6653 litre	O
150	CM 30	CM 52,5 LEVEL CM	393,5165 litre	92,785 %	30,5985 litre	O
150	CM 30	CM 52 LEVEL CM	390,4982 litre	92,074 %	33,6168 litre	O
150	CM 30	CM 51,5 LEVEL CM	387,3990 litre	91,343 %	36,7160 litre	O
150	CM 30	CM 51 LEVEL CM	384,2227 litre	90,594 %	39,8923 litre	O
150	CM 30	CM 50,5 LEVEL CM	380,9728 litre	89,828 %	43,1422 litre	O
150	CM 30	CM 50 LEVEL CM	377,6528 litre	89,045 %	46,4622 litre	O
150	CM 30	CM 49,5 LEVEL CM	374,2656 litre	88,246 %	49,8494 litre	O
150	CM 30	CM 49 LEVEL CM	370,8143 litre	87,432 %	53,3007 litre	O
150	CM 30	CM 48,5 LEVEL CM	367,3016 litre	86,604 %	56,8134 litre	O
150	CM 30	CM 48 LEVEL CM	363,7302 litre	85,762 %	60,3848 litre	O
150	CM 30	CM 47,5 LEVEL CM	360,1024 litre	84,907 %	64,0126 litre	O
150	CM 30	CM 47 LEVEL CM	356,4208 litre	84,039 %	67,6942 litre	O
150	CM 30	CM 46,5 LEVEL CM	352,6877 litre	83,158 %	71,4273 litre	O
150	CM 30	CM 46 LEVEL CM	348,9051 litre	82,267 %	75,2099 litre	O
150	CM 30	CM 45,5 LEVEL CM	345,0752 litre	81,364 %	79,0398 litre	O
150	CM 30	CM 45 LEVEL CM	341,2001 litre	80,450 %	82,9149 litre	O
150	CM 30	CM 44,5 LEVEL CM	337,2816 litre	79,526 %	86,8334 litre	O
150	CM 30	CM 44 LEVEL CM	333,3217 litre	78,592 %	90,7933 litre	O
150	CM 30	CM 43,5 LEVEL CM	329,3223 litre	77,649 %	94,7927 litre	O
150	CM 30	CM 43 LEVEL CM	325,2851 litre	76,697 %	98,8299 litre	O
150	CM 30	CM 42,5 LEVEL CM	321,2118 litre	75,737 %	102,9032 litre	O
150	CM 30	CM 42 LEVEL CM	317,1041 litre	74,768 %	107,0109 litre	O
150	CM 30	CM 41,5 LEVEL CM	312,9637 litre	73,792 %	111,1513 litre	O
150	CM 30	CM 41 LEVEL CM	308,7921 litre	72,809 %	115,3229 litre	O
150	CM 30	CM 40,5 LEVEL CM	304,5910 litre	71,818 %	119,5240 litre	O
150	CM 30	CM 40 LEVEL CM	300,3619 litre	70,821 %	123,7531 litre	O
150	CM 30	CM 39,5 LEVEL CM	296,1062 litre	69,817 %	128,0088 litre	O
150	CM 30	CM 39 LEVEL CM	291,8256 litre	68,808 %	132,2894 litre	O
150	CM 30	CM 38,5 LEVEL CM	287,5213 litre	67,793 %	136,5937 litre	O
150	CM 30	CM 38 LEVEL CM	283,1948 litre	66,773 %	140,9202 litre	O
150	CM 30	CM 37,5 LEVEL CM	278,8476 litre	65,748 %	145,2674 litre	O
150	CM 30	CM 37 LEVEL CM	274,4811 litre	64,719 %	149,6339 litre	O
150	CM 30	CM 36,5 LEVEL CM	270,0965 litre	63,685 %	154,0185 litre	O
150	CM 30	CM 36 LEVEL CM	265,6953 litre	62,647 %	158,4197 litre	O
150	CM 30	CM 35,5 LEVEL CM	261,2788 litre	61,606 %	162,8362 litre	O
150	CM 30	CM 35 LEVEL CM	256,8483 litre	60,561 %	167,2667 litre	O
150	CM 30	CM 34,5 LEVEL CM	252,4051 litre	59,513 %	171,7099 litre	O

150	CM	30	CM	34 LEVEL CM	247,9506 litre	58,463 %	176,1644 litre	O
150	CM	30	CM	33,5 LEVEL CM	243,4859 litre	57,410 %	180,6291 litre	O
150	CM	30	CM	33 LEVEL CM	239,0124 litre	56,356 %	185,1026 litre	O
150	CM	30	CM	32,5 LEVEL CM	234,5314 litre	55,299 %	189,5836 litre	O
150	CM	30	CM	32 LEVEL CM	230,0442 litre	54,241 %	194,0708 litre	O
150	CM	30	CM	31,5 LEVEL CM	225,5519 litre	53,182 %	198,5631 litre	O
150	CM	30	CM	31 LEVEL CM	221,0558 litre	52,122 %	203,0592 litre	O
150	CM	30	CM	30,5 LEVEL CM	216,5573 litre	51,061 %	207,5577 litre	O
150	CM	30	CM	30 LEVEL CM	212,0575 litre	50,000 %	212,0575 litre	O
150	CM	30	CM	29,5 LEVEL CM	207,5577 litre	48,939 %	216,5573 litre	O
150	CM	30	CM	29 LEVEL CM	203,0592 litre	47,878 %	221,0558 litre	O
150	CM	30	CM	28,5 LEVEL CM	198,5631 litre	46,818 %	225,5519 litre	O
150	CM	30	CM	28 LEVEL CM	194,0708 litre	45,759 %	230,0442 litre	O
150	CM	30	CM	27,5 LEVEL CM	189,5836 litre	44,701 %	234,5314 litre	O
150	CM	30	CM	27 LEVEL CM	185,1026 litre	43,644 %	239,0124 litre	O
150	CM	30	CM	26,5 LEVEL CM	180,6291 litre	42,590 %	243,4859 litre	O
150	CM	30	CM	26 LEVEL CM	176,1645 litre	41,537 %	247,9505 litre	O
150	CM	30	CM	25,5 LEVEL CM	171,7099 litre	40,487 %	252,4051 litre	O
150	CM	30	CM	25 LEVEL CM	167,2667 litre	39,439 %	256,8483 litre	O
150	CM	30	CM	24,5 LEVEL CM	162,8362 litre	38,394 %	261,2788 litre	O
150	CM	30	CM	24 LEVEL CM	158,4197 litre	37,353 %	265,6953 litre	O
150	CM	30	CM	23,5 LEVEL CM	154,0185 litre	36,315 %	270,0965 litre	O
150	CM	30	CM	23 LEVEL CM	149,6339 litre	35,281 %	274,4811 litre	O
150	CM	30	CM	22,5 LEVEL CM	145,2674 litre	34,252 %	278,8476 litre	O
150	CM	30	CM	22 LEVEL CM	140,9202 litre	33,227 %	283,1948 litre	O
150	CM	30	CM	21,5 LEVEL CM	136,5937 litre	32,207 %	287,5213 litre	O
150	CM	30	CM	21 LEVEL CM	132,2895 litre	31,192 %	291,8255 litre	O
150	CM	30	CM	20,5 LEVEL CM	128,0088 litre	30,183 %	296,1062 litre	O
150	CM	30	CM	20 LEVEL CM	123,7531 litre	29,179 %	300,3619 litre	O
150	CM	30	CM	19,5 LEVEL CM	119,5240 litre	28,182 %	304,5910 litre	O
150	CM	30	CM	19 LEVEL CM	115,3229 litre	27,191 %	308,7921 litre	O
150	CM	30	CM	18,5 LEVEL CM	111,1513 litre	26,208 %	312,9637 litre	O
150	CM	30	CM	18 LEVEL CM	107,0109 litre	25,232 %	317,1041 litre	O
150	CM	30	CM	17,5 LEVEL CM	102,9032 litre	24,263 %	321,2118 litre	O
150	CM	30	CM	17 LEVEL CM	98,8299 litre	23,303 %	325,2851 litre	O
150	CM	30	CM	16,5 LEVEL CM	94,7927 litre	22,351 %	329,3223 litre	O
150	CM	30	CM	16 LEVEL CM	90,7933 litre	21,408 %	333,3217 litre	O
150	CM	30	CM	15,5 LEVEL CM	86,8334 litre	20,474 %	337,2816 litre	O
150	CM	30	CM	15 LEVEL CM	82,9150 litre	19,550 %	341,2000 litre	O
150	CM	30	CM	14,5 LEVEL CM	79,0398 litre	18,636 %	345,0752 litre	O
150	CM	30	CM	14 LEVEL CM	75,2099 litre	17,733 %	348,9051 litre	O
150	CM	30	CM	13,5 LEVEL CM	71,4274 litre	16,842 %	352,6876 litre	O
150	CM	30	CM	13 LEVEL CM	67,6942 litre	15,961 %	356,4208 litre	O
150	CM	30	CM	12,5 LEVEL CM	64,0126 litre	15,093 %	360,1024 litre	O
150	CM	30	CM	12 LEVEL CM	60,3849 litre	14,238 %	363,7301 litre	O
150	CM	30	CM	11,5 LEVEL CM	56,8134 litre	13,396 %	367,3016 litre	O
150	CM	30	CM	11 LEVEL CM	53,3007 litre	12,568 %	370,8143 litre	O
150	CM	30	CM	10,5 LEVEL CM	49,8494 litre	11,754 %	374,2656 litre	O
150	CM	30	CM	10 LEVEL CM	46,4622 litre	10,955 %	377,6528 litre	O
150	CM	30	CM	9,5 LEVEL CM	43,1422 litre	10,172 %	380,9728 litre	O
150	CM	30	CM	9 LEVEL CM	39,8923 litre	9,406 %	384,2227 litre	O
150	CM	30	CM	8,5 LEVEL CM	36,7160 litre	8,657 %	387,3990 litre	O
150	CM	30	CM	8 LEVEL CM	33,6168 litre	7,926 %	390,4982 litre	O

150	CM 30	CM	7,5 LEVEL CM	30,5985 litre	7,215 %	393,5165 litre	O
150	CM 30	CM	7 LEVEL CM	27,6653 litre	6,523 %	396,4497 litre	O
150	CM 30	CM	6,5 LEVEL CM	24,8217 litre	5,853 %	399,2933 litre	O
150	CM 30	CM	6 LEVEL CM	22,0726 litre	5,204 %	402,0424 litre	O
150	CM 30	CM	5,5 LEVEL CM	19,4236 litre	4,580 %	404,6914 litre	O
150	CM 30	CM	5 LEVEL CM	16,8808 litre	3,980 %	407,2342 litre	O
150	CM 30	CM	4,5 LEVEL CM	14,4512 litre	3,407 %	409,6638 litre	O
150	CM 30	CM	4 LEVEL CM	12,1426 litre	2,863 %	411,9724 litre	O
150	CM 30	CM	3,5 LEVEL CM	9,9646 litre	2,349 %	414,1504 litre	O
150	CM 30	CM	3 LEVEL CM	7,9280 litre	1,869 %	416,1870 litre	O
150	CM 30	CM	2,5 LEVEL CM	6,0466 litre	1,426 %	418,0684 litre	O
150	CM 30	CM	2 LEVEL CM	4,3377 litre	1,023 %	419,7773 litre	O
150	CM 30	CM	1,5 LEVEL CM	2,8246 litre	0,666 %	421,2904 litre	O
150	CM 30	CM	1 LEVEL CM	1,5414 litre	0,363 %	422,5736 litre	O
150	CM 30	CM	0,5 LEVEL CM	0,5464 litre	0,129 %	423,5686 litre	O
150	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	424,1150 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
150	CM	25	CM	50 LEVEL CM	294,5243 litre	100,000 %	0,0000 litre	O
150	CM	25	CM	49,5 LEVEL CM	294,0258 litre	99,831 %	0,4985 litre	O
150	CM	25	CM	49 LEVEL CM	293,1186 litre	99,523 %	1,4057 litre	O
150	CM	25	CM	48,5 LEVEL CM	291,9497 litre	99,126 %	2,5746 litre	O
150	CM	25	CM	48 LEVEL CM	290,5727 litre	98,658 %	3,9516 litre	O
150	CM	25	CM	47,5 LEVEL CM	289,0188 litre	98,131 %	5,5055 litre	O
150	CM	25	CM	47 LEVEL CM	287,3096 litre	97,550 %	7,2147 litre	O
150	CM	25	CM	46,5 LEVEL CM	285,4611 litre	96,923 %	9,0632 litre	O
150	CM	25	CM	46 LEVEL CM	283,4861 litre	96,252 %	11,0382 litre	O
150	CM	25	CM	45,5 LEVEL CM	281,3949 litre	95,542 %	13,1294 litre	O
150	CM	25	CM	45 LEVEL CM	279,1961 litre	94,796 %	15,3282 litre	O
150	CM	25	CM	44,5 LEVEL CM	276,8972 litre	94,015 %	17,6271 litre	O
150	CM	25	CM	44 LEVEL CM	274,5048 litre	93,203 %	20,0195 litre	O
150	CM	25	CM	43,5 LEVEL CM	272,0246 litre	92,361 %	22,4997 litre	O
150	CM	25	CM	43 LEVEL CM	269,4619 litre	91,491 %	25,0624 litre	O
150	CM	25	CM	42,5 LEVEL CM	266,8213 litre	90,594 %	27,7030 litre	O
150	CM	25	CM	42 LEVEL CM	264,1072 litre	89,672 %	30,4171 litre	O
150	CM	25	CM	41,5 LEVEL CM	261,3235 litre	88,727 %	33,2008 litre	O
150	CM	25	CM	41 LEVEL CM	258,4739 litre	87,760 %	36,0504 litre	O
150	CM	25	CM	40,5 LEVEL CM	255,5618 litre	86,771 %	38,9625 litre	O
150	CM	25	CM	40 LEVEL CM	252,5904 litre	85,762 %	41,9339 litre	O
150	CM	25	CM	39,5 LEVEL CM	249,5627 litre	84,734 %	44,9616 litre	O
150	CM	25	CM	39 LEVEL CM	246,4817 litre	83,688 %	48,0426 litre	O
150	CM	25	CM	38,5 LEVEL CM	243,3499 litre	82,625 %	51,1744 litre	O
150	CM	25	CM	38 LEVEL CM	240,1700 litre	81,545 %	54,3543 litre	O
150	CM	25	CM	37,5 LEVEL CM	236,9445 litre	80,450 %	57,5798 litre	O
150	CM	25	CM	37 LEVEL CM	233,6756 litre	79,340 %	60,8487 litre	O
150	CM	25	CM	36,5 LEVEL CM	230,3657 litre	78,216 %	64,1586 litre	O
150	CM	25	CM	36 LEVEL CM	227,0169 litre	77,079 %	67,5074 litre	O
150	CM	25	CM	35,5 LEVEL CM	223,6314 litre	75,930 %	70,8929 litre	O
150	CM	25	CM	35 LEVEL CM	220,2112 litre	74,768 %	74,3131 litre	O
150	CM	25	CM	34,5 LEVEL CM	216,7582 litre	73,596 %	77,7661 litre	O
150	CM	25	CM	34 LEVEL CM	213,2744 litre	72,413 %	81,2499 litre	O
150	CM	25	CM	33,5 LEVEL CM	209,7617 litre	71,220 %	84,7626 litre	O
150	CM	25	CM	33 LEVEL CM	206,2218 litre	70,019 %	88,3025 litre	O
150	CM	25	CM	32,5 LEVEL CM	202,6566 litre	68,808 %	91,8677 litre	O
150	CM	25	CM	32 LEVEL CM	199,0679 litre	67,590 %	95,4564 litre	O
150	CM	25	CM	31,5 LEVEL CM	195,4572 litre	66,364 %	99,0671 litre	O
150	CM	25	CM	31 LEVEL CM	191,8263 litre	65,131 %	102,6980 litre	O
150	CM	25	CM	30,5 LEVEL CM	188,1769 litre	63,892 %	106,3474 litre	O
150	CM	25	CM	30 LEVEL CM	184,5106 litre	62,647 %	110,0137 litre	O
150	CM	25	CM	29,5 LEVEL CM	180,8290 litre	61,397 %	113,6953 litre	O
150	CM	25	CM	29 LEVEL CM	177,1337 litre	60,142 %	117,3906 litre	O
150	CM	25	CM	28,5 LEVEL CM	173,4262 litre	58,883 %	121,0981 litre	O
150	CM	25	CM	28 LEVEL CM	169,7080 litre	57,621 %	124,8163 litre	O
150	CM	25	CM	27,5 LEVEL CM	165,9809 litre	56,356 %	128,5434 litre	O
150	CM	25	CM	27 LEVEL CM	162,2461 litre	55,088 %	132,2782 litre	O
150	CM	25	CM	26,5 LEVEL CM	158,5054 litre	53,817 %	136,0189 litre	O
150	CM	25	CM	26 LEVEL CM	154,7602 litre	52,546 %	139,7641 litre	O
150	CM	25	CM	25,5 LEVEL CM	151,0119 litre	51,273 %	143,5124 litre	O
150	CM	25	CM	25 LEVEL CM	147,2622 litre	50,000 %	147,2621 litre	O
150	CM	25	CM	24,5 LEVEL CM	143,5124 litre	48,727 %	151,0119 litre	O

150	CM	25	CM	24 LEVEL CM	139,7642 litre	47,454 %	154,7601 litre	O
150	CM	25	CM	23,5 LEVEL CM	136,0189 litre	46,183 %	158,5054 litre	O
150	CM	25	CM	23 LEVEL CM	132,2782 litre	44,912 %	162,2461 litre	O
150	CM	25	CM	22,5 LEVEL CM	128,5435 litre	43,644 %	165,9808 litre	O
150	CM	25	CM	22 LEVEL CM	124,8163 litre	42,379 %	169,7080 litre	O
150	CM	25	CM	21,5 LEVEL CM	121,0982 litre	41,117 %	173,4261 litre	O
150	CM	25	CM	21 LEVEL CM	117,3907 litre	39,858 %	177,1336 litre	O
150	CM	25	CM	20,5 LEVEL CM	113,6953 litre	38,603 %	180,8290 litre	O
150	CM	25	CM	20 LEVEL CM	110,0137 litre	37,353 %	184,5106 litre	O
150	CM	25	CM	19,5 LEVEL CM	106,3474 litre	36,108 %	188,1769 litre	O
150	CM	25	CM	19 LEVEL CM	102,6980 litre	34,869 %	191,8263 litre	O
150	CM	25	CM	18,5 LEVEL CM	99,0671 litre	33,636 %	195,4572 litre	O
150	CM	25	CM	18 LEVEL CM	95,4565 litre	32,410 %	199,0678 litre	O
150	CM	25	CM	17,5 LEVEL CM	91,8677 litre	31,192 %	202,6566 litre	O
150	CM	25	CM	17 LEVEL CM	88,3025 litre	29,981 %	206,2218 litre	O
150	CM	25	CM	16,5 LEVEL CM	84,7626 litre	28,780 %	209,7617 litre	O
150	CM	25	CM	16 LEVEL CM	81,2499 litre	27,587 %	213,2744 litre	O
150	CM	25	CM	15,5 LEVEL CM	77,7661 litre	26,404 %	216,7582 litre	O
150	CM	25	CM	15 LEVEL CM	74,3131 litre	25,232 %	220,2112 litre	O
150	CM	25	CM	14,5 LEVEL CM	70,8929 litre	24,070 %	223,6314 litre	O
150	CM	25	CM	14 LEVEL CM	67,5074 litre	22,921 %	227,0169 litre	O
150	CM	25	CM	13,5 LEVEL CM	64,1586 litre	21,784 %	230,3657 litre	O
150	CM	25	CM	13 LEVEL CM	60,8487 litre	20,660 %	233,6756 litre	O
150	CM	25	CM	12,5 LEVEL CM	57,5798 litre	19,550 %	236,9445 litre	O
150	CM	25	CM	12 LEVEL CM	54,3543 litre	18,455 %	240,1700 litre	O
150	CM	25	CM	11,5 LEVEL CM	51,1744 litre	17,375 %	243,3499 litre	O
150	CM	25	CM	11 LEVEL CM	48,0426 litre	16,312 %	246,4817 litre	O
150	CM	25	CM	10,5 LEVEL CM	44,9616 litre	15,266 %	249,5627 litre	O
150	CM	25	CM	10 LEVEL CM	41,9339 litre	14,238 %	252,5904 litre	O
150	CM	25	CM	9,5 LEVEL CM	38,9625 litre	13,229 %	255,5618 litre	O
150	CM	25	CM	9 LEVEL CM	36,0504 litre	12,240 %	258,4739 litre	O
150	CM	25	CM	8,5 LEVEL CM	33,2008 litre	11,273 %	261,3235 litre	O
150	CM	25	CM	8 LEVEL CM	30,4171 litre	10,328 %	264,1072 litre	O
150	CM	25	CM	7,5 LEVEL CM	27,7030 litre	9,406 %	266,8213 litre	O
150	CM	25	CM	7 LEVEL CM	25,0624 litre	8,509 %	269,4619 litre	O
150	CM	25	CM	6,5 LEVEL CM	22,4997 litre	7,639 %	272,0246 litre	O
150	CM	25	CM	6 LEVEL CM	20,0195 litre	6,797 %	274,5048 litre	O
150	CM	25	CM	5,5 LEVEL CM	17,6271 litre	5,985 %	276,8972 litre	O
150	CM	25	CM	5 LEVEL CM	15,3282 litre	5,204 %	279,1961 litre	O
150	CM	25	CM	4,5 LEVEL CM	13,1294 litre	4,458 %	281,3949 litre	O
150	CM	25	CM	4 LEVEL CM	11,0382 litre	3,748 %	283,4861 litre	O
150	CM	25	CM	3,5 LEVEL CM	9,0632 litre	3,077 %	285,4611 litre	O
150	CM	25	CM	3 LEVEL CM	7,2147 litre	2,450 %	287,3096 litre	O
150	CM	25	CM	2,5 LEVEL CM	5,5056 litre	1,869 %	289,0187 litre	O
150	CM	25	CM	2 LEVEL CM	3,9517 litre	1,342 %	290,5726 litre	O
150	CM	25	CM	1,5 LEVEL CM	2,5746 litre	0,874 %	291,9497 litre	O
150	CM	25	CM	1 LEVEL CM	1,4057 litre	0,477 %	293,1186 litre	O
150	CM	25	CM	0,5 LEVEL CM	0,4985 litre	0,169 %	294,0258 litre	O
150	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	294,5243 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
140	CM	60	CM 120 LEVEL CM	1583,3627 litre	100,000 %	0,0000 litre	O
140	CM	60	CM 119,5 LEVEL CM	1582,6406 litre	99,954 %	0,7221 litre	O
140	CM	60	CM 119 LEVEL CM	1581,3230 litre	99,871 %	2,0397 litre	O
140	CM	60	CM 118,5 LEVEL CM	1579,6202 litre	99,764 %	3,7425 litre	O
140	CM	60	CM 118 LEVEL CM	1577,6080 litre	99,637 %	5,7547 litre	O
140	CM	60	CM 117,5 LEVEL CM	1575,3305 litre	99,493 %	8,0322 litre	O
140	CM	60	CM 117 LEVEL CM	1572,8175 litre	99,334 %	10,5452 litre	O
140	CM	60	CM 116,5 LEVEL CM	1570,0911 litre	99,162 %	13,2716 litre	O
140	CM	60	CM 116 LEVEL CM	1567,1686 litre	98,977 %	16,1941 litre	O
140	CM	60	CM 115,5 LEVEL CM	1564,0640 litre	98,781 %	19,2987 litre	O
140	CM	60	CM 115 LEVEL CM	1560,7887 litre	98,574 %	22,5740 litre	O
140	CM	60	CM 114,5 LEVEL CM	1557,3528 litre	98,357 %	26,0099 litre	O
140	CM	60	CM 114 LEVEL CM	1553,7648 litre	98,131 %	29,5979 litre	O
140	CM	60	CM 113,5 LEVEL CM	1550,0322 litre	97,895 %	33,3305 litre	O
140	CM	60	CM 113 LEVEL CM	1546,1617 litre	97,651 %	37,2010 litre	O
140	CM	60	CM 112,5 LEVEL CM	1542,1592 litre	97,398 %	41,2035 litre	O
140	CM	60	CM 112 LEVEL CM	1538,0302 litre	97,137 %	45,3325 litre	O
140	CM	60	CM 111,5 LEVEL CM	1533,7795 litre	96,868 %	49,5832 litre	O
140	CM	60	CM 111 LEVEL CM	1529,4116 litre	96,593 %	53,9511 litre	O
140	CM	60	CM 110,5 LEVEL CM	1524,9308 litre	96,310 %	58,4319 litre	O
140	CM	60	CM 110 LEVEL CM	1520,3409 litre	96,020 %	63,0218 litre	O
140	CM	60	CM 109,5 LEVEL CM	1515,6454 litre	95,723 %	67,7173 litre	O
140	CM	60	CM 109 LEVEL CM	1510,8478 litre	95,420 %	72,5149 litre	O
140	CM	60	CM 108,5 LEVEL CM	1505,9510 litre	95,111 %	77,4117 litre	O
140	CM	60	CM 108 LEVEL CM	1500,9581 litre	94,796 %	82,4046 litre	O
140	CM	60	CM 107,5 LEVEL CM	1495,8719 litre	94,474 %	87,4908 litre	O
140	CM	60	CM 107 LEVEL CM	1490,6950 litre	94,147 %	92,6677 litre	O
140	CM	60	CM 106,5 LEVEL CM	1485,4298 litre	93,815 %	97,9329 litre	O
140	CM	60	CM 106 LEVEL CM	1480,0788 litre	93,477 %	103,2839 litre	O
140	CM	60	CM 105,5 LEVEL CM	1474,6442 litre	93,134 %	108,7185 litre	O
140	CM	60	CM 105 LEVEL CM	1469,1281 litre	92,785 %	114,2346 litre	O
140	CM	60	CM 104,5 LEVEL CM	1463,5327 litre	92,432 %	119,8300 litre	O
140	CM	60	CM 104 LEVEL CM	1457,8599 litre	92,074 %	125,5028 litre	O
140	CM	60	CM 103,5 LEVEL CM	1452,1115 litre	91,711 %	131,2512 litre	O
140	CM	60	CM 103 LEVEL CM	1446,2895 litre	91,343 %	137,0732 litre	O
140	CM	60	CM 102,5 LEVEL CM	1440,3955 litre	90,971 %	142,9672 litre	O
140	CM	60	CM 102 LEVEL CM	1434,4313 litre	90,594 %	148,9314 litre	O
140	CM	60	CM 101,5 LEVEL CM	1428,3984 litre	90,213 %	154,9643 litre	O
140	CM	60	CM 101 LEVEL CM	1422,2986 litre	89,828 %	161,0641 litre	O
140	CM	60	CM 100,5 LEVEL CM	1416,1331 litre	89,438 %	167,2296 litre	O
140	CM	60	CM 100 LEVEL CM	1409,9037 litre	89,045 %	173,4590 litre	O
140	CM	60	CM 99,5 LEVEL CM	1403,6116 litre	88,648 %	179,7511 litre	O
140	CM	60	CM 99 LEVEL CM	1397,2584 litre	88,246 %	186,1043 litre	O
140	CM	60	CM 98,5 LEVEL CM	1390,8452 litre	87,841 %	192,5175 litre	O
140	CM	60	CM 98 LEVEL CM	1384,3735 litre	87,432 %	198,9892 litre	O
140	CM	60	CM 97,5 LEVEL CM	1377,8444 litre	87,020 %	205,5183 litre	O
140	CM	60	CM 97 LEVEL CM	1371,2594 litre	86,604 %	212,1033 litre	O
140	CM	60	CM 96,5 LEVEL CM	1364,6195 litre	86,185 %	218,7432 litre	O
140	CM	60	CM 96 LEVEL CM	1357,9259 litre	85,762 %	225,4368 litre	O
140	CM	60	CM 95,5 LEVEL CM	1351,1798 litre	85,336 %	232,1829 litre	O
140	CM	60	CM 95 LEVEL CM	1344,3824 litre	84,907 %	238,9803 litre	O
140	CM	60	CM 94,5 LEVEL CM	1337,5347 litre	84,474 %	245,8280 litre	O

140	CM	60	CM	94 LEVEL CM	1330,6378 litre	84,039 %	252,7249 litre	O
140	CM	60	CM	93,5 LEVEL CM	1323,6927 litre	83,600 %	259,6700 litre	O
140	CM	60	CM	93 LEVEL CM	1316,7006 litre	83,158 %	266,6621 litre	O
140	CM	60	CM	92,5 LEVEL CM	1309,6623 litre	82,714 %	273,7004 litre	O
140	CM	60	CM	92 LEVEL CM	1302,5789 litre	82,267 %	280,7838 litre	O
140	CM	60	CM	91,5 LEVEL CM	1295,4514 litre	81,816 %	287,9113 litre	O
140	CM	60	CM	91 LEVEL CM	1288,2807 litre	81,364 %	295,0820 litre	O
140	CM	60	CM	90,5 LEVEL CM	1281,0678 litre	80,908 %	302,2949 litre	O
140	CM	60	CM	90 LEVEL CM	1273,8135 litre	80,450 %	309,5492 litre	O
140	CM	60	CM	89,5 LEVEL CM	1266,5189 litre	79,989 %	316,8438 litre	O
140	CM	60	CM	89 LEVEL CM	1259,1847 litre	79,526 %	324,1780 litre	O
140	CM	60	CM	88,5 LEVEL CM	1251,8118 litre	79,060 %	331,5509 litre	O
140	CM	60	CM	88 LEVEL CM	1244,4012 litre	78,592 %	338,9615 litre	O
140	CM	60	CM	87,5 LEVEL CM	1236,9536 litre	78,122 %	346,4091 litre	O
140	CM	60	CM	87 LEVEL CM	1229,4700 litre	77,649 %	353,8927 litre	O
140	CM	60	CM	86,5 LEVEL CM	1221,9510 litre	77,174 %	361,4117 litre	O
140	CM	60	CM	86 LEVEL CM	1214,3976 litre	76,697 %	368,9651 litre	O
140	CM	60	CM	85,5 LEVEL CM	1206,8106 litre	76,218 %	376,5521 litre	O
140	CM	60	CM	85 LEVEL CM	1199,1906 litre	75,737 %	384,1721 litre	O
140	CM	60	CM	84,5 LEVEL CM	1191,5386 litre	75,254 %	391,8241 litre	O
140	CM	60	CM	84 LEVEL CM	1183,8553 litre	74,768 %	399,5074 litre	O
140	CM	60	CM	83,5 LEVEL CM	1176,1414 litre	74,281 %	407,2213 litre	O
140	CM	60	CM	83 LEVEL CM	1168,3977 litre	73,792 %	414,9650 litre	O
140	CM	60	CM	82,5 LEVEL CM	1160,6250 litre	73,301 %	422,7377 litre	O
140	CM	60	CM	82 LEVEL CM	1152,8240 litre	72,809 %	430,5387 litre	O
140	CM	60	CM	81,5 LEVEL CM	1144,9953 litre	72,314 %	438,3674 litre	O
140	CM	60	CM	81 LEVEL CM	1137,1398 litre	71,818 %	446,2229 litre	O
140	CM	60	CM	80,5 LEVEL CM	1129,2582 litre	71,320 %	454,1045 litre	O
140	CM	60	CM	80 LEVEL CM	1121,3511 litre	70,821 %	462,0116 litre	O
140	CM	60	CM	79,5 LEVEL CM	1113,4192 litre	70,320 %	469,9435 litre	O
140	CM	60	CM	79 LEVEL CM	1105,4633 litre	69,817 %	477,8994 litre	O
140	CM	60	CM	78,5 LEVEL CM	1097,4840 litre	69,313 %	485,8787 litre	O
140	CM	60	CM	78 LEVEL CM	1089,4821 litre	68,808 %	493,8806 litre	O
140	CM	60	CM	77,5 LEVEL CM	1081,4581 litre	68,301 %	501,9046 litre	O
140	CM	60	CM	77 LEVEL CM	1073,4127 litre	67,793 %	509,9500 litre	O
140	CM	60	CM	76,5 LEVEL CM	1065,3467 litre	67,284 %	518,0160 litre	O
140	CM	60	CM	76 LEVEL CM	1057,2607 litre	66,773 %	526,1020 litre	O
140	CM	60	CM	75,5 LEVEL CM	1049,1553 litre	66,261 %	534,2074 litre	O
140	CM	60	CM	75 LEVEL CM	1041,0312 litre	65,748 %	542,3315 litre	O
140	CM	60	CM	74,5 LEVEL CM	1032,8890 litre	65,234 %	550,4737 litre	O
140	CM	60	CM	74 LEVEL CM	1024,7293 litre	64,719 %	558,6334 litre	O
140	CM	60	CM	73,5 LEVEL CM	1016,5529 litre	64,202 %	566,8098 litre	O
140	CM	60	CM	73 LEVEL CM	1008,3603 litre	63,685 %	575,0024 litre	O
140	CM	60	CM	72,5 LEVEL CM	1000,1522 litre	63,166 %	583,2105 litre	O
140	CM	60	CM	72 LEVEL CM	991,9292 litre	62,647 %	591,4335 litre	O
140	CM	60	CM	71,5 LEVEL CM	983,6918 litre	62,127 %	599,6709 litre	O
140	CM	60	CM	71 LEVEL CM	975,4408 litre	61,606 %	607,9219 litre	O
140	CM	60	CM	70,5 LEVEL CM	967,1768 litre	61,084 %	616,1859 litre	O
140	CM	60	CM	70 LEVEL CM	958,9003 litre	60,561 %	624,4624 litre	O
140	CM	60	CM	69,5 LEVEL CM	950,6120 litre	60,038 %	632,7507 litre	O
140	CM	60	CM	69 LEVEL CM	942,3124 litre	59,513 %	641,0503 litre	O
140	CM	60	CM	68,5 LEVEL CM	934,0022 litre	58,989 %	649,3605 litre	O
140	CM	60	CM	68 LEVEL CM	925,6821 litre	58,463 %	657,6806 litre	O

140	CM	60	CM	67,5 LEVEL CM	917,3525 litre	57,937 %	666,0102 litre	O
140	CM	60	CM	67 LEVEL CM	909,0140 litre	57,410 %	674,3487 litre	O
140	CM	60	CM	66,5 LEVEL CM	900,6674 litre	56,883 %	682,6953 litre	O
140	CM	60	CM	66 LEVEL CM	892,3131 litre	56,356 %	691,0496 litre	O
140	CM	60	CM	65,5 LEVEL CM	883,9518 litre	55,827 %	699,4109 litre	O
140	CM	60	CM	65 LEVEL CM	875,5840 litre	55,299 %	707,7787 litre	O
140	CM	60	CM	64,5 LEVEL CM	867,2104 litre	54,770 %	716,1523 litre	O
140	CM	60	CM	64 LEVEL CM	858,8315 litre	54,241 %	724,5312 litre	O
140	CM	60	CM	63,5 LEVEL CM	850,4480 litre	53,712 %	732,9147 litre	O
140	CM	60	CM	63 LEVEL CM	842,0603 litre	53,182 %	741,3024 litre	O
140	CM	60	CM	62,5 LEVEL CM	833,6692 litre	52,652 %	749,6935 litre	O
140	CM	60	CM	62 LEVEL CM	825,2751 litre	52,122 %	758,0876 litre	O
140	CM	60	CM	61,5 LEVEL CM	816,8787 litre	51,591 %	766,4840 litre	O
140	CM	60	CM	61 LEVEL CM	808,4806 litre	51,061 %	774,8821 litre	O
140	CM	60	CM	60,5 LEVEL CM	800,0813 litre	50,531 %	783,2814 litre	O
140	CM	60	CM	60 LEVEL CM	791,6813 litre	50,000 %	791,6814 litre	O
140	CM	60	CM	59,5 LEVEL CM	783,2814 litre	49,469 %	800,0813 litre	O
140	CM	60	CM	59 LEVEL CM	774,8821 litre	48,939 %	808,4806 litre	O
140	CM	60	CM	58,5 LEVEL CM	766,4840 litre	48,409 %	816,8787 litre	O
140	CM	60	CM	58 LEVEL CM	758,0876 litre	47,878 %	825,2751 litre	O
140	CM	60	CM	57,5 LEVEL CM	749,6935 litre	47,348 %	833,6692 litre	O
140	CM	60	CM	57 LEVEL CM	741,3024 litre	46,818 %	842,0603 litre	O
140	CM	60	CM	56,5 LEVEL CM	732,9147 litre	46,288 %	850,4480 litre	O
140	CM	60	CM	56 LEVEL CM	724,5312 litre	45,759 %	858,8315 litre	O
140	CM	60	CM	55,5 LEVEL CM	716,1523 litre	45,230 %	867,2104 litre	O
140	CM	60	CM	55 LEVEL CM	707,7787 litre	44,701 %	875,5840 litre	O
140	CM	60	CM	54,5 LEVEL CM	699,4109 litre	44,173 %	883,9518 litre	O
140	CM	60	CM	54 LEVEL CM	691,0496 litre	43,644 %	892,3131 litre	O
140	CM	60	CM	53,5 LEVEL CM	682,6953 litre	43,117 %	900,6674 litre	O
140	CM	60	CM	53 LEVEL CM	674,3487 litre	42,590 %	909,0140 litre	O
140	CM	60	CM	52,5 LEVEL CM	666,0102 litre	42,063 %	917,3525 litre	O
140	CM	60	CM	52 LEVEL CM	657,6806 litre	41,537 %	925,6821 litre	O
140	CM	60	CM	51,5 LEVEL CM	649,3604 litre	41,011 %	934,0023 litre	O
140	CM	60	CM	51 LEVEL CM	641,0503 litre	40,487 %	942,3124 litre	O
140	CM	60	CM	50,5 LEVEL CM	632,7507 litre	39,962 %	950,6120 litre	O
140	CM	60	CM	50 LEVEL CM	624,4624 litre	39,439 %	958,9003 litre	O
140	CM	60	CM	49,5 LEVEL CM	616,1859 litre	38,916 %	967,1768 litre	O
140	CM	60	CM	49 LEVEL CM	607,9219 litre	38,394 %	975,4408 litre	O
140	CM	60	CM	48,5 LEVEL CM	599,6709 litre	37,873 %	983,6918 litre	O
140	CM	60	CM	48 LEVEL CM	591,4335 litre	37,353 %	991,9292 litre	O
140	CM	60	CM	47,5 LEVEL CM	583,2105 litre	36,834 %	1000,1522 litre	O
140	CM	60	CM	47 LEVEL CM	575,0024 litre	36,315 %	1008,3603 litre	O
140	CM	60	CM	46,5 LEVEL CM	566,8098 litre	35,798 %	1016,5529 litre	O
140	CM	60	CM	46 LEVEL CM	558,6333 litre	35,281 %	1024,7294 litre	O
140	CM	60	CM	45,5 LEVEL CM	550,4737 litre	34,766 %	1032,8890 litre	O
140	CM	60	CM	45 LEVEL CM	542,3315 litre	34,252 %	1041,0312 litre	O
140	CM	60	CM	44,5 LEVEL CM	534,2074 litre	33,739 %	1049,1553 litre	O
140	CM	60	CM	44 LEVEL CM	526,1020 litre	33,227 %	1057,2607 litre	O
140	CM	60	CM	43,5 LEVEL CM	518,0160 litre	32,716 %	1065,3467 litre	O
140	CM	60	CM	43 LEVEL CM	509,9500 litre	32,207 %	1073,4127 litre	O
140	CM	60	CM	42,5 LEVEL CM	501,9046 litre	31,699 %	1081,4581 litre	O
140	CM	60	CM	42 LEVEL CM	493,8806 litre	31,192 %	1089,4821 litre	O
140	CM	60	CM	41,5 LEVEL CM	485,8787 litre	30,687 %	1097,4840 litre	O

140	CM	60	CM	41 LEVEL CM	477,8994 litre	30,183 %	1105,4633 litre	O
140	CM	60	CM	40,5 LEVEL CM	469,9435 litre	29,680 %	1113,4192 litre	O
140	CM	60	CM	40 LEVEL CM	462,0116 litre	29,179 %	1121,3511 litre	O
140	CM	60	CM	39,5 LEVEL CM	454,1045 litre	28,680 %	1129,2582 litre	O
140	CM	60	CM	39 LEVEL CM	446,2229 litre	28,182 %	1137,1398 litre	O
140	CM	60	CM	38,5 LEVEL CM	438,3674 litre	27,686 %	1144,9953 litre	O
140	CM	60	CM	38 LEVEL CM	430,5387 litre	27,191 %	1152,8240 litre	O
140	CM	60	CM	37,5 LEVEL CM	422,7377 litre	26,699 %	1160,6250 litre	O
140	CM	60	CM	37 LEVEL CM	414,9650 litre	26,208 %	1168,3977 litre	O
140	CM	60	CM	36,5 LEVEL CM	407,2213 litre	25,719 %	1176,1414 litre	O
140	CM	60	CM	36 LEVEL CM	399,5074 litre	25,232 %	1183,8553 litre	O
140	CM	60	CM	35,5 LEVEL CM	391,8241 litre	24,746 %	1191,5386 litre	O
140	CM	60	CM	35 LEVEL CM	384,1721 litre	24,263 %	1199,1906 litre	O
140	CM	60	CM	34,5 LEVEL CM	376,5521 litre	23,782 %	1206,8106 litre	O
140	CM	60	CM	34 LEVEL CM	368,9651 litre	23,303 %	1214,3976 litre	O
140	CM	60	CM	33,5 LEVEL CM	361,4117 litre	22,826 %	1221,9510 litre	O
140	CM	60	CM	33 LEVEL CM	353,8927 litre	22,351 %	1229,4700 litre	O
140	CM	60	CM	32,5 LEVEL CM	346,4091 litre	21,878 %	1236,9536 litre	O
140	CM	60	CM	32 LEVEL CM	338,9615 litre	21,408 %	1244,4012 litre	O
140	CM	60	CM	31,5 LEVEL CM	331,5509 litre	20,940 %	1251,8118 litre	O
140	CM	60	CM	31 LEVEL CM	324,1780 litre	20,474 %	1259,1847 litre	O
140	CM	60	CM	30,5 LEVEL CM	316,8438 litre	20,011 %	1266,5189 litre	O
140	CM	60	CM	30 LEVEL CM	309,5492 litre	19,550 %	1273,8135 litre	O
140	CM	60	CM	29,5 LEVEL CM	302,2949 litre	19,092 %	1281,0678 litre	O
140	CM	60	CM	29 LEVEL CM	295,0820 litre	18,636 %	1288,2807 litre	O
140	CM	60	CM	28,5 LEVEL CM	287,9113 litre	18,184 %	1295,4514 litre	O
140	CM	60	CM	28 LEVEL CM	280,7838 litre	17,733 %	1302,5789 litre	O
140	CM	60	CM	27,5 LEVEL CM	273,7004 litre	17,286 %	1309,6623 litre	O
140	CM	60	CM	27 LEVEL CM	266,6621 litre	16,842 %	1316,7006 litre	O
140	CM	60	CM	26,5 LEVEL CM	259,6700 litre	16,400 %	1323,6927 litre	O
140	CM	60	CM	26 LEVEL CM	252,7249 litre	15,961 %	1330,6378 litre	O
140	CM	60	CM	25,5 LEVEL CM	245,8280 litre	15,526 %	1337,5347 litre	O
140	CM	60	CM	25 LEVEL CM	238,9803 litre	15,093 %	1344,3824 litre	O
140	CM	60	CM	24,5 LEVEL CM	232,1829 litre	14,664 %	1351,1798 litre	O
140	CM	60	CM	24 LEVEL CM	225,4368 litre	14,238 %	1357,9259 litre	O
140	CM	60	CM	23,5 LEVEL CM	218,7432 litre	13,815 %	1364,6195 litre	O
140	CM	60	CM	23 LEVEL CM	212,1033 litre	13,396 %	1371,2594 litre	O
140	CM	60	CM	22,5 LEVEL CM	205,5183 litre	12,980 %	1377,8444 litre	O
140	CM	60	CM	22 LEVEL CM	198,9892 litre	12,568 %	1384,3735 litre	O
140	CM	60	CM	21,5 LEVEL CM	192,5175 litre	12,159 %	1390,8452 litre	O
140	CM	60	CM	21 LEVEL CM	186,1043 litre	11,754 %	1397,2584 litre	O
140	CM	60	CM	20,5 LEVEL CM	179,7511 litre	11,352 %	1403,6116 litre	O
140	CM	60	CM	20 LEVEL CM	173,4590 litre	10,955 %	1409,9037 litre	O
140	CM	60	CM	19,5 LEVEL CM	167,2295 litre	10,562 %	1416,1332 litre	O
140	CM	60	CM	19 LEVEL CM	161,0641 litre	10,172 %	1422,2986 litre	O
140	CM	60	CM	18,5 LEVEL CM	154,9643 litre	9,787 %	1428,3984 litre	O
140	CM	60	CM	18 LEVEL CM	148,9314 litre	9,406 %	1434,4313 litre	O
140	CM	60	CM	17,5 LEVEL CM	142,9672 litre	9,029 %	1440,3955 litre	O
140	CM	60	CM	17 LEVEL CM	137,0732 litre	8,657 %	1446,2895 litre	O
140	CM	60	CM	16,5 LEVEL CM	131,2512 litre	8,289 %	1452,1115 litre	O
140	CM	60	CM	16 LEVEL CM	125,5028 litre	7,926 %	1457,8599 litre	O
140	CM	60	CM	15,5 LEVEL CM	119,8300 litre	7,568 %	1463,5327 litre	O
140	CM	60	CM	15 LEVEL CM	114,2346 litre	7,215 %	1469,1281 litre	O

140	CM	60	CM	14,5 LEVEL CM	108,7185 litre	6,866 %	1474,6442 litre	O
140	CM	60	CM	14 LEVEL CM	103,2839 litre	6,523 %	1480,0788 litre	O
140	CM	60	CM	13,5 LEVEL CM	97,9329 litre	6,185 %	1485,4298 litre	O
140	CM	60	CM	13 LEVEL CM	92,6677 litre	5,853 %	1490,6950 litre	O
140	CM	60	CM	12,5 LEVEL CM	87,4908 litre	5,526 %	1495,8719 litre	O
140	CM	60	CM	12 LEVEL CM	82,4046 litre	5,204 %	1500,9581 litre	O
140	CM	60	CM	11,5 LEVEL CM	77,4117 litre	4,889 %	1505,9510 litre	O
140	CM	60	CM	11 LEVEL CM	72,5149 litre	4,580 %	1510,8478 litre	O
140	CM	60	CM	10,5 LEVEL CM	67,7173 litre	4,277 %	1515,6454 litre	O
140	CM	60	CM	10 LEVEL CM	63,0218 litre	3,980 %	1520,3409 litre	O
140	CM	60	CM	9,5 LEVEL CM	58,4319 litre	3,690 %	1524,9308 litre	O
140	CM	60	CM	9 LEVEL CM	53,9511 litre	3,407 %	1529,4116 litre	O
140	CM	60	CM	8,5 LEVEL CM	49,5832 litre	3,132 %	1533,7795 litre	O
140	CM	60	CM	8 LEVEL CM	45,3325 litre	2,863 %	1538,0302 litre	O
140	CM	60	CM	7,5 LEVEL CM	41,2035 litre	2,602 %	1542,1592 litre	O
140	CM	60	CM	7 LEVEL CM	37,2010 litre	2,349 %	1546,1617 litre	O
140	CM	60	CM	6,5 LEVEL CM	33,3305 litre	2,105 %	1550,0322 litre	O
140	CM	60	CM	6 LEVEL CM	29,5979 litre	1,869 %	1553,7648 litre	O
140	CM	60	CM	5,5 LEVEL CM	26,0099 litre	1,643 %	1557,3528 litre	O
140	CM	60	CM	5 LEVEL CM	22,5740 litre	1,426 %	1560,7887 litre	O
140	CM	60	CM	4,5 LEVEL CM	19,2987 litre	1,219 %	1564,0640 litre	O
140	CM	60	CM	4 LEVEL CM	16,1941 litre	1,023 %	1567,1686 litre	O
140	CM	60	CM	3,5 LEVEL CM	13,2716 litre	0,838 %	1570,0911 litre	O
140	CM	60	CM	3 LEVEL CM	10,5452 litre	0,666 %	1572,8175 litre	O
140	CM	60	CM	2,5 LEVEL CM	8,0322 litre	0,507 %	1575,3305 litre	O
140	CM	60	CM	2 LEVEL CM	5,7547 litre	0,363 %	1577,6080 litre	O
140	CM	60	CM	1,5 LEVEL CM	3,7425 litre	0,236 %	1579,6202 litre	O
140	CM	60	CM	1 LEVEL CM	2,0397 litre	0,129 %	1581,3230 litre	O
140	CM	60	CM	0,5 LEVEL CM	0,7221 litre	0,046 %	1582,6406 litre	O
140	CM	60	CM	0 LEVEL CM	0,0000 litre	0,000 %	1583,3627 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
140	CM	55	CM 110 LEVEL CM	1330,4645 litre	100,000 %	0,0000 litre	O
140	CM	55	CM 109,5 LEVEL CM	1329,7733 litre	99,948 %	0,6912 litre	O
140	CM	55	CM 109 LEVEL CM	1328,5121 litre	99,853 %	1,9524 litre	O
140	CM	55	CM 108,5 LEVEL CM	1326,8826 litre	99,731 %	3,5819 litre	O
140	CM	55	CM 108 LEVEL CM	1324,9574 litre	99,586 %	5,5071 litre	O
140	CM	55	CM 107,5 LEVEL CM	1322,7787 litre	99,422 %	7,6858 litre	O
140	CM	55	CM 107 LEVEL CM	1320,3752 litre	99,242 %	10,0893 litre	O
140	CM	55	CM 106,5 LEVEL CM	1317,7682 litre	99,046 %	12,6963 litre	O
140	CM	55	CM 106 LEVEL CM	1314,9743 litre	98,836 %	15,4902 litre	O
140	CM	55	CM 105,5 LEVEL CM	1312,0067 litre	98,613 %	18,4578 litre	O
140	CM	55	CM 105 LEVEL CM	1308,8768 litre	98,377 %	21,5877 litre	O
140	CM	55	CM 104,5 LEVEL CM	1305,5941 litre	98,131 %	24,8704 litre	O
140	CM	55	CM 104 LEVEL CM	1302,1667 litre	97,873 %	28,2978 litre	O
140	CM	55	CM 103,5 LEVEL CM	1298,6019 litre	97,605 %	31,8626 litre	O
140	CM	55	CM 103 LEVEL CM	1294,9062 litre	97,327 %	35,5583 litre	O
140	CM	55	CM 102,5 LEVEL CM	1291,0854 litre	97,040 %	39,3791 litre	O
140	CM	55	CM 102 LEVEL CM	1287,1445 litre	96,744 %	43,3200 litre	O
140	CM	55	CM 101,5 LEVEL CM	1283,0885 litre	96,439 %	47,3760 litre	O
140	CM	55	CM 101 LEVEL CM	1278,9216 litre	96,126 %	51,5429 litre	O
140	CM	55	CM 100,5 LEVEL CM	1274,6479 litre	95,805 %	55,8166 litre	O
140	CM	55	CM 100 LEVEL CM	1270,2710 litre	95,476 %	60,1935 litre	O
140	CM	55	CM 99,5 LEVEL CM	1265,7946 litre	95,139 %	64,6699 litre	O
140	CM	55	CM 99 LEVEL CM	1261,2218 litre	94,796 %	69,2427 litre	O
140	CM	55	CM 98,5 LEVEL CM	1256,5556 litre	94,445 %	73,9089 litre	O
140	CM	55	CM 98 LEVEL CM	1251,7989 litre	94,087 %	78,6656 litre	O
140	CM	55	CM 97,5 LEVEL CM	1246,9545 litre	93,723 %	83,5100 litre	O
140	CM	55	CM 97 LEVEL CM	1242,0248 litre	93,353 %	88,4397 litre	O
140	CM	55	CM 96,5 LEVEL CM	1237,0123 litre	92,976 %	93,4522 litre	O
140	CM	55	CM 96 LEVEL CM	1231,9193 litre	92,593 %	98,5452 litre	O
140	CM	55	CM 95,5 LEVEL CM	1226,7480 litre	92,204 %	103,7165 litre	O
140	CM	55	CM 95 LEVEL CM	1221,5006 litre	91,810 %	108,9639 litre	O
140	CM	55	CM 94,5 LEVEL CM	1216,1789 litre	91,410 %	114,2856 litre	O
140	CM	55	CM 94 LEVEL CM	1210,7850 litre	91,005 %	119,6795 litre	O
140	CM	55	CM 93,5 LEVEL CM	1205,3207 litre	90,594 %	125,1438 litre	O
140	CM	55	CM 93 LEVEL CM	1199,7878 litre	90,178 %	130,6767 litre	O
140	CM	55	CM 92,5 LEVEL CM	1194,1880 litre	89,757 %	136,2765 litre	O
140	CM	55	CM 92 LEVEL CM	1188,5229 litre	89,331 %	141,9416 litre	O
140	CM	55	CM 91,5 LEVEL CM	1182,7942 litre	88,901 %	147,6703 litre	O
140	CM	55	CM 91 LEVEL CM	1177,0034 litre	88,466 %	153,4611 litre	O
140	CM	55	CM 90,5 LEVEL CM	1171,1519 litre	88,026 %	159,3126 litre	O
140	CM	55	CM 90 LEVEL CM	1165,2414 litre	87,582 %	165,2231 litre	O
140	CM	55	CM 89,5 LEVEL CM	1159,2730 litre	87,133 %	171,1915 litre	O
140	CM	55	CM 89 LEVEL CM	1153,2483 litre	86,680 %	177,2162 litre	O
140	CM	55	CM 88,5 LEVEL CM	1147,1685 litre	86,223 %	183,2960 litre	O
140	CM	55	CM 88 LEVEL CM	1141,0350 litre	85,762 %	189,4295 litre	O
140	CM	55	CM 87,5 LEVEL CM	1134,8489 litre	85,297 %	195,6156 litre	O
140	CM	55	CM 87 LEVEL CM	1128,6116 litre	84,828 %	201,8529 litre	O
140	CM	55	CM 86,5 LEVEL CM	1122,3242 litre	84,356 %	208,1403 litre	O
140	CM	55	CM 86 LEVEL CM	1115,9879 litre	83,880 %	214,4766 litre	O
140	CM	55	CM 85,5 LEVEL CM	1109,6038 litre	83,400 %	220,8607 litre	O
140	CM	55	CM 85 LEVEL CM	1103,1731 litre	82,916 %	227,2914 litre	O
140	CM	55	CM 84,5 LEVEL CM	1096,6968 litre	82,430 %	233,7677 litre	O

140	CM 55	CM	84 LEVEL CM	1090,1761 litre	81,940 %	240,2884 litre	O
140	CM 55	CM	83,5 LEVEL CM	1083,6118 litre	81,446 %	246,8527 litre	O
140	CM 55	CM	83 LEVEL CM	1077,0052 litre	80,950 %	253,4593 litre	O
140	CM 55	CM	82,5 LEVEL CM	1070,3572 litre	80,450 %	260,1073 litre	O
140	CM 55	CM	82 LEVEL CM	1063,6688 litre	79,947 %	266,7957 litre	O
140	CM 55	CM	81,5 LEVEL CM	1056,9409 litre	79,441 %	273,5236 litre	O
140	CM 55	CM	81 LEVEL CM	1050,1745 litre	78,933 %	280,2900 litre	O
140	CM 55	CM	80,5 LEVEL CM	1043,3706 litre	78,422 %	287,0939 litre	O
140	CM 55	CM	80 LEVEL CM	1036,5300 litre	77,907 %	293,9345 litre	O
140	CM 55	CM	79,5 LEVEL CM	1029,6537 litre	77,391 %	300,8108 litre	O
140	CM 55	CM	79 LEVEL CM	1022,7426 litre	76,871 %	307,7219 litre	O
140	CM 55	CM	78,5 LEVEL CM	1015,7976 litre	76,349 %	314,6669 litre	O
140	CM 55	CM	78 LEVEL CM	1008,8194 litre	75,825 %	321,6451 litre	O
140	CM 55	CM	77,5 LEVEL CM	1001,8090 litre	75,298 %	328,6555 litre	O
140	CM 55	CM	77 LEVEL CM	994,7673 litre	74,768 %	335,6972 litre	O
140	CM 55	CM	76,5 LEVEL CM	987,6950 litre	74,237 %	342,7695 litre	O
140	CM 55	CM	76 LEVEL CM	980,5930 litre	73,703 %	349,8715 litre	O
140	CM 55	CM	75,5 LEVEL CM	973,4620 litre	73,167 %	357,0025 litre	O
140	CM 55	CM	75 LEVEL CM	966,3029 litre	72,629 %	364,1616 litre	O
140	CM 55	CM	74,5 LEVEL CM	959,1165 litre	72,089 %	371,3480 litre	O
140	CM 55	CM	74 LEVEL CM	951,9036 litre	71,547 %	378,5609 litre	O
140	CM 55	CM	73,5 LEVEL CM	944,6649 litre	71,003 %	385,7996 litre	O
140	CM 55	CM	73 LEVEL CM	937,4012 litre	70,457 %	393,0633 litre	O
140	CM 55	CM	72,5 LEVEL CM	930,1132 litre	69,909 %	400,3513 litre	O
140	CM 55	CM	72 LEVEL CM	922,8018 litre	69,359 %	407,6627 litre	O
140	CM 55	CM	71,5 LEVEL CM	915,4676 litre	68,808 %	414,9969 litre	O
140	CM 55	CM	71 LEVEL CM	908,1113 litre	68,255 %	422,3532 litre	O
140	CM 55	CM	70,5 LEVEL CM	900,7338 litre	67,701 %	429,7307 litre	O
140	CM 55	CM	70 LEVEL CM	893,3358 litre	67,145 %	437,1287 litre	O
140	CM 55	CM	69,5 LEVEL CM	885,9179 litre	66,587 %	444,5466 litre	O
140	CM 55	CM	69 LEVEL CM	878,4808 litre	66,028 %	451,9837 litre	O
140	CM 55	CM	68,5 LEVEL CM	871,0254 litre	65,468 %	459,4391 litre	O
140	CM 55	CM	68 LEVEL CM	863,5522 litre	64,906 %	466,9123 litre	O
140	CM 55	CM	67,5 LEVEL CM	856,0620 litre	64,343 %	474,4025 litre	O
140	CM 55	CM	67 LEVEL CM	848,5554 litre	63,779 %	481,9091 litre	O
140	CM 55	CM	66,5 LEVEL CM	841,0332 litre	63,214 %	489,4313 litre	O
140	CM 55	CM	66 LEVEL CM	833,4960 litre	62,647 %	496,9685 litre	O
140	CM 55	CM	65,5 LEVEL CM	825,9446 litre	62,079 %	504,5199 litre	O
140	CM 55	CM	65 LEVEL CM	818,3795 litre	61,511 %	512,0850 litre	O
140	CM 55	CM	64,5 LEVEL CM	810,8015 litre	60,941 %	519,6630 litre	O
140	CM 55	CM	64 LEVEL CM	803,2112 litre	60,371 %	527,2533 litre	O
140	CM 55	CM	63,5 LEVEL CM	795,6093 litre	59,799 %	534,8552 litre	O
140	CM 55	CM	63 LEVEL CM	787,9964 litre	59,227 %	542,4681 litre	O
140	CM 55	CM	62,5 LEVEL CM	780,3733 litre	58,654 %	550,0912 litre	O
140	CM 55	CM	62 LEVEL CM	772,7405 litre	58,081 %	557,7240 litre	O
140	CM 55	CM	61,5 LEVEL CM	765,0987 litre	57,506 %	565,3658 litre	O
140	CM 55	CM	61 LEVEL CM	757,4486 litre	56,931 %	573,0159 litre	O
140	CM 55	CM	60,5 LEVEL CM	749,7909 litre	56,356 %	580,6736 litre	O
140	CM 55	CM	60 LEVEL CM	742,1261 litre	55,779 %	588,3384 litre	O
140	CM 55	CM	59,5 LEVEL CM	734,4548 litre	55,203 %	596,0097 litre	O
140	CM 55	CM	59 LEVEL CM	726,7779 litre	54,626 %	603,6866 litre	O
140	CM 55	CM	58,5 LEVEL CM	719,0958 litre	54,048 %	611,3687 litre	O
140	CM 55	CM	58 LEVEL CM	711,4093 litre	53,471 %	619,0552 litre	O

140	CM	55	CM	57,5 LEVEL CM	703,7190 litre	52,893 %	626,7455 litre	O
140	CM	55	CM	57 LEVEL CM	696,0255 litre	52,314 %	634,4390 litre	O
140	CM	55	CM	56,5 LEVEL CM	688,3294 litre	51,736 %	642,1351 litre	O
140	CM	55	CM	56 LEVEL CM	680,6314 litre	51,157 %	649,8331 litre	O
140	CM	55	CM	55,5 LEVEL CM	672,9321 litre	50,579 %	657,5324 litre	O
140	CM	55	CM	55 LEVEL CM	665,2322 litre	50,000 %	665,2323 litre	O
140	CM	55	CM	54,5 LEVEL CM	657,5324 litre	49,421 %	672,9321 litre	O
140	CM	55	CM	54 LEVEL CM	649,8331 litre	48,843 %	680,6314 litre	O
140	CM	55	CM	53,5 LEVEL CM	642,1351 litre	48,264 %	688,3294 litre	O
140	CM	55	CM	53 LEVEL CM	634,4390 litre	47,686 %	696,0255 litre	O
140	CM	55	CM	52,5 LEVEL CM	626,7455 litre	47,107 %	703,7190 litre	O
140	CM	55	CM	52 LEVEL CM	619,0552 litre	46,529 %	711,4093 litre	O
140	CM	55	CM	51,5 LEVEL CM	611,3686 litre	45,952 %	719,0959 litre	O
140	CM	55	CM	51 LEVEL CM	603,6866 litre	45,374 %	726,7779 litre	O
140	CM	55	CM	50,5 LEVEL CM	596,0096 litre	44,797 %	734,4549 litre	O
140	CM	55	CM	50 LEVEL CM	588,3384 litre	44,221 %	742,1261 litre	O
140	CM	55	CM	49,5 LEVEL CM	580,6736 litre	43,644 %	749,7909 litre	O
140	CM	55	CM	49 LEVEL CM	573,0158 litre	43,069 %	757,4487 litre	O
140	CM	55	CM	48,5 LEVEL CM	565,3658 litre	42,494 %	765,0987 litre	O
140	CM	55	CM	48 LEVEL CM	557,7240 litre	41,919 %	772,7405 litre	O
140	CM	55	CM	47,5 LEVEL CM	550,0912 litre	41,346 %	780,3733 litre	O
140	CM	55	CM	47 LEVEL CM	542,4681 litre	40,773 %	787,9964 litre	O
140	CM	55	CM	46,5 LEVEL CM	534,8552 litre	40,201 %	795,6093 litre	O
140	CM	55	CM	46 LEVEL CM	527,2533 litre	39,629 %	803,2112 litre	O
140	CM	55	CM	45,5 LEVEL CM	519,6630 litre	39,059 %	810,8015 litre	O
140	CM	55	CM	45 LEVEL CM	512,0850 litre	38,489 %	818,3795 litre	O
140	CM	55	CM	44,5 LEVEL CM	504,5199 litre	37,921 %	825,9446 litre	O
140	CM	55	CM	44 LEVEL CM	496,9685 litre	37,353 %	833,4960 litre	O
140	CM	55	CM	43,5 LEVEL CM	489,4313 litre	36,786 %	841,0332 litre	O
140	CM	55	CM	43 LEVEL CM	481,9091 litre	36,221 %	848,5554 litre	O
140	CM	55	CM	42,5 LEVEL CM	474,4025 litre	35,657 %	856,0620 litre	O
140	CM	55	CM	42 LEVEL CM	466,9123 litre	35,094 %	863,5522 litre	O
140	CM	55	CM	41,5 LEVEL CM	459,4391 litre	34,532 %	871,0254 litre	O
140	CM	55	CM	41 LEVEL CM	451,9837 litre	33,972 %	878,4808 litre	O
140	CM	55	CM	40,5 LEVEL CM	444,5466 litre	33,413 %	885,9179 litre	O
140	CM	55	CM	40 LEVEL CM	437,1287 litre	32,855 %	893,3358 litre	O
140	CM	55	CM	39,5 LEVEL CM	429,7306 litre	32,299 %	900,7339 litre	O
140	CM	55	CM	39 LEVEL CM	422,3531 litre	31,745 %	908,1114 litre	O
140	CM	55	CM	38,5 LEVEL CM	414,9969 litre	31,192 %	915,4676 litre	O
140	CM	55	CM	38 LEVEL CM	407,6627 litre	30,641 %	922,8018 litre	O
140	CM	55	CM	37,5 LEVEL CM	400,3513 litre	30,091 %	930,1132 litre	O
140	CM	55	CM	37 LEVEL CM	393,0633 litre	29,543 %	937,4012 litre	O
140	CM	55	CM	36,5 LEVEL CM	385,7996 litre	28,997 %	944,6649 litre	O
140	CM	55	CM	36 LEVEL CM	378,5609 litre	28,453 %	951,9036 litre	O
140	CM	55	CM	35,5 LEVEL CM	371,3480 litre	27,911 %	959,1165 litre	O
140	CM	55	CM	35 LEVEL CM	364,1616 litre	27,371 %	966,3029 litre	O
140	CM	55	CM	34,5 LEVEL CM	357,0025 litre	26,833 %	973,4620 litre	O
140	CM	55	CM	34 LEVEL CM	349,8715 litre	26,297 %	980,5930 litre	O
140	CM	55	CM	33,5 LEVEL CM	342,7695 litre	25,763 %	987,6950 litre	O
140	CM	55	CM	33 LEVEL CM	335,6972 litre	25,232 %	994,7673 litre	O
140	CM	55	CM	32,5 LEVEL CM	328,6554 litre	24,702 %	1001,8091 litre	O
140	CM	55	CM	32 LEVEL CM	321,6451 litre	24,175 %	1008,8194 litre	O
140	CM	55	CM	31,5 LEVEL CM	314,6669 litre	23,651 %	1015,7976 litre	O

140	CM 55	CM	31 LEVEL CM	307,7219 litre	23,129 %	1022,7426 litre	O
140	CM 55	CM	30,5 LEVEL CM	300,8108 litre	22,609 %	1029,6537 litre	O
140	CM 55	CM	30 LEVEL CM	293,9345 litre	22,093 %	1036,5300 litre	O
140	CM 55	CM	29,5 LEVEL CM	287,0939 litre	21,578 %	1043,3706 litre	O
140	CM 55	CM	29 LEVEL CM	280,2900 litre	21,067 %	1050,1745 litre	O
140	CM 55	CM	28,5 LEVEL CM	273,5236 litre	20,559 %	1056,9409 litre	O
140	CM 55	CM	28 LEVEL CM	266,7957 litre	20,053 %	1063,6688 litre	O
140	CM 55	CM	27,5 LEVEL CM	260,1073 litre	19,550 %	1070,3572 litre	O
140	CM 55	CM	27 LEVEL CM	253,4593 litre	19,050 %	1077,0052 litre	O
140	CM 55	CM	26,5 LEVEL CM	246,8526 litre	18,554 %	1083,6119 litre	O
140	CM 55	CM	26 LEVEL CM	240,2884 litre	18,060 %	1090,1761 litre	O
140	CM 55	CM	25,5 LEVEL CM	233,7677 litre	17,570 %	1096,6968 litre	O
140	CM 55	CM	25 LEVEL CM	227,2914 litre	17,084 %	1103,1731 litre	O
140	CM 55	CM	24,5 LEVEL CM	220,8607 litre	16,600 %	1109,6038 litre	O
140	CM 55	CM	24 LEVEL CM	214,4766 litre	16,120 %	1115,9879 litre	O
140	CM 55	CM	23,5 LEVEL CM	208,1403 litre	15,644 %	1122,3242 litre	O
140	CM 55	CM	23 LEVEL CM	201,8529 litre	15,172 %	1128,6116 litre	O
140	CM 55	CM	22,5 LEVEL CM	195,6156 litre	14,703 %	1134,8489 litre	O
140	CM 55	CM	22 LEVEL CM	189,4295 litre	14,238 %	1141,0350 litre	O
140	CM 55	CM	21,5 LEVEL CM	183,2960 litre	13,777 %	1147,1685 litre	O
140	CM 55	CM	21 LEVEL CM	177,2162 litre	13,320 %	1153,2483 litre	O
140	CM 55	CM	20,5 LEVEL CM	171,1915 litre	12,867 %	1159,2730 litre	O
140	CM 55	CM	20 LEVEL CM	165,2231 litre	12,418 %	1165,2414 litre	O
140	CM 55	CM	19,5 LEVEL CM	159,3125 litre	11,974 %	1171,1520 litre	O
140	CM 55	CM	19 LEVEL CM	153,4611 litre	11,534 %	1177,0034 litre	O
140	CM 55	CM	18,5 LEVEL CM	147,6703 litre	11,099 %	1182,7942 litre	O
140	CM 55	CM	18 LEVEL CM	141,9416 litre	10,669 %	1188,5229 litre	O
140	CM 55	CM	17,5 LEVEL CM	136,2765 litre	10,243 %	1194,1880 litre	O
140	CM 55	CM	17 LEVEL CM	130,6767 litre	9,822 %	1199,7878 litre	O
140	CM 55	CM	16,5 LEVEL CM	125,1438 litre	9,406 %	1205,3207 litre	O
140	CM 55	CM	16 LEVEL CM	119,6795 litre	8,995 %	1210,7850 litre	O
140	CM 55	CM	15,5 LEVEL CM	114,2856 litre	8,590 %	1216,1789 litre	O
140	CM 55	CM	15 LEVEL CM	108,9639 litre	8,190 %	1221,5006 litre	O
140	CM 55	CM	14,5 LEVEL CM	103,7164 litre	7,796 %	1226,7481 litre	O
140	CM 55	CM	14 LEVEL CM	98,5452 litre	7,407 %	1231,9193 litre	O
140	CM 55	CM	13,5 LEVEL CM	93,4522 litre	7,024 %	1237,0123 litre	O
140	CM 55	CM	13 LEVEL CM	88,4397 litre	6,647 %	1242,0248 litre	O
140	CM 55	CM	12,5 LEVEL CM	83,5100 litre	6,277 %	1246,9545 litre	O
140	CM 55	CM	12 LEVEL CM	78,6656 litre	5,913 %	1251,7989 litre	O
140	CM 55	CM	11,5 LEVEL CM	73,9089 litre	5,555 %	1256,5556 litre	O
140	CM 55	CM	11 LEVEL CM	69,2427 litre	5,204 %	1261,2218 litre	O
140	CM 55	CM	10,5 LEVEL CM	64,6699 litre	4,861 %	1265,7946 litre	O
140	CM 55	CM	10 LEVEL CM	60,1934 litre	4,524 %	1270,2711 litre	O
140	CM 55	CM	9,5 LEVEL CM	55,8166 litre	4,195 %	1274,6479 litre	O
140	CM 55	CM	9 LEVEL CM	51,5429 litre	3,874 %	1278,9216 litre	O
140	CM 55	CM	8,5 LEVEL CM	47,3760 litre	3,561 %	1283,0885 litre	O
140	CM 55	CM	8 LEVEL CM	43,3200 litre	3,256 %	1287,1445 litre	O
140	CM 55	CM	7,5 LEVEL CM	39,3791 litre	2,960 %	1291,0854 litre	O
140	CM 55	CM	7 LEVEL CM	35,5583 litre	2,673 %	1294,9062 litre	O
140	CM 55	CM	6,5 LEVEL CM	31,8626 litre	2,395 %	1298,6019 litre	O
140	CM 55	CM	6 LEVEL CM	28,2978 litre	2,127 %	1302,1667 litre	O
140	CM 55	CM	5,5 LEVEL CM	24,8704 litre	1,869 %	1305,5941 litre	O
140	CM 55	CM	5 LEVEL CM	21,5877 litre	1,623 %	1308,8768 litre	O

140	CM	55	CM	4,5 LEVEL CM	18,4578 litre	1,387 %	1312,0067 litre	O
140	CM	55	CM	4 LEVEL CM	15,4902 litre	1,164 %	1314,9743 litre	O
140	CM	55	CM	3,5 LEVEL CM	12,6963 litre	0,954 %	1317,7682 litre	O
140	CM	55	CM	3 LEVEL CM	10,0893 litre	0,758 %	1320,3752 litre	O
140	CM	55	CM	2,5 LEVEL CM	7,6858 litre	0,578 %	1322,7787 litre	O
140	CM	55	CM	2 LEVEL CM	5,5071 litre	0,414 %	1324,9574 litre	O
140	CM	55	CM	1,5 LEVEL CM	3,5819 litre	0,269 %	1326,8826 litre	O
140	CM	55	CM	1 LEVEL CM	1,9524 litre	0,147 %	1328,5121 litre	O
140	CM	55	CM	0,5 LEVEL CM	0,6912 litre	0,052 %	1329,7733 litre	O
140	CM	55	CM	0 LEVEL CM	0,0000 litre	0,000 %	1330,4645 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
140	CM	50	CM	100 LEVEL CM	1099,5574 litre	100,000 %	0,0000 litre	O
140	CM	50	CM	99,5 LEVEL CM	1098,8985 litre	99,940 %	0,6589 litre	O
140	CM	50	CM	99 LEVEL CM	1097,6964 litre	99,831 %	1,8610 litre	O
140	CM	50	CM	98,5 LEVEL CM	1096,1436 litre	99,690 %	3,4138 litre	O
140	CM	50	CM	98 LEVEL CM	1094,3095 litre	99,523 %	5,2479 litre	O
140	CM	50	CM	97,5 LEVEL CM	1092,2344 litre	99,334 %	7,3230 litre	O
140	CM	50	CM	97 LEVEL CM	1089,9457 litre	99,126 %	9,6117 litre	O
140	CM	50	CM	96,5 LEVEL CM	1087,4638 litre	98,900 %	12,0936 litre	O
140	CM	50	CM	96 LEVEL CM	1084,8046 litre	98,658 %	14,7528 litre	O
140	CM	50	CM	95,5 LEVEL CM	1081,9809 litre	98,401 %	17,5765 litre	O
140	CM	50	CM	95 LEVEL CM	1079,0034 litre	98,131 %	20,5540 litre	O
140	CM	50	CM	94,5 LEVEL CM	1075,8812 litre	97,847 %	23,6762 litre	O
140	CM	50	CM	94 LEVEL CM	1072,6224 litre	97,550 %	26,9350 litre	O
140	CM	50	CM	93,5 LEVEL CM	1069,2338 litre	97,242 %	30,3236 litre	O
140	CM	50	CM	93 LEVEL CM	1065,7216 litre	96,923 %	33,8358 litre	O
140	CM	50	CM	92,5 LEVEL CM	1062,0914 litre	96,593 %	37,4660 litre	O
140	CM	50	CM	92 LEVEL CM	1058,3482 litre	96,252 %	41,2092 litre	O
140	CM	50	CM	91,5 LEVEL CM	1054,4967 litre	95,902 %	45,0607 litre	O
140	CM	50	CM	91 LEVEL CM	1050,5409 litre	95,542 %	49,0165 litre	O
140	CM	50	CM	90,5 LEVEL CM	1046,4848 litre	95,173 %	53,0726 litre	O
140	CM	50	CM	90 LEVEL CM	1042,3320 litre	94,796 %	57,2254 litre	O
140	CM	50	CM	89,5 LEVEL CM	1038,0859 litre	94,409 %	61,4715 litre	O
140	CM	50	CM	89 LEVEL CM	1033,7496 litre	94,015 %	65,8078 litre	O
140	CM	50	CM	88,5 LEVEL CM	1029,3259 litre	93,613 %	70,2315 litre	O
140	CM	50	CM	88 LEVEL CM	1024,8178 litre	93,203 %	74,7396 litre	O
140	CM	50	CM	87,5 LEVEL CM	1020,2279 litre	92,785 %	79,3295 litre	O
140	CM	50	CM	87 LEVEL CM	1015,5585 litre	92,361 %	83,9989 litre	O
140	CM	50	CM	86,5 LEVEL CM	1010,8121 litre	91,929 %	88,7453 litre	O
140	CM	50	CM	86 LEVEL CM	1005,9910 litre	91,491 %	93,5664 litre	O
140	CM	50	CM	85,5 LEVEL CM	1001,0972 litre	91,045 %	98,4602 litre	O
140	CM	50	CM	85 LEVEL CM	996,1328 litre	90,594 %	103,4246 litre	O
140	CM	50	CM	84,5 LEVEL CM	991,0998 litre	90,136 %	108,4576 litre	O
140	CM	50	CM	84 LEVEL CM	986,0001 litre	89,672 %	113,5573 litre	O
140	CM	50	CM	83,5 LEVEL CM	980,8355 litre	89,203 %	118,7219 litre	O
140	CM	50	CM	83 LEVEL CM	975,6076 litre	88,727 %	123,9498 litre	O
140	CM	50	CM	82,5 LEVEL CM	970,3183 litre	88,246 %	129,2391 litre	O
140	CM	50	CM	82 LEVEL CM	964,9691 litre	87,760 %	134,5883 litre	O
140	CM	50	CM	81,5 LEVEL CM	959,5616 litre	87,268 %	139,9958 litre	O
140	CM	50	CM	81 LEVEL CM	954,0973 litre	86,771 %	145,4601 litre	O
140	CM	50	CM	80,5 LEVEL CM	948,5776 litre	86,269 %	150,9798 litre	O
140	CM	50	CM	80 LEVEL CM	943,0041 litre	85,762 %	156,5533 litre	O
140	CM	50	CM	79,5 LEVEL CM	937,3781 litre	85,250 %	162,1793 litre	O
140	CM	50	CM	79 LEVEL CM	931,7009 litre	84,734 %	167,8565 litre	O
140	CM	50	CM	78,5 LEVEL CM	925,9739 litre	84,213 %	173,5835 litre	O
140	CM	50	CM	78 LEVEL CM	920,1983 litre	83,688 %	179,3591 litre	O
140	CM	50	CM	77,5 LEVEL CM	914,3754 litre	83,158 %	185,1820 litre	O
140	CM	50	CM	77 LEVEL CM	908,5064 litre	82,625 %	191,0510 litre	O
140	CM	50	CM	76,5 LEVEL CM	902,5925 litre	82,087 %	196,9649 litre	O
140	CM	50	CM	76 LEVEL CM	896,6348 litre	81,545 %	202,9226 litre	O
140	CM	50	CM	75,5 LEVEL CM	890,6345 litre	80,999 %	208,9229 litre	O
140	CM	50	CM	75 LEVEL CM	884,5927 litre	80,450 %	214,9647 litre	O
140	CM	50	CM	74,5 LEVEL CM	878,5105 litre	79,897 %	221,0469 litre	O

140	CM	50	CM	74 LEVEL CM	872,3890 litre	79,340 %	227,1684 litre	O
140	CM	50	CM	73,5 LEVEL CM	866,2291 litre	78,780 %	233,3283 litre	O
140	CM	50	CM	73 LEVEL CM	860,0320 litre	78,216 %	239,5254 litre	O
140	CM	50	CM	72,5 LEVEL CM	853,7986 litre	77,649 %	245,7588 litre	O
140	CM	50	CM	72 LEVEL CM	847,5299 litre	77,079 %	252,0275 litre	O
140	CM	50	CM	71,5 LEVEL CM	841,2269 litre	76,506 %	258,3305 litre	O
140	CM	50	CM	71 LEVEL CM	834,8906 litre	75,930 %	264,6668 litre	O
140	CM	50	CM	70,5 LEVEL CM	828,5219 litre	75,350 %	271,0355 litre	O
140	CM	50	CM	70 LEVEL CM	822,1217 litre	74,768 %	277,4357 litre	O
140	CM	50	CM	69,5 LEVEL CM	815,6910 litre	74,184 %	283,8664 litre	O
140	CM	50	CM	69 LEVEL CM	809,2306 litre	73,596 %	290,3268 litre	O
140	CM	50	CM	68,5 LEVEL CM	802,7415 litre	73,006 %	296,8159 litre	O
140	CM	50	CM	68 LEVEL CM	796,2245 litre	72,413 %	303,3329 litre	O
140	CM	50	CM	67,5 LEVEL CM	789,6804 litre	71,818 %	309,8770 litre	O
140	CM	50	CM	67 LEVEL CM	783,1103 litre	71,220 %	316,4471 litre	O
140	CM	50	CM	66,5 LEVEL CM	776,5148 litre	70,621 %	323,0426 litre	O
140	CM	50	CM	66 LEVEL CM	769,8948 litre	70,019 %	329,6626 litre	O
140	CM	50	CM	65,5 LEVEL CM	763,2512 litre	69,414 %	336,3062 litre	O
140	CM	50	CM	65 LEVEL CM	756,5848 litre	68,808 %	342,9726 litre	O
140	CM	50	CM	64,5 LEVEL CM	749,8963 litre	68,200 %	349,6611 litre	O
140	CM	50	CM	64 LEVEL CM	743,1867 litre	67,590 %	356,3707 litre	O
140	CM	50	CM	63,5 LEVEL CM	736,4566 litre	66,978 %	363,1008 litre	O
140	CM	50	CM	63 LEVEL CM	729,7069 litre	66,364 %	369,8505 litre	O
140	CM	50	CM	62,5 LEVEL CM	722,9383 litre	65,748 %	376,6191 litre	O
140	CM	50	CM	62 LEVEL CM	716,1517 litre	65,131 %	383,4057 litre	O
140	CM	50	CM	61,5 LEVEL CM	709,3477 litre	64,512 %	390,2097 litre	O
140	CM	50	CM	61 LEVEL CM	702,5273 litre	63,892 %	397,0301 litre	O
140	CM	50	CM	60,5 LEVEL CM	695,6910 litre	63,270 %	403,8664 litre	O
140	CM	50	CM	60 LEVEL CM	688,8397 litre	62,647 %	410,7177 litre	O
140	CM	50	CM	59,5 LEVEL CM	681,9741 litre	62,023 %	417,5833 litre	O
140	CM	50	CM	59 LEVEL CM	675,0950 litre	61,397 %	424,4624 litre	O
140	CM	50	CM	58,5 LEVEL CM	668,2030 litre	60,770 %	431,3544 litre	O
140	CM	50	CM	58 LEVEL CM	661,2990 litre	60,142 %	438,2584 litre	O
140	CM	50	CM	57,5 LEVEL CM	654,3836 litre	59,513 %	445,1738 litre	O
140	CM	50	CM	57 LEVEL CM	647,4576 litre	58,883 %	452,0998 litre	O
140	CM	50	CM	56,5 LEVEL CM	640,5217 litre	58,253 %	459,0357 litre	O
140	CM	50	CM	56 LEVEL CM	633,5767 litre	57,621 %	465,9807 litre	O
140	CM	50	CM	55,5 LEVEL CM	626,6231 litre	56,989 %	472,9343 litre	O
140	CM	50	CM	55 LEVEL CM	619,6619 litre	56,356 %	479,8955 litre	O
140	CM	50	CM	54,5 LEVEL CM	612,6936 litre	55,722 %	486,8638 litre	O
140	CM	50	CM	54 LEVEL CM	605,7189 litre	55,088 %	493,8385 litre	O
140	CM	50	CM	53,5 LEVEL CM	598,7387 litre	54,453 %	500,8187 litre	O
140	CM	50	CM	53 LEVEL CM	591,7535 litre	53,817 %	507,8039 litre	O
140	CM	50	CM	52,5 LEVEL CM	584,7641 litre	53,182 %	514,7933 litre	O
140	CM	50	CM	52 LEVEL CM	577,7712 litre	52,546 %	521,7862 litre	O
140	CM	50	CM	51,5 LEVEL CM	570,7756 litre	51,910 %	528,7818 litre	O
140	CM	50	CM	51 LEVEL CM	563,7778 litre	51,273 %	535,7796 litre	O
140	CM	50	CM	50,5 LEVEL CM	556,7786 litre	50,637 %	542,7788 litre	O
140	CM	50	CM	50 LEVEL CM	549,7787 litre	50,000 %	549,7787 litre	O
140	CM	50	CM	49,5 LEVEL CM	542,7788 litre	49,363 %	556,7786 litre	O
140	CM	50	CM	49 LEVEL CM	535,7796 litre	48,727 %	563,7778 litre	O
140	CM	50	CM	48,5 LEVEL CM	528,7819 litre	48,090 %	570,7755 litre	O
140	CM	50	CM	48 LEVEL CM	521,7862 litre	47,454 %	577,7712 litre	O

140	CM	50	CM	47,5 LEVEL CM	514,7933 litre	46,818 %	584,7641 litre	O
140	CM	50	CM	47 LEVEL CM	507,8039 litre	46,183 %	591,7535 litre	O
140	CM	50	CM	46,5 LEVEL CM	500,8188 litre	45,547 %	598,7386 litre	O
140	CM	50	CM	46 LEVEL CM	493,8385 litre	44,912 %	605,7189 litre	O
140	CM	50	CM	45,5 LEVEL CM	486,8639 litre	44,278 %	612,6935 litre	O
140	CM	50	CM	45 LEVEL CM	479,8956 litre	43,644 %	619,6618 litre	O
140	CM	50	CM	44,5 LEVEL CM	472,9343 litre	43,011 %	626,6231 litre	O
140	CM	50	CM	44 LEVEL CM	465,9808 litre	42,379 %	633,5766 litre	O
140	CM	50	CM	43,5 LEVEL CM	459,0357 litre	41,747 %	640,5217 litre	O
140	CM	50	CM	43 LEVEL CM	452,0998 litre	41,117 %	647,4576 litre	O
140	CM	50	CM	42,5 LEVEL CM	445,1738 litre	40,487 %	654,3836 litre	O
140	CM	50	CM	42 LEVEL CM	438,2584 litre	39,858 %	661,2990 litre	O
140	CM	50	CM	41,5 LEVEL CM	431,3544 litre	39,230 %	668,2030 litre	O
140	CM	50	CM	41 LEVEL CM	424,4625 litre	38,603 %	675,0949 litre	O
140	CM	50	CM	40,5 LEVEL CM	417,5833 litre	37,977 %	681,9741 litre	O
140	CM	50	CM	40 LEVEL CM	410,7177 litre	37,353 %	688,8397 litre	O
140	CM	50	CM	39,5 LEVEL CM	403,8664 litre	36,730 %	695,6910 litre	O
140	CM	50	CM	39 LEVEL CM	397,0302 litre	36,108 %	702,5272 litre	O
140	CM	50	CM	38,5 LEVEL CM	390,2097 litre	35,488 %	709,3477 litre	O
140	CM	50	CM	38 LEVEL CM	383,4057 litre	34,869 %	716,1517 litre	O
140	CM	50	CM	37,5 LEVEL CM	376,6191 litre	34,252 %	722,9383 litre	O
140	CM	50	CM	37 LEVEL CM	369,8506 litre	33,636 %	729,7068 litre	O
140	CM	50	CM	36,5 LEVEL CM	363,1009 litre	33,022 %	736,4565 litre	O
140	CM	50	CM	36 LEVEL CM	356,3708 litre	32,410 %	743,1866 litre	O
140	CM	50	CM	35,5 LEVEL CM	349,6611 litre	31,800 %	749,8963 litre	O
140	CM	50	CM	35 LEVEL CM	342,9727 litre	31,192 %	756,5847 litre	O
140	CM	50	CM	34,5 LEVEL CM	336,3062 litre	30,586 %	763,2512 litre	O
140	CM	50	CM	34 LEVEL CM	329,6626 litre	29,981 %	769,8948 litre	O
140	CM	50	CM	33,5 LEVEL CM	323,0427 litre	29,379 %	776,5147 litre	O
140	CM	50	CM	33 LEVEL CM	316,4472 litre	28,780 %	783,1102 litre	O
140	CM	50	CM	32,5 LEVEL CM	309,8770 litre	28,182 %	789,6804 litre	O
140	CM	50	CM	32 LEVEL CM	303,3330 litre	27,587 %	796,2244 litre	O
140	CM	50	CM	31,5 LEVEL CM	296,8159 litre	26,994 %	802,7415 litre	O
140	CM	50	CM	31 LEVEL CM	290,3268 litre	26,404 %	809,2306 litre	O
140	CM	50	CM	30,5 LEVEL CM	283,8664 litre	25,816 %	815,6910 litre	O
140	CM	50	CM	30 LEVEL CM	277,4357 litre	25,232 %	822,1217 litre	O
140	CM	50	CM	29,5 LEVEL CM	271,0355 litre	24,650 %	828,5219 litre	O
140	CM	50	CM	29 LEVEL CM	264,6668 litre	24,070 %	834,8906 litre	O
140	CM	50	CM	28,5 LEVEL CM	258,3305 litre	23,494 %	841,2269 litre	O
140	CM	50	CM	28 LEVEL CM	252,0275 litre	22,921 %	847,5299 litre	O
140	CM	50	CM	27,5 LEVEL CM	245,7588 litre	22,351 %	853,7986 litre	O
140	CM	50	CM	27 LEVEL CM	239,5254 litre	21,784 %	860,0320 litre	O
140	CM	50	CM	26,5 LEVEL CM	233,3283 litre	21,220 %	866,2291 litre	O
140	CM	50	CM	26 LEVEL CM	227,1685 litre	20,660 %	872,3889 litre	O
140	CM	50	CM	25,5 LEVEL CM	221,0469 litre	20,103 %	878,5105 litre	O
140	CM	50	CM	25 LEVEL CM	214,9647 litre	19,550 %	884,5927 litre	O
140	CM	50	CM	24,5 LEVEL CM	208,9229 litre	19,001 %	890,6345 litre	O
140	CM	50	CM	24 LEVEL CM	202,9226 litre	18,455 %	896,6348 litre	O
140	CM	50	CM	23,5 LEVEL CM	196,9650 litre	17,913 %	902,5924 litre	O
140	CM	50	CM	23 LEVEL CM	191,0510 litre	17,375 %	908,5064 litre	O
140	CM	50	CM	22,5 LEVEL CM	185,1820 litre	16,842 %	914,3754 litre	O
140	CM	50	CM	22 LEVEL CM	179,3591 litre	16,312 %	920,1983 litre	O
140	CM	50	CM	21,5 LEVEL CM	173,5835 litre	15,787 %	925,9739 litre	O

140	CM	50	CM	21 LEVEL CM	167,8565 litre	15,266 %	931,7009 litre	O
140	CM	50	CM	20,5 LEVEL CM	162,1794 litre	14,750 %	937,3780 litre	O
140	CM	50	CM	20 LEVEL CM	156,5533 litre	14,238 %	943,0041 litre	O
140	CM	50	CM	19,5 LEVEL CM	150,9798 litre	13,731 %	948,5776 litre	O
140	CM	50	CM	19 LEVEL CM	145,4602 litre	13,229 %	954,0972 litre	O
140	CM	50	CM	18,5 LEVEL CM	139,9959 litre	12,732 %	959,5615 litre	O
140	CM	50	CM	18 LEVEL CM	134,5883 litre	12,240 %	964,9691 litre	O
140	CM	50	CM	17,5 LEVEL CM	129,2391 litre	11,754 %	970,3183 litre	O
140	CM	50	CM	17 LEVEL CM	123,9498 litre	11,273 %	975,6076 litre	O
140	CM	50	CM	16,5 LEVEL CM	118,7220 litre	10,797 %	980,8354 litre	O
140	CM	50	CM	16 LEVEL CM	113,5573 litre	10,328 %	986,0001 litre	O
140	CM	50	CM	15,5 LEVEL CM	108,4576 litre	9,864 %	991,0998 litre	O
140	CM	50	CM	15 LEVEL CM	103,4246 litre	9,406 %	996,1328 litre	O
140	CM	50	CM	14,5 LEVEL CM	98,4602 litre	8,955 %	1001,0972 litre	O
140	CM	50	CM	14 LEVEL CM	93,5664 litre	8,509 %	1005,9910 litre	O
140	CM	50	CM	13,5 LEVEL CM	88,7453 litre	8,071 %	1010,8121 litre	O
140	CM	50	CM	13 LEVEL CM	83,9989 litre	7,639 %	1015,5585 litre	O
140	CM	50	CM	12,5 LEVEL CM	79,3296 litre	7,215 %	1020,2278 litre	O
140	CM	50	CM	12 LEVEL CM	74,7396 litre	6,797 %	1024,8178 litre	O
140	CM	50	CM	11,5 LEVEL CM	70,2315 litre	6,387 %	1029,3259 litre	O
140	CM	50	CM	11 LEVEL CM	65,8079 litre	5,985 %	1033,7495 litre	O
140	CM	50	CM	10,5 LEVEL CM	61,4715 litre	5,591 %	1038,0859 litre	O
140	CM	50	CM	10 LEVEL CM	57,2254 litre	5,204 %	1042,3320 litre	O
140	CM	50	CM	9,5 LEVEL CM	53,0726 litre	4,827 %	1046,4848 litre	O
140	CM	50	CM	9 LEVEL CM	49,0165 litre	4,458 %	1050,5409 litre	O
140	CM	50	CM	8,5 LEVEL CM	45,0608 litre	4,098 %	1054,4966 litre	O
140	CM	50	CM	8 LEVEL CM	41,2092 litre	3,748 %	1058,3482 litre	O
140	CM	50	CM	7,5 LEVEL CM	37,4660 litre	3,407 %	1062,0914 litre	O
140	CM	50	CM	7 LEVEL CM	33,8358 litre	3,077 %	1065,7216 litre	O
140	CM	50	CM	6,5 LEVEL CM	30,3237 litre	2,758 %	1069,2337 litre	O
140	CM	50	CM	6 LEVEL CM	26,9350 litre	2,450 %	1072,6224 litre	O
140	CM	50	CM	5,5 LEVEL CM	23,6762 litre	2,153 %	1075,8812 litre	O
140	CM	50	CM	5 LEVEL CM	20,5541 litre	1,869 %	1079,0033 litre	O
140	CM	50	CM	4,5 LEVEL CM	17,5766 litre	1,599 %	1081,9808 litre	O
140	CM	50	CM	4 LEVEL CM	14,7528 litre	1,342 %	1084,8046 litre	O
140	CM	50	CM	3,5 LEVEL CM	12,0936 litre	1,100 %	1087,4638 litre	O
140	CM	50	CM	3 LEVEL CM	9,6117 litre	0,874 %	1089,9457 litre	O
140	CM	50	CM	2,5 LEVEL CM	7,3231 litre	0,666 %	1092,2343 litre	O
140	CM	50	CM	2 LEVEL CM	5,2479 litre	0,477 %	1094,3095 litre	O
140	CM	50	CM	1,5 LEVEL CM	3,4138 litre	0,310 %	1096,1436 litre	O
140	CM	50	CM	1 LEVEL CM	1,8611 litre	0,169 %	1097,6963 litre	O
140	CM	50	CM	0,5 LEVEL CM	0,6590 litre	0,060 %	1098,8984 litre	O
140	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1099,5574 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
140	CM	45	CM 90 LEVEL CM	890,6415 litre	100,000 %	0,0000 litre	O
140	CM	45	CM 89,5 LEVEL CM	890,0165 litre	99,930 %	0,6250 litre	O
140	CM	45	CM 89 LEVEL CM	888,8766 litre	99,802 %	1,7649 litre	O
140	CM	45	CM 88,5 LEVEL CM	887,4045 litre	99,637 %	3,2370 litre	O
140	CM	45	CM 88 LEVEL CM	885,6663 litre	99,441 %	4,9752 litre	O
140	CM	45	CM 87,5 LEVEL CM	883,7001 litre	99,221 %	6,9414 litre	O
140	CM	45	CM 87 LEVEL CM	881,5324 litre	98,977 %	9,1091 litre	O
140	CM	45	CM 86,5 LEVEL CM	879,1822 litre	98,713 %	11,4593 litre	O
140	CM	45	CM 86 LEVEL CM	876,6649 litre	98,431 %	13,9766 litre	O
140	CM	45	CM 85,5 LEVEL CM	873,9927 litre	98,131 %	16,6488 litre	O
140	CM	45	CM 85 LEVEL CM	871,1759 litre	97,814 %	19,4656 litre	O
140	CM	45	CM 84,5 LEVEL CM	868,2231 litre	97,483 %	22,4184 litre	O
140	CM	45	CM 84 LEVEL CM	865,1420 litre	97,137 %	25,4995 litre	O
140	CM	45	CM 83,5 LEVEL CM	861,9392 litre	96,777 %	28,7023 litre	O
140	CM	45	CM 83 LEVEL CM	858,6207 litre	96,405 %	32,0208 litre	O
140	CM	45	CM 82,5 LEVEL CM	855,1918 litre	96,020 %	35,4497 litre	O
140	CM	45	CM 82 LEVEL CM	851,6573 litre	95,623 %	38,9842 litre	O
140	CM	45	CM 81,5 LEVEL CM	848,0217 litre	95,215 %	42,6198 litre	O
140	CM	45	CM 81 LEVEL CM	844,2890 litre	94,796 %	46,3525 litre	O
140	CM	45	CM 80,5 LEVEL CM	840,4629 litre	94,366 %	50,1786 litre	O
140	CM	45	CM 80 LEVEL CM	836,5469 litre	93,926 %	54,0946 litre	O
140	CM	45	CM 79,5 LEVEL CM	832,5443 litre	93,477 %	58,0972 litre	O
140	CM	45	CM 79 LEVEL CM	828,4581 litre	93,018 %	62,1834 litre	O
140	CM	45	CM 78,5 LEVEL CM	824,2912 litre	92,550 %	66,3503 litre	O
140	CM	45	CM 78 LEVEL CM	820,0462 litre	92,074 %	70,5953 litre	O
140	CM	45	CM 77,5 LEVEL CM	815,7257 litre	91,589 %	74,9158 litre	O
140	CM	45	CM 77 LEVEL CM	811,3320 litre	91,095 %	79,3095 litre	O
140	CM	45	CM 76,5 LEVEL CM	806,8676 litre	90,594 %	83,7739 litre	O
140	CM	45	CM 76 LEVEL CM	802,3345 litre	90,085 %	88,3070 litre	O
140	CM	45	CM 75,5 LEVEL CM	797,7350 litre	89,569 %	92,9065 litre	O
140	CM	45	CM 75 LEVEL CM	793,0708 litre	89,045 %	97,5707 litre	O
140	CM	45	CM 74,5 LEVEL CM	788,3441 litre	88,514 %	102,2974 litre	O
140	CM	45	CM 74 LEVEL CM	783,5566 litre	87,977 %	107,0849 litre	O
140	CM	45	CM 73,5 LEVEL CM	778,7101 litre	87,432 %	111,9314 litre	O
140	CM	45	CM 73 LEVEL CM	773,8063 litre	86,882 %	116,8352 litre	O
140	CM	45	CM 72,5 LEVEL CM	768,8468 litre	86,325 %	121,7947 litre	O
140	CM	45	CM 72 LEVEL CM	763,8333 litre	85,762 %	126,8082 litre	O
140	CM	45	CM 71,5 LEVEL CM	758,7673 litre	85,193 %	131,8742 litre	O
140	CM	45	CM 71 LEVEL CM	753,6503 litre	84,619 %	136,9912 litre	O
140	CM	45	CM 70,5 LEVEL CM	748,4838 litre	84,039 %	142,1577 litre	O
140	CM	45	CM 70 LEVEL CM	743,2690 litre	83,453 %	147,3725 litre	O
140	CM	45	CM 69,5 LEVEL CM	738,0076 litre	82,862 %	152,6339 litre	O
140	CM	45	CM 69 LEVEL CM	732,7006 litre	82,267 %	157,9409 litre	O
140	CM	45	CM 68,5 LEVEL CM	727,3496 litre	81,666 %	163,2919 litre	O
140	CM	45	CM 68 LEVEL CM	721,9557 litre	81,060 %	168,6858 litre	O
140	CM	45	CM 67,5 LEVEL CM	716,5201 litre	80,450 %	174,1214 litre	O
140	CM	45	CM 67 LEVEL CM	711,0441 litre	79,835 %	179,5974 litre	O
140	CM	45	CM 66,5 LEVEL CM	705,5289 litre	79,216 %	185,1126 litre	O
140	CM	45	CM 66 LEVEL CM	699,9757 litre	78,592 %	190,6658 litre	O
140	CM	45	CM 65,5 LEVEL CM	694,3855 litre	77,965 %	196,2560 litre	O
140	CM	45	CM 65 LEVEL CM	688,7594 litre	77,333 %	201,8821 litre	O
140	CM	45	CM 64,5 LEVEL CM	683,0987 litre	76,697 %	207,5428 litre	O

140	CM 45	CM	64 LEVEL CM	677,4042 litre	76,058 %	213,2373 litre	O
140	CM 45	CM	63,5 LEVEL CM	671,6772 litre	75,415 %	218,9643 litre	O
140	CM 45	CM	63 LEVEL CM	665,9186 litre	74,768 %	224,7229 litre	O
140	CM 45	CM	62,5 LEVEL CM	660,1294 litre	74,118 %	230,5121 litre	O
140	CM 45	CM	62 LEVEL CM	654,3107 litre	73,465 %	236,3308 litre	O
140	CM 45	CM	61,5 LEVEL CM	648,4635 litre	72,809 %	242,1780 litre	O
140	CM 45	CM	61 LEVEL CM	642,5886 litre	72,149 %	248,0529 litre	O
140	CM 45	CM	60,5 LEVEL CM	636,6871 litre	71,486 %	253,9544 litre	O
140	CM 45	CM	60 LEVEL CM	630,7600 litre	70,821 %	259,8815 litre	O
140	CM 45	CM	59,5 LEVEL CM	624,8081 litre	70,153 %	265,8334 litre	O
140	CM 45	CM	59 LEVEL CM	618,8323 litre	69,482 %	271,8092 litre	O
140	CM 45	CM	58,5 LEVEL CM	612,8337 litre	68,808 %	277,8078 litre	O
140	CM 45	CM	58 LEVEL CM	606,8130 litre	68,132 %	283,8285 litre	O
140	CM 45	CM	57,5 LEVEL CM	600,7712 litre	67,454 %	289,8703 litre	O
140	CM 45	CM	57 LEVEL CM	594,7091 litre	66,773 %	295,9324 litre	O
140	CM 45	CM	56,5 LEVEL CM	588,6277 litre	66,090 %	302,0138 litre	O
140	CM 45	CM	56 LEVEL CM	582,5278 litre	65,405 %	308,1137 litre	O
140	CM 45	CM	55,5 LEVEL CM	576,4103 litre	64,719 %	314,2312 litre	O
140	CM 45	CM	55 LEVEL CM	570,2759 litre	64,030 %	320,3656 litre	O
140	CM 45	CM	54,5 LEVEL CM	564,1256 litre	63,339 %	326,5159 litre	O
140	CM 45	CM	54 LEVEL CM	557,9602 litre	62,647 %	332,6813 litre	O
140	CM 45	CM	53,5 LEVEL CM	551,7804 litre	61,953 %	338,8611 litre	O
140	CM 45	CM	53 LEVEL CM	545,5872 litre	61,258 %	345,0543 litre	O
140	CM 45	CM	52,5 LEVEL CM	539,3814 litre	60,561 %	351,2601 litre	O
140	CM 45	CM	52 LEVEL CM	533,1638 litre	59,863 %	357,4777 litre	O
140	CM 45	CM	51,5 LEVEL CM	526,9351 litre	59,164 %	363,7064 litre	O
140	CM 45	CM	51 LEVEL CM	520,6962 litre	58,463 %	369,9453 litre	O
140	CM 45	CM	50,5 LEVEL CM	514,4478 litre	57,761 %	376,1937 litre	O
140	CM 45	CM	50 LEVEL CM	508,1909 litre	57,059 %	382,4506 litre	O
140	CM 45	CM	49,5 LEVEL CM	501,9261 litre	56,356 %	388,7154 litre	O
140	CM 45	CM	49 LEVEL CM	495,6543 litre	55,651 %	394,9872 litre	O
140	CM 45	CM	48,5 LEVEL CM	489,3763 litre	54,946 %	401,2652 litre	O
140	CM 45	CM	48 LEVEL CM	483,0927 litre	54,241 %	407,5488 litre	O
140	CM 45	CM	47,5 LEVEL CM	476,8045 litre	53,535 %	413,8370 litre	O
140	CM 45	CM	47 LEVEL CM	470,5125 litre	52,828 %	420,1290 litre	O
140	CM 45	CM	46,5 LEVEL CM	464,2173 litre	52,122 %	426,4242 litre	O
140	CM 45	CM	46 LEVEL CM	457,9197 litre	51,415 %	432,7218 litre	O
140	CM 45	CM	45,5 LEVEL CM	451,6206 litre	50,707 %	439,0209 litre	O
140	CM 45	CM	45 LEVEL CM	445,3208 litre	50,000 %	445,3207 litre	O
140	CM 45	CM	44,5 LEVEL CM	439,0209 litre	49,293 %	451,6206 litre	O
140	CM 45	CM	44 LEVEL CM	432,7218 litre	48,585 %	457,9197 litre	O
140	CM 45	CM	43,5 LEVEL CM	426,4243 litre	47,878 %	464,2172 litre	O
140	CM 45	CM	43 LEVEL CM	420,1291 litre	47,172 %	470,5124 litre	O
140	CM 45	CM	42,5 LEVEL CM	413,8370 litre	46,465 %	476,8045 litre	O
140	CM 45	CM	42 LEVEL CM	407,5488 litre	45,759 %	483,0927 litre	O
140	CM 45	CM	41,5 LEVEL CM	401,2653 litre	45,054 %	489,3762 litre	O
140	CM 45	CM	41 LEVEL CM	394,9872 litre	44,349 %	495,6543 litre	O
140	CM 45	CM	40,5 LEVEL CM	388,7154 litre	43,644 %	501,9261 litre	O
140	CM 45	CM	40 LEVEL CM	382,4506 litre	42,941 %	508,1909 litre	O
140	CM 45	CM	39,5 LEVEL CM	376,1937 litre	42,239 %	514,4478 litre	O
140	CM 45	CM	39 LEVEL CM	369,9454 litre	41,537 %	520,6961 litre	O
140	CM 45	CM	38,5 LEVEL CM	363,7065 litre	40,836 %	526,9350 litre	O
140	CM 45	CM	38 LEVEL CM	357,4778 litre	40,137 %	533,1637 litre	O

140	CM	45	CM	37,5 LEVEL CM	351,2601 litre	39,439 %	539,3814 litre	O
140	CM	45	CM	37 LEVEL CM	345,0543 litre	38,742 %	545,5872 litre	O
140	CM	45	CM	36,5 LEVEL CM	338,8611 litre	38,047 %	551,7804 litre	O
140	CM	45	CM	36 LEVEL CM	332,6814 litre	37,353 %	557,9601 litre	O
140	CM	45	CM	35,5 LEVEL CM	326,5159 litre	36,661 %	564,1256 litre	O
140	CM	45	CM	35 LEVEL CM	320,3656 litre	35,970 %	570,2759 litre	O
140	CM	45	CM	34,5 LEVEL CM	314,2313 litre	35,281 %	576,4102 litre	O
140	CM	45	CM	34 LEVEL CM	308,1137 litre	34,595 %	582,5278 litre	O
140	CM	45	CM	33,5 LEVEL CM	302,0138 litre	33,910 %	588,6277 litre	O
140	CM	45	CM	33 LEVEL CM	295,9324 litre	33,227 %	594,7091 litre	O
140	CM	45	CM	32,5 LEVEL CM	289,8703 litre	32,546 %	600,7712 litre	O
140	CM	45	CM	32 LEVEL CM	283,8285 litre	31,868 %	606,8130 litre	O
140	CM	45	CM	31,5 LEVEL CM	277,8079 litre	31,192 %	612,8336 litre	O
140	CM	45	CM	31 LEVEL CM	271,8092 litre	30,518 %	618,8323 litre	O
140	CM	45	CM	30,5 LEVEL CM	265,8335 litre	29,847 %	624,8080 litre	O
140	CM	45	CM	30 LEVEL CM	259,8815 litre	29,179 %	630,7600 litre	O
140	CM	45	CM	29,5 LEVEL CM	253,9544 litre	28,514 %	636,6871 litre	O
140	CM	45	CM	29 LEVEL CM	248,0529 litre	27,851 %	642,5886 litre	O
140	CM	45	CM	28,5 LEVEL CM	242,1780 litre	27,191 %	648,4635 litre	O
140	CM	45	CM	28 LEVEL CM	236,3308 litre	26,535 %	654,3107 litre	O
140	CM	45	CM	27,5 LEVEL CM	230,5121 litre	25,882 %	660,1294 litre	O
140	CM	45	CM	27 LEVEL CM	224,7229 litre	25,232 %	665,9186 litre	O
140	CM	45	CM	26,5 LEVEL CM	218,9643 litre	24,585 %	671,6772 litre	O
140	CM	45	CM	26 LEVEL CM	213,2373 litre	23,942 %	677,4042 litre	O
140	CM	45	CM	25,5 LEVEL CM	207,5429 litre	23,303 %	683,0986 litre	O
140	CM	45	CM	25 LEVEL CM	201,8821 litre	22,667 %	688,7594 litre	O
140	CM	45	CM	24,5 LEVEL CM	196,2561 litre	22,035 %	694,3854 litre	O
140	CM	45	CM	24 LEVEL CM	190,6658 litre	21,408 %	699,9757 litre	O
140	CM	45	CM	23,5 LEVEL CM	185,1126 litre	20,784 %	705,5289 litre	O
140	CM	45	CM	23 LEVEL CM	179,5974 litre	20,165 %	711,0441 litre	O
140	CM	45	CM	22,5 LEVEL CM	174,1214 litre	19,550 %	716,5201 litre	O
140	CM	45	CM	22 LEVEL CM	168,6859 litre	18,940 %	721,9556 litre	O
140	CM	45	CM	21,5 LEVEL CM	163,2919 litre	18,334 %	727,3496 litre	O
140	CM	45	CM	21 LEVEL CM	157,9409 litre	17,733 %	732,7006 litre	O
140	CM	45	CM	20,5 LEVEL CM	152,6340 litre	17,138 %	738,0075 litre	O
140	CM	45	CM	20 LEVEL CM	147,3725 litre	16,547 %	743,2690 litre	O
140	CM	45	CM	19,5 LEVEL CM	142,1578 litre	15,961 %	748,4837 litre	O
140	CM	45	CM	19 LEVEL CM	136,9912 litre	15,381 %	753,6503 litre	O
140	CM	45	CM	18,5 LEVEL CM	131,8742 litre	14,807 %	758,7673 litre	O
140	CM	45	CM	18 LEVEL CM	126,8082 litre	14,238 %	763,8333 litre	O
140	CM	45	CM	17,5 LEVEL CM	121,7947 litre	13,675 %	768,8468 litre	O
140	CM	45	CM	17 LEVEL CM	116,8353 litre	13,118 %	773,8062 litre	O
140	CM	45	CM	16,5 LEVEL CM	111,9314 litre	12,568 %	778,7101 litre	O
140	CM	45	CM	16 LEVEL CM	107,0849 litre	12,023 %	783,5566 litre	O
140	CM	45	CM	15,5 LEVEL CM	102,2974 litre	11,486 %	788,3441 litre	O
140	CM	45	CM	15 LEVEL CM	97,5707 litre	10,955 %	793,0708 litre	O
140	CM	45	CM	14,5 LEVEL CM	92,9066 litre	10,431 %	797,7349 litre	O
140	CM	45	CM	14 LEVEL CM	88,3070 litre	9,915 %	802,3345 litre	O
140	CM	45	CM	13,5 LEVEL CM	83,7739 litre	9,406 %	806,8676 litre	O
140	CM	45	CM	13 LEVEL CM	79,3095 litre	8,905 %	811,3320 litre	O
140	CM	45	CM	12,5 LEVEL CM	74,9159 litre	8,411 %	815,7256 litre	O
140	CM	45	CM	12 LEVEL CM	70,5953 litre	7,926 %	820,0462 litre	O
140	CM	45	CM	11,5 LEVEL CM	66,3503 litre	7,450 %	824,2912 litre	O

140	CM 45	CM	11 LEVEL CM	62,1834 litre	6,982 %	828,4581 litre	O
140	CM 45	CM	10,5 LEVEL CM	58,0972 litre	6,523 %	832,5443 litre	O
140	CM 45	CM	10 LEVEL CM	54,0946 litre	6,074 %	836,5469 litre	O
140	CM 45	CM	9,5 LEVEL CM	50,1786 litre	5,634 %	840,4629 litre	O
140	CM 45	CM	9 LEVEL CM	46,3526 litre	5,204 %	844,2889 litre	O
140	CM 45	CM	8,5 LEVEL CM	42,6198 litre	4,785 %	848,0217 litre	O
140	CM 45	CM	8 LEVEL CM	38,9842 litre	4,377 %	851,6573 litre	O
140	CM 45	CM	7,5 LEVEL CM	35,4498 litre	3,980 %	855,1917 litre	O
140	CM 45	CM	7 LEVEL CM	32,0208 litre	3,595 %	858,6207 litre	O
140	CM 45	CM	6,5 LEVEL CM	28,7023 litre	3,223 %	861,9392 litre	O
140	CM 45	CM	6 LEVEL CM	25,4996 litre	2,863 %	865,1419 litre	O
140	CM 45	CM	5,5 LEVEL CM	22,4184 litre	2,517 %	868,2231 litre	O
140	CM 45	CM	5 LEVEL CM	19,4657 litre	2,186 %	871,1758 litre	O
140	CM 45	CM	4,5 LEVEL CM	16,6488 litre	1,869 %	873,9927 litre	O
140	CM 45	CM	4 LEVEL CM	13,9766 litre	1,569 %	876,6649 litre	O
140	CM 45	CM	3,5 LEVEL CM	11,4593 litre	1,287 %	879,1822 litre	O
140	CM 45	CM	3 LEVEL CM	9,1092 litre	1,023 %	881,5323 litre	O
140	CM 45	CM	2,5 LEVEL CM	6,9414 litre	0,779 %	883,7001 litre	O
140	CM 45	CM	2 LEVEL CM	4,9753 litre	0,559 %	885,6662 litre	O
140	CM 45	CM	1,5 LEVEL CM	3,2370 litre	0,363 %	887,4045 litre	O
140	CM 45	CM	1 LEVEL CM	1,7650 litre	0,198 %	888,8765 litre	O
140	CM 45	CM	0,5 LEVEL CM	0,6251 litre	0,070 %	890,0164 litre	O
140	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	890,6415 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
140	CM 40	CM 80 LEVEL CM	703,7168 litre	100,000 %	0,0000 litre	O
140	CM 40	CM 79,5 LEVEL CM	703,1276 litre	99,916 %	0,5892 litre	O
140	CM 40	CM 79 LEVEL CM	702,0534 litre	99,764 %	1,6634 litre	O
140	CM 40	CM 78,5 LEVEL CM	700,6668 litre	99,567 %	3,0500 litre	O
140	CM 40	CM 78 LEVEL CM	699,0300 litre	99,334 %	4,6868 litre	O
140	CM 40	CM 77,5 LEVEL CM	697,1793 litre	99,071 %	6,5375 litre	O
140	CM 40	CM 77 LEVEL CM	695,1395 litre	98,781 %	8,5773 litre	O
140	CM 40	CM 76,5 LEVEL CM	692,9290 litre	98,467 %	10,7878 litre	O
140	CM 40	CM 76 LEVEL CM	690,5622 litre	98,131 %	13,1546 litre	O
140	CM 40	CM 75,5 LEVEL CM	688,0506 litre	97,774 %	15,6662 litre	O
140	CM 40	CM 75 LEVEL CM	685,4041 litre	97,398 %	18,3127 litre	O
140	CM 40	CM 74,5 LEVEL CM	682,6310 litre	97,004 %	21,0858 litre	O
140	CM 40	CM 74 LEVEL CM	679,7385 litre	96,593 %	23,9783 litre	O
140	CM 40	CM 73,5 LEVEL CM	676,7330 litre	96,166 %	26,9838 litre	O
140	CM 40	CM 73 LEVEL CM	673,6202 litre	95,723 %	30,0966 litre	O
140	CM 40	CM 72,5 LEVEL CM	670,4051 litre	95,266 %	33,3117 litre	O
140	CM 40	CM 72 LEVEL CM	667,0925 litre	94,796 %	36,6243 litre	O
140	CM 40	CM 71,5 LEVEL CM	663,6865 litre	94,312 %	40,0303 litre	O
140	CM 40	CM 71 LEVEL CM	660,1910 litre	93,815 %	43,5258 litre	O
140	CM 40	CM 70,5 LEVEL CM	656,6097 litre	93,306 %	47,1071 litre	O
140	CM 40	CM 70 LEVEL CM	652,9458 litre	92,785 %	50,7710 litre	O
140	CM 40	CM 69,5 LEVEL CM	649,2026 litre	92,253 %	54,5142 litre	O
140	CM 40	CM 69 LEVEL CM	645,3829 litre	91,711 %	58,3339 litre	O
140	CM 40	CM 68,5 LEVEL CM	641,4895 litre	91,157 %	62,2273 litre	O
140	CM 40	CM 68 LEVEL CM	637,5250 litre	90,594 %	66,1918 litre	O
140	CM 40	CM 67,5 LEVEL CM	633,4919 litre	90,021 %	70,2249 litre	O
140	CM 40	CM 67 LEVEL CM	629,3925 litre	89,438 %	74,3243 litre	O
140	CM 40	CM 66,5 LEVEL CM	625,2291 litre	88,847 %	78,4877 litre	O
140	CM 40	CM 66 LEVEL CM	621,0037 litre	88,246 %	82,7131 litre	O
140	CM 40	CM 65,5 LEVEL CM	616,7185 litre	87,637 %	86,9983 litre	O
140	CM 40	CM 65 LEVEL CM	612,3753 litre	87,020 %	91,3415 litre	O
140	CM 40	CM 64,5 LEVEL CM	607,9761 litre	86,395 %	95,7407 litre	O
140	CM 40	CM 64 LEVEL CM	603,5226 litre	85,762 %	100,1942 litre	O
140	CM 40	CM 63,5 LEVEL CM	599,0167 litre	85,122 %	104,7001 litre	O
140	CM 40	CM 63 LEVEL CM	594,4599 litre	84,474 %	109,2569 litre	O
140	CM 40	CM 62,5 LEVEL CM	589,8539 litre	83,820 %	113,8629 litre	O
140	CM 40	CM 62 LEVEL CM	585,2003 litre	83,158 %	118,5165 litre	O
140	CM 40	CM 61,5 LEVEL CM	580,5005 litre	82,491 %	123,2163 litre	O
140	CM 40	CM 61 LEVEL CM	575,7562 litre	81,816 %	127,9606 litre	O
140	CM 40	CM 60,5 LEVEL CM	570,9687 litre	81,136 %	132,7481 litre	O
140	CM 40	CM 60 LEVEL CM	566,1393 litre	80,450 %	137,5775 litre	O
140	CM 40	CM 59,5 LEVEL CM	561,2696 litre	79,758 %	142,4472 litre	O
140	CM 40	CM 59 LEVEL CM	556,3608 litre	79,060 %	147,3560 litre	O
140	CM 40	CM 58,5 LEVEL CM	551,4142 litre	78,357 %	152,3026 litre	O
140	CM 40	CM 58 LEVEL CM	546,4311 litre	77,649 %	157,2857 litre	O
140	CM 40	CM 57,5 LEVEL CM	541,4127 litre	76,936 %	162,3041 litre	O
140	CM 40	CM 57 LEVEL CM	536,3602 litre	76,218 %	167,3566 litre	O
140	CM 40	CM 56,5 LEVEL CM	531,2749 litre	75,496 %	172,4419 litre	O
140	CM 40	CM 56 LEVEL CM	526,1579 litre	74,768 %	177,5589 litre	O
140	CM 40	CM 55,5 LEVEL CM	521,0103 litre	74,037 %	182,7065 litre	O
140	CM 40	CM 55 LEVEL CM	515,8333 litre	73,301 %	187,8835 litre	O
140	CM 40	CM 54,5 LEVEL CM	510,6280 litre	72,562 %	193,0888 litre	O

140	CM 40	CM	54 LEVEL CM	505,3955 litre	71,818 %	198,3213 litre	O
140	CM 40	CM	53,5 LEVEL CM	500,1368 litre	71,071 %	203,5800 litre	O
140	CM 40	CM	53 LEVEL CM	494,8530 litre	70,320 %	208,8638 litre	O
140	CM 40	CM	52,5 LEVEL CM	489,5451 litre	69,566 %	214,1717 litre	O
140	CM 40	CM	52 LEVEL CM	484,2142 litre	68,808 %	219,5026 litre	O
140	CM 40	CM	51,5 LEVEL CM	478,8613 litre	68,047 %	224,8555 litre	O
140	CM 40	CM	51 LEVEL CM	473,4874 litre	67,284 %	230,2294 litre	O
140	CM 40	CM	50,5 LEVEL CM	468,0935 litre	66,517 %	235,6233 litre	O
140	CM 40	CM	50 LEVEL CM	462,6805 litre	65,748 %	241,0363 litre	O
140	CM 40	CM	49,5 LEVEL CM	457,2495 litre	64,976 %	246,4673 litre	O
140	CM 40	CM	49 LEVEL CM	451,8013 litre	64,202 %	251,9155 litre	O
140	CM 40	CM	48,5 LEVEL CM	446,3370 litre	63,426 %	257,3798 litre	O
140	CM 40	CM	48 LEVEL CM	440,8574 litre	62,647 %	262,8594 litre	O
140	CM 40	CM	47,5 LEVEL CM	435,3636 litre	61,866 %	268,3532 litre	O
140	CM 40	CM	47 LEVEL CM	429,8564 litre	61,084 %	273,8604 litre	O
140	CM 40	CM	46,5 LEVEL CM	424,3367 litre	60,299 %	279,3801 litre	O
140	CM 40	CM	46 LEVEL CM	418,8055 litre	59,513 %	284,9113 litre	O
140	CM 40	CM	45,5 LEVEL CM	413,2637 litre	58,726 %	290,4531 litre	O
140	CM 40	CM	45 LEVEL CM	407,7122 litre	57,937 %	296,0046 litre	O
140	CM 40	CM	44,5 LEVEL CM	402,1519 litre	57,147 %	301,5649 litre	O
140	CM 40	CM	44 LEVEL CM	396,5836 litre	56,356 %	307,1332 litre	O
140	CM 40	CM	43,5 LEVEL CM	391,0083 litre	55,563 %	312,7085 litre	O
140	CM 40	CM	43 LEVEL CM	385,4269 litre	54,770 %	318,2899 litre	O
140	CM 40	CM	42,5 LEVEL CM	379,8401 litre	53,976 %	323,8767 litre	O
140	CM 40	CM	42 LEVEL CM	374,2490 litre	53,182 %	329,4678 litre	O
140	CM 40	CM	41,5 LEVEL CM	368,6544 litre	52,387 %	335,0624 litre	O
140	CM 40	CM	41 LEVEL CM	363,0572 litre	51,591 %	340,6596 litre	O
140	CM 40	CM	40,5 LEVEL CM	357,4582 litre	50,796 %	346,2586 litre	O
140	CM 40	CM	40 LEVEL CM	351,8584 litre	50,000 %	351,8584 litre	O
140	CM 40	CM	39,5 LEVEL CM	346,2585 litre	49,204 %	357,4583 litre	O
140	CM 40	CM	39 LEVEL CM	340,6595 litre	48,409 %	363,0573 litre	O
140	CM 40	CM	38,5 LEVEL CM	335,0623 litre	47,613 %	368,6545 litre	O
140	CM 40	CM	38 LEVEL CM	329,4677 litre	46,818 %	374,2491 litre	O
140	CM 40	CM	37,5 LEVEL CM	323,8766 litre	46,024 %	379,8402 litre	O
140	CM 40	CM	37 LEVEL CM	318,2899 litre	45,230 %	385,4269 litre	O
140	CM 40	CM	36,5 LEVEL CM	312,7085 litre	44,437 %	391,0083 litre	O
140	CM 40	CM	36 LEVEL CM	307,1332 litre	43,644 %	396,5836 litre	O
140	CM 40	CM	35,5 LEVEL CM	301,5649 litre	42,853 %	402,1519 litre	O
140	CM 40	CM	35 LEVEL CM	296,0046 litre	42,063 %	407,7122 litre	O
140	CM 40	CM	34,5 LEVEL CM	290,4530 litre	41,274 %	413,2638 litre	O
140	CM 40	CM	34 LEVEL CM	284,9112 litre	40,487 %	418,8056 litre	O
140	CM 40	CM	33,5 LEVEL CM	279,3801 litre	39,701 %	424,3367 litre	O
140	CM 40	CM	33 LEVEL CM	273,8604 litre	38,916 %	429,8564 litre	O
140	CM 40	CM	32,5 LEVEL CM	268,3532 litre	38,134 %	435,3636 litre	O
140	CM 40	CM	32 LEVEL CM	262,8593 litre	37,353 %	440,8575 litre	O
140	CM 40	CM	31,5 LEVEL CM	257,3798 litre	36,574 %	446,3370 litre	O
140	CM 40	CM	31 LEVEL CM	251,9155 litre	35,798 %	451,8013 litre	O
140	CM 40	CM	30,5 LEVEL CM	246,4673 litre	35,024 %	457,2495 litre	O
140	CM 40	CM	30 LEVEL CM	241,0362 litre	34,252 %	462,6806 litre	O
140	CM 40	CM	29,5 LEVEL CM	235,6233 litre	33,483 %	468,0935 litre	O
140	CM 40	CM	29 LEVEL CM	230,2293 litre	32,716 %	473,4875 litre	O
140	CM 40	CM	28,5 LEVEL CM	224,8554 litre	31,953 %	478,8614 litre	O
140	CM 40	CM	28 LEVEL CM	219,5025 litre	31,192 %	484,2143 litre	O

140	CM	40	CM	27,5 LEVEL CM	214,1716 litre	30,434 %	489,5452 litre	O
140	CM	40	CM	27 LEVEL CM	208,8638 litre	29,680 %	494,8530 litre	O
140	CM	40	CM	26,5 LEVEL CM	203,5800 litre	28,929 %	500,1368 litre	O
140	CM	40	CM	26 LEVEL CM	198,3213 litre	28,182 %	505,3955 litre	O
140	CM	40	CM	25,5 LEVEL CM	193,0887 litre	27,438 %	510,6281 litre	O
140	CM	40	CM	25 LEVEL CM	187,8834 litre	26,699 %	515,8334 litre	O
140	CM	40	CM	24,5 LEVEL CM	182,7064 litre	25,963 %	521,0104 litre	O
140	CM	40	CM	24 LEVEL CM	177,5588 litre	25,232 %	526,1580 litre	O
140	CM	40	CM	23,5 LEVEL CM	172,4418 litre	24,504 %	531,2750 litre	O
140	CM	40	CM	23 LEVEL CM	167,3565 litre	23,782 %	536,3603 litre	O
140	CM	40	CM	22,5 LEVEL CM	162,3041 litre	23,064 %	541,4127 litre	O
140	CM	40	CM	22 LEVEL CM	157,2857 litre	22,351 %	546,4311 litre	O
140	CM	40	CM	21,5 LEVEL CM	152,3025 litre	21,643 %	551,4143 litre	O
140	CM	40	CM	21 LEVEL CM	147,3559 litre	20,940 %	556,3609 litre	O
140	CM	40	CM	20,5 LEVEL CM	142,4471 litre	20,242 %	561,2697 litre	O
140	CM	40	CM	20 LEVEL CM	137,5774 litre	19,550 %	566,1394 litre	O
140	CM	40	CM	19,5 LEVEL CM	132,7481 litre	18,864 %	570,9687 litre	O
140	CM	40	CM	19 LEVEL CM	127,9606 litre	18,184 %	575,7562 litre	O
140	CM	40	CM	18,5 LEVEL CM	123,2162 litre	17,509 %	580,5006 litre	O
140	CM	40	CM	18 LEVEL CM	118,5165 litre	16,842 %	585,2003 litre	O
140	CM	40	CM	17,5 LEVEL CM	113,8629 litre	16,180 %	589,8539 litre	O
140	CM	40	CM	17 LEVEL CM	109,2569 litre	15,526 %	594,4599 litre	O
140	CM	40	CM	16,5 LEVEL CM	104,7001 litre	14,878 %	599,0167 litre	O
140	CM	40	CM	16 LEVEL CM	100,1941 litre	14,238 %	603,5227 litre	O
140	CM	40	CM	15,5 LEVEL CM	95,7407 litre	13,605 %	607,9761 litre	O
140	CM	40	CM	15 LEVEL CM	91,3414 litre	12,980 %	612,3754 litre	O
140	CM	40	CM	14,5 LEVEL CM	86,9983 litre	12,363 %	616,7185 litre	O
140	CM	40	CM	14 LEVEL CM	82,7130 litre	11,754 %	621,0038 litre	O
140	CM	40	CM	13,5 LEVEL CM	78,4877 litre	11,153 %	625,2291 litre	O
140	CM	40	CM	13 LEVEL CM	74,3242 litre	10,562 %	629,3926 litre	O
140	CM	40	CM	12,5 LEVEL CM	70,2249 litre	9,979 %	633,4919 litre	O
140	CM	40	CM	12 LEVEL CM	66,1917 litre	9,406 %	637,5251 litre	O
140	CM	40	CM	11,5 LEVEL CM	62,2273 litre	8,843 %	641,4895 litre	O
140	CM	40	CM	11 LEVEL CM	58,3339 litre	8,289 %	645,3829 litre	O
140	CM	40	CM	10,5 LEVEL CM	54,5142 litre	7,747 %	649,2026 litre	O
140	CM	40	CM	10 LEVEL CM	50,7709 litre	7,215 %	652,9459 litre	O
140	CM	40	CM	9,5 LEVEL CM	47,1071 litre	6,694 %	656,6097 litre	O
140	CM	40	CM	9 LEVEL CM	43,5257 litre	6,185 %	660,1911 litre	O
140	CM	40	CM	8,5 LEVEL CM	40,0303 litre	5,688 %	663,6865 litre	O
140	CM	40	CM	8 LEVEL CM	36,6242 litre	5,204 %	667,0926 litre	O
140	CM	40	CM	7,5 LEVEL CM	33,3116 litre	4,734 %	670,4052 litre	O
140	CM	40	CM	7 LEVEL CM	30,0966 litre	4,277 %	673,6202 litre	O
140	CM	40	CM	6,5 LEVEL CM	26,9837 litre	3,834 %	676,7331 litre	O
140	CM	40	CM	6 LEVEL CM	23,9782 litre	3,407 %	679,7386 litre	O
140	CM	40	CM	5,5 LEVEL CM	21,0858 litre	2,996 %	682,6310 litre	O
140	CM	40	CM	5 LEVEL CM	18,3127 litre	2,602 %	685,4041 litre	O
140	CM	40	CM	4,5 LEVEL CM	15,6662 litre	2,226 %	688,0506 litre	O
140	CM	40	CM	4 LEVEL CM	13,1546 litre	1,869 %	690,5622 litre	O
140	CM	40	CM	3,5 LEVEL CM	10,7877 litre	1,533 %	692,9291 litre	O
140	CM	40	CM	3 LEVEL CM	8,5772 litre	1,219 %	695,1396 litre	O
140	CM	40	CM	2,5 LEVEL CM	6,5374 litre	0,929 %	697,1794 litre	O
140	CM	40	CM	2 LEVEL CM	4,6868 litre	0,666 %	699,0300 litre	O
140	CM	40	CM	1,5 LEVEL CM	3,0499 litre	0,433 %	700,6669 litre	O

140_40

-3236-

140	CM 40	CM	1 LEVEL CM	1,6633 litre	0,236 %	702,0535 litre	O
140	CM 40	CM	0,5 LEVEL CM	0,5892 litre	0,084 %	703,1276 litre	O
140	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	703,7168 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
140	CM	35	CM	70 LEVEL CM	538,7831 litre	100,000 %	0,0000 litre	O
140	CM	35	CM	69,5 LEVEL CM	538,2322 litre	99,898 %	0,5509 litre	O
140	CM	35	CM	69 LEVEL CM	537,2281 litre	99,711 %	1,5550 litre	O
140	CM	35	CM	68,5 LEVEL CM	535,9325 litre	99,471 %	2,8506 litre	O
140	CM	35	CM	68 LEVEL CM	534,4039 litre	99,187 %	4,3792 litre	O
140	CM	35	CM	67,5 LEVEL CM	532,6763 litre	98,867 %	6,1068 litre	O
140	CM	35	CM	67 LEVEL CM	530,7731 litre	98,513 %	8,0100 litre	O
140	CM	35	CM	66,5 LEVEL CM	528,7116 litre	98,131 %	10,0715 litre	O
140	CM	35	CM	66 LEVEL CM	526,5054 litre	97,721 %	12,2777 litre	O
140	CM	35	CM	65,5 LEVEL CM	524,1655 litre	97,287 %	14,6176 litre	O
140	CM	35	CM	65 LEVEL CM	521,7011 litre	96,830 %	17,0820 litre	O
140	CM	35	CM	64,5 LEVEL CM	519,1202 litre	96,350 %	19,6629 litre	O
140	CM	35	CM	64 LEVEL CM	516,4295 litre	95,851 %	22,3536 litre	O
140	CM	35	CM	63,5 LEVEL CM	513,6352 litre	95,332 %	25,1479 litre	O
140	CM	35	CM	63 LEVEL CM	510,7427 litre	94,796 %	28,0404 litre	O
140	CM	35	CM	62,5 LEVEL CM	507,7568 litre	94,241 %	31,0263 litre	O
140	CM	35	CM	62 LEVEL CM	504,6819 litre	93,671 %	34,1012 litre	O
140	CM	35	CM	61,5 LEVEL CM	501,5222 litre	93,084 %	37,2609 litre	O
140	CM	35	CM	61 LEVEL CM	498,2813 litre	92,483 %	40,5018 litre	O
140	CM	35	CM	60,5 LEVEL CM	494,9627 litre	91,867 %	43,8204 litre	O
140	CM	35	CM	60 LEVEL CM	491,5696 litre	91,237 %	47,2135 litre	O
140	CM	35	CM	59,5 LEVEL CM	488,1051 litre	90,594 %	50,6780 litre	O
140	CM	35	CM	59 LEVEL CM	484,5719 litre	89,938 %	54,2112 litre	O
140	CM	35	CM	58,5 LEVEL CM	480,9728 litre	89,270 %	57,8103 litre	O
140	CM	35	CM	58 LEVEL CM	477,3103 litre	88,590 %	61,4728 litre	O
140	CM	35	CM	57,5 LEVEL CM	473,5867 litre	87,899 %	65,1964 litre	O
140	CM	35	CM	57 LEVEL CM	469,8044 litre	87,197 %	68,9787 litre	O
140	CM	35	CM	56,5 LEVEL CM	465,9654 litre	86,485 %	72,8177 litre	O
140	CM	35	CM	56 LEVEL CM	462,0720 litre	85,762 %	76,7111 litre	O
140	CM	35	CM	55,5 LEVEL CM	458,1261 litre	85,030 %	80,6570 litre	O
140	CM	35	CM	55 LEVEL CM	454,1296 litre	84,288 %	84,6535 litre	O
140	CM	35	CM	54,5 LEVEL CM	450,0843 litre	83,537 %	88,6988 litre	O
140	CM	35	CM	54 LEVEL CM	445,9921 litre	82,778 %	92,7910 litre	O
140	CM	35	CM	53,5 LEVEL CM	441,8546 litre	82,010 %	96,9285 litre	O
140	CM	35	CM	53 LEVEL CM	437,6735 litre	81,234 %	101,1096 litre	O
140	CM	35	CM	52,5 LEVEL CM	433,4504 litre	80,450 %	105,3327 litre	O
140	CM	35	CM	52 LEVEL CM	429,1870 litre	79,659 %	109,5961 litre	O
140	CM	35	CM	51,5 LEVEL CM	424,8846 litre	78,860 %	113,8985 litre	O
140	CM	35	CM	51 LEVEL CM	420,5448 litre	78,055 %	118,2383 litre	O
140	CM	35	CM	50,5 LEVEL CM	416,1690 litre	77,242 %	122,6141 litre	O
140	CM	35	CM	50 LEVEL CM	411,7586 litre	76,424 %	127,0245 litre	O
140	CM	35	CM	49,5 LEVEL CM	407,3151 litre	75,599 %	131,4680 litre	O
140	CM	35	CM	49 LEVEL CM	402,8396 litre	74,768 %	135,9435 litre	O
140	CM	35	CM	48,5 LEVEL CM	398,3337 litre	73,932 %	140,4494 litre	O
140	CM	35	CM	48 LEVEL CM	393,7984 litre	73,090 %	144,9847 litre	O
140	CM	35	CM	47,5 LEVEL CM	389,2352 litre	72,243 %	149,5479 litre	O
140	CM	35	CM	47 LEVEL CM	384,6451 litre	71,391 %	154,1380 litre	O
140	CM	35	CM	46,5 LEVEL CM	380,0296 litre	70,535 %	158,7535 litre	O
140	CM	35	CM	46 LEVEL CM	375,3896 litre	69,674 %	163,3935 litre	O
140	CM	35	CM	45,5 LEVEL CM	370,7265 litre	68,808 %	168,0566 litre	O
140	CM	35	CM	45 LEVEL CM	366,0414 litre	67,939 %	172,7417 litre	O
140	CM	35	CM	44,5 LEVEL CM	361,3354 litre	67,065 %	177,4477 litre	O

140	CM	35	CM	44 LEVEL CM	356,6097 litre	66,188 %	182,1734 litre	O
140	CM	35	CM	43,5 LEVEL CM	351,8653 litre	65,307 %	186,9178 litre	O
140	CM	35	CM	43 LEVEL CM	347,1035 litre	64,424 %	191,6796 litre	O
140	CM	35	CM	42,5 LEVEL CM	342,3251 litre	63,537 %	196,4580 litre	O
140	CM	35	CM	42 LEVEL CM	337,5315 litre	62,647 %	201,2516 litre	O
140	CM	35	CM	41,5 LEVEL CM	332,7235 litre	61,755 %	206,0596 litre	O
140	CM	35	CM	41 LEVEL CM	327,9023 litre	60,860 %	210,8808 litre	O
140	CM	35	CM	40,5 LEVEL CM	323,0689 litre	59,963 %	215,7142 litre	O
140	CM	35	CM	40 LEVEL CM	318,2244 litre	59,064 %	220,5587 litre	O
140	CM	35	CM	39,5 LEVEL CM	313,3698 litre	58,163 %	225,4133 litre	O
140	CM	35	CM	39 LEVEL CM	308,5061 litre	57,260 %	230,2770 litre	O
140	CM	35	CM	38,5 LEVEL CM	303,6343 litre	56,356 %	235,1488 litre	O
140	CM	35	CM	38 LEVEL CM	298,7555 litre	55,450 %	240,0276 litre	O
140	CM	35	CM	37,5 LEVEL CM	293,8707 litre	54,543 %	244,9124 litre	O
140	CM	35	CM	37 LEVEL CM	288,9809 litre	53,636 %	249,8022 litre	O
140	CM	35	CM	36,5 LEVEL CM	284,0871 litre	52,728 %	254,6960 litre	O
140	CM	35	CM	36 LEVEL CM	279,1902 litre	51,819 %	259,5929 litre	O
140	CM	35	CM	35,5 LEVEL CM	274,2914 litre	50,909 %	264,4917 litre	O
140	CM	35	CM	35 LEVEL CM	269,3916 litre	50,000 %	269,3915 litre	O
140	CM	35	CM	34,5 LEVEL CM	264,4917 litre	49,091 %	274,2914 litre	O
140	CM	35	CM	34 LEVEL CM	259,5929 litre	48,181 %	279,1902 litre	O
140	CM	35	CM	33,5 LEVEL CM	254,6961 litre	47,272 %	284,0870 litre	O
140	CM	35	CM	33 LEVEL CM	249,8022 litre	46,364 %	288,9809 litre	O
140	CM	35	CM	32,5 LEVEL CM	244,9124 litre	45,457 %	293,8707 litre	O
140	CM	35	CM	32 LEVEL CM	240,0276 litre	44,550 %	298,7555 litre	O
140	CM	35	CM	31,5 LEVEL CM	235,1488 litre	43,644 %	303,6343 litre	O
140	CM	35	CM	31 LEVEL CM	230,2771 litre	42,740 %	308,5060 litre	O
140	CM	35	CM	30,5 LEVEL CM	225,4134 litre	41,837 %	313,3697 litre	O
140	CM	35	CM	30 LEVEL CM	220,5588 litre	40,936 %	318,2243 litre	O
140	CM	35	CM	29,5 LEVEL CM	215,7142 litre	40,037 %	323,0689 litre	O
140	CM	35	CM	29 LEVEL CM	210,8809 litre	39,140 %	327,9022 litre	O
140	CM	35	CM	28,5 LEVEL CM	206,0597 litre	38,245 %	332,7234 litre	O
140	CM	35	CM	28 LEVEL CM	201,2517 litre	37,353 %	337,5314 litre	O
140	CM	35	CM	27,5 LEVEL CM	196,4580 litre	36,463 %	342,3251 litre	O
140	CM	35	CM	27 LEVEL CM	191,6797 litre	35,576 %	347,1034 litre	O
140	CM	35	CM	26,5 LEVEL CM	186,9178 litre	34,693 %	351,8653 litre	O
140	CM	35	CM	26 LEVEL CM	182,1734 litre	33,812 %	356,6097 litre	O
140	CM	35	CM	25,5 LEVEL CM	177,4477 litre	32,935 %	361,3354 litre	O
140	CM	35	CM	25 LEVEL CM	172,7417 litre	32,061 %	366,0414 litre	O
140	CM	35	CM	24,5 LEVEL CM	168,0566 litre	31,192 %	370,7265 litre	O
140	CM	35	CM	24 LEVEL CM	163,3935 litre	30,326 %	375,3896 litre	O
140	CM	35	CM	23,5 LEVEL CM	158,7536 litre	29,465 %	380,0295 litre	O
140	CM	35	CM	23 LEVEL CM	154,1380 litre	28,609 %	384,6451 litre	O
140	CM	35	CM	22,5 LEVEL CM	149,5480 litre	27,757 %	389,2351 litre	O
140	CM	35	CM	22 LEVEL CM	144,9847 litre	26,910 %	393,7984 litre	O
140	CM	35	CM	21,5 LEVEL CM	140,4495 litre	26,068 %	398,3336 litre	O
140	CM	35	CM	21 LEVEL CM	135,9435 litre	25,232 %	402,8396 litre	O
140	CM	35	CM	20,5 LEVEL CM	131,4681 litre	24,401 %	407,3150 litre	O
140	CM	35	CM	20 LEVEL CM	127,0245 litre	23,576 %	411,7586 litre	O
140	CM	35	CM	19,5 LEVEL CM	122,6141 litre	22,758 %	416,1690 litre	O
140	CM	35	CM	19 LEVEL CM	118,2384 litre	21,945 %	420,5447 litre	O
140	CM	35	CM	18,5 LEVEL CM	113,8986 litre	21,140 %	424,8845 litre	O
140	CM	35	CM	18 LEVEL CM	109,5962 litre	20,341 %	429,1869 litre	O

140	CM	35	CM	17,5 LEVEL CM	105,3327 litre	19,550 %	433,4504 litre	O
140	CM	35	CM	17 LEVEL CM	101,1096 litre	18,766 %	437,6735 litre	O
140	CM	35	CM	16,5 LEVEL CM	96,9286 litre	17,990 %	441,8545 litre	O
140	CM	35	CM	16 LEVEL CM	92,7911 litre	17,222 %	445,9920 litre	O
140	CM	35	CM	15,5 LEVEL CM	88,6988 litre	16,463 %	450,0843 litre	O
140	CM	35	CM	15 LEVEL CM	84,6536 litre	15,712 %	454,1295 litre	O
140	CM	35	CM	14,5 LEVEL CM	80,6571 litre	14,970 %	458,1260 litre	O
140	CM	35	CM	14 LEVEL CM	76,7111 litre	14,238 %	462,0720 litre	O
140	CM	35	CM	13,5 LEVEL CM	72,8177 litre	13,515 %	465,9654 litre	O
140	CM	35	CM	13 LEVEL CM	68,9788 litre	12,803 %	469,8043 litre	O
140	CM	35	CM	12,5 LEVEL CM	65,1964 litre	12,101 %	473,5867 litre	O
140	CM	35	CM	12 LEVEL CM	61,4729 litre	11,410 %	477,3102 litre	O
140	CM	35	CM	11,5 LEVEL CM	57,8103 litre	10,730 %	480,9728 litre	O
140	CM	35	CM	11 LEVEL CM	54,2112 litre	10,062 %	484,5719 litre	O
140	CM	35	CM	10,5 LEVEL CM	50,6781 litre	9,406 %	488,1050 litre	O
140	CM	35	CM	10 LEVEL CM	47,2135 litre	8,763 %	491,5696 litre	O
140	CM	35	CM	9,5 LEVEL CM	43,8205 litre	8,133 %	494,9626 litre	O
140	CM	35	CM	9 LEVEL CM	40,5019 litre	7,517 %	498,2812 litre	O
140	CM	35	CM	8,5 LEVEL CM	37,2610 litre	6,916 %	501,5221 litre	O
140	CM	35	CM	8 LEVEL CM	34,1012 litre	6,329 %	504,6819 litre	O
140	CM	35	CM	7,5 LEVEL CM	31,0264 litre	5,759 %	507,7567 litre	O
140	CM	35	CM	7 LEVEL CM	28,0404 litre	5,204 %	510,7427 litre	O
140	CM	35	CM	6,5 LEVEL CM	25,1479 litre	4,668 %	513,6352 litre	O
140	CM	35	CM	6 LEVEL CM	22,3536 litre	4,149 %	516,4295 litre	O
140	CM	35	CM	5,5 LEVEL CM	19,6629 litre	3,650 %	519,1202 litre	O
140	CM	35	CM	5 LEVEL CM	17,0820 litre	3,170 %	521,7011 litre	O
140	CM	35	CM	4,5 LEVEL CM	14,6176 litre	2,713 %	524,1655 litre	O
140	CM	35	CM	4 LEVEL CM	12,2777 litre	2,279 %	526,5054 litre	O
140	CM	35	CM	3,5 LEVEL CM	10,0715 litre	1,869 %	528,7116 litre	O
140	CM	35	CM	3 LEVEL CM	8,0100 litre	1,487 %	530,7731 litre	O
140	CM	35	CM	2,5 LEVEL CM	6,1068 litre	1,133 %	532,6763 litre	O
140	CM	35	CM	2 LEVEL CM	4,3793 litre	0,813 %	534,4038 litre	O
140	CM	35	CM	1,5 LEVEL CM	2,8506 litre	0,529 %	535,9325 litre	O
140	CM	35	CM	1 LEVEL CM	1,5551 litre	0,289 %	537,2280 litre	O
140	CM	35	CM	0,5 LEVEL CM	0,5510 litre	0,102 %	538,2321 litre	O
140	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	538,7831 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
140	CM 30	CM 60 LEVEL CM	395,8407 litre	100,000 %	0,0000 litre	O
140	CM 30	CM 59,5 LEVEL CM	395,3307 litre	99,871 %	0,5100 litre	O
140	CM 30	CM 59 LEVEL CM	394,4020 litre	99,637 %	1,4387 litre	O
140	CM 30	CM 58,5 LEVEL CM	393,2044 litre	99,334 %	2,6363 litre	O
140	CM 30	CM 58 LEVEL CM	391,7922 litre	98,977 %	4,0485 litre	O
140	CM 30	CM 57,5 LEVEL CM	390,1972 litre	98,574 %	5,6435 litre	O
140	CM 30	CM 57 LEVEL CM	388,4412 litre	98,131 %	7,3995 litre	O
140	CM 30	CM 56,5 LEVEL CM	386,5404 litre	97,651 %	9,3003 litre	O
140	CM 30	CM 56 LEVEL CM	384,5075 litre	97,137 %	11,3332 litre	O
140	CM 30	CM 55,5 LEVEL CM	382,3529 litre	96,593 %	13,4878 litre	O
140	CM 30	CM 55 LEVEL CM	380,0852 litre	96,020 %	15,7555 litre	O
140	CM 30	CM 54,5 LEVEL CM	377,7119 litre	95,420 %	18,1288 litre	O
140	CM 30	CM 54 LEVEL CM	375,2395 litre	94,796 %	20,6012 litre	O
140	CM 30	CM 53,5 LEVEL CM	372,6737 litre	94,147 %	23,1670 litre	O
140	CM 30	CM 53 LEVEL CM	370,0197 litre	93,477 %	25,8210 litre	O
140	CM 30	CM 52,5 LEVEL CM	367,2820 litre	92,785 %	28,5587 litre	O
140	CM 30	CM 52 LEVEL CM	364,4650 litre	92,074 %	31,3757 litre	O
140	CM 30	CM 51,5 LEVEL CM	361,5724 litre	91,343 %	34,2683 litre	O
140	CM 30	CM 51 LEVEL CM	358,6078 litre	90,594 %	37,2329 litre	O
140	CM 30	CM 50,5 LEVEL CM	355,5746 litre	89,828 %	40,2661 litre	O
140	CM 30	CM 50 LEVEL CM	352,4759 litre	89,045 %	43,3648 litre	O
140	CM 30	CM 49,5 LEVEL CM	349,3146 litre	88,246 %	46,5261 litre	O
140	CM 30	CM 49 LEVEL CM	346,0934 litre	87,432 %	49,7473 litre	O
140	CM 30	CM 48,5 LEVEL CM	342,8148 litre	86,604 %	53,0259 litre	O
140	CM 30	CM 48 LEVEL CM	339,4815 litre	85,762 %	56,3592 litre	O
140	CM 30	CM 47,5 LEVEL CM	336,0956 litre	84,907 %	59,7451 litre	O
140	CM 30	CM 47 LEVEL CM	332,6594 litre	84,039 %	63,1813 litre	O
140	CM 30	CM 46,5 LEVEL CM	329,1751 litre	83,158 %	66,6656 litre	O
140	CM 30	CM 46 LEVEL CM	325,6447 litre	82,267 %	70,1960 litre	O
140	CM 30	CM 45,5 LEVEL CM	322,0702 litre	81,364 %	73,7705 litre	O
140	CM 30	CM 45 LEVEL CM	318,4534 litre	80,450 %	77,3873 litre	O
140	CM 30	CM 44,5 LEVEL CM	314,7962 litre	79,526 %	81,0445 litre	O
140	CM 30	CM 44 LEVEL CM	311,1003 litre	78,592 %	84,7404 litre	O
140	CM 30	CM 43,5 LEVEL CM	307,3675 litre	77,649 %	88,4732 litre	O
140	CM 30	CM 43 LEVEL CM	303,5994 litre	76,697 %	92,2413 litre	O
140	CM 30	CM 42,5 LEVEL CM	299,7977 litre	75,737 %	96,0430 litre	O
140	CM 30	CM 42 LEVEL CM	295,9638 litre	74,768 %	99,8769 litre	O
140	CM 30	CM 41,5 LEVEL CM	292,0994 litre	73,792 %	103,7413 litre	O
140	CM 30	CM 41 LEVEL CM	288,2060 litre	72,809 %	107,6347 litre	O
140	CM 30	CM 40,5 LEVEL CM	284,2850 litre	71,818 %	111,5557 litre	O
140	CM 30	CM 40 LEVEL CM	280,3378 litre	70,821 %	115,5029 litre	O
140	CM 30	CM 39,5 LEVEL CM	276,3658 litre	69,817 %	119,4749 litre	O
140	CM 30	CM 39 LEVEL CM	272,3705 litre	68,808 %	123,4702 litre	O
140	CM 30	CM 38,5 LEVEL CM	268,3532 litre	67,793 %	127,4875 litre	O
140	CM 30	CM 38 LEVEL CM	264,3152 litre	66,773 %	131,5255 litre	O
140	CM 30	CM 37,5 LEVEL CM	260,2578 litre	65,748 %	135,5829 litre	O
140	CM 30	CM 37 LEVEL CM	256,1823 litre	64,719 %	139,6584 litre	O
140	CM 30	CM 36,5 LEVEL CM	252,0901 litre	63,685 %	143,7506 litre	O
140	CM 30	CM 36 LEVEL CM	247,9823 litre	62,647 %	147,8584 litre	O
140	CM 30	CM 35,5 LEVEL CM	243,8602 litre	61,606 %	151,9805 litre	O
140	CM 30	CM 35 LEVEL CM	239,7251 litre	60,561 %	156,1156 litre	O
140	CM 30	CM 34,5 LEVEL CM	235,5781 litre	59,513 %	160,2626 litre	O

140	CM	30	CM	34 LEVEL CM	231,4205 litre	58,463 %	164,4202 litre	O
140	CM	30	CM	33,5 LEVEL CM	227,2535 litre	57,410 %	168,5872 litre	O
140	CM	30	CM	33 LEVEL CM	223,0783 litre	56,356 %	172,7624 litre	O
140	CM	30	CM	32,5 LEVEL CM	218,8960 litre	55,299 %	176,9447 litre	O
140	CM	30	CM	32 LEVEL CM	214,7079 litre	54,241 %	181,1328 litre	O
140	CM	30	CM	31,5 LEVEL CM	210,5151 litre	53,182 %	185,3256 litre	O
140	CM	30	CM	31 LEVEL CM	206,3188 litre	52,122 %	189,5219 litre	O
140	CM	30	CM	30,5 LEVEL CM	202,1201 litre	51,061 %	193,7206 litre	O
140	CM	30	CM	30 LEVEL CM	197,9203 litre	50,000 %	197,9204 litre	O
140	CM	30	CM	29,5 LEVEL CM	193,7205 litre	48,939 %	202,1202 litre	O
140	CM	30	CM	29 LEVEL CM	189,5219 litre	47,878 %	206,3188 litre	O
140	CM	30	CM	28,5 LEVEL CM	185,3256 litre	46,818 %	210,5151 litre	O
140	CM	30	CM	28 LEVEL CM	181,1328 litre	45,759 %	214,7079 litre	O
140	CM	30	CM	27,5 LEVEL CM	176,9447 litre	44,701 %	218,8960 litre	O
140	CM	30	CM	27 LEVEL CM	172,7624 litre	43,644 %	223,0783 litre	O
140	CM	30	CM	26,5 LEVEL CM	168,5872 litre	42,590 %	227,2535 litre	O
140	CM	30	CM	26 LEVEL CM	164,4202 litre	41,537 %	231,4205 litre	O
140	CM	30	CM	25,5 LEVEL CM	160,2626 litre	40,487 %	235,5781 litre	O
140	CM	30	CM	25 LEVEL CM	156,1156 litre	39,439 %	239,7251 litre	O
140	CM	30	CM	24,5 LEVEL CM	151,9805 litre	38,394 %	243,8602 litre	O
140	CM	30	CM	24 LEVEL CM	147,8584 litre	37,353 %	247,9823 litre	O
140	CM	30	CM	23,5 LEVEL CM	143,7506 litre	36,315 %	252,0901 litre	O
140	CM	30	CM	23 LEVEL CM	139,6583 litre	35,281 %	256,1824 litre	O
140	CM	30	CM	22,5 LEVEL CM	135,5829 litre	34,252 %	260,2578 litre	O
140	CM	30	CM	22 LEVEL CM	131,5255 litre	33,227 %	264,3152 litre	O
140	CM	30	CM	21,5 LEVEL CM	127,4875 litre	32,207 %	268,3532 litre	O
140	CM	30	CM	21 LEVEL CM	123,4702 litre	31,192 %	272,3705 litre	O
140	CM	30	CM	20,5 LEVEL CM	119,4748 litre	30,183 %	276,3659 litre	O
140	CM	30	CM	20 LEVEL CM	115,5029 litre	29,179 %	280,3378 litre	O
140	CM	30	CM	19,5 LEVEL CM	111,5557 litre	28,182 %	284,2850 litre	O
140	CM	30	CM	19 LEVEL CM	107,6347 litre	27,191 %	288,2060 litre	O
140	CM	30	CM	18,5 LEVEL CM	103,7412 litre	26,208 %	292,0995 litre	O
140	CM	30	CM	18 LEVEL CM	99,8769 litre	25,232 %	295,9638 litre	O
140	CM	30	CM	17,5 LEVEL CM	96,0430 litre	24,263 %	299,7977 litre	O
140	CM	30	CM	17 LEVEL CM	92,2413 litre	23,303 %	303,5994 litre	O
140	CM	30	CM	16,5 LEVEL CM	88,4732 litre	22,351 %	307,3675 litre	O
140	CM	30	CM	16 LEVEL CM	84,7404 litre	21,408 %	311,1003 litre	O
140	CM	30	CM	15,5 LEVEL CM	81,0445 litre	20,474 %	314,7962 litre	O
140	CM	30	CM	15 LEVEL CM	77,3873 litre	19,550 %	318,4534 litre	O
140	CM	30	CM	14,5 LEVEL CM	73,7705 litre	18,636 %	322,0702 litre	O
140	CM	30	CM	14 LEVEL CM	70,1959 litre	17,733 %	325,6448 litre	O
140	CM	30	CM	13,5 LEVEL CM	66,6655 litre	16,842 %	329,1752 litre	O
140	CM	30	CM	13 LEVEL CM	63,1812 litre	15,961 %	332,6595 litre	O
140	CM	30	CM	12,5 LEVEL CM	59,7451 litre	15,093 %	336,0956 litre	O
140	CM	30	CM	12 LEVEL CM	56,3592 litre	14,238 %	339,4815 litre	O
140	CM	30	CM	11,5 LEVEL CM	53,0258 litre	13,396 %	342,8149 litre	O
140	CM	30	CM	11 LEVEL CM	49,7473 litre	12,568 %	346,0934 litre	O
140	CM	30	CM	10,5 LEVEL CM	46,5261 litre	11,754 %	349,3146 litre	O
140	CM	30	CM	10 LEVEL CM	43,3647 litre	10,955 %	352,4760 litre	O
140	CM	30	CM	9,5 LEVEL CM	40,2660 litre	10,172 %	355,5747 litre	O
140	CM	30	CM	9 LEVEL CM	37,2329 litre	9,406 %	358,6078 litre	O
140	CM	30	CM	8,5 LEVEL CM	34,2683 litre	8,657 %	361,5724 litre	O
140	CM	30	CM	8 LEVEL CM	31,3757 litre	7,926 %	364,4650 litre	O

140	CM 30	CM	7,5 LEVEL CM	28,5586 litre	7,215 %	367,2821 litre	O
140	CM 30	CM	7 LEVEL CM	25,8210 litre	6,523 %	370,0197 litre	O
140	CM 30	CM	6,5 LEVEL CM	23,1669 litre	5,853 %	372,6738 litre	O
140	CM 30	CM	6 LEVEL CM	20,6011 litre	5,204 %	375,2396 litre	O
140	CM 30	CM	5,5 LEVEL CM	18,1287 litre	4,580 %	377,7120 litre	O
140	CM 30	CM	5 LEVEL CM	15,7554 litre	3,980 %	380,0853 litre	O
140	CM 30	CM	4,5 LEVEL CM	13,4878 litre	3,407 %	382,3529 litre	O
140	CM 30	CM	4 LEVEL CM	11,3331 litre	2,863 %	384,5076 litre	O
140	CM 30	CM	3,5 LEVEL CM	9,3002 litre	2,349 %	386,5405 litre	O
140	CM 30	CM	3 LEVEL CM	7,3995 litre	1,869 %	388,4412 litre	O
140	CM 30	CM	2,5 LEVEL CM	5,6435 litre	1,426 %	390,1972 litre	O
140	CM 30	CM	2 LEVEL CM	4,0485 litre	1,023 %	391,7922 litre	O
140	CM 30	CM	1,5 LEVEL CM	2,6363 litre	0,666 %	393,2044 litre	O
140	CM 30	CM	1 LEVEL CM	1,4387 litre	0,363 %	394,4020 litre	O
140	CM 30	CM	0,5 LEVEL CM	0,5099 litre	0,129 %	395,3308 litre	O
140	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	395,8407 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
140	CM	25	CM	50 LEVEL CM	274,8894 litre	100,000 %	0,0000 litre	O
140	CM	25	CM	49,5 LEVEL CM	274,4241 litre	99,831 %	0,4653 litre	O
140	CM	25	CM	49 LEVEL CM	273,5774 litre	99,523 %	1,3120 litre	O
140	CM	25	CM	48,5 LEVEL CM	272,4864 litre	99,126 %	2,4030 litre	O
140	CM	25	CM	48 LEVEL CM	271,2011 litre	98,658 %	3,6883 litre	O
140	CM	25	CM	47,5 LEVEL CM	269,7508 litre	98,131 %	5,1386 litre	O
140	CM	25	CM	47 LEVEL CM	268,1556 litre	97,550 %	6,7338 litre	O
140	CM	25	CM	46,5 LEVEL CM	266,4304 litre	96,923 %	8,4590 litre	O
140	CM	25	CM	46 LEVEL CM	264,5871 litre	96,252 %	10,3023 litre	O
140	CM	25	CM	45,5 LEVEL CM	262,6352 litre	95,542 %	12,2542 litre	O
140	CM	25	CM	45 LEVEL CM	260,5830 litre	94,796 %	14,3064 litre	O
140	CM	25	CM	44,5 LEVEL CM	258,4374 litre	94,015 %	16,4520 litre	O
140	CM	25	CM	44 LEVEL CM	256,2045 litre	93,203 %	18,6849 litre	O
140	CM	25	CM	43,5 LEVEL CM	253,8896 litre	92,361 %	20,9998 litre	O
140	CM	25	CM	43 LEVEL CM	251,4977 litre	91,491 %	23,3917 litre	O
140	CM	25	CM	42,5 LEVEL CM	249,0332 litre	90,594 %	25,8562 litre	O
140	CM	25	CM	42 LEVEL CM	246,5000 litre	89,672 %	28,3894 litre	O
140	CM	25	CM	41,5 LEVEL CM	243,9019 litre	88,727 %	30,9875 litre	O
140	CM	25	CM	41 LEVEL CM	241,2423 litre	87,760 %	33,6471 litre	O
140	CM	25	CM	40,5 LEVEL CM	238,5243 litre	86,771 %	36,3651 litre	O
140	CM	25	CM	40 LEVEL CM	235,7510 litre	85,762 %	39,1384 litre	O
140	CM	25	CM	39,5 LEVEL CM	232,9252 litre	84,734 %	41,9642 litre	O
140	CM	25	CM	39 LEVEL CM	230,0496 litre	83,688 %	44,8398 litre	O
140	CM	25	CM	38,5 LEVEL CM	227,1266 litre	82,625 %	47,7628 litre	O
140	CM	25	CM	38 LEVEL CM	224,1587 litre	81,545 %	50,7307 litre	O
140	CM	25	CM	37,5 LEVEL CM	221,1482 litre	80,450 %	53,7412 litre	O
140	CM	25	CM	37 LEVEL CM	218,0972 litre	79,340 %	56,7922 litre	O
140	CM	25	CM	36,5 LEVEL CM	215,0080 litre	78,216 %	59,8814 litre	O
140	CM	25	CM	36 LEVEL CM	211,8825 litre	77,079 %	63,0069 litre	O
140	CM	25	CM	35,5 LEVEL CM	208,7227 litre	75,930 %	66,1667 litre	O
140	CM	25	CM	35 LEVEL CM	205,5304 litre	74,768 %	69,3590 litre	O
140	CM	25	CM	34,5 LEVEL CM	202,3077 litre	73,596 %	72,5817 litre	O
140	CM	25	CM	34 LEVEL CM	199,0561 litre	72,413 %	75,8333 litre	O
140	CM	25	CM	33,5 LEVEL CM	195,7776 litre	71,220 %	79,1118 litre	O
140	CM	25	CM	33 LEVEL CM	192,4737 litre	70,019 %	82,4157 litre	O
140	CM	25	CM	32,5 LEVEL CM	189,1462 litre	68,808 %	85,7432 litre	O
140	CM	25	CM	32 LEVEL CM	185,7967 litre	67,590 %	89,0927 litre	O
140	CM	25	CM	31,5 LEVEL CM	182,4267 litre	66,364 %	92,4627 litre	O
140	CM	25	CM	31 LEVEL CM	179,0379 litre	65,131 %	95,8515 litre	O
140	CM	25	CM	30,5 LEVEL CM	175,6318 litre	63,892 %	99,2576 litre	O
140	CM	25	CM	30 LEVEL CM	172,2099 litre	62,647 %	102,6795 litre	O
140	CM	25	CM	29,5 LEVEL CM	168,7737 litre	61,397 %	106,1157 litre	O
140	CM	25	CM	29 LEVEL CM	165,3247 litre	60,142 %	109,5647 litre	O
140	CM	25	CM	28,5 LEVEL CM	161,8644 litre	58,883 %	113,0250 litre	O
140	CM	25	CM	28 LEVEL CM	158,3942 litre	57,621 %	116,4952 litre	O
140	CM	25	CM	27,5 LEVEL CM	154,9155 litre	56,356 %	119,9739 litre	O
140	CM	25	CM	27 LEVEL CM	151,4297 litre	55,088 %	123,4597 litre	O
140	CM	25	CM	26,5 LEVEL CM	147,9384 litre	53,817 %	126,9510 litre	O
140	CM	25	CM	26 LEVEL CM	144,4428 litre	52,546 %	130,4466 litre	O
140	CM	25	CM	25,5 LEVEL CM	140,9444 litre	51,273 %	133,9450 litre	O
140	CM	25	CM	25 LEVEL CM	137,4447 litre	50,000 %	137,4447 litre	O
140	CM	25	CM	24,5 LEVEL CM	133,9449 litre	48,727 %	140,9445 litre	O

140	CM	25	CM	24 LEVEL CM	130,4465 litre	47,454 %	144,4429 litre	O
140	CM	25	CM	23,5 LEVEL CM	126,9510 litre	46,183 %	147,9384 litre	O
140	CM	25	CM	23 LEVEL CM	123,4596 litre	44,912 %	151,4298 litre	O
140	CM	25	CM	22,5 LEVEL CM	119,9739 litre	43,644 %	154,9155 litre	O
140	CM	25	CM	22 LEVEL CM	116,4952 litre	42,379 %	158,3942 litre	O
140	CM	25	CM	21,5 LEVEL CM	113,0249 litre	41,117 %	161,8645 litre	O
140	CM	25	CM	21 LEVEL CM	109,5646 litre	39,858 %	165,3248 litre	O
140	CM	25	CM	20,5 LEVEL CM	106,1156 litre	38,603 %	168,7738 litre	O
140	CM	25	CM	20 LEVEL CM	102,6794 litre	37,353 %	172,2100 litre	O
140	CM	25	CM	19,5 LEVEL CM	99,2575 litre	36,108 %	175,6319 litre	O
140	CM	25	CM	19 LEVEL CM	95,8514 litre	34,869 %	179,0380 litre	O
140	CM	25	CM	18,5 LEVEL CM	92,4626 litre	33,636 %	182,4268 litre	O
140	CM	25	CM	18 LEVEL CM	89,0927 litre	32,410 %	185,7967 litre	O
140	CM	25	CM	17,5 LEVEL CM	85,7432 litre	31,192 %	189,1462 litre	O
140	CM	25	CM	17 LEVEL CM	82,4157 litre	29,981 %	192,4737 litre	O
140	CM	25	CM	16,5 LEVEL CM	79,1118 litre	28,779 %	195,7776 litre	O
140	CM	25	CM	16 LEVEL CM	75,8332 litre	27,587 %	199,0562 litre	O
140	CM	25	CM	15,5 LEVEL CM	72,5817 litre	26,404 %	202,3077 litre	O
140	CM	25	CM	15 LEVEL CM	69,3589 litre	25,232 %	205,5305 litre	O
140	CM	25	CM	14,5 LEVEL CM	66,1667 litre	24,070 %	208,7227 litre	O
140	CM	25	CM	14 LEVEL CM	63,0069 litre	22,921 %	211,8825 litre	O
140	CM	25	CM	13,5 LEVEL CM	59,8814 litre	21,784 %	215,0080 litre	O
140	CM	25	CM	13 LEVEL CM	56,7921 litre	20,660 %	218,0973 litre	O
140	CM	25	CM	12,5 LEVEL CM	53,7412 litre	19,550 %	221,1482 litre	O
140	CM	25	CM	12 LEVEL CM	50,7307 litre	18,455 %	224,1587 litre	O
140	CM	25	CM	11,5 LEVEL CM	47,7628 litre	17,375 %	227,1266 litre	O
140	CM	25	CM	11 LEVEL CM	44,8398 litre	16,312 %	230,0496 litre	O
140	CM	25	CM	10,5 LEVEL CM	41,9641 litre	15,266 %	232,9253 litre	O
140	CM	25	CM	10 LEVEL CM	39,1383 litre	14,238 %	235,7511 litre	O
140	CM	25	CM	9,5 LEVEL CM	36,3650 litre	13,229 %	238,5244 litre	O
140	CM	25	CM	9 LEVEL CM	33,6471 litre	12,240 %	241,2423 litre	O
140	CM	25	CM	8,5 LEVEL CM	30,9874 litre	11,273 %	243,9020 litre	O
140	CM	25	CM	8 LEVEL CM	28,3893 litre	10,328 %	246,5001 litre	O
140	CM	25	CM	7,5 LEVEL CM	25,8561 litre	9,406 %	249,0333 litre	O
140	CM	25	CM	7 LEVEL CM	23,3916 litre	8,509 %	251,4978 litre	O
140	CM	25	CM	6,5 LEVEL CM	20,9997 litre	7,639 %	253,8897 litre	O
140	CM	25	CM	6 LEVEL CM	18,6849 litre	6,797 %	256,2045 litre	O
140	CM	25	CM	5,5 LEVEL CM	16,4520 litre	5,985 %	258,4374 litre	O
140	CM	25	CM	5 LEVEL CM	14,3063 litre	5,204 %	260,5831 litre	O
140	CM	25	CM	4,5 LEVEL CM	12,2541 litre	4,458 %	262,6353 litre	O
140	CM	25	CM	4 LEVEL CM	10,3023 litre	3,748 %	264,5871 litre	O
140	CM	25	CM	3,5 LEVEL CM	8,4590 litre	3,077 %	266,4304 litre	O
140	CM	25	CM	3 LEVEL CM	6,7338 litre	2,450 %	268,1556 litre	O
140	CM	25	CM	2,5 LEVEL CM	5,1385 litre	1,869 %	269,7509 litre	O
140	CM	25	CM	2 LEVEL CM	3,6882 litre	1,342 %	271,2012 litre	O
140	CM	25	CM	1,5 LEVEL CM	2,4029 litre	0,874 %	272,4865 litre	O
140	CM	25	CM	1 LEVEL CM	1,3120 litre	0,477 %	273,5774 litre	O
140	CM	25	CM	0,5 LEVEL CM	0,4653 litre	0,169 %	274,4241 litre	O
140	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	274,8894 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
130	CM	50	CM 100 LEVEL CM	1021,0176 litre	100,000 %	0,0000 litre	O
130	CM	50	CM 99,5 LEVEL CM	1020,4057 litre	99,940 %	0,6119 litre	O
130	CM	50	CM 99 LEVEL CM	1019,2895 litre	99,831 %	1,7281 litre	O
130	CM	50	CM 98,5 LEVEL CM	1017,8476 litre	99,690 %	3,1700 litre	O
130	CM	50	CM 98 LEVEL CM	1016,1445 litre	99,523 %	4,8731 litre	O
130	CM	50	CM 97,5 LEVEL CM	1014,2176 litre	99,334 %	6,8000 litre	O
130	CM	50	CM 97 LEVEL CM	1012,0924 litre	99,126 %	8,9252 litre	O
130	CM	50	CM 96,5 LEVEL CM	1009,7878 litre	98,900 %	11,2298 litre	O
130	CM	50	CM 96 LEVEL CM	1007,3186 litre	98,658 %	13,6990 litre	O
130	CM	50	CM 95,5 LEVEL CM	1004,6965 litre	98,401 %	16,3211 litre	O
130	CM	50	CM 95 LEVEL CM	1001,9317 litre	98,131 %	19,0859 litre	O
130	CM	50	CM 94,5 LEVEL CM	999,0326 litre	97,847 %	21,9850 litre	O
130	CM	50	CM 94 LEVEL CM	996,0065 litre	97,550 %	25,0111 litre	O
130	CM	50	CM 93,5 LEVEL CM	992,8599 litre	97,242 %	28,1577 litre	O
130	CM	50	CM 93 LEVEL CM	989,5986 litre	96,923 %	31,4190 litre	O
130	CM	50	CM 92,5 LEVEL CM	986,2277 litre	96,593 %	34,7899 litre	O
130	CM	50	CM 92 LEVEL CM	982,7519 litre	96,252 %	38,2657 litre	O
130	CM	50	CM 91,5 LEVEL CM	979,1755 litre	95,902 %	41,8421 litre	O
130	CM	50	CM 91 LEVEL CM	975,5023 litre	95,542 %	45,5153 litre	O
130	CM	50	CM 90,5 LEVEL CM	971,7359 litre	95,173 %	49,2817 litre	O
130	CM	50	CM 90 LEVEL CM	967,8798 litre	94,796 %	53,1378 litre	O
130	CM	50	CM 89,5 LEVEL CM	963,9369 litre	94,409 %	57,0807 litre	O
130	CM	50	CM 89 LEVEL CM	959,9103 litre	94,015 %	61,1073 litre	O
130	CM	50	CM 88,5 LEVEL CM	955,8027 litre	93,613 %	65,2149 litre	O
130	CM	50	CM 88 LEVEL CM	951,6166 litre	93,203 %	69,4010 litre	O
130	CM	50	CM 87,5 LEVEL CM	947,3545 litre	92,785 %	73,6631 litre	O
130	CM	50	CM 87 LEVEL CM	943,0186 litre	92,361 %	77,9990 litre	O
130	CM	50	CM 86,5 LEVEL CM	938,6113 litre	91,929 %	82,4063 litre	O
130	CM	50	CM 86 LEVEL CM	934,1345 litre	91,491 %	86,8831 litre	O
130	CM	50	CM 85,5 LEVEL CM	929,5903 litre	91,045 %	91,4273 litre	O
130	CM	50	CM 85 LEVEL CM	924,9805 litre	90,594 %	96,0371 litre	O
130	CM	50	CM 84,5 LEVEL CM	920,3070 litre	90,136 %	100,7106 litre	O
130	CM	50	CM 84 LEVEL CM	915,5715 litre	89,672 %	105,4461 litre	O
130	CM	50	CM 83,5 LEVEL CM	910,7758 litre	89,203 %	110,2418 litre	O
130	CM	50	CM 83 LEVEL CM	905,9214 litre	88,727 %	115,0962 litre	O
130	CM	50	CM 82,5 LEVEL CM	901,0098 litre	88,246 %	120,0078 litre	O
130	CM	50	CM 82 LEVEL CM	896,0427 litre	87,760 %	124,9749 litre	O
130	CM	50	CM 81,5 LEVEL CM	891,0215 litre	87,268 %	129,9961 litre	O
130	CM	50	CM 81 LEVEL CM	885,9474 litre	86,771 %	135,0702 litre	O
130	CM	50	CM 80,5 LEVEL CM	880,8221 litre	86,269 %	140,1955 litre	O
130	CM	50	CM 80 LEVEL CM	875,6467 litre	85,762 %	145,3709 litre	O
130	CM	50	CM 79,5 LEVEL CM	870,4225 litre	85,250 %	150,5951 litre	O
130	CM	50	CM 79 LEVEL CM	865,1508 litre	84,734 %	155,8668 litre	O
130	CM	50	CM 78,5 LEVEL CM	859,8329 litre	84,213 %	161,1847 litre	O
130	CM	50	CM 78 LEVEL CM	854,4698 litre	83,688 %	166,5478 litre	O
130	CM	50	CM 77,5 LEVEL CM	849,0629 litre	83,158 %	171,9547 litre	O
130	CM	50	CM 77 LEVEL CM	843,6131 litre	82,625 %	177,4045 litre	O
130	CM	50	CM 76,5 LEVEL CM	838,1216 litre	82,087 %	182,8960 litre	O
130	CM	50	CM 76 LEVEL CM	832,5895 litre	81,545 %	188,4281 litre	O
130	CM	50	CM 75,5 LEVEL CM	827,0178 litre	80,999 %	193,9998 litre	O
130	CM	50	CM 75 LEVEL CM	821,4075 litre	80,450 %	199,6101 litre	O
130	CM	50	CM 74,5 LEVEL CM	815,7598 litre	79,897 %	205,2578 litre	O

130	CM	50	CM	74 LEVEL CM	810,0755 litre	79,340 %	210,9421 litre	O
130	CM	50	CM	73,5 LEVEL CM	804,3556 litre	78,780 %	216,6620 litre	O
130	CM	50	CM	73 LEVEL CM	798,6011 litre	78,216 %	222,4165 litre	O
130	CM	50	CM	72,5 LEVEL CM	792,8130 litre	77,649 %	228,2046 litre	O
130	CM	50	CM	72 LEVEL CM	786,9921 litre	77,079 %	234,0255 litre	O
130	CM	50	CM	71,5 LEVEL CM	781,1393 litre	76,506 %	239,8783 litre	O
130	CM	50	CM	71 LEVEL CM	775,2556 litre	75,930 %	245,7620 litre	O
130	CM	50	CM	70,5 LEVEL CM	769,3418 litre	75,350 %	251,6758 litre	O
130	CM	50	CM	70 LEVEL CM	763,3987 litre	74,768 %	257,6189 litre	O
130	CM	50	CM	69,5 LEVEL CM	757,4274 litre	74,184 %	263,5902 litre	O
130	CM	50	CM	69 LEVEL CM	751,4284 litre	73,596 %	269,5892 litre	O
130	CM	50	CM	68,5 LEVEL CM	745,4028 litre	73,006 %	275,6148 litre	O
130	CM	50	CM	68 LEVEL CM	739,3513 litre	72,413 %	281,6663 litre	O
130	CM	50	CM	67,5 LEVEL CM	733,2747 litre	71,818 %	287,7429 litre	O
130	CM	50	CM	67 LEVEL CM	727,1738 litre	71,220 %	293,8438 litre	O
130	CM	50	CM	66,5 LEVEL CM	721,0494 litre	70,621 %	299,9682 litre	O
130	CM	50	CM	66 LEVEL CM	714,9023 litre	70,019 %	306,1153 litre	O
130	CM	50	CM	65,5 LEVEL CM	708,7332 litre	69,414 %	312,2844 litre	O
130	CM	50	CM	65 LEVEL CM	702,5430 litre	68,808 %	318,4746 litre	O
130	CM	50	CM	64,5 LEVEL CM	696,3323 litre	68,200 %	324,6853 litre	O
130	CM	50	CM	64 LEVEL CM	690,1019 litre	67,590 %	330,9157 litre	O
130	CM	50	CM	63,5 LEVEL CM	683,8525 litre	66,978 %	337,1651 litre	O
130	CM	50	CM	63 LEVEL CM	677,5850 litre	66,364 %	343,4326 litre	O
130	CM	50	CM	62,5 LEVEL CM	671,2999 litre	65,748 %	349,7177 litre	O
130	CM	50	CM	62 LEVEL CM	664,9980 litre	65,131 %	356,0196 litre	O
130	CM	50	CM	61,5 LEVEL CM	658,6801 litre	64,512 %	362,3375 litre	O
130	CM	50	CM	61 LEVEL CM	652,3467 litre	63,892 %	368,6709 litre	O
130	CM	50	CM	60,5 LEVEL CM	645,9988 litre	63,270 %	375,0188 litre	O
130	CM	50	CM	60 LEVEL CM	639,6369 litre	62,647 %	381,3807 litre	O
130	CM	50	CM	59,5 LEVEL CM	633,2617 litre	62,023 %	387,7559 litre	O
130	CM	50	CM	59 LEVEL CM	626,8739 litre	61,397 %	394,1437 litre	O
130	CM	50	CM	58,5 LEVEL CM	620,4742 litre	60,770 %	400,5434 litre	O
130	CM	50	CM	58 LEVEL CM	614,0634 litre	60,142 %	406,9542 litre	O
130	CM	50	CM	57,5 LEVEL CM	607,6419 litre	59,513 %	413,3757 litre	O
130	CM	50	CM	57 LEVEL CM	601,2107 litre	58,883 %	419,8069 litre	O
130	CM	50	CM	56,5 LEVEL CM	594,7702 litre	58,253 %	426,2474 litre	O
130	CM	50	CM	56 LEVEL CM	588,3212 litre	57,621 %	432,6964 litre	O
130	CM	50	CM	55,5 LEVEL CM	581,8644 litre	56,989 %	439,1532 litre	O
130	CM	50	CM	55 LEVEL CM	575,4003 litre	56,356 %	445,6173 litre	O
130	CM	50	CM	54,5 LEVEL CM	568,9297 litre	55,722 %	452,0879 litre	O
130	CM	50	CM	54 LEVEL CM	562,4533 litre	55,088 %	458,5643 litre	O
130	CM	50	CM	53,5 LEVEL CM	555,9716 litre	54,453 %	465,0460 litre	O
130	CM	50	CM	53 LEVEL CM	549,4854 litre	53,817 %	471,5322 litre	O
130	CM	50	CM	52,5 LEVEL CM	542,9953 litre	53,182 %	478,0223 litre	O
130	CM	50	CM	52 LEVEL CM	536,5019 litre	52,546 %	484,5157 litre	O
130	CM	50	CM	51,5 LEVEL CM	530,0059 litre	51,910 %	491,0117 litre	O
130	CM	50	CM	51 LEVEL CM	523,5079 litre	51,273 %	497,5097 litre	O
130	CM	50	CM	50,5 LEVEL CM	517,0087 litre	50,637 %	504,0089 litre	O
130	CM	50	CM	50 LEVEL CM	510,5088 litre	50,000 %	510,5088 litre	O
130	CM	50	CM	49,5 LEVEL CM	504,0089 litre	49,363 %	517,0087 litre	O
130	CM	50	CM	49 LEVEL CM	497,5097 litre	48,727 %	523,5079 litre	O
130	CM	50	CM	48,5 LEVEL CM	491,0117 litre	48,090 %	530,0059 litre	O
130	CM	50	CM	48 LEVEL CM	484,5157 litre	47,454 %	536,5019 litre	O

130	CM	50	CM	47,5 LEVEL CM	478,0224 litre	46,818 %	542,9952 litre	O
130	CM	50	CM	47 LEVEL CM	471,5322 litre	46,183 %	549,4854 litre	O
130	CM	50	CM	46,5 LEVEL CM	465,0460 litre	45,547 %	555,9716 litre	O
130	CM	50	CM	46 LEVEL CM	458,5643 litre	44,912 %	562,4533 litre	O
130	CM	50	CM	45,5 LEVEL CM	452,0879 litre	44,278 %	568,9297 litre	O
130	CM	50	CM	45 LEVEL CM	445,6173 litre	43,644 %	575,4003 litre	O
130	CM	50	CM	44,5 LEVEL CM	439,1533 litre	43,011 %	581,8643 litre	O
130	CM	50	CM	44 LEVEL CM	432,6964 litre	42,379 %	588,3212 litre	O
130	CM	50	CM	43,5 LEVEL CM	426,2474 litre	41,747 %	594,7702 litre	O
130	CM	50	CM	43 LEVEL CM	419,8070 litre	41,117 %	601,2106 litre	O
130	CM	50	CM	42,5 LEVEL CM	413,3757 litre	40,487 %	607,6419 litre	O
130	CM	50	CM	42 LEVEL CM	406,9543 litre	39,858 %	614,0633 litre	O
130	CM	50	CM	41,5 LEVEL CM	400,5434 litre	39,230 %	620,4742 litre	O
130	CM	50	CM	41 LEVEL CM	394,1437 litre	38,603 %	626,8739 litre	O
130	CM	50	CM	40,5 LEVEL CM	387,7559 litre	37,977 %	633,2617 litre	O
130	CM	50	CM	40 LEVEL CM	381,3807 litre	37,353 %	639,6369 litre	O
130	CM	50	CM	39,5 LEVEL CM	375,0188 litre	36,730 %	645,9988 litre	O
130	CM	50	CM	39 LEVEL CM	368,6709 litre	36,108 %	652,3467 litre	O
130	CM	50	CM	38,5 LEVEL CM	362,3376 litre	35,488 %	658,6800 litre	O
130	CM	50	CM	38 LEVEL CM	356,0196 litre	34,869 %	664,9980 litre	O
130	CM	50	CM	37,5 LEVEL CM	349,7177 litre	34,252 %	671,2999 litre	O
130	CM	50	CM	37 LEVEL CM	343,4327 litre	33,636 %	677,5849 litre	O
130	CM	50	CM	36,5 LEVEL CM	337,1651 litre	33,022 %	683,8525 litre	O
130	CM	50	CM	36 LEVEL CM	330,9157 litre	32,410 %	690,1019 litre	O
130	CM	50	CM	35,5 LEVEL CM	324,6853 litre	31,800 %	696,3323 litre	O
130	CM	50	CM	35 LEVEL CM	318,4746 litre	31,192 %	702,5430 litre	O
130	CM	50	CM	34,5 LEVEL CM	312,2844 litre	30,586 %	708,7332 litre	O
130	CM	50	CM	34 LEVEL CM	306,1153 litre	29,981 %	714,9023 litre	O
130	CM	50	CM	33,5 LEVEL CM	299,9682 litre	29,379 %	721,0494 litre	O
130	CM	50	CM	33 LEVEL CM	293,8438 litre	28,780 %	727,1738 litre	O
130	CM	50	CM	32,5 LEVEL CM	287,7429 litre	28,182 %	733,2747 litre	O
130	CM	50	CM	32 LEVEL CM	281,6663 litre	27,587 %	739,3513 litre	O
130	CM	50	CM	31,5 LEVEL CM	275,6148 litre	26,994 %	745,4028 litre	O
130	CM	50	CM	31 LEVEL CM	269,5892 litre	26,404 %	751,4284 litre	O
130	CM	50	CM	30,5 LEVEL CM	263,5903 litre	25,816 %	757,4273 litre	O
130	CM	50	CM	30 LEVEL CM	257,6189 litre	25,232 %	763,3987 litre	O
130	CM	50	CM	29,5 LEVEL CM	251,6758 litre	24,650 %	769,3418 litre	O
130	CM	50	CM	29 LEVEL CM	245,7620 litre	24,070 %	775,2556 litre	O
130	CM	50	CM	28,5 LEVEL CM	239,8783 litre	23,494 %	781,1393 litre	O
130	CM	50	CM	28 LEVEL CM	234,0256 litre	22,921 %	786,9920 litre	O
130	CM	50	CM	27,5 LEVEL CM	228,2046 litre	22,351 %	792,8130 litre	O
130	CM	50	CM	27 LEVEL CM	222,4165 litre	21,784 %	798,6011 litre	O
130	CM	50	CM	26,5 LEVEL CM	216,6620 litre	21,220 %	804,3556 litre	O
130	CM	50	CM	26 LEVEL CM	210,9421 litre	20,660 %	810,0755 litre	O
130	CM	50	CM	25,5 LEVEL CM	205,2578 litre	20,103 %	815,7598 litre	O
130	CM	50	CM	25 LEVEL CM	199,6101 litre	19,550 %	821,4075 litre	O
130	CM	50	CM	24,5 LEVEL CM	193,9998 litre	19,001 %	827,0178 litre	O
130	CM	50	CM	24 LEVEL CM	188,4281 litre	18,455 %	832,5895 litre	O
130	CM	50	CM	23,5 LEVEL CM	182,8960 litre	17,913 %	838,1216 litre	O
130	CM	50	CM	23 LEVEL CM	177,4045 litre	17,375 %	843,6131 litre	O
130	CM	50	CM	22,5 LEVEL CM	171,9547 litre	16,842 %	849,0629 litre	O
130	CM	50	CM	22 LEVEL CM	166,5478 litre	16,312 %	854,4698 litre	O
130	CM	50	CM	21,5 LEVEL CM	161,1847 litre	15,787 %	859,8329 litre	O

130	CM	50	CM	21 LEVEL CM	155,8668 litre	15,266 %	865,1508 litre	O
130	CM	50	CM	20,5 LEVEL CM	150,5951 litre	14,750 %	870,4225 litre	O
130	CM	50	CM	20 LEVEL CM	145,3709 litre	14,238 %	875,6467 litre	O
130	CM	50	CM	19,5 LEVEL CM	140,1955 litre	13,731 %	880,8221 litre	O
130	CM	50	CM	19 LEVEL CM	135,0702 litre	13,229 %	885,9474 litre	O
130	CM	50	CM	18,5 LEVEL CM	129,9962 litre	12,732 %	891,0214 litre	O
130	CM	50	CM	18 LEVEL CM	124,9749 litre	12,240 %	896,0427 litre	O
130	CM	50	CM	17,5 LEVEL CM	120,0078 litre	11,754 %	901,0098 litre	O
130	CM	50	CM	17 LEVEL CM	115,0962 litre	11,273 %	905,9214 litre	O
130	CM	50	CM	16,5 LEVEL CM	110,2418 litre	10,797 %	910,7758 litre	O
130	CM	50	CM	16 LEVEL CM	105,4461 litre	10,328 %	915,5715 litre	O
130	CM	50	CM	15,5 LEVEL CM	100,7106 litre	9,864 %	920,3070 litre	O
130	CM	50	CM	15 LEVEL CM	96,0371 litre	9,406 %	924,9805 litre	O
130	CM	50	CM	14,5 LEVEL CM	91,4274 litre	8,955 %	929,5902 litre	O
130	CM	50	CM	14 LEVEL CM	86,8831 litre	8,509 %	934,1345 litre	O
130	CM	50	CM	13,5 LEVEL CM	82,4063 litre	8,071 %	938,6113 litre	O
130	CM	50	CM	13 LEVEL CM	77,9990 litre	7,639 %	943,0186 litre	O
130	CM	50	CM	12,5 LEVEL CM	73,6632 litre	7,215 %	947,3544 litre	O
130	CM	50	CM	12 LEVEL CM	69,4010 litre	6,797 %	951,6166 litre	O
130	CM	50	CM	11,5 LEVEL CM	65,2149 litre	6,387 %	955,8027 litre	O
130	CM	50	CM	11 LEVEL CM	61,1073 litre	5,985 %	959,9103 litre	O
130	CM	50	CM	10,5 LEVEL CM	57,0807 litre	5,591 %	963,9369 litre	O
130	CM	50	CM	10 LEVEL CM	53,1379 litre	5,204 %	967,8797 litre	O
130	CM	50	CM	9,5 LEVEL CM	49,2817 litre	4,827 %	971,7359 litre	O
130	CM	50	CM	9 LEVEL CM	45,5153 litre	4,458 %	975,5023 litre	O
130	CM	50	CM	8,5 LEVEL CM	41,8421 litre	4,098 %	979,1755 litre	O
130	CM	50	CM	8 LEVEL CM	38,2657 litre	3,748 %	982,7519 litre	O
130	CM	50	CM	7,5 LEVEL CM	34,7899 litre	3,407 %	986,2277 litre	O
130	CM	50	CM	7 LEVEL CM	31,4190 litre	3,077 %	989,5986 litre	O
130	CM	50	CM	6,5 LEVEL CM	28,1577 litre	2,758 %	992,8599 litre	O
130	CM	50	CM	6 LEVEL CM	25,0111 litre	2,450 %	996,0065 litre	O
130	CM	50	CM	5,5 LEVEL CM	21,9850 litre	2,153 %	999,0326 litre	O
130	CM	50	CM	5 LEVEL CM	19,0859 litre	1,869 %	1001,9317 litre	O
130	CM	50	CM	4,5 LEVEL CM	16,3211 litre	1,599 %	1004,6965 litre	O
130	CM	50	CM	4 LEVEL CM	13,6991 litre	1,342 %	1007,3185 litre	O
130	CM	50	CM	3,5 LEVEL CM	11,2298 litre	1,100 %	1009,7878 litre	O
130	CM	50	CM	3 LEVEL CM	8,9252 litre	0,874 %	1012,0924 litre	O
130	CM	50	CM	2,5 LEVEL CM	6,8000 litre	0,666 %	1014,2176 litre	O
130	CM	50	CM	2 LEVEL CM	4,8731 litre	0,477 %	1016,1445 litre	O
130	CM	50	CM	1,5 LEVEL CM	3,1700 litre	0,310 %	1017,8476 litre	O
130	CM	50	CM	1 LEVEL CM	1,7281 litre	0,169 %	1019,2895 litre	O
130	CM	50	CM	0,5 LEVEL CM	0,6119 litre	0,060 %	1020,4057 litre	O
130	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	1021,0176 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
130	CM	45	CM 90 LEVEL CM	827,0243 litre	100,000 %	0,0000 litre	O
130	CM	45	CM 89,5 LEVEL CM	826,4439 litre	99,930 %	0,5804 litre	O
130	CM	45	CM 89 LEVEL CM	825,3854 litre	99,802 %	1,6389 litre	O
130	CM	45	CM 88,5 LEVEL CM	824,0185 litre	99,637 %	3,0058 litre	O
130	CM	45	CM 88 LEVEL CM	822,4044 litre	99,441 %	4,6199 litre	O
130	CM	45	CM 87,5 LEVEL CM	820,5787 litre	99,221 %	6,4456 litre	O
130	CM	45	CM 87 LEVEL CM	818,5658 litre	98,977 %	8,4585 litre	O
130	CM	45	CM 86,5 LEVEL CM	816,3835 litre	98,713 %	10,6408 litre	O
130	CM	45	CM 86 LEVEL CM	814,0460 litre	98,431 %	12,9783 litre	O
130	CM	45	CM 85,5 LEVEL CM	811,5647 litre	98,131 %	15,4596 litre	O
130	CM	45	CM 85 LEVEL CM	808,9490 litre	97,814 %	18,0753 litre	O
130	CM	45	CM 84,5 LEVEL CM	806,2071 litre	97,483 %	20,8172 litre	O
130	CM	45	CM 84 LEVEL CM	803,3461 litre	97,137 %	23,6782 litre	O
130	CM	45	CM 83,5 LEVEL CM	800,3721 litre	96,777 %	26,6522 litre	O
130	CM	45	CM 83 LEVEL CM	797,2906 litre	96,405 %	29,7337 litre	O
130	CM	45	CM 82,5 LEVEL CM	794,1066 litre	96,020 %	32,9177 litre	O
130	CM	45	CM 82 LEVEL CM	790,8246 litre	95,623 %	36,1997 litre	O
130	CM	45	CM 81,5 LEVEL CM	787,4487 litre	95,215 %	39,5756 litre	O
130	CM	45	CM 81 LEVEL CM	783,9826 litre	94,796 %	43,0417 litre	O
130	CM	45	CM 80,5 LEVEL CM	780,4298 litre	94,366 %	46,5945 litre	O
130	CM	45	CM 80 LEVEL CM	776,7936 litre	93,926 %	50,2307 litre	O
130	CM	45	CM 79,5 LEVEL CM	773,0769 litre	93,477 %	53,9474 litre	O
130	CM	45	CM 79 LEVEL CM	769,2825 litre	93,018 %	57,7418 litre	O
130	CM	45	CM 78,5 LEVEL CM	765,4132 litre	92,550 %	61,6111 litre	O
130	CM	45	CM 78 LEVEL CM	761,4714 litre	92,074 %	65,5529 litre	O
130	CM	45	CM 77,5 LEVEL CM	757,4595 litre	91,589 %	69,5648 litre	O
130	CM	45	CM 77 LEVEL CM	753,3797 litre	91,095 %	73,6446 litre	O
130	CM	45	CM 76,5 LEVEL CM	749,2342 litre	90,594 %	77,7901 litre	O
130	CM	45	CM 76 LEVEL CM	745,0249 litre	90,085 %	81,9994 litre	O
130	CM	45	CM 75,5 LEVEL CM	740,7539 litre	89,569 %	86,2704 litre	O
130	CM	45	CM 75 LEVEL CM	736,4229 litre	89,045 %	90,6014 litre	O
130	CM	45	CM 74,5 LEVEL CM	732,0338 litre	88,514 %	94,9905 litre	O
130	CM	45	CM 74 LEVEL CM	727,5883 litre	87,977 %	99,4360 litre	O
130	CM	45	CM 73,5 LEVEL CM	723,0879 litre	87,432 %	103,9364 litre	O
130	CM	45	CM 73 LEVEL CM	718,5344 litre	86,882 %	108,4899 litre	O
130	CM	45	CM 72,5 LEVEL CM	713,9292 litre	86,325 %	113,0951 litre	O
130	CM	45	CM 72 LEVEL CM	709,2738 litre	85,762 %	117,7505 litre	O
130	CM	45	CM 71,5 LEVEL CM	704,5697 litre	85,193 %	122,4546 litre	O
130	CM	45	CM 71 LEVEL CM	699,8182 litre	84,619 %	127,2061 litre	O
130	CM	45	CM 70,5 LEVEL CM	695,0206 litre	84,039 %	132,0037 litre	O
130	CM	45	CM 70 LEVEL CM	690,1784 litre	83,453 %	136,8459 litre	O
130	CM	45	CM 69,5 LEVEL CM	685,2927 litre	82,862 %	141,7316 litre	O
130	CM	45	CM 69 LEVEL CM	680,3649 litre	82,267 %	146,6594 litre	O
130	CM	45	CM 68,5 LEVEL CM	675,3960 litre	81,666 %	151,6283 litre	O
130	CM	45	CM 68 LEVEL CM	670,3874 litre	81,060 %	156,6369 litre	O
130	CM	45	CM 67,5 LEVEL CM	665,3401 litre	80,450 %	161,6842 litre	O
130	CM	45	CM 67 LEVEL CM	660,2553 litre	79,835 %	166,7690 litre	O
130	CM	45	CM 66,5 LEVEL CM	655,1340 litre	79,216 %	171,8903 litre	O
130	CM	45	CM 66 LEVEL CM	649,9774 litre	78,592 %	177,0469 litre	O
130	CM	45	CM 65,5 LEVEL CM	644,7865 litre	77,965 %	182,2378 litre	O
130	CM	45	CM 65 LEVEL CM	639,5623 litre	77,333 %	187,4620 litre	O
130	CM	45	CM 64,5 LEVEL CM	634,3059 litre	76,697 %	192,7184 litre	O

130	CM 45	CM	64 LEVEL CM	629,0182 litre	76,058 %	198,0061 litre	O
130	CM 45	CM	63,5 LEVEL CM	623,7003 litre	75,415 %	203,3240 litre	O
130	CM 45	CM	63 LEVEL CM	618,3530 litre	74,768 %	208,6713 litre	O
130	CM 45	CM	62,5 LEVEL CM	612,9773 litre	74,118 %	214,0470 litre	O
130	CM 45	CM	62 LEVEL CM	607,5743 litre	73,465 %	219,4500 litre	O
130	CM 45	CM	61,5 LEVEL CM	602,1447 litre	72,809 %	224,8796 litre	O
130	CM 45	CM	61 LEVEL CM	596,6894 litre	72,149 %	230,3349 litre	O
130	CM 45	CM	60,5 LEVEL CM	591,2095 litre	71,486 %	235,8148 litre	O
130	CM 45	CM	60 LEVEL CM	585,7057 litre	70,821 %	241,3186 litre	O
130	CM 45	CM	59,5 LEVEL CM	580,1789 litre	70,153 %	246,8454 litre	O
130	CM 45	CM	59 LEVEL CM	574,6300 litre	69,482 %	252,3943 litre	O
130	CM 45	CM	58,5 LEVEL CM	569,0598 litre	68,808 %	257,9645 litre	O
130	CM 45	CM	58 LEVEL CM	563,4692 litre	68,132 %	263,5551 litre	O
130	CM 45	CM	57,5 LEVEL CM	557,8590 litre	67,454 %	269,1653 litre	O
130	CM 45	CM	57 LEVEL CM	552,2299 litre	66,773 %	274,7944 litre	O
130	CM 45	CM	56,5 LEVEL CM	546,5829 litre	66,090 %	280,4414 litre	O
130	CM 45	CM	56 LEVEL CM	540,9187 litre	65,405 %	286,1056 litre	O
130	CM 45	CM	55,5 LEVEL CM	535,2381 litre	64,719 %	291,7862 litre	O
130	CM 45	CM	55 LEVEL CM	529,5419 litre	64,030 %	297,4824 litre	O
130	CM 45	CM	54,5 LEVEL CM	523,8309 litre	63,339 %	303,1934 litre	O
130	CM 45	CM	54 LEVEL CM	518,1059 litre	62,647 %	308,9184 litre	O
130	CM 45	CM	53,5 LEVEL CM	512,3675 litre	61,953 %	314,6568 litre	O
130	CM 45	CM	53 LEVEL CM	506,6167 litre	61,258 %	320,4076 litre	O
130	CM 45	CM	52,5 LEVEL CM	500,8542 litre	60,561 %	326,1701 litre	O
130	CM 45	CM	52 LEVEL CM	495,0806 litre	59,863 %	331,9437 litre	O
130	CM 45	CM	51,5 LEVEL CM	489,2968 litre	59,164 %	337,7275 litre	O
130	CM 45	CM	51 LEVEL CM	483,5036 litre	58,463 %	343,5207 litre	O
130	CM 45	CM	50,5 LEVEL CM	477,7016 litre	57,761 %	349,3227 litre	O
130	CM 45	CM	50 LEVEL CM	471,8915 litre	57,059 %	355,1328 litre	O
130	CM 45	CM	49,5 LEVEL CM	466,0743 litre	56,356 %	360,9500 litre	O
130	CM 45	CM	49 LEVEL CM	460,2504 litre	55,651 %	366,7739 litre	O
130	CM 45	CM	48,5 LEVEL CM	454,4208 litre	54,946 %	372,6035 litre	O
130	CM 45	CM	48 LEVEL CM	448,5861 litre	54,241 %	378,4382 litre	O
130	CM 45	CM	47,5 LEVEL CM	442,7471 litre	53,535 %	384,2772 litre	O
130	CM 45	CM	47 LEVEL CM	436,9044 litre	52,828 %	390,1199 litre	O
130	CM 45	CM	46,5 LEVEL CM	431,0589 litre	52,122 %	395,9654 litre	O
130	CM 45	CM	46 LEVEL CM	425,2112 litre	51,415 %	401,8131 litre	O
130	CM 45	CM	45,5 LEVEL CM	419,3620 litre	50,707 %	407,6623 litre	O
130	CM 45	CM	45 LEVEL CM	413,5121 litre	50,000 %	413,5122 litre	O
130	CM 45	CM	44,5 LEVEL CM	407,6623 litre	49,293 %	419,3620 litre	O
130	CM 45	CM	44 LEVEL CM	401,8131 litre	48,585 %	425,2112 litre	O
130	CM 45	CM	43,5 LEVEL CM	395,9654 litre	47,878 %	431,0589 litre	O
130	CM 45	CM	43 LEVEL CM	390,1198 litre	47,172 %	436,9045 litre	O
130	CM 45	CM	42,5 LEVEL CM	384,2772 litre	46,465 %	442,7471 litre	O
130	CM 45	CM	42 LEVEL CM	378,4382 litre	45,759 %	448,5861 litre	O
130	CM 45	CM	41,5 LEVEL CM	372,6035 litre	45,054 %	454,4208 litre	O
130	CM 45	CM	41 LEVEL CM	366,7738 litre	44,349 %	460,2505 litre	O
130	CM 45	CM	40,5 LEVEL CM	360,9500 litre	43,644 %	466,0743 litre	O
130	CM 45	CM	40 LEVEL CM	355,1327 litre	42,941 %	471,8916 litre	O
130	CM 45	CM	39,5 LEVEL CM	349,3227 litre	42,239 %	477,7016 litre	O
130	CM 45	CM	39 LEVEL CM	343,5207 litre	41,537 %	483,5036 litre	O
130	CM 45	CM	38,5 LEVEL CM	337,7274 litre	40,836 %	489,2969 litre	O
130	CM 45	CM	38 LEVEL CM	331,9436 litre	40,137 %	495,0807 litre	O

130	CM 45	CM	37,5 LEVEL CM	326,1701 litre	39,439 %	500,8542 litre	O
130	CM 45	CM	37 LEVEL CM	320,4075 litre	38,742 %	506,6168 litre	O
130	CM 45	CM	36,5 LEVEL CM	314,6567 litre	38,047 %	512,3676 litre	O
130	CM 45	CM	36 LEVEL CM	308,9184 litre	37,353 %	518,1059 litre	O
130	CM 45	CM	35,5 LEVEL CM	303,1934 litre	36,661 %	523,8309 litre	O
130	CM 45	CM	35 LEVEL CM	297,4824 litre	35,970 %	529,5419 litre	O
130	CM 45	CM	34,5 LEVEL CM	291,7862 litre	35,281 %	535,2381 litre	O
130	CM 45	CM	34 LEVEL CM	286,1056 litre	34,595 %	540,9187 litre	O
130	CM 45	CM	33,5 LEVEL CM	280,4414 litre	33,910 %	546,5829 litre	O
130	CM 45	CM	33 LEVEL CM	274,7943 litre	33,227 %	552,2300 litre	O
130	CM 45	CM	32,5 LEVEL CM	269,1653 litre	32,546 %	557,8590 litre	O
130	CM 45	CM	32 LEVEL CM	263,5551 litre	31,868 %	563,4692 litre	O
130	CM 45	CM	31,5 LEVEL CM	257,9644 litre	31,192 %	569,0599 litre	O
130	CM 45	CM	31 LEVEL CM	252,3943 litre	30,518 %	574,6300 litre	O
130	CM 45	CM	30,5 LEVEL CM	246,8454 litre	29,847 %	580,1789 litre	O
130	CM 45	CM	30 LEVEL CM	241,3186 litre	29,179 %	585,7057 litre	O
130	CM 45	CM	29,5 LEVEL CM	235,8148 litre	28,514 %	591,2095 litre	O
130	CM 45	CM	29 LEVEL CM	230,3348 litre	27,851 %	596,6895 litre	O
130	CM 45	CM	28,5 LEVEL CM	224,8796 litre	27,191 %	602,1447 litre	O
130	CM 45	CM	28 LEVEL CM	219,4500 litre	26,535 %	607,5743 litre	O
130	CM 45	CM	27,5 LEVEL CM	214,0469 litre	25,882 %	612,9774 litre	O
130	CM 45	CM	27 LEVEL CM	208,6713 litre	25,232 %	618,3530 litre	O
130	CM 45	CM	26,5 LEVEL CM	203,3240 litre	24,585 %	623,7003 litre	O
130	CM 45	CM	26 LEVEL CM	198,0060 litre	23,942 %	629,0183 litre	O
130	CM 45	CM	25,5 LEVEL CM	192,7184 litre	23,303 %	634,3059 litre	O
130	CM 45	CM	25 LEVEL CM	187,4619 litre	22,667 %	639,5624 litre	O
130	CM 45	CM	24,5 LEVEL CM	182,2378 litre	22,035 %	644,7865 litre	O
130	CM 45	CM	24 LEVEL CM	177,0469 litre	21,408 %	649,9774 litre	O
130	CM 45	CM	23,5 LEVEL CM	171,8902 litre	20,784 %	655,1341 litre	O
130	CM 45	CM	23 LEVEL CM	166,7690 litre	20,165 %	660,2553 litre	O
130	CM 45	CM	22,5 LEVEL CM	161,6842 litre	19,550 %	665,3401 litre	O
130	CM 45	CM	22 LEVEL CM	156,6369 litre	18,940 %	670,3874 litre	O
130	CM 45	CM	21,5 LEVEL CM	151,6282 litre	18,334 %	675,3961 litre	O
130	CM 45	CM	21 LEVEL CM	146,6594 litre	17,733 %	680,3649 litre	O
130	CM 45	CM	20,5 LEVEL CM	141,7315 litre	17,138 %	685,2928 litre	O
130	CM 45	CM	20 LEVEL CM	136,8459 litre	16,547 %	690,1784 litre	O
130	CM 45	CM	19,5 LEVEL CM	132,0036 litre	15,961 %	695,0207 litre	O
130	CM 45	CM	19 LEVEL CM	127,2061 litre	15,381 %	699,8182 litre	O
130	CM 45	CM	18,5 LEVEL CM	122,4546 litre	14,807 %	704,5697 litre	O
130	CM 45	CM	18 LEVEL CM	117,7505 litre	14,238 %	709,2738 litre	O
130	CM 45	CM	17,5 LEVEL CM	113,0951 litre	13,675 %	713,9292 litre	O
130	CM 45	CM	17 LEVEL CM	108,4899 litre	13,118 %	718,5344 litre	O
130	CM 45	CM	16,5 LEVEL CM	103,9363 litre	12,568 %	723,0880 litre	O
130	CM 45	CM	16 LEVEL CM	99,4360 litre	12,023 %	727,5883 litre	O
130	CM 45	CM	15,5 LEVEL CM	94,9905 litre	11,486 %	732,0338 litre	O
130	CM 45	CM	15 LEVEL CM	90,6014 litre	10,955 %	736,4229 litre	O
130	CM 45	CM	14,5 LEVEL CM	86,2704 litre	10,431 %	740,7539 litre	O
130	CM 45	CM	14 LEVEL CM	81,9993 litre	9,915 %	745,0250 litre	O
130	CM 45	CM	13,5 LEVEL CM	77,7901 litre	9,406 %	749,2342 litre	O
130	CM 45	CM	13 LEVEL CM	73,6445 litre	8,905 %	753,3798 litre	O
130	CM 45	CM	12,5 LEVEL CM	69,5647 litre	8,411 %	757,4596 litre	O
130	CM 45	CM	12 LEVEL CM	65,5528 litre	7,926 %	761,4715 litre	O
130	CM 45	CM	11,5 LEVEL CM	61,6110 litre	7,450 %	765,4133 litre	O

130	CM 45	CM	11 LEVEL CM	57,7417 litre	6,982 %	769,2826 litre	O
130	CM 45	CM	10,5 LEVEL CM	53,9474 litre	6,523 %	773,0769 litre	O
130	CM 45	CM	10 LEVEL CM	50,2307 litre	6,074 %	776,7936 litre	O
130	CM 45	CM	9,5 LEVEL CM	46,5945 litre	5,634 %	780,4298 litre	O
130	CM 45	CM	9 LEVEL CM	43,0417 litre	5,204 %	783,9826 litre	O
130	CM 45	CM	8,5 LEVEL CM	39,5756 litre	4,785 %	787,4487 litre	O
130	CM 45	CM	8 LEVEL CM	36,1996 litre	4,377 %	790,8247 litre	O
130	CM 45	CM	7,5 LEVEL CM	32,9176 litre	3,980 %	794,1067 litre	O
130	CM 45	CM	7 LEVEL CM	29,7336 litre	3,595 %	797,2907 litre	O
130	CM 45	CM	6,5 LEVEL CM	26,6522 litre	3,223 %	800,3721 litre	O
130	CM 45	CM	6 LEVEL CM	23,6782 litre	2,863 %	803,3461 litre	O
130	CM 45	CM	5,5 LEVEL CM	20,8171 litre	2,517 %	806,2072 litre	O
130	CM 45	CM	5 LEVEL CM	18,0753 litre	2,186 %	808,9490 litre	O
130	CM 45	CM	4,5 LEVEL CM	15,4596 litre	1,869 %	811,5647 litre	O
130	CM 45	CM	4 LEVEL CM	12,9783 litre	1,569 %	814,0460 litre	O
130	CM 45	CM	3,5 LEVEL CM	10,6408 litre	1,287 %	816,3835 litre	O
130	CM 45	CM	3 LEVEL CM	8,4585 litre	1,023 %	818,5658 litre	O
130	CM 45	CM	2,5 LEVEL CM	6,4456 litre	0,779 %	820,5787 litre	O
130	CM 45	CM	2 LEVEL CM	4,6199 litre	0,559 %	822,4044 litre	O
130	CM 45	CM	1,5 LEVEL CM	3,0058 litre	0,363 %	824,0185 litre	O
130	CM 45	CM	1 LEVEL CM	1,6389 litre	0,198 %	825,3854 litre	O
130	CM 45	CM	0,5 LEVEL CM	0,5804 litre	0,070 %	826,4439 litre	O
130	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	827,0243 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
130	CM 40	CM 80 LEVEL CM	653,4513 litre	100,000 %	0,0000 litre	O
130	CM 40	CM 79,5 LEVEL CM	652,9042 litre	99,916 %	0,5471 litre	O
130	CM 40	CM 79 LEVEL CM	651,9068 litre	99,764 %	1,5445 litre	O
130	CM 40	CM 78,5 LEVEL CM	650,6192 litre	99,567 %	2,8321 litre	O
130	CM 40	CM 78 LEVEL CM	649,0993 litre	99,334 %	4,3520 litre	O
130	CM 40	CM 77,5 LEVEL CM	647,3808 litre	99,071 %	6,0705 litre	O
130	CM 40	CM 77 LEVEL CM	645,4867 litre	98,781 %	7,9646 litre	O
130	CM 40	CM 76,5 LEVEL CM	643,4341 litre	98,467 %	10,0172 litre	O
130	CM 40	CM 76 LEVEL CM	641,2363 litre	98,131 %	12,2150 litre	O
130	CM 40	CM 75,5 LEVEL CM	638,9041 litre	97,774 %	14,5472 litre	O
130	CM 40	CM 75 LEVEL CM	636,4467 litre	97,398 %	17,0046 litre	O
130	CM 40	CM 74,5 LEVEL CM	633,8716 litre	97,004 %	19,5797 litre	O
130	CM 40	CM 74 LEVEL CM	631,1858 litre	96,593 %	22,2655 litre	O
130	CM 40	CM 73,5 LEVEL CM	628,3949 litre	96,166 %	25,0564 litre	O
130	CM 40	CM 73 LEVEL CM	625,5045 litre	95,723 %	27,9468 litre	O
130	CM 40	CM 72,5 LEVEL CM	622,5191 litre	95,266 %	30,9322 litre	O
130	CM 40	CM 72 LEVEL CM	619,4430 litre	94,796 %	34,0083 litre	O
130	CM 40	CM 71,5 LEVEL CM	616,2803 litre	94,312 %	37,1710 litre	O
130	CM 40	CM 71 LEVEL CM	613,0345 litre	93,815 %	40,4168 litre	O
130	CM 40	CM 70,5 LEVEL CM	609,7090 litre	93,306 %	43,7423 litre	O
130	CM 40	CM 70 LEVEL CM	606,3068 litre	92,785 %	47,1445 litre	O
130	CM 40	CM 69,5 LEVEL CM	602,8310 litre	92,253 %	50,6203 litre	O
130	CM 40	CM 69 LEVEL CM	599,2841 litre	91,711 %	54,1672 litre	O
130	CM 40	CM 68,5 LEVEL CM	595,6688 litre	91,157 %	57,7825 litre	O
130	CM 40	CM 68 LEVEL CM	591,9875 litre	90,594 %	61,4638 litre	O
130	CM 40	CM 67,5 LEVEL CM	588,2425 litre	90,021 %	65,2088 litre	O
130	CM 40	CM 67 LEVEL CM	584,4359 litre	89,438 %	69,0154 litre	O
130	CM 40	CM 66,5 LEVEL CM	580,5699 litre	88,847 %	72,8814 litre	O
130	CM 40	CM 66 LEVEL CM	576,6463 litre	88,246 %	76,8050 litre	O
130	CM 40	CM 65,5 LEVEL CM	572,6672 litre	87,637 %	80,7841 litre	O
130	CM 40	CM 65 LEVEL CM	568,6342 litre	87,020 %	84,8171 litre	O
130	CM 40	CM 64,5 LEVEL CM	564,5492 litre	86,395 %	88,9021 litre	O
130	CM 40	CM 64 LEVEL CM	560,4139 litre	85,762 %	93,0374 litre	O
130	CM 40	CM 63,5 LEVEL CM	556,2298 litre	85,122 %	97,2215 litre	O
130	CM 40	CM 63 LEVEL CM	551,9984 litre	84,474 %	101,4529 litre	O
130	CM 40	CM 62,5 LEVEL CM	547,7215 litre	83,820 %	105,7298 litre	O
130	CM 40	CM 62 LEVEL CM	543,4002 litre	83,158 %	110,0511 litre	O
130	CM 40	CM 61,5 LEVEL CM	539,0362 litre	82,491 %	114,4151 litre	O
130	CM 40	CM 61 LEVEL CM	534,6307 litre	81,816 %	118,8206 litre	O
130	CM 40	CM 60,5 LEVEL CM	530,1852 litre	81,136 %	123,2661 litre	O
130	CM 40	CM 60 LEVEL CM	525,7008 litre	80,450 %	127,7505 litre	O
130	CM 40	CM 59,5 LEVEL CM	521,1789 litre	79,758 %	132,2724 litre	O
130	CM 40	CM 59 LEVEL CM	516,6208 litre	79,060 %	136,8305 litre	O
130	CM 40	CM 58,5 LEVEL CM	512,0275 litre	78,357 %	141,4238 litre	O
130	CM 40	CM 58 LEVEL CM	507,4003 litre	77,649 %	146,0510 litre	O
130	CM 40	CM 57,5 LEVEL CM	502,7404 litre	76,936 %	150,7109 litre	O
130	CM 40	CM 57 LEVEL CM	498,0488 litre	76,218 %	155,4025 litre	O
130	CM 40	CM 56,5 LEVEL CM	493,3267 litre	75,496 %	160,1246 litre	O
130	CM 40	CM 56 LEVEL CM	488,5752 litre	74,768 %	164,8761 litre	O
130	CM 40	CM 55,5 LEVEL CM	483,7953 litre	74,037 %	169,6560 litre	O
130	CM 40	CM 55 LEVEL CM	478,9881 litre	73,301 %	174,4632 litre	O
130	CM 40	CM 54,5 LEVEL CM	474,1546 litre	72,562 %	179,2967 litre	O

130	CM 40	CM	54 LEVEL CM	469,2958 litre	71,818 %	184,1555 litre	O
130	CM 40	CM	53,5 LEVEL CM	464,4127 litre	71,071 %	189,0386 litre	O
130	CM 40	CM	53 LEVEL CM	459,5063 litre	70,320 %	193,9450 litre	O
130	CM 40	CM	52,5 LEVEL CM	454,5776 litre	69,566 %	198,8737 litre	O
130	CM 40	CM	52 LEVEL CM	449,6275 litre	68,808 %	203,8238 litre	O
130	CM 40	CM	51,5 LEVEL CM	444,6570 litre	68,047 %	208,7943 litre	O
130	CM 40	CM	51 LEVEL CM	439,6669 litre	67,284 %	213,7844 litre	O
130	CM 40	CM	50,5 LEVEL CM	434,6582 litre	66,517 %	218,7931 litre	O
130	CM 40	CM	50 LEVEL CM	429,6319 litre	65,748 %	223,8194 litre	O
130	CM 40	CM	49,5 LEVEL CM	424,5888 litre	64,976 %	228,8625 litre	O
130	CM 40	CM	49 LEVEL CM	419,5298 litre	64,202 %	233,9215 litre	O
130	CM 40	CM	48,5 LEVEL CM	414,4558 litre	63,426 %	238,9955 litre	O
130	CM 40	CM	48 LEVEL CM	409,3676 litre	62,647 %	244,0837 litre	O
130	CM 40	CM	47,5 LEVEL CM	404,2662 litre	61,866 %	249,1851 litre	O
130	CM 40	CM	47 LEVEL CM	399,1523 litre	61,084 %	254,2990 litre	O
130	CM 40	CM	46,5 LEVEL CM	394,0269 litre	60,299 %	259,4244 litre	O
130	CM 40	CM	46 LEVEL CM	388,8908 litre	59,513 %	264,5605 litre	O
130	CM 40	CM	45,5 LEVEL CM	383,7449 litre	58,726 %	269,7064 litre	O
130	CM 40	CM	45 LEVEL CM	378,5899 litre	57,937 %	274,8614 litre	O
130	CM 40	CM	44,5 LEVEL CM	373,4267 litre	57,147 %	280,0246 litre	O
130	CM 40	CM	44 LEVEL CM	368,2562 litre	56,356 %	285,1951 litre	O
130	CM 40	CM	43,5 LEVEL CM	363,0791 litre	55,563 %	290,3722 litre	O
130	CM 40	CM	43 LEVEL CM	357,8964 litre	54,770 %	295,5549 litre	O
130	CM 40	CM	42,5 LEVEL CM	352,7087 litre	53,976 %	300,7426 litre	O
130	CM 40	CM	42 LEVEL CM	347,5170 litre	53,182 %	305,9343 litre	O
130	CM 40	CM	41,5 LEVEL CM	342,3220 litre	52,387 %	311,1293 litre	O
130	CM 40	CM	41 LEVEL CM	337,1246 litre	51,591 %	316,3267 litre	O
130	CM 40	CM	40,5 LEVEL CM	331,9255 litre	50,796 %	321,5258 litre	O
130	CM 40	CM	40 LEVEL CM	326,7256 litre	50,000 %	326,7257 litre	O
130	CM 40	CM	39,5 LEVEL CM	321,5258 litre	49,204 %	331,9255 litre	O
130	CM 40	CM	39 LEVEL CM	316,3267 litre	48,409 %	337,1246 litre	O
130	CM 40	CM	38,5 LEVEL CM	311,1293 litre	47,613 %	342,3220 litre	O
130	CM 40	CM	38 LEVEL CM	305,9343 litre	46,818 %	347,5170 litre	O
130	CM 40	CM	37,5 LEVEL CM	300,7426 litre	46,024 %	352,7087 litre	O
130	CM 40	CM	37 LEVEL CM	295,5549 litre	45,230 %	357,8964 litre	O
130	CM 40	CM	36,5 LEVEL CM	290,3721 litre	44,437 %	363,0792 litre	O
130	CM 40	CM	36 LEVEL CM	285,1951 litre	43,644 %	368,2562 litre	O
130	CM 40	CM	35,5 LEVEL CM	280,0245 litre	42,853 %	373,4268 litre	O
130	CM 40	CM	35 LEVEL CM	274,8614 litre	42,063 %	378,5899 litre	O
130	CM 40	CM	34,5 LEVEL CM	269,7064 litre	41,274 %	383,7449 litre	O
130	CM 40	CM	34 LEVEL CM	264,5604 litre	40,487 %	388,8909 litre	O
130	CM 40	CM	33,5 LEVEL CM	259,4243 litre	39,701 %	394,0270 litre	O
130	CM 40	CM	33 LEVEL CM	254,2989 litre	38,916 %	399,1524 litre	O
130	CM 40	CM	32,5 LEVEL CM	249,1851 litre	38,134 %	404,2662 litre	O
130	CM 40	CM	32 LEVEL CM	244,0837 litre	37,353 %	409,3676 litre	O
130	CM 40	CM	31,5 LEVEL CM	238,9955 litre	36,574 %	414,4558 litre	O
130	CM 40	CM	31 LEVEL CM	233,9215 litre	35,798 %	419,5298 litre	O
130	CM 40	CM	30,5 LEVEL CM	228,8625 litre	35,024 %	424,5888 litre	O
130	CM 40	CM	30 LEVEL CM	223,8194 litre	34,252 %	429,6319 litre	O
130	CM 40	CM	29,5 LEVEL CM	218,7930 litre	33,483 %	434,6583 litre	O
130	CM 40	CM	29 LEVEL CM	213,7844 litre	32,716 %	439,6669 litre	O
130	CM 40	CM	28,5 LEVEL CM	208,7943 litre	31,953 %	444,6570 litre	O
130	CM 40	CM	28 LEVEL CM	203,8238 litre	31,192 %	449,6275 litre	O

130	CM	40	CM	27,5 LEVEL CM	198,8737 litre	30,434 %	454,5776 litre	O
130	CM	40	CM	27 LEVEL CM	193,9449 litre	29,680 %	459,5064 litre	O
130	CM	40	CM	26,5 LEVEL CM	189,0385 litre	28,929 %	464,4128 litre	O
130	CM	40	CM	26 LEVEL CM	184,1555 litre	28,182 %	469,2958 litre	O
130	CM	40	CM	25,5 LEVEL CM	179,2967 litre	27,438 %	474,1546 litre	O
130	CM	40	CM	25 LEVEL CM	174,4632 litre	26,699 %	478,9881 litre	O
130	CM	40	CM	24,5 LEVEL CM	169,6560 litre	25,963 %	483,7953 litre	O
130	CM	40	CM	24 LEVEL CM	164,8761 litre	25,232 %	488,5752 litre	O
130	CM	40	CM	23,5 LEVEL CM	160,1246 litre	24,504 %	493,3267 litre	O
130	CM	40	CM	23 LEVEL CM	155,4025 litre	23,782 %	498,0488 litre	O
130	CM	40	CM	22,5 LEVEL CM	150,7109 litre	23,064 %	502,7404 litre	O
130	CM	40	CM	22 LEVEL CM	146,0510 litre	22,351 %	507,4003 litre	O
130	CM	40	CM	21,5 LEVEL CM	141,4238 litre	21,643 %	512,0275 litre	O
130	CM	40	CM	21 LEVEL CM	136,8305 litre	20,940 %	516,6208 litre	O
130	CM	40	CM	20,5 LEVEL CM	132,2723 litre	20,242 %	521,1790 litre	O
130	CM	40	CM	20 LEVEL CM	127,7504 litre	19,550 %	525,7009 litre	O
130	CM	40	CM	19,5 LEVEL CM	123,2661 litre	18,864 %	530,1852 litre	O
130	CM	40	CM	19 LEVEL CM	118,8205 litre	18,184 %	534,6308 litre	O
130	CM	40	CM	18,5 LEVEL CM	114,4151 litre	17,509 %	539,0362 litre	O
130	CM	40	CM	18 LEVEL CM	110,0510 litre	16,842 %	543,4003 litre	O
130	CM	40	CM	17,5 LEVEL CM	105,7298 litre	16,180 %	547,7215 litre	O
130	CM	40	CM	17 LEVEL CM	101,4528 litre	15,526 %	551,9985 litre	O
130	CM	40	CM	16,5 LEVEL CM	97,2215 litre	14,878 %	556,2298 litre	O
130	CM	40	CM	16 LEVEL CM	93,0374 litre	14,238 %	560,4139 litre	O
130	CM	40	CM	15,5 LEVEL CM	88,9020 litre	13,605 %	564,5493 litre	O
130	CM	40	CM	15 LEVEL CM	84,8171 litre	12,980 %	568,6342 litre	O
130	CM	40	CM	14,5 LEVEL CM	80,7841 litre	12,363 %	572,6672 litre	O
130	CM	40	CM	14 LEVEL CM	76,8050 litre	11,754 %	576,6463 litre	O
130	CM	40	CM	13,5 LEVEL CM	72,8814 litre	11,153 %	580,5699 litre	O
130	CM	40	CM	13 LEVEL CM	69,0154 litre	10,562 %	584,4359 litre	O
130	CM	40	CM	12,5 LEVEL CM	65,2088 litre	9,979 %	588,2425 litre	O
130	CM	40	CM	12 LEVEL CM	61,4638 litre	9,406 %	591,9875 litre	O
130	CM	40	CM	11,5 LEVEL CM	57,7824 litre	8,843 %	595,6689 litre	O
130	CM	40	CM	11 LEVEL CM	54,1672 litre	8,289 %	599,2841 litre	O
130	CM	40	CM	10,5 LEVEL CM	50,6203 litre	7,747 %	602,8310 litre	O
130	CM	40	CM	10 LEVEL CM	47,1444 litre	7,215 %	606,3069 litre	O
130	CM	40	CM	9,5 LEVEL CM	43,7423 litre	6,694 %	609,7090 litre	O
130	CM	40	CM	9 LEVEL CM	40,4167 litre	6,185 %	613,0346 litre	O
130	CM	40	CM	8,5 LEVEL CM	37,1709 litre	5,688 %	616,2804 litre	O
130	CM	40	CM	8 LEVEL CM	34,0082 litre	5,204 %	619,4431 litre	O
130	CM	40	CM	7,5 LEVEL CM	30,9322 litre	4,734 %	622,5191 litre	O
130	CM	40	CM	7 LEVEL CM	27,9468 litre	4,277 %	625,5045 litre	O
130	CM	40	CM	6,5 LEVEL CM	25,0563 litre	3,834 %	628,3950 litre	O
130	CM	40	CM	6 LEVEL CM	22,2655 litre	3,407 %	631,1858 litre	O
130	CM	40	CM	5,5 LEVEL CM	19,5796 litre	2,996 %	633,8717 litre	O
130	CM	40	CM	5 LEVEL CM	17,0046 litre	2,602 %	636,4467 litre	O
130	CM	40	CM	4,5 LEVEL CM	14,5472 litre	2,226 %	638,9041 litre	O
130	CM	40	CM	4 LEVEL CM	12,2150 litre	1,869 %	641,2363 litre	O
130	CM	40	CM	3,5 LEVEL CM	10,0172 litre	1,533 %	643,4341 litre	O
130	CM	40	CM	3 LEVEL CM	7,9646 litre	1,219 %	645,4867 litre	O
130	CM	40	CM	2,5 LEVEL CM	6,0705 litre	0,929 %	647,3808 litre	O
130	CM	40	CM	2 LEVEL CM	4,3520 litre	0,666 %	649,0993 litre	O
130	CM	40	CM	1,5 LEVEL CM	2,8321 litre	0,433 %	650,6192 litre	O

130	CM 40	CM	1 LEVEL CM	1,5445 litre	0,236 %	651,9068 litre	O
130	CM 40	CM	0,5 LEVEL CM	0,5471 litre	0,084 %	652,9042 litre	O
130	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	653,4513 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
130	CM	35	CM	70 LEVEL CM	500,2986 litre	100,000 %	0,0000 litre	O
130	CM	35	CM	69,5 LEVEL CM	499,7870 litre	99,898 %	0,5116 litre	O
130	CM	35	CM	69 LEVEL CM	498,8547 litre	99,711 %	1,4439 litre	O
130	CM	35	CM	68,5 LEVEL CM	497,6516 litre	99,471 %	2,6470 litre	O
130	CM	35	CM	68 LEVEL CM	496,2322 litre	99,187 %	4,0664 litre	O
130	CM	35	CM	67,5 LEVEL CM	494,6280 litre	98,867 %	5,6706 litre	O
130	CM	35	CM	67 LEVEL CM	492,8608 litre	98,513 %	7,4378 litre	O
130	CM	35	CM	66,5 LEVEL CM	490,9465 litre	98,131 %	9,3521 litre	O
130	CM	35	CM	66 LEVEL CM	488,8979 litre	97,721 %	11,4007 litre	O
130	CM	35	CM	65,5 LEVEL CM	486,7251 litre	97,287 %	13,5735 litre	O
130	CM	35	CM	65 LEVEL CM	484,4368 litre	96,830 %	15,8618 litre	O
130	CM	35	CM	64,5 LEVEL CM	482,0402 litre	96,350 %	18,2584 litre	O
130	CM	35	CM	64 LEVEL CM	479,5417 litre	95,851 %	20,7569 litre	O
130	CM	35	CM	63,5 LEVEL CM	476,9470 litre	95,332 %	23,3516 litre	O
130	CM	35	CM	63 LEVEL CM	474,2611 litre	94,796 %	26,0375 litre	O
130	CM	35	CM	62,5 LEVEL CM	471,4884 litre	94,241 %	28,8102 litre	O
130	CM	35	CM	62 LEVEL CM	468,6332 litre	93,671 %	31,6654 litre	O
130	CM	35	CM	61,5 LEVEL CM	465,6992 litre	93,084 %	34,5994 litre	O
130	CM	35	CM	61 LEVEL CM	462,6898 litre	92,483 %	37,6088 litre	O
130	CM	35	CM	60,5 LEVEL CM	459,6082 litre	91,867 %	40,6904 litre	O
130	CM	35	CM	60 LEVEL CM	456,4575 litre	91,237 %	43,8411 litre	O
130	CM	35	CM	59,5 LEVEL CM	453,2404 litre	90,594 %	47,0582 litre	O
130	CM	35	CM	59 LEVEL CM	449,9597 litre	89,938 %	50,3389 litre	O
130	CM	35	CM	58,5 LEVEL CM	446,6176 litre	89,270 %	53,6810 litre	O
130	CM	35	CM	58 LEVEL CM	443,2167 litre	88,590 %	57,0819 litre	O
130	CM	35	CM	57,5 LEVEL CM	439,7591 litre	87,899 %	60,5395 litre	O
130	CM	35	CM	57 LEVEL CM	436,2469 litre	87,197 %	64,0517 litre	O
130	CM	35	CM	56,5 LEVEL CM	432,6822 litre	86,485 %	67,6164 litre	O
130	CM	35	CM	56 LEVEL CM	429,0669 litre	85,762 %	71,2317 litre	O
130	CM	35	CM	55,5 LEVEL CM	425,4028 litre	85,030 %	74,8958 litre	O
130	CM	35	CM	55 LEVEL CM	421,6917 litre	84,288 %	78,6069 litre	O
130	CM	35	CM	54,5 LEVEL CM	417,9354 litre	83,537 %	82,3632 litre	O
130	CM	35	CM	54 LEVEL CM	414,1355 litre	82,778 %	86,1631 litre	O
130	CM	35	CM	53,5 LEVEL CM	410,2935 litre	82,010 %	90,0051 litre	O
130	CM	35	CM	53 LEVEL CM	406,4111 litre	81,234 %	93,8875 litre	O
130	CM	35	CM	52,5 LEVEL CM	402,4897 litre	80,450 %	97,8089 litre	O
130	CM	35	CM	52 LEVEL CM	398,5307 litre	79,659 %	101,7679 litre	O
130	CM	35	CM	51,5 LEVEL CM	394,5357 litre	78,860 %	105,7629 litre	O
130	CM	35	CM	51 LEVEL CM	390,5059 litre	78,055 %	109,7927 litre	O
130	CM	35	CM	50,5 LEVEL CM	386,4426 litre	77,242 %	113,8560 litre	O
130	CM	35	CM	50 LEVEL CM	382,3473 litre	76,424 %	117,9513 litre	O
130	CM	35	CM	49,5 LEVEL CM	378,2211 litre	75,599 %	122,0775 litre	O
130	CM	35	CM	49 LEVEL CM	374,0654 litre	74,768 %	126,2332 litre	O
130	CM	35	CM	48,5 LEVEL CM	369,8813 litre	73,932 %	130,4173 litre	O
130	CM	35	CM	48 LEVEL CM	365,6700 litre	73,090 %	134,6286 litre	O
130	CM	35	CM	47,5 LEVEL CM	361,4326 litre	72,243 %	138,8660 litre	O
130	CM	35	CM	47 LEVEL CM	357,1705 litre	71,391 %	143,1281 litre	O
130	CM	35	CM	46,5 LEVEL CM	352,8846 litre	70,535 %	147,4140 litre	O
130	CM	35	CM	46 LEVEL CM	348,5761 litre	69,674 %	151,7225 litre	O
130	CM	35	CM	45,5 LEVEL CM	344,2461 litre	68,808 %	156,0525 litre	O
130	CM	35	CM	45 LEVEL CM	339,8956 litre	67,939 %	160,4030 litre	O
130	CM	35	CM	44,5 LEVEL CM	335,5258 litre	67,065 %	164,7728 litre	O

130	CM 35	CM	44 LEVEL CM	331,1376 litre	66,188 %	169,1610 litre	O
130	CM 35	CM	43,5 LEVEL CM	326,7321 litre	65,307 %	173,5665 litre	O
130	CM 35	CM	43 LEVEL CM	322,3103 litre	64,424 %	177,9883 litre	O
130	CM 35	CM	42,5 LEVEL CM	317,8733 litre	63,537 %	182,4253 litre	O
130	CM 35	CM	42 LEVEL CM	313,4221 litre	62,647 %	186,8765 litre	O
130	CM 35	CM	41,5 LEVEL CM	308,9575 litre	61,755 %	191,3411 litre	O
130	CM 35	CM	41 LEVEL CM	304,4807 litre	60,860 %	195,8179 litre	O
130	CM 35	CM	40,5 LEVEL CM	299,9926 litre	59,963 %	200,3060 litre	O
130	CM 35	CM	40 LEVEL CM	295,4941 litre	59,064 %	204,8045 litre	O
130	CM 35	CM	39,5 LEVEL CM	290,9862 litre	58,163 %	209,3124 litre	O
130	CM 35	CM	39 LEVEL CM	286,4699 litre	57,260 %	213,8287 litre	O
130	CM 35	CM	38,5 LEVEL CM	281,9462 litre	56,356 %	218,3524 litre	O
130	CM 35	CM	38 LEVEL CM	277,4158 litre	55,450 %	222,8828 litre	O
130	CM 35	CM	37,5 LEVEL CM	272,8800 litre	54,543 %	227,4186 litre	O
130	CM 35	CM	37 LEVEL CM	268,3394 litre	53,636 %	231,9592 litre	O
130	CM 35	CM	36,5 LEVEL CM	263,7951 litre	52,728 %	236,5035 litre	O
130	CM 35	CM	36 LEVEL CM	259,2481 litre	51,819 %	241,0505 litre	O
130	CM 35	CM	35,5 LEVEL CM	254,6992 litre	50,909 %	245,5994 litre	O
130	CM 35	CM	35 LEVEL CM	250,1493 litre	50,000 %	250,1493 litre	O
130	CM 35	CM	34,5 LEVEL CM	245,5995 litre	49,091 %	254,6991 litre	O
130	CM 35	CM	34 LEVEL CM	241,0506 litre	48,181 %	259,2480 litre	O
130	CM 35	CM	33,5 LEVEL CM	236,5035 litre	47,272 %	263,7951 litre	O
130	CM 35	CM	33 LEVEL CM	231,9592 litre	46,364 %	268,3394 litre	O
130	CM 35	CM	32,5 LEVEL CM	227,4187 litre	45,457 %	272,8799 litre	O
130	CM 35	CM	32 LEVEL CM	222,8828 litre	44,550 %	277,4158 litre	O
130	CM 35	CM	31,5 LEVEL CM	218,3525 litre	43,644 %	281,9461 litre	O
130	CM 35	CM	31 LEVEL CM	213,8287 litre	42,740 %	286,4699 litre	O
130	CM 35	CM	30,5 LEVEL CM	209,3124 litre	41,837 %	290,9862 litre	O
130	CM 35	CM	30 LEVEL CM	204,8046 litre	40,936 %	295,4940 litre	O
130	CM 35	CM	29,5 LEVEL CM	200,3061 litre	40,037 %	299,9925 litre	O
130	CM 35	CM	29 LEVEL CM	195,8179 litre	39,140 %	304,4807 litre	O
130	CM 35	CM	28,5 LEVEL CM	191,3411 litre	38,245 %	308,9575 litre	O
130	CM 35	CM	28 LEVEL CM	186,8766 litre	37,353 %	313,4220 litre	O
130	CM 35	CM	27,5 LEVEL CM	182,4253 litre	36,463 %	317,8733 litre	O
130	CM 35	CM	27 LEVEL CM	177,9883 litre	35,576 %	322,3103 litre	O
130	CM 35	CM	26,5 LEVEL CM	173,5665 litre	34,693 %	326,7321 litre	O
130	CM 35	CM	26 LEVEL CM	169,1611 litre	33,812 %	331,1375 litre	O
130	CM 35	CM	25,5 LEVEL CM	164,7729 litre	32,935 %	335,5257 litre	O
130	CM 35	CM	25 LEVEL CM	160,4030 litre	32,061 %	339,8956 litre	O
130	CM 35	CM	24,5 LEVEL CM	156,0526 litre	31,192 %	344,2460 litre	O
130	CM 35	CM	24 LEVEL CM	151,7225 litre	30,326 %	348,5761 litre	O
130	CM 35	CM	23,5 LEVEL CM	147,4140 litre	29,465 %	352,8846 litre	O
130	CM 35	CM	23 LEVEL CM	143,1281 litre	28,609 %	357,1705 litre	O
130	CM 35	CM	22,5 LEVEL CM	138,8660 litre	27,757 %	361,4326 litre	O
130	CM 35	CM	22 LEVEL CM	134,6287 litre	26,910 %	365,6699 litre	O
130	CM 35	CM	21,5 LEVEL CM	130,4174 litre	26,068 %	369,8812 litre	O
130	CM 35	CM	21 LEVEL CM	126,2332 litre	25,232 %	374,0654 litre	O
130	CM 35	CM	20,5 LEVEL CM	122,0775 litre	24,401 %	378,2211 litre	O
130	CM 35	CM	20 LEVEL CM	117,9513 litre	23,576 %	382,3473 litre	O
130	CM 35	CM	19,5 LEVEL CM	113,8560 litre	22,758 %	386,4426 litre	O
130	CM 35	CM	19 LEVEL CM	109,7928 litre	21,945 %	390,5058 litre	O
130	CM 35	CM	18,5 LEVEL CM	105,7629 litre	21,140 %	394,5357 litre	O
130	CM 35	CM	18 LEVEL CM	101,7679 litre	20,341 %	398,5307 litre	O

130	CM	35	CM	17,5 LEVEL CM	97,8089 litre	19,550 %	402,4897 litre	O
130	CM	35	CM	17 LEVEL CM	93,8875 litre	18,766 %	406,4111 litre	O
130	CM	35	CM	16,5 LEVEL CM	90,0051 litre	17,990 %	410,2935 litre	O
130	CM	35	CM	16 LEVEL CM	86,1631 litre	17,222 %	414,1355 litre	O
130	CM	35	CM	15,5 LEVEL CM	82,3632 litre	16,463 %	417,9354 litre	O
130	CM	35	CM	15 LEVEL CM	78,6069 litre	15,712 %	421,6917 litre	O
130	CM	35	CM	14,5 LEVEL CM	74,8958 litre	14,970 %	425,4028 litre	O
130	CM	35	CM	14 LEVEL CM	71,2318 litre	14,238 %	429,0668 litre	O
130	CM	35	CM	13,5 LEVEL CM	67,6164 litre	13,515 %	432,6822 litre	O
130	CM	35	CM	13 LEVEL CM	64,0517 litre	12,803 %	436,2469 litre	O
130	CM	35	CM	12,5 LEVEL CM	60,5396 litre	12,101 %	439,7590 litre	O
130	CM	35	CM	12 LEVEL CM	57,0819 litre	11,410 %	443,2167 litre	O
130	CM	35	CM	11,5 LEVEL CM	53,6810 litre	10,730 %	446,6176 litre	O
130	CM	35	CM	11 LEVEL CM	50,3390 litre	10,062 %	449,9596 litre	O
130	CM	35	CM	10,5 LEVEL CM	47,0582 litre	9,406 %	453,2404 litre	O
130	CM	35	CM	10 LEVEL CM	43,8411 litre	8,763 %	456,4575 litre	O
130	CM	35	CM	9,5 LEVEL CM	40,6904 litre	8,133 %	459,6082 litre	O
130	CM	35	CM	9 LEVEL CM	37,6089 litre	7,517 %	462,6897 litre	O
130	CM	35	CM	8,5 LEVEL CM	34,5995 litre	6,916 %	465,6991 litre	O
130	CM	35	CM	8 LEVEL CM	31,6654 litre	6,329 %	468,6332 litre	O
130	CM	35	CM	7,5 LEVEL CM	28,8102 litre	5,759 %	471,4884 litre	O
130	CM	35	CM	7 LEVEL CM	26,0376 litre	5,204 %	474,2610 litre	O
130	CM	35	CM	6,5 LEVEL CM	23,3516 litre	4,668 %	476,9470 litre	O
130	CM	35	CM	6 LEVEL CM	20,7569 litre	4,149 %	479,5417 litre	O
130	CM	35	CM	5,5 LEVEL CM	18,2584 litre	3,650 %	482,0402 litre	O
130	CM	35	CM	5 LEVEL CM	15,8618 litre	3,170 %	484,4368 litre	O
130	CM	35	CM	4,5 LEVEL CM	13,5735 litre	2,713 %	486,7251 litre	O
130	CM	35	CM	4 LEVEL CM	11,4007 litre	2,279 %	488,8979 litre	O
130	CM	35	CM	3,5 LEVEL CM	9,3521 litre	1,869 %	490,9465 litre	O
130	CM	35	CM	3 LEVEL CM	7,4379 litre	1,487 %	492,8607 litre	O
130	CM	35	CM	2,5 LEVEL CM	5,6706 litre	1,133 %	494,6280 litre	O
130	CM	35	CM	2 LEVEL CM	4,0665 litre	0,813 %	496,2321 litre	O
130	CM	35	CM	1,5 LEVEL CM	2,6470 litre	0,529 %	497,6516 litre	O
130	CM	35	CM	1 LEVEL CM	1,4440 litre	0,289 %	498,8546 litre	O
130	CM	35	CM	0,5 LEVEL CM	0,5116 litre	0,102 %	499,7870 litre	O
130	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	500,2986 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
130	CM 30	CM 60 LEVEL CM	367,5663 litre	100,000 %	0,0000 litre	O
130	CM 30	CM 59,5 LEVEL CM	367,0928 litre	99,871 %	0,4735 litre	O
130	CM 30	CM 59 LEVEL CM	366,2304 litre	99,637 %	1,3359 litre	O
130	CM 30	CM 58,5 LEVEL CM	365,1183 litre	99,334 %	2,4480 litre	O
130	CM 30	CM 58 LEVEL CM	363,8070 litre	98,977 %	3,7593 litre	O
130	CM 30	CM 57,5 LEVEL CM	362,3260 litre	98,574 %	5,2403 litre	O
130	CM 30	CM 57 LEVEL CM	360,6954 litre	98,131 %	6,8709 litre	O
130	CM 30	CM 56,5 LEVEL CM	358,9304 litre	97,651 %	8,6359 litre	O
130	CM 30	CM 56 LEVEL CM	357,0427 litre	97,137 %	10,5236 litre	O
130	CM 30	CM 55,5 LEVEL CM	355,0420 litre	96,593 %	12,5243 litre	O
130	CM 30	CM 55 LEVEL CM	352,9363 litre	96,020 %	14,6300 litre	O
130	CM 30	CM 54,5 LEVEL CM	350,7325 litre	95,420 %	16,8338 litre	O
130	CM 30	CM 54 LEVEL CM	348,4367 litre	94,796 %	19,1296 litre	O
130	CM 30	CM 53,5 LEVEL CM	346,0542 litre	94,147 %	21,5121 litre	O
130	CM 30	CM 53 LEVEL CM	343,5897 litre	93,477 %	23,9766 litre	O
130	CM 30	CM 52,5 LEVEL CM	341,0476 litre	92,785 %	26,5187 litre	O
130	CM 30	CM 52 LEVEL CM	338,4318 litre	92,074 %	29,1345 litre	O
130	CM 30	CM 51,5 LEVEL CM	335,7458 litre	91,343 %	31,8205 litre	O
130	CM 30	CM 51 LEVEL CM	332,9930 litre	90,594 %	34,5733 litre	O
130	CM 30	CM 50,5 LEVEL CM	330,1765 litre	89,828 %	37,3898 litre	O
130	CM 30	CM 50 LEVEL CM	327,2991 litre	89,045 %	40,2672 litre	O
130	CM 30	CM 49,5 LEVEL CM	324,3635 litre	88,246 %	43,2028 litre	O
130	CM 30	CM 49 LEVEL CM	321,3724 litre	87,433 %	46,1939 litre	O
130	CM 30	CM 48,5 LEVEL CM	318,3281 litre	86,604 %	49,2382 litre	O
130	CM 30	CM 48 LEVEL CM	315,2328 litre	85,762 %	52,3335 litre	O
130	CM 30	CM 47,5 LEVEL CM	312,0888 litre	84,907 %	55,4775 litre	O
130	CM 30	CM 47 LEVEL CM	308,8981 litre	84,039 %	58,6682 litre	O
130	CM 30	CM 46,5 LEVEL CM	305,6626 litre	83,159 %	61,9037 litre	O
130	CM 30	CM 46 LEVEL CM	302,3844 litre	82,267 %	65,1819 litre	O
130	CM 30	CM 45,5 LEVEL CM	299,0652 litre	81,364 %	68,5011 litre	O
130	CM 30	CM 45 LEVEL CM	295,7067 litre	80,450 %	71,8596 litre	O
130	CM 30	CM 44,5 LEVEL CM	292,3107 litre	79,526 %	75,2556 litre	O
130	CM 30	CM 44 LEVEL CM	288,8788 litre	78,592 %	78,6875 litre	O
130	CM 30	CM 43,5 LEVEL CM	285,4127 litre	77,649 %	82,1536 litre	O
130	CM 30	CM 43 LEVEL CM	281,9137 litre	76,697 %	85,6526 litre	O
130	CM 30	CM 42,5 LEVEL CM	278,3835 litre	75,737 %	89,1828 litre	O
130	CM 30	CM 42 LEVEL CM	274,8235 litre	74,768 %	92,7428 litre	O
130	CM 30	CM 41,5 LEVEL CM	271,2352 litre	73,792 %	96,3311 litre	O
130	CM 30	CM 41 LEVEL CM	267,6198 litre	72,809 %	99,9465 litre	O
130	CM 30	CM 40,5 LEVEL CM	263,9789 litre	71,818 %	103,5874 litre	O
130	CM 30	CM 40 LEVEL CM	260,3136 litre	70,821 %	107,2527 litre	O
130	CM 30	CM 39,5 LEVEL CM	256,6254 litre	69,817 %	110,9409 litre	O
130	CM 30	CM 39 LEVEL CM	252,9155 litre	68,808 %	114,6508 litre	O
130	CM 30	CM 38,5 LEVEL CM	249,1851 litre	67,793 %	118,3812 litre	O
130	CM 30	CM 38 LEVEL CM	245,4355 litre	66,773 %	122,1308 litre	O
130	CM 30	CM 37,5 LEVEL CM	241,6680 litre	65,748 %	125,8983 litre	O
130	CM 30	CM 37 LEVEL CM	237,8836 litre	64,719 %	129,6827 litre	O
130	CM 30	CM 36,5 LEVEL CM	234,0836 litre	63,685 %	133,4827 litre	O
130	CM 30	CM 36 LEVEL CM	230,2693 litre	62,647 %	137,2970 litre	O
130	CM 30	CM 35,5 LEVEL CM	226,4416 litre	61,606 %	141,1247 litre	O
130	CM 30	CM 35 LEVEL CM	222,6019 litre	60,561 %	144,9644 litre	O
130	CM 30	CM 34,5 LEVEL CM	218,7511 litre	59,513 %	148,8152 litre	O

130	CM	30	CM	34 LEVEL CM	214,8905 litre	58,463 %	152,6758 litre	O
130	CM	30	CM	33,5 LEVEL CM	211,0211 litre	57,410 %	156,5452 litre	O
130	CM	30	CM	33 LEVEL CM	207,1441 litre	56,356 %	160,4222 litre	O
130	CM	30	CM	32,5 LEVEL CM	203,2606 litre	55,299 %	164,3057 litre	O
130	CM	30	CM	32 LEVEL CM	199,3716 litre	54,241 %	168,1947 litre	O
130	CM	30	CM	31,5 LEVEL CM	195,4783 litre	53,182 %	172,0880 litre	O
130	CM	30	CM	31 LEVEL CM	191,5817 litre	52,122 %	175,9846 litre	O
130	CM	30	CM	30,5 LEVEL CM	187,6830 litre	51,061 %	179,8833 litre	O
130	CM	30	CM	30 LEVEL CM	183,7832 litre	50,000 %	183,7831 litre	O
130	CM	30	CM	29,5 LEVEL CM	179,8834 litre	48,939 %	187,6829 litre	O
130	CM	30	CM	29 LEVEL CM	175,9846 litre	47,878 %	191,5817 litre	O
130	CM	30	CM	28,5 LEVEL CM	172,0880 litre	46,818 %	195,4783 litre	O
130	CM	30	CM	28 LEVEL CM	168,1947 litre	45,759 %	199,3716 litre	O
130	CM	30	CM	27,5 LEVEL CM	164,3058 litre	44,701 %	203,2605 litre	O
130	CM	30	CM	27 LEVEL CM	160,4222 litre	43,644 %	207,1441 litre	O
130	CM	30	CM	26,5 LEVEL CM	156,5452 litre	42,590 %	211,0211 litre	O
130	CM	30	CM	26 LEVEL CM	152,6759 litre	41,537 %	214,8904 litre	O
130	CM	30	CM	25,5 LEVEL CM	148,8152 litre	40,487 %	218,7511 litre	O
130	CM	30	CM	25 LEVEL CM	144,9645 litre	39,439 %	222,6018 litre	O
130	CM	30	CM	24,5 LEVEL CM	141,1247 litre	38,394 %	226,4416 litre	O
130	CM	30	CM	24 LEVEL CM	137,2971 litre	37,353 %	230,2692 litre	O
130	CM	30	CM	23,5 LEVEL CM	133,4827 litre	36,315 %	234,0836 litre	O
130	CM	30	CM	23 LEVEL CM	129,6827 litre	35,281 %	237,8836 litre	O
130	CM	30	CM	22,5 LEVEL CM	125,8984 litre	34,252 %	241,6679 litre	O
130	CM	30	CM	22 LEVEL CM	122,1308 litre	33,227 %	245,4355 litre	O
130	CM	30	CM	21,5 LEVEL CM	118,3812 litre	32,207 %	249,1851 litre	O
130	CM	30	CM	21 LEVEL CM	114,6509 litre	31,192 %	252,9154 litre	O
130	CM	30	CM	20,5 LEVEL CM	110,9409 litre	30,183 %	256,6254 litre	O
130	CM	30	CM	20 LEVEL CM	107,2527 litre	29,179 %	260,3136 litre	O
130	CM	30	CM	19,5 LEVEL CM	103,5875 litre	28,182 %	263,9788 litre	O
130	CM	30	CM	19 LEVEL CM	99,9465 litre	27,191 %	267,6198 litre	O
130	CM	30	CM	18,5 LEVEL CM	96,3312 litre	26,208 %	271,2351 litre	O
130	CM	30	CM	18 LEVEL CM	92,7428 litre	25,232 %	274,8235 litre	O
130	CM	30	CM	17,5 LEVEL CM	89,1828 litre	24,263 %	278,3835 litre	O
130	CM	30	CM	17 LEVEL CM	85,6526 litre	23,303 %	281,9137 litre	O
130	CM	30	CM	16,5 LEVEL CM	82,1537 litre	22,351 %	285,4126 litre	O
130	CM	30	CM	16 LEVEL CM	78,6875 litre	21,408 %	288,8788 litre	O
130	CM	30	CM	15,5 LEVEL CM	75,2556 litre	20,474 %	292,3107 litre	O
130	CM	30	CM	15 LEVEL CM	71,8596 litre	19,550 %	295,7067 litre	O
130	CM	30	CM	14,5 LEVEL CM	68,5012 litre	18,636 %	299,0651 litre	O
130	CM	30	CM	14 LEVEL CM	65,1819 litre	17,733 %	302,3844 litre	O
130	CM	30	CM	13,5 LEVEL CM	61,9037 litre	16,842 %	305,6626 litre	O
130	CM	30	CM	13 LEVEL CM	58,6683 litre	15,961 %	308,8980 litre	O
130	CM	30	CM	12,5 LEVEL CM	55,4776 litre	15,093 %	312,0887 litre	O
130	CM	30	CM	12 LEVEL CM	52,3335 litre	14,238 %	315,2328 litre	O
130	CM	30	CM	11,5 LEVEL CM	49,2383 litre	13,396 %	318,3280 litre	O
130	CM	30	CM	11 LEVEL CM	46,1939 litre	12,568 %	321,3724 litre	O
130	CM	30	CM	10,5 LEVEL CM	43,2028 litre	11,754 %	324,3635 litre	O
130	CM	30	CM	10 LEVEL CM	40,2673 litre	10,955 %	327,2990 litre	O
130	CM	30	CM	9,5 LEVEL CM	37,3899 litre	10,172 %	330,1764 litre	O
130	CM	30	CM	9 LEVEL CM	34,5734 litre	9,406 %	332,9929 litre	O
130	CM	30	CM	8,5 LEVEL CM	31,8206 litre	8,657 %	335,7457 litre	O
130	CM	30	CM	8 LEVEL CM	29,1346 litre	7,926 %	338,4317 litre	O

130	CM 30	CM	7,5 LEVEL CM	26,5187 litre	7,215 %	341,0476 litre	O
130	CM 30	CM	7 LEVEL CM	23,9766 litre	6,523 %	343,5897 litre	O
130	CM 30	CM	6,5 LEVEL CM	21,5121 litre	5,853 %	346,0542 litre	O
130	CM 30	CM	6 LEVEL CM	19,1296 litre	5,204 %	348,4367 litre	O
130	CM 30	CM	5,5 LEVEL CM	16,8338 litre	4,580 %	350,7325 litre	O
130	CM 30	CM	5 LEVEL CM	14,6301 litre	3,980 %	352,9362 litre	O
130	CM 30	CM	4,5 LEVEL CM	12,5244 litre	3,407 %	355,0419 litre	O
130	CM 30	CM	4 LEVEL CM	10,5236 litre	2,863 %	357,0427 litre	O
130	CM 30	CM	3,5 LEVEL CM	8,6359 litre	2,349 %	358,9304 litre	O
130	CM 30	CM	3 LEVEL CM	6,8709 litre	1,869 %	360,6954 litre	O
130	CM 30	CM	2,5 LEVEL CM	5,2404 litre	1,426 %	362,3259 litre	O
130	CM 30	CM	2 LEVEL CM	3,7593 litre	1,023 %	363,8070 litre	O
130	CM 30	CM	1,5 LEVEL CM	2,4480 litre	0,666 %	365,1183 litre	O
130	CM 30	CM	1 LEVEL CM	1,3359 litre	0,363 %	366,2304 litre	O
130	CM 30	CM	0,5 LEVEL CM	0,4735 litre	0,129 %	367,0928 litre	O
130	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	367,5663 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
130	CM	25	CM	50 LEVEL CM	255,2544 litre	100,000 %	0,0000 litre	O
130	CM	25	CM	49,5 LEVEL CM	254,8224 litre	99,831 %	0,4320 litre	O
130	CM	25	CM	49 LEVEL CM	254,0361 litre	99,523 %	1,2183 litre	O
130	CM	25	CM	48,5 LEVEL CM	253,0231 litre	99,126 %	2,2313 litre	O
130	CM	25	CM	48 LEVEL CM	251,8296 litre	98,658 %	3,4248 litre	O
130	CM	25	CM	47,5 LEVEL CM	250,4829 litre	98,131 %	4,7715 litre	O
130	CM	25	CM	47 LEVEL CM	249,0016 litre	97,550 %	6,2528 litre	O
130	CM	25	CM	46,5 LEVEL CM	247,3997 litre	96,923 %	7,8547 litre	O
130	CM	25	CM	46 LEVEL CM	245,6880 litre	96,252 %	9,5664 litre	O
130	CM	25	CM	45,5 LEVEL CM	243,8756 litre	95,542 %	11,3788 litre	O
130	CM	25	CM	45 LEVEL CM	241,9699 litre	94,796 %	13,2845 litre	O
130	CM	25	CM	44,5 LEVEL CM	239,9776 litre	94,015 %	15,2768 litre	O
130	CM	25	CM	44 LEVEL CM	237,9041 litre	93,203 %	17,3503 litre	O
130	CM	25	CM	43,5 LEVEL CM	235,7547 litre	92,361 %	19,4997 litre	O
130	CM	25	CM	43 LEVEL CM	233,5336 litre	91,491 %	21,7208 litre	O
130	CM	25	CM	42,5 LEVEL CM	231,2451 litre	90,594 %	24,0093 litre	O
130	CM	25	CM	42 LEVEL CM	228,8929 litre	89,672 %	26,3615 litre	O
130	CM	25	CM	41,5 LEVEL CM	226,4803 litre	88,727 %	28,7741 litre	O
130	CM	25	CM	41 LEVEL CM	224,0107 litre	87,760 %	31,2437 litre	O
130	CM	25	CM	40,5 LEVEL CM	221,4869 litre	86,771 %	33,7675 litre	O
130	CM	25	CM	40 LEVEL CM	218,9117 litre	85,762 %	36,3427 litre	O
130	CM	25	CM	39,5 LEVEL CM	216,2877 litre	84,734 %	38,9667 litre	O
130	CM	25	CM	39 LEVEL CM	213,6175 litre	83,688 %	41,6369 litre	O
130	CM	25	CM	38,5 LEVEL CM	210,9033 litre	82,625 %	44,3511 litre	O
130	CM	25	CM	38 LEVEL CM	208,1474 litre	81,545 %	47,1070 litre	O
130	CM	25	CM	37,5 LEVEL CM	205,3519 litre	80,450 %	49,9025 litre	O
130	CM	25	CM	37 LEVEL CM	202,5189 litre	79,340 %	52,7355 litre	O
130	CM	25	CM	36,5 LEVEL CM	199,6503 litre	78,216 %	55,6041 litre	O
130	CM	25	CM	36 LEVEL CM	196,7480 litre	77,079 %	58,5064 litre	O
130	CM	25	CM	35,5 LEVEL CM	193,8139 litre	75,930 %	61,4405 litre	O
130	CM	25	CM	35 LEVEL CM	190,8497 litre	74,768 %	64,4047 litre	O
130	CM	25	CM	34,5 LEVEL CM	187,8571 litre	73,596 %	67,3973 litre	O
130	CM	25	CM	34 LEVEL CM	184,8378 litre	72,413 %	70,4166 litre	O
130	CM	25	CM	33,5 LEVEL CM	181,7935 litre	71,220 %	73,4609 litre	O
130	CM	25	CM	33 LEVEL CM	178,7256 litre	70,019 %	76,5288 litre	O
130	CM	25	CM	32,5 LEVEL CM	175,6357 litre	68,808 %	79,6187 litre	O
130	CM	25	CM	32 LEVEL CM	172,5255 litre	67,590 %	82,7289 litre	O
130	CM	25	CM	31,5 LEVEL CM	169,3962 litre	66,364 %	85,8582 litre	O
130	CM	25	CM	31 LEVEL CM	166,2495 litre	65,131 %	89,0049 litre	O
130	CM	25	CM	30,5 LEVEL CM	163,0867 litre	63,892 %	92,1677 litre	O
130	CM	25	CM	30 LEVEL CM	159,9092 litre	62,647 %	95,3452 litre	O
130	CM	25	CM	29,5 LEVEL CM	156,7185 litre	61,397 %	98,5359 litre	O
130	CM	25	CM	29 LEVEL CM	153,5158 litre	60,142 %	101,7386 litre	O
130	CM	25	CM	28,5 LEVEL CM	150,3027 litre	58,883 %	104,9517 litre	O
130	CM	25	CM	28 LEVEL CM	147,0803 litre	57,621 %	108,1741 litre	O
130	CM	25	CM	27,5 LEVEL CM	143,8501 litre	56,356 %	111,4043 litre	O
130	CM	25	CM	27 LEVEL CM	140,6133 litre	55,088 %	114,6411 litre	O
130	CM	25	CM	26,5 LEVEL CM	137,3713 litre	53,817 %	117,8831 litre	O
130	CM	25	CM	26 LEVEL CM	134,1255 litre	52,546 %	121,1289 litre	O
130	CM	25	CM	25,5 LEVEL CM	130,8770 litre	51,273 %	124,3774 litre	O
130	CM	25	CM	25 LEVEL CM	127,6272 litre	50,000 %	127,6272 litre	O
130	CM	25	CM	24,5 LEVEL CM	124,3774 litre	48,727 %	130,8770 litre	O

130	CM	25	CM	24 LEVEL CM	121,1289 litre	47,454 %	134,1255 litre	O
130	CM	25	CM	23,5 LEVEL CM	117,8831 litre	46,183 %	137,3713 litre	O
130	CM	25	CM	23 LEVEL CM	114,6411 litre	44,912 %	140,6133 litre	O
130	CM	25	CM	22,5 LEVEL CM	111,4043 litre	43,644 %	143,8501 litre	O
130	CM	25	CM	22 LEVEL CM	108,1741 litre	42,379 %	147,0803 litre	O
130	CM	25	CM	21,5 LEVEL CM	104,9517 litre	41,117 %	150,3027 litre	O
130	CM	25	CM	21 LEVEL CM	101,7386 litre	39,858 %	153,5158 litre	O
130	CM	25	CM	20,5 LEVEL CM	98,5359 litre	38,603 %	156,7185 litre	O
130	CM	25	CM	20 LEVEL CM	95,3452 litre	37,353 %	159,9092 litre	O
130	CM	25	CM	19,5 LEVEL CM	92,1677 litre	36,108 %	163,0867 litre	O
130	CM	25	CM	19 LEVEL CM	89,0049 litre	34,869 %	166,2495 litre	O
130	CM	25	CM	18,5 LEVEL CM	85,8582 litre	33,636 %	169,3962 litre	O
130	CM	25	CM	18 LEVEL CM	82,7289 litre	32,410 %	172,5255 litre	O
130	CM	25	CM	17,5 LEVEL CM	79,6187 litre	31,192 %	175,6357 litre	O
130	CM	25	CM	17 LEVEL CM	76,5288 litre	29,981 %	178,7256 litre	O
130	CM	25	CM	16,5 LEVEL CM	73,4610 litre	28,780 %	181,7934 litre	O
130	CM	25	CM	16 LEVEL CM	70,4166 litre	27,587 %	184,8378 litre	O
130	CM	25	CM	15,5 LEVEL CM	67,3973 litre	26,404 %	187,8571 litre	O
130	CM	25	CM	15 LEVEL CM	64,4047 litre	25,232 %	190,8497 litre	O
130	CM	25	CM	14,5 LEVEL CM	61,4405 litre	24,070 %	193,8139 litre	O
130	CM	25	CM	14 LEVEL CM	58,5064 litre	22,921 %	196,7480 litre	O
130	CM	25	CM	13,5 LEVEL CM	55,6041 litre	21,784 %	199,6503 litre	O
130	CM	25	CM	13 LEVEL CM	52,7355 litre	20,660 %	202,5189 litre	O
130	CM	25	CM	12,5 LEVEL CM	49,9025 litre	19,550 %	205,3519 litre	O
130	CM	25	CM	12 LEVEL CM	47,1070 litre	18,455 %	208,1474 litre	O
130	CM	25	CM	11,5 LEVEL CM	44,3511 litre	17,375 %	210,9033 litre	O
130	CM	25	CM	11 LEVEL CM	41,6369 litre	16,312 %	213,6175 litre	O
130	CM	25	CM	10,5 LEVEL CM	38,9667 litre	15,266 %	216,2877 litre	O
130	CM	25	CM	10 LEVEL CM	36,3427 litre	14,238 %	218,9117 litre	O
130	CM	25	CM	9,5 LEVEL CM	33,7675 litre	13,229 %	221,4869 litre	O
130	CM	25	CM	9 LEVEL CM	31,2437 litre	12,240 %	224,0107 litre	O
130	CM	25	CM	8,5 LEVEL CM	28,7741 litre	11,273 %	226,4803 litre	O
130	CM	25	CM	8 LEVEL CM	26,3615 litre	10,328 %	228,8929 litre	O
130	CM	25	CM	7,5 LEVEL CM	24,0093 litre	9,406 %	231,2451 litre	O
130	CM	25	CM	7 LEVEL CM	21,7208 litre	8,509 %	233,5336 litre	O
130	CM	25	CM	6,5 LEVEL CM	19,4997 litre	7,639 %	235,7547 litre	O
130	CM	25	CM	6 LEVEL CM	17,3503 litre	6,797 %	237,9041 litre	O
130	CM	25	CM	5,5 LEVEL CM	15,2768 litre	5,985 %	239,9776 litre	O
130	CM	25	CM	5 LEVEL CM	13,2845 litre	5,204 %	241,9699 litre	O
130	CM	25	CM	4,5 LEVEL CM	11,3788 litre	4,458 %	243,8756 litre	O
130	CM	25	CM	4 LEVEL CM	9,5664 litre	3,748 %	245,6880 litre	O
130	CM	25	CM	3,5 LEVEL CM	7,8547 litre	3,077 %	247,3997 litre	O
130	CM	25	CM	3 LEVEL CM	6,2528 litre	2,450 %	249,0016 litre	O
130	CM	25	CM	2,5 LEVEL CM	4,7715 litre	1,869 %	250,4829 litre	O
130	CM	25	CM	2 LEVEL CM	3,4248 litre	1,342 %	251,8296 litre	O
130	CM	25	CM	1,5 LEVEL CM	2,2313 litre	0,874 %	253,0231 litre	O
130	CM	25	CM	1 LEVEL CM	1,2183 litre	0,477 %	254,0361 litre	O
130	CM	25	CM	0,5 LEVEL CM	0,4320 litre	0,169 %	254,8224 litre	O
130	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	255,2544 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
130	CM 20	CM 40 LEVEL CM	163,3628 litre	100,000 %	0,0000 litre	O
130	CM 20	CM 39,5 LEVEL CM	162,9767 litre	99,764 %	0,3861 litre	O
130	CM 20	CM 39 LEVEL CM	162,2748 litre	99,334 %	1,0880 litre	O
130	CM 20	CM 38,5 LEVEL CM	161,3717 litre	98,781 %	1,9911 litre	O
130	CM 20	CM 38 LEVEL CM	160,3091 litre	98,131 %	3,0537 litre	O
130	CM 20	CM 37,5 LEVEL CM	159,1117 litre	97,398 %	4,2511 litre	O
130	CM 20	CM 37 LEVEL CM	157,7964 litre	96,593 %	5,5664 litre	O
130	CM 20	CM 36,5 LEVEL CM	156,3761 litre	95,723 %	6,9867 litre	O
130	CM 20	CM 36 LEVEL CM	154,8608 litre	94,796 %	8,5020 litre	O
130	CM 20	CM 35,5 LEVEL CM	153,2586 litre	93,815 %	10,1042 litre	O
130	CM 20	CM 35 LEVEL CM	151,5767 litre	92,785 %	11,7861 litre	O
130	CM 20	CM 34,5 LEVEL CM	149,8210 litre	91,711 %	13,5418 litre	O
130	CM 20	CM 34 LEVEL CM	147,9969 litre	90,594 %	15,3659 litre	O
130	CM 20	CM 33,5 LEVEL CM	146,1090 litre	89,438 %	17,2538 litre	O
130	CM 20	CM 33 LEVEL CM	144,1616 litre	88,246 %	19,2012 litre	O
130	CM 20	CM 32,5 LEVEL CM	142,1586 litre	87,020 %	21,2042 litre	O
130	CM 20	CM 32 LEVEL CM	140,1035 litre	85,762 %	23,2593 litre	O
130	CM 20	CM 31,5 LEVEL CM	137,9996 litre	84,474 %	25,3632 litre	O
130	CM 20	CM 31 LEVEL CM	135,8501 litre	83,159 %	27,5127 litre	O
130	CM 20	CM 30,5 LEVEL CM	133,6577 litre	81,816 %	29,7051 litre	O
130	CM 20	CM 30 LEVEL CM	131,4252 litre	80,450 %	31,9376 litre	O
130	CM 20	CM 29,5 LEVEL CM	129,1552 litre	79,060 %	34,2076 litre	O
130	CM 20	CM 29 LEVEL CM	126,8501 litre	77,649 %	36,5127 litre	O
130	CM 20	CM 28,5 LEVEL CM	124,5122 litre	76,218 %	38,8506 litre	O
130	CM 20	CM 28 LEVEL CM	122,1438 litre	74,768 %	41,2190 litre	O
130	CM 20	CM 27,5 LEVEL CM	119,7470 litre	73,301 %	43,6158 litre	O
130	CM 20	CM 27 LEVEL CM	117,3240 litre	71,818 %	46,0388 litre	O
130	CM 20	CM 26,5 LEVEL CM	114,8766 litre	70,320 %	48,4862 litre	O
130	CM 20	CM 26 LEVEL CM	112,4069 litre	68,808 %	50,9559 litre	O
130	CM 20	CM 25,5 LEVEL CM	109,9167 litre	67,284 %	53,4461 litre	O
130	CM 20	CM 25 LEVEL CM	107,4080 litre	65,748 %	55,9548 litre	O
130	CM 20	CM 24,5 LEVEL CM	104,8824 litre	64,202 %	58,4804 litre	O
130	CM 20	CM 24 LEVEL CM	102,3419 litre	62,647 %	61,0209 litre	O
130	CM 20	CM 23,5 LEVEL CM	99,7881 litre	61,084 %	63,5747 litre	O
130	CM 20	CM 23 LEVEL CM	97,2227 litre	59,513 %	66,1401 litre	O
130	CM 20	CM 22,5 LEVEL CM	94,6475 litre	57,937 %	68,7153 litre	O
130	CM 20	CM 22 LEVEL CM	92,0640 litre	56,356 %	71,2988 litre	O
130	CM 20	CM 21,5 LEVEL CM	89,4741 litre	54,770 %	73,8887 litre	O
130	CM 20	CM 21 LEVEL CM	86,8792 litre	53,182 %	76,4836 litre	O
130	CM 20	CM 20,5 LEVEL CM	84,2811 litre	51,591 %	79,0817 litre	O
130	CM 20	CM 20 LEVEL CM	81,6814 litre	50,000 %	81,6814 litre	O
130	CM 20	CM 19,5 LEVEL CM	79,0817 litre	48,409 %	84,2811 litre	O
130	CM 20	CM 19 LEVEL CM	76,4836 litre	46,818 %	86,8792 litre	O
130	CM 20	CM 18,5 LEVEL CM	73,8887 litre	45,230 %	89,4741 litre	O
130	CM 20	CM 18 LEVEL CM	71,2988 litre	43,644 %	92,0640 litre	O
130	CM 20	CM 17,5 LEVEL CM	68,7153 litre	42,063 %	94,6475 litre	O
130	CM 20	CM 17 LEVEL CM	66,1401 litre	40,487 %	97,2227 litre	O
130	CM 20	CM 16,5 LEVEL CM	63,5747 litre	38,916 %	99,7881 litre	O
130	CM 20	CM 16 LEVEL CM	61,0209 litre	37,353 %	102,3419 litre	O
130	CM 20	CM 15,5 LEVEL CM	58,4804 litre	35,798 %	104,8824 litre	O
130	CM 20	CM 15 LEVEL CM	55,9548 litre	34,252 %	107,4080 litre	O
130	CM 20	CM 14,5 LEVEL CM	53,4461 litre	32,716 %	109,9167 litre	O

130	CM	20	CM	14 LEVEL CM	50,9559 litre	31,192 %	112,4069 litre	O
130	CM	20	CM	13,5 LEVEL CM	48,4862 litre	29,680 %	114,8766 litre	O
130	CM	20	CM	13 LEVEL CM	46,0389 litre	28,182 %	117,3239 litre	O
130	CM	20	CM	12,5 LEVEL CM	43,6158 litre	26,699 %	119,7470 litre	O
130	CM	20	CM	12 LEVEL CM	41,2190 litre	25,232 %	122,1438 litre	O
130	CM	20	CM	11,5 LEVEL CM	38,8506 litre	23,782 %	124,5122 litre	O
130	CM	20	CM	11 LEVEL CM	36,5127 litre	22,351 %	126,8501 litre	O
130	CM	20	CM	10,5 LEVEL CM	34,2076 litre	20,940 %	129,1552 litre	O
130	CM	20	CM	10 LEVEL CM	31,9376 litre	19,550 %	131,4252 litre	O
130	CM	20	CM	9,5 LEVEL CM	29,7051 litre	18,184 %	133,6577 litre	O
130	CM	20	CM	9 LEVEL CM	27,5128 litre	16,842 %	135,8500 litre	O
130	CM	20	CM	8,5 LEVEL CM	25,3632 litre	15,526 %	137,9996 litre	O
130	CM	20	CM	8 LEVEL CM	23,2594 litre	14,238 %	140,1034 litre	O
130	CM	20	CM	7,5 LEVEL CM	21,2043 litre	12,980 %	142,1585 litre	O
130	CM	20	CM	7 LEVEL CM	19,2012 litre	11,754 %	144,1616 litre	O
130	CM	20	CM	6,5 LEVEL CM	17,2538 litre	10,562 %	146,1090 litre	O
130	CM	20	CM	6 LEVEL CM	15,3659 litre	9,406 %	147,9969 litre	O
130	CM	20	CM	5,5 LEVEL CM	13,5418 litre	8,289 %	149,8210 litre	O
130	CM	20	CM	5 LEVEL CM	11,7861 litre	7,215 %	151,5767 litre	O
130	CM	20	CM	4,5 LEVEL CM	10,1042 litre	6,185 %	153,2586 litre	O
130	CM	20	CM	4 LEVEL CM	8,5021 litre	5,204 %	154,8607 litre	O
130	CM	20	CM	3,5 LEVEL CM	6,9867 litre	4,277 %	156,3761 litre	O
130	CM	20	CM	3 LEVEL CM	5,5664 litre	3,407 %	157,7964 litre	O
130	CM	20	CM	2,5 LEVEL CM	4,2512 litre	2,602 %	159,1116 litre	O
130	CM	20	CM	2 LEVEL CM	3,0537 litre	1,869 %	160,3091 litre	O
130	CM	20	CM	1,5 LEVEL CM	1,9911 litre	1,219 %	161,3717 litre	O
130	CM	20	CM	1 LEVEL CM	1,0880 litre	0,666 %	162,2748 litre	O
130	CM	20	CM	0,5 LEVEL CM	0,3861 litre	0,236 %	162,9767 litre	O
130	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	163,3628 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
120	CM	50	CM	100 LEVEL CM	942,4778 litre	100,000 %	0,0000 litre	O
120	CM	50	CM	99,5 LEVEL CM	941,9130 litre	99,940 %	0,5648 litre	O
120	CM	50	CM	99 LEVEL CM	940,8826 litre	99,831 %	1,5952 litre	O
120	CM	50	CM	98,5 LEVEL CM	939,5517 litre	99,690 %	2,9261 litre	O
120	CM	50	CM	98 LEVEL CM	937,9796 litre	99,523 %	4,4982 litre	O
120	CM	50	CM	97,5 LEVEL CM	936,2009 litre	99,334 %	6,2769 litre	O
120	CM	50	CM	97 LEVEL CM	934,2392 litre	99,126 %	8,2386 litre	O
120	CM	50	CM	96,5 LEVEL CM	932,1119 litre	98,900 %	10,3659 litre	O
120	CM	50	CM	96 LEVEL CM	929,8325 litre	98,658 %	12,6453 litre	O
120	CM	50	CM	95,5 LEVEL CM	927,4122 litre	98,401 %	15,0656 litre	O
120	CM	50	CM	95 LEVEL CM	924,8600 litre	98,131 %	17,6178 litre	O
120	CM	50	CM	94,5 LEVEL CM	922,1839 litre	97,847 %	20,2939 litre	O
120	CM	50	CM	94 LEVEL CM	919,3906 litre	97,550 %	23,0872 litre	O
120	CM	50	CM	93,5 LEVEL CM	916,4861 litre	97,242 %	25,9917 litre	O
120	CM	50	CM	93 LEVEL CM	913,4757 litre	96,923 %	29,0021 litre	O
120	CM	50	CM	92,5 LEVEL CM	910,3641 litre	96,593 %	32,1137 litre	O
120	CM	50	CM	92 LEVEL CM	907,1556 litre	96,252 %	35,3222 litre	O
120	CM	50	CM	91,5 LEVEL CM	903,8543 litre	95,902 %	38,6235 litre	O
120	CM	50	CM	91 LEVEL CM	900,4636 litre	95,542 %	42,0142 litre	O
120	CM	50	CM	90,5 LEVEL CM	896,9870 litre	95,173 %	45,4908 litre	O
120	CM	50	CM	90 LEVEL CM	893,4275 litre	94,796 %	49,0503 litre	O
120	CM	50	CM	89,5 LEVEL CM	889,7879 litre	94,409 %	52,6899 litre	O
120	CM	50	CM	89 LEVEL CM	886,0710 litre	94,015 %	56,4068 litre	O
120	CM	50	CM	88,5 LEVEL CM	882,2794 litre	93,613 %	60,1984 litre	O
120	CM	50	CM	88 LEVEL CM	878,4153 litre	93,203 %	64,0625 litre	O
120	CM	50	CM	87,5 LEVEL CM	874,4810 litre	92,785 %	67,9968 litre	O
120	CM	50	CM	87 LEVEL CM	870,4787 litre	92,361 %	71,9991 litre	O
120	CM	50	CM	86,5 LEVEL CM	866,4104 litre	91,929 %	76,0674 litre	O
120	CM	50	CM	86 LEVEL CM	862,2780 litre	91,491 %	80,1998 litre	O
120	CM	50	CM	85,5 LEVEL CM	858,0833 litre	91,045 %	84,3945 litre	O
120	CM	50	CM	85 LEVEL CM	853,8281 litre	90,594 %	88,6497 litre	O
120	CM	50	CM	84,5 LEVEL CM	849,5142 litre	90,136 %	92,9636 litre	O
120	CM	50	CM	84 LEVEL CM	845,1430 litre	89,672 %	97,3348 litre	O
120	CM	50	CM	83,5 LEVEL CM	840,7161 litre	89,203 %	101,7617 litre	O
120	CM	50	CM	83 LEVEL CM	836,2351 litre	88,727 %	106,2427 litre	O
120	CM	50	CM	82,5 LEVEL CM	831,7014 litre	88,246 %	110,7764 litre	O
120	CM	50	CM	82 LEVEL CM	827,1164 litre	87,760 %	115,3614 litre	O
120	CM	50	CM	81,5 LEVEL CM	822,4813 litre	87,268 %	119,9965 litre	O
120	CM	50	CM	81 LEVEL CM	817,7976 litre	86,771 %	124,6802 litre	O
120	CM	50	CM	80,5 LEVEL CM	813,0665 litre	86,269 %	129,4113 litre	O
120	CM	50	CM	80 LEVEL CM	808,2892 litre	85,762 %	134,1886 litre	O
120	CM	50	CM	79,5 LEVEL CM	803,4669 litre	85,250 %	139,0109 litre	O
120	CM	50	CM	79 LEVEL CM	798,6008 litre	84,734 %	143,8770 litre	O
120	CM	50	CM	78,5 LEVEL CM	793,6919 litre	84,213 %	148,7859 litre	O
120	CM	50	CM	78 LEVEL CM	788,7414 litre	83,688 %	153,7364 litre	O
120	CM	50	CM	77,5 LEVEL CM	783,7503 litre	83,158 %	158,7275 litre	O
120	CM	50	CM	77 LEVEL CM	778,7198 litre	82,625 %	163,7580 litre	O
120	CM	50	CM	76,5 LEVEL CM	773,6507 litre	82,087 %	168,8271 litre	O
120	CM	50	CM	76 LEVEL CM	768,5441 litre	81,545 %	173,9337 litre	O
120	CM	50	CM	75,5 LEVEL CM	763,4010 litre	80,999 %	179,0768 litre	O
120	CM	50	CM	75 LEVEL CM	758,2223 litre	80,450 %	184,2555 litre	O
120	CM	50	CM	74,5 LEVEL CM	753,0090 litre	79,897 %	189,4688 litre	O

120	CM 50	CM	74 LEVEL CM	747,7620 litre	79,340 %	194,7158 litre	O
120	CM 50	CM	73,5 LEVEL CM	742,4821 litre	78,780 %	199,9957 litre	O
120	CM 50	CM	73 LEVEL CM	737,1703 litre	78,216 %	205,3075 litre	O
120	CM 50	CM	72,5 LEVEL CM	731,8274 litre	77,649 %	210,6504 litre	O
120	CM 50	CM	72 LEVEL CM	726,4542 litre	77,079 %	216,0236 litre	O
120	CM 50	CM	71,5 LEVEL CM	721,0517 litre	76,506 %	221,4261 litre	O
120	CM 50	CM	71 LEVEL CM	715,6205 litre	75,930 %	226,8573 litre	O
120	CM 50	CM	70,5 LEVEL CM	710,1616 litre	75,350 %	232,3162 litre	O
120	CM 50	CM	70 LEVEL CM	704,6758 litre	74,768 %	237,8020 litre	O
120	CM 50	CM	69,5 LEVEL CM	699,1637 litre	74,184 %	243,3141 litre	O
120	CM 50	CM	69 LEVEL CM	693,6262 litre	73,596 %	248,8516 litre	O
120	CM 50	CM	68,5 LEVEL CM	688,0641 litre	73,006 %	254,4137 litre	O
120	CM 50	CM	68 LEVEL CM	682,4781 litre	72,413 %	259,9997 litre	O
120	CM 50	CM	67,5 LEVEL CM	676,8689 litre	71,818 %	265,6089 litre	O
120	CM 50	CM	67 LEVEL CM	671,2374 litre	71,220 %	271,2404 litre	O
120	CM 50	CM	66,5 LEVEL CM	665,5841 litre	70,621 %	276,8937 litre	O
120	CM 50	CM	66 LEVEL CM	659,9098 litre	70,019 %	282,5680 litre	O
120	CM 50	CM	65,5 LEVEL CM	654,2153 litre	69,414 %	288,2625 litre	O
120	CM 50	CM	65 LEVEL CM	648,5012 litre	68,808 %	293,9766 litre	O
120	CM 50	CM	64,5 LEVEL CM	642,7683 litre	68,200 %	299,7095 litre	O
120	CM 50	CM	64 LEVEL CM	637,0171 litre	67,590 %	305,4607 litre	O
120	CM 50	CM	63,5 LEVEL CM	631,2485 litre	66,978 %	311,2293 litre	O
120	CM 50	CM	63 LEVEL CM	625,4630 litre	66,364 %	317,0148 litre	O
120	CM 50	CM	62,5 LEVEL CM	619,6614 litre	65,748 %	322,8164 litre	O
120	CM 50	CM	62 LEVEL CM	613,8443 litre	65,131 %	328,6335 litre	O
120	CM 50	CM	61,5 LEVEL CM	608,0124 litre	64,512 %	334,4654 litre	O
120	CM 50	CM	61 LEVEL CM	602,1662 litre	63,892 %	340,3116 litre	O
120	CM 50	CM	60,5 LEVEL CM	596,3066 litre	63,270 %	346,1712 litre	O
120	CM 50	CM	60 LEVEL CM	590,4340 litre	62,647 %	352,0438 litre	O
120	CM 50	CM	59,5 LEVEL CM	584,5492 litre	62,023 %	357,9286 litre	O
120	CM 50	CM	59 LEVEL CM	578,6528 litre	61,397 %	363,8250 litre	O
120	CM 50	CM	58,5 LEVEL CM	572,7454 litre	60,770 %	369,7324 litre	O
120	CM 50	CM	58 LEVEL CM	566,8277 litre	60,142 %	375,6501 litre	O
120	CM 50	CM	57,5 LEVEL CM	560,9002 litre	59,513 %	381,5776 litre	O
120	CM 50	CM	57 LEVEL CM	554,9637 litre	58,883 %	387,5141 litre	O
120	CM 50	CM	56,5 LEVEL CM	549,0186 litre	58,253 %	393,4592 litre	O
120	CM 50	CM	56 LEVEL CM	543,0657 litre	57,621 %	399,4121 litre	O
120	CM 50	CM	55,5 LEVEL CM	537,1056 litre	56,989 %	405,3722 litre	O
120	CM 50	CM	55 LEVEL CM	531,1387 litre	56,356 %	411,3391 litre	O
120	CM 50	CM	54,5 LEVEL CM	525,1659 litre	55,722 %	417,3119 litre	O
120	CM 50	CM	54 LEVEL CM	519,1876 litre	55,088 %	423,2902 litre	O
120	CM 50	CM	53,5 LEVEL CM	513,2046 litre	54,453 %	429,2732 litre	O
120	CM 50	CM	53 LEVEL CM	507,2173 litre	53,817 %	435,2605 litre	O
120	CM 50	CM	52,5 LEVEL CM	501,2264 litre	53,182 %	441,2514 litre	O
120	CM 50	CM	52 LEVEL CM	495,2325 litre	52,546 %	447,2453 litre	O
120	CM 50	CM	51,5 LEVEL CM	489,2362 litre	51,910 %	453,2416 litre	O
120	CM 50	CM	51 LEVEL CM	483,2381 litre	51,273 %	459,2397 litre	O
120	CM 50	CM	50,5 LEVEL CM	477,2388 litre	50,637 %	465,2390 litre	O
120	CM 50	CM	50 LEVEL CM	471,2389 litre	50,000 %	471,2389 litre	O
120	CM 50	CM	49,5 LEVEL CM	465,2390 litre	49,363 %	477,2388 litre	O
120	CM 50	CM	49 LEVEL CM	459,2397 litre	48,727 %	483,2381 litre	O
120	CM 50	CM	48,5 LEVEL CM	453,2416 litre	48,090 %	489,2362 litre	O
120	CM 50	CM	48 LEVEL CM	447,2453 litre	47,454 %	495,2325 litre	O

120	CM	50	CM	47,5 LEVEL CM	441,2514 litre	46,818 %	501,2264 litre	O
120	CM	50	CM	47 LEVEL CM	435,2605 litre	46,183 %	507,2173 litre	O
120	CM	50	CM	46,5 LEVEL CM	429,2732 litre	45,547 %	513,2046 litre	O
120	CM	50	CM	46 LEVEL CM	423,2901 litre	44,912 %	519,1877 litre	O
120	CM	50	CM	45,5 LEVEL CM	417,3119 litre	44,278 %	525,1659 litre	O
120	CM	50	CM	45 LEVEL CM	411,3390 litre	43,644 %	531,1388 litre	O
120	CM	50	CM	44,5 LEVEL CM	405,3722 litre	43,011 %	537,1056 litre	O
120	CM	50	CM	44 LEVEL CM	399,4121 litre	42,379 %	543,0657 litre	O
120	CM	50	CM	43,5 LEVEL CM	393,4592 litre	41,747 %	549,0186 litre	O
120	CM	50	CM	43 LEVEL CM	387,5141 litre	41,117 %	554,9637 litre	O
120	CM	50	CM	42,5 LEVEL CM	381,5775 litre	40,487 %	560,9003 litre	O
120	CM	50	CM	42 LEVEL CM	375,6501 litre	39,858 %	566,8277 litre	O
120	CM	50	CM	41,5 LEVEL CM	369,7324 litre	39,230 %	572,7454 litre	O
120	CM	50	CM	41 LEVEL CM	363,8250 litre	38,603 %	578,6528 litre	O
120	CM	50	CM	40,5 LEVEL CM	357,9286 litre	37,977 %	584,5492 litre	O
120	CM	50	CM	40 LEVEL CM	352,0438 litre	37,353 %	590,4340 litre	O
120	CM	50	CM	39,5 LEVEL CM	346,1712 litre	36,730 %	596,3066 litre	O
120	CM	50	CM	39 LEVEL CM	340,3116 litre	36,108 %	602,1662 litre	O
120	CM	50	CM	38,5 LEVEL CM	334,4654 litre	35,488 %	608,0124 litre	O
120	CM	50	CM	38 LEVEL CM	328,6335 litre	34,869 %	613,8443 litre	O
120	CM	50	CM	37,5 LEVEL CM	322,8164 litre	34,252 %	619,6614 litre	O
120	CM	50	CM	37 LEVEL CM	317,0148 litre	33,636 %	625,4630 litre	O
120	CM	50	CM	36,5 LEVEL CM	311,2293 litre	33,022 %	631,2485 litre	O
120	CM	50	CM	36 LEVEL CM	305,4607 litre	32,410 %	637,0171 litre	O
120	CM	50	CM	35,5 LEVEL CM	299,7095 litre	31,800 %	642,7683 litre	O
120	CM	50	CM	35 LEVEL CM	293,9766 litre	31,192 %	648,5012 litre	O
120	CM	50	CM	34,5 LEVEL CM	288,2625 litre	30,586 %	654,2153 litre	O
120	CM	50	CM	34 LEVEL CM	282,5680 litre	29,981 %	659,9098 litre	O
120	CM	50	CM	33,5 LEVEL CM	276,8937 litre	29,379 %	665,5841 litre	O
120	CM	50	CM	33 LEVEL CM	271,2404 litre	28,780 %	671,2374 litre	O
120	CM	50	CM	32,5 LEVEL CM	265,6088 litre	28,182 %	676,8690 litre	O
120	CM	50	CM	32 LEVEL CM	259,9997 litre	27,587 %	682,4781 litre	O
120	CM	50	CM	31,5 LEVEL CM	254,4137 litre	26,994 %	688,0641 litre	O
120	CM	50	CM	31 LEVEL CM	248,8515 litre	26,404 %	693,6263 litre	O
120	CM	50	CM	30,5 LEVEL CM	243,3141 litre	25,816 %	699,1637 litre	O
120	CM	50	CM	30 LEVEL CM	237,8020 litre	25,232 %	704,6758 litre	O
120	CM	50	CM	29,5 LEVEL CM	232,3162 litre	24,650 %	710,1616 litre	O
120	CM	50	CM	29 LEVEL CM	226,8573 litre	24,070 %	715,6205 litre	O
120	CM	50	CM	28,5 LEVEL CM	221,4261 litre	23,494 %	721,0517 litre	O
120	CM	50	CM	28 LEVEL CM	216,0236 litre	22,921 %	726,4542 litre	O
120	CM	50	CM	27,5 LEVEL CM	210,6504 litre	22,351 %	731,8274 litre	O
120	CM	50	CM	27 LEVEL CM	205,3075 litre	21,784 %	737,1703 litre	O
120	CM	50	CM	26,5 LEVEL CM	199,9957 litre	21,220 %	742,4821 litre	O
120	CM	50	CM	26 LEVEL CM	194,7158 litre	20,660 %	747,7620 litre	O
120	CM	50	CM	25,5 LEVEL CM	189,4688 litre	20,103 %	753,0090 litre	O
120	CM	50	CM	25 LEVEL CM	184,2555 litre	19,550 %	758,2223 litre	O
120	CM	50	CM	24,5 LEVEL CM	179,0768 litre	19,001 %	763,4010 litre	O
120	CM	50	CM	24 LEVEL CM	173,9337 litre	18,455 %	768,5441 litre	O
120	CM	50	CM	23,5 LEVEL CM	168,8271 litre	17,913 %	773,6507 litre	O
120	CM	50	CM	23 LEVEL CM	163,7580 litre	17,375 %	778,7198 litre	O
120	CM	50	CM	22,5 LEVEL CM	158,7275 litre	16,842 %	783,7503 litre	O
120	CM	50	CM	22 LEVEL CM	153,7364 litre	16,312 %	788,7414 litre	O
120	CM	50	CM	21,5 LEVEL CM	148,7859 litre	15,787 %	793,6919 litre	O

120	CM	50	CM	21 LEVEL CM	143,8770 litre	15,266 %	798,6008 litre	O
120	CM	50	CM	20,5 LEVEL CM	139,0109 litre	14,750 %	803,4669 litre	O
120	CM	50	CM	20 LEVEL CM	134,1886 litre	14,238 %	808,2892 litre	O
120	CM	50	CM	19,5 LEVEL CM	129,4113 litre	13,731 %	813,0665 litre	O
120	CM	50	CM	19 LEVEL CM	124,6802 litre	13,229 %	817,7976 litre	O
120	CM	50	CM	18,5 LEVEL CM	119,9965 litre	12,732 %	822,4813 litre	O
120	CM	50	CM	18 LEVEL CM	115,3614 litre	12,240 %	827,1164 litre	O
120	CM	50	CM	17,5 LEVEL CM	110,7764 litre	11,754 %	831,7014 litre	O
120	CM	50	CM	17 LEVEL CM	106,2427 litre	11,273 %	836,2351 litre	O
120	CM	50	CM	16,5 LEVEL CM	101,7617 litre	10,797 %	840,7161 litre	O
120	CM	50	CM	16 LEVEL CM	97,3348 litre	10,328 %	845,1430 litre	O
120	CM	50	CM	15,5 LEVEL CM	92,9636 litre	9,864 %	849,5142 litre	O
120	CM	50	CM	15 LEVEL CM	88,6497 litre	9,406 %	853,8281 litre	O
120	CM	50	CM	14,5 LEVEL CM	84,3945 litre	8,955 %	858,0833 litre	O
120	CM	50	CM	14 LEVEL CM	80,1998 litre	8,509 %	862,2780 litre	O
120	CM	50	CM	13,5 LEVEL CM	76,0674 litre	8,071 %	866,4104 litre	O
120	CM	50	CM	13 LEVEL CM	71,9991 litre	7,639 %	870,4787 litre	O
120	CM	50	CM	12,5 LEVEL CM	67,9968 litre	7,215 %	874,4810 litre	O
120	CM	50	CM	12 LEVEL CM	64,0625 litre	6,797 %	878,4153 litre	O
120	CM	50	CM	11,5 LEVEL CM	60,1984 litre	6,387 %	882,2794 litre	O
120	CM	50	CM	11 LEVEL CM	56,4067 litre	5,985 %	886,0711 litre	O
120	CM	50	CM	10,5 LEVEL CM	52,6899 litre	5,591 %	889,7879 litre	O
120	CM	50	CM	10 LEVEL CM	49,0503 litre	5,204 %	893,4275 litre	O
120	CM	50	CM	9,5 LEVEL CM	45,4908 litre	4,827 %	896,9870 litre	O
120	CM	50	CM	9 LEVEL CM	42,0142 litre	4,458 %	900,4636 litre	O
120	CM	50	CM	8,5 LEVEL CM	38,6235 litre	4,098 %	903,8543 litre	O
120	CM	50	CM	8 LEVEL CM	35,3222 litre	3,748 %	907,1556 litre	O
120	CM	50	CM	7,5 LEVEL CM	32,1137 litre	3,407 %	910,3641 litre	O
120	CM	50	CM	7 LEVEL CM	29,0021 litre	3,077 %	913,4757 litre	O
120	CM	50	CM	6,5 LEVEL CM	25,9917 litre	2,758 %	916,4861 litre	O
120	CM	50	CM	6 LEVEL CM	23,0872 litre	2,450 %	919,3906 litre	O
120	CM	50	CM	5,5 LEVEL CM	20,2939 litre	2,153 %	922,1839 litre	O
120	CM	50	CM	5 LEVEL CM	17,6178 litre	1,869 %	924,8600 litre	O
120	CM	50	CM	4,5 LEVEL CM	15,0656 litre	1,599 %	927,4122 litre	O
120	CM	50	CM	4 LEVEL CM	12,6453 litre	1,342 %	929,8325 litre	O
120	CM	50	CM	3,5 LEVEL CM	10,3659 litre	1,100 %	932,1119 litre	O
120	CM	50	CM	3 LEVEL CM	8,2386 litre	0,874 %	934,2392 litre	O
120	CM	50	CM	2,5 LEVEL CM	6,2769 litre	0,666 %	936,2009 litre	O
120	CM	50	CM	2 LEVEL CM	4,4982 litre	0,477 %	937,9796 litre	O
120	CM	50	CM	1,5 LEVEL CM	2,9261 litre	0,310 %	939,5517 litre	O
120	CM	50	CM	1 LEVEL CM	1,5952 litre	0,169 %	940,8826 litre	O
120	CM	50	CM	0,5 LEVEL CM	0,5648 litre	0,060 %	941,9130 litre	O
120	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	942,4778 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
120	CM	45	CM 90 LEVEL CM	763,4070 litre	100,000 %	0,0000 litre	O
120	CM	45	CM 89,5 LEVEL CM	762,8713 litre	99,930 %	0,5357 litre	O
120	CM	45	CM 89 LEVEL CM	761,8942 litre	99,802 %	1,5128 litre	O
120	CM	45	CM 88,5 LEVEL CM	760,6325 litre	99,637 %	2,7745 litre	O
120	CM	45	CM 88 LEVEL CM	759,1425 litre	99,441 %	4,2645 litre	O
120	CM	45	CM 87,5 LEVEL CM	757,4573 litre	99,221 %	5,9497 litre	O
120	CM	45	CM 87 LEVEL CM	755,5992 litre	98,977 %	7,8078 litre	O
120	CM	45	CM 86,5 LEVEL CM	753,5848 litre	98,713 %	9,8222 litre	O
120	CM	45	CM 86 LEVEL CM	751,4271 litre	98,431 %	11,9799 litre	O
120	CM	45	CM 85,5 LEVEL CM	749,1366 litre	98,131 %	14,2704 litre	O
120	CM	45	CM 85 LEVEL CM	746,7222 litre	97,814 %	16,6848 litre	O
120	CM	45	CM 84,5 LEVEL CM	744,1912 litre	97,483 %	19,2158 litre	O
120	CM	45	CM 84 LEVEL CM	741,5503 litre	97,137 %	21,8567 litre	O
120	CM	45	CM 83,5 LEVEL CM	738,8050 litre	96,777 %	24,6020 litre	O
120	CM	45	CM 83 LEVEL CM	735,9606 litre	96,405 %	27,4464 litre	O
120	CM	45	CM 82,5 LEVEL CM	733,0215 litre	96,020 %	30,3855 litre	O
120	CM	45	CM 82 LEVEL CM	729,9920 litre	95,623 %	33,4150 litre	O
120	CM	45	CM 81,5 LEVEL CM	726,8757 litre	95,215 %	36,5313 litre	O
120	CM	45	CM 81 LEVEL CM	723,6762 litre	94,796 %	39,7308 litre	O
120	CM	45	CM 80,5 LEVEL CM	720,3968 litre	94,366 %	43,0102 litre	O
120	CM	45	CM 80 LEVEL CM	717,0402 litre	93,926 %	46,3668 litre	O
120	CM	45	CM 79,5 LEVEL CM	713,6094 litre	93,477 %	49,7976 litre	O
120	CM	45	CM 79 LEVEL CM	710,1070 litre	93,018 %	53,3000 litre	O
120	CM	45	CM 78,5 LEVEL CM	706,5353 litre	92,550 %	56,8717 litre	O
120	CM	45	CM 78 LEVEL CM	702,8967 litre	92,074 %	60,5103 litre	O
120	CM	45	CM 77,5 LEVEL CM	699,1934 litre	91,589 %	64,2136 litre	O
120	CM	45	CM 77 LEVEL CM	695,4275 litre	91,095 %	67,9795 litre	O
120	CM	45	CM 76,5 LEVEL CM	691,6008 litre	90,594 %	71,8062 litre	O
120	CM	45	CM 76 LEVEL CM	687,7153 litre	90,085 %	75,6917 litre	O
120	CM	45	CM 75,5 LEVEL CM	683,7728 litre	89,569 %	79,6342 litre	O
120	CM	45	CM 75 LEVEL CM	679,7750 litre	89,045 %	83,6320 litre	O
120	CM	45	CM 74,5 LEVEL CM	675,7235 litre	88,514 %	87,6835 litre	O
120	CM	45	CM 74 LEVEL CM	671,6199 litre	87,977 %	91,7871 litre	O
120	CM	45	CM 73,5 LEVEL CM	667,4658 litre	87,432 %	95,9412 litre	O
120	CM	45	CM 73 LEVEL CM	663,2625 litre	86,882 %	100,1445 litre	O
120	CM	45	CM 72,5 LEVEL CM	659,0116 litre	86,325 %	104,3954 litre	O
120	CM	45	CM 72 LEVEL CM	654,7143 litre	85,762 %	108,6927 litre	O
120	CM	45	CM 71,5 LEVEL CM	650,3720 litre	85,193 %	113,0350 litre	O
120	CM	45	CM 71 LEVEL CM	645,9860 litre	84,619 %	117,4210 litre	O
120	CM	45	CM 70,5 LEVEL CM	641,5575 litre	84,039 %	121,8495 litre	O
120	CM	45	CM 70 LEVEL CM	637,0878 litre	83,453 %	126,3192 litre	O
120	CM	45	CM 69,5 LEVEL CM	632,5779 litre	82,862 %	130,8291 litre	O
120	CM	45	CM 69 LEVEL CM	628,0291 litre	82,267 %	135,3779 litre	O
120	CM	45	CM 68,5 LEVEL CM	623,4425 litre	81,666 %	139,9645 litre	O
120	CM	45	CM 68 LEVEL CM	618,8191 litre	81,060 %	144,5879 litre	O
120	CM	45	CM 67,5 LEVEL CM	614,1601 litre	80,450 %	149,2469 litre	O
120	CM	45	CM 67 LEVEL CM	609,4664 litre	79,835 %	153,9406 litre	O
120	CM	45	CM 66,5 LEVEL CM	604,7391 litre	79,216 %	158,6679 litre	O
120	CM	45	CM 66 LEVEL CM	599,9791 litre	78,592 %	163,4279 litre	O
120	CM	45	CM 65,5 LEVEL CM	595,1875 litre	77,965 %	168,2195 litre	O
120	CM	45	CM 65 LEVEL CM	590,3652 litre	77,333 %	173,0418 litre	O
120	CM	45	CM 64,5 LEVEL CM	585,5131 litre	76,697 %	177,8939 litre	O

120	CM 45	CM	64 LEVEL CM	580,6322 litre	76,058 %	182,7748 litre	O
120	CM 45	CM	63,5 LEVEL CM	575,7233 litre	75,415 %	187,6837 litre	O
120	CM 45	CM	63 LEVEL CM	570,7874 litre	74,768 %	192,6196 litre	O
120	CM 45	CM	62,5 LEVEL CM	565,8252 litre	74,118 %	197,5818 litre	O
120	CM 45	CM	62 LEVEL CM	560,8378 litre	73,465 %	202,5692 litre	O
120	CM 45	CM	61,5 LEVEL CM	555,8258 litre	72,809 %	207,5812 litre	O
120	CM 45	CM	61 LEVEL CM	550,7903 litre	72,149 %	212,6167 litre	O
120	CM 45	CM	60,5 LEVEL CM	545,7318 litre	71,486 %	217,6752 litre	O
120	CM 45	CM	60 LEVEL CM	540,6514 litre	70,821 %	222,7556 litre	O
120	CM 45	CM	59,5 LEVEL CM	535,5498 litre	70,153 %	227,8572 litre	O
120	CM 45	CM	59 LEVEL CM	530,4277 litre	69,482 %	232,9793 litre	O
120	CM 45	CM	58,5 LEVEL CM	525,2860 litre	68,808 %	238,1210 litre	O
120	CM 45	CM	58 LEVEL CM	520,1254 litre	68,132 %	243,2816 litre	O
120	CM 45	CM	57,5 LEVEL CM	514,9467 litre	67,454 %	248,4603 litre	O
120	CM 45	CM	57 LEVEL CM	509,7507 litre	66,773 %	253,6563 litre	O
120	CM 45	CM	56,5 LEVEL CM	504,5381 litre	66,090 %	258,8689 litre	O
120	CM 45	CM	56 LEVEL CM	499,3096 litre	65,405 %	264,0974 litre	O
120	CM 45	CM	55,5 LEVEL CM	494,0659 litre	64,719 %	269,3411 litre	O
120	CM 45	CM	55 LEVEL CM	488,8079 litre	64,030 %	274,5991 litre	O
120	CM 45	CM	54,5 LEVEL CM	483,5362 litre	63,339 %	279,8708 litre	O
120	CM 45	CM	54 LEVEL CM	478,2516 litre	62,647 %	285,1554 litre	O
120	CM 45	CM	53,5 LEVEL CM	472,9547 litre	61,953 %	290,4523 litre	O
120	CM 45	CM	53 LEVEL CM	467,6462 litre	61,258 %	295,7608 litre	O
120	CM 45	CM	52,5 LEVEL CM	462,3269 litre	60,561 %	301,0801 litre	O
120	CM 45	CM	52 LEVEL CM	456,9975 litre	59,863 %	306,4095 litre	O
120	CM 45	CM	51,5 LEVEL CM	451,6586 litre	59,164 %	311,7484 litre	O
120	CM 45	CM	51 LEVEL CM	446,3110 litre	58,463 %	317,0960 litre	O
120	CM 45	CM	50,5 LEVEL CM	440,9553 litre	57,761 %	322,4517 litre	O
120	CM 45	CM	50 LEVEL CM	435,5922 litre	57,059 %	327,8148 litre	O
120	CM 45	CM	49,5 LEVEL CM	430,2224 litre	56,356 %	333,1846 litre	O
120	CM 45	CM	49 LEVEL CM	424,8466 litre	55,651 %	338,5604 litre	O
120	CM 45	CM	48,5 LEVEL CM	419,4654 litre	54,946 %	343,9416 litre	O
120	CM 45	CM	48 LEVEL CM	414,0795 litre	54,241 %	349,3275 litre	O
120	CM 45	CM	47,5 LEVEL CM	408,6896 litre	53,535 %	354,7174 litre	O
120	CM 45	CM	47 LEVEL CM	403,2964 litre	52,828 %	360,1106 litre	O
120	CM 45	CM	46,5 LEVEL CM	397,9005 litre	52,122 %	365,5065 litre	O
120	CM 45	CM	46 LEVEL CM	392,5026 litre	51,415 %	370,9044 litre	O
120	CM 45	CM	45,5 LEVEL CM	387,1034 litre	50,707 %	376,3036 litre	O
120	CM 45	CM	45 LEVEL CM	381,7035 litre	50,000 %	381,7035 litre	O
120	CM 45	CM	44,5 LEVEL CM	376,3036 litre	49,293 %	387,1034 litre	O
120	CM 45	CM	44 LEVEL CM	370,9044 litre	48,585 %	392,5026 litre	O
120	CM 45	CM	43,5 LEVEL CM	365,5065 litre	47,878 %	397,9005 litre	O
120	CM 45	CM	43 LEVEL CM	360,1106 litre	47,172 %	403,2964 litre	O
120	CM 45	CM	42,5 LEVEL CM	354,7174 litre	46,465 %	408,6896 litre	O
120	CM 45	CM	42 LEVEL CM	349,3275 litre	45,759 %	414,0795 litre	O
120	CM 45	CM	41,5 LEVEL CM	343,9417 litre	45,054 %	419,4653 litre	O
120	CM 45	CM	41 LEVEL CM	338,5605 litre	44,349 %	424,8465 litre	O
120	CM 45	CM	40,5 LEVEL CM	333,1846 litre	43,644 %	430,2224 litre	O
120	CM 45	CM	40 LEVEL CM	327,8148 litre	42,941 %	435,5922 litre	O
120	CM 45	CM	39,5 LEVEL CM	322,4517 litre	42,239 %	440,9553 litre	O
120	CM 45	CM	39 LEVEL CM	317,0960 litre	41,537 %	446,3110 litre	O
120	CM 45	CM	38,5 LEVEL CM	311,7484 litre	40,836 %	451,6586 litre	O
120	CM 45	CM	38 LEVEL CM	306,4095 litre	40,137 %	456,9975 litre	O

120	CM 45	CM	37,5 LEVEL CM	301,0801 litre	39,439 %	462,3269 litre	O
120	CM 45	CM	37 LEVEL CM	295,7608 litre	38,742 %	467,6462 litre	O
120	CM 45	CM	36,5 LEVEL CM	290,4524 litre	38,047 %	472,9546 litre	O
120	CM 45	CM	36 LEVEL CM	285,1555 litre	37,353 %	478,2515 litre	O
120	CM 45	CM	35,5 LEVEL CM	279,8708 litre	36,661 %	483,5362 litre	O
120	CM 45	CM	35 LEVEL CM	274,5991 litre	35,970 %	488,8079 litre	O
120	CM 45	CM	34,5 LEVEL CM	269,3411 litre	35,281 %	494,0659 litre	O
120	CM 45	CM	34 LEVEL CM	264,0975 litre	34,595 %	499,3095 litre	O
120	CM 45	CM	33,5 LEVEL CM	258,8690 litre	33,910 %	504,5380 litre	O
120	CM 45	CM	33 LEVEL CM	253,6563 litre	33,227 %	509,7507 litre	O
120	CM 45	CM	32,5 LEVEL CM	248,4603 litre	32,546 %	514,9467 litre	O
120	CM 45	CM	32 LEVEL CM	243,2816 litre	31,868 %	520,1254 litre	O
120	CM 45	CM	31,5 LEVEL CM	238,1210 litre	31,192 %	525,2860 litre	O
120	CM 45	CM	31 LEVEL CM	232,9793 litre	30,518 %	530,4277 litre	O
120	CM 45	CM	30,5 LEVEL CM	227,8572 litre	29,847 %	535,5498 litre	O
120	CM 45	CM	30 LEVEL CM	222,7556 litre	29,179 %	540,6514 litre	O
120	CM 45	CM	29,5 LEVEL CM	217,6752 litre	28,514 %	545,7318 litre	O
120	CM 45	CM	29 LEVEL CM	212,6168 litre	27,851 %	550,7902 litre	O
120	CM 45	CM	28,5 LEVEL CM	207,5812 litre	27,191 %	555,8258 litre	O
120	CM 45	CM	28 LEVEL CM	202,5692 litre	26,535 %	560,8378 litre	O
120	CM 45	CM	27,5 LEVEL CM	197,5818 litre	25,882 %	565,8252 litre	O
120	CM 45	CM	27 LEVEL CM	192,6196 litre	25,232 %	570,7874 litre	O
120	CM 45	CM	26,5 LEVEL CM	187,6837 litre	24,585 %	575,7233 litre	O
120	CM 45	CM	26 LEVEL CM	182,7748 litre	23,942 %	580,6322 litre	O
120	CM 45	CM	25,5 LEVEL CM	177,8939 litre	23,303 %	585,5131 litre	O
120	CM 45	CM	25 LEVEL CM	173,0418 litre	22,667 %	590,3652 litre	O
120	CM 45	CM	24,5 LEVEL CM	168,2195 litre	22,035 %	595,1875 litre	O
120	CM 45	CM	24 LEVEL CM	163,4279 litre	21,408 %	599,9791 litre	O
120	CM 45	CM	23,5 LEVEL CM	158,6679 litre	20,784 %	604,7391 litre	O
120	CM 45	CM	23 LEVEL CM	153,9406 litre	20,165 %	609,4664 litre	O
120	CM 45	CM	22,5 LEVEL CM	149,2469 litre	19,550 %	614,1601 litre	O
120	CM 45	CM	22 LEVEL CM	144,5879 litre	18,940 %	618,8191 litre	O
120	CM 45	CM	21,5 LEVEL CM	139,9645 litre	18,334 %	623,4425 litre	O
120	CM 45	CM	21 LEVEL CM	135,3779 litre	17,733 %	628,0291 litre	O
120	CM 45	CM	20,5 LEVEL CM	130,8291 litre	17,138 %	632,5779 litre	O
120	CM 45	CM	20 LEVEL CM	126,3193 litre	16,547 %	637,0877 litre	O
120	CM 45	CM	19,5 LEVEL CM	121,8495 litre	15,961 %	641,5575 litre	O
120	CM 45	CM	19 LEVEL CM	117,4210 litre	15,381 %	645,9860 litre	O
120	CM 45	CM	18,5 LEVEL CM	113,0350 litre	14,807 %	650,3720 litre	O
120	CM 45	CM	18 LEVEL CM	108,6927 litre	14,238 %	654,7143 litre	O
120	CM 45	CM	17,5 LEVEL CM	104,3955 litre	13,675 %	659,0115 litre	O
120	CM 45	CM	17 LEVEL CM	100,1445 litre	13,118 %	663,2625 litre	O
120	CM 45	CM	16,5 LEVEL CM	95,9412 litre	12,568 %	667,4658 litre	O
120	CM 45	CM	16 LEVEL CM	91,7871 litre	12,023 %	671,6199 litre	O
120	CM 45	CM	15,5 LEVEL CM	87,6835 litre	11,486 %	675,7235 litre	O
120	CM 45	CM	15 LEVEL CM	83,6320 litre	10,955 %	679,7750 litre	O
120	CM 45	CM	14,5 LEVEL CM	79,6342 litre	10,431 %	683,7728 litre	O
120	CM 45	CM	14 LEVEL CM	75,6917 litre	9,915 %	687,7153 litre	O
120	CM 45	CM	13,5 LEVEL CM	71,8062 litre	9,406 %	691,6008 litre	O
120	CM 45	CM	13 LEVEL CM	67,9796 litre	8,905 %	695,4274 litre	O
120	CM 45	CM	12,5 LEVEL CM	64,2136 litre	8,411 %	699,1934 litre	O
120	CM 45	CM	12 LEVEL CM	60,5103 litre	7,926 %	702,8967 litre	O
120	CM 45	CM	11,5 LEVEL CM	56,8717 litre	7,450 %	706,5353 litre	O

120	CM 45	CM	11 LEVEL CM	53,3000 litre	6,982 %	710,1070 litre	O
120	CM 45	CM	10,5 LEVEL CM	49,7976 litre	6,523 %	713,6094 litre	O
120	CM 45	CM	10 LEVEL CM	46,3668 litre	6,074 %	717,0402 litre	O
120	CM 45	CM	9,5 LEVEL CM	43,0103 litre	5,634 %	720,3967 litre	O
120	CM 45	CM	9 LEVEL CM	39,7308 litre	5,204 %	723,6762 litre	O
120	CM 45	CM	8,5 LEVEL CM	36,5313 litre	4,785 %	726,8757 litre	O
120	CM 45	CM	8 LEVEL CM	33,4150 litre	4,377 %	729,9920 litre	O
120	CM 45	CM	7,5 LEVEL CM	30,3855 litre	3,980 %	733,0215 litre	O
120	CM 45	CM	7 LEVEL CM	27,4464 litre	3,595 %	735,9606 litre	O
120	CM 45	CM	6,5 LEVEL CM	24,6020 litre	3,223 %	738,8050 litre	O
120	CM 45	CM	6 LEVEL CM	21,8568 litre	2,863 %	741,5502 litre	O
120	CM 45	CM	5,5 LEVEL CM	19,2158 litre	2,517 %	744,1912 litre	O
120	CM 45	CM	5 LEVEL CM	16,6849 litre	2,186 %	746,7221 litre	O
120	CM 45	CM	4,5 LEVEL CM	14,2704 litre	1,869 %	749,1366 litre	O
120	CM 45	CM	4 LEVEL CM	11,9799 litre	1,569 %	751,4271 litre	O
120	CM 45	CM	3,5 LEVEL CM	9,8222 litre	1,287 %	753,5848 litre	O
120	CM 45	CM	3 LEVEL CM	7,8079 litre	1,023 %	755,5991 litre	O
120	CM 45	CM	2,5 LEVEL CM	5,9497 litre	0,779 %	757,4573 litre	O
120	CM 45	CM	2 LEVEL CM	4,2645 litre	0,559 %	759,1425 litre	O
120	CM 45	CM	1,5 LEVEL CM	2,7746 litre	0,363 %	760,6324 litre	O
120	CM 45	CM	1 LEVEL CM	1,5128 litre	0,198 %	761,8942 litre	O
120	CM 45	CM	0,5 LEVEL CM	0,5358 litre	0,070 %	762,8712 litre	O
120	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	763,4070 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
120	CM 40	CM 80 LEVEL CM	603,1858 litre	100,000 %	0,0000 litre	O
120	CM 40	CM 79,5 LEVEL CM	602,6808 litre	99,916 %	0,5050 litre	O
120	CM 40	CM 79 LEVEL CM	601,7601 litre	99,764 %	1,4257 litre	O
120	CM 40	CM 78,5 LEVEL CM	600,5716 litre	99,567 %	2,6142 litre	O
120	CM 40	CM 78 LEVEL CM	599,1686 litre	99,334 %	4,0172 litre	O
120	CM 40	CM 77,5 LEVEL CM	597,5823 litre	99,071 %	5,6035 litre	O
120	CM 40	CM 77 LEVEL CM	595,8339 litre	98,781 %	7,3519 litre	O
120	CM 40	CM 76,5 LEVEL CM	593,9392 litre	98,467 %	9,2466 litre	O
120	CM 40	CM 76 LEVEL CM	591,9104 litre	98,131 %	11,2754 litre	O
120	CM 40	CM 75,5 LEVEL CM	589,7576 litre	97,774 %	13,4282 litre	O
120	CM 40	CM 75 LEVEL CM	587,4892 litre	97,398 %	15,6966 litre	O
120	CM 40	CM 74,5 LEVEL CM	585,1123 litre	97,004 %	18,0735 litre	O
120	CM 40	CM 74 LEVEL CM	582,6330 litre	96,593 %	20,5528 litre	O
120	CM 40	CM 73,5 LEVEL CM	580,0569 litre	96,166 %	23,1289 litre	O
120	CM 40	CM 73 LEVEL CM	577,3887 litre	95,723 %	25,7971 litre	O
120	CM 40	CM 72,5 LEVEL CM	574,6330 litre	95,266 %	28,5528 litre	O
120	CM 40	CM 72 LEVEL CM	571,7936 litre	94,796 %	31,3922 litre	O
120	CM 40	CM 71,5 LEVEL CM	568,8741 litre	94,312 %	34,3117 litre	O
120	CM 40	CM 71 LEVEL CM	565,8780 litre	93,815 %	37,3078 litre	O
120	CM 40	CM 70,5 LEVEL CM	562,8083 litre	93,306 %	40,3775 litre	O
120	CM 40	CM 70 LEVEL CM	559,6679 litre	92,785 %	43,5179 litre	O
120	CM 40	CM 69,5 LEVEL CM	556,4594 litre	92,253 %	46,7264 litre	O
120	CM 40	CM 69 LEVEL CM	553,1853 litre	91,711 %	50,0005 litre	O
120	CM 40	CM 68,5 LEVEL CM	549,8481 litre	91,157 %	53,3377 litre	O
120	CM 40	CM 68 LEVEL CM	546,4500 litre	90,594 %	56,7358 litre	O
120	CM 40	CM 67,5 LEVEL CM	542,9931 litre	90,021 %	60,1927 litre	O
120	CM 40	CM 67 LEVEL CM	539,4793 litre	89,438 %	63,7065 litre	O
120	CM 40	CM 66,5 LEVEL CM	535,9106 litre	88,847 %	67,2752 litre	O
120	CM 40	CM 66 LEVEL CM	532,2889 litre	88,246 %	70,8969 litre	O
120	CM 40	CM 65,5 LEVEL CM	528,6158 litre	87,637 %	74,5700 litre	O
120	CM 40	CM 65 LEVEL CM	524,8931 litre	87,020 %	78,2927 litre	O
120	CM 40	CM 64,5 LEVEL CM	521,1224 litre	86,395 %	82,0634 litre	O
120	CM 40	CM 64 LEVEL CM	517,3051 litre	85,762 %	85,8807 litre	O
120	CM 40	CM 63,5 LEVEL CM	513,4428 litre	85,122 %	89,7430 litre	O
120	CM 40	CM 63 LEVEL CM	509,5370 litre	84,474 %	93,6488 litre	O
120	CM 40	CM 62,5 LEVEL CM	505,5890 litre	83,820 %	97,5968 litre	O
120	CM 40	CM 62 LEVEL CM	501,6002 litre	83,158 %	101,5856 litre	O
120	CM 40	CM 61,5 LEVEL CM	497,5719 litre	82,491 %	105,6139 litre	O
120	CM 40	CM 61 LEVEL CM	493,5053 litre	81,816 %	109,6805 litre	O
120	CM 40	CM 60,5 LEVEL CM	489,4017 litre	81,136 %	113,7841 litre	O
120	CM 40	CM 60 LEVEL CM	485,2623 litre	80,450 %	117,9235 litre	O
120	CM 40	CM 59,5 LEVEL CM	481,0882 litre	79,758 %	122,0976 litre	O
120	CM 40	CM 59 LEVEL CM	476,8807 litre	79,060 %	126,3051 litre	O
120	CM 40	CM 58,5 LEVEL CM	472,6408 litre	78,357 %	130,5450 litre	O
120	CM 40	CM 58 LEVEL CM	468,3695 litre	77,649 %	134,8163 litre	O
120	CM 40	CM 57,5 LEVEL CM	464,0680 litre	76,936 %	139,1178 litre	O
120	CM 40	CM 57 LEVEL CM	459,7374 litre	76,218 %	143,4484 litre	O
120	CM 40	CM 56,5 LEVEL CM	455,3785 litre	75,496 %	147,8073 litre	O
120	CM 40	CM 56 LEVEL CM	450,9925 litre	74,768 %	152,1933 litre	O
120	CM 40	CM 55,5 LEVEL CM	446,5803 litre	74,037 %	156,6055 litre	O
120	CM 40	CM 55 LEVEL CM	442,1429 litre	73,301 %	161,0429 litre	O
120	CM 40	CM 54,5 LEVEL CM	437,6812 litre	72,562 %	165,5046 litre	O

120	CM 40	CM	54 LEVEL CM	433,1961 litre	71,818 %	169,9897 litre	O
120	CM 40	CM	53,5 LEVEL CM	428,6887 litre	71,071 %	174,4971 litre	O
120	CM 40	CM	53 LEVEL CM	424,1597 litre	70,320 %	179,0261 litre	O
120	CM 40	CM	52,5 LEVEL CM	419,6101 litre	69,566 %	183,5757 litre	O
120	CM 40	CM	52 LEVEL CM	415,0408 litre	68,808 %	188,1450 litre	O
120	CM 40	CM	51,5 LEVEL CM	410,4526 litre	68,047 %	192,7332 litre	O
120	CM 40	CM	51 LEVEL CM	405,8464 litre	67,284 %	197,3394 litre	O
120	CM 40	CM	50,5 LEVEL CM	401,2230 litre	66,517 %	201,9628 litre	O
120	CM 40	CM	50 LEVEL CM	396,5833 litre	65,748 %	206,6025 litre	O
120	CM 40	CM	49,5 LEVEL CM	391,9281 litre	64,976 %	211,2577 litre	O
120	CM 40	CM	49 LEVEL CM	387,2583 litre	64,202 %	215,9275 litre	O
120	CM 40	CM	48,5 LEVEL CM	382,5745 litre	63,426 %	220,6113 litre	O
120	CM 40	CM	48 LEVEL CM	377,8778 litre	62,647 %	225,3080 litre	O
120	CM 40	CM	47,5 LEVEL CM	373,1688 litre	61,866 %	230,0170 litre	O
120	CM 40	CM	47 LEVEL CM	368,4483 litre	61,084 %	234,7375 litre	O
120	CM 40	CM	46,5 LEVEL CM	363,7172 litre	60,299 %	239,4686 litre	O
120	CM 40	CM	46 LEVEL CM	358,9762 litre	59,513 %	244,2096 litre	O
120	CM 40	CM	45,5 LEVEL CM	354,2260 litre	58,726 %	248,9598 litre	O
120	CM 40	CM	45 LEVEL CM	349,4676 litre	57,937 %	253,7182 litre	O
120	CM 40	CM	44,5 LEVEL CM	344,7016 litre	57,147 %	258,4842 litre	O
120	CM 40	CM	44 LEVEL CM	339,9288 litre	56,356 %	263,2570 litre	O
120	CM 40	CM	43,5 LEVEL CM	335,1500 litre	55,563 %	268,0358 litre	O
120	CM 40	CM	43 LEVEL CM	330,3659 litre	54,770 %	272,8199 litre	O
120	CM 40	CM	42,5 LEVEL CM	325,5773 litre	53,976 %	277,6085 litre	O
120	CM 40	CM	42 LEVEL CM	320,7849 litre	53,182 %	282,4009 litre	O
120	CM 40	CM	41,5 LEVEL CM	315,9895 litre	52,387 %	287,1963 litre	O
120	CM 40	CM	41 LEVEL CM	311,1919 litre	51,591 %	291,9939 litre	O
120	CM 40	CM	40,5 LEVEL CM	306,3928 litre	50,796 %	296,7930 litre	O
120	CM 40	CM	40 LEVEL CM	301,5929 litre	50,000 %	301,5929 litre	O
120	CM 40	CM	39,5 LEVEL CM	296,7930 litre	49,204 %	306,3928 litre	O
120	CM 40	CM	39 LEVEL CM	291,9939 litre	48,409 %	311,1919 litre	O
120	CM 40	CM	38,5 LEVEL CM	287,1963 litre	47,613 %	315,9895 litre	O
120	CM 40	CM	38 LEVEL CM	282,4009 litre	46,818 %	320,7849 litre	O
120	CM 40	CM	37,5 LEVEL CM	277,6085 litre	46,024 %	325,5773 litre	O
120	CM 40	CM	37 LEVEL CM	272,8199 litre	45,230 %	330,3659 litre	O
120	CM 40	CM	36,5 LEVEL CM	268,0358 litre	44,437 %	335,1500 litre	O
120	CM 40	CM	36 LEVEL CM	263,2570 litre	43,644 %	339,9288 litre	O
120	CM 40	CM	35,5 LEVEL CM	258,4842 litre	42,853 %	344,7016 litre	O
120	CM 40	CM	35 LEVEL CM	253,7182 litre	42,063 %	349,4676 litre	O
120	CM 40	CM	34,5 LEVEL CM	248,9597 litre	41,274 %	354,2261 litre	O
120	CM 40	CM	34 LEVEL CM	244,2096 litre	40,487 %	358,9762 litre	O
120	CM 40	CM	33,5 LEVEL CM	239,4686 litre	39,701 %	363,7172 litre	O
120	CM 40	CM	33 LEVEL CM	234,7375 litre	38,916 %	368,4483 litre	O
120	CM 40	CM	32,5 LEVEL CM	230,0170 litre	38,134 %	373,1688 litre	O
120	CM 40	CM	32 LEVEL CM	225,3080 litre	37,353 %	377,8778 litre	O
120	CM 40	CM	31,5 LEVEL CM	220,6112 litre	36,574 %	382,5746 litre	O
120	CM 40	CM	31 LEVEL CM	215,9275 litre	35,798 %	387,2583 litre	O
120	CM 40	CM	30,5 LEVEL CM	211,2577 litre	35,024 %	391,9281 litre	O
120	CM 40	CM	30 LEVEL CM	206,6025 litre	34,252 %	396,5833 litre	O
120	CM 40	CM	29,5 LEVEL CM	201,9628 litre	33,483 %	401,2230 litre	O
120	CM 40	CM	29 LEVEL CM	197,3394 litre	32,716 %	405,8464 litre	O
120	CM 40	CM	28,5 LEVEL CM	192,7332 litre	31,953 %	410,4526 litre	O
120	CM 40	CM	28 LEVEL CM	188,1450 litre	31,192 %	415,0408 litre	O

120	CM 40	CM	27,5 LEVEL CM	183,5757 litre	30,434 %	419,6101 litre	O
120	CM 40	CM	27 LEVEL CM	179,0261 litre	29,680 %	424,1597 litre	O
120	CM 40	CM	26,5 LEVEL CM	174,4971 litre	28,929 %	428,6887 litre	O
120	CM 40	CM	26 LEVEL CM	169,9897 litre	28,182 %	433,1961 litre	O
120	CM 40	CM	25,5 LEVEL CM	165,5046 litre	27,438 %	437,6812 litre	O
120	CM 40	CM	25 LEVEL CM	161,0429 litre	26,699 %	442,1429 litre	O
120	CM 40	CM	24,5 LEVEL CM	156,6055 litre	25,963 %	446,5803 litre	O
120	CM 40	CM	24 LEVEL CM	152,1933 litre	25,232 %	450,9925 litre	O
120	CM 40	CM	23,5 LEVEL CM	147,8073 litre	24,504 %	455,3785 litre	O
120	CM 40	CM	23 LEVEL CM	143,4484 litre	23,782 %	459,7374 litre	O
120	CM 40	CM	22,5 LEVEL CM	139,1178 litre	23,064 %	464,0680 litre	O
120	CM 40	CM	22 LEVEL CM	134,8163 litre	22,351 %	468,3695 litre	O
120	CM 40	CM	21,5 LEVEL CM	130,5450 litre	21,643 %	472,6408 litre	O
120	CM 40	CM	21 LEVEL CM	126,3051 litre	20,940 %	476,8807 litre	O
120	CM 40	CM	20,5 LEVEL CM	122,0975 litre	20,242 %	481,0883 litre	O
120	CM 40	CM	20 LEVEL CM	117,9235 litre	19,550 %	485,2623 litre	O
120	CM 40	CM	19,5 LEVEL CM	113,7841 litre	18,864 %	489,4017 litre	O
120	CM 40	CM	19 LEVEL CM	109,6805 litre	18,184 %	493,5053 litre	O
120	CM 40	CM	18,5 LEVEL CM	105,6139 litre	17,509 %	497,5719 litre	O
120	CM 40	CM	18 LEVEL CM	101,5856 litre	16,842 %	501,6002 litre	O
120	CM 40	CM	17,5 LEVEL CM	97,5968 litre	16,180 %	505,5890 litre	O
120	CM 40	CM	17 LEVEL CM	93,6488 litre	15,526 %	509,5370 litre	O
120	CM 40	CM	16,5 LEVEL CM	89,7429 litre	14,878 %	513,4429 litre	O
120	CM 40	CM	16 LEVEL CM	85,8807 litre	14,238 %	517,3051 litre	O
120	CM 40	CM	15,5 LEVEL CM	82,0634 litre	13,605 %	521,1224 litre	O
120	CM 40	CM	15 LEVEL CM	78,2927 litre	12,980 %	524,8931 litre	O
120	CM 40	CM	14,5 LEVEL CM	74,5700 litre	12,363 %	528,6158 litre	O
120	CM 40	CM	14 LEVEL CM	70,8969 litre	11,754 %	532,2889 litre	O
120	CM 40	CM	13,5 LEVEL CM	67,2752 litre	11,153 %	535,9106 litre	O
120	CM 40	CM	13 LEVEL CM	63,7065 litre	10,562 %	539,4793 litre	O
120	CM 40	CM	12,5 LEVEL CM	60,1927 litre	9,979 %	542,9931 litre	O
120	CM 40	CM	12 LEVEL CM	56,7358 litre	9,406 %	546,4500 litre	O
120	CM 40	CM	11,5 LEVEL CM	53,3376 litre	8,843 %	549,8482 litre	O
120	CM 40	CM	11 LEVEL CM	50,0004 litre	8,289 %	553,1854 litre	O
120	CM 40	CM	10,5 LEVEL CM	46,7264 litre	7,747 %	556,4594 litre	O
120	CM 40	CM	10 LEVEL CM	43,5179 litre	7,215 %	559,6679 litre	O
120	CM 40	CM	9,5 LEVEL CM	40,3775 litre	6,694 %	562,8083 litre	O
120	CM 40	CM	9 LEVEL CM	37,3078 litre	6,185 %	565,8780 litre	O
120	CM 40	CM	8,5 LEVEL CM	34,3116 litre	5,688 %	568,8742 litre	O
120	CM 40	CM	8 LEVEL CM	31,3922 litre	5,204 %	571,7936 litre	O
120	CM 40	CM	7,5 LEVEL CM	28,5528 litre	4,734 %	574,6330 litre	O
120	CM 40	CM	7 LEVEL CM	25,7970 litre	4,277 %	577,3888 litre	O
120	CM 40	CM	6,5 LEVEL CM	23,1289 litre	3,834 %	580,0569 litre	O
120	CM 40	CM	6 LEVEL CM	20,5528 litre	3,407 %	582,6330 litre	O
120	CM 40	CM	5,5 LEVEL CM	18,0735 litre	2,996 %	585,1123 litre	O
120	CM 40	CM	5 LEVEL CM	15,6966 litre	2,602 %	587,4892 litre	O
120	CM 40	CM	4,5 LEVEL CM	13,4281 litre	2,226 %	589,7577 litre	O
120	CM 40	CM	4 LEVEL CM	11,2754 litre	1,869 %	591,9104 litre	O
120	CM 40	CM	3,5 LEVEL CM	9,2466 litre	1,533 %	593,9392 litre	O
120	CM 40	CM	3 LEVEL CM	7,3519 litre	1,219 %	595,8339 litre	O
120	CM 40	CM	2,5 LEVEL CM	5,6035 litre	0,929 %	597,5823 litre	O
120	CM 40	CM	2 LEVEL CM	4,0172 litre	0,666 %	599,1686 litre	O
120	CM 40	CM	1,5 LEVEL CM	2,6142 litre	0,433 %	600,5716 litre	O

120_40

-3278-

120	CM 40	CM	1 LEVEL CM	1,4257 litre	0,236 %	601,7601 litre	O
120	CM 40	CM	0,5 LEVEL CM	0,5050 litre	0,084 %	602,6808 litre	O
120	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	603,1858 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
120	CM	35	CM	70 LEVEL CM	461,8141 litre	100,000 %	0,0000 litre	O
120	CM	35	CM	69,5 LEVEL CM	461,3418 litre	99,898 %	0,4723 litre	O
120	CM	35	CM	69 LEVEL CM	460,4812 litre	99,711 %	1,3329 litre	O
120	CM	35	CM	68,5 LEVEL CM	459,3707 litre	99,471 %	2,4434 litre	O
120	CM	35	CM	68 LEVEL CM	458,0605 litre	99,187 %	3,7536 litre	O
120	CM	35	CM	67,5 LEVEL CM	456,5797 litre	98,867 %	5,2344 litre	O
120	CM	35	CM	67 LEVEL CM	454,9484 litre	98,513 %	6,8657 litre	O
120	CM	35	CM	66,5 LEVEL CM	453,1814 litre	98,131 %	8,6327 litre	O
120	CM	35	CM	66 LEVEL CM	451,2904 litre	97,721 %	10,5237 litre	O
120	CM	35	CM	65,5 LEVEL CM	449,2847 litre	97,287 %	12,5294 litre	O
120	CM	35	CM	65 LEVEL CM	447,1724 litre	96,830 %	14,6417 litre	O
120	CM	35	CM	64,5 LEVEL CM	444,9602 litre	96,350 %	16,8539 litre	O
120	CM	35	CM	64 LEVEL CM	442,6539 litre	95,851 %	19,1602 litre	O
120	CM	35	CM	63,5 LEVEL CM	440,2588 litre	95,332 %	21,5553 litre	O
120	CM	35	CM	63 LEVEL CM	437,7795 litre	94,796 %	24,0346 litre	O
120	CM	35	CM	62,5 LEVEL CM	435,2201 litre	94,241 %	26,5940 litre	O
120	CM	35	CM	62 LEVEL CM	432,5845 litre	93,671 %	29,2296 litre	O
120	CM	35	CM	61,5 LEVEL CM	429,8762 litre	93,084 %	31,9379 litre	O
120	CM	35	CM	61 LEVEL CM	427,0982 litre	92,483 %	34,7159 litre	O
120	CM	35	CM	60,5 LEVEL CM	424,2537 litre	91,867 %	37,5604 litre	O
120	CM	35	CM	60 LEVEL CM	421,3454 litre	91,237 %	40,4687 litre	O
120	CM	35	CM	59,5 LEVEL CM	418,3758 litre	90,594 %	43,4383 litre	O
120	CM	35	CM	59 LEVEL CM	415,3474 litre	89,938 %	46,4667 litre	O
120	CM	35	CM	58,5 LEVEL CM	412,2624 litre	89,270 %	49,5517 litre	O
120	CM	35	CM	58 LEVEL CM	409,1231 litre	88,590 %	52,6910 litre	O
120	CM	35	CM	57,5 LEVEL CM	405,9314 litre	87,899 %	55,8827 litre	O
120	CM	35	CM	57 LEVEL CM	402,6894 litre	87,197 %	59,1247 litre	O
120	CM	35	CM	56,5 LEVEL CM	399,3989 litre	86,485 %	62,4152 litre	O
120	CM	35	CM	56 LEVEL CM	396,0617 litre	85,762 %	65,7524 litre	O
120	CM	35	CM	55,5 LEVEL CM	392,6795 litre	85,030 %	69,1346 litre	O
120	CM	35	CM	55 LEVEL CM	389,2539 litre	84,288 %	72,5602 litre	O
120	CM	35	CM	54,5 LEVEL CM	385,7865 litre	83,537 %	76,0276 litre	O
120	CM	35	CM	54 LEVEL CM	382,2789 litre	82,778 %	79,5352 litre	O
120	CM	35	CM	53,5 LEVEL CM	378,7325 litre	82,010 %	83,0816 litre	O
120	CM	35	CM	53 LEVEL CM	375,1487 litre	81,234 %	86,6654 litre	O
120	CM	35	CM	52,5 LEVEL CM	371,5289 litre	80,450 %	90,2852 litre	O
120	CM	35	CM	52 LEVEL CM	367,8745 litre	79,659 %	93,9396 litre	O
120	CM	35	CM	51,5 LEVEL CM	364,1868 litre	78,860 %	97,6273 litre	O
120	CM	35	CM	51 LEVEL CM	360,4670 litre	78,055 %	101,3471 litre	O
120	CM	35	CM	50,5 LEVEL CM	356,7163 litre	77,242 %	105,0978 litre	O
120	CM	35	CM	50 LEVEL CM	352,9360 litre	76,424 %	108,8781 litre	O
120	CM	35	CM	49,5 LEVEL CM	349,1272 litre	75,599 %	112,6869 litre	O
120	CM	35	CM	49 LEVEL CM	345,2911 litre	74,768 %	116,5230 litre	O
120	CM	35	CM	48,5 LEVEL CM	341,4289 litre	73,932 %	120,3852 litre	O
120	CM	35	CM	48 LEVEL CM	337,5415 litre	73,090 %	124,2726 litre	O
120	CM	35	CM	47,5 LEVEL CM	333,6301 litre	72,243 %	128,1840 litre	O
120	CM	35	CM	47 LEVEL CM	329,6958 litre	71,391 %	132,1183 litre	O
120	CM	35	CM	46,5 LEVEL CM	325,7396 litre	70,535 %	136,0745 litre	O
120	CM	35	CM	46 LEVEL CM	321,7625 litre	69,674 %	140,0516 litre	O
120	CM	35	CM	45,5 LEVEL CM	317,7656 litre	68,808 %	144,0485 litre	O
120	CM	35	CM	45 LEVEL CM	313,7498 litre	67,939 %	148,0643 litre	O
120	CM	35	CM	44,5 LEVEL CM	309,7161 litre	67,065 %	152,0980 litre	O

120	CM 35	CM	44 LEVEL CM	305,6655 litre	66,188 %	156,1486 litre	O
120	CM 35	CM	43,5 LEVEL CM	301,5989 litre	65,307 %	160,2152 litre	O
120	CM 35	CM	43 LEVEL CM	297,5172 litre	64,424 %	164,2969 litre	O
120	CM 35	CM	42,5 LEVEL CM	293,4215 litre	63,537 %	168,3926 litre	O
120	CM 35	CM	42 LEVEL CM	289,3127 litre	62,647 %	172,5014 litre	O
120	CM 35	CM	41,5 LEVEL CM	285,1916 litre	61,755 %	176,6225 litre	O
120	CM 35	CM	41 LEVEL CM	281,0591 litre	60,860 %	180,7550 litre	O
120	CM 35	CM	40,5 LEVEL CM	276,9162 litre	59,963 %	184,8979 litre	O
120	CM 35	CM	40 LEVEL CM	272,7638 litre	59,064 %	189,0503 litre	O
120	CM 35	CM	39,5 LEVEL CM	268,6027 litre	58,163 %	193,2114 litre	O
120	CM 35	CM	39 LEVEL CM	264,4338 litre	57,260 %	197,3803 litre	O
120	CM 35	CM	38,5 LEVEL CM	260,2580 litre	56,356 %	201,5561 litre	O
120	CM 35	CM	38 LEVEL CM	256,0762 litre	55,450 %	205,7379 litre	O
120	CM 35	CM	37,5 LEVEL CM	251,8892 litre	54,543 %	209,9249 litre	O
120	CM 35	CM	37 LEVEL CM	247,6979 litre	53,636 %	214,1162 litre	O
120	CM 35	CM	36,5 LEVEL CM	243,5032 litre	52,728 %	218,3109 litre	O
120	CM 35	CM	36 LEVEL CM	239,3059 litre	51,819 %	222,5082 litre	O
120	CM 35	CM	35,5 LEVEL CM	235,1069 litre	50,909 %	226,7072 litre	O
120	CM 35	CM	35 LEVEL CM	230,9071 litre	50,000 %	230,9070 litre	O
120	CM 35	CM	34,5 LEVEL CM	226,7072 litre	49,091 %	235,1069 litre	O
120	CM 35	CM	34 LEVEL CM	222,5082 litre	48,181 %	239,3059 litre	O
120	CM 35	CM	33,5 LEVEL CM	218,3109 litre	47,272 %	243,5032 litre	O
120	CM 35	CM	33 LEVEL CM	214,1162 litre	46,364 %	247,6979 litre	O
120	CM 35	CM	32,5 LEVEL CM	209,9249 litre	45,457 %	251,8892 litre	O
120	CM 35	CM	32 LEVEL CM	205,7380 litre	44,550 %	256,0761 litre	O
120	CM 35	CM	31,5 LEVEL CM	201,5561 litre	43,644 %	260,2580 litre	O
120	CM 35	CM	31 LEVEL CM	197,3803 litre	42,740 %	264,4338 litre	O
120	CM 35	CM	30,5 LEVEL CM	193,2115 litre	41,837 %	268,6026 litre	O
120	CM 35	CM	30 LEVEL CM	189,0504 litre	40,936 %	272,7637 litre	O
120	CM 35	CM	29,5 LEVEL CM	184,8979 litre	40,037 %	276,9162 litre	O
120	CM 35	CM	29 LEVEL CM	180,7550 litre	39,140 %	281,0591 litre	O
120	CM 35	CM	28,5 LEVEL CM	176,6226 litre	38,245 %	285,1915 litre	O
120	CM 35	CM	28 LEVEL CM	172,5014 litre	37,353 %	289,3127 litre	O
120	CM 35	CM	27,5 LEVEL CM	168,3926 litre	36,463 %	293,4215 litre	O
120	CM 35	CM	27 LEVEL CM	164,2969 litre	35,576 %	297,5172 litre	O
120	CM 35	CM	26,5 LEVEL CM	160,2153 litre	34,693 %	301,5988 litre	O
120	CM 35	CM	26 LEVEL CM	156,1487 litre	33,812 %	305,6654 litre	O
120	CM 35	CM	25,5 LEVEL CM	152,0980 litre	32,935 %	309,7161 litre	O
120	CM 35	CM	25 LEVEL CM	148,0643 litre	32,061 %	313,7498 litre	O
120	CM 35	CM	24,5 LEVEL CM	144,0485 litre	31,192 %	317,7656 litre	O
120	CM 35	CM	24 LEVEL CM	140,0516 litre	30,326 %	321,7625 litre	O
120	CM 35	CM	23,5 LEVEL CM	136,0745 litre	29,465 %	325,7396 litre	O
120	CM 35	CM	23 LEVEL CM	132,1183 litre	28,609 %	329,6958 litre	O
120	CM 35	CM	22,5 LEVEL CM	128,1840 litre	27,757 %	333,6301 litre	O
120	CM 35	CM	22 LEVEL CM	124,2726 litre	26,910 %	337,5415 litre	O
120	CM 35	CM	21,5 LEVEL CM	120,3853 litre	26,068 %	341,4288 litre	O
120	CM 35	CM	21 LEVEL CM	116,5230 litre	25,232 %	345,2911 litre	O
120	CM 35	CM	20,5 LEVEL CM	112,6869 litre	24,401 %	349,1272 litre	O
120	CM 35	CM	20 LEVEL CM	108,8781 litre	23,576 %	352,9360 litre	O
120	CM 35	CM	19,5 LEVEL CM	105,0978 litre	22,758 %	356,7163 litre	O
120	CM 35	CM	19 LEVEL CM	101,3472 litre	21,945 %	360,4669 litre	O
120	CM 35	CM	18,5 LEVEL CM	97,6273 litre	21,140 %	364,1868 litre	O
120	CM 35	CM	18 LEVEL CM	93,9396 litre	20,341 %	367,8745 litre	O

120	CM 35	CM	17,5 LEVEL CM	90,2852 litre	19,550 %	371,5289 litre	O
120	CM 35	CM	17 LEVEL CM	86,6654 litre	18,766 %	375,1487 litre	O
120	CM 35	CM	16,5 LEVEL CM	83,0816 litre	17,990 %	378,7325 litre	O
120	CM 35	CM	16 LEVEL CM	79,5352 litre	17,222 %	382,2789 litre	O
120	CM 35	CM	15,5 LEVEL CM	76,0276 litre	16,463 %	385,7865 litre	O
120	CM 35	CM	15 LEVEL CM	72,5602 litre	15,712 %	389,2539 litre	O
120	CM 35	CM	14,5 LEVEL CM	69,1346 litre	14,970 %	392,6795 litre	O
120	CM 35	CM	14 LEVEL CM	65,7524 litre	14,238 %	396,0617 litre	O
120	CM 35	CM	13,5 LEVEL CM	62,4152 litre	13,515 %	399,3989 litre	O
120	CM 35	CM	13 LEVEL CM	59,1247 litre	12,803 %	402,6894 litre	O
120	CM 35	CM	12,5 LEVEL CM	55,8827 litre	12,101 %	405,9314 litre	O
120	CM 35	CM	12 LEVEL CM	52,6910 litre	11,410 %	409,1231 litre	O
120	CM 35	CM	11,5 LEVEL CM	49,5517 litre	10,730 %	412,2624 litre	O
120	CM 35	CM	11 LEVEL CM	46,4667 litre	10,062 %	415,3474 litre	O
120	CM 35	CM	10,5 LEVEL CM	43,4383 litre	9,406 %	418,3758 litre	O
120	CM 35	CM	10 LEVEL CM	40,4687 litre	8,763 %	421,3454 litre	O
120	CM 35	CM	9,5 LEVEL CM	37,5604 litre	8,133 %	424,2537 litre	O
120	CM 35	CM	9 LEVEL CM	34,7159 litre	7,517 %	427,0982 litre	O
120	CM 35	CM	8,5 LEVEL CM	31,9380 litre	6,916 %	429,8761 litre	O
120	CM 35	CM	8 LEVEL CM	29,2296 litre	6,329 %	432,5845 litre	O
120	CM 35	CM	7,5 LEVEL CM	26,5940 litre	5,759 %	435,2201 litre	O
120	CM 35	CM	7 LEVEL CM	24,0347 litre	5,204 %	437,7794 litre	O
120	CM 35	CM	6,5 LEVEL CM	21,5553 litre	4,668 %	440,2588 litre	O
120	CM 35	CM	6 LEVEL CM	19,1602 litre	4,149 %	442,6539 litre	O
120	CM 35	CM	5,5 LEVEL CM	16,8540 litre	3,650 %	444,9601 litre	O
120	CM 35	CM	5 LEVEL CM	14,6417 litre	3,170 %	447,1724 litre	O
120	CM 35	CM	4,5 LEVEL CM	12,5294 litre	2,713 %	449,2847 litre	O
120	CM 35	CM	4 LEVEL CM	10,5237 litre	2,279 %	451,2904 litre	O
120	CM 35	CM	3,5 LEVEL CM	8,6327 litre	1,869 %	453,1814 litre	O
120	CM 35	CM	3 LEVEL CM	6,8657 litre	1,487 %	454,9484 litre	O
120	CM 35	CM	2,5 LEVEL CM	5,2344 litre	1,133 %	456,5797 litre	O
120	CM 35	CM	2 LEVEL CM	3,7537 litre	0,813 %	458,0604 litre	O
120	CM 35	CM	1,5 LEVEL CM	2,4434 litre	0,529 %	459,3707 litre	O
120	CM 35	CM	1 LEVEL CM	1,3329 litre	0,289 %	460,4812 litre	O
120	CM 35	CM	0,5 LEVEL CM	0,4723 litre	0,102 %	461,3418 litre	O
120	CM 35	CM	0 LEVEL CM	0,0000 litre	0,000 %	461,8141 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
120	CM	30	CM 60 LEVEL CM	339,2920 litre	100,000 %	0,0000 litre	O
120	CM	30	CM 59,5 LEVEL CM	338,8549 litre	99,871 %	0,4371 litre	O
120	CM	30	CM 59 LEVEL CM	338,0589 litre	99,637 %	1,2331 litre	O
120	CM	30	CM 58,5 LEVEL CM	337,0323 litre	99,334 %	2,2597 litre	O
120	CM	30	CM 58 LEVEL CM	335,8218 litre	98,977 %	3,4702 litre	O
120	CM	30	CM 57,5 LEVEL CM	334,4547 litre	98,574 %	4,8373 litre	O
120	CM	30	CM 57 LEVEL CM	332,9496 litre	98,131 %	6,3424 litre	O
120	CM	30	CM 56,5 LEVEL CM	331,3204 litre	97,651 %	7,9716 litre	O
120	CM	30	CM 56 LEVEL CM	329,5779 litre	97,137 %	9,7141 litre	O
120	CM	30	CM 55,5 LEVEL CM	327,7311 litre	96,593 %	11,5609 litre	O
120	CM	30	CM 55 LEVEL CM	325,7873 litre	96,020 %	13,5047 litre	O
120	CM	30	CM 54,5 LEVEL CM	323,7531 litre	95,420 %	15,5389 litre	O
120	CM	30	CM 54 LEVEL CM	321,6339 litre	94,796 %	17,6581 litre	O
120	CM	30	CM 53,5 LEVEL CM	319,4346 litre	94,147 %	19,8574 litre	O
120	CM	30	CM 53 LEVEL CM	317,1597 litre	93,477 %	22,1323 litre	O
120	CM	30	CM 52,5 LEVEL CM	314,8132 litre	92,785 %	24,4788 litre	O
120	CM	30	CM 52 LEVEL CM	312,3985 litre	92,074 %	26,8935 litre	O
120	CM	30	CM 51,5 LEVEL CM	309,9192 litre	91,343 %	29,3728 litre	O
120	CM	30	CM 51 LEVEL CM	307,3781 litre	90,594 %	31,9139 litre	O
120	CM	30	CM 50,5 LEVEL CM	304,7783 litre	89,828 %	34,5137 litre	O
120	CM	30	CM 50 LEVEL CM	302,1222 litre	89,045 %	37,1698 litre	O
120	CM	30	CM 49,5 LEVEL CM	299,4125 litre	88,246 %	39,8795 litre	O
120	CM	30	CM 49 LEVEL CM	296,6515 litre	87,432 %	42,6405 litre	O
120	CM	30	CM 48,5 LEVEL CM	293,8413 litre	86,604 %	45,4507 litre	O
120	CM	30	CM 48 LEVEL CM	290,9841 litre	85,762 %	48,3079 litre	O
120	CM	30	CM 47,5 LEVEL CM	288,0819 litre	84,907 %	51,2101 litre	O
120	CM	30	CM 47 LEVEL CM	285,1367 litre	84,039 %	54,1553 litre	O
120	CM	30	CM 46,5 LEVEL CM	282,1501 litre	83,158 %	57,1419 litre	O
120	CM	30	CM 46 LEVEL CM	279,1241 litre	82,267 %	60,1679 litre	O
120	CM	30	CM 45,5 LEVEL CM	276,0602 litre	81,364 %	63,2318 litre	O
120	CM	30	CM 45 LEVEL CM	272,9600 litre	80,450 %	66,3320 litre	O
120	CM	30	CM 44,5 LEVEL CM	269,8253 litre	79,526 %	69,4667 litre	O
120	CM	30	CM 44 LEVEL CM	266,6574 litre	78,592 %	72,6346 litre	O
120	CM	30	CM 43,5 LEVEL CM	263,4578 litre	77,649 %	75,8342 litre	O
120	CM	30	CM 43 LEVEL CM	260,2281 litre	76,697 %	79,0639 litre	O
120	CM	30	CM 42,5 LEVEL CM	256,9694 litre	75,737 %	82,3226 litre	O
120	CM	30	CM 42 LEVEL CM	253,6833 litre	74,768 %	85,6087 litre	O
120	CM	30	CM 41,5 LEVEL CM	250,3709 litre	73,792 %	88,9211 litre	O
120	CM	30	CM 41 LEVEL CM	247,0337 litre	72,809 %	92,2583 litre	O
120	CM	30	CM 40,5 LEVEL CM	243,6728 litre	71,818 %	95,6192 litre	O
120	CM	30	CM 40 LEVEL CM	240,2895 litre	70,821 %	99,0025 litre	O
120	CM	30	CM 39,5 LEVEL CM	236,8850 litre	69,817 %	102,4070 litre	O
120	CM	30	CM 39 LEVEL CM	233,4604 litre	68,808 %	105,8316 litre	O
120	CM	30	CM 38,5 LEVEL CM	230,0170 litre	67,793 %	109,2750 litre	O
120	CM	30	CM 38 LEVEL CM	226,5559 litre	66,773 %	112,7361 litre	O
120	CM	30	CM 37,5 LEVEL CM	223,0781 litre	65,748 %	116,2139 litre	O
120	CM	30	CM 37 LEVEL CM	219,5849 litre	64,719 %	119,7071 litre	O
120	CM	30	CM 36,5 LEVEL CM	216,0772 litre	63,685 %	123,2148 litre	O
120	CM	30	CM 36 LEVEL CM	212,5563 litre	62,647 %	126,7357 litre	O
120	CM	30	CM 35,5 LEVEL CM	209,0230 litre	61,606 %	130,2690 litre	O
120	CM	30	CM 35 LEVEL CM	205,4786 litre	60,561 %	133,8134 litre	O
120	CM	30	CM 34,5 LEVEL CM	201,9241 litre	59,513 %	137,3679 litre	O

120	CM 30	CM	34 LEVEL CM	198,3604 litre	58,463 %	140,9316 litre	O
120	CM 30	CM	33,5 LEVEL CM	194,7887 litre	57,410 %	144,5033 litre	O
120	CM 30	CM	33 LEVEL CM	191,2099 litre	56,356 %	148,0821 litre	O
120	CM 30	CM	32,5 LEVEL CM	187,6251 litre	55,299 %	151,6669 litre	O
120	CM 30	CM	32 LEVEL CM	184,0353 litre	54,241 %	155,2567 litre	O
120	CM 30	CM	31,5 LEVEL CM	180,4415 litre	53,182 %	158,8505 litre	O
120	CM 30	CM	31 LEVEL CM	176,8447 litre	52,122 %	162,4473 litre	O
120	CM 30	CM	30,5 LEVEL CM	173,2458 litre	51,061 %	166,0462 litre	O
120	CM 30	CM	30 LEVEL CM	169,6460 litre	50,000 %	169,6460 litre	O
120	CM 30	CM	29,5 LEVEL CM	166,0462 litre	48,939 %	173,2458 litre	O
120	CM 30	CM	29 LEVEL CM	162,4473 litre	47,878 %	176,8447 litre	O
120	CM 30	CM	28,5 LEVEL CM	158,8505 litre	46,818 %	180,4415 litre	O
120	CM 30	CM	28 LEVEL CM	155,2567 litre	45,759 %	184,0353 litre	O
120	CM 30	CM	27,5 LEVEL CM	151,6669 litre	44,701 %	187,6251 litre	O
120	CM 30	CM	27 LEVEL CM	148,0821 litre	43,644 %	191,2099 litre	O
120	CM 30	CM	26,5 LEVEL CM	144,5033 litre	42,590 %	194,7887 litre	O
120	CM 30	CM	26 LEVEL CM	140,9316 litre	41,537 %	198,3604 litre	O
120	CM 30	CM	25,5 LEVEL CM	137,3679 litre	40,487 %	201,9241 litre	O
120	CM 30	CM	25 LEVEL CM	133,8134 litre	39,439 %	205,4786 litre	O
120	CM 30	CM	24,5 LEVEL CM	130,2690 litre	38,394 %	209,0230 litre	O
120	CM 30	CM	24 LEVEL CM	126,7358 litre	37,353 %	212,5562 litre	O
120	CM 30	CM	23,5 LEVEL CM	123,2148 litre	36,315 %	216,0772 litre	O
120	CM 30	CM	23 LEVEL CM	119,7071 litre	35,281 %	219,5849 litre	O
120	CM 30	CM	22,5 LEVEL CM	116,2139 litre	34,252 %	223,0781 litre	O
120	CM 30	CM	22 LEVEL CM	112,7361 litre	33,227 %	226,5559 litre	O
120	CM 30	CM	21,5 LEVEL CM	109,2750 litre	32,207 %	230,0170 litre	O
120	CM 30	CM	21 LEVEL CM	105,8316 litre	31,192 %	233,4604 litre	O
120	CM 30	CM	20,5 LEVEL CM	102,4070 litre	30,183 %	236,8850 litre	O
120	CM 30	CM	20 LEVEL CM	99,0025 litre	29,179 %	240,2895 litre	O
120	CM 30	CM	19,5 LEVEL CM	95,6192 litre	28,182 %	243,6728 litre	O
120	CM 30	CM	19 LEVEL CM	92,2583 litre	27,191 %	247,0337 litre	O
120	CM 30	CM	18,5 LEVEL CM	88,9211 litre	26,208 %	250,3709 litre	O
120	CM 30	CM	18 LEVEL CM	85,6087 litre	25,232 %	253,6833 litre	O
120	CM 30	CM	17,5 LEVEL CM	82,3226 litre	24,263 %	256,9694 litre	O
120	CM 30	CM	17 LEVEL CM	79,0639 litre	23,303 %	260,2281 litre	O
120	CM 30	CM	16,5 LEVEL CM	75,8342 litre	22,351 %	263,4578 litre	O
120	CM 30	CM	16 LEVEL CM	72,6346 litre	21,408 %	266,6574 litre	O
120	CM 30	CM	15,5 LEVEL CM	69,4667 litre	20,474 %	269,8253 litre	O
120	CM 30	CM	15 LEVEL CM	66,3320 litre	19,550 %	272,9600 litre	O
120	CM 30	CM	14,5 LEVEL CM	63,2319 litre	18,636 %	276,0601 litre	O
120	CM 30	CM	14 LEVEL CM	60,1680 litre	17,733 %	279,1240 litre	O
120	CM 30	CM	13,5 LEVEL CM	57,1419 litre	16,842 %	282,1501 litre	O
120	CM 30	CM	13 LEVEL CM	54,1553 litre	15,961 %	285,1367 litre	O
120	CM 30	CM	12,5 LEVEL CM	51,2101 litre	15,093 %	288,0819 litre	O
120	CM 30	CM	12 LEVEL CM	48,3079 litre	14,238 %	290,9841 litre	O
120	CM 30	CM	11,5 LEVEL CM	45,4507 litre	13,396 %	293,8413 litre	O
120	CM 30	CM	11 LEVEL CM	42,6406 litre	12,568 %	296,6514 litre	O
120	CM 30	CM	10,5 LEVEL CM	39,8795 litre	11,754 %	299,4125 litre	O
120	CM 30	CM	10 LEVEL CM	37,1698 litre	10,955 %	302,1222 litre	O
120	CM 30	CM	9,5 LEVEL CM	34,5137 litre	10,172 %	304,7783 litre	O
120	CM 30	CM	9 LEVEL CM	31,9139 litre	9,406 %	307,3781 litre	O
120	CM 30	CM	8,5 LEVEL CM	29,3728 litre	8,657 %	309,9192 litre	O
120	CM 30	CM	8 LEVEL CM	26,8935 litre	7,926 %	312,3985 litre	O

120	CM 30	CM	7,5 LEVEL CM	24,4788 litre	7,215 %	314,8132 litre	O
120	CM 30	CM	7 LEVEL CM	22,1323 litre	6,523 %	317,1597 litre	O
120	CM 30	CM	6,5 LEVEL CM	19,8574 litre	5,853 %	319,4346 litre	O
120	CM 30	CM	6 LEVEL CM	17,6581 litre	5,204 %	321,6339 litre	O
120	CM 30	CM	5,5 LEVEL CM	15,5389 litre	4,580 %	323,7531 litre	O
120	CM 30	CM	5 LEVEL CM	13,5047 litre	3,980 %	325,7873 litre	O
120	CM 30	CM	4,5 LEVEL CM	11,5609 litre	3,407 %	327,7311 litre	O
120	CM 30	CM	4 LEVEL CM	9,7141 litre	2,863 %	329,5779 litre	O
120	CM 30	CM	3,5 LEVEL CM	7,9716 litre	2,349 %	331,3204 litre	O
120	CM 30	CM	3 LEVEL CM	6,3424 litre	1,869 %	332,9496 litre	O
120	CM 30	CM	2,5 LEVEL CM	4,8373 litre	1,426 %	334,4547 litre	O
120	CM 30	CM	2 LEVEL CM	3,4702 litre	1,023 %	335,8218 litre	O
120	CM 30	CM	1,5 LEVEL CM	2,2597 litre	0,666 %	337,0323 litre	O
120	CM 30	CM	1 LEVEL CM	1,2331 litre	0,363 %	338,0589 litre	O
120	CM 30	CM	0,5 LEVEL CM	0,4371 litre	0,129 %	338,8549 litre	O
120	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	339,2920 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
120	CM	25	CM	50 LEVEL CM	235,6194 litre	100,000 %	0,0000 litre	O
120	CM	25	CM	49,5 LEVEL CM	235,2207 litre	99,831 %	0,3987 litre	O
120	CM	25	CM	49 LEVEL CM	234,4949 litre	99,523 %	1,1245 litre	O
120	CM	25	CM	48,5 LEVEL CM	233,5598 litre	99,126 %	2,0596 litre	O
120	CM	25	CM	48 LEVEL CM	232,4581 litre	98,658 %	3,1613 litre	O
120	CM	25	CM	47,5 LEVEL CM	231,2150 litre	98,131 %	4,4044 litre	O
120	CM	25	CM	47 LEVEL CM	229,8477 litre	97,550 %	5,7717 litre	O
120	CM	25	CM	46,5 LEVEL CM	228,3689 litre	96,923 %	7,2505 litre	O
120	CM	25	CM	46 LEVEL CM	226,7889 litre	96,252 %	8,8305 litre	O
120	CM	25	CM	45,5 LEVEL CM	225,1159 litre	95,542 %	10,5035 litre	O
120	CM	25	CM	45 LEVEL CM	223,3569 litre	94,796 %	12,2625 litre	O
120	CM	25	CM	44,5 LEVEL CM	221,5178 litre	94,015 %	14,1016 litre	O
120	CM	25	CM	44 LEVEL CM	219,6038 litre	93,203 %	16,0156 litre	O
120	CM	25	CM	43,5 LEVEL CM	217,6197 litre	92,361 %	17,9997 litre	O
120	CM	25	CM	43 LEVEL CM	215,5695 litre	91,491 %	20,0499 litre	O
120	CM	25	CM	42,5 LEVEL CM	213,4570 litre	90,594 %	22,1624 litre	O
120	CM	25	CM	42 LEVEL CM	211,2857 litre	89,672 %	24,3337 litre	O
120	CM	25	CM	41,5 LEVEL CM	209,0588 litre	88,727 %	26,5606 litre	O
120	CM	25	CM	41 LEVEL CM	206,7791 litre	87,760 %	28,8403 litre	O
120	CM	25	CM	40,5 LEVEL CM	204,4494 litre	86,771 %	31,1700 litre	O
120	CM	25	CM	40 LEVEL CM	202,0723 litre	85,762 %	33,5471 litre	O
120	CM	25	CM	39,5 LEVEL CM	199,6502 litre	84,734 %	35,9692 litre	O
120	CM	25	CM	39 LEVEL CM	197,1853 litre	83,688 %	38,4341 litre	O
120	CM	25	CM	38,5 LEVEL CM	194,6799 litre	82,625 %	40,9395 litre	O
120	CM	25	CM	38 LEVEL CM	192,1360 litre	81,545 %	43,4834 litre	O
120	CM	25	CM	37,5 LEVEL CM	189,5556 litre	80,450 %	46,0638 litre	O
120	CM	25	CM	37 LEVEL CM	186,9405 litre	79,340 %	48,6789 litre	O
120	CM	25	CM	36,5 LEVEL CM	184,2926 litre	78,216 %	51,3268 litre	O
120	CM	25	CM	36 LEVEL CM	181,6136 litre	77,079 %	54,0058 litre	O
120	CM	25	CM	35,5 LEVEL CM	178,9051 litre	75,930 %	56,7143 litre	O
120	CM	25	CM	35 LEVEL CM	176,1689 litre	74,768 %	59,4505 litre	O
120	CM	25	CM	34,5 LEVEL CM	173,4066 litre	73,596 %	62,2128 litre	O
120	CM	25	CM	34 LEVEL CM	170,6195 litre	72,413 %	64,9999 litre	O
120	CM	25	CM	33,5 LEVEL CM	167,8093 litre	71,221 %	67,8101 litre	O
120	CM	25	CM	33 LEVEL CM	164,9775 litre	70,019 %	70,6419 litre	O
120	CM	25	CM	32,5 LEVEL CM	162,1253 litre	68,808 %	73,4941 litre	O
120	CM	25	CM	32 LEVEL CM	159,2543 litre	67,590 %	76,3651 litre	O
120	CM	25	CM	31,5 LEVEL CM	156,3658 litre	66,364 %	79,2536 litre	O
120	CM	25	CM	31 LEVEL CM	153,4611 litre	65,131 %	82,1583 litre	O
120	CM	25	CM	30,5 LEVEL CM	150,5416 litre	63,892 %	85,0778 litre	O
120	CM	25	CM	30 LEVEL CM	147,6085 litre	62,647 %	88,0109 litre	O
120	CM	25	CM	29,5 LEVEL CM	144,6632 litre	61,397 %	90,9562 litre	O
120	CM	25	CM	29 LEVEL CM	141,7069 litre	60,142 %	93,9125 litre	O
120	CM	25	CM	28,5 LEVEL CM	138,7409 litre	58,883 %	96,8785 litre	O
120	CM	25	CM	28 LEVEL CM	135,7664 litre	57,621 %	99,8530 litre	O
120	CM	25	CM	27,5 LEVEL CM	132,7847 litre	56,356 %	102,8347 litre	O
120	CM	25	CM	27 LEVEL CM	129,7969 litre	55,088 %	105,8225 litre	O
120	CM	25	CM	26,5 LEVEL CM	126,8043 litre	53,817 %	108,8151 litre	O
120	CM	25	CM	26 LEVEL CM	123,8081 litre	52,546 %	111,8113 litre	O
120	CM	25	CM	25,5 LEVEL CM	120,8095 litre	51,273 %	114,8099 litre	O
120	CM	25	CM	25 LEVEL CM	117,8097 litre	50,000 %	117,8097 litre	O
120	CM	25	CM	24,5 LEVEL CM	114,8099 litre	48,727 %	120,8095 litre	O

120	CM	25	CM	24 LEVEL CM	111,8113 litre	47,454 %	123,8081 litre	O
120	CM	25	CM	23,5 LEVEL CM	108,8151 litre	46,183 %	126,8043 litre	O
120	CM	25	CM	23 LEVEL CM	105,8225 litre	44,912 %	129,7969 litre	O
120	CM	25	CM	22,5 LEVEL CM	102,8348 litre	43,644 %	132,7846 litre	O
120	CM	25	CM	22 LEVEL CM	99,8530 litre	42,379 %	135,7664 litre	O
120	CM	25	CM	21,5 LEVEL CM	96,8785 litre	41,117 %	138,7409 litre	O
120	CM	25	CM	21 LEVEL CM	93,9125 litre	39,858 %	141,7069 litre	O
120	CM	25	CM	20,5 LEVEL CM	90,9562 litre	38,603 %	144,6632 litre	O
120	CM	25	CM	20 LEVEL CM	88,0109 litre	37,353 %	147,6085 litre	O
120	CM	25	CM	19,5 LEVEL CM	85,0779 litre	36,108 %	150,5415 litre	O
120	CM	25	CM	19 LEVEL CM	82,1584 litre	34,869 %	153,4610 litre	O
120	CM	25	CM	18,5 LEVEL CM	79,2537 litre	33,636 %	156,3657 litre	O
120	CM	25	CM	18 LEVEL CM	76,3652 litre	32,410 %	159,2542 litre	O
120	CM	25	CM	17,5 LEVEL CM	73,4941 litre	31,192 %	162,1253 litre	O
120	CM	25	CM	17 LEVEL CM	70,6420 litre	29,981 %	164,9774 litre	O
120	CM	25	CM	16,5 LEVEL CM	67,8101 litre	28,780 %	167,8093 litre	O
120	CM	25	CM	16 LEVEL CM	64,9999 litre	27,587 %	170,6195 litre	O
120	CM	25	CM	15,5 LEVEL CM	62,2129 litre	26,404 %	173,4065 litre	O
120	CM	25	CM	15 LEVEL CM	59,4505 litre	25,232 %	176,1689 litre	O
120	CM	25	CM	14,5 LEVEL CM	56,7143 litre	24,070 %	178,9051 litre	O
120	CM	25	CM	14 LEVEL CM	54,0059 litre	22,921 %	181,6135 litre	O
120	CM	25	CM	13,5 LEVEL CM	51,3269 litre	21,784 %	184,2925 litre	O
120	CM	25	CM	13 LEVEL CM	48,6790 litre	20,660 %	186,9404 litre	O
120	CM	25	CM	12,5 LEVEL CM	46,0639 litre	19,550 %	189,5555 litre	O
120	CM	25	CM	12 LEVEL CM	43,4834 litre	18,455 %	192,1360 litre	O
120	CM	25	CM	11,5 LEVEL CM	40,9395 litre	17,375 %	194,6799 litre	O
120	CM	25	CM	11 LEVEL CM	38,4341 litre	16,312 %	197,1853 litre	O
120	CM	25	CM	10,5 LEVEL CM	35,9693 litre	15,266 %	199,6501 litre	O
120	CM	25	CM	10 LEVEL CM	33,5471 litre	14,238 %	202,0723 litre	O
120	CM	25	CM	9,5 LEVEL CM	31,1700 litre	13,229 %	204,4494 litre	O
120	CM	25	CM	9 LEVEL CM	28,8404 litre	12,240 %	206,7790 litre	O
120	CM	25	CM	8,5 LEVEL CM	26,5607 litre	11,273 %	209,0587 litre	O
120	CM	25	CM	8 LEVEL CM	24,3337 litre	10,328 %	211,2857 litre	O
120	CM	25	CM	7,5 LEVEL CM	22,1624 litre	9,406 %	213,4570 litre	O
120	CM	25	CM	7 LEVEL CM	20,0500 litre	8,509 %	215,5694 litre	O
120	CM	25	CM	6,5 LEVEL CM	17,9998 litre	7,639 %	217,6196 litre	O
120	CM	25	CM	6 LEVEL CM	16,0156 litre	6,797 %	219,6038 litre	O
120	CM	25	CM	5,5 LEVEL CM	14,1017 litre	5,985 %	221,5177 litre	O
120	CM	25	CM	5 LEVEL CM	12,2626 litre	5,204 %	223,3568 litre	O
120	CM	25	CM	4,5 LEVEL CM	10,5035 litre	4,458 %	225,1159 litre	O
120	CM	25	CM	4 LEVEL CM	8,8305 litre	3,748 %	226,7889 litre	O
120	CM	25	CM	3,5 LEVEL CM	7,2505 litre	3,077 %	228,3689 litre	O
120	CM	25	CM	3 LEVEL CM	5,7718 litre	2,450 %	229,8476 litre	O
120	CM	25	CM	2,5 LEVEL CM	4,4044 litre	1,869 %	231,2150 litre	O
120	CM	25	CM	2 LEVEL CM	3,1613 litre	1,342 %	232,4581 litre	O
120	CM	25	CM	1,5 LEVEL CM	2,0597 litre	0,874 %	233,5597 litre	O
120	CM	25	CM	1 LEVEL CM	1,1246 litre	0,477 %	234,4948 litre	O
120	CM	25	CM	0,5 LEVEL CM	0,3988 litre	0,169 %	235,2206 litre	O
120	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	235,6194 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
120	CM 20	CM 40 LEVEL CM	150,7964 litre	100,000 %	0,0000 litre O
120	CM 20	CM 39,5 LEVEL CM	150,4400 litre	99,764 %	0,3564 litre O
120	CM 20	CM 39 LEVEL CM	149,7921 litre	99,334 %	1,0043 litre O
120	CM 20	CM 38,5 LEVEL CM	148,9585 litre	98,781 %	1,8379 litre O
120	CM 20	CM 38 LEVEL CM	147,9776 litre	98,131 %	2,8188 litre O
120	CM 20	CM 37,5 LEVEL CM	146,8723 litre	97,398 %	3,9241 litre O
120	CM 20	CM 37 LEVEL CM	145,6583 litre	96,593 %	5,1381 litre O
120	CM 20	CM 36,5 LEVEL CM	144,3472 litre	95,723 %	6,4492 litre O
120	CM 20	CM 36 LEVEL CM	142,9484 litre	94,796 %	7,8480 litre O
120	CM 20	CM 35,5 LEVEL CM	141,4695 litre	93,815 %	9,3269 litre O
120	CM 20	CM 35 LEVEL CM	139,9170 litre	92,785 %	10,8794 litre O
120	CM 20	CM 34,5 LEVEL CM	138,2963 litre	91,711 %	12,5001 litre O
120	CM 20	CM 34 LEVEL CM	136,6125 litre	90,594 %	14,1839 litre O
120	CM 20	CM 33,5 LEVEL CM	134,8698 litre	89,438 %	15,9266 litre O
120	CM 20	CM 33 LEVEL CM	133,0722 litre	88,246 %	17,7242 litre O
120	CM 20	CM 32,5 LEVEL CM	131,2233 litre	87,020 %	19,5731 litre O
120	CM 20	CM 32 LEVEL CM	129,3263 litre	85,762 %	21,4701 litre O
120	CM 20	CM 31,5 LEVEL CM	127,3843 litre	84,474 %	23,4121 litre O
120	CM 20	CM 31 LEVEL CM	125,4001 litre	83,159 %	25,3963 litre O
120	CM 20	CM 30,5 LEVEL CM	123,3763 litre	81,816 %	27,4201 litre O
120	CM 20	CM 30 LEVEL CM	121,3156 litre	80,450 %	29,4808 litre O
120	CM 20	CM 29,5 LEVEL CM	119,2202 litre	79,060 %	31,5762 litre O
120	CM 20	CM 29 LEVEL CM	117,0924 litre	77,649 %	33,7040 litre O
120	CM 20	CM 28,5 LEVEL CM	114,9343 litre	76,218 %	35,8621 litre O
120	CM 20	CM 28 LEVEL CM	112,7481 litre	74,768 %	38,0483 litre O
120	CM 20	CM 27,5 LEVEL CM	110,5357 litre	73,301 %	40,2607 litre O
120	CM 20	CM 27 LEVEL CM	108,2990 litre	71,818 %	42,4974 litre O
120	CM 20	CM 26,5 LEVEL CM	106,0399 litre	70,320 %	44,7565 litre O
120	CM 20	CM 26 LEVEL CM	103,7602 litre	68,808 %	47,0362 litre O
120	CM 20	CM 25,5 LEVEL CM	101,4616 litre	67,284 %	49,3348 litre O
120	CM 20	CM 25 LEVEL CM	99,1458 litre	65,748 %	51,6506 litre O
120	CM 20	CM 24,5 LEVEL CM	96,8146 litre	64,202 %	53,9818 litre O
120	CM 20	CM 24 LEVEL CM	94,4694 litre	62,647 %	56,3270 litre O
120	CM 20	CM 23,5 LEVEL CM	92,1121 litre	61,084 %	58,6843 litre O
120	CM 20	CM 23 LEVEL CM	89,7440 litre	59,513 %	61,0524 litre O
120	CM 20	CM 22,5 LEVEL CM	87,3669 litre	57,937 %	63,4295 litre O
120	CM 20	CM 22 LEVEL CM	84,9822 litre	56,356 %	65,8142 litre O
120	CM 20	CM 21,5 LEVEL CM	82,5915 litre	54,770 %	68,2049 litre O
120	CM 20	CM 21 LEVEL CM	80,1962 litre	53,182 %	70,6002 litre O
120	CM 20	CM 20,5 LEVEL CM	77,7980 litre	51,591 %	72,9984 litre O
120	CM 20	CM 20 LEVEL CM	75,3982 litre	50,000 %	75,3982 litre O
120	CM 20	CM 19,5 LEVEL CM	72,9985 litre	48,409 %	77,7979 litre O
120	CM 20	CM 19 LEVEL CM	70,6002 litre	46,818 %	80,1962 litre O
120	CM 20	CM 18,5 LEVEL CM	68,2050 litre	45,230 %	82,5914 litre O
120	CM 20	CM 18 LEVEL CM	65,8142 litre	43,644 %	84,9822 litre O
120	CM 20	CM 17,5 LEVEL CM	63,4295 litre	42,063 %	87,3669 litre O
120	CM 20	CM 17 LEVEL CM	61,0524 litre	40,487 %	89,7440 litre O
120	CM 20	CM 16,5 LEVEL CM	58,6844 litre	38,916 %	92,1120 litre O
120	CM 20	CM 16 LEVEL CM	56,3270 litre	37,353 %	94,4694 litre O
120	CM 20	CM 15,5 LEVEL CM	53,9819 litre	35,798 %	96,8145 litre O
120	CM 20	CM 15 LEVEL CM	51,6506 litre	34,252 %	99,1458 litre O
120	CM 20	CM 14,5 LEVEL CM	49,3349 litre	32,716 %	101,4615 litre O

120	CM	20	CM	14 LEVEL CM	47,0363 litre	31,192 %	103,7601 litre	O
120	CM	20	CM	13,5 LEVEL CM	44,7565 litre	29,680 %	106,0399 litre	O
120	CM	20	CM	13 LEVEL CM	42,4974 litre	28,182 %	108,2990 litre	O
120	CM	20	CM	12,5 LEVEL CM	40,2607 litre	26,699 %	110,5357 litre	O
120	CM	20	CM	12 LEVEL CM	38,0483 litre	25,232 %	112,7481 litre	O
120	CM	20	CM	11,5 LEVEL CM	35,8621 litre	23,782 %	114,9343 litre	O
120	CM	20	CM	11 LEVEL CM	33,7041 litre	22,351 %	117,0923 litre	O
120	CM	20	CM	10,5 LEVEL CM	31,5763 litre	20,940 %	119,2201 litre	O
120	CM	20	CM	10 LEVEL CM	29,4809 litre	19,550 %	121,3155 litre	O
120	CM	20	CM	9,5 LEVEL CM	27,4201 litre	18,184 %	123,3763 litre	O
120	CM	20	CM	9 LEVEL CM	25,3964 litre	16,842 %	125,4000 litre	O
120	CM	20	CM	8,5 LEVEL CM	23,4122 litre	15,526 %	127,3842 litre	O
120	CM	20	CM	8 LEVEL CM	21,4702 litre	14,238 %	129,3262 litre	O
120	CM	20	CM	7,5 LEVEL CM	19,5732 litre	12,980 %	131,2232 litre	O
120	CM	20	CM	7 LEVEL CM	17,7242 litre	11,754 %	133,0722 litre	O
120	CM	20	CM	6,5 LEVEL CM	15,9266 litre	10,562 %	134,8698 litre	O
120	CM	20	CM	6 LEVEL CM	14,1839 litre	9,406 %	136,6125 litre	O
120	CM	20	CM	5,5 LEVEL CM	12,5001 litre	8,289 %	138,2963 litre	O
120	CM	20	CM	5 LEVEL CM	10,8795 litre	7,215 %	139,9169 litre	O
120	CM	20	CM	4,5 LEVEL CM	9,3269 litre	6,185 %	141,4695 litre	O
120	CM	20	CM	4 LEVEL CM	7,8481 litre	5,204 %	142,9483 litre	O
120	CM	20	CM	3,5 LEVEL CM	6,4493 litre	4,277 %	144,3471 litre	O
120	CM	20	CM	3 LEVEL CM	5,1382 litre	3,407 %	145,6582 litre	O
120	CM	20	CM	2,5 LEVEL CM	3,9241 litre	2,602 %	146,8723 litre	O
120	CM	20	CM	2 LEVEL CM	2,8188 litre	1,869 %	147,9776 litre	O
120	CM	20	CM	1,5 LEVEL CM	1,8380 litre	1,219 %	148,9584 litre	O
120	CM	20	CM	1 LEVEL CM	1,0043 litre	0,666 %	149,7921 litre	O
120	CM	20	CM	0,5 LEVEL CM	0,3564 litre	0,236 %	150,4400 litre	O
120	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	150,7964 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
120	CM	15	CM	30 LEVEL CM	84,8230 litre	100,000 %	0,0000 litre	O
120	CM	15	CM	29,5 LEVEL CM	84,5147 litre	99,637 %	0,3083 litre	O
120	CM	15	CM	29 LEVEL CM	83,9555 litre	98,977 %	0,8675 litre	O
120	CM	15	CM	28,5 LEVEL CM	83,2374 litre	98,131 %	1,5856 litre	O
120	CM	15	CM	28 LEVEL CM	82,3945 litre	97,137 %	2,4285 litre	O
120	CM	15	CM	27,5 LEVEL CM	81,4468 litre	96,020 %	3,3762 litre	O
120	CM	15	CM	27 LEVEL CM	80,4085 litre	94,796 %	4,4145 litre	O
120	CM	15	CM	26,5 LEVEL CM	79,2899 litre	93,477 %	5,5331 litre	O
120	CM	15	CM	26 LEVEL CM	78,0996 litre	92,074 %	6,7234 litre	O
120	CM	15	CM	25,5 LEVEL CM	76,8445 litre	90,594 %	7,9785 litre	O
120	CM	15	CM	25 LEVEL CM	75,5306 litre	89,045 %	9,2924 litre	O
120	CM	15	CM	24,5 LEVEL CM	74,1629 litre	87,432 %	10,6601 litre	O
120	CM	15	CM	24 LEVEL CM	72,7460 litre	85,762 %	12,0770 litre	O
120	CM	15	CM	23,5 LEVEL CM	71,2842 litre	84,039 %	13,5388 litre	O
120	CM	15	CM	23 LEVEL CM	69,7810 litre	82,267 %	15,0420 litre	O
120	CM	15	CM	22,5 LEVEL CM	68,2400 litre	80,450 %	16,5830 litre	O
120	CM	15	CM	22 LEVEL CM	66,6643 litre	78,592 %	18,1587 litre	O
120	CM	15	CM	21,5 LEVEL CM	65,0570 litre	76,697 %	19,7660 litre	O
120	CM	15	CM	21 LEVEL CM	63,4208 litre	74,768 %	21,4022 litre	O
120	CM	15	CM	20,5 LEVEL CM	61,7584 litre	72,809 %	23,0646 litre	O
120	CM	15	CM	20 LEVEL CM	60,0724 litre	70,821 %	24,7506 litre	O
120	CM	15	CM	19,5 LEVEL CM	58,3651 litre	68,808 %	26,4579 litre	O
120	CM	15	CM	19 LEVEL CM	56,6390 litre	66,773 %	28,1840 litre	O
120	CM	15	CM	18,5 LEVEL CM	54,8962 litre	64,719 %	29,9268 litre	O
120	CM	15	CM	18 LEVEL CM	53,1391 litre	62,647 %	31,6839 litre	O
120	CM	15	CM	17,5 LEVEL CM	51,3697 litre	60,561 %	33,4533 litre	O
120	CM	15	CM	17 LEVEL CM	49,5901 litre	58,463 %	35,2329 litre	O
120	CM	15	CM	16,5 LEVEL CM	47,8025 litre	56,356 %	37,0205 litre	O
120	CM	15	CM	16 LEVEL CM	46,0088 litre	54,241 %	38,8142 litre	O
120	CM	15	CM	15,5 LEVEL CM	44,2112 litre	52,122 %	40,6118 litre	O
120	CM	15	CM	15 LEVEL CM	42,4115 litre	50,000 %	42,4115 litre	O
120	CM	15	CM	14,5 LEVEL CM	40,6118 litre	47,878 %	44,2112 litre	O
120	CM	15	CM	14 LEVEL CM	38,8142 litre	45,759 %	46,0088 litre	O
120	CM	15	CM	13,5 LEVEL CM	37,0205 litre	43,644 %	47,8025 litre	O
120	CM	15	CM	13 LEVEL CM	35,2329 litre	41,537 %	49,5901 litre	O
120	CM	15	CM	12,5 LEVEL CM	33,4533 litre	39,439 %	51,3697 litre	O
120	CM	15	CM	12 LEVEL CM	31,6839 litre	37,353 %	53,1391 litre	O
120	CM	15	CM	11,5 LEVEL CM	29,9268 litre	35,281 %	54,8962 litre	O
120	CM	15	CM	11 LEVEL CM	28,1840 litre	33,227 %	56,6390 litre	O
120	CM	15	CM	10,5 LEVEL CM	26,4579 litre	31,192 %	58,3651 litre	O
120	CM	15	CM	10 LEVEL CM	24,7506 litre	29,179 %	60,0724 litre	O
120	CM	15	CM	9,5 LEVEL CM	23,0646 litre	27,191 %	61,7584 litre	O
120	CM	15	CM	9 LEVEL CM	21,4022 litre	25,232 %	63,4208 litre	O
120	CM	15	CM	8,5 LEVEL CM	19,7660 litre	23,303 %	65,0570 litre	O
120	CM	15	CM	8 LEVEL CM	18,1587 litre	21,408 %	66,6643 litre	O
120	CM	15	CM	7,5 LEVEL CM	16,5830 litre	19,550 %	68,2400 litre	O
120	CM	15	CM	7 LEVEL CM	15,0420 litre	17,733 %	69,7810 litre	O
120	CM	15	CM	6,5 LEVEL CM	13,5388 litre	15,961 %	71,2842 litre	O
120	CM	15	CM	6 LEVEL CM	12,0770 litre	14,238 %	72,7460 litre	O
120	CM	15	CM	5,5 LEVEL CM	10,6601 litre	12,568 %	74,1629 litre	O
120	CM	15	CM	5 LEVEL CM	9,2924 litre	10,955 %	75,5306 litre	O
120	CM	15	CM	4,5 LEVEL CM	7,9785 litre	9,406 %	76,8445 litre	O

120	CM	15	CM	4 LEVEL CM	6,7234 litre	7,926 %	78,0996 litre	O
120	CM	15	CM	3,5 LEVEL CM	5,5331 litre	6,523 %	79,2899 litre	O
120	CM	15	CM	3 LEVEL CM	4,4145 litre	5,204 %	80,4085 litre	O
120	CM	15	CM	2,5 LEVEL CM	3,3762 litre	3,980 %	81,4468 litre	O
120	CM	15	CM	2 LEVEL CM	2,4285 litre	2,863 %	82,3945 litre	O
120	CM	15	CM	1,5 LEVEL CM	1,5856 litre	1,869 %	83,2374 litre	O
120	CM	15	CM	1 LEVEL CM	0,8675 litre	1,023 %	83,9555 litre	O
120	CM	15	CM	0,5 LEVEL CM	0,3083 litre	0,363 %	84,5147 litre	O
120	CM	15	CM	0 LEVEL CM	0,0000 litre	0,000 %	84,8230 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
110	CM	50	CM 100 LEVEL CM	863,9380 litre	100,000 %	0,0000 litre	O
110	CM	50	CM 99,5 LEVEL CM	863,4202 litre	99,940 %	0,5178 litre	O
110	CM	50	CM 99 LEVEL CM	862,4757 litre	99,831 %	1,4623 litre	O
110	CM	50	CM 98,5 LEVEL CM	861,2557 litre	99,690 %	2,6823 litre	O
110	CM	50	CM 98 LEVEL CM	859,8146 litre	99,523 %	4,1234 litre	O
110	CM	50	CM 97,5 LEVEL CM	858,1841 litre	99,334 %	5,7539 litre	O
110	CM	50	CM 97 LEVEL CM	856,3859 litre	99,126 %	7,5521 litre	O
110	CM	50	CM 96,5 LEVEL CM	854,4359 litre	98,900 %	9,5021 litre	O
110	CM	50	CM 96 LEVEL CM	852,3465 litre	98,658 %	11,5915 litre	O
110	CM	50	CM 95,5 LEVEL CM	850,1278 litre	98,401 %	13,8102 litre	O
110	CM	50	CM 95 LEVEL CM	847,7884 litre	98,131 %	16,1496 litre	O
110	CM	50	CM 94,5 LEVEL CM	845,3352 litre	97,847 %	18,6028 litre	O
110	CM	50	CM 94 LEVEL CM	842,7747 litre	97,550 %	21,1633 litre	O
110	CM	50	CM 93,5 LEVEL CM	840,1123 litre	97,242 %	23,8257 litre	O
110	CM	50	CM 93 LEVEL CM	837,3527 litre	96,923 %	26,5853 litre	O
110	CM	50	CM 92,5 LEVEL CM	834,5004 litre	96,593 %	29,4376 litre	O
110	CM	50	CM 92 LEVEL CM	831,5593 litre	96,252 %	32,3787 litre	O
110	CM	50	CM 91,5 LEVEL CM	828,5331 litre	95,902 %	35,4049 litre	O
110	CM	50	CM 91 LEVEL CM	825,4250 litre	95,542 %	38,5130 litre	O
110	CM	50	CM 90,5 LEVEL CM	822,2381 litre	95,173 %	41,6999 litre	O
110	CM	50	CM 90 LEVEL CM	818,9752 litre	94,796 %	44,9628 litre	O
110	CM	50	CM 89,5 LEVEL CM	815,6389 litre	94,409 %	48,2991 litre	O
110	CM	50	CM 89 LEVEL CM	812,2318 litre	94,015 %	51,7062 litre	O
110	CM	50	CM 88,5 LEVEL CM	808,7561 litre	93,613 %	55,1819 litre	O
110	CM	50	CM 88 LEVEL CM	805,2140 litre	93,203 %	58,7240 litre	O
110	CM	50	CM 87,5 LEVEL CM	801,6076 litre	92,785 %	62,3304 litre	O
110	CM	50	CM 87 LEVEL CM	797,9388 litre	92,361 %	65,9992 litre	O
110	CM	50	CM 86,5 LEVEL CM	794,2095 litre	91,929 %	69,7285 litre	O
110	CM	50	CM 86 LEVEL CM	790,4215 litre	91,491 %	73,5165 litre	O
110	CM	50	CM 85,5 LEVEL CM	786,5764 litre	91,045 %	77,3616 litre	O
110	CM	50	CM 85 LEVEL CM	782,6758 litre	90,594 %	81,2622 litre	O
110	CM	50	CM 84,5 LEVEL CM	778,7213 litre	90,136 %	85,2167 litre	O
110	CM	50	CM 84 LEVEL CM	774,7144 litre	89,672 %	89,2236 litre	O
110	CM	50	CM 83,5 LEVEL CM	770,6564 litre	89,203 %	93,2816 litre	O
110	CM	50	CM 83 LEVEL CM	766,5489 litre	88,727 %	97,3891 litre	O
110	CM	50	CM 82,5 LEVEL CM	762,3929 litre	88,246 %	101,5451 litre	O
110	CM	50	CM 82 LEVEL CM	758,1900 litre	87,760 %	105,7480 litre	O
110	CM	50	CM 81,5 LEVEL CM	753,9412 litre	87,268 %	109,9968 litre	O
110	CM	50	CM 81 LEVEL CM	749,6478 litre	86,771 %	114,2902 litre	O
110	CM	50	CM 80,5 LEVEL CM	745,3110 litre	86,269 %	118,6270 litre	O
110	CM	50	CM 80 LEVEL CM	740,9318 litre	85,762 %	123,0062 litre	O
110	CM	50	CM 79,5 LEVEL CM	736,5113 litre	85,250 %	127,4267 litre	O
110	CM	50	CM 79 LEVEL CM	732,0507 litre	84,734 %	131,8873 litre	O
110	CM	50	CM 78,5 LEVEL CM	727,5509 litre	84,213 %	136,3871 litre	O
110	CM	50	CM 78 LEVEL CM	723,0129 litre	83,688 %	140,9251 litre	O
110	CM	50	CM 77,5 LEVEL CM	718,4378 litre	83,158 %	145,5002 litre	O
110	CM	50	CM 77 LEVEL CM	713,8264 litre	82,625 %	150,1116 litre	O
110	CM	50	CM 76,5 LEVEL CM	709,1798 litre	82,087 %	154,7582 litre	O
110	CM	50	CM 76 LEVEL CM	704,4988 litre	81,545 %	159,4392 litre	O
110	CM	50	CM 75,5 LEVEL CM	699,7843 litre	80,999 %	164,1537 litre	O
110	CM	50	CM 75 LEVEL CM	695,0371 litre	80,450 %	168,9009 litre	O
110	CM	50	CM 74,5 LEVEL CM	690,2583 litre	79,897 %	173,6797 litre	O

110	CM 50	CM	74 LEVEL CM	685,4485 litre	79,340 %	178,4895 litre	O
110	CM 50	CM	73,5 LEVEL CM	680,6086 litre	78,780 %	183,3294 litre	O
110	CM 50	CM	73 LEVEL CM	675,7394 litre	78,216 %	188,1986 litre	O
110	CM 50	CM	72,5 LEVEL CM	670,8417 litre	77,649 %	193,0963 litre	O
110	CM 50	CM	72 LEVEL CM	665,9164 litre	77,079 %	198,0216 litre	O
110	CM 50	CM	71,5 LEVEL CM	660,9640 litre	76,506 %	202,9740 litre	O
110	CM 50	CM	71 LEVEL CM	655,9855 litre	75,930 %	207,9525 litre	O
110	CM 50	CM	70,5 LEVEL CM	650,9815 litre	75,350 %	212,9565 litre	O
110	CM 50	CM	70 LEVEL CM	645,9528 litre	74,768 %	217,9852 litre	O
110	CM 50	CM	69,5 LEVEL CM	640,9001 litre	74,184 %	223,0379 litre	O
110	CM 50	CM	69 LEVEL CM	635,8241 litre	73,596 %	228,1139 litre	O
110	CM 50	CM	68,5 LEVEL CM	630,7255 litre	73,006 %	233,2125 litre	O
110	CM 50	CM	68 LEVEL CM	625,6049 litre	72,413 %	238,3331 litre	O
110	CM 50	CM	67,5 LEVEL CM	620,4632 litre	71,818 %	243,4748 litre	O
110	CM 50	CM	67 LEVEL CM	615,3009 litre	71,220 %	248,6371 litre	O
110	CM 50	CM	66,5 LEVEL CM	610,1187 litre	70,621 %	253,8193 litre	O
110	CM 50	CM	66 LEVEL CM	604,9173 litre	70,019 %	259,0207 litre	O
110	CM 50	CM	65,5 LEVEL CM	599,6974 litre	69,414 %	264,2406 litre	O
110	CM 50	CM	65 LEVEL CM	594,4595 litre	68,808 %	269,4785 litre	O
110	CM 50	CM	64,5 LEVEL CM	589,2042 litre	68,200 %	274,7338 litre	O
110	CM 50	CM	64 LEVEL CM	583,9324 litre	67,590 %	280,0056 litre	O
110	CM 50	CM	63,5 LEVEL CM	578,6445 litre	66,978 %	285,2935 litre	O
110	CM 50	CM	63 LEVEL CM	573,3411 litre	66,364 %	290,5969 litre	O
110	CM 50	CM	62,5 LEVEL CM	568,0230 litre	65,748 %	295,9150 litre	O
110	CM 50	CM	62 LEVEL CM	562,6906 litre	65,131 %	301,2474 litre	O
110	CM 50	CM	61,5 LEVEL CM	557,3447 litre	64,512 %	306,5933 litre	O
110	CM 50	CM	61 LEVEL CM	551,9857 litre	63,892 %	311,9523 litre	O
110	CM 50	CM	60,5 LEVEL CM	546,6144 litre	63,270 %	317,3236 litre	O
110	CM 50	CM	60 LEVEL CM	541,2312 litre	62,647 %	322,7068 litre	O
110	CM 50	CM	59,5 LEVEL CM	535,8368 litre	62,023 %	328,1012 litre	O
110	CM 50	CM	59 LEVEL CM	530,4318 litre	61,397 %	333,5062 litre	O
110	CM 50	CM	58,5 LEVEL CM	525,0167 litre	60,770 %	338,9213 litre	O
110	CM 50	CM	58 LEVEL CM	519,5921 litre	60,142 %	344,3459 litre	O
110	CM 50	CM	57,5 LEVEL CM	514,1586 litre	59,513 %	349,7794 litre	O
110	CM 50	CM	57 LEVEL CM	508,7167 litre	58,883 %	355,2213 litre	O
110	CM 50	CM	56,5 LEVEL CM	503,2671 litre	58,253 %	360,6709 litre	O
110	CM 50	CM	56 LEVEL CM	497,8102 litre	57,621 %	366,1278 litre	O
110	CM 50	CM	55,5 LEVEL CM	492,3468 litre	56,989 %	371,5912 litre	O
110	CM 50	CM	55 LEVEL CM	486,8772 litre	56,356 %	377,0608 litre	O
110	CM 50	CM	54,5 LEVEL CM	481,4021 litre	55,722 %	382,5359 litre	O
110	CM 50	CM	54 LEVEL CM	475,9220 litre	55,088 %	388,0160 litre	O
110	CM 50	CM	53,5 LEVEL CM	470,4375 litre	54,453 %	393,5005 litre	O
110	CM 50	CM	53 LEVEL CM	464,9492 litre	53,817 %	398,9888 litre	O
110	CM 50	CM	52,5 LEVEL CM	459,4575 litre	53,182 %	404,4805 litre	O
110	CM 50	CM	52 LEVEL CM	453,9631 litre	52,546 %	409,9749 litre	O
110	CM 50	CM	51,5 LEVEL CM	448,4665 litre	51,910 %	415,4715 litre	O
110	CM 50	CM	51 LEVEL CM	442,9683 litre	51,273 %	420,9697 litre	O
110	CM 50	CM	50,5 LEVEL CM	437,4689 litre	50,637 %	426,4691 litre	O
110	CM 50	CM	50 LEVEL CM	431,9690 litre	50,000 %	431,9690 litre	O
110	CM 50	CM	49,5 LEVEL CM	426,4691 litre	49,363 %	437,4689 litre	O
110	CM 50	CM	49 LEVEL CM	420,9697 litre	48,727 %	442,9683 litre	O
110	CM 50	CM	48,5 LEVEL CM	415,4715 litre	48,090 %	448,4665 litre	O
110	CM 50	CM	48 LEVEL CM	409,9749 litre	47,454 %	453,9631 litre	O

110	CM	50	CM	47,5 LEVEL CM	404,4805 litre	46,818 %	459,4575 litre	O
110	CM	50	CM	47 LEVEL CM	398,9888 litre	46,183 %	464,9492 litre	O
110	CM	50	CM	46,5 LEVEL CM	393,5005 litre	45,547 %	470,4375 litre	O
110	CM	50	CM	46 LEVEL CM	388,0160 litre	44,912 %	475,9220 litre	O
110	CM	50	CM	45,5 LEVEL CM	382,5359 litre	44,278 %	481,4021 litre	O
110	CM	50	CM	45 LEVEL CM	377,0608 litre	43,644 %	486,8772 litre	O
110	CM	50	CM	44,5 LEVEL CM	371,5912 litre	43,011 %	492,3468 litre	O
110	CM	50	CM	44 LEVEL CM	366,1277 litre	42,379 %	497,8103 litre	O
110	CM	50	CM	43,5 LEVEL CM	360,6709 litre	41,747 %	503,2671 litre	O
110	CM	50	CM	43 LEVEL CM	355,2213 litre	41,117 %	508,7167 litre	O
110	CM	50	CM	42,5 LEVEL CM	349,7794 litre	40,487 %	514,1586 litre	O
110	CM	50	CM	42 LEVEL CM	344,3459 litre	39,858 %	519,5921 litre	O
110	CM	50	CM	41,5 LEVEL CM	338,9213 litre	39,230 %	525,0167 litre	O
110	CM	50	CM	41 LEVEL CM	333,5062 litre	38,603 %	530,4318 litre	O
110	CM	50	CM	40,5 LEVEL CM	328,1012 litre	37,977 %	535,8368 litre	O
110	CM	50	CM	40 LEVEL CM	322,7068 litre	37,353 %	541,2312 litre	O
110	CM	50	CM	39,5 LEVEL CM	317,3236 litre	36,730 %	546,6144 litre	O
110	CM	50	CM	39 LEVEL CM	311,9523 litre	36,108 %	551,9857 litre	O
110	CM	50	CM	38,5 LEVEL CM	306,5933 litre	35,488 %	557,3447 litre	O
110	CM	50	CM	38 LEVEL CM	301,2474 litre	34,869 %	562,6906 litre	O
110	CM	50	CM	37,5 LEVEL CM	295,9150 litre	34,252 %	568,0230 litre	O
110	CM	50	CM	37 LEVEL CM	290,5969 litre	33,636 %	573,3411 litre	O
110	CM	50	CM	36,5 LEVEL CM	285,2935 litre	33,022 %	578,6445 litre	O
110	CM	50	CM	36 LEVEL CM	280,0056 litre	32,410 %	583,9324 litre	O
110	CM	50	CM	35,5 LEVEL CM	274,7337 litre	31,800 %	589,2043 litre	O
110	CM	50	CM	35 LEVEL CM	269,4785 litre	31,192 %	594,4595 litre	O
110	CM	50	CM	34,5 LEVEL CM	264,2406 litre	30,586 %	599,6974 litre	O
110	CM	50	CM	34 LEVEL CM	259,0206 litre	29,981 %	604,9174 litre	O
110	CM	50	CM	33,5 LEVEL CM	253,8192 litre	29,379 %	610,1188 litre	O
110	CM	50	CM	33 LEVEL CM	248,6371 litre	28,780 %	615,3009 litre	O
110	CM	50	CM	32,5 LEVEL CM	243,4748 litre	28,182 %	620,4632 litre	O
110	CM	50	CM	32 LEVEL CM	238,3330 litre	27,587 %	625,6050 litre	O
110	CM	50	CM	31,5 LEVEL CM	233,2125 litre	26,994 %	630,7255 litre	O
110	CM	50	CM	31 LEVEL CM	228,1139 litre	26,404 %	635,8241 litre	O
110	CM	50	CM	30,5 LEVEL CM	223,0379 litre	25,816 %	640,9001 litre	O
110	CM	50	CM	30 LEVEL CM	217,9852 litre	25,232 %	645,9528 litre	O
110	CM	50	CM	29,5 LEVEL CM	212,9565 litre	24,650 %	650,9815 litre	O
110	CM	50	CM	29 LEVEL CM	207,9525 litre	24,070 %	655,9855 litre	O
110	CM	50	CM	28,5 LEVEL CM	202,9740 litre	23,494 %	660,9640 litre	O
110	CM	50	CM	28 LEVEL CM	198,0216 litre	22,921 %	665,9164 litre	O
110	CM	50	CM	27,5 LEVEL CM	193,0962 litre	22,351 %	670,8418 litre	O
110	CM	50	CM	27 LEVEL CM	188,1986 litre	21,784 %	675,7394 litre	O
110	CM	50	CM	26,5 LEVEL CM	183,3294 litre	21,220 %	680,6086 litre	O
110	CM	50	CM	26 LEVEL CM	178,4895 litre	20,660 %	685,4485 litre	O
110	CM	50	CM	25,5 LEVEL CM	173,6797 litre	20,103 %	690,2583 litre	O
110	CM	50	CM	25 LEVEL CM	168,9008 litre	19,550 %	695,0372 litre	O
110	CM	50	CM	24,5 LEVEL CM	164,1537 litre	19,001 %	699,7843 litre	O
110	CM	50	CM	24 LEVEL CM	159,4392 litre	18,455 %	704,4988 litre	O
110	CM	50	CM	23,5 LEVEL CM	154,7582 litre	17,913 %	709,1798 litre	O
110	CM	50	CM	23 LEVEL CM	150,1115 litre	17,375 %	713,8265 litre	O
110	CM	50	CM	22,5 LEVEL CM	145,5002 litre	16,842 %	718,4378 litre	O
110	CM	50	CM	22 LEVEL CM	140,9250 litre	16,312 %	723,0130 litre	O
110	CM	50	CM	21,5 LEVEL CM	136,3871 litre	15,787 %	727,5509 litre	O

110	CM 50	CM	21 LEVEL CM	131,8873 litre	15,266 %	732,0507 litre	O
110	CM 50	CM	20,5 LEVEL CM	127,4266 litre	14,750 %	736,5114 litre	O
110	CM 50	CM	20 LEVEL CM	123,0062 litre	14,238 %	740,9318 litre	O
110	CM 50	CM	19,5 LEVEL CM	118,6270 litre	13,731 %	745,3110 litre	O
110	CM 50	CM	19 LEVEL CM	114,2901 litre	13,229 %	749,6479 litre	O
110	CM 50	CM	18,5 LEVEL CM	109,9967 litre	12,732 %	753,9413 litre	O
110	CM 50	CM	18 LEVEL CM	105,7480 litre	12,240 %	758,1900 litre	O
110	CM 50	CM	17,5 LEVEL CM	101,5450 litre	11,754 %	762,3930 litre	O
110	CM 50	CM	17 LEVEL CM	97,3891 litre	11,273 %	766,5489 litre	O
110	CM 50	CM	16,5 LEVEL CM	93,2815 litre	10,797 %	770,6565 litre	O
110	CM 50	CM	16 LEVEL CM	89,2236 litre	10,328 %	774,7144 litre	O
110	CM 50	CM	15,5 LEVEL CM	85,2167 litre	9,864 %	778,7213 litre	O
110	CM 50	CM	15 LEVEL CM	81,2622 litre	9,406 %	782,6758 litre	O
110	CM 50	CM	14,5 LEVEL CM	77,3616 litre	8,955 %	786,5764 litre	O
110	CM 50	CM	14 LEVEL CM	73,5165 litre	8,509 %	790,4215 litre	O
110	CM 50	CM	13,5 LEVEL CM	69,7284 litre	8,071 %	794,2096 litre	O
110	CM 50	CM	13 LEVEL CM	65,9991 litre	7,639 %	797,9389 litre	O
110	CM 50	CM	12,5 LEVEL CM	62,3304 litre	7,215 %	801,6076 litre	O
110	CM 50	CM	12 LEVEL CM	58,7240 litre	6,797 %	805,2140 litre	O
110	CM 50	CM	11,5 LEVEL CM	55,1819 litre	6,387 %	808,7561 litre	O
110	CM 50	CM	11 LEVEL CM	51,7062 litre	5,985 %	812,2318 litre	O
110	CM 50	CM	10,5 LEVEL CM	48,2991 litre	5,591 %	815,6389 litre	O
110	CM 50	CM	10 LEVEL CM	44,9628 litre	5,204 %	818,9752 litre	O
110	CM 50	CM	9,5 LEVEL CM	41,6999 litre	4,827 %	822,2381 litre	O
110	CM 50	CM	9 LEVEL CM	38,5130 litre	4,458 %	825,4250 litre	O
110	CM 50	CM	8,5 LEVEL CM	35,4049 litre	4,098 %	828,5331 litre	O
110	CM 50	CM	8 LEVEL CM	32,3786 litre	3,748 %	831,5594 litre	O
110	CM 50	CM	7,5 LEVEL CM	29,4376 litre	3,407 %	834,5004 litre	O
110	CM 50	CM	7 LEVEL CM	26,5853 litre	3,077 %	837,3527 litre	O
110	CM 50	CM	6,5 LEVEL CM	23,8257 litre	2,758 %	840,1123 litre	O
110	CM 50	CM	6 LEVEL CM	21,1633 litre	2,450 %	842,7747 litre	O
110	CM 50	CM	5,5 LEVEL CM	18,6027 litre	2,153 %	845,3353 litre	O
110	CM 50	CM	5 LEVEL CM	16,1496 litre	1,869 %	847,7884 litre	O
110	CM 50	CM	4,5 LEVEL CM	13,8102 litre	1,599 %	850,1278 litre	O
110	CM 50	CM	4 LEVEL CM	11,5915 litre	1,342 %	852,3465 litre	O
110	CM 50	CM	3,5 LEVEL CM	9,5021 litre	1,100 %	854,4359 litre	O
110	CM 50	CM	3 LEVEL CM	7,5521 litre	0,874 %	856,3859 litre	O
110	CM 50	CM	2,5 LEVEL CM	5,7538 litre	0,666 %	858,1842 litre	O
110	CM 50	CM	2 LEVEL CM	4,1234 litre	0,477 %	859,8146 litre	O
110	CM 50	CM	1,5 LEVEL CM	2,6823 litre	0,310 %	861,2557 litre	O
110	CM 50	CM	1 LEVEL CM	1,4623 litre	0,169 %	862,4757 litre	O
110	CM 50	CM	0,5 LEVEL CM	0,5178 litre	0,060 %	863,4202 litre	O
110	CM 50	CM	0 LEVEL CM	0,0000 litre	0,000 %	863,9380 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
110	CM	45	CM	90 LEVEL CM	699,7898 litre	100,000 %	0,0000 litre	O
110	CM	45	CM	89,5 LEVEL CM	699,2986 litre	99,930 %	0,4912 litre	O
110	CM	45	CM	89 LEVEL CM	698,4030 litre	99,802 %	1,3868 litre	O
110	CM	45	CM	88,5 LEVEL CM	697,2464 litre	99,637 %	2,5434 litre	O
110	CM	45	CM	88 LEVEL CM	695,8806 litre	99,441 %	3,9092 litre	O
110	CM	45	CM	87,5 LEVEL CM	694,3358 litre	99,221 %	5,4540 litre	O
110	CM	45	CM	87 LEVEL CM	692,6326 litre	98,977 %	7,1572 litre	O
110	CM	45	CM	86,5 LEVEL CM	690,7860 litre	98,713 %	9,0038 litre	O
110	CM	45	CM	86 LEVEL CM	688,8082 litre	98,431 %	10,9816 litre	O
110	CM	45	CM	85,5 LEVEL CM	686,7086 litre	98,131 %	13,0812 litre	O
110	CM	45	CM	85 LEVEL CM	684,4953 litre	97,814 %	15,2945 litre	O
110	CM	45	CM	84,5 LEVEL CM	682,1753 litre	97,483 %	17,6145 litre	O
110	CM	45	CM	84 LEVEL CM	679,7544 litre	97,137 %	20,0354 litre	O
110	CM	45	CM	83,5 LEVEL CM	677,2379 litre	96,777 %	22,5519 litre	O
110	CM	45	CM	83 LEVEL CM	674,6305 litre	96,405 %	25,1593 litre	O
110	CM	45	CM	82,5 LEVEL CM	671,9364 litre	96,020 %	27,8534 litre	O
110	CM	45	CM	82 LEVEL CM	669,1593 litre	95,623 %	30,6305 litre	O
110	CM	45	CM	81,5 LEVEL CM	666,3027 litre	95,215 %	33,4871 litre	O
110	CM	45	CM	81 LEVEL CM	663,3699 litre	94,796 %	36,4199 litre	O
110	CM	45	CM	80,5 LEVEL CM	660,3637 litre	94,366 %	39,4261 litre	O
110	CM	45	CM	80 LEVEL CM	657,2869 litre	93,926 %	42,5029 litre	O
110	CM	45	CM	79,5 LEVEL CM	654,1420 litre	93,477 %	45,6478 litre	O
110	CM	45	CM	79 LEVEL CM	650,9314 litre	93,018 %	48,8584 litre	O
110	CM	45	CM	78,5 LEVEL CM	647,6574 litre	92,550 %	52,1324 litre	O
110	CM	45	CM	78 LEVEL CM	644,3220 litre	92,074 %	55,4678 litre	O
110	CM	45	CM	77,5 LEVEL CM	640,9273 litre	91,589 %	58,8625 litre	O
110	CM	45	CM	77 LEVEL CM	637,4752 litre	91,095 %	62,3146 litre	O
110	CM	45	CM	76,5 LEVEL CM	633,9674 litre	90,594 %	65,8224 litre	O
110	CM	45	CM	76 LEVEL CM	630,4057 litre	90,085 %	69,3841 litre	O
110	CM	45	CM	75,5 LEVEL CM	626,7917 litre	89,569 %	72,9981 litre	O
110	CM	45	CM	75 LEVEL CM	623,1271 litre	89,045 %	76,6627 litre	O
110	CM	45	CM	74,5 LEVEL CM	619,4132 litre	88,514 %	80,3766 litre	O
110	CM	45	CM	74 LEVEL CM	615,6516 litre	87,977 %	84,1382 litre	O
110	CM	45	CM	73,5 LEVEL CM	611,8436 litre	87,432 %	87,9462 litre	O
110	CM	45	CM	73 LEVEL CM	607,9906 litre	86,882 %	91,7992 litre	O
110	CM	45	CM	72,5 LEVEL CM	604,0939 litre	86,325 %	95,6959 litre	O
110	CM	45	CM	72 LEVEL CM	600,1548 litre	85,762 %	99,6350 litre	O
110	CM	45	CM	71,5 LEVEL CM	596,1743 litre	85,193 %	103,6155 litre	O
110	CM	45	CM	71 LEVEL CM	592,1538 litre	84,619 %	107,6360 litre	O
110	CM	45	CM	70,5 LEVEL CM	588,0944 litre	84,039 %	111,6954 litre	O
110	CM	45	CM	70 LEVEL CM	583,9971 litre	83,453 %	115,7927 litre	O
110	CM	45	CM	69,5 LEVEL CM	579,8631 litre	82,862 %	119,9267 litre	O
110	CM	45	CM	69 LEVEL CM	575,6934 litre	82,267 %	124,0964 litre	O
110	CM	45	CM	68,5 LEVEL CM	571,4890 litre	81,666 %	128,3008 litre	O
110	CM	45	CM	68 LEVEL CM	567,2509 litre	81,060 %	132,5389 litre	O
110	CM	45	CM	67,5 LEVEL CM	562,9801 litre	80,450 %	136,8097 litre	O
110	CM	45	CM	67 LEVEL CM	558,6775 litre	79,835 %	141,1123 litre	O
110	CM	45	CM	66,5 LEVEL CM	554,3442 litre	79,216 %	145,4456 litre	O
110	CM	45	CM	66 LEVEL CM	549,9809 litre	78,592 %	149,8089 litre	O
110	CM	45	CM	65,5 LEVEL CM	545,5886 litre	77,965 %	154,2012 litre	O
110	CM	45	CM	65 LEVEL CM	541,1681 litre	77,333 %	158,6217 litre	O
110	CM	45	CM	64,5 LEVEL CM	536,7204 litre	76,697 %	163,0694 litre	O

110	CM 45	CM	64 LEVEL CM	532,2462 litre	76,058 %	167,5436 litre	O
110	CM 45	CM	63,5 LEVEL CM	527,7464 litre	75,415 %	172,0434 litre	O
110	CM 45	CM	63 LEVEL CM	523,2218 litre	74,768 %	176,5680 litre	O
110	CM 45	CM	62,5 LEVEL CM	518,6731 litre	74,118 %	181,1167 litre	O
110	CM 45	CM	62 LEVEL CM	514,1013 litre	73,465 %	185,6885 litre	O
110	CM 45	CM	61,5 LEVEL CM	509,5070 litre	72,809 %	190,2828 litre	O
110	CM 45	CM	61 LEVEL CM	504,8911 litre	72,149 %	194,8987 litre	O
110	CM 45	CM	60,5 LEVEL CM	500,2542 litre	71,486 %	199,5356 litre	O
110	CM 45	CM	60 LEVEL CM	495,5971 litre	70,821 %	204,1927 litre	O
110	CM 45	CM	59,5 LEVEL CM	490,9206 litre	70,153 %	208,8692 litre	O
110	CM 45	CM	59 LEVEL CM	486,2254 litre	69,482 %	213,5644 litre	O
110	CM 45	CM	58,5 LEVEL CM	481,5122 litre	68,808 %	218,2776 litre	O
110	CM 45	CM	58 LEVEL CM	476,7816 litre	68,132 %	223,0082 litre	O
110	CM 45	CM	57,5 LEVEL CM	472,0345 litre	67,454 %	227,7553 litre	O
110	CM 45	CM	57 LEVEL CM	467,2715 litre	66,773 %	232,5183 litre	O
110	CM 45	CM	56,5 LEVEL CM	462,4932 litre	66,090 %	237,2966 litre	O
110	CM 45	CM	56 LEVEL CM	457,7004 litre	65,405 %	242,0894 litre	O
110	CM 45	CM	55,5 LEVEL CM	452,8938 litre	64,719 %	246,8960 litre	O
110	CM 45	CM	55 LEVEL CM	448,0739 litre	64,030 %	251,7159 litre	O
110	CM 45	CM	54,5 LEVEL CM	443,2415 litre	63,339 %	256,5483 litre	O
110	CM 45	CM	54 LEVEL CM	438,3973 litre	62,647 %	261,3925 litre	O
110	CM 45	CM	53,5 LEVEL CM	433,5418 litre	61,953 %	266,2480 litre	O
110	CM 45	CM	53 LEVEL CM	428,6757 litre	61,258 %	271,1141 litre	O
110	CM 45	CM	52,5 LEVEL CM	423,7997 litre	60,561 %	275,9901 litre	O
110	CM 45	CM	52 LEVEL CM	418,9144 litre	59,863 %	280,8754 litre	O
110	CM 45	CM	51,5 LEVEL CM	414,0204 litre	59,164 %	285,7694 litre	O
110	CM 45	CM	51 LEVEL CM	409,1184 litre	58,463 %	290,6714 litre	O
110	CM 45	CM	50,5 LEVEL CM	404,2090 litre	57,761 %	295,5808 litre	O
110	CM 45	CM	50 LEVEL CM	399,2928 litre	57,059 %	300,4970 litre	O
110	CM 45	CM	49,5 LEVEL CM	394,3705 litre	56,356 %	305,4193 litre	O
110	CM 45	CM	49 LEVEL CM	389,4427 litre	55,651 %	310,3471 litre	O
110	CM 45	CM	48,5 LEVEL CM	384,5099 litre	54,946 %	315,2799 litre	O
110	CM 45	CM	48 LEVEL CM	379,5729 litre	54,241 %	320,2169 litre	O
110	CM 45	CM	47,5 LEVEL CM	374,6321 litre	53,535 %	325,1577 litre	O
110	CM 45	CM	47 LEVEL CM	369,6884 litre	52,828 %	330,1014 litre	O
110	CM 45	CM	46,5 LEVEL CM	364,7421 litre	52,122 %	335,0477 litre	O
110	CM 45	CM	46 LEVEL CM	359,7941 litre	51,415 %	339,9957 litre	O
110	CM 45	CM	45,5 LEVEL CM	354,8448 litre	50,707 %	344,9450 litre	O
110	CM 45	CM	45 LEVEL CM	349,8949 litre	50,000 %	349,8949 litre	O
110	CM 45	CM	44,5 LEVEL CM	344,9450 litre	49,293 %	354,8448 litre	O
110	CM 45	CM	44 LEVEL CM	339,9957 litre	48,585 %	359,7941 litre	O
110	CM 45	CM	43,5 LEVEL CM	335,0476 litre	47,878 %	364,7422 litre	O
110	CM 45	CM	43 LEVEL CM	330,1014 litre	47,172 %	369,6884 litre	O
110	CM 45	CM	42,5 LEVEL CM	325,1576 litre	46,465 %	374,6322 litre	O
110	CM 45	CM	42 LEVEL CM	320,2169 litre	45,759 %	379,5729 litre	O
110	CM 45	CM	41,5 LEVEL CM	315,2798 litre	45,054 %	384,5100 litre	O
110	CM 45	CM	41 LEVEL CM	310,3471 litre	44,349 %	389,4427 litre	O
110	CM 45	CM	40,5 LEVEL CM	305,4192 litre	43,644 %	394,3706 litre	O
110	CM 45	CM	40 LEVEL CM	300,4969 litre	42,941 %	399,2929 litre	O
110	CM 45	CM	39,5 LEVEL CM	295,5808 litre	42,239 %	404,2090 litre	O
110	CM 45	CM	39 LEVEL CM	290,6714 litre	41,537 %	409,1184 litre	O
110	CM 45	CM	38,5 LEVEL CM	285,7694 litre	40,836 %	414,0204 litre	O
110	CM 45	CM	38 LEVEL CM	280,8754 litre	40,137 %	418,9144 litre	O

110	CM	45	CM	37,5 LEVEL CM	275,9901 litre	39,439 %	423,7997 litre	O
110	CM	45	CM	37 LEVEL CM	271,1141 litre	38,742 %	428,6757 litre	O
110	CM	45	CM	36,5 LEVEL CM	266,2480 litre	38,047 %	433,5418 litre	O
110	CM	45	CM	36 LEVEL CM	261,3925 litre	37,353 %	438,3973 litre	O
110	CM	45	CM	35,5 LEVEL CM	256,5482 litre	36,661 %	443,2416 litre	O
110	CM	45	CM	35 LEVEL CM	251,7158 litre	35,970 %	448,0740 litre	O
110	CM	45	CM	34,5 LEVEL CM	246,8960 litre	35,281 %	452,8938 litre	O
110	CM	45	CM	34 LEVEL CM	242,0893 litre	34,595 %	457,7005 litre	O
110	CM	45	CM	33,5 LEVEL CM	237,2965 litre	33,910 %	462,4933 litre	O
110	CM	45	CM	33 LEVEL CM	232,5183 litre	33,227 %	467,2715 litre	O
110	CM	45	CM	32,5 LEVEL CM	227,7553 litre	32,546 %	472,0345 litre	O
110	CM	45	CM	32 LEVEL CM	223,0081 litre	31,868 %	476,7817 litre	O
110	CM	45	CM	31,5 LEVEL CM	218,2776 litre	31,192 %	481,5122 litre	O
110	CM	45	CM	31 LEVEL CM	213,5644 litre	30,518 %	486,2254 litre	O
110	CM	45	CM	30,5 LEVEL CM	208,8691 litre	29,847 %	490,9207 litre	O
110	CM	45	CM	30 LEVEL CM	204,1926 litre	29,179 %	495,5972 litre	O
110	CM	45	CM	29,5 LEVEL CM	199,5356 litre	28,514 %	500,2542 litre	O
110	CM	45	CM	29 LEVEL CM	194,8987 litre	27,851 %	504,8911 litre	O
110	CM	45	CM	28,5 LEVEL CM	190,2827 litre	27,191 %	509,5071 litre	O
110	CM	45	CM	28 LEVEL CM	185,6885 litre	26,535 %	514,1013 litre	O
110	CM	45	CM	27,5 LEVEL CM	181,1166 litre	25,882 %	518,6732 litre	O
110	CM	45	CM	27 LEVEL CM	176,5680 litre	25,232 %	523,2218 litre	O
110	CM	45	CM	26,5 LEVEL CM	172,0434 litre	24,585 %	527,7464 litre	O
110	CM	45	CM	26 LEVEL CM	167,5436 litre	23,942 %	532,2462 litre	O
110	CM	45	CM	25,5 LEVEL CM	163,0694 litre	23,303 %	536,7204 litre	O
110	CM	45	CM	25 LEVEL CM	158,6216 litre	22,667 %	541,1682 litre	O
110	CM	45	CM	24,5 LEVEL CM	154,2012 litre	22,035 %	545,5886 litre	O
110	CM	45	CM	24 LEVEL CM	149,8089 litre	21,408 %	549,9809 litre	O
110	CM	45	CM	23,5 LEVEL CM	145,4456 litre	20,784 %	554,3442 litre	O
110	CM	45	CM	23 LEVEL CM	141,1122 litre	20,165 %	558,6776 litre	O
110	CM	45	CM	22,5 LEVEL CM	136,8097 litre	19,550 %	562,9801 litre	O
110	CM	45	CM	22 LEVEL CM	132,5389 litre	18,940 %	567,2509 litre	O
110	CM	45	CM	21,5 LEVEL CM	128,3008 litre	18,334 %	571,4890 litre	O
110	CM	45	CM	21 LEVEL CM	124,0964 litre	17,733 %	575,6934 litre	O
110	CM	45	CM	20,5 LEVEL CM	119,9267 litre	17,138 %	579,8631 litre	O
110	CM	45	CM	20 LEVEL CM	115,7927 litre	16,547 %	583,9971 litre	O
110	CM	45	CM	19,5 LEVEL CM	111,6954 litre	15,961 %	588,0944 litre	O
110	CM	45	CM	19 LEVEL CM	107,6359 litre	15,381 %	592,1539 litre	O
110	CM	45	CM	18,5 LEVEL CM	103,6154 litre	14,807 %	596,1744 litre	O
110	CM	45	CM	18 LEVEL CM	99,6350 litre	14,238 %	600,1548 litre	O
110	CM	45	CM	17,5 LEVEL CM	95,6958 litre	13,675 %	604,0940 litre	O
110	CM	45	CM	17 LEVEL CM	91,7991 litre	13,118 %	607,9907 litre	O
110	CM	45	CM	16,5 LEVEL CM	87,9461 litre	12,568 %	611,8437 litre	O
110	CM	45	CM	16 LEVEL CM	84,1382 litre	12,023 %	615,6516 litre	O
110	CM	45	CM	15,5 LEVEL CM	80,3765 litre	11,486 %	619,4133 litre	O
110	CM	45	CM	15 LEVEL CM	76,6627 litre	10,955 %	623,1271 litre	O
110	CM	45	CM	14,5 LEVEL CM	72,9980 litre	10,431 %	626,7918 litre	O
110	CM	45	CM	14 LEVEL CM	69,3841 litre	9,915 %	630,4057 litre	O
110	CM	45	CM	13,5 LEVEL CM	65,8224 litre	9,406 %	633,9674 litre	O
110	CM	45	CM	13 LEVEL CM	62,3146 litre	8,905 %	637,4752 litre	O
110	CM	45	CM	12,5 LEVEL CM	58,8625 litre	8,411 %	640,9273 litre	O
110	CM	45	CM	12 LEVEL CM	55,4678 litre	7,926 %	644,3220 litre	O
110	CM	45	CM	11,5 LEVEL CM	52,1324 litre	7,450 %	647,6574 litre	O

110	CM 45	CM	11 LEVEL CM	48,8584 litre	6,982 %	650,9314 litre	O
110	CM 45	CM	10,5 LEVEL CM	45,6478 litre	6,523 %	654,1420 litre	O
110	CM 45	CM	10 LEVEL CM	42,5029 litre	6,074 %	657,2869 litre	O
110	CM 45	CM	9,5 LEVEL CM	39,4261 litre	5,634 %	660,3637 litre	O
110	CM 45	CM	9 LEVEL CM	36,4199 litre	5,204 %	663,3699 litre	O
110	CM 45	CM	8,5 LEVEL CM	33,4870 litre	4,785 %	666,3028 litre	O
110	CM 45	CM	8 LEVEL CM	30,6305 litre	4,377 %	669,1593 litre	O
110	CM 45	CM	7,5 LEVEL CM	27,8534 litre	3,980 %	671,9364 litre	O
110	CM 45	CM	7 LEVEL CM	25,1592 litre	3,595 %	674,6306 litre	O
110	CM 45	CM	6,5 LEVEL CM	22,5518 litre	3,223 %	677,2380 litre	O
110	CM 45	CM	6 LEVEL CM	20,0354 litre	2,863 %	679,7544 litre	O
110	CM 45	CM	5,5 LEVEL CM	17,6145 litre	2,517 %	682,1753 litre	O
110	CM 45	CM	5 LEVEL CM	15,2944 litre	2,186 %	684,4954 litre	O
110	CM 45	CM	4,5 LEVEL CM	13,0812 litre	1,869 %	686,7086 litre	O
110	CM 45	CM	4 LEVEL CM	10,9816 litre	1,569 %	688,8082 litre	O
110	CM 45	CM	3,5 LEVEL CM	9,0037 litre	1,287 %	690,7861 litre	O
110	CM 45	CM	3 LEVEL CM	7,1572 litre	1,023 %	692,6326 litre	O
110	CM 45	CM	2,5 LEVEL CM	5,4539 litre	0,779 %	694,3359 litre	O
110	CM 45	CM	2 LEVEL CM	3,9091 litre	0,559 %	695,8807 litre	O
110	CM 45	CM	1,5 LEVEL CM	2,5433 litre	0,363 %	697,2465 litre	O
110	CM 45	CM	1 LEVEL CM	1,3868 litre	0,198 %	698,4030 litre	O
110	CM 45	CM	0,5 LEVEL CM	0,4911 litre	0,070 %	699,2987 litre	O
110	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	699,7898 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
110	CM 40	CM 80 LEVEL CM	552,9203 litre	100,000 %	0,0000 litre	O
110	CM 40	CM 79,5 LEVEL CM	552,4574 litre	99,916 %	0,4629 litre	O
110	CM 40	CM 79 LEVEL CM	551,6134 litre	99,764 %	1,3069 litre	O
110	CM 40	CM 78,5 LEVEL CM	550,5239 litre	99,567 %	2,3964 litre	O
110	CM 40	CM 78 LEVEL CM	549,2379 litre	99,334 %	3,6824 litre	O
110	CM 40	CM 77,5 LEVEL CM	547,7837 litre	99,071 %	5,1366 litre	O
110	CM 40	CM 77 LEVEL CM	546,1811 litre	98,781 %	6,7392 litre	O
110	CM 40	CM 76,5 LEVEL CM	544,4442 litre	98,467 %	8,4761 litre	O
110	CM 40	CM 76 LEVEL CM	542,5845 litre	98,131 %	10,3358 litre	O
110	CM 40	CM 75,5 LEVEL CM	540,6112 litre	97,774 %	12,3091 litre	O
110	CM 40	CM 75 LEVEL CM	538,5318 litre	97,398 %	14,3885 litre	O
110	CM 40	CM 74,5 LEVEL CM	536,3529 litre	97,004 %	16,5674 litre	O
110	CM 40	CM 74 LEVEL CM	534,0803 litre	96,593 %	18,8400 litre	O
110	CM 40	CM 73,5 LEVEL CM	531,7188 litre	96,166 %	21,2015 litre	O
110	CM 40	CM 73 LEVEL CM	529,2730 litre	95,723 %	23,6473 litre	O
110	CM 40	CM 72,5 LEVEL CM	526,7469 litre	95,266 %	26,1734 litre	O
110	CM 40	CM 72 LEVEL CM	524,1441 litre	94,796 %	28,7762 litre	O
110	CM 40	CM 71,5 LEVEL CM	521,4680 litre	94,312 %	31,4523 litre	O
110	CM 40	CM 71 LEVEL CM	518,7215 litre	93,815 %	34,1988 litre	O
110	CM 40	CM 70,5 LEVEL CM	515,9076 litre	93,306 %	37,0127 litre	O
110	CM 40	CM 70 LEVEL CM	513,0289 litre	92,785 %	39,8914 litre	O
110	CM 40	CM 69,5 LEVEL CM	510,0878 litre	92,253 %	42,8325 litre	O
110	CM 40	CM 69 LEVEL CM	507,0866 litre	91,711 %	45,8337 litre	O
110	CM 40	CM 68,5 LEVEL CM	504,0275 litre	91,157 %	48,8928 litre	O
110	CM 40	CM 68 LEVEL CM	500,9125 litre	90,594 %	52,0078 litre	O
110	CM 40	CM 67,5 LEVEL CM	497,7436 litre	90,021 %	55,1767 litre	O
110	CM 40	CM 67 LEVEL CM	494,5227 litre	89,438 %	58,3976 litre	O
110	CM 40	CM 66,5 LEVEL CM	491,2514 litre	88,847 %	61,6689 litre	O
110	CM 40	CM 66 LEVEL CM	487,9315 litre	88,246 %	64,9888 litre	O
110	CM 40	CM 65,5 LEVEL CM	484,5645 litre	87,637 %	68,3558 litre	O
110	CM 40	CM 65 LEVEL CM	481,1520 litre	87,020 %	71,7683 litre	O
110	CM 40	CM 64,5 LEVEL CM	477,6955 litre	86,395 %	75,2248 litre	O
110	CM 40	CM 64 LEVEL CM	474,1963 litre	85,762 %	78,7240 litre	O
110	CM 40	CM 63,5 LEVEL CM	470,6559 litre	85,122 %	82,2644 litre	O
110	CM 40	CM 63 LEVEL CM	467,0756 litre	84,474 %	85,8447 litre	O
110	CM 40	CM 62,5 LEVEL CM	463,4566 litre	83,820 %	89,4637 litre	O
110	CM 40	CM 62 LEVEL CM	459,8002 litre	83,158 %	93,1201 litre	O
110	CM 40	CM 61,5 LEVEL CM	456,1076 litre	82,491 %	96,8127 litre	O
110	CM 40	CM 61 LEVEL CM	452,3799 litre	81,816 %	100,5404 litre	O
110	CM 40	CM 60,5 LEVEL CM	448,6182 litre	81,136 %	104,3021 litre	O
110	CM 40	CM 60 LEVEL CM	444,8238 litre	80,450 %	108,0965 litre	O
110	CM 40	CM 59,5 LEVEL CM	440,9976 litre	79,758 %	111,9227 litre	O
110	CM 40	CM 59 LEVEL CM	437,1406 litre	79,060 %	115,7797 litre	O
110	CM 40	CM 58,5 LEVEL CM	433,2540 litre	78,357 %	119,6663 litre	O
110	CM 40	CM 58 LEVEL CM	429,3387 litre	77,649 %	123,5816 litre	O
110	CM 40	CM 57,5 LEVEL CM	425,3957 litre	76,936 %	127,5246 litre	O
110	CM 40	CM 57 LEVEL CM	421,4259 litre	76,218 %	131,4944 litre	O
110	CM 40	CM 56,5 LEVEL CM	417,4303 litre	75,496 %	135,4900 litre	O
110	CM 40	CM 56 LEVEL CM	413,4098 litre	74,768 %	139,5105 litre	O
110	CM 40	CM 55,5 LEVEL CM	409,3653 litre	74,037 %	143,5550 litre	O
110	CM 40	CM 55 LEVEL CM	405,2976 litre	73,301 %	147,6227 litre	O
110	CM 40	CM 54,5 LEVEL CM	401,2077 litre	72,562 %	151,7126 litre	O

110	CM 40	CM	54 LEVEL CM	397,0964 litre	71,818 %	155,8239 litre	O
110	CM 40	CM	53,5 LEVEL CM	392,9646 litre	71,071 %	159,9557 litre	O
110	CM 40	CM	53 LEVEL CM	388,8131 litre	70,320 %	164,1072 litre	O
110	CM 40	CM	52,5 LEVEL CM	384,6426 litre	69,566 %	168,2777 litre	O
110	CM 40	CM	52 LEVEL CM	380,4541 litre	68,808 %	172,4662 litre	O
110	CM 40	CM	51,5 LEVEL CM	376,2482 litre	68,047 %	176,6721 litre	O
110	CM 40	CM	51 LEVEL CM	372,0258 litre	67,284 %	180,8945 litre	O
110	CM 40	CM	50,5 LEVEL CM	367,7877 litre	66,517 %	185,1326 litre	O
110	CM 40	CM	50 LEVEL CM	363,5347 litre	65,748 %	189,3856 litre	O
110	CM 40	CM	49,5 LEVEL CM	359,2674 litre	64,976 %	193,6529 litre	O
110	CM 40	CM	49 LEVEL CM	354,9867 litre	64,202 %	197,9336 litre	O
110	CM 40	CM	48,5 LEVEL CM	350,6933 litre	63,426 %	202,2270 litre	O
110	CM 40	CM	48 LEVEL CM	346,3880 litre	62,647 %	206,5323 litre	O
110	CM 40	CM	47,5 LEVEL CM	342,0714 litre	61,866 %	210,8489 litre	O
110	CM 40	CM	47 LEVEL CM	337,7443 litre	61,084 %	215,1760 litre	O
110	CM 40	CM	46,5 LEVEL CM	333,4074 litre	60,299 %	219,5129 litre	O
110	CM 40	CM	46 LEVEL CM	329,0615 litre	59,513 %	223,8588 litre	O
110	CM 40	CM	45,5 LEVEL CM	324,7072 litre	58,726 %	228,2131 litre	O
110	CM 40	CM	45 LEVEL CM	320,3453 litre	57,937 %	232,5750 litre	O
110	CM 40	CM	44,5 LEVEL CM	315,9765 litre	57,147 %	236,9438 litre	O
110	CM 40	CM	44 LEVEL CM	311,6014 litre	56,356 %	241,3189 litre	O
110	CM 40	CM	43,5 LEVEL CM	307,2208 litre	55,563 %	245,6995 litre	O
110	CM 40	CM	43 LEVEL CM	302,8354 litre	54,770 %	250,0849 litre	O
110	CM 40	CM	42,5 LEVEL CM	298,4458 litre	53,976 %	254,4745 litre	O
110	CM 40	CM	42 LEVEL CM	294,0528 litre	53,182 %	258,8675 litre	O
110	CM 40	CM	41,5 LEVEL CM	289,6571 litre	52,387 %	263,2632 litre	O
110	CM 40	CM	41 LEVEL CM	285,2592 litre	51,591 %	267,6611 litre	O
110	CM 40	CM	40,5 LEVEL CM	280,8600 litre	50,796 %	272,0603 litre	O
110	CM 40	CM	40 LEVEL CM	276,4602 litre	50,000 %	276,4601 litre	O
110	CM 40	CM	39,5 LEVEL CM	272,0603 litre	49,204 %	280,8600 litre	O
110	CM 40	CM	39 LEVEL CM	267,6611 litre	48,409 %	285,2592 litre	O
110	CM 40	CM	38,5 LEVEL CM	263,2632 litre	47,613 %	289,6571 litre	O
110	CM 40	CM	38 LEVEL CM	258,8675 litre	46,818 %	294,0528 litre	O
110	CM 40	CM	37,5 LEVEL CM	254,4745 litre	46,024 %	298,4458 litre	O
110	CM 40	CM	37 LEVEL CM	250,0849 litre	45,230 %	302,8354 litre	O
110	CM 40	CM	36,5 LEVEL CM	245,6995 litre	44,437 %	307,2208 litre	O
110	CM 40	CM	36 LEVEL CM	241,3189 litre	43,644 %	311,6014 litre	O
110	CM 40	CM	35,5 LEVEL CM	236,9438 litre	42,853 %	315,9765 litre	O
110	CM 40	CM	35 LEVEL CM	232,5750 litre	42,063 %	320,3453 litre	O
110	CM 40	CM	34,5 LEVEL CM	228,2131 litre	41,274 %	324,7072 litre	O
110	CM 40	CM	34 LEVEL CM	223,8588 litre	40,487 %	329,0615 litre	O
110	CM 40	CM	33,5 LEVEL CM	219,5129 litre	39,701 %	333,4074 litre	O
110	CM 40	CM	33 LEVEL CM	215,1760 litre	38,916 %	337,7443 litre	O
110	CM 40	CM	32,5 LEVEL CM	210,8489 litre	38,134 %	342,0714 litre	O
110	CM 40	CM	32 LEVEL CM	206,5323 litre	37,353 %	346,3880 litre	O
110	CM 40	CM	31,5 LEVEL CM	202,2270 litre	36,574 %	350,6933 litre	O
110	CM 40	CM	31 LEVEL CM	197,9336 litre	35,798 %	354,9867 litre	O
110	CM 40	CM	30,5 LEVEL CM	193,6529 litre	35,024 %	359,2674 litre	O
110	CM 40	CM	30 LEVEL CM	189,3856 litre	34,252 %	363,5347 litre	O
110	CM 40	CM	29,5 LEVEL CM	185,1326 litre	33,483 %	367,7877 litre	O
110	CM 40	CM	29 LEVEL CM	180,8945 litre	32,716 %	372,0258 litre	O
110	CM 40	CM	28,5 LEVEL CM	176,6721 litre	31,953 %	376,2482 litre	O
110	CM 40	CM	28 LEVEL CM	172,4663 litre	31,192 %	380,4540 litre	O

110	CM	40	CM	27,5 LEVEL CM	168,2777 litre	30,434 %	384,6426 litre	O
110	CM	40	CM	27 LEVEL CM	164,1072 litre	29,680 %	388,8131 litre	O
110	CM	40	CM	26,5 LEVEL CM	159,9557 litre	28,929 %	392,9646 litre	O
110	CM	40	CM	26 LEVEL CM	155,8239 litre	28,182 %	397,0964 litre	O
110	CM	40	CM	25,5 LEVEL CM	151,7126 litre	27,438 %	401,2077 litre	O
110	CM	40	CM	25 LEVEL CM	147,6227 litre	26,699 %	405,2976 litre	O
110	CM	40	CM	24,5 LEVEL CM	143,5550 litre	25,963 %	409,3653 litre	O
110	CM	40	CM	24 LEVEL CM	139,5105 litre	25,232 %	413,4098 litre	O
110	CM	40	CM	23,5 LEVEL CM	135,4900 litre	24,504 %	417,4303 litre	O
110	CM	40	CM	23 LEVEL CM	131,4944 litre	23,782 %	421,4259 litre	O
110	CM	40	CM	22,5 LEVEL CM	127,5246 litre	23,064 %	425,3957 litre	O
110	CM	40	CM	22 LEVEL CM	123,5816 litre	22,351 %	429,3387 litre	O
110	CM	40	CM	21,5 LEVEL CM	119,6663 litre	21,643 %	433,2540 litre	O
110	CM	40	CM	21 LEVEL CM	115,7797 litre	20,940 %	437,1406 litre	O
110	CM	40	CM	20,5 LEVEL CM	111,9227 litre	20,242 %	440,9976 litre	O
110	CM	40	CM	20 LEVEL CM	108,0965 litre	19,550 %	444,8238 litre	O
110	CM	40	CM	19,5 LEVEL CM	104,3021 litre	18,864 %	448,6182 litre	O
110	CM	40	CM	19 LEVEL CM	100,5404 litre	18,184 %	452,3799 litre	O
110	CM	40	CM	18,5 LEVEL CM	96,8127 litre	17,509 %	456,1076 litre	O
110	CM	40	CM	18 LEVEL CM	93,1201 litre	16,842 %	459,8002 litre	O
110	CM	40	CM	17,5 LEVEL CM	89,4637 litre	16,180 %	463,4566 litre	O
110	CM	40	CM	17 LEVEL CM	85,8447 litre	15,526 %	467,0756 litre	O
110	CM	40	CM	16,5 LEVEL CM	82,2644 litre	14,878 %	470,6559 litre	O
110	CM	40	CM	16 LEVEL CM	78,7240 litre	14,238 %	474,1963 litre	O
110	CM	40	CM	15,5 LEVEL CM	75,2248 litre	13,605 %	477,6955 litre	O
110	CM	40	CM	15 LEVEL CM	71,7683 litre	12,980 %	481,1520 litre	O
110	CM	40	CM	14,5 LEVEL CM	68,3558 litre	12,363 %	484,5645 litre	O
110	CM	40	CM	14 LEVEL CM	64,9888 litre	11,754 %	487,9315 litre	O
110	CM	40	CM	13,5 LEVEL CM	61,6689 litre	11,153 %	491,2514 litre	O
110	CM	40	CM	13 LEVEL CM	58,3976 litre	10,562 %	494,5227 litre	O
110	CM	40	CM	12,5 LEVEL CM	55,1767 litre	9,979 %	497,7436 litre	O
110	CM	40	CM	12 LEVEL CM	52,0078 litre	9,406 %	500,9125 litre	O
110	CM	40	CM	11,5 LEVEL CM	48,8928 litre	8,843 %	504,0275 litre	O
110	CM	40	CM	11 LEVEL CM	45,8337 litre	8,289 %	507,0866 litre	O
110	CM	40	CM	10,5 LEVEL CM	42,8326 litre	7,747 %	510,0877 litre	O
110	CM	40	CM	10 LEVEL CM	39,8914 litre	7,215 %	513,0289 litre	O
110	CM	40	CM	9,5 LEVEL CM	37,0127 litre	6,694 %	515,9076 litre	O
110	CM	40	CM	9 LEVEL CM	34,1988 litre	6,185 %	518,7215 litre	O
110	CM	40	CM	8,5 LEVEL CM	31,4523 litre	5,688 %	521,4680 litre	O
110	CM	40	CM	8 LEVEL CM	28,7762 litre	5,204 %	524,1441 litre	O
110	CM	40	CM	7,5 LEVEL CM	26,1734 litre	4,734 %	526,7469 litre	O
110	CM	40	CM	7 LEVEL CM	23,6473 litre	4,277 %	529,2730 litre	O
110	CM	40	CM	6,5 LEVEL CM	21,2015 litre	3,834 %	531,7188 litre	O
110	CM	40	CM	6 LEVEL CM	18,8401 litre	3,407 %	534,0802 litre	O
110	CM	40	CM	5,5 LEVEL CM	16,5674 litre	2,996 %	536,3529 litre	O
110	CM	40	CM	5 LEVEL CM	14,3885 litre	2,602 %	538,5318 litre	O
110	CM	40	CM	4,5 LEVEL CM	12,3091 litre	2,226 %	540,6112 litre	O
110	CM	40	CM	4 LEVEL CM	10,3358 litre	1,869 %	542,5845 litre	O
110	CM	40	CM	3,5 LEVEL CM	8,4761 litre	1,533 %	544,4442 litre	O
110	CM	40	CM	3 LEVEL CM	6,7392 litre	1,219 %	546,1811 litre	O
110	CM	40	CM	2,5 LEVEL CM	5,1366 litre	0,929 %	547,7837 litre	O
110	CM	40	CM	2 LEVEL CM	3,6825 litre	0,666 %	549,2378 litre	O
110	CM	40	CM	1,5 LEVEL CM	2,3964 litre	0,433 %	550,5239 litre	O

110	CM 40	CM	1 LEVEL CM	1,3069 litre	0,236 %	551,6134 litre	0
110	CM 40	CM	0,5 LEVEL CM	0,4629 litre	0,084 %	552,4574 litre	0
110	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	552,9203 litre	0

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
110	CM	35	CM 70 LEVEL CM	423,3296 litre	100,000 %	0,0000 litre	O
110	CM	35	CM 69,5 LEVEL CM	422,8967 litre	99,898 %	0,4329 litre	O
110	CM	35	CM 69 LEVEL CM	422,1078 litre	99,711 %	1,2218 litre	O
110	CM	35	CM 68,5 LEVEL CM	421,0898 litre	99,471 %	2,2398 litre	O
110	CM	35	CM 68 LEVEL CM	419,8887 litre	99,187 %	3,4409 litre	O
110	CM	35	CM 67,5 LEVEL CM	418,5314 litre	98,867 %	4,7982 litre	O
110	CM	35	CM 67 LEVEL CM	417,0360 litre	98,513 %	6,2936 litre	O
110	CM	35	CM 66,5 LEVEL CM	415,4163 litre	98,131 %	7,9133 litre	O
110	CM	35	CM 66 LEVEL CM	413,6828 litre	97,721 %	9,6468 litre	O
110	CM	35	CM 65,5 LEVEL CM	411,8443 litre	97,287 %	11,4853 litre	O
110	CM	35	CM 65 LEVEL CM	409,9080 litre	96,830 %	13,4216 litre	O
110	CM	35	CM 64,5 LEVEL CM	407,8802 litre	96,350 %	15,4494 litre	O
110	CM	35	CM 64 LEVEL CM	405,7661 litre	95,851 %	17,5635 litre	O
110	CM	35	CM 63,5 LEVEL CM	403,5705 litre	95,332 %	19,7591 litre	O
110	CM	35	CM 63 LEVEL CM	401,2978 litre	94,796 %	22,0318 litre	O
110	CM	35	CM 62,5 LEVEL CM	398,9518 litre	94,241 %	24,3778 litre	O
110	CM	35	CM 62 LEVEL CM	396,5358 litre	93,671 %	26,7938 litre	O
110	CM	35	CM 61,5 LEVEL CM	394,0531 litre	93,084 %	29,2765 litre	O
110	CM	35	CM 61 LEVEL CM	391,5067 litre	92,483 %	31,8229 litre	O
110	CM	35	CM 60,5 LEVEL CM	388,8993 litre	91,867 %	34,4303 litre	O
110	CM	35	CM 60 LEVEL CM	386,2333 litre	91,237 %	37,0963 litre	O
110	CM	35	CM 59,5 LEVEL CM	383,5111 litre	90,594 %	39,8185 litre	O
110	CM	35	CM 59 LEVEL CM	380,7351 litre	89,938 %	42,5945 litre	O
110	CM	35	CM 58,5 LEVEL CM	377,9072 litre	89,270 %	45,4224 litre	O
110	CM	35	CM 58 LEVEL CM	375,0295 litre	88,590 %	48,3001 litre	O
110	CM	35	CM 57,5 LEVEL CM	372,1038 litre	87,899 %	51,2258 litre	O
110	CM	35	CM 57 LEVEL CM	369,1320 litre	87,197 %	54,1976 litre	O
110	CM	35	CM 56,5 LEVEL CM	366,1157 litre	86,485 %	57,2139 litre	O
110	CM	35	CM 56 LEVEL CM	363,0566 litre	85,762 %	60,2730 litre	O
110	CM	35	CM 55,5 LEVEL CM	359,9562 litre	85,030 %	63,3734 litre	O
110	CM	35	CM 55 LEVEL CM	356,8161 litre	84,288 %	66,5135 litre	O
110	CM	35	CM 54,5 LEVEL CM	353,6377 litre	83,537 %	69,6919 litre	O
110	CM	35	CM 54 LEVEL CM	350,4223 litre	82,778 %	72,9073 litre	O
110	CM	35	CM 53,5 LEVEL CM	347,1715 litre	82,010 %	76,1581 litre	O
110	CM	35	CM 53 LEVEL CM	343,8863 litre	81,234 %	79,4433 litre	O
110	CM	35	CM 52,5 LEVEL CM	340,5682 litre	80,450 %	82,7614 litre	O
110	CM	35	CM 52 LEVEL CM	337,2183 litre	79,659 %	86,1113 litre	O
110	CM	35	CM 51,5 LEVEL CM	333,8379 litre	78,860 %	89,4917 litre	O
110	CM	35	CM 51 LEVEL CM	330,4280 litre	78,055 %	92,9016 litre	O
110	CM	35	CM 50,5 LEVEL CM	326,9899 litre	77,242 %	96,3397 litre	O
110	CM	35	CM 50 LEVEL CM	323,5246 litre	76,424 %	99,8050 litre	O
110	CM	35	CM 49,5 LEVEL CM	320,0333 litre	75,599 %	103,2963 litre	O
110	CM	35	CM 49 LEVEL CM	316,5169 litre	74,768 %	106,8127 litre	O
110	CM	35	CM 48,5 LEVEL CM	312,9765 litre	73,932 %	110,3531 litre	O
110	CM	35	CM 48 LEVEL CM	309,4130 litre	73,090 %	113,9166 litre	O
110	CM	35	CM 47,5 LEVEL CM	305,8276 litre	72,243 %	117,5020 litre	O
110	CM	35	CM 47 LEVEL CM	302,2212 litre	71,391 %	121,1084 litre	O
110	CM	35	CM 46,5 LEVEL CM	298,5947 litre	70,535 %	124,7349 litre	O
110	CM	35	CM 46 LEVEL CM	294,9490 litre	69,674 %	128,3806 litre	O
110	CM	35	CM 45,5 LEVEL CM	291,2851 litre	68,808 %	132,0445 litre	O
110	CM	35	CM 45 LEVEL CM	287,6040 litre	67,939 %	135,7256 litre	O
110	CM	35	CM 44,5 LEVEL CM	283,9064 litre	67,065 %	139,4232 litre	O

110	CM	35	CM	44 LEVEL CM	280,1933 litre	66,188 %	143,1363 litre	O
110	CM	35	CM	43,5 LEVEL CM	276,4656 litre	65,307 %	146,8640 litre	O
110	CM	35	CM	43 LEVEL CM	272,7241 litre	64,424 %	150,6055 litre	O
110	CM	35	CM	42,5 LEVEL CM	268,9697 litre	63,537 %	154,3599 litre	O
110	CM	35	CM	42 LEVEL CM	265,2033 litre	62,647 %	158,1263 litre	O
110	CM	35	CM	41,5 LEVEL CM	261,4256 litre	61,755 %	161,9040 litre	O
110	CM	35	CM	41 LEVEL CM	257,6375 litre	60,860 %	165,6921 litre	O
110	CM	35	CM	40,5 LEVEL CM	253,8399 litre	59,963 %	169,4897 litre	O
110	CM	35	CM	40 LEVEL CM	250,0334 litre	59,064 %	173,2962 litre	O
110	CM	35	CM	39,5 LEVEL CM	246,2191 litre	58,163 %	177,1105 litre	O
110	CM	35	CM	39 LEVEL CM	242,3976 litre	57,260 %	180,9320 litre	O
110	CM	35	CM	38,5 LEVEL CM	238,5698 litre	56,356 %	184,7598 litre	O
110	CM	35	CM	38 LEVEL CM	234,7365 litre	55,450 %	188,5931 litre	O
110	CM	35	CM	37,5 LEVEL CM	230,8984 litre	54,543 %	192,4312 litre	O
110	CM	35	CM	37 LEVEL CM	227,0564 litre	53,636 %	196,2732 litre	O
110	CM	35	CM	36,5 LEVEL CM	223,2113 litre	52,728 %	200,1183 litre	O
110	CM	35	CM	36 LEVEL CM	219,3638 litre	51,819 %	203,9658 litre	O
110	CM	35	CM	35,5 LEVEL CM	215,5147 litre	50,909 %	207,8149 litre	O
110	CM	35	CM	35 LEVEL CM	211,6648 litre	50,000 %	211,6648 litre	O
110	CM	35	CM	34,5 LEVEL CM	207,8149 litre	49,091 %	215,5147 litre	O
110	CM	35	CM	34 LEVEL CM	203,9659 litre	48,181 %	219,3637 litre	O
110	CM	35	CM	33,5 LEVEL CM	200,1183 litre	47,272 %	223,2113 litre	O
110	CM	35	CM	33 LEVEL CM	196,2732 litre	46,364 %	227,0564 litre	O
110	CM	35	CM	32,5 LEVEL CM	192,4312 litre	45,457 %	230,8984 litre	O
110	CM	35	CM	32 LEVEL CM	188,5931 litre	44,550 %	234,7365 litre	O
110	CM	35	CM	31,5 LEVEL CM	184,7598 litre	43,644 %	238,5698 litre	O
110	CM	35	CM	31 LEVEL CM	180,9320 litre	42,740 %	242,3976 litre	O
110	CM	35	CM	30,5 LEVEL CM	177,1105 litre	41,837 %	246,2191 litre	O
110	CM	35	CM	30 LEVEL CM	173,2962 litre	40,936 %	250,0334 litre	O
110	CM	35	CM	29,5 LEVEL CM	169,4898 litre	40,037 %	253,8398 litre	O
110	CM	35	CM	29 LEVEL CM	165,6921 litre	39,140 %	257,6375 litre	O
110	CM	35	CM	28,5 LEVEL CM	161,9040 litre	38,245 %	261,4256 litre	O
110	CM	35	CM	28 LEVEL CM	158,1263 litre	37,353 %	265,2033 litre	O
110	CM	35	CM	27,5 LEVEL CM	154,3599 litre	36,463 %	268,9697 litre	O
110	CM	35	CM	27 LEVEL CM	150,6055 litre	35,576 %	272,7241 litre	O
110	CM	35	CM	26,5 LEVEL CM	146,8640 litre	34,693 %	276,4656 litre	O
110	CM	35	CM	26 LEVEL CM	143,1363 litre	33,812 %	280,1933 litre	O
110	CM	35	CM	25,5 LEVEL CM	139,4232 litre	32,935 %	283,9064 litre	O
110	CM	35	CM	25 LEVEL CM	135,7256 litre	32,061 %	287,6040 litre	O
110	CM	35	CM	24,5 LEVEL CM	132,0445 litre	31,192 %	291,2851 litre	O
110	CM	35	CM	24 LEVEL CM	128,3806 litre	30,326 %	294,9490 litre	O
110	CM	35	CM	23,5 LEVEL CM	124,7350 litre	29,465 %	298,5946 litre	O
110	CM	35	CM	23 LEVEL CM	121,1084 litre	28,609 %	302,2212 litre	O
110	CM	35	CM	22,5 LEVEL CM	117,5020 litre	27,757 %	305,8276 litre	O
110	CM	35	CM	22 LEVEL CM	113,9166 litre	26,910 %	309,4130 litre	O
110	CM	35	CM	21,5 LEVEL CM	110,3532 litre	26,068 %	312,9764 litre	O
110	CM	35	CM	21 LEVEL CM	106,8127 litre	25,232 %	316,5169 litre	O
110	CM	35	CM	20,5 LEVEL CM	103,2963 litre	24,401 %	320,0333 litre	O
110	CM	35	CM	20 LEVEL CM	99,8050 litre	23,576 %	323,5246 litre	O
110	CM	35	CM	19,5 LEVEL CM	96,3397 litre	22,758 %	326,9899 litre	O
110	CM	35	CM	19 LEVEL CM	92,9016 litre	21,945 %	330,4280 litre	O
110	CM	35	CM	18,5 LEVEL CM	89,4917 litre	21,140 %	333,8379 litre	O
110	CM	35	CM	18 LEVEL CM	86,1113 litre	20,341 %	337,2183 litre	O

110	CM	35	CM	17,5 LEVEL CM	82,7614 litre	19,550 %	340,5682 litre	O
110	CM	35	CM	17 LEVEL CM	79,4433 litre	18,766 %	343,8863 litre	O
110	CM	35	CM	16,5 LEVEL CM	76,1582 litre	17,990 %	347,1714 litre	O
110	CM	35	CM	16 LEVEL CM	72,9073 litre	17,222 %	350,4223 litre	O
110	CM	35	CM	15,5 LEVEL CM	69,6919 litre	16,463 %	353,6377 litre	O
110	CM	35	CM	15 LEVEL CM	66,5135 litre	15,712 %	356,8161 litre	O
110	CM	35	CM	14,5 LEVEL CM	63,3734 litre	14,970 %	359,9562 litre	O
110	CM	35	CM	14 LEVEL CM	60,2730 litre	14,238 %	363,0566 litre	O
110	CM	35	CM	13,5 LEVEL CM	57,2139 litre	13,515 %	366,1157 litre	O
110	CM	35	CM	13 LEVEL CM	54,1976 litre	12,803 %	369,1320 litre	O
110	CM	35	CM	12,5 LEVEL CM	51,2258 litre	12,101 %	372,1038 litre	O
110	CM	35	CM	12 LEVEL CM	48,3001 litre	11,410 %	375,0295 litre	O
110	CM	35	CM	11,5 LEVEL CM	45,4224 litre	10,730 %	377,9072 litre	O
110	CM	35	CM	11 LEVEL CM	42,5945 litre	10,062 %	380,7351 litre	O
110	CM	35	CM	10,5 LEVEL CM	39,8185 litre	9,406 %	383,5111 litre	O
110	CM	35	CM	10 LEVEL CM	37,0963 litre	8,763 %	386,2333 litre	O
110	CM	35	CM	9,5 LEVEL CM	34,4304 litre	8,133 %	388,8992 litre	O
110	CM	35	CM	9 LEVEL CM	31,8229 litre	7,517 %	391,5067 litre	O
110	CM	35	CM	8,5 LEVEL CM	29,2765 litre	6,916 %	394,0531 litre	O
110	CM	35	CM	8 LEVEL CM	26,7938 litre	6,329 %	396,5358 litre	O
110	CM	35	CM	7,5 LEVEL CM	24,3778 litre	5,759 %	398,9518 litre	O
110	CM	35	CM	7 LEVEL CM	22,0318 litre	5,204 %	401,2978 litre	O
110	CM	35	CM	6,5 LEVEL CM	19,7591 litre	4,668 %	403,5705 litre	O
110	CM	35	CM	6 LEVEL CM	17,5635 litre	4,149 %	405,7661 litre	O
110	CM	35	CM	5,5 LEVEL CM	15,4495 litre	3,650 %	407,8801 litre	O
110	CM	35	CM	5 LEVEL CM	13,4216 litre	3,170 %	409,9080 litre	O
110	CM	35	CM	4,5 LEVEL CM	11,4853 litre	2,713 %	411,8443 litre	O
110	CM	35	CM	4 LEVEL CM	9,6468 litre	2,279 %	413,6828 litre	O
110	CM	35	CM	3,5 LEVEL CM	7,9133 litre	1,869 %	415,4163 litre	O
110	CM	35	CM	3 LEVEL CM	6,2936 litre	1,487 %	417,0360 litre	O
110	CM	35	CM	2,5 LEVEL CM	4,7982 litre	1,133 %	418,5314 litre	O
110	CM	35	CM	2 LEVEL CM	3,4409 litre	0,813 %	419,8887 litre	O
110	CM	35	CM	1,5 LEVEL CM	2,2398 litre	0,529 %	421,0898 litre	O
110	CM	35	CM	1 LEVEL CM	1,2218 litre	0,289 %	422,1078 litre	O
110	CM	35	CM	0,5 LEVEL CM	0,4329 litre	0,102 %	422,8967 litre	O
110	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	423,3296 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
110	CM 30	CM 60 LEVEL CM	311,0177 litre	100,000 %	0,0000 litre	O
110	CM 30	CM 59,5 LEVEL CM	310,6170 litre	99,871 %	0,4007 litre	O
110	CM 30	CM 59 LEVEL CM	309,8873 litre	99,637 %	1,1304 litre	O
110	CM 30	CM 58,5 LEVEL CM	308,9463 litre	99,334 %	2,0714 litre	O
110	CM 30	CM 58 LEVEL CM	307,8367 litre	98,977 %	3,1810 litre	O
110	CM 30	CM 57,5 LEVEL CM	306,5835 litre	98,574 %	4,4342 litre	O
110	CM 30	CM 57 LEVEL CM	305,2038 litre	98,131 %	5,8139 litre	O
110	CM 30	CM 56,5 LEVEL CM	303,7103 litre	97,650 %	7,3074 litre	O
110	CM 30	CM 56 LEVEL CM	302,1131 litre	97,137 %	8,9046 litre	O
110	CM 30	CM 55,5 LEVEL CM	300,4201 litre	96,593 %	10,5976 litre	O
110	CM 30	CM 55 LEVEL CM	298,6384 litre	96,020 %	12,3793 litre	O
110	CM 30	CM 54,5 LEVEL CM	296,7737 litre	95,420 %	14,2440 litre	O
110	CM 30	CM 54 LEVEL CM	294,8311 litre	94,796 %	16,1866 litre	O
110	CM 30	CM 53,5 LEVEL CM	292,8151 litre	94,147 %	18,2026 litre	O
110	CM 30	CM 53 LEVEL CM	290,7298 litre	93,477 %	20,2879 litre	O
110	CM 30	CM 52,5 LEVEL CM	288,5787 litre	92,785 %	22,4390 litre	O
110	CM 30	CM 52 LEVEL CM	286,3653 litre	92,074 %	24,6524 litre	O
110	CM 30	CM 51,5 LEVEL CM	284,0926 litre	91,343 %	26,9251 litre	O
110	CM 30	CM 51 LEVEL CM	281,7633 litre	90,594 %	29,2544 litre	O
110	CM 30	CM 50,5 LEVEL CM	279,3801 litre	89,828 %	31,6376 litre	O
110	CM 30	CM 50 LEVEL CM	276,9454 litre	89,045 %	34,0723 litre	O
110	CM 30	CM 49,5 LEVEL CM	274,4615 litre	88,246 %	36,5562 litre	O
110	CM 30	CM 49 LEVEL CM	271,9305 litre	87,432 %	39,0872 litre	O
110	CM 30	CM 48,5 LEVEL CM	269,3545 litre	86,604 %	41,6632 litre	O
110	CM 30	CM 48 LEVEL CM	266,7354 litre	85,762 %	44,2823 litre	O
110	CM 30	CM 47,5 LEVEL CM	264,0751 litre	84,907 %	46,9426 litre	O
110	CM 30	CM 47 LEVEL CM	261,3753 litre	84,039 %	49,6424 litre	O
110	CM 30	CM 46,5 LEVEL CM	258,6376 litre	83,158 %	52,3801 litre	O
110	CM 30	CM 46 LEVEL CM	255,8637 litre	82,267 %	55,1540 litre	O
110	CM 30	CM 45,5 LEVEL CM	253,0551 litre	81,364 %	57,9626 litre	O
110	CM 30	CM 45 LEVEL CM	250,2134 litre	80,450 %	60,8043 litre	O
110	CM 30	CM 44,5 LEVEL CM	247,3398 litre	79,526 %	63,6779 litre	O
110	CM 30	CM 44 LEVEL CM	244,4359 litre	78,592 %	66,5818 litre	O
110	CM 30	CM 43,5 LEVEL CM	241,5030 litre	77,649 %	69,5147 litre	O
110	CM 30	CM 43 LEVEL CM	238,5424 litre	76,697 %	72,4753 litre	O
110	CM 30	CM 42,5 LEVEL CM	235,5553 litre	75,737 %	75,4624 litre	O
110	CM 30	CM 42 LEVEL CM	232,5430 litre	74,768 %	78,4747 litre	O
110	CM 30	CM 41,5 LEVEL CM	229,5067 litre	73,792 %	81,5110 litre	O
110	CM 30	CM 41 LEVEL CM	226,4476 litre	72,809 %	84,5701 litre	O
110	CM 30	CM 40,5 LEVEL CM	223,3668 litre	71,818 %	87,6509 litre	O
110	CM 30	CM 40 LEVEL CM	220,2654 litre	70,821 %	90,7523 litre	O
110	CM 30	CM 39,5 LEVEL CM	217,1446 litre	69,817 %	93,8731 litre	O
110	CM 30	CM 39 LEVEL CM	214,0054 litre	68,808 %	97,0123 litre	O
110	CM 30	CM 38,5 LEVEL CM	210,8489 litre	67,793 %	100,1688 litre	O
110	CM 30	CM 38 LEVEL CM	207,6762 litre	66,773 %	103,3415 litre	O
110	CM 30	CM 37,5 LEVEL CM	204,4883 litre	65,748 %	106,5294 litre	O
110	CM 30	CM 37 LEVEL CM	201,2861 litre	64,719 %	109,7316 litre	O
110	CM 30	CM 36,5 LEVEL CM	198,0708 litre	63,685 %	112,9469 litre	O
110	CM 30	CM 36 LEVEL CM	194,8432 litre	62,647 %	116,1745 litre	O
110	CM 30	CM 35,5 LEVEL CM	191,6045 litre	61,606 %	119,4132 litre	O
110	CM 30	CM 35 LEVEL CM	188,3554 litre	60,561 %	122,6623 litre	O
110	CM 30	CM 34,5 LEVEL CM	185,0971 litre	59,513 %	125,9206 litre	O

110	CM	30	CM	34 LEVEL CM	181,8304 litre	58,463 %	129,1873 litre	O
110	CM	30	CM	33,5 LEVEL CM	178,5563 litre	57,410 %	132,4614 litre	O
110	CM	30	CM	33 LEVEL CM	175,2758 litre	56,356 %	135,7419 litre	O
110	CM	30	CM	32,5 LEVEL CM	171,9897 litre	55,299 %	139,0280 litre	O
110	CM	30	CM	32 LEVEL CM	168,6991 litre	54,241 %	142,3186 litre	O
110	CM	30	CM	31,5 LEVEL CM	165,4047 litre	53,182 %	145,6130 litre	O
110	CM	30	CM	31 LEVEL CM	162,1076 litre	52,122 %	148,9101 litre	O
110	CM	30	CM	30,5 LEVEL CM	158,8087 litre	51,061 %	152,2090 litre	O
110	CM	30	CM	30 LEVEL CM	155,5088 litre	50,000 %	155,5089 litre	O
110	CM	30	CM	29,5 LEVEL CM	152,2090 litre	48,939 %	158,8087 litre	O
110	CM	30	CM	29 LEVEL CM	148,9101 litre	47,878 %	162,1076 litre	O
110	CM	30	CM	28,5 LEVEL CM	145,6130 litre	46,818 %	165,4047 litre	O
110	CM	30	CM	28 LEVEL CM	142,3186 litre	45,759 %	168,6991 litre	O
110	CM	30	CM	27,5 LEVEL CM	139,0280 litre	44,701 %	171,9897 litre	O
110	CM	30	CM	27 LEVEL CM	135,7419 litre	43,644 %	175,2758 litre	O
110	CM	30	CM	26,5 LEVEL CM	132,4613 litre	42,590 %	178,5564 litre	O
110	CM	30	CM	26 LEVEL CM	129,1873 litre	41,537 %	181,8304 litre	O
110	CM	30	CM	25,5 LEVEL CM	125,9206 litre	40,487 %	185,0971 litre	O
110	CM	30	CM	25 LEVEL CM	122,6623 litre	39,439 %	188,3554 litre	O
110	CM	30	CM	24,5 LEVEL CM	119,4132 litre	38,394 %	191,6045 litre	O
110	CM	30	CM	24 LEVEL CM	116,1744 litre	37,353 %	194,8433 litre	O
110	CM	30	CM	23,5 LEVEL CM	112,9469 litre	36,315 %	198,0708 litre	O
110	CM	30	CM	23 LEVEL CM	109,7316 litre	35,281 %	201,2861 litre	O
110	CM	30	CM	22,5 LEVEL CM	106,5294 litre	34,252 %	204,4883 litre	O
110	CM	30	CM	22 LEVEL CM	103,3415 litre	33,227 %	207,6762 litre	O
110	CM	30	CM	21,5 LEVEL CM	100,1687 litre	32,207 %	210,8490 litre	O
110	CM	30	CM	21 LEVEL CM	97,0123 litre	31,192 %	214,0054 litre	O
110	CM	30	CM	20,5 LEVEL CM	93,8731 litre	30,183 %	217,1446 litre	O
110	CM	30	CM	20 LEVEL CM	90,7523 litre	29,179 %	220,2654 litre	O
110	CM	30	CM	19,5 LEVEL CM	87,6509 litre	28,182 %	223,3668 litre	O
110	CM	30	CM	19 LEVEL CM	84,5701 litre	27,191 %	226,4476 litre	O
110	CM	30	CM	18,5 LEVEL CM	81,5110 litre	26,208 %	229,5067 litre	O
110	CM	30	CM	18 LEVEL CM	78,4747 litre	25,232 %	232,5430 litre	O
110	CM	30	CM	17,5 LEVEL CM	75,4624 litre	24,263 %	235,5553 litre	O
110	CM	30	CM	17 LEVEL CM	72,4753 litre	23,303 %	238,5424 litre	O
110	CM	30	CM	16,5 LEVEL CM	69,5146 litre	22,351 %	241,5031 litre	O
110	CM	30	CM	16 LEVEL CM	66,5817 litre	21,408 %	244,4360 litre	O
110	CM	30	CM	15,5 LEVEL CM	63,6778 litre	20,474 %	247,3399 litre	O
110	CM	30	CM	15 LEVEL CM	60,8043 litre	19,550 %	250,2134 litre	O
110	CM	30	CM	14,5 LEVEL CM	57,9625 litre	18,636 %	253,0552 litre	O
110	CM	30	CM	14 LEVEL CM	55,1540 litre	17,733 %	255,8637 litre	O
110	CM	30	CM	13,5 LEVEL CM	52,3801 litre	16,842 %	258,6376 litre	O
110	CM	30	CM	13 LEVEL CM	49,6424 litre	15,961 %	261,3753 litre	O
110	CM	30	CM	12,5 LEVEL CM	46,9426 litre	15,093 %	264,0751 litre	O
110	CM	30	CM	12 LEVEL CM	44,2822 litre	14,238 %	266,7355 litre	O
110	CM	30	CM	11,5 LEVEL CM	41,6632 litre	13,396 %	269,3545 litre	O
110	CM	30	CM	11 LEVEL CM	39,0872 litre	12,568 %	271,9305 litre	O
110	CM	30	CM	10,5 LEVEL CM	36,5562 litre	11,754 %	274,4615 litre	O
110	CM	30	CM	10 LEVEL CM	34,0723 litre	10,955 %	276,9454 litre	O
110	CM	30	CM	9,5 LEVEL CM	31,6376 litre	10,172 %	279,3801 litre	O
110	CM	30	CM	9 LEVEL CM	29,2544 litre	9,406 %	281,7633 litre	O
110	CM	30	CM	8,5 LEVEL CM	26,9251 litre	8,657 %	284,0926 litre	O
110	CM	30	CM	8 LEVEL CM	24,6523 litre	7,926 %	286,3654 litre	O

110	CM 30	CM	7,5 LEVEL CM	22,4389 litre	7,215 %	288,5788 litre	O
110	CM 30	CM	7 LEVEL CM	20,2879 litre	6,523 %	290,7298 litre	O
110	CM 30	CM	6,5 LEVEL CM	18,2026 litre	5,853 %	292,8151 litre	O
110	CM 30	CM	6 LEVEL CM	16,1866 litre	5,204 %	294,8311 litre	O
110	CM 30	CM	5,5 LEVEL CM	14,2440 litre	4,580 %	296,7737 litre	O
110	CM 30	CM	5 LEVEL CM	12,3793 litre	3,980 %	298,6384 litre	O
110	CM 30	CM	4,5 LEVEL CM	10,5975 litre	3,407 %	300,4202 litre	O
110	CM 30	CM	4 LEVEL CM	8,9046 litre	2,863 %	302,1131 litre	O
110	CM 30	CM	3,5 LEVEL CM	7,3073 litre	2,349 %	303,7104 litre	O
110	CM 30	CM	3 LEVEL CM	5,8139 litre	1,869 %	305,2038 litre	O
110	CM 30	CM	2,5 LEVEL CM	4,4342 litre	1,426 %	306,5835 litre	O
110	CM 30	CM	2 LEVEL CM	3,1810 litre	1,023 %	307,8367 litre	O
110	CM 30	CM	1,5 LEVEL CM	2,0714 litre	0,666 %	308,9463 litre	O
110	CM 30	CM	1 LEVEL CM	1,1304 litre	0,363 %	309,8873 litre	O
110	CM 30	CM	0,5 LEVEL CM	0,4007 litre	0,129 %	310,6170 litre	O
110	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	311,0177 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
110	CM	25	CM	50 LEVEL CM	215,9845 litre	100,000 %	0,0000 litre	O
110	CM	25	CM	49,5 LEVEL CM	215,6189 litre	99,831 %	0,3656 litre	O
110	CM	25	CM	49 LEVEL CM	214,9536 litre	99,523 %	1,0309 litre	O
110	CM	25	CM	48,5 LEVEL CM	214,0965 litre	99,126 %	1,8880 litre	O
110	CM	25	CM	48 LEVEL CM	213,0866 litre	98,658 %	2,8979 litre	O
110	CM	25	CM	47,5 LEVEL CM	211,9471 litre	98,131 %	4,0374 litre	O
110	CM	25	CM	47 LEVEL CM	210,6937 litre	97,550 %	5,2908 litre	O
110	CM	25	CM	46,5 LEVEL CM	209,3382 litre	96,923 %	6,6463 litre	O
110	CM	25	CM	46 LEVEL CM	207,8898 litre	96,252 %	8,0947 litre	O
110	CM	25	CM	45,5 LEVEL CM	206,3562 litre	95,542 %	9,6283 litre	O
110	CM	25	CM	45 LEVEL CM	204,7438 litre	94,796 %	11,2407 litre	O
110	CM	25	CM	44,5 LEVEL CM	203,0579 litre	94,015 %	12,9266 litre	O
110	CM	25	CM	44 LEVEL CM	201,3035 litre	93,203 %	14,6810 litre	O
110	CM	25	CM	43,5 LEVEL CM	199,4847 litre	92,361 %	16,4998 litre	O
110	CM	25	CM	43 LEVEL CM	197,6054 litre	91,491 %	18,3791 litre	O
110	CM	25	CM	42,5 LEVEL CM	195,6689 litre	90,594 %	20,3156 litre	O
110	CM	25	CM	42 LEVEL CM	193,6786 litre	89,672 %	22,3059 litre	O
110	CM	25	CM	41,5 LEVEL CM	191,6372 litre	88,727 %	24,3473 litre	O
110	CM	25	CM	41 LEVEL CM	189,5475 litre	87,760 %	26,4370 litre	O
110	CM	25	CM	40,5 LEVEL CM	187,4120 litre	86,771 %	28,5725 litre	O
110	CM	25	CM	40 LEVEL CM	185,2329 litre	85,762 %	30,7516 litre	O
110	CM	25	CM	39,5 LEVEL CM	183,0127 litre	84,734 %	32,9718 litre	O
110	CM	25	CM	39 LEVEL CM	180,7532 litre	83,688 %	35,2313 litre	O
110	CM	25	CM	38,5 LEVEL CM	178,4566 litre	82,625 %	37,5279 litre	O
110	CM	25	CM	38 LEVEL CM	176,1247 litre	81,545 %	39,8598 litre	O
110	CM	25	CM	37,5 LEVEL CM	173,7593 litre	80,450 %	42,2252 litre	O
110	CM	25	CM	37 LEVEL CM	171,3621 litre	79,340 %	44,6224 litre	O
110	CM	25	CM	36,5 LEVEL CM	168,9349 litre	78,216 %	47,0496 litre	O
110	CM	25	CM	36 LEVEL CM	166,4791 litre	77,079 %	49,5054 litre	O
110	CM	25	CM	35,5 LEVEL CM	163,9964 litre	75,930 %	51,9881 litre	O
110	CM	25	CM	35 LEVEL CM	161,4882 litre	74,768 %	54,4963 litre	O
110	CM	25	CM	34,5 LEVEL CM	158,9560 litre	73,596 %	57,0285 litre	O
110	CM	25	CM	34 LEVEL CM	156,4012 litre	72,413 %	59,5833 litre	O
110	CM	25	CM	33,5 LEVEL CM	153,8252 litre	71,220 %	62,1593 litre	O
110	CM	25	CM	33 LEVEL CM	151,2293 litre	70,019 %	64,7552 litre	O
110	CM	25	CM	32,5 LEVEL CM	148,6149 litre	68,808 %	67,3696 litre	O
110	CM	25	CM	32 LEVEL CM	145,9831 litre	67,590 %	70,0014 litre	O
110	CM	25	CM	31,5 LEVEL CM	143,3353 litre	66,364 %	72,6492 litre	O
110	CM	25	CM	31 LEVEL CM	140,6727 litre	65,131 %	75,3118 litre	O
110	CM	25	CM	30,5 LEVEL CM	137,9964 litre	63,892 %	77,9881 litre	O
110	CM	25	CM	30 LEVEL CM	135,3078 litre	62,647 %	80,6767 litre	O
110	CM	25	CM	29,5 LEVEL CM	132,6079 litre	61,397 %	83,3766 litre	O
110	CM	25	CM	29 LEVEL CM	129,8980 litre	60,142 %	86,0865 litre	O
110	CM	25	CM	28,5 LEVEL CM	127,1792 litre	58,883 %	88,8053 litre	O
110	CM	25	CM	28 LEVEL CM	124,4526 litre	57,621 %	91,5319 litre	O
110	CM	25	CM	27,5 LEVEL CM	121,7193 litre	56,356 %	94,2652 litre	O
110	CM	25	CM	27 LEVEL CM	118,9805 litre	55,088 %	97,0040 litre	O
110	CM	25	CM	26,5 LEVEL CM	116,2373 litre	53,817 %	99,7472 litre	O
110	CM	25	CM	26 LEVEL CM	113,4908 litre	52,546 %	102,4937 litre	O
110	CM	25	CM	25,5 LEVEL CM	110,7421 litre	51,273 %	105,2424 litre	O
110	CM	25	CM	25 LEVEL CM	107,9922 litre	50,000 %	107,9923 litre	O
110	CM	25	CM	24,5 LEVEL CM	105,2424 litre	48,727 %	110,7421 litre	O

110	CM	25	CM	24 LEVEL CM	102,4937 litre	47,454 %	113,4908 litre	O
110	CM	25	CM	23,5 LEVEL CM	99,7472 litre	46,183 %	116,2373 litre	O
110	CM	25	CM	23 LEVEL CM	97,0040 litre	44,912 %	118,9805 litre	O
110	CM	25	CM	22,5 LEVEL CM	94,2652 litre	43,644 %	121,7193 litre	O
110	CM	25	CM	22 LEVEL CM	91,5319 litre	42,379 %	124,4526 litre	O
110	CM	25	CM	21,5 LEVEL CM	88,8053 litre	41,117 %	127,1792 litre	O
110	CM	25	CM	21 LEVEL CM	86,0865 litre	39,858 %	129,8980 litre	O
110	CM	25	CM	20,5 LEVEL CM	83,3766 litre	38,603 %	132,6079 litre	O
110	CM	25	CM	20 LEVEL CM	80,6767 litre	37,353 %	135,3078 litre	O
110	CM	25	CM	19,5 LEVEL CM	77,9881 litre	36,108 %	137,9964 litre	O
110	CM	25	CM	19 LEVEL CM	75,3118 litre	34,869 %	140,6727 litre	O
110	CM	25	CM	18,5 LEVEL CM	72,6492 litre	33,636 %	143,3353 litre	O
110	CM	25	CM	18 LEVEL CM	70,0014 litre	32,410 %	145,9831 litre	O
110	CM	25	CM	17,5 LEVEL CM	67,3696 litre	31,192 %	148,6149 litre	O
110	CM	25	CM	17 LEVEL CM	64,7552 litre	29,981 %	151,2293 litre	O
110	CM	25	CM	16,5 LEVEL CM	62,1593 litre	28,780 %	153,8252 litre	O
110	CM	25	CM	16 LEVEL CM	59,5833 litre	27,587 %	156,4012 litre	O
110	CM	25	CM	15,5 LEVEL CM	57,0285 litre	26,404 %	158,9560 litre	O
110	CM	25	CM	15 LEVEL CM	54,4963 litre	25,232 %	161,4882 litre	O
110	CM	25	CM	14,5 LEVEL CM	51,9881 litre	24,070 %	163,9964 litre	O
110	CM	25	CM	14 LEVEL CM	49,5054 litre	22,921 %	166,4791 litre	O
110	CM	25	CM	13,5 LEVEL CM	47,0496 litre	21,784 %	168,9349 litre	O
110	CM	25	CM	13 LEVEL CM	44,6224 litre	20,660 %	171,3621 litre	O
110	CM	25	CM	12,5 LEVEL CM	42,2252 litre	19,550 %	173,7593 litre	O
110	CM	25	CM	12 LEVEL CM	39,8598 litre	18,455 %	176,1247 litre	O
110	CM	25	CM	11,5 LEVEL CM	37,5279 litre	17,375 %	178,4566 litre	O
110	CM	25	CM	11 LEVEL CM	35,2313 litre	16,312 %	180,7532 litre	O
110	CM	25	CM	10,5 LEVEL CM	32,9718 litre	15,266 %	183,0127 litre	O
110	CM	25	CM	10 LEVEL CM	30,7515 litre	14,238 %	185,2330 litre	O
110	CM	25	CM	9,5 LEVEL CM	28,5725 litre	13,229 %	187,4120 litre	O
110	CM	25	CM	9 LEVEL CM	26,4370 litre	12,240 %	189,5475 litre	O
110	CM	25	CM	8,5 LEVEL CM	24,3473 litre	11,273 %	191,6372 litre	O
110	CM	25	CM	8 LEVEL CM	22,3059 litre	10,328 %	193,6786 litre	O
110	CM	25	CM	7,5 LEVEL CM	20,3155 litre	9,406 %	195,6690 litre	O
110	CM	25	CM	7 LEVEL CM	18,3791 litre	8,509 %	197,6054 litre	O
110	CM	25	CM	6,5 LEVEL CM	16,4998 litre	7,639 %	199,4847 litre	O
110	CM	25	CM	6 LEVEL CM	14,6810 litre	6,797 %	201,3035 litre	O
110	CM	25	CM	5,5 LEVEL CM	12,9265 litre	5,985 %	203,0580 litre	O
110	CM	25	CM	5 LEVEL CM	11,2407 litre	5,204 %	204,7438 litre	O
110	CM	25	CM	4,5 LEVEL CM	9,6282 litre	4,458 %	206,3563 litre	O
110	CM	25	CM	4 LEVEL CM	8,0947 litre	3,748 %	207,8898 litre	O
110	CM	25	CM	3,5 LEVEL CM	6,6463 litre	3,077 %	209,3382 litre	O
110	CM	25	CM	3 LEVEL CM	5,2908 litre	2,450 %	210,6937 litre	O
110	CM	25	CM	2,5 LEVEL CM	4,0374 litre	1,869 %	211,9471 litre	O
110	CM	25	CM	2 LEVEL CM	2,8979 litre	1,342 %	213,0866 litre	O
110	CM	25	CM	1,5 LEVEL CM	1,8880 litre	0,874 %	214,0965 litre	O
110	CM	25	CM	1 LEVEL CM	1,0308 litre	0,477 %	214,9537 litre	O
110	CM	25	CM	0,5 LEVEL CM	0,3656 litre	0,169 %	215,6189 litre	O
110	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	215,9845 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
110	CM 20	CM 40 LEVEL CM	138,2301 litre	100,000 %	0,0000 litre	O
110	CM 20	CM 39,5 LEVEL CM	137,9034 litre	99,764 %	0,3267 litre	O
110	CM 20	CM 39 LEVEL CM	137,3095 litre	99,334 %	0,9206 litre	O
110	CM 20	CM 38,5 LEVEL CM	136,5453 litre	98,781 %	1,6848 litre	O
110	CM 20	CM 38 LEVEL CM	135,6461 litre	98,131 %	2,5840 litre	O
110	CM 20	CM 37,5 LEVEL CM	134,6329 litre	97,398 %	3,5972 litre	O
110	CM 20	CM 37 LEVEL CM	133,5201 litre	96,593 %	4,7100 litre	O
110	CM 20	CM 36,5 LEVEL CM	132,3183 litre	95,723 %	5,9118 litre	O
110	CM 20	CM 36 LEVEL CM	131,0360 litre	94,796 %	7,1941 litre	O
110	CM 20	CM 35,5 LEVEL CM	129,6804 litre	93,815 %	8,5497 litre	O
110	CM 20	CM 35 LEVEL CM	128,2572 litre	92,785 %	9,9729 litre	O
110	CM 20	CM 34,5 LEVEL CM	126,7716 litre	91,711 %	11,4585 litre	O
110	CM 20	CM 34 LEVEL CM	125,2281 litre	90,594 %	13,0020 litre	O
110	CM 20	CM 33,5 LEVEL CM	123,6307 litre	89,438 %	14,5994 litre	O
110	CM 20	CM 33 LEVEL CM	121,9829 litre	88,246 %	16,2472 litre	O
110	CM 20	CM 32,5 LEVEL CM	120,2880 litre	87,020 %	17,9421 litre	O
110	CM 20	CM 32 LEVEL CM	118,5491 litre	85,762 %	19,6810 litre	O
110	CM 20	CM 31,5 LEVEL CM	116,7689 litre	84,474 %	21,4612 litre	O
110	CM 20	CM 31 LEVEL CM	114,9500 litre	83,158 %	23,2801 litre	O
110	CM 20	CM 30,5 LEVEL CM	113,0950 litre	81,816 %	25,1351 litre	O
110	CM 20	CM 30 LEVEL CM	111,2059 litre	80,450 %	27,0242 litre	O
110	CM 20	CM 29,5 LEVEL CM	109,2852 litre	79,060 %	28,9449 litre	O
110	CM 20	CM 29 LEVEL CM	107,3347 litre	77,649 %	30,8954 litre	O
110	CM 20	CM 28,5 LEVEL CM	105,3565 litre	76,218 %	32,8736 litre	O
110	CM 20	CM 28 LEVEL CM	103,3524 litre	74,768 %	34,8777 litre	O
110	CM 20	CM 27,5 LEVEL CM	101,3244 litre	73,301 %	36,9057 litre	O
110	CM 20	CM 27 LEVEL CM	99,2741 litre	71,818 %	38,9560 litre	O
110	CM 20	CM 26,5 LEVEL CM	97,2033 litre	70,320 %	41,0268 litre	O
110	CM 20	CM 26 LEVEL CM	95,1135 litre	68,808 %	43,1166 litre	O
110	CM 20	CM 25,5 LEVEL CM	93,0065 litre	67,284 %	45,2236 litre	O
110	CM 20	CM 25 LEVEL CM	90,8837 litre	65,748 %	47,3464 litre	O
110	CM 20	CM 24,5 LEVEL CM	88,7467 litre	64,202 %	49,4834 litre	O
110	CM 20	CM 24 LEVEL CM	86,5970 litre	62,647 %	51,6331 litre	O
110	CM 20	CM 23,5 LEVEL CM	84,4361 litre	61,084 %	53,7940 litre	O
110	CM 20	CM 23 LEVEL CM	82,2654 litre	59,513 %	55,9647 litre	O
110	CM 20	CM 22,5 LEVEL CM	80,0863 litre	57,937 %	58,1438 litre	O
110	CM 20	CM 22 LEVEL CM	77,9003 litre	56,356 %	60,3298 litre	O
110	CM 20	CM 21,5 LEVEL CM	75,7088 litre	54,770 %	62,5213 litre	O
110	CM 20	CM 21 LEVEL CM	73,5132 litre	53,182 %	64,7169 litre	O
110	CM 20	CM 20,5 LEVEL CM	71,3148 litre	51,591 %	66,9153 litre	O
110	CM 20	CM 20 LEVEL CM	69,1150 litre	50,000 %	69,1151 litre	O
110	CM 20	CM 19,5 LEVEL CM	66,9153 litre	48,409 %	71,3148 litre	O
110	CM 20	CM 19 LEVEL CM	64,7169 litre	46,818 %	73,5132 litre	O
110	CM 20	CM 18,5 LEVEL CM	62,5212 litre	45,230 %	75,7089 litre	O
110	CM 20	CM 18 LEVEL CM	60,3297 litre	43,644 %	77,9004 litre	O
110	CM 20	CM 17,5 LEVEL CM	58,1438 litre	42,063 %	80,0863 litre	O
110	CM 20	CM 17 LEVEL CM	55,9647 litre	40,487 %	82,2654 litre	O
110	CM 20	CM 16,5 LEVEL CM	53,7940 litre	38,916 %	84,4361 litre	O
110	CM 20	CM 16 LEVEL CM	51,6331 litre	37,353 %	86,5970 litre	O
110	CM 20	CM 15,5 LEVEL CM	49,4834 litre	35,798 %	88,7467 litre	O
110	CM 20	CM 15 LEVEL CM	47,3464 litre	34,252 %	90,8837 litre	O
110	CM 20	CM 14,5 LEVEL CM	45,2236 litre	32,716 %	93,0065 litre	O

110	CM	20	CM	14 LEVEL CM	43,1166 litre	31,192 %	95,1135 litre	O
110	CM	20	CM	13,5 LEVEL CM	41,0268 litre	29,680 %	97,2033 litre	O
110	CM	20	CM	13 LEVEL CM	38,9560 litre	28,182 %	99,2741 litre	O
110	CM	20	CM	12,5 LEVEL CM	36,9057 litre	26,699 %	101,3244 litre	O
110	CM	20	CM	12 LEVEL CM	34,8776 litre	25,232 %	103,3525 litre	O
110	CM	20	CM	11,5 LEVEL CM	32,8736 litre	23,782 %	105,3565 litre	O
110	CM	20	CM	11 LEVEL CM	30,8954 litre	22,351 %	107,3347 litre	O
110	CM	20	CM	10,5 LEVEL CM	28,9449 litre	20,940 %	109,2852 litre	O
110	CM	20	CM	10 LEVEL CM	27,0241 litre	19,550 %	111,2060 litre	O
110	CM	20	CM	9,5 LEVEL CM	25,1351 litre	18,184 %	113,0950 litre	O
110	CM	20	CM	9 LEVEL CM	23,2800 litre	16,842 %	114,9501 litre	O
110	CM	20	CM	8,5 LEVEL CM	21,4612 litre	15,526 %	116,7689 litre	O
110	CM	20	CM	8 LEVEL CM	19,6810 litre	14,238 %	118,5491 litre	O
110	CM	20	CM	7,5 LEVEL CM	17,9421 litre	12,980 %	120,2880 litre	O
110	CM	20	CM	7 LEVEL CM	16,2472 litre	11,754 %	121,9829 litre	O
110	CM	20	CM	6,5 LEVEL CM	14,5994 litre	10,562 %	123,6307 litre	O
110	CM	20	CM	6 LEVEL CM	13,0019 litre	9,406 %	125,2282 litre	O
110	CM	20	CM	5,5 LEVEL CM	11,4584 litre	8,289 %	126,7717 litre	O
110	CM	20	CM	5 LEVEL CM	9,9729 litre	7,215 %	128,2572 litre	O
110	CM	20	CM	4,5 LEVEL CM	8,5497 litre	6,185 %	129,6804 litre	O
110	CM	20	CM	4 LEVEL CM	7,1940 litre	5,204 %	131,0361 litre	O
110	CM	20	CM	3,5 LEVEL CM	5,9118 litre	4,277 %	132,3183 litre	O
110	CM	20	CM	3 LEVEL CM	4,7100 litre	3,407 %	133,5201 litre	O
110	CM	20	CM	2,5 LEVEL CM	3,5971 litre	2,602 %	134,6330 litre	O
110	CM	20	CM	2 LEVEL CM	2,5839 litre	1,869 %	135,6462 litre	O
110	CM	20	CM	1,5 LEVEL CM	1,6848 litre	1,219 %	136,5453 litre	O
110	CM	20	CM	1 LEVEL CM	0,9206 litre	0,666 %	137,3095 litre	O
110	CM	20	CM	0,5 LEVEL CM	0,3267 litre	0,236 %	137,9034 litre	O
110	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	138,2301 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
110	CM	15	CM	30 LEVEL CM	77,7544 litre	100,000 %	0,0000 litre	O
110	CM	15	CM	29,5 LEVEL CM	77,4718 litre	99,637 %	0,2826 litre	O
110	CM	15	CM	29 LEVEL CM	76,9592 litre	98,977 %	0,7952 litre	O
110	CM	15	CM	28,5 LEVEL CM	76,3010 litre	98,131 %	1,4534 litre	O
110	CM	15	CM	28 LEVEL CM	75,5283 litre	97,137 %	2,2261 litre	O
110	CM	15	CM	27,5 LEVEL CM	74,6596 litre	96,020 %	3,0948 litre	O
110	CM	15	CM	27 LEVEL CM	73,7078 litre	94,796 %	4,0466 litre	O
110	CM	15	CM	26,5 LEVEL CM	72,6824 litre	93,477 %	5,0720 litre	O
110	CM	15	CM	26 LEVEL CM	71,5913 litre	92,074 %	6,1631 litre	O
110	CM	15	CM	25,5 LEVEL CM	70,4408 litre	90,594 %	7,3136 litre	O
110	CM	15	CM	25 LEVEL CM	69,2363 litre	89,045 %	8,5181 litre	O
110	CM	15	CM	24,5 LEVEL CM	67,9826 litre	87,433 %	9,7718 litre	O
110	CM	15	CM	24 LEVEL CM	66,6839 litre	85,762 %	11,0705 litre	O
110	CM	15	CM	23,5 LEVEL CM	65,3438 litre	84,039 %	12,4106 litre	O
110	CM	15	CM	23 LEVEL CM	63,9659 litre	82,267 %	13,7885 litre	O
110	CM	15	CM	22,5 LEVEL CM	62,5533 litre	80,450 %	15,2011 litre	O
110	CM	15	CM	22 LEVEL CM	61,1090 litre	78,592 %	16,6454 litre	O
110	CM	15	CM	21,5 LEVEL CM	59,6356 litre	76,697 %	18,1188 litre	O
110	CM	15	CM	21 LEVEL CM	58,1358 litre	74,768 %	19,6186 litre	O
110	CM	15	CM	20,5 LEVEL CM	56,6119 litre	72,809 %	21,1425 litre	O
110	CM	15	CM	20 LEVEL CM	55,0663 litre	70,821 %	22,6881 litre	O
110	CM	15	CM	19,5 LEVEL CM	53,5014 litre	68,808 %	24,2530 litre	O
110	CM	15	CM	19 LEVEL CM	51,9191 litre	66,773 %	25,8353 litre	O
110	CM	15	CM	18,5 LEVEL CM	50,3215 litre	64,719 %	27,4329 litre	O
110	CM	15	CM	18 LEVEL CM	48,7108 litre	62,647 %	29,0436 litre	O
110	CM	15	CM	17,5 LEVEL CM	47,0889 litre	60,561 %	30,6655 litre	O
110	CM	15	CM	17 LEVEL CM	45,4576 litre	58,463 %	32,2968 litre	O
110	CM	15	CM	16,5 LEVEL CM	43,8189 litre	56,356 %	33,9355 litre	O
110	CM	15	CM	16 LEVEL CM	42,1748 litre	54,241 %	35,5796 litre	O
110	CM	15	CM	15,5 LEVEL CM	40,5269 litre	52,122 %	37,2275 litre	O
110	CM	15	CM	15 LEVEL CM	38,8772 litre	50,000 %	38,8772 litre	O
110	CM	15	CM	14,5 LEVEL CM	37,2275 litre	47,878 %	40,5269 litre	O
110	CM	15	CM	14 LEVEL CM	35,5797 litre	45,759 %	42,1747 litre	O
110	CM	15	CM	13,5 LEVEL CM	33,9355 litre	43,644 %	43,8189 litre	O
110	CM	15	CM	13 LEVEL CM	32,2968 litre	41,537 %	45,4576 litre	O
110	CM	15	CM	12,5 LEVEL CM	30,6656 litre	39,439 %	47,0888 litre	O
110	CM	15	CM	12 LEVEL CM	29,0436 litre	37,353 %	48,7108 litre	O
110	CM	15	CM	11,5 LEVEL CM	27,4329 litre	35,281 %	50,3215 litre	O
110	CM	15	CM	11 LEVEL CM	25,8354 litre	33,227 %	51,9190 litre	O
110	CM	15	CM	10,5 LEVEL CM	24,2531 litre	31,192 %	53,5013 litre	O
110	CM	15	CM	10 LEVEL CM	22,6881 litre	29,179 %	55,0663 litre	O
110	CM	15	CM	9,5 LEVEL CM	21,1425 litre	27,191 %	56,6119 litre	O
110	CM	15	CM	9 LEVEL CM	19,6187 litre	25,232 %	58,1357 litre	O
110	CM	15	CM	8,5 LEVEL CM	18,1188 litre	23,303 %	59,6356 litre	O
110	CM	15	CM	8 LEVEL CM	16,6454 litre	21,408 %	61,1090 litre	O
110	CM	15	CM	7,5 LEVEL CM	15,2011 litre	19,550 %	62,5533 litre	O
110	CM	15	CM	7 LEVEL CM	13,7885 litre	17,733 %	63,9659 litre	O
110	CM	15	CM	6,5 LEVEL CM	12,4106 litre	15,961 %	65,3438 litre	O
110	CM	15	CM	6 LEVEL CM	11,0706 litre	14,238 %	66,6838 litre	O
110	CM	15	CM	5,5 LEVEL CM	9,7718 litre	12,568 %	67,9826 litre	O
110	CM	15	CM	5 LEVEL CM	8,5181 litre	10,955 %	69,2363 litre	O
110	CM	15	CM	4,5 LEVEL CM	7,3136 litre	9,406 %	70,4408 litre	O

110	CM	15	CM	4 LEVEL CM	6,1631 litre	7,926 %	71,5913 litre	O
110	CM	15	CM	3,5 LEVEL CM	5,0720 litre	6,523 %	72,6824 litre	O
110	CM	15	CM	3 LEVEL CM	4,0467 litre	5,204 %	73,7077 litre	O
110	CM	15	CM	2,5 LEVEL CM	3,0948 litre	3,980 %	74,6596 litre	O
110	CM	15	CM	2 LEVEL CM	2,2262 litre	2,863 %	75,5282 litre	O
110	CM	15	CM	1,5 LEVEL CM	1,4535 litre	1,869 %	76,3009 litre	O
110	CM	15	CM	1 LEVEL CM	0,7952 litre	1,023 %	76,9592 litre	O
110	CM	15	CM	0,5 LEVEL CM	0,2826 litre	0,363 %	77,4718 litre	O
110	CM	15	CM	0 LEVEL CM	0,0000 litre	0,000 %	77,7544 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
100	CM	50	CM	100 LEVEL CM	785,3982 litre	100,000 %	0,0000 litre	O
100	CM	50	CM	99,5 LEVEL CM	784,9275 litre	99,940 %	0,4707 litre	O
100	CM	50	CM	99 LEVEL CM	784,0688 litre	99,831 %	1,3294 litre	O
100	CM	50	CM	98,5 LEVEL CM	782,9597 litre	99,690 %	2,4385 litre	O
100	CM	50	CM	98 LEVEL CM	781,6496 litre	99,523 %	3,7486 litre	O
100	CM	50	CM	97,5 LEVEL CM	780,1674 litre	99,334 %	5,2308 litre	O
100	CM	50	CM	97 LEVEL CM	778,5327 litre	99,126 %	6,8655 litre	O
100	CM	50	CM	96,5 LEVEL CM	776,7599 litre	98,900 %	8,6383 litre	O
100	CM	50	CM	96 LEVEL CM	774,8604 litre	98,658 %	10,5378 litre	O
100	CM	50	CM	95,5 LEVEL CM	772,8435 litre	98,401 %	12,5547 litre	O
100	CM	50	CM	95 LEVEL CM	770,7167 litre	98,131 %	14,6815 litre	O
100	CM	50	CM	94,5 LEVEL CM	768,4866 litre	97,847 %	16,9116 litre	O
100	CM	50	CM	94 LEVEL CM	766,1588 litre	97,550 %	19,2394 litre	O
100	CM	50	CM	93,5 LEVEL CM	763,7384 litre	97,242 %	21,6598 litre	O
100	CM	50	CM	93 LEVEL CM	761,2297 litre	96,923 %	24,1685 litre	O
100	CM	50	CM	92,5 LEVEL CM	758,6367 litre	96,593 %	26,7615 litre	O
100	CM	50	CM	92 LEVEL CM	755,9630 litre	96,252 %	29,4352 litre	O
100	CM	50	CM	91,5 LEVEL CM	753,2119 litre	95,902 %	32,1863 litre	O
100	CM	50	CM	91 LEVEL CM	750,3864 litre	95,542 %	35,0118 litre	O
100	CM	50	CM	90,5 LEVEL CM	747,4892 litre	95,173 %	37,9090 litre	O
100	CM	50	CM	90 LEVEL CM	744,5229 litre	94,796 %	40,8753 litre	O
100	CM	50	CM	89,5 LEVEL CM	741,4899 litre	94,409 %	43,9083 litre	O
100	CM	50	CM	89 LEVEL CM	738,3925 litre	94,015 %	47,0057 litre	O
100	CM	50	CM	88,5 LEVEL CM	735,2328 litre	93,613 %	50,1654 litre	O
100	CM	50	CM	88 LEVEL CM	732,0127 litre	93,203 %	53,3855 litre	O
100	CM	50	CM	87,5 LEVEL CM	728,7342 litre	92,785 %	56,6640 litre	O
100	CM	50	CM	87 LEVEL CM	725,3989 litre	92,361 %	59,9993 litre	O
100	CM	50	CM	86,5 LEVEL CM	722,0087 litre	91,929 %	63,3895 litre	O
100	CM	50	CM	86 LEVEL CM	718,5650 litre	91,491 %	66,8332 litre	O
100	CM	50	CM	85,5 LEVEL CM	715,0694 litre	91,045 %	70,3288 litre	O
100	CM	50	CM	85 LEVEL CM	711,5235 litre	90,594 %	73,8747 litre	O
100	CM	50	CM	84,5 LEVEL CM	707,9285 litre	90,136 %	77,4697 litre	O
100	CM	50	CM	84 LEVEL CM	704,2858 litre	89,672 %	81,1124 litre	O
100	CM	50	CM	83,5 LEVEL CM	700,5968 litre	89,203 %	84,8014 litre	O
100	CM	50	CM	83 LEVEL CM	696,8626 litre	88,727 %	88,5356 litre	O
100	CM	50	CM	82,5 LEVEL CM	693,0845 litre	88,246 %	92,3137 litre	O
100	CM	50	CM	82 LEVEL CM	689,2636 litre	87,760 %	96,1346 litre	O
100	CM	50	CM	81,5 LEVEL CM	685,4011 litre	87,268 %	99,9971 litre	O
100	CM	50	CM	81 LEVEL CM	681,4980 litre	86,771 %	103,9002 litre	O
100	CM	50	CM	80,5 LEVEL CM	677,5554 litre	86,269 %	107,8428 litre	O
100	CM	50	CM	80 LEVEL CM	673,5744 litre	85,762 %	111,8238 litre	O
100	CM	50	CM	79,5 LEVEL CM	669,5558 litre	85,250 %	115,8424 litre	O
100	CM	50	CM	79 LEVEL CM	665,5006 litre	84,734 %	119,8976 litre	O
100	CM	50	CM	78,5 LEVEL CM	661,4099 litre	84,213 %	123,9883 litre	O
100	CM	50	CM	78 LEVEL CM	657,2845 litre	83,688 %	128,1137 litre	O
100	CM	50	CM	77,5 LEVEL CM	653,1253 litre	83,158 %	132,2729 litre	O
100	CM	50	CM	77 LEVEL CM	648,9331 litre	82,625 %	136,4651 litre	O
100	CM	50	CM	76,5 LEVEL CM	644,7089 litre	82,087 %	140,6893 litre	O
100	CM	50	CM	76 LEVEL CM	640,4534 litre	81,545 %	144,9448 litre	O
100	CM	50	CM	75,5 LEVEL CM	636,1675 litre	80,999 %	149,2307 litre	O
100	CM	50	CM	75 LEVEL CM	631,8520 litre	80,450 %	153,5462 litre	O
100	CM	50	CM	74,5 LEVEL CM	627,5075 litre	79,897 %	157,8907 litre	O

100	CM	50	CM	74 LEVEL CM	623,1350 litre	79,340 %	162,2632 litre	O
100	CM	50	CM	73,5 LEVEL CM	618,7351 litre	78,780 %	166,6631 litre	O
100	CM	50	CM	73 LEVEL CM	614,3086 litre	78,216 %	171,0896 litre	O
100	CM	50	CM	72,5 LEVEL CM	609,8561 litre	77,649 %	175,5421 litre	O
100	CM	50	CM	72 LEVEL CM	605,3785 litre	77,079 %	180,0197 litre	O
100	CM	50	CM	71,5 LEVEL CM	600,8764 litre	76,506 %	184,5218 litre	O
100	CM	50	CM	71 LEVEL CM	596,3504 litre	75,930 %	189,0478 litre	O
100	CM	50	CM	70,5 LEVEL CM	591,8014 litre	75,350 %	193,5968 litre	O
100	CM	50	CM	70 LEVEL CM	587,2298 litre	74,768 %	198,1684 litre	O
100	CM	50	CM	69,5 LEVEL CM	582,6364 litre	74,184 %	202,7618 litre	O
100	CM	50	CM	69 LEVEL CM	578,0219 litre	73,596 %	207,3763 litre	O
100	CM	50	CM	68,5 LEVEL CM	573,3868 litre	73,006 %	212,0114 litre	O
100	CM	50	CM	68 LEVEL CM	568,7318 litre	72,413 %	216,6664 litre	O
100	CM	50	CM	67,5 LEVEL CM	564,0575 litre	71,818 %	221,3407 litre	O
100	CM	50	CM	67 LEVEL CM	559,3645 litre	71,220 %	226,0337 litre	O
100	CM	50	CM	66,5 LEVEL CM	554,6534 litre	70,621 %	230,7448 litre	O
100	CM	50	CM	66 LEVEL CM	549,9249 litre	70,019 %	235,4733 litre	O
100	CM	50	CM	65,5 LEVEL CM	545,1794 litre	69,414 %	240,2188 litre	O
100	CM	50	CM	65 LEVEL CM	540,4177 litre	68,808 %	244,9805 litre	O
100	CM	50	CM	64,5 LEVEL CM	535,6402 litre	68,200 %	249,7580 litre	O
100	CM	50	CM	64 LEVEL CM	530,8476 litre	67,590 %	254,5506 litre	O
100	CM	50	CM	63,5 LEVEL CM	526,0404 litre	66,978 %	259,3578 litre	O
100	CM	50	CM	63 LEVEL CM	521,2192 litre	66,364 %	264,1790 litre	O
100	CM	50	CM	62,5 LEVEL CM	516,3845 litre	65,748 %	269,0137 litre	O
100	CM	50	CM	62 LEVEL CM	511,5369 litre	65,131 %	273,8613 litre	O
100	CM	50	CM	61,5 LEVEL CM	506,6770 litre	64,512 %	278,7212 litre	O
100	CM	50	CM	61 LEVEL CM	501,8052 litre	63,892 %	283,5930 litre	O
100	CM	50	CM	60,5 LEVEL CM	496,9221 litre	63,270 %	288,4761 litre	O
100	CM	50	CM	60 LEVEL CM	492,0284 litre	62,647 %	293,3698 litre	O
100	CM	50	CM	59,5 LEVEL CM	487,1244 litre	62,023 %	298,2738 litre	O
100	CM	50	CM	59 LEVEL CM	482,2107 litre	61,397 %	303,1875 litre	O
100	CM	50	CM	58,5 LEVEL CM	477,2879 litre	60,770 %	308,1103 litre	O
100	CM	50	CM	58 LEVEL CM	472,3564 litre	60,142 %	313,0418 litre	O
100	CM	50	CM	57,5 LEVEL CM	467,4169 litre	59,513 %	317,9813 litre	O
100	CM	50	CM	57 LEVEL CM	462,4697 litre	58,883 %	322,9285 litre	O
100	CM	50	CM	56,5 LEVEL CM	457,5155 litre	58,253 %	327,8827 litre	O
100	CM	50	CM	56 LEVEL CM	452,5548 litre	57,621 %	332,8434 litre	O
100	CM	50	CM	55,5 LEVEL CM	447,5880 litre	56,989 %	337,8102 litre	O
100	CM	50	CM	55 LEVEL CM	442,6156 litre	56,356 %	342,7826 litre	O
100	CM	50	CM	54,5 LEVEL CM	437,6383 litre	55,722 %	347,7599 litre	O
100	CM	50	CM	54 LEVEL CM	432,6564 litre	55,088 %	352,7418 litre	O
100	CM	50	CM	53,5 LEVEL CM	427,6705 litre	54,453 %	357,7277 litre	O
100	CM	50	CM	53 LEVEL CM	422,6811 litre	53,817 %	362,7171 litre	O
100	CM	50	CM	52,5 LEVEL CM	417,6887 litre	53,182 %	367,7095 litre	O
100	CM	50	CM	52 LEVEL CM	412,6937 litre	52,546 %	372,7045 litre	O
100	CM	50	CM	51,5 LEVEL CM	407,6968 litre	51,910 %	377,7014 litre	O
100	CM	50	CM	51 LEVEL CM	402,6984 litre	51,273 %	382,6998 litre	O
100	CM	50	CM	50,5 LEVEL CM	397,6990 litre	50,637 %	387,6992 litre	O
100	CM	50	CM	50 LEVEL CM	392,6991 litre	50,000 %	392,6991 litre	O
100	CM	50	CM	49,5 LEVEL CM	387,6992 litre	49,363 %	397,6990 litre	O
100	CM	50	CM	49 LEVEL CM	382,6997 litre	48,727 %	402,6985 litre	O
100	CM	50	CM	48,5 LEVEL CM	377,7013 litre	48,090 %	407,6969 litre	O
100	CM	50	CM	48 LEVEL CM	372,7044 litre	47,454 %	412,6938 litre	O

100	CM	50	CM	47,5 LEVEL CM	367,7095 litre	46,818 %	417,6887 litre	O
100	CM	50	CM	47 LEVEL CM	362,7171 litre	46,183 %	422,6811 litre	O
100	CM	50	CM	46,5 LEVEL CM	357,7277 litre	45,547 %	427,6705 litre	O
100	CM	50	CM	46 LEVEL CM	352,7418 litre	44,912 %	432,6564 litre	O
100	CM	50	CM	45,5 LEVEL CM	347,7599 litre	44,278 %	437,6383 litre	O
100	CM	50	CM	45 LEVEL CM	342,7825 litre	43,644 %	442,6157 litre	O
100	CM	50	CM	44,5 LEVEL CM	337,8102 litre	43,011 %	447,5880 litre	O
100	CM	50	CM	44 LEVEL CM	332,8434 litre	42,379 %	452,5548 litre	O
100	CM	50	CM	43,5 LEVEL CM	327,8826 litre	41,747 %	457,5156 litre	O
100	CM	50	CM	43 LEVEL CM	322,9284 litre	41,117 %	462,4698 litre	O
100	CM	50	CM	42,5 LEVEL CM	317,9813 litre	40,487 %	467,4169 litre	O
100	CM	50	CM	42 LEVEL CM	313,0417 litre	39,858 %	472,3565 litre	O
100	CM	50	CM	41,5 LEVEL CM	308,1103 litre	39,230 %	477,2879 litre	O
100	CM	50	CM	41 LEVEL CM	303,1875 litre	38,603 %	482,2107 litre	O
100	CM	50	CM	40,5 LEVEL CM	298,2738 litre	37,977 %	487,1244 litre	O
100	CM	50	CM	40 LEVEL CM	293,3698 litre	37,353 %	492,0284 litre	O
100	CM	50	CM	39,5 LEVEL CM	288,4760 litre	36,730 %	496,9222 litre	O
100	CM	50	CM	39 LEVEL CM	283,5930 litre	36,108 %	501,8052 litre	O
100	CM	50	CM	38,5 LEVEL CM	278,7212 litre	35,488 %	506,6770 litre	O
100	CM	50	CM	38 LEVEL CM	273,8612 litre	34,869 %	511,5370 litre	O
100	CM	50	CM	37,5 LEVEL CM	269,0137 litre	34,252 %	516,3845 litre	O
100	CM	50	CM	37 LEVEL CM	264,1790 litre	33,636 %	521,2192 litre	O
100	CM	50	CM	36,5 LEVEL CM	259,3578 litre	33,022 %	526,0404 litre	O
100	CM	50	CM	36 LEVEL CM	254,5506 litre	32,410 %	530,8476 litre	O
100	CM	50	CM	35,5 LEVEL CM	249,7579 litre	31,800 %	535,6403 litre	O
100	CM	50	CM	35 LEVEL CM	244,9805 litre	31,192 %	540,4177 litre	O
100	CM	50	CM	34,5 LEVEL CM	240,2187 litre	30,586 %	545,1795 litre	O
100	CM	50	CM	34 LEVEL CM	235,4733 litre	29,981 %	549,9249 litre	O
100	CM	50	CM	33,5 LEVEL CM	230,7448 litre	29,379 %	554,6534 litre	O
100	CM	50	CM	33 LEVEL CM	226,0337 litre	28,780 %	559,3645 litre	O
100	CM	50	CM	32,5 LEVEL CM	221,3407 litre	28,182 %	564,0575 litre	O
100	CM	50	CM	32 LEVEL CM	216,6664 litre	27,587 %	568,7318 litre	O
100	CM	50	CM	31,5 LEVEL CM	212,0114 litre	26,994 %	573,3868 litre	O
100	CM	50	CM	31 LEVEL CM	207,3763 litre	26,404 %	578,0219 litre	O
100	CM	50	CM	30,5 LEVEL CM	202,7617 litre	25,816 %	582,6365 litre	O
100	CM	50	CM	30 LEVEL CM	198,1684 litre	25,232 %	587,2298 litre	O
100	CM	50	CM	29,5 LEVEL CM	193,5968 litre	24,650 %	591,8014 litre	O
100	CM	50	CM	29 LEVEL CM	189,0477 litre	24,070 %	596,3505 litre	O
100	CM	50	CM	28,5 LEVEL CM	184,5218 litre	23,494 %	600,8764 litre	O
100	CM	50	CM	28 LEVEL CM	180,0197 litre	22,921 %	605,3785 litre	O
100	CM	50	CM	27,5 LEVEL CM	175,5420 litre	22,351 %	609,8562 litre	O
100	CM	50	CM	27 LEVEL CM	171,0896 litre	21,784 %	614,3086 litre	O
100	CM	50	CM	26,5 LEVEL CM	166,6631 litre	21,220 %	618,7351 litre	O
100	CM	50	CM	26 LEVEL CM	162,2632 litre	20,660 %	623,1350 litre	O
100	CM	50	CM	25,5 LEVEL CM	157,8906 litre	20,103 %	627,5076 litre	O
100	CM	50	CM	25 LEVEL CM	153,5462 litre	19,550 %	631,8520 litre	O
100	CM	50	CM	24,5 LEVEL CM	149,2306 litre	19,001 %	636,1676 litre	O
100	CM	50	CM	24 LEVEL CM	144,9447 litre	18,455 %	640,4535 litre	O
100	CM	50	CM	23,5 LEVEL CM	140,6893 litre	17,913 %	644,7089 litre	O
100	CM	50	CM	23 LEVEL CM	136,4650 litre	17,375 %	648,9332 litre	O
100	CM	50	CM	22,5 LEVEL CM	132,2729 litre	16,842 %	653,1253 litre	O
100	CM	50	CM	22 LEVEL CM	128,1137 litre	16,312 %	657,2845 litre	O
100	CM	50	CM	21,5 LEVEL CM	123,9882 litre	15,787 %	661,4100 litre	O

100	CM	50	CM	21 LEVEL CM	119,8975 litre	15,266 %	665,5007 litre	O
100	CM	50	CM	20,5 LEVEL CM	115,8424 litre	14,750 %	669,5558 litre	O
100	CM	50	CM	20 LEVEL CM	111,8238 litre	14,238 %	673,5744 litre	O
100	CM	50	CM	19,5 LEVEL CM	107,8427 litre	13,731 %	677,5555 litre	O
100	CM	50	CM	19 LEVEL CM	103,9001 litre	13,229 %	681,4981 litre	O
100	CM	50	CM	18,5 LEVEL CM	99,9970 litre	12,732 %	685,4012 litre	O
100	CM	50	CM	18 LEVEL CM	96,1345 litre	12,240 %	689,2637 litre	O
100	CM	50	CM	17,5 LEVEL CM	92,3137 litre	11,754 %	693,0845 litre	O
100	CM	50	CM	17 LEVEL CM	88,5356 litre	11,273 %	696,8626 litre	O
100	CM	50	CM	16,5 LEVEL CM	84,8014 litre	10,797 %	700,5968 litre	O
100	CM	50	CM	16 LEVEL CM	81,1124 litre	10,328 %	704,2858 litre	O
100	CM	50	CM	15,5 LEVEL CM	77,4697 litre	9,864 %	707,9285 litre	O
100	CM	50	CM	15 LEVEL CM	73,8747 litre	9,406 %	711,5235 litre	O
100	CM	50	CM	14,5 LEVEL CM	70,3287 litre	8,955 %	715,0695 litre	O
100	CM	50	CM	14 LEVEL CM	66,8332 litre	8,509 %	718,5650 litre	O
100	CM	50	CM	13,5 LEVEL CM	63,3895 litre	8,071 %	722,0087 litre	O
100	CM	50	CM	13 LEVEL CM	59,9992 litre	7,639 %	725,3990 litre	O
100	CM	50	CM	12,5 LEVEL CM	56,6640 litre	7,215 %	728,7342 litre	O
100	CM	50	CM	12 LEVEL CM	53,3854 litre	6,797 %	732,0128 litre	O
100	CM	50	CM	11,5 LEVEL CM	50,1653 litre	6,387 %	735,2329 litre	O
100	CM	50	CM	11 LEVEL CM	47,0056 litre	5,985 %	738,3926 litre	O
100	CM	50	CM	10,5 LEVEL CM	43,9082 litre	5,591 %	741,4900 litre	O
100	CM	50	CM	10 LEVEL CM	40,8753 litre	5,204 %	744,5229 litre	O
100	CM	50	CM	9,5 LEVEL CM	37,9090 litre	4,827 %	747,4892 litre	O
100	CM	50	CM	9 LEVEL CM	35,0118 litre	4,458 %	750,3864 litre	O
100	CM	50	CM	8,5 LEVEL CM	32,1863 litre	4,098 %	753,2119 litre	O
100	CM	50	CM	8 LEVEL CM	29,4351 litre	3,748 %	755,9631 litre	O
100	CM	50	CM	7,5 LEVEL CM	26,7614 litre	3,407 %	758,6368 litre	O
100	CM	50	CM	7 LEVEL CM	24,1684 litre	3,077 %	761,2298 litre	O
100	CM	50	CM	6,5 LEVEL CM	21,6598 litre	2,758 %	763,7384 litre	O
100	CM	50	CM	6 LEVEL CM	19,2393 litre	2,450 %	766,1589 litre	O
100	CM	50	CM	5,5 LEVEL CM	16,9116 litre	2,153 %	768,4866 litre	O
100	CM	50	CM	5 LEVEL CM	14,6815 litre	1,869 %	770,7167 litre	O
100	CM	50	CM	4,5 LEVEL CM	12,5547 litre	1,599 %	772,8435 litre	O
100	CM	50	CM	4 LEVEL CM	10,5377 litre	1,342 %	774,8605 litre	O
100	CM	50	CM	3,5 LEVEL CM	8,6383 litre	1,100 %	776,7599 litre	O
100	CM	50	CM	3 LEVEL CM	6,8655 litre	0,874 %	778,5327 litre	O
100	CM	50	CM	2,5 LEVEL CM	5,2308 litre	0,666 %	780,1674 litre	O
100	CM	50	CM	2 LEVEL CM	3,7485 litre	0,477 %	781,6497 litre	O
100	CM	50	CM	1,5 LEVEL CM	2,4384 litre	0,310 %	782,9598 litre	O
100	CM	50	CM	1 LEVEL CM	1,3293 litre	0,169 %	784,0689 litre	O
100	CM	50	CM	0,5 LEVEL CM	0,4707 litre	0,060 %	784,9275 litre	O
100	CM	50	CM	0 LEVEL CM	0,0000 litre	0,000 %	785,3982 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
100	CM	45	CM	90 LEVEL CM	636,1725 litre	100,000 %	0,0000 litre	O
100	CM	45	CM	89,5 LEVEL CM	635,7260 litre	99,930 %	0,4465 litre	O
100	CM	45	CM	89 LEVEL CM	634,9118 litre	99,802 %	1,2607 litre	O
100	CM	45	CM	88,5 LEVEL CM	633,8604 litre	99,637 %	2,3121 litre	O
100	CM	45	CM	88 LEVEL CM	632,6188 litre	99,441 %	3,5537 litre	O
100	CM	45	CM	87,5 LEVEL CM	631,2144 litre	99,221 %	4,9581 litre	O
100	CM	45	CM	87 LEVEL CM	629,6660 litre	98,977 %	6,5065 litre	O
100	CM	45	CM	86,5 LEVEL CM	627,9873 litre	98,713 %	8,1852 litre	O
100	CM	45	CM	86 LEVEL CM	626,1892 litre	98,431 %	9,9833 litre	O
100	CM	45	CM	85,5 LEVEL CM	624,2805 litre	98,131 %	11,8920 litre	O
100	CM	45	CM	85 LEVEL CM	622,2685 litre	97,814 %	13,9040 litre	O
100	CM	45	CM	84,5 LEVEL CM	620,1593 litre	97,483 %	16,0132 litre	O
100	CM	45	CM	84 LEVEL CM	617,9585 litre	97,137 %	18,2140 litre	O
100	CM	45	CM	83,5 LEVEL CM	615,6708 litre	96,777 %	20,5017 litre	O
100	CM	45	CM	83 LEVEL CM	613,3005 litre	96,405 %	22,8720 litre	O
100	CM	45	CM	82,5 LEVEL CM	610,8513 litre	96,020 %	25,3212 litre	O
100	CM	45	CM	82 LEVEL CM	608,3266 litre	95,623 %	27,8459 litre	O
100	CM	45	CM	81,5 LEVEL CM	605,7298 litre	95,215 %	30,4427 litre	O
100	CM	45	CM	81 LEVEL CM	603,0635 litre	94,796 %	33,1090 litre	O
100	CM	45	CM	80,5 LEVEL CM	600,3306 litre	94,366 %	35,8419 litre	O
100	CM	45	CM	80 LEVEL CM	597,5335 litre	93,926 %	38,6390 litre	O
100	CM	45	CM	79,5 LEVEL CM	594,6745 litre	93,477 %	41,4980 litre	O
100	CM	45	CM	79 LEVEL CM	591,7558 litre	93,018 %	44,4167 litre	O
100	CM	45	CM	78,5 LEVEL CM	588,7794 litre	92,550 %	47,3931 litre	O
100	CM	45	CM	78 LEVEL CM	585,7473 litre	92,074 %	50,4252 litre	O
100	CM	45	CM	77,5 LEVEL CM	582,6612 litre	91,589 %	53,5113 litre	O
100	CM	45	CM	77 LEVEL CM	579,5229 litre	91,095 %	56,6496 litre	O
100	CM	45	CM	76,5 LEVEL CM	576,3340 litre	90,594 %	59,8385 litre	O
100	CM	45	CM	76 LEVEL CM	573,0961 litre	90,085 %	63,0764 litre	O
100	CM	45	CM	75,5 LEVEL CM	569,8107 litre	89,569 %	66,3618 litre	O
100	CM	45	CM	75 LEVEL CM	566,4792 litre	89,045 %	69,6933 litre	O
100	CM	45	CM	74,5 LEVEL CM	563,1029 litre	88,514 %	73,0696 litre	O
100	CM	45	CM	74 LEVEL CM	559,6833 litre	87,977 %	76,4892 litre	O
100	CM	45	CM	73,5 LEVEL CM	556,2215 litre	87,432 %	79,9510 litre	O
100	CM	45	CM	73 LEVEL CM	552,7188 litre	86,882 %	83,4537 litre	O
100	CM	45	CM	72,5 LEVEL CM	549,1763 litre	86,325 %	86,9962 litre	O
100	CM	45	CM	72 LEVEL CM	545,5952 litre	85,762 %	90,5773 litre	O
100	CM	45	CM	71,5 LEVEL CM	541,9767 litre	85,193 %	94,1958 litre	O
100	CM	45	CM	71 LEVEL CM	538,3217 litre	84,619 %	97,8508 litre	O
100	CM	45	CM	70,5 LEVEL CM	534,6313 litre	84,039 %	101,5412 litre	O
100	CM	45	CM	70 LEVEL CM	530,9065 litre	83,453 %	105,2660 litre	O
100	CM	45	CM	69,5 LEVEL CM	527,1483 litre	82,862 %	109,0242 litre	O
100	CM	45	CM	69 LEVEL CM	523,3576 litre	82,267 %	112,8149 litre	O
100	CM	45	CM	68,5 LEVEL CM	519,5354 litre	81,666 %	116,6371 litre	O
100	CM	45	CM	68 LEVEL CM	515,6826 litre	81,060 %	120,4899 litre	O
100	CM	45	CM	67,5 LEVEL CM	511,8001 litre	80,450 %	124,3724 litre	O
100	CM	45	CM	67 LEVEL CM	507,8887 litre	79,835 %	128,2838 litre	O
100	CM	45	CM	66,5 LEVEL CM	503,9492 litre	79,216 %	132,2233 litre	O
100	CM	45	CM	66 LEVEL CM	499,9826 litre	78,592 %	136,1899 litre	O
100	CM	45	CM	65,5 LEVEL CM	495,9896 litre	77,965 %	140,1829 litre	O
100	CM	45	CM	65 LEVEL CM	491,9710 litre	77,333 %	144,2015 litre	O
100	CM	45	CM	64,5 LEVEL CM	487,9276 litre	76,697 %	148,2449 litre	O

100	CM 45	CM	64 LEVEL CM	483,8602 litre	76,058 %	152,3123 litre	O
100	CM 45	CM	63,5 LEVEL CM	479,7694 litre	75,415 %	156,4031 litre	O
100	CM 45	CM	63 LEVEL CM	475,6561 litre	74,768 %	160,5164 litre	O
100	CM 45	CM	62,5 LEVEL CM	471,5210 litre	74,118 %	164,6515 litre	O
100	CM 45	CM	62 LEVEL CM	467,3648 litre	73,465 %	168,8077 litre	O
100	CM 45	CM	61,5 LEVEL CM	463,1882 litre	72,809 %	172,9843 litre	O
100	CM 45	CM	61 LEVEL CM	458,9919 litre	72,149 %	177,1806 litre	O
100	CM 45	CM	60,5 LEVEL CM	454,7765 litre	71,486 %	181,3960 litre	O
100	CM 45	CM	60 LEVEL CM	450,5428 litre	70,821 %	185,6297 litre	O
100	CM 45	CM	59,5 LEVEL CM	446,2915 litre	70,153 %	189,8810 litre	O
100	CM 45	CM	59 LEVEL CM	442,0231 litre	69,482 %	194,1494 litre	O
100	CM 45	CM	58,5 LEVEL CM	437,7383 litre	68,808 %	198,4342 litre	O
100	CM 45	CM	58 LEVEL CM	433,4378 litre	68,132 %	202,7347 litre	O
100	CM 45	CM	57,5 LEVEL CM	429,1223 litre	67,454 %	207,0502 litre	O
100	CM 45	CM	57 LEVEL CM	424,7922 litre	66,773 %	211,3803 litre	O
100	CM 45	CM	56,5 LEVEL CM	420,4484 litre	66,090 %	215,7241 litre	O
100	CM 45	CM	56 LEVEL CM	416,0913 litre	65,405 %	220,0812 litre	O
100	CM 45	CM	55,5 LEVEL CM	411,7216 litre	64,719 %	224,4509 litre	O
100	CM 45	CM	55 LEVEL CM	407,3399 litre	64,030 %	228,8326 litre	O
100	CM 45	CM	54,5 LEVEL CM	402,9468 litre	63,339 %	233,2257 litre	O
100	CM 45	CM	54 LEVEL CM	398,5430 litre	62,647 %	237,6295 litre	O
100	CM 45	CM	53,5 LEVEL CM	394,1289 litre	61,953 %	242,0436 litre	O
100	CM 45	CM	53 LEVEL CM	389,7052 litre	61,258 %	246,4673 litre	O
100	CM 45	CM	52,5 LEVEL CM	385,2724 litre	60,561 %	250,9001 litre	O
100	CM 45	CM	52 LEVEL CM	380,8313 litre	59,863 %	255,3412 litre	O
100	CM 45	CM	51,5 LEVEL CM	376,3822 litre	59,164 %	259,7903 litre	O
100	CM 45	CM	51 LEVEL CM	371,9258 litre	58,463 %	264,2467 litre	O
100	CM 45	CM	50,5 LEVEL CM	367,4627 litre	57,761 %	268,7098 litre	O
100	CM 45	CM	50 LEVEL CM	362,9935 litre	57,059 %	273,1790 litre	O
100	CM 45	CM	49,5 LEVEL CM	358,5187 litre	56,356 %	277,6538 litre	O
100	CM 45	CM	49 LEVEL CM	354,0388 litre	55,651 %	282,1337 litre	O
100	CM 45	CM	48,5 LEVEL CM	349,5545 litre	54,946 %	286,6180 litre	O
100	CM 45	CM	48 LEVEL CM	345,0662 litre	54,241 %	291,1063 litre	O
100	CM 45	CM	47,5 LEVEL CM	340,5747 litre	53,535 %	295,5978 litre	O
100	CM 45	CM	47 LEVEL CM	336,0803 litre	52,828 %	300,0922 litre	O
100	CM 45	CM	46,5 LEVEL CM	331,5838 litre	52,122 %	304,5887 litre	O
100	CM 45	CM	46 LEVEL CM	327,0855 litre	51,415 %	309,0870 litre	O
100	CM 45	CM	45,5 LEVEL CM	322,5862 litre	50,707 %	313,5863 litre	O
100	CM 45	CM	45 LEVEL CM	318,0863 litre	50,000 %	318,0862 litre	O
100	CM 45	CM	44,5 LEVEL CM	313,5863 litre	49,293 %	322,5862 litre	O
100	CM 45	CM	44 LEVEL CM	309,0870 litre	48,585 %	327,0855 litre	O
100	CM 45	CM	43,5 LEVEL CM	304,5888 litre	47,878 %	331,5837 litre	O
100	CM 45	CM	43 LEVEL CM	300,0922 litre	47,172 %	336,0803 litre	O
100	CM 45	CM	42,5 LEVEL CM	295,5978 litre	46,465 %	340,5747 litre	O
100	CM 45	CM	42 LEVEL CM	291,1063 litre	45,759 %	345,0662 litre	O
100	CM 45	CM	41,5 LEVEL CM	286,6180 litre	45,054 %	349,5545 litre	O
100	CM 45	CM	41 LEVEL CM	282,1337 litre	44,349 %	354,0388 litre	O
100	CM 45	CM	40,5 LEVEL CM	277,6539 litre	43,644 %	358,5186 litre	O
100	CM 45	CM	40 LEVEL CM	273,1790 litre	42,941 %	362,9935 litre	O
100	CM 45	CM	39,5 LEVEL CM	268,7098 litre	42,239 %	367,4627 litre	O
100	CM 45	CM	39 LEVEL CM	264,2467 litre	41,537 %	371,9258 litre	O
100	CM 45	CM	38,5 LEVEL CM	259,7903 litre	40,836 %	376,3822 litre	O
100	CM 45	CM	38 LEVEL CM	255,3413 litre	40,137 %	380,8312 litre	O

100	CM	45	CM	37,5 LEVEL CM	250,9001 litre	39,439 %	385,2724 litre	O
100	CM	45	CM	37 LEVEL CM	246,4673 litre	38,742 %	389,7052 litre	O
100	CM	45	CM	36,5 LEVEL CM	242,0436 litre	38,047 %	394,1289 litre	O
100	CM	45	CM	36 LEVEL CM	237,6295 litre	37,353 %	398,5430 litre	O
100	CM	45	CM	35,5 LEVEL CM	233,2257 litre	36,661 %	402,9468 litre	O
100	CM	45	CM	35 LEVEL CM	228,8326 litre	35,970 %	407,3399 litre	O
100	CM	45	CM	34,5 LEVEL CM	224,4509 litre	35,281 %	411,7216 litre	O
100	CM	45	CM	34 LEVEL CM	220,0812 litre	34,595 %	416,0913 litre	O
100	CM	45	CM	33,5 LEVEL CM	215,7241 litre	33,910 %	420,4484 litre	O
100	CM	45	CM	33 LEVEL CM	211,3803 litre	33,227 %	424,7922 litre	O
100	CM	45	CM	32,5 LEVEL CM	207,0502 litre	32,546 %	429,1223 litre	O
100	CM	45	CM	32 LEVEL CM	202,7347 litre	31,868 %	433,4378 litre	O
100	CM	45	CM	31,5 LEVEL CM	198,4342 litre	31,192 %	437,7383 litre	O
100	CM	45	CM	31 LEVEL CM	194,1494 litre	30,518 %	442,0231 litre	O
100	CM	45	CM	30,5 LEVEL CM	189,8810 litre	29,847 %	446,2915 litre	O
100	CM	45	CM	30 LEVEL CM	185,6297 litre	29,179 %	450,5428 litre	O
100	CM	45	CM	29,5 LEVEL CM	181,3960 litre	28,514 %	454,7765 litre	O
100	CM	45	CM	29 LEVEL CM	177,1806 litre	27,851 %	458,9919 litre	O
100	CM	45	CM	28,5 LEVEL CM	172,9843 litre	27,191 %	463,1882 litre	O
100	CM	45	CM	28 LEVEL CM	168,8077 litre	26,535 %	467,3648 litre	O
100	CM	45	CM	27,5 LEVEL CM	164,6515 litre	25,882 %	471,5210 litre	O
100	CM	45	CM	27 LEVEL CM	160,5164 litre	25,232 %	475,6561 litre	O
100	CM	45	CM	26,5 LEVEL CM	156,4031 litre	24,585 %	479,7694 litre	O
100	CM	45	CM	26 LEVEL CM	152,3123 litre	23,942 %	483,8602 litre	O
100	CM	45	CM	25,5 LEVEL CM	148,2449 litre	23,303 %	487,9276 litre	O
100	CM	45	CM	25 LEVEL CM	144,2015 litre	22,667 %	491,9710 litre	O
100	CM	45	CM	24,5 LEVEL CM	140,1829 litre	22,035 %	495,9896 litre	O
100	CM	45	CM	24 LEVEL CM	136,1899 litre	21,408 %	499,9826 litre	O
100	CM	45	CM	23,5 LEVEL CM	132,2233 litre	20,784 %	503,9492 litre	O
100	CM	45	CM	23 LEVEL CM	128,2838 litre	20,165 %	507,8887 litre	O
100	CM	45	CM	22,5 LEVEL CM	124,3724 litre	19,550 %	511,8001 litre	O
100	CM	45	CM	22 LEVEL CM	120,4899 litre	18,940 %	515,6826 litre	O
100	CM	45	CM	21,5 LEVEL CM	116,6371 litre	18,334 %	519,5354 litre	O
100	CM	45	CM	21 LEVEL CM	112,8149 litre	17,733 %	523,3576 litre	O
100	CM	45	CM	20,5 LEVEL CM	109,0243 litre	17,138 %	527,1482 litre	O
100	CM	45	CM	20 LEVEL CM	105,2661 litre	16,547 %	530,9064 litre	O
100	CM	45	CM	19,5 LEVEL CM	101,5413 litre	15,961 %	534,6312 litre	O
100	CM	45	CM	19 LEVEL CM	97,8509 litre	15,381 %	538,3216 litre	O
100	CM	45	CM	18,5 LEVEL CM	94,1959 litre	14,807 %	541,9766 litre	O
100	CM	45	CM	18 LEVEL CM	90,5773 litre	14,238 %	545,5952 litre	O
100	CM	45	CM	17,5 LEVEL CM	86,9962 litre	13,675 %	549,1763 litre	O
100	CM	45	CM	17 LEVEL CM	83,4538 litre	13,118 %	552,7187 litre	O
100	CM	45	CM	16,5 LEVEL CM	79,9510 litre	12,568 %	556,2215 litre	O
100	CM	45	CM	16 LEVEL CM	76,4892 litre	12,023 %	559,6833 litre	O
100	CM	45	CM	15,5 LEVEL CM	73,0696 litre	11,486 %	563,1029 litre	O
100	CM	45	CM	15 LEVEL CM	69,6933 litre	10,955 %	566,4792 litre	O
100	CM	45	CM	14,5 LEVEL CM	66,3618 litre	10,431 %	569,8107 litre	O
100	CM	45	CM	14 LEVEL CM	63,0764 litre	9,915 %	573,0961 litre	O
100	CM	45	CM	13,5 LEVEL CM	59,8385 litre	9,406 %	576,3340 litre	O
100	CM	45	CM	13 LEVEL CM	56,6496 litre	8,905 %	579,5229 litre	O
100	CM	45	CM	12,5 LEVEL CM	53,5113 litre	8,411 %	582,6612 litre	O
100	CM	45	CM	12 LEVEL CM	50,4252 litre	7,926 %	585,7473 litre	O
100	CM	45	CM	11,5 LEVEL CM	47,3931 litre	7,450 %	588,7794 litre	O

100	CM 45	CM	11 LEVEL CM	44,4167 litre	6,982 %	591,7558 litre	O
100	CM 45	CM	10,5 LEVEL CM	41,4980 litre	6,523 %	594,6745 litre	O
100	CM 45	CM	10 LEVEL CM	38,6390 litre	6,074 %	597,5335 litre	O
100	CM 45	CM	9,5 LEVEL CM	35,8419 litre	5,634 %	600,3306 litre	O
100	CM 45	CM	9 LEVEL CM	33,1090 litre	5,204 %	603,0635 litre	O
100	CM 45	CM	8,5 LEVEL CM	30,4427 litre	4,785 %	605,7298 litre	O
100	CM 45	CM	8 LEVEL CM	27,8459 litre	4,377 %	608,3266 litre	O
100	CM 45	CM	7,5 LEVEL CM	25,3213 litre	3,980 %	610,8512 litre	O
100	CM 45	CM	7 LEVEL CM	22,8720 litre	3,595 %	613,3005 litre	O
100	CM 45	CM	6,5 LEVEL CM	20,5017 litre	3,223 %	615,6708 litre	O
100	CM 45	CM	6 LEVEL CM	18,2140 litre	2,863 %	617,9585 litre	O
100	CM 45	CM	5,5 LEVEL CM	16,0132 litre	2,517 %	620,1593 litre	O
100	CM 45	CM	5 LEVEL CM	13,9040 litre	2,186 %	622,2685 litre	O
100	CM 45	CM	4,5 LEVEL CM	11,8920 litre	1,869 %	624,2805 litre	O
100	CM 45	CM	4 LEVEL CM	9,9833 litre	1,569 %	626,1892 litre	O
100	CM 45	CM	3,5 LEVEL CM	8,1852 litre	1,287 %	627,9873 litre	O
100	CM 45	CM	3 LEVEL CM	6,5065 litre	1,023 %	629,6660 litre	O
100	CM 45	CM	2,5 LEVEL CM	4,9581 litre	0,779 %	631,2144 litre	O
100	CM 45	CM	2 LEVEL CM	3,5538 litre	0,559 %	632,6187 litre	O
100	CM 45	CM	1,5 LEVEL CM	2,3121 litre	0,363 %	633,8604 litre	O
100	CM 45	CM	1 LEVEL CM	1,2607 litre	0,198 %	634,9118 litre	O
100	CM 45	CM	0,5 LEVEL CM	0,4465 litre	0,070 %	635,7260 litre	O
100	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	636,1725 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
100	CM 40	CM 80 LEVEL CM	502,6548 litre	100,000 %	0,0000 litre	O
100	CM 40	CM 79,5 LEVEL CM	502,2340 litre	99,916 %	0,4208 litre	O
100	CM 40	CM 79 LEVEL CM	501,4667 litre	99,764 %	1,1881 litre	O
100	CM 40	CM 78,5 LEVEL CM	500,4763 litre	99,567 %	2,1785 litre	O
100	CM 40	CM 78 LEVEL CM	499,3071 litre	99,334 %	3,3477 litre	O
100	CM 40	CM 77,5 LEVEL CM	497,9852 litre	99,071 %	4,6696 litre	O
100	CM 40	CM 77 LEVEL CM	496,5282 litre	98,781 %	6,1266 litre	O
100	CM 40	CM 76,5 LEVEL CM	494,9493 litre	98,467 %	7,7055 litre	O
100	CM 40	CM 76 LEVEL CM	493,2587 litre	98,131 %	9,3961 litre	O
100	CM 40	CM 75,5 LEVEL CM	491,4647 litre	97,774 %	11,1901 litre	O
100	CM 40	CM 75 LEVEL CM	489,5744 litre	97,398 %	13,0804 litre	O
100	CM 40	CM 74,5 LEVEL CM	487,5936 litre	97,004 %	15,0612 litre	O
100	CM 40	CM 74 LEVEL CM	485,5275 litre	96,593 %	17,1273 litre	O
100	CM 40	CM 73,5 LEVEL CM	483,3807 litre	96,166 %	19,2741 litre	O
100	CM 40	CM 73 LEVEL CM	481,1573 litre	95,723 %	21,4975 litre	O
100	CM 40	CM 72,5 LEVEL CM	478,8608 litre	95,266 %	23,7940 litre	O
100	CM 40	CM 72 LEVEL CM	476,4946 litre	94,796 %	26,1602 litre	O
100	CM 40	CM 71,5 LEVEL CM	474,0618 litre	94,312 %	28,5930 litre	O
100	CM 40	CM 71 LEVEL CM	471,5650 litre	93,815 %	31,0898 litre	O
100	CM 40	CM 70,5 LEVEL CM	469,0069 litre	93,306 %	33,6479 litre	O
100	CM 40	CM 70 LEVEL CM	466,3899 litre	92,785 %	36,2649 litre	O
100	CM 40	CM 69,5 LEVEL CM	463,7161 litre	92,253 %	38,9387 litre	O
100	CM 40	CM 69 LEVEL CM	460,9878 litre	91,711 %	41,6670 litre	O
100	CM 40	CM 68,5 LEVEL CM	458,2068 litre	91,157 %	44,4480 litre	O
100	CM 40	CM 68 LEVEL CM	455,3750 litre	90,594 %	47,2798 litre	O
100	CM 40	CM 67,5 LEVEL CM	452,4942 litre	90,021 %	50,1606 litre	O
100	CM 40	CM 67 LEVEL CM	449,5661 litre	89,438 %	53,0887 litre	O
100	CM 40	CM 66,5 LEVEL CM	446,5922 litre	88,847 %	56,0626 litre	O
100	CM 40	CM 66 LEVEL CM	443,5741 litre	88,246 %	59,0807 litre	O
100	CM 40	CM 65,5 LEVEL CM	440,5132 litre	87,637 %	62,1416 litre	O
100	CM 40	CM 65 LEVEL CM	437,4109 litre	87,020 %	65,2439 litre	O
100	CM 40	CM 64,5 LEVEL CM	434,2686 litre	86,395 %	68,3862 litre	O
100	CM 40	CM 64 LEVEL CM	431,0876 litre	85,762 %	71,5672 litre	O
100	CM 40	CM 63,5 LEVEL CM	427,8690 litre	85,122 %	74,7858 litre	O
100	CM 40	CM 63 LEVEL CM	424,6142 litre	84,474 %	78,0406 litre	O
100	CM 40	CM 62,5 LEVEL CM	421,3242 litre	83,820 %	81,3306 litre	O
100	CM 40	CM 62 LEVEL CM	418,0002 litre	83,158 %	84,6546 litre	O
100	CM 40	CM 61,5 LEVEL CM	414,6432 litre	82,491 %	88,0116 litre	O
100	CM 40	CM 61 LEVEL CM	411,2544 litre	81,816 %	91,4004 litre	O
100	CM 40	CM 60,5 LEVEL CM	407,8348 litre	81,136 %	94,8200 litre	O
100	CM 40	CM 60 LEVEL CM	404,3852 litre	80,450 %	98,2696 litre	O
100	CM 40	CM 59,5 LEVEL CM	400,9069 litre	79,758 %	101,7479 litre	O
100	CM 40	CM 59 LEVEL CM	397,4006 litre	79,060 %	105,2542 litre	O
100	CM 40	CM 58,5 LEVEL CM	393,8673 litre	78,357 %	108,7875 litre	O
100	CM 40	CM 58 LEVEL CM	390,3079 litre	77,649 %	112,3469 litre	O
100	CM 40	CM 57,5 LEVEL CM	386,7234 litre	76,936 %	115,9314 litre	O
100	CM 40	CM 57 LEVEL CM	383,1145 litre	76,218 %	119,5403 litre	O
100	CM 40	CM 56,5 LEVEL CM	379,4821 litre	75,496 %	123,1727 litre	O
100	CM 40	CM 56 LEVEL CM	375,8271 litre	74,768 %	126,8277 litre	O
100	CM 40	CM 55,5 LEVEL CM	372,1502 litre	74,037 %	130,5046 litre	O
100	CM 40	CM 55 LEVEL CM	368,4524 litre	73,301 %	134,2024 litre	O
100	CM 40	CM 54,5 LEVEL CM	364,7343 litre	72,562 %	137,9205 litre	O

100	CM	40	CM	54 LEVEL CM	360,9968 litre	71,818 %	141,6580 litre	O
100	CM	40	CM	53,5 LEVEL CM	357,2406 litre	71,071 %	145,4142 litre	O
100	CM	40	CM	53 LEVEL CM	353,4664 litre	70,320 %	149,1884 litre	O
100	CM	40	CM	52,5 LEVEL CM	349,6751 litre	69,566 %	152,9797 litre	O
100	CM	40	CM	52 LEVEL CM	345,8673 litre	68,808 %	156,7875 litre	O
100	CM	40	CM	51,5 LEVEL CM	342,0438 litre	68,047 %	160,6110 litre	O
100	CM	40	CM	51 LEVEL CM	338,2053 litre	67,284 %	164,4495 litre	O
100	CM	40	CM	50,5 LEVEL CM	334,3525 litre	66,517 %	168,3023 litre	O
100	CM	40	CM	50 LEVEL CM	330,4861 litre	65,748 %	172,1687 litre	O
100	CM	40	CM	49,5 LEVEL CM	326,6068 litre	64,976 %	176,0480 litre	O
100	CM	40	CM	49 LEVEL CM	322,7152 litre	64,202 %	179,9396 litre	O
100	CM	40	CM	48,5 LEVEL CM	318,8121 litre	63,426 %	183,8427 litre	O
100	CM	40	CM	48 LEVEL CM	314,8981 litre	62,647 %	187,7567 litre	O
100	CM	40	CM	47,5 LEVEL CM	310,9740 litre	61,866 %	191,6808 litre	O
100	CM	40	CM	47 LEVEL CM	307,0403 litre	61,084 %	195,6145 litre	O
100	CM	40	CM	46,5 LEVEL CM	303,0976 litre	60,299 %	199,5572 litre	O
100	CM	40	CM	46 LEVEL CM	299,1468 litre	59,513 %	203,5080 litre	O
100	CM	40	CM	45,5 LEVEL CM	295,1884 litre	58,726 %	207,4664 litre	O
100	CM	40	CM	45 LEVEL CM	291,2230 litre	57,937 %	211,4318 litre	O
100	CM	40	CM	44,5 LEVEL CM	287,2513 litre	57,147 %	215,4035 litre	O
100	CM	40	CM	44 LEVEL CM	283,2740 litre	56,356 %	219,3808 litre	O
100	CM	40	CM	43,5 LEVEL CM	279,2916 litre	55,563 %	223,3632 litre	O
100	CM	40	CM	43 LEVEL CM	275,3049 litre	54,770 %	227,3499 litre	O
100	CM	40	CM	42,5 LEVEL CM	271,3144 litre	53,976 %	231,3404 litre	O
100	CM	40	CM	42 LEVEL CM	267,3207 litre	53,182 %	235,3341 litre	O
100	CM	40	CM	41,5 LEVEL CM	263,3246 litre	52,387 %	239,3302 litre	O
100	CM	40	CM	41 LEVEL CM	259,3266 litre	51,591 %	243,3282 litre	O
100	CM	40	CM	40,5 LEVEL CM	255,3273 litre	50,796 %	247,3275 litre	O
100	CM	40	CM	40 LEVEL CM	251,3274 litre	50,000 %	251,3274 litre	O
100	CM	40	CM	39,5 LEVEL CM	247,3275 litre	49,204 %	255,3273 litre	O
100	CM	40	CM	39 LEVEL CM	243,3282 litre	48,409 %	259,3266 litre	O
100	CM	40	CM	38,5 LEVEL CM	239,3302 litre	47,613 %	263,3246 litre	O
100	CM	40	CM	38 LEVEL CM	235,3341 litre	46,818 %	267,3207 litre	O
100	CM	40	CM	37,5 LEVEL CM	231,3404 litre	46,024 %	271,3144 litre	O
100	CM	40	CM	37 LEVEL CM	227,3499 litre	45,230 %	275,3049 litre	O
100	CM	40	CM	36,5 LEVEL CM	223,3632 litre	44,437 %	279,2916 litre	O
100	CM	40	CM	36 LEVEL CM	219,3808 litre	43,644 %	283,2740 litre	O
100	CM	40	CM	35,5 LEVEL CM	215,4035 litre	42,853 %	287,2513 litre	O
100	CM	40	CM	35 LEVEL CM	211,4318 litre	42,063 %	291,2230 litre	O
100	CM	40	CM	34,5 LEVEL CM	207,4665 litre	41,274 %	295,1883 litre	O
100	CM	40	CM	34 LEVEL CM	203,5080 litre	40,487 %	299,1468 litre	O
100	CM	40	CM	33,5 LEVEL CM	199,5572 litre	39,701 %	303,0976 litre	O
100	CM	40	CM	33 LEVEL CM	195,6146 litre	38,916 %	307,0402 litre	O
100	CM	40	CM	32,5 LEVEL CM	191,6809 litre	38,134 %	310,9739 litre	O
100	CM	40	CM	32 LEVEL CM	187,7567 litre	37,353 %	314,8981 litre	O
100	CM	40	CM	31,5 LEVEL CM	183,8427 litre	36,574 %	318,8121 litre	O
100	CM	40	CM	31 LEVEL CM	179,9396 litre	35,798 %	322,7152 litre	O
100	CM	40	CM	30,5 LEVEL CM	176,0481 litre	35,024 %	326,6067 litre	O
100	CM	40	CM	30 LEVEL CM	172,1687 litre	34,252 %	330,4861 litre	O
100	CM	40	CM	29,5 LEVEL CM	168,3023 litre	33,483 %	334,3525 litre	O
100	CM	40	CM	29 LEVEL CM	164,4495 litre	32,716 %	338,2053 litre	O
100	CM	40	CM	28,5 LEVEL CM	160,6110 litre	31,953 %	342,0438 litre	O
100	CM	40	CM	28 LEVEL CM	156,7875 litre	31,192 %	345,8673 litre	O

100	CM	40	CM	27,5 LEVEL CM	152,9797 litre	30,434 %	349,6751 litre	O
100	CM	40	CM	27 LEVEL CM	149,1884 litre	29,680 %	353,4664 litre	O
100	CM	40	CM	26,5 LEVEL CM	145,4143 litre	28,929 %	357,2405 litre	O
100	CM	40	CM	26 LEVEL CM	141,6581 litre	28,182 %	360,9967 litre	O
100	CM	40	CM	25,5 LEVEL CM	137,9205 litre	27,438 %	364,7343 litre	O
100	CM	40	CM	25 LEVEL CM	134,2024 litre	26,699 %	368,4524 litre	O
100	CM	40	CM	24,5 LEVEL CM	130,5046 litre	25,963 %	372,1502 litre	O
100	CM	40	CM	24 LEVEL CM	126,8277 litre	25,232 %	375,8271 litre	O
100	CM	40	CM	23,5 LEVEL CM	123,1727 litre	24,504 %	379,4821 litre	O
100	CM	40	CM	23 LEVEL CM	119,5404 litre	23,782 %	383,1144 litre	O
100	CM	40	CM	22,5 LEVEL CM	115,9315 litre	23,064 %	386,7233 litre	O
100	CM	40	CM	22 LEVEL CM	112,3469 litre	22,351 %	390,3079 litre	O
100	CM	40	CM	21,5 LEVEL CM	108,7875 litre	21,643 %	393,8673 litre	O
100	CM	40	CM	21 LEVEL CM	105,2542 litre	20,940 %	397,4006 litre	O
100	CM	40	CM	20,5 LEVEL CM	101,7480 litre	20,242 %	400,9068 litre	O
100	CM	40	CM	20 LEVEL CM	98,2696 litre	19,550 %	404,3852 litre	O
100	CM	40	CM	19,5 LEVEL CM	94,8201 litre	18,864 %	407,8347 litre	O
100	CM	40	CM	19 LEVEL CM	91,4004 litre	18,184 %	411,2544 litre	O
100	CM	40	CM	18,5 LEVEL CM	88,0116 litre	17,509 %	414,6432 litre	O
100	CM	40	CM	18 LEVEL CM	84,6546 litre	16,842 %	418,0002 litre	O
100	CM	40	CM	17,5 LEVEL CM	81,3306 litre	16,180 %	421,3242 litre	O
100	CM	40	CM	17 LEVEL CM	78,0406 litre	15,526 %	424,6142 litre	O
100	CM	40	CM	16,5 LEVEL CM	74,7858 litre	14,878 %	427,8690 litre	O
100	CM	40	CM	16 LEVEL CM	71,5672 litre	14,238 %	431,0876 litre	O
100	CM	40	CM	15,5 LEVEL CM	68,3862 litre	13,605 %	434,2686 litre	O
100	CM	40	CM	15 LEVEL CM	65,2439 litre	12,980 %	437,4109 litre	O
100	CM	40	CM	14,5 LEVEL CM	62,1416 litre	12,363 %	440,5132 litre	O
100	CM	40	CM	14 LEVEL CM	59,0807 litre	11,754 %	443,5741 litre	O
100	CM	40	CM	13,5 LEVEL CM	56,0626 litre	11,153 %	446,5922 litre	O
100	CM	40	CM	13 LEVEL CM	53,0887 litre	10,562 %	449,5661 litre	O
100	CM	40	CM	12,5 LEVEL CM	50,1606 litre	9,979 %	452,4942 litre	O
100	CM	40	CM	12 LEVEL CM	47,2798 litre	9,406 %	455,3750 litre	O
100	CM	40	CM	11,5 LEVEL CM	44,4480 litre	8,843 %	458,2068 litre	O
100	CM	40	CM	11 LEVEL CM	41,6670 litre	8,289 %	460,9878 litre	O
100	CM	40	CM	10,5 LEVEL CM	38,9387 litre	7,747 %	463,7161 litre	O
100	CM	40	CM	10 LEVEL CM	36,2649 litre	7,215 %	466,3899 litre	O
100	CM	40	CM	9,5 LEVEL CM	33,6479 litre	6,694 %	469,0069 litre	O
100	CM	40	CM	9 LEVEL CM	31,0898 litre	6,185 %	471,5650 litre	O
100	CM	40	CM	8,5 LEVEL CM	28,5930 litre	5,688 %	474,0618 litre	O
100	CM	40	CM	8 LEVEL CM	26,1602 litre	5,204 %	476,4946 litre	O
100	CM	40	CM	7,5 LEVEL CM	23,7940 litre	4,734 %	478,8608 litre	O
100	CM	40	CM	7 LEVEL CM	21,4975 litre	4,277 %	481,1573 litre	O
100	CM	40	CM	6,5 LEVEL CM	19,2741 litre	3,834 %	483,3807 litre	O
100	CM	40	CM	6 LEVEL CM	17,1273 litre	3,407 %	485,5275 litre	O
100	CM	40	CM	5,5 LEVEL CM	15,0613 litre	2,996 %	487,5935 litre	O
100	CM	40	CM	5 LEVEL CM	13,0805 litre	2,602 %	489,5743 litre	O
100	CM	40	CM	4,5 LEVEL CM	11,1901 litre	2,226 %	491,4647 litre	O
100	CM	40	CM	4 LEVEL CM	9,3961 litre	1,869 %	493,2587 litre	O
100	CM	40	CM	3,5 LEVEL CM	7,7055 litre	1,533 %	494,9493 litre	O
100	CM	40	CM	3 LEVEL CM	6,1266 litre	1,219 %	496,5282 litre	O
100	CM	40	CM	2,5 LEVEL CM	4,6696 litre	0,929 %	497,9852 litre	O
100	CM	40	CM	2 LEVEL CM	3,3477 litre	0,666 %	499,3071 litre	O
100	CM	40	CM	1,5 LEVEL CM	2,1785 litre	0,433 %	500,4763 litre	O

100_40

-3326-

100	CM 40	CM	1 LEVEL CM	1,1881 litre	0,236 %	501,4667 litre	O
100	CM 40	CM	0,5 LEVEL CM	0,4208 litre	0,084 %	502,2340 litre	O
100	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	502,6548 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
100	CM	35	CM 70 LEVEL CM	384,8451 litre	100,000 %	0,0000 litre	O
100	CM	35	CM 69,5 LEVEL CM	384,4515 litre	99,898 %	0,3936 litre	O
100	CM	35	CM 69 LEVEL CM	383,7343 litre	99,711 %	1,1108 litre	O
100	CM	35	CM 68,5 LEVEL CM	382,8089 litre	99,471 %	2,0362 litre	O
100	CM	35	CM 68 LEVEL CM	381,7170 litre	99,187 %	3,1281 litre	O
100	CM	35	CM 67,5 LEVEL CM	380,4831 litre	98,867 %	4,3620 litre	O
100	CM	35	CM 67 LEVEL CM	379,1237 litre	98,513 %	5,7214 litre	O
100	CM	35	CM 66,5 LEVEL CM	377,6512 litre	98,131 %	7,1939 litre	O
100	CM	35	CM 66 LEVEL CM	376,0753 litre	97,721 %	8,7698 litre	O
100	CM	35	CM 65,5 LEVEL CM	374,4039 litre	97,287 %	10,4412 litre	O
100	CM	35	CM 65 LEVEL CM	372,6437 litre	96,830 %	12,2014 litre	O
100	CM	35	CM 64,5 LEVEL CM	370,8001 litre	96,350 %	14,0450 litre	O
100	CM	35	CM 64 LEVEL CM	368,8782 litre	95,851 %	15,9669 litre	O
100	CM	35	CM 63,5 LEVEL CM	366,8823 litre	95,332 %	17,9628 litre	O
100	CM	35	CM 63 LEVEL CM	364,8162 litre	94,796 %	20,0289 litre	O
100	CM	35	CM 62,5 LEVEL CM	362,6834 litre	94,241 %	22,1617 litre	O
100	CM	35	CM 62 LEVEL CM	360,4871 litre	93,671 %	24,3580 litre	O
100	CM	35	CM 61,5 LEVEL CM	358,2301 litre	93,084 %	26,6150 litre	O
100	CM	35	CM 61 LEVEL CM	355,9152 litre	92,483 %	28,9299 litre	O
100	CM	35	CM 60,5 LEVEL CM	353,5448 litre	91,867 %	31,3003 litre	O
100	CM	35	CM 60 LEVEL CM	351,1212 litre	91,237 %	33,7239 litre	O
100	CM	35	CM 59,5 LEVEL CM	348,6465 litre	90,594 %	36,1986 litre	O
100	CM	35	CM 59 LEVEL CM	346,1228 litre	89,938 %	38,7223 litre	O
100	CM	35	CM 58,5 LEVEL CM	343,5520 litre	89,270 %	41,2931 litre	O
100	CM	35	CM 58 LEVEL CM	340,9359 litre	88,590 %	43,9092 litre	O
100	CM	35	CM 57,5 LEVEL CM	338,2762 litre	87,899 %	46,5689 litre	O
100	CM	35	CM 57 LEVEL CM	335,5745 litre	87,197 %	49,2706 litre	O
100	CM	35	CM 56,5 LEVEL CM	332,8325 litre	86,485 %	52,0126 litre	O
100	CM	35	CM 56 LEVEL CM	330,0514 litre	85,762 %	54,7937 litre	O
100	CM	35	CM 55,5 LEVEL CM	327,2329 litre	85,030 %	57,6122 litre	O
100	CM	35	CM 55 LEVEL CM	324,3783 litre	84,288 %	60,4668 litre	O
100	CM	35	CM 54,5 LEVEL CM	321,4888 litre	83,537 %	63,3563 litre	O
100	CM	35	CM 54 LEVEL CM	318,5658 litre	82,778 %	66,2793 litre	O
100	CM	35	CM 53,5 LEVEL CM	315,6104 litre	82,010 %	69,2347 litre	O
100	CM	35	CM 53 LEVEL CM	312,6239 litre	81,234 %	72,2212 litre	O
100	CM	35	CM 52,5 LEVEL CM	309,6075 litre	80,450 %	75,2376 litre	O
100	CM	35	CM 52 LEVEL CM	306,5621 litre	79,659 %	78,2830 litre	O
100	CM	35	CM 51,5 LEVEL CM	303,4890 litre	78,860 %	81,3561 litre	O
100	CM	35	CM 51 LEVEL CM	300,3891 litre	78,055 %	84,4560 litre	O
100	CM	35	CM 50,5 LEVEL CM	297,2636 litre	77,242 %	87,5815 litre	O
100	CM	35	CM 50 LEVEL CM	294,1133 litre	76,424 %	90,7318 litre	O
100	CM	35	CM 49,5 LEVEL CM	290,9393 litre	75,599 %	93,9058 litre	O
100	CM	35	CM 49 LEVEL CM	287,7426 litre	74,768 %	97,1025 litre	O
100	CM	35	CM 48,5 LEVEL CM	284,5240 litre	73,932 %	100,3211 litre	O
100	CM	35	CM 48 LEVEL CM	281,2846 litre	73,090 %	103,5605 litre	O
100	CM	35	CM 47,5 LEVEL CM	278,0251 litre	72,243 %	106,8200 litre	O
100	CM	35	CM 47 LEVEL CM	274,7465 litre	71,391 %	110,0986 litre	O
100	CM	35	CM 46,5 LEVEL CM	271,4497 litre	70,535 %	113,3954 litre	O
100	CM	35	CM 46 LEVEL CM	268,1355 litre	69,674 %	116,7096 litre	O
100	CM	35	CM 45,5 LEVEL CM	264,8047 litre	68,808 %	120,0404 litre	O
100	CM	35	CM 45 LEVEL CM	261,4582 litre	67,939 %	123,3869 litre	O
100	CM	35	CM 44,5 LEVEL CM	258,0967 litre	67,065 %	126,7484 litre	O

100	CM	35	CM	44 LEVEL CM	254,7212 litre	66,188 %	130,1239 litre	O
100	CM	35	CM	43,5 LEVEL CM	251,3324 litre	65,307 %	133,5127 litre	O
100	CM	35	CM	43 LEVEL CM	247,9310 litre	64,424 %	136,9141 litre	O
100	CM	35	CM	42,5 LEVEL CM	244,5180 litre	63,537 %	140,3271 litre	O
100	CM	35	CM	42 LEVEL CM	241,0939 litre	62,647 %	143,7512 litre	O
100	CM	35	CM	41,5 LEVEL CM	237,6596 litre	61,755 %	147,1855 litre	O
100	CM	35	CM	41 LEVEL CM	234,2159 litre	60,860 %	150,6292 litre	O
100	CM	35	CM	40,5 LEVEL CM	230,7635 litre	59,963 %	154,0816 litre	O
100	CM	35	CM	40 LEVEL CM	227,3031 litre	59,064 %	157,5420 litre	O
100	CM	35	CM	39,5 LEVEL CM	223,8355 litre	58,163 %	161,0096 litre	O
100	CM	35	CM	39 LEVEL CM	220,3615 litre	57,260 %	164,4836 litre	O
100	CM	35	CM	38,5 LEVEL CM	216,8817 litre	56,356 %	167,9634 litre	O
100	CM	35	CM	38 LEVEL CM	213,3968 litre	55,450 %	171,4483 litre	O
100	CM	35	CM	37,5 LEVEL CM	209,9077 litre	54,543 %	174,9374 litre	O
100	CM	35	CM	37 LEVEL CM	206,4149 litre	53,636 %	178,4302 litre	O
100	CM	35	CM	36,5 LEVEL CM	202,9193 litre	52,728 %	181,9258 litre	O
100	CM	35	CM	36 LEVEL CM	199,4216 litre	51,819 %	185,4235 litre	O
100	CM	35	CM	35,5 LEVEL CM	195,9224 litre	50,909 %	188,9227 litre	O
100	CM	35	CM	35 LEVEL CM	192,4226 litre	50,000 %	192,4225 litre	O
100	CM	35	CM	34,5 LEVEL CM	188,9227 litre	49,091 %	195,9224 litre	O
100	CM	35	CM	34 LEVEL CM	185,4235 litre	48,181 %	199,4216 litre	O
100	CM	35	CM	33,5 LEVEL CM	181,9258 litre	47,272 %	202,9193 litre	O
100	CM	35	CM	33 LEVEL CM	178,4302 litre	46,364 %	206,4149 litre	O
100	CM	35	CM	32,5 LEVEL CM	174,9374 litre	45,457 %	209,9077 litre	O
100	CM	35	CM	32 LEVEL CM	171,4483 litre	44,550 %	213,3968 litre	O
100	CM	35	CM	31,5 LEVEL CM	167,9634 litre	43,644 %	216,8817 litre	O
100	CM	35	CM	31 LEVEL CM	164,4836 litre	42,740 %	220,3615 litre	O
100	CM	35	CM	30,5 LEVEL CM	161,0096 litre	41,837 %	223,8355 litre	O
100	CM	35	CM	30 LEVEL CM	157,5420 litre	40,936 %	227,3031 litre	O
100	CM	35	CM	29,5 LEVEL CM	154,0816 litre	40,037 %	230,7635 litre	O
100	CM	35	CM	29 LEVEL CM	150,6292 litre	39,140 %	234,2159 litre	O
100	CM	35	CM	28,5 LEVEL CM	147,1855 litre	38,245 %	237,6596 litre	O
100	CM	35	CM	28 LEVEL CM	143,7512 litre	37,353 %	241,0939 litre	O
100	CM	35	CM	27,5 LEVEL CM	140,3271 litre	36,463 %	244,5180 litre	O
100	CM	35	CM	27 LEVEL CM	136,9141 litre	35,576 %	247,9310 litre	O
100	CM	35	CM	26,5 LEVEL CM	133,5127 litre	34,693 %	251,3324 litre	O
100	CM	35	CM	26 LEVEL CM	130,1239 litre	33,812 %	254,7212 litre	O
100	CM	35	CM	25,5 LEVEL CM	126,7484 litre	32,935 %	258,0967 litre	O
100	CM	35	CM	25 LEVEL CM	123,3869 litre	32,061 %	261,4582 litre	O
100	CM	35	CM	24,5 LEVEL CM	120,0404 litre	31,192 %	264,8047 litre	O
100	CM	35	CM	24 LEVEL CM	116,7096 litre	30,326 %	268,1355 litre	O
100	CM	35	CM	23,5 LEVEL CM	113,3954 litre	29,465 %	271,4497 litre	O
100	CM	35	CM	23 LEVEL CM	110,0986 litre	28,609 %	274,7465 litre	O
100	CM	35	CM	22,5 LEVEL CM	106,8200 litre	27,757 %	278,0251 litre	O
100	CM	35	CM	22 LEVEL CM	103,5605 litre	26,910 %	281,2846 litre	O
100	CM	35	CM	21,5 LEVEL CM	100,3211 litre	26,068 %	284,5240 litre	O
100	CM	35	CM	21 LEVEL CM	97,1025 litre	25,232 %	287,7426 litre	O
100	CM	35	CM	20,5 LEVEL CM	93,9058 litre	24,401 %	290,9393 litre	O
100	CM	35	CM	20 LEVEL CM	90,7318 litre	23,576 %	294,1133 litre	O
100	CM	35	CM	19,5 LEVEL CM	87,5815 litre	22,758 %	297,2636 litre	O
100	CM	35	CM	19 LEVEL CM	84,4560 litre	21,945 %	300,3891 litre	O
100	CM	35	CM	18,5 LEVEL CM	81,3561 litre	21,140 %	303,4890 litre	O
100	CM	35	CM	18 LEVEL CM	78,2830 litre	20,341 %	306,5621 litre	O

100	CM	35	CM	17,5 LEVEL CM	75,2376 litre	19,550 %	309,6075 litre	O
100	CM	35	CM	17 LEVEL CM	72,2212 litre	18,766 %	312,6239 litre	O
100	CM	35	CM	16,5 LEVEL CM	69,2347 litre	17,990 %	315,6104 litre	O
100	CM	35	CM	16 LEVEL CM	66,2793 litre	17,222 %	318,5658 litre	O
100	CM	35	CM	15,5 LEVEL CM	63,3563 litre	16,463 %	321,4888 litre	O
100	CM	35	CM	15 LEVEL CM	60,4668 litre	15,712 %	324,3783 litre	O
100	CM	35	CM	14,5 LEVEL CM	57,6122 litre	14,970 %	327,2329 litre	O
100	CM	35	CM	14 LEVEL CM	54,7937 litre	14,238 %	330,0514 litre	O
100	CM	35	CM	13,5 LEVEL CM	52,0126 litre	13,515 %	332,8325 litre	O
100	CM	35	CM	13 LEVEL CM	49,2706 litre	12,803 %	335,5745 litre	O
100	CM	35	CM	12,5 LEVEL CM	46,5689 litre	12,101 %	338,2762 litre	O
100	CM	35	CM	12 LEVEL CM	43,9092 litre	11,410 %	340,9359 litre	O
100	CM	35	CM	11,5 LEVEL CM	41,2931 litre	10,730 %	343,5520 litre	O
100	CM	35	CM	11 LEVEL CM	38,7223 litre	10,062 %	346,1228 litre	O
100	CM	35	CM	10,5 LEVEL CM	36,1986 litre	9,406 %	348,6465 litre	O
100	CM	35	CM	10 LEVEL CM	33,7239 litre	8,763 %	351,1212 litre	O
100	CM	35	CM	9,5 LEVEL CM	31,3003 litre	8,133 %	353,5448 litre	O
100	CM	35	CM	9 LEVEL CM	28,9299 litre	7,517 %	355,9152 litre	O
100	CM	35	CM	8,5 LEVEL CM	26,6150 litre	6,916 %	358,2301 litre	O
100	CM	35	CM	8 LEVEL CM	24,3580 litre	6,329 %	360,4871 litre	O
100	CM	35	CM	7,5 LEVEL CM	22,1617 litre	5,759 %	362,6834 litre	O
100	CM	35	CM	7 LEVEL CM	20,0289 litre	5,204 %	364,8162 litre	O
100	CM	35	CM	6,5 LEVEL CM	17,9628 litre	4,668 %	366,8823 litre	O
100	CM	35	CM	6 LEVEL CM	15,9669 litre	4,149 %	368,8782 litre	O
100	CM	35	CM	5,5 LEVEL CM	14,0450 litre	3,650 %	370,8001 litre	O
100	CM	35	CM	5 LEVEL CM	12,2014 litre	3,170 %	372,6437 litre	O
100	CM	35	CM	4,5 LEVEL CM	10,4412 litre	2,713 %	374,4039 litre	O
100	CM	35	CM	4 LEVEL CM	8,7698 litre	2,279 %	376,0753 litre	O
100	CM	35	CM	3,5 LEVEL CM	7,1939 litre	1,869 %	377,6512 litre	O
100	CM	35	CM	3 LEVEL CM	5,7214 litre	1,487 %	379,1237 litre	O
100	CM	35	CM	2,5 LEVEL CM	4,3620 litre	1,133 %	380,4831 litre	O
100	CM	35	CM	2 LEVEL CM	3,1281 litre	0,813 %	381,7170 litre	O
100	CM	35	CM	1,5 LEVEL CM	2,0362 litre	0,529 %	382,8089 litre	O
100	CM	35	CM	1 LEVEL CM	1,1108 litre	0,289 %	383,7343 litre	O
100	CM	35	CM	0,5 LEVEL CM	0,3936 litre	0,102 %	384,4515 litre	O
100	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	384,8451 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
100	CM 30	CM 60 LEVEL CM	282,7433 litre	100,000 %	0,0000 litre O
100	CM 30	CM 59,5 LEVEL CM	282,3791 litre	99,871 %	0,3642 litre O
100	CM 30	CM 59 LEVEL CM	281,7157 litre	99,637 %	1,0276 litre O
100	CM 30	CM 58,5 LEVEL CM	280,8603 litre	99,334 %	1,8830 litre O
100	CM 30	CM 58 LEVEL CM	279,8515 litre	98,977 %	2,8918 litre O
100	CM 30	CM 57,5 LEVEL CM	278,7123 litre	98,574 %	4,0310 litre O
100	CM 30	CM 57 LEVEL CM	277,4580 litre	98,131 %	5,2853 litre O
100	CM 30	CM 56,5 LEVEL CM	276,1003 litre	97,651 %	6,6430 litre O
100	CM 30	CM 56 LEVEL CM	274,6482 litre	97,137 %	8,0951 litre O
100	CM 30	CM 55,5 LEVEL CM	273,1092 litre	96,593 %	9,6341 litre O
100	CM 30	CM 55 LEVEL CM	271,4894 litre	96,020 %	11,2539 litre O
100	CM 30	CM 54,5 LEVEL CM	269,7942 litre	95,420 %	12,9491 litre O
100	CM 30	CM 54 LEVEL CM	268,0282 litre	94,796 %	14,7151 litre O
100	CM 30	CM 53,5 LEVEL CM	266,1955 litre	94,147 %	16,5478 litre O
100	CM 30	CM 53 LEVEL CM	264,2998 litre	93,477 %	18,4435 litre O
100	CM 30	CM 52,5 LEVEL CM	262,3443 litre	92,785 %	20,3990 litre O
100	CM 30	CM 52 LEVEL CM	260,3321 litre	92,074 %	22,4112 litre O
100	CM 30	CM 51,5 LEVEL CM	258,2660 litre	91,343 %	24,4773 litre O
100	CM 30	CM 51 LEVEL CM	256,1484 litre	90,594 %	26,5949 litre O
100	CM 30	CM 50,5 LEVEL CM	253,9819 litre	89,828 %	28,7614 litre O
100	CM 30	CM 50 LEVEL CM	251,7685 litre	89,045 %	30,9748 litre O
100	CM 30	CM 49,5 LEVEL CM	249,5104 litre	88,246 %	33,2329 litre O
100	CM 30	CM 49 LEVEL CM	247,2095 litre	87,433 %	35,5338 litre O
100	CM 30	CM 48,5 LEVEL CM	244,8677 litre	86,604 %	37,8756 litre O
100	CM 30	CM 48 LEVEL CM	242,4868 litre	85,762 %	40,2565 litre O
100	CM 30	CM 47,5 LEVEL CM	240,0683 litre	84,907 %	42,6750 litre O
100	CM 30	CM 47 LEVEL CM	237,6139 litre	84,039 %	45,1294 litre O
100	CM 30	CM 46,5 LEVEL CM	235,1251 litre	83,159 %	47,6182 litre O
100	CM 30	CM 46 LEVEL CM	232,6034 litre	82,267 %	50,1399 litre O
100	CM 30	CM 45,5 LEVEL CM	230,0501 litre	81,364 %	52,6932 litre O
100	CM 30	CM 45 LEVEL CM	227,4667 litre	80,450 %	55,2766 litre O
100	CM 30	CM 44,5 LEVEL CM	224,8544 litre	79,526 %	57,8889 litre O
100	CM 30	CM 44 LEVEL CM	222,2145 litre	78,592 %	60,5288 litre O
100	CM 30	CM 43,5 LEVEL CM	219,5482 litre	77,649 %	63,1951 litre O
100	CM 30	CM 43 LEVEL CM	216,8567 litre	76,697 %	65,8866 litre O
100	CM 30	CM 42,5 LEVEL CM	214,1412 litre	75,737 %	68,6021 litre O
100	CM 30	CM 42 LEVEL CM	211,4027 litre	74,768 %	71,3406 litre O
100	CM 30	CM 41,5 LEVEL CM	208,6425 litre	73,792 %	74,1008 litre O
100	CM 30	CM 41 LEVEL CM	205,8614 litre	72,809 %	76,8819 litre O
100	CM 30	CM 40,5 LEVEL CM	203,0607 litre	71,818 %	79,6826 litre O
100	CM 30	CM 40 LEVEL CM	200,2413 litre	70,821 %	82,5020 litre O
100	CM 30	CM 39,5 LEVEL CM	197,4042 litre	69,817 %	85,3391 litre O
100	CM 30	CM 39 LEVEL CM	194,5504 litre	68,808 %	88,1929 litre O
100	CM 30	CM 38,5 LEVEL CM	191,6808 litre	67,793 %	91,0625 litre O
100	CM 30	CM 38 LEVEL CM	188,7966 litre	66,773 %	93,9467 litre O
100	CM 30	CM 37,5 LEVEL CM	185,8984 litre	65,748 %	96,8449 litre O
100	CM 30	CM 37 LEVEL CM	182,9874 litre	64,719 %	99,7559 litre O
100	CM 30	CM 36,5 LEVEL CM	180,0643 litre	63,685 %	102,6790 litre O
100	CM 30	CM 36 LEVEL CM	177,1302 litre	62,647 %	105,6131 litre O
100	CM 30	CM 35,5 LEVEL CM	174,1859 litre	61,606 %	108,5574 litre O
100	CM 30	CM 35 LEVEL CM	171,2322 litre	60,561 %	111,5111 litre O
100	CM 30	CM 34,5 LEVEL CM	168,2701 litre	59,513 %	114,4732 litre O

100	CM 30	CM	34 LEVEL CM	165,3004 litre	58,463 %	117,4429 litre	O
100	CM 30	CM	33,5 LEVEL CM	162,3239 litre	57,410 %	120,4194 litre	O
100	CM 30	CM	33 LEVEL CM	159,3416 litre	56,356 %	123,4017 litre	O
100	CM 30	CM	32,5 LEVEL CM	156,3543 litre	55,299 %	126,3890 litre	O
100	CM 30	CM	32 LEVEL CM	153,3628 litre	54,241 %	129,3805 litre	O
100	CM 30	CM	31,5 LEVEL CM	150,3679 litre	53,182 %	132,3754 litre	O
100	CM 30	CM	31 LEVEL CM	147,3706 litre	52,122 %	135,3727 litre	O
100	CM 30	CM	30,5 LEVEL CM	144,3715 litre	51,061 %	138,3718 litre	O
100	CM 30	CM	30 LEVEL CM	141,3717 litre	50,000 %	141,3716 litre	O
100	CM 30	CM	29,5 LEVEL CM	138,3718 litre	48,939 %	144,3715 litre	O
100	CM 30	CM	29 LEVEL CM	135,3728 litre	47,878 %	147,3705 litre	O
100	CM 30	CM	28,5 LEVEL CM	132,3754 litre	46,818 %	150,3679 litre	O
100	CM 30	CM	28 LEVEL CM	129,3806 litre	45,759 %	153,3627 litre	O
100	CM 30	CM	27,5 LEVEL CM	126,3890 litre	44,701 %	156,3543 litre	O
100	CM 30	CM	27 LEVEL CM	123,4017 litre	43,644 %	159,3416 litre	O
100	CM 30	CM	26,5 LEVEL CM	120,4194 litre	42,590 %	162,3239 litre	O
100	CM 30	CM	26 LEVEL CM	117,4430 litre	41,537 %	165,3003 litre	O
100	CM 30	CM	25,5 LEVEL CM	114,4733 litre	40,487 %	168,2700 litre	O
100	CM 30	CM	25 LEVEL CM	111,5111 litre	39,439 %	171,2322 litre	O
100	CM 30	CM	24,5 LEVEL CM	108,5575 litre	38,394 %	174,1858 litre	O
100	CM 30	CM	24 LEVEL CM	105,6131 litre	37,353 %	177,1302 litre	O
100	CM 30	CM	23,5 LEVEL CM	102,6790 litre	36,315 %	180,0643 litre	O
100	CM 30	CM	23 LEVEL CM	99,7560 litre	35,281 %	182,9873 litre	O
100	CM 30	CM	22,5 LEVEL CM	96,8449 litre	34,252 %	185,8984 litre	O
100	CM 30	CM	22 LEVEL CM	93,9468 litre	33,227 %	188,7965 litre	O
100	CM 30	CM	21,5 LEVEL CM	91,0625 litre	32,207 %	191,6808 litre	O
100	CM 30	CM	21 LEVEL CM	88,1930 litre	31,192 %	194,5503 litre	O
100	CM 30	CM	20,5 LEVEL CM	85,3392 litre	30,183 %	197,4041 litre	O
100	CM 30	CM	20 LEVEL CM	82,5021 litre	29,179 %	200,2412 litre	O
100	CM 30	CM	19,5 LEVEL CM	79,6827 litre	28,182 %	203,0606 litre	O
100	CM 30	CM	19 LEVEL CM	76,8819 litre	27,191 %	205,8614 litre	O
100	CM 30	CM	18,5 LEVEL CM	74,1009 litre	26,208 %	208,6424 litre	O
100	CM 30	CM	18 LEVEL CM	71,3406 litre	25,232 %	211,4027 litre	O
100	CM 30	CM	17,5 LEVEL CM	68,6022 litre	24,263 %	214,1411 litre	O
100	CM 30	CM	17 LEVEL CM	65,8866 litre	23,303 %	216,8567 litre	O
100	CM 30	CM	16,5 LEVEL CM	63,1951 litre	22,351 %	219,5482 litre	O
100	CM 30	CM	16 LEVEL CM	60,5288 litre	21,408 %	222,2145 litre	O
100	CM 30	CM	15,5 LEVEL CM	57,8889 litre	20,474 %	224,8544 litre	O
100	CM 30	CM	15 LEVEL CM	55,2766 litre	19,550 %	227,4667 litre	O
100	CM 30	CM	14,5 LEVEL CM	52,6932 litre	18,636 %	230,0501 litre	O
100	CM 30	CM	14 LEVEL CM	50,1400 litre	17,733 %	232,6033 litre	O
100	CM 30	CM	13,5 LEVEL CM	47,6182 litre	16,842 %	235,1251 litre	O
100	CM 30	CM	13 LEVEL CM	45,1294 litre	15,961 %	237,6139 litre	O
100	CM 30	CM	12,5 LEVEL CM	42,6751 litre	15,093 %	240,0682 litre	O
100	CM 30	CM	12 LEVEL CM	40,2566 litre	14,238 %	242,4867 litre	O
100	CM 30	CM	11,5 LEVEL CM	37,8756 litre	13,396 %	244,8677 litre	O
100	CM 30	CM	11 LEVEL CM	35,5338 litre	12,568 %	247,2095 litre	O
100	CM 30	CM	10,5 LEVEL CM	33,2329 litre	11,754 %	249,5104 litre	O
100	CM 30	CM	10 LEVEL CM	30,9748 litre	10,955 %	251,7685 litre	O
100	CM 30	CM	9,5 LEVEL CM	28,7615 litre	10,172 %	253,9818 litre	O
100	CM 30	CM	9 LEVEL CM	26,5949 litre	9,406 %	256,1484 litre	O
100	CM 30	CM	8,5 LEVEL CM	24,4774 litre	8,657 %	258,2659 litre	O
100	CM 30	CM	8 LEVEL CM	22,4112 litre	7,926 %	260,3321 litre	O

100	CM 30	CM	7,5 LEVEL CM	20,3990 litre	7,215 %	262,3443 litre	O
100	CM 30	CM	7 LEVEL CM	18,4436 litre	6,523 %	264,2997 litre	O
100	CM 30	CM	6,5 LEVEL CM	16,5478 litre	5,853 %	266,1955 litre	O
100	CM 30	CM	6 LEVEL CM	14,7151 litre	5,204 %	268,0282 litre	O
100	CM 30	CM	5,5 LEVEL CM	12,9491 litre	4,580 %	269,7942 litre	O
100	CM 30	CM	5 LEVEL CM	11,2539 litre	3,980 %	271,4894 litre	O
100	CM 30	CM	4,5 LEVEL CM	9,6341 litre	3,407 %	273,1092 litre	O
100	CM 30	CM	4 LEVEL CM	8,0951 litre	2,863 %	274,6482 litre	O
100	CM 30	CM	3,5 LEVEL CM	6,6430 litre	2,349 %	276,1003 litre	O
100	CM 30	CM	3 LEVEL CM	5,2853 litre	1,869 %	277,4580 litre	O
100	CM 30	CM	2,5 LEVEL CM	4,0311 litre	1,426 %	278,7122 litre	O
100	CM 30	CM	2 LEVEL CM	2,8918 litre	1,023 %	279,8515 litre	O
100	CM 30	CM	1,5 LEVEL CM	1,8831 litre	0,666 %	280,8602 litre	O
100	CM 30	CM	1 LEVEL CM	1,0276 litre	0,363 %	281,7157 litre	O
100	CM 30	CM	0,5 LEVEL CM	0,3642 litre	0,129 %	282,3791 litre	O
100	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	282,7433 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
100	CM	25	CM	50 LEVEL CM	196,3495 litre	100,000 %	0,0000 litre	O
100	CM	25	CM	49,5 LEVEL CM	196,0172 litre	99,831 %	0,3323 litre	O
100	CM	25	CM	49 LEVEL CM	195,4124 litre	99,523 %	0,9371 litre	O
100	CM	25	CM	48,5 LEVEL CM	194,6332 litre	99,126 %	1,7163 litre	O
100	CM	25	CM	48 LEVEL CM	193,7151 litre	98,658 %	2,6344 litre	O
100	CM	25	CM	47,5 LEVEL CM	192,6792 litre	98,131 %	3,6703 litre	O
100	CM	25	CM	47 LEVEL CM	191,5397 litre	97,550 %	4,8098 litre	O
100	CM	25	CM	46,5 LEVEL CM	190,3074 litre	96,923 %	6,0421 litre	O
100	CM	25	CM	46 LEVEL CM	188,9908 litre	96,252 %	7,3587 litre	O
100	CM	25	CM	45,5 LEVEL CM	187,5966 litre	95,542 %	8,7529 litre	O
100	CM	25	CM	45 LEVEL CM	186,1307 litre	94,796 %	10,2188 litre	O
100	CM	25	CM	44,5 LEVEL CM	184,5981 litre	94,015 %	11,7514 litre	O
100	CM	25	CM	44 LEVEL CM	183,0032 litre	93,203 %	13,3463 litre	O
100	CM	25	CM	43,5 LEVEL CM	181,3497 litre	92,361 %	14,9998 litre	O
100	CM	25	CM	43 LEVEL CM	179,6412 litre	91,491 %	16,7083 litre	O
100	CM	25	CM	42,5 LEVEL CM	177,8809 litre	90,594 %	18,4686 litre	O
100	CM	25	CM	42 LEVEL CM	176,0714 litre	89,672 %	20,2781 litre	O
100	CM	25	CM	41,5 LEVEL CM	174,2156 litre	88,727 %	22,1339 litre	O
100	CM	25	CM	41 LEVEL CM	172,3159 litre	87,760 %	24,0336 litre	O
100	CM	25	CM	40,5 LEVEL CM	170,3745 litre	86,771 %	25,9750 litre	O
100	CM	25	CM	40 LEVEL CM	168,3936 litre	85,762 %	27,9559 litre	O
100	CM	25	CM	39,5 LEVEL CM	166,3752 litre	84,734 %	29,9743 litre	O
100	CM	25	CM	39 LEVEL CM	164,3211 litre	83,688 %	32,0284 litre	O
100	CM	25	CM	38,5 LEVEL CM	162,2333 litre	82,625 %	34,1162 litre	O
100	CM	25	CM	38 LEVEL CM	160,1134 litre	81,545 %	36,2361 litre	O
100	CM	25	CM	37,5 LEVEL CM	157,9630 litre	80,450 %	38,3865 litre	O
100	CM	25	CM	37 LEVEL CM	155,7837 litre	79,340 %	40,5658 litre	O
100	CM	25	CM	36,5 LEVEL CM	153,5771 litre	78,216 %	42,7724 litre	O
100	CM	25	CM	36 LEVEL CM	151,3446 litre	77,079 %	45,0049 litre	O
100	CM	25	CM	35,5 LEVEL CM	149,0876 litre	75,930 %	47,2619 litre	O
100	CM	25	CM	35 LEVEL CM	146,8075 litre	74,768 %	49,5420 litre	O
100	CM	25	CM	34,5 LEVEL CM	144,5055 litre	73,596 %	51,8440 litre	O
100	CM	25	CM	34 LEVEL CM	142,1829 litre	72,413 %	54,1666 litre	O
100	CM	25	CM	33,5 LEVEL CM	139,8411 litre	71,221 %	56,5084 litre	O
100	CM	25	CM	33 LEVEL CM	137,4812 litre	70,019 %	58,8683 litre	O
100	CM	25	CM	32,5 LEVEL CM	135,1044 litre	68,808 %	61,2451 litre	O
100	CM	25	CM	32 LEVEL CM	132,7119 litre	67,590 %	63,6376 litre	O
100	CM	25	CM	31,5 LEVEL CM	130,3048 litre	66,364 %	66,0447 litre	O
100	CM	25	CM	31 LEVEL CM	127,8842 litre	65,131 %	68,4653 litre	O
100	CM	25	CM	30,5 LEVEL CM	125,4513 litre	63,892 %	70,8982 litre	O
100	CM	25	CM	30 LEVEL CM	123,0071 litre	62,647 %	73,3424 litre	O
100	CM	25	CM	29,5 LEVEL CM	120,5527 litre	61,397 %	75,7968 litre	O
100	CM	25	CM	29 LEVEL CM	118,0891 litre	60,142 %	78,2604 litre	O
100	CM	25	CM	28,5 LEVEL CM	115,6174 litre	58,883 %	80,7321 litre	O
100	CM	25	CM	28 LEVEL CM	113,1387 litre	57,621 %	83,2108 litre	O
100	CM	25	CM	27,5 LEVEL CM	110,6539 litre	56,356 %	85,6956 litre	O
100	CM	25	CM	27 LEVEL CM	108,1641 litre	55,088 %	88,1854 litre	O
100	CM	25	CM	26,5 LEVEL CM	105,6703 litre	53,817 %	90,6792 litre	O
100	CM	25	CM	26 LEVEL CM	103,1734 litre	52,546 %	93,1761 litre	O
100	CM	25	CM	25,5 LEVEL CM	100,6746 litre	51,273 %	95,6749 litre	O
100	CM	25	CM	25 LEVEL CM	98,1748 litre	50,000 %	98,1747 litre	O
100	CM	25	CM	24,5 LEVEL CM	95,6749 litre	48,727 %	100,6746 litre	O

100	CM	25	CM	24 LEVEL CM	93,1761 litre	47,454 %	103,1734 litre	O
100	CM	25	CM	23,5 LEVEL CM	90,6793 litre	46,183 %	105,6702 litre	O
100	CM	25	CM	23 LEVEL CM	88,1854 litre	44,912 %	108,1641 litre	O
100	CM	25	CM	22,5 LEVEL CM	85,6956 litre	43,644 %	110,6539 litre	O
100	CM	25	CM	22 LEVEL CM	83,2108 litre	42,379 %	113,1387 litre	O
100	CM	25	CM	21,5 LEVEL CM	80,7321 litre	41,117 %	115,6174 litre	O
100	CM	25	CM	21 LEVEL CM	78,2604 litre	39,858 %	118,0891 litre	O
100	CM	25	CM	20,5 LEVEL CM	75,7969 litre	38,603 %	120,5526 litre	O
100	CM	25	CM	20 LEVEL CM	73,3425 litre	37,353 %	123,0070 litre	O
100	CM	25	CM	19,5 LEVEL CM	70,8982 litre	36,108 %	125,4513 litre	O
100	CM	25	CM	19 LEVEL CM	68,4653 litre	34,869 %	127,8842 litre	O
100	CM	25	CM	18,5 LEVEL CM	66,0447 litre	33,636 %	130,3048 litre	O
100	CM	25	CM	18 LEVEL CM	63,6376 litre	32,410 %	132,7119 litre	O
100	CM	25	CM	17,5 LEVEL CM	61,2451 litre	31,192 %	135,1044 litre	O
100	CM	25	CM	17 LEVEL CM	58,8683 litre	29,981 %	137,4812 litre	O
100	CM	25	CM	16,5 LEVEL CM	56,5084 litre	28,780 %	139,8411 litre	O
100	CM	25	CM	16 LEVEL CM	54,1666 litre	27,587 %	142,1829 litre	O
100	CM	25	CM	15,5 LEVEL CM	51,8441 litre	26,404 %	144,5054 litre	O
100	CM	25	CM	15 LEVEL CM	49,5421 litre	25,232 %	146,8074 litre	O
100	CM	25	CM	14,5 LEVEL CM	47,2619 litre	24,070 %	149,0876 litre	O
100	CM	25	CM	14 LEVEL CM	45,0049 litre	22,921 %	151,3446 litre	O
100	CM	25	CM	13,5 LEVEL CM	42,7724 litre	21,784 %	153,5771 litre	O
100	CM	25	CM	13 LEVEL CM	40,5658 litre	20,660 %	155,7837 litre	O
100	CM	25	CM	12,5 LEVEL CM	38,3866 litre	19,550 %	157,9629 litre	O
100	CM	25	CM	12 LEVEL CM	36,2362 litre	18,455 %	160,1133 litre	O
100	CM	25	CM	11,5 LEVEL CM	34,1163 litre	17,375 %	162,2332 litre	O
100	CM	25	CM	11 LEVEL CM	32,0284 litre	16,312 %	164,3211 litre	O
100	CM	25	CM	10,5 LEVEL CM	29,9744 litre	15,266 %	166,3751 litre	O
100	CM	25	CM	10 LEVEL CM	27,9560 litre	14,238 %	168,3935 litre	O
100	CM	25	CM	9,5 LEVEL CM	25,9750 litre	13,229 %	170,3745 litre	O
100	CM	25	CM	9 LEVEL CM	24,0336 litre	12,240 %	172,3159 litre	O
100	CM	25	CM	8,5 LEVEL CM	22,1339 litre	11,273 %	174,2156 litre	O
100	CM	25	CM	8 LEVEL CM	20,2781 litre	10,328 %	176,0714 litre	O
100	CM	25	CM	7,5 LEVEL CM	18,4687 litre	9,406 %	177,8808 litre	O
100	CM	25	CM	7 LEVEL CM	16,7083 litre	8,509 %	179,6412 litre	O
100	CM	25	CM	6,5 LEVEL CM	14,9998 litre	7,639 %	181,3497 litre	O
100	CM	25	CM	6 LEVEL CM	13,3464 litre	6,797 %	183,0031 litre	O
100	CM	25	CM	5,5 LEVEL CM	11,7514 litre	5,985 %	184,5981 litre	O
100	CM	25	CM	5 LEVEL CM	10,2188 litre	5,204 %	186,1307 litre	O
100	CM	25	CM	4,5 LEVEL CM	8,7530 litre	4,458 %	187,5965 litre	O
100	CM	25	CM	4 LEVEL CM	7,3588 litre	3,748 %	188,9907 litre	O
100	CM	25	CM	3,5 LEVEL CM	6,0421 litre	3,077 %	190,3074 litre	O
100	CM	25	CM	3 LEVEL CM	4,8098 litre	2,450 %	191,5397 litre	O
100	CM	25	CM	2,5 LEVEL CM	3,6704 litre	1,869 %	192,6791 litre	O
100	CM	25	CM	2 LEVEL CM	2,6344 litre	1,342 %	193,7151 litre	O
100	CM	25	CM	1,5 LEVEL CM	1,7164 litre	0,874 %	194,6331 litre	O
100	CM	25	CM	1 LEVEL CM	0,9371 litre	0,477 %	195,4124 litre	O
100	CM	25	CM	0,5 LEVEL CM	0,3323 litre	0,169 %	196,0172 litre	O
100	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	196,3495 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
100	CM 20	CM 40 LEVEL CM	125,6637 litre	100,000 %	0,0000 litre	O
100	CM 20	CM 39,5 LEVEL CM	125,3667 litre	99,764 %	0,2970 litre	O
100	CM 20	CM 39 LEVEL CM	124,8268 litre	99,334 %	0,8369 litre	O
100	CM 20	CM 38,5 LEVEL CM	124,1321 litre	98,781 %	1,5316 litre	O
100	CM 20	CM 38 LEVEL CM	123,3147 litre	98,131 %	2,3490 litre	O
100	CM 20	CM 37,5 LEVEL CM	122,3936 litre	97,398 %	3,2701 litre	O
100	CM 20	CM 37 LEVEL CM	121,3819 litre	96,593 %	4,2818 litre	O
100	CM 20	CM 36,5 LEVEL CM	120,2893 litre	95,723 %	5,3744 litre	O
100	CM 20	CM 36 LEVEL CM	119,1237 litre	94,796 %	6,5400 litre	O
100	CM 20	CM 35,5 LEVEL CM	117,8913 litre	93,815 %	7,7724 litre	O
100	CM 20	CM 35 LEVEL CM	116,5975 litre	92,785 %	9,0662 litre	O
100	CM 20	CM 34,5 LEVEL CM	115,2469 litre	91,711 %	10,4168 litre	O
100	CM 20	CM 34 LEVEL CM	113,8438 litre	90,594 %	11,8199 litre	O
100	CM 20	CM 33,5 LEVEL CM	112,3915 litre	89,438 %	13,2722 litre	O
100	CM 20	CM 33 LEVEL CM	110,8935 litre	88,246 %	14,7702 litre	O
100	CM 20	CM 32,5 LEVEL CM	109,3527 litre	87,020 %	16,3110 litre	O
100	CM 20	CM 32 LEVEL CM	107,7719 litre	85,762 %	17,8918 litre	O
100	CM 20	CM 31,5 LEVEL CM	106,1535 litre	84,474 %	19,5102 litre	O
100	CM 20	CM 31 LEVEL CM	104,5000 litre	83,158 %	21,1637 litre	O
100	CM 20	CM 30,5 LEVEL CM	102,8136 litre	81,816 %	22,8501 litre	O
100	CM 20	CM 30 LEVEL CM	101,0963 litre	80,450 %	24,5674 litre	O
100	CM 20	CM 29,5 LEVEL CM	99,3501 litre	79,060 %	26,3136 litre	O
100	CM 20	CM 29 LEVEL CM	97,5770 litre	77,649 %	28,0867 litre	O
100	CM 20	CM 28,5 LEVEL CM	95,7786 litre	76,218 %	29,8851 litre	O
100	CM 20	CM 28 LEVEL CM	93,9568 litre	74,768 %	31,7069 litre	O
100	CM 20	CM 27,5 LEVEL CM	92,1131 litre	73,301 %	33,5506 litre	O
100	CM 20	CM 27 LEVEL CM	90,2492 litre	71,818 %	35,4145 litre	O
100	CM 20	CM 26,5 LEVEL CM	88,3666 litre	70,320 %	37,2971 litre	O
100	CM 20	CM 26 LEVEL CM	86,4668 litre	68,808 %	39,1969 litre	O
100	CM 20	CM 25,5 LEVEL CM	84,5513 litre	67,284 %	41,1124 litre	O
100	CM 20	CM 25 LEVEL CM	82,6215 litre	65,748 %	43,0422 litre	O
100	CM 20	CM 24,5 LEVEL CM	80,6788 litre	64,202 %	44,9849 litre	O
100	CM 20	CM 24 LEVEL CM	78,7245 litre	62,647 %	46,9392 litre	O
100	CM 20	CM 23,5 LEVEL CM	76,7601 litre	61,084 %	48,9036 litre	O
100	CM 20	CM 23 LEVEL CM	74,7867 litre	59,513 %	50,8770 litre	O
100	CM 20	CM 22,5 LEVEL CM	72,8058 litre	57,937 %	52,8579 litre	O
100	CM 20	CM 22 LEVEL CM	70,8185 litre	56,356 %	54,8452 litre	O
100	CM 20	CM 21,5 LEVEL CM	68,8262 litre	54,770 %	56,8375 litre	O
100	CM 20	CM 21 LEVEL CM	66,8302 litre	53,182 %	58,8335 litre	O
100	CM 20	CM 20,5 LEVEL CM	64,8316 litre	51,591 %	60,8321 litre	O
100	CM 20	CM 20 LEVEL CM	62,8319 litre	50,000 %	62,8318 litre	O
100	CM 20	CM 19,5 LEVEL CM	60,8321 litre	48,409 %	64,8316 litre	O
100	CM 20	CM 19 LEVEL CM	58,8335 litre	46,818 %	66,8302 litre	O
100	CM 20	CM 18,5 LEVEL CM	56,8375 litre	45,230 %	68,8262 litre	O
100	CM 20	CM 18 LEVEL CM	54,8452 litre	43,644 %	70,8185 litre	O
100	CM 20	CM 17,5 LEVEL CM	52,8580 litre	42,063 %	72,8057 litre	O
100	CM 20	CM 17 LEVEL CM	50,8770 litre	40,487 %	74,7867 litre	O
100	CM 20	CM 16,5 LEVEL CM	48,9036 litre	38,916 %	76,7601 litre	O
100	CM 20	CM 16 LEVEL CM	46,9392 litre	37,353 %	78,7245 litre	O
100	CM 20	CM 15,5 LEVEL CM	44,9849 litre	35,798 %	80,6788 litre	O
100	CM 20	CM 15 LEVEL CM	43,0422 litre	34,252 %	82,6215 litre	O
100	CM 20	CM 14,5 LEVEL CM	41,1124 litre	32,716 %	84,5513 litre	O

100	CM	20	CM	14 LEVEL CM	39,1969 litre	31,192 %	86,4668 litre	O
100	CM	20	CM	13,5 LEVEL CM	37,2971 litre	29,680 %	88,3666 litre	O
100	CM	20	CM	13 LEVEL CM	35,4145 litre	28,182 %	90,2492 litre	O
100	CM	20	CM	12,5 LEVEL CM	33,5506 litre	26,699 %	92,1131 litre	O
100	CM	20	CM	12 LEVEL CM	31,7069 litre	25,232 %	93,9568 litre	O
100	CM	20	CM	11,5 LEVEL CM	29,8851 litre	23,782 %	95,7786 litre	O
100	CM	20	CM	11 LEVEL CM	28,0867 litre	22,351 %	97,5770 litre	O
100	CM	20	CM	10,5 LEVEL CM	26,3136 litre	20,940 %	99,3501 litre	O
100	CM	20	CM	10 LEVEL CM	24,5674 litre	19,550 %	101,0963 litre	O
100	CM	20	CM	9,5 LEVEL CM	22,8501 litre	18,184 %	102,8136 litre	O
100	CM	20	CM	9 LEVEL CM	21,1637 litre	16,842 %	104,5000 litre	O
100	CM	20	CM	8,5 LEVEL CM	19,5102 litre	15,526 %	106,1535 litre	O
100	CM	20	CM	8 LEVEL CM	17,8918 litre	14,238 %	107,7719 litre	O
100	CM	20	CM	7,5 LEVEL CM	16,3110 litre	12,980 %	109,3527 litre	O
100	CM	20	CM	7 LEVEL CM	14,7702 litre	11,754 %	110,8935 litre	O
100	CM	20	CM	6,5 LEVEL CM	13,2722 litre	10,562 %	112,3915 litre	O
100	CM	20	CM	6 LEVEL CM	11,8200 litre	9,406 %	113,8437 litre	O
100	CM	20	CM	5,5 LEVEL CM	10,4168 litre	8,289 %	115,2469 litre	O
100	CM	20	CM	5 LEVEL CM	9,0662 litre	7,215 %	116,5975 litre	O
100	CM	20	CM	4,5 LEVEL CM	7,7725 litre	6,185 %	117,8912 litre	O
100	CM	20	CM	4 LEVEL CM	6,5400 litre	5,204 %	119,1237 litre	O
100	CM	20	CM	3,5 LEVEL CM	5,3744 litre	4,277 %	120,2893 litre	O
100	CM	20	CM	3 LEVEL CM	4,2818 litre	3,407 %	121,3819 litre	O
100	CM	20	CM	2,5 LEVEL CM	3,2701 litre	2,602 %	122,3936 litre	O
100	CM	20	CM	2 LEVEL CM	2,3490 litre	1,869 %	123,3147 litre	O
100	CM	20	CM	1,5 LEVEL CM	1,5316 litre	1,219 %	124,1321 litre	O
100	CM	20	CM	1 LEVEL CM	0,8369 litre	0,666 %	124,8268 litre	O
100	CM	20	CM	0,5 LEVEL CM	0,2970 litre	0,236 %	125,3667 litre	O
100	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	125,6637 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
100	CM	15	CM	30 LEVEL CM	70,6858 litre	100,000 %	0,0000 litre	O
100	CM	15	CM	29,5 LEVEL CM	70,4289 litre	99,637 %	0,2569 litre	O
100	CM	15	CM	29 LEVEL CM	69,9629 litre	98,977 %	0,7229 litre	O
100	CM	15	CM	28,5 LEVEL CM	69,3645 litre	98,131 %	1,3213 litre	O
100	CM	15	CM	28 LEVEL CM	68,6621 litre	97,137 %	2,0237 litre	O
100	CM	15	CM	27,5 LEVEL CM	67,8724 litre	96,020 %	2,8134 litre	O
100	CM	15	CM	27 LEVEL CM	67,0071 litre	94,796 %	3,6787 litre	O
100	CM	15	CM	26,5 LEVEL CM	66,0749 litre	93,477 %	4,6109 litre	O
100	CM	15	CM	26 LEVEL CM	65,0830 litre	92,074 %	5,6028 litre	O
100	CM	15	CM	25,5 LEVEL CM	64,0371 litre	90,594 %	6,6487 litre	O
100	CM	15	CM	25 LEVEL CM	62,9421 litre	89,045 %	7,7437 litre	O
100	CM	15	CM	24,5 LEVEL CM	61,8024 litre	87,433 %	8,8834 litre	O
100	CM	15	CM	24 LEVEL CM	60,6217 litre	85,762 %	10,0641 litre	O
100	CM	15	CM	23,5 LEVEL CM	59,4035 litre	84,039 %	11,2823 litre	O
100	CM	15	CM	23 LEVEL CM	58,1508 litre	82,267 %	12,5350 litre	O
100	CM	15	CM	22,5 LEVEL CM	56,8667 litre	80,450 %	13,8191 litre	O
100	CM	15	CM	22 LEVEL CM	55,5536 litre	78,592 %	15,1322 litre	O
100	CM	15	CM	21,5 LEVEL CM	54,2142 litre	76,697 %	16,4716 litre	O
100	CM	15	CM	21 LEVEL CM	52,8507 litre	74,768 %	17,8351 litre	O
100	CM	15	CM	20,5 LEVEL CM	51,4654 litre	72,809 %	19,2204 litre	O
100	CM	15	CM	20 LEVEL CM	50,0603 litre	70,821 %	20,6255 litre	O
100	CM	15	CM	19,5 LEVEL CM	48,6376 litre	68,808 %	22,0482 litre	O
100	CM	15	CM	19 LEVEL CM	47,1991 litre	66,773 %	23,4867 litre	O
100	CM	15	CM	18,5 LEVEL CM	45,7468 litre	64,719 %	24,9390 litre	O
100	CM	15	CM	18 LEVEL CM	44,2826 litre	62,647 %	26,4032 litre	O
100	CM	15	CM	17,5 LEVEL CM	42,8080 litre	60,561 %	27,8778 litre	O
100	CM	15	CM	17 LEVEL CM	41,3251 litre	58,463 %	29,3607 litre	O
100	CM	15	CM	16,5 LEVEL CM	39,8354 litre	56,356 %	30,8504 litre	O
100	CM	15	CM	16 LEVEL CM	38,3407 litre	54,241 %	32,3451 litre	O
100	CM	15	CM	15,5 LEVEL CM	36,8426 litre	52,122 %	33,8432 litre	O
100	CM	15	CM	15 LEVEL CM	35,3429 litre	50,000 %	35,3429 litre	O
100	CM	15	CM	14,5 LEVEL CM	33,8432 litre	47,878 %	36,8426 litre	O
100	CM	15	CM	14 LEVEL CM	32,3451 litre	45,759 %	38,3407 litre	O
100	CM	15	CM	13,5 LEVEL CM	30,8504 litre	43,644 %	39,8354 litre	O
100	CM	15	CM	13 LEVEL CM	29,3607 litre	41,537 %	41,3251 litre	O
100	CM	15	CM	12,5 LEVEL CM	27,8778 litre	39,439 %	42,8080 litre	O
100	CM	15	CM	12 LEVEL CM	26,4033 litre	37,353 %	44,2825 litre	O
100	CM	15	CM	11,5 LEVEL CM	24,9390 litre	35,281 %	45,7468 litre	O
100	CM	15	CM	11 LEVEL CM	23,4867 litre	33,227 %	47,1991 litre	O
100	CM	15	CM	10,5 LEVEL CM	22,0482 litre	31,192 %	48,6376 litre	O
100	CM	15	CM	10 LEVEL CM	20,6255 litre	29,179 %	50,0603 litre	O
100	CM	15	CM	9,5 LEVEL CM	19,2205 litre	27,191 %	51,4653 litre	O
100	CM	15	CM	9 LEVEL CM	17,8352 litre	25,232 %	52,8506 litre	O
100	CM	15	CM	8,5 LEVEL CM	16,4717 litre	23,303 %	54,2141 litre	O
100	CM	15	CM	8 LEVEL CM	15,1322 litre	21,408 %	55,5536 litre	O
100	CM	15	CM	7,5 LEVEL CM	13,8192 litre	19,550 %	56,8666 litre	O
100	CM	15	CM	7 LEVEL CM	12,5350 litre	17,733 %	58,1508 litre	O
100	CM	15	CM	6,5 LEVEL CM	11,2824 litre	15,961 %	59,4034 litre	O
100	CM	15	CM	6 LEVEL CM	10,0641 litre	14,238 %	60,6217 litre	O
100	CM	15	CM	5,5 LEVEL CM	8,8834 litre	12,568 %	61,8024 litre	O
100	CM	15	CM	5 LEVEL CM	7,7437 litre	10,955 %	62,9421 litre	O
100	CM	15	CM	4,5 LEVEL CM	6,6487 litre	9,406 %	64,0371 litre	O

100	CM	15	CM	4 LEVEL CM	5,6028 litre	7,926 %	65,0830 litre	O
100	CM	15	CM	3,5 LEVEL CM	4,6109 litre	6,523 %	66,0749 litre	O
100	CM	15	CM	3 LEVEL CM	3,6788 litre	5,204 %	67,0070 litre	O
100	CM	15	CM	2,5 LEVEL CM	2,8135 litre	3,980 %	67,8723 litre	O
100	CM	15	CM	2 LEVEL CM	2,0238 litre	2,863 %	68,6620 litre	O
100	CM	15	CM	1,5 LEVEL CM	1,3213 litre	1,869 %	69,3645 litre	O
100	CM	15	CM	1 LEVEL CM	0,7229 litre	1,023 %	69,9629 litre	O
100	CM	15	CM	0,5 LEVEL CM	0,2569 litre	0,363 %	70,4289 litre	O
100	CM	15	CM	0 LEVEL CM	0,0000 litre	0,000 %	70,6858 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
100	CM 10	CM 20 LEVEL CM	31,4159 litre	100,000 %	0,0000 litre O
100	CM 10	CM 19,5 LEVEL CM	31,2067 litre	99,334 %	0,2092 litre O
100	CM 10	CM 19 LEVEL CM	30,8287 litre	98,131 %	0,5872 litre O
100	CM 10	CM 18,5 LEVEL CM	30,3455 litre	96,593 %	1,0704 litre O
100	CM 10	CM 18 LEVEL CM	29,7809 litre	94,796 %	1,6350 litre O
100	CM 10	CM 17,5 LEVEL CM	29,1494 litre	92,785 %	2,2665 litre O
100	CM 10	CM 17 LEVEL CM	28,4609 litre	90,594 %	2,9550 litre O
100	CM 10	CM 16,5 LEVEL CM	27,7234 litre	88,246 %	3,6925 litre O
100	CM 10	CM 16 LEVEL CM	26,9430 litre	85,762 %	4,4729 litre O
100	CM 10	CM 15,5 LEVEL CM	26,1250 litre	83,159 %	5,2909 litre O
100	CM 10	CM 15 LEVEL CM	25,2741 litre	80,450 %	6,1418 litre O
100	CM 10	CM 14,5 LEVEL CM	24,3942 litre	77,649 %	7,0217 litre O
100	CM 10	CM 14 LEVEL CM	23,4892 litre	74,768 %	7,9267 litre O
100	CM 10	CM 13,5 LEVEL CM	22,5623 litre	71,818 %	8,8536 litre O
100	CM 10	CM 13 LEVEL CM	21,6167 litre	68,808 %	9,7992 litre O
100	CM 10	CM 12,5 LEVEL CM	20,6554 litre	65,748 %	10,7605 litre O
100	CM 10	CM 12 LEVEL CM	19,6811 litre	62,647 %	11,7348 litre O
100	CM 10	CM 11,5 LEVEL CM	18,6967 litre	59,513 %	12,7192 litre O
100	CM 10	CM 11 LEVEL CM	17,7046 litre	56,356 %	13,7113 litre O
100	CM 10	CM 10,5 LEVEL CM	16,7075 litre	53,182 %	14,7084 litre O
100	CM 10	CM 10 LEVEL CM	15,7080 litre	50,000 %	15,7079 litre O
100	CM 10	CM 9,5 LEVEL CM	14,7084 litre	46,818 %	16,7075 litre O
100	CM 10	CM 9 LEVEL CM	13,7113 litre	43,644 %	17,7046 litre O
100	CM 10	CM 8,5 LEVEL CM	12,7193 litre	40,487 %	18,6966 litre O
100	CM 10	CM 8 LEVEL CM	11,7348 litre	37,353 %	19,6811 litre O
100	CM 10	CM 7,5 LEVEL CM	10,7605 litre	34,252 %	20,6554 litre O
100	CM 10	CM 7 LEVEL CM	9,7992 litre	31,192 %	21,6167 litre O
100	CM 10	CM 6,5 LEVEL CM	8,8536 litre	28,182 %	22,5623 litre O
100	CM 10	CM 6 LEVEL CM	7,9267 litre	25,232 %	23,4892 litre O
100	CM 10	CM 5,5 LEVEL CM	7,0217 litre	22,351 %	24,3942 litre O
100	CM 10	CM 5 LEVEL CM	6,1418 litre	19,550 %	25,2741 litre O
100	CM 10	CM 4,5 LEVEL CM	5,2909 litre	16,842 %	26,1250 litre O
100	CM 10	CM 4 LEVEL CM	4,4730 litre	14,238 %	26,9429 litre O
100	CM 10	CM 3,5 LEVEL CM	3,6925 litre	11,754 %	27,7234 litre O
100	CM 10	CM 3 LEVEL CM	2,9550 litre	9,406 %	28,4609 litre O
100	CM 10	CM 2,5 LEVEL CM	2,2666 litre	7,215 %	29,1493 litre O
100	CM 10	CM 2 LEVEL CM	1,6350 litre	5,204 %	29,7809 litre O
100	CM 10	CM 1,5 LEVEL CM	1,0705 litre	3,407 %	30,3454 litre O
100	CM 10	CM 1 LEVEL CM	0,5873 litre	1,869 %	30,8286 litre O
100	CM 10	CM 0,5 LEVEL CM	0,2092 litre	0,666 %	31,2067 litre O
100	CM 10	CM 0 LEVEL CM	0,0000 litre	0,000 %	31,4159 litre O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
90	CM 45	CM 90 LEVEL CM	572,5553 litre	100,000 %	0,0000 litre O
90	CM 45	CM 89,5 LEVEL CM	572,1534 litre	99,930 %	0,4019 litre O
90	CM 45	CM 89 LEVEL CM	571,4206 litre	99,802 %	1,1347 litre O
90	CM 45	CM 88,5 LEVEL CM	570,4743 litre	99,637 %	2,0810 litre O
90	CM 45	CM 88 LEVEL CM	569,3569 litre	99,441 %	3,1984 litre O
90	CM 45	CM 87,5 LEVEL CM	568,0929 litre	99,221 %	4,4624 litre O
90	CM 45	CM 87 LEVEL CM	566,6994 litre	98,977 %	5,8559 litre O
90	CM 45	CM 86,5 LEVEL CM	565,1886 litre	98,713 %	7,3667 litre O
90	CM 45	CM 86 LEVEL CM	563,5703 litre	98,431 %	8,9850 litre O
90	CM 45	CM 85,5 LEVEL CM	561,8525 litre	98,131 %	10,7028 litre O
90	CM 45	CM 85 LEVEL CM	560,0416 litre	97,814 %	12,5137 litre O
90	CM 45	CM 84,5 LEVEL CM	558,1434 litre	97,483 %	14,4119 litre O
90	CM 45	CM 84 LEVEL CM	556,1627 litre	97,137 %	16,3926 litre O
90	CM 45	CM 83,5 LEVEL CM	554,1038 litre	96,777 %	18,4515 litre O
90	CM 45	CM 83 LEVEL CM	551,9704 litre	96,405 %	20,5849 litre O
90	CM 45	CM 82,5 LEVEL CM	549,7661 litre	96,020 %	22,7892 litre O
90	CM 45	CM 82 LEVEL CM	547,4940 litre	95,623 %	25,0613 litre O
90	CM 45	CM 81,5 LEVEL CM	545,1568 litre	95,215 %	27,3985 litre O
90	CM 45	CM 81 LEVEL CM	542,7572 litre	94,796 %	29,7981 litre O
90	CM 45	CM 80,5 LEVEL CM	540,2976 litre	94,366 %	32,2577 litre O
90	CM 45	CM 80 LEVEL CM	537,7802 litre	93,926 %	34,7751 litre O
90	CM 45	CM 79,5 LEVEL CM	535,2071 litre	93,477 %	37,3482 litre O
90	CM 45	CM 79 LEVEL CM	532,5802 litre	93,018 %	39,9751 litre O
90	CM 45	CM 78,5 LEVEL CM	529,9015 litre	92,550 %	42,6538 litre O
90	CM 45	CM 78 LEVEL CM	527,1725 litre	92,074 %	45,3828 litre O
90	CM 45	CM 77,5 LEVEL CM	524,3951 litre	91,589 %	48,1602 litre O
90	CM 45	CM 77 LEVEL CM	521,5706 litre	91,095 %	50,9847 litre O
90	CM 45	CM 76,5 LEVEL CM	518,7006 litre	90,594 %	53,8547 litre O
90	CM 45	CM 76 LEVEL CM	515,7865 litre	90,085 %	56,7688 litre O
90	CM 45	CM 75,5 LEVEL CM	512,8296 litre	89,569 %	59,7257 litre O
90	CM 45	CM 75 LEVEL CM	509,8312 litre	89,045 %	62,7241 litre O
90	CM 45	CM 74,5 LEVEL CM	506,7926 litre	88,514 %	65,7627 litre O
90	CM 45	CM 74 LEVEL CM	503,7149 litre	87,977 %	68,8404 litre O
90	CM 45	CM 73,5 LEVEL CM	500,5993 litre	87,432 %	71,9560 litre O
90	CM 45	CM 73 LEVEL CM	497,4469 litre	86,882 %	75,1084 litre O
90	CM 45	CM 72,5 LEVEL CM	494,2587 litre	86,325 %	78,2966 litre O
90	CM 45	CM 72 LEVEL CM	491,0357 litre	85,762 %	81,5196 litre O
90	CM 45	CM 71,5 LEVEL CM	487,7790 litre	85,193 %	84,7763 litre O
90	CM 45	CM 71 LEVEL CM	484,4895 litre	84,619 %	88,0658 litre O
90	CM 45	CM 70,5 LEVEL CM	481,1681 litre	84,039 %	91,3872 litre O
90	CM 45	CM 70 LEVEL CM	477,8158 litre	83,453 %	94,7395 litre O
90	CM 45	CM 69,5 LEVEL CM	474,4334 litre	82,862 %	98,1219 litre O
90	CM 45	CM 69 LEVEL CM	471,0218 litre	82,267 %	101,5335 litre O
90	CM 45	CM 68,5 LEVEL CM	467,5819 litre	81,666 %	104,9734 litre O
90	CM 45	CM 68 LEVEL CM	464,1144 litre	81,060 %	108,4409 litre O
90	CM 45	CM 67,5 LEVEL CM	460,6201 litre	80,450 %	111,9352 litre O
90	CM 45	CM 67 LEVEL CM	457,0998 litre	79,835 %	115,4555 litre O
90	CM 45	CM 66,5 LEVEL CM	453,5543 litre	79,216 %	119,0010 litre O
90	CM 45	CM 66 LEVEL CM	449,9844 litre	78,592 %	122,5709 litre O
90	CM 45	CM 65,5 LEVEL CM	446,3907 litre	77,965 %	126,1646 litre O
90	CM 45	CM 65 LEVEL CM	442,7739 litre	77,333 %	129,7814 litre O
90	CM 45	CM 64,5 LEVEL CM	439,1349 litre	76,697 %	133,4204 litre O

90	CM	45	CM	64 LEVEL CM	435,4741 litre	76,058 %	137,0812 litre	O
90	CM	45	CM	63,5 LEVEL CM	431,7925 litre	75,415 %	140,7628 litre	O
90	CM	45	CM	63 LEVEL CM	428,0905 litre	74,768 %	144,4648 litre	O
90	CM	45	CM	62,5 LEVEL CM	424,3689 litre	74,118 %	148,1864 litre	O
90	CM	45	CM	62 LEVEL CM	420,6283 litre	73,465 %	151,9270 litre	O
90	CM	45	CM	61,5 LEVEL CM	416,8694 litre	72,809 %	155,6859 litre	O
90	CM	45	CM	61 LEVEL CM	413,0927 litre	72,149 %	159,4626 litre	O
90	CM	45	CM	60,5 LEVEL CM	409,2989 litre	71,486 %	163,2564 litre	O
90	CM	45	CM	60 LEVEL CM	405,4886 litre	70,821 %	167,0667 litre	O
90	CM	45	CM	59,5 LEVEL CM	401,6623 litre	70,153 %	170,8930 litre	O
90	CM	45	CM	59 LEVEL CM	397,8208 litre	69,482 %	174,7345 litre	O
90	CM	45	CM	58,5 LEVEL CM	393,9645 litre	68,808 %	178,5908 litre	O
90	CM	45	CM	58 LEVEL CM	390,0941 litre	68,132 %	182,4612 litre	O
90	CM	45	CM	57,5 LEVEL CM	386,2100 litre	67,454 %	186,3453 litre	O
90	CM	45	CM	57 LEVEL CM	382,3130 litre	66,773 %	190,2423 litre	O
90	CM	45	CM	56,5 LEVEL CM	378,4035 litre	66,090 %	194,1518 litre	O
90	CM	45	CM	56 LEVEL CM	374,4822 litre	65,405 %	198,0731 litre	O
90	CM	45	CM	55,5 LEVEL CM	370,5495 litre	64,719 %	202,0058 litre	O
90	CM	45	CM	55 LEVEL CM	366,6059 litre	64,030 %	205,9494 litre	O
90	CM	45	CM	54,5 LEVEL CM	362,6522 litre	63,339 %	209,9031 litre	O
90	CM	45	CM	54 LEVEL CM	358,6887 litre	62,647 %	213,8666 litre	O
90	CM	45	CM	53,5 LEVEL CM	354,7160 litre	61,953 %	217,8393 litre	O
90	CM	45	CM	53 LEVEL CM	350,7347 litre	61,258 %	221,8206 litre	O
90	CM	45	CM	52,5 LEVEL CM	346,7452 litre	60,561 %	225,8101 litre	O
90	CM	45	CM	52 LEVEL CM	342,7481 litre	59,863 %	229,8072 litre	O
90	CM	45	CM	51,5 LEVEL CM	338,7440 litre	59,164 %	233,8113 litre	O
90	CM	45	CM	51 LEVEL CM	334,7332 litre	58,463 %	237,8221 litre	O
90	CM	45	CM	50,5 LEVEL CM	330,7165 litre	57,761 %	241,8388 litre	O
90	CM	45	CM	50 LEVEL CM	326,6941 litre	57,059 %	245,8612 litre	O
90	CM	45	CM	49,5 LEVEL CM	322,6668 litre	56,356 %	249,8885 litre	O
90	CM	45	CM	49 LEVEL CM	318,6349 litre	55,651 %	253,9204 litre	O
90	CM	45	CM	48,5 LEVEL CM	314,5990 litre	54,946 %	257,9563 litre	O
90	CM	45	CM	48 LEVEL CM	310,5596 litre	54,241 %	261,9957 litre	O
90	CM	45	CM	47,5 LEVEL CM	306,5172 litre	53,535 %	266,0381 litre	O
90	CM	45	CM	47 LEVEL CM	302,4723 litre	52,828 %	270,0830 litre	O
90	CM	45	CM	46,5 LEVEL CM	298,4254 litre	52,122 %	274,1299 litre	O
90	CM	45	CM	46 LEVEL CM	294,3770 litre	51,415 %	278,1783 litre	O
90	CM	45	CM	45,5 LEVEL CM	290,3275 litre	50,707 %	282,2278 litre	O
90	CM	45	CM	45 LEVEL CM	286,2776 litre	50,000 %	286,2777 litre	O
90	CM	45	CM	44,5 LEVEL CM	282,2277 litre	49,293 %	290,3276 litre	O
90	CM	45	CM	44 LEVEL CM	278,1783 litre	48,585 %	294,3770 litre	O
90	CM	45	CM	43,5 LEVEL CM	274,1299 litre	47,878 %	298,4254 litre	O
90	CM	45	CM	43 LEVEL CM	270,0830 litre	47,172 %	302,4723 litre	O
90	CM	45	CM	42,5 LEVEL CM	266,0381 litre	46,465 %	306,5172 litre	O
90	CM	45	CM	42 LEVEL CM	261,9956 litre	45,759 %	310,5597 litre	O
90	CM	45	CM	41,5 LEVEL CM	257,9562 litre	45,054 %	314,5991 litre	O
90	CM	45	CM	41 LEVEL CM	253,9203 litre	44,349 %	318,6350 litre	O
90	CM	45	CM	40,5 LEVEL CM	249,8885 litre	43,644 %	322,6668 litre	O
90	CM	45	CM	40 LEVEL CM	245,8611 litre	42,941 %	326,6942 litre	O
90	CM	45	CM	39,5 LEVEL CM	241,8388 litre	42,239 %	330,7165 litre	O
90	CM	45	CM	39 LEVEL CM	237,8220 litre	41,537 %	334,7333 litre	O
90	CM	45	CM	38,5 LEVEL CM	233,8113 litre	40,836 %	338,7440 litre	O
90	CM	45	CM	38 LEVEL CM	229,8071 litre	40,137 %	342,7482 litre	O

90	CM	45	CM	37,5 LEVEL CM	225,8101 litre	39,439 %	346,7452 litre	O
90	CM	45	CM	37 LEVEL CM	221,8206 litre	38,742 %	350,7347 litre	O
90	CM	45	CM	36,5 LEVEL CM	217,8393 litre	38,047 %	354,7160 litre	O
90	CM	45	CM	36 LEVEL CM	213,8666 litre	37,353 %	358,6887 litre	O
90	CM	45	CM	35,5 LEVEL CM	209,9031 litre	36,661 %	362,6522 litre	O
90	CM	45	CM	35 LEVEL CM	205,9493 litre	35,970 %	366,6060 litre	O
90	CM	45	CM	34,5 LEVEL CM	202,0058 litre	35,281 %	370,5495 litre	O
90	CM	45	CM	34 LEVEL CM	198,0731 litre	34,595 %	374,4822 litre	O
90	CM	45	CM	33,5 LEVEL CM	194,1517 litre	33,910 %	378,4036 litre	O
90	CM	45	CM	33 LEVEL CM	190,2422 litre	33,227 %	382,3131 litre	O
90	CM	45	CM	32,5 LEVEL CM	186,3452 litre	32,546 %	386,2101 litre	O
90	CM	45	CM	32 LEVEL CM	182,4612 litre	31,868 %	390,0941 litre	O
90	CM	45	CM	31,5 LEVEL CM	178,5908 litre	31,192 %	393,9645 litre	O
90	CM	45	CM	31 LEVEL CM	174,7345 litre	30,518 %	397,8208 litre	O
90	CM	45	CM	30,5 LEVEL CM	170,8929 litre	29,847 %	401,6624 litre	O
90	CM	45	CM	30 LEVEL CM	167,0667 litre	29,179 %	405,4886 litre	O
90	CM	45	CM	29,5 LEVEL CM	163,2564 litre	28,514 %	409,2989 litre	O
90	CM	45	CM	29 LEVEL CM	159,4626 litre	27,851 %	413,0927 litre	O
90	CM	45	CM	28,5 LEVEL CM	155,6859 litre	27,191 %	416,8694 litre	O
90	CM	45	CM	28 LEVEL CM	151,9269 litre	26,535 %	420,6284 litre	O
90	CM	45	CM	27,5 LEVEL CM	148,1863 litre	25,882 %	424,3690 litre	O
90	CM	45	CM	27 LEVEL CM	144,4647 litre	25,232 %	428,0906 litre	O
90	CM	45	CM	26,5 LEVEL CM	140,7628 litre	24,585 %	431,7925 litre	O
90	CM	45	CM	26 LEVEL CM	137,0811 litre	23,942 %	435,4742 litre	O
90	CM	45	CM	25,5 LEVEL CM	133,4204 litre	23,303 %	439,1349 litre	O
90	CM	45	CM	25 LEVEL CM	129,7813 litre	22,667 %	442,7740 litre	O
90	CM	45	CM	24,5 LEVEL CM	126,1646 litre	22,035 %	446,3907 litre	O
90	CM	45	CM	24 LEVEL CM	122,5709 litre	21,408 %	449,9844 litre	O
90	CM	45	CM	23,5 LEVEL CM	119,0009 litre	20,784 %	453,5544 litre	O
90	CM	45	CM	23 LEVEL CM	115,4555 litre	20,165 %	457,0998 litre	O
90	CM	45	CM	22,5 LEVEL CM	111,9352 litre	19,550 %	460,6201 litre	O
90	CM	45	CM	22 LEVEL CM	108,4409 litre	18,940 %	464,1144 litre	O
90	CM	45	CM	21,5 LEVEL CM	104,9734 litre	18,334 %	467,5819 litre	O
90	CM	45	CM	21 LEVEL CM	101,5334 litre	17,733 %	471,0219 litre	O
90	CM	45	CM	20,5 LEVEL CM	98,1218 litre	17,138 %	474,4335 litre	O
90	CM	45	CM	20 LEVEL CM	94,7394 litre	16,547 %	477,8159 litre	O
90	CM	45	CM	19,5 LEVEL CM	91,3871 litre	15,961 %	481,1682 litre	O
90	CM	45	CM	19 LEVEL CM	88,0658 litre	15,381 %	484,4895 litre	O
90	CM	45	CM	18,5 LEVEL CM	84,7763 litre	14,807 %	487,7790 litre	O
90	CM	45	CM	18 LEVEL CM	81,5196 litre	14,238 %	491,0357 litre	O
90	CM	45	CM	17,5 LEVEL CM	78,2966 litre	13,675 %	494,2587 litre	O
90	CM	45	CM	17 LEVEL CM	75,1084 litre	13,118 %	497,4469 litre	O
90	CM	45	CM	16,5 LEVEL CM	71,9559 litre	12,568 %	500,5994 litre	O
90	CM	45	CM	16 LEVEL CM	68,8403 litre	12,023 %	503,7150 litre	O
90	CM	45	CM	15,5 LEVEL CM	65,7626 litre	11,486 %	506,7927 litre	O
90	CM	45	CM	15 LEVEL CM	62,7240 litre	10,955 %	509,8313 litre	O
90	CM	45	CM	14,5 LEVEL CM	59,7256 litre	10,431 %	512,8297 litre	O
90	CM	45	CM	14 LEVEL CM	56,7688 litre	9,915 %	515,7865 litre	O
90	CM	45	CM	13,5 LEVEL CM	53,8547 litre	9,406 %	518,7006 litre	O
90	CM	45	CM	13 LEVEL CM	50,9847 litre	8,905 %	521,5706 litre	O
90	CM	45	CM	12,5 LEVEL CM	48,1602 litre	8,411 %	524,3951 litre	O
90	CM	45	CM	12 LEVEL CM	45,3827 litre	7,926 %	527,1726 litre	O
90	CM	45	CM	11,5 LEVEL CM	42,6538 litre	7,450 %	529,9015 litre	O

90	CM 45	CM	11 LEVEL CM	39,9750 litre	6,982 %	532,5803 litre	O
90	CM 45	CM	10,5 LEVEL CM	37,3482 litre	6,523 %	535,2071 litre	O
90	CM 45	CM	10 LEVEL CM	34,7751 litre	6,074 %	537,7802 litre	O
90	CM 45	CM	9,5 LEVEL CM	32,2577 litre	5,634 %	540,2976 litre	O
90	CM 45	CM	9 LEVEL CM	29,7981 litre	5,204 %	542,7572 litre	O
90	CM 45	CM	8,5 LEVEL CM	27,3985 litre	4,785 %	545,1568 litre	O
90	CM 45	CM	8 LEVEL CM	25,0613 litre	4,377 %	547,4940 litre	O
90	CM 45	CM	7,5 LEVEL CM	22,7891 litre	3,980 %	549,7662 litre	O
90	CM 45	CM	7 LEVEL CM	20,5848 litre	3,595 %	551,9705 litre	O
90	CM 45	CM	6,5 LEVEL CM	18,4515 litre	3,223 %	554,1038 litre	O
90	CM 45	CM	6 LEVEL CM	16,3926 litre	2,863 %	556,1627 litre	O
90	CM 45	CM	5,5 LEVEL CM	14,4119 litre	2,517 %	558,1434 litre	O
90	CM 45	CM	5 LEVEL CM	12,5136 litre	2,186 %	560,0417 litre	O
90	CM 45	CM	4,5 LEVEL CM	10,7028 litre	1,869 %	561,8525 litre	O
90	CM 45	CM	4 LEVEL CM	8,9849 litre	1,569 %	563,5704 litre	O
90	CM 45	CM	3,5 LEVEL CM	7,3667 litre	1,287 %	565,1886 litre	O
90	CM 45	CM	3 LEVEL CM	5,8559 litre	1,023 %	566,6994 litre	O
90	CM 45	CM	2,5 LEVEL CM	4,4623 litre	0,779 %	568,0930 litre	O
90	CM 45	CM	2 LEVEL CM	3,1984 litre	0,559 %	569,3569 litre	O
90	CM 45	CM	1,5 LEVEL CM	2,0809 litre	0,363 %	570,4744 litre	O
90	CM 45	CM	1 LEVEL CM	1,1346 litre	0,198 %	571,4207 litre	O
90	CM 45	CM	0,5 LEVEL CM	0,4018 litre	0,070 %	572,1535 litre	O
90	CM 45	CM	0 LEVEL CM	0,0000 litre	0,000 %	572,5553 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
90	CM 40	CM 80 LEVEL CM	452,3893 litre	100,000 %	0,0000 litre	O
90	CM 40	CM 79,5 LEVEL CM	452,0106 litre	99,916 %	0,3787 litre	O
90	CM 40	CM 79 LEVEL CM	451,3201 litre	99,764 %	1,0692 litre	O
90	CM 40	CM 78,5 LEVEL CM	450,4287 litre	99,567 %	1,9606 litre	O
90	CM 40	CM 78 LEVEL CM	449,3764 litre	99,334 %	3,0129 litre	O
90	CM 40	CM 77,5 LEVEL CM	448,1867 litre	99,071 %	4,2026 litre	O
90	CM 40	CM 77 LEVEL CM	446,8754 litre	98,781 %	5,5139 litre	O
90	CM 40	CM 76,5 LEVEL CM	445,4544 litre	98,467 %	6,9349 litre	O
90	CM 40	CM 76 LEVEL CM	443,9328 litre	98,131 %	8,4565 litre	O
90	CM 40	CM 75,5 LEVEL CM	442,3182 litre	97,774 %	10,0711 litre	O
90	CM 40	CM 75 LEVEL CM	440,6169 litre	97,398 %	11,7724 litre	O
90	CM 40	CM 74,5 LEVEL CM	438,8342 litre	97,004 %	13,5551 litre	O
90	CM 40	CM 74 LEVEL CM	436,9748 litre	96,593 %	15,4145 litre	O
90	CM 40	CM 73,5 LEVEL CM	435,0427 litre	96,166 %	17,3466 litre	O
90	CM 40	CM 73 LEVEL CM	433,0416 litre	95,723 %	19,3477 litre	O
90	CM 40	CM 72,5 LEVEL CM	430,9747 litre	95,266 %	21,4146 litre	O
90	CM 40	CM 72 LEVEL CM	428,8452 litre	94,796 %	23,5441 litre	O
90	CM 40	CM 71,5 LEVEL CM	426,6556 litre	94,312 %	25,7337 litre	O
90	CM 40	CM 71 LEVEL CM	424,4085 litre	93,815 %	27,9808 litre	O
90	CM 40	CM 70,5 LEVEL CM	422,1062 litre	93,306 %	30,2831 litre	O
90	CM 40	CM 70 LEVEL CM	419,7509 litre	92,785 %	32,6384 litre	O
90	CM 40	CM 69,5 LEVEL CM	417,3445 litre	92,253 %	35,0448 litre	O
90	CM 40	CM 69 LEVEL CM	414,8890 litre	91,711 %	37,5003 litre	O
90	CM 40	CM 68,5 LEVEL CM	412,3861 litre	91,157 %	40,0032 litre	O
90	CM 40	CM 68 LEVEL CM	409,8375 litre	90,594 %	42,5518 litre	O
90	CM 40	CM 67,5 LEVEL CM	407,2448 litre	90,021 %	45,1445 litre	O
90	CM 40	CM 67 LEVEL CM	404,6095 litre	89,438 %	47,7798 litre	O
90	CM 40	CM 66,5 LEVEL CM	401,9330 litre	88,847 %	50,4563 litre	O
90	CM 40	CM 66 LEVEL CM	399,2167 litre	88,246 %	53,1726 litre	O
90	CM 40	CM 65,5 LEVEL CM	396,4619 litre	87,637 %	55,9274 litre	O
90	CM 40	CM 65 LEVEL CM	393,6698 litre	87,020 %	58,7195 litre	O
90	CM 40	CM 64,5 LEVEL CM	390,8418 litre	86,395 %	61,5475 litre	O
90	CM 40	CM 64 LEVEL CM	387,9788 litre	85,762 %	64,4105 litre	O
90	CM 40	CM 63,5 LEVEL CM	385,0821 litre	85,122 %	67,3072 litre	O
90	CM 40	CM 63 LEVEL CM	382,1528 litre	84,474 %	70,2365 litre	O
90	CM 40	CM 62,5 LEVEL CM	379,1918 litre	83,820 %	73,1975 litre	O
90	CM 40	CM 62 LEVEL CM	376,2002 litre	83,159 %	76,1891 litre	O
90	CM 40	CM 61,5 LEVEL CM	373,1789 litre	82,491 %	79,2104 litre	O
90	CM 40	CM 61 LEVEL CM	370,1290 litre	81,816 %	82,2603 litre	O
90	CM 40	CM 60,5 LEVEL CM	367,0513 litre	81,136 %	85,3380 litre	O
90	CM 40	CM 60 LEVEL CM	363,9467 litre	80,450 %	88,4426 litre	O
90	CM 40	CM 59,5 LEVEL CM	360,8162 litre	79,758 %	91,5731 litre	O
90	CM 40	CM 59 LEVEL CM	357,6605 litre	79,060 %	94,7288 litre	O
90	CM 40	CM 58,5 LEVEL CM	354,4806 litre	78,357 %	97,9087 litre	O
90	CM 40	CM 58 LEVEL CM	351,2771 litre	77,649 %	101,1122 litre	O
90	CM 40	CM 57,5 LEVEL CM	348,0510 litre	76,936 %	104,3383 litre	O
90	CM 40	CM 57 LEVEL CM	344,8030 litre	76,218 %	107,5863 litre	O
90	CM 40	CM 56,5 LEVEL CM	341,5339 litre	75,496 %	110,8554 litre	O
90	CM 40	CM 56 LEVEL CM	338,2444 litre	74,768 %	114,1449 litre	O
90	CM 40	CM 55,5 LEVEL CM	334,9352 litre	74,037 %	117,4541 litre	O
90	CM 40	CM 55 LEVEL CM	331,6071 litre	73,301 %	120,7822 litre	O
90	CM 40	CM 54,5 LEVEL CM	328,2609 litre	72,562 %	124,1284 litre	O

90	CM 40	CM	54 LEVEL CM	324,8971 litre	71,818 %	127,4922 litre	O
90	CM 40	CM	53,5 LEVEL CM	321,5165 litre	71,071 %	130,8728 litre	O
90	CM 40	CM	53 LEVEL CM	318,1198 litre	70,320 %	134,2695 litre	O
90	CM 40	CM	52,5 LEVEL CM	314,7076 litre	69,566 %	137,6817 litre	O
90	CM 40	CM	52 LEVEL CM	311,2806 litre	68,808 %	141,1087 litre	O
90	CM 40	CM	51,5 LEVEL CM	307,8394 litre	68,047 %	144,5499 litre	O
90	CM 40	CM	51 LEVEL CM	304,3848 litre	67,284 %	148,0045 litre	O
90	CM 40	CM	50,5 LEVEL CM	300,9172 litre	66,517 %	151,4721 litre	O
90	CM 40	CM	50 LEVEL CM	297,4375 litre	65,748 %	154,9518 litre	O
90	CM 40	CM	49,5 LEVEL CM	293,9461 litre	64,976 %	158,4432 litre	O
90	CM 40	CM	49 LEVEL CM	290,4437 litre	64,202 %	161,9456 litre	O
90	CM 40	CM	48,5 LEVEL CM	286,9309 litre	63,426 %	165,4584 litre	O
90	CM 40	CM	48 LEVEL CM	283,4083 litre	62,647 %	168,9810 litre	O
90	CM 40	CM	47,5 LEVEL CM	279,8766 litre	61,866 %	172,5127 litre	O
90	CM 40	CM	47 LEVEL CM	276,3362 litre	61,084 %	176,0531 litre	O
90	CM 40	CM	46,5 LEVEL CM	272,7879 litre	60,299 %	179,6014 litre	O
90	CM 40	CM	46 LEVEL CM	269,2321 litre	59,513 %	183,1572 litre	O
90	CM 40	CM	45,5 LEVEL CM	265,6695 litre	58,726 %	186,7198 litre	O
90	CM 40	CM	45 LEVEL CM	262,1007 litre	57,937 %	190,2886 litre	O
90	CM 40	CM	44,5 LEVEL CM	258,5262 litre	57,147 %	193,8631 litre	O
90	CM 40	CM	44 LEVEL CM	254,9466 litre	56,356 %	197,4427 litre	O
90	CM 40	CM	43,5 LEVEL CM	251,3625 litre	55,563 %	201,0268 litre	O
90	CM 40	CM	43 LEVEL CM	247,7744 litre	54,770 %	204,6149 litre	O
90	CM 40	CM	42,5 LEVEL CM	244,1829 litre	53,976 %	208,2064 litre	O
90	CM 40	CM	42 LEVEL CM	240,5887 litre	53,182 %	211,8006 litre	O
90	CM 40	CM	41,5 LEVEL CM	236,9921 litre	52,387 %	215,3972 litre	O
90	CM 40	CM	41 LEVEL CM	233,3939 litre	51,591 %	218,9954 litre	O
90	CM 40	CM	40,5 LEVEL CM	229,7946 litre	50,796 %	222,5947 litre	O
90	CM 40	CM	40 LEVEL CM	226,1947 litre	50,000 %	226,1946 litre	O
90	CM 40	CM	39,5 LEVEL CM	222,5948 litre	49,204 %	229,7945 litre	O
90	CM 40	CM	39 LEVEL CM	218,9954 litre	48,409 %	233,3939 litre	O
90	CM 40	CM	38,5 LEVEL CM	215,3972 litre	47,613 %	236,9921 litre	O
90	CM 40	CM	38 LEVEL CM	211,8007 litre	46,818 %	240,5886 litre	O
90	CM 40	CM	37,5 LEVEL CM	208,2064 litre	46,024 %	244,1829 litre	O
90	CM 40	CM	37 LEVEL CM	204,6149 litre	45,230 %	247,7744 litre	O
90	CM 40	CM	36,5 LEVEL CM	201,0269 litre	44,437 %	251,3624 litre	O
90	CM 40	CM	36 LEVEL CM	197,4427 litre	43,644 %	254,9466 litre	O
90	CM 40	CM	35,5 LEVEL CM	193,8631 litre	42,853 %	258,5262 litre	O
90	CM 40	CM	35 LEVEL CM	190,2886 litre	42,063 %	262,1007 litre	O
90	CM 40	CM	34,5 LEVEL CM	186,7198 litre	41,274 %	265,6695 litre	O
90	CM 40	CM	34 LEVEL CM	183,1572 litre	40,487 %	269,2321 litre	O
90	CM 40	CM	33,5 LEVEL CM	179,6015 litre	39,701 %	272,7878 litre	O
90	CM 40	CM	33 LEVEL CM	176,0531 litre	38,916 %	276,3362 litre	O
90	CM 40	CM	32,5 LEVEL CM	172,5128 litre	38,134 %	279,8765 litre	O
90	CM 40	CM	32 LEVEL CM	168,9810 litre	37,353 %	283,4083 litre	O
90	CM 40	CM	31,5 LEVEL CM	165,4584 litre	36,574 %	286,9309 litre	O
90	CM 40	CM	31 LEVEL CM	161,9456 litre	35,798 %	290,4437 litre	O
90	CM 40	CM	30,5 LEVEL CM	158,4433 litre	35,024 %	293,9460 litre	O
90	CM 40	CM	30 LEVEL CM	154,9519 litre	34,252 %	297,4374 litre	O
90	CM 40	CM	29,5 LEVEL CM	151,4721 litre	33,483 %	300,9172 litre	O
90	CM 40	CM	29 LEVEL CM	148,0046 litre	32,716 %	304,3847 litre	O
90	CM 40	CM	28,5 LEVEL CM	144,5499 litre	31,953 %	307,8394 litre	O
90	CM 40	CM	28 LEVEL CM	141,1088 litre	31,192 %	311,2805 litre	O

90	CM	40	CM	27,5 LEVEL CM	137,6818 litre	30,434 %	314,7075 litre	O
90	CM	40	CM	27 LEVEL CM	134,2696 litre	29,680 %	318,1197 litre	O
90	CM	40	CM	26,5 LEVEL CM	130,8728 litre	28,929 %	321,5165 litre	O
90	CM	40	CM	26 LEVEL CM	127,4922 litre	28,182 %	324,8971 litre	O
90	CM	40	CM	25,5 LEVEL CM	124,1285 litre	27,438 %	328,2608 litre	O
90	CM	40	CM	25 LEVEL CM	120,7822 litre	26,699 %	331,6071 litre	O
90	CM	40	CM	24,5 LEVEL CM	117,4541 litre	25,963 %	334,9352 litre	O
90	CM	40	CM	24 LEVEL CM	114,1450 litre	25,232 %	338,2443 litre	O
90	CM	40	CM	23,5 LEVEL CM	110,8555 litre	24,504 %	341,5338 litre	O
90	CM	40	CM	23 LEVEL CM	107,5863 litre	23,782 %	344,8030 litre	O
90	CM	40	CM	22,5 LEVEL CM	104,3383 litre	23,064 %	348,0510 litre	O
90	CM	40	CM	22 LEVEL CM	101,1122 litre	22,351 %	351,2771 litre	O
90	CM	40	CM	21,5 LEVEL CM	97,9088 litre	21,643 %	354,4805 litre	O
90	CM	40	CM	21 LEVEL CM	94,7288 litre	20,940 %	357,6605 litre	O
90	CM	40	CM	20,5 LEVEL CM	91,5732 litre	20,242 %	360,8161 litre	O
90	CM	40	CM	20 LEVEL CM	88,4426 litre	19,550 %	363,9467 litre	O
90	CM	40	CM	19,5 LEVEL CM	85,3381 litre	18,864 %	367,0512 litre	O
90	CM	40	CM	19 LEVEL CM	82,2604 litre	18,184 %	370,1289 litre	O
90	CM	40	CM	18,5 LEVEL CM	79,2104 litre	17,509 %	373,1789 litre	O
90	CM	40	CM	18 LEVEL CM	76,1892 litre	16,842 %	376,2001 litre	O
90	CM	40	CM	17,5 LEVEL CM	73,1976 litre	16,180 %	379,1917 litre	O
90	CM	40	CM	17 LEVEL CM	70,2366 litre	15,526 %	382,1527 litre	O
90	CM	40	CM	16,5 LEVEL CM	67,3072 litre	14,878 %	385,0821 litre	O
90	CM	40	CM	16 LEVEL CM	64,4105 litre	14,238 %	387,9788 litre	O
90	CM	40	CM	15,5 LEVEL CM	61,5476 litre	13,605 %	390,8417 litre	O
90	CM	40	CM	15 LEVEL CM	58,7195 litre	12,980 %	393,6698 litre	O
90	CM	40	CM	14,5 LEVEL CM	55,9275 litre	12,363 %	396,4618 litre	O
90	CM	40	CM	14 LEVEL CM	53,1727 litre	11,754 %	399,2166 litre	O
90	CM	40	CM	13,5 LEVEL CM	50,4564 litre	11,153 %	401,9329 litre	O
90	CM	40	CM	13 LEVEL CM	47,7799 litre	10,562 %	404,6094 litre	O
90	CM	40	CM	12,5 LEVEL CM	45,1445 litre	9,979 %	407,2448 litre	O
90	CM	40	CM	12 LEVEL CM	42,5518 litre	9,406 %	409,8375 litre	O
90	CM	40	CM	11,5 LEVEL CM	40,0032 litre	8,843 %	412,3861 litre	O
90	CM	40	CM	11 LEVEL CM	37,5003 litre	8,289 %	414,8890 litre	O
90	CM	40	CM	10,5 LEVEL CM	35,0448 litre	7,747 %	417,3445 litre	O
90	CM	40	CM	10 LEVEL CM	32,6384 litre	7,215 %	419,7509 litre	O
90	CM	40	CM	9,5 LEVEL CM	30,2831 litre	6,694 %	422,1062 litre	O
90	CM	40	CM	9 LEVEL CM	27,9808 litre	6,185 %	424,4085 litre	O
90	CM	40	CM	8,5 LEVEL CM	25,7337 litre	5,688 %	426,6556 litre	O
90	CM	40	CM	8 LEVEL CM	23,5442 litre	5,204 %	428,8451 litre	O
90	CM	40	CM	7,5 LEVEL CM	21,4146 litre	4,734 %	430,9747 litre	O
90	CM	40	CM	7 LEVEL CM	19,3478 litre	4,277 %	433,0415 litre	O
90	CM	40	CM	6,5 LEVEL CM	17,3467 litre	3,834 %	435,0426 litre	O
90	CM	40	CM	6 LEVEL CM	15,4146 litre	3,407 %	436,9747 litre	O
90	CM	40	CM	5,5 LEVEL CM	13,5551 litre	2,996 %	438,8342 litre	O
90	CM	40	CM	5 LEVEL CM	11,7724 litre	2,602 %	440,6169 litre	O
90	CM	40	CM	4,5 LEVEL CM	10,0711 litre	2,226 %	442,3182 litre	O
90	CM	40	CM	4 LEVEL CM	8,4565 litre	1,869 %	443,9328 litre	O
90	CM	40	CM	3,5 LEVEL CM	6,9350 litre	1,533 %	445,4543 litre	O
90	CM	40	CM	3 LEVEL CM	5,5139 litre	1,219 %	446,8754 litre	O
90	CM	40	CM	2,5 LEVEL CM	4,2026 litre	0,929 %	448,1867 litre	O
90	CM	40	CM	2 LEVEL CM	3,0129 litre	0,666 %	449,3764 litre	O
90	CM	40	CM	1,5 LEVEL CM	1,9607 litre	0,433 %	450,4286 litre	O

90	CM 40	CM	1 LEVEL CM	1,0693 litre	0,236 %	451,3200 litre	O
90	CM 40	CM	0,5 LEVEL CM	0,3788 litre	0,084 %	452,0105 litre	O
90	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	452,3893 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
90	CM	35	CM 70 LEVEL CM	346,3606 litre	100,000 %	0,0000 litre	O
90	CM	35	CM 69,5 LEVEL CM	346,0064 litre	99,898 %	0,3542 litre	O
90	CM	35	CM 69 LEVEL CM	345,3609 litre	99,711 %	0,9997 litre	O
90	CM	35	CM 68,5 LEVEL CM	344,5280 litre	99,471 %	1,8326 litre	O
90	CM	35	CM 68 LEVEL CM	343,5453 litre	99,187 %	2,8153 litre	O
90	CM	35	CM 67,5 LEVEL CM	342,4348 litre	98,867 %	3,9258 litre	O
90	CM	35	CM 67 LEVEL CM	341,2113 litre	98,513 %	5,1493 litre	O
90	CM	35	CM 66,5 LEVEL CM	339,8861 litre	98,131 %	6,4745 litre	O
90	CM	35	CM 66 LEVEL CM	338,4678 litre	97,721 %	7,8928 litre	O
90	CM	35	CM 65,5 LEVEL CM	336,9636 litre	97,287 %	9,3970 litre	O
90	CM	35	CM 65 LEVEL CM	335,3793 litre	96,830 %	10,9813 litre	O
90	CM	35	CM 64,5 LEVEL CM	333,7201 litre	96,350 %	12,6405 litre	O
90	CM	35	CM 64 LEVEL CM	331,9904 litre	95,851 %	14,3702 litre	O
90	CM	35	CM 63,5 LEVEL CM	330,1941 litre	95,332 %	16,1665 litre	O
90	CM	35	CM 63 LEVEL CM	328,3346 litre	94,796 %	18,0260 litre	O
90	CM	35	CM 62,5 LEVEL CM	326,4151 litre	94,241 %	19,9455 litre	O
90	CM	35	CM 62 LEVEL CM	324,4384 litre	93,671 %	21,9222 litre	O
90	CM	35	CM 61,5 LEVEL CM	322,4071 litre	93,084 %	23,9535 litre	O
90	CM	35	CM 61 LEVEL CM	320,3237 litre	92,483 %	26,0369 litre	O
90	CM	35	CM 60,5 LEVEL CM	318,1903 litre	91,867 %	28,1703 litre	O
90	CM	35	CM 60 LEVEL CM	316,0090 litre	91,237 %	30,3516 litre	O
90	CM	35	CM 59,5 LEVEL CM	313,7818 litre	90,594 %	32,5788 litre	O
90	CM	35	CM 59 LEVEL CM	311,5105 litre	89,938 %	34,8501 litre	O
90	CM	35	CM 58,5 LEVEL CM	309,1968 litre	89,270 %	37,1638 litre	O
90	CM	35	CM 58 LEVEL CM	306,8423 litre	88,590 %	39,5183 litre	O
90	CM	35	CM 57,5 LEVEL CM	304,4486 litre	87,899 %	41,9120 litre	O
90	CM	35	CM 57 LEVEL CM	302,0171 litre	87,197 %	44,3435 litre	O
90	CM	35	CM 56,5 LEVEL CM	299,5492 litre	86,485 %	46,8114 litre	O
90	CM	35	CM 56 LEVEL CM	297,0463 litre	85,762 %	49,3143 litre	O
90	CM	35	CM 55,5 LEVEL CM	294,5096 litre	85,030 %	51,8510 litre	O
90	CM	35	CM 55 LEVEL CM	291,9404 litre	84,288 %	54,4202 litre	O
90	CM	35	CM 54,5 LEVEL CM	289,3399 litre	83,537 %	57,0207 litre	O
90	CM	35	CM 54 LEVEL CM	286,7092 litre	82,778 %	59,6514 litre	O
90	CM	35	CM 53,5 LEVEL CM	284,0494 litre	82,010 %	62,3112 litre	O
90	CM	35	CM 53 LEVEL CM	281,3615 litre	81,234 %	64,9991 litre	O
90	CM	35	CM 52,5 LEVEL CM	278,6467 litre	80,450 %	67,7139 litre	O
90	CM	35	CM 52 LEVEL CM	275,9059 litre	79,659 %	70,4547 litre	O
90	CM	35	CM 51,5 LEVEL CM	273,1401 litre	78,860 %	73,2205 litre	O
90	CM	35	CM 51 LEVEL CM	270,3502 litre	78,055 %	76,0104 litre	O
90	CM	35	CM 50,5 LEVEL CM	267,5372 litre	77,242 %	78,8234 litre	O
90	CM	35	CM 50 LEVEL CM	264,7020 litre	76,424 %	81,6586 litre	O
90	CM	35	CM 49,5 LEVEL CM	261,8454 litre	75,599 %	84,5152 litre	O
90	CM	35	CM 49 LEVEL CM	258,9683 litre	74,768 %	87,3923 litre	O
90	CM	35	CM 48,5 LEVEL CM	256,0716 litre	73,932 %	90,2890 litre	O
90	CM	35	CM 48 LEVEL CM	253,1561 litre	73,090 %	93,2045 litre	O
90	CM	35	CM 47,5 LEVEL CM	250,2226 litre	72,243 %	96,1380 litre	O
90	CM	35	CM 47 LEVEL CM	247,2719 litre	71,391 %	99,0887 litre	O
90	CM	35	CM 46,5 LEVEL CM	244,3047 litre	70,535 %	102,0559 litre	O
90	CM	35	CM 46 LEVEL CM	241,3219 litre	69,674 %	105,0387 litre	O
90	CM	35	CM 45,5 LEVEL CM	238,3242 litre	68,808 %	108,0364 litre	O
90	CM	35	CM 45 LEVEL CM	235,3123 litre	67,939 %	111,0483 litre	O
90	CM	35	CM 44,5 LEVEL CM	232,2871 litre	67,065 %	114,0735 litre	O

90	CM	35	CM	44 LEVEL CM	229,2491 litre	66,188 %	117,1115 litre	O
90	CM	35	CM	43,5 LEVEL CM	226,1991 litre	65,307 %	120,1615 litre	O
90	CM	35	CM	43 LEVEL CM	223,1379 litre	64,424 %	123,2227 litre	O
90	CM	35	CM	42,5 LEVEL CM	220,0662 litre	63,537 %	126,2944 litre	O
90	CM	35	CM	42 LEVEL CM	216,9845 litre	62,647 %	129,3761 litre	O
90	CM	35	CM	41,5 LEVEL CM	213,8937 litre	61,755 %	132,4669 litre	O
90	CM	35	CM	41 LEVEL CM	210,7943 litre	60,860 %	135,5663 litre	O
90	CM	35	CM	40,5 LEVEL CM	207,6872 litre	59,963 %	138,6734 litre	O
90	CM	35	CM	40 LEVEL CM	204,5728 litre	59,064 %	141,7878 litre	O
90	CM	35	CM	39,5 LEVEL CM	201,4520 litre	58,163 %	144,9086 litre	O
90	CM	35	CM	39 LEVEL CM	198,3253 litre	57,260 %	148,0353 litre	O
90	CM	35	CM	38,5 LEVEL CM	195,1935 litre	56,356 %	151,1671 litre	O
90	CM	35	CM	38 LEVEL CM	192,0571 litre	55,450 %	154,3035 litre	O
90	CM	35	CM	37,5 LEVEL CM	188,9169 litre	54,543 %	157,4437 litre	O
90	CM	35	CM	37 LEVEL CM	185,7734 litre	53,636 %	160,5872 litre	O
90	CM	35	CM	36,5 LEVEL CM	182,6274 litre	52,728 %	163,7332 litre	O
90	CM	35	CM	36 LEVEL CM	179,4794 litre	51,819 %	166,8812 litre	O
90	CM	35	CM	35,5 LEVEL CM	176,3302 litre	50,909 %	170,0304 litre	O
90	CM	35	CM	35 LEVEL CM	173,1803 litre	50,000 %	173,1803 litre	O
90	CM	35	CM	34,5 LEVEL CM	170,0304 litre	49,091 %	176,3302 litre	O
90	CM	35	CM	34 LEVEL CM	166,8812 litre	48,181 %	179,4794 litre	O
90	CM	35	CM	33,5 LEVEL CM	163,7332 litre	47,272 %	182,6274 litre	O
90	CM	35	CM	33 LEVEL CM	160,5872 litre	46,364 %	185,7734 litre	O
90	CM	35	CM	32,5 LEVEL CM	157,4437 litre	45,457 %	188,9169 litre	O
90	CM	35	CM	32 LEVEL CM	154,3035 litre	44,550 %	192,0571 litre	O
90	CM	35	CM	31,5 LEVEL CM	151,1671 litre	43,644 %	195,1935 litre	O
90	CM	35	CM	31 LEVEL CM	148,0353 litre	42,740 %	198,3253 litre	O
90	CM	35	CM	30,5 LEVEL CM	144,9086 litre	41,837 %	201,4520 litre	O
90	CM	35	CM	30 LEVEL CM	141,7878 litre	40,936 %	204,5728 litre	O
90	CM	35	CM	29,5 LEVEL CM	138,6734 litre	40,037 %	207,6872 litre	O
90	CM	35	CM	29 LEVEL CM	135,5663 litre	39,140 %	210,7943 litre	O
90	CM	35	CM	28,5 LEVEL CM	132,4669 litre	38,245 %	213,8937 litre	O
90	CM	35	CM	28 LEVEL CM	129,3761 litre	37,353 %	216,9845 litre	O
90	CM	35	CM	27,5 LEVEL CM	126,2944 litre	36,463 %	220,0662 litre	O
90	CM	35	CM	27 LEVEL CM	123,2227 litre	35,576 %	223,1379 litre	O
90	CM	35	CM	26,5 LEVEL CM	120,1614 litre	34,693 %	226,1992 litre	O
90	CM	35	CM	26 LEVEL CM	117,1115 litre	33,812 %	229,2491 litre	O
90	CM	35	CM	25,5 LEVEL CM	114,0735 litre	32,935 %	232,2871 litre	O
90	CM	35	CM	25 LEVEL CM	111,0483 litre	32,061 %	235,3123 litre	O
90	CM	35	CM	24,5 LEVEL CM	108,0364 litre	31,192 %	238,3242 litre	O
90	CM	35	CM	24 LEVEL CM	105,0387 litre	30,326 %	241,3219 litre	O
90	CM	35	CM	23,5 LEVEL CM	102,0559 litre	29,465 %	244,3047 litre	O
90	CM	35	CM	23 LEVEL CM	99,0887 litre	28,609 %	247,2719 litre	O
90	CM	35	CM	22,5 LEVEL CM	96,1380 litre	27,757 %	250,2226 litre	O
90	CM	35	CM	22 LEVEL CM	93,2045 litre	26,910 %	253,1561 litre	O
90	CM	35	CM	21,5 LEVEL CM	90,2889 litre	26,068 %	256,0717 litre	O
90	CM	35	CM	21 LEVEL CM	87,3922 litre	25,232 %	258,9684 litre	O
90	CM	35	CM	20,5 LEVEL CM	84,5152 litre	24,401 %	261,8454 litre	O
90	CM	35	CM	20 LEVEL CM	81,6586 litre	23,576 %	264,7020 litre	O
90	CM	35	CM	19,5 LEVEL CM	78,8234 litre	22,758 %	267,5372 litre	O
90	CM	35	CM	19 LEVEL CM	76,0104 litre	21,945 %	270,3502 litre	O
90	CM	35	CM	18,5 LEVEL CM	73,2205 litre	21,140 %	273,1401 litre	O
90	CM	35	CM	18 LEVEL CM	70,4547 litre	20,341 %	275,9059 litre	O

90	CM 35	CM	17,5 LEVEL CM	67,7139 litre	19,550 %	278,6467 litre	O
90	CM 35	CM	17 LEVEL CM	64,9991 litre	18,766 %	281,3615 litre	O
90	CM 35	CM	16,5 LEVEL CM	62,3112 litre	17,990 %	284,0494 litre	O
90	CM 35	CM	16 LEVEL CM	59,6514 litre	17,222 %	286,7092 litre	O
90	CM 35	CM	15,5 LEVEL CM	57,0207 litre	16,463 %	289,3399 litre	O
90	CM 35	CM	15 LEVEL CM	54,4202 litre	15,712 %	291,9404 litre	O
90	CM 35	CM	14,5 LEVEL CM	51,8510 litre	14,970 %	294,5096 litre	O
90	CM 35	CM	14 LEVEL CM	49,3143 litre	14,238 %	297,0463 litre	O
90	CM 35	CM	13,5 LEVEL CM	46,8114 litre	13,515 %	299,5492 litre	O
90	CM 35	CM	13 LEVEL CM	44,3435 litre	12,803 %	302,0171 litre	O
90	CM 35	CM	12,5 LEVEL CM	41,9120 litre	12,101 %	304,4486 litre	O
90	CM 35	CM	12 LEVEL CM	39,5183 litre	11,410 %	306,8423 litre	O
90	CM 35	CM	11,5 LEVEL CM	37,1638 litre	10,730 %	309,1968 litre	O
90	CM 35	CM	11 LEVEL CM	34,8501 litre	10,062 %	311,5105 litre	O
90	CM 35	CM	10,5 LEVEL CM	32,5787 litre	9,406 %	313,7819 litre	O
90	CM 35	CM	10 LEVEL CM	30,3516 litre	8,763 %	316,0090 litre	O
90	CM 35	CM	9,5 LEVEL CM	28,1703 litre	8,133 %	318,1903 litre	O
90	CM 35	CM	9 LEVEL CM	26,0369 litre	7,517 %	320,3237 litre	O
90	CM 35	CM	8,5 LEVEL CM	23,9535 litre	6,916 %	322,4071 litre	O
90	CM 35	CM	8 LEVEL CM	21,9222 litre	6,329 %	324,4384 litre	O
90	CM 35	CM	7,5 LEVEL CM	19,9455 litre	5,759 %	326,4151 litre	O
90	CM 35	CM	7 LEVEL CM	18,0260 litre	5,204 %	328,3346 litre	O
90	CM 35	CM	6,5 LEVEL CM	16,1665 litre	4,668 %	330,1941 litre	O
90	CM 35	CM	6 LEVEL CM	14,3702 litre	4,149 %	331,9904 litre	O
90	CM 35	CM	5,5 LEVEL CM	12,6405 litre	3,650 %	333,7201 litre	O
90	CM 35	CM	5 LEVEL CM	10,9813 litre	3,170 %	335,3793 litre	O
90	CM 35	CM	4,5 LEVEL CM	9,3970 litre	2,713 %	336,9636 litre	O
90	CM 35	CM	4 LEVEL CM	7,8928 litre	2,279 %	338,4678 litre	O
90	CM 35	CM	3,5 LEVEL CM	6,4745 litre	1,869 %	339,8861 litre	O
90	CM 35	CM	3 LEVEL CM	5,1493 litre	1,487 %	341,2113 litre	O
90	CM 35	CM	2,5 LEVEL CM	3,9258 litre	1,133 %	342,4348 litre	O
90	CM 35	CM	2 LEVEL CM	2,8153 litre	0,813 %	343,5453 litre	O
90	CM 35	CM	1,5 LEVEL CM	1,8325 litre	0,529 %	344,5281 litre	O
90	CM 35	CM	1 LEVEL CM	0,9997 litre	0,289 %	345,3609 litre	O
90	CM 35	CM	0,5 LEVEL CM	0,3542 litre	0,102 %	346,0064 litre	O
90	CM 35	CM	0 LEVEL CM	0,0000 litre	0,000 %	346,3606 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
90	CM 30	CM 60 LEVEL CM	254,4690 litre	100,000 %	0,0000 litre	O
90	CM 30	CM 59,5 LEVEL CM	254,1412 litre	99,871 %	0,3278 litre	O
90	CM 30	CM 59 LEVEL CM	253,5442 litre	99,637 %	0,9248 litre	O
90	CM 30	CM 58,5 LEVEL CM	252,7742 litre	99,334 %	1,6948 litre	O
90	CM 30	CM 58 LEVEL CM	251,8664 litre	98,977 %	2,6026 litre	O
90	CM 30	CM 57,5 LEVEL CM	250,8410 litre	98,574 %	3,6280 litre	O
90	CM 30	CM 57 LEVEL CM	249,7122 litre	98,131 %	4,7568 litre	O
90	CM 30	CM 56,5 LEVEL CM	248,4903 litre	97,651 %	5,9787 litre	O
90	CM 30	CM 56 LEVEL CM	247,1834 litre	97,137 %	7,2856 litre	O
90	CM 30	CM 55,5 LEVEL CM	245,7983 litre	96,593 %	8,6707 litre	O
90	CM 30	CM 55 LEVEL CM	244,3405 litre	96,020 %	10,1285 litre	O
90	CM 30	CM 54,5 LEVEL CM	242,8148 litre	95,420 %	11,6542 litre	O
90	CM 30	CM 54 LEVEL CM	241,2254 litre	94,796 %	13,2436 litre	O
90	CM 30	CM 53,5 LEVEL CM	239,5760 litre	94,147 %	14,8930 litre	O
90	CM 30	CM 53 LEVEL CM	237,8698 litre	93,477 %	16,5992 litre	O
90	CM 30	CM 52,5 LEVEL CM	236,1099 litre	92,785 %	18,3591 litre	O
90	CM 30	CM 52 LEVEL CM	234,2989 litre	92,074 %	20,1701 litre	O
90	CM 30	CM 51,5 LEVEL CM	232,4394 litre	91,343 %	22,0296 litre	O
90	CM 30	CM 51 LEVEL CM	230,5336 litre	90,594 %	23,9354 litre	O
90	CM 30	CM 50,5 LEVEL CM	228,5837 litre	89,828 %	25,8853 litre	O
90	CM 30	CM 50 LEVEL CM	226,5917 litre	89,045 %	27,8773 litre	O
90	CM 30	CM 49,5 LEVEL CM	224,5594 litre	88,246 %	29,9096 litre	O
90	CM 30	CM 49 LEVEL CM	222,4886 litre	87,432 %	31,9804 litre	O
90	CM 30	CM 48,5 LEVEL CM	220,3810 litre	86,604 %	34,0880 litre	O
90	CM 30	CM 48 LEVEL CM	218,2381 litre	85,762 %	36,2309 litre	O
90	CM 30	CM 47,5 LEVEL CM	216,0615 litre	84,907 %	38,4075 litre	O
90	CM 30	CM 47 LEVEL CM	213,8525 litre	84,039 %	40,6165 litre	O
90	CM 30	CM 46,5 LEVEL CM	211,6126 litre	83,158 %	42,8564 litre	O
90	CM 30	CM 46 LEVEL CM	209,3430 litre	82,267 %	45,1260 litre	O
90	CM 30	CM 45,5 LEVEL CM	207,0451 litre	81,364 %	47,4239 litre	O
90	CM 30	CM 45 LEVEL CM	204,7200 litre	80,450 %	49,7490 litre	O
90	CM 30	CM 44,5 LEVEL CM	202,3690 litre	79,526 %	52,1000 litre	O
90	CM 30	CM 44 LEVEL CM	199,9930 litre	78,592 %	54,4760 litre	O
90	CM 30	CM 43,5 LEVEL CM	197,5934 litre	77,649 %	56,8756 litre	O
90	CM 30	CM 43 LEVEL CM	195,1710 litre	76,697 %	59,2980 litre	O
90	CM 30	CM 42,5 LEVEL CM	192,7271 litre	75,737 %	61,7419 litre	O
90	CM 30	CM 42 LEVEL CM	190,2625 litre	74,768 %	64,2065 litre	O
90	CM 30	CM 41,5 LEVEL CM	187,7782 litre	73,792 %	66,6908 litre	O
90	CM 30	CM 41 LEVEL CM	185,2753 litre	72,809 %	69,1937 litre	O
90	CM 30	CM 40,5 LEVEL CM	182,7546 litre	71,818 %	71,7144 litre	O
90	CM 30	CM 40 LEVEL CM	180,2171 litre	70,821 %	74,2519 litre	O
90	CM 30	CM 39,5 LEVEL CM	177,6637 litre	69,817 %	76,8053 litre	O
90	CM 30	CM 39 LEVEL CM	175,0953 litre	68,808 %	79,3737 litre	O
90	CM 30	CM 38,5 LEVEL CM	172,5128 litre	67,793 %	81,9562 litre	O
90	CM 30	CM 38 LEVEL CM	169,9169 litre	66,773 %	84,5521 litre	O
90	CM 30	CM 37,5 LEVEL CM	167,3086 litre	65,748 %	87,1604 litre	O
90	CM 30	CM 37 LEVEL CM	164,6886 litre	64,719 %	89,7804 litre	O
90	CM 30	CM 36,5 LEVEL CM	162,0579 litre	63,685 %	92,4111 litre	O
90	CM 30	CM 36 LEVEL CM	159,4172 litre	62,647 %	95,0518 litre	O
90	CM 30	CM 35,5 LEVEL CM	156,7673 litre	61,606 %	97,7017 litre	O
90	CM 30	CM 35 LEVEL CM	154,1090 litre	60,561 %	100,3600 litre	O
90	CM 30	CM 34,5 LEVEL CM	151,4431 litre	59,513 %	103,0259 litre	O

90	CM	30	CM	34 LEVEL CM	148,7703 litre	58,463 %	105,6987 litre	O
90	CM	30	CM	33,5 LEVEL CM	146,0915 litre	57,410 %	108,3775 litre	O
90	CM	30	CM	33 LEVEL CM	143,4075 litre	56,356 %	111,0615 litre	O
90	CM	30	CM	32,5 LEVEL CM	140,7189 litre	55,299 %	113,7501 litre	O
90	CM	30	CM	32 LEVEL CM	138,0265 litre	54,241 %	116,4425 litre	O
90	CM	30	CM	31,5 LEVEL CM	135,3311 litre	53,182 %	119,1379 litre	O
90	CM	30	CM	31 LEVEL CM	132,6335 litre	52,122 %	121,8355 litre	O
90	CM	30	CM	30,5 LEVEL CM	129,9344 litre	51,061 %	124,5346 litre	O
90	CM	30	CM	30 LEVEL CM	127,2345 litre	50,000 %	127,2345 litre	O
90	CM	30	CM	29,5 LEVEL CM	124,5346 litre	48,939 %	129,9344 litre	O
90	CM	30	CM	29 LEVEL CM	121,8355 litre	47,878 %	132,6335 litre	O
90	CM	30	CM	28,5 LEVEL CM	119,1379 litre	46,818 %	135,3311 litre	O
90	CM	30	CM	28 LEVEL CM	116,4425 litre	45,759 %	138,0265 litre	O
90	CM	30	CM	27,5 LEVEL CM	113,7501 litre	44,701 %	140,7189 litre	O
90	CM	30	CM	27 LEVEL CM	111,0615 litre	43,644 %	143,4075 litre	O
90	CM	30	CM	26,5 LEVEL CM	108,3775 litre	42,590 %	146,0915 litre	O
90	CM	30	CM	26 LEVEL CM	105,6987 litre	41,537 %	148,7703 litre	O
90	CM	30	CM	25,5 LEVEL CM	103,0259 litre	40,487 %	151,4431 litre	O
90	CM	30	CM	25 LEVEL CM	100,3600 litre	39,439 %	154,1090 litre	O
90	CM	30	CM	24,5 LEVEL CM	97,7017 litre	38,394 %	156,7673 litre	O
90	CM	30	CM	24 LEVEL CM	95,0518 litre	37,353 %	159,4172 litre	O
90	CM	30	CM	23,5 LEVEL CM	92,4111 litre	36,315 %	162,0579 litre	O
90	CM	30	CM	23 LEVEL CM	89,7804 litre	35,281 %	164,6886 litre	O
90	CM	30	CM	22,5 LEVEL CM	87,1604 litre	34,252 %	167,3086 litre	O
90	CM	30	CM	22 LEVEL CM	84,5521 litre	33,227 %	169,9169 litre	O
90	CM	30	CM	21,5 LEVEL CM	81,9562 litre	32,207 %	172,5128 litre	O
90	CM	30	CM	21 LEVEL CM	79,3737 litre	31,192 %	175,0953 litre	O
90	CM	30	CM	20,5 LEVEL CM	76,8053 litre	30,183 %	177,6637 litre	O
90	CM	30	CM	20 LEVEL CM	74,2519 litre	29,179 %	180,2171 litre	O
90	CM	30	CM	19,5 LEVEL CM	71,7144 litre	28,182 %	182,7546 litre	O
90	CM	30	CM	19 LEVEL CM	69,1937 litre	27,191 %	185,2753 litre	O
90	CM	30	CM	18,5 LEVEL CM	66,6908 litre	26,208 %	187,7782 litre	O
90	CM	30	CM	18 LEVEL CM	64,2065 litre	25,232 %	190,2625 litre	O
90	CM	30	CM	17,5 LEVEL CM	61,7419 litre	24,263 %	192,7271 litre	O
90	CM	30	CM	17 LEVEL CM	59,2980 litre	23,303 %	195,1710 litre	O
90	CM	30	CM	16,5 LEVEL CM	56,8756 litre	22,351 %	197,5934 litre	O
90	CM	30	CM	16 LEVEL CM	54,4760 litre	21,408 %	199,9930 litre	O
90	CM	30	CM	15,5 LEVEL CM	52,1000 litre	20,474 %	202,3690 litre	O
90	CM	30	CM	15 LEVEL CM	49,7490 litre	19,550 %	204,7200 litre	O
90	CM	30	CM	14,5 LEVEL CM	47,4239 litre	18,636 %	207,0451 litre	O
90	CM	30	CM	14 LEVEL CM	45,1260 litre	17,733 %	209,3430 litre	O
90	CM	30	CM	13,5 LEVEL CM	42,8564 litre	16,842 %	211,6126 litre	O
90	CM	30	CM	13 LEVEL CM	40,6165 litre	15,961 %	213,8525 litre	O
90	CM	30	CM	12,5 LEVEL CM	38,4075 litre	15,093 %	216,0615 litre	O
90	CM	30	CM	12 LEVEL CM	36,2309 litre	14,238 %	218,2381 litre	O
90	CM	30	CM	11,5 LEVEL CM	34,0880 litre	13,396 %	220,3810 litre	O
90	CM	30	CM	11 LEVEL CM	31,9804 litre	12,568 %	222,4886 litre	O
90	CM	30	CM	10,5 LEVEL CM	29,9096 litre	11,754 %	224,5594 litre	O
90	CM	30	CM	10 LEVEL CM	27,8773 litre	10,955 %	226,5917 litre	O
90	CM	30	CM	9,5 LEVEL CM	25,8853 litre	10,172 %	228,5837 litre	O
90	CM	30	CM	9 LEVEL CM	23,9354 litre	9,406 %	230,5336 litre	O
90	CM	30	CM	8,5 LEVEL CM	22,0296 litre	8,657 %	232,4394 litre	O
90	CM	30	CM	8 LEVEL CM	20,1701 litre	7,926 %	234,2989 litre	O

90	CM 30	CM	7,5 LEVEL CM	18,3591 litre	7,215 %	236,1099 litre	O
90	CM 30	CM	7 LEVEL CM	16,5992 litre	6,523 %	237,8698 litre	O
90	CM 30	CM	6,5 LEVEL CM	14,8930 litre	5,853 %	239,5760 litre	O
90	CM 30	CM	6 LEVEL CM	13,2436 litre	5,204 %	241,2254 litre	O
90	CM 30	CM	5,5 LEVEL CM	11,6542 litre	4,580 %	242,8148 litre	O
90	CM 30	CM	5 LEVEL CM	10,1285 litre	3,980 %	244,3405 litre	O
90	CM 30	CM	4,5 LEVEL CM	8,6707 litre	3,407 %	245,7983 litre	O
90	CM 30	CM	4 LEVEL CM	7,2856 litre	2,863 %	247,1834 litre	O
90	CM 30	CM	3,5 LEVEL CM	5,9787 litre	2,349 %	248,4903 litre	O
90	CM 30	CM	3 LEVEL CM	4,7568 litre	1,869 %	249,7122 litre	O
90	CM 30	CM	2,5 LEVEL CM	3,6280 litre	1,426 %	250,8410 litre	O
90	CM 30	CM	2 LEVEL CM	2,6026 litre	1,023 %	251,8664 litre	O
90	CM 30	CM	1,5 LEVEL CM	1,6948 litre	0,666 %	252,7742 litre	O
90	CM 30	CM	1 LEVEL CM	0,9249 litre	0,363 %	253,5441 litre	O
90	CM 30	CM	0,5 LEVEL CM	0,3278 litre	0,129 %	254,1412 litre	O
90	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	254,4690 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
90	CM	25	CM	50 LEVEL CM	176,7146 litre	100,000 %	0,0000 litre	O
90	CM	25	CM	49,5 LEVEL CM	176,4155 litre	99,831 %	0,2991 litre	O
90	CM	25	CM	49 LEVEL CM	175,8712 litre	99,523 %	0,8434 litre	O
90	CM	25	CM	48,5 LEVEL CM	175,1698 litre	99,126 %	1,5448 litre	O
90	CM	25	CM	48 LEVEL CM	174,3436 litre	98,658 %	2,3710 litre	O
90	CM	25	CM	47,5 LEVEL CM	173,4113 litre	98,131 %	3,3033 litre	O
90	CM	25	CM	47 LEVEL CM	172,3857 litre	97,550 %	4,3289 litre	O
90	CM	25	CM	46,5 LEVEL CM	171,2767 litre	96,923 %	5,4379 litre	O
90	CM	25	CM	46 LEVEL CM	170,0917 litre	96,252 %	6,6229 litre	O
90	CM	25	CM	45,5 LEVEL CM	168,8369 litre	95,542 %	7,8777 litre	O
90	CM	25	CM	45 LEVEL CM	167,5176 litre	94,796 %	9,1970 litre	O
90	CM	25	CM	44,5 LEVEL CM	166,1383 litre	94,015 %	10,5763 litre	O
90	CM	25	CM	44 LEVEL CM	164,7029 litre	93,203 %	12,0117 litre	O
90	CM	25	CM	43,5 LEVEL CM	163,2148 litre	92,361 %	13,4998 litre	O
90	CM	25	CM	43 LEVEL CM	161,6771 litre	91,491 %	15,0375 litre	O
90	CM	25	CM	42,5 LEVEL CM	160,0928 litre	90,594 %	16,6218 litre	O
90	CM	25	CM	42 LEVEL CM	158,4643 litre	89,672 %	18,2503 litre	O
90	CM	25	CM	41,5 LEVEL CM	156,7941 litre	88,727 %	19,9205 litre	O
90	CM	25	CM	41 LEVEL CM	155,0843 litre	87,760 %	21,6303 litre	O
90	CM	25	CM	40,5 LEVEL CM	153,3371 litre	86,771 %	23,3775 litre	O
90	CM	25	CM	40 LEVEL CM	151,5542 litre	85,762 %	25,1604 litre	O
90	CM	25	CM	39,5 LEVEL CM	149,7376 litre	84,734 %	26,9770 litre	O
90	CM	25	CM	39 LEVEL CM	147,8890 litre	83,688 %	28,8256 litre	O
90	CM	25	CM	38,5 LEVEL CM	146,0100 litre	82,625 %	30,7046 litre	O
90	CM	25	CM	38 LEVEL CM	144,1020 litre	81,545 %	32,6126 litre	O
90	CM	25	CM	37,5 LEVEL CM	142,1667 litre	80,450 %	34,5479 litre	O
90	CM	25	CM	37 LEVEL CM	140,2054 litre	79,340 %	36,5092 litre	O
90	CM	25	CM	36,5 LEVEL CM	138,2194 litre	78,216 %	38,4952 litre	O
90	CM	25	CM	36 LEVEL CM	136,2102 litre	77,079 %	40,5044 litre	O
90	CM	25	CM	35,5 LEVEL CM	134,1788 litre	75,930 %	42,5358 litre	O
90	CM	25	CM	35 LEVEL CM	132,1267 litre	74,768 %	44,5879 litre	O
90	CM	25	CM	34,5 LEVEL CM	130,0549 litre	73,596 %	46,6597 litre	O
90	CM	25	CM	34 LEVEL CM	127,9646 litre	72,413 %	48,7500 litre	O
90	CM	25	CM	33,5 LEVEL CM	125,8570 litre	71,220 %	50,8576 litre	O
90	CM	25	CM	33 LEVEL CM	123,7331 litre	70,019 %	52,9815 litre	O
90	CM	25	CM	32,5 LEVEL CM	121,5940 litre	68,808 %	55,1206 litre	O
90	CM	25	CM	32 LEVEL CM	119,4407 litre	67,590 %	57,2739 litre	O
90	CM	25	CM	31,5 LEVEL CM	117,2743 litre	66,364 %	59,4403 litre	O
90	CM	25	CM	31 LEVEL CM	115,0958 litre	65,131 %	61,6188 litre	O
90	CM	25	CM	30,5 LEVEL CM	112,9062 litre	63,892 %	63,8084 litre	O
90	CM	25	CM	30 LEVEL CM	110,7064 litre	62,647 %	66,0082 litre	O
90	CM	25	CM	29,5 LEVEL CM	108,4974 litre	61,397 %	68,2172 litre	O
90	CM	25	CM	29 LEVEL CM	106,2802 litre	60,142 %	70,4344 litre	O
90	CM	25	CM	28,5 LEVEL CM	104,0557 litre	58,883 %	72,6589 litre	O
90	CM	25	CM	28 LEVEL CM	101,8248 litre	57,621 %	74,8898 litre	O
90	CM	25	CM	27,5 LEVEL CM	99,5885 litre	56,356 %	77,1261 litre	O
90	CM	25	CM	27 LEVEL CM	97,3477 litre	55,088 %	79,3669 litre	O
90	CM	25	CM	26,5 LEVEL CM	95,1032 litre	53,817 %	81,6114 litre	O
90	CM	25	CM	26 LEVEL CM	92,8561 litre	52,546 %	83,8585 litre	O
90	CM	25	CM	25,5 LEVEL CM	90,6071 litre	51,273 %	86,1075 litre	O
90	CM	25	CM	25 LEVEL CM	88,3573 litre	50,000 %	88,3573 litre	O
90	CM	25	CM	24,5 LEVEL CM	86,1074 litre	48,727 %	90,6072 litre	O

90	CM	25	CM	24 LEVEL CM	83,8585 litre	47,454 %	92,8561 litre	O
90	CM	25	CM	23,5 LEVEL CM	81,6113 litre	46,183 %	95,1033 litre	O
90	CM	25	CM	23 LEVEL CM	79,3669 litre	44,912 %	97,3477 litre	O
90	CM	25	CM	22,5 LEVEL CM	77,1261 litre	43,644 %	99,5885 litre	O
90	CM	25	CM	22 LEVEL CM	74,8898 litre	42,379 %	101,8248 litre	O
90	CM	25	CM	21,5 LEVEL CM	72,6589 litre	41,117 %	104,0557 litre	O
90	CM	25	CM	21 LEVEL CM	70,4344 litre	39,858 %	106,2802 litre	O
90	CM	25	CM	20,5 LEVEL CM	68,2172 litre	38,603 %	108,4974 litre	O
90	CM	25	CM	20 LEVEL CM	66,0082 litre	37,353 %	110,7064 litre	O
90	CM	25	CM	19,5 LEVEL CM	63,8084 litre	36,108 %	112,9062 litre	O
90	CM	25	CM	19 LEVEL CM	61,6188 litre	34,869 %	115,0958 litre	O
90	CM	25	CM	18,5 LEVEL CM	59,4403 litre	33,636 %	117,2743 litre	O
90	CM	25	CM	18 LEVEL CM	57,2739 litre	32,410 %	119,4407 litre	O
90	CM	25	CM	17,5 LEVEL CM	55,1206 litre	31,192 %	121,5940 litre	O
90	CM	25	CM	17 LEVEL CM	52,9815 litre	29,981 %	123,7331 litre	O
90	CM	25	CM	16,5 LEVEL CM	50,8576 litre	28,780 %	125,8570 litre	O
90	CM	25	CM	16 LEVEL CM	48,7499 litre	27,587 %	127,9647 litre	O
90	CM	25	CM	15,5 LEVEL CM	46,6597 litre	26,404 %	130,0549 litre	O
90	CM	25	CM	15 LEVEL CM	44,5879 litre	25,232 %	132,1267 litre	O
90	CM	25	CM	14,5 LEVEL CM	42,5357 litre	24,070 %	134,1789 litre	O
90	CM	25	CM	14 LEVEL CM	40,5044 litre	22,921 %	136,2102 litre	O
90	CM	25	CM	13,5 LEVEL CM	38,4952 litre	21,784 %	138,2194 litre	O
90	CM	25	CM	13 LEVEL CM	36,5092 litre	20,660 %	140,2054 litre	O
90	CM	25	CM	12,5 LEVEL CM	34,5479 litre	19,550 %	142,1667 litre	O
90	CM	25	CM	12 LEVEL CM	32,6126 litre	18,455 %	144,1020 litre	O
90	CM	25	CM	11,5 LEVEL CM	30,7046 litre	17,375 %	146,0100 litre	O
90	CM	25	CM	11 LEVEL CM	28,8256 litre	16,312 %	147,8890 litre	O
90	CM	25	CM	10,5 LEVEL CM	26,9769 litre	15,266 %	149,7377 litre	O
90	CM	25	CM	10 LEVEL CM	25,1604 litre	14,238 %	151,5542 litre	O
90	CM	25	CM	9,5 LEVEL CM	23,3775 litre	13,229 %	153,3371 litre	O
90	CM	25	CM	9 LEVEL CM	21,6303 litre	12,240 %	155,0843 litre	O
90	CM	25	CM	8,5 LEVEL CM	19,9205 litre	11,273 %	156,7941 litre	O
90	CM	25	CM	8 LEVEL CM	18,2503 litre	10,328 %	158,4643 litre	O
90	CM	25	CM	7,5 LEVEL CM	16,6218 litre	9,406 %	160,0928 litre	O
90	CM	25	CM	7 LEVEL CM	15,0375 litre	8,509 %	161,6771 litre	O
90	CM	25	CM	6,5 LEVEL CM	13,4998 litre	7,639 %	163,2148 litre	O
90	CM	25	CM	6 LEVEL CM	12,0117 litre	6,797 %	164,7029 litre	O
90	CM	25	CM	5,5 LEVEL CM	10,5763 litre	5,985 %	166,1383 litre	O
90	CM	25	CM	5 LEVEL CM	9,1969 litre	5,204 %	167,5177 litre	O
90	CM	25	CM	4,5 LEVEL CM	7,8777 litre	4,458 %	168,8369 litre	O
90	CM	25	CM	4 LEVEL CM	6,6229 litre	3,748 %	170,0917 litre	O
90	CM	25	CM	3,5 LEVEL CM	5,4379 litre	3,077 %	171,2767 litre	O
90	CM	25	CM	3 LEVEL CM	4,3288 litre	2,450 %	172,3858 litre	O
90	CM	25	CM	2,5 LEVEL CM	3,3033 litre	1,869 %	173,4113 litre	O
90	CM	25	CM	2 LEVEL CM	2,3710 litre	1,342 %	174,3436 litre	O
90	CM	25	CM	1,5 LEVEL CM	1,5447 litre	0,874 %	175,1699 litre	O
90	CM	25	CM	1 LEVEL CM	0,8434 litre	0,477 %	175,8712 litre	O
90	CM	25	CM	0,5 LEVEL CM	0,2991 litre	0,169 %	176,4155 litre	O
90	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	176,7146 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
90	CM 20	CM 40 LEVEL CM	113,0973 litre	100,000 %	0,0000 litre	O
90	CM 20	CM 39,5 LEVEL CM	112,8300 litre	99,764 %	0,2673 litre	O
90	CM 20	CM 39 LEVEL CM	112,3441 litre	99,334 %	0,7532 litre	O
90	CM 20	CM 38,5 LEVEL CM	111,7189 litre	98,781 %	1,3784 litre	O
90	CM 20	CM 38 LEVEL CM	110,9832 litre	98,131 %	2,1141 litre	O
90	CM 20	CM 37,5 LEVEL CM	110,1542 litre	97,398 %	2,9431 litre	O
90	CM 20	CM 37 LEVEL CM	109,2437 litre	96,593 %	3,8536 litre	O
90	CM 20	CM 36,5 LEVEL CM	108,2604 litre	95,723 %	4,8369 litre	O
90	CM 20	CM 36 LEVEL CM	107,2113 litre	94,796 %	5,8860 litre	O
90	CM 20	CM 35,5 LEVEL CM	106,1021 litre	93,815 %	6,9952 litre	O
90	CM 20	CM 35 LEVEL CM	104,9377 litre	92,785 %	8,1596 litre	O
90	CM 20	CM 34,5 LEVEL CM	103,7223 litre	91,711 %	9,3750 litre	O
90	CM 20	CM 34 LEVEL CM	102,4594 litre	90,594 %	10,6379 litre	O
90	CM 20	CM 33,5 LEVEL CM	101,1524 litre	89,438 %	11,9449 litre	O
90	CM 20	CM 33 LEVEL CM	99,8042 litre	88,246 %	13,2931 litre	O
90	CM 20	CM 32,5 LEVEL CM	98,4175 litre	87,020 %	14,6798 litre	O
90	CM 20	CM 32 LEVEL CM	96,9947 litre	85,762 %	16,1026 litre	O
90	CM 20	CM 31,5 LEVEL CM	95,5382 litre	84,474 %	17,5591 litre	O
90	CM 20	CM 31 LEVEL CM	94,0500 litre	83,159 %	19,0473 litre	O
90	CM 20	CM 30,5 LEVEL CM	92,5322 litre	81,816 %	20,5651 litre	O
90	CM 20	CM 30 LEVEL CM	90,9867 litre	80,450 %	22,1106 litre	O
90	CM 20	CM 29,5 LEVEL CM	89,4151 litre	79,060 %	23,6822 litre	O
90	CM 20	CM 29 LEVEL CM	87,8193 litre	77,649 %	25,2780 litre	O
90	CM 20	CM 28,5 LEVEL CM	86,2008 litre	76,218 %	26,8965 litre	O
90	CM 20	CM 28 LEVEL CM	84,5611 litre	74,768 %	28,5362 litre	O
90	CM 20	CM 27,5 LEVEL CM	82,9018 litre	73,301 %	30,1955 litre	O
90	CM 20	CM 27 LEVEL CM	81,2243 litre	71,818 %	31,8730 litre	O
90	CM 20	CM 26,5 LEVEL CM	79,5299 litre	70,320 %	33,5674 litre	O
90	CM 20	CM 26 LEVEL CM	77,8201 litre	68,808 %	35,2772 litre	O
90	CM 20	CM 25,5 LEVEL CM	76,0962 litre	67,284 %	37,0011 litre	O
90	CM 20	CM 25 LEVEL CM	74,3594 litre	65,748 %	38,7379 litre	O
90	CM 20	CM 24,5 LEVEL CM	72,6109 litre	64,202 %	40,4864 litre	O
90	CM 20	CM 24 LEVEL CM	70,8521 litre	62,647 %	42,2452 litre	O
90	CM 20	CM 23,5 LEVEL CM	69,0841 litre	61,084 %	44,0132 litre	O
90	CM 20	CM 23 LEVEL CM	67,3080 litre	59,513 %	45,7893 litre	O
90	CM 20	CM 22,5 LEVEL CM	65,5252 litre	57,937 %	47,5721 litre	O
90	CM 20	CM 22 LEVEL CM	63,7366 litre	56,356 %	49,3607 litre	O
90	CM 20	CM 21,5 LEVEL CM	61,9436 litre	54,770 %	51,1537 litre	O
90	CM 20	CM 21 LEVEL CM	60,1472 litre	53,182 %	52,9501 litre	O
90	CM 20	CM 20,5 LEVEL CM	58,3485 litre	51,591 %	54,7488 litre	O
90	CM 20	CM 20 LEVEL CM	56,5487 litre	50,000 %	56,5486 litre	O
90	CM 20	CM 19,5 LEVEL CM	54,7489 litre	48,409 %	58,3484 litre	O
90	CM 20	CM 19 LEVEL CM	52,9502 litre	46,818 %	60,1471 litre	O
90	CM 20	CM 18,5 LEVEL CM	51,1537 litre	45,230 %	61,9436 litre	O
90	CM 20	CM 18 LEVEL CM	49,3607 litre	43,644 %	63,7366 litre	O
90	CM 20	CM 17,5 LEVEL CM	47,5722 litre	42,063 %	65,5251 litre	O
90	CM 20	CM 17 LEVEL CM	45,7893 litre	40,487 %	67,3080 litre	O
90	CM 20	CM 16,5 LEVEL CM	44,0133 litre	38,916 %	69,0840 litre	O
90	CM 20	CM 16 LEVEL CM	42,2453 litre	37,353 %	70,8520 litre	O
90	CM 20	CM 15,5 LEVEL CM	40,4864 litre	35,798 %	72,6109 litre	O
90	CM 20	CM 15 LEVEL CM	38,7380 litre	34,252 %	74,3593 litre	O
90	CM 20	CM 14,5 LEVEL CM	37,0011 litre	32,716 %	76,0962 litre	O

90	CM	20	CM	14 LEVEL CM	35,2772 litre	31,192 %	77,8201 litre	O
90	CM	20	CM	13,5 LEVEL CM	33,5674 litre	29,680 %	79,5299 litre	O
90	CM	20	CM	13 LEVEL CM	31,8731 litre	28,182 %	81,2242 litre	O
90	CM	20	CM	12,5 LEVEL CM	30,1955 litre	26,699 %	82,9018 litre	O
90	CM	20	CM	12 LEVEL CM	28,5362 litre	25,232 %	84,5611 litre	O
90	CM	20	CM	11,5 LEVEL CM	26,8966 litre	23,782 %	86,2007 litre	O
90	CM	20	CM	11 LEVEL CM	25,2781 litre	22,351 %	87,8192 litre	O
90	CM	20	CM	10,5 LEVEL CM	23,6822 litre	20,940 %	89,4151 litre	O
90	CM	20	CM	10 LEVEL CM	22,1107 litre	19,550 %	90,9866 litre	O
90	CM	20	CM	9,5 LEVEL CM	20,5651 litre	18,184 %	92,5322 litre	O
90	CM	20	CM	9 LEVEL CM	19,0473 litre	16,842 %	94,0500 litre	O
90	CM	20	CM	8,5 LEVEL CM	17,5591 litre	15,526 %	95,5382 litre	O
90	CM	20	CM	8 LEVEL CM	16,1026 litre	14,238 %	96,9947 litre	O
90	CM	20	CM	7,5 LEVEL CM	14,6799 litre	12,980 %	98,4174 litre	O
90	CM	20	CM	7 LEVEL CM	13,2932 litre	11,754 %	99,8041 litre	O
90	CM	20	CM	6,5 LEVEL CM	11,9450 litre	10,562 %	101,1523 litre	O
90	CM	20	CM	6 LEVEL CM	10,6380 litre	9,406 %	102,4593 litre	O
90	CM	20	CM	5,5 LEVEL CM	9,3751 litre	8,289 %	103,7222 litre	O
90	CM	20	CM	5 LEVEL CM	8,1596 litre	7,215 %	104,9377 litre	O
90	CM	20	CM	4,5 LEVEL CM	6,9952 litre	6,185 %	106,1021 litre	O
90	CM	20	CM	4 LEVEL CM	5,8860 litre	5,204 %	107,2113 litre	O
90	CM	20	CM	3,5 LEVEL CM	4,8369 litre	4,277 %	108,2604 litre	O
90	CM	20	CM	3 LEVEL CM	3,8536 litre	3,407 %	109,2437 litre	O
90	CM	20	CM	2,5 LEVEL CM	2,9431 litre	2,602 %	110,1542 litre	O
90	CM	20	CM	2 LEVEL CM	2,1141 litre	1,869 %	110,9832 litre	O
90	CM	20	CM	1,5 LEVEL CM	1,3785 litre	1,219 %	111,7188 litre	O
90	CM	20	CM	1 LEVEL CM	0,7532 litre	0,666 %	112,3441 litre	O
90	CM	20	CM	0,5 LEVEL CM	0,2673 litre	0,236 %	112,8300 litre	O
90	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	113,0973 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
90	CM	15	CM	30 LEVEL CM	63,6173 litre	100,000 %	0,0000 litre	O
90	CM	15	CM	29,5 LEVEL CM	63,3860 litre	99,636 %	0,2313 litre	O
90	CM	15	CM	29 LEVEL CM	62,9666 litre	98,977 %	0,6507 litre	O
90	CM	15	CM	28,5 LEVEL CM	62,4281 litre	98,131 %	1,1892 litre	O
90	CM	15	CM	28 LEVEL CM	61,7959 litre	97,137 %	1,8214 litre	O
90	CM	15	CM	27,5 LEVEL CM	61,0851 litre	96,020 %	2,5322 litre	O
90	CM	15	CM	27 LEVEL CM	60,3064 litre	94,796 %	3,3109 litre	O
90	CM	15	CM	26,5 LEVEL CM	59,4675 litre	93,477 %	4,1498 litre	O
90	CM	15	CM	26 LEVEL CM	58,5747 litre	92,074 %	5,0426 litre	O
90	CM	15	CM	25,5 LEVEL CM	57,6334 litre	90,594 %	5,9839 litre	O
90	CM	15	CM	25 LEVEL CM	56,6479 litre	89,045 %	6,9694 litre	O
90	CM	15	CM	24,5 LEVEL CM	55,6221 litre	87,432 %	7,9952 litre	O
90	CM	15	CM	24 LEVEL CM	54,5595 litre	85,762 %	9,0578 litre	O
90	CM	15	CM	23,5 LEVEL CM	53,4631 litre	84,039 %	10,1542 litre	O
90	CM	15	CM	23 LEVEL CM	52,3358 litre	82,267 %	11,2815 litre	O
90	CM	15	CM	22,5 LEVEL CM	51,1800 litre	80,450 %	12,4373 litre	O
90	CM	15	CM	22 LEVEL CM	49,9983 litre	78,592 %	13,6190 litre	O
90	CM	15	CM	21,5 LEVEL CM	48,7928 litre	76,697 %	14,8245 litre	O
90	CM	15	CM	21 LEVEL CM	47,5656 litre	74,768 %	16,0517 litre	O
90	CM	15	CM	20,5 LEVEL CM	46,3188 litre	72,809 %	17,2985 litre	O
90	CM	15	CM	20 LEVEL CM	45,0543 litre	70,821 %	18,5630 litre	O
90	CM	15	CM	19,5 LEVEL CM	43,7738 litre	68,808 %	19,8435 litre	O
90	CM	15	CM	19 LEVEL CM	42,4792 litre	66,773 %	21,1381 litre	O
90	CM	15	CM	18,5 LEVEL CM	41,1722 litre	64,718 %	22,4451 litre	O
90	CM	15	CM	18 LEVEL CM	39,8543 litre	62,647 %	23,7630 litre	O
90	CM	15	CM	17,5 LEVEL CM	38,5272 litre	60,561 %	25,0901 litre	O
90	CM	15	CM	17 LEVEL CM	37,1926 litre	58,463 %	26,4247 litre	O
90	CM	15	CM	16,5 LEVEL CM	35,8519 litre	56,356 %	27,7654 litre	O
90	CM	15	CM	16 LEVEL CM	34,5066 litre	54,241 %	29,1107 litre	O
90	CM	15	CM	15,5 LEVEL CM	33,1584 litre	52,122 %	30,4589 litre	O
90	CM	15	CM	15 LEVEL CM	31,8086 litre	50,000 %	31,8087 litre	O
90	CM	15	CM	14,5 LEVEL CM	30,4589 litre	47,878 %	33,1584 litre	O
90	CM	15	CM	14 LEVEL CM	29,1106 litre	45,759 %	34,5067 litre	O
90	CM	15	CM	13,5 LEVEL CM	27,7654 litre	43,644 %	35,8519 litre	O
90	CM	15	CM	13 LEVEL CM	26,4247 litre	41,537 %	37,1926 litre	O
90	CM	15	CM	12,5 LEVEL CM	25,0900 litre	39,439 %	38,5273 litre	O
90	CM	15	CM	12 LEVEL CM	23,7630 litre	37,353 %	39,8543 litre	O
90	CM	15	CM	11,5 LEVEL CM	22,4451 litre	35,281 %	41,1722 litre	O
90	CM	15	CM	11 LEVEL CM	21,1380 litre	33,227 %	42,4793 litre	O
90	CM	15	CM	10,5 LEVEL CM	19,8434 litre	31,192 %	43,7739 litre	O
90	CM	15	CM	10 LEVEL CM	18,5630 litre	29,179 %	45,0543 litre	O
90	CM	15	CM	9,5 LEVEL CM	17,2984 litre	27,191 %	46,3189 litre	O
90	CM	15	CM	9 LEVEL CM	16,0516 litre	25,232 %	47,5657 litre	O
90	CM	15	CM	8,5 LEVEL CM	14,8245 litre	23,303 %	48,7928 litre	O
90	CM	15	CM	8 LEVEL CM	13,6190 litre	21,408 %	49,9983 litre	O
90	CM	15	CM	7,5 LEVEL CM	12,4372 litre	19,550 %	51,1801 litre	O
90	CM	15	CM	7 LEVEL CM	11,2815 litre	17,733 %	52,3358 litre	O
90	CM	15	CM	6,5 LEVEL CM	10,1541 litre	15,961 %	53,4632 litre	O
90	CM	15	CM	6 LEVEL CM	9,0577 litre	14,238 %	54,5596 litre	O
90	CM	15	CM	5,5 LEVEL CM	7,9951 litre	12,567 %	55,6222 litre	O
90	CM	15	CM	5 LEVEL CM	6,9693 litre	10,955 %	56,6480 litre	O
90	CM	15	CM	4,5 LEVEL CM	5,9839 litre	9,406 %	57,6334 litre	O

90	CM	15	CM	4 LEVEL CM	5,0425 litre	7,926 %	58,5748 litre	O
90	CM	15	CM	3,5 LEVEL CM	4,1498 litre	6,523 %	59,4675 litre	O
90	CM	15	CM	3 LEVEL CM	3,3109 litre	5,204 %	60,3064 litre	O
90	CM	15	CM	2,5 LEVEL CM	2,5321 litre	3,980 %	61,0852 litre	O
90	CM	15	CM	2 LEVEL CM	1,8214 litre	2,863 %	61,7959 litre	O
90	CM	15	CM	1,5 LEVEL CM	1,1892 litre	1,869 %	62,4281 litre	O
90	CM	15	CM	1 LEVEL CM	0,6507 litre	1,023 %	62,9666 litre	O
90	CM	15	CM	0,5 LEVEL CM	0,2312 litre	0,363 %	63,3861 litre	O
90	CM	15	CM	0 LEVEL CM	0,0000 litre	0,000 %	63,6173 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
90	CM 10	CM 20 LEVEL CM	28,2743 litre	100,000 %	0,0000 litre O
90	CM 10	CM 19,5 LEVEL CM	28,0860 litre	99,334 %	0,1883 litre O
90	CM 10	CM 19 LEVEL CM	27,7458 litre	98,131 %	0,5285 litre O
90	CM 10	CM 18,5 LEVEL CM	27,3109 litre	96,593 %	0,9634 litre O
90	CM 10	CM 18 LEVEL CM	26,8028 litre	94,796 %	1,4715 litre O
90	CM 10	CM 17,5 LEVEL CM	26,2344 litre	92,785 %	2,0399 litre O
90	CM 10	CM 17 LEVEL CM	25,6148 litre	90,594 %	2,6595 litre O
90	CM 10	CM 16,5 LEVEL CM	24,9510 litre	88,246 %	3,3233 litre O
90	CM 10	CM 16 LEVEL CM	24,2487 litre	85,762 %	4,0256 litre O
90	CM 10	CM 15,5 LEVEL CM	23,5125 litre	83,159 %	4,7618 litre O
90	CM 10	CM 15 LEVEL CM	22,7467 litre	80,450 %	5,5276 litre O
90	CM 10	CM 14,5 LEVEL CM	21,9548 litre	77,649 %	6,3195 litre O
90	CM 10	CM 14 LEVEL CM	21,1403 litre	74,769 %	7,1340 litre O
90	CM 10	CM 13,5 LEVEL CM	20,3061 litre	71,818 %	7,9682 litre O
90	CM 10	CM 13 LEVEL CM	19,4550 litre	68,808 %	8,8193 litre O
90	CM 10	CM 12,5 LEVEL CM	18,5898 litre	65,748 %	9,6845 litre O
90	CM 10	CM 12 LEVEL CM	17,7130 litre	62,647 %	10,5613 litre O
90	CM 10	CM 11,5 LEVEL CM	16,8270 litre	59,513 %	11,4473 litre O
90	CM 10	CM 11 LEVEL CM	15,9342 litre	56,356 %	12,3401 litre O
90	CM 10	CM 10,5 LEVEL CM	15,0368 litre	53,182 %	13,2375 litre O
90	CM 10	CM 10 LEVEL CM	14,1372 litre	50,000 %	14,1371 litre O
90	CM 10	CM 9,5 LEVEL CM	13,2375 litre	46,818 %	15,0368 litre O
90	CM 10	CM 9 LEVEL CM	12,3402 litre	43,644 %	15,9341 litre O
90	CM 10	CM 8,5 LEVEL CM	11,4473 litre	40,487 %	16,8270 litre O
90	CM 10	CM 8 LEVEL CM	10,5613 litre	37,353 %	17,7130 litre O
90	CM 10	CM 7,5 LEVEL CM	9,6845 litre	34,252 %	18,5898 litre O
90	CM 10	CM 7 LEVEL CM	8,8193 litre	31,192 %	19,4550 litre O
90	CM 10	CM 6,5 LEVEL CM	7,9683 litre	28,182 %	20,3060 litre O
90	CM 10	CM 6 LEVEL CM	7,1341 litre	25,232 %	21,1402 litre O
90	CM 10	CM 5,5 LEVEL CM	6,3195 litre	22,351 %	21,9548 litre O
90	CM 10	CM 5 LEVEL CM	5,5277 litre	19,550 %	22,7466 litre O
90	CM 10	CM 4,5 LEVEL CM	4,7618 litre	16,842 %	23,5125 litre O
90	CM 10	CM 4 LEVEL CM	4,0257 litre	14,238 %	24,2486 litre O
90	CM 10	CM 3,5 LEVEL CM	3,3233 litre	11,754 %	24,9510 litre O
90	CM 10	CM 3 LEVEL CM	2,6595 litre	9,406 %	25,6148 litre O
90	CM 10	CM 2,5 LEVEL CM	2,0399 litre	7,215 %	26,2344 litre O
90	CM 10	CM 2 LEVEL CM	1,4715 litre	5,204 %	26,8028 litre O
90	CM 10	CM 1,5 LEVEL CM	0,9634 litre	3,407 %	27,3109 litre O
90	CM 10	CM 1 LEVEL CM	0,5285 litre	1,869 %	27,7458 litre O
90	CM 10	CM 0,5 LEVEL CM	0,1883 litre	0,666 %	28,0860 litre O
90	CM 10	CM 0 LEVEL CM	0,0000 litre	0,000 %	28,2743 litre O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
90	CM 5	CM 10 LEVEL CM	7,068583 litre	100,000 %	0,000000 litre O
90	CM 5	CM 9,9 LEVEL CM	7,056620 litre	99,831 %	0,011963 litre O
90	CM 5	CM 9,8 LEVEL CM	7,034847 litre	99,523 %	0,033736 litre O
90	CM 5	CM 9,7 LEVEL CM	7,006794 litre	99,126 %	0,061789 litre O
90	CM 5	CM 9,6 LEVEL CM	6,973744 litre	98,658 %	0,094839 litre O
90	CM 5	CM 9,5 LEVEL CM	6,936450 litre	98,131 %	0,132133 litre O
90	CM 5	CM 9,4 LEVEL CM	6,895430 litre	97,550 %	0,173153 litre O
90	CM 5	CM 9,3 LEVEL CM	6,851067 litre	96,923 %	0,217516 litre O
90	CM 5	CM 9,2 LEVEL CM	6,803667 litre	96,252 %	0,264916 litre O
90	CM 5	CM 9,1 LEVEL CM	6,753477 litre	95,542 %	0,315106 litre O
90	CM 5	CM 9 LEVEL CM	6,700706 litre	94,796 %	0,367877 litre O
90	CM 5	CM 8,9 LEVEL CM	6,645533 litre	94,015 %	0,423050 litre O
90	CM 5	CM 8,8 LEVEL CM	6,588115 litre	93,203 %	0,480468 litre O
90	CM 5	CM 8,7 LEVEL CM	6,528590 litre	92,361 %	0,539993 litre O
90	CM 5	CM 8,6 LEVEL CM	6,467085 litre	91,491 %	0,601498 litre O
90	CM 5	CM 8,5 LEVEL CM	6,403711 litre	90,594 %	0,664872 litre O
90	CM 5	CM 8,4 LEVEL CM	6,338572 litre	89,672 %	0,730011 litre O
90	CM 5	CM 8,3 LEVEL CM	6,271763 litre	88,727 %	0,796820 litre O
90	CM 5	CM 8,2 LEVEL CM	6,203373 litre	87,760 %	0,865210 litre O
90	CM 5	CM 8,1 LEVEL CM	6,133482 litre	86,771 %	0,935101 litre O
90	CM 5	CM 8 LEVEL CM	6,062169 litre	85,762 %	1,006414 litre O
90	CM 5	CM 7,9 LEVEL CM	5,989506 litre	84,734 %	1,079077 litre O
90	CM 5	CM 7,8 LEVEL CM	5,915560 litre	83,688 %	1,153023 litre O
90	CM 5	CM 7,7 LEVEL CM	5,840398 litre	82,625 %	1,228185 litre O
90	CM 5	CM 7,6 LEVEL CM	5,764081 litre	81,545 %	1,304502 litre O
90	CM 5	CM 7,5 LEVEL CM	5,686668 litre	80,450 %	1,381915 litre O
90	CM 5	CM 7,4 LEVEL CM	5,608215 litre	79,340 %	1,460368 litre O
90	CM 5	CM 7,3 LEVEL CM	5,528777 litre	78,216 %	1,539806 litre O
90	CM 5	CM 7,2 LEVEL CM	5,448407 litre	77,079 %	1,620176 litre O
90	CM 5	CM 7,1 LEVEL CM	5,367154 litre	75,930 %	1,701429 litre O
90	CM 5	CM 7 LEVEL CM	5,285068 litre	74,768 %	1,783515 litre O
90	CM 5	CM 6,9 LEVEL CM	5,202197 litre	73,596 %	1,866386 litre O
90	CM 5	CM 6,8 LEVEL CM	5,118586 litre	72,413 %	1,949997 litre O
90	CM 5	CM 6,7 LEVEL CM	5,034280 litre	71,221 %	2,034303 litre O
90	CM 5	CM 6,6 LEVEL CM	4,949324 litre	70,019 %	2,119259 litre O
90	CM 5	CM 6,5 LEVEL CM	4,863759 litre	68,808 %	2,204824 litre O
90	CM 5	CM 6,4 LEVEL CM	4,777628 litre	67,590 %	2,290955 litre O
90	CM 5	CM 6,3 LEVEL CM	4,690973 litre	66,364 %	2,377610 litre O
90	CM 5	CM 6,2 LEVEL CM	4,603832 litre	65,131 %	2,464751 litre O
90	CM 5	CM 6,1 LEVEL CM	4,516247 litre	63,892 %	2,552336 litre O
90	CM 5	CM 6 LEVEL CM	4,428255 litre	62,647 %	2,640328 litre O
90	CM 5	CM 5,9 LEVEL CM	4,339896 litre	61,397 %	2,728687 litre O
90	CM 5	CM 5,8 LEVEL CM	4,251208 litre	60,142 %	2,817375 litre O
90	CM 5	CM 5,7 LEVEL CM	4,162228 litre	58,883 %	2,906355 litre O
90	CM 5	CM 5,6 LEVEL CM	4,072993 litre	57,621 %	2,995590 litre O
90	CM 5	CM 5,5 LEVEL CM	3,983541 litre	56,356 %	3,085042 litre O
90	CM 5	CM 5,4 LEVEL CM	3,893907 litre	55,088 %	3,174676 litre O
90	CM 5	CM 5,3 LEVEL CM	3,804130 litre	53,817 %	3,264453 litre O
90	CM 5	CM 5,2 LEVEL CM	3,714244 litre	52,546 %	3,354339 litre O
90	CM 5	CM 5,1 LEVEL CM	3,624286 litre	51,273 %	3,444297 litre O
90	CM 5	CM 5 LEVEL CM	3,534292 litre	50,000 %	3,534291 litre O
90	CM 5	CM 4,9 LEVEL CM	3,444298 litre	48,727 %	3,624285 litre O

90	CM	5	CM	4,8 LEVEL CM	3,354340 litre	47,454 %	3,714243 litre	O
90	CM	5	CM	4,7 LEVEL CM	3,264454 litre	46,183 %	3,804129 litre	O
90	CM	5	CM	4,6 LEVEL CM	3,174676 litre	44,912 %	3,893907 litre	O
90	CM	5	CM	4,5 LEVEL CM	3,085043 litre	43,644 %	3,983540 litre	O
90	CM	5	CM	4,4 LEVEL CM	2,995591 litre	42,379 %	4,072992 litre	O
90	CM	5	CM	4,3 LEVEL CM	2,906356 litre	41,117 %	4,162227 litre	O
90	CM	5	CM	4,2 LEVEL CM	2,817376 litre	39,858 %	4,251207 litre	O
90	CM	5	CM	4,1 LEVEL CM	2,728687 litre	38,603 %	4,339896 litre	O
90	CM	5	CM	4 LEVEL CM	2,640328 litre	37,353 %	4,428255 litre	O
90	CM	5	CM	3,9 LEVEL CM	2,552337 litre	36,108 %	4,516246 litre	O
90	CM	5	CM	3,8 LEVEL CM	2,464751 litre	34,869 %	4,603832 litre	O
90	CM	5	CM	3,7 LEVEL CM	2,377611 litre	33,636 %	4,690972 litre	O
90	CM	5	CM	3,6 LEVEL CM	2,290955 litre	32,410 %	4,777628 litre	O
90	CM	5	CM	3,5 LEVEL CM	2,204824 litre	31,192 %	4,863759 litre	O
90	CM	5	CM	3,4 LEVEL CM	2,119260 litre	29,981 %	4,949323 litre	O
90	CM	5	CM	3,3 LEVEL CM	2,034303 litre	28,780 %	5,034280 litre	O
90	CM	5	CM	3,2 LEVEL CM	1,949998 litre	27,587 %	5,118585 litre	O
90	CM	5	CM	3,1 LEVEL CM	1,866387 litre	26,404 %	5,202196 litre	O
90	CM	5	CM	3 LEVEL CM	1,783515 litre	25,232 %	5,285068 litre	O
90	CM	5	CM	2,9 LEVEL CM	1,701429 litre	24,070 %	5,367154 litre	O
90	CM	5	CM	2,8 LEVEL CM	1,620177 litre	22,921 %	5,448406 litre	O
90	CM	5	CM	2,7 LEVEL CM	1,539806 litre	21,784 %	5,528777 litre	O
90	CM	5	CM	2,6 LEVEL CM	1,460369 litre	20,660 %	5,608214 litre	O
90	CM	5	CM	2,5 LEVEL CM	1,381916 litre	19,550 %	5,686667 litre	O
90	CM	5	CM	2,4 LEVEL CM	1,304503 litre	18,455 %	5,764080 litre	O
90	CM	5	CM	2,3 LEVEL CM	1,228185 litre	17,375 %	5,840398 litre	O
90	CM	5	CM	2,2 LEVEL CM	1,153023 litre	16,312 %	5,915560 litre	O
90	CM	5	CM	2,1 LEVEL CM	1,079078 litre	15,266 %	5,989505 litre	O
90	CM	5	CM	2 LEVEL CM	1,006414 litre	14,238 %	6,062169 litre	O
90	CM	5	CM	1,9 LEVEL CM	0,935101 litre	13,229 %	6,133482 litre	O
90	CM	5	CM	1,8 LEVEL CM	0,865211 litre	12,240 %	6,203372 litre	O
90	CM	5	CM	1,7 LEVEL CM	0,796820 litre	11,273 %	6,271763 litre	O
90	CM	5	CM	1,6 LEVEL CM	0,730011 litre	10,328 %	6,338572 litre	O
90	CM	5	CM	1,5 LEVEL CM	0,664872 litre	9,406 %	6,403711 litre	O
90	CM	5	CM	1,4 LEVEL CM	0,601499 litre	8,509 %	6,467084 litre	O
90	CM	5	CM	1,3 LEVEL CM	0,539993 litre	7,639 %	6,528590 litre	O
90	CM	5	CM	1,2 LEVEL CM	0,480469 litre	6,797 %	6,588114 litre	O
90	CM	5	CM	1,1 LEVEL CM	0,423051 litre	5,985 %	6,645532 litre	O
90	CM	5	CM	1 LEVEL CM	0,367877 litre	5,204 %	6,700706 litre	O
90	CM	5	CM	0,9 LEVEL CM	0,315106 litre	4,458 %	6,753477 litre	O
90	CM	5	CM	0,8 LEVEL CM	0,264916 litre	3,748 %	6,803667 litre	O
90	CM	5	CM	0,7 LEVEL CM	0,217516 litre	3,077 %	6,851067 litre	O
90	CM	5	CM	0,6 LEVEL CM	0,173154 litre	2,450 %	6,895429 litre	O
90	CM	5	CM	0,5 LEVEL CM	0,132133 litre	1,869 %	6,936450 litre	O
90	CM	5	CM	0,4 LEVEL CM	0,094840 litre	1,342 %	6,973743 litre	O
90	CM	5	CM	0,3 LEVEL CM	0,061790 litre	0,874 %	7,006793 litre	O
90	CM	5	CM	0,2 LEVEL CM	0,033737 litre	0,477 %	7,034846 litre	O
90	CM	5	CM	0,1 LEVEL CM	0,011964 litre	0,169 %	7,056619 litre	O
90	CM	5	CM	0 LEVEL CM	0,000000 litre	0,000 %	7,068583 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
80	CM 40	CM 80 LEVEL CM	402,1239 litre	100,000 %	0,0000 litre	O
80	CM 40	CM 79,5 LEVEL CM	401,7872 litre	99,916 %	0,3367 litre	O
80	CM 40	CM 79 LEVEL CM	401,1734 litre	99,764 %	0,9505 litre	O
80	CM 40	CM 78,5 LEVEL CM	400,3810 litre	99,567 %	1,7429 litre	O
80	CM 40	CM 78 LEVEL CM	399,4457 litre	99,334 %	2,6782 litre	O
80	CM 40	CM 77,5 LEVEL CM	398,3882 litre	99,071 %	3,7357 litre	O
80	CM 40	CM 77 LEVEL CM	397,2226 litre	98,781 %	4,9013 litre	O
80	CM 40	CM 76,5 LEVEL CM	395,9594 litre	98,467 %	6,1645 litre	O
80	CM 40	CM 76 LEVEL CM	394,6069 litre	98,131 %	7,5170 litre	O
80	CM 40	CM 75,5 LEVEL CM	393,1718 litre	97,774 %	8,9521 litre	O
80	CM 40	CM 75 LEVEL CM	391,6595 litre	97,398 %	10,4644 litre	O
80	CM 40	CM 74,5 LEVEL CM	390,0748 litre	97,004 %	12,0491 litre	O
80	CM 40	CM 74 LEVEL CM	388,4220 litre	96,593 %	13,7019 litre	O
80	CM 40	CM 73,5 LEVEL CM	386,7046 litre	96,166 %	15,4193 litre	O
80	CM 40	CM 73 LEVEL CM	384,9258 litre	95,723 %	17,1981 litre	O
80	CM 40	CM 72,5 LEVEL CM	383,0887 litre	95,266 %	19,0352 litre	O
80	CM 40	CM 72 LEVEL CM	381,1957 litre	94,796 %	20,9282 litre	O
80	CM 40	CM 71,5 LEVEL CM	379,2494 litre	94,312 %	22,8745 litre	O
80	CM 40	CM 71 LEVEL CM	377,2520 litre	93,815 %	24,8719 litre	O
80	CM 40	CM 70,5 LEVEL CM	375,2055 litre	93,306 %	26,9184 litre	O
80	CM 40	CM 70 LEVEL CM	373,1119 litre	92,785 %	29,0120 litre	O
80	CM 40	CM 69,5 LEVEL CM	370,9729 litre	92,253 %	31,1510 litre	O
80	CM 40	CM 69 LEVEL CM	368,7902 litre	91,711 %	33,3337 litre	O
80	CM 40	CM 68,5 LEVEL CM	366,5654 litre	91,157 %	35,5585 litre	O
80	CM 40	CM 68 LEVEL CM	364,3000 litre	90,594 %	37,8239 litre	O
80	CM 40	CM 67,5 LEVEL CM	361,9954 litre	90,021 %	40,1285 litre	O
80	CM 40	CM 67 LEVEL CM	359,6529 litre	89,438 %	42,4710 litre	O
80	CM 40	CM 66,5 LEVEL CM	357,2738 litre	88,847 %	44,8501 litre	O
80	CM 40	CM 66 LEVEL CM	354,8593 litre	88,246 %	47,2646 litre	O
80	CM 40	CM 65,5 LEVEL CM	352,4106 litre	87,637 %	49,7133 litre	O
80	CM 40	CM 65 LEVEL CM	349,9287 litre	87,020 %	52,1952 litre	O
80	CM 40	CM 64,5 LEVEL CM	347,4149 litre	86,395 %	54,7090 litre	O
80	CM 40	CM 64 LEVEL CM	344,8701 litre	85,762 %	57,2538 litre	O
80	CM 40	CM 63,5 LEVEL CM	342,2952 litre	85,122 %	59,8287 litre	O
80	CM 40	CM 63 LEVEL CM	339,6914 litre	84,474 %	62,4325 litre	O
80	CM 40	CM 62,5 LEVEL CM	337,0594 litre	83,820 %	65,0645 litre	O
80	CM 40	CM 62 LEVEL CM	334,4001 litre	83,158 %	67,7238 litre	O
80	CM 40	CM 61,5 LEVEL CM	331,7146 litre	82,491 %	70,4093 litre	O
80	CM 40	CM 61 LEVEL CM	329,0035 litre	81,816 %	73,1204 litre	O
80	CM 40	CM 60,5 LEVEL CM	326,2678 litre	81,136 %	75,8561 litre	O
80	CM 40	CM 60 LEVEL CM	323,5082 litre	80,450 %	78,6157 litre	O
80	CM 40	CM 59,5 LEVEL CM	320,7255 litre	79,758 %	81,3984 litre	O
80	CM 40	CM 59 LEVEL CM	317,9205 litre	79,060 %	84,2034 litre	O
80	CM 40	CM 58,5 LEVEL CM	315,0938 litre	78,357 %	87,0301 litre	O
80	CM 40	CM 58 LEVEL CM	312,2463 litre	77,649 %	89,8776 litre	O
80	CM 40	CM 57,5 LEVEL CM	309,3787 litre	76,936 %	92,7452 litre	O
80	CM 40	CM 57 LEVEL CM	306,4916 litre	76,218 %	95,6323 litre	O
80	CM 40	CM 56,5 LEVEL CM	303,5857 litre	75,496 %	98,5382 litre	O
80	CM 40	CM 56 LEVEL CM	300,6617 litre	74,768 %	101,4622 litre	O
80	CM 40	CM 55,5 LEVEL CM	297,7202 litre	74,037 %	104,4037 litre	O
80	CM 40	CM 55 LEVEL CM	294,7619 litre	73,301 %	107,3620 litre	O
80	CM 40	CM 54,5 LEVEL CM	291,7874 litre	72,562 %	110,3365 litre	O

80	CM 40	CM	54 LEVEL CM	288,7974 litre	71,818 %	113,3265 litre	O
80	CM 40	CM	53,5 LEVEL CM	285,7924 litre	71,071 %	116,3315 litre	O
80	CM 40	CM	53 LEVEL CM	282,7731 litre	70,320 %	119,3508 litre	O
80	CM 40	CM	52,5 LEVEL CM	279,7401 litre	69,566 %	122,3838 litre	O
80	CM 40	CM	52 LEVEL CM	276,6939 litre	68,808 %	125,4300 litre	O
80	CM 40	CM	51,5 LEVEL CM	273,6351 litre	68,047 %	128,4888 litre	O
80	CM 40	CM	51 LEVEL CM	270,5642 litre	67,284 %	131,5597 litre	O
80	CM 40	CM	50,5 LEVEL CM	267,4820 litre	66,517 %	134,6419 litre	O
80	CM 40	CM	50 LEVEL CM	264,3889 litre	65,748 %	137,7350 litre	O
80	CM 40	CM	49,5 LEVEL CM	261,2854 litre	64,976 %	140,8385 litre	O
80	CM 40	CM	49 LEVEL CM	258,1722 litre	64,202 %	143,9517 litre	O
80	CM 40	CM	48,5 LEVEL CM	255,0497 litre	63,426 %	147,0742 litre	O
80	CM 40	CM	48 LEVEL CM	251,9185 litre	62,647 %	150,2054 litre	O
80	CM 40	CM	47,5 LEVEL CM	248,7792 litre	61,866 %	153,3447 litre	O
80	CM 40	CM	47 LEVEL CM	245,6322 litre	61,084 %	156,4917 litre	O
80	CM 40	CM	46,5 LEVEL CM	242,4781 litre	60,299 %	159,6458 litre	O
80	CM 40	CM	46 LEVEL CM	239,3174 litre	59,513 %	162,8065 litre	O
80	CM 40	CM	45,5 LEVEL CM	236,1507 litre	58,726 %	165,9732 litre	O
80	CM 40	CM	45 LEVEL CM	232,9784 litre	57,937 %	169,1455 litre	O
80	CM 40	CM	44,5 LEVEL CM	229,8011 litre	57,147 %	172,3228 litre	O
80	CM 40	CM	44 LEVEL CM	226,6192 litre	56,356 %	175,5047 litre	O
80	CM 40	CM	43,5 LEVEL CM	223,4333 litre	55,563 %	178,6906 litre	O
80	CM 40	CM	43 LEVEL CM	220,2439 litre	54,770 %	181,8800 litre	O
80	CM 40	CM	42,5 LEVEL CM	217,0515 litre	53,976 %	185,0724 litre	O
80	CM 40	CM	42 LEVEL CM	213,8566 litre	53,182 %	188,2673 litre	O
80	CM 40	CM	41,5 LEVEL CM	210,6597 litre	52,387 %	191,4642 litre	O
80	CM 40	CM	41 LEVEL CM	207,4613 litre	51,591 %	194,6626 litre	O
80	CM 40	CM	40,5 LEVEL CM	204,2618 litre	50,796 %	197,8621 litre	O
80	CM 40	CM	40 LEVEL CM	201,0619 litre	50,000 %	201,0620 litre	O
80	CM 40	CM	39,5 LEVEL CM	197,8620 litre	49,204 %	204,2619 litre	O
80	CM 40	CM	39 LEVEL CM	194,6626 litre	48,409 %	207,4613 litre	O
80	CM 40	CM	38,5 LEVEL CM	191,4642 litre	47,613 %	210,6597 litre	O
80	CM 40	CM	38 LEVEL CM	188,2673 litre	46,818 %	213,8566 litre	O
80	CM 40	CM	37,5 LEVEL CM	185,0724 litre	46,024 %	217,0515 litre	O
80	CM 40	CM	37 LEVEL CM	181,8799 litre	45,230 %	220,2440 litre	O
80	CM 40	CM	36,5 LEVEL CM	178,6905 litre	44,437 %	223,4334 litre	O
80	CM 40	CM	36 LEVEL CM	175,5047 litre	43,644 %	226,6192 litre	O
80	CM 40	CM	35,5 LEVEL CM	172,3228 litre	42,853 %	229,8011 litre	O
80	CM 40	CM	35 LEVEL CM	169,1455 litre	42,063 %	232,9784 litre	O
80	CM 40	CM	34,5 LEVEL CM	165,9732 litre	41,274 %	236,1507 litre	O
80	CM 40	CM	34 LEVEL CM	162,8064 litre	40,487 %	239,3175 litre	O
80	CM 40	CM	33,5 LEVEL CM	159,6457 litre	39,701 %	242,4782 litre	O
80	CM 40	CM	33 LEVEL CM	156,4917 litre	38,916 %	245,6322 litre	O
80	CM 40	CM	32,5 LEVEL CM	153,3447 litre	38,134 %	248,7792 litre	O
80	CM 40	CM	32 LEVEL CM	150,2053 litre	37,353 %	251,9186 litre	O
80	CM 40	CM	31,5 LEVEL CM	147,0742 litre	36,574 %	255,0497 litre	O
80	CM 40	CM	31 LEVEL CM	143,9517 litre	35,798 %	258,1722 litre	O
80	CM 40	CM	30,5 LEVEL CM	140,8384 litre	35,024 %	261,2855 litre	O
80	CM 40	CM	30 LEVEL CM	137,7350 litre	34,252 %	264,3889 litre	O
80	CM 40	CM	29,5 LEVEL CM	134,6419 litre	33,483 %	267,4820 litre	O
80	CM 40	CM	29 LEVEL CM	131,5596 litre	32,716 %	270,5643 litre	O
80	CM 40	CM	28,5 LEVEL CM	128,4888 litre	31,953 %	273,6351 litre	O
80	CM 40	CM	28 LEVEL CM	125,4300 litre	31,192 %	276,6939 litre	O

80	CM	40	CM	27,5 LEVEL CM	122,3838 litre	30,434 %	279,7401 litre	O
80	CM	40	CM	27 LEVEL CM	119,3507 litre	29,680 %	282,7732 litre	O
80	CM	40	CM	26,5 LEVEL CM	116,3314 litre	28,929 %	285,7925 litre	O
80	CM	40	CM	26 LEVEL CM	113,3264 litre	28,182 %	288,7975 litre	O
80	CM	40	CM	25,5 LEVEL CM	110,3364 litre	27,438 %	291,7875 litre	O
80	CM	40	CM	25 LEVEL CM	107,3620 litre	26,699 %	294,7619 litre	O
80	CM	40	CM	24,5 LEVEL CM	104,4037 litre	25,963 %	297,7202 litre	O
80	CM	40	CM	24 LEVEL CM	101,4622 litre	25,232 %	300,6617 litre	O
80	CM	40	CM	23,5 LEVEL CM	98,5382 litre	24,504 %	303,5857 litre	O
80	CM	40	CM	23 LEVEL CM	95,6323 litre	23,782 %	306,4916 litre	O
80	CM	40	CM	22,5 LEVEL CM	92,7452 litre	23,064 %	309,3787 litre	O
80	CM	40	CM	22 LEVEL CM	89,8775 litre	22,351 %	312,2464 litre	O
80	CM	40	CM	21,5 LEVEL CM	87,0300 litre	21,643 %	315,0939 litre	O
80	CM	40	CM	21 LEVEL CM	84,2034 litre	20,940 %	317,9205 litre	O
80	CM	40	CM	20,5 LEVEL CM	81,3984 litre	20,242 %	320,7255 litre	O
80	CM	40	CM	20 LEVEL CM	78,6157 litre	19,550 %	323,5082 litre	O
80	CM	40	CM	19,5 LEVEL CM	75,8561 litre	18,864 %	326,2678 litre	O
80	CM	40	CM	19 LEVEL CM	73,1203 litre	18,184 %	329,0036 litre	O
80	CM	40	CM	18,5 LEVEL CM	70,4093 litre	17,509 %	331,7146 litre	O
80	CM	40	CM	18 LEVEL CM	67,7237 litre	16,842 %	334,4002 litre	O
80	CM	40	CM	17,5 LEVEL CM	65,0645 litre	16,180 %	337,0594 litre	O
80	CM	40	CM	17 LEVEL CM	62,4325 litre	15,526 %	339,6914 litre	O
80	CM	40	CM	16,5 LEVEL CM	59,8286 litre	14,878 %	342,2953 litre	O
80	CM	40	CM	16 LEVEL CM	57,2538 litre	14,238 %	344,8701 litre	O
80	CM	40	CM	15,5 LEVEL CM	54,7090 litre	13,605 %	347,4149 litre	O
80	CM	40	CM	15 LEVEL CM	52,1951 litre	12,980 %	349,9288 litre	O
80	CM	40	CM	14,5 LEVEL CM	49,7133 litre	12,363 %	352,4106 litre	O
80	CM	40	CM	14 LEVEL CM	47,2646 litre	11,754 %	354,8593 litre	O
80	CM	40	CM	13,5 LEVEL CM	44,8501 litre	11,153 %	357,2738 litre	O
80	CM	40	CM	13 LEVEL CM	42,4710 litre	10,562 %	359,6529 litre	O
80	CM	40	CM	12,5 LEVEL CM	40,1285 litre	9,979 %	361,9954 litre	O
80	CM	40	CM	12 LEVEL CM	37,8239 litre	9,406 %	364,3000 litre	O
80	CM	40	CM	11,5 LEVEL CM	35,5584 litre	8,843 %	366,5655 litre	O
80	CM	40	CM	11 LEVEL CM	33,3336 litre	8,289 %	368,7903 litre	O
80	CM	40	CM	10,5 LEVEL CM	31,1509 litre	7,747 %	370,9730 litre	O
80	CM	40	CM	10 LEVEL CM	29,0120 litre	7,215 %	373,1119 litre	O
80	CM	40	CM	9,5 LEVEL CM	26,9183 litre	6,694 %	375,2056 litre	O
80	CM	40	CM	9 LEVEL CM	24,8718 litre	6,185 %	377,2521 litre	O
80	CM	40	CM	8,5 LEVEL CM	22,8744 litre	5,688 %	379,2495 litre	O
80	CM	40	CM	8 LEVEL CM	20,9281 litre	5,204 %	381,1958 litre	O
80	CM	40	CM	7,5 LEVEL CM	19,0352 litre	4,734 %	383,0887 litre	O
80	CM	40	CM	7 LEVEL CM	17,1980 litre	4,277 %	384,9259 litre	O
80	CM	40	CM	6,5 LEVEL CM	15,4193 litre	3,834 %	386,7046 litre	O
80	CM	40	CM	6 LEVEL CM	13,7019 litre	3,407 %	388,4220 litre	O
80	CM	40	CM	5,5 LEVEL CM	12,0490 litre	2,996 %	390,0749 litre	O
80	CM	40	CM	5 LEVEL CM	10,4644 litre	2,602 %	391,6595 litre	O
80	CM	40	CM	4,5 LEVEL CM	8,9521 litre	2,226 %	393,1718 litre	O
80	CM	40	CM	4 LEVEL CM	7,5169 litre	1,869 %	394,6070 litre	O
80	CM	40	CM	3,5 LEVEL CM	6,1644 litre	1,533 %	395,9595 litre	O
80	CM	40	CM	3 LEVEL CM	4,9013 litre	1,219 %	397,2226 litre	O
80	CM	40	CM	2,5 LEVEL CM	3,7357 litre	0,929 %	398,3882 litre	O
80	CM	40	CM	2 LEVEL CM	2,6781 litre	0,666 %	399,4458 litre	O
80	CM	40	CM	1,5 LEVEL CM	1,7428 litre	0,433 %	400,3811 litre	O

80_40

-3366-

80	CM 40	CM	1 LEVEL CM	0,9505 litre	0,236 %	401,1734 litre	O
80	CM 40	CM	0,5 LEVEL CM	0,3367 litre	0,084 %	401,7872 litre	O
80	CM 40	CM	0 LEVEL CM	0,0000 litre	0,000 %	402,1239 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
80	CM	35	CM 70 LEVEL CM	307,8761 litre	100,000 %	0,0000 litre	O
80	CM	35	CM 69,5 LEVEL CM	307,5612 litre	99,898 %	0,3149 litre	O
80	CM	35	CM 69 LEVEL CM	306,9875 litre	99,711 %	0,8886 litre	O
80	CM	35	CM 68,5 LEVEL CM	306,2471 litre	99,471 %	1,6290 litre	O
80	CM	35	CM 68 LEVEL CM	305,3736 litre	99,187 %	2,5025 litre	O
80	CM	35	CM 67,5 LEVEL CM	304,3865 litre	98,867 %	3,4896 litre	O
80	CM	35	CM 67 LEVEL CM	303,2989 litre	98,513 %	4,5772 litre	O
80	CM	35	CM 66,5 LEVEL CM	302,1209 litre	98,131 %	5,7552 litre	O
80	CM	35	CM 66 LEVEL CM	300,8603 litre	97,721 %	7,0158 litre	O
80	CM	35	CM 65,5 LEVEL CM	299,5232 litre	97,287 %	8,3529 litre	O
80	CM	35	CM 65 LEVEL CM	298,1149 litre	96,830 %	9,7612 litre	O
80	CM	35	CM 64,5 LEVEL CM	296,6401 litre	96,350 %	11,2360 litre	O
80	CM	35	CM 64 LEVEL CM	295,1026 litre	95,851 %	12,7735 litre	O
80	CM	35	CM 63,5 LEVEL CM	293,5059 litre	95,332 %	14,3702 litre	O
80	CM	35	CM 63 LEVEL CM	291,8530 litre	94,796 %	16,0231 litre	O
80	CM	35	CM 62,5 LEVEL CM	290,1467 litre	94,241 %	17,7294 litre	O
80	CM	35	CM 62 LEVEL CM	288,3897 litre	93,671 %	19,4864 litre	O
80	CM	35	CM 61,5 LEVEL CM	286,5841 litre	93,084 %	21,2920 litre	O
80	CM	35	CM 61 LEVEL CM	284,7322 litre	92,483 %	23,1439 litre	O
80	CM	35	CM 60,5 LEVEL CM	282,8358 litre	91,867 %	25,0403 litre	O
80	CM	35	CM 60 LEVEL CM	280,8969 litre	91,237 %	26,9792 litre	O
80	CM	35	CM 59,5 LEVEL CM	278,9172 litre	90,594 %	28,9589 litre	O
80	CM	35	CM 59 LEVEL CM	276,8982 litre	89,938 %	30,9779 litre	O
80	CM	35	CM 58,5 LEVEL CM	274,8416 litre	89,270 %	33,0345 litre	O
80	CM	35	CM 58 LEVEL CM	272,7487 litre	88,590 %	35,1274 litre	O
80	CM	35	CM 57,5 LEVEL CM	270,6210 litre	87,899 %	37,2551 litre	O
80	CM	35	CM 57 LEVEL CM	268,4596 litre	87,197 %	39,4165 litre	O
80	CM	35	CM 56,5 LEVEL CM	266,2660 litre	86,485 %	41,6101 litre	O
80	CM	35	CM 56 LEVEL CM	264,0411 litre	85,762 %	43,8350 litre	O
80	CM	35	CM 55,5 LEVEL CM	261,7863 litre	85,030 %	46,0898 litre	O
80	CM	35	CM 55 LEVEL CM	259,5026 litre	84,288 %	48,3735 litre	O
80	CM	35	CM 54,5 LEVEL CM	257,1910 litre	83,537 %	50,6851 litre	O
80	CM	35	CM 54 LEVEL CM	254,8526 litre	82,778 %	53,0235 litre	O
80	CM	35	CM 53,5 LEVEL CM	252,4883 litre	82,010 %	55,3878 litre	O
80	CM	35	CM 53 LEVEL CM	250,0991 litre	81,234 %	57,7770 litre	O
80	CM	35	CM 52,5 LEVEL CM	247,6860 litre	80,450 %	60,1901 litre	O
80	CM	35	CM 52 LEVEL CM	245,2497 litre	79,659 %	62,6264 litre	O
80	CM	35	CM 51,5 LEVEL CM	242,7912 litre	78,860 %	65,0849 litre	O
80	CM	35	CM 51 LEVEL CM	240,3113 litre	78,055 %	67,5648 litre	O
80	CM	35	CM 50,5 LEVEL CM	237,8109 litre	77,242 %	70,0652 litre	O
80	CM	35	CM 50 LEVEL CM	235,2907 litre	76,424 %	72,5854 litre	O
80	CM	35	CM 49,5 LEVEL CM	232,7515 litre	75,599 %	75,1246 litre	O
80	CM	35	CM 49 LEVEL CM	230,1941 litre	74,768 %	77,6820 litre	O
80	CM	35	CM 48,5 LEVEL CM	227,6192 litre	73,932 %	80,2569 litre	O
80	CM	35	CM 48 LEVEL CM	225,0277 litre	73,090 %	82,8484 litre	O
80	CM	35	CM 47,5 LEVEL CM	222,4201 litre	72,243 %	85,4560 litre	O
80	CM	35	CM 47 LEVEL CM	219,7972 litre	71,391 %	88,0789 litre	O
80	CM	35	CM 46,5 LEVEL CM	217,1597 litre	70,535 %	90,7164 litre	O
80	CM	35	CM 46 LEVEL CM	214,5084 litre	69,674 %	93,3677 litre	O
80	CM	35	CM 45,5 LEVEL CM	211,8437 litre	68,808 %	96,0324 litre	O
80	CM	35	CM 45 LEVEL CM	209,1665 litre	67,939 %	98,7096 litre	O
80	CM	35	CM 44,5 LEVEL CM	206,4774 litre	67,065 %	101,3987 litre	O

80	CM	35	CM	44 LEVEL CM	203,7770 litre	66,188 %	104,0991 litre	O
80	CM	35	CM	43,5 LEVEL CM	201,0659 litre	65,307 %	106,8102 litre	O
80	CM	35	CM	43 LEVEL CM	198,3448 litre	64,424 %	109,5313 litre	O
80	CM	35	CM	42,5 LEVEL CM	195,6144 litre	63,537 %	112,2617 litre	O
80	CM	35	CM	42 LEVEL CM	192,8751 litre	62,647 %	115,0010 litre	O
80	CM	35	CM	41,5 LEVEL CM	190,1277 litre	61,755 %	117,7484 litre	O
80	CM	35	CM	41 LEVEL CM	187,3727 litre	60,860 %	120,5034 litre	O
80	CM	35	CM	40,5 LEVEL CM	184,6108 litre	59,963 %	123,2653 litre	O
80	CM	35	CM	40 LEVEL CM	181,8425 litre	59,064 %	126,0336 litre	O
80	CM	35	CM	39,5 LEVEL CM	179,0684 litre	58,163 %	128,8077 litre	O
80	CM	35	CM	39 LEVEL CM	176,2892 litre	57,260 %	131,5869 litre	O
80	CM	35	CM	38,5 LEVEL CM	173,5053 litre	56,356 %	134,3708 litre	O
80	CM	35	CM	38 LEVEL CM	170,7174 litre	55,450 %	137,1587 litre	O
80	CM	35	CM	37,5 LEVEL CM	167,9261 litre	54,543 %	139,9500 litre	O
80	CM	35	CM	37 LEVEL CM	165,1319 litre	53,636 %	142,7442 litre	O
80	CM	35	CM	36,5 LEVEL CM	162,3355 litre	52,728 %	145,5406 litre	O
80	CM	35	CM	36 LEVEL CM	159,5373 litre	51,819 %	148,3388 litre	O
80	CM	35	CM	35,5 LEVEL CM	156,7379 litre	50,909 %	151,1382 litre	O
80	CM	35	CM	35 LEVEL CM	153,9380 litre	50,000 %	153,9381 litre	O
80	CM	35	CM	34,5 LEVEL CM	151,1381 litre	49,091 %	156,7380 litre	O
80	CM	35	CM	34 LEVEL CM	148,3388 litre	48,181 %	159,5373 litre	O
80	CM	35	CM	33,5 LEVEL CM	145,5406 litre	47,272 %	162,3355 litre	O
80	CM	35	CM	33 LEVEL CM	142,7441 litre	46,364 %	165,1320 litre	O
80	CM	35	CM	32,5 LEVEL CM	139,9500 litre	45,457 %	167,9261 litre	O
80	CM	35	CM	32 LEVEL CM	137,1586 litre	44,550 %	170,7175 litre	O
80	CM	35	CM	31,5 LEVEL CM	134,3708 litre	43,644 %	173,5053 litre	O
80	CM	35	CM	31 LEVEL CM	131,5869 litre	42,740 %	176,2892 litre	O
80	CM	35	CM	30,5 LEVEL CM	128,8076 litre	41,837 %	179,0685 litre	O
80	CM	35	CM	30 LEVEL CM	126,0336 litre	40,936 %	181,8425 litre	O
80	CM	35	CM	29,5 LEVEL CM	123,2653 litre	40,037 %	184,6108 litre	O
80	CM	35	CM	29 LEVEL CM	120,5033 litre	39,140 %	187,3728 litre	O
80	CM	35	CM	28,5 LEVEL CM	117,7484 litre	38,245 %	190,1277 litre	O
80	CM	35	CM	28 LEVEL CM	115,0010 litre	37,353 %	192,8751 litre	O
80	CM	35	CM	27,5 LEVEL CM	112,2617 litre	36,463 %	195,6144 litre	O
80	CM	35	CM	27 LEVEL CM	109,5313 litre	35,576 %	198,3448 litre	O
80	CM	35	CM	26,5 LEVEL CM	106,8102 litre	34,693 %	201,0659 litre	O
80	CM	35	CM	26 LEVEL CM	104,0991 litre	33,812 %	203,7770 litre	O
80	CM	35	CM	25,5 LEVEL CM	101,3987 litre	32,935 %	206,4774 litre	O
80	CM	35	CM	25 LEVEL CM	98,7096 litre	32,061 %	209,1665 litre	O
80	CM	35	CM	24,5 LEVEL CM	96,0323 litre	31,192 %	211,8438 litre	O
80	CM	35	CM	24 LEVEL CM	93,3677 litre	30,326 %	214,5084 litre	O
80	CM	35	CM	23,5 LEVEL CM	90,7163 litre	29,465 %	217,1598 litre	O
80	CM	35	CM	23 LEVEL CM	88,0789 litre	28,609 %	219,7972 litre	O
80	CM	35	CM	22,5 LEVEL CM	85,4560 litre	27,757 %	222,4201 litre	O
80	CM	35	CM	22 LEVEL CM	82,8484 litre	26,910 %	225,0277 litre	O
80	CM	35	CM	21,5 LEVEL CM	80,2568 litre	26,068 %	227,6193 litre	O
80	CM	35	CM	21 LEVEL CM	77,6820 litre	25,232 %	230,1941 litre	O
80	CM	35	CM	20,5 LEVEL CM	75,1246 litre	24,401 %	232,7515 litre	O
80	CM	35	CM	20 LEVEL CM	72,5854 litre	23,576 %	235,2907 litre	O
80	CM	35	CM	19,5 LEVEL CM	70,0652 litre	22,758 %	237,8109 litre	O
80	CM	35	CM	19 LEVEL CM	67,5648 litre	21,945 %	240,3113 litre	O
80	CM	35	CM	18,5 LEVEL CM	65,0849 litre	21,140 %	242,7912 litre	O
80	CM	35	CM	18 LEVEL CM	62,6264 litre	20,341 %	245,2497 litre	O

80	CM	35	CM	17,5 LEVEL CM	60,1901 litre	19,550 %	247,6860 litre	O
80	CM	35	CM	17 LEVEL CM	57,7769 litre	18,766 %	250,0992 litre	O
80	CM	35	CM	16,5 LEVEL CM	55,3878 litre	17,990 %	252,4883 litre	O
80	CM	35	CM	16 LEVEL CM	53,0235 litre	17,222 %	254,8526 litre	O
80	CM	35	CM	15,5 LEVEL CM	50,6851 litre	16,463 %	257,1910 litre	O
80	CM	35	CM	15 LEVEL CM	48,3735 litre	15,712 %	259,5026 litre	O
80	CM	35	CM	14,5 LEVEL CM	46,0897 litre	14,970 %	261,7864 litre	O
80	CM	35	CM	14 LEVEL CM	43,8349 litre	14,238 %	264,0412 litre	O
80	CM	35	CM	13,5 LEVEL CM	41,6101 litre	13,515 %	266,2660 litre	O
80	CM	35	CM	13 LEVEL CM	39,4165 litre	12,803 %	268,4596 litre	O
80	CM	35	CM	12,5 LEVEL CM	37,2551 litre	12,101 %	270,6210 litre	O
80	CM	35	CM	12 LEVEL CM	35,1274 litre	11,410 %	272,7487 litre	O
80	CM	35	CM	11,5 LEVEL CM	33,0345 litre	10,730 %	274,8416 litre	O
80	CM	35	CM	11 LEVEL CM	30,9778 litre	10,062 %	276,8983 litre	O
80	CM	35	CM	10,5 LEVEL CM	28,9589 litre	9,406 %	278,9172 litre	O
80	CM	35	CM	10 LEVEL CM	26,9792 litre	8,763 %	280,8969 litre	O
80	CM	35	CM	9,5 LEVEL CM	25,0403 litre	8,133 %	282,8358 litre	O
80	CM	35	CM	9 LEVEL CM	23,1439 litre	7,517 %	284,7322 litre	O
80	CM	35	CM	8,5 LEVEL CM	21,2920 litre	6,916 %	286,5841 litre	O
80	CM	35	CM	8 LEVEL CM	19,4864 litre	6,329 %	288,3897 litre	O
80	CM	35	CM	7,5 LEVEL CM	17,7293 litre	5,759 %	290,1468 litre	O
80	CM	35	CM	7 LEVEL CM	16,0231 litre	5,204 %	291,8530 litre	O
80	CM	35	CM	6,5 LEVEL CM	14,3702 litre	4,668 %	293,5059 litre	O
80	CM	35	CM	6 LEVEL CM	12,7735 litre	4,149 %	295,1026 litre	O
80	CM	35	CM	5,5 LEVEL CM	11,2360 litre	3,650 %	296,6401 litre	O
80	CM	35	CM	5 LEVEL CM	9,7611 litre	3,170 %	298,1150 litre	O
80	CM	35	CM	4,5 LEVEL CM	8,3529 litre	2,713 %	299,5232 litre	O
80	CM	35	CM	4 LEVEL CM	7,0158 litre	2,279 %	300,8603 litre	O
80	CM	35	CM	3,5 LEVEL CM	5,7551 litre	1,869 %	302,1210 litre	O
80	CM	35	CM	3 LEVEL CM	4,5772 litre	1,487 %	303,2989 litre	O
80	CM	35	CM	2,5 LEVEL CM	3,4896 litre	1,133 %	304,3865 litre	O
80	CM	35	CM	2 LEVEL CM	2,5024 litre	0,813 %	305,3737 litre	O
80	CM	35	CM	1,5 LEVEL CM	1,6289 litre	0,529 %	306,2472 litre	O
80	CM	35	CM	1 LEVEL CM	0,8886 litre	0,289 %	306,9875 litre	O
80	CM	35	CM	0,5 LEVEL CM	0,3148 litre	0,102 %	307,5613 litre	O
80	CM	35	CM	0 LEVEL CM	0,0000 litre	0,000 %	307,8761 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
80	CM 30	CM 60 LEVEL CM	226,1947 litre	100,000 %	0,0000 litre	O
80	CM 30	CM 59,5 LEVEL CM	225,9033 litre	99,871 %	0,2914 litre	O
80	CM 30	CM 59 LEVEL CM	225,3726 litre	99,637 %	0,8221 litre	O
80	CM 30	CM 58,5 LEVEL CM	224,6882 litre	99,334 %	1,5065 litre	O
80	CM 30	CM 58 LEVEL CM	223,8812 litre	98,977 %	2,3135 litre	O
80	CM 30	CM 57,5 LEVEL CM	222,9698 litre	98,574 %	3,2249 litre	O
80	CM 30	CM 57 LEVEL CM	221,9664 litre	98,131 %	4,2283 litre	O
80	CM 30	CM 56,5 LEVEL CM	220,8802 litre	97,650 %	5,3145 litre	O
80	CM 30	CM 56 LEVEL CM	219,7186 litre	97,137 %	6,4761 litre	O
80	CM 30	CM 55,5 LEVEL CM	218,4874 litre	96,593 %	7,7073 litre	O
80	CM 30	CM 55 LEVEL CM	217,1916 litre	96,020 %	9,0031 litre	O
80	CM 30	CM 54,5 LEVEL CM	215,8354 litre	95,420 %	10,3593 litre	O
80	CM 30	CM 54 LEVEL CM	214,4226 litre	94,796 %	11,7721 litre	O
80	CM 30	CM 53,5 LEVEL CM	212,9564 litre	94,147 %	13,2383 litre	O
80	CM 30	CM 53 LEVEL CM	211,4398 litre	93,477 %	14,7549 litre	O
80	CM 30	CM 52,5 LEVEL CM	209,8754 litre	92,785 %	16,3193 litre	O
80	CM 30	CM 52 LEVEL CM	208,2657 litre	92,074 %	17,9290 litre	O
80	CM 30	CM 51,5 LEVEL CM	206,6128 litre	91,343 %	19,5819 litre	O
80	CM 30	CM 51 LEVEL CM	204,9188 litre	90,594 %	21,2759 litre	O
80	CM 30	CM 50,5 LEVEL CM	203,1855 litre	89,828 %	23,0092 litre	O
80	CM 30	CM 50 LEVEL CM	201,4148 litre	89,045 %	24,7799 litre	O
80	CM 30	CM 49,5 LEVEL CM	199,6083 litre	88,246 %	26,5864 litre	O
80	CM 30	CM 49 LEVEL CM	197,7676 litre	87,432 %	28,4271 litre	O
80	CM 30	CM 48,5 LEVEL CM	195,8942 litre	86,604 %	30,3005 litre	O
80	CM 30	CM 48 LEVEL CM	193,9894 litre	85,762 %	32,2053 litre	O
80	CM 30	CM 47,5 LEVEL CM	192,0546 litre	84,907 %	34,1401 litre	O
80	CM 30	CM 47 LEVEL CM	190,0911 litre	84,039 %	36,1036 litre	O
80	CM 30	CM 46,5 LEVEL CM	188,1001 litre	83,158 %	38,0946 litre	O
80	CM 30	CM 46 LEVEL CM	186,0827 litre	82,267 %	40,1120 litre	O
80	CM 30	CM 45,5 LEVEL CM	184,0401 litre	81,364 %	42,1546 litre	O
80	CM 30	CM 45 LEVEL CM	181,9734 litre	80,450 %	44,2213 litre	O
80	CM 30	CM 44,5 LEVEL CM	179,8835 litre	79,526 %	46,3112 litre	O
80	CM 30	CM 44 LEVEL CM	177,7716 litre	78,592 %	48,4231 litre	O
80	CM 30	CM 43,5 LEVEL CM	175,6386 litre	77,649 %	50,5561 litre	O
80	CM 30	CM 43 LEVEL CM	173,4854 litre	76,697 %	52,7093 litre	O
80	CM 30	CM 42,5 LEVEL CM	171,3129 litre	75,737 %	54,8818 litre	O
80	CM 30	CM 42 LEVEL CM	169,1222 litre	74,768 %	57,0725 litre	O
80	CM 30	CM 41,5 LEVEL CM	166,9140 litre	73,792 %	59,2807 litre	O
80	CM 30	CM 41 LEVEL CM	164,6891 litre	72,809 %	61,5056 litre	O
80	CM 30	CM 40,5 LEVEL CM	162,4485 litre	71,818 %	63,7462 litre	O
80	CM 30	CM 40 LEVEL CM	160,1930 litre	70,821 %	66,0017 litre	O
80	CM 30	CM 39,5 LEVEL CM	157,9233 litre	69,817 %	68,2714 litre	O
80	CM 30	CM 39 LEVEL CM	155,6403 litre	68,808 %	70,5544 litre	O
80	CM 30	CM 38,5 LEVEL CM	153,3447 litre	67,793 %	72,8500 litre	O
80	CM 30	CM 38 LEVEL CM	151,0372 litre	66,773 %	75,1575 litre	O
80	CM 30	CM 37,5 LEVEL CM	148,7187 litre	65,748 %	77,4760 litre	O
80	CM 30	CM 37 LEVEL CM	146,3899 litre	64,719 %	79,8048 litre	O
80	CM 30	CM 36,5 LEVEL CM	144,0515 litre	63,685 %	82,1432 litre	O
80	CM 30	CM 36 LEVEL CM	141,7042 litre	62,647 %	84,4905 litre	O
80	CM 30	CM 35,5 LEVEL CM	139,3487 litre	61,606 %	86,8460 litre	O
80	CM 30	CM 35 LEVEL CM	136,9858 litre	60,561 %	89,2089 litre	O
80	CM 30	CM 34,5 LEVEL CM	134,6161 litre	59,513 %	91,5786 litre	O

80	CM	30	CM	34 LEVEL CM	132,2403 litre	58,463 %	93,9544 litre	O
80	CM	30	CM	33,5 LEVEL CM	129,8591 litre	57,410 %	96,3356 litre	O
80	CM	30	CM	33 LEVEL CM	127,4733 litre	56,356 %	98,7214 litre	O
80	CM	30	CM	32,5 LEVEL CM	125,0834 litre	55,299 %	101,1113 litre	O
80	CM	30	CM	32 LEVEL CM	122,6902 litre	54,241 %	103,5045 litre	O
80	CM	30	CM	31,5 LEVEL CM	120,2943 litre	53,182 %	105,9004 litre	O
80	CM	30	CM	31 LEVEL CM	117,8964 litre	52,122 %	108,2983 litre	O
80	CM	30	CM	30,5 LEVEL CM	115,4972 litre	51,061 %	110,6975 litre	O
80	CM	30	CM	30 LEVEL CM	113,0973 litre	50,000 %	113,0974 litre	O
80	CM	30	CM	29,5 LEVEL CM	110,6974 litre	48,939 %	115,4973 litre	O
80	CM	30	CM	29 LEVEL CM	108,2982 litre	47,878 %	117,8965 litre	O
80	CM	30	CM	28,5 LEVEL CM	105,9003 litre	46,818 %	120,2944 litre	O
80	CM	30	CM	28 LEVEL CM	103,5045 litre	45,759 %	122,6902 litre	O
80	CM	30	CM	27,5 LEVEL CM	101,1112 litre	44,701 %	125,0835 litre	O
80	CM	30	CM	27 LEVEL CM	98,7214 litre	43,644 %	127,4733 litre	O
80	CM	30	CM	26,5 LEVEL CM	96,3355 litre	42,590 %	129,8592 litre	O
80	CM	30	CM	26 LEVEL CM	93,9544 litre	41,537 %	132,2403 litre	O
80	CM	30	CM	25,5 LEVEL CM	91,5786 litre	40,487 %	134,6161 litre	O
80	CM	30	CM	25 LEVEL CM	89,2089 litre	39,439 %	136,9858 litre	O
80	CM	30	CM	24,5 LEVEL CM	86,8460 litre	38,394 %	139,3487 litre	O
80	CM	30	CM	24 LEVEL CM	84,4905 litre	37,353 %	141,7042 litre	O
80	CM	30	CM	23,5 LEVEL CM	82,1432 litre	36,315 %	144,0515 litre	O
80	CM	30	CM	23 LEVEL CM	79,8048 litre	35,281 %	146,3899 litre	O
80	CM	30	CM	22,5 LEVEL CM	77,4759 litre	34,252 %	148,7188 litre	O
80	CM	30	CM	22 LEVEL CM	75,1574 litre	33,227 %	151,0373 litre	O
80	CM	30	CM	21,5 LEVEL CM	72,8500 litre	32,207 %	153,3447 litre	O
80	CM	30	CM	21 LEVEL CM	70,5544 litre	31,192 %	155,6403 litre	O
80	CM	30	CM	20,5 LEVEL CM	68,2713 litre	30,183 %	157,9234 litre	O
80	CM	30	CM	20 LEVEL CM	66,0017 litre	29,179 %	160,1930 litre	O
80	CM	30	CM	19,5 LEVEL CM	63,7461 litre	28,182 %	162,4486 litre	O
80	CM	30	CM	19 LEVEL CM	61,5055 litre	27,191 %	164,6892 litre	O
80	CM	30	CM	18,5 LEVEL CM	59,2807 litre	26,208 %	166,9140 litre	O
80	CM	30	CM	18 LEVEL CM	57,0725 litre	25,232 %	169,1222 litre	O
80	CM	30	CM	17,5 LEVEL CM	54,8817 litre	24,263 %	171,3130 litre	O
80	CM	30	CM	17 LEVEL CM	52,7093 litre	23,303 %	173,4854 litre	O
80	CM	30	CM	16,5 LEVEL CM	50,5561 litre	22,351 %	175,6386 litre	O
80	CM	30	CM	16 LEVEL CM	48,4231 litre	21,408 %	177,7716 litre	O
80	CM	30	CM	15,5 LEVEL CM	46,3111 litre	20,474 %	179,8836 litre	O
80	CM	30	CM	15 LEVEL CM	44,2213 litre	19,550 %	181,9734 litre	O
80	CM	30	CM	14,5 LEVEL CM	42,1546 litre	18,636 %	184,0401 litre	O
80	CM	30	CM	14 LEVEL CM	40,1120 litre	17,733 %	186,0827 litre	O
80	CM	30	CM	13,5 LEVEL CM	38,0946 litre	16,842 %	188,1001 litre	O
80	CM	30	CM	13 LEVEL CM	36,1036 litre	15,961 %	190,0911 litre	O
80	CM	30	CM	12,5 LEVEL CM	34,1400 litre	15,093 %	192,0547 litre	O
80	CM	30	CM	12 LEVEL CM	32,2053 litre	14,238 %	193,9894 litre	O
80	CM	30	CM	11,5 LEVEL CM	30,3005 litre	13,396 %	195,8942 litre	O
80	CM	30	CM	11 LEVEL CM	28,4270 litre	12,568 %	197,7677 litre	O
80	CM	30	CM	10,5 LEVEL CM	26,5863 litre	11,754 %	199,6084 litre	O
80	CM	30	CM	10 LEVEL CM	24,7799 litre	10,955 %	201,4148 litre	O
80	CM	30	CM	9,5 LEVEL CM	23,0092 litre	10,172 %	203,1855 litre	O
80	CM	30	CM	9 LEVEL CM	21,2759 litre	9,406 %	204,9188 litre	O
80	CM	30	CM	8,5 LEVEL CM	19,5819 litre	8,657 %	206,6128 litre	O
80	CM	30	CM	8 LEVEL CM	17,9290 litre	7,926 %	208,2657 litre	O

80	CM 30	CM	7,5 LEVEL CM	16,3192 litre	7,215 %	209,8755 litre	O
80	CM 30	CM	7 LEVEL CM	14,7548 litre	6,523 %	211,4399 litre	O
80	CM 30	CM	6,5 LEVEL CM	13,2382 litre	5,853 %	212,9565 litre	O
80	CM 30	CM	6 LEVEL CM	11,7721 litre	5,204 %	214,4226 litre	O
80	CM 30	CM	5,5 LEVEL CM	10,3593 litre	4,580 %	215,8354 litre	O
80	CM 30	CM	5 LEVEL CM	9,0031 litre	3,980 %	217,1916 litre	O
80	CM 30	CM	4,5 LEVEL CM	7,7073 litre	3,407 %	218,4874 litre	O
80	CM 30	CM	4 LEVEL CM	6,4761 litre	2,863 %	219,7186 litre	O
80	CM 30	CM	3,5 LEVEL CM	5,3144 litre	2,349 %	220,8803 litre	O
80	CM 30	CM	3 LEVEL CM	4,2283 litre	1,869 %	221,9664 litre	O
80	CM 30	CM	2,5 LEVEL CM	3,2249 litre	1,426 %	222,9698 litre	O
80	CM 30	CM	2 LEVEL CM	2,3134 litre	1,023 %	223,8813 litre	O
80	CM 30	CM	1,5 LEVEL CM	1,5065 litre	0,666 %	224,6882 litre	O
80	CM 30	CM	1 LEVEL CM	0,8221 litre	0,363 %	225,3726 litre	O
80	CM 30	CM	0,5 LEVEL CM	0,2914 litre	0,129 %	225,9033 litre	O
80	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	226,1947 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
80	CM	25	CM	50 LEVEL CM	157,0796 litre	100,000 %	0,0000 litre	O
80	CM	25	CM	49,5 LEVEL CM	156,8138 litre	99,831 %	0,2658 litre	O
80	CM	25	CM	49 LEVEL CM	156,3299 litre	99,523 %	0,7497 litre	O
80	CM	25	CM	48,5 LEVEL CM	155,7065 litre	99,126 %	1,3731 litre	O
80	CM	25	CM	48 LEVEL CM	154,9721 litre	98,658 %	2,1075 litre	O
80	CM	25	CM	47,5 LEVEL CM	154,1433 litre	98,131 %	2,9363 litre	O
80	CM	25	CM	47 LEVEL CM	153,2318 litre	97,550 %	3,8478 litre	O
80	CM	25	CM	46,5 LEVEL CM	152,2459 litre	96,923 %	4,8337 litre	O
80	CM	25	CM	46 LEVEL CM	151,1926 litre	96,252 %	5,8870 litre	O
80	CM	25	CM	45,5 LEVEL CM	150,0773 litre	95,542 %	7,0023 litre	O
80	CM	25	CM	45 LEVEL CM	148,9046 litre	94,796 %	8,1750 litre	O
80	CM	25	CM	44,5 LEVEL CM	147,6785 litre	94,015 %	9,4011 litre	O
80	CM	25	CM	44 LEVEL CM	146,4025 litre	93,203 %	10,6771 litre	O
80	CM	25	CM	43,5 LEVEL CM	145,0798 litre	92,361 %	11,9998 litre	O
80	CM	25	CM	43 LEVEL CM	143,7130 litre	91,491 %	13,3666 litre	O
80	CM	25	CM	42,5 LEVEL CM	142,3047 litre	90,594 %	14,7749 litre	O
80	CM	25	CM	42 LEVEL CM	140,8572 litre	89,672 %	16,2224 litre	O
80	CM	25	CM	41,5 LEVEL CM	139,3725 litre	88,727 %	17,7071 litre	O
80	CM	25	CM	41 LEVEL CM	137,8527 litre	87,760 %	19,2269 litre	O
80	CM	25	CM	40,5 LEVEL CM	136,2996 litre	86,771 %	20,7800 litre	O
80	CM	25	CM	40 LEVEL CM	134,7149 litre	85,762 %	22,3647 litre	O
80	CM	25	CM	39,5 LEVEL CM	133,1001 litre	84,734 %	23,9795 litre	O
80	CM	25	CM	39 LEVEL CM	131,4569 litre	83,688 %	25,6227 litre	O
80	CM	25	CM	38,5 LEVEL CM	129,7866 litre	82,625 %	27,2930 litre	O
80	CM	25	CM	38 LEVEL CM	128,0907 litre	81,545 %	28,9889 litre	O
80	CM	25	CM	37,5 LEVEL CM	126,3704 litre	80,450 %	30,7092 litre	O
80	CM	25	CM	37 LEVEL CM	124,6270 litre	79,340 %	32,4526 litre	O
80	CM	25	CM	36,5 LEVEL CM	122,8617 litre	78,216 %	34,2179 litre	O
80	CM	25	CM	36 LEVEL CM	121,0757 litre	77,079 %	36,0039 litre	O
80	CM	25	CM	35,5 LEVEL CM	119,2701 litre	75,930 %	37,8095 litre	O
80	CM	25	CM	35 LEVEL CM	117,4460 litre	74,768 %	39,6336 litre	O
80	CM	25	CM	34,5 LEVEL CM	115,6044 litre	73,596 %	41,4752 litre	O
80	CM	25	CM	34 LEVEL CM	113,7464 litre	72,413 %	43,3332 litre	O
80	CM	25	CM	33,5 LEVEL CM	111,8729 litre	71,221 %	45,2067 litre	O
80	CM	25	CM	33 LEVEL CM	109,9850 litre	70,019 %	47,0946 litre	O
80	CM	25	CM	32,5 LEVEL CM	108,0835 litre	68,808 %	48,9961 litre	O
80	CM	25	CM	32 LEVEL CM	106,1695 litre	67,590 %	50,9101 litre	O
80	CM	25	CM	31,5 LEVEL CM	104,2438 litre	66,364 %	52,8358 litre	O
80	CM	25	CM	31 LEVEL CM	102,3074 litre	65,131 %	54,7722 litre	O
80	CM	25	CM	30,5 LEVEL CM	100,3610 litre	63,892 %	56,7186 litre	O
80	CM	25	CM	30 LEVEL CM	98,4057 litre	62,647 %	58,6739 litre	O
80	CM	25	CM	29,5 LEVEL CM	96,4421 litre	61,397 %	60,6375 litre	O
80	CM	25	CM	29 LEVEL CM	94,4713 litre	60,142 %	62,6083 litre	O
80	CM	25	CM	28,5 LEVEL CM	92,4939 litre	58,883 %	64,5857 litre	O
80	CM	25	CM	28 LEVEL CM	90,5110 litre	57,621 %	66,5686 litre	O
80	CM	25	CM	27,5 LEVEL CM	88,5231 litre	56,356 %	68,5565 litre	O
80	CM	25	CM	27 LEVEL CM	86,5313 litre	55,088 %	70,5483 litre	O
80	CM	25	CM	26,5 LEVEL CM	84,5362 litre	53,817 %	72,5434 litre	O
80	CM	25	CM	26 LEVEL CM	82,5387 litre	52,546 %	74,5409 litre	O
80	CM	25	CM	25,5 LEVEL CM	80,5397 litre	51,273 %	76,5399 litre	O
80	CM	25	CM	25 LEVEL CM	78,5398 litre	50,000 %	78,5398 litre	O
80	CM	25	CM	24,5 LEVEL CM	76,5399 litre	48,727 %	80,5397 litre	O

80	CM	25	CM	24 LEVEL CM	74,5409 litre	47,454 %	82,5387 litre	O
80	CM	25	CM	23,5 LEVEL CM	72,5434 litre	46,183 %	84,5362 litre	O
80	CM	25	CM	23 LEVEL CM	70,5484 litre	44,912 %	86,5312 litre	O
80	CM	25	CM	22,5 LEVEL CM	68,5565 litre	43,644 %	88,5231 litre	O
80	CM	25	CM	22 LEVEL CM	66,5687 litre	42,379 %	90,5109 litre	O
80	CM	25	CM	21,5 LEVEL CM	64,5857 litre	41,117 %	92,4939 litre	O
80	CM	25	CM	21 LEVEL CM	62,6083 litre	39,858 %	94,4713 litre	O
80	CM	25	CM	20,5 LEVEL CM	60,6375 litre	38,603 %	96,4421 litre	O
80	CM	25	CM	20 LEVEL CM	58,6740 litre	37,353 %	98,4056 litre	O
80	CM	25	CM	19,5 LEVEL CM	56,7186 litre	36,108 %	100,3610 litre	O
80	CM	25	CM	19 LEVEL CM	54,7722 litre	34,869 %	102,3074 litre	O
80	CM	25	CM	18,5 LEVEL CM	52,8358 litre	33,636 %	104,2438 litre	O
80	CM	25	CM	18 LEVEL CM	50,9101 litre	32,410 %	106,1695 litre	O
80	CM	25	CM	17,5 LEVEL CM	48,9961 litre	31,192 %	108,0835 litre	O
80	CM	25	CM	17 LEVEL CM	47,0947 litre	29,981 %	109,9849 litre	O
80	CM	25	CM	16,5 LEVEL CM	45,2067 litre	28,780 %	111,8729 litre	O
80	CM	25	CM	16 LEVEL CM	43,3333 litre	27,587 %	113,7463 litre	O
80	CM	25	CM	15,5 LEVEL CM	41,4753 litre	26,404 %	115,6043 litre	O
80	CM	25	CM	15 LEVEL CM	39,6337 litre	25,232 %	117,4459 litre	O
80	CM	25	CM	14,5 LEVEL CM	37,8095 litre	24,070 %	119,2701 litre	O
80	CM	25	CM	14 LEVEL CM	36,0039 litre	22,921 %	121,0757 litre	O
80	CM	25	CM	13,5 LEVEL CM	34,2179 litre	21,784 %	122,8617 litre	O
80	CM	25	CM	13 LEVEL CM	32,4526 litre	20,660 %	124,6270 litre	O
80	CM	25	CM	12,5 LEVEL CM	30,7092 litre	19,550 %	126,3704 litre	O
80	CM	25	CM	12 LEVEL CM	28,9889 litre	18,455 %	128,0907 litre	O
80	CM	25	CM	11,5 LEVEL CM	27,2930 litre	17,375 %	129,7866 litre	O
80	CM	25	CM	11 LEVEL CM	25,6227 litre	16,312 %	131,4569 litre	O
80	CM	25	CM	10,5 LEVEL CM	23,9795 litre	15,266 %	133,1001 litre	O
80	CM	25	CM	10 LEVEL CM	22,3648 litre	14,238 %	134,7148 litre	O
80	CM	25	CM	9,5 LEVEL CM	20,7800 litre	13,229 %	136,2996 litre	O
80	CM	25	CM	9 LEVEL CM	19,2269 litre	12,240 %	137,8527 litre	O
80	CM	25	CM	8,5 LEVEL CM	17,7071 litre	11,273 %	139,3725 litre	O
80	CM	25	CM	8 LEVEL CM	16,2225 litre	10,328 %	140,8571 litre	O
80	CM	25	CM	7,5 LEVEL CM	14,7749 litre	9,406 %	142,3047 litre	O
80	CM	25	CM	7 LEVEL CM	13,3666 litre	8,509 %	143,7130 litre	O
80	CM	25	CM	6,5 LEVEL CM	11,9998 litre	7,639 %	145,0798 litre	O
80	CM	25	CM	6 LEVEL CM	10,6771 litre	6,797 %	146,4025 litre	O
80	CM	25	CM	5,5 LEVEL CM	9,4011 litre	5,985 %	147,6785 litre	O
80	CM	25	CM	5 LEVEL CM	8,1751 litre	5,204 %	148,9045 litre	O
80	CM	25	CM	4,5 LEVEL CM	7,0024 litre	4,458 %	150,0772 litre	O
80	CM	25	CM	4 LEVEL CM	5,8870 litre	3,748 %	151,1926 litre	O
80	CM	25	CM	3,5 LEVEL CM	4,8337 litre	3,077 %	152,2459 litre	O
80	CM	25	CM	3 LEVEL CM	3,8479 litre	2,450 %	153,2317 litre	O
80	CM	25	CM	2,5 LEVEL CM	2,9363 litre	1,869 %	154,1433 litre	O
80	CM	25	CM	2 LEVEL CM	2,1075 litre	1,342 %	154,9721 litre	O
80	CM	25	CM	1,5 LEVEL CM	1,3731 litre	0,874 %	155,7065 litre	O
80	CM	25	CM	1 LEVEL CM	0,7497 litre	0,477 %	156,3299 litre	O
80	CM	25	CM	0,5 LEVEL CM	0,2659 litre	0,169 %	156,8137 litre	O
80	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	157,0796 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
80	CM 20	CM 40 LEVEL CM	100,5310 litre	100,000 %	0,0000 litre	O
80	CM 20	CM 39,5 LEVEL CM	100,2933 litre	99,764 %	0,2377 litre	O
80	CM 20	CM 39 LEVEL CM	99,8614 litre	99,334 %	0,6696 litre	O
80	CM 20	CM 38,5 LEVEL CM	99,3056 litre	98,781 %	1,2254 litre	O
80	CM 20	CM 38 LEVEL CM	98,6517 litre	98,131 %	1,8793 litre	O
80	CM 20	CM 37,5 LEVEL CM	97,9149 litre	97,398 %	2,6161 litre	O
80	CM 20	CM 37 LEVEL CM	97,1055 litre	96,593 %	3,4255 litre	O
80	CM 20	CM 36,5 LEVEL CM	96,2315 litre	95,723 %	4,2995 litre	O
80	CM 20	CM 36 LEVEL CM	95,2989 litre	94,796 %	5,2321 litre	O
80	CM 20	CM 35,5 LEVEL CM	94,3130 litre	93,815 %	6,2180 litre	O
80	CM 20	CM 35 LEVEL CM	93,2780 litre	92,785 %	7,2530 litre	O
80	CM 20	CM 34,5 LEVEL CM	92,1976 litre	91,711 %	8,3334 litre	O
80	CM 20	CM 34 LEVEL CM	91,0750 litre	90,594 %	9,4560 litre	O
80	CM 20	CM 33,5 LEVEL CM	89,9132 litre	89,438 %	10,6178 litre	O
80	CM 20	CM 33 LEVEL CM	88,7148 litre	88,246 %	11,8162 litre	O
80	CM 20	CM 32,5 LEVEL CM	87,4822 litre	87,020 %	13,0488 litre	O
80	CM 20	CM 32 LEVEL CM	86,2175 litre	85,762 %	14,3135 litre	O
80	CM 20	CM 31,5 LEVEL CM	84,9228 litre	84,474 %	15,6082 litre	O
80	CM 20	CM 31 LEVEL CM	83,6000 litre	83,158 %	16,9310 litre	O
80	CM 20	CM 30,5 LEVEL CM	82,2509 litre	81,816 %	18,2801 litre	O
80	CM 20	CM 30 LEVEL CM	80,8770 litre	80,450 %	19,6540 litre	O
80	CM 20	CM 29,5 LEVEL CM	79,4801 litre	79,060 %	21,0509 litre	O
80	CM 20	CM 29 LEVEL CM	78,0616 litre	77,649 %	22,4694 litre	O
80	CM 20	CM 28,5 LEVEL CM	76,6229 litre	76,218 %	23,9081 litre	O
80	CM 20	CM 28 LEVEL CM	75,1654 litre	74,768 %	25,3656 litre	O
80	CM 20	CM 27,5 LEVEL CM	73,6905 litre	73,301 %	26,8405 litre	O
80	CM 20	CM 27 LEVEL CM	72,1994 litre	71,818 %	28,3316 litre	O
80	CM 20	CM 26,5 LEVEL CM	70,6933 litre	70,320 %	29,8377 litre	O
80	CM 20	CM 26 LEVEL CM	69,1735 litre	68,808 %	31,3575 litre	O
80	CM 20	CM 25,5 LEVEL CM	67,6411 litre	67,284 %	32,8899 litre	O
80	CM 20	CM 25 LEVEL CM	66,0972 litre	65,748 %	34,4338 litre	O
80	CM 20	CM 24,5 LEVEL CM	64,5430 litre	64,202 %	35,9880 litre	O
80	CM 20	CM 24 LEVEL CM	62,9796 litre	62,647 %	37,5514 litre	O
80	CM 20	CM 23,5 LEVEL CM	61,4081 litre	61,084 %	39,1229 litre	O
80	CM 20	CM 23 LEVEL CM	59,8294 litre	59,513 %	40,7016 litre	O
80	CM 20	CM 22,5 LEVEL CM	58,2446 litre	57,937 %	42,2864 litre	O
80	CM 20	CM 22 LEVEL CM	56,6548 litre	56,356 %	43,8762 litre	O
80	CM 20	CM 21,5 LEVEL CM	55,0610 litre	54,770 %	45,4700 litre	O
80	CM 20	CM 21 LEVEL CM	53,4641 litre	53,182 %	47,0669 litre	O
80	CM 20	CM 20,5 LEVEL CM	51,8653 litre	51,591 %	48,6657 litre	O
80	CM 20	CM 20 LEVEL CM	50,2655 litre	50,000 %	50,2655 litre	O
80	CM 20	CM 19,5 LEVEL CM	48,6656 litre	48,409 %	51,8654 litre	O
80	CM 20	CM 19 LEVEL CM	47,0668 litre	46,818 %	53,4642 litre	O
80	CM 20	CM 18,5 LEVEL CM	45,4700 litre	45,230 %	55,0610 litre	O
80	CM 20	CM 18 LEVEL CM	43,8762 litre	43,644 %	56,6548 litre	O
80	CM 20	CM 17,5 LEVEL CM	42,2864 litre	42,063 %	58,2446 litre	O
80	CM 20	CM 17 LEVEL CM	40,7016 litre	40,487 %	59,8294 litre	O
80	CM 20	CM 16,5 LEVEL CM	39,1229 litre	38,916 %	61,4081 litre	O
80	CM 20	CM 16 LEVEL CM	37,5513 litre	37,353 %	62,9797 litre	O
80	CM 20	CM 15,5 LEVEL CM	35,9879 litre	35,798 %	64,5431 litre	O
80	CM 20	CM 15 LEVEL CM	34,4337 litre	34,252 %	66,0973 litre	O
80	CM 20	CM 14,5 LEVEL CM	32,8899 litre	32,716 %	67,6411 litre	O

80	CM	20	CM	14 LEVEL CM	31,3575 litre	31,192 %	69,1735 litre	O
80	CM	20	CM	13,5 LEVEL CM	29,8377 litre	29,680 %	70,6933 litre	O
80	CM	20	CM	13 LEVEL CM	28,3316 litre	28,182 %	72,1994 litre	O
80	CM	20	CM	12,5 LEVEL CM	26,8405 litre	26,699 %	73,6905 litre	O
80	CM	20	CM	12 LEVEL CM	25,3655 litre	25,232 %	75,1655 litre	O
80	CM	20	CM	11,5 LEVEL CM	23,9081 litre	23,782 %	76,6229 litre	O
80	CM	20	CM	11 LEVEL CM	22,4694 litre	22,351 %	78,0616 litre	O
80	CM	20	CM	10,5 LEVEL CM	21,0508 litre	20,940 %	79,4802 litre	O
80	CM	20	CM	10 LEVEL CM	19,6539 litre	19,550 %	80,8771 litre	O
80	CM	20	CM	9,5 LEVEL CM	18,2801 litre	18,184 %	82,2509 litre	O
80	CM	20	CM	9 LEVEL CM	16,9309 litre	16,842 %	83,6001 litre	O
80	CM	20	CM	8,5 LEVEL CM	15,6081 litre	15,526 %	84,9229 litre	O
80	CM	20	CM	8 LEVEL CM	14,3134 litre	14,238 %	86,2176 litre	O
80	CM	20	CM	7,5 LEVEL CM	13,0488 litre	12,980 %	87,4822 litre	O
80	CM	20	CM	7 LEVEL CM	11,8161 litre	11,754 %	88,7149 litre	O
80	CM	20	CM	6,5 LEVEL CM	10,6177 litre	10,562 %	89,9133 litre	O
80	CM	20	CM	6 LEVEL CM	9,4560 litre	9,406 %	91,0750 litre	O
80	CM	20	CM	5,5 LEVEL CM	8,3334 litre	8,289 %	92,1976 litre	O
80	CM	20	CM	5 LEVEL CM	7,2530 litre	7,215 %	93,2780 litre	O
80	CM	20	CM	4,5 LEVEL CM	6,2180 litre	6,185 %	94,3130 litre	O
80	CM	20	CM	4 LEVEL CM	5,2320 litre	5,204 %	95,2990 litre	O
80	CM	20	CM	3,5 LEVEL CM	4,2995 litre	4,277 %	96,2315 litre	O
80	CM	20	CM	3 LEVEL CM	3,4255 litre	3,407 %	97,1055 litre	O
80	CM	20	CM	2,5 LEVEL CM	2,6161 litre	2,602 %	97,9149 litre	O
80	CM	20	CM	2 LEVEL CM	1,8792 litre	1,869 %	98,6518 litre	O
80	CM	20	CM	1,5 LEVEL CM	1,2253 litre	1,219 %	99,3057 litre	O
80	CM	20	CM	1 LEVEL CM	0,6695 litre	0,666 %	99,8615 litre	O
80	CM	20	CM	0,5 LEVEL CM	0,2376 litre	0,236 %	100,2934 litre	O
80	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	100,5310 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
80	CM	15	CM	30 LEVEL CM	56,5487 litre	100,000 %	0,0000 litre	O
80	CM	15	CM	29,5 LEVEL CM	56,3431 litre	99,636 %	0,2056 litre	O
80	CM	15	CM	29 LEVEL CM	55,9703 litre	98,977 %	0,5784 litre	O
80	CM	15	CM	28,5 LEVEL CM	55,4916 litre	98,131 %	1,0571 litre	O
80	CM	15	CM	28 LEVEL CM	54,9296 litre	97,137 %	1,6191 litre	O
80	CM	15	CM	27,5 LEVEL CM	54,2979 litre	96,020 %	2,2508 litre	O
80	CM	15	CM	27 LEVEL CM	53,6056 litre	94,796 %	2,9431 litre	O
80	CM	15	CM	26,5 LEVEL CM	52,8600 litre	93,477 %	3,6887 litre	O
80	CM	15	CM	26 LEVEL CM	52,0664 litre	92,074 %	4,4823 litre	O
80	CM	15	CM	25,5 LEVEL CM	51,2297 litre	90,594 %	5,3190 litre	O
80	CM	15	CM	25 LEVEL CM	50,3537 litre	89,045 %	6,1950 litre	O
80	CM	15	CM	24,5 LEVEL CM	49,4419 litre	87,432 %	7,1068 litre	O
80	CM	15	CM	24 LEVEL CM	48,4974 litre	85,762 %	8,0513 litre	O
80	CM	15	CM	23,5 LEVEL CM	47,5228 litre	84,039 %	9,0259 litre	O
80	CM	15	CM	23 LEVEL CM	46,5207 litre	82,267 %	10,0280 litre	O
80	CM	15	CM	22,5 LEVEL CM	45,4933 litre	80,450 %	11,0554 litre	O
80	CM	15	CM	22 LEVEL CM	44,4429 litre	78,592 %	12,1058 litre	O
80	CM	15	CM	21,5 LEVEL CM	43,3713 litre	76,697 %	13,1774 litre	O
80	CM	15	CM	21 LEVEL CM	42,2805 litre	74,768 %	14,2682 litre	O
80	CM	15	CM	20,5 LEVEL CM	41,1723 litre	72,809 %	15,3764 litre	O
80	CM	15	CM	20 LEVEL CM	40,0483 litre	70,821 %	16,5004 litre	O
80	CM	15	CM	19,5 LEVEL CM	38,9101 litre	68,808 %	17,6386 litre	O
80	CM	15	CM	19 LEVEL CM	37,7593 litre	66,773 %	18,7894 litre	O
80	CM	15	CM	18,5 LEVEL CM	36,5975 litre	64,719 %	19,9512 litre	O
80	CM	15	CM	18 LEVEL CM	35,4260 litre	62,647 %	21,1227 litre	O
80	CM	15	CM	17,5 LEVEL CM	34,2464 litre	60,561 %	22,3023 litre	O
80	CM	15	CM	17 LEVEL CM	33,0601 litre	58,463 %	23,4886 litre	O
80	CM	15	CM	16,5 LEVEL CM	31,8683 litre	56,356 %	24,6804 litre	O
80	CM	15	CM	16 LEVEL CM	30,6726 litre	54,241 %	25,8761 litre	O
80	CM	15	CM	15,5 LEVEL CM	29,4741 litre	52,122 %	27,0746 litre	O
80	CM	15	CM	15 LEVEL CM	28,2743 litre	50,000 %	28,2744 litre	O
80	CM	15	CM	14,5 LEVEL CM	27,0746 litre	47,878 %	29,4741 litre	O
80	CM	15	CM	14 LEVEL CM	25,8761 litre	45,759 %	30,6726 litre	O
80	CM	15	CM	13,5 LEVEL CM	24,6803 litre	43,644 %	31,8684 litre	O
80	CM	15	CM	13 LEVEL CM	23,4886 litre	41,537 %	33,0601 litre	O
80	CM	15	CM	12,5 LEVEL CM	22,3022 litre	39,439 %	34,2465 litre	O
80	CM	15	CM	12 LEVEL CM	21,1226 litre	37,353 %	35,4261 litre	O
80	CM	15	CM	11,5 LEVEL CM	19,9512 litre	35,281 %	36,5975 litre	O
80	CM	15	CM	11 LEVEL CM	18,7894 litre	33,227 %	37,7593 litre	O
80	CM	15	CM	10,5 LEVEL CM	17,6386 litre	31,192 %	38,9101 litre	O
80	CM	15	CM	10 LEVEL CM	16,5004 litre	29,179 %	40,0483 litre	O
80	CM	15	CM	9,5 LEVEL CM	15,3764 litre	27,191 %	41,1723 litre	O
80	CM	15	CM	9 LEVEL CM	14,2681 litre	25,232 %	42,2806 litre	O
80	CM	15	CM	8,5 LEVEL CM	13,1773 litre	23,303 %	43,3714 litre	O
80	CM	15	CM	8 LEVEL CM	12,1058 litre	21,408 %	44,4429 litre	O
80	CM	15	CM	7,5 LEVEL CM	11,0553 litre	19,550 %	45,4934 litre	O
80	CM	15	CM	7 LEVEL CM	10,0280 litre	17,733 %	46,5207 litre	O
80	CM	15	CM	6,5 LEVEL CM	9,0259 litre	15,961 %	47,5228 litre	O
80	CM	15	CM	6 LEVEL CM	8,0513 litre	14,238 %	48,4974 litre	O
80	CM	15	CM	5,5 LEVEL CM	7,1068 litre	12,568 %	49,4419 litre	O
80	CM	15	CM	5 LEVEL CM	6,1950 litre	10,955 %	50,3537 litre	O
80	CM	15	CM	4,5 LEVEL CM	5,3190 litre	9,406 %	51,2297 litre	O

80	CM	15	CM	4 LEVEL CM	4,4822 litre	7,926 %	52,0665 litre	O
80	CM	15	CM	3,5 LEVEL CM	3,6887 litre	6,523 %	52,8600 litre	O
80	CM	15	CM	3 LEVEL CM	2,9430 litre	5,204 %	53,6057 litre	O
80	CM	15	CM	2,5 LEVEL CM	2,2508 litre	3,980 %	54,2979 litre	O
80	CM	15	CM	2 LEVEL CM	1,6190 litre	2,863 %	54,9297 litre	O
80	CM	15	CM	1,5 LEVEL CM	1,0571 litre	1,869 %	55,4916 litre	O
80	CM	15	CM	1 LEVEL CM	0,5784 litre	1,023 %	55,9703 litre	O
80	CM	15	CM	0,5 LEVEL CM	0,2055 litre	0,363 %	56,3432 litre	O
80	CM	15	CM	0 LEVEL CM	0,0000 litre	0,000 %	56,5487 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
80	CM 10	CM 20 LEVEL CM	25,1327 litre	100,000 %	0,0000 litre O
80	CM 10	CM 19,5 LEVEL CM	24,9654 litre	99,334 %	0,1673 litre O
80	CM 10	CM 19 LEVEL CM	24,6629 litre	98,131 %	0,4698 litre O
80	CM 10	CM 18,5 LEVEL CM	24,2764 litre	96,593 %	0,8563 litre O
80	CM 10	CM 18 LEVEL CM	23,8247 litre	94,796 %	1,3080 litre O
80	CM 10	CM 17,5 LEVEL CM	23,3195 litre	92,785 %	1,8132 litre O
80	CM 10	CM 17 LEVEL CM	22,7688 litre	90,594 %	2,3639 litre O
80	CM 10	CM 16,5 LEVEL CM	22,1787 litre	88,246 %	2,9540 litre O
80	CM 10	CM 16 LEVEL CM	21,5544 litre	85,762 %	3,5783 litre O
80	CM 10	CM 15,5 LEVEL CM	20,9000 litre	83,159 %	4,2327 litre O
80	CM 10	CM 15 LEVEL CM	20,2193 litre	80,450 %	4,9134 litre O
80	CM 10	CM 14,5 LEVEL CM	19,5154 litre	77,649 %	5,6173 litre O
80	CM 10	CM 14 LEVEL CM	18,7914 litre	74,769 %	6,3413 litre O
80	CM 10	CM 13,5 LEVEL CM	18,0498 litre	71,818 %	7,0829 litre O
80	CM 10	CM 13 LEVEL CM	17,2934 litre	68,808 %	7,8393 litre O
80	CM 10	CM 12,5 LEVEL CM	16,5243 litre	65,748 %	8,6084 litre O
80	CM 10	CM 12 LEVEL CM	15,7449 litre	62,647 %	9,3878 litre O
80	CM 10	CM 11,5 LEVEL CM	14,9573 litre	59,513 %	10,1754 litre O
80	CM 10	CM 11 LEVEL CM	14,1637 litre	56,356 %	10,9690 litre O
80	CM 10	CM 10,5 LEVEL CM	13,3660 litre	53,182 %	11,7667 litre O
80	CM 10	CM 10 LEVEL CM	12,5664 litre	50,000 %	12,5663 litre O
80	CM 10	CM 9,5 LEVEL CM	11,7667 litre	46,818 %	13,3660 litre O
80	CM 10	CM 9 LEVEL CM	10,9690 litre	43,645 %	14,1637 litre O
80	CM 10	CM 8,5 LEVEL CM	10,1754 litre	40,487 %	14,9573 litre O
80	CM 10	CM 8 LEVEL CM	9,3878 litre	37,353 %	15,7449 litre O
80	CM 10	CM 7,5 LEVEL CM	8,6084 litre	34,252 %	16,5243 litre O
80	CM 10	CM 7 LEVEL CM	7,8394 litre	31,192 %	17,2933 litre O
80	CM 10	CM 6,5 LEVEL CM	7,0829 litre	28,182 %	18,0498 litre O
80	CM 10	CM 6 LEVEL CM	6,3414 litre	25,232 %	18,7913 litre O
80	CM 10	CM 5,5 LEVEL CM	5,6173 litre	22,351 %	19,5154 litre O
80	CM 10	CM 5 LEVEL CM	4,9135 litre	19,550 %	20,2192 litre O
80	CM 10	CM 4,5 LEVEL CM	4,2327 litre	16,842 %	20,9000 litre O
80	CM 10	CM 4 LEVEL CM	3,5784 litre	14,238 %	21,5543 litre O
80	CM 10	CM 3,5 LEVEL CM	2,9540 litre	11,754 %	22,1787 litre O
80	CM 10	CM 3 LEVEL CM	2,3640 litre	9,406 %	22,7687 litre O
80	CM 10	CM 2,5 LEVEL CM	1,8132 litre	7,215 %	23,3195 litre O
80	CM 10	CM 2 LEVEL CM	1,3080 litre	5,204 %	23,8247 litre O
80	CM 10	CM 1,5 LEVEL CM	0,8564 litre	3,407 %	24,2763 litre O
80	CM 10	CM 1 LEVEL CM	0,4698 litre	1,869 %	24,6629 litre O
80	CM 10	CM 0,5 LEVEL CM	0,1674 litre	0,666 %	24,9653 litre O
80	CM 10	CM 0 LEVEL CM	0,0000 litre	0,000 %	25,1327 litre O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
80	CM 5	CM 10 LEVEL CM	6,283185 litre	100,000 %	0,000000 litre O
80	CM 5	CM 9,9 LEVEL CM	6,272551 litre	99,831 %	0,010634 litre O
80	CM 5	CM 9,8 LEVEL CM	6,253197 litre	99,523 %	0,029988 litre O
80	CM 5	CM 9,7 LEVEL CM	6,228261 litre	99,126 %	0,054924 litre O
80	CM 5	CM 9,6 LEVEL CM	6,198883 litre	98,658 %	0,084302 litre O
80	CM 5	CM 9,5 LEVEL CM	6,165733 litre	98,131 %	0,117452 litre O
80	CM 5	CM 9,4 LEVEL CM	6,129271 litre	97,550 %	0,153914 litre O
80	CM 5	CM 9,3 LEVEL CM	6,089838 litre	96,923 %	0,193347 litre O
80	CM 5	CM 9,2 LEVEL CM	6,047704 litre	96,252 %	0,235481 litre O
80	CM 5	CM 9,1 LEVEL CM	6,003091 litre	95,542 %	0,280094 litre O
80	CM 5	CM 9 LEVEL CM	5,956183 litre	94,796 %	0,327002 litre O
80	CM 5	CM 8,9 LEVEL CM	5,907140 litre	94,015 %	0,376045 litre O
80	CM 5	CM 8,8 LEVEL CM	5,856102 litre	93,203 %	0,427083 litre O
80	CM 5	CM 8,7 LEVEL CM	5,803192 litre	92,361 %	0,479993 litre O
80	CM 5	CM 8,6 LEVEL CM	5,748520 litre	91,491 %	0,534665 litre O
80	CM 5	CM 8,5 LEVEL CM	5,692188 litre	90,594 %	0,590997 litre O
80	CM 5	CM 8,4 LEVEL CM	5,634286 litre	89,672 %	0,648899 litre O
80	CM 5	CM 8,3 LEVEL CM	5,574901 litre	88,727 %	0,708284 litre O
80	CM 5	CM 8,2 LEVEL CM	5,514109 litre	87,760 %	0,769076 litre O
80	CM 5	CM 8,1 LEVEL CM	5,451984 litre	86,771 %	0,831201 litre O
80	CM 5	CM 8 LEVEL CM	5,388595 litre	85,762 %	0,894590 litre O
80	CM 5	CM 7,9 LEVEL CM	5,324005 litre	84,734 %	0,959180 litre O
80	CM 5	CM 7,8 LEVEL CM	5,258276 litre	83,688 %	1,024909 litre O
80	CM 5	CM 7,7 LEVEL CM	5,191465 litre	82,625 %	1,091720 litre O
80	CM 5	CM 7,6 LEVEL CM	5,123627 litre	81,545 %	1,159558 litre O
80	CM 5	CM 7,5 LEVEL CM	5,054816 litre	80,450 %	1,228369 litre O
80	CM 5	CM 7,4 LEVEL CM	4,985080 litre	79,340 %	1,298105 litre O
80	CM 5	CM 7,3 LEVEL CM	4,914468 litre	78,216 %	1,368717 litre O
80	CM 5	CM 7,2 LEVEL CM	4,843028 litre	77,079 %	1,440157 litre O
80	CM 5	CM 7,1 LEVEL CM	4,770804 litre	75,930 %	1,512381 litre O
80	CM 5	CM 7 LEVEL CM	4,697838 litre	74,768 %	1,585347 litre O
80	CM 5	CM 6,9 LEVEL CM	4,624175 litre	73,596 %	1,659010 litre O
80	CM 5	CM 6,8 LEVEL CM	4,549854 litre	72,413 %	1,733331 litre O
80	CM 5	CM 6,7 LEVEL CM	4,474916 litre	71,220 %	1,808269 litre O
80	CM 5	CM 6,6 LEVEL CM	4,399399 litre	70,019 %	1,883786 litre O
80	CM 5	CM 6,5 LEVEL CM	4,323341 litre	68,808 %	1,959844 litre O
80	CM 5	CM 6,4 LEVEL CM	4,246781 litre	67,590 %	2,036404 litre O
80	CM 5	CM 6,3 LEVEL CM	4,169754 litre	66,364 %	2,113431 litre O
80	CM 5	CM 6,2 LEVEL CM	4,092295 litre	65,131 %	2,190890 litre O
80	CM 5	CM 6,1 LEVEL CM	4,014442 litre	63,892 %	2,268743 litre O
80	CM 5	CM 6 LEVEL CM	3,936227 litre	62,647 %	2,346958 litre O
80	CM 5	CM 5,9 LEVEL CM	3,857686 litre	61,397 %	2,425499 litre O
80	CM 5	CM 5,8 LEVEL CM	3,778851 litre	60,142 %	2,504334 litre O
80	CM 5	CM 5,7 LEVEL CM	3,699758 litre	58,883 %	2,583427 litre O
80	CM 5	CM 5,6 LEVEL CM	3,620438 litre	57,621 %	2,662747 litre O
80	CM 5	CM 5,5 LEVEL CM	3,540925 litre	56,356 %	2,742260 litre O
80	CM 5	CM 5,4 LEVEL CM	3,461251 litre	55,088 %	2,821934 litre O
80	CM 5	CM 5,3 LEVEL CM	3,381449 litre	53,817 %	2,901736 litre O
80	CM 5	CM 5,2 LEVEL CM	3,301550 litre	52,546 %	2,981635 litre O
80	CM 5	CM 5,1 LEVEL CM	3,221587 litre	51,273 %	3,061598 litre O
80	CM 5	CM 5 LEVEL CM	3,141593 litre	50,000 %	3,141592 litre O
80	CM 5	CM 4,9 LEVEL CM	3,061598 litre	48,727 %	3,221587 litre O

80	CM 5	CM	4,8 LEVEL CM	2,981635 litre	47,454 %	3,301550 litre	O
80	CM 5	CM	4,7 LEVEL CM	2,901737 litre	46,183 %	3,381448 litre	O
80	CM 5	CM	4,6 LEVEL CM	2,821934 litre	44,912 %	3,461251 litre	O
80	CM 5	CM	4,5 LEVEL CM	2,742260 litre	43,644 %	3,540925 litre	O
80	CM 5	CM	4,4 LEVEL CM	2,662747 litre	42,379 %	3,620438 litre	O
80	CM 5	CM	4,3 LEVEL CM	2,583427 litre	41,117 %	3,699758 litre	O
80	CM 5	CM	4,2 LEVEL CM	2,504334 litre	39,858 %	3,778851 litre	O
80	CM 5	CM	4,1 LEVEL CM	2,425500 litre	38,603 %	3,857685 litre	O
80	CM 5	CM	4 LEVEL CM	2,346958 litre	37,353 %	3,936227 litre	O
80	CM 5	CM	3,9 LEVEL CM	2,268744 litre	36,108 %	4,014441 litre	O
80	CM 5	CM	3,8 LEVEL CM	2,190890 litre	34,869 %	4,092295 litre	O
80	CM 5	CM	3,7 LEVEL CM	2,113432 litre	33,636 %	4,169753 litre	O
80	CM 5	CM	3,6 LEVEL CM	2,036404 litre	32,410 %	4,246781 litre	O
80	CM 5	CM	3,5 LEVEL CM	1,959844 litre	31,192 %	4,323341 litre	O
80	CM 5	CM	3,4 LEVEL CM	1,883786 litre	29,981 %	4,399399 litre	O
80	CM 5	CM	3,3 LEVEL CM	1,808270 litre	28,780 %	4,474915 litre	O
80	CM 5	CM	3,2 LEVEL CM	1,733331 litre	27,587 %	4,549854 litre	O
80	CM 5	CM	3,1 LEVEL CM	1,659010 litre	26,404 %	4,624175 litre	O
80	CM 5	CM	3 LEVEL CM	1,585347 litre	25,232 %	4,697838 litre	O
80	CM 5	CM	2,9 LEVEL CM	1,512382 litre	24,070 %	4,770803 litre	O
80	CM 5	CM	2,8 LEVEL CM	1,440157 litre	22,921 %	4,843028 litre	O
80	CM 5	CM	2,7 LEVEL CM	1,368717 litre	21,784 %	4,914468 litre	O
80	CM 5	CM	2,6 LEVEL CM	1,298105 litre	20,660 %	4,985080 litre	O
80	CM 5	CM	2,5 LEVEL CM	1,228370 litre	19,550 %	5,054815 litre	O
80	CM 5	CM	2,4 LEVEL CM	1,159558 litre	18,455 %	5,123627 litre	O
80	CM 5	CM	2,3 LEVEL CM	1,091720 litre	17,375 %	5,191465 litre	O
80	CM 5	CM	2,2 LEVEL CM	1,024909 litre	16,312 %	5,258276 litre	O
80	CM 5	CM	2,1 LEVEL CM	0,959180 litre	15,266 %	5,324005 litre	O
80	CM 5	CM	2 LEVEL CM	0,894590 litre	14,238 %	5,388595 litre	O
80	CM 5	CM	1,9 LEVEL CM	0,831201 litre	13,229 %	5,451984 litre	O
80	CM 5	CM	1,8 LEVEL CM	0,769076 litre	12,240 %	5,514109 litre	O
80	CM 5	CM	1,7 LEVEL CM	0,708285 litre	11,273 %	5,574900 litre	O
80	CM 5	CM	1,6 LEVEL CM	0,648899 litre	10,328 %	5,634286 litre	O
80	CM 5	CM	1,5 LEVEL CM	0,590998 litre	9,406 %	5,692187 litre	O
80	CM 5	CM	1,4 LEVEL CM	0,534665 litre	8,509 %	5,748520 litre	O
80	CM 5	CM	1,3 LEVEL CM	0,479994 litre	7,639 %	5,803191 litre	O
80	CM 5	CM	1,2 LEVEL CM	0,427083 litre	6,797 %	5,856102 litre	O
80	CM 5	CM	1,1 LEVEL CM	0,376045 litre	5,985 %	5,907140 litre	O
80	CM 5	CM	1 LEVEL CM	0,327002 litre	5,204 %	5,956183 litre	O
80	CM 5	CM	0,9 LEVEL CM	0,280094 litre	4,458 %	6,003091 litre	O
80	CM 5	CM	0,8 LEVEL CM	0,235481 litre	3,748 %	6,047704 litre	O
80	CM 5	CM	0,7 LEVEL CM	0,193348 litre	3,077 %	6,089837 litre	O
80	CM 5	CM	0,6 LEVEL CM	0,153915 litre	2,450 %	6,129270 litre	O
80	CM 5	CM	0,5 LEVEL CM	0,117452 litre	1,869 %	6,165733 litre	O
80	CM 5	CM	0,4 LEVEL CM	0,084302 litre	1,342 %	6,198883 litre	O
80	CM 5	CM	0,3 LEVEL CM	0,054924 litre	0,874 %	6,228261 litre	O
80	CM 5	CM	0,2 LEVEL CM	0,029988 litre	0,477 %	6,253197 litre	O
80	CM 5	CM	0,1 LEVEL CM	0,010635 litre	0,169 %	6,272550 litre	O
80	CM 5	CM	0 LEVEL CM	0,000000 litre	0,000 %	6,283185 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
70	CM	35	CM 70 LEVEL CM	269,3916 litre	100,000 %	0,0000 litre	O
70	CM	35	CM 69,5 LEVEL CM	269,1161 litre	99,898 %	0,2755 litre	O
70	CM	35	CM 69 LEVEL CM	268,6140 litre	99,711 %	0,7776 litre	O
70	CM	35	CM 68,5 LEVEL CM	267,9663 litre	99,471 %	1,4253 litre	O
70	CM	35	CM 68 LEVEL CM	267,2019 litre	99,187 %	2,1897 litre	O
70	CM	35	CM 67,5 LEVEL CM	266,3381 litre	98,867 %	3,0535 litre	O
70	CM	35	CM 67 LEVEL CM	265,3866 litre	98,513 %	4,0050 litre	O
70	CM	35	CM 66,5 LEVEL CM	264,3558 litre	98,131 %	5,0358 litre	O
70	CM	35	CM 66 LEVEL CM	263,2527 litre	97,721 %	6,1389 litre	O
70	CM	35	CM 65,5 LEVEL CM	262,0828 litre	97,287 %	7,3088 litre	O
70	CM	35	CM 65 LEVEL CM	260,8506 litre	96,830 %	8,5410 litre	O
70	CM	35	CM 64,5 LEVEL CM	259,5601 litre	96,350 %	9,8315 litre	O
70	CM	35	CM 64 LEVEL CM	258,2148 litre	95,851 %	11,1768 litre	O
70	CM	35	CM 63,5 LEVEL CM	256,8176 litre	95,332 %	12,5740 litre	O
70	CM	35	CM 63 LEVEL CM	255,3713 litre	94,796 %	14,0203 litre	O
70	CM	35	CM 62,5 LEVEL CM	253,8784 litre	94,241 %	15,5132 litre	O
70	CM	35	CM 62 LEVEL CM	252,3410 litre	93,671 %	17,0506 litre	O
70	CM	35	CM 61,5 LEVEL CM	250,7611 litre	93,084 %	18,6305 litre	O
70	CM	35	CM 61 LEVEL CM	249,1406 litre	92,483 %	20,2510 litre	O
70	CM	35	CM 60,5 LEVEL CM	247,4813 litre	91,867 %	21,9103 litre	O
70	CM	35	CM 60 LEVEL CM	245,7848 litre	91,237 %	23,6068 litre	O
70	CM	35	CM 59,5 LEVEL CM	244,0525 litre	90,594 %	25,3391 litre	O
70	CM	35	CM 59 LEVEL CM	242,2860 litre	89,938 %	27,1056 litre	O
70	CM	35	CM 58,5 LEVEL CM	240,4864 litre	89,270 %	28,9052 litre	O
70	CM	35	CM 58 LEVEL CM	238,6551 litre	88,590 %	30,7365 litre	O
70	CM	35	CM 57,5 LEVEL CM	236,7933 litre	87,899 %	32,5983 litre	O
70	CM	35	CM 57 LEVEL CM	234,9022 litre	87,197 %	34,4894 litre	O
70	CM	35	CM 56,5 LEVEL CM	232,9827 litre	86,485 %	36,4089 litre	O
70	CM	35	CM 56 LEVEL CM	231,0360 litre	85,762 %	38,3556 litre	O
70	CM	35	CM 55,5 LEVEL CM	229,0630 litre	85,030 %	40,3286 litre	O
70	CM	35	CM 55 LEVEL CM	227,0648 litre	84,288 %	42,3268 litre	O
70	CM	35	CM 54,5 LEVEL CM	225,0421 litre	83,537 %	44,3495 litre	O
70	CM	35	CM 54 LEVEL CM	222,9960 litre	82,778 %	46,3956 litre	O
70	CM	35	CM 53,5 LEVEL CM	220,9273 litre	82,010 %	48,4643 litre	O
70	CM	35	CM 53 LEVEL CM	218,8367 litre	81,234 %	50,5549 litre	O
70	CM	35	CM 52,5 LEVEL CM	216,7252 litre	80,450 %	52,6664 litre	O
70	CM	35	CM 52 LEVEL CM	214,5935 litre	79,659 %	54,7981 litre	O
70	CM	35	CM 51,5 LEVEL CM	212,4423 litre	78,860 %	56,9493 litre	O
70	CM	35	CM 51 LEVEL CM	210,2724 litre	78,055 %	59,1192 litre	O
70	CM	35	CM 50,5 LEVEL CM	208,0845 litre	77,242 %	61,3071 litre	O
70	CM	35	CM 50 LEVEL CM	205,8793 litre	76,424 %	63,5123 litre	O
70	CM	35	CM 49,5 LEVEL CM	203,6575 litre	75,599 %	65,7341 litre	O
70	CM	35	CM 49 LEVEL CM	201,4198 litre	74,768 %	67,9718 litre	O
70	CM	35	CM 48,5 LEVEL CM	199,1668 litre	73,932 %	70,2248 litre	O
70	CM	35	CM 48 LEVEL CM	196,8992 litre	73,090 %	72,4924 litre	O
70	CM	35	CM 47,5 LEVEL CM	194,6176 litre	72,243 %	74,7740 litre	O
70	CM	35	CM 47 LEVEL CM	192,3226 litre	71,391 %	77,0690 litre	O
70	CM	35	CM 46,5 LEVEL CM	190,0148 litre	70,535 %	79,3768 litre	O
70	CM	35	CM 46 LEVEL CM	187,6948 litre	69,674 %	81,6968 litre	O
70	CM	35	CM 45,5 LEVEL CM	185,3633 litre	68,808 %	84,0283 litre	O
70	CM	35	CM 45 LEVEL CM	183,0207 litre	67,939 %	86,3709 litre	O
70	CM	35	CM 44,5 LEVEL CM	180,6677 litre	67,065 %	88,7239 litre	O

70	CM 35	CM	44 LEVEL CM	178,3048 litre	66,188 %	91,0868 litre	O
70	CM 35	CM	43,5 LEVEL CM	175,9327 litre	65,307 %	93,4589 litre	O
70	CM 35	CM	43 LEVEL CM	173,5517 litre	64,424 %	95,8399 litre	O
70	CM 35	CM	42,5 LEVEL CM	171,1626 litre	63,537 %	98,2290 litre	O
70	CM 35	CM	42 LEVEL CM	168,7657 litre	62,647 %	100,6259 litre	O
70	CM 35	CM	41,5 LEVEL CM	166,3617 litre	61,755 %	103,0299 litre	O
70	CM 35	CM	41 LEVEL CM	163,9511 litre	60,860 %	105,4405 litre	O
70	CM 35	CM	40,5 LEVEL CM	161,5345 litre	59,963 %	107,8571 litre	O
70	CM 35	CM	40 LEVEL CM	159,1122 litre	59,064 %	110,2794 litre	O
70	CM 35	CM	39,5 LEVEL CM	156,6849 litre	58,162 %	112,7067 litre	O
70	CM 35	CM	39 LEVEL CM	154,2530 litre	57,260 %	115,1386 litre	O
70	CM 35	CM	38,5 LEVEL CM	151,8172 litre	56,356 %	117,5744 litre	O
70	CM 35	CM	38 LEVEL CM	149,3778 litre	55,450 %	120,0138 litre	O
70	CM 35	CM	37,5 LEVEL CM	146,9354 litre	54,543 %	122,4562 litre	O
70	CM 35	CM	37 LEVEL CM	144,4904 litre	53,636 %	124,9012 litre	O
70	CM 35	CM	36,5 LEVEL CM	142,0435 litre	52,728 %	127,3481 litre	O
70	CM 35	CM	36 LEVEL CM	139,5951 litre	51,819 %	129,7965 litre	O
70	CM 35	CM	35,5 LEVEL CM	137,1457 litre	50,909 %	132,2459 litre	O
70	CM 35	CM	35 LEVEL CM	134,6958 litre	50,000 %	134,6958 litre	O
70	CM 35	CM	34,5 LEVEL CM	132,2459 litre	49,091 %	137,1457 litre	O
70	CM 35	CM	34 LEVEL CM	129,7965 litre	48,181 %	139,5951 litre	O
70	CM 35	CM	33,5 LEVEL CM	127,3480 litre	47,272 %	142,0436 litre	O
70	CM 35	CM	33 LEVEL CM	124,9011 litre	46,364 %	144,4905 litre	O
70	CM 35	CM	32,5 LEVEL CM	122,4562 litre	45,457 %	146,9354 litre	O
70	CM 35	CM	32 LEVEL CM	120,0138 litre	44,550 %	149,3778 litre	O
70	CM 35	CM	31,5 LEVEL CM	117,5744 litre	43,644 %	151,8172 litre	O
70	CM 35	CM	31 LEVEL CM	115,1385 litre	42,740 %	154,2531 litre	O
70	CM 35	CM	30,5 LEVEL CM	112,7067 litre	41,837 %	156,6849 litre	O
70	CM 35	CM	30 LEVEL CM	110,2794 litre	40,936 %	159,1122 litre	O
70	CM 35	CM	29,5 LEVEL CM	107,8571 litre	40,037 %	161,5345 litre	O
70	CM 35	CM	29 LEVEL CM	105,4404 litre	39,140 %	163,9512 litre	O
70	CM 35	CM	28,5 LEVEL CM	103,0298 litre	38,245 %	166,3618 litre	O
70	CM 35	CM	28 LEVEL CM	100,6258 litre	37,353 %	168,7658 litre	O
70	CM 35	CM	27,5 LEVEL CM	98,2290 litre	36,463 %	171,1626 litre	O
70	CM 35	CM	27 LEVEL CM	95,8398 litre	35,576 %	173,5518 litre	O
70	CM 35	CM	26,5 LEVEL CM	93,4589 litre	34,693 %	175,9327 litre	O
70	CM 35	CM	26 LEVEL CM	91,0867 litre	33,812 %	178,3049 litre	O
70	CM 35	CM	25,5 LEVEL CM	88,7239 litre	32,935 %	180,6677 litre	O
70	CM 35	CM	25 LEVEL CM	86,3709 litre	32,061 %	183,0207 litre	O
70	CM 35	CM	24,5 LEVEL CM	84,0283 litre	31,192 %	185,3633 litre	O
70	CM 35	CM	24 LEVEL CM	81,6968 litre	30,326 %	187,6948 litre	O
70	CM 35	CM	23,5 LEVEL CM	79,3768 litre	29,465 %	190,0148 litre	O
70	CM 35	CM	23 LEVEL CM	77,0690 litre	28,609 %	192,3226 litre	O
70	CM 35	CM	22,5 LEVEL CM	74,7740 litre	27,757 %	194,6176 litre	O
70	CM 35	CM	22 LEVEL CM	72,4924 litre	26,910 %	196,8992 litre	O
70	CM 35	CM	21,5 LEVEL CM	70,2247 litre	26,068 %	199,1669 litre	O
70	CM 35	CM	21 LEVEL CM	67,9717 litre	25,232 %	201,4199 litre	O
70	CM 35	CM	20,5 LEVEL CM	65,7340 litre	24,401 %	203,6576 litre	O
70	CM 35	CM	20 LEVEL CM	63,5122 litre	23,576 %	205,8794 litre	O
70	CM 35	CM	19,5 LEVEL CM	61,3071 litre	22,758 %	208,0845 litre	O
70	CM 35	CM	19 LEVEL CM	59,1192 litre	21,945 %	210,2724 litre	O
70	CM 35	CM	18,5 LEVEL CM	56,9493 litre	21,140 %	212,4423 litre	O
70	CM 35	CM	18 LEVEL CM	54,7981 litre	20,341 %	214,5935 litre	O

70	CM 35	CM	17,5 LEVEL CM	52,6664 litre	19,550 %	216,7252 litre	O
70	CM 35	CM	17 LEVEL CM	50,5548 litre	18,766 %	218,8368 litre	O
70	CM 35	CM	16,5 LEVEL CM	48,4643 litre	17,990 %	220,9273 litre	O
70	CM 35	CM	16 LEVEL CM	46,3955 litre	17,222 %	222,9961 litre	O
70	CM 35	CM	15,5 LEVEL CM	44,3494 litre	16,463 %	225,0422 litre	O
70	CM 35	CM	15 LEVEL CM	42,3268 litre	15,712 %	227,0648 litre	O
70	CM 35	CM	14,5 LEVEL CM	40,3285 litre	14,970 %	229,0631 litre	O
70	CM 35	CM	14 LEVEL CM	38,3556 litre	14,238 %	231,0360 litre	O
70	CM 35	CM	13,5 LEVEL CM	36,4089 litre	13,515 %	232,9827 litre	O
70	CM 35	CM	13 LEVEL CM	34,4894 litre	12,803 %	234,9022 litre	O
70	CM 35	CM	12,5 LEVEL CM	32,5982 litre	12,101 %	236,7934 litre	O
70	CM 35	CM	12 LEVEL CM	30,7364 litre	11,410 %	238,6552 litre	O
70	CM 35	CM	11,5 LEVEL CM	28,9052 litre	10,730 %	240,4864 litre	O
70	CM 35	CM	11 LEVEL CM	27,1056 litre	10,062 %	242,2860 litre	O
70	CM 35	CM	10,5 LEVEL CM	25,3390 litre	9,406 %	244,0526 litre	O
70	CM 35	CM	10 LEVEL CM	23,6068 litre	8,763 %	245,7848 litre	O
70	CM 35	CM	9,5 LEVEL CM	21,9102 litre	8,133 %	247,4814 litre	O
70	CM 35	CM	9 LEVEL CM	20,2509 litre	7,517 %	249,1407 litre	O
70	CM 35	CM	8,5 LEVEL CM	18,6305 litre	6,916 %	250,7611 litre	O
70	CM 35	CM	8 LEVEL CM	17,0506 litre	6,329 %	252,3410 litre	O
70	CM 35	CM	7,5 LEVEL CM	15,5132 litre	5,759 %	253,8784 litre	O
70	CM 35	CM	7 LEVEL CM	14,0202 litre	5,204 %	255,3714 litre	O
70	CM 35	CM	6,5 LEVEL CM	12,5739 litre	4,668 %	256,8177 litre	O
70	CM 35	CM	6 LEVEL CM	11,1768 litre	4,149 %	258,2148 litre	O
70	CM 35	CM	5,5 LEVEL CM	9,8315 litre	3,650 %	259,5601 litre	O
70	CM 35	CM	5 LEVEL CM	8,5410 litre	3,170 %	260,8506 litre	O
70	CM 35	CM	4,5 LEVEL CM	7,3088 litre	2,713 %	262,0828 litre	O
70	CM 35	CM	4 LEVEL CM	6,1389 litre	2,279 %	263,2527 litre	O
70	CM 35	CM	3,5 LEVEL CM	5,0357 litre	1,869 %	264,3559 litre	O
70	CM 35	CM	3 LEVEL CM	4,0050 litre	1,487 %	265,3866 litre	O
70	CM 35	CM	2,5 LEVEL CM	3,0534 litre	1,133 %	266,3382 litre	O
70	CM 35	CM	2 LEVEL CM	2,1896 litre	0,813 %	267,2020 litre	O
70	CM 35	CM	1,5 LEVEL CM	1,4253 litre	0,529 %	267,9663 litre	O
70	CM 35	CM	1 LEVEL CM	0,7775 litre	0,289 %	268,6141 litre	O
70	CM 35	CM	0,5 LEVEL CM	0,2755 litre	0,102 %	269,1161 litre	O
70	CM 35	CM	0 LEVEL CM	0,0000 litre	0,000 %	269,3916 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
70	CM 30	CM 60 LEVEL CM	197,9203 litre	100,000 %	0,0000 litre O
70	CM 30	CM 59,5 LEVEL CM	197,6654 litre	99,871 %	0,2549 litre O
70	CM 30	CM 59 LEVEL CM	197,2010 litre	99,637 %	0,7193 litre O
70	CM 30	CM 58,5 LEVEL CM	196,6022 litre	99,334 %	1,3181 litre O
70	CM 30	CM 58 LEVEL CM	195,8961 litre	98,977 %	2,0242 litre O
70	CM 30	CM 57,5 LEVEL CM	195,0986 litre	98,574 %	2,8217 litre O
70	CM 30	CM 57 LEVEL CM	194,2206 litre	98,131 %	3,6997 litre O
70	CM 30	CM 56,5 LEVEL CM	193,2702 litre	97,651 %	4,6501 litre O
70	CM 30	CM 56 LEVEL CM	192,2538 litre	97,137 %	5,6665 litre O
70	CM 30	CM 55,5 LEVEL CM	191,1765 litre	96,593 %	6,7438 litre O
70	CM 30	CM 55 LEVEL CM	190,0426 litre	96,020 %	7,8777 litre O
70	CM 30	CM 54,5 LEVEL CM	188,8560 litre	95,420 %	9,0643 litre O
70	CM 30	CM 54 LEVEL CM	187,6198 litre	94,796 %	10,3005 litre O
70	CM 30	CM 53,5 LEVEL CM	186,3369 litre	94,147 %	11,5834 litre O
70	CM 30	CM 53 LEVEL CM	185,0098 litre	93,477 %	12,9105 litre O
70	CM 30	CM 52,5 LEVEL CM	183,6410 litre	92,785 %	14,2793 litre O
70	CM 30	CM 52 LEVEL CM	182,2325 litre	92,074 %	15,6878 litre O
70	CM 30	CM 51,5 LEVEL CM	180,7862 litre	91,343 %	17,1341 litre O
70	CM 30	CM 51 LEVEL CM	179,3039 litre	90,594 %	18,6164 litre O
70	CM 30	CM 50,5 LEVEL CM	177,7873 litre	89,828 %	20,1330 litre O
70	CM 30	CM 50 LEVEL CM	176,2380 litre	89,045 %	21,6823 litre O
70	CM 30	CM 49,5 LEVEL CM	174,6573 litre	88,246 %	23,2630 litre O
70	CM 30	CM 49 LEVEL CM	173,0467 litre	87,433 %	24,8736 litre O
70	CM 30	CM 48,5 LEVEL CM	171,4074 litre	86,604 %	26,5129 litre O
70	CM 30	CM 48 LEVEL CM	169,7407 litre	85,762 %	28,1796 litre O
70	CM 30	CM 47,5 LEVEL CM	168,0478 litre	84,907 %	29,8725 litre O
70	CM 30	CM 47 LEVEL CM	166,3297 litre	84,039 %	31,5906 litre O
70	CM 30	CM 46,5 LEVEL CM	164,5876 litre	83,159 %	33,3327 litre O
70	CM 30	CM 46 LEVEL CM	162,8224 litre	82,267 %	35,0979 litre O
70	CM 30	CM 45,5 LEVEL CM	161,0351 litre	81,364 %	36,8852 litre O
70	CM 30	CM 45 LEVEL CM	159,2267 litre	80,450 %	38,6936 litre O
70	CM 30	CM 44,5 LEVEL CM	157,3981 litre	79,526 %	40,5222 litre O
70	CM 30	CM 44 LEVEL CM	155,5501 litre	78,592 %	42,3702 litre O
70	CM 30	CM 43,5 LEVEL CM	153,6837 litre	77,649 %	44,2366 litre O
70	CM 30	CM 43 LEVEL CM	151,7997 litre	76,697 %	46,1206 litre O
70	CM 30	CM 42,5 LEVEL CM	149,8988 litre	75,737 %	48,0215 litre O
70	CM 30	CM 42 LEVEL CM	147,9819 litre	74,768 %	49,9384 litre O
70	CM 30	CM 41,5 LEVEL CM	146,0497 litre	73,792 %	51,8706 litre O
70	CM 30	CM 41 LEVEL CM	144,1030 litre	72,809 %	53,8173 litre O
70	CM 30	CM 40,5 LEVEL CM	142,1425 litre	71,818 %	55,7778 litre O
70	CM 30	CM 40 LEVEL CM	140,1689 litre	70,821 %	57,7514 litre O
70	CM 30	CM 39,5 LEVEL CM	138,1829 litre	69,817 %	59,7374 litre O
70	CM 30	CM 39 LEVEL CM	136,1853 litre	68,808 %	61,7350 litre O
70	CM 30	CM 38,5 LEVEL CM	134,1766 litre	67,793 %	63,7437 litre O
70	CM 30	CM 38 LEVEL CM	132,1576 litre	66,773 %	65,7627 litre O
70	CM 30	CM 37,5 LEVEL CM	130,1289 litre	65,748 %	67,7914 litre O
70	CM 30	CM 37 LEVEL CM	128,0912 litre	64,719 %	69,8291 litre O
70	CM 30	CM 36,5 LEVEL CM	126,0450 litre	63,685 %	71,8753 litre O
70	CM 30	CM 36 LEVEL CM	123,9911 litre	62,647 %	73,9292 litre O
70	CM 30	CM 35,5 LEVEL CM	121,9301 litre	61,606 %	75,9902 litre O
70	CM 30	CM 35 LEVEL CM	119,8625 litre	60,561 %	78,0578 litre O
70	CM 30	CM 34,5 LEVEL CM	117,7891 litre	59,513 %	80,1312 litre O

70	CM 30	CM	34 LEVEL CM	115,7103 litre	58,463 %	82,2100 litre	O
70	CM 30	CM	33,5 LEVEL CM	113,6268 litre	57,410 %	84,2935 litre	O
70	CM 30	CM	33 LEVEL CM	111,5391 litre	56,356 %	86,3812 litre	O
70	CM 30	CM	32,5 LEVEL CM	109,4480 litre	55,299 %	88,4723 litre	O
70	CM 30	CM	32 LEVEL CM	107,3539 litre	54,241 %	90,5664 litre	O
70	CM 30	CM	31,5 LEVEL CM	105,2575 litre	53,182 %	92,6628 litre	O
70	CM 30	CM	31 LEVEL CM	103,1594 litre	52,122 %	94,7609 litre	O
70	CM 30	CM	30,5 LEVEL CM	101,0601 litre	51,061 %	96,8602 litre	O
70	CM 30	CM	30 LEVEL CM	98,9602 litre	50,000 %	98,9601 litre	O
70	CM 30	CM	29,5 LEVEL CM	96,8603 litre	48,939 %	101,0600 litre	O
70	CM 30	CM	29 LEVEL CM	94,7609 litre	47,878 %	103,1594 litre	O
70	CM 30	CM	28,5 LEVEL CM	92,6628 litre	46,818 %	105,2575 litre	O
70	CM 30	CM	28 LEVEL CM	90,5664 litre	45,759 %	107,3539 litre	O
70	CM 30	CM	27,5 LEVEL CM	88,4723 litre	44,701 %	109,4480 litre	O
70	CM 30	CM	27 LEVEL CM	86,3812 litre	43,644 %	111,5391 litre	O
70	CM 30	CM	26,5 LEVEL CM	84,2936 litre	42,590 %	113,6267 litre	O
70	CM 30	CM	26 LEVEL CM	82,2101 litre	41,537 %	115,7102 litre	O
70	CM 30	CM	25,5 LEVEL CM	80,1313 litre	40,487 %	117,7890 litre	O
70	CM 30	CM	25 LEVEL CM	78,0578 litre	39,439 %	119,8625 litre	O
70	CM 30	CM	24,5 LEVEL CM	75,9902 litre	38,394 %	121,9301 litre	O
70	CM 30	CM	24 LEVEL CM	73,9292 litre	37,353 %	123,9911 litre	O
70	CM 30	CM	23,5 LEVEL CM	71,8753 litre	36,315 %	126,0450 litre	O
70	CM 30	CM	23 LEVEL CM	69,8292 litre	35,281 %	128,0911 litre	O
70	CM 30	CM	22,5 LEVEL CM	67,7914 litre	34,252 %	130,1289 litre	O
70	CM 30	CM	22 LEVEL CM	65,7628 litre	33,227 %	132,1575 litre	O
70	CM 30	CM	21,5 LEVEL CM	63,7437 litre	32,207 %	134,1766 litre	O
70	CM 30	CM	21 LEVEL CM	61,7351 litre	31,192 %	136,1852 litre	O
70	CM 30	CM	20,5 LEVEL CM	59,7374 litre	30,183 %	138,1829 litre	O
70	CM 30	CM	20 LEVEL CM	57,7515 litre	29,179 %	140,1688 litre	O
70	CM 30	CM	19,5 LEVEL CM	55,7779 litre	28,182 %	142,1424 litre	O
70	CM 30	CM	19 LEVEL CM	53,8173 litre	27,191 %	144,1030 litre	O
70	CM 30	CM	18,5 LEVEL CM	51,8706 litre	26,208 %	146,0497 litre	O
70	CM 30	CM	18 LEVEL CM	49,9384 litre	25,232 %	147,9819 litre	O
70	CM 30	CM	17,5 LEVEL CM	48,0215 litre	24,263 %	149,8988 litre	O
70	CM 30	CM	17 LEVEL CM	46,1206 litre	23,303 %	151,7997 litre	O
70	CM 30	CM	16,5 LEVEL CM	44,2366 litre	22,351 %	153,6837 litre	O
70	CM 30	CM	16 LEVEL CM	42,3702 litre	21,408 %	155,5501 litre	O
70	CM 30	CM	15,5 LEVEL CM	40,5223 litre	20,474 %	157,3980 litre	O
70	CM 30	CM	15 LEVEL CM	38,6936 litre	19,550 %	159,2267 litre	O
70	CM 30	CM	14,5 LEVEL CM	36,8852 litre	18,636 %	161,0351 litre	O
70	CM 30	CM	14 LEVEL CM	35,0980 litre	17,733 %	162,8223 litre	O
70	CM 30	CM	13,5 LEVEL CM	33,3328 litre	16,842 %	164,5875 litre	O
70	CM 30	CM	13 LEVEL CM	31,5906 litre	15,961 %	166,3297 litre	O
70	CM 30	CM	12,5 LEVEL CM	29,8725 litre	15,093 %	168,0478 litre	O
70	CM 30	CM	12 LEVEL CM	28,1796 litre	14,238 %	169,7407 litre	O
70	CM 30	CM	11,5 LEVEL CM	26,5129 litre	13,396 %	171,4074 litre	O
70	CM 30	CM	11 LEVEL CM	24,8737 litre	12,568 %	173,0466 litre	O
70	CM 30	CM	10,5 LEVEL CM	23,2630 litre	11,754 %	174,6573 litre	O
70	CM 30	CM	10 LEVEL CM	21,6824 litre	10,955 %	176,2379 litre	O
70	CM 30	CM	9,5 LEVEL CM	20,1330 litre	10,172 %	177,7873 litre	O
70	CM 30	CM	9 LEVEL CM	18,6164 litre	9,406 %	179,3039 litre	O
70	CM 30	CM	8,5 LEVEL CM	17,1342 litre	8,657 %	180,7861 litre	O
70	CM 30	CM	8 LEVEL CM	15,6879 litre	7,926 %	182,2324 litre	O

70	CM 30	CM	7,5 LEVEL CM	14,2793 litre	7,215 %	183,6410 litre	O
70	CM 30	CM	7 LEVEL CM	12,9105 litre	6,523 %	185,0098 litre	O
70	CM 30	CM	6,5 LEVEL CM	11,5835 litre	5,853 %	186,3368 litre	O
70	CM 30	CM	6 LEVEL CM	10,3006 litre	5,204 %	187,6197 litre	O
70	CM 30	CM	5,5 LEVEL CM	9,0644 litre	4,580 %	188,8559 litre	O
70	CM 30	CM	5 LEVEL CM	7,8777 litre	3,980 %	190,0426 litre	O
70	CM 30	CM	4,5 LEVEL CM	6,7439 litre	3,407 %	191,1764 litre	O
70	CM 30	CM	4 LEVEL CM	5,6666 litre	2,863 %	192,2537 litre	O
70	CM 30	CM	3,5 LEVEL CM	4,6501 litre	2,349 %	193,2702 litre	O
70	CM 30	CM	3 LEVEL CM	3,6997 litre	1,869 %	194,2206 litre	O
70	CM 30	CM	2,5 LEVEL CM	2,8217 litre	1,426 %	195,0986 litre	O
70	CM 30	CM	2 LEVEL CM	2,0243 litre	1,023 %	195,8960 litre	O
70	CM 30	CM	1,5 LEVEL CM	1,3182 litre	0,666 %	196,6021 litre	O
70	CM 30	CM	1 LEVEL CM	0,7193 litre	0,363 %	197,2010 litre	O
70	CM 30	CM	0,5 LEVEL CM	0,2550 litre	0,129 %	197,6653 litre	O
70	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	197,9203 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
70	CM	25	CM	50 LEVEL CM	137,4447 litre	100,000 %	0,0000 litre	O
70	CM	25	CM	49,5 LEVEL CM	137,2120 litre	99,831 %	0,2327 litre	O
70	CM	25	CM	49 LEVEL CM	136,7887 litre	99,523 %	0,6560 litre	O
70	CM	25	CM	48,5 LEVEL CM	136,2432 litre	99,126 %	1,2015 litre	O
70	CM	25	CM	48 LEVEL CM	135,6006 litre	98,658 %	1,8441 litre	O
70	CM	25	CM	47,5 LEVEL CM	134,8754 litre	98,131 %	2,5693 litre	O
70	CM	25	CM	47 LEVEL CM	134,0778 litre	97,550 %	3,3669 litre	O
70	CM	25	CM	46,5 LEVEL CM	133,2152 litre	96,923 %	4,2295 litre	O
70	CM	25	CM	46 LEVEL CM	132,2935 litre	96,252 %	5,1512 litre	O
70	CM	25	CM	45,5 LEVEL CM	131,3176 litre	95,542 %	6,1271 litre	O
70	CM	25	CM	45 LEVEL CM	130,2915 litre	94,796 %	7,1532 litre	O
70	CM	25	CM	44,5 LEVEL CM	129,2187 litre	94,015 %	8,2260 litre	O
70	CM	25	CM	44 LEVEL CM	128,1022 litre	93,203 %	9,3425 litre	O
70	CM	25	CM	43,5 LEVEL CM	126,9448 litre	92,361 %	10,4999 litre	O
70	CM	25	CM	43 LEVEL CM	125,7489 litre	91,491 %	11,6958 litre	O
70	CM	25	CM	42,5 LEVEL CM	124,5166 litre	90,594 %	12,9281 litre	O
70	CM	25	CM	42 LEVEL CM	123,2500 litre	89,672 %	14,1947 litre	O
70	CM	25	CM	41,5 LEVEL CM	121,9510 litre	88,727 %	15,4937 litre	O
70	CM	25	CM	41 LEVEL CM	120,6211 litre	87,760 %	16,8236 litre	O
70	CM	25	CM	40,5 LEVEL CM	119,2622 litre	86,771 %	18,1825 litre	O
70	CM	25	CM	40 LEVEL CM	117,8755 litre	85,762 %	19,5692 litre	O
70	CM	25	CM	39,5 LEVEL CM	116,4626 litre	84,734 %	20,9821 litre	O
70	CM	25	CM	39 LEVEL CM	115,0248 litre	83,688 %	22,4199 litre	O
70	CM	25	CM	38,5 LEVEL CM	113,5633 litre	82,625 %	23,8814 litre	O
70	CM	25	CM	38 LEVEL CM	112,0794 litre	81,545 %	25,3653 litre	O
70	CM	25	CM	37,5 LEVEL CM	110,5741 litre	80,450 %	26,8706 litre	O
70	CM	25	CM	37 LEVEL CM	109,0486 litre	79,340 %	28,3961 litre	O
70	CM	25	CM	36,5 LEVEL CM	107,5040 litre	78,216 %	29,9407 litre	O
70	CM	25	CM	36 LEVEL CM	105,9412 litre	77,079 %	31,5035 litre	O
70	CM	25	CM	35,5 LEVEL CM	104,3613 litre	75,930 %	33,0834 litre	O
70	CM	25	CM	35 LEVEL CM	102,7652 litre	74,768 %	34,6795 litre	O
70	CM	25	CM	34,5 LEVEL CM	101,1538 litre	73,596 %	36,2909 litre	O
70	CM	25	CM	34 LEVEL CM	99,5281 litre	72,413 %	37,9166 litre	O
70	CM	25	CM	33,5 LEVEL CM	97,8888 litre	71,220 %	39,5559 litre	O
70	CM	25	CM	33 LEVEL CM	96,2368 litre	70,019 %	41,2079 litre	O
70	CM	25	CM	32,5 LEVEL CM	94,5731 litre	68,808 %	42,8716 litre	O
70	CM	25	CM	32 LEVEL CM	92,8983 litre	67,590 %	44,5464 litre	O
70	CM	25	CM	31,5 LEVEL CM	91,2134 litre	66,364 %	46,2313 litre	O
70	CM	25	CM	31 LEVEL CM	89,5190 litre	65,131 %	47,9257 litre	O
70	CM	25	CM	30,5 LEVEL CM	87,8159 litre	63,892 %	49,6288 litre	O
70	CM	25	CM	30 LEVEL CM	86,1050 litre	62,647 %	51,3397 litre	O
70	CM	25	CM	29,5 LEVEL CM	84,3869 litre	61,397 %	53,0578 litre	O
70	CM	25	CM	29 LEVEL CM	82,6624 litre	60,142 %	54,7823 litre	O
70	CM	25	CM	28,5 LEVEL CM	80,9322 litre	58,883 %	56,5125 litre	O
70	CM	25	CM	28 LEVEL CM	79,1971 litre	57,621 %	58,2476 litre	O
70	CM	25	CM	27,5 LEVEL CM	77,4577 litre	56,356 %	59,9870 litre	O
70	CM	25	CM	27 LEVEL CM	75,7149 litre	55,088 %	61,7298 litre	O
70	CM	25	CM	26,5 LEVEL CM	73,9692 litre	53,817 %	63,4755 litre	O
70	CM	25	CM	26 LEVEL CM	72,2214 litre	52,546 %	65,2233 litre	O
70	CM	25	CM	25,5 LEVEL CM	70,4722 litre	51,273 %	66,9725 litre	O
70	CM	25	CM	25 LEVEL CM	68,7223 litre	50,000 %	68,7224 litre	O
70	CM	25	CM	24,5 LEVEL CM	66,9725 litre	48,727 %	70,4722 litre	O

70	CM	25	CM	24 LEVEL CM	65,2233 litre	47,454 %	72,2214 litre	O
70	CM	25	CM	23,5 LEVEL CM	63,4755 litre	46,183 %	73,9692 litre	O
70	CM	25	CM	23 LEVEL CM	61,7298 litre	44,912 %	75,7149 litre	O
70	CM	25	CM	22,5 LEVEL CM	59,9869 litre	43,644 %	77,4578 litre	O
70	CM	25	CM	22 LEVEL CM	58,2476 litre	42,379 %	79,1971 litre	O
70	CM	25	CM	21,5 LEVEL CM	56,5125 litre	41,117 %	80,9322 litre	O
70	CM	25	CM	21 LEVEL CM	54,7823 litre	39,858 %	82,6624 litre	O
70	CM	25	CM	20,5 LEVEL CM	53,0578 litre	38,603 %	84,3869 litre	O
70	CM	25	CM	20 LEVEL CM	51,3397 litre	37,353 %	86,1050 litre	O
70	CM	25	CM	19,5 LEVEL CM	49,6288 litre	36,108 %	87,8159 litre	O
70	CM	25	CM	19 LEVEL CM	47,9257 litre	34,869 %	89,5190 litre	O
70	CM	25	CM	18,5 LEVEL CM	46,2313 litre	33,636 %	91,2134 litre	O
70	CM	25	CM	18 LEVEL CM	44,5463 litre	32,410 %	92,8984 litre	O
70	CM	25	CM	17,5 LEVEL CM	42,8716 litre	31,192 %	94,5731 litre	O
70	CM	25	CM	17 LEVEL CM	41,2078 litre	29,981 %	96,2369 litre	O
70	CM	25	CM	16,5 LEVEL CM	39,5559 litre	28,779 %	97,8888 litre	O
70	CM	25	CM	16 LEVEL CM	37,9166 litre	27,587 %	99,5281 litre	O
70	CM	25	CM	15,5 LEVEL CM	36,2909 litre	26,404 %	101,1538 litre	O
70	CM	25	CM	15 LEVEL CM	34,6795 litre	25,232 %	102,7652 litre	O
70	CM	25	CM	14,5 LEVEL CM	33,0834 litre	24,070 %	104,3613 litre	O
70	CM	25	CM	14 LEVEL CM	31,5034 litre	22,921 %	105,9413 litre	O
70	CM	25	CM	13,5 LEVEL CM	29,9407 litre	21,784 %	107,5040 litre	O
70	CM	25	CM	13 LEVEL CM	28,3961 litre	20,660 %	109,0486 litre	O
70	CM	25	CM	12,5 LEVEL CM	26,8706 litre	19,550 %	110,5741 litre	O
70	CM	25	CM	12 LEVEL CM	25,3653 litre	18,455 %	112,0794 litre	O
70	CM	25	CM	11,5 LEVEL CM	23,8814 litre	17,375 %	113,5633 litre	O
70	CM	25	CM	11 LEVEL CM	22,4199 litre	16,312 %	115,0248 litre	O
70	CM	25	CM	10,5 LEVEL CM	20,9821 litre	15,266 %	116,4626 litre	O
70	CM	25	CM	10 LEVEL CM	19,5692 litre	14,238 %	117,8755 litre	O
70	CM	25	CM	9,5 LEVEL CM	18,1825 litre	13,229 %	119,2622 litre	O
70	CM	25	CM	9 LEVEL CM	16,8235 litre	12,240 %	120,6212 litre	O
70	CM	25	CM	8,5 LEVEL CM	15,4937 litre	11,273 %	121,9510 litre	O
70	CM	25	CM	8 LEVEL CM	14,1947 litre	10,328 %	123,2500 litre	O
70	CM	25	CM	7,5 LEVEL CM	12,9281 litre	9,406 %	124,5166 litre	O
70	CM	25	CM	7 LEVEL CM	11,6958 litre	8,509 %	125,7489 litre	O
70	CM	25	CM	6,5 LEVEL CM	10,4999 litre	7,639 %	126,9448 litre	O
70	CM	25	CM	6 LEVEL CM	9,3424 litre	6,797 %	128,1023 litre	O
70	CM	25	CM	5,5 LEVEL CM	8,2260 litre	5,985 %	129,2187 litre	O
70	CM	25	CM	5 LEVEL CM	7,1532 litre	5,204 %	130,2915 litre	O
70	CM	25	CM	4,5 LEVEL CM	6,1271 litre	4,458 %	131,3176 litre	O
70	CM	25	CM	4 LEVEL CM	5,1511 litre	3,748 %	132,2936 litre	O
70	CM	25	CM	3,5 LEVEL CM	4,2295 litre	3,077 %	133,2152 litre	O
70	CM	25	CM	3 LEVEL CM	3,3669 litre	2,450 %	134,0778 litre	O
70	CM	25	CM	2,5 LEVEL CM	2,5693 litre	1,869 %	134,8754 litre	O
70	CM	25	CM	2 LEVEL CM	1,8441 litre	1,342 %	135,6006 litre	O
70	CM	25	CM	1,5 LEVEL CM	1,2015 litre	0,874 %	136,2432 litre	O
70	CM	25	CM	1 LEVEL CM	0,6560 litre	0,477 %	136,7887 litre	O
70	CM	25	CM	0,5 LEVEL CM	0,2326 litre	0,169 %	137,2121 litre	O
70	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	137,4447 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
70	CM 20	CM 40 LEVEL CM	87,9646 litre	100,000 %	0,0000 litre	O
70	CM 20	CM 39,5 LEVEL CM	87,7567 litre	99,764 %	0,2079 litre	O
70	CM 20	CM 39 LEVEL CM	87,3787 litre	99,334 %	0,5859 litre	O
70	CM 20	CM 38,5 LEVEL CM	86,8924 litre	98,781 %	1,0722 litre	O
70	CM 20	CM 38 LEVEL CM	86,3203 litre	98,131 %	1,6443 litre	O
70	CM 20	CM 37,5 LEVEL CM	85,6755 litre	97,398 %	2,2891 litre	O
70	CM 20	CM 37 LEVEL CM	84,9673 litre	96,593 %	2,9973 litre	O
70	CM 20	CM 36,5 LEVEL CM	84,2025 litre	95,723 %	3,7621 litre	O
70	CM 20	CM 36 LEVEL CM	83,3866 litre	94,796 %	4,5780 litre	O
70	CM 20	CM 35,5 LEVEL CM	82,5239 litre	93,815 %	5,4407 litre	O
70	CM 20	CM 35 LEVEL CM	81,6182 litre	92,785 %	6,3464 litre	O
70	CM 20	CM 34,5 LEVEL CM	80,6729 litre	91,711 %	7,2917 litre	O
70	CM 20	CM 34 LEVEL CM	79,6906 litre	90,594 %	8,2740 litre	O
70	CM 20	CM 33,5 LEVEL CM	78,6741 litre	89,438 %	9,2905 litre	O
70	CM 20	CM 33 LEVEL CM	77,6255 litre	88,246 %	10,3391 litre	O
70	CM 20	CM 32,5 LEVEL CM	76,5469 litre	87,020 %	11,4177 litre	O
70	CM 20	CM 32 LEVEL CM	75,4403 litre	85,762 %	12,5243 litre	O
70	CM 20	CM 31,5 LEVEL CM	74,3075 litre	84,474 %	13,6571 litre	O
70	CM 20	CM 31 LEVEL CM	73,1500 litre	83,158 %	14,8146 litre	O
70	CM 20	CM 30,5 LEVEL CM	71,9695 litre	81,816 %	15,9951 litre	O
70	CM 20	CM 30 LEVEL CM	70,7674 litre	80,450 %	17,1972 litre	O
70	CM 20	CM 29,5 LEVEL CM	69,5451 litre	79,060 %	18,4195 litre	O
70	CM 20	CM 29 LEVEL CM	68,3039 litre	77,649 %	19,6607 litre	O
70	CM 20	CM 28,5 LEVEL CM	67,0450 litre	76,218 %	20,9196 litre	O
70	CM 20	CM 28 LEVEL CM	65,7697 litre	74,768 %	22,1949 litre	O
70	CM 20	CM 27,5 LEVEL CM	64,4792 litre	73,301 %	23,4854 litre	O
70	CM 20	CM 27 LEVEL CM	63,1744 litre	71,818 %	24,7902 litre	O
70	CM 20	CM 26,5 LEVEL CM	61,8566 litre	70,320 %	26,1080 litre	O
70	CM 20	CM 26 LEVEL CM	60,5268 litre	68,808 %	27,4378 litre	O
70	CM 20	CM 25,5 LEVEL CM	59,1859 litre	67,284 %	28,7787 litre	O
70	CM 20	CM 25 LEVEL CM	57,8351 litre	65,748 %	30,1295 litre	O
70	CM 20	CM 24,5 LEVEL CM	56,4752 litre	64,202 %	31,4894 litre	O
70	CM 20	CM 24 LEVEL CM	55,1072 litre	62,647 %	32,8574 litre	O
70	CM 20	CM 23,5 LEVEL CM	53,7320 litre	61,084 %	34,2326 litre	O
70	CM 20	CM 23 LEVEL CM	52,3507 litre	59,513 %	35,6139 litre	O
70	CM 20	CM 22,5 LEVEL CM	50,9640 litre	57,937 %	37,0006 litre	O
70	CM 20	CM 22 LEVEL CM	49,5729 litre	56,356 %	38,3917 litre	O
70	CM 20	CM 21,5 LEVEL CM	48,1784 litre	54,770 %	39,7862 litre	O
70	CM 20	CM 21 LEVEL CM	46,7811 litre	53,182 %	41,1835 litre	O
70	CM 20	CM 20,5 LEVEL CM	45,3822 litre	51,591 %	42,5824 litre	O
70	CM 20	CM 20 LEVEL CM	43,9823 litre	50,000 %	43,9823 litre	O
70	CM 20	CM 19,5 LEVEL CM	42,5824 litre	48,409 %	45,3822 litre	O
70	CM 20	CM 19 LEVEL CM	41,1835 litre	46,818 %	46,7811 litre	O
70	CM 20	CM 18,5 LEVEL CM	39,7862 litre	45,230 %	48,1784 litre	O
70	CM 20	CM 18 LEVEL CM	38,3916 litre	43,644 %	49,5730 litre	O
70	CM 20	CM 17,5 LEVEL CM	37,0006 litre	42,063 %	50,9640 litre	O
70	CM 20	CM 17 LEVEL CM	35,6139 litre	40,487 %	52,3507 litre	O
70	CM 20	CM 16,5 LEVEL CM	34,2326 litre	38,916 %	53,7320 litre	O
70	CM 20	CM 16 LEVEL CM	32,8574 litre	37,353 %	55,1072 litre	O
70	CM 20	CM 15,5 LEVEL CM	31,4894 litre	35,798 %	56,4752 litre	O
70	CM 20	CM 15 LEVEL CM	30,1295 litre	34,252 %	57,8351 litre	O
70	CM 20	CM 14,5 LEVEL CM	28,7787 litre	32,716 %	59,1859 litre	O

70	CM	20	CM	14 LEVEL CM	27,4378 litre	31,192 %	60,5268 litre	O
70	CM	20	CM	13,5 LEVEL CM	26,1080 litre	29,680 %	61,8566 litre	O
70	CM	20	CM	13 LEVEL CM	24,7902 litre	28,182 %	63,1744 litre	O
70	CM	20	CM	12,5 LEVEL CM	23,4854 litre	26,699 %	64,4792 litre	O
70	CM	20	CM	12 LEVEL CM	22,1949 litre	25,232 %	65,7697 litre	O
70	CM	20	CM	11,5 LEVEL CM	20,9196 litre	23,782 %	67,0450 litre	O
70	CM	20	CM	11 LEVEL CM	19,6607 litre	22,351 %	68,3039 litre	O
70	CM	20	CM	10,5 LEVEL CM	18,4195 litre	20,940 %	69,5451 litre	O
70	CM	20	CM	10 LEVEL CM	17,1972 litre	19,550 %	70,7674 litre	O
70	CM	20	CM	9,5 LEVEL CM	15,9951 litre	18,184 %	71,9695 litre	O
70	CM	20	CM	9 LEVEL CM	14,8146 litre	16,842 %	73,1500 litre	O
70	CM	20	CM	8,5 LEVEL CM	13,6571 litre	15,526 %	74,3075 litre	O
70	CM	20	CM	8 LEVEL CM	12,5243 litre	14,238 %	75,4403 litre	O
70	CM	20	CM	7,5 LEVEL CM	11,4177 litre	12,980 %	76,5469 litre	O
70	CM	20	CM	7 LEVEL CM	10,3391 litre	11,754 %	77,6255 litre	O
70	CM	20	CM	6,5 LEVEL CM	9,2905 litre	10,562 %	78,6741 litre	O
70	CM	20	CM	6 LEVEL CM	8,2740 litre	9,406 %	79,6906 litre	O
70	CM	20	CM	5,5 LEVEL CM	7,2917 litre	8,289 %	80,6729 litre	O
70	CM	20	CM	5 LEVEL CM	6,3464 litre	7,215 %	81,6182 litre	O
70	CM	20	CM	4,5 LEVEL CM	5,4407 litre	6,185 %	82,5239 litre	O
70	CM	20	CM	4 LEVEL CM	4,5780 litre	5,204 %	83,3866 litre	O
70	CM	20	CM	3,5 LEVEL CM	3,7621 litre	4,277 %	84,2025 litre	O
70	CM	20	CM	3 LEVEL CM	2,9973 litre	3,407 %	84,9673 litre	O
70	CM	20	CM	2,5 LEVEL CM	2,2891 litre	2,602 %	85,6755 litre	O
70	CM	20	CM	2 LEVEL CM	1,6443 litre	1,869 %	86,3203 litre	O
70	CM	20	CM	1,5 LEVEL CM	1,0722 litre	1,219 %	86,8924 litre	O
70	CM	20	CM	1 LEVEL CM	0,5858 litre	0,666 %	87,3788 litre	O
70	CM	20	CM	0,5 LEVEL CM	0,2079 litre	0,236 %	87,7567 litre	O
70	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	87,9646 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
70	CM	15	CM	30 LEVEL CM	49,4801 litre	100,000 %	0,0000 litre	O
70	CM	15	CM	29,5 LEVEL CM	49,3003 litre	99,637 %	0,1798 litre	O
70	CM	15	CM	29 LEVEL CM	48,9740 litre	98,977 %	0,5061 litre	O
70	CM	15	CM	28,5 LEVEL CM	48,5552 litre	98,131 %	0,9249 litre	O
70	CM	15	CM	28 LEVEL CM	48,0634 litre	97,137 %	1,4167 litre	O
70	CM	15	CM	27,5 LEVEL CM	47,5107 litre	96,020 %	1,9694 litre	O
70	CM	15	CM	27 LEVEL CM	46,9049 litre	94,796 %	2,5752 litre	O
70	CM	15	CM	26,5 LEVEL CM	46,2525 litre	93,477 %	3,2276 litre	O
70	CM	15	CM	26 LEVEL CM	45,5581 litre	92,074 %	3,9220 litre	O
70	CM	15	CM	25,5 LEVEL CM	44,8260 litre	90,594 %	4,6541 litre	O
70	CM	15	CM	25 LEVEL CM	44,0595 litre	89,045 %	5,4206 litre	O
70	CM	15	CM	24,5 LEVEL CM	43,2617 litre	87,432 %	6,2184 litre	O
70	CM	15	CM	24 LEVEL CM	42,4352 litre	85,762 %	7,0449 litre	O
70	CM	15	CM	23,5 LEVEL CM	41,5824 litre	84,039 %	7,8977 litre	O
70	CM	15	CM	23 LEVEL CM	40,7056 litre	82,267 %	8,7745 litre	O
70	CM	15	CM	22,5 LEVEL CM	39,8067 litre	80,450 %	9,6734 litre	O
70	CM	15	CM	22 LEVEL CM	38,8875 litre	78,592 %	10,5926 litre	O
70	CM	15	CM	21,5 LEVEL CM	37,9499 litre	76,697 %	11,5302 litre	O
70	CM	15	CM	21 LEVEL CM	36,9955 litre	74,768 %	12,4846 litre	O
70	CM	15	CM	20,5 LEVEL CM	36,0257 litre	72,809 %	13,4544 litre	O
70	CM	15	CM	20 LEVEL CM	35,0422 litre	70,821 %	14,4379 litre	O
70	CM	15	CM	19,5 LEVEL CM	34,0463 litre	68,808 %	15,4338 litre	O
70	CM	15	CM	19 LEVEL CM	33,0394 litre	66,773 %	16,4407 litre	O
70	CM	15	CM	18,5 LEVEL CM	32,0228 litre	64,719 %	17,4573 litre	O
70	CM	15	CM	18 LEVEL CM	30,9978 litre	62,647 %	18,4823 litre	O
70	CM	15	CM	17,5 LEVEL CM	29,9656 litre	60,561 %	19,5145 litre	O
70	CM	15	CM	17 LEVEL CM	28,9276 litre	58,463 %	20,5525 litre	O
70	CM	15	CM	16,5 LEVEL CM	27,8848 litre	56,356 %	21,5953 litre	O
70	CM	15	CM	16 LEVEL CM	26,8385 litre	54,241 %	22,6416 litre	O
70	CM	15	CM	15,5 LEVEL CM	25,7898 litre	52,122 %	23,6903 litre	O
70	CM	15	CM	15 LEVEL CM	24,7400 litre	50,000 %	24,7401 litre	O
70	CM	15	CM	14,5 LEVEL CM	23,6902 litre	47,878 %	25,7899 litre	O
70	CM	15	CM	14 LEVEL CM	22,6416 litre	45,759 %	26,8385 litre	O
70	CM	15	CM	13,5 LEVEL CM	21,5953 litre	43,644 %	27,8848 litre	O
70	CM	15	CM	13 LEVEL CM	20,5525 litre	41,537 %	28,9276 litre	O
70	CM	15	CM	12,5 LEVEL CM	19,5144 litre	39,439 %	29,9657 litre	O
70	CM	15	CM	12 LEVEL CM	18,4823 litre	37,353 %	30,9978 litre	O
70	CM	15	CM	11,5 LEVEL CM	17,4573 litre	35,281 %	32,0228 litre	O
70	CM	15	CM	11 LEVEL CM	16,4407 litre	33,227 %	33,0394 litre	O
70	CM	15	CM	10,5 LEVEL CM	15,4338 litre	31,192 %	34,0463 litre	O
70	CM	15	CM	10 LEVEL CM	14,4379 litre	29,179 %	35,0422 litre	O
70	CM	15	CM	9,5 LEVEL CM	13,4543 litre	27,191 %	36,0258 litre	O
70	CM	15	CM	9 LEVEL CM	12,4846 litre	25,232 %	36,9955 litre	O
70	CM	15	CM	8,5 LEVEL CM	11,5302 litre	23,303 %	37,9499 litre	O
70	CM	15	CM	8 LEVEL CM	10,5925 litre	21,408 %	38,8876 litre	O
70	CM	15	CM	7,5 LEVEL CM	9,6734 litre	19,550 %	39,8067 litre	O
70	CM	15	CM	7 LEVEL CM	8,7745 litre	17,733 %	40,7056 litre	O
70	CM	15	CM	6,5 LEVEL CM	7,8977 litre	15,961 %	41,5824 litre	O
70	CM	15	CM	6 LEVEL CM	7,0449 litre	14,238 %	42,4352 litre	O
70	CM	15	CM	5,5 LEVEL CM	6,2184 litre	12,568 %	43,2617 litre	O
70	CM	15	CM	5 LEVEL CM	5,4206 litre	10,955 %	44,0595 litre	O
70	CM	15	CM	4,5 LEVEL CM	4,6541 litre	9,406 %	44,8260 litre	O

70	CM	15	CM	4 LEVEL CM	3,9220 litre	7,926 %	45,5581 litre	O
70	CM	15	CM	3,5 LEVEL CM	3,2276 litre	6,523 %	46,2525 litre	O
70	CM	15	CM	3 LEVEL CM	2,5751 litre	5,204 %	46,9050 litre	O
70	CM	15	CM	2,5 LEVEL CM	1,9694 litre	3,980 %	47,5107 litre	O
70	CM	15	CM	2 LEVEL CM	1,4166 litre	2,863 %	48,0635 litre	O
70	CM	15	CM	1,5 LEVEL CM	0,9249 litre	1,869 %	48,5552 litre	O
70	CM	15	CM	1 LEVEL CM	0,5061 litre	1,023 %	48,9740 litre	O
70	CM	15	CM	0,5 LEVEL CM	0,1798 litre	0,363 %	49,3003 litre	O
70	CM	15	CM	0 LEVEL CM	0,0000 litre	0,000 %	49,4801 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
70	CM 10	CM 20 LEVEL CM	21,9911 litre	100,000 %	0,0000 litre O
70	CM 10	CM 19,5 LEVEL CM	21,8447 litre	99,334 %	0,1464 litre O
70	CM 10	CM 19 LEVEL CM	21,5801 litre	98,131 %	0,4110 litre O
70	CM 10	CM 18,5 LEVEL CM	21,2418 litre	96,593 %	0,7493 litre O
70	CM 10	CM 18 LEVEL CM	20,8466 litre	94,796 %	1,1445 litre O
70	CM 10	CM 17,5 LEVEL CM	20,4046 litre	92,786 %	1,5865 litre O
70	CM 10	CM 17 LEVEL CM	19,9227 litre	90,594 %	2,0684 litre O
70	CM 10	CM 16,5 LEVEL CM	19,4064 litre	88,246 %	2,5847 litre O
70	CM 10	CM 16 LEVEL CM	18,8601 litre	85,762 %	3,1310 litre O
70	CM 10	CM 15,5 LEVEL CM	18,2875 litre	83,159 %	3,7036 litre O
70	CM 10	CM 15 LEVEL CM	17,6919 litre	80,450 %	4,2992 litre O
70	CM 10	CM 14,5 LEVEL CM	17,0760 litre	77,649 %	4,9151 litre O
70	CM 10	CM 14 LEVEL CM	16,4424 litre	74,769 %	5,5487 litre O
70	CM 10	CM 13,5 LEVEL CM	15,7936 litre	71,818 %	6,1975 litre O
70	CM 10	CM 13 LEVEL CM	15,1317 litre	68,808 %	6,8594 litre O
70	CM 10	CM 12,5 LEVEL CM	14,4588 litre	65,748 %	7,5323 litre O
70	CM 10	CM 12 LEVEL CM	13,7768 litre	62,647 %	8,2143 litre O
70	CM 10	CM 11,5 LEVEL CM	13,0877 litre	59,513 %	8,9034 litre O
70	CM 10	CM 11 LEVEL CM	12,3932 litre	56,356 %	9,5979 litre O
70	CM 10	CM 10,5 LEVEL CM	11,6953 litre	53,182 %	10,2958 litre O
70	CM 10	CM 10 LEVEL CM	10,9956 litre	50,000 %	10,9955 litre O
70	CM 10	CM 9,5 LEVEL CM	10,2959 litre	46,818 %	11,6952 litre O
70	CM 10	CM 9 LEVEL CM	9,5979 litre	43,645 %	12,3932 litre O
70	CM 10	CM 8,5 LEVEL CM	8,9035 litre	40,487 %	13,0876 litre O
70	CM 10	CM 8 LEVEL CM	8,2144 litre	37,353 %	13,7767 litre O
70	CM 10	CM 7,5 LEVEL CM	7,5324 litre	34,252 %	14,4587 litre O
70	CM 10	CM 7 LEVEL CM	6,8595 litre	31,192 %	15,1316 litre O
70	CM 10	CM 6,5 LEVEL CM	6,1975 litre	28,182 %	15,7936 litre O
70	CM 10	CM 6 LEVEL CM	5,5487 litre	25,232 %	16,4424 litre O
70	CM 10	CM 5,5 LEVEL CM	4,9152 litre	22,351 %	17,0759 litre O
70	CM 10	CM 5 LEVEL CM	4,2993 litre	19,550 %	17,6918 litre O
70	CM 10	CM 4,5 LEVEL CM	3,7036 litre	16,842 %	18,2875 litre O
70	CM 10	CM 4 LEVEL CM	3,1311 litre	14,238 %	18,8600 litre O
70	CM 10	CM 3,5 LEVEL CM	2,5848 litre	11,754 %	19,4063 litre O
70	CM 10	CM 3 LEVEL CM	2,0685 litre	9,406 %	19,9226 litre O
70	CM 10	CM 2,5 LEVEL CM	1,5866 litre	7,215 %	20,4045 litre O
70	CM 10	CM 2 LEVEL CM	1,1445 litre	5,204 %	20,8466 litre O
70	CM 10	CM 1,5 LEVEL CM	0,7493 litre	3,407 %	21,2418 litre O
70	CM 10	CM 1 LEVEL CM	0,4111 litre	1,869 %	21,5800 litre O
70	CM 10	CM 0,5 LEVEL CM	0,1465 litre	0,666 %	21,8446 litre O
70	CM 10	CM 0 LEVEL CM	0,0000 litre	0,000 %	21,9911 litre O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
70	CM 5	CM 10	LEVEL CM 5,497787 litre	100,000 %	0,000000 litre	O
70	CM 5	CM 9,9	LEVEL CM 5,488482 litre	99,831 %	0,009305 litre	O
70	CM 5	CM 9,8	LEVEL CM 5,471547 litre	99,523 %	0,026240 litre	O
70	CM 5	CM 9,7	LEVEL CM 5,449729 litre	99,126 %	0,048058 litre	O
70	CM 5	CM 9,6	LEVEL CM 5,424023 litre	98,658 %	0,073764 litre	O
70	CM 5	CM 9,5	LEVEL CM 5,395017 litre	98,131 %	0,102770 litre	O
70	CM 5	CM 9,4	LEVEL CM 5,363112 litre	97,550 %	0,134675 litre	O
70	CM 5	CM 9,3	LEVEL CM 5,328608 litre	96,923 %	0,169179 litre	O
70	CM 5	CM 9,2	LEVEL CM 5,291741 litre	96,252 %	0,206046 litre	O
70	CM 5	CM 9,1	LEVEL CM 5,252705 litre	95,542 %	0,245082 litre	O
70	CM 5	CM 9	LEVEL CM 5,211660 litre	94,796 %	0,286127 litre	O
70	CM 5	CM 8,9	LEVEL CM 5,168748 litre	94,015 %	0,329039 litre	O
70	CM 5	CM 8,8	LEVEL CM 5,124089 litre	93,203 %	0,373698 litre	O
70	CM 5	CM 8,7	LEVEL CM 5,077793 litre	92,361 %	0,419994 litre	O
70	CM 5	CM 8,6	LEVEL CM 5,029955 litre	91,491 %	0,467832 litre	O
70	CM 5	CM 8,5	LEVEL CM 4,980664 litre	90,594 %	0,517123 litre	O
70	CM 5	CM 8,4	LEVEL CM 4,930001 litre	89,672 %	0,567786 litre	O
70	CM 5	CM 8,3	LEVEL CM 4,878038 litre	88,727 %	0,619749 litre	O
70	CM 5	CM 8,2	LEVEL CM 4,824845 litre	87,760 %	0,672942 litre	O
70	CM 5	CM 8,1	LEVEL CM 4,770486 litre	86,771 %	0,727301 litre	O
70	CM 5	CM 8	LEVEL CM 4,715021 litre	85,762 %	0,782766 litre	O
70	CM 5	CM 7,9	LEVEL CM 4,658505 litre	84,734 %	0,839282 litre	O
70	CM 5	CM 7,8	LEVEL CM 4,600991 litre	83,688 %	0,896796 litre	O
70	CM 5	CM 7,7	LEVEL CM 4,542532 litre	82,625 %	0,955255 litre	O
70	CM 5	CM 7,6	LEVEL CM 4,483174 litre	81,545 %	1,014613 litre	O
70	CM 5	CM 7,5	LEVEL CM 4,422964 litre	80,450 %	1,074823 litre	O
70	CM 5	CM 7,4	LEVEL CM 4,361945 litre	79,340 %	1,135842 litre	O
70	CM 5	CM 7,3	LEVEL CM 4,300160 litre	78,216 %	1,197627 litre	O
70	CM 5	CM 7,2	LEVEL CM 4,237650 litre	77,079 %	1,260137 litre	O
70	CM 5	CM 7,1	LEVEL CM 4,174453 litre	75,930 %	1,323334 litre	O
70	CM 5	CM 7	LEVEL CM 4,110609 litre	74,768 %	1,387178 litre	O
70	CM 5	CM 6,9	LEVEL CM 4,046153 litre	73,596 %	1,451634 litre	O
70	CM 5	CM 6,8	LEVEL CM 3,981122 litre	72,413 %	1,516665 litre	O
70	CM 5	CM 6,7	LEVEL CM 3,915551 litre	71,220 %	1,582236 litre	O
70	CM 5	CM 6,6	LEVEL CM 3,849474 litre	70,019 %	1,648313 litre	O
70	CM 5	CM 6,5	LEVEL CM 3,782924 litre	68,808 %	1,714863 litre	O
70	CM 5	CM 6,4	LEVEL CM 3,715933 litre	67,590 %	1,781854 litre	O
70	CM 5	CM 6,3	LEVEL CM 3,648534 litre	66,364 %	1,849253 litre	O
70	CM 5	CM 6,2	LEVEL CM 3,580758 litre	65,131 %	1,917029 litre	O
70	CM 5	CM 6,1	LEVEL CM 3,512636 litre	63,892 %	1,985151 litre	O
70	CM 5	CM 6	LEVEL CM 3,444198 litre	62,647 %	2,053589 litre	O
70	CM 5	CM 5,9	LEVEL CM 3,375475 litre	61,397 %	2,122312 litre	O
70	CM 5	CM 5,8	LEVEL CM 3,306495 litre	60,142 %	2,191292 litre	O
70	CM 5	CM 5,7	LEVEL CM 3,237288 litre	58,883 %	2,260499 litre	O
70	CM 5	CM 5,6	LEVEL CM 3,167883 litre	57,621 %	2,329904 litre	O
70	CM 5	CM 5,5	LEVEL CM 3,098309 litre	56,356 %	2,399478 litre	O
70	CM 5	CM 5,4	LEVEL CM 3,028595 litre	55,088 %	2,469192 litre	O
70	CM 5	CM 5,3	LEVEL CM 2,958768 litre	53,817 %	2,539019 litre	O
70	CM 5	CM 5,2	LEVEL CM 2,888856 litre	52,546 %	2,608931 litre	O
70	CM 5	CM 5,1	LEVEL CM 2,818889 litre	51,273 %	2,678898 litre	O
70	CM 5	CM 5	LEVEL CM 2,748894 litre	50,000 %	2,748893 litre	O
70	CM 5	CM 4,9	LEVEL CM 2,678898 litre	48,727 %	2,818889 litre	O

70	CM 5	CM	4,8 LEVEL CM	2,608931 litre	47,454 %	2,888856 litre	O
70	CM 5	CM	4,7 LEVEL CM	2,539020 litre	46,183 %	2,958767 litre	O
70	CM 5	CM	4,6 LEVEL CM	2,469193 litre	44,912 %	3,028594 litre	O
70	CM 5	CM	4,5 LEVEL CM	2,399478 litre	43,644 %	3,098309 litre	O
70	CM 5	CM	4,4 LEVEL CM	2,329904 litre	42,379 %	3,167883 litre	O
70	CM 5	CM	4,3 LEVEL CM	2,260499 litre	41,117 %	3,237288 litre	O
70	CM 5	CM	4,2 LEVEL CM	2,191292 litre	39,858 %	3,306495 litre	O
70	CM 5	CM	4,1 LEVEL CM	2,122312 litre	38,603 %	3,375475 litre	O
70	CM 5	CM	4 LEVEL CM	2,053589 litre	37,353 %	3,444198 litre	O
70	CM 5	CM	3,9 LEVEL CM	1,985151 litre	36,108 %	3,512636 litre	O
70	CM 5	CM	3,8 LEVEL CM	1,917029 litre	34,869 %	3,580758 litre	O
70	CM 5	CM	3,7 LEVEL CM	1,849253 litre	33,636 %	3,648534 litre	O
70	CM 5	CM	3,6 LEVEL CM	1,781854 litre	32,410 %	3,715933 litre	O
70	CM 5	CM	3,5 LEVEL CM	1,714863 litre	31,192 %	3,782924 litre	O
70	CM 5	CM	3,4 LEVEL CM	1,648313 litre	29,981 %	3,849474 litre	O
70	CM 5	CM	3,3 LEVEL CM	1,582236 litre	28,780 %	3,915551 litre	O
70	CM 5	CM	3,2 LEVEL CM	1,516665 litre	27,587 %	3,981122 litre	O
70	CM 5	CM	3,1 LEVEL CM	1,451634 litre	26,404 %	4,046153 litre	O
70	CM 5	CM	3 LEVEL CM	1,387178 litre	25,232 %	4,110609 litre	O
70	CM 5	CM	2,9 LEVEL CM	1,323334 litre	24,070 %	4,174453 litre	O
70	CM 5	CM	2,8 LEVEL CM	1,260138 litre	22,921 %	4,237649 litre	O
70	CM 5	CM	2,7 LEVEL CM	1,197627 litre	21,784 %	4,300160 litre	O
70	CM 5	CM	2,6 LEVEL CM	1,135842 litre	20,660 %	4,361945 litre	O
70	CM 5	CM	2,5 LEVEL CM	1,074823 litre	19,550 %	4,422964 litre	O
70	CM 5	CM	2,4 LEVEL CM	1,014613 litre	18,455 %	4,483174 litre	O
70	CM 5	CM	2,3 LEVEL CM	0,955255 litre	17,375 %	4,542532 litre	O
70	CM 5	CM	2,2 LEVEL CM	0,896796 litre	16,312 %	4,600991 litre	O
70	CM 5	CM	2,1 LEVEL CM	0,839283 litre	15,266 %	4,658504 litre	O
70	CM 5	CM	2 LEVEL CM	0,782767 litre	14,238 %	4,715020 litre	O
70	CM 5	CM	1,9 LEVEL CM	0,727301 litre	13,229 %	4,770486 litre	O
70	CM 5	CM	1,8 LEVEL CM	0,672942 litre	12,240 %	4,824845 litre	O
70	CM 5	CM	1,7 LEVEL CM	0,619749 litre	11,273 %	4,878038 litre	O
70	CM 5	CM	1,6 LEVEL CM	0,567787 litre	10,328 %	4,930000 litre	O
70	CM 5	CM	1,5 LEVEL CM	0,517123 litre	9,406 %	4,980664 litre	O
70	CM 5	CM	1,4 LEVEL CM	0,467832 litre	8,509 %	5,029955 litre	O
70	CM 5	CM	1,3 LEVEL CM	0,419995 litre	7,639 %	5,077792 litre	O
70	CM 5	CM	1,2 LEVEL CM	0,373698 litre	6,797 %	5,124089 litre	O
70	CM 5	CM	1,1 LEVEL CM	0,329039 litre	5,985 %	5,168748 litre	O
70	CM 5	CM	1 LEVEL CM	0,286127 litre	5,204 %	5,211660 litre	O
70	CM 5	CM	0,9 LEVEL CM	0,245083 litre	4,458 %	5,252704 litre	O
70	CM 5	CM	0,8 LEVEL CM	0,206046 litre	3,748 %	5,291741 litre	O
70	CM 5	CM	0,7 LEVEL CM	0,169179 litre	3,077 %	5,328608 litre	O
70	CM 5	CM	0,6 LEVEL CM	0,134675 litre	2,450 %	5,363112 litre	O
70	CM 5	CM	0,5 LEVEL CM	0,102770 litre	1,869 %	5,395017 litre	O
70	CM 5	CM	0,4 LEVEL CM	0,073764 litre	1,342 %	5,424023 litre	O
70	CM 5	CM	0,3 LEVEL CM	0,048059 litre	0,874 %	5,449728 litre	O
70	CM 5	CM	0,2 LEVEL CM	0,026240 litre	0,477 %	5,471547 litre	O
70	CM 5	CM	0,1 LEVEL CM	0,009305 litre	0,169 %	5,488482 litre	O
70	CM 5	CM	0 LEVEL CM	0,000000 litre	0,000 %	5,497787 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
60	CM 30	CM 60 LEVEL CM	169,6460 litre	100,000 %	0,0000 litre	O
60	CM 30	CM 59,5 LEVEL CM	169,4275 litre	99,871 %	0,2185 litre	O
60	CM 30	CM 59 LEVEL CM	169,0294 litre	99,637 %	0,6166 litre	O
60	CM 30	CM 58,5 LEVEL CM	168,5162 litre	99,334 %	1,1298 litre	O
60	CM 30	CM 58 LEVEL CM	167,9109 litre	98,977 %	1,7351 litre	O
60	CM 30	CM 57,5 LEVEL CM	167,2274 litre	98,574 %	2,4186 litre	O
60	CM 30	CM 57 LEVEL CM	166,4748 litre	98,131 %	3,1712 litre	O
60	CM 30	CM 56,5 LEVEL CM	165,6602 litre	97,651 %	3,9858 litre	O
60	CM 30	CM 56 LEVEL CM	164,7889 litre	97,137 %	4,8571 litre	O
60	CM 30	CM 55,5 LEVEL CM	163,8655 litre	96,593 %	5,7805 litre	O
60	CM 30	CM 55 LEVEL CM	162,8937 litre	96,020 %	6,7523 litre	O
60	CM 30	CM 54,5 LEVEL CM	161,8765 litre	95,420 %	7,7695 litre	O
60	CM 30	CM 54 LEVEL CM	160,8169 litre	94,796 %	8,8291 litre	O
60	CM 30	CM 53,5 LEVEL CM	159,7173 litre	94,147 %	9,9287 litre	O
60	CM 30	CM 53 LEVEL CM	158,5799 litre	93,477 %	11,0661 litre	O
60	CM 30	CM 52,5 LEVEL CM	157,4066 litre	92,785 %	12,2394 litre	O
60	CM 30	CM 52 LEVEL CM	156,1993 litre	92,074 %	13,4467 litre	O
60	CM 30	CM 51,5 LEVEL CM	154,9596 litre	91,343 %	14,6864 litre	O
60	CM 30	CM 51 LEVEL CM	153,6891 litre	90,594 %	15,9569 litre	O
60	CM 30	CM 50,5 LEVEL CM	152,3891 litre	89,828 %	17,2569 litre	O
60	CM 30	CM 50 LEVEL CM	151,0611 litre	89,045 %	18,5849 litre	O
60	CM 30	CM 49,5 LEVEL CM	149,7063 litre	88,246 %	19,9397 litre	O
60	CM 30	CM 49 LEVEL CM	148,3257 litre	87,432 %	21,3203 litre	O
60	CM 30	CM 48,5 LEVEL CM	146,9206 litre	86,604 %	22,7254 litre	O
60	CM 30	CM 48 LEVEL CM	145,4921 litre	85,762 %	24,1539 litre	O
60	CM 30	CM 47,5 LEVEL CM	144,0410 litre	84,907 %	25,6050 litre	O
60	CM 30	CM 47 LEVEL CM	142,5683 litre	84,039 %	27,0777 litre	O
60	CM 30	CM 46,5 LEVEL CM	141,0751 litre	83,158 %	28,5709 litre	O
60	CM 30	CM 46 LEVEL CM	139,5620 litre	82,267 %	30,0840 litre	O
60	CM 30	CM 45,5 LEVEL CM	138,0301 litre	81,364 %	31,6159 litre	O
60	CM 30	CM 45 LEVEL CM	136,4800 litre	80,450 %	33,1660 litre	O
60	CM 30	CM 44,5 LEVEL CM	134,9126 litre	79,526 %	34,7334 litre	O
60	CM 30	CM 44 LEVEL CM	133,3287 litre	78,592 %	36,3173 litre	O
60	CM 30	CM 43,5 LEVEL CM	131,7289 litre	77,649 %	37,9171 litre	O
60	CM 30	CM 43 LEVEL CM	130,1140 litre	76,697 %	39,5320 litre	O
60	CM 30	CM 42,5 LEVEL CM	128,4847 litre	75,737 %	41,1613 litre	O
60	CM 30	CM 42 LEVEL CM	126,8416 litre	74,768 %	42,8044 litre	O
60	CM 30	CM 41,5 LEVEL CM	125,1855 litre	73,792 %	44,4605 litre	O
60	CM 30	CM 41 LEVEL CM	123,5169 litre	72,809 %	46,1291 litre	O
60	CM 30	CM 40,5 LEVEL CM	121,8364 litre	71,818 %	47,8096 litre	O
60	CM 30	CM 40 LEVEL CM	120,1448 litre	70,821 %	49,5012 litre	O
60	CM 30	CM 39,5 LEVEL CM	118,4425 litre	69,817 %	51,2035 litre	O
60	CM 30	CM 39 LEVEL CM	116,7302 litre	68,808 %	52,9158 litre	O
60	CM 30	CM 38,5 LEVEL CM	115,0085 litre	67,793 %	54,6375 litre	O
60	CM 30	CM 38 LEVEL CM	113,2779 litre	66,773 %	56,3681 litre	O
60	CM 30	CM 37,5 LEVEL CM	111,5391 litre	65,748 %	58,1069 litre	O
60	CM 30	CM 37 LEVEL CM	109,7924 litre	64,719 %	59,8536 litre	O
60	CM 30	CM 36,5 LEVEL CM	108,0386 litre	63,685 %	61,6074 litre	O
60	CM 30	CM 36 LEVEL CM	106,2781 litre	62,647 %	63,3679 litre	O
60	CM 30	CM 35,5 LEVEL CM	104,5115 litre	61,606 %	65,1345 litre	O
60	CM 30	CM 35 LEVEL CM	102,7393 litre	60,561 %	66,9067 litre	O
60	CM 30	CM 34,5 LEVEL CM	100,9620 litre	59,513 %	68,6840 litre	O

60	CM	30	CM	34 LEVEL CM	99,1802 litre	58,463 %	70,4658 litre	O
60	CM	30	CM	33,5 LEVEL CM	97,3944 litre	57,410 %	72,2516 litre	O
60	CM	30	CM	33 LEVEL CM	95,6050 litre	56,356 %	74,0410 litre	O
60	CM	30	CM	32,5 LEVEL CM	93,8126 litre	55,299 %	75,8334 litre	O
60	CM	30	CM	32 LEVEL CM	92,0177 litre	54,241 %	77,6283 litre	O
60	CM	30	CM	31,5 LEVEL CM	90,2208 litre	53,182 %	79,4252 litre	O
60	CM	30	CM	31 LEVEL CM	88,4223 litre	52,122 %	81,2237 litre	O
60	CM	30	CM	30,5 LEVEL CM	86,6229 litre	51,061 %	83,0231 litre	O
60	CM	30	CM	30 LEVEL CM	84,8230 litre	50,000 %	84,8230 litre	O
60	CM	30	CM	29,5 LEVEL CM	83,0231 litre	48,939 %	86,6229 litre	O
60	CM	30	CM	29 LEVEL CM	81,2237 litre	47,878 %	88,4223 litre	O
60	CM	30	CM	28,5 LEVEL CM	79,4253 litre	46,818 %	90,2207 litre	O
60	CM	30	CM	28 LEVEL CM	77,6283 litre	45,759 %	92,0177 litre	O
60	CM	30	CM	27,5 LEVEL CM	75,8334 litre	44,701 %	93,8126 litre	O
60	CM	30	CM	27 LEVEL CM	74,0410 litre	43,644 %	95,6050 litre	O
60	CM	30	CM	26,5 LEVEL CM	72,2516 litre	42,590 %	97,3944 litre	O
60	CM	30	CM	26 LEVEL CM	70,4658 litre	41,537 %	99,1802 litre	O
60	CM	30	CM	25,5 LEVEL CM	68,6840 litre	40,487 %	100,9620 litre	O
60	CM	30	CM	25 LEVEL CM	66,9067 litre	39,439 %	102,7393 litre	O
60	CM	30	CM	24,5 LEVEL CM	65,1345 litre	38,394 %	104,5115 litre	O
60	CM	30	CM	24 LEVEL CM	63,3679 litre	37,353 %	106,2781 litre	O
60	CM	30	CM	23,5 LEVEL CM	61,6074 litre	36,315 %	108,0386 litre	O
60	CM	30	CM	23 LEVEL CM	59,8536 litre	35,281 %	109,7924 litre	O
60	CM	30	CM	22,5 LEVEL CM	58,1069 litre	34,252 %	111,5391 litre	O
60	CM	30	CM	22 LEVEL CM	56,3681 litre	33,227 %	113,2779 litre	O
60	CM	30	CM	21,5 LEVEL CM	54,6375 litre	32,207 %	115,0085 litre	O
60	CM	30	CM	21 LEVEL CM	52,9158 litre	31,192 %	116,7302 litre	O
60	CM	30	CM	20,5 LEVEL CM	51,2035 litre	30,183 %	118,4425 litre	O
60	CM	30	CM	20 LEVEL CM	49,5012 litre	29,179 %	120,1448 litre	O
60	CM	30	CM	19,5 LEVEL CM	47,8096 litre	28,182 %	121,8364 litre	O
60	CM	30	CM	19 LEVEL CM	46,1291 litre	27,191 %	123,5169 litre	O
60	CM	30	CM	18,5 LEVEL CM	44,4605 litre	26,208 %	125,1855 litre	O
60	CM	30	CM	18 LEVEL CM	42,8044 litre	25,232 %	126,8416 litre	O
60	CM	30	CM	17,5 LEVEL CM	41,1613 litre	24,263 %	128,4847 litre	O
60	CM	30	CM	17 LEVEL CM	39,5320 litre	23,303 %	130,1140 litre	O
60	CM	30	CM	16,5 LEVEL CM	37,9171 litre	22,351 %	131,7289 litre	O
60	CM	30	CM	16 LEVEL CM	36,3173 litre	21,408 %	133,3287 litre	O
60	CM	30	CM	15,5 LEVEL CM	34,7334 litre	20,474 %	134,9126 litre	O
60	CM	30	CM	15 LEVEL CM	33,1660 litre	19,550 %	136,4800 litre	O
60	CM	30	CM	14,5 LEVEL CM	31,6159 litre	18,636 %	138,0301 litre	O
60	CM	30	CM	14 LEVEL CM	30,0840 litre	17,733 %	139,5620 litre	O
60	CM	30	CM	13,5 LEVEL CM	28,5709 litre	16,842 %	141,0751 litre	O
60	CM	30	CM	13 LEVEL CM	27,0777 litre	15,961 %	142,5683 litre	O
60	CM	30	CM	12,5 LEVEL CM	25,6050 litre	15,093 %	144,0410 litre	O
60	CM	30	CM	12 LEVEL CM	24,1539 litre	14,238 %	145,4921 litre	O
60	CM	30	CM	11,5 LEVEL CM	22,7254 litre	13,396 %	146,9206 litre	O
60	CM	30	CM	11 LEVEL CM	21,3203 litre	12,568 %	148,3257 litre	O
60	CM	30	CM	10,5 LEVEL CM	19,9398 litre	11,754 %	149,7062 litre	O
60	CM	30	CM	10 LEVEL CM	18,5849 litre	10,955 %	151,0611 litre	O
60	CM	30	CM	9,5 LEVEL CM	17,2569 litre	10,172 %	152,3891 litre	O
60	CM	30	CM	9 LEVEL CM	15,9569 litre	9,406 %	153,6891 litre	O
60	CM	30	CM	8,5 LEVEL CM	14,6864 litre	8,657 %	154,9596 litre	O
60	CM	30	CM	8 LEVEL CM	13,4467 litre	7,926 %	156,1993 litre	O

60	CM 30	CM	7,5 LEVEL CM	12,2394 litre	7,215 %	157,4066 litre	O
60	CM 30	CM	7 LEVEL CM	11,0661 litre	6,523 %	158,5799 litre	O
60	CM 30	CM	6,5 LEVEL CM	9,9287 litre	5,853 %	159,7173 litre	O
60	CM 30	CM	6 LEVEL CM	8,8291 litre	5,204 %	160,8169 litre	O
60	CM 30	CM	5,5 LEVEL CM	7,7695 litre	4,580 %	161,8765 litre	O
60	CM 30	CM	5 LEVEL CM	6,7523 litre	3,980 %	162,8937 litre	O
60	CM 30	CM	4,5 LEVEL CM	5,7805 litre	3,407 %	163,8655 litre	O
60	CM 30	CM	4 LEVEL CM	4,8571 litre	2,863 %	164,7889 litre	O
60	CM 30	CM	3,5 LEVEL CM	3,9858 litre	2,349 %	165,6602 litre	O
60	CM 30	CM	3 LEVEL CM	3,1712 litre	1,869 %	166,4748 litre	O
60	CM 30	CM	2,5 LEVEL CM	2,4186 litre	1,426 %	167,2274 litre	O
60	CM 30	CM	2 LEVEL CM	1,7351 litre	1,023 %	167,9109 litre	O
60	CM 30	CM	1,5 LEVEL CM	1,1298 litre	0,666 %	168,5162 litre	O
60	CM 30	CM	1 LEVEL CM	0,6166 litre	0,363 %	169,0294 litre	O
60	CM 30	CM	0,5 LEVEL CM	0,2185 litre	0,129 %	169,4275 litre	O
60	CM 30	CM	0 LEVEL CM	0,0000 litre	0,000 %	169,6460 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
60	CM	25	CM 50 LEVEL CM	117,8097 litre	100,000 %	0,0000 litre	O
60	CM	25	CM 49,5 LEVEL CM	117,6103 litre	99,831 %	0,1994 litre	O
60	CM	25	CM 49 LEVEL CM	117,2474 litre	99,523 %	0,5623 litre	O
60	CM	25	CM 48,5 LEVEL CM	116,7799 litre	99,126 %	1,0298 litre	O
60	CM	25	CM 48 LEVEL CM	116,2291 litre	98,658 %	1,5806 litre	O
60	CM	25	CM 47,5 LEVEL CM	115,6075 litre	98,131 %	2,2022 litre	O
60	CM	25	CM 47 LEVEL CM	114,9238 litre	97,550 %	2,8859 litre	O
60	CM	25	CM 46,5 LEVEL CM	114,1845 litre	96,923 %	3,6252 litre	O
60	CM	25	CM 46 LEVEL CM	113,3945 litre	96,252 %	4,4152 litre	O
60	CM	25	CM 45,5 LEVEL CM	112,5580 litre	95,542 %	5,2517 litre	O
60	CM	25	CM 45 LEVEL CM	111,6784 litre	94,796 %	6,1313 litre	O
60	CM	25	CM 44,5 LEVEL CM	110,7589 litre	94,015 %	7,0508 litre	O
60	CM	25	CM 44 LEVEL CM	109,8019 litre	93,203 %	8,0078 litre	O
60	CM	25	CM 43,5 LEVEL CM	108,8098 litre	92,361 %	8,9999 litre	O
60	CM	25	CM 43 LEVEL CM	107,7847 litre	91,491 %	10,0250 litre	O
60	CM	25	CM 42,5 LEVEL CM	106,7285 litre	90,594 %	11,0812 litre	O
60	CM	25	CM 42 LEVEL CM	105,6429 litre	89,672 %	12,1668 litre	O
60	CM	25	CM 41,5 LEVEL CM	104,5294 litre	88,727 %	13,2803 litre	O
60	CM	25	CM 41 LEVEL CM	103,3895 litre	87,760 %	14,4202 litre	O
60	CM	25	CM 40,5 LEVEL CM	102,2247 litre	86,771 %	15,5850 litre	O
60	CM	25	CM 40 LEVEL CM	101,0362 litre	85,762 %	16,7735 litre	O
60	CM	25	CM 39,5 LEVEL CM	99,8251 litre	84,734 %	17,9846 litre	O
60	CM	25	CM 39 LEVEL CM	98,5927 litre	83,688 %	19,2170 litre	O
60	CM	25	CM 38,5 LEVEL CM	97,3400 litre	82,625 %	20,4697 litre	O
60	CM	25	CM 38 LEVEL CM	96,0680 litre	81,545 %	21,7417 litre	O
60	CM	25	CM 37,5 LEVEL CM	94,7778 litre	80,450 %	23,0319 litre	O
60	CM	25	CM 37 LEVEL CM	93,4702 litre	79,340 %	24,3395 litre	O
60	CM	25	CM 36,5 LEVEL CM	92,1463 litre	78,216 %	25,6634 litre	O
60	CM	25	CM 36 LEVEL CM	90,8068 litre	77,079 %	27,0029 litre	O
60	CM	25	CM 35,5 LEVEL CM	89,4526 litre	75,930 %	28,3571 litre	O
60	CM	25	CM 35 LEVEL CM	88,0845 litre	74,768 %	29,7252 litre	O
60	CM	25	CM 34,5 LEVEL CM	86,7033 litre	73,596 %	31,1064 litre	O
60	CM	25	CM 34 LEVEL CM	85,3098 litre	72,413 %	32,4999 litre	O
60	CM	25	CM 33,5 LEVEL CM	83,9047 litre	71,221 %	33,9050 litre	O
60	CM	25	CM 33 LEVEL CM	82,4887 litre	70,019 %	35,3210 litre	O
60	CM	25	CM 32,5 LEVEL CM	81,0627 litre	68,808 %	36,7470 litre	O
60	CM	25	CM 32 LEVEL CM	79,6271 litre	67,590 %	38,1826 litre	O
60	CM	25	CM 31,5 LEVEL CM	78,1829 litre	66,364 %	39,6268 litre	O
60	CM	25	CM 31 LEVEL CM	76,7305 litre	65,131 %	41,0792 litre	O
60	CM	25	CM 30,5 LEVEL CM	75,2708 litre	63,892 %	42,5389 litre	O
60	CM	25	CM 30 LEVEL CM	73,8043 litre	62,647 %	44,0054 litre	O
60	CM	25	CM 29,5 LEVEL CM	72,3316 litre	61,397 %	45,4781 litre	O
60	CM	25	CM 29 LEVEL CM	70,8535 litre	60,142 %	46,9562 litre	O
60	CM	25	CM 28,5 LEVEL CM	69,3705 litre	58,883 %	48,4392 litre	O
60	CM	25	CM 28 LEVEL CM	67,8832 litre	57,621 %	49,9265 litre	O
60	CM	25	CM 27,5 LEVEL CM	66,3923 litre	56,356 %	51,4174 litre	O
60	CM	25	CM 27 LEVEL CM	64,8985 litre	55,088 %	52,9112 litre	O
60	CM	25	CM 26,5 LEVEL CM	63,4022 litre	53,817 %	54,4075 litre	O
60	CM	25	CM 26 LEVEL CM	61,9041 litre	52,546 %	55,9056 litre	O
60	CM	25	CM 25,5 LEVEL CM	60,4048 litre	51,273 %	57,4049 litre	O
60	CM	25	CM 25 LEVEL CM	58,9049 litre	50,000 %	58,9048 litre	O
60	CM	25	CM 24,5 LEVEL CM	57,4050 litre	48,727 %	60,4047 litre	O

60	CM	25	CM	24 LEVEL CM	55,9057 litre	47,454 %	61,9040 litre	O
60	CM	25	CM	23,5 LEVEL CM	54,4076 litre	46,183 %	63,4021 litre	O
60	CM	25	CM	23 LEVEL CM	52,9113 litre	44,912 %	64,8984 litre	O
60	CM	25	CM	22,5 LEVEL CM	51,4174 litre	43,644 %	66,3923 litre	O
60	CM	25	CM	22 LEVEL CM	49,9265 litre	42,379 %	67,8832 litre	O
60	CM	25	CM	21,5 LEVEL CM	48,4393 litre	41,117 %	69,3704 litre	O
60	CM	25	CM	21 LEVEL CM	46,9563 litre	39,858 %	70,8534 litre	O
60	CM	25	CM	20,5 LEVEL CM	45,4781 litre	38,603 %	72,3316 litre	O
60	CM	25	CM	20 LEVEL CM	44,0055 litre	37,353 %	73,8042 litre	O
60	CM	25	CM	19,5 LEVEL CM	42,5389 litre	36,108 %	75,2708 litre	O
60	CM	25	CM	19 LEVEL CM	41,0792 litre	34,869 %	76,7305 litre	O
60	CM	25	CM	18,5 LEVEL CM	39,6268 litre	33,636 %	78,1829 litre	O
60	CM	25	CM	18 LEVEL CM	38,1826 litre	32,410 %	79,6271 litre	O
60	CM	25	CM	17,5 LEVEL CM	36,7471 litre	31,192 %	81,0626 litre	O
60	CM	25	CM	17 LEVEL CM	35,3210 litre	29,981 %	82,4887 litre	O
60	CM	25	CM	16,5 LEVEL CM	33,9051 litre	28,780 %	83,9046 litre	O
60	CM	25	CM	16 LEVEL CM	32,5000 litre	27,587 %	85,3097 litre	O
60	CM	25	CM	15,5 LEVEL CM	31,1064 litre	26,404 %	86,7033 litre	O
60	CM	25	CM	15 LEVEL CM	29,7253 litre	25,232 %	88,0844 litre	O
60	CM	25	CM	14,5 LEVEL CM	28,3572 litre	24,070 %	89,4525 litre	O
60	CM	25	CM	14 LEVEL CM	27,0029 litre	22,921 %	90,8068 litre	O
60	CM	25	CM	13,5 LEVEL CM	25,6634 litre	21,784 %	92,1463 litre	O
60	CM	25	CM	13 LEVEL CM	24,3395 litre	20,660 %	93,4702 litre	O
60	CM	25	CM	12,5 LEVEL CM	23,0319 litre	19,550 %	94,7778 litre	O
60	CM	25	CM	12 LEVEL CM	21,7417 litre	18,455 %	96,0680 litre	O
60	CM	25	CM	11,5 LEVEL CM	20,4698 litre	17,375 %	97,3399 litre	O
60	CM	25	CM	11 LEVEL CM	19,2171 litre	16,312 %	98,5926 litre	O
60	CM	25	CM	10,5 LEVEL CM	17,9846 litre	15,266 %	99,8251 litre	O
60	CM	25	CM	10 LEVEL CM	16,7736 litre	14,238 %	101,0361 litre	O
60	CM	25	CM	9,5 LEVEL CM	15,5850 litre	13,229 %	102,2247 litre	O
60	CM	25	CM	9 LEVEL CM	14,4202 litre	12,240 %	103,3895 litre	O
60	CM	25	CM	8,5 LEVEL CM	13,2803 litre	11,273 %	104,5294 litre	O
60	CM	25	CM	8 LEVEL CM	12,1669 litre	10,328 %	105,6428 litre	O
60	CM	25	CM	7,5 LEVEL CM	11,0812 litre	9,406 %	106,7285 litre	O
60	CM	25	CM	7 LEVEL CM	10,0250 litre	8,509 %	107,7847 litre	O
60	CM	25	CM	6,5 LEVEL CM	8,9999 litre	7,639 %	108,8098 litre	O
60	CM	25	CM	6 LEVEL CM	8,0078 litre	6,797 %	109,8019 litre	O
60	CM	25	CM	5,5 LEVEL CM	7,0508 litre	5,985 %	110,7589 litre	O
60	CM	25	CM	5 LEVEL CM	6,1313 litre	5,204 %	111,6784 litre	O
60	CM	25	CM	4,5 LEVEL CM	5,2518 litre	4,458 %	112,5579 litre	O
60	CM	25	CM	4 LEVEL CM	4,4153 litre	3,748 %	113,3944 litre	O
60	CM	25	CM	3,5 LEVEL CM	3,6253 litre	3,077 %	114,1844 litre	O
60	CM	25	CM	3 LEVEL CM	2,8859 litre	2,450 %	114,9238 litre	O
60	CM	25	CM	2,5 LEVEL CM	2,2022 litre	1,869 %	115,6075 litre	O
60	CM	25	CM	2 LEVEL CM	1,5807 litre	1,342 %	116,2290 litre	O
60	CM	25	CM	1,5 LEVEL CM	1,0298 litre	0,874 %	116,7799 litre	O
60	CM	25	CM	1 LEVEL CM	0,5623 litre	0,477 %	117,2474 litre	O
60	CM	25	CM	0,5 LEVEL CM	0,1994 litre	0,169 %	117,6103 litre	O
60	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	117,8097 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
60	CM 20	CM 40 LEVEL CM	75,3982 litre	100,000 %	0,0000 litre	O
60	CM 20	CM 39,5 LEVEL CM	75,2200 litre	99,764 %	0,1782 litre	O
60	CM 20	CM 39 LEVEL CM	74,8961 litre	99,334 %	0,5021 litre	O
60	CM 20	CM 38,5 LEVEL CM	74,4792 litre	98,781 %	0,9190 litre	O
60	CM 20	CM 38 LEVEL CM	73,9888 litre	98,131 %	1,4094 litre	O
60	CM 20	CM 37,5 LEVEL CM	73,4362 litre	97,398 %	1,9620 litre	O
60	CM 20	CM 37 LEVEL CM	72,8291 litre	96,593 %	2,5691 litre	O
60	CM 20	CM 36,5 LEVEL CM	72,1736 litre	95,723 %	3,2246 litre	O
60	CM 20	CM 36 LEVEL CM	71,4742 litre	94,796 %	3,9240 litre	O
60	CM 20	CM 35,5 LEVEL CM	70,7348 litre	93,815 %	4,6634 litre	O
60	CM 20	CM 35 LEVEL CM	69,9585 litre	92,785 %	5,4397 litre	O
60	CM 20	CM 34,5 LEVEL CM	69,1482 litre	91,711 %	6,2500 litre	O
60	CM 20	CM 34 LEVEL CM	68,3063 litre	90,594 %	7,0919 litre	O
60	CM 20	CM 33,5 LEVEL CM	67,4349 litre	89,438 %	7,9633 litre	O
60	CM 20	CM 33 LEVEL CM	66,5361 litre	88,246 %	8,8621 litre	O
60	CM 20	CM 32,5 LEVEL CM	65,6116 litre	87,020 %	9,7866 litre	O
60	CM 20	CM 32 LEVEL CM	64,6631 litre	85,762 %	10,7351 litre	O
60	CM 20	CM 31,5 LEVEL CM	63,6921 litre	84,474 %	11,7061 litre	O
60	CM 20	CM 31 LEVEL CM	62,7000 litre	83,159 %	12,6982 litre	O
60	CM 20	CM 30,5 LEVEL CM	61,6882 litre	81,816 %	13,7100 litre	O
60	CM 20	CM 30 LEVEL CM	60,6578 litre	80,450 %	14,7404 litre	O
60	CM 20	CM 29,5 LEVEL CM	59,6101 litre	79,060 %	15,7881 litre	O
60	CM 20	CM 29 LEVEL CM	58,5462 litre	77,649 %	16,8520 litre	O
60	CM 20	CM 28,5 LEVEL CM	57,4672 litre	76,218 %	17,9310 litre	O
60	CM 20	CM 28 LEVEL CM	56,3741 litre	74,768 %	19,0241 litre	O
60	CM 20	CM 27,5 LEVEL CM	55,2679 litre	73,301 %	20,1303 litre	O
60	CM 20	CM 27 LEVEL CM	54,1495 litre	71,818 %	21,2487 litre	O
60	CM 20	CM 26,5 LEVEL CM	53,0200 litre	70,320 %	22,3782 litre	O
60	CM 20	CM 26 LEVEL CM	51,8801 litre	68,808 %	23,5181 litre	O
60	CM 20	CM 25,5 LEVEL CM	50,7308 litre	67,284 %	24,6674 litre	O
60	CM 20	CM 25 LEVEL CM	49,5729 litre	65,748 %	25,8253 litre	O
60	CM 20	CM 24,5 LEVEL CM	48,4073 litre	64,202 %	26,9909 litre	O
60	CM 20	CM 24 LEVEL CM	47,2347 litre	62,647 %	28,1635 litre	O
60	CM 20	CM 23,5 LEVEL CM	46,0560 litre	61,084 %	29,3422 litre	O
60	CM 20	CM 23 LEVEL CM	44,8720 litre	59,513 %	30,5262 litre	O
60	CM 20	CM 22,5 LEVEL CM	43,6835 litre	57,937 %	31,7147 litre	O
60	CM 20	CM 22 LEVEL CM	42,4911 litre	56,356 %	32,9071 litre	O
60	CM 20	CM 21,5 LEVEL CM	41,2957 litre	54,770 %	34,1025 litre	O
60	CM 20	CM 21 LEVEL CM	40,0981 litre	53,182 %	35,3001 litre	O
60	CM 20	CM 20,5 LEVEL CM	38,8990 litre	51,591 %	36,4992 litre	O
60	CM 20	CM 20 LEVEL CM	37,6991 litre	50,000 %	37,6991 litre	O
60	CM 20	CM 19,5 LEVEL CM	36,4992 litre	48,409 %	38,8990 litre	O
60	CM 20	CM 19 LEVEL CM	35,3001 litre	46,818 %	40,0981 litre	O
60	CM 20	CM 18,5 LEVEL CM	34,1025 litre	45,230 %	41,2957 litre	O
60	CM 20	CM 18 LEVEL CM	32,9071 litre	43,644 %	42,4911 litre	O
60	CM 20	CM 17,5 LEVEL CM	31,7148 litre	42,063 %	43,6834 litre	O
60	CM 20	CM 17 LEVEL CM	30,5262 litre	40,487 %	44,8720 litre	O
60	CM 20	CM 16,5 LEVEL CM	29,3422 litre	38,916 %	46,0560 litre	O
60	CM 20	CM 16 LEVEL CM	28,1635 litre	37,353 %	47,2347 litre	O
60	CM 20	CM 15,5 LEVEL CM	26,9909 litre	35,798 %	48,4073 litre	O
60	CM 20	CM 15 LEVEL CM	25,8253 litre	34,252 %	49,5729 litre	O
60	CM 20	CM 14,5 LEVEL CM	24,6674 litre	32,716 %	50,7308 litre	O

60	CM	20	CM	14 LEVEL CM	23,5181 litre	31,192 %	51,8801 litre	O
60	CM	20	CM	13,5 LEVEL CM	22,3783 litre	29,680 %	53,0199 litre	O
60	CM	20	CM	13 LEVEL CM	21,2487 litre	28,182 %	54,1495 litre	O
60	CM	20	CM	12,5 LEVEL CM	20,1304 litre	26,699 %	55,2678 litre	O
60	CM	20	CM	12 LEVEL CM	19,0242 litre	25,232 %	56,3740 litre	O
60	CM	20	CM	11,5 LEVEL CM	17,9311 litre	23,782 %	57,4671 litre	O
60	CM	20	CM	11 LEVEL CM	16,8520 litre	22,351 %	58,5462 litre	O
60	CM	20	CM	10,5 LEVEL CM	15,7881 litre	20,940 %	59,6101 litre	O
60	CM	20	CM	10 LEVEL CM	14,7404 litre	19,550 %	60,6578 litre	O
60	CM	20	CM	9,5 LEVEL CM	13,7101 litre	18,184 %	61,6881 litre	O
60	CM	20	CM	9 LEVEL CM	12,6982 litre	16,842 %	62,7000 litre	O
60	CM	20	CM	8,5 LEVEL CM	11,7061 litre	15,526 %	63,6921 litre	O
60	CM	20	CM	8 LEVEL CM	10,7351 litre	14,238 %	64,6631 litre	O
60	CM	20	CM	7,5 LEVEL CM	9,7866 litre	12,980 %	65,6116 litre	O
60	CM	20	CM	7 LEVEL CM	8,8621 litre	11,754 %	66,5361 litre	O
60	CM	20	CM	6,5 LEVEL CM	7,9633 litre	10,562 %	67,4349 litre	O
60	CM	20	CM	6 LEVEL CM	7,0920 litre	9,406 %	68,3062 litre	O
60	CM	20	CM	5,5 LEVEL CM	6,2501 litre	8,289 %	69,1481 litre	O
60	CM	20	CM	5 LEVEL CM	5,4397 litre	7,215 %	69,9585 litre	O
60	CM	20	CM	4,5 LEVEL CM	4,6635 litre	6,185 %	70,7347 litre	O
60	CM	20	CM	4 LEVEL CM	3,9240 litre	5,204 %	71,4742 litre	O
60	CM	20	CM	3,5 LEVEL CM	3,2246 litre	4,277 %	72,1736 litre	O
60	CM	20	CM	3 LEVEL CM	2,5691 litre	3,407 %	72,8291 litre	O
60	CM	20	CM	2,5 LEVEL CM	1,9621 litre	2,602 %	73,4361 litre	O
60	CM	20	CM	2 LEVEL CM	1,4094 litre	1,869 %	73,9888 litre	O
60	CM	20	CM	1,5 LEVEL CM	0,9190 litre	1,219 %	74,4792 litre	O
60	CM	20	CM	1 LEVEL CM	0,5022 litre	0,666 %	74,8960 litre	O
60	CM	20	CM	0,5 LEVEL CM	0,1782 litre	0,236 %	75,2200 litre	O
60	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	75,3982 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
60	CM	15	CM	30 LEVEL CM	42,4115 litre	100,000 %	0,0000 litre	O
60	CM	15	CM	29,5 LEVEL CM	42,2574 litre	99,637 %	0,1541 litre	O
60	CM	15	CM	29 LEVEL CM	41,9777 litre	98,977 %	0,4338 litre	O
60	CM	15	CM	28,5 LEVEL CM	41,6187 litre	98,131 %	0,7928 litre	O
60	CM	15	CM	28 LEVEL CM	41,1972 litre	97,137 %	1,2143 litre	O
60	CM	15	CM	27,5 LEVEL CM	40,7234 litre	96,020 %	1,6881 litre	O
60	CM	15	CM	27 LEVEL CM	40,2042 litre	94,796 %	2,2073 litre	O
60	CM	15	CM	26,5 LEVEL CM	39,6450 litre	93,477 %	2,7665 litre	O
60	CM	15	CM	26 LEVEL CM	39,0498 litre	92,074 %	3,3617 litre	O
60	CM	15	CM	25,5 LEVEL CM	38,4223 litre	90,594 %	3,9892 litre	O
60	CM	15	CM	25 LEVEL CM	37,7653 litre	89,045 %	4,6462 litre	O
60	CM	15	CM	24,5 LEVEL CM	37,0814 litre	87,432 %	5,3301 litre	O
60	CM	15	CM	24 LEVEL CM	36,3730 litre	85,762 %	6,0385 litre	O
60	CM	15	CM	23,5 LEVEL CM	35,6421 litre	84,039 %	6,7694 litre	O
60	CM	15	CM	23 LEVEL CM	34,8905 litre	82,267 %	7,5210 litre	O
60	CM	15	CM	22,5 LEVEL CM	34,1200 litre	80,450 %	8,2915 litre	O
60	CM	15	CM	22 LEVEL CM	33,3322 litre	78,592 %	9,0793 litre	O
60	CM	15	CM	21,5 LEVEL CM	32,5285 litre	76,697 %	9,8830 litre	O
60	CM	15	CM	21 LEVEL CM	31,7104 litre	74,768 %	10,7011 litre	O
60	CM	15	CM	20,5 LEVEL CM	30,8792 litre	72,809 %	11,5323 litre	O
60	CM	15	CM	20 LEVEL CM	30,0362 litre	70,821 %	12,3753 litre	O
60	CM	15	CM	19,5 LEVEL CM	29,1826 litre	68,808 %	13,2289 litre	O
60	CM	15	CM	19 LEVEL CM	28,3195 litre	66,773 %	14,0920 litre	O
60	CM	15	CM	18,5 LEVEL CM	27,4481 litre	64,719 %	14,9634 litre	O
60	CM	15	CM	18 LEVEL CM	26,5695 litre	62,647 %	15,8420 litre	O
60	CM	15	CM	17,5 LEVEL CM	25,6848 litre	60,561 %	16,7267 litre	O
60	CM	15	CM	17 LEVEL CM	24,7951 litre	58,463 %	17,6164 litre	O
60	CM	15	CM	16,5 LEVEL CM	23,9012 litre	56,356 %	18,5103 litre	O
60	CM	15	CM	16 LEVEL CM	23,0044 litre	54,241 %	19,4071 litre	O
60	CM	15	CM	15,5 LEVEL CM	22,1056 litre	52,122 %	20,3059 litre	O
60	CM	15	CM	15 LEVEL CM	21,2058 litre	50,000 %	21,2057 litre	O
60	CM	15	CM	14,5 LEVEL CM	20,3059 litre	47,878 %	22,1056 litre	O
60	CM	15	CM	14 LEVEL CM	19,4071 litre	45,759 %	23,0044 litre	O
60	CM	15	CM	13,5 LEVEL CM	18,5103 litre	43,644 %	23,9012 litre	O
60	CM	15	CM	13 LEVEL CM	17,6164 litre	41,537 %	24,7951 litre	O
60	CM	15	CM	12,5 LEVEL CM	16,7267 litre	39,439 %	25,6848 litre	O
60	CM	15	CM	12 LEVEL CM	15,8420 litre	37,353 %	26,5695 litre	O
60	CM	15	CM	11,5 LEVEL CM	14,9634 litre	35,281 %	27,4481 litre	O
60	CM	15	CM	11 LEVEL CM	14,0920 litre	33,227 %	28,3195 litre	O
60	CM	15	CM	10,5 LEVEL CM	13,2289 litre	31,192 %	29,1826 litre	O
60	CM	15	CM	10 LEVEL CM	12,3753 litre	29,179 %	30,0362 litre	O
60	CM	15	CM	9,5 LEVEL CM	11,5323 litre	27,191 %	30,8792 litre	O
60	CM	15	CM	9 LEVEL CM	10,7011 litre	25,232 %	31,7104 litre	O
60	CM	15	CM	8,5 LEVEL CM	9,8830 litre	23,303 %	32,5285 litre	O
60	CM	15	CM	8 LEVEL CM	9,0793 litre	21,408 %	33,3322 litre	O
60	CM	15	CM	7,5 LEVEL CM	8,2915 litre	19,550 %	34,1200 litre	O
60	CM	15	CM	7 LEVEL CM	7,5210 litre	17,733 %	34,8905 litre	O
60	CM	15	CM	6,5 LEVEL CM	6,7694 litre	15,961 %	35,6421 litre	O
60	CM	15	CM	6 LEVEL CM	6,0385 litre	14,238 %	36,3730 litre	O
60	CM	15	CM	5,5 LEVEL CM	5,3301 litre	12,568 %	37,0814 litre	O
60	CM	15	CM	5 LEVEL CM	4,6462 litre	10,955 %	37,7653 litre	O
60	CM	15	CM	4,5 LEVEL CM	3,9892 litre	9,406 %	38,4223 litre	O

60	CM	15	CM	4 LEVEL CM	3,3617 litre	7,926 %	39,0498 litre	O
60	CM	15	CM	3,5 LEVEL CM	2,7665 litre	6,523 %	39,6450 litre	O
60	CM	15	CM	3 LEVEL CM	2,2073 litre	5,204 %	40,2042 litre	O
60	CM	15	CM	2,5 LEVEL CM	1,6881 litre	3,980 %	40,7234 litre	O
60	CM	15	CM	2 LEVEL CM	1,2143 litre	2,863 %	41,1972 litre	O
60	CM	15	CM	1,5 LEVEL CM	0,7928 litre	1,869 %	41,6187 litre	O
60	CM	15	CM	1 LEVEL CM	0,4338 litre	1,023 %	41,9777 litre	O
60	CM	15	CM	0,5 LEVEL CM	0,1541 litre	0,363 %	42,2574 litre	O
60	CM	15	CM	0 LEVEL CM	0,0000 litre	0,000 %	42,4115 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
60	CM 10	CM 20 LEVEL CM	18,8496 litre	100,000 %	0,0000 litre O
60	CM 10	CM 19,5 LEVEL CM	18,7240 litre	99,334 %	0,1256 litre O
60	CM 10	CM 19 LEVEL CM	18,4972 litre	98,130 %	0,3524 litre O
60	CM 10	CM 18,5 LEVEL CM	18,2073 litre	96,592 %	0,6423 litre O
60	CM 10	CM 18 LEVEL CM	17,8685 litre	94,795 %	0,9811 litre O
60	CM 10	CM 17,5 LEVEL CM	17,4896 litre	92,785 %	1,3600 litre O
60	CM 10	CM 17 LEVEL CM	17,0766 litre	90,594 %	1,7730 litre O
60	CM 10	CM 16,5 LEVEL CM	16,6340 litre	88,246 %	2,2156 litre O
60	CM 10	CM 16 LEVEL CM	16,1658 litre	85,762 %	2,6838 litre O
60	CM 10	CM 15,5 LEVEL CM	15,6750 litre	83,158 %	3,1746 litre O
60	CM 10	CM 15 LEVEL CM	15,1644 litre	80,450 %	3,6852 litre O
60	CM 10	CM 14,5 LEVEL CM	14,6365 litre	77,649 %	4,2131 litre O
60	CM 10	CM 14 LEVEL CM	14,0935 litre	74,768 %	4,7561 litre O
60	CM 10	CM 13,5 LEVEL CM	13,5374 litre	71,818 %	5,3122 litre O
60	CM 10	CM 13 LEVEL CM	12,9700 litre	68,808 %	5,8796 litre O
60	CM 10	CM 12,5 LEVEL CM	12,3932 litre	65,748 %	6,4564 litre O
60	CM 10	CM 12 LEVEL CM	11,8087 litre	62,647 %	7,0409 litre O
60	CM 10	CM 11,5 LEVEL CM	11,2180 litre	59,513 %	7,6316 litre O
60	CM 10	CM 11 LEVEL CM	10,6228 litre	56,355 %	8,2268 litre O
60	CM 10	CM 10,5 LEVEL CM	10,0245 litre	53,182 %	8,8251 litre O
60	CM 10	CM 10 LEVEL CM	9,4248 litre	50,000 %	9,4248 litre O
60	CM 10	CM 9,5 LEVEL CM	8,8250 litre	46,818 %	10,0246 litre O
60	CM 10	CM 9 LEVEL CM	8,2268 litre	43,644 %	10,6228 litre O
60	CM 10	CM 8,5 LEVEL CM	7,6316 litre	40,487 %	11,2180 litre O
60	CM 10	CM 8 LEVEL CM	7,0409 litre	37,353 %	11,8087 litre O
60	CM 10	CM 7,5 LEVEL CM	6,4563 litre	34,252 %	12,3933 litre O
60	CM 10	CM 7 LEVEL CM	5,8795 litre	31,192 %	12,9701 litre O
60	CM 10	CM 6,5 LEVEL CM	5,3122 litre	28,182 %	13,5374 litre O
60	CM 10	CM 6 LEVEL CM	4,7560 litre	25,232 %	14,0936 litre O
60	CM 10	CM 5,5 LEVEL CM	4,2130 litre	22,351 %	14,6366 litre O
60	CM 10	CM 5 LEVEL CM	3,6851 litre	19,550 %	15,1645 litre O
60	CM 10	CM 4,5 LEVEL CM	3,1745 litre	16,841 %	15,6751 litre O
60	CM 10	CM 4 LEVEL CM	2,6838 litre	14,238 %	16,1658 litre O
60	CM 10	CM 3,5 LEVEL CM	2,2155 litre	11,754 %	16,6341 litre O
60	CM 10	CM 3 LEVEL CM	1,7730 litre	9,406 %	17,0766 litre O
60	CM 10	CM 2,5 LEVEL CM	1,3599 litre	7,215 %	17,4897 litre O
60	CM 10	CM 2 LEVEL CM	0,9810 litre	5,204 %	17,8686 litre O
60	CM 10	CM 1,5 LEVEL CM	0,6423 litre	3,407 %	18,2073 litre O
60	CM 10	CM 1 LEVEL CM	0,3524 litre	1,869 %	18,4972 litre O
60	CM 10	CM 0,5 LEVEL CM	0,1255 litre	0,666 %	18,7241 litre O
60	CM 10	CM 0 LEVEL CM	0,0000 litre	0,000 %	18,8496 litre O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
60	CM	5	CM 10 LEVEL CM	4,712389 litre	100,000 %	0,000000 litre	O
60	CM	5	CM 9,9 LEVEL CM	4,704413 litre	99,831 %	0,007976 litre	O
60	CM	5	CM 9,8 LEVEL CM	4,689898 litre	99,523 %	0,022491 litre	O
60	CM	5	CM 9,7 LEVEL CM	4,671196 litre	99,126 %	0,041193 litre	O
60	CM	5	CM 9,6 LEVEL CM	4,649163 litre	98,658 %	0,063226 litre	O
60	CM	5	CM 9,5 LEVEL CM	4,624300 litre	98,131 %	0,088089 litre	O
60	CM	5	CM 9,4 LEVEL CM	4,596953 litre	97,550 %	0,115436 litre	O
60	CM	5	CM 9,3 LEVEL CM	4,567378 litre	96,923 %	0,145011 litre	O
60	CM	5	CM 9,2 LEVEL CM	4,535778 litre	96,252 %	0,176611 litre	O
60	CM	5	CM 9,1 LEVEL CM	4,502318 litre	95,542 %	0,210071 litre	O
60	CM	5	CM 9 LEVEL CM	4,467137 litre	94,796 %	0,245252 litre	O
60	CM	5	CM 8,9 LEVEL CM	4,430355 litre	94,015 %	0,282034 litre	O
60	CM	5	CM 8,8 LEVEL CM	4,392076 litre	93,203 %	0,320313 litre	O
60	CM	5	CM 8,7 LEVEL CM	4,352394 litre	92,361 %	0,359995 litre	O
60	CM	5	CM 8,6 LEVEL CM	4,311390 litre	91,491 %	0,400999 litre	O
60	CM	5	CM 8,5 LEVEL CM	4,269141 litre	90,594 %	0,443248 litre	O
60	CM	5	CM 8,4 LEVEL CM	4,225715 litre	89,672 %	0,486674 litre	O
60	CM	5	CM 8,3 LEVEL CM	4,181176 litre	88,727 %	0,531213 litre	O
60	CM	5	CM 8,2 LEVEL CM	4,135582 litre	87,760 %	0,576807 litre	O
60	CM	5	CM 8,1 LEVEL CM	4,088988 litre	86,771 %	0,623401 litre	O
60	CM	5	CM 8 LEVEL CM	4,041446 litre	85,762 %	0,670943 litre	O
60	CM	5	CM 7,9 LEVEL CM	3,993004 litre	84,734 %	0,719385 litre	O
60	CM	5	CM 7,8 LEVEL CM	3,943707 litre	83,688 %	0,768682 litre	O
60	CM	5	CM 7,7 LEVEL CM	3,893599 litre	82,625 %	0,818790 litre	O
60	CM	5	CM 7,6 LEVEL CM	3,842721 litre	81,545 %	0,869668 litre	O
60	CM	5	CM 7,5 LEVEL CM	3,791112 litre	80,450 %	0,921277 litre	O
60	CM	5	CM 7,4 LEVEL CM	3,738810 litre	79,340 %	0,973579 litre	O
60	CM	5	CM 7,3 LEVEL CM	3,685851 litre	78,216 %	1,026538 litre	O
60	CM	5	CM 7,2 LEVEL CM	3,632271 litre	77,079 %	1,080118 litre	O
60	CM	5	CM 7,1 LEVEL CM	3,578103 litre	75,930 %	1,134286 litre	O
60	CM	5	CM 7 LEVEL CM	3,523379 litre	74,768 %	1,189010 litre	O
60	CM	5	CM 6,9 LEVEL CM	3,468131 litre	73,596 %	1,244258 litre	O
60	CM	5	CM 6,8 LEVEL CM	3,412391 litre	72,413 %	1,299998 litre	O
60	CM	5	CM 6,7 LEVEL CM	3,356187 litre	71,220 %	1,356202 litre	O
60	CM	5	CM 6,6 LEVEL CM	3,299549 litre	70,019 %	1,412840 litre	O
60	CM	5	CM 6,5 LEVEL CM	3,242506 litre	68,808 %	1,469883 litre	O
60	CM	5	CM 6,4 LEVEL CM	3,185086 litre	67,590 %	1,527303 litre	O
60	CM	5	CM 6,3 LEVEL CM	3,127315 litre	66,364 %	1,585074 litre	O
60	CM	5	CM 6,2 LEVEL CM	3,069222 litre	65,131 %	1,643167 litre	O
60	CM	5	CM 6,1 LEVEL CM	3,010831 litre	63,892 %	1,701558 litre	O
60	CM	5	CM 6 LEVEL CM	2,952170 litre	62,647 %	1,760219 litre	O
60	CM	5	CM 5,9 LEVEL CM	2,893264 litre	61,397 %	1,819125 litre	O
60	CM	5	CM 5,8 LEVEL CM	2,834139 litre	60,142 %	1,878250 litre	O
60	CM	5	CM 5,7 LEVEL CM	2,774818 litre	58,883 %	1,937571 litre	O
60	CM	5	CM 5,6 LEVEL CM	2,715329 litre	57,621 %	1,997060 litre	O
60	CM	5	CM 5,5 LEVEL CM	2,655694 litre	56,356 %	2,056695 litre	O
60	CM	5	CM 5,4 LEVEL CM	2,595938 litre	55,088 %	2,116451 litre	O
60	CM	5	CM 5,3 LEVEL CM	2,536086 litre	53,817 %	2,176303 litre	O
60	CM	5	CM 5,2 LEVEL CM	2,476162 litre	52,546 %	2,236227 litre	O
60	CM	5	CM 5,1 LEVEL CM	2,416190 litre	51,273 %	2,296199 litre	O
60	CM	5	CM 5 LEVEL CM	2,356194 litre	50,000 %	2,356195 litre	O
60	CM	5	CM 4,9 LEVEL CM	2,296198 litre	48,727 %	2,416191 litre	O

60	CM 5	CM	4,8 LEVEL CM	2,236226 litre	47,454 %	2,476163 litre	O
60	CM 5	CM	4,7 LEVEL CM	2,176303 litre	46,183 %	2,536086 litre	O
60	CM 5	CM	4,6 LEVEL CM	2,116451 litre	44,912 %	2,595938 litre	O
60	CM 5	CM	4,5 LEVEL CM	2,056695 litre	43,644 %	2,655694 litre	O
60	CM 5	CM	4,4 LEVEL CM	1,997060 litre	42,379 %	2,715329 litre	O
60	CM 5	CM	4,3 LEVEL CM	1,937571 litre	41,117 %	2,774818 litre	O
60	CM 5	CM	4,2 LEVEL CM	1,878250 litre	39,858 %	2,834139 litre	O
60	CM 5	CM	4,1 LEVEL CM	1,819125 litre	38,603 %	2,893264 litre	O
60	CM 5	CM	4 LEVEL CM	1,760219 litre	37,353 %	2,952170 litre	O
60	CM 5	CM	3,9 LEVEL CM	1,701558 litre	36,108 %	3,010831 litre	O
60	CM 5	CM	3,8 LEVEL CM	1,643167 litre	34,869 %	3,069222 litre	O
60	CM 5	CM	3,7 LEVEL CM	1,585074 litre	33,636 %	3,127315 litre	O
60	CM 5	CM	3,6 LEVEL CM	1,527303 litre	32,410 %	3,185086 litre	O
60	CM 5	CM	3,5 LEVEL CM	1,469883 litre	31,192 %	3,242506 litre	O
60	CM 5	CM	3,4 LEVEL CM	1,412840 litre	29,981 %	3,299549 litre	O
60	CM 5	CM	3,3 LEVEL CM	1,356202 litre	28,780 %	3,356187 litre	O
60	CM 5	CM	3,2 LEVEL CM	1,299998 litre	27,587 %	3,412391 litre	O
60	CM 5	CM	3,1 LEVEL CM	1,244258 litre	26,404 %	3,468131 litre	O
60	CM 5	CM	3 LEVEL CM	1,189010 litre	25,232 %	3,523379 litre	O
60	CM 5	CM	2,9 LEVEL CM	1,134286 litre	24,070 %	3,578103 litre	O
60	CM 5	CM	2,8 LEVEL CM	1,080118 litre	22,921 %	3,632271 litre	O
60	CM 5	CM	2,7 LEVEL CM	1,026538 litre	21,784 %	3,685851 litre	O
60	CM 5	CM	2,6 LEVEL CM	0,973579 litre	20,660 %	3,738810 litre	O
60	CM 5	CM	2,5 LEVEL CM	0,921277 litre	19,550 %	3,791112 litre	O
60	CM 5	CM	2,4 LEVEL CM	0,869668 litre	18,455 %	3,842721 litre	O
60	CM 5	CM	2,3 LEVEL CM	0,818790 litre	17,375 %	3,893599 litre	O
60	CM 5	CM	2,2 LEVEL CM	0,768682 litre	16,312 %	3,943707 litre	O
60	CM 5	CM	2,1 LEVEL CM	0,719385 litre	15,266 %	3,993004 litre	O
60	CM 5	CM	2 LEVEL CM	0,670943 litre	14,238 %	4,041446 litre	O
60	CM 5	CM	1,9 LEVEL CM	0,623401 litre	13,229 %	4,088988 litre	O
60	CM 5	CM	1,8 LEVEL CM	0,576807 litre	12,240 %	4,135582 litre	O
60	CM 5	CM	1,7 LEVEL CM	0,531213 litre	11,273 %	4,181176 litre	O
60	CM 5	CM	1,6 LEVEL CM	0,486674 litre	10,328 %	4,225715 litre	O
60	CM 5	CM	1,5 LEVEL CM	0,443248 litre	9,406 %	4,269141 litre	O
60	CM 5	CM	1,4 LEVEL CM	0,400999 litre	8,509 %	4,311390 litre	O
60	CM 5	CM	1,3 LEVEL CM	0,359995 litre	7,639 %	4,352394 litre	O
60	CM 5	CM	1,2 LEVEL CM	0,320313 litre	6,797 %	4,392076 litre	O
60	CM 5	CM	1,1 LEVEL CM	0,282034 litre	5,985 %	4,430355 litre	O
60	CM 5	CM	1 LEVEL CM	0,245252 litre	5,204 %	4,467137 litre	O
60	CM 5	CM	0,9 LEVEL CM	0,210071 litre	4,458 %	4,502318 litre	O
60	CM 5	CM	0,8 LEVEL CM	0,176611 litre	3,748 %	4,535778 litre	O
60	CM 5	CM	0,7 LEVEL CM	0,145011 litre	3,077 %	4,567378 litre	O
60	CM 5	CM	0,6 LEVEL CM	0,115436 litre	2,450 %	4,596953 litre	O
60	CM 5	CM	0,5 LEVEL CM	0,088089 litre	1,869 %	4,624300 litre	O
60	CM 5	CM	0,4 LEVEL CM	0,063226 litre	1,342 %	4,649163 litre	O
60	CM 5	CM	0,3 LEVEL CM	0,041193 litre	0,874 %	4,671196 litre	O
60	CM 5	CM	0,2 LEVEL CM	0,022491 litre	0,477 %	4,689898 litre	O
60	CM 5	CM	0,1 LEVEL CM	0,007976 litre	0,169 %	4,704413 litre	O
60	CM 5	CM	0 LEVEL CM	0,000000 litre	0,000 %	4,712389 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
50	CM	25	CM	50 LEVEL CM	98,1748 litre	100,000 %	0,0000 litre	O
50	CM	25	CM	49,5 LEVEL CM	98,0086 litre	99,831 %	0,1662 litre	O
50	CM	25	CM	49 LEVEL CM	97,7062 litre	99,523 %	0,4686 litre	O
50	CM	25	CM	48,5 LEVEL CM	97,3166 litre	99,126 %	0,8582 litre	O
50	CM	25	CM	48 LEVEL CM	96,8576 litre	98,658 %	1,3172 litre	O
50	CM	25	CM	47,5 LEVEL CM	96,3396 litre	98,131 %	1,8352 litre	O
50	CM	25	CM	47 LEVEL CM	95,7699 litre	97,550 %	2,4049 litre	O
50	CM	25	CM	46,5 LEVEL CM	95,1537 litre	96,923 %	3,0211 litre	O
50	CM	25	CM	46 LEVEL CM	94,4954 litre	96,252 %	3,6794 litre	O
50	CM	25	CM	45,5 LEVEL CM	93,7983 litre	95,542 %	4,3765 litre	O
50	CM	25	CM	45 LEVEL CM	93,0654 litre	94,796 %	5,1094 litre	O
50	CM	25	CM	44,5 LEVEL CM	92,2991 litre	94,015 %	5,8757 litre	O
50	CM	25	CM	44 LEVEL CM	91,5016 litre	93,203 %	6,6732 litre	O
50	CM	25	CM	43,5 LEVEL CM	90,6749 litre	92,361 %	7,4999 litre	O
50	CM	25	CM	43 LEVEL CM	89,8206 litre	91,491 %	8,3542 litre	O
50	CM	25	CM	42,5 LEVEL CM	88,9404 litre	90,594 %	9,2344 litre	O
50	CM	25	CM	42 LEVEL CM	88,0357 litre	89,672 %	10,1391 litre	O
50	CM	25	CM	41,5 LEVEL CM	87,1078 litre	88,727 %	11,0670 litre	O
50	CM	25	CM	41 LEVEL CM	86,1580 litre	87,760 %	12,0168 litre	O
50	CM	25	CM	40,5 LEVEL CM	85,1873 litre	86,771 %	12,9875 litre	O
50	CM	25	CM	40 LEVEL CM	84,1968 litre	85,762 %	13,9780 litre	O
50	CM	25	CM	39,5 LEVEL CM	83,1876 litre	84,734 %	14,9872 litre	O
50	CM	25	CM	39 LEVEL CM	82,1606 litre	83,688 %	16,0142 litre	O
50	CM	25	CM	38,5 LEVEL CM	81,1166 litre	82,625 %	17,0582 litre	O
50	CM	25	CM	38 LEVEL CM	80,0567 litre	81,545 %	18,1181 litre	O
50	CM	25	CM	37,5 LEVEL CM	78,9815 litre	80,450 %	19,1933 litre	O
50	CM	25	CM	37 LEVEL CM	77,8919 litre	79,340 %	20,2829 litre	O
50	CM	25	CM	36,5 LEVEL CM	76,7886 litre	78,216 %	21,3862 litre	O
50	CM	25	CM	36 LEVEL CM	75,6723 litre	77,079 %	22,5025 litre	O
50	CM	25	CM	35,5 LEVEL CM	74,5438 litre	75,930 %	23,6310 litre	O
50	CM	25	CM	35 LEVEL CM	73,4037 litre	74,768 %	24,7711 litre	O
50	CM	25	CM	34,5 LEVEL CM	72,2527 litre	73,596 %	25,9221 litre	O
50	CM	25	CM	34 LEVEL CM	71,0915 litre	72,413 %	27,0833 litre	O
50	CM	25	CM	33,5 LEVEL CM	69,9206 litre	71,220 %	28,2542 litre	O
50	CM	25	CM	33 LEVEL CM	68,7406 litre	70,019 %	29,4342 litre	O
50	CM	25	CM	32,5 LEVEL CM	67,5522 litre	68,808 %	30,6226 litre	O
50	CM	25	CM	32 LEVEL CM	66,3560 litre	67,590 %	31,8188 litre	O
50	CM	25	CM	31,5 LEVEL CM	65,1524 litre	66,364 %	33,0224 litre	O
50	CM	25	CM	31 LEVEL CM	63,9421 litre	65,131 %	34,2327 litre	O
50	CM	25	CM	30,5 LEVEL CM	62,7256 litre	63,892 %	35,4492 litre	O
50	CM	25	CM	30 LEVEL CM	61,5035 litre	62,647 %	36,6713 litre	O
50	CM	25	CM	29,5 LEVEL CM	60,2763 litre	61,397 %	37,8985 litre	O
50	CM	25	CM	29 LEVEL CM	59,0446 litre	60,142 %	39,1302 litre	O
50	CM	25	CM	28,5 LEVEL CM	57,8087 litre	58,883 %	40,3661 litre	O
50	CM	25	CM	28 LEVEL CM	56,5693 litre	57,621 %	41,6055 litre	O
50	CM	25	CM	27,5 LEVEL CM	55,3270 litre	56,356 %	42,8478 litre	O
50	CM	25	CM	27 LEVEL CM	54,0820 litre	55,088 %	44,0928 litre	O
50	CM	25	CM	26,5 LEVEL CM	52,8351 litre	53,817 %	45,3397 litre	O
50	CM	25	CM	26 LEVEL CM	51,5867 litre	52,546 %	46,5881 litre	O
50	CM	25	CM	25,5 LEVEL CM	50,3373 litre	51,273 %	47,8375 litre	O
50	CM	25	CM	25 LEVEL CM	49,0874 litre	50,000 %	49,0874 litre	O
50	CM	25	CM	24,5 LEVEL CM	47,8375 litre	48,727 %	50,3373 litre	O

50	CM	25	CM	24 LEVEL CM	46,5881 litre	47,454 %	51,5867 litre	O
50	CM	25	CM	23,5 LEVEL CM	45,3396 litre	46,183 %	52,8352 litre	O
50	CM	25	CM	23 LEVEL CM	44,0927 litre	44,912 %	54,0821 litre	O
50	CM	25	CM	22,5 LEVEL CM	42,8478 litre	43,644 %	55,3270 litre	O
50	CM	25	CM	22 LEVEL CM	41,6054 litre	42,379 %	56,5694 litre	O
50	CM	25	CM	21,5 LEVEL CM	40,3661 litre	41,117 %	57,8087 litre	O
50	CM	25	CM	21 LEVEL CM	39,1302 litre	39,858 %	59,0446 litre	O
50	CM	25	CM	20,5 LEVEL CM	37,8984 litre	38,603 %	60,2764 litre	O
50	CM	25	CM	20 LEVEL CM	36,6712 litre	37,353 %	61,5036 litre	O
50	CM	25	CM	19,5 LEVEL CM	35,4491 litre	36,108 %	62,7257 litre	O
50	CM	25	CM	19 LEVEL CM	34,2327 litre	34,869 %	63,9421 litre	O
50	CM	25	CM	18,5 LEVEL CM	33,0224 litre	33,636 %	65,1524 litre	O
50	CM	25	CM	18 LEVEL CM	31,8188 litre	32,410 %	66,3560 litre	O
50	CM	25	CM	17,5 LEVEL CM	30,6226 litre	31,192 %	67,5522 litre	O
50	CM	25	CM	17 LEVEL CM	29,4342 litre	29,981 %	68,7406 litre	O
50	CM	25	CM	16,5 LEVEL CM	28,2542 litre	28,779 %	69,9206 litre	O
50	CM	25	CM	16 LEVEL CM	27,0833 litre	27,587 %	71,0915 litre	O
50	CM	25	CM	15,5 LEVEL CM	25,9220 litre	26,404 %	72,2528 litre	O
50	CM	25	CM	15 LEVEL CM	24,7710 litre	25,232 %	73,4038 litre	O
50	CM	25	CM	14,5 LEVEL CM	23,6310 litre	24,070 %	74,5438 litre	O
50	CM	25	CM	14 LEVEL CM	22,5025 litre	22,921 %	75,6723 litre	O
50	CM	25	CM	13,5 LEVEL CM	21,3862 litre	21,784 %	76,7886 litre	O
50	CM	25	CM	13 LEVEL CM	20,2829 litre	20,660 %	77,8919 litre	O
50	CM	25	CM	12,5 LEVEL CM	19,1933 litre	19,550 %	78,9815 litre	O
50	CM	25	CM	12 LEVEL CM	18,1181 litre	18,455 %	80,0567 litre	O
50	CM	25	CM	11,5 LEVEL CM	17,0581 litre	17,375 %	81,1167 litre	O
50	CM	25	CM	11 LEVEL CM	16,0142 litre	16,312 %	82,1606 litre	O
50	CM	25	CM	10,5 LEVEL CM	14,9872 litre	15,266 %	83,1876 litre	O
50	CM	25	CM	10 LEVEL CM	13,9780 litre	14,238 %	84,1968 litre	O
50	CM	25	CM	9,5 LEVEL CM	12,9875 litre	13,229 %	85,1873 litre	O
50	CM	25	CM	9 LEVEL CM	12,0168 litre	12,240 %	86,1580 litre	O
50	CM	25	CM	8,5 LEVEL CM	11,0669 litre	11,273 %	87,1079 litre	O
50	CM	25	CM	8 LEVEL CM	10,1390 litre	10,328 %	88,0358 litre	O
50	CM	25	CM	7,5 LEVEL CM	9,2343 litre	9,406 %	88,9405 litre	O
50	CM	25	CM	7 LEVEL CM	8,3541 litre	8,509 %	89,8207 litre	O
50	CM	25	CM	6,5 LEVEL CM	7,4999 litre	7,639 %	90,6749 litre	O
50	CM	25	CM	6 LEVEL CM	6,6732 litre	6,797 %	91,5016 litre	O
50	CM	25	CM	5,5 LEVEL CM	5,8757 litre	5,985 %	92,2991 litre	O
50	CM	25	CM	5 LEVEL CM	5,1094 litre	5,204 %	93,0654 litre	O
50	CM	25	CM	4,5 LEVEL CM	4,3765 litre	4,458 %	93,7983 litre	O
50	CM	25	CM	4 LEVEL CM	3,6794 litre	3,748 %	94,4954 litre	O
50	CM	25	CM	3,5 LEVEL CM	3,0211 litre	3,077 %	95,1537 litre	O
50	CM	25	CM	3 LEVEL CM	2,4049 litre	2,450 %	95,7699 litre	O
50	CM	25	CM	2,5 LEVEL CM	1,8352 litre	1,869 %	96,3396 litre	O
50	CM	25	CM	2 LEVEL CM	1,3172 litre	1,342 %	96,8576 litre	O
50	CM	25	CM	1,5 LEVEL CM	0,8582 litre	0,874 %	97,3166 litre	O
50	CM	25	CM	1 LEVEL CM	0,4686 litre	0,477 %	97,7062 litre	O
50	CM	25	CM	0,5 LEVEL CM	0,1662 litre	0,169 %	98,0086 litre	O
50	CM	25	CM	0 LEVEL CM	0,0000 litre	0,000 %	98,1748 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
50	CM 20	CM 40 LEVEL CM	62,8319 litre	100,000 %	0,0000 litre	O
50	CM 20	CM 39,5 LEVEL CM	62,6833 litre	99,764 %	0,1486 litre	O
50	CM 20	CM 39 LEVEL CM	62,4134 litre	99,334 %	0,4185 litre	O
50	CM 20	CM 38,5 LEVEL CM	62,0660 litre	98,781 %	0,7659 litre	O
50	CM 20	CM 38 LEVEL CM	61,6573 litre	98,131 %	1,1746 litre	O
50	CM 20	CM 37,5 LEVEL CM	61,1968 litre	97,398 %	1,6351 litre	O
50	CM 20	CM 37 LEVEL CM	60,6909 litre	96,593 %	2,1410 litre	O
50	CM 20	CM 36,5 LEVEL CM	60,1447 litre	95,723 %	2,6872 litre	O
50	CM 20	CM 36 LEVEL CM	59,5618 litre	94,796 %	3,2701 litre	O
50	CM 20	CM 35,5 LEVEL CM	58,9456 litre	93,815 %	3,8863 litre	O
50	CM 20	CM 35 LEVEL CM	58,2987 litre	92,785 %	4,5332 litre	O
50	CM 20	CM 34,5 LEVEL CM	57,6235 litre	91,711 %	5,2084 litre	O
50	CM 20	CM 34 LEVEL CM	56,9219 litre	90,594 %	5,9100 litre	O
50	CM 20	CM 33,5 LEVEL CM	56,1958 litre	89,438 %	6,6361 litre	O
50	CM 20	CM 33 LEVEL CM	55,4468 litre	88,246 %	7,3851 litre	O
50	CM 20	CM 32,5 LEVEL CM	54,6764 litre	87,020 %	8,1555 litre	O
50	CM 20	CM 32 LEVEL CM	53,8859 litre	85,762 %	8,9460 litre	O
50	CM 20	CM 31,5 LEVEL CM	53,0768 litre	84,474 %	9,7551 litre	O
50	CM 20	CM 31 LEVEL CM	52,2500 litre	83,158 %	10,5819 litre	O
50	CM 20	CM 30,5 LEVEL CM	51,4068 litre	81,816 %	11,4251 litre	O
50	CM 20	CM 30 LEVEL CM	50,5482 litre	80,450 %	12,2837 litre	O
50	CM 20	CM 29,5 LEVEL CM	49,6751 litre	79,060 %	13,1568 litre	O
50	CM 20	CM 29 LEVEL CM	48,7885 litre	77,649 %	14,0434 litre	O
50	CM 20	CM 28,5 LEVEL CM	47,8893 litre	76,218 %	14,9426 litre	O
50	CM 20	CM 28 LEVEL CM	46,9784 litre	74,768 %	15,8535 litre	O
50	CM 20	CM 27,5 LEVEL CM	46,0565 litre	73,301 %	16,7754 litre	O
50	CM 20	CM 27 LEVEL CM	45,1246 litre	71,818 %	17,7073 litre	O
50	CM 20	CM 26,5 LEVEL CM	44,1833 litre	70,320 %	18,6486 litre	O
50	CM 20	CM 26 LEVEL CM	43,2334 litre	68,808 %	19,5985 litre	O
50	CM 20	CM 25,5 LEVEL CM	42,2757 litre	67,284 %	20,5562 litre	O
50	CM 20	CM 25 LEVEL CM	41,3108 litre	65,748 %	21,5211 litre	O
50	CM 20	CM 24,5 LEVEL CM	40,3394 litre	64,202 %	22,4925 litre	O
50	CM 20	CM 24 LEVEL CM	39,3623 litre	62,647 %	23,4696 litre	O
50	CM 20	CM 23,5 LEVEL CM	38,3800 litre	61,084 %	24,4519 litre	O
50	CM 20	CM 23 LEVEL CM	37,3933 litre	59,513 %	25,4386 litre	O
50	CM 20	CM 22,5 LEVEL CM	36,4029 litre	57,937 %	26,4290 litre	O
50	CM 20	CM 22 LEVEL CM	35,4092 litre	56,356 %	27,4227 litre	O
50	CM 20	CM 21,5 LEVEL CM	34,4131 litre	54,770 %	28,4188 litre	O
50	CM 20	CM 21 LEVEL CM	33,4151 litre	53,182 %	29,4168 litre	O
50	CM 20	CM 20,5 LEVEL CM	32,4158 litre	51,591 %	30,4161 litre	O
50	CM 20	CM 20 LEVEL CM	31,4159 litre	50,000 %	31,4160 litre	O
50	CM 20	CM 19,5 LEVEL CM	30,4160 litre	48,409 %	32,4159 litre	O
50	CM 20	CM 19 LEVEL CM	29,4168 litre	46,818 %	33,4151 litre	O
50	CM 20	CM 18,5 LEVEL CM	28,4187 litre	45,230 %	34,4132 litre	O
50	CM 20	CM 18 LEVEL CM	27,4226 litre	43,644 %	35,4093 litre	O
50	CM 20	CM 17,5 LEVEL CM	26,4290 litre	42,063 %	36,4029 litre	O
50	CM 20	CM 17 LEVEL CM	25,4385 litre	40,487 %	37,3934 litre	O
50	CM 20	CM 16,5 LEVEL CM	24,4518 litre	38,916 %	38,3801 litre	O
50	CM 20	CM 16 LEVEL CM	23,4696 litre	37,353 %	39,3623 litre	O
50	CM 20	CM 15,5 LEVEL CM	22,4925 litre	35,798 %	40,3394 litre	O
50	CM 20	CM 15 LEVEL CM	21,5211 litre	34,252 %	41,3108 litre	O
50	CM 20	CM 14,5 LEVEL CM	20,5562 litre	32,716 %	42,2757 litre	O

50	CM	20	CM	14 LEVEL CM	19,5984 litre	31,192 %	43,2335 litre	O
50	CM	20	CM	13,5 LEVEL CM	18,6486 litre	29,680 %	44,1833 litre	O
50	CM	20	CM	13 LEVEL CM	17,7073 litre	28,182 %	45,1246 litre	O
50	CM	20	CM	12,5 LEVEL CM	16,7753 litre	26,699 %	46,0566 litre	O
50	CM	20	CM	12 LEVEL CM	15,8535 litre	25,232 %	46,9784 litre	O
50	CM	20	CM	11,5 LEVEL CM	14,9425 litre	23,782 %	47,8894 litre	O
50	CM	20	CM	11 LEVEL CM	14,0434 litre	22,351 %	48,7885 litre	O
50	CM	20	CM	10,5 LEVEL CM	13,1568 litre	20,940 %	49,6751 litre	O
50	CM	20	CM	10 LEVEL CM	12,2837 litre	19,550 %	50,5482 litre	O
50	CM	20	CM	9,5 LEVEL CM	11,4251 litre	18,184 %	51,4068 litre	O
50	CM	20	CM	9 LEVEL CM	10,5818 litre	16,841 %	52,2501 litre	O
50	CM	20	CM	8,5 LEVEL CM	9,7551 litre	15,526 %	53,0768 litre	O
50	CM	20	CM	8 LEVEL CM	8,9459 litre	14,238 %	53,8860 litre	O
50	CM	20	CM	7,5 LEVEL CM	8,1555 litre	12,980 %	54,6764 litre	O
50	CM	20	CM	7 LEVEL CM	7,3851 litre	11,754 %	55,4468 litre	O
50	CM	20	CM	6,5 LEVEL CM	6,6361 litre	10,562 %	56,1958 litre	O
50	CM	20	CM	6 LEVEL CM	5,9100 litre	9,406 %	56,9219 litre	O
50	CM	20	CM	5,5 LEVEL CM	5,2084 litre	8,289 %	57,6235 litre	O
50	CM	20	CM	5 LEVEL CM	4,5331 litre	7,215 %	58,2988 litre	O
50	CM	20	CM	4,5 LEVEL CM	3,8862 litre	6,185 %	58,9457 litre	O
50	CM	20	CM	4 LEVEL CM	3,2700 litre	5,204 %	59,5619 litre	O
50	CM	20	CM	3,5 LEVEL CM	2,6872 litre	4,277 %	60,1447 litre	O
50	CM	20	CM	3 LEVEL CM	2,1409 litre	3,407 %	60,6910 litre	O
50	CM	20	CM	2,5 LEVEL CM	1,6351 litre	2,602 %	61,1968 litre	O
50	CM	20	CM	2 LEVEL CM	1,1745 litre	1,869 %	61,6574 litre	O
50	CM	20	CM	1,5 LEVEL CM	0,7658 litre	1,219 %	62,0661 litre	O
50	CM	20	CM	1 LEVEL CM	0,4185 litre	0,666 %	62,4134 litre	O
50	CM	20	CM	0,5 LEVEL CM	0,1485 litre	0,236 %	62,6834 litre	O
50	CM	20	CM	0 LEVEL CM	0,0000 litre	0,000 %	62,8319 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR		
50	CM	15	CM	30 LEVEL CM	35,3429 litre	100,000 %	0,0000 litre	O
50	CM	15	CM	29,5 LEVEL CM	35,2145 litre	99,637 %	0,1284 litre	O
50	CM	15	CM	29 LEVEL CM	34,9814 litre	98,977 %	0,3615 litre	O
50	CM	15	CM	28,5 LEVEL CM	34,6823 litre	98,131 %	0,6606 litre	O
50	CM	15	CM	28 LEVEL CM	34,3310 litre	97,137 %	1,0119 litre	O
50	CM	15	CM	27,5 LEVEL CM	33,9362 litre	96,020 %	1,4067 litre	O
50	CM	15	CM	27 LEVEL CM	33,5035 litre	94,796 %	1,8394 litre	O
50	CM	15	CM	26,5 LEVEL CM	33,0375 litre	93,477 %	2,3054 litre	O
50	CM	15	CM	26 LEVEL CM	32,5415 litre	92,074 %	2,8014 litre	O
50	CM	15	CM	25,5 LEVEL CM	32,0186 litre	90,594 %	3,3243 litre	O
50	CM	15	CM	25 LEVEL CM	31,4711 litre	89,045 %	3,8718 litre	O
50	CM	15	CM	24,5 LEVEL CM	30,9012 litre	87,433 %	4,4417 litre	O
50	CM	15	CM	24 LEVEL CM	30,3108 litre	85,762 %	5,0321 litre	O
50	CM	15	CM	23,5 LEVEL CM	29,7017 litre	84,039 %	5,6412 litre	O
50	CM	15	CM	23 LEVEL CM	29,0754 litre	82,267 %	6,2675 litre	O
50	CM	15	CM	22,5 LEVEL CM	28,4333 litre	80,450 %	6,9096 litre	O
50	CM	15	CM	22 LEVEL CM	27,7768 litre	78,592 %	7,5661 litre	O
50	CM	15	CM	21,5 LEVEL CM	27,1071 litre	76,697 %	8,2358 litre	O
50	CM	15	CM	21 LEVEL CM	26,4253 litre	74,768 %	8,9176 litre	O
50	CM	15	CM	20,5 LEVEL CM	25,7327 litre	72,809 %	9,6102 litre	O
50	CM	15	CM	20 LEVEL CM	25,0302 litre	70,821 %	10,3127 litre	O
50	CM	15	CM	19,5 LEVEL CM	24,3188 litre	68,808 %	11,0241 litre	O
50	CM	15	CM	19 LEVEL CM	23,5996 litre	66,773 %	11,7433 litre	O
50	CM	15	CM	18,5 LEVEL CM	22,8734 litre	64,719 %	12,4695 litre	O
50	CM	15	CM	18 LEVEL CM	22,1413 litre	62,647 %	13,2016 litre	O
50	CM	15	CM	17,5 LEVEL CM	21,4040 litre	60,561 %	13,9389 litre	O
50	CM	15	CM	17 LEVEL CM	20,6625 litre	58,463 %	14,6804 litre	O
50	CM	15	CM	16,5 LEVEL CM	19,9177 litre	56,356 %	15,4252 litre	O
50	CM	15	CM	16 LEVEL CM	19,1703 litre	54,241 %	16,1726 litre	O
50	CM	15	CM	15,5 LEVEL CM	18,4213 litre	52,122 %	16,9216 litre	O
50	CM	15	CM	15 LEVEL CM	17,6715 litre	50,000 %	17,6714 litre	O
50	CM	15	CM	14,5 LEVEL CM	16,9216 litre	47,878 %	18,4213 litre	O
50	CM	15	CM	14 LEVEL CM	16,1726 litre	45,759 %	19,1703 litre	O
50	CM	15	CM	13,5 LEVEL CM	15,4252 litre	43,644 %	19,9177 litre	O
50	CM	15	CM	13 LEVEL CM	14,6804 litre	41,537 %	20,6625 litre	O
50	CM	15	CM	12,5 LEVEL CM	13,9389 litre	39,439 %	21,4040 litre	O
50	CM	15	CM	12 LEVEL CM	13,2016 litre	37,353 %	22,1413 litre	O
50	CM	15	CM	11,5 LEVEL CM	12,4695 litre	35,281 %	22,8734 litre	O
50	CM	15	CM	11 LEVEL CM	11,7433 litre	33,227 %	23,5996 litre	O
50	CM	15	CM	10,5 LEVEL CM	11,0241 litre	31,192 %	24,3188 litre	O
50	CM	15	CM	10 LEVEL CM	10,3128 litre	29,179 %	25,0301 litre	O
50	CM	15	CM	9,5 LEVEL CM	9,6102 litre	27,191 %	25,7327 litre	O
50	CM	15	CM	9 LEVEL CM	8,9176 litre	25,232 %	26,4253 litre	O
50	CM	15	CM	8,5 LEVEL CM	8,2358 litre	23,303 %	27,1071 litre	O
50	CM	15	CM	8 LEVEL CM	7,5661 litre	21,408 %	27,7768 litre	O
50	CM	15	CM	7,5 LEVEL CM	6,9096 litre	19,550 %	28,4333 litre	O
50	CM	15	CM	7 LEVEL CM	6,2675 litre	17,733 %	29,0754 litre	O
50	CM	15	CM	6,5 LEVEL CM	5,6412 litre	15,961 %	29,7017 litre	O
50	CM	15	CM	6 LEVEL CM	5,0321 litre	14,238 %	30,3108 litre	O
50	CM	15	CM	5,5 LEVEL CM	4,4417 litre	12,568 %	30,9012 litre	O
50	CM	15	CM	5 LEVEL CM	3,8719 litre	10,955 %	31,4710 litre	O
50	CM	15	CM	4,5 LEVEL CM	3,3244 litre	9,406 %	32,0185 litre	O

50	CM	15	CM	4 LEVEL CM	2,8014 litre	7,926 %	32,5415 litre	O
50	CM	15	CM	3,5 LEVEL CM	2,3054 litre	6,523 %	33,0375 litre	O
50	CM	15	CM	3 LEVEL CM	1,8394 litre	5,204 %	33,5035 litre	O
50	CM	15	CM	2,5 LEVEL CM	1,4067 litre	3,980 %	33,9362 litre	O
50	CM	15	CM	2 LEVEL CM	1,0119 litre	2,863 %	34,3310 litre	O
50	CM	15	CM	1,5 LEVEL CM	0,6607 litre	1,869 %	34,6822 litre	O
50	CM	15	CM	1 LEVEL CM	0,3615 litre	1,023 %	34,9814 litre	O
50	CM	15	CM	0,5 LEVEL CM	0,1285 litre	0,363 %	35,2144 litre	O
50	CM	15	CM	0 LEVEL CM	0,0000 litre	0,000 %	35,3429 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR
50	CM 10	CM 20 LEVEL CM	15,7080 litre	100,000 %	0,0000 litre O
50	CM 10	CM 19,5 LEVEL CM	15,6033 litre	99,334 %	0,1047 litre O
50	CM 10	CM 19 LEVEL CM	15,4143 litre	98,130 %	0,2937 litre O
50	CM 10	CM 18,5 LEVEL CM	15,1727 litre	96,592 %	0,5353 litre O
50	CM 10	CM 18 LEVEL CM	14,8905 litre	94,795 %	0,8175 litre O
50	CM 10	CM 17,5 LEVEL CM	14,5747 litre	92,785 %	1,1333 litre O
50	CM 10	CM 17 LEVEL CM	14,2305 litre	90,594 %	1,4775 litre O
50	CM 10	CM 16,5 LEVEL CM	13,8617 litre	88,246 %	1,8463 litre O
50	CM 10	CM 16 LEVEL CM	13,4715 litre	85,762 %	2,2365 litre O
50	CM 10	CM 15,5 LEVEL CM	13,0625 litre	83,158 %	2,6455 litre O
50	CM 10	CM 15 LEVEL CM	12,6370 litre	80,450 %	3,0710 litre O
50	CM 10	CM 14,5 LEVEL CM	12,1971 litre	77,649 %	3,5109 litre O
50	CM 10	CM 14 LEVEL CM	11,7446 litre	74,768 %	3,9634 litre O
50	CM 10	CM 13,5 LEVEL CM	11,2811 litre	71,818 %	4,4269 litre O
50	CM 10	CM 13 LEVEL CM	10,8084 litre	68,808 %	4,8996 litre O
50	CM 10	CM 12,5 LEVEL CM	10,3277 litre	65,748 %	5,3803 litre O
50	CM 10	CM 12 LEVEL CM	9,8406 litre	62,647 %	5,8674 litre O
50	CM 10	CM 11,5 LEVEL CM	9,3483 litre	59,513 %	6,3597 litre O
50	CM 10	CM 11 LEVEL CM	8,8523 litre	56,355 %	6,8557 litre O
50	CM 10	CM 10,5 LEVEL CM	8,3538 litre	53,182 %	7,3542 litre O
50	CM 10	CM 10 LEVEL CM	7,8540 litre	50,000 %	7,8540 litre O
50	CM 10	CM 9,5 LEVEL CM	7,3542 litre	46,818 %	8,3538 litre O
50	CM 10	CM 9 LEVEL CM	6,8557 litre	43,644 %	8,8523 litre O
50	CM 10	CM 8,5 LEVEL CM	6,3596 litre	40,487 %	9,3484 litre O
50	CM 10	CM 8 LEVEL CM	5,8674 litre	37,353 %	9,8406 litre O
50	CM 10	CM 7,5 LEVEL CM	5,3803 litre	34,252 %	10,3277 litre O
50	CM 10	CM 7 LEVEL CM	4,8996 litre	31,192 %	10,8084 litre O
50	CM 10	CM 6,5 LEVEL CM	4,4268 litre	28,182 %	11,2812 litre O
50	CM 10	CM 6 LEVEL CM	3,9634 litre	25,232 %	11,7446 litre O
50	CM 10	CM 5,5 LEVEL CM	3,5108 litre	22,351 %	12,1972 litre O
50	CM 10	CM 5 LEVEL CM	3,0709 litre	19,550 %	12,6371 litre O
50	CM 10	CM 4,5 LEVEL CM	2,6455 litre	16,841 %	13,0625 litre O
50	CM 10	CM 4 LEVEL CM	2,2365 litre	14,238 %	13,4715 litre O
50	CM 10	CM 3,5 LEVEL CM	1,8463 litre	11,754 %	13,8617 litre O
50	CM 10	CM 3 LEVEL CM	1,4775 litre	9,406 %	14,2305 litre O
50	CM 10	CM 2,5 LEVEL CM	1,1333 litre	7,215 %	14,5747 litre O
50	CM 10	CM 2 LEVEL CM	0,8175 litre	5,204 %	14,8905 litre O
50	CM 10	CM 1,5 LEVEL CM	0,5352 litre	3,407 %	15,1728 litre O
50	CM 10	CM 1 LEVEL CM	0,2936 litre	1,869 %	15,4144 litre O
50	CM 10	CM 0,5 LEVEL CM	0,1046 litre	0,666 %	15,6034 litre O
50	CM 10	CM 0 LEVEL CM	0,0000 litre	0,000 %	15,7080 litre O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
50	CM 5	CM 10 LEVEL CM	3,926991 litre	100,000 %	0,000000 litre	O
50	CM 5	CM 9,9 LEVEL CM	3,920344 litre	99,831 %	0,006647 litre	O
50	CM 5	CM 9,8 LEVEL CM	3,908248 litre	99,523 %	0,018743 litre	O
50	CM 5	CM 9,7 LEVEL CM	3,892663 litre	99,126 %	0,034328 litre	O
50	CM 5	CM 9,6 LEVEL CM	3,874302 litre	98,658 %	0,052689 litre	O
50	CM 5	CM 9,5 LEVEL CM	3,853583 litre	98,131 %	0,073408 litre	O
50	CM 5	CM 9,4 LEVEL CM	3,830794 litre	97,550 %	0,096197 litre	O
50	CM 5	CM 9,3 LEVEL CM	3,806149 litre	96,923 %	0,120842 litre	O
50	CM 5	CM 9,2 LEVEL CM	3,779815 litre	96,252 %	0,147176 litre	O
50	CM 5	CM 9,1 LEVEL CM	3,751932 litre	95,542 %	0,175059 litre	O
50	CM 5	CM 9 LEVEL CM	3,722614 litre	94,796 %	0,204377 litre	O
50	CM 5	CM 8,9 LEVEL CM	3,691963 litre	94,015 %	0,235028 litre	O
50	CM 5	CM 8,8 LEVEL CM	3,660064 litre	93,203 %	0,266927 litre	O
50	CM 5	CM 8,7 LEVEL CM	3,626995 litre	92,361 %	0,299996 litre	O
50	CM 5	CM 8,6 LEVEL CM	3,592825 litre	91,491 %	0,334166 litre	O
50	CM 5	CM 8,5 LEVEL CM	3,557617 litre	90,594 %	0,369374 litre	O
50	CM 5	CM 8,4 LEVEL CM	3,521429 litre	89,672 %	0,405562 litre	O
50	CM 5	CM 8,3 LEVEL CM	3,484313 litre	88,727 %	0,442678 litre	O
50	CM 5	CM 8,2 LEVEL CM	3,446318 litre	87,760 %	0,480673 litre	O
50	CM 5	CM 8,1 LEVEL CM	3,407490 litre	86,771 %	0,519501 litre	O
50	CM 5	CM 8 LEVEL CM	3,367872 litre	85,762 %	0,559119 litre	O
50	CM 5	CM 7,9 LEVEL CM	3,327503 litre	84,734 %	0,599488 litre	O
50	CM 5	CM 7,8 LEVEL CM	3,286422 litre	83,688 %	0,640569 litre	O
50	CM 5	CM 7,7 LEVEL CM	3,244666 litre	82,625 %	0,682325 litre	O
50	CM 5	CM 7,6 LEVEL CM	3,202267 litre	81,545 %	0,724724 litre	O
50	CM 5	CM 7,5 LEVEL CM	3,159260 litre	80,450 %	0,767731 litre	O
50	CM 5	CM 7,4 LEVEL CM	3,115675 litre	79,340 %	0,811316 litre	O
50	CM 5	CM 7,3 LEVEL CM	3,071543 litre	78,216 %	0,855448 litre	O
50	CM 5	CM 7,2 LEVEL CM	3,026893 litre	77,079 %	0,900098 litre	O
50	CM 5	CM 7,1 LEVEL CM	2,981752 litre	75,930 %	0,945239 litre	O
50	CM 5	CM 7 LEVEL CM	2,936149 litre	74,768 %	0,990842 litre	O
50	CM 5	CM 6,9 LEVEL CM	2,890109 litre	73,596 %	1,036882 litre	O
50	CM 5	CM 6,8 LEVEL CM	2,843659 litre	72,413 %	1,083332 litre	O
50	CM 5	CM 6,7 LEVEL CM	2,796822 litre	71,220 %	1,130169 litre	O
50	CM 5	CM 6,6 LEVEL CM	2,749624 litre	70,019 %	1,177367 litre	O
50	CM 5	CM 6,5 LEVEL CM	2,702088 litre	68,808 %	1,224903 litre	O
50	CM 5	CM 6,4 LEVEL CM	2,654238 litre	67,590 %	1,272753 litre	O
50	CM 5	CM 6,3 LEVEL CM	2,606096 litre	66,364 %	1,320895 litre	O
50	CM 5	CM 6,2 LEVEL CM	2,557685 litre	65,131 %	1,369306 litre	O
50	CM 5	CM 6,1 LEVEL CM	2,509026 litre	63,892 %	1,417965 litre	O
50	CM 5	CM 6 LEVEL CM	2,460142 litre	62,647 %	1,466849 litre	O
50	CM 5	CM 5,9 LEVEL CM	2,411053 litre	61,397 %	1,515938 litre	O
50	CM 5	CM 5,8 LEVEL CM	2,361782 litre	60,142 %	1,565209 litre	O
50	CM 5	CM 5,7 LEVEL CM	2,312349 litre	58,883 %	1,614642 litre	O
50	CM 5	CM 5,6 LEVEL CM	2,262774 litre	57,621 %	1,664217 litre	O
50	CM 5	CM 5,5 LEVEL CM	2,213078 litre	56,356 %	1,713913 litre	O
50	CM 5	CM 5,4 LEVEL CM	2,163282 litre	55,088 %	1,763709 litre	O
50	CM 5	CM 5,3 LEVEL CM	2,113405 litre	53,817 %	1,813586 litre	O
50	CM 5	CM 5,2 LEVEL CM	2,063469 litre	52,546 %	1,863522 litre	O
50	CM 5	CM 5,1 LEVEL CM	2,013492 litre	51,273 %	1,913499 litre	O
50	CM 5	CM 5 LEVEL CM	1,963495 litre	50,000 %	1,963496 litre	O
50	CM 5	CM 4,9 LEVEL CM	1,913499 litre	48,727 %	2,013492 litre	O

50	CM 5	CM	4,8 LEVEL CM	1,863522 litre	47,454 %	2,063469 litre	O
50	CM 5	CM	4,7 LEVEL CM	1,813585 litre	46,183 %	2,113406 litre	O
50	CM 5	CM	4,6 LEVEL CM	1,763709 litre	44,912 %	2,163282 litre	O
50	CM 5	CM	4,5 LEVEL CM	1,713913 litre	43,644 %	2,213078 litre	O
50	CM 5	CM	4,4 LEVEL CM	1,664217 litre	42,379 %	2,262774 litre	O
50	CM 5	CM	4,3 LEVEL CM	1,614642 litre	41,117 %	2,312349 litre	O
50	CM 5	CM	4,2 LEVEL CM	1,565209 litre	39,858 %	2,361782 litre	O
50	CM 5	CM	4,1 LEVEL CM	1,515937 litre	38,603 %	2,411054 litre	O
50	CM 5	CM	4 LEVEL CM	1,466849 litre	37,353 %	2,460142 litre	O
50	CM 5	CM	3,9 LEVEL CM	1,417965 litre	36,108 %	2,509026 litre	O
50	CM 5	CM	3,8 LEVEL CM	1,369306 litre	34,869 %	2,557685 litre	O
50	CM 5	CM	3,7 LEVEL CM	1,320895 litre	33,636 %	2,606096 litre	O
50	CM 5	CM	3,6 LEVEL CM	1,272753 litre	32,410 %	2,654238 litre	O
50	CM 5	CM	3,5 LEVEL CM	1,224902 litre	31,192 %	2,702089 litre	O
50	CM 5	CM	3,4 LEVEL CM	1,177367 litre	29,981 %	2,749624 litre	O
50	CM 5	CM	3,3 LEVEL CM	1,130168 litre	28,780 %	2,796823 litre	O
50	CM 5	CM	3,2 LEVEL CM	1,083332 litre	27,587 %	2,843659 litre	O
50	CM 5	CM	3,1 LEVEL CM	1,036881 litre	26,404 %	2,890110 litre	O
50	CM 5	CM	3 LEVEL CM	0,990842 litre	25,232 %	2,936149 litre	O
50	CM 5	CM	2,9 LEVEL CM	0,945239 litre	24,070 %	2,981752 litre	O
50	CM 5	CM	2,8 LEVEL CM	0,900098 litre	22,921 %	3,026893 litre	O
50	CM 5	CM	2,7 LEVEL CM	0,855448 litre	21,784 %	3,071543 litre	O
50	CM 5	CM	2,6 LEVEL CM	0,811316 litre	20,660 %	3,115675 litre	O
50	CM 5	CM	2,5 LEVEL CM	0,767731 litre	19,550 %	3,159260 litre	O
50	CM 5	CM	2,4 LEVEL CM	0,724724 litre	18,455 %	3,202267 litre	O
50	CM 5	CM	2,3 LEVEL CM	0,682325 litre	17,375 %	3,244666 litre	O
50	CM 5	CM	2,2 LEVEL CM	0,640568 litre	16,312 %	3,286423 litre	O
50	CM 5	CM	2,1 LEVEL CM	0,599488 litre	15,266 %	3,327503 litre	O
50	CM 5	CM	2 LEVEL CM	0,559119 litre	14,238 %	3,367872 litre	O
50	CM 5	CM	1,9 LEVEL CM	0,519501 litre	13,229 %	3,407490 litre	O
50	CM 5	CM	1,8 LEVEL CM	0,480673 litre	12,240 %	3,446318 litre	O
50	CM 5	CM	1,7 LEVEL CM	0,442678 litre	11,273 %	3,484313 litre	O
50	CM 5	CM	1,6 LEVEL CM	0,405562 litre	10,328 %	3,521429 litre	O
50	CM 5	CM	1,5 LEVEL CM	0,369374 litre	9,406 %	3,557617 litre	O
50	CM 5	CM	1,4 LEVEL CM	0,334166 litre	8,509 %	3,592825 litre	O
50	CM 5	CM	1,3 LEVEL CM	0,299996 litre	7,639 %	3,626995 litre	O
50	CM 5	CM	1,2 LEVEL CM	0,266927 litre	6,797 %	3,660064 litre	O
50	CM 5	CM	1,1 LEVEL CM	0,235028 litre	5,985 %	3,691963 litre	O
50	CM 5	CM	1 LEVEL CM	0,204376 litre	5,204 %	3,722615 litre	O
50	CM 5	CM	0,9 LEVEL CM	0,175059 litre	4,458 %	3,751932 litre	O
50	CM 5	CM	0,8 LEVEL CM	0,147176 litre	3,748 %	3,779815 litre	O
50	CM 5	CM	0,7 LEVEL CM	0,120842 litre	3,077 %	3,806149 litre	O
50	CM 5	CM	0,6 LEVEL CM	0,096197 litre	2,450 %	3,830794 litre	O
50	CM 5	CM	0,5 LEVEL CM	0,073407 litre	1,869 %	3,853584 litre	O
50	CM 5	CM	0,4 LEVEL CM	0,052689 litre	1,342 %	3,874302 litre	O
50	CM 5	CM	0,3 LEVEL CM	0,034328 litre	0,874 %	3,892663 litre	O
50	CM 5	CM	0,2 LEVEL CM	0,018743 litre	0,477 %	3,908248 litre	O
50	CM 5	CM	0,1 LEVEL CM	0,006647 litre	0,169 %	3,920344 litre	O
50	CM 5	CM	0 LEVEL CM	0,000000 litre	0,000 %	3,926991 litre	O

LENGTH	RADIUS	LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
50	CM 2,5	CM 5 LEVEL CM	0,981747704247 litre	100,000 %	0,000000000000 litre	O
50	CM 2,5	CM 4,9 LEVEL CM	0,977062045119 litre	99,523 %	0,004685659128 litre	O
50	CM 2,5	CM 4,8 LEVEL CM	0,968575531921 litre	98,658 %	0,013172172326 litre	O
50	CM 2,5	CM 4,7 LEVEL CM	0,957698552723 litre	97,550 %	0,024049151524 litre	O
50	CM 2,5	CM 4,6 LEVEL CM	0,944953788760 litre	96,252 %	0,036793915487 litre	O
50	CM 2,5	CM 4,5 LEVEL CM	0,930653607749 litre	94,796 %	0,051094096498 litre	O
50	CM 2,5	CM 4,4 LEVEL CM	0,915015930254 litre	93,203 %	0,066731773993 litre	O
50	CM 2,5	CM 4,3 LEVEL CM	0,898206240946 litre	91,491 %	0,083541463301 litre	O
50	CM 2,5	CM 4,2 LEVEL CM	0,880357249083 litre	89,672 %	0,101390455164 litre	O
50	CM 2,5	CM 4,1 LEVEL CM	0,861579541830 litre	87,760 %	0,120168162417 litre	O
50	CM 2,5	CM 4 LEVEL CM	0,841967948621 litre	85,762 %	0,139779755626 litre	O
50	CM 2,5	CM 3,9 LEVEL CM	0,821605620864 litre	83,688 %	0,160142083383 litre	O
50	CM 2,5	CM 3,8 LEVEL CM	0,800566791492 litre	81,545 %	0,181180912755 litre	O
50	CM 2,5	CM 3,7 LEVEL CM	0,778918722947 litre	79,340 %	0,202828981300 litre	O
50	CM 2,5	CM 3,6 LEVEL CM	0,756723131323 litre	77,079 %	0,225024572924 litre	O
50	CM 2,5	CM 3,5 LEVEL CM	0,734037258893 litre	74,768 %	0,247710445354 litre	O
50	CM 2,5	CM 3,4 LEVEL CM	0,710914702930 litre	72,413 %	0,270833001317 litre	O
50	CM 2,5	CM 3,3 LEVEL CM	0,687406071162 litre	70,019 %	0,294341633085 litre	O
50	CM 2,5	CM 3,2 LEVEL CM	0,663559511251 litre	67,590 %	0,318188192996 litre	O
50	CM 2,5	CM 3,1 LEVEL CM	0,639421147170 litre	65,131 %	0,342326557077 litre	O
50	CM 2,5	CM 3 LEVEL CM	0,615035445940 litre	62,647 %	0,366712258307 litre	O
50	CM 2,5	CM 2,9 LEVEL CM	0,590445531888 litre	60,142 %	0,391302172359 litre	O
50	CM 2,5	CM 2,8 LEVEL CM	0,565693461310 litre	57,621 %	0,416054242937 litre	O
50	CM 2,5	CM 2,7 LEVEL CM	0,540820467473 litre	55,088 %	0,440927236774 litre	O
50	CM 2,5	CM 2,6 LEVEL CM	0,515867183856 litre	52,546 %	0,465880520391 litre	O
50	CM 2,5	CM 2,5 LEVEL CM	0,490873852123 litre	50,000 %	0,490873852124 litre	O
50	CM 2,5	CM 2,4 LEVEL CM	0,465880520391 litre	47,454 %	0,515867183856 litre	O
50	CM 2,5	CM 2,3 LEVEL CM	0,440927236774 litre	44,912 %	0,540820467473 litre	O
50	CM 2,5	CM 2,2 LEVEL CM	0,416054242937 litre	42,379 %	0,565693461310 litre	O
50	CM 2,5	CM 2,1 LEVEL CM	0,391302172359 litre	39,858 %	0,590445531888 litre	O
50	CM 2,5	CM 2 LEVEL CM	0,366712258307 litre	37,353 %	0,615035445940 litre	O
50	CM 2,5	CM 1,9 LEVEL CM	0,342326557077 litre	34,869 %	0,639421147170 litre	O
50	CM 2,5	CM 1,8 LEVEL CM	0,318188192996 litre	32,410 %	0,663559511251 litre	O
50	CM 2,5	CM 1,7 LEVEL CM	0,294341633085 litre	29,981 %	0,687406071162 litre	O
50	CM 2,5	CM 1,6 LEVEL CM	0,270833001317 litre	27,587 %	0,710914702930 litre	O
50	CM 2,5	CM 1,5 LEVEL CM	0,247710445353 litre	25,232 %	0,734037258894 litre	O
50	CM 2,5	CM 1,4 LEVEL CM	0,225024572924 litre	22,921 %	0,756723131323 litre	O
50	CM 2,5	CM 1,3 LEVEL CM	0,202828981300 litre	20,660 %	0,778918722947 litre	O
50	CM 2,5	CM 1,2 LEVEL CM	0,181180912755 litre	18,455 %	0,800566791492 litre	O
50	CM 2,5	CM 1,1 LEVEL CM	0,160142083383 litre	16,312 %	0,821605620864 litre	O
50	CM 2,5	CM 1 LEVEL CM	0,139779755626 litre	14,238 %	0,841967948621 litre	O
50	CM 2,5	CM 0,9 LEVEL CM	0,120168162417 litre	12,240 %	0,861579541830 litre	O
50	CM 2,5	CM 0,8 LEVEL CM	0,101390455164 litre	10,328 %	0,880357249083 litre	O
50	CM 2,5	CM 0,7 LEVEL CM	0,083541463301 litre	8,509 %	0,898206240946 litre	O
50	CM 2,5	CM 0,6 LEVEL CM	0,066731773993 litre	6,797 %	0,915015930254 litre	O
50	CM 2,5	CM 0,5 LEVEL CM	0,051094096498 litre	5,204 %	0,930653607749 litre	O
50	CM 2,5	CM 0,4 LEVEL CM	0,036793915487 litre	3,748 %	0,944953788760 litre	O
50	CM 2,5	CM 0,3 LEVEL CM	0,024049151524 litre	2,450 %	0,957698552723 litre	O
50	CM 2,5	CM 0,2 LEVEL CM	0,013172172326 litre	1,342 %	0,968575531921 litre	O
50	CM 2,5	CM 0,1 LEVEL CM	0,004685659128 litre	0,477 %	0,977062045119 litre	O
50	CM 2,5	CM 0 LEVEL CM	0,000000000000 litre	0,000 %	0,981747704247 litre	O

APPENDIX A

I did the calculations using the following formula:

$$V_{\text{segment}} = \frac{(\pi R^2 (\arccos((H/R)-1))^2) - (0,5 R^2 \sin((\arccos((H/R)-1))^2))}{360} + \frac{\pi R^2 L}{1000}$$


R= radius cylinder in cm
H= height liquid level in cm
L= length of cylinder in cm

Vsegment = in litre


$$\frac{(\pi \cdot R^2 \cdot (\arccos((H/R)-1))^2) - (0,5 \cdot R^2 \cdot \sin((\arccos((H/R)-1))^2))}{360}$$




Area occupied by the liquid on the circular end of the cylinder




$$\frac{\pi \cdot R^2 \cdot L}{1000}$$



Area occupied by 1 litre of liquid on the circular end of the cylinder




$$\frac{(\pi \cdot R \cdot R \cdot (\arccos((H/R)-1))^2)}{360}$$




V

Area of the circular sector






$$(0,5 \cdot R \cdot R \cdot \sin((\arccos((H/R)-1))^2))$$



V


Area triangle A-B-C





$$\frac{(\text{ARCCOS}-((H/R)-1))*2}{V}$$

Top angle A of the triangle A-B-C



APPENDIX B

Practical example of a fuel tank of length 460 cm and radius 60 cm

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM	60	CM 120 LEVEL CM	5202,4774 litre	100,000 %	0,0000 litre	O
460	CM	60	CM 119,5 LEVEL CM	5200,1050 litre	99,954 %	2,3724 litre	O
460	CM	60	CM 119 LEVEL CM	5195,7755 litre	99,871 %	6,7019 litre	O
460	CM	60	CM 118,5 LEVEL CM	5190,1807 litre	99,764 %	12,2967 litre	O
460	CM	60	CM 118 LEVEL CM	5183,5693 litre	99,637 %	18,9081 litre	O
460	CM	60	CM 117,5 LEVEL CM	5176,0859 litre	99,493 %	26,3915 litre	O
460	CM	60	CM 117 LEVEL CM	5167,8289 litre	99,334 %	34,6485 litre	O
460	CM	60	CM 116,5 LEVEL CM	5158,8708 litre	99,162 %	43,6066 litre	O
460	CM	60	CM 116 LEVEL CM	5149,2683 litre	98,977 %	53,2091 litre	O
460	CM	60	CM 115,5 LEVEL CM	5139,0673 litre	98,781 %	63,4101 litre	O
460	CM	60	CM 115 LEVEL CM	5128,3058 litre	98,574 %	74,1716 litre	O
460	CM	60	CM 114,5 LEVEL CM	5117,0165 litre	98,357 %	85,4609 litre	O
460	CM	60	CM 114 LEVEL CM	5105,2273 litre	98,131 %	97,2501 litre	O
460	CM	60	CM 113,5 LEVEL CM	5092,9631 litre	97,895 %	109,5143 litre	O
460	CM	60	CM 113 LEVEL CM	5080,2456 litre	97,651 %	122,2318 litre	O
460	CM	60	CM 112,5 LEVEL CM	5067,0945 litre	97,398 %	135,3829 litre	O
460	CM	60	CM 112 LEVEL CM	5053,5276 litre	97,137 %	148,9498 litre	O
460	CM	60	CM 111,5 LEVEL CM	5039,5611 litre	96,868 %	162,9163 litre	O
460	CM	60	CM 111 LEVEL CM	5025,2097 litre	96,593 %	177,2677 litre	O
460	CM	60	CM 110,5 LEVEL CM	5010,4871 litre	96,310 %	191,9903 litre	O
460	CM	60	CM 110 LEVEL CM	4995,4059 litre	96,020 %	207,0715 litre	O
460	CM	60	CM 109,5 LEVEL CM	4979,9779 litre	95,723 %	222,4995 litre	O
460	CM	60	CM 109 LEVEL CM	4964,2141 litre	95,420 %	238,2633 litre	O
460	CM	60	CM 108,5 LEVEL CM	4948,1248 litre	95,111 %	254,3526 litre	O
460	CM	60	CM 108 LEVEL CM	4931,7196 litre	94,796 %	270,7578 litre	O
460	CM	60	CM 107,5 LEVEL CM	4915,0077 litre	94,474 %	287,4697 litre	O
460	CM	60	CM 107 LEVEL CM	4897,9978 litre	94,147 %	304,4796 litre	O
460	CM	60	CM 106,5 LEVEL CM	4880,6980 litre	93,815 %	321,7794 litre	O
460	CM	60	CM 106 LEVEL CM	4863,1161 litre	93,477 %	339,3613 litre	O
460	CM	60	CM 105,5 LEVEL CM	4845,2595 litre	93,134 %	357,2179 litre	O
460	CM	60	CM 105 LEVEL CM	4827,1353 litre	92,785 %	375,3421 litre	O
460	CM	60	CM 104,5 LEVEL CM	4808,7503 litre	92,432 %	393,7271 litre	O
460	CM	60	CM 104 LEVEL CM	4790,1110 litre	92,074 %	412,3664 litre	O
460	CM	60	CM 103,5 LEVEL CM	4771,2236 litre	91,711 %	431,2538 litre	O
460	CM	60	CM 103 LEVEL CM	4752,0940 litre	91,343 %	450,3834 litre	O
460	CM	60	CM 102,5 LEVEL CM	4732,7281 litre	90,971 %	469,7493 litre	O
460	CM	60	CM 102 LEVEL CM	4713,1314 litre	90,594 %	489,3460 litre	O
460	CM	60	CM 101,5 LEVEL CM	4693,3092 litre	90,213 %	509,1682 litre	O
460	CM	60	CM 101 LEVEL CM	4673,2667 litre	89,828 %	529,2107 litre	O
460	CM	60	CM 100,5 LEVEL CM	4653,0089 litre	89,438 %	549,4685 litre	O
460	CM	60	CM 100 LEVEL CM	4632,5407 litre	89,045 %	569,9367 litre	O
460	CM	60	CM 99,5 LEVEL CM	4611,8668 litre	88,648 %	590,6106 litre	O
460	CM	60	CM 99 LEVEL CM	4590,9917 litre	88,246 %	611,4857 litre	O
460	CM	60	CM 98,5 LEVEL CM	4569,9199 litre	87,841 %	632,5575 litre	O
460	CM	60	CM 98 LEVEL CM	4548,6556 litre	87,432 %	653,8218 litre	O
460	CM	60	CM 97,5 LEVEL CM	4527,2032 litre	87,020 %	675,2742 litre	O
460	CM	60	CM 97 LEVEL CM	4505,5665 litre	86,604 %	696,9109 litre	O
460	CM	60	CM 96,5 LEVEL CM	4483,7497 litre	86,185 %	718,7277 litre	O
460	CM	60	CM 96 LEVEL CM	4461,7566 litre	85,762 %	740,7208 litre	O
460	CM	60	CM 95,5 LEVEL CM	4439,5909 litre	85,336 %	762,8865 litre	O
460	CM	60	CM 95 LEVEL CM	4417,2565 litre	84,907 %	785,2209 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM	60	CM 94,5 LEVEL CM	4394,7569 litre	84,474 %	807,7205 litre	O
460	CM	60	CM 94 LEVEL CM	4372,0956 litre	84,039 %	830,3818 litre	O
460	CM	60	CM 93,5 LEVEL CM	4349,2761 litre	83,600 %	853,2013 litre	O
460	CM	60	CM 93 LEVEL CM	4326,3019 litre	83,158 %	876,1755 litre	O
460	CM	60	CM 92,5 LEVEL CM	4303,1761 litre	82,714 %	899,3013 litre	O
460	CM	60	CM 92 LEVEL CM	4279,9022 litre	82,267 %	922,5752 litre	O
460	CM	60	CM 91,5 LEVEL CM	4256,4832 litre	81,816 %	945,9942 litre	O
460	CM	60	CM 91 LEVEL CM	4232,9224 litre	81,364 %	969,5550 litre	O
460	CM	60	CM 90,5 LEVEL CM	4209,2227 litre	80,908 %	993,2547 litre	O
460	CM	60	CM 90 LEVEL CM	4185,3873 litre	80,450 %	1017,0901 litre	O
460	CM	60	CM 89,5 LEVEL CM	4161,4191 litre	79,989 %	1041,0583 litre	O
460	CM	60	CM 89 LEVEL CM	4137,3210 litre	79,526 %	1065,1564 litre	O
460	CM	60	CM 88,5 LEVEL CM	4113,0960 litre	79,060 %	1089,3814 litre	O
460	CM	60	CM 88 LEVEL CM	4088,7468 litre	78,592 %	1113,7306 litre	O
460	CM	60	CM 87,5 LEVEL CM	4064,2762 litre	78,122 %	1138,2012 litre	O
460	CM	60	CM 87 LEVEL CM	4039,6870 litre	77,649 %	1162,7904 litre	O
460	CM	60	CM 86,5 LEVEL CM	4014,9819 litre	77,174 %	1187,4955 litre	O
460	CM	60	CM 86 LEVEL CM	3990,1636 litre	76,697 %	1212,3138 litre	O
460	CM	60	CM 85,5 LEVEL CM	3965,2347 litre	76,218 %	1237,2427 litre	O
460	CM	60	CM 85 LEVEL CM	3940,1978 litre	75,737 %	1262,2796 litre	O
460	CM	60	CM 84,5 LEVEL CM	3915,0555 litre	75,254 %	1287,4219 litre	O
460	CM	60	CM 84 LEVEL CM	3889,8102 litre	74,768 %	1312,6672 litre	O
460	CM	60	CM 83,5 LEVEL CM	3864,4646 litre	74,281 %	1338,0128 litre	O
460	CM	60	CM 83 LEVEL CM	3839,0211 litre	73,792 %	1363,4563 litre	O
460	CM	60	CM 82,5 LEVEL CM	3813,4822 litre	73,301 %	1388,9952 litre	O
460	CM	60	CM 82 LEVEL CM	3787,8502 litre	72,809 %	1414,6272 litre	O
460	CM	60	CM 81,5 LEVEL CM	3762,1275 litre	72,314 %	1440,3499 litre	O
460	CM	60	CM 81 LEVEL CM	3736,3166 litre	71,818 %	1466,1608 litre	O
460	CM	60	CM 80,5 LEVEL CM	3710,4197 litre	71,320 %	1492,0577 litre	O
460	CM	60	CM 80 LEVEL CM	3684,4392 litre	70,821 %	1518,0382 litre	O
460	CM	60	CM 79,5 LEVEL CM	3658,3774 litre	70,320 %	1544,1000 litre	O
460	CM	60	CM 79 LEVEL CM	3632,2366 litre	69,817 %	1570,2408 litre	O
460	CM	60	CM 78,5 LEVEL CM	3606,0189 litre	69,313 %	1596,4585 litre	O
460	CM	60	CM 78 LEVEL CM	3579,7267 litre	68,808 %	1622,7507 litre	O
460	CM	60	CM 77,5 LEVEL CM	3553,3622 litre	68,301 %	1649,1152 litre	O
460	CM	60	CM 77 LEVEL CM	3526,9276 litre	67,793 %	1675,5498 litre	O
460	CM	60	CM 76,5 LEVEL CM	3500,4250 litre	67,284 %	1702,0524 litre	O
460	CM	60	CM 76 LEVEL CM	3473,8566 litre	66,773 %	1728,6208 litre	O
460	CM	60	CM 75,5 LEVEL CM	3447,2245 litre	66,261 %	1755,2529 litre	O
460	CM	60	CM 75 LEVEL CM	3420,5310 litre	65,748 %	1781,9464 litre	O
460	CM	60	CM 74,5 LEVEL CM	3393,7781 litre	65,234 %	1808,6993 litre	O
460	CM	60	CM 74 LEVEL CM	3366,9679 litre	64,719 %	1835,5095 litre	O
460	CM	60	CM 73,5 LEVEL CM	3340,1025 litre	64,202 %	1862,3749 litre	O
460	CM	60	CM 73 LEVEL CM	3313,1839 litre	63,685 %	1889,2935 litre	O
460	CM	60	CM 72,5 LEVEL CM	3286,2144 litre	63,166 %	1916,2630 litre	O
460	CM	60	CM 72 LEVEL CM	3259,1958 litre	62,647 %	1943,2816 litre	O
460	CM	60	CM 71,5 LEVEL CM	3232,1303 litre	62,127 %	1970,3471 litre	O
460	CM	60	CM 71 LEVEL CM	3205,0199 litre	61,606 %	1997,4575 litre	O
460	CM	60	CM 70,5 LEVEL CM	3177,8666 litre	61,084 %	2024,6108 litre	O
460	CM	60	CM 70 LEVEL CM	3150,6724 litre	60,561 %	2051,8050 litre	O
460	CM	60	CM 69,5 LEVEL CM	3123,4393 litre	60,038 %	2079,0381 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM	60	CM 69 LEVEL CM	3096,1694 litre	59,513 %	2106,3080 litre	O
460	CM	60	CM 68,5 LEVEL CM	3068,8645 litre	58,989 %	2133,6129 litre	O
460	CM	60	CM 68 LEVEL CM	3041,5268 litre	58,463 %	2160,9506 litre	O
460	CM	60	CM 67,5 LEVEL CM	3014,1581 litre	57,937 %	2188,3193 litre	O
460	CM	60	CM 67 LEVEL CM	2986,7604 litre	57,410 %	2215,7170 litre	O
460	CM	60	CM 66,5 LEVEL CM	2959,3357 litre	56,883 %	2243,1417 litre	O
460	CM	60	CM 66 LEVEL CM	2931,8859 litre	56,356 %	2270,5915 litre	O
460	CM	60	CM 65,5 LEVEL CM	2904,4130 litre	55,827 %	2298,0644 litre	O
460	CM	60	CM 65 LEVEL CM	2876,9189 litre	55,299 %	2325,5585 litre	O
460	CM	60	CM 64,5 LEVEL CM	2849,4056 litre	54,770 %	2353,0718 litre	O
460	CM	60	CM 64 LEVEL CM	2821,8751 litre	54,241 %	2380,6023 litre	O
460	CM	60	CM 63,5 LEVEL CM	2794,3291 litre	53,712 %	2408,1483 litre	O
460	CM	60	CM 63 LEVEL CM	2766,7697 litre	53,182 %	2435,7077 litre	O
460	CM	60	CM 62,5 LEVEL CM	2739,1988 litre	52,652 %	2463,2786 litre	O
460	CM	60	CM 62 LEVEL CM	2711,6183 litre	52,122 %	2490,8591 litre	O
460	CM	60	CM 61,5 LEVEL CM	2684,0301 litre	51,591 %	2518,4473 litre	O
460	CM	60	CM 61 LEVEL CM	2656,4362 litre	51,061 %	2546,0412 litre	O
460	CM	60	CM 60,5 LEVEL CM	2628,8384 litre	50,531 %	2573,6390 litre	O
460	CM	60	CM 60 LEVEL CM	2601,2387 litre	50,000 %	2601,2387 litre	O
460	CM	60	CM 59,5 LEVEL CM	2573,6390 litre	49,469 %	2628,8384 litre	O
460	CM	60	CM 59 LEVEL CM	2546,0413 litre	48,939 %	2656,4361 litre	O
460	CM	60	CM 58,5 LEVEL CM	2518,4473 litre	48,409 %	2684,0301 litre	O
460	CM	60	CM 58 LEVEL CM	2490,8592 litre	47,878 %	2711,6182 litre	O
460	CM	60	CM 57,5 LEVEL CM	2463,2787 litre	47,348 %	2739,1987 litre	O
460	CM	60	CM 57 LEVEL CM	2435,7077 litre	46,818 %	2766,7697 litre	O
460	CM	60	CM 56,5 LEVEL CM	2408,1483 litre	46,288 %	2794,3291 litre	O
460	CM	60	CM 56 LEVEL CM	2380,6024 litre	45,759 %	2821,8750 litre	O
460	CM	60	CM 55,5 LEVEL CM	2353,0718 litre	45,230 %	2849,4056 litre	O
460	CM	60	CM 55 LEVEL CM	2325,5585 litre	44,701 %	2876,9189 litre	O
460	CM	60	CM 54,5 LEVEL CM	2298,0644 litre	44,173 %	2904,4130 litre	O
460	CM	60	CM 54 LEVEL CM	2270,5915 litre	43,644 %	2931,8859 litre	O
460	CM	60	CM 53,5 LEVEL CM	2243,1418 litre	43,117 %	2959,3356 litre	O
460	CM	60	CM 53 LEVEL CM	2215,7171 litre	42,590 %	2986,7603 litre	O
460	CM	60	CM 52,5 LEVEL CM	2188,3194 litre	42,063 %	3014,1580 litre	O
460	CM	60	CM 52 LEVEL CM	2160,9507 litre	41,537 %	3041,5267 litre	O
460	CM	60	CM 51,5 LEVEL CM	2133,6129 litre	41,011 %	3068,8645 litre	O
460	CM	60	CM 51 LEVEL CM	2106,3081 litre	40,487 %	3096,1693 litre	O
460	CM	60	CM 50,5 LEVEL CM	2079,0381 litre	39,962 %	3123,4393 litre	O
460	CM	60	CM 50 LEVEL CM	2051,8050 litre	39,439 %	3150,6724 litre	O
460	CM	60	CM 49,5 LEVEL CM	2024,6108 litre	38,916 %	3177,8666 litre	O
460	CM	60	CM 49 LEVEL CM	1997,4575 litre	38,394 %	3205,0199 litre	O
460	CM	60	CM 48,5 LEVEL CM	1970,3471 litre	37,873 %	3232,1303 litre	O
460	CM	60	CM 48 LEVEL CM	1943,2816 litre	37,353 %	3259,1958 litre	O
460	CM	60	CM 47,5 LEVEL CM	1916,2630 litre	36,834 %	3286,2144 litre	O
460	CM	60	CM 47 LEVEL CM	1889,2935 litre	36,315 %	3313,1839 litre	O
460	CM	60	CM 46,5 LEVEL CM	1862,3750 litre	35,798 %	3340,1024 litre	O
460	CM	60	CM 46 LEVEL CM	1835,5096 litre	35,281 %	3366,9678 litre	O
460	CM	60	CM 45,5 LEVEL CM	1808,6994 litre	34,766 %	3393,7780 litre	O
460	CM	60	CM 45 LEVEL CM	1781,9464 litre	34,252 %	3420,5310 litre	O
460	CM	60	CM 44,5 LEVEL CM	1755,2529 litre	33,739 %	3447,2245 litre	O
460	CM	60	CM 44 LEVEL CM	1728,6209 litre	33,227 %	3473,8565 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM	60	CM 43,5 LEVEL CM	1702,0525 litre	32,716 %	3500,4249 litre	O
460	CM	60	CM 43 LEVEL CM	1675,5499 litre	32,207 %	3526,9275 litre	O
460	CM	60	CM 42,5 LEVEL CM	1649,1152 litre	31,699 %	3553,3622 litre	O
460	CM	60	CM 42 LEVEL CM	1622,7507 litre	31,192 %	3579,7267 litre	O
460	CM	60	CM 41,5 LEVEL CM	1596,4585 litre	30,687 %	3606,0189 litre	O
460	CM	60	CM 41 LEVEL CM	1570,2409 litre	30,183 %	3632,2365 litre	O
460	CM	60	CM 40,5 LEVEL CM	1544,1000 litre	29,680 %	3658,3774 litre	O
460	CM	60	CM 40 LEVEL CM	1518,0382 litre	29,179 %	3684,4392 litre	O
460	CM	60	CM 39,5 LEVEL CM	1492,0577 litre	28,680 %	3710,4197 litre	O
460	CM	60	CM 39 LEVEL CM	1466,1608 litre	28,182 %	3736,3166 litre	O
460	CM	60	CM 38,5 LEVEL CM	1440,3499 litre	27,686 %	3762,1275 litre	O
460	CM	60	CM 38 LEVEL CM	1414,6273 litre	27,191 %	3787,8501 litre	O
460	CM	60	CM 37,5 LEVEL CM	1388,9953 litre	26,699 %	3813,4821 litre	O
460	CM	60	CM 37 LEVEL CM	1363,4563 litre	26,208 %	3839,0211 litre	O
460	CM	60	CM 36,5 LEVEL CM	1338,0128 litre	25,719 %	3864,4646 litre	O
460	CM	60	CM 36 LEVEL CM	1312,6672 litre	25,232 %	3889,8102 litre	O
460	CM	60	CM 35,5 LEVEL CM	1287,4220 litre	24,746 %	3915,0554 litre	O
460	CM	60	CM 35 LEVEL CM	1262,2797 litre	24,263 %	3940,1977 litre	O
460	CM	60	CM 34,5 LEVEL CM	1237,2428 litre	23,782 %	3965,2346 litre	O
460	CM	60	CM 34 LEVEL CM	1212,3138 litre	23,303 %	3990,1636 litre	O
460	CM	60	CM 33,5 LEVEL CM	1187,4955 litre	22,826 %	4014,9819 litre	O
460	CM	60	CM 33 LEVEL CM	1162,7904 litre	22,351 %	4039,6870 litre	O
460	CM	60	CM 32,5 LEVEL CM	1138,2012 litre	21,878 %	4064,2762 litre	O
460	CM	60	CM 32 LEVEL CM	1113,7307 litre	21,408 %	4088,7467 litre	O
460	CM	60	CM 31,5 LEVEL CM	1089,3815 litre	20,940 %	4113,0959 litre	O
460	CM	60	CM 31 LEVEL CM	1065,1564 litre	20,474 %	4137,3210 litre	O
460	CM	60	CM 30,5 LEVEL CM	1041,0583 litre	20,011 %	4161,4191 litre	O
460	CM	60	CM 30 LEVEL CM	1017,0901 litre	19,550 %	4185,3873 litre	O
460	CM	60	CM 29,5 LEVEL CM	993,2547 litre	19,092 %	4209,2227 litre	O
460	CM	60	CM 29 LEVEL CM	969,5551 litre	18,636 %	4232,9223 litre	O
460	CM	60	CM 28,5 LEVEL CM	945,9942 litre	18,184 %	4256,4832 litre	O
460	CM	60	CM 28 LEVEL CM	922,5753 litre	17,733 %	4279,9021 litre	O
460	CM	60	CM 27,5 LEVEL CM	899,3013 litre	17,286 %	4303,1761 litre	O
460	CM	60	CM 27 LEVEL CM	876,1756 litre	16,842 %	4326,3018 litre	O
460	CM	60	CM 26,5 LEVEL CM	853,2013 litre	16,400 %	4349,2761 litre	O
460	CM	60	CM 26 LEVEL CM	830,3818 litre	15,961 %	4372,0956 litre	O
460	CM	60	CM 25,5 LEVEL CM	807,7206 litre	15,526 %	4394,7568 litre	O
460	CM	60	CM 25 LEVEL CM	785,2209 litre	15,093 %	4417,2565 litre	O
460	CM	60	CM 24,5 LEVEL CM	762,8865 litre	14,664 %	4439,5909 litre	O
460	CM	60	CM 24 LEVEL CM	740,7209 litre	14,238 %	4461,7565 litre	O
460	CM	60	CM 23,5 LEVEL CM	718,7278 litre	13,815 %	4483,7496 litre	O
460	CM	60	CM 23 LEVEL CM	696,9109 litre	13,396 %	4505,5665 litre	O
460	CM	60	CM 22,5 LEVEL CM	675,2743 litre	12,980 %	4527,2031 litre	O
460	CM	60	CM 22 LEVEL CM	653,8218 litre	12,568 %	4548,6556 litre	O
460	CM	60	CM 21,5 LEVEL CM	632,5575 litre	12,159 %	4569,9199 litre	O
460	CM	60	CM 21 LEVEL CM	611,4857 litre	11,754 %	4590,9917 litre	O
460	CM	60	CM 20,5 LEVEL CM	590,6106 litre	11,352 %	4611,8668 litre	O
460	CM	60	CM 20 LEVEL CM	569,9367 litre	10,955 %	4632,5407 litre	O
460	CM	60	CM 19,5 LEVEL CM	549,4685 litre	10,562 %	4653,0089 litre	O
460	CM	60	CM 19 LEVEL CM	529,2108 litre	10,172 %	4673,2666 litre	O
460	CM	60	CM 18,5 LEVEL CM	509,1683 litre	9,787 %	4693,3091 litre	O

LENGTH	RADIUS		LEVEL	VOL. IN LITRE	% VOL.	VOL. AIR	
460	CM	60	CM 18 LEVEL CM	489,3461 litre	9,406 %	4713,1313 litre	O
460	CM	60	CM 17,5 LEVEL CM	469,7493 litre	9,029 %	4732,7281 litre	O
460	CM	60	CM 17 LEVEL CM	450,3834 litre	8,657 %	4752,0940 litre	O
460	CM	60	CM 16,5 LEVEL CM	431,2539 litre	8,289 %	4771,2235 litre	O
460	CM	60	CM 16 LEVEL CM	412,3664 litre	7,926 %	4790,1110 litre	O
460	CM	60	CM 15,5 LEVEL CM	393,7271 litre	7,568 %	4808,7503 litre	O
460	CM	60	CM 15 LEVEL CM	375,3421 litre	7,215 %	4827,1353 litre	O
460	CM	60	CM 14,5 LEVEL CM	357,2180 litre	6,866 %	4845,2594 litre	O
460	CM	60	CM 14 LEVEL CM	339,3614 litre	6,523 %	4863,1160 litre	O
460	CM	60	CM 13,5 LEVEL CM	321,7795 litre	6,185 %	4880,6979 litre	O
460	CM	60	CM 13 LEVEL CM	304,4797 litre	5,853 %	4897,9977 litre	O
460	CM	60	CM 12,5 LEVEL CM	287,4697 litre	5,526 %	4915,0077 litre	O
460	CM	60	CM 12 LEVEL CM	270,7578 litre	5,204 %	4931,7196 litre	O
460	CM	60	CM 11,5 LEVEL CM	254,3527 litre	4,889 %	4948,1247 litre	O
460	CM	60	CM 11 LEVEL CM	238,2633 litre	4,580 %	4964,2141 litre	O
460	CM	60	CM 10,5 LEVEL CM	222,4995 litre	4,277 %	4979,9779 litre	O
460	CM	60	CM 10 LEVEL CM	207,0716 litre	3,980 %	4995,4058 litre	O
460	CM	60	CM 9,5 LEVEL CM	191,9904 litre	3,690 %	5010,4870 litre	O
460	CM	60	CM 9 LEVEL CM	177,2678 litre	3,407 %	5025,2096 litre	O
460	CM	60	CM 8,5 LEVEL CM	162,9163 litre	3,132 %	5039,5611 litre	O
460	CM	60	CM 8 LEVEL CM	148,9498 litre	2,863 %	5053,5276 litre	O
460	CM	60	CM 7,5 LEVEL CM	135,3829 litre	2,602 %	5067,0945 litre	O
460	CM	60	CM 7 LEVEL CM	122,2318 litre	2,349 %	5080,2456 litre	O
460	CM	60	CM 6,5 LEVEL CM	109,5144 litre	2,105 %	5092,9630 litre	O
460	CM	60	CM 6 LEVEL CM	97,2501 litre	1,869 %	5105,2273 litre	O
460	CM	60	CM 5,5 LEVEL CM	85,4610 litre	1,643 %	5117,0164 litre	O
460	CM	60	CM 5 LEVEL CM	74,1716 litre	1,426 %	5128,3058 litre	O
460	CM	60	CM 4,5 LEVEL CM	63,4102 litre	1,219 %	5139,0672 litre	O
460	CM	60	CM 4 LEVEL CM	53,2091 litre	1,023 %	5149,2683 litre	O
460	CM	60	CM 3,5 LEVEL CM	43,6066 litre	0,838 %	5158,8708 litre	O
460	CM	60	CM 3 LEVEL CM	34,6485 litre	0,666 %	5167,8289 litre	O
460	CM	60	CM 2,5 LEVEL CM	26,3915 litre	0,507 %	5176,0859 litre	O
460	CM	60	CM 2 LEVEL CM	18,9081 litre	0,363 %	5183,5693 litre	O
460	CM	60	CM 1,5 LEVEL CM	12,2967 litre	0,236 %	5190,1807 litre	O
460	CM	60	CM 1 LEVEL CM	6,7019 litre	0,129 %	5195,7755 litre	O
460	CM	60	CM 0,5 LEVEL CM	2,3725 litre	0,046 %	5200,1049 litre	O
460	CM	60	CM 0 LEVEL CM	0,0000 litre	0,000 %	5202,4774 litre	O

APPENDIX C

Cylinders & pi

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
1 cm	2 cm	0,00314159265358979 litre
10 cm	2 cm	0,0314159265358979 litre
100 cm	2 cm	0,314159265358979 litre
1000 cm	2 cm	3,14159265358979 litre
10000 cm	2 cm	31,4159265358979 litre
100000 cm	2 cm	314,159265358979 litre
1000000 cm	2 cm	3141,59265358979 litre
10000000 cm	2 cm	31415,9265358979 litre
100000000 cm	2 cm	314159,265358979 litre
1000000000 cm	2 cm	3141592,65358979 litre
10000000000 cm	2 cm	31415926,5358979 litre
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10
X 10	X 1	X 10

Cylinders & pi

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
15,625 cm	16 cm	3,14159265358979 litre
62,5 cm	8 cm	3,14159265358979 litre
250 cm	4 cm	3,14159265358979 litre
1000 cm	2 cm	3,14159265358979 litre
4000 cm	1 cm	3,14159265358979 litre
16000 cm	0,5 cm	3,14159265358979 litre
64000 cm	0,25 cm	3,14159265358979 litre
256000 cm	0,125 cm	3,14159265358979 litre
1024000 cm	0,0625 cm	3,14159265358979 litre
4096000 cm	0,03125 cm	3,14159265358979 litre
16384000 cm	0,015625 cm	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre
X 4	/ 2	3,14159265358979 litre

Equal volume when changing cylinder dimensions

For any given right circular cylinder total volume stays equal when:

* multiplying length by four AND dividing diameter by two

OR


* dividing length by four AND multiplying diameter by two

APPENDIX D

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $10^{\wedge-n} \dots 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:



Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

$$3,14159265358979 = \pi$$

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
1 cm	1 cm	0,000785398163397448 litre ($B \cdot 10^{\wedge -18}$)
10 cm	10 cm	0,785398163397448 litre ($B \cdot 10^{\wedge -15}$)
100 cm	100 cm	785,398163397448 litre ($B \cdot 10^{\wedge -12}$)
1000 cm	1000 cm	785398,163397448 litre ($B \cdot 10^{\wedge -09}$)
10000 cm	10000 cm	785398163,397448 litre ($B \cdot 10^{\wedge -06}$)
100000 cm	100000 cm	785398163397,448 litre ($B \cdot 10^{\wedge -03}$)
1000000 cm	1000000 cm	785398163397448,??? litre ($B \cdot 10^{\wedge 00}$)
10000000 cm	10000000 cm	785398163397448???,? litre ($B \cdot 10^{\wedge +03}$)

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $2 \cdot 10^{\wedge-n} \dots 2 \cdot 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:

628 318 530 717 959 ???

Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

3,14159265358979 = pi

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
2 cm	2 cm	0,00628318530717959 litre
20 cm	20 cm	6,28318530717959 litre
200 cm	200 cm	6283,18530717959 litre
2000 cm	2000 cm	6283185,30717959 litre
20000 cm	20000 cm	6283185307,17959 litre
200000 cm	200000 cm	6283185307179,59 litre
2000000 cm	2000000 cm	628318530717959?,??? litre
20000000 cm	20000000 cm	628318530717959?????,? litre

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $3 \cdot 10^{\wedge-n} \dots 3 \cdot 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:

212 057 504 117 311 ???

Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

3,14159265358979 = pi

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
3 cm	3 cm	0,0212057504117311 litre
30 cm	30 cm	21,2057504117311 litre
300 cm	300 cm	21205,7504117311 litre
3000 cm	3000 cm	21205750,4117311 litre
30000 cm	30000 cm	21205750411,7311 litre
300000 cm	300000 cm	21205750411731,1 litre
3000000 cm	3000000 cm	212057504117311??,? litre
30000000 cm	30000000 cm	212057504117311?????,? litre

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $4 \cdot 10^{\wedge-n} \dots 4 \cdot 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:

502 654 824 574 367 ???

Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

3,14159265358979 = pi

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
4 cm	4 cm	0,0502654824574367 litre
40 cm	40 cm	50,2654824574367 litre
400 cm	400 cm	50265,4824574367 litre
4000 cm	4000 cm	50265482,4574367 litre
40000 cm	40000 cm	50265482457,4367 litre
400000 cm	400000 cm	50265482457436,7 litre
4000000 cm	4000000 cm	502654824574367??,? litre
40000000 cm	40000000 cm	502654824574367?????,? litre

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $5 \cdot 10^{\wedge-n} \dots 5 \cdot 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:

981 747 704 246 810 ???

Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

3,14159265358979 = pi

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
5 cm	5 cm	0,0981747704246810 litre
50 cm	50 cm	98,1747704246810 litre
500 cm	500 cm	98174,7704246810 litre
5000 cm	5000 cm	98174770,4246810 litre
50000 cm	50000 cm	98174770424,6810 litre
500000 cm	500000 cm	98174770424681,0 litre
5000000 cm	5000000 cm	981747704246810??,? litre
50000000 cm	50000000 cm	981747704246810?????,? litre

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $6 \cdot 10^{\wedge-n} \dots 6 \cdot 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:

169 646 003 293 849 ???

Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

3,14159265358979 = pi

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
6 cm	6 cm	0,169646003293849 litre
60 cm	60 cm	169,646003293849 litre
600 cm	600 cm	169646,003293849 litre
6000 cm	6000 cm	169646003,293849 litre
60000 cm	60000 cm	169646003293,849 litre
600000 cm	600000 cm	169646003293849,? litre
6000000 cm	6000000 cm	169646003293849????,? litre
60000000 cm	60000000 cm	169646003293849??????,? litre

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $7 \cdot 10^{\wedge-n} \dots 7 \cdot 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:

269 391 570 045 325 ???

Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

3,14159265358979 = pi

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
7 cm	7 cm	0,269391570045325 litre
70 cm	70 cm	269,391570045325 litre
700 cm	700 cm	269391,570045325 litre
7000 cm	7000 cm	269391570,045325 litre
70000 cm	70000 cm	269391570045,325 litre
700000 cm	700000 cm	269391570045325,? litre
7000000 cm	7000000 cm	269391570045325????,? litre
70000000 cm	70000000 cm	269391570045325??????,? litre

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $8 \cdot 10^{\wedge-n} \dots 8 \cdot 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:

402 123 859 659 494 ???

Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

3,14159265358979 = pi

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
8 cm	8 cm	0,402123859659494 litre
80 cm	80 cm	402,123859659494 litre
800 cm	800 cm	402123,859659494 litre
8000 cm	8000 cm	402123859,659494 litre
80000 cm	80000 cm	402123859659,494 litre
800000 cm	800000 cm	402123859659494,? litre
8000000 cm	8000000 cm	402123859659494????,? litre
80000000 cm	80000000 cm	402123859659494??????,? litre

Maximum volume of a cylinder inside a cube

The maximum volume of a cylinder inside a cube with edge $9 \cdot 10^{\wedge-n} \dots 9 \cdot 10^{\wedge n}$
 (n=integer)
 (edge in cm)
 (volume in litre)

is the number:

572 555 261 116 740 ???

Multiplied by $10^{\wedge-n} \dots 10^{\wedge n}$ (n=integer)

3,14159265358979 = pi

EXAMPLES

<u>LENGTH</u>	<u>DIAMETER</u>	<u>VOLUME</u>
9 cm	9 cm	0,572555261116740 litre
90 cm	90 cm	572,555261116740 litre
900 cm	900 cm	572555,261116740 litre
9000 cm	9000 cm	572555261,116740 litre
90000 cm	90000 cm	572555261116,740 litre
900000 cm	900000 cm	572555261116740,? litre
9000000 cm	9000000 cm	572555261116740????,? litre
90000000 cm	90000000 cm	572555261116740??????,? litre

Maximum volume of a cylinder inside a cube

Conclusion:

THE MAXIMUM VOLUME OF A CYLINDER INSIDE A RIGHT SQUARE PRISM IS FOUND WHEN MULTIPLYING LENGTH, WIDTH, HEIGHT AND:

785,398163397448?

LENGTH (meter)	X	WIDTH (meter)	X	HEIGHT (meter)	X	785,398163397448 (litre)
-------------------	---	------------------	---	-------------------	---	-----------------------------

EXAMPLES

RIGHT SQUARE PRISM

<u>LENGTH</u>	<u>WIDTH</u>	<u>HEIGHT</u>	<u>MAXIMUM VOLUME CYLINDER</u>
0,5356	0,1253	0,1253	6,604388183
0,6	0,1533	0,1533	11,07453351
0,76	0,1553	0,1553	14,39615073
0,845	0,167	0,167	18,50885413
1	1	1	785,3981634
2,22	0,88	0,88	1350,231390
6,5	3,2	3,2	52276,10176
12,35	3,25	3,25	102452,7360
22,5	6,1	6,1	657554,9774
118,35	12,67	12,67	14921461,87
200	16,7	16,7	43807938,76

RIGHT SQUARE PRISM

<u>LENGTH</u>	<u>WIDTH</u>	<u>HEIGHT</u>		<u>MAXIMUM VOLUME CYLINDER</u>		
1	1	1	meter	785,3981634	litre	O
1	0,9	0,9	meter	636,1725124	litre	O
1	0,8	0,8	meter	502,6548246	litre	O
1	0,7	0,7	meter	384,8451001	litre	O
1	0,6	0,6	meter	282,7433388	litre	O
1	0,5	0,5	meter	196,3495408	litre	O
1	0,4	0,4	meter	125,6637061	litre	O
1	0,3	0,3	meter	70,68583471	litre	O
1	0,2	0,2	meter	31,41592654	litre	O
1	0,1	0,1	meter	7,853981634	litre	O
1,1	1,1	1,1	meter	1045,364955	litre	O
1,1	1	1	meter	863,9379797	litre	O
1,1	0,9	0,9	meter	699,7897636	litre	O
1,1	0,8	0,8	meter	552,9203070	litre	O
1,1	0,7	0,7	meter	423,3296101	litre	O
1,1	0,6	0,6	meter	311,0176727	litre	O
1,1	0,5	0,5	meter	215,9844949	litre	O
1,1	0,4	0,4	meter	138,2300768	litre	O
1,1	0,3	0,3	meter	77,75441818	litre	O
1,1	0,2	0,2	meter	34,55751919	litre	O
1,1	0,1	0,1	meter	8,639379797	litre	O
1,2	1,2	1,2	meter	1357,168026	litre	O
1,2	1,1	1,1	meter	1140,398133	litre	O
1,2	1	1	meter	942,4777961	litre	O
1,2	0,9	0,9	meter	763,4070148	litre	O
1,2	0,8	0,8	meter	603,1857895	litre	O
1,2	0,7	0,7	meter	461,8141201	litre	O
1,2	0,6	0,6	meter	339,2920066	litre	O
1,2	0,5	0,5	meter	235,6194490	litre	O
1,2	0,4	0,4	meter	150,7964474	litre	O
1,2	0,3	0,3	meter	84,82300165	litre	O
1,2	0,2	0,2	meter	37,69911184	litre	O
1,2	0,1	0,1	meter	9,424777961	litre	O
1,3	1,3	1,3	meter	1725,519765	litre	O
1,3	1,2	1,2	meter	1470,265362	litre	O
1,3	1,1	1,1	meter	1235,431311	litre	O
1,3	1	1	meter	1021,017612	litre	O
1,3	0,9	0,9	meter	827,0242661	litre	O
1,3	0,8	0,8	meter	653,4512719	litre	O
1,3	0,7	0,7	meter	500,2986301	litre	O
1,3	0,6	0,6	meter	367,5663405	litre	O
1,3	0,5	0,5	meter	255,2544031	litre	O
1,3	0,4	0,4	meter	163,3628180	litre	O
1,3	0,3	0,3	meter	91,89158512	litre	O
1,3	0,2	0,2	meter	40,84070450	litre	O

1,3	0,1	0,1	meter	10,21017612	litre	O
1,4	1,4	1,4	meter	2155,132560	litre	O
1,4	1,3	1,3	meter	1858,252055	litre	O
1,4	1,2	1,2	meter	1583,362697	litre	O
1,4	1,1	1,1	meter	1330,464489	litre	O
1,4	1	1	meter	1099,557429	litre	O
1,4	0,9	0,9	meter	890,6415173	litre	O
1,4	0,8	0,8	meter	703,7167544	litre	O
1,4	0,7	0,7	meter	538,7831401	litre	O
1,4	0,6	0,6	meter	395,8406744	litre	O
1,4	0,5	0,5	meter	274,8893572	litre	O
1,4	0,4	0,4	meter	175,9291886	litre	O
1,4	0,3	0,3	meter	98,96016859	litre	O
1,4	0,2	0,2	meter	43,98229715	litre	O
1,4	0,1	0,1	meter	10,99557429	litre	O
1,5	1,5	1,5	meter	2650,718801	litre	O
1,5	1,4	1,4	meter	2309,070600	litre	O
1,5	1,3	1,3	meter	1990,984344	litre	O
1,5	1,2	1,2	meter	1696,460033	litre	O
1,5	1,1	1,1	meter	1425,497667	litre	O
1,5	1	1	meter	1178,097245	litre	O
1,5	0,9	0,9	meter	954,2587685	litre	O
1,5	0,8	0,8	meter	753,9822369	litre	O
1,5	0,7	0,7	meter	577,2676501	litre	O
1,5	0,6	0,6	meter	424,1150082	litre	O
1,5	0,5	0,5	meter	294,5243113	litre	O
1,5	0,4	0,4	meter	188,4955592	litre	O
1,5	0,3	0,3	meter	106,0287521	litre	O
1,5	0,2	0,2	meter	47,12388980	litre	O
1,5	0,1	0,1	meter	11,78097245	litre	O
1,6	1,6	1,6	meter	3216,990877	litre	O
1,6	1,5	1,5	meter	2827,433388	litre	O
1,6	1,4	1,4	meter	2463,008640	litre	O
1,6	1,3	1,3	meter	2123,716634	litre	O
1,6	1,2	1,2	meter	1809,557368	litre	O
1,6	1,1	1,1	meter	1520,530844	litre	O
1,6	1	1	meter	1256,637061	litre	O
1,6	0,9	0,9	meter	1017,876020	litre	O
1,6	0,8	0,8	meter	804,2477193	litre	O
1,6	0,7	0,7	meter	615,7521601	litre	O
1,6	0,6	0,6	meter	452,3893421	litre	O
1,6	0,5	0,5	meter	314,1592654	litre	O
1,6	0,4	0,4	meter	201,0619298	litre	O
1,6	0,3	0,3	meter	113,0973355	litre	O
1,6	0,2	0,2	meter	50,26548246	litre	O
1,6	0,1	0,1	meter	12,56637061	litre	O
1,7	1,7	1,7	meter	3858,661177	litre	O
1,7	1,6	1,6	meter	3418,052807	litre	O
1,7	1,5	1,5	meter	3004,147975	litre	O
1,7	1,4	1,4	meter	2616,946680	litre	O
1,7	1,3	1,3	meter	2256,448923	litre	O

1,7	1,2	1,2	meter	1922,654704	litre	O
1,7	1,1	1,1	meter	1615,564022	litre	O
1,7	1	1	meter	1335,176878	litre	O
1,7	0,9	0,9	meter	1081,493271	litre	O
1,7	0,8	0,8	meter	854,5132018	litre	O
1,7	0,7	0,7	meter	654,2366701	litre	O
1,7	0,6	0,6	meter	480,6636760	litre	O
1,7	0,5	0,5	meter	333,7942194	litre	O
1,7	0,4	0,4	meter	213,6283004	litre	O
1,7	0,3	0,3	meter	120,1659190	litre	O
1,7	0,2	0,2	meter	53,40707511	litre	O
1,7	0,1	0,1	meter	13,35176878	litre	O
1,8	1,8	1,8	meter	4580,442089	litre	O
1,8	1,7	1,7	meter	4085,641246	litre	O
1,8	1,6	1,6	meter	3619,114737	litre	O
1,8	1,5	1,5	meter	3180,862562	litre	O
1,8	1,4	1,4	meter	2770,884720	litre	O
1,8	1,3	1,3	meter	2389,181213	litre	O
1,8	1,2	1,2	meter	2035,752040	litre	O
1,8	1,1	1,1	meter	1710,597200	litre	O
1,8	1	1	meter	1413,716694	litre	O
1,8	0,9	0,9	meter	1145,110522	litre	O
1,8	0,8	0,8	meter	904,7786842	litre	O
1,8	0,7	0,7	meter	692,7211801	litre	O
1,8	0,6	0,6	meter	508,9380099	litre	O
1,8	0,5	0,5	meter	353,4291735	litre	O
1,8	0,4	0,4	meter	226,1946711	litre	O
1,8	0,3	0,3	meter	127,2345025	litre	O
1,8	0,2	0,2	meter	56,54866776	litre	O
1,8	0,1	0,1	meter	14,13716694	litre	O
1,9	1,9	1,9	meter	5387,046003	litre	O
1,9	1,8	1,8	meter	4834,911094	litre	O
1,9	1,7	1,7	meter	4312,621315	litre	O
1,9	1,6	1,6	meter	3820,176667	litre	O
1,9	1,5	1,5	meter	3357,577149	litre	O
1,9	1,4	1,4	meter	2924,822760	litre	O
1,9	1,3	1,3	meter	2521,913503	litre	O
1,9	1,2	1,2	meter	2148,849375	litre	O
1,9	1,1	1,1	meter	1805,630378	litre	O
1,9	1	1	meter	1492,256510	litre	O
1,9	0,9	0,9	meter	1208,727773	litre	O
1,9	0,8	0,8	meter	955,0441667	litre	O
1,9	0,7	0,7	meter	731,2056901	litre	O
1,9	0,6	0,6	meter	537,2123438	litre	O
1,9	0,5	0,5	meter	373,0641276	litre	O
1,9	0,4	0,4	meter	238,7610417	litre	O
1,9	0,3	0,3	meter	134,3030859	litre	O
1,9	0,2	0,2	meter	59,69026042	litre	O
1,9	0,1	0,1	meter	14,92256510	litre	O
2	2	2	meter	6283,185307	litre	O
2	1,9	1,9	meter	5670,574740	litre	O

2	1,8	1,8	meter	5089,380099	litre	O
2	1,7	1,7	meter	4539,601384	litre	O
2	1,6	1,6	meter	4021,238597	litre	O
2	1,5	1,5	meter	3534,291735	litre	O
2	1,4	1,4	meter	3078,760801	litre	O
2	1,3	1,3	meter	2654,645792	litre	O
2	1,2	1,2	meter	2261,946711	litre	O
2	1,1	1,1	meter	1900,663555	litre	O
2	1	1	meter	1570,796327	litre	O
2	0,9	0,9	meter	1272,345025	litre	O
2	0,8	0,8	meter	1005,309649	litre	O
2	0,7	0,7	meter	769,6902001	litre	O
2	0,6	0,6	meter	565,4866776	litre	O
2	0,5	0,5	meter	392,6990817	litre	O
2	0,4	0,4	meter	251,3274123	litre	O
2	0,3	0,3	meter	141,3716694	litre	O
2	0,2	0,2	meter	62,83185307	litre	O
2	0,1	0,1	meter	15,70796327	litre	O
2,1	2,1	2,1	meter	7273,572391	litre	O
2,1	2	2	meter	6597,344573	litre	O
2,1	1,9	1,9	meter	5954,103477	litre	O
2,1	1,8	1,8	meter	5343,849104	litre	O
2,1	1,7	1,7	meter	4766,581454	litre	O
2,1	1,6	1,6	meter	4222,300526	litre	O
2,1	1,5	1,5	meter	3711,006322	litre	O
2,1	1,4	1,4	meter	3232,698841	litre	O
2,1	1,3	1,3	meter	2787,378082	litre	O
2,1	1,2	1,2	meter	2375,044046	litre	O
2,1	1,1	1,1	meter	1995,696733	litre	O
2,1	1	1	meter	1649,336143	litre	O
2,1	0,9	0,9	meter	1335,962276	litre	O
2,1	0,8	0,8	meter	1055,575132	litre	O
2,1	0,7	0,7	meter	808,1747101	litre	O
2,1	0,6	0,6	meter	593,7610115	litre	O
2,1	0,5	0,5	meter	412,3340358	litre	O
2,1	0,4	0,4	meter	263,8937829	litre	O
2,1	0,3	0,3	meter	148,4402529	litre	O
2,1	0,2	0,2	meter	65,97344573	litre	O
2,1	0,1	0,1	meter	16,49336143	litre	O
2,2	2,2	2,2	meter	8362,919644	litre	O
2,2	2,1	2,1	meter	7619,932981	litre	O
2,2	2	2	meter	6911,503838	litre	O
2,2	1,9	1,9	meter	6237,632214	litre	O
2,2	1,8	1,8	meter	5598,318109	litre	O
2,2	1,7	1,7	meter	4993,561523	litre	O
2,2	1,6	1,6	meter	4423,362456	litre	O
2,2	1,5	1,5	meter	3887,720909	litre	O
2,2	1,4	1,4	meter	3386,636881	litre	O
2,2	1,3	1,3	meter	2920,110372	litre	O
2,2	1,2	1,2	meter	2488,141382	litre	O
2,2	1,1	1,1	meter	2090,729911	litre	O

2,2	1	1	meter	1727,875959	litre	O
2,2	0,9	0,9	meter	1399,579527	litre	O
2,2	0,8	0,8	meter	1105,840614	litre	O
2,2	0,7	0,7	meter	846,6592201	litre	O
2,2	0,6	0,6	meter	622,0353454	litre	O
2,2	0,5	0,5	meter	431,9689899	litre	O
2,2	0,4	0,4	meter	276,4601535	litre	O
2,2	0,3	0,3	meter	155,5088364	litre	O
2,2	0,2	0,2	meter	69,11503838	litre	O
2,2	0,1	0,1	meter	17,27875959	litre	O
2,3	2,3	2,3	meter	9555,939454	litre	O
2,3	2,2	2,2	meter	8743,052355	litre	O
2,3	2,1	2,1	meter	7966,293571	litre	O
2,3	2	2	meter	7225,663103	litre	O
2,3	1,9	1,9	meter	6521,160951	litre	O
2,3	1,8	1,8	meter	5852,787114	litre	O
2,3	1,7	1,7	meter	5220,541592	litre	O
2,3	1,6	1,6	meter	4624,424386	litre	O
2,3	1,5	1,5	meter	4064,435496	litre	O
2,3	1,4	1,4	meter	3540,574921	litre	O
2,3	1,3	1,3	meter	3052,842661	litre	O
2,3	1,2	1,2	meter	2601,238717	litre	O
2,3	1,1	1,1	meter	2185,763089	litre	O
2,3	1	1	meter	1806,415776	litre	O
2,3	0,9	0,9	meter	1463,196778	litre	O
2,3	0,8	0,8	meter	1156,106097	litre	O
2,3	0,7	0,7	meter	885,1437301	litre	O
2,3	0,6	0,6	meter	650,3096793	litre	O
2,3	0,5	0,5	meter	451,6039440	litre	O
2,3	0,4	0,4	meter	289,0265241	litre	O
2,3	0,3	0,3	meter	162,5774198	litre	O
2,3	0,2	0,2	meter	72,25663103	litre	O
2,3	0,1	0,1	meter	18,06415776	litre	O
2,4	2,4	2,4	meter	10857,34421	litre	O
2,4	2,3	2,3	meter	9971,415082	litre	O
2,4	2,2	2,2	meter	9123,185066	litre	O
2,4	2,1	2,1	meter	8312,654161	litre	O
2,4	2	2	meter	7539,822369	litre	O
2,4	1,9	1,9	meter	6804,689688	litre	O
2,4	1,8	1,8	meter	6107,256119	litre	O
2,4	1,7	1,7	meter	5447,521661	litre	O
2,4	1,6	1,6	meter	4825,486316	litre	O
2,4	1,5	1,5	meter	4241,150082	litre	O
2,4	1,4	1,4	meter	3694,512961	litre	O
2,4	1,3	1,3	meter	3185,574951	litre	O
2,4	1,2	1,2	meter	2714,336053	litre	O
2,4	1,1	1,1	meter	2280,796267	litre	O
2,4	1	1	meter	1884,955592	litre	O
2,4	0,9	0,9	meter	1526,814030	litre	O
2,4	0,8	0,8	meter	1206,371579	litre	O
2,4	0,7	0,7	meter	923,6282402	litre	O

2,4	0,6	0,6	meter	678,5840132	litre	O
2,4	0,5	0,5	meter	471,2388980	litre	O
2,4	0,4	0,4	meter	301,5928947	litre	O
2,4	0,3	0,3	meter	169,6460033	litre	O
2,4	0,2	0,2	meter	75,39822369	litre	O
2,4	0,1	0,1	meter	18,84955592	litre	O
2,5	2,5	2,5	meter	12271,84630	litre	O
2,5	2,4	2,4	meter	11309,73355	litre	O
2,5	2,3	2,3	meter	10386,89071	litre	O
2,5	2,2	2,2	meter	9503,317777	litre	O
2,5	2,1	2,1	meter	8659,014751	litre	O
2,5	2	2	meter	7853,981634	litre	O
2,5	1,9	1,9	meter	7088,218425	litre	O
2,5	1,8	1,8	meter	6361,725124	litre	O
2,5	1,7	1,7	meter	5674,501731	litre	O
2,5	1,6	1,6	meter	5026,548246	litre	O
2,5	1,5	1,5	meter	4417,864669	litre	O
2,5	1,4	1,4	meter	3848,451001	litre	O
2,5	1,3	1,3	meter	3318,307240	litre	O
2,5	1,2	1,2	meter	2827,433388	litre	O
2,5	1,1	1,1	meter	2375,829444	litre	O
2,5	1	1	meter	1963,495408	litre	O
2,5	0,9	0,9	meter	1590,431281	litre	O
2,5	0,8	0,8	meter	1256,637061	litre	O
2,5	0,7	0,7	meter	962,1127502	litre	O
2,5	0,6	0,6	meter	706,8583471	litre	O
2,5	0,5	0,5	meter	490,8738521	litre	O
2,5	0,4	0,4	meter	314,1592654	litre	O
2,5	0,3	0,3	meter	176,7145868	litre	O
2,5	0,2	0,2	meter	78,53981634	litre	O
2,5	0,1	0,1	meter	19,63495408	litre	O
2,6	2,6	2,6	meter	13804,15812	litre	O
2,6	2,5	2,5	meter	12762,72016	litre	O
2,6	2,4	2,4	meter	11762,12290	litre	O
2,6	2,3	2,3	meter	10802,36634	litre	O
2,6	2,2	2,2	meter	9883,450488	litre	O
2,6	2,1	2,1	meter	9005,375342	litre	O
2,6	2	2	meter	8168,140899	litre	O
2,6	1,9	1,9	meter	7371,747162	litre	O
2,6	1,8	1,8	meter	6616,194128	litre	O
2,6	1,7	1,7	meter	5901,481800	litre	O
2,6	1,6	1,6	meter	5227,610176	litre	O
2,6	1,5	1,5	meter	4594,579256	litre	O
2,6	1,4	1,4	meter	4002,389041	litre	O
2,6	1,3	1,3	meter	3451,039530	litre	O
2,6	1,2	1,2	meter	2940,530724	litre	O
2,6	1,1	1,1	meter	2470,862622	litre	O
2,6	1	1	meter	2042,035225	litre	O
2,6	0,9	0,9	meter	1654,048532	litre	O
2,6	0,8	0,8	meter	1306,902544	litre	O
2,6	0,7	0,7	meter	1000,597260	litre	O

2,6	0,6	0,6	meter	735,1326809	litre	O
2,6	0,5	0,5	meter	510,5088062	litre	O
2,6	0,4	0,4	meter	326,7256360	litre	O
2,6	0,3	0,3	meter	183,7831702	litre	O
2,6	0,2	0,2	meter	81,68140899	litre	O
2,6	0,1	0,1	meter	20,42035225	litre	O
2,7	2,7	2,7	meter	15458,99205	litre	O
2,7	2,6	2,6	meter	14335,08728	litre	O
2,7	2,5	2,5	meter	13253,59401	litre	O
2,7	2,4	2,4	meter	12214,51224	litre	O
2,7	2,3	2,3	meter	11217,84197	litre	O
2,7	2,2	2,2	meter	10263,58320	litre	O
2,7	2,1	2,1	meter	9351,735932	litre	O
2,7	2	2	meter	8482,300165	litre	O
2,7	1,9	1,9	meter	7655,275899	litre	O
2,7	1,8	1,8	meter	6870,663133	litre	O
2,7	1,7	1,7	meter	6128,461869	litre	O
2,7	1,6	1,6	meter	5428,672105	litre	O
2,7	1,5	1,5	meter	4771,293843	litre	O
2,7	1,4	1,4	meter	4156,327081	litre	O
2,7	1,3	1,3	meter	3583,771820	litre	O
2,7	1,2	1,2	meter	3053,628059	litre	O
2,7	1,1	1,1	meter	2565,895800	litre	O
2,7	1	1	meter	2120,575041	litre	O
2,7	0,9	0,9	meter	1717,665783	litre	O
2,7	0,8	0,8	meter	1357,168026	litre	O
2,7	0,7	0,7	meter	1039,081770	litre	O
2,7	0,6	0,6	meter	763,4070148	litre	O
2,7	0,5	0,5	meter	530,1437603	litre	O
2,7	0,4	0,4	meter	339,2920066	litre	O
2,7	0,3	0,3	meter	190,8517537	litre	O
2,7	0,2	0,2	meter	84,82300165	litre	O
2,7	0,1	0,1	meter	21,20575041	litre	O
2,8	2,8	2,8	meter	17241,06048	litre	O
2,8	2,7	2,7	meter	16031,54731	litre	O
2,8	2,6	2,6	meter	14866,01644	litre	O
2,8	2,5	2,5	meter	13744,46786	litre	O
2,8	2,4	2,4	meter	12666,90158	litre	O
2,8	2,3	2,3	meter	11633,31760	litre	O
2,8	2,2	2,2	meter	10643,71591	litre	O
2,8	2,1	2,1	meter	9698,096522	litre	O
2,8	2	2	meter	8796,459430	litre	O
2,8	1,9	1,9	meter	7938,804636	litre	O
2,8	1,8	1,8	meter	7125,132138	litre	O
2,8	1,7	1,7	meter	6355,441938	litre	O
2,8	1,6	1,6	meter	5629,734035	litre	O
2,8	1,5	1,5	meter	4948,008429	litre	O
2,8	1,4	1,4	meter	4310,265121	litre	O
2,8	1,3	1,3	meter	3716,504109	litre	O
2,8	1,2	1,2	meter	3166,725395	litre	O
2,8	1,1	1,1	meter	2660,928978	litre	O

2,8	1	1	meter	2199,114858	litre	O
2,8	0,9	0,9	meter	1781,283035	litre	O
2,8	0,8	0,8	meter	1407,433509	litre	O
2,8	0,7	0,7	meter	1077,566280	litre	O
2,8	0,6	0,6	meter	791,6813487	litre	O
2,8	0,5	0,5	meter	549,7787144	litre	O
2,8	0,4	0,4	meter	351,8583772	litre	O
2,8	0,3	0,3	meter	197,9203372	litre	O
2,8	0,2	0,2	meter	87,96459430	litre	O
2,8	0,1	0,1	meter	21,99114858	litre	O
2,9	2,9	2,9	meter	19155,07581	litre	O
2,9	2,8	2,8	meter	17856,81264	litre	O
2,9	2,7	2,7	meter	16604,10257	litre	O
2,9	2,6	2,6	meter	15396,94560	litre	O
2,9	2,5	2,5	meter	14235,34171	litre	O
2,9	2,4	2,4	meter	13119,29092	litre	O
2,9	2,3	2,3	meter	12048,79322	litre	O
2,9	2,2	2,2	meter	11023,84862	litre	O
2,9	2,1	2,1	meter	10044,45711	litre	O
2,9	2	2	meter	9110,618695	litre	O
2,9	1,9	1,9	meter	8222,333373	litre	O
2,9	1,8	1,8	meter	7379,601143	litre	O
2,9	1,7	1,7	meter	6582,422007	litre	O
2,9	1,6	1,6	meter	5830,795965	litre	O
2,9	1,5	1,5	meter	5124,723016	litre	O
2,9	1,4	1,4	meter	4464,203161	litre	O
2,9	1,3	1,3	meter	3849,236399	litre	O
2,9	1,2	1,2	meter	3279,822730	litre	O
2,9	1,1	1,1	meter	2755,962155	litre	O
2,9	1	1	meter	2277,654674	litre	O
2,9	0,9	0,9	meter	1844,900286	litre	O
2,9	0,8	0,8	meter	1457,698991	litre	O
2,9	0,7	0,7	meter	1116,050790	litre	O
2,9	0,6	0,6	meter	819,9556826	litre	O
2,9	0,5	0,5	meter	569,4136685	litre	O
2,9	0,4	0,4	meter	364,4247478	litre	O
2,9	0,3	0,3	meter	204,9889206	litre	O
2,9	0,2	0,2	meter	91,10618695	litre	O
2,9	0,1	0,1	meter	22,77654674	litre	O
3	3	3	meter	21205,75041	litre	O
3	2,9	2,9	meter	19815,59566	litre	O
3	2,8	2,8	meter	18472,56480	litre	O
3	2,7	2,7	meter	17176,65783	litre	O
3	2,6	2,6	meter	15927,87475	litre	O
3	2,5	2,5	meter	14726,21556	litre	O
3	2,4	2,4	meter	13571,68026	litre	O
3	2,3	2,3	meter	12464,26885	litre	O
3	2,2	2,2	meter	11403,98133	litre	O
3	2,1	2,1	meter	10390,81770	litre	O
3	2	2	meter	9424,777961	litre	O
3	1,9	1,9	meter	8505,862110	litre	O

3	1,8	1,8	meter	7634,070148	litre	O
3	1,7	1,7	meter	6809,402077	litre	O
3	1,6	1,6	meter	6031,857895	litre	O
3	1,5	1,5	meter	5301,437603	litre	O
3	1,4	1,4	meter	4618,141201	litre	O
3	1,3	1,3	meter	3981,968688	litre	O
3	1,2	1,2	meter	3392,920066	litre	O
3	1,1	1,1	meter	2850,995333	litre	O
3	1	1	meter	2356,194490	litre	O
3	0,9	0,9	meter	1908,517537	litre	O
3	0,8	0,8	meter	1507,964474	litre	O
3	0,7	0,7	meter	1154,535300	litre	O
3	0,6	0,6	meter	848,2300165	litre	O
3	0,5	0,5	meter	589,0486225	litre	O
3	0,4	0,4	meter	376,9911184	litre	O
3	0,3	0,3	meter	212,0575041	litre	O
3	0,2	0,2	meter	94,24777961	litre	O
3	0,1	0,1	meter	23,56194490	litre	O
3,1	3,1	3,1	meter	23397,79669	litre	O
3,1	3	3	meter	21912,60876	litre	O
3,1	2,9	2,9	meter	20476,11552	litre	O
3,1	2,8	2,8	meter	19088,31696	litre	O
3,1	2,7	2,7	meter	17749,21309	litre	O
3,1	2,6	2,6	meter	16458,80391	litre	O
3,1	2,5	2,5	meter	15217,08942	litre	O
3,1	2,4	2,4	meter	14024,06961	litre	O
3,1	2,3	2,3	meter	12879,74448	litre	O
3,1	2,2	2,2	meter	11784,11404	litre	O
3,1	2,1	2,1	meter	10737,17829	litre	O
3,1	2	2	meter	9738,937226	litre	O
3,1	1,9	1,9	meter	8789,390847	litre	O
3,1	1,8	1,8	meter	7888,539153	litre	O
3,1	1,7	1,7	meter	7036,382146	litre	O
3,1	1,6	1,6	meter	6232,919825	litre	O
3,1	1,5	1,5	meter	5478,152190	litre	O
3,1	1,4	1,4	meter	4772,079241	litre	O
3,1	1,3	1,3	meter	4114,700978	litre	O
3,1	1,2	1,2	meter	3506,017401	litre	O
3,1	1,1	1,1	meter	2946,028511	litre	O
3,1	1	1	meter	2434,734307	litre	O
3,1	0,9	0,9	meter	1972,134788	litre	O
3,1	0,8	0,8	meter	1558,229956	litre	O
3,1	0,7	0,7	meter	1193,019810	litre	O
3,1	0,6	0,6	meter	876,5043504	litre	O
3,1	0,5	0,5	meter	608,6835766	litre	O
3,1	0,4	0,4	meter	389,5574890	litre	O
3,1	0,3	0,3	meter	219,1260876	litre	O
3,1	0,2	0,2	meter	97,38937226	litre	O
3,1	0,1	0,1	meter	24,34734307	litre	O
3,2	3,2	3,2	meter	25735,92702	litre	O
3,2	3,1	3,1	meter	24152,56432	litre	O

3,2	3	3	meter	22619,46711	litre	O
3,2	2,9	2,9	meter	21136,63537	litre	O
3,2	2,8	2,8	meter	19704,06912	litre	O
3,2	2,7	2,7	meter	18321,76836	litre	O
3,2	2,6	2,6	meter	16989,73307	litre	O
3,2	2,5	2,5	meter	15707,96327	litre	O
3,2	2,4	2,4	meter	14476,45895	litre	O
3,2	2,3	2,3	meter	13295,22011	litre	O
3,2	2,2	2,2	meter	12164,24675	litre	O
3,2	2,1	2,1	meter	11083,53888	litre	O
3,2	2	2	meter	10053,09649	litre	O
3,2	1,9	1,9	meter	9072,919584	litre	O
3,2	1,8	1,8	meter	8143,008158	litre	O
3,2	1,7	1,7	meter	7263,362215	litre	O
3,2	1,6	1,6	meter	6433,981755	litre	O
3,2	1,5	1,5	meter	5654,866776	litre	O
3,2	1,4	1,4	meter	4926,017281	litre	O
3,2	1,3	1,3	meter	4247,433268	litre	O
3,2	1,2	1,2	meter	3619,114737	litre	O
3,2	1,1	1,1	meter	3041,061689	litre	O
3,2	1	1	meter	2513,274123	litre	O
3,2	0,9	0,9	meter	2035,752040	litre	O
3,2	0,8	0,8	meter	1608,495439	litre	O
3,2	0,7	0,7	meter	1231,504320	litre	O
3,2	0,6	0,6	meter	904,7786842	litre	O
3,2	0,5	0,5	meter	628,3185307	litre	O
3,2	0,4	0,4	meter	402,1238597	litre	O
3,2	0,3	0,3	meter	226,1946711	litre	O
3,2	0,2	0,2	meter	100,5309649	litre	O
3,2	0,1	0,1	meter	25,1327412	litre	O
3,3	3,3	3,3	meter	28224,85380	litre	O
3,3	3,2	3,2	meter	26540,17474	litre	O
3,3	3,1	3,1	meter	24907,33196	litre	O
3,3	3	3	meter	23326,32545	litre	O
3,3	2,9	2,9	meter	21797,15523	litre	O
3,3	2,8	2,8	meter	20319,82128	litre	O
3,3	2,7	2,7	meter	18894,32362	litre	O
3,3	2,6	2,6	meter	17520,66223	litre	O
3,3	2,5	2,5	meter	16198,83712	litre	O
3,3	2,4	2,4	meter	14928,84829	litre	O
3,3	2,3	2,3	meter	13710,69574	litre	O
3,3	2,2	2,2	meter	12544,37947	litre	O
3,3	2,1	2,1	meter	11429,89947	litre	O
3,3	2	2	meter	10367,25576	litre	O
3,3	1,9	1,9	meter	9356,448321	litre	O
3,3	1,8	1,8	meter	8397,477163	litre	O
3,3	1,7	1,7	meter	7490,342284	litre	O
3,3	1,6	1,6	meter	6635,043684	litre	O
3,3	1,5	1,5	meter	5831,581363	litre	O
3,3	1,4	1,4	meter	5079,955321	litre	O
3,3	1,3	1,3	meter	4380,165557	litre	O

3,3	1,2	1,2	meter	3732,212072	litre	O
3,3	1,1	1,1	meter	3136,094866	litre	O
3,3	1	1	meter	2591,813939	litre	O
3,3	0,9	0,9	meter	2099,369291	litre	O
3,3	0,8	0,8	meter	1658,760921	litre	O
3,3	0,7	0,7	meter	1269,988830	litre	O
3,3	0,6	0,6	meter	933,0530181	litre	O
3,3	0,5	0,5	meter	647,9534848	litre	O
3,3	0,4	0,4	meter	414,6902303	litre	O
3,3	0,3	0,3	meter	233,2632545	litre	O
3,3	0,2	0,2	meter	103,6725576	litre	O
3,3	0,1	0,1	meter	25,9181394	litre	O
3,4	3,4	3,4	meter	30869,28941	litre	O
3,4	3,3	3,3	meter	29080,15240	litre	O
3,4	3,2	3,2	meter	27344,42246	litre	O
3,4	3,1	3,1	meter	25662,09959	litre	O
3,4	3	3	meter	24033,18380	litre	O
3,4	2,9	2,9	meter	22457,67508	litre	O
3,4	2,8	2,8	meter	20935,57344	litre	O
3,4	2,7	2,7	meter	19466,87888	litre	O
3,4	2,6	2,6	meter	18051,59139	litre	O
3,4	2,5	2,5	meter	16689,71097	litre	O
3,4	2,4	2,4	meter	15381,23763	litre	O
3,4	2,3	2,3	meter	14126,17137	litre	O
3,4	2,2	2,2	meter	12924,51218	litre	O
3,4	2,1	2,1	meter	11776,26006	litre	O
3,4	2	2	meter	10681,41502	litre	O
3,4	1,9	1,9	meter	9639,977058	litre	O
3,4	1,8	1,8	meter	8651,946168	litre	O
3,4	1,7	1,7	meter	7717,322354	litre	O
3,4	1,6	1,6	meter	6836,105614	litre	O
3,4	1,5	1,5	meter	6008,295950	litre	O
3,4	1,4	1,4	meter	5233,893361	litre	O
3,4	1,3	1,3	meter	4512,897847	litre	O
3,4	1,2	1,2	meter	3845,309408	litre	O
3,4	1,1	1,1	meter	3231,128044	litre	O
3,4	1	1	meter	2670,353756	litre	O
3,4	0,9	0,9	meter	2162,986542	litre	O
3,4	0,8	0,8	meter	1709,026404	litre	O
3,4	0,7	0,7	meter	1308,473340	litre	O
3,4	0,6	0,6	meter	961,3273520	litre	O
3,4	0,5	0,5	meter	667,5884389	litre	O
3,4	0,4	0,4	meter	427,2566009	litre	O
3,4	0,3	0,3	meter	240,3318380	litre	O
3,4	0,2	0,2	meter	106,8141502	litre	O
3,4	0,1	0,1	meter	26,7035376	litre	O
3,5	3,5	3,5	meter	33673,94626	litre	O
3,5	3,4	3,4	meter	31777,20969	litre	O
3,5	3,3	3,3	meter	29935,45100	litre	O
3,5	3,2	3,2	meter	28148,67018	litre	O
3,5	3,1	3,1	meter	26416,86723	litre	O

3,5	3	3	meter	24740,04215	litre	O
3,5	2,9	2,9	meter	23118,19494	litre	O
3,5	2,8	2,8	meter	21551,32560	litre	O
3,5	2,7	2,7	meter	20039,43414	litre	O
3,5	2,6	2,6	meter	18582,52055	litre	O
3,5	2,5	2,5	meter	17180,58482	litre	O
3,5	2,4	2,4	meter	15833,62697	litre	O
3,5	2,3	2,3	meter	14541,64700	litre	O
3,5	2,2	2,2	meter	13304,64489	litre	O
3,5	2,1	2,1	meter	12122,62065	litre	O
3,5	2	2	meter	10995,57429	litre	O
3,5	1,9	1,9	meter	9923,505795	litre	O
3,5	1,8	1,8	meter	8906,415173	litre	O
3,5	1,7	1,7	meter	7944,302423	litre	O
3,5	1,6	1,6	meter	7037,167544	litre	O
3,5	1,5	1,5	meter	6185,010537	litre	O
3,5	1,4	1,4	meter	5387,831401	litre	O
3,5	1,3	1,3	meter	4645,630136	litre	O
3,5	1,2	1,2	meter	3958,406744	litre	O
3,5	1,1	1,1	meter	3326,161222	litre	O
3,5	1	1	meter	2748,893572	litre	O
3,5	0,9	0,9	meter	2226,603793	litre	O
3,5	0,8	0,8	meter	1759,291886	litre	O
3,5	0,7	0,7	meter	1346,957850	litre	O
3,5	0,6	0,6	meter	989,6016859	litre	O
3,5	0,5	0,5	meter	687,2233930	litre	O
3,5	0,4	0,4	meter	439,8229715	litre	O
3,5	0,3	0,3	meter	247,4004215	litre	O
3,5	0,2	0,2	meter	109,9557429	litre	O
3,5	0,1	0,1	meter	27,4889357	litre	O
3,6	3,6	3,6	meter	36643,53671	litre	O
3,6	3,5	3,5	meter	34636,05901	litre	O
3,6	3,4	3,4	meter	32685,12997	litre	O
3,6	3,3	3,3	meter	30790,74960	litre	O
3,6	3,2	3,2	meter	28952,91790	litre	O
3,6	3,1	3,1	meter	27171,63486	litre	O
3,6	3	3	meter	25446,90049	litre	O
3,6	2,9	2,9	meter	23778,71480	litre	O
3,6	2,8	2,8	meter	22167,07776	litre	O
3,6	2,7	2,7	meter	20611,98940	litre	O
3,6	2,6	2,6	meter	19113,44970	litre	O
3,6	2,5	2,5	meter	17671,45868	litre	O
3,6	2,4	2,4	meter	16286,01632	litre	O
3,6	2,3	2,3	meter	14957,12262	litre	O
3,6	2,2	2,2	meter	13684,77760	litre	O
3,6	2,1	2,1	meter	12468,98124	litre	O
3,6	2	2	meter	11309,73355	litre	O
3,6	1,9	1,9	meter	10207,03453	litre	O
3,6	1,8	1,8	meter	9160,884178	litre	O
3,6	1,7	1,7	meter	8171,282492	litre	O
3,6	1,6	1,6	meter	7238,229474	litre	O

3,6	1,5	1,5	meter	6361,725124	litre	O
3,6	1,4	1,4	meter	5541,769441	litre	O
3,6	1,3	1,3	meter	4778,362426	litre	O
3,6	1,2	1,2	meter	4071,504079	litre	O
3,6	1,1	1,1	meter	3421,194400	litre	O
3,6	1	1	meter	2827,433388	litre	O
3,6	0,9	0,9	meter	2290,221044	litre	O
3,6	0,8	0,8	meter	1809,557368	litre	O
3,6	0,7	0,7	meter	1385,442360	litre	O
3,6	0,6	0,6	meter	1017,876020	litre	O
3,6	0,5	0,5	meter	706,8583471	litre	O
3,6	0,4	0,4	meter	452,3893421	litre	O
3,6	0,3	0,3	meter	254,4690049	litre	O
3,6	0,2	0,2	meter	113,0973355	litre	O
3,6	0,1	0,1	meter	28,2743339	litre	O
3,7	3,7	3,7	meter	39782,77317	litre	O
3,7	3,6	3,6	meter	37661,41273	litre	O
3,7	3,5	3,5	meter	35598,17176	litre	O
3,7	3,4	3,4	meter	33593,05024	litre	O
3,7	3,3	3,3	meter	31646,04820	litre	O
3,7	3,2	3,2	meter	29757,16561	litre	O
3,7	3,1	3,1	meter	27926,40250	litre	O
3,7	3	3	meter	26153,75884	litre	O
3,7	2,9	2,9	meter	24439,23465	litre	O
3,7	2,8	2,8	meter	22782,82992	litre	O
3,7	2,7	2,7	meter	21184,54466	litre	O
3,7	2,6	2,6	meter	19644,37886	litre	O
3,7	2,5	2,5	meter	18162,33253	litre	O
3,7	2,4	2,4	meter	16738,40566	litre	O
3,7	2,3	2,3	meter	15372,59825	litre	O
3,7	2,2	2,2	meter	14064,91031	litre	O
3,7	2,1	2,1	meter	12815,34183	litre	O
3,7	2	2	meter	11623,89282	litre	O
3,7	1,9	1,9	meter	10490,56327	litre	O
3,7	1,8	1,8	meter	9415,353183	litre	O
3,7	1,7	1,7	meter	8398,262561	litre	O
3,7	1,6	1,6	meter	7439,291404	litre	O
3,7	1,5	1,5	meter	6538,439710	litre	O
3,7	1,4	1,4	meter	5695,707481	litre	O
3,7	1,3	1,3	meter	4911,094716	litre	O
3,7	1,2	1,2	meter	4184,601415	litre	O
3,7	1,1	1,1	meter	3516,227578	litre	O
3,7	1	1	meter	2905,973205	litre	O
3,7	0,9	0,9	meter	2353,838296	litre	O
3,7	0,8	0,8	meter	1859,822851	litre	O
3,7	0,7	0,7	meter	1423,926870	litre	O
3,7	0,6	0,6	meter	1046,150354	litre	O
3,7	0,5	0,5	meter	726,4933011	litre	O
3,7	0,4	0,4	meter	464,9557127	litre	O
3,7	0,3	0,3	meter	261,5375884	litre	O
3,7	0,2	0,2	meter	116,2389282	litre	O

3,7	0,1	0,1	meter	29,0597320	litre	O
3,8	3,8	3,8	meter	43096,36802	litre	O
3,8	3,7	3,7	meter	40857,98326	litre	O
3,8	3,6	3,6	meter	38679,28875	litre	O
3,8	3,5	3,5	meter	36560,28451	litre	O
3,8	3,4	3,4	meter	34500,97052	litre	O
3,8	3,3	3,3	meter	32501,34680	litre	O
3,8	3,2	3,2	meter	30561,41333	litre	O
3,8	3,1	3,1	meter	28681,17013	litre	O
3,8	3	3	meter	26860,61719	litre	O
3,8	2,9	2,9	meter	25099,75451	litre	O
3,8	2,8	2,8	meter	23398,58208	litre	O
3,8	2,7	2,7	meter	21757,09992	litre	O
3,8	2,6	2,6	meter	20175,30802	litre	O
3,8	2,5	2,5	meter	18653,20638	litre	O
3,8	2,4	2,4	meter	17190,79500	litre	O
3,8	2,3	2,3	meter	15788,07388	litre	O
3,8	2,2	2,2	meter	14445,04302	litre	O
3,8	2,1	2,1	meter	13161,70242	litre	O
3,8	2	2	meter	11938,05208	litre	O
3,8	1,9	1,9	meter	10774,09201	litre	O
3,8	1,8	1,8	meter	9669,822188	litre	O
3,8	1,7	1,7	meter	8625,242630	litre	O
3,8	1,6	1,6	meter	7640,353334	litre	O
3,8	1,5	1,5	meter	6715,154297	litre	O
3,8	1,4	1,4	meter	5849,645521	litre	O
3,8	1,3	1,3	meter	5043,827005	litre	O
3,8	1,2	1,2	meter	4297,698750	litre	O
3,8	1,1	1,1	meter	3611,260755	litre	O
3,8	1	1	meter	2984,513021	litre	O
3,8	0,9	0,9	meter	2417,455547	litre	O
3,8	0,8	0,8	meter	1910,088333	litre	O
3,8	0,7	0,7	meter	1462,411380	litre	O
3,8	0,6	0,6	meter	1074,424688	litre	O
3,8	0,5	0,5	meter	746,1282552	litre	O
3,8	0,4	0,4	meter	477,5220833	litre	O
3,8	0,3	0,3	meter	268,6061719	litre	O
3,8	0,2	0,2	meter	119,3805208	litre	O
3,8	0,1	0,1	meter	29,8451302	litre	O
3,9	3,9	3,9	meter	46589,03365	litre	O
3,9	3,8	3,8	meter	44230,48297	litre	O
3,9	3,7	3,7	meter	41933,19334	litre	O
3,9	3,6	3,6	meter	39697,16477	litre	O
3,9	3,5	3,5	meter	37522,39726	litre	O
3,9	3,4	3,4	meter	35408,89080	litre	O
3,9	3,3	3,3	meter	33356,64540	litre	O
3,9	3,2	3,2	meter	31365,66105	litre	O
3,9	3,1	3,1	meter	29435,93777	litre	O
3,9	3	3	meter	27567,47554	litre	O
3,9	2,9	2,9	meter	25760,27436	litre	O
3,9	2,8	2,8	meter	24014,33424	litre	O

3,9	2,7	2,7	meter	22329,65518	litre	O
3,9	2,6	2,6	meter	20706,23718	litre	O
3,9	2,5	2,5	meter	19144,08023	litre	O
3,9	2,4	2,4	meter	17643,18434	litre	O
3,9	2,3	2,3	meter	16203,54951	litre	O
3,9	2,2	2,2	meter	14825,17573	litre	O
3,9	2,1	2,1	meter	13508,06301	litre	O
3,9	2	2	meter	12252,21135	litre	O
3,9	1,9	1,9	meter	11057,62074	litre	O
3,9	1,8	1,8	meter	9924,291193	litre	O
3,9	1,7	1,7	meter	8852,222700	litre	O
3,9	1,6	1,6	meter	7841,415263	litre	O
3,9	1,5	1,5	meter	6891,868884	litre	O
3,9	1,4	1,4	meter	6003,583561	litre	O
3,9	1,3	1,3	meter	5176,559295	litre	O
3,9	1,2	1,2	meter	4410,796086	litre	O
3,9	1,1	1,1	meter	3706,293933	litre	O
3,9	1	1	meter	3063,052837	litre	O
3,9	0,9	0,9	meter	2481,072798	litre	O
3,9	0,8	0,8	meter	1960,353816	litre	O
3,9	0,7	0,7	meter	1500,895890	litre	O
3,9	0,6	0,6	meter	1102,699021	litre	O
3,9	0,5	0,5	meter	765,7632093	litre	O
3,9	0,4	0,4	meter	490,0884540	litre	O
3,9	0,3	0,3	meter	275,6747554	litre	O
3,9	0,2	0,2	meter	122,5221135	litre	O
3,9	0,1	0,1	meter	30,6305284	litre	O
4	4	4	meter	50265,48246	litre	O
4	3,9	3,9	meter	47783,62426	litre	O
4	3,8	3,8	meter	45364,59792	litre	O
4	3,7	3,7	meter	43008,40343	litre	O
4	3,6	3,6	meter	40715,04079	litre	O
4	3,5	3,5	meter	38484,51001	litre	O
4	3,4	3,4	meter	36316,81108	litre	O
4	3,3	3,3	meter	34211,94400	litre	O
4	3,2	3,2	meter	32169,90877	litre	O
4	3,1	3,1	meter	30190,70540	litre	O
4	3	3	meter	28274,33388	litre	O
4	2,9	2,9	meter	26420,79422	litre	O
4	2,8	2,8	meter	24630,08640	litre	O
4	2,7	2,7	meter	22902,21044	litre	O
4	2,6	2,6	meter	21237,16634	litre	O
4	2,5	2,5	meter	19634,95408	litre	O
4	2,4	2,4	meter	18095,57368	litre	O
4	2,3	2,3	meter	16619,02514	litre	O
4	2,2	2,2	meter	15205,30844	litre	O
4	2,1	2,1	meter	13854,42360	litre	O
4	2	2	meter	12566,37061	litre	O
4	1,9	1,9	meter	11341,14948	litre	O
4	1,8	1,8	meter	10178,76020	litre	O
4	1,7	1,7	meter	9079,202769	litre	O

4	1,6	1,6	meter	8042,477193	litre	O
4	1,5	1,5	meter	7068,583471	litre	O
4	1,4	1,4	meter	6157,521601	litre	O
4	1,3	1,3	meter	5309,291585	litre	O
4	1,2	1,2	meter	4523,893421	litre	O
4	1,1	1,1	meter	3801,327111	litre	O
4	1	1	meter	3141,592654	litre	O
4	0,9	0,9	meter	2544,690049	litre	O
4	0,8	0,8	meter	2010,619298	litre	O
4	0,7	0,7	meter	1539,380400	litre	O
4	0,6	0,6	meter	1130,973355	litre	O
4	0,5	0,5	meter	785,3981634	litre	O
4	0,4	0,4	meter	502,6548246	litre	O
4	0,3	0,3	meter	282,7433388	litre	O
4	0,2	0,2	meter	125,6637061	litre	O
4	0,1	0,1	meter	31,4159265	litre	O
4,1	4,1	4,1	meter	54130,42682	litre	O
4,1	4	4	meter	51522,11952	litre	O
4,1	3,9	3,9	meter	48978,21487	litre	O
4,1	3,8	3,8	meter	46498,71287	litre	O
4,1	3,7	3,7	meter	44083,61351	litre	O
4,1	3,6	3,6	meter	41732,91681	litre	O
4,1	3,5	3,5	meter	39446,62276	litre	O
4,1	3,4	3,4	meter	37224,73135	litre	O
4,1	3,3	3,3	meter	35067,24260	litre	O
4,1	3,2	3,2	meter	32974,15649	litre	O
4,1	3,1	3,1	meter	30945,47304	litre	O
4,1	3	3	meter	28981,19223	litre	O
4,1	2,9	2,9	meter	27081,31407	litre	O
4,1	2,8	2,8	meter	25245,83856	litre	O
4,1	2,7	2,7	meter	23474,76571	litre	O
4,1	2,6	2,6	meter	21768,09550	litre	O
4,1	2,5	2,5	meter	20125,82794	litre	O
4,1	2,4	2,4	meter	18547,96303	litre	O
4,1	2,3	2,3	meter	17034,50077	litre	O
4,1	2,2	2,2	meter	15585,44115	litre	O
4,1	2,1	2,1	meter	14200,78419	litre	O
4,1	2	2	meter	12880,52988	litre	O
4,1	1,9	1,9	meter	11624,67822	litre	O
4,1	1,8	1,8	meter	10433,22920	litre	O
4,1	1,7	1,7	meter	9306,182838	litre	O
4,1	1,6	1,6	meter	8243,539123	litre	O
4,1	1,5	1,5	meter	7245,298057	litre	O
4,1	1,4	1,4	meter	6311,459641	litre	O
4,1	1,3	1,3	meter	5442,023874	litre	O
4,1	1,2	1,2	meter	4636,990757	litre	O
4,1	1,1	1,1	meter	3896,360289	litre	O
4,1	1	1	meter	3220,132470	litre	O
4,1	0,9	0,9	meter	2608,307301	litre	O
4,1	0,8	0,8	meter	2060,884781	litre	O
4,1	0,7	0,7	meter	1577,864910	litre	O

4,1	0,6	0,6	meter	1159,247689	litre	O
4,1	0,5	0,5	meter	805,0331175	litre	O
4,1	0,4	0,4	meter	515,2211952	litre	O
4,1	0,3	0,3	meter	289,8119223	litre	O
4,1	0,2	0,2	meter	128,8052988	litre	O
4,1	0,1	0,1	meter	32,2013247	litre	O
4,2	4,2	4,2	meter	58188,57913	litre	O
4,2	4,1	4,1	meter	55450,68113	litre	O
4,2	4	4	meter	52778,75658	litre	O
4,2	3,9	3,9	meter	50172,80547	litre	O
4,2	3,8	3,8	meter	47632,82781	litre	O
4,2	3,7	3,7	meter	45158,82360	litre	O
4,2	3,6	3,6	meter	42750,79283	litre	O
4,2	3,5	3,5	meter	40408,73551	litre	O
4,2	3,4	3,4	meter	38132,65163	litre	O
4,2	3,3	3,3	meter	35922,54120	litre	O
4,2	3,2	3,2	meter	33778,40421	litre	O
4,2	3,1	3,1	meter	31700,24067	litre	O
4,2	3	3	meter	29688,05058	litre	O
4,2	2,9	2,9	meter	27741,83393	litre	O
4,2	2,8	2,8	meter	25861,59072	litre	O
4,2	2,7	2,7	meter	24047,32097	litre	O
4,2	2,6	2,6	meter	22299,02466	litre	O
4,2	2,5	2,5	meter	20616,70179	litre	O
4,2	2,4	2,4	meter	19000,35237	litre	O
4,2	2,3	2,3	meter	17449,97639	litre	O
4,2	2,2	2,2	meter	15965,57387	litre	O
4,2	2,1	2,1	meter	14547,14478	litre	O
4,2	2	2	meter	13194,68915	litre	O
4,2	1,9	1,9	meter	11908,20695	litre	O
4,2	1,8	1,8	meter	10687,69821	litre	O
4,2	1,7	1,7	meter	9533,162907	litre	O
4,2	1,6	1,6	meter	8444,601053	litre	O
4,2	1,5	1,5	meter	7422,012644	litre	O
4,2	1,4	1,4	meter	6465,397681	litre	O
4,2	1,3	1,3	meter	5574,756164	litre	O
4,2	1,2	1,2	meter	4750,088092	litre	O
4,2	1,1	1,1	meter	3991,393466	litre	O
4,2	1	1	meter	3298,672286	litre	O
4,2	0,9	0,9	meter	2671,924552	litre	O
4,2	0,8	0,8	meter	2111,150263	litre	O
4,2	0,7	0,7	meter	1616,349420	litre	O
4,2	0,6	0,6	meter	1187,522023	litre	O
4,2	0,5	0,5	meter	824,6680716	litre	O
4,2	0,4	0,4	meter	527,7875658	litre	O
4,2	0,3	0,3	meter	296,8805058	litre	O
4,2	0,2	0,2	meter	131,9468915	litre	O
4,2	0,1	0,1	meter	32,9867229	litre	O
4,3	4,3	4,3	meter	62444,65178	litre	O
4,3	4,2	4,2	meter	59574,02149	litre	O
4,3	4,1	4,1	meter	56770,93544	litre	O

4,3	4	4	meter	54035,39364	litre	O
4,3	3,9	3,9	meter	51367,39608	litre	O
4,3	3,8	3,8	meter	48766,94276	litre	O
4,3	3,7	3,7	meter	46234,03368	litre	O
4,3	3,6	3,6	meter	43768,66885	litre	O
4,3	3,5	3,5	meter	41370,84826	litre	O
4,3	3,4	3,4	meter	39040,57191	litre	O
4,3	3,3	3,3	meter	36777,83980	litre	O
4,3	3,2	3,2	meter	34582,65193	litre	O
4,3	3,1	3,1	meter	32455,00831	litre	O
4,3	3	3	meter	30394,90892	litre	O
4,3	2,9	2,9	meter	28402,35378	litre	O
4,3	2,8	2,8	meter	26477,34288	litre	O
4,3	2,7	2,7	meter	24619,87623	litre	O
4,3	2,6	2,6	meter	22829,95381	litre	O
4,3	2,5	2,5	meter	21107,57564	litre	O
4,3	2,4	2,4	meter	19452,74171	litre	O
4,3	2,3	2,3	meter	17865,45202	litre	O
4,3	2,2	2,2	meter	16345,70658	litre	O
4,3	2,1	2,1	meter	14893,50537	litre	O
4,3	2	2	meter	13508,84841	litre	O
4,3	1,9	1,9	meter	12191,73569	litre	O
4,3	1,8	1,8	meter	10942,16721	litre	O
4,3	1,7	1,7	meter	9760,142977	litre	O
4,3	1,6	1,6	meter	8645,662983	litre	O
4,3	1,5	1,5	meter	7598,727231	litre	O
4,3	1,4	1,4	meter	6619,335721	litre	O
4,3	1,3	1,3	meter	5707,488453	litre	O
4,3	1,2	1,2	meter	4863,185428	litre	O
4,3	1,1	1,1	meter	4086,426644	litre	O
4,3	1	1	meter	3377,212103	litre	O
4,3	0,9	0,9	meter	2735,541803	litre	O
4,3	0,8	0,8	meter	2161,415746	litre	O
4,3	0,7	0,7	meter	1654,833930	litre	O
4,3	0,6	0,6	meter	1215,796357	litre	O
4,3	0,5	0,5	meter	844,3030257	litre	O
4,3	0,4	0,4	meter	540,3539364	litre	O
4,3	0,3	0,3	meter	303,9490892	litre	O
4,3	0,2	0,2	meter	135,0884841	litre	O
4,3	0,1	0,1	meter	33,7721210	litre	O
4,4	4,4	4,4	meter	66903,35715	litre	O
4,4	4,3	4,3	meter	63896,85298	litre	O
4,4	4,2	4,2	meter	60959,46385	litre	O
4,4	4,1	4,1	meter	58091,18976	litre	O
4,4	4	4	meter	55292,03070	litre	O
4,4	3,9	3,9	meter	52561,98669	litre	O
4,4	3,8	3,8	meter	49901,05771	litre	O
4,4	3,7	3,7	meter	47309,24377	litre	O
4,4	3,6	3,6	meter	44786,54487	litre	O
4,4	3,5	3,5	meter	42332,96101	litre	O
4,4	3,4	3,4	meter	39948,49218	litre	O

4,4	3,3	3,3	meter	37633,13840	litre	O
4,4	3,2	3,2	meter	35386,89965	litre	O
4,4	3,1	3,1	meter	33209,77594	litre	O
4,4	3	3	meter	31101,76727	litre	O
4,4	2,9	2,9	meter	29062,87364	litre	O
4,4	2,8	2,8	meter	27093,09504	litre	O
4,4	2,7	2,7	meter	25192,43149	litre	O
4,4	2,6	2,6	meter	23360,88297	litre	O
4,4	2,5	2,5	meter	21598,44949	litre	O
4,4	2,4	2,4	meter	19905,13105	litre	O
4,4	2,3	2,3	meter	18280,92765	litre	O
4,4	2,2	2,2	meter	16725,83929	litre	O
4,4	2,1	2,1	meter	15239,86596	litre	O
4,4	2	2	meter	13823,00768	litre	O
4,4	1,9	1,9	meter	12475,26443	litre	O
4,4	1,8	1,8	meter	11196,63622	litre	O
4,4	1,7	1,7	meter	9987,123046	litre	O
4,4	1,6	1,6	meter	8846,724913	litre	O
4,4	1,5	1,5	meter	7775,441818	litre	O
4,4	1,4	1,4	meter	6773,273761	litre	O
4,4	1,3	1,3	meter	5840,220743	litre	O
4,4	1,2	1,2	meter	4976,282763	litre	O
4,4	1,1	1,1	meter	4181,459822	litre	O
4,4	1	1	meter	3455,751919	litre	O
4,4	0,9	0,9	meter	2799,159054	litre	O
4,4	0,8	0,8	meter	2211,681228	litre	O
4,4	0,7	0,7	meter	1693,318440	litre	O
4,4	0,6	0,6	meter	1244,070691	litre	O
4,4	0,5	0,5	meter	863,9379797	litre	O
4,4	0,4	0,4	meter	552,9203070	litre	O
4,4	0,3	0,3	meter	311,0176727	litre	O
4,4	0,2	0,2	meter	138,2300768	litre	O
4,4	0,1	0,1	meter	34,5575192	litre	O
4,5	4,5	4,5	meter	71569,40764	litre	O
4,5	4,4	4,4	meter	68423,88800	litre	O
4,5	4,3	4,3	meter	65349,05419	litre	O
4,5	4,2	4,2	meter	62344,90621	litre	O
4,5	4,1	4,1	meter	59411,44407	litre	O
4,5	4	4	meter	56548,66776	litre	O
4,5	3,9	3,9	meter	53756,57729	litre	O
4,5	3,8	3,8	meter	51035,17266	litre	O
4,5	3,7	3,7	meter	48384,45386	litre	O
4,5	3,6	3,6	meter	45804,42089	litre	O
4,5	3,5	3,5	meter	43295,07376	litre	O
4,5	3,4	3,4	meter	40856,41246	litre	O
4,5	3,3	3,3	meter	38488,43700	litre	O
4,5	3,2	3,2	meter	36191,14737	litre	O
4,5	3,1	3,1	meter	33964,54358	litre	O
4,5	3	3	meter	31808,62562	litre	O
4,5	2,9	2,9	meter	29723,39349	litre	O
4,5	2,8	2,8	meter	27708,84720	litre	O

4,5	2,7	2,7	meter	25764,98675	litre	O
4,5	2,6	2,6	meter	23891,81213	litre	O
4,5	2,5	2,5	meter	22089,32335	litre	O
4,5	2,4	2,4	meter	20357,52040	litre	O
4,5	2,3	2,3	meter	18696,40328	litre	O
4,5	2,2	2,2	meter	17105,97200	litre	O
4,5	2,1	2,1	meter	15586,22655	litre	O
4,5	2	2	meter	14137,16694	litre	O
4,5	1,9	1,9	meter	12758,79316	litre	O
4,5	1,8	1,8	meter	11451,10522	litre	O
4,5	1,7	1,7	meter	10214,10311	litre	O
4,5	1,6	1,6	meter	9047,786842	litre	O
4,5	1,5	1,5	meter	7952,156404	litre	O
4,5	1,4	1,4	meter	6927,211801	litre	O
4,5	1,3	1,3	meter	5972,953033	litre	O
4,5	1,2	1,2	meter	5089,380099	litre	O
4,5	1,1	1,1	meter	4276,493000	litre	O
4,5	1	1	meter	3534,291735	litre	O
4,5	0,9	0,9	meter	2862,776306	litre	O
4,5	0,8	0,8	meter	2261,946711	litre	O
4,5	0,7	0,7	meter	1731,802950	litre	O
4,5	0,6	0,6	meter	1272,345025	litre	O
4,5	0,5	0,5	meter	883,5729338	litre	O
4,5	0,4	0,4	meter	565,4866776	litre	O
4,5	0,3	0,3	meter	318,0862562	litre	O
4,5	0,2	0,2	meter	141,3716694	litre	O
4,5	0,1	0,1	meter	35,3429174	litre	O
4,6	4,6	4,6	meter	76447,51563	litre	O
4,6	4,5	4,5	meter	73159,83892	litre	O
4,6	4,4	4,4	meter	69944,41884	litre	O
4,6	4,3	4,3	meter	66801,25539	litre	O
4,6	4,2	4,2	meter	63730,34857	litre	O
4,6	4,1	4,1	meter	60731,69838	litre	O
4,6	4	4	meter	57805,30483	litre	O
4,6	3,9	3,9	meter	54951,16790	litre	O
4,6	3,8	3,8	meter	52169,28761	litre	O
4,6	3,7	3,7	meter	49459,66394	litre	O
4,6	3,6	3,6	meter	46822,29691	litre	O
4,6	3,5	3,5	meter	44257,18651	litre	O
4,6	3,4	3,4	meter	41764,33274	litre	O
4,6	3,3	3,3	meter	39343,73560	litre	O
4,6	3,2	3,2	meter	36995,39509	litre	O
4,6	3,1	3,1	meter	34719,31121	litre	O
4,6	3	3	meter	32515,48396	litre	O
4,6	2,9	2,9	meter	30383,91335	litre	O
4,6	2,8	2,8	meter	28324,59936	litre	O
4,6	2,7	2,7	meter	26337,54201	litre	O
4,6	2,6	2,6	meter	24422,74129	litre	O
4,6	2,5	2,5	meter	22580,19720	litre	O
4,6	2,4	2,4	meter	20809,90974	litre	O
4,6	2,3	2,3	meter	19111,87891	litre	O

4,6	2,2	2,2	meter	17486,10471	litre	O
4,6	2,1	2,1	meter	15932,58714	litre	O
4,6	2	2	meter	14451,32621	litre	O
4,6	1,9	1,9	meter	13042,32190	litre	O
4,6	1,8	1,8	meter	11705,57423	litre	O
4,6	1,7	1,7	meter	10441,08318	litre	O
4,6	1,6	1,6	meter	9248,848772	litre	O
4,6	1,5	1,5	meter	8128,870991	litre	O
4,6	1,4	1,4	meter	7081,149841	litre	O
4,6	1,3	1,3	meter	6105,685322	litre	O
4,6	1,2	1,2	meter	5202,477434	litre	O
4,6	1,1	1,1	meter	4371,526177	litre	O
4,6	1	1	meter	3612,831552	litre	O
4,6	0,9	0,9	meter	2926,393557	litre	O
4,6	0,8	0,8	meter	2312,212193	litre	O
4,6	0,7	0,7	meter	1770,287460	litre	O
4,6	0,6	0,6	meter	1300,619359	litre	O
4,6	0,5	0,5	meter	903,2078879	litre	O
4,6	0,4	0,4	meter	578,0530483	litre	O
4,6	0,3	0,3	meter	325,1548396	litre	O
4,6	0,2	0,2	meter	144,5132621	litre	O
4,6	0,1	0,1	meter	36,1283155	litre	O
4,7	4,7	4,7	meter	81542,39352	litre	O
4,7	4,6	4,6	meter	78109,41815	litre	O
4,7	4,5	4,5	meter	74750,27020	litre	O
4,7	4,4	4,4	meter	71464,94968	litre	O
4,7	4,3	4,3	meter	68253,45659	litre	O
4,7	4,2	4,2	meter	65115,79093	litre	O
4,7	4,1	4,1	meter	62051,95270	litre	O
4,7	4	4	meter	59061,94189	litre	O
4,7	3,9	3,9	meter	56145,75851	litre	O
4,7	3,8	3,8	meter	53303,40255	litre	O
4,7	3,7	3,7	meter	50534,87403	litre	O
4,7	3,6	3,6	meter	47840,17293	litre	O
4,7	3,5	3,5	meter	45219,29926	litre	O
4,7	3,4	3,4	meter	42672,25301	litre	O
4,7	3,3	3,3	meter	40199,03420	litre	O
4,7	3,2	3,2	meter	37799,64281	litre	O
4,7	3,1	3,1	meter	35474,07885	litre	O
4,7	3	3	meter	33222,34231	litre	O
4,7	2,9	2,9	meter	31044,43320	litre	O
4,7	2,8	2,8	meter	28940,35152	litre	O
4,7	2,7	2,7	meter	26910,09727	litre	O
4,7	2,6	2,6	meter	24953,67045	litre	O
4,7	2,5	2,5	meter	23071,07105	litre	O
4,7	2,4	2,4	meter	21262,29908	litre	O
4,7	2,3	2,3	meter	19527,35454	litre	O
4,7	2,2	2,2	meter	17866,23742	litre	O
4,7	2,1	2,1	meter	16278,94773	litre	O
4,7	2	2	meter	14765,48547	litre	O
4,7	1,9	1,9	meter	13325,85064	litre	O

4,7	1,8	1,8	meter	11960,04323	litre	O
4,7	1,7	1,7	meter	10668,06325	litre	O
4,7	1,6	1,6	meter	9449,910702	litre	O
4,7	1,5	1,5	meter	8305,585578	litre	O
4,7	1,4	1,4	meter	7235,087881	litre	O
4,7	1,3	1,3	meter	6238,417612	litre	O
4,7	1,2	1,2	meter	5315,574770	litre	O
4,7	1,1	1,1	meter	4466,559355	litre	O
4,7	1	1	meter	3691,371368	litre	O
4,7	0,9	0,9	meter	2990,010808	litre	O
4,7	0,8	0,8	meter	2362,477675	litre	O
4,7	0,7	0,7	meter	1808,771970	litre	O
4,7	0,6	0,6	meter	1328,893692	litre	O
4,7	0,5	0,5	meter	922,8428420	litre	O
4,7	0,4	0,4	meter	590,6194189	litre	O
4,7	0,3	0,3	meter	332,2234231	litre	O
4,7	0,2	0,2	meter	147,6548547	litre	O
4,7	0,1	0,1	meter	36,9137137	litre	O
4,8	4,8	4,8	meter	86858,75369	litre	O
4,8	4,7	4,7	meter	83277,33806	litre	O
4,8	4,6	4,6	meter	79771,32066	litre	O
4,8	4,5	4,5	meter	76340,70148	litre	O
4,8	4,4	4,4	meter	72985,48053	litre	O
4,8	4,3	4,3	meter	69705,65780	litre	O
4,8	4,2	4,2	meter	66501,23329	litre	O
4,8	4,1	4,1	meter	63372,20701	litre	O
4,8	4	4	meter	60318,57895	litre	O
4,8	3,9	3,9	meter	57340,34911	litre	O
4,8	3,8	3,8	meter	54437,51750	litre	O
4,8	3,7	3,7	meter	51610,08411	litre	O
4,8	3,6	3,6	meter	48858,04895	litre	O
4,8	3,5	3,5	meter	46181,41201	litre	O
4,8	3,4	3,4	meter	43580,17329	litre	O
4,8	3,3	3,3	meter	41054,33280	litre	O
4,8	3,2	3,2	meter	38603,89053	litre	O
4,8	3,1	3,1	meter	36228,84648	litre	O
4,8	3	3	meter	33929,20066	litre	O
4,8	2,9	2,9	meter	31704,95306	litre	O
4,8	2,8	2,8	meter	29556,10368	litre	O
4,8	2,7	2,7	meter	27482,65253	litre	O
4,8	2,6	2,6	meter	25484,59961	litre	O
4,8	2,5	2,5	meter	23561,94490	litre	O
4,8	2,4	2,4	meter	21714,68842	litre	O
4,8	2,3	2,3	meter	19942,83016	litre	O
4,8	2,2	2,2	meter	18246,37013	litre	O
4,8	2,1	2,1	meter	16625,30832	litre	O
4,8	2	2	meter	15079,64474	litre	O
4,8	1,9	1,9	meter	13609,37938	litre	O
4,8	1,8	1,8	meter	12214,51224	litre	O
4,8	1,7	1,7	meter	10895,04332	litre	O
4,8	1,6	1,6	meter	9650,972632	litre	O

4,8	1,5	1,5	meter	8482,300165	litre	O
4,8	1,4	1,4	meter	7389,025921	litre	O
4,8	1,3	1,3	meter	6371,149901	litre	O
4,8	1,2	1,2	meter	5428,672105	litre	O
4,8	1,1	1,1	meter	4561,592533	litre	O
4,8	1	1	meter	3769,911184	litre	O
4,8	0,9	0,9	meter	3053,628059	litre	O
4,8	0,8	0,8	meter	2412,743158	litre	O
4,8	0,7	0,7	meter	1847,256480	litre	O
4,8	0,6	0,6	meter	1357,168026	litre	O
4,8	0,5	0,5	meter	942,4777961	litre	O
4,8	0,4	0,4	meter	603,1857895	litre	O
4,8	0,3	0,3	meter	339,2920066	litre	O
4,8	0,2	0,2	meter	150,7964474	litre	O
4,8	0,1	0,1	meter	37,6991118	litre	O
4,9	4,9	4,9	meter	92401,30853	litre	O
4,9	4,8	4,8	meter	88668,31105	litre	O
4,9	4,7	4,7	meter	85012,28260	litre	O
4,9	4,6	4,6	meter	81433,22317	litre	O
4,9	4,5	4,5	meter	77931,13276	litre	O
4,9	4,4	4,4	meter	74506,01137	litre	O
4,9	4,3	4,3	meter	71157,85900	litre	O
4,9	4,2	4,2	meter	67886,67565	litre	O
4,9	4,1	4,1	meter	64692,46132	litre	O
4,9	4	4	meter	61575,21601	litre	O
4,9	3,9	3,9	meter	58534,93972	litre	O
4,9	3,8	3,8	meter	55571,63245	litre	O
4,9	3,7	3,7	meter	52685,29420	litre	O
4,9	3,6	3,6	meter	49875,92497	litre	O
4,9	3,5	3,5	meter	47143,52476	litre	O
4,9	3,4	3,4	meter	44488,09357	litre	O
4,9	3,3	3,3	meter	41909,63140	litre	O
4,9	3,2	3,2	meter	39408,13825	litre	O
4,9	3,1	3,1	meter	36983,61412	litre	O
4,9	3	3	meter	34636,05901	litre	O
4,9	2,9	2,9	meter	32365,47292	litre	O
4,9	2,8	2,8	meter	30171,85585	litre	O
4,9	2,7	2,7	meter	28055,20779	litre	O
4,9	2,6	2,6	meter	26015,52876	litre	O
4,9	2,5	2,5	meter	24052,81875	litre	O
4,9	2,4	2,4	meter	22167,07776	litre	O
4,9	2,3	2,3	meter	20358,30579	litre	O
4,9	2,2	2,2	meter	18626,50284	litre	O
4,9	2,1	2,1	meter	16971,66891	litre	O
4,9	2	2	meter	15393,80400	litre	O
4,9	1,9	1,9	meter	13892,90811	litre	O
4,9	1,8	1,8	meter	12468,98124	litre	O
4,9	1,7	1,7	meter	11122,02339	litre	O
4,9	1,6	1,6	meter	9852,034562	litre	O
4,9	1,5	1,5	meter	8659,014751	litre	O
4,9	1,4	1,4	meter	7542,963961	litre	O

4,9	1,3	1,3	meter	6503,882191	litre	O
4,9	1,2	1,2	meter	5541,769441	litre	O
4,9	1,1	1,1	meter	4656,625711	litre	O
4,9	1	1	meter	3848,451001	litre	O
4,9	0,9	0,9	meter	3117,245311	litre	O
4,9	0,8	0,8	meter	2463,008640	litre	O
4,9	0,7	0,7	meter	1885,740990	litre	O
4,9	0,6	0,6	meter	1385,442360	litre	O
4,9	0,5	0,5	meter	962,1127502	litre	O
4,9	0,4	0,4	meter	615,7521601	litre	O
4,9	0,3	0,3	meter	346,3605901	litre	O
4,9	0,2	0,2	meter	153,9380400	litre	O
4,9	0,1	0,1	meter	38,4845100	litre	O
5	5	5	meter	98174,77042	litre	O
5	4,9	4,9	meter	94287,04952	litre	O
5	4,8	4,8	meter	90477,86842	litre	O
5	4,7	4,7	meter	86747,22715	litre	O
5	4,6	4,6	meter	83095,12569	litre	O
5	4,5	4,5	meter	79521,56404	litre	O
5	4,4	4,4	meter	76026,54222	litre	O
5	4,3	4,3	meter	72610,06021	litre	O
5	4,2	4,2	meter	69272,11801	litre	O
5	4,1	4,1	meter	66012,71563	litre	O
5	4	4	meter	62831,85307	litre	O
5	3,9	3,9	meter	59729,53033	litre	O
5	3,8	3,8	meter	56705,74740	litre	O
5	3,7	3,7	meter	53760,50428	litre	O
5	3,6	3,6	meter	50893,80099	litre	O
5	3,5	3,5	meter	48105,63751	litre	O
5	3,4	3,4	meter	45396,01384	litre	O
5	3,3	3,3	meter	42764,93000	litre	O
5	3,2	3,2	meter	40212,38597	litre	O
5	3,1	3,1	meter	37738,38175	litre	O
5	3	3	meter	35342,91735	litre	O
5	2,9	2,9	meter	33025,99277	litre	O
5	2,8	2,8	meter	30787,60801	litre	O
5	2,7	2,7	meter	28627,76306	litre	O
5	2,6	2,6	meter	26546,45792	litre	O
5	2,5	2,5	meter	24543,69261	litre	O
5	2,4	2,4	meter	22619,46711	litre	O
5	2,3	2,3	meter	20773,78142	litre	O
5	2,2	2,2	meter	19006,63555	litre	O
5	2,1	2,1	meter	17318,02950	litre	O
5	2	2	meter	15707,96327	litre	O
5	1,9	1,9	meter	14176,43685	litre	O
5	1,8	1,8	meter	12723,45025	litre	O
5	1,7	1,7	meter	11349,00346	litre	O
5	1,6	1,6	meter	10053,09649	litre	O
5	1,5	1,5	meter	8835,729338	litre	O
5	1,4	1,4	meter	7696,902001	litre	O
5	1,3	1,3	meter	6636,614481	litre	O

5	1,2	1,2	meter	5654,866776	litre	O
5	1,1	1,1	meter	4751,658889	litre	O
5	1	1	meter	3926,990817	litre	O
5	0,9	0,9	meter	3180,862562	litre	O
5	0,8	0,8	meter	2513,274123	litre	O
5	0,7	0,7	meter	1924,225500	litre	O
5	0,6	0,6	meter	1413,716694	litre	O
5	0,5	0,5	meter	981,7477042	litre	O
5	0,4	0,4	meter	628,3185307	litre	O
5	0,3	0,3	meter	353,4291735	litre	O
5	0,2	0,2	meter	157,0796327	litre	O
5	0,1	0,1	meter	39,2699082	litre	O

RIGHT SQUARE PRISM (cube)

<u>LENGTH</u>	<u>WIDTH</u>	<u>HEIGHT</u>		<u>MAXIMUM VOLUME CYLINDER</u>		
1	1	1	meter	785,3981634	litre	O
1,1	1,1	1,1	meter	1045,364955	litre	O
1,2	1,2	1,2	meter	1357,168026	litre	O
1,3	1,3	1,3	meter	1725,519765	litre	O
1,4	1,4	1,4	meter	2155,132560	litre	O
1,5	1,5	1,5	meter	2650,718801	litre	O
1,6	1,6	1,6	meter	3216,990877	litre	O
1,7	1,7	1,7	meter	3858,661177	litre	O
1,8	1,8	1,8	meter	4580,442089	litre	O
1,9	1,9	1,9	meter	5387,046003	litre	O
2	2	2	meter	6283,185307	litre	O
2,1	2,1	2,1	meter	7273,572391	litre	O
2,2	2,2	2,2	meter	8362,919644	litre	O
2,3	2,3	2,3	meter	9555,939454	litre	O
2,4	2,4	2,4	meter	10857,34421	litre	O
2,5	2,5	2,5	meter	12271,84630	litre	O
2,6	2,6	2,6	meter	13804,15812	litre	O
2,7	2,7	2,7	meter	15458,99205	litre	O
2,8	2,8	2,8	meter	17241,06048	litre	O
2,9	2,9	2,9	meter	19155,07581	litre	O
3	3	3	meter	21205,75041	litre	O
3,1	3,1	3,1	meter	23397,79669	litre	O
3,2	3,2	3,2	meter	25735,92702	litre	O
3,3	3,3	3,3	meter	28224,85380	litre	O
3,4	3,4	3,4	meter	30869,28941	litre	O
3,5	3,5	3,5	meter	33673,94626	litre	O
3,6	3,6	3,6	meter	36643,53671	litre	O
3,7	3,7	3,7	meter	39782,77317	litre	O
3,8	3,8	3,8	meter	43096,36802	litre	O
3,9	3,9	3,9	meter	46589,03365	litre	O
4	4	4	meter	50265,48246	litre	O
4,1	4,1	4,1	meter	54130,42682	litre	O
4,2	4,2	4,2	meter	58188,57913	litre	O
4,3	4,3	4,3	meter	62444,65178	litre	O
4,4	4,4	4,4	meter	66903,35715	litre	O
4,5	4,5	4,5	meter	71569,40764	litre	O
4,6	4,6	4,6	meter	76447,51563	litre	O
4,7	4,7	4,7	meter	81542,39352	litre	O
4,8	4,8	4,8	meter	86858,75369	litre	O
4,9	4,9	4,9	meter	92401,30853	litre	O
5	5	5	meter	98174,77042	litre	O
5,1	5,1	5,1	meter	104183,8518	litre	O
5,2	5,2	5,2	meter	110433,2650	litre	O
5,3	5,3	5,3	meter	116927,7224	litre	O
5,4	5,4	5,4	meter	123671,9364	litre	O
5,5	5,5	5,5	meter	130670,6194	litre	O
5,6	5,6	5,6	meter	137928,4839	litre	O

5,7	5,7	5,7	meter	145450,2421	litre	O
5,8	5,8	5,8	meter	153240,6065	litre	O
5,9	5,9	5,9	meter	161304,2894	litre	O
6	6	6	meter	169646,0033	litre	O
6,1	6,1	6,1	meter	178270,4605	litre	O
6,2	6,2	6,2	meter	187182,3735	litre	O
6,3	6,3	6,3	meter	196386,4546	litre	O
6,4	6,4	6,4	meter	205887,4161	litre	O
6,5	6,5	6,5	meter	215689,9706	litre	O
6,6	6,6	6,6	meter	225798,8304	litre	O
6,7	6,7	6,7	meter	236218,7078	litre	O
6,8	6,8	6,8	meter	246954,3153	litre	O
6,9	6,9	6,9	meter	258010,3653	litre	O
7	7	7	meter	269391,5700	litre	O
7,1	7,1	7,1	meter	281102,6421	litre	O
7,2	7,2	7,2	meter	293148,2937	litre	O
7,3	7,3	7,3	meter	305533,2373	litre	O
7,4	7,4	7,4	meter	318262,1854	litre	O
7,5	7,5	7,5	meter	331339,8502	litre	O
7,6	7,6	7,6	meter	344770,9442	litre	O
7,7	7,7	7,7	meter	358560,1797	litre	O
7,8	7,8	7,8	meter	372712,2692	litre	O
7,9	7,9	7,9	meter	387231,9251	litre	O
8	8	8	meter	402123,8597	litre	O
8,1	8,1	8,1	meter	417392,7854	litre	O
8,2	8,2	8,2	meter	433043,4146	litre	O
8,3	8,3	8,3	meter	449080,4597	litre	O
8,4	8,4	8,4	meter	465508,6330	litre	O
8,5	8,5	8,5	meter	482332,6471	litre	O
8,6	8,6	8,6	meter	499557,2142	litre	O
8,7	8,7	8,7	meter	517187,0468	litre	O
8,8	8,8	8,8	meter	535226,8572	litre	O
8,9	8,9	8,9	meter	553681,3579	litre	O
9	9	9	meter	572555,2611	litre	O
9,1	9,1	9,1	meter	591853,2794	litre	O
9,2	9,2	9,2	meter	611580,1251	litre	O
9,3	9,3	9,3	meter	631740,5105	litre	O
9,4	9,4	9,4	meter	652339,1481	litre	O
9,5	9,5	9,5	meter	673380,7503	litre	O
9,6	9,6	9,6	meter	694870,0295	litre	O
9,7	9,7	9,7	meter	716811,6980	litre	O
9,8	9,8	9,8	meter	739210,4682	litre	O
9,9	9,9	9,9	meter	762071,0525	litre	O
10	10	10	meter	785398,1634	litre	O
10,1	10,1	10,1	meter	809196,5131	litre	O
10,2	10,2	10,2	meter	833470,8142	litre	O
10,3	10,3	10,3	meter	858225,7789	litre	O
10,4	10,4	10,4	meter	883466,1197	litre	O
10,5	10,5	10,5	meter	909196,5489	litre	O
10,6	10,6	10,6	meter	935421,7790	litre	O
10,7	10,7	10,7	meter	962146,5223	litre	O

10,8	10,8	10,8	meter	989375,4912	litre	O
10,9	10,9	10,9	meter	1017113,398	litre	O
11	11	11	meter	1045364,955	litre	O
11,1	11,1	11,1	meter	1074134,876	litre	O
11,2	11,2	11,2	meter	1103427,871	litre	O
11,3	11,3	11,3	meter	1133248,654	litre	O
11,4	11,4	11,4	meter	1163601,937	litre	O
11,5	11,5	11,5	meter	1194492,432	litre	O
11,6	11,6	11,6	meter	1225924,852	litre	O
11,7	11,7	11,7	meter	1257903,909	litre	O
11,8	11,8	11,8	meter	1290434,315	litre	O
11,9	11,9	11,9	meter	1323520,784	litre	O
12	12	12	meter	1357168,026	litre	O
12,1	12,1	12,1	meter	1391380,756	litre	O
12,2	12,2	12,2	meter	1426163,684	litre	O
12,3	12,3	12,3	meter	1461521,524	litre	O
12,4	12,4	12,4	meter	1497458,988	litre	O
12,5	12,5	12,5	meter	1533980,788	litre	O
12,6	12,6	12,6	meter	1571091,637	litre	O
12,7	12,7	12,7	meter	1608796,246	litre	O
12,8	12,8	12,8	meter	1647099,329	litre	O
12,9	12,9	12,9	meter	1686005,598	litre	O
13	13	13	meter	1725519,765	litre	O
13,1	13,1	13,1	meter	1765646,543	litre	O
13,2	13,2	13,2	meter	1806390,643	litre	O
13,3	13,3	13,3	meter	1847756,779	litre	O
13,4	13,4	13,4	meter	1889749,663	litre	O
13,5	13,5	13,5	meter	1932374,006	litre	O
13,6	13,6	13,6	meter	1975634,523	litre	O
13,7	13,7	13,7	meter	2019535,924	litre	O
13,8	13,8	13,8	meter	2064082,922	litre	O
13,9	13,9	13,9	meter	2109280,230	litre	O
14	14	14	meter	2155132,560	litre	O
14,1	14,1	14,1	meter	2201644,625	litre	O
14,2	14,2	14,2	meter	2248821,136	litre	O
14,3	14,3	14,3	meter	2296666,807	litre	O
14,4	14,4	14,4	meter	2345186,350	litre	O
14,5	14,5	14,5	meter	2394384,476	litre	O
14,6	14,6	14,6	meter	2444265,899	litre	O
14,7	14,7	14,7	meter	2494835,330	litre	O
14,8	14,8	14,8	meter	2546097,483	litre	O
14,9	14,9	14,9	meter	2598057,069	litre	O
15	15	15	meter	2650718,801	litre	O
15,1	15,1	15,1	meter	2704087,392	litre	O
15,2	15,2	15,2	meter	2758167,553	litre	O
15,3	15,3	15,3	meter	2812963,998	litre	O
15,4	15,4	15,4	meter	2868481,438	litre	O
15,5	15,5	15,5	meter	2924724,586	litre	O
15,6	15,6	15,6	meter	2981698,154	litre	O
15,7	15,7	15,7	meter	3039406,855	litre	O
15,8	15,8	15,8	meter	3097855,401	litre	O

15,9	15,9	15,9	meter	3157048,504	litre	O
16	16	16	meter	3216990,877	litre	O
16,1	16,1	16,1	meter	3277687,233	litre	O
16,2	16,2	16,2	meter	3339142,283	litre	O
16,3	16,3	16,3	meter	3401360,740	litre	O
16,4	16,4	16,4	meter	3464347,316	litre	O
16,5	16,5	16,5	meter	3528106,725	litre	O
16,6	16,6	16,6	meter	3592643,677	litre	O
16,7	16,7	16,7	meter	3657962,886	litre	O
16,8	16,8	16,8	meter	3724069,064	litre	O
16,9	16,9	16,9	meter	3790966,924	litre	O
17	17	17	meter	3858661,177	litre	O
17,1	17,1	17,1	meter	3927156,536	litre	O
17,2	17,2	17,2	meter	3996457,714	litre	O
17,3	17,3	17,3	meter	4066569,422	litre	O
17,4	17,4	17,4	meter	4137496,374	litre	O
17,5	17,5	17,5	meter	4209243,282	litre	O
17,6	17,6	17,6	meter	4281814,858	litre	O
17,7	17,7	17,7	meter	4355215,814	litre	O
17,8	17,8	17,8	meter	4429450,863	litre	O
17,9	17,9	17,9	meter	4504524,717	litre	O
18	18	18	meter	4580442,089	litre	O
18,1	18,1	18,1	meter	4657207,691	litre	O
18,2	18,2	18,2	meter	4734826,235	litre	O
18,3	18,3	18,3	meter	4813302,434	litre	O
18,4	18,4	18,4	meter	4892641,000	litre	O
18,5	18,5	18,5	meter	4972846,646	litre	O
18,6	18,6	18,6	meter	5053924,084	litre	O
18,7	18,7	18,7	meter	5135878,026	litre	O
18,8	18,8	18,8	meter	5218713,185	litre	O
18,9	18,9	18,9	meter	5302434,273	litre	O
19	19	19	meter	5387046,003	litre	O
19,1	19,1	19,1	meter	5472553,086	litre	O
19,2	19,2	19,2	meter	5558960,236	litre	O
19,3	19,3	19,3	meter	5646272,164	litre	O
19,4	19,4	19,4	meter	5734493,584	litre	O
19,5	19,5	19,5	meter	5823629,207	litre	O
19,6	19,6	19,6	meter	5913683,746	litre	O
19,7	19,7	19,7	meter	6004661,913	litre	O
19,8	19,8	19,8	meter	6096568,420	litre	O
19,9	19,9	19,9	meter	6189407,981	litre	O
20	20	20	meter	6283185,307	litre	O
20,1	20,1	20,1	meter	6377905,111	litre	O
20,2	20,2	20,2	meter	6473572,105	litre	O
20,3	20,3	20,3	meter	6570191,002	litre	O
20,4	20,4	20,4	meter	6667766,513	litre	O
20,5	20,5	20,5	meter	6766303,352	litre	O
20,6	20,6	20,6	meter	6865806,231	litre	O
20,7	20,7	20,7	meter	6966279,862	litre	O
20,8	20,8	20,8	meter	7067728,957	litre	O
20,9	20,9	20,9	meter	7170158,230	litre	O

21	21	21	meter	7273572,391	litre	O
21,1	21,1	21,1	meter	7377976,154	litre	O
21,2	21,2	21,2	meter	7483374,232	litre	O
21,3	21,3	21,3	meter	7589771,336	litre	O
21,4	21,4	21,4	meter	7697172,178	litre	O
21,5	21,5	21,5	meter	7805581,472	litre	O
21,6	21,6	21,6	meter	7915003,930	litre	O
21,7	21,7	21,7	meter	8025444,263	litre	O
21,8	21,8	21,8	meter	8136907,185	litre	O
21,9	21,9	21,9	meter	8249397,408	litre	O
22	22	22	meter	8362919,644	litre	O
22,1	22,1	22,1	meter	8477478,605	litre	O
22,2	22,2	22,2	meter	8593079,005	litre	O
22,3	22,3	22,3	meter	8709725,555	litre	O
22,4	22,4	22,4	meter	8827422,967	litre	O
22,5	22,5	22,5	meter	8946175,955	litre	O
22,6	22,6	22,6	meter	9065989,230	litre	O
22,7	22,7	22,7	meter	9186867,505	litre	O
22,8	22,8	22,8	meter	9308815,493	litre	O
22,9	22,9	22,9	meter	9431837,905	litre	O
23	23	23	meter	9555939,454	litre	O
23,1	23,1	23,1	meter	9681124,853	litre	O
23,2	23,2	23,2	meter	9807398,813	litre	O
23,3	23,3	23,3	meter	9934766,048	litre	O
23,4	23,4	23,4	meter	10063231,27	litre	O
23,5	23,5	23,5	meter	10192799,19	litre	O
23,6	23,6	23,6	meter	10323474,52	litre	O
23,7	23,7	23,7	meter	10455261,98	litre	O
23,8	23,8	23,8	meter	10588166,27	litre	O
23,9	23,9	23,9	meter	10722192,11	litre	O
24	24	24	meter	10857344,21	litre	O
24,1	24,1	24,1	meter	10993627,29	litre	O
24,2	24,2	24,2	meter	11131046,05	litre	O
24,3	24,3	24,3	meter	11269605,20	litre	O
24,4	24,4	24,4	meter	11409309,47	litre	O
24,5	24,5	24,5	meter	11550163,57	litre	O
24,6	24,6	24,6	meter	11692172,19	litre	O
24,7	24,7	24,7	meter	11835340,07	litre	O
24,8	24,8	24,8	meter	11979671,90	litre	O
24,9	24,9	24,9	meter	12125172,41	litre	O
25	25	25	meter	12271846,30	litre	O

RIGHT SQUARE PRISM

<u>LENGTH</u>	<u>WIDTH</u>	<u>HEIGHT</u>		<u>MAXIMUM VOLUME CYLINDER</u>		
1	0,01	0,01	meter	0,0785398163397448	litre	0
1	0,02	0,02	meter	0,314159265358979	litre	0
1	0,03	0,03	meter	0,706858347057703	litre	0
1	0,04	0,04	meter	1,25663706143592	litre	0
1	0,05	0,05	meter	1,96349540849362	litre	0
1	0,06	0,06	meter	2,82743338823081	litre	0
1	0,07	0,07	meter	3,84845100064750	litre	0
1	0,08	0,08	meter	5,02654824574367	litre	0
1	0,09	0,09	meter	6,36172512351933	litre	0
1	0,1	0,1	meter	7,85398163397448	litre	0
1	0,11	0,11	meter	9,50331777710912	litre	0
1	0,12	0,12	meter	11,3097335529233	litre	0
1	0,13	0,13	meter	13,2732289614169	litre	0
1	0,14	0,14	meter	15,3938040025900	litre	0
1	0,15	0,15	meter	17,6714586764426	litre	0
1	0,16	0,16	meter	20,1061929829747	litre	0
1	0,17	0,17	meter	22,6980069221863	litre	0
1	0,18	0,18	meter	25,4469004940773	litre	0
1	0,19	0,19	meter	28,3528736986479	litre	0
1	0,2	0,2	meter	31,4159265358979	litre	0
1	0,21	0,21	meter	34,6360590058274	litre	0
1	0,22	0,22	meter	38,0132711084365	litre	0
1	0,23	0,23	meter	41,5475628437250	litre	0
1	0,24	0,24	meter	45,2389342116930	litre	0
1	0,25	0,25	meter	49,0873852123405	litre	0
1	0,26	0,26	meter	53,0929158456675	litre	0
1	0,27	0,27	meter	57,2555261116740	litre	0
1	0,28	0,28	meter	61,5752160103599	litre	0
1	0,29	0,29	meter	66,0519855417254	litre	0
1	0,3	0,3	meter	70,6858347057703	litre	0
1	0,31	0,31	meter	75,4767635024948	litre	0
1	0,32	0,32	meter	80,4247719318987	litre	0
1	0,33	0,33	meter	85,5298599939821	litre	0
1	0,34	0,34	meter	90,7920276887450	litre	0
1	0,35	0,35	meter	96,2112750161874	litre	0
1	0,36	0,36	meter	101,787601976309	litre	0
1	0,37	0,37	meter	107,521008569111	litre	0
1	0,38	0,38	meter	113,411494794592	litre	0
1	0,39	0,39	meter	119,459060652752	litre	0
1	0,4	0,4	meter	125,663706143592	litre	0
1	0,41	0,41	meter	132,025431267111	litre	0
1	0,42	0,42	meter	138,544236023310	litre	0
1	0,43	0,43	meter	145,220120412188	litre	0
1	0,44	0,44	meter	152,053084433746	litre	0
1	0,45	0,45	meter	159,043128087983	litre	0

1	0,46	0,46	meter	166,190251374900	litre	0
1	0,47	0,47	meter	173,494454294496	litre	0
1	0,48	0,48	meter	180,955736846772	litre	0
1	0,49	0,49	meter	188,574099031727	litre	0
1	0,5	0,5	meter	196,349540849362	litre	0
1	0,51	0,51	meter	204,282062299676	litre	0
1	0,52	0,52	meter	212,371663382670	litre	0
1	0,53	0,53	meter	220,618344098343	litre	0
1	0,54	0,54	meter	229,022104446696	litre	0
1	0,55	0,55	meter	237,582944427728	litre	0
1	0,56	0,56	meter	246,300864041440	litre	0
1	0,57	0,57	meter	255,175863287831	litre	0
1	0,58	0,58	meter	264,207942166901	litre	0
1	0,59	0,59	meter	273,397100678652	litre	0
1	0,6	0,6	meter	282,743338823081	litre	0
1	0,61	0,61	meter	292,246656600190	litre	0
1	0,62	0,62	meter	301,907054009979	litre	0
1	0,63	0,63	meter	311,724531052447	litre	0
1	0,64	0,64	meter	321,699087727595	litre	0
1	0,65	0,65	meter	331,830724035422	litre	0
1	0,66	0,66	meter	342,119439975928	litre	0
1	0,67	0,67	meter	352,565235549114	litre	0
1	0,68	0,68	meter	363,168110754980	litre	0
1	0,69	0,69	meter	373,928065593525	litre	0
1	0,7	0,7	meter	384,845100064750	litre	0
1	0,71	0,71	meter	395,919214168654	litre	0
1	0,72	0,72	meter	407,150407905237	litre	0
1	0,73	0,73	meter	418,538681274500	litre	0
1	0,74	0,74	meter	430,084034276443	litre	0
1	0,75	0,75	meter	441,786466911065	litre	0
1	0,76	0,76	meter	453,645979178366	litre	0
1	0,77	0,77	meter	465,662571078347	litre	0
1	0,78	0,78	meter	477,836242611007	litre	0
1	0,79	0,79	meter	490,166993776347	litre	0
1	0,8	0,8	meter	502,654824574367	litre	0
1	0,81	0,81	meter	515,299735005066	litre	0
1	0,82	0,82	meter	528,101725068444	litre	0
1	0,83	0,83	meter	541,060794764502	litre	0
1	0,84	0,84	meter	554,176944093239	litre	0
1	0,85	0,85	meter	567,450173054656	litre	0
1	0,86	0,86	meter	580,880481648753	litre	0
1	0,87	0,87	meter	594,467869875528	litre	0
1	0,88	0,88	meter	608,212337734984	litre	0
1	0,89	0,89	meter	622,113885227119	litre	0
1	0,9	0,9	meter	636,172512351933	litre	0
1	0,91	0,91	meter	650,388219109427	litre	0
1	0,92	0,92	meter	664,761005499600	litre	0
1	0,93	0,93	meter	679,290871522453	litre	0
1	0,94	0,94	meter	693,977817177985	litre	0
1	0,95	0,95	meter	708,821842466197	litre	0
1	0,96	0,96	meter	723,822947387088	litre	0

1	0,97	0,97	meter	738,981131940659	litre	0
1	0,98	0,98	meter	754,296396126909	litre	0
1	0,99	0,99	meter	769,768739945839	litre	0
1	1	1	meter	785,398163397448	litre	0
1	1,01	1,01	meter	801,184666481737	litre	0
1	1,02	1,02	meter	817,128249198705	litre	0
1	1,03	1,03	meter	833,228911548353	litre	0
1	1,04	1,04	meter	849,486653530680	litre	0
1	1,05	1,05	meter	865,901475145687	litre	0
1	1,06	1,06	meter	882,473376393373	litre	0
1	1,07	1,07	meter	899,202357273738	litre	0
1	1,08	1,08	meter	916,088417786784	litre	0
1	1,09	1,09	meter	933,131557932508	litre	0
1	1,1	1,1	meter	950,331777710912	litre	0
1	1,11	1,11	meter	967,689077121996	litre	0
1	1,12	1,12	meter	985,203456165759	litre	0
1	1,13	1,13	meter	1002,87491484220	litre	0
1	1,14	1,14	meter	1020,70345315132	litre	0
1	1,15	1,15	meter	1038,68907109312	litre	0
1	1,16	1,16	meter	1056,83176866761	litre	0
1	1,17	1,17	meter	1075,13154587477	litre	0
1	1,18	1,18	meter	1093,58840271461	litre	0
1	1,19	1,19	meter	1112,20233918713	litre	0
1	1,2	1,2	meter	1130,97335529233	litre	0
1	1,21	1,21	meter	1149,90145103020	litre	0
1	1,22	1,22	meter	1168,98662640076	litre	0
1	1,23	1,23	meter	1188,22888140400	litre	0
1	1,24	1,24	meter	1207,62821603992	litre	0
1	1,25	1,25	meter	1227,18463030851	litre	0
1	1,26	1,26	meter	1246,89812420979	litre	0
1	1,27	1,27	meter	1266,76869774374	litre	0
1	1,28	1,28	meter	1286,79635091038	litre	0
1	1,29	1,29	meter	1306,98108370969	litre	0
1	1,3	1,3	meter	1327,32289614169	litre	0
1	1,31	1,31	meter	1347,82178820636	litre	0
1	1,32	1,32	meter	1368,47775990371	litre	0
1	1,33	1,33	meter	1389,29081123375	litre	0
1	1,34	1,34	meter	1410,26094219646	litre	0
1	1,35	1,35	meter	1431,38815279185	litre	0
1	1,36	1,36	meter	1452,67244301992	litre	0
1	1,37	1,37	meter	1474,11381288067	litre	0
1	1,38	1,38	meter	1495,71226237410	litre	0
1	1,39	1,39	meter	1517,46779150021	litre	0
1	1,4	1,4	meter	1539,38040025900	litre	0
1	1,41	1,41	meter	1561,45008865047	litre	0
1	1,42	1,42	meter	1583,67685667461	litre	0
1	1,43	1,43	meter	1606,06070433144	litre	0
1	1,44	1,44	meter	1628,60163162095	litre	0
1	1,45	1,45	meter	1651,29963854313	litre	0
1	1,46	1,46	meter	1674,15472509800	litre	0
1	1,47	1,47	meter	1697,16689128555	litre	0

1	1,48	1,48	meter	1720,33613710577	litre	0
1	1,49	1,49	meter	1743,66246255867	litre	0
1	1,5	1,5	meter	1767,14586764426	litre	0
1	1,51	1,51	meter	1790,78635236252	litre	0
1	1,52	1,52	meter	1814,58391671346	litre	0
1	1,53	1,53	meter	1838,53856069709	litre	0
1	1,54	1,54	meter	1862,65028431339	litre	0
1	1,55	1,55	meter	1886,91908756237	litre	0
1	1,56	1,56	meter	1911,34497044403	litre	0
1	1,57	1,57	meter	1935,92793295837	litre	0
1	1,58	1,58	meter	1960,66797510539	litre	0
1	1,59	1,59	meter	1985,56509688509	litre	0
1	1,6	1,6	meter	2010,61929829747	litre	0
1	1,61	1,61	meter	2035,83057934252	litre	0
1	1,62	1,62	meter	2061,19894002026	litre	0
1	1,63	1,63	meter	2086,72438033068	litre	0
1	1,64	1,64	meter	2112,40690027378	litre	0
1	1,65	1,65	meter	2138,24649984955	litre	0
1	1,66	1,66	meter	2164,24317905801	litre	0
1	1,67	1,67	meter	2190,39693789914	litre	0
1	1,68	1,68	meter	2216,70777637296	litre	0
1	1,69	1,69	meter	2243,17569447945	litre	0
1	1,7	1,7	meter	2269,80069221863	litre	0
1	1,71	1,71	meter	2296,58276959048	litre	0
1	1,72	1,72	meter	2323,52192659501	litre	0
1	1,73	1,73	meter	2350,61816323222	litre	0
1	1,74	1,74	meter	2377,87147950211	litre	0
1	1,75	1,75	meter	2405,28187540468	litre	0
1	1,76	1,76	meter	2432,84935093993	litre	0
1	1,77	1,77	meter	2460,57390610787	litre	0
1	1,78	1,78	meter	2488,45554090847	litre	0
1	1,79	1,79	meter	2516,49425534176	litre	0
1	1,8	1,8	meter	2544,69004940773	litre	0
1	1,81	1,81	meter	2573,04292310638	litre	0
1	1,82	1,82	meter	2601,55287643771	litre	0
1	1,83	1,83	meter	2630,21990940171	litre	0
1	1,84	1,84	meter	2659,04402199840	litre	0
1	1,85	1,85	meter	2688,02521422777	litre	0
1	1,86	1,86	meter	2717,16348608981	litre	0
1	1,87	1,87	meter	2746,45883758454	litre	0
1	1,88	1,88	meter	2775,91126871194	litre	0
1	1,89	1,89	meter	2805,52077947202	litre	0
1	1,9	1,9	meter	2835,28736986479	litre	0
1	1,91	1,91	meter	2865,21103989023	litre	0
1	1,92	1,92	meter	2895,29178954835	litre	0
1	1,93	1,93	meter	2925,52961883916	litre	0
1	1,94	1,94	meter	2955,92452776263	litre	0
1	1,95	1,95	meter	2986,47651631880	litre	0
1	1,96	1,96	meter	3017,18558450764	litre	0
1	1,97	1,97	meter	3048,05173232916	litre	0
1	1,98	1,98	meter	3079,07495978335	litre	0

1	1,99	1,99	meter	3110,25526687023	litre	0
1	2	2	meter	3141,59265358979	litre	0
1	2,01	2,01	meter	3173,08711994203	litre	0
1	2,02	2,02	meter	3204,73866592695	litre	0
1	2,03	2,03	meter	3236,54729154454	litre	0
1	2,04	2,04	meter	3268,51299679482	litre	0
1	2,05	2,05	meter	3300,63578167778	litre	0
1	2,06	2,06	meter	3332,91564619341	litre	0
1	2,07	2,07	meter	3365,35259034172	litre	0
1	2,08	2,08	meter	3397,94661412272	litre	0
1	2,09	2,09	meter	3430,69771753639	litre	0
1	2,1	2,1	meter	3463,60590058275	litre	0
1	2,11	2,11	meter	3496,67116326178	litre	0
1	2,12	2,12	meter	3529,89350557349	litre	0
1	2,13	2,13	meter	3563,27292751788	litre	0
1	2,14	2,14	meter	3596,80942909495	litre	0
1	2,15	2,15	meter	3630,50301030470	litre	0
1	2,16	2,16	meter	3664,35367114713	litre	0
1	2,17	2,17	meter	3698,36141162224	litre	0
1	2,18	2,18	meter	3732,52623173003	litre	0
1	2,19	2,19	meter	3766,84813147050	litre	0
1	2,2	2,2	meter	3801,32711084365	litre	0
1	2,21	2,21	meter	3835,96316984948	litre	0
1	2,22	2,22	meter	3870,75630848798	litre	0
1	2,23	2,23	meter	3905,70652675917	litre	0
1	2,24	2,24	meter	3940,81382466304	litre	0
1	2,25	2,25	meter	3976,07820219958	litre	0
1	2,26	2,26	meter	4011,49965936880	litre	0
1	2,27	2,27	meter	4047,07819617071	litre	0
1	2,28	2,28	meter	4082,81381260530	litre	0
1	2,29	2,29	meter	4118,70650867256	litre	0
1	2,3	2,3	meter	4154,75628437250	litre	0
1	2,31	2,31	meter	4190,96313970512	litre	0
1	2,32	2,32	meter	4227,32707467042	litre	0
1	2,33	2,33	meter	4263,84808926841	litre	0
1	2,34	2,34	meter	4300,52618349907	litre	0
1	2,35	2,35	meter	4337,36135736241	litre	0
1	2,36	2,36	meter	4374,35361085843	litre	0
1	2,37	2,37	meter	4411,50294398713	litre	0
1	2,38	2,38	meter	4448,80935674850	litre	0
1	2,39	2,39	meter	4486,27284914256	litre	0
1	2,4	2,4	meter	4523,89342116930	litre	0
1	2,41	2,41	meter	4561,67107282872	litre	0
1	2,42	2,42	meter	4599,60580412082	litre	0
1	2,43	2,43	meter	4637,69761504559	litre	0
1	2,44	2,44	meter	4675,94650560305	litre	0
1	2,45	2,45	meter	4714,35247579318	litre	0
1	2,46	2,46	meter	4752,91552561600	litre	0
1	2,47	2,47	meter	4791,63565507149	litre	0
1	2,48	2,48	meter	4830,51286415966	litre	0
1	2,49	2,49	meter	4869,54715288052	litre	0

1	2,5	2,5	meter	4908,73852123405	litre	0
1	2,51	2,51	meter	4948,08696922026	litre	0
1	2,52	2,52	meter	4987,59249683916	litre	0
1	2,53	2,53	meter	5027,25510409073	litre	0
1	2,54	2,54	meter	5067,07479097498	litre	0
1	2,55	2,55	meter	5107,05155749191	litre	0
1	2,56	2,56	meter	5147,18540364152	litre	0
1	2,57	2,57	meter	5187,47632942381	litre	0
1	2,58	2,58	meter	5227,92433483877	litre	0
1	2,59	2,59	meter	5268,52941988642	litre	0
1	2,6	2,6	meter	5309,29158456675	litre	0
1	2,61	2,61	meter	5350,21082887976	litre	0
1	2,62	2,62	meter	5391,28715282544	litre	0
1	2,63	2,63	meter	5432,52055640381	litre	0
1	2,64	2,64	meter	5473,91103961486	litre	0
1	2,65	2,65	meter	5515,45860245858	litre	0
1	2,66	2,66	meter	5557,16324493498	litre	0
1	2,67	2,67	meter	5599,02496704407	litre	0
1	2,68	2,68	meter	5641,04376878583	litre	0
1	2,69	2,69	meter	5683,21965016027	litre	0
1	2,7	2,7	meter	5725,55261116740	litre	0
1	2,71	2,71	meter	5768,04265180720	litre	0
1	2,72	2,72	meter	5810,68977207968	litre	0
1	2,73	2,73	meter	5853,49397198484	litre	0
1	2,74	2,74	meter	5896,45525152268	litre	0
1	2,75	2,75	meter	5939,57361069320	litre	0
1	2,76	2,76	meter	5982,84904949640	litre	0
1	2,77	2,77	meter	6026,28156793228	litre	0
1	2,78	2,78	meter	6069,87116600084	litre	0
1	2,79	2,79	meter	6113,61784370208	litre	0
1	2,8	2,8	meter	6157,52160103599	litre	0
1	2,81	2,81	meter	6201,58243800259	litre	0
1	2,82	2,82	meter	6245,80035460187	litre	0
1	2,83	2,83	meter	6290,17535083382	litre	0
1	2,84	2,84	meter	6334,70742669846	litre	0
1	2,85	2,85	meter	6379,39658219577	litre	0
1	2,86	2,86	meter	6424,24281732577	litre	0
1	2,87	2,87	meter	6469,24613208844	litre	0
1	2,88	2,88	meter	6514,40652648379	litre	0
1	2,89	2,89	meter	6559,72400051183	litre	0
1	2,9	2,9	meter	6605,19855417254	litre	0
1	2,91	2,91	meter	6650,83018746593	litre	0
1	2,92	2,92	meter	6696,61890039200	litre	0
1	2,93	2,93	meter	6742,56469295075	litre	0
1	2,94	2,94	meter	6788,66756514218	litre	0
1	2,95	2,95	meter	6834,92751696629	litre	0
1	2,96	2,96	meter	6881,34454842308	litre	0
1	2,97	2,97	meter	6927,91865951255	litre	0
1	2,98	2,98	meter	6974,64985023470	litre	0
1	2,99	2,99	meter	7021,53812058953	litre	0
1	3	3	meter	7068,58347057703	litre	0

1	3,01	3,01	meter	7115,78590019722	litre	0
1	3,02	3,02	meter	7163,14540945008	litre	0
1	3,03	3,03	meter	7210,66199833563	litre	0
1	3,04	3,04	meter	7258,33566685386	litre	0
1	3,05	3,05	meter	7306,16641500476	litre	0
1	3,06	3,06	meter	7354,15424278834	litre	0
1	3,07	3,07	meter	7402,29915020456	litre	0
1	3,08	3,08	meter	7450,60113725350	litre	0
1	3,09	3,09	meter	7499,06020393513	litre	0
1	3,1	3,1	meter	7547,67635024943	litre	0
1	3,11	3,11	meter	7596,44957619641	litre	0
1	3,12	3,12	meter	7645,37988177607	litre	0
1	3,13	3,13	meter	7694,46726698841	litre	0
1	3,14	3,14	meter	7743,71173183343	litre	0
1	3,15	3,15	meter	7793,11327631113	litre	0
1	3,16	3,16	meter	7842,67190042151	litre	0
1	3,17	3,17	meter	7892,38760416457	litre	0
1	3,18	3,18	meter	7942,26038754030	litre	0
1	3,19	3,19	meter	7992,29025054872	litre	0
1	3,20	3,20	meter	8042,47719318982	litre	0
1	3,21	3,21	meter	8092,82121546359	litre	0
1	3,22	3,22	meter	8143,32231737005	litre	0
1	3,23	3,23	meter	8193,98049890918	litre	0
1	3,24	3,24	meter	8244,79576008100	litre	0
1	3,25	3,25	meter	8295,76810088549	litre	0
1	3,26	3,26	meter	8346,89752132267	litre	0
1	3,27	3,27	meter	8398,18402139252	litre	0
1	3,28	3,28	meter	8449,62760109505	litre	0
1	3,29	3,29	meter	8501,22826043027	litre	0
1	3,30	3,30	meter	8552,98599939816	litre	0
1	3,31	3,31	meter	8604,90081799873	litre	0
1	3,32	3,32	meter	8656,97271623198	litre	0
1	3,33	3,33	meter	8709,20169409791	litre	0
1	3,34	3,34	meter	8761,58775159652	litre	0
1	3,35	3,35	meter	8814,13088872781	litre	0
1	3,36	3,36	meter	8866,83110549178	litre	0
1	3,37	3,37	meter	8919,68840188842	litre	0
1	3,38	3,38	meter	8972,70277791775	litre	0
1	3,39	3,39	meter	9025,87423357976	litre	0
1	3,40	3,40	meter	9079,20276887445	litre	0
1	3,41	3,41	meter	9132,68838380181	litre	0
1	3,42	3,42	meter	9186,33107836186	litre	0
1	3,43	3,43	meter	9240,13085255458	litre	0
1	3,44	3,44	meter	9294,08770637999	litre	0
1	3,45	3,45	meter	9348,20163983807	litre	0
1	3,46	3,46	meter	9402,47265292884	litre	0
1	3,47	3,47	meter	9456,90074565228	litre	0
1	3,48	3,48	meter	9511,48591800840	litre	0
1	3,49	3,49	meter	9566,22816999720	litre	0
1	3,50	3,50	meter	9621,12750161868	litre	0
1	3,51	3,51	meter	9676,18391287284	litre	0

1	3,52	3,52	meter	9731,39740375968	litre	0
1	3,53	3,53	meter	9786,76797427920	litre	0
1	3,54	3,54	meter	9842,29562443135	litre	0
1	3,55	3,55	meter	9897,98035421623	litre	0
1	3,56	3,56	meter	9953,82216363379	litre	0
1	3,57	3,57	meter	10009,8210526840	litre	0
1	3,58	3,58	meter	10065,9770213669	litre	0
1	3,59	3,59	meter	10122,2900696825	litre	0
1	3,60	3,60	meter	10178,7601976308	litre	0
1	3,61	3,61	meter	10235,3874052118	litre	0
1	3,62	3,62	meter	10292,1716924254	litre	0
1	3,63	3,63	meter	10349,1130592717	litre	0
1	3,64	3,64	meter	10406,2115057507	litre	0
1	3,65	3,65	meter	10463,4670318624	litre	0
1	3,66	3,66	meter	10520,8796376067	litre	0
1	3,67	3,67	meter	10578,4493229838	litre	0
1	3,68	3,68	meter	10636,1760879935	litre	0
1	3,69	3,69	meter	10694,0599326359	litre	0
1	3,70	3,70	meter	10752,1008569109	litre	0
1	3,71	3,71	meter	10810,2988608187	litre	0
1	3,72	3,72	meter	10868,6539443591	litre	0
1	3,73	3,73	meter	10927,1661075322	litre	0
1	3,74	3,74	meter	10985,8353503380	litre	0
1	3,75	3,75	meter	11044,6616727765	litre	0
1	3,76	3,76	meter	11103,6450748476	litre	0
1	3,77	3,77	meter	11162,7855565515	litre	0
1	3,78	3,78	meter	11222,0831178880	litre	0
1	3,79	3,79	meter	11281,5377588572	litre	0
1	3,80	3,80	meter	11341,1494794590	litre	0
1	3,81	3,81	meter	11400,9182796936	litre	0
1	3,82	3,82	meter	11460,8441595608	litre	0
1	3,83	3,83	meter	11520,9271190607	litre	0
1	3,84	3,84	meter	11581,1671581933	litre	0
1	3,85	3,85	meter	11641,5642769586	litre	0
1	3,86	3,86	meter	11702,1184753565	litre	0
1	3,87	3,87	meter	11762,8297533871	litre	0
1	3,88	3,88	meter	11823,6981110504	litre	0
1	3,89	3,89	meter	11884,7235483464	litre	0
1	3,90	3,90	meter	11945,9060652751	litre	0
1	3,91	3,91	meter	12007,2456618364	litre	0
1	3,92	3,92	meter	12068,7423380304	litre	0
1	3,93	3,93	meter	12130,3960938571	litre	0
1	3,94	3,94	meter	12192,2069293165	litre	0
1	3,95	3,95	meter	12254,1748444086	litre	0
1	3,96	3,96	meter	12316,2998391333	litre	0
1	3,97	3,97	meter	12378,5819134907	litre	0
1	3,98	3,98	meter	12441,0210674808	litre	0
1	3,99	3,99	meter	12503,6173011036	litre	0
1	4,00	4,00	meter	12566,3706143590	litre	0
1	4,01	4,01	meter	12629,2810072472	litre	0
1	4,02	4,02	meter	12692,3484797680	litre	0

1	4,03	4,03	meter	12755,5730319214	litre	0
1	4,04	4,04	meter	12818,9546637076	litre	0
1	4,05	4,05	meter	12882,4933751265	litre	0
1	4,06	4,06	meter	12946,1891661780	litre	0
1	4,07	4,07	meter	13010,0420368622	litre	0
1	4,08	4,08	meter	13074,0519871791	litre	0
1	4,09	4,09	meter	13138,2190171287	litre	0
1	4,10	4,10	meter	13202,5431267109	litre	0
1	4,11	4,11	meter	13267,0243159258	litre	0
1	4,12	4,12	meter	13331,6625847734	litre	0
1	4,13	4,13	meter	13396,4579332537	litre	0
1	4,14	4,14	meter	13461,4103613667	litre	0
1	4,15	4,15	meter	13526,5198691124	litre	0
1	4,16	4,16	meter	13591,7864564907	litre	0
1	4,17	4,17	meter	13657,2101235017	litre	0
1	4,18	4,18	meter	13722,7908701454	litre	0
1	4,19	4,19	meter	13788,5286964217	litre	0
1	4,20	4,20	meter	13854,4236023308	litre	0
1	4,21	4,21	meter	13920,4755878725	litre	0
1	4,22	4,22	meter	13986,6846530469	litre	0
1	4,23	4,23	meter	14053,0507978540	litre	0
1	4,24	4,24	meter	14119,5740222938	litre	0
1	4,25	4,25	meter	14186,2543263662	litre	0
1	4,26	4,26	meter	14253,0917100713	litre	0
1	4,27	4,27	meter	14320,0861734091	litre	0
1	4,28	4,28	meter	14387,2377163796	litre	0
1	4,29	4,29	meter	14454,5463389828	litre	0
1	4,30	4,30	meter	14522,0120412186	litre	0
1	4,31	4,31	meter	14589,6348230871	litre	0
1	4,32	4,32	meter	14657,4146845883	litre	0
1	4,33	4,33	meter	14725,3516257222	litre	0
1	4,34	4,34	meter	14793,4456464888	litre	0
1	4,35	4,35	meter	14861,6967468880	litre	0
1	4,36	4,36	meter	14930,1049269199	litre	0
1	4,37	4,37	meter	14998,6701865845	litre	0
1	4,38	4,38	meter	15067,3925258818	litre	0
1	4,39	4,39	meter	15136,2719448118	litre	0
1	4,40	4,40	meter	15205,3084433744	litre	0
1	4,41	4,41	meter	15274,5020215697	litre	0
1	4,42	4,42	meter	15343,8526793977	litre	0
1	4,43	4,43	meter	15413,3604168584	litre	0
1	4,44	4,44	meter	15483,0252339517	litre	0
1	4,45	4,45	meter	15552,8471306778	litre	0
1	4,46	4,46	meter	15622,8261070365	litre	0
1	4,47	4,47	meter	15692,9621630279	litre	0
1	4,48	4,48	meter	15763,2552986519	litre	0
1	4,49	4,49	meter	15833,7055139087	litre	0
1	4,50	4,50	meter	15904,3128087980	litre	0
1	4,51	4,51	meter	15975,0771833201	litre	0
1	4,52	4,52	meter	16045,9986374749	litre	0
1	4,53	4,53	meter	16117,0771712624	litre	0

1	4,54	4,54	meter	16188,3127846826	litre	0
1	4,55	4,55	meter	16259,7054777354	litre	0
1	4,56	4,56	meter	16331,2552504209	litre	0
1	4,57	4,57	meter	16402,9621027391	litre	0
1	4,58	4,58	meter	16474,8260346899	litre	0
1	4,59	4,59	meter	16546,8470462735	litre	0
1	4,60	4,60	meter	16619,0251374897	litre	0
1	4,61	4,61	meter	16691,3603083386	litre	0
1	4,62	4,62	meter	16763,8525588202	litre	0
1	4,63	4,63	meter	16836,5018889345	litre	0
1	4,64	4,64	meter	16909,3082986814	litre	0
1	4,65	4,65	meter	16982,2717880610	litre	0
1	4,66	4,66	meter	17055,3923570733	litre	0
1	4,67	4,67	meter	17128,6700057183	litre	0
1	4,68	4,68	meter	17202,1047339960	litre	0
1	4,69	4,69	meter	17275,6965419063	litre	0
1	4,70	4,70	meter	17349,4454294493	litre	0
1	4,71	4,71	meter	17423,3513966250	litre	0
1	4,72	4,72	meter	17497,4144434334	litre	0
1	4,73	4,73	meter	17571,6345698745	litre	0
1	4,74	4,74	meter	17646,0117759482	litre	0
1	4,75	4,75	meter	17720,5460616546	litre	0
1	4,76	4,76	meter	17795,2374269937	litre	0
1	4,77	4,77	meter	17870,0858719655	litre	0
1	4,78	4,78	meter	17945,0913965700	litre	0
1	4,79	4,79	meter	18020,2540008071	litre	0
1	4,80	4,80	meter	18095,5736846769	litre	0
1	4,81	4,81	meter	18171,0504481794	litre	0
1	4,82	4,82	meter	18246,6842913146	litre	0
1	4,83	4,83	meter	18322,4752140824	litre	0
1	4,84	4,84	meter	18398,4232164830	litre	0
1	4,85	4,85	meter	18474,5282985162	litre	0
1	4,86	4,86	meter	18550,7904601821	litre	0
1	4,87	4,87	meter	18627,2097014806	litre	0
1	4,88	4,88	meter	18703,7860224119	litre	0
1	4,89	4,89	meter	18780,5194229758	litre	0
1	4,90	4,90	meter	18857,4099031724	litre	0
1	4,91	4,91	meter	18934,4574630017	litre	0
1	4,92	4,92	meter	19011,6621024637	litre	0
1	4,93	4,93	meter	19089,0238215583	litre	0
1	4,94	4,94	meter	19166,5426202857	litre	0
1	4,95	4,95	meter	19244,2184986457	litre	0
1	4,96	4,96	meter	19322,0514566383	litre	0
1	4,97	4,97	meter	19400,0414942636	litre	0
1	4,98	4,98	meter	19478,1886115217	litre	0
1	4,99	4,99	meter	19556,4928084124	litre	0
1	5,00	5,00	meter	19634,9540849358	litre	0
1	5,01	5,01	meter	19713,5724410919	litre	0
1	5,02	5,02	meter	19792,3478768807	litre	0
1	5,03	5,03	meter	19871,2803923021	litre	0
1	5,04	5,04	meter	19950,3699873562	litre	0

1	5,05	5,05	meter	20029,6166620430	litre	0
1	5,06	5,06	meter	20109,0204163625	litre	0
1	5,07	5,07	meter	20188,5812503147	litre	0
1	5,08	5,08	meter	20268,2991638995	litre	0
1	5,09	5,09	meter	20348,1741571170	litre	0
1	5,10	5,10	meter	20428,2062299672	litre	0
1	5,11	5,11	meter	20508,3953824501	litre	0
1	5,12	5,12	meter	20588,7416145657	litre	0
1	5,13	5,13	meter	20669,2449263139	litre	0
1	5,14	5,14	meter	20749,9053176948	litre	0
1	5,15	5,15	meter	20830,7227887084	litre	0
1	5,16	5,16	meter	20911,6973393547	litre	0
1	5,17	5,17	meter	20992,8289696336	litre	0
1	5,18	5,18	meter	21074,1176795453	litre	0
1	5,19	5,19	meter	21155,5634690896	litre	0
1	5,20	5,20	meter	21237,1663382666	litre	0
1	5,21	5,21	meter	21318,9262870763	litre	0
1	5,22	5,22	meter	21400,8433155186	litre	0
1	5,23	5,23	meter	21482,9174235936	litre	0
1	5,24	5,24	meter	21565,1486113014	litre	0
1	5,25	5,25	meter	21647,5368786417	litre	0
1	5,26	5,26	meter	21730,0822256148	litre	0
1	5,27	5,27	meter	21812,7846522206	litre	0
1	5,28	5,28	meter	21895,6441584590	litre	0
1	5,29	5,29	meter	21978,6607443301	litre	0
1	5,30	5,30	meter	22061,8344098339	litre	0
1	5,31	5,31	meter	22145,1651549704	litre	0
1	5,32	5,32	meter	22228,6529797395	litre	0
1	5,33	5,33	meter	22312,2978841413	litre	0
1	5,34	5,34	meter	22396,0998681759	litre	0
1	5,35	5,35	meter	22480,0589318430	litre	0
1	5,36	5,36	meter	22564,1750751429	litre	0
1	5,37	5,37	meter	22648,4482980754	litre	0
1	5,38	5,38	meter	22732,8786006407	litre	0
1	5,39	5,39	meter	22817,4659828386	litre	0
1	5,40	5,40	meter	22902,2104446692	litre	0
1	5,41	5,41	meter	22987,1119861324	litre	0
1	5,42	5,42	meter	23072,1706072284	litre	0
1	5,43	5,43	meter	23157,3863079569	litre	0
1	5,44	5,44	meter	23242,7590883182	litre	0
1	5,45	5,45	meter	23328,2889483122	litre	0
1	5,46	5,46	meter	23413,9758879388	litre	0
1	5,47	5,47	meter	23499,8199071982	litre	0
1	5,48	5,48	meter	23585,8210060902	litre	0
1	5,49	5,49	meter	23671,9791846149	litre	0
1	5,50	5,50	meter	23758,2944427723	litre	0
1	5,51	5,51	meter	23844,7667805623	litre	0
1	5,52	5,52	meter	23931,3961979851	litre	0
1	5,53	5,53	meter	24018,1826950405	litre	0
1	5,54	5,54	meter	24105,1262717286	litre	0
1	5,55	5,55	meter	24192,2269280494	litre	0

1	5,56	5,56	meter	24279,4846640028	litre	0
1	5,57	5,57	meter	24366,8994795890	litre	0
1	5,58	5,58	meter	24454,4713748078	litre	0
1	5,59	5,59	meter	24542,2003496593	litre	0
1	5,60	5,60	meter	24630,0864041434	litre	0
1	5,61	5,61	meter	24718,1295382603	litre	0
1	5,62	5,62	meter	24806,3297520098	litre	0
1	5,63	5,63	meter	24894,6870453920	litre	0
1	5,64	5,64	meter	24983,2014184069	litre	0
1	5,65	5,65	meter	25071,8728710545	litre	0
1	5,66	5,66	meter	25160,7014033347	litre	0
1	5,67	5,67	meter	25249,6870152477	litre	0
1	5,68	5,68	meter	25338,8297067933	litre	0
1	5,69	5,69	meter	25428,1294779716	litre	0
1	5,70	5,70	meter	25517,5863287825	litre	0
1	5,71	5,71	meter	25607,2002592262	litre	0
1	5,72	5,72	meter	25696,9712693025	litre	0
1	5,73	5,73	meter	25786,8993590115	litre	0
1	5,74	5,74	meter	25876,9845283532	litre	0
1	5,75	5,75	meter	25967,2267773276	litre	0
1	5,76	5,76	meter	26057,6261059346	litre	0
1	5,77	5,77	meter	26148,1825141744	litre	0
1	5,78	5,78	meter	26238,8960020468	litre	0
1	5,79	5,79	meter	26329,7665695518	litre	0
1	5,80	5,80	meter	26420,7942166896	litre	0
1	5,81	5,81	meter	26511,9789434600	litre	0
1	5,82	5,82	meter	26603,3207498632	litre	0
1	5,83	5,83	meter	26694,8196358990	litre	0
1	5,84	5,84	meter	26786,4756015675	litre	0
1	5,85	5,85	meter	26878,2886468686	litre	0
1	5,86	5,86	meter	26970,2587718025	litre	0
1	5,87	5,87	meter	27062,3859763690	litre	0
1	5,88	5,88	meter	27154,6702605682	litre	0
1	5,89	5,89	meter	27247,1116244000	litre	0
1	5,90	5,90	meter	27339,7100678645	litre	0
1	5,91	5,91	meter	27432,4655909618	litre	0
1	5,92	5,92	meter	27525,3781936917	litre	0
1	5,93	5,93	meter	27618,4478760543	litre	0
1	5,94	5,94	meter	27711,6746380495	litre	0
1	5,95	5,95	meter	27805,0584796775	litre	0
1	5,96	5,96	meter	27898,5994009381	litre	0
1	5,97	5,97	meter	27992,2974018314	litre	0
1	5,98	5,98	meter	28086,1524823574	litre	0
1	5,99	5,99	meter	28180,1646425161	litre	0
1	6,00	6,00	meter	28274,3338823075	litre	0
1	6,01	6,01	meter	28368,6602017315	litre	0
1	6,02	6,02	meter	28463,1436007882	litre	0
1	6,03	6,03	meter	28557,7840794776	litre	0
1	6,04	6,04	meter	28652,5816377997	litre	0
1	6,05	6,05	meter	28747,5362757544	litre	0
1	6,06	6,06	meter	28842,6479933419	litre	0

1	6,07	6,07	meter	28937,9167905620	litre	0
1	6,08	6,08	meter	29033,3426674148	litre	0
1	6,09	6,09	meter	29128,9256239002	litre	0
1	6,10	6,10	meter	29224,6656600184	litre	0
1	6,11	6,11	meter	29320,5627757692	litre	0
1	6,12	6,12	meter	29416,6169711527	litre	0
1	6,13	6,13	meter	29512,8282461689	litre	0
1	6,14	6,14	meter	29609,1966008178	litre	0
1	6,15	6,15	meter	29705,7220350993	litre	0
1	6,16	6,16	meter	29802,4045490135	litre	0
1	6,17	6,17	meter	29899,2441425604	litre	0
1	6,18	6,18	meter	29996,2408157400	litre	0
1	6,19	6,19	meter	30093,3945685523	litre	0
1	6,20	6,20	meter	30190,7054009972	litre	0
1	6,21	6,21	meter	30288,1733130748	litre	0
1	6,22	6,22	meter	30385,7983047851	litre	0
1	6,23	6,23	meter	30483,5803761281	litre	0
1	6,24	6,24	meter	30581,5195271038	litre	0
1	6,25	6,25	meter	30679,6157577121	litre	0
1	6,26	6,26	meter	30777,8690679531	litre	0
1	6,27	6,27	meter	30876,2794578268	litre	0
1	6,28	6,28	meter	30974,8469273332	litre	0
1	6,29	6,29	meter	31073,5714764723	litre	0
1	6,30	6,30	meter	31172,4531052440	litre	0
1	6,31	6,31	meter	31271,4918136484	litre	0
1	6,32	6,32	meter	31370,6876016855	litre	0
1	6,33	6,33	meter	31470,0404693553	litre	0
1	6,34	6,34	meter	31569,5504166578	litre	0
1	6,35	6,35	meter	31669,2174435929	litre	0
1	6,36	6,36	meter	31769,0415501607	litre	0
1	6,37	6,37	meter	31869,0227363611	litre	0
1	6,38	6,38	meter	31969,1610021943	litre	0
1	6,39	6,39	meter	32069,4563476601	litre	0
1	6,40	6,40	meter	32169,9087727587	litre	0
1	6,41	6,41	meter	32270,5182774899	litre	0
1	6,42	6,42	meter	32371,2848618538	litre	0
1	6,43	6,43	meter	32472,2085258503	litre	0
1	6,44	6,44	meter	32573,2892694796	litre	0
1	6,45	6,45	meter	32674,5270927415	litre	0
1	6,46	6,46	meter	32775,9219956361	litre	0
1	6,47	6,47	meter	32877,4739781634	litre	0
1	6,48	6,48	meter	32979,1830403234	litre	0
1	6,49	6,49	meter	33081,0491821160	litre	0
1	6,50	6,50	meter	33183,0724035414	litre	0
1	6,51	6,51	meter	33285,2527045994	litre	0
1	6,52	6,52	meter	33387,5900852900	litre	0
1	6,53	6,53	meter	33490,0845456134	litre	0
1	6,54	6,54	meter	33592,7360855695	litre	0
1	6,55	6,55	meter	33695,5447051582	litre	0
1	6,56	6,56	meter	33798,5104043796	litre	0
1	6,57	6,57	meter	33901,6331832337	litre	0

1	6,58	6,58	meter	34004,9130417204	litre	0
1	6,59	6,59	meter	34108,3499798399	litre	0
1	6,60	6,60	meter	34211,9439975920	litre	0
1	6,61	6,61	meter	34315,6950949768	litre	0
1	6,62	6,62	meter	34419,6032719943	litre	0
1	6,63	6,63	meter	34523,6685286444	litre	0
1	6,64	6,64	meter	34627,8908649273	litre	0
1	6,65	6,65	meter	34732,2702808428	litre	0
1	6,66	6,66	meter	34836,8067763910	litre	0
1	6,67	6,67	meter	34941,5003515719	litre	0
1	6,68	6,68	meter	35046,3510063854	litre	0
1	6,69	6,69	meter	35151,3587408317	litre	0
1	6,70	6,70	meter	35256,5235549106	litre	0
1	6,71	6,71	meter	35361,8454486222	litre	0
1	6,72	6,72	meter	35467,3244219665	litre	0
1	6,73	6,73	meter	35572,9604749434	litre	0
1	6,74	6,74	meter	35678,7536075531	litre	0
1	6,75	6,75	meter	35784,7038197954	litre	0
1	6,76	6,76	meter	35890,8111116704	litre	0
1	6,77	6,77	meter	35997,0754831780	litre	0
1	6,78	6,78	meter	36103,4969343184	litre	0
1	6,79	6,79	meter	36210,0754650914	litre	0
1	6,80	6,80	meter	36316,8110754971	litre	0
1	6,81	6,81	meter	36423,7037655355	litre	0
1	6,82	6,82	meter	36530,7535352066	litre	0
1	6,83	6,83	meter	36637,9603845104	litre	0
1	6,84	6,84	meter	36745,3243134467	litre	0
1	6,85	6,85	meter	36852,8453220158	litre	0
1	6,86	6,86	meter	36960,5234102176	litre	0
1	6,87	6,87	meter	37068,3585780520	litre	0
1	6,88	6,88	meter	37176,3508255192	litre	0
1	6,89	6,89	meter	37284,5001526190	litre	0
1	6,90	6,90	meter	37392,8065593515	litre	0
1	6,91	6,91	meter	37501,2700457167	litre	0
1	6,92	6,92	meter	37609,8906117146	litre	0
1	6,93	6,93	meter	37718,6682573451	litre	0
1	6,94	6,94	meter	37827,6029826083	litre	0
1	6,95	6,95	meter	37936,6947875043	litre	0
1	6,96	6,96	meter	38045,9436720328	litre	0
1	6,97	6,97	meter	38155,3496361941	litre	0
1	6,98	6,98	meter	38264,9126799880	litre	0
1	6,99	6,99	meter	38374,6328034147	litre	0
1	7,00	7,00	meter	38484,5100064740	litre	0
1	7,01	7,01	meter	38594,5442891659	litre	0
1	7,02	7,02	meter	38704,7356514906	litre	0
1	7,03	7,03	meter	38815,0840934479	litre	0
1	7,04	7,04	meter	38925,5896150380	litre	0
1	7,05	7,05	meter	39036,2522162607	litre	0
1	7,06	7,06	meter	39147,0718971160	litre	0
1	7,07	7,07	meter	39258,0486576041	litre	0
1	7,08	7,08	meter	39369,1824977248	litre	0

1	7,09	7,09	meter	39480,4734174783	litre	0
1	7,10	7,10	meter	39591,9214168643	litre	0
1	7,11	7,11	meter	39703,5264958831	litre	0
1	7,12	7,12	meter	39815,2886545346	litre	0
1	7,13	7,13	meter	39927,2078928187	litre	0
1	7,14	7,14	meter	40039,2842107355	litre	0
1	7,15	7,15	meter	40151,5176082850	litre	0
1	7,16	7,16	meter	40263,9080854672	litre	0
1	7,17	7,17	meter	40376,4556422821	litre	0
1	7,18	7,18	meter	40489,1602787296	litre	0
1	7,19	7,19	meter	40602,0219948098	litre	0
1	7,20	7,20	meter	40715,0407905227	litre	0
1	7,21	7,21	meter	40828,2166658683	litre	0
1	7,22	7,22	meter	40941,5496208465	litre	0
1	7,23	7,23	meter	41055,0396554574	litre	0
1	7,24	7,24	meter	41168,6867697010	litre	0
1	7,25	7,25	meter	41282,4909635773	litre	0
1	7,26	7,26	meter	41396,4522370863	litre	0
1	7,27	7,27	meter	41510,5705902280	litre	0
1	7,28	7,28	meter	41624,8460230023	litre	0
1	7,29	7,29	meter	41739,2785354093	litre	0
1	7,30	7,30	meter	41853,8681274490	litre	0
1	7,31	7,31	meter	41968,6147991212	litre	0
1	7,32	7,32	meter	42083,5185504263	litre	0
1	7,33	7,33	meter	42198,5793813640	litre	0
1	7,34	7,34	meter	42313,7972919344	litre	0
1	7,35	7,35	meter	42429,1722821375	litre	0
1	7,36	7,36	meter	42544,7043519732	litre	0
1	7,37	7,37	meter	42660,3935014417	litre	0
1	7,38	7,38	meter	42776,2397305428	litre	0
1	7,39	7,39	meter	42892,2430392766	litre	0
1	7,40	7,40	meter	43008,4034276431	litre	0
1	7,41	7,41	meter	43124,7208956423	litre	0
1	7,42	7,42	meter	43241,1954432741	litre	0
1	7,43	7,43	meter	43357,8270705386	litre	0
1	7,44	7,44	meter	43474,6157774358	litre	0
1	7,45	7,45	meter	43591,5615639657	litre	0
1	7,46	7,46	meter	43708,6644301282	litre	0
1	7,47	7,47	meter	43825,9243759235	litre	0
1	7,48	7,48	meter	43943,3414013514	litre	0
1	7,49	7,49	meter	44060,9155064120	litre	0
1	7,50	7,50	meter	44178,6466911053	litre	0
1	7,51	7,51	meter	44296,5349554312	litre	0
1	7,52	7,52	meter	44414,5802993899	litre	0
1	7,53	7,53	meter	44532,7827229812	litre	0
1	7,54	7,54	meter	44651,1422262052	litre	0
1	7,55	7,55	meter	44769,6588090619	litre	0
1	7,56	7,56	meter	44888,3324715512	litre	0
1	7,57	7,57	meter	45007,1632136732	litre	0
1	7,58	7,58	meter	45126,1510354279	litre	0
1	7,59	7,59	meter	45245,2959368153	litre	0

1	7,60	7,60	meter	45364,5979178354	litre	0
1	7,61	7,61	meter	45484,0569784882	litre	0
1	7,62	7,62	meter	45603,6731187736	litre	0
1	7,63	7,63	meter	45723,4463386917	litre	0
1	7,64	7,64	meter	45843,3766382425	litre	0
1	7,65	7,65	meter	45963,4640174260	litre	0
1	7,66	7,66	meter	46083,7084762421	litre	0
1	7,67	7,67	meter	46204,1100146909	litre	0
1	7,68	7,68	meter	46324,6686327724	litre	0
1	7,69	7,69	meter	46445,3843304866	litre	0
1	7,70	7,70	meter	46566,2571078335	litre	0
1	7,71	7,71	meter	46687,2869648130	litre	0
1	7,72	7,72	meter	46808,4739014253	litre	0
1	7,73	7,73	meter	46929,8179176702	litre	0
1	7,74	7,74	meter	47051,3190135477	litre	0
1	7,75	7,75	meter	47172,9771890580	litre	0
1	7,76	7,76	meter	47294,7924442010	litre	0
1	7,77	7,77	meter	47416,7647789766	litre	0
1	7,78	7,78	meter	47538,8941933848	litre	0
1	7,79	7,79	meter	47661,1806874257	litre	0
1	7,80	7,80	meter	47783,6242610994	litre	0
1	7,81	7,81	meter	47906,2249144057	litre	0
1	7,82	7,82	meter	48028,9826473447	litre	0
1	7,83	7,83	meter	48151,8974599164	litre	0
1	7,84	7,84	meter	48274,9693521208	litre	0
1	7,85	7,85	meter	48398,1983239579	litre	0
1	7,86	7,86	meter	48521,5843754276	litre	0
1	7,87	7,87	meter	48645,1275065300	litre	0
1	7,88	7,88	meter	48768,8277172651	litre	0
1	7,89	7,89	meter	48892,6850076329	litre	0
1	7,90	7,90	meter	49016,6993776334	litre	0
1	7,91	7,91	meter	49140,8708272665	litre	0
1	7,92	7,92	meter	49265,1993565323	litre	0
1	7,93	7,93	meter	49389,6849654308	litre	0
1	7,94	7,94	meter	49514,3276539620	litre	0
1	7,95	7,95	meter	49639,1274221258	litre	0
1	7,96	7,96	meter	49764,0842699224	litre	0
1	7,97	7,97	meter	49889,1981973516	litre	0
1	7,98	7,98	meter	50014,4692044135	litre	0
1	7,99	7,99	meter	50139,8972911080	litre	0
1	8,00	8,00	meter	50265,4824574353	litre	0
1	8,01	8,01	meter	50391,2247033952	litre	0
1	8,02	8,02	meter	50517,1240289878	litre	0
1	8,03	8,03	meter	50643,1804342131	litre	0
1	8,04	8,04	meter	50769,3939190711	litre	0
1	8,05	8,05	meter	50895,7644835617	litre	0
1	8,06	8,06	meter	51022,2921276851	litre	0
1	8,07	8,07	meter	51148,9768514411	litre	0
1	8,08	8,08	meter	51275,8186548298	litre	0
1	8,09	8,09	meter	51402,8175378511	litre	0
1	8,10	8,10	meter	51529,9735005052	litre	0

1	8,11	8,11	meter	51657,2865427919	litre	0
1	8,12	8,12	meter	51784,7566647113	litre	0
1	8,13	8,13	meter	51912,3838662634	litre	0
1	8,14	8,14	meter	52040,1681474481	litre	0
1	8,15	8,15	meter	52168,1095082656	litre	0
1	8,16	8,16	meter	52296,2079487157	litre	0
1	8,17	8,17	meter	52424,4634687985	litre	0
1	8,18	8,18	meter	52552,8760685140	litre	0
1	8,19	8,19	meter	52681,4457478621	litre	0
1	8,20	8,20	meter	52810,1725068430	litre	0
1	8,21	8,21	meter	52939,0563454565	litre	0
1	8,22	8,22	meter	53068,0972637027	litre	0
1	8,23	8,23	meter	53197,2952615816	litre	0
1	8,24	8,24	meter	53326,6503390932	litre	0
1	8,25	8,25	meter	53456,1624962372	litre	0
1	8,26	8,26	meter	53585,8317330142	litre	0
1	8,27	8,27	meter	53715,6580494238	litre	0
1	8,28	8,28	meter	53845,6414454660	litre	0
1	8,29	8,29	meter	53975,7819211410	litre	0
1	8,30	8,30	meter	54106,0794764486	litre	0
1	8,31	8,31	meter	54236,5341113889	litre	0
1	8,32	8,32	meter	54367,1458259619	litre	0
1	8,33	8,33	meter	54497,9146201676	litre	0
1	8,34	8,34	meter	54628,8404940060	litre	0
1	8,35	8,35	meter	54759,9234474770	litre	0
1	8,36	8,36	meter	54891,1634805807	litre	0
1	8,37	8,37	meter	55022,5605933171	litre	0
1	8,38	8,38	meter	55154,1147856862	litre	0
1	8,39	8,39	meter	55285,8260576879	litre	0
1	8,40	8,40	meter	55417,6944093223	litre	0
1	8,41	8,41	meter	55549,7198405894	litre	0
1	8,42	8,42	meter	55681,9023514893	litre	0
1	8,43	8,43	meter	55814,2419420217	litre	0
1	8,44	8,44	meter	55946,7386121869	litre	0
1	8,45	8,45	meter	56079,3923619847	litre	0
1	8,46	8,46	meter	56212,2031914152	litre	0
1	8,47	8,47	meter	56345,1711004784	litre	0
1	8,48	8,48	meter	56478,2960891743	litre	0
1	8,49	8,49	meter	56611,5781575028	litre	0
1	8,50	8,50	meter	56745,0173054640	litre	0
1	8,51	8,51	meter	56878,6135330579	litre	0
1	8,52	8,52	meter	57012,3668402845	litre	0
1	8,53	8,53	meter	57146,2772271438	litre	0
1	8,54	8,54	meter	57280,3446936357	litre	0
1	8,55	8,55	meter	57414,5692397603	litre	0
1	8,56	8,56	meter	57548,9508655176	litre	0
1	8,57	8,57	meter	57683,4895709076	litre	0
1	8,58	8,58	meter	57818,1853559303	litre	0
1	8,59	8,59	meter	57953,0382205856	litre	0
1	8,60	8,60	meter	58088,0481648736	litre	0
1	8,61	8,61	meter	58223,2151887943	litre	0

1	8,62	8,62	meter	58358,5392923477	litre	0
1	8,63	8,63	meter	58494,0204755338	litre	0
1	8,64	8,64	meter	58629,6587383525	litre	0
1	8,65	8,65	meter	58765,4540808039	litre	0
1	8,66	8,66	meter	58901,4065028880	litre	0
1	8,67	8,67	meter	59037,5160046048	litre	0
1	8,68	8,68	meter	59173,7825859543	litre	0
1	8,69	8,69	meter	59310,2062469364	litre	0
1	8,70	8,70	meter	59446,7869875512	litre	0
1	8,71	8,71	meter	59583,5248077987	litre	0
1	8,72	8,72	meter	59720,4197076787	litre	0
1	8,73	8,73	meter	59857,4716871916	litre	0
1	8,74	8,74	meter	59994,6807463371	litre	0
1	8,75	8,75	meter	60132,0468851153	litre	0
1	8,76	8,76	meter	60269,5701035262	litre	0
1	8,77	8,77	meter	60407,2504015698	litre	0
1	8,78	8,78	meter	60545,0877792460	litre	0
1	8,79	8,79	meter	60683,0822365550	litre	0
1	8,80	8,80	meter	60821,2337734966	litre	0
1	8,81	8,81	meter	60959,5423900709	litre	0
1	8,82	8,82	meter	61098,0080862778	litre	0
1	8,83	8,83	meter	61236,6308621175	litre	0
1	8,84	8,84	meter	61375,4107175898	litre	0
1	8,85	8,85	meter	61514,3476526948	litre	0
1	8,86	8,86	meter	61653,4416674325	litre	0
1	8,87	8,87	meter	61792,6927618029	litre	0
1	8,88	8,88	meter	61932,1009358059	litre	0
1	8,89	8,89	meter	62071,6661894416	litre	0
1	8,90	8,90	meter	62211,3885227100	litre	0
1	8,91	8,91	meter	62351,2679356111	litre	0
1	8,92	8,92	meter	62491,3044281449	litre	0
1	8,93	8,93	meter	62631,4980003113	litre	0
1	8,94	8,94	meter	62771,8486521105	litre	0
1	8,95	8,95	meter	62912,3563835422	litre	0
1	8,96	8,96	meter	63053,0211946067	litre	0
1	8,97	8,97	meter	63193,8430853039	litre	0
1	8,98	8,98	meter	63334,8220556337	litre	0
1	8,99	8,99	meter	63475,9581055963	litre	0
1	9,00	9,00	meter	63617,2512351915	litre	0
1	9,01	9,01	meter	63758,7014444193	litre	0
1	9,02	9,02	meter	63900,3087332799	litre	0
1	9,03	9,03	meter	64042,0731017731	litre	0
1	9,04	9,04	meter	64183,9945498990	litre	0
1	9,05	9,05	meter	64326,0730776576	litre	0
1	9,06	9,06	meter	64468,3086850489	litre	0
1	9,07	9,07	meter	64610,7013720729	litre	0
1	9,08	9,08	meter	64753,2511387295	litre	0
1	9,09	9,09	meter	64895,9579850188	litre	0
1	9,10	9,10	meter	65038,8219109408	litre	0
1	9,11	9,11	meter	65181,8429164955	litre	0
1	9,12	9,12	meter	65325,0210016828	litre	0

1	9,13	9,13	meter	65468,3561665029	litre	0
1	9,14	9,14	meter	65611,8484109556	litre	0
1	9,15	9,15	meter	65755,4977350410	litre	0
1	9,16	9,16	meter	65899,3041387591	litre	0
1	9,17	9,17	meter	66043,2676221098	litre	0
1	9,18	9,18	meter	66187,3881850932	litre	0
1	9,19	9,19	meter	66331,6658277092	litre	0
1	9,20	9,20	meter	66476,1005499580	litre	0
1	9,21	9,21	meter	66620,6923518395	litre	0
1	9,22	9,22	meter	66765,4412333536	litre	0
1	9,23	9,23	meter	66910,3471945004	litre	0
1	9,24	9,24	meter	67055,4102352799	litre	0
1	9,25	9,25	meter	67200,6303556921	litre	0
1	9,26	9,26	meter	67346,0075557370	litre	0
1	9,27	9,27	meter	67491,5418354145	litre	0
1	9,28	9,28	meter	67637,2331947248	litre	0
1	9,29	9,29	meter	67783,0816336677	litre	0
1	9,30	9,30	meter	67929,0871522432	litre	0
1	9,31	9,31	meter	68075,2497504515	litre	0
1	9,32	9,32	meter	68221,5694282924	litre	0
1	9,33	9,33	meter	68368,0461857661	litre	0
1	9,34	9,34	meter	68514,6800228724	litre	0
1	9,35	9,35	meter	68661,4709396113	litre	0
1	9,36	9,36	meter	68808,4189359830	litre	0
1	9,37	9,37	meter	68955,5240119874	litre	0
1	9,38	9,38	meter	69102,7861676244	litre	0
1	9,39	9,39	meter	69250,2054028941	litre	0
1	9,40	9,40	meter	69397,7817177964	litre	0
1	9,41	9,41	meter	69545,5151123315	litre	0
1	9,42	9,42	meter	69693,4055864992	litre	0
1	9,43	9,43	meter	69841,4531402996	litre	0
1	9,44	9,44	meter	69989,6577737327	litre	0
1	9,45	9,45	meter	70138,0194867985	litre	0
1	9,46	9,46	meter	70286,5382794970	litre	0
1	9,47	9,47	meter	70435,2141518281	litre	0
1	9,48	9,48	meter	70584,0471037919	litre	0
1	9,49	9,49	meter	70733,0371353884	litre	0
1	9,50	9,50	meter	70882,1842466176	litre	0
1	9,51	9,51	meter	71031,4884374794	litre	0
1	9,52	9,52	meter	71180,9497079740	litre	0
1	9,53	9,53	meter	71330,5680581012	litre	0
1	9,54	9,54	meter	71480,3434878611	litre	0
1	9,55	9,55	meter	71630,2759972537	litre	0
1	9,56	9,56	meter	71780,3655862789	litre	0
1	9,57	9,57	meter	71930,6122549368	litre	0
1	9,58	9,58	meter	72081,0160032274	litre	0
1	9,59	9,59	meter	72231,5768311507	litre	0
1	9,60	9,60	meter	72382,2947387067	litre	0
1	9,61	9,61	meter	72533,1697258954	litre	0
1	9,62	9,62	meter	72684,2017927167	litre	0
1	9,63	9,63	meter	72835,3909391707	litre	0

1	9,64	9,64	meter	72986,7371652574	litre	0
1	9,65	9,65	meter	73138,2404709767	litre	0
1	9,66	9,66	meter	73289,9008563286	litre	0
1	9,67	9,67	meter	73441,7183213134	litre	0
1	9,68	9,68	meter	73593,6928659308	litre	0
1	9,69	9,69	meter	73745,8244901809	litre	0
1	9,70	9,70	meter	73898,1131940636	litre	0
1	9,71	9,71	meter	74050,5589775790	litre	0
1	9,72	9,72	meter	74203,1618407272	litre	0
1	9,73	9,73	meter	74355,9217835080	litre	0
1	9,74	9,74	meter	74508,8388059214	litre	0
1	9,75	9,75	meter	74661,9129079676	litre	0
1	9,76	9,76	meter	74815,1440896465	litre	0
1	9,77	9,77	meter	74968,5323509580	litre	0
1	9,78	9,78	meter	75122,0776919022	litre	0
1	9,79	9,79	meter	75275,7801124790	litre	0
1	9,80	9,80	meter	75429,6396126886	litre	0
1	9,81	9,81	meter	75583,6561925308	litre	0
1	9,82	9,82	meter	75737,8298520057	litre	0
1	9,83	9,83	meter	75892,1605911133	litre	0
1	9,84	9,84	meter	76046,6484098536	litre	0
1	9,85	9,85	meter	76201,2933082266	litre	0
1	9,86	9,86	meter	76356,0952862322	litre	0
1	9,87	9,87	meter	76511,0543438705	litre	0
1	9,88	9,88	meter	76666,1704811415	litre	0
1	9,89	9,89	meter	76821,4436980452	litre	0
1	9,90	9,90	meter	76976,8739945815	litre	0
1	9,91	9,91	meter	77132,4613707506	litre	0
1	9,92	9,92	meter	77288,2058265523	litre	0
1	9,93	9,93	meter	77444,1073619867	litre	0
1	9,94	9,94	meter	77600,1659770538	litre	0
1	9,95	9,95	meter	77756,3816717535	litre	0
1	9,96	9,96	meter	77912,7544460859	litre	0
1	9,97	9,97	meter	78069,2843000510	litre	0
1	9,98	9,98	meter	78225,9712336488	litre	0
1	9,99	9,99	meter	78382,8152468793	litre	0
1	10,00	10,00	meter	78539,8163397425	litre	0


EXAMPLES

What is the maximum volume of the cylinder inscribed in the following right square prisms?





<i>RIGHT SQUARE PRISM</i>			<u>MAXIMUM VOLUME CYLINDER</u>		
<u>LENGTH</u>	<u>WIDTH</u>	<u>HEIGHT</u>			
0,52	6,88	6,88	meter	19331,7024292705	litre O
4,6	1,20	1,20	meter	5202,4774343447	litre O
5,6	2,20	2,20	meter	21287,4318207244	litre O
6,6	3,20	3,20	meter	53080,3494750531	litre O
118,62	1,25	1,25	meter	145568,640847196	litre O

First look for the value of width or height in the table on the previous pages. Then multiply the corresponding maximum volume value with the length of the cylinder in meter.


Example 1	6,88 = 37176,3508255192 x 0,52 =	19331,7024292705	litre O
Example 2	1,20 = 1130,97335529233 x 4,60 =	5202,4774343447	litre O
Example 3	2,20 = 3801,32711084365 x 5,60 =	21287,4318207244	litre O
Example 4	3,20 = 8042,47719318982 x 6,60 =	53080,3494750531	litre O
Example 5	1,25 = 1227,18463030851 x 118,62 =	145568,640847196	litre O



UNIT SOLIDS




UNIT CUBE



Edge: 1 m

Volume: 1,0000000000000000 m³

UNIT CYLINDER




Height cylinder: 1 m

Radius circular ends: 0,5 m

Volume: 0,785398163397448 m³


UNIT SPHERE



Radius sphere: 0,5 m

Volume: 0,523598775598298 m³


HALF SPHERE



Radius half sphere: 0,5 m

Volume: 0,261799387799149 m³

UNIT PYRAMID




Height pyramid: 1 m

Side base: 1 m

Volume: 0,3333333333333333 m³

HALF PYRAMID




Height half pyramid: 0,5 m

Side base: 1 m

Volume: 0,166666666666667 m³

UNIT CONE



Height cone: 1 m

Diameter base: 1 m

Volume: 0,261799387799149 m³